



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District: 9

Week: 05/09

Issued by: Commander (dpw)
Ninth Coast Guard District
1240 East Ninth Street,
Cleveland, OH 44199-2060
Telephone: (216) 902-6069

Direct questions about this LNM to the above address.

District Nine Internet Address <http://www.uscg.mil/d9/uscgd9.html>

** Navigation Information Service watchstander, 24 hours a day at (703) 313-5900 ** **Internet Address** <http://www.navcen.uscg.gov/>

Light List Reference: Commandant Publication P16502.7, VOL VII, 2007 Edition

Coast Pilot Reference: 2007 U.S. Coast Pilot 6 Great Lakes 35th Edition

Coast Pilot Corrections Reference download web page: <http://nauticalcharts.noaa.gov/nsd/cpdownload.htm>

The Local Notice to Mariners is available on the Internet at <http://www.navcen.uscg.gov/lnm/d9/default.htm>. You will also have links to other government agencies- web pages including the US Army Corps of Engineers and the National Ocean Service.

REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

The Ninth District and all Sector offices for their areas of responsibility issue a BROADCAST NOTICE TO MARINERS.

The following Broadcast Notice to Mariners have been incorporated into this week's Local Notice to Mariners:

Sector Buffalo, NY - B212-08 through B212-08

Ninth District - C003-09 through C004-09

Sector Detroit, MI - D007-09 through D015-09

Sector Lake Michigan, WI - M016-09 through M023-09

Sector Sault Ste Marie, MI - S012-09 through S013-09

ABBREVIATIONS

A through H

ACOE - Army Corps of Engineers
ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
AI - Alternating
B - Buoy
BKW - Breakwater
bl - Blast
BNM - Broadcast Notice to Mariner
bu - Blue
C - Canadian
CHAN - Channel
CGD - Coast Guard District
C/O - Cut Off
CONT - Contour
CRK - Creek
CONST - Construction
DBN/Dbn - Daybeacon
DBD/DAYBD - Dayboard
DEFAC - Defaced
DEST - Destroyed
DISCON - Discontinued
DMGD/DAMGD - Damaged
ec - eclipse
EST - Established Aid
ev - every
EVAL - Evaluation
EXT - Extinguished
F - Fixed
fl - flash

I through O

I - Interrupted
ICW - Intracoastal Waterway
IMCH - Improper Characteristic
INL - Inlet
INOP - Not Operating
INT - Intensity
ISL - Islet
Iso - Isophase
kHz - Kilohertz
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude
LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LTR - Letter
LWB - Lighted Whistle Buoy
LWP - Left Watching Properly
MHz - Megahertz
MISS/MSNG - Missing
Mo - Morse Code
MSLD - Misleading
N/C - Not Charted
NGA - National Geospatial-Intelligence Agency
NO/NUM - Number
NOS - National Ocean Service

P through Z

PRIV - Private Aid
Q - Quick
R - Red
RACON - Radar Transponder Beacon
Ra ref - Radar reflector
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy
REFL - Reflective
RRL - Range Rear Light
RELIGHTED - Aid Relit
RELOC - Relocated
RESET ON STATION - Aid Reset on Station
RFL - Range Front Light
RIV - River
s - seconds
SEC - Section
SHL - Shoaling
si - silent
SIG - Signal
SND - Sound
SPM - Single Point Mooring Buoy
SS - Sound Signal
STA - Station
STRUCT - Structure
St M - Statute Mile
TEMP - Temporary Aid Change
TMK - Topmark

FI - Flashing
G - Green
HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height

NW - Notice Writer
OBSCU - Obscured
OBST - Obstruction
OBSTR - Obstruction
Oc - Occulting
ODAS - Anchored Oceanographic Data Buoy

TRLB - Temporarily Replaced by Lighted Buoy
TRLT - Temporarily Replaced by Light
TRUB - Temporarily Replaced by Unlighted Buoy
W - White
Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

DMGD - Damaged
MSLD SIG - Misleading Signal
REDUCED INT DAY - Burning During the Day
SS - Sound Signal

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

USACOE NOTICE TO NAVIGATION INTERESTS

All recent Federal Channels conditions that have conditional surveys can be found at the USACE Detroit District web site at: <http://www.lre.usace.army.mil/who/operationsofficehomepage/latestnotices/index.cfm?> and <http://www.lre.usace.army.mil/who/operationsofficehomepage/noticetonavigationinterest/>, the USACE Chicago District website at: http://www.lrc.usace.army.mil/co%2Do/Nav_Notice.htm, and the USACE Buffalo District website at: <http://www.lrb.usace.army.mil/>

LNM: 27/08

ST LAWRENCE SEAWAY - NAVIGATION NOTICES

All recent notices that have been created by the St Lawrence Seaway System can be found at the following web addresses: <http://www.greatlakes-seaway.com/en/seaway/index.html>

LNM: 13/07

The Dates of Latest Editions, Nautical Charts and Miscellaneous Maps

The Dates of Latest Editions, Nautical Charts and Miscellaneous Maps, dated October 1, 2007, published by the National Ocean Service, is available for issue. It may be obtained for free by mail from the FAA/National Aeronautical Charting Office, Distribution Division AVN-530, 10201 Good Luck Road, Glenn Dale MD, 20769-9700, by telephone at 1-800-638-8972, or from your local authorized nautical chart sales agent. This is a quarterly publication listing the most recent editions of nautical charts, miscellaneous maps and publications relating to navigation, weather, etc. with brief descriptions and newly updated prices for most of the publications listed. Much of this information may also be obtained online at: <http://chartmaker.ncd.noaa.gov/mcd/dole.htm>

LNM: 43/07

GREAT LAKES - Great Lakes Water Levels

The expected water levels on the Great Lakes for February 5, 2009. Connecting Channels and the St. Lawrence River, given in inches above (+) or below (-) Low Water Datum (LWD). LWD is a plane of reference used on a navigation chart. It is also known as chart Datum.

Great Lakes:

Lake Ontario +23, Lake Erie +22, Lake St. Clair +18, Lake Michigan-Huron +0, Lake Superior -3.

St Lawrence River:

Above Long Sault Dam +45, Above Iroquois Dam +31, Ogdensburg +30 Alexandria Bay +25, Head of River at Cape Vincent +23.

Detroit River:

Lake Erie at Pelee Passage +22, Mouth of River at Gibraltar +20, Head of River above Belle Isle +18

St. Clair River:

Mouth of River at St. Clair Flats +18, Algonac +15, St. Clair +9, Blue Water Bridge +3, Head of River at Fort Gratiot +0, Lake Huron

Approach Channel +0.

St. Marys River:

Mouth of River at Detour +0, West and Middle Neebish +4, Head of Little Rapids +3, U.S. Slip +2, Above Locks -1, Head of River at Point Iroquois -3.

Available water depth is determined for a location by adding (if +) or subtracting (if -) the amount from the above to the water depth shown on National Oceanic and Atmospheric Administration (NOAA) navigational charts. Caution: Depths so determined are representative of a still water surface elevation, disturbed by neither wind nor other causes. Depth, however, may be reduced or increased as much as several feet for short periods of time due to these disturbances, or when sections of channels develop shoals. Vessel masters should refer to the Local Notice to Mariners for extent of shoaling and scattered bedrock projections in all channels. For further information direct inquiries to: Department of the Army, Detroit District Corps of Engineers P. O. Box 1027, Detroit, MI 48231, (313) 226-6443. Additional information can be found on the U.S.

Army Corps of Engineers Information Center website at
<http://www.lre.usace.army.mil/greatlakes/hh/greatlakeswaterlevels/waterlevelforecasts/connectingchannelsforecasts/index.cfm?>

LNM: 43/08

NOAA's National Ocean Service is proposing the removal of State Plane grid intersection tick marks from all nautical charts.

NOAA's National Ocean Service is evaluating specific features on nautical charts for their importance to marine navigation. The goal is to improve clarity and ease of use. To achieve this, NOAA's National Ocean Service is proposing the removal of State Plane grid intersection tick marks from all nautical charts.

The State Plane coordinate system was established by the U.S. Coast and Geodetic Survey in 1933 to provide a common reference system for surveyors and cartographers. State plane ticks marks are not necessary for marine navigation.

This change is expected to affect new chart editions commencing in 2009.

This proposed change will be advertised on The Office of Coast Survey website under "Latest News" <http://www.nauticalcharts.noaa.gov>. Comments about these changes may be sent to NOAA through the form at <http://ocsddata.ncd.noaa.gov/idrs/inquiry.aspx> before February 20, 2009. 51/08-08/09

LNM: 51/08

The USCG NAVIGATION CENTER (NAVCEN) announces the operation of the Long Range Identification and Tracking (LRIT) business help desk.

The LRIT business help desk will monitor LRIT systems and process inquiries from the public and USCG partners. For more detailed information regarding U.S. LRIT rulemaking, please refer to the LRIT final rule, published in the federal register, department of homeland security, 33 CFR part 169, on Tuesday, April 29th, 2008, or visit the LRIT business helpdesk section of the navigation center website at [HTTP://WWW.NAVCEN.USCG.GOV/LRIT](http://WWW.NAVCEN.USCG.GOV/LRIT) the LRIT business help desk phone number is: 703-313-5788 or 866-944-Irit (5748). LNM 05/09

LNM: 02/09

LAKE ST CLAIR - St. Clair Cut-Off Channel - Shoaling - Charts 14850, and 14853

Shoaling has been confirmed inside the St. Clair Cut-Off channel in the vicinity of Canadian Pier Lighted Buoy X32. The US Coast Guard has established St. Clair Cut-Off channel Lighted Buoy 32 (LLNR 8600). This quick flashing red buoy marked "32" has been established in position 42-30.5N 082-41.1W in 31' of water to best mark the shoaling. For more information visit: [http://www.lre.usace.army.mil/OandM/mappdf/mapstclaircut2\[1\].pdf](http://www.lre.usace.army.mil/OandM/mappdf/mapstclaircut2[1].pdf)

LNM: 14/08

LAKE HURON - Aus Sable River, MI - Shoaling - Oscoda Break Wall - Chart 14863

Shoaling has been reported, from depths of 1.9 feet to 3 feet, immediately outside the entrance to the Aus Sable River. All mariners are advised to use caution while transiting the area.

LNM: 18/08

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
3000	Strawberry Island Cut Upper Range Front Light	LT EXT	14832	B176-08	44/08	
4730	Sandusky Bay Exit Channel Range Rear Light	DBN DMGD	14845	D199-08	44/08	
6885	Detroit River Light	LT EXT/SS INOP/RAC INOP	14848	D221-08	50/08	
6895	East Outer Channel Light 1E	RAC INOP	14830	D003-09	02/09	
8075	Trenton Channel Lighted Buoy 28	ADRIFT	14853	D236-08	52/08	
8455	Lake St. Clair Buoy 9	OFF STA	14853	D255-08	53/08	
8480	Lake St. Clair Light 14	LT EXT	14853	D234-08	52/08	
10085	Lake Huron Cut Lighted Buoy 11	OFF STA	14865	D014-09	05/09	

12875	Pipe Island Light	LT IMCH	14882	S205-08	51/08
13125	Sailors Encampment Channel Lighted Buoy 21	LT IMCH	14883	S013-09	05/09
13355	Lower Nicolet East Range Front Light	DBN DMGD	14883	S222-08	01/09
15120	Keweenaw Upper Entrance Light	LT EXT	14972	S206-08	51/08
18385	Frankfort South Breakwater Light	REDUCED INT	14939	M548-08	51/08
19520	St. Joseph North Pier Inner Light	LT EXT	14930	M581-08	01/09
20485	Racine Reef West End Lighted Buoy 1	OFF STA	14925	M021-09	05/09
21265	North Bay Entrance North Side Buoy 2	OFF STA	14909	M482-08	41/08
21354	Detroit Harbor Channel Lighted Buoy 2A	OFF STA	14909	M547-08	51/08

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
9780	Fawn Island Lighted Buoy 38	WATCHING PROPERLY	14853	D008-09	03/09	05/09

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
7390	South Huron Valley Outfall West Lighted Buoy	MISSING	14853	D168-08	36/08	
7395	South Huron Valley Outfall Center Lighted Buoy	MISSING	14853	D168-08	36/08	
7400	South Huron Valley Outfall East Lighted Buoy	MISSING	14853	D168-08	36/08	
8150	Detroit Edison Cell Light South	LT EXT	14853		38/07	
8155	Detroit Edison Cell Light North	LT IMCH	14853	D168-08	36/08	
8165	Detroit Lime Company Light	LT IMCH	14854	D168-08	36/08	
8735	Crescent Sail Yacht Club Breakwater South Light	LT EXT	14853		39/08	
9840	Recors Point Dock Lower Light	LT EXT	14853	D080-06	25/06	
9850	Recors Point Dock Upper Light	LT IMCH	14853		39/08	
20725	South Shore Park Breakwater Light	LT EXT	14924	M477-08	41/08	

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
4220	Cleveland Harbor West Basin Channel Light 2	DISCONTINUED	14839		44/08	

5670	Perry Memorial Monument Light	DISCONTINUED	14844		50/08
8545	Lake St. Clair Lighted Buoy 25	DISCONTINUED	14853	D243-08	01/09
8550	Lake St. Clair Lighted Buoy 26	DISCONTINUED	14853	D243-08	01/09
8600.1	St. Clair Cut-Off Channel Lighted Buoy 32	DISCONTINUED	14853		01/09
12975	Point Aux Frenes Light 21	Reduced Intensity	14882	S005-09	02/09

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
None						

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR			CGD01			
(Temp) ADD	NATIONAL DOCK CHANNEL BUOY 3		at 40-41-09.001N 074-02-48.001W			
	Green can					
Corrective Action	Object of Corrective Action		Position			

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true.

Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

14830 32nd Ed. 01-JUL-07 Last LNM: 05/09 NAD 83 05/09

Chart Title: West End of Lake Erie;Port Clinton Harbor;Monroe Harbor;Lorain to Detroit River (Metric);Vermilion

Main Panel 1151 WEST END OF LAKE ERIE MICHIGAN . Page/Side: E

DELETE	Bridge Construction; Bridge under construction (see note) (NOS NW-16747)	NOS	41-39-46.000N	083-30-27.600W
DELETE	magenta caution note; magenta caution note: Fixed and floating obstructions, some submerged may exist within the magenta tinted bridge construction area. Mariners are advised to proceed with caution. (NOS NW-16747)	NOS	41-35-42.300N	083-27-52.900W
ADD	Fixed Bridge; None (NOS NW-16747)	NOS	41-39-46.000N	083-30-27.600W

14832 34th Ed. 01-OCT-02 Last LNM: 05/09 NAD 83 05/09

Chart Title: Niagara Falls to Buffalo

Main Panel 1156 UPPER NIAGARA RIVER. Page/Side: N/A

RELOCATE	Black Rock Canal Lighted Buoy 23	CGD09	from 42-55-39.597N to 42-55-39.597N	078-54-01.463W 078-54-01.463W
----------	----------------------------------	-------	-------------------------------------	----------------------------------

14833	26th Ed.	01-FEB-04	Last LNM: 05/09	NAD 83	05/09
<i>ChartTitle: Buffalo Harbor</i>					
Main Panel 1157 BUFFALO HARBOR . Page/Side: N/A					
RELOCATE	Black Rock Canal Lighted Buoy 23			CGD09 from 42-55-39.597N to 42-55-39.597N	078-54-01.463W 078-54-01.463W
14846	13th Ed.	01-OCT-05	Last LNM: 05/09	NAD 83	05/09
<i>ChartTitle: SMALL-CRAFT BOOK CHART - West End of Lake Erie from Perrysburg, OH., of the Maumee R. to Huron R., Mich., and Bar Pt., Ont. (book of 34 charts)</i>					
Extension 1214 WEST END OF LAKE ERIE PAGE 5. Page/Side: 5					
DELETE	Bridge Construction; Bridge under construction (see note) (NOS NW-16747)			NOS 41-39-46.000N	083-30-27.600W
DELETE	magenta caution note; magenta caution note: Fixed and floating obstructions, some submerged may exist within the magenta tinted bridge construction area. Mariners are advised to proceed with caution. (NOS NW-16747)			NOS 41-39-13.900N	083-29-41.400W
ADD	fixed bridge, and label; VETERANS GLASS MEMORIAL FIXED BRIDGE HOR CL 205 FT VERT CL 124 FT (NOS NW-16747)			NOS 41-39-40.000N	083-30-42.000W
14847	31st Ed.	01-FEB-05	Last LNM: 05/09	NAD 83	05/09
<i>ChartTitle: Toledo Harbor;Entrance Channel to Harbor</i>					
Main Panel 1250 TOLEDO HARBOR OHIO. Page/Side: N/A					
DELETE	Bridge Construction; Bridge under construction (see note) (NOS NW-16747)			NOS 41-39-46.000N	083-30-27.600W
DELETE	magenta caution note; magenta caution note: Fixed and floating obstructions, some submerged may exist within the magenta tinted bridge construction area. Mariners are advised to proceed with caution. (NOS NW-16747)			NOS 41-39-31.800N	083-29-12.300W
ADD	fixed bridge, and label; VETERANS GLASS MEMORIAL FIXED BRIDGE HOR CL 205 FT VERT CL 124 FT (NOS NW-16747)			NOS 41-39-40.000N	083-30-42.000W
14848	58th Ed.	01-OCT-07	Last LNM: 05/09	NAD 83	05/09
<i>ChartTitle: Detroit River</i>					
CHART DETROIT RIVER. Page/Side: N/A					
DELETE	Great Lakes Steel Lighted Buoy "1" (LLNR 8140)			CGD09 42-15-45.700N	083-06-52.000W
DELETE	Great Lakes Steel Shoal Lighted Buoy "3" (LLNR 8145)			CGD09 42-15-57.000N	083-06-46.500W
Main Panel 1252 DETROIT RIVER . Page/Side: N/A					
DELETE	Great Lakes Steel Lighted Buoy "1" (LLNR 8140)			CGD09 42-15-45.700N	083-06-52.000W
DELETE	Great Lakes Steel Shoal Lighted Buoy "3" (LLNR 8145)			CGD09 42-15-57.000N	083-06-46.500W
14853	17th Ed.	01-MAR-08	Last LNM: 05/09	NAD 83	05/09
<i>ChartTitle: SMALL-CRAFT BOOK CHART - Detoit River, Lake St. Clair and St. Clair River (book of 47 charts)</i>					
Extension 1272 DETROIT RIVER, PAGE 11. Page/Side: 11					
CHANGE	Tabulation - RIVER ROUGE CHANNEL http://ocsddata.ncd.noaa.gov/nm/SupportImage.asp?ItemID=170482 ; Tabulation - RIVER ROUGE CHANNEL (NOS NW-16723)			NOS 42-18-08.000N	083-08-06.000W
14854	14th Ed.	01-MAR-04	Last LNM: 05/09	NAD 83	05/09
<i>ChartTitle: Trenton Channel and River Rouge;River Rouge</i>					
Inset 1311 ROUGE RIVER DETROIT RIVER TO FORD MOTOR COMPANY. Page/Side: N/A					
CHANGE	Tabulation - RIVER ROUGE CHANNEL http://ocsddata.ncd.noaa.gov/nm/SupportImage.asp?ItemID=170483 ;			NOS 42-16-08.300N	083-07-57.600W

14901	15th Ed.	01-AUG-06	Last LNM: 05/09	NAD 83	05/09
<i>ChartTitle: Lake Michigan (Mercator Projection)</i>					
Main Panel 1361 LAKE MICHIGAN. Page/Side: N/A					
RELOCATE	NOAA Lighted Weather Buoy 45007			CGD09 from 42-40-28.000N to 42-40-24.984N	087-01-36.000W 087-01-34.324W
RELOCATE	West Arm Lighted Buoy 8			CGD09 from 44-47-33.443N to 44-47-33.437N	085-37-24.250W 085-37-23.600W
14902	29th Ed.	01-JAN-05	Last LNM: 05/09	NAD 83	05/09
<i>ChartTitle: North end of Lake Michigan, including Green Bay</i>					
Main Panel 1362 NORTH END OF LAKE MICHIGAN INCLUDING GREEN BAY. Page/Side: N/A					
RELOCATE	West Arm Lighted Buoy 8			CGD09 from 44-47-33.443N to 44-47-33.437N	085-37-24.250W 085-37-23.600W
14906	24th Ed.	01-FEB-05	Last LNM: 05/09	NAD 83	05/09
<i>ChartTitle: South Haven to Stony Lake;South Haven;Port Sheldon;Saugatuck Harbor</i>					
Inset 1377 SAUGATUCK HARBOR MICHIGAN. Page/Side: N/A					
DELETE	Sounding in Feet; 3 (NOS NW-16717)			NOS 42-40-37.400N	086-12-50.700W
DELETE	Sounding in Feet; 7 (NOS NW-16717)			NOS 42-40-33.600N	086-12-20.600W
CHANGE	Depth Legend - Saugatuck Harbor; 12 FT FOR WIDTH OF 100 FT SEP - OCT 2008 FROM 8 FT...AUG 2005-MAY 2007 (NOS NW-16717)			NOS 42-40-35.000N	086-12-40.000W
Inset 1378 SOUTH HAVEN MICHIGAN. Page/Side: N/A					
DELETE	Sounding in Feet; 9 (NOS NW-16736)			NOS 42-24-18.300N	086-16-31.300W
SUBSTITUTE	Sounding in Feet; 7 for 9 (NOS NW-16736)			NOS 42-24-19.800N	086-16-28.900W
SUBSTITUTE	Sounding in Feet; 9 for 10 (NOS NW-16736)			NOS 42-24-20.500N	086-16-26.400W
CHANGE	Depth Legend - South Haven Harbor; 10 FEET SEP 2008 (NOS NW-16736)			NOS 42-24-07.400N	086-17-03.200W
CHANGE	Depth Legend -South Haven Harbor; 9 FEET SEP 2008 (NOS NW-16736)			NOS 42-24-16.500N	086-16-34.000W
ADD	Channel reach separation line PT 1 OF 2; None (NOS NW-16736)			NOS 42-24-06.500N	086-17-17.800W
ADD	Channel reach separation line PT 2 OF 2; None (NOS NW-16736)			NOS 42-24-05.200N	086-17-17.300W
ADD	Sounding in Feet; 15 (NOS NW-16736)			NOS 42-24-05.600N	086-17-19.900W
ADD	Sounding in Feet; 16 (NOS NW-16736)			NOS 42-24-06.800N	086-17-24.200W
ADD	Sounding in Feet; 7 (NOS NW-16736)			NOS 42-24-19.500N	086-16-26.000W
ADD	Sounding in Feet; 8 (NOS NW-16736)			NOS 42-24-19.000N	086-16-29.200W
ADD	Sounding in Feet; 8 (NOS NW-16736)			NOS 42-24-19.200N	086-16-27.100W
ADD	Sounding in Feet; 8 (NOS NW-16736)			NOS 42-24-19.900N	086-16-25.000W
ADD	Sounding in Feet; 8 (NOS NW-16736)			NOS 42-24-21.600N	086-16-22.800W
14913	19th Ed.	01-SEP-05	Last LNM: 05/09	NAD 83	05/09
<i>ChartTitle: Grand Traverse Bay to Little Traverse Bay;Harobr Springs;Petoskey;Elk Rapids;Suttons Bay;Northport;Traverse City</i>					
CHART GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY. Page/Side: N/A					
RELOCATE	South Point Lighted Bell Buoy 2			CGD09 from 45-19-34.724N to 45-19-35.597N	085-17-59.551W 085-17-59.367W

RELOCATE	West Arm Lighted Buoy 8	CGD09 from 44-47-33.443N to 44-47-33.437N	085-37-24.250W 085-37-23.600W
----------	-------------------------	---	----------------------------------

14919 **28th Ed.** **01-OCT-04** **Last LNM: 05/09** **NAD 83** **05/09**

ChartTitle: Sturgeon Bay and Canal;Sturgeon Bay

Main Panel 1444 STURGEON BAY AND CANAL . Page/Side: N/A

CHANGE	Depth Legend -STURGEON BAY; 21 1/2 FEET FOR 130 FEET OCT 2007-SEP 2008 (NOS NW-16749)	NOS 44-48-01.900N	087-19-22.500W
--------	---	----------------------	----------------

14922 **20th Ed.** **01-NOV-08** **Last LNM: 05/09** **NAD 83** **05/09**

ChartTitle: Manitowoc and Sheboygan

CHART MANITOWOC AND SHEBOYGAN HARBORS. Page/Side: N/A

RELOCATE	Sheboygan Harbor Buoy 3	CGD09 from 43-44-54.791N to 43-44-55.935N	087-42-09.398W 087-42-11.321W
----------	-------------------------	---	----------------------------------

Main Panel 1446 MANITOWOC AND SHEBOYGAN . Page/Side: N/A

RELOCATE	Sheboygan Harbor Buoy 3	CGD09 from 43-44-54.791N to 43-44-55.935N	087-42-09.398W 087-42-11.321W
----------	-------------------------	---	----------------------------------

14930 **25th Ed.** **01-JAN-04** **Last LNM: 05/09** **NAD 83** **05/09**

ChartTitle: St. Joseph and Benton Harbor

Main Panel 1486 ST JOSEPH AND BENTON HARBOR . Page/Side: N/A

DELETE	Sounding in Feet; 3 (NOS NW-16739)	NOS 42-06-43.300N	086-28-45.400W
DELETE	Sounding in Feet; 4 (NOS NW-16739)	NOS 42-06-43.500N	086-28-44.200W
DELETE	Sounding in Feet; 5 (NOS NW-16739)	NOS 42-06-43.400N	086-28-46.800W
DELETE	Sounding in Feet; 6 (NOS NW-16739)	NOS 42-06-44.800N	086-28-24.600W
DELETE	Sounding in Feet; 6 (NOS NW-16739)	NOS 42-06-45.100N	086-28-27.300W
DELETE	Sounding in Feet; 6 (NOS NW-16739)	NOS 42-06-45.300N	086-28-30.300W
DELETE	Sounding in Feet; 7 (NOS NW-16739)	NOS 42-06-42.900N	086-28-37.800W
DELETE	Sounding in Feet; 7 (NOS NW-16739)	NOS 42-06-44.200N	086-28-21.100W
DELETE	Sounding in Feet; 8 (NOS NW-16739)	NOS 42-06-43.000N	086-28-39.100W
SUBSTITUTE	Sounding in Feet; 7 for 4 (NOS NW-16739)	NOS 42-06-45.000N	086-29-05.400W
SUBSTITUTE	Sounding in Feet; 8 for 5 (NOS NW-16739)	NOS 42-06-43.400N	086-28-48.100W
SUBSTITUTE	Sounding in Feet; 9 for 7 (NOS NW-16739)	NOS 42-06-45.400N	086-29-07.000W
CHANGE	Depth Legend - ST.JOSEPH HARBOR; 10 FT OCT 2008 (NOS NW-16739)	NOS 42-06-48.600N	086-28-27.500W
CHANGE	Depth Legend - ST.JOSEPH HARBOR; 11 FT OCT 2008 (NOS NW-16739)	NOS 42-06-49.300N	086-28-06.300W
CHANGE	Depth Legend - ST.JOSEPH HARBOR; 17 1/2 FEET OCT 2008 (NOS NW-16739)	NOS 42-06-48.000N	086-28-17.000W

14961 **12th Ed.** **01-NOV-03** **Last LNM: 05/09** **NAD 83** **05/09**

ChartTitle: Lake Superior (Mercator Projection)

Main Panel 1499 LAKE SUPERIOR. Page/Side: N/A

RELOCATE	NOAA Lighted Weather Buoy 45004	CGD09 from 47-33-19.800N to 47-33-26.518N	086-32-10.200W 086-32-03.941W
RELOCATE	NOAA Lighted Weather Buoy 45006	CGD09 from 47-20-50.076N	089-49-30.144W

to 47-20-05.636N 089-47-34.224W

14967 23rd Ed. 01-JUL-07 Last LNM: 05/09 NAD 83 05/09

ChartTitle: Beaver Bay to Pigeon Point;Silver Bay Harbor;Taconite Harbor;Grand Marais Harbor

CHART BEAVER BAY TO PIGEON POINT. Page/Side: N/A

RELOCATE NOAA Lighted Weather Buoy 45006 CGD09 from 47-20-50.076N 089-49-30.144W to 47-20-05.636N 089-47-34.224W

14972 26th Ed. 01-MAY-04 Last LNM: 05/09 NAD 83 05/09

ChartTitle: Keweenaw Waterway, including Torch Lake;Hancock and Houghton

CHART KEWEENAW WATERWAY, INCLUDING TORCH LAKE. Page/Side: N/A

RELOCATE Keweenaw Waterway Lighted Buoy 61 CGD09 from 47-11-28.245N 088-37-18.733W to 47-11-28.022N 088-37-18.237W

14975 35th Ed. 01-DEC-07 Last LNM: 05/09 NAD 83 05/09

ChartTitle: Duluth-Superior Harbor;Upper St. Louis River

CHART DULUTH-SUPERIOR HARBOR. Page/Side: N/A

RELOCATE Keweenaw Waterway Lighted Buoy 50 CGD09 from 47-10-00.140N 088-38-19.790W to 47-09-59.785N 088-38-19.931W
RELOCATE Minnesota Channel (Eastern Section) Lighted Buoy 14 CGD09 from 46-43-06.600N 092-09-22.800W to 46-43-06.587N 092-09-41.153W
RELOCATE Superior Harbor Basin Anchorage Buoy B CGD09 from 46-42-59.883N 092-02-19.784W to 46-42-59.833N 092-02-19.805W

Main Panel 1538 DULUTH-SUPERIOR HARBOR. Page/Side: N/A

RELOCATE Minnesota Channel (Eastern Section) Lighted Buoy 14 CGD09 from 46-43-06.600N 092-09-22.800W to 46-43-06.587N 092-09-41.153W

14976 18th Ed. 01-NOV-04 Last LNM: 05/09 NAD 83 05/09

ChartTitle: Isle Royale

CHART ISLE ROYALE. Page/Side: N/A

RELOCATE Malone Bay Entrance Buoy 3 CGD09 from 47-58-24.000N 088-47-52.240W to 47-58-24.404N 088-47-50.758W

Main Panel 1540 ISLE ROYALE. Page/Side: N/A

RELOCATE Malone Bay Entrance Buoy 3 CGD09 from 47-58-24.000N 088-47-52.240W to 47-58-24.404N 088-47-50.758W

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

Approved Project(s) Project Date Ref. LNM
None

Advance Notice(s)

LAKE ONTARIO - Rochester Harbor - Chart 14815

Rochester Harbor Light (LLNR 2320) change the color of the light from white to red.

The change would make the entrance to the channel lateral. The red light would be an LED lantern, brighter and will stand out against the severe background lighting.

LNM: 34/08

LAKE ERIE - West End of Sandusky Bay - Chart 14842

The following Aids to Navigation will be changed to warn the mariner of rocks and shoaling:

Muddy Creek:

Squaw Island Light 12 (LLNR 5085) change flash characteristic to QW and day board to white with orange bands to read "Danger Shoal"

Sandusky River:

Sandusky River Daybeacon 13 (LLNR 5090) change day board to white with orange bands and to read "Danger Rock"

Sandusky River Daybeacon 15 (LLNR 5096) change day board to white with orange bands and to read "Danger Rock"

Sandusky River Daybeacon 17 (LLNR 5100) change day board to white with orange bands and to read "Danger Rock"

LNM: 19/08

LAKE ERIE - East Outer Channel - Chart 14830

East Outer Light "1E" (LLNR 6895) The purpose is to change the lantern from the existing incandescent lamps to a more energy efficient LED. This will reduce the range of the light from 12 to 11 miles.

Change the operating dates of the seasonal fog signal

From: 15 March to 15 January

To: 01 April to 01 December

LNM: 26/08

LAKE SAINT CLAIR - Chart 14850

Lake St. Clair Lighted Buoy "30" (LLNR 8570)

Construction of a fixed aid to navigation to replace lighted buoy "30" will begin in late spring of 2009. The fixed aid to navigation will have the same characteristic Q R with a range of 9 statute miles.

LNM: 05/09

LAKE HURON - Saginaw Bay - Chart 14863

Change the date of the following lighted buoys to be maintained from 21 April to 7 December vice 21 April to 14 December. This change will align all Saginaw Bay Channel buoys with the same seasonal dates.

Saginaw Bay Channel Lighted Buoy "11" (LLNR 10640)

Saginaw Bay Channel Lighted Buoy "15" (LLNR 10660)

Saginaw Bay Channel Lighted Buoy "16" (LLNR 10665)

Saginaw Bay Channel Lighted Buoy "19" (LLNR 10680)

Saginaw Bay Channel Lighted Buoy "20" (LLNR 10685)

LNM: 50/08

LAKE HURON - Harrisville to Forty Mile Point - Chart 14864

Presque Isle Light (LLNR 11550) Change the aid from a federal aid to navigation to a private aid to navigation. The characteristic will remain the same.

LNM: 20/07

LAKE HURON - Harrisville to Forty Mile Point - Chart 14864

Sturgeon Point Light (LLNR 11345) change to private aid. Characteristics and range will remain the same.

LNM: 01/07

LAKE HURON - Lake Huron Cut - Chart 14862

Lake Huron Cut Light "7" (LLNR 10065)

Increase the range of the light from 6 to 9 statute miles.

LNM: 05/09

LAKE MICHIGAN - St. Joseph - Chart 14930

St. Joseph North Pier Inner Light (LLNR 19520) Due to the upcoming divestiture of the lighthouse and classical lens a modern optic will be installed on the rail to maintain the aid to navigation. The purpose is to change the lantern from the existing incandescent lamps to a more energy efficient LED. This will reduce the range of the light from 16 to 9 miles.

LNM: 49/06

LAKE MICHIGAN - Straights of Mackinac - Chart 14880

Mc Gulpin Point Lighthouse - This lighthouse located at position: 45-47.2332N 084-46.3823W will be maintained as a private aid to navigation with a light characteristic of: FL W 4s with a range of 13 ST M. The light will be commissioned 30 MAY 2009.

LNM: 37/08

LAKE MICHIGAN - Sturgeon Bay Ship Canal - Chart 14919

Sturgeon Bay Ship Canal Buoy "15A" (LLNR 21117) change from an unlighted buoy to a lighted buoy. Fl G 2.5s, 3 mile range. Seasonal from 21 April through 21 November replaced by a can in the winter.

LNM: 16/08

LAKE MICHIGAN - Upper Green Bay - Chart 14909

Permanently discontinue the following aids. The aids no longer provide any navigational benefit.

North Bay Entrance South Side Buoy "1" (LLNR 21260) North Bay Entrance North Side Buoy "2" (LLNR 21265)

LNM: 46/08

LAKE MICHIGAN - Little Bay De Noc - Chart 14915

Escanaba Light (LLNR 21635) Change the operation of the fog signal to a user activated system. The Coast Guard will install a user activated fog signal; to operate the fog signal, key the microphone on VHF marine radio on channel 79 five times.

LNM: 37/08

LAKE MICHIGAN - Stony Lake to Point Betsie - Chart 14907

Change the following lights from a Federal Aid to Navigation to a Private Aid to Navigation. The light would be operated by the Sable Points Lighthouse Keepers Association.

Big Sable Light (LLNR 18525)
Little Sable Light (LLNR 18645)

LNM: 33/08

LAKE MICHIGAN - Algoma to Sheboygan - Chart 14903

Algoma Light (LLNR 20975) Due to public comments the fog signal will remain operational and the characteristic of the fog signal will be changed:

From: 1 blast every 10s
To: 1 blast every 30s

LNM: 29/08

LAKE MICHIGAN - Manitowoc Harbor - Chart 14922

Manitowoc Breakwall Light (LLNR 20860) The purpose is to change the lantern from the existing incandescent lamps to a more energy efficient LED. This will reduce the range of the light from 15 to 12 miles.

Change the operation of the Fog Signal to a user activated system. The Coast Guard will install a user activated fog signal; to operate the fog signal, key the microphone on VHF Marine radio channel 79 five times.

LNM: 01/07

LAKE MICHIGAN - Indiana Harbor - Charts 14926, and 14929

Indiana Harbor East Breakwater Light (LLNR 19675) The purpose is to change the lantern from the existing incandescent lamps to a more energy efficient LED. This will reduce the range of the light from 20 to 12 miles.

Change the operation of the fog signal to a user activated system. The Coast Guard will install a user activated fog signal; to operate the fog signal, key the microphone on VHF Marine radio channel 79 five times.

LNM: 11/07

LAKE SUPERIOR - Apostle Islands - Chart 14973

Outer Island Light (LLNR 15255) The purpose is to change the lantern from the existing incandescent lamps to a more energy efficient LED. This will reduce the range of the light from 15 to 12 miles.

Devils Island Light (LLNR 15565) The purpose is to change the lantern from the existing incandescent lamps to a more energy efficient LED. This will reduce the range of the light from 15 to 12 miles.

LNM: 19/08

LAKE SUPERIOR - Big Bay Point to Redridge - Chart 14964

Huron Island Light (LLNR 14730) The purpose is to change the lantern from the existing incandescent lamps to a more energy efficient LED. This will reduce the range of the light from 15 to 12 miles.

Manitou Island Light (LLNR 15170) The purpose is to change the lantern from the existing incandescent lamps to a more energy efficient LED. This

will reduce the range of the light from 18 to 12 miles.

LNM: 19/08

LAKE SUPERIOR - Isle Royale - Chart 14976

Siskiwit Bay Passage Buoy "1" (LLNR 16690) Change the radar range of this buoy from 1.6 miles to .5 miles. The buoy will be changed from a seasonal buoy to a year round buoy.

LNM: 47/08

LAKE SUPERIOR - Isle Royale - Chart 14976

Passage Island Light (LLNR 16835) The purpose is to change the lantern from the existing incandescent lamps to a more energy efficient LED. This will reduce the range of the light from 17 to 12 miles.

Rock of Ages Light (LLNR 16655) The purpose is to change the lantern from the existing incandescent lamps to a more energy efficient LED. This will reduce the range of the light from 17 to 12 miles.

LNM: 07/08

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
None			

Proposed Change Notice(s)

LAKE ERIE - Lorain Harbor - Chart 14826

Lorain Harbor Light "1" (LLNR 4330) reduce the range of the light from 5 statute miles to 4 statute miles. The new proposed LED optic produces an intensity of 28 candela which is equal to a 4 statute mile range.

LNM: 50/08

LAKE ERIE - Monroe Harbor - Chart 14846

The visual daytime range of the following buoys will be reduced from 2.3 miles to 1.4 miles due to change in equipment:

Monroe Harbor Lighted Buoy "5" (LLNR 6590)
Monroe Harbor Lighted Buoy "6" (LLNR 6595)

LNM: 03/09

LAKE HURON - Port Huron to Pte Aux Barques - Chart 14862

Permanently discontinue the following aids to navigation. Coast Guard Station Port Huron no longer requires these aids:

Port Huron RA Buoy "A" (LLNR 10017)
Port Huron RA Lighted Buoy "B" (LLNR 10018)
Port Huron RA Buoy "C" (LLNR 10019)
Port Huron RA Lighted Buoy "D" (LLNR 10020)

LNM: 02/09

For any comments or questions on these proposed changes please contact

Doug Sharp of the Ninth District Aids to Navigation office at (216) 902-6070.

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

Waterways Analysis and Management System Study - 2008

The Coast Guard is conducting a Waterways Analysis and Management System Study on the following waterways during 2008. The study focuses on the area's aid to navigation system, waterborne commerce, marine casualty information, emergency response plans, routine and emergency

Waterways Analysis and Management System Study - 2008

communication capabilities, and future development projects. Any company or individual wishing to provide comments or participate in a user survey should contact the office listed below each study area.

Lake Erie - Erie Harbor (LLNR 3495 - 3696)
Lake Ontario - Youngstown Harbor (LLNR 2400 -2655)
Lake Ontario - Rochester Harbor (LLNR 2280 - 2395)
Contact:
Commander
USCG Sector Buffalo
1 Fuhrmann Blvd.
Buffalo, N.Y. 14203-3189
(716) 843-9524

Lake Erie - Eastern Ohio - (LLNR 3700 thru LLNR 3955)
Contact:
Commanding Officer
USCG Sector Buffalo
1 Fuhrmann Blvd.
Buffalo, N.Y. 14203
(716) 813-9524

Lake Erie - Erie Islands - Chart 14844
Contact:
Commanding Officer
USCG Sector Detroit
110 Mt. Elliot Ave.
Detroit, MI 48207
(313) 568-9523

Lake St. Clair - Anchor Bay (LLNR 9305 - 9565)
Lake St. Clair - Lake St. Clair Recreation/Belle Isle (LLNR 8280 - 8396)
Contact:
Commander
USCG Sector Detroit
110 Mt. Elliot Ave.
Detroit, MI 48207-4380
(313)568-9523

Lake St. Clair - Main Shipping Channel (LLNR 8400 -8660)
Lake Erie - Sandusky Harbor/Moseley Channel (LLNR 4560 - 5030)
Lake Erie - Lorain/Huron Harbor (LLNR 4265 - 5455)
Commanding Officer
USCGC Bristol Bay (WTGB 102)
110 Mt. Elliot Ave.
Detroit, MI 48207-4380
(313) 568-9548

Lake Huron - Au Gres and Tawas Bay - Chart 14863
Contact:
Commander (Aid to Navigation Officer)
U.S. Coast Guard Sector Detroit
110 Mt. Elliot Ave.
Detroit, Michigan 48207-4380
(313) 568-9523

Lake Huron - Alpena (LLNR 11345 -11715)
Lake Huron - Port Sanilac/Harbor Beach (LLNR 10095 - 10212)
Lake Huron - Port Austin/Caseville (LLNR 10215 -10385)
Contact:
Commanding Officer
USCGC Hollyhock (WLB 214)
2700 Omar Street
Port Huron, MI 48060-8519

Lake Michigan - Milwaukee Harbor (LLNR 20635 - 20765)
Contact:
Commanding Officer
USCGC Mackinaw (WLBB 30)
632 Coast Guard Drive
Cheboygan, MI 49721-1299

Waterways Analysis and Management System Study - 2008

(231) 597-2030

Lake Michigan - Grand Traverse Bay (LLNR 17855 - 18366)
Lake Superior - Knife River /Two Harbors (LLNR 16495 - 16580)
Contact:
Commanding Officer
USCGC Alder
1201 Minnesota Ave
Duluth, MN 55802-2492
(216) 529-3131

Lake Michigan - Holland Harbor (LLNR 19270 - 19511.6)
Lake Michigan - White Lake (LLNR 18650 - 18960)
Lake Michigan - Michigan City (LLNR 19535 - 19570)
Contact:
Commander
USCG Sector Lake Michigan
2420 South Lincoln Memorial Drive
Milwaukee, WI 53207-1997
(414) 747-7188

Lake Michigan - Muskegon/Grand Haven (LLNR 18705 - 19265)
Lake Michigan - Portage Lake/Manistee/Ludington (LLNR 18370 - 18645)
Contact:
Commanding Officer
USCGC Mobile Bay (WTGB 103)
P.O. Box 287
Sturgeon Bay, WI 54235-0287
(920) 743-2646

Lake Superior - Upper St. Louis River (LLNR 16255 - 16492)
Contact:
Commander
USCG Sector Sault Ste Marie
337 Water Street
Sault Ste Marie, MI 49783-9501
(906) 635-3270

LNM: 07/08

*******NEW FOR LNM 05/09*******

LAKE MICHIGAN – WI – Sturgeon Bay, Sturgeon Bay Ship Canal, Bridge Closure for Maintenance, Chart 14919

The Maple-Oregon Bridge at Mile 4.17 over the Sturgeon Bay Ship Canal will be secured to masted navigation from 1800 local time on March 12, 2009 until 0600 local time on March 13, 2009 for required maintenance. All mariners are urged to use caution in the vicinity of the bridge [05/09]

LNM: 05/09

GREAT LAKES - GENERAL - MARINE EVENTS - SAFETY ZONES - SECURITY ZONES

Events listed below are those events that may have accompanying special local regulations. Mariners transiting these areas should contact the U.S. Coast Guard with any questions and are asked to exercise caution when navigating through the area of the event. Summary located in Enclosure (2)

LAKE ERIE / LAKE ONTARIO - Marine Events / Safety Zones - Charts 14820 - 14800

The Following Marine Events or Safety zones will take place in Lake Erie / Lake Ontario for information about the following events contact the POC or USCG Sector Buffalo's Prevention Department.

LAKE ERIE:
None Reported

LAKE ONTARIO:
None Reported

LNM: 33/08

LAKE SUPERIOR - Marine Events / Safety Zones - Chart 14961

The following Marine Events or Safety Zones take place in Lake Superior . For information about the following events contact the POC or USCG Sector Sault Ste Marie's Prevention Department.

LAKE SUPERIOR - Marine Events / Safety Zones - Chart 14961

None Reported

LNM: 39/08

LAKE HURON - Marine Events / Safety Zones - Chart 14860

The following Marine Events or Safety Zones take place in Lake Huron . For information about the following events contact the POC or USCG Sector Detroit's Prevention Department..

None Reported

LNM: 39/08

LAKE MICHIGAN - Marine Events / Safety Zones - Chart 14901

The following Marine Events or Safety Zones take place in Lake Michigan . For information about the following events contact the POC or USCG Sector Lake Michigan's Prevention Department.

None Reported

LNM: 38/08

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
8140	Great Lakes Steel Shoal Lighted Buoy 1						Remove from list.	05/09
							*	
8145	Great Lakes Steel Shoal Lighted Buoy 3						Remove from list.	05/09
							*	
14265	<i>Big Point Lighted Buoy 7</i>	46-29-30.577N 084-25-16.452W	Q G		3	Green.	Replaced by LIB from DEC. 21 to May 1.	05/09
							*	
15025	<i>Keweenaw Waterway Lighted Buoy 50</i>	47-09-59.785N 088-38-19.931W	FI R 4s		3	Red.	Nun; winter marker.	05/09
							*	
15080	<i>Keweenaw Waterway Lighted Buoy 61</i>	47-11-28.022N 088-37-18.237W	FI G 2.5s		3	Green.	Replaced by can from Nov 14 to May 14.	05/09
							*	
15665	Superior Harbor Basin Anchorage Buoy B	46-42-59.833N 092-02-19.805W				Yellow nun.		05/09
							*	
16235	<i>Minnesota Channel (Eastern Section) Lighted Buoy 14</i>	46-43-06.587N 092-09-41.153W	FI R 4s		4	Red.	Maintained from Apr. 28 to Dec. 7.	05/09
							*	
16540	<i>NOAA Lighted Weather Buoy 45006</i>	47-20-05.636N 089-47-34.224W	FI (4)Y 20s			Yellow disc-shaped hull with tripod mast.	Replaced by nun from Nov. 1 to Apr. 1. Aid maintained by National Oceanic and Atmospheric Administration.	05/09
							*	
16720	Malone Bay Entrance Buoy 3	47-58-24.404N 088-47-50.758W				Green can.		05/09
							*	

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
16850	NOAA Lighted Weather Buoy 45004	47-33-26.518N 086-32-03.941W	FI (4)Y 20s			Yellow disc-shaped hull with tripod mast.	Replaced by nun from Nov. 1 to Apr. 1. Aid maintained by National Oceanic and Atmospheric Administration.	05/09
		*						
18100	South Point Lighted Bell Buoy 2 Marks shoal.	45-19-35.597N 085-17-59.367W	FI R 4s		4	Red.	Replaced by nun from Nov. 14 to Apr. 21.	05/09
		*						
18265	West Arm Lighted Buoy 8	44-47-33.437N 085-37-23.600W	FI R 4s		5	Red.	Replaced by nun from Nov. 14 to Apr. 14.	05/09
		*						
20595	NOAA Lighted Weather Buoy 45007	42-40-24.984N 087-01-34.324W	FI (4)Y 20s			Yellow disc-shaped hull.	Replaced by nun from Nov. 1 to Apr. 21. Aid maintained by National Oceanic and Atmospheric Administration.	05/09
		*						
20836	Sheboygan Harbor Buoy 3	43-44-55.935N 087-42-11.321W				Green Can.	Maintained from May 1 to Oct. 14.	05/09

PUBLICATION CORRECTIONS

None

ENCLOSURES

(1) Summary of Dredging[SUMMARY OF DREDGIN2.pdf](#)

Construction Operations in Effect

(2) GREAT LAKES - General - Marine Events[GREAT LAKES.pdf](#)

Summary of Marine Events

(3) FEDERAL REGISTER

The above enclosures are the Federal Registers for the last week.

LNM: 31/08

(4) US ARMY CORP OF ENGINEERS - Notice to Navigation IntrestThe above Enclosures are the most current for the Army Corp of Engineers and can be found at <http://www.lre.usace.army.mil/who/operationsofficehomepage/latestnotices/index.cfm?>

LNM: 36/08

(5) Condition of Federal Navigation ChannelThe above Enclosures are the most recent waterway surveys provided to our office by the Army Corp of Engineers and can be found at http://www.lre.usace.army.mil/_kd/go.cfm?destination=Page&Pge_ID=211.

LNM: 39/08

(6) LAKE ST CLAIR - St. Clair Cut-Off Channel

[mapstclaircut21.pdf](#)

- Severe Shoaling - Charts 14850, and 14853

LNM: 14/08

Peter V. Neffenger
Rear Admiral, U. S. Coast Guard
Commander, Ninth Coast Guard District

SUMMARY OF DREDGING/CONSTRUCTION OPERATIONS IN EFFECT

The LNM column is where the entry originally appeared and where detailed information may be obtained. The dates listed for completions are tentative.

Location	LNM	Subject	Hours / Days	Until
<u>NEW YORK STATE BARGE CANAL</u>				
None Reported				
<u>LAKE ONTARIO</u>				
None Reported				
<u>LAKE ERIE</u>				
Cleveland, OH	43/08 52/08	CONSTRUCTION	0700-1530 / MON-SAT	30 JUN 09
Marblehead, OH	44/08	DREDGING	0730-1730/ 7 DAYS	13 FEB 09
Cleveland, OH	51/08	BRIDGES REQUIRE 6 HOUR NOTICE OF ARRIVAL	24 HRS A DAY / 7 DAYS	16 MAR 09
Ashtabula HBR, OH	03/09	N&S RR BRIDGE SECURED TO MASTED NAVIGATION	24 HRS A DAY / 7 DAYS	13 FEB 09
<u>DETROIT RIVER</u>				
Trenton Channel, MI	51/07	SCHEDULED BRIDGE MAINTENANCE	0600-1430 /MON-FRI	TBD
<u>LAKE ST CLAIR</u>				
Mt. Clemens, MI	40/08	PROPOSED BRIDGE REPLACEMENT	TBD	TBD
<u>ST CLAIR RIVER</u>				
None Reported				
<u>LAKE HURON</u>				
Port Huron HBR, MI	43/08	CN RR BRIDGE 12 HOUR ADVANCE NOTICE		31 MAR 09
<u>STRAITS OF MACKINAC</u>				
None Reported				
<u>LAKE MICHIGAN</u>				
Chicago Harbor, IL	13/08	INOPERABLE STATUS	VARIOUS	TBD
Indiana Harbor, IN	25/08	DOCKWALL REPAIRS	0600-1900 / MON – SAT	28 FEB 09
Saginaw River, MI	38/08	WINTER CLOSURE FOR MAINTENANCE	0800-2400 / 7 DAYS	15 MAR 09
Milwaukee HBR, WI	43/08	WINTER OPERATIONS 2 HOUR ADVANCE NOTICE	VARIOUS	01 APR 09
Milwaukee HBR, WI	48/08	BRIDGE REHABILITATION	0700-2100/ 7 DAYS	08 MAY 09
Chicago HBR, IL	02/09	72 HOUR ADVANCE NOTICE MICHIGAN AVE BRIDGE	24 HRS A DAY/ 7 DAYS	16 FEB 09
Sturgeon Bay, WI	05/09	MAPLE-OREGON BRIDGE SECURED TO MASTED NAV	1800 12 MAR – 0600 13 MAR	13 MAR09
<u>LAKE SUPERIOR</u>				
Duluth, MN	38/08	BRIDGE WINTER CLOSURE FOR MAINTENANCE	24 HRS A DAY/ 7 DAYS	20 MAR 09

GREAT LAKES - GENERAL - MARINE EVENTS – SAFETY ZONES – SECURITY ZONES

Events listed below are those events that may have accompanying special local regulations. Mariners transiting these areas should contact the U.S. Coast Guard with any questions and are asked to exercise caution when navigating through the area of the event.

<u>Location</u>	<u>LNM</u>	<u>Events</u>	<u>Dates</u>	<u>Time (Local)</u>	<u>POC or Sponsor</u>	<u>Number</u>
-----------------	------------	---------------	--------------	---------------------	-----------------------	---------------

SAINT LAWRENCE SEAWAY

None Reported

LAKE ONTARIO

None Reported

NIAGARA RIVER

None Reported

ERIE CANAL

None Reported

LAKE ERIE

None Reported

DETROIT RIVER & LAKE SAINT CLAIR

None Reported

LAKE HURON

None Reported

SAINT MARY'S RIVER

None Reported

LAKE SUPERIOR

None Reported

LAKE MICHIGAN

None Reported

GREEN BAY

None Reported