

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
GULF COAST (Florida) - Eighth District							
APALACHEE BAY (Chart 11405)							
5	<i>Ochlockonee Shoals Lighted Buoy 24</i>	29-51-27.465N 084-10-18.999W	FI R 4s		4	Red.	
10 1490	ST MARKS LIGHT	30-04-25.725N 084-10-46.689W	Oc W 4s	80		White conical tower.	Light obscured from 106° to 246°.
15	<i>South Shoal Lighted Buoy 26</i>	29-47-57.166N 084-20-41.718W	FI R 6s		4	Red.	
TAMPA BAY TO CAPE SAN BLAS (Chart 11400)							
U.S. Air Force Instrumentation Tower							
20	- LIGHT SMI	29-04-54.000N 084-19-12.000W	Q W	100		On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl). Private aid.
25	- LIGHT N6	29-24-54.000N 084-20-42.000W	Q W	120		On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl). Private aid.
30	- LIGHT N7	29-39-54.000N 084-22-12.000W	Q W	120		On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl). Private aid.
35	- LIGHT N5	29-17-54.000N 084-36-42.000W	Q W	120		On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl). Private aid.
40	- LIGHT N3	29-32-18.000N 084-37-00.000W	Q W	120		On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl). Private aid.
45	- LIGHT N4	29-24-42.000N 084-51-24.000W	Q W	160		On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl). Private aid.
APALACHEE BAY (Chart 11405)							
50 2515	CROOKED RIVER LIGHT	29-49-38.100N 084-42-02.600W	FI (2)W 15s	115		Square skeleton tower. Lower half white, upper half red.	Private aid.
55 2520	<i>Carrabelle Channel Lighted Buoy 2</i>	29-44-32.767N 084-39-12.146W	FI R 4s		4	Red.	
60	<i>USF Marine Lighted Buoy</i>	28-49-00.875N 084-50-00.446W	FI Y 4s			Yellow.	Private aid.
65 2820	<i>St George Island West Jetty Lighted Buoy 1</i>	29-36-09.878N 084-57-13.271W	FI G 2.5s		4	Green.	
70 2825	<i>St George Island East Jetty Lighted Buoy 2</i>	29-36-10.278N 084-57-09.471W	FI R 2.5s		4	Red.	
APALACHICOLA BAY TO CAPE SAN BLAS (Chart 11401)							
75	ST. GEORGE LIGHTHOUSE	29-39-46.580N 084-51-46.330W	FI W 6s	76		White conical tower.	Visible 244° to 061°. Non-operational May 1 to October 31 annually. Private aid.
80	<i>NOAA Lighted Buoy 42056</i>	19-52-27.000N 085-03-33.000W	FI (4)Y 20s		4	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.
85	Cape San Blas Shoal Inner Buoy 1	29-37-26.700N 085-19-43.320W				Green can.	
90	Cape San Blas Shoal Inner Buoy 3	29-38-20.754N 085-22-35.701W				Green can.	
ST. JOSEPH AND ST. ANDREW BAYS (Chart 11389)							
95 3030	St Joseph Bay Light & Entrance A Range Rear Light 2924 yards, 61.9° from front light.	29-55-05.668N 085-22-49.794W	Iso W 6s	78	13	KRW on skeleton tower. 78	
100	<i>Bay County Midway II Artificial Reef Lighted Buoy</i>	30-01-18.000N 085-42-13.260W	FI Y 2.5s			Yellow.	SIGN: MIDWAY II/RED SEA TUG REEF-BAY COUNTY FL. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
GULF COAST (Florida) - Eighth District							
ST. JOSEPH AND ST. ANDREW BAYS (Chart 11389)							
St Andrew Bay							
105 3335	- Entrance Lighted Buoy SA	30-05-29.735N 085-46-25.752W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS MMSI: 993682022
ST. JOSEPH AND ST. ANDREW BAYS (Chart 11389)							
115	NOAA Lighted Buoy 42039	28-47-17.565N 086-00-30.589W	FI (4)Y 20s			Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.
CHOCTAWATCHEE BAY (Chart 11388)							
120	Old Pass Lagoon Intake Lighted Buoy	30-22-06.000N 086-29-01.000W	FI R 2.5s			White with orange bands.	Private aid.
125 4535	Choctawhatchee Bay Entrance Lighted Buoy CB	30-22-14.568N 086-30-55.952W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
CAPE ST. GEORGE TO MISSISSIPPI PASSES (Chart 11360)							
135	Continental Shelf Oceanographic Lighted Buoy Marks subsea installation.	29-55-24.000N 087-13-06.000W	FI Y 4s			Yellow.	Private aid.
138	NOAA Lighted Data Buoy 42012	30-03-50.964N 087-33-05.197W	FI (4)Y 20s			Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.
PENSACOLA BAY AND APPROACHES (Chart 11382)							
140 4715	Pensacola Light	30-20-46.045N 087-18-29.109W	FI W 20s	191	27	Conical brick tower, lower third white, upper two thirds black. 191	White light visible from 222° to 090°. Aircraft warning light shows F R from 090° to 222°.
145 4695	Pensacola Bay Entrance Lighted Buoy 1	30-16-15.724N 087-17-32.898W	FI G 2.5s		4	Green.	
150 4700	Pensacola Bay Entrance Lighted Buoy 2	30-16-16.749N 087-17-23.505W	FI R 2.5s		4	Red.	
GULF COAST (Alabama) - Eighth District							
PENSACOLA BAY AND APPROACHES (Chart 11382)							
160	TEXACO-VK-786A-A RACON	29-13-44.410N 087-46-51.480W				On Texaco platform.	RACON: C (- . - .) BAND: S,X SIGN: Texaco-VK-786A-A. Private aid.
163	NOAA Scientific Monitoring Buoy Z	29-16-06.000N 087-45-30.000W	FI Y 2.5s				AIS - 993689001 Private aid.
165 5885	Perdido Pass Entrance Lighted Buoy PP	30-15-30.728N 087-33-24.333W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS MMSI: 993682023
175	COX-104-03 RACON	30-05-39.780N 087-52-59.463W	Q W			On freestanding caisson.	RACON: C (- . - .) BAND: S, X SIGN: COX-104-03 Private aid.
MOBILE BAY (Chart 11376)							
180 6095	Mobile Point Light	30-13-41.487N 088-01-26.531W	FI W 10s	125	14	On skeleton tower. 125	
185 6075	Mobile Entrance Lighted Buoy M	30-07-30.961N 088-04-07.197W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
190	W&T Off shore Mooring Buoy	30-10-45.240N 088-04-55.500W				White with blue band.	Private aid.
195	Geological Survey Research Lighted Buoys (2)	29-57-07.000N 088-10-46.000W	FI Y 4s			Yellow.	Maintained by U.S. Geological Survey. Private aid.
CAPE ST. GEORGE TO MISSISSIPPI PASSES (Chart 11360)							
215	Seneca-111-1 Lighted Buoy	29-55-33.921N 088-03-19.036W	FI W 2.5s			White with orange Bands.	Private aid.
225	Conoco-Phillips Lighted Oceanographic Buoy	30-05-25.200N 088-12-42.000W	FI Y 2.5s			Yellow.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
GULF COAST (Alabama) - Eighth District							
CAPE ST. GEORGE TO MISSISSIPPI PASSES (Chart 11360)							
230	<i>Tana-117-05 (Lighted Buoy)</i>	29-25-00.027N 088-23-16.394W	Fl W 2.5s			White with orange bands.	Sign: MAGNUM HUNTER-MP-232-1. Private aid.
245	<i>NOAA Lighted Buoy 42040 (ODAS)</i>	29-12-30.280N 088-13-32.462W	Fl (4)Y 20s			Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.
250	<i>Magnum Hunter 102-1 Lighted Buoy</i> Marks Subsea installation.	29-18-51.810N 088-13-30.700W	Q R			Red.	SIGN: MAGNUM HUNTER-MP-263-1. Private aid.
255	<i>Texas A&M Research Lighted Buoy D</i>	29-21-06.000N 088-15-54.000W	Fl W 4s			White with orange bands.	Private aid.
260	CHEVRON-116-2 (RACON)	28-20-29.527N 088-15-56.472W				On Chevron Platform Blind Faith	RACON: B (- . . .) BAND: S, X SIGN: CHEVRON-MC-650 BLIND FAITH. Private aid.
262	BP NAKIKA MC-474-A RACON	28-31-14.500N 088-17-19.800W				On BP Nakika TLP platform.	RACON: U (. . . _) BAND S, X SIGN: BP-MC-474-A Private aid.
265	<i>Tana-117-02 (Lighted Buoy)</i> Marks subsea installation.	29-32-48.429N 088-16-31.387W	Fl W 2.5s			White with orange bands.	SIGN: MAGNUM HUNTER-MP-187-1. Private aid.
270	<i>Tana-117-01 (Lighted Buoy)</i> Marks subsea installation.	29-32-47.852N 088-21-57.025W	Fl W 2.5s			White with orange bands.	SIGN: MAGNUM HUNTER-MP-185-1. Private aid.
280	<i>Tana-117-30 (Lighted Buoy)</i> Marks subsea installation.	29-25-48.748N 088-25-34.714W	Fl W 2.5s			White with orange bands.	SIGN: TEC-MP-233-1. Private aid.
285	BP EXPLORATION-MC-778-A RACON	28-11-26.205N 088-29-44.318W			160	On BP-MC-778-Thunderhorse platform.	RACON: Y (- . . -) BAND: S,X SIGN: THUNDERHORSE. Private aid. Private aid.
290	COX-104-04 RACON	30-05-04.000N 088-29-47.000W	Q W			On Cox platform A.	RACON: Q (- - . -) BAND: S, X SIGN: COX-104-04 Private aid.
295	<i>Energy Resource-200-1 Lighted Buoy</i>	29-25-08.710N 088-29-34.910W	Fl W 2.5s			White with orange bands.	SIGN: ENERGY RESOURCE-MP-234-1 Private aid.
GULF COAST (Mississippi) - Eighth District							
MISSISSIPPI SOUND AND APPROACHES (Chart 11373)							
305	<i>Noble Energy Lighted Mooring Buoy A</i>	29-13-15.229N 088-33-40.596W	Q W			White with blue band.	Private aid.
307	ENERGY XXI-MP-61-D RACON	29-19-33.840N 088-52-37.390W				On Energy XXI platform D.	BAND: S,X SIGN:EXXI-MP-61-D. Private aid.
310 7850	<i>Horn Island Pass Lighted Buoy HI</i>	30-08-30.049N 088-34-40.125W	Mo (A) W		5	Red and white stripes with red spherical topmark.	Private aid.
312	<i>Apache-101-40 (Lighted Buoy)</i>	29-16-07.436N 088-38-04.048W	Fl W 2.5s			White with orange band.	SIGN: Apache-MP-295-1 Private aid.
315	<i>Usm Research Lighted Buoy A</i>	30-02-32.930N 088-38-50.330W	Fl Y 4s			Yellow.	Private aid.
320	<i>Dog Keys Pass Lighted Buoy 1</i>	30-12-55.723N 088-47-27.089W	Fl G 4s		4	Green.	Private aid.
325	<i>Dog Key Pass Reef Lighted Buoy J</i>	30-12-19.260N 088-49-51.600W	Fl Y 2.5s			Yellow.	Private aid.
330	U.S.G.S. SHIP ISLAND MONITORING PLATFORM LIGHT	30-15-27.000N 088-52-15.000W	Fl Y 2.5s		37		Maintained by U.S. Geological Survey. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
GULF COAST (Mississippi) - Eighth District							
MISSISSIPPI SOUND AND APPROACHES (Chart 11373)							
335 9580	SHIP ISLAND LIGHT	30-12-45.414N 088-57-58.736W	FI W 6s	82	6	Skeleton tower on block. On same structure as Ship Channel Upper Reach Outbound Range Rear Light.	
340 9575	<i>Gulfport Ship Channel Lighted Buoy GP</i>	30-07-09.931N 088-52-39.881W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
GULF COAST (Louisiana) - Eighth District							
CAPE ST. GEORGE TO MISSISSIPPI PASSES (Chart 11360)							
345	MS-AL AQUACULTURE RESEARCH CAGE LIGHT	29-58-38.940N 088-36-17.870W	FI Y 4s			On research cage.	Private aid.
350	<i>Mobil-194-6 Lighted Horn Buoy</i> Marks subsea installation.	29-35-05.000N 088-40-58.000W	Q R			Red.	SIGN: MO-MP-99-1. HORN: 1 blast ev 20s (2s bl). Private aid.
355	BENNU-102-1 RACON	28-02-00.610N 089-06-02.200W				On ATP Titan Spar.	RACON: A (. -) BAND: S, X SIGN: ATP TITAN-MC-941-A. Private aid.
MISSISSIPPI RIVER DELTA (Chart 11361)							
365	Harvey Ward Wreck Buoy	29-10-00.420N 088-53-00.850W				White with orange bands.	Private aid.
370	<i>Energy XXI-102-10 (Lighted Horn Buoy)</i>	29-14-20.408N 088-52-59.480W	Q G			Green.	Private aid.
375	<i>Pass A Loutre North Pass Lighted Buoy 2</i>	29-14-16.794N 088-57-28.149W	FI R 6s		4	Red.	
380	<i>Pass A Loutre Lighted Buoy 4</i>	29-09-53.802N 088-56-32.145W	FI R 2.5s		4	Red.	
385	<i>Ocean Energy Lighted Mooring Buoy A</i>	29-07-02.000N 088-51-30.000W	Q W			White with blue bands.	Private aid.
387	<i>Taylor Energy Lighted Buoy A</i>	28-56-12.619N 088-58-10.303W	FI Y 2.5s			Marks subsea containment system.	TAYLOR ENERGY-MC-20 Private aid.
390	Ocean Energy -102-2 Buoy	28-59-19.222N 089-04-54.359W				White with orange bands.	SIGN: OE-SP-32-1. Private aid.
395	<i>Ocean Energy-102-1 Lighted Horn Buoy</i> Marks subsea installation.	28-59-17.194N 089-04-56.752W	Q R			Red.	SIGN: OE-SP-32-1. Private aid.
400	CAT ISLAND REEF LIGHT K	30-12-07.380N 089-04-52.080W	FI Y 2.5s			NY on pile.	Private aid.
420 12740	Southwest Pass Entrance Light	28-54-21.376N 089-25-43.025W	FI W 10s	122	12	Tower on white dwelling on piles. 85	RACON: K (- -) Emergency light of reduced intensity: FI W 10s.
425.01	COX-105-1 RACON	28-50-01.000N 089-27-10.000W	Q W			On platform A.	RACON: T (-) BAND: S, X SIGN: Cox-105-1 Private aid.
430 12680	<i>Southwest Pass Entrance Lighted Buoy SW</i>	28-52-39.100N 089-25-55.000W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
435	<i>Walter-110-6 Lighted Buoy</i> Marks Subsea Installation.	28-49-47.390N 089-31-35.304W	FI W 2.5s			White with orange bands.	SIGN: WALTER-WD-107-1. Private aid.
440	<i>Walter-110-8 Lighted Buoy</i>	28-52-37.156N 089-32-08.610W	FI W 2.5s			White with orange bands.	SIGN: WALTER-WD-107-6 Private aid.
445	<i>Tarpon-101-1 Lighted Buoy</i>	28-47-49.141N 089-33-29.983W	FI W 2.5s			White with orange bands.	SIGN: TARPON-WD-112-1. Private aid.
450	<i>Furgo Geoscience Lighted Buoy</i> Marks suction piles.	28-59-49.916N 089-31-41.942W	Q R			Red.	Private aid.
455	SHELL-138-13 RACON	28-39-42.360N 089-33-04.600W	Q W			On Shell-WD-143-platf orm 1.	RACON: G (- -) BAND: S,X SIGN: SH-WD-143-1. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
GULF COAST (Louisiana) - Eighth District							
BARATARIA BAY AND APPROACHES (Chart 11358)							
470	<i>Louisiana State University Oceanographic Lighted Buoy A</i>	30-23-03.420N 086-45-47.820W	FI Y 4s			Yellow.	Private aid.
480	<i>Fr-La-27 Lighted Tension Buoy A</i>	29-11-36.660N 089-52-59.340W	FI Y 2.5s			Yellow buoy.	SIGN: FR-LA-27-A. Private aid.
485	<i>Fr-La-27 Lighted Tension Buoy B</i>	29-11-42.133N 089-53-29.609W	FI Y 2.5s			Yellow buoy.	SIGN: FR-LA-27-B. Private aid.
490	<i>Fr-La-27 Lighted Tension Buoy C</i>	29-11-12.817N 089-53-54.707W	FI Y 2.5s			Yellow buoy.	SIGN: FR-LA-27-C. Private aid.
495	<i>Fr-La-27 Lighted Tension Buoy D</i>	29-10-56.680N 089-53-20.080W	FI Y 2.5s			Yellow buoy.	SIGN: FR-LA-27-D. Private aid.
500	<i>Fr-La-27 Lighted Tension Buoy E</i>	29-11-02.620N 089-52-47.590W	FI Y 2.5s			Yellow buoy.	SIGN: FR-LA-27-E. Private aid.
LOOP DEEPWATER PORT (Chart 11359)							
505	LOOP PUMPING PLATFORM LIGHT-100-5	28-53-06.000N 090-01-30.000W	FI W 10s	213		On platform.	RACON: O (- - -) Platform additionally lighted by (9) Q W lights. HORN (2): 1 blast (2s bl) in unison every 20s. Private aid.
510	<i>Loop Fairway Lighted Horn Buoy 1</i>	28-48-36.000N 089-55-00.000W	FI G 6s			Green.	Private aid.
515	<i>Apache-122-3 Lighted Buoy</i>	28-41-08.290N 089-57-33.280W	FI W 2.5s			White with orange bands.	SIGN: APACHE-GI-82-A Private aid.
520	<i>Loop Fairway Lighted Buoy 2</i>	28-50-18.000N 089-53-54.000W	FI R 6s			Red.	Private aid.
525	<i>Loop Fairway Lighted Buoy 3</i>	28-50-09.000N 090-02-24.000W	FI G 6s			Green.	Private aid.
530	<i>Loop Fairway Lighted Buoy 4</i>	28-54-52.000N 089-57-00.000W	FI R 6s			Red.	Private aid.
535	<i>Loop Spm Lighted Mooring Buoy 102</i>	28-53-18.000N 089-59-59.000W	Q W			White deck with yellow sides.	Private aid.
540	<i>Loop Lighted Mooring Buoy 103</i>	28-52-16.000N 090-00-18.000W	Q W			White deck with yellow sides.	Private aid.
545	LOOP SPM LIGHTED MOORING BUOY 104	28-51-45.000N 090-01-24.000W	Q W			White deck with yellow sides.	Private aid.
550	<i>Loop Lighted Mooring Buoy Vm1</i>	28-53-43.000N 090-01-26.000W	FI W 4s			White.	Private aid.
555	<i>Loop Lighted Mooring Buoy Vm2</i>	28-53-23.000N 090-01-58.000W	FI W 4s			White.	Private aid.
560	<i>Loop Lighted Mooring Buoy Vm3</i>	28-53-41.000N 090-03-26.000W	FI W 4s			White.	Private aid.
565	<i>Loop Anchorage Lighted Buoy L-B</i>	28-52-06.000N 089-52-42.000W	FI Y 6s			Yellow.	Private aid.
570	<i>Loop Anchorage Lighted Buoy L-A</i>	28-54-06.000N 089-56-36.000W	FI Y 6s			Yellow.	Private aid.
BARATARIA BAY AND APPROACHES (Chart 11358)							
580	LOOP 100-7 LIGHT	29-06-00.000N 090-06-48.000W	FI W 4s			On pile.	SIGN: LOOP-GI-25-B. HORN: 1 blast ev 20s (2s bl). Private aid.
585	LOOP 100-6 LIGHT	29-06-06.000N 090-06-54.000W	FI W 4s			On pile.	SIGN: LOOP-GI-25-A. Private aid.
590	<i>Walter-115-3 Lighted Buoy</i>	28-25-47.672N 090-08-05.142W	FI W 2.5s			White with orange bands.	SIGN: WOG-GI-101-1. Private aid.
LOOP DEEPWATER PORT (Chart 11359)							
600	Shell Flare Pipe Buoy 153-15	28-58-30.000N 090-10-36.000W				White with orange bands.	Marks subsea installation. SIGN: SH-ST-26-BUOY. Private aid.
605	<i>Helis-106-4 Lighted Buoy</i> Marks Subsea Installation.	28-26-35.377N 090-11-04.550W	FI W 2.5s			White with orange bands.	SIGN: HELIS-ST-209-1. Private aid.
610	<i>Walter-116-3 Lighted Buoy</i>	28-16-47.769N 090-14-21.460W	FI W 2.5s			White with orange bands.	SIGN: WALTER-ST-260-2. Private aid.
MISSISSIPPI RIVER TO GALVESTON (Chart 11340)							
615 16970	<i>Belle Pass Entrance Lighted Buoy 2</i>	29-04-15.965N 090-13-40.336W	Q R		4	Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
GULF COAST (Louisiana) - Eighth District							
MISSISSIPPI RIVER TO GALVESTON (Chart 11340)							
620	NORTHSTAR-SP-86-C RACON	28-43-05.951N 089-23-35.127W				On Platform C.	RACON: M (- -) BAND: S, X SIGN: Northstar- SP-86-C. Private aid.
625	BP EXPLORATION-GC-787-A (RACON)	27-11-43.641N 090-01-37.150W		94		On BP-GC-787 Atlantis platf orm.	RACON: X (. . .) BAND: X SIGN: ATLANTIS Private aid.
626	BP MAD DOG GC-782-A RACON	27-11-18.000N 090-16-07.000W				On BP spar Mad Dog platf orm.	RACON: Z (_ _ . .) BAND: S, X SIGN: BP-GC-782-A Private aid.
627	<i>BP Exploration Lighted Scientific Data Buoy A</i>	27-12-24.370N 090-16-57.660W	FI Y 4s			Yellow.	SIGN: BP-GC-782. Private aid.
630	<i>Agip-103-1 Lighted Buoy Marks subsea installation.</i>	28-25-38.000N 090-05-24.000W	Q W			White with orange bands.	Private aid.
635	<i>Hunt-114-6 Lighted Buoy</i>	28-32-43.904N 090-09-01.644W	FI W 2.5s			White with orange bands.	SIGN: HUNT-ST-155-1. Private aid.
640	<i>University of Southern Mississippi Special Lighted Buoy A</i>	28-52-02.040N 090-28-45.300W	FI Y 2.5s			Marks scientific monitoring location.	Private aid.
645	<i>Remington-105-1 Lighted Buoy Marks Subsea Installation.</i>	28-33-36.595N 090-19-26.174W	Q W			White with orange bands.	SIGN: ROG-ST-159-1. Private aid.
650	<i>Hunt-114-4 Lighted Buoy Marks subsea installation.</i>	28-20-27.220N 090-22-05.192W	FI W 2.5s			White with orange bands.	Private aid.
655	<i>Fugro Metocean Lighted Buoy</i>	26-41-28.445N 090-27-27.822W	FI Y 2.5s			Yellow.	SIGN: FUGRO-WR-294 Private aid.
GULF OF MEXICO (Chart 411)							
659	<i>SBM Stones Special Lighted Buoy</i>	26-25-38.740N 090-48-45.350W	FI Y 2.5s				Marks subsurface turret buoy . Buoy not present when FPSO is onsite. Private aid.
660	<i>Petrobras BW Pioneer Lighted Buoy</i>	26-41-46.250N 090-30-30.160W	FI Y 2.5s			Yellow.	Marks subsurface turret buoy . Buoy not present when FPSO is onsite. Private aid.
662	CHEVRON-218-1 RACON	26-14-51.000N 091-15-32.000W				On Chevron (Jack St. Malo) WR-718- B structure.	BAND: S, X RACON: U (. . _ _) Private aid.
MISSISSIPPI RIVER TO GALVESTON (Chart 11340)							
665	<i>NS-Hamilton Oceanographic Lighted Buoy</i>	27-46-11.470N 090-31-14.560W	FI Y 4s			Yellow.	Private aid.
670	<i>Ns-Hamilton Oceanographic Buoy</i>	27-46-01.000N 090-31-14.860W				Yellow.	Private aid.
675	<i>Walter-116-2 Lighted Buoy</i>	28-21-26.804N 090-32-41.802W	FI W 2.5s			White with orange Bands.	SIGN: WALTER-ST239-2 Private aid.
680 17680	<i>Cat Island Pass Lighted Buoy Cl</i>	29-00-12.927N 090-33-54.912W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
685	<i>Trunkline-103-1 Lighted Buoy Marks subsea installation.</i>	28-47-16.000N 090-36-30.000W	Q R			Red.	SIGN: TGC-ST-72-T-21. Private aid.
690	<i>Probe-102-1 Lighted Buoy Marks subsea installation.</i>	28-26-18.764N 090-41-18.069W	FI W 2.5s			White with orange bands.	SIGN: EP-ST-214. Private aid.
695	<i>Shell Lighted Mooring Buoy A</i>	28-09-29.000N 090-43-23.000W	Q W			White with blue bands.	Private aid.
707	<i>Fugro Lighted Scientific Monitoring Buoy</i>	26-24-15.420N 090-47-32.160W	FI Y 2.5s			Provides real-time environmental reports to FPSO SBM Stone Turretella.	Private aid.
712	<i>Whistler Energy West Lighted Mooring Buoy</i>	27-56-37.005N 091-01-50.576W	FI W 2.5s				Private aid.
712.01	<i>Whistler Energy East Lighted Mooring Buoy</i>	27-56-36.846N 091-01-39.428W	FI W 2.5s				Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
GULF COAST (Louisiana) - Eighth District							
MISSISSIPPI RIVER TO GALVESTON (Chart 11340)							
715	<i>Kerr Mc Gee-111-8 Lighted Buoy</i> Marks subsea installation.	28-30-09.000N 091-03-16.000W	Q W			Red.	SIGN: KM-SS-218-7. HORN: 1 blast ev 20s (2s bl). Private aid.
720	<i>Ankor Energy-100-6 (Lighted Buoy)</i> Marks subsea location.	28-15-33.470N 091-03-39.110W	FI W 2.5s			White with orange bands.	Private aid.
725	<i>Chevron-196-39 Lighted Buoy</i> Marks subsea installation.	28-40-01.000N 091-04-50.000W	Q R			Red.	SIGN: CH-SS-170-1. Private aid.
730	SHIP SHOAL OBSTRUCTION LIGHTS	28-54-52.328N 091-04-16.080W	Q W		4	Brown skeleton structure on piles. (Abandoned Lighthouse.)	Shows 2 Quick Flashing White Obstruction lights, displayed at a height of 17 feet from perimeter of lower platform.
735	<i>Century Offshore-106-2 Lighted Horn Buoy</i> Marks subsea installation.	28-44-09.000N 091-14-29.000W	Q R			Red.	SIGN: COMC-SS-150-9& 10. HORN: 1 blast ev 20s (2s bl). Private aid.
740	<i>Dominion-102-2 Lighted Buoy</i> Marks subsea installation.	28-21-58.900N 091-15-49.900W	Q W			White with orange bands.	SIGN: DEP-SS-249-6. Private aid.
745	Ship Shoal Buoy WR2 Marks remains of platform SS-199A.	28-34-34.000N 091-17-23.000W				Red nun.	Private aid.
760	<i>Remington-102-4 Lighted Buoy</i> Marks subsea installation.	28-17-49.431N 091-25-08.075W	FI W 2.5s			White with orange bands.	SIGN: Remington-EI-302-3. Private aid.
765	<i>Ridgelake-103-1 Lighted Buoy</i>	28-18-30.294N 091-26-37.902W	Q W			White with orange bands.	SIGN: RIDGELAKE-EI-303. Private aid.
770	FOREST-112-23 LIGHTED BUOY Marks subsea installation.	28-10-46.670N 091-28-57.460W	Q G			Green.	SIGN: FOC-EI-342-A. Private aid.
775	<i>Apache-102-77 Lighted Buoy</i> Marks Subsea Installation.	28-24-13.206N 091-29-02.086W	FI W 2.5s			White with orange bands.	SIGN: APACHE-EI-282-1. Private aid.
776	<i>BP Exploration-124-1 Lighted Buoy</i>	29-01-36.345N 091-31-36.855W	FI W 2.5s			Marks submerged platform obstruction.	Private aid.
777	<i>Energy Resource-107-16 Lighted Buoy</i>	28-19-52.398N 091-32-30.277W	FI W 2.5s			White with orange bands.	SIGN: TARPON-EI-305-1 Private aid.
780	NEWFIELD 102-23 LIGHTED BUOY Marks subsea installation.	28-40-13.000N 091-35-46.000W	Q W			White with orange bands.	SIGN: NFE-EL-206-B. Private aid.
805	<i>Walter-114-10 Lighted Buoy</i>	28-34-58.783N 091-47-20.670W	FI W 2.5s			White with orange bands.	Private aid.
809	MERIT ENERGY OBSTRUCTION LIGHTS (4)	29-14-19.110N 091-52-52.390W	Q W			Marks 4 concrete obstructions.	Private aid.
810	<i>Talos-109-1 Lighted Buoy</i>	28-26-35.528N 091-56-03.894W	FI W 2.5s			White with orange bands.	SIGN: TALOS-SMI-108-8. Private aid.
825	<i>Remington-300-6 Lighted Buoy</i> REMINGTON-300-6 Lighted Buoy Marks Subsea Installation.	28-23-18.444N 092-03-46.363W	FI W 2.5s			White with orange bands.	SIGN: ROG-SMI-116-1. Private aid.
835	MCMORAN-SMI-217-226 MOORING FACILITY LIGHTS(8)	29-26-19.900N 092-02-26.000W	Q W			On pile.	Private aid.
840	MCMORAN-SMI-212-228 MOORING FACILITY LIGHTS(10)	29-28-30.400N 092-02-55.900W	Q W			On pile.	Private aid.
845	MCMORAN-SMI-212-NORTH MOORING FACILITY LIGHTS(16)	29-29-19.200N 092-03-25.800W	Q W			On pile.	Private aid.
850	MCMORAN SOUTH MARSH ISLAND WELL 6 MOORING FACILITY LIGHTS (10)	29-28-48.000N 091-52-40.800W	Q W			On pile.	Private aid.
855	Tiger Shoal Buoy 2	29-19-24.716N 092-09-29.815W				Red nun.	
860	<i>El Paso-106-5 Lighted Buoy</i> EL PASO-106-5 Lighted Buoy Marks Subsea Installation.	28-26-42.366N 092-16-04.464W	FI W 4s			White with orange bands.	SIGN: EPP-VE-274-B. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
GULF COAST (Louisiana) - Eighth District							
MISSISSIPPI RIVER TO GALVESTON (Chart 11340)							
865	<i>Energy Resource-103-12 Lighted Buoy</i> Marks subsea installation.	28-34-23.159N 092-14-55.454W	FI W 2.5s			White with orange bands.	SIGN: ENERGY RESOURCE-VR-249-1 Private aid.
870	<i>Energy XXI-101-10 Lighted Buoy</i> Marks subsea installation	28-30-30.073N 092-21-08.353W	FI W 2.5s			White with orange bands.	Sign: ENERGY XXI-EI-256. Private aid.
875	<i>Remington-104-3 Lighted Buoy</i>	29-00-32.636N 092-23-17.846W	Q R			Red.	SIGN: REMINGTON-VE-136-1. Private aid.
880	<i>Energy Resource-103-17 Lighted Buoy</i>	28-09-57.930N 092-29-09.690W	FI W 2.5s			White with orange bands.	SIGN: ENERGY RESOURCE-VR-348-1. Private aid.
882	<i>Tana-109-2 (Lighted Buoy)</i>	28-24-53.220N 092-29-02.200W	FI W 2.5s			White with orange bands.	SIGN: TANA-VE-284-1. Private aid.
890	<i>McMoran-130-13 Lighted Buoy</i> Marks subsea installation.	28-55-52.400N 092-34-37.500W	Q R			Red.	SIGN: MOXY-VR-160-1. Private aid.
895	<i>Texas A&M Current Meter Lighted Buoy P</i>	29-10-00.000N 092-44-00.250W	FI Y 4s			Yellow.	Maintained by Texas A&M. Private aid.
900	<i>Transworld-102-10 Lighted Buoy</i> Marks subsea installation.	28-56-49.018N 092-45-06.259W	Q G			Green.	SIGN: TEPI-EC-160-1. Private aid.
905	<i>Tarpon-105-2 Lighted Buoy</i> Marks subsea location.	28-28-11.517N 092-49-47.329W	FI W 2.5s			White with orange bands.	Private aid.
920	FIELDWOOD-100-13 (RACON)	28-09-50.6592 092-51-44.8452				On Fieldwood Energy platform A.	RACON: G (- - -) BAND: S, X SIGN: FE-EC-332-A. Private aid.
930	NOVUS-EC-318-B RACON	28-13-07.960N 092-55-31.197W				On Novus Platform.	RACON: T (-) BAND: S, X SIGN: NOVUS-EC-318-B. Private aid.
932	<i>Rooster-104-2 (Lighted Buoy)</i>	28-31-29.310N 092-57-01.920W	FI W 2.5s			White with orange bands.	ROOSTER-EC-246. Private aid.
943	<i>Nippon-102-10 (Lighted Buoy)</i>	28-21-12.631N 093-01-24.898W	Q G			Marks subsea obstruction.	SIGN: NIPPON-WC-533-A. Private aid.
945	<i>Remington-250-11 Lighted Buoy</i>	28-37-10.859N 093-01-21.972W	FI W 2.5s			White and orange bands.	SIGN: REMINGTON-WC-457-1. Private aid.
957	<i>Nippon-102-5 Lighted Buoy</i>	28-21-05.696N 093-02-50.150W	Q R			Red	Marks subsea installation. SIGN: NIPPON-WC-534-A Private aid.
980	<i>Helis-122-7 Lighted Buoy</i> Marks subsea installation.	28-06-34.370N 093-11-46.240W	FI W 2.5s			White with orange bands.	Private aid.
986	<i>McMoran-999-10 (Lighted Buoy)</i>	27-58-18.400N 093-12-13.100W	FI W 2.5s			White with orange bands.	Private aid.
988	<i>McMoran-999-11 (Lighted Buoy)</i>	27-56-44.022N 093-12-06.102W	FI W 2.5s			White with orange bands.	Private aid.
990	<i>Gryphon-104-1 Lighted Buoy</i> Marks subsea installation.	28-29-05.468N 093-16-19.634W	Q R			Red.	SIGN: GRAPHON-WC-489-1. Private aid.
995	ENERGY XXI-112-3	29-37-38.440N 093-18-11.500W				On El Paso platform 1.	RACON: C (- . - .) BAND: S, X SIGN: EL PASO-WC-62-1 Private aid.
998	<i>Arena Offshore-108-7 (Lighted Buoy)</i>	28-16-14.951N 093-20-29.660W	FI W 2.5s			White with orange bands.	SIGN: ARENA-WC-564-1 Private aid.
1000	TEXACO-GB-189-A RACON	27-46-43.000N 093-18-34.000W				On Texaco platform A.	RACON: X (- . . -) BAND: S, X SIGN: TEXACO-GB-189-A. Private aid.
1005	<i>Remington-250-14 Lighted Buoy</i> Marks subsea installation.	29-24-34.562N 093-18-58.779W	Q R			Red.	SIGN: REMINGTON-WC-170-8. Private aid.
1010 21195	<i>Calcasieu Channel Lighted Buoy CC</i>	29-20-00.870N 093-13-17.564W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
1015	<i>Tarpon-100-2 Lighted Buoy</i> Marks subsea installation.	28-03-02.454N 093-19-09.682W	FI W 2.5s			White with orange bands.	SIGN: TARPON-WC-616-6&7. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
GULF COAST (Louisiana) - Eighth District							
MISSISSIPPI RIVER TO GALVESTON (Chart 11340)							
1020	PISCES-WC-96-A RACON	29-33-36.386N 093-25-53.867W		92		On Pisces Energy platf orm.	RACON: M (- -) Band: S, X SIGN: Pisces-WC-96- A Private aid.
1025	<i>Eighteen Ft Shoal Lighted Buoy 3</i>	29-30-36.846N 093-27-24.574W	FI G 2.5s		5	Green.	
1030 20700	<i>Merrimentau Channel Entrance Lighted Buoy 2</i>	29-42-04.047N 093-00-34.389W	FI (2)R 5s		4	Red.	
1040	<i>Dept. of Energy Brine Diffuser Lighted Buoy F</i>	29-40-16.000N 093-28-09.000W	FI Y 4s			Yellow.	Private aid.
1045	<i>D.O.E. Brine Diffuser Lighted Gong Buoy G</i>	29-39-52.000N 093-28-35.000W	FI Y 4s			Yellow.	Private aid.
1055	<i>Oryx-110-3 Lighted Buoy</i> Marks subsea installation.	28-47-28.000N 093-35-34.000W	Q R			Red.	SIGN: SUN-WC-398-1. Ra ref . Private aid.
1060	TEXAS A&M CURRENT METER LIGHTED BUOY V	27-54-01.090N 093-37-15.610W	FI Y 4s			Yellow.	Private aid.
1065	<i>Seneca-120-2 Lighted Buoy</i> Marks subsea installation.	28-04-44.120N 093-38-46.260W	FI W 2.5s			White with orange bands.	SIGN : SENACA-HI-345-1. Private aid.
1070	<i>Tarpon-103-1 Lighted Buoy</i> Marks subsea installation.	28-14-02.298N 093-35-11.711W	FI W 2.5s			White with orange bands.	SIGN: TARPON-HI-308-001. Private aid.
1075	<i>Texas A&M Lighted Current Meter Buoy R</i>	29-38-01.000N 093-38-30.000W	FI Y 4s			Yellow.	Maintained by Texas A& M. Private aid.
1085 22300	<i>Sabine Bank Channel Lighted Buoy SB</i>	29-25-00.846N 093-40-00.586W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
1090	<i>Kerr Mc Gee-138-1 Lighted Buoy</i> Marks subsea installation.	27-44-53.846N 093-43-18.429W	FI Y 4s			Yellow.	SIGN: KM-GB-224-5. Private aid.
1095	SABINE BANK LIGHT	29-28-21.678N 093-43-21.264W	Q W	30	5	Red conical tower on cylindrical caisson.	Shows 2 quick flashing obstruction lights.
1100	<i>Tarpon-103-2 Lighted Buoy</i>	28-07-47.131N 093-44-41.360W	FI W 2.5s			White and orange bands.	SIGN: TARPON-HI-366-001 Private aid.
1105 22440	Sabine Pass East Jetty Light	29-38-40.574N 093-49-21.938W	Iso W 2s	42	8	Cylindrical tower on piles. 25	
1110	<i>Garden Banks Lighted Buoy E</i>	27-54-34.260N 093-35-50.400W	FI Y 4s			Yellow.	Private aid.
1115	<i>Garden Banks Lighted Buoy W</i>	27-52-35.100N 093-48-52.000W	FI Y 4s			Yellow.	Private aid.
1120	<i>Garden Banks Lighted Buoy S</i>	28-09-55.080N 093-17-46.080W	FI Y 4s			Yellow.	Private aid.
GULF OF MEXICO (Chart 411)							
1122	<i>NOAA Lighted Data Buoy 42055</i>	22-12-10.000N 094-00-01.000W	FI (4)Y 20s		4	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.

GULF COAST (Texas) - Eighth District

MISSISSIPPI RIVER TO GALVESTON (Chart 11340)							
1130	<i>Energy Resource-106-12 Lighted Buoy</i> Marks subsea installation.	28-02-41.220N 094-00-33.280W	FI W 2.5s			White with orange bands.	SIGN: Energy Resource-HI-545- 2. Private aid.
1135	<i>Texas A&M Lighted Buoy N</i>	27-53-24.000N 094-02-12.000W	FI Y 4s			Yellow.	Private aid.
1145	<i>Energy Resource-106-11 Lighted Buoy</i>	28-19-23.823N 094-03-13.837W	FI W 2.5s			White with orange bands.	SIGN: Energy Resource-HI-466- 1. Private aid.
1165	<i>Texas A&M Crnt Metr Lighted Buoy F</i>	28-50-30.000N 094-14-30.000W	FI Y 4s			Yellow.	Ra ref . Private aid.
1170	<i>Mobil-213-3 Lighted Horn Buoy</i> Marks Subsea Installation.	28-50-11.000N 094-15-37.000W	Q R			Red.	SIGN: MO-HI-A68-2. HORN: 1 blast ev 20s (2s bl). Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
GULF COAST (Texas) - Eighth District							
MISSISSIPPI RIVER TO GALVESTON (Chart 11340)							
1180	<i>Walter-112-6 Lighted Buoy</i> Marks subsea installation.	28-02-40.502N 094-14-16.588W	Fl W 2.5s			White with orange bands.	SIGN: WOG-HI-540-1. Private aid.
1185	<i>Texas Fishing Reef FR-TX-53 Lighted Buoy</i>	28-26-38.430N 094-17-06.160W	Fl Y 2.5s			Yellow.	SIGN: FR-TX-53. Private aid.
1190	TEXACO-195-9 (RACON)	28-00-42.529N 094-21-19.216W				On Texaco platform.	RACON: C (- . .) CHAR: C (- . * . *) BAND: S, X SIGN: CHEVRON-HI-555-A Private aid.
1195	EXXON-HI-176-B RACON	29-10-32.000N 094-22-14.000W		63		On Exxon platform B.	RACON: N (- .) BAND: S, X Private aid.
1200	<i>NOAA Lighted Data Buoy 42035</i>	29-13-54.000N 094-24-46.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.
1205	<i>Galveston Entrance Precaution Area Wreck Lighted Buoy B</i>	29-06-34.808N 094-24-05.236W	Fl (2)W 5s		5	Black with red band.	Marks submerged wreck.
1210 23660	<i>Galveston Bay Entrance Lighted Buoy GA</i>	29-09-28.867N 094-25-53.670W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
1215 23665	<i>Galveston Bay Entrance Traffic Lane Lighted Buoy A</i>	29-10-47.784N 094-27-35.533W	Fl Y 2.5s		5	Yellow.	
1220 23670	<i>Galveston Bay Entrance Traffic Lane Lighted Buoy C</i>	29-12-06.639N 094-29-17.469W	Fl Y 4s		6	Yellow.	
1225 23675	<i>Galveston Bay Entrance Traffic Lane Lighted Buoy E</i>	29-13-25.498N 094-30-59.436W	Fl Y 6s		5	Yellow.	
1230 23680	<i>Galveston Bay Entrance Lighted Buoy GB</i>	29-14-44.348N 094-32-41.467W	Mo (A) W		5	Red and white stripes with red spherical topmark.	AIS MMSI: 993682024
1241 23686	<i>Fieldwood-123-3 Lighted Buoy</i> Marks subsea installation.	29-13-31.445N 094-34-40.878W	Q R				Private aid.
1245	<i>Eaglescliff Wreck Lighted Buoy WR4</i> 185 yards, 140° from wreck.	29-21-44.922N 094-39-21.328W	Q R		3	Red.	
1250	FOREST-HI-A20-A RACON	29-03-42.000N 094-16-06.000W				On Forest Oil platform A.	RACON: O (- - -) BAND: S, X SIGN: FOC-HI-A20-A. Private aid.
1255	EXXON-GA-209-A RACON	29-07-49.000N 094-32-48.000W		55		On Exxon platform A.	RACON: M (- -) BAND: S, X SIGN: EXXON-GA-209-A. Private aid.
1260	<i>Galveston Safety Wreck Lighted Buoy WR 4</i>	28-58-24.900N 094-39-49.500W	Q R		3	Red.	Marks submerged wreck.
1265	<i>Texas Artificial Fishing Reef Lighted Buoy Fr-Tx-25</i> Marks old platforms.	29-08-34.431N 094-40-50.069W	Fl Y 6s			Yellow.	SIGN: FR-TX-25. Private aid.
1270	<i>Texas Artificial Fishing Reef Lighted Buoy</i>	28-53-31.670N 094-41-44.710W	Fl Y 6s			Yellow.	SIGN: FR-TX-41. Private aid.
1275	<i>Texas Artificial Fishing Reef Lighted Buoy</i>	28-52-04.976N 094-41-55.484W	Fl Y 6s			Yellow.	SIGN: FR-TX-42. Private aid.
1280	<i>Walter-101-16 Lighted Buoy</i> Marks subsea installation.	28-02-04.440N 094-45-32.721W	Q R			Red.	SIGN: WALTER-GA-A-192-1 Private aid.
1285	<i>NOAA Lighted Data Buoy 42019</i>	27-54-47.790N 095-21-10.116W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.
1290	<i>Texas A & M Lighted Oceanographic Buoy C</i> Marks subsea installation.	28-48-39.400N 094-45-35.900W	Fl Y 4s			Yellow.	Private aid.
1300	<i>Texas A & M Lighted Oceanographic Buoy B</i> Marks subsea installation.	28-58-53.900N 094-53-58.800W	Fl Y 4s			Yellow.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
GULF COAST (Texas) - Eighth District							
MISSISSIPPI RIVER TO GALVESTON (Chart 11340)							
1305	SEAGULL-GA-330-A RACON	28-47-16.000N 095-03-40.000W				On free standing caisson.	RACON: K (- . -) BAND: S, X SIGN: SEEP-GA- 330-A. Private aid.
1310	<i>PEREGRINE-102-1 Lighted Buoy</i> Marks subsea installation.	28-09-37.740N 094-44-23.110W	FI W 2.5s			White with orange bands.	SIGN: PEREGRINE-GA-A155-1. Private aid.
GALVESTON TO RIO GRANDE (Chart 11300)							
1315 26905	<i>Freeport Entrance Lighted Buoy FP</i>	28-52-36.699N 095-14-08.815W	Mo (A) W		5	Red and white stripes with red spherical topmark. Yellow.	AIS MMSI: 993682025 Private aid.
1320	George Vancvr Fish Reef Buoy Marks sunken liberty ship.	28-47-34.817N 095-20-52.052W					Private aid.
MISSISSIPPI RIVER TO GALVESTON (Chart 11340)							
1322	MATAGORDA COUNTY PIER LIGHT	28-45-44.000N 095-37-42.560W	FI W 2.5s			Marks outermost pier structure.	Private aid.
GALVESTON TO RIO GRANDE (Chart 11300)							
1325	<i>Pioneer-103-1 Lighted Horn Buoy</i> Marks subsea installation.	28-36-52.709N 095-21-56.137W	Q R			Red.	SIGN: PIONEER-BR-397-1. Horn: 1 BLAST EV 20S(2S BL) Private aid.
1330	<i>Brazos Area Wreck Lighted Buoy WF2</i>	28-43-33.733N 095-32-37.286W	Q R		3	Red.	
1335	<i>Mariner-101-3 Lighted Buoy</i>	28-07-12.517N 095-39-12.146W	FI W 2.5s			White with orange bands.	SIGN: MARINER-BR-24-1 Private aid.
1337	<i>Texas Artificial Fish Reef FR- TX-54 Lighted Buoy</i>	28-07-38.500N 095-42-56.550W	FI Y 2.5s			Yellow spar buoy .	Private aid.
MISSISSIPPI RIVER TO GALVESTON (Chart 11340)							
1340	<i>Texas Parks and Wildlife Special Lighted Buoy FR-TX-55</i>	28-03-24.700N 095-52-24.340W	FI Y 2.5s			Marks artificial reef .	Private aid.
GALVESTON TO RIO GRANDE (Chart 11300)							
1345	<i>Pioneer-102-1 Lighted Buoy</i>	28-23-17.909N 095-53-29.726W	Q R			Red.	Private aid.
1350	<i>Texas A&M Current Meter Lighted Buoy W</i>	28-21-00.000N 096-00-00.000W	FI Y 4s			Yellow.	Private aid.
1355	<i>Anadarko-120-1 Lighted Buoy</i>	26-04-10.389N 096-00-00.137W	FI W 2.5s				Private aid.
1357	<i>Texas A&M Lighted Oceanographic Buoy X</i>	27-03-57.730N 096-20-17.760W	FI Y 2.5s				Private aid.
1360 27105	<i>Enron-106-17 Lighted Buoy</i> Marks subsea installation.	28-11-10.000N 096-23-07.000W	Q R			Red.	SIGN: ENRON MI BLK 586 RA REF. Private aid.
1365 27100	<i>Matagorda Ship Channel Approach Lighted Buoy MSC</i>	28-12-01.026N 096-05-12.882W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
1375 27045	COLORADO RIVER WEST JETTY ENTRANCE LIGHT 1	28-35-27.975N 095-59-03.871W	FI G 2.5s	17	4	SG on pile with platform.	
1377 27047	COLORADO RIVER EAST JETTY ENTRANCE OBSTRUCTION LIGHT	28-35-25.974N 095-58-48.871W	Q W	20	4	NB on platform.	
1380 27050	COLORADO RIVER EAST JETTY ENTRANCE LIGHT 2	28-35-27.720N 095-58-57.498W	FI R 2.5s	17	4	TR on skeleton tower.	
1385 27110	Matagorda Ship Channel Entrance Light	28-25-18.466N 096-19-05.915W	FI W 10s	64	5	On same structure as Matagorda Ship Channel Range B Rear Light.	Obscured from 257° to 040°.
1392 27117	<i>Matagorda Ship Channel Entrance Lighted Buoy MB</i>	28-23-01.012N 096-17-00.897W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
1395	MATAGORDA LIGHT HOUSE	28-20-12.000N 096-25-24.000W	FI W 2.5s	90		Black conical tower.	Private aid.
1400	<i>Texas A&M Lighted Buoy K</i>	26-13-00.000N 096-30-00.000W	FI Y 4s			Yellow.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
GULF COAST (Texas) - Eighth District							
GALVESTON TO RIO GRANDE (Chart 11300)							
1405	NOAA Lighted Data Buoy 42020	26-58-06.601N 096-41-36.894W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.
1410	Texas A & M Oceanographic Lighted Buoy H	27-52-01.200N 096-32-36.060W	Fl Y 4s			Yellow.	Private aid.
1415	Texas Fishing Reef-Fr-Tx-50 Lighted Buoy	26-11-11.228N 096-51-20.508W	Fl Y 2.5s			Yellow spar buoy.	Private aid.
1420	Shoreline Ten Wreck Lighted Buoy WF2	28-04-48.080N 096-42-56.425W	Q R		3	Red.	
1425	Denbury-101-1 Lighted Buoy Marks subsea installation.	27-11-10.639N 096-48-19.903W	Q R			Red.	SIGN: DENBURY- NP I-A9-1&2. Private aid.
1430 28135	Aransas Pass Entrance Lighted Buoy AP	27-47-34.122N 096-57-22.143W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS MMSI: 993682026
1432	Texas Fishing Reef FR-TX-52 Lighted Buoy	27-38-47.040N 097-00-26.640W	Fl Y 2.5s			Yellow spar.	Private aid.
1440	Texas A & M Lighted Oceanographic Buoy J	26-11-30.000N 097-03-00.000W	Fl Y 4s			Yellow.	Private aid.
1445	FR-TX-58 Special Lighted Buoy	26-16-32.705N 097-02-19.838W	Fl Y 2.5s			Marks artificial reef.	Private aid.
1450 29455	Brazos Santiago Pass Entrance Lighted Buoy BS	26-03-55.982N 097-06-34.990W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
1455	Texas Fishing Reef Lighted Buoy-Fr-Tx-51	26-31-32.100N 097-09-12.922W	Fl Y 2.5s			Yellow spar.	Private aid.
GULF OF MEXICO (Central Part) - Eighth District							
GULF OF MEXICO (Chart 411)							
1460	NOAA Lighted Data Buoy 42003 (ODAS)	26-00-25.000N 085-38-54.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.
1462	NOAA Lighted Data Buoy 42S13-SCP01	26-00-25.000N 085-44-24.000W	Fl (4)Y 20s		3	Yellow.	Aid maintained by National Oceanic and Atmospheric Administration.
1463	NOAA Lighted Data Buoy 42S23-SCP03	25-55-48.000N 085-42-00.000W	Fl (4)Y 20s		3	Yellow.	Aid maintained by National Oceanic and Atmospheric Administration.
1465	NOAA Lighted Buoy 42001 (ODAS)	25-54-00.000N 089-40-00.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.
1468	NOAA Data Buoy 42409	25-51-05.000N 089-15-05.000W				Yellow DART buoy.	Aid maintained by National Oceanic and Atmospheric Administration.
1470	NOAA Lighted Data Buoy 42002	26-04-31.445N 093-46-01.301W	Fl (4)Y 20s		5	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.
FLORIDA - Eighth District							
APALACHEE BAY (Chart 11405)							
Apalachee Bay							
1475	ECONFINA RIVER LIGHT	30-02-05.000N 083-55-35.000W	Fl W 4s			On pile.	Private aid.
1480	GAMBLE POINT LIGHT	30-04-38.600N 083-59-22.400W	Q W			On pile.	Private aid.
ST. MARKS RIVER AND APPROACHES (Chart 11406)							
St Marks River							
1485	- OBSTRUCTION LIGHT	30-02-27.162N 084-10-37.224W	Q W		17 4		

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
ST. MARKS RIVER AND APPROACHES (Chart 11406)							
St Marks River							
1490 10	ST MARKS LIGHT 4,002 yards, 356° from front light.	30-04-25.725N 084-10-46.689W	Oc W 4s	80		White conical tower.	Light obscured from 106° to 246°. Higher intensity on rangeline.
1500	- <i>Lighted Buoy 1</i>	30-01-30.926N 084-10-34.793W	FI G 4s		4	Green.	
1505	- Buoy 2	30-01-31.823N 084-10-30.992W				Red nun.	
1510	- Buoy 2A	30-01-54.197N 084-10-32.584W				Red nun.	
1515	- Buoy 3	30-01-54.634N 084-10-37.102W				Green can.	
1520	- Buoy 3A	30-02-17.552N 084-10-37.679W				Green can.	
1525	- Buoy 4	30-02-17.248N 084-10-34.370W				Red nun.	
1530	- Buoy 5	30-03-00.086N 084-10-59.854W				Green can.	
1535	- Buoy 4A	30-03-01.260N 084-10-56.719W				Red nun.	
1540	- LIGHT 7	30-03-44.980N 084-11-23.436W	FI G 4s	17	4	SG on pile.	Ra ref.
1545	- Buoy 6	30-03-43.775N 084-11-19.360W				Red nun.	
1550	- Buoy 8	30-04-06.207N 084-11-22.607W				Red nun.	
1555	- Buoy 9	30-04-16.934N 084-11-28.151W				Green can.	
1560	- LIGHT 10	30-04-18.445N 084-11-22.190W	FI R 4s	17	3	TR on pile.	Ra ref.
1565	- LIGHT 11	30-04-35.809N 084-11-17.441W	FI G 4s	16	4	SG on dolphin.	
1570	- Buoy 12	30-04-36.743N 084-11-14.811W				Red nun.	
1575	- Buoy 13	30-04-40.743N 084-11-17.611W				Green can.	
1580	- LIGHT 14	30-04-48.836N 084-11-16.678W	FI R 4s	17	4	TR on pile.	Ra ref.
1585	- Buoy 15	30-04-49.943N 084-11-21.611W				Green can.	
1590	- Buoy 16	30-04-56.201N 084-11-26.334W				Red nun.	
1595	- Buoy 16A	30-05-04.291N 084-11-35.971W				Red nun.	
1600	- LIGHT 17	30-05-05.419N 084-11-40.600W	FI G 4s	17	4	SG on pile.	Ra ref.
1605	- Buoy 17A	30-05-15.084N 084-11-40.568W				Green can.	
1610	- Buoy 18	30-05-09.042N 084-11-38.212W				Red nun.	
1615	- Buoy 19	30-05-18.442N 084-11-41.212W				Green can.	
1620	- Buoy 20	30-05-26.242N 084-11-39.436W				Red nun.	
1625	- Buoy 22	30-05-37.632N 084-11-38.829W				Red nun.	
1630	- Buoy 23	30-05-37.487N 084-11-41.147W				Green can.	
1635	- Buoy 25	30-05-45.641N 084-11-41.412W				Green can.	
1640	- LIGHT 26	30-05-50.738N 084-11-40.139W	Q R	17	4	TR on pile.	Ra ref.
1645	- Buoy 27	30-05-54.470N 084-11-44.660W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
ST. MARKS RIVER AND APPROACHES (Chart 11406)							
St Marks River							
1650	- Buoy 28	30-06-04.288N 084-11-48.656W				Red nun.	
1655	- Buoy 27A	30-06-05.705N 084-11-52.393W				Green can.	
1660	- LIGHT 29	30-06-15.742N 084-11-59.605W	FI G 4s	17	4	SG on pile.	Ra ref.
1665	- Buoy 30	30-06-18.915N 084-11-58.095W				Red nun.	
1670	- Buoy 32	30-06-26.155N 084-12-02.582W				Red nun.	
1675	- Buoy 33	30-06-33.173N 084-12-07.429W				Green can.	
1680	- LIGHT 34	30-06-37.345N 084-12-06.921W	FI R 2.5s	17	4	TR on pile.	Ra ref.
1685	- Buoy 35	30-06-39.334N 084-12-11.094W				Green can.	
1690	- Buoy 36	30-06-49.432N 084-12-13.557W				Red nun.	
1695	- LIGHT 37	30-06-48.308N 084-12-18.233W	FI G 4s	17	4	SG on pile.	Ra ref.
1700	- Buoy 37A	30-06-55.335N 084-12-13.572W				Green can.	
1705	- Buoy 39	30-07-03.740N 084-12-08.615W				Green can.	
1710	- LIGHT 40	30-07-06.779N 084-12-04.868W	FI R 4s	17	4	TR on pile.	Ra ref.
1715	- Buoy 41	30-07-13.241N 084-12-04.554W				Green can.	
1720	- Buoy 42	30-07-18.105N 084-12-01.156W				Red nun.	
1725	- Buoy 43	30-07-27.390N 084-12-00.047W				Green can.	
1730	- LIGHT 44	30-07-30.814N 084-11-56.979W	Q R	17	4	TR on pile.	Ra ref.
1735	- Buoy 45	30-07-34.181N 084-12-00.649W				Green can.	
1740	- Buoy 45A	30-07-36.329N 084-12-01.401W				Green can.	
1745	- Buoy 46	30-07-39.274N 084-12-00.200W				Red nun.	
1750	- Buoy 47	30-07-46.539N 084-12-07.915W				Green can.	
1755	- LIGHT 48	30-07-48.009N 084-12-05.257W	FI R 4s	17	3	TR on pile.	
1760	- Buoy 50	30-07-54.357N 084-12-12.368W				Red nun.	
1765	- Day beacon 51	30-07-55.704N 084-12-18.173W				SG on pile.	
1770	- Buoy 52	30-08-01.201N 084-12-17.005W				Red nun.	
1775	- Buoy 53	30-08-03.096N 084-12-21.486W				Green can.	
1780	- Day beacon 54	30-08-08.880N 084-12-22.715W				TR on pile.	
1785	- LIGHT 55	30-08-11.514N 084-12-27.862W	FI G 2.5s	17	4	SG on pile.	Ra ref.
1790	- Buoy 56	30-08-15.738N 084-12-24.616W				Red nun.	
1795	- Buoy 57	30-08-22.538N 084-12-28.116W				Green can.	
1800	- Buoy 58	30-08-25.557N 084-12-26.631W				Red nun.	
1805	- Buoy 59	30-08-39.240N 084-12-32.881W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
ST. MARKS RIVER AND APPROACHES (Chart 11406)							
St Marks River							
1810	- Buoy 60	30-08-40.861N 084-12-31.335W				Red nun.	
1815	- Day beacon 62	30-08-51.973N 084-12-38.711W				TR on pile.	
1820	- LIGHT 63	30-08-53.941N 084-12-42.436W	FI G 4s	17	4	SG on pile.	Ra ref.
1825	- Buoy 64	30-08-56.337N 084-12-38.217W				Red nun.	
APALACHEE BAY (Chart 11405)							
Apalachee Bay							
1830	SHELL POINT LIGHT	30-02-21.007N 084-17-40.584W	FI W 6s	17	5	NG on pile.	
1835	SHELL POINT MARINA LIGHT 2	30-03-04.000N 084-16-54.000W	Q R	12		TR on dolphin.	Priv ate aid.
Shell Point Channel							
1840	- Day beacon 1	30-02-50.000N 084-17-11.000W				SG on pile.	Priv ate aid.
1845	- Day beacon 2	30-03-03.000N 084-17-06.000W				TR on pile.	Priv ate aid.
1850	- Day beacon 3	30-03-03.000N 084-17-12.000W				SG on pile.	Priv ate aid.
1855	- Day beacon 4	30-03-12.000N 084-17-11.000W				TR on pile.	Priv ate aid.
1860	- Day beacon 5	30-03-08.000N 084-17-15.000W				SG on pile.	Priv ate aid.
1865	- Day beacon 6	30-03-11.000N 084-17-08.000W				TR on pile.	Priv ate aid.
1870	- Day beacon 7	30-03-13.000N 084-17-19.000W				SG on pile.	Priv ate aid.
1875	- Day beacon 8	30-03-15.000N 084-17-12.000W				TR on pile.	Priv ate aid.
1880	- Day beacon 9	30-03-20.000N 084-17-30.000W				SG on pile.	Priv ate aid.
1885	- Day beacon 10	30-03-20.000N 084-17-18.000W				TR on pile.	Priv ate aid.
1890	- Day beacon 11	30-03-28.000N 084-17-15.000W				SG on pile.	Priv ate aid.
1895	- Day beacon 12	30-03-24.000N 084-17-12.000W				TR on pile.	Priv ate aid.
1900	- Day beacon 13	30-03-30.000N 084-17-11.000W				SG on pile.	Priv ate aid.
1905	- Day beacon 14	30-03-30.000N 084-17-06.000W				TR on pile.	Priv ate aid.
1910	- Day beacon 15	30-03-34.000N 084-17-06.000W				SG on pile.	Priv ate aid.
1915	- Day beacon 16	30-03-36.000N 084-17-02.000W				TR on pile.	Priv ate aid.
Junction Channel							
1920	- Day beacon 1	30-03-21.000N 084-17-35.000W				SG on pile.	Priv ate aid.
1925	- Day beacon 2	30-03-26.000N 084-17-37.000W				TR on pile.	Priv ate aid.
1930	- Day beacon 3	30-03-17.000N 084-17-45.000W				SG on pile.	Priv ate aid.
1935	- Day beacon 4	30-03-21.000N 084-17-51.000W				TR on pile.	Priv ate aid.
1940	- Day beacon 5	30-03-09.000N 084-17-56.000W				SG on pile.	Priv ate aid.
1945	- Day beacon 6	30-03-15.000N 084-18-00.000W				TR on pile.	Priv ate aid.
1950	- Day beacon 7	30-03-05.000N 084-18-06.000W				SG on pile.	Priv ate aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
APALACHEE BAY (Chart 11405)							
Apalachee Bay							
Oyster Bay Channel							
1955	- Day beacon 1	30-03-50.000N 084-18-21.000W				SG on pile.	Private aid.
1960	- Day beacon 2	30-03-48.000N 084-18-16.000W				TR on pile.	Private aid.
1965	- Day beacon 3	30-03-56.000N 084-18-24.000W				SG on pile.	Private aid.
1970	- Day beacon 4	30-03-55.000N 084-18-16.000W				TR on pile.	Private aid.
Spring Creek Channel							
1975	- Day beacon 1	30-02-30.000N 084-18-08.000W				SG on pile.	Private aid.
1980	- Day beacon 2	30-02-37.000N 084-18-00.000W				TR on pile.	Private aid.
1985	- Day beacon 3	30-02-37.000N 084-18-22.000W				SG on pile.	Private aid.
1990	- Day beacon 4	30-02-42.000N 084-18-12.000W				TR on pile.	Private aid.
1995	- Day beacon 5	30-02-54.000N 084-18-21.000W				SG on pile.	Private aid.
2000	- Day beacon 6	30-02-55.000N 084-18-20.000W				TR on pile.	Private aid.
2005	- Day beacon 7	30-03-01.000N 084-18-19.000W				SG on pile.	Private aid.
2010	- Day beacon 8	30-03-02.000N 084-18-14.000W				TR on pile.	Private aid.
2015	- Day beacon 9	30-03-06.000N 084-18-24.000W				SG on pile.	Private aid.
2020	- Day beacon 10	30-03-10.000N 084-18-17.000W				TR on pile.	Private aid.
2025	- Day beacon 11	30-03-12.000N 084-18-24.000W				SG on pile.	Private aid.
2030	- Day beacon 12	30-03-14.000N 084-18-20.000W				TR on pile.	Private aid.
2035	- Day beacon 13	30-03-15.000N 084-18-28.000W				SG on pile.	Private aid.
2040	- Day beacon 14	30-03-18.000N 084-18-22.000W				TR on pile.	Private aid.
2045	- Day beacon 15	30-03-20.000N 084-18-30.000W				SG on pile.	Private aid.
2050	- Day beacon 16	30-03-24.000N 084-18-28.000W				TR on pile.	Private aid.
2055	- Day beacon 17	30-03-24.000N 084-18-37.000W				SG on pile.	Private aid.
2060	- Day beacon 18	30-03-25.000N 084-18-36.000W				TR on pile.	Private aid.
2065	- Day beacon 19	30-03-24.000N 084-18-47.000W				SG on pile.	Private aid.
2070	- Day beacon 20	30-03-26.000N 084-18-41.000W				TR on pile.	Private aid.
2075	- Day beacon 21	30-03-35.000N 084-18-43.000W				SG on pile.	Private aid.
2080	- Day beacon 22	30-03-33.000N 084-18-37.000W				TR on pile.	Private aid.
2085	- Day beacon 23	30-03-38.000N 084-18-37.000W				SG on pile.	Private aid.
2090	- Day beacon 24	30-03-38.000N 084-18-33.000W				TR on pile.	Private aid.
2095	- Day beacon 25	30-03-50.000N 084-18-42.000W				SG on pile.	Private aid.
2100	- Day beacon 26	30-03-54.000N 084-18-37.000W				TR on pile.	Private aid.
2105	- Day beacon 27	30-03-48.000N 084-19-00.000W				SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
APALACHEE BAY (Chart 11405)							
Apalachee Bay							
Spring Creek Channel							
2110	- Day beacon 28	30-03-54.000N 084-18-55.000W				TR on pile.	Private aid.
2115	- Day beacon 29	30-03-55.000N 084-19-13.000W				SG on pile.	Private aid.
2120	- Day beacon 30	30-03-59.000N 084-19-07.000W				TR on pile.	Private aid.
2125	- Day beacon 31	30-04-05.000N 084-19-27.000W				SG on pile.	Private aid.
2130	- Day beacon 32	30-04-11.000N 084-19-22.000W				TR on pile.	Private aid.
2135	- Day beacon 33	30-04-18.000N 084-19-22.000W				SG on pile.	Private aid.
2140	- Day beacon 34	30-04-19.000N 084-19-18.000W				TR on pile.	Private aid.
2145	- Day beacon 35	30-04-20.000N 084-19-35.000W				SG on pile.	Private aid.
2150	- Day beacon 36	30-04-24.000N 084-19-30.000W				TR on pile.	Private aid.
2155	- Day beacon 38	30-04-25.000N 084-19-38.000W				TR on pile.	Private aid.
Panacea Channel							
2160	- Day beacon 2	30-00-23.739N 084-18-42.938W				TR on pile.	
2165	- LIGHT 3	30-00-14.139N 084-20-10.120W	FI G 4s	17	5	SG on dolphin.	
2170	- Day beacon 4	30-00-16.408N 084-20-09.974W				TR on pile.	
2175	- Day beacon 5	30-00-15.483N 084-20-22.524W				SG on pile.	Ra ref.
2180	- Day beacon 7	30-00-16.590N 084-20-36.535W				SG on pile.	
2185	- LIGHT 8	30-00-19.235N 084-20-39.302W	FI R 2.5s	15	3	TR on dolphin.	
2190	- Buoy 9	30-00-16.663N 084-20-41.706W				Green can.	
2195	- Day beacon 10	30-00-03.574N 084-21-19.328W				TR on pile.	
2200	- LIGHT 11	30-00-01.657N 084-21-21.777W	Q G	16	3	SG on dolphin.	
2205	- Day beacon 12	30-00-05.490N 084-21-26.249W				TR on pile.	
2210	- Day beacon 14	30-00-09.242N 084-21-35.709W				TR on pile.	
2215	- Day beacon 14A	30-00-14.115N 084-21-41.290W				TR on pile.	
2220	- LIGHT 15	30-00-09.334N 084-21-39.709W	FI G 2.5s	16	3	SG on dolphin.	
2225	- Buoy 15A	30-00-14.533N 084-21-44.548W				Green can.	
2230	- LIGHT 18	30-00-37.221N 084-21-57.850W	FI R 2.5s	16	3	TR on pile.	Ra ref.
2235	- Day beacon 19	30-00-37.581N 084-22-00.078W				SG on pile.	
2240	- Day beacon 19A	30-00-44.227N 084-22-13.054W				SG on pile.	
2245	- Day beacon 21	30-00-46.573N 084-22-19.135W				SG on pile.	
2250	- Day beacon 22	30-00-55.730N 084-22-34.243W				TR on pile.	
2255	- LIGHT 23	30-00-55.281N 084-22-36.834W	FI G 2.5s	17	3	SG on dolphin.	
2260	- Buoy 24	30-00-58.252N 084-22-36.585W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
APALACHEE BAY (Chart 11405)							
Apalachee Bay							
Panacea Channel							
2265	- Buoy 25	30-01-10.851N 084-22-44.781W				Green can.	
2270	- LIGHT 26	30-01-16.800N 084-22-45.640W	Q R	16	3	TR on dolphin.	
2275	- Day beacon 27	30-01-15.551N 084-22-48.911W				SG on pile.	
2280	- Day beacon 28	30-01-18.970N 084-22-56.922W				TR on pile.	
2285	- Day beacon 29	30-01-17.274N 084-22-59.006W				SG on pile.	
2287	WEI SPECIAL LIGHT A	30-01-59.940N 084-21-21.420W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2287.01	WEI SPECIAL LIGHT B	30-02-06.660N 084-21-19.740W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2287.02	WEI SPECIAL LIGHT C	30-02-06.660N 084-21-23.340W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2287.03	WEI SPECIAL LIGHT D	30-01-59.940N 084-21-24.900W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2287.04	FLORIDA DEPARTMENT OF AGRICULTURE OYSTER BAY SPECIAL LIGHT A	30-02-43.080N 084-20-02.039W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.05	FLORIDA DEPARTMENT OF AGRICULTURE OYSTER BAY SPECIAL LIGHT B	30-02-45.275N 084-19-59.520W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.06	FLORIDA DEPARTMENT OF AGRICULTURE OYSTER BAY SPECIAL LIGHT C	30-03-01.835N 084-20-09.960W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.07	FLORIDA DEPARTMENT OF AGRICULTURE OYSTER BAY SPECIAL LIGHT D	30-03-16.307N 084-20-09.960W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.08	FLORIDA DEPARTMENT OF AGRICULTURE OYSTER BAY SPECIAL LIGHT E	30-03-25.920N 084-20-09.960W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.09	FLORIDA DEPARTMENT OF AGRICULTURE OYSTER BAY SPECIAL LIGHT F	30-03-25.883N 084-20-22.919W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.11	FLORIDA DEPARTMENT OF AGRICULTURE OYSTER BAY SPECIAL LIGHT G	30-03-16.272N 084-20-24.719W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.12	FLORIDA DEPARTMENT OF AGRICULTURE OYSTER BAY SPECIAL LIGHT H	30-03-02.052N 084-20-18.959W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.13	FLORIDA DEPARTMENT OF AGRICULTURE EARL AND LEWIS SPECIAL LIGHT A	30-01-40.018N 084-21-28.501W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.14	FLORIDA DEPARTMENT OF AGRICULTURE EARL AND LEWIS SPECIAL LIGHT B	30-01-42.059N 084-21-25.740W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.15	FLORIDA DEPARTMENT OF AGRICULTURE EARL AND LEWIS SPECIAL LIGHT C	30-01-44.759N 084-21-25.318W				Marks perimeter of aquaculture farm.	Private aid.
2287.16	FLORIDA DEPARTMENT OF AGRICULTURE EARL AND LEWIS SPECIAL LIGHT D	30-01-44.759N 084-21-28.800W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.17	FLORIDA DEPARTMENT OF AGRICULTURE EARL AND LEWIS SPECIAL LIGHT E	30-01-40.018N 084-21-32.219W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.18	FLORIDA DEPARTMENT OF AGRICULTURE WAKULLA OYSTER FARMS SPECIAL LIGHT A	30-01-51.319N 084-21-21.639W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.19	FLORIDA DEPARTMENT OF AGRICULTURE WAKULLA OYSTER FARMS SPECIAL LIGHT B	30-01-59.541N 084-21-19.630W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
APALACHEE BAY (Chart 11405)							
Apalachee Bay							
Panacea Channel							
2287.21	FLORIDA DEPARTMENT OF AGRICULTURE WAKULLA OYSTER FARMS SPECIAL LIGHT C	30-01-59.739N 084-21-22.409W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.22	FLORIDA DEPARTMENT OF AGRICULTURE WAKULLA OYSTER FARMS SPECIAL LIGHT D	30-01-51.744N 084-21-24.728W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
2287.23	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT A	30-02-11.520N 084-21-39.680W	FI Y 2.5s			Marks aquaculture farm perimeter.	Private aid.
2287.24	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT B	30-02-11.760N 084-21-29.520W	FI Y 2.5s			Marks aquaculture farm perimeter.	Private aid.
2287.25	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT C	30-02-16.580N 084-21-29.520W	FI Y 2.5s			Marks aquaculture farm perimeter.	Private aid.
2287.26	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT D	30-02-22.550N 084-21-33.480W	FI Y 2.5s			Marks aquaculture farm perimeter.	Private aid.
2287.27	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT E	30-02-29.140N 084-21-32.610W	FI Y 2.5s			Marks aquaculture farm perimeter.	Private aid.
2287.28	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT F	30-02-34.140N 084-21-27.720W	FI Y 2.5s			Marks aquaculture farm perimeter.	Private aid.
2287.29	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT G	30-02-39.550N 084-21-25.200W	FI Y 2.5s			Marks aquaculture farm perimeter.	Private aid.
2287.31	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT H	30-02-40.230N 084-21-29.520W	FI Y 2.5s			Marks aquaculture farm perimeter.	Private aid.
2287.32	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT I	30-02-33.480N 084-21-34.660W	FI Y 2.5s			Marks aquaculture farm perimeter.	Private aid.
2287.33	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT J	30-02-29.000N 084-21-37.730W	FI Y 2.5s			Marks aquaculture farm perimeter.	Private aid.
2287.34	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT K	30-02-23.710N 084-21-38.420W	FI Y 2.5s			Marks aquaculture farm perimeter.	Private aid.
2287.35	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT L	30-02-16.550N 084-21-39.600W	FI Y 2.5s			Marks aquaculture farm perimeter.	Private aid.
APALACHEE BAY (Chart 11405)							
2290	OCHLOCKONEE BAY ENTRANCE LIGHT OB	29-56-02.787N 084-18-04.613W	FI G 4s	17	4	SG on dolphin.	
2295	<i>Apalachee Bay Lighted Buoy 4</i>	29-58-48.000N 084-13-08.187W	FI R 4s		4	Red.	
2300	APALACHEE BAY LIGHT 2	29-56-01.997N 084-15-44.932W	FI R 4s	17	3	TR on pile.	
2305	LIGHT HOUSE POINT LH	29-52-26.043N 084-19-33.210W	FI G 6s	17	5	SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
APALACHEE BAY (Chart 11405)							
Alligator Harbor							
2310	- ENTRANCE LIGHT 2	29-55-15.800N 084-27-07.000W	FI R 2.5s	10		On dolphin.	Private aid.
2315	- Day beacon 4	29-55-23.300N 084-27-03.500W				TR on pile.	Private aid.
2320	- Day beacon 6	29-55-26.900N 084-27-02.300W				TR on pile.	Private aid.
2325	- Day beacon 8	29-55-29.000N 084-26-58.800W				TR on pile.	Private aid.
2328	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT A	29-55-00.031N 084-24-11.798W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2328.01	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT B	29-55-07.852N 084-24-09.466W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2328.02	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT C	29-55-10.932N 084-24-23.047W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2328.03	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT D	29-55-13.025N 084-24-32.287W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2328.04	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT E	29-55-15.119N 084-24-41.524W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2328.05	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT F	29-55-17.998N 084-24-54.226W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2328.06	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT K	29-55-10.196N 084-24-56.549W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2328.07	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT L	29-55-07.639N 084-24-45.295W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2328.08	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT M	29-55-05.285N 084-24-34.884W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2328.09	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT N	29-55-02.861N 084-24-24.226W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2328.11	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT J	29-55-10.460N 084-24-59.051W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2328.12	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT G	29-55-18.394N 084-24-57.381W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2328.13	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT H	29-55-19.655N 084-25-05.319W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2328.14	FLORIDA DEPARTMENT OF AGRICULTURE SPECIAL LIGHT I	29-55-11.719N 084-25-06.981W	FI Y 2.5s			Marks aquaculture perimeter.	Private aid.
2330	- Day beacon 10	29-55-28.400N 084-26-55.400W				TR on pile.	Private aid.
2335	- Day beacon 12	29-55-27.000N 084-26-53.000W				TR on pile.	Private aid.
2340	- Day beacon 14	29-55-23.000N 084-26-48.700W				TR on pile.	Private aid.
2345	- Day beacon 16	29-55-17.600N 084-26-44.500W				TR on pile.	Private aid.
2350	- Day beacon 18	29-55-06.600N 084-26-34.600W				TR on pile.	Private aid.
2355	- Day beacon 20	29-54-58.600N 084-26-27.000W				TR on pile.	Private aid.
2360	- Day beacon 22	29-54-51.800N 084-26-18.500W				TR on pile.	Private aid.
2365	- Day beacon 24	29-54-43.100N 084-26-08.500W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
APALACHEE BAY (Chart 11405)							
Alligator Harbor							
2370	- Day beacon 26	29-54-35.900N 084-25-54.000W				TR on pile.	Private aid.
2375	- Day beacon 28	29-54-29.200N 084-25-40.100W				TR on pile.	Private aid.
2380	- Day beacon 30	29-54-28.000N 084-25-35.400W				TR on pile.	Private aid.
2385	- Day beacon 31	29-54-29.300N 084-25-34.500W				SG on pile.	Private aid.
2390	- Day beacon 32	29-54-25.600N 084-25-26.700W				TR on pile.	Private aid.
2395	- Day beacon 33	29-54-27.000N 084-25-26.200W				SG on pile.	Private aid.
2400	- Day beacon 34	29-54-23.000N 084-25-18.200W				TR on pile.	Private aid.
2405	- Day beacon 35	29-54-25.100N 084-25-18.000W				SG on pile.	Private aid.
2410	- Day beacon 36	29-54-25.000N 084-25-00.100W				TR on pile.	Private aid.
2415	- Day beacon 37	29-54-26.000N 084-25-09.300W				SG on pile.	Private aid.
2420	- Day beacon 39	29-54-26.900N 084-25-07.200W				SG on pile.	Private aid.
2425	- Marina Junction Day beacon A	29-54-26.900N 084-25-07.300W				JR on pile.	Private aid.
St. George Sound							
2430	DOG ISLAND REEF EAST LIGHT 1	29-52-15.023N 084-26-41.797W	FI G 2.5s	17	5	SG on pile.	
2435	Dog Island Reef Wrk Buoy WR1	29-48-29.451N 084-26-47.881W				Green can.	
Turkey Point							
2440	- Day beacon 2	29-52-30.000N 084-30-18.000W				TR on pile.	Private aid.
2445	- Day beacon 4	29-53-24.000N 084-30-30.000W				TR on pile.	Private aid.
2450	- Day beacon 6	29-53-44.000N 084-30-33.000W				TR on pile.	Private aid.
2455	- Day beacon 8	29-54-06.000N 084-30-36.000W				TR on pile.	Private aid.
2460	- Day beacon 10	29-54-18.000N 084-30-36.000W				TR on pile.	Private aid.
2465	- Day beacon 12	29-54-34.000N 084-30-38.000W				TR on pile.	Private aid.
2470	- Day beacon 14	29-54-48.000N 084-30-40.000W				TR on pile.	Private aid.
St. George Sound							
2480	DOG ISLAND LIGHT 3	29-51-29.943N 084-31-30.028W	FI G 4s	20	5	SG on pile.	
CARRABELLE TO APALACHICOLA (Chart 11404)							
2485	DOG ISLAND LIGHT 5	29-51-05.981N 084-33-47.134W	FI G 2.5s	17	4	SG on dolphin.	Ra ref.
2490	DOG ISLAND LIGHT 7	29-50-10.014N 084-35-16.919W	FI G 4s	17	5	SG on pile.	
2495	DOG ISLAND LIGHT 8	29-48-47.995N 084-37-06.989W	FI R 6s	17	5	TR on pile.	Ra ref.
2500	St. George Sound North Spoil Day beacon	29-49-32.172N 084-39-06.871W				NG on pile.	
2505	St. George Sound Middle Spoil Day beacon	29-48-57.460N 084-39-22.915W				NR on pile.	
2510	St. George Sound South Spoil Day beacon	29-48-13.770N 084-39-43.891W				NR on pile.	Ra ref.
2515 50	CROOKED RIVER LIGHT	29-49-38.100N 084-42-02.600W	FI (2)W 15s	115		Square skeleton tower. Lower half white, upper half red.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
CARRABELLE TO APALACHICOLA (Chart 11404)							
Carrabelle Channel							
2520 55	- Lighted Buoy 2	29-44-32.767N 084-39-12.146W	FI R 4s		4	Red.	
2525	- Buoy 3	29-44-59.766N 084-39-27.647W				Green can.	
2530	- Lighted Buoy 5	29-45-42.515N 084-39-41.086W	FI G 4s		3	Green.	
2535	- Buoy 7	29-45-59.765N 084-40-02.539W				Green can.	
2540	- Buoy 9	29-46-38.061N 084-40-35.004W				Green can.	
2545	- Lighted Buoy 10	29-46-41.346N 084-40-28.881W	FI R 2.5s		3	Red.	
2550	- Lighted Buoy 12	29-47-04.762N 084-40-39.695W	FI R 4s		3	Red.	
2555	- Lighted Buoy 13	29-47-49.967N 084-40-20.940W	FI G 2.5s		3	Green.	
2560	- INNER LEADING LIGHT	29-49-47.889N 084-39-17.448W	Q W	19			Visible all around; higher intensity on heading 023.1°.
2570	- LIGHT 15	29-48-36.125N 084-39-53.849W	FI G 4s	17	4	SG on dolphin.	Ra ref.
2575	- Buoy 17	29-49-04.933N 084-39-39.953W				Green can.	
2580	- South Spit Day beacon	29-49-39.083N 084-39-34.172W				NG on pile.	
2585	- Buoy 18	29-49-28.791N 084-39-24.298W				Red nun.	
2590	Carrabelle River Day beacon	29-49-18.426N 084-39-54.661W				NG on pile.	
Carrabelle River							
2595	- LIGHT 1	29-49-46.223N 084-39-22.393W	Q G	17	3	SG on pile.	Ra ref.
2600	- LIGHT 2	29-50-03.033N 084-39-32.007W	FI R 4s	17	3		
2605	- Day beacon 3	29-50-01.049N 084-39-34.022W				SG on pile.	Ra ref.
2610	- Day beacon 4	29-50-15.038N 084-39-41.927W				TR on pile.	
2615	- LIGHT 5	29-50-14.921N 084-39-45.087W	FI G 4s	17	3		
2620	- Lighted Buoy 6	29-50-26.806N 084-39-51.101W	Q R		3	Red.	
2625	- Day beacon 7	29-50-39.875N 084-39-57.135W				SG on pile.	Ra ref.
2630	- Day beacon 9	29-51-00.833N 084-39-58.741W				SG on pile.	
2635	- Day beacon 11	29-51-03.965N 084-40-01.850W				SG on pile.	
2640	- Day beacon 13	29-51-05.567N 084-40-05.504W				SG on pile.	
2645	- Day beacon 15	29-51-06.873N 084-40-11.364W				SG on pile.	Ra ref.
2650	- Day beacon 17	29-51-06.544N 084-40-17.655W				SG on pile.	
2655	- Day beacon 18	29-51-00.024N 084-40-25.235W				TR on pile.	
2660	- Day beacon 19	29-50-57.500N 084-40-26.039W				SG on pile.	
2665.01	- Buoy 21	29-50-57.481N 084-40-44.419W				Green can.	
2670.01	- Buoy 22	29-51-00.974N 084-40-47.706W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
CARRABELLE TO APALACHICOLA (Chart 11404)							
Carrabelle River							
2670.02	- Buoy 21A	29-51-03.123N 084-40-52.834W				Green can.	
2675.01	- Buoy 23	29-51-04.832N 084-40-57.268W				Green can.	
2680.01	- Buoy 25	29-51-03.271N 084-41-09.862W				Green can.	
2685.01	- Buoy 26	29-51-04.471N 084-41-13.192W				Red nun.	
2690.01	- Buoy 28	29-51-05.633N 084-41-16.950W				Red nun.	
2695.01	- Buoy 30	29-51-07.391N 084-41-20.806W				Red nun.	
2700.01	- Buoy 32	29-51-12.280N 084-41-23.235W				Red nun.	
2705.01	- Buoy 34	29-51-16.958N 084-41-22.955W				Red nun.	
2710	- Buoy 36	29-51-19.251N 084-41-21.655W				Red nun.	
2715.01	- Buoy 38	29-51-21.591N 084-41-18.421W				Red nun.	
2720.01	- Buoy 40	29-51-23.708N 084-41-14.641W				Red nun.	
2725.01	- Buoy 42	29-51-24.701N 084-41-11.514W				Red nun.	
2730.01	- Buoy 43	29-51-26.519N 084-41-09.233W				Green can.	
2735.01	- Buoy 44	29-51-24.578N 084-41-07.124W				Red nun.	
2740.01	- Buoy 45	29-51-24.467N 084-41-00.224W				Green can.	
2745.01	- Buoy 46	29-51-22.520N 084-40-57.951W				Red nun.	
2750.01	- Buoy 47	29-51-24.368N 084-40-50.691W				Green can.	
2755	- Buoy 49	29-51-24.718N 084-40-44.461W				Green can.	
2760.01	- Buoy 51	29-51-26.323N 084-40-39.664W				Green can.	
2765	- Buoy 53	29-51-27.732N 084-40-37.049W				Green can.	
2770.01	- Buoy 54	29-51-28.196N 084-40-33.940W				Red nun.	
2775.01	- Buoy 55	29-51-30.416N 084-40-34.270W				Green can.	
2780.01	- Buoy 56	29-51-38.784N 084-40-27.205W				Red nun.	
2785.01	- Buoy 57	29-51-39.309N 084-40-28.746W				Green can.	
2790.01	- Buoy 59	29-51-52.105N 084-40-26.270W				Green can.	
2795.01	- Buoy 61	29-51-55.294N 084-40-27.789W				Green can.	
2800	- Buoy 63	29-51-57.562N 084-40-29.371W				Green can.	
2805.01	- Buoy 65	29-51-59.946N 084-40-37.181W				Green can.	
2810.01	- Buoy 67	29-51-59.645N 084-40-41.795W				Green can.	
2815.01	- Buoy 68	29-51-59.604N 084-40-45.233W				Red nun.	
APALACHICOLA BAY TO LAKE WIMICO (Chart 11402)							
St George Island							
2820 65	- West Jetty Lighted Buoy 1	29-36-09.878N 084-57-13.271W	FI G 2.5s		4	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
APALACHICOLA BAY TO LAKE WIMICO (Chart 11402)							
St George Island							
2825 70	- East Jetty Lighted Buoy 2	29-36-10.278N 084-57-09.471W	FI R 2.5s		4	Red.	
2840	- LIGHTED BUOY 3	29-37-07.222N 084-57-44.027W	FI G 2.5s		3	Green can.	
2842	- LIGHTED BUOY 5	29-37-19.710N 084-57-50.007W	FI G 4s		3	Green can.	
2845	- LIGHTED BUOY 4	29-37-07.408N 084-57-42.223W	FI R 2.5s		3	Red nun.	
2846	- LIGHTED BUOY 6	29-37-20.193N 084-57-48.114W	FI R 4s		3	Red nun.	
2850	APALACHICOLA BAY WRECK LIGHT	29-39-20.143N 084-59-51.901W	FI W 2.5s	17	5	NW on pile.	Ra ref.
Apalachicola Bay							
Two Mile Channel							
2855	- LIGHT 1	29-41-31.757N 085-00-45.332W	FI G 2.5s	17	3	SG on pile.	Ra ref.
2860	- Buoy 2	29-41-45.891N 085-00-43.642W				Red nun.	
2865	- Buoy 3	29-42-02.187N 085-00-46.012W				Green can.	
2870	- Buoy 4	29-42-14.440N 085-00-44.482W				Red nun.	
2875	- Buoy 5	29-42-29.310N 085-00-46.781W				Green can.	
2880	- Buoy 7	29-42-42.163N 085-00-47.105W				Green can.	
2885	- Buoy 8	29-42-42.666N 085-00-45.307W				Red nun.	
2890	- Buoy 9	29-42-44.264N 085-00-48.508W				Green can.	
2895	- Daybeacon 10	29-42-44.218N 085-00-43.366W				TR on pile.	Ra ref.
2900	- West End Daybeacon 11	29-42-44.094N 085-01-01.951W				SG on pile.	
2905	- West End Daybeacon 13	29-42-43.688N 085-01-16.772W				SG on pile.	
2910	- East End Daybeacon 12	29-42-45.079N 085-00-28.268W				TR on pile.	Ra ref.
2915	- East End Daybeacon 14	29-42-44.982N 085-00-15.445W				TR on pile.	Ra ref.
2920	- East End Buoy 16	29-42-45.156N 085-00-01.007W				Red nun.	
2925	- East End Daybeacon 17	29-42-46.883N 084-59-50.652W				SG on pile.	NW also on pile worded CAUTION MANATEE
2930	- East End Buoy 18	29-42-51.040N 084-59-33.111W				Red nun.	
2935	- East End Daybeacon 19	29-42-57.481N 084-59-19.902W				SG on pile.	Ra ref.
2940	- East End Daybeacon 20	29-43-04.035N 084-59-04.906W				TR on pile.	Ra ref.
2945 30395	- JUNCTION LIGHT TM	29-43-12.327N 084-58-49.464W	FI (2+1)G 6s	17	3	JG-SY on pile.	Ra ref.
2945.01	APALACHICOLA RIVER						From Mile 5.9 to Mile 106, the river is marked with numerous unlisted daybeacons and unlighted buoys which are periodically relocaed to meet minor changing conditions.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
APALACHICOLA BAY TO LAKE WIMICO (Chart 11402)							
Apalachicola Bay							
Two Mile Channel							
2945.02	FLINT RIVER						From Mile 1.0 to Mile 26.6, the river is marked with numerous unlisted day beacons and unlighted buoys which are periodically relocated to meet minor changing conditions.
2945.03	CHATTAHOOCHEE RIVER						From Mile 1.0 to Mile 165.0, the river is marked with numerous unlisted day beacons and unlighted buoys which are periodically relocated to meet minor changing conditions.
West Pass							
2950	- LIGHT	29-37-56.708N 085-05-50.250W	FI W 2.5s	17	5	NB on dolphin.	
2955	- Day beacon 8	29-37-18.775N 085-04-35.683W				TR on pile.	
2960	- LIGHT 10	29-36-32.438N 085-03-12.685W	FI R 4s	17	3	TR on pile.	Ra ref.
2965	- LIGHT 12	29-36-18.547N 085-02-03.529W	FI R 4s	17	5	TR on dolphin.	
Presnells Channel							
2970	- Buoy 1	29-45-00.000N 085-18-50.000W				Green can.	Private aid.
2975	- Buoy 2	29-44-55.000N 085-18-51.000W				Red nun.	Private aid.
2980	- Buoy 3	29-44-56.000N 085-18-38.000W				Green can.	Private aid.
2985	- Buoy 4	29-44-54.000N 085-18-37.000W				Red nun.	Private aid.
2990	- Buoy 5	29-44-54.000N 085-18-24.000W				Green can.	Private aid.
2995	- Buoy 6	29-44-52.000N 085-18-22.000W				Red nun.	Private aid.
3000	Port St. Joe City Marina Channel Buoy 1	29-48-30.000N 085-18-24.000W				Green can.	Private aid.
3005	Port St. Joe City Marina Channel Buoy 2	29-48-16.000N 085-18-31.000W				Red nun.	Private aid.
3010	ST JOSEPH STATE PARK ENTRANCE LIGHT 1	29-45-52.560N 085-24-07.980W	FI G 2.5s	6		SG on pile.	Private aid.
3015	ST JOSEPH STATE PARK ENTRANCE LIGHT 2	29-45-53.520N 085-24-11.280W	FI R 2.5s	6		TR on pile.	Private aid.
LAKE WIMICO TO EAST BAY (Chart 11393)							
St Joseph Bay Entrance							
3020	- Lighted Buoy 2	29-52-14.267N 085-28-53.928W	FI (2)R 5s		4	Red.	
3023	Port St. Joe Lighted Mooring Buoy	29-48-32.580N 085-30-22.340W	FI W 2.5s			White with blue band.	Private aid.
3025	- A RANGE FRONT LIGHT	29-54-24.743N 085-24-17.714W	Q W		30	KRW on piles.	Visible all around; higher intensity on rangeline.
3030 95	St Joseph Bay Light & Entrance A Range Rear Light 2924 yards, 61.9° from front light.	29-55-05.668N 085-22-49.794W	Iso W 6s	78	13	KRW on skeleton tower. 78	
3035	- Lighted Buoy 3	29-52-33.346N 085-28-27.376W	FI G 4s		4	Green.	
3040	- Buoy 4	29-52-47.068N 085-27-43.096W				Red nun.	
3045	- Buoy 5	29-53-08.437N 085-27-07.866W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
LAKE WIMICO TO EAST BAY (Chart 11393)							
St Joseph Bay Entrance							
3050	- Lighted Buoy 6	29-53-20.009N 085-26-32.109W	FI R 2.5s		3	Red.	
3055	- Lighted Buoy 8	29-53-39.245N 085-25-48.716W	Q R		3	Red.	
3060	- RANGE B & D FRONT LIGHT	29-53-44.049N 085-23-03.893W	Q R	29		KRW on pile.	Visible all around; higher intensity on rangeline.
3065	- RANGE B REAR LIGHT 1,432 yards, 089.3° from front light.	29-53-44.682N 085-22-15.101W	Iso R 6s	53		KRW on pile.	Visible on rangeline only.
3070	- RANGE B REAR LIGHT PASSING LIGHT	29-53-44.682N 085-22-15.101W	FI W 4s	15	4	On same structure as St. Joseph Bay Entrance Range B Rear Light.	
3075	- Lighted Buoy 10	29-53-40.518N 085-24-15.666W	FI R 2.5s		3	Red.	
3080	- C RANGE FRONT LIGHT	29-52-54.705N 085-22-31.397W	FI W 2.5s	28		KRW on pile.	Visible all around, higher intensity on rangeline.
3085	- C RANGE REAR LIGHT 1,562 yards, 118.2° from front light.	29-52-32.802N 085-21-44.469W	Iso W 6s	52		KRW on pile.	Visible 4° each side of rangeline.
3090	- C RANGE REAR PASSING LIGHT	29-52-32.802N 085-21-44.469W	FI W 2.5s	15	4	On same structure as St. Joseph Bay Entrance Range C Rear Light.	
3095	- Lighted Buoy 12	29-53-12.181N 085-23-14.696W	Q R		3	Red.	
3100	- Lighted Buoy 14	29-52-58.146N 085-23-04.443W	FI R 2.5s		3	Red.	
3105	- RANGE D REAR LIGHT 1,235 yards, 358.3° from front light.	29-54-20.696N 085-23-05.140W	Iso R 6s	55		KRW on pile.	Visible on rangeline only. Range DOES NOT mark the channel centerline.
3110	- RANGE D REAR LIGHT PASSING LIGHT	29-54-20.696N 085-23-05.140W	FI W 4s	15	4	On same structure as St. Joseph Bay Entrance Range D Light.	
3115	- Lighted Buoy 16	29-52-40.104N 085-22-58.210W	FI R 2.5s		4	Red.	
3120	- Lighted Buoy 17 75 feet outside channel limit.	29-52-17.831N 085-22-48.413W	FI G 4s		4	Green.	
3125	- Buoy 18	29-51-34.748N 085-23-01.812W				Red nun.	
Port St Joe North Channel							
3130	- Lighted Buoy 19	29-50-42.750N 085-22-47.712W	Q G		4	Green.	
3135	- Lighted Buoy 21	29-50-09.645N 085-21-25.343W	FI G 2.5s		4	Green.	
3140	- Buoy 22	29-49-52.138N 085-20-51.330W				Red nun.	
3145	- Lighted Buoy 24	29-49-38.542N 085-20-14.120W	FI R 2.5s		3	Red.	
3150	- Buoy 26	29-49-26.243N 085-19-41.914W				Red nun.	
3155	- Buoy 27	29-49-17.751N 085-19-06.084W				Green can.	
3160	- Lighted Buoy 28	29-49-12.079N 085-19-03.357W	FI R 4s		3	Red.	
3165	PORT ST JOE TURNING BASIN LIGHT 30	29-48-54.749N 085-18-55.488W	FI R 6s	17	4	TR on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
APALACHICOLA BAY TO LAKE WIMICO (Chart 11402)							
West Pass							
Presnells Channel							
3170	PORT ST JOE MARINA ENTRANCE LIGHT 2	29-48-48.280N 085-18-38.240W	FI R 2.5s	7		TR on pile.	Private aid.
3175	PORT ST JOE MARINA ENTRANCE LIGHT 1	29-48-49.330N 085-18-38.490W	FI G 2.5s	7		SG on pile.	Private aid.
LAKE WIMICO TO EAST BAY (Chart 11393)							
Port St Joe North Channel							
Gulf County Canal							
3180	- Spoil Dump Buoy 2	29-49-32.875N 085-19-18.725W				Red nun.	
3185	- Buoy 3	29-49-45.344N 085-19-12.815W				Green can.	
3190	- Entrance Lighted Buoy 4	29-49-43.438N 085-19-13.047W	FI R 2.5s		3	Red.	
3195	- Buoy 5	29-49-49.502N 085-19-03.450W				Green can.	
3200	- Entrance Buoy 6 50 feet outside channel limit.	29-49-48.165N 085-19-02.194W				Red nun.	
3205	- Buoy 7	29-49-53.009N 085-18-55.351W				Green can.	
3210	- Buoy 8	29-49-51.432N 085-18-54.359W				Red nun.	
Windmark Beach							
3215	- East Channel Day beacon 1	29-50-44.187N 085-20-03.566W				SG on pile.	Private aid.
3220	- East Channel Day beacon 2	29-50-43.978N 085-20-02.559W				TR on pile.	Private aid.
3225	- East Channel Day beacon 3	29-50-45.420N 085-20-03.329W				SG on pile.	Private aid.
3230	- East Channel Day beacon 4	29-50-46.213N 085-20-02.417W				TR on pile.	Private aid.
3235	- Middle Channel Day beacon 1	29-50-52.748N 085-20-12.554W				SG on pile.	Private aid.
3240	- Middle Channel Day beacon 2	29-50-52.015N 085-20-12.125W				TR on pile.	Private aid.
3245	- Middle Channel Day beacon 3	29-50-54.027N 085-20-10.554W				SG on pile.	Private aid.
3250	- Middle Channel Day beacon 4	29-50-53.603N 085-20-10.204W				TR on pile.	Private aid.
3255	- West Channel Day beacon 1	29-50-58.915N 085-20-16.939W				SG on pile.	Private aid.
3260	- West Channel Day beacon 2	29-50-58.413N 085-20-16.513W				TR on pile.	Private aid.
Mexico Beach Canal Entrance							
3265	- LIGHT 1	29-56-55.440N 085-25-49.200W	FI G 6s	10		SG on pile.	Private aid.
3270	- LIGHT 2	29-56-55.200N 085-25-48.200W	FI R 6s	10		TR on pile.	Private aid.
3285	- LIGHT 5	29-56-59.040N 085-25-49.320W	FI G 6s	10		SG on pile.	Private aid.
3290	- LIGHT 6	29-56-59.460N 085-25-48.420W	FI R 6s	10		TR on pile.	Private aid.
ST. ANDREW BAY (Chart 11391)							
St Andrew Bay Entrance							
3335 105	- Lighted Buoy SA	30-05-29.735N 085-46-25.752W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS MMSI: 993682022
3340	ST ANDREW BAY A RANGE FRONT LIGHT	30-08-45.701N 085-41-34.203W	FI W 2.5s	25		KRW on skeleton tower on piles.	Lighted throughout 24 hours. Visible all around, higher intensity on range line.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
ST. ANDREW BAY (Chart 11391)							
St Andrew Bay Entrance							
3345	ST ANDREW BAY A RANGE REAR LIGHT 2,319 yards, 052.6° f from front light.	30-09-27.753N 085-40-31.227W	Iso W 6s	65		KRW on skeleton tower on piles.	Lighted throughout 24 hours.
3350	- <i>Lighted Buoy 1</i> 75 feet outside channel limit.	30-06-36.316N 085-44-53.457W	FI G 4s		4	Green.	
3355	- <i>Lighted Buoy 2</i> 75 feet outside channel limit.	30-06-31.645N 085-44-49.258W	FI R 4s		3	Red.	
3360	- <i>Lighted Buoy 3</i>	30-06-53.463N 085-44-27.374W	FI G 2.5s		4	Green.	
3365	- <i>Lighted Buoy 4</i>	30-06-49.158N 085-44-23.557W	FI R 2.5s		3	Red.	
3370	- <i>Lighted Buoy 6</i>	30-07-15.503N 085-43-44.719W	FI R 4s		3	Red.	
3375	- <i>Lighted Buoy 8</i> 75 feet outside channel limit.	30-07-27.528N 085-43-27.169W	FI R 2.5s		3	Red.	
3378	ST. ANDREWS STATE PARK DANGER BREAKWATER LIGHT	30-07-32.520N 085-43-50.880W	FI W 2.5s			Marks breakwater structure.	Private aid.
3378.01	ST. ANDREWS STATE PARK DANGER BREAKWATER LIGHT	30-07-33.960N 085-43-47.640W	FI W 2.5s			Marks breakwater structure.	Private aid.
3378.02	ST. ANDREWS STATE PARK DANGER BREAKWATER LIGHT	30-07-35.040N 085-43-44.760W	FI W 2.5s			Marks breakwater structure.	Private aid.
3378.03	ST. ANDREWS STATE PARK DANGER BREAKWATER LIGHT	30-07-36.810N 085-43-40.240W	FI W 2.5s			Marks breakwater structure.	Private aid.
3380	- <i>Lighted Buoy 9</i> 75 feet outside channel limit.	30-07-42.682N 085-43-14.518W	FI G 4s		4	Green.	
3385	- <i>Lighted Buoy 10</i>	30-07-36.731N 085-43-13.947W	FI R 4s		3	Red.	
3390	- <i>Lighted Buoy 11</i>	30-07-57.123N 085-42-50.816W	FI G 2.5s		3	Green	
3395	- <i>Lighted Buoy 12</i> 75 feet outside channel limit.	30-07-53.852N 085-42-47.976W	FI R 2.5s		3	Red.	
3400	ST ANDREW BAY B RANGE FRONT LIGHT	30-08-03.060N 085-42-53.982W	Iso W 2s	25		KRW on tower on piles.	Ra ref. Visible all around, higher intensity on rangeline.
3405	ST ANDREW BAY B RANGE REAR LIGHT 1,217 yards, 251.6° f from front light.	30-07-51.398N 085-43-34.801W	Iso W 6s	50		KRW on tower on piles.	Ra ref. Visible only on the rangeline.
3410	- <i>Lighted Buoy 13</i>	30-08-12.119N 085-42-28.218W	FI G 4s		4	Green.	
3415	- <i>Lighted Buoy 14</i>	30-08-08.590N 085-42-25.082W	FI R 4s		3	Red.	
3420	- <i>Lighted Buoy 15</i>	30-08-20.320N 085-42-03.060W	FI G 2.5s		4	Green.	
3425	- <i>Lighted Buoy 16</i>	30-08-15.950N 085-42-01.360W	FI R 2.5s		3	Red.	
3430	- <i>Lighted Buoy 15A</i>	30-08-38.119N 085-41-05.019W	Q G		4	Green.	
St Andrew Bay							
3435 31120	- <i>Junction Lighted Buoy</i>	30-08-59.377N 085-40-47.122W	FI (2+1)G 6s		4	Green can with red band and yellow triangle.	
3440	MASSALINA BAYOU ENTRANCE LIGHT 2	30-08-57.027N 085-39-44.040W	FI R 2.5s	17	3	TR on pile.	Ra ref.
3445 31115	- <i>Lighted Buoy 17</i>	30-08-39.784N 085-39-57.886W	Q G		3	Green with yellow triangle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
ST. ANDREW BAY (Chart 11391)							
St Andrew Bay							
3450	- LIGHT 18	30-08-34.642N	Q R	17	3	TR-SY on pile.	
31110		085-40-03.209W					
3455	- Lighted Buoy 19	30-08-33.926N	FI G 2.5s		3	Green can with yellow triangle.	
31105		085-39-32.985W					
3460	- Lighted Buoy 20	30-08-19.803N	FI R 2.5s		3	Red with yellow square.	
31100		085-39-28.989W					
3465	- Lighted Buoy 21	30-08-01.827N	Q G		4	Green with yellow triangle.	
31095		085-39-04.210W					
3470	- LIGHT 24	30-07-34.818N	FI R 4s	17	3	TR-SY on pile.	Ra ref.
31090		085-38-32.747W					
3475	- Coast Guard Mooring Buoy	30-07-27.548N					For use by USCG only.
31085		085-38-12.044W					
3480	- Lighted Buoy 25	30-07-53.179N	FI G 2.5s		3	Green with yellow triangle.	
31080		085-37-53.445W					
3485	- LIGHT 28	30-07-39.529N	Q R	17	3	TR-SY on pile.	Ra ref.
31075		085-37-16.435W					
Gulf Power Electrical Tower							
3490	- DANGER LIGHT	30-07-49.570N	FI W 2.5s			NW on power line structure worded: DANGER OVERHEAD POWER LINE.	Private aid.
31055		085-36-56.350W					
3495	- DANGER LIGHTS(2)	30-07-44.890N	FI W 2.5s			NW on power line structure worded: DANGER OVERHEAD POWER LINE.	Private aid.
31060		085-36-59.460W					
3500	- DANGER LIGHTS (2)	30-07-38.920N	FI W 2.5s			NW on power line structure worded: DANGER OVERHEAD POWER LINE.	Private aid.
31065		085-37-07.290W					
3505	- DANGER LIGHT	30-07-33.790N	FI W 2.5s			NW on power line structure worded: DANGER OVERHEAD POWER LINE.	Private aid.
31070		085-37-14.010W					
3510	Gainer Bay ou Channel Day beacon 1	30-16-21.520N				SG on pile.	Private aid.
		085-37-31.690W					
3515	Gainer Bay ou Channel Day beacon 2	30-16-21.550N				TR on pile.	Private aid.
		085-37-31.010W					
3520	Gainer Bay ou Channel Day beacon 3	30-16-23.590N				SG on pile.	Private aid.
		085-37-31.820W					
3525	Gainer Bay ou Channel Day beacon 4	30-16-23.380N				TR on pile.	Private aid.
		085-37-31.120W					
3530	Gainer Bay ou Channel Day beacon 5	30-16-28.400N				SG on pile.	Private aid.
		085-37-27.080W					
3535	Gainer Bay ou Channel Day beacon 6	30-16-28.220N				TR on pile.	Private aid.
		085-37-26.360W					
3540	Gainer Bay ou Channel Day beacon 7	30-16-30.160N				SG on pile.	Private aid.
		085-37-27.330W					
3545	Gainer Bay ou Channel Day beacon 8	30-16-30.240N				TR on pile.	Private aid.
		085-37-26.650W					
St Andrew Bay							
3550	- LIGHT 29	30-07-22.535N	FI G 2.5s	17	3	SG-TY on pile.	Ra ref.
31050		085-36-41.759W					
3555	- West Lighted Buoy 3	30-09-03.503N	Q G		3	Green with yellow square.	
31125		085-41-16.512W					
3560	- West Lighted Buoy 5	30-09-16.301N	FI G 4s		4	Green with yellow square.	
31130		085-41-52.343W					
3565	Buena Vista Day beacon	30-09-42.727N				NW on pile worded DANGER.	Ra ref.
		085-41-35.744W					
3570	- West Lighted Buoy 6	30-09-29.544N	FI R 2.5s		3	Red with yellow triangle.	
31135		085-42-20.582W					

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
ST. ANDREW BAY (Chart 11391)							
St Andrew Bay							
3575 31140	- West Lighted Buoy 8	30-09-40.432N 085-42-36.298W	FI R 4s		3	Red with yellow triangle.	
3580 31145	- West Lighted Buoy 9	30-09-50.184N 085-42-49.581W	FI G 2.5s		4	Green with yellow square.	
3585 31150	- West Lighted Buoy 10	30-10-09.875N 085-43-00.709W	FI R 4s		3	Red with yellow triangle.	
3590 31155	- West Lighted Buoy 11	30-09-57.727N 085-43-14.747W	FI G 4s		4	Green with yellow square.	
3595 31160	- West Lighted Buoy 13	30-10-19.783N 085-43-29.111W	FI G 2.5s		4	Green with yellow triangle.	
3600 31165	- WEST LIGHT 14	30-10-34.903N 085-44-10.493W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
Navy Dive School							
3605	- Buoy A	30-09-55.000N 085-44-15.000W				Yellow sphere.	U.S. Navy maintained. Private aid.
3610	- Buoy B	30-09-56.000N 085-43-57.000W				Yellow sphere.	U.S. Navy maintained. Private aid.
3615	- Buoy C	30-09-56.600N 085-43-43.000W				Yellow sphere.	U.S. Navy maintained. Private aid.
3620	- Buoy D	30-09-57.000N 085-43-24.000W				Yellow sphere.	U.S. Navy maintained. Private aid.
Section Base Magazine Area							
3625	- Day beacon 1	30-09-54.806N 085-44-17.943W				SG on pile.	Ra ref.
3630	- Day beacon 2	30-09-59.456N 085-44-20.049W				TR on pile.	Ra ref.
3635	- Day beacon 3	30-09-54.188N 085-44-29.259W				SG on pile.	Ra ref.
3640	- Day beacon 4	30-09-56.402N 085-44-28.305W				TR on pile.	Ra ref.
3645	- Day beacon 6	30-09-56.744N 085-44-30.219W				TR on pile.	Ra ref.
Section Base Channel							
3650	- RANGE FRONT LIGHT	30-10-11.740N 085-45-21.011W	Q G	25		KRW on skeleton tower.	Visible only on the rangeline.
3655	- RANGE REAR LIGHT 161 yards, 239.9° from front light.	30-10-09.254N 085-45-25.904W	Oc G 4s	36		KRW on skeleton tower on block.	Visible only on the rangeline.
3660	- LIGHT 1	30-10-27.551N 085-44-47.090W	FI G 4s	17	4	SG on pile.	Ra ref.
3665	- LIGHT 2	30-10-29.428N 085-44-49.751W	FI R 4s	17	3	TR on pile.	Ra ref.
3670	- LIGHT 3	30-10-18.372N 085-45-02.985W	FI G 2.5s	17	3	SG on pile.	Ra ref.
3675	- LIGHT 4	30-10-23.289N 085-45-02.584W	FI R 2.5s	17	3	TR on pile.	Ra ref.
Sulphur Point							
3680 31170	- Buoy 1	30-10-55.897N 085-44-35.144W				Green can with yellow square.	
3685 31175	- Buoy 2	30-10-56.024N 085-44-27.033W				Red nun with yellow triangle.	
3690 31180	- Buoy 3	30-11-05.534N 085-44-34.567W				Green can with yellow square.	
3695 31185	- Buoy 4	30-11-03.488N 085-44-27.084W				Red nun with yellow triangle.	
3700	GULF POWER COMPANY STRUCTURE LIGHT A	30-11-22.500N 085-44-20.500W	Q W	30		On skeleton tower.	Private aid.
3705	GULF POWER COMPANY STRUCTURE LIGHT B	30-11-23.000N 085-44-38.500W	Q W	30		On skeleton tower.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
ST. ANDREW BAY (Chart 11391)							
St Andrew Bay							
Sulphur Point							
3710	- Buoy 5	30-11-27.511N				Green can with yellow square.	
31190		085-44-32.740W					
3715	- Buoy 6	30-11-26.748N				Red nun with yellow triangle.	
31195		085-44-26.234W					
3720	- Buoy 7	30-11-36.130N				Green can with yellow square.	
31200		085-44-33.364W					
3725	- Buoy 8	30-11-35.615N				Red nun with yellow triangle.	
31205		085-44-23.871W					
Woodlawn Bayou Channel							
3730	- Day beacon 1	30-11-32.340N				SG on pile.	Private aid.
		085-44-58.500W					
3735	- Day beacon 2	30-11-33.480N				TR on pile.	Private aid.
		085-44-58.260W					
3740	- Day beacon 3	30-11-32.820N				SG on pile.	Private aid.
		085-45-00.780W					
3745	- Day beacon 4	30-11-33.720N				TR on pile.	Private aid.
		085-45-00.660W					
3750	- Day beacon 5	30-11-33.240N				SG on pile.	Private aid.
		085-45-04.200W					
3755	- Day beacon 6	30-11-34.020N				TR on pile.	Private aid.
		085-45-03.720W					
3760	- Day beacon 7	30-11-33.660N				SG on pile.	Private aid.
		085-45-06.900W					
3765	- Day beacon 8	30-11-34.440N				TR on pile.	Private aid.
		085-45-06.720W					
3770	- Day beacon 9	30-11-34.200N				SG on pile.	Private aid.
		085-45-08.460W					
3775	- Day beacon 10	30-11-34.560N				TR on pile.	Private aid.
		085-45-07.860W					
Harbor Towne Channel							
3780	- Day beacon 1	30-11-55.260N				SG on pile.	Private aid.
		085-44-43.380W					
3785	- Day beacon 2	30-11-55.800N				TR on pile.	Private aid.
		085-44-42.720W					
3790	- Day beacon 3	30-11-56.700N				SG on pile.	Private aid.
		085-44-45.300W					
3795	- Day beacon 4	30-11-57.120N				TR on pile.	Private aid.
		085-44-44.760W					
3800	- Day beacon 5	30-11-57.688N				SG on pile.	Private aid.
		085-44-47.226W					
3805	- Day beacon 6	30-11-58.320N				TR on pile.	Private aid.
		085-44-46.620W					
3810	- Day beacon 7	30-11-58.832N				SG on pile.	Private aid.
		085-44-48.770W					
3815	- Day beacon 8	30-11-59.520N				TR on pile.	Private aid.
		085-44-48.840W					
Posten Bayou Channel							
3820	- Day beacon 1	30-11-42.000N				SG on pile.	Private aid.
		085-43-20.160W					
3825	- Day beacon 2	30-11-41.220N				TR on pile.	Private aid.
		085-43-20.400W					
3830	- Day beacon 3	30-11-41.880N				SG on pile.	Private aid.
		085-43-16.200W					
3835	- Day beacon 4	30-11-41.280N				TR on pile.	Private aid.
		085-43-16.560W					
3840	- Day beacon 5	30-11-41.700N				SG on pile.	Private aid.
		085-43-08.400W					
3845	- Day beacon 6	30-11-41.280N				TR on pile.	Private aid.
		085-43-08.160W					
3850	- Day beacon 7	30-11-35.760N				SG on pile.	Private aid.
		085-43-00.840W					
3855	- Day beacon 8	30-11-39.120N				TR on pile.	Private aid.
		085-43-05.880W					

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
ST. ANDREW BAY (Chart 11391)							
St Andrew Bay							
Posten Bayou Channel							
3860	- Day beacon 9	30-11-33.840N 085-43-00.720W				SG on pile.	Private aid.
3865	- Day beacon 10	30-11-35.880N 085-43-01.320W				TR on pile.	Private aid.
3870	- Day beacon 11	30-11-31.920N 085-43-00.480W				SG on pile.	Private aid.
3875	- Day beacon 12	30-11-33.990N 085-43-01.080W				TR on pile.	Private aid.
Pretty Bayou Channel							
3880	- North Day beacon 1	30-12-06.900N 085-42-32.580W				SG on pile.	Private aid.
3885	- North Day beacon 2	30-12-05.940N 085-42-32.940W				TR on pile.	Private aid.
3890	- North Day beacon 3	30-12-06.840N 085-42-30.240W				SG on pile.	Private aid.
3895	- North Day beacon 4	30-12-05.700N 085-42-30.540W				TR on pile.	Private aid.
3900	- North Day beacon 5	30-12-06.600N 085-42-28.440W				SG on pile.	Private aid.
3905	- North Day beacon 6	30-12-05.640N 085-42-28.620W				TR on pile.	Private aid.
3910	- North Day beacon 7	30-12-06.960N 085-42-26.340W				SG on pile.	Private aid.
3915	- North Day beacon 8	30-12-05.760N 085-42-26.580W				TR on pile.	Private aid.
3920	- North Day beacon 9	30-12-06.780N 085-42-22.260W				SG on pile.	Private aid.
3925	- North Day beacon 10	30-12-05.700N 085-42-24.840W				TR on pile.	Private aid.
3930	- North Day beacon 11	30-12-06.480N 085-42-22.260W				SG on pile.	Private aid.
3935	- North Day beacon 12	30-12-05.820N 085-42-22.560W				TR on pile.	Private aid.
3940	- South Day beacon 1	30-11-53.090N 085-42-18.480W				SG on pile.	Private aid.
3945	- South Day beacon 2	30-11-53.580N 085-42-18.360W				TR on pile.	Private aid.
3950	- South Day beacon 3	30-11-53.390N 085-42-20.710W				SG on pile.	Private aid.
3955	- South Day beacon 4	30-11-53.640N 085-42-21.590W				TR on pile.	Private aid.
3960	- South Day beacon 5	30-11-51.910N 085-42-23.120W				SG on pile.	Private aid.
EAST BAY TO WEST BAY (Chart 11390)							
North Bay Channel							
3965	- Day beacon 2	30-12-57.000N 085-42-08.000W				TR on pile.	Private aid.
3970	- Day beacon 4	30-12-54.000N 085-42-04.000W				TR on pile.	Private aid.
3975	- Day beacon 6	30-12-51.000N 085-42-02.000W				TR on pile.	Private aid.
3980	- Day beacon 8	30-12-48.000N 085-41-59.000W				TR on pile.	Private aid.
3985	- Day beacon 10	30-12-46.000N 085-41-57.000W				TR on pile.	Private aid.
Robinson Bayou							
3990	- Day beacon 1	30-12-49.070N 085-42-12.720W				SG on pile.	Private aid.
3995	- Day beacon 2	30-12-47.940N 085-42-15.600W				TR on pile.	Private aid.
4000	- Day beacon 3	30-12-48.070N 085-42-07.090W				SG on pile.	Private aid.
4010	- Day beacon 5	30-12-45.720N 085-42-02.410W				SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
EAST BAY TO WEST BAY (Chart 11390)							
Robinson Bayou							
4015	- Day beacon 4	30-12-43.770N 085-42-04.180W				TR on pile.	Private aid.
4020	- Day beacon 7	30-12-40.900N 085-41-59.550W				SG on pile.	Private aid.
4025	- Day beacon 6	30-12-40.240N 085-42-02.480W				TR on pile.	Private aid.
Goose Bayou Channel							
4030	- Day beacon 1	30-13-35.730N 085-41-24.660W				SG on pile.	Private aid.
4035	- Day beacon 2	30-13-32.280N 085-41-34.140W				TR on pile.	Private aid.
4040	- Day beacon 3	30-13-30.600N 085-41-21.780W				SG on pile.	Private aid.
4045	- Day beacon 4	30-13-27.600N 085-41-28.920W				TR on pile.	Private aid.
4050	- Day beacon 5	30-13-23.940N 085-41-19.980W				SG on pile.	Private aid.
4055	- Day beacon 6	30-13-21.420N 085-41-25.200W				TR on pile.	Private aid.
4060	- Day beacon 8	30-13-18.360N 085-41-17.340W				TR on pile.	Private aid.
4065	- Day beacon 9	30-13-22.620N 085-41-08.880W				SG on pile.	Private aid.
4070	- Day beacon 10	30-13-16.080N 085-41-09.240W				TR on pile.	Private aid.
4075	- Day beacon 11	30-13-22.860N 085-41-04.560W				SG on pile.	Private aid.
4080	- Day beacon 12	30-13-19.140N 085-41-02.940W				TR on pile.	Private aid.
Upper Goose Bayou Channel							
4085	- Day beacon 1	30-14-29.100N 085-40-55.020W				SG on pile.	Private aid.
4090	- Day beacon 2	30-14-25.740N 085-41-03.780W				TR on pile.	Private aid.
4095	- Day beacon 3	30-14-20.760N 085-40-45.780W				SG on pile.	Private aid.
4100	- Day beacon 4	30-14-20.820N 085-40-54.600W				TR on pile.	Private aid.
4105	- Day beacon 5	30-14-14.820N 085-40-39.120W				SG on pile.	Private aid.
4110	- Day beacon 6	30-14-11.160N 085-40-40.920W				TR on pile.	Private aid.
4115	- Day beacon 7	30-14-09.180N 085-40-32.760W				SG on pile.	Private aid.
4120	- Day beacon 8	30-14-07.380N 085-40-35.460W				TR on pile.	Private aid.
4125	- Day beacon 9	30-14-06.780N 085-40-31.920W				SG on pile.	Private aid.
North Bay							
4130	- Day beacon 1	30-13-37.317N 085-43-11.442W				SG on pile.	
4135	- LIGHT 3	30-13-37.489N 085-42-27.723W	FI G 6s	17	4	SG on pile.	
4145	- Day beacon 4	30-14-18.554N 085-41-33.008W				TR on pile.	
4150	- LIGHT 5	30-14-43.367N 085-41-30.853W	FI G 4s	17	4	SG on pile.	
4155	- LIGHT 6	30-15-02.095N 085-41-01.888W	FI R 4s	17	3	TR on pile.	
Beatty Bayou Channel							
4160	- Day beacon 1	30-15-17.013N 085-37-11.708W				SG on pile.	Private aid.
4165	- Day beacon 2	30-15-17.057N 085-37-12.272W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
EAST BAY TO WEST BAY (Chart 11390)							
North Bay							
Beatty Bayou Channel							
4170	- Day beacon 3	30-15-14.650N 085-37-11.985W				SG on pile.	Private aid.
4175	- Day beacon 4	30-15-14.742N 085-37-12.544W				TR on pile.	Private aid.
4180	- Day beacon 5	30-15-11.925N 085-37-12.520W				SG on pile.	Private aid.
4185	- Day beacon 6	30-15-11.991N 085-37-13.102W				TR on pile.	Private aid.
Fannin Bayou							
4190	- Day beacon 1	30-16-11.121N 085-39-26.188W				SG on pile.	
4195.01	- Buoy 2	30-16-08.971N 085-39-18.814W				Red nun.	
4200.01	- Buoy 3	30-16-17.162N 085-39-13.654W				Green can.	
Fannin Bayou Channel A							
4210	- Day beacon 4	30-16-29.000N 085-39-00.000W				TR on pile.	Private aid.
4215	- Day beacon 5	30-16-39.000N 085-38-50.000W				SG on pile.	Private aid.
4220	- Day beacon 6	30-16-37.000N 085-38-46.000W				TR on pile.	Private aid.
4225	- Day beacon 7	30-16-40.000N 085-38-36.000W				SG on pile.	Private aid.
4230	- Day beacon 8	30-16-42.000N 085-38-34.000W				TR on pile.	Private aid.
4235	- Day beacon 9	30-16-51.000N 085-38-36.000W				SG on pile.	Private aid.
4240	- Day beacon 10	30-16-51.000N 085-38-31.000W				TR on pile.	Private aid.
4245	- Day beacon 11	30-16-53.000N 085-38-26.000W				SG on pile.	Private aid.
4250	- Day beacon 12	30-16-52.000N 085-38-25.000W				TR on pile.	Private aid.
4255	- Day beacon 13	30-16-54.000N 085-38-23.000W				SG on pile.	Private aid.
4260	- Day beacon 14	30-17-00.000N 085-38-25.000W				TR on pile.	Private aid.
4265	Fannin Bayou Channel Junction Day beacon A	30-16-33.000N 085-38-59.000W				JG on pile.	Private aid.
4270	Fannin Bayou Channel Junction Day beacon B	30-16-51.000N 085-39-00.000W				JG on pile.	Private aid.
North Bay							
4275	Fannin Bayou Channel C Day beacon 1	30-16-53.000N 085-39-12.000W				SG on pile.	Private aid.
4280	Fannin Bayou Channel C Day beacon 2	30-16-56.000N 085-39-23.000W				TR on pile.	Private aid.
Fannin Bayou Channel B							
4285	- Day beacon 1	30-16-56.000N 085-38-52.000W				SG on pile.	Private aid.
4290	- Day beacon 3	30-17-06.000N 085-38-49.000W				SG on pile.	Private aid.
4295	- Day beacon 5	30-17-11.000N 085-38-49.000W				SG on pile.	Private aid.
4300	- Day beacon 6	30-17-14.000N 085-38-55.000W				TR on pile.	Private aid.
ST. ANDREW BAY (Chart 11391)							
Grand Lagoon Channel							
4305	- LIGHT 2	30-07-52.644N 085-43-13.299W	Q R	17	3	TR on pile.	Ra ref.
4310	- LIGHT 3	30-07-57.811N 085-43-39.451W	FI G 2.5s	17	3	SG on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
ST. ANDREW BAY (Chart 11391)							
Grand Lagoon Channel							
4315	- LIGHT 4	30-08-17.730N 085-43-57.748W	FI R 2.5s	17	3	TR on pile.	Ra ref.
4320	- Day beacon 6	30-08-26.703N 085-44-03.751W				TR on pile.	
4325	- LIGHT 5	30-08-25.188N 085-44-05.109W	FI G 4s	17	4	SG on pile.	Ra ref.
4330	- Day beacon 7	30-08-32.987N 085-44-18.052W				SG on pile.	Ra ref.
4335	- Day beacon 8	30-08-36.878N 085-44-20.334W				TR on pile.	
4340	- JUNCTION LIGHT A	30-08-42.241N 085-44-30.658W	FI (2+1)G 6s	17	3	JG on pile.	
4345	- Day beacon 9	30-08-46.602N 085-44-35.532W				SG on pile.	
4350	- Day beacon 11	30-08-51.175N 085-44-49.780W				SG on pile.	
Treasure Island Marina Channel							
4355	- Day beacon 2	30-08-43.700N 085-44-42.009W				TR on pile.	
4360	- Day beacon 3	30-08-42.035N 085-44-39.963W				SG on pile.	
4365	- Day beacon 4	30-08-44.729N 085-44-51.850W				TR on pile.	
West Grand Lagoon Channel							
4370	- Day beacon 1	30-08-51.600N 085-44-55.200W				SG on pile.	Private aid.
4375	- Day beacon 2	30-08-55.800N 085-44-54.600W				TR on pile.	Private aid.
4380	- Day beacon 2A	30-09-01.850N 085-45-00.060W				TR on pile.	Private aid.
4385	- Day beacon 3A	30-09-01.140N 085-45-00.480W				SG on pile.	Private aid.
4390	- Day beacon 3	30-08-55.200N 085-44-55.200W				SG on pile.	Private aid.
4395	- Day beacon 4	30-09-01.200N 085-45-04.800W				TR on pile.	Private aid.
4400	- Day beacon 5	30-09-01.000N 085-45-02.000W				SG on pile.	Private aid.
4405	- Day beacon 6	30-09-04.980N 085-45-13.080W				TR on pile.	Private aid.
4410	- Day beacon 7	30-09-04.020N 085-45-13.080W				SG on pile.	Private aid.
4415	- Day beacon 8	30-09-09.420N 085-45-22.260W				TR on pile.	Private aid.
4420	- Day beacon 9	30-09-08.640N 085-45-22.940W				SG on pile.	Private aid.
4425	- Day beacon 10	30-09-19.260N 085-45-36.540W				TR on pile.	Private aid.
4430	- Day beacon 11	30-09-18.420N 085-45-37.140W				SG on pile.	Private aid.
4435	- Day beacon 12	30-09-28.800N 085-45-48.680W				TR on pile.	Private aid.
4440	- Day beacon 13	30-09-27.900N 085-45-48.980W				SG on pile.	Private aid.
4445	- Day beacon 14	30-09-30.060N 085-45-55.200W				TR on pile.	Private aid.
4450	- Day beacon 15	30-09-30.480N 085-45-56.280W				SG on pile.	Private aid.
4455	- Day beacon 16	30-09-34.440N 085-46-04.340W				TR on pile.	Private aid.
4460	- Day beacon 17	30-09-33.360N 085-46-04.580W				SG on pile.	Private aid.
4465	- Day beacon 18	30-09-43.920N 085-46-21.020W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
ST. ANDREW BAY (Chart 11391)							
West Grand Lagoon Channel							
4470	- Day beacon 19	30-09-42.720N 085-46-21.860W				SG on pile.	Private aid.
4475	- Day beacon 21	30-09-49.080N 085-46-33.440W				SG on pile.	Private aid.
4480	- Day beacon 22	30-09-50.880N 085-46-37.520W				TR on pile.	Private aid.
4485	- Day beacon 24	30-09-52.020N 085-46-43.100W				TR on pile.	Private aid.
4490	- Day beacon 26	30-09-53.760N 085-46-45.740W				TR on pile.	Private aid.
4495	- Day beacon 27	30-09-56.820N 085-46-51.240W				SG on pile.	Private aid.
4505	- Day beacon 28	30-10-07.820N 085-47-11.080W				TR on pile.	Private aid.
4510	- Day beacon 29	30-10-07.610N 085-47-11.320W				SG on pile.	Private aid.
4515	- Day beacon 30	30-10-10.560N 085-47-14.380W				TR on pile.	Private aid.
4520	- Day beacon 31	30-10-10.340N 085-47-14.600W				SG on pile.	Private aid.
4525	- Day beacon 32	30-10-12.590N 085-47-16.680W				TR on pile.	Private aid.
4530	- Day beacon 33	30-10-12.390N 085-47-16.930W				SG on pile.	Private aid.
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Choctawhatchee Bay							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
4535 125	- Entrance Lighted Buoy CB	30-22-14.568N 086-30-55.952W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
4540	- Entrance Buoy 1	30-22-30.043N 086-30-50.448W				Green can.	
4545	- Entrance Buoy 2	30-22-30.000N 086-30-46.044W				Red nun.	
4550	- ENTRANCE LIGHT 3	30-22-51.145N 086-30-37.527W	Q G	30	3	SG on skeleton tower on pile.	
4555	- ENTRANCE LIGHT 4	30-22-51.433N 086-30-27.256W	Q R	30	3	TR on skeleton tower on pile.	
4560	- Entrance Buoy 5A	30-23-09.936N 086-30-32.453W				Green can.	
4565	- Entrance Buoy 7	30-23-14.951N 086-30-42.308W				Green can.	
4570	- Entrance Lighted Buoy 8	30-23-24.474N 086-30-45.391W	FI R 2.5s		3	Red nun.	
4575	- Entrance Buoy 9	30-23-21.217N 086-30-49.284W				Green can.	
4578	CITY OF DESTIN DANGER LIGHT	30-23-26.522N 086-30-39.156W	FI W 2.5s			Marks breakwater.	Private aid.
4578.01	CITY OF DESTIN DANGER LIGHT	30-23-28.514N 086-30-42.092W	FI W 2.5s			Marks breakwater.	Private aid.
4578.02	CITY OF DESTIN DANGER LIGHT	30-23-30.756N 086-30-45.344W	FI W 2.5s			Marks breakwater.	Private aid.
4578.03	CITY OF DESTIN DANGER LIGHT	30-23-32.679N 086-30-46.635W	FI W 2.5s			Marks breakwater.	Private aid.
4578.04	CITY OF DESTIN DANGER LIGHT	30-23-34.702N 086-30-51.791W	FI W 2.5s			Marks breakwater.	Private aid.
4578.05	CITY OF DESTIN DANGER LIGHT	30-23-37.049N 086-30-52.343W	FI W 2.5s			Marks breakwater.	Private aid.
4578.06	CITY OF DESTIN DANGER LIGHT	30-23-36.072N 086-30-47.622W	FI W 2.5s			Marks breakwater.	Private aid.
4580	- Entrance Buoy 10	30-23-31.847N 086-30-51.195W				Red nun.	
4585	- Entrance Buoy 11	30-23-27.817N 086-30-55.885W				green can.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Choctawhatchee Bay							
Old East Pass Harbor Channel							
4590	- Buoy 2	30-23-33.091N 086-30-37.981W				Red nun.	
4595	- Day beacon 3	30-23-33.096N 086-30-35.582W				SG on pile.	Ra ref.
4600	- Buoy 4	30-23-31.240N 086-30-31.492W				Red nun.	
4605	- Day beacon 6	30-23-31.541N 086-30-28.180W				TR on pile.	
4610	- Lighted Buoy 8	30-23-30.097N 086-30-22.394W	FI R 4s		3	Red nun.	
4615	- LIGHT 13	30-23-22.165N 086-29-28.923W	FI G 4s	17	4	SG on pile.	Ra ref.
4620	- LIGHT 14	30-23-21.939N 086-29-18.075W	FI R 2.5s	17	3	TR on pile.	Ra ref.
4625	- LIGHT 15	30-23-22.094N 086-29-15.642W	FI G 2.5s	17	3	SG on pile.	Ra ref.
4630	- LIGHT 16	30-23-18.861N 086-29-13.125W	FI R 4s	17	3	TR on pile.	Ra ref.
4635	Old East Pass East Danger Day beacon	30-23-28.534N 086-30-26.342W				NW on pile worded DANGER SHOAL.	
4640	- Day beacon 18	30-23-13.876N 086-29-10.292W				TR on pile.	
4645	Old East Pass West Danger Day beacon	30-23-30.388N 086-30-30.410W				NW on pile worded DANGER SHOAL.	
4650	OKALOOSA COUNTY FISHING PIER LIGHTS	30-23-30.000N 086-35-36.000W				Fishing pier.	Private aid.
U. S. Coast Guard Base							
4655	- Day beacon 2	30-23-38.351N 086-31-06.292W				TR on pile.	Ra ref.
4656	- Buoy G	30-23-35.389N 086-31-25.928W				White with orange bands.	Restricted Access Area.
4656.01	- Buoy H	30-23-35.793N 086-31-27.412W				White with orange bands.	Restricted Access Area.
4657	- Buoy F	30-23-35.029N 086-31-34.440W				White with orange bands.	Restricted Access Area.
4657.01	- Buoy E	30-23-34.316N 086-31-32.774W				White with orange bands.	Restricted Access Area.
4657.02	- Buoy D	30-23-34.125N 086-31-30.283W				White with orange bands.	Restricted Access Area.
4659	- Buoy 6	30-23-36.339N 086-31-26.131W				Red nun.	
4660	- Day beacon 4	30-23-33.322N 086-31-17.402W				TR on pile.	
4662	Okaloosa County Crab Island Exclusion Buoy s (32)	30-23-38.160N 096-31-25.140W				Marks boat Exclusion Area.	Private aid.
4663	- Buoy 8	30-23-38.125N 086-31-29.741W				Red nun.	
4663.01	- Buoy 7	30-23-36.768N 086-31-31.117W				Green can.	
4664	- Buoy C	30-23-31.844N 086-31-29.644W				White with orange bands.	Restricted Access Area.
4665	- Day beacon A	30-23-32.567N 086-31-27.054W				NW on pile worded Restricted Area.	Maintain 100ft from shoreline, do not impede access to Coast Guard Station, 33 CFR 334.746.
4667	- Buoy B	30-23-31.014N 086-31-29.941W				White with orange bands.	Restricted Access Area.
4668	- Buoy 5	30-23-34.647N 086-31-27.217W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Choctawhatchee Bay							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
4670	- Entrance Day beacon 13	30-24-05.557N 086-30-58.585W				SG on pile.	Ra ref.
4675	- Entrance Day beacon 14	30-24-05.900N 086-30-54.311W				TR on pile.	Ra ref.
4680	- Entrance Day beacon 15	30-24-16.469N 086-31-10.873W					
4685	- ENTRANCE LIGHT 16	30-24-26.643N 086-31-08.830W	FI R 2.5s	17	4	TR on pile.	Ra ref.
4690	- ENTRANCE LIGHT 17	30-24-25.821N 086-31-18.354W	FI G 2.5s	17	4		Ra ref.
PENSACOLA BAY ENTRANCE (Chart 11384)							
Pensacola Bay							
4695 145	- Entrance Lighted Buoy 1	30-16-15.724N 087-17-32.898W	FI G 2.5s		4	Green.	
4700 150	- Entrance Lighted Buoy 2	30-16-16.749N 087-17-23.505W	FI R 2.5s		4	Red.	
4705	CAUCUS CHANNEL RANGE FRONT LIGHT	30-19-33.932N 087-18-44.157W	Q G	26		KRW on skeleton tower on piles.	Higher intensity on range line.
4710	CAUCUS CHANNEL RANGE REAR LIGHT 1,408 yards, 341.4° from front light.	30-20-15.183N 087-19-00.131W	Iso G 6s	67		KRW on skeleton tower.	Visible 2° each side of rangeline.
4715 140	Pensacola Light	30-20-46.045N 087-18-29.109W	FI W 20s	191	27	Conical brick tower, lower third white, upper two thirds black. 191	White light visible from 222° to 090°. Aircraft warning light shows F R from 090° to 222°.
4720	- Entrance Lighted Buoy 3	30-17-20.923N 087-17-57.399W	FI G 6s		4	Green.	
4725	- Entrance Lighted Buoy 4	30-17-21.923N 087-17-48.100W	FI R 6s		4	Red.	
4730	<i>Massachusetts Wreck Lighted Buoy WR2</i>	30-17-43.400N 087-18-44.216W	Q R		3	Red.	
4735	- Entrance Lighted Buoy 5	30-18-02.099N 087-18-12.890W	FI G 4s		4	Green.	
4740	- Entrance Lighted Buoy 6	30-18-03.988N 087-18-04.083W	FI R 4s		3	Red.	
4745	- Entrance Buoy 7	30-18-37.535N 087-18-26.756W				Green can.	
4750	- Entrance Lighted Buoy 8	30-18-42.521N 087-18-18.001W	Q R		3	Red.	
4755	- Entrance Lighted Buoy 9	30-18-55.486N 087-18-32.471W	Q G		4	Green.	
4760	Caucas Channel East Side Dredging Range Front Day beacon					Orange diamond day mark on pile.	Range marks edge of channel for dredging purposes. F W light will be exhibited during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
4765	Caucas Channel East Side Dredging Range Rear Day beacon					Orange diamond day mark on pile.	F W light will be exhibited during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
PENSACOLA BAY ENTRANCE (Chart 11384)							
Pensacola Bay							
4770	Caucas Channel West Side Dredging Range Front Day beacon					Orange diamond day mark on pile.	Range marks edge of channel for dredging purposes. F W light will be exhibited during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
4775	Caucas Channel West Side Dredging Range Rear Day beacon					Orange diamond day mark on pile.	F W light will be exhibited during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
4780	FORT BARRANCAS RANGE FRONT LIGHT	30-20-34.723N 087-18-29.135W	FI G 2.5s	30		KRW on skeleton tower on piles.	Visible only on the rangeline.
4785	FORT BARRANCAS RANGE REAR LIGHT 350 yards, 000° f rom front light.	30-20-45.258N 087-18-29.109W	F G	54		KRW on skeleton tower.	Visible only on the rangeline.
4790	Barrancas Cut East Side Dredging Range Front Day beacon					Orange diamond day mark on pile.	Range marks edge of channel for dredging purposes. F W light will be exhibited during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
4795	Barrancas Cut East Side Dredging Range Rear Day beacon					Orange diamond day mark on pile.	F W light will be exhibited during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
4800	Barrancas Cut West Side Dredging Range Front Day beacon					Orange diamond day mark on pile.	Range marks edge of channel for dredging purposes. F W light will be exhibited during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
4805	Barrancas Cut West Side Dredging Range Rear Day beacon					Orange diamond day mark on pile.	F W light will be exhibited during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
4810	- Entrance Buoy 10	30-19-15.748N 087-18-24.237W				Red nun.	
4815	- Entrance Lighted Buoy 11	30-19-16.220N 087-18-34.102W	FI G 4s		4	Green.	
4820	- Entrance Lighted Buoy 12	30-19-41.907N 087-18-27.003W	FI (2)R 5s		3	Red.	
4830	- Entrance Lighted Buoy 13	30-19-52.719N 087-18-34.902W	FI G 6s		4	Green.	
4835	- Lighted Buoy 14	30-19-56.278N 087-18-19.191W	FI R 2.5s		3	Red.	
4840 33085	- Lighted Buoy 15	30-20-15.224N 087-18-07.464W	FI G 2.5s		4	Green with yellow triangle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
PENSACOLA BAY ENTRANCE (Chart 11384)							
Pensacola Bay							
4845 33080	- Lighted Buoy 16	30-19-55.719N 087-17-39.900W	Q R		3	Red with yellow square.	
4850 33060	- NAVY RANGE FRONT LIGHT	30-20-04.514N 087-18-58.739W	FI G 2.5s	34		KRW on skeleton tower on piles.	Visible all around; higher intensity 1.5° each side of range line.
4855 33065	- NAVY RANGE REAR LIGHT 300 yards, 273.5° from front light.	30-20-05.059N 087-19-09.065W	Iso G 6s	58		KRW on skeleton tower.	Visible only on the rangeline.
4860	PENSACOLA COAST GUARD JETTY LIGHT 1	30-20-37.718N 087-17-23.900W	FI G 6s	10	4	SG on skeleton tower.	
4865	PENSACOLA COAST GUARD JETTY LIGHT 2	30-20-37.718N 087-17-21.900W	FI R 6s	10	4	TR on skeleton tower.	
4870 33075	- Lighted Buoy 17	30-20-01.719N 087-16-55.899W	FI G 4s		4	Green with yellow triangle.	
Pensacola Navy Homeport Channel							
4875	- Buoy 1	30-20-10.121N 087-16-33.552W				Green can.	
4880	- Buoy 3	30-20-28.297N 087-16-12.138W				Green can.	
4885	- Lighted Buoy 4	30-20-23.737N 087-16-01.523W	FI R 2.5s		3	Red.	
4890	- Buoy 6	30-20-26.977N 087-15-43.040W				Red nun.	
4895	- Buoy 7	30-20-47.995N 087-15-46.258W				Green can.	
4900	- Buoy 8	30-20-42.844N 087-15-34.898W				Red nun.	
Pensacola Bay							
4905 33070	- Lighted Buoy 18	30-19-53.498N 087-16-41.945W	FI R 4s		3	Red with yellow square.	
4910	- Obstruction Day beacon	30-20-36.410N 087-16-14.296W				NW on pile worded DANGER SUBMERGED SEAWALL.	
4915 33055	- Lighted Buoy 20	30-19-48.719N 087-15-17.895W	Q R		3	Red with yellow square.	
PENSACOLA BAY (Chart 11383)							
Pensacola Bay							
4918	FDOT PENSACOLA BAY BRIDGE LOCATION FOUR WEST MOORING LIGHTS (4)	30-22-36.560N 087-10-49.460W	FI W 2.5s			Marks four mooring piling locations.	Private aid.
4920	- CHANNEL RANGE FRONT LIGHT	30-24-25.593N 087-11-35.542W	FI W 2.5s	18		On skeleton tower on piles.	DAY: Visible 2° each side of rangeline. NIGHT: Visible all around, higher intensity 2° each side of rangeline.
4925	- CHANNEL RANGE REAR LIGHT 1,931 yards, 032.6° from front light.	30-25-13.930N 087-10-59.921W	Iso G 6s (NIGHT) Iso W 6s (DAY)	74 72		On skeleton tower on piles.	Visible 2° each side of rangeline.
4930	- Lighted Buoy 21	30-20-30.718N 087-14-31.893W	FI G 2.5s		4	Green.	
4935	- Lighted Buoy 22	30-20-27.719N 087-14-26.894W	FI R 2.5s		3	Red.	
4940	- Navy Marker Lighted Buoy 1	30-21-03.933N 087-15-27.278W	FI G 4s		4	Green.	
4945	- Lighted Buoy 23	30-21-17.165N 087-13-58.459W	FI G 4s		4	Green.	
4950	- Buoy 24	30-21-14.717N 087-13-52.893W				Red nun.	
4955	- Lighted Buoy 25	30-21-59.230N 087-13-27.479W	FI G 2.5s		3	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
PENSACOLA BAY (Chart 11383)							
Pensacola Bay							
4960	FAIR POINT LIGHT 2	30-21-57.110N 087-12-48.812W	FI R 6s	17	4	TR on pile.	Ra ref.
4965	- Buoy 26	30-21-57.316N 087-13-21.392W				Red nun.	
4970	- Lighted Buoy 27	30-22-43.215N 087-12-54.092W	Q G		3	Green.	
4975	- Buoy 28	30-22-45.737N 087-12-46.561W				Red nun.	
4980	- EAST CHANNEL OUTER RANGE FRONT LIGHT	30-22-23.058N 087-12-14.063W	Q W	20		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
4985	- EAST CHANNEL OUTER RANGE REAR LIGHT 574 feet, 169° from front light.	30-22-00.765N 087-12-08.922W	Iso W 6s	40		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
4990	- EAST CHANNEL INNER RANGE FRONT LIGHT	30-24-10.694N 087-12-38.156W	Q G	52		KRW on skeleton tower on building.	Visible all around.
4995	- EAST CHANNEL INNER RANGE REAR LIGHT 207 yards, 348.6° from front light.	30-24-16.722N 087-12-39.556W	Oc G 4s	69		KRW on skeleton tower.	Visible all around.
5000	- Lighted Buoy 29	30-23-12.715N 087-12-32.392W	Q G		3	Green.	
5005	- Lighted Buoy 30 75 feet outside channel limit.	30-23-16.715N 087-12-22.891W	Q R		2	Red nun.	
5010	- Lighted Buoy 31	30-23-45.784N 087-12-34.186W	FI G 2.5s		4	Green.	
5015	- Lighted Buoy 32 75 feet outside channel limit.	30-23-47.314N 087-12-29.892W	FI R 2.5s		2	Red nun.	
5020	Pensacola Marine Terminal Buoy PMT1	30-23-45.620N 087-13-03.568W				Green can.	
5025	Pensacola Marine Terminal Lighted Buoy PMT2	30-23-55.214N 087-12-48.493W	FI R 4s		4	Red.	
5030	- Obstruction Day beacon A	30-24-01.768N 087-13-21.274W				NG on pile.	Ra ref.
5035	- WRECK LIGHT WR2	30-23-57.030N 087-13-17.291W	Q R	17	3	TR on pile.	
5040	- Channel Day beacon 1	30-22-25.000N 087-10-45.000W				SG on pile.	Private aid.
5045	- Channel Day beacon 2	30-22-24.000N 087-10-48.000W				TR on pile.	Private aid.
5050	- Channel Day beacon 3	30-22-18.000N 087-10-42.000W				SG on pile.	Private aid.
5055	- Channel Day beacon 4	30-22-17.000N 087-10-46.000W				TR on pile.	Private aid.
5060	- Channel Day beacon 5	30-22-11.000N 087-10-40.000W				SG on pile.	Private aid.
5065	- Channel Day beacon 6	30-22-10.000N 087-10-43.000W				TR on pile.	Private aid.
PENSACOLA BAY ENTRANCE (Chart 11384)							
Pensacola Bay							
Bayou Texar							
5070	- LIGHT 2	30-24-50.713N 087-11-21.010W	FI R 2.5s	17	3	TR on pile.	
5075	- JETTY LIGHT	30-25-06.000N 087-11-29.000W	FI R 4s	7		On jetty.	Private aid.
5080	- Day beacon 4	30-24-57.384N 087-11-27.262W				TR on pile.	
5085	- Day beacon 5	30-25-03.806N 087-11-31.301W				SG on pile.	
5090	- Day beacon 6	30-25-06.342N 087-11-32.058W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
PENSACOLA BAY ENTRANCE (Chart 11384)							
Pensacola Bay							
Bayou Texar							
5095	- Day beacon 1A	30-25-16.460N 087-11-35.403W				SG on pile.	Private aid.
5100	- Day beacon 2A	30-25-15.858N 087-11-34.183W				TR on pile.	Private aid.
5105	- Day beacon 3A	30-25-18.743N 087-11-30.862W				SG on pile.	Private aid.
5110	- Day beacon 4A	30-25-17.752N 087-11-31.924W				TR on pile.	Private aid.
5115	- Day beacon 5A	30-25-18.535N 087-11-27.127W				SG on pile.	Private aid.
5120	- Day beacon 6A	30-25-17.119N 087-11-26.120W				TR on pile.	Private aid.
5125	- Day beacon 7A	30-25-17.927N 087-11-23.189W				SG on pile.	Private aid.
5130	- Day beacon 8A	30-25-17.174N 087-11-20.467W				TR on pile.	Private aid.
5135	- Day beacon 9A	30-25-18.706N 087-11-19.684W				SG on pile.	Private aid.
5140	- Day beacon 10A	30-25-19.183N 087-11-16.457W				TR on pile.	Private aid.
5145	- Day beacon 11A	30-25-20.786N 087-11-16.798W				SG on pile.	Private aid.
5150	- Day beacon 12A	30-25-24.161N 087-11-15.156W				TR on pile.	Private aid.
5155	- Day beacon 13A	30-25-25.799N 087-11-16.242W				SG on pile.	Private aid.
5160	- Day beacon 14A	30-25-29.291N 087-11-14.384W				TR on pile.	Private aid.
5165	- Day beacon 15A	30-25-29.218N 087-11-15.799W				SG on pile.	Private aid.
PENSACOLA BAY (Chart 11383)							
Pensacola Bay							
5170	Florida Department of Environmental Protection Danger Buoy	30-24-59.470N 087-11-41.930W				White with orange bands and diamond worded: DANGER ROCKS.	Private aid.
5175	Florida Department of Environmental Protection Danger Buoy	30-24-59.470N 087-11-45.970W				White with orange bands and diamond worded: DANGER ROCKS.	Private aid.
5180	Florida Department of Environmental Protection Danger Buoy	30-24-58.820N 087-11-50.190W				White with orange bands and diamond worded: DANGER ROCKS.	Private aid.
5185	Florida Department of Environmental Protection Danger Buoy	30-24-55.430N 087-11-53.320W				White with orange bands and diamond worded: DANGER ROCKS.	Private aid.
5190	Florida Department of Environmental Protection Danger Buoy	30-24-48.900N 087-11-55.980W				White with orange bands and diamond worded: DANGER ROCKS.	Private aid.
5195	Florida Department of Environmental Protection Danger Buoy	30-24-50.190N 087-11-58.180W				White with orange bands and diamond worded: DANGER ROCKS.	Private aid.
5200	Florida Department of Environmental Protection Danger Buoy	30-24-45.690N 087-11-59.010W				White with orange bands and diamond worded: DANGER ROCKS.	Private aid.
5205	Florida Department of Environmental Protection Danger Buoy	30-24-43.300N 087-12-01.680W				White with orange bands and diamond worded: DANGER ROCKS.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
PENSACOLA BAY (Chart 11383)							
Pensacola Bay							
5210	Florida Department of Environmental Protection Danger Buoy	30-24-43.030N 087-12-02.230W				White with orange bands and diamond worded: DANGER ROCKS.	Private aid.
5215	Florida Department of Environmental Protection Danger Buoy	30-24-39.810N 087-12-03.420W				White with orange bands and diamond worded: DANGER ROCKS.	Private aid.
5220	Florida Department of Environmental Protection Danger Buoy	30-24-38.250N 087-12-05.170W				White with orange bands and diamond worded: DANGER ROCKS.	Private aid.
5225	Florida Department of Environmental Protection Danger Buoy	30-24-39.900N 087-12-07.370W				White with orange bands and diamond worded: DANGER ROCKS.	Private aid.
5230	- Bridge Approach Lighted Buoy 7	30-23-51.595N 087-10-30.026W	FI G 2.5s		4	Green.	
5235	- Bridge Approach Buoy 8	30-23-46.811N 087-10-29.034W				Red nun.	
5240	- Bridge Approach Buoy 5	30-23-46.232N 087-10-47.066W				Green can.	
5245	- Bridge Approach Buoy 6	30-23-42.866N 087-10-46.728W				Red nun.	
5250	- Bridge Approach Buoy 3	30-23-37.209N 087-11-24.291W				Green can.	
5255	- Bridge Approach Buoy 4	30-23-33.855N 087-11-22.971W				Red nun.	
5260	- Bridge Approach Buoy 1	30-23-33.811N 087-11-38.932W				Green can.	
5265	- Bridge Approach Buoy 2	30-23-28.900N 087-11-36.483W				Red nun.	
5270	DEADMANS ISLAND BREAKWATER DANGER LIGHT	30-22-10.912N 087-11-08.363W	FI W 2.5s			NW on pile WORDED: DANGER BREAKWATER.	Private aid.
5275	DEADMANS ISLAND BREAKWATER DANGER LIGHT	30-22-10.490N 087-11-12.189W	FI W 2.5s			NW on pile WORDED: DANGER BREAKWATER.	Private aid.
5280	DEADMANS ISLAND BREAKWATER DANGER LIGHT	30-22-09.712N 087-11-17.188W	FI W 2.5s			NW on pile WORDED: DANGER BREAKWATER.	Private aid.
5285	Deadmans Island Breakwater Danger Day beacon	30-22-07.062N 087-11-16.788W				NW on pile WORDED: DANGER BREAKWATER.	Private aid.
5290	DEADMANS ISLAND BREAKWATER DANGER LIGHT	30-22-05.193N 087-11-15.801W	FI W 2.5s			NW on pile WORDED: DANGER BREAKWATER.	Private aid.
Bayou Chico							
5295	- LIGHT 2	30-23-31.830N 087-13-44.062W	FI R 2.5s	17	3	TR on pile.	
5300	- Day beacon 4	30-23-36.173N 087-13-51.149W				TR on pile.	
5305	- LIGHT 5	30-23-35.485N 087-13-57.025W	FI G 4s	17	4	SG on pile.	Ra ref.
5310	- Day beacon 6	30-23-46.914N 087-14-06.895W				TR on pile.	Ra ref.
5315	- Day beacon 7	30-23-48.038N 087-14-12.544W				SG on pile.	
5320	- Buoy 8	30-23-49.319N 087-14-10.798W				Red nun.	
5325	- LIGHT 10	30-23-56.080N 087-14-20.359W	FI R 4s	20	3	TR on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
PENSACOLA BAY (Chart 11383)							
Pensacola Bay							
Bayou Chico							
5330	CHICO MARINA LIGHT	30-23-57.543N 087-14-33.733W	FI G 2.5s			On pile.	Private aid.
5335	- Buoy 11	30-24-12.126N 087-15-03.888W				Green can.	
5340	- Day beacon 13	30-24-18.213N 087-15-14.897W				SG on pile.	
5345	- Day beacon 15	30-24-16.800N 087-15-21.085W				SG on pile.	
5350	- Day beacon 17	30-24-21.332N 087-15-28.450W				SG on pile.	
5355	- West Channel Day beacon 2	30-24-20.460N 087-15-28.080W				TR on pile.	Private aid.
5360	- West Channel Day beacon 1	30-24-19.680N 087-15-26.940W				SG on pile.	Private aid.
5365	- West Channel Day beacon 4	30-24-16.980N 087-15-33.900W				TR on pile.	Private aid.
5370	- West Channel Day beacon 3	30-24-15.300N 087-15-35.760W				SG on pile.	Private aid.
5375	Harbor View Marina Entrance Day beacon 1	30-24-00.100N 087-15-00.000W				SG on pile.	Private aid.
5380	Harbor View Marina Entrance Day beacon 2	30-24-00.100N 087-15-00.000W				TR on pile.	Private aid.
5385	- South Channel Day beacon 1	30-24-08.000N 087-15-02.000W				SG on pile.	Private aid.
5390	- South Channel Day beacon 2	30-24-10.000N 087-15-01.000W				TR on pile.	Private aid.
5395	- South Channel Day beacon 3	30-24-06.000N 087-15-08.000W				SG on pile.	Private aid.
5400	- South Channel Day beacon 4	30-24-09.000N 087-15-05.000W				TR on pile.	Private aid.
5405	- South Channel Day beacon 5	30-24-14.000N 087-15-19.000W				SG on pile.	Private aid.
5410	- South Channel Shoal Day beacons (2)	30-24-13.000N 087-15-15.000W				NW on pile worded DANGER SHOAL.	Private aid.
Bayou Grande							
5415	- ENTRANCE LIGHT 1	30-22-23.000N 087-15-40.000W	FI G 4s	8		SG on pile.	Private aid.
5420	- Day beacon 2	30-22-27.000N 087-15-39.000W				TR on pile.	Private aid.
5425	- Buoy 2A	30-22-27.000N 087-15-43.000W				Red nun.	Private aid.
5430	- Day beacon 3	30-22-23.000N 087-15-43.000W				SG on pile.	Private aid.
5435	- Day beacon 4	30-22-27.000N 087-15-51.000W				TR on pile.	Private aid.
5440	- Day beacon 5	30-22-25.000N 087-16-00.000W				SG on pile.	Private aid.
5445	- Day beacon 6	30-22-27.000N 087-16-00.000W				TR on pile.	Private aid.
5450	- Day beacon 7	30-22-18.000N 087-16-06.000W				SG on pile.	Private aid.
5455	- Day beacon 8	30-22-20.000N 087-16-06.000W				TR on pile.	Private aid.
5460	- Day beacon 9	30-22-18.000N 087-16-09.000W				SG on pile.	Private aid.
5465	- Day beacon 10	30-22-20.000N 087-16-13.000W				TR on pile.	Private aid.
5470	- Day beacon 11	30-22-13.000N 087-16-09.000W				SG on pile.	Private aid.
5475	- Day beacon 12	30-22-13.000N 087-16-12.000W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Carcon Point							
5478	FDOA PENSACOLA BAY OYSTER COMPANY EAST BAY SPECIAL LIGHT A	30-26-17.800N 087-05-17.800W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
5478.01	FDOA PENSACOLA BAY OYSTER COMPANY EAST BAY SPECIAL LIGHT B	30-26-17.590N 087-05-14.610W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
5478.02	FDOA PENSACOLA BAY OYSTER COMPANY EAST BAY SPECIAL LIGHT C	30-26-25.400N 087-05-08.400W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
5478.03	FDOA PENSACOLA BAY OYSTER COMPANY EAST BAY SPECIAL LIGHT D	30-26-25.500N 087-05-11.600W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
Blackwater Channel							
5480	- APPROACH LIGHT 3	30-25-38.956N 087-03-15.302W	FI G 4s	17	4	SG on pile.	
5485	- Day beacon 4	30-26-10.810N 087-02-48.920W				TR on pile.	Ra ref.
5490	- Day beacon 6	30-26-45.898N 087-02-41.720W				TR on pile.	
5495	- Day beacon 8	30-27-27.040N 087-02-33.320W				TR on pile.	Ra ref.
5500	- Day beacon 10	30-28-05.128N 087-02-25.406W				TR on pile.	Ra ref.
5505	- Day beacon 12	30-28-38.938N 087-02-18.374W				TR on pile.	
5510	- Day beacon 14	30-29-15.640N 087-02-10.766W				TR on pile.	
5515	- Day beacon 16	30-29-42.766N 087-02-04.724W				TR on pile.	
5520	- Day beacon 18	30-30-27.274N 087-01-55.112W				TR on pile.	Ra ref.
5525	- Day beacon 20	30-31-14.068N 087-01-44.698W				TR on pile.	
5530	- LIGHT 21	30-31-20.717N 087-01-46.357W	Q G	17	4	SG on pile.	Ra ref.
5535	- Day beacon 22	30-31-36.241N 087-01-31.262W				TR on pile.	
5540	- Day beacon 24	30-32-10.425N 087-01-06.902W				TR on pile.	
5545	- Day beacon 26	30-32-39.832N 087-00-46.094W				TR on pile.	
5550	- Day beacon 28	30-33-18.895N 087-00-19.978W				TR on pile.	
5555	- LIGHT 30	30-33-58.037N 086-59-54.902W	FI R 4s	17	3	TR on dolphin.	
5560	- Buoy 31	30-34-07.390N 086-59-58.200W				Green can.	
5565	- Day beacon 32	30-34-28.957N 087-00-13.348W				TR on pile.	
5570	- Buoy 32A	30-34-35.435N 087-00-24.233W				Red nun.	
5575	- LIGHT 33	30-34-51.263N 087-00-45.031W	FI G 4s	17	4	SG on pile.	Ra ref.
5580	- Day beacon 34	30-34-57.358N 087-00-44.060W				TR on pile.	
5585	- Buoy 35	30-35-18.063N 087-00-50.225W				Green can.	
5590	- Day beacon 36	30-35-24.519N 087-00-48.368W				TR on pile.	
5595	- Day beacon 37	30-35-33.109N 087-00-54.847W				SG on pile.	
5600	- Day beacon 38	30-35-53.520N 087-01-00.060W				TR on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Blackwater Channel							
5605	- Buoy 39	30-35-51.427N 087-01-01.650W				Green can.	
5610	- Day beacon 41	30-36-08.761N 087-01-25.118W				SG on pile.	
5615	- Day beacon 42	30-36-21.126N 087-01-39.211W				TR on pile.	
5620	- Day beacon 43	30-36-24.696N 087-01-53.876W				SG on pile.	Ra ref.
Polynesian Isle Channel							
5635	- Day beacon 1	30-24-13.380N 087-05-38.820W				SG on pile.	Private aid.
5640	- LIGHT 2	30-24-12.360N 087-05-40.380W				TR on pile.	Private aid.
5645	- Day beacon 4	30-24-05.760N 087-05-35.460W				TR on pile.	Private aid.
5650	- Day beacon 6	30-24-00.000N 087-05-29.880W				TR on pile.	Private aid.
5655	- Day beacon 8	30-23-54.660N 087-05-24.240W				TR on pile.	Private aid.
5660	- Day beacon 9	30-23-56.400N 087-05-18.600W				SG on pile.	Private aid.
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Escambia Bay							
5665	- LIGHT 2	30-28-00.355N 087-07-19.294W	FI R 6s	17	5	TR on pile.	
5670	- WRECK LIGHT WR3	30-28-37.441N 087-07-47.061W	Q G	17	3	SG on pile.	Marks submerged wreck.
5675	- Day beacon 4	30-28-38.671N 087-07-34.945W				TR on pile.	Ra ref.
5680	- LIGHT 7	30-29-18.238N 087-08-02.690W	FI G 2.5s	17	3	SG on pile.	
5685	- Day beacon 9	30-29-58.889N 087-08-21.375W				SG on pile.	Ra ref.
5690	- Day beacon 10	30-30-00.322N 087-08-17.492W				TR on pile.	Ra ref.
5695	- Day beacon 11	30-30-36.845N 087-08-42.220W				SG on pile.	
5700	- Buoy 12	30-30-53.579N 087-08-47.634W				Red nun.	
5705	<i>Tidewater Skanska Lighted Mooring Buoy A</i>	30-31-05.000N 087-08-30.000W	FI W 4s			White with blue band.	Private aid.
5710	<i>Tidewater Skanska Lighted Mooring Buoy B</i>	30-31-12.000N 087-08-12.000W	FI W 4s			White with blue band.	Private aid.
5715	<i>Tidewater Skanska Lighted Mooring Buoy C</i>	30-30-58.000N 087-09-20.000W	FI W 4s			White with blue band.	Private aid.
5720	<i>Tidewater Skanska Lighted Mooring Buoy D</i>	30-30-45.000N 087-09-38.000W	FI W 4s			White with blue band.	Private aid.
5725	<i>Tidewater Skanska Lighted Mooring Buoy E</i>	30-30-48.000N 087-09-00.000W	Q W			White with blue band.	Private aid.
5730	<i>Tidewater Skanska Lighted Mooring Buoy F</i>	30-30-41.000N 087-08-57.000W	Q W			White with blue band.	Private aid.
5735	<i>Tidewater Skanska Lighted Mooring Buoy G</i>	30-30-53.000N 087-08-38.000W	Q W			White with blue band.	Private aid.
5740	<i>Tidewater Skanska Lighted Mooring Buoy H</i>	30-30-56.000N 087-08-24.000W	FI W 4s			White with blue band.	Private aid.
Santa Rosa County Channel							
5745	- Day beacon 1	30-31-45.770N 087-07-52.290W				SG on pile.	Private aid.
5750	- Day beacon 2	30-31-45.770N 087-07-51.890W					Private aid.
5755	- Day beacon 3	30-31-51.200N 087-07-51.960W				SG on pile.	Private aid.
5760	- Day beacon 4	30-31-51.170N 087-07-51.530W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Escambia Bay							
Santa Rosa County Channel							
5765	- Day beacon 5	30-31-52.210N 087-07-51.530W				SG on pile.	Private aid.
5770	- Day beacon 6	30-31-51.960N 087-07-51.200W				TR on pile.	Private aid.
5775	- Day beacon 7	30-31-53.870N 087-07-49.730W				SG on pile.	Private aid.
5780	- Day beacon 8	30-31-53.620N 087-07-49.440W				TR on pile.	Private aid.
Escambia Bay							
5785	- Day beacon 13	30-31-31.759N 087-09-10.476W				SG on pile.	
5790	- Day beacon 14	30-31-33.262N 087-09-08.306W				TR on pile.	
5795	- Day beacon 15	30-32-06.785N 087-09-33.359W				SG on pile.	Ra ref.
5800	- Day beacon 16	30-32-10.310N 087-09-31.279W				TR on pile.	Ra ref.
5805	- Buoy 17	30-32-21.480N 087-09-42.599W				Green can.	
5810	- LIGHT 18	30-32-25.082N 087-09-40.586W	Q R	17	3	TR on pile.	Ra ref.
5815	- Buoy 19	30-32-27.980N 087-09-56.088W				Green can.	
5816	FDOA ESCAMBIA BAY TRAVIS GILL AQUACULTURE SPECIAL LIGHT A	30-25-51.130N 087-10-10.226W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.	Private aid.
5816.01	FDOA ESCAMBIA BAY TRAVIS GILL AQUACULTURE SPECIAL LIGHT B	30-25-58.186N 087-10-09.336W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.	Private aid.
5816.02	FDOA ESCAMBIA BAY TRAVIS GILL AQUACULTURE SPECIAL LIGHT C	30-25-59.077N 087-10-15.917W	FI Y 2.5s				Private aid.
5816.03	FDOA ESCAMBIA BAY TRAVIS GILL AQUACULTURE SPECIAL LIGHT D	30-25-52.104N 087-10-17.099W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.	Private aid.
5818	FDOA PENSACOLA BAY OYSTER COMPANY ESCAMBIA BAY SPECIAL LIGHT A	30-26-17.000N 087-10-10.700W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
5818.01	FDOA PENSACOLA BAY OYSTER COMPANY ESCAMBIA BAY SPECIAL LIGHT	30-26-24.300N 087-10-09.100W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
5818.02	FDOA PENSACOLA BAY OYSTER COMPANY ESCAMBIA BAY SPECIAL LIGHT C	30-26-24.900N 087-10-12.800W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
5818.03	FDOA PENSACOLA BAY OYSTER COMPANY ESCAMBIA BAY SPECIAL LIGHT D	30-26-17.600N 087-10-14.300W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
5820	- Buoy 19A	30-32-29.963N 087-10-03.614W				Green can.	
5825	- Buoy 20	30-32-29.129N 087-09-54.326W				Red nun.	
5830	- Day beacon 21	30-32-30.936N 087-10-10.573W				SG on pile.	Ra ref.
Escambia River							
5835	- Buoy 21A	30-32-39.108N 087-10-40.043W				Green can.	
5840	- Buoy 22	30-32-32.817N 087-10-08.725W				Red nun.	
5845	- Buoy 25	30-33-08.174N 087-12-02.438W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FLORIDA - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Escambia River							
5850	- Buoy 26	30-34-23.712N 087-13-25.122W				Red nun.	
5855	- Buoy 27	30-34-29.232N 087-13-28.272W				Green can.	
5860	- Buoy 28	30-34-30.210N 087-13-26.262W					
5862	- Buoy 28A	30-34-34.524N 087-13-26.352W				Red nun.	
5865	- Buoy 29	30-34-35.946N 087-13-28.536W				Green can.	
Escambia Bay							
5870	- PIPELINE LIGHT A	30-33-12.000N 087-09-06.000W	FI Y 2.5s	10		NW on pile.	Private aid.
5875	- PIPELINE LIGHT B	30-33-24.000N 087-08-59.000W	FI Y 2.5s	10		NW on pile.	Private aid.
5880	- PIPELINE LIGHT C	30-33-38.000N 087-08-54.000W	FI Y 2.5s	10		NW on pile.	Private aid.
ALABAMA - Eighth District							
PENSACOLA BAY AND APPROACHES (Chart 11382)							
Perdido Pass							
5885 165	- Entrance Lighted Buoy PP	30-15-30.728N 087-33-24.333W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS MMSI: 993682023
GULF COAST (Louisiana) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Perdido Pass							
5890	- LIGHT 1	30-16-11.213N 087-33-29.018W	Q G	17	3	SG on steel pile.	
5895	- LIGHT 2	30-16-10.622N 087-33-24.291W	Q R	17	3	TR on pile.	
5900	- Buoy 4	30-16-13.918N 087-33-25.938W				Red nun.	Relocated frequently to mark shoaling.
5905	- Lighted Buoy 6	30-16-25.798N 087-33-23.393W	FI R 2.5s		3	Red.	
5910	- Buoy 7	30-16-26.062N 087-33-29.067W				Green can.	
5915	- Buoy 8	30-16-45.299N 087-33-10.479W				Red nun.	
5920	- Buoy 9	30-16-46.924N 087-33-14.009W				Green can.	
5925	- Buoy 10	30-16-55.458N 087-33-12.237W				Red nun.	
5930	- Buoy 11	30-16-54.986N 087-33-15.293W				Green can.	
5935	- LIGHT 12	30-17-09.865N 087-33-11.836W	FI R 4s	17	3	TR on pile.	Ra ref.
ALABAMA - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Bayou St John							
5940.01	- Buoy 1	30-16-46.235N 087-33-01.839W				Green can.	
5945	- Day beacon 2	30-16-49.619N 087-32-49.537W				TR on pile.	Ra ref.
5950	- Day beacon 3	30-16-55.926N 087-32-38.792W				SG on pile.	
5955	- Day beacon 4	30-16-54.311N 087-32-38.174W				TR on pile.	
5960	- Day beacon 5	30-16-59.521N 087-32-29.761W				SG on pile.	
5965	- Day beacon 6	30-16-57.826N 087-32-29.583W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Bayou St John							
5970	- Day beacon 7	30-17-07.982N 087-32-05.313W				SG on pile.	
5975	- Day beacon 8	30-17-05.406N 087-32-04.978W				TR on pile.	
5980	- Day beacon 9	30-17-08.712N 087-31-54.145W				SG on pile.	Ra ref.
5985	- Day beacon 11	30-17-11.205N 087-31-49.681W				SG on pile.	Ra ref.
5990	- Day beacon 12	30-17-22.452N 087-31-37.890W				TR on pile.	
5993	ALABAMA DCNR BAYOU ST. JOHN DANGER LIGHTS (8)	30-17-38.240N 087-31-52.370W	FI W 2.5s			Marks submerged fishing reef.	Private aid.
5995	ONO ISLAND JETTY LIGHT WEST	30-17-28.920N 087-31-06.180W	FI R 2.5s			On jetty.	Private aid.
6000	- Day beacon 13	30-17-36.492N 087-31-05.227W				SG on pile.	Ra ref.
6005	- Day beacon 15	30-17-46.827N 087-30-33.780W				SG on pile.	
6010	ONO ISLAND JETTY LIGHT EAST	30-17-45.120N 087-30-28.440W	FI R 2.5s			On jetty.	Private aid.
6015	- Day beacon 17	30-17-59.046N 087-30-30.238W				SG on pile.	Ra ref.
6020	- LIGHT 18	30-17-58.601N 087-30-24.335W	Q R	17	3	TR on pile.	
6025	Soldier Creek Entrance Day beacon 1	30-20-36.000N 087-29-34.000W				SG on pile.	Private aid.
6025.01	Soldier Creek Day beacon 2	30-20-42.000N 087-29-38.000W				Marks starboard side channel.	Private aid.
6025.02	Soldier Creek Day beacon 3	30-20-42.000N 087-29-39.000W				Marks port side channel.	Private aid.
6025.03	Soldier Creek Day beacon 4	30-20-45.000N 087-29-40.000W				Marks starboard side channel.	Private aid.
6025.04	<i>Soldier Creek Daybeacon 5</i>	30-20-44.000N 087-29-40.000W				Marks port side channel.	Private aid.
6025.05	Soldier Creek Day beacon 6	30-20-48.000N 087-29-42.000W				Marks starboard side channel.	Private aid.
6025.06	Soldier Creek Day beacon 7	30-20-46.000N 087-29-41.000W				Marks port side channel.	Private aid.
6025.07	Soldier Creek Day beacon 8	30-20-49.000N 087-29-42.000W				Marks starboard side channel.	Private aid.
6025.08	Soldier Creek Day beacon 9	30-20-48.000N 087-29-43.000W				Marks port side channel.	Private aid.
6025.09	Soldier Creek Day beacon 11	30-20-50.000N 087-29-42.000W				Marks port side channel.	Private aid.
6027	ALABAMA DCNR DANGER LIGHT	30-19-19.550N 087-30-40.400W	FI W 2.5s			Marks submerged fishing reef.	Private aid.
6027.01	ALABAMA DCNR DANGER LIGHT	30-19-19.510N 087-30-43.480W	FI W 2.5s			Marks submerged fishing reef.	Private aid.
6027.02	ALABAMA DCNR DANGER LIGHT	30-19-26.310N 087-30-43.190W	FI W 2.5s			Marks submerged fishing reef.	Private aid.
6027.03	ALABAMA DCNR DANGER LIGHT	30-19-26.130N 087-30-40.080W	FI W 2.5s			Marks submerged fishing reef.	Private aid.
6028	ALABAMA MARINE RESOURCES DIVISION DANGER LIGHT	30-20-04.080N 087-30-00.030W	FI W 2.5s			Marks perimeter of fishing reef.	Private aid.
6028.01	ALABAMA MARINE RESOURCES DIVISION DANGER LIGHT	30-20-04.080N 087-29-54.390W	FI W 2.5s			Marks perimeter of fishing reef.	Private aid.
6028.02	ALABAMA MARINE RESOURCES DIVISION DANGER LIGHT	30-20-04.080N 087-29-49.120W	FI R 2.5s			Marks perimeter of fishing reef.	Private aid.
6028.03	ALABAMA MARINE RESOURCES DIVISION DANGER LIGHT	30-19-57.430N 087-30-00.030W	FI W 2.5s			Marks perimeter of fishing reef.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Bayou St John							
6028.04	ALABAMA MARINE RESOURCES DIVISION DANGER LIGHT	30-19-57.430N 087-29-54.390W	FI W 2.5s			Marks perimeter of fishing reef.	Private aid.
6028.05	ALABAMA MARINE RESOURCES DIVISION DANGER LIGHT	30-19-57.430N 087-29-49.120W	FI W 2.5s			Marks perimeter of fishing reef.	Private aid.
Bayou Garcon							
6030	- Day beacon 1	30-19-15.110N 087-26-54.890W				SG on pile.	Private aid.
6035	- Day beacon 2	30-19-15.830N 087-26-47.930W				TR on pile.	Private aid.
6040	- Day beacon 3	30-19-18.140N 087-26-44.070W				SG on pile.	Private aid.
6045	- Day beacon 4	30-19-18.880N 087-26-38.730W				TR on pile.	Private aid.
6050	- Day beacon 5	30-19-21.640N 087-26-32.830W				SG on pile.	Private aid.
MOBILE BAY (Chart 11376)							
Navy Cove Harbor Channel							
6055	- Day beacon 1	30-14-15.000N 087-58-28.800W				SG on pile.	Private aid.
6060	- Day beacon 2	30-14-15.000N 087-58-30.000W				TR on pile.	Private aid.
6065	- Day beacon 3	30-14-08.400N 087-58-28.800W				SG on pile.	Private aid.
6070	- Day beacon 4	30-14-08.400N 087-58-30.000W				TR on pile.	Private aid.
6072	WILSON AQUACULTURE SPECIAL LIGHTS (4)	30-13-58.000N 087-58-45.000W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
Mobile Bay							
6075 185	<i>Mobile Entrance Lighted Buoy M</i>	30-07-30.961N 088-04-07.197W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
6080	MOBILE CHANNEL A RANGE FRONT LIGHT	30-12-18.010N 088-02-02.801W	F R (NIGHT) F W (DAY)	16 19		On same structure as Mobile Channel A Range Front Light.	
6085	MOBILE POINT RANGE FRONT PASSING LIGHT	30-12-18.010N 088-02-02.801W	FI R 6s	21	4	On same structure as Mobile Point Range Front Light.	
6090	MOBILE CHANNEL A RANGE REAR LIGHT 3,004 yards, 020.7° from front light.	30-13-41.487N 088-01-26.531W	F R (NIGHT) F W (DAY)	80 77		On same structure and 47 feet below Mobile Point Light.	
6095 180	Mobile Point Light	30-13-41.487N 088-01-26.531W	FI W 10s	125	14	On skeleton tower. 125	
Mobile Bar							
6100	- <i>Lighted Buoy 1</i>	30-08-28.739N 088-03-47.992W	FI (2)G 5s		3	Green.	
6105	- <i>Lighted Buoy 2</i>	30-08-25.345N 088-03-37.763W	FI (2)R 5s		3	Red.	
6110	- <i>Lighted Buoy 3</i> 140 feet outside channel limit.	30-08-53.627N 088-03-36.806W	FI G 2.5s		3	Green.	
6115	- <i>Lighted Buoy 4</i> 109 feet outside channel limit.	30-08-50.618N 088-03-27.780W	FI R 2.5s		3	Red.	
6120	- <i>Lighted Buoy 5</i>	30-09-25.981N 088-03-22.578W	Q G		3	Green.	
6125	- <i>Lighted Buoy 6</i>	30-09-23.238N 088-03-14.291W	FI R 4s		3	Red.	
6130	- <i>Lighted Buoy 7</i>	30-09-54.238N 088-03-11.692W	FI G 2.5s		4	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
MOBILE BAY (Chart 11376)							
Mobile Bay							
Mobile Bar							
6135	- Lighted Buoy 8	30-09-51.138N 088-03-02.491W	Q R		3	Red.	
6140	- Lighted Buoy 9	30-10-21.247N 088-03-03.404W	Q G		3	Green.	
6145	- Lighted Buoy 10	30-10-20.437N 088-02-54.691W	FI R 2.5s		3	Red.	
6150	- Lighted Buoy 11	30-11-01.337N 088-02-55.092W	FI G 4s		3	Green.	
6155	- Lighted Buoy 12	30-10-59.937N 088-02-44.291W	FI R 4s		3	Red.	
6160	- Lighted Buoy 13	30-12-00.786N 088-02-37.066W	FI G 2.5s		3	Green.	
6165	- Lighted Buoy 14	30-11-59.335N 088-02-28.691W	FI R 2.5s		3	Red.	
6170	- Lighted Buoy 15	30-12-51.235N 088-02-23.992W	FI G 4s		3	Green.	
6175	- Lighted Buoy 16	30-12-48.989N 088-02-15.326W	FI R 4s		3	Red.	
6180	MOBILE CHANNEL B RANGE FRONT LIGHT	30-15-26.263N 088-02-28.533W	Q G	29		KRW on skeleton tower on piles.	Visible 2° each side of range line.
6185	MOBILE CHANNEL B RANGE FRONT LIGHT PASSING LIGHT	30-15-26.274N 088-02-28.526W	Q W	15	5	On same structure as Mobile Channel B Range Front Light.	Obscured on range line, visible elsewhere.
6190	MOBILE CHANNEL B RANGE REAR LIGHT 611 yards, 350.3° from front light.	30-15-44.152N 088-02-32.047W	Iso G 6s	50		KRW on skeleton tower on piles.	Visible 2° each side of range line.
6195	MOBILE CHANNEL B RANGE REAR LIGHT PASSING LIGHT	30-15-44.150N 088-02-32.029W	FI W 4s	17	5	On same structure as Mobile Channel B Range Rear Light.	Obscured on range line, visible elsewhere.
6200	Mobile Point Buoy T	30-13-48.246N 088-01-35.995W				Yellow can.	
6205	FORT MORGAN WRECK LIGHT WR2	30-14-00.016N 088-01-13.576W	Q R	17	4	TR on pile.	
6210	Fort Morgan Wreck Lighted Buoy WR2A	30-13-57.510N 088-01-15.872W	Q R		3	Red.	Buoy is set on the west side of wreck. Mariners should use extreme caution when transiting in the vicinity of the buoy and avoid the area by a wide margin.
6215	Fort Morgan Danger Wreck Day beacon	30-13-59.760N 088-01-15.120W				NW on pile worded DANGER SUBMERGED WRECK.	MARKS PERIMETER OF SUKEN BARGE. Private aid.
6220	- Lighted Buoy 17	30-13-27.034N 088-02-14.892W	Q G		3	Green.	
6225	- Lighted Buoy 18	30-13-37.327N 088-02-01.681W	Q R		3	Red.	
6230	- Lighted Buoy 19	30-14-17.679N 088-02-19.509W	FI G 2.5s		3	Green.	
6235	- Lighted Buoy 20	30-14-20.234N 088-02-10.392W	FI R 2.5s		3	Red.	
Mobile Channel							
6240	- C RANGE FRONT LIGHT	30-14-06.263N 088-02-29.932W	FI W 2.5s (NIGHT) FI W 2.5s (DAY)	19 21		Platform on pile.	DAY: Visible on range line only. NIGHT: Visible all around, higher intensity on range line.
6245	- C RANGE REAR LIGHT 2,340 yards, 187.1° from front light.	30-12-57.304N 088-02-39.844W	Oc W 4s (NIGHT) Oc W 4s (DAY)	87 85		Skeleton tower on piles.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
MOBILE BAY (Chart 11376)							
Mobile Bay							
Mobile Channel							
6250	- C RANGE REAR LIGHT PASSING LIGHT	30-12-57.140N 088-02-39.350W	FI W 4s	23	6	On same structure as Mobile Channel C Range Rear Light.	
Mobile Channel							
6255	- <i>Lighted Buoy 21</i>	30-14-52.946N 088-02-27.568W	Q G		3	Green.	
6260	- <i>Lighted Buoy 22</i>	30-15-09.044N 088-02-16.711W	Q R		3	Red.	
6265	- <i>Lighted Buoy 23</i>	30-15-46.530N 088-02-18.791W	FI G 2.5s		3	Green.	
6270	- <i>Lighted Buoy 24</i>	30-15-44.531N 088-02-11.792W	FI R 2.5s		3	Red.	
6275	- <i>Lighted Buoy 25</i>	30-16-27.229N 088-02-13.491W	FI G 4s		3	Green with yellow triangle.	
33960							
6280	- <i>Lighted Buoy 26</i>	30-16-25.007N 088-02-06.029W	FI (2)R 5s		3	Red with yellow triangle.	
33955							
6285	- <i>Lighted Buoy 27</i>	30-17-24.227N 088-02-06.091W	FI G 2.5s		3	Green.	
6290	- <i>Lighted Buoy 28</i>	30-17-25.768N 088-01-57.071W	FI R 2.5s		3	Red.	
6295	- LIGHT 29 300 feet outside channel limit.	30-18-25.065N 088-01-58.492W	FI G 4s	17	4	SG on pile.	Ra ref.
6300	- LIGHT 30 300 feet outside channel limit.	30-18-23.839N 088-01-47.172W	FI R 4s	17	4	TR on pile.	Ra ref.
6305	- LIGHT 31 300 feet outside channel limit.	30-19-20.896N 088-01-50.463W	FI G 6s	17	4	SG on pile.	Ra ref.
6310	- LIGHT 32 300 feet outside channel limit.	30-19-19.671N 088-01-39.141W	Oc R 4s	17	4	TR on piles.	Ra ref.
6315	- LIGHT 33 300 feet outside channel limit.	30-20-17.197N 088-01-42.273W	FI G 4s	17	4	SG on pile.	Ra ref.
6320	- LIGHT 34 300 feet outside channel limit.	30-20-16.293N 088-01-30.992W	FI R 2.5s	17	3	TR on dolphin.	Ra ref.
6325	- LIGHT 36 300 feet outside channel limit.	30-20-36.534N 088-01-28.079W	FI (2)R 5s	17	4	TR on dolphin.	Ra ref.
6330	- LIGHT 37 300 feet outside channel limit.	30-21-36.817N 088-01-30.903W	FI G 4s	17	4	SG on pile.	Ra ref.
6335	- LIGHT 38 300 feet outside channel limit.	30-21-35.599N 088-01-18.887W	FI R 4s	17	4	TR on piles.	Ra ref.
6340	- LIGHT 39 300 feet outside channel limit.	30-22-43.828N 088-01-21.256W	FI G 6s	17	4	SG on pile.	Ra ref.
6345	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-25-22.140N 088-05-52.920W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6350	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-25-04.800N 088-05-53.940W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6355	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-24-47.700N 088-05-55.860W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
MOBILE BAY (Chart 11376)							
Mobile Channel							
6360	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-24-30.540N 088-05-57.600W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6365	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-24-13.440N 088-06-00.360W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6370	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-23-56.340N 088-06-02.700W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6375	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-23-39.120N 088-06-02.880W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6380	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-23-21.900N 088-06-02.520W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6385	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-25-21.900N 088-05-34.860W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6390	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-25-04.560N 088-05-31.080W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6395	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-24-47.100N 088-05-28.860W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6400	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-24-29.640N 088-05-26.820W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6405	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-24-12.180N 088-05-24.720W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6410	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-23-54.780N 088-05-26.820W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6415	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-23-37.440N 088-05-30.000W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6420	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-23-20.100N 088-05-33.180W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6425	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Day beacon	30-23-02.760N 088-05-36.360W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid.
6430	- <i>Lighted Buoy 40</i> 300 feet outside channel limit.	30-22-42.601N 088-01-09.926W	FI R 6s		4	Red.	
6435	- LIGHT 41 300 feet outside channel limit.	30-23-34.650N 088-01-14.295W	FI G 4s	17	4	SG on pile.	Ra ref.
6440	- <i>Lighted Buoy 42</i> 300 feet outside channel limit.	30-23-33.365N 088-01-02.614W	FI R 4s		4	Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
MOBILE BAY (Chart 11376)							
Mobile Channel							
6445	- LIGHT 43 300 feet outside channel limit.	30-24-35.835N 088-01-05.120W	FI G 2.5s	17	4	SG on pile.	Ra ref.
6450	- LIGHT 44 300 feet outside channel limit.	30-24-34.608N 088-00-53.789W	FI R 2.5s	17	4	TR on pile.	Ra ref.
6455	- E RANGE FRONT LIGHT	30-25-42.638N 088-00-41.857W	Q R	25		KRW on skeleton tower on piles.	Visible 3° each side of range line.
6460	- E RANGE FRONT PASSING LIGHT	30-25-42.632N 088-00-41.863W	Q W	12	5	On same structure as Mobile Channel E Range Front Light.	
6465	- E RANGE REAR LIGHT 2,103 yards, 174.5 from front light.	30-24-40.480N 088-00-34.904W	Oc R 4s	67		KRW on skeleton tower on piles.	Visible 3° each side of range line.
6470	- E RANGE REAR PASSING LIGHT	30-24-40.763N 088-00-34.947W	FI W 4s	12	5	On same structure as Mobile Channel E Range Rear Light.	
6475	- LIGHT 45 250 feet outside channel limit.	30-25-45.145N 088-00-55.132W	Q G	17	3	SG on piles.	Ra ref.
6480	- <i>Lighted Buoy 46</i> 250 feet outside channel limit.	30-25-44.329N 088-00-44.989W	Q R		3	Red.	
6485	- <i>Lighted Buoy 47</i> 300 feet outside channel limit.	30-26-14.872N 088-00-54.804W	FI G 2.5s		4	Green.	
6490.01	MOBILE BAY LIGHT	30-26-14.721N 088-00-40.443W	FI R 6s			Lighthouse on piles.	Private aid.
6495	- D RANGE FRONT LIGHT	30-26-24.109N 088-00-43.760W	Q W	26		KGR on skeleton tower on piles.	Visible all around; higher intensity 1.5° each side of range line.
6500	- D RANGE REAR LIGHT 2,199 yards, 007.1 from front light.	30-27-28.641N 088-00-34.446W	Oc W 4s	63		KGR on skeleton tower on piles.	Visible 2° each side of range line.
6505	- D RANGE REAR LIGHT PASSING LIGHT	30-27-28.642N 088-00-34.453W	FI W 4s	12	3	On same structure as Mobile Channel D Range Rear Light.	
6510	- LIGHT 49 200 feet outside channel limit.	30-26-44.214N 088-00-54.446W	Q G	17	4	SG on pile.	Ra ref.
6515	- LIGHT 50 200 feet outside channel limit.	30-26-44.658N 088-00-44.541W	Q R	17	4	TR on pile.	Ra ref.
6520	- LIGHT 51 200 feet outside channel limit.	30-27-52.264N 088-01-00.946W	FI G 2.5s	17	4	SG on piles.	Ra ref.
6525	- <i>Lighted Buoy 52</i> 200 feet outside channel limit.	30-27-53.028N 088-00-51.847W	FI R 2.5s		4	Red.	
6530	- <i>Lighted Buoy 54</i>	30-28-37.352N 088-00-56.393W	FI R 4s		4	Red.	
6535 7350	THEODORE SHIP CHANNEL LIGHT 1 350 feet outside channel limit.	30-28-38.703N 088-01-08.485W	Q G	17	3	SG on pile.	Ra ref.
6540	Theodore Ship Channel Buoy 1A	30-28-38.405N 088-01-07.900W				Green can.	
6545 7355	THEODORE SHIP CHANNEL JUNCTION LIGHT T	30-28-58.365N 088-01-11.700W	FI (2+1)G 6s	17	4	JG on pile.	Ra ref.
6550	- <i>Lighted Buoy 55</i> 200 feet outside channel limit.	30-29-22.305N 088-01-10.486W	FI G 4s		4	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
MOBILE BAY (Chart 11376)							
Mobile Channel							
6555	- LIGHT 57 200 feet outside channel limit.	30-30-16.091N 088-01-17.050W	FI G 6s	17	4	SG on pile.	Ra ref.
6560	- LIGHT 58 200 feet outside channel limit.	30-30-16.856N 088-01-07.947W	FI R 6s	17	4	TR on pile.	Ra ref.
6565	- <i>Lighted Buoy 59</i>	30-31-20.460N 088-01-24.512W	Oc G 4s		4	Green.	
6570	- LIGHT 60 200 feet outside channel limit.	30-31-20.874N 088-01-14.929W	Oc R 4s	17	4	TR on pile.	Ra ref.
6575	- LIGHT 63 200 feet outside channel limit.	30-32-20.465N 088-01-30.989W	FI G 4s	17	4	SG on pile.	Ra ref.
6580	- LIGHT 64 200 feet outside channel limit.	30-32-21.230N 088-01-21.884W	FI R 4s	17	3	TR on pile.	Ra ref.
6585	- LIGHT 65 200 feet outside channel limit.	30-33-17.671N 088-01-37.405W	FI G 4s	17	4	SG on pile.	Ra ref.
6590	- LIGHT 66 200 feet outside channel limit.	30-33-18.436N 088-01-28.298W	FI R 4s	17	4	TR on pile.	Ra ref.
6595	- LIGHT 67 200 feet outside channel limit.	30-34-26.640N 088-01-45.135W	FI G 6s	17	4	SG on pile.	Ra ref.
6600	- LIGHT 68 200 feet outside channel limit.	30-34-27.129N 088-01-36.002W	FI R 6s	17	4	TR on pile.	Ra ref.
6605	- LIGHT 69 200 feet outside channel limit.	30-35-23.812N 088-01-51.558W	FI G 4s	17	4	SG on piles.	Ra ref.
6610	- LIGHT 70 200 feet outside channel limit.	30-35-24.577N 088-01-42.448W	FI R 4s	17	5	TR on pile.	Ra ref.
6615	- LIGHT 71 200 feet outside channel limit.	30-36-20.604N 088-01-57.934W	FI G 2.5s	17	4	SG on pile.	Ra ref.
6620	- LIGHT 72 200 feet outside channel limit.	30-36-21.370N 088-01-48.822W	FI R 2.5s	17	4	TR on pile.	Ra ref.
6625	MOBILE AIRPORT APPROACH LIGHTS(4)	30-36-32.000N 088-03-20.000W	Q W	20		On platform on piles.	Private aid.
6630	- LIGHT 73 200 feet outside channel limit.	30-37-06.379N 088-02-03.074W	Q G	17	3	SG on pile.	Ra ref.
6635	- LIGHT 74 200 feet outside channel limit.	30-37-06.480N 088-01-52.659W	Q R	17	4	TR on pile.	Ra ref.
6640	- G RANGE FRONT LIGHT	30-36-27.376N 088-01-59.961W	Q G	25		KRW on skeleton tower on piles.	For downbound traffic. Visible 2° each side of range line.
6645	- G RANGE FRONT LIGHT PASSING LIGHT	30-36-27.368N 088-01-59.964W	Q W	11	5	On same structure as Mobile Channel G Range Front Light.	
6650	- G RANGE REAR LIGHT 1,669 yards, 181.7° from front light.	30-35-37.839N 088-02-01.663W	Iso G 6s	56		KRW on skeleton tower on piles.	Visible 2° each side of range line.
6655	- G RANGE REAR LIGHT PASSING LIGHT	30-35-37.854N 088-02-01.667W	Q W	14	4	On same structure as Mobile Channel G Range Rear Light.	
6660	- LIGHT 76	30-37-45.393N 088-01-52.475W	FI R 2.5s	17	3	TR on pile.	Ra ref.
6665	- F RANGE FRONT LIGHT	30-37-48.653N 088-02-03.221W	Q G	25		KRW on skeleton tower on piles.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
MOBILE BAY (Chart 11376)							
Mobile Channel							
6670	- F RANGE FRONT LIGHT PASSING LIGHT	30-37-48.659N 088-02-03.218W	Q W	12	5	On same structure as Mobile Channel F Range Front Light.	
6675	- F RANGE REAR LIGHT 1,714 yards, 354.4° from front light.	30-38-39.302N 088-02-08.918W	Iso G 6s	67		KRW on skeleton tower on piles.	
6680	<i>Arlington Channel Lighted Buoy</i>	30-38-22.689N	FI G 2.5s		4	Green.	
7540	1 60 feet outside channel limit.	088-01-59.991W					
6685	- LIGHT 78 200 feet outside channel limit.	30-38-28.668N 088-01-51.613W	FI R 4s	17	5	TR on pile.	Ra ref.
6690	Arlington Channel Junction Buoy	30-38-40.688N				Green can with red band.	
7555	60 feet outside channel limit.	088-02-01.991W					
6695	- LIGHT 82 200 feet outside channel limit.	30-38-58.824N 088-01-49.766W	FI R 2.5s	17	3	TR on pile.	Ra ref.
6697	MOBILE TURNING BASIN LIGHT A	30-40-03.442N 088-01-42.621W	FI W 4s	20	3		
6700	USS ALABAMA PARK FISHING PIER LIGHT	30-40-58.540N 088-00-46.760W	FI G 2.5s			On east end fishing pier.	Private aid.

TENNESSEE - TOMBIGBEE WATERWAY (Alabama) - Eighth District

Mobile Bay (Chart 11376)							
Mobile River							
<i>From mile 0.0 to mile 45.2, the river is marked with numerous unlisted daybeacons and unlighted buoys which are periodically relocated to meet minor changing conditions.</i>							
6705	LL&E DOLPHIN LIGHTS (2)	30-42-53.000N 088-02-15.000W	FI R 2.5s	17		On breasting dolphin.	Private aid.
6710	- TERMINAL LIGHT	30-43-39.000N 088-02-36.000W	F G	25		Pole.	Private aid.
6712	ARC TERMINAL MOORING DOLPHIN LIGHTS	30-43-17.808N 088-02-23.189W	FI R 2.5s			Marks outermost upstream and downstream dolphins.	Private aid.
6715	Chickasaw Creek Junction Buoy C	30-44-16.619N 088-02-36.646W				Green can with red band.	
6720	SPANISH RIVER LIGHT	30-46-15.689N 088-01-22.812W	FI R 2.5s	17	3	TR on pile.	Ra ref.
6722	MOBILE COUNTY SCIENTIFIC MONITORING PLATFORM LIGHT A	30-46-55.500N 088-04-25.400W	FI Y 2.5s			On pile.	Private aid.
6723	<i>Genesis Pipeline Lighted Danger Buoy</i>	30-46-49.980N 088-00-54.470W	FI W 2.5s			Marks submerged rock.	Private aid.
6725	TWELVE MILE ISLAND LIGHT	30-47-06.444N 088-00-40.396W	FI R 2.5s	17	3	TR on pile.	Ra ref.
6750	Big Bayou Canot West Danger Day beacon	30-48-40.250N 087-59-27.639W				NW on pile worded DANGER FIXED BRIDGE.	
6755	Big Bayou Canot East Danger Day beacon	30-48-39.886N 087-59-24.057W				NW on pile worded DANGER FIXED BRIDGE.	
6765	SCOTT BRIDGE COMPANY BRIDGE ASSEMBLY STRUCTURE LIGHTS (2)	30-54-47.050N 087-57-41.530W	FI R 2.5s			Marks structure outermost corners.	Private aid.
TOMBIGBEE RIVER							
<i>From mile 45.2 to mile 410 the river is marked with numerous unlisted daybeacons and unlighted buoys which are periodically relocated to meet minor changing conditions.</i>							
6770	ALABAMA ELECTRIC SOUTH BARGE UNLOADING FACILITY LIGHTS (2) RDB Mile 89.0.		FI G 2.5s			On mooring cells.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TENNESSEE - TOMBIGBEE WATERWAY (Alabama) - Eighth District							
TOMBIGBEE RIVER							
<i>From mile 45.2 to mile 410 the river is marked with numerous unlisted daybeacons and unlighted buoys which are periodically relocated to meet minor changing conditions.</i>							
6775	ALABAMA ELECTRIC COOP UNLOADING FACILITY LIGHTS (2) RDB mile 89.5		FI G 6s			On mooring dolphins.	Private aid.
6780	Boise Cascade Water Intake Buoy LDB mile 89.5	31-29-24.000N 087-54-19.000W				Red.	Private aid.
Weyerhaeuser Water Intake							
6785	- LIGHT A	33-26-09.000N 088-26-26.000W	FI G 6s	36		NW on pile.	Private aid.
6790	- LIGHT B	33-26-07.000N 088-26-31.000W	FI (2)R 6s	36		NW on pile.	Private aid.
6795	- LIGHT C	33-26-11.000N 088-26-27.000W	FI G 6s	36		NW on pile.	Private aid.
6800	- LIGHT D	33-26-10.000N 088-26-31.000W	FI (2)R 6s	36		NW on pile.	Private aid.
ALABAMA RIVER							
6800.05	- CELLULOSE PILING LIGHT LDB Mile 69.9	31-34-37.980N 087-31-09.620W	FI R 2.5s			Marks outermost upstream piling.	Private aid.
6801	UNITED LAND COMPANY DOLPHIN LIGHTS (2) LDB Mile 353.3		FI R 2.5s	15		On dolphins.	Private aid.
BLACK WARRIOR RIVER							
<i>From mile 217 to mile 385.5, the river is marked with numerous unlisted daybeacons and unlighted buoys which are periodically relocated to meet minor changing conditions.</i>							
<i>Holt Lock and Bankhead Lake buoys and daybeacons have been discontinued and waterways marked with unlisted, unlighted buoys.</i>							
<i>Mulberry Fork</i>							
<i>From mile 385.6 to mile 399.7, the river is marked with unlisted daybeacons and unlighted buoys which are periodically relocated to meet minor changing conditions.</i>							
<i>Locust Fork</i>							
<i>From mile 387.0 to mile 390.8, the river is marked with unlisted daybeacons and unlighted buoys which are periodically relocated to meet minor changing conditions.</i>							
6802	Lyon Park Range Front Day beacon					KWR on pile.	Private aid.
6803	Lyon Park Range Rear Day beacon					KWR on pile.	Private aid.
ALABAMA - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Mobile Bay							
Bon Secour River							
6805 33770	- LIGHT 2	30-17-02.338N 087-45-23.122W	FI R 2.5s	17	3	TR on pile.	Ra ref.
6810	- Day beacon 3 20 feet outside channel limit.	30-17-07.798N 087-45-15.840W				SG on pile.	Ra ref.
6815	- Day beacon 4	30-17-05.725N 087-45-15.956W				TR on pile.	Ra ref.
6820	- Day beacon 5	30-17-12.898N 087-45-05.280W				SG on pile.	Ra ref.
6825	- Day beacon 6 20 feet outside channel limit.	30-17-12.425N 087-45-03.855W				TR on pile.	Ra ref.
6830	- Day beacon 7	30-17-28.125N 087-45-00.255W				SG on pile.	Ra ref.
6835	- Day beacon 8	30-17-27.743N 087-44-56.842W				TR on pile.	Ra ref.
6840	- Day beacon 9	30-17-43.324N 087-44-55.555W				SG on pile.	Ra ref.
6845	- Day beacon 10	30-17-42.505N 087-44-54.192W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Mobile Bay							
Bon Secour River							
6850	- Day beacon 11	30-17-49.281N 087-44-38.635W				SG on pile.	Ra ref.
South Fork Channel							
6855	- Day beacon SF	30-17-47.118N 087-44-38.357W				JR on pile.	Ra ref.
6860	- Day beacon 2	30-17-45.383N 087-44-42.253W				TR on pile.	Ra ref.
6865	- Day beacon 3	30-17-44.724N 087-44-33.954W				SG on pile.	Ra ref.
6870	- Day beacon 5	30-17-40.724N 087-44-28.954W				SG on pile.	Ra ref.
Bon Secour River							
6875	- Day beacon 14	30-17-53.870N 087-44-21.244W				TR on pile.	Ra ref.
6880	- Day beacon 16 40 feet outside channel limit.	30-18-00.624N 087-44-13.954W				TR on pile.	Ra ref.
6885	- Day beacon 18 40 feet outside channel limit.	30-18-05.424N 087-44-07.254W				TR on pile.	Ra ref.
6890	- Day beacon 20 40 feet outside channel limit.	30-18-08.224N 087-44-01.254W				TR on pile.	Ra ref.
6895	- Day beacon 22 40 feet outside channel limit.	30-18-09.423N 087-43-51.553W				TR on pile.	Ra ref.
6900	- Day beacon 24 40 feet outside channel limit.	30-18-11.793N 087-43-37.715W				TR on pile.	Ra ref.
6905	- Day beacon 26 40 feet outside channel limit.	30-18-23.423N 087-43-36.453W				TR on pile.	Ra ref.
6910	- Day beacon 28 40 feet outside channel limit.	30-18-33.223N 087-43-35.453W				TR on pile.	Ra ref.
6915	- Day beacon 30 40 feet outside channel limit.	30-18-40.222N 087-43-25.853W				TR on pile.	Ra ref.
6920	- Day beacon 31 30 feet outside channel limit.	30-18-46.522N 087-43-19.853W				SG on pile.	Ra ref.
6925	- Day beacon 32 30 feet outside channel limit.	30-18-44.158N 087-43-08.100W				TR on pile.	Ra ref.
6930	- Day beacon 33 30 feet outside channel limit.	30-18-44.722N 087-43-07.952W				SG on pile.	Ra ref.
6935	- Day beacon 34 30 feet outside channel limit.	30-18-42.778N 087-42-55.560W				TR on pile.	Ra ref.
6940	- Day beacon 36 30 feet outside channel limit.	30-18-49.722N 087-42-47.952W				TR on pile.	Ra ref.
6945	- Day beacon 37 30 feet outside channel limit.	30-19-00.058N 087-42-49.140W				SG on pile.	Ra ref.
6950	- Day beacon 38 30 feet outside channel limit.	30-19-00.722N 087-42-45.952W				TR on pile.	Ra ref.
MOBILE BAY (Chart 11376)							
Mobile Bay							
Mobile Channel							
6955	AUBURN UNIVERSITY RESEARCH LIGHT A	30-18-38.441N 087-47-10.670W	FI Y 2.5s	12		On platform on piles.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
MOBILE BAY (Chart 11376)							
Mobile Bay							
6960	WEEKS BAY ENTRANCE LIGHT 1	30-22-12.838N 087-51-17.040W	FI G 4s	30	5	SG on platform.	Ra ref.
6963	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-15.162N 087-47-25.445W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.01	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-17.260N 087-47-29.969W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.02	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-30.741N 087-47-56.618W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.03	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-21.655N 087-47-38.951W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.04	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-23.822N 087-47-43.441W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.05	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-26.069N 087-47-47.875W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.06	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-28.405N 087-47-52.241W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.07	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-30.741N 087-47-56.618W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.08	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-47.831N 087-48-20.166W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.09	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-36.167N 087-48-04.759W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.11	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-39.217N 087-48-08.511W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.12	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-42.019N 087-48-12.434W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.13	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-44.742N 087-48-16.470W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.14	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-47.831N 087-48-20.166W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.15	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-50.981N 087-48-23.793W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.16	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-53.535N 087-48-27.977W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
MOBILE BAY (Chart 11376)							
Mobile Bay							
6963.17	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-56.396N 087-48-31.912W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.18	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-59.605N 087-48-35.482W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.19	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-20-03.022N 087-48-38.779W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.21	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-20-06.528N 087-48-41.951W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Mobile Bay							
Bon Secour River							
6963.22	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-20-10.284N 087-48-44.712W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6963.23	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-20-13.650N 087-48-48.010W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
6965	Alabama Marine Resources Division Danger Day beacons (4)	30-23-12.300N 087-53-08.820W				NW on pile. DANGER - SUBMERGED WRECK.	Marks submerged obstruction. Private aid.
MOBILE BAY (Chart 11376)							
Mobile Bay							
6968	- DANGER LIGHT A	30-19-00.998N 087-57-56.868W	Q W	17	3	NW on pile worded "DANGER PIPE"	Ra ref.
6970	MULLET POINT LIGHT 2	30-24-17.722N 087-55-14.688W	FI R 4s	30	5	TR on platform.	Ra ref.
6972	ADCNR LEGACY REEF SPECIAL LIGHTS (10)	30-15-59.800N 087-58-26.570W	FI Y 2.5s			Marks submerged obstructions.	Private aid.
6974	ADCNR POINT CLEAR REEF SPECIAL LIGHTS (6)	30-27-54.060N 087-57-43.920W	FI Y 2.5s			Marks submerged obstructions.	Private aid.
6975	Klondike Fishing Reef Day beacons (8)	30-27-24.000N 087-56-06.000W				NW on piles worded DANGER SUBMERGED FISHING REEF.	Private aid.
6980	GREAT POINT CLEAR LIGHT 4	30-28-41.927N 087-57-18.352W	FI R 4s	37	5	TR on platform	Ra ref.
Grand Hotel Yacht Basin							
7015	- Day beacon 1	30-29-13.374N 087-56-17.115W				SG on pile.	Private aid.
7025	- LIGHT 3	30-29-14.307N 087-56-06.012W	FI G 4s	15		SG on pile.	Private aid.
7030	- LIGHT 2	30-29-12.770N 087-56-05.924W	FI R 4s	15		TR on pile.	Private aid.
Mobile Bay							
7035	Battles Wharf Fishing Reef Day beacons (2)	30-29-42.000N 087-56-00.000W				NW on piles worded DANGER FISHING REEFS.	Marks perimeter 150 ft square fishing reef. Private aid.
7040	Upper Bay Barge Fishing Reef Day beacons (5)	30-34-42.000N 087-56-54.000W				NW on piles. worded DANGER SUBMERGED FISHING REEF.	Marks perimeter 150ft. square fishing reef. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
MOBILE BAY (Chart 11376)							
Fly Creek							
7045	- ENTRANCE LIGHT 2	30-32-38.128N 087-54-32.441W	FI R 4s	17	4	TR on pile.	Ra ref.
7050	- Day beacon 3	30-32-38.696N 087-54-29.282W				SG on pile.	Ra ref.
7055	- Day beacon 4	30-32-36.209N 087-54-26.417W				TR on pile.	Ra ref.
7060	- Buoy 5	30-32-37.270N 087-54-24.603W				Green can.	
7065	- Day beacon 6	30-32-34.268N 087-54-17.310W				TR on pile.	Ra ref.
7070	- Buoy 7	30-32-34.986N 087-54-16.723W				Green can.	
Blakeley River							
7143	ALGAE SYSTEMS AQUACULTURE SPECIAL LIGHTS (13)	30-37-49.930N 087-55-23.100W	FI Y 2.5s			Marks aquaculture dock.	Private aid.
Tensaw River							
7145	Corps Of Engineers Survey Station Day beacon					NR on pile.	Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
7150	LOWER HALL LANDING DOCK LIGHT	30-49-08.000N 087-54-57.000W	F R	15		On pole.	Maintained by U. S. Maritime Commission.
Dauphin Island Channel							
7155	- LIGHT 1	30-15-13.302N 088-03-22.682W	Q G	17	3	SG on pile.	Ra ref.
7160	- Day beacon 2	30-15-16.613N 088-03-25.953W				TR on pile.	Ra ref.
7165	- Day beacon 3	30-15-10.054N 088-03-33.540W				SG on pile.	
7170	- Day beacon 4	30-15-14.840N 088-03-35.049W				TR on pile.	Ra ref.
7175	- Day beacon 5	30-15-09.496N 088-03-41.351W				SG on pile.	Ra ref.
7180	- Day beacon 6	30-15-12.933N 088-03-42.847W				TR on pile.	Ra ref.
7185	- Day beacon 7	30-15-09.239N 088-03-48.715W				SG on pile.	Ra ref.
7190	- Day beacon 8	30-15-11.982N 088-03-49.642W				TR on pile.	Ra ref.
7195	- Day beacon 9	30-15-07.860N 088-04-01.303W				SG on pile.	Ra ref.
7200	- Day beacon 10	30-15-10.300N 088-04-01.429W				TR on pile.	Ra ref.
7205	- LIGHT 12 50 feet outside channel limit.	30-15-08.148N 088-04-19.468W	Q R	17	3	TR on pile.	Ra ref.
7210	- LIGHT 14	30-15-07.239N 088-04-32.787W	FI R 4s	17	3	TR on pile.	Ra ref.
7215	- Day beacon 16	30-15-07.198N 088-04-38.280W				TR on pile.	Ra ref.
7220	- LIGHT 17	30-15-05.398N 088-04-44.640W	Q G	11	3	SG on pile.	Ra ref.
7225	FORT GAINES POINT WRECK LIGHT WR1	30-14-59.732N 088-04-23.995W	Q G	17	3	On single pile.	Ra ref.
7230	DAUPHIN ISLAND SPIT LIGHT D	30-15-00.306N 088-04-05.796W	Q W	17	5	NR on dolphin.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
MOBILE BAY (Chart 11376)							
Dauphin Island Channel							
7235	Sand Reef Oyster Reef Day beacons (5)	30-16-12.000N 088-05-40.000W				NW on piles worded DANGER SUBMERGED FISHING REEFS.	Private aid.
7240	Alabama Oyster Reef Day beacons (38)	30-19-42.000N 088-05-06.000W				NW on pile worded DANGER SUBMERGED OYSTER REEF.	Private aid.
7245	Alabama Oyster Reef Buoys (6)	30-17-12.200N 088-06-54.600W				White with orange bands and diamond worded DANGER OYSTER REEF.	Private aid.
7250	West-Side Fishing Reef Day beacons (5)	30-20-36.000N 088-03-54.000W				NW on piles worded DANGER SUBMERGED FISHING REEFS.	Private aid.
Fowl River							
<i>Lights and daybeacons are 50 feet outside channel limit.</i>							
7255	- Day beacon 1	30-26-53.683N 088-04-57.119W				SG on pile.	Ra ref.
7260	- LIGHT 2	30-26-57.718N 088-04-56.400W	FI R 2.5s	17	4	TR on dolphin.	Ra ref.
7265	- Day beacon 3	30-26-58.741N 088-05-17.285W				SG on pile.	Ra ref.
7270	- Day beacon 4	30-27-01.723N 088-05-16.890W				TR on pile.	Ra ref.
7275	- Day beacon 5	30-27-04.708N 088-05-44.995W				SG on pile.	Ra ref.
7280	- LIGHT 6	30-27-07.138N 088-05-40.860W	FI R 6s	17	4	TR on dolphin.	Ra ref.
7285	- Day beacon 7	30-27-08.459N 088-05-56.995W				SG on pile.	Ra ref.
7290	- Day beacon 8	30-27-10.467N 088-05-57.086W				TR on pile.	Ra ref.
7295	- Day beacon 9	30-27-12.071N 088-06-14.137W				SG on pile.	Ra ref.
7300	- LIGHT 10	30-27-14.158N 088-06-14.040W	Q R	17	3	TR on dolphin.	Ra ref.
7305	- Day beacon 12	30-27-04.838N 088-06-29.586W				TR on pile.	Ra ref.
7310	- OBSTRUCTION LIGHT 12A	30-27-02.289N 088-06-31.086W	Q R	17	3	TR on pile.	
7312	MOBILE BAY NATIONAL ESTUARY DANGER BREAKWATER LIGHT	30-27-00.630N 088-06-28.180W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
7312.01	MOBILE BAY NATIONAL ESTUARY DANGER BREAKWATER LIGHT	30-26-59.160N 088-06-25.070W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
7312.02	MOBILE BAY NATIONAL ESTUARY DANGER BREAKWATER LIGHT	30-26-55.680N 088-06-23.980W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
7312.03	MOBILE BAY NATIONAL ESTUARY DANGER BREAKWATER LIGHT	30-26-51.320N 088-06-23.760W	FI W 2.5s			Marks shoreline restoration breakwater structure.	Private aid.
7315	- Day beacon 13	30-26-50.873N 088-06-36.399W				SG on pile.	Ra ref.
7320	- Day beacon 14	30-26-51.651N 088-06-38.387W				TR on pile.	Ra ref.
7325	- Day beacon 15	30-26-38.338N 088-06-44.280W				SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
MOBILE BAY (Chart 11376)							
Fowl River							
<i>Lights and daybeacons are 50 feet outside channel limit.</i>							
7330	- Daybeacon 16	30-26-39.709N 088-06-47.997W				TR on pile.	Ra ref.
7333	ANKERSEN AQUACULTURE SPECIAL LIGHTS (4)	30-29-00.965N 088-06-00.139W	FI Y 2.5s			Marks outermost corners of aquaculture farm.	Private aid.
Theodore Ship Channel							
7335	- OUTER RANGE FRONT LIGHT	30-28-36.002N 088-00-43.096W	Q W	25		KRW on skeleton tower on piles.	Visible all around; higher intensity 1.5° each side of range line.
7340	- OUTER RANGE REAR LIGHT 1,667 yards, 123.6° from front light.	30-28-08.618N 087-59-55.506W	Iso W 6s	67		KRW on skeleton tower on piles.	Visible 4° each side of rangeline.
7345	- OUTER RANGE REAR LIGHT PASSING LIGHT	30-28-08.618N 087-59-55.506W	FI W 4s	15	3	On same structure as Theodore Ship Channel Outer Range Rear Light.	
7350	- LIGHT 1	30-28-38.703N	Q G	17	3	SG on pile.	Ra ref.
6535	350 feet outside channel limit.	088-01-08.485W					
7355	- JUNCTION LIGHT T	30-28-58.365N 088-01-11.700W	FI (2+1)G 6s	17	4	JG on pile.	Ra ref.
6545							
7360	- LIGHT 3 290 feet outside channel limit.	30-28-54.205N 088-01-22.843W	FI G 2.5s	17	4	SG on pile.	Ra ref.
7365	- LIGHT 5 190 feet outside channel limit.	30-29-14.169N 088-01-56.954W	FI G 4s	17	4	SG on pile.	Ra ref.
7370	- LIGHT 6 280 feet outside channel limit.	30-29-19.423N 088-01-51.411W	FI R 4s	17	3	TR on pile.	Ra ref.
7375	- LIGHT 7 225 feet outside channel limit.	30-29-41.515N 088-02-43.823W	FI G 2.5s	17	3	SG on pile.	Ra ref.
7380	- LIGHT 8 300 feet outside channel limit.	30-29-47.461N 088-02-39.126W	FI R 2.5s	17	3	TR on pile.	Ra ref.
7385	- Buoy 9 300 feet outside channel limit.	30-30-10.197N 088-03-35.372W				Green can.	
7390	- LIGHT 10 240 feet outside channel limit.	30-30-16.482N 088-03-30.879W	FI R 4s	17	3	TR on dolphin.	Ra ref.
7395	- LIGHT 11 270 feet outside channel limit.	30-30-36.824N 088-04-21.083W	FI G 2.5s	17	3	SG on pile.	Ra ref.
7400	- LIGHT 12 270 feet outside channel limit.	30-30-44.809N 088-04-20.933W	FI R 2.5s	17	3	TR on pile.	Ra ref.
7405	- LIGHT 13 380 feet outside channel limit.	30-30-53.900N 088-04-52.900W	FI G 4s	17	4	SG on pile.	Ra ref.
7410	- Anchorage Daybeacon A	30-30-58.300N 088-05-04.800W				NY on pile.	Ra ref.
7415	- LIGHT 14 270 feet outside channel limit.	30-31-08.675N 088-05-00.965W	Q R	17	3	TR on pile.	Ra ref.
7420	- Daybeacon 15 285 feet outside channel limit.	30-31-09.953N 088-05-18.897W				SG on pile.	Ra ref.
7425	- LIGHT 16 260 feet outside channel limit.	30-31-17.431N 088-05-16.715W	FI R 2.5s	17	3	TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
MOBILE BAY (Chart 11376)							
Theodore Ship Channel							
7430	- LIGHT 17 155 feet outside channel limit.	30-31-21.210N 088-05-36.048W	FI G 2.5s	17	3	SG on pile.	Ra ref.
7435	- LIGHT 18 160 feet outside channel limit.	30-31-24.717N 088-05-31.498W	FI R 2.5s	17	3	TR on pile.	Ra ref.
7440	- LIGHT 22 200 feet outside channel limit.	30-31-52.989N 088-06-22.994W	Q R	17	3	TR on pile.	Ra ref.
MOBILE BAY (Chart 11376)							
7445	Hollingers Island Fishing Reef Day beacons (5)	30-32-06.000N 088-03-12.000W				NW on piles worded DANGER SUBMERGED FISHING REEFS.	Private aid.
Dog River Channel							
7450	- Day beacon 1	30-32-45.474N 088-01-36.614W				SG on pile.	Ra ref.
7455	- Day beacon 2	30-32-49.024N 088-01-39.444W				TR on pile.	Ra ref.
7460	- LIGHT 3	30-33-18.044N 088-02-28.239W	FI G 4s	17	4	SG on pile.	Ra ref.
7465	- Day beacon 4	30-33-19.443N 088-02-27.216W				TR on pile.	Ra ref.
7470	- Day beacon 5	30-33-49.636N 088-03-19.972W				SG on pile.	Ra ref.
7475	- LIGHT 6	30-33-57.425N 088-03-26.429W	FI R 2.5s	17	3	TR on pile.	Ra ref.
7480	- Day beacon 7	30-33-58.847N 088-04-12.831W				SG on pile.	Ra ref.
7485	- LIGHT 8	30-34-00.327N 088-04-12.694W	FI R 4s	17	4	TR on pile.	Ra ref.
7490	- Day beacon 9	30-33-59.178N 088-04-24.532W				SG on pile.	Ra ref.
7495	- Day beacon 10	30-34-01.117N 088-04-24.097W				TR on pile.	Ra ref.
7500	- LIGHT 11	30-34-00.407N 088-04-35.371W	FI G 2.5s	17	4	SG on pile.	Ra ref.
7505	- Day beacon 12	30-34-01.903N 088-04-35.445W				TR on pile.	Ra ref.
7510	- Day beacon 13	30-33-57.153N 088-04-53.693W				SG on pile.	Ra ref.
7515	- Day beacon 14	30-33-59.067N 088-04-53.856W				TR on pile.	Ra ref.
7520	- LIGHT 15	30-33-53.542N 088-05-04.253W	FI G 4s	21	4	SG on pile.	Ra ref.
7525	- Day beacon 16	30-33-56.295N 088-05-04.895W				TR on pile.	Ra ref.
7530	Brookley Hole Site Fishing Reef Day beacons (2)	30-37-42.000N 088-03-24.000W				NW on piles worded DANGER SUBMERGED FISHING REEFS.	Private aid.
Arlington Channel							
7535	Arlington Docks Site Fishing Reef Day beacons (4)	30-38-30.000N 088-02-30.000W				NW on pile worded DANGER SUBMERGED FISHING REEFS.	Private aid.
7540 6680	- Lighted Buoy 1 60 feet outside channel limit.	30-38-22.689N 088-01-59.991W	FI G 2.5s		4	Green.	
7545	- OUTBOUND RANGE FRONT LIGHT	30-38-28.556N 088-01-47.021W	Q W	20		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
MOBILE BAY (Chart 11376)							
Arlington Channel							
7550	- OUTBOUND RANGE REAR LIGHT 209 yards, 109.1° f from front light.	30-38-26.525N 088-01-40.232W	Iso W 6s	35		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
7555 6690	- Junction Buoy 60 feet outside channel limit.	30-38-40.688N 088-02-01.991W				Green can with red band.	
7560	- LIGHT 3	30-38-34.055N 088-02-13.295W	Q G	17	3	SG on dolphin.	
7565	- LIGHT 4	30-38-37.397N 088-02-12.168W	FI R 2.5s	17	3	TR on pile.	Ra ref.
7570	- LIGHT 5	30-38-38.720N 088-02-28.209W	FI G 6s	17	4	SG on pile.	Ra ref.
7575	- LIGHT 6	30-38-42.193N 088-02-27.667W	FI R 6s	17	4	TR on pile.	Ra ref.
7580	- LIGHT 7	30-38-42.700N 088-02-40.246W	FI G 2.5s	17	4	SG on pile.	Ra ref.
7585	- Day beacon 8	30-38-46.413N 088-02-40.704W				TR on pile.	Ra ref.
7590	- LIGHT 9	30-38-48.579N 088-03-00.515W	FI G 6s	17	4	SG on pile.	Ra ref.
7595	- Day beacon 10	30-38-52.202N 088-02-59.662W				TR on pile.	Ra ref.
7600	- LIGHT 11	30-38-53.304N 088-03-16.433W	FI G 2.5s	17	3	SG on pile.	Ra ref.
7605	- LIGHT 12	30-38-58.798N 088-03-17.933W	FI R 4s	17	3	TR on pile.	Ra ref.
7610	- LIGHT 14	30-39-05.267N 088-03-20.954W	FI R 2.5s	17	3	TR on pile.	Ra ref.
7615	- RANGE FRONT LIGHT	30-39-00.219N 088-03-33.016W	Q R	33		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
7620	- RANGE REAR LIGHT 255 yards, 289.3° f from front light.	30-39-03.080N 088-03-42.594W	Oc R 4s	55		KRW on skeleton tower.	Visible all around; higher intensity on rangeline.
7625	Choctaw Pass Fishing Reef Day beacons (4)	30-39-48.000N 088-01-12.000W				NW on piles worded DANGER SUBMERGED FISHING REEFS.	Private aid.
DAUPHIN ISLAND TO DOG KEYS PASS (Chart 11374)							
Mississippi Sound							
7632	ADCNR DANGER BREAKWATER LIGHTS (6)	30-19-14.160N 088-13-37.330W	FI W 2.5s			Marks marsh restoration breakwater.	Private aid.
7632.01	ADCNR DANGER BREAKWATER LIGHTS (6)	30-19-11.240N 088-13-20.290W	FI W 2.5s			Marks marsh restoration breakwater.	Private aid.
7635	Sunken Shrimpboat Fishing Reef Day beacons (5)	30-18-18.000N 088-16-24.000W				NW on piles worded DANGER SUBMERGED FISHING REEFS.	Private aid.
7640	ISLE AUX HERBES WRECK LIGHT	30-18-17.896N 088-16-26.571W	FI W 2.5s	17	5	NW on pile worded DANGER WRECK.	Ra ref.
7645	BAYOU LA BATRE WRECK LIGHT WR 2	30-21-21.958N 088-16-30.900W	Q R	17	3	TR on pile.	Ra ref.
7650	- LIGHT WR6	30-20-34.534N 088-20-55.945W	FI W 4s	17	4	NW on pile.	
Bayou La Batre							
7660 34320	- LIGHT 3	30-14-51.823N 088-25-32.550W	FI G 4s	17	4	SG-TY on pile.	Ra ref.
7665 34315	- LIGHT 5	30-15-16.571N 088-20-45.385W	Q G	17	3	SG-TY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
DAUPHIN ISLAND TO DOG KEYS PASS (Chart 11374)							
Mississippi Sound							
Bayou La Batre							
7670	- Buoy 7	30-15-53.973N 088-19-53.602W				Green can.	
7675	- Buoy 8	30-16-10.747N 088-19-25.307W				Red nun.	
7680	- WRECK LIGHT WR	30-16-13.950N 088-19-16.564W	Q R	17	3	TR on pile.	Ra ref.
7685	- LIGHT 10	30-16-29.014N 088-18-58.237W	FI R 2.5s	17	3	TR on pile.	Ra ref.
7690	- Buoy 11	30-16-56.507N 088-18-48.901W				Green can.	
7695	- Buoy 12	30-17-23.854N 088-18-35.303W				Red nun.	
7700	- LIGHT 13	30-17-52.403N 088-18-25.615W	FI G 2.5s	17	3	SG on pile.	Ra ref.
7705	- Buoy 14	30-18-19.824N 088-18-11.920W				Red nun.	
7710	- Buoy 15	30-18-46.251N 088-18-02.105W				Green can.	
7715	- LIGHT 16	30-19-15.533N 088-17-48.456W	FI R 6s	17	4	TR on pile.	Ra ref.
7720	- Buoy 17	30-19-44.078N 088-17-38.648W				Green can.	
7725	- Buoy 18	30-20-11.269N 088-17-25.037W				Red nun.	
7730	- LIGHT 19	30-20-39.688N 088-17-15.255W	FI G 4s	17	4	SG on pile.	Ra ref.
7735	- Day beacon 20	30-21-07.467N 088-17-01.340W				TR on pile.	Ra ref.
7740	- Day beacon 21	30-21-35.798N 088-16-51.983W				SG on pile.	Ra ref.
7745	- LIGHT 22	30-22-02.839N 088-16-38.152W	FI R 4s	17	3	TR on pile.	Ra ref.
7748	CITY OF BAYOU LA BATRE DANGER LIGHT	30-22-04.862N 088-16-36.573W	FI W 2.5s			Marks submerged outfall diffuser.	Private aid.
7750	- Day beacon 23	30-22-31.790N 088-16-28.926W				SG on pile.	Ra ref.
7755	- LIGHT 24	30-22-54.057N 088-16-16.605W	Q R	17	3	TR on pile.	Ra ref.
7760	- Day beacon 25	30-23-00.130N 088-16-17.687W				SG on pile.	Ra ref.
7762	MOBILE COUNTY SCIENTIFIC MONITORING PLATFORM LIGHT B	30-24-21.300N 088-14-53.100W	FI Y 2.5s			On pile.	Private aid.
7763	<i>Point Aux Pins Special Lighted Buoys (5)</i>	30-22-57.120N 088-18-48.060W	FI Y 2.5s			Marks perimeter of oyster farm.	Private aid.
Bayou Coden							
7765	- JUNCTION LIGHT BC	30-22-19.842N 088-16-30.945W	FI (2+1)R 6s	17	3	JR on pile.	Ra ref.
7770	- Day beacon 1	30-22-28.004N 088-16-08.480W				SG on pile.	Ra ref.
7775	- Day beacon 2	30-22-26.424N 088-16-07.842W				TR on pile.	Ra ref.
7780	- LIGHT 4 50 feet outside channel limit.	30-22-34.534N 088-15-45.538W	FI R 2.5s	17	3	TR on pile.	Ra ref.
7785	- Day beacon 3	30-22-36.822N 088-15-44.282W				SG on pile.	Ra ref.
7790	- Day beacon 5	30-22-27.106N 088-15-10.113W				SG on pile.	Ra ref.
7795	- Day beacon 6	30-22-25.171N 088-15-10.748W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
DAUPHIN ISLAND TO DOG KEYS PASS (Chart 11374)							
Mississippi Sound							
Bayou Coden							
7800	- Day beacon 7	30-22-18.479N 088-14-39.717W				SG on pile.	Ra ref.
7805	- LIGHT 8 50 feet outside channel limit.	30-22-15.814N 088-14-37.618W	Q R	17	3	TR on pile.	Ra ref.
7810	- Day beacon 9	30-22-20.061N 088-14-37.447W				SG on pile.	Ra ref.
7815	- LIGHT 10 50 feet outside channel limit.	30-22-32.641N 088-14-27.939W	FI R 4s	17	3	TR on pile.	Ra ref.
7820	- Day beacon 11	30-22-33.874N 088-14-29.278W				SG on pile.	Ra ref.
Mississippi Sound							
7822	PORTERSVILLE OYSTER COMPANY SPECIAL LIGHTS (4)	30-21-21.000N 088-11-35.010W	FI W 2.5s			Marks aquaculture farm perimeter.	Priv ate aid.
7823	AUBURN UNIVERSITY OYSTER FARM SPECIAL LIGHTS (4)	30-20-59.690N 088-11-36.340W	FI Y 2.5s			Marks aquaculture farm perimeter.	Priv ate aid.
7825	Portersville Bay Day beacon A Marks end of discharge line.	30-22-44.000N 088-15-58.000W				JR on pile.	Priv ate aid.
7825.01	ALMA BRYANT AQUACULTURE SPECIAL LIGHTS A THRU R	30-22-25.800N 088-19-10.980W	FI Y 2.5s			Marks the aquaculture farm perimeter.	Priv ate aid.
7826	SANDY BAY OYSTER COMPANY SPECIAL LIGHTS (6)	30-22-48.260N 088-18-42.020W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Priv ate aid.
7826.05	SANDY BAY OYSTER COMPANY SPECIAL LIGHTS (6)	30-22-46.350N 088-18-43.650W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Priv ate aid.
7826.21	AUBURN UNIVERSITY PORTERSVILLE BAY OYSTER FARM SPECIAL LIGHT A	30-21-56.100N 088-12-58.140W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Priv ate aid.
7826.22	AUBURN UNIVERSITY PORTERSVILLE BAY OYSTER FARM SPECIAL LIGHT B	30-21-51.450N 088-12-55.500W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Priv ate aid.
7826.23	AUBURN UNIVERSITY PORTERSVILLE BAY OYSTER FARM SPECIAL LIGHT C	30-21-47.200N 088-12-56.360W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Priv ate aid.
7826.24	AUBURN UNIVERSITY PORTERSVILLE BAY OYSTER FARM SPECIAL LIGHT D	30-21-42.440N 088-12-58.100W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Priv ate aid.
7826.25	AUBURN UNIVERSITY PORTERSVILLE BAY OYSTER FARM SPECIAL LIGHT E	30-21-37.520N 088-12-59.490W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Priv ate aid.
7826.26	AUBURN UNIVERSITY PORTERSVILLE BAY OYSTER FARM SPECIAL LIGHT F	30-21-41.330N 088-13-02.300W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Priv ate aid.
7826.27	AUBURN UNIVERSITY PORTERSVILLE BAY OYSTER FARM SPECIAL LIGHT G	30-21-45.480N 088-13-04.190W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Priv ate aid.
7826.28	AUBURN UNIVERSITY PORTERSVILLE BAY OYSTER FARM SPECIAL LIGHT H	30-21-51.700N 088-13-04.190W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Priv ate aid.
7826.29	AUBURN UNIVERSITY PORTERSVILLE BAY OYSTER FARM SPECIAL LIGHT I	30-21-56.500N 088-13-03.500W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Priv ate aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ALABAMA - Eighth District							
DAUPHIN ISLAND TO DOG KEYS PASS (Chart 11374)							
Mississippi Sound							
7826.31	AUBURN UNIVERSITY PORTERSVILLE BAY OYSTER FARM SPECIAL LIGHT J	30-21-58.280N 088-13-02.300W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
7826.32	SHASHY AQUACULTURE FARM SPECIAL LIGHT A	30-22-10.960N 088-14-02.710W	FI Y 2.5s			Marks southeastern corner of aquaculture farm.	Private aid.
7826.33	SHASHY AQUACULTURE FARM SPECIAL LIGHT B	30-22-10.990N 088-14-03.070W	FI Y 2.5s			Marks northwestern corner of aquaculture farm.	Private aid.
7827	ADCNR WEST DAUPHIN ISLAND EAST DANGER LIGHT	30-14-42.960N 088-14-25.200W	FI W 2.5s			Marks southeast corner of submerged obstructions.	Private aid.
7827.01	ADCNR WEST DAUPHIN ISLAND EAST DANGER LIGHT	30-14-44.580N 088-14-25.200W	FI W 2.5s			Marks northeast corner of submerged obstructions.	Private aid.
7827.02	ADCNR WEST DAUPHIN ISLAND EAST DANGER LIGHT	30-14-42.840N 088-14-35.460W	FI W 2.5s			Marks northwest corner of submerged obstructions.	Private aid.
7827.03	ADCNR WEST DAUPHIN ISLAND EAST DANGER LIGHT	30-14-41.040N 088-14-34.500W	FI W 2.5s			Marks southwest corner of submerged obstructions.	Private aid.
7827.04	ADCNR WEST DAUPHIN ISLAND MIDDLE DANGER LIGHT	30-14-24.600N 088-16-14.940W	FI W 2.5s			Marks southeast corner of submerged obstructions.	Private aid.
7827.05	ADCNR WEST DAUPHIN ISLAND MIDDLE DANGER LIGHT	30-14-30.720N 088-16-18.300W	FI W 2.5s			Marks northeast corner of submerged obstructions.	Private aid.
7827.06	ADCNR WEST DAUPHIN ISLAND MIDDLE DANGER LIGHT	30-14-26.100N 088-16-30.600W	FI W 2.5s			Marks northwest corner of submerged obstructions.	Private aid.
7827.07	ADCNR WEST DAUPHIN ISLAND MIDDLE DANGER LIGHT	30-14-19.860N 088-16-27.060W	FI W 2.5s			Marks southwest corner of submerged obstructions.	Private aid.
7827.08	ADCNR WEST DAUPHIN ISLAND WEST DANGER LIGHT	30-14-10.020N 088-17-31.200W	FI W 2.5s			Marks southeast corner of submerged obstructions.	Private aid.
7827.09	ADCNR WEST DAUPHIN ISLAND WEST DANGER LIGHT	30-14-11.700N 088-17-31.620W	FI W 2.5s			Marks northeast corner of submerged obstructions.	Private aid.
7827.11	ADCNR WEST DAUPHIN ISLAND WEST DANGER LIGHT	30-14-09.720N 088-17-41.460W	FI W 2.5s			Marks northwest corner of submerged obstructions.	Private aid.
7827.12	ADCNR WEST DAUPHIN ISLAND WEST DANGER LIGHT	30-14-08.160N 088-17-41.100W	FI W 2.5s			Marks southwest corner of submerged obstructions.	Private aid.
7840	PETIT BOIS PASS LIGHT P	30-13-52.857N 088-19-52.709W	FI W 2.5s	20	5	NR on piles.	Ra ref.

MISSISSIPPI - Eighth District**PASCAGOULA HARBOR (Chart 11375)****Horn Island Pass**

7850 310	- Lighted Buoy H1	30-08-30.049N 088-34-40.125W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
-------------	-------------------	---------------------------------	----------	--	---	---	--

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
PASCAGOULA HARBOR (Chart 11375)							
Horn Island Pass							
7855	- Lighted Buoy 1	30-09-15.262N 088-34-00.576W	Q G		3	Green.	
7860	- Lighted Buoy 2	30-09-10.431N 088-33-54.011W	Q R		3	Red.	
7865	- Lighted Buoy 3	30-09-58.052N 088-33-17.700W	FI G 2.5s		3	Green.	
7870	- Lighted Buoy 4	30-09-53.249N 088-33-11.244W	FI R 2.5s		3	Red.	
7875	- Lighted Buoy 5	30-10-40.850N 088-32-34.846W	FI G 4s		4	Green.	
7880	- Lighted Buoy 6	30-10-35.971N 088-32-28.329W	FI R 4s		3	Red.	
7885	- Lighted Buoy 7	30-11-24.463N 088-31-52.469W	FI G 2.5s		3	Green.	
7890	- Lighted Buoy 8	30-11-19.367N 088-31-45.329W	FI R 2.5s		3	Red.	
7895	- ENTRANCE RANGE FRONT LIGHT	30-12-49.968N 088-30-19.663W	FI W 2.5s (NIGHT) FI W 2.5s (DAY)	26 29			Visible 2° each side of rangeline.
7900	- ENTRANCE RANGE REAR LIGHT 1666 yards, 041.1° from front light.	30-13-27.289N 088-29-42.235W	Iso W 6s (NIGHT) Iso W 6s (DAY)	94 91		KRW on skeleton tower on pile.	Visible 2° each side of range line.
7905	- ENTRANCE RANGE REAR LIGHT PASSING LIGHT	30-13-27.289N 088-29-42.235W	FI W 4s	40	5	On same structure as Horn Island Pass Entrance Range Rear Light.	
7910	- Lighted Buoy 9	30-11-48.654N 088-31-25.948W	FI G 4s		4	Green.	
7915	- Lighted Buoy 10	30-11-44.287N 088-31-20.063W	FI R 4s		3	Red.	
7920	- Lighted Buoy 11	30-12-12.022N 088-31-02.713W	FI G 2.5s		4	Green.	
7925	- Lighted Buoy 12	30-12-07.721N 088-30-56.662W	FI R 2.5s		3	Red.	
7930	- Lighted Buoy 13	30-12-25.232N 088-30-53.206W	Q G		4	Green.	
7935	- Lighted Buoy 14	30-12-22.381N 088-30-43.614W	Q R		4	Red.	
7940	- Lighted Buoy 16	30-12-45.153N 088-30-34.622W	FI R 2.5s		3	Red.	
7945	- Lighted Buoy 17	30-12-56.056N 088-30-39.519W	FI G 2.5s		4	Green.	
7950	- Lighted Buoy 18	30-12-57.734N 088-30-28.681W	FI R 2.5s		3	Red.	
Pascagoula Channel							
7955	- Lighted Buoy 19	30-13-18.289N 088-30-27.782W	Q G		3	Green.	
7960	- D RANGE FRONT LIGHT	30-12-57.520N 088-30-15.435W	Q W	27		KRW on skeleton tower on piles.	Visible 2° each side of range line.
7965	- D RANGE FRONT LIGHT PASSING LIGHT	30-12-57.520N 088-30-15.435W	FI W 4s	29	3	On same structure as Pascagoula Channel Range D Front Light.	
7970	- D RANGE REAR LIGHT 506 yards, 175° from front light.	30-12-42.563N 088-30-13.603W	Iso W 6s	60		KRW on skeleton tower.	Visible 2° each side of rangeline.
7975	- Lighted Buoy 20	30-13-23.815N 088-30-14.708W	Q R		3	Red.	
7980	PETIT BOIS ISLAND OBSTRUCTION LIGHT 2 Marks rip rap.	30-13-22.943N 088-29-11.015W	Q R	17	4	TR on dolphin.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
PASCAGOULA HARBOR (Chart 11375)							
Pascagoula Channel							
7985	- Lighted Buoy 21	30-13-27.159N 088-30-24.793W	FI G 2.5s		3	Green.	
7990	- A RANGE FRONT LIGHT	30-17-57.603N 088-30-52.167W	FI R 2.5s (NIGHT) FI W 2.5s (DAY)	31 34			Lighted throughout 24 hours. Night range visible 1.5° each side of rangeline. Passing light visible all around.
7992	- A RANGE FRONT PASSING LIGHT	30-17-57.603N 088-30-52.167W	FI R 2.5s		36	On same structure as Pascagoula Channel A Range Front Light.	
7995	- A RANGE REAR LIGHT 1,666 yards, 354.1° from front light.	30-18-46.318N 088-30-58.141W	Iso R 6s (NIGHT) Iso W 6s (DAY)	94 91			Day range visible 0.5° each side of rangeline. Night range visible 1.5° each side of rangeline. Passing light visible all around.
8000	- Lighted Buoy 23	30-13-55.438N 088-30-27.498W	FI G 2.5s		3	Green.	
8005	- Lighted Buoy 24	30-13-56.340N 088-30-19.361W	FI R 2.5s		3	Red.	
8010	- Lighted Buoy 25	30-14-28.067N 088-30-29.775W	FI G 4s		3	Green.	
8015	- Lighted Buoy 26	30-14-28.661N 088-30-23.313W	FI R 4s		3	Red.	
8020	- Lighted Buoy 27	30-14-43.814N 088-30-31.316W	FI G 6s		3	Green.	
8025	Bayou La Batre Junction Lighted Buoy BB	30-14-44.380N 088-30-25.246W	FI (2+1)R 6s		3	Red with green band.	
8030 34330	- Lighted Buoy 29	30-15-24.404N 088-30-36.284W	Q G		3	Green with yellow triangle.	
8035 34325	- Lighted Buoy 30	30-15-24.956N 088-30-30.218W	Q R		3	Red with yellow triangle.	
8040	- Lighted Buoy 31	30-16-04.994N 088-30-41.253W	FI G 4s		3	Green.	
8045	- Lighted Buoy 32	30-16-05.634N 088-30-35.109W	FI R 4s		3	Red.	
8050	- Lighted Buoy 33	30-16-39.167N 088-30-45.422W	FI G 2.5s		3	Green.	
8055	- Lighted Buoy 34	30-16-39.690N 088-30-39.752W	FI R 2.5s		3	Red.	
8060	PASCAGOULA PIPELINE CHANNEL LIGHT A	30-16-29.200N 088-30-50.500W	FI Y 2.5s		15	On pile.	Private aid.
8065	PASCAGOULA PIPELINE CHANNEL LIGHT C	30-16-06.000N 088-30-08.000W	FI Y 2.5s		15	On pile.	Private aid.
8070	- WRECK LIGHT	30-16-50.754N 088-31-08.118W	FI W 2.5s		17	5	NW on pile worded DANGER WRECK. Ra ref.
8075	- Lighted Buoy 35 50 feet outside channel limit.	30-17-05.255N 088-30-49.220W	Q G		3	Green.	
8080	- Lighted Buoy 36	30-17-10.948N 088-30-42.310W	Q R		3	Red.	
8085	- Lighted Buoy 37	30-17-13.480N 088-30-53.356W	FI G 2.5s		3	Green.	
8090	Bayou Casotte Channel Junction Lighted Buoy BC	30-17-21.642N 088-30-51.654W	FI (2+1)R 6s		3	Red with green band.	
8095	- B RANGE FRONT LIGHT	30-16-56.532N 088-30-32.978W	Q W		25	KRW on skeleton tower on piles.	Visible all around; higher intensity on range line.
8100	- B RANGE REAR LIGHT 1,800 yards, 139.8° from front light.	30-16-15.649N 088-29-53.292W	Oc W 4s		64	KRW on skeleton tower on piles.	Visible 2° each side of range line.
8105	- B RANGE REAR LIGHT PASSING LIGHT	30-16-15.674N 088-29-53.284W	FI W 4s		12	3	On same structure as Pascagoula Channel Range B Rear Light.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
PASCAGOULA HARBOR (Chart 11375)							
Pascagoula Channel							
8110	- C RANGE FRONT LIGHT	30-20-44.928N 088-34-15.120W	FI R 2.5s (NIGHT) FI W 2.5s (DAY)	63 65		On skeleton tower on piles.	Lighted throughout 24 hours. Visible 2° each side of rangeline.
8115	- C RANGE REAR LIGHT 1,381 yards, 319.8° from front light.	30-21-16.278N 088-34-45.639W	F R (NIGHT) F W (DAY)	122 120		On pile.	Lighted throughout 24 hours. Visible 2° each side of rangeline.
8120	- LIGHT 39 150 feet outside channel limit.	30-17-42.062N 088-31-21.853W	FI G 2.5s	17	3	SG on pile.	Ra ref.
8125	- LIGHT 40 150 feet outside channel limit.	30-17-46.321N 088-31-16.448W	FI R 2.5s	17	3	TR on pile.	Ra ref.
8130	- LIGHT 41 150 feet outside channel limit.	30-18-12.721N 088-31-52.050W	FI G 4s	17	4	SG on pile.	Ra ref.
8135	- LIGHT 42 150 feet outside channel limit.	30-18-18.721N 088-31-48.050W	FI R 4s	17	3	TR on pile.	Ra ref.
8140	PASCAGOULA PIPELINE CHANNEL LIGHT E	30-18-03.000N 088-32-00.000W	FI Y 2.5s	15		On pile.	Private aid.
8145	PASCAGOULA PIPELINE CHANNEL LIGHT F	30-18-04.000N 088-31-08.000W	FI Y 2.5s	15		On pile.	Private aid.
8150	Spoil Bank Day beacon 4	30-18-27.500N 088-32-34.000W				TR on pile.	Private aid.
8155	SPOIL BANK LIGHT 3	30-18-35.000N 088-32-41.000W	FI G 2.5s	17		SG on dolphin.	Private aid.
8160	Spoil Bank Day beacon 2	30-18-15.000N 088-32-51.500W				TR on pile.	Private aid.
8165	- SPOIL BANK WRECK LIGHT WR	30-18-21.072N 088-33-17.674W	Q G	17	3	On pile.	Ra ref.
8170	SPOIL BANK LIGHT 1	30-18-22.500N 088-32-58.500W	FI G 2.5s	17		SG on dolphin.	Private aid.
8175	- LIGHT 43 150 feet outside channel limit.	30-18-43.720N 088-32-22.052W	FI G 6s	17	4	SG on pile.	Ra ref.
8180	- LIGHT 44 150 feet outside channel limit.	30-18-47.720N 088-32-16.052W	FI R 6s	17	4	TR on pile.	Ra ref.
8185	- LIGHT 45 150 feet outside channel limit.	30-19-16.720N 088-32-54.054W	FI G 4s	17	4	SG on pile.	Ra ref.
8190	- LIGHT 46 150 feet outside channel limit.	30-19-21.000N 088-32-48.486W	FI R 4s	17	3	TR on pile.	Ra ref.
8195	- LIGHT 47 150 feet outside channel limit.	30-19-47.264N 088-33-24.760W	FI G 2.5s	17	3	SG on pile.	Ra ref.
8200	- LIGHT 48 150 feet outside channel limit.	30-19-52.117N 088-33-18.952W	FI R 2.5s	17	3	TR on pile.	Ra ref.
8205	- LIGHT 49	30-20-19.340N 088-33-55.672W	FI G 4s	17	4	SG on pile.	Ra ref.
8210	- LIGHT 50 150 feet outside channel limit.	30-20-24.129N 088-33-49.797W	FI R 4s	17	4	TR on pile.	Ra ref.
8215	- <i>Lighted Buoy 51</i>	30-20-31.684N 088-34-05.252W	Q G		3	Green.	
8220	Yazoo Lake Entrance Bouy 2	30-20-36.198N 088-33-55.120W				Red nun.	
8222	Yazoo Channel Day beacon 1	30-20-50.810N 088-33-35.790W				SG on pile.	Private aid.
8222.01	Yazoo Channel Day beacon 2	30-20-50.340N 088-33-35.370W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
PASCAGOULA HARBOR (Chart 11375)							
Pascagoula Channel							
8225	- LIGHT 52 150 feet outside channel limit.	30-20-37.454N 088-33-57.388W	Q R	17	3	TR on pile.	Ra ref.
8227	Jackson County Barge Fleet Mooring Buoy	30-20-39.090N 088-34-52.300W				Barge fleet mooring buoy.	Private aid.
8227.11	Jackson County Barge Fleet Mooring Buoy	30-20-38.870N 088-34-54.400W				Barge fleet mooring buoy.	Private aid.
8227.12	Jackson County Barge Fleet Mooring Buoy	30-20-38.620N 088-34-56.790W				Barge fleet mooring buoy.	Private aid.
8227.13	Jackson County Barge Fleet Mooring Buoy	30-20-37.480N 088-34-59.500W				Barge fleet mooring buoy.	Private aid.
8227.14	Jackson County Barge Fleet Mooring Buoy	30-20-35.510N 088-34-59.280W				Barge fleet mooring buoy.	Private aid.
8227.15	Jackson County Barge Fleet Mooring Buoy	30-20-33.540N 088-34-59.050W				Barge fleet mooring buoy.	Private aid.
8227.16	Jackson County Barge Fleet Mooring Buoy	30-20-31.570N 088-34-58.830W				Barge fleet mooring buoy.	Private aid.
8227.17	Jackson County Barge Fleet Mooring Buoy	30-20-29.600N 088-34-58.600W				Barge fleet mooring buoy.	Private aid.
8230	Pascagoula Navy Channel Buoy 1	30-20-31.574N 088-34-25.546W				Green can.	
8240	MISSISSIPPI GULF FISH REEF LIGHT A	30-15-57.000N 088-38-55.000W	FI Y 6s	17		NY on pile.	Ra ref. Private aid.
DAUPHIN ISLAND TO DOG KEYS PASS (Chart 11374)							
8245	<i>Pascagoula River Obstruction Lighted Buoy 2</i>	30-21-06.000N 088-33-58.200W	FI R 2.5s			Red.	Private aid.
8250	<i>Pascagoula River Obstruction Lighted Buoy 4</i> Marks outer end of submerged ways.	30-21-19.800N 088-33-51.600W	FI R 2.5s			Red.	Private aid.
8255	MISSISSIPPI POWER EAST TOWER LIGHT	30-22-15.000N 088-33-43.000W	FI Y 2.5s	10		On pile cluster.	Private aid.
8260	MISSISSIPPI POWER WEST TOWER LIGHT	30-22-18.000N 088-33-51.000W	FI Y 2.5s	10		On pile cluster.	Private aid.
Krebs Lake Channel							
8265	- Junction Day beacon K	30-22-40.432N 088-33-50.587W				JR on pile.	Ra ref.
8270	- Buoy 3	30-22-47.330N 088-33-46.477W				Green can.	
8275	- Buoy 5	30-22-50.993N 088-33-42.056W				Green can.	
8280	- Buoy 7	30-22-53.746N 088-33-30.384W				Green can.	
8285	- Buoy 9	30-22-54.102N 088-33-19.446W				Green can.	
8290	- Buoy 11	30-22-48.718N 088-33-00.057W				Green can.	
Pascagoula River							
8295	- Day beacon 4	30-22-46.698N 088-34-00.290W				TR on pile.	Ra ref.
8300	- Day beacon 5	30-22-58.536N 088-34-07.806W				SG on pile.	Ra ref.
8305	- Day beacon 6	30-23-19.195N 088-33-50.952W				TR on pile.	Ra ref.
8310	- Day beacon 7	30-23-36.984N 088-34-32.808W				SG on pile.	Ra ref.
8315	- Day beacon 8	30-23-54.174N 088-34-40.062W				TR on pile.	Ra ref.
8320	- Day beacon 10	30-24-08.657N 088-34-57.047W				TR on pile.	Ra ref.
8325	- LIGHT 11	30-24-19.917N 088-35-04.364W	FI G 4s	17	4	SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DAUPHIN ISLAND TO DOG KEYS PASS (Chart 11374)							
Pascagoula River							
8330	- Day beacon 12	30-24-44.108N 088-34-59.624W				TR on pile.	Ra ref.
8335	- LIGHT 14	30-24-54.476N 088-34-53.864W	FI R 4s	17	3	TR on pile.	Ra ref.
8340	- Day beacon 16	30-25-09.791N 088-34-21.912W				TR on pile.	Ra ref.
8345	- Day beacon 17	30-25-13.623N 088-34-00.514W				SG on pile.	Ra ref.
Escatawpa River							
8350	- Day beacon 1	30-25-22.206N 088-33-31.182W				SG on pile.	Ra ref.
8355	- Day beacon 2	30-25-22.848N 088-33-10.206W				TR on pile.	Ra ref.
8360	- CUTOFF LIGHT 3	30-25-33.386N 088-32-27.898W	FI G 4s	17	4	SG on pile.	Ra ref.
8365	- Day beacon 4	30-25-23.770N 088-32-17.083W				TR on pile.	Ra ref.
8370	- Day beacon 5	30-25-23.443N 088-32-06.606W				SG on pile.	Ra ref.
8375	- CUTOFF LIGHT 6	30-25-16.369N 088-31-57.417W	FI R 4s	17	3	TR on skeleton tower.	Ra ref.
8380	- Day beacon 8	30-25-08.949N 088-31-42.105W				TR on pile.	Ra ref.
8385	- CUTOFF LIGHT 9	30-25-06.916N 088-31-28.896W	FI G 4s	17	4	SG on skeleton tower on piles.	Ra ref.
PASCAGOULA HARBOR (Chart 11375)							
Bayou Casotte Channel							
8390	- A RANGE FRONT LIGHT	30-20-08.497N 088-30-45.808W	FI G 2.5s (NIGHT) FI W 2.5s (DAY)	45 48		Skeleton tower on piles.	
8395	- A RANGE FRONT LIGHT PASSING LIGHT	30-20-08.520N 088-30-45.812W	FI W 4s	15	6	On same structure as Bayou Casotte Channel Range A Front Light.	
8400	- A RANGE REAR LIGHT 935 yards, 000.2° from front light.	30-20-36.227N 088-30-45.723W	Iso G 6s (NIGHT) Iso W 6s (DAY)	83 80		Skeleton tower on piles.	
8405	- D RANGE FRONT LIGHT	30-16-25.501N 088-30-46.543W	Q W	25		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
8410	- D RANGE REAR LIGHT 1,339 yards, 180.2° from front light.	30-15-47.120N 088-30-46.642W	Iso W 6s	55		KRW on skeleton tower on piles.	
8415	- D RANGE REAR LIGHT PASSING LIGHT	30-15-45.746N 088-30-46.654W	FI W 4s	14	4	On same structure as Bayou Casotte Channel D Rear Light.	
8420	- LIGHT 1 170 feet outside channel limit.	30-17-44.034N 088-30-50.241W	FI G 2.5s	17	3	SG on pile.	Ra ref.
8425	- LIGHT 2 160 feet outside channel limit.	30-17-43.958N 088-30-42.481W	FI R 2.5s	17	3	TR on pile.	Ra ref.
8430	- LIGHT 3 150 feet outside channel limit.	30-18-13.316N 088-30-49.907W	FI G 4s	17	4	SG on pile.	Ra ref.
8435	- LIGHT 4 160 feet outside channel limit	30-18-13.254N 088-30-42.413W	FI R 4s	17	3	TR on pile.	Ra ref.
8440	- PIPELINE LIGHT A	30-18-38.400N 088-30-54.210W	FI Y 2.5s	15		On pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
PASCAGOULA HARBOR (Chart 11375)							
Bayou Casotte Channel							
8445	- PIPELINE LIGHT B	30-18-43.700N 088-30-37.500W	FI Y 2.5s			On pile.	Private aid.
8450	- LIGHT 5 140 feet outside channel limit.	30-18-43.832N 088-30-49.667W	FI G 4s	17	4	SG on pile.	Ra ref.
8455	- LIGHT 6 150 feet outside channel limit.	30-18-43.786N 088-30-42.312W	FI R 4s	17	3	TR on pile.	Ra ref.
8460	GULF LNG LIGHT 2	30-19-08.012N 088-30-34.354W	FI R 6s	10		TR on pile.	Private aid.
8465	GULF LNG LIGHT 4	30-19-14.499N 088-30-25.095W	FI R 6s	10		TR on pile.	Private aid.
8470	- LIGHT 7 140 feet outside channel limit.	30-19-11.858N 088-30-49.618W	FI G 2.5s	17	3	SG on pile.	Ra ref.
8475	- LIGHT 8 150 feet outside channel limit.	30-18-57.285N 088-30-42.646W	FI R 2.5s	17	3	TR on pile.	Ra ref.
8480	BAYOU CASOTTE LIGHT 9	30-19-21.067N 088-30-49.047 W	FI G 2.5s	17	4	SG on pile.	Ra ref.
8485	- LIGHT 10 130 feet outside channel limit.	30-19-22.009N 088-30-42.170W	Q R	17	3	TR on pile.	Ra ref.
8490.01	- <i>Lighted Buoy 10A</i>	30-19-40.913N 088-30-40.420W	FI R 6s		3	Red.	
8495	- LIGHT 11 125 feet outside channel limit.	30-19-39.405N 088-30-49.147W	Q G	17	3	SG on pile.	Ra ref.
8500	- LIGHT 11A	30-19-58.218N 088-30-53.851W	FI G 6s	17	4	SG on pile.	Ra ref.
8505	- LIGHT 11B	30-20-04.696N 088-30-52.426W	FI G 6s	17	4	SG on pile.	Ra ref.
8510	- B RANGE FRONT LIGHT	30-21-08.140N 088-30-22.085W	Q W	25		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
8515	- B RANGE REAR LIGHT 892 yards, 013.3° from front light.	30-21-33.315N 088-30-15.235W	Iso W 6s	38		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
8520.01	<i>Bayou Casotte Lighted Buoy 12</i>	30-21-08.550N 088-30-26.699W	FI R 2.5s		3		
8522	<i>Mississippi Phosphates Lighted Danger Buoy</i>	30-21-07.360N 088-30-20.330W	FI W 2.5s			Marks submerged pipe.	Private aid.
8525	CHEVRON DOCK 4 LIGHTS (2) Marks end of dock.	30-19-51.000N 088-30-39.000W	FI R 2.5s	22		On dolphins.	Private aid.
8530	STANDARD OIL DOCK LIGHTS (2)	30-20-07.200N 088-30-34.100W	FI R 2.5s	19		On mooring dolphin.	Private aid.
8535	CHEVRON NO. 4 DOCK LIGHTS (2)	30-20-11.000N 088-30-33.000W	FI R 2.5s	21		On dolphins at end of dock.	Private aid.
8540	- C RANGE FRONT LIGHT	30-19-19.713N 088-30-51.889W	Q W	25		KWR on tower.	Visible all around; higher intensity beam on rangeline.
8545	- C RANGE REAR LIGHT 833 yards, 193.3° from front light.	30-18-55.637N 088-30-58.440W	Iso W 6s	36		KWR on tower.	Visible all around; higher intensity on rangeline.
8550	BAYOU CHICO JETTY LIGHT	30-20-15.900N 088-31-33.000W	FI R 2.5s	15		On pile.	Private aid.
8555	MISSISSIPPI GULF FISH REEF LIGHT E	30-20-07.080N 088-31-56.040W	FI Y 4s	17		NY on pile.	Ra ref. Private aid.
8560	MISSISSIPPI GULF FISH REEF LIGHT B	30-17-53.040N 088-35-53.040W	FI Y 4s	17		NY on pile.	Ra ref. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
PASCAGOULA HARBOR (Chart 11375)							
Pascagoula Bay							
8565	U.S.G.S. ROUND ISLAND MONITORING PLATFORM LIGHT	30-18-29.600N 088-35-02.500W	FI Y 2.5s	35		On pile.	Private aid.
8570	- Channel Day beacon 2	30-20-02.000N 088-36-03.000W				TR on pile.	Private aid.
8575	- Channel Day beacon 4	30-20-39.000N 088-36-03.000W				TR on pile.	Private aid.
8578	Graveline Bayou Channel Day beacon 1	30-21-13.310N 088-39-44.230W				SG on pile.	Private aid.
8578.01	Graveline Bayou Channel Day beacon 2	30-21-13.150N 088-39-45.000W				TR on pile.	Private aid.
8578.02	Graveline Bayou Channel Day beacon 3	30-21-22.790N 088-39-42.990W				SG on pile.	Private aid.
8578.03	Graveline Bayou Channel Day beacon 4	30-21-22.540N 088-39-41.650W				TR on pile.	Private aid.
8578.04	Graveline Bayou Channel Day beacon 5	30-21-33.450N 088-39-40.440W				SG on pile.	Private aid.
8578.05	Graveline Bayou Channel Day beacon 6	30-21-33.210N 088-39-39.100W				TR on pile.	Private aid.
8578.06	Graveline Bayou Channel Day beacon 7	30-21-35.340N 088-39-40.000W				SG on pile.	Private aid.
8578.07	Graveline Bayou Channel Day beacon 8	30-21-35.200N 088-39-38.640W				TR on pile.	Private aid.
8578.08	Graveline Bayou Channel Day beacon 9	30-21-37.610N 088-39-10.840W				SG on pile.	Private aid.
8578.09	Graveline Bayou Channel Day beacon 10	30-21-38.410N 088-39-39.830W				TR on pile.	Private aid.
8578.11	Graveline Bayou Channel Day beacon 11	30-21-39.490N 088-39-43.380W				SG on pile.	Private aid.
8578.12	Graveline Bayou Channel Day beacon 12	30-21-40.400N 088-39-12.500W				TR on pile.	Private aid.
8578.13	Graveline Bayou Channel Day beacon 13	30-21-42.910N 088-39-50.830W				SG on pile.	Private aid.
8578.14	Graveline Bayou Channel Day beacon 14	30-21-44.180N 088-39-50.680W				TR on pile.	Private aid.
Round Island							
8580	- BREAKWATER OBSTRUCTION LIGHTS (6)	30-17-28.980N 088-35-18.780W	FI W 2.5s			NW on pile worded DANGER BREAKWATER	Private aid.
8585	MISSISSIPPI SOUND PIPELINE LIGHT CP-7	30-17-09.600N 088-35-44.770W	Q W	13		On pile.	Private aid.
8590	- NORTH SPIT LIGHT 2	30-19-26.661N 088-36-30.517W	FI R 4s	17	4	TR on skeleton tower on piles.	Ra ref.
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Dog Keys Pass							
8595	- Lighted Buoy 2	30-14-42.723N 088-46-56.091W	FI R 2.5s		3	Red.	
8600	- Buoy 3 Marks shoal.	30-15-18.723N 088-46-28.090W				Green can.	
Biloxi East Channel							
8639	DEER ISLAND BREAKWATER SOUTHEAST DANGER LIGHT	30-21-14.820N 088-49-54.660W	FI W 2.5s			Marks southeast end of breakwater.	Private aid.
8640	DEER ISLAND BREAKWATER DANGER LIGHT	30-21-14.440N 088-49-57.700W	FI W 2.5s			NW on pile worded DANGER.	Private aid.
8645	DEER ISLAND BREAKWATER DANGER LIGHT	30-21-17.840N 088-50-08.170W	FI W 2.5s			NW on pile worded DANGER.	Private aid.
8650	DEER ISLAND BREAKWATER DANGER LIGHT	30-21-18.120N 088-50-07.940W	FI W 2.5s			NW on pile worded DANGER.	Private aid.
8655	DEER ISLAND BREAKWATER DANGER LIGHT	30-21-21.300N 088-50-16.700W	FI W 2.5s			NW on pile worded DANGER.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Biloxi East Channel							
8660	DEER ISLAND BREAKWATER DANGER LIGHT	30-21-21.580N 088-50-16.460W	FI W 2.5s			NW on pile worded DANGER.	Private aid.
8665	DEER ISLAND BREAKWATER DANGER LIGHT	30-21-25.150N 088-50-25.060W	FI W 2.5s			NW on pile worded DANGER.	Private aid.
8670	DEER ISLAND BREAKWATER DANGER LIGHT	30-21-25.460N 088-50-24.880W	FI W 2.5s			NW on pile worded DANGER.	Private aid.
8675	DEER ISLAND BREAKWATER DANGER LIGHT	30-21-28.610N 088-50-33.540W	FI W 2.5s			NW on pile worded DANGER.	Private aid.
8677	DEER ISLAND BREAKWATER NORTHWEST DANGER LIGHT	30-21-32.460N 088-50-44.820W	FI W 2.5s			Marks northwest end of breakwater.	Private aid.
Dog Keys Pass							
8680	Deer Island Wreck Day beacon DI	30-21-46.224N 088-52-54.618W				NW on pile worded DANGER WRECK.	
8685	MISSISSIPPI GULF KEESLER FISH REEF LIGHT	30-21-54.000N 088-53-00.000W	FI Y 6s			NY on pile.	Private aid.
8690	DEER ISLAND WRECK LIGHT WR2	30-21-43.700N 088-52-54.100W	Q R	17	4	TR on pile.	Ra ref.
Biloxi East Channel							
8695	- Day beacon 1	30-18-00.468N 088-46-33.971W				SG on pile.	Ra ref.
8700	- LIGHT 2	30-18-00.144N 088-46-29.444W	FI R 6s	17	4	TR on pile.	Ra ref.
8705	- Day beacon 3	30-18-32.651N 088-46-33.966W				SG on pile.	Ra ref.
8710	- LIGHT 4	30-18-34.184N 088-46-29.135W	FI R 4s	17	3	TR on pile.	Ra ref.
8715	- Day beacon 5	30-19-09.165N 088-46-33.904W				SG on pile.	Ra ref.
8720	- Day beacon 6	30-19-09.274N 088-46-28.922W				TR on pile.	Ra ref.
8725	- Day beacon 7	30-19-42.407N 088-46-33.949W				SG on pile.	Ra ref.
8730	- WRECK LIGHT WR7A	30-19-53.409N 088-46-55.530W	Q G	17	3	SG on pile.	Ra ref.
8735	- LIGHT 8	30-19-42.605N 088-46-28.681W	FI R 2.5s	17	3	TR on pile.	Ra ref.
8740	- Day beacon 9	30-20-21.475N 088-46-34.393W				SG on pile.	Ra ref.
8745	- LIGHT 10	30-20-20.958N 088-46-28.408W	Q R	17	3	TR on pile.	Ra ref.
8750	- Day beacon 11	30-20-50.794N 088-46-47.888W				SG on pile.	Ra ref.
8755	- Day beacon 12	30-20-52.234N 088-46-43.691W				TR on pile.	Ra ref.
8760	- Day beacon 13	30-21-23.266N 088-47-05.465W				SG on pile	Ra ref.
8765	- LIGHT 14	30-21-23.475N 088-47-00.112W	Q R	17	3	TR on pile.	Ra ref.
8770	- Day beacon 16	30-21-47.698N 088-47-29.892W				TR on pile.	Ra ref.
8775	- Day beacon 17	30-22-07.977N 088-48-04.168W				SG on pile.	Ra ref.
8780	- LIGHT 18	30-22-11.634N 088-47-59.655W	FI R 2.5s	17	3	TR on pile.	Ra ref.
8785	- Day beacon 20	30-22-36.716N 088-48-30.097W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Biloxi East Channel							
8790	- Day beacon 21	30-22-55.277N 088-49-00.232W				SG on pile.	Ra ref.
8795	- LIGHT 22	30-22-59.146N 088-48-58.538W	FI R 2.5s	17	3	TR on pile.	Ra ref.
8800	- Day beacon 24	30-23-23.047N 088-49-28.822W				TR on pile.	Ra ref.
8805	- LIGHT 26	30-23-38.525N 088-49-47.760W	Q R	17	3	TR on pile.	Ra ref.
8810	- Day beacon 27	30-23-43.037N 088-50-01.448W				SG on pile.	Ra ref.
8815	- LIGHT 29	30-23-48.664N 088-50-12.174W	FI G 2.5s	17	4	SG on pile.	Ra ref.
8820	- Day beacon 30	30-23-54.906N 088-50-12.026W				TR on pile.	Ra ref.
8825	- Day beacon 31	30-23-59.057N 088-50-25.708W				SG on pile.	Ra ref.
Davis Bayou Channel							
8830	- Day beacon 1	30-23-31.610N 088-48-52.760W				SG on pile.	Private aid.
8830.01	- LIGHT 2	30-23-30.040N 088-48-51.900W	FI R 2.5s			TR on pile.	Private aid.
8830.02	- Day beacon 4	30-23-31.420N 088-48-45.620W				TR on pile.	Private aid.
8830.03	- Day beacon 6	30-23-32.340N 088-48-42.050W				TR on pile.	Private aid.
8830.04	- Day beacon 3	30-23-34.730N 088-48-39.710W				SG on pile.	Private aid.
8830.05	- Day beacon 8	30-23-32.010N 088-48-32.620W				TR on pile.	Private aid.
8830.06	- DANGER LIGHT	30-23-33.320N 088-48-29.230W	FI W 2.5s			NW on pile worded DANGER SUBMERGED ROCKS.	Private aid.
8830.07	- Day beacon 10	30-23-29.200N 088-48-19.000W				TR on pile.	Private aid.
8830.08	- Day beacon 12	30-23-28.430N 088-48-11.000W				TR on pile.	Private aid.
8830.09	- Day beacon 14	30-23-28.440N 088-48-06.150W				TR on pile.	Private aid.
8830.11	- Day beacon 5	30-23-29.720N 088-48-05.880W				SG on pile.	Private aid.
8830.12	- Day beacon 16	30-23-28.190N 088-47-57.300W				TR on pile.	Private aid.
8830.13	- Day beacon 18	30-23-27.780N 088-47-51.740W				TR on pile.	Private aid.
8830.14	- Day beacon 7	30-23-28.800N 088-47-50.230W				SG on pile.	Private aid.
8830.15	- Day beacon 9	30-23-27.960N 088-47-46.660W				SG on pile.	Private aid.
8830.16	- Day beacon 20	30-23-26.530N 088-47-46.250W				TR on pile.	Private aid.
8830.17	- Day beacon 22	30-23-24.460N 088-47-40.120W				TR on pile.	Private aid.
8830.18	- Day beacon 11	30-23-25.590N 088-47-39.860W				SG on pile.	Private aid.
8830.19	- Day beacon 24	30-23-19.780N 088-47-34.880W				TR on pile.	Private aid.
8830.21	- Day beacon 13	30-23-20.780N 088-47-34.000W				SG on pile.	Private aid.
8830.22	- Day beacon 26	30-23-15.430N 088-47-29.040W				TR on pile.	Private aid.
8831	Univ of Southern Mississippi Research Vessel Preferred Channel Day beacon B	30-23-30.966N 088-47-46.248W				JR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Davis Bayou Channel							
8950	OCEAN SPRINGS CHANNEL LIGHT 2	30-23-53.475N 088-49-37.930W	FI R 2.5s	17	3	TR on dolphin.	
Biloxi Channel							
8955	BILOXI LIGHT	30-23-42.000N 088-54-06.000W	Oc W 4s	61		White conical tower, black balustrade.	Higher intensity beam to south. Private aid.
8960	- Day beacon 1	30-21-35.081N 088-54-13.377W				SG on pile.	Ra ref.
8965	- LIGHT 2 100 feet outside channel limit.	30-21-35.677N 088-54-07.512W	FI R 6s	17	4	TR on pile.	Ra ref.
8970	- LIGHT 4	30-22-07.163N 088-54-06.631W	FI R 6s	17	4	TR on pile.	Ra ref.
8975	- Day beacon 5	30-22-37.517N 088-54-10.243W				SG on pile.	Ra ref.
8980	- LIGHT 6	30-22-35.429N 088-54-05.950W	FI R 4s	17	3	TR on pile.	Ra ref.
8985	- LIGHT 8	30-22-58.852N 088-54-05.696W	FI R 2.5s	17	3	TR on pile.	Ra ref.
8990	- Day beacon 9	30-23-14.338N 088-54-07.001W				SG on pile.	Ra ref.
8995	- LIGHT 10	30-23-14.614N 088-54-03.009W	Q R	17	3	TR on pile.	Ra ref.
9000	- LIGHT 12	30-23-21.714N 088-53-56.909W	FI R 2.5s	17	3	TR on pile.	Ra ref.
9005	- Day beacon 14	30-23-25.242N 088-53-47.517W				TR on pile.	Ra ref.
9010	- Day beacon 16	30-23-25.714N 088-53-30.108W				TR on pile.	Ra ref.
9015	BILOXI SMALL CRAFT HARBOR ENTRANCE WEST LIGHT	30-23-26.400N 088-53-02.400W	FI G 4s	12		SG on bulkhead.	Private aid.
9020	BILOXI SMALL CRAFT HARBOR ENTRANCE EAST LIGHT	30-23-26.400N 088-53-01.200W	FI R 4s	12		TR on bulkhead.	Private aid.
9025	BILOXI COMMERCIAL DOCKING EAST ENTRANCE LIGHT	30-23-27.000N 088-53-12.000W	FI R 2.5s	13		TR on bulkhead.	Private aid.
9030	BILOXI COMMERCIAL DOCKING WEST ENTRANCE LIGHT	30-23-27.000N 088-53-13.000W	FI G 2.5s			SG on bulkhead.	Private aid.
9035	- LIGHT 18	30-23-23.741N 088-53-01.037W	FI R 2.5s	17	3	TR on pile.	Ra ref.
9040	- Day beacon 20	30-23-22.315N 088-52-36.606W				TR on pile.	Ra ref.
9045	- LIGHT 21	30-23-23.943N 088-52-14.495W	Q G	17	3	SG on pile.	Ra ref.
9050	- Day beacon 22	30-23-20.000N 088-52-13.800W				TR on pile.	Ra ref.
9055	GRAND CASINO LIGHT	30-23-24.890N 088-51-56.120W	FI G 2.5s	7		On barge.	Private aid.
9060	- Day beacon 24	30-23-17.100N 088-51-50.700W				TR on pile.	Ra ref.
9065	POINT CADET MARINA BREAKWATER LIGHT 1	30-23-18.100N 088-51-40.970W	Q G	12		SG atop breakwater wall.	Private aid.
9070	Point Cadet Marina Breakwater Day beacon 2	30-23-19.610N 088-51-40.970W				TR atop breakwater wall.	Private aid.
9075	POINT CADET MARINA BREAKWATER LIGHT 3	30-23-18.120N 088-51-36.130W	FI G 4s	12		SG atop breakwater wall.	Private aid.
9080	Point Cadet Marina Breakwater Day beacon 4	30-23-18.130N 088-51-31.820W				TR atop breakwater wall.	Private aid.
9085	POINT CADET MARINA BREAKWATER LIGHT 5	30-23-18.170N 088-51-26.960W	FI G 4s	12		SG atop breakwater wall.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Biloxi Channel							
9090	Point Cadet Marina Breakwater Day beacon 6	30-23-18.250N 088-51-25.630W				TR atop breakwater wall.	Private aid.
9095	- Day beacon 26	30-23-15.180N 088-51-34.465W				TR on pile.	Ra ref.
9100	- LIGHT 27	30-23-16.835N 088-51-22.457W	Q G	17	3	SG on dolphin.	Ra ref.
9105	- Day beacon 28	30-23-12.348N 088-51-08.301W				TR on pile.	Ra ref.
9110	- LIGHT 30	30-23-11.115N 088-50-54.498W	Q R	17	3	TR on pile.	Ra ref.
9115	- Day beacon 32	30-23-18.754N 088-50-35.280W				TR on pile.	Ra ref.
9120	- LIGHT 34	30-23-24.185N 088-50-21.271W	FI R 2.5s	17	3	TR on pile.	Ra ref.
9125	- Day beacon 35	30-23-36.716N 088-49-54.099W				SG on pile.	Ra ref.
Ott Bayou Channel							
9130	- Day beacon 1	30-24-24.176N 088-51-01.640W				SG on pile.	Ra ref.
9135	- Day beacon 3	30-24-14.602N 088-51-23.245W				SG on pile.	Ra ref.
9140	- Day beacon 5	30-24-11.560N 088-51-26.418W				SG on pile.	Ra ref.
9145	- Day beacon 7	30-23-54.120N 088-51-29.160W				SG on pile.	Ra ref.
9150	PALACE CASINO MARINA ENTRANCE LIGHT 1	30-23-52.200N 088-51-36.300W	FI G 4s			SG on pile.	Private aid.
9155	PALACE CASINO MARINA ENTRANCE LIGHT 2	30-23-52.200N 088-51-34.200W	FI R 2.5s			TR on pile.	Private aid.
Old Fort Bayou Channel							
9160	- Day beacon 1	30-25-24.521N 088-51-18.553W				SG on pile.	Private aid.
9160.01	- LIGHT 2	30-25-24.572N 088-51-16.814W	FI R 2.5s			TR on pile.	Private aid.
9160.02	- Day beacon 3	30-25-29.203N 088-51-15.952W				SG on pile.	Private aid.
9160.03	- Day beacon 4	30-25-29.814N 088-51-13.801W				TR on pile.	Private aid.
9160.04	- Day beacon 6	30-25-35.066N 088-51-09.290W				TR on pile.	Private aid.
9160.05	- Day beacon 5	30-25-38.647N 088-51-04.864W				SG on pile.	Private aid.
9160.06	- Day beacon 8	30-25-36.628N 088-51-03.180W				TR on pile.	Private aid.
9160.07	- Day beacon 10	30-25-35.410N 088-50-55.782W				TR on pile.	Private aid.
9160.08	- Day beacon 7	30-25-35.471N 088-50-53.006W				SG on pile.	Private aid.
9160.09	- Day beacon 12	30-25-27.612N 088-50-46.853W				TR on pile.	Private aid.
9160.11	- Day beacon 14	30-25-23.164N 088-50-42.571W				TR on pile.	Private aid.
9160.12	- Day beacon 9	30-25-21.885N 088-50-37.136W				SG on pile.	Private aid.
9160.13	- Day beacon 16	30-25-17.356N 088-50-35.213W				TR on pile.	Private aid.
9160.14	- Day beacon 18	30-25-17.160N 088-50-24.691W				TR on pile.	Private aid.
9160.15	- Day beacon 11	30-25-19.399N 088-50-21.250W				SG on pile.	Private aid.
9160.17	- Day beacon 20	30-25-17.360N 088-50-21.613W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Old Fort Bayou Channel							
9160.18	- LIGHT 22	30-25-16.972N 088-50-18.671W	FI R 2.5s			TR on pile.	Private aid.
9160.19	- Day beacon 24	30-25-16.134N 088-50-14.724W				TR on pile.	Private aid.
9160.21	- Day beacon 26	30-25-12.805N 088-50-09.512W				TR on pile.	Private aid.
9160.22	- Day beacon 13	30-25-10.507N 088-50-00.480W				SG on pile.	Private aid.
9160.23	- Day beacon 28	30-25-07.108N 088-49-54.782W				TR on pile.	Private aid.
Back Bay of Biloxi							
9260	- Buoy 2	30-24-42.919N 088-51-08.099W				Red nun.	
9265	- Day beacon 3	30-24-40.357N 088-51-14.800W				SG on pile.	Ra ref.
9270	- WRECK LIGHT WR3A	30-24-39.723N 088-51-30.315W	Q G	17	3	SG on pile.	Ra ref.
9275	- Day beacon 4	30-24-44.653N 088-51-43.526W				TR on pile.	Ra ref.
9280	- Day beacon 5	30-24-40.816N 088-51-43.029W				SG on pile.	Ra ref.
9285	- WRECK LIGHT WR5A	30-24-39.108N 088-52-18.682W	Q G	17	3	SG on pile.	Ra ref.
9290	- Day beacon 6	30-24-47.736N 088-52-30.012W				TR on pile.	Ra ref.
9295	- LIGHT 7 75 feet outside channel limit.	30-24-42.609N 088-52-31.675W	Oc G 4s	17	3	SG on dolphin.	Ra ref.
9300	- Day beacon 8	30-24-50.896N 088-52-42.856W				TR on pile.	Ra ref.
9305	BILOXI PORT COMMISSION FISHING DOCK LIGHT	30-24-47.713N 088-52-46.832W	FI G 2.5s	19		On dolphins.	Private aid.
9310	- Day beacon 10	30-25-04.209N 088-53-00.908W				TR on pile.	Ra ref.
9315	AMERICAN COMMERCIAL DOLPHIN LIGHTS (4)	30-25-04.000N 088-53-13.000W	FI G 2.5s	22		On dolphins.	Private aid.
9320	MISSISSIPPI POWER ELECTRICAL TOWER CROSSING LIGHT	30-25-19.000N 088-53-28.000W	FI G 2.5s			On dolphin.	Private aid.
9325	MISSISSIPPI POWER ELECTRICAL TOWER CROSSING LIGHT	30-25-15.000N 088-53-28.000W	FI R 2.5s			On dolphin.	Private aid.
9330	- Day beacon 12	30-25-35.808N 088-54-06.936W				TR on pile.	Ra ref.
9335	- Day beacon 14	30-25-32.505N 088-54-47.335W				TR on pile.	Ra ref.
9340	- Day beacon 16	30-25-22.312N 088-55-21.213W				TR on pile.	Ra ref.
9345	- Day beacon 18	30-25-03.353N 088-55-54.868W				TR on pile.	Ra ref.
9350	- Day beacon 19	30-25-12.712N 088-56-48.117W				SG on pile.	Ra ref.
9355	- Day beacon 20	30-25-18.712N 088-56-54.117W				TR on pile.	Ra ref.
9360	- Day beacon 22	30-25-14.140N 088-57-34.187W				TR on pile.	Ra ref.
9365	- Day beacon 23	30-25-10.007N 088-57-56.523W				SG on pile.	Ra ref.
9370	- Day beacon 24	30-25-06.843N 088-58-13.942W				TR on pile.	Ra ref.
9375	Biloxi River Day beacon 1	30-25-23.199N 088-58-46.522W				SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Big Lake							
9380	- Junction Day beacon	30-24-58.514N 088-58-50.143W				JR on pile.	Ra ref.
9385	- Day beacon 26	30-24-54.917N 088-59-11.561W				TR on pile.	Ra ref.
9390	- Day beacon 28	30-24-48.036N 088-59-26.093W				TR on pile.	Ra ref.
9395	- Day beacon 29	30-24-43.708N 088-59-26.256W				SG on pile.	Ra ref.
9400	- Day beacon 30	30-24-49.221N 088-59-32.315W				TR on pile.	Ra ref.
9405	- Day beacon 32	30-24-54.234N 088-59-41.524W				TR on pile.	Ra ref.
9410	- Day beacon 33	30-24-51.015N 088-59-43.228W				SG on pile.	Ra ref.
9415	- Day beacon 34	30-24-55.710N 088-59-55.767W				TR on pile.	Ra ref.
9420	- Day beacon 36	30-24-56.753N 089-00-07.268W				TR on pile.	Ra ref.
9425	U.S.G.S. GULFPORT MONITORING PLATFORM LIGHT	30-19-12.000N 088-58-33.000W	FI Y 2.5s	37			Maintained by U.S. Geological Survey. Private aid.
9430	MISSISSIPPI POWER NORTH LIGHT	30-25-15.200N 089-00-04.500W	Q W			On platform.	Private aid.
9435	MISSISSIPPI POWER SOUTH LIGHT	30-25-10.900N 089-00-09.100W	Q W			On platform.	Private aid.
9440	WARREN PAVING BARGE DOCK LIGHTS (2)	30-25-24.000N 089-01-30.000W	FI R 2.5s	20		On dock.	Private aid.
Bernard Bayou							
9445	- LIGHT 1	30-24-57.412N 089-00-15.346W	FI G 6s	17	4	SG on pile.	Ra ref.
9450	- LIGHT 2	30-25-07.411N 089-00-24.925W	Q R	17	3	TR on pile.	Ra ref.
9455	- LIGHT 3	30-25-36.709N 089-02-36.130W	FI G 2.5s	17	3	SG on pile.	Ra ref.
9460	- LIGHT 5	30-25-34.409N 089-03-09.232W	FI G 4s	17	4	SG on dolphin.	Ra ref.
9465	- LIGHT 9	30-25-27.108N 089-03-58.434W	Q G	17	3	SG on dolphin.	Ra ref.
9467	<i>Gulf Ship Lighted Containment Buoys (2)</i>	30-25-37.440N 089-02-47.580W	FI W 2.5s			Marks upstream/downstre am temporary containment area at shipyard slip.	Buoys deployed during dry dock operations only. Private aid.
9470	- LIGHT 11	30-25-37.255N 089-04-12.877W	FI G 4s	17	4	SG on dolphin.	Ra ref.
9475.01	- <i>Lighted Buoy 13</i>	30-25-43.528N 089-04-24.528W	FI G 2.5s		3		Green.
9480	MISSISSIPPI GULF FISHING REEF LIGHT B	30-15-24.000N 088-54-00.000W	FI Y 6s	17		NY on pile.	Ra ref. Private aid.
9485	MISSISSIPPI GULF FISHING REEF LIGHT C	30-16-00.000N 088-57-42.000W	FI Y 6s	17		NY on pile.	Ra ref. Private aid.
Treasure Bay Casino Channel							
9490	- Day beacon 1	30-22-50.000N 088-57-17.000W				SG on pile.	Private aid.
9495	- Day beacon 2	30-22-50.000N 088-57-15.000W				TR on pile.	Private aid.
9500	- Day beacon 3	30-22-57.000N 088-57-17.000W				SG on pile.	Private aid.
9505	- Day beacon 4	30-22-57.000N 088-57-15.000W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Treasure Bay Casino Channel							
9510	- Day beacon 5	30-23-04.000N 088-57-17.000W				SG on pile.	Private aid.
9515	- Day beacon 6	30-23-04.000N 088-57-15.000W				TR on pile.	Private aid.
9520	- Day beacon 7	30-23-11.000N 088-57-17.000W				SG on pile.	Private aid.
9525	- Day beacon 8	30-23-11.000N 088-57-15.000W				TR on pile.	Private aid.
9530	- Day beacon 9	30-23-18.000N 088-57-17.000W				SG on pile.	Private aid.
9535	- Day beacon 10	30-23-18.000N 088-57-15.000W				TR on pile.	Private aid.
Broadwater Beach Hotel Marina Channel							
9540	- Day beacon 2	30-22-42.000N 088-57-50.820W				TR on pile.	Private aid.
9545	- Day beacon 3	30-22-51.910N 088-57-50.060W				SG on pile.	Private aid.
9550	- Day beacon 4	30-23-01.800N 088-57-51.120W				TR on pile.	Private aid.
9555	- Day beacon 5	30-22-22.210N 088-57-50.520W				SG on pile.	Private aid.
9560	- Day beacon 6	30-23-11.710N 088-57-50.360W				TR on pile.	Private aid.
9565	- Day beacon 7	30-23-15.880N 088-57-51.330W				SG on pile.	Private aid.
9570	- LIGHT	30-23-24.000N 088-57-54.000W	FI W 5s	67		White cylindrical structure.	Private aid.
MISSISSIPPI SOUND AND APPROACHES (Chart 11373)							
Gulfport Ship Channel							
9575 340	- Lighted Buoy GP	30-07-09.931N 088-52-39.881W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
9580 335	SHIP ISLAND LIGHT	30-12-45.414N 088-57-58.736W	FI W 6s	82	6	Skeleton tower on concrete block. On same structure as Ship Channel Upper Reach Outbound Range Rear Light.	
9585	- Lighted Buoy 2 100 feet outside channel limit.	30-07-10.272N 088-53-49.179W	FI R 2.5s		3	Red.	
9590	- Lighted Buoy 3 250 feet outside channel limit.	30-07-00.973N 088-54-44.357W	FI G 4s		4	Green.	
9595	- Lighted Buoy 4 100 feet outside channel limit.	30-07-08.408N 088-54-44.618W	FI R 4s		3	Red.	
9600	- Lighted Buoy 6 90 feet outside channel limit.	30-07-06.522N 088-55-39.553W	Q R		3	Red.	
9605	- Lighted Buoy 7 50 feet outside channel limit.	30-07-00.463N 088-55-50.316W	Q G		3	Green.	
9610	- Lighted Buoy 8 130 feet outside channel limit.	30-07-14.163N 088-55-53.440W	Oc R 4s		4	Red.	
9615	- Lighted Buoy 9 70 feet outside channel limit.	30-07-49.555N 088-56-30.876W	FI G 2.5s		4	Green.	
9620	- Lighted Buoy 10 130 feet outside channel limit.	30-07-53.006N 088-56-25.317W	FI R 2.5s		3	Red.	
9625	- Lighted Buoy 11 80 feet outside channel limit.	30-08-28.614N 088-57-02.980W	FI G 4s		4	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
MISSISSIPPI SOUND AND APPROACHES (Chart 11373)							
Gulfport Ship Channel							
9630	- <i>Lighted Buoy 12</i> 120 feet outside channel limit.	30-08-32.066N 088-56-57.419W	FI (2)R 5s		3	Red.	
9635	- <i>Lighted Buoy 13</i> 120 feet outside channel limit.	30-09-07.619N 088-57-35.577W	FI G 2.5s		4	Green.	
9640	- <i>Lighted Buoy 14</i> 120 feet outside channel limit.	30-09-11.122N 088-57-29.529W	FI R 2.5s		3	Red.	
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Gulfport Ship Channel							
9645	- <i>Lighted Buoy 15</i> 90 feet outside channel limit.	30-09-46.725N 088-58-07.207W	FI G 4s		3	Green.	
9650	- <i>Lighted Buoy 16</i> 110 feet outside channel limit.	30-09-50.177N 088-58-01.646W	FI R 4s		3	Red.	
9655	- <i>Lighted Buoy 17</i> 90 feet outside channel limit.	30-10-25.777N 088-58-39.332W	FI G 6s		3	Green.	
9660	- <i>Lighted Buoy 18</i> 110 feet outside channel limit.	30-10-29.229N 088-58-33.769W	FI R 6s		3	Red.	
9665	- <i>Lighted Buoy 20</i> 100 feet outside channel limit.	30-11-08.350N 088-59-05.970W	Q R		3	Red.	
9670	- <i>Lighted Buoy 21</i> 100 feet outside channel limit.	30-11-19.696N 088-59-23.653W	Q G		3	Green.	
9675	GULFPORT MIDDLE REACH INBOUND RANGE FRONT LIGHT	30-15-58.575N 089-00-25.889W	Q W		25	KRW on skeleton tower on piles.	Visible all around; higher intensity 1.5° each side rangeline.
9680	GULFPORT MIDDLE REACH INBOUND RANGE REAR LIGHT 4,400 yards, 348.4° from front light.	30-18-06.375N 089-00-56.038W	Iso W 6s		69	KRW on skeleton tower on piles.	Visible on rangeline only.
9685	GULFPORT MIDDLE REACH CHANNEL INBOUND RANGE REAR PASSING LIGHT	30-18-06.372N 089-00-56.035W	FI W 4s		20	5	On same structure as Gulfport Ship Channel Middle Reach Inbound Range Rear Light.
9690	- <i>Lighted Buoy 22</i> 100 feet outside channel limit.	30-11-38.708N 088-59-21.199W	Oc R 4s		3	Red.	
9695	- <i>Lighted Buoy 23</i> 100 feet outside channel limit.	30-12-12.108N 088-59-36.035W	FI G 4s		3	Green.	
9700	- <i>Lighted Buoy 24</i> 100 feet outside channel limit.	30-12-13.299N 088-59-29.336W	FI R 6s		3	Red.	
9705	SHIP ISLAND PASS ENTRANCE RANGE FRONT LIGHT	30-12-09.243N 089-00-00.284W	Q W (NIGHT) Q W (DAY)		39 37	Skeleton tower on piles.	Day: Visible 4° each side of range line. Night: Visible all around, higher intensity on range line.
9710	SHIP ISLAND PASS ENTRANCE RANGE REAR LIGHT 6000 yards, 324.5° from front light.	30-14-34.298N 089-01-59.409W	Oc W 4s (NIGHT) Oc W 4s (DAY)		117 115	Skeleton tower on piles.	Visible 2° each side of range line.
9715	SHIP ISLAND PASS ENTRANCE RANGE REAR PASSING LIGHT	30-14-34.298N 089-01-59.409W	FI W 4s		43	6	On same structure as Ship Island Pass Range Rear Light.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Gulfport Ship Channel							
9720	- Lighted Buoy 25 100 feet outside channel limit.	30-12-56.970N 088-59-46.604W	FI G 2.5s		3	Green.	
9725	- Lighted Buoy 26 100 feet outside channel limit.	30-12-58.161N 088-59-39.905W	FI R 2.5s		3	Red.	
9730	- LIGHT 27	30-13-21.813N 088-59-52.075W	FI G 6s	17	4	SG on pile.	Ra ref.
9735	- LIGHT 28	30-13-22.670N 088-59-45.895W	FI R 4s	17	3	TR on pile.	Ra ref.
9740	- LIGHT 29	30-13-51.295N 088-59-59.023W	FI G 4s	17	4	SG on pile.	Ra ref.
9745	- LIGHT 30	30-13-52.462N 088-59-52.672W	FI R 6s	17	4	TR on pile.	Ra ref.
9750	CHEVRON PIPELINE LIGHT A	30-14-02.900N 089-00-08.000W	FI Y 2.5s	15		On pile.	Private aid.
9755	CHEVRON PIPELINE LIGHT B	30-14-12.600N 088-59-53.500W	FI Y 2.5s	15		On pile.	Private aid.
9760	- LIGHT 31	30-14-20.777N 089-00-05.971W	FI G 6s	17	4	SG on pile.	Ra ref.
9765	- LIGHT 32	30-14-21.967N 088-59-59.268W	FI R 4s	17	3	TR on pile.	Ra ref.
9770	- LIGHT 33	30-14-50.149N 089-00-13.175W	FI G 4s	17	4	SG on pile.	Ra ref.
9775	- LIGHT 34	30-14-51.449N 089-00-06.217W	FI R 2.5s	17	3	TR on pile.	Ra ref.
9780	- LIGHT 35	30-15-19.741N 089-00-19.869W	Q G	17	3	SG on pile.	Ra ref.
9785	GULFPORT OBSTRUCTION LIGHT	30-14-03.022N 088-58-59.997W	Q W	35	6	NB on concrete structure.	
9790	GULFPORT UPPER REACH OUTBOUND RANGE FRONT LIGHT	30-13-50.741N 088-58-53.883W	Q W	35		KRW on pile.	Visible all around; higher intensity on the range line.
9795	GULFPORT UPPER REACH OUTBOUND RANGE REAR LIGHT 2,728 yards, 143.8° from front light.	30-12-45.414N 088-57-58.736W	Iso W 6s	81		KRW on skeleton tower on concrete pile. On same structure as Ship Island Light.	Visible 2° each side of rangeline.
9800	- LIGHT 36	30-15-34.760N 089-00-16.252W	Q R	17	3	TR on pile.	Ra ref.
9805	- LIGHT 37	30-15-40.645N 089-00-30.306W	Oc G 4s	17	4	SG on pile.	Ra ref.
9810	- LIGHT 39	30-16-04.604N 089-00-50.579W	FI G 4s	17	4	SG on pile.	Ra ref.
9815	- LIGHT 40	30-16-08.083N 089-00-45.067W	FI R 4s	17	3	TR on pile.	Ra ref.
9820 34385	- LIGHT 41	30-16-31.500N 089-01-13.828W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
9825 34380	- LIGHT 42	30-16-31.829N 089-01-05.614W	Iso R 6s	17	4	TR-SY on dolphin.	Ra ref.
9830 34395	- LIGHT 43	30-17-03.596N 089-01-40.858W	Iso G 6s	17	4	SG-TY on dolphin.	Ra ref.
9835 34390	- LIGHT 44	30-17-03.627N 089-01-32.419W	FI R 2.5s	17	4	TR-TY on pile.	Ra ref.
9840	- LIGHT 45	30-17-24.439N 089-01-58.709W	FI G 4s	17	4	SG on pile.	Ra ref.
9845	- LIGHT 46	30-17-27.959N 089-01-53.197W	FI R 4s	17	3	TR on pile.	Ra ref.
9850	- LIGHT 47	30-17-48.676N 089-02-19.259W	FI G 4s	17	4	SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Gulfport Ship Channel							
9855	- LIGHT 48	30-17-52.196N 089-02-13.747W	FI R 4s	17	3	TR on pile.	Ra ref.
9860	- LIGHT 49	30-18-12.913N 089-02-39.810W	FI G 4s	17	4	SG on pile.	Ra ref.
9865	- LIGHT 50	30-18-16.433N 089-02-34.298W	FI R 4s	17	3	TR on pile.	Ra ref.
9870	GULFPORT UPPER REACH INBOUND RANGE FRONT LIGHT	30-21-12.217N 089-05-07.514W	Q R	35		KRW on skeleton tower on piles.	Visible all around; higher intensity on the range line.
9875	GULFPORT UPPER REACH INBOUND RANGE REAR LIGHT 1,672 yards, 323.7° from front light.	30-21-52.325N 089-05-41.541W	Oc R 4s	81		KRW on skeleton tower on block.	Visible 2° each side of rangeline. Ra ref.
9880	- LIGHT 51	30-18-37.151N 089-03-00.364W	FI G 4s	17	4	SG on pile.	Ra ref.
9885	- LIGHT 52	30-18-39.567N 089-02-54.095W	FI R 4s	17	3	TR on pile.	Ra ref.
9890	- LIGHT 53	30-19-00.834N 089-03-20.628W	FI G 2.5s	17	3	SG on pile.	Ra ref.
9895	- LIGHT 54	30-19-04.852N 089-03-15.556W	FI R 2.5s	17	3	TR on pile.	Ra ref.
9905	- LIGHT 55	30-19-25.215N 089-03-41.160W	FI G 4s	17	4	SG on pile.	Ra ref.
9910	- LIGHT 56	30-19-29.146N 089-03-35.962W	FI R 4s	17	3	TR on pile.	Ra ref.
9915	- LIGHT 57	30-19-49.638N 089-04-01.806W	FI G 6s	17	4	SG on pile.	Ra ref.
9920	- LIGHT 58	30-19-53.383N 089-03-56.519W	FI R 6s	17	4	TR on pile.	Ra ref.
9925	- LIGHT 59	30-20-14.013N 089-04-22.786W	FI G 4s	17	4	SG on pile.	Ra ref.
9930	- LIGHT 60	30-20-18.713N 089-04-18.131W	FI R 4s	17	3	TR on pile.	Ra ref.
9935	- LIGHT 61	30-20-38.338N 089-04-43.148W	FI G 2.5s	17	4	SG on pile.	Ra ref.
9940	- LIGHT 62	30-20-41.858N 089-04-37.637W	FI R 2.5s	17	3	TR on pile.	Ra ref.
9945	- LIGHT 63	30-20-54.269N 089-04-56.576W	Q G	17	3	SG on pile.	Ra ref.
9950	PORT AUTHORITY DOLPHIN LIGHT	30-20-51.120N 089-05-12.180W	FI R 6s			On dolphin.	Private aid.
9952	PORT OF GULFPORT MOORING PILE LIGHTS (4)	30-21-31.300N 089-05-33.370W	FI W 2.5s			Marks T-pier mooring piles.	Private aid.
GULF COAST (Louisiana) - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Courthouse Road Boat Launch Channel							
9955	- LIGHT 2	30-22-18.000N 089-02-40.000W	FI R 2.5s	14		TR on pile.	Private aid.
9960	- Day beacon 3	30-22-22.000N 089-02-41.000W				SG on pile.	Private aid.
9965	- Day beacon 4	30-22-25.000N 089-02-40.000W				TR on pile.	Private aid.
9970	- Day beacon 5	30-22-28.000N 089-02-41.000W				SG on pile.	Private aid.
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Gulfport Small Boat Harbor							
9975	- Buoy 1	30-20-42.770N 089-04-52.681W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Gulfport Small Boat Harbor							
9980	- LIGHT 3 30 feet outside channel limits.	30-20-35.504N 089-05-16.900W	FI G 2.5s	17	4	SG on pile.	Ra ref.
9985	- Day beacon 4 30 feet outside channel limit.	30-20-37.887N 089-05-16.951W				TR on pile.	Ra ref.
9990	- LIGHT 5 30 feet outside channel limits.	30-20-47.470N 089-05-40.188W	Q G	17	3	SG on pile.	Ra ref.
9995	- Day beacon 6 30 feet outside channel limit.	30-20-49.279N 089-05-38.771W				TR on pile.	Ra ref.
10000	- Day beacon 5A 30 feet outside channel limit.	30-21-02.896N 089-05-52.307W				SG on pile.	Ra ref.
10005	- Buoy 6A	30-21-18.107N 089-06-00.112W				Red nun.	
10010	- LIGHT 7 30 feet outside channel limits.	30-21-18.748N 089-06-03.664W	FI G 4s	17	4	SG on pile.	Ra ref.
10015	- Buoy 8	30-21-21.648N 089-05-58.436W				Red nun.	
10020	GULFPORT HARBOR LIGHTHOUSE	30-21-22.000N 089-05-12.000W	FI W 4s	46		On skeleton tower.	Private aid.
Gulfport Yacht Basin Channel							
10025	- LIGHT 2	30-21-13.046N 089-04-56.040W	Q R	17	4	TR on dolphin.	Ra ref.
10030	- Day beacon 3	30-21-14.919N 089-04-59.251W				SG on pile.	Ra ref.
10035	- LIGHT 4	30-21-20.395N 089-05-01.844W	FI R 2.5s	17	3	TR on pile.	Ra ref.
10040	- Day beacon 5 20 feet outside channel limit.	30-21-24.534N 089-05-07.362W				SG on pile.	Ra ref.
10045	- LIGHT 6	30-21-29.207N 089-05-08.699W	FI R 6s	17	3	TR on pile.	Ra ref.
10050	- Day beacon 7	30-21-30.495N 089-05-12.540W				SG on pile.	Ra ref.
10055	- LIGHT 8	30-21-32.412N 089-05-12.234W	FI R 4s	20	3	TR on dolphin.	Ra ref.
10060	- Day beacon 9	30-21-33.614N 089-05-15.396W				SG on pile.	Ra ref.
10065	- LIGHT 10	30-21-35.960N 089-05-15.360W	FI (2)R 5s	17	3	TR on pile.	Ra ref.
Mississippi Sound							
10070	- PIPELINE LIGHT CP-5	30-13-39.050N 089-00-45.930W	Q W	13		On pile.	Private aid.
Long Beach Harbor							
10075	- ENTRANCE LIGHT 1	30-20-25.000N 089-08-22.000W	FI G 4s	14		SG on pile.	Private aid.
10080	- ENTRANCE LIGHT 2	30-20-26.000N 089-08-21.000W	FI R 4s	14		TR on pile.	Private aid.
10085	- Day beacon 3	30-20-27.000N 089-08-24.000W				SG on pile.	Private aid.
10090	- Day beacon 4	30-20-28.000N 089-08-23.000W				TR on pile.	Private aid.
10095	- Day beacon 5	30-20-29.000N 089-08-26.000W				SG on pile.	Private aid.
10100	- Day beacon 6	30-20-30.000N 089-08-24.000W				TR on pile.	Private aid.
10105	- Day beacon 7	30-20-30.000N 089-08-27.000W				SG on pile.	Private aid.
10110	- Day beacon 8	30-20-31.000N 089-08-28.000W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Long Beach Harbor							
10115	- Day beacon 9	30-20-32.000N 089-08-28.000W				SG on pile.	Private aid.
10120	- Day beacon 10	30-20-33.000N 089-08-27.000W				TR on pile.	Private aid.
10125	- Day beacon 11	30-20-32.000N 089-08-29.000W				SG on pile.	Private aid.
10130	- Day beacon 12	30-20-33.000N 089-08-29.000W				TR on pile.	Private aid.
10135	- Day beacon 13	30-20-32.000N 089-08-30.000W				SG on pile.	Private aid.
10140	- Day beacon 14	30-20-33.000N 089-08-31.000W				TR on pile.	Private aid.
Cat Island Channel							
10145	- Buoy A	30-10-46.719N 089-07-25.133W				Red and white stripes.	
10150	- Buoy B	30-11-24.919N 089-08-33.635W				Red and white stripes.	
10155	- Buoy C	30-12-02.717N 089-09-48.138W				Red and white stripes.	
10160	- Buoy D	30-12-32.717N 089-10-59.141W				Red and white stripes.	
10165	- Buoy E	30-12-16.467N 089-12-32.245W				Red and white stripes.	
10170	- Buoy F	30-11-46.816N 089-13-30.247W				Red and white stripes.	
10175	- West Buoy 2	30-10-55.864N 089-14-49.015W				Red nun.	
10180	- West Buoy 4	30-10-00.697N 089-16-11.836W				Red nun.	
Mississippi Sound							
Pass Christian							
10185	- ENTRANCE EAST LIGHT 2	30-18-33.490N 089-14-13.672W	FI R 6s	17	4	TR on pile.	Ra ref.
10190	- BREAKWATER LIGHT 4	30-18-37.354N 089-14-49.860W	Q R	20	3	TR on skeleton tower.	
10195	- ENTRANCE WEST LIGHT 1	30-18-15.160N 089-15-13.214W	FI G 6s	17	4	SG on pile.	Ra ref.
10200	- ENTRANCE WEST LIGHT 2A	30-18-27.400N 089-14-59.444W	FI R 2.5s	17	3	TR on pile.	Ra ref.
10202	Mississippi DMR Oyster Reef Buoys (8)	30-17-08.220N 089-14-43.140W				Marks oyster reef perimeter.	Private aid.
St. Louis Bay							
Bayou Portage Channel							
10205	- LIGHT 1	30-19-54.072N 089-18-18.089W	Q G	17	3	SG on dolphin.	Ra ref.
10210	- Day beacon 2	30-20-24.244N 089-17-53.252W				TR on pile.	Ra ref.
10215	- LIGHT 3	30-20-33.053N 089-17-51.575W	Q G	17	3	SG on pile.	Ra ref.
10220	- Day beacon 4	30-20-31.471N 089-17-41.726W				TR on pile.	Ra ref.
10225	- Day beacon 5	30-20-33.291N 089-17-14.641W				SG on pile.	Ra ref.
10230	- LIGHT 7	30-20-34.158N 089-16-37.623W	FI G 4s	17	4	SG on dolphin.	Ra ref.
10235	- Day beacon 9	30-20-33.479N 089-16-13.545W				SG on pile.	Ra ref.
10240	- Buoy 12	30-20-30.120N 089-15-27.870W				Red nun.	
10245	- LIGHT 13	30-20-33.558N 089-15-18.652W	Q G	17	3	SG on dolphin.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
St. Louis Bay							
Bayou Portage Channel							
10250	- Buoy 14	30-20-24.790N 089-15-17.620W				Red nun.	
Wolf River							
10255	- Preferred Channel Day beacon A	30-20-18.715N 089-18-01.011W				JG on pile.	Ra ref.
10260	- LIGHT 3	30-20-51.735N 089-18-01.420W	FI G 4s	17	4	SG on dolphin.	Ra ref.
10265	- LIGHT 5	30-21-16.293N 089-17-46.402W	Q G	17	3	SG on pile.	Ra ref.
St. Louis Bay							
10270	NOAA BAY WAVELAND TIDE MONITORING PLATFORM LIGHT	30-19-34.510N 089-19-33.390W	FI Y 2.5s	30		On platform.	Private aid.
10275	DUPONT DIFFUSER PLATFORM LIGHT 1	30-22-16.100N 089-19-05.200W	FI W 4s	18		NW on protective structure worded DANGER SUBMERGED PIPE.	Private aid.
Jourdan River Channel							
10280	- Day beacon 3	30-20-40.291N 089-19-31.688W				SG on pile.	Ra ref.
10285	- LIGHT 5	30-20-55.784N 089-19-57.118W	FI G 4s	17	4	SG on pile.	Ra ref.
10290	- Day beacon 7	30-20-44.704N 089-20-31.669W				SG on pile.	Ra ref.
10295	- Day beacon 9	30-20-31.803N 089-21-06.407W				SG on pile.	Ra ref.
Bay Cove Marina to Casino Magic Marina							
10300	- Day beacon 1	30-20-21.500N 089-21-18.000W				SG on pile.	Private aid.
10305	- Day beacon 2	30-20-18.000N 089-21-17.500W				TR on pile.	Private aid.
10310	- Day beacon 3	30-20-14.500N 089-21-17.000W				SG on pile.	Private aid.
Mississippi Sound							
10315	U.S.G.S. PASS MARIANNE MONITORING PLATFORM LIGHT	30-14-17.000N 089-14-34.000W	FI Y 2.5s	37			Maintained by U.S. Geological Survey. Private aid.
10320	- WRECK LIGHT WR4	30-15-33.568N 089-14-23.893W	Q R	17	3	TR on pile.	Ra ref.
10325	U.S. GEOLOGICAL SURVEY SCIENTIFIC MONITORING PLATFORM LIGHT (SBP)	30-07-22.100N 089-15-01.000W	FI Y 2.5s	37		On pipe.	Private aid.
10330	SQUARE HANDKERCHIEF SHOAL LIGHT SH	30-15-49.135N 089-19-37.237W	FI (2+1)G 6s	17	3	JG on pile.	Ra ref.
10335	SQUARE HANDKERCHIEF SHOAL LIGHT 2	30-15-59.779N 089-18-57.174W	FI R 2.5s	17	4	TR on pile.	Ra ref.
10340	MISSISSIPPI GULF FISHING BANKS BREAKWATER LIGHT A	30-16-14.500N 089-18-49.000W	FI Y 2.5s			NY on pile.	Marks Breakwater. Private aid.
10345	SQUARE HANDKERCHIEF SHOAL LIGHT 4	30-16-23.365N 089-18-58.347W	FI R 4s	17	4	TR on pile.	Ra ref.
10350	HANCOCK COUNTY BOAT RAMP LIGHT 1	30-18-04.000N 089-19-40.000W	FI G 2.5s	7		Marks end of jetty.	Private aid.
10355	HANCOCK COUNTY BOAT RAMP LIGHT 2	30-18-05.000N 089-19-39.000W	FI R 2.5s	7		Marks end of jetty.	Private aid.
10357	CITY OF BAY ST. LOUIS DANGER LIGHTS (6)	30-18-43.900N 089-19-11.200W	FI W 2.5s			Marks submerged pier debris.	Private aid.
10357.01	CITY OF BAY ST. LOUIS MUNICIPAL PIER LIGHT 1	30-18-40.700N 089-19-12.200W	FI G 2.5s			Marks entrance of port side pier structure.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Mississippi Sound							
10357.02	CITY OF BAY ST. LOUIS MUNICIPAL PIER LIGHT 2	30-18-41.700N 089-19-12.700W	FI R 2.5s			Marks entrance of starboard side pier structure.	Private aid.
Mississippi Fishing Reef FR-MS-04							
10360	- Day beacon A	30-17-30.400N 089-20-12.500W				NY on pile worded FISHING REEF FR-MS-04.	Private aid.
10365	- Day beacon B	30-17-16.600N 089-21-00.100W				NY on pile worded FISHING REEF FR-MS-04.	Private aid.
10370	MISSISSIPPI GULF FISH REEF LIGHT F	30-16-55.200N 089-21-50.400W	FI Y 6s			NY on pile.	Private aid.
10375	- LIGHT C	30-17-12.600N 089-20-36.100W	FI Y 6s	7		NY on pile worded FISHING REEF FR-MS-04.	Private aid.
10380	GARFIELD LADNER MEMORIAL PIER LIGHT	30-16-50.020N 089-21-53.560W	FI R 2.5s	10		On pier.	Private aid.
Mississippi Sound							
10385	MISSISSIPPI DMR BREAKWATER DANGER LIGHTS (7)	30-15-10.140N 089-23-02.220W	FI W 2.5s	10		NW on pile worded DANGER BREAKWATER.	Private aid.
WAVELAND TO CATAHOULA BAY (Chart 11367)							
Bayou Caddy							
10390	- LIGHT 1	30-13-51.905N 089-24-07.210W	FI G 6s	17	4	SG on dolphin.	Ra ref.
10395	- Day beacon 2	30-14-03.172N 089-24-22.440W				TR on pile.	Ra ref.
10400	- Day beacon 3	30-14-09.294N 089-24-41.486W				SG on pile.	Ra ref.
10405	- LIGHT 4	30-14-22.139N 089-25-01.144W	Q R	17	3	TR on dolphin.	Ra ref.
10410	- LIGHT 5	30-14-17.909N 089-25-28.316W	FI G 2.5s	17	3	SG on pile.	Ra ref.
10415	HANCOCK COUNTY BREALWATER DANGER LIGHT NORTH	30-14-23.100N 089-25-20.210W	FI W 2.5s			NW on pile.	Private aid.
10420	HANCOCK COUNTY BREALWATER DANGER LIGHT SOUTH (10)	30-14-08.480N 089-24-47.230W	FI W 2.5s			NW on pile.	Private aid.
LAKE BORGNE AND APPROACHES (Chart 11371)							
Mississippi Sound							
10425	U.S.G.S. ST. JOE PASS MONIITORING PLATFORM LIGHT	30-11-04.000N 089-25-34.000W	FI Y 2.5s	37			Maintained by U.S. Geological Survey. Private aid.
10427	ROBERT CAMPO AQUACULTURE SPECIAL LIGHT A	30-01-40.320N 089-25-40.190W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.	Private aid.
10427.01	ROBERT CAMPO AQUACULTURE SPECIAL LIGHT B	30-01-37.600N 089-25-41.650W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.	Private aid.
10427.02	ROBERT CAMPO AQUACULTURE SPECIAL LIGHT C	30-01-37.120N 089-25-32.820W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.	Private aid.
10427.03	ROBERT CAMPO AQUACULTURE SPECIAL LIGHT D	30-01-34.670N 089-25-34.330W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.	Private aid.
10429	MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY DANGER LIGHT	30-10-41.340N 089-27-29.910W	FI W 2.5s			Marks submerged breakwater structure.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
WAVELAND TO CATAHOULA BAY (Chart 11367)							
Pearl River Entrance Channel							
10430	- LIGHT 1	30-09-20.881N	FI G 4s	17	4	SG-TY on pile.	Ra ref.
34640	30 feet outside channel limit.	089-31-29.549W					
10435	- Day beacon 3	30-09-37.207N 089-31-28.963W				SG on pile.	Ra ref.
10440	- Day beacon 5	30-09-53.016N 089-31-28.291W				SG on pile.	Ra ref.
10445	- Day beacon 7	30-10-20.482N 089-31-26.070W				SG on pile.	Ra ref.
10450	- LIGHT 7A	30-10-58.271N 089-31-38.960W	FI G 6s	17	3	SG on platform on piles.	Ra ref.
10455	- LIGHT 8	30-11-00.336N 089-31-28.214W	FI R 4s	17	3	TR on pile.	Ra ref.
10457	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-59.060N 089-31-22.020W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.01	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-59.300N 089-31-16.720W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.02	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-59.020N 089-31-14.350W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.03	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-00.300N 089-31-07.520W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.04	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-00.540N 089-31-05.130W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.05	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-02.190N 089-30-56.570W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.06	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-05.270N 089-30-51.800W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.07	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-00.300N 089-31-07.520W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.08	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-02.240N 089-30-38.110W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.09	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-02.440N 089-30-30.930W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.11	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-00.390N 089-30-19.220W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.12	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-00.500N 089-30-09.650W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.13	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-58.810N 089-30-04.150W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.14	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-56.900N 089-29-59.910W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.15	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-56.150N 089-29-50.380W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.16	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-57.780N 089-29-43.110W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.
10457.17	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-59.270N 089-29-36.480W	FI W 2.5s			Marks shoreline protection breakwater.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
WAVELAND TO CATAHOULA BAY (Chart 11367)							
Pearl River Entrance Channel							
10457.18	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-59.990N 089-29-32.200W	FI W 2.5s			Marks shoreline protection breakwater.	Priv ate aid.
10457.28	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-36.562N 089-27-59.130W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.29	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-32.804N 089-27-56.840W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.31	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-31.483N 089-27-51.970W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.32	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-32.433N 089-27-44.910W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.33	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-33.979N 089-27-40.470W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.34	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-38.495N 089-27-32.450W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.35	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-45.203N 089-27-26.920W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.36	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-53.429N 089-27-20.820W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.37	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-00.001N 089-27-11.130W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.38	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-00.085N 089-27-09.430W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.39	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-01.549N 089-27-05.210W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.41	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-08.034N 089-26-59.620W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.42	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-14.153N 089-26-52.350W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.43	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-15.831N 089-26-50.930W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.44	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-23.714N 089-26-48.020W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.45	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-33.649N 089-26-50.980W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.46	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-39.868N 089-26-50.460W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.47	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-40.977N 089-26-51.770W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.48	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-41.323N 089-26-52.170W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.49	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-53.420N 089-26-54.800W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.51	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-12-03.263N 089-26-56.090W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.52	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-12-05.917N 089-26-55.250W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.53	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-12-08.692N 089-26-48.560W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.54	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-12-19.085N 089-26-48.590W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.55	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-12-34.230N 089-26-36.110W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.56	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-12-38.901N 089-26-31.450W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.57	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-12-39.889N 089-26-29.340W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.58	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-12-40.748N 089-26-27.420W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.59	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-12-42.227N 089-26-25.430W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.61	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-12-51.776N 089-26-12.790W	FI W 2.5s			Marks breakwater.	Priv ate aid.
10457.62	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-12-56.964N 089-26-08.810W	FI W 2.5s			Marks breakwater.	Priv ate aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
WAVELAND TO CATAHOULA BAY (Chart 11367)							
Pearl River Entrance Channel							
10457.63	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-13-04.396N 089-26-04.780W	FI W 2.5s			Marks breakwater.	Private aid.
Little Lake							
10460	- LIGHT 1	30-09-35.806N 089-37-49.344W	FI G 2.5s	17	4	SG on dolphin.	Ra ref.
10465	- Buoy 2	30-09-30.210N 089-37-40.501W				Red nun.	
10470	- Day beacon 3	30-09-38.927N 089-37-40.934W				SG on pile.	Ra ref.
10475	- Day beacon 4	30-09-42.898N 089-37-29.843W				TR on pile.	Ra ref.
10480	- Day beacon 5	30-09-45.810N 089-37-34.201W				SG on pile.	Ra ref.
10485	- LIGHT 7	30-10-05.810N 089-37-04.400W	FI G 4s	17	4	SG on pile.	Ra ref.
10490	- Day beacon 9	30-10-17.748N 089-36-38.661W				SG on pile.	Ra ref.
10495	- LIGHT 10	30-10-14.460N 089-36-35.194W	FI R 6s	17	4	TR on pile.	Ra ref.
10500	- LIGHT 11	30-10-36.330N 089-36-04.497W	FI G 2.5s	17	3	SG on dolphin.	Ra ref.
Little Lake North Pass							
10505	- Day beacon 2	30-10-41.375N 089-36-02.210W				TR on pile.	Ra ref.
10510	- Day beacon 3	30-10-39.928N 089-36-24.672W				SG on pile.	Ra ref.
10515	- Buoy 5	30-10-43.028N 089-36-39.024W				Green can.	
Little Lake							
10520	- Day beacon 13	30-10-46.709N 089-35-44.198W				SG on pile.	Ra ref.
10525	- LIGHT 14	30-10-42.606N 089-35-42.481W	FI R 4s	17	3	TR on pile.	Ra ref.
10530	- LIGHT 15	30-11-01.209N 089-35-08.896W	FI G 2.5s	17	3	SG on pile.	Ra ref.
10535	- Day beacon 16	30-10-53.940N 089-35-08.564W				TR on pile.	Ra ref.
10540	- Buoy 18	30-10-56.612N 089-34-50.296W				Red nun.	
10545	- Day beacon 19	30-11-03.704N 089-34-50.743W				SG on pile.	Ra ref.
MISSISSIPPI - LOUISIANA - Eighth District							
WAVELAND TO CATAHOULA BAY (Chart 11367)							
Pearl River							
10550	- LIGHT 21	30-11-05.189N 089-34-48.589W	Q G	17	3	SG on dolphin.	Ra ref.
10555	- Day beacon 23	30-11-18.077N 089-35-04.569W				SG on pile.	Ra ref.
10560	- LIGHT 23A	30-11-40.028N 089-35-18.500W	FI G 6s	17	4	SG on pile.	Ra ref.
10565	- Day beacon 24	30-11-42.230N 089-35-09.295W				TR on pile.	Ra ref.
10570	- LIGHT 25	30-12-00.525N 089-35-23.254W	FI G 4s	17	4	SG on pile.	Ra ref.
Port Bienville							
10575	- JUNCTION LIGHT PB	30-12-25.816N 089-35-34.224W	FI (2+1)R 6s	17	3	JR on pile.	Ra ref.
10580	- Day beacon 2	30-12-34.707N 089-35-22.198W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - LOUISIANA - Eighth District							
WAVELAND TO CATAHOULA BAY (Chart 11367)							
Pearl River							
Port Bienville							
10585	- Day beacon 3	30-12-55.762N 089-35-12.661W				SG on pile.	Ra ref.
Pearl River							
10590	- LIGHT 30	30-12-44.093N 089-35-44.736W	FI R 2.5s	17	3	TR on pile.	Ra ref.
10595	- Day beacon 31	30-12-54.178N 089-36-05.196W				SG on pile.	Ra ref.
10600	- Day beacon 33	30-13-05.206N 089-36-37.701W				SG on pile.	Ra ref.
10605	- LIGHT 35	30-13-15.022N 089-36-54.228W	FI G 4s	17	4	SG on pile.	Ra ref.
10610	- Day beacon 36	30-13-20.296N 089-36-55.260W				TR on pile.	Ra ref.
10615	- Day beacon 38	30-13-33.756N 089-36-59.139W				TR on pile.	Ra ref.
10620	- Day beacon 40	30-14-48.790N 089-36-53.514W				TR on pile.	Ra ref.
10625	- Day beacon 41	30-14-54.766N 089-37-21.372W				SG on pile.	Ra ref.
10630	- LIGHT 43	30-15-27.702N 089-37-59.205W	FI G 2.5s	17	3	SG on pile.	Ra ref.
10635	- Day beacon 45	30-15-42.202N 089-37-55.212W				SG on pile.	Ra ref.
10640	- Day beacon 48	30-15-58.318N 089-37-33.480W				TR on pile.	Ra ref.
10645	- Day beacon 49	30-16-07.690N 089-37-59.268W				SG on pile.	Ra ref.
10650	- Day beacon 50	30-16-42.586N 089-37-48.126W				TR on pile.	Ra ref.
10655	- Day beacon 51	30-17-08.038N 089-38-18.294W				SG on pile.	Ra ref.
10660	- Day beacon 52	30-17-16.900N 089-38-14.908W				TR on pile.	Ra ref.
10665	- Day beacon 55	30-17-32.008N 089-38-50.220W				SG on pile.	Ra ref.
10670	- Day beacon 57	30-18-20.344N 089-38-33.004W				SG on pile.	Ra ref.
10675	- LIGHT 59	30-18-27.838N 089-38-22.337W	FI G 2.5s	17	3	SG on pile.	Ra ref.
10680	- Day beacon 60	30-18-28.066N 089-38-11.094W				TR on pile.	Ra ref.
10685	- Day beacon 61	30-18-33.169N 089-37-57.699W				SG on pile.	Ra ref.
10690	- LIGHT 62	30-18-53.196N 089-37-33.054W	FI R 2.5s	17	3	TR on dolphin.	Ra ref.
10695	- Day beacon 63	30-19-05.734N 089-37-51.144W				SG on pile.	Ra ref.
10700	- Day beacon 63A	30-19-11.000N 089-37-52.000W				SG on pile.	Ra ref.
10705	- Day beacon 64	30-19-18.574N 089-37-45.414W				TR on pile.	Ra ref.
10710	- Day beacon 66	30-19-31.159N 089-37-51.039W				TR on pile.	Ra ref.
10715	- Day beacon 67	30-19-42.244N 089-37-58.884W				SG on pile.	Ra ref.
10720	- Day beacon 68	30-20-04.479N 089-37-48.039W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI - LOUISIANA - Eighth District							
WAVELAND TO CATAHOULA BAY (Chart 11367)							
Pearl River							
10725	- Day beacon 70	30-20-16.018N 089-37-50.532W				TR on pile.	Ra ref.
10730	- Day beacon 72	30-20-26.528N 089-37-59.344W				TR on pile.	Ra ref.
10735	- Day beacon 73	30-20-37.998N 089-38-06.011W				SG on pile.	Ra ref.
LOUISIANA - Eighth District							
WAVELAND TO CATAHOULA BAY (Chart 11367)							
West Pearl River							
<i>River is marked with numerous unlisted, unlighted buoys which are periodically relocated to meet changing conditions.</i>							
10740	- Buoy 1	30-09-40.710N 089-38-58.204W				Green can.	Ra ref.
10745	- Buoy 2	30-09-42.803N 089-38-53.000W				Red nun.	Ra ref.
10750	LAKE BORGNE LIGHT WR2	30-06-37.127N 089-30-44.506W	Q R	17	3	TR on pile.	
LAKE BORGNE AND APPROACHES (Chart 11371)							
Lake Borgne							
10755	NOAA SHELL BEACH TIDE MONITORING PLATFORM LIGHT	29-52-05.240N 089-40-23.510W	FI Y 2.5s	30		On platf orm.	Priv ate aid.
10758	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-52-53.480N 089-35-49.860W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.01	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-52-57.730N 089-35-42.890W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.02	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-53-03.420N 089-35-34.040W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.03	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-53-06.950N 089-35-26.360W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.04	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-53-11.780N 089-35-28.150W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.05	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-53-18.780N 089-35-27.450W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.06	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-53-28.170N 089-35-23.630W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.07	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-53-37.590N 089-35-23.370W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.08	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-53-46.690N 089-35-26.570W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.09	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-53-52.140N 089-35-24.880W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.11	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-54-01.370N 089-35-27.530W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
LAKE BORGNE AND APPROACHES (Chart 11371)							
Lake Borgne							
10758.12	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-54-09.270N 089-35-29.380W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.13	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-54-14.270N 089-35-29.560W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.14	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-54-17.540N 089-35-29.770W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.15	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-54-26.320N 089-35-30.310W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.16	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-54-36.450N 089-35-30.020W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.17	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-54-46.210N 089-35-28.470W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.18	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-54-55.730N 089-35-31.300W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.19	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-55-02.680N 089-35-31.690W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.21	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-55-08.900N 089-35-28.290W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.22	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-55-15.830N 089-35-20.090W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.23	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-55-23.930N 089-35-13.380W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.24	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-55-31.540N 089-35-07.020W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.25	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-55-37.060N 089-35-01.800W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.26	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-55-45.020N 089-34-55.020W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.27	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-55-50.160N 089-34-52.210W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.28	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-56-00.670N 089-34-48.610W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.
10758.29	BILOXI MARSH WILDLIFE MANAGEMENT AREA DANGER BREAKWATER LIGHT	29-56-10.260N 089-34-45.440W	FI W 2.5s			Marks shoreline restoration breakwater.	Priv ate aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
LAKE BORGNE AND APPROACHES (Chart 11371)							
Bayou Yscloskey							
10760	- LIGHT 2	29-52-20.292N 089-40-26.439W	FI R 6s	17	4	TR on pile.	Ra ref.
10765	- Day beacon 3	29-52-11.792N 089-40-26.880W				SG on pile.	
10770	- Day beacon 4	29-52-07.819N 089-40-29.503W				TR on pile.	Ra ref.
Lake Borgne							
10775	PROCTOR POINT LIGHT	29-56-46.805N 089-42-30.236W	FI W 6s	17	5	NB on dolphin.	Ra ref.
10780	ALLIGATOR POINT LIGHT	30-01-10.394N 089-43-11.730W	FI W 2.5s	17	3	NB on dolphin.	Ra ref.
Bayou Dupre							
10785	- LIGHT 1	29-57-15.974N 089-49-22.122W	FI G 6s	17	5	SG on dolphin.	Ra Ref.
10790	- Day beacon 2	29-57-11.332N 089-49-33.277W				TR on pile.	
10795	- Day beacon 3	29-57-01.671N 089-49-42.459W				SG on pile.	
10800	- Day beacon 4	29-56-54.345N 089-49-56.357W				TR on pile.	
10805	- Day beacon 5	29-56-45.903N 089-50-04.295W				SG on piles.	Ra ref.
10807	- LIGHT 6	29-56-36.135N 089-50-21.734W	FI R 2.5s	17	3	TR on pile.	Ra ref.
10810	Mortello Castle Oyster Reef Day beacons (6)	29-56-33.000N 089-50-05.000W				NW on pile worded DANGER SUBMERGED OYSTER REEF.	Private aid.
10812	ST. BERNARD PARISH DANGER BREAKWATER LIGHT	29-56-34.500N 089-50-14.800W	FI W 2.5s			Marks shoreline protection breakwater structure.	Private aid.
Chef Menteur Pass							
10815	- LIGHT 2	30-02-13.051N 089-45-49.166W	FI R 4s	17	5	TR on pile.	Ra ref.
10820	- LIGHT 4	30-03-54.220N 089-47-19.230W	FI R 2.5s	17	4	TR-TY on pile.	Ra ref.
34710							
10825	- LIGHT 5	30-03-34.330N 089-47-44.384W	FI G 2.5s	25	5	SG-SY on pile.	Ra ref.
34715							
10827	- Lighted Buoy 6	30-06-02.714N 089-48-59.962W	FI R 4s		4	Red nun.	
10830	RIGOLETS BRIDGE APPROACH RANGE FRONT LIGHT	30-09-40.890N 089-38-30.319W	Q W	25		KRW on skeleton tower on piles.	
10835	RIGOLETS BRIDGE APPROACH RANGE REAR LIGHT 1,076 yards, 301.5° from front light.	30-09-57.603N 089-39-01.654W	Iso W 6s	47		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
The Rigolets							
10840	- LIGHT 2	30-09-39.710N 089-39-07.405W	FI R 6s	17	4	TR on dolphin.	Ra ref.
10845	- LIGHT 3	30-10-23.845N 089-41-19.744W	FI G 4s	17	4	SG on dolphin.	Ra ref.
10850	- LIGHT 4	30-10-00.707N 089-43-00.214W	FI R 4s	17	3	TR on dolphin.	Ra ref.
10855	Louisiana State University Oceanographic Lighted Buoy B	30-10-19.200N 089-43-48.000W	FI Y 4s			Yellow.	Private aid.
10860	FORT PIKE ENTRANCE LIGHT 1	30-09-52.388N 089-44-09.458W	FI G 6s	17	4	SG on pile.	Ra ref.
10865	- LIGHT 5	30-10-29.476N 089-44-35.795W	FI G 4s	17	4	SG on dolphin.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
LAKE BORGNE AND APPROACHES (Chart 11371)							
The Rigolets							
10870	- LIGHT 6	30-10-40.680N 089-45-17.917W	FI R 2.5s	17	3	TR on pile.	Ra ref.
LAKES PONTCHARTRAIN AND MAUREPAS (Chart 11369)							
10875	Lake Pontchartrain Rockpile Inner Day beacon	30-09-55.033N 089-44-57.261W				NW on pile worded DANGER ROCKS.	
10880	Lake Pontchartrain Rockpile Outer Day beacon	30-09-52.334N 089-44-56.967W				NW on pile worded DANGER ROCKS.	
10885	Fritchie Marsh Weir Danger Day beacons (4)	30-13-45.000N 089-44-47.500W				NW on pile worded DANGER DO NOT PROCEED.	Marks weir. Private aid.
North Shore Channel							
10890	- Day beacon 3	30-10-51.266N 089-45-38.523W				SG on pile.	Ra ref.
10895	- Day beacon 5	30-11-06.602N 089-45-53.079W				SG on pile.	
10900	- Day beacon 7	30-11-24.056N 089-46-14.535W				SG on pile.	
Lakeshore Estates Channel							
10905	Lakeshore Estates East Channel Day beacon 1	30-11-32.420N 089-46-01.440W				SG on pile.	Private aid.
10910	Lakeshore Estates East Channel Day beacon 3	30-11-39.040N 089-45-58.550W				SG on pile.	Private aid.
10915	Lakeshore Estates East Channel Day beacon 5	30-11-45.660N 089-45-55.660W				SG on pile.	Private aid.
10920	Lakeshore Estates East Channel Junction Day beacon B	30-11-33.310N 089-45-58.610W				JR on pile.	Private aid.
10925	Lakeshore Estates Southeast Channel Day beacon 1	30-11-34.970N 089-45-53.370W				SG on pile.	Private aid.
10930	Lakeshore Estates Southeast Channel Day beacon 3	30-11-36.630N 089-45-48.130W				SG on pile.	Private aid.
North Shore Channel							
10935	- LIGHT 8	30-11-48.345N 089-46-28.262W	Q R	17	3	TR on pile.	Ra ref.
10940	- Day beacon 9	30-11-45.175N 089-46-37.646W				SG on pile.	Ra ref.
10945	- Day beacon 11	30-11-45.461N 089-47-07.056W				SG on pile.	Ra ref.
10950	- Day beacon 13	30-11-45.587N 089-47-37.598W				SG on pile.	Ra ref.
10955	- Day beacon 15	30-11-45.492N 089-48-02.424W				SG on pile.	Ra ref.
Eden Isles Channel							
10960	- Day beacon 1	30-12-38.000N 089-48-35.000W				SG on dolphin.	Private aid.
10965	- Day beacon 2	30-12-35.000N 089-48-00.000W				SG on pile.	Private aid.
10970	- Day beacon 3	30-12-42.000N 089-47-57.000W				SG on pile.	Private aid.
10975	- Day beacon 4	30-12-40.000N 089-47-56.000W				TR on pile.	Private aid.
10977	FR-LA-71-A	30-11-39.134N 089-50-15.544W	FI Y 2.5s			Marks northwest corner of reef site.	Private aid.
10977.01	FR-LA-71-B	30-11-39.134N 089-50-10.784W	FI Y 2.5s			Marks northeast corner of reef site.	Private aid.
10977.02	FR-LA-71-C	30-11-35.020N 089-50-10.784W	FI Y 2.5s			Marks southeast corner of reef site.	Private aid.
10977.03	FR-LA-71-D	30-11-35.020N 089-50-15.544W	FI Y 2.5s			Marks southwest corner of reef site.	Private aid.
10980	FR-LA-70-A	30-10-12.234N 089-50-47.040W	FI Y 2.5s			Marks northwest corner of reef site.	Private aid.
10985	FR-LA-70-B	30-10-12.234N 089-50-42.274W	FI Y 2.5s			Marks northeast corner of reef site.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
LAKES PONTCHARTRAIN AND MAUREPAS (Chart 11369)							
Eden Isles Channel							
10990	FR-LA-70-C	30-10-08.112N 089-50-42.274W	FI Y 2.5s			Marks southeast corner of reef site.	Private aid.
10995	FR-LA-70-D	30-10-08.112N 089-50-47.040W	FI Y 2.5s			Marks southwest corner of reef site.	Private aid.
LAKES PONTCHARTRAIN AND MAUREPAS (Chart 11369)							
11000	IRISH BAYOU LIGHT 1	30-08-29.676N 089-51-31.734W	FI G 6s	17	4	SG on pile.	Ra ref.
North Shore Beach							
11005	- Day beacon 1	30-13-06.000N 089-49-48.000W				SG on pile.	Private aid.
11010	- Day beacon 2	30-13-06.000N 089-49-45.000W				TR on pile.	Private aid.
11015	- Day beacon 3	30-13-12.000N 089-49-48.000W				SG on pile.	Private aid.
11020	- Day beacon 4	30-13-12.000N 089-49-45.000W				TR on pile.	Private aid.
Bayou Bonfouca Channel							
11025	- LEADING LIGHT	30-14-59.073N 089-51-57.694W	Iso W 6s	17	5	NB on dolphin.	Visible all around.
11030	- LIGHT 2	30-13-06.258N 089-51-57.956W	FI R 4s	17	4	TR on dolphin.	
11035	- Day beacon 3	30-13-30.167N 089-52-04.100W				SG on pile.	
11040	- Day beacon 4	30-14-00.706N 089-51-56.239W				TR on pile.	
11045	- LIGHT 5	30-14-24.699N 089-52-04.782W	FI G 2.5s	17	3	SG on pile.	
11050	- Day beacon 6	30-14-38.705N 089-51-56.239W				TR on pile.	
11055	- Day beacon 8	30-14-49.668N 089-51-56.122W				TR on pile.	
11060	- LIGHT 10	30-14-55.287N 089-51-55.764W	Q R	17	3	TR on pile.	
11065	Southern Railway East Lake Pontchartrain Mooring Buoy	30-12-00.000N 089-50-00.000W				White with blue band.	Private aid.
LAKES PONTCHARTRAIN AND MAUREPAS (Chart 11369)							
11070	LAKE PONCHATRAIN TIE IN PLATFORM LIGHT	30-09-06.560N 089-53-47.050W	Q R	14		On concrete platform.	Private aid.
Lincoln Beach							
11075	- Day beacon	30-04-26.521N 089-57-13.749W				NW on pile worded DANGER SPOIL AREA.	Private aid.
11080	- Danger Day beacon East Breakwater (2)	30-04-21.420N 089-57-03.240W				NW on pile worded DANGER ROCK JETTY.	Private aid.
11085	- Danger Day beacon West Breakwater (2)	30-04-12.200N 089-57-19.760W				NW on pile worded DANGER ROCK JETTY.	Private aid.
Lacombe Bayou							
11090	- ENTRANCE LIGHT 2	30-15-04.477N 089-57-05.690W	FI R 4s	17	4	TR on dolphin.	
11095	- Entrance Day beacon 4	30-15-18.976N 089-57-00.980W				TR on pile.	Ra ref.
11100	- LIGHT 5	30-15-35.699N 089-56-56.878W	FI G 2.5s	17	4	SG on pile.	Ra ref.
South Shore Harbor Marina							
11105	- Safe Water Mark	30-02-58.000N 090-01-10.000W				MR on pile.	Private aid.
11110	- LIGHT 1	30-02-47.000N 090-00-53.000W	FI G 2.5s			SG on pile.	Private aid.
11115	- LIGHT 2	30-02-44.000N 090-00-56.000W	FI R 2.5s			TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
LAKES PONTCHARTRAIN AND MAUREPAS (Chart 11369)							
South Shore Harbor Marina							
11120	- LIGHT 3	30-02-43.000N 090-00-49.000W	FI G 2.5s			SG on pile.	Private aid.
11125	- LIGHT 4	30-02-39.000N 090-00-50.000W	FI R 2.5s			TR on pile.	Private aid.
11130	- LIGHT 5	30-02-39.000N 090-00-44.000W	FI G 2.5s			SG on pile.	Private aid.
11135	- LIGHT 6	30-02-36.000N 090-00-47.000W	FI R 2.5s			TR on pile.	Private aid.
11140	- LIGHT 7	30-02-35.000N 090-00-39.000W	FI G 2.5s			SG on pile.	Private aid.
11145	- LIGHT 8	30-02-33.000N 090-00-43.000W	FI R 2.5s			TR on pile.	Private aid.
11150	- LIGHT 9	30-02-28.000N 090-00-35.000W	FI G 2.5s			SG on pile.	Private aid.
11155	- LIGHT 10	30-02-32.000N 090-00-44.000W	FI R 2.5s			TR on pile.	Private aid.
11160	- LIGHT 11	30-02-23.000N 090-00-43.000W	FI G 2.5s			SG on pile.	Private aid.
11165	- LIGHT 13	30-02-30.000N 090-00-46.000W	FI G 2.5s			SG on pile.	Private aid.
LAKES PONTCHARTRAIN AND MAUREPAS (Chart 11369)							
11170	LAKEFRONT AIRPORT APPROACH LIGHTS (6)	30-03-36.000N 090-01-48.000W	F Y	15		Marks steel walkway supporting approach lights.	Private aid.
11175	UNO SURVEY LIGHT B	30-09-52.000N 090-04-55.000W	FI Y 4s	10		On pile.	Private aid.
11180	NEW CANAL LIGHT	30-01-37.760N 090-06-47.550W	FI (2)W 5s	15		On skeleton pole.	Private aid.
New Canal							
11185	- WEST JETTY LIGHT 2	30-01-42.174N 090-06-45.630W	FI R 4s	25	5	TR on pile.	
Bayou Castine							
11190	- LIGHT 1	30-20-50.460N 090-03-47.508W	FI G 4s	17	4	SG on pile.	
11195	- LIGHT 2	30-20-49.064N 090-03-45.729W	FI R 4s	17	4	TR on pile.	
Mariners Village Marina							
11200	- Day beacon 1	30-21-42.000N 090-05-26.000W				SG on pile.	Private aid.
11205	- LIGHT 2	30-21-43.000N 090-05-24.000W	FI W 2.5s			TR on dolphin.	Private aid.
11210	- Day beacon 3	30-21-44.000N 090-05-26.000W				SG on pile.	Private aid.
11215	- Day beacon 4	30-25-45.000N 090-05-24.000W				TR on pile.	Private aid.
11220	- Day beacon 5	30-21-46.000N 090-05-26.000W				SG on pile.	Private aid.
11225	- Day beacon 6	30-21-48.000N 090-05-24.000W				TR on pile.	Private aid.
Lake Pontchartrain							
11230	- SLAB STORAGE EAST LIGHTS (2)	30-21-39.365N 090-05-38.447W	Q W	20		On concrete slab.	Private aid.
11235	- SLAB STORAGE WEST LIGHTS (2)	30-21-32.870N 090-05-41.727W	Q W			On concrete slab.	Private aid.
Lake Pontchartrain Causeway Cut No.1							
11239	CAUSEWAY BRIDGE ELECTRICAL DISTRIBUTION LIGHTS (19)	30-11-02.000N 090-07-32.000W	Q W	26		On west bridge span.	Marks power distribution vaults on west span of bridge. Private aid.
11240	- LIGHT 1	30-14-32.200N 090-05-53.300W	FI G 4s	15		SG on pile.	Private aid.
11245	- LIGHT 2	30-15-11.600N 090-05-46.100W	FI R 4s	15		TR on pile.	Private aid.
11250	- LIGHT 3	30-14-46.100N 090-06-20.700W	FI G 4s	15		SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
LAKES PONTCHARTRAIN AND MAUREPAS (Chart 11369)							
Lake Pontchartrain Causeway Cut No.1							
11255	- LIGHT 4	30-15-05.900N 090-06-17.300W	FI R 4s	15		TR on pile.	Private aid.
11260	- LIGHT 5	30-14-54.100N 090-07-21.600W	FI G 4s	15		SG on pile.	Private aid.
11265	- LIGHT 6	30-15-13.900N 090-07-18.200W	FI R 4s	15		TR on pile.	Private aid.
11270	- LIGHT 7	30-14-48.400N 090-07-52.800W	FI G 4s	15		SG on pile.	Private aid.
11275	- LIGHT 8	30-15-28.100N 090-07-46.000W	FI R 4s	15		TR on pile.	Private aid.
Lake Pontchartrain Causeway Cut No. 2							
11280	- LIGHT 1	30-07-38.300N 090-07-05.600W	FI G 4s	15		SG on pile.	Private aid.
11285	- LIGHT 2	30-08-17.600N 090-06-58.800W	FI R 4s	15		TR on pile.	Private aid.
11290	- LIGHT 3	30-07-51.800N 090-07-33.800W	FI G 4s	15		SG on pile.	Private aid.
11295	- LIGHT 4	30-08-11.300N 090-07-30.000W	FI R 4s	15		TR on pile.	Private aid.
11300	- LIGHT 5	30-07-59.700N 090-08-34.300W	FI G 4s	15		SG on pile.	Private aid.
11305	- LIGHT 6	30-08-19.600N 090-08-30.900W	FI R 4s	15		TR on pile.	Private aid.
11310	- LIGHT 7	30-07-53.800N 090-09-05.600W	FI G 4s	15		SG on pile.	Private aid.
11315	- LIGHT 8	30-08-33.100N 090-08-58.700W	FI R 4s	15		TR on pile.	Private aid.
Tchefuncta River							
11320	- RANGE FRONT LIGHT	30-22-42.539N 090-10-10.172W	Q W	25		KRW on skeleton tower.	Visible all around; higher intensity on rangeline.
11322	TOWN OF MADISONVILLE TCHEFUNCTE RIVER LIGHTHOUSE BREAKWATER LIGHTS (3)	30-22-42.400N 090-10-08.500W	FI W 2.5s			Marks breakwater structure.	Private aid.
11325	- RANGE REAR LIGHT 141 yards, 016° from front light.	30-22-46.622N 090-10-08.822W	Iso W 6s	49		White conical tower.	Visible all around; higher intensity on rangeline.
11330	- LIGHT 2	30-22-03.334N 090-10-21.792W	FI R 4s	17	3	TR on pile.	
11335	- Day beacon 4	30-22-19.094N 090-10-16.467W				TR on pile.	
11340	- Day beacon 6	30-22-37.738N 090-10-10.032W				TR on pile.	
11345	- Day beacon 8	30-22-36.161N 090-09-50.892W				TR on pile.	
11350	- Day beacon 10	30-22-36.047N 090-09-39.664W				TR on pile.	
Port Louis Channel							
11355	PORT LOUIS ENTRANCE CHANNEL LIGHT 1	30-22-29.000N 090-12-20.000W	FI G 2.5s			SG on pile.	Private aid.
11360	PORT LOUIS ENTRANCE CHANNEL LIGHT 2	30-22-29.480N 090-12-18.980W	FI R 2.5s			TR on pile.	Private aid.
11365	PORT LOUIS ENTRANCE CHANNEL TOWER LIGHTS	30-22-33.860N 090-12-21.750W	Mo (A) W			MR on pile.	LIGHTS FLASH IN UNISON. Private aid.
11370	- Day beacon 3	30-22-38.240N 090-12-24.510W				SG on pile.	Private aid.
11375	- Day beacon 4	30-22-38.720N 090-12-23.070W				TR on pile.	Private aid.
11380	- Day beacon 5	30-22-47.480N 090-12-28.610W				SG on pile.	Private aid.
11385	- Day beacon 6	30-22-47.960N 090-12-27.160W				TR on pile.	Private aid.
11390	- Day beacon 7	30-22-56.720N 090-12-32.700W				SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
LAKES PONTCHARTRAIN AND MAUREPAS (Chart 11369)							
Lake Pontchartrain Causeway Cut No. 2							
Port Louis Channel							
11395	- Day beacon 8	30-22-57.200N 090-12-31.260W				TR on pile.	Private aid.
11400	- LIGHT 9	30-23-05.170N 090-12-36.320W	FI G 2.5s			SG on pile.	Private aid.
11405	- LIGHT 10	30-23-05.440N 090-12-34.810W	FI R 2.5s			TR on pile.	Private aid.
11410	- Day beacon 11	30-23-13.570N 090-12-36.390W				SG on pile.	Private aid.
11415	- Day beacon 12	30-23-13.550N 090-12-34.850W				TR on pile.	Private aid.
Lake Pontchartrain							
11420	NEW ORLEANS VOR PLATFORM LIGHTS (9)	30-01-54.000N 090-10-30.000W	F R	17		On square platform.	Private aid.
Koch Gateway Pipeline							
11425	- LIGHT A1	30-04-39.100N 090-17-34.200W	FI Y 2.5s	15			Private aid.
11430	- LIGHT B1	30-05-57.000N 090-16-33.000W	FI Y 2.5s	17			Private aid.
11435	- LIGHT C	30-06-39.000N 090-16-03.000W	FI Y 2.5s	17			Private aid.
11440	- LIGHT C1	30-07-14.000N 090-15-23.000W	FI Y 2.5s	15			Private aid.
11445	- LIGHT D	30-07-57.000N 090-14-56.000W	FI Y 2.5s	17			Private aid.
11450	- LIGHT D1	30-08-36.000N 090-14-10.000W	FI R 4s	17			Private aid.
11455	- LIGHT E	30-09-25.600N 090-13-38.000W	FI Y 2.5s	17			Private aid.
Lake Pontchartrain							
11460	UNO SURVEY LIGHT A	30-01-56.016N 090-11-43.941W	FI Y 4s	10		On pile.	Maintained by U.N.O. Private aid.
Koch Gateway Pipeline							
11465	- LIGHT E1	30-10-04.800N 090-12-53.700W	FI Y 2.5s	17			Private aid.
11470	- LIGHT F	30-10-52.000N 090-12-23.000W	FI Y 2.5s	18			Private aid.
11475	- LIGHT F1	30-11-30.000N 090-11-43.000W	FI Y 2.5s	17			Private aid.
11480	- LIGHT G	30-12-17.500N 090-11-16.700W	FI Y 2.5s	18			Private aid.
11485	- LIGHT H	30-13-41.000N 090-10-15.000W	FI Y 2.5s	17			Private aid.
11490	- LIGHT I1	30-15-41.000N 090-08-28.000W	FI Y 2.5s	17			Private aid.
11495	- LIGHT J	30-16-22.000N 090-08-02.000W	FI Y 2.5s	17			Private aid.
11500	- LIGHT J1	30-16-56.500N 090-07-22.100W	FI Y 2.5s	15			Private aid.
11505	- LIGHT K	30-17-37.000N 090-06-54.000W	FI Y 2.5s	18			Private aid.
11510	- LIGHT K1	30-18-12.300N 090-06-12.900W	FI Y 2.5s	15			Private aid.
11515	- LIGHT L	30-18-52.000N 090-05-41.000W	FI Y 2.5s	17			Private aid.
11520	- LIGHT L1	30-19-14.000N 090-05-10.000W	FI Y 2.5s	15			Private aid.
11525	- LIGHT M	30-19-39.000N 090-04-52.000W	FI Y 2.5s	18			Private aid.
11530	- LIGHT M1	30-20-05.000N 090-04-00.000W	FI Y 2.5s	15			Private aid.
Lake Pontchartrain							
11535	- POWER LINE LIGHTS (45)	30-04-54.000N 090-24-06.000W	Q W	11		On power line structure.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
LAKES PONTCHARTRAIN AND MAUREPAS (Chart 11369)							
Lake Pontchartrain							
11540	ENTERGY TOWER LIGHTS (2)	30-02-38.700N 090-14-12.700W	FI R 2.5s			Steel dolphins.	MARKS ELEVATED CLEARANCE FOR FOR ELECTRICAL TRANSMISSION POWER LINES. Private aid.
11545	ENTERGY TOWER LIGHTS (2)	30-02-36.300N 090-14-09.500W	FI G 2.5s			Steel dolphin.	MARKS ELEVATED CLEARANCE FOR ELECTRICAL TRANSMISSION POWER LINE. Private aid.
11550	- NORTHWEST POWER LINE LIGHTS (12)	30-22-59.000N 090-11-51.000W	Q W			On power line structures.	Private aid.
11555	LUMCON ENVIROMENTAL MONITORING STATION LIGHT	30-18-52.680N 090-16-49.860W	FI Y 2.5s			On platf orm.	Private aid.
11557	TANGIPAHOA PARISH DANGER BREAKWATER LIGHTS (2)	30-18-51.191N 090-17-20.400W	FI W 2.5s			Marks shoreline breakwater.	Private aid.
11557.01	TANGIPAHOA PARISH DANGER BREAKWATER LIGHTS (2)	30-19-06.671N 090-17-10.679W	FI W 2.5s			Marks shoreline breakwater.	Private aid.
11557.02	TANGIPAHOA PARISH DANGER BREAKWATER LIGHTS (2)	30-19-32.087N 090-16-54.480W	FI W 2.5s			Marks shoreline breakwater.	Private aid.
11557.03	TANGIPAHOA PARISH DANGER BREAKWATER LIGHTS (3)	30-19-54.552N 090-16-37.919W	FI W 2.5s			Marks shoreline breakwater.	Private aid.
Tangipahoa River							
11560	- LIGHT 2	30-19-41.684N 090-15-39.545W	FI R 4s	17	3	TR on dolphin.	
11565	- Day beacon 4	30-19-58.056N 090-16-03.117W				TR on pile.	
11570	- LIGHT 8	30-20-12.511N 090-16-26.662W	FI R 4s	17	4	TR on dolphin.	
Pass Manchac South Channel							
11575	- LIGHT 1	30-16-29.318N 090-18-43.112W	FI G 4s	17	4	SG on pile.	
11580	- Day beacon 3	30-16-50.921N 090-18-32.533W				SG on pile.	Ra ref.
11585	- Day beacon 5	30-17-12.176N 090-18-22.280W				SG on pile.	Ra ref.
11590	- LIGHT 7	30-17-32.968N 090-18-11.542W	FI G 2.5s	17	4	SG on pile.	
11592	PASS MANCHAC LIGHTHOUSE WRECK LIGHT WR8	30-17-46.329N 090-17-53.090W	Q R	17	4	TR on pile.	Ra ref.
LAKES PONTCHARTRAIN AND MAUREPAS (Chart 11369)							
11595	Williams Land Company Danger Day beacon South	30-19-52.000N 090-24-42.000W				NW on pile.	Worded: DANGER BARRICADE AHEAD. Private aid.
11600	<i>Williams Land Company Danger Lightd Buoy</i>	30-19-53.000N 090-24-43.000W				White with Orange Bands and Open Face Diamond.	Marks Barricade on Private Canal. Private aid.
11605	Williams Land Company Danger Day beacon North	30-20-07.000N 090-24-45.000W				NW on pile.	Worded: Danger barricade Ahead. Private aid.
Lake Maurepas							
11610	- Day beacon 2	30-17-26.407N 090-25-04.118W				TR on pile.	
11615	- Day beacon 4	30-17-39.537N 090-25-21.826W				TR on pile.	
11620	- LIGHT 6	30-17-41.866N 090-26-01.204W	FI R 4s	17	4	TR on dolphin.	
11625	TICKFAW RIVER LIGHT 1	30-20-29.736N 090-28-30.447W	FI G 4s	17	4	SG on dolphin.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
LAKES PONTCHARTRAIN AND MAUREPAS (Chart 11369)							
Lake Maurepas							
11630	Tickfaw River Lighted Buoy 3	30-20-42.148N 090-28-24.591W	Q G		3	Green.	
11635	Tickfaw River Buoy 5	30-20-48.502N 090-28-26.585W				Green can.	
11640	Blind River Lighted Buoy 2	30-12-25.970N 090-34-48.480W	FI R 4s		3	Red.	
11645	Blind River Lighted Buoy 4	30-12-30.165N 090-35-21.852W	Q R		3	Red.	
Amite River							
11650	- ENTRANCE LIGHT	30-17-49.888N 090-33-28.614W	FI W 4s	25	4	NW on skeleton tower.	
11652	- Buoy 3	30-17-58.024N 090-33-26.979W				Green can.	
11654	- Buoy 5	30-18-03.392N 090-33-33.086W				Green can.	
LAKE BORGNE AND APPROACHES (Chart 11371)							
11665	CAL-KY PIPELINE LIGHT CP-4B	30-07-58.430N 089-05-02.000W	FI Y 2.5s		13	Pile.	Private aid.
CHANDELEUR AND BRETON SOUNDS (Chart 11363)							
Chandeleur Sound							
11670	CAL-KY PIPELINE LIGHT CP55	30-02-55.000N 089-06-34.000W	FI Y 2.5s		15	Pile.	Private aid.
11675	CAL-KY PIPELINE LIGHT CP4A	29-58-41.000N 089-07-51.000W	FI Y 2.5s		13	Pile.	Private aid.
11680	CAL-KY PIPELINE LIGHT CP4	29-54-11.000N 089-09-16.000W	FI Y 2.5s		10		Private aid.
11690	CAL-KY PIPELINE LIGHT CP3A	29-44-43.000N 089-13-02.680W	FI Y 2.5s		13	Concrete pile.	Private aid.
Mississippi River - Gulf Outlet							
11705	- PIPELINE LIGHT 27 (C-1)	29-31-27.356N 089-10-16.710W	Q G		20	Pile structure.	Private aid.
11710	- PIPELINE LIGHT 28 (C-2)	29-31-34.574N 089-10-10.263W	Q R		20	Pile structure.	Private aid.
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Mississippi River - Gulf Outlet							
11715	- Day beacon 62 150 feet outside channel limit.	29-40-40.343N 089-23-08.122W				TR on pile.	Ra ref.
11720	- Day beacon 68	29-42-25.506N 089-25-40.908W				TR on pile.	Ra ref.
11723	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-19.190N 089-35-38.240W	FI W 2.5s			Marks channel closure structure.	Private aid.
11723.01	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-17.250N 089-35-39.970W	FI W 2.5s			Marks channel closure structure.	Private aid.
11723.02	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-15.320N 089-35-41.680W	FI W 2.5s			Marks channel closure structure.	Private aid.
11723.03	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-33.720N 089-35-53.890W	FI W 2.5s			Marks channel closure.	Private aid.
11723.04	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-29.200N 089-36-04.810W	FI W 2.5s			Marks channel closure.	Private aid.
11723.05	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-17.820N 089-35-31.770W	FI W 2.5s			Marks channel closure.	Private aid.
11723.06	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-09.120N 089-35-38.060W	FI W 2.5s			Marks channel closure.	Private aid.
11730	- LIGHT 96	29-50-31.663N 089-37-22.681W	Q R	17	3	TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Mississippi River - Gulf Outlet							
11735	- LIGHT 97	29-50-46.853N 089-38-45.054W	FI G 2.5s	17	3	SG on pile.	Ra ref.
11740	- Day beacon 98	29-50-56.236N 089-38-43.094W				TR on dolphin.	Ra ref.
11745	- LIGHT 101	29-51-23.773N 089-40-49.564W	FI G 2.5s	17	3	SG on pile.	
11750	- LIGHT 102	29-51-30.734N 089-40-47.636W	FI R 2.5s	17	3	TR on skeleton tower on piles.	
11755	- LIGHT 103 150 feet outside channel limit.	29-51-53.129N 089-42-32.923W	Q G	17	4	SG on skeleton tower on piles.	
11760	- LIGHT 104	29-52-00.273N 089-42-29.292W	Q R	17	3	TR on skeleton tower on piles.	
11765	- LIGHT 105	29-52-29.230N 089-43-45.561W	FI G 2.5s	17	4	SG on pile.	
11770	- LIGHT 106	29-52-35.962N 089-43-41.991W	FI R 2.5s	17	4	TR on dolphin.	
11775	- LIGHT 107 150 feet outside channel limit.	29-53-04.747N 089-44-56.293W	FI G 4s	30	4	SG on skeleton tower on piles.	
11780	- LIGHT 108	29-53-11.157N 089-44-51.208W	FI R 4s	17	4	TR on pile.	Ra ref.
11790	- LIGHT 112	29-54-17.806N 089-47-00.522W	FI R 2.5s	30	4	TR on skeleton tower on piles.	
11795	- LIGHT 113	29-54-58.217N 089-48-36.675W	Q G	30	4	SG on skeleton tower on piles.	
11800	- LIGHT 114	29-55-04.240N 089-48-31.143W	Q R	30	4	TR on skeleton tower on piles.	
11840	- PIPELINE LIGHT 123A	29-59-20.000N 089-54-04.000W	FI Y 2.5s	15		NW on pile.	Private aid.
11850	- PIPELINE LIGHT 124A	29-59-27.000N 089-53-57.000W	FI Y 2.5s	15		NW on pile.	Private aid.
11853	ORLEANS LEVEE DISTRICT BAYOU BIENVENUE FLOODGATE LIGHT 2	30-00-09.180N 089-54-08.360W	FI R 2.5s			Marks southeast gate wall.	Private aid.
11853.01	ORLEANS LEVEE DISTRICT BAYOU BIENVENUE FLOODGATE LIGHT 1	30-00-08.600N 089-54-08.540W	FI G 2.5s			Marks southwest gate wall.	Private aid.
11853.02	ORLEANS LEVEE DISTRICT BAYOU BIENVENUE FLOODGATE LIGHT 3	30-00-08.930N 089-54-09.850W	FI G 2.5s			Marks northwest gate wall.	Private aid.
11853.03	ORLEANS LEVEE DISTRICT BAYOU BIENVENUE FLOODGATE LIGHT 4	30-00-09.530N 089-54-09.640W	FI R 2.5s			Marks northeast gate wall.	Private aid.
WAVELAND TO CATAHOULA BAY (Chart 11367)							
Mississippi River - Gulf Outlet							
11885 34735	MICHOUD DOCK LIGHTS (2)	30-00-24.000N 089-56-03.000W	FI R 2.5s	6			Private aid.
11890 34740	GRANT STREET DISCHARGE LIGHT	30-00-14.000N 089-56-59.000W	FI R 2.5s	10		On dolphin.	Private aid.
11900 34750	AMID STATION DISCHARGE LIGHTS (2)	29-59-52.000N 090-00-35.000W	FI R 2.5s			On dolphins.	Private aid.
CHANDELEUR AND BRETON SOUNDS (Chart 11363)							
Breton Sound							
11905	CALIFORNIA BAY PIPELINE LIGHT CP3	29-36-40.000N 089-19-08.000W	Q W	10			Private aid.
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Breton Sound							
11908	Nature Conservancy Danger Day beacon	29-44-34.480N 089-28-12.500W				Marks submerged shoreline protection.	Private aid.
11908.01	Nature Conservancy Danger Day beacon	29-44-38.360N 089-28-10.420W				Marks submerged shoreline protection.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Breton Sound							
11908.02	Nature Conservancy Danger Day beacon	29-44-41.960N 089-28-08.220W				Marks submerged shoreline protection.	Private aid.
11908.03	Nature Conservancy Danger Day beacon	29-44-45.420N 089-28-05.560W				Marks submerged shoreline protection.	Private aid.
11908.04	Nature Conservancy Danger Day beacon	29-44-48.730N 089-28-02.320W				Marks submerged shoreline protection.	Private aid.
11908.05	Nature Conservancy Danger Day beacon	29-44-52.040N 089-27-58.900W				Marks submerged shoreline protection.	Private aid.
11910	CALIFORNIA BAY PIPELINE LIGHT CP2	29-29-31.000N 089-26-14.000W	Q W	10			Private aid.
11915	CALIFORNIA BAY PIPELINE LIGHT CP1	29-25-11.000N 089-29-48.000W	Q R	10			Private aid.
Quarantine Bay Channel							
11920	- LIGHT 2	29-25-02.000N 089-28-27.000W	FI R 4s			TR on pile.	Private aid.
11925	- LIGHT 3	29-25-02.000N 089-28-27.000W	FI G 4s			SG on pile.	Private aid.
11930	- LIGHT 4	29-25-03.000N 089-28-28.000W	FI R 4s	17		TR on pile.	Private aid.
11935	- LIGHT 5	29-24-54.000N 089-28-30.000W	FI G 4s			SG on pile.	Private aid.
11940	- LIGHT 6	29-25-03.000N 089-28-48.000W	FI R 4s	17		TR on pile.	Private aid.
11945	- LIGHT 8	29-25-03.000N 089-28-52.000W	FI R 4s			TR on pile.	Private aid.
11950	- LIGHT 9	29-24-57.000N 089-29-11.000W	FI G 4s	17		SG on pile.	Private aid.
11955	- LIGHT 10	29-25-02.000N 089-29-12.000W	FI R 4s	17		TR on pile.	Private aid.
11960	- LIGHT 12	29-25-02.000N 089-29-15.000W	FI R 4s	17		TR on pile.	Private aid.
11965	- LIGHT 14	29-24-54.000N 089-29-18.000W	FI R 4s			TR on pile.	Private aid.
11970	- LIGHT 16	29-24-38.000N 089-29-43.000W	FI R 4s	7		TR on pile.	Private aid.
11975	- LIGHT 18	29-24-25.000N 089-30-09.000W	FI R 4s	17		TR on pile.	Private aid.
11980	- LIGHT 20	29-24-19.000N 089-30-21.000W	FI R 4s	17		TR on pile.	Private aid.
11985	- LIGHT 22	29-24-12.000N 089-30-30.000W	FI R 4s	17		TR on pile.	Private aid.
11990	- LIGHT 24	29-24-11.000N 089-30-45.000W	FI R 4s	17		TR on pile.	Private aid.
11995	- LIGHT 30	29-23-49.000N 089-31-07.000W	FI R 4s	17		TR on pile.	Private aid.
12000	- LIGHT 34	29-23-35.000N 089-31-14.000W	FI R 4s	17		TR on pile.	Private aid.
12005	- LIGHT 36	29-23-34.000N 089-31-14.000W	FI R 4s	17		TR on pile.	Private aid.
12010	- LIGHT 38	29-23-32.000N 089-31-16.000W	FI R 4s	17		TR on pile.	Private aid.
12015	- LIGHT 40	29-23-00.000N 089-31-24.000W	FI R 4s			TR on pile.	Private aid.
12020	- LIGHT 42	29-23-16.000N 089-31-28.000W	FI R 4s	17		TR on pile.	Private aid.
12022	MOEM BONNIES BAY PIPELINE LIGHT A	29-23-55.980N 089-34-19.960W	FI Y 2.5s			Marks submerged pipeline.	Private aid.
12022.01	MOEM BONNIES BAY PIPELINE LIGHT B	29-23-57.090N 089-34-21.350W	FI Y 2.5s			Marks submerged pipeline.	Private aid.
12025	QUARANTINE BAY NORTH CHANNEL LIGHT 2	29-25-44.000N 089-30-58.000W	FI R 4s	17		TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Breton Sound							
California Bay							
12030	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-12.000N 089-31-53.000W	FI W 2.5s			Marks piling obstruction.	Private aid.
12030.01	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-15.000N 089-32-04.000W	FI W 2.5s			Marks piling obstruction.	Private aid.
12030.02	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-18.000N 089-32-15.000W	FI W 2.5s			Marks piling obstruction.	Private aid.
12030.03	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-20.000N 089-32-26.000W	FI W 2.5s			Marks piling obstruction.	Private aid.
12030.04	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-23.000N 089-32-37.000W	FI W 2.5s			Marks piling obstruction.	Private aid.
12030.05	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-26.000N 089-32-47.000W	FI W 2.5s			Marks piling obstruction.	Private aid.
12030.06	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-28.000N 089-32-58.000W	FI W 2.5s			Marks piling obstruction.	Private aid.
12030.07	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-26.000N 089-33-05.000W	FI W 2.5s			Marks piling obstruction.	Private aid.
12030.08	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-20.000N 089-33-12.000W	FI W 2.5s			Marks piling obstruction.	Private aid.
12030.09	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-12.000N 089-33-16.000W	FI W 2.5s			Marks piling obstruction.	Private aid.
12030.11	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-03.000N 089-33-21.000W	FI W 2.5s			Marks piling obstruction.	Private aid.
12030.12	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-27-54.000N 089-33-25.000W	FI W 2.5s			Marks piling obstruction.	Private aid.
12030.13	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-26.000N 089-33-11.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.14	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-23.000N 089-33-08.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.15	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-17.000N 089-33-18.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.16	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-25.000N 089-33-14.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.17	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-06.000N 089-33-23.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Breton Sound							
California Bay							
12030.18	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-06.000N 089-33-18.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.19	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-55.000N 089-33-28.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.21	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-52.000N 089-33-23.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.22	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-48.000N 089-33-28.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.23	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-26.000N 089-33-06.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.24	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-29.000N 089-33-08.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.25	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-20.000N 089-33-11.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.26	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-22.000N 089-33-15.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.27	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-10.000N 089-33-16.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.28	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-12.000N 089-33-21.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.29	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-02.000N 089-33-20.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.31	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-01.000N 089-33-26.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.32	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-57.000N 089-33-21.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.33	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-47.000N 089-33-26.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12030.34	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-49.000N 089-33-31.000W	FI W 2.5s			Marks sediment curtain piling obstruction.	Private aid.
12032	MOEM GASPER BAY PIPELINE LIGHT A	29-27-46.530N 089-34-50.700W	FI Y 2.5s			Marks submerged pipeline.	Private aid.
Breton Sound							
12070	TELEGRAPH POINT LIGHT	29-29-42.000N 089-30-12.000W	FI W 3s	20		On dolphin.	Private aid.
12072	MOEM LONG BAY PIPELINE LIGHT A	29-29-31.640N 089-34-39.860W	FI Y 2.5s			Marks submerged pipeline.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Breton Sound							
Black Bay Channel							
12075	- LIGHT 1	29-33-06.000N 089-30-18.000W	FI W 4s	10		SG on piles.	Private aid.
12080	HELIS BLACK BAY CHANNEL LIGHT 2	29-33-37.500N 089-30-36.500W	FI R 4s			TR on pile.	Private aid.
12085	HELIS BLACK BAY CHANNEL LIGHT 3	29-33-36.500N 089-30-42.100W	FI G 4s			SG on pile.	Private aid.
12090	HELIS BLACK BAY CHANNEL LIGHT 4	29-33-51.800N 089-30-51.000W	FI R 4s			TR on pile.	Private aid.
12095	HELIS BLACK BAY CHANNEL LIGHT 5	29-33-50.300N 089-30-53.900W	FI G 4s			SG on pile.	Private aid.
12100	HELIS BLACK BAY CHANNEL LIGHT 6	29-34-03.700N 089-30-59.100W	FI R 4s			TR on pile.	Private aid.
12105	HELIS BLACK BAY CHANNEL LIGHT 7	29-34-03.800N 089-34-02.700W	FI G 4s			SG on pile.	Private aid.
12110	HELIS BLACK BAY CHANNEL LIGHT 9	29-34-31.000N 089-31-00.300W	FI G 4s			SG on pile.	Private aid.
12115	HELIS BLACK BAY CHANNEL LIGHT 11	29-34-47.100N 089-31-03.500W	FI G 4s			SG on pile.	Private aid.
12120	HELIS BLACK BAY CHANNEL LIGHT 13	29-34-56.900N 089-31-09.300W	FI G 4s			SG on pile.	Private aid.
12125	HELIS BLACK BAY CHANNEL LIGHT 15	29-34-58.100N 089-31-23.400W	FI G 4s			SG on pile.	Private aid.
12130	HELIS STONE ISLAND REMEDICATION PROJECT DANGER LIGHTS (3)	29-34-49.290N 089-31-56.640W	FI W 2.5s	15		NW on pile.	Worded: DANGER ROCKS. Private aid.
12135	HELIS BLACK BAY CHANNEL LIGHT 17	29-35-00.600N 089-31-57.800W	FI G 4s			SG on pile.	Private aid.
12140	HELIS BLACK BAY CHANNEL LIGHT 19	29-35-00.600N 089-31-57.800W	FI G 4s			SG on pile.	Private aid.
12145	HELIS BLACK BAY CHANNEL LIGHT 21	29-35-01.800N 089-32-12.300W	FI G 4s			SG on pile.	Private aid.
12150	HELIS BLACK BAY CHANNEL LIGHT 23	29-35-06.600N 089-32-29.300W	FI G 4s			SG on pile.	Private aid.
West Black Bay Channel							
12345	- LIGHT 78A	29-35-07.800N 089-33-02.100W	FI W 4s			On dolphin.	Private aid.
12350	U.S. GEOLOGICAL SURVEY SCIENTIFIC MONITORING PLATFORM LIGHT (PP)	29-35-08.700N 089-36-21.500W	FI Y 2.5s	37		On pipe.	Private aid.
Bayou Terre Aux Boeufs							
12355	- Day beacon 2	29-37-13.261N 089-29-11.695W				TR on pile.	Ra ref.
12360	- Day beacon 3	29-37-07.446N 089-29-14.842W				SG on pile.	Ra ref.
12365	- Day beacon 5	29-37-25.866N 089-30-53.997W				SG on pile.	
12370	- Day beacon 6	29-38-03.372N 089-32-25.433W				TR on pile.	Ra ref.
12375	- Day beacon 7	29-39-31.058N 089-33-50.453W				SG on pile.	Ra ref.
12376	MOEM BLACK BAY PIPELINE LIGHT A	29-39-44.940N 089-36-40.850W	FI Y 2.5s			Marks submerged pipeline.	Private aid.
12376.01	MOEM BAYOU TERRA AUX PIPELINE LIGHT A	29-40-33.270N 089-36-57.150W	FI Y 2.5s			Marks submerged pipeline.	Private aid.
12376.02	MOEM LAKE JEAN LOUIS PIPELINE LIGHT A	29-42-58.880N 089-38-14.590W	FI Y 2.5s			Marks submerged pipeline.	Private aid.
12376.03	MOEM LAKE JEAN LOUIS PIPELINE LIGHT B	29-44-43.460N 089-39-09.960W	FI Y 2.5s			Marks submerged pipeline.	Private aid.
12376.04	MOEM MIDDLE BAYOU PIPELINE LIGHT A	29-46-36.280N 089-40-11.930W	FI Y 2.5s			Marks submerged pipeline.	Private aid.
12376.05	MOEM CROOKED BAYOU PIPELINE LIGHT A	29-48-04.830N 089-41-01.580W	FI Y 2.5s			Marks submerged pipeline.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Bayou Terre Aux Boeufs							
12377	Nature Conservancy Bayou Palo Day beacon 2	29-40-03.981N 089-32-06.988W				TR on pile.	Private aid.
12377.01	Nature Conservancy Lake Fortuna Danger Day beacons (4)	29-40-09.411N 089-32-08.248W				NW on pile.	Private aid.
12377.02	Nature Conservancy Lake Fortuna Danger Day beacons (3)	29-40-21.615N 089-31-57.100W				NW on pile.	Private aid.
12377.03	Nature Conservancy Bayou Numa Day beacon 1	29-40-26.873N 089-31-51.120W				SG on pile.	Private aid.
12377.04	Nature Conservancy Bayou Numa Day beacon 2	29-40-25.844N 089-31-49.820W				TR on pile.	Private aid.
12377.05	Nature Conservancy Lake Fortuna Danger Day beacons (5)	29-40-26.587N 089-31-40.470W				NW on pile.	Private aid.
12377.06	Nature Conservancy Lake Fortuna Danger Day beacons (4)	29-40-39.033N 089-31-47.090W				NW on pile.	Private aid.
12377.07	Nature Conservancy Cat Pass Cut Day beacon 1	29-40-52.114N 089-31-47.370W				SG on pile.	Private aid.
12377.08	Nature Conservancy Lake Eloi Danger Day beacons (5)	29-45-03.461N 089-26-14.900W				NW on pile.	Private aid.
12377.09	Nature Conservancy Lake Eloi South Cut Day beacon 1	29-45-09.923N 089-26-22.470W				SG on pile.	Private aid.
12377.11	Nature Conservancy Lake Eloi South Cut Day beacon 2	29-45-15.005N 089-26-24.650W				TR on pile.	Private aid.
12377.12	Nature Conservancy Lake Eloi Danger Day beacons (3)	29-45-16.301N 089-26-23.850W				NW on pile.	Private aid.
12377.13	Nature Conservancy Lake Eloi Danger Day beacon (3)	29-45-25.598N 089-26-25.440W				NW on pile.	Private aid.
12377.14	Nature Conservancy Lake Eloi Center Cut Day beacon 1	29-45-28.089N 089-26-27.950W				SG on pile.	Private aid.
12377.15	Nature Conservancy Lake Eloi Center Cut Day beacon 2	29-45-29.633N 089-26-30.230W				TR on pile.	Private aid.
12377.16	Nature Conservancy Lake Eloi Danger Day beacons (5)	29-45-33.583N 089-26-32.940W				NW on pile.	Private aid.
12377.17	Nature Conservancy Lake Eloi North Cut Day beacon 1	29-45-46.440N 089-26-26.610W				SG on pile.	Private aid.
12378	CPRA ELOI POINT DANGER BREAKWATER LIGHTS 1-30	29-45-23.740N 089-25-00.714W	FI W 2.5s			Marks shoreline restoration breakwater.	Private aid.
12378.01	CPRA ELOI POINT DANGER BREAKWATER LIGHTS 31-49	29-46-07.500N 089-24-31.320W	FI W 2.5s			Marks shoreline restoration breakwater.	Private aid.
12378.02	CPRA ELOI POINT DANGER BREAKWATER LIGHTS 50-67	29-46-47.590N 089-21-58.250W	FI W 2.5s			Marks shoreline restoration breakwater.	Private aid.
12378.03	CRCL Danger Day beacons (6)	29-45-18.560N 089-26-55.210W				Marks submerged oyster beds.	Private aid.
CHANDELEUR AND BRETON SOUNDS (Chart 11363)							
Baptiste Collette Bayou							
12380	- ENTRANCE LIGHT	29-24-43.445N 089-18-33.599W	Oc W 4s	17	4	NG on piles.	Ra ref.
12385	- LIGHT 1 50 feet outside channel limit.	29-24-16.678N 089-18-28.712W	FI G 2.5s	17	4	SG on dolphin.	Ra ref.
12390	- LIGHT 2	29-24-16.396N 089-18-33.977W	FI R 2.5s	17	4	TR on dolphin.	Ra ref.
12395	- LIGHT 3 50 feet outside channel limit.	29-23-57.926N 089-18-26.575W	FI G 6s	17	4	SG on pile.	Ra ref.
12400	- Day beacon 4	29-23-45.291N 089-18-30.128W				TR on pile.	Ra ref.
12405	- LIGHT 5 50 feet outside channel limit.	29-23-35.551N 089-18-23.415W	FI G 4s	17	4	SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
CHANDELEUR AND BRETON SOUNDS (Chart 11363)							
Baptiste Collette Bayou							
12410	- LIGHT 6 50 feet outside channel limit.	29-23-21.693N 089-18-26.012W	FI R 6s	17	4	TR on pile.	Ra ref.
12415	- LIGHT 7	29-23-03.054N 089-18-18.071W	FI G 6s	17	4	SG on pile.	Ra ref.
12420	- Day beacon 8 50 feet outside channel limit.	29-23-03.551N 089-18-23.878W				TR on pile.	Ra ref.
12425	- LIGHT 9 50 feet outside channel limit.	29-22-42.382N 089-18-14.943W	FI G 4s	17	4	SG on dolphin.	
12430	- LIGHT 10	29-22-41.990N 089-18-20.161W	FI R 4s	17	3	TR on pile.	
12435	- Day beacon 11 45 feet outside channel limit.	29-22-29.423N 089-18-13.204W				SG on pile.	Ra ref.
12440	- Day beacon 12 45 feet outside channel limit.	29-22-22.728N 089-18-16.806W				TR on pile.	Ra ref.
12445	- LIGHT 13 45 feet outside channel limit.	29-22-04.324N 089-18-08.878W	FI G 2.5s	17	3	SG on pile.	Ra ref.
12450	- LIGHT 14 45 feet outside channel limit.	29-22-03.413N 089-18-13.846W	FI R 2.5s	17	3	TR on pile.	Ra ref.
12455	- Day beacon 15 50 feet outside channel limit.	29-21-45.091N 089-18-05.964W				SG on pile.	
12460	- Day beacon 16 50 feet outside channel limit.	29-21-45.702N 089-18-10.966W				TR on pile.	Ra ref.
12465	- LIGHT 17 50 feet outside channel limit.	29-21-34.978N 089-18-03.657W	FI G 2.5s	17	3	SG on pile.	Ra ref.
12470	- LIGHT 18 50 feet outside channel limit.	29-21-35.141N 089-18-09.267W	FI R 2.5s	17	3	TR on pile.	
12475	- Day beacon 19 50 feet outside channel limit.	29-19-14.529N 089-18-54.799W				SG on pile.	
12480	- Day beacon 20 50 feet outside channel limit.	29-18-52.152N 089-19-11.078W				TR on pile.	Ra ref.
12485	EMELINE PASS WRECK LIGHT WR2	29-18-13.702N 089-18-28.446W	Q R	17	3	TR on pile.	Ra ref.
MISSISSIPPI RIVER DELTA (Chart 11361)							
Baptiste Collette Bayou							
12490	- Day beacon 21	29-18-04.456N 089-19-34.272W				SG on pile.	Ra ref.
12495	- Day beacon 22 50 feet outside channel limit.	29-18-07.504N 089-19-41.785W				TR on pile.	Ra ref.
12500	- LIGHT 23	29-17-55.264N 089-19-47.203W	Q G	17	3	SG on pile.	Ra ref.
12505	- LIGHT 25	29-17-34.605N 089-20-49.355W	FI G 2.5s	17	3	SG on pile.	
12510	MAIN PASS LOADING DOCK LIGHT	29-15-20.000N 089-14-06.000W	FI W 2s	12			Private aid.
Lonesome Bayou							
12515	- LIGHT 2	29-14-24.000N 089-03-43.000W	Q R	15		TR on dolphin.	Private aid.
12520	- Day beacon 4	29-13-17.000N 089-03-38.000W				TR on pile.	Private aid.
12525	- Day beacon 6	29-13-11.000N 089-03-33.000W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
MISSISSIPPI RIVER DELTA (Chart 11361)							
Lonesome Bayou							
12530	- Day beacon 8	29-13-04.000N 089-03-28.000W				TR on pile.	Private aid.
12535	- Day beacon 10	29-12-57.000N 089-03-23.000W				TR on pile.	Private aid.
Pass A Loutre							
12540	SHELL PIPELINE CORPORATION DOCK LIGHT	29-09-06.000N 089-14-06.000W	F W	10		White rectangular day mark.	Private aid.
12545	GARDEN ISLAND BAY 214- 160 CHANNEL LIGHT 1	29-06-21.000N 089-11-01.000W	Q G	14		SG on pile.	Private aid.
12550	JOHNSON PASS LIGHT 1	29-05-24.000N 089-09-42.000W	FI W 2.5s	12		On dolphin.	Private aid.
12552	CRIMSON GULF PIPELINE MARKER LIGHT A	29-09-03.010N 089-13-10.830W	FI Y 2.5s			Western mark.	Private aid.
12552.01	CRIMSON GULF PIPELINE MARKER LIGHT B	29-09-03.010N 089-13-10.600W	FI Y 2.5s			Eastern mark,	Private aid.
Redfish Bay							
S.L. 11107 Pipeline							
12555	Redfish Bay Sl 11107 Pipeline Day beacon A	29-05-54.000N 089-05-24.000W				NW on pile.	Private aid.
12560	Redfish Bay Sl 11107 Pipeline Day beacon B	29-05-54.000N 089-05-30.000W				NW on pile.	Private aid.
12565	Redfish Bay Sl 11107 Pipeline Day beacon C	29-06-00.000N 089-05-36.000W				NW on pile.	Private aid.
12570	Redfish Bay Sl 11107 Pipeline Day beacon D	29-06-00.000N 089-05-42.000W				NW on pile.	Private aid.
South Pass							
12575	- Lighted Buoy 2	28-58-49.331N 089-06-52.575W	FI R 2.5s		4	Red.	
12580	- Lighted Buoy 3	28-58-53.282N 089-07-19.159W	FI G 4s		4	Green.	
12585	- Buoy 3A	28-59-11.637N 089-08-03.569W				Green can.	
12590	- LIGHT 4	28-59-22.625N 089-08-11.241W	Q R	24	4	TR on pile.	Ra ref.
12591	- LIGHT 3B	28-59-28.198N 089-08-21.510W	FI G 2.5s	17	4	SG on pile.	Ra ref.
12592	- DANGER LIGHT A	28-59-30.613N 089-08-16.355W	FI W 2.5s	17	4	NW on pile.	Ra ref.
12593	- DANGER LIGHT B	28-59-36.929N 089-08-20.989W	FI W 4s	17	4	NW on pile.	Ra ref.
12595	- Day beacon 5	28-59-40.453N 089-08-30.051W				SG on pile.	Ra ref.
12596	- LIGHT 6	28-59-42.931N 089-08-26.697W	FI R 2.5s	17	4	TR on pile.	Ra ref.
12596.01	- LIGHT 5A	28-59-45.419N 089-08-34.320W	Q G	17	4	SG on pile.	Ra ref.
12596.02	- Danger Day beacon C	28-59-51.883N 089-08-35.161W				NW on pile.	Ra ref.
12596.03	- LIGHT 7	28-59-54.409N 089-08-48.308W	FI G 4s	17	4	SG on pile.	Ra ref.
12596.04	- DANGER LIGHT D	29-00-00.007N 089-08-44.546W	FI W 2.5s	17	4	NW on pile.	Ra ref.
12596.05	- Danger Day beacon E	29-00-07.526N 089-08-54.751W				NW on pile.	Ra ref.
12596.06	- LIGHT 8	29-00-14.264N 089-09-03.059W	FI R 4s	17	4	TR on pile.	Ra ref.
12597	PORT EADS MARINA LOWER DOCK LIGHT	29-00-55.000N 089-09-59.000W	FI G 2.5s			Marks lower end of dock.	Private aid.
12597.01	PORT EADS MARINA UPPER DOCK LIGHT	29-00-58.000N 089-10-03.000W	FI G 2.5s			Marks upper end of dock.	Private aid.
12605	PICAYUNE BAYOU LIGHT 9	29-01-36.825N 089-10-54.173W	Iso G 6s	17	4	SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
MISSISSIPPI RIVER DELTA (Chart 11361)							
South Pass							
12610	OYSTERVILLE LIGHT 9A	29-03-12.345N 089-12-13.250W	Iso G 6s	17	4	SG on piles.	
12612	- Buoy 9B	29-03-36.700N 089-12-23.800W				Green can.	
12615	- <i>Lighted Buoy 9C</i>	29-04-30.021N 089-12-50.831W	FI G 4s		4	Green can.	
12620	OLD GRAND BAYOU LIGHT 10	29-04-32.314N 089-12-44.845W	Iso R 6s	17	4	TR on pile.	Ra Ref.
12622	- Buoy 9D	29-04-46.108N 089-13-02.566W				Green can.	
12625	SOUTHERN NATURAL GAS SOUTH PASS DOCK A LIGHT	29-05-06.000N 089-13-12.000W	FI R 4s	8		On boat dock.	Private aid.
12630	SOUTHERN NATURAL GAS SOUTH PASS DOCK B LIGHT	29-04-54.000N 089-13-24.000W	FI G 4s	8		On boat dock.	Private aid.
12632	CLAYTON WILLIAMS ENERGY SOUTH PASS PIPELINE LIGHT	29-05-17.560N 089-13-37.640W	FI Y 2.5s			NW on pile.	Private aid.
12632.01	CLAYTON WILLIAMS ENERGY SOUTH PASS PIPELINE LIGHT	29-05-09.710N 089-13-30.570W	FI Y 2.5s			NW on pile.	Private aid.
12632.02	CLAYTON WILLIAMS ENERGY SOUTH PASS PIPELINE LIGHT	29-05-02.010N 089-13-23.290W	FI Y 2.5s			NW on pile.	Private aid.
12635	UPPER CAVE LIGHT 11	29-06-02.272N 089-14-09.037W	Iso G 6s	17	4	SG on dolphin.	
12640	- LIGHT 11A	29-06-52.871N 089-14-32.579W	FI G 2.5s	17	4	SG on pile.	Ra ref.
12642	- <i>Lighted Buoy 11B</i>	29-07-07.560N 089-14-29.100W	FI G 2.5s		3	Green can.	
12645	- LIGHT 13	29-07-23.088N 089-14-34.516W	Iso G 6s	17	4	SG on pile.	Ra ref.
12650	DEPOT POINT LIGHT 14	29-07-59.512N 089-14-31.843W	Iso R 6s	17	4	TR on skeleton tower on piles.	
12655	- LIGHT 14 A	29-08-24.280N 089-14-47.123W	Iso R 6s	17	4	TR on pile.	
12660	CYPRESS LEADING LIGHT	29-08-01.574N 089-14-47.549W	Iso W 6s	42		NB on skeleton tower on piles.	Visible 6° either side of 166° to the light..
12665	- LIGHT 15	29-08-28.409N 089-15-00.454W	Iso G 6s	17	4	SG on pile.	Ra ref.
12670	- LIGHT 16	29-09-05.673N 089-14-58.798W	FI R 2.5s	17	4	TR on pile.	Ra ref.
Southwest Pass							
12680 430	- <i>Entrance Lighted Buoy SW</i>	28-52-39.100N 089-25-55.000W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
12685	- ENTRANCE RANGE FRONT LIGHT	28-54-34.456N 089-25-55.186W	F W		20	KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12690	- ENTRANCE RANGE REAR LIGHT 383 yards, 000.3° f from front light.	28-54-45.822N 089-25-55.099W	F W		65	KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12695	- <i>Lighted Buoy 1</i> 150 feet outside channel limit.	28-53-41.261N 089-26-00.572W	FI G 2.5s		4	Green.	
12700	- ENTRANCE EAST RANGE FRONT LIGHT	28-54-33.742N 089-25-53.446W	Q R		21	NR on tower on piles.	Visible 1.5° each side of rangeline.
12705	- ENTRANCE EAST RANGE FRONT PASSING LIGHT	28-54-34.518N 089-25-53.454W	Q W		23 5	On same structure as Southwest Pass Entrance East Range Front Light.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
MISSISSIPPI RIVER DELTA (Chart 11361)							
Southwest Pass							
12710	- ENTRANCE EAST RANGE REAR LIGHT 544 yards, 000.1° from front light.	28-54-49.848N 089-25-53.414W	Iso R 6s	45		NR on tower on piles.	Visible only on the east quarter of SWP Entrance Channel.
12715	- ENTRANCE WEST RANGE FRONT LIGHT	28-54-34.667N 089-25-56.898W	Q G	21		NG on dolphin.	Visible 1.5° each side of rangeline.
12720	- ENTRANCE WEST RANGE REAR LIGHT 414 yards, 359.9° from front light.	28-54-46.747N 089-25-56.857W	Iso G 6s	45		NG on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12725	- LEADING LIGHT	28-53-59.115N 089-26-15.579W	Q W (NIGHT) Q W (NIGHT)	30	5	NB on pile.	
12730	- EAST JETTY END LIGHT 4	28-54-19.891N 089-25-45.460W	Iso R 6s (NIGHT) Iso R 6s (NIGHT)	38	5	TR on red skeleton tower on piles.	Higher intensity beam up channel.
12735	- <i>East Jetty End Lighted Buoy 4A</i>	28-54-16.743N 089-25-48.869W	FI R 4s		3	Red.	
12740 420	- Entrance Light	28-54-21.376N 089-25-43.025W	FI W 10s	122	12	Tower on white dwelling on piles. 85	RACON: K (- . -) Emergency light of reduced intensity: FI W 10s.
12745	- B RANGE FRONT LIGHT	28-55-01.185N 089-25-09.466W	Q W	25		KRW on skeleton tower on piles.	Visible 5.5° each side of rangeline.
12750	- B RANGE FRONT PASSING LIGHT	28-54-57.015N 089-25-13.835W	FI W 2.5s	17	4	On same structure as Southwest Pass Range B Front Light.	
12755	- B RANGE REAR LIGHT 541 yards, 42.8° from front light.	28-55-12.966N 089-24-57.051W	Iso W 6s	41		KRW on skeleton tower on piles.	
12760	- B EAST RANGE FRONT LIGHT	28-55-04.345N 089-25-03.845W	Q R	20		KWR on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12765	- B EAST RANGE REAR LIGHT 302 yards, 42.4° from front light.	28-55-10.959N 089-24-56.971W	Iso R 6s	35		KWR on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12770	- B WEST RANGE FRONT LIGHT	28-55-06.197N 089-25-06.551W	Q G	20		KWG on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12775	- B WEST RANGE REAR LIGHT 309 yards, 043.0° from front light.	28-55-12.891N 089-24-59.440W	Iso G 6s	35		KWG on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12780	- LIGHT 5	28-56-11.153N 089-24-36.851W	Iso G 6s	41	5	SG on skeleton tower on piles.	
12785	- LIGHT 6	28-56-16.440N 089-24-12.480W	Iso R 6s	45	4	TR on skeleton tower on piles.	
12790	- LIGHT 7	28-56-50.914N 089-24-09.528W	FI G 2.5s	45	5	SG on skeleton tower on piles.	
12795	- LIGHT 8	28-57-05.615N 089-23-38.008W	FI R 2.5s	35	9	TR on skeleton tower on piles.	
12800	- LIGHT 9	28-57-57.112N 089-23-17.552W	Iso G 6s	45	5	SG on skeleton tower on piles.	
12805	- LIGHT 10	28-58-35.495N 089-22-23.624W	Iso R 6s	45	5	TR on skeleton tower on piles.	
12810	- LIGHT 11	28-58-51.844N 089-22-30.890W	Iso G 6s	45	5	SG on skeleton tower on piles.	
12815	- LIGHT 12	28-59-28.023N 089-21-38.932W	FI R 4s	45	4	TR on skeleton tower on piles.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
MISSISSIPPI RIVER DELTA (Chart 11361)							
Southwest Pass							
12820	- LIGHT 14	29-00-08.111N 089-21-05.026W	Iso R 6s	45	5	TR on skeleton tower on piles.	
12825	- LIGHT 16	29-00-46.114N 089-20-35.531W	Iso R 6s	40	5	TR on skeleton tower on piles.	
12830	- LIGHT 17	29-01-19.478N 089-20-29.602W	FI G 2.5s	40	5	SG on skeleton tower on piles.	
12835	- LIGHT 18	29-01-23.765N 089-20-06.152W	FI R 2.5s	45	9	TR on skeleton tower on piles.	
12845	CHEVRON PIER LIGHT	29-02-19.000N 089-19-33.200W	Q W	6		On dock.	Private aid.
12855	CHEVRON BOAT DOCK LIGHT	29-02-21.000N 089-19-13.000W	FI R 4s	7		On dolphin.	Private aid.
12860	Double Bayou Light 19	29-02-49.035N 089-19-10.331W	FI G 2.5s	45	10	SG on skeleton tower on piles. 45	
12865	ENERGY PARTNERS OUTFALL LIGHT	29-02-57.800N 089-18-43.200W	FI R 4s			On pile.	Private aid.
12870	SHELL TERMINAL LOADING DOCK LIGHTS (2)	29-03-18.000N 089-18-32.000W	F R	25		On dock.	Private aid.
12875	- LIGHT 21	29-03-41.640N 089-18-39.360W	Iso G 6s	45	5	SG on skeleton tower on piles.	
12880	- LIGHT 22 200 feet outside channel limit.	29-03-58.740N 089-18-00.660W	Q R	40	5	TR on skeleton tower on piles.	
12885	Scotts Canal Light 23	29-05-08.825N 089-17-10.958W	FI G 2.5s	45	10	SG on skeleton tower on mud sills. 15	
12890	- LIGHT 24	29-05-08.172N 089-16-50.205W	FI R 2.5s	37	5	TR on skeleton tower on piles.	
12895	SCOTTS CANAL LANDING LIGHT	29-05-13.000N 089-17-03.000W	FI W 3s	10			Private aid.
12900	- LIGHT 26	29-06-26.718N 089-16-06.816W	Iso R 6s	45	4	TR on skeleton tower.	
12905	- LIGHT 27	29-07-11.011N 089-16-01.016W	FI G 2.5s	45	5	SG on skeleton tower on piles.	
12910	- HEAD RANGE FRONT LIGHT	29-07-56.340N 089-15-24.600W	F W	35		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
12915	- HEAD RANGE FRONT LIGHT PASSING LIGHT	29-07-54.812N 089-15-24.183W	FI W 4s	17	5	On same structure as Southwest Pass Head Range Front Light.	
12920	- HEAD RANGE REAR LIGHT 315 yards, 183° f from front light.	29-07-45.789N 089-15-25.207W	F W	48		KRW on skeleton tower on mud sills.	Visible 2° each side of rangeline.
12925	- HEAD EAST RANGE FRONT LIGHT	29-07-50.430N 089-15-21.509W	Q R	25		KWR on skeleton tower on piles.	Visible 4° each side of rangeline.
12930	- HEAD EAST RANGE REAR LIGHT 400 yards, 183° f from front light.	29-07-38.551N 089-15-22.249W	Iso R 6s	40		KWR on skeleton tower on piles.	Visible 4° each side of rangeline.
12935	- HEAD WEST RANGE FRONT LIGHT	29-07-50.774N 089-15-27.149W	Q G	25		KWG on skeleton tower on piles.	Visible 4° each side of rangeline.
12940	- HEAD WEST RANGE REAR LIGHT 400 yards, 183° f from front light.	29-07-38.848N 089-15-27.873W	Iso G 6s	40		KWG on skeleton tower on piles.	Visible 4° each side of rangeline.

MISSISSIPPI RIVER (Louisiana) - Eighth District

MISSISSIPPI RIVER DELTA (Chart 11361)

Head of Passes to New Orleans

Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Mileage given indicates the number of miles above Head of Passes Junction Light.

12945	HEAD OF PASSES JUNCTION LIGHT	29-08-52.769N 089-15-05.546W	FI (2+1)R 6s		6	JR on skeleton tower on piles.	
-------	-------------------------------	---------------------------------	--------------	--	---	--------------------------------	--

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER DELTA (Chart 11361)							
Head of Passes to New Orleans							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Mileage given indicates the number of miles above Head of Passes Junction Light.</i>							
12950	CUBITS GAP RANGE FRONT LIGHT	29-10-00.296N 089-15-13.002W	Q G			KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
12955	CUBITS GAP RANGE REAR LIGHT 272 yards, 151.2° from front light.	29-09-53.144N 089-15-08.717W	F G			KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
12960	PILOTTOWN A RANGE FRONT LIGHT	29-10-06.749N 089-15-16.574W	Q W			KRW on skeleton tower.	
12965	PILOTTOWN A RANGE REAR LIGHT 298 yards, 001.6° from front light.	29-10-15.591N 089-15-16.113W	Iso W 6s			KRW on skeleton tower.	
12970	PILOTTOWN A EAST RANGE FRONT LIGHT	29-10-11.168N 089-15-12.919W	Q R			KWR on skeleton tower on piles.	Visible 4° each side of rangeline.
12975	PILOTTOWN A EAST RANGE REAR LIGHT 400 yards, 003° from front light.	29-10-22.859N 089-15-12.321W	Iso R 6s			KWR on skeleton tower on piles.	Visible 4° each side of rangeline.
12980	PILOTTOWN A WEST RANGE FRONT LIGHT	29-10-11.441N 089-15-18.539W	Q G			KWG on skeleton tower on piles.	Visible 4° each side of rangeline.
12985	PILOTTOWN A WEST RANGE REAR LIGHT 415 yards, 001.8° from front light.	29-10-23.778N 089-15-17.845W	Iso G 6s			KWG on skeleton tower on piles.	Visible 4° each side of rangeline.
12990	Pilottown Anchorage Lower Day beacon 1.5	29-10-13.619N 089-16-06.123W				NY on pile.	Ra ref.
12995	<i>Pilottown Lighted Buoy 1</i> RDB mile 1.6.	29-10-22.469N 089-15-39.811W	Q G		4	Green.	
13000	PILOTTOWN WINGDAM LIGHT 2	29-10-27.086N 089-15-25.006W	FI R 2.5s		5	TR on skeleton tower on piles.	
13005	RIVER PILOTS WINGDAM LIGHT	29-10-45.000N 089-15-34.000W	F R			On pile.	Private aid.
13010	RIVER PILOTS WHARF LIGHT	29-10-43.000N 089-15-32.000W	F R			Pile.	Private aid.
13015	PILOTTOWN TERMINAL WING DAM LIGHT	29-11-00.000N 089-15-39.000W	Q R				Private aid.
13020	<i>Cubits Gap Lighted Buoy 3</i> RDB mile 2.6.	29-11-11.790N 089-16-01.723W	FI G 4s		4	Green.	
13025	CUBITS GAP LIGHT 4 LDB mile 2.8.	29-11-32.645N 089-15-51.579W	Iso R 6s		5	TR on skeleton tower on piles.	
13030	<i>Old Quarantine Station Lighted Buoy A</i> RDB mile 3.6.	29-12-00.626N 089-16-31.838W	FI (2+1)G 6s		4	Green and red bands.	
13035	OLD QUARANTINE STATION LIGHT 6 LDB mile 3.5.	29-12-07.257N 089-16-17.248W	FI R 4s		4	TR on skeleton tower on piles.	
13040	SPENCES LIGHT 6A LDB mile 3.5.	29-14-24.365N 089-17-54.300W	FI R 6s		4	TR on skeleton tower on piles.	
13045	Pilottown Anchorage Upper Day beacon 6.7	29-14-04.401N 089-18-22.579W				NY on pile.	Ra ref.
13050	WEST POINT LIGHT 7 RDB mile 7.7.	29-14-48.143N 089-19-02.282W	FI G 4s		4	SG on skeleton tower on piles.	
13055	WILDER FLATS LIGHT 8 LDB mile 7.7.	29-15-08.609N 089-18-42.866W	FI R 2.5s		5	TR on skeleton tower on piles.	
13060	Lower Venice Anchorage Lower Day beacon 8.0	29-15-15.079N 089-18-51.307W				NY on pile.	Ra ref.
13065	Lower Venice Anchorage Upper Day beacon 9.6	29-16-10.988N 089-20-00.055W				NY on pile.	Ra ref.
13070	JUMP LIGHT 9 RDB mile 9.8.	29-15-47.915N 089-20-22.137W	FI G 6s		4	SG on skeleton tower on piles.	
13075	<i>Jump Shoal Lighted Buoy 10</i> Mile 9.3, marks western edge of shoal.	29-15-50.231N 089-20-02.632W	FI R 4s		4	Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER DELTA (Chart 11361)							
Head of Passes to New Orleans							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Mileage given indicates the number of miles above Head of Passes Junction Light.</i>							
13080	Upper Venice Anchorage Lower Day beacon 10.0	29-16-24.652N 089-20-16.271W				NY on pile.	Ra ref.
13085	<i>Jump Shoal Lighted Buoy 10A</i> Mile 10.1.	29-16-20.838N 089-20-34.415W	FI R 2.5s		5	Red.	
13090	THE JUMP WHARF LIGHTS (3) RDB mile 10.5.	29-16-32.000N 089-21-08.000W	F W				Aid maintained by U.S. Army Corps of Engineers.
13095	Upper Venice Anchorage Upper Day beacon 11.2	29-17-10.436N 089-20-59.882W				NY on pile.	Ra ref.
13100	GETTY DOCK LIGHTS (3) RDB mile 11.9.	29-17-28.000N 089-21-57.000W	F G				HORN: 1 BLAST EV 20S (2S BL). Private aid.
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Head of Passes to New Orleans							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Mileage given indicates the number of miles above Head of Passes Junction Light.</i>							
13105	MICHELLA LIGHT 14 LDB mile 13.5.	29-18-49.149N 089-22-18.757W	Iso R 6s		7	TR on skeleton tower on piles.	
13110	Boothville Anchorage Lower Day beacon 12.2	29-17-36.808N 089-22-00.126W				NY on pile.	Ra ref.
13115	OLGA LIGHT 16 LDB mile 16.3.	29-20-45.454N 089-24-09.934W	Iso R 6s		5	TR on skeleton tower on piles.	
13120	ST ANNE LIGHT 18 LDB mile 18.0.	29-21-44.187N 089-25-55.330W	FI R 4s		5	TR on skeleton tower on piles.	
13125	<i>Fort Jackson Lighted Buoy A</i>	29-21-17.206N 089-25-31.256W	FI (2+1)G 6s		4	Green with red bands.	
13130	Boothville Anchorage Upper Day beacon 18.5	29-21-18.093N 089-26-02.285W				NY on pile.	Ra ref.
13135	BOOTHVILLE WATER INTAKE LIGHT RDB mile 18.7.	29-21-31.000N 089-26-15.000W	Q G			On intake structure.	Private aid.
13140	FORT JACKSON LIGHT 19 RDB mile 19.2.	29-21-39.242N 089-26-50.859W	Iso G 6s		7	SG on skeleton tower on piles.	
13145	ST PHILIPS BEND LIGHT 20 LDB mile 19.6.	29-22-00.220N 089-27-04.098W	Iso R 6s		5	TR on skeleton tower on piles.	
13150	HARVEY LIGHT 20A LDB mile 20.5.	29-21-48.409N 089-27-40.498W	FI R 4s		5	TR on skeleton tower on piles.	
13155	BAYOU PETIT LIARD LIGHT 21 RDB mile 21.1.	29-20-48.804N 089-28-00.744W	Iso G 6s		5	SG on skeleton tower on piles.	
13160	BAYOU GRAND LIARD LIGHT 21A RDB mile 21.9.	29-20-23.808N 089-28-56.520W	FI G 2.5s		5	SG on skeleton tower on piles.	
13165	BOLIVAR POINT LIGHT 22 LDB mile 22.0.	29-20-47.045N 089-28-51.282W	Iso R 6s		4	TR on pile.	
13170	<i>Triumph Shoal Lighted Buoy 23</i> Mile 23.2, marks northern edge of shoal.	29-21-03.353N 089-30-12.966W	FI G 4s		4	Green.	
13175	Ostrica Anchorage Lower Day beacon 23.0	29-20-41.326N 089-29-54.654W				NY on pile.	Ra ref.
13180	NEPTUNE LIGHT 24 LDB mile 23.9.	29-21-32.623N 089-30-35.881W	Iso R 6s		5	TR on skeleton tower on piles.	Ra ref.
13185	Ostrica Anchorage Upper Day beacon 24.4	29-21-19.987N 089-31-11.486W				NY on pile.	Ra ref.
13190	TANKER LOADING DOCK LIGHT LDB mile 25.7.	29-22-05.000N 089-32-04.000W	F R			On pile.	Private aid.
13195	CAL-KY OSTRICA BARGE DOCK LIGHTS (2) RDB mile 27.1.	29-22-18.300N 089-33-12.200W	Q R				Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Head of Passes to New Orleans							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream Mileage given indicates the number of miles above Head of Passes Junction Light.</i>							
13200	CAL-KY EMPIRE TANKER DOCK LIGHTS (4) LDB mile 27.5.	29-22-20.000N 089-33-23.000W	FI R 2.5s			On dolphin.	HORN: 1 BLAST EV 20S (2S BL). Private aid.
13205	CAL-KY EMPIRE BOAT DOCK LIGHT RDB mile 27.5.	29-22-00.200N 089-34-00.030W	Q W				Private aid.
13210	ALBERTA LIGHT 27 LDB mile 27.8.	29-22-20.188N 089-34-17.837W	Iso G 6s		5	SG on skeleton tower on piles.	
13215	EMPIRE WATER INTAKE LIGHTS (2) RDB mile 30.0.	29-23-46.000N 089-36-00.000W	F G				HORN: 1 BLAST EV 20S (2S BL). OPERATED CONTINUOUSLY THROUGHOUT THE YEAR. Private aid.
13220	TROPICAL BEND LOWER LIGHT 29 rDB mile 30.4.	29-24-06.031N 089-36-20.398W	Iso G 6s		4	SG on skeleton tower on piles.	
13225	POINT PLEASANT LOWER LIGHT 30 LDB mile 30.4.	29-24-16.768N 089-35-56.726W	Iso R 6s		5	TR on skeleton tower on piles.	
13230	POINT PLEASANT UPPER LIGHT 30A LDB mile 31.8.	29-25-07.006N 089-36-08.616W	FI R 6s		4	TR on skeleton tower on piles.	
13235	TROPICAL BEND UPPER LIGHT 31 RDB mile 32.1.	29-25-31.618N 089-36-28.841W	Iso G 6s		7	SG on skeleton tower on piles.	
13240	SIXTY MILE POINT LIGHT 33 Marks shoal off RDB mile 33.0.	29-26-17.904N 089-36-09.458W	Q G		4	SG on skeleton tower on piles.	
13245	BAYOU LAMOQUE LIGHT 32 LDB mile 33.2.	29-26-32.917N 089-35-43.762W	Iso R 6s		5	TR on skeleton tower on piles.	
13250	Sixty Mile Point Lighted Buoy A	29-26-44.637N 089-36-09.473W	FI (2+1)G 6s		4	Green with red bands.	
13255	BAYOU LAMOQUE LIGHT 32A LDB mile 33.6.	29-26-52.809N 089-35-50.170W	Q R		5	TR on skeleton tower on piles.	
13260	HARRIS BAYOU LIGHT 34 LDB mile 34.3.	29-27-21.565N 089-36-32.330W	Iso R 6s		4	TR on skeleton tower on piles.	
13265	BASS LOADING DOCK LIGHTS (2) LDB mile 35.2.	29-27-38.000N 089-37-30.000W	F W			On dolphin.	Private aid.
13270	HOME PLACE LIGHT 37 RDB mile 37.0.	29-27-23.991N 089-39-13.507W	Iso G 6s		6	SG on skeleton tower on piles.	
13275	HOME PLACE EAST LIGHT 38 LDB mile 37.5.	29-27-59.188N 089-39-42.446W	Iso R 6s		4	TR on skeleton tower on piles. On same structure as Port Sulphur Anchorage Lower Day beacon 35.7.	
13280	Port Sulphur Anchorage Lower Day beacon 37.5	29-27-59.248N 089-39-42.386W				NY on pile. On same structure as Home Place East Light 38.	
13285	FREEMPORT MCMORAN ENERGY DOCK LOWER LIGHT RDB mile 39.0	29-28-22.000N 089-41-02.000W	FI G 2.5s	15		On dock.	Private aid.
13290	FREEMPORT MCMORAN ENERGY DOCK UPPER LIGHT RDB mile 39.0	29-28-25.000N 089-41-06.000W	FI G 2.5s	15		On dock.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Head of Passes to New Orleans							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream Mileage given indicates the number of miles above Head of Passes Junction Light.</i>							
13295	NESTOR CNL LIGHT 40 LDB mile 39.7.	29-29-10.291N 089-41-18.464W	Iso R 6s		7	TR on skeleton tower on piles. On same structure as Port Sulphur Anchorage Upper Day beacon 39.7.	
13300	Port Sulphur Anchorage Upper Day beacon 39.7	29-29-10.528N 089-41-18.446W				NY on pile. On same structure as Nester Canal Light 40.	
13305	HULING LIGHT 42 LDB mile 42.8.	29-31-13.444N 089-43-02.598W	Iso R 6s		4	TR on skeleton tower on piles.	
13310	POINT MICHELE LIGHT 43 RDB mile 43.2.	29-31-16.140N 089-43-45.225W	Iso G 6s		7	SG on skeleton tower on piles.	
13312	SOCOLA LIGHT 45 RDB mile 44.8.	29-32-01.000N 089-45-22.780W	FI G 4s		5	SG on tower.	
13315	BOHEMIA LIGHT 46 LDB mile 44.9.	29-32-11.227N 089-44-55.124W	Iso R 6s		7	TR on skeleton tower on piles.	
13320	Magnolia Anchorage Lower Day beacon 45.5	29-32-14.418N 089-45-42.964W				NY on pile.	Ra ref.
13325	Magnolia Anchorage Upper Day beacon 47.6	29-33-40.920N 089-47-09.013W				NY on pile.	Ra ref.
13330	SULPHUR LOADING DOCK LIGHTS (2) RDB mile 49.0.	29-34-21.000N 089-48-04.000W	FI G 2.5s			On dolphins.	Private aid.
13335	ROCK ISLAND DOCK LIGHTS (2) RDB mile 49.3.	29-34-50.000N 089-48-16.000W	FI G 4s			On dolphins.	Private aid.
13340	Celeste Anchorage Lower Day beacon 49.8	29-34-43.677N 089-48-47.787W				NY on pile.	Ra ref.
13345	Celeste Anchorage Upper Day beacon 52.0	29-35-51.876N 089-50-37.271W				NY on pile.	Ra ref.
13350	FAVRET LIGHT 52 LDB mile 52.5.	29-36-18.633N 089-50-50.698W	Iso R 6s		5	TR on skeleton tower on piles.	
13355	POINT CELESTE LIGHT 53 RDB mile 52.8.	29-36-03.670N 089-51-16.521W	FI G 6s		4	SG on skeleton tower on piles.	
13360	Dav ant Anchorage Lower Day beacon 52.8	29-36-22.680N 089-51-05.640W				NY on pile.	Ra ref.
13365	Dav ant Anchorage Upper Day beacon 53.9	29-36-36.674N 089-52-09.287W				NY on pile.	Ra ref.
13370	DEER RANGE LIGHT 55 RDB mile 55.4.	29-36-42.969N 089-53-42.046W	Iso G 6s		5	SG on skeleton tower.	
13375	<i>Electro-Coal Mooring Buoy Light L</i> LDB mile 55.0.	29-36-32.000N 089-52-10.500W	FI W 2.5s			White.	Private aid.
13380	Electro Coal Mooring Buoy B	29-37-21.500N 089-54-14.000W				White	Private aid.
13385	Electro Coal Mooring Buoy C	29-37-20.000N 089-54-11.500W				White	Private aid.
13390	Electro Coal Mooring Buoy D	29-37-18.500N 089-54-09.000W				White	Private aid.
13395	Electro Coal Mooring Buoy E	29-37-16.500N 089-54-06.000W				White.	Private aid.
13400	Electro Coal Mooring Buoy F	29-36-43.000N 089-52-48.000W				White	Private aid.
13405	Electro Coal Mooring Buoy G	29-36-45.000N 089-52-46.000W				White	Private aid.
13410	Electro Coal Mooring Buoy H	29-36-38.500N 089-52-34.500W				White	Private aid.
13415	Electro Coal Mooring Buoy I	29-36-41.000N 089-52-32.500W				White	Private aid.
13420	Electro Coal Mooring Buoy J	29-36-34.500N 089-52-20.000W				White	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Head of Passes to New Orleans							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream Mileage given indicates the number of miles above Head of Passes Junction Light.</i>							
13425	Electro Coal Mooring Buoy K	29-36-37.000N 089-52-18.000W				White.	Private aid.
13430	ELECTRO-COAL TRANSFER DOCK LIGHTS (3) LDB mile 55.4.	29-36-55.000N 089-53-14.000W	FI R 2.5s	12		On piles.	Horn: 1 blast ev 20s in unison (2S BL). Operated during low visibility. Private aid.
13435	<i>Electro-Coal Lighted Mooring Buoy A</i> LDB mile 56.0.	29-37-22.000N 089-54-14.500W	FI W 2.5s			White.	Private aid.
13440	<i>Citrus Lands Coal Terminal Lighted Mooring Buoy A</i> RDB mile 56.	29-37-12.000N 089-54-17.000W	Q W				Private aid.
13445	<i>Citrus Lands Coal Terminal Lighted Mooring Buoy B</i> RDB mile 56.	29-36-56.000N 089-54-04.000W	Q W				Private aid.
13450	INTERNATIONAL MARINE TERMINAL DOCK LIGHTS (5) RDB mile 57.0.	29-37-20.000N 089-54-55.000W	FI G 2.5s			On dock and dolphins.	Private aid.
13455	INTERNATIONAL MARINE TERMINALS DOLPHIN LIGHT RDB mile 57.0.	29-37-55.000N 089-55-44.000W	FI G 2.5s	11		On dolphin.	Private aid.
13460	MYRTLE GROVE LIGHT 59 RDB mile 59.0.	29-38-16.756N 089-56-40.891W	Iso G 6s		5	SG on skeleton tower on mud sills.	
13465	POVERTY POINT LIGHT 60 LDB mile 59.9.	29-39-07.072N 089-57-10.794W	Iso R 6s		5	TR on pile.	
13470	IRONTON LIGHT 61 RDB mile 60.0.	29-38-54.173N 089-57-30.871W	Iso G 6s		5	SG on skeleton tower on piles.	
13475	MISSISSIPPI RIVER GRAIN ELEVATOR DOCK LIGHTS (2) RDB mile 61.5.	29-40-25.000N 089-57-51.000W	Q W			On mooring dolphins.	Private aid.
13480	BEAU SEJOUR LIGHT 62 LDB mile 61.5.	29-40-54.128N 089-57-37.322W	Iso R 6s		5	TR on skeleton tower.	
13485	BP ALLIANCE REFINERY COKE BARGE DOCK LIGHTS (2) RDB mile 62.0.	29-40-52.000N 089-58-03.000W	Q G			On mooring dolphin.	Private aid.
13490	BP ALLIANCE REFINERY COKE BARGE DOCK LIGHTS (2) RDB mile 62.5.	29-41-00.000N 089-58-07.000W	F G			On mooring dolphin.	Private aid.
13495	BP ALLIANCE REFINERY TANKER DOCK LIGHTS (4) RDB mile 63.0.	29-41-20.000N 089-58-20.000W	FI G 2.5s			On dock.	Private aid.
13500	ENTERGY LOUISIANA SUBMERGED CABLE LIGHT LDB mile 63.5.	29-41-44.450N 089-58-46.510W	FI G 2.5s			On dolphins.	Private aid.
13505	ENTERGY LOUISIANA SUBMERGED CABLE LIGHTS (2) RDB mile 63.5.	29-41-52.890N 089-58-18.820W	FI R 2.5s			On dolphin.	Private aid.
13510	BRITISH PETROLEUM REFINERY DOCK LIGHTS (3) RDB mile 63.6.	29-41-40.000N 089-58-38.000W	FI G 2.5s			On dolphins.	Private aid.
13515	Alliance Anchorage Lower Day beacon 63.8	29-41-59.662N 089-58-59.455W				NY on pile.	Ra ref.
13520	BELAIR LIGHT 66 LDB mile 65.7.	29-43-35.576N 089-59-12.586W	Iso R 6s		7	TR on skeleton tower on piles.	
13525	Alliance Anchorage Upper Day beacon 65.8	29-43-34.883N 089-59-46.278W				NY on pile.	Ra ref.
13530	LA GRANGE LIGHT 67 RDB mile 65.8.	29-43-34.883N 089-59-46.278W	Iso G 6s		5	SG on skeleton tower on block.	
13535	Wills Point Anchorage Lower Day beacon 66.5	29-44-32.060N 090-00-06.720W				NY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Head of Passes to New Orleans							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream Mileage given indicates the number of miles above Head of Passes Junction Light.</i>							
13540	Wills Point Anchorage Day beacon 67.6	Upper 29-45-02.799N 090-00-57.059W				NY on pile.	Ra ref.
13550	LIVE OAK LIGHT 69 RDB Mile 68.6.	29-45-28.498N 090-01-37.641W	Iso G 6s		5	SG on skeleton tower on piles.	
13555	Cedar Grov e Anchorage Day beacon 69.9	Lower 29-46-41.503N 090-01-30.423W				NY on pile.	Ra ref.
13560	OAKVILLE LIGHT 71 On same structure as Cedar Grov e Anchorage Lower Day beacon Mile 69.9.	29-46-41.503N 090-01-30.423W	Iso G 6s		5	SG on skeleton tower on piles.	
13565	BERTRANDVILLE LIGHT 70 LDB Mile 70.0	29-46-34.810N 090-01-03.429W	FI R 4s		3	TR on skeleton tower on piles.	
13570	Cedar Grov e Anchorage Day beacon 71.1	Upper 29-47-35.304N 090-01-00.882W				NY on pile.	Ra ref.
13575	<i>Dockside Elevator Lighted Mooring Buoys (5)</i> RDB mile 71.5.	29-47-44.000N 090-00-40.000W	Q W			White with blue band.	Priv ate aid.
13580	OAK POINT DOLPHIN LIGHTS (2) RDB mile 72.3.	29-48-27.700N 090-00-27.900W	FI G 2.5s			On dolphins.	Priv ate aid.
13585	Belle Chasse Anchorage Day beacon 73.1	Lower 29-49-12.058N 090-00-19.509W				NY on pile.	Ra ref.
13590	SCARSDALE LIGHT 76 LDB Mile 75.2.	29-50-18.458N 089-59-02.847W	Iso R 6s		5	TR on skeleton tower on piles.	
13595	Belle Chasse Anchorage Upper Day beacon 75.2	29-50-44.264N 089-59-16.720W				NY on pile.	Ra ref.
13600	RED STAR YEAST WHARF LIGHTS (2) RDB mile 75.4.	29-51-05.000N 089-58-59.000W	FI G 2.5s		25		Priv ate aid.
13605	BELLE CHASSE FERRY LANDING EAST BANK LIGHTS LDB mile 75.6.	29-50-55.000N 089-58-41.000W	FI R 2.5s				Horn: 1 blast ev 20S (2S BL). Operated during low visibility . Priv ate aid.
13610	BELLE CHASSE FERRY LANDING WEST BANK LIGHTS (2) RDB mile 75.7.	29-51-18.000N 089-58-53.000W	FI G 2.5s				Horn: 1 blast ev 20S (2S BL). Operated during low visibility . Priv ate aid.
13613	PLAQUEMINES PARISH WEST BANK FERRY MAINTENANCE DOCK MOORING LIGHTS (2)	29-51-13.360N 089-58-55.230W	FI G 2.5s			Marks the upper and lower mooring dolphins.	Priv ate aid.
13615	CCI PORT NICKEL DOCK LIGHTS (2) LDB mile 76.4.	29-51-38.400N 089-58-21.800W	FI R 2.5s		12	On dock.	Priv ate aid.
13620	CCI PORT NICKEL DOCK LIGHT LDB mile 76.6.	29-51-46.200N 089-58-20.300W	FI R 2.5s		12	On dolphin.	Priv ate aid.
13625	SHINGLE POINT APPROACH LIGHT 78 LDB Mile 77.8.	29-52-24.412N 089-58-17.103W	FI R 4s		5	TR on skeleton tower on mud sill.	
13630	SHINGLE POINT LIGHT 80 LDB mile 78.0.	29-52-41.737N 089-57-59.270W	Iso R 6s		3	TR on skeleton tower on piles.	
13635	ENGLISH TURN BEND LIGHT 79 RDB Mile 78.0.	29-53-02.874N 089-58-07.057W	Iso G 6s		5	SG on skeleton tower.	
13640	ENGLISH TURN LIGHT 80A LDB mile 78.3.	29-52-40.890N 089-57-36.947W	FI R 2.5s		5	TR on skeleton tower.	
13645	Lower 12 Mile Point Anchorage Lower Day beacon 78.6	29-53-02.476N 089-57-22.865W				NY on pile.	Ra ref.
13650	STOLT-NIELSON DOCK LIGHT	29-52-17.000N 089-56-44.000W	FI R 2.5s			On dock.	Priv ate aid.
13655	Lower 12 Mile Point Anchorage Upper Day beacon 80.8	29-52-06.236N 089-55-23.789W				NY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Head of Passes to New Orleans							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream Mileage given indicates the number of miles above Head of Passes Junction Light.</i>							
13660	TWELVE MILE POINT LIGHT 81 RDB mile 81.5.	29-52-08.448N 089-54-50.010W	FI G 2.5s		4	SG on skeleton tower on piles.	
13665	POYDRAS LIGHT 82 LDB Mile 81.6.	29-51-52.038N 089-54-35.484W	Iso R 6s		5	TR on skeleton tower on piles.	Higher intensity beam up and down river.
13670	RIVER BEND LIGHT 84 LDB Mile 82.6	29-52-31.253N 089-53-59.441W	FI R 4s		4	TR on skeleton tower on piles.	
13675	Lower 9 Mile Point Anchorage Lower Day beacon 82.7	29-52-52.498N 089-54-27.299W				NY on pile.	Ra ref.
13680	SHELL INTAKE DOLPHIN LIGHTS (3) LDB mile 82.9.	29-53-00.000N 089-53-59.000W	FI R 2.5s			On dolphins.	Private aid.
13685	Lower 9 Mile Point Anchorage Upper Day beacon 85.0	29-54-38.209N 089-55-03.422W				NY on pile.	Ra ref.
13690	SAXONHOLM LIGHT 86 LDB Mile 86.0.	29-55-26.232N 089-55-27.828W	Iso R 6s		5	TR on pile.	Higher intensity beam up and down river.
13695	MURPHY WHARF LIGHTS (2) LDB mile 87.0.	29-55-31.000N 089-56-45.000W	F R			On dolphins.	Horn: 1 blast ev 20S (2S BL). Private aid.
13700	NEW ORLEANS WATER DISCHARGE DOLPHIN LIGHTS (4) RDB mile 87.5	29-55-15.000N 089-57-30.000W	FI G 2.5s			On dolphin.	Private aid.
13705	SEWEGE AND WATER BOARD PIPELINE LIGHT A	29-55-04.000N 089-58-03.000W	FI Y 2.5s			NW on pile. Worded: DANGER PIPELINE	Private aid.
13710	SEWEGE AND WATER BOARD PIPELINE LIGHT B	29-55-09.000N 089-58-03.000W	FI Y 2.5s			NW on pile Worded: DANGER PIPELINE.	Private aid.
13715	ALGIERS ALTERNATE ROUTE JUNCTION LIGHT A RDB mile 88.2.	29-55-11.922N 089-58-03.168W	FI (2+1)G 6s		4	JG-TY on skeleton tower on piles.	
13720	TENNECO DOCK LIGHTS (2) LDB mile 88.2.	29-55-33.000N 089-57-51.000W	FI R 2.5s			On dolphins.	Private aid.
13725	<i>Mobil St. Bernard Intake Lighted Buoy</i>	29-55-32.400N 089-57-54.000W	FI R 4s			Red.	Private aid.
13730	MERAUX INTAKE LIGHTS (7) LDB mile 88.5.	29-55-31.000N 089-56-42.000W	FI R 2.5s				Private aid.
13735	HUMBLE DOCK LIGHTS (3) LDB mile 88.6.	29-55-31.000N 089-56-47.000W	FI R 2.5s			On dolphins.	Private aid.
13740	CHALMETTE-ALGIERS WEST BANK FERRY LANDING LIGHTS (2) RDB mile 88.6.	29-55-18.600N 089-58-24.300W	FI G 2.5s			On barge.	Horn: 1 blast ev 20S (2S BL). Private aid.
13745	CHALMETTE-ALGIERS EAST BANK FERRY LANDING LIGHTS (2) LDB mile 88.7.	29-55-41.700N 089-58-15.500W	FI R 2.5s			On dolphin and barge.	Private aid.
13750	CHALMETTE ALGIERS WEST BANK MAINTENANCE LANDING LIGHTS (2) RDB mile 88.7.	29-55-20.100N 089-55-28.100W	FI G 2.5s			On barge.	Private aid.
13755	TENNECO DOCK LIGHTS (2) LDB mile 89.1.	29-55-45.000N 089-58-37.000W	F R				Private aid.
13760	MOBIL ST. BENARD MOORING DOLPHIN LIGHTS (4) LDB mile 89.1	29-55-42.000N 088-58-30.000W	FI R 2.5s			On dolphins.	Private aid.
13765	TENNECO COKE WHARF LIGHT LDB mile 89.1.	29-55-49.000N 089-58-44.000W	FI R 2.5s			On dolphin.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - Venice to New Orleans (Chart 11364)							
Head of Passes to New Orleans							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream Mileage given indicates the number of miles above Head of Passes Junction Light.</i>							
13770	KAISER UPPER LIGHT	29-55-48.000N	F R			On multi-pile structure.	Private aid.
34880	LDB mile 89.3.	089-58-48.000W					
13780	NORFOLK SOUTHERN	29-56-23.000N	FI R 2.5s			On wall.	Private aid.
34870	CORPORATION LIGHT	089-59-42.000W					
	LDB mile 89.8						
13785	CHALMETTE OBSTRUCTION	29-56-00.000N	Q R			On multi-pile structure.	Private aid.
34865	LIGHT	089-59-12.000W					
	LDB mile 89.9.						
NEW ORLEANS HARBOR (Chart 11368)							
Head of Passes to New Orleans							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream Mileage given indicates the number of miles above Head of Passes Junction Light.</i>							
13790	New Orleans General	29-55-52.050N				NY on pile.	Ra ref.
34860	Anchorage Lower Day beacon	089-59-40.614W					
	90.1						
13795	PORT SHIP SERVICE DOCK	29-55-57.563N	FI G 2.5s			On dock.	Private aid.
	LIGHT	089-59-48.400W					
13800	CHALMETTE NATIONAL	29-56-20.000N	FI R 2.5s			On dock.	Lights flash in unison.
34855	PARK TOUR BOAT DOCK	089-59-38.000W					Private aid.
	LIGHTS (2)						
	LDB mile 90.3.						
13805	SOUTHERN RAILWAY LIGHT	29-56-24.000N	FI R 2.5s			On fender.	Private aid.
	LDB mile 90.4.	089-59-48.000W					
13807	HARBOR TOWING &	29-56-00.600N	FI G 2.5s			Marks downstream mooring pile.	Private aid.
	FLEETING DOWNSTREAM	089-59-52.600W					
	MOORING LIGHT						
	RDB mile 90.49						
13807.01	HARBOR TOWING &	29-56-22.000N	FI G 2.5s			Marks upstream mooring pile.	Private aid.
	FLEETING UPSTREAM	090-00-27.700W					
	MOORING LIGHT						
	RDB mile 90.495						
13810	New Orleans General	29-56-15.030N				NY on pile.	Ra ref.
34850	Anchorage Upper Day beacon	090-00-19.020W					
	90.5						
13815	Quarantine Anchorage Lower	29-56-15.168N				NY on pile.	Ra ref.
34845	Day beacon 90.9	090-00-19.242W					
13820	Quarantine Anchorage Upper	29-56-36.900N				NY on pile.	Ra ref.
34840	Day beacon 91.6	090-00-54.996W					
13825	DELERY STREET	29-56-59.000N	Q R			On pile cluster.	Private aid.
34835	DISCHARGE LIGHT	090-00-43.000W					
	LDB mile 91.6.						
13830	FORSTALL STREET	29-57-19.000N	F R			On dolphins.	Private aid.
34830	DISCHARGE LIGHT	090-01-25.000W					
	LDB mile 92.2.						
Inner Harbor Navigation Canal							
13835	- LIGHT 1	29-57-30.732N	FI G 2.5s		4	SG-TY on skeleton tower.	
34760		090-01-48.254W					
13840	- LIGHT 2	29-57-26.118N	Q R		4	TR-SY on skeleton tower.	
34755		090-01-35.250W					
13842	PORT OF NEW ORLEANS	29-59-14.900N	FI W 2.5s			Marks dolphin.	Private aid.
	DOLPHIN LIGHT	090-01-17.500W					
13845	DWYER ROAD DISCHARGE	30-00-58.000N	FI W 2.5s			NW on dolphin	Private aid.
	STATION LIGHT	090-01-45.000W				worded DANGER WATER DISCHARGE.	
New Orleans Harbor							
13850	GOVERNOR NICHOLLS	29-57-37.914N	FI R 4s		6	On skeleton tower.	Not operated when traffic control
34765	LIGHT 94	090-03-23.070W				On same structure	lights are in operation.
	LDB mile 94.3.					as Governor Nicholls Harbor Traffic Control Light.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
NEW ORLEANS HARBOR (Chart 11368)							
New Orleans Harbor							
13855 34770	Governor Nicholls Harbor Traffic Control Light 94 LDB mile 94.3.	29-57-37.902N 090-03-22.872W	FI G 5s		16	On skeleton tower. 94	Operated by Vessel Traffic Safety Office New Orleans during periods of high water. Controls one way traffic around Algiers Point.
13860 34775	ALGIERS POINT LIGHT 95	29-57-18.883N 090-03-19.092W	Q G		5	SG-SY on skeleton tower on piles.	
13865 34780	NEW ORLEANS POLICE MOORING DOLPHIN LIGHT	29-56-58.600N 090-03-43.800W	FI R 2.5s			On dolphin.	Private aid.
13870 34785	UPPER ALGIERS FERRY LANDING LIGHTS (2)	29-57-12.000N 090-03-21.000W	FI G 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED DURING LOW VISIBILITY. Private aid.
13875 34790	CANAL STREET FERRY LANDING LIGHTS (2)	29-56-58.000N 090-03-43.000W	FI R 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED DURING LOW VISIBILITY. Private aid.
13880 34795	Gretna Harbor Traffic Control Light 97 RDB mile 96.6.	29-55-33.156N 090-03-29.982W	FI R 5s (NIGHT) FI G 5s (NIGHT)		16 16	On skeleton tower. 25	Operated by Vessel Traffic Safety Office New Orleans during periods of high water. Controls one way traffic around Algiers Point.
13885 34800	GRETNA LIGHT 97 RDB mile 96.6.	29-55-33.162N 090-03-30.078W	FI G 4s		6	SG-SY on skeleton tower on same structure as Gretna Harbor Traffic Control Light.	Not operated when traffic control lights are in operation.
13890 34805	GRETNA WATER INTAKE LIGHT	29-55-27.000N 090-03-38.000W	FI G 2.5s			On dolphin.	Private aid.
13892 34808	GRETNA FERRY BOAT RAMP LIGHT	29-55-07.871N 090-04-00.494W	FI W 2.5s			Marks outermost upstream piling designating the riverward end of boat ramp.	Private aid.
13895 34810	GRETNA FERRY LANDING LIGHTS (2)	29-55-06.000N 090-04-02.000W	FI G 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED DURING LOW VISIBILITY. Private aid.
13900 34815	JACKSON AVENUE FERRY LANDING LIGHTS (2)	29-55-20.000N 090-04-15.000W	FI R 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED DURING LOW VISIBILITY. Private aid.
13905 34820	INTERNATIONAL MATEX DOCK LIGHTS (4)	29-55-00.000N 090-04-18.000W	FI G 2.5s			(2) on floating dock; (2) on outermost upstream and downstream dolphins.	Private aid.
13907	Kinder Morgan Dock 1 Mooring Buoys (3)	29-54-34.990N 090-05-28.670W					Private aid.
13907.01	Kinder Morgan Dock 2 Mooring Buoys (4)	29-54-37.680N 090-05-22.540W					Private aid.
13907.02	Kinder Morgan Dock 3 Mooring Buoy	29-54-39.030N 090-05-16.430W					Private aid.
13907.03	Kinder Morgan Dock 4 Mooring Buoys (5)	29-54-32.700N 090-05-37.480W					Private aid.
13910	MILAN STREET WHARF MOORING DOLPHIN LIGHT	29-54-45.000N 090-05-58.000W	FI R 2.5s			On dolphin.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
NEW ORLEANS HARBOR (Chart 11368)							
New Orleans Harbor							
13940	ST SERVICES DOCK LIGHTS RDB mile 101.3	29-54-45.000N 090-08-17.000W	FI G 2.5s			On Dock.	Private aid.
13945	SIX MILE POINT LIGHT 102 LDB mile 101.4.	29-55-01.345N 090-08-04.155W	Q R		4	TR on tower.	
13950	WESTWEGO TRAFFIC LIGHT RDB mile 101.4.	29-54-51.534N 090-08-23.016W	Q R (NIGHT) Q G (NIGHT)		5 5	On skeleton tower.	Operated by Coast Guard Marine Safety Office New Orleans. Indicates to down bound traffic whether Gretna Harbor Traffic Control Light is red or green.
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and condition of the river.</i>							
13955	WESTWEGO WATER INTAKE LIGHT RDB mile 101.5.	29-54-55.308N 090-08-22.464W	FI G 2.5s			On dolphin.	Private aid.
13960	INTERNATIONAL MATEX TANK TERMINAL WALKWAY LIGHT RDB mile 101.6.	29-55-03.800N 090-08-27.900W	FI G 2.5s			On walkway.	Private aid.
13965	NEW ORLEANS STEAMBOAT CO. DOCK LIGHT LDB mile 101.7.	29-55-13.000N 090-08-07.500W	FI R 2.5s			On dolphin.	Private aid.
13970	CONTINENTAL BARGE UNLOADING DOCK LIGHT RDB mile 103.0	29-56-01.000N 090-08-32.000W	FI G 2.5s			On pile.	Private aid.
13975	CONTINENTAL GRAIN COMPANY DOCK LIGHTS (4) RDB mile 103.1.	29-56-17.000N 090-08-32.000W	FI G 2.5s			On dock.	Private aid.
13980	NINE MILE POINT FUEL OIL UNLOADING FACILITY LIGHTS (3) RDB mile 104.5.	29-56-55.000N 090-08-35.000W	FI G 2.5s	29		On dock extremities.	Private aid.
13985	OAK STREET INTAKE LIGHTS (4) LDB mile 103.8.	29-57-06.000N 090-08-15.000W	Q R			On dolphin.	Private aid.
13990	NINE MILE POINT OBSTRUCTION LIGHTS (2) RDB mile 103.9.	29-56-55.000N 090-08-42.000W	F G			On dolphins.	Private aid.
13995	NEW ORLEANS RAW WATER INTAKE LIGHTS (5) LDB mile 104.1.	29-57-18.000N 090-08-23.000W	F R			On dolphins.	Private aid.
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
14000	SOUTHPORT LIGHT 104 LDB Mile 104.7.	29-57-33.420N 090-09-04.392W	Iso R 6s		5	TR on skeleton tower on piles.	
14005	JEFFERSON INTAKE DOLPHIN LIGHTS (10) LDB mile 105.1.	29-57-12.000N 090-09-45.500W	FI R 2.5s			On concrete dolphin.	HORN: 1 BLAST EV 20S (2S BL). Private aid.
14010	Zito Lighted Mooring Buoy I LDB mile 105.2	29-57-05.000N 090-09-45.000W	Q W			White with blue band.	Private aid.
14015	Zito Lighted Mooring Buoy F LDB mile 105.6	29-56-56.000N 090-09-56.000W	Q W			White with blue band.	Private aid.
14020	Zito Lighted Mooring Buoy E LDB mile 105.6	29-56-58.000N 090-09-59.000W	Q W			White with blue band.	Private aid.
14025	Zito Lighted Mooring Buoy A LDB mile 105.7	29-56-46.000N 090-10-08.000W	Q W			White with blue band.	Private aid.
Huey P. Long Bridge							
14035	Huey P Long Bridge Approach Buoy A	29-56-46.075N 090-09-57.629W				Red nun with green bands.	AIS - 993682000
14040	Huey P Long Bridge Approach Buoy B	29-56-42.112N 090-10-02.151W				Red nun with green bands.	AIS - 993682001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
Huey P. Long Bridge							
14045	Huey P Long Bridge Approach Buoy C	29-56-33.658N 090-10-11.886W				Red nun with green bands.	AIS - 993682002
14050	Huey P Long Bridge Approach Buoy D	29-56-29.952N 090-10-16.419W				Red nun with green bands.	AIS - 993682003
14055	Huey P Long Bridge Approach Buoy 1 RDB mile 106.0.	29-56-35.969N 090-09-56.698W				Green can.	AIS - 993682004
14060	12 MILE POINT LIGHT 110 LDB mile 109.0.	29-55-31.572N 090-12-14.442W	Q R		5	TR on skeleton tower.	
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
14065	WAGGAMAN LIGHT 109 RDB Mile 109.1.	29-55-18.042N 090-12-47.472W	Iso G 6s		5	SG on skeleton tower.	
Huey P. Long Bridge							
14070	PROVIDENCE LIGHT 112 LDB mile 111.3.	29-57-22.716N 090-13-26.202W	Q R		5	TR on skeleton tower.	
14072	EAST JEFFERSON LEVEE DISTRICT DOLPHIN LIGHT	29-57-23.630N 090-13-28.280W	FI R 6s			Marks storm drainage discharge.	Private aid.
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
14075	J.P. & Sons Lighted Mooring Buoy A RDB mile 111.5	29-57-24.419N 090-13-48.419W	Q W			White with blue band.	Ra ref. Private aid.
14080	J.P. & Sons Lighted Mooring Buoy RDB mile 111.7	29-57-32.939N 090-13-59.098W	Q W			White with blue band.	Ra ref. Private aid.
14085	J.P. And Sons Lighted Mooring Buoy C	29-57-43.220N 090-14-13.150W	Q W			White with blue band.	Ra ref. Private aid.
14090	J.P. And Sons Lighted Mooring Buoy D	29-57-33.970N 090-14-01.070W	Q W			White with blue band.	Private aid.
14095	EAST JEFFERSON REGIONAL SEWAGE TREATMENT PLANT ONSTRUCTION LIGHTS (3) LDB mile 112.2	29-57-48.000N 090-13-56.000W	FI R 2.5s			On dolphins.	Private aid.
14100	GUY MALLORY LIGHT 114 LDB mile 112.9.	29-58-20.076N 090-14-43.986W	Iso R 6s		4	TR on skeleton tower on piles.	
14105	LASALLE LANDING BARGE DOCK LIGHTS (2) LDB mile 113.0.	29-58-16.100N 090-14-49.030W	FI R 4s			On docking barge.	Private aid.
14110	Lower Kenner Bend Anchorage Lower Day beacon 113.5	29-57-56.725N 090-15-08.257W				NY on pile.	Ra ref.
14115	CITY OF KENNER OUTFALL LIGHT Marks sewerage discharge extremities.	29-58-23.000N 090-15-50.000W	Q R			On dolphins.	Private aid.
14120	OAKLAND LIGHT 114A LDB mile 114.1.	29-58-26.382N 090-15-57.126W	Q R		5	TR on skeleton tower.	
14125	Lower Kenner Bend Anchorage Upper Day beacon 114.3	29-57-55.018N 090-16-07.919W				NY on pile.	Ra ref.
14130	FORTIER OBSTRUCTIONS LIGHTS (2) RDB mile 114.4.	29-57-56.000N 090-16-19.000W				On dolphins.	HORN: 1 BLAST EV 20S (2S BL). Private aid.
14135	Kenner Bend Anchorage Lower Day beacon 114.7	29-57-51.598N 090-16-25.799W				NY on pile.	Ra ref.
14140	FAIRVIEW A RANGE FRONT LIGHT LDB mile 115.0.	29-58-20.717N 090-16-53.631W	Q R			KRW on skeleton tower on sills.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
14145	FAIRVIEW A RANGE REAR LIGHT 218 yards, 041.0° from front light.	29-58-25.598N 090-16-48.724W	Oc R 4s			KRW on skeleton tower on block.	
14150	FAIRVIEW WHARF LIGHTS (2) LDB mile 115.0.	29-58-16.000N 090-16-57.000W	FI W 2.5s			On dolphins.	Private aid.
14155	CRESCENT SHIP BARGE DOCK LIGHTS (2) LDB mile 115.1	28-58-15.000N 090-17-05.000W	FI G 2.5s				On docking barge. Private aid.
14160	<i>Mississippi River Wreck Lighted Buoy WR4</i> LDB mile 115.4.	29-58-00.585N 090-17-18.691W	Q R		3	Red.	
14170	Kenner Bend Anchorage Upper Day beacon 115.6	29-57-25.116N 090-17-31.848W				NY on pile.	Ra ref.
14185	ADM GRAIN COMPANY LIGHTS (2) RDB mile 117.6.	29-56-27.380N 090-18-39.340W	FI G 2.5s	40		On dolphins.	Private aid.
14190	DAVIS CREVASSE RANGE FRONT LIGHT RDB mile 118.1.	29-55-58.696N 090-19-16.435W	Q R			KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
14195	DAVIS CREVASSE RANGE REAR LIGHT 213 yards, 221° from front light.	29-55-53.765N 090-19-21.357W	Iso R 6s			KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
14197	INTERNATIONAL MATEX TANK TERMINAL SOUTH DOCK LIGHTS (4) LDB mile 118.3.	29-56-18.400N 090-19-19.230W	FI R 2.5s			Marks outermost dock facility structures.	Private aid.
14200	INTERNATIONAL MATEX TANK DOCK LIGHTS (7) LDB mile 118.6.	29-56-13.000N 090-19-45.000W	FI R 2.5s				HORN (2): 1 BLAST EV 20S (2S BL). ON EACH END OF WHARF. OPERATED ONLY DURING LOW VISIBILITY. Private aid.
14205	DAVIS CREVASSE LIGHT 121 RDB mile 118.7.	29-55-51.450N 090-19-46.308W	Iso G 6s		4	SG on skeleton tower on concrete block.	
14210	MONSANTO FUEL DOCK LIGHT RDB mile 119.8.	29-55-53.000N 090-20-43.000W	F G			On dolphin.	Private aid.
14215	MONSANTO DOCK LIGHTS (3) RDB mile 119.9.	29-55-55.000N 090-20-54.000W	F G				Private aid.
14220	BUNGE DOCK LIGHTS (2) LDB mile 119.9.	29-56-00.349N 090-21-00.042W	F R				Private aid.
14225	DESTREHAN GRAIN LOADING DOCK LIGHTS (2) LDB mile 120.6.	29-56-23.000N 090-21-23.000W	F R				Private aid.
14230	<i>Tulane Fleeting Lower Lighted Mooring Buoy</i> LDB mile 121.0.	29-56-26.000N 090-21-55.000W	Q W			White with blue band.	Private aid.
14235	<i>Tulane Fleeting Upper Lighted Mooring Buoy</i> LDB mile 121.0.	29-56-32.000N 090-22-11.000W	Q W			White with blue band.	Private aid.
14240	Hale Boggs Luling Bridge Approach Buoy A	29-56-31.012N 090-22-21.069W				Red nun with green bands.	
NEW ORLEANS HARBOR (Chart 11368)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and condition of the river.</i>							
14242	Hale Boggs Luling Bridge East Pier V-AIS	29-56-32.330N 090-22-24.290W					AIS - 993682005
14243	Hale Boggs Luling Bridge West Pier V-AIS	29-56-33.920N 090-22-27.890W					AIS - 993682006

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
14245	Hale Boggs Luling Bridge Approach Buoy B	29-56-36.784N 090-22-32.791W				Red nun with green bands.	
14250	Hale Boggs Luling Bridge Approach Buoy C	29-56-38.922N 090-22-39.000W				Red nun with green bands.	
14255	26 MILE POINT LIGHT 122 LDB Mile 122.7.	29-57-14.712N 090-23-19.242W	Q R		5	TR on skeleton tower.	
14260	FASHION LIGHT 123 RDB mile 123.0.	29-57-03.186N 090-23-48.156W	Iso G 6s		4	SG on skeleton tower on piles.	
14265	ORION REFINERY DOCK 1 LIGHTS (2) LDB mile 125.3.	29-59-24.500N 090-24-12.000W	FI R 2.5s			On dolphins.	Private aid.
14270	26 MILE FALSE POINT LIGHT 124 LDB Mile 123.7.	29-57-52.662N 090-23-31.932W	FI R 4s		3	TR on skeleton tower.	
14275	ORION REFINERY DOCK 2 LIGHTS (2) LDB mile 125.	29-59-19.000N 090-24-05.000W	FI R 2.5s			On dolphins.	Private aid.
14280	ORION REFINERY DOCK 3 LIGHTS (2) LDB mile 125.	29-59-13.000N 090-23-57.000W	FI R 2.5s			On dolphins.	Private aid.
14285	ORION REFINERY DOCK 4 LIGHTS (2) LDB mile 125.	29-58-58.380N 090-23-46.110W	FI R 2.5s			On dolphins.	Private aid.
14290	ORION REFINERY DOCK 5 LIGHTS (2) LDB mile 125.	29-58-54.000N 090-23-42.000W	FI R 2.5s			On dolphins.	Private aid.
14300	SHELL PUMPING STATION OBSTRUCTION LIGHTS (2) LDB mile 125.9.	29-59-36.000N 090-24-30.000W	FI R 2.5s			On dolphin.	Private aid.
14305	NORCO OBSTRUCTION LIGHTS (2) LDB mile 126.9.	29-59-48.000N 090-25-30.000W	FI R 2.5s			On dolphins.	Private aid.
14310	Bonnet Carre Anchorage Lower Day beacon 127.3	29-59-55.314N 090-25-49.956W				NY on pile.	Ra ref.
14315	UNION CARBIDE WATER INTAKE LIGHTS (2) RDB mile 128.3.	29-59-35.000N 090-27-04.000W	Q W			On dolphins.	Private aid.
14320	UNION CARBIDE DOCK LIGHTS (3)	29-59-30.000N 090-26-48.000W	FI G 2.5s	16		On dolphins.	Private aid.
14325	Bonnet Carre Anchorage Upper Day beacon 128.8	29-59-58.355N 090-27-19.512W				NY on pile.	Ra ref.
14330	OCCIDENTAL CHEMICAL MOORING FACILITY LIGHTS (3) RDB mile 128.9.	29-59-45.500N 090-27-35.100W	FI G 2.5s			On mooring facility.	Private aid.
14335	MONTZ OBSTRUCTION LIGHT LDB mile 129.4.	30-00-06.000N 090-27-54.000W	F R			On dolphin.	Private aid.
14340	LITTLE GYPSY OIL UNLOADING FACILITY LIGHT LDB mile 129.5.	30-00-06.000N 090-27-58.000W	FI R 2.5s			Marks dock.	Private aid.
14345	ENTERGY DOCK LOWER LIGHT RDB Mile 128.6.	30-00-06.800N 090-28-27.900W	FI G 2.5s			On dolphin.	Private aid.
14350	ENTERGY INTAKE UPPER LIGHT RDB Mile 129.4.	30-00-10.500N 090-28-30.000W	FI G 2.5s			On dolphin.	Private aid.
14355	ENTERGY DISCHARGE LIGHT RDB Mile 129.8.	30-00-01.800N 090-28-25.600W	FI G 2.5s			On dolphin.	Private aid.
14360	ENTERGY WATERFORD LIGHTS (3) RDB mile 129.8.	29-59-49.000N 090-28-03.227W	FI G 2.5s			On dolphin.	MARKS INTAKE AND DISCHARGE STRUCTURE. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
14365	THIRTY FIVE MILE POINT LIGHT 130 LDB mile 130.0.	30-00-22.748N 090-28-12.632W	Q R		4	TR on skeleton tower.	
14370	GYPSY LIGHT 132 LDB mile 132.0.	30-01-57.936N 090-28-09.144W	Iso R 6s		4	TR on skeleton tower on piles.	
14375	BAYOU STEEL DOCK LIGHTS (2) LDB mile 132.4.	30-02-22.050N 090-28-16.600W	FI R 2.5s			On each end of dock.	Private aid.
14380	BONNET CARRE CREVASSE LIGHT 132A LDB Mile 132.9.	30-02-49.448N 090-28-27.473W	Iso R 6s		5	TR on skeleton tower on piles.	
14385	<i>CGB Marine Services Lighted Mooring Buoy A</i> LDB mile 134.1	30-03-15.000N 090-29-46.000W	Q W			White with blue band.	Ra ref. Private aid.
14390	<i>CGB Marine Services Lighted Mooring Buoy B</i> LDB mile 134.3	30-03-16.000N 090-29-28.000W	Q W			White with blue band.	Ra ref. Private aid.
14395	BONNET CARRE POINT LIGHT 133 RDB Mile 133.5.	30-02-53.964N 090-29-25.500W	Iso G 6s		5	SG on skeleton tower on piles.	
14400	WOODLAND LIGHT 134 LDB mile 133.6.	30-03-15.099N 090-29-10.684W	Iso R 6s		4	TR on skeleton tower on piles.	
14405	Laplace Anchorage 134.7 Lower Day beacon	30-03-16.236N 090-30-18.006W				NY on pile.	Ra ref.
14410	LUCY LIGHT 135 RDB mile 134.9.	30-02-55.425N 090-30-20.130W	Iso G 6s		4	SG on skeleton tower.	
14415	Laplace Anchorage Upper Day beacon 135.4	30-03-08.917N 090-30-55.465W				NY on pile.	Ra ref.
14420	DUPONT BARGE DOCK LIGHTS (3) LDB mile 135.6.	30-03-12.000N 090-31-40.000W	FI R 2.5s				HORN: 1 BLAST EV 20S (2S BL). Private aid.
14425	DUPONT WATER INTAKE LIGHTS (5) LDB mile 135.8.	30-03-33.000N 090-44-21.000W	Q R			On dolphins.	SIREN: 1blast ev 30s (10s bl). Private aid.
14430	<i>Capital Marine Lighted Mooring Buoy A</i> RDB mile 136.3	30-02-43.000N 090-31-43.000W	Q W			White with blue band.	Private aid.
14435	<i>Capital Marine Lighted Mooring Buoy B</i> RDB mile 136.5	30-02-42.000N 090-32-00.000W	Q W			White with blue band.	Private aid.
14440	CALIFORNIA LIGHT 137 RDB mile 136.6.	30-02-34.644N 090-32-04.026W	Q G		5	SG on skeleton tower.	
14445	<i>Triangle Fleet Lighted Mooring Buoy A</i> RDB mile 136.8.	30-02-41.000N 090-32-17.000W	Q W			White with blue band.	Private aid.
14450	<i>Triangle Fleet Lighted Mooring Buoy B</i> RDB mile 137.0.	30-02-42.000N 090-32-34.000W	Q W			White with blue band.	Private aid.
14455	OLEANDER LIGHT 138 LDB mile 137.0.	30-03-03.059N 090-32-35.879W	Q R		3	TR on skeleton tower on piles.	
NEW ORLEANS HARBOR (Chart 11368)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and condition of the river.</i>							
14467	PORT OF SOUTH LOUISIANA FINGER PIER LIGHTS (2)	30-03-14.030N 090-33-56.940W	FI R 2.5s			On pier.	Marks outermost corners of finger pier. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
14470	GLOBALPLEX GENERAL CARGO DOCK LIGHTS (2) LDB mile 138.6	30-03-14.000N 090-33-55.000W	Q R			On dock.	Private aid.
14475	HALL-BUCK MARINE MOORING DOLPHIN LIGHTS (2) LDB mile 138.8	30-03-12.000N 090-34-12.000W	FI R 2.5s			On dolphins.	Private aid.
14480	CARGILL GRAIN DOCK LIGHTS (3) LDB mile 139.4.	30-03-14.000N 090-34-53.000W	FI R 2.5s			On each end of dock.	Private aid.
14485	CARGILL MOLASSES DOCK LIGHTS (2) LDB mile 139.8.	30-03-08.000N 090-35-21.000W	FI R 2.5s			On dolphins.	Private aid.
14490	MARATHON REFINERY MOORING DOCK 1 LIGHTS (3) LDB mile 140.0.	30-03-04.000N 090-35-31.000W	FI R 2.5s			On dock loading platform.	HORN: 1 BLAST EV 15S (2S BL). CONTINUOUSLY FROM NOV. 1 TO APR. 30. Private aid.
14495	MARATHON REFINERY MOORING DOCK 2LIGHTS (3) LDB mile 140.2.	30-03-01.000N 090-35-40.000W	FI R 2.5s			On dock loading platform.	HORN: 1 BLAST EV 20S (2S BL). Private aid.
14500	MARATHON REFINERY MOORING LIGHTS LDB mile 140.4.	30-02-54.000N 090-35-53.000W	FI R 2.5s			On dock loading platform.	HORN: 1 BLAST EV 20S (2S BL). Private aid.
14505	MARATHON REFINERY DOCK 5 LIGHTS (2) LDB mile 140.5.	30-02-52.000N 090-35-59.000W	FI R 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). Private aid.
14510	WHITE ROSE LIGHT 141 RDB mile 141.2.	30-02-11.441N 090-36-17.113W	Q G		3	SG on skeleton tower on piles.	
14515	WEGO LIGHT 141A RDB mile 142.3.	30-01-44.946N 090-37-08.010W	Iso G 6s		5	SG on skeleton tower.	
14520	BELLE POINT LIGHT 142 LDB mile 142.4.	30-02-10.968N 090-37-19.644W	Iso R 6s		4	TR on skeleton tower on piles.	
14525	MARQUEZ LIGHT 144 LDB mile 143.4.	30-02-28.284N 090-37-47.952W	Q R		4	TR on skeleton tower on piles.	
14527	PIN OAK TERMINAL UPSTREAM MOORING LIGHT LDB mile 144.1	30-03-08.857N 090-38-41.680W	FI R 2.5s			Marks outermost upstream mooring structure.	Private aid.
14532	PIN OAK TERMINAL DOWNSTREAM MOORING LIGHT LDB mile 144.2	30-03-04.275N 090-38-31.270W	FI R 2.5s			Marks outermost downstream mooring structure.	Private aid.
14535	CLARK OIL DOCK HORN AND LIGHTS (2) LDB mile 144.6.	30-03-12.000N 090-39-03.000W	FI R 2.5s			On dolphins.	HORN: 1 BLAST EV 20S (2S BL). LOCATED BETWEEN LIGHTS. Private aid.
14540	HALL-BUCK MARINE DOCK LIGHTS (3) LDB mile 144.9.	30-03-12.000N 090-39-31.000W	FI R 2.5s	12		On dock.	Private aid.
14545	KAISER BARGE DOCK LIGHT LDB mile 145.1.	30-03-15.000N 090-39-30.000W	FI R 2.5s				Private aid.
14547	NORANDA ALUMINA DOWNSTREAM DOLPHIN LIGHT	30-03-08.237N 090-39-49.951W	FI R 2.5s			Marks downstream mooring dolphin.	Private aid.
14547.01	NORANDA ALUMINA UPSTREAM DOLPHIN LIGHT	30-03-07.121N 090-39-53.114W	FI R 2.5s			Marks upstream mooring dolphin.	Private aid.
14547.02	<i>Noranda Alumina Lighted Downstream Mooring Buoy</i>	30-03-07.730N 090-39-57.169W	Q W			White with blue band.	Private aid.
14547.03	<i>Noranda Alumina Lighted Middle Mooring Buoy</i>	30-03-07.358N 090-39-58.223W	Q W			White with blue band.	Private aid.
14547.04	<i>Noranda Alumina Lighted Upstream Mooring Buoy</i>	30-03-06.986N 090-39-59.277W	Q W			White with blue band.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
14550	KAISER COKE DOCK LIGHTS (3) LDB mile 145.6.	30-16-11.000N 091-07-11.000W	FI R 2.5s			On ends and center of 1,200 foot dock.	Private aid.
14555	Gramercy Bridge Approach Buoy 1 Mile 145.7.	30-02-45.215N 090-40-11.131W				Green can.	
NEW ORLEANS HARBOR (Chart 11368)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and condition of the river.</i>							
14557	Gramercy Bridge West Pier V- AIS	30-02-39.960N 090-40-21.510W					AIS - 993682007
14558	Gramercy Bridge East Pier V- AIS	30-02-42.340N 090-40-16.950W					AIS - 993682008
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
14560	Gramercy Bridge Approach Buoy 3 Mile 145.9.	30-02-38.507N 090-40-25.727W				Green can.	
14565	Gramercy Bridge Approach Buoy 5 Mile 146.0.	30-02-36.515N 090-40-29.939W				Green can.	
14570	Lower Grand View Reach Anchorage Lower Day beacon 146.4	30-02-44.700N 090-40-49.800W				NY on pile.	Ra ref.
14575	GRAMERCY WATER INTAKE LIGHT LDB mile 146.6	30-02-33.600N 090-41-05.700W	FI R 2.5s			On dolphins.	Private aid.
14580	Lower Grand View Reach Anchorage Upper Day beacon 146.7	30-02-38.220N 090-41-01.800W				NY on pile.	Ra ref.
14585	Middle Grand View Reach Anchorage Lower Day beacon 146.8	30-02-34.146N 090-41-08.979W				NY on pile.	Ra ref.
14590	Middle Grand View Reach Anchorage Upper Day beacon 147.2	30-02-18.876N 090-41-31.587W				NY on pile.	
14595	LUTCHER INTAKE LIGHTS (2) LDB mile 147.3.	30-02-15.000N 090-41-35.000W	FI R 2.5s			Piles.	Private aid.
14600	Upper Grand View Reach Anchorage Lower Day beacon 147.5	30-02-10.380N 090-41-45.780W				NY on pile.	Ra ref.
14605	CRESCENT LIGHT 147 RDB mile 148.8.	30-01-06.906N 090-42-27.102W	Q G		5	SG on skeleton tower.	
14610	Upper Grand View Reach Anchorage Upper Day beacon 148.8	30-01-20.680N 090-42-44.060W				NY on pile.	Ra ref.
14615	LAURA LIGHT 149 RDB mile 149.7.	30-00-48.516N 090-43-04.950W	Q G		5	SG on skeleton tower on piles.	
14620	VACHERIE LIGHT 149A RDB mile 150.0.	30-00-37.046N 090-43-38.219W	Iso G 6s		3	SG on pile.	
14625	J. W. STONE OIL DOCK LIGHTS (2) LDB mile 150.1.	30-00-56.000N 090-43-58.000W	FI R 2.5s	15		On dolphins.	Private aid.
14630	PEAVEY DOCK LIGHTS (3) LDB mile 150.4.	30-00-57.000N 090-44-02.000W	FI R 2.5s			On dolphins.	Private aid.
14635	HESTER LIGHT 152 LDB mile 151.7.	30-01-05.520N 090-45-24.654W	Iso R 6s		4	TR on skeleton tower on piles.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
14640	LOWER BELMONT CROSSING LOWER SIDE RANGE FRONT LIGHT LDB mile 152.2.	30-01-07.659N 090-45-57.285W	F G			KWG on skeleton tower.	Visible all around; higher intensity on range line.
14645	LOWER BELMONT CROSSING LOWER SIDE RANGE REAR LIGHT 108 yards, 049.2° from front light.	30-01-09.625N 090-45-54.666W	F G			KWG on skeleton tower.	Visible all around; higher intensity on range line.
14650	LOWER BELMONT CROSSING RANGE FRONT LIGHT LDB mile 152.2.	30-01-07.491N 090-46-01.903W	F W			KRW on skeleton tower.	Visible 2° each side of range line. Lighted throughout 24 hours.
14655	LOWER BELMONT CROSSING RANGE REAR LIGHT 102 yards, 049.0° from front light.	30-01-09.488N 090-45-59.267W	F W			KRW on skeleton tower on piles.	Visible 2° each side of range line. Lighted throughout 24 hours.
14660	LOWER BELMONT CROSSING UPPER SIDE RANGE FRONT LIGHT LDB mile 152.2.	30-01-06.599N 090-46-07.464W	F R			KWR on skeleton tower.	Visible all around; higher intensity on range line.
14665	LOWER BELMONT CROSSING UPPER SIDE RANGE REAR LIGHT 132 yards, 049.2° from front light.	30-01-09.172N 090-46-04.044W	F R			KWR on skeleton tower.	Visible all around; higher intensity on range line.
14670	BELMONT LIGHT 154 LDB mile 152.9.	30-00-57.708N 090-46-41.982W	Q R		4	TR on skeleton tower on piles.	
14675	COLLEGE POINT LIGHT 156	29-59-07.236N 090-49-13.483W	Q R		4	TR on skeleton tower.	
14680	CHOTIN LIGHT 155 RDB mile 155.6.	29-59-05.382N 090-48-25.824W	Q G		3	SG on skeleton tower.	
14685	LAGAN LEADING LIGHT RDB Mile 156.2.	29-58-40.057N 090-49-18.090W	Iso W 6s		5	NB on skeleton tower.	
14690	RICHANNEL BEND LIGHT 157 RDB mile 156.4.	29-58-42.408N 090-49-24.240W	Q G		4	SG on skeleton tower.	
14693	YUHUANG CHEMICAL DOCK LIGHTS (2) RDB mile 157.4.	29-59-36.040N 090-50-02.400W	FI G 2.5s			Marks outermost upstream / downstream corners of dock.	Private aid.
14695	ST. JAMES SUGAR DOCK LIGHTS (2) RDB mile 157.7.	29-59-56.000N 090-50-05.000W	F G			On dock.	Private aid.
14698	PLAINS DOCK LIGHTS (2)	30-00-03.260N 090-50-05.700W	FI G 2.5s			Marks outermost upstream and outermost downstream mooring dolphins.	Private aid.
14700	DEPT. OF ENERGY DOCK LIGHTS (4) RDB mile 158.4.	30-00-37.000N 090-50-13.000W	FI G 2.5s			On dolphins.	Private aid.
14705	Ryan Walsh Stevedoring Co. Lower Lighted Mooring Buoy LDB mile 158.7.	30-00-51.500N 090-49-55.300W	FI W 4s			White with blue band.	Private aid.
14710	Ryan Walsh Stevedoring Co. Upper Lighted Mooring Buoy LDB mile 158.7.	30-00-37.700N 090-49-53.700W	FI W 4s			White with blue band.	Private aid.
14715	ST. JAMES TERMINAL TANKER DOCK 3 DOLPHIN LIGHTS (4) RDB mile 158.8.	30-00-44.000N 090-50-14.500W	FI G 2.5s			On dolphins.	Private aid.
14720	ST. JAMES TERMINAL DOCK LIGHTS (4) RDB mile 159.0.	30-01-07.000N 090-50-18.000W	FI G 2.5s				Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
14725	SHELL PIPELINE CORP. DOCK LIGHTS (6) RDB mile 159.5.	29-09-05.000N 089-14-07.000W	FI G 4s				Private aid.
14730	NUSTAR BARGE DOCK LIGHTS (4) RDB mile 159.7.	30-01-35.558N 090-50-22.903W	FI G 4s	18		On platform with dolphins.	Private aid.
14735	KOCH TANKER DOCK LIGHTS (4) RDB mile 159.8.	30-01-45.000N 090-50-23.000W	FI G 4s			Marks dock.	Private aid.
14740	CAPLINE TANKER DOCK LIGHTS (4) RDB mile 160.0	30-01-53.000N 090-50-24.000W	FI G 2.5s			On dock extremities.	Private aid.
14745	MATADOR BARGE DOCK LIGHTS (2) RDB mile 160.2.	30-02-11.000N 090-50-48.000W	FI R 2.5s	18		On dock.	Private aid.
14750	ERGON TANKER DOCK LIGHTS (3) RDB mile 160.7.	30-02-32.000N 090-50-29.000W	FI G 2.5s			On dolphins.	Private aid.
14755	RAVEN ENERGY TERMINAL LIGHTS (3) LDB mile 161.	30-02-48.390N 090-50-16.830W	FI R 2.5s			On mooring dolphin.	Private aid.
14760	OCCIDENTAL CHEMICAL DOCK LIGHTS (3) LDB mile 161.4.	30-03-08.000N 090-50-24.000W	FI R 2.5s	40		On dolphins.	Private aid.
14765	T.T. BARGE DOCK LIGHTS (2) RDB Mile 162.3	30-03-15.040N 090-50-49.684W	FI G 2.5s	10		On dock.	Private aid.
14770	NITA LIGHT 162 LDB mile 162.2.	30-03-47.130N 090-51-00.510W	Iso R 6s		5	TR on pile.	
14775	BRILLIANT POINT LIGHT 163 RDB mile 163.5.	30-03-37.218N 090-52-22.434W	Iso G 6s		4	SG on skeleton tower.	
14780	ZEN-NOH GRAIN DOCK LIGHTS (3) LDB mile 163.8.	30-03-52.430N 090-52-30.070W	FI R 2.5s			On grain dock.	Private aid.
14785	ST ALICE LIGHT 165 RDB mile 164.8.	30-03-40.740N 090-53-46.110W	Q G		5	SG on skeleton tower on piles.	
14795	CHEVRON CHEMICAL DOCK LIGHTS (7) RDB mile 166.0	30-06-55.000N 090-54-40.000W	FI G 2.5s	10		On dolphins.	Private aid.
14800	SHELL OIL LOADING PLATFORM LIGHT RDB mile 166.1.	30-04-39.000N 090-54-32.000W	FI G 4s			On loading platform.	Private aid.
14805	CHEVRON DOCK LIGHTS (2) RDB mile 166.8.	30-05-10.000N 090-54-45.000W	FI G 2s			Piles.	Private aid.
14815	YARA NORTH AMERICA MOORING DOLPHIN LIGHT LDB mile 167	30-05-26.280N 090-54-28.610W	FI R 2.5s			On mooring dolphin.	Private aid.
14820	AGRICO CHEMICAL DOCK LIGHTS (3) RDB mile 167.0.	30-05-19.900N 090-54-46.000W	FI G 2.5s			On dock extremities.	LIGHTS FLASH IN UNISON. Private aid.
14825	EAGLE ASPHALT PRODUCTS LIGHTS (2) RDB mile 167.5.	30-06-01.720N 090-54-58.180W	FI R 2.5s			On mooring dolphins.	Private aid.
14830	LAFARGE CEMENT COMPANY DOLPHIN LIGHTS (2) LDB mile 167.9.	30-06-16.000N 090-54-36.000W	FI R 2.5s	10		On dolphins.	Private aid.
Sunshine Bridge Approach							
14835	- Buoy 1	30-05-46.671N 090-54-53.317W				Green can.	AIS - 993682009
14840	- Buoy A	30-05-47.288N 090-54-43.939W				Green can with red bands.	AIS - 993682010
14845	- Buoy B	30-05-58.176N 090-54-46.531W				Green can with red bands.	AIS - 993682011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
Sunshine Bridge Approach							
14850	- Buoy C	30-06-04.967N 090-54-48.271W				Green can with red bands.	AIS - 993682012
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
14855	STAR ENTERPRISE DOCK LIGHTS (4) LDB mile 168.1.	30-06-34.000N 090-54-41.000W	FI R 2.5s			On dock.	Private aid.
14860	STAR ENTERPRISE NORTH DOCK LIGHTS (3) LDB mile 168.5.	30-06-43.000N 090-54-40.000W	FI R 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). Private aid.
14865	IMPALA WAREHOUSING DOCK LIGHTS (2) LDB mile 169.2.	30-07-26.000N 090-54-55.000W	Q R				Private aid.
14870	<i>Impala Warehousing Lighted Mooring Buoy A</i> LDB mile 169.3	30-07-40.000N 090-55-08.000W	Q W			White with blue band.	Private aid.
14875	<i>Impala Warehousing Lighted Mooring Buoy B</i> LDB mile 169.5	30-07-29.000N 090-55-01.000W	Q W			White with blue band.	Private aid.
14880	IMPALA WAREHOUSING TERMINAL DOCK LIGHT LDB mile 169.5.	30-07-46.000N 090-55-08.000W	FI R 2.5s			On dolphin.	Private aid.
14885	IMPALA WAREHOUSING DOLPHIN LIGHTS (2) LDB mile 170.3.	30-07-39.000N 090-55-03.000W	FI R 2.5s			On dolphin.	Private aid.
14890	IMPALA WAREHOUSING LIGHT 170 LDB mile 170.6.	30-08-22.500N 090-55-59.900W	Q R		4	TR on skeleton tower on piles.	
14895	RIVER CEMENT COMPANY DOCK LIGHTS LDB mile 170.9.	30-08-25.000N 090-56-22.000W	FI R 2.5s	21		On mooring dolphin.	Private aid.
14900	RIVERTON LIGHT 172 LDB mile 171.2.	30-08-13.248N 090-56-44.478W	Iso R 6s		5	TR on skeleton tower on concrete pad.	
14905	WADE HAMPTON LIGHT 173 RDB mile 172.0.	30-07-43.679N 090-56-31.260W	Iso G 6s		5	SG on skeleton tower.	
14910	RATEAU LIGHT 173A RDB mile 173.0.	30-06-27.672N 090-56-47.430W	Q G		4	SG on skeleton tower on piles.	
14915	CF INDUSTRIES NITROGEN DOLPHIN LIGHTS (2) RDB mile 173.4.	30-06-12.250N 090-57-24.230W	FI G 2.5s			On dolphins.	Private aid.
14917	CF INDUSTRIES MOORING DOLPHIN LIGHTS (2) RDB mile 173.5	30-06-17.150N 090-57-09.365W	FI W 2.5s			Marks upstream and downstream mooring dolphins.	Private aid.
14920	CF INDUSTRIES NITROGEN BARGE DOCK LIGHTS (2) RDB mile 173.6.	30-06-10.820N 090-57-34.520W	FI G 2.5s			On dock.	Private aid.
14925	BRINGIER POINT LIGHT 174 LDB mile 173.7.	30-06-46.980N 090-57-07.920W	Q R		5	TR on skeleton tower on piles.	
14930	C. F. INDUSTRIES NITROGEN MOORING FACILITIES LIGHTS (3) RDB mile 173.7.	30-06-10.620N 090-57-47.830W	FI G 2.5s			On dock extremities.	Private aid.
14935	PUMPKIN BEZETTE J RANGE FRONT LIGHT LDB mile 174.6.	30-06-49.767N 090-58-09.244W	F W			KRW on skeleton tower on sills.	Lighted throughout 24 hours.
14940	PUMPKIN BEZETTE J RANGE REAR LIGHT 242 yards, 085° from front light.	30-06-50.445N 090-58-00.226W	F W			KRW on skeleton tower on platform.	Lighted throughout 24 hours.
14945	PUMPKIN BEZETTE LIGHT 176 LDB mile 174.6.	30-06-49.767N 090-58-09.244W	FI R 2.5s		5	TR on same structure as Range J Front Light.	
14947	Le Pelican Wreck V-AIS MM 175.3 RDB	30-06-37.000N 090-59-14.000W					AIS(1): 993682028

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
14950	BAYOU LAFOURCHE INTAKE LIGHTS (3) RDB mile 175.4.	30-06-37.000N 090-59-24.000W	Q G			On dolphins.	Private aid.
14950.01	Bayou Lafourche Intake V-AIS MM 175.4 RDB	30-06-38.070N 090-59-25.440W					AIS(1): 993682027
14955	SMOKE BEND RANGE FRONT LIGHT RDB mile 177.1.	30-06-36.996N 091-00-49.172W	Iso W 2s			KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
14960	SMOKE BEND RANGE REAR LIGHT 281 yards, 265° from front light.	30-06-36.279N 091-00-58.707W	Iso W 6s			KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
14965	EVAN HALL LIGHT 177 RDB Mile 177.9.	30-06-52.350N 091-01-52.130W	Iso G 6s		5	SG on skeleton tower.	
14970	MCMANOR LIGHT 179 RDB mile 178.5.	30-07-31.932N 091-02-11.754W	Q G		5	SG on skeleton tower on concrete block.	
14975	EIGHTY ONE MILE POINT LIGHT 180 LDB mile 178.8.	30-07-22.338N 091-01-32.214W	Q R		4	TR on skeleton tower.	
14980	GEM LIGHT 180A LDB Mile 180.9.	30-08-37.794N 090-59-47.892W	Iso R 6s		5	TR on skeleton tower on piles.	
14982	MATADOR DOCK LIGHTS (3) LDB 181.5.	30-09-11.000N 090-59-48.000W	FI R 2.5s			Marks dock.	Private aid.
14985	PHILADELPHIA POINT C RANGE FRONT LIGHT RDB mile 182.5.	30-09-38.993N 091-00-22.813W	Iso W 2s			KRW on skeleton tower on sills.	Visible all around, higher intensity on rangeline. Lighted throughout 24 hours.
14990	PHILADELPHIA POINT C RANGE REAR LIGHT 167 yards, 166° from front light.	30-09-34.191N 091-00-21.397W	Iso W 6s			KRW on mud sills.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.
14993	BASF IMTT GEISMAR DOCK LIGHTS (2)	30-11-14.720N 091-00-52.010W	FI R 2.5s			Marks outermost upstream and outermost downstream dock structures.	Private aid.
14995	OSCA BARGE DOCK LIGHTS (2) LDB mile 184.1	30-11-44.800N 091-01-12.000W	FI R 6s			On dolphins.	Private aid.
15000	NEW RIVER LIGHT 184 LDB mile 184.8.	30-11-53.766N 091-01-17.166W	Iso R 6s		5	TR on skeleton tower on piles.	
15005	MONOCHEM DOCK LIGHTS (2) LDB mile 184.8.	30-11-52.110N 091-01-19.500W	F R			On dolphins.	Private aid.
15010	HONEYWELL CHEMICAL DOCK LIGHTS (2) LDB mile 186.8.	30-12-55.000N 090-03-16.000W	FI R 4s			On pier.	Private aid.
15015	COS-MAR LIGHTS (2) LDB mile 187.9.	30-13-03.000N 091-04-06.500W	FI R 4s			Dolphins.	Private aid.
15020	RESCUE LIGHT 190 LDB mile 188.6.	30-12-58.179N 091-04-57.918W	Iso R 6s		4	TR on pile.	
15022	<i>Bear Industries Dolphin Lights</i> (2) LDB mile 189.3	30-12-51.341N 091-05-14.520W	FI R 2.5s			Marks upstream and downstream dolphins.	Private aid.
15025	ALHAMBRA RANGE FRONT D LIGHT LDB mile 189.4.	30-12-44.078N 091-05-49.124W	Iso R 2s			KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
15030	ALHAMBRA RANGE REAR D LIGHT 278 yards, 043.9° from front light.	30-12-50.026N 091-05-42.532W	Iso R 6s			KRW on skeleton tower on mud sills.	Visible all around; higher intensity on rangeline.
15035	White Castle Lower Anchorage Daybeacon 190.4 RDB mile 190.4	30-11-51.780N 091-06-19.260W				NY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
15040	White Castle Anchorage Day beacon 191.1 RDB mile 191.1	Upper 30-11-28.260N 091-06-55.680W				NY on pile.	Ra ref.
15045	WHITE CASTLE RANGE FRONT LIGHT RDB mile 192.7.	30-10-36.374N 091-08-10.723W	F G			KRW on skeleton tower on piles.	
15050	WHITE CASTLE RANGE REAR LIGHT 164 yards, 224.0° from front light.	30-10-32.872N 091-08-14.604W	F G			KRW on skeleton tower on piles.	
15055	WHITE CASTLE LIGHT 193 RDB mile 193.5.	30-10-36.169N 091-09-09.496W	Q G		5	SG on skeleton tower.	
15060	EUREKA LIGHT 195 RDB mile 194.8.	30-11-23.538N 091-09-58.537W	Iso G 6s		4	SG on pile.	
15065	WHITE ALDER MEMORIAL LIGHT 195A RDB mile 195.2.	30-11-56.247N 091-10-07.888W	Q G		5	SG on skeleton tower on concrete block.	
15070	BAYOU GOULA BEND LIGHT 197 RDB mile 196.2.	30-12-53.988N 091-09-43.968W	Iso G 6s		5	SG on skeleton tower on piles.	
15075	BAYOU GOULA E RANGE FRONT LIGHT RDB mile 197.1.	30-13-25.791N 091-09-07.061W	F W			KRW on skeleton tower.	Visible all around; higher intensity on rangeline.
15080	BAYOU GOULA E RANGE REAR LIGHT 238 yards, 249° from front light.	30-13-23.247N 091-09-14.647W	F W			KRW on skeleton tower.	Visible all around; higher intensity on rangeline.
15085	SUNOCO TERMINAL DOLPHIN LIGHTS (2) LDB mile 198.2.	30-13-42.000N 091-07-59.000W	FI R 2.5s			On dolphins.	Private aid.
15090	VIRGINIA RANGE FRONT LIGHT LDB mile 198.7.	30-14-00.054N 091-07-24.815W	F R			KRW on skeleton tower.	Visible all around; higher intensity on rangeline.
15095	VIRGINIA RANGE REAR LIGHT 176 yards, 068° from front light.	30-14-01.938N 091-07-19.194W	F R			KRW on skeleton tower.	Visible all around; higher intensity on rangeline.
15100	OLIN DOCK LIGHTS (3)	30-14-44.050N 091-06-28.570W	FI R 4s			On dolphins.	Private aid.
15105	ST. GABRIEL DOCK LIGHT LDB mile 200.6.	30-19-23.000N 091-09-25.000W	FI R 2.5s			On end of dock.	Private aid.
15110	ST GABRIEL LIGHT 202 LDB mile 200.7.	30-15-25.248N 091-06-22.560W	Q R		4	TR on skeleton tower on piles.	
15115	WILLOW GLENN WHARF LIGHTS (5) LDB mile 201.6.	30-16-09.000N 091-07-06.000W	FI R 2.5s			On mooring dolphins on 1,050 foot dock.	Private aid.
15120	BAYOU PAUL LIGHT 204 LDB mile 202.1.	30-16-29.288N 091-07-34.026W	Iso R 6s		4	TR on skeleton tower on piles.	
15125	GRANADA RANGE F LOWER FRONT LIGHT LDB mile 203.2	30-16-52.271N 091-08-29.576W	Q G			NG on pile.	Visible 144° - 269°
15130	GRANADA RANGE F LOWER REAR LIGHT LDB mile 203.2	30-16-52.752N 091-08-24.403W	Iso G 6s			NG on pile.	Visible 144° - 269°
15135	GRANADA RANGE F FRONT LIGHT LDB mile 203.2.	30-16-53.137N 091-08-33.448W	F W			KRW on skeleton tower.	
15140	GRANADA RANGE F REAR LIGHT 274 yards, 083.7° from front light.	30-16-54.010N 091-08-24.134W	F W			KRW on skeleton tower.	
15145	GRANADA RANGE F UPPER FRONT LIGHT LDB mile 203.2	30-16-54.103N 091-08-36.284W	Q R			NR on pile.	Visible 144° - 269°

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
15150	GRANADA RANGE F UPPER REAR LIGHT LDB mile 203.2	30-16-54.748N 091-08-29.654W	Iso R 6s			NR on pile.	Visible 144° - 269°
15155	PETROUNITED TANKER DOCK LIGHTS (3) LDB mile 203.8.	30-16-58.500N 091-09-18.700W	FI R 2.5s			On wharf and mooring dolphins.	Private aid.
15160	ASHLAND DOCK LIGHTS(2) RDB mile 204.8.	30-16-33.000N 091-10-19.200W	FI G 4s			On ends of dock.	Private aid.
15165	GEORGIA PACIFIC WHARF LIGHTS (5) RDB mile 205.4.	30-16-31.000N 091-11-02.000W	FI G 2.5s			On ends of wharf and mooring dolphins.	HORN: 1 BLAST EV 15S (3S BL). Private aid.
15170	ST LOUIS PLANTATION RANGE FRONT LIGHT RDB mile 206.8.	30-16-31.494N 091-12-19.089W	F G			KRW on skeleton tower.	
15175	ST LOUIS PLANTATION RANGE REAR LIGHT 219 yards, 263.6° from front light.	30-16-30.777N 091-12-26.542W	F G			KRW on skeleton tower.	
15180	PLAQUEMINE LIGHT 209 RDB mile 209.0.	30-17-41.400N 091-14-01.590W	Iso G 6s		4	SG on skeleton tower on pile.	Higher intensity beam up and down river.
15185	RELIANCE LIGHT 211 RDB mile 209.4.	30-18-23.108N 091-14-00.948W	Q G		5	SG on skeleton tower on concrete block.	
15190	PLAQUEMINE WHARF LIGHTS (3) RDB mile 209.9.	30-18-44.000N 091-13-32.500W	FI G 2.5s			on dolphins.	HORN: 1 BLAST EV 20S (2S BL). Private aid.
15195	PLAQUEMINE BEND LIGHT 213 RDB mile 210.4.	30-19-04.140N 091-13-06.300W	Iso G 6s		4	SG on pile.	
15200	MEDORA G RANGE FRONT LIGHT RDB mile 211.4.	30-19-20.581N 091-12-07.151W	FI W 2.5s			KRW on skeleton tower on mud sills.	Visible all around.
15205	MEDORA G RANGE REAR LIGHT 290 yards, 290.4° from front light.	30-19-22.738N 091-12-13.872W	Iso W 6s			KRW on skeleton tower on mud sills.	Visible all around.
15210	OLD HERMITAGE RANGE FRONT LIGHT LDB mile 213.4.	30-18-38.804N 091-09-56.703W	Iso R 2s			KRW on skeleton tower.	Visible all around; higher intensity on rangeline. Lighted nighttime only .
15215	OLD HERMITAGE RANGE REAR LIGHT 218 yards, 110° from front light.	30-18-36.565N 091-09-49.705W	Iso R 6s			KRW on skeleton tower.	Visible all around; higher intensity on rangeline. Lighted nighttime only .
15220	WADLINGTON LIGHT 214 LDB mile 214.0.	30-18-37.650N 091-09-23.808W	Iso R 6s		4	TR on skeleton tower.	
15225	MANCHAC BEND LIGHT 216 LDB mile 214.9.	30-19-02.574N 091-08-22.128W	Q R		4	TR on skeleton tower.	
15230	BURTVILLE LIGHT 216A LDB mile 215.6.	30-19-53.583N 091-08-17.331W	Iso R 6s		4	TR on skeleton tower.	
15235	LONGWOOD PLANTATION LIGHT 216B LDB mile 216.2.	30-20-14.718N 091-08-31.062W	Q R		4	TR on skeleton tower on piles.	
15240	MULBERRY GROVE LIGHT 218 LDB Mile 217.3.	30-20-50.190N 091-09-46.764W	Iso R 6s		3	TR on skeleton tower on piles.	
15245	RICHARD POWELL RANGE FRONT LIGHT LDB mile 214.9.	30-21-07.200N 091-10-52.785W	Oc W 4s			KRW on skeleton tower on sill.	Visible all around.
15250	RICHARD POWELL RANGE REAR LIGHT 200 yards, 060.9° from front light.	30-21-10.082N 091-10-46.802W	F W			KRW on skeleton tower.	Visible all around.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
15255	SARDINE POINT LIGHT 221 RDB mile 220.0.	30-20-16.011N 091-12-25.053W	Q G		3	SG on skeleton tower on mud sills.	
15260	NEW HOPE LIGHT 221A RDB mile 221.3.	30-20-11.806N 091-13-45.428W	Q G		3	SG on skeleton tower.	
15265	DOW CHEMICAL WHARF LIGHTS (5) RDB mile 221.8.	30-20-29.000N 091-14-23.000W	FI G 2.5s			On dock extremities.	Private aid.
15270	ST DELPHINE LIGHT 223 RDB mile 222.3.	30-20-53.565N 091-14-47.190W	Iso G 6s		4	SG on skeleton tower on concrete block.	
15275	MISSOURI LIGHT 223A RDB mile 222.6.	30-21-14.914N 091-14-52.440W	Q G		3	SG on skeleton tower on concrete block.	
15280	RED EYE H RANGE FRONT LIGHT RDB mile 223.2.	30-21-46.138N 091-14-49.945W	F G			KRW on skeleton tower on mud sills.	
15280.01	RED EYE H LIGHT	30-21-46.138N 091-14-49.945W	FI G 2.5s			On same structure as Red Eye H Range Front Light.	
15285	RED EYE H RANGE REAR LIGHT 233 yards, 226.5° from front light.	30-21-41.389N 091-14-55.712W	F G			KRW on skeleton tower.	
15295	Baton Rouge General Anchorage Lower Day beacon 225.8	30-23-31.841N 091-13-28.510W				NY on pile.	Ra ref.
15300	ARLINGTON RANGE FRONT LIGHT LDB mile 226.3.	30-23-40.604N 091-12-30.836W	F R			KRW on skeleton tower.	Visible all around; higher intensity on rangeline.
15305	ARLINGTON RANGE REAR LIGHT 233 yards, 047° from front light.	30-23-45.376N 091-12-25.033W	F R			KRW on skeleton tower.	Visible all around; higher intensity on rangeline.
15310	COLLEGE TOWN LIGHT 226 LDB mile 226.6.	30-24-12.834N 091-12-08.352W	Q R		4	TR on skeleton tower.	
15315	Baton Rouge General Anchorage Upper Day beacon 227.3	30-24-40.996N 091-12-32.042W				NY on tree.	Ra ref.
15320	GARTNESS LIGHT 228 LDB mile 227.8.	30-25-01.218N 091-11-47.298W	Q R		4	TR on skeleton tower on piles.	
15325	Lower Baton Rouge Anchorage Lower Day beacon 228.5	30-25-34.319N 091-11-37.859W				NY on pile.	Ra ref.
15330	Lower Baton Rouge Anchorage Upper Day beacon 229.0	30-26-08.231N 091-11-34.383W				NY on tree.	Ra ref.
15335	Greater Baton Rouge Port Commission Lighted Mooring Buoy D LDB mile 229.0.	30-25-54.000N 091-11-47.000W	Q W			White with blue band.	Private aid.
15340	Greater Baton Rouge Port Commission Lighted Mooring Buoy C LDB mile 229.0.	30-26-09.000N 091-11-44.000W	Q W			White with blue band.	Private aid.
15345	Greater Baton Rouge Port Commission Lighted Mooring Buoy B LDB mile 229.0.	30-26-09.000N 091-11-46.000W	Q W			White with blue band.	Private aid.
15350	Greater Baton Rouge Port Commission Lighted Mooring Buoy A LDB mile 229.0.	30-26-09.000N 091-11-48.000W	Q W			White with blue band.	Private aid.
15355	I-10 Bridge Approach Buoy E	30-26-15.433N 091-11-47.770W				Red nun with green bands.	AIS - 993682013
15360	I-10 Bridge Approach F V-AIS	30-26-28.652N 091-11-47.223W					AIS MMSI: 993682123

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER (Louisiana) - Eighth District							
MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and conditions of the river.</i>							
15365	I-10 Bridge Approach Buoy G	30-26-31.640N 091-11-47.187W				Red nun with green bands.	AIS - 993682015
15370	BELLE OF BATON ROUGE DOCK LIGHTS (2) LDB mile 229.4	30-26-30.000N 091-11-32.000W	FI R 2.5s			On piles.	Private aid.
15375	Middle Baton Rouge Anchorage Lower Day beacon	30-26-49.206N 091-12-04.794W				NY on pile.	Ra ref.
15380	Middle Baton Rouge Anchorage Upper Day beacon	30-26-55.674N 091-12-07.799W				NY on pile.	Ra ref.
15385	CASINO ROUGE BARRIER BARGE LIGHTS (2) LDB mile 230.4	30-27-38.800N 091-11-33.000W	FI R 2.5s			On barrier barge.	Private aid.
15390	Upper Baton Rouge Anchorage Lower Day beacon	30-27-42.922N 091-11-32.455W				NY on tree.	Ra ref.
15395	Upper Baton Rouge Anchorage Upper Day beacon	30-27-53.256N 091-11-31.254W				NY on pile.	Ra ref.
15400	PLACID MOORING FACILITY LIGHTS (5) RDB mile 231.8.	30-28-26.260N 091-11-59.930W	FI G 2.5s			On dolphins.	Private aid.
15405	EXXON REFINERY DOLPHIN AND DOCK LIGHTS (10) LDB mile 232.2.	30-29-10.000N 091-11-37.000W	FI R 2.5s	50		On dolphin.	Private aid.
15410	INTERCONTINENTAL TERMINAL COMPANY DOLPHIN LIGHTS (3) RDB mile 232.4.	30-29-01.190N 091-11-58.380W	FI G 2.5s			On dolphins.	Private aid.
15415	HALL-BUCK COKE TERMINAL DOCK LIGHTS (2) LDB mile 233.0.	30-29-37.000N 090-11-00.000W	FI R 2.5s			On piles.	Private aid.
15420	FORMOSA PLASTICS LOWER DOCK LIGHTS (2) LDB mile 233.5.	30-30-04.000N 091-11-39.000W	FI R 2.5s			On dolphins.	Private aid.
15425	FORMOSA PLASTICS UPPER DOCK LIGHTS (3) LDB mile 233.7	30-30-18.000N 091-11-39.000W	FI R 2.5s			On dock.	Private aid.
NEW ORLEANS HARBOR (Chart 11368)							
New Orleans to Baton Rouge							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Low water buoys are not listed and their positions may be frequently shifted with changing stages and condition of the river.</i>							
15426	Baton Rouge Bridge Port Allen Pier South V-AIS	30-30-21.580N 091-11-56.970W					AIS - 993682021
15427	Baton Rouge Bridge Baton Rouge Pier South V-AIS	30-30-22.290N 091-11-49.640W					AIS - 993682017
15428	Baton Rouge Bridge Port Allen Pier North V-AIS	30-30-26.470N 091-11-56.960W					AIS - 993682020
15429	Baton Rouge Bridge Baton Rouge Pier North V-AIS	30-30-27.020N 091-11-49.620W					AIS - 993682016

LOUISIANA - Eighth District**MISSISSIPPI RIVER DELTA (Chart 11361)****Tiger Pass**

15430	- LIGHT 1 75 feet outside channel limit.	29-08-18.916N 089-27-04.832W	FI G 4s	17	4	SG on dolphin.	Ra ref.
15440	- LIGHT 3 75 feet outside channel limit.	29-08-17.084N 089-26-32.512W	FI G 2.5s	17	3	SG on dolphin.	Ra ref.
15445	- LIGHT 4	29-08-09.717N 089-26-30.168W	FI R 2.5s	17	3	TR on dolphin.	Ra ref.
15450	- LIGHT 5 75 feet outside channel limit.	29-08-17.430N 089-26-10.731W	Q G	17	3	SG on dolphin.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
MISSISSIPPI RIVER DELTA (Chart 11361)							
Tiger Pass							
15455	- LIGHT 6	29-08-12.566N 089-26-09.667W	Q R	17	3	TR on dolphin.	Ra ref.
15460	- DANGER LIGHT B 75 feet outside channel limit.	29-08-23.218N 089-25-49.170W	FI W 2.5s	17	3	NW on dolphin worded DANGER JETTIES.	Ra ref.
15465	- Danger Day beacon C 75 feet outside channel limit.	29-08-19.821N 089-25-47.189W				NW on dolphin worded DANGER JETTIES.	Ra ref.
15470	- Danger Day beacon D 75 feet outside channel limit.	29-08-31.586N 089-25-29.666W				NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15475	- Danger Day beacon E 75 feet outside channel limit.	29-08-27.951N 089-25-28.004W				NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15480	- DANGER LIGHT F 75 feet outside channel limit.	29-08-36.215N 089-25-18.642W	FI W 2.5s	17	3	NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15485	- DANGER LIGHT G 75 feet outside channel limit.	29-08-32.112N 089-25-19.056W	FI W 2.5s	17	3	NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15495	- Danger Day beacon H	29-08-42.819N 089-24-55.189W				NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15500	- Danger Day beacon I	29-08-53.040N 089-24-46.680W				NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15525	- DANGER LIGHT J	29-09-09.940N 089-23-55.559W	FI W 2.5s	17	3	NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15530	- DANGER LIGHT K	29-09-08.122N 089-23-47.540W	FI W 2.5s	17	3	NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15535	- LIGHT 23	29-09-14.699N 089-23-43.287W	FI G 4s	17	3	SG on pile.	Ra ref.
15540	- Buoy 24	29-09-18.474N 089-23-33.216W				Red nun.	
15545	- Day beacon 25	29-09-30.524N 089-23-20.519W				SG on pile.	
15550	- Day beacon 26	29-09-27.601N 089-23-19.889W				TR on pile.	Ra ref.
15555	- Day beacon 27	29-09-48.366N 089-22-47.099W				SG on pile.	
15560	- Day beacon 28	29-09-46.123N 089-22-44.594W				TR on pile.	
15565	- Day beacon 29	29-10-06.855N 089-22-26.510W				SG on pile.	Ra ref.
15570	- Day beacon 30	29-10-01.537N 089-22-27.920W				TR on pile.	Ra ref.
15575	- Day beacon 31	29-10-18.069N 089-22-09.133W				SG on pile.	Ra ref.
15580	- Day beacon 32	29-10-16.510N 089-22-05.799W				TR on pile.	Ra ref.
15585	- Day beacon 33	29-10-27.736N 089-22-01.499W				SG on pile.	
15590	- LIGHT 34	29-10-26.410N 089-21-57.921W	FI R 6s	17	3	TR on pile.	Ra ref.
15595	- Day beacon 35	29-10-41.745N 089-21-55.173W				SG on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
MISSISSIPPI RIVER DELTA (Chart 11361)							
Tiger Pass							
15600	- Day beacon 36	29-10-40.974N 089-21-52.035W				TR on pile.	Ra ref.
15605	- Day beacon 37	29-10-55.158N 089-21-53.235W				SG on pile.	Ra ref.
15610	- Day beacon 38	29-11-01.881N 089-21-47.719W				TR on pile.	Ra ref.
15612	- Buoy 38A	29-11-08.823N 089-21-47.159W				Red nun.	
15615	- Day beacon 39	29-11-16.998N 089-21-47.942W				SG on pile.	Ra ref.
15620	- Day beacon 40	29-11-15.620N 089-21-44.560W				TR on pile.	Ra ref.
15625	- LIGHT 41	29-11-28.163N 089-21-40.332W	FI G 4s	17	3	SG on pile.	
15630	- Day beacon 42	29-11-24.443N 089-21-38.500W				TR on pile.	Ra ref.
15635	- Day beacon 43	29-11-42.965N 089-21-33.802W				SG on pile.	
15640	- LIGHT 44	29-11-41.621N 089-21-30.120W	FI R 6s	17	3	TR on pile.	Ra ref.
15645	- Day beacon 45	29-11-55.185N 089-21-24.230W				SG on pile.	Ra ref.
15652	- Buoy 46	29-11-53.344N 089-21-22.059W				Red nun.	
15655	- Day beacon 47	29-12-20.545N 089-21-15.108W				SG on pile.	Ra ref.
15660	- Day beacon 48	29-12-19.980N 089-21-11.277W				TR on pile.	Ra ref.
15665	- Buoy 50	29-12-30.538N 089-21-08.050W				Red nun.	
15670	- Day beacon 51	29-12-46.621N 089-21-03.594W				SG on pile.	Ra ref.
15675	- LIGHT 52	29-12-55.271N 089-20-59.546W	FI R 4s	17	3	TR on pile.	Ra ref.
15677	- Buoy 52A	29-13-05.455N 089-21-02.640W				Red nun.	
15680	- Buoy 53	29-12-54.665N 089-21-03.210W				Green can.	
15685	- Buoy 54	29-13-12.080N 089-21-02.650W				Red nun.	
15690	- Day beacon 55	29-13-26.810N 089-20-58.368W				SG on pile.	Ra ref.
15695	- LIGHT 56	29-13-42.841N 089-20-54.300W	FI R 2.5s	17	3	TR on pile.	Ra ref.
15700	- Buoy 58	29-14-06.260N 089-21-28.037W				Red nun.	
15705	DYNEGY LPG DOCK NO. 1 LIGHT	29-13-26.000N 089-23-33.000W	FI G 2.5s	40		On dock.	Private aid.
15710	DYNEGY LPG DOCK NO.2 LIGHT	29-13-30.000N 089-23-30.000W	FI G 2.5s	40		On dock.	Private aid.
BARATARIA BAY AND APPROACHES (Chart 11358)							
Empire Waterway							
15725	- DANGER LIGHT A	29-14-56.717N 089-36-28.544W	FI W 2.5s	17	4	NW on pile worded DANGER JETTIES.	Ra ref.
15727	CPRA BARATARIA BASIN SCIENTIFIC PLATFORM LIGHT	29-18-15.880N 089-35-49.230W	Q W			Marks scientific platform structure.	Private aid.
15728	<i>Great Lakes Dredge & Dock Lighted Danger Buoys (20)</i>	29-21-25.936N 089-35-47.851W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.01	<i>Great Lakes Dredge & Dock Lighted Danger Buoys (20)</i>	29-15-25.104N 089-36-22.539W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
BARATARIA BAY AND APPROACHES (Chart 11358)							
Empire Waterway							
15728.02	GREAT LAKES DREDGE & DOCK LIGHTED DANGER MARKS (8)	29-21-49.116N 089-35-55.078W	FI W 2.5s			Marks submerged spoil area.	Private aid.
15728.03	GREAT LAKES DREDGE & DOCK LIGHTED DANGER MARKS (8)	29-21-13.953N 089-35-41.864W	FI W 2.5s			Marks submerged spoil area.	Private aid.
15728.04	GREAT LAKES DREDGE & DOCK LIGHTED DANGER MARKS (8)	29-20-17.486N 089-35-34.745W	FI W 2.5s			Marks submerged spoil area.	Private aid.
15728.05	GREAT LAKES DREDGE & DOCK LIGHTED DANGER MARKS (8)	29-19-35.875N 089-36-06.105W	FI W 2.5s			Marks submerged spoil area.	Private aid.
15728.06	GREAT LAKES DREDGE & DOCK LIGHTED DANGER MARKS (8)	29-18-02.445N 089-35-52.720W	FI W 2.5s			Marks submerged spoil area.	Private aid.
15728.07	GREAT LAKES DREDGE & DOCK LIGHTED DANGER MARKS (8)	29-16-48.601N 089-36-02.706W	FI W 2.5s			Marks submerged spoil area.	Private aid.
15728.08	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-21-56.147N 089-35-56.088W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.09	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-20-43.172N 089-35-35.186W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.11	<i>Great Lakes Dredge & Dock Lighted Danger Buoys (4)</i>	29-18-55.737N 089-36-12.210W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.12	<i>Great Lakes Dredge & Dock Lighted Danger Buoys (3)</i>	29-17-41.945N 089-35-54.910W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.13	<i>Great Lakes Dredge & Dock Lighted Danger Buoys (2)</i>	29-22-45.117N 089-35-37.543W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.14	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-21-17.804N 089-35-43.442W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.15	<i>Great Lakes Dredge & Dock Lighted Danger Buoys (3)</i>	29-19-29.501N 089-36-12.802W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.16	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-14-52.582N 089-35-58.347W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.17	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-14-43.486N 089-35-40.368W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.18	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-14-37.949N 089-35-40.368W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.19	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-14-32.410N 089-34-55.798W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.21	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-14-26.863N 089-34-33.483W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.22	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-14-34.574N 089-34-23.059W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.23	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-14-48.263N 089-33-53.199W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.24	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-14-50.105N 089-33-51.707W	FI W 2.5s			Marks submerged dredge pipeline.	Private aid.
15728.25	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-16-17.866N 089-36-28.040W	FI W 2.5s			Marks submerged spoil.	Private aid.
15728.26	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-16-17.670N 089-36-16.176W	FI W 2.5s			Marks submerged spoil.	Private aid.
15728.27	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-16-15.231N 089-36-16.669W	FI W 2.5s			Marks submerged spoil.	Private aid.
15728.28	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-16-13.414N 089-36-17.028W	FI W 2.5s			Marks submerged spoil.	Private aid.
15728.29	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-16-10.965N 089-36-17.533W	FI W 2.5s			Marks submerged spoil.	Private aid.
15728.31	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-16-11.054N 089-36-23.550W	FI W 2.5s			Marks submerged spoil.	Private aid.
15728.32	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-18-22.248N 089-35-58.046W	FI W 2.5s			Marks submerged spoil.	Private aid.
15728.33	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-18-22.640N 089-35-57.701W	FI W 2.5s			Marks submerged spoil.	Private aid.
15728.34	<i>Great Lakes Dredge & Dock Lighted Danger Buoy</i>	29-18-20.520N 089-35-55.213W	FI W 2.5s			Marks submerged spoil.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
BARATARIA BAY AND APPROACHES (Chart 11358)							
Empire Waterway							
15728.35	Great Lakes Dredge & Dock Lighted Danger Buoy	29-18-20.181N 089-35-55.625W	FI W 2.5s			Marks submerged spoil.	Private aid.
15728.36	Great Lakes Dredge & Dock Lighted Danger Buoy	29-18-18.805N 089-35-53.840W	FI W 2.5s			Marks submerged spoil.	Private aid.
15728.37	Great Lakes Dredge & Dock Lighted Danger Buoy	29-18-15.948N 089-35-52.607W	FI W 2.5s			Marks submerged spoil.	Private aid.
15728.38	Great Lakes Dredge & Dock Lighted Danger Buoy	29-18-15.806N 089-35-53.148W	FI W 2.5s			Marks submerged spoil.	Private aid.
15728.39	Great Lakes Dredge & Dock Lighted Danger Buoy	29-18-18.507N 089-35-54.314W	FI W 2.5s			Marks submerged spoil.	Private aid.
15728.41	Great Lakes Dredge & Dock Lighted Danger Buoy	29-16-14.220N 089-36-15.875W	FI W 2.5s			Marks submerged pipeline.	Private aid.
15728.42	Great Lakes Dredge & Dock Lighted Danger Buoy	29-16-13.942N 089-36-13.050W	FI W 2.5s			Marks submerged pipeline.	Private aid.
15728.43	Great Lakes Dredge & Dock Lighted Danger Buoy	29-15-55.492N 089-36-20.177W	FI W 2.5s			Marks submerged pipeline.	Private aid.
15728.44	Great Lakes Dredge & Dock Lighted Danger Buoy	29-15-54.931N 089-36-16.663W	FI W 2.5s			Marks submerged pipeline.	Private aid.
15728.45	Great Lakes Dredge & Dock Lighted Danger Buoy	29-19-33.400N 089-36-09.380W	FI W 2.5s			Marks submerged pipeline.	Private aid.
15728.46	Great Lakes Dredge & Dock Lighted Danger Buoy	29-19-33.980N 089-36-09.350W	FI W 2.5s			Marks submerged pipeline.	Private aid.
Adams Bay							
15730	MEYERS CANAL LIGHT 1	29-22-22.000N 089-39-57.000W	FI G 2.5s	15		SG on dolphin.	Private aid.
15735	- LIGHT 3	29-22-46.159N 089-38-28.811W	FI G 4s	17	4	SG on dolphin.	
15738	EXXON-MOBIL BASTIAN BAY PIPELINE LIGHT A	29-20-06.740N 089-38-26.410W	FI Y 2.5s			Marks submerged pipeline.	Private aid.
15740	- Lighted Buoy 13	29-22-17.619N 089-36-05.985W	FI G 4s		4	Green.	
15742	EXXON-MOBIL EAST PILING LIGHTS (20-25)	29-24-32.600N 089-49-07.320W	FI W 2.5s			Marks pilings.	Private aid.
15742.01	EXXON-MOBIL EAST PILING LIGHTS (26-30)	29-22-34.720N 089-44-29.090W	FI W 2.5s			Marks pilings.	Private aid.
15742.02	EXXON-MOBIL EAST PILING LIGHTS (31-35)	29-21-15.700N 089-41-48.680W	FI W 2.5s			Marks pilings.	Private aid.
15742.03	EXXON-MOBIL EAST PILING LIGHTS (36-41)	29-21-44.450N 089-34-34.320W	FI W 2.5s			Marks pilings.	Private aid.
15743	SHELLEY FARM SF1 SPECIAL LIGHTS (6)	29-18-56.343N 089-44-09.494W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
15743.01	SHELLEY FARM SF2 SPECIAL LIGHTS (6)	29-18-53.460N 089-43-33.952W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
15743.02	SHELLEY FARM SF3 SPECIAL LIGHTS (6)	29-19-06.416N 089-43-12.984W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
15743.03	SHELLEY FARM SF4 SPECIAL LIGHTS (6)	29-19-20.406N 089-42-18.384W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
Bay Batiste							
Pend Oreille-Bay Batiste							
15745	- South Channel Day beacon 4	29-26-25.657N 089-51-35.905W				TR on pile.	Private aid.
15750	- South Channel Day beacon 6	29-26-34.949N 089-51-49.138W				TR on pile.	Private aid.
15755	- South Channel Day beacon 8	29-26-44.241N 089-52-02.372W				TR on pile.	Private aid.
15757	- Main Channel Day beacon 4	29-24-44.982N 089-53-18.390W				TR on pile.	Private aid.
15760	- Main Channel Day beacon 6	29-25-09.375N 089-52-41.502W				TR on pile.	Private aid.
15765	- Main Channel Day beacon 8	29-25-38.921N 089-52-08.768W				TR on pile.	Private aid.
15770	- Main Channel Day beacon 10	29-26-06.582N 089-51-36.707W				TR on pile.	Private aid.
15775	- Main Channel Day beacon 12	29-26-25.765N 089-51-07.084W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
BARATARIA BAY AND APPROACHES (Chart 11358)							
Bay Batiste							
Pend Oreille-Bay Batiste							
15780	- North Channel Day beacon 2	29-26-51.900N 089-51-01.500W				TR on pile.	Private aid.
15785	- North Channel Day beacon 4	29-26-54.353N 089-51-16.282W				TR on pile.	Private aid.
LL & E.S.L. 12036-1 Channel							
15790	- Day beacon 2	29-26-44.397N 089-51-00.154W				TR on pile.	Private aid.
15795	- Day beacon 4	29-26-57.245N 089-59-51.645W				TR on pile.	Private aid.
15800	- Day beacon 6	29-27-10.092N 089-50-43.135W				TR on pile.	Private aid.
BARATARIA AND BAYOU LAFOURCHE WATERWAY (Chart 11365)							
Barataria Pass							
15802	EXXON MOBIL PIPELINE LIGHT B	29-59-25.000N 089-53-42.000W	FI Y 2.5s	15		Marks pipeline.	Private aid.
15805	- Buoy 1	29-14-28.152N 089-54-46.518W				Green can.	
15810	- Buoy 2	29-14-34.817N 089-54-42.254W				Red nun.	
15815	- Buoy 3	29-14-49.818N 089-55-12.995W				Green can.	
15820	- Buoy 4	29-14-55.982N 089-55-05.851W				Red nun.	
15825	- Lighted Buoy 5	29-15-07.752N 089-55-35.598W	FI G 2.5s		3	Green can.	
15830	- Lighted Buoy 6	29-15-16.938N 089-55-30.312W	FI R 6s		4	Red.	
15835	- Buoy 7	29-15-22.561N 089-55-52.399W				Green can.	
15840	- Buoy 8	29-15-31.342N 089-55-47.439W				Red nun.	
15845	- Buoy 9	29-15-47.261N 089-56-20.683W				Green can.	
15850	- Buoy 10	29-15-53.383N 089-56-13.797W				Red nun.	
15855	- Buoy 11	29-16-06.815N 089-56-43.256W				Green can.	
15857	GRAND TERRE LAB CANAL ENTRANCE LIGHT 1	29-16-48.000N 089-56-42.000W	Q G	12		On pile cluster.	Private aid.
15857.01	GRAND TERRE LAB CANAL ENTRANCE LIGHT 2	29-16-46.000N 089-56-46.000W	Q R			On pile cluster.	Private aid.
15860	U.S. GEOLOGICAL SURVEY SCIENTIFIC MONITORING PLATFORM LIGHT (JP)	29-16-22.200N 089-56-48.500W	FI Y 2.5s	37		On pipe.	Private aid.
15865	Fort Livingston Danger Day beacon A	29-16-20.280N 089-56-36.550W				NW on pile worded DANGER ROCKS.	Private aid.
15870	FORT LIVINGSTON DANGER LIGHT B	29-16-19.300N 089-56-38.100W	FI W 2.5s			NW on pile worded DANGER ROCKS.	Private aid.
15875	FORT LIVINGSTON DANGER LIGHT C	29-16-18.680N 089-56-42.300W	FI W 2.5s			NW on pile worded DANGER ROCKS.	Private aid.
15880	Fort Livingston Danger Day beacon D	29-16-21.550N 089-56-46.570W				NW on piles worded DANGER ROCKS.	Private aid.
15885	Fort Livingston Danger Day beacon E	29-16-22.660N 089-56-46.870W				NW on pile worded DANGER ROCKS.	Private aid.
15890	- SURVEY LIGHT A	29-16-16.270N 089-56-40.970W				On f our pile cluster.	Private aid.
15895	GRAND ISLE STATE PARK FISH PIER LIGHTS (2)	29-15-40.000N 089-57-00.000W	FI W 3s	25		End of fishing piers on pilings.	Private aid.
15900	GRAND ISLE FISHING JETTY LIGHT	29-15-44.700N 089-56-56.110W	Q R	17		On pile structure.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
BARATARIA AND BAYOU LAFOURCHE WATERWAY (Chart 11365)							
Barataria Pass							
15905	Grand Isle Breakwater East Danger Day beacon	29-15-28.700N 089-56-53.900W				NW on pile. WORDED: DANGER BREAKWATER.	Private aid.
15910	Grand Isle Breakwater West Danger Day beacon	29-15-22.300N 089-57-03.700W				NW on pile. WORDED: DANGER BREAKWATER.	Private aid.
Bayou Rigaud							
15915	- Lighted Buoy 1	29-16-24.689N 089-57-17.318W	FI G 2.5s		4	Green.	
15920	- Buoy 2	29-16-30.178N 089-57-21.728W				Red nun.	Ra ref.
15925	- Buoy 3 60 feet outside channel limit.	29-16-14.181N 089-57-25.291W				Green can.	Ra ref.
15930	- Buoy 3A	29-16-06.899N 089-57-32.931W				Green can.	Ra ref.
15935	- Buoy 4	29-16-11.977N 089-57-37.238W				Red nun.	Ra ref.
15940	- ENTRANCE LEADING LIGHT	29-15-59.900N 089-57-48.434W	Q W	17	5	NB on dolphin.	Ra ref.
Grand Isle Turning Basin							
15945.01	- Day beacon 1	29-16-02.223N 089-57-33.782W					Ra ref.
15950.01	- Day beacon 2	29-16-01.831N 089-57-35.169W					Ra ref.
15955.01	- Day beacon 3	29-15-59.997N 089-57-33.458W					Ra ref.
15960	- Buoy 3A	29-15-54.240N 089-57-31.302W				Green can.	
15965.01	- Day beacon 4	29-15-57.843N 089-57-34.898W					Ra ref.
Bayou Rigaud							
15970	- Day beacon 5	29-15-57.652N 089-57-39.539W				SG on pile.	Ra ref.
15975	FIFI ISLAND DANGER BREAKWATER LIGHT	29-15-51.890N 089-57-49.452W	FI W 2.5s			Marks breakwater structure.	Private aid.
15975.01	FIFI ISLAND DANGER BREAKWATER LIGHT	29-15-51.300N 089-57-47.840W	FI W 2.5s			Marks breakwater structure.	Private aid.
15975.02	FIFI ISLAND DANGER BREAKWATER LIGHT	29-15-54.630N 089-57-48.210W	FI W 2.5s			Marks breakwater structure.	Private aid.
15975.03	FIFI ISLAND DANGER BREAKWATER LIGHT	29-15-54.030N 089-57-46.540W	FI W 2.5s			Marks breakwater structure.	Private aid.
15975.04	FIFI ISLAND DANGER BREAKWATER LIGHT	29-15-57.350N 089-57-46.820W	FI W 2.5s			Marks breakwater structure.	Private aid.
15975.05	FIFI ISLAND DANGER BREAKWATER LIGHT	29-15-56.710N 089-57-45.180W	FI W 2.5s			Marks breakwater structure.	Private aid.
15975.06	FIFI ISLAND DANGER BREAKWATER LIGHT	29-16-00.060N 089-57-45.390W	FI W 2.5s			Marks breakwater structure.	Private aid.
15975.07	FIFI ISLAND DANGER BREAKWATER LIGHT	29-15-59.400N 089-57-43.740W	FI W 2.5s			Marks breakwater structure.	Private aid.
15975.08	FIFI ISLAND DANGER BREAKWATER LIGHT	29-16-02.140N 089-57-44.670W	FI W 2.5s			Marks breakwater structure.	Private aid.
15975.09	FIFI ISLAND DANGER BREAKWATER LIGHT	29-16-01.330N 089-57-42.570W	FI W 2.5s			Marks breakwater structure.	Private aid.
15980	- LIGHT 6	29-15-52.100N 089-57-45.682W	FI R 2.5s	17	3	TR on pile.	Ra ref.
15990	- LIGHT 7	29-15-54.132N 089-57-41.591W	FI G 4s	17	4	SG on pile.	Ra ref.
15995	- Day beacon 8	29-15-25.597N 089-58-06.313W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
BARATARIA AND BAYOU LAFOURCHE WATERWAY (Chart 11365)							
Bayou Rigaud							
16000	- Day beacon 10	29-15-17.158N 089-58-30.688W				TR on pile.	Ra ref.
16002	EXXON-MOBIL WEST PILING LIGHTS (1-6)	29-19-18.820N 089-58-36.510W	FI W 2.5s			Marks pilings.	Private aid.
16005	- Day beacon 12	29-15-05.705N 089-58-51.130W				TR on pile.	Ra ref.
16010	- Day beacon 14	29-14-48.211N 089-59-17.094W				TR on pile.	Ra ref.
16015	- Day beacon 16	29-14-29.836N 089-59-54.670W				TR on pile.	Ra ref.
16020	- Day beacon 18	29-14-25.060N 090-00-13.489W				TR on pile.	Ra ref.
16022	Nature Conservancy Grand Isle Southwest Danger Day beacons (5)	29-13-44.571N 090-01-02.247W				NW on pile.	Private aid.
16022.01	Nature Conservancy Grand Isle Southwest Danger Day beacons (5)	29-13-54.716N 090-00-50.651W				NW on pile.	Private aid.
16022.02	Nature Conservancy Grand Isle Southwest Danger Day beacons (3)	29-13-59.844N 090-00-33.160W				NW on pile.	Private aid.
16022.03	Nature Conservancy Fifi Island Northeast Danger Day beacons (5)	29-15-38.431N 089-58-17.647W				NW on pile.	Private aid.
16022.04	Nature Conservancy Fifi Island Northeast Danger Day beacons (2)	29-15-46.512N 089-58-18.514W				NW on pile.	Private aid.
Barataria Bay							
16025	- PIPELINE LIGHT H	29-15-55.219N 089-58-18.935W	FI Y 2.5s	16		NW on pile worded DO NOT ANCHOR OR DREDGE.	Private aid.
BARATARIA BAY AND APPROACHES (Chart 11358)							
Barataria Bay							
Lake Grand Ecaille							
16030	- LIGHT A	29-23-51.000N 089-47-45.000W	FI Y 4s	12		NW on pile.	Private aid.
16035	- LIGHT B	29-23-53.000N 089-47-46.000W	FI Y 4s	12		NW on pile.	Private aid.
16038	FREEMPORT MCMORAN LAKE GRANDE ECAILLE DANGER LIGHTS (74)	29-22-39.900N 089-46-47.200W	FI W 2.5s			Marks perimeter of navigation obstructions.	Private aid.
16040	- LIGHT 1 SG on dolphin.	29-23-33.000N 089-47-36.000W	Q W	12			Private aid.
16045	- PIPELINE LIGHT	29-23-31.000N 089-47-53.000W	Q R	10		On pile.	Private aid.
16048	GRAND ISLE PORT COMMISSION SPECIAL LIGHT A	29-13-10.530N 090-02-39.970W	FI Y 2.5s			Marks perimeter of oyster farm.	Private aid.
16048.01	GRAND ISLE PORT COMMISSION SPECIAL LIGHT B	29-13-08.590N 090-02-36.090W	FI Y 2.5s			Marks perimeter of oyster farm.	Private aid.
16048.02	GRAND ISLE PORT COMMISSION SPECIAL LIGHT C	29-13-14.690N 090-02-32.130W	FI Y 2.5s			Marks perimeter of oyster farm.	Private aid.
16048.03	GRAND ISLE PORT COMMISSION SPECIAL LIGHT D	29-13-12.960N 090-02-32.130W	FI Y 2.5s			Marks perimeter of oyster farm.	Private aid.
16048.04	GRAND ISLE PORT COMMISSION SPECIAL LIGHT E	29-13-22.450N 090-02-22.460W	FI Y 2.5s			Marks perimeter of oyster farm.	Private aid.
16048.05	GRAND ISLE PORT COMMISSION SPECIAL LIGHT F	29-13-26.140N 090-02-29.820W	FI Y 2.5s			Marks perimeter of oyster farm.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
BARATARIA BAY AND APPROACHES (Chart 11358)							
Barataria Bay							
16050	Shell Reef Day beacon	29-20-39.849N 089-56-26.901W				NW on piles worded DANGER.	Ra ref.
16051	<i>Jules Melancon Aquaculture Farm Special Lighted Buoy A</i>	29-18-07.896N 089-56-14.851W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
16051.01	<i>Jules Melancon Aquaculture Farm Special Lighted Buoy B</i>	29-18-07.750N 089-56-06.599W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
16051.02	<i>Jules Melancon Aquaculture Farm Special Lighted Buoy C</i>	29-18-00.240N 089-56-06.613W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
16051.03	<i>Jules Melancon Aquaculture Farm Special Lighted Buoy D</i>	29-18-00.359N 089-56-17.782W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
NEW ORLEANS TO CALCASIEU RIVER (Chart 11352)							
Lake Five							
16055	- Channel Day beacon 2	29-31-24.000N 089-57-01.000W				TR on pile.	Private aid.
16060	- Channel Day beacon 4	29-31-25.000N 089-57-18.000W				TR on pile.	Private aid.
16065	- Channel Day beacon 6	29-31-27.000N 089-57-36.000W				TR on pile.	Private aid.
16070	- Channel Day beacon 8	29-31-29.000N 089-57-53.000W				TR on pile.	Private aid.
16075	- Channel Day beacon 10	29-31-22.000N 089-58-09.000W				TR on pile.	Private aid.
16080	- Channel Day beacon 12	29-31-15.000N 089-58-24.000W				TR on pile.	Private aid.
16085	- Channel Day beacon 14	29-31-16.000N 089-58-36.000W				TR on pile.	Private aid.
16090	- Channel Day beacon 18	29-31-13.000N 089-58-51.000W				TR on pile.	Private aid.
BARATARIA AND BAYOU LAFOURCHE WATERWAYS (Chart 11365)							
Barataria Waterway							
<i>Lights and daybeacons located 50 feet outside channel limit.</i>							
16095	CAL-KY PIPELINE LIGHT	29-16-36.000N 089-57-24.000W	Q W	24		NW on pile worded DO NOT ANCHOR OR DREDGE.	Private aid.
16100	- ENTRANCE LIGHT 1	29-16-41.931N 089-57-30.914W	FI G 4s	17	4	SG on dolphin.	Ra ref.
16105	- ENTRANCE LIGHT 2	29-16-45.547N 089-57-27.106W	Q R	17	4	TR on pile.	Ra ref.
16110	BARATARIA BAY PIPELINE LIGHT E	29-16-48.203N 089-57-28.441W	FI Y 2.5s	16		NW on pile worded DO NOT ANCHOR OR DREDGE.	Private aid.
16115	BARATARIA BAY PIPELINE LIGHT F	29-16-41.919N 089-57-32.705W	FI Y 2.5s	16		NW on pile worded DO NOT ANCHOR OR DREDGE.	Private aid.
16120	- Buoy 2A	29-16-49.965N 089-57-36.222W				Red nun.	
16125	- Day beacon 3	29-16-59.411N 089-57-55.160W				SG on pile.	Ra ref.
16130	- Day beacon 4	29-17-02.987N 089-57-52.442W				TR on pile.	Ra ref.
16135	Entrance East Side Dredging Range Front Day beacon	29-17-06.000N 089-57-54.000W				Black diamond day mark on pile.	FI W light will be display ed during dredging operations. Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
BARATARIA AND BAYOU LAFOURCHE WATERWAYS (Chart 11365)							
Barataria Waterway							
<i>Lights and daybeacons located 50 feet outside channel limit.</i>							
16140	Entrance East Side Dredging Range Rear Day beacon	29-17-30.000N 089-58-18.000W				Black diamond day mark on pile.	Fl W light will be displayed during dredging operations. Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
16145	Entrance Centerline Dredging Range Front Day beacon	29-17-06.000N 089-57-54.000W				Black diamond day mark on pile.	Fl W light will be displayed during dredging operations. Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
16150	Entrance Centerline Dredging Range Rear Day beacon	29-17-30.000N 089-58-24.000W				Black diamond day mark on pile.	Fl W light will be displayed during dredging operations. Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
16155	Entrance West Side Dredging Range Front Day beacon	29-17-06.000N 089-57-54.000W				Black diamond day mark on pile.	Fl W light will be displayed during dredging operations. Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
16160	Entrance West Side Dredging Range Rear Day beacon	29-17-30.000N 089-58-24.000W				Black diamond day mark on pile.	Fl W light will be displayed during dredging operations. Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
16165	- LIGHT 5	29-17-25.054N 089-58-26.589W	Fl G 2.5s	17	4	SG on pile.	Ra ref.
16170	- LIGHT 6	29-17-26.942N 089-58-21.928W	Fl R 2.5s	17	3	TR on pile.	Ra ref.
16175	- Day beacon 7	29-17-55.454N 089-58-42.916W				SG on pile.	Ra ref.
16180	- Day beacon 8	29-17-57.537N 089-58-38.640W				TR on pile.	Ra ref.
16182	EXXON-MOBIL BAY DES ILETTES PIPELINE LIGHT	29-17-58.800N 089-58-45.450W	Fl Y 2.5s			Marks submerged buried pipeline.	Private aid.
16185	- LIGHT 8A	29-18-22.537N 089-58-51.655W	Fl R 2.5s	17	3	TR on pile.	Ra ref.
16188	<i>Jules Melancon Aquaculture Special Lighted Buoy A</i>	29-18-21.616N 090-02-02.086W	Fl Y 2.5s			Marks perimeter of oyster farm.	Private aid.
16188.01	<i>Jules Melancon Aquaculture Special Lighted Buoy B</i>	29-18-31.627N 090-02-05.077W	Fl Y 2.5s			Marks perimeter of oyster farm.	Private aid.
16188.02	<i>Jules Melancon Aquaculture Special Lighted Buoy C</i>	29-18-26.624N 090-02-09.770W	Fl Y 2.5s			Marks perimeter of oyster farm.	Private aid.
16190	- Day beacon 9	29-18-21.716N 089-58-54.323W				SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
BARATARIA AND BAYOU LAFOURCHE WATERWAYS (Chart 11365)							
Barataria Waterway							
<i>Lights and daybeacons located 50 feet outside channel limit.</i>							
16195	- Day beacon 10	29-18-43.030N 089-59-00.431W				TR on pile.	Ra ref.
16200	- Day beacon 11	29-18-40.276N 089-59-02.949W				SG on pile.	Ra ref.
16205.01	- Lighted Buoy 13	29-19-07.560N 089-59-08.276W	FI G 4s		4	Green.	
16210	- LIGHT 14	29-19-07.681N 089-59-05.689W	FI R 4s	17	3	TR on pile.	Ra ref.
16215	- LIGHT 15	29-19-58.271N 089-59-08.127W	FI G 6s	17	4	SG on pile.	Ra ref.
16220	- Day beacon 16	29-19-58.586N 089-59-04.583W				TR on pile.	Ra ref.
16222	CPRA BARATARIA BASIN SCIENTIFIC PLATFORM LIGHT	29-20-01.050N 089-59-18.600W	Q W			Marks scientific platform structure.	Private aid.
16225	- LIGHT 18	29-20-55.932N 089-59-03.085W	FI R 6s	17	4	TR on pile.	Ra ref.
16230.01	- Lighted Buoy 19	29-21-50.045N 089-59-04.701W	FI G 2.5s		4	Green.	
16235	- LIGHT 20	29-21-50.726N 089-59-00.149W	FI R 2.5s	17	3	TR on pile.	Ra ref.
16240	- Day beacon 21	29-22-08.098N 089-59-06.432W				SG on pile.	Ra ref.
16245	- Day beacon 22	29-22-10.537N 089-59-01.750W				TR on pile.	Ra ref.
16250	- Day beacon 23	29-22-33.907N 089-59-10.133W				SG on pile.	Ra ref.
16255	- LIGHT 24	29-22-30.371N 089-59-03.915W	FI R 4s	17	3	TR on pile.	Ra ref.
16260	- LIGHT 25	29-22-58.652N 089-59-12.878W	FI G 4s	17	4	SG on pile.	Ra ref.
16265	- Day beacon 26	29-22-58.245N 089-59-07.925W				TR on pile.	Ra ref.
16270	- Day beacon 27	29-23-19.976N 089-59-15.454W				SG on pile.	Ra ref.
16275	- LIGHT 28	29-23-20.279N 089-59-11.357W	FI R 2.5s	17	3	TR on pile.	Ra ref.
Mobil State Lease 356-2 Channel							
16280	- Day beacon 1	29-23-43.625N 089-59-19.794W				SG on pile.	Private aid.
16285	- Day beacon 3	29-23-42.003N 089-59-33.012W				SG on pile.	Private aid.
16290	- Day beacon 5	29-23-43.856N 089-59-37.876W				SG on pile.	Private aid.
16295	- Day beacon 7	29-23-59.895N 089-59-42.818W				SG on pile.	Private aid.
16300	- Day beacon 9	29-24-10.974N 089-59-44.390W				SG on pile.	Private aid.
16305	- Day beacon 11	29-24-23.931N 089-59-46.209W				SG on pile.	Private aid.
16310	- Day beacon 13	29-24-28.886N 089-59-50.060W				SG on pile.	Private aid.
16315	- Day beacon 15	29-24-26.965N 090-00-02.755W				SG on pile.	Private aid.
Barataria Waterway							
<i>Lights and daybeacons located 50 feet outside channel limit.</i>							
16320	- Day beacon 29	29-23-43.748N 089-59-19.038W				SG on pile.	Ra ref.
16325	- Day beacon 30	29-23-44.568N 089-59-15.467W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
BARATARIA AND BAYOU LAFOURCHE WATERWAYS (Chart 11365)							
Barataria Waterway							
<i>Lights and daybeacons located 50 feet outside channel limit.</i>							
16330	- LIGHT 31	29-24-21.072N 089-59-24.735W	FI G 6s	17	4	SG on pile.	Ra ref.
16335	- LIGHT 32	29-24-21.262N 089-59-20.727W	FI R 6s	17	4	TR on pile.	Ra ref.
16340	- Day beacon 33	29-24-58.795N 089-59-30.259W				SG on pile.	Ra ref.
16345	- Day beacon 34	29-25-15.239N 089-59-29.766W				TR on pile.	Ra ref.
16347	EXXON-MOBIL WEST PILING LIGHTS (7-12)	29-26-52.710N 090-01-01.390W	FI W 2.5s			Marks pilings.	Private aid.
16350	- Day beacon 35	29-25-37.733N 089-59-36.860W				SG on pile.	Ra ref.
16355	- LIGHT 35A Marks submerged obstruction.	29-25-59.729N 089-59-40.512W	Q G	17	4	SG on pile.	Ra ref.
16360	- LIGHT 36	29-26-16.050N 089-59-39.134W	FI R 4s	17	3	TR on pile.	Ra ref.
16365	- Day beacon 37	29-26-29.787N 089-59-45.506W				SG on pile.	Ra ref.
16370	- Day beacon 38	29-27-12.089N 089-59-49.060W				TR on pile.	Ra ref.
16375	- LIGHT 39	29-28-00.486N 090-00-01.591W	Q G	17	3	SG on pile.	Ra ref.
16380	- LIGHT 40	29-28-02.604N 089-59-59.128W	Q R	17	3	TR on pile.	Ra ref.
16385	- Buoy 41	29-28-17.880N 090-00-13.741W				Green can.	
16390	- Buoy 42	29-28-17.285N 090-00-09.739W				Red nun.	
16395	- LIGHT 43	29-28-31.194N 090-00-26.387W	FI G 2.5s	17	3	SG on pile.	Ra ref.
16400	- LIGHT 44	29-28-33.816N 090-00-22.068W	FI R 2.5s	17	3	TR on pile.	Ra ref.
16405	- Day beacon 46	29-28-59.921N 090-00-39.893W				TR on pile.	Ra ref.
16407	LLOX MANILLA VILLAGE PILING LIGHTS (2)	29-29-11.000N 089-59-39.000W	FI W 2.5s			Marks barge mooring pilings.	Private aid.
16410	- Day beacon 47	29-29-17.461N 090-01-01.629W				SG on pile.	Ra ref.
16415	- Buoy 48	29-29-31.784N 090-01-01.261W				Red nun.	
16420	- LIGHT 50	29-29-41.615N 090-01-06.255W	FI R 4s	17	3	TR on pile.	Ra ref.
16425	- LIGHT 51	29-29-56.088N 090-01-17.103W	FI G 4s	17	4	SG on pile.	Ra ref.
16430	BAY DE CHENE PIPELINE LIGHT A	29-27-10.000N 090-01-57.000W	FI Y 2.5s	10		NW on dolphin worded DANGER SUBMERGED PIPELINE.	Private aid.
16435	BAY DE CHENE PIPELINE LIGHT B	29-27-06.000N 090-02-24.000W	FI Y 2.5s			NB on dolphin worded DANGER SUBMERGED PIPELINE.	Private aid.
16440	- PIPELINE LIGHT 1A	29-33-12.000N 090-02-36.000W				On dolphin.	Private aid.
16445	- PIPELINE LIGHT 2A	29-33-12.000N 090-02-42.000W				On dolphin.	Private aid.
16450	TEXACO PIPELINE MARKER LIGHT B	29-34-54.845N 090-03-42.655W	FI Y 2.5s	10		NW on dolphin worded DANGER SUBMERGED PIPELINE.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
BARATARIA AND BAYOU LAFOURCHE WATERWAYS (Chart 11365)							
Barataria Waterway							
<i>Lights and daybeacons located 50 feet outside channel limit.</i>							
16455	TEXACO PIPELINE MARKER LIGHT A	29-34-54.894N 090-03-38.630W	FI Y 2.5s	10		NW on dolphin worded DANGER SUBMERGED PIPELINE.	Private aid.
16460	- PIPELINE LIGHT 1	29-34-59.000N 090-03-40.000W	FI Y 2.5s	12		On dolphin.	Private aid.
16465	- PIPELINE LIGHT 2	29-35-00.000N 090-03-35.000W	FI Y 2.5s	12		On dolphin.	Private aid.
Dupre Cut							
16470	- LIGHT 1	29-34-40.357N 090-03-33.162W	FI G 4s	17	4	SG on pile.	Ra ref.
16475	- LIGHT 2	29-35-15.684N 090-03-50.302W	FI R 4s	17	3	TR on pile.	Ra ref.
16480	- LIGHT 3	29-36-03.283N 090-04-21.994W	FI G 2.5s	17	3	SG on pile.	Ra ref.
16485	- LIGHT 4	29-36-04.476N 090-04-19.292W	FI R 2.5s	17	3	TR on pile.	Ra ref.
16490	- Day beacon 5	29-36-40.471N 090-04-44.262W				SG on pile.	Ra ref.
16495	- Day beacon 6	29-36-41.474N 090-04-40.640W				TR on pile.	Ra ref.
16500	- LIGHT 7	29-37-23.491N 090-05-09.132W	FI G 4s	17	4	SG on pile.	Ra ref.
16505	- LIGHT 8	29-37-25.406N 090-05-04.924W	FI R 4s	17	3	TR on pile.	Ra ref.
Bayou Dupont Canal Weir							
16510	- LIGHT 2	29-38-34.000N 090-05-44.700W	Q R			TR on pile clusters.	Private aid.
16515	- Day beacon 1	29-38-34.700N 090-05-44.900W				SG on pile clusters.	Private aid.
16520	- Danger Day beacons (2)	29-38-35.000N 090-05-43.450W				NW on pile worded DANGER OBSTRUCTION DO NOT PROCEED.	Private aid.
16525	- Danger Day beacon	29-38-34.500N 090-05-43.000W				NW on pile worded DANGER OBSTRUCTION DO NOT PROCEED.	Private aid.
16530	- Danger Buoy s (2)	29-38-35.210N 090-05-43.580W				TR on pile cluster.	Private aid.
16535	- LIGHT 4	29-38-35.110N 090-05-42.610W	Q R			SG on pile cluster.	Private aid.
16540	- LIGHT 3	29-38-35.480N 090-05-42.780W	Q G			SG on pile.	Private aid.
16542	The Pen Southshore Danger Day beacons (8)	29-38-34.400N 090-05-41.800W				NW on pile. Marks shoreline restoration structure.	Private aid.
16542.01	The Pen Southshore Danger Day beacons (8)	29-38-34.200N 090-05-09.500W				NW on pile. Marks shoreline restoration structure.	Private aid.
16542.02	The Pen Southshore Danger Day beacons (6)	29-38-16.500N 090-04-33.800W				NW on pile. Marks shoreline restoration structure.	Private aid.
16542.03	The Pen Southshore Danger Day beacons (2)	29-38-02.000N 090-04-03.200W				NW on pile. Marks shoreline restoration structure.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
BARATARIA AND BAYOU LAFOURCHE WATERWAYS (Chart 11365)							
Barataria Waterway							
Dupre Cut							
16545	- LIGHT 10	29-38-44.676N 090-05-52.951W	FI R 2.5s	17	4	TR on pile.	Ra ref.
16550	BAYOU RIGOLETTES LIGHT 1	29-39-58.138N 090-06-43.394W	FI G 4s	17	4	SG on pile.	Ra ref.
16555	BAYOU RIGOLETTES LIGHT 2	29-40-01.221N 090-06-44.070W	FI R 4s	17	3	TR on pile.	Ra ref.
Goose Bayou Weir							
16560	- LIGHT 2	29-41-30.830N 090-05-31.600W	Q R			TR on pile cluster.	Private aid.
16565	- LIGHT 1	29-41-31.240N 090-05-31.640W	Q G			SG on pile cluster.	Private aid.
16570	- Danger Day beacon (2)	29-41-31.000N 090-05-30.800W				NW on piles worded DANGER OBSTRUCTION PROCEED WITH CAUTION.	Private aid.
16575	- Danger Day beacon (4)	29-41-30.000N 090-05-30.800W				NW on pile worded DANGER OBSTRUCTION DO NOT PROCEED.	Private aid.
16580	- LIGHT 4	29-41-30.770N 090-05-29.940W	Q R			TR on pile cluster.	Private aid.
16585	- LIGHT 3	29-41-31.190N 090-05-29.940W	Q G			SG on pile cluster.	Private aid.
BARATARIA AND BAYOU LAFOURCHE WATERWAYS (Chart 11365)							
16590	Barataria Bay S.L. 10061 Pipeline Day beacon	29-24-38.000N 089-54-24.000W				NW on dolphin.	Private aid.
Bayou St. Denis							
16595	- Day beacon 2	29-27-10.171N 089-58-29.171W				TR on pile.	Ra ref.
16600	- LIGHT 3	29-27-21.713N 089-59-13.184W	FI G 6s	17	5	SG on pile.	Ra ref.
16605	- LIGHT 5	29-28-09.494N 089-59-45.000W	FI G 4s	17	4	SG on pile.	Ra ref.
Caminada Bay							
16610	CAMINADA PASS JETTY LIGHT	29-11-56.700N 090-02-27.960W	Q R	10		On dolphin.	Private aid.
16615	- PIPELINE MARKER LIGHT A	29-12-34.000N 090-02-36.000W	FI Y 2.5s	15		NW on dolphin worded DO NOT ANCHOR OR DREDGE	Private aid.
16616	CPRA BAY ST. HONORE SOUTHWEST DANGER BREAKWATER LIGHT	29-12-30.770N 090-03-40.700W	FI W 2.5s			Marks shoreline breakwater.	Private aid.
16616.01	CPRA BAY ST. HONORE SOUTHWEST DANGER BREAKWATER LIGHT	29-12-32.240N 090-03-34.710W	FI W 2.5s			Marks shoreline breakwater.	Private aid.
16616.02	CPRA BAY ST. HONORE NORTHEAST DANGER BREAKWATER LIGHT	29-13-26.110N 090-02-42.910W	FI W 2.5s			Marks shoreline breakwater.	Private aid.
16616.03	CPRA BAY ST. HONORE NORTHEAST DANGER BREAKWATER LIGHT	29-13-26.590N 090-02-32.040W	FI W 2.5s			Marks shoreline breakwater.	Private aid.
16617	CPRA BARATARIA BASIN SCIENTIFIC PLATFORM LIGHT	29-13-52.880N 090-02-54.680W	Q W			Marks scientific platform structure.	Private aid.
Bayou St. Denis							
Caminada Bay Channel							
16619	CAMINADA PASS LIGHT 1	29-11-29.640N 090-02-44.170W	FI G 2.5s			SG on pile.	Private aid.
16619.01	CAMINADA PASS LIGHT 2	29-11-36.000N 090-02-32.740W	FI R 2.5s			TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
BARATARIA AND BAYOU LAFOURCHE WATERWAYS (Chart 11365)							
Bayou St. Denis							
Caminada Bay Channel							
16619.02	CAMINADA PASS LIGHT 3	29-12-21.100N 090-02-58.860W	FI G 2.5s			SG on pile.	Private aid.
16619.03	CAMINADA PASS LIGHT 4	29-11-45.770N 090-02-46.140W	FI R 2.5s			TR on pile.	Private aid.
Caminada Bay							
16660	Bay Rambo Demonstration Oyster Reef Day beacons (2)	29-21-02.260N 090-07-54.430W				NW on pile worded DANGER SUBMERGED OYSTER REEF.	Private aid.
16665	Harrison Family Barricade Unl. Buoy	29-21-18.232N 090-05-21.495W				White with orange band worded DANGER BARRICADE AHEAD.	Private aid.
Little Lake							
16670	- CHANNEL LIGHT 1	29-31-57.000N 090-09-51.000W	Q W		14	SG on pile.	Private aid.
16675	- CHANNEL LIGHT 3	29-31-57.000N 090-09-36.000W	Q W		14	SG on pile.	Private aid.
16680	- CHANNEL LIGHT 5	29-31-56.000N 090-09-18.000W	Q W		14	SG on pile.	Private aid.
16685	- WELL CHANNEL LIGHT 1	29-32-50.000N 090-09-59.000W	Q W		14	SG on pile.	Private aid.
16690	- WELL CHANNEL LIGHT 2	29-32-48.000N 090-09-39.000W	Q W		14	TR on pile.	Private aid.
16692	EXXON-MOBIL WEST PILING LIGHTS (13-19)	29-32-46.260N 090-09-31.540W	FI W 2.5s			Marks pilings.	Private aid.
16695	BAY L'OURSE ENTRANCE LIGHT 2	29-31-02.000N 090-10-47.000W	FI W 4s		10	TR on pile.	Private aid.
16832	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-09.750N 090-11-53.930W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.01	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-05.980N 090-11-40.260W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.02	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-05.950N 090-11-36.740W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.03	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-17.260N 090-11-18.590W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.04	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-14.100N 090-11-25.720W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.05	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-20.340N 090-11-03.690W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.06	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-20.550N 090-10-46.280W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.07	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-19.720N 090-10-33.790W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.08	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-19.350N 090-10-27.540W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.09	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-20.470N 090-10-22.120W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.11	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-17.120N 090-10-21.800W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.12	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-13.750N 090-10-15.070W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.13	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-12.540N 090-09-58.770W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.14	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-17.470N 090-09-44.320W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.15	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-21.360N 090-09-45.110W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.16	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-31.070N 090-10-01.840W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.17	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-34.240N 090-10-03.060W	FI W 2.5s			Marks rock shoreline.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
BARATARIA AND BAYOU LAFOURCHE WATERWAYS (Chart 11365)							
Little Lake							
16832.18	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-48.510N 090-10-10.040W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.19	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-54.940N 090-10-13.140W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.21	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-34-58.130N 090-10-16.940W	FI W 2.5s			Marks rock shoreline.	Private aid.
16832.22	LAFOURCHE PARISH LITTLE LAKE DANGER LIGHT	29-35-09.160N 090-10-01.210W	FI W 2.5s			Marks rock shoreline.	Private aid.
16835	SUPERIOR CANAL ENTRANCE LIGHT 2	29-30-21.000N 090-12-57.000W	FI W 4s	10		TR on pile.	Private aid.
NEW ORLEANS TO CALCASIEU RIVER (Chart 11352)							
Lake Salvador							
16840	COUBA ISLAND CANAL ENTRANCE LIGHT 1	29-48-00.000N 090-12-14.000W	Q W	17		SG on dolphin.	Private aid.
16845	BAYOU COUBA LIGHT 1	29-47-08.122N 090-14-05.800W	FI G 6s	17	4	SG on dolphin.	
16850	BRIDGELINE PIPELINE LIGHT A	29-41-00.000N 090-11-23.700W	FI Y 2.5s	15		NW on pile worded DANGER DO NOT ANCHOR OR DREDGE.	Private aid.
16855	BRIDGELINE PIPELINE LIGHT B	29-41-09.870N 090-11-23.710W	FI Y 2.5s	15		NW on pile worded DANGER DO NOT ANCHOR OR DREDGE.	Private aid.
16860	BAYOU PEROT ENTRANCE LIGHT 2	29-41-28.360N 090-12-37.398W	FI R 4s	17	4	TR on pile.	
16865	- SOUTHEAST PIPELINE LIGHT A	29-40-27.000N 090-13-19.000W	FI Y 2.5s	13		On dolphin.	Private aid.
16870	- SOUTHEAST PIPELINE LIGHT B	29-40-58.000N 090-13-52.000W	FI Y 2.5s	13		On dolphin.	Private aid.
16875	- SOUTHEAST PIPELINE LIGHT C	29-41-29.000N 090-14-25.000W	FI Y 2.5s	13		On dolphin.	Private aid.
16880	- NORTHWEST PIPELINE LIGHT B	29-42-52.000N 090-16-33.000W	FI Y 2.5s	13		On dolphin.	Private aid.
16885	- NORTHWEST PIPELINE LIGHT C	29-43-10.000N 090-17-19.000W	FI Y 2.5s	13		On dolphin.	Private aid.
16890	- NORTHWEST PIPELINE LIGHT D	29-43-28.000N 090-18-04.000W	FI Y 2.5s	13		On dolphin.	Private aid.
16895	- NORTHWEST PIPELINE LIGHT E	29-43-47.000N 090-18-49.000W	FI Y 2.5s	13		On dolphin.	Private aid.
16900	BAYOU DES ALLEMANDS LIGHT 1	29-41-52.340N 090-20-26.728W	FI G 4s	17	4	SG on dolphin.	
16905	BRIDGELINE PIPELINE LIGHT C	29-41-01.770N 090-11-15.380W	FI Y 2.5s	15		NW on pile worded: DANGER DO NOT ANCHOR OR DREDGE.	Private aid.
Petit Lac des Allemands							
16910	- Channel Buoy 1	29-46-54.190N 090-26-15.130W				Green can.	Private aid.
16915	- Channel Buoy 2	29-47-06.700N 090-26-13.800W				Red nun.	Private aid.
16920	- Channel Buoy 3	29-47-05.030N 090-26-35.190W				Green can.	Private aid.
16925	- Channel Buoy 4	29-47-06.700N 090-26-33.970W				Red nun.	Private aid.
16930	- Channel Buoy 5	29-47-15.810N 090-26-53.040W				Green can.	Private aid.
16935	- Channel Buoy 6	29-47-17.560N 090-26-51.960W				Red nun.	Private aid.
16940	- Channel Buoy 7	29-47-26.560N 090-27-11.080W				Green can.	Private aid.
16945	- Channel Buoy 8	29-47-28.430N 090-27-10.330W				Red nun.	Private aid.
16950	- Channel Buoy 9	29-47-39.000N 090-27-29.210W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
NEW ORLEANS TO CALCASIEU RIVER (Chart 11352)							
Petit Lac des Allemands							
16955	- Channel Buoy 10	29-27-41.240N 090-27-28.130W				Red nun.	Private aid.
16960	- Channel Buoy 11	29-47-53.160N 090-27-47.070W				Green can.	Private aid.
16965	- Channel Buoy 12	29-47-54.000N 090-27-45.990W				Red nun.	Private aid.
BARATARIA AND BAYOU LAFOURCHE WATERWAYS (Chart 11365)							
Belle Pass							
16970 615	- Entrance Lighted Buoy 2	29-04-15.965N 090-13-40.336W	Q R		4	Red.	
16975	- Entrance Lighted Buoy 1	29-04-18.052N 090-13-53.034W	Q G		4	Green.	
16980	- RANGE FRONT LIGHT	29-05-54.934N 090-13-23.367W	Q G		25	KRW on platform.	Visible all around; higher intensity 1.5° each side of rangeline.
16982	- RANGE FRONT PASSING LIGHT	29-05-54.934N 090-13-23.367W	Q G		27	4	On same structure as Belle Pass Range Front Light.
16985	- RANGE REAR LIGHT 3,067 yards, 011.1° from front light.	29-07-24.356N 090-13-03.406W	Iso G 6s		67	KRW on platform.	Visible only on rangeline.
16990	- RANGE REAR LIGHT PASSING LIGHT	29-07-24.356N 090-13-03.406W	FI G 4s		12	4	On same structure as Belle Pass Range Rear Light.
16995	- WEST JETTY LIGHT 3	29-04-45.708N 090-13-45.960W	FI G 2.5s		17	5	SG on pile. Ra ref.
17000	- EAST JETTY LIGHT 4	29-04-43.893N 090-13-32.579W	FI R 2.5s		17	5	TR on pile. Ra ref.
17005	- ENTRANCE LIGHT 6	29-05-04.026N 090-13-31.214W	FI R 4s		17	3	TR on pile. Ra ref.
17010	- ENTRANCE LIGHT 8	29-05-27.501N 090-13-26.661W	FI R 6s		17	4	TR on pile. Ra ref.
TIMBALIER AND TERREBONNE BAYS (Chart 11357)							
Terrebonne Bay							
17015	- PIPELINE LIGHT A	29-05-10.700N 090-33-25.500W	Q W		11	On pile.	Private aid.
17020	- PIPELINE LIGHT B	29-05-36.700N 090-33-16.100W	Q W			On pile.	Private aid.
17025	- PIPELINE LIGHT C	29-06-00.500N 090-31-46.400W	Q W			On pile.	Private aid.
17030	- 1249-18 CHANNEL LIGHT 1	29-05-47.000N 090-31-42.000W	Q W		10	SG on pile.	Private aid.
17035	- 1249-18 Channel Day beacon 3	29-05-46.000N 090-31-42.000W				SG on pile.	Private aid.
17040	- 1249-18 Channel Day beacon 5	29-05-39.000N 090-31-41.000W				SG on pile.	Private aid.
17045	- 1249-18 Channel Day beacon 7	29-05-32.000N 090-31-40.000W				SG on pile.	Private aid.
17050	- 1249-18 Channel Day beacon 9	29-05-27.000N 090-31-38.000W				SG on pile.	Private aid.
17055	- 1249-18 Channel Day beacon 11	29-05-22.000N 090-31-36.000W				SG on pile.	Private aid.
17060	- 1249-18 Channel Day beacon 13	29-05-19.000N 090-31-36.000W				SG on pile.	Private aid.
17065	- 1249-18 Channel Day beacon 15	29-05-17.000N 090-31-35.000W				SG on pile.	Private aid.
17070	- PIPELINE LIGHT D	29-06-27.900N 090-30-19.800W	Q W			On pile.	Private aid.
17075	- PIPELINE LIGHT E	29-06-43.400N 090-29-49.300W	Q W			On pile.	Private aid.
17080	- PIPELINE LIGHT F	29-06-41.600N 090-29-07.300W	Q W			On pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
TIMBALIER AND TERREBONNE BAYS (Chart 11357)							
Terrebonne Bay							
17085	- PIPELINE LIGHT G	29-06-41.300N 090-29-04.500W	Q W			On pile.	Private aid.
Caillou Island Channel							
17090	- Day beacon 2	29-05-32.000N 090-29-47.000W				TR on pile.	Private aid.
17095	- Day beacon 4	29-05-30.000N 090-29-42.000W				TR on pile.	Private aid.
17100	- Day beacon 6	29-05-28.000N 090-29-36.000W				TR on pile.	Private aid.
17105	- Day beacon 8	29-05-25.000N 090-29-30.000W				TR on pile.	Private aid.
Timbalier Island 2703 Well 1							
17110	- CHANNEL LIGHT 2	29-04-29.000N 090-28-12.000W	Q R	15		TR on four pile platform.	Private aid.
17115	- Day beacon 4	29-04-24.000N 090-28-14.000W				TR on piles.	Private aid.
17120	- Day beacon 6	29-04-19.000N 090-28-15.000W				TR on pile.	Private aid.
17125	- Day beacon 8	29-04-14.000N 090-28-17.000W				TR on pile.	Private aid.
17130	- Day beacon 10	29-04-11.000N 090-28-20.000W				TR on pile.	Private aid.
Timbalier Island 2703 Well 4							
17135	- CHANNEL LIGHT 2	29-04-44.000N 090-27-20.000W	Q W	15		TR on four pile platform.	Private aid.
17140	- Day beacon 4	29-04-14.000N 090-27-15.000W				TR on piles.	Private aid.
17145	- Day beacon 6	29-04-10.000N 090-27-14.500W				TR on pile.	Private aid.
17150	- Day beacon 8	29-04-05.000N 090-27-14.000W				TR on piles.	Private aid.
Timbalier - Terrebonne Bay							
17155	- LIGHT 1	29-09-56.087N 090-34-54.321W	FI G 2.5s	17	4	SG on pile.	Ra ref.
17160	- LIGHT 3	29-09-54.394N 090-33-49.356W	FI G 4s	17	4	SG on pile.	Ra ref.
17165	- LIGHT 7	29-09-51.038N 090-31-39.118W	FI G 6s	17	4	SG on pile.	Ra ref.
17170	- LIGHT 11	29-09-47.647N 090-29-28.881W	FI G 4s	17	4	SG on pile.	Ra ref.
17175	- LIGHT 15	29-09-44.222N 090-27-18.647W	FI G 6s	17	4	SG on pile.	Ra ref.
17180	- LIGHT 19	29-09-40.760N 090-25-08.410W	FI G 4s	17	4	SG on pile.	Ra ref.
17185	- LIGHT 23	29-09-37.264N 090-22-58.187W	FI G 6s	17	4	SG on pile.	Ra ref.
17190	- LIGHT 27	29-09-33.805N 090-20-48.260W	Q G	17	4	SG on pile.	Ra ref.
17195	- LIGHT 29	29-09-02.501N 090-19-55.774W	FI G 6s	17	4	SG on pile.	Ra ref.
17200	- LIGHT 31	29-08-30.347N 090-19-04.067W	FI G 4s	17	4	SG on pile.	Ra ref.
17205	- LIGHT 33	29-07-58.188N 090-18-12.367W	FI G 6s	17	4	SG on pile.	Ra ref.
17210	- LIGHT 36	29-07-24.027N 090-17-21.089W	Q R	17	4	TR on pile.	Ra ref.
17215	- LIGHT 38	29-07-40.143N 090-16-33.757W	FI R 4s	17	4	TR on pile.	Ra ref.
17217.01	- LIGHT 39	29-08-08.727N 090-15-15.871W	FI G 4s	17	4	SG on dolphin.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
TIMBALIER AND TERREBONNE BAYS (Chart 11357)							
Timbalier - Terrebonne Bay							
17220	- LIGHT 40	29-07-56.547N 090-15-46.944W	FI R 6s	17	4	TR on pile.	Ra ref.
17222	- LIGHT 40A	29-08-05.121N 090-15-19.551W	FI R 2.5s	17	4	TR on pile.	Ra ref.
17224.01	- LIGHT 41	29-08-14.440N 090-15-00.676W	FI G 2.5s	17	4	SG on dolphin.	Ra ref.
17225	- LIGHT 42	29-08-13.285N 090-14-57.983W	Q R	17	4	TR on pile.	Ra ref.
17227.01	- LIGHT 43	29-08-21.084N 090-14-54.678W	FI G 4s	17	4	SG on dolphin.	Ra ref.
17230	- Junction Lighted Buoy TB	29-09-54.797N 090-36-00.136W	FI (2+1)R 6s		4	Red with green band.	
Timbalier Bay							
17240	LAKE RACCOURCI FIELD ENTRANCE LIGHT 2	29-11-11.000N 090-25-07.000W	FI R 4s	14		TR on dolphin.	Private aid.
17245	BAYOU BLUE ENTRANCE LIGHT	29-12-09.000N 090-16-08.000W	FI W 4s	12		SG on dolphin.	Private aid.
Bayou Rosa							
17250	- ENTRANCE LIGHT 1	29-13-39.000N 090-18-00.000W	FI W 4s	14		SG on pile.	Private aid.
17255	- Buoy 3	29-13-44.000N 090-17-56.000W				Green can.	Private aid.
17260	- Buoy 5	29-13-50.000N 090-17-52.000W				Green can.	Private aid.
17265	- Buoy 7	29-13-55.000N 090-17-47.000W				Green can.	Private aid.
17270	- Buoy 9	29-14-00.000N 090-17-43.000W				Green can.	Private aid.
17275	- Buoy 11	29-14-06.000N 090-17-39.000W				Green can.	Private aid.
17280	- Buoy 13	29-14-11.000N 090-17-35.000W				Green can.	Private aid.
17285	- Buoy 15	29-14-16.000N 090-17-31.000W				Green can.	Private aid.
17290	- Buoy 17	29-14-22.000N 090-17-27.000W				Green can.	Private aid.
17295	- Buoy 19	29-14-28.000N 090-17-25.000W				Green can.	Private aid.
Little Lake							
17300	- LIGHT 21	29-14-47.000N 090-16-57.000W	FI W 4s	14		SG on piles.	Private aid.
17305	- Buoy 23	29-14-47.000N 090-16-50.000W				Green can.	Private aid.
17310	- Buoy 25	29-14-46.000N 090-16-43.000W				Green can.	Private aid.
17315	- Buoy 27	29-14-45.000N 090-16-36.000W				Green can.	Private aid.
17320	- Buoy 29	29-14-45.000N 090-16-28.000W				Green can.	Private aid.
17325	- Buoy 31	29-14-44.000N 090-16-21.000W				Green can.	Private aid.
17330	- Buoy 33	29-14-43.000N 090-16-14.000W				Green can.	Private aid.
17335	- Buoy 35	29-14-42.000N 090-16-06.000W				Green can.	Private aid.
17340	- Buoy 37	29-14-42.000N 090-15-59.000W				Green can.	Private aid.
17345	- Buoy 39	29-14-41.000N 090-15-52.000W				Green can.	Private aid.
17350	- Buoy 41	29-14-40.000N 090-15-44.000W				Green can.	Private aid.
17355	- Buoy 43	29-14-40.000N 090-15-37.000W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
TIMBALIER AND TERREBONNE BAYS (Chart 11357)							
Little Lake							
17360	- Buoy 45	29-14-39.000N 090-15-30.000W				Green can.	Private aid.
17365	- Buoy 47	29-14-38.000N 090-15-23.000W				Green can.	Private aid.
17368	BAYOU ROSA OYSTER FARM SPECIAL LIGHTS (4)	29-14-32.570N 090-15-20.853W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
17368.01	<i>Bayou Rosa Oyster Farm Special Lighted Buoy E</i>	29-14-27.295N 090-15-19.806W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid.
TIMBALIER AND TERREBONNE BAYS (Chart 11357)							
17370	LAKE RACCOURCI PIPELINE MARKER LIGHT	29-14-21.400N 090-20-23.400W	Q R	17		On pile.	Private aid.
Chinaman Bayou							
17375	- Day beacon 1	29-17-27.685N 090-21-04.162W				SG on pile.	Private aid.
17380	- Day beacon 3	29-17-39.546N 090-20-50.896W				SG on pile.	Private aid.
17385	- Day beacon 5	29-17-41.771N 090-20-43.002W				SG on pile.	Private aid.
17390	- Day beacon 7	29-17-41.769N 090-20-26.357W				SG on pile.	Private aid.
17395	- Day beacon 9	29-17-44.792N 090-20-14.987W				SG on pile.	Private aid.
17400	- Day beacon 11	29-17-54.217N 090-20-05.165W				SG on pile.	Private aid.
17405	- Day beacon 13	29-18-02.975N 090-20-04.552W				SG on pile.	Private aid.
17410	- Day beacon 15	29-18-10.691N 090-20-06.587W				SG on pile.	Private aid.
17415	- Day beacon 17	29-18-19.835N 090-20-17.340W				SG on pile.	Private aid.
17420	- Day beacon 19	29-18-27.390N 090-20-25.487W				SG on pile.	Private aid.
17425	USACE BAYOU BLUE METERING STATION LIGHT	29-32-36.500N 090-24-00.700W	FI Y 2.5s			On pile.	Private aid.
Lake La Grosse							
17440	- ENTRANCE LIGHT 1	29-10-55.416N 090-35-00.552W	FI G 4s	17	4	SG on pile.	Ra ref.
17445	- LIGHT 2	29-12-25.964N 090-34-50.006W	FI R 2.5s	17	4	TR on dolphin.	Ra ref.
17450	- LIGHT 4	29-13-30.003N 090-35-45.825W	FI R 4s	20	4	TR on dolphin.	Ra ref.
17455	- LIGHT 5	29-13-56.706N 090-36-11.470W	FI G 6s	17	4	SG on dolphin.	Ra ref.
17460	- LIGHT 7	29-14-37.983N 090-35-29.025W	FI G 4s	17	4	SG on dolphin.	Ra ref.
Bayou Pointe au Chien							
17462.03	TLCD BARGE FLOODGATE DOLPHIN LIGHT 1	29-25-04.330N 090-26-53.120W	FI G 2.5s			Marks starboard side entry dolphin.	Private aid.
17462.04	TLCD BARGE FLOODGATE DOLPHIN LIGHT 2	29-25-04.610N 090-26-52.440W	FI R 2.5s			Marks port side entry dolphin.	Private aid.
17462.05	TLCD BARGE FLOODGATE DOLPHIN LIGHT 3	29-25-06.630N 090-26-54.370W	FI G 2.5s			Marks starboard side exit dolphin.	Private aid.
17462.06	TLCD BARGE FLOODGATE DOLPHIN LIGHT 4	29-25-06.910N 090-26-53.690W	FI R 2.5s			Marks port side exit dolphin.	Private aid.
NEW ORLEANS TO CALCASIEU RIVER (Chart 11352)							
Lake Boudreaux							
17475	- Buoy 1	29-22-07.207N 090-40-36.511W				Green can.	
17480	- Buoy 2	29-22-09.238N 090-40-28.733W				Red nun.	
17485	- Buoy 3	29-22-13.459N 090-40-27.798W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
NEW ORLEANS TO CALCASIEU RIVER (Chart 11352)							
Lake Boudreaux							
17490	- Buoy 4	29-22-22.117N 090-40-12.847W				Red nun.	
17495	- Buoy 5	29-22-28.677N 090-40-09.647W				Green can.	
17500	- Lighted Buoy 7	29-22-50.598N 090-39-50.680W	FI G 4s		4	Green can.	
17505	- Buoy 9	29-23-00.840N 090-39-43.680W				Green can.	
17510	- Buoy 11	29-23-11.487N 090-39-35.351W				Green can.	
17515	- Buoy 13	29-23-36.795N 090-39-18.318W				Green can.	
17520	- Lighted Buoy 15	29-23-50.049N 090-39-12.026W	Q G		3	Green can.	
17525	- Buoy 17	29-23-43.374N 090-38-50.448W				Green can.	
17530	- Lighted Buoy 19	29-23-38.047N 090-38-29.566W	FI G 4s		4	Green can.	
POINT AU FER TO MARSH ISLAND (Chart 11351)							
ISLES DERNIERES TO POINT AU FER (Chart 11356)							
Company Canal saltwater Control							
17535	- FLOODGATE LIGHT 1	29-37-38.180N 090-33-27.690W	FI G 2.5s			SG on dolphin.	Private aid.
17540	- STRUCTURE LIGHT 2	29-37-38.180N 090-33-26.730W	FI R 2.5s			TR on dolphin.	Private aid.
17545	- STRUCTURE WEST OBSTRUCTION LIGHT	29-37-39.300N 090-33-28.600W				On barge.	On west side of floodgate. (QG open) (QR closed). Private aid.
17550	- STRUCTURE EAST OBSTRUCTION LIGHT	29-37-39.000N 090-33-27.000W	Q R			On receiving structure cassion.	Private aid.
17555	- STRUCTURE LIGHT 3	29-37-39.970N 090-33-27.670W	FI G 2.5s			SG dolphin.	Private aid.
17560	- STRUCTURE LIGHT 4	29-37-39.970N 090-33-26.720W	FI R 2.5s			TR dolphin.	Private aid.
17565	- STRUCTURE MOVEABLE OBSTRUCTION LIGHT	29-37-38.500N 090-33-26.700W	Q R			On barge.	Shows only when floodgate closed. Private aid.
LOUISIANA - Eighth District							
CATAHOULA BAY TO WAX LAKE OUTLET (Chart 11355)							
Bayou Petit Caillou Flood Canal							
17570	- EAST LIGHT Marks right side of floodgate for inbound traffic.	29-32-53.000N 090-37-58.000W	FI R 2.5s			On gateway.	Private aid.
17575	- WEST LIGHT Marks left side of floodgate for inbound traffic.	29-32-53.000N 090-37-58.000W				On gateway.	(FL G 2.5s open) (FL R 2.5s closed). Private aid.
17578	BAYOU PETIT CAILLOU FLOODGATE DOLPHIN LIGHT 1	29-17-45.550N 090-38-55.320W	FI G 2.5s			Marks dolphin cluster.	Private aid.
17578.01	BAYOU PETIT CAILLOU FLOODGATE DOLPHIN LIGHT 2	29-17-46.210N 090-38-53.810W	FI R 2.5s			Marks dolphin cluster.	Private aid.
17578.02	BAYOU PETIT CAILLOU FLOODGATE DOLPHIN LIGHT 3	29-17-49.180N 090-38-55.160W	FI G 2.5s			Marks dolphin cluster.	Private aid.
17578.03	BAYOU PETIT CAILLOU FLOODGATE DOLPHIN LIGHT 4	29-17-49.130N 090-38-53.830W	FI R 2.5s			Marks dolphin cluster.	Private aid.
Placid Canal							
17580	- FLOODGATE LIGHT 1	29-20-29.179N 090-37-54.712W	FI G 2.5s			SG on pile cluster.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
CATAHOULA BAY TO WAX LAKE OUTLET (Chart 11355)							
Placid Canal							
17585	- FLOODGATE LIGHT 2	29-20-29.530N 090-37-54.642W	FI R 2.5s			TR on pile.	Private aid.
17590	- FLOODGATE LIGHT 3	29-20-29.436N 090-37-56.381W	FI G 2.5s			SG on pile.	Private aid.
17595	- FLOODGATE LIGHT 4	29-20-29.787N 090-37-56.381W	FI R 2.5s			TR on pile.	Private aid.
17600	- FLOODGATE SIDEWALL STRUCTURE LIGHTS(2)	29-20-29.671N 090-37-55.440W	FI W 2.5s			On barge structure.	Marks each sidewall of floodgate. Private aid.
17605	- FLOODGATE CENTER GATE LIGHT	29-20-29.447N 090-37-55.272W	F R			On barge structure.	Shows only when center floodgate closed. Private aid.
17610	- FLOODGATE SIDEWALL CAISSON LIGHTS(2)	29-20-29.649N 090-37-55.479W	F R			On caisson structure.	Marks each sidewall caisson structure. Private aid.
17615	- FLOODGATE NORTHWEST PILING LIGHT	29-20-30.037N 090-37-56.503W	FI W 2.5s			On pile cluster.	Private aid.
17620	- FLOODGATE SOUTHWEST PILING LIGHT	29-20-29.079N 090-37-56.935W	FI W 2.5s			On pile cluster.	Private aid.
17625	- FLOODGATE NORTHEAST PILING LIGHT	29-20-29.785N 090-37-53.421W	FI W 2.5s			On pile cluster.	Private aid.
17630	- FLOODGATE SOUTHEAST PILING LIGHT	29-20-28.325N 090-37-53.472W	FI W 2.5s			On pile cluster.	Private aid.
Bush Canal							
17635	- FLOODGATE LIGHT 1	29-22-06.079N 090-36-07.085W	FI G 2.5s			SG on pile.	Private aid.
17640	- FLOODGATE LIGHT 2	29-22-06.448N 090-36-06.117W	FI R 2.5s			TR on pile.	Private aid.
17645	- FLOODGATE LIGHT 3	29-22-07.809N 090-36-09.406W	FI G 2.5s			SG on pile.	Private aid.
17650	- FLOODGATE LIGHT 4	29-22-08.688N 090-36-09.123W	FI R 2.5s			TR on pile.	Private aid.
17655	- FLOODGATE SIDEWALL STRUCTURE LIGHTS (2)	29-22-07.031N 090-36-08.164W	FI W 2.5s			On barge structure.	Marks each sidewall of floodgate. Private aid.
17660	- FLOODGATE CENTER GATE LIGHT	29-22-07.132N 090-36-07.767W	F R			On barge structure.	Shows only when center floodgate closed. Private aid.
17665	- FLOODGATE SIDEWALL CAISSON LIGHTS (2)	29-22-07.060N 090-36-08.202W	F R			On caisson structure.	Marks each sidewall caisson structure. Private aid.
17670	- FLOODGATE SOUTHEAST PILING LIGHT	29-22-05.012N 090-36-07.513W	FI W 2.5s			On pile cluster.	Private aid.
17675	- FLOODGATE NORTHEAST PILING LIGHT	29-22-07.210N 090-36-05.691W	FI W 2.5s			On pile cluster.	Private aid.
TIMBALIER AND TERREBONNE BAYS (Chart 11357)							
Cat Island Pass							
17680 680	- <i>Lighted Buoy C1</i>	29-00-12.927N 090-33-54.912W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
17685	- <i>Lighted Buoy 1</i>	29-01-09.059N 090-34-05.325W	FI G 6s		4	Green.	
17690	- <i>Lighted Buoy 3</i>	29-02-09.393N 090-34-13.517W	FI G 2.5s		4	Green.	
17695	- Buoy 4	29-02-12.384N 090-34-02.843W				Red nun.	
17700	- Buoy 5	29-02-38.085N 090-34-24.291W				Green can.	
17705	- <i>Lighted Buoy 7</i>	29-03-08.419N 090-34-34.426W	FI G 4s		4	Green.	
17710	- <i>Lighted Buoy 9</i>	29-03-34.530N 090-34-42.758W	FI G 4s		4	Green.	
17715	- Buoy 10	29-03-36.177N 090-34-36.477W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
TIMBALIER AND TERREBONNE BAYS (Chart 11357)							
Cat Island Pass							
17720	- Lighted Buoy 11	29-04-01.681N 090-34-52.271W	Q G		3	Green.	
17725	- Lighted Buoy 12	29-04-03.794N 090-34-42.009W	Q R		3	Red.	
17730	- Buoy 13	29-04-32.364N 090-34-59.838W				Green can.	
17735	- Buoy 14	29-04-33.588N 090-34-51.024W				Red nun.	
17740	- Lighted Buoy 15	29-05-00.920N 090-34-55.561W	FI G 4s		4	Green.	
17745	- Buoy 17	29-05-28.644N 090-34-47.172W				Green can.	
CATAHOULA BAY TO WAX LAKE OUTLET (Chart 11355)							
Houma Navigation Canal							
17750	- Lighted Buoy 1	29-05-56.868N 090-34-39.132W	Q G		3	Green.	
17755	- Lighted Buoy 2	29-05-58.630N 090-34-31.955W	Q R		3	Red.	
17760	- Buoy 3	29-06-23.015N 090-34-48.016W				Green can.	Ra ref.
17765	- Buoy 4	29-06-49.782N 090-34-43.518W				Red nun.	Ra ref.
17770	- A RANGE FRONT LIGHT	29-11-24.532N 090-36-42.134W	Q W	25		KRW on piles.	
17775	- A RANGE REAR LIGHT 2,336 yards, 340° from front light.	29-12-30.646N 090-37-09.330W	Iso W 6s	55		KRW on tower.	
17780	- Lighted Buoy 5	29-07-06.500N 090-34-58.500W	FI G 4s		4	Green.	
17785	- Buoy 6	29-07-31.422N 090-35-04.364W				Red nun.	Ra ref.
17790	- Buoy 7	29-07-54.829N 090-35-18.319W				Green can.	Ra ref.
17795	- Buoy 8	29-08-22.828N 090-35-25.318W				Red nun.	Ra ref.
17800	- LIGHT 9	29-08-41.231N 090-35-38.154W	FI G 2.5s	17	3	SG on pile.	Ra ref.
17805	- Buoy 10	29-09-07.827N 090-35-43.318W				Red nun.	Ra ref.
17810	- Buoy 11	29-09-27.758N 090-35-57.038W				Green can.	
17815	- LIGHT 13	29-10-14.697N 090-36-17.627W	FI G 6s	17	4	SG on pile.	Ra ref.
17820	- Buoy 14	29-10-22.652N 090-36-11.260W				Red nun.	
17835	- Buoy 16	29-10-58.000N 090-36-29.000W				Red nun.	Ra ref.
17840	- LIGHT 17	29-11-11.537N 090-36-44.612W	Q G	17	4	SG on pile.	Ra ref.
17845	- Buoy 18	29-11-16.985N 090-36-41.182W				Red nun.	Ra ref.
17850	- Buoy 18A	29-11-28.723N 090-36-53.347W				Red nun.	
17855	- B RANGE FRONT LIGHT	29-11-13.199N 090-36-33.594W	Q W	25		KRW on tower.	
17860	- B RANGE REAR LIGHT 1330 yards, 129.8° from front light.	29-10-47.935N 090-35-58.997W	Iso W 6s	65		KRW on steel tower.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
CATAHOULA BAY TO WAX LAKE OUTLET (Chart 11355)							
Houma Navigation Canal							
17865	- B RANGE REAR LIGHT PASSING LIGHT	29-10-47.935N 090-35-58.997W	FI W 4s	14	5	On same structure as Houma Navigation Canal Range B Rear Light.	
17870	- LIGHT 19	29-11-30.979N 090-37-00.135W	FI G 2.5s	17	3	SG on piles.	Ra ref.
17875	- Buoy 20	29-12-00.821N 090-37-36.317W				Red nun.	
17880	- LIGHT 21	29-12-12.816N 090-38-00.127W	FI G 4s	17	4	SG on pile.	Ra ref.
17885	- LIGHT 22	29-12-32.588N 090-38-17.736W	FI R 6s	17	4	TR on pile.	Ra ref.
17890	- LIGHT 23	29-12-41.920N 090-38-41.481W	FI G 6s	17	4	SG on pile.	Ra ref.
17895	- LIGHT 24	29-13-00.905N 090-38-56.641W	FI R 4s	17	3	TR on pile.	Ra ref.
17900	- LIGHT 25	29-13-17.934N 090-39-29.345W	FI G 4s	17	4	SG on pile.	Ra ref.
17905	- LIGHT 26	29-13-42.716N 090-39-54.676W	FI R 2.5s	17	3	TR on pile.	Ra ref.
17910	- LIGHT WR28	29-18-05.367N 090-42-49.549W	Q R	17	3	TR on pile.	Ra ref.
17911	SHORT CUT CANAL LIGHT 1	29-33-18.920N 090-42-24.010W	FI G 2.5s				Private aid.
17911.01	SHORT CUT CANAL LIGHT 2	29-33-20.110N 090-42-18.911W	FI R 2.5s				Private aid.
17911.02	SHORT CUT CANAL LIGHT 3	29-33-28.060N 090-42-19.000W	FI G 2.5s				Private aid.
17911.03	SHORT CUT CANAL LIGHT 4	29-33-28.707N 090-42-14.801W	FI R 2.5s				Private aid.
17912	- FLOODGATE LIGHT	29-19-39.800N 090-43-47.200W	FI W 2.5s			On dolphin.	Private aid.
17912.01	- FLOODGATE LIGHT	29-19-42.300N 090-43-41.200W	FI W 2.5s			On dolphin.	Private aid.
17912.02	- FLOODGATE LIGHT 2	29-19-43.000N 090-43-43.500W	FI R 2.5s			TR on dolphin.	Private aid.
17912.03	- FLOODGATE LIGHT 1	29-19-41.800N 090-43-46.400W	FI G 2.5s			SG on dolphin.	Private aid.
17912.04	- FLOODGATE BARGE LIGHT	29-19-44.400N 090-43-44.400W	F R			On barge gate.	Marks barge gate when closed. Private aid.
17912.05	- FLOODGATE BARGE LIGHT	29-19-45.800N 090-43-44.600W	F R			On barge gate.	Marks center of barge gate when closed. Private aid.
17912.06	- FLOODGATE BARGE LIGHT	29-19-46.800N 090-43-45.700W	F R			On barge gate.	Marks barge gate when closed. Private aid.
17912.07	- FLOODGATE LIGHT 3	29-19-49.300N 090-43-50.500W	FI G 2.5s			SG on dolphin.	Private aid.
17912.08	- FLOODGATE LIGHT 4	29-19-50.500N 090-43-47.600W	FI R 2.5s			TR on dolphin.	Private aid.
17912.09	- FLOODGATE LIGHT	29-19-50.000N 090-43-52.800W	FI W 2.5s			On dolphin.	Private aid.
TIMBALIER AND TERREBONNE BAYS (Chart 11357)							
Lake Pelto							
17915	BLACK ELK ENERGY TANK BATTERY LIGHTS (3)	29-04-20.340N 090-38-29.310W	Q W	6		On pile.	Private aid.
17920	BLACK ELK ENERGY FLOW LINE LIGHT	29-04-20.200N 090-38-30.390W	Q W	6		On pile.	Private aid.
17930	- LIGHT LP	29-04-42.833N 090-42-20.045W	FI W 6s	17	3	NB on dolphin.	Ra ref.
17935	BAYOU SALE CHANNEL LIGHT	29-06-39.000N 090-44-31.000W	FI W 4s	10		On a dolphin.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
TIMBALIER AND TERREBONNE BAYS (Chart 11357)							
Caillou Boca							
17938	- DANGER LIGHT A	29-04-04.721N 090-47-56.120W	Q W	17	3	NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
17940	- Day beacon B	29-04-06.012N 090-48-09.588W				NR on pile.	Ra ref.
17943	- Shoal Day beacon	29-03-55.879N 090-48-09.160W				NG on pile.	Ra ref.
17955	- Day beacon C	29-03-11.927N 090-50-27.666W				NG on pile.	Ra ref.
ISLES DERNIERES TO POINT AU FER (Chart 11356)							
17970	CALLIOU BAY BARGE LOADING DOCK LIGHT	29-07-31.000N 090-53-27.000W	Q W	6		On dock.	Private aid.
Bayou Grand Caillou							
17975	USACE WEST GRAND CAILLOU METERING STATION LIGHT	29-20-30.100N 090-44-20.300W	FI Y 2.5s			On pile.	Private aid.
17980	USACE EAST GRAND CAILLOU METERING STATION LIGHT	29-20-54.700N 090-43-52.200W	FI Y 2.5s			On pile.	Private aid.
17982	- FLOODGATE LIGHT	29-20-35.700N 090-44-11.200W	FI W 2.5s			On pile.	Private aid.
17982.01	- FLOODGATE LIGHT	29-20-32.200N 090-44-09.700W	FI W 2.5s			On pile.	Private aid.
17982.02	- FLOODGATE LIGHT 2	29-20-35.000N 090-44-11.700W	FI R 2.5s			TR on dolphin.	Private aid.
17982.03	- FLOODGATE LIGHT 1	29-20-32.800N 090-44-11.100W	FI G 2.5s			SG on dolphin.	Private aid.
17982.04	- FLOODGATE BARGE LIGHT	29-20-33.800N 090-44-16.100W	F R			On barge gate.	Marks barge gate when closed. Private aid.
17982.05	- FLOODGATE BARGE LIGHT	29-20-33.900N 090-44-17.300W	F R			On barge gate.	Marks center of barge gate when closed. Private aid.
17982.06	- FLOODGATE BARGE LIGHT	29-20-33.300N 090-44-18.400W	F R			On barge gate.	Marks barge gate when closed. Private aid.
17982.07	- FLOODGATE LIGHT 4	29-20-33.100N 090-44-20.000W	FI R 2.5s			TR on dolphin.	Private aid.
17982.08	- FLOODGATE LIGHT 3	29-20-30.900N 090-44-19.400W	FI G 2.5s			SG on dolphin.	Private aid.
17982.09	- FLOODGATE LIGHT	29-20-33.500N 090-44-20.800W	FI W 2.5s			On pile.	Private aid.
17982.11	- FLOODGATE LIGHT	29-20-30.500N 090-44-19.700W	FI W 2.5s			On pile.	Private aid.
17984	<i>LDWF Special Lighted Buoy A</i>	29-06-14.800N 091-03-06.700W	FI Y 2.5s			Marks submerged reef obstruction.	Private aid.
17984.01	<i>LDWF Special Lighted Buoy B</i>	29-06-26.700N 091-03-14.800W	FI Y 2.5s			Marks submerged reef obstruction.	Private aid.
17984.02	<i>LDWF Special Lighted Buoy C</i>	29-06-32.600N 091-03-29.300W	FI Y 2.5s			Marks submerged reef obstruction.	Private aid.
17985	- ENTRANCE LIGHT GC	29-09-05.115N 090-58-52.154W	FI W 6s	17	3	NG on pile.	Ra ref.
17990	- <i>Entrance Lighted Buoy 1</i>	29-09-33.594N 090-57-46.661W	FI G 4s		3	Green can.	
17995	- ENTRANCE LIGHT 5	29-10-24.455N 090-56-37.747W	FI G 2.5s	17	4	SG on pile.	Ra ref.
18000	- Buoy 10	29-10-49.118N 090-56-07.278W				Red nun.	
18005	- Day beacon 11	29-11-14.586N 090-55-40.903W				SG on pile.	Ra ref.
18010	- Buoy 12	29-11-50.299N 090-55-12.250W				Red nun.	
18015	- Buoy 13	29-12-07.354N 090-54-49.327W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
ISLES DERNIERES TO POINT AU FER (Chart 11356)							
Bayou Grand Caillou							
18020	- Buoy 15	29-12-25.027N 090-54-43.080W				Green can.	
18025	- Buoy 16	29-12-24.610N 090-54-30.910W				Red nun.	
18030	- Buoy 17	29-12-39.582N 090-54-28.962W				Green can.	
18035	- Buoy 18	29-12-36.420N 090-54-20.640W				Red nun.	
18040	- Buoy 18A	29-12-34.638N 090-53-55.826W				Red nun.	
18045	- Buoy 19	29-12-42.738N 090-54-08.881W				Green can.	
18050	- Buoy 20	29-12-28.917N 090-53-40.160W				Red nun.	
18055	- Buoy 22	29-12-19.740N 090-53-21.240W				Red nun.	
18060	- Buoy 22A	29-12-13.109N 090-53-00.337W				Red nun.	
18065	- Day beacon 23	29-12-22.212N 090-52-49.482W				SG on pile.	Ra ref.
18070	- Day beacon 24	29-12-50.285N 090-52-30.829W				TR on pile.	
18075	- Buoy 25	29-12-57.594N 090-51-55.836W				Green can.	
18080	- Day beacon 27	29-13-07.242N 090-51-32.208W				SG on pile.	Ra ref.
18085	- Buoy 28	29-13-03.362N 090-51-24.150W				Red nun.	
18090	- Buoy 29	29-13-04.365N 090-51-02.065W				Green can.	
18095	- Day beacon 31	29-13-07.809N 090-50-54.333W				SG on pile.	Ra ref.
TIMBALIER AND TERREBONNE BAYS (Chart 11357)							
Bayou Grand Caillou							
18100	- Buoy 32	29-13-14.492N 090-50-38.146W				Red nun.	
18105	- Buoy 33	29-13-21.900N 090-49-58.434W				Green can.	
18110	- Buoy 35	29-13-16.683N 090-49-44.396W				Green can.	
18115	- Buoy 36	29-13-13.470N 090-49-42.066W				Red nun.	
18120	- Day beacon 39	29-13-23.808N 090-49-08.923W				SG on pile.	Ra ref.
18125	- Day beacon 40	29-13-33.620N 090-48-51.374W				TR on pile.	Ra ref.
18130	- Buoy 41	29-13-32.079N 090-48-59.078W				Green can.	
18135	- Day beacon 43	29-15-19.284N 090-47-27.550W				SG on pile.	Ra ref.
18140	- Day beacon 44	29-15-16.177N 090-47-17.486W				TR on pile.	Ra ref.
18145	- Day beacon 46	29-15-08.549N 090-46-54.582W				TR on pile.	Ra ref.
18155	- Day beacon 48	29-15-19.916N 090-46-39.131W				TR on pile.	Ra ref.
18160	- Day beacon 50	29-15-38.316N 090-46-06.299W				TR on pile.	Ra ref.
18165	- Day beacon 52	29-16-28.670N 090-46-00.094W				TR on pile.	Ra ref.
18170	- Day beacon 54	29-17-00.341N 090-45-59.244W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
ISLES DERNIERES TO POINT AU FER (Chart 11356)							
18172	TEXAS GAS TRANSMISSION PIPELINE LIGHTS (6)	29-10-32.290N 090-58-37.420W	FI Y 2.5s			Marks pipeline crossing.	Private aid.
18175	CAILLOU BAY BOAT LANDING LIGHT	29-10-40.000N 090-58-59.000W	FI W 2.5s	6		On wharf.	Private aid.
18180	GRAND BAYOU DULARGE OBSTRUCTION LIGHT WR2	29-11-38.772N 090-58-18.134W	Q R	17	3	TR on pile.	
18185	Grand Bay ou Du Large Shoal Buoy 3	29-11-58.846N 090-57-27.994W				Green can.	
18190	GRAND BAYOU DULARGE OBSTRUCTION LIGHT WR4	29-12-55.113N 090-56-57.662W	Q R	17	3	TR on pile.	
18195	U.S. GEOLOGICAL SURVEY SCIENTIFIC MONITORING PLATFORM LIGHT (TP)	29-15-08.000N 090-55-18.000W	FI Y 2.5s	37		On pipe.	Private aid.
18200	LAKE MECHANT PIPELINE LIGHT	29-16-24.000N 090-56-36.000W	FI Y 2.5s	12		NW on pile cluster.	Private aid.
Bayou Dularge							
18205	- FLOODGATE LIGHT A	29-20-09.211N 090-50-35.351W	FI R 2.5s	12		On pile.	Private aid.
18210	- FLOODGATE LIGHT B	29-20-08.982N 090-50-36.669W	FI G 2.5s	9		On pile.	Private aid.
18215	- FLOODGATE LIGHT C	29-20-08.319N 090-50-36.174W	FI R 2.5s	9		On pile.	Private aid.
18220	- FLOODGATE TRAFFIC LIGHT	29-20-09.124N 090-50-34.976W		12		On pile.	Traffic light displays FI R 2.5s when closed. Displays FI G 2.5s when open. Private aid.
18225	- FLOODGATE LIGHT D	29-20-09.783N 090-50-35.067W	FI G 2.5s	9		On pile.	Private aid.
18230	- FLOODGATE LIGHT E	29-20-09.287N 090-50-34.696W	FI R 2.5s	9		On pile.	Private aid.
18232	FALGOUT CANAL FLOODGATE LIGHT 1	29-24-57.830N 090-47-23.510W	FI G 2.5s			Marks port side of floodgate.	Private aid.
18232.03	FALGOUT CANAL FLOODGATE LIGHT 2	29-24-56.090N 090-47-23.840W	FI R 2.5s			Marks starboard side of floodgate.	Private aid.
18232.06	FALGOUT CANAL FLOODGATE LIGHT 3	29-24-56.490N 090-47-18.110W	FI G 2.5s			Marks port side of floodgate.	Private aid.
18232.09	FALGOUT CANAL FLOODGATE LIGHT 4	29-24-54.800N 090-47-18.660W	FI R 2.5s			Marks port side of floodgate.	Private aid.
ISLES DERNIERES TO POINT AU FER (Chart 11356)							
18235	FINA PIPELINE LIGHT A	29-25-03.130N 090-47-54.410W	FI Y 2.5s	5		NW on platform. worded: DO NOT ANCHOR OR DREDGE.	Private aid.
NEW ORLEANS TO CALCASIEU RIVER (Chart 11352)							
Lake Decade							
18240	LAKE DE CADE LIGHT 2	29-24-54.000N 090-50-00.000W	FI R 4s	15		TR on dolphin.	Private aid.
18245	LAKE DE CADE LIGHT 28	29-22-48.000N 090-54-12.000W	FI R 4s	15		TR on dolphin.	Private aid.
Jug Lake							
18250	- Danger Day beacons(4)	29-22-27.000N 090-56-07.000W				NW on pile worded DANGER DO NOT PROCEED.	Marks weir. Private aid.
18255	- Danger Day beacons (4)	29-22-47.000N 090-56-25.000W				NW on pile worded DANGER DO NOT PROCEED.	Marks weir. Private aid.
18260	- Danger Day beacons (4)	29-22-39.000N 090-57-25.000W				NW on pile worded DANGER DO NOT PROCEED.	Marks weir. Private aid.
18265	Bay ou La Loutre Danger Day beacons (8)	29-22-28.000N 090-57-25.000W				NW on pile worded DANGER PROCEED WITH CAUTION.	Marks Riprap. Private aid.
South Louisiana Electric Co Op							
18270	- LIGHT A	29-21-01.699N 090-57-26.960W	Q W	15		On power pole.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
NEW ORLEANS TO CALCASIEU RIVER (Chart 11352)							
Jug Lake							
South Louisiana Electric Co Op							
18275	- LIGHT B	29-20-31.614N 090-56-57.120W	Q W	15		On power pole.	Private aid.
18280	- LIGHT C	29-20-34.924N 090-56-58.066W	Q W	15		On power pole.	Private aid.
18285	- LIGHT D	29-20-48.088N 090-57-08.258W	Q W	15		On power pole.	Private aid.
18290	- LIGHT E	29-20-53.720N 090-57-19.433W	Q W	15		On power pole.	Private aid.
18295	- LIGHT F	29-20-55.873N 090-57-21.700W	Q W	15		On power pole.	Private aid.
18300	- LIGHT G	29-21-49.787N 090-57-47.403W	Q W	15		On power pole.	Private aid.
18305	- LIGHT H	29-22-07.077N 090-58-23.557W	Q W	15		On power pole.	Private aid.
18310	- LIGHT I	29-21-48.544N 090-59-15.922W	Q W	15		On power pole.	Private aid.
18315	- LIGHT J	29-21-50.729N 090-59-05.674W	Q W	15		On power pole.	Private aid.
NEW ORLEANS TO CALCASIEU RIVER (Chart 11352)							
18320	UNOCAL PIPELINE OBSTRUCTION LIGHT	29-22-06.000N 090-58-25.000W	FI G 2.5s				Private aid.
18323	Lafourche-Terrebonne Soil & Conservation District Information Marks (2)	29-24-09.484N 090-56-35.115W				Marks debris barrier on Superior Canal.	Private aid.
Bayou Decade							
18325	- LIGHT 1	29-21-59.000N 090-57-44.000W	FI G 2.5s	12		SG on pile.	Marks weir. Private aid.
18330	- Danger Day beacons 4	29-21-59.100N 090-57-44.100W				NW on pile worded DANGER OBSTRUCTION PROCEED WITH CAUTION.	Marks weir. Private aid.
18335	- LIGHT 2	29-21-59.000N 090-57-44.100W	FI R 2.5s	12		TR on pile.	Marks weir. Private aid.
18340	- Danger Day beacons 6	29-22-07.000N 090-58-33.000W				NW on pile worded DANGER DO NOT PROCEED.	Marks weir. Private aid.
18345	Voss Canal Danger Day beacons(8)	29-21-58.000N 090-59-32.000W				NW on pile worded DANGER PROCEED WITH CAUTION.	Marks riprap. Private aid.
ISLES DERNIERES TO POINT AU FER (Chart 11356)							
18355	USACE BAY WALLACE METERING STATION LIGHT	29-37-29.000N 091-01-25.900W	FI Y 2.5s			On pile.	Private aid.
18360	LSU PLATFORM LIGHT OB1	29-14-14.400N 091-08-01.800W	Q W	12		On platf orm.	Private aid.
POINT AU FER TO MARSH ISLAND (Chart 11351)							
East Atchafalaya Bay							
18365	- Channel Day beacon 2	29-24-36.000N 091-13-00.000W				TR on pile.	Private aid.
18370	- Channel Day beacon 4	29-24-36.000N 091-13-00.000W				TR on pile.	Private aid.
18375	- Channel Day beacon 10	29-25-24.000N 091-12-48.000W				TR on pile.	Private aid.
18380	- Channel Day beacon 12	29-25-30.000N 091-12-48.000W				TR on pile.	Private aid.
18385	- Channel Day beacon 14	29-25-36.000N 091-12-54.000W				TR on pile.	Private aid.
18390	- Channel Day beacon 16	29-25-42.000N 091-13-00.000W				TR on pile.	Private aid.
18395	- Channel Day beacon 18	29-25-53.200N 091-13-02.800W				TR on pile.	Private aid.
18400	- Channel Day beacon 20	29-26-00.000N 091-13-12.000W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
POINT AU FER TO MARSH ISLAND (Chart 11351)							
East Atchafalaya Bay							
18405	- Channel Day beacon 22	29-26-06.000N 091-13-18.000W				TR on pile.	Private aid.
18410	- Channel Day beacon 24	29-26-06.000N 091-13-24.000W				TR on pile.	Private aid.
18415	- Channel Day beacon 26	29-26-06.000N 091-13-30.000W				TR on pile.	Private aid.
18420	- Channel Day beacon 28	29-26-06.000N 091-13-42.000W				TR on pile.	Private aid.
18425	- Channel Day beacon 30	29-26-06.000N 091-13-48.000W				TR on pile.	Private aid.
18430	- Channel Day beacon 32	29-26-06.000N 091-14-00.000W				TR on pile.	Private aid.
18435	- Channel Day beacon 34	29-26-06.000N 091-14-06.000W				TR on pile.	Private aid.
18440	- Channel Day beacon 38	29-26-20.200N 091-14-20.800W				TR on pile.	Private aid.
18445	- Channel Day beacon 40	29-26-24.000N 091-14-24.000W				TR on pile.	Private aid.
18450	- Channel Day beacon 42	29-26-24.000N 091-14-30.000W				TR on pile.	Private aid.
18455	- Channel Day beacon 44	29-26-30.000N 091-14-36.000W				TR on pile.	Private aid.
18460	- Channel Day beacon 46	29-26-30.000N 091-14-48.000W				TR on pile.	Private aid.
18465	- Channel Day beacon 48	29-26-36.000N 091-14-54.000W				TR on pile.	Private aid.
18470	- Channel Day beacon 50	29-26-36.000N 091-15-06.000W				TR on pile.	Private aid.
18475	- Channel Day beacon 52	29-26-36.000N 091-15-18.000W				TR on pile.	Private aid.
18480	- Channel Day beacon 54	29-26-36.000N 091-15-24.000W				TR on pile.	Private aid.
18485	- Channel Day beacon 58	29-26-46.000N 091-15-29.200W				TR on pile.	Private aid.
18490	- Channel Day beacon 59	29-26-48.000N 091-15-30.000W				SG on pile.	Private aid.
18495	- Channel Day beacon 60	29-26-54.000N 091-15-24.000W				TR on pile.	Private aid.
18500	- Channel Day beacon 64	29-27-12.000N 091-15-30.000W				TR on pile.	Private aid.
18505	- Channel Day beacon 66	29-27-24.000N 091-15-36.000W				TR on pile.	Private aid.
18510	- Channel Day beacon 74	29-27-56.800N 091-15-49.600W				TR on pile.	Private aid.
18515	- Channel Day beacon 76	29-28-06.400N 091-15-53.800W				TR on pile.	Private aid.
Atchafalaya Channel							
18520	- Lighted Buoy 1	29-10-43.054N 091-33-21.796W	FI G 2.5s		4	Green.	
18525	- Lighted Buoy 2	29-10-37.322N 091-33-14.219W	FI R 2.5s		4	Red.	
18530	- Lighted Buoy 3	29-11-29.818N 091-32-39.585W	FI G 4s		4	Green.	
18535	- Buoy 4	29-11-27.543N 091-32-32.971W				Red nun.	
18540	- Buoy 5	29-12-16.960N 091-31-57.559W				Green can.	
18545	- Buoy 6	29-12-13.311N 091-31-52.150W				Red nun.	
18550	- Lighted Buoy 7	29-13-04.361N 091-31-15.655W	FI G 2.5s		4	Green.	
18555	- Buoy 8	29-13-00.631N 091-31-10.429W				Red nun.	
18560	- Buoy 9	29-13-53.629N 091-30-32.296W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
POINT AU FER TO MARSH ISLAND (Chart 11351)							
Atchafalaya Channel							
18565	- Lighted Buoy 10	29-13-50.755N 091-30-27.198W	FI R 4s		3	Red.	
18570	- Lighted Buoy 11	29-14-42.213N 091-29-49.334W	FI G 4s		4	Green.	
18575	- Buoy 12	29-14-38.775N 091-29-44.927W				Red nun.	
18580	- Buoy 13	29-15-28.790N 091-29-08.097W				Green can.	
18585	- Lighted Buoy 15	29-16-17.399N 091-28-25.083W	FI G 6s		4	Green.	
18590	- Lighted Buoy 14	29-15-26.065N 091-29-02.974W	FI R 2.5s		3	Red.	
18595	- Buoy 16	29-16-13.059N 091-28-20.853W				Red nun.	
18600	- Day beacon 17	29-17-04.597N 091-27-43.230W				SG on pile.	Ra ref.
18605	USACE TEST PLATFORM A LIGHT	29-16-35.580N 091-27-56.100W	FI Y 2.5s	12		NY on platform.	Private aid.
18610	- LIGHT 18	29-17-00.378N 091-27-37.754W	FI R 4s	17	3	TR on pile.	Ra ref.
18615	- LIGHT 19	29-17-52.042N 091-27-00.621W	FI G 2.5s	17	3	SG on dolphin.	Ra ref.
18620	- Day beacon 20	29-17-48.097N 091-26-55.120W				TR on dolphin.	Ra ref.
18625.01	- Day beacon 21	29-18-40.355N 091-26-18.323W				SG on dolphin.	Ra ref.
18630	- LIGHT 22	29-18-35.328N 091-26-13.476W	FI R 2.5s	17	3	TR on pile.	Ra ref.
18632	PORT OF MORGAN CITY SPECIAL LIGHT A	29-19-05.090N 091-25-47.160W	FI Y 2.5s			Marks scientific data monitoring platform.	Private aid.
18632.01	PORT OF MORGAN CITY SPECIAL LIGHT B	29-22-23.100N 091-23-02.040W	FI Y 2.5s			Marks scientific data monitoring platform.	Private aid.
18635	USACE TEST PLATFORM B LIGHT	29-19-15.500N 091-25-25.500W	FI Y 2.5s	12		NY on platform.	Private aid.
18640	- LIGHT 24	29-19-22.697N 091-25-31.187W	FI R 4s	17	3	TR on pile.	Ra ref.
18645	- LIGHT 23	29-19-26.500N 091-25-38.576W	FI G 4s	17	4	SG on pile.	Ra ref.
18650	USACE TEST PLATFORM C LIGHT	29-20-33.400N 091-25-56.900W	FI Y 2.5s	12		NY on platform.	Private aid.
18655	- LIGHT 25 100 feet outside channel limit.	29-20-13.711N 091-24-56.934W	FI G 6s	17	4	SG on pile.	Ra ref.
18660	- LIGHT 26	29-20-08.676N 091-24-50.160W	FI R 6s	17	4	TR on pile.	Ra ref.
18665	- LIGHT 27 100 feet outside channel limit.	29-21-01.245N 091-24-14.546W	FI G 4s	17	4	SG on pile.	Ra ref.
18670	USACE TEST PLATFORM D LIGHT	29-20-36.500N 091-23-46.700W	FI Y 2.5s	12		NY on platform.	Private aid.
18675	USACE TEST PLATFORM E LIGHT	29-21-14.200N 091-24-40.700W	FI Y 2.5s	12		NY on platform.	Private aid.
18680	- LIGHT 28	29-20-56.519N 091-24-07.746W	FI R 4s	17	4	TR on pile.	Ra ref.
18685	- LIGHT 29 100 feet outside channel limit.	29-21-37.074N 091-23-42.456W	FI G 2.5s	17	3	SG on pile.	Ra ref.
18690	- LIGHT 30	29-21-33.860N 091-23-34.523W	FI R 2.5s	17	3	TR on pile.	Ra ref.
18700	- LIGHT 33	29-22-19.830N 091-23-03.710W	FI G 4s	17	4	SG on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
POINT AU FER TO MARSH ISLAND (Chart 11351)							
Atchafalaya Channel							
18705	- LIGHT 34	29-22-15.782N 091-22-57.799W	FI R 4s	17	3	TR on pile.	Ra ref.
18710	- LIGHT 35 125 feet outside channel limit.	29-23-04.461N 091-22-27.125W	FI G 2.5s	17	3	SG on pile.	Ra ref.
18715	- LIGHT 36 125 feet outside channel limit.	29-23-00.030N 091-22-20.545W	FI R 2.5s	17	3	TR on pile.	Ra ref.
18720	- LIGHT 37 125 feet outside channel limit.	29-23-45.632N 091-21-48.356W	FI G 4s	17	4	SG on pile.	Ra ref.
18725	- LIGHT 38 125 feet outside channel limit.	29-23-40.331N 091-21-42.023W	FI R 4s	17	3	TR on pile.	Ra ref.
18730	- LIGHT 40 125 feet outside channel limit.	29-24-21.739N 091-21-06.821W	FI R 6s	17	4	TR on pile.	Ra ref.
18735	- LIGHT 39 125 feet outside channel limit.	29-24-34.176N 091-21-05.841W	FI G 6s	17	4	SG on pile.	Ra ref.
18740	- LIGHT 41 125 feet outside channel limit.	29-25-04.484N 091-20-40.840W	FI G 4s	17	4	SG on pile.	Ra ref.
18745	- LIGHT 42 125 feet outside channel limit.	29-25-00.715N 091-20-34.424W	FI R 4s	17	3	TR on pile.	Ra ref.
18750	- LIGHT 43 125 feet outside channel limit.	29-25-48.763N 091-20-02.014W	FI G 2.5s	17	3	SG on pile.	Ra ref.
18755	- LIGHT 44 125 feet outside channel limit.	29-25-33.401N 091-20-05.615W	FI R 2.5s	17	3	TR on pile.	Ra ref.
18760	- LIGHT 45	29-26-18.096N 091-19-37.732W	FI G 4s	17	4	SG on pile.	Ra ref.
18765	- LIGHT 46	29-26-16.001N 091-19-26.764W	FI R 4s	17	3	TR on pile.	Ra ref.
Amerada Pass Channel							
18770	- Day beacon 2	29-26-25.800N 091-19-45.400W				TR on pile.	Private aid.
18775	- Day beacon 4	29-26-28.800N 091-19-50.400W				TR on pile.	Private aid.
18780	- Day beacon 6	29-26-28.800N 091-19-56.400W				TR on pile.	Private aid.
18785	- Day beacon 8	29-26-31.800N 091-19-57.400W				TR on pile.	Private aid.
18790	- Day beacon 10	29-26-34.800N 091-19-58.400W				TR on pile.	Private aid.
18795	- Day beacon 11	29-26-40.800N 091-19-59.400W				SG on pile.	Private aid.
18800	- Day beacon 12	29-26-58.800N 091-20-06.400W				TR on pile.	Private aid.
18805	- Day beacon 13	29-26-49.800N 091-20-03.400W				SG on pile.	Private aid.
18810	NOAA ATCHAFALAYA BAY TIDE MONITORING PLATFORM LIGHT	29-26-58.540N 091-20-17.150W	FI Y 2.5s	25		On platform.	Private aid.
Atchafalaya Channel							
18815	- LIGHT 47 125 feet outside channel limit.	29-26-38.651N 091-19-09.327W	Q G	17	3	SG on pile.	Ra ref.
18820	- LIGHT 48 125 feet outside channel limit.	29-26-31.400N 091-19-02.456W	Q R	17	3	TR on pile.	Ra ref.
18825	- LIGHT 51 125 feet outside channel limit.	29-26-51.484N 091-18-29.677W	FI G 2.5s	17	3	SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
POINT AU FER TO MARSH ISLAND (Chart 11351)							
Atchafalaya Channel							
18830	- LIGHT 52 200 yards, outside channel limit.	29-26-39.441N 091-18-36.373W	FI R 2.5s	17	3	TR on pile.	Ra ref.
18835	- LIGHT 53	29-27-06.275N 091-17-55.623W	FI G 4s	17	4	SG on pile.	Ra ref.
18840.01	- LIGHT 54	29-26-53.283N 091-17-48.459W	FI R 4s	17	3	TR on pile.	Ra ref.
18846	- LIGHT 55	29-27-17.200N 091-17-31.203W	FI G 6s	17	3	SG on pile.	Ra ref.
18850.01	- Day beacon 56	29-27-17.412N 091-17-02.323W				TR on pile.	Ra ref.
18856	- Day beacon 57	29-27-49.223N 091-17-03.556W				SG on pile.	Ra ref.
18861	- LIGHT 58	29-27-58.936N 091-16-32.698W	FI R 6s	17	3	TR on pile.	Ra ref.
18865	- LIGHT 59	29-28-38.769N 091-16-39.428W	FI G 2.5s	17	4	SG on pile.	Ra ref.
Atchafalaya River							
18876	- LIGHT 2	29-28-46.811N 091-16-16.929W	FI R 2.5s	17	3	TR on pile.	Ra ref.
18877	- LIGHT 3	29-29-12.053N 091-16-27.962W	FI G 2.5s	17	3	SG on pile.	Ra ref.
18880	- LIGHT 4	29-29-37.033N 091-16-06.415W	FI R 4s	17	3	TR on pile.	Ra ref.
18885	- LIGHT 5	29-29-59.980N 091-16-15.564W	FI G 4s	17	3	SG on pile.	Ra ref.
18890	- LIGHT 6	29-30-12.636N 091-15-55.100W	Q R	17	3	TR on pile.	Ra ref.
18895	- LIGHT 7	29-30-36.977N 091-16-16.136W	FI G 2.5s	17	4	SG on pile.	Ra ref.
18901	- LIGHT 9	29-32-04.973N 091-16-14.642W	FI G 2.5s	17	3	SG on pile.	Ra ref.
18906	- LIGHT 10	29-32-05.788N 091-15-56.193W	FI R 2.5s	17	3	TR on pile.	Ra ref.
18911	- LIGHT 8	29-31-25.038N 091-16-04.025W	FI R 2.5s	17	3	TR on pile.	Ra ref.
18915	- LIGHT 11	29-32-20.703N 091-16-01.882W	FI G 4s	17	3	SG on pile.	Ra ref.
18921	- LIGHT 12	29-32-21.840N 091-15-39.555W	FI R 6s	17	3	TR on pile.	Ra ref.
18963	- JUNCTION LIGHT C	29-32-30.307N 091-14-53.843W	FI (2+1)R 6s	17	3	JR on pile.	Ra ref.
Avoca Island Cutoff Channel							
18970.01	- Day beacon 1	29-32-18.790N 091-14-44.891W				SG on pile.	Ra ref.
18973	- LIGHT 2	29-32-12.017N 091-14-47.013W	FI R 2.5s	17	3	TR on pile.	Ra ref.
18975	- Day beacon 4	29-33-15.952N 091-12-30.856W				TR on pile.	Ra ref.
18980	- Day beacon 6	29-34-02.074N 091-12-11.154W				TR on pile.	Ra ref.
NEW ORLEANS TO CALCASIEU RIVER (Chart 11352)							
Atchafalaya River							
Avoca Island Cutoff Channel							
18985	- LIGHT 7	29-35-39.038N 091-11-43.870W	FI G 4s	17	4	SG on pile.	Ra ref.
18990	- Day beacon 8	29-35-44.908N 091-10-24.483W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
NEW ORLEANS TO CALCASIEU RIVER (Chart 11352)							
Atchafalaya River							
Avoca Island Cutoff Channel							
18995	- Day beacon 9	29-35-40.226N 091-09-59.183W				SG on pile.	Ra ref.
19000	- Day beacon 10	29-35-33.234N 091-09-57.058W				TR on pile.	Ra ref.
19005	- LIGHT 11	29-35-42.408N 091-09-33.180W	FI G 2.5s	17	3	SG on pile.	Ra ref.
19010	- Day beacon 12	29-35-39.602N 091-09-25.812W				TR on pile.	Ra ref.
19015	- LIGHT 13	29-36-15.466N 091-09-10.371W	FI G 4s	17	4	SG on pile.	Ra ref.
19020	- Day beacon 14	29-36-23.226N 091-08-43.887W				TR on pile.	Ra ref.
19025	- LIGHT 15	29-36-37.670N 091-08-23.806W	FI G 6s	17	4	SG on pile.	Ra. ref.
19027	BAYOU CHENE LIGHT 1	29-37-21.724N 091-05-23.941W	FI G 2.5s			Marks the northwest fender dolphin.	Priv ate aid.
19027.01	BAYOU CHENE LIGHT 2	29-37-17.413N 091-05-23.787W	FI R 2.5s			Marks the southwest fender dolphin.	Priv ate aid.
19027.02	BAYOU CHENE LIGHT 3	29-37-21.795N 091-05-21.952W	FI G 2.5s			Marks the northeast fender dolphin.	Priv ate aid.
19027.03	BAYOU CHENE LIGHT 4	29-37-17.472N 091-05-21.771W	FI R 2.5s			Marks the southeast fender dolphin.	Priv ate aid.
19027.04	BAYOU CHENE NORTH DANGER LIGHT	29-37-22.090N 091-05-22.770W	FI W 2.5s			Marks the north rock wall.	Priv ate aid.
19027.05	BAYOU CHENE SOUTH DANGER LIGHT	29-37-17.060N 091-05-22.770W	FI W 2.5s			Marks the south rock wall.	Priv ate aid.
POINT AU FER TO MARSH ISLAND (Chart 11351)							
Atchafalaya River							
Avoca Island Cutoff Channel							
19030	BURKE CANAL 7 BARRACADE LIGHT	29-36-06.000N 091-08-06.000W	FI W 2.5s			On pontoon gate.	Priv ate aid.
Atchafalaya River							
19035.01	- LIGHT 13	29-32-47.783N 091-14-56.665W	FI G 6s	17	3	SG on pile.	Ra ref.
19040.01	- Day beacon 15	29-33-05.511N 091-14-23.608W				SG on pile.	Ra ref.
19045.01	- Day beacon 17	29-33-26.620N 091-14-08.037W				SG on pile.	Ra ref.
19050.01	- LIGHT 16	29-33-20.911N 091-13-54.202W	FI R 2.5s	17	3	TR on pile.	Ra ref.
19055.01	- LIGHT 19	29-34-13.992N 091-13-51.459W	FI G 4s	17	3	SG on pile.	Ra ref.
19060.01	- LIGHT 21	29-34-35.321N 091-13-53.534W	FI G 2.5s	17	3	SG on pile.	Ra ref.
19065.01	- LIGHT 20	29-34-25.408N 091-13-38.916W	FI R 4s	17	3	TR on pile.	Ra ref.
Bayou Shaffer							
19075	- ENTRANCE LIGHT 2	29-35-07.930N 091-13-06.654W	FI R 2.5s	17	3	TR on pile.	Ra ref.
19080	VECTOR ENERGY CO. LOADING DOCK LIGHT	29-35-23.600N 091-12-55.300W	FI G 2.5s	14		Dock.	Priv ate aid.
19085	- <i>Lighted Wreck Buoy WR1</i>	29-40-30.689N 091-12-11.086W	Q G		3	Green.	
Atchafalaya River							
19090.01	- Day beacon 23	29-35-03.403N 091-13-57.934W				SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
POINT AU FER TO MARSH ISLAND (Chart 11351)							
Atchafalaya River							
19095.01	- LIGHT 24	29-35-30.640N 091-13-59.431W	FI R 4s	17	3	TR on pile.	Ra ref.
19101	- LIGHT 25	29-35-34.029N 091-14-22.020W	FI G 4s	17	3	SG on pile.	Ra ref.
19105.01	- LIGHT 26	29-36-30.450N 091-14-48.359W	FI R 2.5s	17	3	TR-NW on pile.	VTS Berwick check point sign. Day beacon on same structure as light. Ra ref.
19108	- LIGHT 27	29-36-42.207N 091-15-14.599W	FI G 6s	17	3	SG on pile.	Ra ref.
19111	- LIGHT 29	29-37-32.029N 091-15-31.776W	FI G 4s	17	3	SG on pile.	Ra ref.
19115.01	- LIGHT 28	29-37-29.193N 091-15-21.967W	Q R	17	3	TR on pile.	Ra ref.
19125.01	- Day beacon 31	29-37-53.265N 091-14-49.807W				SG on pile.	Ra ref.
19131	- LIGHT 33	29-38-01.127N 091-14-38.330W	FI G 2.5s	17	3	SG on pile.	Ra ref.
19136	- LIGHT 34	29-38-19.499N 091-14-17.933W	FI R 4s	17	3	TR on pile.	Ra ref.
19140.01	- LIGHT 36	29-39-15.691N 091-14-26.161W	FI R 2.5s	17	3	TR on pile.	Ra ref.
MORGAN CITY TO PORT ALLEN (Chart 11354)							
19145	LITTLE WAX BAYOU	29-39-38.139N	FI (2+1)G 6s	30	5	JG-TY on dolphin.	
35190	JUNCTION LIGHT A	091-14-32.559W					
19150	LITTLE WAX BAYOU LIGHT 1	29-39-24.390N	Q G	17	4	SG-SY on pile.	Ra ref.
35195		091-14-48.500W					
19155	BERWICK BAY RANGE	29-41-10.099N	Q R	19		KRW on skeleton	Visible from 054.6° to 215.6°.
35170	FRONT A LIGHT	091-12-37.364W				tower on piles.	
19160	BERWICK BAY RANGE	29-41-06.138N	Iso R 6s	28		KRW on skeleton	Visible from 147.6° to 172.6°.
35175	REAR A LIGHT 139 yards, 160.6° from front light.	091-12-35.823W				tower on piles.	
19165	BERWICK LIGHT	29-41-39.000N	FI W 6s	45		Red tapered tower.	Private aid.
35165		091-13-03.000W					
19170	BERWICK BAY BRIDGE	29-41-46.704N	Q Y	64		KGR-I on west side	Visible downbound only. Range
35180	APPROACH DANGER RANGE FRONT LIGHT	091-12-54.837W				bridge abutment.	marks the western boundary of the suggested downbound course for approaching the bridges. NOTE: Range is not to be steered on.
19175	BERWICK BAY BRIDGE	29-41-43.612N	Iso Y 6s	86		KGR-I on west side	Visible downbound only. NOTE:
35185	APPROACH DANGER RANGE REAR LIGHT	091-12-53.194W				bridge abutment.	Range is not to be steered on.
19180	CONRAD DRYDOCK LIGHTS	29-42-00.000N	FI R 2.5s	25		On dry dock and	Private aid.
35155		091-13-00.000W				dolphin.	
19185	Berwick Locks Buoy 1	29-42-50.101N				Green can with	
35150		091-13-21.841W				yellow triangle.	
19190	Berwick Lock Day beacon	29-43-00.636N				NW on pile.	VTS Berwick check point sign.
		091-13-22.730W					
19195	Drews Island Shoal Buoy 2	29-43-21.166N				Red nun.	
		091-12-54.160W					
19200	VALERO REFINING DOCK LIGHTS (2)	30-31-50.000N	FI G 2.5s	7		On dolphins.	Private aid.
		091-44-35.000W					
19205	STOUTS POINT LIGHT 1	29-44-41.919N	FI G 4s	17	4	SG on pile. NW on pile.	VTS Berwick check point sign. Day beacon on same structure as light. Ra ref.
		091-13-50.256W					
19210	P&P OIL LOADING DOCK LIGHT A	30-16-11.000N	FI R 2.5s	14		On square platform.	Private aid.
		091-35-11.000W					

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
MORGAN CITY TO PORT ALLEN (Chart 11354)							
19215	VALERO DOLPHIN LIGHTS (2)	30-30-36.000N 091-45-00.000W	FI G 2.5s	30		On dolphins.	Private aid.
19220	PORT KROTZ SPRINGS DOLPHIN LIGHTS	30-31-17.400N 091-44-13.800W	FI G 2.5s	8		On dolphins.	Private aid.
19225	AVOYELLES PARISH PORT COMMISSION UNLOADING DOCK LIGHTS (2)	30-57-47.870N 091-48-24.200W	FI G 2.5s			On barge dock.	Private aid.
Lower Atchafalaya River							
19245	BERWICK-BAYOU VISTA INTAKE LIGHT	29-43-26.000N 091-14-20.000W	Q G	10		On pile.	Private aid.
POINT AU FER TO MARSH ISLAND (Chart 11351)							
Atchafalaya Bay							
19250	- LIGHT 1	29-27-24.000N 091-20-45.000W	FI G 6s	9		SG on pile.	Private aid.
19255	- Day beacon 3	29-27-19.000N 091-20-40.000W				SG on pile.	Private aid.
19260	- Day beacon 5	29-27-17.000N 091-20-36.000W				SG on pile.	Private aid.
19265	- Day beacon 7	29-27-15.000N 091-20-34.000W				SG on pile.	Private aid.
19270	- Day beacon 9	29-27-15.000N 091-20-31.000W				SG on pile.	Private aid.
19275	- Day beacon 11	29-27-10.000N 091-20-27.000W				SG on pile.	Private aid.
19280	- Day beacon 13	29-27-08.000N 091-20-24.000W				SG on pile.	Private aid.
Belle Isle 340-29 Channel							
19285	- Day beacon 1	29-29-55.000N 091-23-30.000W				SG on pile.	Private aid.
19290	- Day beacon 3	29-29-55.000N 091-23-31.000W				SG on pile.	Private aid.
19295	- Day beacon 5	29-29-57.000N 091-23-26.000W				SG on pile.	Private aid.
19300	- Day beacon 7	29-29-57.000N 091-23-37.000W				SG on pile.	Private aid.
19305	- Day beacon 9	29-29-59.000N 091-23-42.000W				SG on pile.	Private aid.
19310	- Day beacon 11	29-29-59.000N 091-23-43.000W				SG on pile.	Private aid.
19315	- Day beacon 13	29-30-01.000N 091-23-47.000W				SG on pile.	Private aid.
19320	- Day beacon 15	29-30-01.000N 091-23-48.000W				SG on pile.	Private aid.
Atchafalaya Bay							
19325	- Well 36 Day beacon 1	29-30-07.000N 091-23-49.000W				SG on pile.	Private aid.
19330	- Well 36 Day beacon 3	29-30-11.000N 091-23-52.000W				SG on pile.	Private aid.
19335	- Well 36 Day beacon 5	29-30-16.000N 091-23-55.000W				SG on pile.	Private aid.
19340	- Well 36 Day beacon 7	29-30-20.000N 091-23-57.000W				SG on pile.	Private aid.
19345	- Well 36 Day beacon 9	29-30-22.000N 091-23-59.000W				SG on pile.	Private aid.
Belle Isle 340-39 Channel							
19350	- Day beacon 1	29-30-10.000N 091-23-39.000W				SG on pile.	Private aid.
19355	- Day beacon 3	29-30-10.000N 091-23-40.000W				SG on pile.	Private aid.
19360	- Day beacon 5	29-30-11.000N 091-23-44.000W				SG on pile.	Private aid.
19365	- Day beacon 7	29-30-12.000N 091-23-46.000W				SG on pile.	Private aid.
19370	- Day beacon 9	29-30-13.000N 091-23-51.000W				SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
POINT AU FER TO MARSH ISLAND (Chart 11351)							
Atchafalaya Bay							
Belle Isle Well 38							
19375	- Day beacon 1	29-29-56.000N 091-24-43.000W				SG on pile.	Private aid.
19380	- Day beacon 3	29-29-56.000N 091-24-42.000W				SG on pile.	Private aid.
19385	- Day beacon 5	29-29-59.000N 091-24-38.000W				SG on pile.	Private aid.
19390	- Day beacon 7	29-29-59.000N 091-24-37.000W				SG on pile.	Private aid.
19395	- Day beacon 9	29-30-01.000N 091-24-34.000W				SG on pile.	Private aid.
19400	- Day beacon 11	29-30-02.000N 091-24-33.000W				SG on pile.	Private aid.
19405	- Day beacon 13	29-30-04.000N 091-24-29.000W				SG on pile.	Private aid.
19410	- Day beacon 15	29-30-05.000N 091-24-28.000W				SG on pile.	Private aid.
19415	- Day beacon 17	29-30-07.000N 091-24-24.000W				SG on pile.	Private aid.
19420	- Day beacon 19	29-30-07.000N 091-24-23.000W				SG on pile.	Private aid.
19425	- Day beacon 21	29-30-09.000N 091-24-19.000W				SG on pile.	Private aid.
19430	- Day beacon 23	29-30-10.000N 091-24-18.000W				SG on pile.	Private aid.
19435	- Day beacon 25	29-30-12.000N 091-24-15.000W				SG on pile.	Private aid.
19440	- Day beacon 27	29-30-13.000N 091-24-14.000W				SG on pile.	Private aid.
19445	- Day beacon 29	29-30-15.000N 091-24-10.000W				SG on pile.	Private aid.
19450	- Day beacon 31	29-30-15.000N 091-24-09.000W				SG on pile.	Private aid.
19455	- Day beacon 33	29-30-17.000N 091-24-05.000W				SG on pile.	Private aid.
19460	- Day beacon 35	29-30-18.000N 091-24-04.000W				SG on pile.	Private aid.
19465	- Day beacon 37	29-30-20.000N 091-24-00.000W				SG on pile.	Private aid.
Atchafalaya Bay							
19470	- Well 24 Day beacon 1	29-30-26.500N 090-22-51.000W				SG on pile.	Private aid.
19475	- Well 24 Day beacon 2	29-30-28.000N 090-22-56.000W				TR on pile.	Private aid.
19480	- Well 24 Day beacon 3	29-30-26.000N 090-22-54.000W				SG on pile.	Private aid.
19485	- Well 24 Day beacon 5	29-30-25.500N 091-23-57.000W				SG on pile.	Private aid.
19490	- Well 24 Day beacon 7	29-30-25.000N 091-23-00.000W				SG on pile.	Private aid.
19495	- Well 24 Day beacon 9	29-30-24.000N 091-23-07.000W				SG on pile.	Private aid.
19500	- Well 35 Day beacon 9	29-30-28.000N 091-23-14.000W				SG on pile.	Private aid.
19505	- LIGHT 1	29-25-18.000N 091-35-46.000W	Q G	9		Pile structure.	Private aid.
19510	- LIGHT 11	29-27-57.000N 091-34-24.000W	Q G	10		On pile.	Private aid.
19515	- LIGHT 12	29-30-59.000N 091-33-27.000W	Q R	10		On pile.	Private aid.
NEW ORLEANS TO CALCASIEU RIVER (Chart 11345)							
Lake Fausse Pointe Channel							
19520	- LIGHT 1	30-04-54.000N 091-37-47.000W	FI W 4s	8		SG on dolphin.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
NEW ORLEANS TO CALCASIEU RIVER (Chart 11345)							
Lake Fausse Pointe Channel							
19525	- Day beacon 2	30-00-59.740N 091-39-26.510W				TR on pile.	Private aid.
19530	- Day beacon 4	30-00-59.820N 091-39-25.090W				TR on pile.	Private aid.
19535	- Day beacon 6	30-01-10.230N 091-39-12.850W				TR on pile.	Private aid.
19540	- Day beacon 8	30-01-19.670N 091-39-02.830W				TR on pile.	Private aid.
19545	- Day beacon 10	30-01-20.050N 091-39-02.310W				TR on pile.	Private aid.
19550	- Day beacon 12	30-01-25.260N 091-38-53.990W				TR on pile.	Private aid.
19555	- Day beacon 14	30-01-28.660N 091-38-45.810W				TR on pile.	Private aid.
19560	- Day beacon 16	30-01-28.840N 091-38-45.290W				TR on pile.	Private aid.
19565	- Day beacon 18	30-01-32.040N 091-38-38.510W				TR on pile.	Private aid.
19570	- Day beacon 20	30-01-35.090N 091-38-26.690W				TR on pile.	Private aid.
19575	- Day beacon 22	30-01-35.400N 091-38-25.390W				TR on pile.	Private aid.
19580	- Day beacon 24	30-01-38.330N 091-38-13.330W				TR on pile.	Private aid.
19585	- Day beacon 26	30-01-38.800N 091-38-02.630W				TR on pile.	Private aid.
19590	- Day beacon 28	30-01-38.720N 091-38-02.050W				TR on pile.	Private aid.
19595	- Day beacon 30	30-01-36.600N 091-37-54.710W				TR on pile.	Private aid.
19600	- Day beacon 32	30-01-31.350N 091-37-46.090W				TR on pile.	Private aid.
19605	- Day beacon 34	30-01-31.060N 091-37-47.630W				TR on pile.	Private aid.
19610	- Day beacon 36	30-01-24.870N 091-37-35.350W				TR on pile.	Private aid.
19615	- Day beacon 38	30-01-24.440N 091-37-30.690W				TR on pile.	Private aid.
19620	- Day beacon 40	30-01-26.930N 091-37-25.690W				TR on pile.	Private aid.
19625	- Day beacon 42	30-01-27.280N 091-37-25.290W				TR on pile.	Private aid.
19630	- Day beacon 44	30-01-25.690N 091-37-11.010W				TR on pile.	Private aid.
19635	- Day beacon 46	30-01-47.130N 091-37-27.450W				TR on pile.	Private aid.
19640	- Day beacon 48	30-01-47.580N 091-37-27.690W				TR on pile.	Private aid.
19645	- Day beacon 50	30-01-58.330N 091-37-32.970W				TR on pile.	Private aid.
19650	- Day beacon 52	30-02-09.500N 091-37-38.310W				TR on pile.	Private aid.
19655	- Day beacon 54	30-02-09.950N 091-37-38.490W				TR on pile.	Private aid.
19660	- Day beacon 56	30-02-21.780N 091-37-41.370W				TR on pile.	Private aid.
19665	- Day beacon 58	30-02-33.000N 091-37-42.630W				TR on pile.	Private aid.
19670	- Day beacon 60	30-02-34.800N 091-37-42.870W				TR on pile.	Private aid.
19675	- Day beacon 62	30-02-48.920N 091-37-44.330W				TR on pile.	Private aid.
19680	- Day beacon 64	30-02-53.630N 091-37-43.310W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
NEW ORLEANS TO CALCASIEU RIVER (Chart 11345)							
Lake Fausse Pointe Channel							
19685	- Day beacon 66	30-02-54.150N 091-37-43.650W				TR on pile.	Private aid.
19690	- Day beacon 68	30-03-00.150N 091-37-40.630W				TR on pile.	Private aid.
19695	- Day beacon 70	30-03-06.800N 091-37-36.250W				TR on pile.	Private aid.
19700	- Day beacon 72	30-03-07.170N 091-37-35.970W				TR on pile.	Private aid.
19705	- Day beacon 74	30-03-14.730N 091-37-28.570W				TR on pile.	Private aid.
19710	- Day beacon 76	30-03-21.190N 091-37-20.670W				TR on pile.	Private aid.
19715	- Day beacon 78	30-03-21.510N 091-37-20.270W				TR on pile.	Private aid.
19720	- Day beacon 80	30-03-26.670N 091-37-15.430W				TR on pile.	Private aid.
19725	- Day beacon 82	30-03-31.690N 091-37-12.530W				TR on pile.	Private aid.
19730	- Day beacon 84	30-03-37.050N 091-37-11.270W				TR on pile.	Private aid.
19735	- Day beacon 86	30-03-37.150N 091-37-10.990W				TR on pile.	Private aid.
19740	- Day beacon 88	30-03-44.270N 091-37-10.830W				TR on pile.	Private aid.
19745	- Day beacon 90	30-03-55.310N 091-37-11.550W				TR on pile.	Private aid.
Loreauville Canal							
19748	- FLOOD CONTROL STRUCTURE LIGHT 1	30-01-08.900N 091-40-49.100W	FI G 2.5s			Marks southeast entry dolphin.	Private aid.
19748.01	- FLOOD CONTROL STRUCTURE LIGHT 2	30-01-09.700N 091-40-49.400W	FI R 2.5s			Marks northeast entry dolphin.	Private aid.
19748.02	- FLOOD CONTROL STRUCTURE LIGHT 3	30-01-09.400N 091-40-52.500W	FI G 2.5s			Marks southwest entry dolphin.	Private aid.
19748.03	- FLOOD CONTROL STRUCTURE LIGHT 4	30-01-10.000N 091-40-51.500W	FI R 2.5s			Marks northwest entry dolphin.	Private aid.
POINT AU FER TO MARSH ISLAND (Chart 11351)							
East Cote Blanche Bay							
Bayou Sale Channel							
19750	BAYOU SALE ENTRANCE LIGHT 1	29-32-51.000N 091-32-09.000W	FI G 3s	20		SG on dolphin.	HORN: 1 blast ev 20s (2s bl). Private aid.
19755	- Buoy 2	29-32-50.500N 091-32-01.800W				Red nun.	Private aid.
19760	- Buoy 3	29-32-51.900N 091-32-02.200W				Black can.	Private aid.
19765	- Buoy 4	29-32-52.100N 091-31-55.200W				Red nun.	Private aid.
19770	- Buoy 5	29-32-53.500N 091-31-55.700W				Black can.	Private aid.
19775	- Buoy 6	29-32-55.500N 091-31-47.500W				Red nun.	Private aid.
19780	- Buoy 7	29-32-55.100N 091-31-49.100W				Black can.	Private aid.
19785	- Buoy 8	29-32-55.300N 091-31-42.100W				Red nun.	Private aid.
19790	- Buoy 9	29-32-56.700N 091-31-42.600W				Black can.	Private aid.
19795	- Buoy 10	29-32-56.900N 091-31-35.600W				Red nun.	Private aid.
19800	- Buoy 11	29-32-58.300N 091-31-36.000W				Black can.	Private aid.
19805	- LIGHT 13	29-33-00.000N 091-31-00.500W	Q G	13		SG on dolphin.	Private aid.
19810	LUKES LANDING LIGHT 2	29-35-48.200N 091-32-56.900W	FI R 4s	16		TR on dolphin.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
POINT AU FER TO MARSH ISLAND (Chart 11351)							
East Cote Blanche Bay							
Bayou Sale Channel							
19815	LUKES LANDING LIGHT 1	29-35-51.200N 091-32-57.500W	FI G 4s	16		SG on dolphin.	Private aid.
19817	Burns Point Channel Day beacon 1	29-34-34.320N 091-32-24.360W				SG on pile.	Private aid.
19817.01	Burns Point Channel Day beacon 2	29-34-33.240N 091-32-23.280W				TR on pile.	Private aid.
19817.02	Burns Point Channel Day beacon 3	29-34-33.600N 091-32-22.920W				SG on pile.	Private aid.
19817.03	Burns Point Channel Day beacon 4	29-34-32.520N 091-32-21.480W				TR on pile.	Private aid.
19817.04	Burns Point Channel Day beacon 5	29-34-32.880N 091-32-21.480W				SG on pile.	Private aid.
19817.05	Burns Point Channel Day beacon 6	29-34-31.800N 091-32-20.040W				TR on pile.	Private aid.
19817.06	Burns Point Channel Day beacon 7	29-34-32.160N 091-32-19.680W				SG on pile.	Private aid.
19817.07	Burns Point Channel Day beacon 8	29-34-31.080N 091-32-18.240W				TR on pile.	Private aid.
19817.08	Burns Point Channel Day beacon 9	29-34-31.440N 091-32-18.240W				SG on pile.	Private aid.
19817.09	Burns Point Channel Day beacon 10	29-34-31.080N 091-32-17.620W				TR on pile.	Private aid.
19817.11	Burns Point Channel Danger Day beacon	29-34-30.720N 091-32-17.160W				NW on bulkhead.	Private aid.
19817.12	Burns Point Channel Danger Day beacon	29-34-30.720N 091-32-16.800W				NW on bulkhead.	Private aid.
19817.13	Burns Point Channel Danger Day beacon	29-34-30.360N 091-32-16.440W				NW on bulkhead.	Private aid.
19817.14	Burns Point Channel Danger Day beacon	29-34-30.000N 091-32-16.080W				NW on bulkhead.	Private aid.
19817.15	Burns Point Channel Danger Day beacon	29-34-31.440N 091-32-17.880W				NW on bulkhead.	Private aid.
Louisiana Coastal Restoration Project							
19820	- East Danger Day beacon	29-38-17.000N 091-34-04.000W				NW on pile worded DANGER UNDERWATER OBSTRUCTION DO NOT PROCEED.	Marks east end of submerged dike., Private aid.
19825	- Middle Danger Day beacon	29-38-18.000N 091-34-06.000W				NW on pile worded DANGER UNDERWATER OBSTRUCTION DO NOT PROCEED.	Marks middle of submerged dike., Private aid.
19830	- West Danger Day beacon	29-38-18.000N 091-34-36.000W				NW on pile worded DANGER UNDERWATER OBSTRUCTION DO NOT PROCEED.	Marks west end of submerged dike., Private aid.
Atchafalaya River							
19835	E COTE BLAN BAY CANAL ENTRANCE LIGHT 1	29-38-08.000N 091-35-03.000W	FI W 4s	14		SG on dolphin.	Private aid.
West Cote Blanche Bay							
Charenton Canal Access							
19840.01	Charenton Canal Buoy 2	29-41-17.000N 091-38-36.000W				Red nun.	Private aid.
19845.01	Charenton Canal Buoy 4	29-41-32.000N 091-38-32.000W				Red nun.	Private aid.
19850.01	Charenton Canal Buoy 6	29-41-43.000N 091-38-28.000W				Red nun.	Private aid.
19855.01	Charenton Canal Buoy 8	29-41-58.000N 091-38-25.000W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
POINT AU FER TO MARSH ISLAND (Chart 11351)							
West Cote Blanche Bay							
Charenton Canal Access							
19860.01	Charenton Canal Buoy 10	29-42-12.000N 091-38-19.000W				Red nun.	Private aid.
19865.01	Charenton Canal Buoy 12	29-42-26.000N 091-38-13.000W				Red nun.	Private aid.
19870.01	Charenton Canal Buoy 14	29-42-39.000N 091-38-08.000W				Red nun.	Private aid.
19875.01	Charenton Canal Buoy 16	29-42-51.000N 091-38-03.000W				Red nun.	Private aid.
19880.01	Charenton Canal Buoy 18	29-43-05.000N 091-37-58.000W				Red nun.	Private aid.
19885.01	Charenton Canal Buoy 20	29-43-17.000N 091-37-53.000W				Red nun.	Private aid.
19890.01	Charenton Canal Buoy 22	29-43-29.000N 091-37-47.000W				Red nun.	Private aid.
19895.01	Charenton Canal Buoy 24	29-43-44.000N 091-37-40.000W				Red nun.	Private aid.
19900.01	Charenton Canal Buoy 26	29-43-58.000N 091-37-33.000W				Red nun.	Private aid.
19905.01	Charenton Canal Buoy 28	29-44-10.000N 091-37-27.000W				Red nun.	Private aid.
19910.01	Charenton Canal Buoy 30	29-44-22.000N 091-37-20.000W				Red nun.	Private aid.
19915.01	Charenton Canal Buoy 32	29-44-35.000N 091-37-13.000W				Red nun.	Private aid.
19920.01	Charenton Canal Buoy 34	29-44-47.000N 091-37-07.000W				Red nun.	Private aid.
19925.01	Charenton Canal Buoy 36	29-44-59.000N 091-37-00.000W				Red nun.	Private aid.
19930.01	Charenton Canal Buoy 38	29-45-04.000N 091-36-55.000W				Red nun.	Private aid.
19935.01	Charenton Canal Buoy 40	29-45-07.000N 091-36-48.000W				Red nun.	Private aid.
WAX LAKE OUTLET TO FORKED ISLAND (Chart 11350)							
West Cote Blanche Bay							
Ivanhoe Canal							
19960	- LIGHT 2	29-44-09.200N 091-44-10.300W	FI R 2.5s	20		TR on pile.	HORN: 1 blast ev 20s (2s bl). Private aid.
19990	- LIGHT 8	29-44-26.000N 091-44-16.000W	FI R 2.5s	15		TR on pile.	Private aid.
20045	- LIGHT 19	29-44-56.200N 091-44-17.700W	FI G 2.5s	13		SG on pile.	Private aid.
20050	- LIGHT 20	29-44-55.600N 091-44-16.000W	FI R 2.5s	13		TR on pile.	Private aid.
20055	- LIGHT 21	29-45-01.000N 091-44-18.000W	FI G 2.5s	13		SG on pile.	Private aid.
VERMILION BAY AND APPROACHES (Chart 11349)							
Mound Point							
20060	- WELL 340-2 LIGHT 2	29-27-35.000N 091-54-04.000W	Q R	17		TR on platform.	Private aid.
20065	- LIGHT 1	29-28-14.000N 091-54-36.000W	FI G 3s	17		SG on dolphin.	Private aid.
20070	- Day beacon 3	29-28-16.000N 091-56-26.000W				SG on pile.	Private aid.
20075	- Day beacon 5	29-28-21.000N 091-54-21.000W				SG on pile.	Private aid.
20080	- Day beacon 7	29-28-25.000N 091-54-16.000W				SG on pile.	Private aid.
20085	- Day beacon 9	29-28-29.000N 091-54-12.000W				SG on pile.	Private aid.
20090	- Day beacon 12	29-28-32.000N 091-54-13.000W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
VERMILION BAY AND APPROACHES (Chart 11349)							
Mound Point							
20095	- Day beacon 14	29-28-34.000N 091-54-12.000W				TR on pile.	Private aid.
20100	- Day beacon 16	29-28-35.000N 091-54-10.000W				TR on pile.	Private aid.
20105	- Day beacon 18	29-28-35.000N 091-54-09.000W				TR on pile.	Private aid.
20110	- Day beacon 20	29-28-34.000N 091-54-08.000W				TR on pile.	Private aid.
Southwest Pass - Vermilion Bay Channel							
20115	- LIGHT 3	29-32-18.888N 092-04-50.530W	FI G 4s	17	4	SG on dolphin.	Ra ref.
20120	- LIGHT 4	29-32-15.105N 092-04-45.264W	FI R 4s	17	3	TR on dolphin.	Ra ref.
20125	- LIGHT 5	29-33-41.336N 092-03-24.315W	FI G 6s	17	4	SG on pile.	Ra ref.
20130	- LIGHT 7	29-34-36.661N 092-02-49.497W	FI G 2.5s	17	3	SG on pile.	Ra ref.
20135	- LIGHT 10	29-34-55.780N 092-02-16.862W	Q R	17	3	TR on dolphin.	Ra ref.
20140	- LIGHT 11	29-35-15.101N 092-02-06.080W	Q G	17	3	SG on pile.	Ra ref.
20145	- LIGHT 13	29-35-13.207N 092-01-40.237W	FI G 4s	17	4	SG on pile.	Ra ref.
20150	- LIGHT 14	29-35-06.002N 092-01-24.827W	FI R 6s	17	3	TR on pile.	Ra ref.
20155	- LIGHT 15	29-35-34.812N 092-01-16.616W	FI G 6s	17	4	SG on pile.	Ra ref.
20160	- LIGHT 16	29-35-26.038N 092-01-04.973W	FI R 6s	17	4	TR on pile.	Ra ref.
20165	- LIGHT 17	29-35-58.077N 092-00-44.644W	FI G 2.5s	17	4	SG on pile.	Ra ref.
20170	- LIGHT 18	29-35-50.975N 092-00-33.753W	FI R 2.5s	17	3	TR on pile.	Ra ref.
20175	- LIGHT 19	29-36-24.590N 092-00-32.142W	FI G 4s	17	4	SG on pile.	Ra ref.
20180	- LIGHT 20	29-36-12.552N 092-00-18.489W	FI R 4s	17	3	TR on pile.	Ra ref.
20185	- LIGHT 21	29-36-44.543N 092-00-21.808W	Q G	17	3	SG on pile.	Ra ref.
Vermilion Bay							
Vermilion Bay Cutoff Channel							
<i>Lights and daybeacons 50 feet outside channel limits.</i>							
20190	SOUTHWEST PASS - VERMILION BAY CHANNEL JUNCTION LIGHT A	29-37-11.505N 092-00-14.396W	FI (2+1)R 6s	20	4	JR on pile.	Ra ref.
20195	SOUTHWEST PASS - VERMILION BAY CHANNEL LIGHT 22	29-38-09.554N 092-01-08.227W	FI R 4s	17	3	TR on pile.	Ra ref.
20200	SOUTHWEST PASS - VERMILION BAY CHANNEL LIGHT 24	29-39-02.233N 092-01-55.603W	FI R 6s	17	4	TR on pile.	Ra ref.
Southwest Pass - Vermilion Bay Channel							
20205	- LIGHT 26	29-39-47.862N 092-02-37.796W	FI R 2.5s	17	3	TR on pile.	Ra ref.
Vermilion Bay							
Vermilion Bay Cutoff Channel							
<i>Lights and daybeacons 50 feet outside channel limits.</i>							
20210	SOUTHWEST PASS - VERMILION BAY CHANNEL LIGHT 28	29-40-36.199N 092-03-20.739W	FI R 4s	17	3	TR on dolphin.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
VERMILION BAY AND APPROACHES (Chart 11349)							
Southwest Pass - Vermilion Bay Channel							
20215	- LIGHT 29	29-41-08.297N 092-04-00.700W	FI G 2.5s	17	3	SG on pile.	Ra ref.
20220	- LIGHT 30	29-41-21.604N 092-03-58.673W	FI R 2.5s	17	3	TR on pile.	Ra ref.
Vermilion Bay							
Vermilion Bay Cutoff Channel							
<i>Lights and daybeacons 50 feet outside channel limits.</i>							
20225	SOUTHWEST PASS - VERMILION BAY CHANNEL LIGHT 32	29-42-14.370N 092-04-47.420W	FI R 4s	17	3	TR on pile.	Ra ref.
Southwest Pass - Vermilion Bay Channel							
20230	- LIGHT 34	29-42-57.582N 092-05-26.343W	FI R 6s	17	4	TR on pile.	Ra ref.
20235	- LIGHT 35	29-43-39.953N 092-06-08.958W	FI G 2.5s	17	3	SG on pile.	Ra ref.
Vermilion Bay							
Vermilion Bay Cutoff Channel							
<i>Lights and daybeacons 50 feet outside channel limits.</i>							
20240	SOUTHWEST PASS - VERMILION BAY CHANNEL LIGHT 36	29-43-41.885N 092-06-06.071W	FI R 2.5s	17	3	TR on pile.	Ra ref.
20245	SOUTHWEST PASS - VERMILION BAY CHANNEL LIGHT 37	29-44-27.484N 092-06-45.116W	FI G 4s	17	4	SG on pile.	Ra ref.
20250	SOUTHWEST PASS - VERMILION BAY CHANNEL LIGHT 38	29-44-30.354N 092-06-41.381W	FI R 4s	17	3	TR on pile.	Ra ref.
20255	Shell Day beacon 1	29-44-49.000N 092-11-56.800W				SG on pile.	Ra ref. Private aid.
20260	Shell Day beacon 2	29-44-48.560N 092-11-57.540W				TR on pile.	Private aid.
20265	Shell Day beacon 3	29-44-20.730N 092-11-20.740W				SG on pile.	Private aid.
20270	Shell Day beacon 4	29-44-19.870N 092-11-21.260W				TR on pile.	Private aid.
20275	Shell Day beacon 5	29-44-12.510N 092-10-30.140W				SG on pile.	Private aid.
20280	Shell Day beacon 6	29-44-11.570N 092-10-30.310W				TR on pile.	Private aid.
20285	Shell Day beacon 7	29-43-57.770N 092-09-42.960W				SG on pile.	Private aid.
20290	Shell Day beacon 8	29-43-57.360N 092-09-43.700W				TR on pile.	Private aid.
Acadiana Navigation Channel							
20295	- LIGHT 1	29-38-01.565N 091-59-03.529W	FI G 2.5s	17	4	SG on pile.	Ra ref.
20300	- LIGHT 4	29-38-23.368N 091-58-49.950W	Q R	17	4	TR on pile.	Ra ref.
20305	- LIGHT 6	29-40-02.834N 091-57-38.723W	FI R 4s	17	3	TR on pile.	Ra ref.
20310	- LIGHT 8	29-41-44.290N 091-56-27.962W	FI R 2.5s	17	4	TR on pile.	Ra ref.
20315	- LIGHT 9	29-42-36.302N 091-55-55.006W	FI G 4s	17	4	SG on pile.	Ra ref.
20320	- LIGHT 12	29-43-25.746N 091-55-17.181W	FI R 6s	17	4	TR on pile.	Ra ref.
20325	- LIGHT 14	29-45-07.202N 091-54-06.379W	FI R 4s	17	4	TR on pile.	Ra ref.
20330	- LIGHT 16	29-46-48.657N 091-52-55.559W	FI R 2.5s	17	4	TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
VERMILION BAY AND APPROACHES (Chart 11349)							
Vermilion Bay							
Acadiana Navigation Channel							
20332	LCPRA SHARK ISLAND DANGER LIGHT	29-46-59.642N 091-51-11.496W	FI W 2.5s			Marks shoreline protection structure.	Private aid.
20332.01	LCPRA SHARK ISLAND DANGER LIGHT	29-46-51.563N 091-51-12.343W	FI W 2.5s			Marks shoreline protection structure.	Private aid.
20332.02	LCPRA SHARK ISLAND DANGER LIGHT	29-46-44.853N 091-51-17.407W	FI W 2.5s			Marks shoreline protection structure.	Private aid.
20332.03	LCPRA SHARK ISLAND DANGER LIGHT	29-46-36.000N 091-51-26.684W	FI W 2.5s			Marks shoreline protection structure.	Private aid.
20335	- LIGHT 18	29-47-39.637N 091-52-20.583W	FI R 4s	17	4	TR on pile.	Ra ref.
20340	- LIGHT 19	29-49-04.838N 091-51-26.799W	FI G 4s	17	4	SG on pile.	Ra ref.
20345	- Day beacon 20	29-49-03.172N 091-51-21.107W				TR on pile.	Ra ref.
20350	- Day beacon 21	29-49-40.350N 091-51-04.845W				SG on pile.	Ra ref.
20355	- Day beacon 22	29-49-39.429N 091-51-02.757W				TR on pile.	Ra ref.
20357	BAYOU COMPANIES TEMPORARY MOORING LIGHTS (3)	29-56-13.830N 091-50-39.110W	FI W 2.5s			Marks mooring piles.	Private aid.
20360	QUINTANA CANAL ENTRANCE LIGHT	29-44-02.000N 091-51-16.000W	FI G 4s	13			Private aid.
20362	CYPRE MORT POINT DANGER BREAKWATER LIGHT	29-43-31.200N 091-51-44.445W	FI W 2.5s			Marks breakwater structure.	Private aid.
20362.01	CYPRE MORT POINT DANGER BREAKWATER LIGHT	29-43-40.748N 091-51-32.109W	FI W 2.5s			Marks breakwater structure.	Private aid.
20362.02	CYPRE MORT POINT DANGER BREAKWATER LIGHT	29-43-50.201N 091-51-18.013W	FI W 2.5s			Marks breakwater structure.	Private aid.
20362.03	CYPRE MORT POINT DANGER BREAKWATER LIGHT	29-43-52.247N 091-51-18.696W	FI W 2.5s			Marks breakwater structure.	Private aid.
20362.04	CYPRE MORT POINT DANGER BREAKWATER LIGHT	29-43-59.634N 091-51-15.290W	FI W 2.5s			Marks breakwater structure.	Private aid.
Weeks Island Channel							
20365	- Day beacon 1	29-49-08.362N 091-50-04.702W				SG on pile.	Private aid.
20370	- Day beacon 3	29-49-05.346N 091-50-04.185W				SG on pile.	Private aid.
20375	- Day beacon 5	29-49-02.331N 091-50-03.668W				SG on pile.	Private aid.
20380	- Day beacon 7	29-48-59.315N 091-50-03.152W				SG on pile.	Private aid.
20385	- Day beacon 9	29-48-56.299N 091-50-02.635W				SG on pile.	Private aid.
20390	- Day beacon 11	29-48-53.284N 091-50-02.119W				SG on pile.	Private aid.
20395	- Day beacon 13	29-48-50.268N 091-50-01.603W				SG on pile.	Private aid.
20400	- Day beacon 15	29-48-47.251N 091-50-01.093W				SG on pile.	Private aid.
20405	- Day beacon 17	29-48-44.235N 091-50-00.582W				SG on pile.	Private aid.
20410	- Day beacon 19	29-48-39.659N 091-49-59.808W				SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
VERMILION BAY AND APPROACHES (Chart 11349)							
Vermilion Bay							
Weeks Island Channel							
20415	- Day beacon 21	29-48-33.708N 091-49-58.973W				SG on pile.	Private aid.
20420	- Day beacon 23	29-48-31.084N 091-49-57.491W				SG on pile	Private aid.
20425	- Day beacon 25	29-48-30.626N 091-49-50.356W				SG on pile.	Private aid.
20430	- Day beacon 27	29-48-30.122N 091-49-37.675W				SG on pile.	Private aid.
Weeks Bay							
20435	- Spoil Banks Day beacon D	29-48-36.000N 091-49-59.000W				NW on pile.	Private aid.
20440	- Spoil Banks Day beacon H	29-48-32.000N 091-49-58.000W				NW on pile.	Private aid.
20445	- South Channel Day beacon 1	29-48-29.000N 091-49-38.000W				SG on pile.	Private aid.
20450	- South Channel Day beacon 3	29-48-26.000N 091-49-37.000W				SG on pile.	Private aid.
20455	- South Channel Day beacon 5	29-48-23.000N 091-49-36.000W				SG on pile.	Private aid.
20460	- South Channel Day beacon 7	29-48-20.000N 091-49-35.000W				SG on pile.	Private aid.
20465	U.S. GEOLOGICAL SURVEY SCIENTIFIC MONITORING PLATFORM LIGHT (SMP)	29-42-34.000N 091-52-57.000W	FI Y 2.5s	37		On pipe.	Private aid.
Avery Canal							
20470	- LIGHT 1	29-49-24.945N 091-54-05.739W	FI G 2.5s	17	4	SG on dolphin.	Ra ref.
20475	- LIGHT 3	29-49-45.451N 091-54-18.650W	FI G 4s	17	4	SG on dolphin.	Ra ref.
20480	- LIGHT 4	29-49-51.150N 091-54-24.767W	FI R 4s	17	4	TR on pile.	
20485	- DANGER LIGHT NORTH	29-49-53.000N 091-54-30.000W	FI W 2.5s			NW on pile worded DANGER ROCK SILL.	Private aid.
20490	- DANGER LIGHT SOUTH	29-49-52.000N 091-54-31.500W	FI W 2.5s			NW on pile worded DANGER ROCK SILL.	Private aid.
20490.01	- SOUTHWEST DANGER LIGHT	29-49-54.010N 091-54-32.660W	FI W 2.5s			Marks a rock weir.	Private aid.
20490.02	- NORTHWEST DANGER LIGHT	29-49-52.940N 091-54-33.230W	FI W 2.5s			Marks a rock weir.	Private aid.
20495	CARGILL MOORING BARGE LIGHT	29-53-00.500N 091-55-52.500W	FI R 2.5s			Marks mooring barge.	Private aid.
Boston Bayou Channel							
20560	- ENTRANCE LIGHT 1	29-46-00.400N 092-01-00.900W	FI G 4s	14		SG on dolphin.	Private aid.
20565	- LIGHT 7	29-46-54.000N 092-02-08.000W	FI G 4s			SG on pile.	Private aid.
20570	- LIGHT 8	29-46-54.000N 092-02-05.000W	FI R 4s			TR on pile.	Private aid.
Freshwater Bayou							
20573	Vermilion Parish Danger Day beacons (6)	29-34-17.000N 092-11-16.000W				Marks submerged shoreline erosion protection structures.	Private aid.
20575	- LIGHT 3	29-29-24.697N 092-19-06.865W	FI G 4s	17	4	SG on piles.	Ra ref.
20580	- LIGHT 4	29-29-22.446N 092-18-56.058W	FI R 4s	17	4	TR on piles.	
20585	- Day beacon 5	29-30-05.394N 092-18-58.682W				SG on pile.	Ra ref.
20590	- LIGHT 6	29-30-03.972N 092-18-49.918W	FI R 6s	17	4	TR on dolphin.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
VERMILION BAY AND APPROACHES (Chart 11349)							
Freshwater Bayou							
20595	- LIGHT 7	29-30-45.048N 092-18-49.015W	FI G 4s	17	4	SG on dolphin.	Ra ref.
20600	- Day beacon 8	29-30-46.066N 092-18-42.691W				TR on pile.	Ra ref.
20605	- LIGHT 9	29-31-21.199N 092-18-41.279W	FI G 6s	17	4	SG on dolphin.	Ra ref.
20610	- LIGHT 10	29-31-20.981N 092-18-36.203W	FI R 4s	17	4	TR on dolphin.	Ra ref.
20615	- LIGHT 11 50 feet outside channel limit.	29-31-57.332N 092-18-33.420W	FI G 2.5s	17	4	SG on dolphin.	Ra ref.
20620	- LIGHT 12 50 feet outside channel limit.	29-32-02.197N 092-18-27.922W	FI R 2.5s	17	4	TR on dolphin.	Ra ref.
20625	- OBSTRUCTION LIGHT 13	29-32-23.940N 092-18-28.166W	Q G	17	3	SG on pile.	Ra ref.
20628	VERMILION PARISH TIGRE POINT DANGER BREAKWATER LIGHT	29-32-58.000N 092-14-11.000W	FI W 2.5s			Marks oyster reef breakwaters.	Private aid.
20628.01	VERMILION PARISH TIGRE POINT DANGER BREAKWATER LIGHT	29-32-54.000N 092-14-20.000W	FI W 2.5s			Marks oyster reef breakwaters.	Private aid.
20628.02	VERMILION PARISH TIGRE POINT DANGER BREAKWATER LIGHT	29-32-43.000N 092-14-40.000W	FI W 2.5s			Marks oyster reef breakwaters.	Private aid.
20628.03	VERMILION PARISH TIGRE POINT DANGER BREAKWATER LIGHT	29-32-39.000N 092-14-49.000W	FI W 2.5s			Marks oyster reef breakwaters.	Private aid.
20628.04	VERMILION PARISH TIGRE POINT DANGER BREAKWATER LIGHT	29-32-35.000N 092-14-57.000W	FI W 2.5s			Marks oyster reef breakwaters.	Private aid.
20628.05	VERMILION PARISH TIGRE POINT DANGER BREAKWATER LIGHT	29-32-30.000N 092-15-06.000W	FI W 2.5s			Marks oyster reef breakwaters.	Private aid.
20630	- LIGHT 14	29-35-29.939N 092-17-46.748W	Q R	17	3	TR on pile.	Ra ref.
20635	- LIGHT 16 60 feet outside channel limit.	29-37-36.795N 092-16-11.748W	FI R 2.5s	17	3	TR on dolphin.	Ra ref.
20640	- LIGHT 18 60 feet outside channel limit.	29-39-50.086N 092-15-23.032W	FI R 2.5s	17	3	TR on pile.	Ra ref.
20645	- LIGHT 20 60 feet outside channel limit.	29-43-37.788N 092-14-33.825W	FI R 2.5s	17	3	TR on pile.	Ra ref.
20650	- LIGHT 22	29-44-37.387N 092-13-15.844W	Q R	17	3		
20657	- LIGHT 23	29-46-18.000N 092-10-42.000W	FI G 2.5s	17	2	SG on pile.	
20658	- JUNCTION LIGHT FW	29-46-28.988N 092-10-13.742W	FI (2+1)R 6s	17	2	JR-SY on pile.	
20659	INTRACOASTAL CITY LIGHT 1	29-46-33.222N 092-10-42.026W	FI G 4s	17	2	SG on pile.	Ra ref.
20660	EXXON MOBIL FEE WELL NO.1 BREAKWATER LIGHTS (9)	29-33-50.000N 092-29-58.000W	Q W	10		On Dolphins.	Private aid.
ROLLOVER BAYOU TO CALCASIEU PASS (Chart 11344)							
Mermentau Channel							
20675	ROCKEFELLER REFUGE BREAKWATER DANGER LIGHT A	29-38-23.680N 092-47-09.020W	FI W 2.5s			NW on pile.	Private aid.
20680	ROCKEFELLER REFUGE BREAKWATER DANGER LIGHT B	29-38-11.600N 092-46-41.720W	FI W 2.5s			NW on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
ROLLOVER BAYOU TO CALCASIEU PASS (Chart 11344)							
Mermentau Channel							
20685	ROCKEFELLER REFUGE BREAKWATER DANGER LIGHT C	29-38-41.850N 092-47-43.490W	FI W 2.5s			NW on pile.	Private aid.
20690	ROCKEFELLER REFUGE BREAKWATER DANGER LIGHT D	29-37-47.380N 092-47-05.670W	FI W 2.5s			NW on pile.	Private aid.
VERMILION BAY AND APPROACHES (Chart 11349)							
Freshwater Bayou							
20695	ROCKEFELLER WILDLIFE REFUGE DANGER BREAKWATER LIGHTS (4)	29-38-56.730N 092-48-23.270W	FI W 2.5s			NW on pile.	Marks oyster reef breakwaters. Private aid.
ROLLOVER BAYOU TO CALCASIEU PASS (Chart 11344)							
Mermentau Channel							
20700 1030	- Entrance Lighted Buoy 2	29-42-04.047N 093-00-34.389W	FI (2)R 5s		4	Red.	
20715	- EAST JETTY LIGHT 6	29-43-18.636N 093-00-30.200W	FI R 2.5s	21	3	TR on pile.	
20720	- WEST JETTY LIGHT 7	29-43-21.783N 093-00-41.480W	FI G 2.5s	21	3	SG on pile.	
20725	- LIGHT 8	29-43-36.799N 093-00-36.630W	FI R 6s	15	4	TR on dolphin.	
20727	FIELDWOOD PIPELINE DANGER LIGHTS (3)	29-44-46.380N 093-04-53.660W	FI W 2.5s			NW on pile.	Private aid.
20730	ROUNDLAKE CANAL BARRACADE LIGHT 1	29-52-00.000N 092-39-01.000W	FI G 4s	10		SG on pile.	Private aid.
20735	ROUNDLAKE CANAL BARRACADE LIGHT 2	29-52-00.000N 092-39-01.000W	FI R 2.5s	10		TR on pile.	Private aid.
FORKED ISLAND TO ELLENDER (Chart 11348)							
Mermentau Channel							
20740	- Buoy 11	29-44-47.030N 093-00-39.939W				Green can.	
20745	- Buoy 12	29-44-46.305N 093-00-35.508W				Red nun.	
20750	- RANGE FRONT LIGHT	29-45-15.667N 093-00-36.401W	Q R (NIGHT) Q R (DAY)	17 17		On pile.	Visible 2° each side of rangeline.
20755	- RANGE REAR LIGHT 450 yards, 000.7° from front light.	29-45-29.037N 093-00-36.220W	Iso R 6s (NIGHT) Iso R 6s (DAY)	37 37		On skeleton tower.	Visible 2° each side of rangeline.
20760	- Buoy 15	29-45-03.153N 093-00-37.698W				Green can.	
20765	- Buoy 16	29-45-03.092N 093-00-34.577W				Red nun.	
20770	- Buoy 17	29-45-12.187N 093-00-40.975W				Green can.	
20775	- Buoy 18	29-45-14.762N 093-00-38.219W				Red nun.	
20780	- Buoy 21	29-45-20.451N 093-00-59.189W				Green can.	
20785	- Buoy 25	29-45-29.983N 093-01-14.701W				Green can.	
20790	- Buoy 26	29-45-38.241N 093-01-10.362W				Red nun.	
20795	- Buoy 27	29-45-56.373N 093-00-54.072W				Green can.	
Upper Mud Lake							
20800	- Buoy 1	29-46-22.602N 092-55-13.728W				Green can.	
20805	- Buoy 2	29-46-20.322N 092-55-12.318W				Red nun.	
20810	- Buoy 3	29-46-30.321N 092-54-48.390W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
FORKED ISLAND TO ELLENDER (Chart 11348)							
Mermentau Channel							
Upper Mud Lake							
20815	- Buoy 4	29-46-27.746N 092-54-47.863W				Red nun.	
20820	- Buoy 5	29-46-32.943N 092-54-30.810W				Green can.	
20825	- Buoy 6	29-46-30.602N 092-54-29.347W				Red nun.	
20830	- Buoy 7	29-46-28.838N 092-54-12.203W				Green can.	
20835	- Buoy 8	29-46-26.822N 092-54-12.217W				Red nun.	
20840	- Buoy 9	29-46-25.993N 092-53-58.849W				Green can.	
20845	- Buoy 10	29-46-23.954N 092-53-53.167W				Red nun.	
20850	- Buoy 11	29-46-27.381N 092-53-33.906W				Green can.	
20855	- Buoy 12	29-46-25.623N 092-53-33.972W				Red nun.	
20860	- Buoy 13	29-46-32.343N 092-53-18.018W				Green can.	
20865	- Buoy 14	29-46-30.903N 092-53-16.872W				Red nun.	
20870	- Buoy 15	29-46-40.310N 092-53-09.503W				Green can.	
20875	- Buoy 16	29-46-39.830N 092-53-07.651W				Red nun.	
20880	- Buoy 17	29-46-44.847N 092-53-08.934W				Green can.	
20885	- Buoy 18	29-47-08.550N 092-53-08.410W				Red nun.	
20890	- Buoy 19	29-47-07.525N 092-53-10.664W				Green can.	
20895	- Buoy 20	29-47-20.510N 092-53-03.889W				Red nun.	
20900	- Buoy 21	29-47-22.412N 092-53-05.813W				Green can.	
Mermentau Channel							
20905	CATFISH POINT LIGHT 1	29-52-00.313N 092-50-41.120W	FI G 4s	17	4	SG on dolphin.	
20910	SOUTH GRAND LAKE LIGHT 2	29-50-00.000N 092-42-20.000W	FI W 10s	21		TR on dolphin.	Private aid.
Grand Lake							
20919	TEBO POINT DANGER LIGHT	29-51-14.830N 092-48-38.090W	FI W 2.5s			Marks rock dike.	Private aid.
20920	- LIGHT 3	29-52-58.570N 092-48-01.491W	FI G 4s	17	5	SG on pile.	
20925	- LIGHT 4	29-53-29.066N 092-44-42.178W	FI R 4s	17	4	TR on pile.	
20930	- LIGHT 5	29-56-07.102N 092-46-47.103W	FI G 4s	17	4	SG on dolphin.	
20935	- LIGHT 6	29-57-06.897N 092-48-13.932W	FI R 4s	17	5	TR on pile.	
20940	- LIGHT 8	29-57-40.723N 092-47-23.862W	FI R 4s	17	4	TR on pile.	
Mermentau River Crossing							
20950	- Buoy 1	29-58-17.998N 092-47-19.038W				Green can with yellow square.	
35295							
20954	- LIGHT 2	29-58-23.457N 092-47-14.524W	FI R 2.5s	17	3	TR-TY on pile.	
35302							
20955	- Buoy 2A	29-58-24.653N 092-47-24.534W				Red nun with yellow triangle.	
35300							
20965	- Buoy 4	29-58-23.751N 092-47-38.829W				Red nun with yellow triangle.	
35310							

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
FORKED ISLAND TO ELLENDER (Chart 11348)							
Mermentau River Crossing							
20970 35315	- Buoy 5	29-58-16.440N 092-47-51.427W				Green can with yellow square.	
20975 35320	- Junction Buoy M	29-58-20.651N 092-48-04.118W				Red nun with green band and yellow triangle.	
20980 35325	- LIGHT 7	29-58-16.645N 092-48-10.590W	FI G 2.5s	17	3	SG-SY on pile.	
20985	MERMENTAU RIVER WRECK LIGHT WR 1	29-58-27.062N 092-48-05.828W	Q G	17	3	SG on pile.	
Mermentau River							
20990	- Day beacon 1A	29-58-37.961N 092-48-10.710W				SG on pile.	
20995	- Day beacon 2	29-58-56.945N 092-48-08.528W				TR on pile.	
21000	- Day beacon 4	29-59-18.540N 092-47-36.036W				TR on pile.	Ra ref.
21005	- Day beacon 5	29-59-30.999N 092-47-20.774W				SG on pile.	
21010	- Day beacon 6	29-59-47.908N 092-47-17.843W				TR on pile.	
21015	WARREN PETROLEUM PILE LIGHT	30-00-11.000N 092-46-41.000W	FI R 2.5s	6		On pile.	Private aid.
21020	- Day beacon 7	30-00-10.741N 092-46-34.450W				SG on pile.	
21025	- Day beacon 9	29-59-45.832N 092-46-18.835W				SG on pile.	
21030	- Day beacon 10	29-59-40.758N 092-46-28.527W				TR on pile.	
21035	- Day beacon 11	29-59-48.073N 092-45-47.385W				SG on pile.	
21040	- Day beacon 13	30-00-07.255N 092-45-25.495W				SG on pile.	
21045	- Day beacon 14	30-00-31.715N 092-45-13.276W				TR on pile.	
21050	- Day beacon 15	30-00-47.583N 092-45-18.172W				SG on pile.	
21055	- Day beacon 17	30-01-05.386N 092-45-29.586W				SG on pile.	
21060	- Day beacon 18	30-01-21.793N 092-46-00.479W				TR on pile.	
21065	- Day beacon 20	30-01-38.305N 092-46-00.431W				TR on pile.	
21070	- Day beacon 21	30-01-52.924N 092-45-28.320W				SG on pile.	
Lake Arthur							
21075	- Day beacon 2	30-02-20.175N 092-44-52.805W				TR on pile.	
21080	- A RANGE FRONT LIGHT	30-02-17.003N 092-45-15.853W	Q W	25		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
21085	- A RANGE REAR LIGHT 255 yards, 255.0° from front light.	30-02-15.062N 092-45-24.292W	Iso W 6s	35		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
21090	- B RANGE FRONT LIGHT	30-03-00.737N 092-42-06.216W	Q W	17		KRW on dolphin.	Visible all around; higher intensity on rangeline.
21095	- B RANGE REAR LIGHT 399 yards, 074.8° from front light.	30-03-03.835N 092-41-53.085W	Iso W 6s	37		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
21100	- Day beacon 4	30-02-25.640N 092-44-29.769W				TR on pile.	
21110	- LIGHT 8 50 feet outside channel limit.	30-02-35.081N 092-43-49.654W	FI R 4s	17	4	TR on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
FORKED ISLAND TO ELLENDER (Chart 11348)							
Lake Arthur							
21120	- Day beacon 12	30-02-44.048N 092-43-11.217W				TR on pile.	
21125	- Day beacon 14	30-02-48.289N 092-42-53.432W				TR on pile.	
21140	- LIGHT 20A	30-03-28.881N 092-41-43.566W	FI R 4s	17	5	TR on pile.	
21145	- Day beacon 20	30-03-31.225N 092-41-42.288W				TR on pile.	
21150	- Day beacon 22	30-03-38.017N 092-41-22.954W				TR on pile.	
21155	- Day beacon 23	30-03-45.043N 092-41-18.024W				SG on pile.	
21160	- Day beacon 25	30-03-53.054N 092-41-08.234W				SG on pile.	
21165	- Day beacon 26	30-03-50.254N 092-41-01.806W				TR on pile.	
21170	- Day beacon 28	30-04-02.482N 092-40-46.536W				TR on pile.	
21175	- Day beacon 30	30-04-05.236N 092-40-23.184W				TR on pile.	
21180	- Day beacon 31	30-04-06.900N 092-40-04.169W				SG on pile.	
21185	- Day beacon 33	30-04-06.240N 092-39-51.896W				SG on pile.	
21190	PURE TRANSPORTATION CO. DOCK LIGHTS (3)	30-04-20.000N 092-38-05.000W	Q R	10		Black dolphin.	Private aid.
ROLLOVER BAYOU TO CALCASIEU PASS (Chart 11344)							
Calcasieu Channel							
21195 1010	- Lighted Buoy CC	29-20-00.870N 093-13-17.564W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
21200	- Lighted Buoy 1 100 feet outside channel limit.	29-21-49.156N 093-13-24.664W	FI G 2.5s		4	Green.	
21205	- Lighted Buoy 2 100 feet outside channel limit.	29-21-49.356N 093-13-14.134W	FI R 2.5s		4	Red.	
21210	- Lighted Buoy 1A 100 feet outside channel limit.	29-22-49.155N 093-13-26.914W	FI G 4s		4	Green.	
21215	- Lighted Buoy 2A	29-22-50.754N 093-13-15.003W	FI R 4s		4	Red.	
CALCASIEU RIVER AND LAKE (Chart 11347)							
Calcasieu Channel							
21220	- Lighted Buoy 2B	29-27-20.544N 093-13-19.426W	Q R		3	Red.	
21225	- Lighted Buoy 3 100 feet outside channel limit.	29-28-58.834N 093-13-32.715W	FI G 4s		4	Green.	
21230	- Lighted Buoy 4 100 feet outside channel limit.	29-28-59.037N 093-13-21.407W	FI R 4s		4	Red.	
21235	- Lighted Buoy 5	29-30-00.857N 093-13-33.963W	FI G 2.5s		4	Green.	
21240	- Lighted Buoy 6	29-30-01.113N 093-13-22.657W	FI R 2.5s		3	Red.	
21245	- Lighted Buoy 7	29-30-52.503N 093-13-35.186W	FI G 4s		4	Green.	
21250	- Lighted Buoy 8	29-31-07.921N 093-13-27.567W	Q R		3	Red.	
21255	- Lighted Buoy 9	29-31-14.763N 093-13-43.777W	Q G		3	Green.	
21260	- Lighted Buoy 11	29-31-52.276N 093-14-17.177W	FI G 2.5s		4	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
CALCASIEU RIVER AND LAKE (Chart 11347)							
Calcasieu Channel							
21265	- Lighted Buoy 12	29-31-58.369N 093-14-08.287W	FI R 2.5s		3	Red.	
21270	- Lighted Buoy 14	29-32-47.352N 093-14-52.583W	FI R 4s		3	Red.	
21275	- Lighted Buoy 15	29-33-28.310N 093-15-44.054W	FI G 6s		4	Green.	
21280	- Lighted Buoy 16	29-33-34.900N 093-15-35.345W	FI R 6s		4	Red.	
21285	- Lighted Buoy 18	29-34-22.654N 093-16-18.769W	FI R 4s		3	Red.	
21290	- Lighted Buoy 19	29-35-04.911N 093-17-11.419W	FI G 6s		4	Green.	
21295	- Lighted Buoy 20	29-35-11.106N 093-17-02.587W	FI R 6s		4	Red.	
21300	- Lighted Buoy 22	29-35-58.705N 093-17-45.633W	FI R 4s		4	Red.	
21305	- Lighted Buoy 23	29-36-39.254N 093-18-36.740W	FI G 2.5s		4	Green.	
21310	- Lighted Buoy 24	29-36-46.207N 093-18-28.590W	FI R 2.5s		3	Red.	
21315	- Lighted Buoy 27	29-37-27.330N 093-19-22.309W	Q G		3	Green.	
21320	- Lighted Buoy 28	29-37-34.615N 093-19-10.018W	Q R		3	Red.	
21325	- A RANGE FRONT LIGHT	29-47-07.531N 093-20-52.052W	FI R 2.5s (NIGHT) FI W 2.5s (DAY)	44 47		Skeleton tower on piles.	
21335	- A RANGE REAR LIGHT 1941 yards, 351.8° from front light.	29-48-04.593N 093-21-01.478W	F R (NIGHT) F W (DAY)	148 145		Skeleton tower on piles.	
21340	- Lighted Buoy 29	29-38-38.991N 093-19-34.160W	FI G 2.5s		4	Green.	
21345	- Lighted Buoy 30	29-38-39.906N 093-19-22.878W	FI (2)R 5s		3	Red.	
21350	- Lighted Buoy 31	29-39-35.630N 093-19-43.482W	FI G 4s		4	Green.	
21355	- Lighted Buoy 32	29-39-37.348N 093-19-32.318W	FI R 4s		3	Red.	
21360	- Lighted Buoy 33	29-40-35.503N 093-19-53.328W	FI G 6s		4	Green.	
21365	- Lighted Buoy 34	29-40-37.363N 093-19-42.182W	FI R 6s		4	Red.	
21370	- Lighted Buoy 35	29-41-34.659N 093-20-03.051W	FI G 6s		4	Green.	
21375	- Lighted Buoy 36	29-41-37.438N 093-19-52.055W	FI R 6s		4	Red.	
21380	- Lighted Buoy 37	29-42-35.180N 093-20-13.000W	FI G 4s		4	Green.	Ra ref.
21385	- Lighted Buoy 38	29-42-35.406N 093-20-01.582W	FI R 4s		3	Red.	
21390	- Lighted Buoy 39	29-43-32.862N 093-20-22.481W	FI G 2.5s		4	Green.	
21395	- Lighted Buoy 40	29-43-32.444N 093-20-10.956W	FI R 2.5s		3	Red.	
21400	- WEST JETTY LIGHT 41	29-44-39.428N 093-20-33.231W	Q G	30	4	SG on square tower, on piles.	
21405	- EAST JETTY LIGHT 42	29-44-41.369N 093-20-22.445W	Q R	30	4	TR on square tower on piles.	
21410	- LIGHT 47 100 feet outside channel limit.	29-45-58.262N 093-20-47.778W	FI G 2.5s	17	4	SG on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
CALCASIEU RIVER AND LAKE (Chart 11347)							
Calcasieu Channel							
21415	- LIGHT 48 100 feet outside channel limit.	29-46-02.180N 093-20-35.340W	Q R	17	3	TR on pile.	
21420	NOAA CALCASIEU PASS TIDE MONITORING PLATFORM LIGHT	29-46-05.400N 093-20-34.370W	FI Y 2.5s	40		On platform.	Private aid.
21425	Monkey Island Day beacon 2	29-46-38.311N 093-20-29.116W				TR on pile.	
21430	- LIGHT 50 130 feet outside channel limit.	29-46-40.678N 093-20-40.276W	FI R 2.5s	17	3	TR on pile.	
21435	- LIGHT 52 50 feet outside channel limit.	29-47-55.033N 093-20-43.194W	FI R 4s	17	4	TR on pile.	
21440	- LIGHT 53 130 feet outside channel limit.	29-48-09.441N 093-20-54.316W	FI G 4s	17	4	SG on skeleton tower on piles.	
21445	St Johns Island Day beacon 2	29-50-37.989N 093-19-39.954W				TR on pile.	
21447	<i>Calcasieu Lake Lighted Danger Buoy A</i>	29-50-45.770N 093-19-25.595W	FI W 2.5s		3	White can.	Labeled "DANGER ROCKS".
21447.03	<i>Calcasieu Lake Lighted Danger Buoy B</i>	29-50-50.500N 093-18-57.500W	FI W 4s		3	White can.	Labeled "DANGER ROCKS".
21447.06	<i>Calcasieu Lake Lighted Danger Buoy C</i>	29-50-56.117N 093-18-27.348W	FI W 2.5s		3	White can.	Labeled "DANGER ROCKS".
21450	- LIGHT 56 130 feet outside channel limit.	29-49-17.506N 093-20-48.759W	FI R 2.5s	17	4	TR on pile.	
21455	- LIGHT 57	29-49-50.503N 093-20-58.998W	Q G	30	3	SG on skeleton tower on piles.	
21460	OYSTER BAYOU WEIR LIGHT 1	29-48-41.470N 093-23-51.771W	FI G 2.5s			SG on pile.	Private aid.
21465	OYSTER BAYOU WEIR LIGHT 2	29-48-41.088N 093-23-52.818W	FI R 2.5s			TR on pile.	Private aid.
21470	OYSTER BAYOU WEIR LIGHT 3	29-48-39.461N 093-23-50.806W	FI G 2.5s			SG on pile.	Private aid.
21475	OYSTER BAYOU WEIR LIGHT 4	29-48-39.079N 093-23-51.853W	FI R 2.5s			TR on pile.	Private aid.
21480	OYSTER BAYOU WEIR DANGER LIGHT	29-48-42.520N 093-23-51.828W	FI W 2.5s			NW on pile.	Private aid.
21485	OYSTER BAYOU WEIR DANGER LIGHT	29-48-42.627N 093-23-52.935W	FI W 2.5s			NW on pile.	Private aid.
21490	OYSTER BAYOU WEIR DANGER LIGHT	29-48-38.172N 093-23-51.468W	FI W 2.5s			NW on pile.	Private aid.
21495	OYSTER BAYOU WEIR DANGER LIGHT	29-48-38.596N 093-23-50.273W	FI W 2.5s			NW on pile.	Private aid.
21500	OYSTER BAYOU EAST DANGER LIGHT	29-49-03.180N 093-22-24.231W	FI W 2.5s			NW on pile.	Private aid.
21505	OYSTER BAYOU EAST DANGER LIGHT	29-49-02.181N 093-22-24.218W	FI W 2.5s			NW on pile.	Private aid.
21510	OYSTER BAYOU EAST DANGER LIGHT	29-49-04.042N 093-22-23.376W	FI W 2.5s			NW on pile.	Private aid.
21515	OYSTER BAYOU EAST DANGER LIGHT	29-49-04.017N 093-22-25.007W	FI W 2.5s			NW on pile.	Private aid.
21520	OYSTER BAYOU EAST DANGER LIGHT	29-49-01.363N 093-22-23.715W	FI W 2.5s			NW on pile.	Private aid.
21525	OYSTER BAYOU EAST DANGER LIGHT	29-49-01.347N 093-22-24.723W	FI W 2.5s			NW on pile.	Private aid.
21530	- B RANGE FRONT LIGHT	29-50-14.771N 093-20-56.977W	Q W	33		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
21535	- B RANGE REAR LIGHT 689 Yards, 358.0 f from front light.	29-50-35.204N 093-20-58.189W	Iso W 6s	60		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
CALCASIEU RIVER AND LAKE (Chart 11347)							
Calcasieu Channel							
21540	- C RANGE FRONT LIGHT	29-48-54.767N 093-21-00.232W	Q W	30		KRW on skeleton tower.	Visible 2° each side of rangeline.
21545	- C RANGE FRONT LIGHT PASSING LIGHT	29-48-54.774N 093-21-00.221W	FI G 2.5s	32	4	On same structure as Calcasieu Channel Range C Front Light.	
21550	- C RANGE REAR LIGHT 503 yards, 185.5° from front light.	29-48-39.859N 093-21-01.579W	Iso W 6s	55		KRW on skeleton tower.	Visible 2° each side of rangeline.
21555	- LIGHT 59	29-50-14.660N 093-20-56.922W	FI G 2.5s	35	4	SG on skeleton tower on piles. Same structure as Calcasieu Channel Range B Front Light.	
21560	- LIGHT 60	29-50-19.478N 093-20-47.012W	FI R 2.5s	17	4	TR on pile.	
21565	- LIGHT 61 130 feet outside channel limit.	29-51-09.587N 093-20-52.549W	FI G 4s	17	4	SG on skeleton tower on piles.	
21570	- LIGHT 62 130 feet outside channel limit.	29-51-09.786N 093-20-43.010W	FI R 4s	17	4	TR on pile.	
21575	- LIGHT 63 130 feet outside channel limit.	29-52-10.175N 093-20-46.128W	FI G 6s	17	4	SG on pile.	
21577	NATURE CONSERVANCY CALCASIEU LAKE WEST COVE DANGER LIGHT	29-52-23.770N 093-25-57.380W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.01	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-24.920N 093-25-54.580W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.02	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-26.740N 093-25-50.480W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.03	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-27.170N 093-25-49.140W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.04	NATURE CONSERVANCY CALCASIEU LAKE WEST COVE DANGER LIGHT	29-52-28.410N 093-25-44.410W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.05	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-28.780N 093-25-43.400W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.06	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-30.810N 093-25-39.080W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.07	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-31.540N 093-25-37.050W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.08	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-32.720N 093-25-33.970W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.09	NATURE CONSERVANCY CALCASIEU LAKE WEST COVE DANGER LIGHT	29-52-34.620N 093-25-29.670W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.11	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-35.350N 093-25-28.200W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.12	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-36.840N 093-25-24.050W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.13	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-37.440N 093-25-22.560W	FI W 2.5s			Marks shoreline reef.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
CALCASIEU RIVER AND LAKE (Chart 11347)							
Calcasieu Channel							
21577.14	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-38.630N 093-25-18.550W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.15	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-38.920N 093-25-17.080W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.16	NATURE CONSERVANCY CALCASIEU LAKE WEST COVE DANGER LIGHT	29-52-39.800N 093-25-13.010W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.17	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-40.370N 093-25-11.140W	FI W 2.5s			Marks shoreline reef.	Private aid.
21577.18	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-41.720N 093-25-07.040W	FI W 2.5s				Private aid.
21577.19	Nature Conservancy Calcasieu Lake West Cove Danger Day beacon	29-52-42.190N 093-25-05.780W	FI R 2.5s			Marks shoreline reef.	Private aid.
21577.21	NATURE CONSERVANCY CALCASIEU LAKE WEST COVE DANGER LIGHT	29-52-43.580N 093-25-01.130W	FI W 2.5s			Marks shoreline reef.	Private aid.
21580	- LIGHT 64 130 feet outside channel limit.	29-52-08.172N 093-20-37.317W	FI R 6s	17	4	TR on pile.	
21585	- PIPELINE LIGHT A	29-52-18.000N 093-20-30.000W	FI Y 2.5s	6		On piles worded DO NOT ANCHOR OR DREDGE.	Private aid.
21590	- PIPELINE LIGHT B	29-52-12.000N 093-20-47.000W	FI Y 2.5s	17		On piles worded DO NOT ANCHOR OR DREDGE.	Private aid.
21595	- LIGHT 65 130 feet outside channel limit.	29-53-07.783N 093-20-41.556W	FI G 4s	17	4	SG on skeleton tower on piles.	
21600	- LIGHT 66 130 feet outside channel limit.	29-53-08.971N 093-20-33.117W	FI (2)R 5s	17	3	TR on pile.	
21605	- LIGHT 67 130 feet outside channel limit.	29-54-05.642N 093-20-35.770W	FI G 4s	17	4	SG on pile.	
21610	- LIGHT 68 130 feet outside channel limit.	29-54-05.639N 093-20-27.708W	FI R 4s	17	4	TR on pile.	
21615	- LIGHT 69 130 feet outside channel limit.	29-54-56.842N 093-20-30.939W	FI G 2.5s	17	4	SG on pile.	
21620	- LIGHT 70	29-54-55.207N 093-20-23.380W	FI R 2.5s	17	4	TR on pile.	
21625	- LIGHT 71 130 feet outside channel limit.	29-55-46.293N 093-20-26.175W	FI G 4s	17	4	SG on pile.	
21630	- LIGHT 72	29-55-45.611N 093-20-18.785W	FI R 4s	17	3	TR on skeleton tower on piles.	
21635	- LIGHT 73 130 feet outside channel limit.	29-56-43.274N 093-20-21.557W	FI G 6s	17	4	SG on pile.	
21640	- LIGHT 74 130 feet outside channel limit.	29-56-42.656N 093-20-13.640W	FI R 6s	17	4	TR on skeleton tower on piles.	
21645	- LIGHT 75	29-57-39.647N 093-20-16.580W	FI G 4s	17	4	SG on pile.	
21650	- LIGHT 76	29-57-39.272N 093-20-08.557W	FI R 2.5s	17	4	TR on pile.	
21655	- LIGHT 77 130 feet outside channel limit.	29-58-35.205N 093-20-11.420W	FI G 4s	17	4	SG on skeleton tower on piles.	
21660	- LIGHT 78 130 feet outside channel limit.	29-58-34.911N 093-20-03.481W	FI R 4s	17	4	TR on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
CALCASIEU RIVER AND LAKE (Chart 11347)							
Calcasieu Channel							
21665	- LIGHT 79	29-59-42.597N 093-20-05.095W	FI G 6s	17	4	SG on skeleton tower on piles.	
21670	- LIGHT 80	29-59-32.769N 093-19-58.436W	FI R 6s	17	4	TR on pile.	
21675	- LIGHT 81	30-00-27.082N 093-20-01.051W	FI G 2.5s	17	4	SG on skeleton tower on piles.	
21680	- LIGHT 82	30-00-26.615N 093-19-54.042W	FI R 2.5s	17	4	TR on skeleton tower on piles.	
21685	- LIGHT 83	30-01-19.532N 093-19-56.095W	FI G 6s	17	4	SG on skeleton tower on piles.	
21690	- LIGHT 84	30-01-18.764N 093-19-48.558W	FI R 6s	17	4	TR on pile.	
21695	CALCASIEU LAKE CHANNEL ENTRANCE LIGHT 2	30-01-25.500N 093-19-10.800W	Q R	10		TR on dolphin.	Private aid.
21700	- LIGHT 85 130 feet outside channel limit.	30-02-53.885N 093-19-47.314W	FI G 4s	17	4	SG on pile.	Ra ref.
21705	Cameron LNG Day beacon A	30-02-04.257N 093-19-52.345W				On pile.	CONTROLLED AREA. Private aid.
21710	Cameron LNG Day beacon B	30-02-09.726N 093-19-44.037W				On pile.	CONTROLLED AREA. Private aid.
21715	Cameron LNG Day beacon C	30-02-19.995N 093-19-38.125W				On pile.	CONTROLLED AREA. Private aid.
21720	Cameron LNG Day beacon D	30-02-29.623N 093-19-42.256W				On pile.	CONTROLLED AREA. Private aid.
21725	CAMERON LNG FACILITY SOUTH JETTY LIGHT	30-02-05.844N 093-19-52.701W	FI G 2.5s			On dolphin.	Private aid.
21730	- LIGHT 86 130 feet outside channel limit.	30-02-53.389N 093-19-40.121W	FI R 4s	17	4	TR on pile.	
21735	CAMERON LNG FACILITY NORTH JETTY LIGHT	30-02-33.834N 093-19-50.147W	FI G 2.5s			On dolphin.	Private aid.
21738	Cameron LNG Day beacon 1	30-02-42.000N 093-19-51.000W				Marks private channel.	Private aid.
21738.01	Cameron LNG Day beacon 2	30-02-44.000N 093-19-51.000W				Marks private channel.	Private aid.
21740	- D RANGE FRONT LIGHT	30-05-46.106N 093-19-28.142W	Iso R 2s (NIGHT) Iso W 2s (DAY)	27 30		Skeleton tower on piles.	Night: Visible 2° each side of rangeline. Day: Light visible only on rangeline. AIS - 993682018
21745	- D RANGE FRONT LIGHT PASSING LIGHT	30-05-46.016N 093-19-28.221W	FI R 4s	32	4	On same structure as Calcasieu Channel Range D Front Light.	
21750	- D RANGE REAR LIGHT 790 yards, 004.5° from front light.	30-06-09.466N 093-19-26.010W	Iso R 6s (NIGHT) Iso W 6s (DAY)	63 60		Skeleton tower on piles.	Night: Visible only on the rangeline. Day: Light visible only on rangeline. AIS - 993682019
21755	- LIGHT 87 130 feet outside channel limit.	30-03-50.444N 093-19-42.924W	FI G 6s	17	4	SG on skeleton tower on piles.	
21760	- LIGHT 88 130 feet outside channel limit.	30-03-51.343N 093-19-34.635W	FI R 6s	17	4	TR on pile.	
21765	- LIGHT 89 130 feet outside channel limit.	30-04-40.448N 093-19-37.728W	FI G 4s	17	4	SG on pile.	
21770	- LIGHT 90 130 feet outside channel limit.	30-04-38.357N 093-19-29.958W	FI R 4s	17	4	TR on skeleton tower on piles.	
21775	- LIGHT 91 50 feet outside channel limit.	30-05-18.123N 093-19-34.478W	FI G 2.5s	17	4	SG-SY on skeleton tower on piles.	
35410							

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
CALCASIEU RIVER AND LAKE (Chart 11347)							
Calcasieu Channel							
21780 35405	- LIGHT 92	30-05-21.790N 093-19-24.920W	FI R 2.5s	17	4	TR-SY on pile.	
21785 35390	DEVILS ELBOW LIGHT 1 90 yards outside channel limit.	30-05-48.804N 093-19-14.341W	Oc G 4s	17	3	SG-TY on pile.	Ra ref.
21790 35385	DEVILS ELBOW LIGHT 2 72 yards outside channel limit.	30-05-47.623N 093-19-01.149W	Oc R 4s	17	3	TR-SY on pile.	Ra ref.
21795 35380	DEVILS ELBOW LIGHT 3 88 yards outside channel limit.	30-06-16.399N 093-18-40.888W	FI G 2.5s	17	3	SG-TY on pile.	Ra ref.
21800 35375	DEVILS ELBOW JUNCTION LIGHT	30-06-14.039N 093-18-27.324W	FI (2+1)R 6s	20	3	JR-TY on skeleton tower.	
21805 35395	DEVILS ELBOW RANGE FRONT LIGHT	30-05-14.763N 093-19-47.153W	Q W	20		KRW-I on pile.	Visible all around; higher intensity on the rangeline.
21810 35400	DEVILS ELBOW RANGE REAR LIGHT 103 yards, 226.9° from front light.	30-05-12.642N 093-19-49.672W	Iso W 6s	40		KRW-1 on skeleton tower.	Visible all around; higher intensity on the rangeline.
21815	ALCOA METALS WEST DOLPHIN LIGHT	30-06-34.390N 093-17-56.620W	FI G 2.5s			On dolphin.	Private aid.
21820	ALCOA METALS DOCK LIGHTS (2)	30-06-35.000N 093-17-46.000W	FI G 2.5s			On pier.	Private aid.
21825	ALCOA METALS EAST DOLPHIN LIGHT	30-06-36.590N 093-17-38.860W	FI G 2.5s			On mooring dolphin.	Private aid.
21830 35365	DEVILS ELBOW INDUSTRIAL CANAL RANGE FRONT LIGHT 5	30-06-27.801N 093-18-19.678W	Q G	20		KRW-I and SG on skeleton tower on piles.	Visible all around. Higher intensity on rangeline. KRW-I for inbound traffic. SG for outboard traffic.
21835 35370	DEVILS ELBOW INDUSTRIAL CANAL RANGE REAR LIGHT 192 yards, 046.4° from front light.	30-06-31.843N 093-18-14.816W	F G	37		KRW-I on skeleton tower on piles.	Visible all around. Higher intensity on rangeline. Ra ref.
21840	DEVILS ELBOW INDUSTRIAL CANAL LIGHT 7	30-06-31.788N 093-18-08.461W	FI G 2.5s	17	3	SG on pile.	
21845	DEVILS ELBOW INDUSTRIAL CANAL LIGHT 8	30-06-27.305N 093-17-59.297W	FI R 2.5s	17	3	TR on pile.	
21850	DEVILS ELBOW INDUSTRIAL CANAL LIGHT 10 30 yards outside the channel limit.	30-06-30.399N 093-17-39.700W	Oc R 4s	17	3	TR on pile.	Ra ref.
21855	TRUNKLINE LNG DOLPHIN LIGHTS (4)	30-06-35.940N 093-17-17.500W	FI G 2.5s	19		On dolphin.	Private aid.
Calcasieu River							
21860	- LEADING LIGHT A	30-06-33.684N 093-20-05.010W	Iso W 6s	25	5	NB on skeleton tower on piles.	Visible all around; higher intensity on bearing 182°30'.
21865	- LIGHT 96	30-06-35.524N 093-19-55.451W	FI R 2.5s	17	4	TR on skeleton tower on pile.	
21870	- LIGHT 97	30-06-44.157N 093-20-08.906W	FI G 2.5s	17	4	SG on pile.	
21875	- LIGHT 98	30-06-46.160N 093-19-59.226W	Q R	17	4	TR on pile.	
21880	- LIGHT 99	30-06-58.337N 093-20-08.002W	FI G 4s	17	4	SG on dolphin.	
21885	- LIGHT 100	30-06-57.779N 093-19-59.156W	FI R 2.5s	17	4	TR on dolphin.	
21890	- LIGHT 101	30-07-27.974N 093-19-59.977W	FI G 4s	17	4	SG on pile.	
21895	- LIGHT 102	30-07-26.180N 093-19-50.443W	FI R 4s	17	4	TR on pile.	
21900	- LIGHT 103	30-07-51.301N 093-19-52.762W	FI G 2.5s	17	4	SG on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
CALCASIEU RIVER AND LAKE (Chart 11347)							
Calcasieu River							
21905	- E RANGE FRONT LIGHT	30-07-36.740N 093-19-44.491W	Q W	30		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
21910	- E RANGE REAR LIGHT 713 yards, 173.6° from front light.	30-07-15.748N 093-19-41.338W	Iso W 6s	40		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
21915	- LIGHT 104	30-08-05.370N 093-19-44.760W	FI R 2.5s	17	4	TR on pile.	
21920	- REFINING DOCK LIGHTS (3)	30-08-08.000N 093-19-14.000W	FI R 2.5s	13		On dolphins.	Private aid.
21925	- LIGHT 106	30-08-41.450N 093-19-50.034W	FI R 4s	17	4	TR on skeleton tower on piles.	
21930	- LIGHT 108	30-09-10.793N 093-19-52.016W	Q R	17	4	TR on pile.	Ra ref.
21935	DAVISON CHEMICAL DOCK LIGHTS (2)	30-09-17.000N 093-19-55.000W	F G	13		On dolphin.	Private aid.
21940	CLIFTON RIDGE TANKER DOCK LIGHTS (2)	30-09-24.500N 093-19-48.600W	FI G 2.5s	18		On each end of dock.	Private aid.
21945	CLIFTON RIDGE DOCK LIGHTS (3)	30-09-27.000N 093-14-46.000W	F W			On dock.	Private aid.
21950	- LIGHT 110	30-09-39.946N 093-19-08.613W	FI R 2.5s	17	3	TR on pile.	
Citgo Petroleum							
21955	- PIPELINE FACILITY DOLPHIN LIGHT	30-09-36.000N 093-19-25.000W	FI G 2.5s	9		On dolphin.	Private aid.
21960	CALCASIEU RIVER LIGHT 109	30-09-43.055N 093-19-17.042W	Q G	17	4	SG on pile.	
21965	- MANUFACTURING COMPLEX BULKHEAD LIGHTS(2)	30-09-59.870N 093-19-13.920W	FI G 2.5s	8		On bulkhead.	Private aid.
21970	- REFINING DOCK A LIGHTS (2)	30-10-24.000N 093-19-06.000W	FI G 2.5s			On dock.	Private aid.
21975	- REFINING DOCK A TURNING LIGHT	30-10-18.900N 093-19-10.400W	FI G 2.5s	14		On pile.	Private aid.
21980	- REFINING DOCK B LIGHTS (2)	30-10-24.000N 093-19-06.000W	FI G 2.5s			On dock.	Private aid.
21985	CALCASIEU RIVER LIGHT 112	30-10-31.152N 093-19-00.673W	Q R	17	4	TR on pile.	
21990	- REFINING DOCK C LIGHTS (2)	30-10-42.000N 093-19-54.000W	FI G 2.5s			On dock.	Private aid.
21995	- REFINING DOCK P LIGHTS (2)	30-10-54.000N 093-18-48.000W	FI G 2.5s			On dock.	Private aid.
22000	- REFINING DOCK D LIGHTS (2)	30-11-54.000N 093-18-42.000W	FI G 2.5s			On dock.	Private aid.
Calcasieu River							
22005	- LIGHT 114	30-11-03.952N 093-18-19.395W	FI R 2.5s	17	4	TR on pile.	
Cline Canal							
22010	- Entrance Day beacon 1	30-11-52.400N 093-16-17.520W				SG on pile.	Private aid.
22015	- Entrance Day beacon 3	30-11-50.340N 093-16-13.220W				SG on pile.	Private aid.
22020	- Entrance Day beacon 5	30-11-49.100N 093-16-08.520W				SG on pile.	Private aid.
Coon Island Channel							
22025	- LIGHT 1	30-12-19.211N 093-16-44.500W	FI G 2.5s	17	4	SG on pile.	
22030	- LIGHT 2	30-12-21.825N 093-16-37.524W	FI R 2.5s	17	4	TR on pile.	Ra ref.
22035	- A RANGE FRONT LIGHT	30-13-06.646N 093-16-53.636W	Q G	15		Skeleton tower.	Lighted throughout 24 hours.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
CALCASIEU RIVER AND LAKE (Chart 11347)							
Calcasieu River							
Coon Island Channel							
22040	- A RANGE REAR LIGHT 200 yards, 347° from front light.	30-13-13.784N 093-16-55.506W	Oc G 4s	34		Skeleton tower.	Higher intensity beam on rangeline.
22045	- Day beacon 1A	30-12-30.772N 093-16-46.499W				SG on pile.	
22050	- LIGHT 3	30-12-45.985N 093-16-51.023W	FI G 4s	17	4	SG on pile.	
22055	- LIGHT 4	30-12-45.456N 093-16-45.448W	FI R 4s	17	4	TR on pile.	
22060	- LIGHT 6	30-12-53.541N 093-16-47.181W	FI R 6s	17	3	TR on pile.	
22065	PPG SOUTH LOADING TERMINAL DOCK LIGHTS (2)	30-12-52.300N 093-16-51.900W	F G	12		On sheerpiped caissons.	Private aid.
22070	- LIGHT 8	30-13-04.258N 093-16-47.702W	FI R 2.5s	17	3	TR on pile.	
22075	PPG RIVERSIDE POWER HOUSE LIGHT	30-13-15.500N 093-16-47.700W	F G	10		On corner of structure.	Private aid.
22080	PPG CHLORINE LOADING DOCK LIGHT	30-13-22.200N 093-16-44.300W	F G	16		On corner of dock.	Private aid.
22085	PPG CAUSTIC LOADING DOCK LIGHTS (2)	30-13-26.000N 093-16-37.400W	F G	11		On sheerpiped caissons on ends of dock.	Private aid.
22090	- LIGHT 10 75 feet outside channel limit.	30-13-14.160N 093-16-44.358W	FI R 4s	17	3	TR on pile.	
22095	- Day beacon 12	30-13-16.191N 093-16-41.302W				TR on pile.	
22100	- LIGHT 14	30-13-13.852N 093-16-33.428W	FI R 6s	17	3	TR on pile.	
22105	- LIGHT 16	30-13-17.313N 093-16-28.450W	FI R 2.5s	17	3	TR on pile.	
Calcasieu River							
22110	- Buoy 115	30-11-52.381N 093-17-20.490W				Green can.	
22115	Bayou D'Inde Junction Buoy BD	30-11-53.686N 093-17-17.112W				Green can with red band.	
22120	- LIGHT 115A	30-12-23.401N 093-16-29.105W	FI G 2.5s	17	4	SG on pile.	
22125	- LIGHT 116	30-12-17.917N 093-16-22.688W	Q R	17	4	TR on pile.	
22130	- LIGHT 117	30-12-26.424N 093-16-18.628W	Q G	17	4	SG on pile.	
22135	- LIGHT 118	30-12-20.780N 093-15-54.636W	FI R 2.5s	17	4	TR on pile.	
22140	- LIGHT 119	30-12-43.009N 093-15-35.786W	FI G 2.5s	17	4	SG on pile.	
22145	- LIGHT 120	30-12-35.743N 093-15-29.530W	Q R	17	4	TR on pile.	
22150	- PIER 7 LIGHT	30-12-40.000N 093-15-26.000W	FI R 2.5s	15		On pier.	Private aid.
22155	LAKE CHARLES HARBOR DOCK LIGHT A	30-13-03.000N 093-15-33.000W	FI R 2.5s	10		On dolphin.	Private aid.
22160	LAKE CHARLES HARBOR DOCK LIGHT B	30-13-08.000N 093-15-29.000W	FI R 2.5s	10		On dolphin.	Private aid.
22165	- LIGHT 121	30-13-09.504N 093-15-40.560W	Q G	17	4	SG on pile.	
Clooneys Loop							
22170	- LIGHT 2 130 feet outside channel limit.	30-13-03.856N 093-16-02.791W	FI R 4s	17	4	TR on pile.	
22175	- LIGHT 3 130 feet outside channel limit.	30-13-06.484N 093-16-13.760W	FI G 4s	17	4	SG on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LOUISIANA - Eighth District							
CALCASIEU RIVER AND LAKE (Chart 11347)							
Calcasieu River							
Clooneys Loop							
22180	CONOCO DOCK 1 DOLPHIN LIGHT	30-13-54.000N 093-15-29.500W	FI G 2.5s	12		On dolphin.	Private aid.
22185	CONOCO DOCK 1 LIGHTS (2)	30-13-53.800N 093-15-27.600W	FI G 2.5s	16		On dock.	Private aid.
22190	CONOCO DOCK 2 LIGHTS (2)	30-13-53.500N 093-15-18.500W	FI G 2.5s	16		On dock.	Private aid.
22195	CONOCO DOCK 2B LIGHTS(3)	30-13-48.780N 093-15-14.300W	FI G 2.5s	10		On dolphin.	Private aid.
22200	CONOCO DOCK 3 LIGHTS (2)	30-13-48.100N 093-15-14.000W	FI G 2.5s	16		On dock.	Private aid.
22205	CONOCO DOCK 3 DOLPHIN LIGHT	30-13-43.200N 093-15-10.000W	FI G 2.5s	12		On dolphin.	Private aid.
Calcasieu River							
22210	WESTLAKE DOCK LIGHT	30-13-11.000N 093-15-04.000W	F G	8		On concrete bridge pier.	Private aid.
22215	NORTH AMERICAN LAND COMPANY FUEL DOCK LIGHT A	30-13-10.000N 093-14-59.000W	FI G 2.5s	9		On pier.	Private aid.
22220	NORTH AMERICAN LAND COMPANY FUEL DOCK LIGHT B	30-13-10.000N 093-15-00.000W	FI G 2.5s	9		On pier.	Private aid.
22225	- LIGHT 122	30-13-08.479N 093-14-21.693W	Q R	17	4	TR on pile.	
22230	- Lighted Buoy 122A	30-13-17.225N 093-14-20.807W	FI R 4s		3	Red.	
22235	- LIGHT 123	30-13-10.892N 093-14-33.222W	Q G	17	3	SG on skeleton tower.	
22240	- LIGHT 125	30-13-22.224N 093-14-30.590W	FI G 2.5s	17	3	SG on pile.	
22245	- LIGHT 124	30-13-25.228N 093-14-23.981W	FI R 2.5s	17	3	TR on pile.	
22250	- LIGHT 126	30-13-37.970N 093-14-36.714W	FI R 4s	17	4	TR on pile.	
22255	- Day beacon 128	30-13-44.063N 093-14-40.664W				TR on pile.	
22260	- LIGHT 130	30-13-50.620N 093-14-42.399W	FI R 4s	17	4	TR on pile.	
22265	WESTLAKE SHIP BERTH 13 DOCK LIGHTS (2)	30-13-53.000N 093-14-50.000W	FI G 2.5s	11		On dock.	Private aid.
22270	- Day beacon 132	30-13-53.479N 093-14-38.878W				TR on pile.	
22275	- Day beacon 134	30-14-04.629N 093-14-39.784W				TR on pile.	
22280	- LIGHT 136	30-14-05.125N 093-14-44.278W	FI R 6s	17	4	TR on pile.	
22285	- EROSION EAST LIGHTS (2)	30-14-33.000N 093-14-44.000W	FI R 2.5s	10		On pile clusters.	Private aid.
22287	PORT OF LAKE CHARLES CONSTRUCTION DOCK LIGHTS (4)	30-14-41.630N 093-14-50.470W	FI W 2.5s			Marks construction docks A and B.	Private aid.
22290	- EROSION WEST LIGHTS (2)	30-14-32.000N 093-14-51.000W	FI G 2.5s	10		On pile clusters.	Private aid.
22295	LAKE CHARLES BULK TERMINAL NO.7 DOCK LIGHTS (2)	30-14-33.000N 093-13-03.000W	FI R 2.5s	23			Private aid.
22298	MCMICHAEL DOCK LIGHT	30-18-42.000N 093-16-45.000W	FI R 2.5s			Marks outermost upstream corner of dock.	Private aid.

TEXAS - LOUISIANA - Eighth District

CALCASIEU PASS TO SABINE PASS (Chart 11341)							
Sabine Bank Channel							
22300 1085	- Lighted Buoy SB	29-25-00.846N 093-40-00.586W	Mo (A) W		6	Red and white stripes with red spherical topmark.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - LOUISIANA - Eighth District							
CALCASIEU PASS TO SABINE PASS (Chart 11341)							
Sabine Bank Channel							
22305	- <i>Lighted Buoy 1</i> 100 feet outside channel limit.	29-26-04.845N 093-40-06.240W	FI G 4s		4	Green.	
22310	- <i>Lighted Buoy 2</i> 100 feet outside channel limit.	29-26-05.844N 093-39-55.586W	FI R 4s		4	Red.	
22315	- <i>Lighted Buoy 3</i> 100 feet outside channel limit.	29-27-07.972N 093-40-06.543W	FI G 6s		4	Green.	
22320	- <i>Lighted Buoy 4</i> 100 feet outside channel limit.	29-27-07.842N 093-39-54.930W	FI R 6s		4	Red.	
22325	- <i>Lighted Buoy 5</i> 100 feet outside channel limit.	29-28-12.840N 093-40-05.585W	FI G 2.5s		4	Green.	
22330	- <i>Lighted Buoy 6</i> 100 feet outside channel limit.	29-28-12.840N 093-39-54.585W	FI R 2.5s		3	Red.	
22335	- <i>Lighted Buoy 7</i>	29-28-42.719N 093-40-06.087W	Q G		3	Green.	
22340	- <i>Lighted Buoy 8</i> 50 feet outside channel limit.	29-28-55.839N 093-39-55.584W	Q R		3	Red.	
22345	- <i>Lighted Buoy 9</i>	29-29-01.035N 093-40-15.293W	Q G		3	Green.	
22350	- <i>Lighted Buoy 11</i> 100 feet outside channel limit.	29-29-20.377N 093-40-37.390W	FI G 2.5s		4	Green.	
22355	- <i>Lighted Buoy 12</i> 100 feet outside channel limit.	29-29-26.837N 093-40-27.585W	FI R 2.5s		4	Red.	
22360	- <i>Lighted Buoy 13</i> 100 feet outside channel limit.	29-30-15.455N 093-41-42.092W	FI G 4s		4	Green.	
22365	- <i>Lighted Buoy 14</i> 100 feet outside channel limit.	29-30-21.874N 093-41-33.473W	FI R 4s		3	Red.	
22370	- <i>Lighted Buoy 17</i> 100 feet outside channel limit.	29-31-38.031N 093-43-21.724W	FI G 4s		4	Green.	
22375	- <i>Lighted Buoy 18</i> 100 feet outside channel limit.	29-31-46.828N 093-43-10.585W	FI R 2.5s		4	Red.	
22380	- <i>Lighted Buoy 21</i> 100 feet outside channel limit.	29-33-03.194N 093-45-01.032W	FI G 4s		4	Green.	
22385	- <i>Lighted Buoy 22</i> 100 feet outside channel limit.	29-33-10.822N 093-44-51.085W	FI R 4s		3	Red.	
22390	- <i>Lighted Buoy 25</i> 100 feet outside channel limit.	29-34-27.600N 093-46-39.694W	FI G 4s		4	Green.	
22395	- <i>Lighted Buoy 26</i> 100 feet outside channel limit.	29-34-37.239N 093-46-31.347W	FI R 4s		4	Red.	
22400	- <i>Lighted Buoy 29</i> 100 feet outside channel limit.	29-35-53.812N 093-48-20.590W	Q G		3	Green.	
22405	- <i>Lighted Buoy 30</i> 100 feet outside channel limit.	29-35-56.732N 093-48-06.663W	Q R		3	Red.	
22410	SABINE PASS OUTER A RANGE FRONT LIGHT	29-39-18.922N 093-49-51.015W	Q G	39		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
22415	SABINE PASS OUTER A RANGE REAR LIGHT 1,003 yards 337.5° from front light.	29-39-46.432N 093-50-04.060W	Iso G 6s	70		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - LOUISIANA - Eighth District							
SABINE PASS AND LAKE (Chart 11342)							
Sabine Bank Channel							
22420	- <i>Lighted Buoy 31</i> 200 feet outside channel limit.	29-36-43.075N 093-48-44.374W	FI G 2.5s		4	Green.	
22425	- <i>Lighted Buoy 32</i> 200 feet outside channel limit.	29-36-47.510N 093-48-32.690W	FI R 2.5s		3	Red.	
22430	- <i>Lighted Buoy 33</i> 200 feet outside channel limit.	29-37-39.807N 093-49-10.591W	FI G 2.5s		4	Green.	
22435	- <i>Lighted Buoy 34</i> 200 feet outside channel limit.	29-37-43.807N 093-48-57.590W	FI R 2.5s		3	Red.	
Sabine Pass							
22440 1105	- East Jetty Light	29-38-40.574N 093-49-21.938W	Iso W 2s	42	8	Cylindrical tower on piles. 25	
22445	East Side Dredging Range Front Day beacon	29-40-00.000N 093-50-06.000W				Black square slatted day mark on skeleton tower.	Range marks edge of channel for dredging purposes. May show fixed amber light when dredging is in progress. Maintained by U.S. Army Corps of Engineers Aid maintained by U.S. Army Corps of Engineers.
22450	East Side Dredging Range Rear Day beacon 1,350 yards, 338° from front day beacon					Orange square slatted day mark on skeleton tower.	Maintained by U.S. Army Corps of Engineers. May show fixed amber light when dredging is in progress. Aid maintained by U.S. Army Corps of Engineers.
22455	West Side Dredging Range Front Day beacon					Black square slatted day mark on skeleton tower.	Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. May show fixed amber light when dredging is in progress. Aid maintained by U.S. Army Corps of Engineers.
22460	West Side Dredging Range Rear Day beacon 1,740 yards, 338° from front day beacon.					Orange square slatted day mark on skeleton tower.	Maintained by U.S. Army Corps of Engineers. May show fixed amber light when dredging is in progress. Aid maintained by U.S. Army Corps of Engineers.
22465	- <i>Lighted Buoy 18</i> 50 feet outside channel limit.	29-38-36.814N 093-49-23.988W	Q R		3	Red.	
22470	- <i>Lighted Buoy 17</i>	29-38-37.861N 093-49-36.062W	Q G		3	Green.	
22475	- JETTY B RANGE FRONT LIGHT	29-41-37.207N 093-50-17.532W	Q R (NIGHT) Q W (DAY)	20 17			Visible 2° each side of rangeline.
22480	- JETTY B RANGE REAR LIGHT 600 yards, 347° from front light.	29-41-52.468N 093-50-21.484W	Oc R 4s (NIGHT) Oc W 4s (DAY)	50 47			Visible 2° each side of rangeline.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - LOUISIANA - Eighth District							
SABINE PASS AND LAKE (Chart 11342)							
Sabine Pass							
22485	- <i>Lighted Buoy 19</i> 50 feet outside channel limit.	29-39-27.291N 093-49-48.391W	FI G 2.5s		4	Green.	
22490	- <i>Lighted Buoy 20</i> 50 feet outside channel limit.	29-39-28.802N 093-49-38.891W	FI R 2.5s		3	Red.	
22495	- <i>Lighted Buoy 21</i> 50 feet outside channel limit.	29-40-17.799N 093-50-01.591W	FI G 2.5s		4	Green.	
22500	- <i>Lighted Buoy 22</i> 50 feet outside channel limit.	29-40-19.921N 093-49-51.655W	FI R 2.5s		3	Red.	
22505	- <i>Lighted Buoy 26</i> 50 feet outside channel limit.	29-41-03.322N 093-50-00.498W	Q R		3	Red.	
22510	Jetty Channel Dredging East Side Range Front Day beacon					Black triangular day mark on skeleton tower.	Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
22515	Jetty Channel Dredging East Side Range Rear Day beacon					Orange square day mark on skeleton tower.	Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
22520	Jetty Channel Dredging West Side Range Front Day beacon					Black triangular day mark on skeleton tower.	Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
22525	Jetty Channel Dredging West Side Range Rear Day beacon					Orange square day mark on skeleton tower.	Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
22530	- <i>Lighted Buoy 27</i>	29-41-21.511N 093-50-19.783W	Q G		3	Green.	
22535	- C RANGE FRONT LIGHT	29-45-28.981N 093-53-24.448W	Iso R 2s (NIGHT) Iso W 2s (DAY)	27 25		Skeleton tower on piles.	Visible all around, higher intensity on rangeline.
22540	- C RANGE REAR LIGHT 1,123 yards, 323.0° from front light.	29-45-54.621N 093-53-44.193W	Iso R 6s (NIGHT) Iso W 6s (DAY)	70 67		Skeleton tower on piles.	Lighted throughout 24 hours. Visible 1° each side of rangeline.
22545	- C RANGE REAR LIGHT PASSING LIGHT	29-45-54.630N 093-53-44.202W	FI R 4s		20 3	On same structure as Sabine Pass C Range Rear Light.	
22550	- <i>Lighted Buoy 29</i> 50 feet outside channel limit.	29-41-51.595N 093-50-42.891W	FI G 2.5s		4	Green.	
22555	- <i>Lighted Buoy 30</i>	29-41-53.649N 093-50-33.363W	FI R 2.5s		3	Red.	
22560	- <i>Lighted Buoy 32</i> 50 feet outside channel limit.	29-42-23.793N 093-50-57.192W	FI R 4s		3	Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - LOUISIANA - Eighth District							
SABINE PASS AND LAKE (Chart 11342)							
Sabine Pass							
22565	- Lighted Buoy 34 50 feet outside channel limit.	29-42-54.816N 093-51-21.529W	FI R 6s		3	Red nun.	
22570	- Lighted Buoy 36	29-43-27.790N 093-51-46.193W	FI R 4s		3	Red.	
22575	- ANCHORAGE BASIN LIGHT A	29-44-05.068N 093-51-54.304W	FI Y 4s	17	5	NY on dolphin.	
22580	- LNG WEST MOORING DOLPHIN LIGHT	29-44-32.800N 093-52-24.700W	FI W 2.5s	19		Mooring dolphin.	Private aid.
22585	- LNG EAST MOORING DOLPHIN LIGHT	29-44-26.300N 093-52-13.500W	FI W 2.5s	19		Mooring dolphin.	Private aid.
22590	- LNG WEST RANGE FRONT LIGHT	29-44-43.400N 093-52-07.700W	F G		35	KGW on tower.	Visible only f from 175°T to 245°T. Private aid.
22595	- LNG WEST RANGE REAR LIGHT	29-44-48.300N 093-52-02.400W	F G		45	KGW on tower.	Visible only f from 175°T to 245°T. Private aid.
22600	- LNG EAST RANGE FRONT LIGHT	29-44-42.000N 093-52-05.000W	F R		34	KRW on tower.	Visible only f from 175°T to 245°T. Private aid.
22605	- LNG EAST RANGE REAR LIGHT	29-44-47.000N 093-52-01.400W	F R		45	KRW on tower.	Visible only f from 175° to 245°. Private aid.
22610	- LIGHT 37	29-44-00.024N 093-52-22.408W	Q G	17	4	SG on pile.	
22615	- BATTLEGROUND STATE PARK ENTRANCE LIGHT 1	29-44-03.750N 093-52-28.450W	FI G 6s			SG on pile.	Private aid.
22620	- Battleground State Park Day beacon 2	29-44-03.880N 093-52-28.770W				TR on pile.	Private aid.
22625	- Anchorage Lighted Buoy B	29-44-11.937N 093-52-13.977W	FI Y 6s			Yellow.	Marks northern most point of anchorage.
22630	- LIGHT 38	29-44-34.146N 093-52-36.230W	Q R	17	3	TR on pile.	
22635	- LIGHT 39	29-45-04.456N 093-53-11.085W	Q G	17	4	SG on pile.	
Chevron Sabine Facility Channel							
22640	Cox Sabine Facility Channel Channel Buoy 1	29-45-35.000N 093-53-19.000W				Green can.	Private aid.
22645	Cox Sabine Facility Channel Buoy 2	29-45-33.000N 093-53-13.000W				Red nun.	Private aid.
22650	Cox Sabine Facility Channel Buoy 3	29-45-39.000N 093-53-16.000W				Green can.	Private aid.
22655	Cox Sabine Facility Channel Buoy 4	29-45-38.000N 093-53-15.000W				Red nun.	Private aid.
22660	Cox Sabine Facility Channel Buoy 5	29-45-44.000N 093-53-13.000W				Green can.	Private aid.
22665	Cox Sabine Facility Channel Buoy 6	29-45-43.000N 093-53-12.000W				Red nun.	Private aid.
22670	Cox Sabine Facility Channel Buoy 7	29-45-47.000N 093-53-12.000W				Green can.	Private aid.
22675	Cox Sabine Facility Channel Buoy 8	29-45-46.000N 093-53-10.000W				Red nun.	Private aid.
22680	Cox Sabine Facility Channel Buoy 9	29-45-50.000N 093-53-10.000W				Green can.	Private aid.
22685	Cox Sabine Facility Channel Buoy 10	29-45-49.000N 093-53-08.000W				Red nun.	Private aid.
22690	Cox Sabine Facility Channel Buoy 11	29-45-53.000N 093-53-07.000W				Green can.	Private aid.
22695	Cox Sabine Facility Channel Buoy 12	29-45-52.000N 093-53-06.000W				Red nun.	Private aid.
22700	Cox Sabine Facility Channel Buoy 13	29-45-54.000N 093-53-06.000W				Green can.	Private aid.
22705	Cox Sabine Facility Channel Buoy 14	29-45-52.000N 093-53-05.000W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - LOUISIANA - Eighth District							
SABINE PASS AND LAKE (Chart 11342)							
Sabine Pass							
Chevron Sabine Facility Channel							
22710	Cox Sabine Facility Channel Buoy 15	29-45-56.000N 093-53-04.000W				Green can.	Private aid.
22715	Cox Sabine Facility Channel Buoy 16	29-45-52.000N 093-53-03.000W				Red nun.	Private aid.
22720	Cox Sabine Facility Channel Buoy 17	29-45-55.000N 093-53-01.000W				Green can.	Private aid.
22725	Cox Sabine Facility Channel Buoy 18	29-45-53.000N 093-53-02.000W				Red nun.	Private aid.
22730	Cox Sabine Facility Channel Danger Buoy A	29-45-31.000N 093-53-11.000W				White with orange diamond.	Private aid.
22735	Cox Sabine Facility Channel Danger Buoy B	29-45-32.000N 093-53-16.000W				White with orange diamond.	Private aid.
22740	Cox Sabine Facility Channel Danger Buoy C	29-45-37.000N 093-53-22.000W				White with orange diamond.	Private aid.
22745	Cox Sabine Facility Channel Danger Buoy D	29-45-47.000N 093-53-18.000W				White with orange diamond.	Private aid.
22750	Cox Sabine Facility Channel Danger Buoy E	29-45-52.000N 093-53-16.000W				White with orange diamond.	Private aid.
22755	Cox Sabine Facility Channel Danger Buoy F	29-45-57.000N 093-53-13.000W				White with orange diamond.	Private aid.
22760	Cox Sabine Facility Channel Rear Range Day mark	29-46-04.000N 093-53-00.000W				KRW on pile.	Private aid.
22765	Cox Sabine Facility Channel Front Range Day mark	29-46-01.000N 093-53-02.000W				KRW on pile.	Private aid.
Sabine Lake							
Scurlock Channel							
22770	TEXAS WATER BOARD RESEARCH LIGHT TOWER A	29-56-15.000N 093-48-30.000W	FI Y 4s		6	NY on pile.	Ra ref. Private aid.
Port Arthur Canal							
22780	- LIGHT 40	29-45-37.091N 093-53-51.180W	Q R		17 4	TR on pile.	
22785	- D RANGE FRONT LIGHT	29-45-16.162N 093-53-01.753W	Q W		37	Skeleton tower on piles.	Lighted throughout 24 hours.
22790	- D RANGE REAR LIGHT 727 yards, 108.1° from front light.	29-45-08.409N 093-52-38.658W	Iso W 6s		76	Skeleton tower on piles.	Lighted throughout 24 hours.
22795	<i>Golden Pass LNG Berthing Lighted Entrance Buoy A</i>	29-45-52.170N 093-55-00.310W	FI Y 4s			Yellow.	Private aid.
22800	<i>Golden Pass LNG Berthing Lighted Entrance Buoy B</i>	29-46-03.750N 093-55-14.760W	FI Y 4s			Yellow.	Private aid.
22805	<i>Golden Pass LNG Berthing Lighted Entrance Buoy C</i>	29-46-04.150N 093-55-36.120W	FI Y 4s			Yellow.	Private aid.
22810	- E RANGE FRONT LIGHT	29-46-20.183N 093-56-12.962W	Q G		26	KRW on skeleton tower.	For upbound traffic. Visible for 2° each side of rangeline.
22815	- E RANGE FRONT LIGHT PASSING LIGHT	29-46-20.118N 093-56-12.973W	Q G		10 3	KRW on skeleton tower. On same structure as Port Arthur Canal Range E Front Light.	
22820	- E RANGE REAR LIGHT 550 yards, 291° from front light.	29-46-25.763N 093-56-29.683W	Iso G 6s		54	KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
22825	- LIGHT 43	29-46-31.608N 093-56-28.060W	FI G 2.5s		17 5	SG on pile.	
22830	- LIGHT 45	29-46-47.819N 093-56-42.446W	Q G		30 4	SG on skeleton tower on piles. Same structure as Port Arthur Canal Range F Front Light.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - LOUISIANA - Eighth District							
SABINE PASS AND LAKE (Chart 11342)							
Port Arthur Canal							
22835	- F RANGE FRONT LIGHT	29-46-47.825N 093-56-42.450W	Q G	31		KRW on skeleton tower on piles. Same structure as Port Arthur Canal Light 45.	For downbound traffic. Visible 2° each side of rangeline.
22840	- F RANGE REAR LIGHT 635 yards, 162.3° from front light.	29-46-30.339N 093-56-36.043W	Iso G 6s	55		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
22845	- LIGHT 46	29-46-55.308N 093-56-37.869W	Q R	17	4	TR on pile.	
22850	- G RANGE FRONT LIGHT	29-49-34.309N 093-57-43.517W	Q G (NIGHT) Q W (DAY)	36 38			Ra ref. Lighted throughout 24 hours.
22855	- G RANGE REAR LIGHT 429 yards, 339.7° from front light.	29-49-46.431N 093-57-48.003W	Iso G 6s (NIGHT) Iso W 6s (DAY)	73 71			Ra ref. Lighted throughout 24 hours.
22860	- LIGHT 47	29-47-02.394N 093-56-52.924W	FI G 4s	17	5	SG on pile.	
22865	- LIGHT 48	29-49-03.796N 093-57-26.798W	FI R 4s	17	3	TR on pile.	
22867	TGS DEVELOPMENT PI DOCK MOORING PILE LIGHT	29-49-20.824N 093-57-24.441W	FI R 6s			Marks outermost mooring pile.	Private aid.
22867.01	TGS DEVELOPMENT PI DOCK FRONT RANGE LIGHT	29-49-25.683N 093-57-11.435W	F G	69		KGW on tower.	Private aid.
22867.02	TGS DEVELOPMENT PI DOCK REAR RANGE LIGHT	29-49-27.990N 093-57-06.413W	F G	85		KGW on tower.	Private aid.
22870 35740	- LIGHT 49	29-49-23.493N 093-57-45.195W	FI G 4s	17	4	SG-SY on pile.	
22875	TAYLOR BAYOU TURNING BASIN LIGHT 1	29-50-10.013N 093-58-05.857W	FI G 4s	17	4	SG on pile.	
22876	OXBOW CALCINING DOCK LIGHT	29-50-08.800N 093-57-59.800W	FI R 2.5s			Light marks outermost upstream dock structure.	Private aid.
22880	MOTIVA DOCK LIGHTS (2)	29-49-48.059N 093-57-33.505W	FI R 2.5s			On dock.	Private aid.
Sabine-Neches Canal							
22885 35735	- LIGHT 50	29-49-48.673N 093-57-12.315W	FI R 2.5s	17	4	TR-SY on pile.	Ra ref.
22890 35730	- LIGHT 50A	29-50-20.211N 093-57-06.188W	FI R 4s	17	3	TR-SY on pile.	Ra ref.
22895 35725	- LIGHT 51	29-50-48.687N 093-57-06.548W	FI G 4s	17	4	SG-TY on pile.	
22900 35720	- LIGHT 52	29-50-45.168N 093-56-58.394W	Q R	17	4	TR-SY on pile.	
22905 35710	- H RANGE FRONT LIGHT	29-52-05.832N 093-55-49.118W	Q R	42		KRW-I on skeleton tower on block.	For upbound traffic Visible 2° each side of rangeline.
22910 35715	- H RANGE REAR LIGHT 326 yards, 040.0° from front light.	29-52-13.251N 093-55-41.974W	Iso R 6s	49		KRW on skeleton tower on concrete block.	
22915 35705	- LIGHT 52A	29-51-36.262N 093-56-12.650W	FI R 2.5s	17	4	TR-SY on pile.	Ra ref.
22920 35700	- LIGHT 54	29-53-27.573N 093-54-37.275W	FI R 4s	17	4	TR-SY on pile.	
22925 35695	- LIGHT 56	29-54-06.059N 093-53-55.405W	FI R 4s	17	4	TR-SY on pile.	
22930 35690	- LIGHT 58	29-54-36.408N 093-53-29.077W	FI R 4s	17	3	TR-SY on pile.	Ra ref.
22935 35685	- LIGHT 60	29-54-55.621N 093-53-10.641W	FI R 2.5s	17	4	TR-SY on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - LOUISIANA - Eighth District							
SABINE PASS AND LAKE (Chart 11342)							
Sabine-Neches Canal							
22940 35680	- LIGHT 62	29-55-43.904N 093-52-26.839W	FI R 4s	17	4	TR-SY on pile.	
22945 35670	- L RANGE FRONT LIGHT	29-56-35.682N 093-51-46.591W	Q W	32		KRW-I on skeleton tower on piles.	
22950 35675	- L RANGE REAR LIGHT 957 yards, 037.6° from front light.	29-56-58.197N 093-51-26.690W	Iso W 6s	56		KRW on skeleton tower on piles.	
22955 35655	- K RANGE FRONT LIGHT	29-56-04.480N 093-52-05.146W	Q W (NIGHT) Q W (DAY)	30 30			
22960 35660	- K RANGE FRONT PASSING LIGHT	29-56-04.480N 093-52-05.146W	FI R 2.5s	15	3	On same structure as Neches Canal Range K Front Light.	
22965 35665	- K RANGE REAR LIGHT 1088 yards, 197.4° from front light.	29-55-34.101N 093-52-17.831W	Iso W 6s (NIGHT) Iso W 6s (DAY)	53 70			Visible only on rangeline. Lighted throughout 24 hours.
22970 35630	- M UPPER RANGE FRONT LIGHT	29-58-15.912N 093-51-10.204W	Q W	29		On skeleton tower.	For upbound traffic. Visible 2° each side of rangeline. Lighted throughout 24 hours.
22975 35635	- M UPPER RANGE REAR LIGHT 745 yards, 020.1° from front light.	29-58-37.577N 093-51-01.130W	Iso W 6s	40		On skeleton tower on piles. On same structure as Neches River Outer Range R Rear Light.	
22980 35650	- LIGHT 64	29-56-56.521N 093-51-39.189W	FI R 4s	17	4	TR-SY on pile.	Ra ref.
22985 35645	- Buoy 64A	29-57-33.927N 093-51-21.846W				Red nun with yellow square.	
22990	- LEADING LIGHT A	29-57-46.323N 093-51-09.403W	FI W 4s	17	7	NR on dolphin.	
22995 35640	- LIGHT 65	29-57-57.250N 093-51-24.998W	FI G 4s	17	4	SG-TY on pile.	
23000 35625	- LIGHT 66	29-58-04.708N 093-51-08.228W	FI R 2.5s	17	4	TR-SY on pile.	
23005 35615	- N RANGE FRONT LIGHT	29-58-02.223N 093-51-44.648W	Q G (NIGHT) Q W (DAY)	35 38		On skeleton tower on piles.	For westbound traffic.
23010 35620	- N RANGE REAR LIGHT 984 yards, 250.1° from front light.	29-57-52.310N 093-52-16.094W	Iso G 6s (NIGHT) Iso W 6s (DAY)	91 89		On skeleton tower on piles.	Range is not effective inland of Sabine-Neches Canal Buoys 75 and 76.
SABINE AND NECHES RIVER (Chart 11343)							
Sabine-Neches Canal							
23015 35610	- Buoy 67	29-58-27.437N 093-50-36.611W				Green can with yellow triangle.	
23020 35605	- Buoy 68	29-58-22.031N 093-50-33.350W				Red nun with yellow square.	
23025 35600	- Buoy 69	29-58-32.871N 093-50-15.026W				Green can with yellow triangle.	
23030 35595	- Buoy 70	29-58-28.839N 093-50-12.653W				Red nun with yellow square.	
23035 35590	- Buoy 71	29-58-39.735N 093-49-53.000W				Green can with yellow triangle.	
23040 35585	- Buoy 72	29-58-35.623N 093-49-51.175W				Red nun with yellow square.	
23045 35580	- LIGHT 73	29-58-49.867N 093-49-23.096W	FI G 4s	17	4	SG-TY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - LOUISIANA - Eighth District							
SABINE AND NECHES RIVER (Chart 11343)							
Sabine-Neches Canal							
23050 35575	- LIGHT 74	29-58-44.130N 093-49-21.324W	FI R 4s	17	4	TR-SY on pile.	
23055 35570	- Buoy 75	29-58-57.979N 093-48-54.786W				Green can with yellow triangle.	
23060 35565	- Buoy 76	29-58-54.009N 093-48-51.394W				Red nun with yellow square.	
23065 35560	- Buoy 77	29-59-06.647N 093-48-27.556W				Green can with yellow triangle.	
23070 35555	- Buoy 78	29-59-02.422N 093-48-25.344W				Red nun with yellow square.	
23075 35550	- Buoy 79	29-59-12.709N 093-48-07.890W				Green can with yellow triangle.	
23080 35545	- Buoy 80	29-59-08.722N 093-48-05.484W				Red nun with yellow square.	
23085 35535	- O RANGE FRONT LIGHT	29-59-30.974N 093-47-02.276W	Q R	20		KRW on skeleton tower.	For eastbound traffic.
23090 35540	- O RANGE REAR LIGHT 954 yards, 070.3° from front light.	29-59-40.570N 093-46-31.661W	FI R 4s	54		KRW on skeleton tower on mud sills.	
23095	- O RANGE REAR PASSING LIGHT	29-59-40.570N 093-46-31.661W	FI R 4s	10	4	On same structure as Neches Canal Range O Rear Light.	
Sabine River							
23100 35530	- LIGHT 1	29-59-51.077N 093-46-29.954W	FI G 2.5s	17	4	SG-TY on pile.	Ra ref.
23105.01 35525.01	- Lighted Buoy 2	29-59-59.407N 093-46-14.851W	FI R 4s		3	Red nun with yellow square.	
23110 35520	- Day beacon 4	30-00-50.085N 093-45-23.894W				TR-SY on pile.	
23115 35505	- LIGHT 5	30-00-51.162N 093-45-36.518W	FI G 4s	17	4	SG-TY on skeleton tower on piles.	
23120 35510	- P RANGE FRONT LIGHT	30-01-06.720N 093-45-15.876W	Q W	24		KRW-I on skeleton tower on piles.	Visible 4° either side of rangeline.
23125 35515	- P RANGE REAR LIGHT 1,204 yards, 038.9° from front light.	30-01-34.543N 093-44-50.090W	Iso W 6s	47		KRW-I on skeleton tower on piles.	
23130 35500	- LIGHT 8	30-01-04.832N 093-44-51.420W	FI R 2.5s	17	4	TR-SY on skeleton tower on piles.	
23135 35495	- Day beacon 10	30-01-13.405N 093-44-35.039W				TR-SY on pile.	
23140 35490	- LIGHT 11	30-01-21.578N 093-44-37.416W	FI G 4s	17	4	SG-TY on pile.	
23145 35485	- LIGHT 13	30-01-38.960N 093-44-26.574W	FI G 4s	17	4	SG-TY on pile.	
23150 35480	- Day beacon 13A	30-01-49.067N 093-44-24.648W				SG-TY on pile.	
23155 35475	- LIGHT 15	30-02-02.258N 093-44-24.174W	FI G 4s	17	4	SG-TY on pile.	
23160 35470	DYNEGY MIDSTREAM DOCK LIGHTS(2)	30-02-09.000N 093-44-21.000W	FI G 2.5s			On dolphins.	Private aid.
23165 35465	- LIGHT 16	30-02-16.838N 093-44-09.400W	Q R	17	4	TR-SY on pile.	
23170 35450	- OUTER Q RANGE FRONT LIGHT	30-02-22.394N 093-44-17.957W	Q W	25		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
23175 35455	- OUTER Q RANGE REAR LIGHT 464 yards, 231.6° from front light.	30-02-13.842N 093-44-30.362W	Iso W 6s	49		KRW on skeleton tower on mud sills.	Visible all around; higher intensity on rangeline.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - LOUISIANA - Eighth District							
SABINE AND NECHES RIVER (Chart 11343)							
Sabine River							
Adams Bayou							
23180	- LIGHT 2	30-02-55.205N	FI R 4s	17	3	TR-SY on pile.	
35445		093-43-46.772W					
23185	DUPONT LIGHT 1	30-03-24.000N	F G	22		On wharf.	Private aid.
		093-44-30.000W					
23190	DUPONT LIGHT 3	30-03-24.000N	F G	22		On wharf.	Private aid.
		093-44-30.000W					
23195	DUPONT LIGHT 5	30-03-24.000N	F G	22		On wharf.	Private aid.
		093-44-30.000W					
Sabine River							
23200	- LIGHT 20	30-02-54.372N	FI R 2.5s	17	3	TR-SY on pile.	
35440		093-43-27.260W					
23205	- Day beacon 21	30-03-15.258N				SG-TY on pile.	Ra ref.
35435		093-43-17.086W					
23210	- LIGHT 22	30-03-17.811N	FI R 4s	17	3	TR-TY on pile.	
35430		093-43-07.540W					
23215	- Day beacon 23	30-03-33.330N				SG on pile.	
		093-43-06.991W					
23220	- LIGHT 24	30-03-39.864N	FI R 4s	17	4	TR on dolphin.	
		093-42-57.130W					
23225	- Day beacon 25	30-03-43.570N				SG on pile.	
		093-43-07.735W					
23230	- Day beacon 26	30-04-10.026N				TR on pile.	Ra ref.
		093-42-55.062W					
23235	- LIGHT 27	30-03-56.626N	FI G 4s	17	4	SG on pile.	
		093-43-01.438W					
23240	Conway Bayou Danger Day beacon A	30-04-05.228N				NW on pile.	Ra ref.
		093-42-54.012W					
23245	Conway Bayou Danger Day beacon B	30-03-33.449N				NW on pile.	
		093-42-00.499W					
23250	- Day beacon 29	30-04-12.995N				SG on pile.	
		093-43-05.662W					
23255	- LIGHT 31	30-04-43.808N	FI G 4s	17	4	SG on pile.	
		093-43-28.168W					
23260	OLD RIVER OBSTRUCTION LIGHT 2	30-04-44.805N	Q R	17	3	TR on pile.	Ra ref.
		093-43-31.819W					
23265	OLD RIVER OBSTRUCTION LIGHT 2A	30-04-43.790N	Q R	17	3	TR on pile.	Ra ref.
		093-43-33.390W					
23270	- Obstruction Lighted Buoy 53	30-05-06.000N	Q G			Green.	Private aid.
		093-43-24.000W					
23275	NAVY PIER 10 LIGHTS (2)	30-05-50.400N	FI G 2.5s			On dolphin.	Maintained by U.S. Navy. Private aid.
		093-43-15.000W					
Orange County Pier							
23280	- LIGHT 6	30-06-01.000N	Q G	10		On pile.	Private aid.
		093-42-57.000W					
23285	- LIGHT 3	30-06-13.000N	Q G			On pile.	Private aid.
		093-42-51.000W					
23290	- LIGHT 2	30-06-18.000N	Q G			On pile.	Private aid.
		093-42-50.000W					

TEXAS - Eighth District**SABINE AND NECHES RIVERS (Chart 11343)****Neches River**

23295	- Lighted Buoy 2	29-58-14.501N	Q R		3	Red.	
		093-51-18.114W					
23300	- LIGHT 6	29-58-33.456N	FI R 4s	17	3	TR on pile.	
		093-51-26.922W					
23305	- LIGHT 7	29-58-30.932N	FI G 4s	17	4	SG on pile.	
		093-51-38.042W					
23310	- Buoy 9	29-58-36.647N				Green can.	
		093-51-47.041W					
23315	- OUTER R RANGE FRONT LIGHT	29-58-41.404N	FI W 2.5s	23		On dolphin.	
		093-51-24.987W					

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
SABINE AND NECHES RIVERS (Chart 11343)							
Neches River							
23320	- LIGHT 10	29-58-44.584N 093-51-44.740W	FI R 2.5s	14	3	TR on pile.	Ra ref.
23325	- OUTER R RANGE REAR LIGHT 711 yards, 100.4° from front light.	29-58-37.577N 093-51-01.130W	Iso W 6s	49		On skeleton tower on piles. On same structure as Sabine-Neches Canal Upper Range M Rear Light.	
23330	FINA WHARF LIGHT 1	29-58-00.800N 093-52-00.800W	F G	22		On pile.	Private aid.
23335	FINA WHARF LIGHT 3	29-58-00.800N 093-52-00.800W	F G	22		On pile.	Private aid.
23340	FINA WHARF LIGHT 5	29-58-00.800N 093-52-00.800W	F G	22		On pile.	Private aid.
23345	- LIGHT 14	29-58-58.207N 093-52-47.029W	FI R 4s	17	4	TR on skeleton tower on mud sills.	
23350	- LIGHT 19	29-59-05.018N 093-54-18.805W	Q G	17	4	SG on dolphin.	
23355	- LIGHT 20	29-59-14.613N 093-54-31.500W	FI R 4s	17	3	TR on dolphin.	
23360	- LIGHT 22	29-59-25.886N 093-55-29.583W	FI R 4s	17	3	TR on dolphin.	Ra ref.
23365	- S RANGE FRONT LIGHT	29-59-20.614N 093-55-38.020W	Q G	35		KRW on skeleton tower on mud sills.	For downbound traffic. Visible all around; higher intensity on rangeline.
23370	- S RANGE REAR LIGHT 131 yards, 113.2° from front light.	29-59-19.078N 093-55-33.910W	Iso G 6s	53		KRW on skeleton tower on mud sills.	
23375	TEXAS COMPANY WHARF LIGHTS (3)	29-59-36.000N 093-56-27.000W	FI G 2.5s	10		On wharf.	Private aid.
23380	TEXAS PETROCHEMICAL NECHES RIVER WHARF LIGHTS (4)	29-59-37.000N 093-56-35.000W	FI G 2.5s	10		On wharf.	Private aid.
23385	- LIGHT 26	29-59-56.691N 093-56-57.983W	FI R 4s	17	4	TR on dolphin.	
23390	CITY OF PORT NECHES WHARF LIGHTS (2)	30-00-10.870N 093-57-19.580W	FI G 2.5s	15			Private aid.
23395	- LIGHT 26A	30-00-18.716N 093-57-13.571W	FI R 2.5s	17	4	TR on pile.	
23400	- LIGHT 28	30-00-44.504N 093-57-22.113W	Q R	17	4	TR on dolphin.	
23405	- LIGHT 29	30-00-40.882N 093-57-32.573W	Q G	17	3	SG on pile.	
23410	- LIGHT 30	30-00-54.350N 093-57-41.201W	Q R	17	4	TR on pile.	Ra ref.
23415	SMITH BLUFF LIGHT 1	30-00-39.000N 093-58-08.000W	FI G 2.5s	20		Pile structure.	Private aid.
23420	SMITH BLUFF LIGHT 3	30-00-33.000N 093-58-26.000W	FI G 2.5s	20		Pile structure.	Private aid.
23425	- LIGHT 34	30-00-35.420N 093-58-52.491W	FI R 4s	17	3	TR on pile.	
23430	- T RANGE FRONT LIGHT	30-00-27.369N 093-58-41.632W	F G	37		On skeleton tower on block.	Lighted throughout 24 hours.
23435	- T RANGE REAR LIGHT 283 yards, 107.9° from front light.	30-00-24.787N 093-58-32.452W	F G	57		On skeleton tower on block.	Lighted throughout 24 hours.
23440	- U RANGE FRONT LIGHT	30-01-17.735N 094-01-41.161W	FI G 2.5s	15		Skeleton tower on piles.	Lighted throughout 24 hours.
23445	- U RANGE REAR LIGHT 562 yards, 287.8° from front light.	30-01-22.840N 094-01-59.434W	Iso G 6s	41		Skeleton tower.	Lighted throughout 24 hours.
23450	- LIGHT 40	30-00-54.120N 094-00-06.700W	FI R 4s	17	4	TR on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
SABINE AND NECHES RIVERS (Chart 11343)							
Neches River							
23455	- LIGHT 40A	30-01-14.111N 094-01-18.658W	FI R 2.5s	17	3	TR on pile.	
23460	- LIGHT 42	30-01-28.928N 094-01-41.548W	Q R	17	4	TR on pile.	
Oiltanking Dock Channel							
23465	- Buoy 1	30-01-37.144N 094-01-58.620W				Green can.	Private aid.
23470	- Buoy 2	30-01-39.387N 094-01-59.292W				Red nun.	Private aid.
23475	- Buoy 3	30-01-36.255N 094-02-01.380W				Green can.	Private aid.
23480	- Buoy 4	30-01-37.874N 094-02-02.330W				Red nun.	Private aid.
23485	- Buoy 5	30-01-34.815N 094-02-04.623W				Green can.	Private aid.
23490	- Buoy 6	30-01-36.434N 094-02-05.573W				Red nun.	Private aid.
23495	- Buoy 7	30-01-33.374N 094-02-07.865W				Green can.	Private aid.
23500	- Buoy 8	30-01-34.993N 094-02-08.815W				Red nun.	Private aid.
Neches River							
23506	ENTERPRISE PRODUCTS TERMINAL DOCK NORTH LIGHT	30-02-01.300N 094-02-01.400W	FI G 2.5s			Marks upstream end of dock.	Private aid.
23506.01	ENTERPRISE PRODUCTS TERMINAL DOCK MIDDLE LIGHT	30-01-52.700N 094-02-01.300W	FI G 2.5s			Marks outermost center of dock.	Private aid.
23506.02	ENTERPRISE PRODUCTS TERMINAL DOCK SOUTH LIGHT	30-01-43.100N 094-01-59.800W	FI G 2.5s			Marks downstream end of dock.	Private aid.
23510	ENTERPRISE PRODUCTS MOORING DOLPHIN LIGHT	30-02-10.410N 094-02-03.758W	FI G 2.5s			Marks mooring dolphin.	Private aid.
23515	- LIGHT 46	30-02-04.977N 094-01-52.508W	FI R 4s	17	4	TR on pile.	
23520	- LIGHT 49	30-02-19.567N 094-01-55.991W	FI G 4s	17	4	SG on dolphin.	
23525	STANDLOND CUT ENTRANCE LIGHT 2	30-02-25.800N 094-02-13.800W	FI R 2.5s			TR on pile.	Private aid.
23530	- LIGHT 51	30-02-49.400N 094-01-45.277W	Q G	17	4	SG on pile.	
23535	- LIGHT 54	30-02-51.849N 094-01-37.754W	FI R 4s	17	3	TR on pile.	
23540	- LIGHT 56	30-03-07.692N 094-01-38.426W	Q R	17	4	TR on skeleton tower on mud sills.	
23545	GULF STATES EROSION BARRIER LIGHTS (2)	30-03-22.000N 094-01-45.000W	Q R	13		On erosion barrier.	Private aid.
23550	- LIGHT 58	30-03-37.920N 094-01-58.650W	Q R	17	3	TR on dolphin.	
23555	- LIGHT 60	30-03-46.000N 094-02-12.497W	Q R	17	3	TR on dolphin.	
23560	NECHES INDUSTRIAL MOORING DOLPHIN LIGHTS (2)	30-34-02.000N 094-02-16.000W	FI G 2.5s	43		On dolphins.	Private aid.
23565	- LIGHT 63	30-03-44.268N 094-02-29.772W	FI G 4s	17	4	SG on pile.	
23570	POWER PLANT DIVERSION WALL LIGHTS (2)	30-03-56.000N 094-02-50.000W	FI G 2.5s	4			Private aid.
23575	- LIGHT 66	30-04-08.718N 094-02-56.771W	FI R 4s	17	4	TR on pile.	Ra ref.
23580	LOWER NECHES VALLEY DANGER LIGHT Marks submerged pipeline.	30-04-11.780N 094-03-11.590W	FI W 2.5s			On steel pile.	Private aid.
23585	- LIGHT 68	30-04-26.612N 094-03-19.137W	FI R 4s	17	4	TR on skeleton tower on piles.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
SABINE AND NECHES RIVERS (Chart 11343)							
Neches River							
23590	MOBIL CHEMICAL DOCK LIGHT 2	30-04-00.000N 094-03-33.000W	FI G 2.5s	15		On wharf.	Private aid.
23595	MOBIL NO. 5 WHARF LIGHTS (2)	30-04-34.000N 094-04-52.000W	FI G 2.5s	27		On dolphin.	Private aid.
23600	MOBIL NO. 4 WHARF LIGHTS (2)	30-04-36.000N 094-04-52.000W	FI G 2.5s	30		On end of dock.	Private aid.
23605	MOBIL NO. 2 WHARF LIGHTS (2)	30-04-36.000N 094-04-16.000W	FI G 2.5s	30		On end of dock.	Private aid.
23610	PORT OF BEAUMONT RO-RO DOCK LIGHTS (4)	30-04-32.000N 094-05-06.000W	F G	5		On dock ramp.	Private aid.
23615	PORT OF BEAUMONT GENERAL CARGO DOCK LIGHTS (2)	30-04-40.389N 094-04-46.667W	FI R 2.5s	12		On dock.	Private aid.
23617	PORT OF BEAUMONT BULK TERMINAL DOWNSTREAM LIGHT	30-04-48.543N 094-05-01.701W	FI R 2.5s			Marks the downstream corner of dock.	Private aid.
23617.01	PORT OF BEAUMONT BULK TERMINAL UPSTREAM LIGHT	30-04-51.298N 094-05-07.493W	FI R 2.5s			Marks the upstream corner of dock.	Private aid.
GALVESTON BAY ENTRANCE (Chart 11324)							
Galveston Bay Entrance Channel							
23620	- Lighted Buoy 1 150 feet outside channel limit.	29-15-59.533N 094-34-26.667W	Q G		4	Green.	
23625	- Lighted Buoy 2 150 feet outside channel limit.	29-16-07.281N 094-34-18.526W	Q R		4	Red.	
23630	- Lighted Buoy 1A 150 feet outside channel limit.	29-17-05.670N 094-35-51.216W	FI G 4s		4	Green.	
23635	- Lighted Buoy 2A 150 feet outside channel limit.	29-17-12.207N 094-35-43.754W	FI R 6s		4	Red.	
23650	- Lighted Buoy 1B 150 feet outside channel limit.	29-18-10.674N 094-37-17.138W	Q G		3	Green.	
23655	- Lighted Buoy 2B 150 feet outside channel limit.	29-18-21.030N 094-37-08.600W	Q R		3	Red.	
23660 1210	Galveston Bay Entrance Lighted Buoy GA	29-09-28.867N 094-25-53.670W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
23665 1215	Galveston Bay Entrance Traffic Lane Lighted Buoy A	29-10-47.784N 094-27-35.533W	FI Y 2.5s		5	Yellow.	
23670 1220	Galveston Bay Entrance Traffic Lane Lighted Buoy C	29-12-06.639N 094-29-17.469W	FI Y 4s		6	Yellow.	
23675 1225	Galveston Bay Entrance Traffic Lane Lighted Buoy E	29-13-25.498N 094-30-59.436W	FI Y 6s		5	Yellow.	
23680 1230	Galveston Bay Entrance Lighted Buoy GB	29-14-44.348N 094-32-41.467W	Mo (A) W		5	Red and white stripes with red spherical topmark.	AIS MMSI: 993682024
23686 1241	Fieldwood-123-3 Lighted Buoy Marks subsea installation.	29-13-31.445N 094-34-40.878W	Q R				Private aid.
23690	- A RANGE FRONT LIGHT	29-21-10.950N 094-42-44.305W	FI W 2.5s (NIGHT) FI W 2.5s (DAY)	37 40		On skeleton tower.	Lighted throughout 24 hours. Visible all around. Day light visible only on rangeline. Night light visible 1.5° each side of rangeline.
23695	- A RANGE REAR LIGHT 4,476 yards, 301.1° from front light	29-22-19.507N 094-44-54.325W	F W (NIGHT) F W (DAY)	125 122		Skeleton tower on block.	Lighted throughout 24 hours.
23700	- Lighted Buoy 3 100 feet outside channel limit.	29-19-11.852N 094-39-10.693W	FI G 4s		4	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
GALVESTON BAY ENTRANCE (Chart 11324)							
Galveston Bay Entrance Channel							
23705	- Lighted Buoy 4	29-19-20.662N 094-39-03.563W	FI R 4s		3	Red.	
23710	- Lighted Buoy 5	29-19-46.041N 094-40-15.530W	FI G 2.5s		4	Green.	
23715	- Lighted Buoy 6	29-19-55.341N 094-40-08.985W	FI R 2.5s		3	Red.	
23720	GALVESTON SOUTH JETTY LIGHT 5A	29-19-38.316N 094-41-16.514W	Iso G 6s	30	6	SG on pile.	Ra ref.
23725	GALVESTON NORTH JETTY LIGHT 6A	29-20-42.332N 094-40-34.075W	Iso R 6s	30	6	TR on pile.	Ra ref.
23730	- Lighted Buoy 7	29-20-20.025N 094-41-20.217W	Q G		3		Green.
23735	- Lighted Buoy 8	29-20-31.845N 094-41-15.409W	Q R		3	Red.	
23740	- B RANGE FRONT LIGHT	29-21-18.422N 094-45-49.779W	Q G		25	KRW on skeleton tower on piles.	Visible all around; higher intensity 1.5° each side of rangeline.
23745	- B RANGE REAR LIGHT 1,296 yards, 282.2° from front light.	29-21-27.002N 094-46-33.997W	Iso G 6s	60		KRW on skeleton tower.	
23750	- B RANGE REAR LIGHT PASSING LIGHT	29-21-27.031N 094-46-33.986W	FI W 4s	17	5	On same structure as Galveston Bay Entrance Channel Range B Rear Light.	
23755	- Lighted Buoy 7A	29-20-29.526N 094-42-06.114W	FI G 2.5s		4	Green.	
Galveston Bay							
23760	Galveston Entrance North Side Dredging Range Rear Day beacon					Black octagonal day mark on skeleton tower.	Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. May show fixed amber light when dredging is in progress. Aid maintained by U.S. Army Corps of Engineers.
23765	Galveston Entrance South Side Dredging Range Front Day beacon					Orange square day mark on skeleton tower.	Maintained by U.S. Army Corps of Engineers. May show fixed amber light when dredging is in progress. Aid maintained by U.S. Army Corps of Engineers.
Galveston Bay Entrance Channel							
23770	- Lighted Buoy 9	29-20-37.511N 094-42-54.991W	Q G		3	Green.	
23775	- Lighted Buoy 10	29-20-50.696N 094-42-54.145W	Q R		3	Red.	
23780	- C RANGE FRONT LIGHT	29-20-30.007N 094-46-57.941W	Q G		35	KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
23785	- C RANGE REAR LIGHT 1,670 yards, 266° from front light.	29-20-26.716N 094-47-53.730W	Iso G 6s	72		KRW on skeleton tower on block.	Visible 2° each side of rangeline.
23790	- Lighted Buoy 11 100 feet outside channel limit.	29-20-32.349N 094-44-28.701W	FI G 2.5s		4	Green.	
23795	- Lighted Buoy 12 100 feet outside channel limit.	29-20-43.848N 094-44-47.201W	FI R 2.5s		3	Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
GALVESTON BAY ENTRANCE (Chart 11324)							
Galveston Bay							
23800	<i>Galveston Anchorage Lighted Buoy A</i> Marks Northeast corner of anchorage area.	29-21-06.148N 094-42-52.099W	FI Y 6s		4	Yellow.	
23805	<i>Galveston Anchorage Lighted Buoy B</i> Marks northwest corner of anchorage area.	29-21-15.848N 094-44-27.702W	FI Y 6s		4	Yellow.	
23810	GALVESTON NORTH JETTY LIGHT WR2 Marks derelict wreck.	29-21-51.015N 094-44-38.933W	Q R	17	2	TR on pile.	
23815	<i>Galveston Anchorage Lighted Buoy C</i>	29-20-56.682N 094-46-06.797W	FI Y 6s		4	Yellow.	
Galveston Bay Entrance Channel							
23820	- <i>Lighted Buoy 16</i>	29-20-39.798N 094-46-07.756W	Q R		3	Red.	
Galveston Bay							
23825 36060	<i>Pelican Island Spit Shoal Lighted Buoy P</i>	29-20-27.248N 094-46-20.704W	FI (2+1)G 6s		4	Green with red bands.	
INTRACOASTAL WATERWAY (Texas) - Eighth District							
GALVESTON BAY ENTRANCE (Chart 11324)							
Galveston Outer Bar							
23830	North Side Dredging Range Rear Day beacon 1,335 yards, 282.5° from front day beacon.					Black square day mark on skeleton tower on piles.	F G light may be displayed during dredging operations. Maintained by U.S. Army Corps Engineers. Aid maintained by U.S. Army Corps of Engineers.
23835	South Side Dredging Range Front Day beacon	29-21-12.000N 094-45-48.000W				Black diamond day mark on pile structure.	Range marks edge of channel for dredging purposes. F G light may be displayed during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
23840	South Side Dredging Range Rear Day beacon 1,335 yards, 282.5° from front day beacon.					Black square day mark on skeleton tower on piles.	F G light may be displayed during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
Galveston Inner Bar							
23845	North Side Dredging Range Front Day beacon	29-20-30.000N 094-47-00.000W				Black diamond day mark on pile structure.	Range marks edge of channel for dredging purpose. F G light may be displayed during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
23850	North Side Dredging Range Rear Day beacon 1,665 yards, 266°09' from front day beacon.					Black square day mark on skeleton tower.	F G light may be displayed during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
GALVESTON BAY ENTRANCE (Chart 11324)							
Galveston Inner Bar							
23855	South Side Dredging Range Front Day beacon	29-20-24.000N 094-46-42.000W				Black diamond day mark on pile structure.	Range marks edge of channel for dredging purposes. F G light may be displayed during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
23860	South Side Dredging Range Rear Day beacon 1,665 yards, 266°09' from front day beacon.					Black square day mark on skeleton tower.	F G light may be displayed during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
TEXAS - Eighth District							
GALVESTON BAY ENTRANCE (Chart 11324)							
Galveston Channel							
23865	- Lighted Buoy 1	29-20-16.349N	FI G 4s		4	Green with yellow square.	
36065	50 feet outside channel limit.	094-46-11.203W					
23870	- LIGHT 2	29-20-14.811N	Q R	17	3	TR-TY on pile.	Ra ref.
36070		094-46-35.752W					
23875	SEAWOLF FISHING PIER LIGHT	29-20-17.700N 094-46-41.330W	FI Y 4s	16		On pier.	Private aid. Private aid.
23880	- LIGHT 3	29-19-47.349N	FI G 2.5s	17	4	SG-SY on pile.	Ra ref.
36075		094-46-28.703W					
23885	GRASSO MARINE DOCK LIGHTS (2)	29-19-24.000N 094-46-52.000W	FI R 2.5s	15		On end of dock.	Private aid.
36080							
23890	GALVESTON ISLAND MARINA LIGHT	29-19-03.500N 094-46-40.000W	Q R	6			Private aid.
36085							
23895	GALVESTON TERMINAL DOCK LIGHT	29-18-42.600N 094-48-24.900W	FI (2)R 6s			On dock.	Private aid.
Houston Ship Channel							
23900	- Entrance Lighted Buoy 18	29-21-05.030N	Q R		3	Red with yellow square.	
36055		094-46-59.466W					
23905	- ENTRANCE OUTER RANGE FRONT LIGHT	29-20-08.761N 094-46-10.178W	F G		30	KRW on skeleton tower.	For downbound traffic. Visible 2° each side of rangeline.
23910	- ENTRANCE OUTER RANGE REAR LIGHT	29-19-30.473N 094-45-31.302W	F G		75	KRW on skeleton tower.	Visible 2° each side of rangeline.
	1,794 yards, 138.4° from front light.						
23915	- ENTRANCE INNER RANGE FRONT LIGHT	29-22-39.548N 094-48-43.393W	Q G		28	KRW on skeleton tower on piles.	
23920	- ENTRANCE INNER RANGE REAR LIGHT	29-23-35.190N 094-49-39.975W	Iso G 6s		60	KRW on skeleton tower on piles.	Visible 4° each side of rangeline.
	2,509 yards, 318.3° from front light.						
23925	- ENTRANCE INNER RANGE REAR LIGHT PASSING LIGHT	29-23-35.190N 094-49-39.975W	FI W 4s	12	5	On same structure as Galveston Channel Entrance Inner Range Rear Light.	
Bolivar Roads Alternate Inbound Route							
23940	- RANGE FRONT LIGHT	29-22-53.291N 094-48-46.644W	Q G		27	KWR on skeleton tower on piles.	Visible all around; higher intensity 4° each side of centerline.
23945	- RANGE REAR LIGHT	29-23-12.421N 094-49-22.824W	Iso G 6s		56	KWR on skeleton tower on platform.	Visible 2° each side of rangeline.
	1246 yards, 301.1° from front light.						

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
GALVESTON BAY ENTRANCE (Chart 11324)							
Houston Ship Channel							
Bolivar Roads Alternate Inbound Route							
23950	- RANGE REAR PASSING LIGHT	29-23-12.418N 094-49-22.830W	FI W 4s	12	3	On same structure as Bolivar Roads Alternate Inbound Range Rear Light.	
Houston Ship Channel							
23955	- Lighted Buoy 25	29-22-02.045N 094-48-11.508W	FI G 4s		4	Green.	
23960	- Lighted Buoy 26	29-22-09.672N 094-48-02.712W	Q R		3	Red.	
23965	- Rock Pile Lighted Buoy 25A	29-22-11.249N 094-48-16.872W	FI G 2.5s		4	Green.	
23970	LOWER GALVESTON BAY OUTER RANGE FRONT LIGHT	29-20-52.835N 094-47-31.413W	FI G 2.5s (NIGHT) FI G 2.5s (NIGHT) FI W 2.5s (DAY)	39 45 42		On piles.	DAY: Visible 2° each side of range line. NIGHT: Visible all around, higher intensity on range line.
23975	LOWER GALVESTON BAY OUTER RANGE REAR LIGHT 3,632 yards, 156.2° from front light.	29-19-14.126N 094-46-41.808W	Oc G 4s (NIGHT) Oc W 4s (DAY)	135 132		On skeleton tower on piles.	Visible 2° each side of range line.
23980	LOWER GALVESTON BAY OUTER RANGE REAR LIGHT PASSING LIGHT	29-19-14.126N 094-46-41.808W	FI W 4s	40	5	On same structure as Lower Galveston Bay Outer Range Rear Light.	
23985	- Lighted Buoy 27	29-22-41.778N 094-48-32.830W	FI G 2.5s		4	Green.	Ra ref.
23990	- Lighted Buoy 28 265 feet outside channel limit.	29-22-45.951N 094-48-21.796W	FI R 2.5s		3	Red.	
23995	- Lighted Buoy 29 235 feet outside channel limit.	29-23-12.789N 094-48-47.935W	FI (2)G 6s		4	Green.	Ra ref.
24000	- Lighted Buoy 30	29-23-17.051N 094-48-37.352W	FI (2)R 6s		3	Red.	Ra ref.
24005	- Lighted Buoy 31 235 feet outside channel limit.	29-23-44.072N 094-49-03.689W	FI G 2.5s		4	Green.	
24010	- Lighted Buoy 32	29-23-47.970N 094-48-53.300W	FI R 2.5s		3	Red.	Ra ref.
24015	- Lighted Buoy 33 235 feet outside channel limit.	29-24-25.251N 094-49-24.392W	FI G 4s		4	Green.	
24020	- LIGHT 34	29-24-29.673N 094-49-11.736W	FI R 4s	17	4	TR on pile.	
24025	- LIGHT 35 235 feet outside channel limit.	29-25-01.353N 094-49-43.641W	FI G 6s	17	4	SG on pile.	Ra ref.
24030	- LIGHT 35A	29-25-23.935N 094-49-53.988W	FI G 4s	17	4	SG on pile.	
24035	- WRECK LIGHT WR35B	29-25-22.341N 094-50-00.903W	Q G	17	3	SG on pile.	
UPPER GALVESTON BAY (Chart 11327)							
Houston Ship Channel							
24040	- LIGHT 36 235 feet outside channel limit.	29-25-05.490N 094-49-32.320W	FI R 6s	17	4	TR on pile.	Ra ref.
24045	- LIGHT 37 235 feet outside channel limit.	29-25-37.749N 094-50-00.987W	FI G 2.5s	17	4	SG on pile.	
24050	- LIGHT 38 235 feet outside channel limit.	29-25-41.738N 094-49-49.982W	FI R 2.5s	17	3	TR on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
UPPER GALVESTON BAY (Chart 11327)							
Houston Ship Channel							
24055	LOWER GALVESTON BAY INNER RANGE FRONT LIGHT	29-30-28.775N 094-52-21.864W	FI G 2.5s (NIGHT) FI W 2.5s (DAY)	40 43		On pile.	DAY: Visible 2° each side of range line. NIGHT: Visible all around, higher intensity on range line.
24060	LOWER GALVESTON BAY INNER RANGE REAR LIGHT 1999 yards, 336.2° from front light.	29-31-24.103N 094-52-49.263W	Iso G 6s (NIGHT) Iso W 6s (DAY)	118 115		On skeleton tower on piles.	Visible 2° each side of range line.
24065	LOWER GALVESTON BAY INNER RANGE REAR LIGHT PASSING LIGHT	29-31-24.116N 094-52-49.267W	FI W 4s	40	6	On same structure as Lower Galveston Bay Inner Range Rear Light.	
24070	- LIGHT 39 235 feet outside channel limit.	29-26-13.968N 094-50-19.118W	FI (2)G 6s	17	4	SG on pile.	Ra ref.
24075	- LIGHT 40 235 feet outside channel limit.	29-26-18.139N 094-50-08.371W	FI (2)R 6s	17	3	TR on pile.	Ra ref.
24080	- LIGHT 41 235 feet outside channel limit.	29-26-50.196N 094-50-37.363W	FI G 2.5s	17	4	SG on pile.	
24085	- LIGHT 42 235 feet outside channel limit.	29-26-54.240N 094-50-26.477W	FI R 2.5s	17	3	TR on pile.	Ra ref.
24090	- LIGHT 43	29-27-26.423N 094-50-55.611W	FI G 4s	17	4	SG on pile.	Ra ref.
24095	- LIGHT 44 235 feet outside channel limit.	29-27-30.403N 094-50-45.286W	FI R 4s	17	3	TR on pile.	Ra ref.
24100	- LIGHT 45 235 feet outside channel limit.	29-28-02.595N 094-51-14.632W	FI G 6s	17	4	SG on pile.	
24105	- LIGHT 46 235 feet outside channel limit.	29-28-06.629N 094-51-03.536W	FI R 6s	17	4	TR on pile.	
24110	- LIGHT 47 235 feet outside channel limit.	29-28-38.480N 094-51-33.434W	FI G 2.5s	17	4	SG on pile.	Ra ref.
24115	- LIGHT 48 235 feet outside channel limit.	29-28-42.854N 094-51-21.790W	FI R 2.5s	17	4	TR on pile.	
24120	- LIGHT 49 235 feet outside channel limit.	29-29-15.170N 094-51-50.763W	FI (2)G 6s	17	4	SG on pile.	
24125	- LIGHT 50 235 feet outside channel limit.	29-29-19.079N 094-51-40.051W	FI (2)R 6s	17	4	TR on pile.	Ra ref.
Trinity River Channel							
24130	- LIGHT 1	29-31-48.265N 094-48-56.932W	FI G 2.5s	17	3	SG on pile.	Ra ref.
24135	- Day beacon 2	29-31-59.853N 094-48-35.704W				TR on pile.	Ra ref.
24140	- Day beacon 3	29-32-13.125N 094-48-21.273W				SG on pile.	Ra ref.
24155	- LIGHT 7	29-32-49.963N 094-47-26.053W	FI G 4s	17	4	SG on pile.	Ra ref.
24160	- Day beacon 9	29-32-49.003N 094-46-46.431W				SG on pile.	Ra ref.
24165	- LIGHT 10	29-32-45.239N 094-46-20.476W	FI R 2.5s	17	3	TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
UPPER GALVESTON BAY (Chart 11327)							
Houston Ship Channel							
24170	- LIGHT 51	29-29-33.411N 094-51-59.586W	Q G	17	4	SG on pile.	Ra ref.
24175	- LIGHT 52	29-29-38.297N 094-51-49.771W	Q R	17	4	TR on pile.	Ra ref.
24180	- LIGHT 53	29-30-13.665N 094-52-30.536W	FI G 2.5s	17	3	SG on pile.	
24185	- LIGHT 54	29-30-19.234N 094-52-21.177W	FI R 2.5s	17	3	TR on pile.	Ra ref.
24190	Redfish Island Shoal South Day beacon	29-30-19.314N 094-53-08.999W				NR on pile.	Ra ref.
24195	REDFISH ISLAND SHOAL LIGHT	29-31-25.619N 094-53-38.860W	FI W 6s	17	5	NG on pile.	
24200	Redfish Island Shoal North Day beacon	29-31-02.853N 094-53-55.918W				NG on pile.	
24205	UPPER GALVESTON BAY OUTER RANGE FRONT LIGHT	29-28-55.722N 094-51-23.968W	Q G		35	KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
24210	UPPER GALVESTON BAY OUTER RANGE REAR LIGHT 1,492 yards, 146° from front light.	29-28-18.776N 094-50-55.604W	Iso G 6s		65	KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
24215	UPPER GALVESTON BAY INNER RANGE FRONT LIGHT	29-37-08.370N 094-57-42.642W	Q W		25	KRW on piles.	Visible only on rangeline.
24220	UPPER GALVESTON BAY INNER RANGE REAR LIGHT 1,600 yards, 326° from front light.	29-37-47.439N 094-58-12.735W	Iso W 6s		65	KRW on skeleton tower on piles.	Visible only on rangeline.
24225	- LIGHT 55	29-30-46.615N 094-52-55.758W	FI G 4s	17	4	SG on pile.	Ra ref.
24230	- LIGHT 56	29-30-52.058N 094-52-46.420W	FI R 4s	17	4	TR on pile.	Ra ref.
24235	- LIGHT 57	29-31-19.438N 094-53-21.086W	FI G 2.5s	17	4	SG on pile.	
24240	- LIGHT 58	29-31-24.864N 094-53-11.573W	FI R 2.5s	17	4	TR on pile.	Ra ref.
24245	- LIGHT 59 500 feet from the channel centerline.	29-31-52.338N 094-53-46.310W	FI (2)G 6s	17	4	SG on pile.	Ra ref.
24250	- LIGHT 60	29-31-57.730N 094-53-36.830W	FI (2)R 6s	17	4	TR on pile.	Ra ref.
24255	- LIGHT 61	29-32-23.172N 094-54-10.122W	FI G 2.5s	17	4	SG on pile.	
24260	- LIGHT 62	29-32-28.717N 094-54-00.588W	FI R 2.5s	17	4	TR on pile.	Ra ref.
South Boater Cut							
24265	- LIGHT 1 50 feet outside channel limit.	29-32-35.123N 094-53-12.168W	FI G 4s	17	4	SG on pile.	Ra ref.
24270	- Day beacon 3 50 feet outside channel limit.	29-32-31.998N 094-53-37.014W				SG on pile.	
24275	- Day beacon 4 50 feet outside channel limit.	29-32-36.029N 094-53-37.621W				TR on pile.	
24280	- Day beacon 5 50 feet outside channel limit.	29-32-24.209N 094-54-39.338W				SG on pile.	
24285	- Day beacon 6 50 feet outside channel limit.	29-32-28.228N 094-54-39.947W				TR on pile.	
24290	- LIGHT 8	29-32-25.086N 094-55-04.797W	FI R 4s	17	3	TR on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
UPPER GALVESTON BAY (Chart 11327)							
Houston Ship Channel							
24295	- LIGHT 63	29-32-58.029N 094-54-36.846W	FI G 4s	17	3	SG on pile.	
24300	- LIGHT 64	29-33-03.445N 094-54-27.361W	FI R 4s	17	4	TR on pile.	Ra ref.
24305	- LIGHT 65	29-33-30.925N 094-55-02.101W	FI G 6s	17	4	SG on pile.	
24310	- LIGHT 66	29-33-36.264N 094-54-52.553W	FI R 6s	17	4	TR on pile.	Ra ref.
24315	- LIGHT 67	29-34-03.762N 094-55-27.378W	FI G 2.5s	17	4	SG on pile.	Ra ref.
24320	- LIGHT 68 500 feet from the channel centerline.	29-34-09.129N 094-55-17.841W	FI R 2.5s	17	3	TR on pile.	Ra ref.
24325	- LIGHT 69 500 feet from the channel centerline.	29-34-36.520N 094-55-52.572W	FI (2)G 6s	17	4	SG on pile.	Ra ref.
24330	- LIGHT 70	29-34-41.837N 094-55-43.024W	FI (2)R 6s	17	4	TR on pile.	Ra ref.
24335	- NORTH BOATER CUT LIGHT 1 50 feet outside channel limit.	29-35-30.765N 094-55-05.693W	FI G 4s	17	3	SG on pile.	Ra ref.
24340	- North Boater Cut Day beacon 3 50 feet outside channel limit.	29-35-14.239N 094-55-33.851W				SG on pile.	Ra ref.
24345	- North Boater Cut Day beacon 4 50 feet outside channel limit.	29-35-15.850N 094-55-34.992W				TR on pile.	Ra ref.
24350	- North Boater Cut Day beacon 5 50 feet outside channel limit.	29-34-46.579N 094-56-20.521W				SG on pile.	Ra ref.
24355	- NORTH BOATER CUT LIGHT 6 50 feet outside channel limit.	29-34-48.100N 094-56-22.041W	FI R 4s	17	3	TR on pile.	Ra ref.
24365	- LIGHT 71	29-35-09.351N 094-56-17.874W	FI G 2.5s	17	4	SG on pile.	Ra ref.
24370	- LIGHT 72	29-35-14.708N 094-56-08.370W	FI R 2.5s	17	4	TR on pile.	Ra ref.
24375	- LIGHT 73 500 feet from the channel centerline.	29-35-42.341N 094-56-43.260W	FI G 4s	17	3	SG on pile.	Ra ref.
24380	- LIGHT 74 500 feet from the channel centerline.	29-35-47.708N 094-56-33.750W	FI R 4s	17	3	TR on pile.	Ra ref.
24385	- LIGHT 75	29-36-26.600N 094-57-17.200W	Q G	17	4	SG on pile.	Ra ref.
24390	- LIGHT 76	29-36-30.696N 094-57-06.907W	Q R	17	4	TR on pile.	Ra ref.
24395	MORGANS POINT APPROACH OUTER RANGE FRONT LIGHT 2,361 yards, 161.7° from front light.	29-35-46.909N 094-56-56.298W	FI G 2.5s (NIGHT) FI W 2.5s (DAY)	40 38		Skeleton tower on piles.	Visible 2° each side of rangeline.
24400	MORGANS POINT APPROACH OUTER RANGE REAR LIGHT	29-34-40.313N 094-56-31.160W	Iso G 6s (NIGHT) Iso W 6s (DAY)	111 109			Visible 2° each side of rangeline.
24405	MORGANS POINT APPROACH CHANNEL OUTER RANGE REAR PASSING LIGHT	29-34-40.331N 094-56-31.144W	FI W 4s	38	6	On same structure as Morgans Point Approach Outer Range Rear Light.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
UPPER GALVESTON BAY (Chart 11327)							
Houston Ship Channel							
Five Mile Cut							
24410	- Buoy 2	29-36-33.018N 094-57-05.549W				Red nun.	
24415	- Buoy 4	29-36-35.501N 094-56-32.595W				Red nun.	
24420	- Buoy 6	29-36-36.689N 094-56-04.412W				Red nun.	
24425	- Day beacon 7	29-36-42.047N 094-55-18.043W				SG on pile.	
Bayport Ship Channel							
24430	- OUTER RANGE FRONT LIGHT	29-36-52.262N 094-57-07.388W	Q G (NIGHT) Q W (DAY)	28 28			
24435	- RANGE FRONT PASSING LIGHT	29-36-52.262N 094-57-07.388W	FI W 4s		14 3	On same structure as Bayport Ship Channel Outer Range Front Light.	
24440	- OUTER RANGE REAR LIGHT 3,500 yards, 88.9° from front light.	29-36-54.243N 094-55-08.460W	Iso G 6s (NIGHT) Iso W 6s (DAY)	96 96			
24445	- OUTER RANGE REAR LIGHT PASSING LIGHT	29-36-54.243N 094-55-08.460W	FI W 4s		14 5	On same structure as Bayport Ship Channel Outer Range Rear Light.	
24455	- JUNCTION LIGHT B 500 feet from the channel centerline.	29-37-09.589N 094-57-33.428W	FI (2+1)G 6s		17 4	JG on pile.	Ra ref.
24460	- LIGHT 2	29-36-59.227N 094-57-38.517W	FI R 2.5s		17 4	TR on pile.	
24465	- INNER RANGE FRONT LIGHT	29-36-47.054N 095-01-41.940W	Iso G 2s		30	KRW on pile.	
24467	LBC HOUSTON DIRECTIONAL SECTOR LIGHT	29-36-47.327N 095-01-40.496W	F R W G		160	On tower.	Long Range Light: FLG 269.4° to 269.2°. FG from 269.2° to 269.05°. GW from 269.05° to 268.85°. FW (on channel line) from 268.85° to 268.75°. RW from 268.75° to 268.55°. FR from 268.55° to 268.4°. FLR from 268.4° to 268.2°. <p>Short Range Light: FG from 269.4° to 268.95°. FW (on channel line) from 268.95° to 268.65°. FR from 268.65° to 268.2°.</p>
24470	- INNER RANGE REAR LIGHT	29-36-46.544N 095-02-11.216W	Oc G 4s		71	KRW on skeleton tower.	Private aid. Visible only on the channel line.
24475	- LIGHT 3	29-36-45.938N 094-57-32.762W	FI G 2.5s		17 4	SG on pile.	Ra ref.
24480	- LIGHT 4	29-36-55.187N 094-57-50.113W	FI R 2.5s		17 4	TR on pile.	Ra ref.
24485	- LIGHT 5	29-36-48.347N 094-57-49.888W	FI G 4s		17 4	SG on pile.	
24490	- LIGHT 6	29-36-54.034N 094-58-41.069W	FI R 4s		17 4	TR on pile.	
24495	- LIGHT 7	29-36-47.491N 094-58-40.800W	FI G 6s		17 4	SG on pile.	Ra ref.
24500	- LIGHT 8	29-36-52.591N 094-59-32.030W	FI R 2.5s		17 4	TR on pile	
24505	- LIGHT 9	29-36-46.394N 094-59-18.876W	FI G 2.5s		17 4	SG on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
UPPER GALVESTON BAY (Chart 11327)							
Houston Ship Channel							
Bayport Ship Channel							
24510	- LIGHT 11	29-36-44.636N 095-00-59.319W	FI G 4s	17	4	SG on pile.	Ra ref.
Houston Ship Channel							
24520	- LIGHT 78 500 feet f from channel centerline.	29-37-12.523N 094-57-22.688W	FI R 4s	17	3	TR on pile.	Ra ref.
24525	- LIGHT 81 500 feet f from the channel centerline.	29-37-54.400N 094-57-50.400W	FI G 2.5s	17	4	SG on pile.	
24530	- LIGHT 82	29-37-57.300N 094-57-39.600W	FI R 2.5s	17	4	TR on pile.	Ra ref.
24535	- LIGHT 83	29-38-29.968N 094-58-03.880W	FI G 4s	17	4	SG on pile.	
24540	- LIGHT 84	29-38-33.000N 094-57-53.100W	FI R 4s	17	4	TR on pile.	
24545	- LIGHT 85	29-39-10.499N 094-58-19.199W	FI G 6s	17	4	SG on pile.	Ra ref.
24550	- LIGHT 86	29-39-13.407N 094-58-08.439W	FI R 6s	17	4	TR on dolphin.	Ra ref.
HOUSTON SHIP CHANNEL (Chart 11328)							
Houston Ship Channel							
24555	- LIGHT 87 500 feet from the channel centerline.	29-39-45.200N 094-58-32.300W	FI G 2.5s	17	3	SG on pile.	Ra ref.
24560	- LIGHT 88	29-39-48.309N 094-58-21.507W	FI R 2.5s	17	4	TR on pile.	Ra ref.
24565	- LIGHT 89	29-40-21.200N 094-58-44.600W	FI (2)G 6s	17	5	SG on pile.	Ra ref.
24570	- LIGHT 89A 125 feet outside channel limit.	29-40-37.230N 094-58-50.689W	FI G 4s	17	4	SG on pile.	Ra ref.
24575	- LIGHT 90	29-40-23.916N 094-58-35.015W	FI (2)R 6s	17	4	TR on pile.	Ra ref.
24580	- LIGHT 90A	29-40-39.695N 094-58-41.011W	FI R 4s	17	3	TR on pile.	Ra ref.
24585	MORGANS POINT APPROACH INNER RANGE FRONT LIGHT	29-41-22.490N 094-59-03.152W	FI G 2.5s (NIGHT) FI W 2.5s (DAY)	22 25		KRW on skeleton tower on piles.	Visible all around; higher intensity on the rangeline.
24590	MORGANS POINT APPROACH INNER RANGE REAR LIGHT 3,106 yards, 341.7° from front light.	29-42-50.096N 094-59-36.310W	Iso G 6s (NIGHT) Iso W 6s (DAY)	99 96		KRW on skeleton tower.	Visible only on the rangeline.
24595	- LIGHT 91	29-40-58.379N 094-58-59.529W	FI G 2.5s	17	3	SG on dolphin.	Ra ref.
24600	- LIGHT 92	29-41-01.303N 094-58-49.226W	FI R 2.5s	17	4	TR on pile.	Ra ref.
24605	BARBOURS CUT CROSSING RANGE FRONT LIGHT	29-40-42.360N 094-58-40.456W	Q R	25		KRW on skeleton tower on concrete block.	For downbound traffic. Visible 2° each side of rangeline.
24610	BARBOURS CUT CROSSING RANGE REAR LIGHT 223 yards, 146.8° from front light.	29-40-36.838N 094-58-39.298W	Iso R 6s	50		KRW on skeleton tower.	Visible 2° each side of rangeline.
Cedar Bayou Channel							
24615	- Buoy 2	29-41-02.707N 094-58-47.453W				Red nun.	Ra ref.
24620.01	- Day beacon 3	29-41-11.158N 094-58-38.195W				SG on pile.	
24625	- Day beacon 6	29-41-13.216N 094-58-26.481W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
HOUSTON SHIP CHANNEL (Chart 11328)							
Houston Ship Channel							
Cedar Bayou Channel							
24630	- Buoy 8	29-41-16.632N 094-58-18.587W				Red nun.	
24635	- Day beacon 10	29-41-18.582N 094-58-07.116W				TR on pile.	Ra ref.
24645	- LIGHT 14 50 feet outside channel limit.	29-41-18.954N 094-57-55.182W	FI R 4s	17	4	TR on pile.	Ra ref.
24650	- Day beacon 16	29-41-12.353N 094-57-41.141W				TR on pile.	Ra ref.
24655	- Day beacon 18	29-41-05.187N 094-57-24.988W				TR on pile.	Ra ref.
24660	- Day beacon 20	29-40-53.898N 094-57-00.770W				TR on pile.	Ra ref.
24665	- Day beacon 22	29-40-45.253N 094-56-41.860W				TR on pile.	Ra ref.
24670	- LIGHT 23	29-40-41.165N 094-56-27.119W	FI G 4s	17	4	SG on pile.	
24675	- Day beacon 24	29-40-37.507N 094-56-27.727W				TR on pile.	Ra ref.
24680	- Day beacon 25	29-40-31.648N 094-56-16.631W				SG on pile.	
24685	- Day beacon 26	29-40-29.719N 094-56-18.550W				TR on pile.	Ra ref.
24690	- Day beacon 27	29-40-23.711N 094-56-08.127W				SG on pile.	Ra ref.
24695	- Day beacon 28	29-40-22.436N 094-56-10.081W				TR on pile.	Ra ref.
24700	- Day beacon 29	29-40-21.045N 094-56-02.164W				SG on pile.	Ra ref.
24705	- LIGHT 30	29-40-18.987N 094-55-54.580W	FI R 4s	17	3	TR on pile.	Ra ref.
24710	- LIGHT 31	29-40-21.579N 094-55-54.248W	FI G 4s	17	4	SG on pile.	Ra ref.
24715	- Day beacon 33	29-40-27.445N 094-55-48.154W				SG on pile.	Ra ref.
24720	- Day beacon 35	29-40-39.062N 094-55-45.335W				SG on pile.	Ra ref.
24725	- LIGHT 37	29-40-53.386N 094-55-37.140W	FI G 6s	17	4	SG on pile.	
24730	- Day beacon 38	29-40-59.889N 094-55-20.325W				TR on pile.	Ra ref.
24735	- Day beacon 39	29-41-01.483N 094-55-22.250W				SG on pile.	
24740	- Day beacon 40	29-41-08.416N 094-55-11.631W				TR on pile.	Ra ref.
24745	- Day beacon 42	29-41-21.286N 094-55-11.112W				TR on pile.	Ra ref.
Houston Ship Channel							
24750	BARBOURS CUT JUNCTION LIGHT BC	29-41-12.297N 094-59-10.000W	FI (2+1)G 6s	17	4	JG pn pile.	Ra ref.
24752	ENTERPRISE PRODUCTS SPECIAL LIGHT A	29-41-09.110N 095-00-26.650W	FI Y 2.5s			Marks turning point for mooring.	Private aid.
24755	- LIGHT 93 125 feet outside channel limit.	29-41-17.601N 094-59-12.513W	FI G 4s	17	3	SG on pile.	Ra ref.
24760	UPPER MORGANS POINT INBOUND RANGE FRONT LIGHT	29-42-04.783N 095-00-02.395W	Q G	20		KRW on skeleton tower on piles.	Visible only on the rangeline.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
HOUSTON SHIP CHANNEL (Chart 11328)							
Houston Ship Channel							
24765	UPPER MORGANS POINT INBOUND RANGE FRONT PASSING LIGHT	29-42-04.800N 095-00-02.400W	FI W 4s	15	3	On same structure as Upper Morgans Point Inbound Range Front Light.	
24770	UPPER MORGANS POINT INBOUND RANGE REAR LIGHT	29-42-09.496N 095-00-08.260W	Iso G 6s	35		KRW on skeleton tower on piles.	Visible on rangeline only.
24775	UPPER MORGANS POINT OUTBOUND RANGE FRONT LIGHT	29-41-00.209N 094-58-45.088W	Q R	20		KRW on skeleton tower on piles.	Visible all around, higher intensity on rangeline. Ra ref.
24780	UPPER MORGANS POINT OUTBOUND RANGE REAR LIGHT	29-40-57.130N 094-58-41.249W	Iso R 6s	37		KRW on skeleton tower on pile platf orm.	Visbile on rangeline only.
24785	- LIGHT 94 150 feet outside the channel limit.	29-41-22.971N 094-59-05.317W	FI R 4s	17	4	TR on pile.	Ra ref.
24790.1	- <i>Lighted Buoy 95</i>	29-41-33.801N 094-59-32.672W	FI G 6s		4	Green.	
24795	- LIGHT 96 120 feet outside the channel	29-41-39.482N 094-59-25.466W	FI R 6s	17	4	TR on pile.	Ra ref.
24800	- LIGHT 97 120 feet outside the channel	29-41-48.382N 094-59-51.958W	FI G 2.5s	17	4	SG on pile.	Ra ref.
24805	- LIGHT 98 150 feet outside the channel	29-41-55.083N 094-59-45.561W	FI R 2.5s	17	4	TR on pile.	Ra ref.
24810	- LIGHT 99 100 feet outside the channel	29-41-53.432N 095-00-02.074W	FI G 4s	17	4	SG on pile.	Ra ref.
24815	- LIGHT 100 150 feet outside the channel	29-42-01.321N 094-59-58.360W	FI R 4s	17	4	TR on pile.	Ra ref.
Baytown Marina Channel							
24820	- Day beacon 1	29-42-08.930N 095-00-04.880W				SG on pile.	Priv ate aid.
24825	- Day beacon 2	29-42-08.890N 095-00-03.400W				TR on pile.	Priv ate aid.
24830	- Day beacon 3	29-42-24.000N 094-59-53.207W				SG on pile.	Priv ate aid.
24835	- Day beacon 4	29-42-12.060N 095-00-03.070W				TR on pile.	Priv ate aid.
24840	- Day beacon 5	29-42-13.770N 095-00-04.120W				SG on pile.	Priv ate aid.
24845	- Day beacon 6	29-42-15.200N 095-00-02.460W				TR on pile.	Priv ate aid.
24850	- Day beacon 7	29-42-17.850N 095-00-03.370W				SG on pile.	Priv ate aid.
24855	- Day beacon 8	29-42-18.360N 095-00-01.850W				TR on pile.	Priv ate aid.
24860	- Day beacon 9	29-42-22.440N 095-00-02.320W				SG on pile.	Priv ate aid.
24865	- Day beacon 10	29-42-24.380N 095-00-00.790W				TR on pile.	Priv ate aid.
24865.01	- Day beacon 11	29-42-24.990N 095-00-01.850W				SG on pile.	Priv ate aid.
24870	- Day beacon 12	29-42-26.310N 095-00-00.530W				TR on pile.	Priv ate aid.
24875	- LIGHT 13	29-42-27.130N 095-00-01.520W	FI G 2.5s			SG on pile.	Priv ate aid.
Baytown Goose Creek Channel							
24880	- Day beacon 1	29-42-26.410N 094-59-58.570W				SG on pile.	Priv ate aid.
24885	- Day beacon 2	29-42-25.740N 094-59-58.100W				TR on pile.	Priv ate aid.
24890	- Day beacon 3	29-42-25.480N 094-59-55.150W				SG on pile.	Priv ate aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
HOUSTON SHIP CHANNEL (Chart 11328)							
Houston Ship Channel							
Baytown Goose Creek Channel							
24895	- Day beacon 4	29-42-23.910N 094-59-51.960W				TR on pile.	Private aid.
24900	- Day beacon 5	29-42-23.860N 094-59-49.390W				SG on pile.	Private aid.
24905	- Day beacon 6	29-42-22.790N 094-59-47.420W				TR on pile.	Private aid.
24910	- Day beacon 7	29-42-22.430N 094-59-44.360W				SG on pile.	Private aid.
24915	- Day beacon 8	29-42-21.910N 094-59-44.290W				TR on pile.	Private aid.
24920	- Day beacon 9	29-42-22.480N 094-59-42.660W				SG on pile.	Private aid.
24925	- Day beacon 10	29-42-21.950N 094-59-42.520W				TR on pile.	Private aid.
24930	- Day beacon 11	29-42-22.770N 094-59-40.590W				SG on pile.	Private aid.
24935	- Day beacon 12	29-42-22.240N 094-59-40.450W				TR on pile.	Private aid.
24940	- Day beacon 13	29-42-23.460N 094-59-38.940W				SG on pile.	Private aid.
24945	- Day beacon 14	29-42-23.060N 094-59-38.390W				TR on pile.	Private aid.
24950	- Day beacon 15	29-42-25.250N 094-59-35.680W				SG on pile.	Private aid.
24955	- Day beacon 16	29-42-24.830N 094-59-35.160W				TR on pile.	Private aid.
24960	- Day beacon 17	29-42-27.040N 094-59-34.120W				SG on pile.	Private aid.
24965	- Day beacon 18	29-42-26.810N 094-59-33.370W				TR on pile.	Private aid.
24970	- Day beacon 19	29-42-28.840N 094-59-33.330W				SG on pile.	Private aid.
24975	- Day beacon 20	29-42-30.510N 094-59-31.990W				TR on pile.	Private aid.
24980	- Day beacon 21	29-42-32.620N 094-59-31.750W				SG on pile.	Private aid.
24985	- Day beacon 22	29-42-34.090N 094-59-30.650W				TR on pile.	Private aid.
24990	- Day beacon 23	29-42-34.240N 094-59-31.190W				SG on pile.	Private aid.
24995	- Day beacon 24	29-42-36.080N 094-59-30.360W				TR on pile.	Private aid.
25000	- Day beacon 25	29-42-37.190N 094-59-30.970W				SG on pile.	Private aid.
25005	- Day beacon 26	29-42-38.170N 094-59-30.200W				TR on pile.	Private aid.
25010	- Day beacon 27	29-42-41.100N 094-59-30.860W				SG on pile.	Private aid.
25015	- Day beacon 28	29-42-41.070N 094-59-30.260W				TR on pile.	Private aid.
25020	- Day beacon 29	29-42-43.020N 094-59-30.820W				SG on pile.	Private aid.
25025	- Day beacon 30	29-42-45.910N 094-59-30.030W				TR on pile.	Private aid.
25027	- Day beacon 31	29-42-46.370N 094-59-30.580W				SG on pile.	Private aid.
Baytown Marina Channel							
25030	- Day beacon 14	29-42-29.900N 094-59-59.610W				TR on pile.	Private aid.
25035	- Day beacon 15	29-42-30.010N 095-00-00.990W				SG on pile.	Private aid.
25040	- Day beacon 16	29-42-33.100N 094-59-58.860W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
HOUSTON SHIP CHANNEL (Chart 11328)							
Houston Ship Channel							
Baytown Marina Channel							
25045	- LIGHT 17	29-42-33.400N 095-00-00.340W	FI G 2.5s			SG on pile.	Private aid.
25050	- Day beacon 18	29-42-33.400N 094-59-55.300W				TR on pile.	Private aid.
25055	- Day beacon 19	29-42-35.290N 095-00-00.450W				SG on pile.	Private aid.
Houston Ship Channel							
25060	LOWER RED LIGHT BEND INBOUND RANGE FRONT LIGHT	29-42-07.589N 095-01-01.105W	Q G	19		KRW on skeleton tower on piles.	Visible all around, higher intensity on rangeline.
25065	LOWER RED LIGHT BEND INBOUND RANGE REAR LIGHT 71 yards, 277.1° from front light.	29-42-07.849N 095-01-03.494W	Iso G 6s	26		KRW on skeleton tower on piles.	
25070	LOWER RED LIGHT BEND OUTBOUND RANGE FRONT LIGHT	29-41-58.469N 094-59-50.514W	Q R	20		KRW on skeleton tower on piles.	Visible all around, higher intensity on rangeline.
25075	LOWER RED LIGHT BEND OUTBOUND RANGE REAR LIGHT 172 yards, 094.6° from front light.	29-41-57.877N 094-59-44.692W	Iso R 6s	32		KRW on skeleton tower on piles.	Visible all around, higher intensity on rangeline.
25080	- LIGHT 101 120 feet outside channel limit.	29-41-58.589N 095-00-23.948W	FI G 6s	17	4	SG on pile.	Ra ref.
25085	- LIGHT 102 200 feet outside the channel limit.	29-42-07.604N 095-00-21.258W	FI R 6s	17	4	TR on pile.	Ra ref.
25090	- LIGHT 101A 120 feet outside the channel limit.	29-42-01.451N 095-00-45.833W	FI G 4s	17	4	SG on pile.	Ra ref.
25095	- LIGHT 102A 120 feet outside channel limit.	29-42-11.960N 095-00-46.440W	FI R 4s	17	3	TR on pile.	Ra ref.
HOUSTON SHIP CHANNEL (Chart 11329)							
Houston Ship Channel							
25100	- LIGHT 103	29-42-15.069N 095-01-09.702W	FI G 2.5s	17	4	SG on pile.	Ra ref.
San Jacinto Bay Barge Channel							
25105	- Day beacon 1	29-42-14.040N 095-01-12.980W				SG on pile.	Private aid.
25107	- Day beacon 2	29-42-13.587N 095-01-22.334W				TR on pile.	Private aid.
25110	- Day beacon 3	29-42-11.083N 095-01-21.019W				SG on pile.	Private aid.
25115	- Day beacon 4	29-42-13.589N 095-01-31.851W				TR on pile.	Private aid.
25120	- Day beacon 5	29-42-10.240N 095-01-33.939W				SG on pile.	Private aid.
25123	- Day beacon 7	29-42-12.582N 095-01-40.471W				SG on pile.	Private aid.
25125	- Day beacon 6	29-42-15.713N 095-01-39.466W				TR on pile.	Private aid.
25130	- Day beacon 8	29-42-17.766N 095-01-47.398W				TR on pile.	Private aid.
25132	- Day beacon 9	29-42-15.344N 095-01-48.175W				SG on pile.	Private aid.
25135	- Day beacon 10	29-42-20.191N 095-01-56.404W				TR on pile.	Private aid.
25138	- Day beacon 11	29-42-17.798N 095-01-57.636W				SG on pile.	Private aid.
25140	- Day beacon 12	29-42-22.863N 095-02-06.194W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
HOUSTON SHIP CHANNEL (Chart 11329)							
Houston Ship Channel							
San Jacinto Bay Barge Channel							
25142	- Day beacon 13	29-42-20.206N 095-02-06.667W				SG on pile.	Private aid.
25145	- Day beacon 14	29-42-25.171N 095-02-14.479W				TR on pile.	Private aid.
25150	- Day beacon 15	29-42-22.364N 095-02-14.979W				SG on pile.	Private aid.
25155	- Day beacon 16	29-42-28.047N 095-02-24.799W				TR on pile.	Private aid.
25158	- Day beacon 17	29-42-24.930N 095-02-24.300W				SG on pile.	Private aid.
25160	- Day beacon 18	29-42-30.747N 095-02-35.673W				TR on pile.	Private aid.
25162	- Day beacon 19	29-42-27.805N 095-02-35.763W				SG on pile.	Private aid.
25165	- Day beacon 20	29-42-33.215N 095-02-44.865W				TR on pile.	Private aid.
25168	- Day beacon 21	29-42-31.293N 095-02-48.670W				SG on pile.	Private aid.
25170	- Day beacon 22	29-42-36.917N 095-02-55.383W				TR on pile.	Private aid.
25175	- Day beacon 23	29-42-35.369N 095-03-03.752W				SG on pile.	Private aid.
25180	- Day beacon 24	29-42-39.344N 095-03-02.279W				TR on pile.	Private aid.
25185	- Day beacon 25	29-42-36.530N 095-03-07.471W				SG on pile.	Private aid.
25190	- Day beacon 26	29-42-42.490N 095-03-08.272W				TR on pile.	Private aid.
25195	- Day beacon 27	29-42-39.690N 095-03-13.057W				SG on pile.	Private aid.
25200	- Day beacon 28	29-42-46.335N 095-03-14.911W				TR on pile.	Private aid.
Houston Ship Channel							
25205	- LIGHT 104	29-42-22.245N 095-01-02.429W	FI R 2.5s	17	4	TR on pile.	Ra ref.
25210	- LIGHT 105	29-42-29.528N 095-01-17.861W	FI G 4s	17	4	SG on pile.	Ra ref.
25215	- LIGHT 106	29-42-31.233N 095-01-07.518W	FI R 4s	17	3	TR on pile.	Ra ref.
25220	- LIGHT 107	29-42-52.407N 095-01-19.351W	FI G 6s	17	5	SG on pile.	Ra ref.
25230	UPPER RED LIGHT BEND INBOUND RANGE FRONT LIGHT	29-43-35.531N 095-01-13.709W	Q R			76 KRW on skeleton tower on piles.	For upbound traffic. Visible 2° each side of rangeline.
25235	UPPER RED LIGHT BEND INBOUND RANGE REAR LIGHT 910 yards, 358.25 f from front light.	29-44-02.565N 095-01-13.595W	Oc R 4s	151		KRW on skeleton tower on concrete block.	Visible 4° each side of rangeline.
25240	UPPER RED LIGHT BEND OUTBOUND RANGE FRONT LIGHT	29-42-18.853N 095-01-15.963W	Q R	18		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
25245	UPPER RED LIGHT BEND OUTBOUND RANGE REAR LIGHT 219 yards, 180.2° f from front light.	29-42-12.360N 095-01-16.005W	Iso R 6s	26		KRW on skeleton tower on piles.	Visible 14° each side of rangeline.
25250	- LIGHT 109	29-43-15.232N 095-01-19.978W	FI G 4s	17	5	SG on pile.	Ra ref.
25260	Exxon Black Duck Bay Obstruction Buoy	29-43-16.122N 095-00-50.856W				NW with orange band, orange diamond, worded DANGER.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
HOUSTON SHIP CHANNEL (Chart 11329)							
Houston Ship Channel							
25265	- LIGHT 109A	29-43-25.302N 095-01-23.905W	FI G 6s	17	4	SG on pile.	Ra ref.
25275	- LIGHT 111	29-43-39.378N 095-01-37.966W	FI G 2.5s	17	4	SG on pile.	Ra ref.
25280	EXXON DOCK 2 LIGHT	29-43-37.000N 095-01-17.500W	FI R 2.5s	20		On pilings.	Private aid.
25285	EXXON DOCK 5 LIGHT	29-43-39.400N 095-01-23.000W	FI R 2.5s	22		On pilings.	Private aid.
Baytown Bend Tower Obstruction							
25300	- LIGHT A	29-43-39.700N 095-01-41.400W	Q W			On base of lattice tower.	Private aid.
25305	- LIGHT B	29-43-41.200N 095-01-43.700W	Q W	12		On base of tower.	Private aid.
25310	- LIGHT C	29-43-52.200N 095-01-34.800W	Q W			On base of lattice tower.	Private aid.
25315	- LIGHT D	29-43-51.000N 095-01-29.300W	Q W			On base of lattice tower.	Private aid.
25317	CENTERPOINT ENERGY TOWER FOUNDATION PROTECTION CELL LIGHTS (6)	29-43-42.320N 095-01-47.572W	FI W 2.5s			Marks highline tower foundation concrete protection cells.	Private aid.
Houston Ship Channel							
25320	LOWER PEGGY'S LAKE INBOUND RANGE FRONT LIGHT	29-43-57.001N 095-03-08.953W	Q R (NIGHT) Q R (DAY)	70 73		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
25325	LOWER PEGGY'S LAKE INBOUND RANGE REAR LIGHT 533 yards, 274.9° from front light.	29-43-58.892N 095-03-26.973W	Iso R 6s (NIGHT) Iso R 6s (DAY)	132 138		KRW on skeleton tower on block. On same structure as Lower Crossover Outbound Range Rear Light.	Visible 2° each side of rangeline.
25330	LOWER PEGGY'S LAKE OUTBOUND RANGE FRONT LIGHT	29-43-43.789N 095-01-20.205W	Q R	97		KRW on skeleton tower on piles.	Visible 4° each side of rangeline. Lighted throughout 24 hours.
25335	LOWER PEGGY'S LAKE OUTBOUND RANGE REAR LIGHT 265 yards, 095.5 from front light.	29-43-42.828N 095-01-11.249W	Oc R 4s	137		Skeleton Tower on piles	Visible 4° each side of rangeline. Lighted throughout 24 hours.
25340	- <i>Lighted Buoy 112</i>	29-43-49.174N 095-01-36.234W	FI R 4s		3	Red.	Ra ref.
25345	- LIGHT 111A	29-43-43.852N 095-01-53.164W	FI G 2.5s	17	4	SG on pile.	Ra ref.
25349	- LIGHT 112A	29-43-52.703N 095-01-44.447W	Q R	17	3	TR on pile.	Ra ref.
25350	- LIGHT 112B	29-43-53.806N 095-01-54.394W	FI R 2.5s	17	3	TR on pile.	Ra ref.
25355	- LIGHT 113	29-43-46.010N 095-02-16.134W	FI G 4s	17	4	SG on pile.	
25360	- LIGHT 114	29-43-55.888N 095-02-15.616W	FI R 4s	17	4	TR on pile.	
25365	- LIGHT 114A	29-43-55.600N 095-02-27.406W	FI R 6s	17	4	TR on pile.	
25370	- LIGHT 113B	29-43-48.859N 095-02-38.022W	FI G 4s	17	4	SG on pile.	Ra ref.
25380	- LIGHT 114B	29-43-57.007N 095-02-37.673W	FI R 4s	17	4	TR on pile.	
25385	- LIGHT 115 118 feet outside channel limit.	29-43-51.000N 095-02-49.600W	FI G 2.5s	17	4	SG on pile.	Ra ref.
25390	- LIGHT 116	29-44-02.568N 095-02-55.358W	FI R 2.5s	17	4	TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
HOUSTON SHIP CHANNEL (Chart 11329)							
Houston Ship Channel							
25392	BATTLEGROUND OIL BOSTCO TERMINAL DOWNSTREAM PILE LIGHT	29-43-52.860N 095-02-58.300W	FI W 2.5s			Marks downstream pile.	Private aid.
25392.01	BATTLEGROUND OIL BOSTCO TERMINAL UPSTREAM PILE LIGHT	29-44-05.270N 095-03-19.400W	FI W 2.5s			Marks upstream pile.	Private aid.
25392.02	BATTLEGROUND OIL BOSTCO TERMINAL UPSTREAM TURNING BASIN PILE LIGHT	29-44-11.050N 095-03-05.380W	FI W 2.5s			Marks upstream turning basin piling.	Private aid.
25392.03	BATTLEGROUND OIL BOSTCO TERMINAL DOWNSTREAM TURNING BASIN PILE LIGHT	29-44-08.970N 095-03-01.710W	FI W 2.5s			Marks downstream turning basin piling.	Private aid.
25394	BOSTCO PILING LIGHTS (2)	29-43-58.446N 095-03-07.642W	FI W 2.5s				Private aid.
25395	UPPER PEGGY'S LAKE INBOUND RANGE FRONT LIGHT	29-44-24.840N 095-03-41.273W	Q R	25		KRW on skeleton tower on pile.	Visible all around; higher intensity on rangeline.
25400	UPPER PEGGY'S LAKE INBOUND RANGE REAR LIGHT 201 yards, 303.0° from front light.	29-44-28.089N 095-03-47.013W	Iso R 6s	35		KRW on skeleton tower on piles.	Visible 4° each side of rangeline.
25405	UPPER PEGGY'S LAKE OUTBOUND RANGE FRONT LIGHT	29-43-47.405N 095-02-38.809W	Q R	26		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
25410	EXXON GOAT ISLAND DOCK LIGHT	29-44-02.300N 095-02-42.100W	FI R 2.5s			On. pile.	Private aid.
25415	UPPER PEGGY'S LAKE OUTBOUND RANGE REAR LIGHT 223 yards, 122.9° from front light.	29-43-43.801N 095-02-32.439W	Iso R 6s	35		KRW on skeleton tower on pile.	Visible 1.5° each side of rangeline.
25420	- LIGHT 117 125 feet outside channel limit.	29-44-09.200N 095-03-24.192W	Q G	17	3	SG on pile.	Ra ref.
25425	- LIGHT 118	29-44-16.468N 095-03-19.310W	Q R	17	4	TR on pile.	Ra ref.
25430	- LIGHT 117A	29-44-15.800N 095-03-32.400W	FI G 4s	17	4	SG on pile.	Ra ref.
25435	- LIGHT 119 131 feet outside channel limit.	29-44-24.045N 095-03-38.822W	FI G 2.5s	17	4	SG on pile.	Ra ref.
25440	- LIGHT 120	29-44-28.380N 095-03-30.449W	FI R 2.5s	17	3	TR on pile.	Ra ref.
25445	- LIGHT 121 198 feet outside channel limit.	29-44-41.400N 095-03-48.900W	FI G 4s	17	4	SG on pile.	
25450	- LIGHT 121A 135 feet outside channel limit.	29-45-08.200N 095-04-02.200W	FI G 2.5s	17	4	SG on pile.	Ra ref.
25455	- LIGHT 122	29-44-45.300N 095-03-39.300W	FI R 4s	17	4	TR on pile.	Ra ref.
25460	- LIGHT 122A	29-45-11.429N 095-03-51.921W	FI R 2.5s	17	4	TR on pile.	Ra ref.
25465	CROSSOVER INBOUND RANGE FRONT LIGHT	29-45-35.950N 095-04-10.231W	Q G	32		KRW on skeleton tower on piles.	Visible only on the rangeline.
25470	CROSSOVER INBOUND RANGE FRONT PASSING LIGHT	29-45-35.950N 095-04-10.231W	Q R	10	3	KRW on skeleton tower on piles. On same structure as Crossover Inbound Range Front Light.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
HOUSTON SHIP CHANNEL (Chart 11329)							
Houston Ship Channel							
25475	CROSSOVER INBOUND RANGE REAR LIGHT 552 yards, 333.5° from front light.	29-45-50.868N 095-04-18.040W	Iso G 6s	50		KRW on skeleton tower on piles.	Visible only on the rangeline.
25480	CROSSOVER OUTBOUND RANGE FRONT LIGHT	29-44-07.316N 095-03-25.909W	Q R (NIGHT) Q R (DAY)	33 30		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline (Day), Visible 14° each side of rangeline (Night).
25485	CROSSOVER OUTBOUND RANGE REAR LIGHT	29-44-01.476N 095-03-22.843W	Iso R 6s (NIGHT) Iso R 6s (DAY)	60 63		KRW on skeleton tower on piles. On same structure as Peggy's Lake Inbound Range Rear Light.	Visible 2° each side of rangeline.
25490	- LIGHT 123 108 feet outside channel limit.	29-45-17.100N 095-04-06.700W	FI G 6s	17	4	SG on pile.	Ra ref.
25495	- LIGHT 124 122 feet outside channel limit.	29-45-21.080N 095-03-58.122W	FI R 6s	17	4	TR on pile.	Ra ref.
25500	- LIGHT 124A	29-45-28.904N 095-04-03.977W	FI R 2.5s	17	4	TR on pile.	
25505	- LIGHT 125	29-45-28.057N 095-04-17.602W	FI G 4s	17	4	SG on pile.	Ra ref.
25510	- LIGHT 125A	29-45-33.732N 095-04-27.190W	FI G 2.5s	17	3	SG on pile.	Ra ref.
25515	- LIGHT 126 167 feet outside channel limit.	29-45-34.605N 095-04-10.671W	Q R	17	4	TR on pile.	Ra ref.
25520	- LIGHT 126A	29-45-41.299N 095-04-22.293W	FI R 2.5s	17	3	TR on pile.	
25525	LYNCHBURG INBOUND RANGE FRONT LIGHT	29-45-57.213N 095-04-56.565W	Q R	17		KRW on dolphin.	Visible all around; higher intensity on rangeline.
25530	LYNCHBURG INBOUND RANGE REAR LIGHT	29-46-01.266N 095-05-03.599W	Iso R 6s	37		KRW on skeleton tower on piles.	Visible 4° each side of rangeline.
25535	LYNCHBURG OUTBOUND RANGE FRONT LIGHT	29-45-19.620N 095-03-55.410W	Q G	25		KRW on skeleton tower on piles.	Visible 4° each side of rangeline.
25540	LYNCHBURG OUTBOUND RANGE REAR LIGHT	29-45-16.667N 095-03-50.317W	Iso G 6s	35		KRW on skeleton tower on piles.	Visible 4° each side of rangeline.
25545	CIWA PIPELINE LIGHT A	29-45-38.000N 095-04-37.000W	FI G 2.5s	6		On dolphin.	Private aid.
25550	CIWA PIPELINE LIGHT B	29-45-39.000N 095-04-38.000W	FI G 2.5s	11		On 40 foot diameter steel dolphin.	Private aid.
25555	SAN JACINTO JUNCTION LIGHT SJ	29-45-57.440N 095-04-53.616W	FI (2+1)R 6s	17	4	JR on pile.	Ra ref.
San Jacinto River							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
25560	- Buoy 2	29-46-21.090N 095-04-36.606W				Red nun.	
25565	- Buoy 4	29-46-30.369N 095-04-34.374W				Red nun.	
25570	- Buoy 6	29-46-43.619N 095-04-30.423W				Red nun.	
25575	- Buoy 8	29-46-58.520N 095-04-18.788W				Red nun.	
25580	- Buoy 10	29-47-05.072N 095-04-10.202W				Red nun.	
25585	- Buoy 11	29-47-40.103N 095-03-31.577W				Green can.	
25590	- Buoy 13	29-47-56.992N 095-03-33.155W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
HOUSTON SHIP CHANNEL (Chart 11329)							
Houston Ship Channel							
San Jacinto River							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
25595	- Buoy 14	29-48-02.136N 095-03-31.998W				Red nun.	
25600	- Lighted Buoy 15	29-48-06.886N 095-03-58.960W	FI G 2.5s		4	Green.	
25605	- Buoy 16	29-48-14.356N 095-04-04.319W				Red nun.	
25610	- Lighted Buoy 17	29-48-10.200N 095-04-19.800W	FI G 4s		4	Green.	
25615	- Buoy 18	29-48-12.740N 095-04-20.564W				Red nun.	
25620	- Buoy 19	29-48-03.692N 095-04-33.997W				Green can.	
25625	- Buoy 20	29-48-03.253N 095-04-42.028W				Red nun.	
25635	- Buoy 21	29-47-59.440N 095-04-41.727W				Green can.	
25640	- Buoy 22	29-47-55.200N 095-05-09.000W				Red nun.	
25660	- Buoy 26	29-48-30.600N 095-05-23.400W				Red nun.	
25665	- Buoy 27	29-48-10.800N 095-05-27.000W				Green can.	
25670	- Buoy 29	29-48-38.813N 095-05-28.205W				Green can.	
25680	- Buoy 32	29-48-46.419N 095-05-28.231W				Red nun.	
Houston Ship Channel							
25695	- LIGHT 127	29-45-42.947N 095-05-08.187W	FI G 4s	17	4	SG on pile.	
25700	- LIGHT 128 170 feet outside channel limit.	29-45-53.752N 095-05-05.678W	FI R 2.5s	17	3	TR on pile.	Ra ref.
25705	OLD RIVER TRANSMISSION TOWER LIGHT A	29-45-56.400N 095-05-15.500W	FI R 2.5s			On transmission tower.	Private aid.
25710	OLD RIVER TRANSMISSION TOWER LIGHT B	29-45-50.500N 095-05-24.900W	FI G 2.5s			On transmission tower.	Private aid.
25715	- LIGHT 129 50 feet outside 12 foot curve.	29-45-39.268N 095-05-14.168W	Q G	17	4	SG on pile.	Ra ref.
25720	- LIGHT 130	29-45-37.730N 095-05-30.964W	FI R 2.5s	17	4	TR on pile.	Ra ref.
25725	- LIGHT 131	29-45-33.737N 095-05-20.914W	FI G 2.5s	17	4	SG on pile.	Ra ref.
25730	- LIGHT 131A 115 feet outside channel limit.	29-45-17.018N 095-05-27.757W	FI G 2.5s	17	4	SG on pile.	
25740	- LIGHT 133 260 feet outside channel limit.	29-45-09.010N 095-05-32.948W	FI G 2.5s	17	3	SG on pile.	Ra ref.
25745	HOUSTON FUEL OIL TERMINAL EAST DOCK LIGHTS (2)	29-45-13.500N 095-05-47.200W	FI R 2.5s			Marks east dock #4 location.	Private aid.
25750	HOUSTON FUEL OIL TERMINAL UPPER DOLPHIN LIGHT	29-45-02.000N 095-05-54.000W	FI R 2.5s	21		On dolphin.	Private aid.
25755	HOUSTON FUEL OIL TERMINAL DOCK LIGHT	29-44-58.000N 095-05-59.000W	FI R 2.5s	21		On dock.	Private aid.
25760	HOUSTON FUEL OIL TERMINAL LOWER DOLPHIN LIGHT	29-44-57.000N 095-06-03.000W	FI R 2.5s	21		On dolphin.	Private aid.
25770	<i>R & H Inc. Outfall Lighted Buoy</i>	29-44-27.781N 095-06-24.720W	FI W 4s			White with orange bands.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
HOUSTON SHIP CHANNEL (Chart 11329)							
Houston Ship Channel							
25772	<i>Clean Harbors Outfall Lighted Buoy</i>	29-44-32.633N 095-06-17.389W	FI W 4s			White with orange bands.	Private aid.
25773	<i>Lubrizol Lighted Danger Buoy</i>	29-44-23.840N 095-06-34.410W	FI W 2.5s			White with orange bands.	Private aid.
25775	- LIGHT 139 150 feet outside channel limit.	29-44-16.819N 095-06-54.752W	FI G 4s	17	4	SG on pile.	
25780	- LIGHT 144	29-44-12.430N 095-08-29.993W	FI R 2.5s	17	4	TR on pile.	
25785.01	- <i>Lighted Buoy 145</i>	29-44-04.852N 095-08-28.884W	FI G 4s		4		Green.
25787	KINDER MORGAN LIGHTED PIPELINE MARK	29-44-03.973N 095-08-48.637W	FI W 2.5s			Marks pipeline south crossing point.	Private aid.
25787.01	KINDER MORGAN LIGHTED PIPELINE MARK	29-44-16.374N 095-08-47.475W	FI W 2.5s			Marks pipeline north crossing point.	Private aid.
25790	- LIGHT 146 150 feet outside channel limit.	29-44-18.956N 095-09-15.502W	FI R 4s	17	4	TR on pile.	
25795	- LIGHT 149 175 feet outside channel limit.	29-44-25.059N 095-09-34.301W	FI G 2.5s	17	3	SG on pile.	
25800	- LIGHT 150 125 feet outside channel limit.	29-44-34.128N 095-09-33.932W	FI R 2.5s	17	4	TR on pile.	
25810	- LIGHT 152 150 feet outside channel limit.	29-44-49.868N 095-10-02.803W	FI R 2.5s	17	4	TR on pile.	
25815	- LIGHT 160	29-44-09.864N 095-12-21.778W	FI R 2.5s	17	3	TR on pile.	
25820	- LIGHT 162 150 feet outside channel limit.	29-43-43.832N 095-12-36.961W	FI R 4s	17	4	TR on pile.	
25823	KINDER MORGAN MOORING DOLPHIN LIGHT	29-43-36.633N 095-13-27.940W	FI W 2.5s			Marks outermost upstream dock mooring dolphin.	Private aid.
25825	SIMS BAYOU DOCK LIGHTS (2)	29-43-02.100N 095-14-36.800W	FI G 2.5s		13	On steel pile dolphin.	Private aid.
25830	VALERO REFINING FIRE PUMP DOCK LIGHTS (2)	29-43-32.800N 095-15-24.400W	FI G 2.5s		17	On dock.	Private aid.
25835	VALERO REFINING CO. DOCK LIGHTS (2).	29-43-15.120N 095-14-59.020W	FI G 2.5s		15	On dolphins.	Private aid.
25840	Fidelity Island Daybeacon 2	29-43-39.836N 095-15-27.310W				TR on pile.	
GALVESTON BAY (Chart 11326)							
Trinity Bay							
Double Bayou Channel							
25845	- LIGHT 2 25 feet outside channel limit.	29-37-41.153N 094-45-56.343W	FI R 4s	17	4	TR on pile.	Ra ref.
25855	- LIGHT 4	29-38-03.377N 094-44-48.361W	FI R 4s	17	3	TR on pile.	Ra ref.
25865	- LIGHT 6	29-38-29.678N 094-43-25.034W	FI R 2.5s	17	3	TR on pile.	Ra ref.
25875	- Day beacon 8	29-38-36.814N 094-43-02.806W				TR on pile.	Ra ref.
25890	- Day beacon 10	29-38-41.463N 094-42-48.790W				TR on pile.	Ra ref.
25900	- Day beacon 11	29-38-53.454N 094-42-14.860W				SG on pile.	
25905	- LIGHT 12 20 feet outside channel limit.	29-38-52.293N 094-42-14.478W	Q R	17	3	TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
GALVESTON BAY (Chart 11326)							
Trinity Bay							
Anahuac Channel							
25910	- LIGHT 1	29-41-58.301N 094-44-09.132W	FI G 6s	17	4	SG on pile.	
25915	- Day beacon 2 50 feet outside channel limit.	29-42-21.680N 094-43-49.745W				TR on pile.	
25925	- Day beacon 4 50 feet outside channel limit.	29-43-10.806N 094-43-12.709W				TR on pile.	
25940	- Day beacon 5	29-44-21.420N 094-42-25.620W				SG on pile.	Ra ref.
25945	- Day beacon 7	29-44-51.203N 094-42-04.907W				SG on pile.	Ra ref.
25950	- Day beacon 9	29-45-11.902N 094-41-49.307W				SG on pile.	Ra ref.
25955	- Day beacon 11	29-45-18.802N 094-41-42.706W				SG on pile.	Ra ref.
25960	- Day beacon 16	29-45-54.801N 094-41-11.206W				TR on pile.	
Trinity River							
25970	<i>City Of Liberty Weir Lighted Buoy 2</i>	30-02-21.900N 094-49-27.000W	Q R			Red.	Marks rock weir. Private aid.
25975	<i>City Of Liberty Weir Lighted Buoy 4</i>	30-02-27.000N 094-49-27.800W	Q R			Red.	Marks rock weir. Private aid.
25980	<i>City Of Liberty Weir Lighted Buoy 6</i>	30-02-31.000N 094-49-28.900W	Q R			Red.	Marks rock weir. Private aid.
25985	<i>City Of Liberty Weir Lighted Buoy 8</i>	30-02-32.600N 094-49-31.400W	Q R			Red.	Marks rock weir. Private aid.
Trinity Bay							
25990	- STATE TRACT 18-19A LIGHT 2	29-44-06.000N 094-45-34.000W	Q W	12		TR on dolphin.	Private aid.
25995	- STATE TRACT 22-23A LIGHT 2	29-44-13.000N 094-44-45.000W	Q W	12		TR on dolphin.	Private aid.
26000	Fisher Shoal Day beacon 1	29-39-30.815N 094-50-06.720W				SG on pile.	
GALVESTON AND TEXAS CITY HARBORS (Chart 11324)							
Texas City Channel							
<i>Buoys are located 60 to 150 feet outside channel limit.</i>							
26030	TEXAS CITY CUT A OUTER RANGE FRONT LIGHT	29-20-11.052N 094-45-19.145W	Q G	25		KRW on skeleton tower on piles.	For downbound traffic. Visible 2° each side of rangeline.
26035	TEXAS CITY CUT A OUTER RANGE REAR LIGHT 1,085 yards, 116.6° from front light.	29-19-56.530N 094-44-45.717W	Iso G 6s	65		KRW on skeleton tower on piles.	
26040	- <i>Lighted Buoy 1</i>	29-20-53.904N 094-47-13.069W	FI G 4s		4	Green.	
26045	TEXAS CITY CUT A INNER RANGE FRONT LIGHT	29-22-24.657N 094-50-27.193W	Q G	25		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
26050	TEXAS CITY CUT A INNER RANGE FRONT LIGHT PASSING LIGHT	29-22-24.657N 094-50-27.193W	FI R 4s	17	4	On same structure as Texas City Channel Cut A Inner Range Front Light.	
26055	TEXAS CITY CUT A INNER RANGE REAR LIGHT 1,165 yards, 296.6° from front light.	29-22-34.877N 094-50-50.196W	Iso G 6s	60		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
GALVESTON AND TEXAS CITY HARBORS (Chart 11324)							
Texas City Channel							
<i>Buoys are located 60 to 150 feet outside channel limit.</i>							
26060	- Lighted Buoy 2	29-21-18.484N 094-47-44.366W	FI R 6s		4	Red.	
26065	- Lighted Buoy 3	29-21-11.966N 094-47-49.261W	FI G 6s		4	Green.	
26070	- LIGHT 5	29-21-21.069N 094-48-17.879W	FI G 2.5s	17	4	SG on pile.	
26075	- LIGHT 7	29-21-42.880N 094-49-00.655W	FI G 4s	17	4	SG on pile.	
26080	TEXAS CITY DIKE BOAT RAMP LIGHT	29-22-02.000N 094-48-54.000W	FI R 2.5s	8		On breakwater.	Private aid.
26085	- LIGHT 9	29-22-04.028N 094-49-50.938W	Q G	17	4	SG on pile.	
26090	- LIGHT 10	29-22-10.693N 094-49-47.354W	FI R 2.5s	17	3	TR on pile.	Ra ref.
26095	TEXAS CITY CUT B OUTER RANGE FRONT LIGHT	29-22-00.027N 094-49-15.703W	Q R	30		KRW on piles.	Visible 2° each side of rangeline.
26100	TEXAS CITY CUT B OUTER RANGE FRONT PASSING LIGHT	29-22-00.027N 094-49-15.703W	FI R 4s	17	3	On same structure as Texas City Channel Cut B Outer Range Front Light.	
26105	TEXAS CITY CUT B OUTER RANGE REAR LIGHT 679 yards, 105.1° from front light.	29-21-54.776N 094-48-53.488W	Oc R 4s	67		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
26110	TEXAS CITY CUT B INNER RANGE FRONT LIGHT	29-22-54.607N 094-53-04.322W	FI R 2.5s	26		KRW on skeleton tower on piles.	Visible all around; higher intensity 1.5° each side of rangeline.
26115	TEXAS CITY CUT B INNER REAR LIGHT 429 yards, 285.2° from front light.	29-22-57.947N 094-53-18.374W	Iso R 6s	56		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
26120	- LIGHT 12	29-22-28.221N 094-50-55.097W	FI R 6s	17	4	TR on pile.	
26125	- LIGHT 11	29-22-21.187N 094-50-59.394W	FI G 2.5s	17	4	SG on pile.	
26130	- LIGHT 14	29-22-40.902N 094-51-51.473W	FI R 4s	17	3	TR on pile.	
26135	- LIGHT 15	29-22-34.659N 094-51-54.695W	FI G 4s	17	4	SG on pile.	
26140	TEXAS CITY CUT C RANGE FRONT LIGHT	29-23-02.590N 094-52-42.055W	Iso G 2s	17		KRW on piles.	Visible all around; higher intensity on rangeline.
26145	TEXAS CITY CUT C RANGE REAR LIGHT 335 yards, 049.8° from front light.	29-23-09.163N 094-52-33.183W	Iso G 6s	35		KRW on piles.	Visible all around; higher intensity on rangeline.
26150	- LIGHT 17	29-22-45.616N 094-52-41.541W	Q G	17	4	SG on pile.	
26155	- LIGHT 18	29-22-54.126N 094-52-47.805W	FI R 2.5s	17	3	TR on pile.	
26160	- LIGHT 19	29-22-45.073N 094-52-55.592W	FI G 2.5s	17	4	SG on pile.	
26165	- LIGHT 21	29-22-38.479N 094-53-06.209W	Q G	17	4	SG on pile.	
26170	TEXAS CITY CANAL TURNING CELL LIGHT	29-21-51.000N 094-53-24.000W	FI R 2.5s	13		On dolphin.	Private aid.
26175	- RANGE FRONT LIGHT	29-21-46.100N 094-53-21.373W	Q G	20		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
26180	- RANGE REAR LIGHT 300 yards, 090° from front light.	29-21-46.104N 094-53-15.987W	Iso G 6s	30		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
GALVESTON AND TEXAS CITY HARBORS (Chart 11324)							
Texas City Connection Channel							
26185	- Buoy 1	29-21-12.001N 094-48-51.428W				Green can.	
26190	- Buoy 2	29-21-17.356N 094-48-46.688W				Red nun.	
26195	- Buoy 3	29-21-21.022N 094-48-50.525W				Green can.	
26200	- Buoy 4	29-21-25.962N 094-48-46.297W				Red nun.	
26205	- Buoy 5	29-21-24.168N 094-48-49.321W				Green can.	
26210	- Buoy 6	29-21-35.848N 094-48-47.680W				Red nun.	
26215	- Buoy 7	29-21-30.996N 094-48-50.984W				Green can.	
UPPER GALVESTON BAY (Chart 11327)							
Dickinson Bayou Channel							
26220	- Day beacon 1	29-28-03.907N 094-51-32.065W				SG on pile.	Ra ref.
26225	- Day beacon 2	29-28-00.833N 094-52-45.721W				TR on pile.	Ra ref.
26230	- Buoy 3	29-27-40.516N 094-53-51.112W				Green can.	
26235	- LIGHT 4	29-27-44.907N 094-53-59.293W	FI R 4s	17	4	TR on pile.	Ra ref.
26240	- Day beacon 5	29-27-37.239N 094-54-08.087W				SG on pile.	
26245	- Buoy 7	29-27-34.124N 094-54-20.098W				Green can.	
26250	- Day beacon 8	29-27-35.529N 094-54-32.683W				TR on pile.	
26255	- Buoy 9	29-27-28.770N 094-54-44.080W				Green can.	
26260	- Buoy 11	29-27-25.754N 094-54-57.403W				Green can.	
26265	- Buoy 13	29-27-24.161N 094-55-04.363W				Green can.	
26270	- LIGHT 14 60 feet outside channel limit.	29-27-25.222N 094-55-16.232W	FI R 4s	17	4	TR on pile.	Ra ref.
26275	- Buoy 15	29-27-22.096N 094-55-17.010W				Green can.	
26280.01	- Buoy 17	29-27-29.638N 094-55-38.805W				Green can.	
26285	- Day beacon 19	29-27-37.732N 094-55-55.627W				SG on pile.	Ra ref.
26290	- Day beacon 21	29-27-45.881N 094-56-15.671W				SG on pile.	Ra ref.
26295	- Day beacon 22	29-27-49.522N 094-56-17.283W				TR on pile.	Ra ref.
26300	- Buoy 23	29-27-54.468N 094-56-35.117W				Green can.	
26305	- Buoy 25	29-27-59.733N 094-56-47.395W				Green can.	
26310	- LIGHT 27	29-28-05.888N 094-57-03.462W	FI G 4s	17	4	SG on pile.	
26315	- Day beacon 29	29-27-57.968N 094-57-13.546W				SG on pile.	
Galveston Bay							
26325	- Oyster Lease 404A Day beacons (4)	29-28-55.000N 094-53-31.000W				NW on pile, worded DANGER SUBMERGED OYSTER REEF.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
UPPER GALVESTON BAY (Chart 11327)							
Galveston Bay							
26330	- Oyster Lease 405A Day beacons (4)	29-28-37.000N 094-52-54.000W				NW on pile, worded DANGER SUBMERGED OYSTER REEF.	Private aid.
26335	- Oyster Lease 406A Day beacons (4)	29-28-34.000N 094-53-30.000W				NW on pile, worded DANGER SUBMERGED OYSTER REEF.	Private aid.
26340	- Oyster Lease 407A Day beacons (4)	29-29-01.000N 094-53-47.000W				NW on pile, worded DANGER SUBMERGED OYSTER REEF.	Private aid.
26345	- Oyster Lease 411A Day beacons (4)	29-28-05.000N 094-52-31.000W				NW on pile, worded DANGER SUBMERGED OYSTER REEF.	Private aid.
26350	EAGLE POINT WRECK LIGHT WR1	29-29-15.430N 094-53-34.224W	Q G	17	3	SG on pile.	
26355	TEXAS CORINTHIAN YACHT CLUB PIER LIGHTS (2)	29-31-53.000N 095-00-05.000W	FI R 2.5s			On pier.	Private aid.
Clear Creek Channel							
26360	- Day beacon 1	29-33-06.848N 094-59-32.320W				SG on pile.	Ra ref.
26365	- LIGHT 2 60 feet from the channel limit.	29-33-09.805N 094-59-32.978W	FI R 6s	17	4	TR on skeleton tower on piles.	Ra ref.
26370	- Day beacon 3	29-33-02.492N 095-00-00.429W				SG on pile.	Ra ref.
26375	- LIGHT 4 60 feet outside channel limit.	29-33-05.929N 095-00-01.023W	FI R 4s	17	3	TR on pile.	
26380	- Day beacon 5	29-32-58.210N 095-00-27.991W				SG on pile.	Ra ref.
26385	- LIGHT 6	29-33-01.490N 095-00-26.962W	FI R 2.5s	17	3	TR on pile.	Ra ref.
26390	- Day beacon 7	29-32-53.826N 095-00-57.741W				SG on pile.	Ra ref.
26395	- LIGHT 8	29-32-56.549N 095-00-57.256W	Q R	17	3	TR on pile.	Ra ref.
26400	- LIGHT 10	29-32-52.453N 095-01-41.617W	Q R	17	3	TR on pile.	
GALVESTON BAY (Chart 11326)							
Clear Creek Channel							
26410	- Buoy 11	29-33-05.668N 095-01-45.258W				Green can.	
26415	- LIGHT 13 50 feet outside channel limit.	29-33-07.360N 095-01-56.680W	FI G 4s	17	4	SG on pile.	
26420	- Buoy 14	29-33-09.691N 095-01-56.858W				Red nun.	
26425	- Buoy 15	29-33-16.221N 095-02-33.056W				Green can.	
26430	- LIGHT 16	29-33-18.115N 095-02-33.096W	FI R 4s	17	3	TR on pile.	
26435	- LIGHT 17 50 feet outside channel limit.	29-33-23.923N 095-03-07.579W	Q G	17	4	SG on pile.	
26440	- Buoy 18	29-33-25.582N 095-03-07.502W				Red nun.	
26445	- Buoy 19	29-33-16.599N 095-03-40.146W				Green can.	
26450	- LIGHT 20	29-33-17.744N 095-03-39.937W	FI R 4s	17	4	TR on pile.	
26455	- Buoy 22	29-33-09.931N 095-04-11.996W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
GALVESTON BAY (Chart 11326)							
Clear Creek Channel							
26460	- LIGHT 23 50 feet outside channel limit.	29-33-08.286N 095-04-11.482W	Q G	17	4	SG on pile.	
26465	- Buoy 24	29-33-00.830N 095-04-23.247W				Red nun.	
Lakewood Yacht Club Channel							
26475	- Day beacon 1	29-33-10.000N 095-01-55.000W				SG on pile.	Priv ate aid.
26480	- Day beacon 3	29-33-13.000N 095-01-55.000W				SG on pile.	Priv ate aid.
26485	- Day beacon 5	29-33-16.000N 095-01-55.000W				SG on pile.	Priv ate aid.
26490	- Day beacon 7	29-33-19.000N 095-01-55.000W				SG on pile.	Priv ate aid.
26495	- Day beacon 9	29-33-23.000N 095-01-56.000W				SG on pile.	Priv ate aid.
26500	- Day beacon 11	29-33-25.000N 095-01-58.000W				SG on pile.	Priv ate aid.
26510	- Day beacon 13	29-33-36.000N 095-02-00.000W				SG on pile.	Priv ate aid.
26515	- Day beacon 14	29-33-27.000N 095-01-59.000W				TR on pile.	Priv ate aid.
26520	- Day beacon 16	29-33-28.000N 095-01-59.000W				TR on pile.	Priv ate aid.
Watergate Marina Channel							
26525	- Day beacon 1	29-33-05.000N 095-02-02.000W				SG on pile.	Priv ate aid.
26530	- LIGHT 2	29-33-07.000N 095-02-02.000W	FI R 2.5s	10		TR on pile.	Priv ate aid.
26535	- Day beacon 3	29-33-02.000N 095-02-06.000W				SG on pile.	Priv ate aid.
26540	- Day beacon 4	29-33-03.000N 095-02-06.000W				TR on pile.	Priv ate aid.
26545	- Junction Day beacon A	29-32-59.000N 095-02-10.000W				JG on pile.	Priv ate aid.
26550	- Day beacon 6	29-33-01.000N 095-02-11.000W				TR on pile.	Priv ate aid.
26555	- Day beacon 7	29-32-56.000N 095-02-13.000W				SG on pile.	Priv ate aid.
26560	- Day beacon 8	29-32-57.000N 095-02-14.000W				TR on pile.	Priv ate aid.
26565	- Day beacon 10	29-33-06.000N 095-02-06.000W				TR on pile.	Priv ate aid.
26570	- BREAKWATER LIGHT 2	29-32-53.000N 095-02-16.000W	Q W	10		TR on end of breakwater.	Priv ate aid.
26575	- LIGHT 9	29-32-52.000N 095-02-18.000W	Q G	10		SG on pile.	Priv ate aid.
26580	- LIGHT 11	29-32-48.000N 095-02-24.000W	Q W			SG on breakwater bulkhead.	Priv ate aid.
26585	- LIGHT 13	29-32-54.000N 095-02-24.000W	Q G			SG on breakwater bulkhead.	Priv ate aid.
26590	- RANGE FRONT LIGHT	29-32-36.000N 095-02-36.000W	F G			KRW on post.	Priv ate aid.
26595	- RANGE REAR LIGHT	29-32-42.000N 095-02-30.000W	F G			KRW on top of boat shed roof.	Priv ate aid.
Jarboe Bayou Channel							
26600	- Day beacon 2	29-32-53.000N 095-02-11.570W				TR on pile.	Priv ate aid.
26605	- Day beacon 4	29-32-48.000N 095-02-08.000W				TR on pile.	Priv ate aid.
26610	- Day beacon 6	29-32-44.000N 095-02-08.100W				TR on pile.	Priv ate aid.
26615	- Day beacon 8	29-32-39.000N 095-02-09.060W				TR on pile.	Priv ate aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
GALVESTON BAY (Chart 11326)							
Waterford Harbor Channel							
26620	- JUNCTION LIGHT B	29-32-58.100N 095-02-13.500W	Fl (2+1)R 6s	15		JR on pile.	Private aid.
26625	- Day beacon 1	29-32-57.800N 095-02-17.200W				SG on pile.	Private aid.
26630	- Day beacon 2	29-32-58.300N 095-02-17.300W				TR on pile.	Private aid.
26635	- Day beacon 3	29-32-57.500N 095-02-21.000W				SG on pile.	Private aid.
26640	- Day beacon 4	29-32-58.000N 095-02-21.200W				TR on pile.	Private aid.
26645	- Day beacon 5	29-32-57.200N 095-02-24.700W				SG on pile.	Private aid.
26650	- Day beacon 6	29-32-51.700N 095-02-24.900W				TR on pile.	Private aid.
26655	- Day beacon 7	29-32-56.900N 095-02-29.000W				SG on pile.	Private aid.
26660	- Day beacon 8	29-37-57.400N 095-02-29.200W				TR on pile.	Private aid.
Marina Del Sol Channel							
26665	- LIGHTED BUOY 1	29-33-24.000N 095-02-57.000W	Fl G 4s	16		Green.	Private aid.
26670	- Buoy 2	29-33-20.250N 095-02-55.250W				Red nun.	Private aid.
26675	- Day beacon 3	29-33-17.950N 095-02-55.000W				SG on pile.	Private aid.
26680	- Day beacon 4	29-33-17.950N 095-02-56.000W				TR on pile.	Private aid.
26685	- Day beacon 5	29-33-15.650N 095-02-55.750W				SG on pile.	Private aid.
26690	- Day beacon 6	29-33-15.650N 095-02-56.750W				TR on pile.	Private aid.
26695	- Day beacon 7	29-33-13.350N 095-02-56.500W				SG on pile.	Private aid.
26700	- Day beacon 8	29-33-13.350N 095-02-57.500W				TR on pile.	Private aid.
26705	- Day beacon 9	29-33-11.050N 095-02-57.250W				SG on pile.	Private aid.
26710	- Day beacon 10	29-33-11.050N 095-02-58.250W				TR on pile.	Private aid.
26715	- LIGHT 11	29-33-08.750N 095-02-58.000W	Fl G 2s			SG on pile.	Private aid.
26720	- LIGHT 12	29-33-08.750N 095-02-59.000W	Fl R 2s			TR on pile.	Private aid.
Hilton Hotel Marina Channel							
26760	- Entrance Day beacon 1	29-33-20.750N 095-04-19.500W				SG on pile.	Private aid.
26765	- Entrance Day beacon 2	29-33-22.000N 095-04-22.000W				TR on pile.	Private aid.
26770	- RANGE FRONT	29-33-21.000N 095-04-27.700W	F G	12		On pile.	Private aid.
26775	- RANGE REAR 40 yards, 272.3° from front light.	29-33-21.100N 095-04-29.000W	F G	20		On building.	Private aid.
26780	- BREAKWATER LIGHT 3	29-33-20.500N 095-04-25.000W	F G	12		SG on pile.	Private aid.
26785	- BREAKWATER LIGHT 4	29-33-21.200N 095-04-25.000W	F R	12		TR on pile.	Private aid.
Ideal Channel							
26790	- Day beacon 1	29-32-58.000N 095-04-21.000W				SG on pile.	Private aid.
26795	- LIGHT 2	29-32-56.000N 095-04-24.000W	Fl R 4s			TR on dolphin.	Private aid.
26800	- Day beacon 3	29-32-53.000N 095-04-15.000W				SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
GALVESTON BAY (Chart 11326)							
Ideal Channel							
26805	- Day beacon 4	29-32-51.000N 095-04-18.000W				TR on pile.	Private aid.
26810	- LIGHT 5	29-32-49.000N 095-04-16.000W	Q G			SG on dolphin.	Private aid.
26815	- Day beacon 6	29-32-47.000N 095-04-21.000W				TR on pile.	Private aid.
26820	- Day beacon 7	29-32-43.000N 095-04-23.000W				SG on pile.	Private aid.
26825	- Day beacon 8	29-32-44.000N 095-04-24.000W				TR on pile.	Private aid.
26830	- Day beacon 10	29-32-43.000N 095-04-27.000W				SG on pile.	Private aid.
Plantation Channel							
26835	- LIGHT 1	29-32-45.000N 095-04-36.000W	FI G 4s	11		SG on dolphin.	Private aid.
26840	- Day beacon 2	29-32-44.000N 095-04-37.000W				TR on pile.	Private aid.
26845	- Day beacon 3	29-32-42.000N 095-04-34.000W				SG on pile.	Private aid.
26850	CLEAR LAKE WHARF LIGHT #1	29-32-08.700N 095-04-41.800W	FI G 4s	17		On dolphins.	Private aid.
26855	CLEAR LAKE WHARF LIGHT #2	29-31-09.000N 095-04-41.500W	FI R 4s	17		On dolphins.	Private aid.
Houston Yacht Club							
26900	SYLVAN BEACH BREAKWATER LIGHT 1	29-39-00.000N 095-00-36.000W	FI G 2.5s	10		SG on pile.	Private aid.
SAN LUIS BAY TO MATAGORDA BAY (Chart 11321)							
Freeport Entrance							
26905 1315	- Lighted Buoy FP	28-52-36.699N 095-14-08.815W	Mo (A) W		5	Red and white stripes with red spherical topmark.	AIS MMSI: 993682025
26910	- Lighted Buoy 1	28-53-03.930N 095-14-42.886W	FI G 4s		4	Green.	Ra ref.
26915	- Lighted Buoy 2	28-53-39.983N 095-15-03.961W	FI R 4s		4	Red.	Ra ref.
GALVESTON BAY TO CEDAR LAKES (Chart 11322)							
Freeport Entrance							
26920	- Lighted Buoy 3	28-54-04.590N 095-15-47.757W	FI G 4s		4	Green.	Ra ref.
26925	- Lighted Buoy 4	28-54-44.983N 095-16-11.641W	FI R 4s		3	Red.	Ra ref.
26930	- Lighted Buoy 5	28-55-05.554N 095-16-50.235W	FI G 2.5s		3	Green.	Ra ref.
26935	- Lighted Buoy 6	28-55-26.049N 095-16-55.851W	FI R 2.5s		3	Red.	Ra ref.
26940	- LIGHT 7	28-55-42.393N 095-17-28.653W	Q G	17	5	SG on skeleton tower on block.	
26945	- LIGHT 8	28-55-50.759N 095-17-17.358W	Q R	22	5	TR on skeleton tower on block.	
26950	- LIGHT 10	28-56-25.116N 095-17-58.217W	Oc R 4s	17	4	TR on pile.	
26955	- LIGHT 11	28-56-24.007N 095-18-10.637W	FI G 2.5s	17	3	SG on pile.	
26957	FREEPORT LNG DANGER LIGHT	28-56-27.300N 095-18-32.500W	Q W			Marks the end of breakwater structure.	Private aid.
26960 37380	- LIGHT 12	28-56-39.607N 095-18-21.359W	Q R	17	4	TR-SY on pile.	Ra ref.
26965	FREEPORT JETTY INBOUND RANGE FRONT LIGHT	28-56-37.415N 095-18-16.544W	Iso G 2s (NIGHT) Iso W 2s (DAY)	42 45		KRW on skeleton tower on piles.	Visible only on range line. Lighted throughout 24 hours.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
GALVESTON BAY TO CEDAR LAKES (Chart 11322)							
Freeport Entrance							
26970	FREEPORT JETTY INBOUND RANGE FRONT LIGHT PASSING LIGHT	28-56-37.415N 095-18-16.544W	Q W	17	5	On same structure as Freeport Jetty Inbound Range Front Light.	
26975	FREEPORT JETTY INBOUND RANGE REAR LIGHT 2,470 yards, 315.7° from front light.	28-57-31.525N 095-19-12.869W	Oc G 4s (NIGHT) Oc W 4s (DAY)	146 143		KRW on skeleton tower on block.	Visible only on rangeline. Lighted throughout 24 hours.
26980	DOW CHEMICAL A-14 DOCK LIGHT	28-56-43.000N 095-18-25.000W	FI R 2.5s	19		On dolphin.	Private aid.
26985	DOW CHEMICAL A-13 DOCK LIGHT	28-56-49.700N 095-18-27.700W	FI R 2.5s	19		On dolphin.	Private aid.
26990	Freeport Jetty Channel North Edge Dredging Range Front Day beacon.					Red square day mark on skeleton tower.	Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. May show fixed amber light when dredging is in progress. Aid maintained by U.S. Army Corps of Engineers.
26995	Freeport Jetty Channel South Edge Dredging Range Front Day beacon					Red square day mark on skeleton tower.	Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. May show fixed amber light when dredging is in progress Aid maintained by U.S. Army Corps of Engineers.
27000	Freeport Jetty Channel South Edge Dredging Range Rear Day beacon 380 yards, 317.5° from front day beacon.					Red square day mark on skeleton tower.	Maintained by U.S. Army Corps of Engineers. May show fixed amber light when dredging is in progress. Aid maintained by U.S. Army Corps of Engineers.
27005	FREEPORT HARBOR OUTBOUND RANGE FRONT LIGHT	28-56-35.855N 095-18-09.908W	Q R	25		KRW on skeleton tower.	Visible 2° each side of rangeline.
27010	FREEPORT HARBOR OUTBOUND RANGE REAR LIGHT 367 yards, 81.4° from front light.	28-56-37.138N 095-17-57.589W	F R	50		KRW on skeleton tower.	Visible 2° each side of rangeline.
27015	DOW CHEMICAL A-3A DOCK LIGHT	28-56-37.000N 095-19-09.000W	FI R 2.5s	15		On dolphin.	Private aid.
27020	FREEPORT HARBOR LIGHT 20	28-56-06.893N 095-19-30.778W	Q R	30	5	TR on skeleton tower.	Visible 209° to 085°.
27025	FREEPORT HARBOR LIGHT 21	28-55-55.397N 095-19-39.242W	FI G 2.5s	17	3	SG on pile.	
27030	FREEPORT HARBOR LIGHT 22	28-56-06.893N 095-19-42.778W	Q R	30	5	TR on skeleton tower.	Visible 271° to 161°.
27035	PHILLIPS PETROLEUM DOCK LIGHTS (2)	28-56-04.000N 095-19-51.000W	F G	14		On Dock.	Private aid.
San Bernard River							
27040	PHILLIPS PETROLEUM DOLPHIN LIGHTS (2)	28-54-00.000N 095-30-29.000W	FI G 2.5s			On dolphins.	Private aid.
CEDAR LAKES TO ESPIRITU SANTO BAY (Chart 11319)							
27045 1375	COLORADO RIVER WEST JETTY ENTRANCE LIGHT 1	28-35-27.975N 095-59-03.871W	FI G 2.5s	17	4	SG on pile with platform.	
27047 1377	COLORADO RIVER EAST JETTY ENTRANCE OBSTRUCTION LIGHT	28-35-25.974N 095-58-48.871W	Q W	20	4	NB on platform.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
CEDAR LAKES TO ESPIRITU SANTO BAY (Chart 11319)							
27050 1380	COLORADO RIVER EAST JETTY ENTRANCE LIGHT 2	28-35-27.720N 095-58-57.498W	FI R 2.5s	17	4	TR on skeleton tower.	
MATAGORDA BAY (Chart 11317)							
Matagorda Bay							
Matagorda Ship Channel							
<i>Lights and daybeacons located 150 feet outside channel limits.</i>							
27100 1365	- Approach Lighted Buoy MSC	28-12-01.026N 096-05-12.882W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
27105 1360	Enron-106-17 Lighted Buoy Marks subsea installation.	28-11-10.000N 096-23-07.000W	Q R			Red.	SIGN: ENRON MI BLK 586 RA REF. Private aid.
27110 1385	- Entrance Light	28-25-18.466N 096-19-05.915W	FI W 10s	64	5	On same structure as Matagorda Ship Channel Range B Rear Light.	Obscured from 257° to 040°.
27117 1392	- Entrance Lighted Buoy MB	28-23-01.012N 096-17-00.897W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
27120	- A RANGE FRONT LIGHT	28-26-34.408N 096-20-42.437W	Iso W 2s (NIGHT) Iso W 2s (DAY)	22 24		On pile with platform.	Visible all around; higher intensity 1.5° each side of rangeline.
27125	- A RANGE REAR LIGHT 1,239 yards, 316.7° from front light.	28-27-34.016N 096-21-46.138W	Iso W 6s (NIGHT) Iso W 6s (DAY)	78 76		On skeleton tower on piles.	Lighted throughout 24 hours.
27130	- A RANGE REAR PASSING LIGHT	28-27-34.016N 096-21-46.138W	FI W 4s		21 4	On same structure as Matagorda Ship Channel Range A Rear Light.	
27135	- Lighted Buoy 1	28-23-38.111N 096-17-38.750W	FI G 4s		4	Green.	
27140	- Lighted Buoy 2	28-23-41.842N 096-17-31.962W	FI (2)R 5s		4	Red.	
27145	- Lighted Buoy 3	28-24-14.977N 096-18-18.120W	FI G 2.5s		4	Green.	
27150	- Lighted Buoy 4	28-24-19.086N 096-18-11.824W	FI R 2.5s		3	Red.	
27155	- Lighted Buoy 7	28-24-48.507N 096-18-54.448W	Q G		3	Green.	
27160	- Lighted Buoy 8 250 feet outside channel limit.	28-24-54.092N 096-18-48.716W	Q R		3	Red.	
27165	- LIGHT 11	28-25-34.457N 096-19-46.130W	FI G 2.5s	25	8	SG on skeleton tower on concrete block.	Higher intensity beam up and down channel.
27170	- B RANGE FRONT LIGHT	28-25-40.582N 096-19-37.172W	Q W	20		KRW on skeleton tower on block.	Visible 2° each side of rangeline.
27175	- B RANGE FRONT LIGHT PASSING LIGHT	28-25-40.621N 096-19-37.261W	FI R 4s	23	3	On same structure as Matagorda Ship Channel Range B Front Light.	
27180	- B RANGE REAR LIGHT 1,192 yards, 128.7° from front light.	28-25-18.466N 096-19-05.915W	Oc W 4s	62		KRW on skeleton tower block. On same structure as Matagorda Bay Entrance Light.	
27185	- Lighted Buoy 13	28-26-02.944N 096-20-14.360W	Q G		3	Green.	
27190	- Lighted Buoy 14	28-26-12.606N 096-20-16.809W	Q R		3	Red.	
27195	- LIGHT 17	28-26-28.798N 096-20-49.898W	FI G 2.5s	17	4	SG on pile.	Ra ref.
27200	- Lighted Buoy 18	28-26-32.677N 096-20-46.417W	FI R 2.5s		3	Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
MATAGORDA BAY (Chart 11317)							
Matagorda Bay							
Matagorda Ship Channel							
<i>Lights and daybeacons located 150 feet outside channel limits.</i>							
27205	- LIGHT 19	28-26-51.726N 096-21-22.210W	Oc G 4s	17	3	SG on pile.	Ra ref.
27210	- LIGHT 20	28-26-55.590N 096-21-18.725W	Oc R 4s	20	4	TR on skeleton tower on piles.	
27212	- LIGHT 21	28-27-12.540N 096-21-51.789W	FI G 4s	17	3	SG on pile.	Ra ref.
27213	- LIGHT 22	28-27-16.287N 096-21-48.345W	FI R 4s	17	3	TR on pile.	Ra ref.
27215	- LIGHT 23	28-27-38.861N 096-22-28.839W	Q G	17	3	SG on pile.	Ra ref.
27220	- LIGHT 24	28-27-42.548N 096-22-25.342W	Q R	17	3	TR on pile.	Ra ref.
27225	- LIGHT 25	28-28-02.188N 096-23-02.128W	FI G 4s	17	4	SG on pile.	
27230	- LIGHT 26	28-28-06.055N 096-22-58.631W	FI R 4s	17	3	TR on pile.	Ra ref.
27235	- LIGHT 27	28-28-25.693N 096-23-35.421W	FI G 2.5s	17	3	SG on pile.	Ra ref.
27240	- LIGHT 28	28-28-29.560N 096-23-31.924W	FI R 2.5s	17	3	TR on dolphin.	Ra ref.
27245	- LIGHT 29	28-28-49.196N 096-24-08.719W	Oc G 4s	17	3	SG on pile.	Ra ref.
27250	- LIGHT 30	28-28-53.063N 096-24-05.221W	Oc R 4s	17	4	TR on pile.	Ra ref.
27255	- LIGHT 31	28-29-12.697N 096-24-42.020W	Q G	17	3	SG on pile.	Ra ref.
27260	- LIGHT 32	28-29-16.564N 096-24-38.521W	Q R	17	3	TR on pile.	Ra ref.
27265	- LIGHT 33	28-29-35.991N 096-25-15.342W	FI G 2.5s	17	3	SG on pile.	Ra ref.
27270	- LIGHT 34	28-29-40.062N 096-25-11.827W	FI R 2.5s	17	3	TR on pile.	Ra ref.
27275	- LIGHT 35	28-29-59.691N 096-25-48.636W	FI G 4s	17	4	SG on pile.	Ra ref.
27280	- LIGHT 36	28-30-03.558N 096-25-45.137W	FI R 4s	17	3	TR on pile.	Ra ref.
27285	- LIGHT 37	28-30-23.139N 096-26-22.001W	Q G	17	3	SG on pile.	Ra ref.
27290	- LIGHT 38	28-30-27.052N 096-26-18.450W	Q R	17	3	TR on pile.	Ra ref.
27295	- LIGHT 39	28-30-46.676N 096-26-55.267W	Oc G 4s	17	4	SG on pile.	Ra ref.
27300	- LIGHT 40	28-30-50.543N 096-26-51.768W	Oc R 4s	17	4	TR on pile.	Ra ref.
27305	- LIGHT 41	28-31-10.165N 096-27-28.589W	FI G 2.5s	17	3	SG on pile.	Ra ref.
27310	- LIGHT 42	28-31-14.032N 096-27-25.090W	FI R 2.5s	17	3	TR on pile.	Ra ref.
27315	- LIGHT 43	28-31-33.613N 096-28-01.916W	FI G 4s	17	4	SG on pile.	Ra ref.
27320	- LIGHT 44	28-31-37.519N 096-27-58.416W	FI R 4s	17	3	TR on pile.	Ra ref.
27325	- LIGHT 45	28-31-57.136N 096-28-35.245W	Q G	17	3	SG on pile.	Ra ref.
27330	- LIGHT 46	28-32-01.003N 096-28-31.746W	Q R	17	3	TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
MATAGORDA BAY (Chart 11317)							
Matagorda Bay							
Matagorda Ship Channel							
<i>Lights and daybeacons located 150 feet outside channel limits.</i>							
27335	- C RANGE FRONT LIGHT	28-35-58.887N 096-34-14.604W	Q W	25		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
27340	- C RANGE FRONT LIGHT PASSING LIGHT	28-35-58.887N 096-34-14.604W	Q W	27	5	KRW on skeleton tower on piles.	On same structure as Matagorda Ship Channel Range C Front Light.
27345	- C RANGE REAR LIGHT 2,000 yards, 308.5° from front light.	28-36-35.723N 096-35-07.043W	Oc W 4s	60		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
27350	- C RANGE REAR LIGHT PASSING LIGHT	28-36-35.723N 096-35-07.043W	FI W 4s	15	5	On same structure as Matagorda Ship Channel Range C Rear Light.	
27355	- LIGHT 47	28-32-20.618N 096-29-08.578W	FI G 2.5s	17	3	SG on dolphin.	Ra ref.
27360	- LIGHT 48	28-32-24.485N 096-29-05.080W	FI R 2.5s	17	3	TR on pile.	Ra ref.
27365	- LIGHT 49	28-32-44.098N 096-29-41.919W	Oc G 4s	17	4	SG on pile.	Ra ref.
27370	- LIGHT 50	28-32-47.965N 096-29-38.418W	Oc R 4s	17	4	TR on pile.	Ra ref.
27375	- LIGHT 51	28-33-07.576N 096-30-15.261W	Q G	17	3	SG on pile.	Ra ref.
27380	- LIGHT 52	28-33-11.443N 096-30-11.760W	Q R	17	3	TR on pile.	Ra ref.
27385	LAVACA PIPELINE LIGHT A	28-33-08.750N 096-30-19.510W	FI Y 4s	15		On dolphin.	Private aid.
27390	LAVACA PIPELINE LIGHT B	28-33-14.720N 096-30-14.940W	FI Y 4s			On dolphin.	Private aid.
27395	- LIGHT 53	28-33-34.291N 096-30-53.211W	FI G 2.5s	17	3	SG on pile.	Ra ref.
27400	- LIGHT 54	28-33-38.158N 096-30-49.710W	FI R 2.5s	17	3	TR on pile.	Ra ref.
27405	- LIGHT 55	28-33-54.458N 096-31-22.017W	FI G 4s	17	4	SG on pile.	Ra ref.
27410	- LIGHT 56	28-33-58.391N 096-31-18.458W	FI R 4s	17	3	TR on pile.	Ra ref.
27415	ONYX PIPELINE LIGHT B	28-34-17.000N 096-31-42.000W	Q R	8		NW on pile worded DANGER PIPELINE CROSSING.	Private aid.
27420	ONYX PIPELINE LIGHT A	28-34-09.000N 096-31-48.000W	Q G	8		NW on pile worded DANGER PIPELINE CROSSING.	Private aid.
27425	ONYX PIPELINE EAST LIGHT	28-34-20.000N 096-31-38.000W	Q R	8		NR on pile worded DANGER PIPELINE CROSSING.	Private aid.
27430	ONYX PIPELINE WEST LIGHT	28-34-05.000N 096-31-52.000W	Q G	8		NR on pile worded DANGER PIPELINE CROSSING.	Private aid.
27435	- LIGHT 57	28-34-17.994N 096-31-55.313W	FI G 2.5s	17	3	SG on pile.	Ra ref.
27440	- LIGHT 58	28-34-21.861N 096-31-51.812W	FI R 2.5s	17	3	TR on pile.	Ra ref.
27445	- LIGHT 59	28-34-41.436N 096-32-28.672W	Oc G 4s	17	4	SG on pile.	Ra ref.
27450	- LIGHT 60	28-34-45.330N 096-32-25.171W	Oc R 4s	17	4	TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
MATAGORDA BAY (Chart 11317)							
Matagorda Bay							
Matagorda Ship Channel							
<i>Lights and daybeacons located 150 feet outside channel limits.</i>							
27455	- LIGHT 61	28-35-04.929N 096-33-02.035W	FI G 4s	17	4	SG on pile.	Ra ref.
27460	- LIGHT 62	28-35-08.795N 096-32-58.534W	FI R 4s	17	3	TR on pile.	Ra ref.
27465	- LIGHT 63	28-35-28.392N 096-33-35.402W	FI G 2.5s	17	3	SG on pile.	Ra ref.
27470	- LIGHT 64	28-35-32.259N 096-33-31.901W	FI R 2.5s	17	3	TR on pile.	Ra ref.
27475	- LIGHT 65	28-35-39.872N 096-33-51.730W	Q G	17	3	SG on pile.	Ra ref.
27480	- LIGHT 66	28-35-46.144N 096-33-48.048W	Q R	17	3	TR on pile.	Ra ref.
27485	PORT LAVACA CHANNEL JUNCTION LIGHT PL	28-35-50.039N 096-34-00.254W	FI (2+1)G 6s	17	3	JG on pile.	Ra ref.
27490	- E RANGE FRONT LIGHT	28-38-57.333N 096-33-56.867W	Q R	28		KRW on skeleton tower on mud sills.	Visible 2° each side of rangeline.
27492	- E RANGE FRONT LIGHT PASSING LIGHT	28-38-57.333N 096-33-56.867W	FI W 4s	17	4	On same structure as Matagorda Ship Channel E Range Front Light.	
27495	- E RANGE REAR LIGHT 1,494 yards, 001.4° from front light.	28-39-41.700N 096-33-55.632W	Oc R 4s	66		KRW on skeleton tower on mud sills.	Visible 2° each side of rangeline.
27500	- LIGHT 67	28-36-03.722N 096-34-04.672W	Q G	17	3	SG on pile.	Ra ref.
27505	- LIGHT 68	28-36-02.263N 096-33-56.858W	Q R	17	3	TR on pile.	Ra ref.
27510	- D RANGE FRONT LIGHT	28-35-46.227N 096-34-02.456W	Q G	25		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
27515	- D RANGE FRONT LIGHT PASSING LIGHT	28-35-46.227N 096-34-02.456W	FI W 4s	27	5	On same structure as Matagorda Ship Channel Range D Front Light.	
27520	- D RANGE REAR LIGHT 658.167 yards, 181.3° from front light.	28-35-26.682N 096-34-02.962W	Oc G 4s	47		KRW on skeleton tower on piles.	
27525	- D RANGE REAR LIGHT PASSING LIGHT	28-35-26.682N 096-34-02.962W	FI W 4s	18	5	On same structure as Matagorda Ship Channel Range D Rear Light.	
27530	- LIGHT 69	28-36-29.520N 096-34-03.941W	FI G 2.5s	17	3	SG on pile.	Ra ref.
27535	- LIGHT 70	28-36-29.397N 096-33-58.334W	FI R 2.5s	17	3	TR on pile.	Ra ref.
27540	- LIGHT 71	28-36-55.319N 096-34-03.210W	FI G 4s	17	4	SG on pile.	Ra ref.
27545	- LIGHT 72	28-36-55.196N 096-33-57.602W	FI R 4s	17	3	TR on pile.	Ra ref.
27550	- LIGHT 73	28-37-21.118N 096-34-02.478W	FI G 4s	17	4	SG on pile.	Ra ref.
27555	- LIGHT 74	28-37-20.995N 096-33-56.869W	FI R 4s	17	3	TR on pile.	Ra ref.
27560	- LIGHT 75	28-37-46.917N 096-34-01.747W	FI G 2.5s	17	3	SG on pile.	Ra ref.
27565	- LIGHT 76	28-37-46.793N 096-33-56.138W	FI R 2.5s	17	3	TR on pile.	Ra ref.
27570	- G RANGE FRONT LIGHT	28-38-07.503N 096-34-05.513W	Q W	17		KRW on tower.	Visible all around; higher intensity on rangeline.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
MATAGORDA BAY (Chart 11317)							
Matagorda Bay							
Matagorda Ship Channel							
<i>Lights and daybeacons located 150 feet outside channel limits.</i>							
27575	- G RANGE REAR LIGHT 115 yards, 231.7° from front light.	28-38-05.399N 096-34-08.594W	Iso W 6s	25		KRW on tower.	Visible all around; higher intensity on rangeline.
27580	- LIGHT 77	28-38-00.863N 096-34-01.351W	Q G	17	3	SG on pile.	Ra ref.
27585	- LIGHT 78	28-38-03.110N 096-33-53.110W	Q R	17	3	TR on pile.	Ra ref.
27590	MATAGORDA SHIP	28-38-10.288N	FI (2+1)G 6s	17	4	JG on pile.	Ra ref.
27655	JUNCTION LIGHT A	096-33-55.798W					
27595	- LIGHT 79	28-38-24.344N 096-33-47.230W	FI G 2.5s	17	3	SG on pile.	Ra ref.
27600	- LIGHT 80	28-38-18.075N 096-33-43.567W	FI R 2.5s	17	3	TR on pile.	Ra ref.
27605	- F RANGE FRONT LIGHT	28-38-29.610N 096-33-40.074W	Q W	17		KRW on tower.	Visible all around; higher intensity on rangeline.
27610	- F RANGE REAR LIGHT 140 yards, 027.4° from front light.	28-38-33.241N 096-33-37.846W	Iso W 6s	25		KRW on tower.	
27615	- LIGHT 81	28-38-34.406N 096-33-30.216W	Q G	17	3	SG on Pile.	Ra ref.
27620	- LIGHT 82	28-38-31.087N 096-33-27.448W	Q R	17	4	TR on pile.	Ra ref.
Point Comfort Turning Basin							
27625	- DOCK LIGHTS (6)	28-38-32.900N 096-32-58.400W	FI R 2.5s	12		On dolphins.	Private aid.
27630	- NORTH SHOAL RANGE FRONT LIGHT	28-38-39.900N 096-32-56.800W	Q W	30		KGW on tower.	Marks shoal water. Private aid.
27635	- NORTH SHOAL RANGE REAR LIGHT	28-38-39.900N 096-32-55.600W	FI W 2.5s	50		KGW on tower.	Marks shoal water. Private aid.
27640	- SOUTH SHOAL RANGE FRONT LIGHT	28-38-33.100N 096-32-56.700W	Q W	30		KGW on tower.	Marks shoal water. Private aid.
27645	- SOUTH SHOAL RANGE REAR LIGHT	28-38-33.200N 096-32-55.400W	FI W 2.5s	50		KGW on tower.	Marks shoal water. Private aid.
27650	- PIER OBSTRUCTION LIGHT	28-38-36.900N 096-33-09.900W	FI R 2.5s			On end of pier.	Private aid.
Point Comfort Inner Channel							
27655	MATAGORDA SHIP	28-38-10.288N	FI (2+1)G 6s	17	4	JG on pile.	Ra ref.
27590	JUNCTION LIGHT A	096-33-55.798W					
27660	- LIGHT 3	28-38-28.000N 096-34-00.000W	FI G 4s	8		SG on pile.	Private aid.
27665	- LIGHT 4	28-38-29.000N 096-33-54.000W	FI R 4s	10		TR on pile.	Private aid.
27670	- LIGHT 5	28-38-36.000N 096-34-02.000W	FI W 4s	10		SG on pile.	Private aid.
27675	- LIGHT 6	28-38-52.000N 096-33-52.000W	FI R 4s	10		TR on pile.	Private aid.
27680	- LIGHT 7	28-39-04.000N 096-33-53.000W	FI G 4s	10		SG on pile.	Private aid.
27685	- LIGHT 8	28-39-30.000N 096-34-04.000W	FI R 3s	10		TR on pile.	Private aid.
27690	POINT COMFORT RANGE A FRONT LIGHT	28-39-35.000N 096-34-11.000W	FI W 4s	14		KRW on pile.	Private aid.
27695	POINT COMFORT RANGE A REAR LIGHT	28-39-41.000N 096-34-15.000W	Q W	19		KRW on piles.	Private aid.
Lavaca Bay							
Port Lavaca Channel							
27700	- LIGHT 1	28-36-01.204N 096-34-33.786W	FI G 2.5s	17	4	SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
MATAGORDA BAY (Chart 11317)							
Lavaca Bay							
Port Lavaca Channel							
27705	- Day beacon 3	28-36-12.081N 096-34-57.496W				SG on pile.	Ra ref.
27710	- Buoy 6	28-36-24.511N 096-35-15.389W				Red nun.	
27715	- LIGHT 5 60 feet outside channel limit.	28-36-21.190N 096-35-17.362W	FI G 6s	17	4	SG on pile.	Ra ref.
27720	- Day beacon 7	28-36-36.625N 096-35-50.393W				SG on pile.	Ra ref.
27725	- Day beacon 8	28-36-49.488N 096-36-09.819W				TR on pile.	Ra ref.
27730	- Lighted Buoy 9	28-36-48.278N 096-36-15.570W	FI G 4s		4	Green can.	
27735	- Day beacon 10	28-36-58.327N 096-36-29.864W				TR on pile.	Ra ref.
27740	- Day beacon 11	28-36-55.988N 096-36-31.419W				SG on pile.	Ra ref.
27745	- Day beacon 12	28-37-04.250N 096-36-43.284W				TR on dolphin.	Ra ref.
27750	- LIGHT 13	28-37-01.879N 096-36-45.275W	FI G 2.5s	17	4	SG on pile.	Ra ref.
27755	- Day beacon 14	28-37-11.801N 096-37-00.910W				TR on pile.	Ra ref.
27760	- Day beacon 15	28-37-09.656N 096-37-01.965W				SG on pile.	Ra ref.
27765	- LIGHT 16	28-37-20.066N 096-37-17.825W	Q R	17	4	TR on pile.	Ra ref.
Nautical Landing Channel							
27770	- Day beacon 2	28-37-09.400N 096-37-02.300W				TR on pile.	Private aid.
27775	- Day beacon 4	28-37-07.300N 096-37-06.200W				TR on pile.	Private aid.
27780	- Day beacon 6	28-37-05.200N 096-37-09.900W				TR on pile.	Private aid.
27785	- Day beacon 8	28-37-03.600N 096-37-12.900W				TR on pile.	Private aid.
27790	- Day beacon 10	28-37-02.700N 096-37-12.400W				TR on pile.	Private aid.
Port Lavaca Harbor of Refuge							
27795	- Day beacon 2 90 feet outside channel limit.	28-36-14.584N 096-35-13.935W				TR on pile.	Ra ref.
27800	- Day beacon 4 90 feet outside channel limit.	28-36-04.440N 096-35-37.036W				TR on pile.	Ra ref.
27805	- LIGHT WR 6 90 feet outside channel limit.	28-35-54.295N 096-36-00.136W	Q R	17	3	TR on pile.	Ra ref.
27810	- Day beacon 8 90 feet outside channel limit.	28-35-44.149N 096-36-23.235W				TR on pile.	Ra ref.
27815	- Day beacon 10 90 feet outside channel limit.	28-35-33.923N 096-36-46.506W				TR on pile.	Ra ref.
Chocolate Bay Channel							
27820	- Buoy 1	28-36-01.000N 096-35-33.000W				Green can.	Private aid.
27825	- Buoy 3	28-35-45.000N 096-35-48.000W				Green can.	Private aid.
27830	- Buoy 5	28-35-32.000N 096-36-00.000W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
MATAGORDA BAY (Chart 11317)							
Lavaca Bay							
Chocolate Bay Channel							
27835	- Buoy 7	28-35-20.000N 096-36-12.000W				Green can.	Private aid.
Lavaca Bay Channel							
27840	- Day beacon 2	28-36-55.152N 096-36-09.600W				TR on pile.	Ra ref.
27845	- Day beacon 4	28-37-16.097N 096-35-56.995W				TR on pile.	Ra ref.
27850	- Day beacon 6	28-37-42.287N 096-35-41.117W				TR on pile.	Ra ref.
27855	- Day beacon 8	28-38-08.136N 096-35-26.502W				TR on dolphin.	Ra ref.
27860	- Day beacon 9	28-38-27.234N 096-35-19.252W				SG on pile.	Ra ref.
27865	- Day beacon 11	28-38-32.885N 096-35-18.917W				SG on pile.	Ra ref.
27870	- Day beacon 12 100 feet outside channel limit.	28-38-40.902N 096-35-18.936W				TR on pile.	Ra ref.
27880	- Day beacon 16	28-39-33.684N 096-36-02.184W				TR on pile.	Ra ref.
27885	- Day beacon 18	28-39-45.312N 096-35-57.828W				TR on pile.	Ra ref.
27895	- Day beacon 17	28-39-34.183N 096-36-08.917W				SG on pile.	Ra ref.
27900	- Day beacon 22	28-40-56.418N 096-34-54.258W				TR on pile.	Ra ref.
Lavaca River							
27905	- Day beacon 2	28-41-20.922N 096-34-33.900W				TR on pile.	Ra ref.
27910	- Day beacon 3 150 feet outside channel limit.	28-41-51.792N 096-34-34.746W				SG on pile.	Ra ref.
Lavaca Bay							
27915	- PIPELINE LIGHT A-8	28-33-08.570N 096-29-19.510W	Q Y	10		On pile.	Private aid.
27920	- PIPELINE LIGHT A-10	28-35-46.210N 096-31-27.210W	Q R			On pile.	Private aid.
27925	- PIPELINE LIGHT D-8	28-37-53.000N 096-32-27.910W	Q R			On pile.	Private aid.
Matagorda Bay							
27928	SCHICKE POINT DANGER BREAKWATER LIGHT	28-37-43.150N 096-21-52.650W	FI W 2.5s			Marks breakwater.	Private aid.
27928.01	SCHICKE POINT DANGER BREAKWATER LIGHT	28-37-40.680N 096-21-51.800W	FI W 2.5s			Marks breakwater.	Private aid.
27928.02	SCHICKE POINT DANGER BREAKWATER LIGHT	28-37-37.970N 096-21-49.800W	FI W 2.5s			Marks breakwater.	Private aid.
27928.03	Schicke Point Danger Breakwater Day beacon	28-37-36.330N 096-21-45.780W				Marks breakwater.	Private aid.
27928.04	SCHICKE POINT DANGER BREAKWATER LIGHT	28-37-34.820N 096-21-41.730W	FI W 2.5s			Marks breakwater.	Private aid.
27928.05	Schicke Point Danger Breakwater Day beacon	28-37-35.390N 096-21-37.800W				Marks breakwater.	Private aid.
27928.06	SCHICKE POINT DANGER BREAKWATER LIGHT	28-37-35.960N 096-21-33.880W	FI W 2.5s			Marks breakwater.	Private aid.
27928.07	SCHICKE POINT DANGER BREAKWATER LIGHT	28-37-36.350N 096-21-32.860W	FI W 2.5s			Marks breakwater.	Private aid.
27928.08	Schicke Point Danger Breakwater Day beacon	28-37-37.880N 096-21-28.930W				Marks breakwater.	Private aid.
27928.09	SCHICKE POINT DANGER BREAKWATER LIGHT	28-37-39.390N 096-21-25.040W	FI W 2.5s			Marks breakwater.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
MATAGORDA BAY (Chart 11317)							
Matagorda Bay							
27928.11	Schicke Point Danger Breakwater Day beacon	28-37-40.920N 096-21-21.130W				Marks breakwater.	Private aid.
27928.12	SCHICKE POINT DANGER BREAKWATER LIGHT	28-37-42.450N 096-21-17.240W	FI W 2.5s			Marks breakwater.	Private aid.
27930	Well Point Day beacon 1	28-38-24.408N 096-17-10.929W				SG on pile.	Ra ref.
27935	TEXAS PARKS & WILDLIFE JETTY LIGHT	28-38-20.440N 096-19-24.000W	Q R	10		On jetty.	Private aid.
27937	JACKSON COUNTY CARANCAHUA BAY DANGER BREAKWATER LIGHTS (2)	28-44-09.450N 096-24-06.760W				Marks east and west ends of jetty.	Private aid.
Matagorda Marine Education Channel							
27940	- Day beacon 1	28-41-11.000N 096-14-24.000W				SG on pile.	Private aid.
27945	- Day beacon 2	28-41-11.000N 096-14-23.000W				TR on pile.	Private aid.
27950	- Day beacon 3	28-41-18.000N 096-14-24.000W				SG on pile.	Private aid.
27955	- Day beacon 4	28-41-18.000N 096-14-23.000W				TR on pile.	Private aid.
27960	- Day beacon 5	28-41-25.000N 096-14-24.000W				SG on pile.	Private aid.
27965	- Day beacon 6	28-41-25.000N 096-14-23.000W				TR on pile.	Private aid.
Matagorda Bay							
27970	Geological Survey Tide Gage Day beacon	28-44-20.000N 096-10-53.000W				NW on pile worded DANGER TIDE GAGE.	Private aid.
27975	Geological Survey Tide Gage Day beacon	28-37-52.000N 096-21-45.000W				NW on pile worded DANGER TIDE GAGE.	Private aid.
Espiritu Santo Bay - Barroom Bay Navigation							
27980	- Day beacon 2	28-24-39.000N 096-25-14.000W				TR on pile.	Private aid.
27985	- Day beacon 4	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
27990	- Day beacon 6	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
27995	- Day beacon 8	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
28000	- Day beacon 10	28-24-19.000N 096-25-36.000W				TR on pile.	Private aid.
28005	- Day beacon 12	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
28010	- Day beacon 14	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
28015	- Day beacon 16	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
28020	- Day beacon 18	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
28025	- Day beacon 22	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
28030	- Day beacon 21	28-24-00.700N 096-25-00.200W				SG on pile.	Private aid.
28035	- Day beacon 22	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
28040	- Day beacon 23	28-24-00.700N 096-25-00.200W				SG on pile.	Private aid.
28045	- Day beacon 25	28-24-00.700N 096-25-00.200W				SG on pile.	Private aid.
28050	- Day beacon 27	28-24-00.700N 096-25-00.200W				SG on pile.	Private aid.
28055	- Day beacon 29	28-24-00.700N 096-25-00.200W				SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
MATAGORDA BAY (Chart 11317)							
Espiritu Santo Bay - Barroom Bay Navigation							
28060	- Day beacon 31	28-24-00.700N 096-25-00.200W				SG on pile.	Private aid.
28065	- Day beacon 33	28-24-00.700N 096-25-00.200W				SG on pile.	Private aid.
28070	- Day beacon 35	28-28-00.700N 096-25-00.200W				SG on pile.	Private aid.
28075	- Day beacon 36	28-28-00.700N 096-25-00.200W				TR on pile.	Private aid.
28080	- Day beacon 38	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
28085	- Day beacon 39	28-24-00.700N 096-25-00.200W				SG on pile.	Private aid.
28090	- Day beacon 40	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
28095	- Day beacon 41	28-25-31.000N 096-24-33.000W				SG on pile.	Private aid.
28100	- Day beacon 42	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
28105	- Day beacon 43	28-24-00.700N 096-25-00.200W				SG on pile.	Private aid.
28110	- Day beacon 44	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
28115	- Day beacon 45	28-24-00.700N 096-25-00.200W				SG on pile.	Private aid.
28120	- Day beacon 46	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
28125	- Day beacon 47	28-24-00.700N 096-25-00.200W				SG on pile.	Private aid.
28130	- Day beacon 48	28-24-00.700N 096-25-00.200W				TR on pile.	Private aid.
ARANSAS PASS TO BAFFIN BAY (Chart 11307)							
28135 1430	<i>Aransas Pass Entrance Lighted Buoy AP</i>	27-47-34.122N 096-57-22.143W	Mo (A) W		6	Red and white stripes with red spherical topmark. Green.	AIS MMSI: 993682026
28140	<i>Aransas Pass Lighted Buoy 3</i>	27-48-57.245N 097-00-29.513W	FI G 4s		4		
28145	HARBOR ISLAND RANGE FRONT LIGHT	27-50-45.333N 097-03-41.196W	Iso G 2s (NIGHT) Iso W 2s (DAY)	67 65		Skeleton tower.	Visible 2° each side of rangeline. Lighted throughout 24 hours.
28150	HARBOR ISLAND RANGE REAR LIGHT 1,500 yards, 301.2° from front light.	27-51-08.414N 097-04-24.070W	F G (NIGHT) F W (DAY)	123 125		Skeleton tower.	Visible 2° each side of rangeline. Lighted throughout 24 hours.
CORPUS CHRISTI BAY (Chart 11309)							
Aransas Pass							
28155	- <i>Lighted Buoy 6</i> 90 feet outside channel limit.	27-49-31.128N 097-01-13.567W	FI R 4s		4	Red.	
28160	- <i>Lighted Buoy 7</i>	27-49-41.984N 097-01-52.658W	FI G 2.5s		4	Green.	
28165	- <i>Lighted Buoy 8</i>	27-49-52.161N 097-01-52.665W	FI R 2.5s		3	Red.	
28170	- <i>Lighted Buoy 9</i>	27-50-01.815N 097-02-28.437W	FI G 4s		4	Green.	
28175	- <i>Lighted Buoy 10</i>	27-50-09.412N 097-02-25.803W	FI R 4s		3	Red.	
28180	DREDGING NORTH SIDE RANGE FRONT LIGHT	27-50-48.000N 097-03-36.000W	F Y	50		On white skeleton tower.	Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
CORPUS CHRISTI BAY (Chart 11309)							
Aransas Pass							
28185	DREDGING NORTH SIDE RANGE REAR LIGHT 351 yards, 301° from front light.		F Y	70		On white skeleton tower.	Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
28190	DREDGING SOUTH SIDE RANGE FRONT LIGHT	27-50-42.000N 097-03-42.000W	F Y	50		On white skeleton tower.	Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
28195	DREDGING SOUTH SIDE RANGE REAR LIGHT 306 yards, 301° from front light.		F Y	70		On white skeleton tower.	Range marks edge of channel for dredging purposes. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
28200	UNIVERSITY OF TEXAS RESEARCH PIER LIGHTS (7)	27-50-16.200N 097-03-01.050W	FI G 2.5s	19		On concrete pier.	Private aid.
28205	- LIGHT 11	27-50-30.864N 097-03-23.365W	FI G 4s	22	4	SG on skeleton tower on piles.	
Aransas Channel							
28210	- LIGHT 2	27-51-04.737N 097-03-50.416W	FI R 2.5s	17	3	TR on pile.	Ra ref.
28215	- LIGHT 3 90 feet outside channel limit.	27-51-41.680N 097-04-39.781W	FI G 2.5s	17	3	SG on pile.	
28220	- Day beacon 4	27-51-43.829N 097-04-35.811W				TR on pile.	Ra ref.
28225	- Day beacon 5 60 feet outside channel limit.	27-52-06.108N 097-05-05.548W				SG on pile.	
28230	- Day beacon 6 90 feet outside channel limit.	27-52-08.023N 097-05-03.406W				TR on pile.	
28235	- Day beacon 8	27-52-32.316N 097-05-30.243W				TR on pile.	Ra ref.
28240	- Day beacon 9	27-52-55.489N 097-05-59.641W				SG on pile.	
28245	- LIGHT 10 90 feet outside channel limit.	27-52-56.609N 097-05-57.083W	FI R 4s	17	3	TR on pile.	
28250	- Day beacon 11	27-53-08.522N 097-06-14.015W				SG on pile.	
28255	- Day beacon 13 60 feet outside channel limit.	27-53-24.179N 097-06-31.694W				SG on pile.	
28260	- LIGHT 14 75 feet outside channel limit.	27-53-32.080N 097-06-36.346W	Q R	17	4	TR on dolphin.	
28265	- Day beacon 15	27-53-31.567N 097-06-45.683W				SG on pile.	
28270	- Day beacon 17	27-53-34.815N 097-06-57.300W				SG on pile.	
28275	- Day beacon 18 75 feet outside channel limit.	27-53-38.779N 097-07-03.297W				TR on pile.	
28280	- LIGHT 20 60 feet outside channel limit.	27-53-44.971N 097-07-29.852W	FI R 2.5s	17	4	TR on dolphin.	
28285	- Day beacon 22	27-53-51.527N 097-07-57.077W				TR on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
CORPUS CHRISTI BAY (Chart 11309)							
Aransas Channel							
28290	- LIGHT 23	27-53-51.523N	FI G 4s	17	4	SG-TY on pile.	
39225	50 feet outside channel limit.	097-08-06.438W					
28295	- Day beacon 24	27-53-55.316N 097-08-07.742W				TR on pile.	
Corpus Christi Channel							
28305	CORPUS CHRISTI CUT A EAST RANGE FRONT LIGHT	27-50-41.815N 097-03-13.687W	Q W	38		KRW on skeleton tower on piles.	
28310	CORPUS CHRISTI CUT A EAST RANGE REAR LIGHT 989 yards, 078.3° from front light.	27-50-47.194N 097-02-44.645W	Iso W 6s	93		KRW on skeleton tower on concrete block.	
28315	Port Aransas Harbor Day beacon 2	27-50-29.773N 097-03-45.220W				TR on pile.	
28320	PORT ARANSAS HARBOR LIGHT 3	27-50-30.093N 097-03-42.605W	Q G	17	3	SG on dolphin.	
28325	Port Aransas Harbor Day beacon 4	27-50-27.514N 097-03-39.257W				TR on pile.	
28330	Port Aransas Rock Groin Danger Day beacon	27-50-33.050N 097-05-00.220W				NW on pile worded: DANGER ROCK GROIN.	Priv ate aid.
28335	PORT ARANSAS ROCK GROIN DANGER LIGHT	27-50-32.290N 097-05-00.640W	FI W 2.5s			On pile.	Priv ate aid.
28340	Port Aransas Rock Groin Danger Day beacon	27-50-33.060N 097-05-00.990W				NW on pile worded: DANGER ROCK GROIN.	Priv ate aid.
28345	- LIGHT 1	27-50-18.504N 097-04-55.557W	FI G 2.5s	17	3	SG on pile.	Ra ref .
28350	- LIGHT 7 150 feet outside channel limit.	27-50-04.012N 097-06-13.069W	FI G 4s	17	4	SG on pile.	Ra ref .
28355	- LIGHT 8 150 feet outside channel limit.	27-50-12.662N 097-06-16.351W	FI R 4s	17	3	TR on pile.	Ra ref .
Mustang Beach Channel							
28360	- Entrance Day beacon 1	27-50-03.000N 097-06-24.000W				SG on piles.	Priv ate aid.
28365	- EAST JETTY DANGER LIGHT	27-50-00.488N 097-06-21.587W	FI W 2.5s	10		On pile.	Priv ate aid.
28370	- East Jetty Danger Day beacon	27-49-57.555N 097-06-19.650W				NW on pile worded: DANGER JETTY .	Priv ate aid.
28375	- East Jetty Danger Day beacon	27-49-59.201N 097-06-20.874W				NW on pile worded: DANGER JETTY .	Priv ate aid.
28380	- Day beacon 1A	27-50-01.000N 097-06-23.000W				SG on piles.	Priv ate aid.
28385	- Entrance Day beacon 2	27-50-02.000N 097-06-28.000W				TR on piles.	Priv ate aid.
28390	- WEST JETTY DANGER LIGHT	27-50-00.120N 097-06-23.555W	FI W 2.5s	10		On pile.	Priv ate aid.
28395	- West Jetty Danger Day beacon	27-49-56.346N 097-06-24.123W				NW on pile worded: DANGER JETTY .	Priv ate aid.
28400	- West Jetty Danger Day beacon	27-49-58.519N 097-06-23.704W				NW on pile worded: DANGER JETTY .	Priv ate aid.
28405	- Day beacon 2A	27-50-00.000N 097-06-27.000W				TR on pile.	Priv ate aid.
28410	- LIGHT 3	27-49-57.000N 097-06-22.000W	FI G 4s	8		SG on pile.	Priv ate aid.
28415	- Day beacon 3A	27-49-54.000N 097-06-22.000W				SG on pile.	Priv ate aid.
28420	- LIGHT 4	27-49-57.000N 097-06-25.000W	FI R 4s	8		TR on pile.	Priv ate aid.
28425	- Day beacon 4A	27-49-54.000N 097-06-24.000W				TR on pile.	Priv ate aid.
28430	- Day beacon 5	27-49-50.000N 097-06-22.000W				SG on pile.	Priv ate aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
CORPUS CHRISTI BAY (Chart 11309)							
Corpus Christi Channel							
Mustang Beach Channel							
28435	- Day beacon 6	27-49-46.000N 097-06-22.000W				TR on pile.	Private aid.
28440	- Day beacon 7	27-49-45.000N 097-06-20.000W				SG on pile.	Private aid.
28445	- Day beacon 8	27-49-42.000N 097-06-21.000W				TR on pile.	Private aid.
28450	- Day beacon 9	27-49-38.000N 097-06-19.000W				SG on pile.	Private aid.
28455	- Day beacon 10	27-49-36.000N 097-06-19.000W				TR on pile.	Private aid.
28460	- Day beacon 11	27-49-33.000N 097-06-17.000W				TR on pile.	Private aid.
28465	- Day beacon 12	27-49-30.000N 097-06-18.000W				TR on pile.	Private aid.
28470	- Day beacon 13	27-49-28.000N 097-06-15.000W				SG on pile.	Private aid.
28475	- Day beacon 14	27-49-25.000N 097-06-16.000W				TR on pile.	Private aid.
28480	- Day beacon 16	27-49-19.000N 097-06-15.000W				TR on pile.	Private aid.
28485	- Day beacon 17	27-49-17.000N 097-06-13.000W				SG on pile.	Private aid.
28490	- Day beacon 18	27-49-15.000N 097-06-14.000W				TR on pile.	Private aid.
28495	- Day beacon 19	27-49-09.000N 097-06-11.000W				SG on pile.	Private aid.
28500	- Day beacon 20	27-49-03.000N 097-06-11.000W				TR on pile.	Private aid.
28505	- Day beacon 21	27-49-02.000N 097-06-10.000W				SG on pile.	Private aid.
28510	- LIGHT 22	27-49-01.000N 097-06-11.000W	FI R 4s	8		TR on pile.	Private aid.
28515	- Day beacon 23	27-49-03.000N 097-06-10.000W				SG on pile.	Private aid.
28520	- Day beacon 23A	27-48-01.000N 097-06-08.000W				SG on pile.	Private aid.
28525	- Day beacon 24	27-48-58.000N 097-06-07.000W				TR on pile.	Private aid.
28530	- Day beacon 25	27-49-00.000N 097-06-07.000W				SG on pile.	Private aid.
28535	- Day beacon 26	27-48-56.000N 097-06-05.000W				TR on pile.	Private aid.
28540	- Day beacon 27	27-48-58.000N 097-06-02.000W				SG on pile.	Private aid.
28545	- Day beacon 28	27-48-52.000N 097-05-57.000W				TR on pile.	Private aid.
28550	- Day beacon 29	27-48-52.000N 097-05-55.000W				SG on pile.	Private aid.
28555	- Day beacon 30	27-48-49.000N 097-05-52.000W				TR on pile.	Private aid.
28560	- Day beacon 31	27-48-48.000N 097-05-49.000W				SG on pile.	Private aid.
28565	- Day beacon 32	27-48-45.000N 097-05-45.000W				TR on pile.	Private aid.
28570	- Day beacon 33	27-48-45.000N 097-05-43.000W				SG on pile.	Private aid.
28575	- Day beacon 34	27-48-04.000N 097-05-41.500W				TR on pile.	Private aid.
28580	- Day beacon 35	27-48-41.000N 097-05-37.000W				SG on pile.	Private aid.
28585	- Day beacon 36	27-48-40.000N 097-05-37.500W				TR on pile.	Private aid.
28590	- Day beacon 37	27-48-36.000N 097-05-34.000W				SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
CORPUS CHRISTI BAY (Chart 11309)							
Corpus Christi Channel							
Mustang Beach Channel							
28595	- Day beacon 38	27-48-37.000N 097-05-32.000W				TR on pile.	Private aid.
Corpus Christi Channel							
28600	- LIGHT 13 150 feet outside channel limit.	27-49-48.152N 097-07-35.807W	FI G 6s	17	4	SG on pile.	Ra ref.
28605	- LIGHT 14 150 feet outside channel limit.	27-49-57.499N 097-07-38.078W	FI R 6s	17	4	TR on dolphin.	Ra ref.
28607	RANSOM POINT DANGER BREAKWATER LIGHTS (5)	27-50-47.236N 097-08-20.843W	FI W 2.5s			Marks breakwater structure.	Private aid.
28610	- LIGHT 19 150 feet outside channel limit.	27-49-35.183N 097-08-49.451W	FI G 6s	17	4	SG on pile.	Ra ref.
28615	- LIGHT 20 150 feet outside channel limit.	27-49-43.325N 097-08-52.538W	FI (2)R 5s	17	3	TR on pile.	Ra ref.
28620	CORPUS CHRISTI CUT A WEST RANGE FRONT LIGHT	27-48-30.183N 097-15-00.750W	Q G	24		KRW on skeleton tower on piles.	
28625	CORPUS CHRISTI CUT A WEST RANGE REAR LIGHT 1,984 yards, 258.2° from front light.	27-48-18.080N 097-16-05.610W	Iso G 6s	65		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline. Range is not effective seaward or Corpus Christi Channel Lights 19 and 20.
28630	- LIGHT 25 150 feet outside channel limit.	27-49-19.982N 097-10-11.426W	FI G 4s	17	4	SG on pile.	Ra ref.
28635	- LIGHT 26 150 feet outside channel limit.	27-49-29.119N 097-10-15.256W	FI R 4s	17	3	TR on pile.	Ra ref.
28640	- PIPELINE LIGHT A	27-49-19.000N 097-10-13.000W	FI G 4s	20		Pile structure.	Private aid.
28645	- PIPELINE LIGHT B	27-49-28.000N 097-10-14.000W	Q R	20		Pile structure.	Private aid.
28650	- LIGHT 31 150 feet outside channel limit.	27-49-08.092N 097-11-16.541W	FI G 2.5s	17	3	SG on pile.	Ra ref.
28655	- LIGHT 32	27-49-17.498N 097-11-15.658W	FI R 2.5s	17	3	TR on pile.	Ra ref.
28660	- LIGHT 33 240 feet outside channel limit.	27-48-56.600N 097-12-13.500W	FI G 2.5s	17	3		Ra ref.
28665	SUNOCO TERMINALS DOCK LIGHTS (2)	27-49-09.000N 097-11-57.000W	FI R 2.5s	18		On dolphins.	Private aid.
28667	OXY INGLESIDE DOLPHIN LIGHTS (2)	27-49-03.530N 097-12-33.400W	FI W 2.5s			Marks turning dolphin structure.	Private aid.
28668	Oxy Ingleside Facility Channel Front Range Day board	27-49-18.680N 097-12-29.400W				KRW marks private channel range.	Private aid.
28668.01	Oxy Ingleside Facility Channel Rear Range Day board	27-49-19.530N 097-12-29.350W				KRW marks private channel range.	Private aid.
28675	- LIGHT 36	27-49-00.751N 097-12-46.680W	FI R 4s	17	3	TR on pile.	Ra ref.
28680	- LIGHT 37 150 feet outside channel limit.	27-48-46.691N 097-13-11.180W	FI G 2.5s	17	3	SG on pile.	Ra ref.
28685	- LIGHT 38 100 feet outside channel limit.	27-48-54.491N 097-13-15.862W	FI R 4s	17	3	TR on pile.	Ra ref.
28690	- LIGHT 43 200 feet outside channel limit.	27-48-35.032N 097-14-14.315W	Q G	17	3	SG on dolphin.	Ra ref.
28695	- LIGHT 44 200 feet outside channel.	27-48-43.106N 097-14-15.531W	Q R	17	3	TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
CORPUS CHRISTI BAY (Chart 11309)							
Corpus Christi Channel							
28700	CORPUS CHRISTI CUT B EAST RANGE FRONT LIGHT	27-48-38.785N 097-13-41.116W	FI W 2.5s (NIGHT) FI W 2.5s (DAY)	37 40		Platform on pile.	Visible all around; higher intensity 4° each side of rangeline.
28705	CORPUS CHRISTI CUT B EAST RANGE FRONT LIGHT PASSING LIGHT	27-48-38.785N 097-13-41.116W	Q W	43	3	On same structure as Corpus Christi Channel Cut B East Range Front Light.	
28710	CORPUS CHRISTI CUT B EAST RANGE REAR LIGHT 5,049 yards, 089.8° from front light.	27-48-39.375N 097-10-52.319W	Iso W 6s (NIGHT) Iso W 6s (DAY)	128 125		Skeleton tower on piles.	Visible 2° each side of rangeline.
28715	CORPUS CHRISTI CUT B EAST RANGE REAR LIGHT PASSING LIGHT	27-48-39.375N 097-10-53.319W	Q Y	36	3	On same structure as Corpus Christi Channel Cut B East Range Rear Light.	
28720	- LIGHT 49 200 feet outside channel limit.	27-48-34.362N 097-15-31.081W	FI G 2.5s	17	3	SG on dolphin.	Ra ref.
28725	- LIGHT 50 200 feet outside channel limit.	27-48-42.636N 097-15-31.130W	FI R 2.5s	17	3	TR on pile.	Ra ref.
28730	- LIGHT 55 150 feet outside channel limit.	27-48-34.078N 097-16-47.102W	FI G 4s	17	4	SG on dolphin.	Ra ref.
28735	- LIGHT 56	27-48-42.048N 097-16-47.209W	FI R 4s	17	3	TR on dolphin.	Ra ref.
28740	Corpus Christi P/L Cross Buoy B	27-48-31.000N 097-16-54.000W				Yellow.	Private aid.
28745	Corpus Christi Pipeline Crossing Buoy A	27-48-42.000N 097-16-54.000W				Yellow.	Private aid.
28747	CORPUS CHRISTI BAY ALTERNATE ROUTE LEADING LIGHT	27-48-46.320N 097-17-26.710W	FI W 2.5s	17	4		
28747.1	Corpus Christi Bay Alternate Route Day beacon 7	27-47-09.822N 097-16-28.067W				SG on pile.	Ra ref.
28747.2	CORPUS CHRISTI BAY ALTERNATE ROUTE LIGHT 6	27-46-32.420N 097-15-25.857W	FI R 4s	17	3	TR on pile.	Ra ref.
28747.3	Corpus Christi Bay Alternate Route Day beacon 5	27-44-51.801N 097-14-44.077W				SG on pile.	Ra ref.
28747.4	CORPUS CHRISTI BAY ALTERNATE ROUTE LIGHT 4	27-44-37.003N 097-14-04.402W	FI R 2.5s	17	3	TR on pile.	Ra ref.
28747.5	Corpus Christi Bay Alternate Route Day beacon 3	27-43-48.284N 097-13-59.341W				SG on pile.	Ra ref.
28750	- LIGHT 61 150 feet outside channel limit.	27-48-33.795N 097-18-04.337W	FI G 6s	17	4	SG on pile.	Ra ref.
28755	- LIGHT 62 200 feet outside channel limit.	27-48-41.701N 097-18-04.406W	FI R 6s	17	4	TR on pile.	Ra ref.
28760	- LIGHT 67 200 feet outside channel limit.	27-48-33.432N 097-19-18.893W	FI G 6s	17	4	SG on dolphin.	Ra ref.
28765	- LIGHT 68 200 feet outside channel limit.	27-48-41.394N 097-19-18.923W	FI (2)R 5s	17	3	TR on dolphin.	Ra ref.
CORPUS CHRISTI HARBOR (Chart 11311)							
Corpus Christi Channel							
28770	CORPUS CHRISTI CUT B WEST RANGE FRONT LIGHT	27-48-37.009N 097-23-33.887W	Oc G 4s	55		KRW on building located south side of harbor entrance.	Visible 5° each side of rangeline.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
CORPUS CHRISTI HARBOR (Chart 11311)							
Corpus Christi Channel							
28775	CORPUS CHRISTI CUT B WEST RANGE REAR LIGHT 2,600 yards, 269.7° from front light.	27-48-36.580N 097-25-00.684W	F G	101		KRW on skeleton tower, located south side of harbor entrance.	Visible 5° each side of rangeline.
28780	- LIGHT 73 200 feet outside channel limit.	27-48-33.099N 097-20-39.760W	FI G 4s	17	4	SG on dolphin.	Ra ref.
28785	- LIGHT 74 150 feet outside channel limit.	27-48-41.060N 097-20-39.911W	FI R 4s	17	3	TR on dolphin.	Ra ref.
28790	- LIGHT 79	27-48-32.778N 097-21-56.761W	FI G 2.5s	17	3	SG on dolphin.	Ra ref.
28795	- LIGHT 80 150 feet outside channel limit.	27-48-40.672N 097-21-56.833W	FI R 2.5s	17	3	TR on dolphin.	Ra ref.
28800	- LIGHT 82 200 feet outside channel limit.	27-48-40.438N 097-22-51.663W	Q R	17	3	TR on dolphin.	Ra ref.
28805	- LIGHT 85	27-48-35.140N 097-23-17.431W	FI G 2.5s	17	3	SG on dolphin.	Ra ref.
28810	- LIGHT 86	27-48-45.420N 097-23-18.140W	FI R 4s	30	3	TR on dolphin.	
28815	CORPUS CHRISTI HARBOR OUTER RANGE FRONT LIGHT	27-48-27.992N 097-22-03.261W	Q G	25		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
28820	CORPUS CHRISTI HARBOR OUTER RANGE REAR LIGHT 330 yards, 101.2° from front light.	27-48-26.098N 097-21-52.455W	Iso G 6s	42		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
CORPUS CHRISTI BAY (Chart 11309)							
Corpus Christi Channel							
28822	FLINT HILLS RESOURCES DANGER LIGHT	27-48-52.140N 097-25-09.180W	FI W 2.5s			Marks outfall pipe.	Private aid.
CORPUS CHRISTI HARBOR (Chart 11311)							
Corpus Christi Channel							
28825	INDUSTRIAL CANAL RANGE FRONT LIGHT	27-49-14.418N 097-25-58.124W	Q G	47		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
28830	INDUSTRIAL CANAL RANGE REAR LIGHT 248 yards, 293.5° from front light.	27-49-17.444N 097-26-05.842W	F G	65		KRW on skeleton tower on mud sills.	Visible 2° each side of rangeline.
Tule Lake Channel							
28835	- A RANGE FRONT LIGHT	27-49-29.729N 097-26-15.164W	Oc G 4s	45		On skeleton tower on piles.	Lighted throughout 24 hours.
28840	- A RANGE REAR LIGHT 616 yards, 066.8° from front light.	27-49-37.007N 097-25-56.274W	F G	63		KRW on skeleton tower on mud sills.	Lighted throughout 24 hours.
28850	- B RANGE FRONT LIGHT	27-49-13.316N 097-28-56.796W	Q G	55		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
28855	- B RANGE REAR LIGHT 651 yards, 282.8° from front light.	27-49-17.605N 097-29-17.993W	Iso G 6s	75		KRW on skeleton tower on mud sills.	Visible all around; higher intensity on rangeline.
28860	- C RANGE FRONT LIGHT	27-48-52.553N 097-27-14.383W	Q G	35		KRW on skeleton tower.	Lighted throughout 24 hours.
28865	- C RANGE REAR LIGHT 175 yards, 102.2° from front light.	27-48-51.411N 097-27-08.678W	Iso G 6s	45		KRW on skeleton tower on mud sills.	Lighted throughout 24 hours.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
CORPUS CHRISTI HARBOR (Chart 11311)							
Corpus Christi Channel							
Tule Lake Channel							
28870	- DIRECTIONAL LIGHT D	27-49-42.982N 097-29-50.738W	F W	40	G W R	On skeleton tower.	Shows FI G f from 298.6° to 298.0°; F G f from 298.0° to 297.5°; Alternating GW f from 297.5° to 296.9°; F W (on channel line) f from 296.9° to 296.5°; Alternating RW f from 296.5° to 295.9°; F R f from 295.9° to 295.5°; FI R f from 295.5° to 294.9°.
28875	- E RANGE FRONT LIGHT	27-49-01.908N 097-28-18.885W	Q G	26		KRW on skeleton tower.	Lighted throughout 24 hours.
28880	- E RANGE REAR LIGHT 206 yards, 116.7° f from front light.	27-48-59.162N 097-28-12.739W	Iso G 6s	37		KRW on skeleton tower on mud sills.	Lighted throughout 24 hours.
28885	- F RANGE FRONT LIGHT	27-49-05.737N 097-28-41.824W	Q G	55		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
28890	- F RANGE REAR LIGHT 646 yards, 127.3° f from front light.	27-48-54.090N 097-28-24.658W	Iso G 6s	80		KRW on skeleton tower on mud sills.	Visible all around; higher intensity on rangeline.
Viola Channel							
28895	- G RANGE FRONT LIGHT	27-50-35.821N 097-30-54.534W	Iso G 2s	20		KRW on skeleton tower on sills.	Visible all around; higher intensity on rangeline.
28900	- G RANGE REAR LIGHT	27-50-43.972N 097-31-06.533W	Iso G 6s	41		KRW on skeleton tower.	Visible all around; higher intensity on rangeline.
28910	- H RANGE FRONT LIGHT	27-50-39.331N 097-31-31.380W	Q G	30		KRW on skeleton tower.	Lighted throughout 24 hours.
28915	- H RANGE REAR LIGHT 525 yards, 283.1° f from front light.	27-50-42.992N 097-31-48.443W	Iso G 6s	41		KRW on skeleton tower on mud sills.	Lighted throughout 24 hours.
CORPUS CHRISTI BAY (Chart 11309)							
La Quinta Channel							
28920	- LIGHT 1	27-48-59.298N 097-13-13.438W	FI G 4s	17	4	SG on pile.	
28925	- LIGHT 2	27-49-06.660N 097-13-06.928W	FI R 4s	17	3	TR on pile.	Ra ref.
28930	- LIGHT 3	27-49-09.419N 097-13-27.170W	FI G 2.5s	17	3	SG on pile.	
28935	- ENTRANCE RANGE FRONT LIGHT	27-49-14.915N 097-13-41.075W	Q W	17		KRW on piles.	Ra ref.
28940	- ENTRANCE RANGE REAR LIGHT 492 yards, 295.0° f from front light.	27-49-21.062N 097-13-55.956W	Iso W 6s	24		KRW on piles.	Ra ref.
28945	- LIGHT 4	27-49-12.649N 097-13-19.200W	FI R 2.5s	17	3	TR on pile.	
28950	- LIGHT 6	27-49-29.806N 097-13-29.744W	FI R 4s	17	3	TR on pile.	
28955	- LIGHT 5	27-49-27.838N 097-13-35.807W	FI G 4s	17	4	SG on pile.	Ra ref.
28960	- OUTER RANGE FRONT LIGHT	27-48-44.510N 097-13-11.467W	Q W	20		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
28965	- OUTER RANGE REAR LIGHT 888 yards, 156.2° f from front light.	27-48-20.270N 097-12-59.816W	Iso W 6s	55		KRW on skeleton tower on pile.	Visible 2° each side of rangeline.
28970	- INNER RANGE FRONT LIGHT	27-52-31.866N 097-15-00.983W	Q G	26		KRW on skeleton tower on piles.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
CORPUS CHRISTI BAY (Chart 11309)							
La Quinta Channel							
28975	- INNER RANGE REAR LIGHT 2,136 yards, 336.8° f from front light.	27-53-30.190N 097-15-29.107W	Iso G 6s	64		KRW on skeleton tower on piles.	
28980	- LIGHT 7	27-49-58.336N 097-13-50.207W	FI G 2.5s	17	3	SG on pile.	Ra ref.
28985	- LIGHT 8	27-50-02.657N 097-13-45.747W	FI R 2.5s	17	3	TR on pile.	
29000	- LIGHT 10	27-50-24.688N 097-13-55.935W	FI R 4s	17	3	TR on pile.	
29005	Jewel Fulton Channel Day beacon 1	27-50-34.494N 097-13-53.559W				SG on pile.	Ra ref.
29010	Jewel Fulton Channel Day beacon 3 50 feet outside channel limit.	27-50-40.860N 097-13-43.970W				SG on pile.	Ra ref.
29015	Jewel Fulton Channel Day beacon 4 60 feet outside channel limit.	27-50-38.627N 097-13-42.126W				TR on pile.	
Peterson Builders Turning Basin Channel							
29020	- Day beacon 1	27-50-56.000N 097-13-18.000W				SG on pile.	Private aid.
29025	- Day beacon 2	27-50-56.000N 097-13-18.000W				TR on pile.	Private aid.
29030	- Day beacon 3	27-51-01.000N 097-13-16.000W				SG on pile.	Private aid.
29035	- Day beacon 4	27-50-57.000N 097-13-18.000W				TR on pile.	Private aid.
29040	- Front Range	27-50-56.000N 097-13-17.000W				KRW on pile.	Private aid.
29045	- Rear Range 160 yards, 054° f from front light.	27-50-59.000N 097-13-13.000W				KRW on pile.	Private aid.
La Quinta Channel							
29050	- LIGHT 11 100 feet outside the channel limit.	27-50-54.533N 097-14-17.893W	FI G 6s	17	4	SG on dolphin.	
29055	- LIGHT 12 100 feet outside the channel limit.	27-50-57.210N 097-14-11.493W	FI R 4s	17	3	TR on pile.	
29060	- Day beacon 13	27-51-32.727N 097-14-35.889W				SG on pile.	
29065	- LIGHT 14 170 feet outside the channel limit.	27-51-35.228N 097-14-30.145W	FI R 4s	17	3	TR on pile.	
29070	DUPONT MOORING FACILITY LIGHTS (6)	27-52-11.000N 097-14-44.000W	FI R 2.5s	19		On mooring facilities.	Private aid.
29075	- LIGHT 15 100 feet outside the channel limit.	27-52-07.403N 097-14-53.464W	FI G 2.5s	17	3	SG on pile.	Ra ref.
29080	- LIGHT 17	27-52-24.338N 097-15-08.005W	FI G 2.5s	17	3	SG on pile.	Ra ref.
29085	- LIGHT 18	27-52-33.064N 097-15-12.234W	FI R 4s	17	3	TR on dolphin.	
29090	- LIGHT 19	27-52-29.155N 097-15-29.001W	FI G 4s	17	4	SG on pile.	Ra ref.
29095	- LIGHT 20	27-52-36.615N 097-15-27.944W	FI R 2.5s	17	3	TR on pile.	
29100	- LIGHT A	27-52-26.241N 097-15-51.822W	FI W 4s	17	4	NG on pile.	
29101	- LIGHT 21	27-52-38.406N 097-16-08.401W	FI G 2.5s	17	3	SG on pile.	Ra ref.
29101.03	- LIGHT 23	27-52-41.834N 097-16-26.252W	Q G	17	3	SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
CORPUS CHRISTI BAY (Chart 11309)							
La Quinta Channel							
29101.06	- LIGHT 24	27-52-45.570N 097-16-50.106W	FI R 4s	17	5	TR on pile.	Ra ref.
29101.09	- LIGHT 25	27-52-39.343N 097-16-48.502W	FI G 6s	17	3	SG on pile.	Ra ref.
29101.12	- LIGHT 26	27-52-43.028N 097-17-05.339W	FI R 4s	17	5	TR on pile.	Ra ref.
29101.15	- LIGHT 27	27-52-29.193N 097-16-54.970W	FI G 4s	17	3	SG on pile.	Ra ref.
29101.18	- LIGHT 28	27-52-39.443N 097-17-13.264W	FI R 2.5s	17	3	TR on pile.	Ra ref.
29101.21	- LIGHT 29	27-52-26.636N 097-17-10.935W	FI G 2.5s	17	3	SG on pile.	Ra ref.
29101.24	PORT OF CORPUS CHRISTI LA QUINTA CHANNEL EXTENSION RANGE FRONT LIGHT	27-52-53.100N 097-17-05.430W	Q G			Marks front range.	Private aid.
29101.27	PORT OF CORPUS CHRISTI LA QUINTA CHANNEL EXTENSION RANGE REAR LIGHT	27-52-56.740N 097-17-23.120W	FI G 6s			Marks rear range.	Private aid.
29102	- EXTENSION B RANGE FRONT LIGHT	27-52-35.237N 097-17-33.462W	Q W Q W	25 28		Skeleton tower on piles.	Visible 4° each side of rangeline. Lighted throughout 24 hours. Additional light visible all around.
29103	- EXTENSION B RANGE REAR LIGHT 233.393 yards, 258.3° from front light.	27-52-33.894N 097-17-41.116W	Iso W 6s (NIGHT) Iso W 6s (DAY)	50		Skeleton tower on piles.	Visible 4° each side of rangeline. Lighted throughout 24 hours.
29104	- EXTENSION B RANGE REAR LIGHT PASSING LIGHT	27-52-33.894N 097-17-41.116W	FI W 4s	16	3	On same structure as La Quinta Channel Extension B Range Rear Light.	
Rincon Industrial Park Channel							
Rincon Canal							
29105	- Range Front Day beacon	27-50-34.751N 097-22-47.653W				KWR on dolphin.	Private aid.
29110	- Range Rear Day beacon 600 yards, 320° from front day beacon.	27-50-48.075N 097-22-59.080W				KWR on dolphin.	Private aid.
29115	- Day beacon 2 75 feet outside channel limit.	27-48-57.200N 097-21-16.400W				TR on pile.	Ra ref.
29120	- Day beacon 4	27-49-20.300N 097-21-37.500W				TR on pile.	Ra ref.
29125	- LIGHT 6	27-49-43.200N 097-21-58.500W	FI R 4s	17	3	TR on pile.	Ra ref.
29130	- Day beacon 8 75 feet outside channel limits.	27-50-06.100N 097-22-19.600W				TR on pile.	Ra ref.
29135	- Day beacon 9	27-50-17.147N 097-22-32.545W				SG on pile.	Ra ref.
29140	- Day beacon 10	27-50-18.071N 097-22-31.253W				TR on pile.	Ra ref.
29142	COASTAL BENDS BAYS & ESTUARIES DANGER BREAKWATER LIGHT	27-51-04.065N 097-21-12.605W	FI W 2.5s			Marks breakwater structure.	Private aid.
29145	- Buoy 11	27-50-27.636N 097-22-42.042W				Green can.	
29150	- Buoy 12	27-50-31.170N 097-22-46.338W				Red nun.	
29155	- Buoy 13	27-50-29.148N 097-22-51.114W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
CORPUS CHRISTI BAY (Chart 11309)							
Rincon Industrial Park Channel							
Rincon Canal							
29160	- Buoy 14	27-50-30.594N 097-22-54.144W				Red nun.	
Corpus Christi Bay							
29165	- PIPELINE LIGHT A	27-49-56.000N 097-09-55.000W	Q R	9		On dolphin.	Priv ate aid.
29170	- PIPELINE LIGHT B	27-48-37.000N 097-10-34.000W	Q R	9		On dolphin.	Priv ate aid.
29175	- SPOIL BANK LIGHT	27-44-01.512N 097-16-32.842W	FI W 4s	17	5	NW on pile worded DANGER SPOIL AREA.	Ra ref .
University Beach							
29180	- Danger Day beacon A	27-42-51.660N 097-19-10.680W				NW on pile.	Priv ate aid.
29185	- Danger Day beacon B	27-42-53.965N 097-19-09.947W				NW on pile worded DANGER ROCK GROIN.	Priv ate aid.
29190	- Danger Day beacon C	27-42-55.409N 097-19-10.170W				NW on pile.	Priv ate aid.
29195	- Danger Day beacon E	27-42-56.430N 097-19-12.077W				NW on pile.	Priv ate aid.
29200	- Danger Day beacon D	27-42-54.980N 097-19-12.070W				NW on pile.	Priv ate aid.
29205	- LIGHT	27-42-57.710N 097-19-14.635W	FI G 2.5s			SG on plle.	Priv ate aid.
29210	- Danger Day beacon G	27-42-58.843N 097-19-18.203W				NW on pile worded DANGER BREAKWATER.	Priv ate aid.
29215	- Danger Day beacon F	27-42-56.620N 097-19-20.160W				NW on pile.	Priv ate aid.
29220	- Danger Day beacon I	27-42-59.213N 097-19-19.819W				NW on pile worded DANGER ROCK GROIN.	Priv ate aid.
29225	- Danger Day beacon H	27-42-57.660N 097-19-20.150W				NW on pile.	Priv ate aid.
29230	- Danger Day beacon J	27-42-58.588N 097-19-21.666W				NW on pile worded DANGER ROCK GROIN.	Priv ate aid.
29235	- Danger Day beacon K	27-42-56.110N 097-19-23.800W				NW on pile.	Priv ate aid.
Corpus Christi Bay							
29240	ALTA VISTA REEF LIGHT	27-45-56.128N 097-21-10.790W	FI W 2.5s	17	5	NR on pile.	Ra ref .
29245	CORPUS CHRISTI LIGHT	27-47-24.700N 097-22-41.600W	FI W 4s	17	6	NR on pile.	
29250	CORPUS CHRISTI BREAKWATER LIGHT 1	27-47-59.273N 097-23-09.523W	FI G 2.5s	17	3	SG on pile.	
29255	Corpus Christi Breakwater Buoy WR1A	27-47-59.286N 097-23-10.563W				Green can.	
29260	CORPUS CHRISTI BREAKWATER LIGHT 2	27-48-01.015N 097-23-11.268W	FI R 2.5s	17	3	TR on pile.	
29265	Corpus Christi Breakwater Buoy 3	27-47-58.884N 097-23-11.115W				Green can.	
LAGUNA MADRE (Chart 11306)							
Port Mansfield Channel							
29270	PORT MANSFIELD ENTRANCE LIGHT 2	26-33-54.540N 097-16-13.260W	FI R 2.5s	25	5	TR on pile.	
29275	PORT MANSFIELD ENTRANCE LIGHT 3	26-33-44.880N 097-16-07.140W	FI G 2.5s	25	5	SG on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
LAGUNA MADRE (Chart 11306)							
Port Mansfield Channel							
29280	Port Mansfield Entrance North Side Dredging Range Front Day beacon	26-33-48.000N 097-17-06.000W				Black square day mark with orange stripe on pile.	Range marks edge of channel for dredging purposes. F G light will be exhibited during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
29285	Port Mansfield Entrance North Side Dredging Range Rear Day beacon 665 yards, 267° from front day beacon.					Black square day mark with orange stripe on pile.	F G light will be exhibited during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
29290	Port Mansfield Entrance South Side Dredging Range Front Day beacon	26-33-48.000N 097-17-06.000W				Black square day mark with orange stripe on pile.	Range marks edge of channel for dredging purposes. F G light will be exhibited during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
29295	Port Mansfield Entrance South Side Dredging Range Rear Day beacon 665 yards, 267° from front day beacon.					Black square day mark with vertical stripe on concrete pile.	F G light will be exhibited during dredging operations. Maintained by U.S. Army Corps of Engineers. Aid maintained by U.S. Army Corps of Engineers.
29300	- LIGHT 5 30 feet outside channel limit.	26-33-47.877N 097-16-37.205W	FI G 4s	17	4	SG on pile.	
29305	- LIGHT 4 30 feet outside channel limit.	26-33-51.235N 097-16-35.343W	FI R 4s	17	3	TR on pile.	
29310	- LIGHT 7 30 feet outside channel limit.	26-33-46.219N 097-17-28.370W	FI G 6s	17	4	SG on pile.	
29315	- LIGHT 8 30 feet outside channel limit.	26-33-49.374N 097-17-28.280W	FI R 6s	17	4	TR on pile.	
29320	- Day beacon 10	26-33-48.055N 097-18-00.789W				TR on pile.	
29325	- Day beacon 11	26-33-43.999N 097-18-30.600W				SG on pile.	Ra ref.
29330	- Day beacon 12	26-33-46.077N 097-18-53.938W				TR on pile.	
29335	- Day beacon 13	26-33-42.276N 097-19-12.528W				SG on pile.	Ra ref.
29340	- LIGHT 14 50 feet outside channel limit.	26-33-44.220N 097-19-34.900W	FI R 4s	17	4	TR on dolphin.	
29345	- Day beacon 15	26-33-39.794N 097-19-58.830W				SG on pile.	Ra ref.
29350	- Day beacon 16	26-33-42.756N 097-20-19.094W				TR on pile.	Ra ref.
29355	- Day beacon 17	26-33-38.303N 097-20-42.944W				SG on pile.	Ra ref.
29360	- Day beacon 18	26-33-40.837N 097-21-03.522W				TR on pile.	Ra ref.
29365	- Day beacon 19	26-33-37.237N 097-21-24.923W				SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
LAGUNA MADRE (Chart 11306)							
Port Mansfield Channel							
29370	- LIGHT 20 70 feet outside channel limit.	26-33-39.482N 097-21-47.949W	FI R 4s	17	4	TR on pile.	Ra ref.
29375	- Day beacon 21	26-33-35.963N 097-22-10.086W				SG on pile.	Ra ref.
29380	- Day beacon 22	26-33-37.692N 097-22-31.233W				TR on pile.	Ra ref.
29385	- Day beacon 23	26-33-34.199N 097-22-50.641W				SG on pile.	
29390	- Day beacon 24	26-33-35.805N 097-23-14.178W				TR on pile.	
29395	- Day beacon 25	26-33-32.541N 097-23-39.528W				SG on pile.	Ra ref.
29400	- Day beacon 26	26-33-33.823N 097-24-01.326W				TR on pile.	Ra ref.
29405 41880	- Day beacon 27	26-33-31.533N 097-24-21.154W				SG-SY on pile.	Ra ref.
29410 41875	- JUNCTION LIGHT PM	26-33-33.128N 097-24-26.319W	FI (2+1)R 6s	17	4	JR-TY on pile.	Ra ref.
29415	- RANGE FRONT LIGHT	26-33-29.496N 097-25-30.540W	Q R	20		KRW on tower on piles.	Visible 2° each side of rangeline, passing light visible all around.
29416	- RANGE FRONT PASSING LIGHT	26-33-29.496N 097-25-30.540W	Q R	22	3	On same structure as Port Mansfield Channel Range Front Light.	
29420	- RANGE REAR LIGHT 800 yards, 267.6° from front light.	26-33-28.418N 097-25-58.456W	Oc R 4s	77		KRW on skeleton tower on block.	Visible 2° each side of rangeline. F R aircraft warning light on tower.
29425	- Day beacon 29	26-33-29.655N 097-24-54.990W				SG on pile.	
29430	- Day beacon 30	26-33-31.551N 097-25-02.556W				TR on pile.	Ra ref.
29435	- Day beacon 31	26-33-28.137N 097-25-21.180W				SG on pile.	Ra ref.
29440	- Day beacon 32	26-33-30.498N 097-25-21.585W				TR on pile.	
29445	- Day beacon 33	26-33-27.795N 097-25-26.975W				SG on pile.	
29450	- Day beacon 34 50 feet outside channel limit.	26-33-29.661N 097-25-28.118W				TR on pile.	
STOVER POINT TO BROWNSVILLE (Chart 11302)							
Brazos Santiago Pass							
29455 1450	- Entrance Lighted Buoy BS	26-03-55.982N 097-06-34.990W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
29460	Brazos Santiago Entrance Channel Lighted Buoy 2	26-04-03.445N 097-08-29.196W	Q R		4	Red.	
29465	BRAZOS SANTIAGO ENTRANCE RANGE FRONT LIGHT	26-03-56.938N 097-10-16.003W	Q G	37		KRW on skeleton tower on piles.	Visible all around; Higher intensity 1.5° each side of rangeline.
29470	BRAZOS SANTIAGO ENTRANCE RANGE REAR LIGHT 1,099 yards, 269.4° from front light.	26-03-56.679N 097-10-52.162W	Iso G 6s	72		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
29475	Brazos Santiago Entrance Channel Lighted Buoy 3	26-03-52.550N 097-08-29.112W	Q G		4	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
STOVER POINT TO BROWNSVILLE (Chart 11302)							
Sea Ranch Marina Channel							
29480	- Day beacon 1	26-04-34.000N 097-10-02.000W				SG on pile.	Private aid.
29485	- Day beacon 2	26-04-05.000N 097-10-00.000W				TR on pile.	Private aid.
29490	- Day beacon 3	26-04-06.000N 097-10-00.000W				SG on pile.	Private aid.
29495	- Day beacon 4	26-04-06.000N 097-10-00.000W				TR on pile.	Private aid.
29500	- Day beacon 5	26-04-06.000N 097-10-00.000W				SG on pile.	Private aid.
29505	- Day beacon 6	26-04-06.000N 097-09-09.000W				TR on pile.	Private aid.
South Padre Island							
29510	- Day beacon 1	26-04-09.568N 097-10-03.147W				SG on pile.	Ra ref.
29515	- Day beacon 2	26-04-18.944N 097-10-00.715W				TR on pile.	
29520	- Day beacon 3	26-04-23.684N 097-10-15.990W				SG on pile.	
29525	CAMERON COUNTY PARKS & RECREATION BOAT RAMP LIGHTS (3)	26-04-06.830N 097-09-48.830W	FI R 2.5s	7		TR on pile.	Private aid.
29530	CAMERON COUNTY PARKS & RECREATION BOAT RAMP LIGHTS (3)	26-04-07.270N 097-09-48.970W	FI G 2.5s	7		SG on pile.	Private aid.
29535	Cameron County Parks & Recreation Danger Day beacons (3)	26-04-07.020N 097-09-47.160W				NW on pile worded: DANGER ROCKS.	Private aid.
Laguna Madre Channel							
29540	- Lighted Buoy 4	26-03-59.269N 097-10-02.756W	Q R		3	Red.	
29545	- Lighted Buoy 5	26-03-53.934N 097-10-00.653W	Q G		3	Green.	
29550	- RANGE FRONT LIGHT	26-04-04.849N 097-09-49.021W	Q G		36	KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
29555	- RANGE FRONT LIGHT PASSING LIGHT	26-04-05.055N 097-09-49.178W	Q R		38 3	On same structure as Laguna Madre Channel Range Front Light.	
29560	- RANGE REAR LIGHT 823 yards, 055.7° from front light.	26-04-18.419N 097-09-26.500W	Iso G 6s	67		KRW on skeleton tower.	Visible 2° each side of rangeline.
29565	- LIGHT 9	26-03-42.786N 097-10-20.800W	FI G 2.5s	17	3	SG on dolphin.	
29570	- LIGHT 10	26-03-47.882N 097-10-24.248W	FI R 2.5s	17	3	TR on pile.	
29575	- LIGHT 15	26-03-27.961N 097-10-45.236W	FI G 2.5s	17	3	SG on pile.	
29580	- LIGHT 16	26-03-32.563N 097-10-49.363W	FI R 2.5s	17	3	TR on dolphin.	Ra ref.
29585	- LIGHT 21	26-03-09.903N 097-11-15.081W	FI G 4s	17	3	SG on pile.	
29590	- LIGHT 22	26-03-14.275N 097-11-18.928W	FI R 4s	17	3	TR on pile.	Ra ref.
29595	- LIGHT 26	26-03-00.429N 097-11-40.798W	FI R 2.5s	17	3	TR on pile.	
29600	- LIGHT 27	26-02-54.993N 097-11-39.073W	FI G 2.5s	17	4	SG on pile.	Ra ref.
29605	- LIGHT 28	26-02-52.134N 097-11-55.254W	FI R 2.5s	17	4	TR on dolphin.	
29606	- LIGHT 29	26-02-47.547N 097-11-52.799W	FI G 4s	17	3	SG on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
STOVER POINT TO BROWNSVILLE (Chart 11302)							
South Padre Island Channel							
29610	- Day beacon 1	26-05-07.800N 097-11-32.300W				SG on pile.	Private aid.
29615	- Day beacon 2	26-05-07.100N 097-11-31.900W				TR on pile.	Private aid.
29620	- Day beacon 3	26-05-11.400N 097-11-22.000W				SG on pile.	Private aid.
29625	- Day beacon 5	26-05-13.300N 097-11-11.200W				SG on pile.	Private aid.
29630	- Day beacon 7	26-05-13.600N 097-11-00.200W				SG on pile.	Private aid.
29635	- Day beacon 9	26-05-12.700N 097-10-49.500W				SG on pile.	Private aid.
29640	- Day beacon 11	26-05-10.800N 097-10-29.500W				SG on pile.	Private aid.
29645	- Day beacon 13	26-05-10.660N 097-10-28.390W				SG on pile.	Private aid.
29650	- Day beacon 14	26-05-15.000N 097-10-24.000W				TR on pile.	Private aid.
29655	- Day beacon 15	26-05-17.500N 097-10-24.000W				SG on pile.	Private aid.
29660	- Day beacon 16	26-05-23.250N 097-10-18.500W				TR on pile.	Private aid.
29665	- Day beacon 17	26-05-28.000N 097-10-16.450W				SG on pile.	Private aid.
29670	- Day beacon 18	26-05-33.500N 097-10-11.750W				TR on pile.	Private aid.
29675	- Day beacon 19	26-05-39.010N 097-10-09.540W				SG on pile.	Private aid.
29680	- Day beacon 20	26-05-38.600N 097-10-08.100W				TR on pile.	Private aid.
29685	- Day beacon 21	26-05-47.200N 097-10-09.700W				SG on pile.	Private aid.
29690	- Day beacon 22	26-05-47.200N 097-10-08.200W				TR on pile.	Private aid.
29695	- Day beacon 23	26-05-51.570N 097-10-09.820W				SG on pile.	Private aid.
29700	- Day beacon 25	26-06-07.320N 097-10-09.400W				SG on pile.	Private aid.
29705	- Day beacon 27	26-06-16.400N 097-10-15.220W				SG on pile.	Private aid.
29710	- Day beacon 29	26-06-25.570N 097-10-18.960W				SG on pile.	Private aid.
29715	- Day beacon 31	26-06-38.740N 097-10-21.590W				SG on pile.	Private aid.
29720	- Day beacon 33	26-06-47.500N 097-10-25.700W				SG on pile.	Private aid.
29725	- Day beacon 35	26-06-53.740N 097-10-28.460W				SG on pile.	Private aid.
29730	- Day beacon 36	26-06-53.750N 097-10-26.500W				TR on pile.	Private aid.
29735	- Day beacon 37	26-06-58.700N 097-10-24.200W				SG on pile.	Private aid.
29740	- Day beacon 38	26-06-58.700N 097-10-22.200W				TR on pile.	Private aid.
29745	- Day beacon 39	26-07-03.090N 097-10-20.340W				SG on pile.	Private aid.
29750	- Day beacon 41	26-07-14.530N 097-10-21.210W				SG on pile.	Private aid.
29755	- Day beacon 43	26-07-25.000N 097-10-26.400W				SG on pile.	Private aid.
29760	- Day beacon 44	26-07-25.000N 097-10-24.700W				TR on pile.	Private aid.
29765	- Day beacon 45	26-07-33.510N 097-10-30.430W				SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
STOVER POINT TO BROWNSVILLE (Chart 11302)							
South Padre Island Channel							
29770	- Day beacon 46	26-07-33.510N 097-10-28.700W				TR on pile.	Private aid.
29775	- Day beacon 47	26-07-40.380N 097-10-29.430W				SG on pile.	Private aid.
29780	- Day beacon 49	26-07-51.450N 097-10-34.870W				SG on pile.	Private aid.
29785	- Day beacon 51	26-07-57.060N 097-10-37.320W				SG on pile.	Private aid.
29787	GUILLOT PARASAIL PLATFORM LIGHTS (2)	26-07-47.990N 097-11-09.240W	Q W			Marks parasail barge platform.	Private aid.
29790	- South Danger Day beacon	26-05-42.000N 097-10-06.500W				NW on pile worded DANGER.	Private aid.
29795	- North Danger Day beacon	26-05-52.000N 097-10-06.500W				NW on pile worded DANGER.	Private aid.
Port Isabel Channel							
29800	- JUNCTION LIGHT PI	26-02-45.608N 097-12-12.076W	FI (2+1)R 6s	17	4	JR on pile.	
29805	- LIGHT 1	26-02-48.811N 097-12-19.109W	FI G 4s	17	3	SG on pile.	
29810	- LIGHT 2	26-02-50.895N 097-12-09.471W	FI R 4s	17	4	TR on pile.	
29815	- LIGHT 4	26-02-53.474N 097-12-19.260W	FI R 2.5s	17	3	TR on pile.	Ra ref.
29820	- LEADING LIGHT	26-02-50.856N 097-12-25.636W	Iso W 6s	17	5	NB on pile.	
42965							
29825	- LIGHT 6	26-03-03.647N 097-12-29.536W	Q R	17	3	TR on dolphin.	
42955							
Port Isabel Cutoff Channel							
29830	HARLINGEN-PORT ISABEL	26-03-39.189N	Q R	17	3	TR-TY on dolphin.	Ra ref.
42940	LIGHT 90	097-12-40.083W					
29835	- LIGHT 1	26-02-41.939N 097-12-30.695W	FI G 4s	17	4	SG-TY on dolphin.	Ra ref.
42970							
29840	- LIGHT 3	26-03-01.758N 097-12-33.941W	Q G	17	3	SG-TY on pile.	
42960							
Port Isabel Channel							
29845	LAGUNA MADRE WATER DISTRICT OUTFALL DANGER LIGHT	26-03-12.270N 097-12-40.440W	FI W 2.5s			Marks diff user outfall.	Private aid.
29850	- LIGHT 8	26-03-15.080N 097-12-36.340W	FI R 2.5s	17	3	TR-SY on dolphin.	
42945							
Brownsville Channel							
29855	- LIGHT 30	26-02-25.148N 097-12-39.788W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
42975							
29860	- C RANGE FRONT LIGHT	26-02-16.482N 097-12-43.282W	Q G	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on range line.
42980							
29865	- C RANGE REAR LIGHT	26-02-37.482N 097-11-57.635W	Iso G 6s	65		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
42985							
29870	- A RANGE FRONT LIGHT	26-01-50.708N 097-13-32.067W	Q W (NIGHT) Q W (NIGHT)	33 35		KRW-I on skeleton tower.	Visible all around; higher intensity 14° each side of rangeline.
42990							
29875	- A RANGE REAR LIGHT	26-01-24.321N 097-14-15.894W	Iso W 6s	60		KRW on skeleton tower.	Visible 2° each side of rangeline.
42995	1,601 yards, 235.7° from front light.						
29880	- LIGHT 31	26-02-01.835N 097-13-09.264W	Q G	17	3	SG-SY on pile.	Ra ref.
43000							
29885	- LIGHT 32	26-02-06.093N 097-13-11.633W	Q R	17	3	TR-TY on pile.	Ra ref.
43005							
29890	- LIGHT 34	26-01-53.815N 097-13-38.485W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
43010							

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
STOVER POINT TO BROWNSVILLE (Chart 11302)							
Brownsville Channel							
29895 43015	- LIGHT 35	26-01-22.470N 097-14-34.736W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
29900 43020	- E RANGE FRONT LIGHT	26-01-22.652N 097-14-45.601W	Q W	33		KRW-I on skeleton tower on piles.	For downbound traffic. Visible all around; higher intensity 1.5° each side of rangeline.
29905 43025	- E RANGE REAR LIGHT 1,368 yards, 057.0° from front light.	26-01-44.065N 097-14-07.353W	Iso W 6s	63		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
29910 43030	- LIGHT 36	26-01-10.015N 097-15-13.456W	Q R	17	3	TR-TY on pile.	Ra ref.
29915 43035	- LIGHT 37	26-01-05.313N 097-15-11.452W	Q G	17	3	SG-SY on pile.	Ra ref.
29920 43040	- LIGHT 39	26-00-55.408N 097-15-28.497W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
29925 43045	- B RANGE FRONT LIGHT	26-00-52.470N 097-15-45.759W	Q R	35		KRW-I on skeleton tower on piles.	Visible all around; higher intensity 5.5° each side of rangeline.
29930 43050	- B RANGE REAR LIGHT	26-00-27.963N 097-16-39.127W	Iso R 6s	75		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
29935 43055	- LIGHT 40	25-59-55.487N 097-17-26.731W	FI R 4s	17	3	TR-TY on pile.	
29940 43060	- LIGHT 41	25-59-50.651N 097-17-23.806W	FI G 4s	17	4	SG-SY on pile.	
29945 43065	- LIGHT 42	25-59-24.254N 097-18-24.281W	FI R 2.5s	17	3	TR-TY on pile.	
29950 43095	- D RANGE FRONT LIGHT	25-58-28.313N 097-19-56.658W	Q W	35		KRW-I on skeleton tower.	Visible all around; higher intensity 1.5° each side of rangeline.
29955 43100	- D RANGE REAR LIGHT	25-58-03.763N 097-20-40.411W	Iso W 6s	67		KRW on skeleton tower.	
29960 43070	- LIGHT 44	25-58-49.345N 097-19-26.229W	FI R 4s	17	3	TR-TY on skeleton tower on piles.	
29965 43075	- G RANGE FRONT LIGHT	25-58-43.925N 097-19-22.137W	Q G	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
29967 43072	- G RANGE FRONT LIGHT PASSING LIGHT	25-58-43.925N 097-19-22.137W	Q G	27	3	On same structure as Brownsville Channel G Range Front Light.	Visible all around.
29970 43080	- G RANGE REAR LIGHT 1,617 yards, 068.7° from front light.	25-59-00.459N 097-18-35.022W	Iso G 6s	58		KRW on skeleton tower.	Visible 2° each side of rangeline.
29975 43085	- LIGHT 45	25-58-33.011N 097-19-44.843W	Q G	17	3	SG-SY on pile.	Ra ref.
29980 43090	- LIGHT 46	25-58-38.077N 097-19-46.521W	Q R	17	3	TR-TY on pile.	Ra ref.
29985 43105	- LIGHT 48	25-58-25.077N 097-20-21.696W	FI R 2.5s	17	3	TR-TY on dolphin.	
29990 43110	- F RANGE FRONT LIGHT	25-57-02.311N 097-24-11.346W	FI G 2.5s (NIGHT) FI W 2.5s (DAY)	45 47		KRW-I on skeleton tower.	Visible 2° each side of rangeline.
29995 43115	- F RANGE REAR LIGHT 3,870 yards, 249° from front light.	25-56-20.523N 097-26-10.086W	Oc G 4s (NIGHT) Oc W 4s (DAY)	98 95		KRW on skeleton tower.	Visible 2° each side of rangeline. Lighted throughout 24 hours.
30000	BROWNSVILLE LIQUID CARGO DOCK LIGHTS (4)	25-57-37.000N 097-22-22.000W	F G	11		On dock.	Private aid.
30005	BROWNSVILLE OIL DOCK NO. 3 LIGHTS (2)	25-57-34.000N 097-22-43.000W	F R	10		On dock.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
TEXAS - Eighth District							
STOVER POINT TO BROWNSVILLE (Chart 11302)							
Brownsville Channel							
30010	BROWNSVILLE CARGO DOCK NO.15 LIGHT	25-57-26.000N 097-22-47.000W	FI G 2.5s	10		On dock.	Private aid.
30015	BROWNSVILLE BULK CARGO DOCK LIGHTS (2)	25-57-00.300N 097-23-00.100W	F G	11		On dock.	Private aid.
30020	BROWNSVILLE OIL DOCK NO. 2 LIGHTS (6)	25-57-21.000N 097-23-23.000W	F R	12		On dock.	Private aid.
30025	BROWNSVILLE OIL DOCK NO. 1 LIGHTS (2)	25-57-18.000N 097-23-30.000W	F R	10		On dock.	Private aid.
INTRACOASTAL WATERWAY (Florida) - Eighth District							
CARRABELLE TO APALACHICOLA BAY (Chart 11404)							
St. George Sound							
30030	- LIGHT 2	29-46-29.937N 084-42-27.905W	FI R 4s	17	4	TR-TY on pile.	Ra ref.
30035	- LIGHT 6	29-45-16.271N 084-44-33.771W	FI R 6s	17	4	TR-TY on pile.	Ra ref.
30040	- LIGHT 8	29-44-33.989N 084-45-45.882W	FI R 4s	17	3	TR-TY on dolphin.	Ra ref.
30045	- Day beacon 10	29-44-14.011N 084-46-35.312W				TR-TY on pile.	Ra ref.
30050	- Day beacon 12	29-44-07.765N 084-46-50.657W				TR-TY on pile.	Ra ref.
30055	- Day beacon 13	29-44-05.565N 084-46-47.813W				SG-SY on pile.	Ra ref.
30060	- LIGHT 14	29-43-56.733N 084-47-18.084W	FI R 2.5s	17	3	TR-TY on piles.	Ra ref.
30065	- Day beacon 15	29-43-54.469N 084-47-15.396W				SG-SY on pile.	
30070	- Day beacon 16	29-43-49.358N 084-47-36.227W				TR-TY on pile.	Ra ref.
30075	- Day beacon 17	29-43-45.930N 084-47-36.498W				SG-SY on pile.	Ra ref.
30080	- Day beacon 18	29-43-37.480N 084-48-05.241W				TR-TY on pile.	Ra ref.
30085	- Day beacon 19	29-43-31.838N 084-48-11.226W				SG-SY on pile.	
30090	- LIGHT 20	29-43-27.511N 084-48-29.649W	Q R	17	3	TR-TY on pile.	
30095	- Buoy 21	29-43-21.714N 084-48-28.689W				Green can with yellow square.	
30100	- Buoy 22	29-43-18.944N 084-48-37.620W				Red nun with yellow triangle.	
30105	- LIGHT 24	29-42-56.163N 084-48-50.447W	FI R 2.5s	17	3	TR-TY on dolphin.	
30110	- Day beacon 25	29-42-47.646N 084-48-46.570W				SG-SY on pile.	Ra ref.
East Point Channel							
30115	- LIGHT 2	29-44-06.763N 084-52-17.666W	FI R 2.5s	17	3	TR on dolphin.	
30120	- Day beacon 3	29-44-07.563N 084-52-18.366W				SG on pile.	
30125	- Day beacon 4	29-44-18.063N 084-52-24.166W				TR on pile.	Ra ref.
30130	- Buoy 5	29-44-17.163N 084-52-26.666W				Green can.	
St. George Sound							
30135	- Day beacon 26	29-42-19.409N 084-49-02.550W				TR-TY on pile.	Ra ref.
30140	- Buoy 27	29-41-55.374N 084-49-06.457W				Green can with yellow square.	
30145	- LIGHT 28	29-41-56.656N 084-49-11.460W	Q R	17	3	TR-TY on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
CARRABELLE TO APALACHICOLA BAY (Chart 11404)							
St. George Sound							
30150	- LIGHT 30	29-41-45.828N 084-49-24.858W	Q R	17	3	TR-TY on pile.	
30155	- Buoy 31	29-41-40.585N 084-49-28.189W				Green can with yellow square.	
30160	- Day beacon 32	29-41-41.329N 084-49-45.555W				TR-TY on pile.	Ra ref.
30165	- LIGHT 34	29-41-36.807N 084-50-11.395W	FI R 2.5s	17	3	TR-TY on pile.	
30170	- Day beacon 35	29-41-32.167N 084-50-14.597W				SG-SY on pile.	Ra ref.
30175	- Day beacon 36	29-41-29.985N 084-50-42.710W				TR-TY on pile.	Ra ref.
30180	- LIGHT 40	29-41-21.276N 084-51-21.688W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
30185	- Day beacon 41	29-41-18.312N 084-51-21.100W				SG-SY on pile.	
30190	- Buoy 44	29-41-14.122N 084-51-58.096W				Red nun with yellow triangle.	
30195	- Buoy 45	29-41-10.608N 084-51-58.712W				Green can with yellow square.	
30200	- Buoy 46	29-41-09.287N 084-52-17.398W				Red nun with yellow triangle.	
30205	- Buoy 47	29-41-07.231N 084-52-16.889W				Green can with yellow square.	
Apalachicola Bay							
30210	- Buoy 48	29-41-02.711N 084-52-44.627W				Red nun with yellow triangle.	
30215	- LIGHT 52	29-40-53.825N 084-53-35.939W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
30220	- Day beacon 53	29-40-50.756N 084-53-34.122W				SG-SY on pile.	Ra ref.
30225	- Day beacon 54	29-40-48.117N 084-54-02.766W				TR-TY on pile.	Ra ref.
30230	- LIGHT 58	29-40-39.790N 084-54-40.800W	FI R 6s	17	4	TR-TY on pile.	Ra ref.
30235	- Day beacon 59	29-40-36.251N 084-54-40.595W				SG-SY on pile.	Ra ref.
30240	- Day beacon 60	29-40-32.751N 084-55-14.098W				TR-TY on pile.	Ra ref.
30245	- LIGHT 64	29-40-25.432N 084-55-49.098W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
30250	- Day beacon 65	29-40-22.691N 084-55-47.699W				SG-SY on pile.	Ra ref.
30255	- Day beacon 66	29-40-19.025N 084-56-19.861W				TR-TY on pile.	Ra ref.
30260	- LIGHT 70	29-40-11.761N 084-56-53.083W	FI R 2.5s	16	3	TR-TY on pile.	Ra ref.
30265	- Day beacon 71	29-40-09.021N 084-56-51.947W				SG-SY on pile.	
30270	- Day beacon 74	29-40-01.043N 084-57-42.491W				TR-TY on pile.	Ra ref.
30275	- LIGHT 76	29-39-58.274N 084-57-57.283W	Q R	17	3	TR-TY on pile.	Ra ref.
30280	- Buoy 77	29-39-53.796N 084-57-58.137W				Green can with yellow square.	
Apalachicola River Entrance							
30285	- Buoy 1	29-40-12.731N 084-58-12.430W				Green can with yellow square.	
30290	- LIGHT 2	29-40-10.049N 084-58-07.595W	FI R 2.5s	17	3	TR-TY on pile.	
30295	- Buoy 3	29-40-43.836N 084-58-18.471W				Green can with yellow square.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
CARRABELLE TO APALACHICOLA BAY (Chart 11404)							
Apalachicola River Entrance							
30300	- LIGHT 4	29-40-38.769N 084-58-14.674W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
30305	- Buoy 4A	29-40-59.799N 084-58-19.495W				Red nun with yellow triangle.	
30310	- Buoy 5	29-41-11.280N 084-58-23.894W				Green can with yellow square.	
30315	- Buoy 6	29-41-11.499N 084-58-21.655W				Red nun with yellow triangle.	
30320	- Buoy 7	29-41-28.813N 084-58-27.235W				Green can with yellow square.	
30325	- Buoy 9	29-41-42.477N 084-58-29.934W				Green can with yellow square.	
30330	- Buoy 10	29-41-42.830N 084-58-27.799W				Red nun with yellow triangle.	
30335	- Buoy 11	29-41-55.920N 084-58-32.659W				Green can with yellow square.	
30340	- Buoy 13	29-42-09.778N 084-58-35.244W				Green can with yellow square.	
30345	- Buoy 14	29-42-09.889N 084-58-32.844W				Red nun with yellow triangle.	
30350	- Buoy 15	29-42-22.473N 084-58-37.768W				Green can with yellow square.	
30355	- Buoy 16	29-42-22.929N 084-58-35.718W				Red nun with yellow triangle.	
30360	- Buoy 17	29-42-38.318N 084-58-40.838W				Green can with yellow square.	
30365	- Buoy 18	29-42-38.299N 084-58-38.675W				Red nun with yellow triangle.	
30370	- Buoy 19	29-42-49.599N 084-58-43.135W				Green can with yellow square.	
30375	- Buoy 20	29-42-50.073N 084-58-41.008W				Red nun with yellow triangle.	
30380	- Buoy 21	29-43-01.198N 084-58-45.297W				Green can with yellow square.	
30385	- Buoy 22	29-43-01.578N 084-58-43.342W				Red nun with yellow triangle.	
30390	- Buoy 24	29-43-08.819N 084-58-43.266W				Red nun with yellow triangle.	
30395 2945	TWO MILE CHANNEL JUNCTION LIGHT TM	29-43-12.327N 084-58-49.464W	FI (2+1)G 6s	17	3	JG-SY on pile.	Ra ref.
30400	- RANGE FRONT LIGHT	29-43-22.787N 084-58-48.427W	Q G	15		KRW-I on dolphin.	Visible all around; higher each side of rangeline.
30405	- RANGE REAR LIGHT 1,377 yards, 350.3° from front light.	29-44-03.105N 084-58-56.329W	F G	45		KRW-I on skeleton tower on piles.	
APALACHICOLA BAY TO LAKE WIMICO (Chart 11402)							
Apalachicola River							
30410	- LIGHT 2	29-43-40.932N 084-58-46.857W	Q R	17	3	TR-TY on pile.	Ra ref.
30415	- Day beacon 4	29-43-48.440N 084-58-49.861W				TR-TY on pile.	Ra ref.
30420	Scipio Creek Junction Buoy A	29-43-41.909N 084-58-53.010W				Green can with green band.	
30425	- Buoy 5	29-43-53.994N 084-58-58.196W				Green can with yellow square.	
30430	- Day beacon 6	29-43-54.789N 084-58-53.169W				TR-TY on pile.	Ra ref.
30435	- LIGHT 8	29-44-08.483N 084-59-03.039W	FI R 2.5s	17	3	TR-TY on dolphin.	
30440	- LIGHT 10	29-44-28.103N 084-59-32.838W	FI R 4s	17	3	TR-TY on dolphin.	
30445	- Buoy 13	29-45-32.411N 085-01-08.064W				Green can with yellow square.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
APALACHICOLA BAY TO LAKE WIMICO (Chart 11402)							
Apalachicola River							
30450	- Buoy 15	29-45-38.478N 085-01-16.114W				Green can with yellow square.	
30455	- Buoy 17	29-45-43.643N 085-01-23.840W				Green can with yellow square.	
30460	- Shoal Buoy 18	29-45-47.122N 085-01-22.329W				Red nun with yellow triangle.	
30465	- Buoy 19	29-45-46.041N 085-01-30.162W				Green can with yellow square.	
30470	- Day beacon 20	29-45-49.118N 085-01-33.101W				TR-TY on pile.	Ra ref.
30475	- Buoy 21	29-45-48.852N 085-01-41.632W				Green can with yellow square.	
30480	- Buoy 22	29-45-51.053N 085-01-39.140W				Red nun with yellow triangle.	
30485	- Buoy 24	29-45-59.222N 085-02-09.978W				Red nun with yellow triangle.	
30490	- Buoy 25	29-46-07.223N 085-02-30.005W				Green can with yellow square.	
30495	- Day beacon 26	29-46-22.738N 085-02-38.373W				TR-TY on pile.	Ra ref.
30500	- Day beacon 28	29-46-29.399N 085-02-45.983W				TR-TY on pile.	Ra ref.
30505	- Day beacon 30	29-46-34.219N 085-02-52.053W				TR-TY on pile.	Ra ref.
Jackson River							
30510	- LIGHT 2	29-46-46.136N 085-03-04.587W	FI R 2.5s	17	3	TR-TY on dolphin.	
30515	- Buoy 3	29-46-53.293N 085-03-18.372W				Green can with yellow square.	
30520	- Day beacon 4	29-46-55.906N 085-03-16.281W				TR-TY on pile.	
30525	- Day beacon 6	29-47-03.466N 085-03-22.341W				TR-TY on pile.	Ra ref.
30530	- Buoy 7	29-47-01.551N 085-03-28.753W				Green can with yellow square.	
30535	- LIGHT 9	29-47-10.345N 085-03-38.795W	FI G 2.5s	17	3	SG-SY on dolphin.	
30540	- Day beacon 10	29-47-13.495N 085-03-36.584W				TR-TY on pile.	Ra ref.
Lake Wimico							
30545	- LIGHT 1	29-46-38.755N 085-06-39.689W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
30550	- Day beacon 3	29-47-01.762N 085-07-11.960W				SG-SY on pile.	Ra ref.
30555	- Day beacon 4	29-47-03.971N 085-07-11.666W				TR-TY on pile.	Ra ref.
30560	- LIGHT 5 50 feet outside channel limit.	29-47-24.165N 085-07-44.982W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
30565	- Day beacon 6	29-47-26.801N 085-07-45.068W				TR-TY on pile.	Ra ref.
30570	- Day beacon 7	29-47-46.863N 085-08-18.746W				SG-SY on pile.	Ra ref.
30575	- Day beacon 8	29-47-48.378N 085-08-16.989W				TR-TY on pile.	Ra ref.
30580	- LIGHT 9	29-48-10.504N 085-08-53.561W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
30585	- Day beacon 10	29-48-12.688N 085-08-52.953W				TR-TY on pile.	Ra ref.
30590	- Day beacon 11	29-48-28.083N 085-09-19.813W				SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
APALACHICOLA BAY TO LAKE WIMICO (Chart 11402)							
Lake Wimico							
30595	- Day beacon 12	29-48-31.329N 085-09-19.833W				TR-TY on pile.	Ra ref.
30600	- LIGHT 13	29-49-01.918N 085-10-09.692W	Q G	17	3	SG-SY on pile.	Ra ref.
30605	- Day beacon 14	29-49-02.513N 085-10-05.661W				TR-TY on pile.	Ra ref.
30610	- LIGHT 15	29-49-11.849N 085-10-38.517W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
30612	FLORIDA DEPARTMENT OF AGRICULTURE INDIAN LAGOON SPECIAL LIGHT A	29-41-16.650N 085-14-03.830W	FI Y 2.5s			Marks southwest corner of aquaculture farm perimeter,	Priv ate aid.
30612.01	FLORIDA DEPARTMENT OF AGRICULTURE INDIAN LAGOON SPECIAL LIGHT B	29-41-16.900N 085-13-53.260W	FI Y 2.5s			Marks southeast corner of aquaculture farm perimeter,	Priv ate aid.
30612.02	FLORIDA DEPARTMENT OF AGRICULTURE INDIAN LAGOON SPECIAL LIGHT C	29-41-21.630N 085-13-53.260W	FI Y 2.5s			Marks northeast corner of aquaculture farm perimeter,	Priv ate aid.
30612.03	FLORIDA DEPARTMENT OF AGRICULTURE INDIAN LAGOON SPECIAL LIGHT D	29-41-21.380N 085-14-03.380W	FI Y 2.5s			Marks northwest corner of aquaculture farm perimeter,	Priv ate aid.
LAKE WIMICO TO EAST BAY (Chart 11393)							
Wetappo Creek							
30615	- Day beacon 1	30-01-37.000N 085-23-29.100W				SG-SY on pile.	Ra ref.
30620	- Buoy 1A	30-01-50.224N 085-23-39.022W				Green can with yellow square.	
30625	- Buoy 3	30-01-58.772N 085-23-40.868W				Green can with yellow square.	
30630	- Buoy 5	30-02-07.194N 085-23-42.078W				Green can with yellow square.	
30635	- Buoy 7	30-02-15.642N 085-23-44.540W				Green can with yellow square.	
30640	- Buoy 9	30-02-22.890N 085-23-46.638W				Green can with yellow square.	
30645	- LIGHT 10 25 feet outside channel limit.	30-02-25.300N 085-23-44.749W	Q R	17	3	TR-TY on pile.	Ra ref.
30650	- Buoy 11	30-02-26.826N 085-23-53.880W				Green can with yellow square.	
30655	- Buoy 13	30-02-29.007N 085-24-03.552W				Green can with yellow square.	
30660	- Buoy 14	30-02-35.958N 085-24-20.498W				Red nun with yellow triangle.	
30665	- Buoy 15	30-02-34.381N 085-24-21.892W				Green can with yellow square.	
30670	- Buoy 17	30-02-37.722N 085-24-32.369W				Green can with yellow square.	
30675	- Buoy 18	30-02-43.578N 085-24-48.684W				Red nun with yellow triangle.	
30680	- LIGHT 19 50 feet outside channel limit.	30-02-41.799N 085-24-48.254W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
30685	- Buoy 21	30-02-46.011N 085-25-01.896W				Green can with yellow square.	
30690	- Buoy 22	30-02-52.662N 085-25-16.908W				Red nun with yellow triangle.	
30695	- Buoy 23	30-02-51.156N 085-25-15.690W				Green can with yellow square.	
30700	- Buoy 25	30-02-54.054N 085-25-25.956W				Green can with yellow square.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
LAKE WIMICO TO EAST BAY (Chart 11393)							
Wetappo Creek							
30705	- Buoy 27	30-02-58.424N 085-25-40.430W				Green can with yellow square.	
30710	- LIGHT 28	30-03-01.627N 085-25-47.313W	Q R	17	3	TR-TY on pile.	Ra ref.
30715	- Buoy 29	30-02-57.320N 085-25-47.476W				Green can with yellow square.	
30720	- Buoy 31	30-02-55.899N 085-25-51.342W				Green can with yellow square.	
30725	- Buoy 32	30-02-39.359N 085-26-12.722W				Red nun with yellow triangle.	
30730	- Buoy 33	30-02-38.460N 085-26-10.920W				Green can with yellow square.	
30735	- Buoy 35	30-02-28.026N 085-26-21.684W				Green can with yellow square.	
30740	- LIGHT 36	30-02-16.650N 085-26-37.376W	FI R 2.5s	17	3	TR-TY pile.	Ra ref.
30745	- Buoy 37	30-02-15.204N 085-26-35.124W				Green can with yellow square.	
30750	- Day beacon 39	30-02-00.840N 085-26-42.715W				SG-SY on pile.	Ra ref.
30755	- Day beacon 41	30-01-52.246N 085-26-47.399W				SG-SY on pile.	Ra ref.
30760	- LIGHT 42	30-01-48.995N 085-26-53.437W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
30765	- Day beacon 43	30-01-33.211N 085-27-02.052W				SG-SY on pile.	Ra ref.
30770	- Day beacon 44	30-01-35.904N 085-27-03.749W				TR-TY on pile.	Ra ref.
30775	- Day beacon 46	30-01-29.142N 085-27-13.832W				TR-TY on pile.	Ra ref.
East Bay							
30780	- LIGHT 1 190 feet outside channel limit.	30-01-26.022N 085-27-13.627W	Q G	17	3	SG-SY on pile.	
30785	- LIGHT 2	30-01-26.589N 085-27-28.660W	Q R	17	3	TR-TY on pile.	Ra ref.
30790	- Day beacon 3	30-01-23.201N 085-27-27.199W				SG-SY on pile.	Ra ref.
30795	- Day beacon 4	30-01-27.498N 085-27-42.132W				TR-TY on pile.	Ra ref.
30800	- Day beacon 6	30-01-30.271N 085-27-58.299W				TR-TY on pile.	Ra ref.
30805	- Day beacon 7	30-01-29.165N 085-28-04.511W				SG-SY on pile.	Ra ref.
30810	- LIGHT 8	30-01-33.582N 085-28-07.840W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
30815	- Day beacon 9	30-01-31.971N 085-28-22.946W				SG-SY on pile.	Ra ref.
30820	- Day beacon 10	30-01-37.590N 085-28-40.265W				TR-TY on pile.	Ra ref.
30825	- LIGHT 11	30-01-36.424N 085-28-58.433W	Q G	17	3	SG-SY on pile.	Ra ref.
30830	- Day beacon 12	30-01-43.845N 085-28-59.430W				TR-TY on pile.	Ra ref.
30835	- Day beacon 13	30-01-51.833N 085-29-10.610W				SG-SY on pile.	Ra ref.
30840	- Day beacon 13A	30-01-57.212N 085-29-15.359W				SG-SY on pile.	Ra ref.
30845	- LIGHT 14	30-02-04.304N 085-29-16.304W	Q R	17	3	TR-TY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
LAKE WIMICO TO EAST BAY (Chart 11393)							
East Bay							
30850	- LIGHT 15	30-02-15.398N 085-29-45.434W	Q G	17	4	SG-SY on pile.	Ra ref.
30855	- Buoy 16	30-02-17.166N 085-29-39.037W				Red nun with yellow triangle.	
30860	- Day beacon 17	30-02-29.594N 085-29-49.901W				SG-SY on pile.	Ra ref.
30865	- Day beacon 18	30-02-40.636N 085-29-46.890W				TR-TY on pile.	Ra ref.
30870	- Day beacon 20	30-02-56.133N 085-29-49.599W				TR-TY on pile.	Ra ref.
30875	- Day beacon 22	30-03-08.126N 085-29-49.220W				TR-TY on pile.	Ra ref.
30880	- LIGHT 23	30-03-06.469N 085-29-55.158W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
30885	- LIGHT 25	30-03-21.646N 085-30-00.231W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
30890	- Day beacon 26	30-03-34.563N 085-30-04.751W				TR-TY on pile.	Ra ref.
30892	Richard Bay ou Channel Day beacon 1	30-03-38.411N 085-29-35.473W				SG on pile.	Priv ate aid.
30892.01	Richard Bay ou Channel Day beacon 2	30-03-38.147N 085-29-35.318W				TR on pile.	Priv ate aid.
30892.02	Richard Bay ou Channel Day beacon 3	30-03-40.029N 085-29-31.846W				SG on pile.	Priv ate aid.
30892.03	Richard Bay ou Channel Day beacon 4	30-03-39.748N 085-29-31.730W				TR on pile.	Priv ate aid.
30892.04	Richard Bay ou Channel Day beacon 5	30-03-40.318N 085-29-28.876W				SG on pile.	Priv ate aid.
30892.05	Richard Bay ou Channel Day beacon 6	30-03-40.086N 085-29-29.969W				TR on pile.	Priv ate aid.
30895	- LIGHT 28	30-03-52.784N 085-30-15.092W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
30900	- Day beacon 29	30-03-54.126N 085-30-22.759W				SG-SY on pile.	Ra ref.
30905	- LIGHT 35	30-04-19.050N 085-30-38.000W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
30910	- LIGHT 37	30-04-48.864N 085-31-07.970W	Q G	17	3	SG-SY on pile.	Ra ref.
30915	- Day beacon 38	30-05-10.014N 085-31-36.415W				TR-TY on pile.	Ra ref.
30920	- LIGHT 40	30-05-20.421N 085-31-58.449W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
EAST BAY TO WEST BAY (Chart 11390)							
30925	East Bay Day beacon 41	30-05-34.717N 085-32-28.354W				SG-SY on pile.	Ra ref.
East Bay							
Cooks Bayou							
30930	- Day beacon 2	30-07-59.960N 085-30-39.240W				TR on pile.	Priv ate aid.
30935	- Day beacon 3	30-08-01.660N 085-30-33.660W				SG on pile.	Priv ate aid.
30940	- Day beacon 4	30-08-01.460N 085-30-29.140W				TR on pile.	Priv ate aid.
30945	- Day beacon 5	30-08-00.630N 085-30-25.000W				SG on pile.	Priv ate aid.
EAST BAY TO WEST BAY (Chart 11390)							
30950	EAST BAY LIGHT 43	30-06-12.728N 085-33-23.729W	FI G 4s	17	4	SG-SY on pile.	
30955	Callaway Bay ou Day beacon 2	30-06-50.888N 085-33-45.770W				TR on pile.	
30960	Callaway Bay ou Day beacon 4	30-07-27.036N 085-33-48.099W				TR on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
EAST BAY TO WEST BAY (Chart 11390)							
30963	Callaway Bay ou Day beacon 1	30-08-28.200N 085-34-08.260W				SG on pile.	Private aid.
30963.01	Callaway Bay ou Day beacon 3	30-08-32.630N 085-34-01.910W				SG on pile.	Private aid.
30963.02	Callaway Bay ou Day beacon 5	30-08-35.570N 085-34-00.590W				SG on pile.	Private aid.
30963.03	Callaway Bay ou Day beacon 2A	30-08-27.760N 085-34-08.000W				TR on pile.	Private aid.
30963.04	Callaway Bay ou Day beacon 4A	30-08-29.820N 085-34-03.390W				TR on pile.	Private aid.
30963.05	Callaway Bay ou Day beacon 6	30-08-34.880N 085-34-00.150W				TR on pile.	Private aid.
30963.06	Callaway Bay ou Day beacon 8	30-08-34.650N 085-33-57.980W				TR on pile.	Private aid.
30963.07	Callaway Bay ou Day beacon 10	30-08-33.080N 085-33-55.710W				TR on pile.	Private aid.
30965	EAST BAY LIGHT 45	30-06-10.729N 085-35-10.732W	Q G	17	3	SG-SY on pile.	Ra ref.
Shoal Point Bayou Channel							
30970	- LIGHT 1	30-05-57.629N 085-35-20.882W	FI G 2.5s	17	3	SG on dolphin.	
30975	- Buoy 2	30-05-53.354N 085-35-20.546W				Red nun.	Ra ref.
30980	- Buoy 3	30-05-47.200N 085-35-16.038W				Green can.	Ra ref.
30990	- Day beacon 7	30-05-25.390N 085-35-14.400W				SG on pile.	Ra ref.
30995	- Day beacon 9	30-05-15.950N 085-35-14.942W				SG on pile.	Ra ref.
St Andrew Bay							
Long Point							
31000	- Buoy 1	30-05-59.729N 085-36-16.734W				Green can with yellow square.	
31005	- LIGHT 2	30-06-08.367N 085-36-10.226W	Q R	17	3	TR-TY on pile.	
31010	- Buoy 3	30-06-08.636N 085-36-21.665W				Green can with yellow square.	
31015	- Buoy 4	30-06-11.635N 085-36-18.530W				Red nun with yellow triangle.	
31020	- Buoy 5	30-06-18.116N 085-36-36.355W				Green can with yellow square.	
31025	- Buoy 6	30-06-20.307N 085-36-33.329W				Red nun with yellow triangle.	
31030	- Buoy 7	30-06-24.242N 085-36-48.622W				Green can with yellow square.	
31035	- Buoy 8	30-06-29.729N 085-36-36.735W				Red nun with yellow triangle.	
St Andrew Bay							
31040	PEARL BAYOU LIGHT 2	30-06-16.441N 085-36-46.724W	FI R 4s	17	3	TR on dolphin.	
31045	PEARL BAYOU LIGHT 3	30-06-03.335N 085-36-54.746W	FI G 4s	17	4	SG on pile.	
31050 3550	- LIGHT 29	30-07-22.535N 085-36-41.759W	FI G 2.5s	17	3	SG-TY on pile.	Ra ref.
Gulf Power Electrical Tower							
31055 3490	- DANGER LIGHT	30-07-49.570N 085-36-56.350W	FI W 2.5s			NW on power line structure worded: DANGER OVERHEAD POWER LINE.	Private aid.
31060 3495	- DANGER LIGHTS(2)	30-07-44.890N 085-36-59.460W	FI W 2.5s			NW on power line structure worded: DANGER OVERHEAD POWER LINE.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
EAST BAY TO WEST BAY (Chart 11390)							
St Andrew Bay							
Gulf Power Electrical Tower							
31065 3500	- DANGER LIGHTS (2)	30-07-38.920N 085-37-07.290W	FI W 2.5s			NW on power line structure worded: DANGER OVERHEAD POWER LINE.	Private aid.
31070 3505	- DANGER LIGHT	30-07-33.790N 085-37-14.010W	FI W 2.5s			NW on power line structure worded: DANGER OVERHEAD POWER LINE.	Private aid.
St Andrew Bay							
31075 3485	- LIGHT 28	30-07-39.529N 085-37-16.435W	Q R	17	3	TR-SY on pile.	Ra ref.
31080 3480	- Lighted Buoy 25	30-07-53.179N 085-37-53.445W	FI G 2.5s		3	Green with yellow triangle.	
31085 3475	- Coast Guard Mooring Buoy	30-07-27.548N 085-38-12.044W					For use by USCG only.
31090 3470	- LIGHT 24	30-07-34.818N 085-38-32.747W	FI R 4s	17	3	TR-SY on pile.	Ra ref.
31095 3465	- Lighted Buoy 21	30-08-01.827N 085-39-04.210W	Q G		4	Green with yellow triangle.	
31100 3460	- Lighted Buoy 20	30-08-19.803N 085-39-28.989W	FI R 2.5s		3	Red with yellow square.	
31105 3455	- Lighted Buoy 19	30-08-33.926N 085-39-32.985W	FI G 2.5s		3	Green can with yellow triangle.	
31110 3450	- LIGHT 18	30-08-34.642N 085-40-03.209W	Q R	17	3	TR-SY on pile.	
31115 3445	- Lighted Buoy 17	30-08-39.784N 085-39-57.886W	Q G		3	Green with yellow triangle.	
31120 3435	- Junction Lighted Buoy	30-08-59.377N 085-40-47.122W	FI (2+1)G 6s		4	Green can with red band and yellow triangle.	
31125 3555	- West Lighted Buoy 3	30-09-03.503N 085-41-16.512W	Q G		3	Green with yellow square.	
31130 3560	- West Lighted Buoy 5	30-09-16.301N 085-41-52.343W	FI G 4s		4	Green with yellow square.	
31135 3570	- West Lighted Buoy 6	30-09-29.544N 085-42-20.582W	FI R 2.5s		3	Red with yellow triangle.	
31140 3575	- West Lighted Buoy 8	30-09-40.432N 085-42-36.298W	FI R 4s		3	Red with yellow triangle.	
31145 3580	- West Lighted Buoy 9	30-09-50.184N 085-42-49.581W	FI G 2.5s		4	Green with yellow square.	
31150 3585	- West Lighted Buoy 10	30-10-09.875N 085-43-00.709W	FI R 4s		3	Red with yellow triangle.	
31155 3590	- West Lighted Buoy 11	30-09-57.727N 085-43-14.747W	FI G 4s		4	Green with yellow square.	
31160 3595	- West Lighted Buoy 13	30-10-19.783N 085-43-29.111W	FI G 2.5s		4	Green with yellow triangle.	
31165 3600	- WEST LIGHT 14	30-10-34.903N 085-44-10.493W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
31170 3680	Sulphur Point Buoy 1	30-10-55.897N 085-44-35.144W				Green can with yellow square.	
31175 3685	Sulphur Point Buoy 2	30-10-56.024N 085-44-27.033W				Red nun with yellow triangle.	
31180 3690	Sulphur Point Buoy 3	30-11-05.534N 085-44-34.567W				Green can with yellow square.	
31185 3695	Sulphur Point Buoy 4	30-11-03.488N 085-44-27.084W				Red nun with yellow triangle.	
31190 3710	Sulphur Point Buoy 5	30-11-27.511N 085-44-32.740W				Green can with yellow square.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
EAST BAY TO WEST BAY (Chart 11390)							
St Andrew Bay							
31195	Sulphur Point Buoy 6	30-11-26.748N				Red nun with yellow triangle.	
3715		085-44-26.234W					
31200	Sulphur Point Buoy 7	30-11-36.130N				Green can with yellow square.	
3720		085-44-33.364W					
31205	Sulphur Point Buoy 8	30-11-35.615N				Red nun with yellow triangle.	
3725		085-44-23.871W					
EAST BAY TO WEST BAY (Chart 11390)							
31210	SHELL POINT LIGHT 5	30-12-42.996N 085-44-00.453W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
31215	SHELL POINT LIGHT 7	30-13-37.323N 085-44-10.599W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
31220	LONG POINT LIGHT 9	30-14-20.652N 085-44-59.701W	FI G 6s	17	4	SG-SY on pile.	
31225	WEST BAY LIGHT 1	30-15-32.569N 085-46-28.953W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
31230	West Bay Daybeacon 3	30-15-36.821N 085-47-00.055W				SG-SY on pile.	Ra ref.
31235	West Bay Daybeacon 5	30-15-43.539N 085-47-40.123W				SG-SY on pile.	Ra ref.
31240	WEST BAY LIGHT 7	30-15-47.435N 085-47-59.764W	FI G 2.5s	17	3	SG-SY on dolphin.	
31245	West Bay Buoy 8	30-15-50.529N 085-47-59.331W				Red nun with yellow triangle.	
31250	West Bay Buoy 9	30-15-50.495N 085-48-19.007W				Green can with yellow square.	
31255	West Bay Buoy 10	30-15-54.443N 085-48-20.866W				Red nun with yellow triangle.	
31260	West Bay Buoy 11	30-15-53.132N 085-48-32.446W				Green can with yellow square.	
31265	West Bay Buoy 12	30-15-56.709N 085-48-33.220W				Red nun with yellow triangle.	
31270	West Bay Buoy 13	30-15-57.112N 085-48-51.331W				Green can with yellow square.	
31275	West Bay Buoy 14	30-15-59.755N 085-48-49.626W				Red nun with yellow triangle.	
31280	WEST BAY LIGHT 15	30-15-59.690N 085-49-05.787W	Q G	17	3	SG-SY on dolphin.	
31285	West Bay Buoy 16	30-16-03.403N 085-49-04.170W				Red nun with yellow triangle.	
31290	West Bay Buoy 17	30-16-07.828N 085-49-23.842W				Green can with yellow square.	
31295	West Bay Buoy 18	30-16-10.313N 085-49-20.421W				Red nun with yellow triangle.	
31300	West Bay Buoy 19	30-16-13.855N 085-49-36.421W				Green can with yellow square.	
31305	West Bay Buoy 20	30-16-16.963N 085-49-35.453W				Red nun with yellow triangle.	
31310	West Bay Buoy 21	30-16-20.480N 085-49-49.896W				Green can with yellow square.	
31315	West Bay Buoy 22	30-16-22.107N 085-49-48.909W				Red nun with yellow triangle.	
31320	West Bay Buoy 23	30-16-26.833N 085-50-04.091W				Green can with yellow square.	
31325	West Bay Buoy 24	30-16-28.507N 085-50-03.109W				Red nun with yellow triangle.	
31327	WEST BAY OYSTER COMPANY SPECIAL LIGHTS (4)	30-15-31.254N 085-50-30.470W	FI Y 2.5s			Marks the perimeter corners of aquaculture farm.	Private aid.
31330	West Bay Buoy 25	30-16-33.774N 085-50-18.409W				Green can with yellow square.	
31335	WEST BAY LIGHT 26	30-16-35.415N 085-50-16.737W	Q R	17	3	TR-TY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
EAST BAY TO WEST BAY (Chart 11390)							
31340	West Bay Buoy 27	30-16-44.175N 085-50-28.908W				Green can with yellow square.	
31345	West Bay Buoy 28	30-16-45.370N 085-50-27.385W				Red nun with yellow triangle.	
31350	West Bay Buoy 29	30-16-54.485N 085-50-39.428W				Green can with yellow square.	
31355	West Bay Buoy 30	30-16-56.055N 085-50-38.805W				Red nun with yellow triangle.	
31360	West Bay Buoy 31	30-17-04.901N 085-50-50.164W				Green can with yellow square.	
31365	West Bay Buoy 32	30-17-06.717N 085-50-49.675W				Red nun with yellow triangle.	
31370	West Bay Buoy 33	30-17-15.311N 085-51-00.713W				Green can with yellow square.	
31375	West Bay Buoy 34	30-17-16.530N 085-50-59.152W				Red nun with yellow triangle.	
31380	West Bay Buoy 35	30-17-25.770N 085-51-11.372W				Green can with yellow square.	
31385	West Bay Buoy 36	30-17-26.925N 085-51-09.768W				Red nun with yellow triangle.	
31390	West Bay Buoy 37	30-17-32.293N 085-51-17.903W				Green can with yellow square.	
31395	West Bay Buoy 38	30-17-33.408N 085-51-16.574W				Red nun with yellow triangle.	
31400	West Bay Daybeacon 39	30-17-49.674N 085-51-36.590W				SG-SY on pile.	
31402	West Bay Creek Wreck Buoy 1	30-18-40.638N 085-59-22.662W				Green can.	
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Choctawhatchee Bay							
31405	- LIGHT 1	30-22-48.619N 086-07-02.955W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
31410	- Buoy 2	30-22-53.962N 086-07-11.373W				Red nun with yellow triangle.	
31415	- Buoy 3	30-22-56.171N 086-07-22.341W				Green can with yellow square.	
31420	- Buoy 4	30-23-03.560N 086-07-36.907W				Red nun with yellow triangle.	
31425	- Buoy 5	30-23-01.358N 086-07-37.588W				Green can with yellow square.	
31430	- Buoy 7	30-23-05.473N 086-07-49.384W				Green can with yellow square.	
31435	- Buoy 8	30-23-11.679N 086-07-59.681W				Red nun with yellow triangle.	
31440	- LIGHT 9	30-23-09.573N 086-08-01.142W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
31445	- Buoy 11	30-23-14.305N 086-08-13.208W				Green can with yellow square.	
31450	- Buoy 12	30-23-21.981N 086-08-26.338W				Red nun with yellow triangle.	
31455	- Buoy 13	30-23-19.595N 086-08-27.780W				Green can with yellow square.	
31460	- Buoy 15	30-23-23.901N 086-08-40.625W				Green can with yellow square.	
31465	- Buoy 16	30-23-32.132N 086-08-51.529W				Red nun with yellow triangle.	
31470	- LIGHT 17 45 feet outside channel limit.	30-23-29.421N 086-08-54.846W	FI G 4s	17	4	SG-SY on pile.	
31475	- Buoy 18	30-23-39.492N 086-09-09.515W				Red nun with yellow triangle.	
31480	- Buoy 19	30-23-36.451N 086-09-12.038W				Green can with yellow square.	
31485	- Buoy 20	30-23-44.906N 086-09-22.580W				Red nun with yellow triangle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Choctawhatchee Bay							
31490	- Buoy 21	30-23-42.135N 086-09-26.566W				Green can with yellow square.	
31495	- Buoy 22	30-23-51.969N 086-09-40.100W				Red nun with yellow triangle.	
31500	- LIGHT 23	30-23-49.341N 086-09-43.386W	FI G 2.5s	17	3	SG-SY on pile.	
31505	- Buoy 25	30-23-53.515N 086-09-52.990W				Green can with yellow square.	
31507	FDOT CHOCTAWHATCHEE BAY TEMPORARY PIER OBSTRUCTION LIGHT	30-23-59.750N 086-10-07.160W	Q W			Marks west pier structure.	Private aid.
31507.01	FDOT CHOCTAWHATCHEE BAY TEMPORARY PIER OBSTRUCTION LIGHT	30-24-01.590N 086-10-06.310W	Q W			Marks east pier structure.	Private aid.
31510	- Buoy 26	30-24-07.968N 086-10-21.256W				Red nun with yellow triangle.	
31515	- Day beacon 27	30-24-09.049N 086-10-36.292W				SG-SY on pile.	
31520	- LIGHT 28	30-24-13.585N 086-10-33.652W	Q R	17	3	TR-TY on pile.	Ra ref.
31525	- Day beacon 29	30-24-21.838N 086-10-58.313W				SG-SY on pile.	Ra ref.
31530	- Day beacon 30	30-24-24.565N 086-10-54.966W				TR-TY on pile.	
31535	- Day beacon 33	30-24-33.407N 086-11-18.057W				SG-SY on pile.	
31540	- LIGHT 34	30-24-34.794N 086-11-12.631W	FI R 2.5s	17	3	TR-TY on pile.	
31545	- Day beacon 35	30-24-43.738N 086-11-35.121W				SG-SY on pile.	Ra ref.
31550	- Day beacon 36	30-24-46.249N 086-11-32.092W				TR-TY on pile.	Ra ref.
31555	- Day beacon 39	30-24-53.511N 086-11-51.781W				SG-SY on pile.	
31560	- LIGHT 40	30-24-57.097N 086-11-49.504W	FI R 4s	17	3	TR-TY on pile.	
31565	- Day beacon 45	30-25-16.192N 086-12-30.270W				SG-SY on pile.	
31570	- LIGHT 46	30-25-20.494N 086-12-27.983W	FI R 6s	17	4	TR-TY on dolphin.	
La Grange Bayou							
31575	- LIGHT 1	30-25-53.605N 086-12-32.153W	Q G	17	3	SG on pile.	Ra ref.
31580	- Day beacon 3	30-26-17.542N 086-11-47.114W				SG on pile.	
31585	- LIGHT 5	30-26-41.111N 086-11-02.012W	FI G 4s	17	4	SG on pile.	Ra ref.
31590	- Day beacon 7	30-26-51.366N 086-10-42.259W				SG on pile.	
31595	- Day beacon 9	30-27-01.246N 086-10-23.558W				SG on pile.	Ra ref.
31600	- LIGHT 11	30-27-16.456N 086-09-55.782W	FI G 4s	17	4	SG on pile.	
31605	- Day beacon 11A	30-27-19.276N 086-09-42.266W				SG on pile.	
31610	- Day beacon 13	30-27-21.220N 086-09-28.436W				SG on pile.	
31615	- LIGHT 14	30-27-18.710N 086-09-29.789W	FI R 4s	17	3	TR on pile.	
31620	- Day beacon 15	30-27-22.930N 086-09-25.580W				SG on pile.	Ra ref.
31625	- Day beacon 16	30-27-32.352N 086-09-17.369W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
La Grange Bayou							
31630	- Day beacon 18	30-27-45.978N 086-09-09.377W				TR on pile.	Ra ref.
31635	- LIGHT 19	30-27-49.080N 086-09-09.928W	FI G 4s	17	4	SG on dolphin.	
31640	- Day beacon 20	30-27-59.574N 086-08-46.337W				TR on pile.	
31645	- LIGHT 22	30-28-11.668N 086-08-26.373W	FI R 4s	17	3	TR on dolphin.	
31650	- Day beacon 23	30-28-16.680N 086-08-24.720W				SG on pile.	
31655	- LIGHT 24	30-28-23.572N 086-08-15.626W	FI R 4s	17	3	TR on pile.	Ra ref.
31660	- Day beacon 25	30-28-25.765N 086-08-18.366W				SG on pile.	
31665	- Day beacon 27	30-28-32.542N 086-08-19.657W				SG on pile.	Ra ref.
31670	American Commercial Lines Mooring Buoys (2)	30-26-40.000N 086-12-40.000W				White with blue band.	Private aid.
Choctawhatchee Bay							
31675	- LIGHT 47	30-26-13.200N 086-14-31.516W	FI G 4s	17	4	SG-SY on dolphin.	Ra ref.
31680	HAMMOCK POINT WRECK LIGHT	30-27-39.088N 086-18-13.839W	FI W 2.5s	17	5	NW on pile.	
Hogtown Bayou							
31685	- Day beacon 1	30-23-58.970N 086-14-11.730W				SG on pile.	Private aid.
31690	- Day beacon 2	30-23-56.870N 086-14-09.750W				TR on pile.	Private aid.
31695	- Day beacon 3	30-23-59.190N 086-13-59.610W				SG on pile.	Private aid.
31700	- Day beacon 4	30-23-57.790N 086-13-59.560W				TR on pile.	Private aid.
31705	- Day beacon 5	30-23-58.020N 086-13-50.630W				SG on pile.	Private aid.
31710	- Day beacon 6	30-23-56.600N 086-13-50.120W				TR on pile.	Private aid.
Choctawhatchee Bay							
31715	- LIGHT 49	30-25-46.546N 086-18-46.627W	FI G 4s	17	5	SG-SY on pile.	
Sandestin Beach Channel							
31720	- LIGHT 1	30-23-45.000N 086-20-09.000W	FI G 4s	12		SG on pile.	Private aid.
31725	- LIGHT 2	30-23-43.000N 086-20-11.000W	FI R 4s	12		TR on pile.	Private aid.
31730	- LIGHT 3	30-23-45.500N 086-20-09.700W	FI G 4s	12		SG on pile.	Private aid.
31735	- LIGHT 4	30-23-41.000N 086-20-07.000W	FI R 4s	12		TR on pile.	Private aid.
31740	- Day beacon 5	30-23-43.600N 086-20-07.400W				SG on pile.	Private aid.
31745	- Day beacon 6	30-23-42.800N 086-20-07.900W				TR on pile.	Private aid.
31750	- Day beacon 7	30-23-41.700N 086-20-03.000W				SG on pile.	Private aid.
31755	- Day beacon 8	30-23-40.900N 086-20-05.400W				TR on pile.	Private aid.
31760	- Day beacon 9	30-23-39.200N 086-20-02.100W				SG on pile.	Private aid.
31765	- Day beacon 10	30-23-38.600N 086-20-02.500W				TR on pile.	Private aid.
31770	- LIGHT 11	30-23-37.300N 086-19-59.700W	FI G 4s	12		SG on pile.	Private aid.
31775	- LIGHT 12	30-23-36.700N 086-20-00.100W	FI R 4s	12		TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Sandestin Beach Channel							
31780	- Day beacon 13	30-23-35.200N 086-19-57.000W				SG on pile.	Private aid.
31785	- Day beacon 14	30-23-35.000N 086-19-58.000W				TR on pile.	Private aid.
31790	- DAY BEACON 15	30-23-33.200N 086-19-54.500W				SG on pile.	Private aid.
31795	- Day beacon 16	30-23-32.500N 086-19-54.900W				TR on pile.	Private aid.
31800	- Day beacon 17	30-23-31.200N 086-19-52.100W				SG on pile.	Private aid.
31805	- Day beacon 18	30-23-30.600N 089-19-52.500W				TR on pile.	Private aid.
31810	- Day beacon 19	30-23-29.100N 086-19-49.400W				SG on pile.	Private aid.
31815	- Day beacon 20	30-23-28.500N 086-19-49.900W				TR on pile.	Private aid.
31820	- Light 21	30-23-27.200N 086-19-46.900W	FI G 4s			SG on pile.	Private aid.
31825	- LIGHT 22	30-23-26.500N 086-19-47.300W	FI R 4s	12		TR on pile.	Private aid.
31830	- Day beacon 23	30-23-11.000N 086-19-42.700W				SG on pile.	Private aid.
31835	- LIGHT 24	30-23-18.600N 086-19-46.700W	FI R 4s			TR on pile.	Private aid.
31840	- Day beacon 25	30-23-07.800N 086-19-41.600W				SG on pile.	Private aid.
31845	- Day beacon 26	30-23-13.500N 086-19-46.100W				TR on pile.	Private aid.
31850	- Day beacon 28	30-23-10.500N 086-19-47.800W				TR on pile.	Private aid.
31855	- Day beacon 30	30-23-14.400N 086-19-38.700W				TR on pile.	Private aid.
Choctawhatchee Bay							
31860	- Lighted Buoy 51	30-25-46.807N 086-24-32.080W	FI G 2.5s		3	Green with yellow square.	
31865	- Buoy 52	30-25-59.965N 086-24-31.270W				Red nun with yellow triangle.	
31870	- Buoy 53	30-25-53.402N 086-24-50.080W				Green can with yellow square.	
31875	- Buoy 54	30-26-00.358N 086-24-49.822W				Red nun with yellow triangle.	
31880	- Buoy 55	30-25-58.273N 086-25-17.733W				Green can with yellow square.	
31885	- Buoy 56	30-26-07.013N 086-25-15.178W				Red nun with yellow triangle.	
31890	- Buoy 57	30-25-59.969N 086-25-29.078W				Green can with yellow square.	
31895	- Lighted Buoy 58	30-26-08.888N 086-25-29.752W	FI R 2.5s		3	Red with yellow triangle.	
Mid-Bay Marina Channel							
31900	- Day beacon 1	30-24-27.370N 086-25-25.450W				SG on pile.	Private aid.
31905	- Day beacon 3	30-24-26.410N 086-25-25.720W				SG on pile.	Private aid.
31910	- Day beacon 5	30-24-24.480N 086-25-26.300W				SG on pile.	Private aid.
31915	- Day beacon 7	30-24-22.560N 086-25-26.890W				SG on pile.	Private aid.
31920	- Day beacon 9	30-24-20.640N 086-25-27.520W				SG on pile.	Private aid.
31925	- Day beacon 11	30-24-18.740N 086-25-28.170W				SG on pile.	Private aid.
31930	- Day beacon 13	30-24-16.840N 086-25-28.860W				SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Choctawhatchee Bay							
Mid-Bay Marina Channel							
31935	- Day beacon 15	30-24-14.940N 086-25-29.560W				SG on pile.	Private aid.
31940	- Day beacon 17	30-24-13.060N 086-25-30.290W				SG on pile.	Private aid.
Indian Bayou							
31945	- Day beacon 1	30-24-46.260N 086-26-55.280W				SG on pile.	Private aid.
31950	- Day beacon 2	30-24-46.320N 086-26-56.820W				TR on pile.	Private aid.
31955	- Day beacon 3	30-24-43.500N 086-26-55.200W				SG on pile.	Private aid.
31960	- Day beacon 4	30-24-43.380N 086-26-56.160W				TR on pile.	Private aid.
31965	- Day beacon 5	30-24-41.820N 086-26-54.960W				SG on pile.	Private aid.
31970	- Day beacon 6	30-24-41.700N 086-26-55.740W				TR on pile.	Private aid.
31975	- Day beacon 7	30-24-39.540N 086-26-54.540W				SG on pile.	Private aid.
31980	- Day beacon 8	30-24-39.360N 086-26-55.200W				TR on pile.	Private aid.
31985	- Day beacon 9	30-24-35.640N 086-26-53.820W				SG on pile.	Private aid.
31990	- Day beacon 10	30-24-35.520N 086-26-54.540W				TR on pile.	Private aid.
31995	- Day beacon 11	30-24-30.900N 086-26-52.680W				TR on pile.	Private aid.
32000	- Day beacon 12	30-24-30.660N 086-26-53.460W				SG on pile.	Private aid.
32005	- Day beacon 13	30-24-24.180N 086-26-55.080W				TR on pile.	Private aid.
32010	- Day beacon 14	30-24-24.840N 086-26-55.680W				SG on pile.	Private aid.
32015	- Day beacon 15	30-24-18.480N 086-27-01.620W				TR on pile.	Private aid.
32020	- Day beacon 16	30-24-18.720N 086-27-03.360W				TR on pile.	Private aid.
Choctawhatchee Bay							
32025	ROCKY BAYOU ENTRANCE LIGHT 1	30-29-02.098N 086-27-10.952W	FI G 4s	17	4	SG on pile.	
Ward Cove							
32030	- Channel Day beacon 1	30-29-56.000N 086-26-52.000W				SG on pile.	Private aid.
32035	- LIGHT 2	30-29-54.000N 086-26-54.000W	FI R 4s	4		TR on pile.	Private aid.
32040	- LIGHT 3	30-29-53.000N 086-26-49.000W	FI G 4s	4		SG on pile.	Private aid.
32045	- Channel Day beacon 4	30-29-52.000N 086-26-46.000W				TR on pile.	Private aid.
Boggy Bayou							
32050	- LIGHT 1	30-27-36.234N 086-28-24.045W	FI G 6s	17	4	SG on dolphin.	
32055	- LIGHT 3	30-28-45.024N 086-28-28.697W	FI G 2.5s	17	3	SG on dolphin.	Ra ref.
32060	- Day beacon 4	30-28-49.832N 086-28-23.084W				TR on pile.	Ra ref.
32065	- Day beacon 5	30-28-52.036N 086-28-31.436W				SG on pile.	Ra ref.
32070	- Day beacon 6	30-29-32.458N 086-28-43.263W				TR on pile.	Ra ref.
32075	- Day beacon 7	30-29-32.626N 086-28-53.648W				SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Choctawhatchee Bay							
Boggy Bayou							
32080	- Day beacon 8	30-30-04.177N 086-28-57.652W				TR on pile.	
32085	- LIGHT 9	30-30-16.870N 086-29-03.506W	FI G 4s	17	4	SG on pile.	
Choctawhatchee Bay							
32090	Weekley Bay ou Day beacon 1	30-29-03.308N 086-28-55.287W				SG on pile.	Ra ref.
32095	Weekley Bay ou Day beacon 2	30-29-01.805N 086-28-59.550W				TR on pile.	
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
32100	CHOCTAWHATCHEE BAY LIGHT 59	30-25-35.792N 086-29-21.042W	Q G	17	3	SG-SY on pile.	Ra ref.
32105	JOES BAY OU ENTRANCE CHANNEL LIGHT 2	30-25-06.394N 086-29-34.952W	Q R	17	3	TR on pile.	Ra ref.
32110	Joes Bay ou Entrance Channel Day beacon 4	30-24-58.962N 086-29-31.964W				TR on pile.	
32115	CHOCTAWHATCHEE BAY LIGHT 61	30-24-29.700N 086-32-14.329W	FI G 6s	17	4	SG-SY on pile.	Ra ref.
32120	BLACK POINT LIGHT 2	30-25-32.307N 086-33-19.979W	FI R 2.5s	17	3	TR on pile.	
32125	Garnier Bay ou Entrance Day beacon 4	30-25-51.971N 086-34-33.921W				TR on pile.	
32130	SMACK SHOAL LIGHT 3	30-25-33.679N 086-34-38.337W	FI G 2.5s	17	3	SG on pile.	Ra ref.
32135	SMACK SHOAL LIGHT 5	30-25-40.143N 086-35-12.085W	FI G 4s	17	4	SG on pile.	
Santa Rosa Sound Entrance							
32140	- LIGHT 1	30-24-01.562N 086-33-37.788W	FI G 2.5s	17	4	SG-SY on dolphin.	Visible all around, higher intensity on bearing 245°. Ra ref.
32145	- Buoy 2	30-24-08.690N 086-33-40.936W				Red nun with yellow triangle.	
32150	- Buoy 3	30-24-04.006N 086-33-51.680W				Green can with yellow square.	
32155	- Buoy 4	30-24-07.525N 086-33-51.974W				Red nun with yellow triangle.	
32160	- Buoy 5	30-24-04.609N 086-34-04.028W				Green can with yellow square.	
32165	- Buoy 6	30-24-07.210N 086-34-05.025W				Red nun with yellow triangle.	
32170	- Buoy 7	30-24-04.535N 086-34-16.479W				Green can with yellow square.	
32175	- Buoy 8	30-24-06.925N 086-34-18.135W				Red nun with yellow triangle.	
32180	- Buoy 9	30-24-04.916N 086-34-30.983W				Green can with yellow square.	
32185	- Buoy 10	30-24-06.840N 086-34-31.113W				Red nun with yellow triangle.	
32190	- Buoy 11	30-24-04.274N 086-34-41.205W				Green can with yellow square.	
32195	- Buoy 12	30-24-06.148N 086-34-41.296W				Red nun with yellow triangle.	
32200	- Buoy 13	30-24-03.206N 086-34-52.598W				Green can with yellow square.	
32205	- Buoy 14	30-24-06.107N 086-34-52.285W				Red nun with yellow triangle.	
32210	- Buoy 15	30-24-02.920N 086-35-05.028W				Green can with yellow square.	
32215	- Buoy 16	30-24-06.175N 086-35-06.080W				Red nun with yellow triangle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Santa Rosa Sound							
32220	- Day beacon 4	30-24-07.659N 086-35-39.553W				TR-TY on pile.	Ra ref.
32225	- Day beacon 4A	30-24-06.427N 086-35-52.344W				TR-TY on pile.	Ra ref.
32230	- Day beacon 6	30-24-03.219N 086-36-21.830W				TR-TY on pile.	Ra ref.
32235	- Buoy 7	30-24-00.396N 086-36-20.558W				Green can with yellow square.	
32240	- Day beacon 8	30-24-02.592N 086-36-26.299W				TR-TY on pile.	Ra ref.
32245	- LIGHT 10 50 feet outside channel limit.	30-24-01.360N 086-36-42.231W	Q R	17	3	TR-TY on pile.	
32250	- Day beacon 14	30-24-01.818N 086-36-54.564W				TR-TY on pile.	
32255	- Day beacon 16	30-24-01.888N 086-37-03.560W				TR-TY on pile.	Ra ref.
32260	Fort Walton Lodge & Yacht Basin Day beacon 1	30-24-03.750N 086-37-15.000W				SG on pile.	Private aid.
32265	Fort Walton Lodge & Yacht Basin Day beacon 2	30-24-03.750N 086-37-13.120W				TR on pile.	Private aid.
32270	- Day beacon 20	30-24-04.077N 086-37-23.356W				TR-TY on pile.	Ra ref.
32275	- LIGHT 21	30-24-04.518N 086-37-42.722W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
32280	- Buoy 22	30-24-07.219N 086-37-48.532W				Red nun with yellow triangle.	
32285	- Buoy 23	30-24-05.739N 086-38-11.475W				Green can with yellow square.	
32290	- Day beacon 24	30-24-08.119N 086-38-19.433W				TR-TY on pile.	Ra ref.
32295	- Day beacon 26	30-24-07.219N 086-38-33.533W				TR-TY on pile.	Ra ref.
32300	- Day beacon 28	30-24-05.919N 086-38-47.434W				TR-TY on pile.	Ra ref.
32305	- Buoy 29	30-24-02.065N 086-38-55.975W				Green can with yellow square.	
32310	- LIGHT 30	30-24-04.864N 086-38-55.694W	Q R	17	3	TR-TY on pile.	
32315	- Buoy 31	30-24-06.292N 086-39-13.606W				Green can with yellow square.	
32320	- LIGHT 32	30-24-09.274N 086-39-11.382W	Q R	17	3	TR-TY on pile.	
32325	- Buoy 32A	30-24-10.082N 086-39-12.788W				Red nun with yellow triangle.	
32330	- Buoy 34	30-24-14.444N 086-39-16.528W				Red nun with yellow triangle.	
32335	- Buoy 35	30-24-18.218N 086-39-26.035W				Green can with yellow square.	
32340	- LIGHT 37 45 feet outside channel limit.	30-24-22.553N 086-39-33.346W	Q G	17	3	SG-SY on pile.	Ra ref.
32345	- Day beacon 39	30-24-23.203N 086-39-45.773W				SG-SY on pile.	Ra ref.
32350	- Day beacon 40	30-24-27.391N 086-40-02.584W				TR-TY on pile.	Ra ref.
32355	- Day beacon 41	30-24-24.018N 086-40-02.435W				SG-SY on pile.	Ra ref.
32360	- Day beacon 42	30-24-27.734N 086-40-12.657W				TR-TY on pile.	Ra ref.
32365	- LIGHT 43	30-24-25.882N 086-40-32.201W	Q G	17	3	SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Santa Rosa Sound							
32370	- Day beacon 45	30-24-25.478N 086-40-38.559W				SG-SY on pile.	Ra ref.
32375	- Day beacon 47	30-24-22.218N 086-40-55.737W				SG-SY on pile.	Ra ref.
32380	- Day beacon 48	30-24-26.017N 086-40-57.137W				TR-TY on pile.	Ra ref.
32385	- Buoy 49	30-24-20.117N 086-41-09.737W				Green can with yellow square.	
32390	- Shoal Buoy 48A	30-24-20.088N 086-41-24.501W				Red nun with yellow triangle.	
32395	- LIGHT 50	30-24-20.032N 086-41-30.128W	Q R	17	3	TR-TY on pile.	
32400	- Buoy 51	30-24-16.918N 086-41-28.338W				Green can with yellow square.	
32405	- Buoy 52	30-24-20.817N 086-41-39.538W				Red nun with yellow triangle.	
32410	- Buoy 53	30-24-18.618N 086-41-44.431W				Green can with yellow square.	
32415	- Buoy 54	30-24-21.585N 086-41-50.389W				Red nun with yellow triangle.	
32420	- Buoy 55	30-24-18.974N 086-42-00.692W				Green can with yellow square.	
32425	- <i>Lighted Buoy 56</i>	30-24-22.200N 086-42-01.160W	FI R 2.5s		3	Red with yellow triangle.	Ra ref.
32430	- Buoy 57	30-24-21.102N 086-42-09.351W				Green can with yellow square.	
32435	- Buoy 58	30-24-26.617N 086-42-22.838W				Red nun with yellow triangle.	
32440	- LIGHT 59	30-24-22.147N 086-42-17.563W	FI G 2.5s	17	3	SG-SY on pile.	
32445	Hurlburt Field Marina Buoy 1	30-24-28.800N 086-42-34.800W				Green can.	Private aid.
32450	Hurlburt Field Marina Buoy 2	30-24-28.900N 086-42-33.900W				Red nun.	Private aid.
32455	- LIGHT 60 60 feet outside channel limit.	30-24-26.409N 086-42-38.901W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
32460	- Buoy 60A	30-24-26.758N 086-42-45.089W				Red nun with yellow triangle.	
32465	- Buoy 61	30-24-23.052N 086-42-39.400W				Green can with yellow square.	
32470	- Buoy 62	30-24-27.775N 086-42-53.347W				Red nun with yellow triangle.	
32475	- Buoy 63	30-24-25.717N 086-42-53.844W				Green can with yellow square.	
32480	- Buoy 64	30-24-29.160N 086-43-03.569W				Red nun with yellow triangle.	
32485	- Buoy 65	30-24-28.030N 086-43-13.065W				Green can with yellow square.	
32490	- LIGHT 66	30-24-31.565N 086-43-13.742W	Q R	17	3	TR-TY on pile.	Ra ref.
32495	- LIGHT 67	30-24-26.564N 086-43-39.146W	Q G	17	3	SG-SY on pile.	
32500	- Buoy 68	30-24-31.004N 086-43-39.081W				Red nun with yellow triangle.	
32505	- Buoy 69	30-24-19.917N 086-43-50.341W				Green can with yellow triangle.	
32510	- Buoy 69A	30-24-17.616N 086-43-55.041W				Green can with yellow square.	
32515	- Buoy 70	30-24-23.003N 086-43-52.254W				Red nun with yellow triangle.	
32520	- Buoy 70A	30-24-20.054N 086-43-56.914W				Red nun with yellow triangle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Santa Rosa Sound							
32525	- LIGHT 71 60 feet outside channel limit.	30-24-12.329N 086-44-03.099W	Q G	17	3	SG-SY on pile.	
32530	- Buoy 72	30-24-16.371N 086-44-05.260W				Red nun with yellow triangle.	
32535	- Day beacon 73	30-24-08.671N 086-44-13.326W				SG-SY on pile.	Ra ref.
32540	- LIGHT 74	30-24-06.761N 086-44-34.771W	Q R	17	3	TR-TY on pile.	Ra ref.
32545	- Buoy 74A	30-24-04.944N 086-44-51.150W				Red nun with yellow triangle.	
32550	- LIGHT 75	30-24-03.195N 086-45-23.844W	Q G	17	3	SG-SY on pile.	Ra ref.
32555	- Buoy 75A	30-23-59.117N 086-45-32.544W				Green can with yellow square.	
32560	- Buoy 76	30-24-03.417N 086-45-33.744W				Red nun with yellow triangle.	
32565	- Buoy 77	30-23-52.617N 086-45-43.644W				Green can with yellow square.	
32570	- LIGHT 78	30-23-57.895N 086-45-46.286W	FI R 2.5s	17	3	TR-TY on pile.	
32575	- Day beacon 79	30-23-47.065N 086-47-07.822W				SG-SY on pile.	Ra ref.
32580	- LIGHT 80	30-23-49.078N 086-47-39.602W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
32585	- LIGHT 81	30-23-54.076N 086-48-48.794W	FI G 4s	17	4	SG-SY on pile.	
32590	- Day beacon 81A	30-23-47.917N 086-49-31.651W				SG-SY on pile.	Ra ref.
32595	- LIGHT 82	30-23-49.641N 086-49-54.501W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
32600	- Buoy 83	30-23-46.217N 086-49-55.452W				Green can with yellow square.	
32605	- Day beacon 84	30-23-52.017N 086-50-03.652W				TR-TY on pile.	Ra ref.
32610	- Day beacon 85	30-23-49.417N 086-50-13.452W				SG-SY on pile.	Ra ref.
32615	- LIGHT 87	30-23-51.916N 086-50-30.953W	FI G 2.5s	17	3	SG-SY on pile.	
32620	- LIGHT 88	30-23-58.317N 086-51-01.554W	Q R	17	3	TR-TY on pile.	
32625	- Buoy 88A	30-23-54.817N 086-51-14.154W				Red nun with yellow triangle.	
32630	- Buoy 89	30-23-51.717N 086-51-12.854W				Green can with yellow square.	
32635	- Day beacon 89A	30-23-48.716N 086-51-23.854W				SG-SY on pile.	Ra ref.
32640	- LIGHT 90	30-23-53.982N 086-51-23.267W	FI R 2.5s	17	3	TR-TY on pile.	
32645	- Day beacon 91	30-23-48.466N 086-51-40.069W				SG-SY on pile.	Ra ref.
32650	NAVARR BEACH PIPELINE LIGHT	30-22-58.000N 086-51-53.000W	FI Y 2.5s	13		NW on pile.	Private aid.
32655	NAVARR PIPELINE LIGHT	30-24-02.000N 086-51-59.000W	FI Y 2.5s	13		NW on pile.	Private aid.
32660	- Day beacon 92	30-23-50.516N 086-52-00.855W				TR-TY on pile.	Ra ref.
32665	- Day beacon 93	30-23-46.817N 086-51-59.756W				SG-SY on pile.	
32670	- Buoy 95	30-23-44.570N 086-52-16.094W				Green can with yellow square.	
32675	- Day beacon 96	30-23-44.828N 086-52-34.010W				TR-TY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
WEST BAY TO SANTA ROSA SOUND (Chart 11385)							
Santa Rosa Sound							
32680	- Buoy 97	30-23-42.250N 086-52-35.596W				Green can with yellow square.	
32685	- Buoy 99	30-23-40.715N 086-52-48.379W				Green can with yellow square.	
32690	- Buoy 101	30-23-39.711N 086-52-58.160W				Green can with yellow square.	
32695	- LIGHT 102	30-23-39.536N 086-53-20.655W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
32700	- Buoy 103	30-23-37.055N 086-53-19.077W				Green can with yellow square.	
32705	- Day beacon 104	30-23-37.105N 086-53-35.809W				TR-TY on pile.	Ra ref.
32710	- Buoy 105	30-23-34.791N 086-53-35.852W				Green can with yellow square.	
32715	- Day beacon 106	30-23-35.816N 086-53-47.454W				TR-TY on pile.	Ra ref.
32720	- Buoy 107	30-23-31.897N 086-54-00.455W				Green can with yellow square.	
32725	- LIGHT 108	30-23-34.586N 086-53-59.904W	FI R 6s	17	4	TR-TY on pile.	Ra ref.
32730	- Day beacon 110	30-23-33.257N 086-54-20.663W				TR-TY on pile.	Ra ref.
32735	- Buoy 111	30-23-28.419N 086-54-28.465W				Green can with yellow square.	
32740	- Buoy 113	30-23-27.037N 086-54-41.448W				Green can with yellow square.	
32745	- LIGHT 114	30-23-30.033N 086-54-42.347W	FI R 4s	17	3	TR-TY on pile.	
32750	- Buoy 115	30-23-25.209N 086-54-56.631W				Green can with yellow square.	
32755	- Buoy 117	30-23-23.568N 086-55-10.265W				Green can with yellow square.	
32760	- Buoy 119	30-23-21.960N 086-55-24.824W				Green can with yellow square.	
32765	- LIGHT 121	30-23-19.110N 086-55-40.440W	FI G 2.5s	17	3	SG-SY on pile.	
32770	- Day beacon 122	30-23-24.716N 086-55-41.562W				TR-TY on pile.	Ra ref.
32775	- LIGHT 123	30-23-06.717N 086-57-23.865W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
32780	- Shoal Day beacon 124	30-23-08.136N 086-58-35.564W				TR-TY on pile.	Ra ref.
32785	- LIGHT 125	30-22-56.417N 086-59-12.669W	FI G 6s	17	4	SG-SY on pile.	Ra ref.
32790	- Day beacon 127	30-22-39.229N 087-00-18.279W				SG-SY on pile.	Ra ref.
32795	- LIGHT 129	30-22-24.330N 087-01-30.030W	FI G 4s	17	4	SG-SY on pile.	
32800	- LIGHT 130	30-22-24.218N 087-02-05.274W	FI R 4s	17	4	TR-TY on pile.	Ra ref.
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Santa Rosa Sound							
32805	- LIGHT 131	30-21-34.856N 087-04-51.232W	FI G 6s	17	4	SG-SY on pile.	Ra ref.
32810	East Santa Rosa Shores Channel Day beacon 2	30-22-04.000N 087-04-06.000W				TR on pile.	Ra ref. Private aid.
32815	East Santa Rosa Shores Channel Day beacon 4	30-22-05.000N 087-04-06.000W				TR on pile.	Ra ref. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Santa Rosa Sound							
32820	East Santa Rosa Shores Channel Day beacon 5	30-22-30.000N 087-04-36.000W				SG on pile.	Ra ref. Private aid.
32825	East Santa Rosa Shore Channel Day beacon 6	30-22-31.000N 087-04-34.000W				TR on pile.	Private aid.
32830	East Santa Rosa Shores Day beacon 7	30-22-34.000N 087-04-36.600W				SG on pile.	Ra ref. Private aid.
32835	East Santa Rosa Shores Day beacon 8	30-22-34.000N 087-04-36.000W				TR on pile.	Ra ref. Private aid.
32840	Central Santa Rosa Shores Channel Day beacon 2	30-22-03.000N 087-04-08.000W				TR on pile.	Ra ref. Private aid.
32845	Central Santa Rosa Shores Channel Day beacon 4	30-22-04.000N 087-04-08.000W				TR on pile.	Ra ref. Private aid.
32850	Central Santa Rosa Shores Channel Day beacon 6	30-22-05.000N 087-04-08.000W				TR on pile.	Ra ref. Private aid.
32855	Central Santa Rosa Shores Channel Day beacon 8	30-22-34.000N 087-04-45.000W				TR on pile.	Ra ref. Private aid.
32860	Central Santa Rosa Shores Channel Day beacon 9	30-22-31.800N 087-04-45.600W				SG on pile.	Ra ref. Private aid.
32865	Center-West Crossing Santa Rosa 1	30-22-28.500N 087-04-49.000W				SG on pile.	Ra ref. Private aid.
32870	Center-West Crossing Santa Rosa 2	30-22-29.000N 087-04-51.000W				TR on pile.	Ra ref. Private aid.
32875	West Santa Rosa Shores Channel Day beacon 2	30-22-02.000N 087-04-09.000W				TR on pile.	Ra ref. Private aid.
32880	West Santa Rosa Shores Channel Day beacon 4	30-22-03.000N 087-04-09.000W				TR on pile.	Ra ref. Private aid.
32885	West Santa Rosa Shores Channel Day beacon 6	30-22-04.000N 087-04-09.000W				TR on pile.	Ra ref. Private aid.
32890	West Santa Rosa Shores Channel Day beacon 8	30-22-26.000N 087-04-51.400W				TR on pile.	Ra ref. Private aid.
32895	West Santa Rosa Shores Day beacon 9	30-22-28.400N 087-04-51.900W				SG on pile.	Ra ref. Private aid.
32900	West Santa Rosa Shores Channel Day beacon 10	30-22-28.400N 087-04-51.500W				TR on pile.	Ra ref. Private aid.
32905	West Santa Rosa Shores Day beacon 11	30-22-29.300N 087-04-52.000W				SG on pile.	Ra ref. Private aid.
32910	West Santa Rosa Shores Channel Day beacon 12	30-22-29.300N 087-04-51.600W				TR on pile.	Ra ref. Private aid.
Grand Canal Channel							
32915	- Day beacon 1	30-21-56.160N 087-06-53.520W				SG on pile.	Private aid.
32920	- LIGHT 2	30-21-56.100N 087-06-52.620W	F I R 4s			TR on pile.	Ra ref. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Santa Rosa Sound							
Grand Canal Channel							
32925	- Day beacon 3	30-21-58.200N 087-06-54.060W				SG on pile.	Private aid.
32930	- Day beacon 4	30-21-58.200N 087-06-53.280W				TR on pile.	Private aid.
32935	- Day beacon 5	30-22-00.120N 087-06-54.780W				SG on pile.	Private aid.
32940	- Day beacon 6	30-22-00.200N 087-06-53.750W				TR on pile.	Private aid.
32945	- Day beacon 7	30-22-01.920N 087-06-55.200W				SG on pile.	Private aid.
32950	- Day beacon 8	30-22-02.070N 087-06-54.330W				TR on pile.	Private aid.
32955	- Day beacon 9	30-22-03.780N 087-06-55.680W				SG on pile.	Private aid.
32960	- Day beacon 10	30-22-03.960N 087-06-54.840W				TR on pile.	Private aid.
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
32965	<i>Santa Rosa Sound Lighted Buoy 133</i>	30-21-15.403N 087-08-31.647W	FI G 2.5s		4	Green with yellow triangle.	
Fish Bend South Channel							
32966	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 1	30-20-58.020N 087-07-52.780W	FI G 6s				Private aid.
32966.01	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 2	30-22-57.970N 087-07-55.060W	FI R 6s				Private aid.
32966.02	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 3	30-20-48.550N 087-07-52.530W	FI G 6s				Private aid.
32966.03	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 4	30-20-48.510N 087-07-54.810W	FI R 6s				Private aid.
32966.04	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 5	30-20-36.830N 087-07-52.220W	FI G 6s				Private aid.
32966.05	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 6	30-20-37.530N 087-07-54.520W	FI R 6s				Private aid.
32966.06	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 7	30-20-28.250N 087-08-00.570W	FI G 6s				Private aid.
32966.07	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 8	30-20-29.530N 087-08-02.310W	FI R 6s				Private aid.
32966.08	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 9	30-20-19.970N 087-08-08.640W	FI G 6s				Private aid.
32966.09	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 10	30-20-21.240N 087-08-10.380W	FI R 6s				Private aid.
32966.11	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 11	30-20-15.660N 087-08-12.830W	FI G 6s				Private aid.
32966.12	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 12	30-20-16.930N 087-08-14.580W	FI R 6s				Private aid.
32966.13	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 13	30-20-11.340N 087-08-17.030W	FI G 6s				Private aid.
32966.14	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 14	30-20-12.700N 087-08-18.700W	FI G 6s				Private aid.
32966.15	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 15	30-20-10.640N 087-08-25.190W	FI G 6s				Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Fish Bend South Channel							
32966.16	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 16	30-20-11.810N 087-08-24.690W	FI R 6s				Private aid.
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
32970	Fishing Bend Obstruction Danger Buoy	30-20-25.200N 087-08-21.000W				White with orange WORDED: DANGER.	
32975	GRAND MARLIN MARINA ENTRANCE LIGHT 2	30-20-40.031N 087-08-56.445W	FI R 2.5s			Marks marina entrance.	Private aid.
32980	Grand Marlin Marina Entrance Day beacon 1	30-20-38.507N 087-08-55.764W				Marks marina entrance.	Private aid.
Little Sabine Bay							
32985	- Day beacon 2	30-20-33.000N 087-09-03.000W				TR on pile.	Private aid.
32990	- Day beacon 4	30-20-29.000N 087-09-00.000W				TR on pile.	Private aid.
32995	- Day beacon 5	30-20-24.000N 087-08-55.000W				SG on pile.	Private aid.
33000	- Day beacon 6	30-20-25.000N 087-08-58.000W				TR on pile.	Private aid.
33005	- Day beacon 7	30-20-24.000N 087-08-54.000W				SG on pile.	Private aid.
33010	- Day beacon 8	30-20-24.000N 087-08-56.000W				TR on pile.	Private aid.
33015	- Day beacon 9	30-20-20.000N 087-08-51.000W				SG on pile.	Private aid.
33020	- Day beacon 10	30-20-17.000N 087-08-51.000W				TR on pile.	Private aid.
33025	- Day beacon 12	30-20-12.000N 087-08-47.000W				TR on pile.	Private aid.
Santa Rosa Sound							
33030	- LIGHT 140 75 feet outside channel limit.	30-20-49.483N 087-09-26.708W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
33035	- LIGHT 141 75 feet outside channel limit.	30-20-38.869N 087-09-34.008W	FI (2)G 5s	17	4	SG-SY on pile.	Ra ref.
33040	- LIGHT 142	30-20-32.997N 087-10-00.661W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
33045	- LIGHT 144 100 feet outside channel limit.	30-20-23.842N 087-10-56.792W	FI R 4s	17	3	TR-TY on pile.	
33047	ESCAMBIA COUNTY ARTIFICIAL REEF LIGHT A	30-19-39.900N 087-10-51.600W	FI Y 2.5s			Marks southeast corner of reef.	Private aid.
33047.01	ESCAMBIA COUNTY ARTIFICIAL REEF LIGHT B	30-19-39.840N 087-10-52.740W	FI Y 2.5s			Marks southwest corner of reef.	Private aid.
33047.02	ESCAMBIA COUNTY ARTIFICIAL REEF LIGHT C	30-19-40.860N 087-10-52.800W	FI Y 2.5s			Marks northwest corner of reef.	Private aid.
33047.03	ESCAMBIA COUNTY ARTIFICIAL REEF LIGHT D	30-19-40.860N 087-10-51.660W	FI Y 2.5s			Marks northeast corner of reef.	Private aid.
33050	- LIGHT 145	30-19-53.610N 087-13-53.348W	FI G 2.5s	17	4	SG-SY on dolphin.	Ra ref.
Pensacola Bay							
33055 4915	- Lighted Buoy 20	30-19-48.719N 087-15-17.895W	Q R		3	Red with yellow square.	
33060 4850	- NAVY RANGE FRONT LIGHT	30-20-04.514N 087-18-58.739W	FI G 2.5s	34		KRW on skeleton tower on piles.	Visible all around; higher intensity 1.5° each side of range line.
33065 4855	- NAVY RANGE REAR LIGHT 300 feet, 273.5° from front light.	30-20-05.059N 087-19-09.065W	Iso G 6s	58		On skeleton tower on piles.	Visible 2° each side of rangeline.
33070 4905	- Lighted Buoy 18	30-19-53.498N 087-16-41.945W	FI R 4s		3	Red with yellow square.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Pensacola Bay							
33075 4870	- Lighted Buoy 17	30-20-01.719N 087-16-55.899W	FI G 4s		4	Green with yellow triangle.	
33080 4845	- Lighted Buoy 16	30-19-55.719N 087-17-39.900W	Q R		3	Red with yellow square.	
33085 4840	- Lighted Buoy 15	30-20-15.224N 087-18-07.464W	FI G 2.5s		4	Green with yellow triangle.	
Pensacola-Mobile							
33090	- Buoy 1	30-20-03.919N 087-18-37.102W				Green can with yellow square.	
33095	- Lighted Buoy 2	30-20-09.946N 087-18-41.903W	Q R		3	Red with yellow triangle.	
33100	- Buoy 3	30-20-04.101N 087-18-47.590W				Green can with yellow square.	
33105	- Buoy 4	30-20-06.819N 087-18-50.303W				Red nun with yellow triangle.	
33110	- Buoy 5	30-19-57.355N 087-19-04.014W				Green can with yellow square.	
33115	- Shoal Buoy 5A	30-19-54.746N 087-19-18.343W				Green can with yellow square.	
33120	- Buoy 6	30-20-00.789N 087-19-02.863W				Red nun with yellow triangle.	
33125	- Buoy 6A	30-19-57.942N 087-19-13.125W				Red nun with yellow triangle.	
33130	- Buoy 6B	30-19-54.536N 087-19-26.463W				Red nun with yellow triangle.	
INTRACOASTAL WATERWAY (Alabama) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Pensacola-Mobile							
33132	- Buoy 8	30-19-51.647N 087-19-37.637W				Red nun with yellow triangle.	
INTRACOASTAL WATERWAY (Florida) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Pensacola-Mobile							
Sherman Cove Marina							
33135	- Day beacon 1	30-19-52.000N 087-19-38.000W				SG on pile.	Private aid.
33140	- Day beacon 2	30-19-52.000N 087-19-38.000W				TR on pile.	Private aid.
33145	- Day beacon 3	30-19-55.000N 087-19-37.000W				SG on pile.	Private aid.
33150	- Day beacon 4	30-19-55.000N 087-19-36.000W				TR on pile.	Private aid.
33155	- Day beacon 5	30-19-57.000N 087-19-36.000W				SG on pile.	Private aid.
33160	- Day beacon 6	30-19-59.000N 087-19-35.000W				TR on pile.	Private aid.
33165	- Day beacon 7	30-19-59.000N 087-19-35.000W				SG on pile.	Private aid.
33170	- Day beacon 8	30-19-59.000N 087-19-32.000W				TR on pile.	Private aid.
33175	- Day beacon 9	30-20-00.000N 087-19-34.000W				SG on pile.	Private aid.
33180	- Day beacon 10	30-20-00.000N 087-19-32.000W				TR on pile.	Private aid.
Pensacola-Mobile							
33185	- LIGHT 7	30-19-48.215N 087-19-34.815W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
33190	- LIGHT 10 Marks shoal off Trout Point.	30-19-26.046N 087-21-05.703W	FI R 6s	17	4	TR-TY on pile.	
33195	- Buoy 11	30-19-01.274N 087-23-21.147W				Green can with yellow square.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Pensacola-Mobile							
Grand Lagoon Boat Basin Channel							
33200	- Day beacon 1	30-19-10.400N 087-23-28.300W				SG on pile.	Private aid.
33205	- Day beacon 2	30-19-10.020N 087-23-27.000W				TR on pile.	Private aid.
33210	- Day beacon 3	30-19-11.100N 087-23-29.000W				SG on pile.	Private aid.
33215	- Day beacon 4	30-19-10.090N 087-23-27.700W				TR on pile.	Private aid.
33220	- Day beacon 5	30-19-11.800N 087-23-29.600W				SG on pile.	Private aid.
33225	- Day beacon 6	30-19-11.600N 087-23-28.300W				TR on pile.	Private aid.
33230	- Day beacon 8	30-19-12.200N 087-23-28.900W				TR on pile.	Private aid.
Pensacola-Mobile							
33235	- LIGHT 12	30-19-03.306N 087-23-33.304W	FI R 4s	17	3	TR-TY on pile.	
33240	- LIGHT 13	30-18-50.037N 087-23-25.853W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
33245	- Day beacon 15	30-18-29.010N 087-23-32.241W				SG-SY on pile.	Ra ref.
33250	- LIGHT 16	30-18-33.136N 087-23-42.396W	FI R 2.5s	17	3	TR-TY on pile.	
33255	- Day beacon 17	30-18-20.363N 087-23-49.230W				SG-SY on pile.	Ra ref.
33260	- Shoal Buoy 17A	30-18-20.063N 087-23-58.698W				Green can.	
33265	- LIGHT 18	30-18-25.410N 087-23-51.062W	Q R	17	3	TR-TY on pile.	Ra ref.
33270	- Buoy 19	30-18-20.063N 087-24-10.488W				Green can with yellow square.	
33275	- Day beacon 20	30-18-23.742N 087-24-06.908W				TR-TY on pile.	Ra ref.
33280	- Buoy 21	30-18-21.373N 087-24-21.466W				Green can with yellow square.	
33285	- Buoy 21A	30-18-21.499N 087-24-27.424W				Green can with yellow square.	
33290	- Day beacon 22	30-18-24.112N 087-24-21.157W				TR-TY on pile.	Ra ref.
33295	- Day beacon 23	30-18-21.524N 087-24-34.465W				SG-SY on pile.	Ra ref.
33300	- Buoy 24	30-18-24.723N 087-24-36.916W				Red nun with yellow triangle.	
33305	- LIGHT 25	30-18-21.339N 087-24-49.876W	Q G	17	3	SG-SY on pile.	Ra ref.
33310	- Day beacon 26	30-18-25.465N 087-24-48.599W				TR-TY on pile.	Ra ref.
33315	- Buoy 28	30-18-30.846N 087-25-01.603W				Red nun with yellow triangle.	
33320	- Day beacon 29	30-18-32.706N 087-25-10.319W				SG-SY on pile.	Ra ref.
33325	- Day beacon 30	30-18-37.509N 087-25-12.165W				TR-TY on pile.	Ra ref.
33330	- LIGHT 31	30-18-38.746N 087-25-22.260W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
33335	- Shoal Buoy 31A	30-18-47.706N 087-25-43.873W				Green can with yellow square.	
33340	- Buoy 33	30-18-48.331N 087-25-49.426W				Green can with yellow square.	
33345	- LIGHT 35	30-18-45.654N 087-26-20.430W	FI G 4s	17	4	SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Pensacola-Mobile							
33350	- Day beacon 36	30-18-47.947N 087-26-20.962W				TR-TY on pile.	Ra ref.
Holiday Harbor Marina Channel							
33355	- Buoy 1	30-18-43.000N 087-26-24.000W				Green can.	Private aid.
33360	- Buoy 2	30-18-43.000N 087-26-24.000W				Red nun.	Private aid.
33365	- Day beacon 3	30-18-41.000N 087-26-25.000W				SG on pile.	Private aid.
33370	- Buoy 4	30-18-40.000N 087-26-26.000W				Red nun.	Private aid.
33375	- Day beacon 5	30-18-39.000N 087-26-24.000W				SG on pile.	Private aid.
33380	- Buoy 6	30-18-38.000N 087-26-25.000W				Red nun.	Private aid.
33385	- Day beacon 7	30-18-37.000N 087-26-24.000W				SG on pile.	Private aid.
33390	- Buoy 8	30-18-36.000N 087-26-24.000W				Red nun.	Private aid.
33395	- Day beacon 9	30-18-36.000N 087-26-24.000W				SG on pile.	Private aid.
33400	- Buoy 10	30-18-35.000N 087-26-23.000W				Red nun.	Private aid.
33405	- Day beacon 11	30-18-35.000N 087-26-21.000W				SG on pile.	Private aid.
Pensacola-Mobile							
33410	- Day beacon 37	30-18-44.827N 087-26-34.445W				SG-SY on pile.	
33415	- LIGHT 39	30-18-44.517N 087-26-47.175W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
33420	- Buoy 39A	30-18-40.491N 087-26-59.961W				Green can.	
33425	- Day beacon 40	30-18-45.966N 087-26-53.094W				TR-I on pile.	
33430	- Buoy 41	30-18-37.723N 087-27-05.921W				Green can with yellow square.	
33435	- Buoy 42	30-18-39.309N 087-27-08.040W				Red nun with yellow triangle.	
33440	- Day beacon 43	30-18-30.978N 087-27-19.921W				SG-SY on pile.	Ra ref.
33445	- LIGHT 44 60 feet outside channel limit.	30-18-33.872N 087-27-22.419W	Q R	17	3	TR-TY on pile.	Ra ref.
33450	- Day beacon 46	30-18-31.398N 087-27-39.444W				TR-TY on pile.	Ra ref.
33455	- Day beacon 47	30-18-24.977N 087-28-02.507W				SG-SY on pile.	Ra ref.
33460	- Day beacon 48	30-18-28.112N 087-28-02.359W				TR-TY on pile.	Ra ref.
33465	- Day beacon 49	30-18-21.427N 087-28-26.545W				SG-SY on pile.	
33470	- Day beacon 50	30-18-24.962N 087-28-27.486W				TR-TY on pile.	
33475	- Day beacon 51	30-18-19.723N 087-28-48.925W				SG-SY on pile.	
33480	- Day beacon 52	30-18-22.500N 087-28-49.272W				TR-TY on pile.	Ra ref.
33485	- Day beacon 52A	30-18-19.478N 087-29-26.482W				TR-TY on pile.	Ra ref.
33490	- Day beacon 53	30-18-14.684N 087-29-27.612W				SG-SY on pile.	
33493	ALABAMA DCNR ONO ISLAND DANGER LIGHTS (6)	30-18-07.120N 087-29-31.260W	FI W 2.5s			Marks submerged fishing reef.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Florida) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Pensacola-Mobile							
33495	- LIGHT 55	30-18-13.861N 087-29-43.591W	FI G 4s	17	4	SG-SY on pile.	
33500	- Day beacon 56	30-18-21.887N 087-30-01.268W				TR-TY on pile.	Ra ref.
33505	- LIGHT 57	30-18-17.724N 087-30-15.929W	FI G 4s	17	4	SG-SY on pile.	
33510	- LIGHT 58	30-18-35.123N 087-30-24.529W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
INTRACOASTAL WATERWAY (Alabama) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Pensacola-Mobile							
33515	- LIGHT 59	30-18-49.273N 087-30-48.174W	FI G 2.5s	17	4	SG-SY on pile.	Ra ref.
33520	- LIGHT 60	30-19-05.333N 087-30-58.336W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
33525	- LIGHT 61	30-19-00.295N 087-31-11.401W	Q G	17	3	SG-SY on pile.	Ra ref.
33530	- Day beacon 65	30-18-38.072N 087-31-44.080W				SG-I on pile.	
Stone Quarry Channel							
33535	- Day beacon 2	30-18-42.900N 087-32-13.260W				TR on pile.	Private aid.
33540	- Day beacon 4	30-18-45.300N 087-32-13.260W				TR on pile.	Private aid.
33545	- Day beacon 6	30-18-46.800N 087-32-13.500W				TR on pile.	Private aid.
33550	- Day beacon 8	30-18-48.300N 087-32-13.500W				TR on pile.	Private aid.
Pensacola-Mobile							
33555	- Day beacon 67 50 feet outside channel limit.	30-18-19.635N 087-32-08.805W				SG-SY on pile.	Ra ref.
33560	- LIGHT 68	30-18-21.620N 087-32-15.637W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
33565	- Day beacon 69	30-18-13.732N 087-32-30.158W				SG-SY on pile.	Ra ref.
33570	- LIGHT 70	30-18-18.114N 087-32-31.042W	FI R 4s	17	3	TR-TY on pile.	
33575	- Day beacon 71	30-18-16.451N 087-33-16.927W				SG-SY on pile.	
33580	- Day beacon 72	30-18-21.348N 087-33-16.306W				TR-TY on pile.	Ra ref.
33585	- Day beacon 73	30-18-19.269N 087-33-50.279W				SG-SY on pile.	Ra ref.
LOUISIANA - Eighth District							
POINT AU FER TO MARSH ISLAND (Chart 11351)							
Pensacola-Mobile							
Bay La Launch Channel							
33590	- Day beacon 1	30-18-42.600N 087-34-08.640W				SG on pile.	Private aid.
33595	- Day beacon 2	30-18-43.980N 087-34-11.280W				TR on pile.	Private aid.
33600	- Day beacon 3	30-18-40.920N 087-34-07.320W				SG on pile.	Private aid.
33605	- Day beacon 4	30-18-42.120N 087-34-05.400W				TR on pile.	Private aid.
33610	- Day beacon 5	30-18-39.540N 087-34-06.240W				SG on pile.	Private aid.
33615	- Day beacon 6	30-18-40.920N 087-34-04.380W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Alabama) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Pensacola-Mobile							
33620	- LIGHT 74 50 feet outside channel limit.	30-18-26.093N 087-33-53.218W	FI R 4s	17	3	TR-TY on pile.	
33625	- Day beacon 75	30-18-11.653N 087-34-08.266W				SG-SY on pile.	Ra ref.
33630	- Day beacon 76	30-18-15.642N 087-34-12.318W				TR-TY on pile.	Ra ref.
33635	- Day beacon 77	30-18-00.178N 087-34-29.479W				SG-SY on pile.	Ra ref.
33640	- LIGHT 78	30-18-04.694N 087-34-29.957W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
33645	- Day beacon 80	30-18-04.506N 087-34-34.090W				TR-TY on pile.	
33650	- Day beacon 81	30-18-02.044N 087-35-03.769W				SG-SY on pile.	
33655	- Day beacon 82	30-18-05.657N 087-35-04.383W				TR-TY on pile.	Ra ref.
33660	- Day beacon 84	30-18-06.322N 087-35-25.882W				TR-TY on pile.	Ra ref.
33665	- Day beacon 85	30-18-02.960N 087-35-33.348W				SG-SY on pile.	Ra ref.
33670	- LIGHT 86	30-18-06.829N 087-35-42.279W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
33675	- LIGHT 87	30-18-03.789N 087-36-10.063W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
33680	- Day beacon 88	30-18-06.712N 087-36-09.765W				TR-TY on pile.	Ra ref.
33685	- Day beacon 89	30-18-03.724N 087-36-30.940W				SG-SY on pile.	Ra ref.
33690	- Day beacon 90	30-18-06.193N 087-36-31.858W				TR-TY on pile.	Ra ref.
33695	- Day beacon 91 50 feet outside channel limit.	30-18-03.425N 087-36-45.054W				SG-SY on pile.	Ra ref.
33700	- Day beacon 92 50 feet outside channel limit.	30-18-06.038N 087-36-45.375W				TR-TY on pile.	Ra ref.
33705	- Day beacon 93	30-18-03.482N 087-37-08.143W				SG-SY on pile.	Ra ref.
33710	- Shoal Buoy 93A	30-18-02.996N 087-37-22.708W				Green can with yellow square.	
33715	- LIGHT 94	30-18-05.928N 087-37-20.476W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
33720	- Buoy 95	30-18-01.430N 087-37-27.546W				Green can with yellow square.	
33725	- Buoy 95A	30-17-59.993N 087-37-30.236W				Green can with yellow square.	
33728	SAUNDERS YACHTWORKS BASIN LIGHT 2	30-16-49.000N 087-40-32.500W	FI R 2.5s			Marks dolphin.	Private aid.
33728.01	Saunders Yachtworks Basin Day beacon 1	30-16-49.000N 087-40-33.200W				Marks dolphin.	Private aid.
33730	- LIGHT 97	30-16-41.601N 087-43-23.903W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
33735	- Day beacon 99 50 feet outside channel limit.	30-16-41.992N 087-43-46.068W				SG-SY on pile.	Ra ref.
33740	- LIGHT 100 50 feet outside channel limit.	30-16-44.518N 087-43-45.691W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
33745	- LIGHT 101	30-16-42.790N 087-44-07.230W	Q G	17	3	SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Alabama) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Pensacola-Mobile							
33750	- Day beacon 102	30-16-45.895N 087-44-08.488W				TR-TY on pile.	Ra ref.
33755	- LIGHT 103	30-16-54.634N 087-45-08.646W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
33760	- Buoy 104	30-16-57.412N 087-45-07.497W				Red nun with yellow triangle.	
33765	- Day beacon 105 50 feet outside channel limit.	30-16-58.851N 087-45-22.527W				SG-SY on pile.	Ra ref.
33770 6805	BON SECOUR RIVER LIGHT 2	30-17-02.338N 087-45-23.122W	FI R 2.5s	17	3	TR on pile.	Ra ref.
33775	- Buoy 106	30-17-03.105N 087-45-29.951W				Red nun with yellow triangle.	
33780	- Buoy 107	30-17-02.726N 087-45-41.957W				Green can with yellow square.	
33785	- LIGHT 108	30-17-06.429N 087-45-42.928W	Q R	17	3	TR-TY on pile.	Ra ref.
33790	- Buoy 109	30-17-03.010N 087-46-11.682W				Green can with yellow square.	
33795	- Buoy 110	30-17-05.660N 087-46-12.219W				Red nun with yellow triangle.	
33800	- LIGHT 111	30-17-02.642N 087-46-44.817W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
33805	- Day beacon 112 50 feet outside channel limit.	30-17-05.400N 087-46-45.381W				TR-TY on pile.	Ra ref.
33810	- Buoy 113	30-17-02.264N 087-47-14.367W				Green can with yellow square.	
33815	- Buoy 114	30-17-04.887N 087-47-15.892W				Red nun with yellow triangle.	
33820	- LIGHT 115	30-17-01.557N 087-47-47.075W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
33823	TERRYS LANDING OYSTER FARM SPECIAL LIGHTS (2)	30-15-18.880N 087-48-00.370W	FI Y 2.5s			Marks the corner perimeters of aquaculture farm.	Private aid.
33825	- Day beacon 116 50 feet outside channel limit.	30-17-04.726N 087-47-46.962W				TR-TY on pile.	Ra ref.
33830	- Day beacon 117	30-17-01.121N 087-48-25.227W				SG-SY on pile.	Ra ref.
33835	- Day beacon 118	30-17-04.162N 087-48-24.802W				TR-TY on pile.	Ra ref.
33837	ALABAMA DCNR BON SECOUR BAY DANGER LIGHTS (6)	30-18-03.030N 087-48-26.310W	FI W 2.5s			Marks submerged fishing reef.	Private aid.
33840	- LIGHT 119	30-17-01.589N 087-49-02.688W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
33845	- Day beacon 120 50 feet outside channel limit.	30-17-04.472N 087-49-02.929W				TR-TY on pile.	Ra ref.
33850	- Day beacon 121	30-17-01.335N 087-49-36.238W				SG-SY on pile.	Ra ref.
33855	- Day beacon 122	30-17-04.572N 087-49-36.675W				TR-TY on pile.	Ra ref.
33860	- LIGHT 123	30-17-00.939N 087-50-10.600W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
33865	- Day beacon 124	30-17-04.846N 087-50-12.066W				TR-TY on pile.	Ra ref.
33870	- Day beacon 125	30-17-01.381N 087-50-36.838W				SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Alabama) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Pensacola-Mobile							
33875	- Day beacon 127 50 feet outside channel limit.	30-17-01.333N 087-51-00.705W				SG-SY on pile.	Ra ref.
33880	- Day beacon 129	30-17-01.306N 087-51-20.159W				SG-SY on pile.	Ra ref.
33885	- Day beacon 131 50 feet outside channel limit.	30-17-01.426N 087-51-47.035W				SG-SY on pile.	Ra ref.
33890	- Day beacon 133	30-17-01.413N 087-52-11.354W				SG-SY on pile.	Ra ref.
33895	- LIGHT 135	30-17-01.529N 087-52-35.521W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
33900	- Day beacon 137	30-17-01.728N 087-52-57.113W				SG-SY on pile.	Ra ref.
33905	- Day beacon 139 50 feet outside channel limit.	30-17-01.427N 087-53-23.458W				SG-SY on pile.	Ra ref.
33910	- Day beacon 141	30-17-01.802N 087-53-45.690W				SG-SY on pile.	Ra ref.
33915	- Day beacon 143 50 feet outside channel limit.	30-17-01.428N 087-54-06.809W				SG-SY on pile.	Ra ref.
33920	- Day beacon 145	30-17-01.844N 087-54-28.729W				SG-SY on pile.	Ra ref.
33925	- LIGHT 147	30-17-01.675N 087-54-55.206W	Q G	17	4	SG-SY on pile.	Ra ref.
33930	- Day beacon 149 50 feet outside channel limit.	30-16-45.961N 087-55-35.497W				SG-SY on pile.	Ra ref.
33935	- LIGHT 151	30-16-29.931N 087-56-16.887W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
33940	- Day beacon 153 50 feet outside channel limit.	30-16-14.691N 087-56-56.093W				SG-SY on pile.	Ra ref.
33945	- LIGHT 155	30-15-56.830N 087-57-42.383W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
33950	- LIGHT 157	30-15-32.061N 087-58-48.874W	Q G	17	4	SG-SY on pile.	Ra ref.
33955 6280	<i>Mobile Channel Lighted Buoy</i> 26	30-16-25.007N 088-02-06.029W	FI (2)R 5s		3	Red with yellow triangle.	
33960 6275	<i>Mobile Channel Lighted Buoy</i> 25	30-16-27.229N 088-02-13.491W	FI G 4s		3	Green with yellow triangle.	
Pass Aux Herons							
33965	- LIGHT 2	30-17-01.838N 088-04-54.911W	FI R 4s	17	4	TR-TY on pile.	Ra ref.
33970	- A RANGE FRONT LIGHT	30-17-37.978N 088-07-17.071W	Q R	17		KRW-I on pile.	Visible 2° each side of rangeline.
33975	- A RANGE FRONT LIGHT PASSING LIGHT	30-17-37.978N 088-07-17.072W	Q W	18	5	On same structure as Pass Aux Herons Range A Front Light.	
33980	- A RANGE REAR LIGHT 884 yards, 286.8° from front light.	30-17-45.578N 088-07-46.036W	Iso R 6s	35		KRW-I on pile structure.	Visible 2° each side of rangeline.
33985	- Day beacon 3	30-17-05.667N 088-05-22.279W				SG-SY on pile.	Ra ref.
33990	- Day beacon 4	30-17-14.990N 088-05-42.936W				TR-TY on pile.	Ra ref.
33995	- Day beacon 5	30-17-18.325N 088-06-10.105W				SG-SY on pile.	Ra ref.
34000	- Buoy 6	30-17-32.389N 088-06-45.425W				Red nun with yellow triangle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Alabama) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Pass Aux Herons							
34005	- Buoy 8	30-17-38.621N 088-06-57.823W				Red nun with yellow triangle.	
34010	- Buoy 9	30-17-31.839N 088-07-05.015W				Green can with yellow square.	
34015	- Buoy 10	30-17-35.093N 088-07-10.943W				Red nun with yellow triangle.	
34020	- Buoy 11	30-17-27.670N 088-07-19.350W				Green can with yellow square.	
34025	- Buoy 12	30-17-26.830N 088-07-33.453W				Red nun with yellow triangle.	
34030	- Buoy 13	30-17-23.294N 088-07-31.548W				Green can with yellow square.	
34035	- Buoy 14	30-17-10.514N 088-08-15.454W				Red nun with yellow triangle.	
34040	- Buoy 15	30-17-13.005N 088-07-58.696W				Green can with yellow square.	
34060	- C RANGE REAR PASSING LIGHT	30-15-29.624N 088-12-47.366W	Q W	14	5	On same structure as Pass Aux Hérons Range C Rear Light.	
34065	- Buoy 17	30-17-06.430N 088-08-17.976W				Green can with yellow square.	
34070	- Buoy 18	30-17-03.766N 088-08-35.943W				Red nun with yellow triangle.	
34075	- Buoy 19	30-16-55.306N 088-08-48.417W				Green can with yellow square.	
34080	- Buoy 20	30-16-53.115N 088-09-05.200W				Red nun with yellow triangle.	
34085	BAYOU ALOE JUNCTION LIGHT	30-16-42.729N 088-09-18.001W	FI (2+1)G 6s	17	3	JG-SY on pile.	Ra ref.
Bayou Aloe							
34090	- Day beacon 1	30-16-30.263N 088-08-55.420W				SG on pile.	Ra ref.
34095	- LIGHT 2	30-16-17.233N 088-08-32.736W	FI R 4s	17	3	TR on pile.	Ra ref.
34100	- Day beacon 3 60 feet outside channel limit.	30-16-09.188N 088-08-10.230W				SG on pile.	Ra ref.
34105	- LIGHT 5	30-15-57.833N 088-07-46.105W	FI G 4s	17	4	SG on pile.	Ra ref.
34110	- Day beacon 6 60 feet outside channel limit.	30-15-55.885N 088-07-46.616W				TR on pile.	Ra ref.
34115	- Day beacon 7 60 feet outside channel limit.	30-15-46.204N 088-07-20.682W				SG on pile.	Ra ref.
34120	- Day beacon 8	30-15-44.861N 088-07-22.713W				TR on pile.	Ra ref.
34125	- LIGHT 9	30-15-34.264N 088-06-55.104W	FI G 4s	17	4	SG on pile.	Ra ref.
34130	- Day beacon 10 35 feet outside channel limit.	30-15-32.829N 088-06-56.158W				TR on pile.	Ra ref.
Dauphin Bay							
34135	- Day beacon 1	30-16-01.000N 088-07-53.000W				SG on pile.	Priv ate aid.
34140	- Day beacon 2	30-16-00.000N 088-07-37.000W				TR on pile.	Priv ate aid.
34145	- Day beacon 3	30-16-01.000N 088-07-19.000W				SG on pile.	Priv ate aid.
34150	- Day beacon 4	30-16-00.000N 088-07-00.000W				TR on pile.	Priv ate aid.
34155	- Day beacon 5	30-16-00.000N 088-06-57.000W				SG on pile.	Priv ate aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Alabama) - Eighth District							
SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)							
Pass Aux Herons							
Dauphin Bay							
34160	- day beacon 6	30-15-57.000N 088-06-56.000W				TR on pile.	Private aid.
34165	- Day beacon 7	30-15-55.000N 088-06-51.000W				SG on pile.	Private aid.
34170	- Day beacon 8	30-15-55.000N 088-06-31.000W				TR on pile.	Private aid.
Pass Aux Herons							
34175	- Buoy 22	30-16-39.252N 088-09-40.681W				Red nun with yellow triangle.	
34180	- Buoy 23	30-16-30.622N 088-09-55.821W				Green can with yellow square.	
34185	- Buoy 24	30-16-28.016N 088-10-13.297W				Red nun with yellow triangle.	
34190	DAUPHIN ISLAND WRECK LIGHT WR 1	30-15-20.157N 088-10-20.130W	Q G	17	3	SG on pile.	Ra ref.
34195	- Buoy 25	30-16-18.619N 088-10-27.839W				Green can with yellow square.	
34200	- Buoy 26	30-16-17.338N 088-10-41.485W				Red nun with yellow triangle.	
34205	- Buoy 27	30-16-09.278N 088-10-52.063W				Green can with yellow square.	
34210	- Lighted Buoy 28	30-16-07.386N 088-11-10.128W	Q R		3	Red with yellow triangle.	
34215	- D RANGE FRONT LIGHT	30-16-07.725N 088-10-38.809W	Q W	15		KRW-I on dolphin.	Visible 2° each side of rangeline.
34220	- D RANGE FRONT LIGHT PASSING LIGHT	30-16-07.725N 088-10-38.809W	FI W 4s	17	5	On same structure as Pass Aux Heron Range D Front Light.	
34225	- D RANGE REAR LIGHT 2,909 yards, 084.8° from front light.	30-16-15.585N 088-08-59.719W	Iso W 6s	65		KRW-I on piles.	Visible 2° each side of rangeline.
34230	- D RANGE REAR LIGHT PASSING LIGHT	30-16-15.585N 088-08-59.719W	FI W 4s	67	5	On same structure as Pass Aux Heron Range D Rear Light.	
34235	- Buoy 29	30-16-01.916N 088-11-26.811W				Green can with yellow square.	
34237	<i>Mobile Oyster Company Special Lighted Buoy B</i>	30-15-08.770N 088-11-25.410W	FI Y 2.5s			Marks perimeter of off-bottom aquaculture farm.	Private aid.
34237.01	<i>Mobile Oyster Company Special Lighted Buoy C</i>	30-15-08.130N 088-11-30.130W	FI Y 2.5s			Marks perimeter of off-bottom aquaculture farm.	Private aid.
34237.02	MOBILE OYSTER COMPANY SPECIAL LIGHT D	30-15-06.040N 088-11-30.130W	FI Y 2.5s			Marks perimeter of off-bottom aquaculture farm.	Private aid.
34237.03	MOBILE OYSTER COMPANY SPECIAL LIGHT A	30-15-06.700N 088-11-25.380W	FI Y 2.5s			Marks perimeter of off-bottom aquaculture farm.	Private aid.
34240	- Buoy 30	30-16-04.596N 088-11-43.960W				Red nun with yellow triangle.	
DAUPHIN ISLAND TO DOG KEYS PASS (Chart 11374)							
Pass Aux Herons							
34245	- Buoy 31	30-15-58.518N 088-12-09.603W				Green can with yellow square.	
34250	- Day beacon 32	30-16-01.360N 088-12-34.518W				TR-TY on pile.	Ra ref.
34255	- Day beacon 33	30-15-56.506N 088-12-34.380W				SG-SY on pile.	Ra ref.
34260	- Day beacon 34	30-15-57.143N 088-13-26.553W				TR-TY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Alabama) - Eighth District							
DAUPHIN ISLAND TO DOG KEYS PASS (Chart 11374)							
Pass Aux Herons							
34265	- Day beacon 35	30-15-51.886N 088-13-27.273W				SG-SY on pile.	Ra ref.
34270	- Day beacon 36	30-15-52.692N 088-14-21.531W				TR-TY on pile.	Ra ref.
34275	- Day beacon 37	30-15-48.276N 088-14-21.418W				SG-SY on pile.	Ra ref.
34280	- Day beacon 37A	30-15-46.898N 088-14-49.381W				SG-SY on pile.	Ra ref.
34285	- Day beacon 38	30-15-48.583N 088-15-14.177W				TR-TY on pile.	Ra ref.
34290	- Day beacon 39	30-15-44.124N 088-15-14.175W				SG-SY on pile.	Ra ref.
34295	- LIGHT 40 90 feet outside channel limit.	30-15-44.266N 088-16-02.012W	FI R 4s	17	5	TR-TY on piles.	Ra ref.
34300	- LIGHT 41	30-15-40.200N 088-16-01.131W	FI G 4s	17	5	SG-SY on piles.	Ra ref.
34305	Gulf Intracoastal Waterway Mooring Buoy 103	30-15-56.540N 088-19-19.240W				White and blue band.	Maintained by U.S. Army Corps of Engineers. Ra ref. Aid maintained by U.S. Army Corps of Engineers.
34310	Gulf Intracoastal Waterway Mooring Buoy 102	30-15-55.480N 088-16-47.540W				White with blue band.	Maintained by U.S. Army Corps of Engineers. Ra ref. Aid maintained by U.S. Army Corps of Engineers.
INTRACOASTAL WATERWAY (Mississippi) - Eighth District							
DAUPHIN ISLAND TO DOG KEYS PASS (Chart 11374)							
Bayou La Batre							
34315 7665	- LIGHT 5	30-15-16.571N 088-20-45.385W	Q G	17	3	SG-TY on pile.	Ra ref.
34320 7660	- LIGHT 3	30-14-51.823N 088-25-32.550W	FI G 4s	17	4	SG-TY on pile.	Ra ref.
34325 8035	<i>Pascagoula Channel Lighted Buoy 30</i>	30-15-24.956N 088-30-30.218W	Q R		3	Red with yellow triangle.	
34330 8030	<i>Pascagoula Channel Lighted Buoy 29</i>	30-15-24.404N 088-30-36.284W	Q G		3	Green with yellow triangle.	
Round Island South Channel							
34335	- <i>Lighted Buoy 1</i>	30-15-11.466N 088-34-44.658W	FI G 2.5s		4	Green with yellow square.	
34340	- LIGHT 2	30-15-19.159N 088-36-14.590W	FI R 4s	17	4	TR-TY on pile.	Ra ref.
34345	- LIGHT 3	30-15-06.617N 088-36-42.301W	Q G	17	3	SG-SY on pile.	Ra ref.
34350	- LIGHT 5	30-16-49.017N 088-38-08.993W	FI G 2.5s	17	5	SG-SY on pile.	Ra ref.
34355	- Buoy 5A	30-16-49.245N 088-38-08.034W				Green can with yellow square.	
34360	BELLE FONTAINE LIGHT 6	30-17-05.515N 088-41-05.252W	FI R 4s	17	4	TR-TY on pile.	Ra ref.
34365	BELLE FONTAINE LIGHT 8	30-17-13.980N 088-44-42.285W	FI R 6s	17	5	TR-TY on pile.	Ra ref.
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Mississippi Sound							
34370	SHIP ISLAND LIGHT 2	30-17-10.969N 088-52-00.018W	FI R 2.5s	17	5	TR-TY on pile.	Ra ref.
34375	SHIP ISLAND LIGHT 4	30-17-00.937N 088-57-11.687W	FI R 2.5s	17	4	TR-TY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Mississippi) - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Mississippi Sound							
Gulfport Ship Channel							
34380	- LIGHT 42	30-16-31.829N	Iso R 6s	17	4	TR-SY on pile.	Ra ref.
9825		089-01-05.614W					
34385	- LIGHT 41	30-16-31.500N	FI G 2.5s	17	3	TR-SY on pile.	Ra ref.
9820		089-01-13.828W					
34390	- LIGHT 44	30-17-03.627N	FI R 2.5s	17	4	TR-TY on pile.	Ra ref.
9835		089-01-32.419W					
34395	- LIGHT 43	30-17-03.596N	Iso G 6s	17	4	SG-TY on pile.	Ra ref.
9830		089-01-40.858W					
Mississippi Sound							
34400	CAT ISLAND LIGHT 2	30-16-51.400N	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
		089-05-05.959W					
Marianne Channel							
34403	- WRECK LIGHT WR2	30-16-41.782N	Q R	17	3	TR-TY on pile.	Ra ref.
		089-09-37.600W					
34405	- <i>Lighted Buoy 1</i>	30-16-37.537N	FI G 2.5s		4	Green with yellow square.	
		089-08-59.279W					
34410	- LIGHT 3	30-16-15.000N	FI G 6s	17	4	SG-SY on pile.	Ra ref.
		089-09-37.500W					
34415	- LIGHT 5	30-15-26.216N	FI G 4s	17	4	SG-SY on pile.	Ra ref.
		089-10-54.124W					
34420	- LIGHT 7	30-14-43.431N	FI G 6s	17	4	SG-SY on pile.	Ra ref.
		089-11-44.000W					
34425	- LIGHT 8	30-14-15.466N	FI R 4s	17	4	TR-TY on pile.	Ra ref.
		089-12-30.545W					
34430	- Buoy 10	30-14-00.715N				Red nun with yellow triangle.	
		089-12-59.046W					
34435	- LIGHT 13	30-13-18.715N	FI G 4s	17	4	SG-SY on pile.	Ra ref.
		089-13-48.147W					
34440	- Buoy 12	30-13-24.810N				Red nun with yellow triangle.	
		089-13-53.538W					
34445	- LIGHT 14	30-12-53.328N	FI R 4s	17	3	TR-TY on pile.	Ra ref.
		089-14-46.229W					
34450	- Buoy 16	30-12-39.215N				Red nun with yellow triangle.	
		089-15-08.901W					
34455	- Buoy 17	30-12-35.852N				Green can with yellow square.	
		089-15-06.211W					
34460	- Buoy 18	30-12-23.448N				Red nun with yellow triangle.	
		089-15-34.920W					
34465	- Buoy 19	30-12-18.929N				Green can with yellow square.	
		089-15-32.593W					
34470	- Buoy 20	30-12-08.215N				Red nun with yellow triangle.	
		089-16-03.153W					
34475	- Buoy 21	30-12-02.972N				Green can with yellow square.	
		089-16-01.332W					
34480	- LIGHT 22	30-11-52.240N	FI R 4s	17	3	TR-TY on pile.	Ra ref.
		089-16-31.824W					
34485	- Buoy 23	30-11-47.959N				Green can with yellow square.	
		089-16-28.127W					
34490	- LIGHT 24	30-11-24.969N	FI R 2.5s	17	4	TR-TY on pile.	Ra ref.
		089-17-17.450W					
34495	- Buoy 25	30-11-19.715N				Green can with yellow square.	
		089-17-14.155W					
34500	- Buoy 26	30-11-00.072N				Red nun with yellow triangle.	
		089-18-01.037W					
Pass Marianne							
34505	- Day beacon 2	30-15-47.257N				TR-TY on pile.	Ra ref.
		089-12-13.960W					
34510	- LIGHT 4P	30-15-31.764N	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
		089-12-59.466W					

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Mississippi) - Eighth District							
DOG KEYS PASS TO WAVELAND (Chart 11372)							
Mississippi Sound							
Pass Marianne							
34515	- Day beacon 5	30-14-43.970N 089-14-13.974W				SG-SY on pile.	Ra ref.
34520	- Day beacon 6	30-14-37.701N 089-14-40.129W				TR-TY on pile.	Ra ref.
34525	- Day beacon 7	30-14-28.419N 089-14-35.305W				SG-SY on pile.	Ra ref.
34530	- Day beacon 8	30-14-30.720N 089-14-42.166W				TR-TY on pile.	Ra ref.
34535	PASS MARIANNE WRECK LIGHT WR 8A	30-14-28.381N 089-14-44.042W	Q R	17	3	TR-TY on pile.	Ra ref.
34540	- Day beacon 9	30-14-18.713N 089-14-42.160W				SG-SY on pile.	Ra ref.
34545	- Day beacon 10	30-14-23.703N 089-14-55.196W				TR-TY on pile.	Ra ref.
34550	- Day beacon 11	30-14-09.279N 089-15-01.691W				SG-SY on pile.	Ra ref.
34555	- Day beacon 12	30-14-11.727N 089-15-45.146W				TR-TY on pile.	Ra ref.
34560	- Day beacon 13	30-13-58.710N 089-16-08.140W				SG-SY on pile.	Ra ref.
34565	- LIGHT 15P	30-13-46.712N 089-17-02.777W	FI G 4s	17	5	SG-SY on pile.	Ra ref.
34570	- LIGHT 17P	30-12-16.698N 089-21-19.152W	FI G 2.5s	17	4	SG-SY on pile.	Ra ref.
Grand Island Channel							
34575	- LIGHT 1	30-10-47.059N 089-18-13.011W	Q G	17	4	SG-SY on pile.	Ra ref.
34580	- Day beacon 3	30-10-47.936N 089-19-10.473W				SG-SY on pile.	Ra ref.
34585	- LIGHT 5	30-10-46.875N 089-20-05.226W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
34590	- Day beacon 7	30-10-46.627N 089-21-07.274W				SG-SY on pile.	Ra ref.
WAVELAND TO CATAHOULA BAY (Chart 11367)							
Mississippi Sound							
Grand Island Channel							
34595	- LIGHT 9	30-10-46.851N 089-21-53.663W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
34600	- Day beacon 11	30-10-46.974N 089-22-37.796W				SG-SY on pile.	Ra ref.
34605	- Day beacon 13	30-10-46.443N 089-23-24.395W				SG-SY on pile.	Ra ref.
34610	- LIGHT 15	30-10-45.130N 089-24-08.212W	Q G	17	4	SG-SY on pile.	Ra ref.
34615	ST JOSEPH ISLAND LIGHT 22	30-11-04.462N 089-25-33.624W	FI R 4s	17	5	TR-TY on platform on piles.	Ra ref.
34620	St Joe Pass Day beacon 2	30-10-19.842N 089-27-10.869W				TR-TY on pile.	Ra ref.
34625	ST JOE PASS LIGHT 3	30-09-29.794N 089-28-22.440W	FI G 4s	17	5	SG-SY on pile.	Ra ref.
INTRACOASTAL WATERWAY (Louisiana) - Eighth District							
WAVELAND TO CATAHOULA BAY (Chart 11367)							
Lake Borgne							
34630	- Day beacon 5	30-09-20.714N 089-30-09.184W				SG-SY on pile.	Ra ref.
34635	- Day beacon 7	30-09-09.968N 089-31-05.464W				SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Louisiana) - Eighth District							
WAVELAND TO CATAHOULA BAY (Chart 11367)							
Lake Borgne							
34640 10430	PEARL RIVER ENTRANCE CHANNEL LIGHT 1 30 feet outside channel limit.	30-09-20.881N 089-31-29.549W	FI G 4s	17	4	SG-TY on pile.	Ra ref.
34645	- LIGHT 11	30-09-00.859N 089-31-48.461W	FI G 4s	17	5	SG-SY on pile.	Ra ref.
34650	- Day beacon 12	30-09-07.800N 089-31-50.644W				TR-TY on pile.	Ra ref.
34655	- Day beacon 14	30-08-58.713N 089-32-40.190W				TR-TY on pile.	Ra ref.
34660	- LIGHT 15 180 feet outside channel limit.	30-08-44.688N 089-33-35.298W	FI G 4s	17	4	SG-SY on pile.	
34665	- Day beacon 16	30-08-50.713N 089-33-34.192W				TR-TY on pile.	Ra ref.
34670	- Day beacon 18	30-08-42.713N 089-34-36.194W				TR-TY on pile.	Ra ref.
34675	- LIGHT 19	30-08-30.085N 089-35-40.811W	Q G	17	4	SG-SY on pile.	Ra ref.
34680	- Day beacon 20	30-08-37.000N 089-35-36.000W				TR-TY on pile.	Ra ref.
34685	- <i>Lighted Buoy 21</i>	30-08-39.604N 089-36-53.867W	FI G 4s		4	Green can with yellow square.	
34690	- Buoy 23	30-08-42.889N 089-37-21.378W				Green can with yellow square.	
34695	- LIGHT 25	30-08-45.266N 089-37-45.959W	FI G 6s	17	4	SG-SY on dolphin.	Ra ref.
34700	- LIGHT 26	30-08-51.567N 089-37-46.337W	Q R	17	4	TR-TY on pile.	Ra ref.
Rigolets - New Orleans							
34705	NEW ORLEANS CUT LIGHT 1	30-05-20.183N 089-44-29.764W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
34710 10820	CHEF MENTEUR PASS LIGHT 4	30-03-54.220N 089-47-19.230W	FI R 2.5s	17	4	TR-TY on pile.	Ra ref.
34715 10825	CHEF MENTEUR PASS LIGHT 5	30-03-34.330N 089-47-44.384W	FI G 2.5s	25	5	SG-SY on pile.	Ra ref.
34717	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER SECTOR GATE LIGHT 2	30-00-54.770N 089-54-00.770W	FI R 2.5s			Flashing red light marks northeast gate wall when open. Fixed red light marks closed gate.	Private aid.
34717.01	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER SECTOR GATE LIGHT 1	30-00-52.200N 089-54-01.460W	FI G 2.5s			Flashing green light marks southeast gate wall when open. Fixed red light marks closed gate.	Private aid.
34717.02	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER SECTOR GATE LIGHT 4	30-00-50.020N 089-54-11.960W	FI R 2.5s			Flashing red light marks northwest gate wall when open. Fixed red light marks closed gate.	Private aid.
34717.03	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER SECTOR GATE LIGHT 3	30-00-49.130N 089-54-09.150W	FI G 2.5s			Flashing green light marks southwest gate wall when open. Fixed red light marks closed gate.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Louisiana) - Eighth District							
WAVELAND TO CATAHOULA BAY (Chart 11367)							
Rigolets - New Orleans							
34717.04	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER BYPASS GATE LIGHT 2A	30-00-51.310N 089-54-01.080W	FI R 2.5s			Flashing red light marks northeast gate wall when bypass gate is open for navigation.	Private aid.
34717.05	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER BYPASS GATE LIGHT 1A	30-00-49.530N 089-53-59.410W	FI G 2.5s			Flashing green light marks southeast gate wall when bypass gate is open for navigation.	Private aid.
34717.06	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER BYPASS GATE LIGHT 4A	30-00-48.530N 089-54-08.880W	FI R 2.5s			Flashing red light marks northwest gate wall when bypass gate is open for navigation.	Private aid.
34717.07	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER BYPASS GATE LIGHT 3A	30-00-46.130N 089-54-07.660W	FI G 2.5s			Flashing green light marks southwest gate wall when bypass gate is open for navigation.	Private aid.
34720	MICHOUD CANAL LIGHT 2	30-00-48.755N 089-54-19.180W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
Mississippi River - Gulf Outlet							
34735	MICHOUD DOCK LIGHTS (2)	30-00-24.000N	FI R 2.5s	6		On dock.	Private aid.
11885		089-56-03.000W					
34740	GRANT STREET DISCHARGE LIGHT	30-00-14.000N 089-56-59.000W	FI R 2.5s	10		On dolphin.	Private aid.
34750	AMID STATION DISCHARGE LIGHTS (2)	29-59-52.000N 090-00-35.000W	FI R 2.5s			On dolphins.	Private aid.
34755	INNER HARBOR NAVIGATION CANAL LIGHT 2	29-57-26.118N 090-01-35.250W	Q R		4	TR-SY on skeleton tower.	
13840							
34760	INNER HARBOR NAVIGATION CANAL LIGHT 1	29-57-30.732N 090-01-48.254W	FI G 2.5s		4	SG-TY on skeleton tower.	
13835							
New Orleans - Port Arthur							
Via Mississippi River and Harvey Canal							
34765	GOVERNOR NICHOLLS LIGHT 94	29-57-37.914N 090-03-23.070W	FI R 4s		6	Skeleton tower. On same structure as Governor Nicholls Harbor Traffic Control Light.	Not operated when traffic control lights are in operation.
13850	LDB mile 94.3.						
34770	Governor Nicholls Harbor Traffic Control Light 94	29-57-37.902N 090-03-22.872W	FI G 5s		16	On skeleton tower. 94	Operated by Vessel Traffic Safety New Orleans during periods of high water. Controls one way traffic around Algiers Point.
13855	LDB mile 94.3.						
34775	ALGIERS POINT LIGHT 95	29-57-18.883N 090-03-19.092W	Q G		5	SG-SY on skeleton tower on piles.	
13860							
34780	NEW ORLEANS POLICE MOORING DOLPHIN LIGHT	29-56-58.600N 090-03-43.800W	FI R 2.5s			On dolphin.	Private aid.
13865	LDB mile 94.8.						
34785	UPPER ALGIERS FERRY LANDING LIGHTS (2)	29-57-12.000N 090-03-21.000W	FI G 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED ONLY DURING LOW VISIBILITY. Private aid.
13870	RDB mile 94.8.						
34790	CANAL STREET FERRY LANDING LIGHTS (2)	29-56-58.000N 090-03-43.000W	FI R 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED ONLY DURING LOW VISIBILITY. Private aid.
13875	LDB mile 94.8.						

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Louisiana) - Eighth District							
WAVELAND TO CATAHOULA BAY (Chart 11367)							
New Orleans - Port Arthur							
Via Mississippi River and Harvey Canal							
34795 13880	Gretna Harbor Traffic Control Light 97 RDB mile 96.6.	29-55-33.156N 090-03-29.982W	FI R 5s (NIGHT) FI G 5s (NIGHT)		16 16	On skeleton tower. 25	Operated by Vessel Traffic Safety Office New Orleans during periods of high water. Controls one way traffic around Algiers Point.
34800 13885	GRETNA LIGHT 97 RDB mile 96.6.	29-55-33.162N 090-03-30.078W	FI G 4s		6	SG-SY on skeleton tower on same structure as Gretna Harbor Traffic Control Light.	Not operated when traffic control lights are in operation.
34805 13890	GRETNA WATER INTAKE LIGHT RDB mile 96.7.	29-55-27.000N 090-03-38.000W	FI G 2.5s			On dolphin.	Private aid.
34808 13892	GRETNA FERRY BOAT RAMP LIGHT	29-55-07.871N 090-04-00.494W	FI W 2.5s			Marks outermost upstream piling designating the riverward end of boat ramp.	Private aid.
34810 13895	GRETNA FERRY LANDING LIGHTS (2) RDB mile 97.2.	29-55-06.000N 090-04-02.000W	FI G 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED ONLY DURING LOW VISIBILITY. Private aid.
34815 13900	JACKSON AVENUE FERRY LANDING LIGHTS (2) LDB mile 97.2.	29-55-20.000N 090-04-15.000W	FI R 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED ONLY DURING LOW VISIBILITY. Private aid.
34820 13905	INTERNATIONAL MATEX DOCK LIGHTS (4) RDB mile 97.3.	29-55-00.000N 090-04-18.000W	FI G 2.5s			(2) on floating dock, (2) on outermost upstream and downstream dolphins.	Private aid.
34825	HERO CUT OBSTRUCTION LIGHT A	29-50-02.224N 090-03-57.022W	Q W		17 5	NB on pile.	
Via Mississippi River and Algiers Cutoff							
34830 13830	FORSTALL STREET DISCHARGE LIGHT LDB mile 92.2.	29-57-19.000N 090-01-25.000W	F R			On dolphins.	Private aid.
34835 13825	DELERY STREET DISCHARGE LIGHT LDB mile 91.6.	29-56-59.000N 090-00-43.000W	Q R			On pile cluster.	Private aid.
34840 13820	Quarantine Anchorage Upper Day beacon 91.6	29-56-36.900N 090-00-54.996W				NY on pile.	Ra ref.
34845 13815	Quarantine Anchorage Lower Day beacon 90.9	29-56-15.168N 090-00-19.242W				NY on pile.	Ra ref.
34850 13810	New Orleans General Anchorage Upper Day beacon 90.5	29-56-15.030N 090-00-19.020W				NY on pile.	Ra ref.
34855 13800	CHALMETTE NATIONAL PARK TOUR BOAT DOCK LIGHTS (2) LDB mile 90.3.	29-56-20.000N 089-59-38.000W	FI R 2.5s			On dock.	Lights flash in unison. Private aid.
34860 13790	New Orleans General Anchorage Lower Day beacon 90.1	29-55-52.050N 089-59-40.614W				NY on pile.	Ra ref.
34865 13785	CHALMETTE OBSTRUCTION LIGHT LDB mile 89.9.	29-56-00.000N 089-59-12.000W	Q R			On multi-pile structure.	Private aid.
34870 13780	NORFOLK SOUTHERN CORPORATION LIGHT LDB mile 89.8	29-56-23.000N 089-59-42.000W	FI R 2.5s			On wall.	Private aid.
34880 13770	KAISER UPPER LIGHT LDB mile 89.3.	29-55-48.000N 089-58-48.000W	F R			On multi-pile structure.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Louisiana) - Eighth District							
WAVELAND TO CATAHOULA BAY (Chart 11367)							
New Orleans - Port Arthur							
Via Mississippi River and Algiers Cutoff							
34885	TENNECO COKE WHARF	29-55-49.000N	FI R 2.5s			On dolphin.	Private aid.
13765	LIGHT LDB mile 89.1.	089-58-44.000W					
34890	MOBIL ST. BENARD	29-55-42.000N	FI R 2.5s			On dolphins.	Private aid.
13760	MOORING DOLPHIN LIGHTS (4) LDB mile 89.1	088-58-30.000W					
34895	TENNECO DOCK LIGHTS (2)	29-55-45.000N	F R				Private aid.
13755	LDB mile 89.1.	089-58-37.000W					
34900	CHALMETTE ALGIERS WEST	29-55-20.100N	FI G 2.5s			On barge.	Private aid.
13750	BANK MAINTENANCE LANDING LIGHTS (2) RDB mile 88.7.	089-55-28.100W					
34905	CHALMETTE-ALGIERS EAST	29-55-41.700N	FI R 2.5s			Dolphin and barge.	Private aid.
13745	BANK FERRY LANDING LIGHTS (2) LDB mile 88.7.	089-58-15.500W					
34910	CHALMETTE-ALGIERS WEST	29-55-18.600N	FI G 2.5s			On barge.	Horn: 1 blast ev 20S (2S BL). Private aid.
13740	BANK FERRY LANDING LIGHTS (2) RDB mile 88.7.	089-58-24.300W					
34915	HUMBLE DOCK LIGHTS (3)	29-55-31.000N	FI R 2.5s			On dolphins.	Private aid.
13735	LDB mile 88.6.	089-56-47.000W					
34920	MERAUX INTAKE LIGHTS (7)	29-55-31.000N	FI R 2.5s				Private aid.
13730	LDB mile 88.5.	089-56-42.000W					
34925	<i>Mobil St. Bernard Intake</i>	29-55-32.400N	FI R 4s			Red.	Private aid.
13725	<i>Lighted Buoy</i>	089-57-54.000W					
34930	TENNECO DOCK LIGHTS (2)	29-55-33.000N	FI R 2.5s			On dolphin.	Private aid.
13720	RDB mile 88.2.	089-57-51.000W					
Algiers Alternate Route							
34935	- JUNCTION LIGHT A	29-55-11.922N	FI (2+1)G 6s		4	JG-TY on skeleton tower on piles.	
13715	RDB mile 88.2.	089-58-03.168W					
34940	- JUNCTION LIGHT	29-49-17.940N	FI (2+1)R 6s		20	JR-TY on dolphin.	Higher intensity beam up Algiers Alternate Route and down Bayou Barataria.
		090-04-03.721W			3		
34945	USACE WEST CLOSURE COMPLEX LIGHTS (2)	29-48-55.083N	Q R		12	Marks ends of structure.	HORN: 1 BLAST EV 20S (2S BL). Private aid.
		090-04-13.844W					
34950	Hole In The Wall Daybeacon 1	29-47-13.413N				SG-SY on pile.	
		090-03-47.161W					
34955	Hole In The Wall Daybeacon 3	29-46-59.249N				SG-SY on pile.	Ra Ref
		090-03-49.282W					
34957	TEN MILE EXCHANGE LIGHT 1	29-46-39.700N	FI G 2.5s			On pile cluster.	Private aid.
		090-04-01.710W					
34957.01	TEN MILE EXCHANGE LIGHT 2	29-46-45.020N	FI R 2.5s			On pile cluster.	Private aid.
		090-04-05.330W					
34957.02	TEN MILE EXCHANGE LIGHT 3	29-46-21.330N	FI G 2.5s			On pile cluster.	Private aid.
		090-04-24.190W					
34957.03	TEN MILE EXCHANGE LIGHT 4	29-46-27.580N	FI R 2.5s			On pile cluster.	Private aid.
		090-04-27.000W					
34957.04	TEN MILE EXCHANGE LIGHT 5	29-46-06.650N	FI G 2.5s			On pile cluster.	Private aid.
		090-04-51.020W					
34957.05	TEN MILE EXCHANGE LIGHT 6	29-46-10.140N	FI R 2.5s			On pile cluster.	Private aid.
		090-04-50.560W					
New Orleans - Port Arthur							
34960	Bay ou Villars Daybeacon 2	29-44-20.965N				TR on pile.	Ra Ref
		090-08-32.797W					
34965	Bay ou Perot Entrance Crossing Daybeacon 2	29-41-15.172N				TR-TY on pile.	Ra ref.
		090-11-15.344W					
34970	Bay ou Perot Entrance Crossing Daybeacon 4	29-40-53.591N				TR-TY on pile.	Ra ref.
		090-11-36.054W					

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Louisiana) - Eighth District							
WAVELAND TO CATAHOULA BAY (Chart 11367)							
New Orleans - Port Arthur							
34975	BAYOU SEGNETTE PUMP STATION LIGHTS (3)	29-53-45.000N 090-09-32.000W	FI W 4s			On dolphins. NW on upstream and downstream dolphins WORDED: DANGER WATER DISCHARGE.	Private aid.
CATAHOULA BAY TO WAX LAKE OUTLET (Chart 11355)							
New Orleans - Port Arthur							
34980	Delta Farms Buoy 1	29-36-29.626N 090-21-27.734W				Green can with yellow square.	
34985	Delta Farms Buoy 3	29-36-12.985N 090-21-38.991W				Green can with yellow square.	
34990	HARVEY CANAL NO. 2 HUMBLE PIPELINE LIGHTS (2)	29-35-15.000N 090-22-18.000W	F G		8	On pile bulkhead.	Private aid.
34992	TERREBONNE PARISH PUMP STATION DANGER LIGHT	29-34-58.250N 090-43-02.710W	FI W 2.5s			Marks submerged pipe.	Private aid.
34995	TERREBONE PARISH WATER INTAKE LIGHTS (2)	29-34-30.000N 090-43-04.000W	FI R 2.5s			On dolphins.	Private aid.
35000	USACE COPESAW CANAL METERING STATION LIGHT	29-34-14.000N 090-57-10.300W	FI Y 2.5s			On pile.	Private aid.
35005	USACE MINORS CANAL METERING STATION LIGHT	29-31-50.000N 090-47-42.000W				On pile.	Private aid.
35010	USACE GICWW METERING STATION LIGHT	29-32-10.300N 090-47-50.450W	FI Y 2.5s			On pile.	Private aid.
35013	LAFOURCHE-TERREBONNE S&W CONSERVATION DISTRICT DANGER LIGHT	29-34-19.129N 090-57-09.037W	FI W 2.5s			Marks shoreline restoration breakwater.	Private aid.
35013.01	LAFOURCHE-TERREBONNE S&W CONSERVATION DISTRICT DANGER LIGHT	29-33-41.564N 090-55-54.218W	FI W 2.5s			Marks shoreline restoration breakwater.	Private aid.
35013.02	LAFOURCHE-TERREBONNE S&W CONSERVATION DISTRICT DANGER LIGHT	29-33-34.257N 090-55-40.874W	FI W 2.5s			Marks shoreline restoration breakwater.	Private aid.
35013.03	Lafourche-Terrebonne S&W Conservation District Danger Day beacons (10)	29-33-57.757N 090-56-25.736W				Marks shoreline restoration breakwater.	Private aid.
35013.04	Lafourche-Terrebonne S&W Conservation District Danger Day beacons (11)	29-34-16.982N 090-57-09.498W				Marks shoreline restoration breakwater.	Private aid.
35013.05	Lafourche-Terrebonne S&W Conservation District Danger Day beacons (22)	29-33-34.466N 090-55-44.429W				Marks shoreline restoration breakwater.	Private aid.
Lake Cocodrie							
35015	- LIGHT 2	29-35-20.401N 090-57-53.268W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
35020	- Buoy 3	29-35-23.992N 090-58-02.094W				Green can with yellow square.	
35025	- Buoy 4	29-35-25.902N 090-57-57.185W				Red nun with yellow triangle.	
35030	- Buoy 5	29-36-07.265N 090-58-28.882W				Green can with yellow square.	
35035	- Buoy 6	29-36-07.723N 090-58-23.095W				Red nun with yellow triangle.	
35040	- Buoy 7	29-36-33.410N 090-58-46.640W				Green can with yellow square.	
35045	- Buoy 8	29-36-39.289N 090-58-42.472W				Red nun with yellow triangle.	
35050	- Buoy 9	29-36-45.560N 090-58-56.851W				Green can with yellow square.	
35055	- LIGHT 10	29-36-48.162N 090-58-52.727W	FI R 2.5s	17	4	TR on pile.	Ra ref.
35060	- Buoy 12	29-37-00.703N 090-59-11.589W				Red nun with yellow triangle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Louisiana) - Eighth District							
CATAHOULA BAY TO WAX LAKE OUTLET (Chart 11355)							
New Orleans - Port Arthur							
Lake Cocodrie							
35065	- Buoy 13	29-36-57.298N 090-59-14.375W				Green can with yellow square.	
35070	- LIGHT 14	29-37-30.294N 091-00-11.623W	FI R 2.5s	17	4	TR-TY on skeleton tower on piles.	
MORGAN CITY TO PORT ALLEN (Chart 11354)							
Morgan City - Port Allen (Landside Route)							
Lake Verret							
35085	- LIGHT C	29-56-47.000N 091-11-30.000W	FI W 4s	8		Pile structure.	Private aid.
35090	- LIGHT B	29-50-50.000N 091-06-05.000W	FI W 4s	8		Pile structure.	Private aid.
35095	- LIGHT A	29-49-30.000N 091-05-55.000W	FI W 4s	8		Pile structure.	Private aid.
New Orleans - Port Arthur							
Morgan City-Port Allen Alternate Route							
35100	DOW CHEMICAL BARGE DOCK LIGHT(2)	29-54-30.000N 091-13-30.000W	FI R 2.5s	13		On mooring dolphins.	Private aid.
35102	LEJEUNE BOAT HOUSE LIGHT	29-46-02.810N 091-09-48.800W	FI W 2.5s			Marks boat house structure.	Private aid.
35105	- Day beacon	29-44-09.035N 091-10-42.185W				NW on pile.	
CATAHOULA BAY TO WAX LAKE OUTLET (Chart 11355)							
New Orleans - Port Arthur							
Morgan City-Port Allen Alternate Route							
35110	- Day beacon 10 120 feet outside channel limit.	29-43-59.949N 091-10-45.194W				TR-TY on pile.	Ra ref.
35115	- Day beacon 11 135 feet outside channel limit.	29-44-01.652N 091-10-39.390W				SG-SY on pile.	Ra ref.
35120	- Day beacon 12 165 feet outside channel limit.	29-43-46.636N 091-10-55.435W				TR-TY on pile.	Ra ref.
35125	- Day beacon 13 80 feet outside channel limit.	29-43-44.805N 091-10-50.408W				SG-GY on pile.	Ra ref.
35130	- Day beacon 14 90 feet outside channel limit.	29-43-37.448N 091-11-08.360W				TR-TY on pile.	Ra ref.
35135	- Day beacon 15 215 feet outside channel limit.	29-43-32.608N 091-11-07.114W				SG-SY on pile.	Ra ref.
35140	- Day beacon 16	29-43-32.506N 091-11-21.095W				TR-TY on pile.	Ra ref.
35145	- Day beacon 17 200 feet outside channel limit.	29-43-28.632N 091-11-19.202W				SG-SY on pile.	Ra ref.
35150 19185	Berwick Locks Buoy 1	29-42-50.101N 091-13-21.841W				Green can with yellow triangle.	
35155 19180	CONRAD DRYDOCK LIGHTS	29-42-00.000N 091-13-00.000W	FI R 2.5s	25		On dry dock and dolphin.	Private aid.
35160	CONRAD DRYDOCK LIGHT	29-42-08.000N 091-12-59.000W	FI R 2.5s	20		On dolphin.	Private aid.
35165 19165	BERWICK LIGHT	29-41-39.000N 091-13-03.000W	FI W 6s	45		Red tapered tower.	Private aid.
35170 19155	BERWICK BAY RANGE FRONT A LIGHT	29-41-10.099N 091-12-37.364W	Q R	19		KRW on skeleton tower on piles.	Visible from 054.6° to 215.6°.
35175 19160	BERWICK BAY RANGE REAR A LIGHT 139 yards, 160.6° from front light.	29-41-06.138N 091-12-35.823W	Iso R 6s	28		KRW on skeleton tower on piles.	Visible from 147.6° to 172.6°.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Louisiana) - Eighth District							
CATAHOULA BAY TO WAX LAKE OUTLET (Chart 11355)							
New Orleans - Port Arthur							
Morgan City-Port Allen Alternate Route							
35180 19170	BERWICK BAY BRIDGE APPROACH DANGER RANGE FRONT LIGHT	29-41-46.704N 091-12-54.837W	Q Y	64		KGR-I on west side bridge abutment.	Visible downbound only. Range marks the western most boundary of the suggested downbound course for approaching the bridges. NOTE: Range is not to be steered on.
35185 19175	BERWICK BAY BRIDGE APPROACH DANGER RANGE REAR LIGHT	29-41-43.612N 091-12-53.194W	Iso Y 6s	86		KGR-I on west side bridge abutment.	Visible downbound only. NOTE: Range is not to be steered on.
Little Wax Bayou							
35190 19145	- JUNCTION LIGHT A	29-39-38.139N 091-14-32.559W	FI (2+1)G 6s	30	5	JG-TY on dolphin.	
35195 19150	- LIGHT 1	29-39-24.390N 091-14-48.500W	Q G	17	4	SG-SY on pile.	Ra ref.
35200	- LIGHT 2	29-39-27.864N 091-14-55.547W	FI R 2.5s	17	4	TR on pile.	Ra ref.
35205	- LIGHT 3	29-38-32.283N 091-18-07.537W	FI G 2.5s	17	4	SG-NW on pile worded: VTS BERWICK CHECK POINT SIGN.	Ra ref.
35210	Wax Outlet East Approach Day beacon E	29-38-47.780N 091-23-11.454W				NG-NW on pile worded WARNING EXTREME CURRENT.	Ra ref.
35215	Wax Outlet Northeast Approach Day beacon NE	29-38-54.912N 091-23-19.374W				NG-NW on pile worded WARNING EXTREME CURRENT.	Ra ref.
35220	Wax Outlet Northwest Approach Day beacon NW	29-39-00.730N 091-23-46.057W				NG-NW on pile worded WARNING EXTREME CURRENT.	Ra ref.
35225	Wax Outlet West Approach Day beacon W	29-38-58.006N 091-23-58.064W				NG-NW on pile worded WARNING EXTREME CURRENT.	Ra ref.
WAX LAKE OUTLET TO FORKED ISLAND (Chart 11350)							
New Orleans - Port Arthur							
35228	ST. MARY LEVEE DISTRICT FLOOD PROTECTION STRUCTURE LIGHT 1	29-46-59.700N 091-31-42.300W	FI G 2.5s			Marks port side structure.	Private aid.
35228.01	ST. MARY LEVEE DISTRICT FLOOD PROTECTION STRUCTURE LIGHT 2	29-46-59.200N 091-31-42.000W	FI R 2.5s			Marks starboard side structure.	Private aid.
35228.02	ST. MARY LEVEE DISTRICT FLOOD PROTECTION STRUCTURE LIGHT 3	29-47-00.300N 091-31-41.100W	FI G 2.5s			Marks port side structure.	Private aid.
35228.03	ST. MARY LEVEE DISTRICT FLOOD PROTECTION STRUCTURE LIGHT 4	29-46-59.800N 091-31-40.900W	FI R 2.5s			Marks starboard side structure.	Private aid.
35228.04	HANSON CANAL LIGHT 1	29-45-14.040N 091-29-48.430W	FI G 2.5s			Marks port side of flood gate structure.	Private aid.
35228.05	HANSON CANAL LIGHT 2	29-45-13.980N 091-29-48.270W	FI R 2.5s			Marks starboard side of flood gate structure.	Private aid.
35230	MUD LAKE LIGHT 9	29-45-08.175N 091-35-57.639W	FI G 2.5s	17	3	SG on pile.	Ra ref.
35235	MUD LAKE LIGHT 11	29-45-25.769N 091-36-13.838W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
35240	IVANHOE CANAL RIP-RAP OBSTRUCTION LIGHTS (2)	29-45-49.000N 091-44-26.000W	Q G	16		NW on structure.	Private aid.
35245	Weeks Bay P/L Marker C	29-48-36.686N 091-49-22.159W				NW on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Louisiana) - Eighth District							
WAX LAKE OUTLET TO FORKED ISLAND (Chart 11350)							
New Orleans - Port Arthur							
35250	Weeks Bay P/L Marker D	29-48-37.453N 091-49-18.634W				NW on pile.	Private aid.
35255	WEEKS ISLAND PIPELINE MARKER LIGHT	29-48-45.000N 091-49-25.500W	FI Y 2.5s	14		On dolphin.	Private aid.
35260	WEEKS BAY PIPELINE LIGHT A	29-49-06.000N 091-49-36.000W	FI Y 2.5s	10		NW on pile.	Private aid.
35265	WEEKS BAY PIPELINE LIGHT B	29-49-07.571N 091-49-30.467W	FI Y 2.5s	10		NW on pile.	Private aid.
35270	WEEKS BAYOU LIGHT	29-49-13.700N 091-49-29.800W	Q W	10		On dolphin.	Private aid.
35274	VERMILLION RIVER ENTRANCE LIGHT 1	29-47-04.692N 092-08-38.633W	FI G 2.5s	17	3	SG on pile.	
35278	VERMILLION RIVER LIGHT 2	29-47-05.339N 092-08-34.367W	FI R 2.5s	17	3	TR on pile.	
35285	BROUSSARD LANDING DOCK LIGHT	29-46-52.000N 092-11-20.000W	FI R 2.5s	14		On pile.	Private aid.
FORKED ISLAND TO ELLENDER (Chart 11348)							
New Orleans - Port Arthur							
Mermentau River Crossing							
35295	- Buoy 1	29-58-17.998N 092-47-19.038W				Green can with yellow square.	
35300	- Buoy 2A	29-58-24.653N 092-47-24.534W				Red nun with yellow triangle.	
35302	- LIGHT 2	29-58-23.457N 092-47-14.524W	FI R 2.5s	17	3	TR-TY on pile.	
35310	- Buoy 4	29-58-23.751N 092-47-38.829W				Red nun with yellow triangle.	
35315	- Buoy 5	29-58-16.440N 092-47-51.427W				Green can with yellow square.	
35320	- Junction Buoy M	29-58-20.651N 092-48-04.118W				Red nun with green band and yellow triangle.	
35325	- LIGHT 7	29-58-16.645N 092-48-10.590W	FI G 2.5s	17	3	SG-SY on pile.	
Gibbstown							
35330	Mermentau-Gibbstown Buoy 1	29-55-44.775N 092-57-13.156W				Green with yellow square.	
35335	- Day beacon 2	29-56-06.428N 093-05-32.055W				TR-TY on pile.	
35340	- Day beacon 4	29-56-08.586N 093-06-04.317W				TR-TY on pile.	
35345	- Day beacon 6	29-56-11.217N 093-06-35.750W				TR-TY on pile.	
Sweet Lake							
35350	- Day beacon 2	29-56-05.564N 093-08-29.946W				TR-TY on pile.	
35355	- Day beacon 4	29-56-05.907N 093-08-52.122W				TR-TY on pile.	
35360	- Day beacon 6	29-56-06.192N 093-09-13.966W				TR-TY on pile.	Ra ref.
Devils Elbow							
35365	- INDUSTRIAL CANAL 21830 RANGE FRONT LIGHT 5	30-06-27.801N 093-18-19.678W	Q G	20		KRW-I and SG on skeleton tower on piles.	Visible all around; higher intensity on rangeline. KRW-I for inbound traffic. SG for outbound traffic.
35370	- INDUSTRIAL CANAL 21835 RANGE REAR LIGHT	30-06-31.843N 093-18-14.816W	F G	37		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline. Ra ref.
35375	- JUNCTION LIGHT 21800	30-06-14.039N 093-18-27.324W	FI (2+1)R 6s	20	3	JR-TR on skeleton tower.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Louisiana) - Eighth District							
FORKED ISLAND TO ELLENDER (Chart 11348)							
New Orleans - Port Arthur							
Devils Elbow							
35380 21795	- LIGHT 3	30-06-16.399N 093-18-40.888W	FI G 2.5s	17	3	SG-SY on pile.	
35385 21790	- LIGHT 2	30-05-47.623N 093-19-01.149W	Oc R 4s	17	3	TR-SY on pile.	
35390 21785	- LIGHT 1	30-05-48.804N 093-19-14.341W	Oc G 4s	17	3	SG-TY on pile.	
35395 21805	- RANGE FRONT LIGHT	30-05-14.763N 093-19-47.153W	Q W	20		KRW-I on pile.	Visible all around; higher intensity on rangeline.
35400 21810	- RANGE REAR LIGHT 103 yards, 226.9° from front light.	30-05-12.642N 093-19-49.672W	Iso W 6s	40		KRW-I on skeleton tower.	Visible all around; higher intensity on rangeline.
Calcasieu Channel							
35405 21780	- LIGHT 92	30-05-21.790N 093-19-24.920W	FI R 2.5s	17	4	TR-SY on pile.	
35410 21775	- LIGHT 91	30-05-18.123N 093-19-34.478W	FI G 2.5s	17	4	SG-SY on skeleton tower on piles.	
CATAHOULA BAY TO WAX LAKE OUTLET (Chart 11355)							
New Orleans - Port Arthur							
35415	BLACK BAYOU CUTOFF CANAL LIGHT 1	30-03-24.620N 093-37-05.180W				SG on pile.	Private aid.
35420	BLACK BAYOU CANAL CUTOFF LIGHT 2	30-03-24.620N 093-37-06.630W	FI R 4s			TR on pile.	Private aid.
35425	CALCASIEU-SABINE WEST LIGHT 2	30-03-31.961N 093-41-54.896W	FI R 4s	17	4	TR-TY on pile.	
INTRACOASTAL WATERWAY (Louisiana-Texas) - Eighth District							
ELLENDER TO GALVESTON BAY (Chart 11331)							
New Orleans - Port Arthur							
Sabine River							
35430 23210	- LIGHT 22	30-03-17.811N 093-43-07.540W	FI R 4s	17	3	TR-TY on pile.	
35435 23205	- Day beacon 21	30-03-15.258N 093-43-17.086W				SG-TY on pile.	Ra ref.
35440 23200	- LIGHT 20	30-02-54.372N 093-43-27.260W	FI R 2.5s	17	3	TR-SY on pile.	
35445 23180	ADAMS BAYOU LIGHT 2	30-02-55.205N 093-43-46.772W	FI R 4s	17	3	TR-SY on pile.	
35450 23170	- OUTER Q RANGE FRONT LIGHT	30-02-22.394N 093-44-17.957W	Q W	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
35455 23175	- OUTER Q RANGE REAR LIGHT 464 yards, 231.6° from front light.	30-02-13.842N 093-44-30.362W	Iso W 6s	49		KRW-I on skeleton tower on mud sills.	Visible all around; higher intensity on rangeline.
35460	BURTON CANAL ROCK WEIR OBSTRUCTION LIGHT	30-02-41.000N 093-43-36.000W	FI W 2.5s			NW on pile worded DANGER ROCK WEIR.	Private aid.
35465 23165	- LIGHT 16	30-02-16.838N 093-44-09.400W	Q R	17	4	TR-SY on pile.	
35470 23160	DYNEGY MIDSTREAM DOCK LIGHTS(2)	30-02-09.000N 093-44-21.000W	FI G 2.5s			On dolphins.	Private aid.
35475 23155	- LIGHT 15	30-02-02.258N 093-44-24.174W	FI G 4s	17	4	SG-TY on pile.	
35480 23150	- Day beacon 13A	30-01-49.067N 093-44-24.648W				SG-TY on pile.	
35485 23145	- LIGHT 13	30-01-38.960N 093-44-26.574W	FI G 4s	17	4	SG-TY on pile.	
35490 23140	- LIGHT 11	30-01-21.578N 093-44-37.416W	FI G 4s	17	4	SG-TY on pile.	
35495 23135	- Day beacon 10	30-01-13.405N 093-44-35.039W				TR-SY on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Louisiana-Texas) - Eighth District							
ELLENDER TO GALVESTON BAY (Chart 11331)							
New Orleans - Port Arthur							
Sabine River							
35500 23130	- LIGHT 8	30-01-04.832N 093-44-51.420W	FI R 2.5s	17	4	TR-SY on skeleton tower on piles.	
35505 23115	- LIGHT 5	30-00-51.162N 093-45-36.518W	FI G 4s	17	4	SG-TY on skeleton tower on piles.	
35510 23120	- P RANGE FRONT LIGHT	30-01-06.720N 093-45-15.876W	Q W	24		KRW-I on skeleton tower piles.	Visible 4° either side of rangeline.
35515 23125	- P RANGE REAR LIGHT 1,204 yards, 038.9° from front light.	30-01-34.543N 093-44-50.090W	Iso W 6s	47		KRW-I on skeleton tower on piles.	
35520 23110	- Day beacon 4	30-00-50.085N 093-45-23.894W				TR-SY on pile.	
35525.01 23105.01	- Lighted Buoy 2	29-59-59.407N 093-46-14.851W	FI R 4s		3	Red nun with yellow square.	
35530 23100	- LIGHT 1	29-59-51.077N 093-46-29.954W	FI G 2.5s	17	4	SG-TY on pile.	Ra ref.
Sabine-Neches Canal							
35535 23085	- O RANGE FRONT LIGHT	29-59-30.974N 093-47-02.276W	Q R	20		KRW-I on skeleton tower.	For eastbound traffic.
35540 23090	- O RANGE REAR LIGHT 954 yards, 070.3° from front light.	29-59-40.570N 093-46-31.661W	FI R 4s	54		KRW on skeleton tower on mud sills.	Passing light visible all around.

INTRACOASTAL WATERWAY (Texas) - Eighth District

ELLENDER TO GALVESTON BAY (Chart 11331)							
New Orleans - Port Arthur							
Sabine-Neches Canal							
35545 23080	- Buoy 80	29-59-08.722N 093-48-05.484W				Red nun with yellow square.	
35550 23075	- Buoy 79	29-59-12.709N 093-48-07.890W				Green can with yellow triangle.	
35555 23070	- Buoy 78	29-59-02.422N 093-48-25.344W				Red nun with yellow square.	
35560 23065	- Buoy 77	29-59-06.647N 093-48-27.556W				Green can with yellow triangle.	
35565 23060	- Buoy 76	29-58-54.009N 093-48-51.394W				Red nun with yellow square.	
35570 23055	- Buoy 75	29-58-57.979N 093-48-54.786W				Green can with yellow triangle.	
35575 23050	- LIGHT 74	29-58-44.130N 093-49-21.324W	FI R 4s	17	4	TR-SY on pile.	
35580 23045	- LIGHT 73	29-58-49.867N 093-49-23.096W	FI G 4s	17	4	SG-TY on pile.	Ra ref.
35585 23040	- Buoy 72	29-58-35.623N 093-49-51.175W				Red nun with yellow square.	
35590 23035	- Buoy 71	29-58-39.735N 093-49-53.000W				Green can with yellow triangle.	
35595 23030	- Buoy 70	29-58-28.839N 093-50-12.653W				Red nun with yellow square.	
35600 23025	- Buoy 69	29-58-32.871N 093-50-15.026W				Green can with yellow triangle.	
35605 23020	- Buoy 68	29-58-22.031N 093-50-33.350W				Red nun with yellow square.	
35610 23015	- Buoy 67	29-58-27.437N 093-50-36.611W				Green can with yellow triangle.	
35615 23005	- N RANGE FRONT LIGHT	29-58-02.223N 093-51-44.648W	Q G (NIGHT) Q W (DAY)	35 38		On skeleton tower on piles.	For westbound traffic.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
ELLENDER TO GALVESTON BAY (Chart 11331)							
New Orleans - Port Arthur							
Sabine-Neches Canal							
35620 23010	- N RANGE REAR LIGHT 984 yards, 250.1° from front light.	29-57-52.310N 093-52-16.094W	Iso G 6s (NIGHT) Iso W 6s (DAY)	91 89		On skeleton tower on piles.	Range is not effective inland of Sabine-Neches Canal Buoys 75 and 76.
35625 23000	- LIGHT 66	29-58-04.708N 093-51-08.228W	FI R 2.5s	17	4	TR-SY on pile.	
35630 22970	- M UPPER RANGE FRONT LIGHT	29-58-15.912N 093-51-10.204W	Q W	29		On skeleton tower.	For upbound traffic. Visible 2° each side of rangeline. Lighted throughout 24 hours.
35635 22975	- M UPPER RANGE REAR LIGHT 745 yards, 020.1° from front light.	29-58-37.577N 093-51-01.130W	Iso W 6s	40		On skeleton tower on piles. On same structure as Neches River Outer Range R Rear Light.	
35640 22995	- LIGHT 65	29-57-57.250N 093-51-24.998W	FI G 4s	17	4	SG-TY on pile.	
35645 22985	- Buoy 64A	29-57-33.927N 093-51-21.846W				Red nun with yellow square.	
35650 22980	- LIGHT 64	29-56-56.521N 093-51-39.189W	FI R 4s	17	4	TR-SY on pile.	Ra ref.
35655 22955	- K RANGE FRONT LIGHT	29-56-04.480N 093-52-05.146W	Q W (NIGHT) Q W (DAY)	30 30			
35660 22960	- K RANGE FRONT PASSING LIGHT	29-56-04.480N 093-52-05.146W	FI R 2.5s	15	3	On same structure as Neches Canal Range K Front Light.	
35665 22965	- K RANGE REAR LIGHT 1088 yards, 197.4° from front light.	29-55-34.101N 093-52-17.831W	Iso W 6s (NIGHT) Iso W 6s (DAY)	53 70			Visible only on rangeline. Lighted throughout 24 hours.
35670 22945	- L RANGE FRONT LIGHT	29-56-35.682N 093-51-46.591W	Q W	32		KRW-I on skeleton tower on piles.	
35675 22950	- L RANGE REAR LIGHT 957 yards, 037.6° from front light.	29-56-58.197N 093-51-26.690W	Iso W 6s	56		KRW on skeleton tower on piles.	
35680 22940	- LIGHT 62	29-55-43.904N 093-52-26.839W	FI R 4s	17	4	TR-SY on pile.	
35685 22935	- LIGHT 60	29-54-55.621N 093-53-10.641W	FI R 2.5s	17	4	TR-SY on pile.	
35690 22930	- LIGHT 58	29-54-36.408N 093-53-29.077W	FI R 4s	17	3	TR-SY on pile.	Ra ref.
35695 22925	- LIGHT 56	29-54-06.059N 093-53-55.405W	FI R 4s	17	4	TR-SY on pile.	
35700 22920	- LIGHT 54	29-53-27.573N 093-54-37.275W	FI R 4s	17	4	TR-SY on pile.	
35705 22915	- LIGHT 52A	29-51-36.262N 093-56-12.650W	FI R 2.5s	17	4	TR-SY on pile.	Ra ref.
35710 22905	- H RANGE FRONT LIGHT	29-52-05.832N 093-55-49.118W	Q R	42		KRW-I on skeleton tower on block.	For upbound traffic. Visible 2° each side of rangeline.
35715 22910	- H RANGE REAR LIGHT 326 yards, 040.0° from front light.	29-52-13.251N 093-55-41.974W	Iso R 6s	49		KRW on skeleton tower on concrete block.	
35720 22900	- LIGHT 52	29-50-45.168N 093-56-58.394W	Q R	17	4	TR-SY on pile.	
35725 22895	- LIGHT 51	29-50-48.687N 093-57-06.548W	FI G 4s	17	4	SG-TY on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
ELLENDER TO GALVESTON BAY (Chart 11331)							
New Orleans - Port Arthur							
Sabine-Neches Canal							
35730 22890	- LIGHT 50A	29-50-20.211N 093-57-06.188W	FI R 4s	17	3	TR-SY on pile.	Ra ref.
35735 22885	- LIGHT 50	29-49-48.673N 093-57-12.315W	FI R 2.5s	17	4	TR-SY on pile.	Ra ref.
35740 22870	PORT ARTHUR CANAL LIGHT 49	29-49-23.493N 093-57-45.195W	FI G 4s	17	4	SG-SY on pile.	
35742	GT LOGISTICS BARGE DOCK LIGHTS (2)	29-51-40.610N 093-59-26.710W	FI R 2.5s			Marks upstream and downstream dock pilings.	Private aid.
Mc Faddin Wildlife Refuge							
35745	- Danger Day beacon A	29-44-40.440N 094-04-43.420W				NW on pile worded DANGER ROCK.	Marks rock groin. Private aid.
35750	- Danger Day beacon B	29-44-35.810N 094-04-50.080W				NW on pile worded DANGER ROCK.	Marks rock groin. Private aid.
35755	- Danger Day beacon C	29-44-18.170N 094-05-15.220W				NW on pile worded DANGER ROCK.	Marks rock groin . Private aid.
35760	- Danger Day beacon D	29-44-00.210N 094-05-39.560W				NW on pile worded DANGER ROCK.	Marks rock groin. Private aid.
Sabine-Neches Canal							
35765	U.S. DEPT. OF ENERGY RAW WATER INTAKE LIGHTS (2)	29-40-58.000N 094-11-41.000W	FI R 2.5s	13		On fenders.	Private aid.
Port Arthur - Galveston							
East Bay Bayou							
35770	- LIGHT 1	29-33-16.251N 094-27-53.389W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
35775	- Buoy 2	29-33-11.729N 094-28-02.242W				Red nun with yellow triangle.	
35780	- Buoy 3	29-33-09.579N 094-27-59.689W				Green can with yellow square.	
35785	- Buoy 5	29-32-59.127N 094-28-07.084W				Green can with yellow square.	
35790	- Buoy 6	29-32-50.786N 094-28-16.856W				Red nun with yellow triangle.	
35795	- Buoy 7	29-32-47.668N 094-28-15.540W				Green can with yellow square.	
35800	- LIGHT 8	29-32-40.111N 094-28-25.397W	FI R 4s	17	3	TR-TY on pile.	
Rollover Bay							
35805	- Buoy 1	29-31-29.698N 094-29-17.909W				Green can with yellow square.	
35810	- Buoy 2	29-31-32.846N 094-29-18.950W				Red nun with yellow triangle.	
35815	- RANGE FRONT LIGHT	29-31-35.390N 094-29-06.712W	Q G	17		KRW-I on pile.	Visible all around; higher intensity 14° each side of rangeline.
35820	- RANGE REAR LIGHT 450 yards, 067° from front light.	29-31-40.436N 094-28-52.881W	Iso G 6s	32		KRW-I on skeleton tower.	
35825.01	- LIGHT 3	29-31-23.387N 094-29-36.495W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
35830.01	- LIGHT 4	29-31-25.601N 094-29-37.325W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
35835	- Buoy 5	29-31-17.301N 094-29-53.004W				Green can with yellow square.	
35840	- Buoy 6	29-31-19.673N 094-29-54.267W				Red nun with yellow triangle.	
35845	- Buoy 7	29-31-12.071N 094-30-06.841W				Green can with yellow square.	
35850	- Buoy 8	29-31-14.385N 094-30-08.462W				Red nun with yellow triangle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
ELLENDER TO GALVESTON BAY (Chart 11331)							
Port Arthur - Galveston							
Rollover Bay							
35855.01	- LIGHT 9	29-31-05.663N 094-30-24.901W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
35860.01	- LIGHT 10	29-31-08.467N 094-30-25.625W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
35865	- Buoy 11	29-31-00.666N 094-30-38.463W				Green can with yellow square.	
35870	- Buoy 12	29-31-03.281N 094-30-40.141W				Red nun with yellow triangle.	
35875	- LIGHT 14	29-31-00.246N 094-30-50.451W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
Bolivar Peninsula							
35880	- Day beacon 2	29-26-17.505N 094-42-12.856W				TR-TY on pile.	Ra ref.
35885	- Buoy 2A	29-26-05.087N 094-42-28.476W				Red nun with yellow triangle.	
35895	- LIGHT 4	29-25-51.198N 094-42-46.268W	FI R 4s	17	3	TR-TY on pile.	
35910	- LIGHT 13A	29-22-40.985N 094-46-35.134W	FI G 2.5s	17	5	SG-SY on pile.	
35915	- LIGHT 14	29-22-44.352N 094-46-39.292W	FI R 2.5s	17	4	TR-TY on pile.	
35920	- LIGHT 15A	29-22-33.120N 094-46-43.887W	Q G	17	4	SG-SY on pile.	
35925	- LIGHT 16A	29-22-37.089N 094-46-47.915W	Q R	17	3	TR-TY on pile.	
35930	- Buoy 17	29-22-20.702N 094-46-57.173W				Green can with yellow square.	
35935	- Buoy 18	29-22-25.252N 094-47-00.916W				Red nun with yellow triangle.	
35940	- Lighted Buoy 19	29-22-10.778N 094-47-08.755W	FI G 4s		3	Green with yellow square.	
35945	- Lighted Buoy 20	29-22-19.793N 094-47-09.542W	Q R		3	Red with yellow triangle.	
GALVESTON BAY ENTRANCE (Chart 11324)							
Galveston-Freeport							
Galveston-Freeport Cutoff Channel							
35950	- Buoy 3	29-21-22.291N 094-48-25.283W				Green can with yellow square.	
35955	- Buoy 5	29-21-18.027N 094-48-32.072W				Green can with yellow square.	
35965	- LIGHT 7 75 feet outside channel limit.	29-21-09.893N 094-48-44.430W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
35970	- LIGHT 9 50 feet outside channel limit.	29-20-45.275N 094-49-16.272W	FI G 4s	17	4	SG-SY on pile.	
35975	- Buoy 11	29-20-24.157N 094-49-47.513W				Green can with yellow square.	
35980	- Buoy 12	29-20-27.103N 094-49-51.275W				Red nun with yellow triangle.	
35985	- Buoy 11A	29-20-02.914N 094-50-16.624W				Green can with yellow square.	
35990	- Buoy 12A	29-20-06.333N 094-50-20.723W				Red nun with yellow triangle.	
35995	- LIGHT 13	29-19-39.849N 094-50-49.712W	FI G 2.5s	17	4	SG-SY on pile.	Ra ref.
36000	- Buoy 13A	29-19-25.448N 094-51-11.027W				Green can with yellow square.	
36005	- LIGHT 14	29-19-42.849N 094-50-54.712W	FI R 2.5s	17	5	TR-TY on pile.	Ra ref.
36010	- Buoy 14A	29-19-28.345N 094-51-14.709W				Red nun with yellow triangle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
GALVESTON BAY ENTRANCE (Chart 11324)							
Galveston-Freeport							
Galveston-Freeport Cutoff Channel							
36015	- Buoy 15	29-19-01.369N 094-51-45.570W				Green can with yellow square.	
36020	- Buoy 16	29-19-04.561N 094-51-48.951W				Red nun with yellow triangle.	
36025	- LIGHT 17	29-18-39.104N 094-52-16.321W	FI G 4s	17	5	SG-SY on pile.	Ra ref.
36030	- LIGHT 18	29-18-42.957N 094-52-20.508W	FI R 4s	17	4	TR-TY on pile.	Ra ref.
36035	- Junction Buoy	29-18-32.567N 094-52-26.693W				Green can with red band and yellow square.	
36040	- Buoy 20	29-18-31.254N 094-52-36.343W				Red nun with yellow triangle.	
36045	- Buoy 22	29-18-23.851N 094-52-45.714W				Red nun with yellow triangle.	
36290							
Galveston Channel							
36050	BOLIVAR POINT LIGHT 21	29-21-28.866N 094-46-44.709W	FI G 4s	17	4	SG-SY on pile.	
36055	<i>Houston Ship Channel</i>	29-21-05.030N	Q R		3	Red with yellow square.	
23900	<i>Entrance Lighted Buoy 18</i>	094-46-59.466W					
36060	<i>Pelican Island Spit Shoal</i>	29-20-27.248N	FI (2+1)G 6s		4	Green with red bands.	
23825	<i>Lighted Buoy P</i>	094-46-20.704W					
36065	- <i>Lighted Buoy 1</i>	29-20-16.349N	FI G 4s		4	Green with yellow square.	
23865	50 feet outside channel limit.	094-46-11.203W					
36070	- LIGHT 2	29-20-14.811N 094-46-35.752W	Q R	17	3	TR-TY on pile.	Ra ref.
23870							
36075	- LIGHT 3	29-19-47.349N 094-46-28.703W	FI G 2.5s	17	4	SG-SY on pile.	Ra ref.
23880							
36080	GRASSO MARINE DOCK LIGHTS (2)	29-19-24.000N 094-46-52.000W	FI R 2.5s	15		On end of dock.	Private aid.
23885							
36085	GALVESTON ISLAND MARINA LIGHT	29-19-03.500N 094-46-40.000W	Q R	6			Private aid.
23890							
36090	HOUSTON LIGHTING AND POWER SOUTH TOWER LIGHT	29-18-36.000N 094-49-27.000W	Q G	26		On dolphin.	Private aid.
36095	HOUSTON LIGHTING AND POWER NORTH TOWER LIGHT	29-18-39.000N 094-49-25.000W	Q R	26		On dolphin.	Private aid.
Galveston-Freeport							
36100.01	- LIGHT 1	29-18-37.442N 094-49-51.240W	FI G 4s	17	3	SG-SY on pile.	Ra ref.
36105	- LIGHT 2	29-18-40.605N 094-49-51.639W	FI R 4s	17	3	TR-TY on pile.	
	150 feet outside channel limit.						
36110	- LIGHT 3	29-18-32.711N 094-50-16.222W	FI G 2.5s	17	3	SG-SY on pile.	
36115	- LIGHT 4	29-18-35.897N 094-50-16.123W	FI R 2.5s	17	3	TR-TY on pile.	
36120	- LIGHT 5	29-18-27.083N 094-50-47.982W	FI G 4s	17	3	SG-SY on pile.	
36125	- LIGHT 6	29-18-29.956N 094-50-48.897W	FI R 4s	17	3	TR-TY on pile.	
36130.01	- LIGHT 7	29-18-25.108N 094-51-01.813W	Q G	17	3	SG-SY on pile.	Ra ref.
36135.01	- LIGHT 8	29-18-28.340N 094-51-01.542W	Q R	17	3	TR-TY on pile.	Ra ref.
36140	- B&C RANGE FRONT LIGHT	29-18-32.157N	Q R	17		KRW-I on pile structure. On same structure as Range C Front Light.	Visible all around; higher intensity on rangeline.
36305		094-52-41.557W					

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
GALVESTON BAY ENTRANCE (Chart 11324)							
Galveston-Freeport							
36145	- B RANGE REAR LIGHT 843.9 yards, 272.9° from front light.	29-18-33.430N 094-53-10.130W	Iso R 6s	35		KRW-I on skeleton tower.	
36150	- LIGHT 9	29-18-26.298N 094-51-21.095W	FI G 6s	17	3	SG-SY on pile.	
36155	- LIGHT 10	29-18-29.354N 094-51-20.544W	FI R 6s	17	3	TR-TY on pile.	
Pier 77 Channel							
36215	- Buoy 3	29-17-54.780N 094-51-21.120W				Green can.	Private aid.
36220	- Buoy 4	29-17-57.540N 091-51-26.640W				Red nun.	Private aid.
36225	- Buoy 7	29-17-53.400N 094-51-28.800W				Green can.	Private aid.
36230	- Buoy 9	29-17-53.640N 094-51-31.500W				Green can.	Private aid.
36235	- Buoy 10	29-17-56.340N 094-51-32.100W				Red nun.	Private aid.
36240	- Buoy 12	29-17-52.860N 094-51-32.880W				Red nun.	Private aid.
36245	- Buoy 13	29-17-49.260N 094-51-30.000W				Green can.	Private aid.
36250	- Buoy 14	29-17-48.900N 094-51-32.220W				Red nun.	Private aid.
Galveston-Freeport							
36255.01	- LIGHT 11	29-18-27.918N 094-51-45.804W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
36260.01	- LIGHT 12	29-18-30.554N 094-51-45.717W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
36265	- LIGHT 14	29-18-31.288N 094-52-00.478W	FI R 4s	17	3	TR-TY on pile.	
36270	- LIGHT 15	29-18-29.159N 094-52-13.501W	Q G	17	3	SG-SY on pile.	
36275	- LIGHT 17	29-18-29.016N 094-52-22.841W	FI G 2.5s	17	3	SG-SY on pile.	
36280	- LIGHT 19	29-18-26.592N 094-52-32.471W	FI G 4s	17	3	SG-SY on pile.	
36285	- LIGHT 21	29-18-22.091N 094-52-39.634W	FI G 6s	17	3	SG-SY on pile.	
36290 36045	- Cutoff Channel Buoy 22	29-18-23.851N 094-52-45.714W				Red nun with yellow triangle.	
36295	- Buoy 23	29-18-13.831N 094-52-49.758W				Green can with yellow square.	
36300	- Buoy 24	29-18-12.889N 094-52-55.744W				Red nun with yellow triangle.	
36305 36140	- B&C RANGE FRONT LIGHT	29-18-32.157N 094-52-41.557W	Q R	17		KRW-I on pile structure. On same structure as Range C Front Light.	Visible all around; higher intensity on rangeline.
36310	- C RANGE REAR LIGHT 835 yards, 029.3° from front light.	29-18-53.841N 094-52-27.650W	Iso R 6s	35		KRW-I on skeleton tower on piles.	
36315	- Buoy 25	29-17-58.769N 094-53-00.992W				Green can with yellow square.	
36320	- Buoy 26	29-18-02.168N 094-53-04.499W				Red nun with yellow triangle.	
GALVESTON BAY TO CEDAR LAKES (Chart 11322)							
Galveston-Freeport							
36325	- Buoy 27	29-17-34.781N 094-53-16.065W				Green can with yellow square.	
36330	- Buoy 28	29-17-37.076N 094-53-18.280W				Red nun with yellow triangle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
GALVESTON BAY TO CEDAR LAKES (Chart 11322)							
Galveston-Freeport							
Offatts Bayou Entrance Channel							
36335	- Day beacon 1	29-17-23.743N 094-53-19.874W				SG on pile.	Ra ref.
36340	- Day beacon 2	29-17-21.792N 094-53-20.713W				TR on pile.	Ra ref.
36350	- Day beacon 3	29-17-15.988N 094-53-15.204W				SG on pile.	Ra ref.
36352	- Day beacon 4	29-17-16.994N 094-53-18.502W				TR on pile.	Ra ref.
36355	- Day beacon 5	29-17-09.155N 094-53-10.949W				SG on pile.	Ra ref.
36360	- Day beacon 6	29-17-09.553N 094-53-15.216W				TR on pile.	Ra ref.
36365	- Day beacon 7	29-16-58.681N 094-53-05.090W				SG on pile.	
36370	- Day beacon 8	29-16-54.940N 094-53-08.073W				TR on pile.	
36375	- Day beacon 9	29-16-52.043N 094-53-03.114W				SG on pile.	
36380	- Day beacon 10	29-16-49.594N 094-53-05.334W				TR on pile.	Ra ref.
36385	- Day beacon 11	29-16-44.944N 094-52-57.874W				SG on pile.	
36390	- Day beacon 12	29-16-42.684N 094-53-00.306W				TR on pile.	Ra ref.
Galveston-Freeport							
36395	Galveston Airport Channel Day beacon 2	29-16-34.784N 094-52-54.166W				TR on pile.	
36400	Galveston Airport Channel Day beacon 4	29-16-25.678N 094-52-47.197W				TR on pile.	
Offatts Bayou Entrance Channel							
36405	- Day beacon 14	29-16-42.235N 094-52-56.648W				TR on pile.	Ra ref.
36410	- Day beacon 16	29-16-41.399N 094-52-46.613W				TR on pile.	
36415	- Day beacon 18	29-16-43.280N 094-52-37.153W				TR on pile.	
36420	- Day beacon 20	29-16-44.864N 094-52-27.147W				TR on piles.	
36425	- Day beacon 22	29-16-44.674N 094-52-06.220W				TR on pile.	
36430	- Day beacon 24	29-16-49.451N 094-51-48.672W				TR on pile.	Ra ref.
36435	- Day beacon 26	29-16-56.468N 094-51-34.183W				TR on pile.	Ra ref.
36437	PELICAN REST MARINA NORTHWEST DANGER LIGHTS (2)	29-16-59.340N 094-51-25.790W	FI W 2.5s			Marks floating dock structure.	Priv ate aid.
36437.01	PELICAN REST MARINA SOUTHEAST DANGER LIGHTS (3)	29-16-58.950N 094-51-22.960W	FI W 2.5s			Marks floating dock structure.	Priv ate aid.
36437.02	PELICAN REST MARINA PILING LIGHTS (2)	29-17-00.870N 094-51-17.460W	FI W 2.5s			Marks perimeter piles.	Priv ate aid.
36438	- Day beacon 26A	29-16-53.571N 094-51-28.195W				TR on pile.	
36440	- Day beacon 28	29-16-53.747N 094-51-19.714W				TR on pile.	
Galveston-Freeport							
36445	Offatts Bay ou Day beacon 1	29-17-02.767N 094-50-32.368W				SG on pile.	Ra ref.
36450	Offatts Bay ou Day beacon 2	29-16-58.627N 094-50-22.110W				TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
GALVESTON BAY TO CEDAR LAKES (Chart 11322)							
Galveston-Freeport							
Tiki Island Channel							
36455	- Day beacon 1	29-17-33.180N 094-53-30.840W				SG on pile.	Private aid.
36460	- Day beacon 2	29-17-34.500N 094-53-29.880W				TR on pile.	Private aid.
36465	- Day beacon 3	29-17-35.640N 094-53-35.460W				SG on pile.	Private aid.
36470	- Day beacon 4	29-17-37.200N 094-53-34.380W				TR on pile.	Private aid.
36475	- Day beacon 5	29-17-41.640N 094-53-45.720W				SG on pile.	Private aid.
36480	- Day beacon 6	29-17-42.720N 094-53-45.240W				TR on pile.	Private aid.
36485	- Day beacon 7	29-17-45.840N 094-53-53.340W				SG on pile.	Private aid.
36490	- Day beacon 8	29-17-47.880N 094-53-55.080W				TR on pile.	Private aid.
36495	- Day beacon 9	29-17-51.360N 094-54-03.780W				SG on pile.	Private aid.
36500	- Day beacon 10	29-17-51.240N 094-54-01.620W				TR on pile.	Private aid.
36505	- Day beacon 11	29-17-54.000N 094-54-08.820W				SG on pile.	Private aid.
36510	- Day beacon 12	29-17-55.920N 094-54-09.420W				TR on pile.	Private aid.
Galveston-Freeport							
36515	- D RANGE FRONT LIGHT	29-16-57.159N 094-53-42.053W	Q G	20		KRW-I on pile structure on same structure as Range E Front Light.	For westbound traffic. Visible all around; higher intensity on rangeline.
36520	- D RANGE REAR LIGHT 835 yards, 209.3° from front light.	29-16-35.434N 094-53-55.849W	Iso G 6s	40		KRW-I on skeleton tower.	
36525.01	- LIGHT 30	29-17-28.572N 094-53-24.575W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
36530	- Buoy 32	29-17-18.851N 094-53-33.416W				Red nun with yellow triangle.	
36535.01	- LIGHT 33	29-17-07.363N 094-53-38.735W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
36540.01	- LIGHT 34	29-17-11.898N 094-53-41.636W	Q R	17	3	TR-TY on pile.	Ra ref.
36545	- Buoy 35	29-17-02.512N 094-53-49.909W				Green can with yellow square.	
36550	- Buoy 36	29-17-07.877N 094-53-51.782W				Red nun with yellow triangle.	
36555	- Buoy 37	29-17-01.192N 094-54-01.518W				Green can with yellow square.	
36560	- Buoy 38	29-17-06.407N 094-54-01.996W				Red nun with yellow triangle.	
36565.01	- LIGHT 39	29-17-03.204N 094-54-13.484W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
36570.01	- LIGHT 40	29-17-07.274N 094-54-12.443W	Q R	17	3	TR-TY on pile.	Ra ref.
36585	- E RANGE FRONT LIGHT	29-16-57.206N 094-53-42.088W	Q W	15		KRW-I on pile structure; on same structure as Range D Front Light.	For eastbound traffic. Visible all around; higher intensity on rangeline.
36590	- E RANGE REAR LIGHT	29-16-50.227N 094-53-14.955W	Iso G 6s	38		KRW-I on skeleton tower.	
36595	- Buoy 41	29-17-07.623N 094-54-30.692W				Green can with yellow square.	
36600	- Buoy 42	29-17-11.411N 094-54-31.583W				Red nun with yellow triangle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
GALVESTON BAY TO CEDAR LAKES (Chart 11322)							
Galveston-Freeport							
36605	- Buoy 43	29-17-15.256N 094-54-59.514W				Green can with yellow square.	
36610	- Buoy 44	29-17-19.016N 094-54-58.692W				Red nun with yellow triangle.	
36615	- Buoy 45	29-17-19.630N 094-55-16.158W				Green can with yellow square.	
36620	- Buoy 46	29-17-21.593N 094-55-07.173W				Red nun with yellow triangle.	
36625	- LIGHT 47	29-17-19.490N 094-55-21.876W	FI G 4s	17	4	SG-SY on pile.	
36630	- Buoy 48	29-17-23.461N 094-55-15.398W				Red nun with yellow triangle.	
36635	- Buoy 49	29-17-19.469N 094-55-30.151W				Green can with yellow square.	
36640.01	- LIGHT 50	29-17-22.407N 094-55-31.121W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
36645	- F RANGE FRONT LIGHT	29-17-24.922N 094-55-04.424W	Q W	15		KRW-I on pile structure.	For eastbound traffic.
36650	- F RANGE REAR LIGHT 935 yards, 079.9° from front light.	29-17-29.787N 094-54-33.217W	Iso W 6s	35		KRW-I on skeleton tower on piles.	
36655	- Buoy 51	29-17-17.446N 094-55-43.258W				Green can with yellow square.	
36660.01	- LIGHT 52	29-17-20.848N 094-55-43.029W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
36665	- Buoy 53	29-17-11.841N 094-56-19.950W				Green can with yellow square.	
36670	- Buoy 54	29-17-14.881N 094-56-20.314W				Red nun with yellow triangle.	
36675	- Buoy 55	29-17-08.782N 094-56-41.529W				Green can with yellow square.	
36680	- Buoy 56	29-17-11.665N 094-56-41.993W				Red nun with yellow triangle.	
36685	- Buoy 57	29-17-05.440N 094-57-03.466W				Green can with yellow square.	
36690	- Buoy 58	29-17-08.175N 094-57-03.719W				Red nun with yellow triangle.	
36695	- Buoy 59	29-17-01.421N 094-57-31.552W				Green can with yellow square.	
Harborwalk Entrance East							
36700	- Buoy 1	29-17-05.960N 094-57-31.100W				Green can.	Private aid.
36705	- Buoy 2	29-17-06.190N 094-57-28.860W				Red nun.	Private aid.
36710	- Buoy 3	29-17-08.660N 094-57-31.460W				Green can.	Private aid.
36715	- Buoy 4	29-17-08.900N 094-57-29.220W				Red nun.	Private aid.
36720	- Buoy 5	29-17-11.420N 094-57-31.830W				Green can.	Private aid.
36725	- Buoy 6	29-17-11.650N 094-57-29.590W				Red nun.	Private aid.
36730	- Buoy 7	29-17-14.290N 094-57-32.000W				Green can.	Private aid.
36735	- Buoy 8	29-17-14.300N 094-57-29.750W				Red nun.	Private aid.
36740	- Buoy 9	29-17-17.070N 094-57-32.020W				Green can.	Private aid.
36745	- Buoy 10	29-17-17.070N 094-57-29.760W				Red nun.	Private aid.
36750	- Buoy 11	29-17-20.650N 094-57-32.190W				Green can.	Private aid.
36755	- Buoy 12	29-17-19.810N 094-57-29.770W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
GALVESTON BAY TO CEDAR LAKES (Chart 11322)							
Galveston-Freeport							
Harborwalk Entrance East							
36760	- Buoy 14	29-17-22.230N 094-57-30.890W				Red nun.	Private aid.
Galveston-Freeport							
36765	- Buoy 60	29-17-04.118N 094-57-32.313W				Red nun with yellow triangle.	
36770	- Buoy 61	29-16-58.248N 094-57-53.123W				Green can with yellow square.	
Harborwalk Entrance West							
36775	- Buoy 1	29-17-02.390N 094-57-56.780W				Green can.	Private aid.
36780	- Buoy 2	29-17-02.590N 094-57-55.680W				Red nun.	Private aid.
36785	- Buoy 3	29-17-04.760N 094-57-57.350W				Green can.	Private aid.
36790	- Buoy 4	29-17-04.960N 094-57-56.240W				Red nun.	Private aid.
36795	- Buoy 5	29-17-07.130N 094-57-57.920W				Green can.	Private aid.
36800	- Buoy 6	29-17-07.690N 094-57-56.900W				Red nun.	Private aid.
36805	- Buoy 7	29-17-08.440N 094-57-59.230W				Green can.	Private aid.
Galveston-Freeport							
36810	- Buoy 62	29-17-00.853N 094-57-54.723W				Red nun with yellow triangle.	
36815.01	- LIGHT 63	29-16-54.069N 094-58-17.428W				SG-SY on pile.	Ra ref.
36820	- G RANGE FRONT LIGHT	29-16-54.135N 094-58-28.078W	Q W		15	KRW-I on pile.	For westbound traffic. Visible 2° each side of rangeline.
36825	- G RANGE REAR LIGHT 892 yards, 258° from front light.	29-16-49.664N 094-58-57.855W	Iso W 6s		35	KRW-I on skeleton tower.	Visible 2° each side of rangeline. tower.
36830	- Buoy 75	29-11-48.179N 095-03-50.753W				Green can with yellow square.	
Delhide Cove							
36835	- Danger Day beacon A	29-13-50.200N 094-57-07.000W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater. Private aid.
36840	- Danger Day beacon B	29-13-50.400N 094-57-15.800W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater. Private aid.
36845	- Danger Day beacon C	29-13-47.900N 094-57-20.100W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater. Private aid.
36850	- Danger Day beacon D	29-13-44.400N 094-56-59.800W				NW on pile. Worded: DANGER BREAKWATER	Marks Geotext tube Breakwater. Private aid.
36855	- Danger Day beacon E	29-13-47.700N 094-57-09.900W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater. Private aid.
36860	- Danger Day beacon F	29-13-45.000N 094-57-20.300W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater. Private aid.
36865	- Danger Day beacon G	29-13-39.300N 094-56-54.000W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater. Private aid.
36870	- Danger Day beacon H	29-13-35.900N 094-56-43.200W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
GALVESTON BAY TO CEDAR LAKES (Chart 11322)							
Delhide Cove							
36875	- Danger Day beacon I	29-13-26.100N 094-56-37.100W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater. Private aid.
36878	CITY OF GALVESTON ECHERT BAYOU OUTFALL DANGER LIGHT	29-13-18.370N 094-56-09.740W	FI W 2.5s			Marks submerged wastewater outfall structure.	Private aid.
Galveston-Freeport							
Jamaica Beach Village Channel							
36880	- LIGHT 1	29-12-29.000N 094-59-30.000W	FI G 2.5s			SG on pile.	Private aid.
36885	- LIGHT 2	29-12-28.000N 094-59-31.000W	FI R 2.5s			TR on pile.	Private aid.
36890	- Day beacon 3	29-12-20.000N 094-59-25.000W				SG on pile.	Private aid.
36895	- Day beacon 4	29-12-19.000N 094-59-31.000W				TR on pile.	Private aid.
36900	- Day beacon 5	29-12-12.000N 094-59-19.000W				SG on pile.	Private aid.
36905	- Day beacon 6	29-12-11.000N 094-59-20.000W				TR on pile.	Private aid.
36910	- Day beacon 7	29-12-05.000N 094-59-15.000W				SG on pile.	Private aid.
36915	- Day beacon 8	29-12-04.000N 094-59-16.000W				TR on pile.	Private aid.
Galveston-Freeport							
36920	WEST BAY (TEXAS) LIGHT 2	29-11-36.226N 095-04-19.605W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
36925	WEST BAY (TEXAS) LIGHT 3	29-11-33.720N 095-04-17.633W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
36930	West Bay (Texas) Buoy 4	29-11-24.466N 095-04-37.522W				Red nun with yellow triangle.	
36935	West Bay (Texas) Buoy 5	29-11-21.936N 095-04-35.681W				Green can with yellow square.	
36940	West Bay (Texas) Buoy 6	29-11-10.929N 095-04-56.407W				Red nun with yellow triangle.	
36945	West Bay (Texas) Buoy 7	29-11-08.953N 095-04-54.496W				Green can with yellow square.	
36950	West Bay (Texas) Buoy 8	29-11-03.430N 095-05-07.322W				Red nun with yellow triangle.	
36955	West Bay (Texas) Buoy 9	29-11-01.483N 095-05-05.015W				Green can with yellow square.	
36960	West Bay (Texas) Buoy 10	29-10-54.601N 095-05-20.843W				Red nun with yellow triangle.	
36965	West Bay (Texas) Buoy 11	29-10-48.949N 095-05-23.601W				Green can with yellow square	
36970	West Bay (Texas) Buoy 12	29-10-42.622N 095-05-38.459W				Red nun with yellow triangle.	
36975	West Bay (Texas) Buoy 13	29-10-37.114N 095-05-41.179W				Green can with yellow square.	
36980	West Bay (Texas) Buoy 14	29-10-35.511N 095-05-50.658W				Red nun with yellow triangle.	
36985	WEST BAY (TEXAS) LIGHT 15	29-10-32.766N 095-05-49.915W	FI G 2.5s	17	3	SG-SY on pile.	
36990	West Bay (Texas) Buoy 16	29-10-33.080N 095-05-59.246W				Red nun with yellow triangle.	
Chocolate Bay							
36995	- Buoy 1	29-10-23.405N 095-06-38.570W				Green can with yellow square.	
37000	- Buoy 1A	29-10-17.794N 095-06-54.587W				Green can with yellow square.	
37005	- A RANGE FRONT LIGHT	29-10-25.726N 095-06-44.466W	Q W	15		KRW-I on pile.	For eastbound traffic. Visible all around; higher intensity on rangeline.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
GALVESTON BAY TO CEDAR LAKES (Chart 11322)							
Galveston-Freeport							
Chocolate Bay							
37005.1	- A RANGE FRONT LIGHT PASSING LIGHT	29-10-25.726N 095-06-44.466W	FI R 2.5s	10	3		On same structure as Chocolate Bay A Range Front Light.
37010	- A RANGE REAR LIGHT 703 yards, 055.4° from front light	29-10-39.735N 095-06-21.346W	Iso W 6s	32		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
37015	- Buoy 3	29-10-10.719N 095-07-06.809W				Green can with yellow square.	
37020	- Buoy 4	29-10-12.896N 095-07-08.533W				Red nun with yellow triangle.	
37025	- Buoy 5	29-10-02.974N 095-07-19.523W				Green can with yellow square.	
37030	- Buoy 7	29-09-54.554N 095-07-32.923W				Green can with yellow square.	
37035	- Buoy 8	29-09-57.438N 095-07-35.083W				Red nun with yellow triangle.	
Chocolate Bayou Channel							
37040	- North Entrance Junction Buoy E	29-09-47.142N 095-07-52.905W				Red nun with green band.	
37045	Chocolate Bay Buoy 10	29-09-51.865N 095-07-46.361W				Red nun.	
37050	Chocolate Bay ou West Channel Buoy 1	29-09-43.073N 095-08-08.634W				Green can.	
37055	- Buoy 1	29-09-50.555N 095-07-58.446W				Green can.	
37060	- Buoy 2	29-09-53.548N 095-07-55.514W				Red nun.	
37065	Chocolate Bay ou West Channel Buoy 2	29-09-42.052N 095-08-06.110W				Red nun.	
37070	Chocolate Bay ou Junction Buoy C	29-09-52.607N 095-08-04.509W				Green can with red band.	
37075	- Buoy 4	29-09-56.783N 095-08-01.456W				Red nun.	
37080	Chocolate Bay ou West Channel Buoy 3	29-09-53.698N 095-08-07.204W				Green can.	
37085	- LIGHT 5	29-10-09.694N 095-08-12.381W	FI G 2.5s	17	3	SG on pile.	Ra ref.
37090	- INNER RANGE A FRONT LIGHT	29-11-00.768N 095-08-24.799W	Q W	25		KRW on skeleton tower on pile.	Visible all around; higher intensity on rangeline.
37095	- INNER A RANGE REAR LIGHT 600 yards, 345.7° from front light.	29-11-18.029N 095-08-29.817W	Iso W 6s	36		KRW on skeleton tower on pile.	Visible all around; higher intensity on rangeline.
37100	- LIGHT 6	29-10-09.156N 095-08-09.090W	FI R 2.5s	17	3	TR on pile.	Ra ref.
37105	- Buoy 7	29-10-21.968N 095-08-15.080W				Green can.	
37110	- Buoy 8	29-10-22.096N 095-08-12.164W				Red nun.	
37115	- LIGHT 9	29-10-38.256N 095-08-20.764W	Q G	17	3	SG on pile.	Ra ref.
37120	- OUTER RANGE FRONT LIGHT 745 yards, 142.8° from front light.	29-10-27.236N 095-08-06.671W	Q W	25		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
37125	- OUTER RANGE REAR LIGHT 745 yards, 142.8° from front light.	29-10-09.625N 095-07-51.424W	Iso W 6s	40		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
37130	- LIGHT 10	29-10-39.981N 095-08-18.460W	Q R	17	3	TR on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
GALVESTON BAY TO CEDAR LAKES (Chart 11322)							
Galveston-Freeport							
Chocolate Bayou Channel							
37135	- LIGHT 12	29-10-49.649N 095-08-24.797W	FI R 4s	17	3	TR on pile.	Ra ref.
37140	- LIGHT 13	29-10-47.348N 095-08-26.300W	FI G 4s	17	3	SG on pile.	Ra ref.
37145	- LIGHT 15	29-11-03.351N 095-08-39.339W	FI G 2.5s	17	3	SG on pile.	Ra ref.
37150	- LIGHT 16	29-11-04.350N 095-08-37.216W	FI R 2.5s	17	3	TR on pile.	Ra ref.
37155	- LIGHT 17	29-11-19.078N 095-08-53.074W	FI G 6s	17	3	SG on pile.	Ra ref.
37160	- LIGHT 18	29-11-20.572N 095-08-51.277W	FI R 6s	17	3	TR on pile.	Ra ref.
37165	- Buoy 19	29-11-34.825N 095-09-07.910W				Green can.	
37170	- Buoy 20	29-11-36.184N 095-09-05.419W				Red nun.	
37175	- Buoy 21	29-11-44.038N 095-09-18.742W				Green can.	
37180	- Buoy 22	29-11-45.865N 095-09-16.747W				Red nun.	
37185	- Buoy 23	29-11-47.736N 095-09-25.392W				Green can.	
37190	- Buoy 24	29-11-49.865N 095-09-23.747W				Red nun.	
37195	- Buoy 25	29-11-50.340N 095-09-32.305W				Green can.	
37200	- Buoy 26	29-11-52.865N 095-09-30.747W				Red nun.	
37205	- Buoy 27	29-11-53.115N 095-09-49.138W				Green can.	
37210	- Buoy 28	29-11-55.359N 095-09-48.018W				Red nun.	
37215	- Day beacon 30	29-11-57.368N 095-10-03.561W				TR on pile.	
37220	- Buoy 31	29-11-56.339N 095-10-19.977W				Green can.	
37225	- Buoy 32	29-11-58.864N 095-10-19.749W				Red nun.	
37230	- Day beacon 34	29-12-04.719N 095-10-33.650W				TR on pile.	
37235	- Buoy 35	29-12-09.824N 095-10-53.365W				Green can.	
37240	- Buoy 36	29-12-11.529N 095-10-51.865W				Red nun.	
37245	- Buoy 37	29-12-20.778N 095-11-19.211W				Green can.	
37250	- Buoy 38	29-12-22.877N 095-11-18.172W				Red nun.	
37255	- LIGHT 39	29-12-31.490N 095-11-44.439W	FI G 4s	17	4	SG on pile.	
37260	- LIGHT 40	29-12-34.252N 095-11-42.663W	FI R 4s	17	3	TR on pile.	
37265	- Day beacon 42	29-12-53.060N 095-12-40.755W				TR on pile.	
37270	- Day beacon 43	29-13-00.720N 095-12-53.283W				SG on pile.	
37275	- Day beacon 44	29-13-27.406N 095-13-02.037W				TR on pile.	
37280	- Day beacon 45	29-13-33.923N 095-13-05.923W				SG on pile.	
Chocolate Bay							
37285	- Buoy 9	29-09-47.435N 095-07-44.678W				Green can with yellow square.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
GALVESTON BAY TO CEDAR LAKES (Chart 11322)							
Galveston-Freeport							
Chocolate Bay							
37290	- Buoy 11	29-09-38.505N 095-07-59.299W				Green can with yellow square.	
37295	- Buoy 13	29-09-29.648N 095-08-14.034W				Green can with yellow square.	
37300	- Junction Buoy W	29-09-34.267N 095-08-13.483W				Red nun with green band.	
37305	- Buoy 15	29-09-18.142N 095-08-32.970W				Green can with yellow square.	
37310	- Buoy 17	29-09-09.254N 095-08-48.027W				Green can with yellow square.	
37315	- Buoy 18	29-09-11.609N 095-08-49.996W				Red nun with yellow triangle.	
37320	- Buoy 19	29-09-01.469N 095-09-00.701W				Green can with yellow square.	
37325	- Buoy 21	29-08-52.640N 095-09-15.480W				Green can with yellow square.	
37330	- Buoy 22	29-08-54.887N 095-09-16.804W				Red nun with yellow triangle.	
37335	- Buoy 23	29-08-44.291N 095-09-29.525W				Green can with yellow square.	
37340	- B RANGE FRONT LIGHT	29-08-36.281N 095-09-45.326W	Q W	15		KRW-I on tower.	For westbound traffic. Visible all around; higher intensity on rangeline.
37345	- B RANGE REAR LIGHT 699 yards, 235.4° from front light.	29-08-24.487N 095-10-04.801W	Iso W 6s	30		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
Oyster Lake							
37350	- Day beacon 1	29-07-46.475N 095-10-32.336W				SG-SY on pile.	
37355	- Buoy 2	29-07-37.873N 095-10-46.339W				Red nun with yellow triangle.	
37360	- Day beacon 3	29-07-34.935N 095-10-44.720W				SG-SY on pile.	
37365	- Buoy 4	29-07-29.690N 095-10-55.483W				Red nun with yellow triangle.	
37370	- Day beacon 5	29-07-21.382N 095-10-59.735W				SG-SY on pile.	
37375	BRAZORIA WILDLIFE REFUGE WAVE BARRIER LIGHT	29-04-57.430N 095-12-24.580W	FI R 2.5s			On wave barrier.	Private aid.
Galveston-Freeport							
37380 26960	FREEPORT ENTRANCE LIGHT 12	28-56-39.607N 095-18-21.359W	Q R	17	4	TR-SY on pile.	Ra ref.
Freeport - Port O' Connor							
Brazos River Crossing							
37395	- LIGHT 2	28-53-48.575N 095-23-01.367W	FI R 4s	17	4	TR-TY on tower on mud sill.	
37400	- LIGHT 4	28-53-48.550N 095-23-10.088W	FI R 4s	20	4	TR-TY on tower on mud sill.	
CLEAR LAKES TO ESPIRITU SANTO BAY (Chart 11319)							
Freeport - Port O' Connor							
Matagorda Bay							
37405	- LIGHT 2	28-36-33.253N 096-10-10.152W	Q R	17	5	TR-TY on pile.	Ra ref.
37410	- LIGHT 3	28-35-41.737N 096-10-47.279W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
37415	- Buoy 5	28-35-29.989N 096-10-57.183W				Green can with yellow square.	
37420	- Buoy 6	28-35-31.311N 096-10-59.371W				Red nun with yellow triangle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
CLEAR LAKES TO ESPIRITU SANTO BAY (Chart 11319)							
Freeport - Port O' Connor							
Matagorda Bay							
37425	- Buoy 7	28-35-17.606N 096-11-06.435W				Green can with yellow square.	
37430	- Buoy 8	28-35-18.931N 096-11-08.624W				Red nun with yellow triangle.	
37435	- Buoy 9	28-35-05.223N 096-11-15.688W				Green can with yellow square.	
37440	- Buoy 10	28-35-06.548N 096-11-17.876W				Red nun with yellow triangle.	
37445	- LIGHT 11 90 feet outside channel limit.	28-34-52.346N 096-11-24.097W	FI G 2.5s	17	3	SG-SY on pile.	
37450	- Buoy 12	28-34-54.164N 096-11-27.128W				Red nun with yellow triangle.	
37455	- Buoy 13	28-34-40.456N 096-11-34.190W				Green can with yellow square.	
37460	- Buoy 14	28-34-41.781N 096-11-36.379W				Red nun with yellow triangle.	
37465	- Buoy 15	28-34-28.072N 096-11-43.441W				Green can with yellow square.	
37470	- Buoy 16	28-34-29.397N 096-11-45.630W				Red nun with yellow triangle.	
37475	- Buoy 17	28-34-15.689N 096-11-52.693W				Green can with yellow square.	
37495	- LIGHT 19 90 feet outside channel limit.	28-34-02.813N 096-12-01.102W	FI G 4s	17	4	SG-SY on pile.	
37500	- Buoy 21	28-33-50.922N 096-12-11.193W				Green can with yellow square.	
37505	- Buoy 23	28-33-38.539N 096-12-20.444W				Green can with yellow square.	
37510	- Buoy 25	28-33-26.156N 096-12-29.693W				Green can with yellow square.	
37540	- LIGHT 27 90 feet outside the channel limit.	28-33-13.279N 096-12-38.101W	FI G 2.5s	17	3	SG-SY on pile.	
37545	- Buoy 29	28-33-01.389N 096-12-48.192W				Green can with yellow square.	
Matagorda Bay - Alternate Route							
37550	- LIGHT 2	28-32-39.618N 096-13-28.818W	FI R 4s	17	4	TR-TY on pile.	Ra ref.
37555	- Day beacon 2A	28-32-00.270N 096-14-39.440W				TR-TY on pile.	
37565	- LIGHT 4	28-31-22.832N 096-15-46.258W	FI R 6s	17	4	TR-TY on pile.	
37570	- Day beacon 4A	28-30-41.860N 096-17-02.310W				TR-TY on pile.	
37580	- LIGHT 6	28-30-03.092N 096-18-13.746W	Q R	17	4	TR-TY on pile.	
37585	- Day beacon 6A	28-29-44.290N 096-19-13.440W				TR-TY on pile.	
37595	- LIGHT 8	28-29-25.446N 096-20-13.245W	FI R 4s	17	4	TR-TY on pile.	
37600	- Day beacon 8A	28-29-07.991N 096-21-10.310W				TR-TY on pile.	Ra ref.
37605	- Buoy 9	28-28-41.957N 096-22-01.022W				Green can with yellow square.	
37610	- LIGHT 10	28-28-49.036N 096-22-09.054W	FI R 2.5s	17	4	TR-TY on pile.	
37615	- Buoy 11	28-28-30.711N 096-22-17.401W				Green can with yellow square.	
37620	- Buoy 12	28-28-23.745N 096-22-26.215W				Red nun with yellow triangle.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
CLEAR LAKES TO ESPIRITU SANTO BAY (Chart 11319)							
Freeport - Port O' Connor							
Matagorda Bay - Alternate Route							
37625	- LIGHT 13 25 feet outside channel limit.	28-28-04.456N 096-22-34.700W	FI G 6s	17	4	SG-SY on pile.	
37630	- Buoy 13A	28-27-57.329N 096-22-39.923W				Green can with yellow square.	
37635.01	- <i>Lighted Buoy 14</i>	28-28-07.220N 096-22-37.944W	FI R 6s		4		Red.
37640	- Buoy 15	28-27-34.721N 096-22-54.924W				Green can with yellow square.	
37645	- Buoy 16	28-27-36.392N 096-22-58.057W				Red nun with yellow triangle.	
37650	- Buoy 17	28-27-20.392N 096-23-04.330W				Green can with yellow square.	
37655	- Buoy 18	28-27-10.965N 096-23-15.076W				Red nun with yellow triangle.	
37660	- Buoy 20	28-26-58.993N 096-23-21.225W				Red nun with yellow triangle.	
Matagorda Bay							
37665	MATAGORDA BAY LIGHT 30	28-32-54.991N 096-13-02.190W	Q R	17	3	TR on pile.	
37670	HALFMOON REEF LIGHT	28-32-20.672N 096-15-30.867W	FI W 4s	30	5	NR on skeleton tower on piles.	Ra ref.
37675	<i>The Nature Conservancy Halfmoon Reef Lighted Danger Buoy</i>	28-34-18.813N 096-14-08.396W	FI W 2.5s			Marks reef perimeter.	Private aid.
37675.01	<i>The Nature Conservancy Halfmoon Reef Lighted Danger Buoy</i>	28-34-07.787N 096-14-18.338W	FI W 2.5s			Marks reef perimeter.	Private aid.
37675.02	<i>The Nature Conservancy Halfmoon Reef Lighted Danger Buoy</i>	28-33-56.968N 096-14-28.968W	FI W 2.5s			Marks reef perimeter.	Private aid.
37675.03	<i>The Nature Conservancy Halfmoon Reef Lighted Danger Buoy</i>	28-34-15.692N 096-13-59.352W	FI W 2.5s			Marks reef perimeter.	Private aid.
37675.04	<i>The Nature Conservancy Halfmoon Reef Lighted Danger Buoy</i>	28-34-04.928N 096-14-09.614W	FI W 2.5s			Marks reef perimeter.	Private aid.
37675.05	<i>The Nature Conservancy Halfmoon Reef Lighted Danger Buoy</i>	28-33-53.847N 096-14-19.472W	FI W 2.5s			Marks reef perimeter.	Private aid.
MATAGORDA BAY (Chart 11317)							
Palacios Channel							
37695	- Day beacon 6 90 feet outside channel limit.	28-30-21.569N 096-18-07.440W				TR on pile.	Ra ref.
37700	- LIGHT 8 60 feet outside channel limit.	28-30-47.542N 096-18-17.889W	FI R 4s	17	3	TR on pile.	Ra ref.
37705	- Day beacon 10 90 feet outside channel limit.	28-31-27.377N 096-18-33.198W				TR on pile.	Ra ref.
37710	- Day beacon 12 90 feet outside channel limit.	28-32-00.280N 096-18-46.080W				TR on pile.	Ra ref.
37715	- LIGHT 13	28-32-11.027N 096-18-52.060W	Q G	17	4	SG on pile.	Ra ref.
37720	- LIGHT 14 90 feet outside channel limit.	28-32-21.050N 096-18-44.638W	Q R	17	4	TR on pile.	Ra ref.
37725	- Day beacon 16 90 feet outside channel limit.	28-32-57.312N 096-18-24.667W				TR on pile.	Ra ref.
37730	- LIGHT 18 60 feet outside channel limit.	28-33-33.572N 096-18-04.693W	FI R 2.5s	17	3	TR on dolphin.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
MATAGORDA BAY (Chart 11317)							
Palacios Channel							
37735	- Day beacon 20 90 feet outside channel limit.	28-34-09.832N 096-17-44.714W				TR on pile.	Ra ref.
37740	- LIGHT 22 90 feet outside channel limit.	28-34-46.091N 096-17-24.732W	FI R 4s	17	4	TR on pile.	Ra ref.
37745	- Day beacon 24	28-35-22.349N 096-17-04.746W				TR on pile.	Ra ref.
37750	- LIGHT 26 90 feet outside channel limit.	28-35-58.606N 096-16-44.756W	FI R 6s	17	4	TR on pile.	Ra ref.
37755	- Day beacon 28	28-36-34.862N 096-16-24.763W				TR on pile.	Ra ref.
37760	- LIGHT 30	28-37-11.117N 096-16-04.766W	FI R 2.5s	17	3	TR on pile.	Ra ref.
37765	- LIGHT 32 90 feet outside channel limit.	28-37-37.824N 096-15-50.032W	FI R 6s	17	4	TR on pile.	Ra ref.
37770	- LIGHT 34	28-38-04.531N 096-15-35.297W	FI R 4s	17	3	TR on pile.	Ra ref.
37775	- LIGHT 36	28-38-31.237N 096-15-20.556W	FI R 2.5s	17	4	TR on pile.	Ra ref.
37780	- LIGHT 38	28-38-57.942N 096-15-05.819W	FI R 6s	17	4	TR on pile.	Ra ref.
37785	- LIGHT 40	28-39-24.647N 096-14-51.077W	FI R 4s	17	4	TR on pile.	Ra ref.
37790	- LIGHT 42	28-39-51.351N 096-14-36.334W	FI R 2.5s	17	3	TR on pile.	Ra ref.
37795	- LIGHT 44	28-40-18.055N 096-14-21.588W	FI R 6s	17	4	TR on pile.	Ra ref.
37805	- LIGHT 46	28-40-51.226N 096-14-03.333W	FI R 4s	17	3	TR on pile.	Ra ref.
37810	- LIGHT 48	28-41-11.462N 096-13-52.090W	FI R 6s	17	4	TR on pile.	Ra ref.
37815	- LIGHT 49	28-41-46.645N 096-13-36.061W	FI G 2.5s	17	4	SG on dolphin.	Ra ref.
37820	- LIGHT 50 60 feet outside channel limit.	28-41-43.981N 096-13-34.453W	FI R 2.5s	17	3	TR on pile.	Ra ref.
Freeport - Port O' Connor							
Matagorda Bay							
37855	- Buoy 111	28-27-12.442N 096-22-01.925W				Green can with yellow square.	
37860	- Buoy 112	28-27-13.887N 096-22-10.542W				Red nun with yellow triangle.	
37865	- Buoy 113	28-27-07.082N 096-22-17.028W				Green can with yellow square.	
37880	- Buoy 115	28-27-01.566N 096-22-32.547W				Green can with yellow square.	
37885	- Buoy 117	28-26-55.832N 096-22-48.192W				Green can with yellow square.	
37890	- LIGHT 118	28-27-01.121N 096-22-50.378W	FI R 2.5s	17	4	TR-TY on pile.	
37895	- Buoy 119	28-26-50.532N 096-23-03.584W				Green can with yellow square.	
37900	- Buoy 121	28-26-41.540N 096-23-27.670W				Green can with yellow square.	
Port O' Connor Channel							
37905	- LIGHT 1	28-26-37.262N 096-23-39.037W	Q G	20	5	SG-SY on skeleton tower.	Higher intensity beam up and down channel.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
MATAGORDA BAY (Chart 11317)							
Freeport - Port O' Connor							
Port O' Connor Channel							
37910	- LIGHT 2	28-26-44.661N 096-23-42.358W	Q R	23	5	TR-TY on skeleton tower.	Higher intensity beam up and down channel.
37915	- Buoy 4	28-26-38.082N 096-23-52.094W				Red nun with yellow triangle.	
37920	- Buoy 5	28-26-31.222N 096-24-04.698W				Green can with yellow square.	
37925	- Buoy 6	28-26-33.691N 096-24-05.640W				Red nun with yellow triangle.	
37928	CARACOL MARINA DOLPHIN LIGHTS (5)	28-26-33.302N 096-24-08.354W	Fl W 2.5s			Marks marina dolphins.	Private aid.
37928.01	Caracol Marina Day beacon 1	28-26-32.702N 096-24-10.061W				SG on pile. Marks port side marina entry.	Private aid.
37928.02	Caracol Marina Day beacon 2	28-26-32.394N 096-24-10.969W				TR on pile. Marks starboard side marina entry.	Private aid.
ESPIRITU SANTO BAY TO CARLOS BAY (Chart 11315)							
Port O' Connor - Corpus Christi							
Espiritu Santo Bay Ferry Channel							
37935	- Day beacon 3	28-24-25.868N 096-28-45.774W				SG on pile.	Ra ref.
37940	- Day beacon 5	28-24-18.696N 096-28-48.793W				SG on pile.	Ra ref.
37945	- Day beacon 7	28-24-10.697N 096-28-51.115W				SG on pile.	Ra ref.
37950	- Day beacon 9	28-24-02.012N 096-28-53.114W				SG on pile.	Ra ref.
37955	- Day beacon 11	28-23-29.483N 096-29-01.580W				SG on pile.	Ra ref.
37960	- Day beacon 13	28-22-53.214N 096-29-10.905W				SG on pile.	Ra ref.
37970.01	- Day beacon 17	28-21-40.724N 096-29-29.361W				SG on pile.	Ra ref.
37985	- Day beacon 23	28-20-33.518N 096-28-12.415W				SG on pile.	Ra ref.
37990.01	- Day beacon 24	28-20-17.518N 096-27-58.915W				TR on pile.	Ra ref.
37995	- Day beacon 25	28-20-19.515N 096-27-55.913W				SG on pile.	Ra ref.
38000	- Day beacon 27	28-20-11.518N 096-27-52.915W				SG on pile.	Ra ref.
Port O' Connor Landcut							
38005	- Day beacon 2	28-24-21.622N 096-29-22.672W				TR-TY on pile.	Ra ref.
38010	- Day beacon 4	28-23-23.681N 096-31-33.378W				TR-TY on pile.	Ra ref.
38015	- Day beacon 4A	28-22-56.841N 096-32-32.753W				TR-TY on pile.	Ra ref.
38020	- Day beacon 6	28-22-37.853N 096-33-15.920W				TR-TY on pile.	Ra ref.
38025	- Day beacon 6A	28-22-09.250N 096-34-13.297W				TR-TY on pile.	Ra ref.
38030	- Day beacon 6B	28-21-34.320N 096-35-22.195W				TR-TY on pile.	Ra ref.
38035	- Day beacon 8	28-21-08.750N 096-36-11.276W				TR-TY on pile.	Ra ref.
38040	- Day beacon 10	28-20-40.546N 096-37-05.053W				TR-TY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
ESPIRITU SANTO BAY TO CARLOS BAY (Chart 11315)							
Port O' Connor - Corpus Christi							
Port O' Connor Landcut							
38045	- Day beacon 10A	28-20-09.395N 096-38-02.274W				TR-TY on pile.	Ra ref.
38050	- Day beacon 12	28-19-45.881N 096-38-45.694W				TR-TY on pile.	Ra ref.
38055	- Day beacon 14	28-19-17.804N 096-39-40.162W				TR-TY on pile.	Ra ref.
38060	- Day beacon 15	28-18-53.365N 096-40-16.212W				SG-SY on pile.	Ra ref.
Victoria East Entrance Channel							
<i>Channel aids located 20 to 70 feet outside channel limit.</i>							
38065	- Junction Buoy A	28-18-53.453N 096-40-22.433W				Red nun with green band and yellow triangle.	
38070	- Buoy 2E	28-18-56.305N 096-40-20.427W				Red nun.	
38075	- Buoy 4E	28-18-55.722N 096-40-28.555W				Red nun.	
38080	- Buoy 5E	28-18-55.438N 096-40-37.379W				Green can.	
38085	- Buoy 6E	28-19-00.080N 096-40-44.389W				Red nun.	
Victoria Channel							
<i>Channel aids are located 20 to 70 feet outside channel limits.</i>							
38090	- Junction Buoy C	28-18-58.049N 096-40-45.175W				Green can with red band.	
38095	- Buoy 7	28-19-05.331N 096-40-53.211W				Green can.	
38100	- Buoy 8	28-19-06.125N 096-40-50.908W				Red nun.	
38105	- Buoy 9	28-19-16.505N 096-41-01.835W				Green can.	
38110	- Buoy 10	28-19-28.855N 096-41-09.728W				Red nun.	
38115	- LIGHT 11	28-19-39.006N 096-41-21.015W	FI G 2.5s	17	3	SG on pile.	Ra ref.
38120	- Buoy 13	28-19-48.910N 096-41-28.766W				Green can.	
38125	- Buoy 14	28-19-58.296N 096-41-33.594W				Red nun.	
38130	- Buoy 15	28-20-06.800N 096-41-43.606W				Green can.	
38135	- LIGHT 16	28-20-17.449N 096-41-49.091W	FI R 2.5s	17	3	TR on pile.	Ra ref.
38140	- Buoy 17	28-20-24.918N 096-41-58.422W				Green can.	
38145	- Buoy 18	28-20-34.518N 096-42-03.720W				Red nun.	
38150	- Buoy 19	28-20-42.775N 096-42-13.273W				Green can.	
38155	- LIGHT 21	28-20-52.714N 096-42-22.030W	FI G 4s	17	4	SG on pile.	Ra ref.
38160	- LIGHT 22	28-21-06.436N 096-42-27.076W	FI R 4s	17	3	TR on pile.	Ra ref.
38165	- Buoy 23	28-21-05.352N 096-42-29.277W				Green can.	
38170	- Buoy 25	28-21-17.650N 096-42-37.014W				Green can.	
38175	- Day beacon 27	28-21-29.564N 096-42-45.561W				SG on pile.	Ra ref.
38180	- Buoy 29	28-21-42.245N 096-42-52.491W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
ESPIRITU SANTO BAY TO CARLOS BAY (Chart 11315)							
Port O'Connor - Corpus Christi							
Victoria Channel							
<i>Channel aids are located 20 to 70 feet outside channel limits.</i>							
38185	- LIGHT 30	28-21-47.402N 096-42-52.853W	FI R 6s	17	4	TR on pile.	Ra ref.
38190	- Buoy 31	28-21-54.553N 096-43-00.231W				Green can.	
38195	- Day beacon 33	28-22-06.373N 096-43-08.864W				SG on pile.	Ra ref.
38200	- Buoy 35	28-22-19.138N 096-43-15.711W				Green can.	
38205	- Buoy 37	28-22-31.435N 096-43-23.451W				Green can.	
38210	- LIGHT 38	28-22-38.668N 096-43-25.121W	FI R 4s	17	3	TR on pile.	Ra ref.
38215	- Buoy 39	28-22-43.732N 096-43-31.193W				Green can.	
38220	- Buoy 41	28-22-56.029N 096-43-38.934W				Green can.	
38225	- Buoy 42	28-23-07.876N 096-43-44.633W				Red nun.	
38230	- LIGHT 43	28-23-20.217N 096-43-55.371W	FI G 2.5s	17	3	SG on pile.	Ra ref.
38235	- Buoy 44	28-23-21.426N 096-43-53.078W				Red nun.	
38240	- Buoy 46	28-23-34.693N 096-44-01.516W				Red nun.	
38245	- Buoy 47	28-23-43.450N 096-44-08.793W				Green can.	
38250	- Buoy 49	28-23-54.864N 096-44-15.982W				Green can.	
38255	- LIGHT 50	28-24-01.850N 096-44-17.428W	FI R 4s	17	3	TR on pile.	Ra ref.
38260	- Buoy 51	28-24-06.277N 096-44-23.170W				Green can.	
38265	- Buoy 53	28-24-17.690N 096-44-30.358W				Green can.	
38270	- LIGHT 55	28-24-28.645N 096-44-38.537W	FI G 4s	17	4	SG on pile.	Ra ref.
38275	- Buoy 56	28-24-29.874N 096-44-35.984W				Red nun.	
38280	- LIGHT 58	28-24-41.600N 096-44-42.537W	FI R 6s	17	4	TR on pile.	Ra ref.
Seadrift Channel							
38285	Seadrift South Entrance Channel Day beacon 1S	28-23-15.174N 096-43-46.983W				SG on pile.	
38290	Seadrift South Entrance Channel Day beacon 2S	28-23-18.923N 096-43-43.647W				TR on pile.	
38295	- Junction Day beacon C	28-23-27.089N 096-43-41.413W				JG on pile.	
38300	- Buoy 4	28-23-28.727N 096-43-34.897W				Red nun.	
38305	- LIGHT 6 30 feet outside channel limit.	28-23-42.930N 096-43-05.832W	FI R 4s	17	3	TR on pile.	Ra ref.
38310	- Day beacon 8	28-23-54.750N 096-42-41.604W				TR on pile.	Ra ref.
38315	CITY OF SEADRIFT BREAKWATER LIGHT	28-24-18.000N 096-42-43.000W	FI R 2.5s	10		On concrete slab.	Private aid.
38320	Seadrift North Entrance Channel Day beacon 2N	28-23-28.528N 096-43-55.133W				TR on pile.	
38325	Seadrift North Entrance Channel Day beacon 3N	28-23-29.961N 096-43-53.419W				SG on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
ESPIRITU SANTO BAY TO CARLOS BAY (Chart 11315)							
Port O'Connor - Corpus Christi							
Victoria West Entrance Channel							
38330	- Buoy 2W	28-18-35.532N 096-40-49.053W				Red nun with yellow triangle.	
38335	- Buoy 1W	28-18-34.170N 096-40-51.988W				Green can.	
38340	- Buoy 3W	28-18-45.388N 096-40-47.632W				Green can.	
38345	- Buoy 4W	28-18-49.687N 096-40-45.264W				Red nun.	
38350	- Buoy 5W	28-18-57.807N 096-40-47.944W				Green can	
San Antonio Bay							
38355.01	- Day beacon 1	28-18-46.399N 096-40-28.533W				SG on pile.	Ra ref.
38360	- LIGHT 2 90 feet outside channel limit.	28-18-46.836N 096-40-36.136W	Q R	17	4	TR-TY on pile.	Ra ref.
38365.01	- Day beacon 3	28-18-24.184N 096-41-00.751W				SG-SY on pile.	Ra ref.
38375.01	- Day beacon 4	28-18-14.876N 096-41-20.720W				TR-TY on pile.	Ra ref.
38385	- LIGHT 5 90 feet outside channel limit.	28-17-57.455N 096-41-37.889W	FI G 2.5s	17	4	SG-SY on pile.	Ra ref.
38390	- Day beacon 6	28-18-00.104N 096-41-40.071W				TR-TY on pile.	
38395	- Buoy 7	28-17-46.072N 096-41-54.774W				Green can with yellow square.	
38400.01	- Day beacon 9	28-17-34.694N 096-42-10.405W				SG on pile.	Ra ref.
38410	- LIGHT 11 90 feet outside channel limit.	28-17-11.255N 096-42-42.301W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
38415.01	- Day beacon 12	28-17-13.822N 096-42-44.610W				TR on pile.	Ra ref.
38425.01	- Day beacon 13	28-16-48.947N 096-43-14.617W				SG on pile.	Ra ref.
38435	- LIGHT 15 90 feet outside channel limit.	28-16-24.955N 096-43-47.914W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
38440	- Day beacon 16	28-16-27.721N 096-43-50.218W				TR-TY on pile.	
38450.01	- Day beacon 17	28-16-01.487N 096-44-20.778W				SG on pile.	Ra ref.
38455	- PIPELINE LIGHT A	28-16-07.550N 096-44-18.130W	FI Y 2.5s	12		NR on dolphin worded WARNING DO NOT ANCHOR OR DREDGE PIPELINE CROSSING.	Private aid.
38460	- PIPELINE LIGHT B	28-16-02.920N 096-44-13.920W	FI Y 2.5s	12		NR on dolphin worded WARNING DO NOT ANCHOR OR DREDGE PIPELINE CROSSING.	Private aid.
38470	- LIGHT 19 90 feet outside channel limit.	28-15-38.746N 096-44-52.832W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
38475.01	- Day beacon 20	28-15-41.195N 096-44-55.758W				TR on pile.	Ra ref.
38485.01	- Day beacon 21	28-15-17.381N 096-45-22.838W				SG on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
ESPIRITU SANTO BAY TO CARLOS BAY (Chart 11315)							
Port O'Connor - Corpus Christi							
San Antonio Bay							
38495	- LIGHT 23 90 feet outside channel limit.	28-14-52.528N 096-45-57.735W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
38500	- Day beacon 24	28-14-55.358N 096-46-00.406W				TR-TY on pile.	Ra ref.
38510.01	- Day beacon 25	28-14-22.154N 096-46-41.115W				SG on pile.	Ra ref.
38520	- LIGHT 27 90 feet outside channel limit.	28-14-06.411N 096-47-02.796W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
38530.01	- Day beacon 28	28-14-01.447N 096-47-15.265W				TR on pile.	Ra ref.
38540	- LIGHT 29 90 feet outside channel limit.	28-13-23.547N 096-48-02.610W	FI G 2.5s	17	4	SG-SY on pile.	Ra ref.
38545.01	- Day beacon 30	28-13-17.226N 096-48-17.630W				TR on pile.	Ra ref.
38550.01	- Day beacon 31	28-13-06.002N 096-48-28.542W				SG on pile.	Ra ref.
38555.01	- Day beacon 32	28-13-02.434N 096-48-39.817W				TR on pile.	Ra ref.
38560.01	- Day beacon 33	28-12-49.832N 096-48-51.036W				SG on pile.	Ra ref.
38565	- LIGHT 34	28-12-43.072N 096-49-04.953W	Q R	17	4	TR-TY on pile.	Ra ref.
38570.01	- Day beacon 35	28-12-31.428N 096-49-10.332W				SG on pile.	Ra ref.
38575.01	- Day beacon 36	28-12-25.226N 096-49-20.021W				TR on pile.	Ra ref.
38580.01	- Day beacon 37	28-12-14.417N 096-49-24.675W				SG on pile.	Ra ref.
38585	- LIGHT 39	28-12-05.485N 096-49-32.654W	Q G	17	4	SG-SY on pile.	Ra ref.
38590.01	- Day beacon 40	28-11-45.748N 096-50-05.806W				TR on pile.	Ra ref.
Sundown Bay							
38595	- Buoy 1	28-11-30.531N 096-50-22.082W				Green can with yellow square.	
38600	- Buoy 3	28-11-21.297N 096-50-35.212W				Green can with yellow square.	
38605	- Day beacon 4 150 feet outside channel limit.	28-11-23.880N 096-50-37.145W				TR-TY on pile.	Ra ref.
38610	- Buoy 5	28-11-12.063N 096-50-48.340W				Green can with yellow square.	
38615	- LIGHT 7	28-11-02.324N 096-51-01.017W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
38620	- Day beacon 8 150 feet outside channel limit.	28-11-05.155N 096-51-03.552W				TR-TY on pile.	Ra ref.
38625	- Buoy 9	28-10-53.594N 096-51-14.596W				Green can with yellow square.	
38630	- Buoy 11	28-10-44.358N 096-51-27.723W				Green can with yellow square.	
38635	- Day beacon 12 150 feet outside channel limit.	28-10-46.838N 096-51-29.366W				TR-TY on pile.	Ra ref.
38640	- Buoy 13	28-10-35.123N 096-51-40.849W				Green can with yellow square.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
CARLOS BAY TO REDFISH BAY (Chart 11314)							
Port O'Connor - Corpus Christi							
Aransas Bay							
38645	- LIGHT 1 90 feet outside channel limit.	28-08-01.955N 096-54-40.251W	FI G 2.5s	17	3	SG on pile.	Ra ref.
38650	- Buoy 2	28-07-53.739N 096-54-51.332W				Red nun with yellow triangle.	
38665	- Buoy 4	28-07-16.303N 096-55-23.716W				Red nun with yellow triangle.	
38670	- LIGHT 5	28-07-04.655N 096-55-29.488W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
38685	- Day beacon A	28-06-20.440N 096-54-44.282W				NR on pile.	
38687	- Day beacon 7	28-06-40.955N 096-55-49.767W				SG-SY on pile.	Ra ref.
38690	- Buoy 8	28-06-31.856N 096-56-01.326W				Red nun with yellow triangle.	
38700	- LIGHT 9 90 feet outside channel limit.	28-06-07.307N 096-56-18.732W	FI G 2.5s	17	4	SG-SY on pile.	
38705.01	- Day beacon 10	28-06-05.096N 096-56-24.516W				TR-TY on pile.	Ra ref.
38710.01	- Day beacon 11	28-05-32.718N 096-56-48.080W				SG-SY on pile.	Ra ref.
38725	- LIGHT 13 90 feet outside channel limit	28-05-09.903N 096-57-08.096W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
38730.01	- Day beacon 14	28-05-11.745N 096-57-11.161W				TR-TY on pile.	Ra ref.
38735.01	- Day beacon 15	28-04-46.156N 096-57-28.498W				SG-SY on pile.	Ra ref.
38755	- LIGHT 17 90 feet outside channel limit.	28-04-12.256N 096-57-57.045W	FI (2)G 5s	17	4	SG-SY on pile.	Ra ref.
38757	- Day beacon 18	28-04-14.247N 096-58-00.996W				TR-TY on pile.	Ra ref.
38760	- Day beacon C	28-03-25.885N 096-57-19.386W				NR on pile.	
38770	COPANO BAY APPROACH LIGHT 1	28-03-36.258N 097-00-49.309W	FI G 2.5s	17	3	SG on pile.	Ra ref.
38775	COPANO BAY APPROACH LIGHT 2	28-04-58.895N 097-00-36.736W	FI R 4s	17	3	TR on pile.	Ra ref.
38780	COPANO BAY APPROACH LIGHT 3	28-06-26.871N 097-00-40.089W	FI G 4s	17	4	SG on dolphin.	
38785	Aransas County Shellfish Mkr C	28-06-19.000N 097-00-58.000W				NW on pile.	Private aid.
Fulton Channel							
38790	- Day beacon 1	28-03-31.108N 097-01-25.146W				SG on pile.	Ra ref.
38795	- LIGHT 2	28-03-34.594N 097-01-47.528W	FI R 4s	17	3	TR on dolphin.	
38800	- Day beacon 3	28-03-32.842N 097-01-56.264W				SG on pile.	
38805	- LIGHT 4	28-03-34.803N 097-01-57.163W	FI R 6s	17	4	TR on dolphin.	
38810	- Day beacon 5	28-03-34.858N 097-01-58.958W				SG on pile.	
Goose Island Breakwater							
38815	- Danger Day beacon A	28-07-38.700N 096-59-28.900W				NW on pile worded: DANGER BREAKWATER.	Private aid.
38820	- Danger Day beacon B	28-07-38.000N 096-59-39.500W				NW on pile worded: DANGER BREAKWATER.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
CARLOS BAY TO REDFISH BAY (Chart 11314)							
Port O'Connor - Corpus Christi							
Goose Island Breakwater							
38825	- DANGER LIGHT C	28-07-38.700N 096-59-48.200W	FI W 2.5s			NW on pile worded: DANGER BREAKWATER.	Private aid.
38830	- Danger Day beacon D	28-07-40.900N 096-59-56.200W				NW on pile worded: DANGER BREAKWATER.	Private aid.
38835	- DANGER LIGHT E	28-07-44.700N 097-00-02.200W	FI W 2.5s			NW on pile worded: DANGER BREAKWATER.	Private aid.
38840	- Danger Day beacon F	28-07-49.500N 097-00-06.200W				NW on pile worded: DANGER BREAKWATER.	Private aid.
Aransas Bay							
38845.01	- Day beacon 19	28-03-42.248N 096-58-22.289W				SG-SY on pile.	Ra ref.
38860	- LIGHT 21 90 feet outside channel limit.	28-03-14.549N 096-58-47.242W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
38865.01	- Day beacon 22	28-03-16.100N 096-58-51.560W				TR-TY on pile.	Ra ref.
38870.01	- Day beacon 23	28-02-49.177N 096-59-10.113W				SG-SY on pile.	Ra ref.
38875	- PIPELINE MARKER LIGHT A	28-02-40.000N 096-59-20.000W	Q W	10		On pile, worded WARNING DO NOT ANCHOR OR DREDGE-GAS PIPELINE CROSSING.	Private aid.
38880	- PIPELINE MARKER LIGHT B	28-02-35.000N 096-59-15.000W	Q W			On pile, worded WARNINGDO NOT ANCHOR OR DREDGE-GAS PIPELINE CROSSING.	Private aid.
38890.01	- Day beacon 26	28-02-08.096N 096-59-51.581W				TR-TY on pile.	Ra ref.
38895	- LIGHT 25 90 feet outside channel limit.	28-02-11.472N 096-59-44.293W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
38905.01	- Day beacon 27	28-01-40.642N 097-00-11.014W				SG-SY on pile.	Ra ref.
38920	- LIGHT 29 90 feet outside channel limit.	28-01-08.405N 097-00-41.397W	FI G 4s	17	4	SG-SY on pile.	
38925	Nine Mile Point Dump Day beacon 1	28-01-08.318N 097-00-54.523W				SG on pile.	Ra ref.
38927	- Day beacon 30	28-01-21.150N 097-00-37.223W				TR-TY on pile.	Ra ref.
38930	Nine Mile Point Dump Day beacon 2	28-01-12.919N 097-00-50.236W				TR on pile.	
38935	NINE MILE POINT LIGHT NP	28-01-24.771N 097-01-13.733W	FI W 6s	17	5	NR on pile.	Ra ref.
38940	Aransas County Navigaton District Little Bay Day beacons (3)	28-02-48.000N 097-01-57.000W				SG on pile.	Private aid.
38942	Aransas County Day beacon 1	28-03-04.200N 097-01-46.620W				SG on pile.	Private aid.
38942.01	Aransas County Day beacon 2	28-03-04.740N 097-01-46.740W				TR on pile.	Private aid.
38942.02	Aransas County Day beacon 3	28-03-03.540N 097-01-47.340W				SG on pile.	Private aid.
38942.03	Aransas County Day beacon 4	28-03-03.900N 097-01-47.760W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
CARLOS BAY TO REDFISH BAY (Chart 11314)							
Port O'Connor - Corpus Christi							
Krueger Channel							
38945	- LIGHT 1	28-01-43.000N 097-01-50.000W	FI G 4s	20		On dolphin.	Private aid.
38950	- LIGHT 2	28-01-44.000N 097-01-45.000W	FI R 4s	20		On dolphin.	Private aid.
38955	- Day beacon 3	28-01-46.200N 097-01-57.000W				SG on pile.	Private aid.
38960	- Day beacon 4	28-01-45.600N 097-01-51.000W				TR on pile.	Private aid.
38965	- Day beacon 5	28-01-50.400N 097-01-50.400W				SG on pile	Private aid.
38970	- Day beacon 6	28-01-51.000N 097-01-51.000W				TR on pile.	Private aid.
38975	- Day beacon 7	28-01-52.800N 097-01-51.000W				SG on pile.	Private aid.
38980	- Day beacon 8	28-01-52.800N 097-01-51.000W				TR on pile.	Private aid.
Rockport Channel							
38985	- LIGHT 1	28-00-52.481N 097-02-47.808W	FI G 2.5s	17	3	SG on dolphin.	
38990	- Day beacon 3 Marks rock ledge.	28-00-59.907N 097-02-50.457W				SG on pile.	
38995	- Day beacon 5 Marks rock ledge.	28-01-07.593N 097-02-54.057W				SG on pile.	
39000	- LIGHT 6	28-01-11.201N 097-02-53.128W	FI R 4s	17	3	TR on pile.	Ra ref.
39005	- Day beacon 7	28-01-11.109N 097-02-55.173W				SG on pile.	
39010	TEXAS MARITIME MUSEUM LIGHTHOUSE	28-01-34.980N 097-02-54.840W	Q W	43		White building with red roof.	Private aid.
Rockport Smallboat Harbor Channel							
39015	ROCKPORT SMALLBOAT HARBOR JETTY LIGHT 1	28-00-05.030N 097-03-15.930W	FI G 2.5s			SG on dolphin	Private aid.
39020	ROCKPORT SMALLBOAT HARBOR JETTY LIGHT 2	28-00-05.960N 097-03-15.490W	FI R 2.5s			TR on dolphin.	Private aid.
Aransas Bay							
39030	- PIPELINE MARKER LIGHT C	28-00-50.000N 097-01-00.000W	Q W			On pile, worded WARNING DO NOT ANCHOR OR DREDGE-GAS PIPELINE CROSSING.	Private aid.
39035	- PIPELINE MARKER LIGHT D	28-00-40.000N 097-00-45.000W	Q W			On pile worded WARNINGDO NOT ANCHOR OR DREDGE-GAS PIPELINE CROSSING.	Private aid.
39040.01	- Day beacon 31	28-00-34.043N 097-01-11.222W				SG-SY on pile.	Ra ref.
39055	- LIGHT 33	28-00-05.574N 097-01-37.857W	Q G	17	4	SG-SY on pile.	Ra ref.
Aransas-Corpus Christi Bay Cutoff Channel							
39060	- Junction Buoy	28-00-00.728N 097-01-49.101W				Red nun with green band and yellow triangle.	
39065.01	- Day beacon 2	28-00-02.701N 097-02-03.715W				TR-TY on pile.	Ra ref.
39080.01	- Day beacon 3	27-59-43.492N 097-03-00.994W				SG-SY on pile.	Ra ref.
39085.01	- Day beacon 4	27-59-47.112N 097-03-01.436W				TR-TY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
CARLOS BAY TO REDFISH BAY (Chart 11314)							
Port O'Connor - Corpus Christi							
Aransas-Corpus Christi Bay Cutoff Channel							
39090	- LIGHT 5 105 feet outside channel limit.	27-59-34.065N 097-03-38.830W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
39095	- Buoy 8	27-59-33.746N 097-03-53.186W				Red nun with yellow triangle.	
39100.01	- Day beacon 7	27-59-30.672N 097-03-56.189W				SG-SY on pile.	Ra ref.
39105.01	- Day beacon 10	27-59-30.103N 097-04-05.857W				TR-TY on pile.	Ra ref.
39110	- Buoy 9	27-59-27.647N 097-04-06.917W				Green can with yellow square.	
39115	- LIGHT 12	27-59-24.566N 097-04-19.158W	Q R	17	4	TR-TY on pile.	Visible all around; higher intensity beam down channel into Aransas Bay. Ra ref.
39120	- LIGHT 13 60 feet outside channel limit.	27-58-04.125N 097-05-17.612W	FI G 2.5s	17	3	SG-SY on pile.	
39130	- Day beacon 15	27-57-39.351N 097-05-34.698W				SG-SY on pile.	
39135	Mobil Channel Day beacon 1	27-57-00.570N 097-05-00.660W				NG on pile.	Private aid.
39140	Mobil Channel Day beacon 2	27-57-00.580N 097-05-00.650W				NR on pile.	Private aid.
39150	- LIGHT 16	27-57-14.896N 097-05-55.155W	FI R 4s	17	3	TR-TY on pile.	
39155	- Day beacon 17	27-57-01.921N 097-06-00.937W				SG-SY on pile.	Ra ref.
39170	- Day beacon 19	27-56-23.885N 097-06-27.278W				SG-SY on pile.	
39180.01	- Day beacon 20	27-56-05.464N 097-06-43.255W				TR-TY on pile.	Ra ref.
39190	- Day beacon 21	27-55-44.747N 097-06-54.918W				SG-SY on pile.	
39195	- LIGHT 22	27-55-28.527N 097-07-09.568W	Q R	17	3	TR-TY on pile.	Ra ref.
39200	- Buoy 23	27-55-14.175N 097-07-15.639W				Green can with yellow square.	
39205	- Buoy 24	27-55-15.924N 097-07-16.169W				Red nun with yellow triangle.	
39210	- Buoy 25	27-54-33.132N 097-07-38.356W				Green can with yellow square.	
39215	- Buoy 26	27-54-33.481N 097-07-40.681W				Red nun with yellow triangle.	
39225 28290	ARANSAS CHANNEL LIGHT 23 50 feet outside channel limit.	27-53-51.523N 097-08-06.438W	FI G 4s	17	4	SG-TY on pile.	
39230	- Buoy 27	27-53-25.204N 097-08-16.220W				Green can with yellow square.	
39235	- Buoy 28	27-53-26.879N 097-08-18.017W				Red nun with yellow triangle.	
39245	- LIGHT 29	27-52-58.458N 097-08-32.943W	Q G	17	3	SG-SY on pile.	
39250	- Buoy 30	27-52-59.679N 097-08-35.510W				Red nun with yellow triangle.	
39255	- Day beacon 31 50 feet outside channel limit.	27-52-43.266N 097-08-50.558W				SG-SY on pile.	
39265	- Day beacon 33 50 feet outside channel limit.	27-52-22.246N 097-09-19.513W				SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
CARLOS BAY TO REDFISH BAY (Chart 11314)							
Port O'Connor - Corpus Christi							
Aransas-Corpus Christi Bay Cutoff Channel							
39270	- LIGHT 34	27-52-15.105N 097-09-33.009W	Q R	17	3	TR-TY on pile.	
39275	- Day beacon 35	27-51-39.336N 097-09-54.321W				SG-SY on pile.	
39280	- PIPELINE LIGHT A	27-51-30.000N 097-10-03.000W	FI R 4s	20		On piles.	Private aid.
39285	- Day beacon 37	27-51-07.414N 097-10-14.339W				SG-SY on pile.	
San Jose Island Dock Channel							
39290	- Day beacon 1	27-57-21.000N 096-59-42.000W				SG on pile.	Ra ref. Private aid.
39295	- LIGHT 2	27-57-00.200N 096-59-00.700W	FI R 6s			TR on pile.	Ra ref. Private aid.
39300	- Day beacon 3	27-57-14.000N 096-59-41.000W				SG on pile.	Ra ref. Private aid.
39305	- Day beacon 4	27-57-03.000N 096-59-07.000W				TR on pile.	Ra ref. Private aid.
39310	- Day beacon 5	27-57-14.000N 096-59-37.000W				SG on pile.	Ra ref. Private aid.
39315	- Day beacon 6	27-57-03.000N 096-59-07.000W				TR on pile.	Ra ref. Private aid.
39320	- Day beacon 7	27-57-03.000N 096-59-07.000W				SG on pile.	Ra ref. Private aid.
39325	- Day beacon 8	27-57-03.000N 096-59-07.000W				TR on pile.	Ra ref. Private aid.
39330	- Day beacon 9	27-57-03.000N 096-59-07.000W				SG on pile.	Ra ref. Private aid.
39335	- Day beacon 10	27-57-03.000N 096-59-07.000W				TR on pile.	Ra ref. Private aid.
39340	CITY BY THE SEA CHANNEL LIGHT 2	27-57-05.000N 097-06-03.000W	FI R 2.5s	7		TR on pile.	Private aid.
39345	CITY BY THE SEA CHANNEL DAYBEACON 1	27-57-04.000N 097-06-03.000W				SG on pile.	Private aid.
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Port O'Connor - Corpus Christi							
Aransas-Corpus Christi Bay Cutoff Channel							
39355	- Day beacon 39	27-50-34.510N 097-10-35.240W				SG-SY on pile.	
39365	- Day beacon 41	27-50-00.869N 097-10-56.004W				SG-SY on pile.	
CARLOS BAY TO REDFISH BAY (Chart 11314)							
Port O'Connor - Corpus Christi							
Aransas-Corpus Christi Bay Cutoff Channel							
39380.01	- LIGHT 43	27-49-34.189N 097-11-13.763W	FI G 4s	17	3	SG-SY on pile.	Ra ref.
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Port O'Connor - Corpus Christi							
Corpus Christi Bay							
39385	- Buoy 44	27-48-55.683N 097-11-40.185W				Red nun with yellow triangle.	
39390	- WRECK LIGHT 46A Marks submerged pipe.	27-48-43.842N 097-11-47.587W	Q R	17	3	TR-TY on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Port O'Connor - Corpus Christi							
Corpus Christi Bay							
39395	- Day beacon 45 60 feet outside channel limit.	27-48-42.943N 097-11-44.184W				SG-SY on pile.	
39400	- Day beacon 48	27-48-26.593N 097-11-59.847W				TR-TY on pile.	Ra ref.
39405	- Day beacon 49	27-48-10.138N 097-12-05.992W				SG-SY on pile.	
39410	- Day beacon 50	27-47-52.033N 097-12-22.690W				TR-TY on pile.	Ra ref.
39415	- LIGHT 51	27-47-27.953N 097-12-30.858W	FI G 2.5s	17	3	SG on pile.	Ra ref.
39420	- Day beacon 52	27-46-58.811N 097-12-39.623W				TR-TY on pile.	
39425	- Day beacon 55	27-46-26.738N 097-12-38.504W				SG-SY on pile.	
39430	- Day beacon 54	27-46-34.999N 097-12-46.489W				TR-TY on pile.	
39435	- Day beacon 57	27-46-07.108N 097-12-42.962W				SG-SY on pile.	
39440	- LIGHT 58	27-45-42.274N 097-12-49.577W	FI R 4s	17	3	TR on pile.	Ra ref.
39445	- Day beacon 59	27-45-13.111N 097-12-48.962W				SG-SY on pile.	
39450	- Day beacon 60	27-44-44.882N 097-12-56.673W				TR-TY on pile.	Ra ref.
39455	- Day beacon 61	27-44-21.470N 097-12-55.394W				SG-SY on pile.	Ra ref.
CARLOS BAY TO REDFISH BAY (Chart 11314)							
Port O'Connor - Corpus Christi							
Aransas Bay Alternate Route							
39470.01	- Day beacon 35	27-59-32.627N 097-02-07.990W				SG-SY on pile.	Ra ref.
39475.01	- Day beacon 38	27-59-12.529N 097-02-32.418W				TR-TY on pile.	Ra ref.
39480	- LIGHT 37 90 feet outside channel limit.	27-59-10.588N 097-02-28.310W	FI G 2.5s	17	4	SG-SY on pile.	Ra ref.
39485	PI ENERGY PIPELINE LIGHT A	27-58-59.486N 097-02-43.296W	FI Y 2.5s	12		On dolphin.	Private aid.
39490	PI ENERGY PIPELINE LIGHT B	27-58-55.149N 097-02-37.208W	FI Y 2.5s	12		On dolphin.	Private aid.
39500.01	- Day beacon 39	27-58-49.349N 097-02-47.145W				SG-SY on pile.	Ra ref.
39515	- LIGHT 41	27-58-15.010N 097-03-16.892W	Q G	17	4	SG-SY on pile.	Ra ref.
39520.01	- Day beacon 42	27-58-16.750N 097-03-22.623W				TR-TY on pile.	Ra ref.
39530.01	- Day beacon 43	27-57-21.153N 097-03-26.358W				SG-SY on pile.	Ra ref.
39540.01	- Day beacon 44	27-57-21.867N 097-03-30.921W				TR-TY on pile.	Ra ref.
39560	- LIGHT 45	27-56-33.986N 097-03-33.412W	Q G	17	4	SG-SY on pile.	Ra ref.
39565.01	- Day beacon 46	27-56-33.780N 097-03-38.282W				TR-TY on pile.	Ra ref.
39575.01	- Day beacon 48	27-56-07.506N 097-03-36.281W				TR-TY on pile.	Ra ref.
39580.01	- Day beacon 47	27-55-56.111N 097-03-29.069W				SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
CARLOS BAY TO REDFISH BAY (Chart 11314)							
Port O'Connor - Corpus Christi							
Aransas Bay Alternate Route							
39595	- LIGHT 49 90 feet outside channel limit.	27-55-18.077N 097-03-23.531W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
39600.01	- Day beacon 50	27-55-17.436N 097-03-28.070W				TR-TY on pile.	Ra ref.
39620	- LIGHT 51	27-54-40.823N 097-03-10.064W	Q G	17	3	SG-SY on pile.	Ra ref.
39625.01	- Day beacon 52	27-54-39.906N 097-03-14.465W				TR-TY on pile.	Ra ref.
39645	- LIGHT 53	27-54-01.243N 097-02-59.415W	FI G 6s	17	4	SG-SY on pile.	Ra ref.
39650.01	- Day beacon 54	27-53-59.317N 097-03-05.180W				TR-TY on pile.	Ra ref.
39665.01	- LIGHT 55	27-53-25.346N 097-02-50.654W	FI G 4s	17	3	SG-SY on pile.	Ra ref.
39670	- Buoy 56	27-52-48.968N 097-02-53.131W				Red nun with yellow triangle.	
Aransas Bay							
39680	SAN JOSE ISLAND BREAKWATER LIGHT 1	27-57-12.000N 096-59-27.000W	Q G	6		SG on pile.	Private aid.
39685	- Alternate Route Buoy 58	27-52-18.428N 097-02-55.197W				Red nun with yellow triangle.	
39690	- Alternate Route Danger Buoy A	27-51-45.312N 097-03-00.123W				White with orange stripe.	
Aransas Bay Alternate Route							
39695	- Buoy 60	27-51-59.306N 097-03-03.594W				Red nun with yellow triangle.	
39700	- Lighted Buoy WR 59	27-51-49.408N 097-03-01.060W	Q G		3	Green can.	
39705	- Danger Buoy B	27-51-50.190N 097-02-58.326W				White with orange stripe.	
39710	- Buoy 62	27-51-15.121N 097-03-29.028W				Red nun with yellow triangle.	
39715	- Buoy 61	27-51-11.192N 097-03-18.881W				Green can with yellow square.	
39720	LYDIA ANN CHANNEL LIGHT	27-51-51.000N 097-03-21.000W	F W			Red and brown brick tower.	Private aid.
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Corpus Christi - Port Isabel							
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limits.</i>							
39725	- LIGHT C	27-43-05.559N 097-13-07.298W	Mo (A) W	17	5	MR-I on dolphin.	Ra ref.
39730	- LIGHT 1	27-42-22.541N 097-13-09.748W	FI G 2.5s	17	3	SG-I on pile.	Ra ref.
39740	- Day beacon 3	27-41-50.973N 097-13-18.463W				SG-SY on pile.	Ra ref.
39750	- LIGHT 5	27-41-25.121N 097-13-24.961W	FI G 6s	17	4	SG-I on pile.	Ra ref.
39760	- Day beacon 6	27-41-18.226N 097-13-31.327W				TR-TY on pile.	Ra ref.
39765	- Day beacon 7	27-41-03.809N 097-13-31.139W				SG-SY on pile.	Ra ref.
39770	- Buoy 10	27-40-41.811N 097-13-39.206W				Red nun with yellow triangle.	
39775	- Buoy 9	27-40-38.704N 097-13-37.652W				Green can with yellow square.	
39780	- LIGHT 11	27-40-23.676N 097-13-40.923W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
39785	- Day beacon 12	27-40-24.622N 097-13-44.267W				TR-TY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Corpus Christi - Port Isabel							
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limits.</i>							
39787	Naval Air Station Corpus Christi Marina Channel Day beacon 1	27-41-14.870N 097-14-35.590W				SG on pile.	Private aid.
39787.01	Naval Air Station Corpus Christi Marina Channel Day beacon 2	27-41-17.690N 097-14-44.550W				TR on pile.	Private aid.
39787.02	Naval Air Station Corpus Christi Marina Channel Day beacon 3	27-41-15.750N 097-14-46.760W				SG on pile.	Private aid.
39787.03	Naval Air Station Corpus Christi Marina Channel Day beacon 4	27-41-15.700N 097-14-55.190W				TR on pile.	Private aid.
39787.04	Naval Air Station Corpus Christi Marina Channel Day beacon 5	27-41-11.100N 097-14-58.130W				SG on pile.	Private aid.
39787.05	Naval Air Station Corpus Christi Marina Channel Day beacon 6	27-41-13.000N 097-15-00.910W				TR on pile.	Private aid.
39787.06	Naval Air Station Corpus Christi Marina Channel Day beacon 7	27-41-09.970N 097-15-03.830W				SG on pile.	Private aid.
39787.07	Naval Air Station Corpus Christi Marina Channel Day beacon 8	27-41-17.000N 097-15-21.480W				TR on pile.	Private aid.
39787.08	Naval Air Station Corpus Christi Marina Channel Day beacon 9	27-41-15.780N 097-15-22.350W				SG on pile.	Private aid.
39795	- Day beacon 13	27-39-55.497N 097-13-48.672W				SG-SY on pile.	Ra ref.
39805	- LIGHT 15	27-39-21.476N 097-13-56.833W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
39810	- Day beacon 16	27-39-22.214N 097-14-00.437W				TR-TY on pile.	Ra ref.
39820	- Day beacon 17	27-38-53.218N 097-14-04.556W				SG-SY on pile.	Ra ref.
39830	- LIGHT 19	27-38-25.581N 097-14-11.521W	Q G	17	3	SG-SY on pile.	Ra ref.
39835	- Day beacon 20	27-38-26.377N 097-14-14.739W				TR-TY on pile.	Ra ref.
39845	- Buoy 37	27-37-54.157N 097-14-28.267W				Green can with yellow square.	Ra ref.
Corpus Christi Baffin Bay							
Packery Channel							
39855	- Day beacon 1	27-36-54.960N 097-12-22.080W				SG on pile.	Private aid.
39860	- Day beacon 2	27-36-56.700N 097-12-22.080W				TR on pile.	Private aid.
39865	- Day beacon 3	27-36-57.780N 097-12-44.880W				SG on pile.	Private aid.
39870	- Day beacon 4	27-37-01.200N 097-12-42.420W				TR on pile.	Private aid.
39875	- Day beacon 5	27-37-25.860N 097-12-56.100W				SG on pile.	Private aid.
39880	- Day beacon 6	27-37-36.000N 097-12-55.560W				TR on pile.	Private aid.
39885	- Day beacon 7	27-37-46.900N 097-13-05.170W				SG on pile.	Private aid.
39890	- Day beacon 8	27-37-48.720N 097-13-03.720W				TR on pile.	Private aid.
39895	- Day beacon 9	27-37-58.620N 097-13-13.980W				SG on pile.	Private aid.
39900	- Day beacon 10	27-38-00.120N 097-13-14.240W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Corpus Christi Baffin Bay							
Packery Channel							
39905	- Day beacon 11	27-38-00.660N 097-13-18.240W				SG on pile.	Private aid.
39910	- Day beacon 12	27-38-01.500N 097-13-17.760W				TR on pile.	Private aid.
39915	- Day beacon 13	27-38-01.140N 097-13-21.960W				SG on pile.	Private aid.
39920	- Day beacon 14	27-38-01.500N 097-13-24.300W				TR on pile.	Private aid.
39925	- Day beacon 15	27-37-56.700N 097-13-27.480W				SG on pile.	Private aid.
39930	- Day beacon 16	27-37-55.800N 097-13-29.100W				TR on pile.	Private aid.
39935	- Day beacon 17	27-37-49.980N 097-13-30.600W				SG on pile.	Private aid.
39940	- Day beacon 18	27-37-51.840N 097-13-32.760W				TR on pile.	Private aid.
39945	- Day beacon 19	27-37-49.260N 097-13-33.620W				SG on pile.	Private aid.
39950	- Day beacon 20	27-37-49.860N 097-13-35.040W				TR on pile.	Private aid.
39955	- Day beacon 21	27-37-49.320N 097-13-37.620W				SG on pile.	Private aid.
39960	- Day beacon 22	27-37-51.120N 097-13-39.300W				TR on pile.	Private aid.
39965	- Day beacon 23	27-37-57.660N 097-13-56.640W				SG on pile.	Private aid.
39970	- Day beacon 24	27-38-00.360N 097-13-58.980W				TR on pile.	Private aid.
39975	- Day beacon 25	27-38-07.440N 097-14-19.560W				SG on pile.	Private aid.
39980	- Day beacon 26	27-38-09.000N 097-14-18.440W				TR on pile.	Private aid.
Corpus Christi - Port Isabel							
Padre Isles North Channel							
39985	- LIGHT 1	27-37-07.000N 097-14-05.000W	FI G 2.5s	10		SG on pile.	Private aid.
39990	- Day beacon 2	27-37-07.000N 097-14-05.000W				TR on pile.	Private aid.
39995	- Day beacon 3	27-37-42.000N 097-14-29.000W				SG on pile.	Private aid.
40000	- Day beacon 4	27-37-41.000N 097-14-30.000W				TR on pile.	Private aid.
40005	- Day beacon 6	27-37-40.000N 097-14-26.000W				SG on pile.	Private aid.
40010	- Day beacon 5	27-37-39.000N 097-14-27.000W				TR on pile.	Private aid.
40015	- Day beacon 7	27-37-42.000N 097-14-23.000W				SG on pile.	Private aid.
40020	- Day beacon 8	27-37-36.000N 097-14-24.000W				TR on pile.	Private aid.
40025	- Day beacon 9	27-37-36.000N 097-14-18.000W				SG on pile.	Private aid.
40030	- Day beacon 10	27-37-37.000N 097-14-22.000W				TR on pile.	Private aid.
40035	- Day beacon 11	27-37-36.000N 097-14-18.000W				SG on pile.	Private aid.
40040	- Day beacon 12	27-37-36.000N 097-14-19.000W				TR on pile.	Private aid.
40045	- Day beacon 13	27-37-37.000N 097-14-16.000W				SG on pile.	Private aid.
40050	- Day beacon 15	27-37-38.000N 097-14-13.000W				SG on pile.	Private aid.
40055	- Day beacon 16	27-37-37.000N 097-14-12.000W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Corpus Christi - Port Isabel							
Padre Isles North Channel							
40060	- Day beacon 17	27-37-38.000N 097-14-11.000W				SG on pile.	Private aid.
40065	- Day beacon 18	27-37-37.000N 097-14-10.000W				TR on pile.	Private aid.
40070	- Day beacon 20	27-37-37.000N 097-14-09.000W				TR on pile.	Private aid.
40075	- Day beacon 21	27-37-39.000N 097-14-06.000W				SG on pile.	Private aid.
40080	- Day beacon 22	27-37-37.000N 097-14-07.000W				TR on pile.	Private aid.
40085	- Day beacon 24	27-37-37.000N 097-14-07.000W				TR on pile.	Private aid.
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limits.</i>							
40090	- LIGHT 39	27-37-29.475N 097-14-39.989W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
40095	- Day beacon 40	27-37-32.017N 097-14-44.107W				TR-TY on pile.	Ra ref.
40105.01	- Day beacon 41	27-37-00.776N 097-14-55.219W				SG-SY on pile.	Ra ref.
40115	- LIGHT 43	27-36-35.762N 097-15-08.823W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
40120	- Day beacon 44	27-36-37.350N 097-15-12.005W				TR-TY on pile.	Ra ref.
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limit.</i>							
40130.01	- Day beacon 45	27-36-11.788N 097-15-20.885W				SG-SY on pile.	Ra ref.
Corpus Christi - Port Isabel							
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limits.</i>							
40135	Tropic Isles Entrance Day beacon 1	27-37-28.320N 097-17-10.740W				SG on pile.	Private aid.
40140	<i>Tropic Isles Entrance Light 2</i>	27-37-29.160N 097-17-09.360W	FI R 2.5s			TR on pile.	Private aid.
Padre Isles South Channel							
40145	- LIGHT 1	27-36-03.000N 097-15-19.000W	FI G 2.5s	10		SG on pile.	Private aid.
40150	- Day beacon 2	27-36-01.000N 097-15-25.000W				TR on pile.	Private aid.
40155	- Day beacon 3	27-36-03.000N 097-15-21.000W				SG on pile.	Private aid.
40160	- Day beacon 5	27-36-02.000N 097-15-19.000W				SG on pile.	Private aid.
40165	- Day beacon 7	27-36-00.000N 097-15-03.000W				SG on pile.	Private aid.
40170	- Day beacon 8	27-35-59.000N 097-15-17.000W				TR on pile.	Private aid.
40175	- Day beacon 9	27-36-02.000N 097-15-13.000W				SG on pile.	Private aid.
40180	- Day beacon 10	27-35-59.000N 097-15-12.000W				TR on pile.	Private aid.
40185	- Day beacon 11	27-36-02.000N 097-15-12.000W				SG on pile.	Private aid.
40190	- Day beacon 13	27-36-03.000N 097-15-10.000W				SG on pile.	Private aid.
40195	- Day beacon 14	27-36-01.000N 097-15-10.000W				TR on pile.	Private aid.
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limits.</i>							
40205	- LIGHT 47	27-35-43.915N 097-15-35.749W	FI G 6s	17	4	SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Corpus Christi - Port Isabel							
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limits.</i>							
40210	- Day beacon 48	27-35-44.797N 097-15-39.012W				TR-TY on pile.	Ra ref.
40445.01	- Day beacon 49	27-35-13.580N 097-15-52.570W				SG-SY on pile.	Ra ref.
40455	- LIGHT 51	27-34-48.206N 097-16-05.072W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
40460.01	- Day beacon 52	27-34-50.836N 097-16-07.526W				TR-TY on pile.	Ra ref.
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limit.</i>							
40470.01	- Day beacon 53	27-34-20.054N 097-16-20.986W				SG-SY on pile.	Ra ref.
Corpus Christi - Port Isabel							
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limits.</i>							
40480	- LIGHT 55	27-33-54.531N 097-16-33.793W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
40485	- Day beacon 56	27-33-54.000N 097-16-37.000W				TR-TY on pile.	Ra ref.
40495.01	- Day beacon 57	27-33-29.740N 097-16-46.902W				SG-SY on pile.	Ra ref.
40505	- LIGHT 59	27-32-57.501N 097-17-03.679W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
40510.01	- Day beacon 60	27-32-58.096N 097-17-06.544W				TR-TY on pile.	Ra ref.
40520.01	- Day beacon 61	27-32-32.155N 097-17-17.236W				SG-SY on pile.	Ra ref.
40530	- LIGHT 63	27-32-03.762N 097-17-31.392W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
40535	- Day beacon 64	27-31-59.061N 097-17-37.836W				TR-TY on pile.	Ra ref.
40545.01	- Day beacon 65	27-31-33.724N 097-17-47.717W				SG-SY on pile.	Ra ref.
40555	- LIGHT 67	27-31-09.054N 097-18-00.228W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limit.</i>							
40560.01	- Day beacon 68	27-31-10.262N 097-18-03.196W				TR-TY on pile.	Ra ref.
40570.01	- Day beacon 69	27-30-44.905N 097-18-13.453W				SG-SY on pile.	Ra ref.
Corpus Christi - Port Isabel							
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limits.</i>							
40580	- LIGHT 71	27-30-17.484N 097-18-27.565W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
40585	- Day beacon 72	27-30-18.961N 097-18-30.333W				TR-TY on pile.	Ra ref.
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limit.</i>							
40595.01	- Day beacon 73	27-29-49.255N 097-18-42.199W				SG-SY on pile.	Ra ref.
Corpus Christi - Port Isabel							
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limits.</i>							
40605	- LIGHT 75	27-29-21.013N 097-18-57.163W	FI G 4s	17	4	SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limit.</i>							
40610.01	- Day beacon 76	27-29-18.288N 097-19-01.591W				TR-TY on pile.	Ra ref.
40620.01	- Day beacon 77	27-28-54.857N 097-19-11.316W				SG-SY on pile.	Ra ref.
Corpus Christi - Port Isabel							
Padre Island National Seashore							
40630	- Day beacon 1	27-28-36.000N 097-19-09.000W				SG on pile.	Private aid.
40635	- Day beacon 2	27-28-32.000N 097-19-10.000W				TR on pile.	Private aid.
40640	- Day beacon 4	27-28-28.000N 097-18-58.000W				TR on pile.	Private aid.
40645	- Day beacon 5	27-28-30.000N 097-18-52.000W				SG on pile.	Private aid.
40650	- Day beacon 6	27-28-25.000N 097-18-47.000W				TR on pile.	Private aid.
40655	- Day beacon 7	27-28-25.000N 097-18-39.000W				SG on pile.	Private aid.
40660	- Day beacon 8	27-28-23.000N 097-18-40.000W				TR on pile.	Private aid.
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limit.</i>							
40665	- LIGHT 79	27-28-21.397N 097-19-28.265W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
40670	- Day beacon 80	27-28-22.824N 097-19-31.409W				TR-TY on pile.	Ra ref.
40680.01	- Day beacon 81	27-27-53.070N 097-19-42.589W				SG-SY on pile.	Ra ref.
40690	- LIGHT 83	27-27-27.450N 097-19-56.314W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
40695.01	- Day beacon 84	27-27-27.687N 097-20-00.765W				TR-TY on pile.	Ra ref.
40705.01	- Day beacon 85	27-26-58.655N 097-20-11.386W				SG-SY on pile.	Ra ref.
40715	- LIGHT 87	27-26-38.633N 097-20-21.776W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
40720	- Day beacon 88	27-26-39.566N 097-20-25.413W				TR-TY on pile.	Ra ref.
40730.01	- Day beacon 89	27-26-10.751N 097-20-36.514W				SG-SY on pile.	Ra ref.
40740	- LIGHT 91	27-25-44.703N 097-20-50.201W	FI G 6s	17	4	SG-SY on pile.	Ra ref.
40745.01	- Day beacon 92	27-25-47.310N 097-20-52.297W				TR-TY on pile.	Ra ref.
40755.01	- Day beacon 93	27-25-12.497N 097-21-06.687W				SG-SY on pile.	Ra ref.
40765	- LIGHT 95	27-24-45.225N 097-21-21.345W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
40770	- Day beacon 96	27-24-46.440N 097-21-24.151W				TR-TY on pile.	Ra ref.
40780.01	- Day beacon 97	27-24-17.369N 097-21-36.243W				SG-SY on pile.	Ra ref.
40790	- LIGHT 99	27-23-50.706N 097-21-49.946W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
40795.01	- Day beacon 100	27-23-53.304N 097-21-52.648W				TR-TY on pile.	Ra ref.
40805.01	- Day beacon 101	27-23-24.782N 097-22-04.350W				SG-SY on pile.	Ra ref.
40815	- LIGHT 103	27-23-04.403N 097-22-13.884W	Q G	17	3	SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Corpus Christi Baffin Bay							
<i>Lights 50 feet outside channel limit.</i>							
40820	- Day beacon 104	27-23-05.193N 097-22-17.581W				TR-TY on pile.	Ra ref.
40830.01	- Day beacon 105	27-22-36.990N 097-22-26.010W				SG-SY on pile.	Ra ref.
40840	- LIGHT 107	27-22-10.149N 097-22-38.291W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
40845.01	- Day beacon 108	27-22-12.289N 097-22-41.095W				TR-TY on pile.	Ra ref.
40855.01	- Day beacon 109	27-21-41.963N 097-22-50.381W				SG-SY on pile.	Ra ref.
40865	- LIGHT 111	27-21-15.274N 097-23-02.603W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
40870	- Day beacon 112	27-21-16.164N 097-23-04.907W				TR-TY on pile.	Ra ref.
40880.01	- Day beacon 113	27-20-52.314N 097-23-11.465W				SG-SY on pile.	Ra ref.
40890	- LIGHT 115	27-20-20.649N 097-23-26.272W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
40895	- Day beacon 116	27-20-21.250N 097-23-29.354W				TR-TY on pile.	Ra ref.
40910.01	- Day beacon 117	27-19-56.479N 097-23-36.819W				SG-SY on pile.	Ra ref.
40920	- LIGHT 119	27-19-22.645N 097-23-51.182W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
40925	- Day beacon 120	27-19-24.235N 097-23-54.036W				TR-TY on pile.	Ra ref.
40930.01	- Day beacon 121	27-19-10.524N 097-23-56.965W				SG-SY on pile.	Ra ref.
40935.01	- Day beacon 122	27-19-09.111N 097-24-00.582W				TR-TY on pile.	Ra ref.
40940.01	- Day beacon 123	27-18-54.045N 097-24-03.942W				SG-SY on pile.	Ra ref.
40945.01	- Day beacon 124	27-18-53.846N 097-24-07.174W				TR-TY on pile.	Ra ref.
40950	- LIGHT 125	27-18-40.742N 097-24-09.216W	Q G	17	3	SG-SY on pile.	Ra ref.
40965.01	- Day beacon 127	27-18-11.509N 097-24-16.293W				SG-SY on pile.	Ra ref.
40980	- LIGHT 129	27-17-46.926N 097-24-21.389W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
40985.01	- Day beacon 130	27-17-36.588N 097-24-27.096W				TR-TY on pile.	Ra ref.
40995.01	- Day beacon 131	27-17-19.235N 097-24-28.212W				SG-SY on pile.	Ra ref.
41005	- LIGHT 133	27-16-44.992N 097-24-34.923W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
Baffin Bay							
41010.01	- Junction Day beacon	27-16-28.709N 097-24-42.368W				JR-TY on pile.	
41015	- Day beacon 2	27-16-39.529N 097-24-46.336W				TR on pile.	
41020	- Day beacon 4	27-16-40.959N 097-25-05.456W				TR on pile.	
41025	- Day beacon 5	27-16-28.614N 097-25-12.819W				SG on pile.	
41030	- Day beacon 6	27-16-41.429N 097-25-37.694W				TR on pile.	
41035	- Day beacon 8	27-16-39.468N 097-26-31.248W				TR on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Corpus Christi Baffin Bay							
Baffin Bay							
41040	- Day beacon 9	27-16-24.072N 097-27-09.003W				SG on pile.	
41045	- Day beacon 10	27-16-38.157N 097-27-20.959W				TR on pile.	
41050	- Day beacon 10A	27-16-23.978N 097-28-05.738W				TR on pile.	
41055	- Day beacon 12	27-16-09.465N 097-28-56.052W				TR on pile.	
41060	- Day beacon 11	27-16-06.882N 097-28-27.897W				SG on pile.	
41065	- Day beacon 14	27-15-54.000N 097-29-36.000W				TR on pile.	
41070	- Day beacon 16	27-15-46.100N 097-30-11.000W				TR on pile.	
41075	- Day beacon 18	27-15-34.289N 097-30-50.393W				TR on pile.	
41080	- Day beacon 20	27-15-36.925N 097-31-39.702W				TR on pile.	
41085	- Day beacon 22	27-15-39.534N 097-32-29.155W				TR on pile.	
41090	- Day beacon 24	27-15-41.712N 097-33-10.581W				TR on pile.	
41095	- Day beacon 26	27-15-45.240N 097-34-15.915W				TR on pile.	
41100	- Day beacon 28	27-15-47.118N 097-34-55.107W				TR on pile.	
41105	- Day beacon 30	27-15-48.987N 097-35-31.533W				TR on pile.	
41110	- Day beacon 32	27-16-09.087N 097-36-27.110W				TR on pile.	
41115	- Day beacon 34	27-16-20.520N 097-37-59.319W				TR on pile.	
41120	- Day beacon 36	27-16-34.926N 097-37-31.785W				TR on pile.	
41125	- Day beacon 38	27-16-47.655N 097-38-00.564W				TR on pile.	
41130	- Day beacon 40	27-16-55.855N 097-38-22.473W				TR on pile.	
Corpus Christi - Port Isabel							
Baffin Bay Land Cut							
<i>Lights 50 feet outside channel limit, unless otherwise noted.</i>							
41150.01	- Day beacon 1	27-15-55.931N 097-24-46.002W				SG-SY on pile.	Ra ref.
41160	- LIGHT 3	27-15-29.092N 097-24-51.168W	FI G 6s	17	4	SG-SY on pile.	
41165	- Day beacon 4	27-15-30.919N 097-24-55.029W				TR-TY on pile.	Ra ref.
41175.01	- Day beacon 5	27-14-55.518N 097-24-59.491W				SG-SY on pile.	Ra ref.
41185	- LIGHT 7	27-14-25.927N 097-25-05.467W	FI G 4s	17	4	SG-SY on pile.	
41190	- Day beacon 8	27-14-25.174N 097-25-08.504W				TR-TY on pile.	
41200.01	- Day beacon 9	27-13-54.873N 097-25-12.633W				SG-SY on pile.	Ra ref.
41210	- LIGHT 11 60 feet outside channel limit.	27-13-26.385N 097-25-18.319W	FI G 4s	17	4	SG-SY on pile.	
41215	- Day beacon 12	27-13-26.952N 097-25-21.369W				TR-TY on pile.	
41225.01	- Day beacon 13	27-12-56.125N 097-25-24.340W				SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Corpus Christi - Port Isabel							
Baffin Bay Land Cut							
<i>Lights 50 feet outside channel limit, unless otherwise noted.</i>							
41235	- LIGHT 15	27-12-27.411N 097-25-31.004W	FI G 4s	17	4	SG-SY on pile.	
41240	- Day beacon 16	27-12-27.854N 097-25-34.108W				TR-TY on pile.	Ra ref.
41250.01	- Day beacon 17	27-11-57.203N 097-25-37.078W				SG-SY on pile.	Ra ref.
41260	- LIGHT 19	27-11-25.431N 097-25-43.985W	FI G 6s	17	4	SG-SY on pile.	
41265	- Day beacon 20	27-11-28.100N 097-25-47.000W				TR-TY on pile.	
41275.01	- Day beacon 21	27-10-52.731N 097-25-52.029W				SG-SY on pile.	Ra ref.
41285	- LIGHT 23	27-10-25.836N 097-25-56.912W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
41290	- Day beacon 24	27-10-26.067N 097-26-00.549W				TR-TY on pile.	
41295.01	- Day beacon 25	27-09-57.805N 097-26-03.808W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11306)							
Corpus Christi - Port Isabel							
Baffin Bay Land Cut							
<i>Lights 50 feet outside channel limit, unless otherwise noted.</i>							
41310	- LIGHT 27	27-09-28.178N 097-26-09.673W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
41315	- Day beacon 28	27-09-28.858N 097-26-13.400W				TR-TY on pile.	
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Corpus Christi - Port Isabel							
Baffin Bay Land Cut							
<i>Lights 50 feet outside channel limit, unless otherwise noted.</i>							
41325.01	- Day beacon 29	27-09-02.333N 097-26-15.738W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11306)							
Corpus Christi - Port Isabel							
Baffin Bay Land Cut							
<i>Lights 50 feet outside channel limit, unless otherwise noted.</i>							
41335	- LIGHT 31	27-08-29.076N 097-26-22.314W	Q G	17	3	SG-SY on pile.	Ra ref.
41340	- Day beacon 32	27-08-29.100N 097-26-26.000W				TR-TY on pile.	
REDFISH BAY TO MIDDLE GROUND (Chart 11308)							
Corpus Christi - Port Isabel							
Baffin Bay Land Cut							
<i>Lights 50 feet outside channel limit, unless otherwise noted.</i>							
41350.01	- Day beacon 33	27-07-57.793N 097-26-24.773W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11306)							
Corpus Christi - Port Isabel							
Baffin Bay Land Cut							
<i>Lights 50 feet outside channel limit, unless otherwise noted.</i>							
41365	- LIGHT 34	27-07-24.346N 097-26-30.029W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
Land Cut							
41370	- LIGHT 1	27-06-46.266N 097-26-28.950W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
41375	- LIGHT 2 50 feet outside channel limit.	27-05-54.489N 097-26-36.083W	FI R 6s	17	4	TR-TY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
LAGUNA MADRE (Chart 11306)							
Corpus Christi - Port Isabel							
Land Cut							
41380	- Day beacon 3 80 feet outside channel limit.	27-04-57.507N 097-26-36.076W				SG-SY on pile.	
41385	- Day beacon 4 50 feet outside channel limit.	27-04-07.895N 097-26-42.167W				TR-TY on pile.	
41390	- LIGHT 5	27-03-20.069N 097-26-41.927W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
41395	- Day beacon 6	27-02-32.731N 097-26-48.419W				TR-TY on pile.	Ra ref.
41400	- LIGHT 7	27-01-32.313N 097-26-49.344W	FI G 6s	17	4	SG-SY on pile.	Ra ref.
41405	- Day beacon 8	27-00-42.482N 097-26-55.239W				TR-TY on pile.	
41410	- Day beacon 9	26-59-48.527N 097-26-56.867W				SG-SY on pile.	Ra ref.
41415	- LIGHT 10	26-58-53.649N 097-27-06.639W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
41420	- Day beacon 11	26-58-02.224N 097-27-09.008W				SG-SY on pile.	Ra ref.
41425	- LIGHT 12	26-57-12.098N 097-27-18.138W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
41430	- Day beacon 13	26-56-23.283N 097-27-20.037W				SG-SY on pile.	
41435	- LIGHT 14	26-55-27.804N 097-27-29.646W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
41440	- Day beacon 15	26-54-36.875N 097-27-31.786W				SG-SY on pile.	
41445	- Day beacon 16	26-53-49.842N 097-27-41.155W				TR-TY on pile.	Ra ref.
41450	- LIGHT 17	26-52-55.660N 097-27-43.047W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
41455	- Day beacon 18	26-52-00.750N 097-27-52.466W				TR-TY on pile.	Ra ref.
41460	- LIGHT 19	26-51-10.839N 097-27-55.043W	FI G 6s	17	4	SG-SY on pile.	Ra ref.
41465	- LIGHT 20	26-50-11.914N 097-28-05.015W	FI R 6s	17	4	TR-TY on pile.	Ra ref.
41470	- LIGHT 21	26-49-26.967N 097-28-06.629W	FI G 4s	17	4	SG-SY on pile.	
41475	- LIGHT 22 80 feet outside channel limit.	26-48-47.108N 097-28-14.129W	FI R 2.5s	17	3	TR-TY on pile.	Higher intensity beam up and down channel.
Land Cut-Arroyo Colorado							
41480.01	- Day beacon 23	26-48-25.360N 097-28-14.010W				SG-SY on pile.	Ra ref.
41490	- LIGHT 25	26-48-05.579N 097-28-14.713W	Q G	17	3	SG-SY on pile.	Higher intensity beam up and down channel. Ra ref.
41495	- Day beacon 26	26-48-05.492N 097-28-18.200W				TR-TY on pile.	
41500.01	- Day beacon 27	26-47-37.650N 097-28-09.180W				SG-SY on pile.	Ra ref.
41520	- LIGHT 29	26-47-07.009N 097-28-01.500W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
41525	- Day beacon 30	26-47-06.180N 097-28-04.965W				TR-TY on pile.	
41530.01	- Day beacon 31	26-46-39.050N 097-27-55.580W				SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
41550	- LIGHT 32	26-46-13.900N 097-27-52.883W	FI R 4s	17	4	TR-TY on pile.	
41555.01	- Day beacon 33	26-45-44.020N 097-27-42.920W				SG-SY on pile.	Ra ref.
41570	- Day beacon 34	26-45-21.225N 097-27-40.446W				TR-TY on pile.	
41575.01	- Day beacon 35	26-44-55.452N 097-27-31.667W				SG-SY on pile.	Ra ref.
41590	- LIGHT 37 55 feet outside channel limit.	26-44-29.695N 097-27-25.162W	FI G 4s	17	4	SG-SY on pile.	
41595	- Day beacon 38	26-44-29.084N 097-27-28.457W				TR-TY on pile.	Ra ref.
41600.01	- Day beacon 39	26-44-03.630N 097-27-19.850W				SG-SY on pile.	Ra ref.
41610	- Day beacon 40	26-43-36.758N 097-27-16.425W				TR-TY on pile.	Ra ref.
41615.01	- Day beacon 41	26-43-09.660N 097-27-07.270W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Land Cut-Arroyo Colorado							
41620.01	- Day beacon 43	26-42-41.430N 097-27-00.240W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
41630	- LIGHT 44	26-42-38.454N 097-27-04.494W	Q R	17	4	TR-TY on pile.	Higher intensity beam up and down channel.
LAGUNA MADRE (Chart 11303)							
Land Cut-Arroyo Colorado							
41635.01	- Day beacon 45	26-42-18.600N 097-26-52.900W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
41650	- Day beacon 46	26-41-56.343N 097-26-47.781W				TR-TY on pile.	Ra ref.
41655.01	- Day beacon 47	26-41-39.890N 097-26-38.820W				SG-SY on pile.	Ra ref.
41670	- LIGHT 49 45 feet outside channel limit.	26-41-10.035N 097-26-27.987W	FI G 4s	17	4	SG-SY on pile.	
LAGUNA MADRE (Chart 11303)							
Land Cut-Arroyo Colorado							
41670.01	- Day beacon 53	26-40-11.930N 097-26-07.870W					Ra ref.
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
41675	- Day beacon 48	26-41-14.573N 097-26-32.984W				TR-TY on pile.	Ra ref.
41680.01	- Day beacon 51	26-40-50.901N 097-26-21.298W				SG-SY on pile.	Ra ref.
41695	- Day beacon 52	26-40-32.803N 097-26-18.189W				TR-TY on pile.	Ra ref.
41720	- LIGHT 54	26-39-51.034N 097-26-03.398W	FI R 4s	17	4	TR-TY on pile.	Ra ref.
41725.01	- Day beacon 55	26-39-31.350N 097-25-53.620W				SG-SY on pile.	Ra ref.
41735	- Day beacon 56	26-39-09.262N 097-25-48.610W				TR-TY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
41740.01	- Day beacon 57	26-38-52.070N 097-25-39.990W				SG-SY on pile.	Ra ref.
41750	- LIGHT 59	26-38-11.433N 097-25-24.921W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
41755	- Day beacon 58	26-38-27.491N 097-25-33.825W				TR-TY on pile.	Ra ref.
41770	- Day beacon 60	26-37-45.710N 097-25-19.043W				TR-TY on pile.	Ra ref.
41775.01	- Day beacon 61	26-37-25.270N 097-25-09.070W				SG-SY on pile.	Ra ref.
41790	- LIGHT 62 70 feet outside channel limit.	26-37-03.946N 097-25-04.264W	FI R 4s	17	4	TR-TY on pile.	
41795.01	- Day beacon 63	26-36-44.700N 097-24-54.830W				SG-SY on pile.	Ra ref.
41805	- Day beacon 64	26-36-22.174N 097-24-49.487W				TR-TY on pile.	Ra ref.
41810.01	- Day beacon 65	26-36-03.890N 097-24-39.873W				SG-SY on pile.	Ra ref.
41820	- LIGHT 67	26-35-41.317N 097-24-31.513W	Q G	17	4	SG on pile.	Ra ref.
41825	- Day beacon 68	26-35-40.263N 097-24-35.158W				TR-TY on pile.	Ra ref.
41830.01	- Day beacon 69	26-35-15.140N 097-24-28.950W				SG-SY on pile.	Ra ref.
41845	- Day beacon 70	26-34-43.589N 097-24-29.334W				TR-TY on pile.	Ra ref.
41850.01	- Day beacon 71	26-34-25.480N 097-24-25.810W				SG-SY on pile.	Ra ref.
41870	- Day beacon 72 60 feet outside channel limit.	26-34-00.634N 097-24-26.759W				TR-TY on dolphin.	Ra ref.
41875 29410	PORT MANSFIELD CHANNEL JUNCTION LIGHT PM	26-33-33.128N 097-24-26.319W	FI (2+1)R 6s	17	4	JR-TY on pile.	Ra ref.
41875.01	- Day beacon 73	26-33-51.170N 097-24-23.820W				SG-SY on pile.	Ra ref.
41880 29405	Port Mansfield Channel Day beacon 27	26-33-31.533N 097-24-21.154W				SG-SY on pile.	Ra ref.
41885	- Day beacon 75	26-33-12.353N 097-24-20.179W				SG-SY on pile.	
41890	- Day beacon 74	26-33-17.678N 097-24-24.183W				TR-TY on dolphin.	Ra ref.
41895.01	- Day beacon 77	26-32-48.040N 097-24-20.150W				SG-SY on pile.	Ra ref.
41905	- LIGHT 79	26-32-26.636N 097-24-17.574W	Q G	17	4	SG-SY on dolphin.	Higher intensity beam up and down channel. Ra ref.
41910	- Day beacon 80	26-32-25.519N 097-24-21.056W				TR-TY on pile.	Ra ref.
41915.01	- Day beacon 81	26-32-01.840N 097-24-08.240W				SG-SY on pile.	Ra ref.
41925	- Day beacon 83	26-31-36.771N 097-23-55.775W				SG-SY on pile.	Ra ref.
41930	- Day beacon 84	26-31-32.406N 097-23-57.478W				TR-TY on pile.	
41935.01	- Day beacon 85	26-31-08.870N 097-23-44.540W				SG-SY on pile.	Ra ref.
41945	- Day beacon 87	26-30-45.737N 097-23-33.648W				SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
41950	- LIGHT 88	26-30-45.478N 097-23-37.404W	FI R 4s	17	4	TR-TY on pile.	
41955.01	- Day beacon 89	26-30-20.320N 097-23-22.850W				SG-SY on pile.	Ra ref.
41970	- Day beacon 91	26-29-54.939N 097-23-10.510W				SG-SY on pile.	Ra ref.
41975	- Day beacon 90	26-30-04.684N 097-23-19.442W				TR-TY on pile.	Ra ref.
41980.01	- Day beacon 93	26-29-35.960N 097-23-02.980W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Land Cut-Arroyo Colorado							
41990	- LIGHT 95	26-29-22.953N 097-22-55.975W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
41995	- Day beacon 96	26-29-21.096N 097-22-59.862W				TR-TY on pile.	
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
42000.01	- Day beacon 97	26-28-57.840N 097-22-45.750W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Land Cut-Arroyo Colorado							
42010	- LIGHT 99	26-28-23.277N 097-22-29.641W	FI G 2.5s	17	3	SG-SY on pile.	
42015	- Day beacon 98	26-28-36.178N 097-22-38.999W				TR on pile.	
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
42020.01	- Day beacon 101	26-27-58.730N 097-22-19.420W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Land Cut-Arroyo Colorado							
42030	- Day beacon 103	26-27-37.770N 097-22-09.375W				SG-SY on pile.	Ra ref.
42035	- LIGHT 104	26-27-36.239N 097-22-11.790W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
42050	- Day beacon 107	26-26-59.202N 097-21-52.338W				SG-SY on pile.	Ra ref.
42055	- Day beacon 106	26-27-10.846N 097-22-00.421W				TR on pile.	
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
42060.01	- Day beacon 109	26-26-45.510N 097-21-45.970W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Land Cut-Arroyo Colorado							
42065	- LIGHT 111	26-26-28.200N 097-21-38.290W	FI G 4s	17	4	SG-SY on pile.	
42070	- Day beacon 112	26-26-27.251N 097-21-40.921W				TR on pile.	
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
42075.01	- Day beacon 113	26-26-05.062N 097-21-28.054W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Land Cut-Arroyo Colorado							
42085	- LIGHT 115	26-25-35.855N 097-21-14.902W	FI G 2.5s	17	3	SG-SY on pile.	
42090	- Day beacon 114	26-25-43.653N 097-21-21.425W				TR on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
42095.01	- Day beacon 117	26-25-16.300N 097-21-06.160W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Land Cut-Arroyo Colorado							
42105	- Day beacon 119	26-24-52.644N 097-20-55.872W				SG-SY on pile.	Ra ref.
42110	- LIGHT 120	26-24-51.610N 097-20-58.362W	FI R 4s	17	3	TR-TY on pile.	
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
42115.01	- Day beacon 121	26-24-29.050N 097-20-45.020W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Land Cut-Arroyo Colorado							
42125	- LIGHT 123	26-24-10.765N 097-20-36.683W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
42130	- Day beacon 122	26-24-16.460N 097-20-42.446W				TR on pile.	
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
42135.01	- Day beacon 125	26-23-38.460N 097-20-22.580W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Land Cut-Arroyo Colorado							
42145	- LIGHT 127	26-23-30.137N 097-20-18.620W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
42150	- Day beacon 126	26-23-32.861N 097-20-22.963W				TR on pile.	
LAGUNA MADRE (Chart 11306)							
Land Cut-Arroyo Colorado							
42155.01	- Day beacon 129	26-23-11.840N 097-20-10.450W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Land Cut-Arroyo Colorado							
42165	- Day beacon 131	26-22-50.396N 097-20-00.342W				SG-SY on pile.	Ra ref.
42170	- Day beacon 132	26-22-49.262N 097-20-03.482W				TR on pile.	
42175	- Buoy 133	26-22-36.748N 097-19-54.973W				Green can with yellow square.	
42180	- Buoy 135	26-22-12.834N 097-19-44.282W				Green can with yellow square.	
42185	- LIGHT 136	26-22-06.570N 097-19-43.860W	Q R	17	4	TR-TY on pile.	
Arroyo Colorado Cutoff Channel							
42190	- North Entrance Buoy 2N	26-21-59.525N 097-19-41.760W				Red nun.	
42195	- Junction Buoy N	26-21-54.981N 097-19-38.503W				Red nun with green band and yellow triangle.	
42200	- North Entrance Buoy 3N	26-21-47.612N 097-19-42.212W				Green can.	
42205	- North Entrance Buoy 4N	26-21-48.217N 097-19-44.601W				Red nun.	
42210	- South Entrance Buoy 2S	26-21-34.096N 097-19-29.628W				Red nun with yellow triangle.	
42215	- South Entrance Buoy 1S	26-21-32.086N 097-19-30.703W				Green can.	
42220	- South Entrance Buoy 4S	26-21-38.981N 097-19-38.197W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
LAGUNA MADRE (Chart 11303)							
Land Cut-Arroyo Colorado							
Arroyo Colorado Cutoff Channel							
42225	- South Entrance Buoy 3S	26-21-36.609N 097-19-38.762W				Green can.	
42230	- Junction Buoy A	26-21-41.351N 097-19-47.202W				Green can with red band.	
42235	- Buoy 4	26-21-43.291N 097-19-51.582W				Red nun.	
42240	- Buoy 5	26-21-38.370N 097-20-01.399W				Green can.	
42245	- Buoy 6	26-21-36.369N 097-20-21.312W				Red nun.	
42250	- Buoy 7	26-21-34.615N 097-20-21.105W				Green can.	
42255	- Buoy 8	26-21-33.693N 097-20-34.784W				Red nun.	
42260	- Day beacon 10	26-20-52.898N 097-24-23.058W				TR on pile.	Ra ref.
42265	- Day beacon 11	26-20-39.088N 097-25-19.812W				SG on pile.	Ra ref.
42270	- Day beacon 12	26-20-17.968N 097-26-10.007W				TR on pile.	Ra ref.
42275	- Day beacon 13	26-19-27.928N 097-26-48.503W				SG on pile.	Ra ref.
42280	- Buoy 14	26-19-37.343N 097-27-20.710W				Red nun.	
42285	- Day beacon 14A	26-19-52.340N 097-27-27.245W				TR on pile.	Ra ref.
42290	- Day beacon 15	26-19-50.951N 097-28-21.565W				SG on pile.	Ra ref.
42295	- Day beacon 16	26-20-15.220N 097-29-11.808W				TR on pile.	Ra ref.
42300	- Day beacon 18	26-19-38.740N 097-31-03.548W				TR on pile.	Ra ref.
42305	- Day beacon 19	26-18-59.077N 097-31-36.051W				SG on pile.	Ra ref.
42310	- Day beacon 20	26-18-11.130N 097-31-34.554W				TR on pile.	Ra ref.
42315	- Day beacon 21	26-17-44.664N 097-32-16.173W				SG on pile.	Ra ref.
42320	- Day beacon 22	26-17-20.629N 097-33-04.941W				TR on pile.	Ra ref.
42325	- Day beacon 23	26-16-54.747N 097-33-43.425W				SG on pile.	Ra ref.
42330	- Day beacon 24	26-17-04.337N 097-34-34.635W				TR on pile.	Ra ref.
42335	- Day beacon 25	26-16-29.557N 097-34-54.018W				SG on pile.	Ra ref.
42340	- Day beacon 26	26-15-39.132N 097-34-59.457W				TR on pile.	Ra ref.
42345	- Day beacon 27	26-14-38.377N 097-35-02.073W				SG on pile.	Ra ref.
42350	- Day beacon 28	26-13-53.144N 097-35-06.217W				TR on pile.	Ra ref.
42355	- Day beacon 29	26-13-05.025N 097-35-24.667W				SG on pile.	Ra ref.
Land Cut-Arroyo Colorado							
42360	- Buoy 137	26-21-52.780N 097-19-35.341W				Green can with yellow square.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
LAGUNA MADRE (Chart 11303)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limit, unless otherwise noted.</i>							
42365	- Buoy 1	26-21-34.725N 097-19-27.245W				Green can with yellow square.	
42370	- Buoy 3	26-21-20.800N 097-19-20.903W				Green can with yellow square.	
42375	- LIGHT 4	26-21-20.681N 097-19-23.041W	Q R	17	3	TR-TY on pile.	
STOVER POINT TO PORT BROWNSVILLE (Chart 11302)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42380.01	- Day beacon 5	26-20-59.160N 097-19-10.440W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limit, unless otherwise noted.</i>							
42390	- LIGHT 7	26-20-35.520N 097-18-59.965W	FI G 2.5s	17	3	SG-SY on pile.	
42395	- Day beacon 8 90 feet outside channel limit.	26-20-34.388N 097-19-03.073W				TR-TY on pile.	Ra ref.
STOVER POINT TO PORT BROWNSVILLE (Chart 11302)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42400.01	- Day beacon 9	26-20-06.400N 097-18-46.440W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limit, unless otherwise noted.</i>							
42415	- LIGHT 11	26-19-40.476N 097-18-34.724W	FI G 4s	17	4	SG-SY on pile.	
42420	- Day beacon 12 90 feet outside channel limit.	26-19-39.344N 097-18-37.831W				TR-TY on pile.	Ra ref.
STOVER POINT TO PORT BROWNSVILLE (Chart 11302)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42425.01	- Day beacon 13	26-19-13.140N 097-18-22.680W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limit, unless otherwise noted.</i>							
42440	- LIGHT 15	26-18-46.007N 097-18-10.473W	FI G 4s	17	4	SG-I on pile.	
42445	- Day beacon 16 90 feet outside channel limit.	26-18-44.875N 097-18-13.580W				TR-TY on pile.	Ra ref.
STOVER POINT TO PORT BROWNSVILLE (Chart 11302)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42450.01	- Day beacon 17	26-18-17.100N 097-17-57.600W				SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
LAGUNA MADRE (Chart 11303)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limit, unless otherwise noted.</i>							
42465	- LIGHT 19	26-17-50.274N 097-17-45.648W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
42470	- Day beacon 20 90 feet outside channel limit.	26-17-49.142N 097-17-48.755W				TR-TY on pile.	Ra ref.
STOVER POINT TO PORT BROWNSVILLE (Chart 11302)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42475.01	- Day beacon 21	26-17-23.040N 097-17-33.420W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limit, unless otherwise noted.</i>							
42490	- LIGHT 23	26-16-55.677N 097-17-20.866W	Q G	17	3	SG on pile.	
42495	- Day beacon 24 90 feet outside channel limit.	26-16-54.382N 097-17-23.674W				TR-TY on pile.	Ra ref.
STOVER POINT TO PORT BROWNSVILLE (Chart 11302)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42500.01	- Day beacon 25	26-16-25.320N 097-17-10.140W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limit, unless otherwise noted.</i>							
42515	- LIGHT 27	26-15-58.347N 097-17-00.247W	FI G 2.5s	17	3	SG-SY on pile.	
42520	- Day beacon 28 90 feet outside channel limit.	26-15-57.453N 097-17-03.447W				TR-TY on pile.	Ra ref.
STOVER POINT TO PORT BROWNSVILLE (Chart 11302)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42525.01	- Day beacon 29	26-15-26.124N 097-16-48.818W				SG-SY on pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limit, unless otherwise noted.</i>							
42540	- LIGHT 31	26-15-00.513N 097-16-39.427W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
42545	- Day beacon 32 90 feet outside channel limit.	26-14-59.619N 097-16-42.627W				TR-TY on pile.	Ra ref.
STOVER POINT TO PORT BROWNSVILLE (Chart 11302)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42550.01	- Day beacon 33	26-14-38.470N 097-16-32.004W				SG-SY on pile.	Ra ref.
42555.01	- Day beacon 35	26-14-12.809N 097-16-22.775W				SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
LAGUNA MADRE (Chart 11303)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limit, unless otherwise noted.</i>							
42570	- LIGHT 37	26-13-47.363N 097-16-13.721W	FI G 6s	17	4	SG-SY on pile.	
42575	- Day beacon 38 90 feet outside channel limit.	26-13-46.535N 097-16-16.817W				TR-TY on pile.	Ra ref.
STOVER POINT TO PORT BROWNSVILLE (Chart 11302)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42580.01	- Day beacon 39	26-13-16.380N 097-16-03.000W				SG-SY on Pile.	Ra ref.
LAGUNA MADRE (Chart 11303)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limit, unless otherwise noted.</i>							
42595	- LIGHT 41	26-12-50.034N 097-15-53.318W	FI G 4s	17	4	SG-SY on dolphin.	Ra ref.
42600	- Day beacon 42 90 feet outside channel limit.	26-12-49.140N 097-15-56.517W				TR-TY on pile.	Ra ref.
42605.01	- Day beacon 43	26-12-19.020N 097-15-42.720W				SG-SY on pile.	Ra ref.
42620	- LIGHT 45	26-11-51.660N 097-15-33.100W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
42625	- Day beacon 46 90 feet outside channel limit.	26-11-50.766N 097-15-36.298W				TR-TY on pile.	Ra ref.
STOVER POINT TO PORT BROWNSVILLE (Chart 11302)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42630.01	- Day beacon 47	26-11-24.098N 097-15-23.220W				SG-SY on pile.	Ra ref.
42645	- LIGHT 49 60 feet outside channel limit.	26-10-53.740N 097-15-12.018W	Q G	17	3	SG-SY on pile.	
42650	- Day beacon 50 90 feet outside channel limit.	26-10-52.603N 097-15-15.119W				TR-TY on pile.	Ra ref.
42655.01	- Day beacon 51	26-10-27.889N 097-14-58.253W				SG-SY on pile.	Ra ref.
42670	- LIGHT 53	26-10-05.183N 097-14-44.545W	FI G 2.5s	17	3	SG-SY on pile.	
42675	- Day beacon 54 90 feet outside channel limit.	26-10-03.811N 097-14-47.527W				TR-TY on pile.	Ra ref.
42680.01	- Day beacon 55	26-09-34.140N 097-14-28.440W				SG-SY on pile.	Ra ref.
42695	- LIGHT 57	26-09-09.556N 097-14-13.867W	FI G 4s	17	4	SG-SY on dolphin.	Ra ref.
42700	- Day beacon 58 90 feet outside channel limit.	26-09-08.184N 097-14-16.849W				TR-TY on pile.	Ra ref.
42705.01	- Day beacon 59	26-08-40.653N 097-13-57.722W				SG-SY on pile.	Ra ref.
42720	- LIGHT 61	26-08-16.468N 097-13-43.771W	FI G 6s	17	4	SG-SY on pile.	Ra ref.
42725	- Day beacon 62 90 feet outside channel limit.	26-08-15.096N 097-13-46.752W				TR-TY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
STOVER POINT TO PORT BROWNSVILLE (Chart 11302)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42730.01	- Day beacon 63	26-07-44.021N 097-13-26.496W				SG-SY on pile.	Ra ref.
42745	- LIGHT 65	26-07-20.741N 097-13-12.538W	FI G 6s	17	4	SG-I on pile.	
42750	- Day beacon 66 90 feet outside channel limit.	26-07-19.315N 097-13-15.554W				TR-TY on pile.	Ra ref.
42755.01	- Day beacon 67	26-06-52.920N 097-12-57.093W				SG-SY on pile.	Ra ref.
42770	- LIGHT 69	26-06-26.850N 097-12-42.212W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
42775	- Day beacon 70 90 feet outside channel limit.	26-06-25.380N 097-12-45.345W				TR-TY on pile.	Ra ref.
42780.01	- Day beacon 71	26-05-58.660N 097-12-26.110W				SG-SY on pile.	Ra ref.
42795	- LIGHT 73 90 feet outside channel limit.	26-05-32.956N 097-12-11.888W	FI G 2.5s	17	3	SG-SY on dolphin.	Ra ref.
42800	- Day beacon 74 90 feet outside channel limit.	26-05-31.585N 097-12-14.869W				TR-TY on pile.	Ra ref.
Port Isabel Small Boat Harbor Channel							
42805	- Day beacon 1	26-05-20.134N 097-12-11.711W				SG on pile.	Ra ref.
42810	- LIGHT 2	26-05-22.265N 097-12-13.329W	FI R 2.5s	17	3	TR on dolphin.	
42815	- Day beacon 4	26-05-16.776N 097-12-26.082W				TR on pile.	Ra ref.
42820	- Buoy 5	26-05-08.165N 097-12-43.782W				Green can.	
42825	- Day beacon 9	26-04-58.044N 097-13-02.455W				SG on pile.	Ra ref.
42830	- Lighted Buoy 10	26-04-58.885N 097-13-06.520W	Q R		3	Red nun.	
42835	- Day beacon 11	26-04-54.377N 097-13-05.345W				SG on pile.	Ra ref.
42840	- Buoy 14	26-04-51.435N 097-13-11.356W				Red nun.	
42845.01	- Buoy 15	26-04-46.188N 097-13-10.134W				Green can.	
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42850	- Buoy 75	26-05-19.711N 097-12-03.900W				Green can with yellow square.	
42855	- Buoy 77	26-05-06.281N 097-11-57.402W				Green can with yellow square.	
Queen Isabella Causeway							
42860	- NORTH EAST DANGER LIGHTS (4)	26-04-58.500N 097-11-50.600W	FI W 2.5s			On pile structure.	Private aid.
42865	- NORTH WEST DANGER LIGHTS (5)	26-04-53.500N 097-12-01.600W	FI W 2.5s			On pile structure.	Private aid.
42870	- SOUTH WEST DANGER LIGHTS (5)	26-04-52.400N 097-12-01.000W	FI W 2.5s			On pile structure.	Private aid.
42875	- SOUTH EAST DANGER LIGHTS(4)	26-04-57.400N 097-11-50.000W	FI W 2.5s			On pile structure.	Private aid.
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42880	- Buoy 79	26-04-49.574N 097-11-47.433W				Green can with yellow square.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
STOVER POINT TO PORT BROWNSVILLE (Chart 11302)							
Corpus Christi - Port Isabel							
Harlingen-Port Isabel							
<i>Lights and daybeacons 50 feet outside channel limits, unless otherwise noted.</i>							
42885	- Buoy 80	26-04-47.601N 097-11-51.701W				Red nun with yellow triangle.	
42890	- Buoy 81	26-04-41.359N 097-11-45.253W				Green can with yellow square.	
42895	- Buoy 83	26-04-33.591N 097-11-48.037W				Green can with yellow square.	
42900	- Day beacon 84	26-04-32.623N 097-11-53.188W				TR-TY on pile.	Ra ref.
42905	- LIGHT 85 70 feet outside channel limit.	26-04-27.540N 097-11-49.879W	Q G	17	3	SG-SY on dolphin.	Ra ref.
42910	- Day beacon 86	26-04-25.825N 097-11-56.405W				TR-TY on pile.	Ra ref.
42915	Harlingen - Port Isabel Day beacon 87	26-04-18.238N 097-11-57.792W				SG-SY on pile.	Ra ref.
42920	QUEEN ISABELLA FISHING PIER WEST LIGHTS (2)	26-04-28.000N 097-10-49.000W	Q G	25		On end of pier.	Private aid.
42925	- Day beacon 88	26-04-20.407N 097-12-00.389W				TR-TY on pile.	Ra ref.
42930	- Day beacon A	26-04-13.025N 097-12-10.886W				JR-I on pile.	
42935	- Day beacon B	26-04-08.797N 097-12-16.869W				JR-I on pile.	Ra ref.
42940 29830	- LIGHT 90	26-03-39.189N 097-12-40.083W	Q R	17	3	TR-TY on dolphin.	Ra ref.
42945 29850	PORT ISABEL CHANNEL LIGHT 8	26-03-15.080N 097-12-36.340W	FI R 2.5s	17	3	TR-SY on dolphin.	
42955 29825	PORT ISABEL CHANNEL LIGHT 6	26-03-03.647N 097-12-29.536W	Q R	17	3	TR on dolphin.	
42960 29840	PORT ISABEL CUTOFF CHANNEL LIGHT 3	26-03-01.758N 097-12-33.941W	Q G	17	3	SG-TY on pile.	
42965 29820	PORT ISABEL CHANNEL LEADING LIGHT	26-02-50.856N 097-12-25.636W	Iso W 6s	17	5	NB on pile.	
42970 29835	PORT ISABEL CUTOFF CHANNEL LIGHT 1	26-02-41.939N 097-12-30.695W	FI G 4s	17	4	SG-TY on dolphin.	Ra ref.
Brownsville Channel							
42975 29855	- LIGHT 30	26-02-25.148N 097-12-39.788W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
42980 29860	- C RANGE FRONT LIGHT	26-02-16.482N 097-12-43.282W	Q G	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on range line.
42985 29865	- C RANGE REAR LIGHT	26-02-37.482N 097-11-57.635W	Iso G 6s	65		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
42990 29870	- A RANGE FRONT LIGHT	26-01-50.708N 097-13-32.067W	Q W (NIGHT) Q W (NIGHT)	33 35		KRW-I on skeleton tower.	Visible all around; higher intensity 14° each side of rangeline.
42995 29875	- A RANGE REAR LIGHT 1,601 yards, 235.7° from front light.	26-01-24.321N 097-14-15.894W	Iso W 6s	60		KRW on skeleton tower.	Visible 2° each side of rangeline.
43000 29880	- LIGHT 31	26-02-01.835N 097-13-09.264W	Q G	17	3	SG-SY on pile.	Ra ref.
43005 29885	- LIGHT 32	26-02-06.093N 097-13-11.633W	Q R	17	3	TR-TY on pile.	Ra ref.
43010 29890	- LIGHT 34	26-01-53.815N 097-13-38.485W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
43015 29895	- LIGHT 35	26-01-22.470N 097-14-34.736W	FI G 4s	17	4	SG-SY on pile.	Ra ref.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
INTRACOASTAL WATERWAY (Texas) - Eighth District							
STOVER POINT TO PORT BROWNSVILLE (Chart 11302)							
Brownsville Channel							
43020 29900	- E RANGE FRONT LIGHT	26-01-22.652N 097-14-45.601W	Q W	33		KRW-I on skeleton tower on piles.	For downbound traffic. Visible all around; higher intensity 1.5° each side of rangeline.
43025 29905	- E RANGE REAR LIGHT 1,368 yards, 057.0° from front light.	26-01-44.065N 097-14-07.353W	Iso W 6s	63		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
43030 29910	- LIGHT 36	26-01-10.015N 097-15-13.456W	Q R	17	3	TR-TY on pile.	Ra ref.
43035 29915	- LIGHT 37	26-01-05.313N 097-15-11.452W	Q G	17	3	SG-SY on pile.	Ra ref.
43040 29920	- LIGHT 39	26-00-55.408N 097-15-28.497W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
43045 29925	- B RANGE FRONT LIGHT	26-00-52.470N 097-15-45.759W	Q R	35		KRW-I on skeleton tower on piles.	Visible all around; higher intensity 5.5° each side of rangeline.
43050 29930	- B RANGE REAR LIGHT	26-00-27.963N 097-16-39.127W	Iso R 6s	75		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
43055 29935	- LIGHT 40	25-59-55.487N 097-17-26.731W	FI R 4s	17	3	TR-TY on pile.	
43060 29940	- LIGHT 41	25-59-50.651N 097-17-23.806W	FI G 4s	17	4	SG-SY on pile.	
43065 29945	- LIGHT 42	25-59-24.254N 097-18-24.281W	FI R 2.5s	17	3	TR-TY on pile.	
43070 29960	- LIGHT 44	25-58-49.345N 097-19-26.229W	FI R 4s	17	3	TR-TY on skeleton tower on piles.	
43072 29967	- G RANGE FRONT LIGHT PASSING LIGHT	25-58-43.925N 097-19-22.137W	Q G	27	3	On same structure as Brownsville Channel G Range Front Light.	Visible all around.
43075 29965	- G RANGE FRONT LIGHT	25-58-43.925N 097-19-22.137W	Q G	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
43080 29970	- G RANGE REAR LIGHT	25-59-00.459N 097-18-35.022W	Iso G 6s	58		KRW on skeleton tower.	Visible 2° each side of rangeline.
43085 29975	- LIGHT 45	25-58-33.011N 097-19-44.843W	Q G	17	3	SG-SY on pile.	Ra ref.
43090 29980	- LIGHT 46	25-58-38.077N 097-19-46.521W	Q R	17	3	TR-TY on pile.	Ra ref.
43095 29950	- D RANGE FRONT LIGHT	25-58-28.313N 097-19-56.658W	Q W	35		KRW-I on skeleton tower.	Visible all around; higher intensity 1.5° each side of rangeline.
43100 29955	- D RANGE REAR LIGHT	25-58-03.763N 097-20-40.411W	Iso W 6s	67		KRW on skeleton tower.	
43105 29985	- LIGHT 48	25-58-25.077N 097-20-21.696W	FI R 2.5s	17	3	TR-TY on dolphin.	
43110 29990	- F RANGE FRONT LIGHT	25-57-02.311N 097-24-11.346W	FI G 2.5s (NIGHT) FI W 2.5s (DAY)	45 47		KRW-I on skeleton tower.	Visible 2° each side of rangeline.
43115 29995	- F RANGE REAR LIGHT 3,870 yards, 249° from front light.	25-56-20.523N 097-26-10.086W	Oc G 4s (NIGHT) Oc W 4s (DAY)	98 95		KRW on skeleton tower.	Visible 2° each side of rangeline. Lighted throughout 24 hours.