



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District 8 GULF

Week: 25/16

8TH DISTRICT LOCAL NOTICE TO MARINERS
GULF OF MEXICO
Econfina River, FL to the Rio Grande, TX
LIGHT LIST VOLUME IV
NOTICE NUMBER 25/16
June 22, 2016

References: COMDTPUB P16502.4, Vol. IV, 2016 Edition and Coast Pilot V. Coast Pilots, along with corrections, are available at:
<http://www.nauticalcharts.noaa.gov/nsd/cpdownload.htm>.

COAST GUARD DISTRICT 8, WATERWAYS, (504) 671-2327, 7:00 a.m. until 3:30 p.m. (CST)
NIS WATCHSTANDER PHONE (703) 313-5900 24-HOURS A DAY
INTERNET ADDRESS [HTTP://www.navcen.uscg.gov](http://www.navcen.uscg.gov)

COMMENTS REGARDING SECTION VI - PROPOSED CHANGES MAY ALSO BE EMAILED TO: LocalNoticeFeedback@uscg.mil
2013 SPECIAL NOTICE TO MARINERS <http://www.navcen.uscg.gov/?pageName=lnmDistrict®ion=8&ext=g>
GULF OF MEXICO LNM VIA INTERNET <http://www.navcen.uscg.gov/?pageName=lnmDistrict®ion=8&ext=g>

BROADCAST NOTICE TO MARINERS COVERED IN THIS EDITION

ORIGINATING UNIT	BEGINNING BNMS	ENDING BNMS
CCGD8	BNM 0066 - 16 (D8)	BNM 0070 - 16 (D8)
CCGD8 (DPB)	BNM 0000 - 16 (DPB)	BNM 0000 - 16 (DPB)
CCGD8 (DPB)	BNM 0000 - 16 (DPB)	BNM 0000 - 16 (DPB)
SECTOR MOBILE (MO)	BNM 0497 - 16 (MO)	THROUGH BNM 0518 - 16 (MO)
SECTOR NEW ORLEANS (NO)	BNM 0534 - 16 (NO)	BNM 0557 - 16 (NO)
SECTOR HOUSTON-GALVESTON (GA)	BNM 0363 - 16 (GA)	BNM 0381 - 16 (GA)
SECTOR CORPUS CHRISTI (CC)	BNM 0240 - 16 (CC)	BNM 0253 - 16 (CC)

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
AI - Alternating
B - Buoy
BKW - Breakwater
bl - Blast
BNM - Broadcast Notice to Mariner
bu - Blue
C - Canadian
CHAN - Channel
CGD - Coast Guard District
C/O - Cut Off
CONT - Contour
CRK - Creek
CONST - Construction
DAYMK/Daymk - Daymark
DBN/Dbn - Daybeacon
DBD/DAYBD - Dayboard
DEFAC - Defaced
DEST - Destroyed
DISCON - Discontinued
DMGD/DAMGD - Damaged
ec - eclipse
EST - Established Aid
ev - every

I through O

I - Interrupted
ICW - Intracoastal Waterway
IMCH - Improper Characteristic
INL - Inlet
INOP - Not Operating
INT - Intensity
ISL - Islet
Iso - Isophase
kHz - Kilohertz
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude
LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LTR - Letter
LWB - Lighted Whistle Buoy
LWP - Left Watching Properly
MHz - Megahertz
MISS/MSNG - Missing
Mo - Morse Code
MRASS - Marine Radio Activated Sound Signal

P through Z

PRIV - Private Aid
Q - Quick
R - Red
RACON - Radar Transponder Beacon
Ra ref - Radar reflector
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy
REFL - Reflective
RRL - Range Rear Light
RELIGHTED - Aid Relit
RELOC - Relocated
RESET ON STATION - Aid Reset on Station
RFL - Range Front Light
RIV - River
RRASS - Remote Radio Activated Sound Signal
s - seconds
SEC - Section
SHL - Shoaling
si - silent
SIG - Signal
SND - Sound
SPM - Single Point Mooring Buoy
SS - Sound Signal

EVAL - Evaluation
EXT - Extinguished
F - Fixed
fl - flash
FI - Flashing
G - Green
GIWW - Gulf Intracoastal Waterway
HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height

MSLD - Misleading
N/C - Not Charted
NGA - National Geospatial-Intelligence Agency
NO/NUM - Number
NOS - National Ocean Service
NW - Notice Writer
OBSCU - Obscured
OBST - Obstruction
OBSTR - Obstruction
Oc - Occulting
ODAS - Anchored Oceanographic Data Buoy

STA - Station
STRUCT - Structure
St M - Statute Mile
TEMP - Temporary Aid Change
TMK - Topmark
TRLB - Temporarily Replaced by Lighted Buoy
TRLT - Temporarily Replaced by Light
TRUB - Temporarily Replaced by Unlighted Buoy
USACE - Army Corps of Engineers
W - White
Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

AHOP Above Head of Passes
BHOP Below Head of Passes
HSC Houston Ship Channel
MRGO Mississippi River - Gulf Outlet
HWY Highway
IHNC Inner Harbor Navigation Canal
F/V Fishing Vessel
AP Assigned Position
CPA Closest Point of Approach

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

DEPARTMENT OF HOMELAND SECURITY SUSPICIOUS ACTIVITY

The Department of Homeland Security (DHS) encourages the maritime public to report information concerning suspicious activity to the local Federal Bureau of Investigation Joint Terrorism Task Force (JTTF) Office, http://www.fbi.gov/about-us/investigate/terrorism/terrorism_jttfs, or to other appropriate authorities. The U.S. Coast Guard reminds the maritime industry that they may also report information concerning suspicious activity to the www.AmericasWaterwayWatch.org, the National Response Center (NRC) 1-800-424-8802 or 1-877-24WATCH.

LNM: DPW

NOTICE OF PLATFORMS, DRILL RIGS AND ATTENDANT VESSELS

The drill rigs and vessels that have been temporarily established will display lights and sound signals, according to size or class, during periods of darkness and reduced visibility. Numerous large anchor buoys which may be lighted displaying a white 4-seconds characteristic light and unlighted buoy may be established up to 2,000 or more yards from the vessel or rig site. Mariners should avoid passing close aboard the rigs or vessels. Offshore structures that have been established will display lights and a fog signal sounding 1 blast (2-sec. blast) every 20-seconds. Mooring buoys (white with blue band) may be located within 500 yards of the structure for mooring attendant vessels and/or barges. Mariners should avoid passing close aboard structures.

LNM: DPW/PRIV AIDS

SPECIAL NOTICE - HURRICANE SEASON

The hurricane season is considered to extend from June 1, 2016 through November 30, 2016. Tropical storms and hurricanes often develop with little warning. Extensive damage to small craft often results in loss of life. All mariners, particularly operators of small fishing vessels, are reminded that advanced planning which might prevent loss of vessel and crew should include:

- (a) Instruction of crew and passengers in location of emergency equipment and emergency procedures.
- (b) Presailing check of vessel, machinery, and equipment for seaworthiness.
- (c) Installation of strong ground tackle.
- (d) Review of storm center evacuation procedures.
- (e) Knowledge of nearest hurricane shelter or port.
- (f) Constant radio watch on VHF-FM Channel 16 and frequent monitoring of VHF-FM weather channels for National Weather Service Broadcasts.

Due to tropical storms and hurricanes, mariners should be aware that aids to navigation along the coasts of Florida, Alabama, Mississippi, Louisiana and Texas, and on structures in the Gulf of Mexico may have been damaged or destroyed. Lighted and unlighted buoys may have been moved from charted position, damaged, sunk, extinguished, or otherwise made inoperative. Mariners should not rely completely upon the position or operation of an aid to navigation, but should also employ such other methods of determining position as may be available. Wrecks and submerged obstructions may have been moved from charted locations and pipelines may become uncovered or moved, due to the force of storm surges. Storm surge and winds may create shoals in affected waters. The U.S. Aids to Navigation system marking wrecks and obstructions is intended for use with nautical charts. The exact meaning of a particular aid to navigation may not be clear to the mariner unless the appropriate nautical chart is consulted. Virtually all U.S. lateral marks are located in Iala Region B and follow the traditional 3R rule of red, right, returning. In U.S. waters, returning from seaward and proceeding toward the head of navigation is generally considered as moving

westerly along the Gulf Coast. Mariners should exercise caution and report aid to navigation discrepancies and hazards to navigation to the nearest Coast Guard unit.

During the hurricane season, drawbridges along the coast may deviate from normal operating procedures. Some bridges may be unable to open because of high winds. Others may be authorized extended closed periods to facilitate evacuation of land traffic. Mariners should anticipate bridge closures by listening to the National Weather Service and Coast Guard Broadcasts on hurricane conditions. Because of the uncertainty of hurricane movements and bridge closures, mariners are urged to seek passage through drawbridges well in advance of the arrival of gale force winds.

Locks and Navigation Structures are operated to pass navigation until such time, that water levels and wind conditions warrant operations unsafe. The structures are then closed in accordance with hurricane preparation procedures. Mariners will be given as much notice as possible when structures are to be closed. However, these structures may be closed on short notice well in advance of the actual storm. Mariners are advised to seek safe harbor as soon as possible.

LNM: 21-16

SPECIAL NOTICE - HURRICANE SEASON

Mariners are advised that the Hurricane Season extends from June 1, 2016 to November 30, 2016.

Locks and Navigation Structures operated by the U.S. Army Corps of Engineers will attempt to pass navigation until such time that water levels and wind conditions render operations unsafe.

The structures are then closed in accordance with Hurricane procedures. Be advised that this includes the Harvey Canal Floodgate, located in the Harvey Canal immediately south of the Lapalco Bridge at mile marker 2.8 of the Gulf Intracoastal Waterway (GIWW) West of Harvey Lock (WHL).

Mariners will be given as much notice as possible when structures are to be closed. However, these structures may be closed on short notice well in advance of the actual storm. Mariners are advised to seek safe harbor as soon as possible.

General information for the New Orleans District can be found at:
<http://www.mvn.usace.army.mil>

Mariners using the following structures should consult the respective agency listed below for updates:

- * GIWW Sector Gate (on the Inner Harbor Navigation Canal Surge Barrier) - Orleans Levee District
- * Bayou Bienvenue Floodgate - Orleans Levee District
- * Bayou Bienvenue Lift Gate - Orleans Levee District
- * Seabrook Sector Gate - Orleans Levee District
- * Bayou Dupre Floodgate - Lake Borgne Levee District
- * GIWW West Closure Complex (WCC) - West Jefferson Levee District
- * Bayou Segnette Barge Gate - West Jefferson Levee District
- * Bayou Verret Floodgate (also known as the Sellers Canal Floodgate) - St. Charles Parish
- * Hero Canal Stoplog Gate - Plaquemines Parish
- * Empire Lock - Plaquemines Parish
- * Ostrica Lock - Plaquemines Parish
- * Empire Floodgate - Plaquemines Parish
- * Larose Floodgate - Lafourche Parish
- * Leon Theriot Floodgate (Golden Meadow) - Lafourche Parish.

LNM: 22-16

U.S. COAST GUARD MARINE SAFETY UNIT MORGAN CITY/HOUMA MARINE SAFETY INFORMATION BULLETIN - HURRICANE SEASON 2016

Attached as an enclosure to this LNM, is U.S. Coast Guard Marine Safety Unit Morgan City/Houma MSIB 009-16, regarding Hurricane Season 2016.

LNM: 20-16

U.S. COAST GUARD MARINE SAFETY UNIT PORT ARTHUR MARINE SAFETY INFORMATION BULLETIN - HURRICANE SEASON 2016

Attached as an enclosure to this LNM, is U.S. Coast Guard Marine Safety Unit Port Arthur MSIB 006-16, regarding Hurricane Season 2016.

LNM: 22-16

U.S. COAST GUARD SECTOR NEW ORLEANS MARINE SAFETY INFORMATION BULLETIN - HURRICANE SEASON

Attached as an enclosure to this LNM, is U.S. Coast Guard Sector New Orleans MSIB 068-16, regarding Hurricane Season 2016.

LNM: 23-16

**U.S. COAST GUARD MARINE SAFETY UNIT MORGAN CITY/HOUMA MARINE INFORMATION BULLETIN - GREEN CANYON BLOCK 248
OIL SPILL RESPONSE**

Attached as an enclosure to this LNM, is U.S. Coast Guard Marine Safety Unit Morgan City/Houma MSIB 010-16, regarding Green Canyon Block 249 Oil Spill Response.

LNM: 20-16

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
10	St Marks Light & River Range Rear Light	LT EXT	11406	0448-16 MO	22/16	
730	Ship Shoal Obstruction Lights	LT EXT	11356		41/11	
1485	St Marks River Range Front Light	STRUCT DMGD	11406		52/11	
1490	St Marks Light & River Range Rear Light	LT EXT	11406	0448-16 MO	22/16	
2485	Dog Island Light 5	TRLB/STRUCT DEST	11404	0320-15 MO	19/15	
2490	Dog Island Light 7	STRUCT DEST/TRLB	11404	0377-16 MO	18/16	
2565	Carrabelle Channel Inner Range Rear Light	STRUCT DEST/TRLT	11404	0068-16 MO	04/16	
2605	Carrabelle River Daybeacon 3	STRUCT DEST/TRUB	11404	0065-16 MO	04/16	
2830	St George Island Range Front Light	STRUCT DEST	11404	0952-14 MO	46/14	
2835	St George Island Range Rear Light	LT EXT/DAYMK MISSING	11404	0951-14 MO	46/14	
3025	St Joseph Bay Entrance A Range Front Light	TRLB/LT EXT	11393	0931-13 MO	47/13	
4580	Choctawhatchee Bay Entrance Daybeacon 10	TRUB/STRUCT DEST	11385	0371-15 MO	10/15	
4855	Pensacola Bay Navy Range Rear Light	LT EXT/STRUCT DMGD	11384	0991-13 MO	50/13	
5230	Pensacola Bay Bridge Approach Lighted Buoy 7	TRLB	11383		17/15	
5300	Bayou Chico Daybeacon 4	STRUCT DEST/TRUB	11383	0187-16 MO	10/16	
5845	Escambia River Buoy 25	MISSING	11378	1038-14 MO	52/14	
5890	Perdido Pass Light 1	LT EXT	11378		04/16	
5900	Perdido Pass Buoy 4	OFF STA	11378	0897-15 MO	46/15	
5955	Bayou St John Daybeacon 4	STRUCT DEST	11378	0380-16 MO	19/16	
6180	Mobile Channel B Range Front Light	LT EXT	11377	0417-16 MO	17/16	
6300	Mobile Channel Light 30	TRLB/STRUCT DEST	11378		38/15	
6310	Mobile Channel Light 32	STRUCT DEST/TRLB	11380	0910-15 MO	47/15	
6335	Mobile Channel Light 38	TRLB/STRUCT DEST	11377	0101-15 MO	33/14	
6430	Mobile Channel Light 40	TRLB/STRUCT DEST	11376	0105-15 MO	21/14	
6440	Mobile Channel Light 42	TRLB/STRUCT DEST	11376	0102-15 MO	06/15	
6475	Mobile Channel Light 45	TRLB/STRUCT DEST	11380	0372-15 MO	10/14	
6480	Mobile Channel Light 46	TRLB/STRUCT DEST	11376	0535-14 MO	28/14	
6485	Mobile Channel Light 47	TRLB/STRUCT DEST	11376	0673-15 MO	34/15	
6520	Mobile Channel Light 51	TRLB/STRUCT DEST	11380	0123-14 MO	46/13	
6525	Mobile Channel Light 52	STRUCT DEST/TRLB	11380	0706-14 MO	34/14	
6530	Mobile Channel Light 54	STRUCT DEST/TRLB	11376	0365-16 MO	18/16	
6540	Theodore Ship Channel Buoy 1A	TRUB	11376	0490-16 MO	08/16	
6550	Mobile Channel Light 55	STRUCT DEST/TRLB	11380		50/15	
6565	Mobile Channel Light 59	STRUCT DEST/TRLB	11376	0878-15 MO	25/15	
6570	Mobile Channel Light 60	REDUCED INT	11376	0917-14 MO	44/14	
6580	Mobile Channel Light 64	STRUCT DEST/TRLB	11380	0272-16 MO	13/16	
6590	Mobile Channel Light 66	REDUCED INT	11376	0918-14 MO	44/14	

6595	Mobile Channel Light 67	STRUCT DEST/TRLB	11376	0374-16 MO	18/16
6635	Mobile Channel Light 74	STRUCT DEST/TRLB	11376	0978-15 MO	28/14
6695	Mobile Channel Light 82	STRUCT DEST/TRLB	11376	0416-16 MO	21/16
7060	Fly Creek Daybeacon 5	TRUB/STRUCT DEST	11376	0050-14 MO	30/13
7070	Fly Creek Daybeacon 7	TRUB/STRUCT DEST	11376	0465-14 MO	24/14
7185	Dauphin Island Channel Daybeacon 7	STRUCT DEST/TRUB	11378	0088-16 MO	06/16
7195	Dauphin Island Channel Daybeacon 9	STRUCT DEST/TRUB	11378	0089-16 MO	06/16
7210	Dauphin Island Channel Light 14	LT EXT	11377	0516-16 MO	25/16
7225	Fort Gaines Point Wreck Light WR1	LT EXT	11377	0514-16 MO	25/16
7230	Dauphin Island Spit Light D	STRUCT DEST	11377	0515-16 MO	25/16
7360	Theodore Ship Channel Light 3	STRUCT DEST/TRLB	11376	0364-16 MO	18/16
7450	Dog River Channel Daybeacon 1	STRUCT DEST/TRUB	11380	0205-16 MO	10/16
7660	Bayou La Batre Light 3	STRUCT DEST/TRLB	11374	0423-16 MO	21/16
7665	Bayou La Batre Light 5	STRUCT DEST/TRLB	11374	0312-16 MO	38/15
7715	Bayou La Batre Light 16	STRUCT DEST/TRLB	11374	0138-16 MO	08/16
7740	Bayou La Batre Daybeacon 21	STRUCT DEST/TRUB	11374	0108-16 MO	07/16
8080	Pascagoula Channel Lighted Buoy 36	OFF STA	11375	0371-16 MO	18/16
8205	Pascagoula Channel Light 49	STRUCT DEST/TRLB	11375	0104-16 MO	06/16
8800	Biloxi East Channel Daybeacon 24	STRUCT DMGD	11372	0511-16 MO	25/16
8965	Biloxi Channel Light 2	DAYMK DMGD	11373	0491-16 MO	24/16
9005	Biloxi Channel Daybeacon 14	DAYMK MISSING	11372	0488-16 MO	24/16
9010	Biloxi Channel Daybeacon 16	STRUCT DEST	11372	0519-16 MO	25/16
9680	Gulfport Middle Reach Inbound Range Rear Light	DAYMK DMGD	11372	0279-16 MO	13/16
9795	Gulfport Upper Reach Outbound Range Rear Light	REDUCED INT	11372	0445-16 MO	21/16
10890	North Shore Channel Daybeacon 3	STRUCT DEST	11367	0537-16 NO	24/16
11720	Mississippi River - Gulf Outlet Light 68	LT EXT/DAYMK MISSING	11364	0286-16 NO	12/16
11785	Mississippi River - Gulf Outlet Light 111	TRLB/STRUCT DEST	11364	0479-15 NO	25/15
12355	Bayou Terre Aux Boeufs Light 2	LT EXT	11364	0283-16 NO	12/16
12370	Bayou Terre Aux Boeufs Light 6	LT EXT	11364	0284-16 NO	12/16
12375	Bayou Terre Aux Boeufs Light 7	LT EXT	11364	0285-16 NO	12/16
12435	Baptiste Collette Bayou Daybeacon 11	STRUCT DEST	11353	0536-16 GA	24/16
12575	South Pass Lighted Buoy 2	LT EXT	11361	0553-16 NO	25/16
12585	South Pass Buoy 3A	OFF STA/MSLD SIG	11361		24/16
12670	South Pass Light 16	STRUCT DEST/TRLB	11361	0260-16 NO	12/16
12720	Southwest Pass Entrance West Range Rear Light	LT EXT	11361	0535-16 NO	24/16
12930	Southwest Pass Head East Range Rear Light	DAYMK DMGD	11361	0279-16 NO	12/16
12940	Southwest Pass Head West Range Rear Light	DAYMK DMGD	11361	0354-15 NO	18/15
12995	Pilottown Lighted Buoy 1	OFF STA	11361	0480-16 NO	22/16
13075	Jump Shoal Lighted Buoy 10	OFF STA	11361		08/16
13115	Olga Light 16	REDUCED INT	11364	0522-16 NO	24/16
13350	Favret Light 52	STRUCT DEST	11374	0462-16 NO	22/16
13520	Belair Light 66	NIGHT LT BURNING DAY	11364		14/16
13545	Wills Point Light 68	STRUCT DEST	11353	0126-16 NO	06/16
13690	Saxonholm Light 86	STRUCT DEST	11364	0121-16 NO	06/16
13715	Algiers Alternate Route Junction Light A	TRLT	11367	0033-16 NO	02/16
13850	Governor Nicholls Light 94	LT IMCH	11368	0337-16 NO	15/16
14250	Hale Boggs Luling Bridge Approach Buoy C	MISSING	11370	0207-16 NO	10/16
14560	Gramercy Bridge Approach Buoy 3	OFF STA	11370	0208-16 NO	10/16
14565	Gramercy Bridge Approach Buoy 5	MISSING	11370	0209-16 NO	10/16
14675	College Point Light 156	STRUCT DEST	11370	0770-15 NO	23/15
14990	Philadelphia Point C Range Rear Light	LT IMCH	11370	0018-15 NO	01/15
15300	Arlington Range Front Light	STRUCT DEST	11370	0079-16 NO	32/15

15305	Arlington Range Rear Light	STRUCT DEST	11370		42/15
15355	I-10 Bridge Approach Buoy E	AIS INOP	11370	0464-16 NO	22/16
15360	I-10 Bridge Approach Buoy F	AIS INOP	11370	0465-16 NO	22/16
15360	I-10 Bridge Approach Buoy F	MISSING	11370	0035-16 D8	09/16
15365	I-10 Bridge Approach Buoy G	AIS INOP	11370	0466-16 NO	22/16
15455	Tiger Pass Light 6	TRLB/STRUCT DEST	11361	0154-14 NO	08/14
15490	Tiger Pass Light 13	TRLB/STRUCT DEST	11361	0516-14 NO	25/14
15505	Tiger Pass Light 17	MISSING/STRUCT DEST/TRUB	11361	0265-16 NO	25/14
15510.01	Tiger Pass Lighted Buoy 18	MISSING	11361	0266-16 NO	12/16
15510.02	Tiger Pass Buoy 18A	MISSING	11361	0267-16 NO	12/16
15520	Tiger Pass Buoy 20	MISSING	11361	0268-16 NO	12/16
16405	Barataria Waterway Daybeacon 46	STRUCT DEST/TRUB	11365		46/15
17155	Timbalier - Terrebonne Bay LIGHT 1	STRUCT DEST/TRLB	11357	0197-16 NO	09/16
17190	Timbalier - Terrebonne Bay Light 27	STRUCT DEST/TRLB	11357	0254-16 NO	11/16
17200	Timbalier - Terrebonne Bay Light 31	STRUCT DEST/TRLB	11357	0278-16 NO	12/16
17217.01	Timbalier - Terrebonne Bay Light 39	STRUCT DEST/TRLB	11346	0277-16 NO	12/16
17220	Timbalier - Terrebonne Bay Light 40	STRUCT DEST/TRLB	11346	0488-16 NO	20/16
17222	Timbalier - Terrebonne Bay Light 40A	STRUCT DEST/TRLB	11346	0489-16 NO	04/16
17227.01	Timbalier - Terrebonne Bay Light 43	STRUCT DEST/TRLB	11346	0917-15 NO	44/15
17870	Houma Navigation Canal Light 19	STRUCT DEST/TRLB	11355	1114-15 NO	52/15
18000	Bayou Grand Caillou Daybeacon 10	STRUCT DEST/TRUB	11356	0543-16 NO	25/16
18010	Bayou Grand Caillou Daybeacon 12	STRUCT DEST/TRUB	11356		47/15
18165	Bayou Grand Caillou Daybeacon 52	STRUCT DEST/TRLB	11357		24/16
18180	Grand Bayou Dularge Obstruction Light WR2	STRUCT DEST/TRLB	11356	0544-16 NO	25/16
18645	Atchafalaya Channel Light 23	STRUCT DEST/TRLB	11351	0373-16 NO	17/16
18730	Atchafalaya Channel Light 40	STRUCT DEST/TRLB	11351	0374-46 NO	17/16
18760	Atchafalaya Channel Light 45	STRUCT DEST/TRLB	11351	0375-16 NO	17/16
18895	Atchafalaya River Light 7	STRUCT DEST/TRLB	11351	0211-16 NO	10/16
18963	Atchafalaya River Junction Light C	STRUCT DEST/TRLB	11351	0212-16 NO	10/16
19090.01	Atchafalaya River Daybeacon 23	STRUCT DEST/TRUB	11351	0231-16 NO	03/16
20135	Southwest Pass - Vermillion Bay Channel Light 10	STRUCT DEST/TRLB	11349	0333-16 NO	43/15
20160	Southwest Pass - Vermillion Bay Channel Light 16	STRUCT DEST/TRLB	11349	0897-15 NO	36/15
20185	Southwest Pass - Vermillion Bay Channel Light 21	STRUCT DEST/TRLB	11349	0898-15 NO	36/15
20580	FRESHWATER BAYOU LIGHT 4	TRLB/STRUCT DEST/REDUCED INT	11350	1169-14 NO	48/14
20659	Intracoastal City Light 1	STRUCT DEST/TRLB	11350	0410-16 NO	19/16
21020	Mermentau River Daybeacon 7	STRUCT DEST/TRUB	11348	0214-16 GA	13/16
21405	Calcasieu Channel East Jetty Light 42	OFF STA/STRUCT DEST/HAZ NAV/TRLB	11347	0420-15 GA	29/14
21600	Calcasieu Channel Light 66	STRUCT DEST/TRLB	11347		43/15
21685	Calcasieu Channel Light 83	STRUCT DEST/TRLB	11347	0332-16 GA	23/16
21700	Calcasieu Channel Light 85	STRUCT DEST/TRLB	11347	0282-16 GA	18/16
21730	Calcasieu Channel Light 86	STRUCT DEST/TRLB	11347		18/16
21765	Calcasieu Channel Light 89	STRUCT DEST/TRLB	11348	0727-15 GA	46/15
21795	Devils Elbow Light 3	STRUCT DMGD/TRLB	11348	0201-16 GA	12/16
21880	Calcasieu River Light 99	STRUCT DEST/TRLB	11347		11/16
21895	Calcasieu River Light 102	STRUCT DEST/TRLB	11347		07/16
21915	Calcasieu River Light 104	STRUCT DEST/TRLB	11347	0029-16 GA	52/15
21925	Calcasieu River Light 106	STRUCT DEST/TRLB	11347	0669-15 GA	40/15
21930	Calcasieu River Light 108	STRUCT DEST/TRLB	11347		12/16
21950	Calcasieu River Light 110	TRLB/STRUCT DMGD	11347	0663-15 GA	40/15
22070	Coon Island Channel Light 8	STRUCT DEST/TRLB	11347		07/16
22250	Calcasieu River Light 126	STRUCT DEST/TRLB	11347		12/16
22255	Calcasieu River Daybeacon 128	STRUCT DEST/TRUB	11347		12/16

22260	Calcasieu River Light 130	STRUCT DEST/TRLB	11347		12/16
22930	Sabine-Neches Canal Light 58	STRUCT DEST/TRLB	11331	0297-16 GA	19/16
23000	Sabine-Neches Canal Light 66	STRUCT DEST/TRLB	11331		20/16
23230	Sabine River Daybeacon 26	STRUCT DEST/TRUB	11331	0300-16 GA	20/16
23295	Neches River Lighted Buoy 2	OFF STA	11331		20/16
23425	Neches River Light 34	STRUCT DEST/TRLB	11343		19/16
23575	Neches River Light 66	TRLB/STRUCT DEST	11343		33/15
23715	Galveston Bay Entrance Channel Lighted Buoy 6	LT IMCH	11324	0215-16 GA	13/16
23960	Houston Ship Channel Lighted Buoy 26	REDUCED INT	11324	0787-15 GA	48/15
24015	Houston Ship Channel Lighted Buoy 33	SINKING/BUOY DMGD	11324		21/16
24095	Houston Ship Channel Light 44	STRUCT DEST/TRLB	11327	0376-16 GA	25/16
24145.01	Trinity River Channel Buoy 4	MISSING	11326	0110-16 GA	07/16
24150.01	Trinity River Channel Buoy 5	MISSING	11326	0111-16 GA	07/16
24565	Houston Ship Channel Light 89	STRUCT DEST/TRLB	11328	0374-16 GA	24/16
25065	Lower Red Light Bend Inbound Range Rear Light	LT EXT	11328	0308-16 GA	20/16
25100	Houston Ship Channel Light 103	STRUCT DEST/TRLB	11328	0349-16 GA	06/16
25345	Houston Ship Channel Light 111A	DAYMK DMGD	11329	0379-16 GA	25/16
25370	Houston Ship Channel Light 113B	STRUCT DEST/TRLB	11329	0375-16 GA	25/16
25695	Houston Ship Channel Light 127	STRUCT DEST/TRLB	11329	0318-16 GA	21/16
25720	Houston Ship Channel Light 130	STRUCT DEST/TRLB	11325	0333-16 GA	23/16
25820	Houston Ship Channel Light 162	STRUCT DEST/TRLB	11325	0090-16 GA	06/16
26065	Texas City Channel Lighted Buoy 3	OFF STA	11324	0706-15 GA	44/15
26210	Texas City Connection Channel Buoy 6	MISSING/TRUB	11324		25/16
27275	Matagorda Ship Channel Light 35	STRUCT DEST/TRLB	11317	0216-16 CC	22/16
27465	Matagorda Ship Channel Light 63	STRUCT DEST/TRLB	11317	0186-16 CC	20/16
27730	Port Lavaca Channel Light 9	TRLB/STRUCT DEST	11317	0729-14 CC	01/15
27810	Port Lavaca Harbor of Refuge Daybeacon 8	TRUB/STRUCT DEST	11317	0530-15 CC	11/14
27815	Port Lavaca Harbor of Refuge Daybeacon 10	DAYMK IMCH/STRUCT DMGD	11317	0432-15 CC	11/14
27850	Lavaca Bay Channel Daybeacon 6	STRUCT DEST/TRUB	11317	0595-15 CC	48/15
27875	Lavaca Bay Channel Daybeacon 14	DAYMK IMCH	11317	0202-14 CC	11/14
27880	Lavaca Bay Channel Daybeacon 16	DAYMK MISSING	11317	0203-14 CC	11/14
27885	Lavaca Bay Channel Daybeacon 18	DAYMK IMCH	11317	0204-14 CC	11/14
27900	Lavaca Bay Channel Daybeacon 22	DAYMK IMCH	11317	0205-14 CC	11/14
27910	Lavaca River Daybeacon 3	DAYMK IMCH	11317	0206-14 CC	11/14
28265	Aransas Channel Daybeacon 15	STRUCT DEST/TRUB	11309	0150-16 CC	18/16
28720	Corpus Christi Channel Light 49	STRUCT DEST/TRLB	11309	0214-16 CC	23/16
28735	Corpus Christi Channel Light 56	STRUCT DMGD	11309		24/16
28975	La Quinta Channel Inner Range Rear Light	DAYMK MISSING	11309		16/16
29075	La Quinta Channel Light 15	STRUCT DEST/TRLB	11309	0221-16 CC	23/16
29355	Port Mansfield Channel Daybeacon 17	TRUB/STRUCT DEST	11306	0304-14 CC	17/14
29365	Port Mansfield Channel Daybeacon 19	DAYMK MISSING	11306		05/16
29375	Port Mansfield Channel Daybeacon 21	TRUB/STRUCT DEST	11306	0529-15 CC	40/15
29420	Port Mansfield Channel Range Rear Light	DAYMK MISSING	11306	0026-16 CC	04/16
29560	Laguna Madre Channel Range Rear Light	DAYMK DMGD	11302	0626-15 CC	51/15
29845	Port Isabel Channel Light 7	STRUCT DEST/TRLB	11302	0565-15 CC	44/15
29905	Brownsville Channel E Range Rear Light	DAYMK MISSING	11302	0189-16 CC	14/16
30235	Apalachicola Bay Daybeacon 59	STRUCT DEST/TRUB	11404	0086-16 MO	05/16
30245	Apalachicola Bay Light 64	STRUCT DEST/TRLB	11404	0073-16 MO	04/16
30265	Apalachicola Bay Daybeacon 71	STRUCT DEST/TRUB	11404	0238-16 MO	12/16
30270	Apalachicola Bay Daybeacon 74	STRUCT DEST/TRUB	11402	0239-16 MO	12/16

30275	Apalachicola Bay Light 76	STRUCT DEST/TRLB	11402	0203-16 MO	08/16
30300	Apalachicola River Entrance Light 4	STRUCT DEST/TRLB	11404	0192-16 MO	10/16
30405	Apalachicola River Entrance Range Rear Light	LT EXT/DAYMK DMGD	11401	0737-14 MO	36/14
30415	Apalachicola River Daybeacon 4	STRUCT DEST/TRUB	11402	0189-16 MO	10/16
30430	Apalachicola River Daybeacon 6	STRUCT DEST/TRUB	11402	0190-16 MO	10/16
30460	Apalachicola River Shoal Buoy 18	OFF STA	11401		12/16
30490	Apalachicola River Buoy 25	OFF STA	11402	0311-16 MO	15/16
30535	Jackson River Light 9	LT EXT	11402		12/16
30555	Lake Wimico Daybeacon 4	STRUCT DEST	11402	0404-16 MO	20/16
30580	Lake Wimico Light 9	DAYMK MISSING	11393		12/16
30885	East Bay Light 25	STRUCT DEST/TRLB	11393	0181-16 MO	09/16
30970	Shoal Point Bayou Channel Light 1	STRUCT DEST/TRLB	11391	0277-16 MO	13/16
31215	Shell Point Light 7	STRUCT DEST/TRLB	11390	0225-16 MO	12/16
31490	Choctawhatchee Bay Buoy 21	MISSING	11385	0435-16 MO	17/16
31545	Choctawhatchee Bay Daybeacon 35	DAYMK MISSING	11385	0505-16 MO	14/16
31565	Choctawhatchee Bay Daybeacon 45	DAYMK MISSING	11385	0489-16 MO	21/16
31625	La Grange Bayou Daybeacon 16	STRUCT DMGD	11385	0248-15 MO	16/15
31635	La Grange Bayou Light 19	LT EXT	11385	0898-15 MO	46/15
32100	Choctawhatchee Bay Light 59	STRUCT DEST/TRLB	11385	0270-16 MO	35/15
32115	Choctawhatchee Bay Light 61	STRUCT DEST/TRLB	11385	0271-16 MO	47/15
32425	Santa Rosa Sound Lighted Buoy 56	REDUCED INT	11385	0817-14 MO	39/14
32510	Santa Rosa Sound Buoy 69A	BUOY DMGD	11385	0765-15 MO	38/15
32575	Santa Rosa Sound Daybeacon 79	DAYMK MISSING	11385	0955-15 MO	49/15
32675	Santa Rosa Sound Daybeacon 96	STRUCT DEST/TRUB	11385	0083-16 MO	05/16
33030	Santa Rosa Sound Light 140	STRUCT DEST/TRLB	11383	0326-16 MO	16/16
33065	Pensacola Bay Navy Range Rear Light	LT EXT/STRUCT DMGD	11384	0991-13 MO	50/13
33265	Pensacola-Mobile Light 18	STRUCT DEST/TRLB	11378	0449-16 MO	22/16
33275	Pensacola-Mobile Daybeacon 20	STRUCT DEST/TRUB	11378	0450-16 MO	22/16
33410	Pensacola-Mobile Daybeacon 37	STRUCT DEST	11378	0381-16 MO	19/16
33510	Pensacola-Mobile Light 58	STRUCT DEST/TRLB	11378	0304-16 MO	52/15
33685	Pensacola-Mobile Daybeacon 89	DAYMK MISSING	11378	0912-15 MO	47/15
33700	Pensacola-Mobile Daybeacon 92	STRUCT DEST/TRUB	11378	0325-16 MO	16/16
33705	Pensacola-Mobile Daybeacon 93	STRUCT DEST/TRUB	11378	0293-16 MO	14/16
33735	Pensacola-Mobile Daybeacon 99	STRUCT DEST/TRUB	11378	0079-16 MO	05/16
33740	Pensacola-Mobile Light 100	STRUCT DEST	11378	0518-16 MO	25/16
33785	Pensacola-Mobile Light 108	STRUCT DEST/TRLB	11378	0280-16 MO	14/16
33835	Pensacola-Mobile Daybeacon 118	STRUCT DEST/TRUB	11378	0370-16 MO	18/16
33900	Pensacola-Mobile Daybeacon 137	STRUCT DEST/TRUB	11378	0340-16 MO	17/16
33920	Pensacola-Mobile Daybeacon 145	STRUCT DEST/TRUB	11378	0373-16 MO	18/16
33935	Pensacola-Mobile Light 151	STRUCT DEST/TRLB	11377	0087-16 MO	05/16
33965	Pass Aux Herons Light 2	DAYMK DMGD	11378		14/16
33985	Pass Aux Herons Daybeacon 3	STRUCT DEST/TRUB	11378	0150-16 MO	08/16
33995	Pass Aux Herons Daybeacon 5	STRUCT DEST/TRUB	11378	0339-16 MO	17/16
34035	Pass Aux Herons Buoy 14	OFF STA	11378	0509-16 MO	25/16
34070	Pass Aux Herons Buoy 18	MISSING	11378	0475-16 MO	23/16
34180	Pass Aux Herons Buoy 23	MISSING	11378	0510-16 MO	25/16
34270	Pass Aux Herons Daybeacon 36	STRUCT DEST/TRUB	11374	0261-16 MO	12/16
34275	Pass Aux Herons Daybeacon 37	STRUCT DEST/TRUB	11374	0262-16 MO	12/16
34285	Pass Aux Herons Daybeacon 38	STRUCT DEST/TRUB	11374	0503-16 MO	25/16
34315	Bayou La Batre Light 5	STRUCT DEST/TRLB	11374	0312-16 MO	38/15
34320	Bayou La Batre Light 3	STRUCT DEST/TRLB	11374	0423-16 MO	21/16
34350	Round Island South Channel Light 5	STRUCT DEST/TRLB	11375	0981-15 MO	51/15
34403	Marianne Channel Wreck Light WR2	LT EXT	11372	0444-16 MO	21/16
34455	Marianne Channel Buoy 17	TRUB	11372	0134-15 MO	07/15
34580	Grand Island Channel Daybeacon 3	STRUCT DEST	11372		24/16

34600	Grand Island Channel Daybeacon 11	STRUCT DEST	11367	0502-16 MO	25/16
34615	St Joseph Island Light 22	DAYMK DMGD	11367	0375-16 MO	18/16
34635	Lake Borgne Daybeacon 7	STRUCT DEST/TRUB	11367	0376-16 MO	18/16
34665	Lake Borgne Daybeacon 16	STRUCT DEST/TRUB	11367	0534-16 NO	24/16
34670	Lake Borgne Daybeacon 18	STRUCT DEST/TRUB	11367	0533-16 NO	24/16
34685	Lake Borgne Light 21	STRUCT DEST/TRLB	11367	0390-16 NO	18/16
34690	Lake Borgne Daybeacon 23	STRUCT DEST/TRUB	11367	0389-16 NO	18/16
34765	Governor Nicholls Light 94	LT IMCH	11368	0337-16 NO	15/16
34935	Algiers Alternate Route Junction Light A	TRLT	11367	0033-16 NO	02/16
35055	Lake Cocodrie Light 10	STRUCT DEST/TRLB	11355	0391-16 NO	18/16
35130	Morgan City-Port Allen Alternate Route Daybeacon 14	STRUCT DEST/TRUB	11355	0413-16 NO	52/15
35140	Morgan City-Port Allen Alternate Route Daybeacon 16	STRUCT DEST/TRUB	11355	0351-16 NO	16/16
35145	Morgan City-Port Allen Alternate Route Daybeacon 17	STRUCT DEST/TRUB	11355	0352-16 NO	16/16
35200	Little Wax Bayou Light 2	STRUCT DEST/TRLB	11355	0066-16 NO	03/16
35210	Wax Outlet East Approach Daybeacon E	STRUCT DEST/TRUB	11355	0358-16 NO	47/15
35215	Wax Outlet Northeast Approach Daybeacon NE	STRUCT DEST/TRUB	11355	0359-16 NO	16/16
35220	Wax Outlet Northwest Approach Daybeacon NW	STRUCT DEST/TRUB	11355	0360-16 NO	16/16
35225	Wax Outlet West Approach Daybeacon W	STRUCT DEST/TRUB	11352	0361-16 NO	16/16
35274	VERMILLION RIVER ENTRANCE LIGHT 1	STRUCT DEST/TRLB	11350	0400-16 NO	51/15
35278	VERMILLION RIVER LIGHT 2	STRUCT DEST/TRLB	11350	0118-16 NO	05/16
35335	Gibbstown Daybeacon 2	STRUCT DEST/TRUB	11348		19/16
35340	Gibbstown Daybeacon 4	STRUCT DEST/TRUB	11348		19/16
35360	Sweet Lake Daybeacon 6	STRUCT DEST/TRUB	11348		19/16
35380	Devils Elbow Light 3	STRUCT DMGD/TRLB	11348	0201-16 GA	12/16
35625	Sabine-Neches Canal Light 66	STRUCT DEST/TRLB	11331		20/16
35690	Sabine-Neches Canal Light 58	STRUCT DEST/TRLB	11331	0297-16 GA	19/16
35915	Bolivar Peninsula Light 14	REDUCED INT	11324		51/14
36260.01	Galveston-Freeport Light 12	STRUCT DEST/TRLB	11324	0366-16 GA	24/16
36322	Galveston-Freeport Lighted Buoy 26B	OFF STA	11324	0671-15 GA	40/15
36415	Offatts Bayou Entrance Channel Daybeacon 18	STRUCT DEST/TRUB	11324	0367-16 GA	24/16
36445	Offatts Bayou Daybeacon 1	STRUCT DMGD	11324	0690-15 GA	43/15
36525.01	Galveston-Freeport Light 30	STRUCT DEST/TRLB	11324	0365-16 GA	24/16
36565.01	Galveston-Freeport Light 39	STRUCT DEST/TRLB	11324	0372-16 GA	25/16
36930	West Bay (Texas) Buoy 4	OFF STA	11322	0344-16 GA	24/16
36940	West Bay (Texas) Buoy 6	OFF STA	11322	0345-16 GA	24/16
36950	West Bay (Texas) Buoy 8	OFF STA	11322	0346-16 GA	24/16
36960	West Bay (Texas) Buoy 10	OFF STA	11322	0347-16 GA	24/16
36970	West Bay (Texas) Buoy 12	OFF STA	11322	0348-16 GA	24/16
37360	Oyster Lake Daybeacon 3	STRUCT DMGD/TRUB	11322	0290-16 GA	19/16
37370	Oyster Lake Daybeacon 5	STRUCT DMGD/TRUB	11322	0291-16 GA	19/16
37405	Matagorda Bay Light 2	STRUCT DEST	11319	0247-16 CC	25/16
37585	Matagorda Bay - Alternate Route Daybeacon 6A	STRUCT DEST/TRUB	11319	0231-16 CC	23/16
37600	Matagorda Bay - Alternate Route Daybeacon 8A	STRUCT DEST/TRUB	11319	0223-16 CC	23/16
37725	Palacios Channel Daybeacon 16	STRUCT DEST/TRUB	11317	0224-16 CC	23/16
37750	Palacios Channel Light 26	STRUCT DEST/TRLB	11317	0239-16 CC	21/16
37805	Palacios Channel Light 46	STRUCT DEST	11317	0230-16 CC	24/16
37810	Palacios Channel Light 48	STRUCT DEST/TRLB	11317	0592-15 CC	47/15
38135	Victoria Channel Light 16	STRUCT DEST/TRLB	11315	0203-16 CC	21/16
38175	Victoria Channel Daybeacon 27	STRUCT DEST/TRUB	11315	0190-16 CC	21/16
38300	Seadrift Channel Daybeacon 4	STRUCT DMGD	11315	0027-16 CC	04/16

38500	San Antonio Bay Daybeacon 24	STRUCT DEST/TRUB	11315	0244-16 CC	25/16
38545.01	San Antonio Bay Daybeacon 30	STRUCT DMGD	11315	0609-15 CC	50/15
38730.01	Aransas Bay Daybeacon 14	STRUCT DEST/TRUB	11314		22/16
38870.01	Aransas Bay Daybeacon 23	STRUCT DEST/TRUB	11314	0167-16 CC	19/16
38895	Aransas Bay Light 25	STRUCT DEST/TRLB	11314	0134-16 CC	16/16
39055	Aransas Bay Light 33	STRUCT DEST/TRLB	11314	0180-16 CC	20/16
39400	Corpus Christi Bay Daybeacon 48	STRUCT DEST/TRUB	11308	0234-16 CC	24/16
39405	Corpus Christi Bay Daybeacon 49	STRUCT DEST/TRUB	11308	0235-16 CC	24/16
39830	Corpus Christi Baffin Bay Light 19	STRUCT DEST/TRLB	11308	0620-15 CC	51/15
40205	Corpus Christi Baffin Bay Light 47	STRUCT DEST/TRLB	11308	0195-16 CC	20/16
41520	Land Cut-Arroyo Colorado Light 29	STRUCT DEST	11306	0106-16 CC	13/16
41990	Land Cut-Arroyo Colorado Light 95	STRUCT DMGD	11303	0116-16 CC	12/16
42820	Port Isabel Small Boat Harbor Channel Daybeacon 5	TRUB/STRUCT DEST	11302	0705-14 CC	50/14
42830	Port Isabel Small Boat Harbor Channel Light 10	STRUCT DEST/TRLB	11302	0578-15 CC	46/15
42840	Port Isabel Small Boat Harbor Channel Daybeacon 14	STRUCT DEST/TRUB	11302	0577-15 CC	46/15
42950	Port Isabel Channel Light 7	STRUCT DEST/TRLB	11302	0565-15 CC	44/15
43025	Brownsville Channel E Range Rear Light	DAYMK MISSING	11302	0189-16 CC	14/16
	Sim'S Bayou Security Zone Marker	MISSING			02/16

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
10005	Gulfport Small Boat Harbor Buoy 6A	RESET ON STATION	11372		25/16	25/16
10015	Gulfport Small Boat Harbor Buoy 8	WATCHING PROPERLY	11372		25/16	25/16
11635	Tickfaw River Buoy 5	WATCHING PROPERLY	11369		24/16	25/16
13230	Point Pleasant Upper Light 30A	RELIGHTED	11364		25/16	25/16
20760	Mermentau Channel Buoy 15	RESET ON STATION	11348		25/16	25/16
21325	Calcasieu Channel A Range Front Light	RELIGHTED	11347		24/16	25/16
22635	Sabine Pass Light 39	RELIGHTED	11342		25/16	25/16
25060	Lower Red Light Bend Inbound Range Front Light	RELIGHTED	11328		24/16	25/16
25060	Lower Red Light Bend Inbound Range Front Light	RELIGHTED	11328		25/16	25/16
25555	San Jacinto Junction Light SJ	RELIGHTED	11329		24/16	25/16
26125	Texas City Channel Light 11	WATCHING PROPERLY	11324		25/16	25/16
26205	Texas City Connection Channel Buoy 5	RESET ON STATION	11324		25/16	25/16
28160	Aransas Pass Lighted Buoy 7	WATCHING PROPERLY	11312		25/16	25/16
29925	Brownsville Channel B Range Front Light	RELIGHTED	11302		25/16	25/16
31860	Choctawhatchee Bay Lighted Buoy 51	RELIGHTED	11385		25/16	25/16
35800	East Bay Bayou Light 8	WATCHING PROPERLY	11331		24/16	25/16
35810	Rollover Bay Buoy 2	WATCHING PROPERLY	11331		25/16	25/16
35830.01	ROLLOVER BAY LIGHT 4	REBUILT/REMAINS	11331		25/16	25/16
35840	Rollover Bay Buoy 6	WATCHING PROPERLY	11331		23/16	25/16
35855.01	ROLLOVER BAY LIGHT 9	REBUILT/RECOVERED	11331		22/16	25/16
35860.01	ROLLOVER BAY LIGHT 10	REBUILT/RECOVERED	11331		24/16	25/16
35880	Bolivar Peninsula Daybeacon 2	REBUILT/REMAINS	11324		24/16	25/16
35940	Bolivar Peninsula Lighted Buoy 19	RESET ON STATION	11324		25/16	25/16
35940	Bolivar Peninsula Lighted Buoy 19	WATCHING PROPERLY	11324		23/16	25/16
35945	Bolivar Peninsula Lighted Buoy 20	RESET ON STATION	11324		25/16	25/16
36360	Offatts Bayou Entrance Channel Daybeacon 6	WATCHING PROPERLY	11324		25/16	25/16
36405	Offatts Bayou Entrance Channel Daybeacon 14	WATCHING PROPERLY	11324		25/16	25/16
36610	Galveston-Freeport Buoy 44	WATCHING PROPERLY	11324		25/16	25/16
43045	Brownsville Channel B Range Front Light	RELIGHTED	11302		25/16	25/16

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNМ St	LNМ End
370	Energy XXI-102-10 (Lighted Horn Buoy)	LT EXT/SS INOP	11361		25/15	
370	Energy XXI-102-10 (Lighted Horn Buoy)	SS INOP	11361		19/15	
500	Fr-La-27 Lighted Tension Buoy E	OFF STA	11358	0167-15 NO	09/15	
505	Loop Pumping Platform Light-100-5	RAC INOP	11359		17/16	
655	Fugro Metocean Lighted Buoy	OFF STA	11006	1032-14 NO	43/14	
785	Texaco-GC-6-A RACON	LT EXT/SS INOP	1116		04/08	
988	McMoran-999-11 (Lighted Buoy)	OFF STA	1116	0399-15	21/15	
1432	Texas Fishing Reef FR-TX-52 Lighted Buoy	OFF STA	11307		31/14	
3170	Port St Joe Marina Entrance Light 2	DAYMK DMGD	11393	0392-15 MO	22/15	
3175	Port St Joe Marina Entrance Light 1	DAYMK DMGD	11393	0391-15 MO	22/15	
3215	Windmark Beach East Channel Daybeacon 1	DAYMK MISSING	11393	0408-15 MO	22/15	
3220	Windmark Beach East Channel Daybeacon 2	DAYMK MISSING	11393	0409-15 MO	22/15	
3225	Windmark Beach East Channel Daybeacon 3	DAYMK MISSING	11393	0410-15 MO	22/15	
3230	Windmark Beach East Channel Daybeacon 4	DAYMK MISSING		0411-15 MO	22/15	
3235	Windmark Beach Middle Channel Daybeacon 1	DAYMK MISSING	11393	0412-15 MO	22/15	
3240	Windmark Beach Middle Channel Daybeacon 2	DAYMK MISSING	11393	0413-15 MO	22/15	
3245	Windmark Beach Middle Channel Daybeacon 3	DAYMK MISSING	11393	0414-15 MO	22/15	
3250	Windmark Beach Middle Channel Daybeacon 4	DAYMK MISSING	11393	0415-15 CC	22/15	
3255	Windmark Beach West Channel Daybeacon 1	DAYMK MISSING	11393	0416-15 MO	22/15	
3260	Windmark Beach West Channel Daybeacon 2	DAYMK MISSING	11393	0417-15 MO	22/15	
3265	Mexico Beach Canal Entrance Light 1	LT EXT/DAYMK MISSING	11393	0394-15 MO	29/08	
3270	Mexico Beach Canal Entrance Light 2	MISSING	11393	0395-15 MO	29/08	
3275	Mexico Beach Canal Entrance Light 3	LT EXT/DAYMK MISSING	11393	0396-15 MO	29/08	
3280	Mexico Beach Canal Entrance Light 4	LT EXT/DAYMK MISSING	11393	0397-15 MO	29/08	
3285	Mexico Beach Canal Entrance Light 5	STRUCT DEST	11393	0398-15 MO	29/08	
3290	Mexico Beach Canal Entrance Light 6	STRUCT DEST	11393	0399-15 MO	29/08	
3295	Mexico Beach Canal Entrance Daybeacon 7	STRUCT DEST	11393	0400-15 MO	29/08	
3300	Mexico Beach Canal Entrance Daybeacon 8	STRUCT DEST	11393	0401-15 MO	29/08	
3305	Mexico Beach Canal Entrance Light 9	STRUCT DEST	11393	0402-15 MO	29/08	
3310	Mexico Beach Canal Entrance Light 10	STRUCT DEST	11393	0403-15 MO	29/08	
3315	Mexico Beach Canal Entrance Daybeacon 11	STRUCT DEST	11393	0404-15 MO	29/08	
3320	Mexico Beach Canal Entrance Daybeacon 12	STRUCT DEST	11393	0405-15 MO	29/08	
3325	Mexico Beach Canal Entrance Light 13	STRUCT DEST	11393	0406-15 MO	29/08	
3330	Mexico Beach Canal Entrance Light 14	STRUCT DEST	11393	0407-15 MO	29/08	
3730	Woodlawn Bayou Channel Daybeacon 1	DAYMK MISSING	11391	0356-15 MO	20/15	
3735	Woodlawn Bayou Channel Daybeacon 2	DAYMK MISSING	11391	0357-15 MO	20/15	
3740	Woodlawn Bayou Channel Daybeacon 3	DAYMK MISSING	11391	0358-15 MO	20/15	
3745	Woodlawn Bayou Channel Daybeacon 4	DAYMK DMGD	11391	0359-15 MO	20/15	
3750	Woodlawn Bayou Channel Daybeacon 5	DAYMK MISSING	11391	0360-15 MO	20/15	
3755	Woodlawn Bayou Channel Daybeacon 6	DAYMK DMGD	11391	0361-15 MO	20/15	
3760	Woodlawn Bayou Channel Daybeacon 7	DAYMK DMGD	11391	0362-15 MO	20/15	
3765	Woodlawn Bayou Channel Daybeacon 8	DAYMK DMGD	11391	0363-15 MO	20/15	
3770	Woodlawn Bayou Channel Daybeacon 9	DAYMK DMGD		0364-15 MO	20/15	

3775	Woodlawn Bayou Channel Daybeacon 10	DAYMK DMGD		0365-15 MO	20/15
3965	North Bay Channel Daybeacon 2	MISSING	11389		21/15
3970	North Bay Channel Daybeacon 4	MISSING	11389		21/15
3975	North Bay Channel Daybeacon 6	MISSING	11389		21/15
3980	North Bay Channel Daybeacon 8	MISSING	11389		21/15
3985	North Bay Channel Daybeacon 10	MISSING	11390		21/15
3990	Robinson Bayou Daybeacon 1	MISSING			21/15
3995	Robinson Bayou Daybeacon 2	MISSING	11390		21/15
4000	Robinson Bayou Daybeacon 3	MISSING			21/15
4005	Robinson Bayou Daybeacon 4	MISSING	11390		21/15
4010	Robinson Bayou Daybeacon 5	MISSING			21/15
4015	Robinson Bayou Daybeacon 6	MISSING			21/15
4020	Robinson Bayou Daybeacon 7	MISSING			21/15
4025	Robinson Bayou Daybeacon 8	MISSING			21/15
4450	West Grand Lagoon Channel Daybeacon 15	DAYMK MISSING/STRUCT DMGD	11391	0315-16 MO	16/16
5460	Bayou Grande Daybeacon 9	DAYMK MISSING	11383	0620-12 NO	33/12
6625	Mobile Airport Approach Lights(4)	LT EXT	11376		06/08
6780	Boise Cascade Water Intake Buoy	MISSING		0447-16 MO	22/16
7030	Grand Hotel Yacht Basin Light 2	LT EXT			47/11
7115	Blakeley River Daybeacon 10	MISSING	11376	0596-05 MO	25/05
8560	Mississippi Gulf Fish Reef Light B	MISSING	11374		33/14
8830.01	Davis Bayou Channel Light 2	LT EXT/STRUCT DMGD	11372	0131-16 MO	07/16
8830.02	Davis Bayou Channel Daybeacon 4	STRUCT DMGD	11372	0132-16 MO	07/16
8830.03	Davis Bayou Channel Daybeacon 6	LT EXT/STRUCT DMGD	11372		08/16
8830.19	Davis Bayou Channel Daybeacon 24	OFF STA	11372	225-15 NO	14/15
9485	Mississippi Gulf Fishing Reef Light C	MISSING	11372		33/14
10977	FR-LA-71-A	MISSING	11369	0506-16 NO	23/16
10977.01	FR-LA-71-B	MISSING	11369	0507-16 NO	23/16
10977.02	FR-LA-71-C	MISSING	11369	0508-16 NO	23/16
10977.03	FR-LA-71-D	MISSING	11369	0509-16 NO	23/16
10980	FR-LA-70-A	MISSING	11369	0510-16 NO	23/16
10985	FR-LA-70-B	MISSING	11369	0511-16 NO	23/16
10990	FR-LA-70-C	MISSING	11369	0512-16 NO	23/16
10995	FR-LA-70-D	MISSING	11369	0513-16 NO	23/16
11180	New Canal Light	LT EXT	11369		41/11
13505	Entergy Louisiana Submerged Cable Lights (2)	LT EXT	11364	1376-13 NO	49/13
13680	Shell Intake Dolphin Lights (3)	LT IMCH	11364		02/14
14105	Lasalle Landing Barge Dock Lights (2)	STRUCT DMGD	11370		12/14
14360	Entergy Waterford Lights (3)	HAZ NAV/LT EXT/STRUCT DMGD	11370		44/14
14950	Bayou Lafourche Intake Lights (3)	STRUCT DEST	11370	0165-16 NO	10/14
15730	Meyers Canal Light 1	STRUCT DEST	11364		03/15
16060	Lake Five Channel Daybeacon 4	MISSING		1058-10	34/10
18240	Lake De Cade Light 2	LT EXT	11352		50/15
18390	East Atchafalaya Bay Channel Daybeacon 16	MISSING	11351		35/14
18410	East Atchafalaya Bay Channel Daybeacon 24	MISSING	11351	0055-15 NO	03/15
18415	East Atchafalaya Bay Channel Daybeacon 26	MISSING	11351	0056-15 NO	35/14
18420	East Atchafalaya Bay Channel Daybeacon 28	MISSING	11351		35/14
18475	East Atchafalaya Bay Channel Daybeacon 52	MISSING	11351		35/14
18480	East Atchafalaya Bay Channel Daybeacon 54	MISSING	11351		35/14

18505	East Atchafalaya Bay Channel Daybeacon 66	MISSING//STRUCT DMGD	11351		35/14
20065	Mound Point Light 1	OFF STA	11349	0460-14 NO	22/14
20730	Roundlake Canal Barracade Light 1	MISSING	11348		18/13
20735	Roundlake Canal Barracade Light 2	MISSING	11348		18/13
21710	Cameron LNG Daybeacon B	STRUCT DMGD	11339	0203-14 GA	11/14
22770	Texas Water Board Research Light Tower A	LT EXT	11342		49/12
22800	Golden Pass LNG Berthing Lighted Entrance Buoy B	MISSING	11342	0174-13 GA	09/13
23280	Orange County Pier Light 6	LT EXT	11331		18/13
23590	Mobil Chemical Dock Light 2	LT EXT	11343	0805-14 GA	42/14
24905	Baytown Goose Creek Channel Daybeacon 6	STRUCT DMGD	11328	0766-15 GA	48/15
25110	San Jacinto Bay Barge Channel Daybeacon 3	STRUCT DEST	11328	0228-16 GA	14/16
25120	San Jacinto Bay Barge Channel Daybeacon 5	STRUCT DEST		0043-16 GA	52/15
25165	San Jacinto Bay Barge Channel Daybeacon 20	MISSING		0189-16 GA	11/16
25168	San Jacinto Bay Barge Channel Daybeacon 21	STRUCT DEST	11329	0044-16 GA	03/16
25170	San Jacinto Bay Barge Channel Daybeacon 22	STRUCT DEST/DAYMK IMCH	11309	0326-15 GA	19/15
25310	Baytown Bend Tower Obstruction Light C	LT EXT	11328	0168-15	11/15
26005	Red Bayou Channel Daybeacon 2	DAYMK MISSING	11326		40/08
26010	Red Bayou Channel Daybeacon 4	DAYMK MISSING	11326		40/08
26015	Red Bayou Channel Daybeacon 6	DAYMK MISSING	11326		40/08
26020	Red Bayou Channel Daybeacon 8	DAYMK MISSING	11326		40/08
26025	Red Bayou Channel Daybeacon 10	DAYMK MISSING	11326		40/08
26530	Watergate Marina Channel Light 2	LT IMCH	11326	0465-12 GA	23/12
26550	Watergate Marina Channel Daybeacon 6	DAYMK MISSING	11326	0267-15 GA	16/15
26580	Watergate Marina Channel Light 11	DAYMK IMCH	11326	0467-12 GA	23/12
26585	Watergate Marina Channel Light 13	STRUCT DEST	11326	0468-12 GA	23/12
26590	Watergate Marina Channel Range Front Light	STRUCT DEST		0469-12 GA	23/12
26595	Watergate Marina Channel Range Rear Light	STRUCT DEST		0470-12 GA	23/12
26665	Marina Del Sol Channel Lighted Buoy 1	MISSING	11326		40/15
26670	Marina Del Sol Channel Buoy 2	MISSING	11326		40/15
26680	Marina Del Sol Channel Daybeacon 4	MISSING	11326		40/15
26685	Marina Del Sol Channel Daybeacon 5	MISSING	11326		40/15
26715	Marina Del Sol Channel Light 11	MISSING	11326		40/15
26720	Marina Del Sol Channel Light 12	MISSING	11326		40/15
26790	Ideal Channel Daybeacon 1	LT EXT	11326		40/15
26795	Ideal Channel Light 2	MISSING	11326		40/15
26810	Ideal Channel Light 5	MISSING	11326		40/15
26815	Ideal Channel Daybeacon 6	MISSING	11326		40/15
26820	Ideal Channel Daybeacon 7	MISSING	11326		40/15
26825	Ideal Channel Daybeacon 8	MISSING	11326		40/15
26830	Ideal Channel Daybeacon 10	MISSING	11326		40/15
26855	Clear Lake Wharf Light #2	LT EXT	11326		29/14
27415	Onyx Pipeline Light B	STRUCT DEST	11316	0619-13 CC	43/13
27420	Onyx Pipeline Light A	LT EXT	11317	0617-13 CC	43/13
27425	Onyx Pipeline East Light	LT EXT	11317	0620-13 CC	43/13
27430	Onyx Pipeline West Light	LT EXT	11317	0618-13 CC	43/13
27665	Point Comfort Inner Channel Light 4	LT EXT	11317		31/10
27820	Chocolate Bay Channel Buoy 1	MISSING	11317	0193-14 CC	11/14
27825	Chocolate Bay Channel Buoy 3	MISSING	11317	0194-14CC	11/14

27830	Chocolate Bay Channel Buoy 5	MISSING	11317		37/10
27835	Chocolate Bay Channel Buoy 7	MISSING	11317	0195-14 CC	11/14
28460	Mustang Beach Channel Daybeacon 11	STRUCT DMGD	11308		45/11
28495	Mustang Beach Channel Daybeacon 19	OFF STA	11308	0302-13CC	18/13
28500	Mustang Beach Channel Daybeacon 20	STRUCT DEST	11308	0368-15 CC	27/15
29635	South Padre Island Channel Daybeacon 9	MISSING	11302		01/13
29655	South Padre Island Channel Daybeacon 15	STRUCT DEST	11302		45/10
29695	South Padre Island Channel Daybeacon 23	MISSING	11302		01/13
31685	Hogtown Bayou Daybeacon 1	STRUCT DEST	11388	0204-15 MO	31/14
31690	Hogtown Bayou Daybeacon 2	STRUCT DEST	11388	0205-15 MO	13/15
31695	Hogtown Bayou Daybeacon 3	STRUCT DEST	11388	0206-15 MO	13/15
31700	Hogtown Bayou Daybeacon 4	STRUCT DEST	11388	0207-15 MO	13/15
31705	Hogtown Bayou Daybeacon 5	DAYMK MISSING	11388		51/13
31745	Sandestin Beach Channel Daybeacon 6	DAYMK MISSING	11385		51/13
31775	Sandestin Beach Channel Light 12	LT EXT/DAYMK MISSING	11385		51/13
31800	Sandestin Beach Channel Daybeacon 17	MISSING	11385		51/13
31805	Sandestin Beach Channel Daybeacon 18	MISSING	11385		51/13
31810	Sandestin Beach Channel Daybeacon 19	MISSING	11385		51/13
31815	Sandestin Beach Channel Daybeacon 20	MISSING	11385		51/13
31820	Sandestin Beach Channel Light 21	MISSING	11385		51/13
31825	Sandestin Beach Channel Light 22	MISSING	11385		51/13
31830	Sandestin Beach Channel Daybeacon 23	DAYMK MISSING	11385		51/13
31835	Sandestin Beach Channel Light 24	DAYMK MISSING	11385		51/13
31855	Sandestin Beach Channel Daybeacon 30	MISSING	11385		51/13
31970	Indian Bayou Daybeacon 6	DAYMK DMGD	11385		14/12
33160	Sherman Cove Marina Daybeacon 6	DAYMK MISSING/STRUCT DMGD	11383	1002-12	02/13
33210	Grand Lagoon Boat Basin Channel Daybeacon 3	STRUCT DEST	11378		15/16
33610	Bay La Launch Channel Daybeacon 5	STRUCT DEST	11378	0539-11 NO	16/11
36215	Pier 77 Channel Buoy 3	MISSING	11324		38/14
36220	Pier 77 Channel Buoy 4	MISSING	11324		38/14
36225	Pier 77 Channel Buoy 7	MISSING	11324		38/14
36230	Pier 77 Channel Buoy 9	MISSING	11324		38/14
36235	Pier 77 Channel Buoy 10	MISSING	11324		38/14
36240	Pier 77 Channel Buoy 12	MISSING	11324		38/14
36245	Pier 77 Channel Buoy 13	MISSING	11324		38/14
36250	Pier 77 Channel Buoy 14	OFF STA	11324	0860-13 GA	46/13
36715	Harborwalk Entrance East Buoy 4	OFF STA	11322		34/13
37375	Brazoria Wildlife Refuge Wave Barrier Light	LT EXT	11322	0321-13 GA	17/13
39855	Packery Channel Daybeacon 1	MISSING	11308		42/14
39860	Packery Channel Daybeacon 2	DAYMK IMCH	11308		41/14
39865	Packery Channel Daybeacon 3	MISSING	11308	0403-15 CC	31/15
39870	Packery Channel Daybeacon 4	DAYMK IMCH	11308	0404-15 CC	31/15
39875	Packery Channel Daybeacon 5	DAYMK MISSING	11308	0405-15 CC	31/15
39885	Packery Channel Daybeacon 7	DAYMK IMCH	11308	0407-15 CC	31/15
39890	Packery Channel Daybeacon 8	DAYMK IMCH	11308	0408-15 CC	31/15
39915	Packery Channel Daybeacon 13	STRUCT DEST	11308	0416-15 CC	31/15
39920	Packery Channel Daybeacon 14	DAYMK MISSING	11308	0414-15 CC	31/15
39930	Packery Channel Daybeacon 16	DAYMK MISSING		0416-15 CC	31/15
39935	Packery Channel Daybeacon 17	STRUCT DEST	11308	0417-15 CC	31/15
39940	Packery Channel Daybeacon 18	STRUCT DEST	11308	0418-15 CC	31/15
39945	Packery Channel Daybeacon 19	DAYMK IMCH	11308	0419-15 CC	31/15
39950	Packery Channel Daybeacon 20	DAYMK DMGD	11308	0420-15 CC	31/15

39955	Packery Channel Daybeacon 21	DAYMK IMCH	11308	31/15
39960	Packery Channel Daybeacon 22	DAYMK IMCH	11308	31/15
39975	Packery Channel Daybeacon 25	DAYMK DMGD	11308	34/15
40065	Padre Isles North Channel Daybeacon 18	DAYMK DMGD	11308	27/10
40335	Pita Island Channel Daybeacon 39	STRUCT DEST		39/14
40375	Pita Island Channel Daybeacon 47	STRUCT DMGD	0185-16 CC	20/16
	FR-MS-13	MISSING	11373	33/14
	Mississippi Gulf Fishing Bank Buoy FH-6	MISSING		33/14
	Ms Gulf Fishing Bank Buoy Fh-1	MISSING	11373	33/14
	Ms Gulf Fishing Bank Buoy Fh-3	MISSING	11373	33/14

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
2440	Turkey Point Daybeacon 2	REBUILT/RECOVERED	11405		18/16	26/16
2445	Turkey Point Daybeacon 4	REBUILT/RECOVERED	11405		18/16	26/16
2450	Turkey Point Daybeacon 6	REBUILT/RECOVERED	11405		18/16	26/16
2455	Turkey Point Daybeacon 8	REBUILT/RECOVERED	11405		18/16	26/16
2460	Turkey Point Daybeacon 10	REBUILT/RECOVERED	11405		18/16	26/16
2465	Turkey Point Daybeacon 12	REBUILT/RECOVERED	11405		18/16	26/16
2470	Turkey Point Daybeacon 14	REBUILT/RECOVERED	11405		18/16	26/16
10105	Long Beach Harbor Daybeacon 7	WATCHING PROPERLY	11372		21/15	25/16
10110	Long Beach Harbor Daybeacon 8	WATCHING PROPERLY	11372		21/15	25/16

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
New field-116-1	SS INOP	29-19-55.500N 087-52-40.300W	0382-14 MO	19/14	
Fieldw ood-107-3	SS INOP	29-19-32.660N 088-01-12.440W		01/15	
Mobil-228-5	LT EXT	30-12-20.864N 088-03-41.846W	0894-11 MO	39/11	
Merit-105-12	SS INOP	29-20-50.775N 088-06-47.910W	085-15	05/15	
EnVen-106-1	SS INOP	29-18-22.802N 088-20-06.619W		37/14	
Noble Energy-102-2	LT EXT	29-13-31.496N 088-34-33.853W		31/10	
Noble Energy-102-3	LT EXT	29-13-00.337N 088-34-58.977W		31/10	
Gom Shelf-300-2	SS INOP	29-15-27.000N 088-39-38.000W		24/16	
Maritech-115-1	SS INOP	29-46-06.900N 088-42-31.600W	0132-09 MO	09/09	
Mobil-194-4	SS INOP	29-35-17.000N 088-42-39.000W	0774-11 NO	23/11	
Gom Shelf-300-4	LT EXT/SS INOP	29-09-51.000N 088-44-46.000W	0182-15	09/15	
Chevron-139-6	SS INOP	29-15-38.000N 088-44-50.000W	1105-15 no	52/15	
Bt Operating-101-2	LT EXT/SS INOP	29-49-22.000N 088-45-48.000W	0415-08	06/08	
Walter-105-10	LT EXT	29-06-55.000N 088-46-05.000W		39/08	
Energy Xxi-102-5 (Racon)	RAC INOP	29-19-33.840N 088-52-37.390W		09/09	
Chevron-108-5	SS INOP	29-21-16.000N 088-56-04.000W	1053-15 NO	50/15	
Ncx-102-1	LT EXT	29-28-40.010N 088-59-23.740W	0930-13 NO	33/13	
Walter-107-7	LT EXT/SS INOP	29-25-04.110N 089-00-48.242W		38/08	
Chevron-101-36	LT EXT	29-24-44.000N 089-00-59.000W	1094-15 no	52/15	
W & T Offshore-114-6	LT EXT/SS INOP	29-16-59.203N 089-01-24.325W	0297-14 NO	14/14	
Medco Energi-103-03	SS INOP	29-18-15.442N 089-02-42.290W	0374-15 NO	19/15	
Medco Energi-103-05	SS INOP	29-18-24.470N 089-03-24.761W	0932-12 NO	23/12	
Medco Energi-103-15	LT EXT	29-17-54.374N 089-03-32.051W	0108-15 NO	05/15	
Medco Energi-103-18	SS INOP	29-19-03.659N 089-03-36.883W	1821-09 NO	51/09	
Eb04-17812-1(Pxp)	LT EXT	30-00-23.000N 089-05-10.000W		07/11	
Eb04-17388-1(Pxp)	LT EXT	30-02-04.981N 089-06-39.903W		07/11	
Ocean Energy-102-335	SS INOP	28-58-42.410N 089-07-42.480W	0578-11 NO	17/11	

Kerr Mc Gee-127-4	LT EXT/SS INOP	29-34-00.480N	089-09-37.580W		38/08
Century-109-4	SS INOP	29-24-56.888N	089-09-58.327W	0291-14NO	14/14
Eb04-17387-1(Pxp)	LT EXT	30-03-36.865N	089-10-15.441W		07/11
Amerada Hess-114-10	LT EXT	29-24-38.000N	089-11-58.000W	0098-09 NO	04/09
Devon-111-3	LT EXT	29-23-50.000N	089-13-39.000W	0724-04 NO	25/04
Century Exploration-100-8	LT EXT/SS INOP	29-31-10.000N	089-13-43.000W	0405-16 NO	19/16
Energy Partners-102-123	LT EXT/SS INOP	28-59-44.000N	089-14-14.000W		44/08
Energy Partners-102-182	LT EXT/SS INOP	28-58-28.000N	089-14-31.000W		44/08
Amerada Hess-103-1	LT EXT	29-28-00.000N	089-14-57.000W	1545-10 NO	48/10
Energy Partners-102-35	LT EXT/SS INOP	28-59-45.000N	089-15-13.000W		44/08
Energy Partners-102-34	LT EXT/SS INOP	29-00-12.000N	089-15-28.000W		44/08
Energy Partners-102-191	LT EXT/SS INOP	28-58-29.000N	089-15-30.000W		44/08
Energy Partners-102-130	LT EXT/SS INOP	28-59-10.000N	089-15-41.000W		44/08
Energy Partners-102-63	LT EXT/SS INOP	28-59-20.000N	089-15-44.000W		44/08
Energy Partners-102-202	LT EXT/SS INOP	28-59-17.000N	089-15-53.000W		44/08
Energy Partners-102-276	LT EXT/SS INOP	28-59-12.000N	089-15-54.000W		44/08
Energy Partners-102-20	LT EXT/SS INOP	28-59-46.000N	089-15-58.000W		44/08
Energy Partners-102-89	LT EXT/SS INOP	28-59-20.000N	089-15-59.000W		44/08
Energy Partners-102-129	LT EXT/SS INOP	28-58-55.000N	089-16-03.000W		44/08
Energy Partners-102-19	LT EXT/SS INOP	28-59-45.000N	089-16-13.000W		44/08
Energy Partners-102-96	LT EXT/SS INOP	29-00-17.000N	089-16-18.000W		44/08
Energy Partners-102-77	LT EXT	29-01-39.000N	089-17-11.000W	0867005 NO	29/05
Energy Partners-102-121	LT EXT/SS INOP	28-59-35.000N	089-17-43.000W		44/08
Gom Shelf- 600-2	LT EXT	28-48-06.000N	089-18-00.000W		37/08
Panaco-101-39	LT EXT	29-04-19.200N	089-19-57.000W	0343-13 NO	14/13
Panaco-101-41	LT EXT	29-04-02.890N	089-20-57.160W		39/04
Llog-114-1 Lighted Buoy	LT EXT	28-53-57.549N	089-22-05.219W	0639-15 NO	33/15
Energy Xxi-108-4	SS INOP	28-40-11.000N	089-23-37.000W	1913-09 NO	01/10
En Dev Corp-103-4	LT EXT	28-54-39.000N	089-24-02.000W		50/12
XTO Offshore-100-1	SS INOP	28-53-31.200N	089-25-16.700W	0158-11 NO	06/11
Ed19-Bld-183	LT EXT	29-14-09.000N	089-25-36.000W	1305-02 NO	38/02
S. Parish-102-9	STRUCT DEST/HAZ NAV/LT EXT	28-54-54.000N	089-26-43.000W		08/15
S. Parish-102-7	STRUCT DEST/HAZ NAV/LT EXT	28-54-23.000N	089-27-02.000W	0200-01 NO	07/01
S. Parish-102-12	LT EXT	28-54-58.000N	089-27-08.000W		08/15
Signal-100-0	LT EXT	29-07-26.000N	089-27-10.000W	0719-98 NO	31/98
S. Parish-102-11	LT EXT	28-55-05.000N	089-27-11.000W		08/15
IG Petroleum-100-1	LT EXT/SS INOP	28-54-32.660N	089-27-26.200W		31/11
Davis Fuels-101-2	LT EXT	29-08-58.000N	089-29-02.000W	0853-97 NO	35/97
Noble Energy-109-1	SS INOP	28-59-57.700N	089-29-21.100W		37/08
Eb01-195qq-96	LT EXT	29-34-39.800N	089-29-44.700W		37/08
MCMORAN-136-2	LT EXT	29-11-15.434N	089-30-33.004W		38/08
Eb26-195qq-49	LT EXT	29-34-04.200N	089-30-37.500W		37/08
Eb21-195 Qq-312 (Merit Energy)	LT EXT/STRUCT DMGD	29-25-41.000N	089-30-49.000W	0245-12 NO	09/12
Energy Partners-112-13	LT EXT/SS INOP	29-08-20.200N	089-31-18.180W	1511-12 NO	37/12
Denbury-200-17	LT EXT/SS INOP	29-11-02.000N	089-31-22.000W		38/08
Fieldw ood-115-11	SS INOP	28-54-16.786N	089-31-53.994W	1428-12	34/12
Chevron-121-56	SS INOP	29-11-48.000N	089-31-58.000W	0149-16 no	07/16
Denbury-200-12	LT EXT/SS INOP	29-10-53.100N	089-32-02.200W		38/08
Ea06-5710108-39-Riser	LT EXT	29-18-30.000N	089-32-30.000W		37/08
Energy Partners-112-2	LT EXT/SS INOP	29-07-17.220N	089-32-50.400W	1511-12 NO	37/12
Mcmoran-136-3	SS INOP	29-10-30.300N	089-33-06.200W		05/16
Energy Partners-112-9	LT EXT/SS INOP	29-08-10.620N	089-33-16.270W	1474-08 NO	37/08

Energy Partners-112-4	LT EXT/SS INOP	29-07-52.170N	089-34-44.430W	1511-12 NO	37/12
Energy Partners-112-8	LT EXT/SS INOP	29-08-23.570N	089-34-44.890W	1474-08 NO	37/08
Energy Partners-112-16	LT EXT/SS INOP	29-07-10.290N	089-36-07.120W	1474-08 NO	37/08
Energy Partners-112-5	LT EXT/SS INOP	29-07-46.850N	089-36-18.550W	1511-12 NO	37/12
Energy Partners-112-11	LT EXT/SS INOP	29-08-49.880N	089-36-25.570W	1474-08 NO	37/08
Tana-106-5	LT EXT	29-00-44.700N	089-36-35.200W		24/08
Energy Xxi-107-3	LT EXT	29-10-37.619N	089-37-34.194W		39/08
Nexen-103-3	LT EXT	29-06-25.000N	089-37-54.000W		04/16
Capco-100-1	LT EXT	29-00-26.060N	089-38-08.436W		17/15
Fieldw ood-115-2	SS INOP	28-57-35.130N	089-39-47.640W	0602-15 NO	30/15
Eb12-17656-2 (Pxp)	LT EXT	30-05-38.766N	089-39-50.070W		07/11
Maritech-107-10	LT EXT	29-08-48.000N	089-41-25.000W	1021-01 NO	32/01
Black Elk-116-2	LT EXT/SS INOP	29-07-06.466N	089-41-37.867W	1829-08 NOLA	44/08
Ec6-3327-Prod Plfm	LT EXT	30-06-42.000N	089-44-11.000W	1468-01 NO	50/01
Apache-125-14	LT EXT/SS INOP	29-05-35.000N	089-45-30.000W		41/14
BP Exploration-112-24	LT EXT	28-57-51.000N	089-47-02.000W	0553-04 NO	19/04
Gom Shelf-110-3	LT EXT	28-58-13.548N	089-47-52.871W		24/16
Anglo Suisse-100-1	LT EXT/SS INOP	28-49-01.949N	089-47-54.534W		51/15
Gom Shelf-110-1	SS INOP	28-57-00.924N	089-48-16.039W	1010-15 no	48/15
Gom Shelf-110-5	LT EXT	28-57-07.714N	089-49-22.886W	0420-15 NO	22/15
BP Exploration-112-17	LT EXT	28-57-52.000N	089-50-08.000W	0791-07	24/07
Northstar-121-1	LT EXT/SS INOP	29-07-39.218N	089-50-08.079W	1464-11	37/11
Ocean Energy-112-1	LT EXT/SS INOP	28-45-46.749N	089-51-57.565W		11/06
BP Exploration-102-23	LT EXT	28-59-54.000N	089-52-58.000W		22/16
El Paso-180-5	LT EXT/SS INOP	29-10-45.800N	089-53-16.500W		47/08
El Paso-180-4	LT EXT/SS INOP	29-10-48.342N	089-53-43.381W		47/08
Fieldw ood-104-1	LT EXT	29-02-41.602N	089-56-05.385W	0142-16 no	07/16
Gom Shelf-800-8	LT EXT	28-59-55.525N	089-56-15.899W	0142-15 NO	08/15
Ec5-6750-2	LT EXT	30-13-34.000N	089-57-23.000W	0377-03 D8	33/03
Ec5-6750-2 Plfm	LT EXT	30-13-35.000N	089-57-23.000W	0377-03 D8	33/03
Rooster-107-1	SS INOP	28-46-11.659N	089-58-19.931W	0273-14 NO	13/14
Beryl-100-1	LT EXT	28-43-24.891N	090-00-41.555W	0304-10 NO	11/10
Beryl-100-1	SS INOP	28-43-24.891N	090-00-41.555W	0492-15 NO	25/15
BP Exploration-102-16	LT EXT/SS INOP	28-59-29.000N	090-00-45.000W	0732-14 NO	33/14
Agip-300-1(Tlp-Seastar)	LT EXT	28-02-05.310N	090-01-21.980W	1488-12	37/12
Fieldw ood-104-3	LT EXT	28-44-17.833N	090-01-34.189W		39/15
BP Exploration-110-3 (Atlantis)	RAC INOP	27-11-43.641N	090-01-37.150W	1109-15 NO	52/15
Ea44-5310175-Riser Plfm	LT EXT	29-43-06.000N	090-03-06.000W	0221-02 D8	22/02
Chevron-104-90	LT EXT	29-02-26.000N	090-07-31.000W	0107-16 no	06/16
Chevron-136-4	SS INOP	28-40-12.000N	090-07-45.000W	0251-16	11/16
Energy Xxi-100-87	SS INOP	28-55-47.213N	090-09-33.457W	0351-14 NO	18/14
Ec5-11982-Production Plfm	LT EXT	30-04-06.000N	090-09-53.000W	0307-01 D8	42/01
Energy Xxi-100-82	SS INOP	28-56-10.129N	090-09-55.214W	0275-11 NO	10/11
Chevron-104-178	LT EXT	29-04-22.000N	090-10-00.000W	0106-16 no	06/16
Chevron-104-20	LT EXT	29-01-35.000N	090-10-11.000W	0049-16	03/16
Chevron-104-109	LT EXT/SS INOP	29-01-14.000N	090-10-14.000W	1042-15 no	49/15
Energy Xxi-100-84	SS INOP	28-56-14.553N	090-10-52.193W	0351-14 NO	18/14
Chevron-104-97	LT EXT	29-01-12.000N	090-10-57.000W	0049-16	03/16
W & T Offshore-117-7	LT EXT	28-29-43.808N	090-12-11.146W	0377-00 NO	16/00
Louisiana Orphan Wellsite C #151642	LT EXT	29-03-32.864N	090-13-34.244W		07/11
Louisiana Orphan Wellsite C #151642	LT EXT	29-03-32.864N	090-13-34.244W	1201-00 NO	47/00
Ec5-7325-1 & 1D	LT EXT	30-04-31.000N	090-13-48.000W	0307-01 D8	42/01

Trunkline-103-4	LT EXT	28-47-43.000N	090-13-49.000W	1499-12	NO	37/12
Energy Xxi-100-1	LT EXT	29-00-03.000N	090-14-31.000W	0124-11		33/11
Energy Xxi-100-56	LT EXT	28-59-35.600N	090-14-41.630W	1750-09	NO	30/75
Energy Xxi-100-64	OFF STA/HAZ NAV/LT EXT/SS INOP	28-59-30.750N	090-15-00.660W	0245Z-08		39/09
Energy Xxi-100-30	LT EXT	28-59-11.650N	090-15-01.410W			42/12
Energy Xxi-100-63	LT EXT	28-59-58.840N	090-15-29.440W	1776-09		49/09
Transco-101-6	LT EXT	28-30-24.000N	090-17-07.000W	0404-15	NO	21/15
Chevron-115-136	SS INOP	28-56-12.000N	090-18-49.000W			34/14
Walter-116-10	LT EXT	28-41-21.105N	090-19-55.900W	D8-0106-15		33/15
Century Offshore-102-1	LT EXT	28-42-10.427N	090-22-28.852W	1380-00	NO	50/00
Fieldwood-101-12	LT EXT	28-27-13.407N	090-23-00.289W	1108-15	NO	52/15
Remington-400-1	LT EXT	28-37-50.842N	090-25-04.048W	1797-07		50/07
Trunkline-103-2	SS INOP	28-32-26.000N	090-26-08.000W	1499-12		37/12
W & T Offshore-117-4	LT EXT	28-27-59.000N	090-26-46.000W			22/16
Ee27-188-76 Walkway Lt (Texaco)	LT EXT	29-06-45.000N	090-26-54.000W	0472-02	D8	46/02
Fieldwood-101-6	SS INOP	28-51-28.303N	090-27-34.045W	1517-12		37/12
Black Elk-100-8	SS INOP	28-26-45.000N	090-27-53.000W			14/15
Kerr Mc Gee-126-3	LT EXT/FS INOP	28-54-29.000N	090-27-57.000W	0846-03	NO	27/03
Kerr Mc Gee-126-2	LT EXT/SS INOP	28-52-21.000N	090-28-14.000W	0330-11	NO	11/11
Kerr Mc Gee-126-9	LT EXT/FS INOP	28-55-10.000N	090-28-26.000W	0846-03	NO	27/03
Bois-103-6	LT EXT	28-55-57.240N	090-28-55.000W	1258-01	NO	39/01
Trunkline-103-3	LT EXT/SS INOP	28-50-00.000N	090-29-58.000W	0440-14	NO	22/14
Ee21-1247-13	LT EXT	29-07-42.000N	090-30-52.000W	0502-02	D8	46/02
Walter-102-1	LT EXT	28-56-27.600N	090-31-59.800W	0750-14	NOLA	33/14
Stone Energy-104-8	LT EXT	28-34-46.000N	090-34-22.000W			13/16
Texaco-208-1	SS INOP	28-27-26.000N	090-34-58.000W			07/15
Stone Energy-104-17 Temporary Lighted	OFF STA	28-31-34.290N	090-36-53.586W	0317-16		14/16
Energy Partners-109-2	LT EXT/SS INOP	28-53-30.810N	090-37-05.733W			41/08
Talos-101-16	SS INOP	28-49-32.030N	090-37-14.710W			44/15
EnVen-103-1	LT EXT/SS INOP	28-55-39.109N	090-39-04.304W			37/08
Noble Energy-106-6	OFF STA/HAZ NAV/LT EXT/SS INOP	28-30-24.800N	090-40-46.360W			39/08
Probe-102-2	SS INOP	28-26-57.399N	090-41-06.836W	0265-14	NO	13/14
NOBLE ENERGY -106-4	LT EXT	28-29-29.500N	090-41-49.100W	0585-08		16/08
Fieldwood-102-13	LT EXT	28-55-50.4156	090-44-55.2834	0060-15		21/15
New field-103-27	SS INOP	28-58-33.671N	090-50-15.489W	1029-15	NO	49/15
Comstock Offshore-100-56	LT EXT/FS INOP	28-50-13.000N	090-50-31.000W	0862-03	NO	28/03
Comstock Offshore-100-62	LT EXT/FS INOP	28-50-10.000N	090-50-51.000W	0862-03	NO	28/03
Energy xxi-109-4	LT EXT	28-31-45.257N	090-52-35.506W	0497-15	NO	26/15
Odeco-166-15	LT EXT/SS INOP	28-40-11.000N	090-52-37.000W			38/08
Energy xxi-109-8	SS INOP	28-32-08.000N	090-53-24.000W	0412-15	NO	21/15
Energy xxi-109-7	LT EXT	28-29-30.000N	090-54-06.000W	0497-	NO	26/15
Comstock Offshore-100-36	SS INOP	28-49-41.000N	090-54-07.000W			37/12
Comstock Offshore-100-6	LT EXT	28-48-36.000N	090-55-02.000W	0982-12	NO	24/12
Petroquest-101-15	LT EXT	28-58-19.000N	090-57-49.000W	0754-09	NO	23/09
Tana-103-5	SS INOP	28-42-36.176N	090-58-54.622W	0081-16	no	04/16
Chevron-196-44	SS INOP	28-38-10.000N	090-59-31.000W			17/16
Capco-102-1	LT EXT	28-43-35.540N	091-01-17.605W	1627-11	NO	39/11
Bennu-100-2	LT EXT	28-02-03.083N	091-01-46.881W	0960-04	NO	33/04
Fieldwood-117-24	LT EXT/SS INOP	28-22-16.233N	091-03-49.586W			38/08
Fieldwood-117-25	SS INOP	28-22-32.3436	091-04-25.010W	1111-10	NO	35/10
Sandridge-101-2	LT EXT/SS INOP	28-22-10.8408	091-05-13.664W			38/08
Monforte-101-1	SS INOP	28-17-57.534N	091-05-15.278W	0131-16	NO	07/16

Monforte-101-2	SS INOP	28-16-28.876N	091-05-33.791W		23/08
Chevron-113-10	LT EXT	28-51-14.000N	091-06-34.000W	0122-15	37/15
Hilcorp-130-2	LT EXT	28-51-36.000N	091-07-19.000W		32/15
Chevron-113-5	LT EXT	28-51-24.000N	091-07-20.000W		02/15
EnVen-101-1	LT EXT	28-28-21.962N	091-08-45.025W	0154-11	39/11
Devon-103-1	LT EXT	28-14-13.978N	091-09-02.654W	0792-09 NO	23/09
New field-103-39	FS INOP	28-59-24.178N	091-11-20.838W	0158-04 D8	14/04
W & T Offshore-113-9	LT EXT/SS INOP	28-44-49.100N	091-12-05.300W		38/08
Maritech-105-2	HAZ NAV	28-19-53.000N	091-12-18.000W		30/06
Century-106-7	MISSING/HAZ NAV	28-41-08.000N	091-12-23.000W	0246-08	39/08
Northstar-122-1	LT EXT/SS INOP	28-32-39.426N	091-14-01.151W		04/15
Fieldw ood-117-19	SS INOP	28-45-02.450N	091-14-21.795W	0484-13 NO	19/13
Kerr Mc Gee-101-98	SS INOP	29-05-18.000N	091-17-09.000W		09/16
Fieldw ood-117-31	SS INOP	28-37-42.596N	091-18-44.273W	0136-15	07/15
EnVen-101-2	LT EXT/SS INOP	28-43-09.129N	091-19-31.935W	0135-14 NO	08/14
Apache-102-29	LT EXT	28-45-38.373N	091-20-51.000W	0235-15 NO	12/15
Fieldw ood-103-59	SS INOP	28-46-09.083N	091-21-22.593W		51/15
Nexen-100-5	LT EXT/SS INOP	28-27-54.000N	091-23-25.000W		40/08
Arena Offshore-105-60	SS INOP	28-15-19.040N	091-26-01.295W	0096-09 NO	03/09
Ridgelake-104-1	SS INOP	28-18-30.294N	091-26-37.902W	0718-14 NO	32/14
Gryphon-103-1	LT EXT	29-07-23.661N	091-27-13.574W	0753-09 NO	23/09
Fieldw ood-103-56	LT EXT	29-09-35.420N	091-30-01.476W	0427-16	19/16
Fieldw ood-103-39	LT EXT	29-10-05.516N	091-30-09.590W		12/14
Fieldw ood-103-53	SS INOP	29-10-19.610N	091-30-12.233W	0428-16	19/16
Fieldw ood-103-55	SS INOP	29-10-43.352N	091-30-38.815W		14/16
Devon-112-16	SS INOP	28-18-14.000N	091-31-59.000W		52/08
Chevron-209-15	LT EXT	28-30-54.000N	091-33-22.000W		12/16
Houston-103-1	LT EXT	28-28-50.969N	091-33-27.130W	0405-15 NO	21/15
Chevron-209-14	LT EXT	28-30-11.000N	091-33-50.000W		05/16
Nexen-100-15	LT EXT/SS INOP	28-20-40.400N	091-34-26.300W		40/08
Devon-112-22	SS INOP	29-03-49.581N	091-35-03.874W	1380-10 NO	42/10
Chevron-153-2	SS INOP	29-11-25.000N	091-36-26.000W	0316-16	14/16
Mobil-134-1	HAZ NAV/LT EXT/SS INOP	28-57-58.000N	091-36-47.000W		40/08
Mariner-111-7	SS INOP	28-24-54.576N	091-36-47.275W	1492-08 NO	37/08
Fieldw ood-103-85	SS INOP	28-18-07.437N	091-37-30.244W	0459-10 NO	16/10
Juniper-100-1	LT EXT	29-17-54.540N	091-37-38.130W	0412-16 NO	19/16
Bt Operating-102-1	LT EXT	28-22-00.000N	091-37-48.000W	0022-09 NO	01/09
Walter-114-3	MISSING/HAZ NAV	27-59-34.916N	091-39-38.476W	0245-08	39/08
Noble Energy-112-3	LT EXT/SS INOP	28-18-00.000N	091-40-40.000W		49/08
Devon-112-5	OFF STA/HAZ NAV	28-13-34.891N	091-41-04.682W	0242-08	39/08
Fieldw ood-103-31	SS INOP	28-13-22.922N	091-41-38.162W	0704-14	31/14
Devon-112-3	MISSING/HAZ NAV	28-14-18.403N	091-41-47.199W		39/08
Energy Xxi-101-7	LT EXT	29-02-34.846N	091-41-57.715W		38/15
W & T Offshore-116-20	SS INOP	29-04-30.000N	091-42-10.000W	0202-16 no	09/16
Mariner-111-10	MISSING/HAZ NAV	28-19-58.000N	091-42-28.000W		39/08
Fieldw ood-103-30	SS INOP	28-48-07.113N	091-43-03.151W		37/14
Fieldw ood-103-70	SS INOP	28-47-45.580N	091-43-27.450W		37/14
Rooster-106-3	SS INOP	29-17-51.271N	091-43-43.650W	0124-16 NO	07/16
Arena Offshore-105-36	SS INOP	28-16-11.500N	091-43-50.600W	1680-08 NO	40/08
Arena Offshore-105-37	LT EXT	28-15-22.000N	091-44-24.000W	1681-08 NO	40/08
Arena Offshore-105-35 (B-DRL)	LT EXT/SS INOP	28-15-12.000N	091-45-06.000W	1349-08 NO	34/08
Merit-102-1	HAZ NAV/LT EXT/SS INOP	28-22-42.664N	091-45-59.424W		38/08

Sterling-102-1	HAZ NAV/LT EXT/SS INOP	28-25-21.418N	091-49-44.818W		39/08
Black Elk-109-1	SS INOP	28-51-55.000N	091-51-46.000W		23/15
Fieldw ood-105-19	LT EXT	29-05-08.743N	091-52-25.234W		09/15
Hilcorp-126-4	SS INOP	29-19-28.000N	091-52-36.000W		40/14
Devon-115-5	SS INOP	28-51-38.000N	091-52-46.000W	0650-12 NO	17/12
Merit-110-2	HAZ NAV/LT EXT/SS INOP	29-14-19.197N	091-52-52.665W	1699-11 NO	41/11
Devon-115-9	OFF STA/HAZ NAV/LT EXT/SS INOP	28-44-31.000N	091-53-25.000W		39/08
Brooklyn Union-101-1	LT EXT/SS INOP	29-14-36.000N	091-53-48.000W	1771-08 NO	42/08
Devon-115-3	LT EXT/SS INOP	28-52-01.000N	091-53-52.000W	0377-15 NO	19/15
Fieldw ood-105-35	SS INOP	28-25-49.515N	091-54-34.182W	0319-16	15/16
Nippon-103-10	SS INOP	28-51-05.035N	091-54-45.168W	0046-15	03/16
Devon-115-1	SS INOP	28-52-39.000N	091-54-55.000W	0046-15	03/16
WA28-334-Tank Batt 1 (Hilcorp Energy)	LT EXT	29-40-25.000N	091-54-59.000W	0726-03 NO	25/03
Wa28-334-B28 (Hilcorp Energy)	LT EXT	29-40-15.000N	091-55-20.000W	1941-12	47/12
WA28-334-B109 (Hilcorp Energy)	LT EXT	29-40-11.000N	091-56-12.000W	1110-12 NO	28/12
WA28-334-B93 (Hilcorp Energy)	LT EXT	29-40-30.000N	091-56-17.000W	0011-12 NO	02/12
Mariner-115-9	SS INOP	28-57-32.000N	091-58-47.000W	1933-12 NO	47/12
Fieldw ood-105-31	SS INOP	28-13-39.9462	092-00-59.802W	0238-14 GA	13/14
Chevron-134-9	LT EXT	28-27-55.200N	092-02-05.700W		25/16
Northstar-123-1	LT EXT/SS INOP	28-48-16.772N	092-04-18.491W	0238-15 GA	15/15
Fieldw ood-105-6	LT EXT/SS INOP	28-16-25.9962	092-06-14.727W	0244-15 NO	12/15
Taylor Energy-103-8	LT EXT	28-50-49.000N	092-10-02.000W	0335-03 D8	30/03
Energy Partners-110-6	SS INOP	29-26-17.000N	092-10-09.000W		08/16
Fieldw ood-108-14	SS INOP	28-28-17.994N	092-11-43.493W		44/12
ENI-110-1	LT EXT	28-17-33.801N	092-12-20.877W		06/16
Coastal-105-3	SS INOP	28-34-28.467N	092-13-07.891W	0227-15 NO	12/15
Fieldw ood-108-6	SS INOP	28-40-13.127N	092-16-03.374W		18/16
Conquest-104-1	LT EXT	29-05-38.000N	092-18-40.000W	1254-12 NO	31/12
Stone Energy 101-5	MISSING/HAZ NAV	28-30-18.000N	092-20-44.000W	0243-08	39/08
Stone Energy-101-10	MISSING/HAZ NAV	28-14-29.418N	092-21-06.282W	0245-08	39/08
Basin-107-3	SS INOP	28-30-37.326N	092-21-28.998W	0436-15 NO	23/15
Maritech-101-13	LT EXT/SS INOP	28-58-19.000N	092-24-08.000W		41/08
Nexen-102-11	LT EXT	29-19-52.385N	092-24-24.675W	1115-14 NO	06/14
Samson Contour-101-1	HAZ NAV/LT EXT/SS INOP	28-41-28.000N	092-24-40.000W		40/08
Samson Contour-101-4	HAZ NAV/LT EXT/SS INOP	28-41-24.430N	092-24-51.050W		38/08
Samson Contour-101-3	HAZ NAV/LT EXT/SS INOP	28-42-05.327N	092-25-46.581W		38/08
Maritech-101-4	LT EXT	29-31-34.802N	092-25-50.812W	0794-15 NO	40/15
Nexen-102-12	LT EXT/SS INOP	29-19-43.036N	092-25-55.319W		40/08
Nexen-102-2	LT EXT/SS INOP	28-13-04.000N	092-25-56.000W		42/08
Millennium-103-1	HAZ NAV/LT EXT/DAY MK IMCH/	28-18-15.000N	092-26-28.000W		39/08
Nexen-102-33	LT EXT/SS INOP	28-13-05.724N	092-26-49.700W		40/08
Beryl-107-1	SS INOP	28-07-40.133N	092-28-01.263W	1301-13 NO	46/13
Merit-112-1	STRUCT DEST	28-02-25.750N	092-29-22.548W		50/09
Palm Energy-104-1	SS INOP	28-29-24.234N	092-29-46.616W		22/09
Hilcorp-123-8	SS INOP	29-25-33.000N	092-30-08.000W		23/15
Union Chevron-100-2	SS INOP	29-27-00.000N	092-30-40.000W	0245-11 NO	09/11
W & T Offshore-112-30	LT EXT/SS INOP	28-27-40.000N	092-30-40.000W		06/09
Black Elk-101-4	LT EXT/SS INOP	29-05-42.445N	092-31-01.789W	0366-15 NO	19/15
W & T Offshore-112-2	LT EXT	29-27-59.000N	092-31-08.000W		28/08
Hunt-108-6	LT EXT	28-54-34.934N	092-31-17.800W		04/15
Black Elk-101-1	LT EXT/SS INOP	29-05-02.626N	092-31-33.072W	0143-16 no	07/16
Black Elk-101-3	SS INOP	29-04-46.547N	092-31-43.585W	0170-16	10/16

Marathon-114-1	HAZ NAV/LT EXT/SS INOP	28-04-22.000N	092-32-47.000W		38/08
Probe-103-1	LT EXT	29-28-11.914N	092-32-59.921W	0429-15	22/15
Fieldw ood-108-7	LT EXT/SS INOP	29-20-24.511N	092-33-49.943W	0797-10 GA	35/10
Nexen-102-1	LT EXT/SS INOP	28-17-55.000N	092-34-45.000W		40/08
Energy Resource-103-4	LT EXT	28-48-49.100N	092-35-06.000W		39/00
New field-105-15	MISSING/HAZ NAV	28-45-47.925N	092-35-07.532W		39/08
King Ranch-103-2	MISSING/HAZ NAV	28-27-01.314N	092-35-26.776W	3908	39/08
Aquilla-108-1	MISSING/HAZ NAV	29-02-52.791N	092-36-55.710W	0243-08	39/08
Gomex-100-1	LT EXT/SS INOP	28-24-38.937N	092-36-56.185W		43/10
PROBE-100-1	SS INOP	29-29-36.656N	092-38-23.287W	0441-15 GA	26/15
Coastal-104-1	SS INOP	28-40-11.000N	092-40-30.000W	0351-13 GA	18/13
Maritech-111-3	MISSING/HAZ NAV	28-10-44.741N	092-41-45.558W	0246-08	39/08
East Cameron Partners-100-2	LT EXT	29-20-48.464N	092-42-56.802W	0855-13GA	46/13
Houston-102-2	LT EXT/SS INOP	28-55-37.000N	092-44-16.000W	1128-09 GA	51/09
Merit-108-1	SS INOP	29-31-54.000N	092-45-42.000W	0192-13 GA	10/13
Louisiana Orphan Wellsite A #156996	LT EXT	29-35-17.534N	092-46-56.031W	0019-11 LA	07/11
Houston-102-6	SS INOP	29-30-29.380N	092-48-12.590W	0198-13 GA	11/13
Denbury-120-1	LT EXT	29-30-01.930N	092-48-13.820W		25/16
Denbury-120-1	SS INOP	29-30-01.930N	092-48-13.820W	0197-13 GA	11/13
W & T Offshore-200-5	SS INOP	28-07-03.000N	092-49-24.819W		40/08
Remington-101-8	LT EXT	28-43-33.341N	092-50-30.140W		17/15
Merit-110-1	LT EXT/SS INOP	29-15-22.380N	092-51-17.230W	1656-10 NO	52/10
Virgin-100-5	LT EXT	29-10-54.442N	092-51-53.410W		25/16
Virgin-100-5	SS INOP	29-10-54.442N	092-51-53.410W	0256-14 NO	13/14
Con Energy-101-1	HAZ NAV/LT EXT/SS INOP/STRU	28-37-31.000N	092-53-30.000W	0050-14 GA	03/14
Apache-111-20	SS INOP	29-24-30.404N	092-57-58.744W	0392-15	23/15
Stone Energy-106-1	SS INOP	29-26-49.423N	092-58-16.246W		11/16
Helis-121-3	LT EXT	29-26-26.906N	092-58-46.060W	0723-12	34/12
Hec-101-2	LT EXT	28-18-14.928N	092-59-29.425W		49/08
Hec-102-7	SS INOP	29-16-47.200N	092-59-44.600W	0052-14 GA	03/14
Merit-107-1	SS INOP	28-10-22.430N	092-59-56.699W	0274-16 GA	17/16
Millennium-101-1	LT EXT	28-16-04.000N	093-00-09.000W	0346-15 GA	20/15
Virgin-100-2	SS INOP	29-39-34.035N	093-00-13.395W		38/15
Fieldw ood-100-16	LT EXT/SS INOP	29-41-07.000N	093-00-55.000W		20/16
Diamond Shamroc-104-3	SS INOP	29-19-04.000N	093-02-05.000W	0354-13 GA	18/13
Black Elk-102-16	LT EXT/SS INOP	29-20-17.000N	093-04-23.000W	0367-15 GA	21/15
Atp-100-10	SS INOP	29-06-27.751N	093-05-06.410W	0135-15	09/15
Fieldw ood-109-2	SS INOP	29-41-08.078N	093-08-11.382W	0287-16 GA	19/16
Noble Energy-108-3	HAZ NAV/SS INOP	28-08-25.390N	093-09-07.050W	1082-08	31/08
Tarpon-100-10	SS INOP	28-30-32.600N	093-09-32.700W	0266-14 GA	15/14
Houston-110-3	SS INOP	29-24-12.540N	093-10-09.797W	0240-09	11/09
Houston-110-4	SS INOP	29-23-58.460N	093-10-40.780W	0362-10	16/10
Petsec-101-2	SS INOP	28-35-48.000N	093-10-43.000W	0296-14 GA	16/14
ATP-100-18	SS INOP	28-32-56.780N	093-11-36.390W	0297-14 GA	16/14
Pisces-106-2	SS INOP	28-28-39.658N	093-12-26.095W		22/09
Chevron-165-10	SS INOP	29-25-55.861N	093-14-40.335W		51/14
Century Offshore-101-2	SS INOP	28-54-31.000N	093-18-06.000W		15/16
Energy Resource-102-11	LT EXT/SS INOP	29-23-26.939N	093-18-09.653W		40/08
Mariner-104-7	LT EXT/SS INOP	29-29-50.967N	093-20-37.108W		16/15
Monforte-100-2	SS INOP	28-41-18.727N	093-22-07.173W	0549-15 GA	33/15
Energy Xxi-112-2	SS INOP	29-25-07.069N	093-24-28.650W	0186-14 GA	11/14
El Paso-103-16	SS INOP	29-26-39.274N	093-24-55.075W	0304-13	16/13

ATP-100-13	LT EXT/SS INOP	27-51-35.495N	093-25-05.305W	0016-14 D8	04/14
Mobil-225-39	SS INOP	29-25-56.000N	093-25-58.000W	1122-09 GA	50/09
El Paso-103-28	SS INOP	29-25-54.972N	093-26-09.843W	0645-13 GA	34/13
Beryl-108-2	LT EXT	28-26-12.091N	093-26-45.035W	0767-11 GA	34/11
Devon-102-36	SS INOP	28-29-34.897N	093-28-35.692W		14/15
Energy Resource-102-3	HAZ NAV/LT EXT/SS INOP	28-33-14.933N	093-29-56.846W		40/08
Devon-102-3	LT EXT	29-21-20.000N	093-32-51.000W		07/16
Mariner-104-17	LT EXT	29-11-41.249N	093-33-44.686W	0450-10 GA	20/10
Northstar-107-5	LT EXT	29-39-39.366N	093-34-00.582W	0912-09	40/09
Fieldw ood-109-40	LT EXT	29-19-47.514N	093-35-45.626W	0745-15 ga	47/15
Fieldw ood-109-41	SS INOP	29-20-41.669N	093-38-03.577W		29/15
Fieldw ood-111-9	LT EXT	27-57-43.0842	093-40-15.203W	0587-15 GA	35/15
Chevron-121-20	Status Unreported	29-40-04.000N	093-42-59.000W	0209-16	13/16
Atp-106-4	SS INOP	29-24-18.963N	093-51-00.752W	0059-14	04/14
Union-198-3	SS INOP	28-13-42.000N	093-56-13.000W		26/14
Northstar-108-3	SS INOP	28-24-17.472N	093-56-28.961W	0460-15 GA	28/15
Northstar-108-4	SS INOP	28-21-21.535N	093-57-18.336W	0273-16 GA	17/16
Walter-112-9 Lighted Buoy	MISSING	28-15-08.900N	093-57-53.794W		46/15
W & T Offshore-105-10	LT EXT/SS INOP	29-30-53.325N	094-01-48.809W	0201-11 NO	08/11
Energy Xxi-106-3	SS INOP	28-17-27.391N	094-05-22.309W		51/13
Mariner-105-28	SS INOP	29-09-06.697N	094-07-09.275W	0046-16	03/16
Stone Energy-125-1	LT EXT/SS INOP	27-58-35.000N	094-08-38.000W	0538-11 GA	23/11
Mariner-105-27	LT EXT	29-08-00.000N	094-11-46.000W		18/16
Energy Xxi-106-7	LT EXT/SS INOP	29-16-21.826N	094-14-56.227W	0201-15 NO	10/15
Virgin-100-1	LT EXT/SS INOP	29-09-34.403N	094-15-24.738W	1078-11 GA	47/11
Union-196-1	HAZ NAV/LT EXT/SS INOP	29-26-09.000N	094-18-15.000W	0058-12 GA	04/12
Devon-200-4	LT EXT	29-16-03.000N	094-20-24.000W	0019-15	02/15
New field-109-2	SS INOP	28-02-56.550N	094-26-18.070W	0880-09 GA	38/09
Blue Dolphin-101-10	LT EXT	28-53-36.975N	094-42-15.296W	1162-04 GA	30/04
Fieldw ood-123-4	LT EXT	29-00-49.907N	094-45-05.551W	0522-12	39/12
Fieldw ood-123-5	SS INOP	29-00-01.073N	094-45-52.614W	0287-16 GA	19/16
Black Elk-104-1	SS INOP	28-43-10.338N	094-50-13.235W	0785-15 GA	49/15
Hec-125-3	SS INOP	28-57-52.900N	094-54-31.400W	0514-15	31/15
Seagull-101-3	SS INOP	28-35-32.000N	095-11-09.000W	0650-12 NO	31/12
Kirby-104-3	LT EXT	28-44-47.000N	095-25-13.000W	0065-15	05/15
ATP-102-3	LT EXT	28-15-22.872N	095-33-54.313W	0059-15 GA	04/15
Fieldw ood-110-2	LT EXT	28-23-47.9508	095-51-42.862W		21/16
Fieldw ood-110-3	SS INOP	28-03-27.589N	095-52-19.545W		15/16
Gom Shelf-100-4	LT EXT/SS INOP	27-50-19.553N	096-01-41.483W		13/16
Black Elk-105-5	LT EXT	28-24-50.796N	096-02-48.082W		21/09
Fieldw ood-120-12	LT EXT/SS INOP	28-23-34.000N	096-04-42.000W	0200-16 cc	21/16
Fieldwood-120-6	LT EXT	28-22-43.607N	096-05-03.458W		25/16
Fieldw ood-120-11	LT EXT/SS INOP	28-23-09.000N	096-05-12.000W	0773-15	49/15
American Coastal-102-5	LT EXT	28-22-45.000N	096-09-54.000W		21/09
Apache-110-7	LT EXT/SS IMCH	27-38-17.880N	096-14-05.170W		46/15
Anadarko-117-3	LT EXT	27-36-27.000N	096-15-13.000W	0632-15cc	51/15
Buttes-101-2	LT EXT/SS INOP	28-13-53.000N	096-23-24.000W		35/12
Transco-137-5	LT EXT	27-36-10.000N	097-04-40.000W	0356-13	21/13
Reynolds-102-3	LT EXT	27-39-18.000N	097-07-39.000W	0221-10CC	19/10
Reynolds-102-4	LT EXT	27-38-57.000N	097-07-42.000W	0221-10CC	19/10

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
Fieldw ood-104-5	WATCHING PROPERLY	28-32-55.989N 090-04-07.237W		25/16	26/16
Union-165-8	WATCHING PROPERLY	28-31-31.000N 090-53-38.675W		25/16	26/16
Energy Xxi-108-11	WATCHING PROPERLY	29-23-37.620N 091-59-34.780W		23/16	25/16
Fieldw ood-111-25	WATCHING PROPERLY	29-14-33.850N 093-48-31.442W		21/16	26/16
Fieldw ood-111-7	WATCHING PROPERLY	28-05-43.108N 093-52-10.160W		20/16	26/16
Arena Offshore-100-5	WATCHING PROPERLY	27-59-35.000N 096-27-09.000W		25/16	26/16

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
10	St Marks Light & River Range Rear Light	DISCONTINUED	11406	0351-16 MO	18/16	
95	St Joseph Bay Light & Entrance A Range Rear Light	DISCONTINUED	11393		15/09	
1490	St Marks Light & River Range Rear Light	DISCONTINUED	11406	0351-16 MO	18/16	
3025	St Joseph Bay Entrance A Range Front Light	DISCONTINUED	11393		24/08	
3030	St Joseph Bay Light & Entrance A Range Rear Light	DISCONTINUED	11393		15/09	
3060	St Joseph Bay Entrance Range B & D Front Light	DISCONTINUED	11393	0870-15 MO	44/15	
3105	St Joseph Bay Entrance Range D Rear Light	DISCONTINUED	11393	0870-15 MO	44/15	
3105	St Joseph Bay Entrance Range D Rear Light	TRLT	11393	0870-15 MO	44/15	
4315	Grand Lagoon Channel Light 4	TRLT	11391		26/15	
7940	Horn Island Pass Lighted Buoy 16	TRLB	11375	0045-16 D8	14/16	
7950	Horn Island Pass Lighted Buoy 18	TRLB	11375	0045-16 D8	14/16	
7955	Pascagoula Channel Lighted Buoy 19	TRLB	11375	0045-16 D8	14/16	
8090	Bayou Casotte Channel Junction Lighted Buoy BC	RELOCATED FOR DREDGING	11375		25/14	
15300	Arlington Range Front Light	TRLT	11370	0862-15 NO	43/15	
15305	Arlington Range Rear Light	TRLT	11370	0862-15 NO	43/15	
21430	Calcasieu Channel Light 50	DISCONTINUED	11339	0650-15 GA	39/15	
21685	Calcasieu Channel Light 83	DISCONTINUED FOR DREDGING	11347		23/16	
21700	Calcasieu Channel Light 85	DISCONTINUED FOR DREDGING	11347	0282-16 GA	18/16	
21730	Calcasieu Channel Light 86	DISCONTINUED FOR DREDGING	11347		18/16	
23105.01	Sabine River Lighted Buoy 2	DISCONTINUED	11331	0195-16 GA	12/16	
23730	Galveston Bay Entrance Channel Lighted Buoy 7	RELOCATED FOR DREDGING			27/15	
23770	Galveston Bay Entrance Channel Lighted Buoy 9	RELOCATED FOR DREDGING	11324		27/15	
25435	Houston Ship Channel Light 119	DISCONTINUED FOR DREDGING	11329		50/15	
25440	Houston Ship Channel Light 120	DISCONTINUED FOR DREDGING	11329		50/15	

25450	Houston Ship Channel Light 121A	DISCONTINUED FOR DREDGING	11329		52/15
25505	Houston Ship Channel Light 125	DISCONTINUED FOR DREDGING	11329	0035-16 GA	02/16
25715	Houston Ship Channel Light 129	DISCONTINUED FOR DREDGING	11329	0036-16 GA	02/16
29100	La Quinta Channel Light A	DISCONTINUED FOR DREDGING	11309	0044-16 CC	06/16
29101.01	LA QUINTA CHANNEL LIGHT 22	DISCONTINUED FOR DREDGING	11309	0637-15 CC	52/15
35525.01	Sabine River Lighted Buoy 2	DISCONTINUED	11331	0195-16 GA	12/16
35800	East Bay Bayou Light 8	DISCONTINUED FOR DREDGING	11331	0792-15 GA	50/15
35805	Rollover Bay Buoy 1	DISCONTINUED FOR DREDGING	11331		07/16
35840	Rollover Bay Buoy 6	DISCONTINUED FOR DREDGING	11331		07/16
36930	West Bay (Texas) Buoy 4	DISCONTINUED FOR DREDGING	11322	0355-16 GA	24/16
36940	West Bay (Texas) Buoy 6	DISCONTINUED FOR DREDGING	11322	0355-16 GA	24/16
36950	West Bay (Texas) Buoy 8	DISCONTINUED FOR DREDGING	11322	0355-16 GA	24/16
36960	West Bay (Texas) Buoy 10	DISCONTINUED FOR DREDGING	11322	0355-16 GA	24/16
36970	West Bay (Texas) Buoy 12	DISCONTINUED FOR DREDGING	11322	0355-16 GA	24/16

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only.

It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR					CGD01	
(Temp) ADD	NATIONAL DOCK CHANNEL BUOY 3				at 40-41-09.001N	074-02-48.001W
	Green can					
Corrective Action	Object of Corrective Action			Position		

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true.

Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

1116	A	79th Ed.	01-FEB-16	Last LNM: 23/16	NAD 83	25/16
<i>ChartTitle: Mississippi River to Galveston (Oil and Gas Leasing Areas)</i>						
Main Panel 2996 LEASE BLOCK FOR MISSISSIPPI RIVER TO GALVESTON. Page/Side: A						
DELETE		Platform (Stone Energy-104-7)			CGD08 28-31-33.900N	090-36-53.900W
DELETE		W & T Offshore-112-50 Temporary Lighted Buoy, FL2.5s, WOR (Priv Maint)			CGD08 28-45-47.779N	092-35-22.713W
11316		42nd Ed.	01-JUN-11	Last LNM: 11/16	NAD 83	25/16
<i>ChartTitle: Matagorda Bay and approaches</i>						
Main Panel 128 MATAGORDA BAY AND APPROACHES. Page/Side: NA						
DELETE		Texas Meridian Mat/Bay Reef A, 8ft, NW on pile (Priv Maint)			CGD08 28-36-17.840N	096-05-10.220W
DELETE		Texas Meridian Mat/Bay Reef B, 8ft, NW on pile (Priv Maint)			CGD08 28-36-14.090N	096-04-58.300W
DELETE		Texas Meridian Mat/Bay Reef C, 8ft, NW on pile (Priv Maint)			CGD08 28-36-25.730N	096-04-58.760W
11319		34th Ed.	01-SEP-12	Last LNM: 11/16	NAD 83	25/16
<i>ChartTitle: Intracoastal Waterway Cedar Lakes to Espiritu Santo Bay</i>						
Main Panel 105 MATAGORDA BAY TO CEDAR LAKES SIDE A. Page/Side: A						
DELETE		Texas Meridian Mat/Bay Reef A, 8ft, NW on pile (Priv Maint)			CGD08 28-36-17.840N	096-05-10.220W
DELETE		Texas Meridian Mat/Bay Reef B, 8ft, NW on pile (Priv Maint)			CGD08 28-36-14.090N	096-04-58.300W
DELETE		Texas Meridian Mat/Bay Reef C, 8ft, NW on pile (Priv Maint)			CGD08 28-36-25.730N	096-04-58.760W
11328		29th Ed.	01-APR-16	Last LNM: 22/16	NAD 83	25/16
<i>ChartTitle: Houston Ship Channel Atkinson Island to Alexander Island</i>						
Main Panel 82 HOUSTON SHIP CHANNEL. Page/Side: A						
RELOCATE		Lower Red Light Bend Outbound Range Front Light			CGD08 from 29-41-58.478N to 29-41-58.469N	094-59-50.500W 094-59-50.457W
11339		4th Ed.	01-FEB-13	Last LNM: 19/16	NAD 83	25/16
<i>ChartTitle: Calcasieu River and Approaches</i>						
Inset 152 Calcasieu River and Approaches - Inset. Page/Side: A						
CHANGE		tabulation - Calcasieu Pass and River http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=265355 ; tabulation - Calcasieu Pass and River (NOS NW-25705)			NOS 30-07-17.000N	093-16-50.000W

11340	79th Ed.	01-FEB-16	Last LNM: 23/16	NAD 83	25/16
<i>ChartTitle: Mississippi River to Galveston</i>					
Main Panel 49 MISSISSIPPI RIVER TO GALVESTON. Page/Side: A					
DELETE	Platform (Stone Energy-104-7)			CGD08 28-31-33.900N	090-36-53.900W
DELETE	W & T Offshore-112-50 Temporary Lighted Buoy, FL2.5s, WOR (Priv Maint)			CGD08 28-45-47.779N	092-35-22.713W
11344	40th Ed.	01-AUG-14	Last LNM: 23/16	NAD 83	25/16
<i>ChartTitle: Rollover Bayou to Calcasieu Pass</i>					
Main Panel 123 ROLLOVER BAYOU TO CALCASIEU PASS. Page/Side: A					
CHANGE	tabulation - Calcasieu Pass and River http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=265354 ; tabulation - Calcasieu Pass and River (NOS NW-25705)			NOS 29-46-00.000N	092-45-30.000W
11347	40th Ed.	01-MAY-13	Last LNM: 19/16	NAD 83	25/16
<i>ChartTitle: Calcasieu River and Lake</i>					
Main Panel 73 CALCASIEU RIVER AND LAKE SIDE A. Page/Side: A					
CHANGE	tabulation - Calcasieu Pass and River http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=265353 ; tabulation - Calcasieu Pass and River (NOS NW-25705)			NOS 29-55-30.000N	093-22-30.000W
11352	42nd Ed.	01-JUL-12	Last LNM: 22/16	NAD 83	25/16
<i>ChartTitle: Intracoastal Waterway New Orleans to Calcasieu River East Section</i>					
Main Panel 46 NEW ORLEANS TO CALCASIEU RIVER EAST SECTION. Page/Side: N/A					
RELOCATE	Barataria Waterway Light 6			CGD08 from 29-17-26.855N to 29-17-26.942N	089-58-22.026W 089-58-21.928W
ADD	Symbol: "Visible Wreck (PA)" (CGD8 037-16)			CGD08 29-26-06.200N	090-40-03.200W
11358	58th Ed.	01-MAY-14	Last LNM: 21/16	NAD 83	25/16
<i>ChartTitle: Barataria Bay and approaches</i>					
Main Panel 60 BARATARIA BAY AND APPROACHES. Page/Side: N/A					
RELOCATE	Barataria Waterway Light 6			CGD08 from 29-17-26.855N to 29-17-26.942N	089-58-22.026W 089-58-21.928W
11363	44th Ed.	01-FEB-13	Last LNM: 21/16	NAD 83	25/16
<i>ChartTitle: Chandeleur and Breton Sounds</i>					
Main Panel 55 CHANDELEUR AND BRETON SOUNDS. Page/Side: N/A					
ADD	Breton/Chandeleur ICW Alternate Route Buoy 101, Green can.			CGD08 29-27-37.080N	089-17-05.986W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 18, Red nun.			CGD08 30-02-15.680N	088-59-54.476W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 21, Green can.			CGD08 30-00-16.921N	088-59-59.207W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 26, Red nun.			CGD08 29-58-18.351N	089-00-08.478W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 29, Green can.			CGD08 29-56-19.651N	089-00-13.197W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 34, Red nun.			CGD08 29-54-21.110N	089-00-22.455W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 40, Red nun.			CGD08 29-51-38.994N	089-01-05.976W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 43, Green can.			CGD08 29-49-45.984N	089-01-48.051W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 48, Red nun.			CGD08 29-47-54.258N	089-02-34.394W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 51, Green can.			CGD08 29-46-01.240N	089-03-16.415W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 56, Red nun.			CGD08 29-44-09.507N	089-04-02.670W

ADD	Breton/Chandeleur ICW Alternate Route Buoy 59, Green can.	CGD08 29-42-40.991N	089-04-35.049W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 63, Green can.	CGD08 29-40-24.090N	089-05-28.754W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 70, Red nun.	CGD08 29-38-19.291N	089-07-29.470W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 73, Green can.	CGD08 29-37-00.106N	089-09-10.967W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 78, Red nun.	CGD08 29-35-43.996N	089-10-55.249W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 82, Red nun.	CGD08 29-34-32.795N	089-12-29.499W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 89, Green can.	CGD08 29-32-54.475N	089-14-00.810W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 93, Green can.	CGD08 29-31-09.110N	089-15-03.443W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 97, Green can.	CGD08 29-29-23.099N	089-16-04.733W
ADD	Breton/Chandeleur ICW Alternate Route Light 100, FI R 2.5s, 17ft, 5nm, Ra ref.	CGD08 29-28-30.995N	089-16-37.377W
ADD	Breton/Chandeleur ICW Alternate Route Light 103, FI G 2.5s, 17ft, 5nm, Ra ref.	CGD08 29-26-44.096N	089-17-36.583W
ADD	Breton/Chandeleur ICW Alternate Route Light 106, Q R, 17ft, 5nm, Ra ref.	CGD08 29-25-51.948N	089-18-09.220W
ADD	Breton/Chandeleur ICW Alternate Route Light 15, FI G 2.5s, 17ft, 4nm, Ra ref.	CGD08 30-03-14.871N	088-59-48.702W
ADD	Breton/Chandeleur ICW Alternate Route Light 20, FI R 2.5s, 17ft, 4nm, Ra ref.	CGD08 30-01-16.343N	088-59-57.979W
ADD	Breton/Chandeleur ICW Alternate Route Light 23, FI G 4s, 17ft, 5nm, Ra ref.	CGD08 29-59-17.570N	089-00-02.708W
ADD	Breton/Chandeleur ICW Alternate Route Light 28, FI R 4s, 17ft, 5nm, Ra ref.	CGD08 29-57-19.071N	089-00-11.972W
ADD	Breton/Chandeleur ICW Alternate Route Light 31, FI G 6s, 17ft, 5nm, Ra ref.	CGD08 29-55-20.331N	089-00-16.692W
ADD	Breton/Chandeleur ICW Alternate Route Light 36, Q R, 17ft, 5nm, Ra ref.	CGD08 29-53-20.440N	089-00-26.027W
ADD	Breton/Chandeleur ICW Alternate Route Light 37, FI G 2.5s, 17ft, 5nm, Ra ref.	CGD08 29-52-34.528N	089-00-41.707W
ADD	Breton/Chandeleur ICW Alternate Route Light 42, FI R 2.5s, 17ft, 5nm, Ra ref.	CGD08 29-50-42.809N	089-01-28.092W
ADD	Breton/Chandeleur ICW Alternate Route Light 45, FI G 4s, 17ft, 5nm, Ra ref.	CGD08 29-48-49.795N	089-02-10.154W
ADD	Breton/Chandeleur ICW Alternate Route Light 50, FI R 4s, 17ft, 5nm, Ra ref.	CGD08 29-46-58.068N	089-02-56.482W
ADD	Breton/Chandeleur ICW Alternate Route Light 53, FI G 6s, 17ft, 5nm, Ra ref.	CGD08 29-45-05.049N	089-03-38.490W
ADD	Breton/Chandeleur ICW Alternate Route Light 58, FI R 6s, 17ft, 5nm, Ra ref.	CGD08 29-43-13.313N	089-04-24.760W
ADD	Breton/Chandeleur ICW Alternate Route Light 61, FI G 2.5s, 17ft, 5nm, Ra ref.	CGD08 29-41-20.283N	089-05-06.715W
ADD	Breton/Chandeleur ICW Alternate Route Light 66, Q R, 17ft, 5nm, Ra ref.	CGD08 29-39-33.567N	089-05-50.959W
ADD	Breton/Chandeleur ICW Alternate Route Light 67, FI G 4s, 17ft, 5nm, Ra ref.	CGD08 29-38-56.604N	089-06-36.514W
		CGD08	

ADD	Breton/Chandeleur ICW Alternate Route Light 72, Fl R 2.5s, 17ft, 5nm, Ra ref.	29-37-40.473N	089-08-20.935W
ADD	Breton/Chandeleur ICW Alternate Route Light 75, Fl G 6s, 17ft, 5nm, Ra ref.	CGD08 29-36-21.339N	089-10-02.329W
ADD	Breton/Chandeleur ICW Alternate Route Light 80, Fl R 4s, 17ft, 5nm, Ra ref.	CGD08 29-35-05.148N	089-11-46.680W
ADD	Breton/Chandeleur ICW Alternate Route Light 83, Fl G 2.5s, 17ft, 5nm, Ra ref.	CGD08 29-33-58.909N	089-13-10.869W
ADD	Breton/Chandeleur ICW Alternate Route Light 86, Q R, 17ft, 5nm, Ra ref.	CGD08 29-33-46.145N	089-13-31.215W
ADD	Breton/Chandeleur ICW Alternate Route Light 87, Fl G 4s, 17ft, 5nm, Ra ref.	CGD08 29-33-26.009N	089-13-41.177W
ADD	Breton/Chandeleur ICW Alternate Route Light 92, Fl R 6s, 17ft, 5nm, Ra ref.	CGD08 29-32-03.014N	089-14-34.801W
ADD	Breton/Chandeleur ICW Alternate Route Light 95, Fl G 6s, 17ft, 5nm, Ra ref.	CGD08 29-30-16.123N	089-15-34.084W
ADD	Breton/Chandeleur ICW Alternate Route Light A, Fl W 2.5s, 17ft, 5nm, Ra ref.	CGD08 29-56-20.580N	088-59-39.610W
ADD	Breton/Chandeleur ICW Alternate Route Light B, Fl W 2.5s, 17ft, 5nm, Ra ref.	CGD08 29-48-50.160N	089-01-36.480W
ADD	Breton/Chandeleur ICW Alternate Route Light C, Fl W 2.5s, 17ft, 5nm, Ra ref.	CGD08 29-44-06.670N	089-03-27.150W
ADD	Breton/Chandeleur ICW Alternate Route Lighted Buoy 14, Fl R 6s, 3nm, Red nun.	CGD08 30-04-14.293N	088-59-47.472W

11365 **23rd Ed.** **01-DEC-12** **Last LNM: 21/16** **NAD 83** **25/16**

ChartTitle: Barataria and Bayou Lafourche Waterways Intracoastal Waterway to Gulf of Mexico

Main Panel 182 BARATARIA & BAYOU LAFOURCHE WATERWAYS. Page/Side: A

RELOCATE	Barataria Waterway Light 6	CGD08 from 29-17-26.855N to 29-17-26.942N	089-58-22.026W 089-58-21.928W
----------	----------------------------	---	----------------------------------

Main Panel 183 BARATARIA & BAYOU LAFOURCHE WATERWAYS. Page/Side: B

RELOCATE	Barataria Waterway Light 6	CGD08 from 29-17-26.855N to 29-17-26.942N	089-58-22.026W 089-58-21.928W
----------	----------------------------	---	----------------------------------

11373 **52nd Ed.** **01-MAY-15** **Last LNM: 23/16** **NAD 83** **25/16**

ChartTitle: Mississippi Sound and approaches Dauphin Island to Cat Island

Main Panel 52 MISSISSIPPI SND & APPROACHES DAUPHIN ISL TO CAT ISL. Page/Side: A

ADD	Breton/Chandeleur ICW Alternate Route Buoy 18, Red nun.	CGD08 30-02-15.680N	088-59-54.476W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 21, Green can.	CGD08 30-00-16.921N	088-59-59.207W
ADD	Breton/Chandeleur ICW Alternate Route Buoy 26, Red nun.	CGD08 29-58-18.351N	089-00-08.478W
ADD	Breton/Chandeleur ICW Alternate Route Light 15, Fl G 2.5s, 17ft, 4nm, Ra ref.	CGD08 30-03-14.871N	088-59-48.702W
ADD	Breton/Chandeleur ICW Alternate Route Light 20, Fl R 2.5s, 17ft, 4nm, Ra ref.	CGD08 30-01-16.343N	088-59-57.979W
ADD	Breton/Chandeleur ICW Alternate Route Light 23, Fl G 4s, 17ft, 5nm, Ra ref.	CGD08 29-59-17.570N	089-00-02.708W
ADD	Breton/Chandeleur ICW Alternate Route Lighted Buoy 1, Q G, 3nm, Green can.	CGD08 30-10-10.090N	088-59-24.151W
		CGD08	

ADD	Breton/Chandeleur ICW Alternate Route Lighted Buoy 10, FI R 4s, 3nm, Red nun.	30-06-13.001N	088-59-40.457W
		CGD08	
ADD	Breton/Chandeleur ICW Alternate Route Lighted Buoy 11, FI G 6s, 3nm, Green can.	30-05-13.501N	088-59-41.694W
		CGD08	
ADD	Breton/Chandeleur ICW Alternate Route Lighted Buoy 14, FI R 6s, 3nm, Red nun.	30-04-14.293N	088-59-47.472W
		CGD08	
ADD	Breton/Chandeleur ICW Alternate Route Lighted Buoy 2, Q R, 3nm, Red nun.	30-10-10.192N	088-59-26.426W
		CGD08	
ADD	Breton/Chandeleur ICW Alternate Route Lighted Buoy 4, FI R 2.5s, 3nm, Red nun.	30-09-10.872N	088-59-29.937W
		CGD08	
ADD	Breton/Chandeleur ICW Alternate Route Lighted Buoy 5, FI G 4s, 3nm, Green can.	30-08-11.362N	088-59-31.177W
		CGD08	
ADD	Breton/Chandeleur ICW Alternate Route Lighted Buoy 7, FI G 2.5s, 3nm, Green can.	30-07-12.141N	088-59-34.680W
		CGD08	
ADD	Breton/Chandeleur ICW Alternate Route Lighted Buoy 8, FI R 2.5s, 3nm, Red nun.	30-07-12.243N	088-59-36.954W
		CGD08	

OIL RIG MOVEMENT

Drill Rigs/Vessels Removed

Latitude	Longitude	Block	Rigs/Vessel	Chart	Type	Status
28-31-52.741N	090-02-04.707W	GI-92	DEEPWATER NAUTILUS	11360	SEMI-SUBMERSIBLE	UNREPORTED
29-19-51.579N	092-09-52.692W	VE-52	HERCULES 150	11340	JACKUP	UNREPORTED
29-00-05.541N	090-15-09.185W	ST-21	HERCULES 203	11340	JACKUP	UNREPORTED

Drill Rigs/Vessels Established

Latitude	Longitude	Block	Rigs/Vessel	Chart	Type	Status
29-29-06.000N	089-59-33.000W	-N/A	COASTAL 21	11340	BARGE	WORKOVER
29-28-07.000N	089-59-24.000W	-N/A	COASTAL 21	11340	BARGE	WORKOVER
29-00-03.900N	089-00-43.200W	WD-42	DEEPWATER NAUTILUS	11340	SEMI-SUBMERSIBLE	UNREPORTED
27-27-56.000N	090-33-59.000W	GC-521	OCEAN BLACKLION	11340	DRILLSHIP	
29-35-39.494N	092-54-26.327W	EC-14	SPARTAN 208	11340	JACKUP	UNREPORTED
27-19-15.356N	090-44-40.508W	GC-640	T.O. DEEPWATER ASGARD	11340	BARGE	

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

Approved Project(s)	Project Date	Ref. LNM
None		

Advance Notice(s)

LA – MISSISSIPPI SOUND APPROACHES DAUPHIN ISLAND TO CAT ISLAND – Breton/Chandeleur ICW Alternate Route Temporary Channel

The following changes will be made the week of June 13, 2016.
 Establish Breton/Chandeleur ICW Alternate Route Lighted Buoy 1 (LLNR-9572.25) in approximate position 30-10-10.090N/088-59-24.151W, Q G, Nominal Range 3NM, showing a Green can with yellow square.
 Establish Breton/Chandeleur ICW Alternate Route Lighted Buoy 2 (LLNR-9572.24) in approximate position 30-10-10.192N/088-59-26.426W, Q R, Nominal Range 3NM, showing a Red nun with yellow triangle.
 Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 3 (LLNR-9572.23) in approximate position 30-09-10.770N/088-59-27.662W.
 Establish Breton/Chandeleur ICW Alternate Route Lighted Buoy 4 (LLNR-9572.22) in approximate position 30-09-10.872N/088-59-29.937W, FL R 2.5s,

Nominal Range 3NM, showing a Red nun with yellow triangle.
Establish Breton/Chandeleur ICW Alternate Route Lighted Buoy 5 (LLNR-9572.21) in approximate position 30-08-11.362N/088-59-31.177W, FL G 4s,
Nominal Range 3NM, showing a Green can with yellow square.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 6 (LLNR-9572.20) in approximate position 30-08-11.464N/088-59-33.452W.
Establish Breton/Chandeleur ICW Alternate Route Lighted Buoy 7 (LLNR-9572.19) in approximate position 30-07-12.141N/088-59-34.680W, FL G 2.5s,
Nominal Range 3NM, showing a Green can with yellow square.
Establish Breton/Chandeleur ICW Alternate Route Lighted Buoy 8 (LLNR-9572.18) in approximate position 30-07-12.243N/088-59-36.954W, FL R 2.5s,
Nominal Range 3NM, showing a Red nun with yellow triangle.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 9 (LLNR-9572.17) in approximate position 30-06-12.899N/088-59-38.183W.
Establish Breton/Chandeleur ICW Alternate Route Lighted Buoy 10 (LLNR-9572.16) in approximate position 30-06-13.001N/088-59-40.457W, FL R 4s,
Nominal Range 3NM, showing a Red nun with yellow triangle.
Establish Breton/Chandeleur ICW Alternate Route Lighted Buoy 11 (LLNR-9572.15) in approximate position 30-05-13.501N/088-59-41.694W, FL G 6s,
Nominal Range 3NM, showing a Green can with yellow square.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 12 (LLNR-9572.14) in approximate position 30-05-13.603N/088-59-43.967W.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 13 (LLNR-9572.13) in approximate position 30-04-14.191N/088-59-45.198W.
Establish Breton/Chandeleur ICW Alternate Route Lighted Buoy 14 (LLNR-9572.12) in approximate position 30-04-14.293N/088-59-47.472W, FL R 6s,
Nominal Range 3NM, showing a Red nun with yellow triangle.
Establish Breton/Chandeleur ICW Alternate Route Light 15 (LLNR-9572.11) in approximate position 30-03-14.871N/088-59-48.702W, showing FL G 2.5s, Focal Height 17FT, Nominal Range 4NM, SG-SY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 16 (LLNR-9572.10) in approximate position 30-03-14.973N/088-59-50.975W.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 17 (LLNR-9572.09) in approximate position 30-02-15.579N/088-59-52.204W.
Establish Breton/Chandeleur ICW Alternate Route Buoy 18 (LLNR-9572.08) in approximate position 30-02-15.680N/088-59-54.476W, showing a Red nun with yellow triangle.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 19 (LLNR-9572.07) in approximate position 30-01-16.241N/088-59-55.707W.
Establish Breton/Chandeleur ICW Alternate Route Light 20 (LLNR-9572.06) in approximate position 30-01-16.343N/088-59-57.979W, showing FL R 2.5s, Focal Height 17FT, Nominal Range 4NM, TR-TY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Buoy 21 (LLNR-9572.05) in approximate position 30-00-16.921N/088-59-59.207W, showing a Green can with yellow square.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 22 (LLNR-9572.04) in approximate position 30-00-17.023N/089-00-01.479W.

Chart 11373

LNLM: 08-16-57D

LA – MISSISSIPPI SOUND APPROACHES DAUPHIN ISLAND TO CAT ISLAND – Breton/Chandeleur ICW Alternate Route Temporary Channel

The following changes will be made the week of June 13, 2016.
Establish Breton/Chandeleur ICW Alternate Route Light 23 (LLNR-9572.03) in approximate position 29-59-17.570N/089-00-02.708W, showing FL G 4s, Focal Height 17FT, Nominal Range 5NM, SG-SY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 24 (LLNR-9572.02) in approximate position 29-59-17.671N/089-00-04.980W.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 25 (LLNR-9572.01) in approximate position 29-58-18.249N/089-00-06.207W.
Establish Breton/Chandeleur ICW Alternate Route Buoy 26 (LLNR-9572) in approximate position 29-58-18.351N/089-00-08.478W, showing a Red nun with yellow triangle.

Chart 11373

LNLM: 08-16-57D

LA – CHANDELEUR AND BRETON SOUNDS – Breton/Chandeleur ICW Alternate Route Temporary Channel

The following changes will be made the week of June 13, 2016.
Establish Breton/Chandeleur ICW Alternate Route Light 28 (LLNR-11672.70) in approximate position 29-57-19.071N/089-00-11.972W, showing FL R 4s,

Focal Height 17FT, Nominal Range 5NM, TR-TY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Light A (11672.69) in approximate position 29-56-20.580N/088-59-39.610W, showing FL W 2.5s,
Focal Height 17FT, Nominal Range 5NM, NB on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Buoy 29 (LLNR-11672.68) in approximate position 29-56-19.651N/089-00-13.197W, showing a Green can with yellow square.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 30 (LLNR-11672.67) in approximate position 29-56-19.752N/089-00-15.467W.
Establish Breton/Chandeleur ICW Alternate Route Light 31 (LLNR-11672.66) in approximate position 29-55-20.331N/089-00-16.692W, showing FL G 6s,
Focal Height 17FT, Nominal Range 5NM, SG-SY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 33 (LLNR-11672.65) in approximate position 29-54-21.009N/089-00-20.186W.
Establish Breton/Chandeleur ICW Alternate Route Buoy 34 (LLNR-11672.64) in approximate position 29-54-21.110N/089-00-22.455W, showing a Red nun with yellow triangle.
Establish Breton/Chandeleur ICW Alternate Route Light 36 (LLNR-11672.63) in approximate position 29-53-20.440N/089-00-26.027W, showing Q R, Focal Height 17FT, Nominal Range 5NM, TR-TY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Light 37 (LLNR-11672.62) in approximate position 29-52-34.528N/089-00-41.707W, showing FL G 2.5s,
Focal Height 17FT, Nominal Range 5NM, SG-SY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 38 (LLNR-11672.61) in approximate position 29-52-35.171N/089-00-43.856W.
Establish Breton/Chandeleur ICW Alternate Route Buoy 40 (LLNR-11672.60) in approximate position 29-51-38.994N/089-01-05.976W, showing a Red nun with yellow triangle.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 41 (LLNR-11672.59) in approximate position 29-50-42.166N/089-01-25.944W.
Establish Breton/Chandeleur ICW Alternate Route Light 42 (11672.58) in approximate position 29-50-42.809N/089-01-28.092W, showing FL R 2.5s,
Focal Height 17FT, Nominal Range 5NM, TR-TY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Light B (11672.57) in approximate position 29-48-50.160N/089-01-36.480W, showing FL W 2.5s,
Focal Height 17FT, Nominal Range 5NM, NB on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Buoy 43 (LLNR-11672.56) in approximate position 29-49-45.984N/089-01-48.051W, showing a Green can with yellow square.
Establish Breton/Chandeleur ICW Alternate Route Light 45 (LLNR-11672.55) in approximate position 29-48-49.795N/089-02-10.154W, showing FL G 4s,
Focal Height 17FT, Nominal Range 5NM, SG-SY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 46 (LLNR-11672.54) in approximate position 29-48-50.437N/089-02-12.302W.
Establish Breton/Chandeleur ICW Alternate Route Buoy 48 (11672.53) in approximate position 29-47-54.258N/089-02-34.394W, showing a Red nun with yellow triangle.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 49 (LLNR-11672.52) in approximate position 29-46-57.425N/089-02-54.335W.
Establish Breton/Chandeleur ICW Alternate Route Light 50 (LLNR-11672.51) in approximate position 29-46-58.068N/089-02-56.482W, showing FL R 4s,
Focal Height 17FT, Nominal Range 5NM, TR-TY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Buoy 51 (LLNR-11672.50) in approximate position 29-46-01.240N/089-03-16.415W, showing a Green can with yellow square.
Establish Breton/Chandeleur ICW Alternate Route Light 53 (LLNR-11672.49) in approximate position 29-45-05.049N/089-03-38.490W, showing FL G 6s,
Focal Height 17FT, Nominal Range 5NM, SG-SY on pile, Ra ref.

Chart 11363

LNМ: 08-16-57D

LA – CHANDELEUR AND BRETON SOUNDS – Breton/Chandeleur ICW Alternate Route Temporary Channel

The following changes will be made the week of June 13, 2016.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 54 (LLNR-11672.48) in approximate position 29-45-05.690N/089-03-40.636W.
Establish Breton/Chandeleur ICW Alternate Route Buoy 56 (LLNR-11672.47) in approximate position 29-44-09.507N/089-04-02.670W, showing a Red nun with yellow triangle.
Establish Breton/Chandeleur ICW Alternate Route Light C (11672.46) in approximate position 29-44-06.670N/089-03-27.150W, showing FL W 2.5s,

Focal Height 17FT, Nominal Range 5NM, NB on pile, Ra ref.
 Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 57 (LLNR-11672.45) in approximate position 29-43-12.672N/089-04-22.615W.
 Establish Breton/Chandeleur ICW Alternate Route Light 58 (LLNR-11672.44) in approximate position 29-43-13.313N/089-04-24.760W, showing FL R 6s, Focal Height 17FT, Nominal Range 5NM, TR-TY on pile, Ra ref.
 Establish Breton/Chandeleur ICW Alternate Route Buoy 59 (LLNR-11672.43) in approximate position 29-42-40.991N/089-04-35.049W, showing a Green can with yellow square.
 Establish Breton/Chandeleur ICW Alternate Route Light 61 (11672.42) in approximate position 29-41-20.283N/089-05-06.715W, showing FL G 2.5s, Focal Height 17FT, Nominal Range 5NM, SG-SY on pile, Ra ref.
 Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 62 (LLNR-11672.41) in approximate position 29-41-20.925N/089-05-08.860W.
 Establish Breton/Chandeleur ICW Alternate Route Buoy 63 (LLNR-11672.40) in approximate position 29-40-24.090N/089-05-28.754W, showing a Green can with yellow square.
 Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 65 (LLNR-11672.39) in approximate position 29-39-32.925N/089-05-48.814W.
 Establish Breton/Chandeleur ICW Alternate Route Light 66 (LLNR-11672.38) in approximate position 29-39-33.567N/089-05-50.959W, showing Q R, Focal Height 17FT, Nominal Range 5NM, TR-TY on pile, Ra ref.
 Establish Breton/Chandeleur ICW Alternate Route Light 67 (LLNR-11672.37) in approximate position 29-38-56.604N/089-06-36.514W, showing FL G 4s, Focal Height 17FT, Nominal Range 5NM, SG-SY on pile, Ra ref.
 Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 69 (LLNR-11672.36) in approximate position 29-38-17.792N/089-07-27.989W.
 Establish Breton/Chandeleur ICW Alternate Route Buoy 70 (LLNR-11672.35) in approximate position 29-38-19.291N/089-07-29.470W, showing a Red nun with yellow triangle.
 Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 71 (LLNR-11672.34) in approximate position 29-37-38.974N/089-08-19.454W.
 Establish Breton/Chandeleur ICW Alternate Route Light 72 (LLNR-11672.33) in approximate position 29-37-40.473N/089-08-20.935W, showing FL R 2.5s, Focal Height 17FT, Nominal Range 5NM, TR-TY on pile, Ra ref.
 Establish Breton/Chandeleur ICW Alternate Route Buoy 73 (LLNR-11672.32) in approximate position 29-37-00.106N/089-09-10.967W, showing a Green can with yellow square.
 Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 74 (LLNR-11672.31) in approximate position 29-37-01.604N/089-09-12.449W.
 Establish Breton/Chandeleur ICW Alternate Route Light 75 (LLNR-11672.30) in approximate position 29-36-21.339N/089-10-02.329W, showing FL G 6s, Focal Height 17FT, Nominal Range 5NM, SG-SY on pile, Ra ref.
 Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 76 (LLNR-11672.29) in approximate position 29-36-22.837N/089-10-03.810W.
 Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 77 (LLNR-11672.28) in approximate position 29-35-42.498N/089-10-53.768W.
 Establish Breton/Chandeleur ICW Alternate Route Buoy 78 (LLNR-11672.27) in approximate position 29-35-43.996N/089-10-55.249W, showing a Red nun with yellow triangle.
 Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 79 (LLNR-11672.26) in approximate position 29-35-03.650N/089-11-45.199W.

Chart 11363

LNLM: 08-16-57D

LA – CHANDELEUR AND BRETON SOUNDS – Breton/Chandeleur ICW Alternate Route Temporary Channel

The following changes will be made the week of June 13, 2016.
 Establish Breton/Chandeleur ICW Alternate Route Light 80 (LLNR-11672.25) in approximate position 29-35-05.148N/089-11-46.680W, showing FL R 4s, Focal Height 17FT, Nominal Range 5NM, TR-TY on pile, Ra ref.
 Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 81 (LLNR-11672.24) in approximate position 29-34-31.297N/089-12-28.017W.
 Establish Breton/Chandeleur ICW Alternate Route Buoy 82 (LLNR-11672.23) in approximate position 29-34-32.795N/089-12-29.499W, showing a Red nun with yellow triangle.
 Establish Breton/Chandeleur ICW Alternate Route Light 83 (LLNR-11672.22) in approximate position 29-33-58.909N/089-13-10.869W, showing FL G 2.5s, Focal Height 17FT, Nominal Range 5NM, SG-SY on pile, Ra ref.
 Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 84 (LLNR-

11672.21) in approximate position 29-34-00.406N/089-13-12.350W.
Establish Breton/Chandeleur ICW Alternate Route Light 86 (LLNR-11672.20)
in approximate position 29-33-46.145N/089-13-31.215W, showing Q R, Focal
Height 17FT, Nominal Range 5NM, TR-TY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Light 87 (LLNR-11672.19)
in approximate position 29-33-26.009N/089-13-41.177W, showing FL G 4s,
Focal Height 17FT, Nominal Range 5NM, SG-SY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 88 (LLNR-
11672.18) in approximate position 29-33-26.955N/089-13-43.166W.
Establish Breton/Chandeleur ICW Alternate Route Buoy 89 (LLNR-11672.17) in
approximate position 29-32-54.475N/089-14.00.810W, showing a Green can
with yellow square.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 90 (LLNR-
11672.16) in approximate position 29-32-55.421N/089-14-02.799W.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 91 (LLNR-
11672.15) in approximate position 29-32-02.121N/089-14-32.781W.
Establish Breton/Chandeleur ICW Alternate Route Light 92 (LLNR-11672.14)
in approximate position 29-32-03.014N/089-14-34.801W, showing FL R 6s,
Focal Height 17FT, Nominal Range 5NM, TR-TY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Buoy 93 (LLNR-11672.13) in
approximate position 29-31-09.110N/089-15-03.443W, showing a Green can
with yellow square.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 94 (LLNR-
11672.12) in approximate position 29-31-10.004N/089-15-05.464W.
Establish Breton/Chandeleur ICW Alternate Route Light 95 (LLNR-11672.11)
in approximate position 29-30-16.123N/089-15-34.084W, showing FL G 6s,
Focal Height 17FT, Nominal Range 5NM, SG-SY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 96 (LLNR-
11672.10) in approximate position 29-30-17.016N/089-15-36.103W.
Establish Breton/Chandeleur ICW Alternate Route Buoy 97 (LLNR-11672.09) in
approximate position 29-29-23.099N/089-16-04.733W, showing a Green can
with yellow square.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 98 (LLNR-
11672.08) in approximate position 29-29-23.992N/089-16-06.752W.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 99 (LLNR-
11672.07) in approximate position 29-28-30.102N/089-16-35.357W.
Establish Breton/Chandeleur ICW Alternate Route Light 100 (LLNR-11672.06)
in approximate position 29-28-30.995N/089-16-37.377W, showing FL R 2.5s,
Focal Height 17FT, Nominal Range 5NM, TR-TY on pile, Ra ref.
Establish Breton/Chandeleur ICW Alternate Route Buoy 101 (LLNR-11672.05)
in approximate position 29-27-37.080N/089-17-05.986W, showing a Green can
with yellow square.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 102 (LLNR-
11672.04) in approximate position 29-27-37.973N/089-17-08.005W.
Establish Breton/Chandeleur ICW Alternate Route Light 103 (LLNR-11672.03)
in approximate position 29-26-44.096N/089-17-36.583W, showing FL G 2.5s,
Focal Height 17FT, Nominal Range 5NM, SG-SY on pile, Ra ref.

Chart 11363

LNLM: 08-16-57D

LA – CHANDELEUR AND BRETON SOUNDS – Breton/Chandeleur ICW Alternate Route Temporary Channel

The following changes will be made the week of June 13, 2016.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 104 (LLNR-
11672.02) in approximate position 29-26-44.989N/089-17-38.601W.
Establish Breton/Chandeleur ICW Alternate Route Virtual Aid 105 (LLNR-
11672.01) in approximate position 29-25-51.055N/089-18-07.202W.
Establish Breton/Chandeleur ICW Alternate Route Light 106 (LLNR-11672) in
approximate position 29-25-51.948N/089-18-09.220W, showing Q R, Focal
Height 17FT, Nominal Range 5NM, TR-TY on pile, Ra ref.

Chart 11363

LNLM: 08-16-57D

TX – MATAGORDA BAY MATAGORDA – Ship Channel

The following changes will be made the week of June 28, 2016.
Add Synthetic AIS to Matagorda Ship Channel Buoy 14 (LLNR-27190) in
approximate position 28-26-12.606N/096-20-16.809W.
Add Synthetic AIS to Matagorda Ship Channel Entrance Lighted Buoy MB
(LLNR-27117/1392) in approximate position 28-23-01.012N/096-17-00.897W.

Chart 11317

LNLM: 08-16-23D

TX - ESPIRITU SANTO BAY TO CARLOS BAY - Victoria Channel

The following changes will be made the week of June 28, 2016.
Add Synthetic AIS to Victoria Channel Junction Buoy C (LLNR-38090) in
approximate position 28-18-58.049N/096-40-45.175W.

Chart 11315

LNLM: 08-16-24D

TX - ESPIRITU SANTO BAY TO CARLOS BAY – Port O’Connor – Corpus Christi – Victoria East Entrance Channel

The following changes will be made the week of June 28, 2016.
Add Synthetic AIS to Victoria Channel Junction Buoy A (LLNR-38065) in
approximate position 28-18-53.453N/096-40-22.433W.
Add Synthetic AIS to Victoria East Entrance Channel Buoy 2E (LLNR-38070)
in approximate position 28-18-56.305N/096-40-20.427W.
Add Synthetic AIS to Victoria east Entrance Channel Buoy 4E (LLNR-38075)
in approximate position 28-18-55.722N/096-40-28.555W.
Add Synthetic AIS to Victoria East Entrance Channel Buoy 5E (LLNR-38080)
in approximate position 28-18-55.438N/096-40-37.379W.
Add Synthetic AIS to Victoria East Entrance Channel Buoy 6E (LLNR-38085)
in approximate position 28-19-00.080N/096-40-44.389W.

Chart 11315

LNLM: 08-16-24D

TX - ESPIRITU SANTO BAY TO CARLOS BAY – Port O’Connor – Corpus Christi – Victoria West Entrance Channel

The following changes will be made the week of June 28, 2016.
Add Synthetic AIS to Victoria West Entrance Channel Buoy 1W (LLNR-38335)
in approximate position 28-18-34.170N/096-40-51.988W.
Add Synthetic AIS to Victoria Entrance Channel Junction Buoy 2W
(LLNR-38330) in approximate position 28-18-35.532N/096-40-49.053W.
Add Synthetic AIS to Victoria West Entrance Channel Buoy 3W (LLNR-38340)
in approximate position 28-18-41.578N/096-40-47.954W
Add Synthetic AIS to Victoria West Entrance Channel Buoy 4W (LLNR-38345)
in approximate position 28-18-49.687N/096-40-45.264W.
Add Synthetic AIS to Victoria West Entrance Channel Buoy 5W (LLNR-38350)
in approximate position 28-18-57.807N/096-40-47.944W.

Chart 11315

LNLM: 08-16-24D

TX – CORPUS CHRISTI HARBOR – Tule Lake Channel

The following change will be made the week of June 28, 2016.
Remove 4KRW Range Board Tule Lake Channel A RFL (LLNR-28835).
Remove 4KRW Range Board Tule Lake Channel A RRL (LLNR-28840).
Remove 8KRW Range Board Corpus Christi Cut B West RFL (LLNR-28770).
Remove 12KRW Range Board Corpus Christi Cut B West RRL (LLNR-28775).
Remove 3KRW Range Board Tule Lake Channel C RFL (LLNR-28860).
Remove 4KRW Range Board Tule Lake Channel C RRL (LLNR-28865).
Remove 3KRW Range Board Tule Lake Channel E RFL (LLNR-28875).
Remove 4KRW Range Board Tule Lake Channel E RRL (LLNR-28880).

Chart 11311

LNLM: 08-16-25D

TX – STOVER POINT TO BROWNSVILLE – Port Isabel Channel

The following change will be made the week of June 28, 2016.
Discontinue Port Isabel Channel LT 7 (LLNR-29845) in approximate
position 26-03-13.334N/097-12-39.733W.

Chart 11302

LNLM: 08-16-17D

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
None			

Proposed Change Notice(s)

TX – CORPUS CHRISTI BAY – La Quinta Channel

Change light color of La Quinta Channel Entrance Range Front Light (LLNR-

28935) from Red to White.
Change light color of La Quinta Channel Entrance Range Rear Light (LLNR-28940) from Red to White.
Comments will be taken until July 26, 2016.

Chart 11309

LNM: 08-16-44D

TX – CORPUS CHRISTI HARBOR – Tule Lake Channel

Change Tule Lake Channel Leading Light (LLNR-28845) in position 27-48-55.150N, 097-27-44.763W to Tule Lake Channel Sector Light (LLNR-28845).
Comments will be taken until July 26, 2016.

Chart 11311

LNM: 08-16-43D

LA – MISSISSIPPI RIVER DELTA – Tiger Pass

Discontinue Tiger Pass Light 13 (LLNR-15490)
Discontinue Tiger Pass Light 17 (LLNR-15505)
Discontinue Tiger Pass Lighted Buoy 18 (LLNR-15510.01)
Discontinue Tiger Pass Buoy 18A (LLNR-15510.02)
Discontinue Tiger Pass Buoy 20 (LLNR-15520)
Comments will be taken until July 26, 2016.

Chart 11361

LNM: 08-16-37d

FL – CARABELLE TO APALACHICOLA – Carrabelle River

Establish Carrabelle River Buoy 21A (LLNR-2670.02), at position 29-51-03.000N/084-40-52.830W, showing Green can.
Comments will be taken until July 26, 2016.

Chart 11404

LNM: 08-16-36D

TX – SABINE PASS AND LAKE – Sabine Pass

Relocate Sabine Pass Anchorage Lighted Buoy B (LLNR-22625) to approximate position 29-44-13.0N, 093-52-18.0W. Change authorized buoy hull from 3CFR to 5x9 LFR showing a Green can.
Comments will be taken until July 26, 2016.

Chart 11342

LNM: 08-16-32D

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

FL - GULF OF MEXICO - PANAMA CITY BEACH - Fireworks Display

The Boardwalk Beach Resort will be conducting a fireworks display on July 3, 2016 from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from the beach just south of the Boardwalk Beach Resort. All persons are requested to remain a minimum of 280 feet from the fireworks launch site due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile Waterways Management Branch at (251) 441-5976.

Charts: 1115A 11360

LNM: 23-16

FL - GULF OF MEXICO - Fireworks Display

The Panama City Beach Convention and Visitors Bureau will be conducting its annual Fourth of July fireworks display on July 4, 2016, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from City Pier at Pier Park, approximate position 30-12-44.74N 085-52-50.04W. Mariners are urged to remain a minimum of 700 feet from the pier, due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile Waterways Management Branch at (251) 441-5680.

Charts: 11389 11390

LNM: 23-16

FL - GULF OF MEXICO - U.S. Navy Testing

Continuing until approximately December 31, 2016, the U.S. Navy will be conducting inert Airborne Mine Neutralization System (AMNS) underwater mine destructor testing in the Gulf of Mexico. The inert AMNS mine destructors are silver and orange, 3 feet long, 6 inches in diameter, weighs approximately 2 pounds in water and 35 pounds in air. Inert mine surrogate bottom and tethered shapes, along with inert AMNS mine destructors will be deployed, operated and tested in the below test area during this period. It is requested that all vessels maintain 1 nautical mile from closest point of approach (CPA) of all vessels while operations are in progress. All U.S. Navy/U.S. Navy contracted AMNS support vessels will be monitoring VHF-FM Channel 16. The corners of the test areas are bound by the following approximate positions:

AMNS TANGO Circle 100-foot Shallow Target Field:

29-56-25.2N 085-54-36W,

29-58-55.2N 085-54-36W,

FL - GULF OF MEXICO - U.S. Navy Testing

29-58-55.2N 085-51-42.6W and
29-56-25.2N 085-51-42.6W.

HARP 8, 325-foot Target Field:
29-45-25.2N 086-21-49.8W,
29-47-01.2N 086-21-49.8W,
29-47-01.2N 086-19-52.8W and
29-45-25.2N 085-19-52.8W.

For up-to-date information, mariners may contact Mr. Robertson at (850) 230-7698; e-mail: william.f.robertson@navy.mil.

Charts: 1115A 11360

LNM: 12-16

FL - GULF OF MEXICO - PANAMA CITY - ST. ANDREW BAY - U.S. Navy Testing

The U.S. Navy will be conducting manned dry submersible test operations in St. Andrew's Bay and the Gulf of Mexico through December 31, 2016. The manned dry submersible will operate on the surface, submerged, under tow on the surface and include dive operations. All U.S. Navy support vessels will monitor VHF-FM Channel 16. Mariners are requested to maintain 1 nautical mile distance from all U.S. Navy test operations. For further information mariners may contact the U.S. Coast Guard at (251) 441-5976.

Charts: 11360 11389 11392

LNM: 01-16

FL - GULF OF MEXICO - Fireworks Display

The Seaside Arts and Entertainment will be conducting a fireworks display on July 4, 2016, from 9:00 p.m. until 10:00 p.m. The fireworks will be launched from a barge in approximate position 30-18-55N 086-08-24W. Mariners are urged to remain a minimum of 300 yards from the position due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11388

LNM: 23-16

FL - GULF OF MEXICO - Fireworks Display

The City of Destin will be conducting a fireworks display on July 4, 2016, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from the beach on the west side of East Pass in approximate position 30-23-15N 086-31-03W. Mariners are urged to remain a minimum of 150 yards from the beach due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile Waterways Management Branch at (251) 441-5976.

Chart 11388

LNM: 24-16

FL - GULF OF MEXICO - Fireworks Display

The Jim Wilson Association will be conducting its annual Fourth of July fireworks display on July 4, 2016, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from a barge located in approximate position 30-22-50.97N 086-29-28.66W. Mariners are urged to remain a minimum of 700 feet from the fireworks barge, due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile Waterways Management Branch at (251) 441-5976.

Chart 11388

LNM: 23-16

FL - GULF OF MEXICO - MEXICO BEACH - Wreck

The 48-foot F/V MICHELE DAWN has reportedly sunk in the Gulf of Mexico off Mexico Beach in approximate position 29-55-45.0N 085-26-09.0W. The wreck is reportedly not marked. Mariners are urged to use extreme caution in the area.

Charts: 11389 11393

LNM: D8 039-16
25-16

FL - GULF OF MEXICO - Fireworks Display

The City of Panama City Beach will be conducting its annual Fourth of July fireworks display on July 4, 2016, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from a barge near the city pier. Mariners are urged to remain a minimum of 700 feet from the pier due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile Waterways Management Branch at (251) 441-5976.

Chart 11360

LNM: 23-16

FL - GULF OF MEXICO - Personal Watercraft Races

The Okaloosa Island Hospitality Association will be conducting a firework display continuing until October 22, 2016, from 9:00 p.m. until 9:15 p.m. Specific dates will be announced by Broadcast Notice to Mariners. The fireworks will be launched from the Fort Walton Beach Okaloosa Island Fishing Pier. Mariners are urged to remain a minimum of 420 feet from the floating platform due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard at (251) 441-5976.

Charts: 1115A 11360

LNM: 22-16

FL - APALACHICOLA RIVER - Firework Display

The City of Apalachicola will conduct a fireworks display on July 3, 2016, from 9:00 p.m. until 9:30 p.m. Fireworks will be launched from a barge in approximate position 29-43-53.35N 084-58-46.26W. Mariners are requested to remain a minimum of 150 yards from the fireworks barge, due to hazards associated with fireworks. For further information, mariners may contact U.S. Coast Guard Sector Mobile Alabama at (251) 441-5976.

Charts: 11402 11404

LNM: 23-16

FL - ST. JOSEPH BAY - Derelict Deck Barge

Due to recent storms, a partially submerged derelict deck barge was reported adrift near the Port St. Joe Marina in approximate position 29-48-48.5N 085-18-38.5W, on June 6, 2016. Recent searches for the wreck have failed to locate it. Mariners are urged to use extreme caution in the area and report any sightings/findings to their nearest U.S. Coast Guard unit.

Charts: 11389 11393

LNM: 24-16

FL - ST. JOSEPH BAY - Fireworks Display

The City of Port St. Joe will be conducting a fireworks display on July 4, 2016 from 9:00 p.m. until 9:30 p.m. The fireworks will be launched north of Howard Road and the Port St. Joe Marina. All persons are requested to remain a minimum of 560 feet from the fireworks launch site due to hazards associated with fireworks. For further information mariners may contact Coast Guard Sector Mobile at 251-441-5976.

Charts: 11389 11393

LNM: 23-16

FL - ST. ANDREW BAY - Regatta

St. Andrews Bay Yacht Club is holding its Independence Day Cup regatta in St. Andrews Bay, on June 25 and June 26, 2016 from 1:00 p.m. until 4:00 p.m., each day. The regattas will consist of approximately 10 sailboats. Mariners are requested to transit the area with caution. For further information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Charts: 11389 11392

LNM: 23-16

FL - ST. ANDREW BAY - Fireworks Display

The Naval Support Activity Panama City, St. Andrews Bay will be conducting its annual Fourth of July fireworks display on June 30, 2016, from 9:00 p.m. until 10:00 p.m. The fireworks will be launched from land at the marina picnic area across from the Naval Support Command St. Andrews Bay. Mariners are requested to remain a minimum of 140 yards from the launch site due to the hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11389 11392

LNM: 23-16

FL - NORTH BAY - Fireworks Display

The City of Lynn Haven will be conducting a fireworks display on July 4, 2016, from 9:00 p.m. until 10:00 p.m. The fireworks will be launched from the U.S. Air Force Old Fuel Terminal Pier in approximate position 30-14-58.3N 085-40-04.83W. Mariners are urged to remain a minimum of 700 feet from the pier due to hazards associated with fireworks. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Charts: 11389 11390 11391

LNM: 23-16

FL - BLACKWATER RIVER - MILTON - Fireworks Display

The Santa Rosa Chamber of Commerce in Milton, Florida will be conducting a fireworks display on July 4, 2016, between 9:00 p.m. and 9:30 p.m. The fireworks will be launched from the shore at approximately 30-37-31.1N 087-02-09.6W. All mariners are requested to remain a minimum of 300 feet from this location due to hazards associated with fireworks. For further information mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11382 11385

LNM: 25-16

FL - GRAYTON BEACH - Fireworks Display

The Water Color Inn & Resort will be conducting a firework display on July 4, 2016, from 9:30 p.m. until 9:45 p.m. The fireworks will be launched from a barge in approximate position of 30-19-13.9N 086-08-45.4W. All persons are requested to remain a minimum of 420 feet from the fireworks launch site due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11388

LNM: 25-16

FL - CINCO BAYOU - Fireworks Display

AJ's on the Bayou will be conducting a fireworks display from 9:00 p.m. until 9:15 p.m. on June 30, 2016. The fireworks will be launched from a floating platform in Cinco Bayou in approximate position 30-25-42.58N 086-36-32.37W. All mariners are requested to remain a minimum of 200 yards from the launch site due to hazards associated with fireworks. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11385

LNM: 25-16

FL - FIVE MILE (CINCO) BAYOU - Bridge Rehabilitation - UPDATE

The SR 85 Bridge across Five Mile Bayou (Cinco) Bayou, mile 0.7, near Fort Walton in Okaloosa County, Florida, bridge rehabilitation work continues, Monday through Saturday, from 7:00 a.m. until 5:00 p.m. The work consists of jacking bridge at Bent 10, concrete repairs at Bent 2 and repairs at Bent 16 jack setup and jacking bridge will take place. The navigation channel is located between Bent 9 and Bent 11 as indicated by the navigation lights for the safe passage of motor vessels. The bridge has a total of 17 bents. Three barges will be placed on each side of the bents (totaling six) with a seventh barge on the end on the east side of the bent. Each bent will take approximately 10 days. Mariners should use caution while traveling the channel at Bent 9 for the next two weeks as there will be a reduction within the channel and work has been extended to be completed by July 31, 2016. The work has begun on Bent 8 and will continue until mid June 2016. The barges will be properly lit according to "Inland Navigational Rule of 1980." Mariners should avoid the area, travel through the navigation spans and urged to proceed at slowest safe speed with extreme caution. Anyone needing assistance should call these contact numbers (850) 377-2219 or (850) 408-1242. Superior Construction will be monitoring VHF-FM Channel 16.

Charts: 11385 11388

LNM: 25-16

FL - GIWW - WEST BAY - Bridge Rehabilitation

FL - GIWW - WEST BAY - Bridge Rehabilitation

A below deck container platform will be extending between Piers 15, 16, 17, and 18 approximately four feet reduction to perform rehabilitation work which includes removing and recoating of the existing steel girders (Spans 10, 11, and 12). The work will begin on May 26, 2016 on the southbound SR 79 West Bay Bridge, crossing the GIWW, Mile 271.80, EHL, in Bay County, Florida. The work will be done outside of the fender system, between Pier 15 and 16 (Span 10); and Pier 17 and 18, (Span 12) will have a reduction of 4 feet. There will be a reduction of approximately two feet in the main channel while work is being done on Span 10 and 12. When work begins on June 30, 2016, the main channel located between Pier 16 and 17 (Span 11) has a vertical clearance is 65.4 feet above Mean High Water, elevation 1.38, NAVD29. The project will take approximately three months to complete. Contractors will work 7 days a week from 7:00 a.m. until 7:00 p.m., by Southern Road & Transportation. In an emergency, mariners can contact (727) 224-3545 or (504) 460-0360. Mariners are requested to exercise caution when transiting the area.

Charts: 11378 11383 11392

LNM: 20-16

FL - CHOCTAWHATCHEE BAY - Fireworks Display

Legendary Incorporated will be conducting the Harbor Walk's 2016 Season of fireworks displays on multiple dates continuing through December 31, 2016. Specific dates will be announced by Broadcast Notice to Mariners. Displays start at 9:00 p.m. until 9:30 p.m., in the East Pass to Choctawhatchee Bay. The fireworks will be launched from a barge in approximate position 30-23-02.77N 086-30-52.43W. Mariners are urged to remain a minimum of 700 feet from the barge due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11385 11388

LNM: 19-16

FL - GULF OF MEXICO - SANTA ROSA SOUND - Fireworks Display

The COTP Mobile under the authority of the Ports and Waterways Safety Act is establishing a Temporary Safety Zone for all waters extending 200 yards around a fireworks barge in approximate position 30-24-22N 086-42-11W. This Safety Zone is needed to protect vessels and spectators from hazards associated with fireworks. This zone will be in effect on June 24, 2016 from 6:00 p.m. to 9:30 p.m. All vessels are prohibited from entering this Safety Zone unless specifically authorized by the COTP Mobile or his designated representative. All concerned traffic can contact the U.S. Coast Guard on VHF-FM Channel 16. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11385

LNM: 22-16

FL - GULF OF MEXICO - Navarre Beach Restoration Project/Dredge Operation - UPDATE

The Hopper Dredges R.N. WEEKS and B.E. LINDHOLM have completed dredging operations for the Navarre Beach Restoration project. Demobilization activities will continue until approximately July 5, 2016.

Charts: 11006 11360 11382 11383

LNM: 25-16

FL - GULF OF MEXICO - Pensacola Beach Restoration Project/Dredge Operation

Continuing until approximately August 31, 2016, Weeks Marine, Inc. will be mobilizing support equipment (supply/anchor barge, pipeline, etc.) into Pensacola Bay area. All support equipment will be anchored just North of Bay Channel between following approximate positions: 30-22-18.45N 087-14-49.66W and 30-23-05.38N 087-14-00.19W

Commencing approximately June 22, 2016 and continuing until August 13, 2016, the Hopper Dredges R.N. WEEKS, B.E. LINDHOLM and attendant plant will be operating 4 nautical miles offshore of Pensacola Beach, FL, in the Gulf of Mexico bound by the following approximate positions:

30-17-09.00N 087-07-00.1W

30-17-09.00N 087-05-48.1W

30-16-17.8N 087-05-48.1W and,

30-16-17.8N 087-07-00.1W

Dredge pipeline will be prepared in the staging area and then relocated offshore of Pensacola Beach placement area and submerged into four different pipeline corridors, bound by the following approximate positions:

30-19-25.01N 087-11-13.80W,

30-18-34.78N 087-11-04.90W,

30-21-00.61N 087-02-39.76W and,

30-20-04.00N 087-02-22.72W

The submerged and floating pipeline will be lighted at night according to U.S. Coast Guard regulations. Dredge material will be transported by hopper dredges to a discharge location within the limits of the above mentioned subline location, to be pumped to the beach through a combination of floating and submerged pipeline. The submerged pipeline will be removed at the completion of dredging activities. The Hopper Dredges R.N. WEEKS, B.E. LINDHOLM and attendant plant will operate 24-hours a day, 7-days a week. The Dredge and attendant plant will be lighted at night according to U.S. Coast Guard regulations. The Hopper Dredges R.N. WEEKS, B.E. LINDHOLM and attendant plant will be monitoring VHF-FM Channels 16 or 67. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Charts: 11378 11382 11383

LNM: 23-16

FL - SANTA ROSA SOUND - Fireworks Display

The Portofino Island Resort will be conducting their 2016 Season of Fireworks display on multiple dates continuing through December 31, 2016. Specific dates will be announced by Broadcast Notice to Mariners. Displays begin at 9:00 p.m. until 9:30 p.m. The fireworks will be launched from a floating platform anchored 500 feet off the end of the resort's pier. Mariners are urged to remain a minimum of 200 yards from the floating platform due to hazards associated with fireworks. For up-to-date information, mariners can contact U.S. Coast Guard Sector Mobile Waterways Management Branch at (251) 441-5976.

Chart 11385

LNM: 09-16

FL - GARNIERS BAYOU - Bridge Rehabilitation - UPDATE

FL - GARNIERS BAYOU - Bridge Rehabilitation - UPDATE

The SR 85 Bridge across Garniers Bayou, mile 1.0, near Fort Walton in Okaloosa County, Florida, is presently rehabilitating the bridge, working Monday through Saturday, from 7:00 a.m. until 5:00 p.m., until mid August 2016. On Bent 2 concrete repairs and bearing pad replacement are taking place. Also, on Bent 23 jack step-up and jacking bridge, and demo concrete repairs are presently going on. The navigation channel is located between Bent 13 and 14, as indicated by the navigation lights for the safe passage of motor vessels. Mariners should avoid the area, travel through the navigation spans and are urged to proceed at slowest safe speed with extreme caution. Anyone needing assistance should call these contact numbers (850) 377-2219 or (850) 408-1242. Superior Construction will be monitoring VHF-FM Channel 16.

Charts: 11385 11388

LNM: 25-16

FL - GULF OF MEXICO - SANTA ROSA SOUND - Air Show/Safety Zone

Commencing July 13, 2016 and continuing until July 17, 2016, from 7:00 a.m. until 4:00 p.m., each day, the Air Show Santa Rosa Island Authority will conduct its annual Pensacola Beach Air Show. This event has two (2) published Safety Zones in 33 Code of Federal Regulations Part 165.801 (Table 7 #152, Mobile #11). The established Safety Zones for this event are for portions of the Gulf of Mexico and the Santa Rosa Sound. The Safety Zone for a portion of the Gulf of Mexico includes all waters 1.75 nautical miles east and 1.5 nautical miles west of position 30-19-36N 087-08-23W and extending 1000 yards south of Pensacola Beach creating a box, referred to as the "Show Box". This action is necessary for the protection of persons and vessels on navigable waters during the air show. Entry into, transiting or anchoring in this zone is prohibited to all vessels, mariners, and persons unless specifically authorized by the COTP Mobile or a designated representative. The Safety Zone for a portion of the Santa Rosa Sound includes all waters from Deer Point to Sharp Point and all waters within Little Sabine Bay. All vessels in this Safety Zone must proceed at a minimum safe speed. A no wake zone approaching the HWY 399 bridge will be strictly enforced while the Safety Zone is in effect. Additionally, vessels seeking to enter Little Sabine Bay for the 2-hours immediately following the air shows must contact the on-scene COTP designated representative via VHF-FM Channel 16, for authorization. This Safety Zone is needed to protect spectator vessels during, and immediately following the Air Shows. All concerned traffic may contact the U.S. Coast Guard via VHF-FM Channel 16 or the COTP Mobile at (251) 441-5976. For further information mariners may contact U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11385

LNM: 25-16

FL - SANTA ROSA SOUND - Fireworks Display

The Santa Rosa County Tourist Development will be conducting a fireworks display on July 4, 2016, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from the beach near the Black Skinner Pavilion. Mariners are urged to remain a minimum of 560 feet from the beach due to hazards associated with fireworks. For up-to-date information, mariners can contact U.S. Coast Guard Sector Mobile Waterways Management Branch at (251) 441-5976.

Chart 11385

LNM: 23-16

FL - GIWW - THE NARROWS - Bridge Painting Operations

Continuing until further notice a contractor will be cleaning and painting the SR 292 fixed bridge across the Gulf Intracoastal Waterway, Mile 171.9, EHL, near Gulf Beach, Escambia County, Florida, and the work will continue through November 2016. A containment system/platform will be placed across the entire bridge. However, across the areas outside of the navigable span, the vertical clearance of the bridge will be reduced by 5 feet. Across the navigable span of the bridge, vertical clearance will be reduced by 4 feet, allowing for 69 feet of vertical clearance. However, the contractor will raise the containment system over half of the navigable span to a height that reduces vertical clearance by 2 feet, allowing for 71 feet of vertical clearance, when not working on that half of the navigable span. At no time will there be a 4-foot reduction across the entire center of navigable span (over the fender system).

When the work is completed in one half of the navigable span, the side that has the 4-foot reduction will be raised to a 2-foot reduction in clearance until all work is completed and the platform is removed. Navigation lighting will be maintained throughout the work. Mariners should be alert for VERTICAL CLEARANCE REDUCTIONS FOR THE ENTIRE DURATION OF THIS PROJECT and pass with extreme caution at slowest safe speed to minimize wake. If mariners need the containment system raised to a height that allows for more vertical clearance than described above, they may do so with six hours notice by contacting the Nick Parianos at (850) 445-3870, or in the alternative, Theo Skoutelis at (727) 946-1761.

Charts: 11378 11382

LNM: 15-16

FL - BOGGY BAYOU - Fireworks Display

The City of Niceville will be conducting its annual Fourth of July fireworks display in Boggy Bayou, Niceville, Florida. This event has a published Safety Zone in 33 Code of Federal Regulations Part 165.801 (Table 7, #4). This Safety Zone will be in enforced on July 4, 2016, from 9:00 p.m. until 9:45 p.m. The established Safety Zone for this event is all waters extending 250 yards around a fireworks barge that will be at approximate position 30-30-46.5N 086-29-13.0W. Entry into, transiting or anchoring in this area is prohibited to all vessels unless specifically authorized by the COTP Mobile or his designated representative. For up-to-date information, mariners can contact U.S. Coast Guard Sector Mobile Waterways Management Branch at (251) 441-5976.

Chart 11388

LNM: 23-16

FL - PENSACOLA BAY - Fireworks Display

Sertoma will be conducting its Annual Fourth of July fireworks display on July 4, 2016, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from a barge in approximate position 30-24-23N 087-12-18W. Mariners are urged to remain a minimum of 250 yards from the fireworks barge, due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11382

LNM: 24-16

FL - PENSACOLA BEACH - Fireworks Display

The Pensacola Beach Chamber of Commerce will be conducting its Fourth of July fireworks display on July 4, 2016 from 8:30 p.m. until 9:30 p.m. The fireworks will be launched from a barge offshore behind Bamboo Willie's. All mariners are requested to remain a minimum of 700 feet from the

FL - PENSACOLA BEACH - Fireworks Display

barge due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile Waterways Management Branch at (251) 441-5976.

Chart 11378

LNM: 23-16

FL - GRANDE BAYOU - Bridge Demolition and New Bridge Construction

Demolition continues and the replacement of the new bridge construction has begun on the CR 292A (Sunset Ave.) crossing Grande Bayou, mile 0.9, in Warrington (near Pensacola), Escambia County, Florida. Setting Span 5 girders and completing demo work and working on Bent #6. Beginning overhang on Spans 1 and 2. A barge 80 feet by 80 feet has been placed to assist in the demolition of the old bridge moving in a westerly direction and at 50% complete. The crane barges are being used to set the girders, therefore, there are two lattice boom crawler crane barges used for the project, measuring (1) 60 feet by 60 feet and (2) 80 feet by 70 feet. Onsite Tug Boat "MISS AMORY" and Tug Boat #9027 will be secured using hydraulically operated spuds with the proper lighting prescribed by the "Inland Navigational Rules of 1980". The tugs will be monitoring VHF-FM Channel 16, during working hours. The project manager can be reached at (334) 319-7006. Mariners should use the marked temporary navigation channel between Pier #2 and #3, for transit at their slowest safe speed. This channel has a horizontal measurement of 34.5 feet and a vertical clearance of 7.4 feet. Construction of new bridge continues through the end of July 2016.

Chart 11383

LNM: 24-16

AL - GULF OF MEXICO - FORT MORGAN - Fireworks Display

The Beach Club in Fort Morgan, AL will be conducting its Fourth of July fireworks display on July 4, 2016 from 8:45 p.m. until 9:45 p.m. The fireworks will be launched from the beach. All mariners are requested to remain a minimum of 300 feet from the location due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11373 11374

LNM: 23-16

AL - GULF OF MEXICO - Fireworks Display

The City of Gulf Shores, AL, will be conducting its annual Fourth of July fireworks display on July 4, 2016, from 9:00 p.m. until 9:15 p.m. The fireworks will be launched from Gulf Shores, AL. Mariners are urged to remain a minimum of 700 feet from the pier, due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11376

LNM: 25-16

AL - DAUPHIN ISLAND - Fireworks Display

The Town of Dauphin Island will be conducting its annual Fourth of July fireworks display on July 4, 2016, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from south of the old fishing pier at 1551 Bienville Boulevard. Mariners are urged to remain a minimum of 600 feet from the launch site, due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile Waterways Management Division at (251) 441-5976.

Charts: 11376 11378

LNM: 24-16

AL - GULF OF MEXICO - ORANGE BEACH - Fireworks Display

The Turquoise Place will be conducting its Fourth of July fireworks display on July 4, 2016 from 8:40 p.m. until 9:40 p.m. The fireworks will be launched from the beach. All mariners are requested to remain a minimum of 300 yards from the location due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11378

LNM: 23-16

AL - GIWW - ORANGE BEACH - Marine Event

Commencing July 14, 2016 and continuing until July 17, 2016, from 11:00 a.m. until 7:00 p.m., each day, the Blue Marlin Grand Championship will be taking place at the Wharf Marina in Orange Beach, AL. All mariners are requested to use caution while transiting the GIWW. For further information mariners may contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11378

LNM: 25-16

AL - PERDIDO PASS - Fireworks Display

Perdido Beach Resort will be conducting a fireworks display on June 29, 2016, between 9:00 p.m. and 9:10 p.m., in the vicinity of Perdido Pass, Orange Beach, Alabama. The fireworks will be launched from the beach at approximately 30-16-21N 087-33-36W. Mariners are urged to remain a minimum of 400 feet from this location due to hazards associated with fireworks. Mariners are urged to use caution while transiting the area. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11378

LNM: 23-16

AL - PERDIDO PASS - Fireworks Display

Perdido Beach Resort will be conducting a fireworks display on July 2, 2016, between 9:00 p.m. and 9:20 p.m., in the vicinity of Perdido Pass, Orange Beach, Alabama. The fireworks will be launched from the beach at approximately 30-16-21N 087-33-36W. Mariners are urged to remain a minimum of 400 feet from this location due to hazards associated with fireworks. Mariners are urged to use caution while transiting the area. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11382

LNM: 23-16

AL - MOBILE BAY - Little Sand Island - Military Test

The U.S. Coast Guard will be conducting a test using 2 mannequins wearing red immersion suits attached to white mooring buoys in the cove at Little Sand Island. The mannequins will be in the water continuing until approximately June 22, 2016, in the vicinity of Little Sand Island, Mobile, AL. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11376

AL - MOBILE BAY - Little Sand Island - Military Test

LNM: 24-16

AL - MOBILE BAY - Fireworks Display

The Grand Hotel will be conducting a fireworks display on July 3, 2016, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from a barge positioned at approximately 30-28-53.3N 087-56-09.6W, just southwest of the Grand Hotel's pier. Mainers are requested to remain a minimum of 500 feet from the fireworks launch site due to hazards associated with fireworks. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11376

LNM: 24-16

AL - MOBILE BAY - Fireworks Display

The City of Mobile will be conducting its annual Fourth of July Celebration fireworks display on July 4, 2016, from 8:45 p.m. until 9:30 p.m. The fireworks will be launched from a barge in approximate position 30-40-51.5N 088-00-42.5W, east of the USS ALABAMA. Mainers are requested to remain a minimum of 200 yards from the fireworks barge, due to hazards associated with fireworks. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11376

LNM: 23-16

AL - MOBILE BAY - Fireworks Display

The City of Fairhope will be conducting its annual Fourth of July fireworks display on July 4, 2016, from 9:00 p.m. until 11:00 p.m. The fireworks will be launched from the city pier. Mariners are urged to remain a minimum of 250 yards from this pier due to hazards associated with fireworks. Mariners are urged to use caution while transiting the area. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11376

LNM: 23-16

AL - ALABAMA RIVER - Triathlon

The swim portion of the Capital of Dreams Triathlon competition will be conducted in the Alabama River, Montgomery, AL, on July 16, 2016, from 7:00 a.m. until 10:00 a.m. Mariners are urged to use extreme caution while transiting the Alabama River between Mile 287.0 and Mile 289.0. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11376

LNM: 25-16

AL - ALABAMA RIVER - Fireworks Display

The City of Montgomery will be conducting a fireworks display on July 4, 2016, from 9:00 p.m. until 9:15 p.m. The fireworks will be launched from Riverfront Park on the Alabama River at Mile 287.5. All persons are requested to remain a minimum of 420 feet from the fireworks launch site due to hazards associated with fireworks.

For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11376

LNM: 25-16

AL - MISSISSIPPI SOUND - PORTERSVILLE BAY - Dredging Operation

Continuing until approximately September 2017, the Dredge VENTURE will be dredging the Portersville Bay portion of the Mississippi Sound in approximate position 30-19-05N 088-13-15W, working within a radius of 1 mile. Dredging will be performed 24-hours a day, 7-days a week. Submerged pipelines will be used to transport dredge spoils. The Dredge VENTURE will be monitoring VHF-FM Channels 13 or 16. Mariners are urged to use extreme caution while transiting the area. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11374 11376

LNM: 21-16

AL - EUFAULA - Fireworks Display

The City of Eufaula will be conducting a fireworks display on July 4, 2016, from 9:00 p.m. until 9:20 p.m., in Eufaula, AL. The fireworks will be launched from a pier at 104 Lake Point Drive, Eufaula, AL. All mariners are requested to remain a minimum of 1,000 feet from the firework launch site due to hazards associated with the fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Waterways Branch at (251) 441-5976.

LNM: 23-16

AL - TOMBIGBEE RIVER - Fireworks Display

The Visit Columbus Visitor's Bureau and Columbus Air Force Base will be conducting a fireworks display on July 1, 2016, from 9:00 p.m. until 9:45 p.m. The fireworks will be launched from the shore near mile 306.8, of the Tombigbee River in approximate position 33-12-44N 088-17-27W. All persons are requested to remain a minimum of 450 feet from the fireworks launch site due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Waterways Branch at (251) 441-5976.

LNM: 23-16

AL - TOMBIGBEE RIVER - Fireworks Display

The U.S. Coast Guard is establishing a Safety Zone for the Freedom on the River fireworks display, to be conducted on July 4, 2016, from 8:15 p.m. until 9:15 p.m. The fireworks will be launched from the Caldwell Landing near mile 216.0, of the Tombigbee River in Demopolis, AL. All mariners are required to remain a minimum of 800 feet from the fireworks launch site due to hazards associated with the fireworks. Mariners are urged to use caution when transiting the area. For up-to-date information, mariners can contact the U.S. Coast Guard Waterways Branch at (251) 441-5976.

LNM: 23-16

MS - PASCAGOULA HARBOR - Fireworks Display

The City of Pascagoula will be conducting a fireworks display on July 4, 2016, from 8:40 p.m. until 9:40 p.m., in Pascagoula, MS. The fireworks will be launched from a barge at position 30-20-26N, 088-32-03W. All mariners in the area are requested to remain a minimum of 850 feet from the fireworks launch site due to hazards associated with the fireworks. For up-to-date information, mariners may contact U.S. Coast Guard Sector Mobile Waterways Management Branch at (251) 441-5976.

Charts: 11373 11374 11375

LNM: 23-16

MS - MISSISSIPPI SOUND - PASCAGOULA RIVER - SINGING RIVER ISLAND - Dredge Operation

Continuing until approximately August 31, 2016, the Dredge JERI-B and MR. BOB will be dredging the Mississippi Sound, Pascagoula River, and Singing River. Dredging will be performed 24-hours a day, 7-days a week. The dredge project will use submerged pipeline to transport the dredge spoils. The Dredge JERI-B and MR. BOB will be monitoring VHF-FM Channels 16 or 78. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11373

LNM: 12-16

MS - MISSISSIPPI SOUND - Sail Boat Race

The Southern Yacht Club will be conducting its 2016 Gulfport to Pensacola Sail Boat Race. The race will begin in Gulfport, Mississippi, on June 24, 2016, at 11:00 a.m. and finish in Pensacola, Florida, on June 25, 2016. Participants will sail from the Gulfport Yacht Harbor to the western point of Ship Island, to the Gulfport Ship Channel entrance buoy to the Mobile Ship Channel entrance buoy and finish at Pensacola Bay entrance buoy. Mariners are urged to use caution while transiting in vicinity of the race. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Charts: 11373 11374

LNM: 24-16

MS - OCEAN SPRINGS - Fireworks Display

The City of Ocean Springs will be conducting its annual Ocean Springs Fireworks Show fireworks display on July 3, 2016, from 8:30 p.m. until 9:30 p.m. The fireworks will be launched from a barge positioned at approximately 30-24-18.72N 088-49-51.24W. All mariners are requested to remain a minimum of 500 feet from the fireworks barge due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11373

LNM: 24-16

MS - BILOXI BAY - Fireworks Display

Keesler Air Force Base will be conducting a fireworks display on July 2, 2016, from 8:45 p.m. until 9:45 p.m. The fireworks will be launched from a barge, at position 30-24-57.62N, 088-55-49.28W. All mariners are requested to remain a minimum of 400 feet from the launch site due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11376

LNM: 23-16

MS - GULFPORT - Fireworks Display

The City of Gulfport will be conducting its annual Fourth of July fireworks display on July 4, 2016, from 8:45 p.m. until 9:15 p.m. The fireworks will be launched from the Moses Jetty in approximate position 30-21-42N 089-04-57W, in the vicinity of Bert Jones Yacht Harbor. Mariners are urged to remain a minimum of 560 feet from Moses Jetty due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector at (251) 441-5976.

Chart 11373

LNM: 23-16

MS - INDUSTRIAL SEAWAY - Placement of Rip-rap

Continuing until approximately August 15, 2016, a marine contractor will be placing rip-rap from barges between approximate positions 30-25-29.52N 089-01-59.08W to 030-25-09.84N 089-00-45.31W, along the south bank. Loaded and empty rock barges will be temporarily moored at the jobsite and will be lighted in accordance to U.S. Coast Guard Safety Regulations. Work will be performed during daylight hours only, 7-days a week. The M/V BARBARA ANN and M/V JULIE MARIE will be monitoring VHF-FM Channels 13 or 72. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up to date information, mariners can contact Nolan Simoneaux, at (504) 835-0303.

Chart 11373

LNM: 20-16

MS – MISSISSIPPI SOUND – WAVELAND – Fireworks Display

The City of Waveland will be conducting a fireworks display on July 2, 2016, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from the Waveland City Pier in Waveland, Mississippi. Mariners are requested to remain a minimum of 400 feet from the pier due to hazards associated with fireworks. For up-to-date information mariners can contact the U.S. Coast Guard Sector Mobile Waterways Management Branch at (251) 441-5976.

Chart 11371

LNM: 24-16

MS – MISSISSIPPI SOUND – BAY ST. LOUIS – Fireworks Display

The City of Bay St. Louis will be conducting a fireworks display on June 25, 2016, from 8:30 p.m. until 9:30 p.m., in Bay St. Louis Municipal Harbor. Mariners are requested to remain a minimum of 300 feet from the fireworks launch site due to hazards associated with fireworks. For up-to-date information mariners can contact the U.S. Coast Guard Sector Mobile Waterways Management Branch at (251) 441-5976.

Chart 11371

LNM: 22-16

MS - St. MARTINS BAYOU - Dredge Operation

Continuing until approximately December 31, 2016, the Cutterhead Dredges MANDARU, MANMAN, and LIL MAN will be dredging St. Martins Bayou

MS - St. MARTINS BAYOU - Dredge Operation

in approximate position 30-25-36N 088-52-06W and continuing in the East Prong. Dredging will be performed 24-hours a day, 7-days a week, daylight hours only. The dredges will be monitoring VHF-FM Channels 13 or 16. Mariners are urged to transit the area with caution. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11372

LNLM: 20-16

**LA - MS - MISSISSIPPI SOUND APPROACHES DAUPHIN ISLAND TO CAT ISLAND - CHANDELEUR AND BRETON SOUNDS - NOAA
Spot Weather forecast for Breton/Chandeleur ICW Alternate Route Temporary Channel**

Attached as an enclosure to this LNM and continuing until approximately October 2016. Spot Weather forecast is available from NOAA using the NOAA NWS EDD site for the Breton/Chandeleur ICW Alternate Route Temporary Channel.

Charts: 11363 11373

LNLM: 24-16

LA - GULF OF MEXICO - Drilling Operations

Continuing until further notice, the M/V SEADRILL WEST VELA will be conducting drilling operations at well 007, in the Mississippi Canyon Area, Block 776, in approximate position 28-12-57.4N 088-33-30.0W. Work will be conducted 24-hours a day, 7-days a week. The M/V SEADRILL WEST VELA will be monitoring VHF-FM Channels 6 or 16. Mariners are urged to keep a wide berth and maintain a minimum CPA of 2 nautical miles.

Charts: 411 1115A 11360

LNLM: 16-16

LA - GULF OF MEXICO - Dredge Operation - UPDATE

Continuing until approximately December 15, 2016, Great Lakes Dredge & Dock Company will be conducting dredging operations and the placement of marsh fill and beach fill on the barrier island of Chenier Ronquille in the Gulf of Mexico for the Chenier Ronquille Barrier Island Restoration Project (BA-76). Sand and marsh fill will be dredged from a distance of one to four nautical miles offshore in designated borrow areas and will be hydraulically placed with a hydraulic dredge via pipeline. The Project is comprised of offshore borrow areas and the existing barrier island of Chenier Ronquille, in approximate positions:

- 29-20-00.30N 089-48-14.87W
- 29-19-55.93N 089-46-43.13W
- 29-16-49.46N 089-47-02.89W
- 29-17-03.85N 089-52-09.44W and
- 29-18-52.82N 089-50-44.58W

In order to pump dredged material to shore a 30-foot steel subline will be placed on the bottom between the borrow area and the beach fill area. Hydrographic survey results show water depths ranging from 5.8 feet to 10.2 feet below NAVD88 along the subline corridor. The presence of the subline will limit vertical clearance to between 3.0 feet and 7.5 feet during low tide. The entire length of subline will be at depths less than 20 feet and therefore will be marked with yellow can buoys with blinking yellow lights approximately every 2,300 feet per contract specifications in accordance with U.S. Coast Guard Navigation Rules. In addition, orange Norwegian buoys will be placed approximately every 800 feet to more clearly define the location of submerged pipeline during daylight hours. The submerged line can be closely approximated to be between points 1 and 4:

- Point 1 – 29-19-01.46N 089-48-39.99W
- Point 4 – 29-18-09.65N 089-49-47.76W

Small craft and survey vessels are performing sporadic work in the Project Location that began the second week of February 2016 and will continue through project completion. Mobilization of land-based equipment for primary dike construction took place in April 2016 and involved tug boats, followed by primary dike construction within the bounds of the Chenier Ronquille barrier island. Mobilization of dredge equipment and pipelines began in May of 2016 and will continue up to the start of dredging and will include tug boats, derrick barges, survey vessels, and various dredge support equipment. Dredge fill activities will begin in the Summer of 2016 and will take approximately four to five months to complete; equipment will include tug boats, derrick barges, survey vessels, and various dredge support equipment. Dredge equipment demobilization will occur after dredging has finished and is expected to take two months; equipment will include tug boats, derrick barges, survey vessels, and various dredge support equipment. For up-to-date information, mariners can contact Mr. Trevor Hill, at (630) 272-2236 or THill@gldd.com .

Charts: 11340 11358 11364 11366

LNLM: 25-16

LA - OLD SPANISH PASS - Wreck

A 28-foot partially submerged wreck has been reported in the vicinity of Old Spanish Pass in approximate position 29-13-29.0N 089-26-02.0W. The wreck is north of Red Pass and west of the Wagon Wheel and has been there for approximately 2 years. The wreck is not marked or charted. Mariners are urged to use extreme caution in the area.

Chart 11361

LNLM: D8 033-16
24-16

LA - TIGER PASS - Shoaling

Shoaling is reported in Tiger Pass near Tiger Pass Light 13 (LLNR-15490), Tiger Pass Light 17 (LLNR-15505), Tiger Pass Lighted Buoy 18 (LLNR-15510.01), Tiger Pass Buoy 18A (LLNR-15510.02) and Tiger Pass Buoy 20 (LLNR-15520). The shoaling is reportedly not marked. Mariners are urged to use caution in this area.

Chart 11361

LNLM: 17-16

LA - BAPTISTE COLLETTE - Dredge Operation

Continuing until approximately August 15, 2016, the Dredge E STROUD will be conducting dredging operations in Baptiste Collette Channel between approximate miles 10.5 to 5.1. Dredged material will be transported through floating and submerged pipelines to a disposal area on the east side of the channel onto designated placement Gun Island and Disposal Area G. Dredging will be performed 24-hours a day, 7-days a week. The Dredge E STROUD will be monitoring VHF-FM Channels 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11361

LNLM: 23-16

LA - EMPIRE WATERWAY - Sector Gate Construction

Continuing until approximately July 25, 2016, a U.S. Government Contractor will be replacing the Empire Floodgates with a sector gate. Mariners are urged to use the bypass channel and transit at their slowest safe speed to minimize wake in the vicinity of the construction. For up-to-date information, mariners can contact USACE New Orleans; Bryan May, at (504) 862-1477.

Chart 11364

LNM: 11-15

LA - BRETON SOUND - Exposed Pipeline

A section of exposed pipeline has been reported in Breton Sound between approximate positions 29-32-34.1N 089-02-11.1W and 29-33-23.1N 089-02-06.8W. The exposed pipeline is reportedly marked with 6 yellow buoys. Mariners are urged to avoid this area.

Charts: 11353 11363 11366

LNM: D8 072-15
24-16

LA - CHEF MENTEUR PASS - Emergency Bridge Repairs

The CSX Railroad Drawbridge across Chef Menteur Pass, mile 2.5, Orleans Parish, Louisiana will be replacing the lift rail assembly on the north end of the bridge on Monday, July 18, 2016 from 7:00 a.m. until 5:00 p.m. The parts for this emergency repair have been received and they are ready to do the work. Therefore, the bridge will be in the closed to navigation-position and will not be able to open. Rigolets Pass may be used as an alternate route.

Charts: 11367 11371

LNM: 25-16

LA - GIWW - INNER HARBOR NAVIGATION CANAL - Bridge Closure for Maintenance

Continuing until further notice, the Judge Seeber – North Claiborne Avenue Bridge, located at Mile 1.7, GIWW, EHL, Inner Harbor Navigation Canal, will be maintained open to navigation to all vessel traffic from 7:30 p.m. until 5:00 a.m., daily. For further information, contact the U.S. Coast Guard 8th District Coastal Region Bridge Branch at (504) 671-2127.

Charts: 11364 11368 11369 11370

LNM: 24-16

LA - GIWW - INNER HARBOR NAVIGATION CANAL - Lock Closure - Maintenance

Commencing approximately August 1, 2016 and continuing until approximately November 29, 2016, the Inner Harbor Navigation Canal (IHNC) Lock, approximately 9.5 Miles, EHL, will be closed to navigation 24 hours a day due to dewatering operations, repairs, and maintenance to the Lock, which will be performed by a U.S. Government Hired Labor Unit. The start date for the dewatering operations is tentative and is based on the Mississippi River stage, requiring that the river stage at the Carrollton Gage is at 6.0 feet and falling. Mariners are advised that updated navigation bulletins will be issued in the event there are changes to the dewatering operations schedule. The Lockmaster, Richard McKinzie, can be reached at (504) 945-2157. The point of contact with the New Orleans District is Vic Landry at (504) 862-2407.

Chart 11367

LNM: 11-16

LA - MISSISSIPPI RIVER - Dredge Operation

Continuing until approximately September 1, 2016, the Great Lakes Dredge and Dock Company will be conducting dredging operations on Lower Mississippi River, approximate Mile 28.0, to Mile 30.0, AHOP, LDB, across from Empire, LA. The Dredge FLORIDA and related floating plant will consist of (barges and tugboat). Mobilization of waterside equipment continues until approximately March 7, 2016.

Dredge Limit:

29-22-45.62N 089-34-41.52W

29-22-55.74N 089-34-22.69W

29-23-49.07N 089-35-44.71W

29-24-46.62N 089-36-09.28W

29-24-43.11N 089-36-24.33W

29-23-45.19N 089-35-54.23W

Mississippi River Crossing Submerged Pipeline Route:

29-23-16.41N 089-35-02.94W

29-23-00.75N 089-35-19.77W

Mississippi River East-bank Submerged Pipeline Route:

29-23-16.41N 089-35-02.94W

29-23-48.86N 089-35-40.34W

29-24-37.62N 089-36-03.15W

Empire, LA Land Pipeline Route:

29-22-58.75N 089-35-19.63W

29-22-28.22N 089-35-51.70W

Empire Waterway Submerged Pipeline Route:

29-22-28.22N 089-35-51.70W

29-21-44.94N 089-35-54.01W

29-19-32.76N 089-36-09.33W

29-16-10.56N 089-36-13.65W

Empire Waterway Navigation Crossing Locations:

29-21-12.01N 089-35-40.53W

29-20-16.26N 089-35-35.25W

29-18-00.23N 089-35-53.02W

29-16-50.88N 089-36-02.61W

29-15-59.83N 089-36-15.54W

29-15-32.03N 089-36-21.53W

Booster Erin Location - Booster area #2, 29-21-44.94N 089-35-54.01W. Booster Pontchartrain Location - Booster area #4, 29-19-34.22N 089-36-08.28W. Booster Jessie Location - Booster area #5, 29-18-19.60N 089-35-55.05W. Booster Texas Junior Location - Booster area #6, 29-16-

LA - MISSISSIPPI RIVER - Dredge Operation

14.34N 089-36-12.84W. Dredging will be performed 24-hours a day, 7-days a week. Dredge material will be directly pumped by the dredge through submerged and floating pipeline, routed directly from the dredging areas to the designated reclamation area. The Dredge FLORIDA will be monitoring VHF-FM Channels 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed after passing arrangements have been made. For up-to-date information, mariners can contact Brian Puckett, at (630) 300-4029.

Chart 11370

LNM: 05-16

LA - MISSISSIPPI RIVER - MILE 63.8, AHOP - MILE 64.4, AHOP - Dredge Operation

Continuing until approximately August 30, 2016, Weeks Marine Inc., the Cutterhead Dredge R.S. WEEK and attendant plant will be conducting dredging operations between approximate Miles 63.8 and 64.4, RDB, AHOP, in the Alliance Anchorage Borrow Area. Work will be conducted 24-hours a day, 7-days a week. A submerged pipeline crossing is currently installed from Mile 66.0 to the RDB at Mile 63.8, AHOP. The dredge and attendant plant will have all required U.S. Coast Guard lighting for night operations. The Cutterhead Dredge R.S. WEEK and attendant plant will monitor VHF-FM Channels 16 or 67. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11370

LNM: 25-16

LA - MISSISSIPPI RIVER - MILE 86.5, AHOP - Dredge Operation

Commencing approximately June 23, 2016 and continuing until July 23, 2016, Beverly Dredging is conducting dredging operations in the vicinity of Mile 86.5, AHOP, LDB. The dredge and tender will operate 24-hours a day, 7-days a week. Beverly Dredging can be contacted via VHF-FM Channels 67 or 71 for sailing instructions. All mariners are requested to use caution when transiting within the area. The point of contact Cary Burrelle can be contacted at (504) 436-2924, for additional information.

Chart 11370

LNM: 25-16

LA - LAKE PONTCHARTRAIN - Submerged Breakwater

Approximately 1.5 nautical miles of breakwater has been reported along the bank of Lake Pontchartrain north of Chef Menteur Pass in the vicinity of approximate position 30-06-17.8N 089-50-28.9W. The breakwater is charted. During periods of high water portions of the breakwater may be submerged. Mariners are urged to use caution and not navigate over the breakwater.

Charts: 11367 11369 11371

LNM: D8 035-16
24-16

LA - LAKE PONTCHARTRAIN - US 11 Bridge Rehabilitation Outside the Main Channel Spans

Commencing on or about June 20, 2016, a contractor will begin rehabilitation work on the US 11 Bascule Bridge across Lake Pontchartrain between New Orleans and Slidell, Orleans and St. Tammany Parishes, Louisiana. The contractor will be working Monday through Friday from, 6:30 a.m. until 5:30 p.m. Work on the project will begin on the Slidell side (north) and consist of inspections, measuring of cracks, sand blasting, spall repairs and wrapping of the piers and caps as necessary. The contractor will install approximately 800 feet of scaffolding from Bent 1 to Bent 22. The scaffolding will stretch across the entirety of the section and will reduce the vertical clearance within these spans by 8 feet, thus eliminating the availability of these spans for the use of recreational boaters. The work area will be marked by Danger buoys approximately 50 feet on either side of the bridge, marking an exclusion zone for vessels to stay out of the work zone. The buoys will be spaced approximately 200 feet apart and will mark the entire length of the work area. The buoys will be lighted at night with FI W 2.5 sec lights. Mariners should avoid this area at all times.

Additionally, the contractor will conduct additional work from three work barges (2 measuring 40 feet x 40 feet, 1 measuring 100 feet x 30 feet with a crane height of 25 feet). When the contractor is not working at night and over the weekends, the barges will be grouped together and spudded down away from the navigation span and near the work area. This equipment will be lighted by fixed white lights on each outward corner as required. During the work day, the Tug JO ANN SIMS will monitor VHF-FM Channel 16. The L&A Contracting Company is the contractor on the project and can be reached at (601) 270-7704, 24-hours a day. This project will take approximately 48 months to complete. In conjunction with this work, additional work beneath the bridge on the New Orleans side (south) will have divers placing wraps during daylight hours, issued in a separate Local Notice to Mariners.

Charts: 11369 11371

LNM: 24-16

LAKE PONTCHARTRAIN - Bridge Rehabilitation with Divers on South side of Lake

Rehabilitation work was planned to start June 20, 2016, Monday through Friday from 6:30 a.m. until 5:00 p.m. on the US 11 Bridge across Lake Pontchartrain between New Orleans and Slidell, Orleans and St. Tammany Parishes, Louisiana. The project on the New Orleans side (south shore) consisting of divers placing wraps on the piers being assisted by an Anders Elevator (industrial vessel) and a work dive boat. Mariners are requested to use extreme caution while transiting this area. The boat should be properly marked according to "Inland Lights and Shapes Rule 27". Boats should be monitoring VHF-FM Channel 16. The L&A Contracting Company is the contractor on the project and can be reached at (601) 270-7704, 24-hours a day. This project will take approximately 48 months to complete.

Charts: 11369 11371

LNM: 25-16

LA - LAKE PONTCHARTRAIN - Dredge Operation

Continuing until approximately June 30, 2016, Weeks Marine, Inc. cutterhead Dredge CAPTAIN FRANK and attendant plant will be operating in the vicinity of Manchac Wildlife Management Area at Lake Pontchartrain, Louisiana. The work zone is bound by the following approximate positions:

- 30-12-37N 090-22-10W,
- 30-15-54N 090-18-10W,
- 30-17-12N 090-19-35W and
- 30-13-49N 090-23-18W.

Dredging will be performed 24-hours a day, 7-days a week. The cutterhead Dredge CAPTAIN FRANK will be monitoring VHF-FM Channels 16 or 67. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have

LA - LAKE PONTCHARTRAIN - Dredge Operation

been made. For up-to-date information, mariners can contact Miquel A. Cruz, at (985) 875-2500 or macruz@weeksmarine.com.

Chart 11369

LNM: 23-16

LA - MANCHAC BAYOU - Bridge Replacement of Bridge L801.8, East Baton Rouge Parish

Bridge construction will be conducted on a schedule of eight (8) days on and six (6) days off from now until October 25, 2016. Construction activities during "on" days will be from daylight until dark each day. The replacement bridge L801.8 project crosses Manchac Bayou, East Baton Rouge Parish. The schedule is as follows: May 17-24, 2016 – On; May 25-30, 2016 – Off; May 31-June 7, 2016 – On; June 8-13, 2016 – Off; June 14-21, 2016 – On; June 22-27, 2016 – Off; June 28-July 5, 2016 – On; July 6-11, 2016 – Off; July 12-19, 2016 – On; July 20-25, 2016 – Off; July 26-August 2, 2016 – On; August 3-8, 2016 – Off; August 9-16, 2016 – On; August 17-22, 2016 – Off; August 23-30, 2016 – On; August 31-September 5, 2016 – Off; September 6-13, 2016 – On; September 14-19, 2016 – Off; September 20-27, 2016 – On; September 28-October 3, 2016 – Off; October 4-11, 2016 – On; October 12-17, 2016 – Off; October 18-25, 2016 – On.

Project contact is Ed LaGrange, Austin Bridge and Road, at (713) 594-9636. Headwater, Inc., Curtis R. Robertson at (769) 233-2565 or (601) 634-0097. Construction has started on the bridge and will continue until October 25, 2016. Mariners should exercise extreme caution when transiting the area.

Chart 11369

LNM: 18-16

LA - MISSISSIPPI RIVER - Mile 95.7, AHOP - NEW ORLEANS HARBOR - Sandblasting/Painting

Until further notice, the new US 90 (Crescent City Connection/GNO) eastbound Bridge across the Mississippi River, Mile 95.7, AHOP, in Orleans and Jefferson Parishes, Louisiana will undergo sandblasting and painting to the underside of the bridge. Presently, work has begun and the containment system for the portions of the bridge outside of the navigation span on the right descending bank has been placed below the bridge. On or about February 22, 2016, the contractor will begin sandblasting within the main channel span, beginning from the right descending bank pier and moving towards the left descending bank pier. The contractor has divided the work into five (5) 300-foot sections within the navigable span and for the purposes of the project will be described as sections A, B, C, D, and E. During the project, the containment system throughout the project will reduce the vertical clearance by one foot at all times and by up to three feet in the lettered section that the contractor will be working within. The contractor will begin in Section A and will work for approximately two weeks before moving into Section B. While working within a section, the containment system may further reduce the published vertical clearance by a total of three feet. If a mariner needs the containment system raised to only the one foot reduction, they may do so with four hours notice by contacting the Vessel Traffic Service at (504) 365-2514.

The work schedule provided indicates that each section should take approximately two weeks to complete and the entire section within the main channel span should be completed by early May, weather permitting. The schedule will be updated as necessary. The published vertical clearance of the bridge is 150 feet above mean high water, elevation 20 feet (or 170 feet minus the Carrolton Gauge). The most accurate and up to date vertical clearance information for the bridge can be found on the NOAA website at: <https://tidesandcurrents.noaa.gov/ports/ports.html?id=8761847&mode=airgap>.

YOU ARE REMINDED that this number has NOT BEEN adjusted to reflect the vertical clearance reduction caused by the containment system.

The information provided will be updated as new information becomes available. Mariners are advised to use extreme caution when traversing the project area. Mariners with questions should contact the Eighth Coast Guard Bridge Administration Branch at (504) 671-2128. Additional information may be provided as necessary by the contractor, Mr. Yianni Koullios, (330) 272-1806 with INTEC (contractor POC), or the New Orleans VTS (Algiers Point traffic control) (504) 365-2514.

Chart 11370

LNM: 07-16

LA - MISSISSIPPI RIVER MILE 103.9, AHOP TO MILE 104.2, AHOP - Damage to Water Intake Barriers

Damage to water intake protection barriers have been reported on the Lower Mississippi River in the vicinity of Mile 103.9, AHOP, LDB, and Mile 104.2, AHOP, LDB. Protective barges have been placed in the vicinity of Mile 103.9, AHOP and Mile 104.2, AHOP, along the LDB, until the permanent water intake protection barriers can be repaired or replaced. Mariners are requested to use caution when transiting within the area. For additional information, mariners can contact Dev Jani at (504) 658-8713.

Chart 11370

LNM: 06-16

LA - MISSISSIPPI RIVER MILE 112.0, AHOP - Dredge Operation

Continuing until approximately June 25, 2016, J.P. and Sons will be performing dredging operations on the Mississippi River at approximate Mile 112.0, AHOP, RDB. Dredging will be performed 24-hours a day, 7-days a week. The Dredge will be monitoring VHF-FM Channels 11 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangement have been made. For up-to-date information, mariners can contact Marion Phillips, at (504) 418-7020.

Chart 11370

LNM: 17-16

LA - MISSISSIPPI RIVER - MILE 161.0, AHOP - Heavy Lift Operation

Continuing until approximately July 2, 2016, the T/V TRIDENT will be performing heavy lift operations on Lower Mississippi River, approximate Mile 161.0, AHOP, LDB, encroaching into the river approximately 200 feet. The T/V TRIDENT will monitor VHF-FM Channels 67 or 88. Mariners are urged to transit the area at their slowest safe speed to minimize their wake, proceed with caution and consider one-way traffic between deep draft ships and large towing vessels.

Chart 11370

LNM: 25-16

LA - MISSISSIPPI RIVER - MILE 234.0, AHOP - MILE 151.0, AHOP - Dredge Operation

Continuing until approximately September 30, 2016, the Dustpan Dredge WALLACE McGEORGE will be working at the Mississippi River Deep Draft Crossings between Mile 234.0, AHOP and Mile 151.0, AHOP. Dredging will be performed 24-hours a day, 7-days a week and will give week, and will give way to vessels using the waterway. The Dustpan Dredge WALLACE McGEORGE will be monitoring VHF-FM Channels 16 or 67. Mariners

LA - MISSISSIPPI RIVER - MILE 234.0, AHOP - MILE 151.0, AHOP - Dredge Operation

are urged to transit the area at the slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842.

Chart 11370

LNM: 18-16

LA - MISSISSIPPI RIVER, MILE 234.0, AHOP - MILE 151.0, AHOP - Dredge Operation

Continuing until approximately September 30, 2016, the Dredge JADWIN is operating at the Mississippi River Deep Draft Crossings between Mile 234.0, AHOP and Mile 151.0, AHOP. The first dredging location will be at Belmont Crossing, at approximate Mile 154.0, AHOP. Dredging will be performed 24-hours a day, 7-days a week, and will give way to vessels using the waterway. The Dredge JADWIN will be monitoring VHF-FM Channels 16 or 67. Mariners are urged to transit the area at the slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings at (504) 862-1253.

Chart 11370

LNM: 18-16

LA - BAYOU LaFOURCHE - Bridge Maintenance - Dive Operations

Continuing until approximately August 20, 2016, there will be underwater removal operations of pier one of the old LA One Bridge at GIWW mile 13.3, WHL, on Bayou La Fourche from 6:00 a.m. until 8:00 p.m., 7-days a week. Divers will also be in the water at this location. The on-scene tug will be monitoring VHF-FM Channels 8 or 13. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with extreme caution. For up-to-date information, the point of contact can be reached, at (228) 304-5408.

Charts: 11365 11367

LNM: 25-16

LA - BAYOU LAFOURCHE - Old LA 1 Bascule Bridge Pier 1 Removal at Leeville, LA

A contractor has begun removing the remains of pier 1 of the old LA1 Bascule Bridge across Bayou Lafourche, mile 13.3 at Leeville, Lafourche Parish, LA. The contractor is working on the right descending bank just upstream of the new LA 1 fixed bridge. The contractor will be working from 6:00 a.m. to 8:00 p.m. daily. At night, the work barge will be relocated to near the right descending bank, secured and properly lighted. The method of removal consists of utilizing a drop hammer to pulverize the slab in all areas within reach of the crane working north to south longitudinally along the east most edge of the slab and then perform air lift operations. The remains of the pier will be pulverized down to -22 feet Mean Sea Level. All pulverized parts will be allowed to settle into the waterway on the bottom into the scour hole next to the pier.

Divers will also be used in the project removal. The project requires a spud barge, 40-foot x 100-foot, an aluminum work boat under 30 feet and tug boat MICHAEL T monitoring VHF-FM 8 or 13. The contractor on site is Anders Construction and M/V CAPTAIN JEAN is a point of contact on site 24-hours a day at (228) 304-5408. The main navigation channel will remain open to marine traffic. Demolition of Pier 1 removal is expected to last 2 months. Mariners should transit the area with caution.

Charts: 11355 11365

LNM: 25-16

LA - BAYOU LAFOURCHE - Saltwater Control Structure

Continuing until approximately October 20, 2016, construction of the Bayou Lafourche Saltwater Control Structure will be taking place in approximate position 29-39-15.0N 090-32-31.0W. Mariners are urged to transit the area at the slowest safe speed to minimize wake and proceed with caution. The point of contact can be reached at (985) 237-5848.

Charts: 11352 11355

LNM: 07-16

LA - BAYOU PEROT - Revetment Operation

Continuing until approximately November 30, 2016, Pontchartrain Partners L.L.C. will be conducting rock revetment operations in Bayou Perot/Little Lake in approximate position 29-34-17.97N 090-10-17.33W. Operations will be performed 24-hours a day, 7-days a week. The on-scene vessel M/V VULTURE will monitor VHF-FM Channel 9. For additional information, mariners can contact, Mr. Matt Karl, at (504) 343-9952. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution.

Charts: 11365 11367

LNM: 50-15

LA - BASTIAN BAY SHELL ISLAND - Dredge Operation

Continuing until approximately January 2017, the Great Lakes Dredge & Dock Company, LLC will be conducting dredging operations. Seven pieces of submerged pipeline of about 5,600 feet in length have been laid from the West side of Bastian Bay toward the East side of Shell Island. The pipe is laid across a relatively shallow water sand bar on the west side of Bastian bay with depths ranging from 3 feet to 14 feet, where the deeper water is on the eastern side. All tending tugs and equipment have been demobilized from the site. The submerged pipe will remain in place indefinitely for the project duration. The submerged pipeline is clearly marked with "Danger Submerged pipeline" buoys will be lit in accordance with U.S. Coast Guard regulations.

Submerged pipeline planned start position: 29-17-40.61N 089-39-55.55W. Submerged pipeline planned end position: 29-17-38.71N 089-38-52.39W. The project engineer: is Eugene Corey and can be contacted at (630) 418-8276, ECorey@gldd.com. The site manager: is Keith Pearse and can be contacted at (904) 616-7290, KPearse@gldd.com.

Charts: 11358 11364 11366

LNM: 21-16

LA - BAYOU LAFOURCHE - PORT FOURCHON - Dredge Operation

Continuing until approximately August 2, 2016, Crosby Dredging, the Dredge CAROLINE FRANCIS will conduct hydraulic dredging in the floatation canal in Lafourche Parish. Work will be conducted 24-hours a day, 7-days a week. The Dredge CAROLINE FRANCIS will monitor VHF-FM Channels 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Roland Maturin, at (337) 875-2500.

Charts: 11346 11365

LNM: 14-16

LA - LAKE LERY - Marsh Creation and Restoration

Continuing until approximately October 31, 2016, Coastal Dredging Company, Inc. will be performing marsh creation and restoration operations in Lake Lery. The crew will be operating 24-hours a day, 7-days a week, along the south shoreline of Lake Lery, in Plaquemines Parish, Louisiana. The crew will be monitoring VHF-FM Channels 10 or 16. Mariners are urged to transit the area with caution. For up-to-date information, mariners can contact Tommy Kilbride, at (985) 641-6243.

Chart 11364

LNM: 12-15

LA - LAKE LERY - Marsh Creation and Restoration

Continuing until approximately September 1, 2016, The Cutterhead Dredge BORINQUEN and attendant plant will be operating in the vicinity of Lake Lery, in Plaquemines Parish, Louisiana. The work zone perimeter will be bound by the following approximate positions:

- 29-48-07.22N 089-52-09.75W
- 29-48-24.81N 089-48-13.42W
- 29-46-58.71N 089-51-58.00W and
- 29-47-08.89N 089-47-57.98W

The current location of Weeks Quarter Boat is between approximate positions 29-46-50.0N 089-47-32.0W and 29-46-35.0N and 089-47-24.0W. The dredge and attendant plant will operate 24-hours a day, 7-days a week. The dredge and attendant plant will be lighted at night according to U.S. Coast Guard regulations. The Cutterhead Dredge BORINQUEN and assisting tugs will be monitoring VHF-FM Channels 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11364

LNM: 15-16

LA - LAKE LERY - Shoreline and Marsh Creation and Restoration - Pipeline Crossing

Continuing until approximately July 10, 2016, Weeks Marine will install a dredge pipeline crossing just southeast of Lake Lery in the mouth of High Point Gas Transmission Channel. A deck barge "WEEKS 767" will be used to close the channel and block the traffic to avoid any collision with the above mentioned pipeline crossing. The work zone perimeter will be bound by the following approximate positions:

- 29-47-10.00N 089-48-14.00W
- 29-47-10.00N 089-48-11.00W
- 29-47-06.00N 089-48-13.00W and
- 29-47-06.00N 089-48-10.50W

The deck barge "WEEKS 767" will operate 24-hours a day, 7-days a week. The dredge and attendant plant will be lighted at night according to U.S. Coast Guard regulations. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11364

LNM: 21-16

LA - GIWW - BERWICK BAY HARBOR – Dredge Operation

Continuing until approximately August 15, 2016, the Dredge LEONARD J. will be operating in the vicinity of Berwick Bay, 20 Grand Point. The dredge will work in multiple locations including Tidewater Point. Dredging will be performed 24-hours a day, 7-days a week. The Dredge LEONARD J. will be monitoring VHF-FM Channels 13 or 16. The dredged material will be deposited through a combination of floating and submerged pipelines on the Berwick side of the harbor or in deep water of the Atchafalaya River between approximate mile 120.0 and mile 121.0, WHL. Besides dredging equipment, there are numerous work and support vessels associated with this dredging operation. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Tim Connell, at (504) 862-2360 and Anh Nguyen at (504) 862-2153.

Chart 11355

LNM: 23-16

LA - PORT FOURCHON - ELMERS ISLAND - Dredge Operation

Continuing until approximately July 20, 2016, submerged pipeline offshore of Elmer's Island will be located within the approximate following positions:

- PL Corridor No. 1: 29-07-16N 090-09-38W and 29-06-44N 090-08-15W
- PL Corridor No. 2: 29-07-59N 090-05-27W and 29-08-50N 090-07-05W
- PL Corridor No. 3: 29-08-41N 090-03-47W and 29-10-11N-090-05-01W.

Commencing April 14, 2016 and continuing until approximately July 20, 2016, the Hopper Dredge STUYVESANT and attendant plant will be dredging fill material from a borrow area located in the Gulf of Mexico, bound by the following approximate positions:

- 28-55-00.12N 090-37-52.93W
- 28-55-09.24N 090-36-02.51W
- 28-54-26.75N 090-35-58.56W
- 28-54-20.88N 090-36-48.63W

Dredged material will be transported from the borrow area by barges/scows to a discharge point to be pumped to the beach through a combination of floating and submerged pipelines. The dredge and attendant plant will have all required U.S. Coast Guard lighting for night operations.

Dredging will be performed 24-hours a day, 7-days a week. The Hopper Dredge STUYVESANT and attendant plant will be monitoring VHF-FM Channels 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Charts: 1116A 11340 11346 11352 11358

LNM: 14-16

LA - BAYOU TERREBONNE - Wreck - UPDATE

The F/V KEARNEY T sunk in Bayou Terrebonne in the channel in approximate position 29-33-11.6N 090-37-07.2W. The wreck has reportedly been salvaged

Chart 11355

LNM: D8 036-16
25-16

LA - LAKE BOUDREAUX - Wreck

A sunken shrimp boat has been reported in Lake Boudreaux in approximate position 29-26-06.2N 090-40-03.2W. The wreck is reportedly not marked. Mariners are urged to use caution in this area.

Chart 11352

LNM: D8 037-16
24-16

LA - ATCHAFALAYA RIVER BAR CHANNEL, 152.0 TO MILE 167.0 - Dredge Operation

Continuing until approximately August 30, 2016, the Hopper Dredge NEWPORT will be dredging in the Atchafalaya River Bar Channel between mile 152.0 and mile 167.0. Work will be conducted 24-hours a day, 7-days a week. The Hopper Dredge NEWPORT will be monitoring VHF-FM Channels 13, 16 or 72. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact the USACE New Orleans District, Tim Connell, at (504) 862-2360 or Anh Nguyen, at (504) 862-2153.

Charts: 11351 11352 11354

LNM: 22-16

LA - GIWW - MORGAN CITY-PORT ALLEN ALTERNATE ROUTE - Channel Condition

The U.S. Coast Guard has received several complaints in the past from local property owners in the Bayou Sorrel area on the GIWW from Mile 37.0 to Mile 45.0, WHL, Morgan City to Port Allen Alternate Route. Property owners are reporting land erosion and bulkhead damage caused by wakes and propeller wash from passing tows. Property owners may seek legal action against vessel owners for causing wake related damage. Mariners are urged to transit at their slowest safe speed to minimize wake. Mariners can contact the USACE New Orleans District Vic Landry, at (504) 862-2407.

Charts: 11352 11354

LNM: 23-16

LA - GIWW - MORGAN CITY TO PORT ALLEN - Temporary Emergency Vessel Movement Controls

The COTP Morgan City anticipates the Atchafalaya River Gauge may reach 5.0 feet on or about June 7, 2016. The COTP Morgan City directs the following temporary emergency vessel movement controls for Berwick Bay when the Morgan City River Gauge reads 5.0 feet or higher. South bound tows transiting the Morgan City bridges and west bound tows turning into the GIWW at Mile 98.5, WHL, will be limited to a maximum length of 600 feet. Towing vessels equipped with a properly operating bow steering unit and north bound tows through Morgan City bridges are exempt from temporary emergency vessel traffic movement controls. Additional deviations may be granted by Vessel Traffic Service Berwick on a case by case basis to any single towing vessel with 3,000 or more horsepower and tows with all empty barges. All tows remain subject to the Vessel Traffic Service Berwick Bay high water towing limitations. Mariners can contact U.S. Coast Guard MSU Morgan City at (985) 380-5374, for additional information.

Charts: 11354 11355

LNM: 23-16

LA - CALCASIEU RIVER - Dredge Operation

Commencing approximately June 23, 2016 and continuing until approximately July 4, 2016, the Hopper Dredge WHEELER will be dredging in the Calcasieu River Bar Channel from mile -1.6 to mile -5.0. Dredging will be performed 24-hours a day, 7-days a week, and will give way to passing navigation. The Hopper Dredge WHEELER will be monitoring VHF-FM Channels 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Tracy Falk, at (504) 862-2971.

Charts: 11339 11347

LNM: 25-16

LA - CALCASIEU RIVER - Dredge Operation

Continuing until approximately August 30, 2016, the Dredge INGENUITY will be conducting dredging operations between approximate miles 15 and 36, including the A4 turning basin, Devils Elbow, Coon Island and Clooney Island Loop. Dredging will be performed 24-hours a day, 7-days a week. The Dredge INGENUITY will be monitoring VHF-FM Channels 13 or 16, for sailing instructions. There are numerous work and support vessels associated with operation, which include the M/V MS. PAULA, M/V COMMODORE and various work barges. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11339

LNM: 21-15

LA - CALCASIEU RIVER - BAYOU D'INDE - Dredge Operation

Continuing until approximately June 30, 2016, the Dredge MCKENZIE will be conducting dredging operations along with the M/V JESSIE'S GIRL, 2 Hydraulic push boats, 1 (20-foot by 40-foot) A-Frame barge and an assortment of small crew boats with 15hp to 150hp motors. Rock unloading vessels will vary but will consist of tugs and material/hopper barges. Dredging operations will be conducted in Bayou d'Inde in approximate position 30-12-37.4N 093-18-11.8W. Dredging will be performed Monday through Saturday, from 7:00 a.m. until 7:00 p.m. Rock unloading will be intermittent during daylight hours only. The 18-inch hydraulic dredge discharge line will run along the northern shoreline of the bayou (outside of the navigable channel) to a marsh. The dredge line will have lights in compliance with U.S. Coast Guard regulations. Mariners need to be aware of rock unloading operations at Crumpler property. The Dredge MCKENZIE along with the M/V JESSIE'S GIRL will be monitoring VHF-FM Channels 9, 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11339

LNM: 09-16

LA - TX - GULF OF MEXICO - Hydrographic Surveys

Continuing until approximately October 31, 2016, the M/V ATLANTIC SURVEYOR will be conducting hydrographic survey operations in the waters in and around the approaches to Sabine Pass and Calcasieu Pass. Survey operations are being conducted in waters north of latitude 29-05-07N and south of latitude 29-18-11N in the approaches to and between Sabine Pass Channel, TX., and Calcasieu Channel, LA. The M/V ATLANTIC SURVEYOR will be towing sonar arrays astern and displaying restricted maneuverability lights and day shapes as appropriate. Mariners are advised to give the M/V ATLANTIC SURVEYOR a wide berth. Concerned traffic can contact the M/V ATLANTIC SURVEYOR on VHF Channels 10, 13 or 16.

LA - TX - GULF OF MEXICO - Hydrographic Surveys

Charts: 411 1116A 11330 11340

LNM: 13-16

TX - LA - SABINE PASS AND LAKE CANAL - Bridge Maintenance

The dolphin repair project has begun on State Highway 87 at the Rainbow Bridge (mile 1.5) and the Veteran Bridge (mile 1.4) crossing the Sabine Neches Canal, Jefferson County, Texas. The project calls for 210-working days between the hours of 7:00 a.m. until 5:30 p.m. The work began on the downstream green side and working upstream before moving to the other side. No equipment will be positioned in the channel. Equipment used for the project will be placed outside of the channel and properly lighted at night. The contractor is McCarthy Building Companies, Inc. and can be contacted at (832) 593-5257. Mariners should exercise caution in this area.

Chart 11342

LNM: 06-16

TX - GIWW - BOLIVAR FERRY LANDING- Dredge Operation

Continuing until approximately July 12, 2016, the Dredge TEXAS CUTTER will be dredging at the Bolivar Ferry Landing area in Galveston, TX. This work will be bound by the following coordinates:

29-21-44.3N 094-46-45.4W

29-21-33.1N 094-46-56.3W

29-21-40.1N 094-47-08.4W and

29-21-45.9N 094-46-47.6W. The offshore displacement area will be bound by the following coordinates:

29-21-29.5N 094-46-30.6W

29-21-25.3N 094-46-32.3W

29-21-28.2N 094-46-41.9W and

29-21-32.4N 094-46-40.2W.

The Dredge TEXAS CUTTER will monitor VHF-FM Channels 13, 23 and 72. Mariners are urged to transit the area at their slowest safe speed to minimize their wake after passing arrangements have been made.

Chart 11331

LNM: 22-16

TX - GIWW - HIGH ISLAND - ROLLOVER PASS - Bridge Maintenance

All mariners are advised to take precaution while transiting near the State Highway 124 Bridge located in the GIWW at approximate Mile 319.0, WHL. A crane barge and material barge will be located 24 hours a day underneath the bridge, reducing clearance from 225 feet to approximately 150 feet. Crews will be actively working to repair the fender system located underneath the south-east side of the bridge from 7:00 a.m. until 5:30 p.m. The contractor will be monitoring VHF-FM Channels 13 or 16. All mariners are urged to exercise caution while transiting through the area during that time.

Chart 11331

LNM: 25-16

TX - HOUSTON SHIP CHANNEL/BARBOURS CUT - Marsh Creation and Dredge Operation

Continuing until approximately July 15, 2016, Weeks Marine will place submerged pipeline from approximately Houston Ship Channel Light 93 (LLNR-24755), going west in Barboours Cut to Enterprise Dock 8. Continuing until approximately July 5, 2016, the Dredge E.W. ELLEFSEN, Bucket Dredge "WEEKS 6401" and attendant plant will remove material from the turning basin and the Houston Ship Channel. This work will be bound by the following coordinates:

29-41-34.33N 094-59-07.30W

29-41-01.72N 094-58-40.00W

29-40-45.20N 095-00-32.53W and

29-41-10.04N 095-00-38.28W

Submerged pipeline will be placed from the Houston ship Channel, in the vicinity of Houston Ship Channel Light 121 (LLNR-25445), northward to the Upland Staging Area on the west bank of the Houston Ship Channel. This work will be bound by the following coordinates:

29-44-22.86N 095-03-21.62W

29-44-23.21N 095-03-56.12W

29-45-08.02N 095-04-08.20W and

29-45-08.38N 095-03-47.37W

Once underway, operations will continue 24-hours a day, 7-days a week. The Weeks Marine will be monitoring VHF-FM Channels 13 or 16.

Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11328

LNM: 21-16

TX - SAN JACINTO RIVER MILE 2.5 - Bridge Maintenance

The I-10 Bridge across the San Jacinto River, mile 2.5, near Channelview, Harris County, Texas has reported bridge fender damage RDB, reducing the horizontal clearance. Due to high water, the repair of the navigational lighting and fender will not be completed until approximately June 30, 2016. Mariners are urged to use extreme caution while transiting through the fender system, as there are some protruding parts located near the center of the two spans on the west side, reducing the horizontal clearance. After repairs, the horizontal clearance will return to the published 165 feet.

Chart 11329

LNM: 23-16

TX - GIWW - COLORADO RIVER LOCKS - Lock Closure

Continuing until June 30, 2016, J&S Contractors will be working at the Colorado River Locks repairing the guidewalls on the east and west locks. This work may require closures during designated periods of work, Monday through Friday, from 7:00 a.m. until 5:00 p.m. Gate closures are not expected to be in effect during weekends and federal holidays. For up-to-date information, mariners are urged to contact the lockmaster at (979) 863-7842, to confirm the closure time so as to minimize their delay. The lockmaster will be knowledgeable of the exact closure time's 24-hours in advance of closure. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution when transiting the area.

Chart 11319

LNM: 19-16

TX - ARROYO COLORADO - Rio Hondo Bridge Rehabilitation

The FM 106 Vertical Lift Bridge across the Arroyo-Colorado River, mile 22.2, at Rio Hondo Bridge, will begin rehabilitation this month until November of 2018. The proposed work includes maintenance and rehabilitation to the mechanical/structural components of the bridge, the removing of paint and repainting, and construction of a retaining wall to stabilize the embankment around a backup generator pad. Updates will be provided concerning channel as provided. Project contactor is PCL Civil Constructors Inc., at (772) 201-3754. Mariners should exercise extreme caution when transiting the area.

Chart 11303

LNM: 19-16

TX - LAVACA BAY - Bridge Rehabilitation

Work has begun on rehabilitating the SH 35 bridge across Lavaca Bay, mile 8.2, at Port Lavaca, Calhoun County, Texas. Work will start during daylight hours from 7:00 a.m. to 8:00 p.m., on the west end of the bridge moving in an easterly direction as there are 194 spans. The work consists of repairing spalled concrete columns, replacing web walls and damaged caps, and repainting of the bridge. Flex floats measuring approximately 40 feet x 8 feet in multiple configurations could obstruct an entire area between bents; but most commonly two units joined laterally may be combined in a work area with spuds placed near the piers. Barges will be properly lighted as required by the "Inland Navigation Rules of 1980" and accompanied by a 26-foot push boat, the BARBARA ANN monitoring VHF-FM Channel 16, or onsite Project Manager, at (281) 831-7864. The main channel is located between Bents 116 and 117 with a horizontal clearance of 75 feet and a vertical clearance of 45 feet. Updates will be provided when main channel work is started. Estimated completion date of August 2017.

Chart 11317

LNM: 19-16

TX - MATAGORDA BAY - Pipeline Removal - Dive Operation

Continuing until approximately June 27, 2016, during daylight hours only, contractors will be conducting pipeline removal and dive operations in the GIWW, in approximate position 28-44-21.91N 095-49-13.83W in east Matagorda Bay. The contractors will be monitoring VHF-FM Channels 13 or 78. Mariners are urged to use caution when transiting the area.

Chart 11319

LNM: 25-16

TX - COPANO BAY - New Bridge Replacement and Demolition of Old Bridge

Scheduled demolition continues from 6:00 a.m. until 6:00 p.m., in an easterly direction. Span #70 and #71, located at the navigation channel on the SH 35 Bridge crossing Copano Bay, mile 0.0, located near Rockport, Aransas County, Texas. Installation of the new fender system to begin immediately, pending weather conditions. This will require being in the channel occasionally but not consecutively. Barges will be traveling from the removal site on a daily basis carrying removed spans, caps, columns, and tie beams. Removal of caps, columns and tie beams continue in a northerly direction. Divers will be present to retrieve any falling debris. Substructure concrete is beginning at Bent #40 and moving north toward Bent #86. Presently, driving 54 inch cylinder piles at Bent #40 thru #86 moving towards the channel. Lead Tug will be monitoring VHF-FM Channel 69 or (631) 557-1359. Project contact is William Brothers Construction Inc., at (228) 243-0493 or (409) 739-9590. New construction has started on the northbound bridge extending until 2018. Mariners should exercise extreme caution when transiting the area.

Charts: 11313 11314

LNM: 18-16

TX - CORPUS CHRISTI HARBOR - TULE LAKE CHANNEL - Terminal Construction

Continuing until approximately November 7, 2016, Orion Construction will conduct pile driving and construction operations in the Port of Corpus Christi. The project site is at the old American Smelting Refining Company, approximately 0.6 miles west of the old lift bridge on the south bank of Tule Lake Channel. The contractors floating plant will consist of the Crane Barges STAR 303 and GEORGE JOHNSON. Work will be conducted 10-hours a day, 5-days a week. The crane and dive crews will install a new ship terminal as well as 4 breasting dolphins and 6 mooring dolphins. The construction crew will monitor VHF-FM Channels 16 or 69. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made.

Chart 11311

LNM: 41-15

TX - LOWER LAGUNA MADRE - Unlit Anchored Platform

A 20-foot by 50-foot platform has been reported anchored with one anchor and unlit in Laguna Madre in approximate position 26-07-48.05N 097-11-09.17W. Mariners are advised position may change due to swing radius. Mariners are urged to transit the area with extreme caution.

Chart 11302

LNM: 20-16

TX - SOUTH PADRE ISLAND - Fireworks Display

The Fireworks Over the Bay will be held near South Padre Island, Texas, continuing through September 5, 2016, from 9:15 p.m. until 9:45 p.m. Specific dates will be announced by Broadcast Notice to Mariners. The fireworks will be launched from a barge about 1-mile north of the Queen Isabella Causeway Bridge and 1,000 feet west of 2305 Laguna Drive, Louie's Backyard Barbeque. A distance of 1,400 feet will be secured as the fallout zone by the fireworks display company. For up-to-date information, mariners can contact Janet Shears, at (956) 455-5527.

Chart 11300

LNM: 19-16

TX - SOUTH PADRE ISLAND - Military Test

The U.S. Coast Guard will be operating an unmanned test system in the vicinity of South Padre Island, TX., continuing until approximately June 27, 2016, both day and night. The 11 meter test vessel has U.S. Navy markings with a grey and black hull. Mariners are requested to stay clear of the system.

Charts: 11300 11302

LNM: 25-16

TX - BROWNSVILLE SHIP CHANNEL - Dismantle and Disposal of Navy Aircraft Carriers

Continuing until March 31, 2017, the International Shipbreaking Limited, LLC. Brownsville will be dismantling and disposing of 2 U.S. Navy aircraft carriers in Brownsville, TX. The west boundary will be in approximate position 25-57-50.80N 097-21- 50.0W and the east boundary will be in approximate position 25-57-57.80N 097-21-27.0W. All commercial vessels, tour vessels, and pleasure/fishing craft are required to remain within

TX - BROWNSVILLE SHIP CHANNEL - Dismantle and Disposal of Navy Aircraft Carriers

the channel while passing the International Shipbreaking facilities. There will be overhead industrial work in progress which can pose a hazard to vessels in the vicinity of the facility. For additional information mariners can contact Arnie Tyler, Facility Security Officer, ISL at (956) 371-6228 , email at Arnie.tyler@internationalshipbreaking.com or Dan Richardson, U.S. Navy On-Site Representative (OSR) at (207) 751-2906, email Daniel.Richardson@supshipba.navy.mil.

Chart 11302

LNM: 11-16

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	* Add Heading: Breton/Chandeleur ICW Alternate Route						25/16
9572	Breton/Chandeleur ICW Alternate Route Buoy 26	29-58-18.351N 089-00-08.478W				Red nun with yellow triangle.	25/16
*	*	*	*	*	*	*	*
9572.03	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 23	29-59-17.570N 089-00-02.708W	FI G 4s	17	5	SG-SY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
9572.05	Breton/Chandeleur ICW Alternate Route Buoy 21	30-00-16.921N 088-59-59.207W				Green can with yellow square.	25/16
*	*	*	*	*	*	*	*
9572.06	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 20	30-01-16.343N 088-59-57.979W	FI R 2.5s	17	4	TR-TY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
9572.08	Breton/Chandeleur ICW Alternate Route Buoy 18	30-02-15.680N 088-59-54.476W				Red nun with yellow triangle.	25/16
*	*	*	*	*	*	*	*
9572.12	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 15	30-03-14.871N 088-59-48.702W	FI G 2.5s	17	4	SG-SY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
9572.13	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 14</i>	30-04-14.293N 088-59-47.472W	FI R 6s		3	Red nun with yellow triangle.	25/16
*	*	*	*	*	*	*	*
9572.16	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 11</i>	30-05-13.501N 088-59-41.694W	FI G 6s		3	Green can with yellow square.	25/16
*	*	*	*	*	*	*	*
9572.17	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 10</i>	30-06-13.001N 088-59-40.457W	FI R 4s		3	Red nun with yellow triangle.	25/16
*	*	*	*	*	*	*	*
9572.19	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 8</i>	30-07-12.243N 088-59-36.954W	FI R 2.5s		3	Red nun with yellow triangle.	25/16
*	*	*	*	*	*	*	*
9572.21	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 7</i>	30-07-12.141N 088-59-34.680W	FI G 2.5s		3	Green can with yellow square.	25/16
*	*	*	*	*	*	*	*

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9572.23	Breton/Chandeleur ICW Alternate Route Lighted Buoy 5	30-08-11.362N 088-59-31.177W	FI G 4s		3	Green can with yellow square.	25/16
*	*	*	*	*	*	*	*
9572.24	Breton/Chandeleur ICW Alternate Route Lighted Buoy 4	30-09-10.872N 088-59-29.937W	FI R 2.5s		3	Red nun with yellow triangle.	25/16
*	*	*	*	*	*	*	*
9572.26	Breton/Chandeleur ICW Alternate Route Lighted Buoy 2	30-10-10.192N 088-59-26.426W	Q R		3	Red nun with yellow triangle.	25/16
*	*	*	*	*	*	*	*
9572.27	Breton/Chandeleur ICW Alternate Route Lighted Buoy 1	30-10-10.090N 088-59-24.151W	Q G		3	Green can with yellow square.	25/16
*	*	*	*	*	*	*	*
11672	* Add Heading: Breton/Chandeleur ICW Alternate Route BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 106	29-25-51.948N 089-18-09.220W	Q R	17	5	TR-TY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
11672.03	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 103	29-26-44.096N 089-17-36.583W	FI G 2.5s	17	5	SG-SY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
11672.05	Breton/Chandeleur ICW Alternate Route Buoy 101	29-27-37.080N 089-17-05.986W				Green can with yellow square.	25/16
*	*	*	*	*	*	*	*
11672.06	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 100	29-28-30.995N 089-16-37.377W	FI R 2.5s	17	5	TR-TY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
11672.09	Breton/Chandeleur ICW Alternate Route Buoy 97	29-29-23.099N 089-16-04.733W				Green can with yellow square.	25/16
*	*	*	*	*	*	*	*
11672.12	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 95	29-30-16.123N 089-15-34.084W	FI G 6s	17	5	SG-SY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
11672.14	Breton/Chandeleur ICW Alternate Route Buoy 93	29-31-09.110N 089-15-03.443W				Green can with yellow square.	25/16
*	*	*	*	*	*	*	*
11672.15	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 92	29-32-03.014N 089-14-34.801W	FI R 6s	17	5	TR-TY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
11672.18	Breton/Chandeleur ICW Alternate Route Buoy 89	29-32-54.475N 089-14-00.810W				Green can with yellow square.	25/16
*	*	*	*	*	*	*	*

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
11672.21	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 87	29-33-26.009N 089-13-41.177W	FI G 4s	17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*
11672.22	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 86	29-33-46.145N 089-13-31.215W	Q R	17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*
11672.24	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 83	29-33-58.909N 089-13-10.869W	FI G 2.5s	17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*
11672.25	Breton/Chandeleur ICW Alternate Route Buoy 82	29-34-32.795N 089-12-29.499W				Red nun with yellow triangle.		25/16
*	*	*	*	*	*	*	*	*
11672.27	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 80	29-35-05.148N 089-11-46.680W	FI R 4s	17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*
11672.29	Breton/Chandeleur ICW Alternate Route Buoy 78	29-35-43.996N 089-10-55.249W				Red nun with yellow triangle.		25/16
*	*	*	*	*	*	*	*	*
11672.33	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 75	29-36-21.339N 089-10-02.329W	FI G 6s	17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*
11672.35	Breton/Chandeleur ICW Alternate Route Buoy 73	29-37-00.106N 089-09-10.967W				Green can with yellow square.		25/16
*	*	*	*	*	*	*	*	*
11672.36	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 72	29-37-40.473N 089-08-20.935W	FI R 2.5s	17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*
11672.38	Breton/Chandeleur ICW Alternate Route Buoy 70	29-38-19.291N 089-07-29.470W				Red nun with yellow triangle.		25/16
*	*	*	*	*	*	*	*	*
11672.41	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 67	29-38-56.604N 089-06-36.514W	FI G 4s	17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*
11672.42	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 66	29-39-33.567N 089-05-50.959W	Q R	17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*
11672.44	Breton/Chandeleur ICW Alternate Route Buoy 63	29-40-24.090N 089-05-28.754W				Green can with yellow square.		25/16
*	*	*	*	*	*	*	*	*
11672.46	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 61	29-41-20.283N 089-05-06.715W	FI G 2.5s	17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
11672.47	Breton/Chandeleur ICW Alternate Route Buoy 59	29-42-40.991N 089-04-35.049W				Green can with yellow square.	25/16
*	*	*	*	*	*	*	*
11672.48	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 58	29-43-13.313N 089-04-24.760W	FI R 6s	17	5	TR-TY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
11672.51	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT C	29-44-06.670N 089-03-27.150W	FI W 2.5s	17	5	NB on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
11672.52	Breton/Chandeleur ICW Alternate Route Buoy 56	29-44-09.507N 089-04-02.670W				Red nun with yellow triangle.	25/16
*	*	*	*	*	*	*	*
11672.54	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 53	29-45-05.049N 089-03-38.490W	FI G 6s	17	5	SG-SY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
11672.55	Breton/Chandeleur ICW Alternate Route Buoy 51	29-46-01.240N 089-03-16.415W				Green can with yellow square.	25/16
*	*	*	*	*	*	*	*
11672.56	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 50	29-46-58.068N 089-02-56.482W	FI R 4s	17	5	TR-TY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
11672.58	Breton/Chandeleur ICW Alternate Route Buoy 48	29-47-54.258N 089-02-34.394W				Red nun with yellow triangle.	25/16
*	*	*	*	*	*	*	*
11672.61	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 45	29-48-49.795N 089-02-10.154W	FI G 4s	17	5	SG-SY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
11672.62	Breton/Chandeleur ICW Alternate Route Buoy 43	29-49-45.984N 089-01-48.051W				Green can with yellow square.	25/16
*	*	*	*	*	*	*	*
11672.63	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT B	29-48-50.160N 089-01-36.480W	FI W 2.5s	17	5	NB on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
11672.64	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 42	29-50-42.809N 089-01-28.092W	FI R 2.5s	17	5	TR-TY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*
11672.66	Breton/Chandeleur ICW Alternate Route Buoy 40	29-51-38.994N 089-01-05.976W				Red nun with yellow triangle.	25/16
*	*	*	*	*	*	*	*
11672.68	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 37	29-52-34.528N 089-00-41.707W	FI G 2.5s	17	5	SG-SY on pile.	Ra ref. 25/16
*	*	*	*	*	*	*	*

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
11672.69	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 36	29-53-20.440N 089-00-26.027W	Q R	17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	
11672.71	Breton/Chandeleur ICW Alternate Route Buoy 34	29-54-21.110N 089-00-22.455W				Red nun with yellow triangle.		25/16
*	*	*	*	*	*	*	*	
11672.73	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 31	29-55-20.331N 089-00-16.692W	FI G 6s	17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	
11672.75	Breton/Chandeleur ICW Alternate Route Buoy 29	29-56-19.651N 089-00-13.197W				Green can with yellow square.		25/16
*	*	*	*	*	*	*	*	
11672.76	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT A	29-56-20.580N 088-59-39.610W	FI W 2.5s	17	5	NB on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	
11672.77	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 28	29-57-19.071N 089-00-11.972W	FI R 4s	17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	
12080	HELIS BLACK BAY CHANNEL LIGHT 2	29-33-37.500N 089-30-36.500W	FI R 4s			TR on pile.	Private Aid.	25/16
	*							
12085	HELIS BLACK BAY CHANNEL LIGHT 3	29-33-36.500N 089-30-42.100W	FI G 4s			SG on pile.	Private Aid.	25/16
	*							
12090	HELIS BLACK BAY CHANNEL LIGHT 4	29-33-51.800N 089-30-51.000W	FI R 4s			TR on pile.	Private Aid.	25/16
	*							
12095	HELIS BLACK BAY CHANNEL LIGHT 5	29-33-50.300N 089-30-53.900W	FI G 4s			SG on pile.	Private Aid.	25/16
	*							
12100	HELIS BLACK BAY CHANNEL LIGHT 6	29-34-03.700N 089-30-59.100W	FI R 4s			TR on pile.	Private Aid.	25/16
	*							
12105	HELIS BLACK BAY CHANNEL LIGHT 7	29-34-03.800N 089-34-02.700W	FI G 4s			SG on pile.	Private Aid.	25/16
	*							

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12110	HELIS BLACK BAY CHANNEL LIGHT 9	29-34-31.000N 089-31-00.300W	FI G 4s			SG on pile.	Private Aid. 25/16
	*						
12115	HELIS BLACK BAY CHANNEL LIGHT 11	29-34-47.100N 089-31-03.500W	FI G 4s			SG on pile.	Private Aid. 25/16
	*						
12120	HELIS BLACK BAY CHANNEL LIGHT 13	29-34-56.900N 089-31-09.300W	FI G 4s			SG on pile.	Private Aid. 25/16
	*						
12125	HELIS BLACK BAY CHANNEL LIGHT 15	29-34-58.100N 089-31-23.400W	FI G 4s			SG on pile.	Private Aid. 25/16
	*						
12135	HELIS BLACK BAY CHANNEL LIGHT 17	29-35-00.600N 089-31-57.800W	FI G 4s			SG on pile.	Private Aid. 25/16
	*						
12140	HELIS BLACK BAY CHANNEL LIGHT 19	29-35-00.600N 089-31-57.800W	FI G 4s			SG on pile.	Private Aid. 25/16
	*						
12145	HELIS BLACK BAY CHANNEL LIGHT 21	29-35-01.800N 089-32-12.300W	FI G 4s			SG on pile.	Private Aid. 25/16
	*						
12150	HELIS BLACK BAY CHANNEL LIGHT 23	29-35-06.600N 089-32-29.300W	FI G 4s			SG on pile.	Private Aid. 25/16
	*						
	* Change Heading: West Black Bay Channel						25/16
12345	WEST BLACK BAY CHANNEL LIGHT 78A	29-35-07.800N 089-33-02.100W	FI W 4s			On dolphin.	Private Aid. 25/16
	*						
16170	BARATARIA WATERWAY LIGHT 6	29-17-26.942N 089-58-21.928W	FI R 2.5s	17	3	TR on pile.	Ra ref. 25/16
	*						
25070	LOWER RED LIGHT BEND OUTBOUND RANGE FRONT LIGHT	29-41-58.469N 094-59-50.457W	Q R	20		KRW on skeleton tower on piles.	Visible all around, higher intensity on rangeline. 25/16
	*						

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
25075	LOWER RED LIGHT BEND OUTBOUND RANGE REAR LIGHT	29-41-57.877N 094-59-44.692W	Iso R 6s	32		KRW on skeleton tower on piles.	Visible all around, higher intensity on rangeline.	25/16
	170.626 yards, 094.7° from front light.							
	*							
37480	Texas Meridian Mat/Bay Reef A						Remove from list.	25/16
							*	
37485	Texas Maridian Mat/Bay Reef B						Remove from list.	25/16
							*	
37490	Texas Meridian Mat/Bay Reef C						Remove from list.	25/16
							*	

ENCLOSURES

U.S. Coast Guard Marine Safety Unit Morgan City/Houma MSIB 009-16

Hurricane Season 2016, information.

LNM: 20-16

U.S. Coast Guard Marine Safety Unit Port Arthur MSIB 006-16

Hurricane Season 2016, information.

LNM: 22-16

U.S. Coast Guard Sector New Orleans MSIB 068-16

Hurricane Season 2016, information.

LNM: 23-16

U.S. Coast Guard Marine Safety Unit Morgan City/Houma MSIB 010-16

Green Canyon Block 248 Oil Spill Response.

LNM: 20-16

NOAA Spot Weather forecast for Breton/Chandeleur ICW Alternate Route Temporary Channel

Spot Weather forecast from NOAA for the Breton/Chandeleur ICW Alternate Route Temporary Channel.

Charts: 11363 11373

LNM: 24-16

Commander, Eighth Coast Guard District
Hale Boggs Federal Building, Room 1230
500 Poydras Street
New Orleans, LA 70130-3310
Telephone (504) 671-2327
(Business Hours 7:00 a.m. - 3:30 p.m. Monday - Friday)
(Nights, Weekends, Holidays) (504) 589-6225
RADM Callahan

MARINE SAFETY INFORMATION BULLETIN

MSIB 009-16

Date: May 9, 2016

2016 HURRICANE SEASONAL ALERT

Hurricane Port Condition Requirements

This MSIB clarifies USCG mandated Hurricane procedures and defines Hurricane Port Conditions for Port Fourchon, Louisiana Offshore Oil Port, Houma, Port of Morgan City, Port of Iberia, Intracoastal City, and all terminals, facilities, and waterways in the Captain of the Port (COTP) Morgan City area of responsibility.

General Vessel and Barge Mooring Requirements for Heavy Weather

To promote safe navigation and protect vital infrastructure the Coast Guard will enforce the following regulations found in 33 CFR 803:

No person may secure a vessel or barge to trees or to other vegetation.

No person may allow a vessel or barge to be moored with unraveled or frayed lines or other defective or worn mooring.

No person may moor barges side to side unless they are secured to each other from fittings as close to each corner of abutting sides as practicable.

No person may moor barges end to end unless they are secured to each other from fittings as close to each corner of abutting ends as practicable.

Barge Moorings: Barge-to-barge; barge-to-vessel; barge-to-wharf or pier. The person in charge shall ensure that a barge moored to another barge, a mooring or spar barge, a vessel, a wharf, or a pier, is secured as near as practicable to each abutting corner of the barge being moored by:

(1) Three parts of wire rope of at least 7/8 inch diameter with an eye at each end of the rope passed around the timberhead, caval, or button;

(2) A mooring of natural or synthetic fiber rope that has at least 75 percent of the breaking strength of three parts of 7/8 inch diameter wire rope; or

(3) Fixed rigging that is at least equivalent to three parts of 7/8 inch diameter wire rope.

For further information regarding the severe weather and high water moorings, the U.S. Committee on the Marine Transportation System's recommends the Best Practices for Preventing and Managing Breakaway Vessels found at:

http://www.cmts.gov/downloads/Best_Practices_for_Preventing_and_Managing_Breakaway_Vessels.pdf.

In addition to setting port conditions, the COTP will take the following actions commensurate with each Port Condition:

Port Condition Whiskey (gale force winds within 72 hours):

Port Status: Open to all commercial traffic.

- Initiate Port Coordination Team conference calls to identify and address concerns over port status, activities and emergency preparations.
- The COTP will issue an MSIB requiring the following information to be submitted to Vessel Traffic Service, Berwick Bay:
 - (a) All self-propelled oceangoing vessels over 500 GT and all oceangoing barges and their supporting tugs remaining in port will complete and submit to the COTP within 24 hours for approval, a REMAINING IN PORT CHECKLIST FOR 500 GT (GRT) VESSELS (Annex A). Each vessel intending to remain in port must request permission from the waterfront facility where mooring and forward that information to the COTP.
- The Coast Guard will have increased harbor patrols and will advise vessel and facility operators of any conditions that require immediate action or correction.
- The Coast Guard will advise vessel operators of anticipated times of floodgate and bridge closures affecting their ability to seek safe refuge and will provide best points of contact information to obtain accurate updates.
- Advise port stakeholders of intentions for setting next condition.

Port Condition X-Ray (gale force winds within 48 hours):

Port Status: Open to all commercial traffic.

- The Coast Guard will continue to contact waterfront facilities to determine their intentions and any vessels moored thereto. Individually assess vessels desiring to remain in port, and issue COTP Orders as appropriate.
- Contact deep draft vessels at anchor and determine their intentions.
- Inspect wharf and pier areas with waterfront facility representatives during harbor patrols.
- Spot check mariners and waterways to determine the status of hurricane preparations.
- Advise port stakeholders of intentions for setting next Port Condition.

Port Condition YANKEE (Gale force winds expected within 24 hours):

Port Status: Vessel traffic control measures in effect.

- The COTP may close portions of the port in response to forecasted weather and actual damage, impact, or threat in different geographic areas within the port.
- Establish a Safety Zone controlling vessel movements and activities as appropriate, including:
 - (a) Close ports, where necessary, to all commercial vessel traffic except as specifically allowed by the COTP. Port closure will not apply to vessels that are capable of completing the cargo

load/discharge cycle in less than 12 hours. The area affected by this order includes all Navigable Waters of the United States within 12 nautical miles of shoreline.

- Issue COTP Orders, as appropriate, for any vessels or facilities not complying with Port Condition requirements:
 - (a) Each self-propelled vessel over 500 GT without COTP approval to stay in port will be directed out of port.
 - (b) The COTP will approve or direct, as necessary, final mooring arrangements for vessels remaining in port.
- Advise port stakeholders of intentions for setting next Port Condition.
- Establish safety zone preventing red flagged barges from mooring along shore in the Houma central business district.

Port Condition Zulu (gale force winds expected within 12 hours):

Port Status: Vessel traffic control measures in effect. The default for ZULU is closure of the port and facility operations.

- The COTP may deviate from this default and keep ports open with restrictions and close only portions of the port in response to forecasted weather, actual damage, impact, or threat in different geographic ports within the COTP Zone.
- Establish a Safety Zone controlling vessel movements and activities as appropriate, including:
 - (a) Close ports, where necessary, to all commercial vessel traffic (including vessel transits within the port). This prohibition will not apply to vessels that have requested and received approval from the COTP to transit the port. The approval of the COTP will only be granted if the transit can be made safely and mooring or anchorage space has been identified; or if the vessel is departing to sea, only if the vessel can reach safe water prior to encountering hurricane conditions.
- Suspend cargo operations involving bulk liquid dangerous cargoes (including bunkering and lightering operations), unless permission is requested to continue operations and approval is granted. Approval will be given on a case-by-case basis. This approval provision does not apply to operations involving Cargoes of Particular Hazard or Certain Dangerous Cargoes, which in every case must be suspended.

Post-Hurricane Conditions

As soon as practicable following the passage of the storm, the COTP will:

- Assess whether to close ports and waterways, maintain closure, or open with or without restrictions.
- Assess whether to maintain a Safety Zone restricting vessel movements until the navigation channels can be surveyed and declared safe for passage.
- Coordinate completion of channel surveys as needed.
- Conduct maritime damage and risk assessments with emphasis on channels, bridges, anchorages, piers, and wharves.

- Initiate a post-hurricane Port Coordination Team conference call to assess, outline, and prioritize the recovery effort for the COTP Zone.

All hurricane informational documents will be posted to Homeport under the “Safety and Security” section for Morgan City, and may be accessed via the following link:

<http://homeport.uscg.mil/morgancity>

If you have any questions, please contact Marine Safety Unit Morgan City’s Planning staff at (985) 380-5318 or the Waterways Management staff at (985)380-5334.



D. G. McClellan
Captain, U.S. Coast Guard
Captain of the Port
Morgan City, Louisiana



Marine Safety Information Bulletin

06-16

May 27, 2016

HURRICANE SEASON BEGINS JUNE 1st

All facilities, vessels, service companies, and organizations in the Port Arthur Captain of the Port Zone should have their hurricane plans completed prior to the beginning of hurricane season.

If deep draft vessels expect to remain in port during a hurricane, a Heavy Weather Plan and *Remaining in Port Checklist* must be completed and submitted to MSU Port Arthur at least 72 hours prior to the arrival of gale force winds.

Hurricane Planning Information, including the *Remaining in Port Checklist* for ships and tug/barges, is available at <http://www.uscg.mil/d8/vtportarthur/hurricanes.asp> and [http://homeport.uscg.mil/contingency plans/local contingency plan](http://homeport.uscg.mil/contingency%20plans/local%20contingency%20plan).

From our experience with previous storms, the following recommendations are offered:

- Deep draft vessels should depart the port for sea, when at all possible, well in advance of approaching tropical weather systems.
- Commercial boat and barge tows that normally transit the Intracoastal Waterway should depart the area or move as far inland as possible on our rivers and bayous in order to establish secure moorings.
- Facilities with storage tanks should take preventative action to secure their tanks by any appropriate means, including pressing up, flooding, or cutting holes.
- Commercial fishing vessels that cannot leave port should find shelter as far north on our rivers and bayous as possible to increase their chances of surviving a tropical weather system. When Hurricane RITA, a Category Two storm, made landfall in 2005, not one of the approximately 80 commercial fishing vessels that were moored in the Sabine River south of Texaco Island survived. However, fishing vessels that sought shelter on the upper Neches River during Hurricane IKE in 2008 suffered little or no damage.

In order to ensure continuity of Coast Guard operations during a significant storm, MSU Port Arthur personnel will relocate to a secure area and establish a remote Command Post prior to arrival of the tropical weather system. Communications from the Command Post will be facilitated by all available means, including radios, mobile telephones, email, and Web site postings.

This notice will be posted on the HOMEPORT website at <http://homeport.uscg.mil>. If you have any questions, please contact MSU Port Arthur at (409) 723-6500.


R. S. OGRYDZIAK
Captain, U.S. Coast Guard
Captain of the Port

MARINE SAFETY INFORMATION BULLETIN

Volume XV Issue: 068

Time: 0930

Date: JUN 01 2016

Hurricane Season 2016

The 2016 Hurricane Season commences June 1st and continues through November 30th. You are strongly encouraged to review your existing hurricane plan or develop a plan if you do not have one. It is extremely important to decide in advance how to minimize your risk and be prepared to evacuate, if necessary.

The Captain of the Port (COTP) will be setting hurricane port conditions in accordance with the Maritime Hurricane Contingency Port Plan (MHCPP). The MHCPP is available at Coast Guard Homeport at <http://homeport.uscg.mil/nola>. You are encouraged to review this plan. It describes what actions the COTP will take in anticipation of a hurricane or tropical weather conditions. This plan outlines the requirements of each port condition and includes information regarding vessel movements and mooring requirements during anticipated landfall.

Furthermore, the COTP would like to emphasize the importance of properly maintaining and securing your equipment during hurricane season.

Important hurricane-related information will be provided to the maritime community, as needed, through Marine Safety Information Bulletins (MSIB) and Broadcast Notice to Mariners (BNM).

Hurricane Regulated Navigation Area (RNA) Annual Operation Plans

The Coast Guard published the newly revised Hurricane Final RNA in April of 2014. In order to comply with the new requirements of the RNA, you are strongly encouraged to thoroughly review the Regulation in 33 CFR 165.838. According to the RNA, all floating vessels are prohibited from entering or remaining in the IHNC, Harvey Canal, and Algiers Canal, while the RNA is enforced; however, the COTP may review Annual Hurricane Operation Plans, including mooring systems certified by Professional Engineers, which ensure compliance with the newly promulgated RNA Final Rule. Plans should be submitted as soon as possible, as this RNA will be enforced in its entirety for the 2016 Hurricane Season. The official Federal Register citation for this rule is 79 FR 21129. The Code of Federal Regulations (CFR) citation for this rule is 33 CFR 165.838.

Major Operation Plan requirements for vessels that intend on remaining within the RNA:

- **West Side:** Certification by a professional engineer that mooring arrangements will withstand winds of up to 140 mph, surge water level of 11 ft, current of 4 mph, and wave height of 3 feet in the RNA.
- **East Side:** Certification by a professional engineer that mooring arrangements will withstand winds of up to 140 mph, surge water level of 8 ft, current of 4 mph, and wave height of 2.5 feet in the RNA.
- Description of the maximum number of vessels intended to be moored at a facility's location.
- Detailed plans for any vessels which will be sunken or grounded in place in the event of RNA enforcement.
- Diagram of the facility and fleeting area.
- Vessel name, call sign, official number, and operational status of machinery onboard

MARINE SAFETY INFORMATION BULLETIN

Volume XV Issue: 068

Time: 0930

Date: JUN 01 2016

Hurricane Season 2016

- Vessel characteristics.
- 24-hour emergency contacts for qualified individuals.

In addition to the professional engineer certification, facility owners shall comply with or complete the following:


- Provide full insurance disclosure to the COTP. Vessels moored to a facility shall provide insurance information to the facility.
- Complete weekly inspections during hurricane season.
- Maintain facility records of inspections.
- Meet on-scene tug boat requirements during an approaching tropical event.

Once again, detailed requirements mentioned above can be found in the actual Final Rule at the Federal Register, or in 33 CFR 165.838.

For further information, contact:

Coast Guard Waterways Management: (504) 365-2280

Coast Guard Sector New Orleans Command Center: (504) 365-2200


CAPT W.R. ARGUIN JR.
Acting Captain of the Port, New Orleans

MARINE SAFETY INFORMATION BULLETIN

MSIB 010-16

Date: May 14, 2016

GREEN CANYON BLOCK 248 OIL SPILL RESPONSE

The Coast Guard is responding to an estimated 88,000 gallon oil spill originating from a subsea flow line in Green Canyon Block 248, approximately 95 miles south of Timbalier Island, LA. The source of the spill has been secured and recovery efforts are ongoing. NOAA trajectories and aerial observations indicate surface oil is projected to continue to travel in a westerly direction with no shoreline impact expected.

Vessels transiting in the vicinity of the following blocks may potentially encounter visible surface oil:

-Green Canyon Blocks 145 through 150, and south to Green Canyon Blocks 629 through 634. The affected area may include all blocks within this range.

As recovery efforts and natural dispersion continue over the next several days, the likelihood of encountering significant surface oil will diminish. Mariners are urged, however, to maintain a sharp lookout for surface oil and remain clear of recovery vessels.

If you have any questions, please contact the Incident Command Post via the following website:
<http://forms.shell.com/en/us/contact-deepwater.html>.



D. G. McClellan
Captain, U.S. Coast Guard
Captain of the Port
Morgan City, Louisiana

With the planning for the use of the GIWW Alternate Route- from Baptiste Collette to Gulport, marine and coastal weather, winds, sea state are a very important issue for safe transits by the tow and other navigation interests.

Spot weather and marine forecasts are available from NOAA using the NOAA NWS EDD site, the link is -- <http://preview.weather.gov/edd/>
<https://urldefense.proofpoint.com/v2/url?u=http-3A__preview.weather.gov_edd_&d=CwMCAQ&c=0NKfg44GVknAU-XkWXjNxQ&r=nEPe3hNapQR0cCEMUUymIjpFTIDYVxkWOFAprOyZuo&m=6pN1tkbp3QhMmR1e6uw9r8CJif4WXawAzglE0eq8jiQ&s=Bpu5GHHMBEXvnpXcUp15KZaSCA6vZ5K2--ZCP11IOY&e=>

I have set up a specific view of the area of the Alternate Route transit area. You can see this on your computer by clicking on the link--
<http://go.usa.gov/chU8G> <https://urldefense.proofpoint.com/v2/url?u=http-3A__go.usa.gov_chU8G&d=CwMCAQ&c=0NKfg44GVknAU-XkWXjNxQ&r=nEPe3hNapQR0cCEMUUymIjpFTIDYVxkWOFAprOyZuo&m=6pN1tkbp3QhMmR1e6uw9r8CJif4WXawAzglE0eq8jiQ&s=SM0R63aLwoJouN6JWi_gFETJPaiuDGsAx00KdDQF6TY&e=>

However- anyone using this Route can scroll into the area of the transit, from the opening map, click on a spot of the transit, and then see a forecast table appear. You can then click on the various tabs at the top of the table for weather and marine forecasting.

<http://preview.weather.gov/edd/>
<https://urldefense.proofpoint.com/v2/url?u=http-3A__preview.weather.gov_edd_&d=CwMCAQ&c=0NKfg44GVknAU-XkWXjNxQ&r=nEPe3hNapQR0cCEMUUymIjpFTIDYVxkWOFAprOyZuo&m=6pN1tkbp3QhMmR1e6uw9r8CJif4WXawAzglE0eq8jiQ&s=Bpu5GHHMBEXvnpXcUp15KZaSCA6vZ5K2--ZCP11IOY&e=>

<http://go.usa.gov/chU8G> <https://urldefense.proofpoint.com/v2/url?u=http-3A__go.usa.gov_chU8G&d=CwMCAQ&c=0NKfg44GVknAU-XkWXjNxQ&r=nEPe3hNapQR0cCEMUUymIjpFTIDYVxkWOFAprOyZuo&m=6pN1tkbp3QhMmR1e6uw9r8CJif4WXawAzglE0eq8jiQ&s=SM0R63aLwoJouN6JWi_gFETJPaiuDGsAx00KdDQF6TY&e=>

Use of the NOAA NWS EDD Route Forecasting- using the left hand controls- scroll down to 'Mouse Click Control' and select the tab underneath it and click 'Marine Travel Hazard Forecast'

I selected a route from Baptiste Collette to Gulfport- with the tow leaving the mouth of Baptiste Collette at noon today. I selected the speed of the transit at 5 knots and then clicked on the 'Go' button-

As you scroll along the line of the transit-- you will see the time the tow will arrive there and the marine conditions at that time, at that location.

Below you will find a NOAA NWS YouTube tutorial for you to learn more about this resource.

YouTube tutorial for using the NOAA NWS EDD Travel Forecast Resource

<https://www.youtube.com/watch?v=h8NFZ8mrHN0>
<https://urldefense.proofpoint.com/v2/url?u=https-3A__www.youtube.com_watch-3Fv-3Dh8NFZ8mrHN0&d=CwMcaQ&c=0NKfg44GVknAU-XkWXjNxQ&r=nEpe3hNapQR0cCEMUymIjpFTIDYVxkWOXFAprOyZuo&m=6pNltkbp3QhMmRle6uw9r8CJif4WXawAzglE0eq8jiQ&s=QanL38A79Wm7z5T1bVVMUhwuDjAMndZ3Px7_YPCj0rI&e=>