

U.S. Department of Homeland Security

United States Coast Guard

LOCAL NOTICE TO MARINERS

District: 14 Week: 19/24

> May 08, 2024 ISSUED BY: Commander (dpw) Fourteenth Coast Guard District 300 Ala Moana Boulevard, Room 9-220 Honolulu, HI 96850-4982 Telephone: (808) 535-3409 Email: D14-DG-PJ-dpw@uscg.mil Website: https://www.navcen.uscg.gov/

Note:

Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity, possibly beneath the surface. Any life threatening or hazardous conditions including off station, missing, or inoperative aids to navigation should reported immediately to U.S. Coast Guard Sector Honolulu at (808) 842-2600 and U.S. Coast Guard Sector Forces Micronesia/Sector Guarn at (671) 355-4822. Mariners should proceed with caution.

References:

Light List, Volume VI, Pacific Coast and Pacific Islands, 2024 Edition (COMDTPUB P16502.6).

U.S. Coast Pilot 10, Pacific Coast: Oregon, Washington, Hawaii, Pacific Islands 2023 (4th Edition). Coast Pilots, along with corrections, are ready for free download and weekly updates at www.nauticalcharts.noaa.gov/publications/coast-pilot/index.html.

> Only Print-on-Demand (POD) bound copies are available for purchase; visit nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot.

Navigation information having been of immediate concern to the mariner, and promulgated by the following broadcasts, have been incorporated in this notice when still significant:

COMCOGARD SECTOR HONOLULU HI BNMs: 0056-24

COMCOGARD SECTOR FORCES MICRONESIA/SECTOR GUAM BNMs: 0149-24 to 0153-24

ABBREVIATIONS

A through H

ADRIFT - Buov Adrift

AICW - Atlantic Intracoastal Waterway

Al - Alternating B - Buoy

BKW - Breakwater bl - Blast

BNM - Broadcast Notice to Mariner

bu - Blue C - Canadian CHAN - Channel

CGD - Coast Guard District

C/O - Cut Off CONT - Contour CRK - Creek

CONST - Construction DAYMK/Daymk - Daymark DBN/Dbn - Daybeacon DBD/DAYBD - Dayboard DEFAC - Defaced DEST - Destroyed DISCON - Discontinued DMGD/DAMGD - Damaged

ec - eclipse EST - Established Aid

ev - every **EVAL** - Evaluation EXT - Extinguished

F - Fixed fl - flash

I through O

I - Interrupted

ICW - Intracoastal Waterway IMCH - Improper Characteristic

INL - Inlet INOP - Not Operating

INT - Intensity ISL - Islet Iso - Isophase kHz - Kilohertz LAT - Latitude

LB - Lighted Buoy LBB - Lighted Bell Buoy LHB - Lighted Horn Buoy LGB - Lighted Gong Buoy

LONG - Longitude LNM - Local Notice to Mariners

LT - Light

LT CONT - Light Continuous

LTR - Letter

LWB - Lighted Whistle Buoy LWP - Left Watching Properly

MHz - Megahertz MISS/MSNG - Missing Mo - Morse Code

MRASS - Marine Radio Activated Sound Signal

MSLD - Misleading N/C - Not Charted

NGA - National Geospatial-Intelligence Agency

NO/NUM - Number

P through Z

PRIV - Private Aid

Q - Quick R - Red

RACON - Radar Transponder Beacon

Ra ref - Radar reflector RBN - Radio Beacon REBUILT - Aid Rebuilt RECOVERED - Aid Recovered

RED - Red Buoy REFL - Reflective RRL - Range Rear Light RELIGHTED - Aid Relit RELOC - Relocated

RESET ON STATION - Aid Reset on Station

RFL - Range Front Light

RIV - River

RRASS - Remote Radio Activated Sound Signal

s - seconds SEC - Section SHL - Shoaling si - silent SIG - Signal SND - Sound

SPM - Single Point Mooring Buoy

SS - Sound Signal STA - Station STRUCT - Structure St M - Statute Mile

TEMP - Temporary Aid Change

FI - Flashing G - Green GIWW - Gulf Intracoastal Waterway HAZ - Hazard to Navigation HBR - Harbor NOS - National Ocean Service NW - Notice Writer OBSCU - Obscured OBST - Obstruction OBSTR - Obstruction Oc - Occulting ODAS - Anchored Oceanographic Data Buoy TMK - Topmark
TRLB - Temporarily Replaced by Lighted Buoy
TRLT - Temporarily Replaced by Light
TRUB - Temporarily Replaced by Unlighted Buoy
USACE - Army Corps of Engineers
W - White
Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

MSLD SIG - Misleading Signal

HOR - Horizontal Clearance

HT - Height

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

*** CANCELLATION OF NOAA PAPER AND RASTER NAUTICAL CHARTS ***

The National Oceanic and Atmospheric Administration (NOAA) is undertaking a multi-year program to end production and maintenance of its suite of over 1,000 traditional paper nautical charts and all associated raster chart products and services, including: Print-on-Demand (POD) paper nautical charts, Full-size chart PDF files, BookletChart™ PDF files, NOAA raster navigational charts (NOAA RNC®), the NOAA RNC tile service, and the online RNC viewer.

Six months notice of the intent to cancel a specific chart is provided in a "Last Edition" notice. The final cancellation of a chart is made in a "Canceled" notice. Both types of notices will appear in LNM Section IV, "Chart Correction." A comprehensive list of all canceled NOAA charts is available at: http://www.charts.noaa.gov/MCD/Dole.shtml.

Traditional paper nautical chart production is ending to enable the creation and maintenance of larger scale, more up-to-date, higher quality coverage of NOAA's electronic navigational chart (NOAA ENC®) product. This will significantly enhance the amount of charted detail available to mariners. More information about NOAA's program to sunset traditional paper charts is on the NOAA Coast Survey website at: https://nauticalcharts.noaa.gov/charts/farewell-to-traditional-nautical-charts.html

An online NOAA Custom Chart application at: https://devgis.charttools.noaa.gov/pod is available to create chart images from ENC data, which may then be printed. Notices to Mariners will not be issued for NOAA Custom Charts.

SAFETY NOTICE - NAVIGATIONAL RANGE AND SECTOR LIGHTS ON ELECTRONIC CHARTS (39/22)

The U.S. Coast Guard has become aware that the Range and Sector Light Characteristic labels are not displayed on Electronic Navigational Charts (ENCs) when used in an Electronic Chart Display and Information System (ECDIS) due to limitations of the S-52 ECDIS display specification. Mariners may query the ENC data directly within ECDIS or refer to the Light List for complete information on Range and Sector Light Characteristics.

NEW MERCHANT MARINER CREDENTIAL PASSPORT BOOKLET (09/24)

The U.S. Coast Guard announced a new merchant mariner credential (MMC) set to launch on March 1, 2024. This milestone marks the first comprehensive revision of the mariner credential in nearly a decade and is strategically designed to enhance both quality of service and security within the Marine Transportation System (MTS). U.S. Coast Guard Marine Safety Information Bulletin (MSIB) 01-24, New Merchant Mariner Credential Passport Booklet Replacement, has been posted on the DCO's MSIB Site and announced at the National Maritime Center (CG-NMC) Home Page (uscq.mil). Please visit these resources for more information on the credential.

PACIFIC OCEAN - HAZARD TO NAVIGATION - MARINE DEBRIS (07/12)

With the increase in ocean debris sightings along the coastlines of the Pacific Ocean, mariners are reminded to submit debris sighting reports to the National Oceanic and Atmospheric Administration (NOAA) Marine Debris Program at DisasterDebris@noaa.gov, and the University of Hawaii oceanographic research center at marinedebris@soest.hawaii.edu. For inshore sightings, please use the State of Hawaii https://dlnr.hawaii.gov/dobor/reportmarinedebrishawaii/.

HI ISLANDS - HAWAII - HILO HARBOR - AIS TEMPORARY DEACTIVATION (07/19)

All mariners be advised the Coast Guard has temporarily deactivated AIS broadcasting for the following aids to navigation in the Hilo, HI area:

28035 Hilo Harbor Entrance Lighted Buoy 1 AIS: MMSI 993699986 28040 Hilo Harbor Breakwater Light AIS: MMSI 993699987 28055 Hilo Harbor Lighted Buoy 3 AIS: MMSI 993699985 28070 Hilo Harbor Lighted Buoy 4 AIS: MMSI 993699984

HI ISLANDS - HAWAII - ISAAC HALE PARK (02/19)

The waterway leading to Pohoiki Bay boat ramp at Isaac Hale Park is un-navigable due to shoaling and sand accumulation. All mariners are requested to use caution when transiting the channel leading up to the ramp. POC: DLNR DOBOR, Hawaii District (808) 327-3690 https://dlnr.hawaii.gov/dobor/

HI ISLANDS - HAWAII - WAILOA BASIN SHOALING (05/24)

There has been a report of increased shoaling at the entrance to Wailoa River. The shoaling is most severe between Wailoa Basin Channel Lights 1 and 2 (Light List numbers 28120 and 28125) and at low tides. All mariners are advised to use caution when transiting the channel. Reported by: Wailoa River and Reeds Bay Boating and Users Association

HI ISLANDS - MAUI - KAHULUI HARBOR DREDGE PROJECT (01/24)

Dredging Operations at the Kahului Harbor under contract by the US Army Corps of Engineers, Honolulu District. Our clamshell dredge, "DB Morty" will carry out dredging operations. The tug "Ocean Eagle" will serve as our tending tug during disposal operations. Support will also be supplied by the tender tug "Becky T" All equipment will monitor Channel 13, 14, and 80.

Our Dredging operations will commence on or about March 05, 2024 and end on or about April 15, 2024. During this time we will be operating 24 hours / 7 days / week between the Kahului Harbor and

Kahului Ocean Dredged Material Disposal Site (ODMDS) located at approximately 21 4' 30.6" and 156 28'49.5". Our Operations Manager Mr. Dennis Salyers can be reached at (415) 497-5289.

Mariners are advised to use extreme caution while transiting the dredge area. Request mariners to transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made. In the event you have questions concerning our request for a Notice to Mariners, please contact me at (253) 820-5009.

The following buoys will be temporarily relocated starting late January 2024:

Kahului Harbor Buoy 5 (LLNR 28360)

Kahului Harbor Lighted Buoy 6 (LLNR 28365)

Kahului Harbor Lighted Buoy 8 (LLNR 28370)

Kahului Harbor Buoy 10 (LLNR 28375)

Kahului Harbor Lighted Buoy 12 (LLNR 28380)

HI ISLANDS - MAUI - KAUNAKAKAI HARBOR DREDGE PROJECT (05/24)

Dredging Operations at the Kaunakakai Harbor under contract by the US Army Corps of Engineers, Honolulu District. Our clamshell dredge, "DB Morty" will carry out dredging operations. The tug "Ocean Eagle" will serve as our tending tug during disposal operations. Support will also be supplied by the tender tug "Becky T" All equipment will monitor Channel 13, 14, and 80.

Our Dredging operations will commence on or about April 15, 2024 and end on or about May 30, 2024. During this time we will be operating 24 hours / 7 days / week between the Kahului Harbor and Kahului Ocean Dredged Material Disposal Site (ODMDS) located at approximately 21 4′ 30.6″ and 156 28′49.5″. Our Operations Manager Mr. Dennis Salyers can be reached at (415) 497-5289.

Mariners are advised to use extreme caution while transiting the dredge area. Request mariners to transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made. In the event you have questions concerning our request for a Notice to Mariners, please contact me at (253) 820-5009.

The following buoy will be reloacated started January 2024: Kaunakaki Harbor Buoy 5 (LNR 28625)

HI ISLANDS - MAUI - MALA WHARF SHOALING (32/22)

There has been a report of increased shoaling around Mala Wharf. At low tide, the Mala Wharf Boat Ramp also becomes dangerously shallow with waters less than 03 feet. All mariners are requested to use caution while loading and unloading at Mala Wharf Boat Ramp and when transiting the channel. POC: DLNR DOBOR, Maui District (808) 243-5824

HI ISLANDS - MAUI - MAALAEA HARBOR SHOALING

Report of shoaling within Maalaea Harbor, Maui. The shoaling berm, which runs parallel to the Southern seawall may pose a significant impact to the charted draft. All vessels transiting in and out of the harbor are advised to do so with caution.

HI ISLANDS - MAUI - LAHAINA HARBOR SHOALING (34/22)

There have been numerous reports of shoaling around Lahaina Harbor. All mariners are requested to transit the area with caution and report any observed changes in shoaling conditions to DLNR DOBOR at (808) 243-5824 and Marine Safety Team Maui at MSTMaui@uscg.mil

HI ISLANDS - OAHU - MAUNALUA BAY SHOALING (05/22)

There has been a report of increased shoaling in Maunalua Bay, between Maunalua Bay Daybeacon 1A (LLNR 28935) and Maunalua Bay Daybeacon 2 (LLNR 28940) when transiting to and from Hawaii Kai. At mean low tide, the Maunalua Bay Boat Ramp also becomes dangerously shallow. All mariners are requested to use caution while loading and unloading at Maunalua Bay Boat Ramp and when transiting the channel. POC: DLRN DOBOR at (808) 587-1966 / (808) 832-3520 or website listing: https://dlnr.hawaii.gov/dobor/contact/

HI ISLANDS - OAHU - PEARL HARBOR DREDGE PROJECT (16/24)

Dredging operations will commence on or about April 22, 2024 in Pearl Harbor around Light 17. Our Operations Manager Mr. Tas Bangash can be reached at (808) 979-6751.

Mariners are advised to use extreme caution while transiting the dredge area. Request mariners to transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made.

The following Aid to Navigation will be affected as temporary disestablished: Pearl Harbor Light 17 (29445)

EGS GROUP SUBSEA SURVEY OPERATIONS IN PACIFIC US WATERS AND HAWAIIAN ISLANDS (04/24)

The R/V Bold Explorer will be conducting an undersea telecommunications cable survey from February 2024 through March 2024 in US / Guam / Tinian marine waters along the red route: See Enclosure 6
Operation:

24/7 cable route survey operations including the stern deployment of a tethered sonar towfish at varying water depths to collect geophysical/bathymetric data for a proposed undersea cable. The maximum water depth of tow operations will be 1500 meters. The sonar sensor will be towed approx. 20-40 meters from the seafloor and up to 3 kilometers behind the vessel. The survey corridor is 500 meters centered on the survey centerline. Operations in water depths from 20m to 1500m will utilize an over the side towed sensor. Operations in water depths greater than 1500 meters will utilize hull mounted equipment.

Survey Ship: R/V "Bold Explorer" IMO 8835085, 68meters LOA

Call Sign: C6GJ2

Flag: Commonwealth of The Bahamas VHF: Monitoring Channels 16 & 13.

Activity: Undersea Telecommunications Cable Route Survey

Location: Hawaii Federal/State Waters Activity Period: February 2024 – March 2024

24 hr. Contact: Bridge VSAT PHONE: +1 929 481 5774

ISAT Phone: +870 776 114 988

BE MMSI: 311001260

E-mail: becaptain@egssurvey.com (Captain/Bridge)LOCATION

All vessels and fishing activity requested to maintain a 1 nautical mile (1nm) closest point of approach (CPA) - Limited maneuverability -

MARINA ISLANDS - GUAM - CABLE LAYING OPERATION (13/24)

Notice is hereby given that between 10 April and 10 May 2024, the cable ship CS DEPENDABLE will be operating and laying a cable between Agat, Guam and the U.S. EEZ. Coordinates of the cable installation route including major turning points:

- Start (Agat, Guam): 13.36189, 144.6479
- 13.37427, 144.5481
- 13.28477, 144.4213
- 13.15708, 144.4018
- End (U.S. EEZ): 13.24495, 141.2032

All vessels associated with these operations will monitor VHF channels 13 and 16 and will display lights and shapes as required by the International Regulations for Preventing Collisions at Sea.

No anchoring will be performed during operations.

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL	VID6/

LLNR	Aid Name	Status	Chart No.	BNM Ref. LI	NM St	LNM End
28085	Hilo Harbor Lighted Buoy 7	OFF STA		SCC Hono 034-2, 08	3/24	
28340	Kahului Harbor Entrance Range Front Light	LT IMCH	19340	SCC Hono 146-2: 33	3/23	
28470	Lahaina Boat Basin Range Front Light	STRUCT DEST		SCC Hono 148-2: 33	3/23	
28475	Lahaina Boat Basin Range Rear Light	STRUCT DMGD		SCC Hono 147-2: 33	3/23	
28510	Hawea Point Light	DAYMK MISSING	19340	SCC Hono 090-2: 20)/23	
28520	Pohakuloa Point Light	LT EXT	19340	SCC Hono 213-2: 45	5/21	
28700	Kaneohe Bay Channel Daybeacon 5	DAYMK IMCH	19359	SCC Hono 140-2: 31	L/23	
28725	Kaneohe Bay Channel Daybeacon 9	DAYMK MISSING	19359	SCC Hono 052-24 17	7/24	
29445	Pearl Harbor Light 17	LT EXT/DAYMK MISSING	19366	SCC Hono 048-2, 16	5/24	
29770	Nawiliwili Harbor Breakwater Light	LT EXT/DAYMK MISSING		SCC Hono 095-2: 38	3/22	
30185	Breakers Point Light	LT EXT		SCC Hono 011-2: 05	5/23	
30675	Agana Small Boat Basin Approach Light 1	LT EXT	81048	SCC Guam 088-2 11	L/24	
30680	Agana Small Boat Basin Approach Light 2	LT EXT	81048	SCC Guam 089-2 11	L/24	
30745	Cabras Island Channel Light 4	REDUCED INT	81054	SCC Guam 087-2 10)/23	
30751	Piti Channel Entrance Light 1	STRUCT DEST/HAZ NAV	81054	SCC Guam 195-2 22	2/23	
30752	Piti Channel Entrance Light 2	STRUCT DEST	81054	SCC Guam 212-2 22	2/23	
30811	Agat Harbor Entrance Lighted Buoy AG	BUOY DMGD	81048	SCC Guam 202-2 22	2/23	

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
29654.2	Barbers Point Harbor Entrance Channel Light 6	WATCHING PROPERLY	19357		18/24	19/24
29654.3	Barbers Point Harbor Entrance Channel Light 7	WATCHING PROPERLY	19357		18/24	19/24

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
28007.22	FAD Site WH1	MISSING	19320	SCC Hono 021-18	18/15	
28007.25	FAD Site F - Kailua Kona, Hawaii	OFF STA	19320	SCC Hono 194-2.	48/23	
28007.29	FAD Site XX - Puako, Hawaii	MISSING	19320	SCC Hono 023-2	06/24	
28007.33	FAD Site DD - Opana Point, Maui	MISSING	19340	SCC Hono 008-2	02/24	
28007.42	FAD SITE MTBC 2	MISSING	19004	SCC Hono 030-22	06/22	
28008.01	FAD Site M - Hana Bay, Maui	MISSING	19320		19/24	
28008.03	FAD Site NL - Nuu Landing, Maui	MISSING	19320		19/24	
28008.05	FAD Site GG - Nakaohu Point, Maui	MISSING	19320		19/24	
28008.19	FAD Site CC - Kaena Point, Lanai	MISSING	19340	SCC Hono 024-2	06/24	
28008.33	FAD Site P - Penguin Bank, Oahu	MISSING	19339	SCC Hono 165-2.	39/23	
28008.35	FAD Site HH - Pearl Harbor, Oahu	MISSING	19340	SCC Hono 143-22	49/22	
28008.37	FAD Site BO - Barbers Point, Oahu	MISSING	19380	SCC Hono 025-2	06/24	
28009.01	FAD Site R - Makaha, Oahu	MISSING	19004	SCC Hono 026-2	06/24	
28009.09	FAD Site J - Wailalee, Oahu	MISSING	19380	SCC Hono 005-2	02/24	
28009.13	FAD Site BB - Moloaa, Kauai	MISSING	19380	SCC Hono 027-2	06/24	
28009.15	FAD Site DK - Anahola, Kauai	OFF STA	19004	SCC Hono 006-2	02/24	

28009.17	FAD Site WK - Wailua, Kauai	MISSING	19380	SCC Hono 153-2: 37/23
28009.23	FAD Site PP - Koloa, Kauai	MISSING	19380	SCC Hono 180-2: 43/23
28271	Kawaihae LT Draft Harbor Buoy 2	MISSING		SCC Hono 129-2; 29/23
28271.1	Kawaihae LT Draft Harbor Buoy 3	MISSING		SCC Hono 183-2: 44/23
28271.3	Kawaihae LT Draft Harbor Buoy 6	MISSING		SCC Hono 184-2: 44/23
28381.1	Kahului Boat Ramp Buoy 1	MISSING		SCC Hono 187-2(30/20
28381.2	Kahului Boat Ramp Buoy 2	MISSING		SCC Hono 187-2(30/20
28381.3	Kahului Boat Ramp Buoy 3	MISSING		SCC Hono 187-2(30/20
28381.4	Kahului Boat Ramp Buoy 4	MISSING		SCC Hono 187-2(30/20
28381.5	Kahului Boat Ramp Buoy 5	MISSING		SCC Hono 187-2(30/20
28381.6	Kahului Boat Ramp Buoy 6	MISSING		SCC Hono 187-2(30/20
28381.8	Kahului Boat Ramp Buoy 8	MISSING		SCC Hono 187-2(30/20
28381.9	Kahului Boat Ramp Buoy 9	MISSING		SCC Hono 187-2(30/20
28395	Hana Bay Daybeacon	DAYMK DMGD/STRUCT DMGD		SCC Hono 061-2; 18/22
28427	Maalaea Basin Channel Lighted Buoy 1	ADRIFT/LT EXT		SCC Hono 158-1 22/18
28430	Maalaea Basin Channel Lighted Buoy 2	LT EXT		SCC Hono 017-2: 06/23
28480	Lahaina Boat Basin Lighted Buoy 3	MISSING		SCC Hono 177-1 28/18
28495	Lahaina Boat Basin Lighted Buoy 6	OFF STA		SCC Hono 196-2: 48/23
28500	Lahaina Boat Basin Lighted Buoy 7	MISSING		SCC Hono 238-11 46/18
28505	Lahaina Boat Basin Lighted Buoy 8	OFF STA		SCC Hono 169-2: 41/23
28507.5	Mala Channel Light 5	LT EXT		SCC Hono 283-2(45/20
28507.6	Mala Channel Light 6	LT EXT		SCC Hono 284-2(45/20
28630	Kaunakakai Small Boat Harbor Buoy 1	SINKING		SCC Hono 223-2: 46/21
28674.04	WETS 4	MISSING	19359	SCC Hono 010-1 02/18
28674.05	WETS 5	MISSING	19359	SCC Hono 011-1(02/18
28895	Makai Channel Daybeacon 3	DAYMK MISSING	19358	SCC Hono 038-1! 11/19
28900	Makai Channel Daybeacon 4	MISSING	19358	SCC Hono 038-1! 11/19
29010	Maunalua Bay Daybeacon 16	HAZ NAV/DAYMK DMGD	19358	SCC Hono 050-2; 07/22
29100	Ala Wai Boat Harbor Channel Range	Status Unreported	19369	SCC Hono 049-2, 17/24
29105	Front Light Ala Wai Boat Harbor Channel Range	LT EXT	19369	SCC Hono 162-2: 39/23
20115	Rear Light	OFF CTA/CINIVING	10260	CCC Hama 070 3' 30/33
29115 29125	Ala Wai Boat Harbor Channel Buoy 4	OFF STA/SINKING	19369 19369	SCC Hono 079-2; 29/22
29125	Ala Wai Boat Harbor Channel Daybeacon 6	DAYMK DMGD	19309	SCC Hono 174-1 27/18
29135	Ala Wai Boat Harbor Channel Daybeacon 8	DAYMK DMGD	19369	SCC Hono 175-18 27/18
29315	Keehi Lagoon Barge Turning Channel Range Front	REDUCED INT	19367	SCC Hono 312-2(52/20
29325	Keehi Lagoon Barge Turning Basin Buoy 2	OFF STA	19367	SCC Hono 085-1; 16/12
29368	PacIOOS Wave Lighted Buoy Pearl Harbor	MISSING	19366	SCC Hono 040-2 [,] 11/24
29600	Barbers Point Anchorage Area Bravo Tank Terminal Lighted Buoy A	LT EXT	19362	SCC Hono 001-2; 01/22
29656	West Beach Marina Light 2	LT EXT	19362	SCC Hono 266-1: 40/17
29734.6	HOT site surface mooring buoy	OFF STA	19013	SCC Hono 29/22
29900	Kikiaola Boat Harbor Range Front Light	DAYMK DMGD		SCC Hono 186-2: 45/23
29901	Kikiaola Boat Harbor Range Rear Light	DAYMK DMGD		SCC Hono 187-2: 45/23
30602	PacIOOS Wave Lighted Buoy Ipan	MISSING	81048	07/24
30603	FAD Site "Cocos" - Guam	LT EXT	81048	SCC Guam 014-1 03/19
30612	FAD Site "FACPI 2" - Guam	MISSING	81048	SCC Guam 082-1 09/19
30624	FAD Site "Number 2" - Guam	OFF STA	81048	SCC Guam 146-1 12/14
30631	FAD Site "Number 3"	MISSING	81048	SCC Guam 083-1 09/19

30634	FAD Site "Number 4"	MISSING	81048	SCC Guam 011-1 03/19
30637.1	FAD Site GF1	MISSING	81048	SCC Guam 041-1 03/18
30640	FAD Site "Number 5"	LT EXT	81048	SCC Guam 607-1 47/18
30650	PacIOOS Wave Lighted Buoy Ritidian	MISSING	81048	SCC Guam 197-2 22/23
30787	Drydock Point West Entrance Daybeacon 1	DAYMK MISSING	81054	SCC Guam 707-1 44/17
30811.3	Agat Small Boat Harbor Light 3	LT EXT	81048	SCC Guam 178-1 18/19
30811.9	Agat Small Boat Harbor Daybeacon 9	DAYMK IMCH	81048	SCC Guam 092-1 07/18
30815	Mamaon Channel Lighted Buoy 1	OFF STA	81048	SCC Guam 718-1 45/17
30820	Mamaon Channel Lighted Buoy 2	OFF STA	81048	SCC Guam 506-1 39/18
30851.1	FAD Site EE - Rota	MISSING	81004	SCC Guam 195-2 20/22
30851.2	FAD Site DD - Rota	MISSING	81004	SCC Guam 303-1 30/19
30851.3	FAD Site DE - Rota	MISSING	81004	SCC Guam 084-2 10/23
30852.16	Fad Site FF - Saipan	MISSING	81067	SCC Guam 077-2 11/24
30852.17	FAD Site GG - Saipan	MISSING	81067	SCC Guam 077-2 11/24
30852.18	Fad Site HH - Saipan	MISSING	81067	SCC Guam 077-2 11/24
30852.19	FAD Site II - Saipan	MISSING	81067	SCC Guam 083-2 10/23
30852.22	Fad Site LL - Saipan	MISSING	81067	SCC Guam 196-2 20/22
30913	Smiling Cove Lighted Buoy 1	MISSING	81076	SCC Guam 284-2 29/22

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
LLINK	Alu Ivallic	Status	CHAIL NO.	יייוויו אכוי	LINI'I JU	LINIYI LIIU

None

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St LNM End
			DNIM D-£	

None

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End

None

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
28365	Kahului Harbor Lighted Buoy 6	RELOCATED FOR DREDGING		SCC hono 011-24	03/24	
28370	Kahului Harbor Lighted Buoy 8	DISCONTINUED FOR DREDGING		SCC Hono 014-24	03/24	
28375	Kahului Harbor Buoy 10	RELOCATED FOR DREDGING		SCC Hono 012-24	03/24	
28380	Kahului Harbor Lighted Buoy 12	RELOCATED FOR DREDGING		SCC Hono 013-24	03/24	
28625	Kaunakakai Harbor Buoy 5	RELOCATED FOR DREDGING		SCC Hono 016-24	03/24	
28935	Maunalua Bay Daybeacon 1A	TRUB	19358		47/22	
29445	Pearl Harbor Light 17	Removed Light Equip / ICE	19366	SCC Hono 048-24	16/24	
30740	Cabras Island Channel Junction Lighted Buoy A	TRLB	81054		25/23	
30751	Piti Channel Entrance Light 1	TRUB	81054	SCC Guam 273-23	28/23	

TEMPORARY CHANGES CORRECTED

	LLNR	Aid Name	Status		Chart No.	BNM Ref.	LNM St	LNM End
None								
PLATFO	RM TEMPOR	ARY CHANGES						
Na	ıme		Status	Po	osition	BNM Ref.	LNM St	LNM End
None								
PLATFO	ORM TEMPOR	ARY CHANGES CORRE	CTED					
Na	ime		Status	Po	osition	BNM Ref.	LNM St	LNM End
None								
			SECTION IV - CHART	CORRECTI	ONS			
This sec	tion contains	corrective actions affecting	federally and privately maintaing chart(s). Corrections appear re to be corrected. The following	numerically by cha	art number, and pe	ertain to that cha	art only. chart correc	etion.
Chart Number I	Chart Edition	Edition Last Local Date to Mariner		Source of Correction	Current Local Notice to Marine	ers		
		19-APR-97 Last LNI W YORK HARBOR - RAF 5 NEW YORK HARBOR		CGD01	 27/97			
	l . Gree rective	ATIONAL DOCK CHANNE on can	EL BUOY 3	at 40-41-09.0 l . Position	001N 074-02-48.0	001W		
	ction ndicates that t	Action the chart correction action	is temporary in nature. Course	es and bearings a	re aiven in dearee	s clockwise fron	n 000 true	
Bearings 50	s of light secto 9th itle: North Pa	rs are toward the light from Ed. 01-DEC-15 cific Ocean (eastern par	n seaward. The nominal range Last LNM: 34/22 t) Bering Sea Continuation	e of lights is expres	ssed in nautical mi	les (NM) unless	otherwise i	noted. 19/24
			CEAN EASTERN PART. Pa		NOS			
	LAST EDITIC	Sep-24. Comparable o coverage is available. Nautical Charts" in Sec	art 50 will be published. It will I r larger scale Electronic Naviga See "Cancellation of NOAA Pap ttion I of this LNM for details. A s://www.charts.noaa.gov/MCD	tional Chart (ENC) er and Raster A list of all cancele)			
530 ChartT		h Ed. 01-DEC-15	Last LNM: 34/22 Diego to Aleutian Islands and	NAD 83 Hawai'ian Island	le.			19/24
Onarti			EUTIAN ISLANDS AND HAW					
	LAST EDITIO	Sep-24. Comparable o coverage is available. Nautical Charts" in Sec	art 530 will be published. It will r larger scale Electronic Naviga See "Cancellation of NOAA Pap ction I of this LNM for details. A s://www.charts.noaa.gov/MCD	tional Chart (ENC) er and Raster A list of all cancele	4)			
540 ChartT	19t ītle: Hawaiʻia	h Ed. 01-APR-08 n Islands	Last LNM: 12/11	NAD 83				19/24
	Main Panel 2	2407 HAWAIIAN ISLAND	OS. Page/Side: N/A		NOS			
	LAST EDITIO	Sep-24. Comparable o coverage is available. Nautical Charts" in Sec	art 540 will be published. It will r larger scale Electronic Naviga See "Cancellation of NOAA Pap ttion I of this LNM for details. A s://www.charts.noaa.gov/MCD	tional Chart (ENC) er and Raster A list of all cancele)			
19007 <i>ChartT</i>	ītle: Hawaiʻi t	h Ed. 01-DEC-06 o French Frigate Shoals	Last LNM: 39/11	WGS 84				19/24
	wam Panel 2	2704 NAWAII IU FRENC	:H FRIGATE SHOALS. Page/	Side: N/A	NOS			

LAST EDITION	(ENC) coverage is availa Nautical Charts" in Secti	t 19007 will be published. or larger scale Electronic ible. See "Cancellation of on I of this LNM for detai //www.charts.noaa.gov/N	Navigational Chart NOAA Paper and Raster Is. A list of all canceled		
	Ed. 01-APR-11 Islands southern part 765 HAWAIIAN ISLANDS	Last LNM: 04/15	WGS 84 age/Side: N/A		19/24
LAST EDITION	(ENC) coverage is availa Nautical Charts" in Secti	t 19010 will be published. or larger scale Electronic able. See "Cancellation of on I of this LNM for detai //www.charts.noaa.gov/N	Navigational Chart NOAA Paper and Raster Is. A list of all canceled	NOS 	
19013 19th ChartTitle: Hawaiian	Ed. 01-OCT-10 Islands northern part	Last LNM: 40/12	WGS 84		19/24
	766 HAWAIIAN ISLANDS	NORTHERN PART. Pa	age/Side: N/A	NOS	
LAST EDITION	(ENC) coverage is availa Nautical Charts" in Secti	t 19013 will be published. or larger scale Electronic able. See "Cancellation of on I of this LNM for detai //www.charts.noaa.gov/N	Navigational Chart NOAA Paper and Raster Is. A list of all canceled		-
19340 27th ChartTitle: Hawai'i to		Last LNM: 04/15	WGS 84		19/24
	786 HAWAII TO OAHU.	Page/Side: N/A			
(Temp) ADD	Kahului Harbor Buoy 10 Red Relocate Due to I			at 20-53-35.680N	156-28-20.184W
(Temp) ADD	Kahului Harbor Buoy 5 Green Relocate Due to	o Dredge		at 20-53-59.960N	156-28-17.476W
(Temp) ADD	Kahului Harbor Lighted Red Relocate Due to I Fl R 4s			at 20-53-39.479N	156-28-13.234W
(Temp) ADD	Kahului Harbor Lighted Red Relocate Due to I Fl R 4s			at 20-53-39.479N	156-28-13.234W
(Temp) ADD	Kahului Harbor Lighted Red Relocate Due to I Q R			at 20-53-49.238N	156-28-29.029W
(Temp) ADD	Kaunakakai Harbor Buo Green Relocate Due t			at 21-04-59.780N	157-01-46.165W
	Ed. 01-MAR-13 Oʻahu;Barbers Point Harl 801 ISLAND OF OAHU.		WGS 84		19/24
	I No new editions of char	•	It will be canceled on	NOS	
LAST EDITION	31-Jul-24. Comparable of coverage is available. So Nautical Charts" in Section	t 1937 Will be Bublished. or larger scale Electronic NoAA on I of this LNM for detai //www.charts.noaa.gov/N	Navigational Chart (ENC) Paper and Raster ils. A list of all canceled		
	Ed. 01-OCT-06 Coast of Oʻahu Waimän 302 SOUTHEAST COAS	-		EAD. Page/Side: N/A	19/24
	No new editions of char 04-Sep-24. Comparable (ENC) coverage is availa Nautical Charts" in Secti		It will be canceled on Navigational Chart NOAA Paper and Raster ls. A list of all canceled	NOS	
19359 12th	Ed. 01-JUL-07	Last LNM: 09/13	WGS 84		19/24

ChartTitle: O'ahu East Coast Käne'ohe Bay Main Panel 2803 OAHU-EAST COAST KANEOHE BAY. Page/Side: N/A NOS LAST EDITION No new editions of chart 19359 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 19362 14th Ed. 01-AUG-09 **WGS 84** 19/24 Last LNM: 47/21 ChartTitle: South Coast of O'ahu Kalaeloa Main Panel 2805 SOUTH COAST OF OAHU KUMUMAU POINT TO BARBERS POINT. Page/Side: N/A NOS LAST EDITION No new editions of chart 19362 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 19366 38th Ed. 01-OCT-15 Last LNM: 47/21 **WGS 84** 19/24 ChartTitle: Pearl Harbor O'ahu South Coast Main Panel 2890 PEARL HARBOR OAHU-SOUTH COAST HAWAIIAN ISLANDS. Page/Side: A LAST EDITION No new editions of chart 19366 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 19367 19/24 41st Ed. 01-MAY-14 **WGS 84** Last LNM: 33/21 ChartTitle: Island of O'ahu Honolulu Harbor Main Panel 2807 HONOLULU HARBOR. Page/Side: A NOS LAST EDITION No new editions of chart 19367 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 19369 19/24 7th Ed. 01-OCT-12 Last LNM: 47/21 **WGS 84** ChartTitle: O'ahu South Coast Approaches to Pearl Harbor Main Panel 2891 APPROACHES TO PEARL HARBOR OAHU-SOUTH COAST HAWAIIAN ISLANDS. Page/Side: N/A NOS LAST EDITION No new editions of chart 19369 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 19480 01-MAY-07 Last LNM: 38/11 19/24 ChartTitle: Gambia Shoal to Kure Atoll including approaches to the Midway Islands Main Panel 2825 GAMBIA SHOAL TO KURE ATOLL INCLUDING APPROACHES TO THE TERRITORY OF - MIDWAY. Page/Side: N/A NOS LAST EDITION No new editions of chart 19480 will be published. It will be canceled on 31-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC)

coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.

19481 12th Ed. **WGS 84** 19/24 01-JAN-11 Last LNM: 38/11 ChartTitle: Hawai'ian Islands Midway Islands

NOS

Main Panel 2826 MIDWAY ISLANDS. Page/Side: N/A

LAST EDITION No new editions of chart 19481 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.

19482 19/24 10th Ed. 01-DEC-10 Last LNM: 38/11 **WGS 84** ChartTitle: Hawai'ian Islands Midway Islands

Main Panel 2892 MIDWAY ISLANDS HAWAIIAN ISLANDS. Page/Side: N/A	NOC					
LAST EDITION No new editions of chart 19482 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.	NOS 					
81004 5th Ed. 01-AUG-08 Last LNM: 17/12 WGS 84 ChartTitle: Commonwealth of the Northern Mariana Islands Main Panel 2904 MARIANA ISLANDS. Page/Side: N/A	NOS	19/24				
LAST EDITION No new editions of chart 81004 will be published. It will be canceled on 02-Oct-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.	NOS 					
81048 10th Ed. 01-FEB-06 Last LNM: 50/13 WGS 84 ChartTitle: Marianas Island of Guam Territory of Guam;Cocos Lagoon Main Panel 2828, ISLAND OF GUAM, TERRITORY OF GUAM, Page/Side: N/A		19/24				
LAST EDITION No new editions of chart 81048 will be published. It will be canceled on	NOS 					
81054 16th Ed. 01-SEP-08 Last LNM: 50/13 WGS 84 ChartTitle: Mariana Islands Apra Harbor, Guam		19/24				
Main Panel 2830 APRA HARBOR ISLAND OF GUAM. Page/Side: N/A	NOS					
LAST EDITION No new editions of chart 81054 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.						
81067 9th Ed. 01-FEB-09 Last LNM: 17/12 WGS 84 ChartTitle: Commonwealth of the Northern Mariana Islands Saipan and Tinian Main Panel 2872 SAIPAN AND TINIAN. Page/Side: N/A		19/24				
LAST EDITION No new editions of chart 81067 will be published. It will be canceled on 31-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.	NOS 					
81071 8th Ed. 01-FEB-13 Last LNM: 15/13 LOCAL		19/24				
	Tinian Harbor, Tinian Island					
LAST EDITION No new editions of chart 81071 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.	NOS 					
LAST EDITION No new editions of chart 81004 will be published. It will be canceled on 02-Qct-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 81048 10th Ed. 01-FEB-06 Last LNM: 50/13 WGS 84 ChartTitle: Marianas Island of Guam Territory of Guam;Cocos Lagoon Main Panel 2828 ISLAND OF GUAM TERRITORY OF GUAM. Page/Side: N/A LAST EDITION No new editions of chart 81048 will be published. It will be canceled on 31-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 81054 16th Ed. 01-SEP-08 Last LNM: 50/13 WGS 84 ChartTitle: Mariana Islands Apra Harbor, Guam Main Panel 2830 APRA HARBOR ISLAND OF GUAM. Page/Side: N/A LAST EDITION No new editions of chart 81054 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 81067 9th Ed. 01-FEB-09 Last LNM: 17/12 WGS 84 ChartTitle: Commonwealth of the Northern Mariana Islands Saipan and Tinian Main Panel 2872 SAIPAN AND TINIAN. Page/Side: N/A LAST EDITION No new editions of chart 81067 will be published. It will be canceled on 31-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 81071 81087 81087 81087 Sth Ed. 01-FEB-13 La		19/24				
04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled						
Unrelated 2906 BAHIA LAOLAO SAIPAN ISLAND. Page/Side: N/A LAST EDITION No new editions of chart 81071 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 81076 13th Ed. 01-JAN-13 Last LNM: 47/13 WGS 84 ChartTitle: Commonwealth of the Northern Mariana Islands Saipan Harbor Main Panel 2851 SAIPAN HARBOR. Page/Side: N/A LAST EDITION No new editions of chart 81076 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 81664 7th Ed. 01-MAY-14 Last LNM: 08/05 WGS 84 ChartTitle: Wake Island; Wake Island Boat Basin Main Panel 2831 WAKE ISLAND. Page/Side: A						
Main Panel 2831 WAKE ISLAND. Page/Side: A	NOS					

LAST EDITION $\,$ No new editions of chart 81664 will be published. It will be canceled on

O4-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.

OIL RIG MOVEMENT

Drill Rigs/Vessels Removed

Latitude Longitude Block Rigs/Vessel Chart Type Status

None

Drill Rigs/Vessels Established

Latitude Longitude Block Rigs/Vessel Chart Type Status

None

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc.

Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

Approved Project(s) Project Date Ref. LNM
None

Advance Notice(s)

None

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

Proposed Project(s) <u>Closing</u> <u>Docket No.</u> <u>Ref. LNM</u>

None

Proposed Change Notice(s)

HI ISLANDS - MAUI - LAHAINA BOAT BASIN RANGE FRONT AND REAR LIGHTS (04/24)

The Coast Guard is proposing to convert Lahaina Boat Basin Range Front Light (LLNR 28470) and Lahaina Boat Basin Range Rear Light (LLNR 28475) to lighted only 24 hours a day with no range board markings. Advances in LED Lantern technology allow the range lights to be visible in daytime and nighttime conditions to serve mariners navigation needs while making the aids more reliable and safer to service. The Coast Guard welcomes public comment on the proposal. Please contact the Fourteenth Coast Guard District, at (808) 535-3275, or via email at D14-DG-PJ-dpw@uscg.mil, to comment.

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

PRIVATE AIDS TO NAVIGATION (01/08)

The term private aids to navigation (ATON) includes all marine aids to navigation operated in the navigable waters of the United States other than those operated by the Federal Government. Private ATON includes lighted structures and day beacons, lighted and unlighted buoys, RACONs and fog signals. Almost half of the aids to navigation established in the Fourteenth District are operated and maintained by private interests. These interests include private citizens, marina and yacht clubs, municipal and state governments, construction and dredging companies, research and non-profit organizations, beachfront associations, and large industrial concerns.

No person, public body or instrumentality not under the control of the Commandant, exclusive of the Armed Forces, shall establish and maintain, discontinue, change or transfer ownership of any aid to maritime navigation, without first obtaining permission to do so from the Commandant and the Army Corps of Engineers.

Owners contemplating establishing such buoys should review CFR 33 Part 66 and contact the appropriate authority, usually the Army Corps of Engineers, to determine what additional requirements may exist. Additionally, private aids on navigable waters regulated by the federal government

PRIVATE AIDS TO NAVIGATION (01/08)

require either a Coast Guard permit or Coast Guard letter of no objection. The application for a letter of no objection or for a permit, form CG-2554, can be obtained by emailing the Private ATON Manager at the email given below.

The Private ATON Manager provides applicants assistance in processing their paperwork. Federal regulations governing aids to navigation, copies of permits previously issued to the applicant, illustrations of standard markings, and lists of commercial ATON manufacturers are available. Questions and requests should be directed to:

Commander (dpw)
Fourteenth Coast Guard District
300 Ala Moana Boulevard, 9-220
Honolulu, HI 96850-4982
Attn: Private ATON Manager
Tel: (808) 535-3409 / 3408
Email: D14-DG-PJ-dpw@uscg.mil

U.S. Army Corps of Engineers Honolulu District Building 230 Ft. Shafter, HI 96858-5440 Attn: CEPOH-EC-R Phone: (808)-835-4004

Mariners are reminded that they have a responsibility to report discrepant private aids to the nearest Coast Guard unit. The failure of a mariner to report a discrepant aid to navigation may result in casualties to others. All aids to navigation in the Fourteenth District, both private and federally maintained, are user monitored. When owners receive discrepancy reports from the Coast Guard, they are obligated to take immediate action to correct the discrepancy. Owners are reminded of their responsibility for the proper operation and maintenance of their private aids to navigation. All classes of private aids to navigation shall be maintained in proper operating condition. They are subject to inspection by the Coast Guard at any time and without prior notice. The Coast Guard issues broadcast notice to mariners for reported discrepancies that remain in effect until the discrepancy is corrected or is published in the Local Notice to Mariners.

FISH AGGREGATING DEVICE (FAD) BUOY INFORMATION AND DISCREPANCIES (28/21)

The State of Hawaii has placed Fish Aggregating Devices (FADs) in the waters surrounding the main Hawaiian Islands. These buoys attract schools of tuna and other important pelagic fishes, such as dolphinfish (Mahimahi), wahoo (Ono) and billfish. FADs allow fishermen to easily locate and catch these species. The buoys are anchored using approximately 2.5 miles of mooring line which creates a very large swing circle. Mariners are advised that these buoys may maneuver anywhere from three to five miles from their charted positions.

Mariners requesting up to date information concerning Hawaiian Island's FAD Buoys, or reports of discrepancies, may either visit the Hawaii FAD web site at http://www.himb.hawaii.edu/fads, contact Mr. Warren Cortez at (808) 956-0684, or send written correspondence to:
Mr. Warren Cortez
Fish Aggregating Devices Program
965 N. Nimitz Hwy

Mariners requesting up to date information concerning Guam's FAD Buoys, or reports of discrepancies, may either visit the Guam FAD web site at www.dawr.guam.gov, contact Mr. Brent Tibbatts at Brent.Tibbatts@gmail.com 671.735.3955/56, or send written correspondence to:
Mr. Brent Tibbatts
Guam Department of Agriculture
Division of Agriculture

Guam Department of Agriculture
Division of Aquatics and Wildlife Resources
163 Dairy Road
Mangilao, Guam 96913

Honolulu, HI 96817

NAVIGATION INTERNET SITES (33/05)

 $Chart\ Corrections:\ http://nauticalcharts.noaa.gov/mcd/updates/index.htm$

Light List Corrections: https://www.navcen.uscg.gov/index.php?pageName=lightLists

Coast Pilot Corrections: http://nauticalcharts.noaa.gov/nsd/cpdownload.htm NOAA Weather Buoy Sites: http://www.ndbc.noaa.gov/Maps/rmd.shtml

Hawaii Weather: http://www.prh.noaa.gov/pr/hnl/

Online Chart Viewer: http://www.nauticalcharts.noaa.gov/mcd/OnLineViewer

(For NOAA Print-on-Demand (POD) charts only)

NOAA and Coast Survey, in partnership with OceanGrafix, LLC, offer mariners official nautical charts that are continuously updated by NOAA cartographers up to the latest Notice to Mariners and to all Critical Safety Information known to the Coast Survey in advance of its publication in a Notice. From NOAA digital files, OceanGrafix prints corrected charts, to order, for sale to mariners through the Oceangrafix retail network. Produced and distributed by authority of NOAA, these charts meet all U.S. Coast Guard chart carriage requirements, including the requirements for updating (Titles 33 & 46 CFR). New Editions are available 2-8 weeks before their release as a traditional NOAA chart.

These new charts feature operational information for the commercial mariner, and education and safety information for the recreational boater. They have brighter colors and a higher contrast for better readability in various light conditions. They come either laminated or on water resistant paper.

POD charts are available through a POD chart agents at http://OceanGrafix.com/, 1-877-56CHART, or contact NOAA at

NAVIGATION INTERNET SITES (33/05)

http://nauticalcharts.noaa.gov/pod/Pod.htm. For questions contact NOAA at help@nauticalcharts.gov.

HI ISLANDS - U.S. DEPARTMENT OF HOMELAND SECURITY - DIVER SAFETY ADVISORY (25/09)

This advisory is issued to increase the safety of all open water and waterway users throughout the Hawaiian Islands and is issued in conjunction with the Department of Land and natural Resources (DLNR) pilot program focusing on diver safety.

Over the years there have been an increased number of reports of near misses between divers and waterborne crafts in Oahu, Maui and Hawaii. In most cases, these near misses have happened in near coastal waters and often when conditions were choppy.

The following suggested measures can help avoid near misses:

Become familiar with your transit route and destination area before heading out.

Remain vigilant of your surroundings and post extra lookouts in choppy waters and inclement weather.

Stay clear of federal Aids to Navigation and commercial delineated channels.

Use all appropriate sound and visual signals.

Postpone trips until the weather and sea conditions improve.

All open water and waterway users are also highly encouraged to visit the Coast Guard Sector Honolulu Homeport website for Safety and Security Zone information for the Hawaiian Islands at: http://homeport.uscg.mil/ under the Honolulu Port Directory tab and Safety and Security section.

The most updated charts for the Hawaiian Islands can be found on the National Oceanic and Atmospheric Administration (NOAA) website: http://www.prh.noaa.gov/pr/hnl or http://www.nauticalcharts.noaa.gov/mcd/OnLineViewer.html.

Any and all life threatening or hazardous conditions including off station or missing buoys should be reported immediately to the U.S. Coast Guard at (808) 842-2600.

PACIFIC OCEAN - NATIONAL WILDLIFE REFUGE - RESTRICTED FOR ENTRY (22/11)

The U.S. Department of the Interior, Fish and Wildlife Service, National Wildlife Refuge System, Pacific Reefs National Wildlife Refuge Complex manages ten National Wildlife Refuges within the Fourteenth Coast Guard District. Eight of these Refuges, described below, consist of waters and submerged and emergent lands. The remaining two Refuges, the Marianas Arc of Fire and the Mariana Trench National Wildlife Refuges, consist only of submerged lands.

The waters and submerged and emergent lands of National Wildlife Refuges are subject to the regulations governing the National Wildlife Refuge System found in Parts 25-32 of Title 50, Code of Federal Regulations. Therefore, except as provided by international law, these areas are closed to all forms of entry, other than innocent passage, unless specifically authorized by a Special Use Permit issued by the U.S. Fish and Wildlife Service. Should you have any questions, please contact the Pacific Reefs National Wildlife Refuge Complex by emailing the Project Leader at Pacific_Reefs@fws.gov or by calling 808-792-9560.

Baker Island National Wildlife Refuge. This Refuge includes all of Baker Island approximately at Latitude 0-11-45 North and Longitude 176-28-45 West, together with its territorial waters extending outward 12 nautical miles (13.8 mi; 22.2 km) from the mean low water line of the island.

Howland Island National Wildlife Refuge. This Refuge includes all of Howland Island approximately at Latitude 0-48-30 North and Longitude 176-37 West, together with its territorial waters extending outward 12 nautical miles (13.8 mi; 22.2 km) from the mean low water line of the island.

Jarvis Island National Wildlife Refuge. This Refuge includes all of Jarvis Island approximately at Latitude 0-22-20 South and Longitude 160-00 West, together with its territorial waters extending outward 12 nautical miles (13.8 mi; 22.2 km) from the mean low water line of the island.

Johnston Atoll National Wildlife Refuge. This Refuge includes all of Johnston Atoll approximately at Latitude 16-44 North and Longitude 169-31 West, together with its territorial waters extending outward 12 nautical miles (13.8 mi; 22.2 km) from the mean low water line of the atoll. However, portions of the emergent land at Johnston Atoll are currently under the administrative jurisdiction of the Department of the Air Force, which controls all access to areas under its administrative jurisdiction.

Kingman Reef National Wildlife Refuge. This Refuge includes all of Kingman Reef approximately at Latitude 6-24-30 North and Longitude 162-23-30 West, together with its territorial waters extending outward 12 nautical miles (13.8 mi; 22.2 km) from the mean low water line of the reef.

Palmyra Atoll National Wildlife Refuge. This Refuge includes all of Palmyra Atoll approximately at Latitude 05-53 North and Longitude 162-05 West, together with its territorial waters extending outward 12 nautical miles (13.8 mi; 22.2 km) from the mean low water line of the atoll. However, portions of the emergent land at Palmyra Atoll are currently owned and managed as a nature preserve by The Nature Conservancy, which controls all access to areas under its ownership.

PACIFIC OCEAN - NATIONAL WILDLIFE REFUGE - RESTRICTED FOR ENTRY CONTINUED (22/11)

Rose Atoll National Wildlife Refuge. This Refuge includes all of Rose Atoll approximately at Latitude 14-32-45 South and Longitude 168-9-24 West, the seaward extent being the extreme low water line outside the perimeter reef except at the entrance channel where the boundary is a line extended between the extreme low water lines on each side of the entrance channel.

Wake Atoll National Wildlife Refuge. This Refuge includes all of Wake Atoll approximately at Latitude 19-18 North and Longitude 166-38 East, together with its territorial waters extending outward 12 nautical miles (13.8 mi; 22.2 km) from the mean low water line of the atoll. However, in accordance with Presidential Proclamation No. 8336, the emergent land at Wake Atoll is currently under the management of the Department of the Air Force, which controls all access to areas under its management.

HI ISLANDS - KAHO'OLAWE ISLAND RESERVE COMMISSION - NOTICE OF OPEN WATERS SCHEDULE (01/24)

HI ISLANDS - KAHO'OLAWE ISLAND RESERVE COMMISSION - NOTICE OF OPEN WATERS SCHEDULE (01/24)

Notice to Trollers: The dates below mark the Permitted Trolling Schedule in Zone B for January -- December 2024. Hawaii Administrative Rules (H.A.R) 13-261 requires that all vessels must register with the Kaho'olawe Island Reserve Commission (KIRC) before entering the Reserve to troll during designated Permitted Trolling dates. To register please contact Dean Tokishi at dean.tokishi@hawaii.gov 808-243-5022, visit Kahoolawe.hawaii.gov or pick up registration packet at the Division of Boating and Recreation.

12:01 a.m Saturdays to 11:59 p.m. Sundays as follows:

January 20 – 21; 27 – 28 February 03 – 04; 24 – 25 March 02 – 03; 30 – 31 April 13 – 14; 27 – 28 May 11 – 12; 18 – 19 June 08 – 09; 29 – 30 July 13 – 14; 27 – 28 August 03 – 04; 10 – 11 September 07 – 08; 28 – 29 October 12 – 13; 26 – 27 November 02 – 03; 16 – 17 December 14 – 15; 28 – 29

The Kaho'olawe Island Reserve (defined as the submerged lands and waters within two nautical miles of the island) is divided into two zones; Zones A and B. These zones are defined as:

Zone A: Includes the island of Kaho'olawe and all the submerged lands and waters between the shoreline of Kaho'olawe and the 30-fathom (180 ft.) depth which surrounds Kaho'olawe (HAR 13-261). Unauthorized entry into Zone A is prohibited at all times except in case ofemergency. Zone B: All waters and submerged lands between the 30-fathom (180 ft.) depth surrounding Kaho'olawe and two nautical miles from the shoreline of the island. Unauthorized entry into Zone B is prohibited at all times except for trolling as authorized by KIRC on the days stipulated by the Permitted Trolling Schedule as listed above or in case of emergency. Trollers must remain underway, making way at all times while in Zone B. ALL OTHER FISHING, OCEAN RECREATION, AND ANY OTHER ACTIVITIES ARE STRICTLY PROHIBITED.

WARNING! Kaho'olawe and its surrounding submerged lands and waters contain unknown quantities of unexploded ordnance which are hazardous to public health and safety.

(Authority: (H.R.S. §6K, H.A.R. §13-261)

See enclosure 2

HI ISLANDS - OAHU - KANEOHE BAY - MILITARY OPERATIONS (09/09)

Military amphibious and search and rescue operations may be underway at any time, day or night, within Kaneohe Bay in the vicinity of 21-26-06.83N/157-46-11.00W and 21-26-45.00N/157-46-55.00W (approximately .5 NM south of Mokapu Peninsula). Support surface craft will be equipped with appropriate day/night signals and markings and can be reached on VHF-Ch 82. In the interest of saftey, it is requested that all vessels that use Sonar contact Water Front Operations on VHF-Ch 82A or by phone at (808) 257-2941 to avoid injury to divers that may be in the area.

HI ISALNDS - OAHU - KANEOHE BAY - PYRAMID ROCK - HAZARDOUS OPERATIONS (19/24)

The Pyramid Rock / Fort Hase / Kaneohe Bay Danger Zone is located in ocean waters as described by the below coordinates and is closed at all times to surface craft, swimmers, and divers, with the exception of authorized personnel. Mark B.J. Edmonson at mark.bj.edmonson@usmc.mil.

The Danger Zone is bounded by the following coordinates:

21-27.97'N / 157-45.78'W 21-29.88'N / 157-44.78'W 21-29.38'N / 157-43.68'W 21-27.47'N / 157-44.68'W

The following are hazardous operations to mariners for May 08, 2024 through May 14, 2024:

08 May N/A 09 May N/A 10 May N/A 11 May N/A 12 May N/A 13 May N/A 14 May N/A

See enclosure 1

HI ISLANDS - OAHU - KANEOHE BAY - ULUPAU CRATER WEAPONS DANGER ZONE - HAZARDOUS OPERATIONS (19/24)

All vessels/watercraft operating within the Mokapu Peninsula near the Ulupau Crater located on Marine Corps Base Hawaii shall vacate the danger zone at the best speed and by the most direct route.

Danger zone will include areas from (Zone 1 NE) $21^{\circ}30'59.66''N$ / $157^{\circ}44'05.97''W$ to $21^{\circ}29'16.58''N$ / $157^{\circ}40'30.19''W$ to (Zone 2 SE) $21^{\circ}25'01.79''N$ / $157^{\circ}40'33.70''W$ to $21^{\circ}27'11.84''N$ / $157^{\circ}43'53.83''W$, forming a triangular figure.

HI ISLANDS - OAHU - KANEOHE BAY - ULUPAU CRATER WEAPONS DANGER ZONE - HAZARDOUS OPERATIONS (19/24)

The following are hazardous operations to mariners for May 08, 2024 through May 14, 2024:

Zone 1: 08 May 0600 - 2300 09 May 0600 - 2300 10 May 0900 - 1300 11 May N/A 12 May N/A 13 May 0600 - 2300 14 May 0600 - 2300 Zone 2: 08 May 0600 - 2300 10 May 0900 - 1300 11 May N/A 12 May N/A 13 May 0600 - 2300

See enclosure 1

14 May 0600 - 2300

HI ISLANDS - OAHU - WAIMANALO BAY - HAZARDOUS OPERATIONS (19/24)

The Waimanalo Bay Danger Zone is located in ocean waters as described by the below coordinates and is closed at all times to surface craft, swimmers, and divers, with the exception of authorized personnel. Mark B.J. Edmonson at mark.bj.edmonson@usmc.mil.

The Danger Zone is bounded by the following coordinates:

21-21'11"N / 157-42'16"W 21-21'10"N / 157-42'24"W 21-21'50"N / 157-42'34"W 21-21'49"N / 157-42'28"W

The following are hazardous operations to mariners for May 08, 2024 through May 14, 2024:

08 May N/A 09 May N/A 10 May N/A 11 May N/A 12 May N/A 13 May N/A 14 May N/A

See enclosure 1

HI ISLANDS - OAHU - EWA BEACH - HAZARDOUS OPERATIONS (19/24)

The Puuloa Danger Zone is located in ocean waters as described by the below coordinates and is closed at all times to surface craft, swimmers, and divers, with the exception of authorized personnel. Mark B.J. Edmonson at mark.bj.edmonson@usmc.mil.

The Danger Zone is bounded by the following coordinates:

21-18-21N / 157-59-14W 21-18-11N / 158-00-17W 21-17-11N / 158-00-06W 21-17-22N / 157-59-03W

The following are hazardous operations to mariners for May 08, 2024 through May 14, 2024:

08 May 0700 - 1700 09 May 0700 - 1700 10 May 0700 - 1700 11 May N/A 12 May N/A 13 May 0700 - 1700 14 May 0700 - 1700

See enclosure 1

HI ISLANDS - SOUTH COAST OAHU - HAZARDOUS OPERATIONS - HOT AREAS (43/23)

FACSFAC Pearl Harbor established Special Operating Areas Four (SOA-4) as a permanent "HOT AREA" named "KAPU" on April 15, 1995. FACSFAC effective hours are 0700W to 2300W (Monday - Saturday from 1700Z - 0900Z) Monday - Friday, and on weekend's 0800W - 1600W (Weekends from 1800Z - 0200Z) or by request. Activities include intermittent naval gunnery exercises and airborne ordnance drops. "KAPU" is also designated

HI ISLANDS - SOUTH COAST OAHU - HAZARDOUS OPERATIONS - HOT AREAS (43/23)

as the emergency jettison area for aircraft with hung stores, etc. Hot area "KAPU" is bounded by the following coordinates 20-46N/158-16W, 20-42 N/158-04W, 20-13N/158-36W and 20-04N/158-11W. Scheduling authority is FACSFAC Pearl Harbor call-sign "HULA DANCER". "HULA DANCER" can be reached on primary 266.4/127.0 MHz, or secondary 336.8/132.4 MHZ or telephone (808) 472-7333/7337 and may authorize transits through these areas on a case by-case basis.

HI ISLANDS - KAUAI - BARKING SANDS - PACIFIC MISSLE RANGE FACILITY HI AREA - HOT AREAS (43/23)

The following area is established as a safety zone during launch operations at PMRF, Kauai, Hawaii: The waters bounded by the following coordinates: (22°01.2′ N, 159°47.3′ W), (22°01.2′ N, 159°50.7′ W), (22°06.3′ N, 159°50.7′ W), (22°06.3′ N, 159°44.8′ W). (Datum: OHD) The above safety zone will be activated during launch operations at PMRF, Kauai, Hawaii. The Coast Guard will provide notice that the safety zone will be activated through published and broadcast local notice to mariners prior to scheduled launch dates. The area described of this section will be closed to all vessels and persons, except those vessels and persons authorized by the Commander, Fourteenth Coast Guard District, or the Captain of the Port (COTP) Honolulu, Hawaii, whenever Strategic Target System (STARS) vehicles are to be launched by the United States Government from the PMRF, Barking Sands, Kauai, Hawaii. The general regulations governing safety zones contained in 33 CFR 165.23 apply.

Nomenclature changes to part 165 appear by USCG–2006–25556, 72 FR 36328, 36329preview citation details, July 2, 2007 and by USCG–2018–1049, 84 FR 7813, Mar. 5, 2019.

HI ISLANDS - KAUAI - BARKING SANDS - PACIFIC MISSILE RANGE FACILITY HI AREA - HAZARDOUS OPERATIONS (19/24)

Intermittent missile firing operations are conducted by the Pacific Missile Range Facility (PMRF), Barking Sands, Kauai, in the Whiskey 188 (W-188) operating area. Operations are conducted periodically throughout each week in an area bound by the following coordinates:

22:00N/159:51W, 22:00N/160:00W, 22:04N/160:06W, 21:59.5N/160:21W, 22:05N/161:35W, 22:45N/161:25W, 22:56N/161:49W, 23:34N/161:18.6W, 23:57N/160:41W, 25:41N/161:36W, 26:00N/159:58W, 25:47N/158:15W, 23:54N/158:15W, 22:20N/159:09W, 22:21N/159:30W, 22:13N/159:42W, 22:00N/159:51W

Intermittent high power radar operations are conducted by PMRF at the following position: 22:03N/159:47W

Request all mariners remain at least one mile off the coastline between Kokole Point and Nohili Point.

Vessels may be requested to alter course due to firing operations and are requested to contact "Pacific Missile Range Facility" on VHF-Ch 16 prior to entering the above boundaries. If unable to contact the PMRF prior to entering or while in the warning area, relay messages through U.S. Coast Guard Honolulu. Vessels inbound and outbound for Hawaiian ports will create the least interference to firing operations as well as enhance vessel's safety by passing South of the Islands of Kauai and Niihau during the specified times. Federal law provides for civil penalties of \$40,000 and/or criminal penalties of 6 years in prison for each violation of the PMRF safety zone during the schedule of designated activity (33CFR 165.1406).

The following are hazardous operations to mariners for May 08, 2024 through May 15, 2024:

08 MAY NO HAZARDOUS OPERATIONS SCHEDULED.
09 MAY NO HAZARDOUS OPERATIONS SCHEDULED.
10 MAY NO HAZARDOUS OPERATIONS SCHEDULED.
11 MAY NO HAZARDOUS OPERATIONS SCHEDULED.
12 MAY NO HAZARDOUS OPERATIONS SCHEDULED.
13 MAY NO HAZARDOUS OPERATIONS SCHEDULED.
14 MAY NO HAZARDOUS OPERATIONS SCHEDULED.
15 MAY NO HAZARDOUS OPERATIONS SCHEDULED.

MARINE EVENTS

This section contains information of general concern to the mariner. All event forms must be received no later than noon on Tuesday a week prior to the event. Mariners are advised to use caution while transiting these areas:

HI ISLANDS - OAHU - FIREWORKS (01/24)

Hawaii Explosives and Pyrotechnics, Inc. will be conducting a land fireworks display neighboring Duke Kahanamoku Beach on Fridays from 1915 - 2030 January 05, 2024 to December 28, 2024. Please require all vessels to observe the safety/fallout zone radius from the firing site. Vessels and spectators are advised to maintain a distance of at least 210 feet radius from the launch site.

Contact (808) 968-0600 for further information.

See Enclosure 5

HI ISLANDS - HAWAII - KAI EHITU CANOE CLUB RACE (19/24)

The Kai Ehitu Canoe Club Race is being held on May 18, 2024 from 0600-1800. Participants will be paddling in Hilo Bay.

Vessels and spectators are advised to maintain a safe distance.

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) (2) (3) (4) (5) (6) (7) (8) No. Name and Location Position Characteristic Height Range Structure Remarks

None

PUBLICATION CORRECTIONS

None

ENCLOSURES

ENCLOSURE (1)

HI ISLANDS - OAHU - KANEOHE BAY HAZARDOUS OPERATIONS (18/07)

ENCLOSUE (2)

HI ISLANDS - KAHO'OLAWE ISLAND RESERVE COMMISSION - NOTICE OF OPEN WATERS SCHEDULE 2024 (01/24) see attachment doc

ENCLOSURE (5)


HI ISLANDS - OAHU - HONOLULU FIREWORKS 2024

ENCLOSURE (6) (04/24)


PACIFIC OCEAN - GUAM - SURVEY VESSEL

M. Day Rear Admiral, U.S. Coast Guard Commander, Fourteenth Coast Guard District


Mokapu Point




Ewa Beach



Pyramid Rock/Fort Hase/Kaneohe Bay



Waimanalo Bay







COMMISSION MEMBERS

SAUMALU MATAAFA Acting Chairperson

DAWN N.S. CHANG 'ĀNELA EVANS BENTON KEALII PANG, Ph.D MICHELLE PESCAIA

Michael K. Nāhoʻopiʻi
Executive Director

KŪKULU KE EA A KANALOA

KAHOʻOLAWE ISLAND RESERVE COMMISSION KŌMIKINA MĀLAMA KAHOʻOLAWE

811 Kolu Street, Suite 201, Wailuku, HI 96793 Telephone (808) 243-5020 Fax (808) 243-5885 Website: http://kahoolawe.hawaii.gov

Notice of Permitted Trolling Schedule:

January-December 2024 Kaho'olawe Island Reserve

Zone B (> 30 fathoms)

Notice to Trollers: The dates below mark the Permitted Trolling Schedule in Zone B for January -- December 2024. Hawaii Administrative Rules (H.A.R) 13-261 requires that all vessels must register with the Kahoʻolawe Island Reserve Commission (KIRC) before entering the Reserve to troll during designated Permitted Trolling dates. To register please contact Dean Tokishi at dean.tokishi@hawaii.gov 808-243-5022, visit Kahoolawe.hawaii.gov or pick up registration packet at the Division of Boating and Recreation.

12:01 a.m Saturdays to 11:59 p.m Sundays as follows:

January	20 -21;	27 – 28	July	12 44	
February	03 -04;	24 – 25		13 –14;	27 – 28
March	02 -03;		August	03 –04;	10 - 11
April		30 – 31	September	07 -08;	28 - 29
•	13 –14;	27 – 28	October	12 -13;	26 – 27
May	11 –12;	18 – 19	November	02 -03;	
June	08 -09;	29 – 30			16 – 17
	,		December	14 –15;	28 – 29

The Kaho olawe Island Reserve (defined as the submerged lands and waters within two nautical miles of the island) is divided into two zones; Zones A and B. These zones are defined as:

Zone A: Includes the island of Kaho'olawe and all the submerged lands and waters between the shoreline of Kaho'olawe and the 30-fathom (180 ft.) depth which surrounds Kaho'olawe (HAR 13-261). Unauthorized entry into Zone A is prohibited at all times except in case of emergency.

Zone B: All waters and submerged lands between the 30-fathom (180 ft.) depth surrounding Kaho'olawe and two nautical miles from the shoreline of the island. Unauthorized entry into Zone B is prohibited at all times except for trolling as authorized by KIRC on the days stipulated by the Permitted Trolling Schedule as listed above or in case of emergency. Trollers must remain underway, making way at all times while in Zone B. ALL OTHER FISHING, OCEAN RECREATION, AND ANY OTHER ACTIVITIES ARE STRICTLY PROHIBITED.

WARNING! Kahoʻolawe and its surrounding submerged lands and waters contain unknown quantities of unexploded ordnance which are hazardous to public health and safety.

(Authority: (H.R.S. §6K, H.A.R. §13-261))

Hawaii Explosives & Pyrotechnics, Inc.

P.O. Box 1244 Keaau, HI 96749-1244 hepinc@hipyro.com

December 26, 2023

PYRO EXCITE HAWAIIAN STYLE

Commander 14th Coast Guard District (OAN) PJKK Federal Building, Room 9-236 300 Ala Moana Blvd. Honolulu, HI 96850-4982

Dear Commander:

Hawaii Explosives & Pyrotechnics, Inc. is requesting a "Notice to Mariners" for a land fireworks display on Duke Kahanamoku Beach. Please require all vessels to observe the safety zone radius. (Site Map Attached) Display specifics are as follows:

2024						2024					
January	5	12	19	26		July	5	12	19	26	
February	2	9	16	23		August	2	9	16	23	30
March	1	8	15	22	29	September	6	13	20	27	
April	5	12	19	26		October	4	11	18	25	
May	3	10	17	24	31	November	1	8	15	22	29
June	7	14	21	28		December	6	13	20	27	

Event: Friday Night Fireworks @ Hilton Hawaiian Village

Firing Site: Duke Kahanamoku Beach

Firing Times: 7:45 p.m. (October thru April) 8:00 p.m. (May thru September)

Firing Windows: 7:15 p.m. to 8:15 p.m. 7:30 p.m. to 8:30 p.m.

Safety Zone: 210' radius of firing site

Length of Display: 4 minutes

Should you have any questions, please feel free to contact me at our Big Island office at (808) 968-0600. Thank you for your assistance with this matter

Sincerely,

Paulette L Smith

Permitting Specialist/Admin Assist

Paulette L'Imith

LOCATION

The R/V Bold Explorer will be conducting an undersea telecommunications cable survey in US / Guam & Northern Mariana Island coastal/marine waters along the red route below:

