

## **LOCAL NOTICE TO MARINERS**

District: 11 Week: 49/24

CORRESPONDENCE TO:
COMMANDER
DISTRICT ELEVEN (DPW)
COAST GUARD ISLAND BUILDING 50-2
ALAMEDA, CA 94501-5100

REFERENCES: COMDTPUB P16502.6, Light List Volume VI, 2017 Edition, U.S. Chart No.1 12th Edition, and Coast Pilot Volume 7 49th Edition. These

publications, along with corrections, are available at: https://nauticalcharts.noaa.gov/BROADCAST NOTICE TO MARINERS - Information concerning aids to navigation and waterway management promulgated through BNM HB-0015-24,

SF-0148-24, LA-0208-24, and SD-0051-24 have been incorporated in this notice, or will continue if still significant.

## **Abbreviations**

ADRIFT - Buoy Adrift	ICW - Intracoastal Waterway	R - Red
AICW - Atlantic Intracoastal Waterway	IMCH - Improper Characteristic	RACON - Radar Transponder Beacon
AI - Alternating	INL - Inlet	Ra ref - Radar reflector
B - Buoy	INOP - Not Operating	RBN - Radio Beacon
BKW - Breakwater	INT - Intensity	REBUILT - Aid Rebuilt
bl - Blast	ISL - Islet	RECOVERED - Aid Recovered
BNM - Broadcast Notice to	lso - Isophase kHz - Kilohertz	RED - Red Buoy
Mariner	LAT - Latitude	REFL - Reflective
bu - Blue	LB - Lighted Buoy	RRL - Range Rear Light
C - Canadian	LBB - Lighted Bell Buoy	RELIGHTED - Aid Relit
CHAN - Channel	LHB - Lighted Horn Buoy	RELOC - Relocated
CGD - Coast Guard District  C/O - Cut Off	LGB - Lighted Gong Buoy	RESET ON STATION - Aid Reset on Station
CONT - Contour	LONG - Longitude	RFL - Range Front Light
CRK - Creek	LNM - Local Notice to Mariners	RIV - River
CONST - Construction	LT - Light	RRASS - Remote Radio
DAYMK/Daymk - Daymark	LT CONT - Light Continuous	Activated
DBN/Dbn - Daybeacon	LTR - Letter	Sound Signal
DBD/DAYBD - Dayboard	LWB - Lighted Whistle Buoy	s - seconds
DEFAC - Defaced	LWP - Left Watching Properly	SEC - Section
DEST - Destroyed	MHz - Megahertz	SHL - Shoaling
DISCON - Discontinued	MISS/MSNG - Missing	si - silent
DMGD/DAMGD - Damaged	Mo - Morse Code	SIG - Signal
ec - eclipse	MRASS - Marine Radio Activated	SND - Sound
EST - Established Aid	Sound Signal	SPM - Single Point Mooring Buoy
ev - every	MSLD - Misleading	SS - Sound Signal
EVAL - Evaluation	N/C - Not Charted	STA - Station
EXT - Extinguished	NGA - National Geospatial Intelligence Agency	STRUCT - Structure
F - Fixed	NO/NUM - Number	St M - Statute Mile
fl - flash	NOS - National Ocean Service	TEMP - Temporary Aid Change
FI - Flashing	NW - Notice Writer	TMK - Topmark
G - Green	OBSCU - Obscured	TRLB - Temporarily Replaced by Lighted Buoy
GIWW - Gulf Intracoastal Waterway	OBST - Obstruction	TRLT - Temporarily Replaced by Light
	OBSTRR - Obstruction	

HAZ - Hazard to Navigation

HBR - Harbor I - Interrupted PRIV - Private Aid

Q - Quick

TRUB - Temporarily Replaced by Unlighted Buoy

USACE - Army Corps of Engineers