| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **SEACOAST (Atlantic Ocean)** | | | | |
| | **CAPE SABLE TO CAPE HATTERAS (Chart 13003)** | | | | | | |
| 3 | *NOAA Lighted Data Buoy 44066 (ODAS)* | 39-37-05.000N 072-38-37.000W | Fl (4)Y 20s | | 5 | Yellow boat shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 5 | *NOAA Lighted Data Buoy 44402 (DART)* | 39-17-19.000N 070-38-21.000W | Fl (4)Y 20s | | 5 | Yellow disc shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| | | | **SEACOAST (New Jersey) - Fifth District** | | | | |
| | **FIRE ISLAND TO SEA GIRT (Chart 12326)** | | | | | | |
| 7.5 | Lake Como Outfall Warning Light A | 40-10-01.500N 074-00-55.600W | Fl W 5s | | | NW on pile worded DANGER SUBMERGED PIPE. | Private aid. |
| 8 | SEA GIRT OUTFALL LIGHT 1 | 40-08-16.960N 074-01-27.624W | Fl W 4s | | | On pile worded DANGER SUBMERGED PIPE. | Private aid. |
| | **SEA GIRT TO LITTLE EGG INLET (Chart 12323)** | | | | | | |
| 13 | *University of California Lighted Data Buoy A* | 39-46-05.520N 073-46-13.440W | Fl (5)Y 20s | | | Yellow. | Private aid. |
| 15 | *Barnegat Offshore Lighted Buoy 2* | 39-45-30.466N 073-59-28.484W | Fl R 6s | | 6 | Red. | |
| 25 875 | *Barnegat Inlet Outer Lighted Whistle Buoy BI* | 39-44-28.518N 074-03-51.342W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 30 | *Ocean Tech Hudson South Lighted Research Buoy OT2* | 39-32-48.380N 073-25-44.010W | Fl Y 4s | | | Yellow. | Private aid. |
| | **LITTLE EGG INLET TO HEREFORD INLET (Chart 12318)** | | | | | | |
| 40 | *Brigantine Inlet Lighted Wreck Buoy WR2* 100 yards, 090° from wreck. | 39-24-48.422N 074-13-46.504W | Q R | | 5 | Red. | |
| 50 | *ASOW Lighted Meteorological Buoy A* | 39-16-18.000N 073-56-21.000W | Fl (5)Y 20s | | | | Private aid. |
| 55 | *ASOW Lighted Meteorological Buoy B* | 39-18-34.000N 074-06-33.000W | Fl (5)Y 20s | | | | Private aid. |
| 60 1170 | *Absecon Inlet Lighted Buoy 1* | 39-20-47.424N 074-24-01.351W | Fl G 4s | | 5 | Green. | |
| 65 | *Steel Pier Wreck Lighted Buoy WR2* Marks remains of old steel pier. | 39-21-15.483N 074-25-00.321W | Q R | | 4 | Red. | |
| 75 1410 | *Townsends Inlet Shoals Lighted Bell Buoy 4A* | 39-07-05.442N 074-40-37.591W | Fl R 4s | | 5 | Red. | |
| 80 | Ludlam Beach Buoy L Marks south end of shoal. | 39-07-15.443N 074-38-09.084W | | | | Red and green bands; nun. | |
| 85 | *Avalon Shoal Lighted Buoy 2* | 39-05-23.443N 074-33-56.573W | Fl R 6s | | 5 | Red. | |
| | **CAPE MAY TO FENWICK ISLAND (Chart 12214)** | | | | | | |
| 90 | **Hereford Inlet Light** | 39-00-23.788N 074-47-28.032W | Fl W 10s | 57 | 18 | White square tower with cupola on white dwelling. 49 | Structure maintained by entity outside the U.S. Coast Guard. |
| 100 | *Five Fathom Bank Northeast Lighted Buoy 2FB* | 38-58-12.442N 074-31-34.568W | Fl R 4s | | 6 | Red. | |
| 105 | *Five Fathom Bank NW Lighted Buoy 3FB* | 38-57-28.031N 074-42-36.014W | Fl G 4s | | 6 | Green. | |
| 115 | *Five Fathom Bank South Lighted Buoy 4FB* | 38-49-42.440N 074-36-46.584W | Fl R 2.5s | | 6 | Red. | |
| 120 | *Five Fathom Bank Lighted Buoy F* | 38-46-49.031N 074-34-32.014W | Fl Y 2.5s | | 6 | Yellow. | AIS: MMSI 993672390. |
| 125 | *Five Fathom Bank Traffic Lane Lighted Buoy FA* | 38-46-49.031N 074-44-14.014W | Fl Y 4s | | 6 | Yellow. | |
| 130 | *Five Fathom Bank Traffic Lane Lighted Buoy FB* | 38-46-51.031N 074-55-35.015W | Fl Y 6s | | 6 | Yellow. | |
| 135 1435 | *Cape May Inlet Lighted Buoy 2CM* | 38-55-47.036N 074-51-20.524W | Fl R 2.5s | | 5 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **SEACOAST (New Jersey) - Fifth District** | | | | | | |
| | **CAPE MAY TO FENWICK ISLAND (Chart 12214)** | | | | | | |
| 140 | *Skipjack Wind Met Buoy SKJ* | 38-40-50.930N 074-45-55.680W | Fl Y 4s | | | Yellow. | AIS: MMSI 993663004. Private aid. |
| 155 | **Cape May Light** | 38-55-58.815N 074-57-37.394W | Fl W 15s | 165 | 22 | White tower, red cupola, two white dwellings nearby. 157 | Structure maintained by entity outside the U.S. Coast Guard. |
| 160 | *McCrie Shoal Lighted Buoy 2MS* | 38-50-29.236N 074-50-16.622W | Fl R 4s | | 5 | Red. | |
| | **SEACOAST (Delaware) - Fifth District** | | | | | | |
| | **CAPE MAY TO FENWICK ISLAND (Chart 12214)** | | | | | | |
| 165 | *Delaware Lighted Buoy D* | 38-27-18.441N 074-41-46.607W | Fl Y 6s | | 6 | Yellow. | AIS: MMSI 993672393. |
| 168 | *NOAA Lighted Data Buoy 44009 (ODAS)* | 38-27-24.000N 074-42-06.000W | Fl (4)Y 20s | | 4 | Yellow disc-shape hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 170 | *Delaware Traffic Lane Lighted Buoy DA* | 38-32-44.805N 074-46-55.891W | Fl Y 2.5s | | 6 | Yellow. | |
| 175 | *Delaware Traffic Lane Lighted Buoy DB* | 38-38-12.435N 074-52-10.631W | Fl Y 4s | | 7 | Yellow. | |
| 180 | *Delaware Traffic Lane Lighted Buoy DC* | 38-43-47.434N 074-57-32.644W | Fl Y 2.5s | | 6 | Yellow. | |
| 190 1490 | *Hen and Chickens Shoal Lighted Buoy 1HC* Off southeast end of shoal. | 38-42-42.792N 074-58-55.903W | Fl G 2.5s | | 5 | Green. | |
| 192 | *DE Wave Lighted Buoy A* | 38-36-59.400N 074-58-54.120W | Fl Y 6s | | | | Private aid. |
| 195 4360 | *Indian River Inlet Lighted Buoy 1* | 38-36-32.932N 075-02-46.462W | Fl G 2.5s | | 5 | Green. | |
| | **FENWICK ISLAND TO CHINCOTEAGUE ISLAND (Chart 12211)** | | | | | | |
| 205 | FENWICK ISLAND LIGHT | 38-27-06.000N 075-03-18.000W | Iso W 8s | 83 | | White conical brick tower. | Private aid. |
| 210 | *Fenwick Shoal Lighted Buoy 1FS* On west side of shoal. | 38-26-47.934N 074-57-22.651W | Fl G 4s | | 6 | Green. | |
| 220 | *Woods Hole Lighted Research Buoy WH* | 38-18-10.799N 074-38-41.999W | Fl Y 4s | | | | Private aid. |
| | **SEACOAST (Maryland) - Fifth District** | | | | | | |
| | **CAPE MAY TO CAPE HATTERAS (Chart 12200)** | | | | | | |
| 225 4720 | OCEAN CITY INLET JETTY LIGHT | 38-19-27.072N 075-05-05.596W | Iso W 6s | 38 | 6 | On skeleton tower. | HORN: 1 blast ev 10s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 81A (157.075MHz). HORN operates for 30 minutes. |
| 240 4730 | *Ocean City Inlet Lighted Bell Buoy 2* | 38-19-25.566N 075-03-41.153W | Fl R 4s | | 6 | Red. | |
| | **SEACOAST (Virginia) - Fifth District** | | | | | | |
| | **CAPE MAY TO CAPE HATTERAS (Chart 12200)** | | | | | | |
| 275 | **Assateague Light** | 37-54-40.274N 075-21-21.714W | Fl (2)W 5s 0.1s fl 1.0s ec. 0.1s fl 3.8s ec. | 154 | 22 | Conical brick tower with red and white bands. 142 | Emergency light of reduced intensity when main light is extinguished; visible from seaward only. |
| 290 | *Chincoteague Shoals Lighted Buoy 2* | 37-47-25.460N 075-22-21.255W | Fl R 2.5s | | 5 | Red. | |
| 305 6600 | *Wachapreague Inlet Lighted Whistle Buoy W* | 37-34-54.108N 075-33-36.525W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 360 | CHESAPEAKE LIGHTS (2) | 36-54-16.696N 075-42-45.818W | Fl W 4s | 84 | | Blue tower on white square superstructure on four black piles. CHESAPEAKE on sides. | Private aid. |
| 362 | COASTAL VIRGINIA OFFSHORE WIND TURBINE LIGHTS (3) CV-A01 | 36-53-46.661N 075-29-29.899W | Fl Y 5s | 62 | | Monopile Wind Turbine. | HORN: 1 blast ev 20s. Activated during low visibility. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **SEACOAST (Virginia) - Fifth District** | | | | |
| | **CAPE MAY TO CAPE HATTERAS (Chart 12200)** | | | | | | |
| 363 | *CVOW Lighted Meteorological Buoy D* | 36-53-29.630N 075-29-15.983W | Fl (5)Y 20s | | | | Private aid. |
| 364 | COASTAL VIRGINIA OFFSHORE WIND TURBINE LIGHTS (3) CV-A02 | 36-53-12.587N 075-29-29.681W | Fl Y 5s | 62 | | Monopile Wind Turbine. | RACON: D ( - . . ) Private aid. |
| 365 | *USN SESEF Lighted Buoy A* | 36-55-01.767N 075-38-13.711W | Fl Y 2.5s | | 5 | Yellow. | |
| 370 | **Cape Henry Light** | 36-55-34.889N 076-00-25.949W | Mo (U) W 20s (R sector) 1s fl 2s ec 1s fl 2s ec 7s fl 7s ec | 164 | W 17 R 15 | Octagonal pyramidal tower, upper and lower half of each face alternately black and white. 165 | Red from 154° to 233°, covers shoals outside Cape Charles and Middle Ground inside bay. Emergency light of lower intensity will be displayed when main light is extinguished. |
| 385 | *North Chesapeake Entrance Lighted Bell Buoy NCA* | 36-57-30.029N 075-48-12.615W | Fl Y 2.5s | | 6 | Yellow. | |
| 390 | *North Chesapeake Entrance Lighted Gong Buoy NCB* | 36-56-57.569N 075-50-17.055W | Fl Y 6s | | 6 | Yellow. | |
| 395 | *North Chesapeake Entrance Lighted Bell Buoy NCC* | 36-56-24.029N 075-52-24.015W | Fl Y 4s | | 6 | Yellow. | |
| 400 | *North Chesapeake Entrance Lighted Gong Buoy NCD* | 36-56-24.468N 075-53-41.381W | Fl Y 2.5s | | 6 | Yellow. | |
| 403 | *North Chesapeake Entrance Lighted Buoy NCE* | 36-56-24.029N 075-54-57.015W | Fl Y 6s | | 6 | Yellow. | |
| 405 | *Chesapeake Bay Entrance Lighted Whistle Buoy CH* | 36-56-08.358N 075-57-26.558W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: C ( - . - . ) AIS: MMSI 993672978. |
| | **Chesapeake Bay Southern Approach** | | | | | | |
| 410 | - *Lighted Whistle Buoy CB* | 36-48-59.772N 075-45-36.028W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: K ( - . - ) AIS: MMSI 993672982. |
| 415 | - *Lighted Buoy 1* | 36-49-31.651N 075-46-54.887W | Fl G 2.5s | | 6 | Green. | |
| 420 | - *Lighted Buoy 2* | 36-49-42.584N 075-46-46.436W | Fl R 2.5s | | 6 | Red. | |
| 425 | - *Lighted Buoy 3* | 36-50-11.634N 075-48-15.109W | Fl G 4s | | 6 | Green. | |
| 430 | - *Lighted Buoy 4* | 36-50-22.468N 075-48-06.663W | Fl R 4s | | 6 | Red. | |
| 435 | - *Lighted Buoy 5* | 36-50-51.497N 075-49-35.173W | Fl G 4s | | 6 | Green. | |
| 440 | - *Lighted Buoy 6* | 36-51-02.384N 075-49-26.727W | Fl R 4s | | 6 | Red. | |
| 445 | - *Lighted Buoy 7* | 36-51-31.344N 075-50-55.174W | Fl G 2.5s | | 6 | Green. | |
| 450 | - *Lighted Buoy 8* | 36-51-42.282N 075-50-46.717W | Fl R 2.5s | | 6 | Red. | |
| 455 | - *Lighted Buoy 9* | 36-52-11.638N 075-52-15.971W | Q G | | 6 | Green. | |
| 460 | - *Lighted Buoy 10* | 36-52-21.645N 075-52-05.651W | Q R | | 6 | Red. | |
| 465 | - *Lighted Buoy 11* | 36-53-07.700N 075-53-19.230W | Fl G 2.5s | | 6 | Green. | |
| 470 | - *Lighted Buoy 12* | 36-53-16.327N 075-53-07.358W | Fl R 2.5s | | 6 | Red. | |
| 475 | - *Lighted Buoy 13* | 36-54-03.242N 075-54-21.795W | Fl G 4s | | 6 | Green. | |
| 480 | - *Lighted Buoy 14* | 36-54-11.882N 075-54-09.946W | Fl R 4s | | 6 | Red. | |
| 485 | - *Lighted Buoy 15* | 36-54-58.623N 075-55-24.303W | Q G | | 6 | Green. | |
| 490 | - *Lighted Buoy 16* | 36-55-07.216N 075-55-12.418W | Q R | | 6 | Red. | |
| | **CAPE MAY TO CAPE HATTERAS (Chart 12200)** | | | | | | |
| 495 | *USN SESEF Lighted Buoy B* | 36-55-01.764N 075-45-28.728W | Fl Y 4s | | 5 | Yellow. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **SEACOAST (Virginia) - Fifth District** | | | | |
| | **CAPE MAY TO CAPE HATTERAS (Chart 12200)** | | | | | | |
| 501 | *Rudee Inlet Entrance Lighted Buoy 1* | 36-49-47.022N 075-57-43.503W | Fl G 2.5s | | 5 | Green. | |
| 503 | *Rudee Inlet Entrance Lighted Buoy 2* | 36-49-50.546N 075-57-44.490W | Fl R 2.5s | | 5 | Red. | |
| 505 | RUDEE INLET JETTY LIGHT 4 | 36-49-49.382N 075-57-59.452W | Iso R 6s | 23 | 5 | TR on skeleton tower. | |
| 515 | *Dam Neck Disposal Area Lighted Buoy A* | 36-50-02.392N 075-53-24.025W | Fl Y 2.5s | | 5 | Yellow. | Position changed frequently for dredging. |
| 540 | *Dam Neck Firing Zone Lighted Buoy B* | 36-43-45.573N 075-54-22.748W | Fl Y 4s | | 5 | Yellow. | |
| 550 | *NOAA Lighted Data Buoy 44014 (ODAS)* | 36-36-34.000N 074-50-30.000W | Fl (4)Y 20s | | 4 | Yellow disc-shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| | | | **SEACOAST (North Carolina) - Fifth District** | | | | |
| | **CAPE MAY TO CAPE HATTERAS (Chart 12200)** | | | | | | |
| 555 | **Currituck Beach Light** | 36-22-36.594N 075-49-46.722W | Fl W 20s | 158 | 18 | Red conical tower. 163 | Structure maintained by entity outside the U.S. Coast Guard. |
| | **DUCK RESEARCH BUOY AREA** | | | | | | |
| 562 | *Kitty Hawk Wind Lighted Meteorological Buoy KHW* | 36-24-40.800N 075-13-56.904W | Fl Y 4s | | | | Private aid. |
| 567 | *Duck Lighted Data Buoy 1* | 36-11-21.058N 075-44-37.160W | Fl Y 4s | | | Yellow. | Aid maintained by U.S. Army Corps of Engineers. |
| 567.01 | *Duck Lighted Data Buoy 2* | 36-11-15.070N 075-44-34.808W | Fl Y 4s | | | Yellow. | Aid maintained by U.S. Army Corps of Engineers. |
| 567.02 | *Duck Lighted Data Buoy 3* | 36-11-09.076N 075-44-32.378W | Fl Y 4s | | | Yellow. | Aid maintained by U.S. Army Corps of Engineers. |
| 568 | DUCK RESEARCH PIER LIGHT | 36-11-01.348N 075-44-45.014W | Fl W 4s | 38 | | On skeleton tower. | Aid maintained by U.S. Army Corps of Engineers. |
| 569 | *Duck Lighted Directional Waverider Buoy* | 36-11-58.440N 075-42-59.600W | Q Y | | | Yellow. | Private aid. |
| 569.3 | *Triaxys Lighted Directional Wave Buoy* | 36-15-30.029N 075-35-30.014W | Q Y | | | Yellow. | Aid maintained by U.S. Army Corps of Engineers. |
| | **CAPE MAY TO CAPE HATTERAS (Chart 12200)** | | | | | | |
| 570 | NAVY AIR COMBAT MANEUVERING RANGE TOWER LIGHT A | 36-13-36.069N 075-14-59.874W | Fl Y 2.5s | 71 | | | Aid maintained by U.S. Navy. |
| 575 | NAVY AIR COMBAT MANEUVERING RANGE TOWER LIGHT B | 36-03-53.829N 074-58-58.083W | Fl Y 2.5s | 71 | | | Aid maintained by U.S. Navy. |
| 580 | NAVY AIR COMBAT MANEUVERING RANGE TOWER LIGHT C | 35-57-00.208N 075-15-56.914W | Fl Y 2.5s | 71 | | | Aid maintained by U.S. Navy. |
| 585 | NAVY AIR COMBAT MANEUVERING RANGE TOWER LIGHT G | 35-47-11.838N 075-05-40.873W | Fl Y 2.5s | 71 | | | Aid maintained by U.S. Navy. |
| 590 | **Bodie Island Light** | 35-49-06.837N 075-33-47.909W | Fl (2)W 30s 2.5s fl 2.5s ec 2.5s fl 22.5sec | 156 | 18 | Conical brick tower, white and black bands above granite base, black ironwork. 166 | Aid maintained by National Park Service. |
| 595 | *Scripps Lighted Data Buoy CDIP 243* | 36-00-00.000N 075-25-12.000W | Fl (5)Y 20s | | | Yellow. | Private aid. |
| | **Oregon Inlet** | | | | | | |
| 600 27970 | *- Approach Lighted Whistle Buoy OI* | 35-48-38.180N 075-30-55.800W | Mo (A) W | | 6 | Red and white stripes. | Position frequently shifted with changing conditions. Topmark not installed on this aid. |
| 615 27995 | - JETTY LIGHT | 35-46-25.942N 075-31-30.026W | Fl W 2.5s | 28 | 7 | NB on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **SEACOAST (North Carolina) - Fifth District** | | | | | | |
| | **CAPE MAY TO CAPE HATTERAS (Chart 12200)** | | | | | | |
| 616 | *UNC-Chapel Hill Lighted Data Buoy P* | 35-45-00.000N 075-19-48.000W | Fl Y 4s | | | Yellow. | Private aid. |
| 618 | *UNC -Chapel Hill Lighted Data Buoy H* | 35-47-18.540N 075-06-19.200W | Fl Y 4s | | | Yellow. | Private aid. |
| 625 | **Cape Hatteras Light** | 35-15-01.948N 075-31-43.754W | Fl W 7.5s | 192 | 24 | Conical brick tower, black and white spirally banded, red brick base with granite corners. 200 | Structure maintained by the National Park Service. |
| 630 | Outer Diamond Shoals Buoy 2 | 35-08-24.673N 075-23-22.531W | | | | Red nun. | |
| 635 | *NOAA Lighted Data Buoy 41001 (ODAS)* | 34-43-27.000N 072-19-00.000W | Fl (4)Y 20s | | 5 | Yellow boat-shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 637 | *NOAA Lighted Data Buoy 41025 (ODAS)* | 35-01-24.611N 075-21-41.897W | Fl (4)Y 20s | | 5 | Yellow disc-shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 638 | *UNC-Chapel Hill Lighted Data Buoy R* | 34-46-56.520N 075-56-30.120W | Fl Y 4s | | | Yellow. | Private aid. |
| | **CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520)** | | | | | | |
| 640 | *Diamond Shoals Lighted Buoy 12* | 35-09-05.028N 075-17-33.013W | Q R | | 5 | Red. | Marks remaining structure of Diamond Shoal Light. |
| 645 28625 | **Hatteras Inlet Light** | 35-11-51.541N 075-43-56.005W | Iso W 6s | 48 | 10 | Skeleton tower on black house. 45 | |
| 650 28630 | *Hatteras Inlet Entrance Lighted Whistle Buoy HI* | 35-09-47.709N 075-45-15.183W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | Position frequently shifted with changing conditions. |
| 660 | **Ocracoke Light** | 35-06-32.308N 075-59-09.685W | F W | 75 | 15 | White conical tower. 85 | Structure maintained by the National Park Service. |
| 670 | **Cape Lookout Light** | 34-37-21.916N 076-31-28.356W | Fl W 15s | 156 | 14 | Conical brick tower, black and white diagonally checkered. 169 | Structure maintained by the National Park Service. |
| 680 | *Cape Lookout Shoals Lighted Buoy 2* | 34-29-36.629N 076-25-40.715W | Q R | | 4 | Red. | |
| 685 | *Cape Lookout Lighted Buoy 14* | 34-18-06.640N 076-23-59.204W | Fl R 4s | | 6 | Red. | |
| 689 | *Cape Lookout Shoals Lighted Data Buoy A* | 34-20-36.000N 076-25-12.000W | Fl Y 4s | | | Yellow. | Private aid. |
| 690 | *Cape Lookout Shoals Lighted Buoy 4* | 34-26-56.541N 076-28-23.264W | Fl R 2.5s | | 4 | Red. | |
| 695 | *Cape Lookout Shoals Lighted Buoy 6* | 34-27-16.016N 076-33-40.447W | Fl R 6s | | 5 | Red. | |
| 705 | *Cape Lookout Shoals Lighted Buoy 8* Marks wreck of SENATEUR DUHAMEL. | 34-32-54.610N 076-36-09.535W | Q R | | 4 | Red. | |
| 710 29125 | *Cape Lookout Breakwater Lighted Buoy 2* | 34-37-06.948N 076-33-45.931W | Q R | | 4 | Red. | |
| 720 29330 | *Beaufort Inlet Channel Lighted Whistle Buoy BM* | 34-36-39.857N 076-41-11.990W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | AIS: MMSI 993672329 |
| 730 29490 | *Bogue Inlet Entrance Lighted Whistle Buoy BI* | 34-37-34.666N 077-06-06.959W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| | **Camp Lejeune Danger Zone** | | | | | | |
| 740 | - *Lighted Buoy A* | 34-36-19.198N 077-05-33.617W | Fl Y 4s | | 6 | Yellow. | |
| 745 | - *Lighted Buoy B* | 34-35-22.198N 077-01-27.606W | Fl Y 2.5s | | 6 | Yellow. | |
| 750 | - *Lighted Buoy C* | 34-30-01.202N 077-02-03.604W | Fl Y 4s | | 6 | Yellow. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **SEACOAST (North Carolina) - Fifth District** | | | | | | |
| | **CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520)** | | | | | | |
| | **Camp Lejeune Danger Zone** | | | | | | |
| 755 | - *Lighted Buoy D* | 34-25-28.210N 077-05-34.803W | Fl Y 6s | | 6 | Yellow. | |
| 760 | - *Lighted Buoy E* | 34-22-33.629N 077-10-59.912W | Fl Y 4s | | 6 | Yellow. | |
| 765 | - *Lighted Buoy F* | 34-21-54.999N 077-17-28.647W | Fl Y 6s | | 6 | Yellow. | |
| 770 | - *Lighted Buoy G* | 34-23-36.212N 077-23-34.664W | Fl Y 2.5s | | 6 | Yellow. | |
| 775 | - *Lighted Buoy H* | 34-27-57.008N 077-21-07.856W | Fl Y 4s | | 6 | Yellow. | |
| | **CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520)** | | | | | | |
| 790 29650 | *New River Inlet Lighted Whistle Buoy NR* | 34-31-02.067N 077-19-33.328W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 795 29970 | *New Topsail Inlet Lighted Whistle Buoy NT* | 34-20-11.703N 077-38-26.765W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 800 30145 | *Masonboro Inlet Lighted Whistle Buoy A* | 34-10-24.261N 077-47-51.081W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 802.3 | *Scripps Lighted Data Buoy CDIP 217* | 34-12-45.540N 076-56-47.220W | Fl (5)Y 20s | | | Yellow. | Private aid. |
| 802.5 | *UNCW/CORMP Lighted Data Buoy D* | 34-12-30.240N 076-56-48.900W | Fl Y 4s | | | Yellow. | Private aid. |
| 803 | *UNCW/CORMP Lighted Data Buoy A* | 34-08-35.640N 077-42-59.160W | Fl Y 4s | | | Yellow. | Private aid. |
| 803.1 | *UNCW/CORMP Lighted Data Buoy B* | 33-59-15.720N 077-21-36.960W | Fl Y 4s | | | Yellow. | Private aid. |
| 803.2 | *UNCW/CORMP Lighted Data Buoy C* | 34-08-27.600N 077-43-01.800W | Fl (5)Y 20s | | | Yellow. | Private aid. |
| 805 30260 | *Carolina Beach Inlet Entrance Lighted Whistle Buoy CB* | 34-04-53.983N 077-51-11.123W | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | |
| 810 | **Oak Island Light** | 33-53-34.190N 078-02-05.747W | Fl (4)W 10s 0.1s fl 1.1s ec. 0.1s fl 1.1s ec. 0.1s fl 1.1s ec 0.1s fl 6.3s ec. | 169 | 22 | Cylindrical tower, top third black, middle third white, lower third gray. 180 | Structure maintained by entity outside the U.S. Coast Guard. |
| 812 | *Oak Island Lighted Sensor Buoy A* | 33-53-38.196N 078-05-06.558W | Fl Y 6s | | | Yellow. | Private aid. |
| 815 | *NOAA Lighted Data Buoy 41013 (ODAS)* | 33-26-28.000N 077-45-50.000W | Fl (4)Y 20s | | 5 | Yellow disc-shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 817 | *NOAA Lighted Data Buoy 41424 (Dart)* | 32-55-41.000N 072-28-11.000W | Fl (4)Y 20s | | 5 | Yellow disc shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| | **Frying Pan Shoals** | | | | | | |
| 820 | - *Slough Approach Lighted Whistle Buoy SA* | 33-42-36.745N 077-51-04.989W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 825 | - Slough Buoy 1 | 33-39-06.617N 077-52-49.168W | | | | Green can. | |
| 830 | - Slough Buoy 2 | 33-39-16.236N 077-52-56.909W | | | | Red nun. | |
| 835 | - *Lighted Buoy 16* | 33-28-47.091N 077-35-04.564W | Fl R 2.5s | | 5 | Red. | Marks remains of Frying Pan Shoals Light tower. |
| 845 | - *Lighted Buoy 4FP* | 33-36-29.731N 077-54-55.585W | Fl R 2.5s | | 4 | Red. | |
| 850 | - *Lighted Buoy 6FP* | 33-41-00.026N 078-04-00.016W | Fl R 4s | | 6 | Red. | |
| | **CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520)** | | | | | | |
| 857 | *Bald Head Island Lighted Sensor Buoy A* | 33-50-38.976N 078-00-43.494W | Fl Y 4s | | | Yellow. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **SEACOAST (North Carolina) - Fifth District** | | | | |
| | **CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520)** | | | | | | |
| 860<br>30316 | *Cape Fear River Entrance Lighted Whistle Buoy CF* | 33-46-16.729N<br>078-03-01.583W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: C ( - . - . )<br>On channel centerline.<br>AIS: MMSI 993672156. |
| 867 | *UNC Wilmington Lighted Data Buoy SB* | 33-50-35.230N<br>078-28-57.960W | Fl (5)Y 20s | | | Yellow. | Private aid. |
| 867.5 | *UNC Wilmington Lighted Data Buoy S* | 33-50-21.720N<br>078-29-03.600W | Fl Y 4s | | | Yellow | Private aid. |
| 868 | *Cape Fear Lighted Research Buoy A* | 33-43-16.020N<br>078-00-52.800W | Fl (5)Y 20s | | | Yellow. | Private aid. |
| | | | **NEW JERSEY - Fifth District** | | | | |
| | **FIRE ISLAND TO SEA GIRT (Chart 12326)** | | | | | | |
| 872 | SHARK RIVER INLET SOUTH BREAKWATER LIGHT 1 | 40-11-11.391N<br>074-00-26.745W | Fl G 4s | 33 | 7 | SG on pile. | |
| 873 | SHARK RIVER INLET NORTH BREAKWATER LIGHT 2 | 40-11-14.870N<br>074-00-28.982W | Fl R 4s | 33 | 6 | TR on skeleton tower. | |
| | **SEA GIRT TO LITTLE EGG INLET (Chart 12323)** | | | | | | |
| | **Barnegat Inlet**<br>*Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 875<br>25 | - *Outer Lighted Whistle Buoy BI* | 39-44-28.518N<br>074-03-51.342W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 880 | - North Jetty Danger Buoy B<br>Marks submerged jetty. | 39-45-37.642N<br>074-05-20.838W | | | | White and orange; can. | |
| 900 | - *Lighted Buoy 1* | 39-44-48.142N<br>074-04-38.657W | Fl G 2.5s | | 5 | Green. | |
| 910 | - Buoy 2 | 39-44-53.255N<br>074-04-31.982W | | | | Red nun. | |
| 915 | - Buoy 3 | 39-45-00.820N<br>074-04-53.810W | | | | Green can. | |
| 920 | - North Jetty Danger Buoy A<br>Marks submerged jetty. | 39-45-40.908N<br>074-05-23.912W | | | | White and orange; can. | |
| 925 | - *Lighted Buoy 4* | 39-45-06.131N<br>074-04-52.143W | Fl R 6s | | 5 | Red. | |
| 942 | - NORTH BREAKWATER LIGHT 6 | 39-45-32.828N<br>074-05-22.646W | Q R | 40 | 5 | TR on multi-pile structure. | |
| 943 | - SOUTH BREAKWATER LIGHT 7 | 39-45-25.648N<br>074-05-35.711W | Q G | 35 | 5 | SG on skeleton tower. | |
| 950 | - *Lighted Buoy 9* | 39-45-38.736N<br>074-05-38.820W | Fl G 2.5s | | 4 | Green. | |
| 955 | - *Lighted Buoy 11* | 39-45-56.681N<br>074-06-03.064W | Q G | | 4 | Green. | |
| 958 | **Barnegat Light** | 39-45-51.540N<br>074-06-22.230W | Fl W 10s | 163 | 22 | Conical brick tower, top half red, bottom white.<br>163 | Private aid. |
| 960 | - *Lighted Buoy 12* | 39-46-03.041N<br>074-06-06.978W | Fl R 2.5s | | 4 | Red. | |
| 965 | *Barnegat Harbor Channel Lighted Buoy 14* | 39-45-50.072N<br>074-06-34.004W | Fl R 2.5s | | 4 | Red. | Replaced by nun from Nov. 1 to May 1. |
| 970 | Barnegat Harbor Channel Junction Buoy B | 39-45-39.306N<br>074-06-44.447W | | | | Green and red bands; can. | |
| 975 | - Buoy 16 | 39-45-41.322N<br>074-06-44.057W | | | | Red nun. | |
| 980 | - Buoy 17 | 39-45-41.903N<br>074-06-57.723W | | | | Green can. | |
| 985 | - Buoy 18<br>Marks submerged piles. | 39-45-46.299N<br>074-06-58.855W | | | | Red nun. | |
| 987 | - Buoy 18A | 39-45-54.439N<br>074-07-02.003W | | | | Red nun. | |
| 990 | - Buoy 19 | 39-45-57.008N<br>074-07-04.751W | | | | Green can. | |
| 995 | - Buoy 20 | 39-45-59.331N<br>074-07-03.187W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NEW JERSEY - Fifth District** | | | | | | |
| | **SEA GIRT TO LITTLE EGG INLET (Chart 12323)** | | | | | | |
| | **Barnegat Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 1000 | - Buoy 21 | 39-46-12.528N 074-07-00.730W | | | | Green can. | |
| 1005 | - Buoy 22 | 39-46-11.704N 074-06-58.214W | | | | Red nun. | |
| 1010 | - Buoy 24 | 39-46-31.700N 074-06-57.008W | | | | Red nun. | |
| 1015 | - Buoy 25 | 39-46-27.947N 074-06-58.000W | | | | Green can. | |
| 1020 | - *Lighted Buoy 26* | 39-46-41.988N 074-07-02.111W | Fl R 2.5s | | 4 | Red. | Replaced by nun from Nov. 1 to May 1. |
| 1025 | - Buoy 27 | 39-46-41.061N 074-07-05.655W | | | | Green can. | |
| 1030 | - Buoy 27A | 39-46-56.377N 074-07-02.627W | | | | Green can. | |
| 1035 | - Buoy 28 | 39-46-56.636N 074-07-00.684W | | | | Red nun. | |
| 1040 | - Buoy 29 | 39-47-08.633N 074-07-13.485W | | | | Green can. | |
| 1045 | - Buoy 29A | 39-47-16.458N 074-07-31.982W | | | | Green can. | |
| 1050 | - *Lighted Buoy 30* | 39-47-11.004N 074-07-11.687W | Fl R 2.5s | | 4 | Red. | Replaced by nun from Nov. 1 to May 1. |
| 1055 | - Buoy 31 | 39-47-20.702N 074-07-47.675W | | | | Green can. | |
| 1060 | - Buoy 32 | 39-47-23.118N 074-07-51.286W | | | | Red nun. | |
| 1065 | - Buoy 33 | 39-47-30.372N 074-08-07.822W | | | | Green can. | |
| 1070 | - *Lighted Buoy 34* | 39-47-33.144N 074-08-09.532W | Fl R 2.5s | | 4 | Red. | Replaced by nun from Nov. 1 to May 1. |
| | **Oyster Creek Channel** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 1073 | - Buoy 35 | 39-47-29.998N 074-08-31.853W | | | | Green can. | |
| 1075 | - Buoy 36 | 39-47-32.852N 074-08-40.786W | | | | Red nun. | |
| 1080 | - Buoy 37 | 39-47-29.106N 074-09-04.755W | | | | Green can. | Removed when endangered by ice. |
| 1090 | - Buoy 38 | 39-47-31.213N 074-09-04.998W | | | | Red nun. | Removed when endangered by ice. |
| 1091 | - Buoy 38A | 39-47-32.120N 074-09-19.277W | | | | Red nun. | Removed when endangered by ice. |
| 1093 | - Buoy 39 | 39-47-29.782N 074-09-17.520W | | | | Green can. | Removed when endangered by ice. |
| 1095 | - Buoy 40 | 39-47-28.169N 074-09-32.318W | | | | Red nun. | Removed when endangered by ice. |
| 1097 | - Buoy 41 | 39-47-25.686N 074-09-31.624W | | | | Green can. | Removed when endangered by ice. |
| 1099 | - *Lighted Buoy 42* | 39-47-26.937N 074-09-41.797W | Q R | | 4 | Red. | Removed when endangered by ice. |
| | **LITTLE EGG INLET TO HEREFORD INLET (Charts 12318)** | | | | | | |
| | **Little Egg Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 1100 | - *Lighted Buoy 1* | 39-28-05.473N 074-16-55.321W | Fl G 4s | | 6 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NEW JERSEY - Fifth District** | | | | | | |
| | **LITTLE EGG INLET TO HEREFORD INLET (Charts 12318)** | | | | | | |
| | **Little Egg Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 1105 | - *Lighted Buoy 2* | 39-28-31.623N 074-17-13.194W | Fl R 4s | | 6 | Red. | |
| 1110 | - *Lighted Buoy 3* | 39-28-18.315N 074-17-14.654W | Q G | | 4 | Green. | |
| 1115 | - Buoy 4 | 39-28-32.835N 074-17-46.693W | | | | Red nun. | |
| 1120 | - *Lighted Buoy 5* | 39-28-32.812N 074-18-03.407W | Fl G 4s | | 5 | Green. | |
| 1125 | - *Lighted Buoy 6* | 39-28-50.499N 074-18-06.640W | Q R | | 4 | Red. | Replaced by nun from Nov. 1 to May 1. |
| 1129 | - Buoy 8 | 39-29-14.851N 074-18-14.503W | | | | Red nun. | |
| 1131 | - *Lighted Buoy 10* | 39-29-44.555N 074-18-30.992W | Fl R 2.5s | | 4 | Red. | Replaced by nun from Nov. 1 to May 1. |
| 1132 | - Buoy 11 | 39-29-54.692N 074-18-58.235W | | | | Green can. | |
| | **Marshelder Channel** | | | | | | |
| 1140 | - Buoy 1 | 39-31-33.224N 074-17-37.114W | | | | Green can. | Private aid. |
| 1145 | - Buoy 2 | 39-31-32.523N 074-19-29.319W | | | | Red nun. | Private aid. |
| 1150 | - Buoy 2A | 39-31-57.624N 074-17-16.313W | | | | Red nun. | Private aid. |
| 1155 | - Buoy 3 | 39-32-12.424N 074-17-22.514W | | | | Green can. | Private aid. |
| 1160 | - Buoy 4 | 39-32-24.424N 074-17-28.514W | | | | Red nun. | Private aid. |
| 1165 | - Buoy 5 | 39-32-30.424N 074-17-46.515W | | | | Green can. | Private aid. |
| | **Absecon Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 1170 60 | - *Lighted Buoy 1* | 39-20-47.424N 074-24-01.351W | Fl G 4s | | 5 | Green. | |
| 1175 | - *Lighted Buoy 2* | 39-20-51.367N 074-23-48.874W | Fl R 2.5s | | 4 | Red. | |
| 1180 | - *Lighted Buoy 3* | 39-21-23.695N 074-24-11.998W | Fl G 2.5s | | 5 | Green. | |
| 1185 | - *Lighted Buoy 4* | 39-21-29.641N 074-24-06.004W | Fl R 2.5s | | 5 | Red. | |
| 1190 | - *Lighted Buoy 5* | 39-21-41.121N 074-24-17.394W | Fl G 2.5s | | 5 | Green. | |
| 1215 | - Buoy 6 | 39-22-12.591N 074-24-25.994W | | | | Red nun. | |
| 1220 | - Buoy 8 | 39-22-23.755N 074-24-36.100W | | | | Red nun. | |
| 1225 | - Buoy 10 | 39-22-36.193N 074-24-46.005W | | | | Red nun. | |
| 1230 | - Buoy 12 | 39-22-52.261N 074-25-01.461W | | | | Red nun. | |
| 1235 | - Buoy 13 | 39-22-50.442N 074-25-07.687W | | | | Green can. | |
| 1237 | - Buoy 15 | 39-22-57.951N 074-25-14.449W | | | | Green can. | |
| | **Clam Creek** | | | | | | |
| 1240 | - *Junction Lighted Buoy CC* Marks shoal. | 39-22-43.063N 074-25-01.749W | Fl (2+1)G 6s | | 5 | Green and red bands. | |
| 1245 | - Buoy 2 | 39-22-41.219N 074-25-06.620W | | | | Red nun. | |
| 1250 | - Buoy 4 | 39-22-40.450N 074-25-17.286W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NEW JERSEY - Fifth District** | | | | |
| | **LITTLE EGG INLET TO HEREFORD INLET (Charts 12318)** | | | | | | |
| | **Great Egg Harbor Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 1270 | - *Lighted Buoy 1* | 39-16-57.389N 074-31-48.605W | Fl G 2.5s | | 6 | Green. | |
| 1275 | - *Lighted Buoy 2* | 39-17-00.826N 074-31-37.439W | Fl R 2.5s | | 6 | Red. | |
| 1277 | - Buoy 3 | 39-17-18.307N 074-32-04.060W | | | | Green can. | |
| 1280 | - Buoy 4 | 39-17-43.158N 074-32-19.932W | | | | Red nun. | |
| 1285 | - *Lighted Buoy 5* | 39-17-35.412N 074-32-22.599W | Fl G 4s | | 4 | Green. | |
| 1288 | - Buoy 7 | 39-18-01.597N 074-32-42.366W | | | | Green can. | |
| 1290 | - *Junction Lighted Buoy GH* | 39-18-09.756N 074-32-40.134W | Fl (2+1)G 6s | | 5 | Green and red bands. | |
| 1291 | - Buoy 9 | 39-18-08.108N 074-32-51.735W | | | | Green can. | |
| 1292 | - Buoy 10 | 39-18-05.860N 074-33-29.045W | | | | Red nun. | |
| 1293 | - Buoy 12 | 39-18-02.467N 074-33-31.706W | | | | Red nun. | |
| | **Longport Channel** | | | | | | |
| 1295 | - Buoy 1 | 39-18-22.177N 074-32-21.566W | | | | Green can. | |
| 1300 | - Buoy 2 | 39-18-18.907N 074-32-19.574W | | | | Red nun. | |
| 1305 | - Buoy 3 | 39-18-27.990N 074-32-08.563W | | | | Green can. | |
| 1315 | - Buoy 5 | 39-18-35.597N 074-31-56.330W | | | | Green can. | |
| 1317 | - Buoy 7 | 39-18-42.357N 074-31-51.518W | | | | Green can. | |
| 1318 | - Buoy 8 | 39-18-47.917N 074-31-44.109W | | | | Red nun. | |
| 1319 | - Buoy 9 | 39-18-50.914N 074-31-44.945W | | | | Green can. | |
| | **Ship Channel** | | | | | | |
| 1325 | - Buoy 1 | 39-17-55.416N 074-34-13.559W | | | | Green can. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 1330 | - Buoy 2 | 39-18-11.416N 074-34-30.560W | | | | Red nun. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 1335 | - Buoy 3 | 39-18-33.416N 074-35-15.562W | | | | Green can. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 1340 | - Buoy 4 | 39-18-18.416N 074-35-58.564W | | | | Red nun. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 1345 | - Buoy 5 | 39-18-12.416N 074-36-16.565W | | | | Green can. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 1350 | - Buoy 6 | 39-17-42.416N 074-36-34.565W | | | | Red nun. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 1355 | - Buoy 7 | 39-17-42.415N 074-37-06.367W | | | | Green can. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| | **Townsends Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 1405 | - *Lighted Buoy 2T* | 39-05-51.936N 074-41-48.384W | Fl R 2.5s | | 4 | Red. | |
| 1407 | - *Lighted Buoy 3* | 39-05-59.982N 074-42-09.912W | Q G | | 4 | Green. | |
| 1409 | - Buoy 4 | 39-06-03.606N 074-42-07.350W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NEW JERSEY - Fifth District** | | | | | | |
| | **LITTLE EGG INLET TO HEREFORD INLET (Charts 12318)** | | | | | | |
| | **Townsends Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 1410<br>75 | - *Shoals Lighted Bell Buoy 4A* | 39-07-05.442N<br>074-40-37.591W | Fl R 4s | | 5 | Red. | |
| 1412 | AVALON JETTY LIGHT A | 39-06-24.260N<br>074-42-12.470W | Fl W 2.5s | | | | Private aid. |
| 1415 | - *Lighted Buoy 6* | 39-06-32.256N<br>074-42-11.400W | Fl R 4s | | 4 | Red. | |
| 1420 | - Buoy 8 | 39-06-53.946N<br>074-42-39.566W | | | | Red nun. | |
| 1425 | - Buoy 10 | 39-07-03.939N<br>074-42-50.151W | | | | Red nun. | |
| | **CAPE MAY HARBOR (Chart 12317)** | | | | | | |
| | **Cape May Inlet** | | | | | | |
| 1435<br>135 | - *Lighted Buoy 2CM* | 38-55-47.036N<br>074-51-20.524W | Fl R 2.5s | | 5 | Red. | |
| 1440 | - EAST JETTY LIGHT 4 | 38-56-12.146N<br>074-51-42.676W | Fl R 4s | 25 | 6 | TR on skeleton tower. | |
| 1445 | - WEST JETTY LIGHT 5 | 38-56-11.746N<br>074-51-55.326W | Fl G 4s | 38 | 6 | SG on pile. | |
| 1455<br>36733 | CAPE MAY HARBOR RANGE FRONT LIGHT 4 | 38-57-07.793N<br>074-52-35.171W | Q R | 13 | | Light 4 TR-TY on multi-pile structure. On same structure as Cape May Harbor Range Front light. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 1460 | CAPE MAY HARBOR RANGE REAR LIGHT<br>327.4°, 710 yards from front light. | 38-57-25.482N<br>074-52-49.787W | Oc W 4s | 40 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 1463 | CAPE MAY HARBOR RANGE REAR PASSING LIGHT | 38-57-25.482N<br>074-52-49.787W | Fl W 4s | 15 | 5 | On same structure as Cape May Harbor Range Rear Light. | On corner of platform. |
| 1465 | *Cape May Harbor Lighted Buoy 2* | 38-56-59.573N<br>074-52-22.894W | Fl R 2.5s | | 4 | Red. | |
| | **NEW JERSEY AND DELAWARE - Fifth District** | | | | | | |
| | **CAPE MAY TO FENWICK ISLAND (Chart 12214)** | | | | | | |
| | **Delaware Bay** | | | | | | |
| 1475 | - *North Approach Lighted Buoy 2* | 38-48-19.031N<br>074-55-18.015W | Q R | | 5 | Red. | |
| 1480 | - *North Approach Lighted Buoy 4* | 38-47-56.076N<br>074-58-33.032W | Fl R 4s | | 5 | Red. | |
| 1483 | - *Entrance Junction Lighted Buoy DF* | 38-46-17.265N<br>074-58-45.117W | Fl (2+1)R 6s | | 5 | Red and green bands. | |
| 1485 | - *Approach Lighted Whistle Buoy CH* | 38-46-14.008N<br>075-01-19.539W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: K ( - . - )<br>AIS: MMSI 993672980. |
| | **Delaware Bay South Approach** | | | | | | |
| 1490<br>190 | *Hen and Chickens Shoal Lighted Buoy 1HC*<br>Off southeast end of shoal. | 38-42-42.792N<br>074-58-55.903W | Fl G 2.5s | | 5 | Green. | |
| 1495 | *Hen and Chickens Shoal Lighted Buoy 3HC* | 38-44-46.448N<br>075-01-24.482W | Fl G 4s | | 5 | Green. | |
| | **Delaware Bay** | | | | | | |
| 1505 | - *Entrance Channel Lighted Buoy 5* | 38-46-36.031N<br>075-03-33.015W | Fl G 2.5s | | 5 | Green. | |
| 1510 | - *Entrance Channel Lighted Buoy 6* | 38-47-33.031N<br>075-01-48.015W | Q R | | 5 | Red. | Marks the NE corner of pilots triangle. |
| 1515 | - *Entrance Channel Lighted Buoy 8* | 38-49-21.031N<br>075-02-30.015W | Fl R 2.5s | | 5 | Red. | |
| 1520 | *South Shoal Lump Lighted Buoy 8A* | 38-49-18.434N<br>075-01-34.655W | Oc R 4s | | 4 | Red. | |
| 1525 | South Shoal Lump Buoy 8B | 38-50-00.434N<br>075-02-04.656W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NEW JERSEY AND DELAWARE - Fifth District** | | | | | | |
| | **CAPE MAY TO FENWICK ISLAND (Chart 12214)** | | | | | | |
| | **Delaware Bay** | | | | | | |
| 1530 | **Harbor of Refuge Light** | 38-48-52.254N<br>075-05-32.636W | Fl W 10s<br>(2 R sectors) | 72 | W 19<br>R 16 | White conical tower, on black cylindrical substructure.<br>72 | Red from 325° to 351°, covers Hen and Chicken Shoal, and 127° to 175° covers Brown Shoals.<br>HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si); Operates from Mar. 15 to Dec. 15.<br>Structure maintained by entity outside the U.S. Coast Guard. |
| | **DELAWARE BAY (Chart 12304)** | | | | | | |
| | **Delaware Bay Main Channel**<br>*Buoys located 100 feet outside channel limit.* | | | | | | |
| 1535 | BROWN SHOAL LIGHT | 38-55-21.073N<br>075-06-00.672W | Fl W 2.5s | 23 | 7 | NB on skeleton tower. | RACON: B ( - . . . ) |
| 1540 | - *Lighted Buoy 10* | 38-56-24.800N<br>075-06-17.411W | Fl R 4s | | 5 | Red. | Removed when endangered by ice. |
| 1550 | - *Lighted Buoy 12* | 38-58-52.235N<br>075-07-36.673W | Fl R 4s | | 5 | Red. | Removed when endangered by ice. |
| 1555 | **Brandywine Shoal Light**<br>On shoal. | 38-59-10.465N<br>075-06-47.480W | Fl W 10s<br>(R sector) | 60 | W 19<br>R 13 | Cylindrical concrete structure, adjacent to old screw-pile.<br>60 | Red from 151° to 338°, covers shoal area southwest of Cape May. Emergency light of lower intensity with same characteristic as main light when light is extinguished.<br>HORN: 1 blast ev 15s (2s bl). Maintained from Mar. 15 to Dec. 15. Structure maintained by entity outside the U.S. Coast Guard. |
| 1565 | - *Lighted Buoy 14* | 39-00-18.435N<br>075-08-24.775W | Fl R 2.5s | | 4 | Red. | Removed when endangered by ice. |
| 1570 | - *Lighted Buoy 16* | 39-02-08.436N<br>075-09-23.878W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1575 | **Fourteen Foot Bank Light** | 39-02-53.727N<br>075-10-55.953W | Fl W 9s<br>3s fl 6s ec.<br>(R Sector) | 59 | W 13<br>R 10 | White tower and dwelling on black cylindrical pier.<br>59 | Red from 332.5° to 151°, covers Brown and Joe Flogger Shoals.<br>HORN: 1 blast ev 30s (3s bl). Operates continuously from Mar. 15 to Dec. 1.<br>Structure maintained by entity outside the U.S. Coast Guard. |
| 1580 | - LIGHT 19 | 39-05-01.431N<br>075-11-16.459W | Q G | 21 | 5 | SG on pile. | |
| 1585 | **Miah Maull Shoal Light**<br>On north end of shoal. | 39-07-35.959N<br>075-12-31.270W | Oc W 4s<br>(R Sector) | 59 | W 10<br>R 10 | Red conical tower, on gray caisson; red cylindrical watch room and black lantern.<br>59 | RACON: M ( - - )<br>Red from 137.5° to 333°, covers Brandywine Shoal and Cross Ledge. HORN: 1 blast ev 10s (1s bl). Maintained from Mar. 15 to Dec. 15. Structure maintained by entity outside the U.S. Coast Guard. |
| 1590 | - *Lighted Buoy 25* | 39-07-10.925N<br>075-13-10.881W | Fl G 4s | | 6 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1595 | - *Lighted Buoy 27* | 39-09-33.539N<br>075-15-20.699W | Fl G 2.5s | | 6 | Green. | Removed when endangered by ice. |
| 1600 | **Elbow of Cross Ledge Light** | 39-10-56.045N<br>075-16-06.411W | Iso W 6s | 61 | 16 | Red skeleton tower with small white house on international orange cylindrical base.<br>61 | HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Maintained from Mar. 15 to Dec. 15. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NEW JERSEY AND DELAWARE - Fifth District** | | | | | | |
| | **DELAWARE BAY (Chart 12304)** | | | | | | |
| | **Delaware Bay Main Channel** *Buoys located 100 feet outside channel limit.* | | | | | | |
| 1605 | - *Lighted Buoy 29* | 39-10-49.639N 075-16-28.203W | Q G | | 6 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1615 | - *Lighted Buoy 31* | 39-12-42.740N 075-17-34.806W | Fl G 2.5s | | 6 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1620 | - LIGHT 32 | 39-13-59.740N 075-17-57.978W | Q R | 47 | 6 | TR on pile. | |
| 1625 | - *Lighted Buoy 34* | 39-14-49.640N 075-18-57.211W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 1630 | - *Lighted Buoy 35* | 39-16-02.239N 075-20-41.415W | Fl G 2.5s | | 6 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1635 | - Buoy 38 | 39-17-46.938N 075-22-21.918W | | | | Red nun. | |
| 1640 | **Ship John Shoal Light** On shoal. | 39-18-19.108N 075-22-35.959W | Fl W 5s (R sector) | 50 | W 16 R 12 | Brown, octagonal dwelling with pyramidal roof; on cylindrical pier. 50 | RACON: O ( - - - ) Red from 138° to 321.5°, covers shoals on east channel. High intensity beam down Miah Maul Range. Emergency light of lower intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl 13s si). Maintained from Mar. 15 to Dec. 15. Structure Maintained by entity outside the U.S. Coast Guard. |
| 1645 | - *Lighted Buoy 42* | 39-21-04.747N 075-26-12.603W | Fl R 4s | | 6 | Red. | |
| | **Cape May Canal West Entrance** | | | | | | |
| 1650 | - *Approach Lighted Buoy 2* | 38-54-30.031N 075-02-15.015W | Fl R 4s | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1655 | - *Approach Lighted Buoy 4* | 38-55-33.031N 075-00-47.515W | Fl R 2.5s | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1660 | - *Approach Lighted Buoy 5* | 38-56-30.031N 075-00-45.015W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1665 | - *Approach Lighted Buoy 8* | 38-57-58.736N 074-58-46.448W | Fl R 2.5s | | 4 | Red. | Maintained from May 1 to Nov. 1. |
| 1670 36785 | CAPE MAY CANAL WEST ENTRANCE SOUTH JETTY LIGHT 10 | 38-57-57.580N 074-58-02.436W | Fl R 4s | 30 | 6 | TR-SY on skeleton tower. | |
| 1675 36790 | - NORTH JETTY LIGHT 11 | 38-58-03.715N 074-57-59.705W | Fl G 2.5s | 34 | 6 | SG-TY on skeleton tower. | HORN: 1 blast ev 15s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 83A (157.175MHz). HORN operates for 30 minutes. |
| 1677 | - Buoy 12 | 38-58-01.572N 074-57-31.509W | | | | Red nun. | Removed when endangered by ice. |
| 1679 | - Buoy 14 | 38-58-01.148N 074-57-27.389W | | | | Red nun. | Removed when endangered by ice. |
| 1680 | **Cape May Ferry Fog Signal** | 39-58-03.405N 074-57-36.606W | | 28 | | | Bell: 3 strokes ev 10s. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NEW JERSEY AND DELAWARE - Fifth District** | | | | | | |
| | **DELAWARE BAY (Chart 12304)** | | | | | | |
| | **Bay Shore Channel** | | | | | | |
| 1685 | *Deadman Shoal Lighted Buoy 1DS* | 39-05-12.438N 074-59-52.649W | Fl G 4s | | 4 | Green. | Maintained from May 1 to Nov. 1. |
| 1687 | *Cape May Aquaculture Zone Lighted Buoy A* | 39-04-22.200N 074-55-10.800W | Fl W 4s | | | White can with orange diamond. | Private aid. |
| 1687.1 | *Cape May Aquaculture Zone Lighted Buoy B* | 39-04-16.800N 074-54-56.400W | Fl W 4s | | | White can with orange diamond. | Private aid. |
| 1687.2 | *Cape May Aquaculture Zone Lighted Buoy C* | 39-03-51.600N 074-55-11.400W | Fl W 4s | | | White can with orange diamond. | Private aid. |
| 1687.3 | *Cape May Aquaculture Zone Lighted Buoy D* | 39-03-38.400N 074-55-27.000W | Fl W 4s | | | White can with orange diamond. | Private aid. |
| 1690 | BIDWELL CREEK ENTRANCE LIGHT 2 | 39-07-38.700N 074-53-39.000W | Fl R 4s | | | TR on pile on end of jetty. | Private aid. |
| 1695 | EAST POINT LIGHT | 39-11-45.221N 075-01-38.324W | Iso W 6s (R sector) | 43 | W 9 R 7 | Black cupola on white two story house with a red roof. | Red from 055° to 017°. Structure maintained by entity outside the U.S. Coast Guard. |
| | **Maurice River** | | | | | | |
| | *Buoys 17 through 50 are maintained from Apr. 1 to Nov. 1.* | | | | | | |
| 1700 | - *Entrance Lighted Buoy 1* | 39-08-36.439N 075-06-16.670W | Fl G 4s | | 5 | Green. | Replaced by can from Nov. 1 to Apr. 1. |
| 1705 | - Buoy 2 | 39-10-39.140N 075-02-16.656W | | | | Red nun. | |
| 1710 | - *Lighted Buoy 3* | 39-10-42.440N 075-02-22.657W | Fl G 4s | | 4 | Green. | Replaced by can from Nov. 1 to Apr. 1. |
| 1715 | - *Lighted Buoy 5* | 39-11-18.441N 075-02-16.656W | Fl G 2.5s | | 4 | Green. | Replaced by can from Nov. 1 to Apr. 1. |
| 1720 | - Channel Buoy 7 | 39-11-49.149N 075-02-22.656W | | | | Green can. | |
| 1725 | - *Channel Lighted Buoy 8* | 39-12-12.441N 075-02-28.657W | Q R | | 4 | Red. | Replaced by nun from Nov. 1 to Apr. 1. |
| 1730 | - Channel Buoy 9 | 39-12-18.441N 075-02-34.657W | | | | Green can. | |
| 1735 | - Channel Buoy 12 | 39-12-44.464N 075-01-49.869W | | | | Red nun. | |
| 1740 | - Buoy 11 | 39-12-34.441N 075-02-20.656W | | | | Green can. | |
| 1745 | - *Channel Lighted Buoy 13* | 39-13-00.189N 075-01-31.906W | Fl G 2.5s | | 4 | Green. | Replaced by can from Nov. 1 to Apr. 1. |
| 1748 | - Buoy 14 | 39-13-22.111N 075-01-46.395W | | | | Red nun. | |
| 1750 | - Wreck Buoy WR16 | 39-14-07.203N 075-01-35.017W | | | | Red nun. | |
| 1775 | - Buoy 17 | 39-18-00.271N 074-58-55.035W | | | | Green can. | |
| 1780 | - Buoy 18 | 39-18-00.451N 074-59-19.215W | | | | Red nun. | |
| 1790 | - Buoy 19 | 39-18-12.391N 074-59-31.875W | | | | Green can. | |
| 1795 | - Buoy 21 | 39-18-23.191N 074-59-23.175W | | | | Green can. | |
| 1800 | - Buoy 22 | 39-18-25.323N 074-59-46.999W | | | | Red nun. | |
| 1805 | - Buoy 24 | 39-18-45.331N 075-00-06.015W | | | | Red nun. | |
| 1810 | - Buoy 25 | 39-19-00.151N 074-59-50.775W | | | | Green can. | |
| 1825 | - Buoy 26 | 39-19-20.851N 075-00-20.895W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NEW JERSEY AND DELAWARE - Fifth District** | | | | | | |
| | **DELAWARE BAY (Chart 12304)** | | | | | | |
| | **Maurice River** | | | | | | |
| | *Buoys 17 through 50 are maintained from Apr. 1 to Nov. 1.* | | | | | | |
| 1830 | - Buoy 27 | 39-19-35.971N 075-00-07.815W | | | | Green can. | |
| 1840 | - Buoy 29 | 39-19-44.311N 075-00-33.135W | | | | Green can. | |
| 1850 | - Buoy 30 | 39-20-07.711N 075-00-27.495W | | | | Red nun. | |
| 1860 | - Buoy 32 | 39-20-28.871N 075-00-57.067W | | | | Red nun. | |
| 1865 | - Warning Buoy Marks jetty. | 39-20-30.337N 075-00-56.289W | | | | White can. | |
| 1875 | - Buoy 34 | 39-20-44.611N 075-01-20.644W | | | | Red nun. | |
| 1877 | - Buoy 34A | 39-20-51.360N 075-01-20.394W | | | | Red nun. | |
| 1880 | - Buoy 35 | 39-21-03.719N 075-01-21.355W | | | | Green can. | |
| 1885 | - Buoy 36 | 39-21-11.179N 075-01-39.969W | | | | Red nun. | |
| 1887 | - Buoy 36A | 39-21-14.443N 075-01-49.405W | | | | Red nun. | |
| 1890 | - Buoy 38 | 39-21-25.109N 075-01-48.997W | | | | Red nun. | |
| 1893 | - Buoy 38A | 39-21-31.768N 075-01-40.172W | | | | Red nun. | |
| 1895 | - Buoy 39 | 39-21-36.031N 075-01-41.355W | | | | Green can. | |
| 1900 | - Buoy 40 | 39-22-02.371N 075-02-15.255W | | | | Red nun. | |
| 1905 | - Buoy 41 | 39-22-04.895N 075-02-14.023W | | | | Green can. | |
| 1910 | - Buoy 43 | 39-22-08.388N 075-02-07.775W | | | | Green can. | |
| 1920 | - Buoy 42 | 39-22-07.531N 075-02-07.335W | | | | Red nun. | |
| 1925 | - Buoy 44 | 39-22-08.591N 075-02-04.879W | | | | Red nun. | |
| 1930 | - Buoy 45 | 39-22-10.414N 075-02-04.711W | | | | Green can. | |
| 1931 | - Buoy 45A | 39-22-17.449N 075-02-05.856W | | | | Green can. | |
| 1935 | - Buoy 46 | 39-22-18.261N 075-02-04.759W | | | | Red nun. | |
| 1940 | - Buoy 48 | 39-22-20.602N 075-02-07.411W | | | | Red nun. | |
| 1943 | - Buoy 50 | 39-22-25.641N 075-02-12.362W | | | | Red nun. | |
| | **Delaware Bay (East Side)** | | | | | | |
| 1945 | EGG ISLAND POINT LIGHT | 39-10-20.640N 075-07-55.075W | Fl W 4s | 27 | 7 | NR on skeleton tower; on multi-pile structure. | |
| 1955 | *Fortescue Entrance Lighted Buoy 2F* | 39-14-14.320N 075-11-04.646W | Fl R 4s | | 4 | Red. | Maintained from Apr. 1 to Dec. 1. |
| 1960 | Fortescue Creek Entrance Buoy 4 Marks end of jetty. | 39-14-33.318N 075-10-43.272W | | | | Red nun. | Private aid. |
| 1970 | NANTUXENT POINT LIGHT | 39-16-38.544N 075-14-40.403W | Fl W 4s | 15 | 5 | NR on pile. | |
| | **Cohansey** | | | | | | |
| 1990 | - LIGHT | 39-20-30.239N 075-21-40.585W | Fl W 4s (2 R sectors) | 42 | W 8 R 6 R 6 | NB on black skeleton tower. | Red from 068° to 098° and from 275° to 305°. |
| 1995 | - OUTER LIGHT 1C | 39-20-40.595N 075-22-01.064W | Q G | 36 | 5 | SG on square tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NEW JERSEY AND DELAWARE - Fifth District** | | | | | | |
| | **DELAWARE BAY (Chart 12304)** | | | | | | |
| | **Delaware Bay (East Side)** | | | | | | |
| | **Cohansey** | | | | | | |
| 2005 | - RIVER OUTFALL LIGHT | 39-25-00.500N 075-14-00.500W | Fl W 4s | | | NW on pile worded OUTFALL. | Private aid. |
| | **Delaware Bay (West Side)** | | | | | | |
| | **Harbor of Refuge** | | | | | | |
| 2030 | DELAWARE BREAKWATER WEST END LIGHT 3 | 38-48-01.814N 075-06-59.930W | Fl G 4s | 45 | 7 | SG on tower. | |
| 2033 | CAPE HENLOPEN FISHING PIER LIGHT A | 38-47-27.220N 075-06-16.000W | Fl W 6s | 18 | | On pier. | Private aid. |
| 2033.1 | CAPE HENLOPEN FISHING PIER LIGHT B | 38-47-27.710N 075-06-14.030W | Fl W 6s | 18 | | On pier. | Private aid. |
| 2033.2 | CAPE HENLOPEN FISHING PIER LIGHT C | 38-47-28.300N 075-06-12.080W | Fl W 6s | 18 | | On pier. | Private aid. |
| 2033.3 | CAPE HENLOPEN FISHING PIER LIGHT D | 38-47-23.600N 075-06-12.780W | Fl W 6s | 18 | | On pier. | Private aid. |
| 2035 | LEWES BREAKWATER FRONT LIGHT | 38-47-15.982N 075-07-05.512W | Iso R 2s | 49 | | Tower. | Private aid. |
| 2040 | LEWES BREAKWATER MIDDLE LIGHT | 38-47-07.094N 075-07-17.360W | Fl R 4s | 27 | | Tower. | Private aid. |
| 2043 | - *Lighted Mooring Buoy CG* | 38-47-47.751N 075-07-54.315W | Fl W 4s | | 4 | White with blue band. | |
| 2045 | **Lewes Ferry Terminal Fog Signal** | 38-46-59.200N 075-07-07.000W | | 28 | | | BELL : 3 strokes ev 10s. Private aid. |
| 2050 | - NORTH END LIGHT 1 | 38-49-57.086N 075-06-20.503W | Fl G 4s | 40 | 7 | SG on skeleton tower. | |
| 2055 | DELAWARE BAY EAST ICEBREAKER LIGHT 2 | 38-50-17.834N 075-06-39.369W | Q R | 15 | 6 | White column tower. | |
| 2060 | DELAWARE BAY WEST ICEBREAKER LIGHT W | 38-50-08.666N 075-07-10.265W | Fl W 4s | 22 | 6 | NB on multi-pile structure. | |
| | **CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216)** | | | | | | |
| | **Roosevelt Inlet** | | | | | | |
| 2065 | - JETTY LIGHT 1R | 38-47-38.938N 075-09-21.158W | Fl G 4s | 18 | 6 | SG on multi-pile structure. | Higher intensity beam toward 004°. |
| 2070 | - JETTY LIGHT 2 | 38-47-41.551N 075-09-26.441W | Fl R 4s | 18 | 6 | TR on multi-pile structure. | |
| 2073 | - Buoy 4 | 38-47-26.373N 075-09-35.318W | | | | Red nun. | Maintained from May 1 to Nov. 1. |
| 2075 | - RANGE FRONT LIGHT | 38-47-15.369N 075-09-44.394W | Q W | 29 | | KRW on skeleton tower. | NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 2080 | - RANGE REAR LIGHT 175 yards, 213° from front light. | 38-47-11.005N 075-09-48.036W | Oc W 4s | 37 | | KRW on skeleton tower. | NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 2085 | LEWES AND REHOBOTH CANAL JETTY WARNING LIGHT | 38-41-15.134N 075-05-52.368W | Fl W 4s | 15 | 6 | NW on skeleton tower, on white cylindrical base; worded DANGER SUBMERGED JETTY. | |
| | **Rehoboth Bay** | | | | | | |
| | *Buoys maintained from May 1 to Dec. 10.* | | | | | | |
| | *Position of buoys frequently shifted with changing conditions.* | | | | | | |
| 2095 | - Channel Buoy 1 | 38-41-13.887N 075-05-52.369W | | | | Green can. | |
| 2097 | - CHANNEL WARNING LIGHT A | 38-41-14.239N 075-05-53.265W | Q W | 15 | 4 | NW on pile worded DANGER SHOAL. | |
| 2100 | - Channel Buoy 3 | 38-40-39.085N 075-06-04.203W | | | | Green can. | |
| 2105 | - Channel Buoy 5 | 38-40-03.151N 075-06-16.317W | | | | Green can. | |
| 2110 | - Channel Buoy 7 | 38-39-26.863N 075-06-27.381W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NEW JERSEY AND DELAWARE - Fifth District** | | | | | | |
| | **CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216)** | | | | | | |
| | **Rehoboth Bay** | | | | | | |
| | *Buoys maintained from May 1 to Dec. 10.* | | | | | | |
| | *Position of buoys frequently shifted with changing conditions.* | | | | | | |
| 2112 | - Channel Buoy 7A | 38-38-56.863N 075-06-31.095W | | | | Green can. | |
| 2115 | - *Channel Lighted Buoy 9* | 38-38-41.059N 075-06-25.238W | Fl G 4s | | 4 | Green. | |
| 2117 | - Channel Buoy 10 | 38-38-29.851N 075-06-19.695W | | | | Red nun. | |
| | **Herring Creek** | | | | | | |
| 2119.01 | - Daybeacon 1 | 38-38-31.960N 075-08-00.580W | | | | SG on pile. | Private aid. |
| 2119.02 | - Daybeacon 2 | 38-38-32.540N 075-08-00.090W | | | | TR on pile. | Private aid. |
| 2119.03 | - Daybeacon 3 | 38-38-34.760N 075-08-05.830W | | | | SG on pile. | Private aid. |
| 2119.04 | - Daybeacon 4 | 38-38-35.420N 075-08-05.500W | | | | TR on pile. | Private aid. |
| 2119.05 | - Daybeacon 5 | 38-38-36.140N 075-08-18.050W | | | | SG on pile. | Private aid. |
| 2119.06 | - Daybeacon 6 | 38-38-36.820N 075-08-17.850W | | | | TR on pile. | Private aid. |
| 2119.07 | - Daybeacon 7 | 38-38-37.520N 075-08-23.900W | | | | SG on pile. | Private aid. |
| 2119.08 | - Daybeacon 8 | 38-38-38.160N 075-08-23.530W | | | | TR on pile. | Private aid. |
| 2119.09 | - Daybeacon 9 | 38-38-38.900N 075-08-29.760W | | | | SG on pile. | Private aid. |
| 2119.1 | - Daybeacon 10 | 38-38-39.500N 075-08-29.210W | | | | TR on pile. | Private aid. |
| 2119.11 | - Daybeacon 11 | 38-38-41.790N 075-08-32.220W | | | | SG on pile. | Private aid. |
| 2119.12 | - Daybeacon 12 | 38-38-42.270N 075-08-31.680W | | | | TR on pile. | Private aid. |
| 2119.13 | - Daybeacon 13 | 38-38-44.340N 075-08-36.580W | | | | SG on pile. | Private aid. |
| 2119.14 | - Daybeacon 14 | 38-38-44.830N 075-08-35.940W | | | | TR on pile. | Private aid. |
| 2119.15 | - Daybeacon 15 | 38-38-46.900N 075-08-40.840W | | | | SG on pile. | Private aid. |
| 2119.16 | - Daybeacon 16 | 38-38-47.390N 075-08-40.210W | | | | TR on pile. | Private aid. |
| 2119.17 | - Daybeacon 17 | 38-38-52.590N 075-08-46.350W | | | | SG on pile. | Private aid. |
| 2119.18 | - Daybeacon 18 | 38-38-52.900N 075-08-45.540W | | | | TR on pile. | Private aid. |
| 2119.19 | - Daybeacon 19 | 38-38-56.440N 075-08-47.680W | | | | SG on pile. | Private aid. |
| 2119.2 | - Daybeacon 20 | 38-38-56.730N 075-08-46.870W | | | | TR on pile. | Private aid. |
| 2119.21 | - Daybeacon 21 | 38-39-00.290N 075-08-49.010W | | | | SG on pile. | Private aid. |
| 2119.22 | - Daybeacon 22 | 38-39-00.560N 075-08-48.190W | | | | TR on pile. | Private aid. |
| 2119.23 | - Daybeacon 23 | 38-39-02.210N 075-08-50.470W | | | | SG on pile. | Private aid. |
| 2119.24 | - Daybeacon 24 | 38-39-02.740N 075-08-49.850W | | | | TR on pile. | Private aid. |
| 2119.25 | - Daybeacon 25 | 38-39-04.570N 075-08-56.600W | | | | SG on pile. | Private aid. |
| 2119.26 | - Daybeacon 26 | 38-39-05.090N 075-08-55.940W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NEW JERSEY AND DELAWARE - Fifth District** | | | | | | |
| | **CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216)** | | | | | | |
| | **Rehoboth Bay** | | | | | | |
| | *Buoys maintained from May 1 to Dec. 10.* | | | | | | |
| | *Position of buoys frequently shifted with changing conditions.* | | | | | | |
| 2120 | - Channel Buoy 11 | 38-38-31.538N 075-06-16.185W | | | | Green can. | |
| 2125 | - Channel Buoy 12 | 38-38-08.957N 075-06-03.729W | | | | Red nun. | |
| 2130 | - *Lighted Buoy 13* | 38-38-03.712N 075-06-01.296W | Fl G 4s | | 5 | Green. | |
| 2133 | - Channel Buoy 14 | 38-38-00.540N 075-06-04.311W | | | | Red nun. | |
| 2135 | - Channel Buoy 15 | 38-37-57.808N 075-06-04.238W | | | | Green can. | |
| | **Bakers Channel** | | | | | | |
| | *Aids maintained by the Delaware State Department of Transportation.* | | | | | | |
| 2136 | - *Lighted Buoy 1A* | 38-38-01.884N 075-05-55.388W | Fl G 4s | | | Green. | Private aid. |
| 2137 | - *Lighted Buoy 1B* | 38-37-59.812N 075-05-52.749W | Fl G 4s | | | Green. | Private aid. |
| 2137.01 | - *Lighted Buoy 2* | 38-38-00.360N 075-05-52.749W | Fl R 4s | | | Red. | Private aid. |
| 2137.02 | - *Lighted Buoy 3* | 38-37-58.392N 075-05-48.106W | Fl G 4s | | | Green. | Private aid. |
| 2137.03 | - *Lighted Buoy 4* | 38-37-57.591N 075-05-50.261W | Fl R 4s | | | Red. | Private aid. |
| 2137.04 | - *Lighted Buoy 5* | 38-37-53.716N 075-05-38.340W | Fl G 4s | | | Green. | Private aid. |
| 2137.05 | - *Lighted Buoy 6* | 38-37-52.915N 075-05-39.947W | Fl R 4s | | | Red. | Private aid. |
| 2137.06 | - *Lighted Buoy 7* | 38-37-50.168N 075-05-28.450W | Fl G 4s | | | Green. | Private aid. |
| 2137.07 | - *Lighted Buoy 8* | 38-37-48.214N 075-05-29.537W | Fl R 4s | | | Red. | Private aid. |
| 2137.08 | - *Lighted Buoy 9* | 38-37-43.813N 075-05-17.616W | Fl G 4s | | | Green. | Private aid. |
| 2137.09 | - *Lighted Buoy 10* | 38-37-42.658N 075-05-18.986W | Fl R 4s | | | Red. | Private aid. |
| 2137.11 | - *Lighted Buoy 11* | 38-37-41.200N 075-05-11.499W | Fl G 4s | | | Green. | Private aid. |
| 2137.12 | - *Lighted Buoy 12* | 38-37-39.299N 075-05-13.518W | Fl R 4s | | | Red. | Private aid. |
| 2137.13 | - *Lighted Buoy 13* | 38-37-30.846N 075-05-12.078W | Fl G 4s | | | Green. | Private aid. |
| 2137.14 | - *Lighted Buoy 14* | 38-37-30.643N 075-05-14.857W | Fl R 4s | | | Red. | Private aid. |
| 2137.15 | - *Lighted Buoy 15* | 38-37-20.102N 075-05-15.072W | Fl G 4s | | | Green. | Private aid. |
| 2137.16 | - *Lighted Buoy 16* | 38-37-21.496N 075-05-17.186W | Fl R 4s | | | Red. | Private aid. |
| 2137.18 | - *Lighted Buoy 16A* | 38-37-12.190N 075-05-22.745W | Fl R 4s | | | Red. | Private aid. |
| | **Rehoboth Bay** | | | | | | |
| | *Buoys maintained from May 1 to Dec. 10.* | | | | | | |
| | *Position of buoys frequently shifted with changing conditions.* | | | | | | |
| 2138 | - Channel Buoy 16 | 38-37-55.528N 075-06-06.662W | | | | Red nun. | |
| 2139 | - Channel Buoy 16A | 38-37-46.282N 075-06-06.380W | | | | Red nun. | |
| 2140 | - Channel Buoy 16B | 38-37-21.568N 075-05-44.406W | | | | Red nun. | |
| 2142 | - Channel Buoy 17 | 38-37-54.874N 075-06-05.564W | | | | Green can. | |
| 2143 | - Channel Buoy 17A | 38-37-33.537N 075-05-59.909W | | | | Green can. | |
| 2145 | - Channel Buoy 17B | 38-37-15.758N 075-05-38.627W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NEW JERSEY AND DELAWARE - Fifth District** | | | | | | |
| | **CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216)** | | | | | | |
| | **Rehoboth Bay** | | | | | | |
| | *Buoys maintained from May 1 to Dec. 10.* | | | | | | |
| | *Position of buoys frequently shifted with changing conditions.* | | | | | | |
| 2145.1 | - Channel Buoy 18 | 38-37-14.877N 075-05-39.617W | | | | Red nun. | |
| 2148 | - Channel Buoy 19 | 38-37-11.598N 075-05-35.702W | | | | Green can. | |
| 2151 | - Channel Buoy 20 | 38-37-06.445N 075-05-34.712W | | | | Red nun. | |
| 2155 | - Channel Buoy 21 | 38-37-00.647N 075-05-27.416W | | | | Green can. | |
| 2157 | - Channel Buoy 22 | 38-36-54.927N 075-05-36.197W | | | | Red nun. | |
| 2165 | - Channel Buoy 23 | 38-36-43.905N 075-05-32.135W | | | | Green can. | |
| 2166 | - Channel Buoy 24 | 38-36-40.323N 075-05-37.187W | | | | Red nun. | |
| 2169 | - Channel Buoy 25 | 38-36-22.427N 075-05-18.415W | | | | Green can. | |
| | **DELAWARE BAY (Chart 12304)** | | | | | | |
| | **Delaware Bay (West Side)** | | | | | | |
| | **Tanker Anchorage** | | | | | | |
| 2180 | - *Approach Lighted Buoy A* | 38-53-50.435N 075-08-08.674W | Fl Y 2.5s | | 6 | Yellow. | Replaced by LIB of reduced intensity when endangered by ice. |
| 2185 | - *Lighted Buoy B* | 38-57-05.435N 075-12-11.686W | Fl Y 6s | | 7 | Yellow. | |
| 2190 | - Buoy C | 38-58-35.435N 075-13-17.689W | | | | Yellow nun. | |
| 2195 | - Buoy D | 39-00-49.436N 075-14-55.694W | | | | Yellow can. | |
| 2200 | - Buoy E | 39-01-22.436N 075-13-23.690W | | | | Yellow can. | |
| 2205 | - Buoy F | 38-59-18.435N 075-11-53.685W | | | | Yellow can. | |
| 2210 | - *Lighted Buoy G* | 38-57-39.435N 075-10-41.681W | Fl Y 4s | | 6 | Yellow. | |
| | **Delaware Bay (West Side)** | | | | | | |
| 2215 | Lower Middle Wreck Buoy LMW<br>Marks steamer MOHAWK. | 39-00-05.687N 075-12-16.794W | | | | Red nun. | |
| 2220 | Channel Crossing Buoy 1 | 39-02-45.436N 075-14-02.992W | | | | Green can. | |
| 2225 | Channel Crossing Buoy 2 | 39-02-42.436N 075-13-34.691W | | | | Red nun. | |
| 2235 | Blake Channel Buoy 1 | 39-09-42.739N 075-17-26.305W | | | | Green can. | |
| 2240 | Blake Channel Buoy 2 | 39-13-42.839N 075-19-58.313W | | | | Red nun. | |
| 2245 | Bombay Hook Point Shoal Buoy 1<br>Marks edge of shoal. | 39-18-51.890N 075-24-48.393W | | | | Green can. | |
| | **Mispillion** | | | | | | |
| 2260 | - INLET SOUTH JETTY LIGHT 1M | 38-56-11.873N 075-17-53.421W | Fl G 4s | 25 | 5 | SG and NW on skeleton tower. NW worded DANGER SUBMERGED JETTY. | |
| 2265 | - South Jetty Warning Daybeacon A | 38-56-14.257N 075-17-56.709W | | | | NW on multi-pile structure worded DANGER SUBMERGED JETTY. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NEW JERSEY AND DELAWARE - Fifth District** | | | | | | |
| | **DELAWARE BAY (Chart 12304)** | | | | | | |
| | **Delaware Bay (West Side)** | | | | | | |
| | **Mispillion** | | | | | | |
| 2270 | - South Jetty Warning Daybeacon B | 38-56-17.455N 075-18-02.007W | | | | NW on multi-pile structure worded DANGER SUBMERGED JETTY. | |
| 2275 | - INLET NORTH JETTY LIGHT 2 | 38-56-13.837N 075-17-52.635W | Fl R 4s | 25 | 6 | TR on skeleton tower. | |
| | **Murderkill River** | | | | | | |
| 2300 | - Warning Daybeacon A | 39-03-48.366N 075-22-40.546W | | | | NW on skeleton tower worded DANGER SHOAL. | |
| 2305 | - RANGE FRONT WARNING LIGHT | 39-03-30.102N 075-23-46.129W | Fl G 2.5s | 25 | | NW on multi-pile structure. | Lighted throughout 24 hours. Visible all around; higher intensity 1.5° either side of rangeline. |
| 2310 | - RANGE REAR LIGHT 1,037 yards, 247.7° from front light. | 39-03-18.453N 075-24-22.621W | F G | 65 | | On skeleton tower. | Lighted throughout 24 hours. Visible all around; higher intensity 1.5° either side of rangeline. |
| 2315 | - Buoy 2 | 39-03-45.763N 075-23-01.011W | | | | Red nun. | Maintained from Apr. 1 to Nov. 1. |
| 2320 | - Buoy 3 | 39-03-44.275N 075-22-59.295W | | | | Green can. | Maintained from Apr. 1 to Nov. 1. |
| 2330 | - Buoy 4 | 39-03-41.791N 075-23-14.042W | | | | Red nun. | Maintained from Apr. 1 to Nov. 1. |
| 2335 | - Buoy 5 | 39-03-39.373N 075-23-13.731W | | | | Green can. | Maintained from Apr. 1 to Nov. 1. |
| 2337 | - Buoy 6 | 39-03-36.067N 075-23-29.955W | | | | Red nun. | Maintained from Apr. 1 to Nov. 1. |
| | **Port Mahon** | | | | | | |
| 2345 | - LIGHT | 39-10-42.437N 075-24-22.723W | Oc W 4s | 15 | 5 | On steel pole. | |
| 2350 | - Approach Buoy 1 | 39-12-43.827N 075-20-11.180W | | | | Green can. | |
| 2360 | - APPROACH LIGHT 3 | 39-11-47.011N 075-21-59.205W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 2362 | - Approach Buoy 4 | 39-11-39.931N 075-22-25.735W | | | | Red nun. | |
| 2365 | - APPROACH LIGHT 5 | 39-11-22.035N 075-22-46.672W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 2370 | - Approach Buoy 6 | 39-11-16.851N 075-23-12.575W | | | | Red nun. | |
| 2375 | - APPROACH LIGHT 7 | 39-11-01.061N 075-23-34.545W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 2380 | - Approach Buoy 8 | 39-11-03.587N 075-23-49.879W | | | | Red nun. | |
| 2385 | - Approach Buoy 9 | 39-10-58.532N 075-23-49.149W | | | | Green can. | |
| 2420 | LEIPSIC RIVER LIGHT 2 | 39-14-46.103N 075-24-32.683W | Fl R 4s | 23 | 4 | TR on skeleton tower. | |
| 2425 | Smyrna River South Jetty Daybeacon 1 | 39-22-11.159N 075-30-11.610W | | | | SG on pile. | |
| 2430 | COLLINS BEACH LIGHT 2 | 39-23-20.364N 075-31-02.828W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 2435 | Collins Beach Daybeacon 3 | 39-23-18.306N 075-31-08.987W | | | | SG on pile. | |
| 2440 | Collins Beach Daybeacon 4 | 39-23-19.507N 075-31-23.907W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Delaware and New Jersey) - Fifth District** | | | | | | |
| | **SMYRNA RIVER TO WILMINGTON (Chart 12311)** | | | | | | |
| | **Delaware River** | | | | | | |
| | **Liston Range** | | | | | | |
| | *Buoys located 50 feet outside channel limits.* | | | | | | |
| 2445 | - FRONT LIGHT | 39-28-57.166N 075-35-29.979W | Iso W 6s | 45 | | White skeleton tower with small white house. | Lighted throughout 24 hours. |
| 2450 | - REAR LIGHT 6,760 yards, 317.9° from front light. | 39-31-25.670N 075-38-22.913W | F W | 176 | | Gallery on pyramidal skeleton tower, black central column. | Lighted throughout 24 hours. |
| 2455 | *Delaware Bay Main Channel Lighted Buoy 44* | 39-22-36.107N 075-27-59.676W | Fl R 6s | | 5 | Red. | Removed when endangered by ice. |
| 2460 | *Delaware Bay Main Channel Lighted Buoy 46* | 39-23-59.335N 075-29-35.437W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 2470 | *Delaware Bay Main Channel Lighted Buoy 48* | 39-25-38.234N 075-31-30.542W | Fl R 4s | | 5 | Red. | Removed when endangered by ice. |
| 2472 | *Delaware Bay Main Channel Lighted Buoy 49* | 39-26-19.460N 075-32-36.503W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 2475 | HOPE CREEK JETTY LIGHT 1 | 39-26-38.394N 075-30-40.799W | Q G | 16 | 5 | SG and NW on pile on red cement block, NW worded DANGER SUBMERGED JETTY. | |
| | **Delaware River** | | | | | | |
| 2485 | - *Lighted Buoy 1DR* | 39-27-18.434N 075-33-42.747W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity from Jan. 1 to Mar 1. |
| 2490 | - LIGHT 2 | 39-27-24.811N 075-33-26.531W | Fl R 2.5s | 21 | 6 | TR on pile. | |
| 2495 | Reedy Island Dike Lower Buoy 2 Marks lower end of submerged dike. | 39-27-38.134N 075-34-13.248W | | | | Red nun. | |
| | **Salem and Hope Creek** | | | | | | |
| 2497 | SILVER RUN TOWER VESSEL PROTECTION LIGHT A | 39-27-35.217N 075-35-11.135W | Q W | 20 | | | Private aid. |
| 2497.1 | SILVER RUN TOWER VESSEL PROTECTION LIGHT B | 39-27-33.614N 075-35-11.530W | Q W | 20 | | | Private aid. |
| | **Delaware River** | | | | | | |
| 2500 | REEDY ISLAND DIKE SOUTH WARNING LIGHT | 39-28-04.314N 075-34-28.569W | Fl W 2.5s | 21 | 5 | NW on skeleton tower worded DANGER SUBMERGED DIKE. | |
| 2505 | BAKER RANGE FRONT LIGHT | 39-30-42.326N 075-33-59.834W | Fl W 2.5s | 15 | | On mult-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline |
| 2510 | BAKER RANGE REAR LIGHT 2,316 yards, 355.8° from front light. | 39-31-50.754N 075-34-07.462W | Iso W 6s | 65 | | Skeleton tower on multipile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 2511 | BAKER RANGE REAR PASSING LIGHT | 39-31-50.754N 075-34-07.462W | Fl W 4s | 18 | 4 | Located on same structure as Baker Range Rear Light. | |
| 2515 | - *Lighted Buoy 3* | 39-28-09.291N 075-33-52.956W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Jan. 1 to Feb. 28. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Delaware and New Jersey) - Fifth District** | | | | | | |
| | **SMYRNA RIVER TO WILMINGTON (Chart 12311)** | | | | | | |
| | **Delaware River** | | | | | | |
| 2520 | - *Lighted Buoy 4* | 39-28-10.434N 075-33-35.747W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| | **Reedy Island Dike** | | | | | | |
| | *Warning buoys A through H mark submerged dike. Buoys maintained from May. 15 to Nov. 1.* | | | | | | |
| 2525 | - Warning Buoy A | 39-28-20.734N 075-34-35.549W | | | | White can with orange bands worded DIKE. | |
| 2530 | - Warning Buoy B | 39-28-32.234N 075-34-22.248W | | | | White can with orange bands worded DIKE. | |
| 2535 | - Warning Buoy C | 39-29-18.091N 075-34-25.762W | | | | White can with orange bands worded DIKE. | |
| 2540 | - Warning Buoy D | 39-29-16.234N 075-34-20.848W | | | | White can with orange bands worded DIKE. | |
| 2545 | - Warning Buoy E | 39-29-49.234N 075-34-17.448W | | | | White can with orange bands worded DIKE. | |
| 2550 | - Warning Buoy F | 39-29-42.934N 075-34-09.448W | | | | White can with orange bands worded DIKE. | |
| 2555 | - Warning Buoy G | 39-30-20.534N 075-34-09.548W | | | | White can with orange bands worded DIKE. | |
| 2560 | - Warning Buoy H | 39-30-19.501N 075-34-00.002W | | | | White can with orange bands worded DIKE. | |
| 2565 | - MIDDLE LIGHT | 39-28-58.514N 075-34-26.479W | Fl W 6s | 20 | 7 | NW on pile worded DANGER SUBMERGED DIKE. | |
| | **Delaware River** | | | | | | |
| 2570 | - Buoy 5 | 39-28-59.343N 075-33-54.171W | | | | Green can. | |
| 2575 | - *Lighted Bell Buoy 6* | 39-28-58.431N 075-33-40.432W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 2580 | REEDY ISLAND RANGE FRONT LIGHT | 39-26-44.881N 075-34-35.229W | F R | 22 | | On skeleton tower. | Lighted throughout 24 hours. Visible .9° either side of rangeline. |
| 2585 | REEDY ISLAND RANGE REAR LIGHT 4,950 yards, 195.2° from front light. | 39-24-23.599N 075-35-24.594W | F R | 134 | | Gallery on pyramidal skeleton structure with black central column. | Lighted throughout 24 hours. Visible .9° either side of rangeline. |
| 2590 | Artifical Island Anchorage Buoy A | 39-28-51.234N 075-33-05.945W | | | | Yellow nun. | |
| 2595 | - *Lighted Buoy 8* | 39-30-35.761N 075-33-08.106W | Fl R 2.5s | | 5 | Red. | Replaced by nun from Jan 1 to Feb. 28. |
| 2605 | OLD REEDY ISLAND LIGHT | 39-30-02.694N 075-34-07.708W | Iso W 6s (R sector) | 20 | W 8 R 6 | NR on tower. | Red from 353° to 014°. Covers dike making out south from Reedy Island. |
| 2610 | Reedy Island Gap South Daybeacon 1 | 39-30-12.374N 075-34-06.688W | | | | SG on pile. | |
| 2615 | REEDY ISLAND GAP NORTH LIGHT 2 | 39-30-14.184N 075-34-06.228W | Q R | 15 | 3 | TR on pile. | |
| 2620 | - *Lighted Buoy 9* | 39-31-01.611N 075-33-11.706W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 2630 | Artifical Island Anchorage Buoy B | 39-31-00.434N 075-32-29.743W | | | | Yellow nun. | |
| 2635 | - *Lighted Wreck Buoy WR10* 93 yds, 273° from wreck. Marks SS PHOENIX. | 39-32-12.031N 075-32-30.016W | Q R | | 5 | Red | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Delaware and New Jersey) - Fifth District** | | | | | | |
| | **SMYRNA RIVER TO WILMINGTON (Chart 12311)** | | | | | | |
| | **Delaware River** | | | | | | |
| 2641 | Reedy Island Anchorage Buoy A | 39-32-15.841N 075-33-08.916W | | | | Yellow can. | |
| 2643 | Reedy Island Anchorage Buoy B | 39-33-04.711N 075-33-02.866W | | | | Yellow can. | |
| | **Salem River Entrance** | | | | | | |
| 2645 | - *Channel Lighted Buoy 2* | 39-32-39.686N 075-32-13.802W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 2650 | - CHANNEL LIGHT 3 | 39-33-11.977N 075-31-46.010W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 2655 | - CHANNEL DIRECTIONAL LIGHT | 39-34-15.742N 075-31-02.406W | Fl G 2.5s (NIGHT) Fl G 2.5s (DAY) | 12 15 | | On skeleton tower. | Light visible on a bearing of 027.4°. Lighted throughout 24 hours. |
| 2665 | - CHANNEL LIGHT 4 | 39-33-10.518N 075-31-42.062W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 2670 | - CHANNEL LIGHT 5 | 39-33-37.099N 075-31-29.435W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 2675 | - CHANNEL LIGHT 6 | 39-33-34.818N 075-31-26.336W | Fl R 4s | 15 | 3 | TR on multi-pile structure. | |
| 2680 | - CHANNEL LIGHT 7 | 39-34-08.974N 075-31-08.609W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 2685 | - CHANNEL LIGHT 8 | 39-34-07.457N 075-31-04.928W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 2690 | - CHANNEL LIGHT 9 | 39-34-14.166N 075-30-59.006W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 2695 | - CHANNEL LIGHT 10 | 39-34-11.195N 075-30-55.660W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 2700 | SALEM RIVER DIRECTIONAL LIGHT | 39-34-14.434N 075-30-40.369W | Oc W 4s | 15 | | NB on multi-pile structure. | Higher intensity beam towards Salem River entrance. Lighted throughout 24 hours. |
| 2705 | - CHANNEL LIGHT 11 | 39-34-13.116N 075-30-28.934W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 2710 | - CHANNEL LIGHT 12 | 39-34-08.061N 075-30-27.407W | Q R | 15 | 4 | TR on multi-pile structure. | |
| 2713 | - CHANNEL LIGHT 13 | 39-34-21.801N 075-29-42.036W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 2715 | - Channel 14 V-AIS | 39-34-15.735N 075-29-53.272W | | | | | AIS: MMSI 993672159. |
| | **Delaware River (Main Channel)** | | | | | | |
| 2720 | *Delaware River Lighted Buoy 11* | 39-33-06.498N 075-32-36.920W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. AIS: MMSI 993672077. |
| 2725 | *Delaware River Lighted Buoy 12* | 39-33-07.935N 075-32-14.641W | Q R | | 5 | Red. | Replaced by nun from Jan. 1 to Feb. 28. |
| 2730 | NEW CASTLE RANGE FRONT LIGHT | 39-38-32.639N 075-35-43.543W | Iso G 2s | 56 | | On white skeleton tower. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 2735 | NEW CASTLE RANGE REAR LIGHT 777 yards, 334° from front light. | 39-38-53.397N 075-35-56.480W | F G | 110 | | White skeleton tower, small white house. | Lighted throughout 24 hours. Visible 0.9° either side or rangeline. |
| 2740 | *Delaware River Lighted Buoy 13* | 39-34-08.694N 075-33-05.718W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. AIS: MMSI 993672078. |
| 2742 | FORT MOTT STATE PARK WARNING LIGHT A | 39-36-03.980N 075-33-15.915W | Fl Y 4s | 11 | | On Ferry Mooring multi-pile. | Private aid. |
| 2742.1 | FORT MOTT STATE PARK WARNING LIGHT B | 39-36-04.583N 075-33-16.537W | Fl Y 4s | 11 | | On Ferry Mooring multi-pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Delaware and New Jersey) - Fifth District** | | | | | | |
| | **SMYRNA RIVER TO WILMINGTON (Chart 12311)** | | | | | | |
| | **Chesapeake and Delaware Canal** | | | | | | |
| | *The north and south banks of the Chesapeake and Delaware Canal between Sandy Point, Maryland, and Reedy Point, Delaware are lighted by mercury vapor luminaries, spaced 500 feet apart and are supported on poles at a height of 25 feet mean high water. They are designed to illuminate the bank at the waters edge to assist ships navigating the canal at night. (Maintained by U.S. Army Corps. of Engineers).* | | | | | | |
| 2745 | - *Junction Lighted Buoy CD* | 39-33-51.804N 075-33-17.580W | Fl (2+1)R 6s | | 4 | Red with green band. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. AIS: MMSI 993672079. |
| 2750 | - SOUTH JETTY LIGHT 1CD | 39-33-31.985N 075-33-29.764W | Q G | 38 | 5 | SG on skeleton tower. | |
| 2755 | - LIGHT 2 | 39-33-46.615N 075-33-32.504W | Q R | 30 | 5 | TR on skeleton tower and house. | |
| 2760 | - LIGHT 3 | 39-33-08.024N 075-37-15.615W | Fl G 2.5s | 20 | 5 | SG on pile. | Higher intensity towards center span of bridge. |
| | **Bulkhead Shoal Channel** | | | | | | |
| 2765 | - RANGE FRONT LIGHT | 39-35-37.975N 075-36-13.215W | Q R | 37 | | KRW on orange skeleton structure. | Lighted throughout 24 hours. Private aid. |
| 2770 | - RANGE REAR LIGHT 1,000 yards, 306° from front light. | 39-35-55.615N 075-36-44.226W | F R | 71 | | KRW on orange skeleton structure. | Lighted throughout 24 hours. Private aid. |
| 2775 | - *Lighted Buoy 2* | 39-34-04.140N 075-33-23.482W | Fl R 2.5s | | | Red. | Private aid. |
| 2780 | - *Lighted Buoy 3* | 39-34-13.697N 075-33-50.459W | Fl G 2.5s | | | Green. | Private aid. |
| 2785 | - Buoy 4 | 39-34-17.400N 075-33-48.065W | | | | Red nun. | Private aid. |
| 2790 | - Buoy 4A | 39-34-28.800N 075-34-06.605W | | | | Red nun. | Private aid. |
| 2795 | - *Lighted Buoy 5* | 39-34-36.924N 075-34-30.660W | Fl G 2.5s | | | Green. | Private aid. |
| 2800 | - Buoy 6 | 39-34-40.473N 075-34-27.840W | | | | Red nun. | Private aid. |
| 2805 | - *Lighted Buoy 6A* | 39-34-46.530N 075-34-38.448W | Fl R 2.5s | | | Red. | Replaced by nun from Dec. 1 to Apr. 1. Private aid. |
| 2810 | DELAWARE CITY LIGHT 1 | 39-34-45.341N 075-35-06.868W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 2815 | - Buoy 8 | 39-35-18.108N 075-35-21.210W | | | | Red nun. | Private aid. |
| | **Delaware River (Main Channel)** | | | | | | |
| 2830 | DELAWARE RIVER LIGHT 15 | 39-35-24.905N 075-33-55.375W | Fl G 6s | 15 | 5 | SG on pile. | |
| 2835 | *Delaware River Lighted Buoy 17* | 39-36-28.036N 075-34-33.247W | Fl G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| | **Pea Patch Island** | | | | | | |
| 2840 | - Warning Daybeacon PPA On submerged dike. | 39-36-14.655N 075-35-03.468W | | | | NW on pile worded DANGER SUBMERGED DIKE. | |
| 2845 | **- Transmission Sound Signal** | 39-36-44.205N 075-34-53.531W | | 29 | | | HORN: 1 blast ev 17s (3s bl). Private aid. |
| 2850 | **- RACON** | 39-36-42.000N 075-34-54.000W | | | | On platform on overhead power cable tower No. 97. | RACON: X ( - . . - ) Private aid. |
| 2855 | - Warning Daybeacon PPC On submerged dike. | 39-36-32.595N 075-35-12.739W | | | | NW on pile worded DANGER SUBMERGED DIKE. | |
| 2860 | - DIKE WARNING LIGHT A On south side of opening through submerged dike. | 39-36-52.185N 075-35-17.598W | Fl W 4s | 15 | 5 | NW on pile worded DANGER SUBMERGED DIKE. | |
| 2865 | - Dike Warning Daybeacon PPD | 39-37-38.166N 075-35-09.841W | | | | NW on pile worded DANGER SUBMERGED DIKE. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Delaware and New Jersey) - Fifth District** | | | | | | |
| | **SMYRNA RIVER TO WILMINGTON (Chart 12311)** | | | | | | |
| | **Delaware River (Main Channel)** | | | | | | |
| | **Pea Patch Island** | | | | | | |
| 2870 | - WARNING LIGHT B<br>On submerged dike. | 39-37-31.409N<br>075-35-12.982W | Fl W 2.5s | 12 | 4 | NW on pile worded DANGER SUBMERGED DIKE. | |
| 2872 | - DIKE WARNING LIGHT C | 39-38-05.592N<br>075-34-49.215W | Fl W 6s | 15 | 7 | NW on multi-pile structure worded DANGER SUBMERGED DIKE. | |
| 2874 | - DIKE WARNING LIGHT E<br>On north end of dike. | 39-38-44.005N<br>075-34-03.525W | Fl W 4s | 32 | 5 | NW on skeleton structure worded DANGER SUBMERGED DIKE. | |
| | **Bulkhead Bar Range**<br>*Buoys located 50 feet outside channel limit.* | | | | | | |
| 2875 | *Delaware River Lighted Buoy 18* | 39-36-51.186N<br>075-34-33.246W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 2880 | - FRONT LIGHT | 39-38-19.454N<br>075-34-33.216W | Iso R 2s | 23 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 2885 | - REAR LIGHT<br>2034 yards, 008° from front light. | 39-39-19.156N<br>075-34-22.201W | F R | 44 | | On black skeleton tower, small white house. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 2890 | *Delaware River Lighted Buoy 20* | 39-37-15.636N<br>075-34-34.446W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| | **Delaware River (Main Channel)** | | | | | | |
| 2895 | DEEPWATER POINT RANGE FRONT LIGHT | 39-40-42.110N<br>075-31-06.335W | Iso G 2s<br>(NIGHT)<br>Iso W 2s<br>(DAY) | 27<br>30 | | On yellow cylindrical tower. | Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around; higher intensity 0.5° either side of rangeline |
| 2900 | Pennsville Dike Warning Buoy PDA | 39-39-45.478N<br>075-31-41.735W | | | | White with orange bands worded DANGER DIKE; can. | Maintained from May 15 to Nov. 1. |
| 2905 | Pennsville Dike Warning Buoy PDB | 39-40-11.438N<br>075-31-12.433W | | | | White and orange bands worded DANGER DIKE; can. | Maintained from May 15 to Nov. 1. |
| 2910 | DEEPWATER POINT RANGE REAR LIGHT<br>1,000 yards, 041.7° from front light. | 39-41-04.240N<br>075-30-40.789W | F G<br>(NIGHT)<br>F W<br>(DAY) | 89<br>86 | | On yellow cylindrical tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 0.5° either side of rangeline. |
| 2912 | DEEPWATER POINT RANGE REAR PASSING LIGHTS (2) | 39-41-04.240N<br>075-30-40.789W | Fl W 4s | 15 | 5 | On same structure as Deepwater Point Range Rear Light. | |
| 2920 | *Delaware River Lighted Buoy 21* | 39-37-44.144N<br>075-34-39.897W | Fl G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 2925 | *Delaware River Lighted Buoy 22* | 39-37-45.436N<br>075-34-22.045W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 2945 | *Delaware River Lighted Buoy 24* | 39-38-25.737N<br>075-33-35.743W | Fl R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 2950 | *Delaware River Lighted Buoy 25* | 39-39-21.938N<br>075-32-49.740W | Fl G 4s | | 4 | Green. | Replaced by can when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Delaware and New Jersey) - Fifth District** | | | | | | |
| | **SMYRNA RIVER TO WILMINGTON (Chart 12311)** | | | | | | |
| | **Delaware River (Main Channel)** | | | | | | |
| 2955 | *Delaware River Lighted Buoy 26* | 39-39-24.187N 075-32-27.238W | Fl R 4s | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 2965 | *Delaware River Lighted Buoy 27* | 39-40-29.318N 075-31-38.026W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 2970 | *Delaware River Lighted Buoy 28* | 39-40-22.438N 075-31-21.733W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 2973 | *Dupont Chambers Diffuser Warning Lighted Buoy A* | 39-41-53.730N 075-30-35.330W | Fl W 4s | | | White with orange bands and diamond worded DANGER SUBMERGED PIPELINE. | Removed when endangered by ice. Private aid. |
| 2975 | CHERRY ISLAND RANGE FRONT LIGHT | 39-45-02.199N 075-29-39.070W | Iso R 2s | 50 | | Skeleton tower on multi-pile structure.. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 2977 | CHERRY ISLAND RANGE FRONT PASSING LIGHTS (2) | 39-45-02.199N 075-29-39.070W | Fl W 4s | 15 | 4 | Located on same structure as Cherry Island Range Front Light. | |
| 2980 | CHERRY ISLAND RANGE REAR LIGHT 1,452 yards, 017° from front light. | 39-45-43.434N 075-29-23.056W | F R | 120 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 2995 | *Delaware River Lighted Buoy 29* | 39-42-10.689N 075-30-53.230W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| | **Christina River** *Buoys located 50 feet outside of channel limit.* | | | | | | |
| 3000 | - SOUTH JETTY LIGHT 1 | 39-42-54.939N 075-30-45.029W | Fl G 2.5s | 21 | 6 | SG on skeleton tower. | |
| 3005 | - RANGE FRONT LIGHT | 39-43-21.953N 075-31-56.809W | Q G | 20 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3010 | - RANGE REAR LIGHT 285 yards, 293° from front light. | 39-43-25.160N 075-32-06.519W | Iso G 6s | 38 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3015 | - *Entrance Lighted Buoy 2* | 39-43-01.123N 075-30-37.926W | Fl R 4s | | 4 | Red. | Removed when endangered by ice. |
| 3017 | DIAMOND STATE PIER LIGHT N | 39-42-37.400N 075-30-44.500W | Fl Y 4s | 11 | | On pier. | Private aid. |
| 3017.1 | DIAMOND STATE PIER LIGHT S | 39-42-29.900N 075-30-47.700W | Fl Y 2.5s | 11 | | On pier. | Private aid. |
| 3017.2 | DIAMOND STATE PIER LIGHT Q | 39-42-28.370N 075-30-49.650W | Fl Y 2.5s | 12 | | On mooring dolphin. | Private aid. |
| 3017.3 | DIAMOND STATE PIER LIGHT R | 39-42-27.180N 075-30-50.100W | Fl Y 2.5s | 12 | | On mooring dolphin. | Private aid. |
| | **Delaware River (Main Channel)** | | | | | | |
| 3020 | *Delaware River Lighted Buoy 30* Marks end of shoal. | 39-43-08.640N 075-30-16.527W | Fl R 6s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3025 | Delaware River Buoy 31 | 39-43-12.040N 075-30-28.428W | | | | Green can. | |
| 3030 | *Delaware River Lighted Buoy 32* | 39-44-09.031N 075-29-53.786W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3035 | Delaware River Buoy 33 | 39-43-43.440N 075-30-16.227W | | | | Green can. | |
| 3040 | Delaware River Buoy 35 | 39-44-23.641N 075-30-00.726W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Delaware and New Jersey) - Fifth District** | | | | | | |
| | **SMYRNA RIVER TO WILMINGTON (Chart 12311)** | | | | | | |
| | **Delaware River (Main Channel)** | | | | | | |
| 3045 | *Delaware River Lighted Buoy 36* | 39-44-50.591N 075-29-27.166W | Fl R 2.5s | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| | **WILMINGTON TO PHILADELPHIA (Chart 12312)** | | | | | | |
| | **Cherry Island Flats** | | | | | | |
| 3050 | - East Channel Buoy 1<br>Marks lower eastern end of extending shoal. | 39-43-06.540N 075-30-01.526W | | | | Green can. | |
| 3055 | - East Channel Buoy 2 | 39-43-28.940N 075-29-20.524W | | | | Red nun. | |
| 3060 | - East Channel Buoy 3<br>On east edge of flats. | 39-44-06.240N 075-29-13.224W | | | | Green can. | |
| 3065 | - East Channel Buoy 4<br>Marks end of shoal. | 39-44-31.440N 075-28-38.921W | | | | Red nun. | |
| 3070 | - East Channel Buoy 5<br>On east side of flats. | 39-45-00.640N 075-28-44.221W | | | | Green can. | |
| 3075 | - Upper Junction Buoy CF | 39-45-30.240N 075-28-31.321W | | | | Red and green bands; nun. | |
| | **Delaware River (Main Channel)** | | | | | | |
| 3080 | BELLEVUE RANGE FRONT LIGHT | 39-44-07.369N 075-30-14.314W | Fl G 2.5s<br>(NIGHT)<br>Fl G 2.5s<br>(DAY) | 15 | | On tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3085 | BELLEVUE RANGE REAR LIGHT<br>1,083 yards, 216° from front light. | 39-43-41.240N 075-30-38.456W | F G<br>(NIGHT)<br>F G<br>(DAY) | 63<br>60 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.9° either side of rangeline.<br>NIGHT : Visible 0.5° either side of rangeline. |
| 3090.1 | Dupont-Edgemoor Warning Buoy D | 39-45-10.850N 075-29-24.320W | | | | White with orange band worded SUBMERGED PIPE; can. | Private aid. |
| 3110 | *Delaware River Lighted Buoy 38* | 39-45-29.741N 075-28-50.806W | Fl R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 3113 | Delaware River Buoy 39 | 39-45-50.051N 075-28-48.256W | | | | Green can. | |
| 3120 | *Delaware River Lighted Buoy 40* | 39-46-41.438N 075-27-45.520W | Fl R 2.5s | | 4 | Red. | Removed when endangered by ice. |
| 3123 | *Delaware River Lighted Buoy 41* | 39-47-01.751N 075-27-40.756W | Fl G 4s | | 4 | Green. | Removed when endangered by ice. |
| 3125 | GRUBBS LANDING LIGHT | 39-47-08.548N 075-27-51.401W | Fl W 4s | 16 | 6 | NG on skeleton tower. | |
| 3130 | *Delaware River Lighted Buoy 42* | 39-47-04.639N 075-27-13.619W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3135 | MARCUS HOOK RANGE FRONT LIGHT | 39-46-40.578N 075-28-17.229W | Q R<br>(NIGHT)<br>Q W<br>(DAY) | 23<br>26 | | On tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline |
| 3138 | MARCUS HOOK FRONT RANGE PASSING LIGHTS (2) | 39-46-40.578N 075-28-17.229W | Fl W 4s | 24 | 4 | Located on same structure as Marcus Hook Front Range Light. | |
| 3140 | MARCUS HOOK RANGE REAR LIGHT<br>1,866 yards, 238° from front light. | 39-46-30.654N 075-28-37.369W | Oc R 4s<br>(NIGHT)<br>Oc W 4s<br>(DAY) | 78<br>75 | | On tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3143 | MARCUS HOOK REAR RANGE PASSING LIGHTS (2) | 39-46-30.654N 075-28-37.369W | Fl W 4s | 24 | 4 | Located on same structure as Marcus Hook Rear Range Light. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Delaware and New Jersey) - Fifth District** | | | | | | |
| | **WILMINGTON TO PHILADELPHIA (Chart 12312)** | | | | | | |
| | **Delaware River (Main Channel)** | | | | | | |
| 3150 | *Delaware River Lighted Buoy 43* Marks rock ledge. | 39-47-23.938N 075-26-58.718W | Fl G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 3155 | Delaware River Buoy 44 | 39-47-25.438N 075-26-35.617W | | | | Red nun. | |
| 3160 | *Delaware River Lighted Buoy 46* | 39-47-43.637N 075-25-59.915W | Fl R 4s | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3165 | Marcus Hook Anchorage Buoy A | 39-47-47.621N 075-25-03.143W | | | | Yellow nun. | |
| | **DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District** | | | | | | |
| | **WILMINGTON TO PHILADELPHIA (Chart 12312)** | | | | | | |
| | **Delaware River (Main Channel)** | | | | | | |
| 3170 | MARCUS HOOK INTAKE LIGHT | 39-48-16.326N 075-25-22.608W | Fl Y 2.5s | 12 | | On wood trestle on pile. | Private aid. |
| 3180 | Marcus Hook Anchorage Buoy B | 39-48-11.780N 075-24-10.774W | | | | Yellow nun. | |
| 3201 | RACCOON CREEK JETTY LIGHT 2RC | 39-48-34.132N 075-23-02.756W | Fl R 4s | 15 | 5 | TR on pile. | |
| 3205 | Marcus Hook Anchorage Buoy C | 39-48-37.989N 075-23-17.293W | | | | Yellow nun. | |
| 3210 | *Delaware River Lighted Buoy 47* | 39-49-03.427N 075-23-40.500W | Fl G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 3215 | *Delaware River Lighted Buoy 49* Southeasterly of rock ledge. | 39-49-27.136N 075-22-51.506W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3220 | CHESTER TRANSMISSION WEST LIGHTS (2) | 39-49-30.405N 075-23-04.690W | F R | 17 | | On platform. | Private aid. |
| 3225 | CHESTER TRANSMISSION EAST LIGHTS (4) | 39-49-12.406N 075-22-46.689W | F R | 17 | | On platform. | HORN : 1bl ev 20s (2s bl). Private aid. |
| 3230 | CHESTER RANGE FRONT LIGHT | 39-51-14.490N 075-19-53.303W | Iso G 2s | 62 | | On square skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3235 | CHESTER RANGE REAR LIGHT 548 yards, 051.2° from front light. | 39-51-24.788N 075-19-36.994W | Iso G 6s | 110 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3240 | Delaware River Buoy 48 | 39-49-17.137N 075-22-48.705W | | | | Red nun. | |
| 3245 | *Delaware River Lighted Buoy 50* | 39-49-52.836N 075-21-52.702W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 3250 | CHESTER INTAKE LIGHT Marks water intake. | 39-50-30.405N 075-21-22.684W | Oc Y 1.5s | 16 | | On pile. | Private aid. |
| 3255 | *Delaware River Lighted Buoy 52* | 39-50-28.736N 075-20-51.098W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3260 | *Delaware River Lighted Buoy 53* 50 feet outside channel limit. | 39-50-45.701N 075-20-34.393W | Fl G 2.5s | | 4 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3270 | *Delaware River Lighted Buoy 54* | 39-50-50.537N 075-19-51.695W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3275 | EDDYSTONE GENERATING STATION RANGE FRONT LIGHT | 39-51-24.405N 075-19-22.677W | Q W | 42 | | Rectangular white daymark with orange vertical stripe on steel tower. | Private aid. |
| 3280 | EDDYSTONE GENERATING STATION RANGE REAR LIGHT | 39-51-29.420N 075-19-17.550W | Oc W 4s | | | Rectangular white daymark with orange stripe on tower. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District** | | | | | | |
| | **WILMINGTON TO PHILADELPHIA (Chart 12312)** | | | | | | |
| | **Delaware River (Main Channel)** | | | | | | |
| 3285 | TINICUM RANGE FRONT LIGHT | 39-50-51.963N 075-15-09.863W | Iso R 2s | 38 | | On skeleton tower. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 3290 | TINICUM RANGE REAR LIGHT 1,216 yards, 092.1° from front light. | 39-50-50.941N 075-14-23.091W | F R | 112 | | Gallery on pyramidal skeleton structure, black central tower. | Lighted throughout 24 hours. Visible 0.9° either side rangeline. |
| 3295 | *Delaware River Lighted Buoy 55* Marks west end of shoal. | 39-51-02.151N 075-19-24.346W | Fl G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 3300 | Delaware River Buoy 56 | 39-50-51.851N 075-18-47.606W | | | | Red nun. | |
| 3305 | THOMPSON POINT INTAKE LIGHT | 39-50-42.406N 075-18-16.673W | F R | 13 | | On pile. | Private aid. |
| 3310 | Delaware River Buoy 57 | 39-51-00.146N 075-17-47.299W | | | | Green can. | |
| 3315 | *Delaware River Lighted Buoy 59* | 39-50-59.338N 075-15-53.479W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3320 | BILLINGSPORT RANGE FRONT LIGHT | 39-50-29.907N 075-17-14.838W | Iso R 2s (NIGHT) Iso R 2s (DAY) | 21 24 | | On tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 4° either side of rangeline. |
| 3325 | BILLINGSPORT RANGE REAR LIGHT 479 yards, 250° from front light. | 39-50-25.126N 075-17-32.195W | Oc R 4s (NIGHT) Oc R 4s (DAY) | 46 43 | | On tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| | **Mantua Creek** | | | | | | |
| 3340 | - OUTFALL PIPELINE LIGHT | 39-51-15.307N 075-13-34.254W | Fl Y 2.5s | 6 | | On dolphin. | Private aid. |
| 3345 | - UPPER JETTY LIGHT 1M | 39-51-12.888N 075-13-47.980W | Fl G 2.5s | 15 | 3 | SG on white pile; concrete base. | |
| 3360 | - Channel Buoy 2 | 39-51-04.338N 075-13-42.470W | | | | Red nun. | Maintained from May 15 to Nov. 1. |
| 3365 | - Intake Buoy M Marks end of intake pipe. | 39-49-14.232N 075-13-20.532W | | | | Orange and white bands; can. | Private aid. |
| | **Mifflin Range** | | | | | | |
| 3370 | - FRONT LIGHT | 39-50-51.910N 075-15-09.809W | Iso G 2s | 48 | | On same structure as Tinicum Range Front Light. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 3375 | - REAR LIGHT 640 yards, 234° from front light. | 39-50-40.657N 075-15-29.610W | F G | 77 | | White skeleton tower. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 3380 | *Delaware River Lighted Buoy 61* | 39-51-22.938N 075-14-30.073W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3385 | Delaware River Buoy 63 | 39-51-53.111N 075-13-31.919W | | | | Green can. | |
| 3390 | Mantua Creek Anchorage Buoy A | 39-51-35.178N 075-13-14.506W | | | | Yellow nun. | |
| 3395 | Mantua Creek Anchorage Buoy B | 39-52-09.972N 075-12-15.336W | | | | Yellow nun. | |
| 3400 | Mantua Creek Anchorage Buoy C | 39-52-32.887N 075-12-01.176W | | | | Yellow nun. | |
| 3405 | *Delaware River Lighted Buoy 64* | 39-52-42.712N 075-11-45.387W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District** | | | | | | |
| | **PHILADELPHIA AND CAMDEN WATERFRONTS (Chart 12313)** | | | | | | |
| | **Schuylkill River** | | | | | | |
| 3410 | - Entrance Buoy 1<br>120 feet outside channel limit. | 39-52-52.938N<br>075-11-55.163W | | | | Green can. | |
| 3415 | - RANGE FRONT LIGHT | 39-53-20.213N<br>075-11-35.938W | Q G | 33 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3420 | - RANGE REAR LIGHT<br>229 yards, 021.5° from front light. | 39-53-26.181N<br>075-11-33.028W | Oc G 4s | 64 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3425 | - JETTY LIGHT 2<br>On outer end of submerged jetty. | 39-53-00.998N<br>075-11-40.862W | Fl R 4s | 37 | 6 | TR on skeleton tower on cylindrical base. | |
| 3433 | - LIGHT 3 | 39-53-24.309N<br>075-11-46.127W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 3435 | - Reserve Basin Junction Buoy RB | 39-53-31.241N<br>075-11-41.279W | | | | Red and green band; nun. | |
| 3445 | - Buoy 7 | 39-53-44.948N<br>075-12-37.001W | | | | Green can. | |
| 3450 | - Buoy 8 | 39-54-10.337N<br>075-12-53.465W | | | | Red nun. | |
| 3455 | - Buoy 10 | 39-54-29.021N<br>075-12-55.518W | | | | Red nun. | |
| | **Eagle Point** | | | | | | |
| 3490 | *Delaware River Lighted Buoy 66* | 39-52-49.157N<br>075-10-25.089W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 3495 | - RANGE FRONT LIGHT | 39-52-58.710N<br>075-12-01.041W | Iso G 2s<br>(NIGHT)<br>Iso G 2s<br>(DAY) | 28 | | On skeleton tower. | Lighted throughout 24 hours. Visible 3° either side of rangeline. |
| 3500 | - RANGE REAR LIGHT<br>290 yards, 274.3° from front light. | 39-52-59.301N<br>075-12-12.177W | F G | 50 | | On white pyramidal tower. | Lighted throughout 24 hours. Visible 4° either side of rangeline. |
| 3505 | *Delaware River Lighted Buoy 68* | 39-52-47.847N<br>075-10-00.204W | Fl R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 3507 | CEPOC Buoy A | 39-52-44.040N<br>075-09-41.640W | | | | Yellow sphere. | Private aid. |
| 3509 | *Delaware River Lighted Buoy 69* | 39-52-56.380N<br>075-09-05.394W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3512 | CEPOC Buoy B | 39-52-42.600N<br>075-09-03.000W | | | | Yellow sphere. | Private aid. |
| 3515 | *Delaware River Lighted Buoy 70* | 39-52-47.970N<br>075-08-53.154W | Fl R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3517 | *Delaware River Lighted Buoy 71* | 39-53-00.701N<br>075-08-49.715W | Fl G 2.5s | | 4 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| | **Delaware River** | | | | | | |
| 3520 | - *Lighted Buoy 73*<br>On southeast side of shoal. | 39-53-08.630N<br>075-08-35.467W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3525 | - Buoy 74 | 39-53-02.354N<br>075-08-25.098W | | | | Red nun. | Removed when endangered by ice. |
| 3527.1 | CEPOC Buoy C | 39-52-58.500N<br>075-08-13.620W | | | | Yellow sphere. | Private aid. |
| 3527.2 | CEPOC Buoy D | 39-53-02.640N<br>075-08-11.640W | | | | Yellow sphere. | Private aid. |
| 3527.3 | CEPOC Buoy E | 39-53-06.600N<br>075-08-09.660W | | | | Yellow sphere. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District** | | | | | | |
| | **PHILADELPHIA AND CAMDEN WATERFRONTS (Chart 12313)** | | | | | | |
| | **Delaware River** | | | | | | |
| 3527.4 | CEPOC Buoy F | 39-53-10.800N 075-08-08.400W | | | | Yellow sphere. | Private aid. |
| 3530 | HORSESHOE RANGE FRONT LIGHT | 39-52-40.788N 075-08-44.780W | Q R | 22 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3535 | HORSESHOE RANGE REAR LIGHT<br>616 yards, 206.2° from front light. | 39-52-24.345N 075-08-55.099W | Oc R 4s | 37 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3540 | HORSESHOE BEND DIRECTIONAL LIGHT | 39-53-12.555N 075-08-04.354W | Q G | 20 | | On multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of centerline of channel (bearing 061.2° ) . |
| 3565 | - *Lighted Buoy 75* | 39-53-35.738N 075-08-16.750W | Fl G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 3567 | BKEP MATERIALS DOCK LIGHT A | 39-53-41.150N 075-07-50.950W | Fl Y 4s | 15 | | Yellow. | Private aid. |
| 3567.1 | BKEP MATERIALS DOCK LIGHT B | 39-53-41.492N 075-07-50.851W | Fl Y 4s | 15 | | Yellow. | Private aid. |
| 3570 | SOUTH JERSEY DOCK LIGHT A | 39-54-29.407N 075-07-32.632W | F Y | 10 | | On pier. | Private aid. |
| 3575 | SOUTH JERSEY LIGHT B | 39-54-32.407N 075-07-32.632W | F Y | 10 | | On pier. | Private aid. |
| 3580 | Petty Island Lower End Buoy P<br>Marks west end of shoal. | 39-57-44.463N 075-07-26.224W | | | | Red and green band; nun. | |
| 3585 | BACK CHANNEL LIGHT 1BC | 39-57-29.847N 075-06-27.987W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 3605 | - *Lighted Buoy 76* | 39-58-01.636N 075-07-08.647W | Fl R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 3610 | Port Richmond Anchorage Buoy A | 39-58-01.036N 075-06-55.146W | | | | Yellow nun. | |
| 3615 | Port Richmond Anchorage Buoy B | 39-58-10.236N 075-06-17.844W | | | | Yellow nun. | |
| 3620 | - *Lighted Buoy 78*<br>50 feet outside channel limit. | 39-58-26.925N 075-05-42.001W | Fl R 2.5s | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3625 | FISHER POINT RANGE FRONT LIGHT | 39-58-40.299N 075-04-13.961W | Iso G 6s | 37 | | KRW on multi-pile structure. | NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 3630 | FISHER POINT RANGE REAR LIGHT<br>183 yards, 080.5° from front light. | 39-58-41.007N 075-04-08.485W | F G | 44 | | KRW on firewall of gasoline storage tank. | NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 3640 | - Buoy 80 | 39-58-33.636N 075-04-51.640W | | | | Red nun. | |
| 3645 | - *Lighted Buoy 81* | 39-58-42.636N 075-04-34.139W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |
| | **PHILADELPHIA TO TRENTON (Chart 12314)** | | | | | | |
| | **Upper Delaware River** | | | | | | |
| 3650 | DELAIR RANGE FRONT LIGHT | 40-00-30.310N 075-03-16.824W | Iso G 2s | 25 | | On skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 3655 | DELAIR RANGE REAR LIGHT<br>168 yards, 018° from front light. | 40-00-35.051N 075-03-14.835W | Oc G 4s | 41 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District** | | | | | | |
| | **PHILADELPHIA TO TRENTON (Chart 12314)** | | | | | | |
| | **Upper Delaware River** | | | | | | |
| 3660 | - *Channel Lighted Buoy 2* | 39-59-15.235N 075-03-45.437W | Fl R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3663 | - *Channel Lighted Buoy 4* | 39-59-32.964N 075-03-37.386W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 3665 | - Channel Buoy 5 | 39-59-42.535N 075-03-41.938W | | | | Green can. | |
| 3670 | - *Channel Lighted Buoy 6* | 40-00-06.636N 075-03-23.837W | Fl R 2.5s | | 6 | Red. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 3680 | - *Channel Lighted Buoy 8* | 40-00-24.936N 075-03-05.036W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 3685 | - Channel Buoy 9 | 40-00-38.635N 075-02-48.335W | | | | Green can. | |
| 3690 | - Channel Buoy 10 | 40-00-34.235N 075-02-44.835W | | | | Red nun. | |
| 3695 | - Channel Buoy 10A | 40-00-45.835N 075-02-19.033W | | | | Red nun. | |
| 3700 | - Channel Buoy 11 | 40-00-50.235N 075-02-22.434W | | | | Green can. | |
| 3705 | FRANKFORD CHANNEL LOWER DIRECTIONAL LIGHT | 40-00-19.250N 075-03-25.960W | F G | 30 | | On multi-pile structure. | Light oriented on bearing 241° (not on centerline of channel). Lighted throughout 24 hours. |
| 3707 | FRANKFORD CHANNEL LOWER DIRECTIONAL PASSING LIGHT | 40-00-19.250N 075-03-25.960W | Fl W 4s | 17 | 5 | On same structure as Frankford Channel Lower Directional Light. | |
| 3710 | - *Channel Lighted Buoy 12* | 40-00-54.935N 075-01-56.833W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3715 | FRANKFORD UPPER RANGE FRONT LIGHT | 40-01-12.883N 075-01-21.254W | Q G | 20 | | On tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible around higher intensity 1.5° either side of rangline. |
| 3718 | FRANKFORD UPPER RANGE REAR LIGHT<br>1,500 yards, 061° from front light. | 40-01-34.500N 075-00-30.694W | Oc G 4s | 50 | | On tower on multipile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3719 | FRANKFORD UPPER RANGE REAR PASSING LIGHTS (2) | 40-01-34.500N 075-00-30.694W | Fl W 4s | 15 | 4 | On same structure as Frankford Upper Range Rear Light. | |
| 3720 | TACONY RANGE FRONT LIGHT | 40-01-27.734N 075-00-10.703W | Q W (NIGHT)<br>Q W (DAY) | 20<br>23 | | On skeleton tower on small white house. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline. |
| 3725 | TACONY RANGE REAR LIGHT<br>182 yards, 070.1° from front light. | 40-01-29.594N 075-00-04.132W | Iso W 6s (NIGHT)<br>Iso W 6s (DAY) | 43<br>40 | | On skeleton tower on white house. | Lighted throughout 24 hours. DAY: Visible 10° either side of rangeline. NIGHT : Visible all around higher intensity 10° either side of rangeline. |
| 3730 | - *Channel Lighted Buoy 14* | 40-01-07.235N 075-01-14.731W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3735 | - *Channel Lighted Buoy 15* | 40-01-22.235N 075-00-40.529W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District** | | | | | | |
| | **PHILADELPHIA TO TRENTON (Chart 12314)** | | | | | | |
| | **Upper Delaware River** | | | | | | |
| | **Torresdale** | | | | | | |
| 3740 | - LOWER RANGE FRONT LIGHT | 40-01-07.047N<br>075-00-48.953W | Q W<br>(NIGHT)<br>Q W<br>(DAY) | 23<br>26 | | Skeleton tower. | Lighted throughout 24 hours.<br>DAY: Visible 1.5° either side of rangeline.<br>NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 3745 | - LOWER RANGE REAR LIGHT<br>569 yards, 222.3° from front light. | 40-00-54.500N<br>075-01-03.647W | Oc W 4s<br>(NIGHT)<br>Oc W 4s<br>(DAY) | 45<br>42 | | On skeleton tower. | Lighted throughout 24 hours.<br>DAY: Visible 4° either side of rangeline.<br>NIGHT : Visible 10° either side of rangeline. |
| 3750 | - UPPER RANGE FRONT LIGHT | 40-03-15.588N<br>074-58-18.497W | Fl R 2.5s<br>(NIGHT)<br>Fl R 2.5s<br>(DAY) | 21<br>24 | | On skeleton tower. | Lighted throughout 24 hours.<br>DAY : Visible 0.9° either side of rangeline.<br>NIGHT : Visible 5.5 ° either side of rangeline. |
| 3755 | - UPPER RANGE REAR LIGHT<br>764 yards, 042.30° from front light. | 40-03-32.420N<br>074-57-58.771W | Oc R 4s<br>(NIGHT)<br>Oc R 4s<br>(DAY) | 50<br>47 | | On skeleton tower. | Lighted throughout 24 hours.<br>DAY : Visible 0.9° either side rangeline.<br>NIGHT : Visible 5.5° either side of rangeline. |
| 3760 | - Warning Daybeacon | 40-03-09.652N<br>074-58-30.873W | | | | NW on skeleton tower worded DANGER SUBMERGED ROCK. | |
| | **Upper Delaware River** | | | | | | |
| 3765 | MUD ISLAND LOWER RANGE FRONT LIGHT | 40-02-04.420N<br>074-59-51.754W | Q W | 21 | | On multi-pile structure. | Lighted throughout 24 hours.<br>DAY: Visible 1.5° either side or rangeline.<br>NIGHT: Visible all around; higher intensity 1.5° either side or rangeline |
| 3770 | MUD ISLAND LOWER RANGE REAR LIGHT<br>313 yards, 232.5° from front light. | 40-01-58.739N<br>075-00-01.318W | Oc W 4s | 48 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours.<br>Visible 1.5° either side of rangeline. |
| 3773 | MUD ISLAND LOWER RANGE REAR PASSING LIGHTS (2) | 40-01-58.739N<br>075-00-01.318W | Fl W 4s | 15 | 4 | Located on same structure as Mud Island Lower Range Rear Light. | |
| 3775 | - *Channel Lighted Buoy 18* | 40-01-42.134N<br>075-00-04.127W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3777 | *Tri-County Water Intake Lighted Buoy N* | 40-02-01.200N<br>074-59-30.100W | Fl Y 6s | | | Yellow, worded KEEP AWAY - WATER SUPPLY INTAKE. | Maintained from Apr.15 to Nov. 15.<br>Private aid. |
| 3778 | *Tri-County Water Intake Lighted Buoy S* | 40-02-00.000N<br>074-59-41.600W | Fl Y 6s | | | Yellow, worded KEEP AWAY- WATER SUPPLY INTAKE. | Maintained from Apr. 15 to Nov. 15.<br>Private aid. |
| 3780 | - Channel Buoy 19 | 40-02-25.401N<br>074-59-21.281W | | | | Green can. | |
| 3785 | - *Channel Lighted Buoy 20* | 40-02-21.684N<br>074-59-16.780W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3795 | MUD ISLAND UPPER RANGE FRONT LIGHT | 40-03-42.059N<br>074-57-07.247W | Oc W 4s | 25 | | On skeleton tower. | Lighted throughout 24 hours.<br>DAY : Visible 1.5° either side of rangeline.<br>NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District** | | | | | | |
| | **PHILADELPHIA TO TRENTON (Chart 12314)** | | | | | | |
| | **Upper Delaware River** | | | | | | |
| 3800 | MUD ISLAND UPPER RANGE REAR LIGHT<br>933 yards, 052.6° from front light. | 40-03-52.504N<br>074-56-49.620W | Iso W 6s | 52 | | On small house on concrete base. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 3803 | MUD ISLAND UPPER RANGE REAR PASSING LIGHT | 40-03-52.504N<br>074-56-49.620W | Fl W 4s | 15 | 5 | On same structure as Mud Island Upper Range Rear Light. | |
| 3805 | - *Channel Lighted Buoy 22* | 40-02-50.233N<br>074-58-29.824W | Fl R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 3810 | - Channel Buoy 23 | 40-03-10.833N<br>074-58-05.423W | | | | Green can. | |
| 3813 | - Channel Buoy 25 | 40-03-22.627N<br>074-57-44.420W | | | | Green can. | |
| 3815 | - *Channel Lighted Buoy 26* | 40-03-19.332N<br>074-57-41.022W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3820 | ENTERPRISE LOWER RANGE FRONT LIGHT | 40-03-06.336N<br>074-58-20.172W | Oc W 4s<br>(NIGHT)<br>Oc W 4s<br>(DAY) | 21 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline.<br>NIGHT : Visible all around higher intensity 1.5° either side of rangeline. |
| 3825 | ENTERPRISE LOWER RANGE REAR LIGHT<br>1,056 yards, 241.5° from front light. | 40-02-51.226N<br>074-58-55.864W | F W<br>(NIGHT)<br>F W<br>(DAY) | 50 | | On skeleton tower. | Lighted throughout 24 hours. DAY/NIGHT: Visible 1.5° either side of rangeline. |
| 3830 | - *Channel Lighted Buoy 28* | 40-03-45.931N<br>074-56-40.119W | Fl R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 3835 | - Channel Buoy 29 | 40-03-53.631N<br>074-56-36.119W | | | | Green can. | |
| 3840 | ENTERPRISE UPPER RANGE FRONT LIGHT | 40-04-29.306N<br>074-55-04.036W | Fl W 2.5s | 28 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3845 | ENTERPRISE UPPER RANGE REAR LIGHT<br>235 yards, 061° from front light. | 40-04-32.585N<br>074-54-56.325W | F W | 50 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3855 | - Channel Buoy 31 | 40-04-17.031N<br>074-55-40.117W | | | | Green can. | |
| 3860 | - *Channel Lighted Buoy 30* | 40-04-10.532N<br>074-55-37.917W | Q R | | 4 | Red. | |
| 3865 | BEVERLY LOWER RANGE FRONT LIGHT | 40-04-14.912N<br>074-56-05.185W | Oc G 4s<br>(NIGHT)<br>Oc G 4s<br>(DAY) | 31<br>34 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline.<br>NIGHT : Visible all around with higher intensity 1.5° either side of rangeline. |
| 3870 | BEVERLY LOWER RANGE REAR LIGHT<br>160 yards, 271° from front light. | 40-04-15.095N<br>074-56-10.085W | F G<br>(NIGHT)<br>F G<br>(DAY) | 43<br>40 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline.<br>NIGHT : Visible all around with higher intensity 1.5° either side of rangeline. |
| 3875 | - *Channel Lighted Buoy 33* | 40-04-17.431N<br>074-54-46.815W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |
| 3880 | BEVERLY UPPER RANGE FRONT LIGHT | 40-04-13.122N<br>074-54-10.178W | Q W<br>(NIGHT)<br>Q W<br>(DAY) | 28<br>25 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 4° either side of rangeline.<br>NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District** | | | | | | |
| | **PHILADELPHIA TO TRENTON (Chart 12314)** | | | | | | |
| | **Upper Delaware River** | | | | | | |
| 3885 | BEVERLY UPPER RANGE REAR LIGHT<br>156 yards, 089.4° from front light. | 40-04-12.993N<br>074-54-02.465W | Oc W 4s<br>(NIGHT)<br>Oc W 4s<br>(DAY) | 43<br>40 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 4° either side of rangeline.<br>NIGHT : Visible 14° either side of rangeline. |
| 3890 | EDGEWATER UPPER RANGE FRONT LIGHT | 40-04-54.162N<br>074-52-26.356W | Q G | 29 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline.<br>NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 3895 | EDGEWATER UPPER RANGE REAR LIGHT<br>344 yards, 069.81° from front light. | 40-04-57.718N<br>074-52-13.922W | Oc G 4s | 49 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3897 | EDGEWATER UPPER RANGE REAR PASSING LIGHT | 40-04-57.718N<br>074-52-13.922W | Oc W 4s | 21 | 4 | On same structure as Edgewater Upper Range Rear Light. | |
| 3900 | - Channel Buoy 34 | 40-04-11.031N<br>074-54-48.015W | | | | Red nun. | |
| 3905 | EDGEWATER LOWER RANGE FRONT LIGHT | 40-04-08.732N<br>074-55-05.620W | Q W | 21 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline.<br>NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 3910 | EDGEWATER LOWER RANGE REAR LIGHT<br>290 yards, 249.5° from front light. | 40-04-05.794N<br>074-55-15.917W | F W | 41 | | On skeleton tower. | Lighted throughout 24 hours. Visible 5.5° either side or rangeline. |
| 3915 | NESHAMINY MARINA JETTY LIGHT N | 40-04-24.431N<br>074-54-22.614W | Fl W 4s | 32 | 5 | NR on pile. | |
| 3920 | - *Channel Lighted Buoy 36* | 40-04-27.431N<br>074-53-51.113W | Fl R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 3925 | - Channel Buoy 39 | 40-04-44.730N<br>074-53-08.311W | | | | Green can. | |
| 3930 | - *Channel Lighted Buoy 40* | 40-04-39.931N<br>074-53-05.812W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 3935 | DEVLIN LOWER RANGE FRONT LIGHT | 40-04-37.534N<br>074-53-37.737W | Q R<br>(NIGHT)<br>Q R<br>(DAY) | 20<br>23 | | On skeleton tower. | Lighted throughout 24 hours, DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 3940 | DEVLIN LOWER RANGE REAR LIGHT<br>833 yards, 258.3° from front light. | 40-04-31.779N<br>074-54-12.941W | Oc R 4s<br>(NIGHT)<br>Oc R 4s<br>(DAY) | 60<br>57 | | On skeleton tower. | Lighted throughout 24 hours, DAY Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| 3945 | DEVLIN UPPER RANGE FRONT LIGHT | 40-05-01.335N<br>074-51-11.375W | Q W<br>(NIGHT)<br>Q W<br>(DAY) | 28<br>31 | | Skeleton tower. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline.<br>NIGHT : Visible all around, higher intensity 1.5° either side of rangeline. |
| 3950 | DEVLIN UPPER RANGE REAR LIGHT<br>259 yards, 078.2° from front light. | 40-05-02.928N<br>074-51-01.598W | Iso W 6s<br>(NIGHT)<br>Iso W 6s<br>(DAY) | 38<br>35 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 1.5° eithers side of rangeline.<br>NIGHT : Visible all around, higher intensity 1.5° either side of rangeline. |
| 3955 | - *Channel Lighted Buoy 43* | 40-04-59.631N<br>074-51-52.409W | Q G | | 5 | Green. | |
| 3960 | - Channel Buoy 44 | 40-05-03.331N<br>074-51-39.508W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District** | | | | | | |
| | **PHILADELPHIA TO TRENTON (Chart 12314)** | | | | | | |
| | **Upper Delaware River** | | | | | | |
| 3965 | LEHIGH LOWER RANGE FRONT LIGHT | 40-04-51.437N<br>074-51-51.600W | Oc G 4s<br>(NIGHT)<br>Oc G 4s<br>(DAY) | 37 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline.<br>NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 3970 | LEHIGH LOWER RANGE REAR LIGHT<br>44 yards, 206.8° from front light. | 40-04-50.295N<br>074-51-52.388W | F G | 49 | | On skeleton tower. | Lighted throughout 24 hours. Higher intensity 1.5° either side of rangeline. |
| 3975 | LEHIGH UPPER RANGE FRONT LIGHT | 40-05-41.312N<br>074-51-16.394W | Q G | 35 | | On multi-pile structure. | Lighted throughout 24 hours. Visible all around; higher intensity 1.5° either side of rangeline. |
| 3980 | LEHIGH UPPER RANGE REAR LIGHT<br>77 yards, 028.5° from front light. | 40-05-43.343N<br>074-51-14.970W | F G | 42 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3985 | - *Channel Lighted Buoy 45* | 40-05-32.230N<br>074-51-25.807W | Fl G 2.5s | | 4 | Green. | |
| 3990 | - *Channel Lighted Buoy 48* | 40-05-38.130N<br>074-51-07.007W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3995 | BRISTOL RANGE FRONT LIGHT | 40-05-31.027N<br>074-51-29.303W | Iso W 2s<br>(NIGHT)<br>Iso W 2s<br>(DAY) | 18<br>15 | | On skeleton tower. | Lighted throughout 24 hours. Day : Visible 10.0° either side of rangeline.<br>Night : Visible all around, higher intensity 1.5° either side of rangeline. |
| 4000 | BRISTOL RANGE REAR LIGHT<br>83 yards, 241.2° from front light. | 40-05-29.829N<br>074-51-32.113W | F R<br>(NIGHT)<br>F R<br>(DAY) | 29<br>23 | | On skeleton tower. | Lighted throughout 24 hours. Day : Visible 1.5° either side of rangeline.<br>Night : Visible all around, higher intensity 1.5 either side of rangeline. |
| 4005 | Yacht Anchorage Buoy A | 40-05-54.397N<br>074-50-40.591W | | | | White can. | Maintained from Apr. 1 to Nov. 30.<br>Private aid. |
| 4010 | - *Channel Lighted Buoy 51* | 40-05-58.029N<br>074-50-33.605W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |
| 4015 | - *Channel Lighted Buoy 52* | 40-05-54.829N<br>074-50-27.605W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4030 | Yacht Anchorage Buoy B | 40-06-09.000N<br>074-50-21.000W | | | | White can. | Maintained from May 1 to Nov. 1.<br>Private aid. |
| 4035 | - *Channel Lighted Buoy 53* | 40-06-19.229N<br>074-50-12.505W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 4040 | - *Channel Lighted Buoy 54* | 40-06-14.429N<br>074-50-06.604W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4045 | LANDRETH RANGE FRONT LIGHT | 40-06-04.544N<br>074-50-13.920W | Iso W 6s<br>(NIGHT)<br>Iso W 6s<br>(DAY) | 30<br>27 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 5.5° either side of rangeline.<br>NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 4050 | LANDRETH RANGE REAR LIGHT<br>430 yards, 198° from front light. | 40-05-52.455N<br>074-50-19.028W | F W<br>(NIGHT)<br>F W<br>(DAY) | 52<br>49 | | On skeleton tower. | Lighted throught 24 hours. DAY: Visible 5.5° either side of rangeline.<br>NIGHT : Visible all around; higher intensity 1.5° either side of range line. |
| 4055 | - Channel Buoy 55 | 40-06-34.629N<br>074-50-04.505W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District** | | | | | | |
| | **PHILADELPHIA TO TRENTON (Chart 12314)** | | | | | | |
| | **Upper Delaware River** | | | | | | |
| 4060 | - *Channel Lighted Buoy 56* | 40-07-26.028N 074-49-33.603W | Q R | | 4 | Red. | |
| 4065 | - Channel Buoy 57 | 40-07-36.128N 074-49-32.003W | | | | Green can. | |
| 4070 | - *Channel Lighted Buoy 58* | 40-07-34.818N 074-49-22.103W | Fl R 2.5s | | 4 | Red. | |
| 4073 | - CHANNEL LIGHT 59 | 40-07-45.035N 074-48-56.100W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 4075 | - *Channel Lighted Buoy 60* | 40-07-37.728N 074-48-56.681W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4080 | FLORENCE LOWER DIRECTIONAL LIGHT | 40-07-45.557N 074-49-13.530W | Q W | 27 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of centerline of channel (bearing 291.3°). |
| 4090 | - *Channel Lighted Buoy 63* | 40-07-29.228N 074-48-10.640W | Fl G 4s | | 4 | Green. | |
| 4095 | - *Channel Lighted Buoy 65* | 40-07-16.629N 074-47-28.600W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4100 | FLORENCE UPPER RANGE FRONT LIGHT | 40-07-08.076N 074-47-07.140W | Q W | 25 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4103 | FLORENCE UPPER RANGE FRONT PASSING LIGHT | 40-07-08.076N 074-47-07.140W | Fl W 4s | 8 | 4 | Located on same structure as Florence Upper Range Front Light. | Marks side of platform nearest channel. |
| 4105 | FLORENCE UPPER RANGE REAR LIGHT<br>278 yards, 111.3° from front light. | 40-07-05.095N 074-46-57.120W | Oc W 4s | 49 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4110 | KINKORA LOWER RANGE FRONT LIGHT | 40-07-09.401N 074-47-05.238W | Q W<br>(NIGHT)<br>Q W<br>(DAY) | 22<br>25 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline.<br>NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 4115 | KINKORA LOWER RANGE REAR LIGHT<br>150 yards, 230.3° from front light. | 40-07-06.557N 074-47-09.676W | Oc W 4s<br>(NIGHT)<br>Oc W 4s<br>(DAY) | 40<br>37 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4115.1 | KINKORA LOWER RANGE REAR PASSING LIGHT | 40-07-06.557N 074-47-09.676W | Fl W 4s | 15 | 4 | Located on same structure as Kinkora Lower Range Rear Light. | Located on corner of platform. |
| 4120 | - Channel Buoy 66 | 40-07-10.128N 074-47-22.399W | | | | Red nun. | |
| 4125 | ROEBLING RANGE FRONT LIGHT | 40-07-17.772N 074-46-42.331W | Oc R 4s | 35 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4130 | ROEBLING RANGE REAR LIGHT<br>41 yards, 079.8° from front light. | 40-07-17.990N 074-46-40.756W | F R | 41 | | On tower with small house on concrete base. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4135 | - *Channel Lighted Buoy 69* | 40-07-16.629N 074-47-07.699W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |
| 4140 | - Channel Buoy 70 | 40-07-13.829N 074-46-54.198W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District** | | | | | | |
| | **PHILADELPHIA TO TRENTON (Chart 12314)** | | | | | | |
| | **Upper Delaware River** | | | | | | |
| 4145 | KINKORA UPPER RANGE FRONT LIGHT | 40-08-06.640N 074-45-35.882W | Fl G 2.5s (NIGHT) Fl G 2.5s (DAY) | 25 26 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline. |
| 4150 | KINKORA UPPER RANGE REAR LIGHT 201 yards, 050° from front light. | 40-08-10.498N 074-45-29.914W | Iso G 6s (NIGHT) Iso G 6s (DAY) | 44 41 | | On skeleton tower. | Lighted throughout 24 hours. Higher intensity 1.5° either side of rangeline. |
| 4155 | - *Channel Lighted Buoy 71* | 40-07-21.329N 074-46-52.465W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4160 | - *Channel Lighted Buoy 72* | 40-07-36.428N 074-46-19.597W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 4165 | - Channel Buoy 75 | 40-08-02.228N 074-45-47.596W | | | | Green can. | |
| 4170 | - *Channel Lighted Buoy 76* | 40-08-01.428N 074-45-31.596W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 4175 | - *Channel Lighted Buoy 78* | 40-08-03.828N 074-45-04.795W | Fl R 2.5s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4180 | - Channel Buoy 80 | 40-08-02.228N 074-44-37.094W | | | | Red nun. | |
| 4185 | NEWBOLD DIRECTIONAL LIGHT | 40-08-02.774N 074-44-18.868W | Q W | 34 | | NR on skeleton tower. | Visible on centerline of channel at a bearing 095.4°. Lighted throughout 24 hours. |
| 4190 | - Channel Buoy 81 | 40-08-06.328N 074-44-39.194W | | | | Green can. | |
| 4195 | - Channel Buoy 82 | 40-08-04.428N 074-44-27.593W | | | | Red nun. | |
| 4200 | - Channel Buoy 83 | 40-08-08.428N 074-44-29.293W | | | | Green can. | |
| 4215 | - Channel Buoy 84 | 40-08-26.478N 074-43-53.592W | | | | Red nun. | |
| 4220 | - Channel Buoy 85 | 40-08-30.428N 074-43-53.682W | | | | Green can. | |
| 4223 | - Channel Buoy 86 | 40-08-48.446N 074-43-21.396W | | | | Red nun. | Maintained from 15 May to 01 Nov. |
| 4225 | - Channel Buoy 87 | 40-08-50.028N 074-43-25.991W | | | | Green can. | |
| 4245 | - Channel Buoy 88 | 40-09-00.928N 074-43-15.891W | | | | Red nun. | |
| 4250 | - *Channel Lighted Buoy 89* | 40-09-01.428N 074-43-20.591W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4255 | BORDENTOWN RANGE FRONT LIGHT | 40-09-55.717N 074-43-19.690W | Q G | 23 | | On skeleton tower with small house on concrete base. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4260 | BORDENTOWN RANGE REAR LIGHT 266.5 yards, 359° from front light. | 40-10-03.617N 074-43-19.889W | Iso G 6s | 43 | | On skeleton tower with small house on concrete base. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4265 | - Channel Buoy 90 | 40-09-20.228N 074-43-16.091W | | | | Red nun. | |
| 4270 | - *Channel Lighted Buoy 91* | 40-09-38.027N 074-43-22.291W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District** | | | | | | |
| | **PHILADELPHIA TO TRENTON (Chart 12314)** | | | | | | |
| | **Upper Delaware River** | | | | | | |
| 4275 | - Channel Buoy 92 | 40-09-39.627N 074-43-17.191W | | | | Red nun. | |
| 4280 | DUCK ISLAND RANGE FRONT LIGHT | 40-10-57.525N 074-44-31.853W | Q W | 33 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4285 | DUCK ISLAND RANGE REAR LIGHT<br>251 yards, 324° from front light. | 40-11-03.597N 074-44-37.489W | Iso W 6s | 45 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4290 | - Channel Buoy 94 | 40-09-52.427N 074-43-28.992W | | | | Red nun. | |
| 4295 | - Channel Buoy 95 | 40-10-11.027N 074-43-51.092W | | | | Green can. | |
| 4300 | - Channel Buoy 96 | 40-10-30.121N 074-44-03.801W | | | | Red nun. | |
| 4305 | - Channel Buoy 97 | 40-10-40.026N 074-44-18.693W | | | | Green can. | |
| 4346 | - Pipeline Outfall Buoy | 40-12-00.245N 074-45-34.298W | | | | White with orange bands. | Seaonal 1 Apr to 1 Nov. Private aid. |
| | **DELAWARE - Fifth District** | | | | | | |
| | **CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216)** | | | | | | |
| | **Indian River Inlet**<br>*Position of buoys frequently shifted with changing conditions.* | | | | | | |
| 4360<br>195 | - *Lighted Buoy 1* | 38-36-32.932N 075-02-46.462W | Fl G 2.5s | | 5 | Green. | |
| 4365 | - *Lighted Buoy 2* | 38-36-32.683N 075-03-22.163W | Fl R 4s | | 5 | Red. | |
| 4375 | - SOUTH JETTY LIGHT 3 | 38-36-28.233N 075-03-33.064W | Fl G 4s | 30 | 6 | SG on skeleton tower. | |
| 4400 | - Buoy 11 | 38-36-26.158N 075-04-40.277W | | | | Green can. | |
| 4405 | - Buoy 12 | 38-36-28.830N 075-04-47.865W | | | | Red nun. | |
| 4410 | - Buoy 14 | 38-36-10.293N 075-05-01.401W | | | | Red nun. | |
| 4415 | - Buoy 15 | 38-35-56.898N 075-05-18.944W | | | | Green can. | Maintained from May 1 to Dec. 10. |
| 4417 | - *Lighted Buoy 16* | 38-35-59.781N 075-05-19.011W | Q R | | 4 | Red. | Maintained from May 1 to Dec. 10. |
| 4419 | - Buoy 16A | 38-35-58.555N 075-05-27.304W | | | | Red nun. | Maintained from May 1 to Dec. 10. |
| 4420 | - *Lighted Buoy 17* | 38-36-05.182N 075-05-47.753W | Fl G 2.5s | | 4 | Green. | Maintained from May 1 to Dec. 10. |
| 4430 | *Indian River Junction Buoy IR* | 38-36-28.175N 075-05-36.223W | | | | Red and green bands; nun. | Maintained from May 1 to Dec. 10. |
| 4433 | - Buoy 18 | 38-36-14.788N 075-06-07.073W | | | | Red nun. | Maintained from May 1 to Dec. 10. |
| | **Pepper Creek**<br>*Buoys maintained from May 1 to Dec. 10.* | | | | | | |
| 4440 | - Buoy 1 | 38-34-49.890N 075-10-28.875W | | | | Green can. | |
| 4445 | - *Lighted Wreck Buoy WR2* | 38-34-34.536N 075-10-49.283W | Q R | | 3 | Red. | |
| 4450 | - Buoy 4 | 38-34-16.736N 075-11-08.384W | | | | Red nun. | |
| 4455 | - Buoy 5 | 38-34-15.630N 075-11-31.755W | | | | Green can. | |
| 4460 | - Warning Daybeacon A | 38-34-06.810N 075-11-53.535W | | | | NW on pile worded DANGER SHOAL. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **DELAWARE - Fifth District** | | | | |
| | **CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216)** | | | | | | |
| | **Pepper Creek** | | | | | | |
| | *Buoys maintained from May 1 to Dec. 10.* | | | | | | |
| 4465 | - Warning Daybeacon B | 38-33-58.511N 075-12-09.092W | | | | NW on pile worded DANGER SHOAL. | |
| 4470 | - *Lighted Wreck Buoy WR10* | 38-33-47.736N 075-12-30.375W | Fl R 2.5s | | 3 | Red. | |
| 4475 | - Warning Daybeacon C | 38-33-42.384N 075-12-47.727W | | | | NW on pile worded DANGER SHOAL. | |
| 4480 | - Warning Daybeacon D | 38-33-41.472N 075-12-59.325W | | | | NW on pile worded DANGER SHOAL. | |
| 4485 | - Daybeacon 14 | 38-33-42.109N 075-12-59.434W | | | | TR on pile. | Private aid. |
| | **Indian River Channel** | | | | | | |
| | *Buoys maintained from May 1 to Dec. 10.* | | | | | | |
| 4490 | - Buoy 20 | 38-36-23.534N 075-06-40.172W | | | | Red nun. | |
| 4495 | - Buoy 22 | 38-36-02.234N 075-07-34.775W | | | | Red nun. | |
| 4500 | - Buoy 24 | 38-35-50.834N 075-08-29.077W | | | | Red nun. | |
| 4505 | - Buoy 26 | 38-35-35.010N 075-09-26.955W | | | | Red nun. | |
| 4510 | - Buoy 28 | 38-35-22.470N 075-10-36.375W | | | | Red nun. | |
| 4515 | - Buoy 30 Marks channel to Millsboro. | 38-35-23.136N 075-11-38.585W | | | | Red nun. | |
| 4520 | - Buoy 31 | 38-35-23.910N 075-12-03.075W | | | | Green can. | |
| 4525 | - Buoy 32 | 38-35-31.736N 075-12-31.788W | | | | Red nun. | |
| 4530 | - Buoy 34 | 38-35-26.136N 075-12-44.388W | | | | Red nun. | |
| 4535 | - Daybeacon 36 | 38-35-27.936N 075-13-08.389W | | | | TR on pile. | |
| 4540 | - Buoy 38 | 38-35-19.916N 075-13-27.365W | | | | Red nun. | |
| 4545 | - Buoy 40 | 38-35-15.730N 075-13-58.915W | | | | Red nun. | |
| 4547 | - Daybeacon 41 | 38-35-14.090N 075-14-12.520W | | | | SG on pile. | Private aid. |
| 4550 | - Buoy 42 | 38-35-17.437N 075-14-09.192W | | | | Red nun. | |
| 4551.01 | - Daybeacon 43 | 38-35-26.674N 075-14-24.155W | | | | SG on pile. | Private aid. |
| 4551.02 | - Daybeacon 44 | 38-35-29.859N 075-14-22.933W | | | | TR on pile. | Private aid. |
| 4551.03 | - Daybeacon 45 | 38-35-27.068N 075-14-41.108W | | | | SG on pile. | Private aid. |
| 4551.04 | - Daybeacon 46 | 38-35-30.544N 075-14-41.079W | | | | TR on pile. | Private aid. |
| 4551.05 | - Daybeacon 47 | 38-35-26.290N 075-14-49.568W | | | | SG on pile. | Private aid. |
| 4551.06 | - Daybeacon 48 | 38-35-28.111N 075-14-51.420W | | | | TR on pile. | Private aid. |
| 4551.07 | - Daybeacon 49 | 38-35-17.324N 075-15-00.027W | | | | SG on pile. | Private aid. |
| 4551.08 | - Daybeacon 50 | 38-35-20.253N 075-15-01.384W | | | | TR on pile. | Private aid. |
| 4551.09 | - Daybeacon 51 | 38-35-08.354N 075-15-13.485W | | | | SG on pile. | Private aid. |
| 4551.1 | - Daybeacon 52 | 38-35-09.882N 075-15-15.047W | | | | TR on pile. | Private aid. |
| 4551.11 | - Daybeacon 53 | 38-34-59.517N 075-15-26.638W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **DELAWARE - Fifth District** | | | | |
| | **CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216)** | | | | | | |
| | **Indian River Channel** | | | | | | |
| | *Buoys maintained from May 1 to Dec. 10.* | | | | | | |
| 4551.12 | - Daybeacon 54 | 38-35-00.646N 075-15-26.633W | | | | TR on pile. | Private aid. |
| 4551.13 | - Daybeacon 55 | 38-34-59.467N 075-15-34.282W | | | | SG on pile. | Private aid. |
| 4551.14 | - Daybeacon 56 | 38-35-00.748N 075-15-34.061W | | | | TR on pile. | Private aid. |
| 4551.15 | - Daybeacon 57 | 38-35-07.097N 075-15-49.138W | | | | SG on pile. | Private aid. |
| 4551.16 | - Daybeacon 58 | 38-35-08.249N 075-15-48.692W | | | | TR on pile. | Private aid. |
| 4551.17 | - Daybeacon 59 | 38-35-09.118N 075-16-06.130W | | | | SG on pile. | Private aid. |
| 4551.18 | - Daybeacon 60 | 38-35-10.245N 075-16-05.921W | | | | TR on pile. | Private aid. |
| 4551.19 | - Daybeacon 61 | 38-35-11.004N 075-16-16.044W | | | | SG on pile. | Private aid. |
| 4551.21 | - Daybeacon 62 | 38-35-12.150N 075-16-16.109W | | | | TR on pile. | Private aid. |
| 4551.22 | - Daybeacon 63 | 38-35-11.385N 075-16-22.281W | | | | SG on pile. | Private aid. |
| 4551.23 | - Daybeacon 64 | 38-35-12.277N 075-16-22.434W | | | | TR on pile. | Private aid. |
| 4551.24 | - Daybeacon 65 | 38-35-09.947N 075-16-34.516W | | | | SG on pile. | Private aid. |
| 4551.25 | - Daybeacon 66 | 38-35-10.450N 075-16-33.908W | | | | TR on pile. | Private aid. |
| 4551.26 | - Daybeacon 67 | 38-35-14.196N 075-16-39.395W | | | | SG on pile. | Private aid. |
| 4551.27 | - Daybeacon 68 | 38-35-14.222N 075-16-38.000W | | | | TR on pile. | Private aid. |
| 4551.28 | - Daybeacon 68A | 38-35-18.488N 075-16-37.497W | | | | TR on pile. | Private aid. |
| 4551.29 | - Daybeacon 69 | 38-35-24.153N 075-16-36.216W | | | | SG on pile. | Private aid. |
| 4551.31 | - Daybeacon 70 | 38-35-24.325N 075-16-34.922W | | | | TR on pile. | Private aid. |
| | **White Creek** | | | | | | |
| 4665 | - Warning Daybeacon A | 38-34-33.534N 075-05-49.871W | | | | NW on pile worded DANGER SHOAL. | |
| 4670 | - Warning Daybeacon B | 38-34-06.449N 075-05-42.602W | | | | NW on pile worded DANGER SHOAL. | |
| 4675 | - Warning Daybeacon C | 38-33-52.362N 075-05-29.829W | | | | NW on pile worded DANGER SHOAL. | |
| 4680 | - Warning Daybeacon D | 38-33-42.333N 075-05-24.970W | | | | NW on pile worded DANGER SHOAL. | |
| | **Beach Cove** | | | | | | |
| 4685 | - Entrance Channel Daybeacon 1 | 38-35-15.000N 075-04-00.000W | | | | SG on pile. | Private aid. |
| 4690 | - Entrance Daybeacon 2 | 38-35-16.000N 075-04-01.000W | | | | TR on pile. | Private aid. |
| 4695 | - Daybeacon 3 | 38-35-10.000N 075-04-13.000W | | | | SG on pile. | Private aid. |
| 4700 | - Channel Daybeacon 4 | 38-35-10.000N 075-04-15.000W | | | | TR on pile. | Private aid. |
| | | | **MARYLAND - Fifth District** | | | | |
| | **FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)** | | | | | | |
| | **Ocean City Inlet** | | | | | | |
| 4720 225 | - JETTY LIGHT | 38-19-27.072N 075-05-05.596W | Iso W 6s | 38 | 6 | On skeleton tower. | HORN: 1 blast ev 10s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 81A (157.075MHz). HORN operates for 30 minutes. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **MARYLAND - Fifth District** | | | | |
| | **FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)** | | | | | | |
| | **Ocean City Inlet** | | | | | | |
| 4730<br>240 | - *Lighted Bell Buoy 2* | 38-19-25.566N<br>075-03-41.153W | Fl R 4s | | 6 | Red. | |
| 4735 | - *Entrance Lighted Buoy 4* | 38-19-23.742N<br>075-04-55.875W | Fl R 4s | | 4 | Red. | |
| 4740 | - *Lighted Buoy 5* | 38-19-22.243N<br>075-05-01.775W | Fl G 4s | | 4 | Green. | |
| 4745 | - *Lighted Buoy 8* | 38-19-24.810N<br>075-05-24.525W | Fl R 2.5s | | 4 | Red. | |
| 4750 | - *Lighted Buoy 10* | 38-19-27.953N<br>075-05-30.325W | Fl R 4s | | 4 | Red. | |
| 4753 | - *Junction Lighted Buoy OC* | 38-19-35.094N<br>075-05-34.635W | Fl (2+1)R 6s | | 4 | Red and green. | |
| 4755 | - *Lighted Buoy 11* | 38-19-36.397N<br>075-05-42.694W | Fl G 2.5s | | 4 | Green. | |
| 4757 | - *Lighted Buoy 12* | 38-19-39.008N<br>075-05-47.034W | Fl R 2.5s | | 4 | Red. | |
| | **Isle of Wight Bay** | | | | | | |
| 4765 | - Warning Buoy A | 38-19-39.404N<br>075-05-34.624W | | | | White can with orange bands and orange diamond. | |
| 4770 | - Warning Buoy B | 38-19-40.619N<br>075-05-40.283W | | | | White can with orange bands and orange diamond. | |
| 4780 | - Buoy 1 | 38-20-10.254N<br>075-05-20.763W | | | | Green can. | |
| 4785 | - Warning Buoy C | 38-20-30.580N<br>075-05-07.384W | | | | White can with orange bands worded DANGER OBSTRUCTION. | |
| 4790 | - LIGHT 2 | 38-20-23.408N<br>075-05-14.679W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 4830 | - Buoy 5 | 38-20-40.279N<br>075-05-27.463W | | | | Green can. | |
| 4835 | - Warning Daybeacon A | 38-20-59.742N<br>075-05-28.809W | | | | NW on multi-pile structure worded DANGER. | |
| 4837 | - Buoy 6 | 38-21-00.065N<br>075-05-30.064W | | | | Red nun. | |
| 4840 | - Buoy 7 | 38-21-09.216N<br>075-05-26.037W | | | | Green can. | |
| 4850 | - Warning Daybeacon B | 38-21-16.123N<br>075-05-20.856W | | | | NW on pile worded DANGER. | |
| 4853 | - Buoy 8 | 38-21-20.593N<br>075-05-20.772W | | | | Red nun. | |
| 4855 | - LIGHT 9 | 38-21-30.511N<br>075-05-17.974W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 4857 | - Buoy 9A | 38-21-39.810N<br>075-05-14.610W | | | | Green can. | |
| 4860 | - Warning Daybeacon C | 38-21-46.314N<br>075-05-15.651W | | | | NW on pile worded DANGER. | |
| 4860.5 | - *Lighted Buoy 11* | 38-21-46.383N<br>075-05-15.246W | Fl G 2.5s | | 4 | Green. | |
| 4861 | - Buoy 11A | 38-21-53.890N<br>075-05-22.452W | | | | Green can. | |
| 4870 | - *Lighted Wreck Buoy WR13*<br>Marks submerged piles. | 38-22-02.331N<br>075-05-24.870W | Q G | | 4 | Green. | |
| 4871 | - *Lighted Wreck Buoy WR14*<br>Marks submerged piles. | 38-22-12.390N<br>075-05-29.774W | Q R | | 4 | Red. | |
| | **Thorofare Channel** | | | | | | |
| 4875 | - Buoy 3 | 38-20-54.411N<br>075-05-34.661W | | | | Green can. | Private aid. |
| 4880 | - Buoy 4 | 38-21-12.411N<br>075-05-46.661W | | | | Red nun. | Private aid. |
| 4885 | - Buoy 5 | 38-21-18.438N<br>076-05-52.781W | | | | Green can. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **MARYLAND - Fifth District** | | | | |
| | **FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)** | | | | | | |
| | **Thorofare Channel** | | | | | | |
| 4890 | - Buoy 6 | 38-21-24.411N 075-06-04.662W | | | | Red nun. | Private aid. |
| 4895 | - Buoy 8 | 38-21-18.411N 075-06-10.662W | | | | Red nun. | Private aid. |
| 4900 | - Buoy 10 | 38-21-18.411N 075-06-22.663W | | | | Red nun. | Private aid. |
| 4905 | - Buoy 12 | 38-21-24.411N 075-06-22.663W | | | | Red nun. | Private aid. |
| 4910 | - Buoy 14 | 38-21-48.411N 075-06-40.663W | | | | Red nun. | Private aid. |
| 4915 | - Buoy 15 | 38-22-06.411N 075-06-52.664W | | | | Green can. | Private aid. |
| 4920 | - Buoy 16 | 38-22-09.411N 075-06-47.863W | | | | Red nun. | Private aid. |
| | **Isle of Wight Bay** | | | | | | |
| | **Ocean Pines Yacht Club** | | | | | | |
| 4925 | - LIGHT 2 | 38-23-01.410N 075-07-22.664W | Fl R 2.5s | 12 | | TR on pile. | Private aid. |
| 4930 | - LIGHT 3 | 38-23-06.848N 075-07-39.753W | Fl G 2.5s | 6 | | SG on pile. | Private aid. |
| 4935 | - LIGHT 4 | 38-23-07.732N 075-07-39.039W | Fl R 2.5s | 6 | | TR on pile. | Private aid. |
| 4940 | OCEAN PINES OUTFALL LIGHT A | 38-23-25.000N 075-07-43.000W | Fl Y 2.5s | 15 | | NY on pile. | Private aid. |
| 4945 | Ocean Pines Outfall Daybeacon B | 38-23-25.000N 075-07-43.000W | | | | NY on pile. | Private aid. |
| | **87th Street Channel** | | | | | | |
| 4946 | - Buoy 1 | 38-24-27.500N 075-04-24.600W | | | | Green can. | Private aid. |
| 4946.01 | - Buoy 2 | 38-24-25.600N 075-04-25.500W | | | | Red nun. | Private aid. |
| 4946.02 | - Buoy 3 | 38-24-25.900N 075-04-19.200W | | | | Green can. | Private aid. |
| 4946.03 | - Buoy 4 | 38-24-24.600N 075-04-19.200W | | | | Red nun. | Private aid. |
| 4946.04 | - Buoy 5 | 38-24-24.000N 075-04-11.100W | | | | Green can. | Private aid. |
| 4946.05 | - Buoy 6 | 38-24-23.200N 075-04-11.100W | | | | Red nun. | Private aid. |
| 4946.06 | - Buoy 7 | 38-24-21.700N 075-04-01.300W | | | | Green can. | Private aid. |
| 4946.07 | - Buoy 8 | 38-24-20.400N 075-04-01.900W | | | | Red nun. | Private aid. |
| 4946.08 | - Buoy 9 | 38-24-18.600N 075-03-53.200W | | | | Green can. | Private aid. |
| 4946.09 | - Buoy 10 | 38-24-17.900N 075-03-53.300W | | | | Red nun. | Private aid. |
| | **Cape Windsor Channel** | | | | | | |
| 4950 | - Daybeacon 2CW | 38-27-00.494N 075-04-16.651W | | | | TR on pile. | Private aid. |
| 4955 | - Daybeacon 3 | 38-27-04.494N 075-04-17.651W | | | | SG on pile. | Private aid. |
| 4960 | - Daybeacon 4 | 38-27-06.494N 075-04-18.651W | | | | TR on pile. | Private aid. |
| 4965 | - Daybeacon 5 | 38-27-06.494N 075-04-10.651W | | | | SG on pile. | Private aid. |
| 4970 | - Daybeacon 7 | 38-27-12.494N 075-04-13.651W | | | | SG on pile. | Private aid. |
| | | | **DELAWARE - Fifth District** | | | | |
| | **FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)** | | | | | | |
| | **Roy Creek** | | | | | | |
| 4975 | - Daybeacon 1 | 38-27-11.210N 075-05-02.470W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **DELAWARE - Fifth District** | | | | |
| | **FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)** | | | | | | |
| | **Roy Creek** | | | | | | |
| 4980 | - Daybeacon 2 | 38-27-12.040N 075-05-01.290W | | | | TR on pile. | Private aid. |
| 4985 | - Daybeacon 3 | 38-27-20.010N 075-05-10.090W | | | | SG on pile. | Private aid. |
| 4990 | - Daybeacon 4 | 38-27-20.910N 075-05-09.310W | | | | TR on pile. | Private aid. |
| | **Little Assawoman Bay** | | | | | | |
| 4990.5 | FENWICK ISLAND YACHT CLUB WARNING LIGHT A | 38-27-56.580N 075-03-32.100W | Fl W 4s | 15 | | NW on pile. | Private aid. |
| 4991 | - Daybeacon 1 | 38-27-18.983N 075-03-48.152W | | | | SG on pile. | Private aid. |
| 4991.01 | - Daybeacon 1A | 38-27-23.585N 075-03-45.079W | | | | SG on pile. | Private aid. |
| 4991.02 | - Daybeacon 3 | 38-27-27.790N 075-03-45.960W | | | | SG on pile. | Private aid. |
| 4991.03 | - Daybeacon 4 | 38-27-27.780N 075-03-44.790W | | | | TR on pile. | Private aid. |
| 4991.04 | - Daybeacon 4A | 38-27-33.580N 075-03-43.480W | | | | TR on pile. | Private aid. |
| 4991.05 | - Daybeacon 5 | 38-27-40.980N 075-03-41.760W | | | | SG on pile. | Private aid. |
| 4991.06 | - Daybeacon 5A | 38-27-45.180N 075-03-43.230W | | | | SG on pile. | Private aid. |
| 4991.07 | - Daybeacon 6 | 38-27-40.980N 075-03-40.590W | | | | TR on pile. | Private aid. |
| 4991.08 | - Daybeacon 7 | 38-27-58.160N 075-03-51.222W | | | | SG on pile. | Private aid. |
| 4991.09 | - Daybeacon 8 | 38-27-58.420N 075-03-50.250W | | | | TR on pile | Private aid. |
| 4991.1 | - Daybeacon 9 | 38-28-09.770N 075-03-47.240W | | | | SG on pile. | Private aid. |
| 4991.11 | - Daybeacon 10 | 38-28-10.190N 075-03-45.950W | | | | TR on pile. | Private aid. |
| 4991.12 | - Daybeacon 11 | 38-28-26.970N 075-03-49.380W | | | | SG on pile. | Private aid. |
| 4991.13 | - Daybeacon 12 | 38-28-27.000N 075-03-48.220W | | | | TR on pile. | Private aid. |
| 4991.14 | - Daybeacon 13 | 38-28-41.590N 075-03-49.080W | | | | SG on pile. | Private aid. |
| 4991.15 | - Daybeacon 14 | 38-28-41.690N 075-03-47.820W | | | | TR on pile. | Private aid. |
| 4991.16 | - Daybeacon 15 | 38-28-56.440N 075-03-49.600W | | | | SG on pile. | Private aid. |
| 4991.17 | - Daybeacon 16 | 38-28-56.760N 075-03-48.290W | | | | TR on pile. | Private aid. |
| 4991.18 | - Daybeacon 17 | 38-29-12.170N 075-03-50.560W | | | | SG on pile. | Private aid. |
| 4991.19 | - Daybeacon 18 | 38-29-12.270N 075-03-49.230W | | | | TR on pile. | Private aid. |
| 4991.2 | - Daybeacon 19 | 38-29-29.640N 075-03-42.400W | | | | SG on pile. | Private aid. |
| 4991.21 | - Daybeacon 20 | 38-29-29.430N 075-03-41.040W | | | | TR on pile. | Private aid. |
| 4991.22 | - Daybeacon 21 | 38-29-34.750N 075-03-35.620W | | | | SG on pile. | Private aid. |
| 4991.23 | - Daybeacon 22 | 38-29-36.530N 075-03-34.370W | | | | TR on pile. | Private aid. |
| 4991.24 | - Daybeacon 23 | 38-29-45.660N 075-03-30.960W | | | | SG on pile. | Private aid. |
| 4991.25 | - Daybeacon 24 | 38-29-46.000N 075-03-29.960W | | | | TR on pile. | Private aid. |
| 4991.26 | - Daybeacon 25 | 38-29-57.320N 075-03-41.550W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **DELAWARE - Fifth District** | | | | |
| | **FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)** | | | | | | |
| | **Little Assawoman Bay** | | | | | | |
| 4991.27 | - Daybeacon 26 | 38-29-57.680N 075-03-40.490W | | | | TR on pile. | Private aid. |
| 4991.28 | - Daybeacon 27 | 38-30-11.760N 075-03-50.810W | | | | SG on pile. | Private aid. |
| 4991.29 | - Daybeacon 28 | 38-30-11.810N 075-03-49.630W | | | | TR on pile. | Private aid. |
| | | | **MARYLAND - Fifth District** | | | | |
| | **FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)** | | | | | | |
| | **Sinepuxent Bay** | | | | | | |
| 4995 | - Channel Buoy 1 | 38-19-34.183N 075-05-49.618W | | | | Green can. | |
| 5000 | - *Channel Lighted Wreck Buoy WR2* | 38-19-33.318N 075-05-51.645W | Q R | | 4 | Red. | |
| 5005 | - Channel Buoy 3 | 38-19-14.777N 075-06-09.470W | | | | Green can. | |
| 5010 | - *Channel Lighted Wreck Buoy WR4* Marks submerged piles. | 38-19-04.317N 075-06-28.553W | Q R | | 4 | Red. | |
| 5015 | - Channel Buoy 6 | 38-18-41.112N 075-06-41.109W | | | | Red nun. | |
| 5017 | - Channel Buoy 7 | 38-18-30.698N 075-06-43.716W | | | | Green can. | |
| 5020 | - CHANNEL LIGHT 8 | 38-18-08.916N 075-06-52.707W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 5035 | - Channel Danger Daybeacon B | 38-18-02.880N 075-06-59.229W | | | | NW on pile worded DANGER B. | |
| 5036 | - Channel Buoy 10 | 38-18-02.008N 075-06-57.930W | | | | Red nun. | |
| 5037 | - Channel Buoy 10A | 38-17-56.933N 075-07-05.298W | | | | Red nun. | |
| 5040 | - Channel Warning Daybeacon A | 38-17-48.582N 075-07-17.649W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| 5042 | - *Channel Lighted Buoy 11* | 38-17-49.867N 075-07-17.580W | Fl G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 5045 | - Channel Buoy 12 | 38-17-37.296N 075-07-30.011W | | | | Red nun.. | |
| 5050 | - Channel Buoy 12A | 38-17-25.676N 075-07-41.170W | | | | Red nun. | |
| 5055 | - CHANNEL LIGHT 13 | 38-17-05.824N 075-07-50.421W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 5060 | - Channel Daybeacon 14 | 38-16-33.606N 075-08-09.027W | | | | TR on pile. | |
| 5065 | - CHANNEL LIGHT 15 | 38-15-58.572N 075-08-21.969W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 5070 | - *Channel Lighted Buoy 16* | 38-15-34.230N 075-08-36.447W | Fl R 2.5s | | 4 | Red. | |
| 5075 | - Channel Buoy 17 | 38-15-06.981N 075-08-46.859W | | | | Green can. | |
| 5080 | - CHANNEL LIGHT 19 | 38-14-45.918N 075-08-56.085W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 5085 | - Channel Buoy 20 | 38-14-31.183N 075-09-15.573W | | | | Red nun. | |
| 5095 | - *Channel Lighted Wreck Buoy WR23* | 38-13-55.508N 075-09-45.433W | Q G | | 3 | Green. | |
| 5100 | - CHANNEL LIGHT 25 | 38-13-34.968N 075-10-04.887W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 5110 | - Channel Buoy 27A | 38-12-50.392N 075-10-48.598W | | | | Green can. | |
| 5115 | - Channel Buoy 28 | 38-12-51.432N 075-10-50.379W | | | | Red nun. | |
| 5125 | - *Channel Lighted Buoy 31* | 38-12-08.530N 075-11-33.015W | Fl G 4s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **MARYLAND - Fifth District** | | | | | | |
| | **FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)** | | | | | | |
| | **Sinepuxent Bay** | | | | | | |
| 5130 | - Channel Buoy 33 | 38-11-41.588N<br>075-12-05.943W | | | | Green can. | |
| 5135 | - Channel Buoy 35 | 38-10-53.830N<br>075-13-09.697W | | | | Green can. | |
| 5140 | - Channel Buoy 37 | 38-10-35.478N<br>075-13-31.959W | | | | Green can. | |
| 5145 | - *Channel Lighted Wreck Buoy WR39*<br>Marks submerged piles. | 38-10-03.932N<br>075-14-13.353W | Q G | | 4 | Green. | |
| | **Chincoteague Bay** | | | | | | |
| 5150 | PUBLIC LANDING LIGHT 1 | 38-09-00.936N<br>075-16-50.343W | Fl G 2.5s | 15 | 3 | SG on multi-pile structure. | |
| 5155 | TANHOUSE CREEK ENTRANCE LIGHT 2 | 38-07-45.730N<br>075-17-25.815W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| | **Chincoteague Bay State Boundary Line** | | | | | | |
| 5180 | - Buoy E | 38-01-15.137N<br>075-18-58.697W | | | | White and orange can worded MD/VA. | Private aid. |
| 5190 | - Buoy G | 38-01-24.637N<br>075-17-09.192W | | | | White and orange can worded MD/VA. | Private aid. |
| | **Chincoteague Bay** | | | | | | |
| 5195<br>5515 | - Buoy 29 | 38-09-07.082N<br>075-14-45.098W | | | | Green Can. | |
| 5200<br>5510 | - *Lighted Buoy 28* | 38-08-04.894N<br>075-15-04.712W | Fl R 4s | | 4 | Red. | |
| 5210<br>5500 | - LIGHT 24 | 38-05-53.502N<br>075-16-29.775W | Fl R 4s | 15 | 4 | TR on pile. | |
| 5220<br>5490 | - *Lighted Buoy 21* | 38-03-08.290N<br>075-17-02.255W | Fl G 4s | | 4 | Green. | |
| 5225 | Johnson Bay Entrance Daybeacon 1 | 38-04-02.464N<br>075-19-51.086W | | | | SG on pile. | |
| 5230 | Johnson Bay Entrance Daybeacon 3 | 38-04-26.434N<br>075-21-37.016W | | | | SG on multi-pile structure. | |
| 5235 | - Buoy 19 | 38-01-36.137N<br>075-19-14.394W | | | | Green can. | |
| 5240<br>5480 | - LIGHT 18 | 38-01-18.618N<br>075-20-02.115W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **George Island** | | | | | | |
| 5245 | - LANDING CHANNEL LIGHT 1G | 38-01-48.480N<br>075-20-41.493W | Fl G 4s | 15 | 4 | SG on pile. | |
| 5250 | - Landing Channel Daybeacon 3 | 38-02-01.680N<br>075-21-12.375W | | | | SG on pile. | |
| 5260 | - Channel Daybeacon 6 | 38-02-17.633N<br>075-21-41.067W | | | | TR on pile. | Private aid. |
| 5265 | - Channel Daybeacon 8 | 38-02-25.791N<br>075-21-38.279W | | | | TR on pile. | Private aid. |
| | **VIRGINIA - Fifth District** | | | | | | |
| | **FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)** | | | | | | |
| | **Chincoteague Inlet**<br>*Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 5271 | - CBFS Data Buoy A | 37-50-42.900N<br>075-25-05.600W | | | | Yellow can. | Maintained from Jun. 1 to Jul. 15.<br>Private aid. |
| 5275 | - *Lighted Buoy 1C* | 37-50-58.219N<br>075-24-48.625W | Fl G 4s | | 4 | Green. | |
| 5280 | - *Lighted Buoy 2* | 37-51-07.981N<br>075-24-43.909W | Fl R 2.5s | | 4 | Red. | |
| 5283 | - Buoy 3 | 37-51-18.139N<br>075-24-50.426W | | | | Green can. | |
| 5285 | - Buoy 4 | 37-51-27.816N<br>075-24-44.061W | | | | Red nun. | |
| 5295 | - *Lighted Buoy 5* | 37-51-39.137N<br>075-24-51.241W | Fl G 2.5s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **VIRGINIA - Fifth District** | | | | |
| | **FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)** | | | | | | |
| | **Chincoteague Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 5300 | - *Lighted Buoy 6* | 37-52-00.396N 075-25-00.612W | Fl R 4s | | 4 | Red. | |
| 5305 | - *Lighted Buoy 8* | 37-52-19.318N 075-25-10.015W | Q R | | 4 | Red. | |
| | **Chincoteague Channel** | | | | | | |
| 5310 | - *Lighted Buoy 9* | 37-52-26.481N 075-25-02.710W | Q G | | 4 | Green. | |
| 5315 | - *Lighted Buoy 10* | 37-52-41.932N 075-24-39.754W | Fl R 2.5s | | 4 | Red. | |
| 5320 | - *Lighted Buoy 11* | 37-52-55.197N 075-24-30.869W | Fl G 2.5s | | 4 | Green. | |
| 5321 | - CBFS Data Buoy A | 37-53-06.400N 075-24-53.500W | | | | Yellow can. | Maintained from Jun. 1 to Jul. 15. Private aid. |
| 5325 | - *Lighted Buoy 12* | 37-53-21.350N 075-24-12.956W | Fl R 4s | | 4 | Red. | |
| 5330 | - Buoy 13 | 37-53-31.304N 075-24-16.981W | | | | Green can. | |
| 5335 | - Warning Daybeacon A | 37-53-32.438N 075-23-49.640W | | | | NW on pile worded DANGER PILE. | |
| 5336 | - Buoy 14 | 37-53-42.345N 075-24-13.788W | | | | Red nun. | |
| 5345 | - LIGHT 16 | 37-53-58.986N 075-24-26.865W | Fl R 4s | 15 | 4 | TR on pile. | |
| 5350 | - *Lighted Buoy 17* | 37-54-12.375N 075-24-43.502W | Fl G 4s | | 4 | Green. | |
| 5358 | - Buoy 19 | 37-54-21.510N 075-24-34.865W | | | | Green can. | |
| 5360 | - *Lighted Buoy 20* | 37-54-28.276N 075-24-22.747W | Fl R 2.5s | | 4 | Red. | |
| 5365 | - Buoy 21 | 37-54-52.935N 075-23-57.255W | | | | Green can. | |
| 5380 | - *Lighted Buoy 23* | 37-55-06.762N 075-23-45.070W | Fl G 4s | | 4 | Green. | |
| 5385 | - Buoy 25 | 37-55-20.865N 075-23-40.540W | | | | Green can. | |
| 5390 | - *Lighted Buoy 26* | 37-55-44.590N 075-23-32.965W | Fl R 2.5s | | 4 | Red. | |
| 5392 | - *Lighted Buoy 27* | 37-55-47.005N 075-23-31.118W | Fl G 4s | | 4 | Green. | |
| 5395 | - Warning Daybeacon B | 37-55-45.652N 075-23-27.356W | | | | NW on multi-pile structure worded DANGER. | |
| 5397 | - *Lighted Buoy 28* | 37-55-47.469N 075-23-26.350W | Fl R 4s | | 4 | Red. | |
| 5400 | - *Lighted Buoy 29* | 37-55-50.761N 075-23-20.910W | Fl G 4s | | 4 | Green. | |
| 5405 | - Buoy 30 | 37-55-51.965N 075-23-11.189W | | | | Red nun. | |
| | **Chincoteague Bay** | | | | | | |
| 5415 | - Channel Warning Daybeacon A | 37-56-28.142N 075-22-06.330W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| 5430 | - Lighted Buoy 8 | 37-57-15.484N 075-21-42.264W | Fl R 2.5s | | 4 | Red. | |
| 5435 | - Channel Buoy 9 | 37-57-37.164N 075-21-44.421W | | | | Green can. | |
| 5441 | - Channel Buoy 10 | 37-58-02.544N 075-22-24.369W | | | | Red nun. | |
| 5445 | - *Lighted Buoy 12* | 37-58-27.381N 075-23-05.052W | Q R | | 4 | Red. | |
| 5450 | - Buoy 14 | 37-59-15.999N 075-22-49.980W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **VIRGINIA - Fifth District** | | | | | | |
| | **FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)** | | | | | | |
| | **Chincoteague Bay** | | | | | | |
| | **Greenbackville** | | | | | | |
| 5455 | - *Lighted Wreck Buoy WR1* Marks submerged piles. | 38-00-01.378N 075-23-02.136W | Q G | | 4 | Green. | |
| 5456 | - CBFS Data Buoy A | 38-00-06.700N 075-22-46.600W | | | | Yellow can. | Maintained from Jun. 1 to Jul. 15. Private aid. |
| 5460 | - EAST JETTY LIGHT 2 | 38-00-22.371N 075-23-17.139W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 5465 | - WEST JETTY LIGHT 3 | 38-00-21.378N 075-23-18.591W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 5470 | - *Lighted Wreck Buoy WR5* | 38-00-23.750N 075-23-20.407W | Q G | | 4 | Green. | |
| | **Chincoteague Bay** | | | | | | |
| 5475 | - Buoy 16 | 38-00-42.290N 075-21-11.285W | | | | Red nun. | |
| 5480 5240 | - LIGHT 18 | 38-01-18.618N 075-20-02.115W | Fl R 4s | 15 | 4 | TR on pile. | |
| 5487 | - *Lighted Wreck Buoy WR20* Marks submerged piles. | 38-02-13.481N 075-17-59.774W | Q R | | 4 | Red. | |
| 5490 5220 | - *Lighted Buoy 21* | 38-03-08.290N 075-17-02.255W | Fl G 4s | | 4 | Green. | |
| 5500 5210 | - LIGHT 24 | 38-05-53.502N 075-16-29.775W | Fl R 4s | 15 | 4 | TR on pile. | |
| 5510 5200 | - *Lighted Buoy 28* | 38-08-04.894N 075-15-04.712W | Fl R 4s | | 4 | Red. | |
| 5515 5195 | - Buoy 29 | 38-09-07.082N 075-14-45.098W | | | | Green Can. | |
| | **VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District** | | | | | | |
| | **CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210)** | | | | | | |
| | **Virginia Inside Passage** | | | | | | |
| 5520 | *Wallops Island Lighted Buoy 1* | 37-53-45.771N 075-24-54.513W | Fl G 4s | | 4 | Green. | |
| 5531 | *Wallops Island Lighted Buoy 3* | 37-53-43.778N 075-25-43.501W | Fl G 2.5s | | 4 | Green. | |
| 5535 | *Wallops Island Lighted Buoy 4* | 37-53-34.761N 075-26-03.525W | Fl R 2.5s | | 4 | Red. | |
| 5540 | *Wallops Island Lighted Buoy 5* | 37-53-30.060N 075-26-43.665W | Fl G 2.5s | | 4 | Green. | |
| 5545 | *Wallops Island Lighted Buoy 6* | 37-53-27.687N 075-27-03.028W | Fl R 2.5s | | 4 | Red. | |
| 5547 | *Wallops Island Lighted Buoy 7* | 37-53-16.307N 075-27-26.527W | Fl G 4s | | 4 | Green. | |
| 5610 | *Wallops Island Lighted Buoy 7A* | 37-53-06.063N 075-27-48.195W | Fl G 2.5s | | 4 | Green. | |
| 5615 | Wallops Island Buoy 9 | 37-52-40.141N 075-27-49.759W | | | | Green can. | |
| 5620 | Wallops Island Buoy 11 | 37-52-27.262N 075-27-52.679W | | | | Green can. | |
| 5622 | Wallops Island Buoy 12 | 37-52-21.872N 075-27-52.772W | | | | Red nun. | |
| 5625 | Wallops Island Buoy 13 | 37-52-00.353N 075-28-09.104W | | | | Green can. | |
| 5630 | Wallops Island Warning Daybeacon A | 37-51-57.066N 075-28-15.939W | | | | NW on pile worded DANGER SHOAL. | |
| 5850 | Metompkin Warning Daybeacon A | 37-43-05.868N 075-35-47.793W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| 5865 | Metompkin Buoy 2M | 37-42-36.470N 075-36-05.295W | | | | Red nun. | |
| 5877 | Metompkin Buoy 4 | 37-42-17.170N 075-36-21.025W | | | | Red nun. | |
| 5880 | Metompkin Daybeacon 5 | 37-41-52.548N 075-36-39.417W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District** | | | | | | |
| | **CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210)** | | | | | | |
| | **Virginia Inside Passage** | | | | | | |
| 5887 | Metompkin Buoy 7 | 37-41-20.810N 075-36-55.585W | | | | Green can. | |
| 5890 | Metompkin Daybeacon 9 | 37-41-05.058N 075-36-36.081W | | | | SG on pile. | |
| 5895 | *Metompkin Lighted Wreck Buoy WR11* | 37-41-02.523N 075-36-16.995W | Q G | | 4 | Green. | |
| 5900 | Metompkin Daybeacon 12 | 37-40-42.330N 075-36-16.971W | | | | TR on pile. | |
| 5903 | Metompkin Buoy 13 | 37-40-33.294N 075-36-19.449W | | | | Green can. | |
| 5905 | Metompkin Warning Daybeacon B | 37-40-32.538N 075-36-29.265W | | | | NW on pile worded DANGER SHOALING. | |
| 5907 | Metompkin Buoy 15 | 37-40-24.270N 075-36-56.635W | | | | Green can. | |
| 5910 | Metompkin Warning Daybeacon C | 37-40-24.216N 075-36-53.463W | | | | NW on pile worded DANGER. | |
| 5915 | *Metompkin Lighted Buoy 17* | 37-40-08.040N 075-37-10.485W | Fl G 4s | | 4 | Green. | |
| 5920 | Metompkin Daybeacon 18 | 37-39-47.562N 075-37-04.515W | | | | TR on pile. | |
| 5925 | Metompkin Daybeacon 19 | 37-39-26.628N 075-37-12.825W | | | | SG on pile. | |
| 5930 | Metompkin Warning Daybeacon D | 37-39-21.726N 075-37-21.489W | | | | NW on pile worded DANGER. | |
| 5933 | Metompkin Buoy 20 | 37-39-19.950N 075-37-21.295W | | | | Red nun. | |
| 5935 | *Metompkin Lighted Wreck Buoy WR22* Marks submerged pile. | 37-39-17.874N 075-37-28.705W | Q R | | 4 | Red. | |
| 5943 | Metompkin Buoy 23 | 37-39-13.670N 075-37-40.735W | | | | Green can. | |
| 5945 | Metompkin Buoy 24 | 37-39-07.610N 075-37-57.595W | | | | Red nun. | |
| 5950 | Metompkin Warning Daybeacon E | 37-38-54.558N 075-38-16.287W | | | | NW on pile worded DANGER SHOAL | |
| 5990 | Wachapreague Channel Warning Daybeacon A | 37-36-40.997N 075-39-59.090W | | | | NW on pile worded DANGER. | |
| 5995 | Wachapreague Channel Warning Daybeacon B | 37-36-34.680N 075-39-56.289W | | | | NW on pile worded DANGER SHOAL. | |
| 6000 | Wachapreague Channel Buoy 10 | 37-36-35.580N 075-39-51.670W | | | | Red nun. | |
| 6005 | Wachapreague Channel Buoy 11 | 37-36-34.530N 075-39-52.777W | | | | Green can. | |
| 6015 | Bradford Bay Buoy 10 | 37-35-47.744N 075-41-09.057W | | | | Red nun. | |
| 6020 | BRADFORD BAY LIGHT 9 | 37-35-47.701N 075-41-12.712W | Fl G 2.5s | 15 | 4 | SG on multi-pile worded DANGER SHOAL. | |
| 6025 | Bradford Bay Buoy 8 | 37-35-31.971N 075-40-56.902W | | | | Red nun. | |
| 6035 | Bradford Bay Buoy 7 | 37-35-12.567N 075-40-39.889W | | | | Green can. | |
| 6040 | BRADFORD BAY LIGHT 5 | 37-35-00.162N 075-40-28.556W | Fl G 4s | 15 | 3 | SG on multi-pile structure. | |
| 6045 | Bradford Bay Daybeacon 3 | 37-34-50.415N 075-40-17.731W | | | | SG on pile. | |
| 6050 | Bradford Bay Buoy 2 | 37-34-40.896N 075-40-13.452W | | | | Red nun. | |
| 6053 | Bradford Bay Buoy 1B | 37-34-24.590N 075-39-45.682W | | | | Green can. | |
| 6055 | Bradford Bay Warning Daybeacon A | 37-34-22.065N 075-39-45.946W | | | | NW on multi-pile structure worded DANGER. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District** | | | | | | |
| | **CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210)** | | | | | | |
| | **Virginia Inside Passage** | | | | | | |
| 6060 | Bradford Bay Warning Daybeacon B | 37-34-03.983N 075-40-06.381W | | | | NW on pile worded DANGER. | |
| 6220 | - Daybeacon 184 | 37-27-32.213N 075-46-09.411W | | | | TR on pile. | |
| 6237 | - Daybeacon 189 | 37-22-34.412N 075-46-04.299W | | | | SG on pile. | |
| 6245 | - Daybeacon 191 | 37-22-56.891N 075-46-21.087W | | | | SG on pile. | |
| 6250 | - Daybeacon 192 | 37-23-26.021N 075-46-08.985W | | | | TR on pile. | |
| 6255 | - Daybeacon 193 | 37-23-43.301N 075-46-23.139W | | | | SG on pile. | |
| 6261 | - Warning Daybeacon B | 37-23-52.535N 075-47-00.537W | | | | NW on pile worded DANGER PILE. | |
| 6263 | - Daybeacon 195 | 37-23-44.717N 075-47-37.179W | | | | SG on pile. | |
| 6265 | - Daybeacon 196 | 37-23-48.005N 075-48-40.941W | | | | TR on pile. | |
| 6270 | - Daybeacon 197 | 37-23-47.213N 075-48-59.991W | | | | SG on pile. | |
| 6280 | - Daybeacon 199 | 37-24-03.419N 075-49-34.431W | | | | SG on pile. | |
| 6290 | - Daybeacon 200 | 37-24-20.915N 075-49-20.229W | | | | TR on pile. | |
| 6295 | - Daybeacon 202 | 37-24-32.105N 075-49-15.147W | | | | TR on pile. | |
| 6300 | - Daybeacon 203 | 37-24-39.287N 075-49-27.603W | | | | SG on pile. | |
| 6305 | - Daybeacon 204 | 37-24-39.911N 075-49-39.705W | | | | TR on pile. | |
| 6310 | - Daybeacon 205 | 37-24-34.889N 075-49-58.617W | | | | SG on pile. | |
| | **CHESAPEAKE BAY ENTRANCE (Chart 12221)** | | | | | | |
| | **Virginia Inside Passage** | | | | | | |
| 6320 | - Daybeacon 206 | 37-24-32.027N 075-50-20.151W | | | | TR on pile. | |
| 6322 | - Daybeacon 206A | 37-24-21.527N 075-50-33.777W | | | | TR on pile. | |
| 6325 | - Daybeacon 207 | 37-24-15.858N 075-50-35.385W | | | | SG on pile. | |
| 6340 | - Daybeacon 210 | 37-24-03.689N 075-50-44.241W | | | | TR on pile. | |
| 6345 | - Daybeacon 212 | 37-23-47.165N 075-50-55.539W | | | | TR on pile. | |
| 6350 | - Daybeacon 214 | 37-23-33.251N 075-50-56.295W | | | | TR on pile. | |
| 6352 | - Daybeacon 214A | 37-23-28.025N 075-51-02.337W | | | | TR on pile. | |
| | **CAPE CHARLES TO WOLF TRAP (Chart 12224)** | | | | | | |
| | **Virginia Inside Passage** | | | | | | |
| 6355 | - Daybeacon 215 | 37-23-23.061N 075-51-14.981W | | | | SG on pile. | |
| 6360 | - Daybeacon 216 | 37-23-10.085N 075-51-22.953W | | | | TR on pile. | |
| 6370 | - Daybeacon 217 | 37-22-56.411N 075-51-29.871W | | | | SG on pile. | |
| 6375 | - Daybeacon 218 | 37-22-43.349N 075-51-38.385W | | | | TR on pile. | |
| 6388 | - Daybeacon 220 | 37-22-27.572N 075-51-47.446W | | | | TR on pile. | |
| 6400 | - Daybeacon 222 | 37-22-24.563N 075-52-05.457W | | | | TR on pile. | |
| 6410 | - Daybeacon 224 | 37-22-20.885N 075-52-17.463W | | | | TR on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District** | | | | | | |
| | **CAPE CHARLES TO WOLF TRAP (Chart 12224)** | | | | | | |
| | **Virginia Inside Passage** | | | | | | |
| 6415 | - Daybeacon 225 | 37-21-53.267N 075-52-36.386W | | | | SG on pile. | |
| 6420 | - Daybeacon 226 | 37-21-33.083N 075-52-51.177W | | | | TR on multi-pile structure. | |
| 6425 | - Daybeacon 227 | 37-20-53.189N 075-52-54.615W | | | | SG on multi-pile structure. | |
| 6427 | - Daybeacon 228 | 37-20-17.057N 075-53-28.641W | | | | TR on multi-pile structure. | |
| 6432 | - Daybeacon 230 | 37-18-33.233N 075-54-02.595W | | | | TR on multi-pile structure. | |
| 6435 | - Daybeacon 231 | 37-17-36.665N 075-54-02.349W | | | | SG on pile. | |
| 6440 | - *Lighted Wreck Buoy WR232* | 37-17-21.133N 075-53-44.736W | Q R | | 3 | Red. | |
| 6455 | - Daybeacon 235 | 37-16-52.157N 075-53-47.055W | | | | SG on pile. | |
| 6460 | - Daybeacon 236 | 37-15-54.581N 075-54-00.183W | | | | TR on multi-pile structure. | |
| 6465 | - Daybeacon 237 | 37-15-02.567N 075-53-48.033W | | | | SG on multi-pile structure. | |
| 6470 | - Daybeacon 239 | 37-14-39.681N 075-54-23.589W | | | | SG on multi-pile structure. | |
| 6475 | - Daybeacon 240 On edge of shoal. | 37-14-33.165N 075-54-47.529W | | | | TR on pile. | |
| 6480 | - Daybeacon 242 | 37-14-18.399N 075-55-25.779W | | | | TR on pile. | |
| 6485 | - *Lighted Wreck Buoy WR244* | 37-13-52.233N 075-55-18.013W | Q R | | 3 | Red. | |
| 6490 | - Daybeacon 245 | 37-13-38.822N 075-55-13.683W | | | | SG on multi-pile structure. | |
| 6500 | - Daybeacon 246 | 37-12-59.127N 075-55-32.961W | | | | TR on multi-pile structure. | |
| 6505 | - Daybeacon 247 | 37-12-48.345N 075-55-24.021W | | | | SG on pile. | |
| 6510 | - Daybeacon 248 | 37-12-20.319N 075-55-03.213W | | | | TR on multi-pile structure. | |
| 6520 | - Daybeacon 249 | 37-11-46.641N 075-54-54.153W | | | | SG on multi-pile structure. | |
| 6525 | - Daybeacon 250 | 37-11-27.283N 075-54-52.451W | | | | TR on pile. | |
| 6530 | - Daybeacon 252 | 37-11-05.018N 075-54-58.984W | | | | TR on multi-pile structure. | |
| 6535 | - Daybeacon 254 | 37-10-56.834N 075-55-05.638W | | | | TR on pile. | |
| 6540 | - Daybeacon 255 | 37-10-45.489N 075-55-15.627W | | | | SG on pile. | |
| 6545 | - Daybeacon 255A | 37-10-24.128N 075-55-22.817W | | | | SG on pile. | |
| 6555 | - Daybeacon 259 | 37-09-46.622N 075-55-19.996W | | | | SG on pile. | |
| 6560 | - Daybeacon 261 | 37-09-22.514N 075-55-22.804W | | | | SG on pile. | |
| 6565 | - Daybeacon 262 | 37-08-48.872N 075-55-14.740W | | | | TR on multi-pile structure. | |
| 6580 | - LIGHT 265 | 37-08-08.888N 075-56-17.446W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 6585 | - Daybeacon 266 | 37-07-15.657N 075-57-32.919W | | | | TR on multi-pile structure. | |
| 6590 | - Daybeacon 267 | 37-06-53.092N 075-58-13.714W | | | | SG on pile. | |
| 6595 21415 | - LIGHT 270 | 37-07-01.542N 075-58-49.001W | Fl R 2.5s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **VIRGINIA - Fifth District** | | | | | | |
| | **CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210)** | | | | | | |
| | **Wachapreague Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 6600<br>305 | - *Lighted Whistle Buoy W* | 37-34-54.108N<br>075-33-36.525W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 6605 | - Buoy 1 | 37-34-30.564N<br>075-34-42.006W | | | | Green can. | |
| 6610 | - Buoy 2 | 37-34-35.673N<br>075-34-51.222W | | | | Red nun. | |
| 6615 | - Buoy 3 | 37-34-43.017N<br>075-35-18.891W | | | | Green can. | |
| 6620 | - Buoy 6 | 37-34-46.898N<br>075-36-37.081W | | | | Red nun. | |
| 6625 | - *Lighted Buoy 5* | 37-34-42.826N<br>075-35-48.206W | Fl G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 6635 | - *Lighted Buoy 7* | 37-34-44.509N<br>075-37-02.104W | Fl G 4s | | 4 | Green. | |
| | **Wachapreague Channel** | | | | | | |
| 6640 | - Warning Daybeacon A | 37-35-04.764N<br>075-37-13.593W | | | | NW on pile. | |
| 6650 | - Buoy 1 | 37-34-50.927N<br>075-37-18.902W | | | | Green can | |
| 6655 | - Warning Daybeacon B | 37-35-32.838N<br>075-37-36.591W | | | | NW on multi-pile structure. | |
| 6657 | - *Lighted Buoy 2* | 37-35-28.353N<br>075-37-36.823W | Fl R 2.5s | | 3 | Red. | |
| 6660 | - *Lighted Wreck Buoy WR4*<br>Marks submerged pile. | 37-35-33.930N<br>075-38-32.846W | Q R | | 4 | Red. | |
| 6665 | - LIGHT 5 | 37-36-10.956N<br>075-38-37.707W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 6670 | - LIGHT 6 | 37-36-18.666N<br>075-38-42.951W | Fl R 4s | 15 | 3 | TR on multi-pile structure. | |
| 6675 | - *Lighted Wreck Buoy WR7*<br>Marks submerged pile. | 37-36-12.987N<br>075-39-33.079W | Q G | | 4 | Green. | |
| 6680 | - LIGHT 8 | 37-36-37.290N<br>075-39-50.343W | Fl R 4s | 15 | 4 | TR on pile. | |
| 6685 | - LIGHT 12 | 37-36-15.744N<br>075-40-27.699W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 6690 | - Daybeacon 13 | 37-35-57.060N<br>075-40-41.523W | | | | SG on multi-pile structure. | |
| 6695 | - *Junction Lighted Buoy WB* | 37-35-58.132N<br>075-41-03.262W | Fl (2+1)R 6s | | 4 | Red with green band. | |
| | **Quinby Creek** | | | | | | |
| 6730 | - Warning Daybeacon A | 37-27-49.763N<br>075-40-11.619W | | | | NW on multi-pile structure worded DANGER PILE. | |
| 6735 | - Warning Daybeacon B | 37-27-54.053N<br>075-40-50.475W | | | | NW on multi-pile structure worded DANGER PILE. | |
| 6743 | - Warning Daybeacon C | 37-29-31.787N<br>075-41-16.725W | | | | NW on pile worded DANGER. | |
| 6745 | - Warning Daybeacon D | 37-30-10.907N<br>075-42-06.117W | | | | NW on single pile structure worded DANGER. | |
| 6755 | - Warning Daybeacon F | 37-30-44.166N<br>075-43-02.991W | | | | NW on pile worded DANGER. | |
| 6760 | - Warning Daybeacon G | 37-31-09.281N<br>075-43-03.849W | | | | NW on multi-pile structure worded DANGER. | |
| 6765 | - Warning Daybeacon H | 37-31-15.148N<br>075-43-06.231W | | | | NW on pile worded DANGER. | |
| 6770 | - Warning Daybeacon I | 37-31-33.449N<br>075-43-23.655W | | | | NW on multi-pile structure worded DANGER. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **VIRGINIA - Fifth District** | | | | |
| | **CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210)** | | | | | | |
| | **Quinby Creek** | | | | | | |
| 6785 | - Warning Daybeacon J | 37-32-52.008N 075-43-50.547W | | | | NW on multi-pile structure worded DANGER. | |
| 6790 | *North Inlet Lighted Wreck Buoy WR1* | 37-27-00.935N 075-41-32.709W | Q G | | 4 | Green. | |
| 6795 | North Inlet Warning Daybeacon A | 37-27-02.555N 075-42-39.609W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| | **Great Machipongo Inlet** *Position of buoys frequently shifted with changing conditions.* | | | | | | |
| 6805 | - Buoy 2 | 37-21-42.555N 075-41-07.968W | | | | Red nun. | |
| 6810 | - Buoy 3 | 37-21-37.123N 075-42-12.299W | | | | Green can. | |
| 6815 | - *Lighted Buoy 4* | 37-22-01.536N 075-43-51.531W | Fl R 2.5s | | 4 | Red. | |
| 6820 | - LIGHT 5 | 37-21-39.585N 075-44-05.857W | Fl G 4s | 15 | 4 | SG on pile. | |
| 6835 | Virginia Inside Passage Junction Daybeacon GV | 37-22-04.643N 075-45-19.437W | | | | JG on multi-pile structure. | |
| 6840 | - Buoy 8 | 37-22-30.331N 075-45-04.850W | | | | Red nun. | |
| 6843 | - Daybeacon 9 | 37-23-15.623N 075-45-25.893W | | | | SG on pile. | |
| 6845 | - LIGHT 11 | 37-23-54.713N 075-45-32.997W | Fl G 4s | 15 | 4 | SG on pile. | |
| 6850 | - Daybeacon 12 | 37-24-28.691N 075-45-24.219W | | | | TR on pile. | |
| 6855 | - *Lighted Wreck Buoy WR13* | 37-24-44.231N 075-45-40.827W | Q G | | 4 | Green. | |
| 6860 | - LIGHT 14 | 37-25-14.393N 075-45-30.165W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 6865 | - Daybeacon 15 | 37-25-47.627N 075-45-50.181W | | | | SG on pile. | |
| 6870 | - LIGHT 17 | 37-26-18.125N 075-46-02.667W | Fl G 4s | 16 | 4 | SG on multi-pile structure. | |
| 6873 | - Daybeacon 18 | 37-26-55.331N 075-46-19.437W | | | | TR on pile. | |
| 6875 | - North Channel Warning Daybeacon A | 37-27-18.941N 075-46-32.865W | | | | NW on pile worded DANGER SHOAL. | |
| | **Great Machipongo Channel** | | | | | | |
| 6890 | - LIGHT 1 | 37-27-49.583N 075-47-09.837W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 6895 | - *Lighted Wreck Buoy WR3* | 37-27-50.609N 075-47-20.481W | Q G | | 4 | Green. | |
| 6910 | - LIGHT 4 | 37-27-45.509N 075-48-10.611W | Q R | 15 | 4 | TR on pile. | |
| 6912 | - Daybeacon 4A | 37-27-47.105N 075-48-18.321W | | | | TR on pile. | |
| 6917 | - *Lighted Buoy 6* | 37-27-50.022N 075-48-24.736W | Q R | | 4 | Red. | |
| 6920 | - Buoy 8 | 37-28-22.241N 075-48-22.797W | | | | Red nun. | |
| 6927 | - *Lighted Wreck Buoy WR10* | 37-29-00.335N 075-48-00.747W | Q R | | 4 | Red. | |
| 6930 | - *Lighted Buoy 11* | 37-29-23.081N 075-47-39.359W | Q G | | 4 | Green. | |
| 6935 | - LIGHT 12 | 37-29-57.467N 075-47-38.810W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 6940 | - LIGHT 13 | 37-30-12.191N 075-47-31.773W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 6945 | - Daybeacon 15 | 37-30-17.105N 075-48-11.589W | | | | SG on pile. | |
| 6950 | - Daybeacon 17 | 37-30-35.579N 075-48-15.471W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **VIRGINIA - Fifth District** | | | | | | |
| | **CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210)** | | | | | | |
| | **Great Machipongo Channel** | | | | | | |
| 6955 | - Daybeacon 18 | 37-30-40.205N<br>075-48-17.091W | | | | TR on pile. | |
| | **CHESAPEAKE BAY ENTRANCE (Chart 12221)** | | | | | | |
| 6960 | Ramshorn Channel Warning Daybeacon A | 37-23-25.289N<br>075-51-16.341W | | | | NW on pile worded DANGER SHOAL. | |
| | **Sand Shoal Channel** | | | | | | |
| 6990 | Sand Shoal Daybeacon 1 | 37-17-52.991N<br>075-48-02.709W | | | | SG on multi-pile structure. | |
| 6991 | *Sand Shoal Lighted Wreck Buoy WR3* | 37-17-55.371N<br>075-48-52.524W | Q G | | 4 | Green. | |
| 6994 | - Daybeacon 7 | 37-17-37.829N<br>075-51-21.567W | | | | SG on multi-pile structure. | |
| 6995 | - Daybeacon 9 | 37-17-38.341N<br>075-52-18.699W | | | | SG on pile. | |
| 6996 | - LIGHT 10 | 37-17-50.735N<br>075-52-39.297W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Oyster Creek Channel** | | | | | | |
| 7010 | - Daybeacon 5<br>Marks encroaching shoal. | 37-17-31.283N<br>075-54-29.517W | | | | SG on pile. | |
| 7015 | - LIGHT 6 | 37-17-19.931N<br>075-54-37.257W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 7020 | - Daybeacon 8 | 37-17-17.057N<br>075-54-46.869W | | | | TR on multi-pile structure. | |
| 7025 | - LIGHT 10 | 37-17-21.113N<br>075-55-06.843W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY ENTRANCE (Chart 12221)** | | | | | | |
| | **Chesapeake Channel** | | | | | | |
| 7030 | Cape Henry Buoy 1 | 36-55-02.459N<br>075-57-59.960W | | | | Green can. | |
| 7035 | - *Lighted Bell Buoy 2C* | 36-57-18.557N<br>075-58-22.261W | Fl R 2.5s | | 5 | Red. | |
| 7040 | *Cape Henry Lighted Wreck Buoy WR2CH*<br>250 yards, 225° from last reported position of wreck. Marks wreck of CHILORE. | 36-57-33.356N<br>076-00-46.067W | Q R | | 5 | Red. | |
| 7045 | - *Lighted Buoy 3*<br>75 feet outside channel limit. | 36-57-43.588N<br>075-59-33.454W | Fl G 4s | | 5 | Green. | |
| 7050 | - *Lighted Buoy 4*<br>75 feet outside channel limit. | 36-57-48.940N<br>075-59-21.492W | Fl R 4s | | 5 | Red. | |
| 7055 | - *Lighted Buoy 5*<br>75 feet outside channel limit. | 36-58-47.330N<br>076-00-13.967W | Fl G 2.5s | | 5 | Green. | |
| 7060 | - *Lighted Buoy 6*<br>75 feet outside channel limit. | 36-59-15.857N<br>076-00-16.008W | Q R | | 5 | Red. | |
| 7065 | *Tail of The Horseshoe Shoal Lighted Buoy 2T* | 36-58-26.505N<br>076-02-16.970W | Fl R 4s | | 5 | Red. | |
| 7068 | *NOAA Lighted Data Buoy FL* | 36-59-53.100N<br>076-05-14.280W | Fl Y 4s | | | Yellow. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 7070 | - *Lighted Buoy 7*<br>75 feet outside channel limit. | 36-59-24.991N<br>076-00-48.913W | Q G | | 5 | Green. | |
| 7075 | - *Lighted Buoy 9*<br>75 feet outside channel limit. | 37-00-10.555N<br>076-01-51.925W | Fl G 4s | | 5 | Green. | |
| 7080 | - *Lighted Buoy 10*<br>75 feet outside channel limit. | 37-00-19.905N<br>076-01-41.353W | Fl R 4s | | 5 | Red. | |
| 7085 | - *Lighted Buoy 11* | 37-00-57.443N<br>076-02-52.134W | Q G | | 5 | Green. | |
| 7090 | - *Lighted Buoy 12*<br>75 feet outside channel limit. | 37-01-05.106N<br>076-02-41.608W | Q R | | 5 | Red. | |
| 7095 | - TUNNEL SOUTH LIGHT | 37-02-17.471N<br>076-04-28.011W | F Y | 32 | | Mounted atop wall on centerline. | BELL: 1 stroke ev 10s. Operates during periods of low visibility only.<br>Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY ENTRANCE (Chart 12221)** | | | | | | |
| | **Chesapeake Channel** | | | | | | |
| 7100 | - TUNNEL NORTH LIGHT | 37-02-40.990N 076-03-54.230W | F Y | 32 | | Mounted atop wall on centerline. | HORN: 1 blast ev 20s (2s bl). Operates during periods of low visibility only. Private aid. |
| 7105 | - *Lighted Buoy 13* 80 feet outside channel limit. | 37-02-26.029N 076-04-17.015W | Fl G 4s | | 5 | Green. | AIS: MMSI 993672080. |
| 7110 | - *Lighted Buoy 14* 80 feet outside channel limit. | 37-02-31.030N 076-04-02.891W | Fl R 4s | | 5 | Red. | AIS: MMSI 993672081. |
| 7115 | - *Lighted Buoy 15* 75 feet outside channel limit. | 37-03-48.563N 076-05-34.705W | Q G | | 5 | Green. | |
| 7120 | - *Lighted Buoy 16* 75 feet outside channel limit. | 37-03-53.610N 076-05-25.163W | Q R | | 5 | Red. | |
| 7125 | - *Lighted Buoy 18* 75 feet outside channel limit. | 37-05-45.401N 076-06-44.083W | Fl R 2.5s | | 5 | Red. | |
| 7130 | - *Junction Lighted Buoy CY* 75 feet outside channel limit. | 37-06-02.545N 076-07-10.213W | Fl (2+1)G 6s | | 5 | Green and red bands. | |
| 7135 | - *Lighted Buoy 19* 75 feet outside channel limit. | 37-06-59.775N 076-07-50.416W | Fl G 4s | | 5 | Green. | |
| 7140 | - *Lighted Buoy 20* 75 feet outside channel limit. | 37-07-04.417N 076-07-40.220W | Fl R 4s | | 5 | Red. | |
| 7145 | - *Lighted Buoy 22* 75 feet outside channel limit. | 37-08-23.695N 076-08-36.822W | Q R | | 5 | Red. | |
| 7150 | - *Lighted Buoy 23* 75 feet outside channel limit. | 37-08-40.673N 076-09-02.362W | Q G | | 5 | Green. | |
| 7155 | - *Lighted Buoy 24* 75 feet outside channel limit. | 37-09-06.524N 076-08-54.267W | Fl R 2.5s | | 5 | Red. | |
| 7160 | - *Lighted Buoy 25* 75 feet outside channel limit. | 37-09-55.285N 076-09-13.645W | Fl G 4s | | 5 | Green. | |
| 7165 | - *Lighted Buoy 26* 75 feet outside channel limit. | 37-09-56.231N 076-09-02.027W | Fl R 4s | | 5 | Red. | |
| 7170 | - *Lighted Buoy 28* 75 feet outside channel limit. | 37-10-47.221N 076-09-09.674W | Q R | | 5 | Red. | |
| 7175 | - *Lighted Buoy 29* 75 feet outside channel limit. | 37-11-10.077N 076-09-25.035W | Q G | | 5 | Green. | |
| 7180 | - *Lighted Buoy 30* 75 feet outside channel limit. | 37-11-30.147N 076-09-04.755W | Fl R 2.5s | | 5 | Red. | |
| 7185 | - *Lighted Buoy 31* 75 feet outside channel limit. | 37-12-29.564N 076-08-53.802W | Fl G 4s | | 5 | Green. | |
| 7190 | - *Lighted Buoy 32* 75 feet outside channel limit. | 37-12-26.629N 076-08-42.781W | Fl R 4s | | 5 | Red. | |
| 7200 | - *Lighted Buoy 33* 75 feet outside channel limit. | 37-14-10.946N 076-08-14.105W | Fl G 6s | | 5 | Green. | |
| 7205 | - *Lighted Buoy 34* 75 feet outside channel limit. | 37-14-08.092N 076-08-02.917W | Fl R 6s | | 5 | Red. | |
| 7210 | - *Lighted Buoy 35* 75 feet outside channel limit. | 37-15-52.231N 076-07-34.438W | Fl G 4s | | 5 | Green. | |
| 7215 | - *Lighted Buoy 36* 75 feet outside channel limit. | 37-15-49.425N 076-07-23.223W | Fl R 4s | | 5 | Red. | |
| 7220 | - Buoy 36A | 37-15-04.791N 076-03-54.961W | | | | Red nun. | |
| 7225 | - *Lighted Buoy 37* 75 feet outside channel limit. | 37-17-33.565N 076-06-54.733W | Fl G 2.5s | | 5 | Green. | |
| 7230 | - *Lighted Buoy 38* 75 feet outside channel limit. | 37-17-30.759N 076-06-43.515W | Fl R 2.5s | | 5 | Red. | |
| 7235 | - Buoy 38A | 37-19-13.578N 076-02-53.547W | | | | Red nun. | |
| 7240 | - *Lighted Buoy 40* | 37-21-49.519N 076-04-27.783W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. AIS: MMSI 993672084. |
| 7250 | - Buoy 40A | 37-23-06.019N 076-01-58.475W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY ENTRANCE (Chart 12221)** | | | | | | |
| | **Chesapeake Channel** | | | | | | |
| 7255 | *Wolf Trap Lighted Buoy 1WT* | 37-23-29.949N<br>076-10-27.815W | Fl G 4s | | 5 | Green. | |
| | **WOLF TRAP TO SMITH POINT (Chart 12225)** | | | | | | |
| | **Chesapeake Channel** | | | | | | |
| 7265 | - *Lighted Buoy 41* | 37-24-36.515N<br>076-05-09.785W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7270 | - Buoy 41A | 37-29-36.849N<br>076-11-11.171W | | | | Green can. | |
| 7275 | - *Lighted Buoy 42* | 37-25-37.113N<br>076-05-06.585W | Fl R 4s | | 5 | Red. | RACON: O ( - - - ) |
| 7280 | - Buoy 42A | 37-27-27.229N<br>076-00-54.615W | | | | Red nun. | |
| 7285 | - *Mid-Channel Lighted Whistle Buoy CB* | 37-30-01.337N<br>076-02-36.472W | Mo (A) W | | 5 | Red and white stripes. | Replaced by nun when endangered by ice. |
| 7290 | RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE FRONT LIGHT | 37-32-18.647N<br>076-00-51.049W | F W<br>(NIGHT)<br>F W<br>(DAY) | 34<br>31 | | Red monopile with white equipment hut on top. | Lighted throughout 24 hours. DAY : Visible on rangeline only. NIGHT : Visible 0.5° either side of rangeline. |
| 7291 | RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE FRONT PASSING LIGHT | 37-32-18.647N<br>076-00-51.049W | Fl W 6s | 33 | 5 | On same structure as Rappahannock Shoal Channel South Range Front Light. | |
| 7295 | RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE REAR LIGHT<br>7,399 yards, 140.2° from front light. | 37-29-29.971N<br>075-57-54.778W | F W<br>(NIGHT)<br>F W<br>(DAY) | 223<br>220 | | On skeleton tower on caisson. | Lighted throughout 24 hours. DAY : Visible on rangline only. NIGHT : Visible 0.9° either side of rangeline. |
| 7296 | RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE REAR PASSING LIGHTS (2) | 37-29-29.950N<br>075-57-54.797W | Fl W 6s | 33 | 6 | On same structure as Rappahannock Shoal Channel South Range Rear Light. | On corners of platform. |
| 7300 | - *Lighted Buoy 43* | 37-32-09.675N<br>076-02-32.820W | Fl G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7305 | - *Lighted Buoy 44* | 37-32-09.186N<br>076-02-21.160W | Fl R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7310 | - *Lighted Buoy 45* | 37-32-54.218N<br>076-02-29.810W | Fl G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7315 | - *Lighted Buoy 46* | 37-33-45.323N<br>076-02-14.162W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7320 | - *Lighted Buoy 47* | 37-34-19.309N<br>076-03-04.926W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 7325 | STINGRAY POINT LIGHT | 37-33-40.592N<br>076-16-12.199W | Fl W 4s | 34 | 7 | NG on skeleton tower on monopile. | |
| 7330 | WINDMILL POINT LIGHT | 37-35-48.955N<br>076-14-09.907W | Fl W 6s<br>(2 R sectors) | 34 | W 9<br>R 7<br>R 7 | NR on skeleton tower on monopile. | Red from 293° to 082° and from 091.5° to 113°. |
| 7360 | - *Lighted Buoy 49*<br>75 feet outside channel limit. | 37-34-51.964N<br>076-03-39.342W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7365 | - *Lighted Buoy 50*<br>75 feet outside channel limit. | 37-34-58.005N<br>076-03-30.136W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7370 | - *Lighted Buoy 51*<br>75 feet outside channel limit. | 37-35-58.811N<br>076-04-50.244W | Fl G 6s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7375 | - *Lighted Buoy 52*<br>75 feet outside channel limit. | 37-36-04.910N<br>076-04-39.935W | Fl R 6s | | 5 | Red. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **WOLF TRAP TO SMITH POINT (Chart 12225)** | | | | | | |
| | **Chesapeake Channel** | | | | | | |
| 7380 | - *Lighted Buoy 53* 75 feet outside channel limit. | 37-37-09.556N 076-06-03.458W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7385 | - *Lighted Buoy 54* 75 feet outside channel limit. | 37-37-16.429N 076-05-54.893W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7390 | - Buoy 54A | 37-37-24.329N 075-57-36.015W | | | | Red nun. | |
| 7395 | - *Lighted Buoy 55* 75 feet outside channel limit. | 37-38-18.261N 076-07-15.506W | Fl G 6s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7400 | - *Lighted Buoy 56* 75 feet outside channel limit. | 37-38-24.264N 076-07-06.672W | Fl R 6s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7405 | - *Lighted Buoy 57* 75 feet outside channel limits. | 37-39-16.041N 076-08-16.119W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7410 | - *Lighted Buoy 58* 75 feet outside channel limits. | 37-39-21.749N 076-08-07.232W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7415 | - *Lighted Buoy 59* 75 feet outside channel limit. | 37-40-21.945N 076-09-25.339W | Fl G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7420 | - Buoy 59A | 37-40-47.199N 076-11-28.706W | | | | Green can. | |
| 7425 | - *Lighted Buoy 60* | 37-40-28.001N 076-09-16.501W | Fl R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7430 | - *Mid-Channel Lighted Whistle Buoy RP* | 37-42-21.499N 076-11-03.804W | Mo (A) W | | 5 | Red and white stripes. | |
| 7435 22715 | **Tangier Sound Light** | 37-47-16.876N 075-58-24.427W | Fl W 6s (R sector) | 45 | W 12 R 9 | NB on skeleton tower on multi-pile structure. 42 | Red from 110° to 192°. |
| 7440 | - *Lighted Buoy 62* | 37-46-28.496N 076-10-16.304W | Fl R 4s | | 5 | Red. | RACON: Y ( - . - - ) Replaced by nun when endangered by ice. |
| 7445 | - Buoy 63A | 37-50-51.211N 076-11-00.148W | | | | Green can. | |
| 7450 | *USN Aerial Gunnery Area Lighted Warning Buoy A* | 37-47-41.664N 075-59-26.473W | Fl W 2.5s | | 4 | White can with orange bands and diamond. | Removed when endangered by ice. |
| 7455 | *USN Aerial Gunnery Area Lighted Wreck Buoy WR3* Marks submerged pile. | 37-49-14.996N 076-01-27.905W | Q G | | 4 | Green. | |
| 7460 | Tangier Island Shoal Point Buoy 2 | 37-47-05.651N 076-05-40.467W | | | | Red nun. | |
| 7465 | TANGIER ISLAND WRECK LIGHT WR1 Marks partially submerged barge. | 37-48-29.246N 076-01-32.526W | Q G | 15 | 4 | SG on pile. | |
| 7480 | **Smith Point Light** | 37-52-47.575N 076-11-01.512W | Fl W 10s | 52 | 15 | White brick, square tower and octagonal dwelling on brown cylindrical pier. 51 | Structure maintained by entity outside the U.S. Coast Guard. |
| 7490 | *Smith Point Fairway Lighted Bell Buoy SP* | 37-52-48.487N 076-09-06.800W | Fl Y 2.5s | | 6 | Yellow. | |
| 7495 | - *Lighted Buoy 64* | 37-55-30.484N 076-09-04.799W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SMITH POINT TO COVE POINT (Chart 12230)** | | | | | | |
| | **Chesapeake Channel** | | | | | | |
| 7500 | - *Lighted Buoy 65* | 37-56-24.135N 076-11-40.041W | Fl G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SMITH POINT TO COVE POINT (Chart 12230)** | | | | | | |
| | **Chesapeake Channel** | | | | | | |
| 7505 | - *Lighted Buoy 66* | 37-58-16.482N 076-10-33.801W | Fl R 6s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7515 | - *Lighted Buoy 68* | 37-59-53.480N 076-11-48.803W | Fl R 2.5s | | 5 | Red. | RACON: X ( - . . - ) Replaced by nun when endangered by ice. |
| 7520 | - *Lighted Buoy 70* | 38-01-41.480N 076-12-16.805W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7525 | POINT LOOKOUT LIGHT | 38-01-30.300N 076-19-24.802W | Fl (2)W 5s | 39 | 8 | NB on skeleton tower on piles. | Higher intensity beams towards Smith Point Fairway, up Potomac River and northeastward. |
| 7530 | - Buoy 69A | 38-02-20.183N 076-17-25.017W | | | | Green can. | |
| 7535 | NAVY BOMBING AREA LIGHT B | 38-02-34.268N 076-09-37.067W | Fl Y 4s | 15 | 5 | NW on multi-pile worded DANGER BOMBING RANGE. | |
| 7545 | HOLLAND ISLAND BAR LIGHT | 38-04-07.375N 076-05-44.922W | Fl W 2.5s | 37 | 6 | NB on skeleton tower on piles. | |
| 7550 | Holland Island Warning Daybeacon | 38-07-21.636N 076-05-40.627W | | | | NW on pile worded DANGER WRECK. | |
| 7555 | - *Lighted Buoy 72* | 38-06-54.477N 076-12-54.808W | Fl R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7557 | - *Lighted Buoy 72A* | 38-10-00.030N 076-13-33.016W | Fl R 4s | | 5 | Red | Replaced by LIB of reduced intensity when endangered by ice. |
| 7558 | - *Lighted Buoy 72B* | 38-15-22.030N 076-15-47.016W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 7560 | POINT NO POINT LIGHT | 38-07-41.281N 076-17-24.987W | Fl W 6s | 52 | 9 | White octagonal brick dwelling on brown cylinder. | |
| 7570 23600 | *Hooper Strait Approach Lighted Buoy 1* | 38-12-17.174N 076-09-20.301W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7575 | - *Mid-Channel Lighted Whistle Buoy HS* | 38-12-19.475N 076-14-33.813W | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | Replaced by nun when endangered by ice. |
| 7580 | *USN Aerial Gunnery Area Lighted Buoy C* | 38-13-10.712N 076-18-16.002W | Fl Y 4s | | 5 | Yellow. | Replaced by nun when endangered by ice. |
| 7585 | *USN Aerial Gunnery Area Lighted Buoy D* | 38-12-51.336N 076-19-51.051W | Fl Y 2.5s | | 5 | Yellow. | Replaced by nun when endangered by ice. |
| 7590 | HOOPER ISLAND LIGHT | 38-15-22.530N 076-14-59.316W | Fl W 6s | 63 | 9 | White conical tower on brown cylinder. | Structure maintained by entity outside the U.S. Coast Guard. |
| 7595 | - *Mid-Channel Lighted Whistle Buoy HI* | 38-18-40.474N 076-18-40.823W | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | Replaced by nun when endangered by ice. |
| 7600 | - *Lighted Buoy 74* | 38-18-56.473N 076-17-03.820W | Fl R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7605 18885 | DRUM POINT LIGHT 4 | 38-19-08.297N 076-25-15.497W | Fl R 2.5s | 17 | 5 | TR on multi-pile structure. | |
| 7620 | - *Lighted Buoy 76* | 38-21-23.472N 076-18-32.423W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SMITH POINT TO COVE POINT (Chart 12230)** | | | | | | |
| | **Chesapeake Channel** | | | | | | |
| 7625 | - *Lighted Buoy 77* | 38-21-04.974N<br>076-21-41.630W | Fl G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7630 | **Cove Point Light** | 38-23-10.530N<br>076-22-54.316W | Fl W 10s | 45 | 12 | White tower.<br>51 | Lighted throughout 24 hours. |
| | **COVE POINT TO SANDY POINT (Chart 12263)** | | | | | | |
| | **Chesapeake Channel** | | | | | | |
| | **Cove Point** | | | | | | |
| 7640 | - PLATFORM LIGHT A | 38-24-08.843N<br>076-23-08.217W | Fl Y 2.5s | 40 | | On northwest corner of concrete platform. | Private aid. |
| 7645 | - PLATFORM LIGHT B | 38-24-07.943N<br>076-23-07.317W | Fl Y 2.5s | 40 | | On southwest corner of concrete platform. | Private aid. |
| 7650 | - SOUTH MOORING DOLPHIN LIGHT C | 38-24-00.343N<br>076-22-54.716W | Fl Y 2.5s | 40 | | On pile on concrete platform. | HORN: 1 blast ev 20s (2s bl). Operated during periods of low visibility.<br>Private aid. |
| 7655 | - MIDDLE MOORING DOLPHIN LIGHT D | 38-24-10.443N<br>076-23-03.517W | Fl Y 2.5s | 40 | | On pile on concrete platform. | Private aid. |
| 7660 | - NORTH MOORING DOLPHIN LIGHT E | 38-24-20.843N<br>076-23-12.317W | Fl Y 2.5s | 40 | | On pile on concrete platform. | HORN: 1 blast ev 20s (2s bl). Operated during periods of low visibility.<br>Private aid. |
| 7660.1 | - *Lighted Warning Buoy F* | 38-24-27.150N<br>076-23-41.876W | Fl W 4s | | | White can with orange bands and diamond worded RESTRICTED AREA. | Private aid. |
| 7660.2 | - *Lighted Warning Buoy G* | 38-24-44.088N<br>076-23-10.191W | Fl W 2.5s | | | White can with orange bands and diamond worded RESTRICTED AREA. | Private aid. |
| 7660.3 | - *Lighted Warning Buoy H* | 38-23-54.837N<br>076-22-26.028W | Fl W 2.5s | | | White can with orange bands and diamond worded RESTRICTED AREA. | Private aid. |
| 7660.4 | - *Lighted Warning Buoy J* | 38-23-36.556N<br>076-22-57.318W | Fl W 4s | | | White can with orange bands and diamond worded RESTRICTED AREA. | Private aid. |
| | **Chesapeake Channel** | | | | | | |
| 7665 | - *Mid-Channel Lighted Whistle Buoy CP* | 38-28-11.080N<br>076-22-34.521W | Mo (A) W | | 5 | Red and white stripes with spherical topmark. | Replaced by nun when endangered by ice. |
| 7670 | - Buoy 77A | 38-28-33.874N<br>076-27-16.903W | | | | Green can. | |
| 7671 | FLAG HARBOR LIGHT 1 | 38-27-55.800N<br>076-28-09.900W | Fl G 5s | 12 | | SG on pile. | Private aid. |
| 7672 | FLAG HARBOR ENTRANCE LIGHT 2 | 38-27-57.000N<br>076-28-11.000W | Fl R 5s | 12 | | TR on dolphin at end of stone jetty. | Private aid. |
| 7672.1 | Flag Harbor Channel Daybeacon 3 | 38-27-54.100N<br>076-28-12.500W | | | | SG on pile. | Private aid. |
| 7672.3 | Flag Harbor Channel Daybeacon 4 | 38-27-52.100N<br>076-28-16.200W | | | | TR on pile. | Private aid. |
| 7672.5 | Flag Harbor Channel Daybeacon 6 | 38-27-50.900N<br>076-28-17.700W | | | | TR on pile at corner of pier. | Private aid. |
| 7673 | FLAG HARBOR DIRECTIONAL LIGHT | 38-27-50.900N<br>076-28-17.700W | Fl W 3s | 26 | | NW on pile at corner of pier. | Private aid. |
| 7675 | - Buoy 77B | 38-31-08.270N<br>076-28-57.644W | | | | Green can. | |
| 7680 | - *Lighted Buoy 78* | 38-33-19.012N<br>076-25-39.235W | Fl R 4s | | 5 | Red. | RACON: Q ( - - . - )<br>Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **COVE POINT TO SANDY POINT (Chart 12263)** | | | | | | |
| | **Chesapeake Channel** | | | | | | |
| 7681 | *NOAA Lighted Data Buoy GR* | 38-33-22.500N 076-24-52.920W | Fl Y 4s | | | Yellow. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 7682 | - *Lighted Buoy 78A* | 38-34-42.030N 076-25-53.016W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. AIS: MMSI 993672085. |
| 7685 | - *Lighted Buoy 80* | 38-36-32.463N 076-24-46.838W | Fl R 2.5s | | 5 | Red. | |
| 7695 | - *Lighted Whistle Buoy CR* | 38-38-57.460N 076-24-53.840W | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | Replaced by nun when endangered by ice. |
| 7697 | - Buoy 79A | 38-38-39.528N 076-29-11.086W | | | | Green can. | |
| 7700 | - Buoy 80A | 38-39-49.710N 076-22-58.837W | | | | Red nun. | |
| 7705 | Plum Point Shoal Buoy 1 | 38-37-16.281N 076-30-01.088W | | | | Green can. | |
| 7707 | - Buoy 81A | 38-43-35.155N 076-29-56.250W | | | | Green can. | |
| 7710 | - *Lighted Buoy 82* | 38-42-04.457N 076-25-19.842W | Fl R 4s | | 5 | Red. | |
| 7730 | - *Lighted Buoy 83* | 38-45-07.554N 076-26-39.346W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7735 | - Buoy 83A | 38-46-08.407N 076-29-41.474W | | | | Green can. | |
| 7740 | - *Lighted Buoy 84* | 38-45-27.454N 076-25-06.844W | Fl R 4s | | 5 | Red. | |
| 7745 | - *Lighted Buoy 84A* | 38-47-35.650N 076-24-41.347W | Fl R 2.5s | | 5 | Red. | |
| 7747 | - Buoy 85A | 38-49-56.931N 076-27-43.477W | | | | Green can. | |
| 7751 | BLOODY POINT BAR WARNING LIGHT | 38-49-59.903N 076-23-35.457W | Fl W 6s | 22 | 7 | NW on multi-pile structure. | Marks remains of Bloody Point Bar Lighthouse. |
| 7755 | - *Lighted Buoy 86* | 38-51-58.444N 076-23-32.852W | Fl R 4s | | 5 | Red. | |
| 7760 | **Thomas Point Shoal Light** | 38-53-56.330N 076-26-09.216W | Fl W 5s (2 R sectors) | 43 | W 16 R 11 R 11 | White hexagonal tower on piles. 43 | Red from 011° to 051.5° and 096.5° to 202°. Structure maintained by entity outside the U.S. Coast Guard. |
| 7762 | PRICES CREEK LIGHT 5 | 38-53-54.500N 076-21-57.400W | Fl G 3s | | | | Private aid. |
| 7763 | PRICES CREEK LIGHT 6 | 38-53-53.470N 076-21-57.400W | Fl R 3s | | | | Private aid. |
| 7765 | - *Lighted Buoy WR87* | 38-55-58.157N 076-23-32.792W | Q G | | 5 | Green. | |
| 7795 | Kent Island Northern Range Obstruction Daybeacon | 38-56-06.438N 076-21-47.847W | | | | NW on pile. | |
| 7800 | - *Lighted Buoy 88* | 38-56-07.938N 076-22-55.858W | Fl R 2.5s | | 5 | Red. | |
| 7815 | Matapeake North Breakwater Daybeacon 1 | 38-57-18.406N 076-21-28.841W | | | | SG on pile. | Private aid. |
| 7820 | Hackett Point Shoal Buoy 1 | 38-58-12.134N 076-24-52.265W | | | | Green can. | |
| 7825 | - *Lighted Buoy 90* | 38-58-18.534N 076-23-18.962W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 7830 | - *Lighted Buoy 91* | 38-58-59.133N 076-23-16.563W | Fl G 4s | | 5 | Green | Replaced by LIB of reduced intensity when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **COVE POINT TO SANDY POINT (Chart 12263)** | | | | | | |
| | **Chesapeake Channel** | | | | | | |
| 7835 | - *Lighted Bell Buoy 92* | 38-58-55.833N 076-23-04.563W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| | **Bay Bridge Marina** | | | | | | |
| 7840 | - LIGHT 1 | 38-58-45.000N 076-20-40.800W | Fl G 2.5s | 9 | | SG on pile. | Private aid. |
| 7845 | - LIGHT 2 | 38-58-43.200N 076-20-40.800W | Fl R 2.5s | 9 | | TR on pile. | Private aid. |
| 7850 | - LIGHT 3 | 38-58-48.000N 076-20-28.800W | Fl G 4s | 9 | | SG on pile. | Private aid. |
| 7855 | - LIGHT 4 | 38-58-46.800N 076-20-29.400W | Fl R 4s | 9 | | TR on pile. | Private aid. |
| 7860 | - LIGHT 5 | 38-58-50.400N 076-20-19.800W | Fl G 4s | 9 | | SG on pile. | Private aid. |
| 7865 | - LIGHT 6 | 38-58-49.200N 076-20-19.200W | Q R | 9 | | TR on pile. | Private aid. |
| 7870 | - Daybeacon 7 | 38-58-48.600N 076-20-06.600W | | | | SG on pile. | Private aid. |
| 7875 | - LIGHT 8 | 38-58-48.000N 076-20-07.200W | Fl R 2.5s | 9 | | TR on pile. | Private aid. |
| | **Chesapeake Channel** | | | | | | |
| 7890 | **William P. Lane Jr. Bridge West Channel Fog Signal** Suspended from center of main channel span. | 38-59-36.402N 076-22-52.848W | | | | | HORN : 1 blast ev 15s (5s bl). Operates during periods of low visibility only. Horn, directed on bearings 017° and 197°. Private aid. |
| 7892 | William P. Lane Jr. Bridge V-AIS SE | 38-59-33.509N 076-22-47.075W | | | | | AIS: MMSI 993672316. |
| 7892.1 | William P. Lane Jr. Bridge V-AIS SW | 38-59-37.853N 076-23-04.985W | | | | | AIS: MMSI 993672315. |
| 7894 | William P. Lane Jr. Bridge V-AIS NE | 38-59-37.798N 076-22-45.353W | | | | | AIS: MMSI 993672318. |
| 7894.1 | William P. Lane Jr. Bridge V-AIS NW | 38-59-41.764N 076-23-03.371W | | | | | AIS: MMSI 993672317. |
| | **Sandy Point State Park** | | | | | | |
| 7905 | - Daybeacon 1 | 39-00-30.456N 076-24-12.771W | | | | SG on pile. | Private aid. |
| 7910 | - Daybeacon 2 | 39-00-31.322N 076-24-11.703W | | | | TR on pile. | Private aid. |
| 7915 | - Daybeacon 3 | 39-00-38.764N 076-24-11.196W | | | | SB on pile. | Private aid. |
| 7920 | - Daybeacon 4 | 39-00-38.615N 076-24-10.131W | | | | TR on pile. | Private aid. |
| 7925 | - Buoy 5 | 39-00-40.900N 076-24-11.000W | | | | Green can. | Private aid. |
| 7930 | - Danger Marker A | 39-00-42.406N 076-24-11.763W | | | | NW on pile. | Private aid. |
| 7935 | - Danger Marker B | 38-00-45.349N 076-24-13.254W | | | | NW on pile. | Private aid. |
| 7940 | - Danger Marker C | 39-00-48.242N 076-24-14.796W | | | | NW on pile. | Private aid. |
| 7945 | - Danger Marker D | 39-00-50.494N 076-24-14.955W | | | | NW on pile. | Private aid. |
| 7950 | - Danger Marker E | 39-00-51.732N 076-24-13.291W | | | | NW on pile. | Private aid. |
| 7955 | - Danger Marker F | 39-00-52.410N 076-24-10.618W | | | | NW on pile. | Private aid. |
| | **Sandy Point State Park North Beach** | | | | | | |
| 7957.1 | - Buoy 1 | 39-00-45.700N 076-23-31.800W | | | | Green can. | Maintained from Apr. 15 to Oct. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **COVE POINT TO SANDY POINT (Chart 12263)** | | | | | | |
| | **Sandy Point State Park** | | | | | | |
| | **Sandy Point State Park North Beach** | | | | | | |
| 7957.2 | - Buoy 2 | 39-00-47.800N 076-23-32.000W | | | | Red nun. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 7957.3 | - Buoy 3 | 39-00-45.500N 076-23-35.000W | | | | Green can. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 7957.4 | - Buoy 4 | 39-00-47.700N 076-23-34.900W | | | | Red nun. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 7957.5 | - Buoy 5 | 39-00-45.300N 076-23-38.100W | | | | Green can. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 7957.6 | - Buoy 6 | 39-00-47.800N 076-23-38.100W | | | | Red nun. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 7957.7 | - Buoy 7 | 39-00-45.100N 076-23-41.000W | | | | Green can. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 7957.8 | - Buoy 8 | 39-00-47.800N 076-23-41.700W | | | | Red nun. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| | **Chesapeake Channel** | | | | | | |
| 7960 | - *Lighted Buoy 93* | 39-00-03.110N 076-22-52.736W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 7965 | - *Lighted Buoy 94* | 39-00-00.092N 076-22-40.254W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 7970 | - *Lighted Buoy 95* | 39-00-26.931N 076-22-43.864W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 7975 | **William P. Lane Jr. Bridge East Channel Fog Signal** Suspended from center of main channel span. | 38-59-18.000N 076-21-30.000W | | | | | HORN: 1 blast ev 20s (2s bl). Operates during periods of low visibility only. Private aid. |
| 7980 | Queen Ann County Obstruction Buoy A | 38-59-18.303N 076-20-26.243W | | | | White with orange bands worded OUTFALL. | Private aid. |
| 7985 | Queen Ann County Obstruction Buoy B | 38-59-15.503N 076-20-14.042W | | | | White with orange bands worded OUTFALL. | Private aid. |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Craighill Channel** *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 7995 | - ENTRANCE RANGE FRONT LIGHT | 39-06-07.162N 076-24-23.503W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 24 27 | | On mono-pile. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around. Higher intensity 0.9° either side of rangeline. |
| 8000 | - ENTRANCE RANGE REAR LIGHT 2,001 yards, 343.1° from front light. | 39-07-04.086N 076-24-45.081W | F W (NIGHT) F W (DAY) | 88 85 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Day : Visible 0.5° either side of rangeline. Night : Visible 0.9° either side of rangeline. |
| 8001 | - ENTRANCE RANGE REAR PASSING LIGHTS | 39-07-04.086N 076-24-45.081W | Iso W 4s | 15 | 5 | On same structure as Craighill Channel Entrance Range Rear Light. | |
| 8005 | - *Entrance Lighted Buoy 1C* | 39-01-22.536N 076-22-41.181W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Craighill Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8010 | - *Entrance Lighted Buoy 2* | 39-01-25.342N 076-22-29.356W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8015 | - *Lighted Buoy 3* | 39-02-13.219N 076-23-00.448W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8020 | - *Lighted Buoy 4* | 39-02-15.674N 076-22-50.068W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8025 | - *Lighted Buoy 5* | 39-03-03.978N 076-23-19.633W | Fl G 6s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8030 | - *Lighted Buoy 6* | 39-03-06.493N 076-23-09.305W | Fl R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8035 | BALTIMORE LIGHT | 39-03-33.108N 076-23-56.409W | Fl W 2.5s (R sector) | 52 | W 7 R 5 | White octagonal dwelling on brown cylindrical base. | Red from 082° to 160°. |
| 8040 | - RANGE FRONT LIGHT | 39-11-19.043N 076-23-39.855W | Fl W 2.5s | 22 | R 6 | Brown dwelling on cylindrical pier. | Lighted throughout 24 hours. Day : Visible 0.5° either side of rangeline. Night : Visible all around higher intensity 0.5° either side of rangeline. Red sector from 311° to 316°. Structure Maintained by entity outside the U.S. Coast Guard. |
| 8050 | - RANGE REAR LIGHT 4,907 yards, 359.6° from front light. | 39-13-44.556N 076-23-39.920W | F W | 105 | | Square, pyramidal tower lower part white, upper part brown. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 8055 | - *Lighted Buoy 8* | 39-03-57.729N 076-23-28.706W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 8060 | - *Lighted Buoy 9* | 39-04-09.928N 076-23-44.866W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 8065 | - *Lighted Buoy 10* | 39-04-27.501N 076-23-34.284W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 8070 | - *Lighted Buoy 11* | 39-05-10.762N 076-23-45.141W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8075 | - *Lighted Buoy 12* | 39-05-10.762N 076-23-34.322W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8077 | - *Lighted Buoy 13* | 39-06-06.057N 076-23-45.179W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8078 | - *Lighted Buoy 14* | 39-06-06.000N 076-23-34.307W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8080 | - *Lighted Buoy 15* | 39-06-59.414N 076-23-45.106W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 8085 | - *Lighted Buoy 16* | 39-06-59.427N 076-23-34.193W | Fl R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8090 | - UPPER RANGE FRONT LIGHT | 39-11-49.439N 076-26-53.793W | Iso W 2s (NIGHT) Iso W 2s (DAY) | 15 | | Red octagonal tower, white horizontal bands at middle. | Lighted throughout 24 hours. Visible 1.5° either side or rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Craighill Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8095 | - UPPER RANGE REAR LIGHT<br>2,692 yards, 329.1° from front light. | 39-12-58.240N<br>076-27-45.889W | Iso W 6s<br>(NIGHT)<br>Iso W 6s<br>(DAY) | 74 | | White square pyramidal skeleton and central shaft. | Lighted throughout 24 hours. Visible 1.5° either side or rangeline. |
| 8100 | - *Lighted Buoy 18* | 39-07-34.004N<br>076-23-34.495W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8105 | - *Lighted Buoy 19* | 39-07-42.894N<br>076-24-06.057W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8110 | - *Lighted Buoy 20* | 39-08-19.153N<br>076-24-08.672W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8115 | - *Lighted Buoy 21* | 39-08-27.879N<br>076-24-27.599W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 8120 | SEVENFOOT KNOLL LIGHT | 39-09-19.133N<br>076-24-32.523W | Fl W 6s<br>(R sector) | 58 | W 9<br>R 7 | On skeleton tower. | Red from 134° to 344°. Lighted throughout 24 hours. |
| 8125 | - *Lighted Buoy 23* | 39-09-20.028N<br>076-25-07.004W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8130 | - *Lighted Buoy 24* | 39-09-24.292N<br>076-24-57.702W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8135 | - *Lighted Buoy 25* | 39-10-11.977N<br>076-25-46.350W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 8140 | - *Lighted Buoy 26* | 39-10-16.279N<br>076-25-37.122W | Fl R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| | **Brewerton Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8145 | - *Lighted Buoy 2B* | 39-10-44.020N<br>076-25-58.014W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8150 | - RANGE FRONT LIGHT<br>On shoal near Hawkins Point. | 39-12-19.072N<br>076-31-26.169W | Iso G 2s<br>(NIGHT)<br>Iso W 2s<br>(DAY) | 25<br>28 | | Skeleton tower on caisson. | Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around higher intensity 0.5° either side of rangeline. |
| 8155 | - RANGE REAR LIGHT<br>2,818 yards, 290.8° from front light. | 39-12-49.247N<br>076-33-06.342W | F G<br>(NIGHT)<br>F W<br>(DAY) | 86<br>81 | | On black skeleton tower. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 8160 | - *Lighted Buoy 3* | 39-10-48.766N<br>076-26-42.035W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 8165 | - *Lighted Buoy 4* | 39-10-57.142N<br>076-26-39.573W | Fl R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8170 | - *Lighted Buoy 6* | 39-11-09.368N<br>076-27-19.814W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8175 | Pennwood Channel Junction Buoy PW | 39-11-15.021N<br>076-27-34.975W | | | | Red and green bands; nun. | |
| 8180 | - *Lighted Buoy 7* | 39-11-08.855N<br>076-27-48.524W | Fl G 6s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8185 | - *Lighted Buoy 8* | 39-11-36.018N<br>076-28-48.373W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Brewerton Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8190 | - *Lighted Buoy 9* | 39-11-29.234N 076-28-56.071W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8195 | - *Lighted Buoy 11* | 39-11-41.597N 076-29-36.981W | Fl G 6s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8200 | - *Lighted Buoy 12* | 39-11-51.218N 076-29-38.661W | Fl R 6s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8205 | - *Lighted Buoy 14* | 39-12-00.168N 076-30-08.107W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8210 | - *Lighted Buoy 15* | 39-11-55.800N 076-30-24.087W | Fl G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| | **Fort McHenry Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8215 | - *Lighted Buoy 1M* | 39-12-03.020N 076-30-46.781W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 8220 | - RANGE FRONT LIGHT | 39-15-50.118N 076-34-39.802W | F G (NIGHT) F W (DAY) | 41 44 | | On skeleton tower. | Lighted throughout 24 hours. Visble 0.9° either side of rangeline. |
| 8225 | - RANGE REAR LIGHT 1824 yards, 320.3° from front light. | 39-16-31.927N 076-35-23.934W | F R (NIGHT) F W (DAY) | 155 153 | | On skeleton tower. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 8230 | - *Lighted Buoy 2* | 39-12-27.294N 076-30-55.107W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8235 | - *Lighted Buoy 3* | 39-12-42.060N 076-31-28.549W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8237 | Francis Scott Key Bridge V-AIS SE | 39-12-55.001N 076-31-43.476W | | | | | AIS: MMSI 993672313. |
| 8237.1 | Francis Scott Key Bridge V-AIS SC | 39-12-57.869N 076-31-46.518W | | | | | AIS: MMSI 993672312. |
| 8237.2 | Francis Scott Key Bridge V-AIS SW | 39-13-01.727N 076-31-50.430W | | | | | AIS: MMSI 993672314. |
| 8238 | Francis Scott Key Bridge V-AIS NE | 39-13-02.291N 076-31-33.834W | | | | | AIS: MMSI 993672310. |
| 8238.1 | Francis Scott Key Bridge V-AIS NC | 39-13-05.129N 076-31-36.966W | | | | | AIS: MMSI 993672309. |
| 8238.2 | Francis Scott Key Bridge V-AIS NW | 39-13-09.029N 076-31-40.998W | | | | | AIS: MMSI 993672311. |
| 8240 | Fort McHenry Anchorage Buoy A Marks northeast side of Explosive Anchorage No. 6. | 39-13-34.408N 076-31-31.763W | | | | Yellow can. | |
| 8245 | Francis Scott Key Memorial Buoy | 39-13-27.318N 076-31-42.684W | | | | Nun with red and white stripes with blue band and white stars topmost. | Maintained from June 1 to Nov. 1 to commemorate the writing of the Star Spangled Banner. |
| 8250 | - *Lighted Buoy 6* | 39-13-19.821N 076-31-54.092W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8255 | - *Lighted Buoy 7* | 39-13-27.570N 076-32-16.534W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8260 | - *Lighted Buoy 8* | 39-13-42.635N 076-32-18.327W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Fort McHenry Channel** *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8265 | - *Lighted Buoy 9* | 39-13-48.036N 076-32-37.911W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8267 | - *Lighted Buoy 10* | 39-14-04.009N 076-32-40.994W | Fl R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8270 | - *Lighted Buoy 10A* | 39-14-16.400N 076-32-53.887W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8275 | - Buoy 11 | 39-14-23.698N 076-33-15.766W | | | | Green can. | |
| 8280 | - Buoy 13 | 39-14-35.295N 076-33-27.784W | | | | Green can. | |
| 8285 | - *Lighted Buoy 14* Located 75 feet outside channel limit. | 39-14-46.966N 076-33-26.221W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8290 | Fort McHenry Anchorage Buoy B | 39-14-58.147N 076-33-08.710W | | | | Yellow can. | |
| 8295 | - *Lighted Buoy 15* | 39-14-47.014N 076-33-40.169W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8300 | Fort McHenry Anchorage Buoy C | 39-14-52.517N 076-33-52.589W | | | | Yellow can. | |
| 8305 | - *Lighted Buoy 16* | 39-14-56.607N 076-33-36.404W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8310 | - *Lighted Buoy 18* | 39-15-19.295N 076-34-00.230W | Fl R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8315 | *Fort McHenry Angle Junction Lighted Buoy FM* | 39-15-23.825N 076-34-18.337W | Fl (2+1)G 6s | | 5 | Green and red bands. | Replaced by can when endangered by ice. |
| | **Upper Chesapeake Channel** *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8320 | - *Lighted Buoy LP* | 39-02-34.830N 076-20-45.661W | Mo (A) W | | 5 | Red and white stripes. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8325 | SWAN POINT CHANNEL NORTH RANGE FRONT LIGHT | 39-07-09.603N 076-16-36.680W | Iso W 6s | 18 | | White cylindrical house on multi-pile structure. | Lighted throughout 24 hours. Visible 4.0° either side of rangeline. |
| 8330 | SWAN POINT CHANNEL NORTH RANGE REAR LIGHT 1,299 yards, 034.9° from front light. | 39-07-40.997N 076-16-07.984W | F W | 52 | | On same structure as Brewerton Channel East Extension Range Front Light. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 8333 | SWAN POINT CHANNEL NORTH RANGE REAR PASSING LIGHTS (2) | 39-07-40.997N 076-16-07.984W | F W | 26 | 4 | On same structure as Brewerton Channel East Extension Range Front Light. | Located on SW and NE corners of platform. |
| 8335 | - *Lighted Buoy 1UC* | 39-04-48.637N 076-18-51.305W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8340 | LOVE POINT LIGHT On shoal east side of bay. | 39-03-25.406N 076-17-01.184W | Fl W 6s (R sector) | 31 | W 9 R 7 | NR on skeleton tower. | Red from 017° to 061° covers shoal off Love Point. |
| 8343 | - *Love Point Lighted Data Buoy A* | 39-04-23.232N 076-18-43.596W | Fl Y 4s | | | Grey pontoon attached to a mooring buoy white with blue band. | Maintained from Jun. 1 to Nov. 30. Private aid. |
| 8345 | - *Lighted Buoy 3* | 39-05-23.410N 076-18-19.377W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8350 | SWAN POINT CHANNEL SOUTH RANGE FRONT LIGHT | 39-03-39.218N 076-17-31.107W | Fl W 2.5s | 18 | | On yellow mono-pile structure. | Lighted throughout 24 hours. NIGHT: Visible all around; higher intensity 0.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Upper Chesapeake Channel** *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8355 | SWAN POINT CHANNEL SOUTH RANGE REAR LIGHT 850 yards, 169.4° from front light. | 39-03-14.399N 076-17-25.442W | Oc W 4s | 51 | | On upper platform of yellow mono-pile structure. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 8356 | SWAN POINT CHANNEL SOUTH RANGE REAR PASSING LIGHTS (2) | 39-03-14.399N 076-17-25.442W | Fl W 2.5s | 25 | 4 | On same structure as Swan Point South Range Rear Light. | |
| 8360 | - *Lighted Buoy 4* | 39-05-39.072N 076-17-53.664W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8365 | - *Lighted Buoy 5* | 39-06-02.041N 076-18-08.217W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8370 | - *Lighted Buoy 7* | 39-06-35.359N 076-18-17.596W | Fl G 6s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8375 | - *Lighted Buoy 8* | 39-07-36.315N 076-19-11.062W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8380 | - *Lighted Buoy 10* | 39-08-22.981N 076-19-21.444W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| | **Brewerton Channel Eastern Extension** *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8385 | - *Lighted Buoy 2BE* | 39-08-55.059N 076-19-58.761W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8390 | - RANGE FRONT LIGHT | 39-07-40.997N 076-16-07.984W | F R | 30 | | White cylindrical house on skeletal tower. On same structure as Swan Point North Range Rear Light. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 8395 | - RANGE REAR LIGHT 3,836 yards, 110.8° from front light. | 39-06-59.562N 076-13-51.972W | F W | 110 | | On skeleton tower. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 8405 | - *Lighted Buoy 3* | 39-09-08.182N 076-21-08.109W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8410 | - *Lighted Buoy 4* | 39-09-15.112N 076-21-04.491W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8415 | - *Lighted Buoy 5* | 39-09-30.306N 076-22-21.201W | Fl G 6s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8420 | - *Lighted Buoy 6* | 39-09-37.305N 076-22-17.737W | Fl R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8425 | - *Lighted Buoy 7* | 39-09-52.435N 076-23-33.988W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8430 | - *Lighted Buoy 8* | 39-09-59.316N 076-23-30.578W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8435 | - *Lighted Buoy 9* | 39-10-14.493N 076-24-47.069W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8440 | - *Lighted Buoy 10* | 39-10-21.453N 076-24-43.507W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8441 | TOLCHESTER CHANNEL RANGE FRONT LIGHT | 39-08-07.859N 076-20-07.902W | Fl W 2.5s (NIGHT) Fl W 2.5s (DAY) | 20 23 | | On platform on single pile structure. | Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around; higher intensity 4.0° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Brewerton Channel Eastern Extension** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8443 | TOLCHESTER CHANNEL RANGE REAR LIGHT<br>1,932 yards, 220° from front light. | 39-07-24.661N<br>076-20-56.270W | Iso W 6s<br>(NIGHT)<br>Iso W 6s<br>(DAY) | 89<br>86 | | On platform on single pile structure. | Lighted throughout 24 hours.<br>DAY: Visible 0.5° either side of rangeline.<br>NIGHT: Visible 4.0° either side of rangeline. |
| 8444 | TOLCHESTER CHANNEL RANGE REAR PASSING LIGHTS (2) | 39-07-24.661N<br>076-20-56.270W | Q W | 25 | 5 | On same structure as Tolchester Channel Range Rear Light. | Lights are located on the north and south corners of platform. |
| | **Upper Chesapeake Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8445 | - *Lighted Buoy 11* | 39-09-01.200N<br>076-19-14.376W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8450 | - *Lighted Buoy 12* | 39-08-54.738N<br>076-19-08.979W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8455 | - *Lighted Buoy 13* | 39-09-48.134N<br>076-18-21.870W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8460 | - *Lighted Buoy 14* | 39-09-43.147N<br>076-18-14.300W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8465 | - *Lighted Buoy 15* | 39-10-33.565N<br>076-17-32.797W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8470 | - *Lighted Buoy 16* | 39-10-27.346N<br>076-17-24.930W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8475 | - *Lighted Buoy 17* | 39-11-32.576N<br>076-16-24.844W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8480 | - *Lighted Buoy 18* | 39-11-27.509N<br>076-16-17.528W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8485 | - *Lighted Buoy 19* | 39-12-20.691N<br>076-15-30.815W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8490 | - *Lighted Buoy 20* | 39-12-24.830N<br>076-15-13.290W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8505 | - *Lighted Buoy 21* | 39-12-36.951N<br>076-15-16.847W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8515 | - Buoy 21A | 39-12-44.524N<br>076-15-45.854W | | | | Green can. | |
| 8535 | - *Lighted Buoy 23* | 39-13-26.350N<br>076-14-48.524W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8540 | - *Lighted Buoy 24* | 39-13-23.348N<br>076-14-39.711W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8545 | - *Lighted Buoy 25* | 39-14-05.745N<br>076-14-25.938W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8550 | - *Lighted Buoy 26* | 39-14-18.825N<br>076-14-08.067W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8553 | - *Lighted Buoy 27* | 39-14-38.178N<br>076-14-15.651W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8555 | POOLES ISLAND SOUTH RANGE FRONT LIGHT | 39-17-31.977N<br>076-14-11.727W | Q W | 34 | | On caisson. | Lighted throughout 24 hours.<br>DAY: Visible 1.5° either side of rangeline.<br>NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Upper Chesapeake Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8560 | POOLES ISLAND SOUTH RANGE REAR LIGHT<br>1,183 yards, 000° from front light. | 39-18-07.054N<br>076-14-11.678W | Oc W 4s | 72 | | On skeleton tower. | Lighted throughout 24 hours.<br>DAY: Visible 1.5° either side of rangeline.<br>NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 8561 | POOLES ISLAND SOUTH RANGE REAR PASSING LIGHT | 39-18-07.054N<br>076-14-11.678W | Fl W 4s | 27 | 6 | On same structure as Pooles Island South Range Rear Light. | Marks both Pooles Island North and Pooles Island South Range Rear platform. |
| 8580 | - *Lighted Buoy 29* | 39-15-45.319N<br>076-14-16.545W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8585 | - Buoy 29A | 39-16-13.623N<br>076-14-20.852W | | | | Green can. | |
| 8590 | - *Lighted Buoy 30* | 39-15-45.356N<br>076-14-07.008W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8595 | - RANGE FRONT LIGHT | 39-19-12.557N<br>076-12-58.445W | Fl W 2.5s<br>(NIGHT)<br>Fl W 2.5s<br>(DAY) | 35<br>38 | | On caisson. | Lighted throughout 24 hours.<br>DAY : Visible 1.5° either side of rangeline.<br>NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 8600 | - RANGE REAR LIGHT<br>863 yards, 015° from front light. | 39-19-37.215N<br>076-12-49.681W | Oc W 4s<br>(NIGHT)<br>Oc W 4s<br>(DAY) | 64<br>61 | | On skeleton tower on caisson. | Lighted throughout 24 hours.<br>DAY : Visible 1.5° either side of rangeline.<br>NIGHT : Visible 4.0° either side of rangeline. |
| 8601 | - RANGE REAR PASSING LIGHTS (2) | 39-19-37.215N<br>076-12-49.681W | Oc W 4s | 15 | 4 | On same structure as Upper Chesapeake Channel Range Rear Light. | Light also marks Shad Battery Range Rear Light. |
| 8605 | - *Lighted Buoy 31* | 39-16-46.089N<br>076-13-54.378W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8610 | - *Lighted Buoy 32* | 39-16-43.413N<br>076-13-46.574W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8615 | - *Lighted Buoy 33* | 39-17-44.690N<br>076-13-33.600W | Fl G 6s | | 6 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8620 | - *Lighted Buoy 34* | 39-17-43.115N<br>076-13-26.243W | Fl R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8625 | - Buoy 34A | 39-18-11.015N<br>076-12-46.096W | | | | Red nun. | |
| 8630 | - *Lighted Buoy 36* | 39-18-40.006N<br>076-13-06.060W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8635 | - *Lighted Buoy 37* | 39-18-55.757N<br>076-13-07.379W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8640 | - *Lighted Buoy 38* | 39-19-02.306N<br>076-12-48.258W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| | **Pooles Island Flats Channel** | | | | | | |
| 8645 | - *Lighted Buoy 1* | 39-13-08.222N<br>076-22-00.704W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8646 | - *Lighted Buoy 2* | 39-12-54.422N<br>076-21-05.863W | Fl R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Mar. 15. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Pooles Island Flats Channel** | | | | | | |
| 8650 | - *Lighted Buoy 3* | 39-14-16.722N 076-19-31.361W | Fl G 6s | | 4 | Green. | Replaced by can from Dec. 1 to Mar. 15. |
| 8655 | - *Lighted Buoy 4* | 39-13-53.422N 076-19-20.860W | Fl R 6s | | 4 | Red. | Replaced by nun from Dec. 1 to Mar. 15. |
| 8660 | - *Lighted Buoy 5* | 39-15-00.421N 076-18-13.858W | Fl G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Mar. 15. |
| 8663 | POOLES ISLAND BAR LIGHT | 39-15-42.421N 076-16-40.856W | Fl W 2.5s (R sector) | 27 | W 6 R 5 | Black skeleton tower on cylindrical base. | Red from 058° to 225°. |
| 8665 | - *Lighted Buoy 6* | 39-14-45.421N 076-17-47.857W | Fl R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Mar. 15. |
| 8670 | - *Lighted Buoy 7* | 39-16-11.662N 076-15-55.854W | Fl G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Mar. 15. |
| 8675 | - *Lighted Buoy 8* | 39-16-39.322N 076-15-03.353W | Q R | | 4 | Red. | Replaced by nun from Dec. 1 to Mar. 15. |
| 8690 | - *Lighted Buoy 9* | 39-16-58.622N 076-14-14.351W | Fl G 2.5s | | 4 | Green. | Replaced by can from Dec. 1 to Mar. 15. |
| 8693 | POOLES ISLAND LIGHT | 39-17-25.771N 076-15-59.146W | Fl W (4+3) 16s | 38 | | Stone tower. | Aid maintained by U.S. Army. |
| 8695 | POOLES ISLAND NORTH RANGE FRONT LIGHT | 39-18-31.462N 076-13-37.325W | Fl W 2.5s (NIGHT) Fl W 2.5s (DAY) | 35 33 | | Mono pile with platform. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Higher intensity. Visible 1.5° either side or rangeline. |
| 8697 | POOLES ISLAND NORTH RANGE FRONT PASSING LIGHT | 39-18-31.462N 076-13-37.325W | Fl W 4s | 12 | 4 | On same structure as Pooles Island North Range Front Light. | Light is located on west side of lower platform. |
| 8700 | POOLES ISLAND NORTH RANGE REAR LIGHT 1,221 yards, 227° from front light. | 39-18-07.054N 076-14-11.678W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 69 72 | | On same structure as Pooles Island South Range Rear Light. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 4.0° either side of rangeline. |
| | **Aberdeen Restricted Area** | | | | | | |
| 8705 27290 | - Buoy A | 39-16-46.422N 076-17-10.857W | | | | Yellow can. | |
| 8710 27295 | - Buoy B | 39-17-05.921N 076-18-01.859W | | | | Yellow can. | |
| 8715 | - Buoy C | 39-18-15.422N 076-14-16.852W | | | | Yellow can. | |
| 8720 | - Buoy D | 39-19-18.423N 076-13-10.849W | | | | Yellow can. | |
| 8725 | - Buoy E | 39-20-21.924N 076-12-03.847W | | | | Yellow can. | |
| 8730 | - Buoy F | 39-21-24.425N 076-10-57.845W | | | | Yellow can. | |
| 8735 | - Buoy G | 39-22-29.427N 076-09-50.842W | | | | Yellow can. | |
| 8740 | - Buoy H | 39-23-30.430N 076-08-14.839W | | | | Yellow can. | |
| 8745 | - Buoy J | 39-24-33.414N 076-06-36.902W | | | | Yellow can. | |
| 8750 | - Buoy K | 39-25-34.436N 076-04-58.833W | | | | Yellow can. | |
| 8755 | - Buoy L | 39-26-28.440N 076-03-11.830W | | | | Yellow can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Upper Chesapeake Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8770 | - *Lighted Buoy 38A* | 39-19-47.025N 076-11-31.246W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8780 | - *Lighted Buoy 39* | 39-20-03.297N 076-11-34.387W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8785 | - *Lighted Buoy 40* | 39-19-57.841N 076-11-30.411W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8790 | - Buoy 40A | 39-20-23.425N 076-10-44.344W | | | | Red nun. | |
| 8795 | - *Lighted Buoy 41* | 39-20-55.426N 076-10-20.843W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8800 | - *Lighted Buoy 42* | 39-20-50.732N 076-10-13.710W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| | **Stillpond Creek** | | | | | | |
| 8805 | - ENTRANCE LIGHT 2S | 39-20-07.227N 076-08-14.002W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 8810 | - Daybeacon 3 | 39-20-02.913N 076-08-02.748W | | | | SG on pile. | |
| 8815 | - Buoy 4 | 39-20-01.946N 076-08-02.676W | | | | Red nun. | |
| 8819 | - Buoy 5 | 39-19-59.622N 076-07-57.195W | | | | Green can. | |
| 8820 | - LIGHT 6 | 39-19-58.711N 076-07-56.176W | Fl R 4s | 15 | 4 | TR on pile. | |
| 8825 | - Buoy 7 | 39-20-01.079N 076-07-51.660W | | | | Green can. | |
| 8830 | - Daybeacon 9 | 39-20-02.232N 076-07-50.214W | | | | SG on pile. | |
| | **Upper Chesapeake Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8850 | Shad Battery Shoal Buoy 1A | 39-21-32.427N 076-09-47.142W | | | | Green can. | |
| 8855 | Taylor Island Shoal Buoy 1 | 39-21-44.426N 076-10-31.944W | | | | Green can. | |
| 8860 | - *Lighted Buoy 43* | 39-21-32.798N 076-09-02.645W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8865 | - *Lighted Buoy 44* | 39-21-27.793N 076-08-58.545W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8870 | - *Lighted Buoy 45* | 39-22-10.870N 076-07-45.478W | Fl G 2.5s | | 4 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.<br>AIS: MMSI 993672086. |
| 8875 | - *Lighted Buoy 46* | 39-22-05.862N 076-07-41.382W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.<br>AIS: MMSI 993672087. |
| 8885 | GROVE POINT RANGE FRONT LIGHT | 39-24-09.338N 076-02-15.666W | Fl W 2.5s (NIGHT)<br>Fl W 2.5s (DAY) | 29<br>31 | | On platform. | Lighted throughout 24 hours.<br>DAY : Visible 0.5° either side of rangeline.<br>NIGHT : Visible 4.0° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Upper Chesapeake Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8890 | GROVE POINT RANGE REAR LIGHT<br>1,763 yards, 065.2° from front light. | 39-24-30.748N<br>076-01-14.209W | Oc W 4s<br>(NIGHT)<br>Oc W 4s<br>(DAY) | 61<br>58 | | On skeleton tower. | Lighted throughout 24 hours.<br>DAY : Visible 0.5° either side of rangeline.<br>NIGHT : Visible 1.5° either side of rangeline. |
| 8891 | GROVE POINT RANGE REAR PASSING LIGHTS (2) | 39-24-30.748N<br>076-01-14.209W | Fl W 4s | 30 | 4 | On same structure as Grove Point Range Rear Light. | Located on NW and NE corners of platform. |
| 8895 | - *Lighted Buoy 47* | 39-22-50.775N<br>076-06-10.221W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.<br>AIS: MMSI 993672088. |
| 8900 | - *Lighted Buoy 48* | 39-22-45.368N<br>076-06-07.084W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.<br>AIS: MMSI 993672089. |
| 8905 | - *Lighted Buoy 49* | 39-23-20.332N<br>076-04-45.547W | Fl G 6s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8910 | SHAD BATTERY SHOAL RANGE FRONT LIGHT | 39-20-18.360N<br>076-11-26.403W | Fl W 2.5s<br>(NIGHT)<br>Fl W 2.5s<br>(DAY) | 30<br>33 | | Yellow monopile and platform with white equipment hut on top. | Lighted throughout 24 hours.<br>DAY : Visible 0.5° either side of rangeline.<br>NIGHT : Visible 1.5° either side of rangeline. |
| 8912 | SHAD BATTERY SHOAL RANGE FRONT PASSING LIGHT | 39-20-18.360N<br>076-11-26.403W | Fl W 4s | 30 | 4 | On same structure as Shad Battery Shoal Range Front Light. | On channel side of platform. |
| 8915 | SHAD BATTERY SHOAL RANGE REAR LIGHT<br>2,585 yards, 237° from front light. | 39-19-37.215N<br>076-12-49.681W | Oc W 4s<br>(NIGHT)<br>Oc W 4s<br>(DAY) | 58<br>61 | | On same structure as Upper Chesapeake Channel Range Rear Light. | Lighted throughout 24 hours.<br>DAY : Visible 0.5° either side of rangeline.<br>NIGHT : Visible 1.5° either side of rangeline. |
| 8920 | - *Lighted Buoy 50* | 39-23-14.925N<br>076-04-42.410W | Fl R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| | **Elk River Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8925 | - *Lighted Buoy 1ER* | 39-23-51.269N<br>076-03-16.844W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.<br>AIS: MMSI 993672090. |
| 8930 | - *Lighted Buoy 2* | 39-23-51.567N<br>076-02-56.957W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8935 | - SOUTH RANGE FRONT LIGHT | 39-22-11.963N<br>076-04-59.041W | F W<br>(NIGHT)<br>F W<br>(DAY) | 103<br>100 | | On skeleton tower. | Lighted throughout 24 hours.<br>DAY : Visible 0.5° either side of rangeline.<br>NIGHT : Visible 14.0° either side of rangeline. Night range emergency light, of lower intensity will be displayed when main light is inoperative and only visible 4.0° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Elk River Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 8940 | - SOUTH RANGE REAR LIGHT<br>3,739 yards, 222.2° from front light. | 39-20-49.870N<br>076-06-35.013W | F W<br>(NIGHT)<br>F W<br>(DAY) | 203<br>200 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline<br>NIGHT : Visible 4.0° either side of rangeline. Night range emergency light, of lower intensity will be displayed when main light is inoperative and only visible 1.5° either side of rangeline. |
| 8945 | - *Lighted Buoy 3* | 39-24-06.114N<br>076-02-50.636W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8950 | - *Lighted Buoy 5* | 39-25-04.043N<br>076-01-42.793W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8955 | - *Lighted Buoy 6* | 39-25-00.056N<br>076-01-37.133W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8960 | - *Lighted Buoy 7* | 39-26-03.287N<br>076-00-33.364W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8965 | - *Lighted Buoy 8* | 39-25-59.300N<br>076-00-27.702W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8975 | TURKEY POINT LIGHT | 39-26-59.578N<br>076-00-30.313W | Fl W 6s | 129 | | White tower. | Private aid. |
| 8980 | - *Lighted Buoy 9* | 39-27-02.517N<br>075-59-23.860W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8985 | - *Lighted Buoy 10* | 39-26-58.763N<br>075-59-17.872W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8990 | - NORTH RANGE FRONT LIGHT | 39-29-36.356N<br>075-56-18.056W | Fl W 2.5s<br>(NIGHT)<br>Fl W 2.5s<br>(DAY) | 37<br>40 | | On caisson. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline.<br>NIGHT : Visible 4.0° either side of rangeline. |
| 8991 | - NORTH RANGE FRONT PASSING LIGHT | 39-29-36.356N<br>075-56-18.056W | Fl W 2.5s | 8 | 4 | On same structure as Elk River Channel North Range Front Light. | |
| 8995 | - NORTH RANGE REAR LIGHT<br>3,275 yards, 042.5° from front light. | 39-31-06.670N<br>075-54-31.822W | F W<br>(NIGHT)<br>F W<br>(DAY) | 140<br>137 | | On white skeleton tower. | Lighted throughout 24 hours. DAY: Visible on rangeline only. NIGHT: Visible 5.5° either side of rangeline. |
| 9000 | ARNOLD POINT LIGHT | 39-27-46.094N<br>075-58-00.665W | Fl W 4s | 15 | 6 | NR on multi-pile structure. | |
| 9005 | - *Lighted Buoy 11* | 39-28-01.311N<br>075-58-14.802W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9010 | - *Lighted Buoy 12* | 39-27-57.053N<br>075-58-09.476W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9015 | - *Lighted Buoy 13* | 39-28-45.870N<br>075-57-15.558W | Fl G 6s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Elk River Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 9020 | - *Lighted Buoy 14* | 39-28-41.728N 075-57-10.069W | Fl R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9025 | OLDFIELD POINT RANGE FRONT LIGHT | 39-30-30.226N 075-54-51.164W | Iso W 2s (NIGHT) Iso W 2s (DAY) | 89 92 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 10.0° either side of rangeline. NIGHT : Visible 5.5° either side of rangeline. |
| 9027 | OLDFIELD POINT RANGE FRONT PASSING LIGHTS (2) | 39-30-30.226N 075-54-51.164W | Fl W 4s | 34 | 5 | On same structure as Oldfield Point Range Front Light. | |
| 9030 | OLDFIELD POINT RANGE REAR LIGHT 1,925 yards, 045.2° from front light. | 39-31-09.952N 075-53-58.261W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 119 122 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.9° either side of rangeline. NIGHT : Visible 14.0° either side of rangeline. |
| 9035 | - *Lighted Buoy 15* | 39-29-29.968N 075-56-16.899W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9040 | - *Lighted Buoy 16* | 39-29-25.668N 075-56-11.351W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9045 | - *Lighted Buoy 18* | 39-30-09.455N 075-55-13.320W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9050 | - *Lighted Buoy 19* | 39-30-21.142N 075-55-08.758W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9055 | - EAST RANGE FRONT LIGHT | 39-30-41.845N 075-53-16.704W | Q W (NIGHT) Q W (DAY) | 14 17 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| 9060 | - EAST RANGE REAR LIGHT 176 yards, 074.7° from front light. | 39-30-43.161N 075-53-10.162W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 34 31 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 4.0° either side of rangeline. NIGHT: Vislble 1.5° either side of rangeline. |
| 9065 | - WEST RANGE FRONT LIGHT | 39-30-08.759N 075-55-52.535W | F R | 29 | | KWB on white skeleton tower. | NIGHT : Visible 1.5° either side of rangeline. |
| 9070 | - WEST RANGE REAR LIGHT 235 yards, 254.5° from front light. | 39-30-06.951N 075-56-01.021W | F R | 60 | | KWB on white skeleton tower. | NIGHT : Visible 1.5° either side of rangeline. |
| 9075 | - *Lighted Buoy 20* | 39-30-18.200N 075-54-53.377W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9080 | - *Lighted Buoy 21* | 39-30-36.401N 075-53-56.736W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9085 | - *Lighted Buoy 22* | 39-30-32.116N 075-53-50.837W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9090 | Courthouse Point Obstruction Buoy Marks remains of submerged dredge pipeline. | 39-30-43.008N 075-53-20.594W | | | | White can with orange bands and worded DANGER SUBMERGED PIPELINE. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)** | | | | | | |
| | **Elk River Channel** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 9095 | - *Lighted Buoy 23* | 39-30-51.443N 075-53-23.304W | Fl G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9100 | - *Lighted Buoy 24* | 39-30-47.031N 075-53-18.188W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9105 | BACK CREEK CHANNEL RANGE FRONT LIGHT | 39-31-48.898N 075-51-51.400W | Q W | 25 | | KWB on skeleton tower on multi-pile structure. | |
| 9110 | BACK CREEK CHANNEL RANGE REAR LIGHT 410 yards, 048.2° from front light. | 39-31-56.874N 075-51-39.578W | Iso W 6s | 50 | | KWB on skeleton tower. | NIGHT: Visible 1.5° either side of rangeline. |
| 9155 | - *Lighted Buoy 25* | 39-31-11.855N 075-52-51.776W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9160 | - *Lighted Buoy 26* | 39-31-07.394N 075-52-46.731W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9165 | BOHEMIA RIVER LIGHT 2 | 39-28-32.028N 075-53-11.120W | Fl R 4s | 15 | 4 | TR on pile. | |
| 9170 | Bohemia River Daybeacon 4 | 39-28-03.103N 075-52-35.147W | | | | TR on pile. | |
| | **Back Creek Channel** | | | | | | |
| 9180 | - LIGHT 28 | 39-31-33.297N 075-52-07.810W | Fl R 2.5s | 15 | 5 | TR on multi-pile structure. | |
| 9185 | - LIGHT 29 | 39-31-38.596N 075-52-12.801W | Fl G 2.5s | 25 | 4 | SG on multi-pile structure. | |
| 9190 | - LIGHT 30 | 39-31-40.658N 075-51-52.706W | Fl R 4s | 25 | 5 | TR on multi-pile structure. | |
| 9195 | - LIGHT 31 | 39-31-51.234N 075-51-40.272W | Fl G 4s | 15 | 5 | SG on multi-pile structure. | |
| 9200 | - LIGHT 32 | 39-31-44.344N 075-51-37.304W | Fl R 2.5s | 15 | 5 | TR on multi-pile structure. | |
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)** | | | | | | |
| | **Thimble Shoal Channel** | | | | | | |
| | *Vessels drawing less than 25 feet are not permitted to use this channel.* | | | | | | |
| 9205 | - *Lighted Bell Buoy 1TS* | 36-56-59.878N 076-01-25.064W | Fl G 2.5s | | 6 | Green. | |
| 9210 | - *Lighted Buoy 2* | 36-57-09.361N 076-01-21.217W | Fl R 2.5s | | 6 | Red. | |
| 9215 | - *Lighted Buoy 3* | 36-57-25.856N 076-03-04.912W | Fl G 4s | | 6 | Green. | |
| 9220 | - *Lighted Buoy 4* | 36-57-35.216N 076-03-01.121W | Fl R 4s | | 6 | Red. | |
| 9225 | - *Lighted Buoy 5* | 36-57-50.947N 076-04-42.186W | Fl G 6s | | 6 | Green. | |
| 9230 | - *Lighted Buoy 6* | 36-58-00.460N 076-04-38.339W | Fl R 6s | | 6 | Red. | |
| 9235 | - *Lighted Buoy 7* | 36-58-15.771N 076-06-17.811W | Fl G 2.5s | | 6 | Green. | |
| 9240 | - *Lighted Gong Buoy 8* | 36-58-25.120N 076-06-14.014W | Fl R 2.5s | | 6 | Red. | |
| 9245 | THIMBLE SHOAL TUNNEL SOUTH LIGHT | 36-57-59.600N 076-06-44.900W | F Y | 32 | | On wall. | BELL: 1 stroke ev 10s. Operates during periods of low visibility only. Private aid. |
| 9250 | THIMBLE SHOAL TUNNEL NORTH LIGHT | 36-58-50.900N 076-06-23.700W | F Y | 32 | | On wall. | HORN: 1 blast ev 20s (2s bl). Operates during periods of low visibility only. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)** | | | | | | |
| | **Thimble Shoal Channel** | | | | | | |
| | *Vessels drawing less than 25 feet are not permitted to use this channel.* | | | | | | |
| 9255 | - *Lighted Bell Buoy 9* | 36-58-40.958N 076-07-55.258W | Fl G 4s | | 6 | Green. | |
| 9260 | - *Lighted Buoy 10* | 36-58-50.389N 076-07-51.560W | Fl R 4s | | 6 | Red. | |
| 9265 | - *Lighted Buoy 11* | 36-59-06.100N 076-09-32.675W | Fl G 6s | | 6 | Green. | |
| 9270 | - *Lighted Buoy 12* | 36-59-15.561N 076-09-28.942W | Fl R 6s | | 6 | Red. | |
| 9275 | - *Lighted Buoy 13* | 36-59-31.178N 076-11-10.130W | Fl G 2.5s | | 6 | Green. | |
| 9280 | - *Lighted Buoy 14* | 36-59-40.668N 076-11-06.360W | Fl R 2.5s | | 6 | Red. | |
| 9285 | - *Lighted Buoy 15* | 36-59-56.254N 076-12-47.593W | Fl G 4s | | 6 | Green. | |
| 9290 | - *Lighted Buoy 16* | 37-00-05.774N 076-12-43.788W | Fl R 4s | | 6 | Red. | |
| | **CHESAPEAKE BAY - THIMBLE SHOAL CHANNEL (Chart 12245)** | | | | | | |
| | **Thimble Shoal Channel** | | | | | | |
| | *Vessels drawing less than 25 feet are not permitted to use this channel.* | | | | | | |
| 9295 | - *Lighted Buoy 17* | 37-00-20.956N 076-14-23.297W | Fl G 2.5s | | 6 | Green. | |
| 9300 | - *Lighted Buoy 18* | 37-00-40.014N 076-14-56.414W | Q R | | 6 | Red. | |
| 9305 | - *Lighted Buoy 19* | 37-00-22.756N 076-15-30.999W | Q G | | 6 | Green. | |
| | **CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)** | | | | | | |
| | **Thimble Shoal Channel** | | | | | | |
| | *Vessels drawing less than 25 feet are not permitted to use this channel.* | | | | | | |
| 9310 | THIMBLE SHOAL LIGHT | 37-00-52.149N 076-14-23.472W | Fl W 10s | 55 | | Red conical tower on brown cylindrical pier. | Private aid. |
| | **CHESAPEAKE BAY - THIMBLE SHOAL CHANNEL (Chart 12245)** | | | | | | |
| | **Thimble Shoal Channel** | | | | | | |
| | *Vessels drawing less than 25 feet are not permitted to use this channel.* | | | | | | |
| 9315 | - *Lighted Buoy 21* | 37-00-04.008N 076-17-02.164W | Q G | | 6 | Green. | |
| 9320 | - *Lighted Buoy 22* | 37-00-09.540N 076-17-52.650W | Q R | | 6 | Red. | |
| | **CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)** | | | | | | |
| | **Thimble Shoal Channel** | | | | | | |
| | *Vessels drawing less than 25 feet are not permitted to use this channel.* | | | | | | |
| 9355 | *Naval Ordnance Lighted Buoy P* | 37-00-20.803N 076-16-56.703W | Fl Y 4s | | 5 | Yellow. | |
| 9360 | *Naval Ordnance Lighted Buoy R* | 37-00-17.714N 076-17-16.299W | Fl Y 4s | | 5 | Yellow. | |
| 9365 | *Naval Ordnance Lighted Buoy T* | 37-00-14.240N 076-17-36.913W | Fl Y 4s | | 5 | Yellow. | |
| 9370 | NORFOLK ENTRANCE REACH RANGE FRONT WARNING LIGHT | 37-00-40.187N 076-17-05.946W | Fl W 4s | 20 | 5 | On skeleton tower. | |
| 9375 | NORFOLK ENTRANCE REACH RANGE REAR WARNING LIGHT | 37-01-00.565N 076-16-40.385W | Fl W 4s | 58 | 4 | On skeleton tower. | |
| | **HAMPTON ROADS (Chart 12245)** | | | | | | |
| | **Hampton Bar** | | | | | | |
| 9380 | **Old Point Comfort Light** | 37-00-06.301N 076-18-23.287W | FL (2) R 12s 2s fl 2s ec. 2s fl 6s ec. (W sector) | 54 | W 16 R 14 | White tower. 60 | White from 265° to 038°. |
| 9390 | - Buoy 14 | 36-59-46.058N 076-19-23.709W | | | | Red nun. | |
| 9400 | - WARNING LIGHT | 36-59-26.229N 076-20-23.162W | Fl W 4s | 15 | 5 | NW on pile worded DANGER OBSTRUCTION. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **HAMPTON ROADS (Chart 12245)** | | | | | | |
| | **Hampton Bar** | | | | | | |
| 9405 | - Daybeacon 16 | 36-59-16.964N 076-20-20.733W | | | | TR on pile. | |
| 9410 | - Daybeacon 18 | 36-58-46.857N 076-21-04.722W | | | | TR on pile. | |
| 9415 | - Channel Buoy 20 | 36-58-06.048N 076-21-59.433W | | | | Red nun. | |
| 9420 | - Channel Buoy 22 | 36-58-00.208N 076-22-35.821W | | | | Red nun. | |
| | **Hampton Flats Bar Channel** | | | | | | |
| 9425 | - Daybeacon 1 | 36-59-06.418N 076-21-34.790W | | | | SG on pile. | |
| 9426 | *Hampton Flats Lighted Anchorage Area Buoy A* | 36-59-33.260N 076-22-33.640W | Fl Y 4s | | | | Private aid. |
| 9426.1 | *Hampton Flats Lighted Anchorage Area Buoy B* | 36-59-54.700N 076-21-24.680W | Fl Y 4s | | | | Private aid. |
| 9426.2 | *Hampton Flats Lighted Anchorage Area Buoy C* | 36-59-45.480N 076-21-20.220W | Fl Y 4s | | | | Private aid. |
| 9426.3 | *Hampton Flats Lighted Anchorage Area Buoy D* | 36-59-24.040N 076-22-29.190W | Fl Y 4s | | | | Private aid. |
| 9426.4 | *Hampton Flats Lighted Mooring Buoy E* | 36-59-30.440N 076-22-25.670W | Fl W 6s | | | | Private aid. |
| 9426.5 | *Hampton Flats Lighted Mooring Buoy F* | 36-59-34.010N 076-22-14.180W | Fl W 6s | | | | Private aid. |
| 9426.6 | *Hampton Flats Lighted Mooring Buoy G* | 36-59-37.580N 076-22-02.680W | Fl W 6s | | | | Private aid. |
| 9426.7 | *Hampton Flats Lighted Mooring Buoy H* | 36-59-41.160N 076-21-51.190W | Fl W 6s | | | | Private aid. |
| 9426.8 | *Hampton Flats Lighted Mooring Buoy I* | 36-59-44.730N 076-21-39.690W | Fl W 6s | | | | Private aid. |
| 9426.9 | *Hampton Flats Lighted Mooring Buoy J* | 36-59-48.300N 076-21-28.200W | Fl W 6s | | | | Private aid. |
| 9430 | - LIGHT 2 | 36-59-00.581N 076-21-22.951W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 9435 | - Daybeacon 3 | 37-00-11.462N 076-20-31.451W | | | | SG on pile. | |
| 9440 | - Daybeacon 4 | 37-00-10.977N 076-20-15.997W | | | | TR on pile. | |
| | **Elizabeth River** | | | | | | |
| 9445 | - *Channel Lighted Buoy 1ER* | 36-59-16.658N 076-18-41.307W | Q G | | 5 | Green. | |
| 9450 | Sewells Point Spit Daybeacon A | 36-58-51.430N 076-18-49.662W | | | | NY on pile. | |
| 9455 | Sewells Point Spit Daybeacon B | 36-58-48.211N 076-18-54.207W | | | | NY on pile. | |
| 9460 | Sewells Point Spit Daybeacon C | 36-58-31.747N 076-19-14.393W | | | | NY on pile. | |
| 9465 | - *Channel Lighted Bell Buoy 3* | 36-58-26.159N 076-19-44.710W | Fl G 2.5s | | 5 | Green. | |
| 9470 | - *Channel Lighted Gong Buoy 5* | 36-58-00.259N 076-20-00.710W | Q G | | 5 | Green. | |
| 9475 | - *Channel Lighted Buoy 7* | 36-57-45.159N 076-20-02.010W | Fl G 4s | | 5 | Green. | |
| 9480 | NORFOLK NAVAL BASE BREAKWATER LIGHT | 36-57-50.559N 076-19-49.810W | Fl Y 4s | 15 | | On pile. | Aid maintained by U.S. Navy. |
| 9485 | Naval Base Pier Buoy 1 | 36-57-41.958N 076-19-53.871W | | | | Green can. | |
| 9495 | NORFOLK NAVAL BASE SERVICE CRAFT BASIN LIGHT BW | 36-57-10.929N 076-19-56.315W | Fl Y 4s | 15 | | On pile. | Aid maintained by U.S. Navy. |
| 9500 | - *Channel Lighted Buoy 8* | 36-57-01.959N 076-20-20.911W | Fl R 2.5s | | 5 | Red. | |
| 9515 | - *Channel Lighted Buoy 9* | 36-56-37.217N 076-20-07.873W | Fl G 4s | | 5 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **HAMPTON ROADS (Chart 12245)** | | | | | | |
| | **Elizabeth River** | | | | | | |
| 9520 | *- Channel Lighted Bell Buoy 10* | 36-56-35.960N 076-20-22.981W | Fl R 4s | | 5 | Red. | |
| 9522 | LEHIGH PORTLAND CEMENT LIGHTED MOORING DOLPHIN A | 36-55-48.000N 076-20-01.000W | Fl Y 4s | | | On dolphin. | Private aid. |
| 9525 | *- Channel Lighted Buoy 11* | 36-55-51.602N 076-20-11.264W | Fl G 6s | | 5 | Green. | |
| 9530 | *- Channel Lighted Buoy 12* | 36-55-47.560N 076-20-27.010W | Fl R 6s | | 5 | Red. | |
| 9532 | HRSD NIT Outfall Warning Buoy AB | 36-55-18.560N 076-20-09.740W | | | | White and orange can. | Private aid. |
| 9535 | *- Channel Lighted Buoy 13* | 36-55-06.711N 076-20-14.973W | Fl G 2.5s | | 5 | Green. | |
| 9540 | *- Channel Lighted Buoy 14* | 36-55-05.760N 076-20-30.510W | Q R | | 5 | Red. | |
| 9545 | *- Channel Lighted Buoy 15* | 36-54-44.160N 076-20-16.809W | Q G | | 5 | Green. | |
| | **Norfolk International Terminal** | | | | | | |
| 9550 | - Warning Daybeacon | 36-55-17.117N 076-19-46.126W | | | | NW on pile worded DANGER SHOAL. | |
| 9551.5 | *- North Channel Lighted Buoy 2N* | 36-55-36.808N 076-20-04.936W | Q R | | 4 | Red. | |
| 9552 | - North Channel Buoy 4N | 36-55-34.814N 076-19-59.277W | | | | Red nun. | |
| 9552.5 | *- North Channel Lighted Buoy 6N* | 36-55-31.801N 076-19-54.064W | Q R | | 4 | Red. | |
| 9553.5 | - North Channel Buoy 8N | 36-55-20.966N 076-19-53.826W | | | | Red nun. | |
| 9555 | - South Channel Buoy 2S | 36-54-49.831N 076-20-10.318W | | | | Red nun. | |
| 9560 | *- South Channel Lighted Buoy 4S* | 36-54-45.089N 076-19-57.865W | Fl R 2.5s | | 4 | Red. | |
| 9565 | *- South Channel Lighted Buoy 6S* | 36-54-36.974N 076-19-52.062W | Q R | | 4 | Red. | |
| 9570 | *- South Channel Lighted Buoy 8S* | 36-54-18.778N 076-19-43.253W | Fl R 2.5s | | 4 | Red. | |
| 9572 | - South Channel Daybeacon 10S | 36-54-11.118N 076-19-41.796W | | | | TR on pile. | |
| | **Craney Island Disposal Area** | | | | | | |
| 9575 | - North Range Front Daybeacon | 36-53-57.149N 076-20-54.255W | | | | KRW on pile. | Aid maintained by U.S. Army Corps of Engineers. |
| 9580 | - North Range Rear Daybeacon | 36-54-00.029N 076-21-00.015W | | | | KRW on pile. | Aid maintained by U.S. Army Corps of Engineers. |
| 9585 | - South Range Front Daybeacon | 36-53-40.889N 076-20-48.715W | | | | KRW on pile. | Aid maintained by U.S. Army Corps of Engineers. |
| 9590 | - South Range Rear Daybeacon | 36-53-38.429N 076-20-52.335W | | | | KRW on pile. | Aid maintained by U.S. Army Corps of Engineers. |
| | **Elizabeth River** | | | | | | |
| 9595 | *- Channel Lighted Buoy 17* | 36-54-17.060N 076-20-12.109W | Fl G 2.5s | | 5 | Green. | |
| 9600 | *- Channel Lighted Buoy 18* | 36-54-16.002N 076-20-22.023W | Fl R 2.5s | | 5 | Red. | |
| 9602 | *Craney Island Lighted Warning Buoy A* | 36-54-03.385N 076-20-37.255W | Fl W 2s | | | White with orange diamond worded "DANGER OBSTRUCTION". | Private aid. |
| 9605 | *- Channel Lighted Buoy 19* | 36-53-50.061N 076-20-07.609W | Fl G 4s | | 5 | Green. | |
| 9610 | Craney Island Warning Daybeacon A | 36-53-34.961N 076-20-16.309W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **HAMPTON ROADS (Chart 12245)** | | | | | | |
| | **Elizabeth River** | | | | | | |
| 9615 | Craney Island Warning Daybeacon B | 36-53-31.962N 076-20-17.019W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 9620 | - *Channel Lighted Buoy 20* | 36-53-33.041N 076-20-14.627W | Fl R 4s | | 5 | Red. | |
| 9625 | - *Channel Lighted Buoy 21* | 36-53-23.061N 076-20-02.908W | Fl G 6s | | 5 | Green. | |
| 9630 | - *Channel Lighted Buoy 23* | 36-52-56.061N 076-19-58.408W | Fl G 4s | | 5 | Green. | |
| | **NORFOLK HARBOR AND ELIZABETH RIVER (Chart 12253)** | | | | | | |
| | **Elizabeth River** | | | | | | |
| 9635 | CRANEY ISLAND PIPELINE WARNING NORTH FRONT LIGHT | 36-53-04.412N 076-20-24.894W | F R | 21 | | On pile. | Private aid. |
| 9640 | CRANEY ISLAND PIPELINE WARNING NORTH REAR LIGHT | 36-53-05.162N 076-20-27.954W | F R | 26 | | On pile. | Private aid. |
| 9645 | CRANEY ISLAND PIPELINE WARNING SOUTH FRONT LIGHT | 36-53-03.782N 076-20-25.074W | F W | 22 | | On pile. | Private aid. |
| 9650 | CRANEY ISLAND PIPELINE WARNING SOUTH REAR LIGHT | 36-53-04.752N 076-20-27.864W | F W | 26 | | On pile. | Private aid. |
| 9655 | NORFOLK AND WESTERN COAL PIER LIGHT | 36-52-47.032N 076-19-55.293W | Fl Y 4s | 15 | | On pile. | Private aid. |
| | **Craney Island Creek** | | | | | | |
| 9665 | - LIGHT 2CI | 36-52-50.850N 076-20-27.715W | Q R | 19 | 4 | TR on pile. | |
| 9668 | - LIGHT 4 | 36-52-50.590N 076-20-37.918W | Fl R 4s | 15 | 4 | TR on pile. | |
| 9670 | - LIGHT 5 | 36-52-47.633N 076-20-40.149W | Q G | 15 | 4 | SG on pile. | |
| 9675 | - LIGHT 6 | 36-52-52.652N 076-20-47.144W | Q R | 15 | 4 | TR on pile. | |
| 9677 | - Buoy 7 | 36-52-50.498N 076-20-51.837W | | | | Green can. | |
| 9678 | - LIGHT 8 | 36-52-58.775N 076-20-47.871W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 9683 | - LIGHT 10 | 36-53-05.259N 076-20-57.358W | Fl R 4s | 15 | 3 | TR on pile. | |
| 9690 | - WRECK LIGHT WR12 | 36-53-05.183N 076-21-01.989W | Q R | 15 | 4 | TR on pile. | |
| 9695 | - LIGHT 14 | 36-53-07.193N 076-21-04.811W | Fl R 2.5s | 15 | 3 | TR on multi-pile structure. | |
| | **APM Terminal Channel** | | | | | | |
| 9697 | *Craney Island Creek Lighted Junction Buoy CA* | 36-52-47.586N 076-20-17.549W | Fl (2+1)G 6s | | 5 | Green and red bands. | |
| 9699 | - *Lighted Buoy 1* | 36-52-39.908N 076-20-13.479W | Q G | | 5 | Green. | |
| 9700 | - *Lighted Buoy 3* | 36-52-33.438N 076-20-33.842W | Q G | | 5 | Green. | |
| 9701 | - *Lighted Buoy 4* | 36-52-41.377N 076-20-37.734W | Q R | | 5 | Red. | |
| 9702 | - *Lighted Buoy 5* | 36-52-21.530N 076-20-46.884W | Fl G 2.5s | | 5 | Green. | |
| 9703 | - *Lighted Buoy 6* | 36-52-42.008N 076-20-48.233W | Fl R 2.5s | | 5 | Red. | |
| 9704 | - *Lighted Buoy 7* | 36-52-12.766N 076-20-45.338W | Fl G 4s | | 5 | Green. | |
| 9705 | - *Lighted Buoy 8* | 36-52-45.795N 076-20-53.442W | Fl R 2.5s | | 5 | Red. | |
| 9706 | - *Junction Lighted Buoy A* | 36-52-49.912N 076-20-55.864W | Fl (2+1)R 6s | | 5 | Red and green bands. | |
| 9707 | Lambert Bend Turning Basin Daybeacon A | 36-52-13.414N 076-20-18.644W | | | | NB on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **NORFOLK HARBOR AND ELIZABETH RIVER (Chart 12253)** | | | | | | |
| | **APM Terminal Channel** | | | | | | |
| 9708 | Lambert Bend Turning Basin Daybeacon B | 36-52-18.598N 076-20-34.854W | | | | NB on pile. | |
| | **Elizabeth River** | | | | | | |
| 9710 | - *Channel Lighted Buoy 25* | 36-52-27.761N 076-19-53.207W | Fl G 2.5s | | 5 | Green. | |
| 9715 | - *Channel Lighted Buoy 29* | 36-52-13.016N 076-19-43.548W | Q G | | 5 | Green. | |
| 9725 | **- U.S. Navy Deperming Range Sound Signal** | 36-52-07.329N 076-19-57.315W | | | | On platform. | SIREN : 1 blast ev 30s (5s bl). Continuous. Aid maintained by U.S. Navy. |
| 9728 | U.S. NAVY DEPERMING RANGE Z-LOOP PLATFORM LIGHT NORTH | 36-52-11.929N 076-19-59.415W | Fl W 2s | | | On platform. | Aid maintained by U.S. Navy. |
| 9730 | U.S. NAVY DEPERMING RANGE LIGHT | 36-52-08.029N 076-19-53.015W | Fl Y 2.5s | 25 | | On pile. | Aid maintained by U.S. Navy. |
| 9732 | U.S. NAVY DEPERMING RANGE Z-LOOP PLATFORM LIGHT SOUTH | 36-51-52.829N 076-19-50.015W | Fl Y 2s | | | On platform. | Aid maintained by U.S. Navy. |
| 9735 | - *Channel Lighted Buoy 30* | 36-52-01.717N 076-19-41.717W | Q R | | 5 | Red. | |
| 9740 | U.S. NAVY DEGAUSSING STATION LIGHT | 36-51-47.029N 076-19-39.015W | Fl Y 2.5s | 15 | | On multi-pile structure. | Aid maintained by U.S. Navy. |
| | **Western Branch** | | | | | | |
| 9745 | - Channel Buoy 2 | 36-51-49.871N 076-19-48.757W | | | | Red nun. | |
| 9750 | - Channel Daybeacon 4 120 feet outside channel limit. | 36-51-41.529N 076-19-57.715W | | | | TR on pile. | |
| 9755 | - CHANNEL LIGHT 5 120 feet outside channel limit. | 36-51-33.839N 076-20-00.129W | Fl G 4s | 17 | 4 | SG on pile. | |
| 9760 | - Channel Buoy 6 | 36-51-33.420N 076-20-14.321W | | | | Red nun. | |
| 9765 | - Channel Daybeacon 7 | 36-51-18.862N 076-21-10.710W | | | | SG on pile. | |
| 9770 | - Channel Daybeacon 9 | 36-51-09.653N 076-21-20.433W | | | | SG on pile. | |
| 9775 | - Daybeacon 10 | 36-50-48.598N 076-21-35.140W | | | | TR on pile. | |
| 9780 | - Daybeacon 11 | 36-50-17.003N 076-21-52.345W | | | | SG on pile. | |
| 9785 | - Buoy 13 | 36-50-20.195N 076-22-32.607W | | | | Green can. | |
| 9790 | - Daybeacon 14 | 36-50-13.396N 076-23-08.769W | | | | TR on pile. | |
| 9795 | - Daybeacon 16 | 36-49-42.490N 076-23-47.583W | | | | TR on pile. | |
| | **Elizabeth River** | | | | | | |
| | **Portsmouth Marine Terminal** | | | | | | |
| 9800 | - RANGE FRONT LIGHT | 36-51-22.590N 076-19-26.491W | Iso R 4s | 46 | | KRB on light pole. | Private aid. |
| 9805 | - RANGE REAR LIGHT 185 yards, 194° from front light. | 36-51-17.792N 076-19-28.616W | Iso R 6s | 62 | | KRB on light pole. | Private aid. |
| 9810 | - *Lighted Buoy 2PM* | 36-51-43.400N 076-19-21.409W | Q R | | 4 | Red. | |
| 9815 | - *Lighted Buoy 3PM* | 36-51-39.610N 076-19-14.325W | Q G | | 4 | Green. | |
| 9820 | - *Lighted Buoy 4* | 36-51-38.357N 076-19-22.787W | Fl R 2.5s | | 4 | Red. | |
| 9825 | - *Lighted Buoy 5* | 36-51-35.464N 076-19-16.449W | Fl G 2.5s | | 4 | Green. | |
| 9830 | - *Lighted Buoy 6* | 36-51-33.582N 076-19-29.186W | Fl R 4s | | 4 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **NORFOLK HARBOR AND ELIZABETH RIVER (Chart 12253)** | | | | | | |
| | **Elizabeth River** | | | | | | |
| | **Portsmouth Marine Terminal** | | | | | | |
| 9831 | - Buoy 8 | 36-51-28.844N 076-19-45.620W | | | | Red nun | |
| 9832 | - Daybeacon 10 | 36-51-27.455N 076-19-56.598W | | | | TR on pile. | |
| | **Elizabeth River** | | | | | | |
| 9835 | - Channel Buoy 31 | 36-51-57.372N 076-19-21.003W | | | | Green can. | |
| 9840 | - *Channel Lighted Buoy 32* | 36-51-35.861N 076-19-04.105W | Fl R 4s | | 5 | Red. | |
| 9845 | Sea-Land Terminal Buoy 2SL | 36-51-33.937N 076-19-11.400W | | | | Red nun. | |
| 9847 | MARINE HYDRAULICS PIER LIGHTS (2) | 36-51-39.000N 076-18-51.260W | Fl Y 4s | 12 | | On end of concrete pier. | Private aid. |
| 9850 | - *Channel Lighted Buoy 33* | 36-51-37.586N 076-18-52.743W | Fl G 4s | | 5 | Green. | |
| 9851 | Pinner Point Warning Buoy A | 36-51-28.170N 076-18-58.630W | | | | White can with orange bands and orange diamond labeled SUBMERGED WALL. | Private aid. |
| 9851.1 | Pinner Point Warning Buoy B | 36-51-27.600N 076-18-57.600W | | | | White can with orange bands and orange diamond labeled SUBMERGED WALL. | Private aid. |
| 9851.2 | Pinner Point Warning Buoy C | 36-51-23.860N 076-18-58.350W | | | | White can with orange bands and orange diamond labeled SUBMERGED WALL. | Private aid. |
| 9852 | Midtown Tunnel East Warning Buoy A | 36-51-40.460N 076-18-36.280W | | | | White can with orange bands and orange diamond worded SUBMERGED WALL. | Private aid. |
| 9852.1 | MIDTOWN TUNNEL EAST WARNING LIGHT B | 36-51-31.440N 076-18-37.430W | Fl W 4s | 12 | | On pile. | Private aid. |
| 9852.2 | Pinner Point No Wake Buoy | 36-51-25.000N 076-18-49.000W | | | | White can with orange bands and diamond worded NO WAKE. | Aid maintained by State DOT Private aid. |
| 9853 | - Town Point Reach No Wake Buoy A | 36-51-07.400N 076-18-24.450W | | | | White and orange can worded NO WAKE. | Private aid. |
| 9854 | Hospital Point No Wake Buoy | 36-51-04.000N 076-18-24.000W | | | | White can with orange bands and diamond worded NO WAKE. | Aid maintained by State DOT Private aid. |
| 9855 | - Channel Buoy 34 | 36-51-06.246N 076-18-21.677W | | | | Red nun. | |
| 9857 | Fort Norfolk Warning Daybeacon A | 36-51-25.910N 076-18-25.721W | | | | NW on pile worded DANGER SUBMERGED BREAKWATER/ OYSTER REEF. | Aid maintained by U.S. Army Corps of Engineers. |
| 9857.5 | Fort Norfolk Warning Daybeacon B | 36-51-24.840N 076-18-25.669W | | | | NW on pile worded DANGER SUBMERGED BREAKWATER/ OYSTER REEF. | Aid maintained by U.S. Army Corps of Engineers. |
| | **Scott Creek Channel** | | | | | | |
| 9860 | - Daybeacon 1 | 36-51-02.552N 076-18-33.559W | | | | SG on pile. | |
| 9865 | - Daybeacon 1A | 36-50-59.777N 076-18-42.769W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **NORFOLK HARBOR AND ELIZABETH RIVER (Chart 12253)** | | | | | | |
| | **Scott Creek Channel** | | | | | | |
| 9870 | - Daybeacon 2 | 36-51-01.246N 076-18-43.711W | | | | TR on pile. | |
| 9875 | - Daybeacon 3 | 36-50-55.900N 076-18-51.842W | | | | SG on pile. | |
| 9880 | - Daybeacon 4 | 36-50-49.835N 076-18-57.075W | | | | TR on pile. | |
| 9885 | - Daybeacon 5 | 36-50-47.704N 076-18-54.049W | | | | SG on pile. | |
| | **Smith Creek** | | | | | | |
| 9890 | - Buoy 2S | 36-51-04.969N 076-17-58.865W | | | | Red nun. | |
| 9895 | - Buoy 4 | 36-51-07.832N 076-17-56.306W | | | | Red nun. | |
| 9897 | Elizabeth River Town Point Reach No Wake Buoy B | 36-51-01.120N 076-17-59.350W | | | | White and orange can worded NO WAKE. | Private aid. |
| | **Elizabeth River** | | | | | | |
| 9900 | - *Channel Lighted Buoy 36* | 36-50-50.275N 076-17-58.541W | Q R | | 5 | Red. | |
| 9910 | - *Anchorage N Lighted Obstruction Buoy N* | 36-50-43.261N 076-18-03.885W | Fl W 2.5s | | 4 | White with orange diamond. | |
| 9935 | - Town Point Reach No Wake Buoy C | 36-50-35.000N 076-17-50.380W | | | | White and orange can worded NO WAKE. | Private aid. |
| 9940 | NORFOLK WATERSIDE PIER LIGHT | 36-50-35.532N 076-17-28.786W | F Y | 19 | | On pile on end of pier. | Private aid. |
| | **Elizabeth River Southern Branch** | | | | | | |
| 9955 36805 | - LIGHT 2 105 feet outside channel limit. | 36-47-38.544N 076-17-50.041W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 9960 36810 | - Buoy 3 75 feet outside channel limit. | 36-47-32.262N 076-17-52.701W | | | | Green can with yellow square. | |
| 9965 36815 | - Buoy 5 75 feet outside channel limit. | 36-47-27.759N 076-18-01.472W | | | | Green can with yellow square. | |
| 9970 36820 | - Daybeacon 6 | 36-47-32.489N 076-18-07.383W | | | | TR-TY on pile. | |
| 9975 36825 | - LIGHT 8 75 feet outside channel limit. | 36-47-27.866N 076-18-12.195W | Q R | 18 | 4 | TR-TY on pile. | |
| 9980 36830 | - LIGHT 9 75 feet outside channel limit. | 36-47-17.093N 076-18-07.063W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 9985 36835 | - Buoy 10 | 36-47-14.432N 076-18-12.631W | | | | Red nun with yellow triangle. | |
| 9990 36840 | - Buoy 12 | 36-47-07.353N 076-18-15.761W | | | | Red nun with yellow triangle. | |
| 9995 36845 | - Buoy 14 | 36-47-02.563N 076-18-19.701W | | | | Red nun with yellow triangle. | |
| 10000 36850 | - Buoy 15 | 36-46-54.545N 076-18-24.513W | | | | Green can with yellow square. | |
| 10005 36855 | - Buoy 17 | 36-46-49.563N 076-18-27.802W | | | | Green can with yellow square. | |
| 10010 36860 | - Daybeacon 19 75 feet outside channel limit. | 36-46-46.043N 076-18-25.599W | | | | SG-SY on pile. | |
| 10023 | St. Julian Creek Warning Daybeacon A | 36-46-57.800N 076-18-57.900W | | | | NW on pile worded DANGER OVERHEAD POWERLINE. | Private aid. |
| 10025 36875 | SWAN TERMINAL PIER LIGHT | 36-46-36.534N 076-18-22.786W | F R | 12 | | On pile. | Private aid. |
| 10030 36880 | - LIGHT 20 75 feet outside channel limit. | 36-46-35.365N 076-18-06.196W | Fl R 2.5s | 15 | 5 | TR-TY on pile. | |
| 10035 36885 | - LIGHT 22 75 feet outside channel limit. | 36-46-34.444N 076-17-49.268W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 10041 36886 | CHESAPEAKE ENERGY CENTER NORTH LIGHTED MOORING DOLPHIN N | 36-46-22.470N 076-17-47.150W | Fl Y 4s | 15 | | On concrete mooring dolphin. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **NORFOLK HARBOR AND ELIZABETH RIVER (Chart 12253)** | | | | | | |
| | **Elizabeth River Southern Branch** | | | | | | |
| 10042 36887 | CHESAPEAKE ENERGY CENTER SOUTH LIGHTED MOORING DOLPHIN S | 36-46-13.580N 076-17-52.270W | Fl Y 4s | 15 | | On concrete mooring dolphin. | Private aid. |
| 10045 36895 | VIRGINIA POWER COMPANY WHARF LIGHTS (2) | 36-46-12.534N 076-17-52.785W | F Y | 10 | | On dolphin. | Private aid. |
| 10055 36905 | CEC/VA Power Fish Return Line Daybeacon B | 36-46-15.534N 076-17-52.785W | | | | NW on pile worded DANGER SUBMERGED PILE. | Private aid. |
| 10060 36910 | - Turning Basin Daybeacon A 50 feet outside channel limit. | 36-46-10.908N 076-17-44.405W | | | | NB on pile. | |
| 10065 36915 | - Turning Basin Daybeacon B 50 feet outside channel limit. | 36-46-05.950N 076-17-46.730W | | | | NB on pile. | |
| 10070 36920 | - Buoy 26 | 36-46-06.907N 076-17-53.687W | | | | Red nun with yellow triangle. | |
| 10080 36930 | - Buoy 28 | 36-45-41.951N 076-17-55.540W | | | | Red nun with yellow triangle. | |
| 10085 37060 | - LIGHT 30 | 36-45-19.667N 076-17-45.945W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 10090 37065 | - Turning Basin Daybeacon C | 36-45-12.563N 076-17-34.799W | | | | NB on pile. | |
| 10095 37070 | - Turning Basin Daybeacon D | 36-45-04.474N 076-17-35.859W | | | | NB on pile. | |
| | **CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)** | | | | | | |
| | **Lynnhaven Inlet** | | | | | | |
| 10125 | LYNNHAVEN ROADS FISHING PIER LIGHTS (2) | 36-54-59.530N 076-04-42.760W | F Y | 24 | | On each side of end of pier. | Private aid. |
| 10130 | - LIGHT 1L | 36-55-05.709N 076-05-22.053W | Q G | 15 | 5 | On multi-pile structure. | |
| 10135 | - LIGHT 2 | 36-55-03.816N 076-05-25.729W | Fl R 2.5s | 15 | 5 | TR on pile. | Higher intensity beam bearing 346°. |
| 10136 | - LIGHT 3 | 36-54-50.270N 076-05-25.974W | Fl G 4s | 15 | 4 | SG on pile. | |
| 10138 | - LIGHT 4 | 36-54-49.519N 076-05-28.465W | Fl R 4s | 15 | 4 | TR on pile. | |
| 10142 | - LIGHT 5 | 36-54-36.537N 076-05-28.723W | Fl G 2.5s | 15 | 5 | SG on pile. | |
| 10145 | - Daybeacon 6 | 36-54-33.379N 076-05-31.745W | | | | TR on pile. | |
| 10150 | - EAST VEPCO LIGHTS (2) | 36-54-26.530N 076-05-27.761W | Fl Y 4s | 10 | | On pile. | Private aid. |
| 10155 | - WEST VEPCO LIGHTS (2) | 36-54-26.530N 076-05-34.761W | Fl Y 4s | 10 | | On pile. | Private aid. |
| | **Crab Creek** | | | | | | |
| 10156 | - Entrance Buoy 2CC | 36-54-21.983N 076-05-33.694W | | | | Red nun. | Private aid. |
| 10157 | - Wreck Buoy WR3A | 36-54-21.030N 076-05-35.591W | | | | Green can. | Private aid. |
| 10157.01 | - Entrance Buoy 3CC | 36-54-21.383N 076-05-33.404W | | | | Green can. | Private aid. |
| 10157.02 | - Buoy 4 | 36-54-21.567N 076-05-35.591W | | | | Red nun. | Private aid. |
| 10157.03 | - Buoy 5 | 36-54-21.004N 076-05-35.202W | | | | Green can. | Private aid. |
| 10157.05 | - Buoy 7 | 36-54-17.212N 076-05-39.350W | | | | Green can. | Private aid. |
| 10157.06 | - Buoy 8 | 36-54-15.300N 076-05-41.360W | | | | Red nun. | Private aid. |
| 10157.07 | - Daybeacon 9 | 36-54-14.980N 076-05-40.600W | | | | SG on pile. | Private aid. |
| 10157.08 | - Buoy 10 | 36-54-14.464N 076-05-42.320W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)** | | | | | | |
| | **Lynnhaven Inlet** | | | | | | |
| | **Crab Creek** | | | | | | |
| 10157.09 | - Warning Daybeacon A | 36-54-12.690N 076-05-40.990W | | | | NW on pile. | Private aid. |
| 10157.1 | - Warning Buoy B | 36-54-12.920N 076-05-43.060W | | | | White can with orange diamond. | Private aid. |
| 10157.11 | - Buoy 11 | 36-54-13.920N 076-05-42.890W | | | | Green can. | Private aid. |
| 10157.12 | - Buoy 12 | 36-54-15.899N 076-05-44.330W | | | | Red nun. | Private aid. |
| 10157.13 | - Buoy 13 | 36-54-15.567N 076-05-44.982W | | | | Green can. | Private aid. |
| | **Long Creek** | | | | | | |
| 10160 | - LIGHT 1LC | 36-54-22.598N 076-05-27.622W | Q G | 15 | 4 | SG on pile. | |
| 10162 | - *Lighted Buoy 1A* | 36-54-17.607N 076-05-27.716W | Q G | | 4 | Green. | |
| 10165 | - Warning Daybeacon A | 36-54-15.566N 076-05-21.911W | | | | NW on pile worded DANGER SHOAL A | |
| 10166 | - *Lighted Buoy 2* | 36-54-16.628N 076-05-19.366W | Fl R 2.5s | | 4 | Red. | |
| 10166.1 | Athey Island Reef Warning Daybeacon | 36-54-14.648N 076-05-16.561W | | | | NW on pile. | Private aid. |
| 10168 | - Daybeacon 4 | 36-54-14.311N 076-05-12.669W | | | | TR on pile. | |
| 10170 | - LIGHT 6 | 36-54-15.918N 076-05-05.381W | Fl R 4s | 15 | 4 | TR on pile. | |
| 10175 | - Daybeacon 7 | 36-54-15.476N 076-04-57.406W | | | | SG on pile. | |
| 10180 | - Daybeacon 8 | 36-54-15.490N 076-04-45.619W | | | | TR on pile. | |
| 10185 | - Junction Buoy BL | 36-54-12.827N 076-04-21.573W | | | | Green and red, can. | |
| | **Lynnhaven River** | | | | | | |
| 10186 | - Daybeacon 1LR | 36-54-14.268N 076-05-17.312W | | | | SG on pile. | Private aid. |
| 10186.5 | - Buoy 3LR | 36-54-06.300N 076-05-13.000W | | | | Green can. | Private aid. |
| 10187 | - Junction Daybeacon EW | 36-53-54.200N 076-05-12.600W | | | | JR on pile. | Private aid. |
| | **Lynnhaven River Western Branch** | | | | | | |
| 10188 | - Daybeacon 1 | 36-53-53.000N 076-05-15.000W | | | | SG on pile. | Private aid. |
| 10189 | - Daybeacon 2 | 36-53-54.000N 076-05-16.000W | | | | TR on pile. | Private aid. |
| 10190 | - Daybeacon 3 | 36-53-48.000N 076-05-18.000W | | | | SG on pile. | Private aid. |
| 10195 | - Daybeacon 4 | 36-53-50.000N 076-05-19.000W | | | | TR on pile. | Private aid. |
| 10200 | - Daybeacon 5 | 36-53-46.000N 076-05-34.000W | | | | SG on pile. | Private aid. |
| 10205 | - Daybeacon 6 | 36-53-48.000N 076-05-34.000W | | | | TR on pile. | Private aid. |
| 10210 | - Daybeacon 7 | 36-53-42.000N 076-05-41.000W | | | | SG on pile. | Private aid. |
| 10215 | - Daybeacon 8 | 36-53-43.000N 076-05-41.000W | | | | TR on pile. | Private aid. |
| 10220 | - Buoy 9 | 36-53-36.030N 076-05-44.480W | | | | Green can. | Private aid. |
| 10225 | - Buoy 10 | 36-53-36.600N 076-05-45.220W | | | | Red nun. | Private aid. |
| 10230 | - Daybeacon 11 | 36-53-33.000N 076-05-53.000W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | |
| | **CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)** | | | | | | |
| | **Lynnhaven River Western Branch** | | | | | | |
| 10235 | - Daybeacon 12 | 36-53-34.000N 076-05-53.000W | | | | TR on pile. | Private aid. |
| 10240 | - Daybeacon 13 | 36-53-33.420N 076-06-03.800W | | | | SG on pile. | Private aid. |
| 10245 | - Daybeacon 14 | 36-53-34.210N 076-06-03.970W | | | | TR on pile. | Private aid. |
| 10250 | - Daybeacon 15 | 36-53-31.000N 076-06-12.000W | | | | SG on pile. | Private aid. |
| 10255 | - Daybeacon 16 | 36-53-32.000N 076-06-13.000W | | | | TR on pile. | Private aid. |
| 10260 | - Daybeacon 17 | 36-53-21.000N 076-06-27.000W | | | | SG on pile. | Private aid. |
| 10265 | - Daybeacon 18 | 36-53-21.000N 076-06-28.000W | | | | TR on pile. | Private aid. |
| 10270 | - Daybeacon 19 | 36-53-16.000N 076-06-32.000W | | | | SG on pile. | Private aid. |
| 10275 | - Daybeacon 20 | 36-53-17.000N 076-06-33.000W | | | | TR on pile. | Private aid. |
| 10280 | - Daybeacon 21 | 36-53-04.200N 076-06-38.680W | | | | SG on pile. | Private aid. |
| 10285 | - Daybeacon 22 | 36-53-04.280N 076-06-39.690W | | | | TR on pile. | Private aid. |
| 10290 | - Daybeacon 23 | 36-52-49.000N 076-06-35.000W | | | | SG on pile. | Private aid. |
| 10295 | - Daybeacon 24 | 36-51-29.532N 076-07-11.764W | | | | TR on pile. | Private aid. |
| 10300 | - Daybeacon 25 | 36-52-32.660N 076-06-33.840W | | | | SG on pile. | Private aid. |
| 10305 | - Daybeacon 26 | 36-52-33.000N 076-06-34.000W | | | | TR on pile. | Private aid. |
| 10310 | - Daybeacon 27 | 36-52-23.100N 076-06-25.170W | | | | SG on pile. | Private aid. |
| 10315 | - Daybeacon 28 | 36-52-22.840N 076-06-26.150W | | | | TR on pile. | Private aid. |
| 10320 | - Daybeacon 29 | 36-52-18.850N 076-06-25.120W | | | | SG on pile. | Private aid. |
| 10325 | - Daybeacon 30 | 36-52-19.130N 076-06-26.100W | | | | TR on pile. | Private aid. |
| 10330 | - Daybeacon 31 | 36-52-07.410N 076-06-36.560W | | | | SG on pile. | Private aid. |
| 10331 | - Daybeacon 32 | 36-52-07.940N 076-06-37.290W | | | | TR on pile. | Private aid. |
| 10331.01 | - Daybeacon 33 | 36-51-53.240N 076-06-54.830W | | | | SG in pile. | Private aid. |
| 10331.02 | - Daybeacon 34 | 36-51-53.570N 076-06-55.830W | | | | TR on pile. | Private aid. |
| 10331.1 | - Daybeacon 36 | 36-51-40.160N 076-06-55.090W | | | | TR on pile. | Private aid. |
| 10331.11 | - Daybeacon 38 | 36-51-35.980N 076-06-59.900W | | | | TR on pile. | Private aid. |
| 10331.12 | - Daybeacon 40 | 36-51-29.450N 076-07-03.810W | | | | TR on pile. | Private aid. |
| 10331.13 | - Daybeacon 41 | 36-51-27.620N 076-07-10.550W | | | | SG on pile. | Private aid. |
| 10331.14 | - Daybeacon 43 | 36-51-24.780N 076-07-20.200W | | | | SG on pile. | Private aid. |
| 10331.15 | - Daybeacon 45 | 36-51-18.820N 076-07-29.280W | | | | SG on pile. | Private aid. |
| 10331.16 | - Daybeacon 46 | 36-51-19.190N 076-07-29.670W | | | | TR on pile. | Private aid. |
| 10331.17 | - Daybeacon 47 | 36-51-16.920N 076-07-32.070W | | | | SG on pile. | Private aid. |
| 10331.18 | - Daybeacon 49 | 36-51-14.440N 076-07-33.870W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | |
| | **CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)** | | | | | | |
| | **Lynnhaven River Western Branch** | | | | | | |
| 10331.19 | - Daybeacon 51 | 36-51-04.280N 076-07-37.070W | | | | SG on pile. | Private aid. |
| 10331.2 | - Daybeacon 52 | 36-51-04.300N 076-07-37.690W | | | | TR on pile. | Private aid. |
| 10331.21 | - Daybeacon 53 | 36-50-59.010N 076-07-35.990W | | | | SG on pile. | Private aid. |
| 10331.22 | - Daybeacon 54 | 36-50-56.550N 076-07-30.100W | | | | TR on pile. | Private aid. |
| 10331.23 | - Daybeacon 56 | 36-50-53.390N 076-07-26.150W | | | | TR on pile. | Private aid. |
| 10331.24 | - Daybeacon 57 | 36-50-50.500N 076-07-22.260W | | | | SG on pile. | Private aid. |
| 10331.25 | - Daybeacon 58 | 36-50-50.170N 076-07-22.730W | | | | TR on pile. | Private aid. |
| | **Lynnhaven River Eastern Branch** | | | | | | |
| 10332 | - Buoy 1EB | 36-53-46.241N 076-05-01.603W | | | | Green can. | Private aid. |
| 10332.01 | - Buoy 2EB | 36-53-45.907N 076-05-02.697W | | | | Red nun. | Private aid. |
| 10332.03 | - Buoy 2A | 36-53-35.900N 076-05-02.400W | | | | Red nun. | Private aid. |
| 10332.1 | - Buoy 3 | 36-53-32.600N 076-04-54.600W | | | | Green can. | Private aid. |
| 10332.2 | - Daybeacon 4 | 36-53-28.600N 076-04-46.300W | | | | TR on pile. | Private aid. |
| 10332.3 | - Daybeacon 5 | 36-53-15.600N 076-04-29.400W | | | | SG on pile. | Private aid. |
| 10332.4 | - Daybeacon 6 | 36-53-15.000N 076-04-29.900W | | | | TR on pile. | Private aid. |
| 10332.5 | - Daybeacon 7 | 36-53-00.300N 076-04-16.800W | | | | SG on pile. | Private aid. |
| 10332.51 | - Wreck Buoy WR8A | 36-52-46.605N 076-04-10.579W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 10332.6 | - Daybeacon 8 | 36-52-45.000N 076-04-05.100W | | | | TR on pile. | Private aid. |
| 10332.7 | - Daybeacon 10 | 36-52-33.900N 076-04-03.400W | | | | TR on pile. | Private aid. |
| 10332.8 | - Daybeacon 12 | 36-52-31.100N 076-04-06.400W | | | | TR on pile. | Private aid. |
| 10332.9 | - Daybeacon 13 | 36-52-24.300N 076-04-18.200W | | | | SG on pile. | Private aid. |
| 10333 | - Daybeacon 14 | 36-52-24.800N 076-04-18.800W | | | | TR on pile. | Private aid. |
| 10333.1 | - Daybeacon 15 | 36-52-18.300N 076-04-22.200W | | | | SG on pile. | Private aid. |
| 10333.11 | - Gills Cove Daybeacon 2 | 36-52-11.000N 076-04-21.000W | | | | TR on pile. | Private aid. |
| 10333.12 | - Gills Cove Daybeacon 4 | 36-52-11.000N 076-04-32.000W | | | | TR on pile. | Private aid. |
| 10333.13 | - Gills Cove Daybeacon 6 | 36-52-11.000N 076-04-38.000W | | | | TR on pile. | Private aid. |
| 10333.2 | - Daybeacon 17 | 36-52-08.600N 076-04-20.700W | | | | SG on pile. | Private aid. |
| 10333.3 | - Daybeacon 19 | 36-51-59.700N 076-04-15.400W | | | | SG on pile. | Private aid. |
| 10333.4 | - Daybeacon 20 | 36-51-59.700N 076-04-16.000W | | | | TR on pile. | Private aid. |
| 10333.5 | - Daybeacon 21 | 36-51-46.150N 076-04-11.390W | | | | SG on pile. | Private aid. |
| 10333.6 | - Daybeacon 23 | 36-51-35.600N 076-04-04.100W | | | | SG on pile. | Private aid. |
| 10333.7 | - Daybeacon 24 | 36-51-35.300N 076-04-04.800W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)** | | | | | | |
| | **Lynnhaven River Eastern Branch** | | | | | | |
| 10333.8 | - Daybeacon 25 | 36-51-25.900N 076-04-04.000W | | | | SG on pile. | Private aid. |
| 10333.9 | - Daybeacon 26 | 36-51-25.600N 076-04-05.100W | | | | TR on pile. | Private aid. |
| 10334 | - Daybeacon 27 | 36-51-20.100N 076-03-58.200W | | | | SG on pile. | Private aid. |
| 10334.1 | - Daybeacon 28 | 36-51-19.300N 076-03-58.800W | | | | TR on pile. | Private aid. |
| 10334.2 | - Daybeacon 30 | 36-51-18.000N 076-03-45.100W | | | | TR on pile. | Private aid. |
| 10334.3 | - Daybeacon 32 | 36-51-16.300N 076-03-41.700W | | | | TR on pile. | Private aid. |
| 10334.4 | - Daybeacon 34 | 36-51-13.600N 076-03-40.000W | | | | TR on pile. | Private aid. |
| 10334.5 | - Daybeacon 35 | 36-51-07.600N 076-03-42.200W | | | | SG on pile. | Private aid. |
| 10334.6 | - Daybeacon 37 | 36-51-00.520N 076-03-43.000W | | | | SG on pile. | Private aid. |
| 10334.7 | - Daybeacon 38 | 36-50-56.300N 076-03-39.700W | | | | TR on pile. | Private aid. |
| 10334.8 | - Daybeacon 40 | 36-50-48.500N 076-03-37.800W | | | | TR on pile. | Private aid. |
| 10334.9 | - Daybeacon 42 | 36-50-40.700N 076-03-35.900W | | | | TR on pile. | Private aid. |
| | **Long Creek East Channel** | | | | | | |
| 10337 | - Warning Daybeacon A | 36-54-13.300N 076-04-16.500W | | | | NW on pile worded DANGER. SUBMERGED REEF. | Private aid. |
| 10338 | - Warning Daybeacon B | 36-54-13.300N 076-04-13.400W | | | | NW on pile worded DANGER SUBMERGED REEF. | Private aid. |
| 10340 | - Daybeacon 1A | 36-54-32.255N 076-03-06.851W | | | | SG on pile. | |
| 10345 | - Daybeacon 3 | 36-54-39.077N 076-02-54.213W | | | | SG on pile. | |
| 10355 | - Daybeacon 5 | 36-54-39.761N 076-02-46.107W | | | | SG on pile. | |
| 10360 | - Buoy 7 | 36-54-34.773N 076-02-24.321W | | | | Green can. | |
| 10365 | - Daybeacon 8 | 36-54-31.583N 076-02-14.829W | | | | TR on pile. | |
| 10370 | - Daybeacon 10 | 36-54-26.699N 076-02-10.275W | | | | TR on pile. | |
| 10375 | - Daybeacon 11 | 36-54-22.631N 076-02-02.193W | | | | SG on pile. | |
| 10380 | - Daybeacon 12 | 36-54-22.115N 076-02-02.499W | | | | TR on pile. | |
| 10385 | - Daybeacon 13 | 36-54-13.000N 076-01-55.898W | | | | SG on pile. | |
| 10390 | - Daybeacon 14 | 36-54-12.725N 076-01-57.195W | | | | TR on pile. | |
| | **Broad Bay** | | | | | | |
| 10395 | - Buoy 9 | 36-54-07.759N 076-03-34.425W | | | | Green can. | |
| 10400 | - *Lighted Buoy 10* | 36-54-06.029N 076-03-11.375W | Fl R 2.5s | | 4 | Red. | |
| 10405 | - *Lighted Buoy 12* | 36-53-56.059N 076-02-22.895W | Fl R 2.5s | | 4 | | |
| 10415 | - *Lighted Buoy 13* | 36-53-37.889N 076-01-25.719W | Fl G 2.5s | | 4 | Green. | |
| 10420 | - Buoy 14 | 36-53-37.169N 076-01-26.045W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)** | | | | | | |
| | **Broad Bay** | | | | | | |
| 10425 | - Buoy 15 | 36-53-29.379N 076-01-09.665W | | | | Green can. | |
| 10430 | - Buoy 16 | 36-53-28.519N 076-01-10.675W | | | | Red nun. | |
| 10435 | - Buoy 18 | 36-53-17.179N 076-00-58.335W | | | | Red nun. | |
| 10440 | - *Lighted Buoy 19* | 36-53-18.019N 076-00-57.465W | Fl G 2.5s | | 4 | Green. | |
| | **Linkhorn Bay** | | | | | | |
| 10445 | - Buoy 20 | 36-53-13.729N 076-00-52.965W | | | | Red nun. | |
| 10450 | - *Lighted Buoy 21* | 36-52-17.639N 076-00-32.485W | Fl G 2.5s | | 4 | Green. | |
| 10455 | - Buoy 22 | 36-52-10.119N 076-00-51.165W | | | | Red nun. | |
| 10460 | - Buoy 24 | 36-51-59.529N 076-00-44.505W | | | | Red nun. | |
| | **Little Creek Harbor** | | | | | | |
| 10468 | - *Entrance Lighted Buoy 1LC* | 36-58-04.625N 076-10-03.790W | Q G | | 5 | Green. | |
| 10470 | - *Entrance Lighted Buoy 2* | 36-56-29.432N 076-10-47.623W | Fl R 2.5s | | 5 | Red. | |
| 10475 | VMRC Condemned Ground Buoy A | 36-56-40.900N 076-11-41.700W | | | | Yellow | Private aid. |
| 10480 | VMRC Condemned Ground Buoy B | 36-56-30.700N 076-09-22.600W | | | | Yellow | Private aid. |
| 10495 | - RANGE FRONT LIGHT | 36-54-41.855N 076-10-35.270W | Iso G 6s | 51 | | Skeleton tower. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 10500 | - RANGE REAR LIGHT 278 yards, 177.7° from front light. | 36-54-33.589N 076-10-34.865W | F G | 76 | | Skeleton tower. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 10505 | - JETTY LIGHT 3 | 36-55-58.739N 076-10-35.074W | Q G | 25 | 5 | SG on skeleton tower. | |
| 10510 | - JETTY LIGHT 4 | 36-55-54.954N 076-10-44.220W | Q R | 25 | 6 | TR on pile. | |
| 10515 | - JETTY LIGHT 6 | 36-55-44.828N 076-10-41.808W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 10520 | - LIGHT 5 | 36-55-41.825N 076-10-34.384W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 10525 | - LIGHT 7 | 36-55-25.763N 076-10-33.707W | Fl G 6s | 15 | 4 | SG on pile. | |
| 10530 | - LIGHT 8 | 36-55-22.310N 076-10-41.747W | Fl R 6s | 15 | 4 | TR on pile. | |
| | **Little Creek Cove** | | | | | | |
| 10550 | - Daybeacon 2 | 36-54-49.038N 076-10-23.027W | | | | TR on pile. | |
| 10555 | - Daybeacon 4 | 36-54-48.665N 076-10-10.689W | | | | TR on pile. | |
| 10560 | - Daybeacon 6 | 36-54-47.270N 076-09-58.949W | | | | TR on pile. | |
| | **HAMPTON ROADS (Chart 12245)** | | | | | | |
| | **Crumps Bank** | | | | | | |
| 10573 | - VMRC NE Corner Reef Buoy | 36-56-30.529N 076-12-10.776W | | | | Yellow Can worded: EAST OCEAN VIEW | Private aid. |
| 10573.1 | - VMRC SE Corner Reef Buoy | 36-56-24.529N 076-12-10.776W | | | | Yellow Can worded: EAST OCEAN VIEW | Private aid. |
| 10573.2 | - VMRC SW Corner Reef Buoy | 36-56-24.529N 076-12-10.676W | | | | Yellow Can worded: EAST OCEAN VIEW | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **HAMPTON ROADS (Chart 12245)** | | | | | | |
| | **Crumps Bank** | | | | | | |
| 10573.3 | - VMRC NW Corner Reef Buoy | 36-56-33.029N 076-12-10.476W | | | | Yellow Can worded: EAST OCEAN VIEW | Private aid. |
| 10574 | - Data Buoy | 36-57-37.200N 076-13-39.100W | | | | Yellow can. | Private aid. |
| | **Willoughby Bay** | | | | | | |
| 10575 | - *Channel Lighted Wreck Buoy WR1* | 36-58-55.551N 076-18-35.581W | Q G | | 4 | Green. | |
| 10580 | - CHANNEL LIGHT 2 | 36-58-58.035N 076-18-38.551W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 10583 | - Channel Buoy 3 | 36-58-52.176N 076-18-38.383W | | | | Green can. | |
| 10585 | - Channel Daybeacon 3A | 36-58-42.135N 076-18-36.733W | | | | SG on pile. | |
| 10587 | - Channel Daybeacon 4 | 36-58-44.031N 076-18-40.433W | | | | TR on pile. | |
| 10590 | - Channel Buoy 5 | 36-58-24.800N 076-18-28.476W | | | | Red nun. | |
| 10595 | - CHANNEL LIGHT 7 | 36-58-05.171N 076-18-19.376W | Fl G 6s | 15 | 4 | SG on pile. | |
| 10600 | - Channel Daybeacon 9 | 36-57-53.067N 076-18-06.785W | | | | SG on pile. | |
| 10605 | - Channel Daybeacon 11 | 36-57-45.632N 076-17-47.468W | | | | SG on pile. | |
| 10608 | - CHANNEL WRECK LIGHT WR13 | 36-57-44.925N 076-17-23.163W | Q G | 15 | 4 | SG on pile. | |
| 10610 | - Channel Daybeacon 15 | 36-57-47.261N 076-17-17.592W | | | | SG on pile. | |
| 10611 | - *Special Lighted Buoy A* | 36-57-48.680N 076-17-08.200W | Q Y | | | | Private aid. |
| 10611.1 | - *Special Lighted Buoy B* | 36-57-33.170N 076-17-19.430W | Q Y | | | | Private aid. |
| 10611.2 | - *Special Lighted Buoy C* | 36-57-28.780N 076-16-51.750W | Fl Y 2.5s | | | | Private aid. |
| 10611.3 | - *Special Lighted Buoy D* | 36-57-35.310N 076-16-42.800W | Fl Y 2.5s | | | | Private aid. |
| 10611.4 | - *Special Lighted Buoy E* | 36-57-44.840N 076-16-44.480W | Fl Y 2.5s | | | | Private aid. |
| 10612 | - *Lighted Exclusion Buoy F* | 36-57-44.500N 076-17-11.010W | Fl W 6s | | | | Private aid. |
| 10612.1 | - *Lighted Exclusion Buoy G* | 36-57-40.920N 076-17-13.820W | Fl W 6s | | | | Private aid. |
| 10612.2 | - *Lighted Exclusion Buoy H* | 36-57-37.050N 076-17-16.620W | Fl W 6s | | | | Private aid. |
| 10612.3 | - *Lighted Exclusion Buoy I* | 36-57-32.070N 076-17-12.510W | Fl W 6s | | | | Private aid. |
| 10612.4 | - *Lighted Exclusion Buoy J* | 36-57-30.980N 076-17-05.580W | Fl W 6s | | | | Private aid. |
| 10612.5 | - *Lighted Exclusion Buoy K* | 36-57-29.880N 076-16-58.670W | Fl W 6s | | | | Private aid. |
| 10612.6 | - *Lighted Exclusion Buoy L* | 36-57-32.050N 076-16-47.270W | Fl W 6s | | | | Private aid. |
| 10612.7 | - *Lighted Exclusion Buoy M* | 36-57-40.050N 076-16-43.640W | Fl W 6s | | | | Private aid. |
| 10612.8 | - *Lighted Exclusion Buoy N* | 36-57-46.120N 076-16-52.390W | Fl W 6s | | | | Private aid. |
| 10612.9 | - *Lighted Exclusion Buoy O* | 36-57-47.400N 076-17-00.300W | Fl W 6s | | | | Private aid. |
| 10613 | - LIGHTED MOORING PILE A | 36-57-45.460N 076-17-02.040W | F R | | | | Private aid. |
| 10613.01 | - LIGHTED MOORING PILE B | 36-57-45.180N 076-17-01.690W | Fl Y 6s | | | | Private aid. |
| 10613.02 | - LIGHTED MOORING PILE C | 36-57-44.900N 076-17-01.350W | Fl Y 6s | | | | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **HAMPTON ROADS (Chart 12245)** | | | | | | |
| | **Willoughby Bay** | | | | | | |
| 10613.03 | - LIGHTED MOORING PILE D | 36-57-44.620N 076-17-01.000W | Fl Y 6s | | | | Private aid. |
| 10613.04 | - LIGHTED MOORING PILE E | 36-57-44.340N 076-17-00.660W | Fl Y 6s | | | | Private aid. |
| 10613.05 | - LIGHTED MOORING PILE F | 36-57-44.050N 076-17-00.310W | Fl Y 6s | | | | Private aid. |
| 10613.06 | - LIGHTED MOORING PILE G | 36-57-43.770N 076-16-59.970W | Fl Y 6s | | | | Private aid. |
| 10613.07 | - LIGHTED MOORING PILE H | 36-57-43.490N 076-16-59.620W | Fl Y 6s | | | | Private aid. |
| 10613.08 | - LIGHTED MOORING PILE I | 36-57-43.210N 076-16-59.270W | Fl Y 6s | | | | Private aid. |
| 10613.09 | - LIGHTED MOORING PILE J | 36-57-42.930N 076-16-58.930W | Fl Y 6s | | | | Private aid. |
| 10613.1 | - LIGHTED MOORING PILE K | 36-57-42.640N 076-16-58.580W | Fl Y 6s | | | | Private aid. |
| 10613.11 | - LIGHTED MOORING PILE L | 36-57-42.360N 076-16-58.240W | Fl Y 6s | | | | Private aid. |
| 10613.12 | - LIGHTED MOORING PILE M | 36-57-42.080N 076-16-57.890W | Fl Y 6s | | | | Private aid. |
| 10613.13 | - LIGHTED MOORING PILE N | 36-57-41.800N 076-16-57.540W | Fl Y 6s | | | | Private aid. |
| 10613.14 | - LIGHTED MOORING PILE O | 36-57-41.520N 076-16-57.200W | Fl Y 6s | | | | Private aid. |
| 10613.15 | - LIGHTED MOORING PILE P | 36-57-41.240N 076-16-56.850W | Fl Y 6s | | | | Private aid. |
| 10613.16 | - LIGHTED MOORING PILE Q | 36-57-40.950N 076-16-56.510W | Fl Y 6s | | | | Private aid. |
| 10613.17 | - LIGHTED MOORING PILE R | 36-57-40.670N 076-16-56.160W | Fl Y 6s | | | | Private aid. |
| 10613.18 | - LIGHTED MOORING PILE S | 36-57-40.390N 076-16-55.810W | Fl Y 6s | | | | Private aid. |
| 10613.19 | - LIGHTED MOORING PILE T | 36-57-40.110N 076-16-55.470W | Fl Y 6s | | | | Private aid. |
| 10613.2 | - LIGHTED MOORING PILE U | 36-57-39.830N 076-16-55.120W | Fl Y 6s | | | | Private aid. |
| 10613.21 | - LIGHTED MOORING PILE V | 36-57-39.550N 076-16-54.780W | Fl Y 6s | | | | Private aid. |
| 10613.22 | - LIGHTED MOORING PILE W | 36-57-39.260N 076-16-54.430W | Fl Y 6s | | | | Private aid. |
| 10613.23 | - LIGHTED MOORING PILE X | 36-57-38.980N 076-16-54.090W | Fl Y 6s | | | | Private aid. |
| 10613.24 | - LIGHTED MOORING PILE Y | 36-57-38.700N 076-16-53.740W | Fl Y 6s | | | | Private aid. |
| 10613.25 | - LIGHTED MOORING PILE Z | 36-57-38.420N 076-16-53.390W | F R | | | | Private aid. |
| | **Naval Boat Channel** | | | | | | |
| 10615 | - LIGHT 2 | 36-57-51.039N 076-19-37.400W | Fl R 4s | 15 | 4 | TR on pile. | |
| 10620 | - Daybeacon 3 | 36-57-51.240N 076-19-13.464W | | | | SG on pile. | |
| 10622 | NORFOLK NAVAL BASE FISHING PIER LIGHT A | 36-57-47.619N 076-19-18.525W | Fl Y 4s | 15 | | On pile on end of pier. | Aid maintained by U.S. Navy. |
| 10625 | - LIGHT 4 | 36-57-48.765N 076-19-14.104W | Fl R 6s | 15 | 4 | TR on pile. | |
| 10630 | - Daybeacon 5 | 36-57-47.459N 076-18-52.304W | | | | SG on pile. | |
| 10635 | - LIGHT 6 | 36-57-46.001N 076-18-54.462W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 10640 | - Daybeacon 7 | 36-57-42.877N 076-18-44.601W | | | | SG on pile. | |
| 10645 | - LIGHT 8 | 36-57-40.993N 076-18-47.007W | Fl R 2.5s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **HAMPTON ROADS (Chart 12245)** | | | | | | |
| | **Naval Boat Channel** | | | | | | |
| 10650 | - LIGHT 9 | 36-57-23.129N 076-18-39.398W | Q G | 15 | 4 | SG on pile. | |
| 10655 | - LIGHT 10 | 36-57-16.629N 076-18-36.915W | Fl R 4s | 15 | 3 | On tripod structure on seawall. | Aid maintained by U.S. Navy. |
| | **Lafayette River Channel** | | | | | | |
| 10660 | - LIGHT 2 | 36-53-35.777N 076-19-26.769W | Fl R 4s | 15 | 4 | TR on pile. | |
| 10665 | - Daybeacon 3 | 36-53-42.837N 076-19-23.890W | | | | SG on pile. | |
| 10670 | - Daybeacon 4 | 36-53-54.959N 076-19-14.019W | | | | TR on pile. | |
| 10675 | - LIGHT 5 | 36-54-06.215N 076-19-08.451W | Fl G 4s | 15 | 4 | SG on pile. | |
| 10680 | - Daybeacon 6 | 36-54-07.883N 076-19-05.205W | | | | TR on pile. | |
| 10685 | - Daybeacon 7 | 36-54-18.719N 076-19-00.897W | | | | SG on pile. | |
| 10690 | - Daybeacon 9 | 36-54-27.257N 076-18-55.557W | | | | SG on pile. | |
| 10695 | - Daybeacon 10 | 36-54-26.837N 076-18-52.466W | | | | TR on pile. | |
| 10700 | - LIGHT 11 120 feet outside channel limit. | 36-54-30.131N 076-18-53.037W | Fl G 4s | 15 | 4 | SG on pile. | |
| 10705 | - Daybeacon 13 | 36-54-29.537N 076-18-41.211W | | | | SG on pile. | |
| 10710 | - Daybeacon 14 | 36-54-21.833N 076-18-28.227W | | | | TR on pile. | |
| 10715 | - Buoy 15 | 36-54-23.255N 076-18-01.438W | | | | Green can. | |
| 10720 | - Daybeacon 16 | 36-54-16.283N 076-17-49.215W | | | | TR on pile. | |
| 10725 | - Buoy 17 | 36-54-15.503N 076-17-36.921W | | | | Green can. | |
| 10730 | - Buoy 19 | 36-54-07.438N 076-17-24.623W | | | | Green can. | |
| 10735 | - Daybeacon 20 | 36-54-00.617N 076-17-26.949W | | | | TR on multi-pile structure. | |
| 10740 | - Daybeacon 22 | 36-53-35.951N 076-17-34.977W | | | | TR on pile. | |
| 10743 | Knitting Mill Creek Warning Daybeacon A | 36-53-28.900N 076-17-32.100W | | | | NW on pile worded DANGER. | Private aid. |
| 10743.1 | Knitting Mill Creek Warning Daybeacon B | 36-53-28.300N 076-17-29.900W | | | | NW on pile worded DANGER. | Private aid. |
| 10745 | - Daybeacon 24 | 36-53-26.819N 076-17-26.463W | | | | TR on pile. | |
| 10750 | Knitting Mill Creek Daybeacon 2 | 36-53-22.493N 076-17-31.909W | | | | TR on pile. | |
| 10755 | Knitting Mill Creek Daybeacon 3 | 36-53-12.429N 076-17-32.000W | | | | SG on pile. | |
| 10757 | Lafayette River Warning Daybeacon S | 36-53-21.288N 076-16-39.323W | | | | NW on pile worded DANGER OYSTER REEF. | Private aid. |
| 10758 | Lafayette River Warning Daybeacon N | 36-53-23.234N 076-16-39.354W | | | | NW on pile worded DANGER OYSTER REEF. | Private aid. |
| 10762 | Lafayette River Junction Daybeacon A | 36-53-16.400N 076-16-40.300W | | | | JR on pile. | Private aid. |
| | **Lafayette River Northern Branch** | | | | | | |
| 10762.01 | - Daybeacon 1N | 36-53-20.000N 076-16-37.000W | | | | SG on pile. | Private aid. |
| 10762.02 | - Daybeacon 2 | 36-53-19.000N 076-16-36.000W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **HAMPTON ROADS (Chart 12245)** | | | | | | |
| | **Lafayette River Channel** | | | | | | |
| | **Lafayette River Northern Branch** | | | | | | |
| 10762.03 | - Daybeacon 3 | 36-53-22.000N 076-16-35.000W | | | | SG on pile. | Private aid. |
| 10762.04 | - Daybeacon 4 | 36-53-22.000N 076-16-34.000W | | | | TR on pile. | Private aid. |
| 10762.05 | - Daybeacon 5 | 36-53-28.000N 076-16-26.000W | | | | SG on pile. | Private aid. |
| 10762.06 | - Daybeacon 6 | 36-53-27.000N 076-16-25.000W | | | | TR on pile. | Private aid. |
| 10762.07 | - Daybeacon 7 | 36-53-44.000N 076-16-24.000W | | | | SG on pile. | Private aid. |
| 10762.08 | - Daybeacon 8 | 36-53-51.000N 076-16-10.000W | | | | TR on pile. | Private aid. |
| 10762.09 | - Daybeacon 10 | 36-53-52.000N 076-16-05.000W | | | | TR on pile. | Private aid. |
| 10762.1 | - Daybeacon 12 | 36-53-50.000N 076-16-02.000W | | | | TR on pile. | Private aid. |
| | **Lafayette River Southern Branch** | | | | | | |
| 10762.11 | - Daybeacon 2S | 36-53-14.000N 076-16-34.000W | | | | TR on pile. | Private aid. |
| 10762.12 | - Daybeacon 3 | 36-53-07.000N 076-16-29.000W | | | | SG on pile. | Private aid. |
| 10762.13 | - Daybeacon 4 | 36-52-53.000N 076-16-27.000W | | | | TR on pile. | Private aid. |
| 10762.14 | - Daybeacon 6 | 36-52-47.000N 076-16-20.000W | | | | TR on pile. | Private aid. |
| | **Newport News Middle Ground** *Anchorage buoys mark junction of fairway with anchorage areas.* | | | | | | |
| 10765 | Newport News Anchorage Buoy H | 36-56-45.460N 076-21-36.314W | | | | Yellow nun. | |
| 10770 | Newport News Anchorage Buoy I | 36-56-38.560N 076-21-38.814W | | | | Yellow nun. | |
| 10775 | Newport News Anchorage Buoy J | 36-56-57.760N 076-22-23.816W | | | | Yellow nun. | |
| 10780 | Newport News Anchorage Buoy K | 36-56-52.560N 076-22-30.516W | | | | Yellow nun. | |
| 10783 | *Newport News Anchorage L Lighted Mooring Buoy CG* | 36-56-04.884N 076-21-51.811W | Fl W 4s | | 4 | White with blue band worded CG. | |
| 10785 | TARMAC Mooring Buoy | 36-58-00.531N 076-23-40.805W | | | | White with blue band; can. | Private aid. |
| 10790 | *Newport News Creek Lighted Buoy 1* | 36-57-27.814N 076-24-34.809W | Fl G 4s | | 4 | Green. | |
| 10795 | NEWPORT NEWS CREEK LIGHT 2 | 36-57-34.839N 076-24-33.773W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 10800 | *Newport News Creek Lighted Buoy 4* | 36-57-42.960N 076-24-37.622W | Fl R 4s | | 4 | Red. | |
| 10805 | NEWPORT NEWS CREEK LIGHT 6 | 36-57-46.295N 076-24-41.727W | Q R | 25 | 4 | TR on pile. | |
| 10810 | NEWPORT NEWS OBSTRUCTION LIGHT | 36-57-42.023N 076-24-24.303W | Fl W 4s | 25 | 5 | NW on pile. | |
| 10815 | - LIGHT | 36-56-42.662N 076-23-29.366W | Fl R 10s | 52 | 7 | Red conical tower on red cylindrical pier. | Structure maintained by entity outside the U.S. Coast Guard. |
| 10820 | Hampton Roads Outfall Warning Buoy | 36-55-54.111N 076-23-47.514W | | | | White with orange bands; can. | Private aid. |
| | **Newport News** *Buoys located 75' outside channel limit.* | | | | | | |
| 10840 | - *Lighted Buoy 2NN* | 36-58-03.148N 076-20-37.463W | Fl R 2.5s | | 5 | Red. | |
| 10843 | *Golf 2 Anchorage Lighted Mooring Buoy A* | 36-58-14.029N 076-21-01.015W | Fl W 6s | | | White with blue band. | Aid maintained by U.S. Navy. |
| 10845 | - *Lighted Buoy 4* | 36-57-42.428N 076-21-07.329W | Q R | | 5 | Red. | |
| 10850 | - *Lighted Buoy 5* | 36-57-29.429N 076-21-08.175W | Q G | | 5 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **HAMPTON ROADS (Chart 12245)** | | | | | | |
| | **Newport News** | | | | | | |
| | *Buoys located 75' outside channel limit.* | | | | | | |
| 10855 | - *Lighted Buoy 6* | 36-57-35.939N 076-21-25.635W | Fl R 4s | | 5 | Red. | |
| 10860 | - *Lighted Buoy 7* | 36-57-21.009N 076-22-19.705W | Fl G 2.5s | | 5 | Green. | |
| 10865 | - *Lighted Buoy 8* | 36-57-30.279N 076-22-21.775W | Fl R 2.5s | | 5 | Red. | |
| 10870 | - *Lighted Buoy 9* | 36-57-14.089N 076-23-28.365W | Fl G 4s | | 5 | Green. | |
| 10875 | - *Lighted Buoy 10* | 36-57-22.839N 076-23-35.625W | Fl R 4s | | 5 | Red. | |
| 10880 | - *Lighted Buoy 12* | 36-57-17.769N 076-24-25.455W | Fl R 2.5s | | 5 | Red. | |
| 10881 | *HRSD Newport News Point Outfall Lighted Buoy BH* | 36-57-24.630N 076-24-42.740W | Fl W 4s | | | White. | Private aid. |
| 10885 | - *Lighted Buoy 13* | 36-57-06.569N 076-24-43.375W | Q G | | 5 | Green. | |
| 10890 | - *Lighted Buoy 14* | 36-57-22.509N 076-24-53.985W | Q R | | 5 | Red. | |
| | **Hampton River** | | | | | | |
| 10895 | - CHANNEL LIGHT 1HR | 37-00-00.049N 076-19-16.857W | Q G | 15 | 4 | SG on pile. | |
| 10900 | - Channel Daybeacon 5 | 37-00-05.794N 076-19-23.039W | | | | SG on pile. | |
| 10905 | - CHANNEL LIGHT 6 | 37-00-14.032N 076-19-26.651W | Q R | 15 | 4 | TR on multi-pile structure. | |
| 10910 | - Channel Daybeacon 7 | 37-00-12.749N 076-19-31.836W | | | | SG on pile. | |
| 10915 | - Channel Daybeacon 8 | 37-00-21.052N 076-19-51.197W | | | | TR on pile. | |
| 10920 | - Channel Daybeacon 10 | 37-00-27.145N 076-20-13.164W | | | | TR on pile. | |
| 10925 | - CHANNEL LIGHT 11 | 37-00-26.046N 076-20-19.179W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 10930 | - Channel Daybeacon 12 | 37-00-30.523N 076-20-16.524W | | | | TR on pile. | |
| 10935 | - Channel Daybeacon 13 | 37-00-46.417N 076-20-23.596W | | | | SG on pile. | |
| 10940 | - Channel Daybeacon 14 | 37-00-46.015N 076-20-20.471W | | | | TR on pile. | |
| 10945 | - CHANNEL LIGHT 16 | 37-01-03.312N 076-20-23.864W | Fl R 4s | 15 | 4 | TR on pile. | |
| 10955 | - Channel Daybeacon 18 | 37-01-15.048N 076-20-33.258W | | | | TR on pile. | |
| 10960 | - Channel Daybeacon 20 | 37-01-19.181N 076-20-32.663W | | | | TR on pile. | |
| 10962 | - Channel Buoy 22 | 37-01-16.000N 076-20-30.000W | | | | Red nun. | Private aid. |
| 10963 | - Channel Buoy 24 | 37-01-12.000N 076-20-26.000W | | | | Red nun. | Private aid. |
| 10964 | - Channel Daybeacon 26 | 37-01-08.000N 076-20-23.000W | | | | TR on dolphin. | Private aid. |
| 10965 | SUNSET CREEK JUNCTION LIGHT SC | 37-01-06.900N 076-20-31.183W | Fl (2+1)G 6s | 15 | 3 | JG on pile. | |
| 10975 | Sunset Creek Daybeacon 3 | 37-01-02.144N 076-20-40.923W | | | | SG on pile. | |
| 10990 | MERRIMAC HARBOR LIGHT 2 | 37-00-40.528N 076-20-27.797W | Fl R 4s | 15 | | TR on pile. | Private aid. |
| | **Phoebus Channel** | | | | | | |
| 10995 | - WRECK LIGHT WR2 | 36-59-57.970N 076-18-43.232W | Q R | 15 | 4 | NW on pile worded DANGER SUBMERGED PILING. | |
| 11000 | - ENTRANCE LIGHT 1 | 36-59-57.309N 076-18-54.715W | Fl G 2.5s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **HAMPTON ROADS (Chart 12245)** | | | | | | |
| | **Hampton River** | | | | | | |
| | **Phoebus Channel** | | | | | | |
| 11005 | - Daybeacon 3 | 37-00-12.212N 076-18-58.151W | | | | SG on pile. | |
| 11007 | OLD POINT COMFORT MARINA SEA WALL LIGHT A | 37-00-11.600N 076-18-54.700W | Fl Y 2.5s | | | On platform above sea wall. | Private aid. |
| 11007.1 | OLD POINT COMFORT MARINA SEA WALL LIGHT B | 37-00-18.300N 076-18-54.200W | Fl Y 4s | | | On platform above sea wall. | Private aid. |
| 11007.2 | OLD POINT COMFORT MARINA SEA WALL LIGHT C | 37-00-19.500N 076-18-54.100W | Fl Y 4s | | | On platform above sea wall. | Private aid. |
| 11007.3 | OLD POINT COMFORT MARINA SEA WALL LIGHT D | 37-00-27.800N 076-18-53.500W | Fl Y 2.5s | | | On platform above sea wall. | Private aid. |
| 11008 | *Phoebus Anchorage Area Lighted Buoy A* | 37-00-20.360N 076-19-00.070W | Fl Y 4s | | | | Private aid. |
| 11008.1 | *Phoebus Anchorage Area Lighted Buoy B* | 37-00-34.860N 076-19-04.030W | Fl Y 4s | | | | Private aid. |
| 11008.2 | *Phoebus Anchorage Area Lighted Buoy C* | 37-00-33.790N 076-19-10.070W | Fl Y 4s | | | | Private aid. |
| 11008.3 | *Phoebus Anchorage Area Lighted Buoy D* | 37-00-19.300N 076-19-06.100W | Fl Y 4s | | | | Private aid. |
| 11010 | - Daybeacon 4 | 37-00-26.498N 076-18-53.755W | | | | TR on pile. | |
| 11015 | - Daybeacon 5 | 37-00-44.276N 076-19-07.647W | | | | SG on pile. | |
| | **NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248)** | | | | | | |
| | **Nansemond River** | | | | | | |
| 11017 | - CHANNEL LIGHT 2NR | 36-55-47.086N 076-25-00.194W | Fl R 2.5s | 15 | 5 | TR on pile. | |
| 11018 | - Channel Daybeacon 3 | 36-55-16.288N 076-25-48.295W | | | | SG on pile. | |
| 11020 | Nansemond Ordnance Depot Warning Daybeacon | 36-55-01.870N 076-25-58.131W | | | | NW on pile worded DANGER SUBMERGED PILING. | |
| 11025 | - CHANNEL LIGHT 5 | 36-54-44.619N 076-27-03.260W | Fl G 4s | 17 | 4 | SG on pile. | |
| 11030 | - Channel Daybeacon 7 | 36-54-17.968N 076-27-20.133W | | | | SG on pile. | |
| 11035 | Nansmond River Channel Daybeacon 8 | 36-53-53.194N 076-27-48.447W | | | | TR on pile. | |
| 11040 | - CHANNEL LIGHT 9 | 36-53-26.326N 076-28-17.367W | Fl G 4s | 15 | 4 | SG on pile. | |
| 11043 | James River Oyster Sanctuary Daybeacon SMT | 37-00-58.890N 076-33-35.730W | | | | NW on pile. | Private aid. |
| 11043.1 | James River Oyster Sanctuary Daybeacon STH | 37-01-19.370N 076-33-23.320W | | | | NW on pile. | Private aid. |
| | **Bennett Creek** | | | | | | |
| 11045 | - LIGHT 1BC | 36-53-12.786N 076-28-49.257W | Fl G 4s | 15 | 4 | SG on pile. | |
| 11047 | - Daybeacon 2 | 36-53-11.358N 076-28-50.976W | | | | TR on pile. | |
| 11050 | - Daybeacon 4 | 36-52-56.446N 076-28-54.374W | | | | TR on pile. | |
| 11055 | - Buoy 5 | 36-52-41.578N 076-28-56.755W | | | | Green can. | |
| | **Nansemond River** | | | | | | |
| 11060 | - CHANNEL LIGHT 11 | 36-52-58.594N 076-29-48.861W | Fl G 4s | 15 | 4 | SG on pile. | |
| 11065 | VIRGINIA POWER WEST TOWER LIGHT | 36-52-36.592N 076-30-16.200W | Fl Y 4s | 7 | | On tower. | Private aid. |
| 11070 | VIRGINIA POWER EAST TOWER LIGHT | 36-52-36.592N 076-30-02.545W | Fl Y 4s | 7 | | On tower. | Private aid. |
| 11075 | - CHANNEL LIGHT 12 | 36-52-30.677N 076-30-18.153W | Fl R 4s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248)** | | | | | | |
| | **Nansemond River** | | | | | | |
| 11080 | - Channel Daybeacon 14 | 36-52-06.564N 076-30-46.834W | | | | TR on pile. | |
| 11085 | - Channel Daybeacon 15 | 36-51-44.008N 076-31-20.542W | | | | SG on pile. | |
| 11090 | - CHANNEL LIGHT 16 | 36-51-25.044N 076-31-34.635W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 11095 | - Channel Daybeacon 18 | 36-50-44.564N 076-31-37.835W | | | | TR on pile. | |
| 11100 | - CHANNEL LIGHT 19 | 36-50-36.857N 076-31-36.802W | Fl G 4s | 15 | 4 | SG on slatted pile structure. | |
| 11105 | - Channel Daybeacon 21 | 36-50-18.730N 076-32-15.244W | | | | SG on pile. | |
| 11108 | - Channel Daybeacon 21A | 36-50-12.252N 076-33-00.308W | | | | SG on pile. | |
| 11110 | - Channel Daybeacon 22 | 36-50-16.672N 076-33-00.961W | | | | TR on pile. | |
| 11115 | - Channel Daybeacon 23 | 36-50-10.540N 076-33-15.184W | | | | SG on pile. | |
| 11120 | - CHANNEL LIGHT 25 | 36-50-05.583N 076-33-25.855W | Fl G 4s | 15 | 4 | SG on pile. | |
| 11125 | - Channel Daybeacon 26 | 36-49-59.134N 076-33-36.448W | | | | TR on pile. | |
| 11130 | - CHANNEL LIGHT 28 | 36-49-41.523N 076-33-41.397W | Fl R 4s | 15 | 4 | TR on pile. | |
| 11135 | - Channel Daybeacon 29 | 36-49-39.923N 076-33-37.057W | | | | SG on pile. | |
| 11140 | - Channel Daybeacon 31 | 36-49-27.117N 076-33-29.895W | | | | SG on pile. | |
| 11145 | - Channel Daybeacon 33 | 36-48-56.175N 076-33-16.521W | | | | SG on pile. | |
| 11150 | - Channel Daybeacon 35 | 36-48-40.861N 076-33-29.151W | | | | SG on pile. | |
| 11155 | - Channel Daybeacon 36 | 36-48-34.261N 076-33-35.691W | | | | TR on pile. | |
| 11160 | - Channel Daybeacon 38 | 36-48-17.709N 076-33-31.983W | | | | TR on pile. | |
| 11165 | - Channel Daybeacon 40 | 36-48-09.411N 076-33-34.446W | | | | TR on pile. | |
| 11170 | - Channel Daybeacon 41 | 36-47-51.837N 076-33-43.557W | | | | SG on pile. | |
| 11175 | - Channel Daybeacon 43 | 36-47-27.453N 076-33-43.275W | | | | SG on pile. | |
| | **Western Branch** | | | | | | |
| 11180 | - Junction Daybeacon A | 36-47-20.633N 076-33-45.550W | | | | JR on pile. | |
| 11185 | - Daybeacon 2 | 36-47-20.288N 076-33-57.300W | | | | TR on pile. | |
| 11190 | - Daybeacon 3 | 36-47-23.267N 076-34-05.074W | | | | SG on pile. | |
| 11195 | - Daybeacon 4 | 36-47-29.282N 076-34-12.707W | | | | TR on pile. | |
| | **Nansemond River** | | | | | | |
| 11200 | - -Lake Meade Dam Warning Buoy A | 36-44-44.900N 076-35-19.150W | | | | White can with orange diamond worded DANGER DAM. | Private aid. |
| 11200.1 | - -Lake Meade Dam Warning Buoy B | 36-44-46.600N 076-35-17.930W | | | | White can with orange diamond worded DANGER DAM. | Private aid. |
| 11200.2 | - -Lake Meade Dam Warning Buoy C | 36-44-47.800N 076-35-17.550W | | | | White can with orange diamond worded DANGER DAM. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248)** | | | | | | |
| | **Nansemond River** | | | | | | |
| | **Chuckatuck Creek** | | | | | | |
| 11205 | - Approach Daybeacon CC | 36-56-18.273N 076-27-46.960W | | | | MR on pile. | |
| 11210 | - ENTRANCE LIGHT 2 | 36-55-58.876N 076-28-57.079W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 11215 | - ENTRANCE LIGHT 3 | 36-56-03.250N 076-29-12.759W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 11220 | - Entrance Daybeacon 5 | 36-56-03.703N 076-29-15.773W | | | | SG on pile. | |
| 11225 | - ENTRANCE LIGHT 7 | 36-55-56.525N 076-29-28.932W | Fl G 4s | 15 | 4 | SG on pile. | |
| 11230 | - ENTRANCE LIGHT 8 | 36-55-20.182N 076-29-41.430W | Fl R 4s | 15 | 4 | TR on pile. | |
| 11235 | - Buoy 10 | 36-55-07.880N 076-29-45.888W | | | | Red nun. | |
| | **James River** | | | | | | |
| 11240 | - Anchorage I Buoy A | 36-56-03.561N 076-24-35.821W | | | | Yellow nun. | |
| 11245 | - Anchorage I Buoy B | 36-57-27.973N 076-26-08.891W | | | | Yellow nun. | |
| 11250 | - Anchorage I Buoy C | 36-58-23.561N 076-27-09.829W | | | | Yellow nun. | |
| 11260 | CSX PIER 15 LIGHTS (2) | 36-57-39.140N 076-25-04.810W | Fl Y 4s | 23 | | On pile on end of pier. | Private aid. |
| 11265 | CSX PIER 14 LIGHTS (2) | 36-57-38.920N 076-25-11.660W | Fl Y 4s | 23 | | On pile on end of pier. | Private aid. |
| 11270 | NEWPORT NEWS POINT PIER LIGHTS (2) | 36-57-37.400N 076-25-00.000W | F Y | 12 | | On dolphins. | Private aid. |
| 11272 | KMT (KINDER MORGAN TERMINAL) PIER 10 MOORING DOLPHIN LIGHT | 36-57-53.570N 076-25-46.350W | Fl Y 4s | 12 | | On mooring dolphins. | Private aid. |
| 11275 | PIER 9 TERMINAL LIGHTS (2) | 36-57-59.706N 076-25-49.350W | F Y | 30 | | On metal frame on pier. | SIREN : 1 bl ev 15s (5s bl). Operates only during periods of low visibility. Private aid. |
| 11280 | Newport News Pier Eight Warning Daybeacon A | 36-58-05.002N 076-25-49.935W | | | | NW on pile. | |
| 11285 | Newport News Pier Eight Warning Daybeacon B | 36-58-07.369N 076-25-47.797W | | | | NW on pile. | |
| 11295 | VIRGINIA INTERNATIONAL TERMINAL PIER C LIGHT B | 36-58-12.530N 076-19-59.295W | Fl Y 2.5s | 11 | | On pile. | Private aid. |
| 11300 | VIRGINIA MARITIME DOLPHIN LIGHT A Marks mooring dolphin. | 36-58-23.531N 076-26-10.811W | Fl Y 2.5s | 11 | | On platform on piles. | Private aid. |
| 11305 | NEWPORT NEWS SHIPBUILDING PIER 2 LIGHT | 36-58-48.531N 076-26-22.812W | Fl Y 4s | 12 | | Gray cone. | Private aid. |
| 11310 | NEWPORT NEWS SHIPBUILDING BUFFER PIER LIGHT | 36-59-24.531N 076-26-46.814W | Fl Y 4s | 12 | | On multi-piles. | Private aid. |
| 11315 | VIRGINIA POWER WEST TOWER FENDER LIGHTS (3) | 37-00-10.049N 076-28-15.083W | Fl Y 4s | 9 | | On platform. | Private aid. |
| 11320 | VIRGINA POWER EAST TOWER FENDER LIGHTS (3) | 37-00-15.740N 076-28-07.925W | Fl Y 4s | 9 | | On platform. | Private aid. |
| | **Huntington Park Channel** | | | | | | |
| 11325 | - Daybeacon 1 | 37-00-56.530N 076-27-33.816W | | | | SG on pile. | Private aid. |
| 11330 | - Daybeacon 2 | 37-00-55.930N 076-27-33.616W | | | | TR on pile. | Private aid. |
| 11335 | - Daybeacon 3 | 37-00-58.830N 076-27-22.916W | | | | SG on pile. | Private aid. |
| 11340 | - Daybeacon 4 | 37-00-58.330N 076-27-22.016W | | | | TR on pile. | Private aid. |
| 11345 | - Daybeacon 6 | 37-00-59.130N 076-27-22.216W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248)** | | | | | | |
| | **James River** | | | | | | |
| | **Leeward Marina Channel** | | | | | | |
| 11350 | - Daybeacon 1 | 37-00-38.600N 076-27-26.400W | | | | SG on pile. | Private aid. |
| 11355 | - Daybeacon 2 | 37-00-38.100N 076-27-25.900W | | | | TR on pile. | Private aid. |
| 11357 | - Daybeacon 3 | 37-00-42.500N 076-27-20.300W | | | | SG on pile. | Private aid. |
| 11360 | - Daybeacon 4 | 37-00-42.100N 076-27-20.800W | | | | TR on wave screen. | Private aid. |
| 11362 | LEEWARD MARINA DIRECTIONAL LIGHT LM | 37-00-43.600N 076-27-19.800W | F W | | | On wave screen. | Night operation only. Visible on a bearing of 225.0°. Private aid. |
| | **James River** | | | | | | |
| 11367 | - *Channel Lighted Buoy 1* | 37-00-46.029N 076-29-54.516W | Fl G 2.5s | | 5 | Green. | |
| 11370 | - CHANNEL LIGHT 2 | 37-01-18.584N 076-30-21.554W | Fl R 4s | 15 | 5 | TR on multi-pile structure. | |
| | **Pagan River** | | | | | | |
| 11375 | - Entrance Channel Daybeacon 2 | 37-00-49.463N 076-32-19.388W | | | | TR on pile. | |
| 11380 | - ENTRANCE LIGHT 3 | 37-00-45.302N 076-32-19.697W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 11385 | Oyster Rock Warning Daybeacon | 37-00-24.467N 076-32-16.641W | | | | NW on pile worded DANGER SUBMERGED ROCK. | |
| 11390 | - Channel Daybeacon 4 | 37-00-47.866N 076-32-57.448W | | | | TR on pile. | |
| 11395 | - Channel Daybeacon 6 | 37-00-45.493N 076-33-25.653W | | | | TR on pile. | |
| 11400 | - CHANNEL LIGHT 8 | 37-00-42.917N 076-33-53.248W | Fl R 4s | 15 | 4 | TR on pile. | |
| 11405 | - Channel Daybeacon 10 | 37-00-37.645N 076-34-15.780W | | | | TR on pile. | |
| 11410 | - CHANNEL LIGHT 12 | 37-00-20.947N 076-34-28.668W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 11415 | - CHANNEL LIGHT 13 | 37-00-12.001N 076-34-23.250W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 11420 | Jones Creek Daybeacon 2 | 37-00-04.712N 076-34-18.793W | | | | TR on pile. | |
| 11425 | Jones Creek Daybeacon 4 | 36-59-55.462N 076-34-11.074W | | | | TR on pile. | |
| 11430 | - CHANNEL LIGHT 14 | 36-59-58.323N 076-34-32.443W | Fl R 4s | 15 | 4 | TR on pile. | |
| 11435 | - Channel Daybeacon 15 | 36-59-52.834N 076-36-04.169W | | | | SG on pile. | |
| 11440 | - Channel Warning Daybeacon A | 36-59-52.853N 076-36-18.941W | | | | NW on multi-pile structure worded DANGER SHOALING. | |
| 11441 | - Channel Buoy 15A | 36-59-56.037N 076-36-19.786W | | | | Green Can. | |
| 11442 | - *Channel Lighted Buoy 16* | 36-59-57.817N 076-36-23.371W | Q R | | 4 | Red. | |
| 11443 | - Channel Buoy 16A | 36-59-56.852N 076-36-37.422W | | | | Red nun. | |
| 11445 | - Channel Daybeacon 17 | 36-59-53.237N 076-36-44.410W | | | | SG on pile. | |
| 11450 | - Channel Daybeacon 18 | 36-59-49.477N 076-36-59.613W | | | | TR on pile. | |
| 11455 | - CHANNEL LIGHT 19 | 36-59-33.148N 076-37-24.825W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 11460 | - Channel Daybeacon 21 | 36-59-16.739N 076-37-11.719W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248)** | | | | | | |
| | **James River** | | | | | | |
| 11463 | - CHANNEL LIGHT 3 | 37-01-42.776N 076-31-49.280W | Fl G 4s | 15 | 5 | SG on multi-pile structure. | |
| 11465 | - CHANNEL LIGHT 4 | 37-01-47.080N 076-31-10.455W | Fl R 2.5s | 15 | 5 | TR on multi-pile structure. | |
| 11467 | - CHANNEL LIGHT 5 | 37-02-21.202N 076-32-46.728W | Fl G 2.5s | 15 | 5 | SG on pile. | |
| | **Deep Creek Channel** | | | | | | |
| 11470 | - JUNCTION LIGHT DC | 37-02-39.094N 076-31-58.601W | Fl (2+1)R 6s | 15 | 5 | JR on pile. | |
| 11475 | - ENTRANCE LIGHT 2 | 37-03-36.497N 076-32-06.156W | Fl R 4s | 15 | 3 | TR on pile. | |
| 11480 | - Daybeacon 4 | 37-04-00.931N 076-32-09.421W | | | | TR on pile. | |
| 11485 | - Daybeacon 6 | 37-04-21.646N 076-32-10.902W | | | | TR on pile. | |
| 11490 | - LIGHT 7 | 37-04-25.240N 076-32-12.690W | Fl G 4s | 15 | 3 | SG on multi-pile structure. | |
| 11495 | - Daybeacon 8 | 37-04-25.132N 076-32-09.450W | | | | TR on pile. | |
| 11500 | - Daybeacon 10 | 37-04-39.958N 076-31-50.010W | | | | TR on pile. | |
| 11510 | - Daybeacon 11 | 37-04-50.896N 076-31-37.914W | | | | SG on pile. | |
| 11515 | - LIGHT 12 | 37-04-53.578N 076-31-32.052W | Fl R 4s | 15 | 3 | TR on pile. | |
| 11520 | - Daybeacon 14 | 37-05-00.959N 076-31-18.804W | | | | TR on pile. | |
| 11521.1 | - Daybeacon 15 | 37-05-12.000N 076-31-20.000W | | | | SG on pile. | Private aid. |
| 11521.2 | - Daybeacon 16 | 37-05-24.000N 076-31-22.000W | | | | TR on pile. | Private aid. |
| 11521.3 | - Daybeacon 17 | 37-05-26.000N 076-31-21.000W | | | | SG on pile. | Private aid. |
| 11521.4 | - Daybeacon 18 | 37-05-30.000N 076-31-10.000W | | | | TR on pile. | Private aid. |
| 11521.5 | - Daybeacon 19 | 37-05-30.000N 076-31-16.000W | | | | SG on pile. | Private aid. |
| | **Warwick River** | | | | | | |
| 11530 | - Daybeacon 4 | 37-05-28.710N 076-33-00.295W | | | | TR on pile. | |
| 11535 | - Daybeacon 6 | 37-05-53.478N 076-33-24.805W | | | | TR on pile. | |
| 11540 | - Daybeacon 8 | 37-06-21.346N 076-33-43.534W | | | | TR on pile. | |
| 11545 | - Daybeacon 10 | 37-06-36.688N 076-33-52.734W | | | | TR on pile. | |
| 11550 | - Daybeacon 11 | 37-06-45.514N 076-33-55.122W | | | | SG on pile. | |
| 11555 | - Daybeacon 13 | 37-07-21.432N 076-34-07.282W | | | | SG on pile. | |
| 11560 | White Shoal Daybeacon 2 | 37-01-27.099N 076-32-02.050W | | | | TR on pile. | |
| | **James River** | | | | | | |
| 11564 | - Oyster Sanctuary Daybeacon NMT | 37-02-46.440N 076-32-05.760W | | | | NW on pile. | Private aid. |
| 11564.1 | - Oyster Sanctuary Daybeacon NTH | 37-03-12.180N 076-31-25.380W | | | | NW on pile. | Private aid. |
| 11565 | - Oyster Sanctuary Daybeacon EWS | 37-03-37.600N 076-33-49.500W | | | | NW on pile. | Private aid. |
| 11565.1 | - Oyster Sanctuary Daybeacon AWS | 37-03-36.357N 076-35-06.623W | | | | NW on pile. | Private aid. |
| 11565.2 | - Oyster Sanctuary Daybeacon DWS | 37-04-01.870N 076-34-06.420W | | | | NW on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248)** | | | | | | |
| | **James River** | | | | | | |
| 11565.3 | - Oyster Sanctuary Daybeacon BWS | 37-04-01.410N 076-34-52.240W | | | | NW on pile. | Private aid. |
| 11565.4 | - Oyster Sanctuary Daybeacon CWS | 37-04-24.440N 076-34-39.410W | | | | NW on pile. | Private aid. |
| 11570 | - *Channel Lighted Buoy 6* | 37-03-12.660N 076-33-34.245W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 11575 | - *Channel Lighted Buoy 7* 100 feet outside channel limit. | 37-03-07.960N 076-33-46.646W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 11580 | - *Channel Lighted Buoy 9* 75 feet outside channel limit. | 37-03-08.460N 076-34-18.047W | Fl G 4s | | 5 | Green. | |
| 11585 | - CHANNEL LIGHT 10 195 feet outside channel limit. | 37-03-12.223N 076-34-36.657W | Fl R 4s | 15 | 5 | TR on multi-pile structure. | |
| 11590 | - Channel Buoy 10A 350 feet outside channel limit. | 37-03-15.997N 076-35-18.439W | | | | Red nun. | |
| 11595 | - *Channel Lighted Buoy 11* 450 feet outside channel limit. | 37-03-08.060N 076-35-27.449W | Q G | | 5 | Green. | |
| | **Burwell Bay** | | | | | | |
| 11600 | - Daybeacon 1 | 37-02-58.597N 076-36-56.071W | | | | SG on pile. | |
| 11605 | - Daybeacon 2 | 37-03-04.440N 076-36-55.722W | | | | TR on pile. | |
| 11610 | - Daybeacon 3 | 37-02-57.616N 076-38-30.509W | | | | SG on pile. | |
| 11615 | - Daybeacon 4 | 37-03-03.643N 076-38-28.978W | | | | TR on pile. | |
| 11620 | - Daybeacon 5 | 37-03-09.328N 076-39-05.687W | | | | SG on pile. | |
| 11625 | - Daybeacon 6 | 37-03-14.039N 076-38-59.885W | | | | TR on pile. | |
| 11630 | - Daybeacon 7 | 37-03-59.945N 076-39-28.315W | | | | SG on pile. | |
| 11635 | - Daybeacon 8 | 37-03-59.600N 076-39-20.515W | | | | TR on pile. | |
| 11640 | - Daybeacon 10 | 37-05-23.383N 076-38-32.170W | | | | TR on pile. | |
| | **James River** | | | | | | |
| 11645 | - CHANNEL LIGHT 12 135 feet outside channel limit. | 37-03-21.168N 076-35-29.056W | Fl R 2.5s | 15 | 5 | TR on pile. | |
| 11650 | - Channel Buoy 13 135 feet outside channel limit. | 37-03-20.360N 076-35-36.849W | | | | Green can. | |
| 11655 | - CHANNEL LIGHT 15 | 37-04-18.361N 076-36-18.221W | Fl G 4s | 15 | 5 | SG on pile. | |
| 11660 | - CHANNEL LIGHT 16 160 feet outside channel limit. | 37-04-22.043N 076-36-12.292W | Fl R 4s | 15 | 5 | TR on pile. | |
| 11665 | - Channel Buoy 17 180 feet outside channel limit. | 37-04-49.560N 076-36-41.051W | | | | Green can. | |
| 11670 | - CHANNEL LIGHT 18 200 feet outside channel limit. | 37-04-54.459N 076-36-35.236W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 11675 | - CHANNEL LIGHT 19 | 37-05-34.031N 076-37-12.901W | Fl G 4s | 15 | 5 | SG on pile. | |
| 11680 | - Channel Buoy 20 100 feet outside channel limit. | 37-05-36.308N 076-37-06.892W | | | | Red nun. | |
| 11685 | - Channel Buoy 21 100 feet outside channel limit. | 37-06-21.142N 076-37-45.078W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248)** | | | | | | |
| | **James River** | | | | | | |
| 11690 | - *Channel Lighted Buoy 22* | 37-06-19.714N 076-37-38.270W | Fl R 4s | | 5 | Red. | |
| 11695 | - *Channel Lighted Buoy 23* | 37-07-00.615N 076-38-12.346W | Fl G 2.5s | | 5 | Green. | |
| 11700 | - CHANNEL LIGHT 24 100 feet outside channel limit. | 37-07-03.558N 076-38-08.827W | Q R | 19 | 5 | TR on pile. | |
| | **Tylers Beach Channel** | | | | | | |
| 11705 | - Daybeacon 1TB 10 feet outside channel limit. | 37-04-46.454N 076-39-17.789W | | | | SG on pile. | |
| 11710 | - Daybeacon 3 10 feet outside channel limit. | 37-04-50.147N 076-39-33.100W | | | | SG on pile. | |
| 11715 | - Daybeacon 5 10 feet outside channel limit. | 37-04-53.399N 076-39-44.974W | | | | SG on pile. | |
| 11720 | - LIGHT 7 10 feet outside channel limit. | 37-04-55.073N 076-39-51.154W | Fl G 4s | 15 | 4 | SG on pile. | |
| 11725 | - Daybeacon 8 | 37-04-56.285N 076-39-50.602W | | | | TR on pile. | |
| | **Mulberry Island** | | | | | | |
| 11729 | - WARNING LIGHT A | 37-07-54.829N 076-38-00.216W | Fl W 4s | 15 | 4 | NW on multi-pile structure. | Maintained by MARAD. |
| 11730 | - ENTRANCE LIGHT 1MI | 37-08-07.440N 076-38-01.685W | Fl G 2.5s | 15 | 4 | SG on pile. | Maintained by MARAD. |
| 11735 | - Entrance Daybeacon 2 | 37-08-05.928N 076-38-01.179W | | | | TR on pile. | Maintained by MARAD. |
| 11740 | - RANGE FRONT LIGHT | 37-08-14.958N 076-37-18.752W | F R | 16 | | KRW on pile. | Maintained by MARAD. Night : Visible all around. |
| 11745 | - RANGE REAR LIGHT | 37-08-15.858N 076-37-14.352W | F G | 20 | | KRW on pile. | Maintained by MARAD. Night : Visible all around. |
| 11750 | - Daybeacon 3 | 37-08-08.392N 076-37-56.869W | | | | SG on pile. | Maintained by MARAD. |
| 11755 | - Daybeacon 5 | 37-08-09.344N 076-37-52.077W | | | | SG on pile. | Maintained by MARAD. |
| 11760 | - Daybeacon 7 | 37-08-10.277N 076-37-47.286W | | | | SG on pile. | Maintained by MARAD. |
| 11765 | - Daybeacon 9 | 37-08-11.230N 076-37-42.495W | | | | SG on pile. | Maintained by MARAD. |
| 11770 | - Daybeacon 11 | 37-08-12.141N 076-37-37.630W | | | | SG on pile. | Maintained by MARAD. |
| 11775 | - LIGHT 13 | 37-08-13.094N 076-37-32.888W | Fl G 2.5s | 15 | 4 | SG on pile. | Maintained by MARAD. |
| 11777 | - Daybeacon 14 | 37-08-11.485N 076-37-32.421W | | | | TR on pile. | Maintained by MARAD. |
| | **James River** | | | | | | |
| 11780 | DEEP WATER SHOALS WARNING LIGHT | 37-08-55.283N 076-38-13.496W | Fl W 4s | 15 | 4 | NW on pile worded DANGER. | |
| 11785 | - Channel Buoy 25 | 37-09-13.758N 076-38-35.054W | | | | Green can. | |
| | **Surry Power Station** | | | | | | |
| 11800 | - Daybeacon 2 | 37-08-20.389N 076-39-28.684W | | | | TR on pile. | Private aid. |
| 11805 | - Daybeacon 3 | 37-08-35.370N 076-39-48.207W | | | | SG on pile. | Private aid. |
| 11810 | - Daybeacon 5 | 37-08-58.228N 076-39-54.768W | | | | SG on pile. | Private aid. |
| 11815 | - Daybeacon 7 | 37-09-24.635N 076-40-00.626W | | | | SG on pile. | Private aid. |
| 11820 | - Daybeacon 9 | 37-09-21.630N 076-40-12.141W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248)** | | | | | | |
| | **Skiffes Creek Channel** | | | | | | |
| 11825 | - *Lighted Buoy 2* | 37-09-51.982N 076-37-44.890W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 11830 | - Buoy 1 | 37-09-55.834N 076-37-44.710W | | | | Green can. | |
| 11840 | - Daybeacon 3 | 37-09-56.879N 076-37-20.582W | | | | SG on pile. | |
| 11845 | - Daybeacon 4 | 37-09-53.400N 076-37-18.986W | | | | TR on pile. | |
| 11850 | - LIGHT 5 | 37-09-58.240N 076-36-54.988W | Fl G 4s | 15 | 4 | SG on pile. | |
| 11855 | - LIGHT 6 | 37-09-55.040N 076-36-48.825W | Fl R 4s | 15 | 4 | TR on pile. | |
| 11860 | - Daybeacon 7 25 feet outside channel limit. | 37-09-59.169N 076-36-46.024W | | | | SG on pile. | |
| 11865 | - Daybeacon 8 | 37-09-54.091N 076-36-37.242W | | | | TR on pile. | |
| 11870 | - Daybeacon 9 25 feet outside channel limit. | 37-10-04.775N 076-36-34.034W | | | | SG on pile. | |
| | **Hog Island Cutoff** | | | | | | |
| 11875 | - Channel Buoy 2 | 37-09-48.558N 076-38-42.154W | | | | Red Nun. | |
| 11880 | - Channel Buoy 3 | 37-11-16.867N 076-39-46.049W | | | | Green can. | |
| 11885 | - Channel Buoy 4 | 37-11-23.343N 076-39-34.874W | | | | Red Nun. | |
| 11890 | - Channel Buoy 6 | 37-12-16.376N 076-40-57.912W | | | | Red Nun. | |
| 11893 | - WRECK LIGHT WR7 | 37-12-21.526N 076-41-26.385W | Q G | 15 | 4 | SG on multi-pile structure. | |
| | **James River** | | | | | | |
| 11895 | - *Channel Lighted Buoy 27* | 37-09-56.925N 076-38-02.193W | Fl G 4s | | 5 | Green. | |
| 11900 | - Channel Buoy 28 | 37-10-06.383N 076-37-53.680W | | | | Red nun. | |
| 11903 | - *Channel Lighted Buoy 29* | 37-10-48.780N 076-37-56.833W | Q G | | 5 | Green. | |
| 11905 | - *Channel Lighted Buoy 30* 50 feet outside channel limit. | 37-10-46.257N 076-37-50.649W | Fl R 2.5s | | 5 | Red. | |
| 11910 | - Channel Buoy 31 | 37-11-28.741N 076-38-11.050W | | | | Green can. | |
| 11915 | - *Channel Lighted Buoy 32* 50 feet outside channel limit. | 37-11-30.841N 076-38-05.715W | Fl R 4s | | 5 | Red. | |
| 11920 | - Channel Buoy 34 | 37-11-58.056N 076-38-34.054W | | | | Red nun. | |
| 11922 | - *Channel Lighted Buoy 35* 50 feet outside channel limit. | 37-12-04.946N 076-38-48.774W | Fl G 4s | | 5 | Green. | |
| 11925 | - CHANNEL LIGHT 36 80 feet outside channel limit. | 37-12-13.044N 076-38-51.162W | Fl R 4s | 15 | 5 | TR on multi-pile structure. | |
| 11930 | - Channel Buoy 38 50 feet outside channel limit. | 37-12-28.996N 076-39-11.985W | | | | Red nun. | |
| 11933 | HRSD Williamsburg WWTP Outfall Warning Buoy A | 37-12-44.520N 076-38-59.210W | | | | White and orange buoy worded DANGER PIPELINE DO NOT ANCHOR. | Private aid. |
| 11935 | - *Channel Lighted Buoy 39* 50 feet outside channel limit. | 37-12-41.757N 076-39-42.756W | Fl G 2.5s | | 5 | Green. | |
| 11940 | - CHANNEL LIGHT 40 200 feet outside channel limit. | 37-12-47.918N 076-39-37.695W | Fl R 4s | 15 | 5 | TR on multi-pile structure. | |
| 11945 | - Channel Buoy 41 50 feet outside channel limit. | 37-12-44.700N 076-40-17.296W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248)** | | | | | | |
| | **James River** | | | | | | |
| 11950 | - *Channel Lighted Buoy 42* 50 feet outside channel limit. | 37-12-50.756N 076-40-18.781W | Fl R 4s | | 5 | Red. | |
| 11955 | KINGS MILL MARINA LIGHT 1 | 37-13-18.527N 076-39-40.840W | Fl G 4s | 7 | | On pile structure. | Private aid. |
| 11960 | KINGS MILL MARINA LIGHT 2 | 37-13-18.527N 076-39-34.840W | Fl R 4s | 7 | | On pile structure. | Private aid. |
| 11965 | *Hog Island Junction Lighted Buoy HI* | 37-12-30.354N 076-41-17.758W | Fl (2+1)G 6s | | 5 | Green with red band. | |
| 11987 | - *Channel Lighted Buoy 44* 75 feet outside channel limit. | 37-12-31.106N 076-42-13.379W | Q R | | 5 | Red. | |
| | **Jamestown Island** | | | | | | |
| 12000 | - Warning Daybeacon A | 37-12-34.901N 076-43-34.618W | | | | NW on pile worded DANGER SHOAL. | |
| 12005 | - Warning Daybeacon B | 37-12-31.283N 076-44-26.746W | | | | NW on pile worded DANGER SHOAL. | |
| 12010 | - Warning Daybeacon C | 37-12-44.213N 076-44-49.438W | | | | NW on pile worded DANGER SHOAL. | |
| 12015 | - Warning Daybeacon D | 37-12-48.035N 076-45-04.072W | | | | NW on pile worded DANGER SHOAL. | |
| 12020 | - Warning Daybeacon E | 37-12-47.297N 076-45-21.736W | | | | NW on pile worded DANGER SHOAL. | |
| 12035 | - Warning Daybeacon F | 37-13-09.683N 076-46-56.026W | | | | NW on pile worded DANGER SHOAL. | |
| | **James River** | | | | | | |
| 12040 | - *Channel Lighted Buoy 45* 40 feet outside channel limit. | 37-11-51.859N 076-43-00.162W | Fl G 4s | | 5 | Green. | |
| 12045 | - *Channel Lighted Buoy 46* 205 feet outside channel limit. | 37-11-57.059N 076-43-04.362W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 12055 | VIRGINIA POWER GROIN LIGHT A | 37-10-18.531N 076-42-22.845W | Fl Y 4s | 20 | | Pile structure. | Private aid. |
| 12060 | VIRGINIA POWER GROIN LIGHT B | 37-10-18.531N 076-42-28.846W | Fl Y 4s | 20 | | Pile structure. | Private aid. |
| 12065 | GOOSE HILL CHANNEL RANGE FRONT LIGHT | 37-10-20.823N 076-45-12.633W | Fl W 2.5s (NIGHT) Fl W 2.5s (DAY) | 16 19 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline. |
| 12070 | GOOSE HILL CHANNEL RANGE REAR LIGHT 635 yards, 228.3° from front light. | 37-10-08.288N 076-45-30.226W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 43 40 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline. |
| 12072 | Goose Hill Channel Warning Daybeacon | 37-10-02.231N 076-45-38.318W | | | | NW on multi-pile structure worded WARNING. | |
| 12075 | - *Channel Lighted Buoy 47* | 37-11-25.319N 076-43-38.026W | Fl G 2.5s | | 5 | Green. | |
| 12080 | - Channel Buoy 48 | 37-11-27.967N 076-43-42.028W | | | | Red nun. | |
| 12085 | - *Channel Lighted Buoy 49* 35 feet outside channel limit. | 37-10-55.740N 076-44-19.940W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 12090 | - *Channel Lighted Buoy 50* Located 50 feet outside channel limit. | 37-10-57.865N 076-44-24.463W | Fl R 4s | | 5 | Red. | |
| 12095 | - Channel Buoy 51 50 feet outside channel limilt. | 37-10-44.361N 076-44-35.966W | | | | Green can. | |
| 12100 | - *Channel Lighted Buoy 52* 100 feet outside channel limit. | 37-10-52.561N 076-44-51.066W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248)** | | | | | | |
| | **James River** | | | | | | |
| 12105 | - Channel Buoy 53<br>100 feet outside channel limit. | 37-11-02.339N<br>076-45-44.822W | | | | Green can. | |
| 12110 | - *Channel Lighted Buoy 54*<br>100 feet outside channel limit. | 37-11-08.326N<br>076-45-41.718W | Fl R 4s | | 5 | Red. | |
| | **JAMESTOWN ISLAND TO JORDAN POINT (Chart 12251)** | | | | | | |
| | **James River** | | | | | | |
| 12113 | *NOAA Lighted Data Buoy J* | 37-12-44.310N<br>076-47-06.780W | Fl Y 4s | | | Yellow. | Aid maintained by National Oceanic and Atmospheric Administration. |
| | **Scotland Wharf Ferry** | | | | | | |
| 12115 | - LIGHT A | 37-11-10.000N<br>076-47-04.000W | F Y | 18 | | On dolphin. | Private aid. |
| 12116 | - LIGHT 2 | 37-11-10.000N<br>076-47-02.000W | Oc R 4s | 18 | | On dolphin. | Siren signals Ferry leaving dock.<br>Private aid. |
| 12116.5 | - LIGHT 3 | 37-11-09.000N<br>076-47-00.000W | Oc G 4s | 18 | | On dolphin. | Private aid. |
| 12117 | - LIGHT B | 37-11-08.000N<br>076-46-59.000W | F Y | 18 | | On dolphin. | Private aid. |
| 12118 | - LIGHT C | 37-11-07.000N<br>076-46-58.000W | F Y | 18 | | On dolphin. | Private aid. |
| 12119 | - LIGHT D | 37-11-06.000N<br>076-46-57.000W | F Y | 18 | | On dolphin. | Private aid. |
| | **James River** | | | | | | |
| 12120 | - *Channel Lighted Gong Buoy 55* | 37-12-06.761N<br>076-46-57.369W | Fl G 4s | | 5 | Green. | |
| 12121 | - Channel Buoy 55A | 37-13-01.061N<br>076-48-02.572W | | | | Green can. | |
| 12125 | GLASSHOUSE POINT UPPER FERRY LIGHT | 37-13-11.532N<br>076-47-31.855W | Oc G 4s | 18 | | On caisson. | Private aid. |
| 12126 | GLASSHOUSE POINT CENTER FERRY LIGHT | 37-13-11.032N<br>076-47-29.855W | F Y | 18 | | On caisson. | Private aid. |
| 12127 | GLASSHOUSE POINT LOWER FERRY LIGHT | 37-13-10.032N<br>076-47-28.854W | Oc R 4s | 18 | | On caisson. | Private aid. |
| 12130 | SWANN POINT SHOAL CHANNEL RANGE FRONT LIGHT | 37-13-18.782N<br>076-47-42.182W | Fl W 2.5s<br>(NIGHT)<br>Fl W 2.5s<br>(DAY) | 25<br>23 | | On multi-pile structure. | Lighted throughout 24 hours.<br>DAY: Visible 0.5° either side of rangeline.<br>NIGHT: Visible all around; higher intensity 1.5° either side of range line. |
| 12135 | SWANN POINT SHOAL CHANNEL RANGE REAR LIGHT<br>1,030 yards, 083° from front light. | 37-13-21.893N<br>076-47-04.154W | Iso R 6s<br>(NIGHT)<br>Iso R 6s<br>(DAY) | 62 | | On white tower. | Lighted throughout 24 hours; visible 0.9° either side of rangeline. |
| 12140 | *Swann Point Junction Lighted Buoy SP* | 37-13-18.561N<br>076-48-06.372W | Fl (2+1)R 6s | | 5 | Red and green bands. | Replaced by nun when endangered by ice. |
| | **Chickahominy River** | | | | | | |
| 12141 | - Channel Daybeacon 1 | 37-13-44.228N<br>076-49-17.622W | | | | SG on pile. | |
| 12141.5 | - Channel Daybeacon 2 | 37-13-50.975N<br>076-49-14.128W | | | | TR on pile. | |
| 12142 | - Channel Daybeacon 3 | 37-14-07.063N<br>076-50-21.366W | | | | SG on pile. | |
| 12142.5 | - Channel Daybeacon 4 | 37-14-12.881N<br>076-50-19.990W | | | | TR on pile. | |
| 12143 | - Channel Daybeacon 5 | 37-14-03.329N<br>076-51-41.516W | | | | SG on pile. | |
| 12143.5 | - Channel Daybeacon 6 | 37-14-10.536N<br>076-51-40.999W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **JAMESTOWN ISLAND TO JORDAN POINT (Chart 12251)** | | | | | | |
| | **Chickahominy River** | | | | | | |
| | **Barretts Point** | | | | | | |
| 12143.7 | - *Lighted Buoy 2* | 37-14-15.600N 076-51-44.500W | Fl R 2.5s | | | Red. | Private aid. |
| 12143.71 | - Daybeacon 3 | 37-14-22.400N 076-51-52.200W | | | | SG on pile. | Private aid. |
| 12143.72 | - Daybeacon 4 | 37-14-22.800N 076-51-51.400W | | | | TR on pile. | Private aid. |
| 12143.73 | - LIGHT 5 | 37-14-29.900N 076-51-59.300W | Fl G 6s | 7 | | SG on pile. | Private aid. |
| 12143.74 | - LIGHT 6 | 37-14-29.900N 076-51-57.600W | Fl R 5s | 7 | | TR on pile. | Private aid. |
| 12143.75 | - WARNING LIGHT | 37-14-28.600N 076-51-54.200W | Fl W 3s | 7 | | NW on pile. | Private aid. |
| | **Chickahominy River** | | | | | | |
| 12144 | - Channel Daybeacon 7 | 37-14-10.705N 076-52-28.013W | | | | SG on pile. | |
| 12145 | - Channel Buoy 8 | 37-14-16.221N 076-52-17.285W | | | | Red nun. | |
| 12150 | - Channel Buoy 10 | 37-14-21.801N 076-52-31.011W | | | | Red nun. | |
| 12155 | - Channel Buoy 12 | 37-14-59.924N 076-52-37.678W | | | | Red nun. | |
| 12160 | - Channel Buoy 14 Marks sunken barge. | 37-15-25.502N 076-52-18.958W | | | | Red nun. | |
| 12165 | - Channel Buoy 15 | 37-17-42.560N 076-52-28.882W | | | | Green can. | |
| 12170 | - Channel Buoy 17 | 37-18-16.718N 076-52-34.203W | | | | Green can. | |
| 12175 | - Channel Buoy 18 | 37-18-42.559N 076-52-34.882W | | | | Red nun. | |
| 12180 | - Channel Buoy 19 | 37-22-04.583N 076-54-05.416W | | | | Green can. | |
| 12185 | - Channel Buoy 21 | 37-22-16.557N 076-53-52.886W | | | | Green can. | |
| 12190 | - Channel Buoy 23 | 37-22-43.308N 076-54-23.830W | | | | Green can. | |
| 12195 | - DAM LIGHT A | 37-24-22.000N 076-56-21.000W | Fl W 2.5s | 10 | | Daymark on pile worded DANGER KEEP AWAY, DAM SPILLWAY. | Private aid. |
| 12195.1 | - DAM LIGHT B | 37-24-23.000N 076-56-18.000W | Fl W 2.5s | 10 | | Daymark on pile worded DANGER KEEP AWAY, DAM SPILLWAY. | Private aid. |
| | **James River** | | | | | | |
| 12200 | - *Channel Lighted Buoy 57* | 37-13-13.321N 076-48-27.101W | Q G | | 5 | Green. | |
| 12203 | - *Channel Lighted Buoy 58* | 37-13-15.623N 076-48-49.765W | Fl R 2.5s | | 5 | Red. | |
| 12205 | - *Channel Lighted Buoy 59* | 37-13-03.499N 076-50-30.196W | Fl G 4s | | 5 | Green. | |
| 12210 | - *Channel Lighted Buoy 60* | 37-13-07.198N 076-50-29.620W | Fl R 4s | | 5 | Red. | |
| 12215 | - *Channel Lighted Buoy 61* | 37-12-54.279N 076-52-19.886W | Fl G 2.5s | | 5 | Green. | |
| 12220 | - *Channel Lighted Buoy 62* | 37-12-58.196N 076-52-18.561W | Fl R 2.5s | | 5 | Red. | |
| 12225 | - *Channel Lighted Buoy 63* | 37-12-45.581N 076-54-11.170W | Q G | | 5 | Green. | |
| 12230 | - *Channel Lighted Buoy 64* | 37-12-51.563N 076-54-14.684W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **JAMESTOWN ISLAND TO JORDAN POINT (Chart 12251)** | | | | | | |
| | **James River** | | | | | | |
| 12235 | DANCING POINT SHOAL CHANNEL RANGE FRONT LIGHT | 37-12-46.051N 076-54-28.625W | Fl W 2.5s (NIGHT) Fl W 2.5s (DAY) | 24 | | On skeleton tower on platform. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 12237 | DANCING POINT SHOAL CHANNEL RANGE FRONT PASSING LIGHT | 37-12-46.051N 076-54-28.625W | Fl W 2.5s | 15 | 4 | On same structure as Dancing Point Range Front Light. | |
| 12240 | DANCING POINT SHOAL CHANNEL RANGE REAR LIGHT | 37-12-43.281N 076-55-03.076W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 52 | | On skeleton tower on top of platform. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 12245 | - *Channel Lighted Buoy 65* | 37-13-10.108N 076-55-06.420W | Fl G 2.5s | | 5 | Green. | |
| 12250 | - *Channel Lighted Buoy 66* | 37-13-22.788N 076-55-25.075W | Fl R 2.5s | | 5 | Red. | |
| 12275 | - *Channel Wreck Lighted Buoy WR67* | 37-14-50.350N 076-58-44.810W | Q G | | 5 | Green. | |
| 12280 | - *Channel Lighted Buoy 68* | 37-14-55.663N 076-58-36.795W | Q R | | 5 | Red. | |
| 12285 | - CHANNEL LIGHT 73 | 37-16-16.974N 076-59-32.833W | Fl G 4s | 15 | 5 | SG on pile. | |
| 12290 | - Channel Buoy 74 | 37-16-27.862N 076-59-20.996W | | | | Red nun. | |
| 12295 | - CHANNEL LIGHT 74A | 37-17-56.927N 076-59-24.573W | Fl R 4s | 15 | 5 | TR on pile. | |
| 12300 | - CHANNEL LIGHT 74B | 37-18-27.509N 077-00-33.026W | Fl R 4s | 15 | 5 | TR on pile. | |
| 12305 | - CHANNEL LIGHT 74C | 37-18-16.655N 077-01-27.696W | Fl R 6s | 15 | 5 | TR on multi-pile structure. | |
| 12310 | - Channel Buoy 75 | 37-16-31.263N 077-02-57.104W | | | | Green can. | |
| 12315 | - *Channel Lighted Buoy 75A* | 37-16-18.963N 077-03-12.905W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 12320 | - *Channel Lighted Buoy 76* | 37-16-23.163N 077-03-15.905W | Fl R 2.5s | | 5 | Red. | |
| 12325 | - CHANNEL LIGHT 76A | 37-16-18.712N 077-04-24.050W | Fl R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12330 | - Channel Buoy 77 | 37-16-10.663N 077-03-32.806W | | | | Green can. | |
| 12335 | - CHANNEL LIGHT 77A | 37-16-12.669N 077-04-35.025W | Fl G 4s | 15 | 5 | SG on pile. | |
| 12340 | - CHANNEL LIGHT 77B | 37-16-35.473N 077-05-02.519W | Fl G 4s | 15 | 5 | SG on pile. | |
| 12345 | - CHANNEL LIGHT 79 | 37-17-36.610N 077-05-02.435W | Fl G 2.5s | 15 | 5 | SG on multi-pile structure. | |
| 12350 | - *Channel Lighted Buoy 81* 10 feet outside channel limit. | 37-18-18.286N 077-04-56.794W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 12355 | - *Channel Lighted Buoy 82* 90 feet outside channel limit. | 37-18-17.471N 077-04-49.869W | Fl R 4s | | 5 | Red. | |
| 12360 | - *Channel Lighted Buoy 83* 75 feet outside channel limit. | 37-18-35.762N 077-05-15.209W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 12365 | - Channel Buoy 84 135 feet outside channel limit. | 37-18-40.562N 077-05-10.310W | | | | Red nun. | |
| 12370 | - *Channel Lighted Buoy 85* 60 feet outside channel limit. | 37-18-42.062N 077-05-37.210W | Fl G 2.5s | | 5 | Green. | |
| 12375 | - *Channel Lighted Buoy 86* 120 feet outside channel limit. | 37-18-50.932N 077-05-47.623W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 12380 | - *Channel Lighted Buoy 87* | 37-18-40.062N 077-06-03.811W | Fl G 4s | | 5 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **JAMESTOWN ISLAND TO JORDAN POINT (Chart 12251)** | | | | | | |
| | **James River** | | | | | | |
| 12385 | - *Channel Lighted Buoy 89* 90 feet outside channel limit. | 37-18-32.951N 077-06-22.428W | Fl G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 12387 | - *Channel Lighted Buoy 89A* | 37-18-07.723N 077-07-05.955W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 12390 | VIRGINIA POWER SOUTH TOWER OBSTRUCTION LIGHTS (2) | 37-18-34.030N 077-05-43.422W | F Y | 15 | | On skeleton tower. | Private aid. |
| 12395 | VIRGINIA POWER NORTH TOWER OBSTRUCTION LIGHTS (2) | 37-19-02.366N 077-05-41.733W | F Y | 15 | | On skeleton tower. | Private aid. |
| 12400 | - *Channel Lighted Buoy 90* | 37-18-08.423N 077-07-17.976W | Fl R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 12405 | - *Channel Lighted Buoy 91* | 37-17-57.966N 077-07-37.770W | Fl G 4s | | 5 | Green. | |
| 12410 | - *Channel Lighted Buoy 92* | 37-18-06.862N 077-07-49.815W | Q R | | 5 | Red. | |
| 12417 | JORDAN POINT WARNING LIGHT | 37-18-31.206N 077-11-25.807W | Fl W 4s | 23 | 4 | On skeleton structure. | |
| 12425 | - *Channel Lighted Buoy 93* | 37-18-12.574N 077-09-20.164W | Fl G 4s | | 5 | Green. | |
| 12430 | - *Channel Lighted Buoy 94* | 37-18-16.655N 077-09-22.988W | Fl R 4s | | 5 | Red. | |
| 12435 | - *Channel Lighted Buoy 97* | 37-18-24.962N 077-10-50.722W | Fl G 4s | | 5 | Green. | |
| 12440 | - CHANNEL LIGHT 98 140 feet outside channel limit. | 37-18-30.917N 077-10-46.837W | Fl R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12442 | - *Lighted Data Buoy VCU* | 37-18-49.080N 077-11-27.600W | Fl Y 4s | | | Yellow. | Private aid. |
| 12445 | - Channel Buoy 99 100 feet outside channel limit. | 37-18-37.462N 077-11-26.223W | | | | Green can. | |
| 12450 | - *Channel Lighted Buoy 100* 100 feet outside channel limit. | 37-18-39.962N 077-11-21.823W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 12453 | - Channel Buoy 101 100 feet outside channel limit. | 37-18-56.719N 077-12-00.409W | | | | Green can. | |
| 12455 | - *Channel Lighted Buoy 102* 85 feet outside channel limit. | 37-19-03.362N 077-12-01.325W | Fl R 4s | | 5 | Red. | |
| 12460 | - Channel Buoy 103 60 feet outside channel limit. | 37-19-04.762N 077-12-33.826W | | | | Green can. | |
| 12465 | - *Channel Lighted Buoy 104* 190 feet outside channel limit. | 37-19-10.462N 077-12-34.626W | Fl R 4s | | 5 | Red. | |
| 12475 | - *Channel Lighted Buoy 106* 100 feet outside channel limit. | 37-19-08.062N 077-13-08.227W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 12480 | - CHANNEL LIGHT 107 | 37-18-44.268N 077-13-56.404W | Fl G 6s | 15 | 5 | SG on multi-pile structure. | |
| | **JORDAN POINT TO RICHMOND (Chart 12252)** | | | | | | |
| | **James River** | | | | | | |
| 12485 | - CHANNEL LIGHT 108 135 feet outside channel limit. | 37-18-32.270N 077-14-33.717W | Fl R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12490 | - CHANNEL LIGHT 109 310 feet outside channel limit. | 37-18-23.635N 077-14-36.406W | Fl G 4s | 15 | 5 | SG on multi-pile structure. | |
| 12495 | - CHANNEL LIGHT 110 | 37-18-22.919N 077-15-02.252W | Fl R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12500 | - *Channel Lighted Buoy 111* | 37-18-18.663N 077-15-15.732W | Fl G 4s | | 5 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **JORDAN POINT TO RICHMOND (Chart 12252)** | | | | | | |
| | **James River** | | | | | | |
| 12505 | STONE CONTAINER CORP. DOCK LIGHT A | 37-18-18.000N 077-15-36.000W | Fl Y 4s | 9 | | On pier. | Private aid. |
| 12510 | STONE CONTAINER CORP. DOCK LIGHT B | 37-18-20.534N 077-15-33.916W | Fl Y 4s | 9 | | On pier. | Private aid. |
| 12515 | - CHANNEL LIGHT 112 175 feet outside channel limit. | 37-18-26.098N 077-15-31.150W | Fl R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12520 | - CHANNEL LIGHT 118 | 37-19-02.656N 077-16-16.783W | Fl R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12525 | - Channel Buoy 119 | 37-19-13.674N 077-16-38.539W | | | | Green can. | |
| 12530 | - CHANNEL WRECK LIGHT WR120 | 37-19-21.529N 077-16-36.476W | Q R | 15 | 4 | TR on pile. | |
| | **Appomattox River** | | | | | | |
| 12535 | - JUNCTION LIGHT AR | 37-19-19.471N 077-16-43.385W | Fl (2+1)G 6s | 15 | 5 | JG on pile. | |
| 12540 | - Channel Buoy 1 | 37-19-12.114N 077-16-52.937W | | | | Green can. | |
| 12545 | - Channel Daybeacon 2 | 37-19-14.003N 077-16-56.123W | | | | TR on pile. | |
| 12550 | - Channel Daybeacon 4 | 37-18-58.163N 077-17-10.973W | | | | TR on pile. | |
| 12555 | - CHANNEL LIGHT 5 | 37-18-52.967N 077-17-10.913W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 12560 | - Channel Daybeacon 6 | 37-18-50.363N 077-17-19.673W | | | | TR on pile. | |
| 12565 | - CHANNEL LIGHT 8 | 37-18-45.683N 077-17-29.129W | Fl R 4s | 15 | 4 | TR on pile. | |
| 12570 | Sunken Island Junction Daybeacon SI | 37-18-56.510N 077-20-19.428W | | | | JR on pile. | |
| 12575 | - Channel Daybeacon 9 | 37-18-45.641N 077-20-56.567W | | | | SG on pile. | |
| 12580 | - Channel Daybeacon 10 | 37-18-40.727N 077-21-08.905W | | | | TR on pile. | |
| 12585 | - Buoy 14 | 37-17-56.100N 077-21-08.949W | | | | Red nun. | |
| 12590 | - Channel Daybeacon 16 | 37-17-25.409N 077-21-19.835W | | | | TR on pile. | |
| 12595 | - Channel Daybeacon 17 | 37-17-13.426N 077-21-21.154W | | | | SG on pile. | |
| | **James River** | | | | | | |
| 12600 | - CHANNEL LIGHT 121 40 feet outside channel limit. | 37-19-33.543N 077-16-41.743W | Fl G 4s | 15 | 5 | SG on multi-pile structure. | |
| 12605 | - CHANNEL LIGHT 122 160 feet outside channel limit. | 37-19-33.219N 077-16-34.289W | Q R | 15 | 5 | TR on multi-pile structure. | |
| 12610 | - CHANNEL LIGHT 124 240 feet outside channel limit. | 37-20-02.080N 077-16-20.897W | Fl R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12615 | - CHANNEL LIGHT 125 75 feet outside channel limit. | 37-20-10.727N 077-16-23.897W | Fl G 4s | 15 | 5 | SG on multi-pile structure. | |
| 12620 | - *Channel Lighted Buoy 126* | 37-20-32.098N 077-15-59.190W | Fl R 4s | | 5 | Red. | |
| 12625 | - CHANNEL LIGHT 127 | 37-20-26.027N 077-16-13.745W | Fl G 2.5s | 15 | 5 | SG on pile. | |
| 12630 | - *Channel Lighted Buoy 128* 50 feet outside channel limit. | 37-20-41.372N 077-15-58.077W | Q R | | 5 | Red. | |
| 12635 | - CHANNEL LIGHT 132 | 37-21-11.744N 077-16-30.153W | Fl R 4s | 15 | 5 | TR on pile. | |
| 12640 | - CHANNEL LIGHT 133 | 37-21-08.868N 077-16-40.168W | Fl G 4s | 15 | 5 | SG on pile. | |
| 12645 | - BERMUDA 100 LIGHT A | 37-21-07.533N 077-17-05.919W | F Y | 15 | | On dolphin. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **JORDAN POINT TO RICHMOND (Chart 12252)** | | | | | | |
| | **James River** | | | | | | |
| 12650 | - CHANNEL LIGHT 135 | 37-21-09.464N 077-17-19.510W | Fl G 2.5s | 15 | 3 | SG on pile. | |
| 12655 | - CHANNEL LIGHT 137 170 feet outside channel limit. | 37-21-28.064N 077-18-10.674W | Fl G 4s | 18 | 5 | SG on multi-pile structure. | |
| 12660 | - *Channel Lighted Buoy 138* 180 feet outside channel limits. | 37-21-48.201N 077-18-24.859W | Fl R 4s | | 5 | Red. | |
| 12665 | - CHANNEL LIGHT 139 | 37-21-54.122N 077-18-35.424W | Fl G 6s | 15 | 5 | SG on pile. | |
| 12670 | - *Channel Lighted Buoy 140* | 37-22-06.278N 077-18-31.843W | Fl R 4s | | 5 | Red. | |
| 12675 | - CHANNEL LIGHT 143 | 37-22-23.313N 077-18-40.543W | Fl G 4s | 15 | 5 | SG on pile. | |
| 12680 | - CHANNEL LIGHT 144 | 37-22-26.726N 077-18-36.933W | Fl R 4s | 15 | 5 | TR on pile. | |
| 12685 | - CHANNEL LIGHT 146 | 37-22-47.179N 077-19-10.802W | Fl R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12690 | - CHANNEL LIGHT 147 | 37-22-43.862N 077-19-18.130W | Fl G 4s | 15 | 5 | SG on pile. | |
| 12692 | - *Lighted Data Buoy A* | 37-22-43.342N 077-20-00.661W | Fl Y 4s | | | Yellow. | Private aid. |
| 12692.1 | - *Lighted Data Buoy B* | 37-22-43.028N 077-19-56.899W | Fl Y 4s | | | Yellow. | Private aid. |
| 12695 | - CHANNEL LIGHT 150 | 37-22-48.562N 077-20-52.945W | Fl R 4s | 18 | 3 | TR on pile. | |
| 12705 | - CHANNEL LIGHT 151 | 37-22-35.856N 077-21-34.250W | Q G | 15 | 4 | SG on pile. | |
| 12710 | - CHANNEL LIGHT 152 | 37-22-42.509N 077-21-42.009W | Fl R 4s | 15 | 5 | TR on pile. | |
| 12715 | - CHANNEL LIGHT 152A | 37-22-58.280N 077-22-31.248W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 12720 | - CHANNEL LIGHT 154 | 37-23-04.741N 077-22-52.794W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 12735 | - CHANNEL LIGHT 155 | 37-23-09.469N 077-23-06.864W | Q G | 15 | 4 | SG on pile. | |
| 12740 | - CHANNEL LIGHT 155A | 37-23-38.537N 077-23-02.188W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 12745 | - CHANNEL LIGHT 156 | 37-23-51.002N 077-22-55.776W | Q R | 15 | 5 | TR on pile. | |
| 12750 | - CHANNEL LIGHT 157 | 37-24-10.826N 077-23-35.364W | Fl G 4s | 18 | 4 | SG on pile. | |
| 12755 | - CHANNEL LIGHT 158 | 37-25-08.357N 077-23-44.669W | Fl R 4s | 18 | 4 | TR on pile. | |
| 12760 | - CHANNEL LIGHT 160 | 37-25-30.832N 077-24-08.891W | Q R | 15 | 4 | TR on pile. | |
| 12765 | - CHANNEL LIGHT 161 | 37-25-18.463N 077-24-46.553W | Fl G 4s | 15 | 4 | SG on pile. | |
| 12770 | - *Channel Lighted Buoy 162* | 37-25-20.496N 077-25-02.959W | Fl R 2.5s | | 4 | Red. | |
| 12780 | - CHANNEL LIGHT 163 | 37-25-55.368N 077-25-43.316W | Fl G 4s | 18 | 4 | SG on pile. | |
| 12785 | - CHANNEL LIGHT 165 | 37-26-09.874N 077-25-40.265W | Fl G 4s | 20 | 4 | SG on pile. | |
| 12790 | - CHANNEL LIGHT 166 | 37-26-59.821N 077-25-05.983W | Fl R 4s | 15 | 4 | TR on pile. | |
| 12795 | - CHANNEL LIGHT 168 | 37-29-27.540N 077-25-18.391W | Fl R 4s | 18 | 4 | TR on pile. | |
| 12800 | - Channel Buoy 169 | 37-29-34.833N 077-25-23.057W | | | | Green can. | |
| 12805 | - Channel Buoy 171 | 37-29-39.049N 077-25-25.133W | | | | Green can. | |
| 12810 | - Channel Buoy 172 | 37-29-46.173N 077-25-24.030W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **JORDAN POINT TO RICHMOND (Chart 12252)** | | | | | | |
| | **James River** | | | | | | |
| 12815 | - CHANNEL LIGHT 173 | 37-29-55.349N 077-25-25.109W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| | **CAPE CHARLES TO NORFOLK HARBOR (Chart 12222)** | | | | | | |
| | **Chesapeake Bay** | | | | | | |
| 12820 | *Horseshoe Crossing Lighted Whistle Buoy HC* | 37-01-19.753N 076-08-56.585W | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | |
| 12825 | *Scripps Lighted Data Buoy CDIP 240* | 37-01-32.520N 076-09-02.880W | Fl (5)Y 20s | | | Yellow. | Private aid. |
| 12830 | Horseshoe West Channel Daybeacon 2 | 37-01-58.754N 076-15-44.976W | | | | TR on pile. | |
| 12835 | HORSESHOE WEST CHANNEL LIGHT 3 | 37-03-14.229N 076-15-39.015W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| | **Salt Ponds** | | | | | | |
| 12845 | - Daybeacon 1 | 37-03-36.660N 076-16-08.100W | | | | SG on pile. | Private aid. |
| 12850 | - Daybeacon 2 | 37-03-38.880N 076-16-09.120W | | | | TR on pile. | Private aid. |
| 12855 | - Daybeacon 3 | 37-03-43.860N 076-16-43.800W | | | | SG on pile. | Private aid. |
| 12860 | - Daybeacon 4 | 37-03-43.320N 076-16-33.600W | | | | TR on pile. | Private aid. |
| 12865 | - Daybeacon 5 | 37-03-45.600N 076-16-51.000W | | | | SG on multi-pile structure. | Private aid. |
| 12870 | - LIGHT 6 | 37-03-45.540N 076-16-47.160W | Fl R 2.5s | 19 | | TR on multi-pile structure. | Private aid. |
| 12873 | - Daybeacon 6A | 37-03-47.580N 076-16-53.700W | | | | TR on pile. | Private aid. |
| 12875 | - Daybeacon 7 | 37-03-47.800N 076-16-54.600W | | | | SG on pile. | Private aid. |
| 12880 | - Daybeacon 8 | 37-03-48.120N 076-16-58.860W | | | | TR on pile. | Private aid. |
| 12885 | - Daybeacon 9 | 37-03-47.400N 076-16-58.800W | | | | SG on pile. | Private aid. |
| 12887 | - Daybeacon 10 | 37-03-46.380N 076-17-01.080W | | | | TR on pile. | Private aid. |
| 12895 | - Daybeacon 12 | 37-03-42.000N 076-17-02.640W | | | | TR on pile. | Private aid. |
| 12900 | - Daybeacon 14 | 37-03-35.222N 076-17-04.080W | | | | TR on pile. | Private aid. |
| 12905 | - Daybeacon 16 | 37-03-20.460N 076-17-15.420W | | | | TR on pile. | Private aid. |
| | **MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238)** | | | | | | |
| | **Back River** | | | | | | |
| 12910 | - ENTRANCE LIGHT 1BR | 37-05-37.029N 076-15-03.976W | Fl G 4s | 15 | 4 | SG on pile. | |
| 12915 | - Channel Daybeacon 2 | 37-05-49.471N 076-15-21.678W | | | | TR on pile. | |
| 12920 | - CHANNEL LIGHT 4 | 37-06-06.053N 076-15-44.517W | Fl R 4s | 15 | 4 | TR on pile. | |
| 12925 | - CHANNEL LIGHT 5 | 37-06-21.527N 076-16-16.641W | Fl G 4s | 19 | 4 | SG on pile. | |
| 12930 | - Channel Daybeacon 6 | 37-06-30.803N 076-16-34.503W | | | | TR on pile. | |
| 12933 | - Channel Buoy 6A | 37-06-32.057N 076-16-41.921W | | | | Red nun. | |
| 12935 | - CHANNEL LIGHT 7 | 37-06-27.702N 076-16-34.973W | Fl G 4s | 15 | 4 | SG on pile. | |
| 12940 | - CHANNEL LIGHT 8 | 37-06-42.051N 076-17-24.285W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 12945 | - CHANNEL LIGHT 9 | 37-06-36.365N 076-17-23.101W | Fl G 4s | 19 | 4 | SG on pile. | |
| 12946 | - Channel Daybeacon 9A | 37-06-35.537N 076-17-34.230W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238)** | | | | | | |
| | **Back River** | | | | | | |
| 12947 | - Channel Daybeacon 9B | 37-06-32.865N 076-17-41.268W | | | | SG on pile. | |
| | **Back River South Channel** | | | | | | |
| 12949 | - Daybeacon 1 | 37-06-30.600N 076-17-45.660W | | | | SG on pile | Private aid. |
| 12950 | - Daybeacon 2 | 37-06-26.680N 076-17-39.250W | | | | TR on pile. | Private aid. |
| 12952 | - Daybeacon 3 | 37-06-27.600N 076-17-38.100W | | | | SG on pile. | Private aid. |
| 12954 | - Daybeacon 4 | 37-06-23.190N 076-17-37.690W | | | | TR on pile. | Private aid. |
| 12955 | - Daybeacon 5 | 37-06-23.270N 076-17-36.150W | | | | SG on pile. | Private aid. |
| 12956 | - Daybeacon 6 | 37-06-16.290N 076-17-39.690W | | | | TR on pile. | Private aid. |
| 12957 | - Junction Daybeacon B | 37-06-15.520N 076-17-38.440W | | | | JG on pile. | Private aid. |
| 12958 | - Daybeacon 8 | 37-06-12.920N 076-17-41.440W | | | | TR on pile. | Private aid. |
| 12960 | - Daybeacon 9 | 37-06-07.820N 076-17-46.380W | | | | SG on pile. | Private aid. |
| 12962 | - Junction Daybeacon WC | 37-06-04.900N 076-17-52.310W | | | | JG on pile. | Private aid. |
| 12963 | - Daybeacon 10 | 37-06-02.940N 076-18-00.940W | | | | TR on pile. | Private aid. |
| | **Dandy Haven Marina Entrance** | | | | | | |
| 12964 | - Daybeacon 1 | 37-05-59.700N 076-18-04.000W | | | | SG on pile. | Private aid. |
| 12965 | - Daybeacon 2 | 37-05-59.700N 076-18-04.500W | | | | TR on pile. | Private aid. |
| 12970 | - Daybeacon 3 | 37-05-57.500N 076-18-03.600W | | | | SG on pile. | Private aid. |
| 12975 | - Daybeacon 4 | 37-05-57.400N 076-18-04.100W | | | | TR on pile. | Private aid. |
| 12980 | - Daybeacon 5 | 37-05-56.700N 076-18-03.000W | | | | SG on pile. | Private aid. |
| 12985 | - Daybeacon 6 | 37-05-54.900N 076-18-03.600W | | | | TR on pile. | Private aid. |
| 12990 | - Daybeacon 7 | 37-05-51.200N 076-18-02.400W | | | | SG on pile. | Private aid. |
| 12995 | - Daybeacon 8 | 37-05-51.100N 076-18-02.800W | | | | TR on pile. | Private aid. |
| 13000 | - Daybeacon 9 | 37-05-49.900N 076-18-01.200W | | | | SG on pile. | Private aid. |
| 13005 | - Daybeacon 10 | 37-05-49.600N 076-18-01.600W | | | | TR on pile. | Private aid. |
| 13010 | - Daybeacon 11 | 37-05-48.400N 076-17-59.800W | | | | SG on pile. | Private aid. |
| 13015 | - Daybeacon 12 | 37-05-48.100N 076-18-00.300W | | | | TR on pile. | Private aid. |
| 13015.5 | - Daybeacon 13 | 37-05-45.700N 076-17-57.400W | | | | SG on pile. | Private aid. |
| 13015.6 | - Daybeacon 14 | 37-05-45.600N 076-17-58.100W | | | | TR on pile. | Private aid. |
| | **Back River** | | | | | | |
| 13020 | - Channel Daybeacon 10 | 37-06-30.978N 076-17-50.541W | | | | TR on pile. | |
| 13025 | - Channel Daybeacon 12 | 37-06-20.120N 076-18-21.041W | | | | TR on pile. | |
| 13030 | - CHANNEL LIGHT 13 | 37-06-17.960N 076-18-25.233W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 13035 | - Channel Daybeacon 14 | 37-06-18.907N 076-18-29.262W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238)** | | | | | | |
| | **Back River** | | | | | | |
| 13040 | - Channel Daybeacon 16 | 37-06-15.364N 076-19-04.078W | | | | TR on pile. | |
| | **Harris River Approach** | | | | | | |
| 13045 | - Daybeacon 2 | 37-06-06.519N 076-19-03.000W | | | | TR on pile. | Private aid. |
| 13050 | - Daybeacon 3 | 37-06-05.000N 076-18-57.000W | | | | SG on pile. | Private aid. |
| 13055 | - Daybeacon 4 | 37-05-55.000N 076-18-56.000W | | | | TR on pile. | Private aid. |
| 13060 | - Daybeacon 5 | 37-05-50.000N 076-18-46.000W | | | | SG on pile. | Private aid. |
| 13065 | - Daybeacon 6 | 37-05-42.000N 076-18-42.000W | | | | TR on pile. | Private aid. |
| 13070 | - Daybeacon 8 | 37-05-36.000N 076-18-41.000W | | | | TR on pile. | Private aid. |
| | **Back River** | | | | | | |
| 13075 | - CHANNEL LIGHT 17 | 37-06-10.046N 076-19-03.138W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 13080 | - CHANNEL LIGHT 18 | 37-06-13.996N 076-19-43.337W | Q R | 15 | 4 | TR on pile. | |
| 13085 | - Channel Daybeacon 20 | 37-05-59.182N 076-19-50.763W | | | | TR on pile. | |
| 13090 | - CHANNEL LIGHT 21 | 37-05-47.839N 076-19-51.566W | Fl G 4s | 15 | 4 | SG on pile. | |
| 13095 | - CHANNEL LIGHT 22 | 37-05-24.228N 076-20-03.975W | Fl R 4s | 15 | 4 | TR on pile. | |
| 13100 | - CHANNEL LIGHT 25 | 37-05-08.617N 076-20-09.741W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 13105 | - CHANNEL LIGHT 27 | 37-04-36.426N 076-20-23.834W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **Back River Northwest Branch** | | | | | | |
| 13120 | - LIGHT 1 | 37-05-55.002N 076-20-10.731W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 13125 | - LIGHT 3 | 37-05-42.033N 076-20-31.966W | Fl G 4s | 15 | 4 | SG on pile. | |
| 13130 | - Daybeacon 4 | 37-05-44.665N 076-20-38.442W | | | | TR on pile. | |
| 13135 | - Daybeacon 5 | 37-05-46.308N 076-20-54.433W | | | | SG on pile. | |
| 13140 | - Daybeacon 6 | 37-06-02.324N 076-20-56.596W | | | | TR on pile. | |
| | **Poquoson Flats** | | | | | | |
| 13145 | - Channel Daybeacon 2PF | 37-06-27.165N 076-14-46.097W | | | | TR on pile. | |
| 13150 | - Channel Daybeacon 3 | 37-07-21.929N 076-15-28.315W | | | | SG on pile. | |
| 13155 | - Channel Daybeacon 4 | 37-08-57.518N 076-15-49.677W | | | | TR on pile. | |
| 13160 | - Channel Daybeacon 5 | 37-10-26.417N 076-16-41.685W | | | | SG on pile. | |
| | **Poquoson River** | | | | | | |
| 13165 | - *Junction Lighted Buoy P* | 37-13-30.737N 076-19-29.809W | Fl (2+1)G 6s | | 5 | Green and red. | |
| 13170 | - Entrance Buoy 4 | 37-12-38.540N 076-20-22.812W | | | | Red nun. | |
| 13172 | - Entrance Daybeacon 5 | 37-11-41.003N 076-21-11.262W | | | | SG on pile. | |
| 13175 | - ENTRANCE LIGHT 6 | 37-11-43.936N 076-21-22.367W | Fl R 4s | 15 | 4 | TR on pile. | |
| 13180 | - Entrance Daybeacon 8 | 37-10-54.575N 076-22-10.854W | | | | TR on pile. | |
| 13185 | - ENTRANCE LIGHT 10 | 37-10-02.269N 076-23-05.364W | Fl R 2.5s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238)** | | | | | | |
| | **Poquoson River** | | | | | | |
| 13190 | - ENTRANCE LIGHT 11 | 37-09-53.171N 076-23-00.908W | Fl G 4s | 15 | 4 | SG on pile. | |
| 13195 | - Daybeacon 13 | 37-09-54.487N 076-23-22.824W | | | | SG on pile. | |
| 13203 | - LIGHT 14 | 37-10-06.302N 076-23-36.286W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Chisman Creek** | | | | | | |
| 13205 | - Daybeacon 2 | 37-10-33.028N 076-24-14.522W | | | | TR on pile. | |
| 13210 | - Daybeacon 4 | 37-10-49.574N 076-24-28.631W | | | | TR on pile. | |
| 13213 | - Buoy 5 | 37-11-02.017N 076-25-11.350W | | | | Green can. | |
| 13215 | - Warning Daybeacon | 37-11-00.546N 076-25-10.825W | | | | NW on pile worded DANGER SHOAL. | |
| 13220 | GOOSE CREEK JUNCTION LIGHT GC | 37-11-05.422N 076-25-25.041W | Fl (2+1)R 6s | 15 | 4 | JR on pile. | |
| 13225 | - Daybeacon 6 | 37-10-51.041N 076-26-03.205W | | | | TR on pile. | |
| 13230 | Goose Creek Daybeacon 2 | 37-11-19.059N 076-25-34.183W | | | | TR on pile. | |
| | **Poquoson River** | | | | | | |
| 13235 | - LIGHT 15 | 37-10-06.496N 076-24-06.249W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 13240 | - Daybeacon 16 | 37-09-17.364N 076-24-55.506W | | | | TR on pile. | |
| 13245 | - Daybeacon 17 | 37-09-10.409N 076-25-18.493W | | | | SG on pile. | |
| 13247 | - Daybeacon 18 | 37-08-56.000N 076-25-28.100W | | | | TR on pile. | Private aid. |
| 13247.1 | - Daybeacon 19 | 37-08-27.800N 076-25-39.900W | | | | SG on pile. | Private aid. |
| 13257 | - Daybeacon 20 | 37-08-14.100N 076-25-43.800W | | | | TR on pile. | Private aid. |
| 13257.1 | - Daybeacon 22 | 37-08-07.200N 076-25-51.700W | | | | TR on pile. | Private aid. |
| | **Bennett Creek - Poquoson River** | | | | | | |
| 13260 | - Daybeacon 1BC | 37-09-44.552N 076-22-56.807W | | | | SG on pile. | |
| 13265 | - LIGHT 2 | 37-09-32.730N 076-22-36.854W | Fl R 4s | 15 | 4 | TR on pile. | |
| 13270 | - LIGHT 4 | 37-09-25.729N 076-22-29.397W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 13275 | - LIGHT 6 | 37-09-15.457N 076-22-26.040W | Fl R 4s | 15 | 4 | TR on pile. | |
| 13280 | - LIGHT 8 | 37-09-02.198N 076-22-22.986W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 13285 | - LIGHT 10 | 37-08-47.835N 076-22-19.870W | Fl R 4s | 19 | 4 | TR on pile. | |
| 13290 | White House Cove Daybeacon 1 | 37-08-45.353N 076-22-25.468W | | | | SG on pile. | |
| 13295 | White House Cove Buoy 1A | 37-08-38.817N 076-22-31.405W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 13300 | White House Cove Daybeacon 2 | 37-08-37.454N 076-22-33.098W | | | | TR on pile. | |
| | **Back Creek** | | | | | | |
| 13310 | - LIGHT 2BC | 37-12-20.758N 076-22-56.123W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 13315 | - LIGHT 3 | 37-12-32.089N 076-23-26.989W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 13320 | - Daybeacon 4 | 37-12-30.511N 076-23-42.637W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238)** | | | | | | |
| | **Back Creek** | | | | | | |
| 13325 | - LIGHT 5 | 37-12-33.079N 076-23-59.125W | Fl G 4s | 15 | 4 | SG on pile. | |
| 13330 | - Daybeacon 7 | 37-12-41.355N 076-24-25.930W | | | | SG on pile. | |
| 13340 | - Warning Daybeacon B | 37-12-56.240N 076-24-48.409W | | | | NW on pile worded DANGER. | |
| 13345 | - Warning Daybeacon C | 37-13-05.947N 076-25-00.103W | | | | NW on pile worded DANGER. | |
| 13350 | - Warning Daybeacon D | 37-13-19.180N 076-25-05.620W | | | | NW on pile worded DANGER. | |
| 13370 | - LIGHT 9 | 37-12-36.544N 076-24-46.824W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 13372 | - Daybeacon 10 | 37-12-37.139N 076-24-49.504W | | | | TR on pile. | |
| 13375 | - Daybeacon 11 | 37-12-31.742N 076-24-49.762W | | | | SG on pile. | |
| 13380 | - Daybeacon 12 | 37-12-32.789N 076-24-54.766W | | | | TR on pile. | |
| 13383 | - Buoy 13 | 37-12-28.043N 076-24-55.048W | | | | Green can. | |
| 13385 | - Daybeacon 14 | 37-12-25.855N 076-25-03.043W | | | | TR on pile. | |
| 13390 | - Daybeacon 15 | 37-12-19.417N 076-25-23.593W | | | | SG on pile. | |
| | **CHESAPEAKE BAY ENTRANCE (Chart 12221)** | | | | | | |
| | **York River** | | | | | | |
| | *Entrance channel buoys located 75 feet outside channel limit.* | | | | | | |
| 13395 | *- Entrance Channel Lighted Buoy 1YR* | 37-07-37.708N 076-09-51.542W | Fl G 2.5s | | 5 | Green. | |
| 13400 | *- Entrance Channel Lighted Buoy 2* | 37-07-44.647N 076-09-44.867W | Fl R 2.5s | | 5 | Red. | |
| 13405 | *- Entrance Channel Lighted Buoy 3* | 37-08-35.513N 076-11-19.107W | Fl G 4s | | 5 | Green. | |
| 13410 | *- Entrance Channel Lighted Buoy 4* | 37-08-42.445N 076-11-11.951W | Fl R 4s | | 5 | Red. | |
| 13415 | *- Entrance Channel Lighted Buoy 5* | 37-09-30.845N 076-12-42.507W | Fl G 2.5s | | 5 | Green. | |
| 13420 | *- Entrance Channel Lighted Buoy 6* | 37-09-37.875N 076-12-35.262W | Fl R 2.5s | | 5 | Red. | |
| 13425 | *- Entrance Channel Lighted Buoy 7* | 37-10-31.425N 076-14-13.794W | Fl G 6s | | 5 | Green. | |
| 13430 | *- Entrance Channel Lighted Buoy 8* | 37-10-38.388N 076-14-06.601W | Fl R 6s | | 5 | Red. | |
| 13435 | *- Entrance Channel Lighted Buoy 9* | 37-11-30.142N 076-15-42.059W | Fl G 4s | | 5 | Green. | |
| 13440 | *- Entrance Channel Lighted Buoy 10* | 37-11-36.392N 076-15-34.493W | Fl R 4s | | 5 | Red. | |
| 13455 | YORK SPIT LIGHT | 37-12-35.095N 076-15-14.596W | Fl W 6s | 30 | 7 | NW on multi-pile structure. | |
| 13457 | *NOAA Lighted Data Buoy YS* | 37-12-30.000N 076-16-06.000W | Fl Y 4s | | | Yellow. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 13460 | *- Entrance Channel Lighted Buoy 11* | 37-12-27.985N 076-17-09.573W | Fl G 2.5s | | 5 | Green. | |
| 13465 | *- Entrance Channel Lighted Buoy 12* | 37-12-34.280N 076-17-02.463W | Fl R 2.5s | | 5 | Red. | |
| 13470 | *- Entrance Channel Lighted Buoy 13* | 37-13-25.594N 076-18-36.865W | Q G | | 5 | Green. | |
| 13475 | *- Entrance Channel Lighted Buoy 14* | 37-13-32.531N 076-18-29.645W | Q R | | 5 | Red. | |
| 13490 | York Spit Warning Daybeacon | 37-13-56.178N 076-18-43.450W | | | | NW on pile worded DANGER SHOAL. | |
| 13492 | *- Channel Lighted Buoy 16* | 37-14-09.036N 076-19-28.509W | Fl R 2.5s | | 5 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **YORK RIVER - YORKTOWN AND VICINITY (Chart 12241)** | | | | | | |
| | **York River** | | | | | | |
| 13494 | - *Channel Lighted Buoy 17* | 37-14-02.538N<br>076-21-05.814W | Fl G 4s | | 5 | Green. | |
| 13495 | - *Channel Lighted Buoy 18* | 37-14-36.537N<br>076-20-46.814W | Fl R 4s | | 5 | Red. | |
| 13496 | - EAST RANGE FRONT LIGHT | 37-15-01.980N<br>076-20-49.902W | Q W<br>(NIGHT)<br>F W<br>(DAY) | 20<br>23 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 13497 | - EAST RANGE REAR LIGHT<br>1,398 yards, 076.6° from front light. | 37-15-04.879N<br>076-20-32.994W | Iso W 6s<br>(NIGHT)<br>F W<br>(DAY) | 57<br>54 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 13497.5 | - EAST RANGE REAR PASSING LIGHTS (2) | 37-15-04.879N<br>076-20-32.994W | Fl W 4s | 18 | 4 | Located on same structure as York River East Range Rear Light. | |
| 13498 | - *Channel Lighted Buoy 19* | 37-14-19.539N<br>076-22-25.818W | Q G | | 5 | Green. | |
| 13500 | - *Channel Lighted Buoy 20* | 37-15-02.239N<br>076-22-33.819W | Q R | | 5 | Red. | |
| | **Perrin River** | | | | | | |
| 13510 | - *Junction Lighted Buoy PR* | 37-14-49.752N<br>076-23-29.580W | Fl (2+1)R 6s | | 4 | Red and green bands. | |
| 13515 | - Entrance Buoy 2P | 37-15-09.490N<br>076-23-39.721W | | | | Red nun. | |
| 13520 | - ENTRANCE LIGHT 4 | 37-15-33.708N<br>076-24-31.060W | Fl R 4s | 19 | 4 | TR on multi-pile structure. | |
| 13525 | - Entrance Daybeacon 6 | 37-15-38.039N<br>076-24-43.528W | | | | TR on pile. | |
| 13530 | - ENTRANCE LIGHT 7 | 37-15-37.296N<br>076-24-56.512W | Fl G 4s | 19 | 4 | SG on multi-pile structure. | |
| 13535 | - ENTRANCE LIGHT 8 | 37-15-40.566N<br>076-25-14.008W | Fl R 4s | 19 | 4 | TR on multi-pile structure. | |
| 13540 | - Entrance Daybeacon 9 | 37-15-44.628N<br>076-25-17.644W | | | | SG on pile. | |
| 13545 | - Daybeacon 11 | 37-16-00.411N<br>076-25-27.289W | | | | SG on pile. | |
| | **York River** | | | | | | |
| 13550 | - WEST RANGE FRONT LIGHT | 37-13-35.319N<br>076-29-12.840W | Fl W 2.5s<br>(NIGHT)<br>Fl W 2.5s<br>(DAY) | 17<br>14 | | On multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 13555 | - WEST RANGE REAR LIGHT<br>409 yards, 256.6° from front light. | 37-13-32.758N<br>076-29-27.671W | Iso W 6s<br>(NIGHT)<br>Iso W 6s<br>(DAY) | 57<br>54 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 13557 | - WEST RANGE REAR PASSING LIGHTS (2) | 37-13-32.758N<br>076-29-27.671W | Fl W 4s | 15 | 4 | On same structure as York River West Range Rear Light. | Lights are located on corners of platform. |
| 13560 | - *Channel Lighted Buoy 21* | 37-14-05.842N<br>076-24-50.124W | Fl G 2.5s | | 5 | Green. | |
| 13565 | - *Channel Lighted Buoy 22* | 37-14-24.643N<br>076-25-38.626W | Fl R 2.5s | | 5 | Red. | |
| 13570 | BULL CREEK AMOCO PIER LIGHT A | 37-13-39.877N<br>076-26-08.420W | Fl Y 4s | 27 | | On pole on east end of pier. | Private aid. |
| 13572 | BULL CREEK AMOCO PIER LIGHT B | 37-13-33.809N<br>076-26-35.906W | Fl Y 4s | 27 | | On pole on west end of pier. | Private aid. |
| 13575 | VIRGINIA POWER UNDERWATER OBSTRUCTION LIGHT A | 37-13-36.517N<br>076-27-16.815W | Fl W 3s | 7 | | NW on piles worded DANGER SUBMERGED PIPES. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **YORK RIVER - YORKTOWN AND VICINITY (Chart 12241)** | | | | | | |
| | **York River** | | | | | | |
| 13580 | - *Channel Lighted Buoy 24* | 37-14-11.846N 076-28-00.632W | Q R | | 5 | Red. | |
| | **West Branch Channel** | | | | | | |
| 13585 | VIRGINIA POWER INTAKE JETTY LIGHT A | 37-13-12.910N 076-27-45.290W | Fl Y 2.5s | 7 | | On pile. | Private aid. |
| 13590 | VIRGINIA POWER INTAKE JETTY LIGHT B | 37-13-12.380N 076-27-47.910W | Fl Y 4s | 7 | | On pile. | Private aid. |
| 13591 | VIRGINIA POWER DEBRIS EXCLUSION BOOM LIGHT C | 37-13-13.289N 076-27-46.939W | Fl Y 4s | 12 | | NY on pile. | Private aid. |
| 13595 | - ENTRANCE LIGHT 2WB | 37-13-14.989N 076-27-57.635W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 13600 | - Daybeacon 3 | 37-13-09.984N 076-28-00.609W | | | | SG on pile. | |
| 13605 | - Daybeacon 4 | 37-13-05.746N 076-28-04.495W | | | | TR on pile. | |
| 13610 | - Daybeacon 6 | 37-12-57.878N 076-28-07.363W | | | | TR on pile. | |
| 13615 | - Daybeacon 7 | 37-12-57.699N 076-28-06.911W | | | | SG on pile. | |
| 13620 | - Daybeacon 9 | 37-12-53.664N 076-28-08.613W | | | | SG on pile. | |
| | **Wormley Creek Marina** | | | | | | |
| 13635 | - Buoy 2 | 37-12-51.518N 076-28-07.817W | | | | Red nun. | Private aid. |
| 13640 | - Buoy 4 | 37-12-51.518N 076-28-05.817W | | | | Red nun. | Private aid. |
| 13645 | - Buoy 6 | 37-12-50.518N 076-28-05.817W | | | | Red nun. | Private aid. |
| 13650 | - Buoy 8 | 37-12-48.518N 076-28-05.817W | | | | Red nun. | Private aid. |
| | **West Branch Channel** | | | | | | |
| 13655 | - Buoy 10 | 37-12-51.652N 076-28-10.714W | | | | Red nun. | |
| 13660 | - Daybeacon 12 | 37-12-51.106N 076-28-12.585W | | | | TR on pile. | |
| 13670 | - Daybeacon 14 | 37-12-51.521N 076-28-17.588W | | | | TR on pile. | |
| 13675 | - Daybeacon 16 | 37-12-50.678N 076-28-18.869W | | | | TR on pile. | |
| 13680 | - Daybeacon 18 | 37-12-47.930N 076-28-20.055W | | | | TR on pile. | |
| 13685 | - Daybeacon 20 | 37-12-46.668N 076-28-21.763W | | | | TR on pile. | |
| 13690 | - Daybeacon 22 | 37-12-46.697N 076-28-24.249W | | | | TR on pile.. | |
| 13695 | - Daybeacon 24 | 37-12-49.033N 076-28-29.449W | | | | TR on pile. | |
| 13700 | - Daybeacon 26 | 37-12-51.961N 076-28-33.928W | | | | TR on pile. | |
| 13703 | - Daybeacon 28 | 37-12-50.147N 076-28-47.313W | | | | TR on pile. | |
| | **Sarah Creek** | | | | | | |
| 13710 | - ENTRANCE LIGHT 2 | 37-14-46.028N 076-29-09.818W | Fl R 4s | 15 | 4 | TR on pile. | |
| 13715 | - Daybeacon 4 | 37-14-55.903N 076-29-02.476W | | | | TR on pile. | |
| 13720 | - Daybeacon 5 | 37-15-05.071N 076-29-04.714W | | | | SG on pile. | |
| 13725 | - Daybeacon 6 | 37-15-07.768N 076-28-58.500W | | | | TR on pile. | |
| 13730 | - LIGHT 8 | 37-15-13.865N 076-28-57.067W | Fl R 4s | 15 | 4 | TR on pile. | |
| 13735 | - Daybeacon 9 | 37-15-17.010N 076-28-49.660W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **YORK RIVER - YORKTOWN AND VICINITY (Chart 12241)** | | | | | | |
| | **Sarah Creek** | | | | | | |
| 13740 | - Daybeacon 11 | 37-15-29.052N 076-28-43.552W | | | | SG on pile. | |
| | **YORKTOWN TO WEST POINT (Chart 12243)** | | | | | | |
| | **Upper York River** | | | | | | |
| 13745 | - CHANNEL LIGHT 2 | 37-15-48.536N 076-31-13.232W | Fl R 2.5s | 16 | 4 | TR on multi-pile structure. | |
| 13750 | - CHANNEL LIGHT 3 | 37-16-12.455N 076-32-49.534W | Fl G 4s | 15 | 5 | SG on multi-pile structure. | |
| 13755 | - CHANNEL LIGHT 4 | 37-16-38.883N 076-32-21.941W | Fl R 4s | 15 | 5 | TR on multi-pile structure. | |
| 13760 | - CHANNEL LIGHT 6 | 37-17-23.654N 076-33-56.692W | Fl R 2.5s | 16 | 4 | TR on pile. | |
| 13765 | Timberneck Creek Buoy 2 | 37-17-18.524N 076-32-25.029W | | | | Red nun. | |
| 13775 | - LIGHT 8 | 37-17-53.211N 076-34-39.221W | Fl R 4s | 16 | 4 | TR on pile. | |
| | **Queen Creek** | | | | | | |
| 13785 | - ENTRANCE LIGHT 2QC | 37-18-01.416N 076-36-29.656W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 13790 | - Daybeacon 3 | 37-18-02.538N 076-36-37.696W | | | | SG on pile. | |
| 13795 | - Buoy 4 | 37-18-07.590N 076-36-49.931W | | | | Red nun. | |
| 13800 | - Daybeacon 5 | 37-18-05.989N 076-36-49.976W | | | | SG on pile. | |
| 13805 | - Daybeacon 6 | 37-18-05.970N 076-36-54.934W | | | | TR on pile. | |
| 13810 | - Buoy 7 | 37-18-05.194N 076-36-54.087W | | | | Green can. | |
| 13815 | - Daybeacon 8 | 37-18-01.506N 076-37-08.638W | | | | TR on pile. | |
| 13820 | - Daybeacon 10 | 37-17-58.848N 076-37-21.316W | | | | TR on pile. | |
| 13825 | - Buoy 11 | 37-17-56.075N 076-37-33.118W | | | | Green can. | |
| 13830 | - Daybeacon 12 | 37-17-50.298N 076-37-45.544W | | | | TR on pile. | |
| 13835 | - Buoy 13 | 37-17-46.971N 076-37-51.798W | | | | Green can. | |
| 13840 | - Daybeacon 14 | 37-17-48.126N 076-37-51.766W | | | | TR on pile. | |
| 13845 | - Daybeacon 15 | 37-17-48.918N 076-37-56.710W | | | | SG on pile. | |
| 13850 | - Daybeacon 15A | 37-17-55.716N 076-38-05.896W | | | | SG on pile. | |
| 13855 | - Daybeacon 16 | 37-18-00.966N 076-38-19.708W | | | | TR on pile. | |
| 13860 | - Buoy 18 | 37-17-56.261N 076-38-45.922W | | | | Red nun. | |
| 13865 | - Buoy 20 | 37-17-46.898N 076-38-55.389W | | | | Red nun. | |
| | **Upper York River** | | | | | | |
| 13880 | - Channel Daybeacon 9 | 37-19-21.544N 076-36-00.084W | | | | SG on pile. | |
| 13885 | - CHANNEL LIGHT 10 | 37-20-05.131N 076-36-01.393W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 13920 | - CHANNEL LIGHT 12 | 37-20-59.508N 076-36-55.360W | Fl R 4s | 16 | 4 | TR on multi-pile structure. | |
| 13925 | - CHANNEL LIGHT 13 | 37-21-49.990N 076-38-14.270W | Fl G 4s | 15 | 4 | SG on pile. | |
| 13930 | - CHANNEL LIGHT 14 | 37-22-37.182N 076-38-35.908W | Fl R 2.5s | 16 | 4 | TR on multi-pile structure. | |
| 13935 | - CHANNEL LIGHT 16 | 37-23-23.262N 076-39-27.232W | Fl R 4s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **YORKTOWN TO WEST POINT (Chart 12243)** | | | | | | |
| | **Upper York River** | | | | | | |
| 13945 | - CHANNEL LIGHT 18 | 37-25-09.474N 076-41-23.050W | Fl R 4s | 16 | 4 | TR on pile. | |
| 13950 | - CHANNEL LIGHT 20 | 37-25-56.181N 076-42-16.687W | Fl R 2.5s | 16 | 4 | TR on pile. | |
| 13955 | - CHANNEL LIGHT 21 | 37-25-54.066N 076-42-26.242W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| | **Croaker Landing** | | | | | | |
| 13960 | - Daybeacon 1 | 37-25-42.702N 076-43-24.930W | | | | SG on pile. | Private aid. |
| 13965 | - Daybeacon 2 | 37-25-43.122N 076-43-25.580W | | | | TR on pile. | Private aid. |
| 13970 | - Daybeacon 3 | 37-25-40.472N 076-43-27.190W | | | | SG on pile. | Private aid. |
| 13975 | - Daybeacon 4 | 37-25-40.892N 076-43-27.840W | | | | TR on pile. | Private aid. |
| | **Upper York River** | | | | | | |
| 13980 | - CHANNEL LIGHT 22 | 37-26-53.678N 076-43-26.908W | Fl R 4s | 16 | 4 | TR on pile. | |
| 13985 | - CHANNEL LIGHT 23 | 37-26-52.908N 076-43-47.656W | Fl G 4s | 16 | 4 | SG on pile. | |
| 13990 | - CHANNEL LIGHT 25 | 37-28-37.860N 076-44-48.130W | Fl G 2.5s | 16 | 4 | SG on pile. | |
| 13995 | BELLS ROCK LIGHT | 37-29-02.254N 076-44-59.237W | Fl W 4s | 40 | 7 | NR on white skeleton tower on piles. | |
| 14000 | - CHANNEL LIGHT 27 | 37-29-06.575N 076-45-27.996W | Fl G 4s | 16 | 4 | SG on pile. | |
| 14005 | - Channel Daybeacon 28 | 37-29-44.232N 076-46-34.054W | | | | TR on pile. | |
| 14010 | - CHANNEL LIGHT 29 | 37-29-44.914N 076-46-54.206W | Fl G 4s | 15 | 4 | SG on pile. | |
| 14015 | - CHANNEL LIGHT 30 | 37-29-56.620N 076-46-58.799W | Q R | 16 | 4 | TR on pile. | |
| 14020 | - CHANNEL LIGHT 31 | 37-30-00.384N 076-47-07.084W | Q G | 16 | 4 | SG on pile. | |
| 14025 | - Channel Daybeacon 33 | 37-30-25.974N 076-47-21.232W | | | | SG on pile. | |
| 14030 | West Point Spit Junction Daybeacon WP | 37-30-31.936N 076-47-18.408W | | | | JR on pile. | |
| 14035 | - CHANNEL LIGHT 35 | 37-30-48.937N 076-47-33.935W | Fl G 2.5s | 16 | 4 | SG on pile. | |
| 14040 | - Channel Daybeacon 36 | 37-30-59.598N 076-47-35.920W | | | | TR on pile. | |
| 14045 | - CHANNEL LIGHT 37 | 37-31-12.312N 076-47-49.818W | Q G | 16 | 4 | SG on pile. | |
| | **MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238)** | | | | | | |
| | **Mobjack Bay** | | | | | | |
| 14050 | - Channel Buoy 1MB | 37-11-28.029N 076-12-29.415W | | | | Green can. | |
| 14052 | - Channel Buoy 2MB | 37-12-11.229N 076-12-30.215W | | | | Red nun. | |
| 14055 | - Channel Buoy 3MB | 37-12-57.429N 076-14-00.015W | | | | Green can. | |
| 14057 | - Channel Buoy MB | 37-14-31.129N 076-15-25.015W | | | | Red and white stripes. | |
| 14060 | - Channel Buoy 4MB | 37-15-59.029N 076-16-35.015W | | | | Red nun. | |
| 14065 | - Channel Buoy 5MB | 37-17-00.029N 076-18-20.015W | | | | Green can. | |
| 14070 | - Channel Daybeacon 6MB | 37-18-05.411N 076-18-49.105W | | | | TR on pile. | |
| 14075 | NEW POINT COMFORT SPIT CHANNEL LIGHT 2 | 37-17-44.179N 076-15-41.067W | Fl R 2.5s | 20 | 6 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238)** | | | | | | |
| | **Mobjack Bay** | | | | | | |
| 14080 | NEW POINT COMFORT SPIT LIGHT 4 | 37-17-40.519N 076-17-07.375W | Fl R 4s | 15 | 4 | TR on pile. | |
| 14085 | - Channel Daybeacon 7MB | 37-19-34.069N 076-21-18.770W | | | | SG on pile. | |
| 14090 | - Channel Daybeacon 8MB | 37-19-56.260N 076-20-44.834W | | | | TR on pile. | |
| 14095 | - Channel Daybeacon 10MB | 37-21-29.004N 076-22-02.773W | | | | TR on pile. | |
| | **York Spit Swash Channel** | | | | | | |
| 14100 | - Daybeacon 1 | 37-15-14.529N 076-20-24.854W | | | | SG on pile. | |
| 14105 | - Daybeacon 2 | 37-15-27.268N 076-20-02.498W | | | | TR on pile. | |
| 14110 | - LIGHT 3 | 37-15-43.626N 076-19-56.326W | Fl G 4s | 15 | 4 | SG on pile. | |
| 14115 | - Daybeacon 5 | 37-16-49.046N 076-19-32.497W | | | | SG on pile. | |
| | **Davis Creek** | | | | | | |
| 14125 | - Channel Warning Daybeacon A | 37-19-12.650N 076-17-59.105W | | | | NW on pile. | |
| 14130 | - Warning Daybeacon B | 37-19-26.885N 076-17-58.770W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| 14140 | - Warning Daybeacon D | 37-19-35.044N 076-17-55.142W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| 14153 | PEPPER CREEK LIGHT 2P | 37-19-19.219N 076-19-16.185W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 14155 | Pepper Creek Daybeacon 3 | 37-20-00.753N 076-19-36.916W | | | | SG on pile. | |
| 14160 | Pepper Creek Daybeacon 5 | 37-20-30.526N 076-19-04.809W | | | | SG on pile. | |
| | **East River** | | | | | | |
| 14165 | - ENTRANCE LIGHT 1E | 37-21-19.623N 076-21-07.086W | Fl G 4s | 15 | 4 | SG on pile. | |
| 14170 | - Daybeacon 2 | 37-21-35.323N 076-20-42.515W | | | | TR on pile. | |
| 14175 | - LIGHT 3 | 37-22-14.143N 076-20-39.022W | Fl G 4s | 16 | 4 | SG on pile. | |
| 14180 | Mobjack Marina Channel Daybeacon 1 | 37-22-41.896N 076-20-36.725W | | | | SG on pile. | |
| 14185 | Mobjack Marina Channel Daybeacon 3 | 37-22-41.878N 076-20-42.312W | | | | SG on pile. | |
| 14190 | - LIGHT 5 | 37-22-41.973N 076-20-33.637W | Q G | 15 | 4 | SG on pile. | |
| 14195 | - LIGHT 9 | 37-23-22.123N 076-20-25.351W | Fl G 4s | 15 | 4 | SG on pile. | |
| 14200 | - Daybeacon 7 | 37-22-56.886N 076-20-28.408W | | | | SG on pile. | |
| 14205 | - Daybeacon 11 | 37-23-35.130N 076-20-31.990W | | | | SG on pile. | |
| 14210 | - Daybeacon 13 | 37-24-17.748N 076-20-57.436W | | | | SG on pile. | |
| 14215 | - Daybeacon 15 | 37-24-43.740N 076-20-44.098W | | | | SG on pile. | |
| 14220 | - Daybeacon 17 | 37-25-03.962N 076-21-03.540W | | | | SG on pile. | |
| 14225 | - Daybeacon 18 | 37-25-11.430N 076-21-30.340W | | | | TR on pile. | |
| | **Browns Bay** | | | | | | |
| 14230 | - LIGHT 1BB | 37-18-08.554N 076-22-56.996W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 14235 | - Daybeacon 2 | 37-18-12.787N 076-22-42.684W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238)** | | | | | | |
| | **Mobjack Bay** | | | | | | |
| | **Browns Bay** | | | | | | |
| 14240 | - LIGHT 3 | 37-18-10.825N 076-23-13.200W | Fl G 4s | 15 | 4 | SG on pile. | |
| 14245 | - LIGHT 4 | 37-18-06.276N 076-23-27.766W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Severn River** | | | | | | |
| 14250 | - JUNCTION LIGHT SR | 37-20-15.306N 076-23-41.386W | Fl (2+1)R 6s | 16 | 4 | JR on multi-pile structure. | |
| 14255 | - LIGHT 1 | 37-19-22.804N 076-23-39.086W | Fl G 4s | 16 | 4 | SG on pile. | |
| 14260 | - Daybeacon 2 | 37-19-08.136N 076-24-58.042W | | | | TR on pile. | |
| 14265 | - LIGHT 3 | 37-18-57.675N 076-25-53.281W | Fl G 4s | 16 | 4 | SG on multi-pile structure. | |
| 14270 | - Daybeacon 5 | 37-19-23.822N 076-26-58.419W | | | | SG on pile. | |
| | **Southwest Branch** | | | | | | |
| 14275 | - Daybeacon 1 | 37-18-57.947N 076-25-59.045W | | | | SG on pile. | |
| 14280 | - Daybeacon 2 | 37-18-47.184N 076-26-10.696W | | | | TR on pile. | |
| 14285 | - Daybeacon 3 | 37-18-25.206N 076-26-27.616W | | | | SG on pile. | |
| 14290 | - Daybeacon 4 | 37-18-12.180N 076-26-44.512W | | | | TR on pile. | |
| | **Ware River** | | | | | | |
| 14310 | - Daybeacon 1W | 37-21-28.429N 076-24-59.649W | | | | SG on pile. | |
| 14315 | - Daybeacon 2 | 37-21-44.232N 076-24-58.870W | | | | TR on pile. | |
| 14320 | - LIGHT 3 | 37-22-07.146N 076-26-19.294W | Fl G 2.5s | 20 | 4 | SG on multi-pile structure. | |
| 14325 | - Daybeacon 5 | 37-22-09.534N 076-26-40.828W | | | | SG on pile. | |
| 14330 | - LIGHT 6 | 37-22-08.664N 076-27-26.710W | Q R | 15 | 4 | TR on pile. | |
| 14335 | - Daybeacon 7 | 37-22-43.884N 076-27-29.236W | | | | SG on pile. | |
| 14340 | - LIGHT 9 | 37-23-18.618N 076-27-33.862W | Fl G 6s | 15 | 4 | SG on pile. | |
| 14345 | - Daybeacon 10 | 37-23-40.380N 076-27-52.696W | | | | TR on pile. | |
| 14350 | - Daybeacon 11 | 37-23-39.402N 076-28-15.634W | | | | SG on pile. | |
| 14355 | - Daybeacon 12 | 37-23-50.952N 076-28-44.746W | | | | TR on pile. | |
| | **North River** | | | | | | |
| 14360 | - ENTRANCE LIGHT 1N | 37-22-07.818N 076-23-34.168W | Fl G 4s | 15 | 4 | SG on pile. | |
| 14365 | - Daybeacon 2 | 37-22-27.154N 076-23-38.496W | | | | TR on pile. | |
| 14370 | BLACKWATER CREEK LIGHT 2 | 37-24-53.994N 076-24-09.262W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 14375 | Blackwater Creek Daybeacon 3 | 37-25-08.244N 076-24-08.512W | | | | SG on pile. | |
| 14380 | - Daybeacon 3 | 37-23-40.524N 076-24-19.450W | | | | SG on pile. | |
| 14390 | - LIGHT 5 | 37-24-38.513N 076-24-51.425W | Fl G 4s | 16 | 4 | SG on pile. | |
| 14395 | - LIGHT 6 | 37-25-13.146N 076-26-41.200W | Fl R 4s | 15 | 4 | TR on pile. | |
| 14400 | - Daybeacon 7 | 37-25-11.676N 076-26-59.051W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238)** | | | | | | |
| | **Mobjack Bay** | | | | | | |
| | **North River** | | | | | | |
| 14405 | Green Mansion Cove Daybeacon 2 | 37-25-30.496N 076-24-08.805W | | | | TR on pile. | Private aid. |
| 14410 | Green Mansion Cove Daybeacon 3 | 37-25-36.496N 076-24-05.805W | | | | SG on pile. | Private aid. |
| | **New Point Comfort Shoal** | | | | | | |
| 14415 | - Buoy 1NP | 37-17-30.329N 076-11-34.415W | | | | Green can. | |
| 14420 | - Channel Buoy 2 | 37-17-51.829N 076-11-29.515W | | | | Red nun. | |
| 14425 | - Channel Buoy 3 | 37-15-51.929N 076-13-22.915W | | | | Green can. | |
| 14430 | - Channel Buoy 4 | 37-16-07.029N 076-13-36.615W | | | | Red nun. | |
| 14435 | York Spit Daybeacon 5 | 37-13-25.129N 076-16-33.515W | | | | SG on pile. | |
| 14440 | York Spit Daybeacon 6 | 37-13-34.321N 076-16-43.985W | | | | TR on pile. | |
| | **Horn Harbor** | | | | | | |
| 14445 | - ENTRANCE LIGHT HH | 37-20-11.471N 076-15-03.138W | Mo (A) W | 19 | 5 | MR on pile. | |
| 14450 | - Warning Daybeacon A | 37-20-15.547N 076-15-33.491W | | | | NW on house on cylindrical base. | |
| 14453 | - *Lighted Buoy 2* | 37-20-13.812N 076-15-33.648W | Fl R 4s | | 4 | Red. | |
| 14455 | - LIGHT 3 | 37-20-17.449N 076-15-48.113W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 14460 | - Daybeacon 4 | 37-20-18.734N 076-15-48.046W | | | | TR on pile. | |
| 14465 | - LIGHT 5 | 37-20-19.791N 076-15-52.284W | Q G | 15 | 4 | SG on pile. | |
| 14470 | - Daybeacon 6 | 37-20-20.235N 076-15-50.196W | | | | TR on pile. | |
| 14475 | - LIGHT 7 | 37-20-36.567N 076-15-56.364W | Fl G 4s | 15 | 4 | SG on pile. | |
| 14480 | - Daybeacon 7A | 37-20-45.239N 076-15-56.849W | | | | SG on pile. | |
| 14485 | - Warning Daybeacon B | 37-20-53.749N 076-15-59.447W | | | | NW on pile worded DANGER SHOAL. | |
| 14487 | - *Lighted Buoy 8* | 37-20-53.500N 076-16-01.263W | Fl R 6s | | 4 | Red. | |
| 14490 | - LIGHT 10 | 37-21-27.978N 076-16-10.354W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 14495 | - LIGHT 12 | 37-21-37.849N 076-16-42.605W | Fl R 4s | 15 | 4 | TR on pile. | |
| 14500 | - Daybeacon 14 | 37-21-45.193N 076-17-28.199W | | | | TR on pile. | |
| 14505 | - LIGHT 16 | 37-21-49.927N 076-17-54.474W | Fl R 6s | 15 | 4 | TR on pile. | |
| 14510 | - Daybeacon 17 | 37-21-57.925N 076-17-59.682W | | | | SG on pile. | |
| 14515 | - Daybeacon 18 | 37-22-01.843N 076-18-01.740W | | | | TR on pile. | |
| 14520 | - Daybeacon 19 | 37-22-05.482N 076-18-05.794W | | | | SG on pile. | |
| | **RAPPAHANNOCK RIVER ENTRANCE (Chart 12235)** | | | | | | |
| | **Milford Haven East** | | | | | | |
| 14585 | - Warning Daybeacon A | 37-27-22.584N 076-12-44.274W | | | | NW on pile worded DANGER. | |
| 14590 | - Warning Daybeacon B | 37-27-37.537N 076-14-01.121W | | | | NW on pile worded DANGER. | |
| 14593 | - Warning Daybeacon C | 37-27-50.016N 076-15-12.292W | | | | NW on pile worded DANGER. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **RAPPAHANNOCK RIVER ENTRANCE (Chart 12235)** | | | | | | |
| | **Milford Haven East** | | | | | | |
| 14595 | - Warning Daybeacon D | 37-27-55.933N 076-15-13.829W | | | | NW on pile worded DANGER. | |
| 14620 | - Warning Daybeacon J | 37-27-58.223N 076-16-08.461W | | | | NW on pile worded DANGER. | |
| | **Milford Haven** | | | | | | |
| | **Stutts Creek** | | | | | | |
| 14630 | - Entrance Daybeacon 1 | 37-28-10.015N 076-16-41.676W | | | | SG on pile. | |
| 14635 | - Entrance Daybeacon 2 | 37-28-12.535N 076-16-44.046W | | | | TR on pile. | |
| 14640 | - Daybeacon 3 | 37-28-02.365N 076-17-00.162W | | | | SG on pile. | |
| 14645 | - Daybeacon 4 | 37-27-47.455N 076-17-28.080W | | | | TR on pile. | |
| 14650 | - Junction Daybeacon SC | 37-27-46.555N 076-17-13.668W | | | | JG on pile. | |
| 14655 | - Daybeacon 5 | 37-27-41.719N 076-17-54.732W | | | | SG on pile. | |
| 14660 | - Daybeacon 6 | 37-27-42.853N 076-18-00.414W | | | | TR on pile. | |
| 14665 | - Daybeacon 7 | 37-27-43.813N 076-18-23.754W | | | | SG on pile. | |
| | **Piankatank River** | | | | | | |
| 14670 | - *Lighted Buoy 1P* | 37-32-54.509N 076-15-13.806W | Fl G 2.5s | | 4 | Green. | |
| 14675 | - *Lighted Buoy 2* | 37-33-13.506N 076-15-25.303W | Fl R 4s | | 4 | Red. | |
| 14680 | - LIGHT 3 | 37-32-22.057N 076-16-42.246W | Fl G 4s | 19 | 4 | SG on pile. | |
| 14690 | - LIGHT 5 | 37-31-41.956N 076-18-22.630W | Q G | 15 | 4 | SG on pile. | |
| | **Jackson Creek** | | | | | | |
| 14700 | - CHANNEL LIGHT 1JC | 37-32-41.582N 076-19-19.248W | Fl G 4s | 15 | 4 | SG on pile. | |
| 14705 | - Channel Daybeacon 2 | 37-32-41.351N 076-19-17.914W | | | | TR on pile. | |
| 14710 | - Channel Buoy 3 | 37-32-46.340N 076-19-17.987W | | | | Green can. | |
| 14715 | - Channel Buoy 4 | 37-32-46.881N 076-19-17.024W | | | | Red nun. | |
| 14720 | - Channel Buoy 5 | 37-32-49.047N 076-19-19.874W | | | | Green can. | |
| 14723 | - Channel Buoy 6 | 37-32-50.187N 076-19-19.689W | | | | Red nun. | |
| 14730 | - Channel Daybeacon 7 | 37-32-47.719N 076-19-30.114W | | | | SG on pile. | |
| 14735 | - Channel Daybeacon 8 | 37-32-46.676N 076-19-39.285W | | | | TR on pile. | |
| | **Piankatank River** | | | | | | |
| 14740 | - LIGHT 7 | 37-31-15.249N 076-18-41.437W | Fl G 2.5s | 16 | 4 | SG on pile. | |
| 14745 | - *Lighted Buoy 8* | 37-30-47.591N 076-18-54.036W | Q R | | 4 | Red. | |
| 14753 | - Daybeacon 9 | 37-30-58.029N 076-19-30.016W | | | | SG on pile. | |
| 14755 | - LIGHT 10 | 37-31-29.452N 076-20-19.487W | Fl R 4s | 15 | 4 | TR on pile. | |
| 14758 | - Daybeacon 11 | 37-31-08.529N 076-20-42.016W | | | | SG on pile. | |
| 14760 | - Daybeacon 12 | 37-31-32.167N 076-20-53.976W | | | | TR on pile. | |
| | **Milford Haven** | | | | | | |
| 14765 | - LIGHT 1 | 37-29-32.312N 076-19-04.020W | Fl G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **RAPPAHANNOCK RIVER ENTRANCE (Chart 12235)** | | | | | | |
| | **Milford Haven** | | | | | | |
| 14773 | - *Lighted Buoy 3* | 37-29-23.851N 076-19-03.615W | Q G | | 4 | Green. | |
| 14776 | - Buoy 3A | 37-29-20.617N 076-18-59.633W | | | | Green can. | |
| 14777 | - Buoy 3B | 37-29-19.425N 076-18-53.919W | | | | Green can. | |
| 14780 | - Daybeacon 4 | 37-29-17.776N 076-18-47.934W | | | | TR on pile. | |
| 14785 | - Daybeacon 4A | 37-29-21.287N 076-18-26.567W | | | | TR on pile. | |
| 14790 | - Daybeacon 5 | 37-29-23.881N 076-18-28.630W | | | | SG on pile. | |
| 14795 | - LIGHT 6 | 37-29-32.293N 076-18-16.338W | Q R | 15 | 4 | TR on pile. | |
| 14800 | - Daybeacon 8 | 37-29-15.265N 076-17-39.642W | | | | TR on pile. | |
| 14805 | - Daybeacon 10 | 37-28-49.691N 076-16-57.459W | | | | TR on pile. | |
| 14810 | - LIGHT 12 | 37-28-38.407N 076-16-29.292W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Queens Creek** | | | | | | |
| 14815 | - CHANNEL LIGHT 1 | 37-29-23.401N 076-19-15.432W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 14820 | - Channel Buoy 2 | 37-29-23.897N 076-19-16.299W | | | | Red nun. | Removed when endangered by ice. |
| 14835 | - Channel Buoy 3 | 37-29-18.190N 076-19-21.095W | | | | Green can. | Removed when endangered by ice. |
| 14840 | - *Channel Lighted Buoy 5* | 37-29-13.826N 076-19-26.422W | Fl G 4s | | 4 | Green. | Removed when endangered by ice. |
| 14845 | - Channel Buoy 6 | 37-29-14.517N 076-19-28.710W | | | | Red nun. | Removed when endangered by ice. |
| 14850 | - Channel Buoy 8 | 37-29-14.635N 076-19-41.022W | | | | Red nun. | Removed when endangered by ice. |
| 14855 | - Channel Buoy 9 | 37-29-14.083N 076-19-43.854W | | | | Green can. | Removed when endangered by ice. |
| 14860 | - Channel Buoy 10 | 37-29-12.389N 076-19-54.646W | | | | Red nun. | Removed when endangered by ice. |
| | **Piankatank River** | | | | | | |
| 14880 | - Warning Daybeacon | 37-31-55.269N 076-22-21.562W | | | | NW on pile worded DANGER. | |
| 14883 | - LIGHT 13 | 37-31-57.867N 076-22-27.202W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 14885 | - Daybeacon 14 | 37-31-57.877N 076-23-24.354W | | | | TR on pile. | |
| 14890 | - LIGHT 15 | 37-32-02.269N 076-24-11.370W | Fl G 4s | 18 | 4 | SG on pile. | |
| 14895 | Cobbs Creek Daybeacon 1 | 37-31-44.281N 076-23-52.602W | | | | SG on pile. | |
| 14900 | Cobbs Creek Daybeacon 2 | 37-31-39.553N 076-24-06.174W | | | | TR on pile. | |
| | **Rappahannock River** | | | | | | |
| 14905 | - *Entrance Lighted Buoy 1R* | 37-32-16.306N 076-11-28.897W | Fl G 6s | | 5 | Green. | |
| 14910 | - Entrance Buoy 2R | 37-34-13.304N 076-11-43.698W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **RAPPAHANNOCK RIVER (Chart 12237)** | | | | | | |
| | **Rappahannock River** | | | | | | |
| 14912 | *NOAA Lighted Data Buoy SR* | 37-34-03.000N 076-15-44.400W | Fl Y 4s | | | Yellow. | Aid maintained by National Oceanic and Atmospheric Administration. |
| | **RAPPAHANNOCK RIVER ENTRANCE (Chart 12235)** | | | | | | |
| | **Rappahannock River** | | | | | | |
| 14915 | - LIGHT 3R | 37-34-20.531N 076-16-09.811W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 14925 | - *Entrance Lighted Buoy 6R* | 37-35-23.909N 076-17-40.609W | Fl R 4s | | 5 | Red. | |
| | **Windmill Point Marina** | | | | | | |
| 14935 | - LIGHT 2 | 37-36-47.000N 076-17-29.800W | Fl R 2.5s | 12 | | TR on multi-pile. | Private aid. |
| 14940 | - LIGHT 3 | 37-36-47.900N 076-17-30.500W | Fl G 2.5s | 12 | | SG on multi- pile. | Private aid. |
| 14950 | - LIGHT 5 | 37-36-52.000N 076-17-26.300W | Fl G 4s | 12 | | SG on pile. | Private aid. |
| 14955 | - LIGHT 6 | 37-36-51.500N 076-17-25.200W | Fl R 4s | 12 | | TR on pile. | Private aid. |
| | **Broad Creek** | | | | | | |
| 14960 | - Wreck Warning Daybeacon WR | 37-34-11.986N 076-18-15.147W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| 14965 | - CHANNEL ENTRANCE LIGHT 1BC | 37-34-13.522N 076-18-30.771W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 14970 | - Channel Daybeacon 2 | 37-34-06.451N 076-18-37.621W | | | | TR on pile. | |
| 14973 | - CHANNEL WRECK LIGHT WR3 | 37-34-02.057N 076-18-39.177W | Q G | 15 | 4 | SG on pile. | |
| 14975 | - Channel Daybeacon 4 | 37-33-55.574N 076-18-45.626W | | | | TR on pile. | |
| 14977 | - Channel Daybeacon 5 | 37-33-47.791N 076-18-49.465W | | | | SG on pile. | |
| 14980 | - CHANNEL LIGHT 6 | 37-33-47.214N 076-18-51.549W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 14983 | - Channel Buoy 6A | 37-33-41.684N 076-18-50.460W | | | | Red nun. | |
| 14985 | - Channel Daybeacon 8 | 37-33-36.517N 076-18-49.730W | | | | TR on pile. | |
| 14990 | - Channel Daybeacon 10 | 37-33-33.866N 076-18-50.620W | | | | TR on pile. | |
| 15000 | - Channel Daybeacon 11 | 37-33-33.344N 076-18-55.118W | | | | SG on pile. | |
| | **Broad Creek Southern Branch** | | | | | | |
| 15003 | - Daybeacon 2S | 37-33-28.500N 076-18-57.810W | | | | TR on pile. | Private aid. |
| 15003.1 | - Daybeacon 4 | 37-33-25.440N 076-18-59.230W | | | | TR on pile. | Private aid. |
| 15003.2 | - Daybeacon 6 | 37-33-23.790N 076-19-01.130W | | | | TR on pile. | Private aid. |
| 15003.3 | - Daybeacon 7 | 37-33-23.166N 076-19-00.828W | | | | SG on pile. | Private aid. |
| | **Rappahannock River** | | | | | | |
| | **Broad Creek Northern Branch** | | | | | | |
| 15005 | - Daybeacon 1N | 37-33-39.000N 076-18-48.000W | | | | SG on pile. | Private aid. |
| 15010 | - Daybeacon 2 | 37-33-38.000N 076-18-47.000W | | | | TR on pile. | Private aid. |
| 15015 | - Daybeacon 4 | 37-33-39.000N 076-18-45.000W | | | | TR on pile. | Private aid. |
| 15020 | - Daybeacon 5 | 37-33-41.000N 076-18-44.000W | | | | SG on pile. | Private aid. |
| 15025 | - Daybeacon 7 | 37-33-41.000N 076-18-40.000W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **RAPPAHANNOCK RIVER ENTRANCE (Chart 12235)** | | | | | | |
| | **Rappahannock River** | | | | | | |
| | **Broad Creek Northern Branch** | | | | | | |
| 15030 | - Daybeacon 8 | 37-33-41.000N 076-18-40.000W | | | | TR on pile. | Private aid. |
| 15035 | - Daybeacon 9 | 37-33-43.000N 076-18-36.000W | | | | SG on pile. | Private aid. |
| 15040 | - Daybeacon 10 | 37-33-42.000N 076-18-35.000W | | | | TR on pile. | Private aid. |
| 15045 | - Daybeacon 11 | 37-33-43.000N 076-18-31.000W | | | | SG on pile. | Private aid. |
| 15050 | - Daybeacon 12 | 37-33-42.000N 076-18-31.000W | | | | TR on pile. | Private aid. |
| | **Rappahannock River** | | | | | | |
| 15055 | - ENTRANCE LIGHT 7R | 37-35-08.887N 076-19-44.315W | Fl G 4s | 18 | 4 | SG on pile. | Higher intensity beam up and down the channel. |
| 15060 | Grinels Breakwater Warning Daybeacon A | 37-34-30.983N 076-21-29.299W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 15065 | Grinels Breakwater Warning Daybeacon B | 37-34-32.074N 076-21-32.857W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 15070 | - ENTRANCE LIGHT 8R | 37-36-06.071N 076-21-18.599W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 15075 | MILL CREEK ENTRANCE LIGHT 2MC | 37-35-28.960N 076-24-34.184W | Fl R 4s | 15 | 4 | TR on pile. | |
| 15080 | Mill Creek Daybeacon 3 | 37-35-09.696N 076-24-36.781W | | | | SG on pile. | |
| 15085 | MILL CREEK LIGHT 4 | 37-35-05.115N 076-24-53.430W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 15090 | Mill Creek Daybeacon 5 | 37-35-18.521N 076-25-16.825W | | | | SG on pile. | |
| | **Locklies Creek** | | | | | | |
| 15095 | - LIGHT 1 | 37-36-02.407N 076-25-26.355W | Q G | 15 | 4 | SG on pile. | |
| 15100 | - Daybeacon 2 | 37-35-53.875N 076-25-32.729W | | | | TR on pile. | |
| 15105 | - Daybeacon 4 | 37-35-41.926N 076-25-42.366W | | | | TR on pile. | |
| 15110 | - Daybeacon 5 | 37-35-40.303N 076-25-54.508W | | | | SG on pile. | |
| | **Rappahannock River** | | | | | | |
| 15113 | - Mooring Buoy PG | 37-37-29.000N 076-23-37.000W | | | | White with blue band; can. | Private aid. |
| 15114 | - ENTRANCE LIGHT 9R | 37-36-20.397N 076-24-17.882W | Fl G 4s | 15 | 4 | SG on pile. | |
| 15115 | - ENTRANCE WARINING LIGHT A | 37-36-48.249N 076-25-25.426W | Fl W 4s | 8 | 4 | NW on cylindrical base worded DANGER. | |
| | **Carter Creek** | | | | | | |
| 15120 | - LIGHT 1CC | 37-38-56.353N 076-26-35.586W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 15125 | - Daybeacon 2 | 37-38-55.369N 076-26-31.182W | | | | TR on pile. | |
| 15130 | - Daybeacon 3 | 37-39-00.383N 076-26-34.291W | | | | SG on pile. | |
| 15135 | - Daybeacon 4 | 37-39-08.835N 076-26-26.962W | | | | TR on pile. | |
| 15140 | - Daybeacon 6 | 37-39-11.293N 076-26-24.528W | | | | TR on pile. | |
| 15145 | - LIGHT 7 | 37-39-12.974N 076-26-27.732W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 15150 | - EASTERN BRANCH LIGHT 1 | 37-39-12.778N 076-25-51.822W | Fl G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **RAPPAHANNOCK RIVER ENTRANCE (Chart 12235)** | | | | | | |
| | **Corrotoman River** | | | | | | |
| 15155 | - LIGHT 2 | 37-40-00.498N 076-28-55.930W | Fl R 4s | 15 | 4 | TR on pile. | |
| 15157 | - LIGHT 3 | 37-40-40.338N 076-28-33.727W | Fl G 4s | 16 | 4 | SG on pile. | |
| 15165 | - Daybeacon 4 | 37-40-59.562N 076-28-23.020W | | | | TR on pile. | |
| 15170 | - Daybeacon 6 | 37-41-19.998N 076-28-23.596W | | | | TR on pile. | |
| 15175 | Myers Creek Daybeacon 2 | 37-41-11.791N 076-28-57.334W | | | | TR on pile. | |
| 15180 | Myers Creek Daybeacon 3 | 37-41-26.190N 076-29-15.304W | | | | SG on pile. | |
| 15185 | Myers Creek Daybeacon 4 | 37-41-28.704N 076-29-20.266W | | | | TR on pile. | |
| 15190 | - LIGHT 7 | 37-41-37.284N 076-28-31.654W | Fl G 4s | 15 | 4 | SG on pile. | |
| 15195 | - LIGHT 8 | 37-42-05.328N 076-28-52.252W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 15200 | - Daybeacon 9 | 37-42-17.574N 076-28-59.560W | | | | SG on pile. | |
| | **RAPPAHANNOCK RIVER (Chart 12237)** | | | | | | |
| | **Rappahannock River** | | | | | | |
| 15230 | - *Lighted Buoy 6* | 37-38-02.640N 076-30-17.137W | Fl R 4s | | 5 | Red. | |
| 15235 | Beach Creek Entrance Warning Daybeacon | 37-39-36.947N 076-32-01.786W | | | | NW on pile worded DANGER SHOAL. | |
| | **Urbanna Creek** | | | | | | |
| 15240 | - CHANNEL LIGHT 2 | 37-38-30.592N 076-33-47.440W | Fl R 4s | 19 | 4 | TR on pile. | |
| 15243 | - Channel Buoy 2A | 37-38-30.245N 076-33-44.983W | | | | Red nun. | |
| 15245 | - Channel Daybeacon 3 | 37-38-28.014N 076-33-52.529W | | | | SG on pile. | |
| 15250 | - CHANNEL LIGHT 5 | 37-38-25.237N 076-34-05.070W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 15253 | - Channel Buoy 5A | 37-38-23.767N 076-34-09.905W | | | | Green can. | |
| 15255 | - Channel Daybeacon 6 | 37-38-27.025N 076-34-07.596W | | | | TR on pile. | |
| 15260 | - Channel Daybeacon 7 | 37-38-20.849N 076-34-10.000W | | | | SG on pile. | |
| 15265 | - Channel Daybeacon 9 | 37-38-08.311N 076-34-11.317W | | | | SG on pile. | |
| 15270 | - Channel Daybeacon 11 | 37-37-55.737N 076-34-12.407W | | | | SG on pile. | |
| 15275 | ROBINSON CREEK LIGHT 1 | 37-39-04.891N 076-34-33.876W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 15280 | Robinson Creek Daybeacon 3 | 37-39-08.227N 076-34-39.510W | | | | SG on pile. | |
| | **Rappahannock River** | | | | | | |
| 15285 | - LIGHT 8 | 37-40-09.488N 076-32-48.362W | Fl R 2.5s | 15 | 5 | TR on multi-pile structure. | |
| 15290 | LAGRANGE CREEK ENTRANCE LIGHT 2 | 37-39-55.813N 076-34-48.653W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 15295 | Lagrange Creek Daybeacon 4 | 37-40-00.415N 076-35-11.124W | | | | TR on pile. | |
| 15300 | Lagrange Creek Daybeacon 5 | 37-40-05.239N 076-35-22.806W | | | | SG on pile. | |
| | **Belle Isle State Park** | | | | | | |
| 15303 | - Daybeacon 2 | 37-46-03.400N 076-35-05.400W | | | | TR on pile. | Private aid. |
| 15303.1 | - Daybeacon 4 | 37-46-10.800N 076-35-05.400W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **RAPPAHANNOCK RIVER (Chart 12237)** | | | | | | |
| | **Rappahannock River** | | | | | | |
| | **Belle Isle State Park** | | | | | | |
| 15303.2 | - Daybeacon 6 | 37-46-16.300N 076-35-04.400W | | | | TR on pile. | Private aid. |
| 15303.3 | - Daybeacon 7 | 37-46-23.300N 076-34-58.600W | | | | SG on pile. | Private aid. |
| | **Rappahannock River** | | | | | | |
| 15305 | *Greenvale Creek Lighted Buoy 2* | 37-42-28.053N 076-32-46.535W | Fl R 2.5s | | 4 | Red. | Maintained from Mar. 15 to Dec. 1. |
| 15340 | - LIGHT 10 | 37-44-16.089N 076-35-06.476W | Fl R 2.5s | 15 | 5 | TR on multi-pile structure. | |
| | **Parrotts Creek** *Aids 20 feet outside channel limit.* | | | | | | |
| 15345 | - ENTRANCE LIGHT 1 | 37-43-53.214N 076-36-27.526W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 15350 | - Channel Daybeacon 3 | 37-43-50.694N 076-36-49.438W | | | | SG on pile. | |
| 15355 | - Channel Daybeacon 4 | 37-43-51.582N 076-37-07.558W | | | | TR on multi-pile structure. | |
| 15360 | - Channel Daybeacon 6 | 37-43-39.210N 076-37-06.388W | | | | TR on pile. | |
| 15365 | - Channel Daybeacon 8 | 37-43-37.542N 076-37-19.294W | | | | TR on pile. | |
| | **Rappahannock River** | | | | | | |
| 15375 | - *Lighted Buoy 11* | 37-45-32.132N 076-36-58.754W | Fl G 4s | | 5 | Green. | |
| 15380 | MULBERRY CREEK LIGHT 1 | 37-47-01.260N 076-37-34.996W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| | **Morattico River** | | | | | | |
| 15390 | - ENTRANCE LIGHT 1 | 37-47-27.048N 076-38-45.238W | Fl G 4s | 15 | 4 | SG on pile. | |
| 15395 | Morattico Creek Daybeacon 2 | 37-47-49.266N 076-38-28.426W | | | | TR on pile. | |
| 15400 | Morattico Creek Daybeacon 3 | 37-48-03.917N 076-38-19.955W | | | | SG on pile. | |
| 15405 | Lancaster Creek Daybeacon 1 | 37-47-53.058N 076-37-50.446W | | | | SG on pile. | |
| 15410 | Lancaster Creek Daybeacon 3 | 37-47-59.904N 076-37-47.782W | | | | SG on pile. | |
| | **Rappahannock River** | | | | | | |
| 15415 | - Buoy 12 | 37-46-33.030N 076-39-30.960W | | | | Red nun. | |
| 15420 | - *Lighted Buoy 13* | 37-47-17.629N 076-40-36.062W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 15425 | - Buoy 15 | 37-48-08.527N 076-41-57.364W | | | | Green can. | |
| 15430 | - Buoy 16 | 37-48-43.626N 076-42-42.065W | | | | Red nun. | |
| 15435 | WILDWOOD BEACH LIGHT 2 | 37-48-43.668N 076-44-34.564W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 15440 | - Buoy 18 | 37-49-20.825N 076-43-37.367W | | | | Red nun. | |
| 15445 | - LIGHT 19 | 37-49-28.560N 076-43-57.916W | Fl G 6s | 23 | 7 | SG on cylindrical base. | |
| 15450 | - Buoy 21 | 37-51-18.722N 076-45-25.169W | | | | Green can. | |
| | **Totuskey Creek** | | | | | | |
| 15455 | - Buoy 2 | 37-51-30.621N 076-45-10.033W | | | | Red nun. | |
| 15465 | - LIGHT 3 50 feet outside channel limit. | 37-52-21.505N 076-45-03.026W | Q G | 15 | 4 | SG on pile. | |
| 15470 | - Daybeacon 5 | 37-52-37.585N 076-44-39.308W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **RAPPAHANNOCK RIVER (Chart 12237)** | | | | | | |
| | **Rappahannock River** | | | | | | |
| | **Totuskey Creek** | | | | | | |
| 15475 | - Daybeacon 7 | 37-52-55.524N 076-44-22.667W | | | | SG on pile. | |
| 15480 | - Daybeacon 9 | 37-53-01.220N 076-44-25.799W | | | | SG on pile. | |
| 15485 | - Daybeacon 11 | 37-53-08.630N 076-44-24.509W | | | | SG on pile. | |
| 15490 | - Daybeacon 12 | 37-53-07.585N 076-44-16.424W | | | | TR on pile. | |
| 15495 | - Daybeacon 13 | 37-53-09.168N 076-44-07.796W | | | | SG on pile. | |
| 15500 | - Daybeacon 15 | 37-53-08.500N 076-43-41.464W | | | | SG on pile. | |
| 15505 | - Daybeacon 17 | 37-53-21.855N 076-43-28.532W | | | | SG on pile. | |
| 15510 | - Daybeacon 18 | 37-53-22.520N 076-43-20.277W | | | | TR on pile. | |
| 15515 | - Daybeacon 19 | 37-53-26.046N 076-43-13.748W | | | | SG on pile. | |
| 15520 | - Daybeacon 21 | 37-53-33.871N 076-43-05.956W | | | | SG on pile. | |
| 15525 | - Daybeacon 22 | 37-53-41.673N 076-43-06.208W | | | | TR on pile. | |
| 15530 | - Daybeacon 24 | 37-53-49.683N 076-43-01.318W | | | | TR on pile. | |
| 15535 | - Daybeacon 26 | 37-54-08.763N 076-43-15.778W | | | | TR on pile. | |
| 15540 | - Daybeacon 27 | 37-54-27.325N 076-43-19.519W | | | | SG on pile. | |
| 15541 | *TMT Lighted Mooring Buoy A* | 37-51-12.000N 076-45-40.000W | Fl W 4s | | | White with blue band. | Private aid. |
| 15543 | *TMT Lighted Mooring Buoy B* | 37-51-20.000N 076-45-47.000W | Fl W 4s | | | White with blue band. | Private aid. |
| 15545 | - Daybeacon 29 | 37-54-40.603N 076-43-19.240W | | | | SG on pile. | |
| | **Rappahannock River** | | | | | | |
| 15550 | - Buoy 22 | 37-52-06.520N 076-45-52.870W | | | | Red nun. | |
| 15555 | VA POWER CABLE CROSSING EAST TOWER LIGHT A | 37-52-36.491N 076-46-11.454W | Fl Y 4s | 12 | | On tower. | Private aid. |
| 15560 | VA POWER CABLE CROSSING MIDDLE TOWER LIGHT B (2) | 37-52-30.541N 076-46-23.455W | Fl Y 4s | 11 | | Tower. | Private aid. |
| 15565 | VA POWER CABLE CROSSING WEST TOWER LIGHT C | 37-52-24.211N 076-46-35.555W | Fl Y 4s | 11 | | On tower. | Private aid. |
| 15570 | - Buoy 23 | 37-53-40.818N 076-47-03.572W | | | | Green can. | |
| 15575 | - *Lighted Buoy 24* | 37-54-05.637N 076-47-35.573W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 15580 | - Buoy 26 | 37-54-24.517N 076-48-04.875W | | | | Red nun. | |
| 15585 | - Buoy 28 | 37-54-48.517N 076-48-40.876W | | | | Red nun. | |
| 15590 | - LIGHT 29 | 37-54-59.542N 076-49-21.268W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 15595 | - Buoy 30 | 37-55-30.516N 076-50-02.880W | | | | Red nun. | |
| | **Hoskins Creek** | | | | | | |
| 15600 | - LIGHT 1HC | 37-55-31.381N 076-50-43.329W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 15603 | - LIGHT 2 | 37-55-25.576N 076-50-56.423W | Fl R 4s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **RAPPAHANNOCK RIVER (Chart 12237)** | | | | | | |
| | **Rappahannock River** | | | | | | |
| | **Hoskins Creek** | | | | | | |
| 15605 | - RANGE FRONT LIGHT | 37-55-17.755N<br>076-51-09.860W | Q W | 15 | | KWR on pile. | Night: Visible all round, higher intersity beam on bearing 235°. |
| 15610 | - RANGE REAR LIGHT<br>384 yards, 235.2° from front light. | 37-55-11.405N<br>076-51-21.763W | Iso W 6s<br>(NIGHT)<br>Iso W 6s<br>(DAY) | 34 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours.<br>DAY: Visible 1.5° either side of rangeline.<br>Night: Visible 1.5° either side of rangeline. |
| 15611 | - RANGE REAR PASSING LIGHT | 37-55-11.405N<br>076-51-21.763W | Fl W 4s | 15 | 4 | On channel side of platform of Hoskins Creek Range Rear Light. | |
| 15613 | - LIGHT 3 | 37-55-18.474N<br>076-51-07.457W | Q G | 15 | 4 | SG on pile. | |
| 15615 | - Daybeacon 4 | 37-55-20.497N<br>076-51-11.209W | | | | TR on pile. | |
| | **Rappahannock River** | | | | | | |
| 15625 | - *Lighted Buoy 32* | 37-56-25.058N<br>076-51-29.043W | Fl R 4s | | 4 | Red. | |
| 15630 | - Buoy 34 | 37-57-00.525N<br>076-51-28.895W | | | | Red nun. | |
| 15635 | - LIGHT 35 | 37-57-45.604N<br>076-51-39.835W | Fl G 4s | 15 | 5 | SG on multi-pile. | |
| 15640 | - LIGHT 36 | 37-58-35.088N<br>076-51-50.041W | Q R | 15 | 4 | TR on multi-pile structure. | |
| 15650 | - LIGHT 38 | 37-59-03.397N<br>076-54-06.705W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 15655 | - LIGHT 40 | 38-01-07.613N<br>076-54-31.204W | Fl R 6s | 15 | 4 | TR on multi-pile. | |
| 15660 | - Buoy 42 | 38-05-18.508N<br>076-59-10.911W | | | | Red nun. | |
| 15665 | - Daybeacon 44 | 38-06-26.027N<br>076-59-16.218W | | | | TR on pile. | |
| 15670 | - Buoy 46 | 38-05-37.171N<br>077-02-04.748W | | | | Red nun. | |
| 15675 | - Buoy 47 | 38-06-16.335N<br>077-02-35.192W | | | | Green can. | |
| 15680 | - Buoy 48 | 38-06-47.607N<br>077-03-15.667W | | | | Red nun. | |
| 15683 | - Buoy 48A | 38-09-14.220N<br>077-04-12.621W | | | | Red nun. | |
| 15685 | - Buoy 49 | 38-09-04.571N<br>077-04-05.238W | | | | Green can. | |
| 15687 | - Buoy 49A | 38-08-40.940N<br>077-04-06.775W | | | | Green can. | |
| 15690 | - Buoy 50 | 38-08-35.066N<br>077-04-31.200W | | | | Red nun. | |
| 15695 | - Buoy 52 | 38-08-37.929N<br>077-04-45.635W | | | | Red nun. | |
| 15700 | - Buoy 54 | 38-08-51.254N<br>077-04-55.444W | | | | Red nun. | |
| 15705 | - Buoy 55 | 38-09-18.525N<br>077-04-55.156W | | | | Green can. | |
| 15710 | - Buoy 57 | 38-09-34.574N<br>077-06-01.050W | | | | Green can. | |
| 15715 | - Buoy 59 | 38-09-20.011N<br>077-06-19.702W | | | | Green can. | |
| 15720 | - Buoy 60 | 38-09-17.948N<br>077-06-27.107W | | | | Red nun. | |
| 15725 | - Buoy 62 | 38-09-12.730N<br>077-06-41.053W | | | | Red nun. | |
| 15730 | - Buoy 63 | 38-09-07.594N<br>077-06-49.775W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **RAPPAHANNOCK RIVER (Chart 12237)** | | | | | | |
| | **Rappahannock River** | | | | | | |
| 15735 | - Buoy 64 | 38-09-19.992N 077-07-11.049W | | | | Red nun. | |
| 15740 | - Buoy 65 | 38-09-21.880N 077-07-19.685W | | | | Green can. | |
| 15745 | - Buoy 67 | 38-09-50.335N 077-07-50.518W | | | | Green can. | |
| 15750 | - LIGHT 68 | 38-10-07.042N 077-08-27.252W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 15755 | - Daybeacon 69 | 38-10-10.553N 077-09-06.408W | | | | SG on pile. | |
| 15760 | - Buoy 70 | 38-10-01.832N 077-09-32.597W | | | | Red nun. | |
| 15765 | - Buoy 72 | 38-09-50.946N 077-09-48.476W | | | | Red nun. | |
| 15770 | - Buoy 74 | 38-09-46.668N 077-10-11.551W | | | | Red nun. | |
| 15775 | - LIGHT 75 | 38-09-49.695N 077-10-26.598W | Fl G 4s | 15 | 4 | SG on pile. | |
| 15780 | - Buoy 77 | 38-10-55.785N 077-11-37.462W | | | | Green can. | |
| 15785 | - Buoy 78 | 38-11-09.048N 077-11-58.284W | | | | Red nun. | |
| 15790 | - Buoy 79 | 38-11-56.444N 077-13-01.156W | | | | Green can. | |
| 15855 | SOLITE CORP. UPPER DOLPHIN LIGHT A | 38-14-35.413N 077-16-39.528W | F Y | 10 | | On dolphin. | Private aid. |
| 15860 | SOLITE CORP. LOWER DOLPHIN LIGHT B | 38-14-30.573N 077-16-40.468W | F Y | 10 | | On dolphin. | Private aid. |
| | **RAPPAHANNOCK RIVER ENTRANCE (Chart 12235)** | | | | | | |
| | **West Side** | | | | | | |
| | **Antipoison Creek** | | | | | | |
| 16005 | - Daybeacon 2 | 37-38-28.628N 076-19-21.158W | | | | TR on pile. | |
| 16010 | - LIGHT 4 | 37-37-55.391N 076-19-28.990W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 16015 | - Daybeacon 5 | 37-37-51.856N 076-19-55.925W | | | | SG on pile. | |
| 16020 | - Daybeacon 6 | 37-37-54.121N 076-20-12.756W | | | | TR on pile. | |
| 16025 | - Daybeacon 7 | 37-37-53.172N 076-20-26.215W | | | | SG on pile. | |
| | **Dymer Creek** | | | | | | |
| 16030 | NORTH POINT LIGHT 1N | 37-39-14.736N 076-17-59.116W | Fl G 4s | 15 | 4 | SG on pile. | |
| 16035 | - ENTRANCE LIGHT 2 | 37-39-21.092N 076-19-04.376W | Fl R 4s | 15 | 4 | TR on pile. | |
| 16040 | - ENTRANCE LIGHT 4 | 37-39-30.559N 076-19-22.802W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 16045 | - ENTRANCE LIGHT 6 | 37-39-42.941N 076-19-37.317W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 16050 | - ENTRANCE LIGHT 7 | 37-39-49.524N 076-19-49.726W | Fl G 4s | 15 | 4 | SG on pile. | |
| 16055 | Johnson Creek Warning Daybeacon A | 37-40-25.685N 076-21-01.604W | | | | NW on pile worded DANGER. | |
| 16060 | Fleets Bay Buoy 1 | 37-40-31.499N 076-14-06.806W | | | | Green can. | |
| 16065 | Fleets Bay Buoy 2 | 37-41-01.499N 076-14-11.806W | | | | Red nun. | |
| | **Indian Creek** | | | | | | |
| 16070 | BLUFF POINT LIGHT B | 37-40-33.103N 076-16-29.997W | Fl W 2.5s | 19 | 5 | NR on pile. | |
| 16075 | - ENTRANCE LIGHT 2 | 37-40-18.509N 076-18-22.814W | Fl R 2.5s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **RAPPAHANNOCK RIVER ENTRANCE (Chart 12235)** | | | | | | |
| | **West Side** | | | | | | |
| | **Indian Creek** | | | | | | |
| 16080 | - LIGHT 4 | 37-40-38.829N 076-18-57.635W | Fl R 4s | 15 | 4 | TR on pile. | |
| 16085 | - LIGHT 6 | 37-41-00.678N 076-19-39.875W | Fl R 4s | 15 | 4 | TR on pile. | |
| 16090 | - Daybeacon 7 | 37-41-07.386N 076-20-01.017W | | | | SG on pile. | |
| 16095 | - Daybeacon 8 | 37-41-16.717N 076-20-15.000W | | | | TR on pile. | |
| 16100 | - Daybeacon 9 | 37-41-19.282N 076-20-28.998W | | | | SG on pile. | |
| 16105 | - LIGHT 10 | 37-41-27.851N 076-20-36.823W | Fl R 4s | 15 | 4 | TR on pile. | |
| 16110 | - Daybeacon 11 | 37-41-35.388N 076-20-52.033W | | | | SG on pile. | |
| 16115 | - LIGHT 12 | 37-41-41.774N 076-20-55.962W | Fl R 6s | 15 | 4 | TR on pile. | |
| | **Dividing Creek** | | | | | | |
| 16120 | - ENTRANCE LIGHT 3 | 37-42-45.637N 076-17-00.499W | Fl G 4s | 15 | 4 | SG on pile. | |
| 16125 | - ENTRANCE LIGHT 4 | 37-43-08.730N 076-17-59.247W | Fl R 4s | 15 | 4 | TR on pile. | |
| 16130 | - Entrance Daybeacon 6 | 37-43-16.117N 076-18-11.383W | | | | TR on pile. | |
| 16135 | - ENTRANCE LIGHT 7 | 37-43-22.002N 076-18-24.135W | Fl G 4s | 15 | 4 | SG on pile. | |
| 16140 | - Daybeacon 7A | 37-43-24.439N 076-18-43.507W | | | | SG on pile. | |
| | **Jarvis Creek** | | | | | | |
| 16145 | - Daybeacon 2 | 37-43-22.615N 076-19-03.322W | | | | TR on pile. | |
| 16150 | - Daybeacon 3 | 37-43-20.860N 076-19-14.980W | | | | SG on pile. | |
| 16155 | Prentice Creek Entrance Daybeacon 1 | 37-43-43.817N 076-19-06.820W | | | | SG on pile. | |
| 16160 | Prentice Creek Daybeacon 2 | 37-43-47.894N 076-19-22.792W | | | | TR on pile. | |
| | **Dividing Creek** | | | | | | |
| 16165 | - Daybeacon 8 | 37-43-48.509N 076-18-46.817W | | | | TR on pile. | |
| 16170 | - Daybeacon 9 | 37-44-00.510N 076-19-04.817W | | | | SG on pile. | |
| 16175 | - Daybeacon 10 | 37-44-09.503N 076-19-17.842W | | | | TR on pile. | |
| | **Great Wicomico River** | | | | | | |
| 16180 | - *Lighted Buoy 1GW* | 37-47-25.660N 076-14-02.866W | Fl G 4s | | 5 | Green. | |
| 16195 | - *Lighted Buoy 2* | 37-48-01.810N 076-15-16.616W | Fl R 2.5s | | 4 | Red. | |
| 16200 | - Buoy 3 | 37-47-55.200N 076-15-52.866W | | | | Green can. | |
| 16205 | MILL CREEK ENTRANCE LIGHT 2MC | 37-47-36.708N 076-17-47.249W | Fl R 4s | 15 | 4 | TR on pile | |
| 16210 | Mill Creek Entrance Daybeacon 3 | 37-47-35.767N 076-18-07.249W | | | | SG on pile. | |
| 16215 | Mill Creek Entrance Daybeacon 4 | 37-47-17.782N 076-18-39.734W | | | | TR on pile. | |
| 16220 | Mill Creek Entrance Daybeacon 5 | 37-47-35.197N 076-18-54.715W | | | | SG on pile. | |
| | **Ingram Bay Marina** | | | | | | |
| 16225 | - Daybeacon 2 | 37-47-49.474N 076-17-58.800W | | | | TR on pile. | Private aid. |
| 16230 | - Daybeacon 3 | 37-48-00.474N 076-18-08.801W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **RAPPAHANNOCK RIVER ENTRANCE (Chart 12235)** | | | | | | |
| | **Great Wicomico River** | | | | | | |
| | **Ingram Bay Marina** | | | | | | |
| 16235 | - Daybeacon 4 | 37-48-10.473N 076-18-08.801W | | | | TR on pile. | Private aid. |
| 16240 | - Daybeacon 5 | 37-48-07.474N 076-18-10.801W | | | | SG on pile. | Private aid. |
| | **Great Wicomico River** | | | | | | |
| 16245 | - WRECK LIGHT WR4 | 37-48-10.502N 076-16-02.345W | Q R | 15 | 4 | TR on pile. | |
| 16250 | - LIGHT 6 | 37-48-33.727N 076-17-24.154W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 16255 | Cockrell Creek Warning Daybeacon A | 37-49-09.868N 076-17-04.039W | | | | NW on pile, worded DANGER. | |
| 16257 | COCKRELL CREEK LIGHT 1C | 37-49-09.637N 076-17-02.707W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 16260 | Cockrell Creek Daybeacon 2 | 37-50-28.552N 076-16-53.941W | | | | TR on pile. | |
| 16265 | Buzzards Point Daybeacon 1 | 37-50-16.468N 076-16-55.798W | | | | SG on pile. | Private aid. |
| 16270 | Buzzards Point Daybeacon 2 | 37-50-21.468N 076-17-06.799W | | | | TR on pile. | Private aid. |
| 16275 | Buzzards Point Daybeacon 3 | 37-50-24.468N 076-17-10.799W | | | | SG on pile. | Private aid. |
| 16280 | - Daybeacon 8 | 37-49-07.270N 076-17-44.789W | | | | TR on pile. | |
| 16285 | Cranes Creek Buoy 2 | 37-48-55.349N 076-18-20.221W | | | | Red nun. | |
| 16290 | Cranes Creek Buoy 3 | 37-48-57.881N 076-18-31.183W | | | | Green can. | |
| 16295 | Cranes Creek Buoy 5 | 37-48-56.963N 076-18-36.017W | | | | Green can. | |
| 16300 | - LIGHT 9 | 37-49-29.303N 076-18-13.503W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 16303 | - Warning Daybeacon A | 37-49-27.138N 076-18-12.019W | | | | NW on pile worded DANGER. | |
| | **Whays Creek** | | | | | | |
| 16305 | - Daybeacon 2 | 37-49-57.000N 076-18-28.000W | | | | TR on pile. | Private aid. |
| 16310 | - Daybeacon 3 | 37-49-59.000N 076-18-58.000W | | | | SG on pile. | Private aid. |
| 16315 | - Daybeacon 4 | 37-49-57.471N 076-18-42.000W | | | | TR on pile. | Private aid. |
| 16320 | - Daybeacon 5 | 37-50-01.471N 076-18-38.000W | | | | SG on pile. | Private aid. |
| 16325 | - Daybeacon 7 | 37-50-01.000N 076-18-38.000W | | | | SG on pile. | Private aid. |
| | **Great Wicomico River** | | | | | | |
| 16330 | - Daybeacon 10 | 37-49-49.595N 076-18-57.090W | | | | TR on slatted pile structure. | |
| 16335 | - LIGHT 11 | 37-50-56.373N 076-20-01.081W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **Warehouse Creek** | | | | | | |
| 16336.01 | - Daybeacon 1WC | 37-50-35.640N 076-19-19.800W | | | | SG on pile. | Private aid. |
| 16336.02 | - Daybeacon 2 | 37-50-40.500N 076-19-12.130W | | | | TR on pile. | Private aid. |
| 16336.03 | - Daybeacon 3 | 37-50-46.200N 076-19-07.800W | | | | SG on pile. | Private aid. |
| 16336.04 | - Daybeacon 4 | 37-50-51.900N 076-19-03.240W | | | | TR on pile. | Private aid. |
| 16336.05 | - Daybeacon 5 | 37-50-51.920N 076-19-03.280W | | | | SG on pile. | Private aid. |
| 16336.06 | - Daybeacon 6 | 37-50-51.600N 076-19-04.740W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **RAPPAHANNOCK RIVER ENTRANCE (Chart 12235)** | | | | | | |
| | **Great Wicomico River** | | | | | | |
| | **Warehouse Creek** | | | | | | |
| 16336.07 | - Daybeacon 7 | 37-50-51.650N 076-19-04.840W | | | | SG on pile. | Private aid. |
| | **Great Wicomico River** | | | | | | |
| 16340 | - LIGHT A Marks structure supporting power cable poles. | 37-50-54.476N 076-22-04.810W | F Y | 10 | | On dolphin. | Private aid. |
| 16345 | - LIGHT B Marks structure supporting power cable poles. | 37-50-49.500N 076-22-08.900W | F Y | 10 | | On dolphin. | Private aid. |
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY TO PINEY POINT (Chart 12233)** | | | | | | |
| | **Little Wicomico River** | | | | | | |
| 16350 | - APPROACH LIGHT 2LW | 37-53-17.419N 076-13-53.054W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 16355 | - LIGHT 4 | 37-53-25.202N 076-14-09.484W | Q R | 15 | 4 | TR on pile. | |
| 16360 | - LIGHT 5 | 37-53-22.380N 076-14-08.246W | Fl G 2.5s | 22 | 4 | SG on skeleton tower. | |
| 16365 | - LIGHT 7 | 37-53-15.481N 076-14-30.106W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 16370 | - Daybeacon 9 | 37-53-20.350N 076-14-53.296W | | | | SG on pile. | |
| 16375 | - Daybeacon 8 | 37-53-20.054N 076-14-43.964W | | | | TR on pile. | |
| | **Slough Creek** | | | | | | |
| 16380 | - Daybeacon 1S | 37-53-19.645N 076-14-56.871W | | | | SG on pile. | |
| 16385 | - Daybeacon 2 | 37-53-10.420N 076-15-04.712W | | | | TR on pile. | |
| 16390 | - Daybeacon 3 | 37-53-06.087N 076-15-11.092W | | | | SG on pile. | |
| 16400 | - Daybeacon 5 | 37-53-04.963N 076-15-12.310W | | | | SG on pile. | |
| 16405 | - Daybeacon 7 | 37-53-04.008N 076-15-11.514W | | | | SG on pile. | Private aid. |
| 16410 | - Daybeacon 8 | 37-53-03.245N 076-15-10.002W | | | | TR on pile. | Private aid. |
| 16415 | - Daybeacon 10 | 37-52-58.462N 076-15-12.794W | | | | TR on pile. | Private aid. |
| 16415.1 | - Daybeacon 11 | 37-52-55.000N 076-15-14.000W | | | | SG on pile. | Private aid. |
| | **Little Wicomico River** | | | | | | |
| 16420 | - LIGHT 11 | 37-53-22.669N 076-15-07.192W | Fl G 4s | 15 | 4 | SG on pile. | |
| 16425 | - Daybeacon 12 | 37-53-24.224N 076-15-31.678W | | | | TR on pile. | |
| | **Ellyson Creek** | | | | | | |
| 16430 | - Channel Daybeacon 1E | 37-53-40.496N 076-15-51.606W | | | | SG on pile. | |
| 16435 | - Channel Daybeacon 2 | 37-53-42.805N 076-15-53.394W | | | | TR on pile. | |
| 16440 | - Channel Daybeacon 4 | 37-53-51.260N 076-16-00.160W | | | | TR on pile. | |
| 16445 | - Channel Daybeacon 5 | 37-54-02.986N 076-16-16.247W | | | | SG on pile. | |
| 16450 | - Channel Daybeacon 6 | 37-54-05.138N 076-16-20.552W | | | | TR on pile. | |
| | **Little Wicomico River** | | | | | | |
| 16455 | - Daybeacon 13 | 37-53-18.901N 076-15-57.646W | | | | SG on pile. | |
| 16460 | - Buoy 14 | 37-53-14.215N 076-16-17.140W | | | | Red nun. | Removed when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY TO PINEY POINT (Chart 12233)** | | | | | | |
| | **Little Wicomico River** | | | | | | |
| 16465 | - Buoy 15 | 37-53-16.507N 076-16-41.741W | | | | Green can. | |
| 16470 | - Daybeacon 17 | 37-53-22.867N 076-17-14.458W | | | | SG on pile. | |
| 16475 | - Daybeacon 18 | 37-53-23.100N 076-17-20.244W | | | | TR on pile. | |
| 16480 | - Daybeacon 20 | 37-53-28.879N 076-17-40.657W | | | | TR on pile. | |
| 16485 | - Daybeacon 21 | 37-53-41.179N 076-17-53.476W | | | | SG on pile. | |
| | **Potomac River** | | | | | | |
| 16490 | - Channel Buoy 1 | 37-54-10.687N 076-11-47.804W | | | | Green can. | |
| 16495 | - Channel Buoy 3 | 37-56-45.488N 076-16-15.313W | | | | Green can. | |
| 16500 | - Channel Buoy 5 | 37-59-16.689N 076-20-44.826W | | | | Green can. | |
| 16505 | - *Mid-Channel Lighted Whistle Buoy A* | 38-00-51.186N 076-20-39.825W | Mo (A) W | | 6 | Red and white stripes. | |
| 16537 | *NOAA Lighted Data Buoy PL* | 38-02-00.000N 076-20-15.000W | Fl Y 4s | | | Yellow | Aid maintained by National Oceanic and Atmospheric Administration. |
| | **Lake Conoy** | | | | | | |
| 16540 | - Daybeacon 1 | 38-03-00.768N 076-19-47.668W | | | | SG on pile. | |
| 16545 | - LIGHT 2 | 38-02-59.653N 076-19-45.805W | Fl R 2.5s | 18 | 4 | TR on pile. | |
| 16550 | - Daybeacon 3 | 38-03-04.430N 076-19-43.308W | | | | SG on pile. | |
| 16555 | - Warning Daybeacon A | 38-03-09.349N 076-19-43.825W | | | | NW on pile. | Private aid. |
| 16560 | - Warning Daybeacon B | 38-03-10.339N 076-19-40.694W | | | | NW on pile. | Private aid. |
| 16565 | - Warning Daybeacon C | 38-03-12.416N 076-19-37.420W | | | | NW on pile. | Private aid. |
| | **Potomac River** | | | | | | |
| 16570 | - *Channel Lighted Buoy 7* | 38-01-44.790N 076-25-07.938W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| | **Coan River** | | | | | | |
| 16575 | - Entrance Buoy 2 | 38-01-07.491N 076-26-03.840W | | | | Red nun. | |
| 16580 | - Entrance Buoy 4 | 38-00-44.717N 076-26-35.719W | | | | Red nun. | |
| 16585 | - ENTRANCE LIGHT 5 | 38-00-05.921N 076-27-03.878W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 16590 | - LIGHT 6 | 37-59-36.714N 076-27-10.282W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 16595 | - Daybeacon 8 | 37-59-30.298N 076-27-58.184W | | | | TR on pile. | |
| 16600 | - Daybeacon 10 | 37-59-21.212N 076-28-00.685W | | | | TR on pile. | |
| 16602 | - Warning Daybeacon | 37-59-06.781N 076-27-58.369W | | | | NW on pile. | |
| 16603 | - Daybeacon 11 | 37-59-11.490N 076-28-00.586W | | | | SG on pile. | |
| 16605 | - Daybeacon 13 | 37-59-02.717N 076-27-56.643W | | | | SG on pile. | |
| 16607 | - Daybeacon 14 | 37-59-00.309N 076-27-52.846W | | | | TR on pile. | |
| 16610 | - Daybeacon 14A | 37-58-55.388N 076-27-43.813W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY TO PINEY POINT (Chart 12233)** | | | | | | |
| | **Coan River** | | | | | | |
| 16612 | - Marina Buoy 1 | 37-58-57.000N 076-28-02.000W | | | | Green can. | Private aid. |
| 16613 | - Marina Buoy 2 | 37-58-51.000N 076-28-13.000W | | | | Red nun. | Private aid. |
| 16615 | - Daybeacon 16 | 37-58-39.753N 076-27-39.860W | | | | TR on pile. | |
| 16620 | - Daybeacon 18 | 37-58-19.577N 076-27-48.973W | | | | TR on pile. | |
| 16625 | - Daybeacon 19 | 37-58-10.032N 076-27-55.570W | | | | SG on pile. | |
| 16630 | - Daybeacon 20 | 37-58-08.694N 076-28-07.387W | | | | TR on pile. | |
| 16635 | - Daybeacon 22 | 37-58-11.793N 076-28-17.281W | | | | TR on pile. | |
| | **Smith Creek - Potomac River** | | | | | | |
| 16640 | - APPROACH LIGHT 2S | 38-05-31.138N 076-24-15.055W | Q R | 15 | 4 | TR on pile. | |
| 16645 | - LIGHT 3 | 38-06-00.996N 076-24-15.106W | Fl G 2.5s | 17 | 4 | SG on pile. | |
| 16650 | - LIGHT 4 | 38-06-08.304N 076-24-27.175W | Fl R 4s | 15 | 4 | TR on pile. | |
| 16655 | - LIGHT 6 | 38-06-46.907N 076-24-28.618W | Fl R 6s | 15 | 4 | TR on pile. | |
| | **St. Marys River** | | | | | | |
| 16660 | - *Junction Lighted Buoy SM* | 38-04-32.688N 076-26-02.840W | Fl (2+1)R 6s | | 5 | Red and green bands. | Replaced by nun when endangered by ice. |
| 16665 | St. George Creek Junction Daybeacon A | 38-07-16.539N 076-27-29.225W | | | | JR on pile. | |
| 16670 | - LIGHT 1 | 38-08-23.325N 076-27-17.362W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 16675 | - LIGHT 2 | 38-09-00.645N 076-26-40.465W | Fl R 4s | 15 | 4 | TR on pile. | |
| 16680 | - LIGHT 3 | 38-09-31.263N 076-26-47.080W | Fl G 6s | 15 | 4 | SG on pile. | |
| 16685 | - Daybeacon 4 | 38-11-40.619N 076-26-52.771W | | | | TR on pile. | |
| 16687 | ST. INIGOES CREEK LIGHT 2SI | 38-09-33.058N 076-25-41.991W | Q R | 15 | 4 | TR on pile. | |
| 16690 | Molls Cove Daybeacon 2M | 38-09-27.961N 076-25-37.768W | | | | TR on pile. | |
| | **Island Creek Channel** *All aids located 25 feet outside channel limit.* | | | | | | |
| 16695 | - LIGHT 1 | 38-06-41.727N 076-27-47.099W | Fl G 4s | 18 | 4 | SG on multi-pile structure. | |
| 16700 | - LIGHT 3 | 38-06-31.637N 076-28-01.456W | Fl G 4s | 15 | 3 | SG on pile. | |
| 16703 | St. Marys River Horseshoe Bend Warning Buoy A | 38-11-32.050N 076-25-50.310W | | | | White with orange band worded DANGER. | Private aid. |
| 16703.1 | St. Marys River Horseshoe Bend Warning Buoy B | 38-11-28.450N 076-25-53.870W | | | | White with orange band worded DANGER. | Private aid. |
| 16703.2 | St. Marys River Horseshoe Bend Warning Buoy C | 38-11-25.250N 076-25-57.080W | | | | White with orange band worded DANGER. | Private aid. |
| 16705 | - Daybeacon 4 | 38-06-32.850N 076-28-02.445W | | | | TR on pile. | |
| 16710 | - Daybeacon 5 | 38-06-31.537N 076-28-03.697W | | | | SG on pile. | |
| 16715 | - Daybeacon 6 | 38-06-33.253N 076-28-03.297W | | | | TR on pile. | |
| 16720 | - Daybeacon 7 | 38-06-32.440N 076-28-04.898W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY TO PINEY POINT (Chart 12233)** | | | | | | |
| | **St. Marys River** | | | | | | |
| | **Island Creek Channel** | | | | | | |
| | *All aids located 25 feet outside channel limit.* | | | | | | |
| 16725 | - Daybeacon 8 | 38-06-34.673N 076-28-03.875W | | | | TR on pile. | |
| 16730 | - Daybeacon 9 | 38-06-33.026N 076-28-06.393W | | | | SG on pile. | |
| | **St. George Creek** | | | | | | |
| 16735 | - LIGHT 2 | 38-07-22.228N 076-27-56.169W | Q R | 15 | 4 | TR on pile. | |
| 16740 | - LIGHT 3 | 38-07-53.220N 076-28-54.145W | Fl G 4s | 17 | 4 | SG on pile. | |
| 16745 | - LIGHT 4 | 38-08-04.170N 076-29-19.477W | Fl R 2.5s | 17 | 4 | TR on pile. | |
| 16750 | - LIGHT 6 | 38-08-23.742N 076-29-48.150W | Fl R 4s | 15 | 4 | TR on pile. | |
| 16753 | LUNDEBERG SCHOOL BREAKWATER LIGHT A | 38-08-43.800N 076-30-05.040W | Fl W 4s | | | | On end of breakwater. Private aid. |
| 16755 | - Daybeacon 7 | 38-08-55.932N 076-30-04.561W | | | | SG on pile. | |
| 16757 | - Buoy 9 | 38-09-24.200N 076-30-28.500W | | | | Green can. | Private aid. |
| 16760 | - WEST CHANNEL WARNING LIGHT A | 38-08-00.701N 076-30-15.127W | Fl W 4s | 15 | 4 | NW on pile worded DANGER SHOAL. | |
| 16765 | - West Channel Warning Daybeacon B | 38-08-05.550N 076-30-06.631W | | | | NW on pile worded DANGER SHOAL. | |
| 16775 | - Channel Daybeacon 5 | 38-08-16.836N 076-29-48.288W | | | | SG on pile. | |
| | **Carthagena Creek** | | | | | | |
| 16780 | - Daybeacon 1 | 38-08-42.827N 076-27-38.335W | | | | SG on pile. | |
| 16785 | - Daybeacon 3 | 38-08-54.097N 076-27-51.395W | | | | SG on pile. | |
| 16790 | - LIGHT 4 | 38-09-08.720N 076-28-15.444W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 16795 | - Daybeacon 5 | 38-09-18.905N 076-28-12.431W | | | | SG on pile. | |
| | **CHESAPEAKE BAY TO PINEY POINT (Chart 12233)** | | | | | | |
| 16800 | Potomac River Channel Buoy 9 | 38-03-18.291N 076-27-49.045W | | | | Green can. | |
| | **Yeocomico River** | | | | | | |
| 16805 | - ENTRANCE LIGHT 2Y | 38-02-25.673N 076-30-01.879W | Fl R 4s | 16 | 4 | TR on pile. | Remains of caisson structure at base of pile. |
| 16810 | - LIGHT 3 | 38-01-51.915N 076-32-11.593W | Fl G 6s | 16 | 4 | SG on pile. | |
| 16815 | West Yeocomico River Daybeacon 4 | 38-01-38.280N 076-32-53.880W | | | | TR on pile. | Private aid. |
| 16820 | - LIGHT 5 | 38-02-15.677N 076-32-54.722W | Fl G 4s | 15 | 4 | SG on pile. | |
| 16825 | West Yeocomico River Daybeacon 6 | 38-01-40.260N 076-33-13.920W | | | | TR on pile. | Private aid. |
| 16830 | South Yeocomico River Daybeacon 2 | 38-01-39.033N 076-32-29.946W | | | | TR on pile. | |
| 16835 | South Yeocomico River Daybeacon 4 | 38-00-38.915N 076-32-25.556W | | | | TR on pile. | |
| 16837 | PALMER COVE LIGHT | 38-00-35.000N 076-32-00.000W | Fl W 4s | 19 | | Black and white striped lighthouse on multi-pile structure. | Private aid. |
| 16840 | South Yeocomico River Daybeacon 6 | 38-00-18.323N 076-32-25.682W | | | | TR on pile. | |
| 16845 | Mill Creek Daybeacon 2 (Yecomico River) | 38-00-22.468N 076-33-20.838W | | | | TR on pile. | Private aid. |
| 16850 | Mill Creek Daybeacon 4 (Yecomico River) | 38-00-13.468N 076-33-38.838W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY TO PINEY POINT (Chart 12233)** | | | | | | |
| 16855 | *Potomac River Mid-Channel Lighted Whistle Buoy B* | 38-06-54.191N 076-31-51.454W | Mo (A) W | | 6 | Red and white stripes. | Replaced by nun when endangered by ice. |
| | **Piney Point Oil Pier** | | | | | | |
| 16860 | - LIGHT A | 38-07-58.100N 076-31-52.300W | F Y | 26 | | | Private aid. |
| 16865 | - LIGHT B | 38-07-59.620N 076-31-55.410W | F Y | 26 | | | Private aid. |
| 16870 | - LIGHT C | 38-08-00.970N 076-31-57.890W | F Y | 26 | | | Private aid. |
| 16875 | - LIGHT D | 38-08-03.310N 076-32-00.220W | F Y | 26 | | | Private aid. |
| | **PINEY POINT TO LOWER CEDAR POINT (Chart 12286)** | | | | | | |
| | **Potomac River** | | | | | | |
| | **Bonum Creek** | | | | | | |
| | *Daybeacons located 10 feet outside channel limit.* | | | | | | |
| 16882 | - NORTH JETTY WARNING LIGHT A | 38-05-53.576N 076-34-48.706W | Fl W 2.5s | 15 | 4 | NW on pile worded DANGER ROCKS. | |
| 16912 | Maryland Historical Trust Mooring Buoy | 38-08-10.000N 076-33-10.000W | | | | White with blue band. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| | **Herring Creek** | | | | | | |
| 16915 | - JETTY LIGHT 2 | 38-10-34.374N 076-32-57.352W | Fl R 4s | 15 | 3 | TR on skeleton tower. | |
| 16920 | - JETTY LIGHT 1 | 38-10-36.678N 076-32-58.696W | Fl G 4s | 15 | 4 | SG on skeleton tower. | |
| 16927 | - Daybeacon 4 | 38-10-38.608N 076-32-49.142W | | | | TR on pile. | |
| 16930 | - Daybeacon 5 | 38-10-40.553N 076-32-45.869W | | | | SG on pile. | |
| 16935 | - LIGHT 6 | 38-10-44.152N 076-32-34.723W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| | **Potomac River** | | | | | | |
| | *Buoys located 140 feet outside channel limit.* | | | | | | |
| 16940 | RAGGED POINT WARNING LIGHT | 38-09-16.332N 076-36-04.619W | Fl W 6s | 25 | 6 | NW on platform worded "DANGER". | |
| 16955 | - Channel Buoy 10 | 38-11-27.430N 076-35-47.916W | | | | Red nun. | |
| 16960 | - Channel Buoy 11 | 38-10-00.090N 076-38-33.760W | | | | Green can. | |
| 16962 | Cabin Point Creek Daybeacon 1 | 38-08-28.700N 076-39-39.400W | | | | SG on pile. | Private aid. |
| 16963 | Cabin Point Creek Daybeacon 2 | 38-08-29.400N 076-39-39.500W | | | | TR on pile. | Private aid. |
| | **Lower Machodoc Creek** | | | | | | |
| 16965 | - LIGHT 1LM | 38-08-26.222N 076-39-00.218W | Fl G 4s | 15 | 4 | SG on pile. | |
| 16970 | - Daybeacon 2 | 38-08-09.823N 076-38-49.060W | | | | TR on pile. | |
| | **Glebe Creek** | | | | | | |
| 16971 | - Daybeacon 1 | 38-08-02.700N 076-38-58.440W | | | | SG on pile. | Private aid. |
| 16971.5 | - Daybeacon 2 | 38-08-02.760N 076-38-59.400W | | | | TR on pile. | Private aid. |
| 16972 | - Daybeacon 3 | 38-07-54.600N 076-38-59.760W | | | | SG on pile. | Private aid. |
| 16972.5 | - Daybeacon 4 | 38-07-55.080N 076-39-00.120W | | | | TR on pile. | Private aid. |
| 16973 | - Daybeacon 5 | 38-07-55.380N 076-39-05.340W | | | | SG on pile. | Private aid. |
| 16973.5 | - Daybeacon 6 | 38-07-55.560N 076-39-04.920W | | | | TR on pile. | Private aid. |
| | **Lower Machodoc Creek** | | | | | | |
| 16975 | - LIGHT 4 | 38-07-28.763N 076-38-21.737W | Fl R 4s | 15 | 3 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **PINEY POINT TO LOWER CEDAR POINT (Chart 12286)** | | | | | | |
| | **Potomac River** | | | | | | |
| | **Lower Machodoc Creek** | | | | | | |
| 16980 | - Daybeacon 6 | 38-07-25.199N 076-38-23.061W | | | | TR on pile. | |
| 16985 | Bransons Cove Daybeacon 1B | 38-08-21.234N 076-38-52.759W | | | | SG on pile. | |
| 16990 | BRANSONS COVE LIGHT 3 | 38-08-28.494N 076-38-17.755W | Fl G 4s | 15 | 3 | SG on pile. | |
| 16995 | Bransons Cove Daybeacon 5 | 38-08-30.426N 076-38-10.609W | | | | SG on pile. | |
| | **Potomac River** *Buoys located 140 feet outside channel limit.* | | | | | | |
| 17000 | - Channel Buoy 12 | 38-12-18.936N 076-40-00.040W | | | | Red nun. | |
| 17005 | Kingcopsico Point Warning Daybeacon | 38-09-44.925N 076-42-05.562W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 17007 | - Channel Buoy 13 | 38-10-48.132N 076-43-38.338W | | | | Green can. | |
| | **Nomini Creek** | | | | | | |
| 17010 | - CHANNEL LIGHT 1 | 38-08-23.413N 076-43-22.711W | Fl G 2.5s | 18 | 4 | SG on pile. | |
| 17015 | - Channel Daybeacon 2 | 38-08-18.941N 076-43-27.854W | | | | TR on pile. | |
| 17020 | - Channel Daybeacon 4 | 38-08-03.636N 076-43-15.898W | | | | TR on pile. | |
| 17023 | - Channel Daybeacon 4A | 38-07-57.887N 076-43-10.705W | | | | TR on pile. | |
| 17025 | - CHANNEL LIGHT 5 | 38-07-56.199N 076-43-06.793W | Fl G 4s | 15 | 4 | SG on pile. | |
| 17030 | - Channel Daybeacon 6 | 38-07-42.342N 076-43-06.451W | | | | TR on pile. | |
| 17035 | - Channel Daybeacon 8 | 38-07-22.224N 076-43-03.763W | | | | TR on pile. | |
| 17040 | - Channel Daybeacon 10 | 38-07-01.500N 076-42-38.005W | | | | TR on pile. | |
| | **Breton Bay** | | | | | | |
| 17055 | Heron Island Shoals Junction Buoy HI | 38-12-38.595N 076-42-12.484W | | | | Red and green bands; nun. | |
| 17060 | - ENTRANCE LIGHT 2 | 38-13-36.442N 076-41-40.363W | Fl R 4s | 15 | 4 | TR on pile. | |
| 17065 | - Channel Daybeacon 4 | 38-14-22.227N 076-41-27.865W | | | | TR on pile. | |
| 17070 | - LIGHT 5 | 38-15-18.472N 076-41-34.621W | Fl G 6s | 15 | 4 | SG on pile. | |
| 17075 | COMBS CREEK LIGHT 1C | 38-15-34.415N 076-41-31.084W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 17080 | Combs Creek Daybeacon 3 | 38-15-38.498N 076-41-30.473W | | | | SG on pile. | |
| 17085 | Combs Creek Daybeacon 4 | 38-15-38.721N 076-41-29.864W | | | | TR on pile. | |
| 17090 | - LIGHT 7 | 38-15-25.325N 076-39-52.163W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 17095 | - Daybeacon 7A | 38-15-48.635N 076-39-11.483W | | | | SG on pile. | |
| 17100 | - LIGHT 8 | 38-15-53.999N 076-39-00.377W | Fl R 4s | 15 | 4 | TR on pile. | |
| 17105 | - Daybeacon 9 | 38-16-00.644N 076-38-43.756W | | | | SG on pile. | |
| 17110 | - Daybeacon 11 | 38-16-45.836N 076-37-48.152W | | | | SG on pile. | |
| | **St. Patrick Creek** | | | | | | |
| 17115 | - LIGHT 2SP | 38-13-53.532N 076-44-16.774W | Fl R 4s | 16 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **PINEY POINT TO LOWER CEDAR POINT (Chart 12286)** | | | | | | |
| | **Potomac River** | | | | | | |
| | **St. Patrick Creek** | | | | | | |
| 17123 | - Buoy 3 | 38-13-56.115N 076-44-25.783W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 17130 | - Buoy 4 | 38-13-59.940N 076-44-34.806W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 17135 | - Buoy 5 | 38-13-58.955N 076-44-32.564W | | | | Green Can. | Maintained from Mar. 15 to Dec. 1. |
| 17140 | - Buoy 6 | 38-14-00.307N 076-44-36.748W | | | | Red Nun. | Maintained form Mar. 15 to Dec. 1. |
| 17145 | - Buoy 7 | 38-14-00.619N 076-44-43.071W | | | | Green Can. | Maintained from Mar. 15 to Dec. 1. |
| 17151 | - Buoy 9 | 38-14-03.650N 076-44-49.716W | | | | Green Can. | Maintained from Mar. 15 to Dec. 1. |
| 17153 | - Buoy 10 | 38-14-05.272N 076-44-57.102W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| | **St. Clements Bay** | | | | | | |
| 17155 | - Warning Daybeacon | 38-13-46.649N 076-43-11.246W | | | | NW on pile worded DANGER SHOALING. | |
| 17160 | - LIGHT 2 | 38-14-28.541N 076-43-26.491W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 17165 | - LIGHT 3 | 38-15-55.088N 076-42-45.316W | Fl G 6s | 15 | 4 | SG on pile. | |
| 17170 | - LIGHT 5 | 38-17-13.268N 076-42-50.874W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **Heron Island Bar** | | | | | | |
| 17175 | - Buoy 1 | 38-12-35.696N 076-43-43.088W | | | | Green can. | |
| 17180 | - *Lighted Buoy 3* | 38-12-48.134N 076-43-57.649W | Fl G 4s | | 4 | Green. | Maintained from Mar. 15 to Dec. 1. |
| 17185 | - Buoy 4 | 38-12-58.641N 076-43-56.003W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 17190 | - Buoy 5 | 38-12-59.404N 076-44-13.761W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| | **Dukeharts Channel** | | | | | | |
| 17195 | - Buoy 7 | 38-13-07.503N 076-44-46.486W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 17200 | - Daybeacon 8 | 38-13-07.061N 076-45-08.743W | | | | TR on pile. | |
| 17205 | - Buoy 9 | 38-13-18.859N 076-45-59.402W | | | | Green can. | Maintained from Mar. 15 to Dec 1. |
| 17210 | - Buoy 10 | 38-13-12.487N 076-46-23.090W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| | **St. Catherine Sound Lower Entrance** | | | | | | |
| 17215 | *St. Catherine Sound Lower Lighted Buoy 1L* | 38-13-35.568N 076-46-51.148W | Fl G 4s | | 4 | Green. | Maintained from Mar. 15 to Dec. 1. |
| 17220 | - Daybeacon 2L | 38-13-53.236N 076-47-00.490W | | | | TR on pile. | |
| 17225 | - Daybeacon 3L | 38-13-53.771N 076-47-02.674W | | | | SG on pile. | |
| 17230 | - Daybeacon 5L | 38-13-58.434N 076-47-08.743W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **PINEY POINT TO LOWER CEDAR POINT (Chart 12286)** | | | | | | |
| | **Potomac River** | | | | | | |
| | **St. Catherine Sound Lower Entrance** | | | | | | |
| 17235 | - Daybeacon 6L | 38-14-08.093N 076-47-13.776W | | | | TR on pile. | |
| 17240 | - Warning Daybeacon | 38-14-17.616N 076-47-15.578W | | | | NW on pile worded DANGER SHOAL. | |
| 17243 | - Buoy 7L | 38-14-23.409N 076-47-12.260W | | | | Green can. | |
| 17245 | - Daybeacon 9L | 38-14-32.871N 076-47-14.777W | | | | SG on pile. | |
| | **Wicomico River (Lower Potomac River)** | | | | | | |
| 17250 | Wicomico River Junction Buoy WR | 38-14-01.430N 076-49-12.843W | | | | Red and green bands; nun. | |
| 17255 | WICOMICO RIVER ENTRANCE LIGHT 1W | 38-14-29.445N 076-49-28.820W | Fl G 4s | 18 | 4 | SG on pile. | |
| 17260 | Wicomico River Warning Daybeacon | 38-14-33.479N 076-49-35.613W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| 17265 | Wicomico River Daybeacon 2W | 38-15-13.507N 076-49-28.702W | | | | TR on pile. | |
| | **St. Catherine Sound Upper Entrance** | | | | | | |
| 17275 | - Warning Daybeacon B | 38-15-07.770N 076-48-26.326W | | | | NW on pile worded DANGER SHOAL. | |
| 17280 | - Warning Daybeacon C | 38-15-07.745N 076-48-24.603W | | | | NW on pile worded DANGER SHOAL. | |
| 17285 | - Warning Daybeacon D | 38-14-50.242N 076-48-10.537W | | | | NW on pile, worded DANGER SHOAL. | |
| 17290 | - Warning Daybeacon E | 38-14-54.047N 076-47-44.228W | | | | NW on pile worded DANGER SHOAL. | |
| | **Wicomico River (Lower Potomac River)** | | | | | | |
| 17295 | WICOMICO RIVER LIGHT 3W | 38-15-41.190N 076-49-54.167W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| | **St. Catherine Sound Upper Entrance** | | | | | | |
| 17300 | COBB ISLAND WRECK LIGHT WR2 | 38-15-56.145N 076-50-22.395W | Q R | 15 | 4 | TR on pile. | |
| 17305 | Cobb Island Daybeacon 4 | 38-15-55.603N 076-50-26.428W | | | | TR on pile. | |
| | **Wicomico River (Lower Potomac River)** | | | | | | |
| 17310 | WICOMICO RIVER LIGHT 5W | 38-16-35.174N 076-49-25.742W | Fl G 4s | 15 | 4 | SG on pile. | |
| 17312 | WICOMICO RIVER LIGHT 6W | 38-17-04.868N 076-49-23.238W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 17315 | Wicomico River Daybeacon 7W | 38-17-51.305N 076-50-13.038W | | | | SG on pile. | |
| 17320 | WICOMICO RIVER LIGHT 9W | 38-19-01.347N 076-50-44.753W | Fl G 6s | 15 | 4 | SG on pile. | |
| 17325 | Wicomico River Daybeacon 11W | 38-19-24.395N 076-50-53.004W | | | | SG on pile. | |
| 17330 | Wicomico River Daybeacon 13W | 38-19-49.964N 076-51-19.621W | | | | SG on pile. | |
| 17335 | Wicomico River Daybeacon 14W | 38-19-58.487N 076-51-27.907W | | | | TR on pile. | |
| 17340 | Wicomico River Daybeacon 16W | 38-20-48.614N 076-51-04.898W | | | | TR on pile. | |
| 17345 | Wicomico River Daybeacon 17W | 38-21-36.422N 076-50-40.857W | | | | SG on pile. | |
| 17350 | Wicomico River Daybeacon 19W | 38-21-54.497N 076-51-22.690W | | | | SG on pile. | |
| | **Potomac River** | | | | | | |
| | *Buoys located 140 feet outside channel limit.* | | | | | | |
| 17355 | *- Mid-Channel Lighted Whistle Buoy C* | 38-11-49.698N 076-44-39.589W | Mo (A) W | | 5 | Red and white stripes. | Replaced by can when endangered by ice. |
| 17360 | - Channel Buoy 14 | 38-12-05.497N 076-44-34.589W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **PINEY POINT TO LOWER CEDAR POINT (Chart 12286)** | | | | | | |
| | **Potomac River** | | | | | | |
| | *Buoys located 140 feet outside channel limit.* | | | | | | |
| 17365 | - Channel Buoy 14A | 38-13-05.397N 076-47-21.396W | | | | Red nun. | |
| 17370 | - Channel Buoy 15 | 38-13-28.497N 076-49-47.102W | | | | Green can. | |
| 17380 | - *Channel Lighted Buoy 17* | 38-14-08.430N 076-51-06.717W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 17385 | - Channel Buoy 18 | 38-14-11.596N 076-51-03.655W | | | | Red nun. | |
| 17390 | - Channel Buoy 19 | 38-14-27.786N 076-51-57.307W | | | | Green can. | |
| 17395 | - Channel Buoy 20 | 38-14-31.496N 076-51-54.907W | | | | Red nun. | |
| | **Neale Sound** | | | | | | |
| 17400 | - CHANNEL LIGHT 2N | 38-16-01.172N 076-52-01.558W | Fl R 4s | 15 | 4 | TR on pile. | |
| 17402 | - CHANNEL LIGHT 3 | 38-16-04.794N 076-52-01.773W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 17405 | - Channel Daybeacon 4 | 38-16-08.483N 076-51-57.595W | | | | TR on pile. | |
| 17410 | - CHANNEL LIGHT 6 | 38-16-13.412N 076-51-54.826W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 17412 | - Warning Daybeacon | 38-16-16.155N 076-51-50.470W | | | | NW on pile worded DANGER SHOAL. | |
| 17415 | - CHANNEL LIGHT 7 | 38-16-15.753N 076-51-50.686W | Fl G 4s | 15 | 3 | SG on pile. | |
| 17420 | - Channel Daybeacon 9 | 38-16-10.692N 076-51-36.375W | | | | SG on pile. | |
| 17425 | - Channel Daybeacon 11 | 38-16-04.315N 076-51-19.561W | | | | SG on pile. | |
| | **Potomac River** | | | | | | |
| | *Buoys located 140 feet outside channel limit.* | | | | | | |
| 17430 | - *Channel Lighted Buoy 21* | 38-14-46.796N 076-52-49.108W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 17435 | - Channel Buoy 22 | 38-14-51.096N 076-52-49.309W | | | | Red nun. | |
| 17440 | - Channel Buoy 23 | 38-15-04.116N 076-53-36.030W | | | | Green can. | |
| 17445 | - Channel Buoy 24 | 38-15-07.695N 076-53-33.210W | | | | Red nun. | |
| 17450 | - *Channel Lighted Buoy 25* | 38-15-21.395N 076-54-25.911W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 17455 | - Channel Buoy 26 | 38-15-25.895N 076-54-24.111W | | | | Red nun. | |
| 17460 | - Channel Buoy 27 | 38-15-45.794N 076-55-53.513W | | | | Green can. | |
| 17465 | - Channel Buoy 28 | 38-15-39.994N 076-54-59.112W | | | | Red nun. | |
| 17470 | Swan Point Shoal Warning Daybeacon | 38-16-46.235N 076-55-28.830W | | | | NW on pile worded DANGER SHOAL. | |
| | **Mattox Creek** | | | | | | |
| 17475 | - LIGHT 1 | 38-13-17.962N 076-57-23.322W | Fl G 4s | 15 | 4 | SG on pile. | |
| 17480 | - Daybeacon 2 | 38-13-10.324N 076-57-28.334W | | | | TR on pile. | |
| 17485 | - Daybeacon 3 | 38-12-51.329N 076-57-30.380W | | | | SG on pile. | |
| 17490 | - LIGHT 4 | 38-12-29.249N 076-57-41.492W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **PINEY POINT TO LOWER CEDAR POINT (Chart 12286)** | | | | | | |
| | **Potomac River** | | | | | | |
| | **Harbor View** | | | | | | |
| 17495 | - Daybeacon 6 | 38-12-36.469N 076-58-10.897W | | | | TR on pile. | Private aid. |
| 17500 | - Daybeacon 7 | 38-12-36.469N 076-58-34.898W | | | | SG on pile. | Private aid. |
| 17505 | - Daybeacon 9 | 38-12-24.469N 076-58-52.898W | | | | SG on pile. | Private aid. |
| 17510 | - Daybeacon 11 | 38-12-29.000N 076-58-57.000W | | | | SG on pile. | Private aid. |
| | **Monroe Creek** | | | | | | |
| 17515 | - ENTRANCE LIGHT 2 | 38-13-55.096N 076-56-57.497W | Fl R 4s | 15 | 4 | TR on pile. | |
| 17520 | - ENTRANCE LIGHT 4 | 38-13-40.583N 076-57-53.669W | Q R | 15 | 4 | TR on pile. | |
| 17535 | - Channel Daybeacon 6 | 38-14-04.541N 076-57-56.666W | | | | TR on pile. | |
| 17540 | - CHANNEL LIGHT 8 | 38-14-12.812N 076-57-58.029W | Fl R 4s | 15 | 4 | TR on pile. | |
| 17545 | - Channel Daybeacon 9 | 38-14-14.333N 076-57-59.765W | | | | SG on pile. | |
| 17550 | - Channel Daybeacon 10 | 38-14-16.003N 076-57-55.924W | | | | TR on pile. | |
| 17555 | - Channel Daybeacon 12 | 38-14-19.793N 076-57-47.134W | | | | TR on pile. | |
| | **Potomac River** *Buoys located 140 feet outside channel limit.* | | | | | | |
| 17560 | Line of Fire Buoy I | 38-14-00.497N 076-48-16.900W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17565 | Line of Fire Buoy K | 38-14-38.696N 076-50-44.405W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17570 | Line of Fire Buoy S | 38-17-10.492N 076-59-38.919W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17575 | Line of Fire Buoy M | 38-15-51.994N 076-53-28.910W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17580 | Line of Fire Buoy R | 38-20-10.495N 076-59-03.085W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17585 | Line of Fire Buoy O | 38-17-11.092N 076-56-05.814W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17590 | Line of Fire Buoy Q | 38-19-06.017N 076-57-05.936W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17593 | *Swan Point NSWC Dahlgren Lighted Data Buoy A* | 38-18-08.382N 076-55-53.531W | Fl (4)Y 20s | | 4 | Yellow. | Aid maintained by U.S. Navy. Aid maintained by U.S. Navy. |
| 17595 | Line of Fire Buoy J | 38-12-30.498N 076-52-54.905W | | | | Yellow nun. | On south side of Potomac River between Popes Creek and Rosier Creek. |
| 17600 | Line Of Fire Buoy L | 38-13-36.897N 076-55-16.011W | | | | Yellow nun. | On south side of Potomac River between Popes Creek and Rosier Creek. |
| 17605 | Line of Fire Buoy N | 38-14-53.496N 076-56-57.414W | | | | Yellow nun. | On south side of Potomac river between Popes Creek and Rosier Creek. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **PINEY POINT TO LOWER CEDAR POINT (Chart 12286)** | | | | | | |
| | **Potomac River** | | | | | | |
| | *Buoys located 140 feet outside channel limit.* | | | | | | |
| 17610 | Line of Fire Buoy P | 38-16-58.892N 076-58-45.817W | | | | Yellow nun. | On south side of Potomac River between Popes Creek and Rosier Creek. |
| 17615 | - *Mid-Channel Lighted Whistle Buoy D* | 38-16-47.992N 076-57-55.716W | Mo (A) W | | 5 | Red and white stripes. | |
| | **Cuckold Creek** | | | | | | |
| 17620 | - LIGHT 1 | 38-18-48.750N 076-55-49.370W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 17625 | - Daybeacon 2 | 38-18-48.647N 076-55-34.272W | | | | TR on pile. | |
| 17630 | - LIGHT 3 | 38-18-49.910N 076-55-21.540W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **Potomac River** | | | | | | |
| | *Buoys located 140 feet outside channel limit.* | | | | | | |
| 17635 | - *Channel Lighted Buoy 29* | 38-18-30.489N 076-59-28.919W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| | **Upper Machodoc Creek Dahlgren Channel** | | | | | | |
| 17640 | - Buoy 2 | 38-18-34.989N 076-59-50.420W | | | | Red nun. | |
| 17655 | - Buoy 4 | 38-18-40.589N 077-00-26.121W | | | | Red nun. | |
| 17660 | - Buoy 6 | 38-18-46.988N 077-01-00.922W | | | | Red nun. | |
| 17665 | - Daybeacon 8 10 feet outside channel limit. | 38-18-55.356N 077-01-49.382W | | | | TR on pile. | |
| 17670 | - Daybeacon 9 10 feet outside channel limit. | 38-18-53.459N 077-01-59.115W | | | | SG on pile. | |
| 17675 | - LIGHT 11 | 38-18-56.650N 077-02-04.887W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| | **Baber Point** | | | | | | |
| 17680 | - Channel Buoy 2 | 38-18-04.490N 077-00-39.921W | | | | Red nun. | |
| 17685 | - Channel Buoy 4 | 38-18-25.489N 077-01-06.922W | | | | Red nun. | |
| 17690 | - LIGHT 5 | 38-18-42.710N 077-01-34.919W | Fl G 4s | 15 | 4 | SG on pile. | |
| 17695 | - Channel Junction Daybeacon BP | 38-18-50.469N 077-01-37.918W | | | | JG on pile. | |
| | **Potomac River** | | | | | | |
| | *Buoys located 140 feet outside channel limit.* | | | | | | |
| 17700 | - CHANNEL LIGHT 30 | 38-19-43.455N 076-59-00.848W | Fl R 4s | 29 | 5 | TR on caisson. | |
| 17705 | - Channel Buoy 32 | 38-19-54.487N 076-59-11.919W | | | | Red nun. | |
| 17710 | - CHANNEL LIGHT 33 | 38-20-24.317N 076-59-36.609W | Fl G 2.5s | 38 | 5 | SG on skeleton tower on pile. | |
| 17715 | PEPCO INTAKE CHANNEL BAFFLE WALL LIGHT A | 38-21-30.454N 076-58-40.902W | Fl Y 2.5s | 8 | | On pile. | Private aid. |
| 17720 | PEPCO DISCHARGE CHANNEL RETAINING WALL LIGHT B | 38-21-30.454N 076-58-46.902W | Fl Y 2.5s | 8 | | On pile. | Private aid. |
| 17725 | PEPCO TURNING DOLPHIN LIGHT C | 38-21-30.454N 076-58-46.902W | Fl Y 2.5s | 15 | | On dolphin. | Private aid. |
| 17730 | PEPCO DISCHARGE CHANNEL RETAINING WALL LIGHT D | 38-21-42.453N 076-58-58.902W | Fl Y 2.5s | 10 | | On pile. | Private aid. |
| 17735 | - Channel Buoy 35 | 38-21-12.484N 076-59-28.920W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **LOWER CEDAR POINT TO MATTAWOMAN CREEK (Chart 12288)** | | | | | | |
| | **Potomac River** | | | | | | |
| 17740 | **- Bridge East Pier Fog Signal** | 38-21-45.200N 076-59-21.300W | | | | | BELL : 2 strokes ev 20s. Activated during low visibility. Private aid. |
| 17745 | **- Bridge West Pier Fog Signal** | 38-21-44.000N 076-59-31.700W | | | | | BELL : 1 stroke ev 20s. Activated during low visibility. Private aid. |
| | **Upper Potomac River** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 17750 | - Channel Buoy 1 | 38-22-13.502N 076-59-42.306W | | | | Green can. | |
| 17755 | - *Channel Lighted Buoy 2* | 38-24-12.579N 077-00-33.923W | Fl R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 17760 | Mathias Point Warning Daybeacon | 38-23-34.524N 077-01-22.883W | | | | NW on pile worded DANGER ROCK. | |
| 17765 | - CHANNEL LIGHT 6 | 38-24-46.449N 077-02-19.556W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| | **Port Tobacco River** | | | | | | |
| 17770 | - LIGHT 1 | 38-26-37.812N 077-01-54.733W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 17775 | - Daybeacon 3 | 38-27-45.289N 077-02-10.150W | | | | SG on pile. | |
| 17780 | - Daybeacon 4 | 38-28-38.044N 077-02-04.968W | | | | TR on pile. | |
| 17785 | - Daybeacon 6 | 38-28-58.933N 077-01-35.974W | | | | TR on pile. | |
| 17795 | - Daybeacon 8 | 38-29-36.230N 077-01-27.594W | | | | TR on pile. | |
| 17805 | - Daybeacon 10 | 38-29-43.526N 077-01-32.131W | | | | TR on pile. | |
| 17810 | - Daybeacon 11 | 38-29-43.718N 077-01-32.978W | | | | SG on pile. | |
| | **Upper Potomac River** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 17815 | - CHANNEL LIGHT 5 | 38-24-18.805N 077-02-33.982W | Fl G 6s | 44 | 4 | SG on skeleton tower with small white house on piles. | |
| 17820 | - Channel Buoy 7 | 38-23-43.479N 077-04-33.929W | | | | Green can. | |
| 17825 | - CHANNEL LIGHT 8 | 38-24-09.341N 077-04-57.256W | Fl R 6s | 15 | 4 | TR on multi-pile structure. | |
| | **Nanjemoy Creek** | | | | | | |
| 17830 | - Jurisdiction Line Buoy PRM 8B | 38-23-55.436N 077-06-46.784W | | | | White with orange bands; spar. | Private aid. |
| 17835 | - Buoy 2 | 38-26-48.100N 077-07-29.000W | | | | Red nun. | Private aid. |
| 17840 | - Buoy 4 | 38-26-38.600N 077-08-00.600W | | | | Red nun. | Private aid. |
| 17845 | - Buoy 5 | 38-26-40.700N 077-08-20.700W | | | | Green can. | Private aid. |
| 17850 | - Buoy 6 | 38-26-46.500N 077-08-29.200W | | | | Red nun. | Private aid. |
| 17860 | - Buoy 9 | 38-27-13.000N 077-09-02.300W | | | | Green can. | Private aid. |
| | **Upper Potomac River** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 17865 | - *Channel Lighted Buoy 11* | 38-23-29.910N 077-06-45.973W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 17870 | - *Channel Lighted Buoy 13* | 38-23-17.679N 077-07-50.234W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 17875 | Riverside Warning Daybeacon | 38-23-08.676N 077-08-41.516W | | | | NW on pile worded DANGER PILES. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **LOWER CEDAR POINT TO MATTAWOMAN CREEK (Chart 12288)** | | | | | | |
| | **Upper Potomac River** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 17880 | - CHANNEL LIGHT 15 | 38-22-32.720N 077-08-36.249W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 17882 | Metompkin Point Warning Daybeacon | 38-22-31.971N 077-08-35.478W | | | | NW on pile worded DANGER ROCKS. | Marks rip-rap from previous Lighthouse. |
| 17885 | - Channel Buoy 16 | 38-22-00.881N 077-10-14.837W | | | | Red nun. | |
| 17890 | - *Channel Lighted Buoy 18* | 38-21-19.882N 077-11-17.638W | Fl R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 17895 | MARYLAND POINT LIGHT | 38-20-59.089N 077-11-51.293W | Fl W 6s (2 R sectors) | 42 | W 6 R 5 R 5 | NB on skeleton tower and small white house on piles. | Red from 243° to 285° and 063° to 105°. |
| 17900 | - Channel Buoy 19 | 38-21-07.482N 077-12-16.940W | | | | Green can. | |
| 17905 | - *Channel Lighted Buoy 21* | 38-21-07.982N 077-12-50.941W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 17910 | - *Channel Lighted Buoy 22* 75 feet outside channel limit. | 38-21-26.481N 077-13-45.942W | Fl R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| | **Potomac Creek** | | | | | | |
| 17915 | - LIGHT 2PC | 38-20-38.217N 077-16-40.171W | Fl R 4s | 15 | 4 | TR on pile. | |
| 17920 | - Buoy 3 | 38-20-48.872N 077-17-17.332W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| | **Upper Potomac River** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 17950 | - *Channel Lighted Buoy 23* | 38-21-52.780N 077-14-45.544W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 17955 | - Channel Buoy 24 | 38-21-56.480N 077-14-40.944W | | | | Red nun. | |
| 17960 | - Channel Buoy 26 | 38-23-08.478N 077-15-25.945W | | | | Red nun. | |
| 17965 | Marlboro Point Warning Daybeacon | 38-22-24.341N 077-17-52.968W | | | | NW on pile worded DANGER PILES. | |
| | **Aquia Creek** | | | | | | |
| 17970 | - LIGHT 2 | 38-22-56.069N 077-18-14.550W | Fl R 4s | 15 | 3 | TR on multi-pile structure. | |
| 17975 | - LIGHT 3 | 38-23-28.102N 077-18-41.808W | Q G | 15 | 3 | SG on pile. | |
| 17980 | - Warning Daybeacon A | 38-23-30.851N 077-18-46.118W | | | | NW on pile worded DANGER SUBMERGED PILES. | |
| 17985 | - Warning Daybeacon C | 38-23-30.965N 077-18-47.720W | | | | NW on pile worded DANGER SUBMERGED PILES. | |
| 17990 | - Daybeacon 5 | 38-23-32.798N 077-18-47.886W | | | | SG on pile. | |
| 17995 | - LIGHT 6 | 38-23-39.008N 077-18-46.111W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 18000 | - Daybeacon 8 | 38-23-39.659N 077-18-51.836W | | | | TR on pile. | |
| 18005 | - LIGHT 10 | 38-23-39.374N 077-19-01.704W | Fl R 4s | 15 | 3 | TR on pile. | |
| 18010 | - LIGHT 12 | 38-24-01.493N 077-19-46.226W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 18012 | - Daybeacon 13 | 38-25-25.000N 077-21-19.000W | | | | SG on pile. | Private aid. |
| 18012.1 | - Daybeacon 14 | 38-25-26.000N 077-21-20.000W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **LOWER CEDAR POINT TO MATTAWOMAN CREEK (Chart 12288)** | | | | | | |
| | **Upper Potomac River** | | | | | | |
| | **Aquia Creek** | | | | | | |
| 18012.2 | - Daybeacon 15 | 38-25-32.000N 077-21-23.000W | | | | SG on pile. | Private aid. |
| 18012.3 | - Daybeacon 16 | 38-25-37.000N 077-21-24.000W | | | | TR on pile. | Private aid. |
| 18012.4 | - Daybeacon 17 | 38-25-41.000N 077-21-27.000W | | | | SG on pile. | Private aid. |
| 18012.5 | - Daybeacon 18 | 38-25-46.000N 077-21-30.000W | | | | TR on pile. | Private aid. |
| 18012.6 | - Daybeacon 18A | 38-25-57.000N 077-21-39.000W | | | | TR on pile. | Private aid. |
| 18012.7 | - Daybeacon 19 | 38-25-53.000N 077-21-35.000W | | | | SG on pile. | Private aid. |
| 18012.8 | - Daybeacon 19A | 38-25-56.000N 077-21-40.000W | | | | SG on pile. | Private aid. |
| 18012.9 | - Daybeacon 20 | 38-26-01.000N 077-21-44.000W | | | | TR on pile. | Private aid. |
| 18013 | - Daybeacon 21 | 38-26-05.000N 077-21-47.000W | | | | SG on pile. | Private aid. |
| 18013.1 | - Daybeacon 22 | 38-26-08.000N 077-21-50.000W | | | | TR on pile. | Private aid. |
| 18013.2 | - Daybeacon 23 | 38-26-12.000N 077-21-54.000W | | | | SG on pile. | Private aid. |
| 18013.3 | - Daybeacon 24 | 38-26-16.000N 077-22-00.400W | | | | TR on pile. | Private aid. |
| 18013.4 | - Daybeacon 25 | 38-26-25.000N 077-22-10.000W | | | | SG on pile. | Private aid. |
| 18013.5 | - Daybeacon 26 | 38-26-27.000N 077-22-15.000W | | | | TR on pile. | Private aid. |
| 18013.6 | - Daybeacon 27 | 38-26-25.000N 077-22-10.000W | | | | SG on pile. | Private aid. |
| 18013.7 | - Daybeacon 28 | 38-26-25.000N 077-22-26.000W | | | | TR on pile. | Private aid. |
| 18013.8 | - Daybeacon 29 | 38-26-50.000N 077-23-05.000W | | | | SG on pile. | Private aid. |
| 18013.9 | - Daybeacon 30 | 38-26-45.000N 077-23-00.000W | | | | TR on pile. | Private aid. |
| 18014 | - Daybeacon 31 | 38-26-45.000N 077-22-45.000W | | | | SG on pile. | Private aid. |
| 18014.1 | - Daybeacon 32 | 38-26-45.000N 077-22-40.000W | | | | TR on pile. | Private aid. |
| 18014.2 | - Daybeacon 33 | 38-27-00.000N 077-22-45.000W | | | | SG on pile. | Private aid. |
| 18014.3 | - Daybeacon 34 | 38-27-09.000N 077-22-45.000W | | | | TR on pile. | Private aid. |
| | **Upper Potomac River** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 18015 | - *Channel Lighted Buoy 27* | 38-24-12.377N 077-16-08.346W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18020 | - Channel Buoy 28 | 38-24-12.977N 077-16-02.046W | | | | Red nun. | |
| 18025 | - Channel Buoy 30 | 38-24-43.476N 077-16-06.946W | | | | Red nun. | |
| 18030 | CLIFTON BEACH LIGHT | 38-24-56.814N 077-15-56.689W | Fl W 4s | 20 | 6 | NR on pile. | |
| 18035 | - Channel Buoy 32 | 38-25-34.475N 077-16-10.946W | | | | Red nun. | |
| 18040 | - *Channel Lighted Buoy 33* | 38-26-24.773N 077-16-19.947W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18045 | - Channel Buoy 34 | 38-26-24.473N 077-16-15.947W | | | | Red nun. | |
| 18050 | - Channel Buoy 40 | 38-28-13.571N 077-16-27.947W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **LOWER CEDAR POINT TO MATTAWOMAN CREEK (Chart 12288)** | | | | | | |
| | **Upper Potomac River** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 18052 | *Mallows Bay Lighted Data Buoy A* | 38-28-13.020N 077-16-21.960W | Fl Y 4s | | | Yellow. | Aid maintained by State DOT Private aid. |
| 18055 | - Channel Buoy 41 | 38-29-45.468N 077-16-44.948W | | | | Green can. | |
| | **Chopawamsic Creek** | | | | | | |
| 18060 | - Warning Buoy A | 38-29-49.770N 077-18-24.857W | | | | White with orange band worded CAUTION JET BLAST. | Aid maintained by U.S. Marine Corps. |
| 18061 | - Warning Buoy B | 38-29-50.070N 077-18-27.437W | | | | White with orange band worded CAUTION JET BLAST. | Aid maintained by U.S. Marine Corps. |
| | **Upper Potomac River** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 18065 | - Channel Buoy 43 | 38-31-09.366N 077-16-36.149W | | | | Green can. | |
| 18075 | POSSUM POINT PIER LIGHT | 38-32-12.000N 077-16-37.000W | Fl Y 4s | 11 | | On pier. | Private aid. |
| 18080 | MOSS POINT- POSSUM POINT LIGHT A | 38-31-42.000N 077-15-26.000W | Fl Y 4s | 15 | | On powerline tower on concrete platform. | Private aid. |
| 18085 | MOSS POINT- POSSUM POINT LIGHT B | 38-31-54.000N 077-15-36.000W | Fl Y 2.5s | 15 | | On powerline tower on concrete platform. | Private aid. |
| 18090 | POTOMAC RIVER LIGHT 43A | 38-32-21.500N 077-15-56.900W | Q G | 20 | | SG on powerline tower on concrete platform. | Private aid. |
| 18095 | POTOMAC RIVER LIGHT 44 | 38-32-09.500N 077-15-46.900W | Q R | 20 | | TR on powerline tower on concrete platform. | Private aid. |
| 18100 | MOSS POINT- POSSUM POINT LIGHT C | 38-32-36.000N 077-16-10.000W | Fl Y 2.5s | 15 | | On powerline tower on concrete platform. | Private aid. |
| 18105 | MOSS POINT- POSSUM POINT LIGHT D | 38-32-48.000N 077-16-20.000W | Fl Y 4s | 15 | | On powerline tower on concrete platfrom. | Private aid. |
| | **Mattawoman Creek** | | | | | | |
| 18125 | - Daybeacon 1 | 38-33-31.585N 077-12-45.587W | | | | SG on pile. | |
| 18130 | - LIGHT 3 | 38-33-41.024N 077-12-02.199W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 18135 | - LIGHT 5 | 38-33-55.844N 077-11-39.867W | Fl G 4s | 15 | 4 | SG on pile. | |
| 18140 | - Daybeacon 6 | 38-33-48.664N 077-11-28.323W | | | | TR on pile. | |
| | **Upper Potomac River** | | | | | | |
| | *Channel buoys located 75 feet outside channel limit.* | | | | | | |
| 18145 | STUMP NECK FENDER LIGHT 1 | 38-33-13.730N 077-14-07.917W | Q G | 15 | 4 | SG on pile. | Aid maintained by U.S. Navy. |
| 18150 | STUMP NECK FENDER LIGHT 2 | 38-33-13.530N 077-14-05.917W | Q R | 15 | 4 | TR on pile. | Aid maintained by U.S. Navy. |
| 18155 | - *Channel Lighted Buoy 45* 165 feet outside channel limit. | 38-33-38.360N 077-14-07.448W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18160 | - Channel Buoy 46 | 38-33-35.460N 077-14-04.448W | | | | Red nun. | |
| | **Leesylvania Park** | | | | | | |
| 18165 | - LIGHT 1 | 38-35-04.128N 077-15-22.134W | Fl G 2.5s | 12 | | SG on pile. | Private aid. |
| 18170 | - LIGHT 2 | 38-35-11.627N 077-15-10.834W | Fl R 2.5s | 12 | | TR on pile. | Private aid. |
| 18175 | - Daybeacon 3 | 38-35-07.628N 077-15-17.534W | | | | SG on pile. | Private aid. |
| 18180 | - Daybeacon 4 | 38-35-09.128N 077-15-15.334W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **LOWER CEDAR POINT TO MATTAWOMAN CREEK (Chart 12288)** | | | | | | |
| | **Upper Potomac River** | | | | | | |
| | **Leesylvania Park** | | | | | | |
| 18185 | Leeslyvania Park Daybeacon 5 | 38-35-10.328N 077-15-13.434W | | | | SG on pile. | Private aid. |
| 18190 | Leeslyvania Park Daybeacon 6 | 38-35-06.228N 077-15-19.534W | | | | TR on pile. | Private aid. |
| 18195 | Leeslyvania Park Warning Daybeacon A | 38-35-14.027N 077-15-10.834W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18200 | - Warning Daybeacon B | 38-35-13.827N 077-15-11.634W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18205 | - Warning Daybeacon C | 38-35-09.328N 077-15-14.134W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18210 | - Warning Daybeacon D | 38-35-09.828N 077-15-14.634W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18215 | - Warning Daybeacon E | 38-35-06.628N 077-15-18.234W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18220 | - Warning Daybeacon F | 38-35-07.128N 077-15-18.734W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18225 | - Warning Daybeacon G | 38-35-04.928N 077-15-23.334W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18230 | - Warning Daybeacon H | 38-35-04.328N 077-15-23.534W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| | **MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289)** | | | | | | |
| | **Upper Potomac River** | | | | | | |
| 18235 | - *Channel Lighted Buoy 47* | 38-34-19.459N 077-13-26.447W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18240 | Cornwallis Neck Warning Buoy A | 38-34-35.459N 077-12-22.946W | | | | Yellow can. | |
| 18245 | Cornwallis Neck Warning Buoy B | 38-36-08.456N 077-10-58.944W | | | | Yellow can. | |
| 18250 | - Channel Buoy 49 | 38-35-01.458N 077-12-43.847W | | | | Green can. | |
| 18251 | *Neabsco Creek Channel Lighted Buoy 1* | 38-35-45.848N 077-14-45.018W | Fl G 4s | | | Green. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 18251.1 | *Neabsco Creek Channel Lighted Buoy 2* | 38-35-46.406N 077-14-44.506W | Fl R 4s | | | Red. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 18251.2 | *Neabsco Creek Channel Lighted Buoy 3* | 38-35-58.631N 077-15-11.481W | Fl G 2.5s | | | Green. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 18251.3 | *Neabsco Creek Channel Lighted Buoy 4* | 38-35-59.250N 077-15-11.362W | Fl R 2.5s | | | Red. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 18255 | - *Channel Lighted Buoy 51* 165 feet outside channel limit. | 38-35-41.857N 077-12-02.446W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18260 | - Channel Buoy 52 | 38-35-41.157N 077-11-56.446W | | | | Red nun. | |
| | **Occoquan River** | | | | | | |
| | **Massey Creek** | | | | | | |
| 18265 | OCCOQUAN RIVER CHANNEL LIGHT 2 | 38-37-24.198N 077-12-47.766W | Fl R 4s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289)** | | | | | | |
| | **Occoquan River** | | | | | | |
| | **Massey Creek** | | | | | | |
| 18270 | Occoquan River Channel Daybeacon 4 | 38-37-46.517N 077-12-54.765W | | | | TR on pile. | |
| 18275 | OCCOQUAN RIVER CHANNEL LIGHT 6 | 38-38-24.528N 077-13-08.065W | Fl R 4s | 15 | 4 | TR on pile. | |
| 18280 | Occoquan River Channel Daybeacon 7 | 38-38-26.166N 077-13-11.654W | | | | SG on pile. | |
| 18281 | - LIGHT 1MC | 38-38-58.520N 077-13-22.210W | Q G | 8 | | SG on pile. | Private aid. |
| 18281.2 | - LIGHT 2MC | 38-38-57.830N 077-13-21.540W | Q R | 8 | | TR on pile. | Private aid. |
| 18281.3 | - Daybeacon 3 | 38-39-02.390N 077-13-22.080W | | | | SG on pile. | Private aid. |
| 18281.4 | - Daybeacon 4 | 38-39-02.390N 077-13-21.540W | | | | TR on pile. | Private aid. |
| 18281.5 | - Daybeacon 5 | 38-39-08.700N 077-13-22.080W | | | | SG on pile. | Private aid. |
| 18281.6 | - Daybeacon 6 | 38-39-08.760N 077-13-21.660W | | | | TR on pile. | Private aid. |
| 18281.7 | - Daybeacon 7 | 38-39-13.910N 077-13-22.310W | | | | SG on pile. | Private aid. |
| 18281.8 | - Daybeacon 8 | 38-39-14.020N 077-13-21.370W | | | | TR on pile. | Private aid. |
| 18281.9 | - Daybeacon 9 | 38-39-16.440N 077-13-22.310W | | | | SG on pile. | Private aid. |
| 18282 | - Daybeacon 10 | 38-39-16.500N 077-13-21.780W | | | | TR on pile. | Private aid. |
| 18282.1 | - LIGHT 11 | 38-39-20.090N 077-13-22.680W | Fl G 2s | 8 | | SG on pile. | Private aid. |
| 18282.2 | - LIGHT 12 | 38-39-20.520N 077-13-22.370W | Fl R 2s | 8 | | TR on pile. | Private aid. |
| 18282.3 | - Daybeacon 13 | 38-39-23.750N 077-13-27.170W | | | | SG on pile. | Private aid. |
| 18282.4 | - Daybeacon 14 | 38-39-23.930N 077-13-26.930W | | | | TR on pile. | Private aid. |
| 18282.5 | - Daybeacon 15 | 38-39-25.860N 077-13-30.410W | | | | SG on pile. | Private aid. |
| 18282.6 | - LIGHT 16 | 38-39-26.390N 077-13-30.410W | Fl R 4s | 8 | | TR on pile. | Private aid. |
| 18282.7 | - LIGHT 17 | 38-39-26.270N 077-13-31.080W | Fl G 4s | 8 | | SG on pile. | Private aid. |
| 18282.8 | - LIGHT 22 | 38-39-39.120N 077-13-26.690W | Fl R 6s | 8 | | TR on pile. | Private aid. |
| 18282.9 | - LIGHT 23 | 38-39-39.410N 077-13-27.230W | Fl G 6s | 8 | | SG on pile. | Private aid. |
| 18290 | OCCOQUAN RIVER CHANNEL LIGHT 9 | 38-38-57.479N 077-13-25.221W | Fl G 4s | 15 | 4 | SG on pile. | |
| 18293 | Occoquan River Channel Daybeacon 10 | 38-39-00.293N 077-13-23.565W | | | | TR on pile. | |
| 18295 | OCCOQUAN RIVER CHANNEL LIGHT 12 | 38-39-26.758N 077-13-57.318W | Fl R 4s | 15 | 4 | TR on pile. | |
| 18297 | Occoquan River Channel Daybeacon 13 | 38-39-34.206N 077-14-04.368W | | | | SG on pile. | |
| 18300 | OCCOQUAN RIVER CHANNEL LIGHT 14 | 38-39-43.763N 077-14-06.093W | Fl R 4s | 15 | 4 | TR on pile. | |
| 18305 | Occoquan River Channel Daybeacon 15 | 38-39-51.659N 077-14-15.333W | | | | SG on pile. | |
| 18306 | Occoquan River Channel Daybeacon 16 | 38-40-44.384N 077-15-09.270W | | | | TR on pile. | |
| 18307 | Occoquan River Channel Daybeacon 17 | 38-40-55.152N 077-15-19.738W | | | | SG on pile.. | |
| 18308 | Occoquan River Channel Daybeacon 19 | 38-40-59.880N 077-15-23.826W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289)** | | | | | | |
| | **Upper Potomac River** | | | | | | |
| 18315 | - Channel Buoy 54 | 38-36-28.455N 077-10-23.944W | | | | Red nun. | |
| 18325 | - *Channel Lighted Buoy 55* | 38-36-52.255N 077-08-25.840W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18330 | - CHANNEL LIGHT 56 | 38-36-40.535N 077-08-18.561W | Fl R 4s | 15 | 4 | TR on small white house, red cylindrical base. | |
| 18335 | - Channel Buoy 57 | 38-37-18.654N 077-07-52.440W | | | | Green can. | |
| 18340 | - Channel Buoy 58 | 38-37-19.794N 077-07-34.609W | | | | Red nun. | |
| 18345 | - *Channel Lighted Buoy 59* | 38-37-49.753N 077-07-37.039W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18350 | - *Channel Lighted Buoy 60* | 38-37-38.454N 077-07-20.139W | Fl R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18360 | - Channel Buoy 61 | 38-38-20.202N 077-07-34.410W | | | | Green can. | |
| 18365 | - *Channel Lighted Buoy 62* | 38-39-28.550N 077-07-54.941W | Fl R 2.5s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18370 | - *Channel Lighted Buoy 64* | 38-40-06.949N 077-07-53.041W | Fl R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18375 | WHITESTONE POINT LIGHT | 38-41-04.542N 077-07-23.471W | Iso W 6s | 17 | 7 | NW on silver tower. | Obscured from 035° to 170°. |
| 18380 | - Channel Buoy 66 | 38-40-58.448N 077-07-06.220W | | | | Red nun. | |
| 18385 | - *Channel Lighted Buoy 67* | 38-41-27.071N 077-06-36.905W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18390 | - Channel Buoy 69 | 38-41-36.447N 077-05-49.738W | | | | Green can. | |
| 18395 | - *Channel Lighted Buoy 71* | 38-41-45.147N 077-05-12.337W | Fl G 2.5s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec.1 to Mar. 15. |
| | **Mount Vernon Cut** | | | | | | |
| 18400 | - Buoy 1 | 38-41-53.046N 077-05-13.587W | | | | Green can. | |
| 18405 | - Buoy 2 | 38-41-53.312N 077-05-10.269W | | | | Red nun. | |
| 18410 | - Buoy 3 | 38-42-05.722N 077-05-15.554W | | | | Green can. | |
| 18415 | - Buoy 4 | 38-42-06.369N 077-05-14.141W | | | | Red nun. | |
| | **Little Hunting Creek** | | | | | | |
| | *Aids maintained from May 1 to Nov. 15.* | | | | | | |
| 18420 | - Buoy 1 | 38-42-14.820N 077-05-10.500W | | | | Green can. | Private aid. |
| 18425 | - Buoy 2 | 38-42-13.560N 077-05-09.840W | | | | Red nun. | Private aid. |
| 18430 | - *Lighted Buoy 4* | 38-42-19.680N 077-04-58.140W | Fl R 2.5s | | | Red. | Private aid. |
| 18435 | - *Lighted Buoy 5* | 38-42-25.200N 077-04-50.880W | Q G | | | Green. | Private aid. |
| 18437 | - Buoy 6 | 38-42-30.420N 077-04-43.800W | | | | Red nun. | Private aid. |
| 18440 | - Buoy 7 | 38-42-31.020N 077-04-44.520W | | | | Green can. | Private aid. |
| 18445 | - *Lighted Buoy 8* | 38-42-35.880N 077-04-38.040W | Q R | | | Red. | Private aid. |
| 18450 | - Buoy 9 | 38-42-41.700N 077-04-32.880W | | | | Green can. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289)** | | | | | | |
| | **Upper Potomac River** | | | | | | |
| | **Little Hunting Creek** | | | | | | |
| | *Aids maintained from May 1 to Nov. 15.* | | | | | | |
| 18455 | - Buoy 10 | 38-42-41.280N 077-04-32.280W | | | | Red nun. | Private aid. |
| 18460 | - *Lighted Buoy 11* | 38-42-45.000N 077-04-29.340W | Q G | | | Green. | Private aid. |
| 18465 | - Buoy 12 | 38-42-44.640N 077-04-28.560W | | | | Red nun. | Private aid. |
| 18475 | - LIGHT 14 | 38-42-47.820N 077-04-24.660W | Fl R 2.5s | | | TR on pile. | Private aid. |
| 18477 | - Buoy 15 | 38-42-51.000N 077-04-22.980W | | | | Green can. | Private aid. |
| 18480 | - Buoy 16 | 38-42-51.660N 077-04-21.420W | | | | Red nun. | Private aid. |
| 18485 | - Buoy 17 | 38-42-56.220N 077-04-23.400W | | | | Green can. | Private aid. |
| 18490 | - *Lighted Buoy 18* | 38-43-00.660N 077-04-27.360W | Fl R 2s | | | Red. | Private aid. |
| 18491 | - Buoy 18A | 38-42-56.460N 077-04-22.980W | | | | Red nun. | Private aid. |
| 18495 | - Buoy 19 | 38-43-02.880N 077-04-31.440W | | | | Green can. | Private aid. |
| | **Upper Potomac River** | | | | | | |
| 18500 | - Channel Buoy 73 | 38-42-00.446N 077-04-09.935W | | | | Green can. | |
| 18505 | - Channel Buoy 76 | 38-42-15.636N 077-02-49.102W | | | | Red nun. | |
| 18510 | - *Channel Lighted Buoy 77* | 38-42-22.446N 077-02-52.933W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| | **Little Hunting Creek Northern Extension** | | | | | | |
| | *Aids maintained from May 1 to Nov. 15.* | | | | | | |
| 18511.1 | - *Lighted Buoy 1A* | 38-42-24.420N 077-03-25.080W | Q G | | | Green. | Private aid. |
| 18511.2 | - Buoy 2A | 38-42-25.620N 077-03-25.020W | | | | Red nun. | Private aid. |
| 18511.3 | - Buoy 3A | 38-42-20.580N 077-03-49.140W | | | | Green can. | Private aid. |
| 18511.4 | - Buoy 4A | 38-42-22.200N 077-03-49.620W | | | | Red nun. | Private aid. |
| 18511.5 | - Buoy 5A | 38-42-15.420N 077-04-19.440W | | | | Green can. | Private aid. |
| 18511.6 | - Buoy 6A | 38-42-17.940N 077-04-12.480W | | | | Red nun. | Private aid. |
| 18511.7 | - *Lighted Buoy 7A* | 38-42-16.620N 077-04-30.360W | Fl G 2s | | | Green. | Private aid. |
| | **Piscataway Creek** | | | | | | |
| 18515 | - LIGHT 2P | 38-42-25.924N 077-02-18.531W | Fl R 4s | 15 | 4 | TR on pile. | |
| 18520 | - Daybeacon 4 | 38-42-16.014N 077-02-03.497W | | | | TR on pile. | |
| 18525 | - Daybeacon 6 | 38-42-05.868N 077-01-48.066W | | | | TR on pile. | |
| 18530 | - Daybeacon 7 | 38-42-06.060N 077-01-38.400W | | | | SG on pile. | Private aid. |
| 18535 | - Daybeacon 8 | 38-42-04.800N 077-01-37.800W | | | | TR on pile. | Private aid. |
| 18540 | - Warning Daybeacon A | 38-42-05.400N 077-01-37.200W | | | | NW on pile worded DANGER SHOAL. | Private aid. |
| 18545 | - Warning Daybeacon B | 38-42-03.600N 077-01-30.600W | | | | NW on pile worded DANGER SHOAL. | Private aid. |
| 18550 | - Warning Daybeacon C | 38-42-03.600N 077-01-24.600W | | | | NW on pile worded END OF CHANNEL. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289)** | | | | | | |
| | **Upper Potomac River** | | | | | | |
| 18555 | - Channel Buoy 79 | 38-42-39.945N 077-02-26.932W | | | | Green can. | |
| 18560 | - LIGHT 80 | 38-42-40.787N 077-02-16.475W | Fl R 6s | 18 | 4 | TR on pile. | |
| 18565 | - Channel Buoy 81 | 38-43-08.445N 077-02-06.431W | | | | Green can. | |
| 18570 | - CHANNEL LIGHT 82 | 38-43-19.631N 077-01-53.796W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 18575 | - Channel Buoy 83 | 38-43-21.444N 077-02-06.031W | | | | Green can. | |
| 18580 | - *Channel Lighted Buoy 84* | 38-44-18.142N 077-02-09.932W | Fl R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18585 | - Channel Buoy 86 | 38-45-09.441N 077-02-01.932W | | | | Red nun. | |
| 18588 | DYKE MARSH BREAKWATER WARNING LIGHT A | 38-45-39.490N 077-02-35.480W | Q W | | | NW on pipe worded Danger. | Maintained by Maryland DOT. Private aid. |
| 18588.2 | DYKE MARSH BREAKWATER WARNING LIGHT B | 38-45-35.640N 077-02-39.400W | Q W | | | NW on pipe worded Danger. | Maintained by Maryland DOT. Private aid. |
| 18588.4 | DYKE MARSH BREAKWATER WARNING LIGHT C | 38-45-32.870N 077-02-44.720W | Q W | | | NW on pipe worded Danger. | Maintained by Maryland DOT. Private aid. |
| 18590 | - Channel Buoy 87 | 38-46-04.320N 077-02-01.172W | | | | Green can. | |
| 18595 | - CHANNEL LIGHT 88 | 38-46-10.069N 077-01-51.018W | Fl R 2.5s | 20 | 4 | TR on pile. | |
| 18600 | - *Channel Lighted Buoy 90* | 38-46-42.421N 077-02-04.102W | Fl R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| | **POTOMAC RIVER (District of Columbia) - Fifth District** | | | | | | |
| | **MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289)** | | | | | | |
| | **Upper Potomac River** | | | | | | |
| | **National Harbor Channel** | | | | | | |
| 18601 | - Daybeacon 2 | 38-46-35.184N 077-01-53.148W | | | | TR on pile. | Private aid. |
| 18601.01 | - LIGHT 3 | 38-46-40.110N 077-01-49.956W | Fl G 4s | 16 | | SG on pile. | Private aid. |
| 18601.02 | - LIGHT 4 | 38-46-51.318N 077-01-35.526W | Q R | 16 | | TR on pile. | Private aid. |
| 18601.03 | - LIGHT 5 | 38-46-54.636N 077-01-22.230W | Q G | 16 | | SG on pile. | Private aid. |
| 18601.04 | - Daybeacon 6 | 38-46-53.568N 077-01-16.848W | | | | TR on pile. | Private aid. |
| 18601.05 | - LIGHT 7 | 38-46-57.582N 077-01-17.544W | Fl G 4s | 16 | | SG on pile. | Private aid. |
| 18601.06 | - LIGHT 8 | 38-46-58.914N 077-01-14.214W | Fl R 4s | 16 | | TR on pile. | Private aid. |
| 18601.07 | - LIGHT 9 | 38-47-05.724N 077-01-13.482W | Fl G 4s | 16 | | SG on pile. | Private aid. |
| 18601.08 | - LIGHT 11 | 38-47-13.428N 077-01-08.988W | Q G | 16 | | SG on pile. | Private aid. |
| | **POTOMAC RIVER (Virginia - Maryland) - Fifth District** | | | | | | |
| | **MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289)** | | | | | | |
| | **Upper Potomac River** | | | | | | |
| 18603 | *NOAA Lighted Data Buoy UP* | 38-47-15.600N 077-02-08.340W | Fl Y 4s | | | Yellow. | Maintained from Mar. 15 to Dec. 1. Aid maintained by National Oceanic and Atmospheric Administration. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - District of Columbia) - Fifth District** | | | | | | |
| | **MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289)** | | | | | | |
| | **Upper Potomac River** | | | | | | |
| | **Alexandria Channel** | | | | | | |
| 18605 | **Woodrow Wilson Memorial Bridge Fog Signal** | | | | | | Maintained by U.S. Department Commerce. HORN : 1 blast ev 20s (2s bl). Operates continuously. Private aid. |
| 18610 | - Buoy 2 | 38-47-59.938N 077-02-06.932W | | | | Red nun. | |
| 18615 | - Buoy 4 | 38-48-24.438N 077-02-02.932W | | | | Red nun. | |
| 18620 | - *Lighted Buoy 6* | 38-48-45.437N 077-02-00.932W | Fl R 2.5s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar 15. |
| | **Marbury Point** | | | | | | |
| 18655 | - Warning Daybeacon | 38-48-50.432N 077-01-54.096W | | | | NW on pile worded DANGER SUBMERGED PILE. | |
| 18657 | MIRANT POTOMAC RIVER LLC LIGHT A | 38-49-14.460N 077-02-22.380W | Fl Y 2.5s | 6 | | On pile supporting floating boom to Light B. | Private aid. |
| 18659 | MIRANT POTOMAC RIVER LLC LIGHT B | 38-49-13.140N 077-02-21.900W | Fl Y 2.5s | 6 | | On pile supporting floating boom to Light A. | Private aid. |
| | **Alexandria Channel** | | | | | | |
| 18660 | - *Lighted Buoy 7A* | 38-49-49.865N 077-01-45.541W | Fl G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18661 | - Buoy 7 | 38-49-23.378N 077-01-56.582W | | | | Green can. | |
| | **Four Mile Run** | | | | | | |
| 18665 | - ENTRANCE LIGHT 1FM | 38-48-57.000N 077-02-10.818W | Fl G 2.5s | 15 | 3 | SG on pile. | |
| 18667 | - Daybeacon 2 | 38-48-57.101N 077-02-10.041W | | | | TR on pile. | |
| 18670 | - Daybeacon 4 | 38-49-22.545N 077-02-17.625W | | | | TR on pile. | |
| 18671 | - Daybeacon 5 | 38-49-24.635N 077-02-19.519W | | | | SG on pile. | |
| 18675 | - Daybeacon 6 | 38-49-26.530N 077-02-18.058W | | | | TR on pile. | |
| 18675.1 | - Wreck Buoy WR6A | 38-49-40.362N 077-02-14.535W | | | | Red nun. | |
| 18677 | - Daybeacon 7 | 38-49-46.014N 077-02-14.603W | | | | SG on pile. | |
| 18680 | - Daybeacon 8 | 38-49-47.988N 077-02-13.371W | | | | TR on pile. | |
| 18681 | - Daybeacon 9 | 38-49-51.688N 077-02-15.590W | | | | SG on pile. | |
| 18685 | - Daybeacon 10 | 38-49-53.909N 077-02-14.842W | | | | TR on pile. | |
| 18687 | - Daybeacon 11 | 38-49-54.832N 077-02-17.658W | | | | SG on pile. | |
| 18690 | - Daybeacon 13 | 38-50-04.089N 077-02-31.713W | | | | SG on pile. | |
| 18691 | - Daybeacon 14 | 38-50-06.871N 077-02-31.688W | | | | TR on pile. | |
| 18693 | - Daybeacon 16 | 38-50-03.183N 077-02-38.661W | | | | TR on pile. | |
| | **Alexandria Channel** | | | | | | |
| 18695 | - Buoy 9 | 38-50-18.418N 077-01-34.267W | | | | Green can. | |
| 18700 | - Buoy 11 | 38-50-41.535N 077-01-26.431W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **POTOMAC RIVER (Virginia - District of Columbia) - Fifth District** | | | | | | |
| | **MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289)** | | | | | | |
| | **Upper Potomac River** | | | | | | |
| | **Alexandria Channel** | | | | | | |
| 18705 | *Hains Point Junction Lighted Buoy HP* | 38-51-05.815N 077-01-19.731W | Fl (2+1)G 6s | | 4 | Green and red bands. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18710 | Hains Point Buoy 1 | 38-51-16.435N 077-01-13.931W | | | | Green can. | |
| 18715 | Hains Point Buoy 2 | 38-51-14.635N 077-01-10.931W | | | | Red nun. | |
| | **POTOMAC RIVER (District of Columbia) - Fifth District** | | | | | | |
| | **MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289)** | | | | | | |
| | **Anacostia River** | | | | | | |
| 18720 | Washington Channel Junction Buoy WC | 38-51-29.584N 077-01-09.781W | | | | Red and green bands; nun. | |
| 18725 | - Buoy 1 | 38-51-35.434N 077-01-01.431W | | | | Green can. | |
| 18730 | - Buoy 2 | 38-51-45.234N 077-00-31.930W | | | | Red nun. | |
| 18735 | - *Lighted Buoy 3* | 38-51-47.734N 077-00-35.830W | Fl G 4s | | 4 | Green. | Maintained from Mar. 15 to Dec. 1.<br>AIS: MMSI 993672308.<br>AIS Maintained year round. |
| 18740 | - Buoy 4 | 38-52-13.074N 077-00-10.730W | | | | Red nun. | |
| | **Upper Potomac River** | | | | | | |
| | **Georgetown Channel** | | | | | | |
| 18770 | - Buoy 1 | 38-51-11.235N 077-01-26.892W | | | | Green can. | |
| 18775 | - Buoy 2 | 38-51-16.265N 077-01-24.892W | | | | Red nun. | |
| 18780 | - Buoy 3 | 38-51-36.214N 077-01-40.032W | | | | Green can. | |
| 18785 | - Buoy 4 | 38-51-38.084N 077-01-36.822W | | | | Red nun. | |
| 18790 | - Buoy 6 | 38-52-04.634N 077-01-52.232W | | | | Red nun. | |
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY TO PINEY POINT (Chart 12233)** | | | | | | |
| | **St. Jerome Creek** | | | | | | |
| 18795 | - LIGHT 1SJ | 38-06-54.524N 076-20-08.614W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 18805 | - Daybeacon 3 | 38-07-03.419N 076-20-21.152W | | | | SG on pile. | |
| 18810 | - LIGHT 4 | 38-07-11.549N 076-20-27.377W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 18812 | - Buoy 5 | 38-07-12.621N 076-20-29.967W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 18815 | - Buoy 6 | 38-07-08.998N 076-20-37.505W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 18817 | - Buoy 7 | 38-07-09.734N 076-20-45.351W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 18820 | - Buoy 9 | 38-07-19.178N 076-20-43.689W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 18823 | - Buoy 11 | 38-07-22.838N 076-20-42.720W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 18835 | - North Prong Daybeacon 1 | 38-07-10.135N 076-21-10.765W | | | | SG on pile. | |
| | **Buzzs Marina Channel** | | | | | | |
| 18840 | - Daybeacon 2 | 38-06-43.453N 076-20-58.811W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY TO PINEY POINT (Chart 12233)** | | | | | | |
| | **St. Jerome Creek** | | | | | | |
| | **Buzzs Marina Channel** | | | | | | |
| 18845 | - Daybeacon 4 | 38-06-32.453N 076-21-04.812W | | | | TR on pile. | Private aid. |
| 18850 | - Daybeacon 6 | 38-06-20.060N 076-21-05.900W | | | | TR on pile. | Private aid. |
| 18855 | - Daybeacon 7 | 38-06-14.900N 076-21-13.900W | | | | SG on pile. | Private aid. |
| | **PATUXENT RIVER AND VICINITY (Chart 12264)** | | | | | | |
| 18860 | N.A.S. PATUXENT RIVER BASIN ENTRANCE LIGHT 2 | 38-16-06.478N 076-23-34.835W | F R | 15 | | TR on pile. | Aid maintained by U.S. Navy. |
| 18865 | N.A.S. PATUXENT RIVER BASIN ENTRANCE LIGHT 1 | 38-16-01.478N 076-23-38.835W | F G | 15 | | SG on pile. | Aid maintained by U.S. Navy. |
| | **Patuxent River** | | | | | | |
| 18870 | - *Lighted Bell Buoy 1PR* | 38-18-13.675N 076-21-10.829W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 18880 | - LIGHT 3 | 38-19-01.619N 076-24-03.995W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| | **PATUXENT RIVER - SOLOMONS ISLAND (Chart 12284)** | | | | | | |
| | **Patuxent River** | | | | | | |
| 18885 7605 | DRUM POINT LIGHT 4 | 38-19-08.297N 076-25-15.497W | Fl R 2.5s | 17 | 5 | TR on multi-pile structure. | |
| 18890 | - LIGHT 5 | 38-18-33.309N 076-25-05.401W | Fl G 4s | 15 | 4 | SG on pile. | |
| 18895 | - LIGHT 6 | 38-18-56.041N 076-26-26.463W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| | **Solomons Island** | | | | | | |
| 18900 | - RESEARCH PIER LIGHT | 38-19-02.460N 076-27-03.120W | Fl Y 4s | 20 | | On post on top of pump house. | Private aid. |
| 18905 | - Approach Daybeacon 2 | 38-19-05.289N 076-26-43.501W | | | | TR on pile. | |
| 18910 | - APPROACH LIGHT 3 | 38-19-10.977N 076-27-01.807W | Fl G 4s | 15 | 4 | SG on pile. | |
| 18915 | - Approach Daybeacon 4 | 38-19-19.515N 076-27-01.051W | | | | TR on pile. | |
| 18917 | - UMCES PIER LIGHT A | 38-19-16.210N 076-27-08.820W | Fl Y 4s | 5 | | On end of pier. | Private aid. |
| 18920 | - HARBOR JUNCTION LIGHT SH | 38-19-19.833N 076-27-14.200W | Fl (2+1)R 6s | 15 | 4 | JR on pile. | |
| | **Swash** | | | | | | |
| 18925 | - Daybeacon 1 | 38-19-15.923N 076-26-06.146W | | | | SG on pile. | |
| 18930 | - Daybeacon 2 | 38-19-24.816N 076-26-05.472W | | | | TR on pile. | |
| 18935 | - Daybeacon 2A | 38-19-20.784N 076-26-45.918W | | | | TR on pile. | |
| 18940 | - Daybeacon 3 | 38-19-17.808N 076-26-45.864W | | | | SG on pile. | |
| | **Mill Creek (Patuxent River)** | | | | | | |
| 18945 | - LIGHT 2 | 38-19-27.194N 076-27-11.502W | Fl R 4s | 15 | 3 | TR on pile. | |
| 18950 | - LIGHT 3 | 38-19-34.569N 076-27-05.989W | Fl G 2.5s | 15 | 3 | SG on pile. | |
| 18960 | - Daybeacon 4 | 38-19-59.181N 076-26-54.034W | | | | TR on pile. | |
| 18965 | - Daybeacon 7 | 38-20-01.325N 076-26-38.349W | | | | SG on pile. | Private aid. |
| 18970 | - Daybeacon 8 | 38-20-05.177N 076-26-23.944W | | | | TR on pile. | Private aid. |
| 18976 | - Buoy 9 | 38-20-12.228N 076-26-02.316W | | | | Green can. | Private aid. |
| 18980 | - Buoy 11 | 38-20-26.736N 076-25-51.132W | | | | Green can. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **PATUXENT RIVER - SOLOMONS ISLAND (Chart 12284)** | | | | | | |
| | **Mill Creek (Patuxent River)** | | | | | | |
| 18986 | - Buoy 12 | 38-20-30.948N 076-25-50.520W | | | | Red nun. | Private aid. |
| | **Patuxent River** | | | | | | |
| 18990 | Lusby Point Junction Daybeacon LP | 38-20-04.355N 076-26-50.510W | | | | JG on pile. | |
| 18995 | St. John Creek Buoy 2 | 38-20-11.780N 076-26-49.110W | | | | Red nun. | Private aid. |
| 19000 | St. John Creek Daybeacon 3 | 38-20-16.376N 076-26-50.288W | | | | SG on pile. | Private aid. |
| 19005 | St. John Creek Daybeacon 4 | 38-20-24.344N 076-26-50.383W | | | | TR on pile. | Private aid. |
| | **Back Creek** | | | | | | |
| 19010 | - LIGHT 2 | 38-19-18.665N 076-27-18.401W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19015 | - Daybeacon 4 | 38-19-30.311N 076-27-23.786W | | | | TR on pile. | |
| 19020 | - LIGHT 5 | 38-19-35.717N 076-27-26.905W | Fl G 4s | 15 | 4 | SG on pile. | |
| 19025 | - Daybeacon 8 | 38-19-58.523N 076-27-34.514W | | | | TR on pile. | |
| 19030 | N.A.S. PATUXENT RIVER WEST SEAPLANE BASIN ENTRANCE LIGHT 1 | 38-17-34.478N 076-26-53.842W | Fl G 2.5s | 15 | 4 | SG on pile. | Aid maintained by U.S. Navy. |
| 19035 | N.A.S. PATUXENT RIVER WEST SEAPLANE BASIN ENTRANCE LIGHT 2 | 38-17-34.478N 076-27-00.842W | Fl R 2.5s | 15 | 4 | TR on pile. | Aid maintained by U.S. Navy. |
| | **Patuxent River** | | | | | | |
| 19040 | - LIGHT 6A | 38-18-44.717N 076-27-16.673W | Q R | 15 | 4 | TR on pile. | |
| 19045 | Lewis Creek Buoy 2 | 38-18-45.948N 076-28-35.030W | | | | Red nun. | Private aid. |
| 19055 | TOWN CREEK LIGHT 2 | 38-18-55.018N 076-28-44.641W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19060 | Town Point Warning Daybeacon | 38-19-20.166N 076-28-24.076W | | | | NW on pile worded DANGER SHOAL. | |
| 19062 | SOLOMONS ISLAND FISHING PIER LIGHT | 38-19-44.000N 076-28-10.000W | Fl Y 2.5s | 14 | | On pole on pier. | Private aid. |
| | **Second Cove** | | | | | | |
| 19065 | - LIGHT 1 | 38-19-48.165N 076-28-24.109W | Fl G 2.5s | 15 | 3 | SG on pile. | |
| 19070 | - Daybeacon 2 | 38-19-47.512N 076-28-23.129W | | | | TR on pile. | |
| 19075 | - Daybeacon 3 | 38-19-50.076N 076-28-21.942W | | | | SG on pile. | |
| 19080 | - Daybeacon 4 | 38-19-49.677N 076-28-21.166W | | | | TR on pile. | |
| | **Patuxent River** | | | | | | |
| 19087 | - *Lighted Buoy 8* | 38-19-40.786N 076-29-04.111W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 19090 | - LIGHT 9 | 38-20-13.607N 076-29-21.488W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 19095 | Cuckhold Creek Daybeacon 2 | 38-20-24.299N 076-29-31.838W | | | | TR on pile. | |
| 19100 | Cuckhold Creek Daybeacon 3 | 38-20-25.505N 076-29-49.850W | | | | SG on pile. | |
| 19100.01 | - Warning Buoy B | 38-20-23.900N 076-29-54.800W | | | | White can with orange diamond. | Private aid. |
| 19100.02 | - Warning Buoy C | 38-20-18.800N 076-29-47.800W | | | | White can with orange diamond. | Private aid. |
| 19105 | CUCKHOLD CREEK LIGHT 4 | 38-20-30.566N 076-30-01.395W | Fl R 4s | 15 | 3 | TR on pile. | |
| 19110 | - LIGHT 11 | 38-20-27.729N 076-29-21.079W | Q G | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **PATUXENT RIVER - SOLOMONS ISLAND (Chart 12284)** | | | | | | |
| | **Patuxent River** | | | | | | |
| 19115 | - LIGHT 12 | 38-21-14.522N 076-29-13.608W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19120 | Hellen Creek Buoy 1 | 38-21-01.440N 076-28-51.528W | | | | Green can. | Private aid. |
| 19125 | Hellen Creek Buoy 1A | 38-21-11.159N 076-28-48.108W | | | | Green can. | Private aid. |
| 19126 | Hellen Creek Daybeacon 2 | 38-21-16.524N 076-28-44.652W | | | | TR on pile. | Private aid. |
| | **PATUXENT RIVER AND VICINITY (Chart 12264)** | | | | | | |
| | **Patuxent River** | | | | | | |
| 19130 | - Daybeacon 13 | 38-21-43.049N 076-30-05.018W | | | | SG on pile. | |
| 19135 | - LIGHT 14 | 38-23-00.899N 076-30-23.309W | Fl R 6s | 15 | 4 | TR on pile. | |
| 19140 | St. Leonard Creek Entrance Daybeacon 1 | 38-23-03.203N 076-30-09.728W | | | | SG on pile. | |
| 19152 | ACADEMY OF NATURAL SCIENCE INTAKE LIGHT B | 38-23-36.120N 076-30-47.520W | Fl Y 4s | 16 | | NY on pile. | Private aid. |
| 19155 | - Daybeacon 15 | 38-23-00.335N 076-31-54.869W | | | | SG on pile. | |
| 19160 | ISLAND CREEK LIGHT 2 | 38-24-29.957N 076-32-39.743W | Fl R 4s | 15 | 3 | TR on multi-pile structure. | |
| 19165 | - LIGHT 16 | 38-23-55.349N 076-33-20.903W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 19210 | - LIGHT 18 | 38-25-49.590N 076-36-30.698W | Fl R 6s | 15 | 4 | TR on pile. | |
| | **Cat Creek** | | | | | | |
| 19217.1 | - Buoy 2 | 38-25-11.700N 076-36-57.200W | | | | Red nun. | Private aid. |
| 19217.2 | - Buoy 3 | 38-25-09.400N 076-37-00.500W | | | | Green can. | Private aid. |
| 19217.3 | - Buoy 5 | 38-25-08.800N 076-37-03.200W | | | | Green can. | Private aid. |
| 19217.4 | - Buoy 7 | 38-25-08.300N 076-37-05.900W | | | | Green can. | Private aid. |
| | **Battle Creek Channel** | | | | | | |
| 19220 | - Daybeacon 1 | 38-26-44.351N 076-36-14.796W | | | | SG on pile. | DNR1189 Private aid. |
| 19221 | - Warning Daybeacon | 38-26-52.253N 076-36-12.059W | | | | NW on pile worded DANGER SHOAL. | Private aid. |
| 19222 | - Daybeacon 3 | 38-26-47.621N 076-36-13.823W | | | | SG on pile. | DNR1190 Private aid. |
| 19223 | - Daybeacon 4 | 38-26-52.154N 076-36-13.524W | | | | TR on pile. | DNR1191 Private aid. |
| 19224 | - Daybeacon 5 | 38-27-01.245N 076-36-01.512W | | | | SG on pile. | DNR1192 Private aid. |
| | **Patuxent River** | | | | | | |
| 19230 | - Daybeacon 20 | 38-26-35.572N 076-37-17.790W | | | | TR on pile. | |
| 19235 | - LIGHT 21 | 38-27-50.356N 076-38-58.604W | Fl G 4s | 15 | 4 | SG on pile. | |
| 19240 | - LIGHT 24 | 38-30-31.768N 076-40-19.014W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19245 | - Daybeacon 23 | 38-29-29.522N 076-40-05.330W | | | | SG on pile. | |
| | **Chalk Point Cable Crossing** | | | | | | |
| 19260 | - TOWER LIGHT 27 | 38-32-47.437N 076-40-34.863W | | 12 | | SG on pile structure at base of tower. | Private aid. |
| 19265 | - TOWER LIGHT 28 | 38-32-40.437N 076-40-23.863W | | 12 | | TR on pile structure at base of tower. | Private aid. |
| 19270 | - TOWER LIGHT A | 38-32-42.437N 076-40-11.862W | | 12 | | On pile structure at base of tower. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **PATUXENT RIVER AND VICINITY (Chart 12264)** | | | | | | |
| | **Patuxent River** | | | | | | |
| | **Chalk Point Cable Crossing** | | | | | | |
| 19275 | - TOWER LIGHT B | 38-32-40.594N 076-40-02.760W | Fl Y 2.5s | 10 | | On pile structure at base of tower. | Private aid. |
| 19277 | - TOWER LIGHT 29 | 38-32-49.811N 076-40-33.210W | Q G | 12 | | On pile structure at base of tower. | Private aid. |
| 19278 | CHALK POINT POWER LIGHT 30 | 38-32-46.624N 076-40-21.627W | Q R | 12 | | On pile structure at base of tower. | Private aid. |
| 19279 | CHALK POINT TOWER LIGHT C | 38-32-35.754N 076-40-11.233W | Q Y | 12 | | On pile structure at base of tower. | Private aid. |
| 19280 | CHALK POINT TOWER LIGHT D | 38-32-41.067N 076-40-01.433W | Q Y | 12 | | On pile structure at base of tower. | Private aid. |
| | **CHOPTANK RIVER AND HERRING BAY (Chart 12266)** | | | | | | |
| | **Chesapeake Beach** | | | | | | |
| 19285 | - LIGHT 1<br>50 feet outside channel limit. | 38-41-30.581N 076-31-16.439W | Q G | 15 | 5 | SG on pile. | |
| 19300 | - LIGHT 2 | 38-41-30.119N 076-31-46.499W | Fl R 2.5s | 15 | 5 | TR on pile. | |
| 19305 | - LIGHT 3 | 38-41-28.774N 076-31-46.709W | Fl G 2.5s | 15 | 5 | SG on pile. | |
| 19310 | - Daybeacon 4 | 38-41-28.823N 076-31-56.807W | | | | TR on pile. | |
| 19312 | - WWTP Outfall Warning Daybeacons (2) | 38-41-57.702N 076-31-54.525W | | | | NW on pile worded DANGER OUTFALL PIPE. | Private aid. |
| | **Herring Bay** | | | | | | |
| 19320 | - ENTRANCE LIGHT 1 | 38-44-25.031N 076-30-51.338W | Fl G 2.5s | 21 | 4 | SG on multi-pile structure. | |
| 19325 | - LIGHT 2 | 38-44-25.900N 076-32-38.920W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19330 | - LIGHT 3 | 38-45-18.142N 076-32-55.360W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 19335 | ROSE HAVEN CHANNEL LIGHT 1 | 38-44-01.776N 076-32-18.970W | Q G | 15 | 4 | SG on multi-pile structure. | |
| | **South Herrington Harbour** | | | | | | |
| 19345 | - RANGE FRONT LIGHT | 38-43-28.130N 076-32-37.440W | F Y | 19 | | Orange daydoards with black and white stripe on pile. | Private aid. |
| 19350 | - RANGE REAR LIGHT | 38-43-26.720N 076-32-38.170W | F Y | 28 | | Orange daydoards with black and white stripe on pile. | Private aid. |
| 19355 | - ENTRANCE LIGHT 1 | 38-43-54.302N 076-32-22.927W | Q G | 10 | | SG on pile. | Private aid. |
| 19360 | - LIGHT 2 | 38-43-55.025N 076-32-24.199W | Q R | 10 | | TR on pile. | Private aid. |
| 19365 | - LIGHT 3 | 38-43-50.519N 076-32-24.726W | Q G | 10 | | SG on pile. | Private aid. |
| 19370 | - LIGHT 4 | 38-43-50.872N 076-32-26.032W | Q R | 10 | | TR on pile. | Private aid. |
| 19375 | - LIGHT 5 | 38-43-46.986N 076-32-27.396W | Q G | 10 | | SG on pile. | Private aid. |
| 19380 | - LIGHT 6 | 38-43-46.488N 076-32-28.212W | Q R | 10 | | TR on pile. | Private aid. |
| | **Rockhold Creek** | | | | | | |
| 19395 | - CHANNEL LIGHT 1R | 38-45-55.878N 076-33-09.010W | Fl G 4s | 15 | 4 | SG on pile. | |
| 19400 | - JETTY LIGHT 2 | 38-46-01.689N 076-33-16.239W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19401 | - Channel Buoy 4 | 38-46-02.497N 076-33-18.296W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 19402 | - Channel Buoy 5 | 38-46-02.943N 076-33-20.725W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHOPTANK RIVER AND HERRING BAY (Chart 12266)** | | | | | | |
| | **Herring Bay** | | | | | | |
| | **Rockhold Creek** | | | | | | |
| 19403 | - Channel Buoy 6 | 38-46-05.475N 076-33-23.239W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 19404 | - Channel Buoy 7 | 38-46-05.804N 076-33-26.019W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 19405 | - Channel Daybeacon 9 | 38-46-07.462N 076-33-28.625W | | | | SG on pile. | |
| 19407 | - Channel Daybeacon 10 | 38-46-08.183N 076-33-27.924W | | | | TR on pile. | |
| 19410 | - CHANNEL LIGHT 12 | 38-46-15.005N 076-33-38.912W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19415 | - CHANNEL LIGHT 13 | 38-46-14.985N 076-33-41.049W | Q G | 15 | 4 | SG on pile. | |
| 19420 | - Channel Daybeacon 15 | 38-46-21.192N 076-33-41.990W | | | | SG on pile. | |
| 19425 | - *Lighted Junction Buoy RC* | 38-46-16.200N 076-33-40.740W | Fl (2+1)G 6s | | | Green and Red bands. | Private aid. |
| 19430 | HERRINGTON HARBOUR NORTH LIGHT 1 | 38-46-16.740N 076-33-43.920W | Q G | 13 | | SG on pile. | Private aid. |
| 19435 | HERRINGTON HARBOUR NORTH LIGHT 2 | 38-46-18.360N 076-33-43.260W | Q R | 13 | | TR on pile. | Private aid. |
| | **EASTERN BAY AND SOUTH RIVER (Chart 12270)** | | | | | | |
| | **West River** | | | | | | |
| 19450 | SAUNDERS POINT SHOAL JUNCTION LIGHT | 38-53-01.826N 076-28-37.337W | Fl (2+1)R 6s | 15 | 4 | JR on pile. | |
| 19455 | Saunders Point Wreck Warning Daybeacon A | 38-52-55.383N 076-28-54.643W | | | | NW on pile worded DANGER WRECK. | |
| 19460 | - *Lighted Buoy 1* | 38-51-50.724N 076-26-59.488W | Fl G 4s | | 4 | Green. | Removed when endangered by ice. |
| 19465 | - *Lighted Buoy 1A* | 38-52-13.083N 076-28-53.226W | Fl G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 19470 | - ENTRANCE LIGHT 2 | 38-51-56.421N 076-29-27.035W | Fl R 2.5s | 15 | 5 | TR on pile. | |
| | **Parish Creek** | | | | | | |
| 19475 | - LIGHT 1 | 38-51-06.620N 076-30-23.477W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 19480 | - LIGHT 3 | 38-50-49.943N 076-30-22.481W | Fl G 4s | 15 | 4 | SG on pile. | |
| 19485 | - Daybeacon 5 | 38-50-44.809N 076-30-30.702W | | | | SG on pile. | |
| | **West River** | | | | | | |
| 19495 | - Daybeacon 3 | 38-51-17.157N 076-31-26.795W | | | | SG on pile. | |
| 19500 | - LIGHT 4 | 38-51-17.480N 076-31-54.414W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19505 | - Daybeacon 5 | 38-50-50.673N 076-32-00.821W | | | | SG on pile. | |
| 19510 | - LIGHT 6 | 38-50-39.761N 076-32-03.989W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19512 | - Buoy 7 | 38-50-18.900N 076-32-25.100W | | | | Green can. | Private aid. |
| | **Rhode River** | | | | | | |
| 19515 | - ENTRANCE LIGHT 2RR | 38-52-01.385N 076-30-49.461W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 19520 | - Daybeacon 3 | 38-52-12.122N 076-31-00.041W | | | | SG on pile. | |
| 19525 | - Daybeacon 4 | 38-52-33.795N 076-31-04.811W | | | | TR on pile. | |
| 19530 | Cadle Creek Daybeacon 1 | 38-52-48.645N 076-30-54.185W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **EASTERN BAY AND SOUTH RIVER (Chart 12270)** | | | | | | |
| | **Rhode River** | | | | | | |
| 19535 | Cadle Creek Daybeacon 2 | 38-52-50.967N 076-30-50.891W | | | | TR on pile. | |
| 19540 | - Daybeacon 6 | 38-52-38.445N 076-31-05.723W | | | | TR on pile. | |
| 19545 | - LIGHT 7 | 38-53-00.065N 076-31-21.795W | Fl G 4s | 15 | 4 | SG on pile. | |
| 19550 | Whitemarsh Creek Daybeacon 1 | 38-53-17.591N 076-31-29.282W | | | | SG on pile. | |
| 19555 | Whitemarsh Creek Daybeacon 3 | 38-53-23.830N 076-31-27.470W | | | | SG on pile. | |
| | **South River** | | | | | | |
| 19560 | - Junction Buoy SR | 38-53-39.458N 076-25-52.232W | | | | Green and red bands; can. | |
| 19565 | - Entrance Buoy 2 | 38-53-44.341N 076-27-52.263W | | | | Red nun. | |
| 19570 | - LIGHT 4 | 38-54-07.338N 076-28-37.582W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 19575 | - Daybeacon 5 | 38-54-35.859N 076-29-18.980W | | | | SG on pile. | |
| 19580 | - LIGHT 6 | 38-54-55.326N 076-29-26.782W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19581 | Duvall Creek Entrance Daybeacon 1 | 38-55-38.059N 076-29-19.497W | | | | SG on pile. | Private aid. |
| 19583 | Duvall Creek Entrance Daybeacon 3 | 38-55-39.058N 076-29-17.477W | | | | SG on pile. | Private aid. |
| | **Selby Bay** | | | | | | |
| 19585 | - ENTRANCE LIGHT 2 | 38-54-32.942N 076-30-16.880W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 19590 | - SOUTH BASIN LIGHT 2 | 38-54-11.178N 076-30-24.168W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19595 | - LIGHT 4 | 38-54-31.524N 076-30-35.097W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19600 | - South Basin Daybeacon 1 | 38-54-21.347N 076-30-19.251W | | | | SG on pile. | |
| | **South River** | | | | | | |
| 19605 | - LIGHT 8 | 38-55-10.400N 076-30-05.097W | Fl R 6s | 15 | 4 | TR on pile. | |
| 19610 | - Daybeacon 9 | 38-55-13.143N 076-30-22.947W | | | | SG on pile. | |
| 19612 | - Warning Buoy A | 38-55-35.600N 076-30-29.500W | | | | White and orange can worded NO SHELL FISHING. | Private aid. |
| 19613 | - Warning Buoy B | 38-55-44.300N 076-30-45.200W | | | | White and orange can worded NO SHELL FISHING. | Private aid. |
| 19615 | - LIGHT 10 | 38-55-51.356N 076-31-01.193W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 19625 | - LIGHT 11 | 38-56-06.408N 076-31-24.227W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 19630 | GLEBE BAY LIGHT | 38-56-08.406N 076-32-17.859W | F Y | 12 | | On pile on wharf. | Private aid. |
| 19635 | - LIGHT 12 | 38-56-23.274N 076-31-38.747W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19645 | - LIGHT 15 | 38-56-42.066N 076-32-27.252W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 19650 | - LIGHT 16 | 38-56-58.746N 076-32-45.833W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 19655 | - LIGHT 17 | 38-57-11.392N 076-33-43.561W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 19660 | - LIGHT 18 | 38-57-12.060N 076-34-03.287W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19665 | - Junction Daybeacon | 38-57-07.267N 076-34-08.226W | | | | JG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **EASTERN BAY AND SOUTH RIVER (Chart 12270)** | | | | | | |
| | **Fishing Creek** | | | | | | |
| 19670 | - LIGHT 2F | 38-54-40.996N 076-27-17.848W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 19675 | - LIGHT 3 | 38-54-36.669N 076-27-37.775W | Q G | 15 | 4 | SG on pile. | |
| 19680 | - LIGHT 5 | 38-54-45.393N 076-27-59.730W | Fl G 4s | 15 | 4 | SG on pile. | |
| 19685 | - LIGHT 6 | 38-55-07.227N 076-28-06.353W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| | **Fishing Creek - Oyster Creek** | | | | | | |
| 19687 | - Buoy 1 | 38-55-39.000N 076-27-39.700W | | | | Green can. | Private aid. |
| 19687.1 | - Buoy 2 | 38-55-40.300N 076-27-40.100W | | | | Red nun. | Private aid. |
| 19687.2 | - Buoy 3 | 38-55-38.600N 076-27-43.400W | | | | Green can. | Private aid. |
| 19687.3 | - Buoy 4 | 38-55-39.700N 076-27-43.500W | | | | Red nun. | Private aid. |
| 19687.4 | - LIGHT 5 | 38-55-38.300N 076-27-47.900W | Q G | 15 | | SG on end of pier. | Private aid. |
| 19687.5 | - LIGHT 6 | 38-55-39.700N 076-27-48.000W | Q R | 15 | | TR on bulkhead. | Private aid. |
| | **SEVERN AND MAGOTHY RIVERS (Chart 12282)** | | | | | | |
| | **Severn River** | | | | | | |
| | **Annapolis Harbor Channel** | | | | | | |
| 19690 | - LIGHT 1AH | 38-56-09.073N 076-26-10.058W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 19695 | - *Lighted Buoy 2* | 38-56-30.030N 076-25-29.016W | Fl R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 19697 | *NOAA Lighted Data Buoy AN* | 38-57-49.010N 076-26-48.370W | Fl Y 4s | | | Yellow | Removed when endangered by ice. Aid maintained by National Oceanic and Atmospheric Administration. |
| 19700 | NAVAL ANCHORAGE LIGHT A | 38-58-00.537N 076-27-09.019W | Fl Y 2.5s | 15 | 4 | NY on multi-pile structure. | |
| 19705 | ANNAPOLIS HARBOR ENTRANCE LIGHT 4 | 38-58-06.215N 076-27-27.753W | Fl R 6s | 15 | 4 | TR on multi-pile structure. | |
| 19730 | - *Lighted Buoy 5* | 38-58-17.845N 076-27-43.481W | Fl G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 19740 | - *Lighted Buoy 6* | 38-58-29.030N 076-27-46.516W | Fl R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 19745 | HORN POINT LIGHT HP | 38-58-24.641N 076-28-09.143W | Fl W 6s | 15 | 4 | NG on pile. | |
| 19750 | - Buoy 7 | 38-58-36.392N 076-27-54.736W | | | | Green can. | |
| 19755 | - Buoy 8 | 38-58-41.489N 076-27-54.296W | | | | Red nun. | |
| 19760 | - *Lighted Buoy 9* | 38-58-42.219N 076-28-00.842W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |
| 19765 | Spa Creek Channel Junction Buoy SC | 38-58-45.343N 076-28-07.053W | | | | Green and red bands; can. | |
| 19770 | Severn River Restricted Area Buoy A Marks southeast corner of restricted area. | 38-58-53.333N 076-28-14.872W | | | | Yellow can. | |
| 19775 | - Buoy 13 | 38-58-55.680N 076-28-24.825W | | | | Green can. | |
| 19780 | TRITON LIGHT | 38-58-53.030N 076-28-34.416W | Fl(4+5) G 30s | 25 | | On seawall. | Light characteristic represents the Class of 1945. Aid maintained by U.S. Navy. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SEVERN AND MAGOTHY RIVERS (Chart 12282)** | | | | | | |
| | **Severn River** | | | | | | |
| | **Annapolis Harbor Channel** | | | | | | |
| 19781 | U.S. NAVAL ACADEMY CLASS OF 43 LIGHT | 38-58-38.530N 076-28-57.616W | Fl (4+3) Y 30s | 15 | | Black iron structure on stone foundation. | Light characteristic represents Class of 1943. Aid maintained by U.S. Navy. |
| 19785 | U.S. NAVAL ACADEMY LIGHT | 38-58-39.433N 076-28-48.873W | Q W (R sector) (W sector) | 10 | R W | Black iron structure on stone foundation | Red from 220° to 259.2°. White from 259.2° to 273.2°. Aid maintained by U.S. Navy. |
| 19790 | Naval Station Ramp Obstruction Daybeacon | 38-58-52.827N 076-27-55.024W | | | | NW on pile worded DANGER ROCK. | |
| 19795 | Severn River Restricted Area Buoy B Marks southwest corner of restricted area. | 38-58-59.212N 076-28-25.692W | | | | Yellow can. | |
| 19800 | Severn River Restricted Area Buoy C | 38-58-58.632N 076-28-38.673W | | | | Yellow can. | |
| 19805 | Severn River Restricted Area Buoy D | 38-59-03.444N 076-28-46.239W | | | | Yellow can. | |
| 19810 | - Buoy 14 | 38-59-09.102N 076-28-40.134W | | | | Red nun. | |
| | **Lake Ogleton Entrance** | | | | | | |
| 19815 | - LIGHT 1L | 38-57-07.919N 076-27-27.818W | Fl G 4s | 15 | 4 | SG on pile. | |
| 19820 | - Daybeacon 2 | 38-57-02.798N 076-27-34.691W | | | | TR on pile. | |
| 19825 | - Daybeacon 3 | 38-56-59.945N 076-27-35.960W | | | | SG on pile. | |
| 19830 | - Daybeacon 4 | 38-56-52.823N 076-27-45.548W | | | | TR on pile. | |
| 19835 | - LIGHT 5 | 38-56-49.943N 076-27-47.228W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **Lake Ogleton** | | | | | | |
| 19837 | - Buoy 1 | 38-56-46.320N 076-27-51.420W | | | | Green can. | Private aid. |
| 19837.1 | - Buoy 2 | 38-56-47.040N 076-27-51.660W | | | | Red nun. | Private aid. |
| 19837.2 | - Buoy 3 | 38-56-47.100N 076-28-02.800W | | | | Green can. | Private aid. |
| 19837.3 | - Buoy 4 | 38-56-48.120N 076-28-03.700W | | | | Red nun. | Private aid. |
| 19837.4 | - Buoy 5 | 38-56-48.400N 076-28-11.500W | | | | Green can. | Private aid. |
| 19837.5 | - Buoy 6 | 38-56-49.100N 076-28-19.400W | | | | Red nun. | Private aid. |
| 19837.6 | - Buoy 7 | 38-56-49.600N 076-28-21.100W | | | | Green can. | Private aid. |
| | **Chesapeake Harbor** *Aids maintained from Mar. 1 to Dec. 1.* | | | | | | |
| 19840 | - ENTRANCE LIGHT 2 | 38-57-36.405N 076-27-58.853W | Fl R 4s | 14 | | TR on pile. | Private aid. |
| 19845 | - Buoy 3 | 38-57-36.405N 076-28-04.853W | | | | Green can. | Private aid. |
| 19850 | - Buoy 4 | 38-57-36.705N 076-28-06.754W | | | | Red nun. | Private aid. |
| 19855 | - Buoy 5 | 38-57-36.005N 076-28-09.954W | | | | Green can. | Private aid. |
| 19860 | - Buoy 6 | 38-57-37.305N 076-28-14.354W | | | | Red nun. | Private aid. |
| 19865 | - Buoy 7 | 38-57-37.305N 076-28-14.354W | | | | Green can. | Private aid. |
| 19870 | - JETTY LIGHT 8 | 38-57-38.105N 076-28-22.954W | Fl R 4s | 14 | | On pile. | Private aid. |
| 19875 | - JETTY LIGHT 9 | 38-57-36.505N 076-28-20.254W | Fl G 4s | 14 | | On pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SEVERN AND MAGOTHY RIVERS (Chart 12282)** | | | | | | |
| | **Severn River** | | | | | | |
| | **Eastport Harbor** | | | | | | |
| 19880 | - ENTRANCE LIGHT 1E | 38-57-57.281N 076-28-09.014W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 19885 | - ENTRANCE LIGHT 2E | 38-58-04.130N 076-28-14.768W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 19890 | - JETTY LIGHT 3 | 38-58-03.641N 076-28-21.794W | Q G | 15 | 4 | SG on pile. | |
| 19895 | - ENTRANCE LIGHT 5 | 38-58-05.009N 076-28-27.992W | Fl G 4s | 15 | 4 | SG on pile. | |
| 19900 | - Daybeacon 7 | 38-58-02.825N 076-28-36.854W | | | | SG on pile. | |
| | **Spa Creek** | | | | | | |
| 19905 | - Entrance Buoy 1SC | 38-58-35.074N 076-28-47.980W | | | | Green can. | |
| 19915 | - Buoy 3 | 38-58-22.037N 076-29-23.646W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 19920 | - Anchorage Buoy A | 38-58-26.703N 076-28-58.856W | | | | White with orange bands; can. | Maintained from May 15 to Oct. 31. Private aid. |
| 19925 | - Anchorage Buoy B | 38-58-30.903N 076-29-02.157W | | | | White with orange bands; can. | Maintained from May 15 to Oct. 15. Private aid. |
| 19930 | - Anchorage Buoy C | 38-58-35.403N 076-28-53.057W | | | | White with orange bands; can. | Maintained from May 15 to Oct. 31. Private aid. |
| | **Severn River** | | | | | | |
| 19940 | - Daybeacon 1S | 38-59-46.833N 076-29-27.055W | | | | SG on pile. | |
| 19945 | - LIGHT 2 | 39-00-14.968N 076-29-42.027W | Fl R 4s | 15 | 4 | TR on pile. | |
| 19945.5 | Weems Creek Junction Daybeacon WC | 39-00-05.321N 076-29-56.416W | | | | JG on pile. | |
| | **Weems Creek** | | | | | | |
| 19946 | USNA Hurricane Mooring Buoy W1 | 38-59-48.784N 076-30-17.491W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19946.2 | USNA Hurricane Mooring Buoy W2 | 38-59-46.940N 076-30-17.527W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19946.3 | USNA Hurricane Mooring Buoy W3 | 38-59-45.587N 076-30-19.576W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19946.4 | USNA Hurricane Mooring Buoy W4 | 38-59-43.679N 076-30-20.112W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19946.5 | USNA Hurricane Mooring Buoy W5 | 38-59-42.185N 076-30-19.209W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19946.6 | USNA Hurricane Mooring Buoy W6 | 38-59-40.370N 076-30-18.640W | | | | | U.S. Government Property - No Trespassing. |
| 19946.7 | USNA Hurricane Mooring Buoy W7 | 38-59-39.118N 076-30-19.191W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19946.8 | USNA Hurricane Mooring Buoy W8 | 38-59-36.612N 076-30-20.458W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| **SEVERN AND MAGOTHY RIVERS (Chart 12282)** | | | | | | | |
| **Severn River** | | | | | | | |
| **Luce Creek** | | | | | | | |
| 19947 | USNA Hurricane Mooring Buoy L1 | 39-00-23.441N 076-30-59.979W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19947.1 | USNA Hurricane Mooring Buoy L2 | 39-00-22.548N 076-31-02.247W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19947.2 | USNA Hurricane Mooring Buoy L3 | 39-00-20.312N 076-31-04.781W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19947.3 | USNA Hurricane Mooring Buoy L4 | 39-00-20.795N 076-31-07.287W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19947.4 | USNA Hurricane Mooring Buoy L5 | 39-00-19.412N 076-31-07.539W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19947.5 | USNA Hurricane Mooring Buoy L6 | 39-00-20.428N 076-31-09.997W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19947.6 | USNA Hurricane Mooring Buoy L7 | 39-00-18.041N 076-31-11.279W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19947.7 | USNA Hurricane Mooring Buoy L8 | 39-00-19.607N 076-31-12.172W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19947.8 | USNA Hurricane Mooring Buoy L9 | 39-00-19.132N 076-31-14.177W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19947.9 | USNA Hurricane Mooring Buoy L10 | 39-00-17.958N 076-31-17.140W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| **Saltworks Creek** | | | | | | | |
| 19948 | USNA Hurricane Mooring Buoy S1 | 39-00-46.067N 076-31-35.025W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19948.2 | USNA Hurricane Mooring Buoy S2 | 39-00-43.853N 076-31-37.897W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19948.3 | USNA Hurricane Mooring Buoy S3 | 39-00-42.528N 076-31-38.963W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19948.4 | USNA Hurricane Mooring Buoy S4 | 39-00-41.822N 076-31-41.825W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| **Severn River** | | | | | | | |
| 19950 | - LIGHT 2A | 39-01-07.427N 076-31-11.774W | Q R | 15 | 4 | TR on pile. | |
| **Clements Creek** | | | | | | | |
| 19952 | USNA Hurricane Mooring Buoy C1 | 39-01-04.229N 076-32-04.120W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SEVERN AND MAGOTHY RIVERS (Chart 12282)** | | | | | | |
| | **Severn River** | | | | | | |
| | **Clements Creek** | | | | | | |
| 19952.1 | USNA Hurricane Mooring Buoy C2 | 39-01-00.744N 076-32-05.387W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19952.2 | USNA Hurricane Mooring Buoy C3 | 39-01-04.002N 076-32-06.690W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19952.3 | USNA Hurricane Mooring Buoy C4 | 39-01-00.618N 076-32-07.324W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19952.4 | USNA Hurricane Mooring Buoy C5 | 39-01-00.568N 076-32-09.235W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19952.5 | USNA Hurricane Mooring Buoy C6 | 39-01-03.185N 076-32-11.806W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19952.6 | USNA Hurricane Mooring Buoy C7 | 39-01-01.745N 076-32-12.317W | | | | | U.S. Government Property - No Trespassing. |
| 19952.7 | USNA Hurricane Mooring Buoy C8 | 39-01-03.631N 076-32-13.689W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19952.8 | USNA Hurricane Mooring Buoy C9 | 39-01-02.094N 076-32-14.585W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19952.9 | USNA Hurricane Mooring Buoy C10 | 39-01-03.066N 076-32-15.975W | | | | | Aid maintained by U.S. Army. |
| 19952.91 | USNA Hurricane Mooring Buoy C11 | 39-01-04.096N 076-32-15.636W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19952.92 | USNA Hurricane Mooring Buoy C12 | 39-01-03.577N 076-32-17.609W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19952.93 | USNA Hurricane Mooring Buoy C13 | 39-01-04.024N 076-32-19.783W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| | **Severn River** | | | | | | |
| 19955 | - LIGHT 4 | 39-01-26.165N 076-31-29.841W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| | **Brewer Creek** | | | | | | |
| 19957 | USNA Hurricane Mooring Buoy B1 | 39-01-25.631N 076-32-18.455W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19957.2 | USNA Hurricane Mooring Buoy B2 | 39-01-25.278N 076-32-24.982W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19957.3 | USNA Hurricane Mooring Buoy B3 | 39-01-24.212N 076-32-25.209W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| 19957.4 | USNA Hurricane Mooring Buoy B4 | 39-01-24.598N 076-32-30.115W | | | | | U.S. Government Property - No Trespassing. Aid maintained by U.S. Navy. |
| | **Severn River** | | | | | | |
| 19960 | - LIGHT 5 | 39-01-51.361N 076-31-57.922W | Fl G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SEVERN AND MAGOTHY RIVERS (Chart 12282)** | | | | | | |
| | **Severn River** | | | | | | |
| 19965 | - LIGHT 6 | 39-02-07.091N 076-32-09.861W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Little Round Bay** | | | | | | |
| 19970 | - South Daybeacon 2S | 39-02-17.507N 076-33-58.593W | | | | TR on pile. | |
| 19975 | - South Daybeacon 3 | 39-02-10.829N 076-34-02.187W | | | | SG on pile. | |
| 19980 | - South Daybeacon 5 | 39-02-26.345N 076-34-17.187W | | | | SG on pile. | |
| 19985 | - North Daybeacon 2N | 39-02-33.011N 076-33-25.767W | | | | TR on pile. | |
| 19990 | - North Daybeacon 3 | 39-02-28.607N 076-33-42.333W | | | | SG on pile. | |
| 19995 | - North Daybeacon 5 | 39-02-37.409N 076-33-49.593W | | | | SG on pile. | |
| | **Severn River** | | | | | | |
| 20000 | - Daybeacon 7 | 39-02-41.273N 076-33-17.769W | | | | SG on pile. | |
| 20005 | - Daybeacon 9 | 39-03-02.129N 076-33-30.585W | | | | SG on pile. | |
| 20010 | - Daybeacon 10 | 39-03-24.005N 076-32-51.495W | | | | TR on pile. | |
| 20020 | - LIGHT 12 | 39-03-41.499N 076-33-58.643W | Fl R 4s | 15 | 4 | TR on pile. | |
| 20025 | - Daybeacon 13 | 39-04-06.067N 076-34-29.860W | | | | SG on pile. | |
| 20029 | Mathews Point Buoy 2 | 39-04-32.760N 076-35-56.340W | | | | Red nun. | Private aid. |
| | **Severn River - Mill Creek** | | | | | | |
| 20030 | - LIGHT 2M | 38-59-34.110N 076-26-49.396W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 20035 | - Daybeacon 3 | 38-59-37.825N 076-26-53.492W | | | | SG on pile. | |
| 20040 | - Daybeacon 5 | 38-59-40.780N 076-26-56.143W | | | | SG on pile. | |
| 20045 | - Daybeacon 6 | 38-59-41.651N 076-26-55.382W | | | | TR on pile. | |
| 20050 | - Daybeacon 7 | 38-59-41.250N 076-26-58.876W | | | | SG on pile. | |
| 20055 | - Daybeacon 8 | 38-59-42.365N 076-26-58.466W | | | | TR on pile. | |
| 20060 | - Daybeacon 10 | 38-59-40.589N 076-27-03.374W | | | | TR on pile. | |
| 20063 | - Buoy 11 | 39-00-23.820N 076-27-23.820W | | | | Green can. | Private aid. |
| | **Severn River** | | | | | | |
| | **Whitehall Creek** | | | | | | |
| 20065 | - ENTRANCE LIGHT 2W | 38-59-12.641N 076-26-16.516W | Fl R 4s | 15 | 4 | TR on pile. | |
| 20067 | SHARPS POINT LIGHT | 38-59-47.500N 076-26-08.500W | Fl W 10s | 58 | | White house with red roof. | Obscured from 067° to 263°. Private aid. |
| 20070 | - Daybeacon 4 | 38-59-49.799N 076-25-44.489W | | | | TR on pile. | |
| 20075 | - Daybeacon 5 | 38-59-58.512N 076-25-45.484W | | | | SG on pile. | |
| 20080 | - Daybeacon 6 | 39-00-02.557N 076-25-55.487W | | | | TR on pile. | |
| 20085 | - Daybeacon 7 | 39-00-25.888N 076-25-56.929W | | | | SG on pile. | |
| 20090 | - Daybeacon 8 | 39-00-32.795N 076-26-00.608W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SEVERN AND MAGOTHY RIVERS (Chart 12282)** | | | | | | |
| | **Magothy River** | | | | | | |
| | **Little Magothy River** | | | | | | |
| 20092 | - Buoy 1LM | 39-02-56.700N 076-25-42.600W | | | | Green can. | Private aid. |
| 20092.01 | - Buoy 2 | 39-02-57.000N 076-25-43.800W | | | | Red nun. | Private aid. |
| 20092.02 | - Buoy 3 | 39-02-53.000N 076-25-43.900W | | | | Green can. | Private aid. |
| 20092.03 | - Buoy 4 | 39-02-53.100N 076-25-44.700W | | | | Red nun. | Private aid. |
| 20092.04 | - Buoy 5 | 39-02-49.400N 076-25-45.100W | | | | Green can. | Private aid. |
| 20092.05 | - Buoy 6 | 39-02-49.400N 076-25-45.800W | | | | Red nun. | Private aid. |
| 20092.06 | - Buoy 7 | 39-02-37.400N 076-25-49.200W | | | | Green can. | Private aid. |
| 20092.07 | - Buoy 8 | 39-02-37.600N 076-25-49.700W | | | | Red nun. | Private aid. |
| | **Magothy River** | | | | | | |
| 20095 | - ENTRANCE LIGHT 2 | 39-03-21.909N 076-25-46.840W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 20100 | - LIGHT 3 On point of shoal off Persimmon Point. | 39-03-19.077N 076-25-59.356W | Fl G 4s | 18 | 5 | SG on multi-pile structure. | |
| 20105 | - Entrance Daybeacon 4 | 39-03-24.249N 076-25-58.234W | | | | TR on pile. | |
| 20110 | - Daybeacon 5 | 39-03-22.947N 076-26-10.384W | | | | SG on pile. | |
| 20113 | - *Race Lighted Buoy B* | 39-03-26.990N 076-26-37.200W | Fl Y 6s | | | | Labeled MRSA B. Maintained from Apr 7 to Dec 1. Private aid. |
| 20113.1 | - *Race Lighted Buoy J* | 39-03-39.590N 076-27-00.000W | Fl Y 6s | | | | Labeled MRSA J. Maintained from Apr 7 to Dec 1. Private aid. |
| 20113.2 | - *Race Lighted Buoy H* | 39-04-12.600N 076-26-43.190W | Fl Y 6s | | | | Labeled MRSA H. Maintained from Apr 7 to Dec 1. Private aid. |
| 20113.3 | - *Race Lighted Buoy C* | 39-03-55.800N 076-27-33.590W | Fl Y 6s | | | | Labeled MRSA C. Maintained from Apr 7 to Dec 1. Private aid. |
| 20113.4 | - *Race Lighted Buoy A* | 39-04-27.950N 076-27-15.180W | Fl Y 6s | | | | Labeled MRSA A. Maintained from Apr 7 to Dec 1. Private aid. |
| 20113.5 | - *Race Lighted Buoy G* | 39-05-14.390N 076-27-06.000W | Fl Y 6s | | | | Labeled MRSA G. Maintained from Apr 7 to Dec 1. Private aid. |
| 20113.6 | - *Race Lighted Buoy D* | 39-04-04.190N 076-28-28.200W | Fl Y 6s | | | | Labeled MRSA D. Maintained from Apr 7 to Dec 1. Private aid. |
| 20113.7 | - *Race Lighted Buoy F* | 39-04-30.780N 076-28-13.250W | Fl Y 6s | | | | Labeled MRSA F. Maintained from Apr 7 to Dec 1. Private aid. |
| 20113.8 | - *Race Lighted Buoy E* | 39-04-28.800N 076-29-13.800W | Fl Y 6s | | | | Labeled MRSA E. Maintained from Apr 7 to Dec 1. Private aid. |
| | **Sillery Bay** | | | | | | |
| 20115 | - LIGHT 1 | 39-04-47.721N 076-27-18.761W | Fl G 4s | 15 | 4 | SG on pile. | |
| 20120 | - LIGHT 3 | 39-05-25.251N 076-26-39.041W | Fl G 4s | 15 | 4 | SG on pile. | |
| 20125 | - LIGHT 4 | 39-05-28.875N 076-26-31.223W | Q R | 15 | 4 | TR on pile. | |
| | **Gibson Island** | | | | | | |
| 20130 | - *Inner Harbor Lighted Buoy 2* | 39-05-24.000N 076-25-45.000W | Q R | | | Red. | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SEVERN AND MAGOTHY RIVERS (Chart 12282)** | | | | | | |
| | **Magothy River** | | | | | | |
| | **Gibson Island** | | | | | | |
| 20131 | - *Inner Harbor Lighted Buoy 3* | 39-05-12.000N 076-25-37.000W | Q G | | | Green. | Maintained from May 1 to Nov. 1. Private aid. |
| 20132 | - *Inner Harbor Lighted Buoy 4* | 39-05-10.000N 076-25-46.000W | Q R | | | Red. | Maintained from May 1 to Nov. 1. Private aid. |
| | **Grays Creek** | | | | | | |
| 20135 | - Entrance Daybeacon 2 | 39-05-12.075N 076-27-38.147W | | | | TR on pile. | |
| 20141 | - Buoy 1 | 39-05-17.200N 076-27-48.700W | | | | Can. | Private aid. |
| 20145 | - Daybeacon 2 | 39-05-17.096N 076-27-48.158W | | | | TR on pile. | Private aid. |
| 20150 | - Daybeacon 3 | 39-05-18.596N 076-27-53.058W | | | | SG on pile. | Private aid. |
| 20155 | - Daybeacon 4 | 39-05-19.496N 076-27-52.858W | | | | TR on pile.. | Private aid. |
| | **Deep Creek** | | | | | | |
| 20160 | - Daybeacon 1 | 39-03-11.205N 076-26-58.450W | | | | SG on pile. | |
| 20165 | FAIRWINDS MARINA PIER LIGHT | 39-03-03.398N 076-27-09.856W | Fl Y 4s | 12 | | On post on end of pier. | Private aid. |
| 20170 | - LIGHT 3 | 39-03-06.333N 076-27-15.347W | Fl G 4s | 15 | 4 | SG on pile. | |
| 20175 | - Daybeacon 4 | 39-03-05.037N 076-27-20.404W | | | | TR on pile. | |
| | **Magothy River** | | | | | | |
| 20180 | - Daybeacon 7 | 39-03-46.197N 076-27-34.151W | | | | SG on pile. | |
| 20185 | - LIGHT 9 | 39-04-08.811N 076-28-48.047W | Fl G 4s | 15 | 5 | SG on pile. | |
| 20190 | Broad Creek Entrance Daybeacon 2 | 39-04-38.180N 076-28-38.578W | | | | TR on pile. | |
| 20195 | Broad Creek Entrance Daybeacon 3 | 39-04-34.724N 076-28-48.552W | | | | SG on pile. | |
| 20200 | - LIGHT 10 | 39-04-18.579N 076-29-37.373W | Fl R 4s | 15 | 4 | TR on pile. | |
| 20220 | Cool Spring Cove Daybeacon 1 | 39-03-38.608N 076-29-22.711W | | | | SG on pile. | Private aid. |
| 20225 | Cool Spring Cove Daybeacon 2 | 39-03-39.438N 076-29-23.352W | | | | TR on pile. | Private aid. |
| 20245 | - Daybeacon 11 | 39-04-23.709N 076-30-03.527W | | | | SG on pile. | |
| 20247 | SOUTH FERRY POINT WARNING LIGHT A | 39-04-23.000N 076-30-06.000W | Fl W 2.5s | 10 | | NW on pile on end of jetty worded DANGER. | Private aid. |
| 20250 | - LIGHT 12 | 39-04-36.327N 076-30-12.617W | Fl R 4s | 15 | 4 | TR on pile. | |
| 20255 | Cypress Creek Daybeacon 1 Marks north edge of shoal. | 39-04-26.103N 076-31-16.713W | | | | SG on pile. | |
| 20260 | Cypress Creek Daybeacon 3 Marks north edge of shoal. | 39-04-25.628N 076-31-20.714W | | | | SG on pile. | |
| 20270 | - LIGHT 13 | 39-04-54.861N 076-30-58.025W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 20275 | - LIGHT 14 | 39-04-59.247N 076-31-10.217W | Fl R 4s | 15 | 4 | TR on pile. | |
| 20280 | - Junction Daybeacon MR | 39-05-10.144N 076-31-29.955W | | | | JG on pile. | |
| 20285 | Cattail Creek Daybeacon 2 | 39-05-10.113N 076-31-32.627W | | | | TR on pile. | |
| 20290 | - Daybeacon 15 | 39-05-11.537N 076-31-30.248W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SEVERN AND MAGOTHY RIVERS (Chart 12282)** | | | | | | |
| | **Magothy River** | | | | | | |
| 20295 | - Daybeacon 16 | 39-05-28.881N 076-31-35.813W | | | | TR on pile. | |
| | **APPROACHES TO BALTIMORE HARBOR (Chart 12278)** | | | | | | |
| | **Patapsco River** | | | | | | |
| | **Bodkin Creek** | | | | | | |
| 20310 | Bodkin Point Shoal Buoy 1<br>Marks edge of shoal. | 39-07-50.425N 076-24-36.368W | | | | Green can. | |
| 20315 | BODKIN POINT SHOAL LIGHT 3 | 39-08-10.082N 076-25-03.252W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 20320 | - Approach Daybeacon 5 | 39-08-12.049N 076-25-27.918W | | | | SG on pile. | |
| 20325 | - Junction Buoy BC | 39-08-58.324N 076-25-26.771W | | | | Green and red bands; can. | |
| 20330 | - ENTRANCE LIGHT 7 | 39-08-13.637N 076-25-53.184W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 20335 | - Daybeacon 9 | 39-08-06.689N 076-26-06.458W | | | | SG on pile. | |
| 20340 | - Daybeacon 9A | 39-08-01.724N 076-26-12.072W | | | | SG on pile. | |
| 20345 | - Daybeacon 10 | 39-08-05.363N 076-26-07.043W | | | | TR on pile. | |
| 20350 | - LIGHT 11 | 39-07-58.412N 076-26-20.026W | Fl G 4s | 19 | 4 | SG on pile. | |
| 20355 | - Daybeacon 12 | 39-07-35.657N 076-26-39.171W | | | | TR on pile. | |
| | **Patapsco River** | | | | | | |
| 20370 | WHITE ROCKS LIGHT | 39-10-25.798N 076-29-17.027W | Fl W 4s | 19 | 5 | White house on concrete foundation. | |
| | **Rock Creek** | | | | | | |
| 20375 | - CHANNEL ENTRANCE LIGHT 2 | 39-09-41.974N 076-29-50.581W | Fl R 4s | 15 | 4 | TR on pile. | |
| 20385 | - CHANNEL LIGHT 3 | 39-09-19.331N 076-30-04.056W | Fl G 4s | 15 | 4 | SG on pile. | |
| 20390 | - Channel Daybeacon 4 | 39-09-21.569N 076-30-07.585W | | | | TR on pile. | |
| 20395 | - Channel Daybeacon 6 | 39-09-12.818N 076-30-14.469W | | | | TR on pile. | |
| | **Stony Creek** | | | | | | |
| 20400 | - Buoy 2 | 39-10-50.682N 076-30-17.880W | | | | Red nun. | |
| 20405 | - Buoy 3 | 39-10-31.122N 076-30-32.981W | | | | Green can. | |
| 20410 | - LIGHT 4 | 39-10-25.097N 076-31-01.006W | Fl R 4s | 15 | 4 | TR on pile. | |
| 20415 | - LIGHT 5 | 39-10-23.805N 076-30-54.793W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 20420 | - Daybeacon 6 | 39-10-19.984N 076-30-57.321W | | | | TR on pile. | |
| 20425 | - Daybeacon 8 | 39-10-15.417N 076-30-57.877W | | | | TR on pile. | |
| | **Pennwood Channel**<br>*Channel buoys located 50 feet outside channel limit.* | | | | | | |
| 20430 | - RANGE FRONT LIGHT | 39-13-09.624N 076-27-47.188W | Q G | 25 | | KRW on pile. | Private aid. |
| 20435 | - RANGE REAR LIGHT<br>1,000 yards, 353.6° from front . | 39-13-34.421N 076-27-47.188W | Iso G 6s | 45 | | KRW on pile. | Private aid. |
| 20440 | - Buoy 2PW | 39-11-14.221N 076-27-24.875W | | | | Red nun. | |
| 20445 | - Buoy 3 | 39-11-19.221N 076-27-31.075W | | | | Green can. | |
| 20450 | - Buoy 5 | 39-11-41.071N 076-27-33.195W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **APPROACHES TO BALTIMORE HARBOR (Chart 12278)** | | | | | | |
| | **Patapsco River** | | | | | | |
| | **Pennwood Channel** | | | | | | |
| | *Channel buoys located 50 feet outside channel limit.* | | | | | | |
| 20455 | - Buoy 6 | 39-11-38.721N 076-27-28.675W | | | | Red nun. | |
| 20460 | - Buoy 7 | 39-12-03.674N 076-27-36.267W | | | | Green can. | |
| 20465 | - Buoy 8 | 39-12-03.001N 076-27-32.355W | | | | Red nun. | |
| 20470 | - Buoy 9 | 39-12-25.664N 076-27-39.983W | | | | Green can. | |
| 20475 | - Buoy 10 | 39-12-26.410N 076-27-35.396W | | | | Red nun. | |
| 20480 | - Buoy 12 | 39-12-32.331N 076-27-29.645W | | | | Red nun. | |
| 20485 | - Buoy 14 | 39-12-36.670N 076-27-29.229W | | | | Red nun. | |
| 20490 | - Buoy 16 | 39-12-38.861N 076-27-36.855W | | | | Red nun. | |
| | **Old Road Bay** | | | | | | |
| 20495 | - LIGHT 2RB | 39-12-08.887N 076-27-22.227W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 20500 | - LIGHT 4 | 39-12-58.518N 076-26-49.287W | Q R | 15 | 4 | TR on pile. | |
| | **Jones Creek-Patapsco River** | | | | | | |
| 20505 | JONES CREEK LIGHT 1 | 39-12-53.556N 076-27-08.239W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 20510 | Jones Creek Daybeacon 2 | 39-12-54.534N 076-27-07.971W | | | | TR on pile. | |
| 20515 | NORTH POINT CREEK LIGHT 2 | 39-13-07.829N 076-26-29.183W | Fl R 4s | 15 | 4 | TR on pile. | |
| 20520 | Jones Creek Daybeacon 3 | 39-12-58.380N 076-27-19.449W | | | | SG on pile. | |
| 20525 | Jones Creek Daybeacon 4 | 39-12-58.956N 076-27-19.027W | | | | TR on pile. | |
| 20530 | Jones Creek Daybeacon 5 | 39-13-04.200N 076-27-32.299W | | | | SG on pile. | |
| 20535 | JONES CREEK LIGHT 6 | 39-13-04.961N 076-27-30.920W | Fl R 4s | 15 | 4 | TR on pile. | |
| 20540 | Jones Creek Warning Daybeacon | 39-13-06.648N 076-27-29.587W | | | | NW on pile worded DANGER SUBMERGED PILE. | |
| | **Sparrows Point Channel** | | | | | | |
| 20545 | - RANGE FRONT LIGHT | 39-12-42.268N 076-29-03.119W | F G | 70 | | KRW on black pyramidal skeleton tower. | Private aid. |
| 20550 | - RANGE REAR LIGHT 250 yards, 354° from front light. | 39-12-46.435N 076-29-03.653W | F R | 96 | | KRW on skeleton tower. | Private aid. |
| 20555 | - *Lighted Junction Buoy SP* | 39-11-40.220N 076-28-58.309W | Fl (2+1)R 6s | | 6 | Red and green. | |
| 20560 | - Buoy 2 | 39-11-40.821N 076-28-51.877W | | | | Red nun. | |
| 20565 | - *Lighted Buoy 3* | 39-11-51.420N 076-28-59.978W | Fl G 2.5s | | 4 | Green. | |
| 20570 | - Buoy 4 | 39-11-52.521N 076-28-44.177W | | | | Red nun. | |
| 20575 | - Buoy 6 | 39-12-06.420N 076-28-45.977W | | | | Red nun. | |
| 20580 | SPARROWS POINT ORE PIER LIGHTS (2) | 39-12-06.390N 076-28-28.860W | F R | 28 | | Yellow dolphin. | Private aid. |
| 20585 | - *Lighted Buoy 7* | 39-12-22.400N 076-29-03.058W | Fl G 2.5s | | 4 | Green. | |
| 20590 | - *Lighted Buoy 8* | 39-12-22.074N 076-28-58.178W | Fl R 2.5s | | 4 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **APPROACHES TO BALTIMORE HARBOR (Chart 12278)** | | | | | | |
| | **Patapsco River** | | | | | | |
| | **Sparrows Point Channel** | | | | | | |
| 20595 | - *Lighted Buoy 10* | 39-12-35.082N 076-28-54.136W | Fl R 4s | | 4 | Red. | |
| | **Sparrows Point Bulkhead** | | | | | | |
| 20600 | - LIGHT A | 39-12-04.960N 076-29-32.002W | F Y | 7 | | On steel box on bulkhead. | Private aid. |
| 20605 | - LIGHT B | 39-12-06.454N 076-29-43.573W | F Y | 7 | | On steel box on bulkhead. | Private aid. |
| 20610 | - LIGHT C | 39-12-10.880N 076-29-47.862W | Fl Y 4s | 7 | | On steel box on bulkhead. | Private aid. |
| 20625 | SPARROWS POINT DRYDOCK LIGHT P3 | 39-12-49.389N 076-30-03.863W | Fl R 4s | 20 | | On steel box. | Private aid. |
| 20630 | SPARROWS POINT DRYDOCK LIGHT P4 | 39-12-46.889N 076-30-03.863W | Fl R 4s | 20 | | On steel box. | Private aid. |
| | **Marine Pier Channel** | | | | | | |
| 20641 | - Buoy 1 | 39-12-32.156N 076-30-58.618W | | | | Green can. | |
| 20643 | - Buoy 2 | 39-12-38.852N 076-30-45.447W | | | | Red nun. | |
| 20645 | - Buoy 3 | 39-12-50.289N 076-30-39.467W | | | | Green can. | |
| 20650 | - Buoy 4 | 39-12-47.825N 076-30-36.042W | | | | Red nun. | |
| 20655 | - Buoy 6 | 39-12-59.219N 076-30-24.280W | | | | Red nun. | |
| 20660 | - Buoy 7 | 39-13-03.319N 076-30-25.781W | | | | Green can. | |
| 20665 | - Buoy 8 | 39-13-03.019N 076-30-15.580W | | | | Red nun. | |
| | **Bear Creek** | | | | | | |
| 20670 | - Junction Buoy BC | 39-13-08.620N 076-30-13.580W | | | | Green and red bands; can. | |
| 20675 | - ENTRANCE LIGHT 3 | 39-13-51.486N 076-30-00.319W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 20680 | - EAST OBSTRUCTION LIGHTS (2) Marks overhead wire crossing. | 39-14-10.600N 076-29-45.481W | F Y | 14 | | On tower. | Private aid. |
| 20685 | - WEST OBSTRUCTION LIGHTS (2) Marks overhead wire crossing. | 39-14-10.300N 076-29-45.500W | F Y | 14 | | On tower. | Private aid. |
| 20690 | LONG POINT LIGHT 5 | 39-14-40.867N 076-29-34.337W | Fl G 4s | 15 | 4 | SG on pile. | |
| 20695 | Lynch Cove Point Daybeacon Marks 4-foot shoal. | 39-15-04.890N 076-29-13.353W | | | | JG on pile. | |
| 20700 | SPARROWS POINT COUNTRY CLUB PIER LIGHT | 39-15-21.388N 076-28-36.861W | F Y | 8 | | On post at pier corner. | Private aid. |
| | **Sollers Point Channel** | | | | | | |
| 20705 | Sollers Point Daybeacon 1 | 39-14-00.388N 076-31-28.866W | | | | SG on pile. | Private aid. |
| | **HAW Generating Plant Channel** | | | | | | |
| 20730 | - Buoy 1 | 39-11-46.390N 076-30-27.863W | | | | Green can. | Private aid. |
| 20735 | - Buoy 2 | 39-11-47.390N 076-30-27.863W | | | | Red nun. | Private aid. |
| 20740 | - Buoy 3 | 39-11-32.390N 076-30-32.864W | | | | Green can. | Private aid. |
| 20745 | - Buoy 4 | 39-11-32.390N 076-30-36.864W | | | | Red nun. | Private aid. |
| 20750 | - Buoy 5 | 39-11-09.391N 076-30-46.864W | | | | Green can. | Private aid. |
| 20755 | - Buoy 6 | 39-11-09.391N 076-30-49.864W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **APPROACHES TO BALTIMORE HARBOR (Chart 12278)** | | | | | | |
| | **Patapsco River** | | | | | | |
| | **HAW Generating Plant Channel** | | | | | | |
| 20760 | - Buoy 7 | 39-10-53.391N 076-30-54.864W | | | | Green can. | Private aid. |
| 20765 | - Buoy 9 | 39-10-51.391N 076-31-04.865W | | | | Green can. | Private aid. |
| | **Hawkins Point Pier** | | | | | | |
| 20788 | HAWKINS POINT OUTFALL LIGHT A | 39-12-14.800N 076-31-46.200W | Fl Y 4s | | | On pile. | Private aid. |
| 20790 | Hawkins Point Buoy WR1 | 39-12-30.920N 076-31-41.884W | | | | Green can. | |
| 20795 | Hawkins Point Shoal Buoy 11S Marks northeast end of shoal. | 39-12-40.769N 076-31-41.103W | | | | Green can. | |
| | **Curtis Bay** *Buoys located 75 feet outside channel limit.* | | | | | | |
| 20860 | - *Entrance Channel Lighted Buoy 1CB* | 39-13-11.566N 076-32-06.218W | Q G | | 5 | Green. | |
| 20865 | - *Channel Lighted Buoy 2* | 39-13-22.295N 076-32-19.872W | Fl R 2.5s | | 5 | Red. | |
| 20870 | - CHANNEL RANGE FRONT LIGHT | 39-13-16.229N 076-34-34.786W | Fl G 2.5s | 20 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 20875 | - CHANNEL RANGE REAR LIGHT 405 yards, 267.9° from front light. | 39-13-15.839N 076-34-50.228W | Oc G 4s | 53 | | On corner of building. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 20880 | - *Channel Lighted Buoy 3* | 39-13-16.522N 076-32-34.523W | Fl G 2.5s | | 5 | Green. | |
| 20882 | Thomas Cove Mooring Buoy A | 39-12-58.200N 076-32-40.800W | | | | White with blue band. | Private aid. |
| 20883 | Thomas Cove Mooring Buoy B | 39-12-53.400N 076-32-39.600W | | | | White with blue band. | Private aid. |
| 20885 | - *Channel Lighted Buoy 4* | 39-13-21.628N 076-32-51.772W | Fl R 6s | | 5 | Red. | |
| 20890 | - *Channel Lighted Buoy 5* | 39-13-15.714N 076-33-08.688W | Fl G 4s | | 5 | Green. | |
| 20895 | - *Channel Lighted Buoy 6* | 39-13-20.496N 076-33-31.935W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 20900 | - *Channel Lighted Buoy 7* | 39-13-14.278N 076-34-00.946W | Fl G 2.5s | | 5 | Green. | |
| 20905 | - *Channel Lighted Buoy 8* | 39-13-19.732N 076-34-05.614W | Q R | | 5 | Red. | |
| 20910 | - *Channel Lighted Buoy 9* | 39-13-12.039N 076-34-25.315W | Fl G 2.5s | | 5 | Green. | |
| 20915 | - *Channel Lighted Buoy 10* | 39-13-26.195N 076-34-15.995W | Fl R 4s | | 5 | Red. | |
| 20920 | - *Channel Lighted Buoy 11* | 39-13-04.383N 076-34-29.198W | Fl G 4s | | 5 | Green. | |
| 20925 | - *Channel Lighted Buoy 12* | 39-12-52.238N 076-34-38.300W | Fl R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 20930 | *Hess Lighted Mooring Buoy* | 39-12-48.388N 076-34-41.873W | Fl W 2s | | | White with blue band. | Private aid. |
| 20935 | - *Channel Lighted Buoy 13* | 39-12-32.147N 076-34-47.204W | Q G | | 5 | Green. | |
| 20940 | Curtis Creek Buoy 14 | 39-12-20.418N 076-34-52.891W | | | | Red nun. | |
| 20942 | CURTIS CREEK LIGHTED DOLPHIN A | 39-12-16.195N 076-34-50.547W | F W | | | | Private aid. |
| 20942.1 | CURTIS CREEK LIGHTED DOLPHIN B | 39-12-15.349N 076-34-49.836W | F W | | | | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **APPROACHES TO BALTIMORE HARBOR (Chart 12278)** | | | | | | |
| | **Patapsco River** | | | | | | |
| | **Curtis Bay** | | | | | | |
| | *Buoys located 75 feet outside channel limit.* | | | | | | |
| 20942.2 | CURTIS CREEK LIGHTED DOLPHIN C | 39-12-14.450N 076-34-49.199W | F W | | | | Private aid. |
| 20945 | Curtis Creek Buoy 16 | 39-12-15.519N 076-34-45.190W | | | | Red nun. | |
| 20950 | Curtis Creek Buoy 18 | 39-11-52.439N 076-34-30.010W | | | | Red nun. | |
| 20955 | Marley Creek Daybeacon 1 | 39-11-11.929N 076-34-31.289W | | | | SG on pile. | |
| 20960 | Marley Creek Daybeacon 3 | 39-11-01.439N 076-34-40.251W | | | | SG on pile. | |
| 20965 | Marley Creek Daybeacon 5 | 39-10-52.806N 076-34-49.673W | | | | SG on pile. | |
| 20970 | Marley Creek Daybeacon 7 | 39-09-53.706N 076-35-21.731W | | | | SG on pile. | |
| 20975 | CSX COAL PIER DOLPHIN LIGHT A | 39-13-33.387N 076-34-35.873W | Fl Y 2.5s | 15 | | On southside end of pier. | Private aid. |
| 20980 | CSX COAL PIER DOLPHIN LIGHT B | 39-13-22.388N 076-34-35.873W | Fl Y 2.5s | 15 | | On northside end of pier | Private aid. |
| 20985 | CSX ASH PIER LIGHT C | 39-13-16.588N 076-34-34.373W | Fl Y 2.5s | 12 | | On southeast dolphin. | Private aid. |
| 20990 | CSX ORE PIER OBSTRUCTION LIGHT D | 39-13-30.387N 076-34-46.874W | F Y | 15 | | On end of pier. | Private aid. |
| 20995 | CSX ORE PIER OBSTRUCTION LIGHT E | 39-13-31.470N 076-34-47.590W | F Y | 15 | | On end of pier. | Private aid. |
| 20997 | CORMAN MARINE PIER LIGHT A | 39-12-41.580N 076-34-47.500W | Fl Y 2s | | | On end of pier. | Private aid. |
| | **BALTIMORE HARBOR (Chart 12281)** | | | | | | |
| | **Dundalk Terminal East Channel** | | | | | | |
| | *Bouys located 75 feet outside channel limit.* | | | | | | |
| 21000 | - RANGE FRONT LIGHT | 39-14-24.987N 076-31-54.167W | Q G | 42 | | KRW on pile. | Private aid. |
| 21005 | - RANGE REAR LIGHT 304 yards, 032.8° from front light. | 39-14-32.487N 076-31-47.867W | Iso G 6s | 54 | | KRW on pile. | Private aid. |
| 21010 | - *Lighted Buoy 2DE* | 39-13-52.753N 076-32-17.626W | Fl R 2.5s | | 4 | Red. | |
| 21025 | - *Lighted Buoy 4* | 39-14-01.596N 076-32-09.104W | Fl R 4s | | 5 | Red. | |
| 21026 | - Buoy 5 | 39-14-05.915N 076-32-13.685W | | | | Green can. | |
| 21027 | - *Lighted Buoy 7* | 39-14-09.902N 076-32-09.914W | Fl G 4s | | 4 | Green. | |
| 21030 | - Buoy 9 | 39-14-21.917N 076-32-09.621W | | | | Green can. | |
| 21035 | - Buoy 10 | 39-14-18.798N 076-31-50.003W | | | | Red nun. | |
| 21040 | DUNDALK TERMINAL SOUTHEAST BULKHEAD LIGHT | 39-14-21.388N 076-31-58.367W | F Y | 10 | | On post. | Private aid. |
| | **Seagirt Marine Terminal East Channel** | | | | | | |
| | *Buoys located 75 feet outside channel limit.* | | | | | | |
| 21045 | - *Lighted Buoy 2SE* | 39-14-16.222N 076-32-36.437W | Fl R 4s | | 4 | Red. | |
| 21050 | - *Lighted Buoy 3* | 39-14-34.905N 076-32-34.418W | Fl G 4s | | 4 | Green. | |
| 21052 | - *Lighted Buoy 4* | 39-14-31.128N 076-32-24.906W | Fl R 2.5s | | 4 | Red. | |
| 21055 | - *Lighted Buoy 5* | 39-14-40.946N 076-32-32.666W | Q G | | 4 | Green. | |
| 21063 | - *Lighted Buoy 7* | 39-14-48.832N 076-32-40.170W | Fl G 2.5s | | 4 | Green. | |
| 21065 | - *Lighted Buoy 9* | 39-14-59.298N 076-32-41.669W | Fl G 4s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **BALTIMORE HARBOR (Chart 12281)** | | | | | | |
| | **Seagirt Marine Terminal East Channel** | | | | | | |
| | *Buoys located 75 feet outside channel limit.* | | | | | | |
| 21067 | - *Lighted Buoy 11* | 39-15-09.061N 076-32-52.430W | Fl G 2.5s | | 4 | Green. | |
| 21070 | Colgate Creek Entrance Buoy 1C | 39-15-02.431N 076-32-20.507W | | | | Green can. | |
| 21075 | Dundalk Terminal West Channel Buoy 2DW | 39-14-30.843N 076-32-18.048W | | | | Red nun. | |
| 21085 | DUNDALK TERMINAL WEST CHANNEL RANGE REAR LIGHT<br>88 yards, 031° from front light. | 39-14-48.480N 076-32-16.020W | Q G | 45 | | On pile. | Private aid. |
| 21105 | SEAGIRT TERMINAL EAST END BULKHEAD LIGHT | 39-15-08.963N 076-32-38.198W | F Y | 10 | | On post on bulkhead. | Private aid. |
| | **Fairfield Piers** | | | | | | |
| 21110 | SHELL OIL COMPANY RANGE FRONT LIGHT | 39-14-19.043N 076-33-39.956W | F Y | 20 | | On skeleton tower on pier. | Private aid. |
| 21115 | SHELL OIL COMPANY RANGE REAR LIGHT<br>189 yards, 237° from front light. | 39-14-15.738N 076-33-46.231W | F G | 70 | | On tower on pier. | Private aid. |
| 21120 | SALSOL NORTH AMERICA PIER LIGHT | 39-14-26.988N 076-33-44.964W | Fl Y 2.5s | 12 | | On pile at end of pier. | Private aid. |
| | **Seagirt Marine Terminal West Channel** | | | | | | |
| 21135 | Seagirt Marine Term West Channel Junction Buoy SW | 39-15-10.101N 076-33-50.260W | | | | Red and green bands; nun. | |
| 21140 | - *Lighted Buoy 3SW* | 39-15-12.247N 076-33-42.683W | Fl G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 21145 | - *Lighted Buoy 4* | 39-15-08.587N 076-33-37.679W | Fl R 4s | | 4 | Red. | |
| 21150 | - Buoy 5 | 39-15-24.137N 076-33-27.848W | | | | Green can. | |
| 21155 | - *Lighted Buoy 6* | 39-15-15.287N 076-33-28.166W | Q R | | 4 | Red. | |
| 21160 | - *Lighted Buoy 8* | 39-15-18.160N 076-33-12.848W | Fl R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 21165 | - Buoy 10 | 39-15-14.593N 076-33-01.385W | | | | Red nun. | |
| 21170 | - Buoy 2<br>25 feet outside channel limit. | 39-15-20.617N 076-33-43.889W | | | | Red nun. | |
| | **Fairfield Channel** | | | | | | |
| 21190 | - DOLPHIN LIGHT | 39-15-00.386N 076-34-34.000W | F W | 12 | | On dolphin. | Private aid. |
| 21195 | - RANGE FRONT LIGHT | 39-14-51.386N 076-34-41.874W | F G | | | On pile. | Private aid. |
| 21200 | - RANGE REAR LIGHT<br>300 yards, 211° from front light. | 39-14-43.386N 076-34-47.874W | F G | | | On pile. | Private aid. |
| | **Ferry Bar Channel** | | | | | | |
| | *Buoys located 75 feet outside channel limits.* | | | | | | |
| 21205 | - *Lighted Buoy 1FB* | 39-15-15.655N 076-34-15.797W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 21210 | - *Lighted Buoy 2* | 39-15-23.621N 076-34-44.020W | Fl R 4s | | 5 | Red. | |
| 21215 | - *Lighted Buoy 3* | 39-15-16.268N 076-35-06.443W | Fl G 4s | | 5 | Green. | |
| 21220 | - *Lighted Buoy 4* | 39-15-23.534N 076-35-14.260W | Fl R 2.5s | | 5 | Red. | |
| 21222 | VMC South Locust Point Mooring Buoy A | 39-15-34.140N 076-35-14.930W | | | | White with blue band; sphere. | Private aid. |
| | **Masonville Containment Facility** | | | | | | |
| 21223 | MASONVILLE DIKE WARNING LIGHT A | 39-15-07.493N 076-34-51.692W | Fl W 4s | | | On containment dike. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **BALTIMORE HARBOR (Chart 12281)** | | | | | | |
| | **Masonville Containment Facility** | | | | | | |
| 21223.1 | MASONVILLE DIKE WARNING LIGHT B | 39-15-09.861N 076-34-57.493W | Fl W 4s | | | On containment dike. | Private aid. |
| 21223.2 | MASONVILLE DIKE WARNING LIGHT C | 39-15-13.517N 076-35-06.627W | Fl W 4s | | | On containment dike. | Private aid. |
| 21223.3 | MASONVILLE DIKE WARNING LIGHT D | 39-15-13.620N 076-35-19.291W | Fl W 4s | | | On containment dike. | Private aid. |
| 21223.4 | MASONVILLE DIKE WARNING LIGHT E | 39-15-13.447N 076-35-31.879W | Fl W 4s | | | On containment dike. | Private aid. |
| | **Locust Point East Channel** | | | | | | |
| 21225 | - Buoy 1LE | 39-15-23.506N 076-35-28.779W | | | | Green can. | |
| 21230 | - *Lighted Buoy 3LE* | 39-15-31.012N 076-35-32.715W | Fl G 2.5s | | 4 | Green. | |
| 21233 | - Buoy 4 | 39-15-31.184N 076-35-25.149W | | | | Red nun. | |
| | **Locust Point West Channel** | | | | | | |
| 21240 | - *Lighted Buoy 1LW* | 39-15-25.025N 076-35-54.166W | Fl G 2.5s | | 5 | Green. | |
| 21245 | - *Lighted Buoy 2W* | 39-15-25.613N 076-35-43.679W | Fl R 2.5s | | 4 | Red. | |
| 21250 | - *Lighted Buoy 4W* | 39-15-30.567N 076-35-46.766W | Fl R 4s | | 5 | Red. | |
| 21255 | - *Lighted Buoy 6* | 39-15-35.013N 076-35-46.486W | Fl R 2.5s | | 4 | Red. | |
| 21260 | - *Lighted Buoy 8* | 39-15-38.962N 076-35-41.310W | Q R | | 4 | Red. | |
| | **Ferry Bar Channel** *Buoys located 75 feet outside channel limits.* | | | | | | |
| 21265 | - *Lighted Buoy 6* | 39-15-23.535N 076-35-37.220W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 21270 | - *Lighted Buoy 7* | 39-15-16.120N 076-35-43.816W | Fl G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 21275 | - Junction Buoy FB | 39-15-19.796N 076-35-50.224W | | | | Green and red bands; can. | |
| 21280 | - Daybeacon 8 | 39-15-20.628N 076-36-06.995W | | | | TR on pile. | |
| 21285 | - Daybeacon 9 | 39-15-18.047N 076-36-13.515W | | | | SG on pile. | |
| 21290 | - Daybeacon 10 | 39-15-20.079N 076-36-23.338W | | | | TR on pile. | |
| 21295 | - Daybeacon 12 | 39-15-20.139N 076-36-37.021W | | | | TR on pile. | |
| 21300 | - LIGHT 13 | 39-15-18.810N 076-36-40.145W | Q G | 15 | 4 | SG on pile. | |
| 21305 | - Daybeacon 14 | 39-15-24.353N 076-36-46.959W | | | | TR on pile. | |
| 21307 | PORT COVINGTON MOORING PLATFORM LIGHT | 39-15-31.986N 076-36-16.078W | F R | 12 | | On mooring platform. | Private aid. |
| | **Northwest Harbor** | | | | | | |
| 21330 | - *Channel Lighted Buoy 2NH* 75 feet outside channel limit. | 39-15-31.709N 076-34-14.277W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 21335 | - *Channel Lighted Buoy 3* 75 feet outside channel limit. | 39-15-37.133N 076-34-32.290W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |
| 21340 | - *Channel Lighted Buoy 5* | 39-15-56.762N 076-34-33.425W | Fl G 4s | | 4 | Green. | |
| 21345 | - *Channel Lighted Buoy 7* | 39-16-04.501N 076-34-36.661W | Q G | | 4 | Green. | |
| 21352 | ERASMUS PROPERTY DOLPHIN LIGHT A | 39-16-10.849N 076-34-46.692W | Fl Y 4s | | | NY on dolphin. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **BALTIMORE HARBOR (Chart 12281)** | | | | | | |
| | **Northwest Harbor** | | | | | | |
| 21360 | - *Channel Junction Lighted Buoy NH* | 39-16-12.809N 076-34-34.192W | Fl (2+1)R 6s | | 4 | Red and green bands. | |
| 21362 | North Locust Point Marine Terminal Pier 7 Warning Buoy A | 39-16-24.400N 076-35-07.200W | | | | White buoy with orange diamond worded DANGER. | Private aid. |
| 21362.1 | North Locust Point Marine Terminal Pier 7 Warning Buoy B | 39-16-21.900N 076-35-08.800W | | | | White buoy with orange diamond worded DANGER. | Private aid. |
| 21362.2 | North Locust Point Marine Terminal Pier 7 Warning Buoy C | 39-16-19.800N 076-35-10.400W | | | | White buoy with orange diamond worded DANGER. | Private aid. |
| 21363 | Baltimore Inner Harbor Buoy 2 | 39-16-40.657N 076-35-44.797W | | | | Red nun. | Private aid. |
| 21363.1 | Baltimore Inner Harbor Buoy 4 | 39-16-40.701N 076-35-57.620W | | | | Red nun. | Private aid. |
| 21363.2 | Baltimore Inner Harbor Buoy 5 | 39-16-45.240N 076-36-10.980W | | | | Green can. | Private aid. |
| 21363.3 | Baltimore Inner Harbor Buoy 6 | 39-16-50.129N 076-36-09.383W | | | | Red nun. | Private aid. |
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY ENTRANCE (Chart 12221)** | | | | | | |
| | **North Channel** | | | | | | |
| 21366 | - *Lighted Buoy 2N* | 37-00-19.179N 075-54-22.340W | Fl R 4s | | 5 | Red. | |
| 21370 | - Buoy 4 | 37-00-59.914N 075-56-01.327W | | | | Red nun. | |
| 21375 | - Buoy 6 | 37-02-17.949N 075-56-56.705W | | | | Red nun. | |
| 21380 | - Buoy 8 | 37-03-13.515N 075-57-56.172W | | | | Red nun. | |
| 21385 | - Buoy 10 | 37-04-05.441N 075-58-52.119W | | | | Red nun. | |
| 21390 | - Buoy 11 | 37-04-15.546N 075-59-21.966W | | | | Green can. | |
| 21395 | **- Bridge Horn** | 37-05-18.515N 075-59-10.751W | | | | | HORN : 1 blast ev 20s (2s bl). Continuous. Private aid. |
| | **CAPE CHARLES TO WOLF TRAP (Chart 12224)** | | | | | | |
| | **North Channel** | | | | | | |
| 21400 | - Buoy 13 | 37-06-15.995N 076-00-22.395W | | | | Green can. | |
| 21405 | Latimer Shoal Junction Buoy LS | 37-05-49.425N 075-59-31.635W | | | | Red and green bands; nun. | |
| 21410 | - Buoy 16 | 37-09-02.128N 076-01-01.062W | | | | Red nun. | |
| 21413 | - Buoy 18 | 37-10-40.417N 076-01-21.860W | | | | Red nun. | |
| 21415 6595 | VIRGINIA INSIDE PASSAGE LIGHT 270 | 37-07-01.542N 075-58-49.001W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| | **Kiptopeke Beach** | | | | | | |
| 21420 | - BREAKWATER SOUTH LIGHT A | 37-09-40.508N 075-59-18.753W | Fl Y 4s | 14 | | NY on black skeleton tower. | Private aid. |
| 21425 | - *Breakwater Lighted Warning Buoy* | 37-09-55.000N 075-59-40.000W | Fl W 4s | | | White and orange buoy worded DANGER. | Private aid. |
| 21427 | - BOAT RAMP ENTRANCE LIGHT 1 | 37-10-01.150N 075-59-20.830W | Q G | 15 | | SG on pile. | Private aid. |
| 21429 | - BOAT RAMP ENTRANCE LIGHT 2 | 37-10-00.830N 075-59-20.680W | Fl R 2.5s | 15 | | TR on pile. | Private aid. |
| | **CAPE CHARLES TO WOLF TRAP (Chart 12224)** | | | | | | |
| 21430 | CHERRYSTONE CHANNEL LIGHT 2C | 37-12-01.986N 076-01-32.530W | Fl R 2.5s | 18 | 4 | TR on pile. | |
| 21435 | OLD PLANTATION FLATS WARNING LIGHT A | 37-13-43.265N 076-02-48.122W | Fl W 4s | 19 | 7 | NW on pile worded DANGER ROCKS. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **CAPE CHARLES TO WOLF TRAP (Chart 12224)** | | | | | | |
| | **Cape Charles City** | | | | | | |
| 21440 | - RANGE A FRONT LIGHT | 37-14-31.856N<br>076-01-53.994W | Q W<br>(NIGHT)<br>Q W<br>(DAY) | 15 | | On multi-pile structure. | Lighted throughout 24 hours.<br>DAY : Visible 1.5° either side of rangeline.<br>NIGHT : Visible all around; higher intensity 1.5° either side of range line. |
| 21445 | - RANGE A REAR LIGHT<br>268 yards, 054° from front light. | 37-14-36.360N<br>076-01-45.823W | Iso W 6s<br>(NIGHT)<br>Iso W 6s<br>(DAY) | 35 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours.<br>DAY : Visible 1.5° either side of rangeline.<br>NIGHT : Visible all around; higher intensity 1.5° either side of range line. |
| 21450 | - LIGHT 1CC | 37-13-58.514N<br>076-02-57.759W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 21455 | - LIGHT 3 | 37-14-16.341N<br>076-02-25.829W | Q G | 15 | 4 | SG on pile. | |
| 21460 | - RANGE B FRONT LIGHT | 37-15-44.027N<br>076-01-41.156W | Iso R 2s<br>(NIGHT)<br>Iso R 2s<br>(DAY) | 22<br>19 | | On multi-pile structure. | Lighted throughout 24 hours.<br>DAY : Visible 0.5° either side of rangeline.<br>NIGHT : Visible all around, higher intensity 1.5° either side of rangeline. |
| 21465 | - RANGE B REAR LIGHT<br>580 yards, 018.5° from front light. | 37-16-00.166N<br>076-01-33.704W | Iso R 6s<br>(NIGHT)<br>Iso R 6s<br>(DAY) | 40<br>37 | | On multi-pile structure. | Lighted throughout 24 hours.<br>DAY : Visible 0.5° either side of rangeline.<br>NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 21470 | - LIGHT 4 | 37-14-56.716N<br>076-02-00.066W | Fl R 4s | 15 | 4 | TR on pile. | |
| 21475 | - WARNING LIGHT A | 37-15-23.345N<br>076-01-56.825W | Fl W 4s | 12 | 4 | On caisson. NW worded Danger "A". | |
| 21480 | - LIGHT 6 | 37-15-21.536N<br>076-01-46.778W | Fl R 4s | 15 | 4 | TR on pile. | |
| 21485 | - LIGHT 7 | 37-15-48.961N<br>076-01-48.376W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 21487 | - Warning Daybeacon B | 37-15-48.227N<br>076-01-50.661W | | | | NW on pile worded Danger "B". | |
| 21491 | CAPE CHARLES BREAKWATERS NORTH DANGER LIGHT | 37-16-05.420N<br>076-01-54.080W | Fl W 2.5s | | | NW on pile worded DANGER NORTH BREAKWATER. | Private aid. |
| 21491.1 | CAPE CHARLES BREAKWATERS SOUTH DANGER LIGHT | 37-15-43.040N<br>076-01-55.970W | Fl W 2.5s | | | NW on pile worded DANGER SOUTH BREAKWATER. | Private aid. |
| 21495 | - JETTY LIGHT | 37-15-58.091N<br>076-01-40.539W | Fl W 2.5s | 18 | 4 | NW on pile with platform, worded Danger. | |
| 21500 | - Daybeacon 9 | 37-15-57.775N<br>076-01-37.337W | | | | SG on pile. | |
| 21515 | Mud Creek Buoy 2 | 37-15-51.371N<br>076-00-58.923W | | | | Red nun. | |
| | **CAPE CHARLES TO WOLF TRAP (Chart 12224)** | | | | | | |
| 21530 | Cherrystone Inlet Daybeacon 2CI | 37-16-56.450N<br>076-01-20.336W | | | | TR on multi-pile structure. | |
| | **Kings Creek** | | | | | | |
| 21531 | - CHANNEL LIGHT 2 | 37-16-46.929N<br>076-01-34.117W | Fl R 2.5s | | | TR on pile. | Private aid. |
| 21535 | - Channel Daybeacon 3 | 37-16-48.838N<br>076-01-34.798W | | | | SG on pile. | Private aid. |
| 21540 | - Channel Daybeacon 4 | 37-16-47.906N<br>076-01-32.604W | | | | TR on pile. | Private aid. |
| 21543 | - CHANNEL LIGHT 5 | 37-16-52.037N<br>076-00-51.063W | Fl G 2.5s | | | SG on pile. | Private aid. |
| 21545 | - Channel Daybeacon 6 | 37-16-50.982N<br>076-00-50.560W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **CAPE CHARLES TO WOLF TRAP (Chart 12224)** | | | | | | |
| | **Kings Creek** | | | | | | |
| 21547 | - Channel Daybeacon 7 | 37-16-57.001N 076-00-42.656W | | | | SG on pile. | Private aid. |
| 21550 | - Channel Daybeacon 8 | 37-16-55.889N 076-00-42.249W | | | | TR on pile. | Private aid. |
| 21555 | - Channel Daybeacon 9 | 37-16-56.337N 076-00-30.345W | | | | SG on pile. | Private aid. |
| 21557 | - CHANNEL LIGHT 10 | 37-16-55.287N 076-00-31.102W | Fl R 4s | | | TR on pile. | Private aid. |
| 21560 | - Channel Daybeacon 11 | 37-16-52.896N 076-00-27.448W | | | | SG on pile. | Private aid. |
| 21565 | - Channel Daybeacon 12 | 37-16-52.887N 076-00-29.081W | | | | TR on pile. | Private aid. |
| 21570 | - Channel Daybeacon 14 | 37-16-50.896N 076-00-30.706W | | | | TR on pile. | Private aid. |
| 21575 | - CHANNEL LIGHT 15 | 37-16-49.251N 076-00-30.423W | Fl G 4s | | | SG on pile. | Private aid. |
| | **WOLF TRAP TO PUNGOTEAGUE CREEK (Chart 12226)** | | | | | | |
| | **Mattawoman Creek** | | | | | | |
| 21580 | - LIGHT 1MC | 37-23-21.857N 075-59-39.471W | Fl G 4s | 15 | 4 | SG on pile. | |
| 21585 | - LIGHT 2 | 37-23-32.365N 075-59-23.759W | Fl R 4s | 15 | 4 | TR on pile. | |
| 21590 | - LIGHT 3 | 37-23-53.573N 075-58-51.693W | Fl G 4s | 15 | 4 | SG on pile. | |
| 21595 | - Daybeacon 5 | 37-24-01.307N 075-58-41.085W | | | | SG on pile. | |
| 21600 | - LIGHT 6 | 37-24-11.723N 075-58-32.025W | Fl R 4s | 15 | 3 | TR on pile. | |
| | **Hungar Creek** | | | | | | |
| 21605 | - *Lighted Wreck Buoy WR2* Marks submerged piles. | 37-24-20.814N 075-58-31.976W | Q R | | 4 | Red. | |
| 21610 | - Daybeacon 3 | 37-24-35.321N 075-58-27.027W | | | | SG on pile. | |
| 21615 | - *Lighted Wreck Buoy WR5* Marks submerged piles. | 37-24-37.270N 075-58-01.921W | Q G | | 4 | Green. | |
| 21620 | - *Lighted Wreck Buoy WR7* Marks submerged pile. | 37-24-40.501N 075-57-56.539W | Q G | | 5 | Green. | |
| 21625 | - *Lighted Wreck Buoy WR9* | 37-24-53.121N 075-57-48.537W | Q G | | 4 | Green. | |
| | **Nassawadox Creek** | | | | | | |
| 21630 | - Warning Daybeacon A | 37-27-50.657N 075-58-20.943W | | | | NW on pile worded DANGER PILE. | |
| 21645 | - Warning Daybeacon B | 37-28-10.487N 075-57-55.557W | | | | NW on pile worded DANGER PILE. | |
| 21661 | - Warning Daybeacon C | 37-28-13.093N 075-57-45.824W | | | | NW on pile worded DANGER PILE. | |
| 21662 | - Warning Daybeacon D | 37-28-16.119N 075-57-37.291W | | | | NW on pile worded DANGER PILE. | |
| 21662.1 | - Warning Daybeacon E | 37-28-18.761N 075-57-35.559W | | | | NW on pile worded DANGER PILE. | |
| 21663 | - Warning Daybeacon F | 37-28-27.994N 075-57-29.739W | | | | NW on pile worded DANGER PILE. | |
| 21667 | - Warning Daybeacon J | 37-28-31.098N 075-56-18.379W | | | | NW on pile worded DANGER PILE. | |
| 21670 | - Danger Buoy K | 37-28-31.059N 075-56-18.459W | | | | White and orange; can. | |
| | **Occohannock Creek** | | | | | | |
| 21695 | - ENTRANCE LIGHT 1 | 37-32-34.247N 075-57-50.937W | Fl G 4s | 15 | 4 | SG on pile. | |
| 21700 | - LIGHT 3 | 37-32-06.755N 075-57-25.197W | Fl G 4s | 15 | 4 | SG on pile. | |
| 21705 | - Daybeacon 5 | 37-32-21.670N 075-56-59.408W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **WOLF TRAP TO PUNGOTEAGUE CREEK (Chart 12226)** | | | | | | |
| | **Occohannock Creek** | | | | | | |
| 21710 | - Daybeacon 6 | 37-32-44.255N 075-56-40.851W | | | | TR on pile. | |
| 21715 | - Daybeacon 7 | 37-32-59.556N 075-56-19.549W | | | | SG on pile. | |
| 21720 | - LIGHT 9 | 37-33-04.222N 075-56-07.004W | Fl G 4s | 15 | 4 | SG on pile. | |
| 21725 | - Buoy 10 | 37-33-18.347N 075-55-44.463W | | | | Red nun. | |
| 21730 | - Warning Daybeacon A | 37-33-18.455N 075-55-32.697W | | | | NW on pile worded DANGER SHOAL. | |
| 21733 | - Buoy 10A | 37-33-19.164N 075-55-31.402W | | | | Red nun. | |
| 21735 | - Daybeacon 12 | 37-33-15.755N 075-55-19.707W | | | | TR on pile. | |
| 21740 | - Daybeacon 13 | 37-33-15.323N 075-55-12.111W | | | | SG on pile. | |
| 21745 | - Daybeacon 15 | 37-33-16.193N 075-54-32.241W | | | | SG on pile. | |
| 21750 | - Daybeacon 16 | 37-33-24.173N 075-54-07.737W | | | | TR on pile. | |
| 21755 | - Daybeacon 17 | 37-33-13.319N 075-53-31.455W | | | | SG on pile. | |
| 21760 | - Daybeacon 19 | 37-33-00.029N 075-53-02.859W | | | | SG on pile. | |
| | **Nandua Creek** | | | | | | |
| 21765 | - ENTRANCE LIGHT 1N | 37-38-07.956N 075-56-27.382W | Fl G 2.5s | 15 | 5 | SG on pile. | |
| 21770 | - CHANNEL LIGHT 3 | 37-37-42.758N 075-54-55.967W | Fl G 4s | 15 | 4 | SG on pile. | |
| 21774 | - Channel Warning Daybeacon A | 37-37-30.526N 075-54-45.798W | | | | NW on pile worded DANGER SHOAL. | |
| 21780 | - Channel Daybeacon 6 | 37-37-35.386N 075-54-41.896W | | | | TR on pile. | |
| 21781 | - Channel Warning Daybeacon B | 37-37-38.128N 075-54-41.702W | | | | NW on pile worded DANGER SHOAL. | |
| 21783 | - Channel Warning Daybeacon C | 37-37-29.004N 075-54-44.455W | | | | NW on pile worded DANGER SHOAL. | |
| 21783.5 | - Channel Warning Daybeacon D | 37-37-26.550N 075-54-42.919W | | | | NW on pile worded DANGER SHOAL. | |
| 21784 | - Channel Buoy 8 | 37-37-36.929N 075-54-29.934W | | | | Red nun. | |
| 21785 | - Channel Warning Daybeacon E | 37-37-47.520N 075-54-12.891W | | | | NW on pile worded DANGER SHOAL. | |
| 21790 | - Channel Warning Daybeacon F | 37-37-54.501N 075-54-16.777W | | | | NW on pile worded DANGER SHOAL. | |
| 21792 | - Channel Buoy 9 | 37-37-45.417N 075-54-12.214W | | | | Green can. | |
| 21795 | - Channel Daybeacon 11 | 37-37-48.288N 075-53-59.037W | | | | SG on pile. | |
| 21797 | - Channel Daybeacon 12 | 37-37-46.859N 075-53-53.943W | | | | TR on pile. | |
| 21800 | - Channel Warning Daybeacon G | 37-37-55.522N 075-54-08.700W | | | | NW on pile worded DANGER SHOAL. | |
| 21805 | - Channel Daybeacon 13 | 37-37-42.054N 075-53-44.517W | | | | SG on pile. | |
| 21815 | - Channel Daybeacon 15 | 37-37-09.270N 075-53-27.932W | | | | SG on pile. | |
| 21820 | - Channel Buoy 17 | 37-36-53.249N 075-53-27.830W | | | | Green can. | |
| 21825 | - Channel Buoy 19 | 37-36-45.347N 075-53-12.594W | | | | Green can. | |
| 21830 | - Channel Buoy 21 | 37-37-03.008N 075-52-52.512W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **WOLF TRAP TO PUNGOTEAGUE CREEK (Chart 12226)** | | | | | | |
| | **Nandua Creek** | | | | | | |
| 21835 | - Channel Daybeacon 22 | 37-37-25.044N 075-51-50.409W | | | | TR on pile. | |
| 21840 | - Channel Daybeacon 23 | 37-37-29.940N 075-51-35.979W | | | | SG on pile. | |
| | **Pungoteague Creek** | | | | | | |
| 21845 | - WARNING LIGHT A | 37-39-48.247N 075-53-52.997W | Fl W 2.5s | 15 | 4 | NW on pile. | |
| 21850 | - CHANNEL LIGHT 1P | 37-39-39.970N 075-53-51.254W | Q G | 24 | 4 | SG on multi-pile structure. | |
| 21855 | - Channel Daybeacon 2 | 37-39-57.622N 075-53-25.277W | | | | TR on pile. | |
| 21860 | - CHANNEL LIGHT 4 | 37-40-05.999N 075-53-16.278W | Fl R 4s | 15 | 4 | TR on pile. | |
| 21865 | - Channel Daybeacon 5 | 37-40-13.562N 075-53-01.315W | | | | SG on pile. | |
| 21870 | - Channel Daybeacon 6 | 37-40-22.494N 075-52-28.998W | | | | TR on pile. | |
| 21875 | - Channel Daybeacon 8 | 37-40-26.930N 075-51-58.692W | | | | TR on pile. | |
| 21880 | - Channel Daybeacon 9 | 37-40-20.893N 075-51-18.581W | | | | SG on pile. | |
| 21885 | - Channel Daybeacon 10 | 37-40-23.136N 075-50-52.856W | | | | TR on pile. | |
| 21890 | - Channel Daybeacon 10A | 37-40-23.365N 075-50-41.465W | | | | TR on pile. | |
| 21895 | - Channel Daybeacon 11 | 37-40-27.469N 075-50-46.816W | | | | SG on pile. | |
| 21900 | - Channel Daybeacon 12 | 37-40-18.495N 075-50-16.776W | | | | TR on pile. | |
| 21903 | - Channel Daybeacon 12A | 37-40-15.768N 075-50-18.770W | | | | TR on pile. | |
| 21905 | - CHANNEL LIGHT 13 | 37-40-10.571N 075-49-56.926W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 21910 | - Channel Daybeacon 14 | 37-40-03.024N 075-49-49.866W | | | | TR on pile. | |
| 21915 | - Channel Daybeacon 15 | 37-39-57.378N 075-49-43.366W | | | | SG on pile. | |
| 21920 | - Channel Daybeacon 16 | 37-39-54.953N 075-49-45.554W | | | | TR on pile. | |
| | **POCOMOKE AND TANGIER SOUNDS (Chart 12228)** | | | | | | |
| | **Onancock Creek** | | | | | | |
| 21925 | - CHANNEL LIGHT 1 | 37-43-28.215N 075-51-03.659W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 21930 | - Channel Daybeacon 2 | 37-43-21.866N 075-50-58.484W | | | | TR on pile. | |
| 21933 | - Channel Daybeacon 4 | 37-43-17.250N 075-50-50.575W | | | | TR on pile. | |
| 21940 | - CHANNEL LIGHT 6 | 37-43-17.433N 075-50-32.281W | Q R | 15 | 4 | TR on pile. | |
| 21950 | - Channel Daybeacon 7 | 37-43-10.650N 075-50-18.601W | | | | SG on pile. | |
| 21953 | - CHANNEL LIGHT 8 | 37-43-06.920N 075-50-12.685W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 21960 | - Channel Daybeacon 9 | 37-43-22.837N 075-49-41.320W | | | | SG on pile. | |
| 21965 | - Channel Daybeacon 10 | 37-43-30.349N 075-49-15.929W | | | | TR on pile. | |
| | **Parkers Creek** | | | | | | |
| 21970 | - Junction Daybeacon PC | 37-43-37.018N 075-48-35.807W | | | | JR on pile. | |
| 21975 | - Daybeacon 1P | 37-43-30.660N 075-48-30.723W | | | | SG on pile. | |
| 21980 | - Daybeacon 2 | 37-43-26.076N 075-48-30.608W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **POCOMOKE AND TANGIER SOUNDS (Chart 12228)** | | | | | | |
| | **Onancock Creek** | | | | | | |
| | **Parkers Creek** | | | | | | |
| 21985 | - Daybeacon 4 | 37-43-21.322N 075-48-27.533W | | | | TR on pile. | |
| 21987 | - Buoy 4A | 37-43-18.934N 075-48-26.199W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 21990 | - Daybeacon 6 | 37-43-18.091N 075-48-27.550W | | | | TR on multi-pile structure. | |
| 21995 | - Daybeacon 7 | 37-43-15.005N 075-48-32.203W | | | | SG on pile. | |
| 22000 | - Daybeacon 8 | 37-43-11.683N 075-48-40.174W | | | | TR on pile. | |
| | **Onancock Creek** | | | | | | |
| 22005 | - CHANNEL LIGHT 13 | 37-43-40.570N 075-48-22.679W | Fl G 4s | 15 | 4 | SG on pile. | |
| 22010 | - Channel Daybeacon 14 | 37-43-40.655N 075-48-15.336W | | | | TR on pile. | |
| 22015 | - Channel Daybeacon 16 | 37-43-39.960N 075-48-07.685W | | | | TR on pile. | |
| 22025 | - Channel Daybeacon 17 | 37-43-36.654N 075-48-00.506W | | | | SG on pile. | |
| 22030 | - Channel Daybeacon 18 | 37-43-31.701N 075-47-47.743W | | | | TR on pile. | |
| 22035 | - Channel Daybeacon 19 | 37-43-24.226N 075-47-30.950W | | | | SG on pile. | |
| 22040 | - Channel Daybeacon 20 | 37-43-10.988N 075-47-15.806W | | | | TR on pile. | |
| 22045 | - Channel Daybeacon 22 | 37-43-01.881N 075-46-56.504W | | | | TR on pile. | |
| 22055 | - Channel Daybeacon 24 | 37-42-47.460N 075-46-39.205W | | | | TR on pile. | |
| 22065 | - Channel Daybeacon 25 | 37-42-46.293N 075-46-21.974W | | | | SG on pile. | |
| 22070 | - Channel Daybeacon 26 | 37-42-38.760N 075-46-14.755W | | | | TR on pile. | |
| 22080 | - Channel Daybeacon 27 | 37-42-46.505N 075-45-51.146W | | | | SG on pile. | |
| 22090 | - Channel Daybeacon 29 | 37-42-41.481N 075-45-33.928W | | | | SG on pile. | |
| | **Pocomoke Sound** | | | | | | |
| 22100 | - LIGHT 2 | 37-43-37.089N 075-54-36.844W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 22105 | - SHOAL LIGHT 3 | 37-44-55.030N 075-55-31.015W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 22110 | - LIGHT 5 | 37-45-55.405N 075-52-31.477W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 22115 | WATTS ISLAND ROCKS WARNING LIGHT | 37-46-46.305N 075-53-43.281W | Fl W 2.5s | 15 | 5 | NW on pile worded DANGER SUBMERGED ROCKS. | |
| | **Chesconessex Creek** | | | | | | |
| 22125 | - Buoy 1 | 37-45-23.346N 075-49-41.352W | | | | Green can. | |
| 22130 | - LIGHT 2 | 37-45-17.937N 075-48-53.233W | Fl R 4s | 15 | 4 | TR on pile. | |
| 22135 | - Daybeacon 3 | 37-45-25.991N 075-48-01.646W | | | | SG on pile. | |
| 22145 | - Daybeacon 5 | 37-45-40.174N 075-47-01.700W | | | | SG on pile. | |
| 22150 | - Daybeacon 6 | 37-45-36.555N 075-46-41.333W | | | | TR on pile. | |
| 22155 | - Daybeacon 8 | 37-45-07.412N 075-46-39.751W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **POCOMOKE AND TANGIER SOUNDS (Chart 12228)** | | | | | | |
| | **Pocomoke Sound** | | | | | | |
| | **Chesconessex Creek** | | | | | | |
| 22160 | - Buoy 10 | 37-45-02.122N 075-46-21.081W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 22165 | - Buoy 11 | 37-45-01.252N 075-46-18.182W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 22170 | - Daybeacon 12 | 37-44-58.590N 075-46-16.899W | | | | TR on pile. | |
| 22175 | - South Basin Daybeacon 1 | 37-44-56.007N 075-46-16.580W | | | | SG on pile. | |
| 22180 | - South Basin Daybeacon 2 | 37-44-56.368N 075-46-19.382W | | | | TR on pile. | |
| | **Pocomoke Sound** | | | | | | |
| 22185 | - LIGHT 6 | 37-47-49.015N 075-50-19.038W | Fl R 4s | 18 | 4 | TR on multi-pile structure. | |
| | **Deep Creek** | | | | | | |
| 22190 | - ENTRANCE LIGHT 1D | 37-48-47.182N 075-48-25.557W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 22195 | - LIGHT 3 | 37-49-09.654N 075-47-20.601W | Fl G 6s | 15 | 4 | SG on pile. | |
| 22200 | - LIGHT 4 | 37-49-18.864N 075-46-17.720W | Fl R 4s | 15 | 4 | TR on pile. | |
| 22205 | - LIGHT 6 | 37-49-06.670N 075-45-39.071W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 22210 | - LIGHT 7 | 37-48-26.915N 075-45-46.167W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 22215 | - Daybeacon 9 | 37-48-12.408N 075-45-38.157W | | | | SG on pile. | |
| 22220 | - LIGHT 11 | 37-48-03.919N 075-45-14.507W | Fl G 6s | 15 | 4 | SG on pile. | |
| 22225 | - Daybeacon 12 | 37-47-46.888N 075-44-57.633W | | | | TR on pile. | |
| 22230 | - Warning Daybeacon D | 37-47-22.806N 075-44-57.206W | | | | NW on pile worded DANGER SHOAL. | |
| 22235 | - Warning Daybeacon C | 37-46-56.383N 075-44-59.360W | | | | NW on pile worded DANGER SHOAL. | |
| 22240 | - Warning Daybeacon B | 37-46-37.273N 075-44-53.985W | | | | NW on pile worded DANGER SHOAL. | |
| 22245 | - Warning Daybeacon A | 37-46-18.189N 075-45-00.122W | | | | NW on pile worded DANDER SHOAL. | |
| | **Pocomoke Sound** | | | | | | |
| 22250 | - LIGHT 7 | 37-48-54.030N 075-50-21.015W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 22255 | GUILFORD FLATS LIGHT 1GF | 37-50-57.168N 075-46-37.587W | Fl G 2.5s | 18 | 4 | SG on multi-pile structure. | |
| | **Hunting Creek** | | | | | | |
| 22260 | - LIGHT 2 | 37-49-29.093N 075-43-54.023W | Fl R 4s | 15 | 4 | TR on pile. | |
| 22265 | - Daybeacon 3 | 37-49-19.372N 075-43-50.781W | | | | SG on pile. | |
| 22270 | - Buoy 5 | 37-48-27.697N 075-43-51.150W | | | | Green can. | |
| 22275 | - Buoy 6 | 37-48-16.073N 075-43-42.489W | | | | Red nun. | |
| 22280 | - Buoy 7 | 37-47-48.217N 075-43-05.558W | | | | Green can. | |
| 22285 | - *Lighted Wreck Buoy WR 9* | 37-47-43.725N 075-42-54.413W | Q G | | 4 | Green. | |
| | **Guilford Creek** | | | | | | |
| 22305 | - LIGHT 2G | 37-51-23.509N 075-42-37.990W | Fl R 4s | 15 | 4 | TR on pile. | |
| 22310 | - Daybeacon 4 | 37-51-22.467N 075-42-11.532W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **POCOMOKE AND TANGIER SOUNDS (Chart 12228)** | | | | | | |
| | **Pocomoke Sound** | | | | | | |
| | **Guilford Creek** | | | | | | |
| 22315 | - LIGHT 6 | 37-50-58.052N 075-41-12.811W | Fl R 4s | 15 | 4 | TR on pile. | |
| 22320 | - Daybeacon 7 | 37-50-28.886N 075-41-03.638W | | | | SG on pile. | |
| 22330 | Muddy Creek Daybeacon 1 | 37-51-00.580N 075-40-56.377W | | | | SG on pile. | |
| 22335 | MUDDY CREEK WRECK LIGHT WR3 | 37-51-16.458N 075-40-25.906W | Q G | 15 | 4 | SG on pile. | |
| | **Pocomoke Sound** | | | | | | |
| 22365 | - SHOAL LIGHT 8 | 37-52-27.594N 075-49-24.237W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 22370 | - SHOAL LIGHT 9 | 37-53-48.121N 075-48-39.835W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 22375 | - LIGHT 10 | 37-54-30.159N 075-46-15.185W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 22380 | Watkins Point State Boundry Line Daybeacon | 37-54-40.450N 075-54-58.062W | | | | Dayboards with orange borders, upper board worded RANGE, lower boards MD/VA LINE. | Private aid. |
| 22385 | - State Boundary Line Daybeacon BB | 37-54-41.831N 075-51-21.457W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22390 | - State Boundary Line Daybeacon CC | 37-54-43.252N 075-49-24.255W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22395 | - State Boundry Line Daybeacon A | 37-54-43.452N 075-48-03.753W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22400 | Pocomoke Sound State Boundary Line Daybeacon B | 37-55-18.952N 075-47-16.452W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22405 | - State Boundary Line Daybeacon C | 37-55-30.600N 075-56-54.840W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22410 | - State Boundary Line Daybeacon D | 37-54-24.600N 075-57-09.720W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22415 | - State Boundary Line Buoy E | 37-56-38.551N 075-44-58.749W | | | | White and orange can;worded MD/VA LINE. | Private aid. |
| 22420 | - State Boundary Line Daybeacon F | 37-56-48.650N 075-44-15.348W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22425 | - State Boundary Line Daybeacon G | 37-56-58.850N 075-43-31.747W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22430 | - State Boundary Line Buoy H | 37-57-16.249N 075-42-17.246W | | | | White can with Orange bands worded MD/VA Line. | Private aid. |
| 22435 | - State Boundary Line Daybeacon J | 37-57-19.448N 075-41-29.745W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22440 | - State Boundary Line Buoy K | 37-56-59.448N 075-40-02.743W | | | | White can with Orange bands worded MD/VA Line. | Private aid. |
| 22445 | - State Boundary Line Daybeacon L | 37-56-42.448N 075-39-22.242W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22450 | - State Boundary Line Daybeacon M | 37-56-48.078N 075-38-53.541W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| | **Starling Creek** | | | | | | |
| 22455 | - LIGHT 1S | 37-55-28.914N 075-44-10.905W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 22460 | - Daybeacon 2 | 37-55-19.824N 075-44-03.870W | | | | TR on pile. | |
| 22465 | - Daybeacon 3 10 feet outside channel limit. | 37-55-15.829N 075-43-58.455W | | | | SG on pile. | |
| 22470 | - LIGHT 4 | 37-55-08.867N 075-43-52.896W | Fl R 4s | 15 | 4 | TR on pile. | |
| 22475 | - Buoy 6 | 37-55-10.486N 075-43-48.938W | | | | Red. | Maintained from Mar. 15 to Dec. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **POCOMOKE AND TANGIER SOUNDS (Chart 12228)** | | | | | | |
| | **Pocomoke Sound** | | | | | | |
| | **Starling Creek** | | | | | | |
| 22480 | - Daybeacon 8 | 37-55-09.762N 075-43-47.162W | | | | TR on pile. | |
| 22485 | - Daybeacon 10 | 37-55-05.803N 075-43-43.455W | | | | TR on pile. | |
| 22490 | - Daybeacon 12 | 37-55-05.922N 075-43-39.276W | | | | TR on pile. | |
| | **Pocomoke Sound** | | | | | | |
| 22495 | - Daybeacon 11 | 37-56-05.481N 075-44-25.964W | | | | SG on pile. | |
| 22500 | - LIGHT 12 | 37-56-18.908N 075-43-39.915W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **POCOMOKE AND TANGIER SOUNDS (CHART 12228)** | | | | | | |
| | **Pocomoke Sound** | | | | | | |
| | **Pocomoke River** | | | | | | |
| 22505 | - LIGHT 1PR | 37-57-13.678N 075-43-15.921W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 22510 | - Channel Buoy 2 | 37-57-22.924N 075-42-46.017W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. AIS: MMSI 993672362. AIS Maintained year round. |
| 22515 | - Channel Daybeacon 3 | 37-57-33.832N 075-42-27.097W | | | | SG on pile. | |
| 22520 | - Channel Buoy 4 | 37-57-40.457N 075-42-08.245W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. AIS: MMSI 993672363. AIS maintained year round. |
| 22525 | - Channel Daybeacon 5 | 37-57-48.644N 075-41-50.824W | | | | SG on pile. | |
| 22540 | - Channel Buoy 7 | 37-57-56.400N 075-41-30.495W | | | | Green can. | AIS: MMSI 993672364. |
| 22555 | - Channel Buoy 8 | 37-57-58.935N 075-41-05.476W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. AIS: MMSI 993672365. AIS maintained year round. |
| 22570 | - CHANNEL LIGHT 9 | 37-58-02.261N 075-40-39.640W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 22575 | - Channel Buoy 11 | 37-57-51.228N 075-40-15.506W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. AIS: MMSI 993672366. AIS signal maintained year round. |
| 22590 | - CHANNEL LIGHT 12 | 37-57-37.983N 075-39-48.566W | Fl R 4s | 15 | 4 | TR on pile. | |
| 22595 | - Channel Daybeacon 14 | 37-57-46.034N 075-39-20.901W | | | | TR on pile. | |
| 22600 | - CHANNEL LIGHT 15 | 37-57-52.925N 075-39-03.201W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **SMITH POINT TO COVE POINT (Chart 12230)** | | | | | | |
| | **Pocomoke River** | | | | | | |
| | **Upper Pocomoke River** | | | | | | |
| 22605 | - LIGHT 2 | 38-08-34.279N 075-26-30.016W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 22610 | - Daybeacon 3 | 38-08-40.996N 075-26-28.312W | | | | SG on pile. | |
| 22615 | Shad Landing Park Junction Daybeacon SL | 38-08-34.129N 075-26-28.667W | | | | JR on pile. | |
| 22620 | - Daybeacon 4 | 38-09-03.188N 075-26-16.371W | | | | TR on pile. | |
| 22625 | - LIGHT 6 | 38-08-58.382N 075-26-05.505W | Fl R 4s | 15 | 3 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **SMITH POINT TO COVE POINT (Chart 12230)** | | | | | | |
| | **Pocomoke River** | | | | | | |
| | **Upper Pocomoke River** | | | | | | |
| 22630 | - Buoy 8 | 38-09-19.132N 075-25-59.307W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 22635 | - Daybeacon 9 | 38-09-30.962N 075-25-27.593W | | | | SG on pile. | |
| 22640 | - LIGHT 10 | 38-09-29.650N 075-25-23.056W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 22645 | - LIGHT 11 | 38-09-47.331N 075-25-09.653W | Fl G 4s | 15 | 3 | SG on pile. | |
| 22650 | - LIGHT 12 | 38-10-00.743N 075-24-48.050W | Fl R 4s | 15 | 3 | TR on pile. | |
| 22655 | - Daybeacon 13 | 38-10-12.135N 075-24-42.491W | | | | SG on pile. | |
| 22660 | - LIGHT 14 | 38-10-17.883N 075-24-35.046W | Fl R 4s | 15 | 3 | TR on pile. | |
| | **POCOMOKE AND TANGIER SOUNDS (Chart 12228)** | | | | | | |
| | **Pocomoke Sound** | | | | | | |
| | **Broad Creek** | | | | | | |
| 22665 | - SOUTH ENTRANCE LIGHT 2BC | 37-54-58.697N 075-50-44.191W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 22670 | - Channel Daybeacon 4 | 37-55-11.080N 075-50-54.242W | | | | TR on pile. | |
| 22675 | - Channel Daybeacon 6 | 37-55-20.908N 075-51-02.726W | | | | TR on pile. | |
| 22680 | - CHANNEL LIGHT 8 | 37-55-29.908N 075-51-07.814W | Fl R 4s | 15 | 3 | TR on pile. | |
| 22685 | - CHANNEL LIGHT 9 | 37-55-52.558N 075-51-09.836W | Fl G 4s | 15 | 3 | SG on pile. | |
| 22690 | - Channel Daybeacon 11 | 37-55-58.044N 075-51-16.378W | | | | SG on pile. | |
| 22695 | - CHANNEL LIGHT 12 | 37-56-05.074N 075-51-25.202W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 22700 | - Channel Daybeacon 13 | 37-56-19.866N 075-51-29.488W | | | | SG on pile. | |
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **POCOMOKE AND TANGIER SOUNDS (Chart 12228)** | | | | | | |
| | **Tangier Sound** | | | | | | |
| 22705 | - Buoy A | 37-44-24.530N 076-02-40.815W | | | | Yellow nun. | |
| 22710 | - Buoy 1 | 37-46-09.747N 076-00-06.191W | | | | Green can. | |
| 22715 7435 | **- Light** | 37-47-16.876N 075-58-24.427W | Fl W 6s (R sector) | 45 | W 12 R 9 | NB on skeleton tower on multi-pile structure. 42 | Red from 110° to 192°. |
| 22720 | - Buoy 3 | 37-49-54.784N 075-57-37.584W | | | | Green can. | |
| | **Tangier Island West Channel** | | | | | | |
| 22725 | - LIGHT 1W | 37-49-51.480N 076-00-11.525W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 22730 | - LIGHT 3 | 37-49-57.073N 075-59-54.237W | Fl G 4s | 15 | 4 | SG on pile. | |
| 22735 | - LIGHT 4 | 37-49-55.305N 075-59-53.221W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Tangier Island East Channel** | | | | | | |
| 22740 | - LIGHT 1E | 37-50-24.014N 075-58-15.956W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 22745 | - Daybeacon 2 | 37-50-19.321N 075-58-26.536W | | | | TR on pile. | |
| 22750 | - Daybeacon 3 | 37-50-15.541N 075-58-29.759W | | | | SG on pile. | |
| 22755 | - Daybeacon 4 | 37-50-13.477N 075-58-37.167W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Virginia) - Fifth District** | | | | | | |
| | **POCOMOKE AND TANGIER SOUNDS (Chart 12228)** | | | | | | |
| | **Tangier Sound** | | | | | | |
| | **Tangier Island East Channel** | | | | | | |
| 22760 | - LIGHT 5 | 37-50-05.260N 075-58-47.767W | Fl G 4s | 15 | 4 | SG on pile. | |
| 22765 | - Daybeacon 6 | 37-50-02.551N 075-58-55.161W | | | | TR on pile. | |
| 22770 | - LIGHT 7 | 37-49-58.053N 075-59-00.553W | Fl G 4s | 15 | 4 | SG on pile. | |
| 22775 | - Daybeacon 8 | 37-49-53.281N 075-59-10.883W | | | | TR on pile. | |
| 22780 | - Daybeacon 9 | 37-49-45.503N 075-59-21.178W | | | | SG on pile. | |
| 22785 | - Daybeacon 10 | 37-49-46.169N 075-59-22.291W | | | | TR on pile. | |
| 22790 | - Daybeacon 12 | 37-49-46.210N 075-59-27.635W | | | | TR on pile. | |
| 22795 | - Daybeacon 14 | 37-49-49.908N 075-59-37.824W | | | | TR on pile. | |
| | **Tangier Sound** | | | | | | |
| 22800 | - *Lighted Buoy 5* | 37-51-05.843N 075-56-57.042W | Fl G 6s | | 4 | Green. | Replaced by can when endangered by ice. |
| 22805 | - *Lighted Buoy 6* | 37-54-25.480N 075-56-25.279W | Fl R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **TANGIER SOUND - NORTHERN PART (Chart 12231)** | | | | | | |
| | **Tangier Sound** | | | | | | |
| 22815 | JANES ISLAND LIGHT | 37-57-48.189N 075-55-06.511W | Fl W 4s (R sector) | 37 | W 8 R 6 | NB on skeleton tower on cylindrical base. | Red from 195° to 246°. |
| | **Little Annemessex River** | | | | | | |
| 22820 | - Entrance Buoy 1 | 37-57-30.030N 075-54-46.015W | | | | Green can. | |
| 22825 | - LIGHT 2 | 37-57-57.313N 075-54-04.812W | Q R | 15 | 4 | TR on pile. | |
| 22830 | - LIGHT 4 | 37-58-02.397N 075-53-26.801W | Fl R 4s | 19 | 4 | TR on pile. | |
| 22835 | - Daybeacon 5 | 37-58-01.986N 075-52-58.805W | | | | SG on pile. | |
| 22837 | - Warning Daybeacon A | 37-57-59.552N 075-52-38.531W | | | | NW on skeleton tower on piles worded DANGER. | |
| 22840 | - LIGHT 7 | 37-57-58.512N 075-52-37.674W | Q G | 15 | 4 | SG on pile. | |
| 22845 | - Daybeacon 8 | 37-57-53.194N 075-52-35.624W | | | | TR on pile. | |
| 22850 | BROAD CREEK NORTH ENTRANCE LIGHT 1 | 37-57-09.497N 075-51-55.175W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 22855 | - Daybeacon 9 | 37-58-21.979N 075-52-04.747W | | | | SG on pile. | |
| | **Jenkins Creek** | | | | | | |
| 22860 | - Daybeacon 1 | 37-57-24.165N 075-51-45.145W | | | | SG on pile. | Private aid. |
| 22865 | - Daybeacon 3 | 37-57-31.719N 075-51-33.727W | | | | SG on pile. | Private aid. |
| 22870 | - Daybeacon 4 | 37-57-31.351N 075-51-20.671W | | | | TR on pile. | Private aid. |
| 22875 | - Daybeacon 6 | 37-57-38.897N 075-51-09.507W | | | | TR on pile. | Private aid. |
| 22880 | - Daybeacon 7 | 37-57-45.405N 075-51-05.478W | | | | SG on pile. | Private aid. |
| 22885 | - Daybeacon 9 | 37-57-50.616N 075-50-53.793W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | |
| | **TANGIER SOUND - NORTHERN PART (Chart 12231)** | | | | | | |
| | **Tangier Sound** | | | | | | |
| | **Little Annemessex River** | | | | | | |
| 22890 | - LIGHT 10 | 37-58-20.346N 075-52-00.918W | Fl R 4s | 18 | 3 | TR on pile. | |
| 22895 | - LIGHT 11 | 37-58-32.190N 075-51-57.930W | Fl G 2.5s | 15 | 3 | SG on pile. | |
| 22900 | - Daybeacon 11A | 37-58-54.064N 075-51-54.271W | | | | SG on pile. | |
| 22905 | CRISFIELD HARBOR JUNCTION LIGHT CH | 37-59-01.458N 075-51-48.459W | Fl (2+1)R 6s | 15 | 3 | JR on pile. | |
| 22915 | - LIGHT 13 | 37-59-24.675N 075-51-40.962W | Fl G 4s | 15 | 3 | SG on pile. | |
| 22920 | Brick Kiln Channel Daybeacon 2 | 37-59-28.236N 075-51-36.209W | | | | TR on pile. | |
| 22925 | BRICK KILN CHANNEL LIGHT 3 | 37-59-23.135N 075-51-15.686W | Fl G 4s | 15 | 3 | SG on pile. | |
| 22930 | - Buoy 14 | 37-59-37.558N 075-51-27.794W | | | | Red nun. | |
| 22935 | - LIGHT 16 | 37-59-49.806N 075-51-17.565W | Fl R 4s | 16 | 3 | TR on pile. | |
| 22940 | - LIGHT 18 | 38-00-07.742N 075-51-09.740W | Fl R 6s | 15 | 3 | TR on pile. | |
| | **Ward Creek** | | | | | | |
| 22945 | - Daybeacon 1 | 38-00-40.245N 075-51-43.883W | | | | SG on pile. | Private aid. |
| 22950 | - Daybeacon 2 | 38-00-41.407N 075-51-44.858W | | | | TR on pile. | Private aid. |
| 22955 | - Daybeacon 3 | 38-00-45.446N 075-51-53.203W | | | | SG on pile. | Private aid. |
| 22960 | - Daybeacon 4 | 38-00-50.372N 075-52-00.962W | | | | TR on pile. | Private aid. |
| 22965 | - Daybeacon 5 | 38-00-54.613N 075-52-09.654W | | | | SG on pile. | Private aid. |
| 22970 | - Daybeacon 6 | 38-00-55.404N 075-52-09.458W | | | | TR on pile. | Private aid. |
| | **Rhodes Point Gut Channel** | | | | | | |
| 22990 | - Buoy 1 | 37-58-07.800N 076-01-35.204W | | | | Green can. | Removed when endangered by ice. |
| 22995 | - Daybeacon 2 | 37-58-10.034N 076-01-43.128W | | | | TR on pile. | |
| 23000 | - Buoy 3 | 37-58-11.559N 076-01-52.469W | | | | Green can. | Removed when endangered by ice. |
| 23003 | - Buoy 4 | 37-58-12.386N 076-02-25.962W | | | | Red nun. | Removed when endangered by ice. |
| 23005 | - Buoy 5 | 37-58-12.839N 076-02-27.898W | | | | Green can. | Removed when endangered by ice. |
| 23010 | - Buoy 7 | 37-58-19.278N 076-02-30.495W | | | | Green can. | Removed when endangered by ice. |
| | **Big Thorofare** | | | | | | |
| 23012 | - CHANNEL LIGHT 1T | 37-57-54.229N 075-58-40.050W | Fl G 2.5s | 15 | 5 | SG on pile. | |
| 23015 | - Channel Warning Daybeacon A | 37-58-23.639N 075-58-45.722W | | | | NW on pile worded DANGER. | |
| 23020 | - Channel Warning Daybeacon B | 37-58-15.721N 075-59-00.654W | | | | NW on pile worded DANGER. | |
| 23025 | - CHANNEL LIGHT 3 | 37-58-05.825N 075-59-16.345W | Fl G 4s | 15 | 3 | SG on pile. | |
| 23030 | - Channel Daybeacon 4 | 37-58-07.784N 075-59-16.254W | | | | TR on pile. | |
| 23035 | - Channel Daybeacon 8 | 37-58-03.956N 075-59-29.568W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **TANGIER SOUND - NORTHERN PART (Chart 12231)** | | | | | | |
| | **Tangier Sound** | | | | | | |
| | **Big Thorofare** | | | | | | |
| 23037 | - Channel Daybeacon 9 | 37-58-02.284N 075-59-31.796W | | | | SG on pile. | |
| 23038 | - Channel Daybeacon 10 | 37-58-03.869N 075-59-35.369W | | | | TR on pile. | |
| 23043 | - Channel Daybeacon 12 | 37-58-06.701N 075-59-46.803W | | | | TR on pile. | |
| 23050 | - Channel Daybeacon 14 | 37-58-09.144N 075-59-51.572W | | | | TR on pile. | |
| 23055 | - Channel Daybeacon 15 | 37-58-17.372N 076-00-01.290W | | | | SG on pile. | |
| 23060 | - Channel Daybeacon 16 | 37-58-26.444N 076-00-07.713W | | | | TR on pile. | |
| 23065 | - Channel Daybeacon 17 | 37-58-34.190N 076-00-12.486W | | | | SG on pile. | |
| 23070 | - Channel Daybeacon 19 | 37-58-38.672N 076-00-16.464W | | | | SG on pile. | |
| 23075 | - Channel Daybeacon 20 | 37-58-46.031N 076-00-25.683W | | | | TR on pile. | |
| 23077 | - Channel Daybeacon 20A | 37-58-55.626N 076-00-32.091W | | | | TR on pile. | |
| 23080 | - Channel Buoy 21 | 37-59-06.154N 076-00-37.475W | | | | Green can. | |
| 23085 | - CHANNEL LIGHT 23 | 37-59-11.562N 076-00-37.516W | Fl G 4s | 15 | 3 | SG on pile. | |
| 23090 | - Channel Daybeacon 25 | 37-59-17.703N 076-00-35.546W | | | | SG on pile. | |
| 23095 | - Channel Buoy 27 | 37-59-22.458N 076-00-37.104W | | | | Green can. | |
| 23100 | - Channel Daybeacon 29 | 37-59-28.322N 076-00-42.625W | | | | SG on pile. | |
| 23105 | - CHANNEL LIGHT 31 | 37-59-31.630N 076-00-50.362W | Fl G 2.5s | 15 | 3 | SG on pile. | |
| 23110 | - Channel Daybeacon 33 | 37-59-37.488N 076-01-03.671W | | | | SG on pile. | |
| 23115 | - CHANNEL LIGHT 35 | 37-59-48.348N 076-01-17.251W | Fl G 4s | 15 | 4 | SG on pile. | |
| 23120 | - CHANNEL LIGHT 37 | 37-59-49.208N 076-01-34.191W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| | **Tyler Creek** | | | | | | |
| 23125 | - Channel Daybeacon 1 | 37-59-26.818N 076-01-03.189W | | | | SG on pile. | |
| 23130 | - CHANNEL LIGHT 3 | 37-59-20.889N 076-01-07.935W | Fl G 4s | 15 | 4 | SG on pile. | |
| 23135 | - Channel Daybeacon 5 | 37-59-12.813N 076-01-09.231W | | | | SG on pile. | |
| 23140 | - Channel Daybeacon 7 | 37-59-03.531N 076-01-09.393W | | | | SG on pile. | |
| 23145 | - Channel Daybeacon 9 | 37-58-54.181N 076-01-09.350W | | | | SG on pile. | |
| 23150 | - CHANNEL LIGHT 11 | 37-58-36.489N 076-01-10.610W | Fl G 6s | 15 | 3 | SG on pile. | |
| 23155 | Tylerton Harbor Daybeacon 2 | 37-58-10.507N 076-01-20.919W | | | | TR on pile. | |
| 23160 | - Channel Buoy 13 | 37-58-20.422N 076-01-20.562W | | | | Green can. | Removed when endangered by ice. |
| 23165 | - Channel Daybeacon 14 | 37-58-17.991N 076-01-23.559W | | | | TR on pile. | |
| 23170 | - Channel Daybeacon 15 | 37-58-12.697N 076-01-24.409W | | | | SG on pile. | |
| | **Sheep Pen Gut** | | | | | | |
| 23175 | - Warning Daybeacon A | 37-58-16.663N 076-03-34.995W | | | | NW on pile worded DANGER SHOAL. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **TANGIER SOUND - NORTHERN PART (Chart 12231)** | | | | | | |
| | **Tangier Sound** | | | | | | |
| | **Sheep Pen Gut** | | | | | | |
| 23180 | - Warning Daybeacon B | 37-58-31.909N 076-03-00.663W | | | | NW on pile worded DANGER SHOAL. | |
| 23185 | - Warning Daybeacon C | 37-58-42.473N 076-02-52.810W | | | | NW on pile worded DANGER SHOAL. | |
| | **Big Thorofare West** | | | | | | |
| 23190 | - Approach Buoy BT | 37-59-54.817N 076-05-07.879W | | | | Red and white stripes; nun. | |
| 23195 | Smith Island West Side Warning Daybeacon | 37-59-02.115N 076-03-05.981W | | | | NW on pile worded DANGER SHOAL. | |
| 23200 | - LIGHT 1W | 38-00-00.327N 076-03-22.189W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 23205 | - WRECK LIGHT WR2 | 37-59-57.889N 076-03-21.618W | Q R | 15 | 4 | TR on pile. | |
| 23210 | - Daybeacon 2A | 38-00-02.562N 076-03-06.593W | | | | TR on pile. | |
| 23213 | - Buoy 3 | 38-00-03.772N 076-03-03.185W | | | | Green can. | Removed when endangered by ice. |
| 23215 | - Daybeacon 3A | 38-00-05.510N 076-02-59.390W | | | | SG on pile. | |
| 23220 | - WARNING LIGHT A | 38-00-05.316N 076-02-54.208W | Fl W 2.5s | 15 | 3 | NW on pile worded DANGER SHOAL. | |
| 23223 | - Buoy 4 | 38-00-05.448N 076-02-56.176W | | | | Red nun. | Removed when endangered by ice. |
| 23225 | - Daybeacon 6 | 38-00-13.118N 076-02-34.156W | | | | TR on pile. | |
| 23230 | - Daybeacon 8 | 38-00-14.655N 076-02-26.494W | | | | TR on pile. | |
| 23235 | - LIGHT 9 | 38-00-18.200N 076-02-21.427W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 23240 | - Daybeacon 10 | 38-00-15.879N 076-02-20.800W | | | | TR on pile. | |
| 23245 | - Daybeacon 12 | 38-00-13.635N 076-02-18.934W | | | | TR on pile. | |
| 23250 | - Daybeacon 13 | 38-00-14.865N 076-02-17.955W | | | | SG on pile. | |
| 23255 | - Daybeacon 14 | 38-00-06.417N 076-02-15.586W | | | | TR on pile. | |
| 23260 | - *Channel Lighted Wreck Buoy WR15* | 37-59-54.447N 076-02-07.708W | Q G | | 4 | Green. | |
| 23265 | - Daybeacon 16 | 37-59-48.555N 076-02-01.159W | | | | TR on pile. | |
| | **Tangier Sound** | | | | | | |
| 23270 | - *Lighted Buoy 8* | 37-57-55.477N 075-55-46.776W | Fl R 2.5s | | 4 | Red. | |
| 23275 | - *Lighted Buoy 9* | 38-00-00.975N 075-54-56.773W | Q G | | 4 | Green. | |
| | **Big Annemessex River** | | | | | | |
| 23280 | - LIGHT 1BA | 38-03-09.687N 075-52-09.399W | Fl G 2.5s | 18 | 4 | SG on pile. | |
| 23285 | - Daybeacon 2 | 38-02-41.318N 075-51-26.500W | | | | TR on pile. | |
| 23290 | - Daybeacon 4 | 38-03-19.851N 075-49-32.103W | | | | TR on pile. | |
| 23295 | - Daybeacon 5 | 38-03-18.577N 075-48-54.292W | | | | SG on pile. | |
| 23300 | - LIGHT 6 | 38-03-22.124N 075-48-16.456W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Jones Creek- Big Annemessex River** | | | | | | |
| 23305 | Jones Creek Daybeacon 1 | 38-02-06.402N 075-50-24.286W | | | | | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **TANGIER SOUND - NORTHERN PART (Chart 12231)** | | | | | | |
| | **Tangier Sound** | | | | | | |
| | **Jones Creek- Big Annemessex River** | | | | | | |
| 23310 | Jones Creek Daybeacon 3 | 38-02-11.413N 075-50-13.615W | | | | | Private aid. |
| 23320 | Jones Creek Daybeacon 5 | 38-02-03.134N 075-49-55.902W | | | | | Private aid. |
| 23325 | Jones Creek Daybeacon 7 | 38-01-59.652N 075-49-39.544W | | | | | Private aid. |
| 23330 | Jones Creek Daybeacon 9 | 38-01-50.574N 075-49-31.008W | | | | | Private aid. |
| 23335 | Jones Creek Buoy 11 | 38-01-44.850N 075-49-30.983W | | | | | Private aid. |
| 23340 | Jones Creek Buoy 12 | 38-01-43.959N 075-49-26.606W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 23345 | Jones Creek Daybeacon 14 | 38-01-39.822N 075-49-17.917W | | | | | Private aid. |
| 23350 | Jones Creek Daybeacon 15 | 38-01-34.898N 075-49-21.223W | | | | | Private aid. |
| 23355 | Jones Creek Daybeacon 16 | 38-01-26.908N 075-49-15.644W | | | | | Private aid. |
| | **Daugherty Creek** | | | | | | |
| 23360 | - CHANNEL LIGHT 1 | 38-02-14.834N 075-50-33.484W | Fl G 4s | 19 | 4 | SG on pile. | |
| 23365 | - Channel Daybeacon 3 | 38-01-50.932N 075-50-35.972W | | | | SG on pile. | |
| 23370 | - *Channel Lighted Wreck Buoy WR5* | 38-01-32.314N 075-50-24.151W | Q G | | 4 | Green. | |
| | **Manokin River** | | | | | | |
| 23375 | - *Junction Lighted Buoy MR* | 38-02-14.324N 075-55-26.274W | Fl (2+1)R 6s | | 5 | Red and green bands. | |
| 23380 | - LIGHT 2MR | 38-04-11.156N 075-53-20.191W | Fl R 2.5s | 18 | 4 | TR on pile. | |
| 23390 | - LIGHT 4 | 38-05-54.020N 075-52-52.753W | Q R | 15 | 4 | TR on pile. | |
| | **Goose Creek Channel** | | | | | | |
| 23395 | - *Entrance Lighted Buoy 1* | 38-05-40.472N 075-52-19.131W | Fl G 2.5s | | 4 | Green. | Maintained from Mar. 15 to Dec. 1. |
| 23400 | - Daybeacon 2 | 38-05-33.501N 075-52-01.749W | | | | TR on pile. | |
| 23405 | - Daybeacon 4 | 38-05-26.965N 075-51-45.719W | | | | TR on pile. | |
| 23410 | - *Lighted Wreck Buoy WR6* Marks submerged pile. | 38-05-34.224N 075-51-35.560W | Q R | | 3 | Red. | |
| | **Manokin River** | | | | | | |
| 23415 | - CHANNEL LIGHT 5 | 38-07-21.106N 075-50-59.635W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 23420 | - Channel Daybeacon 6 | 38-07-50.180N 075-50-28.512W | | | | TR on pile. | |
| 23423 | - CHANNEL LIGHT 7 | 38-08-28.239N 075-49-53.375W | Fl G 4s | 15 | 4 | | |
| 23425 | - Channel Daybeacon 8 | 38-08-12.160N 075-48-47.828W | | | | TR on pile. | |
| 23430 | - Channel Daybeacon 9 | 38-08-15.843N 075-48-12.863W | | | | SG on pile. | |
| | **St. Peters Creek** | | | | | | |
| 23440 | - Warning Daybeacon A | 38-08-47.172N 075-49-12.963W | | | | NW on pile, worded DANGER SHOAL. | |
| 23445 | - Warning Daybeacon B | 38-08-50.022N 075-49-07.185W | | | | NW on pile, worded DANGER SHOAL. | |
| 23450 | - Warning Daybeacon C | 38-09-04.236N 075-48-50.977W | | | | NW on pile, worded DANGER SHOAL. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **TANGIER SOUND - NORTHERN PART (Chart 12231)** | | | | | | |
| | **Tangier Sound** | | | | | | |
| | **St. Peters Creek** | | | | | | |
| 23455 | - Warning Daybeacon D | 38-09-13.464N 075-48-48.269W | | | | NW on pile, worded DANGER SHOAL. | |
| | **Kedges Straits** | | | | | | |
| 23460 | FOG POINT LIGHT 30 yards west of obstruction. | 38-02-11.652N 076-02-37.048W | Fl W 2.5s | 15 | 4 | NB on pile. | |
| 23465 | - Buoy 2 | 38-03-12.876N 076-03-21.280W | | | | Red nun. | |
| 23470 | - Buoy 4 | 38-03-28.475N 076-01-59.984W | | | | Red nun. | |
| 23475 | SOLOMONS LUMP LIGHT | 38-02-53.051N 076-00-54.077W | Fl W 6s (2 R sectors) | 47 | W 8 R 6 R 6 | Brown octagonal dwelling with white square tower on brown cylindrical base. | Red from 086° to 111° and from 288° to 294°. Obscured from 331.5° to 039°. |
| 23480 | - Buoy 5 | 38-02-58.774N 075-59-38.378W | | | | Green can. | |
| | **Tangier Sound** | | | | | | |
| 23485 | - *Lighted Buoy 10* | 38-03-06.974N 075-56-49.775W | Fl R 2.5s | | 4 | Red. | |
| 23490 | - *Lighted Buoy 12* | 38-06-19.474N 075-58-19.778W | Fl R 4s | | 4 | Red. | |
| | **Lower Thorofare** | | | | | | |
| 23495 | - CHANNEL LIGHT 2LT | 38-07-21.851N 075-57-18.966W | Fl R 4s | 15 | 4 | TR on pile. | |
| 23500 | - CHANNEL LIGHT 4 | 38-07-31.226N 075-56-49.267W | Q R | 16 | 4 | TR on multi-pile structure. | |
| 23505 | - Channel Daybeacon 5 | 38-07-32.510N 075-56-50.113W | | | | SG on pile. | |
| 23510 | - Channel Daybeacon 6 Old piles adjacent to aid, outside channel. | 38-07-39.935N 075-56-47.728W | | | | TR on pile. | |
| | **Tangier Sound** | | | | | | |
| 23520 | - Buoy 14 | 38-08-24.474N 075-58-18.777W | | | | Red nun. | |
| | **Upper Thorofare** | | | | | | |
| 23550 | HAINES POINT WARNING LIGHT | 38-10-19.359N 075-57-52.418W | Fl W 4s | 15 | 4 | NW on pile worded DANGER SHOAL. | |
| 23555 | Haines Point Obstruction Buoy HP | 38-10-20.824N 075-57-51.099W | | | | White can with orange bands and diamond. | Removed when endangered by ice. |
| 23560 | - CHANNEL LIGHT 1UT | 38-10-12.244N 075-57-20.853W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 23565 | - CHANNEL LIGHT 4 | 38-10-11.902N 075-56-59.793W | Fl R 6s | 19 | 4 | TR on pile. | |
| 23570 | - Channel Daybeacon 6 | 38-10-10.857N 075-56-55.256W | | | | TR on pile. | |
| | **Tangier Sound** | | | | | | |
| 23585 | - *Lighted Buoy 16* | 38-11-18.673N 075-58-25.279W | Fl R 6s | | 5 | Red. | |
| 23590 | SHARKFIN SHOAL LIGHT | 38-12-07.674N 075-59-12.058W | Fl W 6s (R sector) | 44 | W 9 R 6 | NB on skeleton tower. | Red from 000° to 091°. |
| 23595 | Sharkfin Shoal Warning Buoy | 38-12-09.415N 075-59-12.690W | | | | White can with orange bands and diamond. | Maintained from Mar. 15 to Dec. 1. |
| | **Hooper Strait** | | | | | | |
| 23600 7570 | - *Approach Lighted Buoy 1* | 38-12-17.174N 076-09-20.301W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 23605 | OKAHANIKAN POINT LIGHT | 38-11-41.769N 076-05-34.798W | Fl Y 6s | 25 | 5 | On concrete pile. | |
| 23610 | - Channel Buoy 2 | 38-13-14.274N 076-06-10.795W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **TANGIER SOUND - NORTHERN PART (Chart 12231)** | | | | | | |
| | **Hooper Strait** | | | | | | |
| 23615 | - LIGHT | 38-13-36.327N 076-04-31.908W | Fl W 6s (R sector) | 41 | W 8 R 6 | NB on skeleton tower. | Higher intensity beam toward Hooper Strait. Red from 083° to 100°. |
| 23620 | - CHANNEL LIGHT 4 | 38-13-02.287N 076-03-43.594W | Fl R 2.5s | 16 | 4 | TR on multi-pile structure. | |
| 23625 | - Channel Buoy 6 | 38-12-57.473N 076-03-01.788W | | | | Red nun. | |
| 23627 | - Channel Buoy 7 | 38-12-23.907N 076-02-09.370W | | | | Green can. | |
| 23630 | - *Channel Lighted Buoy 7A* | 38-12-09.130N 076-01-34.322W | Fl G 2.5s | | 4 | Green. | |
| 23640 | - CHANNEL LIGHT 8 | 38-12-18.192N 076-00-53.806W | Fl R 2.5s | 16 | 4 | TR on multipile structure. | |
| 23643 | - CHANNEL LIGHT 10 | 38-12-47.116N 076-00-18.016W | Fl R 4s | 16 | 4 | TR on multi-pile structure. | |
| 23655 | - Channel Buoy 12 | 38-12-43.176N 075-59-31.083W | | | | Red nun. | |
| 23660 | - *Channel Lighted Buoy 14* | 38-12-37.719N 075-58-50.277W | Fl R 2.5s | | 4 | Red. | |
| | **Tangier Sound** | | | | | | |
| 23670 | Dorchester/Somerset County Line Buoy DD | 38-13-52.242N 075-57-54.662W | | | | White can with orange bands and diamond worded DOR-SOM COUNTY RANGE LINE. | Aid maintained by State DOT Private aid. |
| 23673 | *Clay Island Shoal Lighted Wreck Buoy WR1* Marks sunken barge. | 38-12-43.217N 075-57-25.204W | Q G | | 4 | Green. | |
| | **HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261)** | | | | | | |
| | **Wicomico River (Honga, Nanticoke and Fishing Bay)** | | | | | | |
| 23675 | Wicomico River Junction Buoy WR | 38-12-26.732N 075-56-43.405W | | | | Green and red bands; can. | |
| 23680 | *Wicomico River Channel Lighted Buoy 1* | 38-12-20.772N 075-55-55.274W | Fl G 4s | | 5 | Green. | |
| 23685 | Wicomico River Channel Buoy 2 | 38-12-42.094N 075-54-41.278W | | | | Red nun. | |
| 23690 | *Wicomico River Channel Lighted Buoy 4* | 38-12-49.422N 075-53-56.910W | Fl R 6s | | 4 | Red. | |
| 23695 | Wicomico River Channel Buoy 5 | 38-12-47.971N 075-53-05.770W | | | | Green can. | |
| 23700 | GREAT SHOALS LIGHT | 38-12-51.536N 075-52-46.005W | Fl W 6s | 37 | 7 | NW worded DANGER on white skeleton tower on piles. | |
| | **Dames Quarter Creek** | | | | | | |
| 23705 | - Channel Buoy 2 | 38-12-13.241N 075-52-45.454W | | | | Red nun. | Private aid. |
| 23710 | - Channel Buoy 3 | 38-12-05.041N 075-52-51.655W | | | | Green can. | Private aid. |
| 23715 | - Channel Buoy 4 | 38-11-56.569N 075-52-59.688W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 23720 | - Channel Buoy 5 | 38-11-41.341N 075-52-56.555W | | | | Green can. | Aid maintained by State DOT Private aid. |
| 23725 | - Channel Daybeacon 6 | 38-11-39.041N 075-53-00.955W | | | | TR on pile. | Private aid. |
| | **Wicomico River (Honga, Nanticoke and Fishing Bay)** | | | | | | |
| 23730 | Wicomico River Channel Buoy 7 | 38-12-48.471N 075-52-45.769W | | | | Green can. | |
| 23735 | Wicomico River Channel Buoy 7A | 38-12-53.017N 075-52-40.036W | | | | Green can. | |
| 23740 | Wicomico River Channel Buoy 8 | 38-12-53.306N 075-52-35.179W | | | | Red nun. | |
| 23745 | Wicomico River Channel Buoy 9 | 38-13-13.737N 075-52-22.855W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261)** | | | | | | |
| | **Wicomico River (Honga, Nanticoke and Fishing Bay)** | | | | | | |
| 23750 | WICOMICO RIVER CHANNEL LIGHT 10 | 38-13-13.094N 075-52-17.322W | Fl R 4s | 15 | 4 | TR on pile. | |
| 23755 | Wicomico River Channel Buoy 11 | 38-13-48.670N 075-52-22.568W | | | | Green can. | |
| 23760 | WICOMICO RIVER CHANNEL LIGHT 12 | 38-13-48.382N 075-52-19.094W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 23767 | WICOMICO RIVER CHANNEL LIGHT 14 | 38-14-00.551N 075-52-10.336W | Fl R 4s | 15 | 4 | TR on pile. | |
| 23770 | Wicomico River Channel Buoy 15 | 38-14-24.170N 075-51-30.567W | | | | Green can. | |
| 23775 | WICOMICO RIVER CHANNEL LIGHT 15A | 38-14-34.617N 075-51-11.469W | Fl G 4s | 15 | 4 | SG on pile. | |
| 23780 | WICOMICO RIVER CHANNEL LIGHT 16 | 38-14-31.886N 075-51-00.167W | Fl R 4s | 19 | 4 | TR on pile. | |
| 23785 | WICOMICO RIVER CHANNEL LIGHT 17 | 38-15-09.850N 075-50-48.717W | Fl G 4s | 15 | 4 | SG on pile. | |
| 23790 | WICOMICO RIVER CHANNEL LIGHT 18 | 38-15-15.930N 075-50-31.868W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Webster Cove** | | | | | | |
| 23795 | - Channel Buoy 1 | 38-15-08.186N 075-50-04.432W | | | | Green can. | |
| 23800 | - Channel Daybeacon 3 | 38-14-57.200N 075-49-51.603W | | | | SG on pile. | |
| | **Wicomico River (Honga, Nanticoke and Fishing Bay)** | | | | | | |
| 23805 | Wicomico River Channel Daybeacon 19 | 38-15-23.114N 075-50-21.604W | | | | SG on pile. | |
| 23810 | Wicomico River Channel Daybeacon 21 | 38-15-28.690N 075-49-40.759W | | | | SG on pile. | |
| 23815 | Wicomico River Channel Daybeacon 22 | 38-15-25.968N 075-49-31.753W | | | | TR on pile. | |
| 23820 | WICOMICO RIVER CHANNEL LIGHT 23 | 38-15-30.378N 075-49-23.057W | Fl G 4s | 15 | 4 | SG on pile. | |
| 23825 | Wicomico River Channel Daybeacon 24 | 38-15-15.145N 075-48-58.850W | | | | TR on pile. | |
| 23830 | WICOMICO RIVER CHANNEL LIGHT 25 | 38-15-18.037N 075-48-23.951W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 23835 | WICOMICO RIVER CHANNEL LIGHT 26 | 38-15-13.721N 075-48-11.874W | Fl R 4s | 19 | 4 | TR on pile. | |
| 23840 | WICOMICO RIVER CHANNEL LIGHT 27 | 38-16-00.207N 075-47-45.674W | Fl G 2.5s | 15 | 3 | SG on pile. | |
| 23845 | WICOMICO RIVER CHANNEL LIGHT 28 | 38-16-06.428N 075-46-37.592W | Fl R 6s | 15 | 4 | TR on pile. | |
| 23850 | WICOMICO RIVER CHANNEL LIGHT 29 | 38-17-12.871N 075-46-06.204W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **Wicomico Creek** | | | | | | |
| 23865 | - Daybeacon 2 | 38-17-13.014N 075-45-48.511W | | | | TR on pile. | |
| 23870 | - Daybeacon 3 | 38-17-14.164N 075-45-41.169W | | | | SG on pile. | |
| | **Wicomico River (Honga, Nanticoke and Fishing Bay)** | | | | | | |
| 23875 | Wicomico River Channel Daybeacon 30 | 38-17-39.316N 075-45-30.219W | | | | TR on pile. | |
| 23880 | WICOMICO RIVER CHANNEL LIGHT 32 | 38-18-18.876N 075-45-43.630W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 23885 | Wicomico River Channel Daybeacon 33 | 38-18-47.165N 075-45-03.040W | | | | SG on pile. | |
| 23890 | WICOMICO RIVER CHANNEL LIGHT 35 | 38-19-18.036N 075-44-46.457W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 23895 | WICOMICO RIVER CHANNEL LIGHT 37 | 38-19-21.740N 075-44-10.347W | Fl G 4s | 15 | 4 | SG on pile. | |
| 23900 | WICOMICO RIVER CHANNEL LIGHT 38 | 38-19-48.128N 075-44-06.855W | Fl R 4s | 15 | 3 | TR on pile. | |
| 23905 | WICOMICO RIVER CHANNEL LIGHT 39 | 38-20-24.927N 075-42-46.001W | Fl G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261)** | | | | | | |
| | **Wicomico River (Honga, Nanticoke and Fishing Bay)** | | | | | | |
| 23910 | Wicomico River Channel Daybeacon 41 | 38-20-40.126N 075-42-23.690W | | | | SG on pile. | |
| 23915 | WICOMICO RIVER CHANNEL LIGHT 43 | 38-20-25.024N 075-41-58.915W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 23920 | WICOMICO RIVER CHANNEL LIGHT 45 | 38-20-22.653N 075-40-11.707W | Fl G 4s | 15 | 4 | SG on pile. | |
| 23925 | Wicomico River Channel Daybeacon 46 | 38-20-19.660N 075-40-10.384W | | | | TR on pile. | |
| 23930 | WICOMICO RIVER CHANNEL LIGHT 47 | 38-20-26.955N 075-39-18.783W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 23935 | WICOMICO RIVER CHANNEL LIGHT 49 | 38-20-34.595N 075-38-48.743W | Fl G 4s | 19 | 4 | SG on pile. | |
| 23940 | Wicomico River Channel Daybeacon 50 | 38-20-31.591N 075-38-45.383W | | | | TR on pile. | |
| 23945 | WICOMICO RIVER CHANNEL LIGHT 51 | 38-20-27.762N 075-38-29.703W | Fl G 2.5s | 18 | 4 | SG on pile. | |
| 23950 | WICOMICO RIVER CHANNEL LIGHT 53 | 38-20-29.767N 075-38-07.491W | Fl G 4s | 15 | 4 | SG on pile. | |
| 23955 | WICOMICO RIVER CHANNEL LIGHT 55 | 38-20-49.580N 075-37-52.194W | Fl G 6s | 15 | 4 | SG on pile. | |
| 23960 | WICOMICO RIVER CHANNEL LIGHT 57 | 38-21-00.036N 075-37-17.403W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| | **Nanticoke River** | | | | | | |
| 23965 | - ENTRANCE LIGHT 1N | 38-13-04.519N 075-56-33.669W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 23970 | - Channel Daybeacon 4 | 38-14-08.528N 075-55-34.370W | | | | TR on pile. | |
| 23975 | - CHANNEL LIGHT 5 | 38-14-41.805N 075-55-47.346W | Fl G 4s | 15 | 4 | SG on pile. | |
| 23980 | - CHANNEL LIGHT 6 | 38-15-50.400N 075-55-24.491W | Q R | 23 | 4 | TR on pile. | |
| 23983 | - Channel Warning Daybeacon | 38-15-51.186N 075-55-23.805W | | | | NW on pile worded DANGER SHOAL. | |
| 23985 | Nanticoke Cut Buoy 2 | 38-16-16.179N 075-55-15.075W | | | | Red nun. | |
| 23990 | NANTICOKE CUT LIGHT 3 | 38-16-14.266N 075-54-46.323W | Fl G 4s | 15 | 4 | SG on pile. | |
| 23995 | NANTICOKE CUT LIGHT 4 | 38-16-12.165N 075-54-48.904W | Fl R 4s | 15 | 3 | TR on pile. | |
| 24000 | - JUNCTION LIGHT B | 38-17-05.992N 075-55-15.263W | Fl (2+1)R 6s | 15 | 4 | JR on multi-pile structure. | |
| 24005 | - CHANNEL LIGHT 7 | 38-17-41.208N 075-55-54.630W | Fl G 6s | 15 | 4 | SG on pile. | |
| 24010 | - Channel Buoy 8 | 38-18-10.013N 075-55-35.028W | | | | Red nun. | |
| 24020 | - CHANNEL LIGHT 9 | 38-18-39.899N 075-55-26.961W | Fl G 4s | 15 | 4 | SG on pile. | |
| 24025 | - CHANNEL LIGHT 9A | 38-19-25.465N 075-54-39.931W | Fl G 4s | 15 | 4 | SG on pile. | |
| 24030 | - Channel Buoy 10 | 38-19-58.864N 075-53-49.170W | | | | Red nun. | |
| 24035 | - East Channel Buoy 2 | 38-17-25.181N 075-55-04.535W | | | | Red nun. | |
| 24040 | - East Channel Buoy 4 | 38-18-07.081N 075-54-15.388W | | | | Red nun. | |
| | **Bivalve Channel** | | | | | | |
| 24045 | - LIGHT 1B | 38-18-44.524N 075-53-47.121W | Fl G 6s | 15 | 4 | SG on pile. | |
| 24050 | - Daybeacon 2 | 38-18-40.808N 075-53-36.855W | | | | TR on pile. | |
| 24055 | - Daybeacon 3 | 38-18-41.626N 075-53-36.429W | | | | SG on pile. | |
| 24060 | - LIGHT 5 | 38-18-39.434N 075-53-29.074W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261)** | | | | | | |
| | **Nanticoke River** | | | | | | |
| 24065 | - CHANNEL LIGHT 11 | 38-20-29.909N 075-53-21.236W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 24070 | - Channel Daybeacon 12 | 38-20-49.860N 075-51-53.685W | | | | TR on pile. | |
| 24075 | - CHANNEL LIGHT 14 | 38-21-23.509N 075-51-20.021W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24080 | - CHANNEL LIGHT 15 | 38-22-47.847N 075-51-58.759W | Fl G 4s | 15 | 4 | SG on pile. | |
| 24085 | - Channel Daybeacon 16 | 38-22-59.427N 075-51-18.203W | | | | TR on pile. | |
| 24090 | - Channel Daybeacon 17 | 38-23-13.148N 075-50-33.169W | | | | SG on pile. | |
| 24095 | - CHANNEL LIGHT 18 | 38-23-12.380N 075-50-15.706W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24100 | - CHANNEL LIGHT 20 | 38-24-12.297N 075-50-57.078W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 24105 | - CHANNEL LIGHT 22 | 38-25-18.067N 075-50-36.957W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24110 | - CHANNEL LIGHT 23 | 38-25-27.301N 075-49-40.633W | Fl G 4s | 15 | 4 | SG on pile. | |
| 24115 | - CHANNEL LIGHT 25 | 38-26-13.533N 075-49-24.095W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 24120 | - CHANNEL LIGHT 26 | 38-26-42.103N 075-50-04.175W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24125 | - CHANNEL LIGHT 28 | 38-27-26.329N 075-49-54.731W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24130 | - CHANNEL LIGHT 30 | 38-27-51.003N 075-48-51.651W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24135 | - Channel Daybeacon 31 | 38-28-09.601N 075-49-04.996W | | | | SG on pile. | |
| 24140 | - CHANNEL LIGHT 32 | 38-28-42.375N 075-49-22.686W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24145 | - CHANNEL LIGHT 34 | 38-29-27.165N 075-47-43.660W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24150 | - CHANNEL LIGHT 35 | 38-30-13.401N 075-46-51.068W | Fl G 4s | 15 | 4 | SG on pile. | |
| 24155 | - CHANNEL LIGHT 36 | 38-30-31.806N 075-45-34.844W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24160 | - CHANNEL LIGHT 38 | 38-31-37.316N 075-45-12.072W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24165 | - CHANNEL LIGHT 39 | 38-32-18.618N 075-44-39.911W | Fl G 4s | 15 | 4 | SG on pile. | |
| 24170 | - Channel Daybeacon 41 | 38-32-19.557N 075-43-54.817W | | | | SG on pile. | |
| 24175 | - CHANNEL LIGHT 43 | 38-33-07.785N 075-42-44.933W | Fl G 4s | 15 | 4 | SG on pile. | |
| 24180 | - CHANNEL LIGHT 45 | 38-33-39.908N 075-42-16.564W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **CHESAPEAKE BAY (Delaware) - Fifth District** | | | | | | |
| | **HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261)** | | | | | | |
| | **Nanticoke River** | | | | | | |
| 24185 | - CHANNEL LIGHT 46 | 38-33-25.660N 075-41-33.686W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24190 | - CHANNEL LIGHT 48 | 38-33-38.679N 075-41-16.253W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24195 | - CHANNEL LIGHT 50 | 38-33-53.046N 075-40-57.513W | Fl R 4s | 16 | 4 | TR on pile. | |
| | **Broad Creek** | | | | | | |
| 24200 | - Daybeacon 2 | 38-34-07.406N 075-40-26.803W | | | | TR on pile. | |
| 24205 | - Daybeacon 3 | 38-34-14.757N 075-39-20.295W | | | | SG on pile. | |
| 24210 | - Daybeacon 4 | 38-34-11.034N 075-38-58.219W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Delaware) - Fifth District** | | | | | | |
| | **HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261)** | | | | | | |
| | **Nanticoke River** | | | | | | |
| | **Broad Creek** | | | | | | |
| 24215 | - Daybeacon 5 | 38-34-09.351N 075-38-49.905W | | | | SG on pile. | |
| 24220 | - Daybeacon 6 | 38-34-16.953N 075-38-37.773W | | | | TR on pile. | |
| 24225 | - Daybeacon 7 | 38-34-14.932N 075-38-28.131W | | | | SG on pile. | |
| 24230 | - Daybeacon 8 | 38-34-11.559N 075-38-23.031W | | | | TR on pile. | |
| 24235 | - Daybeacon 10 | 38-34-14.871N 075-38-15.065W | | | | TR on pile. | |
| 24240 | - Daybeacon 12 | 38-34-06.173N 075-37-45.569W | | | | TR on pile. | |
| 24245 | - Daybeacon 13 | 38-34-01.053N 075-37-47.983W | | | | SG on pile. | |
| 24250 | - Daybeacon 15 | 38-33-49.331N 075-37-44.647W | | | | SG on pile. | |
| 24255 | - Daybeacon 16 | 38-33-52.399N 075-37-31.743W | | | | TR on pile. | |
| | **Nanticoke River** | | | | | | |
| 24275 | - Channel Daybeacon 51 | 38-34-13.414N 075-40-36.214W | | | | SG on pile. | |
| 24280 | - CHANNEL LIGHT 52 | 38-34-19.401N 075-40-24.244W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24285 | - Channel Daybeacon 53 | 38-34-28.812N 075-40-18.711W | | | | SG on pile. | |
| 24290 | - CHANNEL LIGHT 54 | 38-34-37.161N 075-40-09.497W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 24295 | - CHANNEL LIGHT 56 | 38-35-05.002N 075-40-11.084W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24300 | - CHANNEL LIGHT 57 | 38-35-18.378N 075-40-10.235W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 24305 | - CHANNEL LIGHT 58 | 38-35-23.998N 075-39-38.997W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 24310 | - Channel Daybeacon 59 | 38-35-50.240N 075-39-32.749W | | | | SG on pile. | |
| 24315 | - CHANNEL LIGHT 61 | 38-36-20.756N 075-39-07.191W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 24320 | - CHANNEL LIGHT 62 | 38-36-27.357N 075-38-41.643W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24325 | - CHANNEL LIGHT 63 | 38-36-44.446N 075-38-38.159W | Fl G 4s | 15 | 4 | SG on pile. | |
| 24330 | - CHANNEL LIGHT 65 | 38-36-51.837N 075-38-30.987W | Q G | 15 | 4 | SG on pile. | |
| 24335 | - CHANNEL LIGHT 66 | 38-37-04.598N 075-37-51.932W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 24340 | - Channel Daybeacon 67 | 38-37-14.660N 075-37-41.966W | | | | SG on pile. | |
| 24345 | - CHANNEL LIGHT 68 | 38-37-25.578N 075-37-24.687W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24350 | - Channel Daybeacon 70 | 38-37-49.618N 075-37-06.337W | | | | TR on pile. | |
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261)** | | | | | | |
| | **Fishing Bay** | | | | | | |
| 24375 | - ENTRANCE LIGHT 2FB | 38-13-33.624N 075-59-19.370W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Tedious Creek** | | | | | | |
| 24380 | - LIGHT 1TC | 38-14-41.407N 076-02-24.104W | Fl G 4s | 15 | 4 | SG on pile. | |
| 24385 | - Daybeacon 2 | 38-14-50.294N 076-02-48.556W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261)** | | | | | | |
| | **Fishing Bay** | | | | | | |
| 24400 | GOOSE CREEK LIGHT 1GC | 38-16-21.883N 076-01-40.284W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 24405 | Goose Creek Daybeacon 3 | 38-16-22.603N 076-02-14.063W | | | | SG on pile. | |
| 24410 | - LIGHT 3 | 38-16-50.526N 076-00-53.114W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 24415 | - LIGHT 4 | 38-17-20.582N 076-00-49.061W | Q R | 15 | 4 | TR on pile. | |
| 24416 | - *Lighted Wreck Buoy WR 4A* | 38-17-18.396N 076-00-51.107W | Q R | | 3 | Red. | |
| | **Farm Creek** | | | | | | |
| 24425 | - Warning Daybeacon A | 38-18-33.431N 076-02-18.138W | | | | NW on pile worded A DANGER SHOAL. | |
| 24430 | - Warning Daybeacon B | 38-18-28.718N 076-02-48.083W | | | | NW on pile worded B DANGER SHOAL. | |
| 24435 | - Warning Daybeacon C | 38-18-22.127N 076-03-08.419W | | | | NW on pile worded C DANGER SHOAL. | |
| 24440 | - Warning Daybeacon D | 38-18-16.044N 076-03-38.146W | | | | NW on pile worded D DANGER SHOAL. | |
| 24445 | - Warning Daybeacon E | 38-18-16.451N 076-03-43.609W | | | | NW on pile worded E DANGER SHOAL. | |
| | **Honga River** | | | | | | |
| 24450 | - LIGHT 1H<br>On point of shoal. | 38-13-59.569N 076-06-31.988W | Fl G 4s | 16 | 4 | SG on pile. | |
| 24455 | HEARNS COVE ENTRANCE LIGHT 2HC | 38-15-56.629N 076-07-09.005W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24460 | Paul Point Shoal Daybeacon 1 | 38-16-27.015N 076-06-48.787W | | | | SG on pile. | |
| 24465 | Hearns Cove Channel Daybeacon 3 | 38-16-23.755N 076-05-36.425W | | | | SG on pile. | |
| 24470 | Hearns Cove Channel Daybeacon 6 | 38-16-40.210N 076-05-14.878W | | | | TR on pile. | |
| 24475 | Hearns Cove Channel Daybeacon 7 | 38-16-49.901N 076-04-55.976W | | | | SG on multi-pile structure. | |
| 24480 | Muddy Hook Cove Channel Daybeacon 2 | 38-15-41.037N 076-10-07.665W | | | | TR on pile. | |
| 24485 | Muddy Hook Cove Channel Daybeacon 3 | 38-15-34.327N 076-10-37.522W | | | | SG on pile. | |
| 24490 | Muddy Hook Cove Channel Daybeacon 4 | 38-15-35.125N 076-10-37.024W | | | | TR on pile. | |
| 24495 | - LIGHT 2 | 38-16-01.600N 076-09-01.312W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24500 | - Daybeacon 4 | 38-16-34.611N 076-09-27.973W | | | | TR on pile. | |
| 24505 | - LIGHT 5 | 38-17-27.789N 076-09-19.620W | Fl G 4s | 15 | 4 | SG on pile. | |
| 24510 | - Daybeacon 6 | 38-18-36.028N 076-09-46.788W | | | | TR on pile. | |
| 24515 | Middle Island Bridge West Channel Wreck Daybeacon WR1W<br>Marks submerged piles. | 38-17-42.546N 076-12-46.579W | | | | SG on pile. | |
| 24520 | Middle Island Bridge East Channel Daybeacon 1E | 38-18-01.150N 076-11-59.041W | | | | SG on pile. | |
| 24525 | - LIGHT 8 | 38-18-50.952N 076-12-29.182W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24530 | - BACK CREEK ENTRANCE CHANNEL LIGHT 1BC<br>20 feet outside channel limit. | 38-18-53.887N 076-12-52.894W | Fl G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261)** | | | | | | |
| | **Honga River** | | | | | | |
| 24535 | - BACK CREEK CHANNEL LIGHT 3<br>20 feet outside channel limit. | 38-18-55.320N<br>076-13-26.222W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 24540 | - BACK CREEK CHANNEL LIGHT 4<br>20 feet outside channel limit. | 38-19-20.425N<br>076-13-42.358W | Fl R 2.5s | 15 | 3 | TR on multi-pile structure. | |
| 24545 | - LIGHT 10 | 38-20-08.800N<br>076-11-42.000W | Fl R 4s | 14 | | TR on pile. | Private aid. |
| 24547 | - *Oyster Sanctuary Lighted Danger Buoy B* | 38-20-02.100N<br>076-11-44.500W | Fl W 6s | | | White can with orange bands and diamond. | Private aid. |
| 24550 | - Warning Daybeacon A | 38-21-05.892N<br>076-13-04.534W | | | | NW on pile worded DANGER SHOAL. | |
| | **Wallace Creek** | | | | | | |
| 24560 | - Daybeacon 3 | 38-22-05.237N<br>076-12-22.460W | | | | SG on pile. | Private aid. |
| 24562 | - Daybeacon 4 | 38-22-23.059N<br>076-12-25.772W | | | | TR on pile. | Private aid. |
| 24567 | - Daybeacon 6 | 38-22-43.655N<br>076-12-30.417W | | | | TR on pile. | Private aid. |
| 24570 | - Daybeacon 7 | 38-22-46.098N<br>076-12-30.741W | | | | SG on pile. | Private aid. |
| 24575 | - Daybeacon 9 | 38-22-49.828N<br>076-12-25.573W | | | | SG on pile. | Private aid. |
| | **Tar Bay** | | | | | | |
| 24577 | - Warning Buoy A | 38-21-06.921N<br>076-16-20.110W | | | | White can with orange bands and diamond | Removed when endangered by ice. |
| 24580 | - Warning Daybeacon B | 38-20-58.226N<br>076-16-18.044W | | | | NW on pile worded DANGER SHOAL. | |
| 24585 | - Warning Daybeacon C | 38-20-53.302N<br>076-15-51.260W | | | | NW on pile worded DANGER SHOAL. | |
| 24590 | - Warning Daybeacon D | 38-20-50.335N<br>076-15-26.741W | | | | NW on pile worded DANGER SHOAL. | |
| 24595 | - Warning Daybeacon E | 38-20-45.164N<br>076-15-01.257W | | | | NW on pile worded DANGER SHOAL. | |
| 24600 | - Warning Daybeacon G | 38-20-42.916N<br>076-14-36.992W | | | | NW on pile worded DANGER SHOAL. | |
| 24601 | - Warning Daybeacon F | 38-20-48.736N<br>076-14-50.744W | | | | NW on pile worded DANGER. | |
| 24605 | - Warning Daybeacon H | 38-20-35.940N<br>076-14-22.938W | | | | NW on pile worded DANGER SHOAL. | |
| 24610 | - Warning Daybeacon J | 38-20-38.619N<br>076-14-08.992W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| 24615 | - Warning Daybeacon K | 38-20-46.410N<br>076-14-01.544W | | | | NW multi-pile structure worded DANGER SHOAL. | |
| 24620 | Tyler Cove Warning Daybeacon A | 38-20-56.953N<br>076-13-47.275W | | | | NW on pile worded DANGER SHOAL. | |
| 24625 | Tyler Cove Warning Daybeacon B | 38-20-59.553N<br>076-13-46.033W | | | | NW on pile worded DANGER SHOAL. | |
| 24627 | Fitzhugh Tar Bar Reef Buoy A | 38-18-56.000N<br>076-14-07.000W | | | | White and orange buoy worded DANGER. | Private aid. |
| 24627.1 | Fitzhugh Tar Bay Reef Buoy B | 38-18-57.000N<br>076-14-04.000W | | | | White and orange buoy worded DANGER. | Private aid. |
| 24627.2 | Fitzhugh Tar Bay Reef Buoy C | 38-18-52.000N<br>076-14-02.000W | | | | White and orange buoy worded DANGER. | Private aid. |
| 24627.3 | Fitzhugh Tar Bay Reef Buoy D | 38-18-51.000N<br>076-14-05.000W | | | | White and orange buoy worded DANGER. | Private aid. |
| 24628 | Bluff Point Warning Buoy SW | 38-19-02.500N<br>076-14-30.700W | | | | White with orange diamond worded DANGER. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261)** | | | | | | |
| | **Tar Bay** | | | | | | |
| 24628.1 | Bluff Point Warning Buoy NW | 38-19-08.900N 076-14-35.100W | | | | White with orange diamond worded DANGER. | Private aid. |
| 24628.2 | Bluff Point Warning Buoy NE | 38-19-10.100N 076-14-31.400W | | | | White with orange diamond worded DANGER. | Private aid. |
| 24628.3 | Bluff Point Warning Buoy SE | 38-19-04.200N 076-14-26.800W | | | | White with orange diamond wordrd DANGER. | Private aid. |
| | **CHOPTANK RIVER AND HERRING BAY (Chart 12266)** | | | | | | |
| | **Little Choptank River** | | | | | | |
| 24630 | - LIGHT 1 | 38-33-13.674N 076-19-15.442W | Fl G 2.5s | 18 | 5 | SG on multi-pile structure. | |
| 24635 | - LIGHT 3 | 38-31-38.172N 076-17-36.518W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 24640 | - LIGHT 5 | 38-31-19.153N 076-16-27.486W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| | **Slaughter Creek** | | | | | | |
| 24645 | - LIGHT 2SC | 38-30-18.154N 076-16-18.892W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 24655 | - Daybeacon 3 | 38-30-09.000N 076-16-11.636W | | | | SG on pile. | |
| 24665 | - *Lighted Buoy 5* | 38-30-01.780N 076-16-13.666W | Fl G 2.5s | | 4 | Green. | Maintained from Mar. 15 to Dec. 1. |
| 24670 | - Buoy 6 | 38-29-51.981N 076-16-26.407W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 24680 | - Buoy 7 | 38-29-41.187N 076-16-41.836W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 24683 | - Buoy 8 | 38-29-18.000N 076-17-01.106W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 24692 | - Buoy 12 | 38-28-18.264N 076-17-33.360W | | | | Nun. | Private aid. |
| | **Little Choptank River** | | | | | | |
| 24695 | Brooks Creek Daybeacon 2 | 38-32-21.168N 076-15-39.702W | | | | TR on pile. | |
| 24700 | Brooks Creek Daybeacon 3 | 38-32-25.542N 076-15-43.134W | | | | SG on pile. | |
| 24705 | Brooks Creek Daybeacon 5 | 38-32-44.610N 076-15-51.744W | | | | SG on pile. | |
| 24710 | - Daybeacon 7 | 38-31-56.844N 076-14-32.890W | | | | SG on pile. | |
| 24715 | Hudson Creek Daybeacon 1 | 38-32-30.366N 076-14-32.340W | | | | SG on pile. | |
| 24720 | Hudson Creek Daybeacon 2 | 38-32-34.835N 076-14-43.256W | | | | TR on pile. | |
| 24725 | Hudson Creek Daybeacon 3 | 38-32-58.926N 076-14-51.246W | | | | SG on pile. | |
| 24730 | - LIGHT 9 | 38-32-07.723N 076-13-56.862W | Fl G 4s | 15 | 3 | SG on pile. | |
| | **Madison Bay** | | | | | | |
| 24735 | - LIGHT 2 | 38-31-51.416N 076-13-32.267W | Fl R 4s | 15 | 4 | TR on pile. | |
| 24740 | - Daybeacon 4 | 38-30-54.250N 076-13-15.020W | | | | TR on pile. | |
| 24745 | - Daybeacon 6 | 38-30-38.032N 076-13-23.266W | | | | TR on pile. | |
| | **Little Choptank River** | | | | | | |
| 24750 | - Daybeacon 11 | 38-32-33.821N 076-13-35.394W | | | | SG on pile. | |
| 24755 | - LIGHT 13 | 38-33-00.542N 076-13-06.236W | Fl G 2.5s | 15 | 3 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHOPTANK RIVER AND HERRING BAY (Chart 12266)** | | | | | | |
| | **Little Choptank River** | | | | | | |
| 24760 | Fishing Creek Daybeacon 2 | 38-32-33.628N 076-12-58.133W | | | | TR on pile. | |
| 24765 | Fishing Creek Daybeacon 3 | 38-32-08.130N 076-12-36.586W | | | | SG on pile. | |
| 24770 | Fishing Creek Daybeacon 4 | 38-32-01.581N 076-12-20.476W | | | | TR on pile. | |
| | **Choptank River** | | | | | | |
| 24775 | - Entrance Buoy 2 | 38-32-06.061N 076-23-13.115W | | | | Red nun. | |
| 24780 | - *Entrance Lighted Buoy 3* | 38-35-04.412N 076-23-01.585W | Fl G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 24785 | - Entrance Buoy 4 | 38-34-27.607N 076-22-24.597W | | | | Red nun. | |
| 24790 | - Entrance Buoy 5 | 38-36-37.212N 076-21-01.157W | | | | Green can. | |
| 24795 | - *Entrance Lighted Buoy 6* | 38-36-31.779N 076-20-51.035W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 24810 | Sharps Island Ice Breaker Buoy | 38-37-56.732N 076-22-26.776W | | | | Green and red bands; can. | |
| 24815 | Sharps Island Junction Buoy SI | 38-38-05.871N 076-20-44.472W | | | | Green and red bands; can. | |
| 24820 | - *Entrance Lighted Buoy 7* | 38-38-18.270N 076-20-13.530W | Fl G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 24825 | - Entrance Buoy 9 | 38-38-46.008N 076-19-53.530W | | | | Green can. | |
| 24830 | - *Entrance Lighted Buoy 10* | 38-38-53.187N 076-18-18.361W | Fl R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 24835 | - *Entrance Lighted Buoy 12* | 38-38-50.488N 076-16-35.352W | Fl R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 24840 | Cook Point Cove Daybeacon 2C | 38-37-28.710N 076-16-10.492W | | | | TR on pile. | |
| 24845 | - *Entrance Lighted Buoy 12A* | 38-39-25.959N 076-13-50.816W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 24850 | - *Entrance Lighted Buoy 13* | 38-38-25.030N 076-12-55.016W | Fl G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 24915 | - LIGHT | 38-39-20.750N 076-11-04.062W | Fl W 4s | 35 | 7 | Skeleton tower with small white house on piles. | |
| 24920 | ISLAND CREEK LIGHT 1C | 38-39-18.881N 076-09-32.823W | Fl G 4s | 15 | 4 | SG on pile. | |
| 24925 | Island Creek Daybeacon 2 | 38-39-34.293N 076-09-21.011W | | | | TR on pile. | |
| 24930 | - *Entrance Lighted Buoy 14* | 38-38-33.022N 076-10-41.122W | Fl R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 24935 | - CHANNEL LIGHT 16 | 38-38-00.617N 076-09-37.587W | Fl R 4s | 15 | 3 | TR on multi-pile structure. | |
| 24940 | Lecompte Bay Buoy 2 | 38-37-30.536N 076-09-06.349W | | | | Red nun. | |
| 24945 | - *Channel Lighted Buoy 18* | 38-37-52.462N 076-08-17.731W | Fl R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 24950 | - Channel Buoy 18A | 38-37-38.813N 076-08-08.318W | | | | Red nun. | |
| 24955 | La Trappe Creek Daybeacon 1 | 38-37-26.837N 076-07-16.934W | | | | SG on black cylindrical structure. | |
| 24960 | La Trappe Creek Daybeacon 2 | 38-37-37.203N 076-07-11.776W | | | | TR on caisson. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHOPTANK RIVER AND HERRING BAY (Chart 12266)** | | | | | | |
| | **Choptank River** | | | | | | |
| 24965 | - *Channel Lighted Buoy 19* | 38-36-33.457N 076-07-46.807W | Fl G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 24970 | - Channel Buoy 19A | 38-36-17.807N 076-06-56.354W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 24975 | - CHANNEL LIGHT 20 | 38-36-00.542N 076-06-52.555W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 24985 | - *Channel Lighted Buoy 21* | 38-36-00.718N 076-05-57.545W | Fl G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 24990 | - Channel Buoy 23 | 38-36-01.815N 076-05-04.957W | | | | Green can. | |
| | **CHOPTANK RIVER - CAMBRIDGE TO GREENSBORO (Chart 12268)** | | | | | | |
| | **Choptank River** | | | | | | |
| 24995 | Hambrooks Bar Warning Daybeacon | 38-35-42.267N 076-04-51.159W | | | | NW on white cylindrical structure on red base worded DANGER. | |
| 25000 | - Channel Buoy 24 | 38-35-44.100N 076-04-49.971W | | | | Red nun. | |
| 25005 | - Channel Buoy 25 | 38-35-08.660N 076-03-47.220W | | | | Green can. | |
| 25010 | CAMBRIDGE MUNICIPAL YACHT BASIN LIGHT 1 | 38-34-37.710N 076-04-13.910W | Fl G 2.5s | 14 | | SG on pile. | Private aid. |
| 25015 | CAMBRIDGE MUNICIPAL YACHT BASIN LIGHT 2 | 38-34-38.550N 076-04-13.190W | Fl R 2.5s | 14 | | TR on pile. | Private aid. |
| | **Cambridge Channel** | | | | | | |
| 25030 | - *Lighted Buoy 1* | 38-34-48.529N 076-03-44.857W | Fl G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 25035 | - Buoy 2 | 38-34-49.102N 076-03-48.564W | | | | Red nun. | |
| 25040 | - Buoy 3 | 38-34-40.059N 076-03-52.985W | | | | Green can. | |
| 25045 | - Buoy 4 | 38-34-33.055N 076-04-04.138W | | | | Red nun. | |
| 25050 | - Buoy 6 | 38-34-31.131N 076-04-09.700W | | | | Red nun. | |
| 25055 | CAMBRIDGE SEWER OUTFALL WARNING LIGHT | 38-34-21.237N 076-03-10.064W | Fl W 2.5s | 15 | 4 | NW on pile worded DANGER SUBMERGED PIPE. | |
| | **Choptank River** | | | | | | |
| 25060 | Choptank Fishing Pier Warning Daybeacon A | 38-35-23.400N 076-02-43.800W | | | | NW on pile worded DANGER. | Private aid. |
| 25065 | Choptank Fishing Pier Warning Daybeacon B | 38-35-20.400N 076-02-40.800W | | | | NW on pile worded DANGER. | Private aid. |
| 25070 | Choptank Fishing Pier Warning Daybeacon C | 38-35-18.600N 076-02-38.400W | | | | NW on pile worded DANGER. | Private aid. |
| 25075 | - Channel Buoy 27 | 38-34-20.853N 076-02-31.302W | | | | Green can. | |
| 25080 | - Channel Daybeacon 29 | 38-34-23.652N 076-02-04.782W | | | | SG on pile. | |
| 25085 | - Channel Daybeacon 30 | 38-34-22.115N 076-01-41.323W | | | | TR on pile. | |
| 25125 | - CHANNEL LIGHT 31 | 38-34-41.558N 076-01-31.913W | Fl G 4s | 15 | 3 | SG on pile. | |
| 25130 | - CHANNEL LIGHT 32 | 38-35-25.929N 076-00-19.935W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 25135 | - Channel Buoy 33 | 38-35-52.573N 075-59-12.661W | | | | Green can. | |
| 25140 | - CHANNEL LIGHT 34 | 38-36-04.754N 075-59-03.778W | Fl R 4s | 15 | 3 | TR on pile. | |
| 25145 | - Channel Buoy 35 | 38-36-11.350N 075-59-07.483W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHOPTANK RIVER - CAMBRIDGE TO GREENSBORO (Chart 12268)** | | | | | | |
| | **Choptank River** | | | | | | |
| 25150 | - Channel Buoy 36 | 38-36-35.901N 075-58-48.493W | | | | Red nun. | |
| 25155 | Warwick River Daybeacon 1 20-30 feet outside channel limit. | 38-36-39.481N 075-58-28.369W | | | | SG on pile. | |
| 25160 | Warwick River Daybeacon 2 20-30 feet outside channel limit. | 38-36-43.478N 075-58-12.649W | | | | TR on pile. | |
| 25161 | Warwick River Channel Buoy 4 | 38-36-44.400N 075-58-03.000W | | | | Red nun. | Private aid. |
| 25165 | - Channel Daybeacon 37 | 38-37-43.017N 075-59-19.799W | | | | SG on pile. | |
| 25170 | - CHANNEL LIGHT 38 | 38-38-04.603N 075-58-50.145W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 25175 | - Channel Daybeacon 39 | 38-38-33.234N 075-57-55.870W | | | | SG on pile. | |
| 25180 | - CHANNEL LIGHT 40 | 38-39-16.151N 075-57-16.391W | Fl R 6s | 15 | 4 | TR on pile. | |
| 25185 | - CHANNEL LIGHT 41 | 38-40-26.084N 075-57-01.290W | Q G | 15 | 3 | SG on pile. | |
| 25190 | - Channel Daybeacon 43 | 38-40-59.331N 075-58-23.617W | | | | SG on pile. | |
| 25195 | - Channel Daybeacon 45 | 38-41-31.644N 075-58-29.589W | | | | SG on pile. | |
| 25200 | - Channel Daybeacon 47 | 38-41-46.179N 075-58-34.824W | | | | SG on pile. | |
| 25205 | - Channel Daybeacon 49 | 38-41-48.319N 075-58-50.792W | | | | SG on pile. | |
| 25210 | - Channel Daybeacon 50 | 38-41-48.730N 075-59-34.049W | | | | TR on pile. | |
| 25215 | - Channel Daybeacon 51 | 38-42-25.073N 075-59-43.097W | | | | SG on pile. | |
| 25220 | - Channel Daybeacon 52 | 38-43-29.042N 076-00-45.291W | | | | TR on pile. | |
| 25225 | - Channel Daybeacon 54 | 38-44-07.472N 076-00-33.724W | | | | TR on pile. | |
| 25230 | - Channel Daybeacon 55 | 38-44-15.498N 075-59-45.389W | | | | SG on pile. | |
| 25235 | - Channel Daybeacon 57 | 38-46-24.651N 075-58-11.287W | | | | SG on pile. | |
| 25240 | - Channel Daybeacon 58 | 38-46-45.322N 075-57-59.124W | | | | TR on pile. | |
| 25245 | - Channel Daybeacon 59 | 38-46-41.916N 075-57-10.955W | | | | SG on pile. | |
| 25250 | - Channel Daybeacon 60 | 38-47-48.182N 075-55-50.272W | | | | TR on pile. | |
| 25255 | - Channel Daybeacon 62 | 38-48-45.090N 075-53-47.339W | | | | TR on pile. | |
| 25260 | - Channel Daybeacon 64 | 38-48-44.280N 075-53-22.139W | | | | TR on pile. | |
| 25265 | - Channel Daybeacon 66 | 38-49-11.714N 075-52-51.532W | | | | TR on multi-pile structure. | |
| 25270 | - Channel Daybeacon 67 | 38-49-52.836N 075-51-19.690W | | | | SG on pile. | |
| 25275 | - Channel Daybeacon 68 | 38-51-03.078N 075-50-51.942W | | | | TR on pile. | |
| 25280 | - CHANNEL LIGHT 70 | 38-51-18.120N 075-50-46.228W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 25285 | - CHANNEL LIGHT 71 | 38-51-29.005N 075-50-51.780W | Fl G 2.5s | 15 | 3 | SG on pile. | |
| 25290 | - Channel Daybeacon 73 | 38-51-38.991N 075-50-49.326W | | | | SG on pile. | |
| 25295 | - Channel Daybeacon 75 | 38-51-53.680N 075-50-32.643W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHOPTANK RIVER - CAMBRIDGE TO GREENSBORO (Chart 12268)** | | | | | | |
| | **Choptank River** | | | | | | |
| 25300 | - Channel Daybeacon 77 | 38-52-11.469N 075-50-26.242W | | | | SG on pile. | |
| 25305 | - Channel Daybeacon 78 | 38-52-31.613N 075-50-25.363W | | | | TR on pile. | |
| 25310 | - Channel Daybeacon 79 | 38-52-46.213N 075-50-12.884W | | | | SG on pile. | |
| | **CHOPTANK RIVER AND HERRING BAY (Chart 12266)** | | | | | | |
| | **Choptank River** | | | | | | |
| 25315 | - Channel Daybeacon 80 | 38-53-03.753N 075-50-20.994W | | | | TR on pile. | |
| | **CHOPTANK RIVER - CAMBRIDGE TO GREENSBORO (Chart 12268)** | | | | | | |
| | **Choptank River** | | | | | | |
| | **Upper Choptank River** | | | | | | |
| 25316.01 | - Buoy 1 | 38-53-24.800N 075-49-57.800W | | | | Green can. | Private aid. |
| 25316.02 | - Buoy 2 | 38-53-23.000N 075-49-57.900W | | | | Red nun. | Private aid. |
| 25316.03 | - Buoy 3 | 38-53-36.900N 075-49-53.700W | | | | Green can. | Private aid. |
| 25316.04 | - Buoy 4 | 38-53-36.500N 075-49-51.300W | | | | Red nun. | Private aid. |
| 25316.05 | - Buoy 5 | 38-54-01.400N 075-49-49.400W | | | | Green can. | Private aid. |
| 25316.06 | - Buoy 6 | 38-54-11.400N 075-49-57.400W | | | | Red nun. | Private aid. |
| 25316.07 | - Buoy 8 | 38-54-17.600N 075-50-07.300W | | | | Red nun. | Private aid. |
| 25316.08 | - Buoy 10 | 38-54-25.500N 075-50-13.500W | | | | Red nun. | Private aid. |
| 25316.1 | - Buoy 13 | 38-54-38.100N 075-50-07.200W | | | | Green can. | Private aid. |
| 25316.11 | - Buoy 15 | 38-54-40.200N 075-49-56.000W | | | | Green can. | Private aid. |
| 25316.12 | - Buoy 17 | 38-54-45.900N 075-49-48.200W | | | | Green can. | Private aid. |
| 25316.13 | - Buoy 19 | 38-54-49.400N 075-49-46.100W | | | | Green can. | Private aid. |
| 25316.14 | - Buoy 20 | 38-54-57.500N 075-49-54.700W | | | | Red nun. | Private aid. |
| 25316.15 | - Buoy 22 | 38-55-03.600N 075-49-56.100W | | | | Red nun. | Private aid. |
| 25316.16 | - Buoy 23 | 38-55-18.700N 075-49-44.400W | | | | Green can. | Private aid. |
| 25316.17 | - Buoy 25 | 38-55-28.100N 075-49-37.800W | | | | Green can. | Private aid. |
| 25316.18 | - Buoy 27 | 38-55-32.700N 075-49-38.300W | | | | Green can. | Private aid. |
| 25316.19 | - Buoy 29 | 38-55-43.400N 075-49-49.900W | | | | Green can. | Private aid. |
| 25316.2 | - Buoy 30 | 38-55-44.000N 075-49-49.200W | | | | Red nun. | Private aid. |
| | **CHOPTANK RIVER AND HERRING BAY (Chart 12266)** | | | | | | |
| | **Tred Avon River** | | | | | | |
| 25320 | - LIGHT 1T | 38-39-53.673N 076-11-18.880W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 25325 | - *Lighted Buoy 2* | 38-41-36.455N 076-10-43.316W | Fl R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| | **Town Creek** | | | | | | |
| 25375 | - LIGHT 2TC | 38-41-55.539N 076-10-05.796W | Q R | 15 | 4 | TR on pile. | |
| 25380 | - LIGHT 3 | 38-41-52.652N 076-10-00.903W | Fl G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHOPTANK RIVER AND HERRING BAY (Chart 12266)** | | | | | | |
| | **Tred Avon River** | | | | | | |
| | **Town Creek** | | | | | | |
| 25385 | - Daybeacon 4 | 38-41-52.325N 076-10-02.978W | | | | TR on pile. | |
| 25390 | - LIGHT 6 | 38-41-46.204N 076-10-01.001W | Fl R 4s | 15 | 4 | TR on pile. | |
| 25395 | - Daybeacon 7 | 38-41-39.810N 076-09-59.346W | | | | SG on pile. | |
| 25400 | - Daybeacon 8 | 38-41-33.884N 076-10-02.381W | | | | TR on pile. | |
| 25405 | - LIGHT 9 | 38-41-33.065N 076-09-59.879W | Q G | 16 | 4 | SG on pile. | |
| 25410 | - Daybeacon 10 | 38-41-23.250N 076-10-07.970W | | | | TR on pile. | |
| 25415 | - LIGHT 12 | 38-41-20.378N 076-10-09.282W | Fl R 4s | 15 | 3 | TR on pile. | |
| 25420 | - LIGHT 13 | 38-41-10.391N 076-10-10.080W | Fl G 4s | 15 | 4 | SG on pile. | |
| 25425 | Plaindealing Creek Daybeacon 1 | 38-42-33.678N 076-10-07.447W | | | | SG on pile. | |
| | **Tred Avon River** | | | | | | |
| 25430 | - LIGHT 4 | 38-42-08.973N 076-09-48.942W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 25435 | - Daybeacon 5 | 38-42-12.914N 076-09-11.315W | | | | SG on pile. | |
| 25438 | *Tred Avon Lighted Data Buoy A* (Water Monitor Profiler) | 38-42-04.782N 076-08-53.644W | Fl Y 4s | | | Yellow. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 25440 | - LIGHT 6 | 38-42-11.058N 076-08-43.747W | Q R | 15 | 3 | TR on pile. | |
| 25445 | Trippe Creek Daybeacon 1 | 38-42-32.775N 076-08-23.232W | | | | SG on pile. | |
| 25450 | - Daybeacon 8 | 38-42-46.303N 076-08-36.871W | | | | TR on pile. | |
| 25455 | - LIGHT 10 | 38-43-07.178N 076-08-39.558W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 25460 | - Daybeacon 11 | 38-43-27.168N 076-08-36.402W | | | | SG on pile. | |
| 25465 | - Daybeacon 12 | 38-43-32.383N 076-08-28.700W | | | | TR on pile. | |
| 25470 | - LIGHT 13 | 38-43-56.953N 076-08-23.998W | Fl G 4s | 15 | 4 | SG on pile. | |
| 25475 | - Daybeacon 15 | 38-44-00.739N 076-07-54.268W | | | | SG on pile. | |
| 25480 | - LIGHT 16 | 38-44-18.736N 076-07-12.916W | Fl R 4s | 15 | 4 | TR on pile. | |
| 25485 | - LIGHT 18 | 38-45-01.882N 076-07-08.404W | Fl R 4s | 15 | 3 | TR on pile. | |
| 25490 | - Daybeacon 20 | 38-45-13.455N 076-07-03.106W | | | | TR on pile. | |
| 25495 | - Daybeacon 21 | 38-45-34.961N 076-06-40.476W | | | | SG on pile. | |
| 25500 | - Daybeacon 22 | 38-46-01.529N 076-05-46.994W | | | | TR on pile. | |
| | **Broad Creek** | | | | | | |
| 25530 | - LIGHT 1B | 38-41-39.049N 076-14-57.591W | Fl G 4s | 15 | 4 | SG on pile. | |
| 25535 | - Shoal Buoy 2 | 38-42-37.958N 076-15-31.227W | | | | Red nun. | |
| | **Balls Creek** | | | | | | |
| 25540 | - LIGHT 1 | 38-43-13.978N 076-16-10.587W | Fl G 4s | 15 | 4 | SG on pile. | |
| 25545 | - Daybeacon 2 | 38-43-15.198N 076-16-15.421W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHOPTANK RIVER AND HERRING BAY (Chart 12266)** | | | | | | |
| | **Broad Creek** | | | | | | |
| | **Balls Creek** | | | | | | |
| 25550 | - Daybeacon 3 | 38-43-22.005N 076-16-25.740W | | | | SG on pile. | |
| 25555 | - Daybeacon 4 | 38-43-30.908N 076-16-37.252W | | | | TR on pile. | |
| 25560 | - Junction Daybeacon | 38-43-39.822N 076-16-45.358W | | | | JR on pile. | |
| | **Broad Creek** | | | | | | |
| 25565 | Neavitt Harbor Junction Daybeacon | 38-43-14.893N 076-16-26.716W | | | | JG on pile. | |
| 25570 | Neavitt Harbor Daybeacon 2 | 38-43-15.594N 076-16-30.938W | | | | TR on pile. | |
| 25670 | - LIGHT 4 | 38-44-25.725N 076-14-43.698W | Fl R 4s | 15 | 3 | TR on pile. | |
| | **Grace Creek** | | | | | | |
| 25675 | - Entrance Daybeacon 1 | 38-44-40.158N 076-15-25.805W | | | | SG on pile. | |
| 25680 | - Entrance Daybeacon 2 | 38-44-52.716N 076-15-25.248W | | | | TR on pile. | |
| 25685 | - Daybeacon 3 | 38-45-16.265N 076-15-28.590W | | | | SG on pile. | |
| 25690 | - Daybeacon 5 | 38-45-31.788N 076-15-42.213W | | | | SG on pile. | |
| 25695 | - Daybeacon 6 | 38-45-35.178N 076-15-48.025W | | | | TR on pile. | |
| | **Broad Creek** | | | | | | |
| 25700 | - Daybeacon 5 | 38-44-40.389N 076-14-36.858W | | | | SG on pile. | |
| 25705 | - Daybeacon 6 | 38-44-41.340N 076-14-12.156W | | | | TR on pile. | |
| 25710 | - Daybeacon 7 | 38-44-59.652N 076-14-19.540W | | | | SG on pile. | |
| 25715 | - Daybeacon 8 | 38-45-21.271N 076-14-14.000W | | | | TR on pile. | |
| 25720 | - Daybeacon 9 | 38-45-35.828N 076-14-27.543W | | | | SG on pile. | |
| | **Edge Creek** | | | | | | |
| 25725 | - Daybeacon 2EC | 38-44-42.281N 076-13-49.351W | | | | TR on pile. | |
| 25727 | - Daybeacon 3 | 38-44-41.674N 076-13-30.550W | | | | SG on pile. | |
| 25730 | - Daybeacon 5 | 38-44-24.810N 076-12-48.984W | | | | SG on pile. | |
| 25735 | Solitude Creek Daybeacon 1 | 38-43-55.561N 076-11-49.616W | | | | SG on pile. | Private aid. |
| 25740 | Solitude Creek Buoy 3 | 38-44-08.343N 076-11-50.568W | | | | Green can. | Private aid. |
| | **Upper Edge Creek** | | | | | | |
| 25745 | - Daybeacon 1 | 38-43-52.661N 076-11-41.945W | | | | SG on pile. | DNR: 1301. Private aid. |
| 25755 | - Daybeacon 3 | 38-43-51.573N 076-11-36.609W | | | | SG on pile. | DNR: 1304. Private aid. |
| 25760 | - Buoy 5 | 38-43-48.598N 076-11-34.200W | | | | Green can. | DNR: 4801NAV5. Private aid. |
| 25765 | - Daybeacon 7 | 38-43-45.621N 076-11-31.873W | | | | SG on pile. | DNR: 1305. Private aid. |
| 25770 | - Daybeacon 7A | 38-43-44.346N 076-11-30.366W | | | | SG on pile | DNR: 1306. Private aid. |
| 25775 | - Daybeacon 9 | 38-43-44.256N 076-11-28.598W | | | | SG on pile. | DNR: 1307. Private aid. |
| 25780 | - Daybeacon 11 | 38-43-58.853N 076-11-23.452W | | | | SG on pile. | DNR: 1302. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHOPTANK RIVER AND HERRING BAY (Chart 12266)** | | | | | | |
| | **Broad Creek** | | | | | | |
| | **Upper Edge Creek** | | | | | | |
| 25785 | - Daybeacon 12 | 38-44-05.015N 076-11-23.948W | | | | TR on pile. | DNR: 1303. Private aid. |
| | **San Domingo Creek** | | | | | | |
| 25795 | - Daybeacon 2SD | 38-45-13.935N 076-13-36.965W | | | | TR on pile. | |
| 25800 | - Daybeacon 3 | 38-45-21.240N 076-13-37.951W | | | | SG on pile. | |
| 25805 | - Daybeacon 4 | 38-45-45.831N 076-13-47.405W | | | | TR on pile. | |
| 25810 | - Daybeacon 6 | 38-46-02.155N 076-13-36.425W | | | | TR on pile. | |
| | **Blackwalnut Harbor** | | | | | | |
| 25815 | - CHANNEL LIGHT 1 | 38-40-36.122N 076-20-02.009W | Fl G 4s | 15 | 4 | SG on pile. | |
| 25820 | - Channel Daybeacon 3 | 38-40-45.114N 076-20-08.032W | | | | SG on pile. | |
| 25825 | - Channel Daybeacon 5 | 38-41-06.528N 076-20-05.104W | | | | SG on multi-pile structure. | |
| | **Knapps Narrows East Channel** | | | | | | |
| 25830 | - APPROACH LIGHT 1 | 38-41-23.938N 076-18-43.336W | Fl G 4s | 15 | 4 | SG on pile. | |
| 25835 | - APPROACH LIGHT 2 | 38-42-06.539N 076-19-22.584W | Fl R 4s | 15 | 3 | TR on pile. | |
| | **Tilghman Island** | | | | | | |
| 25840 | - HARBOR LIGHT 2TH | 38-42-35.322N 076-19-45.256W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 25845 | - Harbor Daybeacon 3 | 38-42-36.804N 076-19-54.325W | | | | SG on pile. | |
| 25850 | - Harbor Daybeacon 4 | 38-42-38.398N 076-19-57.994W | | | | TR on pile. | |
| 25855 | - HARBOR LIGHT 5 | 38-42-38.704N 076-20-02.105W | Fl G 4s | 15 | 4 | SG on pile. | |
| 25860 | - Harbor Daybeacon 6 | 38-42-40.136N 076-20-02.755W | | | | TR on pile. | |
| 25865 | - Harbor Daybeacon 7 | 38-42-43.966N 076-20-04.216W | | | | SG on pile. | |
| | **Harris Creek** | | | | | | |
| 25870 | - LIGHT 2H | 38-42-49.814N 076-18-19.271W | Fl R 2.5s | 18 | 4 | TR on pile. | |
| 25875 | - Daybeacon 4 | 38-43-43.023N 076-18-14.259W | | | | TR on pile. | |
| 25880 | - LIGHT 5 | 38-43-52.242N 076-18-16.630W | Fl G 4s | 15 | 3 | SG on pile. | |
| 25885 | - Daybeacon 6 | 38-44-22.288N 076-18-24.013W | | | | TR on pile. | |
| 25887 | - *Lighted Data Buoy A* | 38-44-35.640N 076-18-12.180W | Fl Y 4s | | | Yellow. | Private aid. |
| 25890 | - Daybeacon 7 | 38-44-38.778N 076-18-38.271W | | | | SG on pile. | |
| 25895 | - Daybeacon 9 | 38-44-54.777N 076-18-32.102W | | | | SG on pile. | |
| 25900 | - Daybeacon 10 | 38-45-14.276N 076-18-28.636W | | | | TR on pile. | |
| 25905 | - Daybeacon 11 | 38-45-42.722N 076-18-20.294W | | | | SG on pile. | |
| 25910 | - Daybeacon 13 | 38-45-56.780N 076-18-02.192W | | | | SG on pile. | |
| 25915 | - LIGHT 15 | 38-46-17.541N 076-17-28.811W | Fl G 6s | 15 | 4 | SG on multi-pile structure. | |
| | **Knapps Narrows West Channel** | | | | | | |
| 25920 | - LIGHT 1W | 38-43-17.214N 076-20-46.498W | Fl G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHOPTANK RIVER AND HERRING BAY (Chart 12266)** | | | | | | |
| | **Harris Creek** | | | | | | |
| | **Knapps Narrows West Channel** | | | | | | |
| 25925 | - Daybeacon 3 | 38-43-17.052N 076-20-35.746W | | | | SG on pile. | |
| 25930 | - Warning Daybeacon A | 38-43-17.934N 076-20-26.030W | | | | NW on pile worded DANGER SHOAL. | |
| 25931 | - Daybeacon 4 | 38-43-15.759N 076-20-21.451W | | | | TR on pile. | |
| 25933 | - Daybeacon 5 | 38-43-14.547N 076-20-13.538W | | | | SG on pile. | |
| 25935 | - Daybeacon 7 | 38-43-15.488N 076-20-07.692W | | | | SG on pile. | |
| | **Broad Creek** | | | | | | |
| | **Knapps Narrows East Channel** | | | | | | |
| 25940 | - LIGHT 3E | 38-42-34.542N 076-19-24.594W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 25945 | - Daybeacon 5 | 38-42-44.834N 076-19-32.073W | | | | SG on pile. | |
| 25950 | - LIGHT 6 | 38-42-58.492N 076-19-40.978W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **CHESAPEAKE BAY - EASTERN BAY AND SOUTH RIVER (Chart 12270)** | | | | | | |
| | **Eastern Bay** | | | | | | |
| | **Poplar Island Narrows** | | | | | | |
| 25960 | - Daybeacon 3 | 38-44-24.396N 076-21-10.798W | | | | SG on pile. | |
| 25965 | - Daybeacon 4 | 38-44-47.898N 076-21-04.684W | | | | TR on pile. | |
| 25970 | - Daybeacon 5 | 38-45-23.400N 076-21-01.828W | | | | SG on pile. | |
| 25975 | - Daybeacon 6 | 38-45-50.994N 076-20-47.098W | | | | TR on pile. | |
| 25980 | FERRY COVE LIGHT | 38-46-05.569N 076-20-38.137W | Fl W 4s | 15 | 5 | NB on pile. | |
| 25984.1 | - *Lighted Mooring Buoy LL* | 38-46-27.667N 076-21-19.323W | F W | | | White with blue band. | Private aid. |
| 25984.2 | - *Lighted Mooring Buoy KK* | 38-46-30.781N 076-21-08.177W | F W | | | White with blue band. | Private aid. |
| 25984.3 | - *Lighted Mooring Buoy MM* | 38-46-37.448N 076-21-17.500W | F W | | | White with blue band. | Private aid. |
| 25984.4 | - *Lighted Mooring Buoy NN* | 38-46-40.435N 076-21-05.463W | F W | | | White with blue band. | Private aid. |
| 25985 | - Buoy 8 | 38-47-07.454N 076-20-52.847W | | | | Red nun. | |
| 25987 | Poplar Island Harbor Daybeacon 1 | 38-45-38.880N 076-21-45.886W | | | | SG on pile. | Aid maintained by U.S. Army Corps of Engineers. |
| | **Lowes Wharf** | | | | | | |
| 25990 | - Channel Daybeacon 1 30 feet outside channel limit. | 38-45-59.553N 076-19-55.264W | | | | SG on pile. | |
| 25995 | - CHANNEL LIGHT 2 30 feet outside channel limit. | 38-45-56.466N 076-19-56.464W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Eastern Bay** | | | | | | |
| 26000 | - *Entrance Lighted Buoy 1E* | 38-49-07.448N 076-22-07.845W | Fl G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 26005 | - Entrance Buoy 2 | 38-48-45.829N 076-20-49.342W | | | | Red nun. | |
| 26010 | - *Lighted Buoy 2A* | 38-50-33.377N 076-18-12.980W | Fl R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| | **Claiborne Channel** | | | | | | |
| 26015 | - LIGHT 1CC | 38-50-08.721N 076-17-16.204W | Fl G 4s | 15 | 4 | SG on pile. | |
| 26020 | - Buoy 3 | 38-50-06.972N 076-17-08.556W | | | | Green can. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY - EASTERN BAY AND SOUTH RIVER (Chart 12270)** | | | | | | |
| | **Eastern Bay** | | | | | | |
| | **Claiborne Channel** | | | | | | |
| 26025 | - Buoy 4 | 38-50-09.426N 076-17-03.055W | | | | Red nun. | Aid maintained by Private aid. |
| 26036 | - Buoy 5 | 38-50-11.328N 076-17-04.812W | | | | Green can. | Private aid. |
| 26039 | - Warning Buoy A | 38-50-14.172N 076-16-55.418W | | | | White and orange can worded DANGER SHOAL. | Private aid. |
| 26042 | - Buoy 7 | 38-50-14.856N 076-16-53.868W | | | | Green can. | Private aid. |
| | **Eastern Bay** | | | | | | |
| 26045 | - Buoy 3 | 38-51-40.445N 076-16-56.841W | | | | Green can. | |
| 26050 | - *Lighted Buoy 4* | 38-52-35.144N 076-15-04.979W | Fl R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| | **Tilghman Creek** | | | | | | |
| 26055 | - LIGHT 1TC | 38-50-47.141N 076-15-43.300W | Fl G 4s | 17 | 5 | SG on pile. | |
| 26060 | - Daybeacon 3 | 38-50-42.773N 076-15-45.872W | | | | SG on pile. | |
| 26065 | - Daybeacon 4 | 38-50-40.695N 076-15-47.546W | | | | TR on pile. | |
| | **Eastern Bay** | | | | | | |
| 26070 | - Buoy 6 | 38-52-17.445N 076-14-44.838W | | | | Red nun. | |
| 26075 | - Buoy 8 | 38-50-32.768N 076-13-50.442W | | | | Red nun. | |
| 26080 | - Buoy 9 | 38-49-53.448N 076-13-44.831W | | | | Green can. | |
| 26085 | - *Lighted Buoy 11* | 38-49-48.448N 076-13-10.830W | Fl G 4s | | 4 | Green can. | Replaced by can when endangered by ice. |
| 26090 | - Buoy 10 | 38-49-35.548N 076-13-15.730W | | | | Red nun. | |
| 26095 | - Daybeacon 12 | 38-48-38.088N 076-12-33.571W | | | | TR on pile. | |
| 26105 | - Daybeacon 14 | 38-48-18.004N 076-12-36.099W | | | | TR on pile. | |
| | **Wye River** | | | | | | |
| 26110 | - LIGHT 1W | 38-49-58.320N 076-12-37.647W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 26115 | - Daybeacon 3 | 38-50-33.550N 076-12-28.216W | | | | SG on pile. | |
| 26120 | - LIGHT 4 | 38-50-48.911N 076-12-02.810W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 26126 | - Buoy 1 | 38-51-56.500N 076-11-28.500W | | | | Green can. | Private aid. |
| 26130 | - Daybeacon 3 | 38-52-28.337N 076-11-26.023W | | | | SG on pile. | Private aid. |
| 26135 | - Daybeacon 5 | 38-54-33.617N 076-10-11.215W | | | | SG on pile. | Private aid. |
| 26141 | - Buoy 6 | 38-54-47.376N 076-10-09.232W | | | | Red nun. | Private aid. |
| 26146 | - Buoy 7 | 38-55-01.193N 076-10-02.118W | | | | Green can. | Private aid. |
| 26150 | - Warning Daybeacon A | 38-50-28.130N 076-12-54.836W | | | | NW on pile worded DANGER SHOAL. | |
| 26155 | Wye East River Daybeacon 2 | 38-51-49.961N 076-10-45.153W | | | | TR on pile. | Private aid. |
| 26160 | Wye East River Daybeacon 3 | 38-52-02.170N 076-10-15.170W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY - EASTERN BAY AND SOUTH RIVER (Chart 12270)** | | | | | | |
| | **Eastern Bay** | | | | | | |
| | **Miles River** | | | | | | |
| 26165 | - LIGHT 1 | 38-48-10.079N 076-12-31.248W | Fl G 4s | 15 | 4 | SG on pile. | |
| 26170 | - Daybeacon 2 | 38-47-57.503N 076-12-40.196W | | | | TR on pile. | |
| 26175 | - LIGHT 4 | 38-47-41.867N 076-12-24.674W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 26180 | Leeds Creek Daybeacon 1 | 38-47-38.755N 076-11-52.355W | | | | SG on pile. | |
| | **St. Michaels Harbor** | | | | | | |
| 26185 | - ENTRANCE LIGHT 2SM | 38-47-21.317N 076-12-59.354W | Fl R 4s | 15 | 4 | TR on pile. | |
| 26190 | - Daybeacon 3 | 38-47-16.306N 076-13-00.369W | | | | SG on pile. | |
| | **Eastern Bay** | | | | | | |
| | **Miles River** | | | | | | |
| 26195 | - Daybeacon 5 | 38-47-04.715N 076-11-50.732W | | | | SG on pile. | |
| 26200 | - LIGHT 7 | 38-45-51.603N 076-10-33.547W | Fl G 4s | 15 | 5 | SG on multi-pile structure. | |
| 26230 | - Daybeacon 8 | 38-46-52.955N 076-08-48.110W | | | | TR on pile. | |
| 26235 | - Daybeacon 9 | 38-47-08.309N 076-08-34.346W | | | | SG on pile. | |
| 26240 | - Daybeacon 10 | 38-47-18.977N 076-08-18.596W | | | | TR on pile. | |
| 26245 | Philpots Island Buoy 2 | 38-53-53.861N 076-20-15.097W | | | | | Private aid. |
| 26250 | Philpots Island Buoy 4 | 38-53-46.772N 076-20-21.214W | | | | | Private aid. |
| 26255 | Philpots Island Buoy 6 | 38-53-35.212N 076-20-21.593W | | | | | Private aid. |
| | **Cox Creek** | | | | | | |
| 26265 | - LIGHT 2CC | 38-53-55.953N 076-18-51.061W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 26267 | - Daybeacon 3 | 38-54-03.460N 076-19-33.316W | | | | SG on pile. | |
| 26270 | - Buoy 4 | 38-55-56.592N 076-18-44.814W | | | | Red nun. | Private aid. |
| | **Crab Alley Bay** | | | | | | |
| 26280 | - Daybeacon 1C | 38-54-25.520N 076-16-19.606W | | | | SG on pile. | |
| 26285 | - Daybeacon 3 | 38-55-13.240N 076-17-27.166W | | | | SG on pile. | |
| 26290 | - Daybeacon 4 | 38-55-19.843N 076-17-19.567W | | | | TR on pile. | |
| 26295 | - Junction Daybeacon | 38-55-39.108N 076-17-28.204W | | | | JR on pile. | |
| 26300 | - Buoy 6 | 38-55-46.649N 076-17-34.548W | | | | Red nun. | Maintained from Apr 1. to Dec 1. |
| 26305 | - Daybeacon 7 | 38-55-51.419N 076-17-34.094W | | | | SG on pile. | |
| | **Crab Alley - Little Creek** | | | | | | |
| 26310 | - Daybeacon 1 | 38-55-44.783N 076-17-17.897W | | | | SG on pile. | |
| 26315 | - Daybeacon 2 | 38-56-02.692N 076-17-08.429W | | | | TR on pile. | |
| 26320 | - Buoy 4 | 38-56-09.792N 076-17-06.021W | | | | Red nun. | Maintained from Apr. 1 to Dec 1. |
| 26325 | - Daybeacon 6 | 38-56-13.517N 076-17-00.632W | | | | TR on pile. | |
| 26330 | - Daybeacon 8 | 38-56-15.677N 076-16-56.792W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHESAPEAKE BAY - EASTERN BAY AND SOUTH RIVER (Chart 12270)** | | | | | | |
| | **Prospect Bay** | | | | | | |
| 26335 | - *Lighted Buoy 1P* | 38-54-04.042N 076-14-00.038W | Fl G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 26340 | - Buoy 2 | 38-55-19.470N 076-14-09.397W | | | | Red nun. | |
| | **Greenwood Creek** | | | | | | |
| 26343 | - Buoy 1G | 38-52-49.600N 076-12-16.700W | | | | Green Can. | Private aid. |
| 26343.1 | - Buoy 2 | 38-52-49.700N 076-12-14.600W | | | | Red nun. | Private aid. |
| 26343.2 | - Buoy 3 | 38-52-58.200N 076-12-13.300W | | | | Green can. | Private aid. |
| 26343.3 | - Buoy 4 | 38-52-57.700N 076-12-11.800W | | | | Red nun. | Private aid. |
| 26343.4 | - Buoy 5 | 38-53-09.600N 076-12-08.700W | | | | Green can. | Private aid. |
| 26343.5 | - Buoy 6 | 38-53-10.000N 076-12-05.900W | | | | Red nun. | Private aid. |
| 26343.6 | - Buoy 8 | 38-53-20.900N 076-12-00.300W | | | | Red nun. | Private aid. |
| 26343.7 | - Buoy 10 | 38-53-31.000N 076-12-05.100W | | | | Red nun. | Private aid. |
| 26343.8 | - Buoy 12 | 38-53-38.000N 076-11-56.900W | | | | Red nun. | Private aid. |
| 26343.9 | - Buoy 13 | 38-53-45.500N 076-11-50.500W | | | | Green can. | Private aid. |
| | **CHESTER RIVER (Chart 12272)** | | | | | | |
| | **Kent Island Narrows South Approach** | | | | | | |
| 26345 | - LIGHT 1K | 38-57-13.834N 076-14-36.650W | Fl G 4s | 18 | 4 | SG on pile. | |
| 26350 | Marshy Creek Buoy 1 | 38-57-37.406N 076-14-14.828W | | | | Green can. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 26355 | Marshy Creek Daybeacon 3 | 38-57-39.406N 076-14-06.828W | | | | SG on pile. | Private aid. |
| 26360 | - Channel Daybeacon 4 | 38-57-37.034N 076-14-26.488W | | | | TR on pile. | |
| 26365 | - CHANNEL LIGHT 3 | 38-57-36.432N 076-14-29.051W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 26370 | - Channel Daybeacon 5 | 38-57-42.080N 076-14-31.506W | | | | SG on pile. | |
| 26375 | - Channel Daybeacon 6 | 38-57-48.811N 076-14-33.968W | | | | TR on pile. | |
| 26380 | - Channel Daybeacon 7 | 38-57-52.210N 076-14-37.278W | | | | SG on pile. | |
| 26385 | - Channel Daybeacon 8 | 38-57-55.084N 076-14-35.811W | | | | TR on pile. | |
| 26390 | - Channel Daybeacon 9 | 38-58-02.622N 076-14-45.081W | | | | SG on pile. | |
| | **Wells Cove** | | | | | | |
| 26395 | - Daybeacon 2 | 38-57-54.569N 076-14-26.252W | | | | TR on pile. | |
| 26400 | - Daybeacon 4 | 38-57-52.163N 076-14-24.938W | | | | TR on pile. | |
| 26405 | - Daybeacon 5 | 38-57-55.319N 076-14-21.404W | | | | SG on pile. | |
| 26410 | - Daybeacon 6 | 38-57-53.002N 076-14-21.308W | | | | TR on pile. | |
| | **Kent Island Narrows North Approach** | | | | | | |
| 26413 | - LIGHT 1KN | 38-59-13.460N 076-14-44.776W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 26415 | - LIGHT 2KN | 38-59-12.743N 076-14-46.274W | Q R | 15 | 4 | TR on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHESTER RIVER (Chart 12272)** | | | | | | |
| | **Kent Island Narrows North Approach** | | | | | | |
| 26420 | - LIGHT 3 | 38-59-01.703N 076-14-36.164W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 26425 | - LIGHT 4 | 38-59-01.031N 076-14-37.442W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 26430 | - LIGHT 5 | 38-58-49.841N 076-14-27.356W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 26435 | - LIGHT 6 | 38-58-49.760N 076-14-29.286W | Q R | 15 | 4 | TR on multi-pile structure. | |
| 26440 | - LIGHT 8 | 38-58-45.083N 076-14-30.872W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 26445 | - Daybeacon 9 | 38-58-44.330N 076-14-29.616W | | | | SG on pile. | |
| 26450 | - Daybeacon 11 | 38-58-42.419N 076-14-34.424W | | | | SG on pile. | |
| 26455 | - Daybeacon 12 | 38-58-42.263N 076-14-37.334W | | | | TR on pile. | |
| 26460 | - LIGHT 13 | 38-58-36.683N 076-14-46.136W | Fl G 4s | 15 | 4 | SG on pile. | |
| 26465 | - Daybeacon 15 | 38-58-34.289N 076-14-47.966W | | | | SG on pile. | |
| | **Chester River** | | | | | | |
| 26500 | - Entrance Buoy 2 | 39-04-01.539N 076-16-20.633W | | | | Red nun. | |
| 26505 | - Buoy 3 | 39-02-06.431N 076-16-04.853W | | | | Green can. | |
| 26510 | - *Lighted Buoy 6* | 39-00-24.553N 076-15-04.882W | Fl R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 1. |
| 26515 | - Channel Buoy 7 | 39-00-14.377N 076-14-13.277W | | | | Green can. | |
| 26517 | *Panhandle Point Lighted Data Buoy A* | 39-00-33.220N 076-13-46.030W | Fl Y 4s | | | Yellow. | Maintained from Mar. 1 to Nov. 30. Private aid. |
| 26520 | - *Channel Lighted Buoy 9* | 38-59-34.997N 076-12-44.908W | Fl G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 1. |
| | **Castle Harbor Marina** | | | | | | |
| 26525 | - CHANNEL LIGHT 1 | 38-59-27.803N 076-16-16.836W | Fl G 4s | 12 | | SG on pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 26530 | - CHANNEL LIGHT 2 | 38-59-29.403N 076-16-14.836W | Fl R 4s | 12 | | TR on pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 26535 | - Channel Daybeacon 3 | 38-59-21.416N 076-16-42.824W | | | | SG on pile. | Private aid. |
| 26540 | - Channel Daybeacon 4 | 38-59-21.403N 076-16-43.836W | | | | TR on pile. | Private aid. |
| 26545 | - Channel Daybeacon 5 | 38-59-19.403N 076-16-44.836W | | | | SG on pile. | Private aid. |
| 26550 | - Channel Daybeacon 6 | 38-59-20.903N 076-16-43.836W | | | | TR on pile. | Private aid. |
| 26555 | - Channel Daybeacon 7 | 38-59-17.403N 076-16-48.837W | | | | SG on pile. | Private aid. |
| 26560 | - Channel Daybeacon 8 | 38-59-19.403N 076-16-49.837W | | | | TR on pile. | Private aid. |
| | **Jackson Creek** | | | | | | |
| 26570 | - Daybeacon 2 | 38-58-32.424N 076-13-16.312W | | | | TR on pile. | |
| 26575 | - Daybeacon 3 | 38-58-24.873N 076-13-17.240W | | | | SG on pile. | |
| 26580 | - Daybeacon 5 | 38-58-19.742N 076-13-17.992W | | | | SG on pile. | |
| | **Queenstown Creek** | | | | | | |
| 26585 | - Buoy 2Q | 39-00-16.123N 076-10-23.705W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHESTER RIVER (Chart 12272)** | | | | | | |
| | **Chester River** | | | | | | |
| | **Queenstown Creek** | | | | | | |
| 26590 | - Warning Daybeacon A | 39-00-01.629N 076-10-03.569W | | | | NW on pile. | |
| 26593 | - Buoy 3 | 39-00-01.010N 076-10-03.937W | | | | Green can. | Removed when endangered by ice. |
| 26595 | - Buoy 5 | 38-59-50.995N 076-09-53.021W | | | | Green can. | Removed when endangered by ice. |
| | **Queenstown Harbor** | | | | | | |
| 26600 | - Channel Daybeacon 2 | 38-59-39.739N 076-09-43.085W | | | | TR on pile. | |
| 26605 | - Channel Daybeacon 3 | 38-59-34.542N 076-09-43.438W | | | | SG on pile. | |
| 26610 | - Channel Daybeacon 3A | 38-59-27.719N 076-09-45.719W | | | | SG on pile. | |
| 26615 | - Channel Daybeacon 4 | 38-59-24.524N 076-09-43.989W | | | | TR on pile. | |
| 26620 | - Channel Daybeacon 6 | 38-59-22.888N 076-09-45.198W | | | | TR on pile. | |
| | **Chester River** | | | | | | |
| 26625 | - Channel Buoy 11 | 39-00-38.300N 076-11-23.934W | | | | Green can. | |
| 26630 | - *Channel Lighted Buoy 12* | 39-00-54.695N 076-10-54.968W | Fl R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 1. |
| 26645 | - Channel Buoy 14 | 39-02-46.041N 076-12-01.293W | | | | Red nun. | |
| 26647 | - CHANNEL LIGHT 15 | 39-03-10.936N 076-12-21.981W | Fl G 4s | 15 | 4 | SG on pile. | |
| 26655 | Gordon Point Shoal Buoy 1 | 39-04-08.030N 076-09-50.835W | | | | Green can. | |
| 26660 | Gordon Point Shoal Buoy 2 | 39-03-40.663N 076-09-38.257W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| | **Langford Creek** | | | | | | |
| 26665 | - JUNCTION LIGHT LC | 39-04-47.247N 076-10-46.457W | Fl (2+1)G 6s | 15 | 4 | JG on pile. | |
| 26667 | *Grays Inn Creek Lighted Data Buoy B* | 39-04-12.920N 076-11-43.670W | Fl Y 4s | | | Yellow. | Maintained from Mar. 1 to Nov 30. Private aid. |
| 26670 | - Daybeacon 1 | 39-04-51.756N 076-11-32.495W | | | | SG on pile. | |
| 26675 | - Daybeacon 3 | 39-05-25.996N 076-10-49.022W | | | | SG on pile. | |
| 26680 | - Daybeacon 5 | 39-05-41.105N 076-10-40.598W | | | | SG on pile. | |
| 26685 | - Daybeacon 7 | 39-06-43.143N 076-10-07.090W | | | | SG on pile. | |
| 26690 | Long Cove Daybeacon 1 | 39-06-06.712N 076-10-44.895W | | | | SG on pile. | |
| 26695 | Long Cove Daybeacon 3 | 39-06-23.298N 076-10-55.009W | | | | SG on pile. | |
| 26700 | Davis Creek Entrance Daybeacon 2 | 39-07-09.574N 076-10-26.506W | | | | TR on pile. | Private aid. |
| | **Chester River** | | | | | | |
| 26705 | - Channel Buoy 16 | 39-05-14.053N 076-09-53.809W | | | | Red nun. | |
| 26706 | Nichols Point Warning Daybeacon A | 39-05-34.078N 076-09-51.972W | | | | NW on pile worded DANGER WRECKAGE. | |
| 26707 | - CHANNEL LIGHT 17 | 39-05-37.099N 076-09-38.824W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | |
| | **CHESTER RIVER (Chart 12272)** | | | | | | |
| | **Chester River** | | | | | | |
| | **Corsica River** | | | | | | |
| 26710 | - Junction Buoy CR | 39-05-19.491N<br>076-09-23.784W | | | | Red and green bands; nun. | |
| 26715 | - Buoy 2 | 39-04-56.431N<br>076-08-14.831W | | | | Red nun. | |
| 26720 | - Daybeacon 4 | 39-04-54.478N<br>076-06-43.854W | | | | TR on pile. | |
| 26723 | *Corisca River Lighted Data Buoy CR* | 39-04-38.480N<br>076-05-51.650W | Fl Y 4s | | | Yellow. | Maintained from Mar. 1 to Nov 30.<br>Private aid. |
| 26725 | - Daybeacon 6 | 39-04-26.636N<br>076-05-19.312W | | | | TR on pile. | |
| 26727 | - Buoy 8 | 39-04-04.600N<br>076-05-07.700W | | | | Red nun. | Private aid. |
| | **Chester River** | | | | | | |
| 26730 | - Channel Buoy 18 | 39-05-50.941N<br>076-09-02.890W | | | | Red nun. | |
| 26735 | - Channel Buoy 19 | 39-06-09.162N<br>076-08-35.209W | | | | Green can. | |
| 26740 | - Channel Buoy 20 | 39-06-08.430N<br>076-07-50.830W | | | | Red nun. | |
| 26745 | - Channel Buoy 21 | 39-06-26.479N<br>076-07-13.956W | | | | Green can. | |
| 26750 | - CHANNEL LIGHT 23 | 39-06-30.771N<br>076-07-07.118W | Fl G 4s | 21 | 4 | SG on pile. | |
| 26755 | - Channel Buoy 24 | 39-07-48.457N<br>076-05-22.814W | | | | Red nun. | |
| 26757 | *Jarrett Creek Lighted Data Buoy D* | 39-07-55.830N<br>076-05-08.670W | Fl Y 4s | | | Yellow. | Maintained from Mar 1 to Nov 1.<br>Private aid. |
| 26760 | - Channel Buoy 25 | 39-07-57.429N<br>076-04-31.321W | | | | Green can. | |
| 26765 | - CHANNEL LIGHT 27 | 39-08-14.758N<br>076-04-26.698W | Fl G 4s | 18 | 4 | SG on pile. | |
| 26770 | - Channel Buoy 28 | 39-08-19.757N<br>076-04-20.130W | | | | Red nun. | |
| 26775 | - Channel Buoy 30 | 39-08-48.429N<br>076-04-48.822W | | | | Red nun. | |
| 26780 | Southeast Creek Daybeacon 2 | 39-09-42.631N<br>076-02-38.956W | | | | TR on pile. | |
| 26785 | - Channel Buoy 32 | 39-09-08.928N<br>076-04-24.321W | | | | Red nun. | |
| 26790 | - CHANNEL LIGHT 34 | 39-10-07.535N<br>076-02-12.644W | Fl R 4s | 15 | 4 | TR on pile. | |
| 26795 | - Channel Buoy 35 | 39-10-21.927N<br>076-02-22.815W | | | | Green can. | |
| 26800 | - Channel Buoy 37 | 39-10-41.927N<br>076-02-35.817W | | | | Green can. | |
| 26805 | - Channel Buoy 37A | 39-10-58.427N<br>076-03-20.319W | | | | Green can. | |
| 26810 | - CHANNEL LIGHT 39 | 39-11-03.366N<br>076-04-03.384W | Fl G 4s | 15 | 4 | SG on pile. | |
| 26815 | - Channel Buoy 40 | 39-11-29.427N<br>076-04-10.822W | | | | Red nun. | |
| 26817 | *Radcliffe Creek Lighted Data Buoy E* | 39-12-02.460N<br>076-04-00.830W | Fl Y 4s | | | Yellow. | Maintained from Mar. 1 to Nov. 30<br>Private aid. |
| 26825 | - Channel Buoy 42 | 39-14-18.393N<br>076-00-34.797W | | | | Red nun. | Private aid. |
| 26830 | - Channel Buoy 43 | 39-14-18.393N<br>076-00-22.796W | | | | Green can. | Private aid. |
| 26835 | - Channel Buoy 44 | 39-14-18.393N<br>076-00-10.796W | | | | Red nun. | Private aid. |
| 26840 | - Channel Buoy 44A | 39-14-18.393N<br>075-59-52.795W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **CHESTER RIVER (Chart 12272)** | | | | | | |
| | **Chester River** | | | | | | |
| 26845 | - Channel Buoy 45 | 39-14-04.394N 075-59-02.793W | | | | Green can. | Private aid. |
| 26847 | *Foremans Branch Lighted Data Buoy F* | 39-14-19.510N 075-59-29.230W | Fl Y 4s | | | Yellow. | Maintained from Mar. 1 to Nov. 30. Private aid. |
| 26847.1 | *Crumpton Lighted Data Buoy G* | 39-14-33.780N 075-55-11.970W | Fl Y 4s | | | Yellow. | Maintained from Mar. 1 to Nov. 30. Private aid. |
| | **Swan Creek** | | | | | | |
| 26850 | - Entrance Buoy 1 | 39-05-34.253N 076-15-15.037W | | | | Green can. | |
| 26855 | - Entrance Buoy 3 | 39-06-06.428N 076-15-34.852W | | | | Green can. | |
| 26860 | - *Entrance Lighted Buoy 4* | 39-07-17.515N 076-15-37.203W | Fl R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Mar. 15. |
| 26865 | - Entrance Buoy 5 | 39-08-01.694N 076-15-45.944W | | | | Green can. | |
| 26870 | - ENTRANCE LIGHT 6 | 39-08-21.735N 076-15-47.675W | Fl R 4s | 15 | 4 | TR on pile. | |
| 26872 | - Buoy 8 | 39-08-42.480N 076-15-44.004W | | | | Red nun. | Private aid. |
| 26873 | - Buoy 10 | 39-08-46.800N 076-15-41.160W | | | | Red nun. | Private aid. |
| 26874 | - Buoy 11 | 39-08-51.840N 076-15-28.920W | | | | Green can. | Private aid. |
| 26874.1 | - Buoy 13 | 39-08-53.900N 076-15-21.900W | | | | Green can. | Private aid. |
| 26875 | - Buoy 14 | 39-08-54.716N 076-15-16.130W | | | | Red Nun. | Private aid. |
| 26876 | - Buoy 15 | 39-08-56.600N 076-15-17.200W | | | | Green can. | Private aid. |
| | **The Haven Channel** | | | | | | |
| 26886 | - Daybeacon 1 | 39-08-51.333N 076-15-10.072W | | | | SG on pile. | Private aid. |
| 26887 | - Daybeacon 2 | 39-08-48.743N 076-15-10.199W | | | | TR on pile. | Private aid. |
| 26887.5 | - Daybeacon 3 | 39-08-45.047N 076-15-04.137W | | | | SG on pile. | Private aid. |
| 26888 | - Daybeacon 4 | 39-08-43.253N 076-15-05.788W | | | | TR on pile. | Private aid. |
| 26888.5 | - Daybeacon 5 | 39-08-39.619N 076-14-58.775W | | | | SG on pile. | Private aid. |
| 26889 | - Daybeacon 7 | 39-08-35.748N 076-14-57.123W | | | | SG on pile. | Private aid. |
| | **Rock Hall Harbor** | | | | | | |
| | *All daybeacons located 20 feet outside channel limit.* | | | | | | |
| 26890 | - Entrance Buoy 1 | 39-07-44.101N 076-14-56.556W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 26893 | - Buoy 3 | 39-07-47.131N 076-14-54.576W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 26895 | - LIGHT 4 | 39-07-49.003N 076-14-52.558W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 26900 | - Daybeacon 5 | 39-07-49.904N 076-14-54.006W | | | | SG on pile. | |
| 26905 | - Daybeacon 6 | 39-07-52.087N 076-14-52.066W | | | | TR on pile. | |
| 26910 | - Daybeacon 8 | 39-07-58.735N 076-14-52.906W | | | | TR on pile. | |
| 26915 | - Daybeacon 10 | 39-08-00.611N 076-14-53.647W | | | | TR on pile. | |
| 26920 | - Daybeacon 12 | 39-08-04.156N 076-14-48.410W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | |
| | **CHESTER RIVER (Chart 12272)** | | | | | | |
| | **Swan Creek** | | | | | | |
| | **Rock Hall Harbor** | | | | | | |
| | *All daybeacons located 20 feet outside channel limit.* | | | | | | |
| 26925 | - Daybeacon 14 | 39-08-03.685N 076-14-46.138W | | | | TR on pile. | |
| 26930 | - East Daybeacon 2E | 39-07-53.336N 076-14-51.441W | | | | TR on pile. | |
| 26935 | - East Junction Daybeacon RH | 39-08-00.043N 076-14-43.720W | | | | JG on pile. | |
| 26940 | - East Daybeacon 4E | 39-07-59.094N 076-14-42.257W | | | | TR on pile. | |
| 26945 | - East Daybeacon 6E | 39-07-56.254N 076-14-38.606W | | | | TR on pile. | |
| | **APPROACHES TO BALTIMORE HARBOR (Chart 12278)** | | | | | | |
| | **Shallow Creek** | | | | | | |
| 26950 | - LIGHT 1SC | 39-11-59.336N 076-26-04.302W | Fl G 4s | 15 | 4 | SG on pile. | |
| 26955 | - Daybeacon 2 | 39-11-59.611N 076-26-03.257W | | | | TR on pile. | |
| 26960 | - Daybeacon 3 | 39-12-09.420N 076-26-07.680W | | | | SG on pile. | Private aid. |
| 26965 | - Daybeacon 4 | 39-12-09.780N 076-26-06.840W | | | | TR on pile. | Private aid. |
| 26975 | - Daybeacon 6 | 39-12-21.420N 076-26-10.980W | | | | TR on pile. | Private aid. |
| 26985 | - Daybeacon 8 | 39-12-27.600N 076-26-18.720W | | | | TR on pile. | Private aid. |
| 26990 | - Daybeacon 9 | 39-12-32.940N 076-26-26.700W | | | | SG on pile. | Private aid. |
| 26995 | - Daybeacon 10 | 39-12-33.480N 076-26-26.040W | | | | TR on pile. | Private aid. |
| | **Harts Island Channel** | | | | | | |
| 27000 | - LIGHT 1 | 39-13-33.576N 076-23-46.039W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 27005 | - Daybeacon 2 | 39-13-34.351N 076-23-44.837W | | | | TR on pile. | |
| 27010 | - Daybeacon 3 | 39-13-40.891N 076-23-47.417W | | | | SG on pile. | |
| 27015 | - Daybeacon 4 | 39-13-48.091N 076-23-47.597W | | | | TR on pile. | |
| 27020 | - LIGHT 5 | 39-13-55.038N 076-23-50.823W | Q G | 15 | 3 | SG on pile. | |
| 27025 | - Daybeacon 6 | 39-13-54.972N 076-23-49.095W | | | | TR on pile. | |
| 27030 | - Daybeacon 8 | 39-13-57.649N 076-23-48.797W | | | | TR on pile. | |
| 27035 | - LIGHT 9 | 39-14-13.411N 076-23-43.157W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 27040 | - Daybeacon 10 | 39-14-13.110N 076-23-41.217W | | | | TR on pile. | |
| | **Back River** | | | | | | |
| 27045 | - Buoy 2 | 39-16-14.078N 076-22-16.017W | | | | Red nun. | |
| 27050 | - LIGHT 3 | 39-15-06.944N 076-23-29.313W | Fl G 4s | 15 | 4 | SG on pile. | |
| 27055 | - LIGHT 5 | 39-14-33.990N 076-23-51.124W | Fl G 6s | 15 | 4 | SG on multi-pile structure. | |
| 27065 | Longs Creek Daybeacon 1 | 39-14-50.389N 076-24-18.853W | | | | SG on pile. | Private aid. |
| 27070 | Longs Creek Daybeacon 2 | 39-14-53.389N 076-24-16.853W | | | | TR on pile. | Private aid. |
| 27075 | Longs Creek Daybeacon 4 | 39-14-58.389N 076-24-20.353W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **APPROACHES TO BALTIMORE HARBOR (Chart 12278)** | | | | | | |
| | **Back River** | | | | | | |
| 27079 | - Buoy 6 | 39-14-49.473N 076-23-49.740W | | | | Red nun. | 1000NAV6. Aid maintained by State DOT Private aid. |
| 27080 | - Buoy 7 | 39-14-47.649N 076-26-07.334W | | | | Green can. | 4174NAV7. Aid maintained by State DOT Private aid. |
| 27083 | - Buoy 8 | 39-15-05.627N 076-26-17.068W | | | | Red nun. | 4353NAV8. Aid maintained by State DOT Private aid. |
| 27085 | - Buoy 10 | 39-15-29.609N 076-26-35.037W | | | | Red nun. | 2106NAV10. Aid maintained by State DOT Private aid. |
| 27087 | - Buoy 11 | 39-16-04.094N 076-26-39.543W | | | | Green can. | 4354NAV11. Aid maintained by State DOT Private aid. |
| 27090 | - Buoy 12 | 39-16-33.995N 076-26-37.924W | | | | Red nun. | 4355NAV12. Aid maintained by State DOT Private aid. |
| 27095 | - Buoy 13 | 39-17-03.077N 076-27-31.409W | | | | Green can. | 4356NAV13. Aid maintained by State DOT Private aid. |
| 27100 | - Buoy 14 | 39-17-25.069N 076-27-53.482W | | | | Red nun. | NAV2107NAV14. Aid maintained by State DOT Private aid. |
| | **Middle River** | | | | | | |
| 27110 | - *Lighted Buoy 1MR* | 39-16-21.671N 076-20-10.726W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 27115 | *Glenmar Lighted Race Buoy S* | 39-16-55.002N 076-21-33.633W | Fl Y 4s | | | | Private aid. |
| 27116 | *Glenmar Lighted Race Buoy N* | 39-17-54.870N 076-21-50.380W | Fl Y 4s | | | | Private aid. |
| 27117 | - LIGHT 3 | 39-17-12.331N 076-22-32.717W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 27120 | - LIGHT 4 | 39-17-37.998N 076-23-05.361W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 27130 | SUE ISLAND ENTRANCE LIGHT 1 | 39-17-24.407N 076-23-53.298W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 27135 | Frog Mortar Creek Daybeacon 2 | 39-19-11.502N 076-24-04.953W | | | | TR on pile. | |
| 27140 | Frog Mortar Creek Daybeacon 4 | 39-19-31.476N 076-24-10.269W | | | | TR on pile. | |
| 27145 | WILSON POINT JUNCTION LIGHT WP | 39-18-19.776N 076-24-32.716W | Fl (2+1)R 6s | 15 | 4 | JR on pile. | |
| 27150 | Norman Creek Daybeacon 2 | 39-18-20.502N 076-25-04.663W | | | | TR on pile. | |
| 27155 | - Daybeacon 5 | 39-18-38.497N 076-25-05.057W | | | | SG on pile. | |
| 27160 | Clark Point Junction Daybeacon CP | 39-18-52.951N 076-25-27.917W | | | | JG on pile. | |
| | **Seneca Creek** | | | | | | |
| 27170 | - Entrance Daybeacon 2S | 39-18-11.158N 076-21-26.064W | | | | TR on multi-pile structure. | |
| | **HEAD OF CHESAPEAKE BAY (Chart 12274)** | | | | | | |
| | **Gunpowder River** | | | | | | |
| 27175 | - *Lighted Buoy 2G* | 39-17-15.521N 076-20-13.263W | Fl R 4s | | 4 | Red. | Maintained from Mar. 15 to Dec. 1. |
| 27185 | - *Lighted Buoy 4* | 39-17-56.421N 076-19-53.363W | Fl R 4s | | 4 | Red. | Maintained from Mar. 15 to Dec. 1. |
| 27195 | - *Lighted Buoy 6* | 39-18-22.521N 076-18-51.661W | Fl R 4s | | 4 | Red. | Maintained from Mar. 15 to Dec. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **HEAD OF CHESAPEAKE BAY (Chart 12274)** | | | | | | |
| | **Gunpowder River** | | | | | | |
| 27200 | - *Lighted Buoy 7* | 39-18-42.921N 076-18-31.760W | Fl G 4s | | 4 | Green. | Maintained from Mar. 15 to Dec. 1. |
| 27205 | - WRECK LIGHT WR9 | 39-19-50.958N 076-19-11.043W | Q G | 15 | 4 | SG on pile. | |
| 27215 | - *Lighted Buoy 10* | 39-21-21.012N 076-19-28.832W | Fl R 4s | | 4 | Red. | Maintained from Mar. 15 to Dec 1. |
| | **Upper Gunpowder River** | | | | | | |
| 27230 | - Buoy 2 | 39-23-06.600N 076-20-32.800W | | | | Red nun. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 27235 | - Daybeacon 3 | 39-23-15.297N 076-20-41.959W | | | | SG on pile. | Private aid. |
| 27240 | - Buoy 4 | 39-23-15.600N 076-20-41.400W | | | | Red nun. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 27250 | - Buoy 6 | 39-23-20.200N 076-20-47.300W | | | | Red nun. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 27255 | - Buoy 7 | 39-23-21.400N 076-20-50.600W | | | | Green can. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 27260 | - Daybeacon 8 | 39-23-22.203N 076-20-49.411W | | | | TR on pile. | Private aid. |
| 27265 | - Buoy 9 | 39-23-22.700N 076-20-51.400W | | | | Green can. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 27270 | - Buoy 10 | 39-23-30.388N 076-20-50.851W | | | | Red nun. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 27275 | - Buoy 11 | 39-23-40.118N 076-20-54.022W | | | | Green can. | DNR: 1234NAV11. Private aid. |
| 27280 | - Buoy 12 | 39-23-40.393N 076-20-53.092W | | | | Red nun. | Private aid. |
| | **APPROACHES TO BALTIMORE HABOR (Chart 12278)** | | | | | | |
| | **Pooles Island - West Channel** | | | | | | |
| 27285 | Robins Point Shoal Buoy 1 | 39-17-04.279N 076-17-01.418W | | | | Green can. | Maintained from Mar. 15 to Dec 1. |
| 27290 8705 | Aberdeen Restricted Area Buoy A | 39-16-46.422N 076-17-10.857W | | | | Yellow can. | |
| 27295 8710 | Aberdeen Restricted Area Buoy B | 39-17-05.921N 076-18-01.859W | | | | Yellow can. | |
| | **HEAD OF CHESAPEAKE BAY (Chart 12274)** | | | | | | |
| | **Bush River** | | | | | | |
| 27305 | - Approach Junction Buoy | 39-20-18.424N 076-12-34.849W | | | | Green and red bands; can. | |
| 27310 | - Approach Buoy 2 | 39-20-01.531N 076-13-49.216W | | | | Red nun. | |
| 27315 | - *Lighted Buoy 3* | 39-21-03.422N 076-15-01.354W | Fl G 2.5s | | 4 | Green. | Replaced by can from Nov. 25 to Apr. 1. |
| 27320 | - Buoy 4 | 39-21-25.322N 076-15-15.756W | | | | Red nun. | |
| 27325 | - LIGHT 5 | 39-22-12.853N 076-16-02.449W | Fl G 4s | 15 | 4 | SG on pile. | |
| 27327 | *Aberdeen Proving Ground Lighted Warning Buoy A* | 39-23-04.051N 076-16-08.736W | Fl W 2.5s | | | White can with orange diamond worded DANGER SUBMERGED PIPE. | Aid maintained by U.S. Army. |
| 27330 | - WRECK LIGHT WR6 Marks sunken barge. | 39-23-04.216N 076-15-29.422W | Q R | 15 | 3 | TR on multi-pile structure. | |
| 27340 | - WRECK LIGHT WR7 Marks sunken barge. | 39-23-47.696N 076-15-37.942W | Q G | 15 | 4 | SG on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **HEAD OF CHESAPEAKE BAY (Chart 12274)** | | | | | | |
| | **Bush River** | | | | | | |
| 27345 | SOD RUN OBSTRUCTION LIGHT 2 | 39-25-29.352N 076-13-58.708W | Q R | 10 | | NW on dolphin worded DANGER SUBMERGED PIPELINE. | Private aid. |
| 27350 | Sod Run Warning Daybeacon A | 39-25-29.842N 076-13-55.708W | | | | NW on dolphin worded DANGER SUBMERGED PIPELINE. | Private aid. |
| 27355 | Sod Run Warning Daybeacon B | 39-25-30.692N 076-13-52.777W | | | | NW on dolphin worded DANGER SUBMERGED PIPELINE. | Private aid. |
| 27363 | - LIGHT 9 | 39-26-06.000N 076-14-33.600W | Fl G 2.5s | 6 | | SG on electric tower. | Private aid. |
| 27364 | - LIGHT 10 | 39-26-09.060N 076-14-21.000W | Fl R 4s | 6 | | TR on electric tower. | Private aid. |
| 27365 | - LIGHT 11 | 39-26-06.391N 076-14-28.839W | Q G | | | SG on electric tower. | Private aid. |
| 27367 | - LIGHT A | 39-26-01.800N 076-14-48.500W | Fl Y 4s | 6 | | NY on electric tower. | Private aid. |
| | **Otter Point Creek** | | | | | | |
| 27373 | - LIGHT 3 | 39-26-35.300N 076-15-37.700W | Fl G 4s | 6 | | SG on electric tower. | Private aid. |
| 27374 | - LIGHT 4 | 39-26-44.900N 076-15-43.600W | Fl R 4s | 6 | | TR on electric tower. | Private aid. |
| 27375 | - Buoy 6 | 39-26-41.400N 076-15-22.050W | | | | Red nun. | Maintained from May 1 to Oct. 1. Private aid. |
| | **APPROACHES TO BALTIMORE HARBOR (Chart 12278)** | | | | | | |
| | **Worton Creek** | | | | | | |
| 27390 | - *Lighted Buoy 2* | 39-17-28.512N 076-10-15.727W | Q R | | 4 | Red. | Maintained from Mar. 15 to Dec 1. |
| 27395 | - Daybeacon 3 | 39-17-22.410N 076-10-12.506W | | | | SG on pile. | |
| 27400 | - Daybeacon 5 | 39-17-13.660N 076-10-10.668W | | | | SG on pile. | |
| | **Fairlee Creek** | | | | | | |
| 27410 | - Buoy 7 | 39-16-07.500N 076-12-26.640W | | | | Green can. | Maintained from May to Oct. Private aid. |
| 27415 | - Buoy 8 | 39-15-48.391N 076-12-29.230W | | | | Red nun. | Maintained from May to Oct. Private aid. |
| 27420 | - Buoy 9 | 39-16-06.180N 076-12-23.760W | | | | Green can. | Maintained from May to Oct. Private aid. |
| 27425 | - Buoy 10 | 39-15-08.491N 076-12-02.028W | | | | Red nun. | Maintained from May to Oct. Private aid. |
| | **HEAD OF CHESAPEAKE BAY (Chart 12274)** | | | | | | |
| | **Sassafras River** | | | | | | |
| 27435 | - LIGHT 2SR | 39-22-38.920N 075-59-39.930W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 27438 | RIGBIE BLUFF PIER LIGHT | 39-22-20.400N 076-03-43.010W | Fl Y 6s | 19 | | On pile. | Private aid. |
| 27439 | - Daybeacon 3 | 39-22-19.149N 075-59-02.553W | | | | SG on pile. | |
| 27440 | - LIGHT 3A | 39-22-11.313N 075-58-44.670W | Q G | 15 | 4 | SG on pile. | |
| 27445 | Turner Creek Entrance Buoy 1 | 39-21-38.605N 075-59-09.799W | | | | Green can. | Maintained from Apr. to Oct. Private aid. |
| 27460 | - LIGHT 5 | 39-22-40.264N 075-57-44.592W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 27465 | - Daybeacon 6 | 39-22-29.681N 075-57-22.226W | | | | TR on pile. | |
| 27470 | - LIGHT 7 | 39-22-12.159N 075-56-35.575W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 27495 | - Daybeacon 8 | 39-22-14.016N 075-55-45.849W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **HEAD OF CHESAPEAKE BAY (Chart 12274)** | | | | | | |
| | **Sassafras River** | | | | | | |
| 27500 | - LIGHT 10 | 39-21-50.700N 075-54-43.887W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 27505 | - Daybeacon 12 | 39-21-54.881N 075-53-44.686W | | | | TR on pile. | |
| 27517 | BUDDS LANDING PIER LIGHT | 39-22-19.900N 075-50-23.400W | F Y | 11 | | | Private aid. |
| | **Aberdeen Proving Ground Channel** | | | | | | |
| 27520 | - *Lighted Buoy 2* | 39-25-00.434N 076-05-46.334W | Fl R 2.5s | | 3 | Red. | Replaced by nun from Nov. 25 to Apr. 10. |
| 27535 | - Buoy 4 | 39-25-41.007N 076-05-35.126W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 27540 | - Buoy 5 | 39-26-01.183N 076-05-34.148W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 27545 | - Buoy 6 | 39-26-00.283N 076-05-30.508W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 27565 | - Buoy 7 | 39-26-21.484N 076-05-44.268W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 27570 | - Daybeacon 9 | 39-27-01.813N 076-05-47.066W | | | | SG on pile. | |
| 27575 | - Daybeacon 11 | 39-27-25.503N 076-05-47.034W | | | | SG on pile. | |
| 27580 | - Daybeacon 12 | 39-27-37.145N 076-05-43.379W | | | | TR on pile. | |
| | **Susquehanna River** *Channel buoys located 30 - 50 feet outside channel limit.* | | | | | | |
| 27585 | - JUNCTION LIGHT SN | 39-26-39.221N 076-02-07.556W | Fl (2+1)R 6s | 15 | 4 | JR on multi-pile structure. | |
| 27590 | - *Channel Lighted Buoy 1S* | 39-27-46.842N 076-02-52.330W | Fl G 2.5s | | 4 | Green. | Replaced by can from Nov. 25 to Apr. 1. |
| 27595 | - Channel Buoy 2 Marks stone pile. | 39-28-18.343N 076-03-14.032W | | | | Red nun. | |
| 27600 | - *Channel Lighted Buoy 3* | 39-28-41.041N 076-04-10.733W | Fl G 4s | | 4 | Green. | Replaced by can from Nov. 25 to Apr. 1. |
| 27605 | - Channel Buoy 5 | 39-28-49.497N 076-04-48.313W | | | | Green can. | |
| 27610 | - Channel Buoy 6 100 feet outside channel limit. | 39-28-53.873N 076-04-46.840W | | | | Red nun. | |
| 27615 | - Channel Buoy 7 | 39-29-12.038N 076-05-06.974W | | | | Green can. | |
| 27620 | - Channel Buoy 8 | 39-29-13.704N 076-05-03.802W | | | | Red nun. | |
| 27625 | - Channel Buoy 9 | 39-29-29.439N 076-05-15.398W | | | | Green can. | |
| 27643 | - Channel Buoy 10 | 39-29-29.956N 076-05-11.883W | | | | Red nun. | |
| 27645 | - *Channel Lighted Buoy 11* | 39-29-56.739N 076-05-18.056W | Fl G 4s | | 4 | Green. | Replaced by can from Nov. 25 to Apr. 1. |
| 27650 | - Channel Buoy 12 | 39-29-57.602N 076-05-14.664W | | | | Red nun. | |
| 27655 | - Channel Buoy 13 | 39-30-44.740N 076-05-09.336W | | | | Green can. | |
| 27660 | - *Channel Lighted Buoy 14* | 39-31-06.439N 076-05-02.736W | Fl R 4s | | 4 | Red. | Replaced by nun from Nov. 25 to Apr. 1. |
| 27665 | - Channel Buoy 15 | 39-31-34.439N 076-05-00.836W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | | | |
| | **HEAD OF CHESAPEAKE BAY (Chart 12274)** | | | | | | |
| | **Susquehanna River** | | | | | | |
| | *Channel buoys located 30 - 50 feet outside channel limit.* | | | | | | |
| 27670 | - *Channel Lighted Buoy 17* | 39-32-10.338N 076-04-54.636W | Fl G 4s | | 4 | Green. | Replaced by can from Nov. 25 to Apr. 1. |
| | **Havre De Grace Yacht Basin** | | | | | | |
| 27675 | - Buoy 1 | 39-32-15.300N 076-05-04.100W | | | | Green can. | Private aid. |
| 27680 | - Buoy 2 | 39-32-16.200N 076-05-04.600W | | | | Red nun. | Private aid. |
| 27683 | - Buoy 3 | 39-32-15.200N 076-05-11.200W | | | | Green can. | Private aid. |
| 27685 | - Buoy 4 | 39-32-16.200N 076-05-09.800W | | | | Red nun. | Private aid. |
| 27690 | - Buoy 5 | 39-32-14.900N 076-05-16.600W | | | | Green can. | Private aid. |
| 27693 | - Buoy 6 | 39-32-15.400N 076-05-16.400W | | | | Red nun. | Private aid. |
| | **Susquehanna River** | | | | | | |
| | *Channel buoys located 30 - 50 feet outside channel limit.* | | | | | | |
| 27805 | - Channel Buoy 18 | 39-32-34.538N 076-04-48.036W | | | | Red nun. | |
| 27810 | Perry Point Warning Buoy | 39-32-46.338N 076-04-21.334W | | | | White can with orange bands and orange diamond worded SUBMERGED PILES. | |
| 27815 | PERRYVILLE INTAKE WARNING LIGHT A | 39-34-36.700N 076-05-16.800W | Fl W 4s | | | On pile. | Private aid. |
| 27815.1 | PERRYVILLE INTAKE WARNING LIGHT B | 39-34-35.800N 076-05-15.700W | Fl W 4s | | | On pile. | Private aid. |
| 27820 | - Junction Buoy SR | 39-32-55.237N 076-04-57.936W | | | | Green and red bands; can. | |
| 27825 | - Channel Buoy 19 | 39-33-00.737N 076-04-54.836W | | | | Green can. | |
| 27830 | - Channel Alternate Route Buoy 2 | 39-33-01.437N 076-05-05.336W | | | | Red nun. | |
| | **Northeast River** | | | | | | |
| 27835 | - LIGHT 2 | 39-29-23.111N 075-59-49.206W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 27840 | - LIGHT 4 | 39-30-44.144N 075-59-28.278W | Fl R 4s | 15 | 4 | TR on pile. | |
| 27845 | - Lighted Buoy 5 | 39-31-53.081N 075-59-03.726W | Fl G 2.5s | | 4 | Green. | Maintained from Apr. 1 to Nov. 25. |
| 27850 | - *Lighted Buoy 6* | 39-32-36.441N 075-58-22.176W | Fl R 4s | | 4 | Red. | Maintained from Apr. 1 to Nov. 25. |
| 27855 | - *Lighted Buoy 7* | 39-33-10.841N 075-58-30.166W | Fl G 4s | | 4 | Green. | Maintained from Apr. 1 to Nov. 25. |
| 27860 | - *Lighted Buoy 8* | 39-33-41.101N 075-58-19.146W | Fl R 2.5s | | 4 | Red. | Maintained from Apr. 1 to Nov. 25. |
| 27875 | - *Lighted Buoy 10* | 39-34-21.511N 075-57-51.106W | Fl R 4s | | 4 | Red. | Maintained from Apr. 1 to Nov. 25. |
| | **Upper Elk River** | | | | | | |
| | *Buoys maintained from Apr. 15 to Nov. 1.* | | | | | | |
| | *Aids maintained by Maryland Department of Transportation.* | | | | | | |
| 27896 | Elk River - Welch Point Buoy 2 | 39-31-45.242N 075-52-59.505W | | | | Red nun. | 1637NAV2 Private aid. |
| 27896.01 | Elk River - Welch Point Buoy 4 | 39-32-04.725N 075-52-47.023W | | | | Red nun. | 1638NAV4 Private aid. |
| 27896.02 | Elk River - Welch Point Buoy 6 | 39-32-20.823N 075-52-34.316W | | | | Red nun. | 1639NAV6 Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **CHESAPEAKE BAY (Maryland) - Fifth District** | | | | |
| | **HEAD OF CHESAPEAKE BAY (Chart 12274)** | | | | | | |
| | **Upper Elk River** | | | | | | |
| | *Buoys maintained from Apr. 15 to Nov. 1.* | | | | | | |
| | *Aids maintained by Maryland Department of Transportation.* | | | | | | |
| 27896.03 | Elk River - Welch Point Buoy 7 | 39-32-42.031N 075-52-16.110W | | | | Green can. | 1640NAV7 Private aid. |
| 27896.04 | Elk River - Welch Point Buoy 8 | 39-33-12.224N 075-51-59.908W | | | | Red nun. | 1641NAV8 Private aid. |
| 27896.05 | Elk River - Welch Point Buoy 9 | 39-33-11.425N 075-52-06.505W | | | | Green can. | 1642NAV9 Private aid. |
| 27896.06 | Elk River - Welch Point Buoy 10 | 39-33-24.240N 075-51-44.902W | | | | Red nun. | 1631NAV10 Private aid. |
| 27896.07 | Elk River - Welch Point Buoy 11 | 39-33-25.341N 075-51-45.713W | | | | Green can. | 1632NAV11 Private aid. |
| 27896.08 | Elk River - Welch Point Buoy 12 | 39-33-28.816N 075-51-19.109W | | | | Red nun. | 1633NAV12 Private aid. |
| 27896.09 | Elk River - Welch Point Buoy 13 | 39-33-32.099N 075-51-19.345W | | | | Green can. | 1634NAV13 Private aid. |
| 27896.11 | Elk River - Welch Point Buoy 14 | 39-33-41.132N 075-51-09.105W | | | | Red nun. | 1635NAV14 Private aid. |
| 27896.12 | Elk River - Welch Point Buoy 16 | 39-33-49.117N 075-51-05.708W | | | | Red nun. | 1636NAV16 Private aid. |
| 27897 | - Buoy 1 | 39-33-57.543N 075-50-59.392W | | | | Green can. | 4006NAV1. Private aid. |
| 27900 | - Buoy 2 | 39-33-56.523N 075-50-58.550W | | | | Red nun. | 4566NAV2. Private aid. |
| 27903 | - Buoy 3 | 39-34-05.243N 075-50-46.291W | | | | Green can. | 4007NAV3. Private aid. |
| 27905 | - Buoy 4 | 39-34-13.134N 075-50-34.944W | | | | Red nun. | 4008NAV4. Private aid. |
| 27907 | - Buoy 5 | 39-34-13.729N 075-50-35.360W | | | | Green can. | 4567NAV5. Private aid. |
| 27910 | - Buoy 6 | 39-34-17.138N 075-50-31.453W | | | | Red nun. | 4009NAV6. Private aid. |
| 27915 | - Buoy 7 | 39-34-22.399N 075-50-33.071W | | | | Green can. | 4568NAV7. Private aid. |
| 27920 | - Buoy 8 | 39-34-22.617N 075-50-32.315W | | | | Red nun. | 4569NAV8. Private aid. |
| 27925 | - Buoy 9 | 39-34-27.922N 075-50-36.767W | | | | Green can. | 4701NAV9. Private aid. |
| 27935 | - Buoy 11 | 39-34-30.636N 075-50-37.938W | | | | Green can. | 4700NAV11. Private aid. |
| 27940 | - Buoy 12 | 39-34-32.284N 075-50-37.829W | | | | Red nun. | 4571NAV12. Private aid. |
| 27945 | - Buoy 13 | 39-34-40.223N 075-50-34.599W | | | | Green can. | 4572NAV13. Private aid. |
| 27950 | - Buoy 14 | 39-34-46.065N 075-50-30.049W | | | | Red nun. | 4010NAV14. Private aid. |
| 27955 | - Buoy 16 | 39-34-51.600N 075-50-32.724W | | | | Red nun. | 4011NAV16. Private aid. |
| 27960 | - Buoy 18 | 39-34-54.843N 075-50-41.684W | | | | Red nun. | 4012NAV18. Private aid. |
| 27965 | - Buoy 19 | 39-34-55.336N 075-50-53.349W | | | | Green can. | 4013NAV19. Private aid. |
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CURRITUCK BEACH LIGHT TO WIMBLE SHOALS (Chart 12204)** | | | | | | |
| | **Oregon Inlet** | | | | | | |
| 27970 600 | - *Approach Lighted Whistle Buoy OI* | 35-48-38.180N 075-30-55.800W | Mo (A) W | | 6 | Red and white stripes. | Position frequently shifted with changing conditions. Topmark not installed on this aid. |
| 27975 | - *Lighted Buoy 1* | 35-48-13.445N 075-31-06.021W | Fl G 2.5s | | 5 | Green. | |
| 27980 | - Buoy 2 | 35-48-16.681N 075-31-14.686W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CURRITUCK BEACH LIGHT TO WIMBLE SHOALS (Chart 12204)** | | | | | | |
| | **Oregon Inlet** | | | | | | |
| 27985 | - Buoy 3 | 35-47-52.601N<br>075-31-20.900W | | | | Green can. | |
| 27990 | - Buoy 4 | 35-47-56.190N<br>075-31-29.696W | | | | Red nun. | |
| 27995<br>615 | - JETTY LIGHT | 35-46-25.942N<br>075-31-30.026W | Fl W 2.5s | 28 | 7 | NB on pile. | |
| 28003 | - *Lighted Buoy 6* | 35-47-43.475N<br>075-31-28.354W | Q R | | 4 | Red. | |
| 28003.5 | - *Lighted Buoy 6A* | 35-47-41.619N<br>075-31-56.110W | Q R | | 4 | Red. | |
| 28005 | - Buoy 7 | 35-47-33.559N<br>075-31-33.692W | | | | Green can. | |
| 28005.5 | - Buoy 7A | 35-47-40.969N<br>075-31-50.648W | | | | Green can. | |
| 28010 | - *Lighted Buoy 8* | 35-47-18.751N<br>075-31-59.509W | Fl R 4s | | 4 | Red | |
| 28015 | - *Lighted Buoy 9* | 35-47-19.482N<br>075-31-56.091W | Q G | | 4 | Green. | |
| 28017 | - Buoy 10 | 35-47-05.204N<br>075-31-47.101W | | | | Red nun. | |
| 28020 | - Buoy 11 | 35-46-29.924N<br>075-31-42.691W | | | | Green can. | |
| 28025 | - *Lighted Buoy 12* | 35-46-42.842N<br>075-31-46.003W | Fl R 2.5s | | 4 | Red. | |
| 28027 | - *Lighted Buoy 13* | 35-46-12.839N<br>075-31-52.856W | Fl G 2.5s | | 4 | Green. | |
| 28028 | - *Lighted Buoy 14* | 35-46-30.274N<br>075-31-52.327W | Fl R 4s | | 4 | Red. | |
| 28045 | - *Lighted Buoy 15* | 35-46-02.596N<br>075-31-58.311W | Q G | | 4 | Green. | |
| 28050 | - *Lighted Buoy 16* | 35-46-15.302N<br>075-31-55.094W | Fl R 4s | | 4 | Red. | |
| 28055 | - Buoy 17 | 35-46-11.043N<br>075-32-11.122W | | | | Green can. | |
| 28065 | - *Lighted Buoy 19* | 35-46-19.285N<br>075-32-21.420W | Fl G 4s | | 4 | Green. | |
| 28070 | - Channel Buoy 21 | 35-46-26.339N<br>075-32-29.971W | | | | Green can. | |
| 28073 | - Channel Buoy 21A | 35-46-35.270N<br>075-32-39.107W | | | | Green can. | |
| 28075 | - Channel Buoy 23 | 35-46-41.115N<br>075-32-50.077W | | | | Green can. | |
| 28077 | - Channel Buoy 24 | 35-46-45.216N<br>075-32-45.846W | | | | Red nun. | |
| 28080 | - Channel Buoy 25 | 35-46-42.834N<br>075-33-03.155W | | | | Green can. | |
| 28081 | - Channel Buoy 25A | 35-46-35.391N<br>075-33-25.085W | | | | Green can. | |
| 28083 | - *Channel Lighted Buoy 26* | 35-46-50.972N<br>075-33-03.582W | Q R | | 4 | Red. | |
| | **Oregon Inlet Cut** | | | | | | |
| 28084.2 | - Buoy 2 | 35-47-07.167N<br>075-33-10.447W | | | | Red nun. | |
| 28084.3 | - *Lighted Buoy 3* | 35-47-08.907N<br>075-33-14.198W | Fl G 4s | | 4 | Green. | |
| 28084.4 | - Buoy 4 | 35-47-18.956N<br>075-33-16.127W | | | | Red nun. | |
| 28084.5 | - Buoy 5 | 35-47-24.332N<br>075-33-23.816W | | | | Green can. | |
| | **Oregon Inlet** | | | | | | |
| 28085 | - *Channel Lighted Buoy 27* | 35-46-28.626N<br>075-33-39.250W | Q G | | 4 | Green. | |
| 28090 | - Channel Buoy 28 | 35-46-28.094N<br>075-33-44.271W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CURRITUCK BEACH LIGHT TO WIMBLE SHOALS (Chart 12204)** | | | | | | |
| | **Oregon Inlet** | | | | | | |
| 28093 | - Channel Buoy 28A | 35-46-14.188N 075-33-57.254W | | | | Red nun. | |
| 28095 | - *Channel Lighted Buoy 29* | 35-46-05.954N 075-33-57.714W | Fl G 4s | | 4 | Green. | |
| 28097 | - Channel Buoy 30 | 35-46-01.270N 075-34-12.332W | | | | Red nun. | |
| 28099 | - Channel Buoy 30A | 35-45-49.114N 075-34-26.280W | | | | Red nun. | |
| 28105 | - *Channel Lighted Buoy 31* | 35-45-48.887N 075-34-19.189W | Q G | | 4 | Green. | |
| 28110 | - Channel Buoy 32 | 35-45-42.970N 075-34-43.797W | | | | Red nun. | |
| 28115 | - Channel Buoy 33 | 35-45-39.174N 075-34-44.555W | | | | Green can. | |
| 28117 | - Channel Buoy 34 | 35-45-42.306N 075-35-03.919W | | | | Red nun. | |
| 28118 | - *Channel Lighted Buoy 34A* | 35-45-40.365N 075-35-22.247W | Q R | | 3 | Red. | |
| 28123 | - *Channel Lighted Buoy 35* | 35-45-36.980N 075-35-26.117W | Q G | | 3 | Green. | |
| 28124 | OLD HOUSE CHANNEL JUNCTION LIGHT OH | 35-45-42.013N 075-35-26.384W | Fl (2+1)G 6s | 15 | 4 | JG on pile. | |
| 28126 | - Channel Daybeacon 36 | 35-45-45.320N 075-35-20.442W | | | | TR on pile. | |
| 28127 | - Channel Daybeacon 36A | 35-46-00.398N 075-35-12.913W | | | | TR on pile. | |
| 28131 | - CHANNEL LIGHT 37 | 35-45-50.324N 075-35-19.175W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 28132 | - Channel Buoy 37A | 35-46-09.637N 075-35-10.350W | | | | Green can. | |
| 28135 | - Channel Buoy 38 | 35-46-07.073N 075-35-09.145W | | | | Red nun. | |
| 28137 | - *Channel Lighted Buoy 39* | 35-46-19.110N 075-35-02.241W | Fl G 4s | | 4 | Green. | |
| 28137.1 | - Channel Buoy 39A | 35-46-25.902N 075-34-54.998W | | | | Green can. | |
| 28139 | - Channel Buoy 40 | 35-46-14.144N 075-35-04.630W | | | | Red nun. | |
| 28141 | - CHANNEL LIGHT 41 | 35-46-31.440N 075-34-47.532W | Q G | 15 | 4 | SG on pile. | |
| 28145 | - Channel Buoy 42 | 35-46-24.505N 075-34-52.139W | | | | Red nun. | |
| 28150 | - Channel Buoy 44 | 35-46-30.698N 075-34-45.349W | | | | Red nun. | |
| 28170 | - Channel Daybeacon 46 | 35-46-37.888N 075-34-41.714W | | | | TR on pile. | |
| 28173 | - Channel Daybeacon 47 | 35-46-44.188N 075-34-39.674W | | | | SG on pile. | |
| 28175 | - Channel Daybeacon 49 | 35-46-51.596N 075-34-35.820W | | | | SG on pile. | |
| 28180 | - CHANNEL LIGHT 50 | 35-46-56.454N 075-34-30.387W | Fl R 4s | 18 | 4 | TR on pile. | |
| 28185 | - CHANNEL LIGHT 52 | 35-47-11.915N 075-34-21.262W | Q R | 18 | 4 | TR on pile. | |
| 28190 | - Channel Daybeacon 53 | 35-47-15.441N 075-34-22.037W | | | | SG on pile. | |
| 28193 | - CHANNEL LIGHT 54 | 35-47-21.041N 075-34-16.897W | Q R | 15 | 4 | TR on pile. | |
| 28195 | - *Channel Lighted Buoy 55* | 35-47-20.337N 075-34-20.400W | Q G | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Old House Channel** | | | | | | |
| | *Aids located 25 feet outside the dredged channel limit.* | | | | | | |
| 28233 | - *Lighted Buoy 1H* | 35-45-30.860N 075-35-32.213W | Fl G 2.5s | | 3 | Green. | |
| 28235 | - Buoy 3 | 35-45-25.064N 075-35-37.336W | | | | Green can. | |
| 28237 | WAVEBREAK WARNING LIGHTS (3) Marks wavebreak structure. | 35-45-17.305N 075-35-13.696W | Fl W 2.5s | | | NW on pile worded DANGER. | Private aid. |
| 28240 | - LIGHT 4 | 35-45-18.324N 075-35-46.202W | Fl R 4s | 15 | 4 | TR on pile. | |
| 28245 | - Daybeacon 5 | 35-45-11.213N 075-35-48.477W | | | | SG on pile. | |
| 28250 | - Daybeacon 6 | 35-45-05.135N 075-35-57.994W | | | | TR on pile. | |
| 28255 | - Daybeacon 7 | 35-44-46.772N 075-36-07.928W | | | | SG on pile. | |
| 28260 | - LIGHT 8 | 35-44-37.544N 075-36-23.123W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 28265 | - Daybeacon 9 | 35-44-19.724N 075-36-31.755W | | | | SG on pile. | |
| 28270 | - Daybeacon 10 | 35-44-11.344N 075-36-43.805W | | | | TR on pile. | |
| 28275 | - Buoy 11 | 35-43-54.152N 075-36-55.626W | | | | Green can. | |
| 28280 | - LIGHT 12 | 35-44-01.130N 075-36-53.342W | Fl R 4s | 15 | 4 | TR on pile. | |
| 28285 | - Daybeacon 13 | 35-43-39.872N 075-37-03.435W | | | | SG on pile. | |
| 28290 | Old House Daybeacon 14 | 35-43-37.712N 075-37-10.221W | | | | TR on pile. | |
| 28295 | - LIGHT 15 | 35-43-12.629N 075-37-25.465W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 28300 | - LIGHT 16OH | 35-43-00.988N 075-37-39.744W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| | **Walter Slough** | | | | | | |
| 28305 | - Daybeacon 2 | 35-47-15.958N 075-34-07.214W | | | | TR on pile. | |
| 28305.1 | - Buoy 2A | 35-47-16.693N 075-34-18.277W | | | | Red nun. | |
| 28310 | - LIGHT 3 | 35-47-22.463N 075-33-59.834W | Fl G 4s | 15 | 4 | SG on pile. | |
| 28315 | - Daybeacon 4 | 35-47-21.544N 075-33-59.260W | | | | TR on pile. | |
| 28320 | - *Lighted Buoy 5* | 35-47-30.037N 075-33-51.472W | Fl G 4s | | 4 | Green. | |
| 28325 | - Daybeacon 6 | 35-47-27.593N 075-33-49.212W | | | | TR on pile. | |
| 28327 | - *Lighted Buoy 6A* | 35-47-33.952N 075-33-36.031W | Q R | | 4 | Red. | |
| 28330 | - Buoy 7 | 35-47-35.148N 075-33-36.450W | | | | Green can. | |
| 28335 | - Buoy 8 | 35-47-32.299N 075-33-24.317W | | | | Red nun. | |
| 28340 | - *Lighted Buoy 9* | 35-47-33.206N 075-33-24.517W | Fl G 2.5s | | 4 | Green. | |
| 28345 | - Buoy 10 | 35-47-35.078N 075-33-17.324W | | | | Red nun. | |
| 28350 | - *Lighted Buoy 11* | 35-47-41.008N 075-33-05.250W | Fl G 4s | | 4 | Green. | |
| 28355 | - Buoy 12 | 35-47-40.390N 075-33-04.714W | | | | Red nun. | |
| 28360 | - LIGHT 13 | 35-47-42.243N 075-32-57.720W | Q G | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Roanoke Sound** | | | | | | |
| 28365 | - CHANNEL LIGHT 1 | 35-47-34.006N 075-34-35.622W | Fl G 4s | 15 | 4 | SG on pile. | |
| 28370 | - Channel Daybeacon 2 | 35-47-35.732N 075-34-33.386W | | | | TR on pile. | |
| 28375 | - CHANNEL LIGHT 4 | 35-47-53.264N 075-34-54.988W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 28380 | - Channel Daybeacon 5 | 35-48-16.674N 075-35-10.325W | | | | SG on pile. | |
| 28385 | - CHANNEL LIGHT 7 | 35-48-36.688N 075-35-22.874W | Fl G 4s | 15 | 4 | SG on pile. | |
| 28387 | Croatan Sound Oyster Sanctuary Buoy A | 35-48-17.000N 075-38-20.200W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 28387.1 | Croatan Sound Oyster Sanctuary Buoy B | 35-48-11.500N 075-38-20.200W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 28387.2 | Croatan Sound Oyster Sanctuary Buoy C | 35-48-11.500N 075-38-27.400W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 28387.3 | Croatan Sound Oyster Sanctuary Buoy D | 35-48-17.000N 075-38-27.500W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 28390 | ROANOKE ISLAND CUT THROUGH LIGHT 1 | 35-48-18.124N 075-37-04.154W | Fl G 4s | 15 | 4 | SG on pile. | |
| 28395 | - Channel Daybeacon 8 | 35-48-34.698N 075-35-18.238W | | | | TR on pile. | |
| 28400 | - CHANNEL LIGHT 10 | 35-49-05.588N 075-35-35.526W | Fl R 4s | 15 | 4 | TR on pile. | |
| 28405 | - CHANNEL LIGHT 11 | 35-49-42.592N 075-35-56.979W | Fl G 6s | 15 | 4 | SG on multi-pile structure. | |
| 28410 | - Channel Daybeacon 12 | 35-49-36.687N 075-35-51.431W | | | | TR on pile. | |
| 28415 | - Channel Daybeacon 13 | 35-50-04.815N 075-36-09.639W | | | | SG on pile. | |
| 28420 | - Channel Daybeacon 14 | 35-50-15.965N 075-36-12.207W | | | | TR on pile. | |
| 28430 | - CHANNEL LIGHT 16 | 35-50-36.528N 075-36-22.690W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 28435 | - Channel Daybeacon 16A | 35-51-00.053N 075-36-37.506W | | | | TR on pile. | |
| | **Wanchese Channel** *Daybeacons located 25 feet outside channel limit.* | | | | | | |
| 28440 | - Buoy 1 | 35-50-34.530N 075-36-25.650W | | | | Green can. | |
| 28445 | - Buoy 2 | 35-50-36.110N 075-36-27.561W | | | | Red nun. | |
| 28450 | - Daybeacon 3 | 35-50-30.025N 075-36-40.034W | | | | SG on pile. | |
| 28455 | - Daybeacon 4 | 35-50-30.263N 075-36-43.753W | | | | TR on pile. | |
| 28460 | - Daybeacon 5 | 35-50-23.556N 075-36-58.565W | | | | SG on pile. | |
| 28465 | - LIGHT 6 25 feet outside channel limit. | 35-50-25.284N 075-36-58.351W | Fl R 4s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Roanoke Sound** | | | | | | |
| 28470 | - CHANNEL LIGHT 17 | 35-51-00.617N 075-36-41.470W | Fl G 4s | 15 | 4 | SG on pile. | |
| 28475 | - CHANNEL LIGHT 19 | 35-51-40.903N 075-37-04.172W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 28480 | - Channel Daybeacon 21 | 35-52-32.355N 075-37-24.623W | | | | SG on pile. | |
| 28485 | - CHANNEL LIGHT 22 | 35-53-04.323N 075-37-32.960W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 28490 | - Channel Daybeacon 24 | 35-53-23.313N 075-37-51.622W | | | | TR on pile. | |
| 28495 | - Channel Daybeacon 24A | 35-53-49.581N 075-38-12.590W | | | | TR on pile. | |
| 28505 | - Channel Daybeacon 25 | 35-54-02.945N 075-38-24.239W | | | | SG on pile. | |
| 28510 | - CHANNEL LIGHT 27 | 35-54-10.888N 075-38-33.729W | Fl G 4s | 15 | 4 | SG on pile. | |
| 28515 | - Channel Daybeacon 28 | 35-54-22.168N 075-38-36.896W | | | | TR on pile. | |
| 28520 | - CHANNEL LIGHT 29 | 35-54-32.285N 075-38-39.443W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 28525 | - Channel Daybeacon 29A | 35-54-42.305N 075-38-45.323W | | | | SG on pile. | |
| 28527 | - Channel Daybeacon 29B | 35-54-57.635N 075-38-54.683W | | | | SG on pile. | |
| 28529 | - Channel Buoy 29C | 35-55-06.300N 075-38-59.077W | | | | Green can. | |
| 28530 | - CHANNEL LIGHT 30 | 35-54-50.662N 075-38-47.798W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 28531 | - CHANNEL LIGHT 30A | 35-55-05.258N 075-38-57.703W | Q R | 15 | 4 | TR on pile. | |
| | **Manteo Channel** | | | | | | |
| 28535 | - Daybeacon 2M | 35-55-05.673N 075-39-00.994W | | | | TR on pile. | |
| 28537 | - Daybeacon 3 | 35-55-03.311N 075-39-00.411W | | | | SG on pile. | |
| 28539 | - Buoy 4 | 35-55-03.945N 075-39-01.332W | | | | Red nun. | |
| 28540 | - Buoy 5 | 35-54-54.100N 075-39-08.100W | | | | Green can. | |
| 28550 | - *Lighted Buoy 6* | 35-54-44.015N 075-39-22.657W | Fl R 4s | | 4 | Red. | |
| 28551 | - LIGHT 8 | 35-54-23.844N 075-39-43.309W | Q R | 15 | 4 | TR on pile. | |
| 28551.5 | - Daybeacon 10 | 35-54-23.697N 075-39-53.618W | | | | TR on pile. | |
| | **Shallowbag Bay** | | | | | | |
| 28552 | - WARNING LIGHT A | 35-54-23.258N 075-39-30.654W | Fl W 4s | 10 | | NW on pile worded SUBMERGED PIPES. | Private aid. |
| 28553 | - WARNING LIGHT D | 35-54-23.476N 075-39-29.396W | Fl W 4s | 10 | | NW on pile worded SUBMERGED PIPES. | Private aid. |
| 28555 | - Club Channel Daybeacon 1 | 35-54-12.000N 075-39-48.000W | | | | SG on pile. | Private aid. |
| 28555.1 | - Club Channel Daybeacon 2 | 35-54-06.000N 075-39-54.000W | | | | TR on pile. | Private aid. |
| 28555.2 | - Club Channel Daybeacon 3 | 35-54-06.000N 075-39-48.000W | | | | SG on pile. | Private aid. |
| 28555.3 | - Club Channel Daybeacon 4 | 35-54-00.000N 075-39-54.000W | | | | TR on pile. | Private aid. |
| 28555.4 | - Club Channel Daybeacon 5 | 35-54-00.000N 075-39-48.000W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Roanoke Sound** | | | | | | |
| 28570 | - Channel Daybeacon 31 | 35-55-16.378N 075-39-03.248W | | | | SG on pile. | |
| 28571 | - Channel Daybeacon 31A | 35-55-26.554N 075-39-07.148W | | | | SG on pile. | |
| 28575 | - Channel Daybeacon 32 | 35-55-29.242N 075-39-05.587W | | | | TR on pile. | |
| 28580 | - CHANNEL LIGHT 33 | 35-55-55.416N 075-39-18.084W | Fl G 4s | 15 | 5 | SG on pile. | |
| 28585 | - Channel Daybeacon 34 | 35-56-05.675N 075-39-19.661W | | | | TR on pile. | |
| 28590 | - CHANNEL LIGHT 36 | 35-56-25.528N 075-39-29.174W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 28595 | COLINGTON CUT ENTRANCE LIGHT 2C | 35-59-50.207N 075-41-38.827W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 28600 | - Channel Daybeacon 37 | 35-56-37.307N 075-40-37.627W | | | | SG on pile. | |
| 28605 | - CHANNEL LIGHT 39 | 35-56-49.375N 075-41-27.915W | Fl G 4s | 15 | 5 | SG on pile. | |
| 28607 | Fort Raleigh Artificial Reef Buoy AR-197A | 35-57-19.400N 075-42-19.700W | | | | White can with orange diamond, worded REEF. | Private aid. |
| 28607.1 | Fort Raleigh Artificial Reef Buoy AR-197B | 35-57-19.000N 075-42-03.900W | | | | White can with orange diamond, worded REEF | Private aid. |
| 28607.2 | Fort Raleigh Artificial Reef Buoy AR-197C | 35-57-06.200N 075-42-04.400W | | | | White can with orange diamond, worded REEF | Private aid. |
| 28607.3 | Fort Raleigh Artificial Reef Buoy AR-197D | 35-57-06.600N 075-42-20.000W | | | | White can with orange diamond, worded REEF | Private aid. |
| 28610 | - CHANNEL LIGHT 40 | 35-57-07.785N 075-42-33.543W | Fl R 4s | 15 | 4 | TR on pile. | |
| 28615 | - Channel Daybeacon 41 | 35-56-47.149N 075-43-19.360W | | | | SG on pile. | |
| 28620 | - CHANNEL LIGHT 42 | 35-56-19.844N 075-44-34.813W | Fl R 6s | 15 | 5 | TR on pile. | |
| | **CAPE HATTERAS (Chart 11555)** | | | | | | |
| | **Hatteras Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 28625 645 | **- Light** | 35-11-51.541N 075-43-56.005W | Iso W 6s | 48 | 10 | Skeleton tower on black house. 45 | |
| 28630 650 | *- Entrance Lighted Whistle Buoy HI* | 35-09-47.709N 075-45-15.183W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | Position frequently shifted with changing conditions. |
| 28640 | *- Lighted Buoy 1* | 35-10-06.082N 075-45-30.492W | Fl G 2.5s | | 4 | Green. | |
| 28645 | *- Lighted Buoy 2* | 35-10-07.206N 075-45-14.716W | Fl R 2.5s | | 4 | Red. | |
| 28650 | *- Lighted Buoy 4* | 35-10-52.027N 075-45-11.272W | Fl R 2.5s | | 4 | Red. | |
| 28653 | *- Lighted Buoy 5* | 35-10-47.662N 075-45-25.429W | Fl G 2.5s | | 4 | Green. | |
| 28660 | *- Lighted Buoy 6* | 35-10-59.310N 075-45-54.754W | Fl R 4s | | 4 | Red. | |
| 28665 | *- Lighted Buoy 7* | 35-11-08.269N 075-45-29.425W | Fl G 2.5s | | 4 | Green. | |
| 28667 | *- Lighted Buoy 8* | 35-11-07.811N 075-45-22.984W | Q R | | 3 | Red. | |
| | **South Ferry Terminal** | | | | | | |
| 28699.1 | *- Lighted Buoy 1SF* | 35-11-27.667N 075-45-42.698W | Q G | | 4 | Green. | |
| 28700 | *- Lighted Buoy 2SF* | 35-11-36.358N 075-46-03.293W | Fl R 4s | | 4 | Red. | |
| 28701 | - Buoy 3SF | 35-11-33.769N 075-46-03.433W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE HATTERAS (Chart 11555)** | | | | | | |
| | **Hatteras Inlet** | | | | | | |
| | **South Ferry Terminal** | | | | | | |
| 28703 | - *Lighted Buoy 4SF* | 35-11-37.869N 075-46-22.519W | Fl R 2.5s | | 4 | Red. | |
| 28705 | - Buoy 5SF | 35-11-36.050N 075-46-18.684W | | | | Green can. | |
| 28707 | - *Lighted Buoy 6SF* | 35-11-34.634N 075-46-30.983W | Q R | | 4 | Red. | |
| 28715 | - *Lighted Buoy 7SF* | 35-11-36.583N 075-46-22.241W | Fl G 4s | | 4 | Green. | |
| 28717 | - *Lighted Buoy 9SF* | 35-11-33.244N 075-46-30.502W | Fl G 2.5s | | 4 | Green. | |
| 28720 | - Warning Daybeacon A Located 350 yards outside of channel. | 35-11-44.104N 075-46-22.948W | | | | NW on pile worded DANGER SHOALING. | |
| | **Barney Slough Channel** | | | | | | |
| 28721 | - *Lighted Buoy 1B* | 35-11-37.423N 075-46-59.208W | Fl G 2.5s | | 4 | Green. | |
| 28721.2 | Barney Slough Buoy 1C | 35-12-19.616N 075-47-16.289W | | | | Green can. | |
| 28721.3 | - *Lighted Buoy 2* | 35-12-12.181N 075-47-05.117W | Fl R 4s | | 4 | Red. | |
| 28721.4 | Barney Slough Buoy 2A | 35-12-48.976N 075-47-03.254W | | | | Red nun. | |
| 28721.5 | - *Lighted Buoy 3* | 35-13-12.649N 075-47-10.564W | Fl G 2.5s | | 4 | Green. | |
| 28721.6 | - Buoy 3A | 35-13-34.282N 075-47-14.261W | | | | Green can. | |
| 28721.7 | - *Lighted Buoy 4* | 35-13-28.755N 075-47-05.985W | Fl R 2.5s | | 4 | Red nun. | |
| 28721.8 | - Buoy 4A | 35-13-36.248N 075-47-23.618W | | | | Red nun. | |
| 28722.3 | - *Lighted Buoy 6* | 35-13-48.853N 075-47-36.518W | Q R | | 4 | Red. | |
| 28722.5 | - *Lighted Wreck Buoy WR8* | 35-14-02.005N 075-45-58.183W | Q R | | 4 | Red. | |
| 28722.7 | - *Lighted Buoy 10* | 35-14-06.112N 075-45-32.642W | Q R | | 4 | Red. | |
| 28722.9 | - Buoy 11 | 35-13-37.611N 075-44-53.506W | | | | Green can. | |
| 28723 | - Buoy 12 | 35-13-31.066N 075-44-55.700W | | | | Red nun. | |
| 28723.3 | - *Lighted Buoy 13* | 35-13-25.321N 075-44-35.895W | Fl G 2.5s | | 4 | Green. | |
| 28723.5 | - *Lighted Buoy 14* | 35-12-59.935N 075-44-11.497W | Q R | | 4 | Red. | |
| 28723.7 | - *Lighted Buoy 15* | 35-12-55.790N 075-44-03.223W | Fl G 4s | | 4 | Green. | |
| 28723.9 | - *Lighted Buoy 16* | 35-12-48.688N 075-44-02.685W | Fl R 2.5s | | 4 | Red. | |
| | **Hatteras Inlet** *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 28725 | - Warning Daybeacon A | 35-11-47.103N 075-45-01.798W | | | | NW on multi-pile structure worded DANGER SHOALING. | |
| 28730 | - Channel Warning Daybeacon | 35-11-56.777N 075-44-20.751W | | | | NW multi-pile structure worded DANGER SHOALING. | |
| 28732 | - *Channel Lighted Buoy 12* | 35-12-36.785N 075-43-55.362W | Q R | | 4 | Red. | |
| 28732.1 | - *Channel Lighted Buoy 12A* | 35-12-18.505N 075-43-54.199W | Fl R 2.5s | | 4 | Red. | |
| 28733.1 | - Channel Buoy 12B | 35-12-11.824N 075-43-55.492W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE HATTERAS (Chart 11555)** | | | | | | |
| | **Hatteras Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 28735.3 | - *Channel Lighted Buoy 13A* | 35-12-16.776N 075-43-51.097W | Fl G 4s | | 4 | Green. | |
| 28735.6 | - *Channel Lighted Buoy 14* | 35-12-04.226N 075-43-58.162W | Fl R 2.5s | | 4 | Red. | |
| 28736 | - Channel Buoy 15 | 35-12-10.138N 075-43-51.304W | | | | Green can. | |
| 28750 | - *Channel Lighted Buoy 16* | 35-12-07.188N 075-43-38.916W | Fl R 4s | | 4 | Red. | |
| 28753 | - *Channel Lighted Buoy 17* | 35-12-08.808N 075-43-46.474W | Q G | | 4 | Green. | |
| 28755 | - Channel Warning Daybeacon C | 35-12-13.013N 075-43-24.864W | | | | NW on pile, worded DANGER SHOAL. | |
| 28756 | - Channel Buoy 17A | 35-12-10.438N 075-43-30.111W | | | | Green can. | |
| 28757 | - Channel Buoy 17B | 35-12-13.495N 075-43-18.588W | | | | Green can. | |
| 28760 | - Channel Buoy 18 | 35-12-16.902N 075-43-12.217W | | | | Red nun. | |
| 28765 | - CHANNEL LIGHT 19 | 35-12-16.127N 075-43-14.218W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 28765.1 | - Channel Buoy 19A | 35-12-22.182N 075-43-15.216W | | | | Green can. | |
| 28767 | - Channel Daybeacon 20 | 35-12-38.466N 075-43-05.233W | | | | TR on pile. | |
| 28768 | - Channel Buoy 20A | 35-12-42.350N 075-42-59.829W | | | | Red nun. | |
| 28770 | - CHANNEL LIGHT 21 | 35-12-40.237N 075-43-08.918W | Q G | 15 | 4 | SG on pile. | |
| 28775 | - Channel Daybeacon 23 | 35-12-52.622N 075-42-36.309W | | | | SG on pile. | |
| 28780 | - Junction Daybeacon HF | 35-12-48.119N 075-42-42.235W | | | | JG on pile. | |
| 28785 | - CHANNEL LIGHT 24 | 35-12-45.962N 075-42-45.656W | Q R | 19 | 4 | TR on pile. | |
| 28787 | - Channel Buoy 24A | 35-12-57.525N 075-42-26.146W | | | | Red nun. | |
| 28790 | - CHANNEL LIGHT 25 | 35-13-07.948N 075-42-11.834W | Fl G 4s | 19 | 4 | SG on pile. | |
| 28795 | - Channel Daybeacon 26 | 35-13-14.188N 075-41-57.074W | | | | TR on pile. | |
| 28800 | - Channel Daybeacon 27 | 35-13-20.354N 075-41-48.878W | | | | SG on pile. | |
| 28807 | Hatteras Harbor Daybeacon 2 | 35-13-17.867N 075-41-43.682W | | | | TR on pile. | |
| 28810 | HATTERAS HARBOR LIGHT 4 | 35-13-14.458N 075-41-41.024W | Fl R 4s | 24 | 4 | TR on multi-pile structure. | |
| | **Rollinson Channel** | | | | | | |
| 28815 | - LIGHT 30 | 35-13-21.501N 075-41-44.721W | Q R | 15 | 4 | TR on pile. | |
| 28816 | - Buoy 30A | 35-13-30.338N 075-41-51.994W | | | | Red nun. | |
| 28817 | - Daybeacon 31 | 35-13-23.708N 075-41-47.632W | | | | SG on pile. | |
| 28818 | - Buoy 31A | 35-13-27.378N 075-41-50.904W | | | | Green can. | |
| 28820 | - LIGHT 32 | 35-13-48.949N 075-42-05.845W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 28825 | - LIGHT 33 | 35-14-16.992N 075-42-28.258W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 28827 | - Daybeacon 33A | 35-14-33.148N 075-42-42.794W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE HATTERAS (Chart 11555)** | | | | | | |
| | **Rollinson Channel** | | | | | | |
| 28830 | - LIGHT 34 | 35-14-39.028N 075-42-44.654W | Fl R 4s | 15 | 4 | TR on pile. | |
| 28835 | - LIGHT 34A | 35-14-56.277N 075-42-59.822W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 28840 | - LIGHT 36 | 35-15-27.748N 075-43-17.396W | Fl R 6s | 15 | 4 | TR on pile. | |
| 28845 | - LIGHT 38 | 35-15-56.654N 075-43-37.891W | Fl R 4s | 15 | 4 | TR on pile. | |
| 28850 | - LIGHT 39 | 35-16-14.013N 075-43-57.679W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 28855 | Oliver Reef Warning Daybeacon | 35-14-58.371N 075-43-10.887W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| 28860 | - Daybeacon 41 | 35-16-35.876N 075-44-12.193W | | | | SG on pile. | |
| 28865 | - LIGHT 42RC | 35-16-45.655N 075-44-15.293W | Fl R 2.5s | 15 | 5 | TR on multi-pile structure. | |
| 28870 | AUSTIN CREEK ENTRANCE CHANNEL LIGHT 1 | 35-12-37.580N 075-42-20.690W | Fl G 4s | 15 | 4 | SG on pile. | |
| 28875 | AUSTIN CREEK LIGHT 2 | 35-12-32.871N 075-42-15.490W | Fl R 4s | 15 | 4 | TR on pile. | |
| 28880 | Hatteras Fishing Center Daybeacon 2 | 35-12-37.631N 075-42-16.580W | | | | TR on pile. | Private aid. |
| 28885 | Hatteras Fishing Center Daybeacon 3 | 35-12-37.651N 075-42-15.495W | | | | SG on pile. | Private aid. |
| 28890 | Hatteras Fishing Center Daybeacon 4 | 35-12-35.631N 075-42-14.580W | | | | TR on pile. | Private aid. |
| | **OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550)** | | | | | | |
| | **Ocracoke Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 28900 | - Buoy 1 | 35-02-55.916N 075-59-47.224W | | | | Green can. | |
| 28910 | - *Lighted Buoy 3* | 35-03-22.697N 076-00-12.202W | Q G | | 3 | Green. | |
| 28915 | - *Lighted Buoy 4* | 35-03-26.910N 075-59-57.967W | Fl R 2.5s | | 4 | Red. | |
| 28920 | - *Lighted Buoy 6* | 35-03-49.654N 076-00-15.741W | Fl R 4s | | 3 | Red. | |
| 28925 | - Buoy 7 | 35-03-45.693N 076-00-32.377W | | | | Green can. | |
| 28927 | - Buoy 8 | 35-04-22.960N 076-01-01.570W | | | | Red nun. | |
| 28930 | - *Lighted Buoy 10* | 35-04-28.744N 076-00-59.242W | Fl R 4s | | 3 | Red. | |
| | **Teaches Hole Channel** | | | | | | |
| 28953 | - *Lighted Buoy 19* | 35-04-20.663N 076-01-24.687W | Fl G 2.5s | | 4 | Green. | |
| 28955 | - *Lighted Buoy 20* | 35-04-16.564N 076-01-15.698W | Fl R 2.5s | | 4 | Red. | |
| 28955.5 | - Buoy 20A | 35-04-38.788N 076-01-09.531W | | | | Red nun. | |
| 28955.7 | - Buoy 20B | 35-04-44.687N 076-01-00.343W | | | | Red nun. | |
| 28957 | - Buoy 21 | 35-04-33.265N 076-01-07.181W | | | | Green can. | |
| 28960 | - Buoy 22 | 35-04-45.338N 076-00-49.132W | | | | Red nun. | |
| 28961 | - Buoy 23 | 35-04-38.620N 076-01-14.265W | | | | Green can. | |
| 28961.1 | - Buoy 23A | 35-04-47.281N 076-01-00.153W | | | | Green can. | |
| 28961.5 | - Buoy 23B | 35-04-46.971N 076-00-43.996W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550)** | | | | | | |
| | **Ocracoke Inlet** | | | | | | |
| | **Teaches Hole Channel** | | | | | | |
| 28961.7 | - Buoy 23C | 35-04-38.933N 076-00-35.465W | | | | Green can. | |
| 28962 | - *Lighted Buoy 24* | 35-04-34.459N 076-00-40.665W | Fl R 2.5s | | 4 | Red. | |
| 28962.2 | - *Lighted Buoy 25* | 35-04-41.914N 076-00-16.220W | Q G | | 4 | Green. | |
| 28963 | - Buoy 26 | 35-04-40.172N 076-00-12.678W | | | | Red nun. | |
| 28964 | - *Lighted Buoy 27* | 35-04-51.936N 076-00-06.444W | Fl G 4s | | 4 | Green. | |
| 28965 | - LIGHT 29 | 35-05-03.669N 075-59-59.351W | Fl G 4s | 15 | 4 | SG on pile. | |
| 28967 | - Buoy 29A | 35-05-42.154N 075-59-49.692W | | | | Green can. | |
| 28970 | - *Lighted Buoy 30* | 35-05-33.521N 075-59-55.664W | Fl R 4s | | 4 | Red. | |
| 28971 | - Warning Daybeacon A | 35-05-34.723N 075-59-51.550W | | | | NW on pile worded DANGER SHOAL. | |
| 28973 | - Buoy 30A | 35-05-38.089N 075-59-53.266W | | | | Red nun. | |
| 28975 | - Daybeacon 31 | 35-05-50.118N 075-59-42.524W | | | | SG on pile. | |
| 28977 | - Buoy 31A | 35-06-06.964N 075-59-35.795W | | | | Green can. | |
| 28980 | - Daybeacon 33 | 35-06-14.778N 075-59-37.492W | | | | SG on pile. | |
| | **Silver Lake** | | | | | | |
| 28985 | - JUNCTION LIGHT SL | 35-06-37.633N 075-59-30.920W | Fl (2+1)R 6s | 15 | 4 | JR on pile. | |
| 28990 | - Entrance Daybeacon 2 | 35-06-28.552N 075-59-25.205W | | | | TR on pile. | |
| 28995 | - Entrance Daybeacon 4 | 35-06-40.162N 075-59-25.274W | | | | TR on pile. | |
| 29010 | - ENTRANCE LIGHT 6 | 35-06-50.005N 075-59-23.163W | Q R | 15 | 4 | TR on pile. | |
| 29015 | - ENTRANCE LIGHT 7 | 35-06-53.338N 075-59-23.882W | Q G | 15 | 4 | SG on pile. | |
| 29020 | - ENTRANCE LIGHT 9 | 35-06-52.228N 075-59-14.588W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **Big Foot Slough Channel** | | | | | | |
| 29025 | - Daybeacon 1 | 35-06-29.041N 075-59-42.226W | | | | SG on pile. | |
| 29030 | - LIGHT 3 | 35-06-48.922N 075-59-52.832W | Fl G 4s | 15 | 4 | SG on pile. | |
| 29035 | - Daybeacon 4 | 35-06-54.178N 075-59-43.166W | | | | TR on pile. | |
| 29040 | - Daybeacon 6 | 35-07-17.170N 075-59-55.459W | | | | TR on pile. | |
| 29045 | - LIGHT 8 | 35-07-45.338N 076-00-04.180W | Fl R 6s | 15 | 4 | TR on pile. | |
| 29050 | - Daybeacon 8A | 35-08-04.173N 076-00-10.581W | | | | TR on pile. | |
| 29055 | - LIGHT 9 | 35-08-18.246N 076-00-18.553W | Fl G 4s | 15 | 4 | SG on pile. | |
| 29056 | - LIGHT 9A | 35-08-32.368N 076-00-21.134W | Fl G 4s | 15 | 4 | SG on pile. | |
| 29060 | - Daybeacon 9B | 35-08-47.248N 076-00-27.852W | | | | SG on pile. | |
| 29061 | - Buoy 9C | 35-09-00.024N 076-00-40.236W | | | | Green can. | |
| 29070 | - Daybeacon 10A | 35-08-48.148N 076-00-23.954W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550)** | | | | | | |
| | **Ocracoke Inlet** | | | | | | |
| | **Big Foot Slough Channel** | | | | | | |
| 29070.1 | - *Lighted Buoy 10B* | 35-08-57.633N 076-00-34.733W | Q R | | 4 | Red. | |
| 29070.2 | - Buoy 10C | 35-09-03.184N 076-00-38.651W | | | | | |
| 29070.3 | - *Lighted Buoy 11* | 35-09-06.053N 076-00-41.428W | Q G | | 4 | Green. | |
| 29077 | - Daybeacon 12 | 35-09-08.866N 076-00-39.384W | | | | TR on pile. | |
| 29080 | - WARNING LIGHT NB Marks LEHIGH wreck. | 35-09-16.983N 076-00-38.477W | Fl W 4s | 15 | 5 | NW on multi-pile structure worded DANGER WRECK. | |
| 29083 | - LIGHT 13 | 35-09-20.325N 076-00-47.848W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 29087 | - LIGHT 14BF | 35-09-30.296N 076-00-50.857W | Fl R 4s | 15 | 4 | TR on pile. | |
| 29089 | Ocracoke Oyster Sanctuary Buoy AR-298A | 35-10-49.600N 075-59-36.700W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Private aid. |
| 29089.1 | Ocracoke Oyster Sanctuary Buoy AR-298B | 35-10-31.100N 075-59-36.700W | | | | White can with orange band and diamond worded DANGER SUBMERGED ROCKS. | Private aid. |
| 29089.2 | Ocracoke Oyster Sanctuary Buoy AR-298C | 35-10-31.100N 075-59-58.300W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Private aid. |
| 29089.3 | Ocracoke Oyster Sanctuary Buoy AR-298D | 35-10-49.600N 075-59-58.400W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Private aid. |
| | **Swash Channel** | | | | | | |
| 29090 | - Daybeacon 1 | 35-07-29.910N 076-00-10.615W | | | | SG on pile. | |
| 29095 | - Daybeacon 2 | 35-07-32.680N 076-00-11.104W | | | | TR on pile. | |
| 29100 | - LIGHT 4 | 35-07-36.304N 076-00-22.544W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| | **Nine Foot Shoal Channel** | | | | | | |
| 29105 | - Daybeacon 5 | 35-07-41.417N 076-00-43.218W | | | | SG on pile. | |
| 29110 | - LIGHT 6 | 35-08-01.867N 076-01-01.667W | Fl R 4s | 16 | 4 | TR on pile. | |
| 29113 | - Buoy 7 | 35-08-03.141N 076-01-34.105W | | | | Green can. | |
| 29115 | - Daybeacon 8 | 35-08-19.705N 076-02-04.078W | | | | TR on pile. | |
| 29120 | - LIGHT 9 | 35-08-27.102N 076-02-39.895W | Fl G 2.5s | 17 | 4 | SG on pile. | |
| | **BEAUFORT INLET AND CORE SOUND (Chart 11545)** | | | | | | |
| | **Lookout Bight** | | | | | | |
| 29125 710 | *Cape Lookout Breakwater Lighted Buoy 2* | 34-37-06.948N 076-33-45.931W | Q R | | 4 | Red. | |
| 29130 | - *Lighted Buoy 4* Marks north end of shoal. | 34-38-14.430N 076-33-04.491W | Fl R 6s | | 5 | Red. | |
| 29135 | - *Lighted Mooring Buoy CG* | 34-37-21.793N 076-32-51.708W | Fl W 4s | | 4 | White with blue band worded CG. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **BEAUFORT INLET AND CORE SOUND (Chart 11545)** | | | | | | |
| | **Barden Inlet** | | | | | | |
| 29140 | - *Lighted Buoy 1* | 34-37-19.123N 076-32-43.729W | Fl G 4s | | 3 | Green. | |
| 29145 | - Buoy 2 | 34-37-06.479N 076-32-33.128W | | | | Red nun. | |
| 29150 | - Buoy 3 | 34-37-09.476N 076-32-25.521W | | | | Green can. | |
| 29160 | - Buoy 4 | 34-37-08.577N 076-32-16.014W | | | | Red nun. | |
| 29165 | - Buoy 5 | 34-37-15.355N 076-32-10.271W | | | | Green can. | |
| 29170 | - Buoy 6 | 34-37-14.380N 076-32-06.340W | | | | Red nun. | |
| 29175 | - Buoy 7 | 34-37-39.741N 076-31-57.408W | | | | Green can. | |
| 29180 | - Buoy 8 | 34-37-28.114N 076-31-56.069W | | | | Red nun. | |
| 29183 | - Warning Buoy AA | 34-37-36.362N 076-31-44.973W | | | | White can with orange bands. | |
| 29185 | - Buoy 9 | 34-37-43.028N 076-31-51.443W | | | | Green can. | |
| 29190 | - Buoy 10 | 34-37-43.760N 076-31-46.490W | | | | Red nun. | |
| 29193 | - Buoy 11 | 34-37-50.444N 076-31-37.509W | | | | Green Can. | |
| 29200 | - Buoy 13 | 34-37-57.534N 076-31-21.366W | | | | | |
| 29210 | - Buoy 15 | 34-38-03.084N 076-31-11.220W | | | | Green can. | |
| 29215 | - Buoy 17 | 34-38-21.377N 076-30-59.638W | | | | Green can. | |
| 29220 | - Buoy 18 | 34-38-32.258N 076-30-53.330W | | | | Red nun. | |
| 29225 | - *Lighted Buoy 19* | 34-38-34.126N 076-31-00.227W | Q G | | 4 | Green. | |
| 29230 | - Daybeacon 20 | 34-38-58.971N 076-31-06.843W | | | | TR on pile. | |
| 29235 | - *Lighted Buoy 21* | 34-39-10.180N 076-31-11.881W | Fl G 4s | | 4 | Green. | |
| 29240 | - Buoy 24 | 34-39-24.702N 076-31-12.205W | | | | Red nun. | |
| 29250 | - Buoy 28 | 34-39-49.841N 076-31-24.296W | | | | Red nun. | |
| 29253 | - Buoy 30 | 34-39-54.761N 076-31-28.063W | | | | Red nun. | |
| 29257 | - Buoy 31 | 34-40-03.068N 076-31-24.396W | | | | Green can. | |
| 29263 | - Buoy 33 | 34-40-15.334N 076-31-28.273W | | | | Green can. | |
| | **Harkers Island East Channel** *Aids to navigation located 20 feet outside channel limit.* | | | | | | |
| 29272 | Shell Point Channel Daybeacon 1 | 34-41-01.730N 076-31-37.500W | | | | SG on pile. | Private aid. |
| 29273 | Shell Point Channel Daybeacon 2 | 34-40-59.940N 076-31-37.500W | | | | TR on pile. | Private aid. |
| 29273.1 | Shell Point Channel Daybeacon 3 | 34-41-02.040N 076-31-34.440W | | | | SG on pile. | Private aid. |
| 29273.2 | Shell Point Channel Daybeacon 4 | 34-41-00.110N 076-31-33.310W | | | | TR on pile. | Private aid. |
| 29273.4 | Shell Point Channel Daybeacon 7 | 34-41-05.100N 076-31-32.640W | | | | SG on pile. | Private aid. |
| | **Back Sound** | | | | | | |
| 29315 | - *Lighted Buoy 1* | 34-41-00.878N 076-32-07.435W | Fl G 4s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **BEAUFORT INLET AND CORE SOUND (Chart 11545)** | | | | | | |
| | **Back Sound** | | | | | | |
| 29320 | - LIGHT 3 | 34-41-19.078N<br>076-33-48.560W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| | **Middle Marshes** | | | | | | |
| 29325 | - JUNCTION LIGHT MM | 34-41-40.057N<br>076-35-21.730W | Fl (2+1)R 6s | 15 | 4 | JR on pile. | |
| 29326 | - Daybeacon 1 | 34-41-29.427N<br>076-35-47.315W | | | | SG on pile. | |
| 29326.01 | - Daybeacon 1A | 34-41-23.044N<br>076-35-57.059W | | | | SG on pile. | |
| 29326.1 | - Daybeacon 3 | 34-41-10.297N<br>076-36-05.936W | | | | SG on pile. | |
| 29327 | - Daybeacon 4 | 34-40-54.219N<br>076-36-29.427W | | | | TR on pile. | |
| | **MOREHEAD CITY HARBOR (Chart 11547)** | | | | | | |
| | **Beaufort Inlet** | | | | | | |
| 29330<br>720 | - *Channel Lighted Whistle Buoy BM* | 34-36-39.857N<br>076-41-11.990W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | AIS: MMSI 993672329 |
| 29331 | - *Channel Lighted Buoy 1* | 34-37-38.350N<br>076-40-57.408W | Q G | | 5 | Green. | |
| 29332 | - *Channel Lighted Buoy 2* | 34-37-36.648N<br>076-40-48.362W | Q R | | 5 | Red. | |
| 29333 | - *Channel Lighted Buoy 3* | 34-38-37.156N<br>076-40-43.306W | Fl G 2.5s | | 4 | Green. | |
| 29334 | - *Channel Lighted Buoy 4* | 34-38-36.313N<br>076-40-34.173W | Fl R 2.5s | | 4 | Red. | |
| 29335 | - *Channel Lighted Buoy 5* | 34-39-35.449N<br>076-40-29.330W | Fl G 4s | | 4 | Green. | |
| 29336 | - *Channel Lighted Buoy 6* | 34-39-33.885N<br>076-40-20.403W | Fl R 4s | | 4 | Red. | |
| 29337 | - *Channel Lighted Buoy 7* | 34-40-33.973N<br>076-40-13.190W | Fl G 2.5s | | 4 | Green. | |
| 29338 | - *Channel Lighted Buoy 8* | 34-40-33.327N<br>076-40-06.765W | Fl R 2.5s | | 4 | Red. | |
| 29339 | - *Channel Lighted Buoy 9* | 34-40-53.206N<br>076-40-09.887W | Fl G 4s | | 5 | Green. | |
| 29340 | - *Channel Lighted Buoy 10* | 34-40-49.108N<br>076-40-01.774W | Fl R 4s | | 4 | Red. | |
| 29345 | - *Channel Lighted Buoy 11* | 34-41-05.956N<br>076-40-07.182W | Fl G 2.5s | | 4 | Green. | |
| 29350 | - *Channel Lighted Buoy 12* | 34-41-13.643N<br>076-39-59.661W | Fl R 2.5s | | 4 | Red. | |
| 29355 | MOREHEAD CITY CHANNEL WARNING LIGHT A | 34-41-27.696N<br>076-39-43.130W | Fl W 4s | | | Established on existing range structure. | |
| 29365 | - *Channel Lighted Buoy 13* | 34-41-40.340N<br>076-40-16.787W | Fl G 4s | | 4 | Green. | |
| 29370 | - *Channel Lighted Buoy 14* | 34-41-32.816N<br>076-40-05.602W | Fl R 4s | | 4 | Red. | |
| 29375 | - CHANNEL RANGE FRONT LIGHT | 34-41-50.403N<br>076-39-52.317W | Q G<br>(NIGHT)<br>Q W<br>(DAY) | 20<br>23 | | Skeleton tower on platform. | Lighted throughout 24 hours.<br>DAY : Visible 1.5° either side of rangeline.<br>NIGHT: Visible all around; higher intensity 4.0° either side of rangeline. |
| 29377 | - CHANNEL RANGE WARNING LIGHT A | 34-42-12.669N<br>076-39-46.958W | Fl W 4s | 15 | 4 | NW on multi-pile structure. | |
| 29379 | - CHANNEL RANGE REAR LIGHT | 34-42-45.773N<br>076-39-39.028W | F G<br>(NIGHT)<br>F W<br>(DAY) | 71<br>68 | | Skeleton tower on platform. | Lighted throughout 24 hours.<br>DAY: Visible 0.5° either side of rangeline.<br>NIGHT: Visible 4.0° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **MOREHEAD CITY HARBOR (Chart 11547)** | | | | | | |
| | **Beaufort Inlet** | | | | | | |
| 29381 | - CHANNEL RANGE REAR PASSING LIGHT | 34-42-45.773N 076-39-39.028W | Fl W 2.5s | 20 | 5 | On same structure as Beaufort Inlet Channel Range Rear Light. | Marks corner of platform nearest channel. |
| | **Morehead City Channel** | | | | | | |
| 29385 | - *Lighted Buoy 15* | 34-41-46.227N 076-40-19.224W | Q G | | 4 | Green. | |
| 29390 | - *Lighted Buoy 16* | 34-41-53.248N 076-40-15.101W | Q R | | 4 | Red. | |
| | **Beaufort Inlet** | | | | | | |
| 29400 | FORT MACON DANGER LIGHT A | 34-42-04.940N 076-40-22.484W | Fl W 4s | 15 | 4 | On skeleton tower. | |
| 29402 | FORT MACON DANGER LIGHT B | 34-42-11.791N 076-40-25.477W | Fl W 4s | 15 | 4 | On skeleton tower. | |
| | **BEAUFORT INLET AND SOUTHERN CORE SOUND (Chart 11545)** | | | | | | |
| | **Shackleford Banks** | | | | | | |
| 29405 | - Rock Jetty Buoy 2 | 34-41-16.402N 076-38-40.741W | | | | Red nun. | |
| 29410 | SHACKLEFORD SLUE JUNCTION LIGHT NR | 34-41-29.210N 076-38-02.397W | Fl (2+1)R 6s | 15 | 4 | JR on pile. | |
| 29411 | Shackleford Slue Channel Buoy 1 | 34-41-21.333N 076-38-00.941W | | | | Green can. | |
| 29413 | Shackleford Slue Channel Buoy 3 | 34-40-56.577N 076-37-11.371W | | | | Green can. | |
| 29415 | SHACKLEFORD SLUE LIGHT | 34-40-47.205N 076-36-47.961W | Fl W 4s | 15 | 6 | NB on pile. | |
| | **MOREHEAD CITY HARBOR (Chart 11547)** | | | | | | |
| | **Morehead City Channel** | | | | | | |
| 29420 | - *Lighted Buoy 17* | 34-41-55.135N 076-40-29.932W | Fl G 4s | | 4 | Green. | |
| 29425 | FORT MACON CREEK WARNING LIGHT | 34-42-00.256N 076-40-59.612W | Fl W 2.5s | 15 | 4 | NW on pile. | |
| 29430 | - *Lighted Buoy 19* | 34-42-24.288N 076-41-18.908W | Fl G 2.5s | | 5 | Green. | |
| 29435 | - *Lighted Buoy 20* | 34-42-30.046N 076-41-15.894W | Fl R 2.5s | | 5 | Red. | |
| 29440 | - *Lighted Buoy 21* | 34-42-39.536N 076-41-39.021W | Q G | | 4 | Green. | |
| 29445 38525 | - *Lighted Buoy 23* | 34-42-47.003N 076-41-52.033W | Fl G 2.5s | | 4 | Green with yellow square. | |
| 29475 | AVIATION FUEL TERMINAL PIER SOUTH LIGHT | 34-42-52.036N 076-41-28.379W | F Y | 17 | | On dolphin at end of pier. | Private aid. |
| 29480 | AVIATION FUEL TERMINAL PIER NORTH LIGHT | 34-42-53.516N 076-41-28.875W | F Y | 17 | | On dolphin at end of pier. | Private aid. |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Bogue Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 29490 730 | - *Entrance Lighted Whistle Buoy BI* | 34-37-34.666N 077-06-06.959W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 29495 | - *Lighted Buoy 1* | 34-38-05.613N 077-05-46.473W | Fl G 2.5s | | 4 | Green. | |
| 29510 | - *Lighted Buoy 4* | 34-38-46.944N 077-06-13.945W | Fl R 4s | | 4 | Red. | |
| 29515 | - Buoy 5 | 34-38-23.340N 077-06-04.289W | | | | Green can. | |
| 29517 | - Buoy 5A | 34-38-49.813N 077-06-19.444W | | | | Green can. | |
| 29520 | - *Lighted Buoy 6* | 34-38-54.952N 077-06-16.229W | Q R | | 4 | Red. | |
| 29530 | - Buoy 7 | 34-38-59.455N 077-06-21.436W | | | | Green can. | |
| 29535 | - Buoy 8 | 34-39-02.901N 077-06-13.662W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Bogue Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 29537 | - Buoy 9 | 34-39-11.090N 077-06-11.129W | | | | Green can. | |
| 29540 | - Buoy 10 | 34-39-06.832N 077-06-09.823W | | | | Red nun. | |
| 29550 | - Buoy 11 | 34-39-15.109N 077-05-55.424W | | | | Green can. | |
| 29553 | - Buoy 11B | 34-39-19.293N 077-05-51.175W | | | | Red nun. | |
| 29555 | - Buoy 12 | 34-39-17.609N 077-05-48.397W | | | | Red nun. | |
| 29557 | - *Lighted Buoy 13* | 34-39-29.325N 077-05-50.635W | Q G | | 4 | Green. | |
| 29559 | - Buoy 14 | 34-39-34.629N 077-05-55.572W | | | | Red nun. | |
| 29559.5 | - Buoy 14A | 34-39-54.699N 077-05-54.771W | | | | Red nun. | |
| 29560 | - *Lighted Buoy 15* | 34-39-56.993N 077-05-56.209W | Q G | | 4 | Green. | |
| 29565 | - Buoy 17 | 34-40-12.978N 077-05-46.932W | | | | Green can. | |
| 29584 | - Junction Buoy B | 34-40-20.986N 077-05-38.757W | | | | Green and Red band; can. | |
| | **Swansboro Harbor** | | | | | | |
| 29590 | - Buoy 2 | 34-41-02.863N 077-07-14.846W | | | | Red nun. | |
| 29595 | - Daybeacon 4 | 34-41-04.331N 077-07-10.140W | | | | TR on pile. | |
| | **Swansboro Coast Guard Channel** | | | | | | |
| 29600 | - *Lighted Junction Buoy CG* | 34-39-14.665N 077-05-49.385W | Fl (2+1)R 6s | | 4 | Red and Green bands. | |
| 29609 | - Buoy 4 | 34-39-13.817N 077-05-50.784W | | | | Red nun. | |
| 29645 | - Warning Daybeacon | 34-39-15.471N 077-05-44.934W | | | | NW on pile worded DANGER SHOAL. | |
| | **NEW RIVER (Chart 11542)** | | | | | | |
| | **New River Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 29650 790 | - *Lighted Whistle Buoy NR* | 34-31-02.067N 077-19-33.328W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 29655 | - *Lighted Buoy 1* | 34-31-16.451N 077-20-01.909W | Fl G 4s | | 6 | Green. | |
| 29660 | - *Lighted Buoy 2* | 34-31-20.495N 077-19-57.944W | Fl R 4s | | 6 | Red. | |
| 29665 | - Buoy 3 | 34-31-28.479N 077-20-11.996W | | | | Green can. | |
| 29670 | - Buoy 4 | 34-31-39.816N 077-20-28.630W | | | | Red nun. | |
| 29680 | - Buoy 6 | 34-31-52.548N 077-20-39.198W | | | | Red nun. | |
| 29700 | - Buoy 8 | 34-32-03.175N 077-20-42.888W | | | | Red nun. | |
| 29710 | - Buoy 9 | 34-32-22.210N 077-20-28.853W | | | | Green can. | |
| 29720 | - Buoy 10 | 34-32-33.919N 077-20-30.952W | | | | Red nun. | |
| | **New River** | | | | | | |
| 29735 | - CHANNEL LIGHT 12 | 34-33-06.837N 077-20-57.745W | Fl R 4s | 15 | 4 | TR on pile. | |
| 29737 | - Channel Buoy 12A | 34-33-16.647N 077-21-07.396W | | | | Red nun. | |
| 29740 | - CHANNEL LIGHT 13 35 feet outside channel limit. | 34-33-23.987N 077-21-17.025W | Fl G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **NEW RIVER (Chart 11542)** | | | | | | |
| | **New River** | | | | | | |
| 29745 | - Channel Daybeacon 15 | 34-33-31.070N 077-21-24.507W | | | | SG on pile. | |
| 29750 | - Channel Daybeacon 16 | 34-33-40.709N 077-21-32.901W | | | | TR on pile. | |
| 29755 | Traps Bay Warning Daybeacon | 34-33-30.013N 077-21-18.627W | | | | NW on pile worded DANGER LIVE FIRE SECTOR, CONSULT NOTICE TO MARINERS. | |
| 29760 | - CHANNEL LIGHT 17 35 feet outside channel limit. | 34-33-57.942N 077-21-54.255W | Fl G 4s | 15 | 4 | SG on pile. | |
| 29763 | - Buoy 17A | 34-34-03.001N 077-22-00.833W | | | | Green can. | |
| | **Courthouse Bay** | | | | | | |
| 29765 | - Buoy 1 | 34-34-43.443N 077-22-32.943W | | | | Green can. | |
| 29770 | - Daybeacon 2 | 34-34-48.520N 077-22-32.600W | | | | TR on pile. | |
| 29775 | - Daybeacon 3 | 34-34-54.620N 077-22-34.873W | | | | SG on pile. | |
| 29780 | - Buoy 4 | 34-35-02.353N 077-22-31.384W | | | | Red nun. | |
| 29785 | - Daybeacon 5 | 34-35-03.712N 077-22-33.750W | | | | SG on pile. | |
| 29790 | - Buoy 7 | 34-35-09.155N 077-22-26.895W | | | | Green can. | |
| | **New River** | | | | | | |
| 29795 | - Channel Daybeacon 18 35 feet outside channel limit. | 34-34-18.448N 077-22-36.267W | | | | TR on pile. | |
| 29800 | - Channel Daybeacon 21 20 feet outside channel limit. | 34-34-32.279N 077-23-11.943W | | | | SG on pile. | |
| 29805 | - CHANNEL LIGHT 23 | 34-34-44.820N 077-23-41.041W | Q G | 15 | 4 | SG on pile. | |
| 29810 | - CHANNEL LIGHT 25 | 34-34-30.363N 077-24-21.580W | Fl G 4s | 15 | 4 | SG on pile. | |
| 29815 | - CHANNEL LIGHT 27 | 34-34-29.734N 077-24-42.979W | Q G | 15 | 4 | SG on pile. | |
| 29820 | - Channel Daybeacon 28 | 34-34-43.531N 077-25-07.858W | | | | TR on pile. | |
| 29825 | - CHANNEL LIGHT 28A | 34-34-52.433N 077-25-07.863W | Q R | 15 | 4 | TR on pile. | |
| 29830 | - Channel Buoy 29 | 34-34-59.441N 077-24-59.456W | | | | Green can. | |
| 29835 | - CHANNEL LIGHT 31 | 34-35-45.215N 077-24-41.097W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **Stones Bay** | | | | | | |
| 29840 | - Warning Daybeacon | 34-36-23.583N 077-26-08.059W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |
| 29845 | - Warning Daybeacon A | 34-36-13.337N 077-24-08.843W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |
| 29845.2 | - Warning Daybeacon B | 34-36-49.587N 077-26-03.589W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |
| 29845.3 | - Warning Daybeacon C | 34-36-44.231N 077-26-00.818W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| **NEW RIVER (Chart 11542)** | | | | | | | |
| **New River** | | | | | | | |
| **Stones Bay** | | | | | | | |
| 29845.4 | - Warning Daybeacon D | 34-36-38.176N 077-26-02.199W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |
| 29845.5 | - Warning Daybeacon E | 34-36-32.011N 077-26-04.543W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |
| 29845.6 | - Warning Daybeacon F | 34-36-26.638N 077-26-06.834W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |
| **New River** | | | | | | | |
| 29850 | - Channel Daybeacon 33 | 34-36-24.018N 077-23-44.013W | | | | SG on pile. | |
| 29855 | - Channel Daybeacon 35 | 34-36-58.137N 077-22-57.244W | | | | SG on pile. | |
| 29860 | - CHANNEL LIGHT 37 | 34-37-40.390N 077-22-02.439W | Fl G 4s | 15 | 4 | SG on pile. | |
| 29865 | Grey Point Warning Daybeacon | 34-37-40.824N 077-22-04.153W | | | | NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS. | Aid maintained by U.S. Marine Corps. |
| 29870 | - Channel Daybeacon 39 | 34-38-36.629N 077-21-57.781W | | | | SG on pile. | |
| 29875 | Spring Point Warning Daybeacon | 34-38-36.824N 077-21-58.272W | | | | NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS. | |
| 29880 | - CHANNEL LIGHT 42 | 34-39-35.945N 077-21-55.169W | Fl R 4s | 15 | 3 | TR on pile. | |
| 29883 | Town Point Artificial Reef Buoy AR-398A | 34-39-40.300N 077-22-18.000W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 29883.1 | Town Point Artificial Reef Buoy AR-398B | 34-39-31.500N 077-22-18.000W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 29883.2 | Town Point Artificial Reef Buoy AR-398C | 34-39-31.500N 077-22-36.000W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 29883.3 | Town Point Artificial Reef Buoy AR-398D | 34-39-40.300N 077-22-36.000W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 29885 | - Channel Daybeacon 43 | 34-39-58.430N 077-22-37.529W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **NEW RIVER (Chart 11542)** | | | | | | |
| | **New River** | | | | | | |
| 29890 | Farnell Bay Warning Daybeacon | 34-39-57.939N 077-22-39.100W | | | | NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS. | |
| 29895 | - CHANNEL LIGHT 46 | 34-40-26.276N 077-23-21.166W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 29900 | WALLACE CREEK LIGHT 2 | 34-40-56.997N 077-22-18.826W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 29905 | Wallace Creek Daybeacon 4 | 34-40-45.297N 077-21-50.800W | | | | TR on pile. | |
| 29910 | - *Channel Lighted Wreck Buoy WR47* | 34-41-10.938N 077-23-53.062W | Q G | | 3 | Green. | |
| 29915 | - CHANNEL LIGHT 50 | 34-42-11.620N 077-24-13.529W | Fl R 4s | 15 | 4 | TR on pile. | |
| 29920 | Morgan Bay Warning Daybeacon | 34-42-12.099N 077-24-13.819W | | | | NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS. | |
| 29925 | Southwest Creek Daybeacon 1 | 34-42-02.810N 077-25-05.931W | | | | SG on pile. | |
| 29930 | Southwest Creek Daybeacon 2 | 34-41-48.002N 077-25-37.012W | | | | TR on pile. | |
| 29935 | - CHANNEL LIGHT 52 | 34-42-54.418N 077-25-06.981W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 29940 | Jacksonville Warning Daybeacon | 34-42-54.376N 077-25-06.231W | | | | NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS. | |
| 29955 | - Channel Daybeacon 57 | 34-44-17.363N 077-25-56.522W | | | | SG on pile. | |
| 29960 | - Channel Daybeacon 60 | 34-44-26.673N 077-26-00.448W | | | | TR on pile. | |
| 29965 | - Channel Daybeacon 61 | 34-44-30.057N 077-26-20.248W | | | | SG on pile. | |
| 29968 | - - JACKSONVILLE OUTFALL WARNING LIGHT A | 34-45-35.179N 077-26-22.697W | Fl W 4s | 6 | | NW on pile worded DANGER SUBMERGED PIPE. | Private aid. |
| 29968.1 | - - JACKSONVILLE OUTFALL WARNING LIGHT B | 34-45-34.380N 077-26-23.143W | Fl W 6s | 6 | | NW on pile worded DANGER SUBMERGED PIPE. | Private aid. |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **New Topsail Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 29970 795 | - *Lighted Whistle Buoy NT* | 34-20-11.703N 077-38-26.765W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark . | |
| 29975 | - Buoy 1 | 34-20-01.975N 077-39-10.661W | | | | Green can. | |
| 29985 | - Buoy 2 | 34-20-07.533N 077-39-07.745W | | | | Red nun. | |
| 29995 | - Buoy 3 | 34-20-11.958N 077-39-28.360W | | | | Green can. | |
| 30000 | - Buoy 4 | 34-20-17.354N 077-39-27.676W | | | | Red nun. | |
| 30010 | - Buoy 5 | 34-20-21.491N 077-39-45.076W | | | | Green can. | |
| 30015 | - Buoy 6 | 34-20-26.773N 077-39-44.698W | | | | Red nun. | |
| 30020 | - Buoy 7 | 34-20-28.595N 077-39-54.412W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **New Topsail Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 30025 | - Buoy 8 | 34-20-31.351N 077-39-50.734W | | | | Red nun. | |
| 30030 | - Buoy 9 | 34-20-35.439N 077-39-54.442W | | | | Green can. | |
| | **Old Topsail Creek** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 30032 | - Buoy 1 | 34-20-43.720N 077-39-59.739W | | | | Green can. | |
| 30033 | - Buoy 2 | 34-20-45.744N 077-39-57.517W | | | | Red nun. | |
| 30034 | - Buoy 3 | 34-20-53.014N 077-40-03.136W | | | | Green can. | |
| 30035 | - Buoy 4 | 34-21-00.684N 077-39-47.062W | | | | Red nun. | |
| 30036 | - Buoy 6 | 34-21-05.569N 077-39-43.664W | | | | Red nun. | |
| 30037 | - Buoy 7 | 34-21-09.695N 077-39-47.523W | | | | Green can. | |
| 30038 | - Buoy 8 | 34-21-11.026N 077-39-46.296W | | | | Red nun. | |
| 30039 | - Buoy 9 | 34-21-14.086N 077-40-05.454W | | | | Green can. | |
| 30040 | - Buoy 11 | 34-21-17.613N 077-40-06.857W | | | | Green can. | |
| 30041 | - Buoy 12 | 34-21-29.496N 077-40-00.781W | | | | Red nun. | |
| 30042 | - Buoy 13 | 34-21-30.241N 077-40-02.277W | | | | Green can. | |
| 30043 | - Buoy 15 | 34-21-31.661N 077-40-05.324W | | | | Green can. | |
| 30045 | - Buoy 17 | 34-21-30.618N 077-40-16.089W | | | | Green can. | |
| 30046 | - Buoy 19 | 34-21-31.818N 077-40-20.022W | | | | Green can. | |
| | **Banks Slough Channel** | | | | | | |
| 30048 | - Buoy 2BS | 34-20-38.878N 077-39-49.581W | | | | Red nun. | |
| 30048.02 | - Buoy 3 | 34-20-43.927N 077-39-52.017W | | | | Green can. | |
| 30048.04 | - Buoy 4 | 34-20-43.939N 077-39-48.301W | | | | Red nun. | |
| 30048.06 | - Buoy 5 | 34-20-52.585N 077-39-40.272W | | | | Green can. | |
| | **Banks Channel** | | | | | | |
| 30050 | - LIGHT 1 | 34-21-06.350N 077-39-10.468W | Fl G 4s | 15 | 4 | SG on pile. | |
| 30055 | - LIGHT 2 | 34-21-13.580N 077-38-52.216W | Fl R 4s | 15 | 4 | TR on pile. | |
| 30065 | - Daybeacon 3 | 34-21-34.882N 077-38-35.628W | | | | SG on pile. | |
| 30070 | - Daybeacon 5 | 34-21-43.144N 077-38-21.052W | | | | SG on pile. | |
| 30075 | - LIGHT 6 | 34-21-48.602N 077-38-07.930W | Fl R 4s | 15 | 4 | TR on pile. | |
| 30080 | - LIGHT 7 | 34-22-13.962N 077-37-52.872W | Q G | 15 | 4 | SG on pile. | |
| 30082 | - Buoy 7A | 34-22-21.224N 077-37-37.576W | | | | Green can. | |
| 30085 | - Daybeacon 9 | 34-22-29.276N 077-37-22.710W | | | | SG on pile. | |
| 30090 | - Daybeacon 9A | 34-22-37.945N 077-37-06.989W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Banks Channel** | | | | | | |
| 30095 | - LIGHT 11 | 34-22-56.310N 077-36-51.681W | Fl G 4s | 15 | 4 | SG on pile. | |
| 30100 | - Daybeacon 12 | 34-23-07.732N 077-36-24.364W | | | | TR on pile. | |
| 30105 | - Daybeacon 13 | 34-23-22.618N 077-36-08.838W | | | | SG on pile. | |
| 30110 | - Daybeacon 14 | 34-23-34.871N 077-35-50.038W | | | | TR on pile. | |
| 30115 | - Daybeacon 15 | 34-23-48.989N 077-35-34.696W | | | | SG on pile. | |
| 30120 | - Daybeacon 16 | 34-23-57.044N 077-35-18.728W | | | | TR on pile. | |
| 30125 | - LIGHT 18 | 34-24-04.227N 077-35-17.074W | Fl R 4s | 15 | 5 | TR on pile. | |
| 30130 | - Daybeacon 19 | 34-24-12.867N 077-35-23.716W | | | | SG on pile. | |
| 30135 | - Daybeacon 21 | 34-24-22.341N 077-35-36.196W | | | | SG on pile. | |
| 30137 | - Buoy 22 | 34-24-28.558N 077-35-38.878W | | | | Red nun. | |
| 30140 39520 | NEW RIVER TO CAPE FEAR RIVER JUNCTION LIGHT BC | 34-24-37.848N 077-35-41.288W | Fl (2+1)G 6s | 15 | 4 | JG-SY on pile. | |
| | **Masonboro Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 30145 800 | - *Lighted Whistle Buoy A* | 34-10-24.261N 077-47-51.081W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 30150 | - Buoy 1 | 34-10-32.966N 077-48-09.656W | | | | Green can. | |
| 30155 | - *Lighted Buoy 2* | 34-10-36.616N 077-48-04.066W | Fl R 2.5s | | 4 | Red. | |
| 30160 | - Buoy 3 | 34-10-39.215N 077-48-19.981W | | | | Green can. | |
| 30165 | - Buoy 4 | 34-10-43.908N 077-48-15.148W | | | | Red nun. | |
| 30170 | - *Lighted Buoy 5* | 34-10-52.686N 077-48-38.406W | Fl G 2.5s | | 4 | Green. | |
| 30175 | - *Lighted Buoy 6* | 34-10-56.691N 077-48-34.677W | Fl R 2.5s | | 3 | Red. | |
| 30180 | - Buoy 7 | 34-11-05.560N 077-48-58.541W | | | | Green can. | |
| 30185 | - *Lighted Buoy 8* | 34-11-05.534N 077-48-53.130W | Q R | | 4 | Red. | |
| 30190 | SHINN CREEK LIGHT 1 | 34-11-16.606N 077-49-04.739W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 30195 | Shinn Creek Daybeacon 3 | 34-11-26.168N 077-49-17.728W | | | | SG on multi-pile structure. | |
| | **Wrightsville Channel** | | | | | | |
| | *Daybeacons located 30 feet outside channel limit.* | | | | | | |
| 30200 | - Junction Buoy WC | 34-11-20.240N 077-49-00.130W | | | | Green and red bands; can. | |
| 30205 | - Buoy 10 | 34-11-16.084N 077-48-51.988W | | | | Red nun. | |
| 30210 | - LIGHT 11 | 34-11-43.874N 077-48-30.949W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 30215 | - Daybeacon 13 | 34-11-54.122N 077-48-21.046W | | | | SG on pile. | |
| 30220 | - Daybeacon 14 | 34-12-17.865N 077-48-09.083W | | | | TR on pile. | |
| 30223 | - LIGHT 15 | 34-12-17.090N 077-48-12.400W | Q G | 15 | 4 | SG on pile. | |
| 30225 | - Daybeacon 16 | 34-12-21.573N 077-48-13.912W | | | | TR on pile. | |
| 30230 | - Daybeacon 18 | 34-12-27.956N 077-48-18.946W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Wrightsville Channel** | | | | | | |
| | *Daybeacons located 30 feet outside channel limit.* | | | | | | |
| 30237 | - *Lighted Buoy 19* | 34-12-34.618N 077-48-16.271W | Q G | | 4 | Green. | |
| 30243 | - *Lighted Buoy 21* | 34-12-38.355N 077-48-18.345W | Fl G 2.5s | | 4 | Green. | |
| 30245 | - Daybeacon 23 | 34-12-51.121N 077-48-39.173W | | | | SG on pile. | |
| 30255 | - Daybeacon 25 | 34-12-52.088N 077-48-53.526W | | | | SG on pile. | |
| | **MYRTLE GROVE SOUND TO CASINO CREEK (Chart 11534)** | | | | | | |
| | **Carolina Beach Inlet (Chart 11534)** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 30260 805 | *Carolina Beach Inlet Entrance Lighted Whistle Buoy CB* | 34-04-53.983N 077-51-11.123W | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | |
| 30265 | Carolina Beach Inlet Buoy 1 | 34-04-55.167N 077-51-42.279W | | | | Green can. | |
| 30270 | Carolina Beach Inlet Buoy 2 | 34-04-57.300N 077-51-42.894W | | | | Red nun. | |
| 30275 | Carolina Beach Inlet Buoy 3 | 34-04-56.329N 077-52-02.349W | | | | Green can. | |
| 30280 | Carolina Beach Inlet Buoy 4 | 34-04-58.353N 077-52-07.107W | | | | Red nun. | |
| 30285 | Carolina Beach Inlet Buoy 5 | 34-04-56.487N 077-52-21.100W | | | | Green can. | |
| 30290 | Carolina Beach Inlet Buoy 6 | 34-04-55.748N 077-52-26.966W | | | | Red nun. | |
| 30295 | Carolina Beach Inlet Buoy 7 | 34-04-51.298N 077-52-32.941W | | | | Green can. | |
| 30300 | Carolina Beach Inlet Buoy 8 | 34-04-50.664N 077-52-38.333W | | | | Red nun. | |
| 30303 | Carolina Beach Inlet Buoy 8A | 34-04-56.350N 077-52-36.795W | | | | Red nun. | |
| 30305 | Carolina Beach Inlet Buoy 9 | 34-04-52.303N 077-52-39.876W | | | | Green can. | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| | *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30310 | - ENTRANCE RANGE FRONT LIGHT | 33-52-23.526N 078-01-09.506W | Iso W 2s | 23 | | Skeleton tower on platform. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around, higher intensity 1.5° either side of rangeline. |
| 30312 | - ENTRANCE RANGE REAR LIGHT 2,420 yards, 013.5° from front light. | 33-53-33.099N 078-00-48.177W | Iso W 6s | 101 | | Skeleton tower on platform. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 30313 | - ENTRANCE RANGE REAR PASSING LIGHTS (2) | 33-53-33.099N 078-00-48.177W | Fl W 4s | 20 | 4 | On same structure as Cape Fear River Entrance Range Rear Light. | |
| 30316 860 | - *Entrance Lighted Whistle Buoy CF* | 33-46-16.729N 078-03-01.583W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: C ( - . - . ) On channel centerline. AIS: MMSI 993672156. |
| 30318 | - *Entrance Channel Lighted Buoy 2* | 33-46-57.772N 078-02-45.540W | Q R | | 5 | Red. | |
| 30319 | - *Entrance Channel Lighted Buoy 3* | 33-47-19.238N 078-02-46.300W | Fl G 4s | | 5 | Green. | |
| 30320 | - *Entrance Channel Lighted Buoy 4* | 33-48-05.775N 078-02-24.734W | Fl R 4s | | 5 | Red. | |
| 30325 | - *Entrance Channel Lighted Buoy 5* | 33-48-41.397N 078-02-21.940W | Fl G 4s | | 5 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| | *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30330 | BALD HEAD SHOAL CHANNEL RANGE FRONT LIGHT | 33-52-47.488N 078-00-04.587W | Iso W 2s | 15 | | On platform. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30335 | BALD HEAD SHOAL CHANNEL RANGE REAR LIGHT<br>442 yards, 041.9° from front light. | 33-52-57.178N 077-59-53.979W | Iso W 6s | 45 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 30336 | BALD HEAD SHOAL CHANNEL RANGE REAR PASSING LIGHTS (2) | 33-52-57.178N 077-59-53.979W | Fl W 4s | 15 | 4 | On same structure as Bald Head Shoal Channel Range Rear Light. | Located on corners of platform. |
| 30338 | SOUTHPORT RANGE OUTBOUND PRECISION DIRECTIONAL LIGHT | 33-52-57.178N 077-59-53.979W | Iso G 2s<br>F W<br>Iso R 2s | 46 | | On tower with Bald Head Shoal Rear Range. Visible white in center of outbound channel. | Operated by VHF/FM 81A/157.075Mhz key microphone 5 times consecutively, to activate optic signal for 15 minutes. Iso G 2s 138° to 139°, F W on center line of channel from 139° to 140°, Iso R 2s from 140° to 141°. |
| 30340 | - *Entrance Channel Lighted Buoy 6* | 33-49-16.576N 078-02-02.945W | Fl R 4s | | 5 | Red. | |
| 30345 | - *Entrance Channel Lighted Buoy 7*<br>Located 100 feet outside channel limit. | 33-49-54.721N 078-01-59.471W | Fl G 2.5s | | 5 | Green. | |
| 30350 | - *Entrance Channel Lighted Buoy 8* | 33-50-27.455N 078-01-40.561W | Fl R 2.5s | | 5 | Red. | |
| 30355 | - *Entrance Channel Lighted Buoy 9* | 33-51-16.376N 078-01-37.370W | Fl G 2.5s | | 5 | Green. | |
| 30360 | - *Entrance Channel Lighted Buoy 10* | 33-51-11.928N 078-01-24.090W | Q R | | 5 | Red. | |
| 30370 | - *Entrance Channel Lighted Buoy 11* | 33-51-51.309N 078-01-13.349W | Fl G 4s | | 5 | Green. | |
| 30372 | - *Entrance Channel Lighted Buoy 12* | 33-51-50.148N 078-01-02.214W | Fl R 2.5s | | 4 | Red. | |
| 30373 | - *Entrance Channel Lighted Buoy 13* | 33-52-21.001N 078-00-40.767W | Q G | | 4 | Green. | |
| 30375 | BALDHEAD ISLAND MARINA JETTY LIGHT 1 | 33-52-40.054N 078-00-06.582W | Q G | 12 | | On concrete wall. | Private aid. |
| 30380 | BALDHEAD ISLAND MARINA JETTY LIGHT 2 | 33-52-39.370N 078-00-07.260W | Q R | 12 | | On concrete wall. | Private aid. |
| 30385 | SMITH ISLAND RANGE FRONT LIGHT | 33-53-36.147N 078-00-17.108W | Iso R 2s | 18 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30390 | SMITH ISLAND RANGE REAR LIGHT<br>242 yards, 007.6° from front light. | 33-53-43.254N 078-00-15.873W | F R | 33 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around higher intensity 4.0° either side of rangeline. |
| 30395 | - *Channel Lighted Buoy 13A* | 33-52-51.008N 078-00-30.346W | Fl G 4s | | 5 | Green. | |
| 30400 | - *Channel Lighted Buoy 15* | 33-53-18.863N 078-00-28.052W | Fl G 2.5s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| | *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30405 | SOUTHPORT CHANNEL RANGE FRONT LIGHT | 33-54-25.649N 078-01-22.838W | Q W | 22 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 5.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30410 | SOUTHPORT CHANNEL RANGE REAR LIGHT 1,426 yards 319.5° from front light. | 33-54-59.100N 078-01-55.444W | Iso R 6s | 42 | | On multi-pile structure | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| | **Oak Island Channel** | | | | | | |
| 30415 | - LIGHT 1 | 33-54-01.425N 078-01-15.123W | Fl G 4s | 15 | 4 | SG on pile. | |
| 30420 | - LIGHT 2 | 33-54-03.003N 078-01-15.279W | Fl R 4s | 15 | 4 | TR on pile. | |
| 30425 | - Daybeacon 4 | 33-54-02.222N 078-01-21.554W | | | | TR on pile. | |
| 30430 | - Daybeacon 5 | 33-53-59.223N 078-01-28.210W | | | | SG on pile. | |
| 30435 | - Daybeacon 6 | 33-53-59.016N 078-01-35.634W | | | | TR on pile. | |
| 30440 | - Daybeacon 7 | 33-53-56.252N 078-01-43.381W | | | | SG on pile. | |
| 30445 | - LIGHT 8 | 33-53-56.846N 078-01-44.843W | Fl R 4s | 15 | 4 | TR on pile | |
| | **Cape Fear River** | | | | | | |
| | *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30450 | - *Channel Lighted Buoy 16* | 33-54-12.511N 078-01-04.250W | Q R | | 4 | Red. | |
| 30453 | - *Channel Lighted Buoy 16A* | 33-54-29.207N 078-01-06.664W | Fl R 2.5s | | 4 | Red. | |
| 30455 40035 | SOUTHPORT LIGHT 1 | 33-54-53.391N 078-01-11.521W | Fl G 2.5s | 15 | 4 | SG-SY on multi-pile structure. | |
| 30460 40025 | LOWER SWASH CHANNEL RANGE FRONT LIGHT | 33-55-51.419N 077-59-04.824W | Q W (NIGHT) Q W (DAY) | 20 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 14° either side of rangeline. NIGHT : Visible all around; higher intensity 14° either side of rangeline. |
| 30465 40030 | LOWER SWASH CHANNEL RANGE REAR LIGHT 767 yards, 055.1° from front light. | 33-56-04.202N 077-58-42.252W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 42 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 10° either side rangeline. |
| 30465.1 40030.1 | LOWER SWASH CHANNEL RANGE REAR PASSING LIGHTS (2) | 33-56-04.202N 077-58-42.252W | Fl W 4s | 15 | 4 | On same structure as Lower Swash Channel Range Rear Light. | Located on corners of platform. |
| 30470 | - *Channel Lighted Buoy 18* | 33-54-42.938N 078-00-59.338W | Fl R 4s | | 4 | Red with yellow square. | |
| 30475 40020 | - *Channel Lighted Buoy 19* | 33-55-15.766N 078-00-15.680W | Fl G 4s | | 4 | Green with yellow triangle. | Marks pile of stone ballast. |
| 30480 40015 | - *Channel Lighted Buoy 20* | 33-55-29.152N 077-59-34.976W | Q R | | 4 | Red with yellow square. | |
| 30485 39970 | SNOWS MARSH CHANNEL RANGE FRONT LIGHT | 33-57-40.826N 077-56-59.328W | Iso W 2s | 21 | | On multi-pile structure. On same structure as Reaves Point Channel Range Front Light. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 30490 39975 | SNOWS MARSH CHANNEL RANGE REAR LIGHT 1,495 yards, 045.3° from front light. | 33-58-11.657N 077-56-21.065W | Iso W 6s | 55 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| | *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30490.5<br>39976 | SNOWS MARSH RANGE REAR PASSING LIGHTS (2) | 33-58-11.657N<br>077-56-21.065W | Fl W 4s | 15 | 5 | On same structure as Snows Marsh Range Rear Light. | |
| 30491<br>39966 | FEDERAL POINT RANGE FRONT LIGHT | 33-58-11.535N<br>077-56-49.444W | Fl W 2.5s | 22 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30492<br>39967 | FEDERAL POINT RANGE REAR LIGHT<br>966 yards, 338.6° from front light. | 33-57-44.729N<br>077-56-37.212W | Iso W 6s | 42 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 30494<br>39969 | FEDERAL POINT RANGE REAR PASSING LIGHTS (2) | 33-57-44.729N<br>077-56-37.212W | Fl W 4s | 17 | 4 | On same structure as Federal Point Range Rear Light. | Located on corners of platform. |
| | **Price Creek** | | | | | | |
| 30495<br>39985 | - SOUTH MOORING DOLPHIN LIGHT | 33-56-00.534N<br>077-59-13.006W | Fl Y 4s | 12 | | On dolphin. | Private aid. |
| 30500<br>39990 | - SOUTH BRESTING DOLPHIN LIGHT | 33-56-02.626N<br>077-59-09.959W | Fl Y 4s | 12 | | On dolphin. | Private aid. |
| 30505<br>39995 | - LOADING PLATFORM LIGHTS (2) | 33-56-03.626N<br>077-59-08.959W | Fl Y 4s | 12 | | On platform. | Private aid. |
| 30510<br>40000 | - NORTH BRESTING DOLPHIN LIGHT | 33-56-04.626N<br>077-59-08.459W | Fl Y 4s | 12 | | On dolphin. | Private aid. |
| 30515<br>40005 | - NORTH MOORING DOLPHIN LIGHT | 33-56-07.626N<br>077-59-04.459W | Fl Y 4s | 12 | | On dolphin. | Private aid. |
| | **Cape Fear River** | | | | | | |
| | *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30520<br>40010 | - *Channel Lighted Buoy 22* | 33-56-13.087N<br>077-58-44.015W | Fl R 4s | | 4 | Red with yellow square. | |
| 30525<br>39980 | - *Channel Lighted Buoy 23* | 33-56-45.840N<br>077-58-11.540W | Fl G 4s | | 4 | Green with yellow triangle. | |
| 30530<br>39965 | - *Channel Lighted Buoy 25* | 33-57-14.831N<br>077-57-35.813W | Q G | | 4 | Green with yellow triangle. | |
| 30531<br>39965.1 | - *Channel Lighted Buoy 25A* | 33-57-31.389N<br>077-57-21.946W | Q G | | 4 | Green with yellow triangle. | |
| 30535<br>39950 | HORSESHOE SHOAL CHANNEL RANGE FRONT LIGHT | 33-56-34.610N<br>077-57-48.857W | Q W | 15 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around; higher intensity 4.0° either of rangeline. |
| 30540<br>39955 | HORSESHOE SHOAL CHANNEL RANGE REAR LIGHT<br>1475 yards, 203.8° from front light. | 33-55-54.542N<br>077-58-10.000W | Iso W 6s | 44 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 30541 | HORSESHOE SHOAL CHANNEL RANGE REAR PASSING LIGHTS (2) | 33-55-54.542N<br>077-58-10.000W | Fl W 4s | 15 | 4 | On same structure as Horseshoe Channel Range Rear Light. | Located on corners of platform. |
| 30545<br>39960 | - *Channel Lighted Buoy 26* | 33-57-33.651N<br>077-57-11.970W | Fl R 4s | | 4 | Red with yellow square. | |
| 30550<br>39945 | - *Channel Lighted Buoy 27* | 33-58-16.146N<br>077-56-59.752W | Q G | | 4 | Green with yellow triangle. | |
| 30553 | LOWER MIDNIGHT CHANNEL SOUTH RANGE FRONT LIGHT | 33-58-09.354N<br>077-57-10.105W | Q W<br>(NIGHT)<br>Q W<br>(DAY) | 19 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30554 | LOWER MIDNIGHT CHANNEL SOUTH RANGE REAR LIGHT<br>965 yards, 193.9° from front light. | 33-57-41.629N<br>077-57-18.702W | Iso W 6s<br>(NIGHT)<br>Iso W 6s<br>(DAY) | 46 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.0° degrees either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| | *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30554.1 | LOWER MIDNIGHT CHANNEL SOUTH RANGE REAR PASSING LIGHTS (2) | 33-57-41.629N 077-57-18.702W | Fl W 4s | 15 | 4 | Located on same structure as Lower Midnight Channel South Range Rear Light. | |
| 30555 39935 | REAVES POINT CHANNEL RANGE FRONT LIGHT | 33-57-40.858N 077-56-59.325W | Iso W 2s | 21 | | On multi-pile structure. On same structure as Snows Marsh Channel Range Front Light. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 30560 39940 | REAVES POINT CHANNEL RANGE REAR LIGHT 1,180 yards, 184.7° from front light. | 33-57-06.009N 077-57-03.230W | Iso W 6s | 40 | | On multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 30560.5 39941 | REAVES POINT CHANNEL RANGE REAR PASSING LIGHTS (2) | 33-57-06.009N 077-57-03.230W | Fl W 4s | 15 | 4 | On same structure as Reaves Point Channel Range Rear Light. | Located on corners of platform. |
| | **Sunny Point Terminal Warning Boundary** | | | | | | |
| 30561.1 | - LIGHT A | 33-58-44.919N 077-57-09.604W | Fl Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.2 | - LIGHT B | 33-59-00.523N 077-57-06.474W | Fl Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.3 | - LIGHT C | 33-59-10.763N 077-56-58.187W | Fl Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.4 | - LIGHT D | 33-59-24.248N 077-56-53.972W | Fl Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.5 | - LIGHT E | 33-59-38.003N 077-56-50.514W | Fl Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.6 | - LIGHT F | 33-59-49.439N 077-56-46.578W | Fl Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.7 | - LIGHT G | 34-00-03.798N 077-56-40.202W | Fl Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.8 | - LIGHT H | 34-00-18.597N 077-56-36.856W | Fl Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.9 | - LIGHT I | 34-00-33.236N 077-56-35.911W | Fl Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| | **Sunny Point Terminal South Entrance** | | | | | | |
| | *Lights located 50 feet outside dredged channel limit.* | | | | | | |
| 30562 | SUNNY POINT TERMINAL ENTRANCE RANGE FRONT LIGHT | 33-59-38.050N 077-57-28.917W | Fl G 2.5s (NIGHT) Fl G 2.5s (DAY) | 90 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| | **Sunny Point Terminal Warning Boundary** | | | | | | |
| 30562.1 | - LIGHT J | 34-00-48.165N 077-56-35.472W | Fl Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30562.2 | - LIGHT K | 34-01-03.204N 077-56-34.516W | Fl Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30562.3 | - LIGHT L | 34-01-18.230N 077-56-34.461W | Fl Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30562.4 | - LIGHT M | 34-01-24.560N 077-56-34.365W | Fl Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30562.5 | - LIGHT N | 34-01-36.799N 077-56-37.373W | Fl Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30562.6 | - LIGHT O | 34-01-47.348N 077-56-28.874W | Fl Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| | **Sunny Point Terminal South Entrance** | | | | | | |
| | *Lights located 50 feet outside dredged channel limit.* | | | | | | |
| 30563 | SUNNY POINT TERMINAL ENTRANCE RANGE REAR LIGHT 417 yards 338.4° from front light. | 33-59-49.607N 077-57-34.192W | Iso G 6s (NIGHT) Iso G 6s (DAY) | 110 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Sunny Point Terminal South Entrance** | | | | | | |
| | *Lights located 50 feet outside dredged channel limit.* | | | | | | |
| 30565 | - *Lighted Buoy 1S* | 33-58-44.432N 077-57-06.740W | Fl G 2.5s | | 4 | Green. | |
| 30570 | - *Lighted Junction Buoy SP* | 33-58-41.873N 077-56-59.557W | Fl (2+1)G 6s | | 4 | Green and red bands. | |
| 30575 | - LIGHT 5S | 33-59-08.739N 077-57-18.509W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 30577 | - LIGHT 6S | 33-59-10.799N 077-57-12.897W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 30580 | - *Lighted Buoy 7S* | 33-59-51.491N 077-57-14.171W | Q G | | 4 | Green. | |
| 30586 | - *Lighted Buoy 9S* | 34-00-00.629N 077-57-12.868W | Fl G 2.5s | | 4 | Green. | |
| 30588 | - *Lighted Buoy 10S* | 33-59-59.510N 077-57-06.797W | Fl R 2.5s | | 4 | Red. | |
| | **Sunny Point Terminal Central Channel** | | | | | | |
| 30603 | - LIGHT 11 | 34-00-45.758N 077-57-10.104W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 30605 | - LIGHT 12 | 34-00-40.696N 077-57-06.343W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 30610 | - LIGHT 14 | 34-00-58.593N 077-56-56.140W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 30615 | - LIGHT 16 | 34-01-03.392N 077-56-49.325W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| | **Cape Fear River** | | | | | | |
| | *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30635 39930 | - *Channel Lighted Buoy 28* | 33-59-13.470N 077-56-46.069W | Q R | | 4 | Red with yellow square. | |
| 30640 39915 | LOWER MIDNIGHT CHANNEL NORTH RANGE FRONT LIGHT | 34-00-59.324N 077-56-17.375W | Q W (NIGHT) Q W (DAY) | 20 | | On skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 3° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30645 39920 | LOWER MIDNIGHT CHANNEL NORTH RANGE REAR LIGHT 800 yards, 013.9° from front light. | 34-01-22.306N 077-56-10.240W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 45 | | On skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible 1.5° eithers side of rangeline. |
| 30645.1 39920.1 | LOWER MIDNIGHT CHANNEL NORTH RANGE REAR PASSING LIGHTS (2) | 34-01-22.306N 077-56-10.240W | Fl W 4s | 15 | 4 | Located on same structure as Lower Midnight Channel North Range Rear Light. | |
| 30650 39925 | - *Channel Lighted Buoy 29* | 33-59-24.792N 077-56-51.015W | Fl G 4s | | 5 | Green with yellow triangle. | |
| 30665 39910 | - *Channel Lighted Buoy 30* | 34-00-08.305N 077-56-29.064W | Fl R 4s | | 4 | Red with yellow square. | |
| 30667 30912 | UPPER MIDNIGHT CHANNEL SOUTH RANGE FRONT LIGHT | 34-00-07.907N 077-56-23.407W | Fl R 2.5s | 21 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30669 30914 | UPPER MIDNIGHT CHANNEL SOUTH RANGE REAR LIGHT 833 yards, 178.9° from front light. | 33-59-54.356N 077-56-23.270W | Iso R 6s | 46 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 30669.1 30914.1 | UPPER MIDNIGHT CHANNEL SOUTH RANGE REAR PASSING LIGHTS (2) | 33-59-54.356N 077-56-23.270W | Fl W 4s | 15 | 4 | Located on same structure as Upper Midnight Channel South Range Rear Light. | Located on corners of platform. |
| 30670 39905 | - *Channel Lighted Buoy 31* | 34-00-38.355N 077-56-28.156W | Q G | | 4 | Green with yellow triangle. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| | *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30675<br>39890 | UPPER MIDNIGHT CHANNEL NORTH RANGE FRONT LIGHT | 34-03-22.904N<br>077-56-25.386W | Q W<br>(NIGHT)<br>Q W<br>(DAY) | 17<br>19 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30680<br>39895 | UPPER MIDNIGHT CHANNEL NORTH RANGE REAR LIGHT<br>877 yards, 358.6° from front light. | 34-03-48.939N<br>077-56-25.652W | Iso W 6s<br>(NIGHT)<br>Iso W 6s<br>(DAY) | 51<br>49 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| 30680.1<br>39895.1 | UPPER MIDNIGHT CHANNEL NORTH RANGE REAR PASSING LIGHTS (2) | 34-03-48.939N<br>077-56-25.652W | Fl W 4s | 15 | 4 | Located on same structure as Upper Midnight Channel Range Rear Light. | |
| 30685<br>39900 | - *Channel Lighted Buoy 33* | 34-01-23.722N<br>077-56-28.335W | Fl G 2.5s | | 4 | Green with yellow triangle. | |
| 30690<br>39880 | NEW RIVER - CAPE FEAR RIVER LIGHT 177 | 34-01-47.292N<br>077-56-10.838W | Fl G 4s | 16 | 4 | SG-SY on pile. | |
| 30695<br>39885 | - *Channel Lighted Buoy 35* | 34-02-03.244N<br>077-56-28.771W | Fl G 4s | | 4 | Green. | |
| 30700 | - *Channel Lighted Buoy 36* | 34-02-15.389N<br>077-56-20.415W | Fl R 4s | | 4 | Red. | |
| 30705 | - *Channel Lighted Buoy 38* | 34-02-54.426N<br>077-56-21.196W | Q R | | 4 | Red. | |
| 30710 | LOWER LILIPUT RANGE FRONT LIGHT | 34-05-12.846N<br>077-55-48.448W | Q W<br>(NIGHT)<br>Q W<br>(DAY) | 20 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30715 | LOWER LILIPUT RANGE REAR LIGHT<br>1,112 yards, 011.8° from front light. | 34-05-45.064N<br>077-55-39.895W | Iso W 6s<br>(NIGHT)<br>Iso W 6s<br>(DAY) | 47 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| 30717 | LOWER LILIPUT RANGE REAR PASSING LIGHTS (2) | 34-05-45.064N<br>077-55-39.895W | Fl W 4s | 15 | 3 | On multi-pile structure. On same structure as Lower Liliput Range Rear Light. | Located on corners of platform. |
| 30720 | - *Channel Lighted Buoy 39* | 34-03-48.246N<br>077-56-14.969W | Fl G 4s | | 4 | Green. | |
| 30725 | - *Channel Lighted Buoy 40* | 34-04-11.096N<br>077-56-00.626W | Fl R 4s | | 4 | Red. | |
| 30726 | - *Channel Lighted Buoy 40A* | 34-04-56.505N<br>077-55-56.888W | Fl R 2.5s | | 4 | Red. | |
| 30730 | - *Channel Lighted Buoy 41* | 34-04-42.853N<br>077-56-02.081W | Q G | | 4 | Green. | |
| 30735 | UPPER LILIPUT RANGE FRONT LIGHT | 34-04-12.641N<br>077-55-53.445W | Q W | 15 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30740 | UPPER LILIPUT RANGE REAR LIGHT<br>1,400 yards, 173° from front light. | 34-03-31.399N<br>077-55-47.393W | Iso W 6s | 40 | | On multi-pile structure. | Lighted throughout 24 hours; visible 1.5° either side of rangeline. |
| 30743 | UPPER LILIPUT RANGE REAR PASSING LIGHTS (2) | 34-03-31.399N<br>077-55-47.393W | Fl W 4s | 15 | 4 | On multi-pile structure. On same structure as Upper Liliput Range Rear Light. | Located on corners of platform. |
| 30745 | - *Channel Lighted Buoy 42* | 34-05-24.398N<br>077-56-00.995W | Fl R 4s | | 4 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| | *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30750 | - *Channel Lighted Buoy 44* | 34-06-16.725N 077-56-08.536W | Q R | | 4 | Red. | |
| 30755 | KEG ISLAND RANGE FRONT LIGHT | 34-07-47.295N 077-56-05.400W | Q W (NIGHT) Q W (DAY) | 19 | | On multi-pile structure. Same structure as Big Island Upper South Range Front Light. | Lighted throughout 24 hours. DAY : Visible 3.0° either side of rangeline. NIGHT : Visible all around; higher intensity 3.0° either side of rangeline. |
| 30760 | KEG ISLAND RANGE REAR LIGHT 622 yards, 002.7° from front light. | 34-08-05.747N 077-56-04.125W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 35 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 3.0° either side of rangeline. NIGHT: Visible all around; higher intensity 3.0° either side of rangeline. |
| 30765 | - *Channel Lighted Buoy 46* | 34-06-51.562N 077-56-06.294W | Fl R 4s | | 4 | Red. | |
| 30770 | - *Channel Lighted Buoy 47* | 34-07-20.959N 077-56-10.194W | Fl G 4s | | 4 | Green. | |
| 30775 | BIG ISLAND LOWER SOUTH RANGE FRONT LIGHT | 34-07-26.397N 077-56-02.168W | Q W (NIGHT) Q W (DAY) | 29 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30780 | BIG ISLAND LOWER SOUTH RANGE REAR LIGHT 300 yards, 151.2° from front light. | 34-07-18.551N 077-55-57.106W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 37 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30783 | BIG ISLAND LOWER NORTH RANGE FRONT LIGHT | 34-08-20.581N 077-56-37.140W | Fl G 2.5s (NIGHT) Fl G 2.5s (DAY) | 16 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30784 | BIG ISLAND LOWER NORTH RANGE REAR LIGHT 166 yards, 331.2° from front light. | 34-08-24.932N 077-56-39.950W | Oc G 4s (NIGHT) Oc G 4s (DAY) | 30 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30785 | - *Channel Lighted Buoy 49* | 34-07-42.350N 077-56-16.111W | Fl G 2.5s | | 4 | Green. | |
| 30790 | - *Channel Lighted Buoy 51* | 34-08-00.834N 077-56-28.208W | Q G | | 4 | Green. | |
| 30793 | LOWER BRUNSWICK SOUTH RANGE FRONT LIGHT | 34-08-12.800N 077-56-47.035W | Q W (NIGHT) Q W (DAY) | 20 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 30794 | LOWER BRUNSWICK SOUTH RANGE REAR LIGHT 267 yards, 153.2° from front light. | 34-08-05.734N 077-56-42.753W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 40 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible 1.5° either side of rangeline. |
| 30794.1 | LOWER BRUNSWICK SOUTH RANGE REAR PASSING LIGHTS (2) | 34-08-05.734N 077-56-42.753W | Fl W 4s | 15 | 4 | On same structure as Lower Brunswick South Range Rear Light. | |
| 30795 | - *Channel Lighted Buoy 52* | 34-08-08.838N 077-56-26.577W | Fl R 4s | | 4 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30796 | BIG ISLAND UPPER NORTH RANGE FRONT LIGHT | 34-08-41.069N 077-57-11.476W | Iso G 2s | 17 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30797 | BIG ISLAND UPPER NORTH RANGE REAR LIGHT 101 yards, 313.8° from front light. | 34-08-43.172N 077-57-14.057W | Iso G 6s | 28 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30800 | BIG ISLAND UPPER SOUTH RANGE FRONT LIGHT | 34-07-47.295N 077-56-05.400W | Q W (NIGHT) Q W (DAY) | 15 | | On multi-pile structure. On same structure as Keg Island Channel Range Front light. | Lighted throughout 24 hours. DAY: Visible 4.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 4.5° either side of rangeline. |
| 30805 | BIG ISLAND UPPER SOUTH RANGE REAR LIGHT 400 yards, 133.8° from front light. | 34-07-38.994N 077-55-55.200W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 30 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 3.0° either side of rangeline only. NIGHT: Visible all around; higher intensity 3.0° either side of rangeline. |
| 30810 | - *Channel Lighted Buoy 54* | 34-08-22.735N 077-56-43.433W | Fl R 2.5s | | 4 | Red. | |
| 30815 | - *Channel Lighted Buoy 55* | 34-08-24.053N 077-56-56.762W | Fl G 4s | | 4 | Green. | |
| 30820 | LOWER BRUNSWICK NORTH RANGE FRONT LIGHT | 34-09-46.414N 077-57-43.751W | Q W (NIGHT) Q W (DAY) | 22 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible on 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side on rangeline. |
| 30825 | LOWER BRUNSWICK NORTH RANGE REAR LIGHT 288 yards, 332.6° from front light. | 34-09-54.048N 077-57-48.381W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 34 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1,5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30830 | - *Channel Lighted Buoy 56* | 34-08-34.235N 077-56-56.755W | Fl R 4s | | 4 | Red. | |
| | **Watermark Marina** | | | | | | |
| 30832 | - Daybeacon 1 | 34-09-28.224N 077-56-45.302W | | | | SG on pile. | Private aid. |
| 30832.1 | - Daybeacon 2 | 34-09-27.345N 077-56-42.954W | | | | TR on pile. | Private aid. |
| 30832.2 | - Daybeacon 3 | 34-09-29.545N 077-56-42.786W | | | | SG on pile. | Private aid. |
| 30832.3 | - Daybeacon 4 | 34-09-28.938N 077-56-42.002W | | | | TR on pile. | Private aid. |
| 30832.4 | - Daybeacon 5 | 34-09-30.739N 077-56-41.448W | | | | SG on pile. | Private aid. |
| 30832.5 | - Daybeacon 6 | 34-09-30.133N 077-56-40.664W | | | | TR on pile. | Private aid. |
| 30832.6 | - Daybeacon 7 | 34-09-31.934N 077-56-40.110W | | | | SG on pile. | Private aid. |
| 30832.7 | - Daybeacon 8 | 34-09-31.327N 077-56-39.326W | | | | TR on pile. | Private aid. |
| | **Cape Fear River** *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30835 | - *Channel Lighted Buoy 57* | 34-09-17.444N 077-57-29.368W | Fl G 4s | | 4 | Green. | |
| 30836 | - *Channel Lighted Buoy 57A* | 34-09-41.160N 077-57-42.563W | Q G | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| | *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30840 | - *Channel Lighted Buoy 58* | 34-09-31.022N 077-57-31.066W | Q R | | 4 | Red. | |
| 30841 | - *Channel Lighted Buoy 58A* | 34-09-51.962N 077-57-34.450W | Fl R 4s | | 4 | Red. | |
| 30845 | UPPER BRUNSWICK RANGE FRONT LIGHT | 34-11-07.811N 077-57-19.850W | Q R | 40 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around; higher intensity 0.5° either side of rangeline. |
| 30850 | UPPER BRUNSWICK RANGE REAR LIGHT 350 yards, 011.4° from front light. | 34-11-18.320N 077-57-17.312W | Iso R 6s | 60 | | On skeleton tower. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 30855 | - *Lighted Buoy 59* | 34-10-24.014N 077-57-34.478W | Fl G 4s | | 4 | Green. | |
| 30860 | EXXON PIER LIGHT A | 34-10-37.114N 077-57-23.957W | F Y | | | On pier. | Private aid. |
| | **Wilmington Marine Center** | | | | | | |
| 30880 | - Daybeacon 1 | 34-10-21.644N 077-57-24.757W | | | | SG on pile. | Private aid. |
| 30885 | - Daybeacon 2 | 34-10-19.554N 077-57-25.657W | | | | TR on pile. | Private aid. |
| 30890 | - Daybeacon 3 | 34-10-20.884N 077-57-16.977W | | | | SG on pile. | Private aid. |
| 30895 | - Daybeacon 4 | 34-10-18.674N 077-57-14.457W | | | | TR on pile. | Private aid. |
| 30900 | - Daybeacon 5 | 34-10-20.204N 077-57-12.007W | | | | SG on pile. | Private aid. |
| 30905 | - Daybeacon 6 | 34-10-17.774N 077-57-12.017W | | | | TR on pile. | Private aid. |
| 30910 | - Daybeacon 7 | 34-10-17.424N 077-57-09.027W | | | | SG on pile. | Private aid. |
| 30910.5 | - Daybeacon 8 | 34-10-17.220N 077-57-07.560W | | | | TR on pile. | Private aid. |
| 30911 | - Daybeacon 9 | 34-10-13.800N 077-57-05.640W | | | | SG on pile. | Private aid. |
| 30911.5 | - Daybeacon 10 | 34-10-13.320N 077-57-04.260W | | | | TR on pile. | Private aid. |
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| 30912 30667 | UPPER MIDNIGHT CHANNEL SOUTH RANGE FRONT LIGHT | 34-00-07.907N 077-56-23.407W | Fl R 2.5s | 21 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30914 30669 | UPPER MIDNIGHT CHANNEL SOUTH RANGE REAR LIGHT 833 yards, 178.9° from front light. | 33-59-54.356N 077-56-23.270W | Iso R 6s | 46 | | Skeleton tower on multi-pile structure | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 30914.1 30669.1 | UPPER MIDNIGHT CHANNEL SOUTH RANGE REAR PASSING LIGHTS (2) | 33-59-54.356N 077-56-23.270W | Fl W 4s | 15 | 4 | Located on same structure as Upper Midnight Channel South Range Rear Light. | Located on corners of platform. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| | *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30925 | FOURTH EAST JETTY RANGE FRONT LIGHT | 34-09-56.611N 077-57-33.260W | Q W | 13 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30930 | FOURTH EAST JETTY RANGE REAR LIGHT 1,137 yards, 183.5° from front light. | 34-09-22.961N 077-57-36.148W | Iso W 6s | 36 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30935 | - *Channel Lighted Buoy 61* | 34-11-36.790N 077-57-27.606W | Fl G 4s | | 4 | Green. | |
| 30940 | - TURNING BASIN LIGHT A | 34-12-28.298N 077-57-34.498W | Fl W 2.5s | 15 | 5 | NR on pile. | |
| 30945 | PEAKTANK PIER LIGHT | 34-12-36.012N 077-57-17.458W | Fl Y 2.5s | 15 | | On post on A-frame on pier. | Private aid. |
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| 30947 | WILMINGTON TURNING BASIN RETAINING WALL LIGHT A | 34-12-33.970N 077-57-15.650W | Fl Y 4s | | | Steel Pile. | Private aid. |
| 30947.1 | WILMINGTON TURNING BASIN RETAINING WALL LIGHT B | 34-12-34.270N 077-57-15.220W | Fl Y 4s | | | Steel Pile. | Private aid. |
| 30947.2 | WILMINGTON TURNING BASIN RETAINING WALL LIGHT C | 34-12-35.340N 077-57-14.960W | Fl Y 4s | | | Steel Pile. | Private aid. |
| 30947.3 | WILMINGTON TURNING BASIN RETAINING WALL LIGHT D | 34-12-36.420N 077-57-14.710W | Fl Y 4s | | | Steel Pile. | Private aid. |
| 30947.4 | WILMINGTON TURNING BASIN RETAINING WALL LIGHT E | 34-12-37.500N 077-57-14.450W | Fl Y 4s | | | Steel Pile. | Private aid. |
| 30947.5 | WILMINGTON TURNING BASIN RETAINING WALL LIGHT F | 34-12-38.570N 077-57-14.190W | Fl Y 4s | | | Steel Pile. | Private aid. |
| 30947.6 | WILMINGTON TURNING BASIN RETAINING WALL LIGHT G | 34-12-39.650N 077-57-13.930W | Fl Y 4s | | | Steel Pile. | Private aid. |
| 30947.7 | WILMINGTON TURNING BASIN RETAINING WALL LIGHT H | 34-12-40.460N 077-57-13.740W | Fl Y 4s | | | Steel Pile. | Private aid. |
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| | *Buoys located 50 feet outside channel limit.* | | | | | | |
| 30950 | - TURNING BASIN LIGHT B | 34-12-52.026N 077-57-29.116W | Fl W 4s | 15 | 4 | NR on multi-pile structure. | |
| 30955 | - *Channel Lighted Buoy 63* | 34-14-07.070N 077-57-06.065W | Fl G 2.5s | | 4 | Green. | |
| 30960 | - JUNCTION LIGHT A | 34-14-26.463N 077-57-17.374W | Fl (2+1)G 6s | 15 | 3 | JG on multi-pile structure. | |
| | **Northeast Cape Fear River** | | | | | | |
| | *Daybeacons located 50 feet outside channel limit.* | | | | | | |
| 30970 | - *Turning Basin Lighted Buoy* | 34-14-48.506N 077-57-19.228W | Fl W 4s | | 4 | White and orange. | |
| 30975 | - LIGHT 1 | 34-15-44.742N 077-57-02.459W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 30980 | - LIGHT 2 | 34-15-51.802N 077-57-00.041W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 30985 | - LIGHT 4 | 34-15-59.680N 077-57-01.516W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 30990 | - LIGHT 6 | 34-16-20.078N 077-57-02.026W | Fl R 4s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Northeast Cape Fear River** | | | | | | |
| | *Daybeacons located 50 feet outside channel limit.* | | | | | | |
| 30995 | - Daybeacon 8 | 34-16-23.666N 077-56-56.386W | | | | TR on pile. | |
| 31000 | - Daybeacon 10 | 34-16-29.926N 077-56-56.572W | | | | TR on pile. | |
| 31002 | PCS NITROGEN PIER LIGHT A | 34-16-35.000N 077-57-06.000W | F Y | 10 | | On north end of pier. | Private aid. |
| 31002.1 | PCS NITROGEN PIER LIGHT B | 34-16-34.000N 077-57-06.000W | F W | 10 | | On south end of pier. | Private aid. |
| | **MYRTLE GROVE SOUND TO CASINO CREEK (Chart 11534)** | | | | | | |
| | **Lockwoods Folly Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 31010 | - *Lighted Buoy 1* | 33-54-25.032N 078-14-39.865W | Fl G 4s | | 6 | Green. | |
| 31015 | - *Lighted Buoy 2* | 33-54-25.387N 078-14-35.264W | Fl R 4s | | 6 | Red. | |
| 31020 | - Buoy 3 | 33-54-35.106N 078-14-25.677W | | | | Green can. | |
| 31025 | - Buoy 4 | 33-54-39.786N 078-14-22.075W | | | | Red nun. | |
| 31027 | - Buoy 5 | 33-54-42.156N 078-14-24.105W | | | | Green can. | |
| 31030 | - Buoy 6 | 33-54-54.509N 078-14-14.687W | | | | Red nun. | |
| 31035 | - Buoy 7 | 33-54-58.698N 078-14-16.727W | | | | Green can. | |
| 31040 | - Buoy 8 | 33-55-02.749N 078-14-14.106W | | | | Red nun. | |
| | **Shallotte Inlet** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions* | | | | | | |
| 31055 | - Buoy 1 | 33-53-38.600N 078-22-42.700W | | | | Green can. | Aid maintained by State DOT Private aid. |
| 31060 | - Buoy 2 | 33-53-39.700N 078-22-37.600W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 31070 | - Buoy 4 | 33-53-46.200N 078-22-38.800W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 31075 | - Buoy 5 | 33-53-48.300N 078-22-43.900W | | | | Green can. | Aid maintained by State DOT. Private aid. |
| 31080 | - Buoy 6 | 33-53-51.900N 078-22-41.100W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 31082 | - Buoy 7 | 33-53-59.500N 078-22-48.400W | | | | Green can. | Aid maintained by State DOT Private aid. |
| 31085 | - Buoy 8 | 33-53-02.000N 078-22-45.100W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 31087 | - Buoy 9 | 33-54-06.400N 078-22-50.700W | | | | Green can. | Aid maintained by State DOT Private aid. |
| 31090 | - Buoy 11 | 33-54-12.300N 078-22-51.500W | | | | Green can. | Aid maintained by State DOT Private aid. |
| | **Calabash Creek** | | | | | | |
| 31115 | - Daybeacon 2 | 33-52-15.905N 078-34-14.235W | | | | TR on pile. | |
| 31120 | - Daybeacon 3 | 33-52-25.484N 078-34-14.303W | | | | SG on pile. | |
| 31125 | - LIGHT 4 | 33-52-33.442N 078-34-20.321W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 31130 | - Daybeacon 6 | 33-52-44.936N 078-34-16.337W | | | | TR on pile. | |
| 31135 | - Buoy 7 | 33-52-50.510N 078-34-12.623W | | | | Green can. | |
| 31140 | - Daybeacon 8 | 33-52-55.681N 078-34-08.426W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **MYRTLE GROVE SOUND TO CASINO CREEK (Chart 11534)** | | | | | | |
| | **Calabash Creek** | | | | | | |
| 31145 | - Daybeacon 9 | 33-53-00.092N 078-34-04.985W | | | | SG on pile. | |
| 31150 | - *Lighted Wreck Buoy WR10* | 33-53-06.493N 078-33-57.636W | Q R | | 4 | Red. | |
| 31155 | - Daybeacon 12 | 33-53-07.952N 078-33-50.788W | | | | TR on pile. | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Currituck Sound** | | | | | | |
| 31170 | WHALE HEAD BAY LIGHT 1 | 36-21-52.955N 075-50-56.835W | Fl G 4s | 15 | 4 | SG on pile. | |
| 31175 | WHALE HEAD BAY LIGHT 2 | 36-22-17.699N 075-50-10.593W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| | **North Carolina Power** | | | | | | |
| 31180 | - Cable Warning Daybeacon A | 36-19-59.804N 075-53-59.824W | | | | NW on pile. | Private aid. |
| 31185 | - Cable Warning Daybeacon B | 36-20-11.920N 075-53-28.806W | | | | NW on pile. | Private aid. |
| 31190 | - Cable Warning Daybeacon C | 36-20-24.034N 075-52-54.580W | | | | NW on pile. | Private aid. |
| 31195 | - Cable Warning Daybeacon D | 36-20-39.177N 075-52-18.215W | | | | NW on pile. | Private aid. |
| 31200 | - Cable Warning Daybeacon E | 36-20-46.964N 075-51-42.385W | | | | NW on pile. | Private aid. |
| 31205 | - Cable Warning Daybeacon F | 36-21-10.325N 075-51-09.229W | | | | NW on pile. | Private aid. |
| 31210 | - Cable Warning Daybeacon G | 36-21-13.353N 075-50-30.190W | | | | NW on pile. | Private aid. |
| 31215 | - Cable Warning Daybeacon H | 36-21-30.655N 075-50-00.242W | | | | NW on pile. | Private aid. |
| | **Currituck Sound** | | | | | | |
| 31220 | POPLAR BRANCH LIGHT 1 | 36-17-13.552N 075-52-56.961W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 31225 | LONE OAK CHANNEL LIGHT 1 | 36-17-37.145N 075-51-28.293W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 31230 | WELLS CREEK LIGHT 1 | 36-17-13.259N 075-49-37.910W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 31235 | BEASLEY BAY LIGHT 2 | 36-17-16.427N 075-48-41.966W | Fl R 4s | 15 | 4 | TR on pile. | |
| 31240 | - LIGHT 1 | 36-02-37.348N 075-45-31.428W | Fl G 6s | 15 | 4 | SG on pile. | |
| 31240.2 | KITTY HAWK LANDING LIGHT 1KHL | 36-03-25.620N 075-44-29.280W | Fl G 10s | 11 | | SG on multi-pile structure. | Private aid. |
| 31240.4 | KITTY HAWK LANDING LIGHT 2KHL | 36-03-24.840N 075-44-29.640W | Fl R 10s | 11 | | TR on multi-pile structure. | Private aid. |
| 31241.2 | - RESEARCH PLATFORM C | 36-15-30.398N 075-50-51.884W | Fl Y 4s | 16 | | NY on multi-pile structure. | Aid maintained by U.S. Army Corps of Engineers. |
| 31245 | CURRITUCK FERRY TERMINAL LIGHT 2 | 36-27-18.819N 075-59-33.118W | Q R | 15 | 4 | TR on pile. | |
| 31250 | CURRITUCK FERRY TERMINAL LIGHT 3 | 36-26-59.524N 076-00-29.685W | Fl G 4s | 16 | 4 | SG on pile. | |
| 31255 | KNOTTS ISLAND FERRY TERMINAL LIGHT 2 | 36-27-59.326N 075-57-39.012W | Q R | 15 | 4 | TR on pile. | |
| 31260 | KNOTTS ISLAND FERRY TERMINAL LIGHT 4 | 36-28-25.383N 075-56-43.832W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 31265 | KNOTTS ISLAND FERRY TERMINAL LIGHT 6 | 36-28-50.675N 075-55-49.872W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Southern Shores** | | | | | | |
| 31270 | - Daybeacon 1 | 36-07-49.569N 076-45-00.815W | | | | SG on pile. | Private aid. |
| 31275 | - Daybeacon 2 | 36-07-44.569N 076-45-04.815W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Currituck Sound** | | | | | | |
| | **Southern Shores** | | | | | | |
| 31280 | - Daybaecon 3 | 36-07-48.589N 075-45-56.664W | | | | SG on pile. | Private aid. |
| 31285 | - Daybeacon 4 | 36-07-42.590N 075-44-58.660W | | | | TR on pile. | Private aid. |
| 31290 | - Daybeacon 5 | 36-07-45.591N 075-44-48.660W | | | | SG on pile. | Private aid. |
| 31291 | - Daybeacon 5A | 36-07-48.000N 075-44-48.000W | | | | SG on pile. | Private aid. |
| 31295 | - Daybeacon 6 | 36-07-41.590N 075-44-56.660W | | | | TR on pile. | Private aid. |
| 31300 | - Daybeacon 7 | 36-07-43.591N 075-44-48.660W | | | | SG on pile. | Private aid. |
| 31305 | - Junction Daybeacon JG | 36-07-45.590N 075-44-55.660W | | | | JR on pile. | Private aid. |
| 31310 | - Daybeacon 9 | 36-07-45.591N 075-44-48.660W | | | | SG on pile. | Private aid. |
| 31315 | - Daybeacon 10 | 36-07-38.591N 075-44-49.659W | | | | TR on pile. | Private aid. |
| 31320 | - Daybeacon 11 | 36-07-38.591N 075-44-39.659W | | | | SG on pile. | Private aid. |
| 31325 | - Daybeacon 12 | 36-07-39.591N 075-44-40.659W | | | | TR on pile. | Private aid. |
| | **Albemarle Sound** | | | | | | |
| | **Kitty Hawk Bay** | | | | | | |
| 31330 | - LIGHT 2KH | 36-01-10.703N 075-45-36.156W | Fl R 4s | 15 | 5 | TR on pile. | |
| 31335 | - Daybeacon 3 | 36-02-11.335N 075-43-48.613W | | | | SG on pile. | |
| 31340 | - Daybeacon 4 | 36-02-54.067N 075-42-34.627W | | | | TR on pile. | |
| 31345 | - Daybeacon 6 | 36-03-04.519N 075-42-16.357W | | | | TR on pile. | |
| | **Albemarle Sound** | | | | | | |
| 31350 | Colington Harbor Entrance Daybeacon 3 | 36-01-04.397N 075-43-42.841W | | | | SG on pile. | Private aid. |
| 31355 | MIDDLE GROUND LIGHT MG | 36-00-10.960N 075-48-33.134W | Iso W 6s | 15 | 8 | NR on multi-pile structure. | Higher intensity beams toward Albemarle Sound Light, North Point, Colington Island, and Croaton Channel. |
| 31360 | Durant Island Daybeacon 1D | 36-00-27.643N 075-51-59.221W | | | | SG on multi-pile structure. | |
| 31365 | Powells Point Daybeacon 2PP | 36-02-59.664N 075-50-17.525W | | | | TR on pile. | |
| 31370 | Powells Point Daybeacon 4PP | 36-06-32.812N 075-52-24.753W | | | | TR on pile. | |
| 31375 | Durant Island Daybeacon 3D | 36-00-10.153N 075-55-17.593W | | | | SG on multi-pile structure. | |
| | **NORFOLK TO ALBEMARLE SOUND (Chart 12206)** | | | | | | |
| | **Albemarle Sound** | | | | | | |
| | **Pasquotank River** | | | | | | |
| 31390 37045 | **- Entrance Light PR** On east part of shoal off point. | 36-09-22.739N 075-58-38.468W | Fl W 2.5s | 23 | 12 | NB on multi-pile structure. 20 | |
| 31393 37047 | - Warning Daybeacon A | 36-09-22.547N 075-58-40.019W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 31395 37040 | - SLUE LIGHT 1PR | 36-09-01.212N 076-01-15.435W | Fl G 4s | 15 | 5 | SG-TY on pile. | |
| 31400 37035 | - LIGHT 2 | 36-11-03.235N 076-01-37.073W | Fl R 4s | 15 | 4 | TR-SY on pile. | |
| 31405 37030 | PASQUATANK RIVER WRECK LIGHT WR3 | 36-12-10.559N 076-04-03.917W | Q G | 17 | 4 | SG-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **NORFOLK TO ALBEMARLE SOUND (Chart 12206)** | | | | | | |
| | **Albemarle Sound** | | | | | | |
| | **Pasquotank River** | | | | | | |
| 31410 37025 | - LIGHT 4 | 36-13-57.170N 076-05-18.023W | Fl R 4s | 15 | 4 | TR-SY on pile. | |
| 31415 37020 | - LIGHT 5 | 36-15-15.148N 076-07-41.763W | Q G | 16 | 5 | SG-TY on pile. | |
| | **Whitehall Shores** | | | | | | |
| 31416 | - CHANNEL LIGHT 1 | 36-17-06.566N 076-08-34.748W | Fl G 2.5s | 12 | | SG on pile. | Private aid. |
| 31416.5 | - Channel Daybeacon 2 | 36-17-06.566N 076-08-31.748W | | | | TR on pile. | Private aid. |
| 31419.6 | - West Channel Daybeacon 1 | 36-17-20.566N 076-09-10.750W | | | | SG on pile. | Private aid. |
| | **Pasquotank River** | | | | | | |
| 31420 37005 | - LIGHT 5A | 36-16-02.713N 076-09-06.194W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 31425 37010 | Coast Guard Base Daybeacon 1 | 36-16-16.202N 076-10-39.012W | | | | SG on pile. | |
| 31430 37015 | COAST GUARD BASE LIGHT 2 | 36-16-16.449N 076-10-39.490W | Fl R 4s | 15 | 4 | TR on pile. | |
| 31435 37000 | - LIGHT 7 | 36-17-20.434N 076-11-19.263W | Q G | 18 | 4 | SG-TY on pile. | |
| 31440 36995 | - Daybeacon 8 | 36-17-55.345N 076-12-59.749W | | | | TR-SY on pile. | |
| 31445 36990 | - LIGHT 9 | 36-18-21.192N 076-12-11.220W | Fl G 4s | 16 | 4 | SG-TY on slatted pile structure. | |
| 31450 36985 | - Daybeacon 11 | 36-20-39.386N 076-13-04.245W | | | | SG-TY on pile. | |
| 31455 36980 | - Daybeacon 13 | 36-20-45.616N 076-13-27.212W | | | | SG-TY on pile. | |
| 31460 36975 | - Daybeacon 15 | 36-21-16.909N 076-13-37.626W | | | | SG-TY on pile. | |
| 31465 36970 | - Daybeacon 16 | 36-21-32.776N 076-13-40.668W | | | | TR-SY on pile. | |
| 31470 36965 | - Daybeacon 17 | 36-21-37.699N 076-13-48.472W | | | | SG-TY on pile. | |
| 31475 36960 | - Daybeacon 18 | 36-21-43.635N 076-13-48.456W | | | | TR-SY on pile. | |
| 31480 36955 | - Daybeacon 19 | 36-22-18.421N 076-13-53.022W | | | | SG-TY on pile. | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Albemarle Sound** | | | | | | |
| 31485 | - LIGHT 1AS | 36-02-39.583N 076-04-30.218W | Fl G 4s | 16 | 6 | SG on pile. | |
| 31490 | - Warning Daybeacon A | 36-02-22.028N 076-07-30.015W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31491 | - Warning Daybeacon B | 36-02-00.028N 076-09-32.015W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31493 | - Warning Daybeacon D | 36-01-20.159N 076-14-32.422W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31494 | - Warning Daybeacon E | 36-01-05.026N 076-17-18.000W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31495 | - WARNING LIGHT F | 36-00-43.028N 076-19-21.015W | Fl W 4s | 15 | 5 | NW on pile worded DANGER BOMBING AREA. | |
| 31496 | - Warning Daybeacon G | 35-59-38.016N 076-19-19.993W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31497 | - Warning Daybeacon H | 35-59-41.028N 076-16-30.015W | | | | NW on pile worded DANGER BOMBING AREA. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Albemarle Sound** | | | | | | |
| 31498 | - Warning Daybeacon I | 35-59-50.112N 076-13-17.283W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31500 | - Warning Daybeacon J | 35-59-32.094N 076-13-16.875W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31501 | - Warning Daybeacon K | 36-00-09.925N 076-07-12.274W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31502 | - Warning Daybeacon L | 36-00-15.028N 076-04-26.015W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31505 | Little River Entrance Daybeacon 1L | 36-05-49.405N 076-10-18.866W | | | | SG on pile. | |
| | **Perquimans River** | | | | | | |
| 31510 | - ENTRANCE LIGHT 2P | 36-04-31.482N 076-12-55.129W | Fl R 2.5s | 15 | 5 | TR on pile. | |
| 31515 | - Entrance Daybeacon 3P | 36-04-52.978N 076-17-33.110W | | | | SG on pile. | |
| 31520 | - LIGHT 5 | 36-06-08.277N 076-17-46.045W | Fl G 4s | 15 | 6 | SG on pile. | |
| 31525 | - Daybeacon 7 | 36-07-30.375N 076-20-40.500W | | | | SG on pile. | |
| 31530 | - LIGHT 8 | 36-08-08.688N 076-22-25.023W | Fl R 4s | 15 | 5 | TR on pile. | |
| 31535 | - Daybeacon 9 | 36-11-39.105N 076-27-43.994W | | | | SG on pile. | |
| 31540 | - Daybeacon 11 | 36-11-41.667N 076-27-50.864W | | | | SG on pile. | |
| | **Albemarle Plantation Marina** | | | | | | |
| 31545 | - LIGHT 1 | 36-03-56.000N 076-24-02.000W | Fl G 2.5s | 15 | | SG on dolphin. | Private aid. |
| 31550 | - Daybeacon 3 | 36-04-02.000N 076-24-00.000W | | | | SG on pile. | Private aid. |
| 31555 | - Daybeacon 4 | 36-04-02.000N 076-24-02.000W | | | | TR on pile. | Private aid. |
| 31560 | - LIGHT 5 | 36-04-08.000N 076-24-02.000W | Fl G 4s | 15 | | SG on pile. | Private aid. |
| 31565 | - LIGHT 6 | 36-04-30.500N 076-24-21.000W | Q R | 8 | | TR on pile. | Private aid. |
| 31570 | - Daybeacon 8 | 36-04-37.000N 076-24-24.000W | | | | TR on pile. | Private aid. |
| | **Bull Bay** | | | | | | |
| 31575 | - Warning Daybeacon 800 feet, 090° from wreck. | 35-57-50.700N 076-21-42.989W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| 31580 | - Daybeacon 2BB | 35-56-42.502N 076-21-59.307W | | | | TR on pile. | |
| | **Scuppernong River** | | | | | | |
| 31585 | - CHANNEL LIGHT 1SR | 35-56-58.195N 076-19-36.390W | Fl G 4s | 15 | 5 | SG on multi-pile structure. | |
| 31590 | - Channel Daybeacon 2 | 35-56-48.088N 076-19-28.995W | | | | TR on pile. | |
| 31595 | - Channel Daybeacon 2A | 35-56-38.968N 076-19-16.875W | | | | TR on pile. | |
| 31600 | - CHANNEL LIGHT 3 | 35-56-27.809N 076-18-52.535W | Fl G 4s | 15 | 4 | SG on pile. | |
| 31605 | - CHANNEL LIGHT 4 | 35-55-46.798N 076-17-11.450W | Fl R 4s | 15 | 4 | TR on pile. | |
| 31610 | - Channel Daybeacon 5 | 35-55-30.320N 076-16-52.488W | | | | SG on pile. | |
| 31615 | - CHANNEL LIGHT 7 | 35-55-14.402N 076-16-46.662W | Q G | 15 | 4 | SG on pile. | |
| 31620 | - Channel Daybeacon 8 | 35-55-19.408N 076-16-11.175W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Albemarle Sound** | | | | | | |
| | **Scuppernong River** | | | | | | |
| 31625 | - CHANNEL LIGHT 10 | 35-55-24.886N 076-15-45.469W | Fl R 2.5s | 15 | 3 | TR on pile. | |
| 31626 | TOWN OF COLUMBIA (WWTP DIFFUSER) WARNING LIGHT A | 35-55-17.530N 076-15-29.290W | Fl W 4s | | | NW on pile. | Private aid. |
| | **Harvey Point** | | | | | | |
| 31627 | - WARNING LIGHT A | 36-04-32.080N 076-17-23.115W | Fl W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.01 | - WARNING LIGHT B | 36-04-10.912N 076-17-12.711W | Fl W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.02 | - WARNING LIGHT C | 36-03-35.308N 076-16-56.619W | Fl W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.03 | - WARNING LIGHT D | 36-03-06.028N 076-16-43.015W | Fl W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.04 | - WARNING LIGHT E | 36-02-54.772N 076-17-31.467W | Fl W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.05 | - WARNING LIGHT F | 36-02-45.844N 076-18-05.271W | Fl W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.06 | - WARNING LIGHT G | 36-02-34.504N 076-18-45.483W | Fl W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.07 | - WARNING LIGHT H | 36-02-36.916N 076-20-02.235W | Fl W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.08 | - WARNING LIGHT J | 36-02-56.860N 076-20-40.971W | Fl W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.09 | - WARNING LIGHT K | 36-03-15.868N 076-21-18.843W | Fl W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.1 | - WARNING LIGHT L | 36-03-30.210N 076-21-44.416W | Fl W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.2 | - WARNING LIGHT M | 36-03-51.220N 076-21-30.075W | Fl W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.3 | - WARNING LIGHT N | 36-04-22.934N 076-21-08.331W | Fl W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.4 | - WARNING LIGHT P | 36-07-03.028N 076-20-37.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31627.5 | - WARNING LIGHT Q | 36-06-52.028N 076-20-26.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31627.6 | - WARNING LIGHT R | 36-06-45.028N 076-20-14.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31627.7 | - WARNING LIGHT S | 36-06-35.028N 076-20-03.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Mainatined by Dept. of Defense. |
| 31627.8 | - WARNING LIGHT T | 36-06-29.028N 076-19-49.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31627.9 | - Warning Daybeacon U | 36-06-23.028N 076-19-35.015W | | | | NW on pile worded DANGER. | Maintained by Dept. of Defense. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Albemarle Sound** | | | | | | |
| | **Harvey Point** | | | | | | |
| 31628 | - Warning Daybeacon V | 36-06-18.028N 076-19-19.015W | | | | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.01 | - Warning Daybeacon W | 36-06-14.028N 076-19-03.015W | | | | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.02 | - WARNING LIGHT X | 36-06-10.028N 076-18-48.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.03 | - WARNING LIGHT Y | 36-06-10.028N 076-18-32.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.04 | - WARNING LIGHT Z | 36-06-10.028N 076-18-17.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.05 | - WARNING LIGHT AA | 36-06-01.028N 076-18-05.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.06 | - WARNING LIGHT BB | 36-05-48.028N 076-18-05.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.07 | - WARNING LIGHT CC | 36-05-36.028N 076-18-08.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.08 | - WARNING LIGHT DD | 36-05-26.028N 076-18-15.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.09 | - WARNING LIGHT EE | 36-05-19.028N 076-18-28.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.1 | - WARNING LIGHT FF | 36-05-12.028N 076-18-41.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.2 | - WARNING LIGHT GG | 36-05-07.028N 076-18-54.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.3 | - WARNING LIGHT HH | 36-05-00.028N 076-19-07.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.4 | - WARNING LIGHT JJ | 36-04-59.028N 076-19-21.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.5 | - WARNING LIGHT KK | 36-04-57.028N 076-19-37.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.6 | - Warning Daybeacon LL | 36-04-55.028N 076-19-52.015W | | | | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.7 | - Warning Daybeacon MM | 36-04-58.028N 076-20-08.015W | | | | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.8 | - WARNING LIGHT NN | 36-05-01.028N 076-20-23.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.9 | - WARNING LIGHT PP | 36-05-00.028N 076-20-39.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31629 | - WARNING LIGHT QQ | 36-04-59.028N 076-20-51.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. Aid maintained by U.S. Navy. |
| 31629.01 | - WARNING LIGHT RR | 36-05-00.028N 076-21-52.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. Aid maintained by U.S. Navy. |
| 31629.02 | - WARNING LIGHT SS | 36-04-55.028N 076-22-06.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. Aid maintained by U.S. Navy. |
| 31629.03 | - WARNING LIGHT TT | 36-04-57.028N 076-22-21.015W | Fl W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. Aid maintained by U.S. Navy. |
| | **Albemarle Sound** | | | | | | |
| 31630 | - LIGHT 2AS | 36-02-20.335N 076-19-32.875W | Q R | 15 | 5 | TR on multi-pile structure. | |
| 31632 | - Daybeacon 4AS | 36-03-29.140N 076-22-44.142W | | | | TR on pile. | |
| 31635 | - LIGHT 5AS | 36-00-06.517N 076-23-32.436W | Fl G 4s | 48 | 5 | SG on skeleton tower. | |
| 31640 | Laurel Point Warning Daybeacon C | 35-59-31.693N 076-24-07.890W | | | | NW on pile worded DANGER OBSTRUCTION. | |
| 31645 | - LIGHT 6AS | 36-00-44.023N 076-27-11.209W | Fl R 4s | 15 | 5 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Albemarle Sound** | | | | | | |
| 31650 | - LIGHT 8AS | 35-59-10.678N 076-35-14.895W | Fl R 4s | 20 | 5 | TR on multi-pile structure. | Higher intensity beam toward 089°. |
| 31655 | - LIGHT 9AS | 35-59-04.520N 076-35-19.363W | Fl G 4s | 20 | 5 | SG on multi-pile structure. | |
| 31660 | KENDRICK CREEK CHANNEL ENTRANCE LIGHT 1KC<br>10 feet outside channel limit. | 35-56-33.336N 076-36-42.459W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 31665 | Kendrick Creek Channel Daybeacon 2 | 35-56-32.792N 076-36-43.756W | | | | TR on pile. | |
| 31667 | Albemarle Beach Outfall Warning Buoy OP | 35-56-11.580N 076-38-29.340W | | | | White and orange can worded OP. | Private aid. |
| | **Roanoke River**<br>*Aids located 15 feet outside channel limit.* | | | | | | |
| 31670 | - CHANNEL ENTRANCE LIGHT 1RR | 35-57-17.913N 076-39-30.905W | Fl G 4s | 15 | 5 | SG on multi-pile structure. | |
| 31675 | - Channel Daybeacon 2 | 35-57-07.663N 076-40-17.306W | | | | TR on pile. | |
| 31680 | - CHANNEL LIGHT 3 | 35-56-48.982N 076-41-00.584W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 31685 | - Channel Daybeacon 5 | 35-56-42.470N 076-41-30.866W | | | | SG on pile. | |
| 31690 | - CHANNEL LIGHT 6 | 35-56-43.835N 076-41-34.746W | Q R | 15 | 4 | TR on pile. | |
| 31695 | - Channel Daybeacon 8 | 35-56-35.917N 076-41-44.139W | | | | TR on pile. | |
| 31700 | - CHANNEL LIGHT 10 | 35-56-27.211N 076-41-47.317W | Fl R 4s | 15 | 4 | TR on pile. | |
| 31705 | - CHANNEL LIGHT 11 | 35-56-14.921N 076-41-46.413W | Fl G 4s | 15 | 4 | SG on pile. | |
| 31710 | - Channel Daybeacon 12 | 35-55-50.895N 076-41-57.357W | | | | TR on pile. | |
| 31715 | - CHANNEL LIGHT 13 | 35-55-24.470N 076-42-07.698W | Fl G 4s | 15 | 4 | SG on pile. | |
| 31720 | - CHANNEL LIGHT 14 | 35-55-26.839N 076-42-39.887W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 31725 | - CHANNEL LIGHT 15 | 35-55-08.413N 076-43-07.066W | Fl G 4s | 15 | 4 | SG on pile. | |
| 31730 | - Channel Daybeacon 16 | 35-54-43.123N 076-43-31.409W | | | | TR on pile. | |
| 31733 | - MCRWASA LIGHT A | 35-51-43.420N 077-02-40.540W | F W | | | NW on pile worded DANGER SUBMERGED PIPE. | Private aid. |
| 31735 | - CHANNEL LIGHT 17 | 35-52-42.132N 076-44-16.194W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 31736 | SANDY POINT WARNING LIGHT A | 36-00-48.122N 076-30-12.369W | Fl W 4s | 13 | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 31736.1 | Sandy Point Warning Daybeacon B | 36-00-47.409N 076-30-10.519W | | | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 31736.2 | SANDY POINT WARNING LIGHT C | 36-00-46.783N 076-30-08.012W | Fl W 4s | 13 | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 31736.3 | Sandy Point Warning Daybeacon D | 36-00-47.902N 076-30-05.929W | | | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 31736.4 | SANDY POINT WARNING LIGHT E | 36-00-49.600N 076-30-02.951W | Fl W 4s | 13 | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 31736.5 | Sandy Point Warning Daybeacon F | 36-00-50.763N 076-30-00.881W | | | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 31736.6 | SANDY POINT WARNING LIGHT G | 36-00-51.245N 076-29-58.801W | Fl W 4s | 13 | | NW on pile worded DANGER BREAKWATER. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Albemarle Sound** | | | | | | |
| | **Edenton Bay** | | | | | | |
| 31740 | - LIGHT 2 | 36-01-57.889N 076-36-54.394W | Fl R 2.5s | 15 | 5 | TR on multi-pile structure. | |
| 31745 | - LIGHT 4 | 36-02-31.333N 076-36-45.974W | Fl R 4s | 15 | 4 | TR on pile. | |
| 31750 | EDENTON LIGHT | 36-03-20.914N 076-36-35.163W | Iso W 6s | 19 | 6 | NR on pile. | Directional light centered on channel axis of 015°. |
| 31755 | - Daybeacon 6 | 36-03-00.706N 076-36-38.378W | | | | TR on pile. | |
| 31760 | - Daybeacon 8 | 36-03-12.131N 076-36-36.165W | | | | TR on pile. | |
| | **Pembroke Creek** | | | | | | |
| 31765 | - Daybeacon 1 | 36-03-20.068N 076-36-44.164W | | | | SG on pile. | |
| 31770 | - Daybeacon 3 | 36-03-26.358N 076-36-50.897W | | | | SG on pile. | |
| 31775 | - Daybeacon 4 | 36-03-24.525N 076-37-05.925W | | | | TR on pile. | |
| 31780 | - Daybeacon 6 | 36-03-15.861N 076-37-20.111W | | | | TR on pile. | |
| 31782 | - Daybeacon 7 | 36-03-15.615N 076-37-19.355W | | | | SG on pile. | |
| 31783 | - Daybeacon 8 | 36-03-24.611N 076-37-30.693W | | | | TR on pile. | |
| | **Chowan River** | | | | | | |
| 31785 | - ENTRANCE LIGHT CR | 36-00-12.836N 076-37-26.967W | Mo (A) W | 17 | 5 | NB on pile. | |
| 31787 | Black Walnut Pt Artificial Reef Buoy AR-191A | 36-00-03.800N 076-40-01.800W | | | | White can with orange diamond, worded REEF. | Private aid. |
| 31787.1 | Black Walnut Pt Artificial Reef Buoy AR-191B | 36-00-03.800N 076-39-55.400W | | | | White can with orange diamond, worded REEF. | Private aid. |
| 31787.2 | Black Walnut Pt Artificial Reef Buoy AR-191C | 35-59-57.600N 076-39-55.400W | | | | White can with orange diamond, worded REEF. | Private aid. |
| 31787.3 | Black Walnut Pt Artificial Reef Buoy AR-191D | 35-59-57.600N 076-40-01.900W | | | | White can with orange diamond, worded REEF. | Private aid. |
| 31790 | - ENTRANCE LIGHT 2CR | 36-01-44.545N 076-40-20.588W | Mo (A) W | 15 | 5 | TR on multi-pile structure. | |
| 31795 | - LIGHT 3 | 36-05-49.378N 076-43-28.621W | Fl G 4s | 19 | 4 | SG on multi-pile structure. | |
| 31800 | - LIGHT 5 | 36-09-54.251N 076-44-28.727W | Fl G 2.5s | 16 | 5 | SG on mulit-pile structure. | |
| 31805 | - Daybeacon 7 | 36-12-35.425N 076-43-36.384W | | | | SG on pile. | |
| 31810 | - LIGHT 9 | 36-13-48.055N 076-43-00.085W | Fl G 4s | 16 | 5 | SG on pile. | |
| 31815 | - Daybeacon 10 | 36-14-59.847N 076-42-07.565W | | | | TR on multi-pile structure. | |
| 31820 | - LIGHT 12 | 36-16-07.756N 076-41-28.205W | Fl R 2.5s | 18 | 5 | TR on multi-pile structure. | |
| 31825 | - LIGHT 13 | 36-17-39.818N 076-41-50.508W | Q G | 15 | 4 | SG on pile. | |
| 31830 | - Daybeacon 14 | 36-18-39.551N 076-42-58.486W | | | | TR on pile. | |
| 31835 | - LIGHT 16 | 36-19-24.945N 076-44-00.091W | Fl R 4s | 15 | 4 | TR on pile. | |
| 31840 | - Daybeacon 18 | 36-20-16.293N 076-44-43.700W | | | | TR on pile. | |
| 31845 | - LIGHT 19 | 36-20-56.604N 076-45-33.350W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Albemarle Sound** | | | | | | |
| | **Chowan River** | | | | | | |
| 31850 | - Daybeacon 20 | 36-21-20.632N 076-46-08.244W | | | | TR on pile. | |
| 31855 | - LIGHT 22 | 36-21-46.846N 076-46-40.912W | Fl R 4s | 15 | 4 | TR on pile. | |
| 31860 | - Daybeacon 24 | 36-21-40.965N 076-47-41.457W | | | | TR on pile. | |
| 31861 | NUCOR DOLPHIN LIGHT A | 36-21-37.630N 076-48-19.920W | Fl Y 4s | 12 | | On multi-pile dolphin. | Private aid. |
| 31863 | NUCOR DOLPHIN LIGHT B | 36-21-39.960N 076-48-28.760W | Fl Y 2.5s | 12 | | On multi-pile dolphin. | Private aid. |
| 31865 | - LIGHT 26 | 36-21-52.228N 076-49-13.032W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 31870 | - Daybeacon 27 | 36-22-14.743N 076-50-03.864W | | | | SG on pile. | |
| 31875 | - Daybeacon 28 | 36-22-34.624N 076-50-54.226W | | | | TR on pile. | |
| 31880 | - LIGHT 29 | 36-22-53.657N 076-52-25.928W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 31885 | - Daybeacon 30 | 36-23-00.396N 076-52-47.351W | | | | TR on pile. | |
| 31890 | - Daybeacon 31 | 36-23-20.493N 076-53-48.380W | | | | SG on pile. | |
| 31895 | - Daybeacon 32 | 36-23-27.227N 076-54-21.158W | | | | TR on pile. | |
| | **Croatan Sound** | | | | | | |
| 31900 | - Approach Daybeacon 2 On edge of shoal. | 35-57-39.122N 075-47-31.423W | | | | TR on pile. | |
| 31905 | - LIGHT 3CS | 35-56-42.255N 075-46-40.494W | Fl G 4s | 15 | 5 | SG on pile. | |
| 31907 | - South Warning Daybeacon | 35-56-42.359N 075-46-39.781W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 31910 | - Daybeacon 3A | 35-56-10.034N 075-46-05.119W | | | | SG on pile. | |
| 31915 | MANNS HARBOR LIGHT 2 | 35-54-35.984N 075-46-00.084W | Fl R 4s | 18 | 4 | TR on pile. | |
| 31920 | MANNS HARBOR CANAL LIGHT 1 | 35-54-25.827N 075-46-00.609W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 31925 | - LIGHT 4 | 35-54-35.847N 075-44-27.811W | Fl R 4s | 20 | 5 | TR on pile. | |
| 31930 | - LIGHT 6 | 35-53-53.645N 075-43-48.500W | Fl R 2.5s | 18 | 4 | TR on pile. | |
| 31933 | - LIGHT 7 | 35-53-11.976N 075-43-02.096W | Q G | 15 | 4 | SG on pile. | |
| 31935 | - LIGHT 8 | 35-53-09.358N 075-43-05.012W | Fl R 4s | 15 | 5 | TR on pile. | |
| 31937 | - LIGHT 9 | 35-52-06.015N 075-42-47.958W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| | **Spencer Creek** | | | | | | |
| 31946 | - Daybeacon 1 | 35-50-18.000N 075-43-00.000W | | | | SG on pile. | Private aid. |
| 31946.1 | - Daybeacon 2 | 35-50-42.000N 075-43-17.000W | | | | TR on pile. | Private aid. |
| 31946.2 | - Daybeacon 3 | 35-50-45.000N 075-43-41.000W | | | | SG on pile. | Private aid. |
| 31946.3 | - Daybeacon 4 | 35-50-56.000N 075-44-05.000W | | | | TR on pile. | Private aid. |
| 31946.4 | - Daybeacon 5 | 35-51-02.000N 075-44-26.000W | | | | SG on pile. | Private aid. |
| 31946.5 | - Daybeacon 6 | 35-51-21.000N 075-44-48.000W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Croatan Sound** | | | | | | |
| | **Spencer Creek** | | | | | | |
| 31946.6 | - Daybeacon 7 | 35-51-29.000N 075-45-02.000W | | | | SG on pile. | Private aid. |
| | **Croatan Sound** | | | | | | |
| 31950 | - LIGHT 10 | 35-50-21.358N 075-42-31.391W | Fl R 4s | 15 | 4 | TR on pile. | |
| 31955 | - Warning Daybeacon | 35-49-04.860N 075-42-28.341W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 31960 | ROANOKE ISLAND WEST SIDE LIGHT 2 | 35-50-24.136N 075-40-07.538W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 31965 | ROANOKE ISLAND WEST SIDE LIGHT 4 | 35-50-34.544N 075-39-41.779W | Fl R 4s | 15 | 4 | TR on pile. | |
| 31966 | Roanoke Island West Side Buoy 4A | 35-50-35.655N 075-39-36.925W | | | | Red nun. | |
| 31970 | Roanoke Island West Side Daybeacon 6 | 35-50-35.152N 075-39-33.764W | | | | TR on pile. | |
| 31975 | ROANOKE MARSHES LIGHT RM | 35-48-39.950N 075-42-02.163W | Fl W 6s | 20 | 7 | NG on pile. | |
| 31976 | Roanoke Marshes Warning Daybeacon | 35-48-39.817N 075-42-04.170W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| | **Pamlico Sound** | | | | | | |
| 31979 | Crab Hole Oyster Sanctuary Buoy A | 35-43-40.900N 075-40-30.500W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31979.1 | Crab Hole Oyster Sanctuary Buoy B | 35-43-30.000N 075-40-30.500W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31979.2 | Crab Hole Oyster Sanctuary Buoy C | 35-43-30.000N 075-40-45.000W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31979.3 | Crab Hole Oyster Sanctuary Buoy D | 35-43-40.900N 075-40-45.000W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31979.4 | Crab Hole Oyster Sanctuary Buoy E | 35-43-35.520N 075-40-30.498W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31979.5 | Crab Hole Oyster Sanctuary Buoy F | 35-43-30.000N 075-40-37.740W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31979.6 | Crab Hole Oyster Sanctuary Buoy G | 35-43-35.520N 075-40-45.000W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31979.7 | Crab Hole Oyster Sanctuary Buoy H | 35-43-40.998N 075-40-37.740W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE HENRY TO PAMLICO SOUND (Chart 12205)** | | | | | | |
| | **Pamlico Sound** | | | | | | |
| 31980 | - NORTH LIGHT N | 35-41-49.312N 075-40-40.402W | Fl W 2.5s | 27 | 6 | NR on skeleton tower on multi-pile structure. | |
| 31981 | Pea Island Oyster Sanctuary Daybeacon A | 35-40-05.220N 075-36-49.260W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| 31981.1 | Pea Island Oyster Sanctuary Daybeacon B | 35-39-53.580N 075-36-49.260W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| 31981.2 | Pea Island Oyster Sanctuary Daybeacon C | 35-39-53.580N 075-37-03.480W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| 31981.3 | Pea Island Oyster Sanctuary Daybeacon D | 35-40-05.220N 075-37-03.480W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| | **Stumpy Point Bay** | | | | | | |
| 31985 | - Channel Daybeacon 1 | 35-39-08.842N 075-43-10.880W | | | | SG on pile. | |
| 31990 | - CHANNEL LIGHT 2SP | 35-39-11.910N 075-43-08.772W | Fl R 2.5s | 15 | 5 | TR on pile. | |
| 31995 | - CHANNEL LIGHT 3 | 35-39-41.038N 075-43-50.138W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **Stumpy Point** | | | | | | |
| 32000 | - Channel Daybeacon 4 | 35-39-43.420N 075-43-48.008W | | | | TR on pile. | |
| 32005 | - Channel Daybeacon 5 | 35-40-15.718N 075-44-32.150W | | | | SG on pile. | |
| 32010 | - CHANNEL LIGHT 6 | 35-40-13.804N 075-44-25.796W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Stumpy Point Harbor** | | | | | | |
| 32015 | - *Lighted Wreck Buoy WR1SP* | 35-41-19.691N 075-44-29.346W | Q G | | 4 | Green. | |
| | **Stumpy Point** | | | | | | |
| 32020 | - CHANNEL LIGHT 7 | 35-40-54.511N 075-45-19.408W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 32021 | - Buoy 7A | 35-41-16.786N 075-45-46.265W | | | | Green can. | |
| 32025 | - Channel Daybeacon 8 | 35-40-55.906N 075-45-18.002W | | | | TR on pile. | |
| 32026 | - Buoy 8A | 35-41-19.198N 075-45-45.197W | | | | Red nun. | |
| 32030 | - CHANNEL LIGHT 10 | 35-41-38.632N 075-46-10.088W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 32040 | - Channel Daybeacon 13 | 35-41-48.527N 075-46-22.864W | | | | SG on pile. | |
| 32041 | - Emergency Ferry Channel Daybeacon 1 | 35-41-46.464N 075-46-11.496W | | | | SG on pile. | Private aid. |
| 32041.1 | - Emergency Ferry Channel Daybeacon 2 | 35-41-45.960N 075-46-10.380W | | | | TR on pile. | Private aid. |
| 32041.2 | - Emergency Ferry Channel Daybeacon 3 | 35-41-51.720N 075-46-10.848W | | | | SG on pile. | Private aid. |
| 32041.3 | - Emergency Ferry Channel Daybeacon 4 | 35-41-50.928N 075-46-08.832W | | | | TR on pile. | Private aid. |
| 32042 | SANDY POINT WARNING LIGHT | 35-36-57.069N 075-43-54.010W | Fl W 6s | 15 | 4 | NW on pile worded DANGER. | |
| | **CURRITUCK BEACH LIGHT TO WIMBLE SHOALS (Chart 12204)** | | | | | | |
| | **Chicamacomico Channel** | | | | | | |
| 32045 | - LIGHT 1CC | 35-35-53.520N 075-31-09.166W | Fl G 4s | 18 | 4 | SG on multi-pile structure. | |
| 32050 | - Daybeacon 2 | 35-36-04.545N 075-30-29.222W | | | | TR on pile. | |
| 32053 | - Buoy 2A | 35-36-13.964N 075-29-51.531W | | | | Red nun. | |
| 32055 | - LIGHT 3 | 35-36-16.720N 075-29-52.124W | Fl G 4s | 17 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CURRITUCK BEACH LIGHT TO WIMBLE SHOALS (Chart 12204)** | | | | | | |
| | **Chicamacomico Channel** | | | | | | |
| 32060 | - Daybeacon 4 | 35-36-00.648N 075-29-14.222W | | | | TR on pile. | |
| 32063 | - LIGHT 5 | 35-35-56.810N 075-28-58.357W | Q G | 15 | 4 | SG on pile. | |
| 32063.1 | - Daybeacon 5A | 35-35-50.203N 075-28-41.024W | | | | SG on pile. | |
| 32065 | - LIGHT 6 | 35-35-42.297N 075-28-23.017W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **CAPE HATTERAS (Chart 11555)** | | | | | | |
| | **Pamlico Sound** | | | | | | |
| 32070 | LONG SHOAL LIGHT 2LS | 35-33-33.612N 075-43-11.619W | Fl R 4s | 15 | 4 | TR on pile. | |
| 32075 | STUMPY POINT TARGET WARNING LIGHT E | 35-33-02.960N 075-39-00.692W | Fl W 4s | 15 | 5 | NW on slatted pile worded DANGER BOMBING RANGE. | |
| 32077 | - *Lighted Wreck Buoy WR2* | 35-26-34.636N 075-54-16.742W | Q R | | 4 | Red. | |
| 32080 | STUMPY POINT TARGET WARNING LIGHT S | 35-30-48.664N 075-40-31.620W | Fl W 2.5s | 15 | 5 | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32085 | STUMPY POINT TARGET WARNING LIGHT W | 35-33-00.661N 075-42-11.629W | Fl W 6s | 15 | 5 | NW on slatted pile worded DANGER BOMBING RANGE. | |
| 32086 | Long Shoal Oyster Sanctuary Daybeacon A | 35-33-51.590N 075-49-46.010W | | | | White with orange diamond worded OYSTER SANCTUARY DANGER SUBMERGED ROCKS on multi-pile structure. | Private aid. |
| 32086.1 | Long Shoal Oyster Sanctuary Daybeacon B | 35-33-45.060N 075-49-46.010W | | | | White with orange diamond worded OYSTER SANCTUARY DANGER SUBMERGED ROCKS on multi-pile structure. | Private aid. |
| 32086.2 | Long Shoal Oyster Sanctuary Daybeacon C | 35-33-45.060N 075-49-53.990W | | | | White with orange diamond worded OYSTER SANCTUARY DANGER SUBMERGED ROCKS on multi-pile structure. | Private aid. |
| 32086.3 | Long Shoal Oyster Sanctuary Daybeacon D | 35-33-51.590N 075-49-53.990W | | | | White with orange diamond worded OYSTER SANCTUARY DANGER SUBMERGED ROCKS on multi-pile structure. | Private aid. |
| 32090 | Long Shoal River Daybeacon 2 | 35-34-04.498N 075-51-36.494W | | | | TR on pile. | |
| 32095 | Long Shoal River Daybeacon 3 | 35-34-24.647N 075-52-04.662W | | | | SG on pile. | |
| 32100 | PINGLETON SHOAL LIGHT 1PS | 35-32-45.921N 075-51-11.961W | Fl G 4s | 15 | 4 | SG on pile. | |
| 32103 | - *Lighted Wreck Buoy WR4* | 35-09-44.134N 076-14-54.026W | Q R | | 4 | Red. | |
| | **Far Creek Channel** | | | | | | |
| 32105 | - LIGHT 1FC | 35-30-27.430N 075-56-57.950W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 32110 | - Daybeacon 3 | 35-30-30.861N 075-57-25.749W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **CAPE HATTERAS (Chart 11555)** | | | | | | |
| | **Pamlico Sound** | | | | | | |
| | **Far Creek Channel** | | | | | | |
| 32115 | - LIGHT 5 | 35-30-34.837N 075-57-59.318W | Fl G 4s | 15 | 4 | SG on pile. | |
| 32120 | - Daybeacon 7 | 35-30-38.604N 075-58-33.449W | | | | SG on pile. | |
| 32125 | - LIGHT 9 | 35-30-41.883N 075-59-02.289W | Q G | 15 | 3 | SG on pile. | |
| 32130 | - LIGHT 10 | 35-30-37.956N 075-59-12.910W | Fl R 4s | 15 | 3 | TR on pile. | |
| | **Pamlico Sound** | | | | | | |
| 32135 | GIBBS SHOAL LIGHT GBS | 35-27-26.098N 075-55-52.293W | Fl W 4s | 15 | 6 | NB on pile. | |
| 32136 | Gibbs Shoal Oyster Sanctuary Warning Daybeacon A | 35-27-19.320N 075-56-11.400W | | | | NW on multi-pile structure worded DANGER SUBMERGED ROCKS. | OS-10A. Aid maintained by State DOT Private aid. |
| 32136.2 | Gibbs Shoal Oyster Sanctuary Warning Daybeacon B | 35-27-19.320N 075-55-57.540W | | | | NW on multi-pile structure worded DANGER SUBMERGED ROCKS. | OS-10B. Aid maintained by State DOT Private aid. |
| 32136.4 | Gibbs Shoal Oyster Sanctuary Warning Daybeacon C | 35-27-08.040N 075-55-57.540W | | | | NW on multi-pile structure worded DANGER SUBMERGED ROCKS. | OS-10C. Aid maintained by State DOT Private aid. |
| 32136.6 | Gibbs Shoal Oyster Sanctuary Warning Daybeacon D | 35-27-08.040N 075-56-11.400W | | | | NW on multi-pile structure worded DANGER SUBMERGED ROCKS. | OS-10D. Aid maintained by State DOT Private aid. |
| 32137 | *Long Shoal Lighted Wreck Buoy WR2* | 35-28-57.491N 075-45-11.612W | Q R | | 4 | Red. | |
| 32140 | - LIGHT PS | 35-25-29.505N 075-50-00.706W | Mo (A) W | 35 | 7 | MR on skeleton tower on multi-pile structure. | |
| 32142 | - *Lighted Wreck Buoy WR8* | 35-23-24.857N 075-43-24.635W | Q R | | 4 | Red. | |
| 32145 | GULL SHOAL LIGHT GS | 35-21-57.581N 075-57-26.691W | Fl W 4s | 45 | 6 | NB on skeleton tower on piles. | |
| | **Wysocking Bay** | | | | | | |
| 32150 | - Entrance Daybeacon 2 | 35-23-20.782N 075-58-52.166W | | | | TR on pile. | |
| 32155 | - ENTRANCE LIGHT 3 | 35-23-03.180N 076-00-13.545W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 32160 | - Entrance Daybeacon 4 | 35-23-21.372N 076-00-22.039W | | | | TR on pile. | |
| 32165 | - Entrance Daybeacon 5 | 35-23-12.052N 076-01-42.074W | | | | SG on pile. | |
| 32170 | - LIGHT 6 | 35-24-41.068N 076-02-19.862W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 32175 | - LIGHT 7 | 35-25-57.193N 076-03-32.432W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| | **Pamlico Sound** | | | | | | |
| 32185 | Hog Island Warning Daybeacon A | 35-20-03.997N 076-02-05.678W | | | | NW on pile worded DANGER SHOAL. | |
| 32190 | - SOUTH LIGHT S | 35-17-16.484N 075-59-10.004W | Fl W 2.5s | 27 | 6 | NR on skeleton tower on multi-pile structure. | |
| | **Buxton Harbor** | | | | | | |
| 32195 | - APPROACH LIGHT 1B | 35-18-31.105N 075-37-24.950W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 32200 | - LIGHT 2 | 35-18-57.793N 075-36-05.006W | Fl R 4s | 18 | 4 | TR on pile. | |
| 32205 | - LIGHT 3 | 35-18-53.587N 075-34-45.482W | Fl G 4s | 19 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **CAPE HATTERAS (Chart 11555)** | | | | | | |
| | **Pamlico Sound** | | | | | | |
| | **Buxton Harbor** | | | | | | |
| 32215 | - LIGHT 7 | 35-18-10.291N 075-33-37.229W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 32221 | - *Lighted Wreck Buoy WR8* | 35-17-34.954N 075-33-48.185W | Q R | | 4 | Red. | |
| 32225 | - LIGHT 10 | 35-17-15.409N 075-34-37.118W | Fl R 4s | 19 | 4 | TR on pile. | |
| 32230 | - LIGHT 12 | 35-16-37.087N 075-33-54.356W | Fl R 6s | 15 | 4 | TR on pile. | |
| 32235 | - Daybeacon 14 | 35-16-16.782N 075-33-41.406W | | | | TR on pile. | |
| 32240 | - Daybeacon 16 | 35-16-05.039N 075-33-31.539W | | | | TR on pile. | |
| 32245 | - LIGHT 17 | 35-16-00.604N 075-33-26.684W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **Avon Channel** | | | | | | |
| 32250 | - WARNING LIGHT AV | 35-22-49.358N 075-33-35.043W | Fl W 2.5s | 15 | 4 | NW on pile worded DANGER SHOAL. | |
| 32285 | - Warning Daybeacon | 35-20-59.782N 075-30-49.106W | | | | NW on pile worded DANGER SHOALING. | |
| | **Frisco Channel** | | | | | | |
| 32290 | FRISCO APPROACH LIGHT 2F | 35-15-22.668N 075-41-01.490W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 32295 | FRISCO APPROACH LIGHT 4 | 35-15-33.937N 075-39-10.838W | Fl R 6s | 15 | 4 | TR on pile. | |
| 32300 | - LIGHT 6 | 35-16-00.763N 075-38-03.172W | Fl R 4s | 17 | 4 | TR on pile. | |
| 32303 | Clam Shoal Oyster Sanctuary Buoy AR-296D | 35-17-31.400N 075-37-41.500W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32303.1 | Clam Shoal Oyster Sanctuary Buoy AR-296A | 35-17-30.200N 075-37-10.000W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32303.2 | Clam Shoal Oyster Sanctuary Buoy AR-296B | 35-17-07.400N 075-37-10.300W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32303.3 | Clam Shoal Oyster Sanctuary Buoy AR-296C | 35-17-08.300N 075-37-42.100W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32305 | - Daybeacon 8 | 35-15-28.537N 075-37-06.278W | | | | TR on pile. | |
| 32315 | - LIGHT 10 | 35-15-26.317N 075-36-35.918W | Fl R 6s | 15 | 4 | TR on pile. | |
| 32317 | FRISCO WOODS WEATHER SENSOR WARNING LIGHT | 35-14-49.800N 075-37-43.900W | Fl W 4s | 10 | | NW on pile worded DANGER. | Private aid. |
| | **Durant Point** | | | | | | |
| 32320 | - *Lighted Buoy 2* | 35-14-14.123N 075-40-58.635W | Q R | | 3 | Red. | |
| 32325 | - Buoy 4 | 35-13-57.124N 075-40-41.864W | | | | Red nun. | |
| 32330 | - Daybeacon 6 | 35-13-44.308N 075-40-38.372W | | | | TR on pile. | |
| 32335 | - LIGHT 8 | 35-13-25.732N 075-40-25.238W | Fl R 4s | 15 | 3 | TR on pile. | |
| 32340 | OLIVER REEF LIGHT | 35-15-48.900N 075-45-37.322W | Fl W 6s | 30 | 5 | NB on pile. Marks platform of old Lighthouse. | |
| | **WESTERN PART OF PAMLICO SOUND (Chart 11548)** | | | | | | |
| 32350 | Bluff Shoal Slue Daybeacon 1 | 35-17-54.124N 076-05-18.045W | | | | SG on pile. | |
| 32355 | Bluff Shoal Slue Daybeacon 2 | 35-17-36.058N 076-07-54.044W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **WESTERN PART OF PAMLICO SOUND (Chart 11548)** | | | | | | |
| 32360 | BLUFF SHOAL LIGHT BL<br>Near middle of shoal. | 35-12-36.948N<br>076-04-23.048W | Fl W 2.5s | 18 | 6 | NB on pile. | |
| 32365 | ROYAL SHOAL LIGHT 1 | 35-09-42.312N<br>076-04-42.716W | Fl G 4s | 19 | 5 | SG on pile. | |
| 32370 | ROYAL SHOAL LIGHT 3 | 35-10-03.088N<br>076-07-06.686W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 32375 | ROYAL SHOAL LIGHT 5RS | 35-09-17.352N<br>076-09-36.393W | Q G | 40 | 5 | SG on multi-pile structure. | |
| 32380 | ROYAL SHOAL WRECK LIGHT WR7<br>Marks sunken dredge. | 35-06-28.541N<br>076-08-29.596W | Q G | 15 | 4 | SG on multi-pile structure. | |
| | **Hodges Reef** | | | | | | |
| 32395 | - Outer Shoal Daybeacon OS | 35-03-24.966N<br>076-11-16.087W | | | | NB on pile. | |
| | **Pamlico River Approach** | | | | | | |
| 32415 | North Bluff Point Warning Daybeacon | 35-18-15.195N<br>076-04-47.385W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| 32420 | OUTFALL CANAL ENTRANCE LIGHT 2 | 35-21-21.864N<br>076-06-23.286W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 32425 | BLUFF POINT SHOAL LIGHT | 35-19-19.405N<br>076-07-13.400W | Fl W 4s | 15 | 5 | NB on pile. | |
| 32430 | West Bluff Oyster Sanctuary Buoy A | 35-18-18.900N<br>076-10-04.100W | | | | White can with orange bands and diamond worded REEF. | DNR: OS-09.<br>Private aid. |
| 32430.1 | West Bluff Oyster Sanctuary Buoy B | 35-18-07.700N<br>076-10-04.100W | | | | White can with orange bands and diamond worded REEF. | DNR: OS-09.<br>Private aid. |
| 32430.2 | West Bluff Oyster Sanctuary Buoy C | 35-18-07.700N<br>076-10-17.800W | | | | White can with orange bands and diamond worded REEF. | DNR: OS-09.<br>Private aid. |
| 32430.3 | West Bluff Oyster Sanctuary Buoy D | 35-18-18.900N<br>076-10-17.800W | | | | White can with orange bands and diamond worded REEF. | DNR: OS-09.<br>Private aid. |
| 32440 | JUNIPER BAY APPROACH LIGHT 1 | 35-17-31.624N<br>076-13-49.042W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 32445 | JUNIPER BAY LIGHT 2 | 35-19-54.971N<br>076-14-11.177W | Fl R 4s | 15 | 4 | TR on pile. | |
| 32450 | Juniper Bay Daybeacon 3 | 35-21-32.230N<br>076-14-48.326W | | | | SG on pile. | |
| 32460 | JUNIPER BAY LIGHT 4 | 35-22-24.915N<br>076-15-25.058W | Fl R 6s | 15 | 4 | TR on pile. | |
| 32470 | LOWER MIDDLE GROUND LIGHT LM | 35-14-00.556N<br>076-13-27.494W | Fl W 2.5s | 18 | 8 | NB on pile. | |
| 32473 | *Inner Middle Ground Lighted Wreck Buoy WR6* | 35-14-13.684N<br>076-18-43.353W | Q R | | 4 | Red. | |
| 32475 | INNER MIDDLE GROUND LIGHT M | 35-14-31.521N<br>076-18-03.282W | Fl W 4s | 15 | 6 | NB on multi-pile structure. | |
| 32480 | UPPER MIDDLE GROUND LIGHT UM | 35-16-45.028N<br>076-20-44.015W | Fl W 6s | 15 | 5 | NB on pile. | |
| 32485 | UPPER MIDDLE GROUND WRECK LIGHT WR2 | 35-18-30.823N<br>076-23-46.423W | Fl R 2.5s | 15 | 5 | TR on pile. | |
| 32491 | *Governor Scott Ferry Lighted Wreck Buoy WR2* | 35-08-17.234N<br>076-16-39.783W | Q R | | 4 | Red. | |
| | **Brant Island** | | | | | | |
| 32500 | - Warning Daybeacon A | 35-13-43.620N<br>076-29-13.749W | | | | NW on pile worded DANGER BOMBING RANGE. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **WESTERN PART OF PAMLICO SOUND (Chart 11548)** | | | | | | |
| | **Pamlico River Approach** | | | | | | |
| | **Brant Island** | | | | | | |
| 32503 | Middle Bay Oyster Sanctuary Buoy A | 35-14-09.500N 076-30-10.700W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 32503.1 | Middle Bay Oyster Sanctuary Buoy B | 35-14-06.900N 076-30-10.700W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 32503.2 | Middle Bay Oyster Sanctuary Buoy C | 35-14-06.900N 076-30-19.900W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 32503.3 | Middle Bay Oyster Sanctuary Buoy D | 35-14-09.500N 076-30-19.300W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 32505 | - Warning Daybeacon B | 35-14-15.528N 076-28-57.314W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32510 | - Warning Daybeacon C | 35-14-35.244N 076-28-20.337W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32515 | - Warning Daybeacon D | 35-14-50.622N 076-27-52.746W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32520 | - Warning Daybeacon E | 35-15-04.300N 076-26-58.308W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32525 | - Warning Daybeacon F | 35-15-06.056N 076-26-26.275W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32530 | - WARNING LIGHT G | 35-15-01.759N 076-25-46.166W | Fl W 2.5s | 15 | 5 | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32535 | - Warning Daybeacon H | 35-14-56.445N 076-25-24.787W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32540 | - Warning Daybeacon I | 35-14-33.571N 076-24-40.746W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32545 | - WARNING LIGHT J | 35-14-17.851N 076-24-14.180W | Fl W 4s | 15 | 5 | NW on pile worded DANGER BOMBING RANGE. | |
| 32550 | - Warning Daybeacon K | 35-13-49.631N 076-23-49.975W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32555 | - Warning Daybeacon L | 35-13-23.837N 076-23-32.727W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **WESTERN PART OF PAMLICO SOUND (Chart 11548)** | | | | | | |
| | **Pamlico River Approach** | | | | | | |
| | **Brant Island** | | | | | | |
| 32560 | - WARNING LIGHT M | 35-12-57.016N 076-23-23.760W | Fl W 2.5s | 15 | 5 | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32565 | - Warning Daybeacon N | 35-12-27.607N 076-23-20.105W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32570 | - Warning Daybeacon O | 35-11-58.621N 076-23-23.832W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32575 | - Warning Daybeacon P | 35-11-29.493N 076-23-35.449W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32580 | - Warning Daybeacon Q | 35-10-56.589N 076-23-57.919W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32585 | - Warning Daybeacon R | 35-10-41.440N 076-24-15.932W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32590 | - WARNING LIGHT S | 35-10-23.463N 076-24-40.440W | Fl W 4s | 15 | 5 | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32595 | - Warning Daybeacon T | 35-10-08.699N 076-25-10.292W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32600 | - Warning Daybeacon U | 35-09-54.999N 076-25-53.537W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32605 | - WARNING LIGHT V | 35-09-52.963N 076-26-22.615W | Fl W 2.5s | 15 | 5 | NW on pile worded DANGER BOMBING RANGE. | |
| 32610 | - Warning Daybeacon W | 35-09-54.389N 076-26-59.511W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32615 | - Warning Daybeacon X | 35-10-01.645N 076-27-36.041W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32620 | - WARNING LIGHT Y | 35-10-34.668N 076-28-40.486W | Fl W 6s | 15 | 5 | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32625 | - Warning Daybeacon Z | 35-10-56.765N 076-29-05.226W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32630 | - Warning Daybeacon AA | 35-11-24.072N 076-29-24.805W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32635 | - Warning Daybeacon BB | 35-11-40.914N 076-29-33.962W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32640 | - Warning Daybeacon CC | 35-12-03.106N 076-29-41.817W | | | | NW on pile worded DANGER BOMBING RANGE. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **WESTERN PART OF PAMLICO SOUND (Chart 11548)** | | | | | | |
| | **Pamlico River Approach** | | | | | | |
| | **Brant Island** | | | | | | |
| 32645 | - WARNING LIGHT DD | 35-12-26.053N 076-29-43.010W | Fl W 2.5s | 15 | 5 | NW on pile worded DANGER BOMBING RANGE. | |
| 32650 | - SHOAL LIGHT BI | 35-08-09.525N 076-17-34.676W | Fl W 6s | 40 | 7 | NR on skeleton tower on multi-pile structure. | |
| 32660 | - SLUE LIGHT 1 | 35-10-31.043N 076-22-40.740W | Fl G 4s | 16 | 5 | SG on pile. | |
| 32665 | - Slue Daybeacon 2 | 35-11-01.161N 076-22-54.195W | | | | TR on pile. | |
| 32667 | *Swanquarter Bay Lighted Wreck Buoy WR2* | 35-16-48.028N 076-13-03.947W | Q R | | 3 | Red. | |
| | **Swanquarter Bay** | | | | | | |
| 32670 | - ENTRANCE LIGHT 1SQ | 35-17-49.113N 076-18-32.283W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 32675 | - LIGHT 2 | 35-19-25.047N 076-18-39.506W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 32677 | GREAT ISLAND NARROWS LIGHT 2 | 35-20-14.864N 076-18-01.687W | Fl R 4s | 15 | 4 | TR on pile. | |
| 32680 | - LIGHT 3 | 35-20-50.271N 076-19-32.277W | Fl G 4s | 15 | 4 | SG on pile. | |
| 32685 | - LIGHT 3A | 35-22-20.506N 076-20-14.147W | Fl G 4s | 15 | 4 | SG on pile. | |
| 32690 | - LIGHT 5 | 35-22-54.535N 076-20-41.714W | Q G | 15 | 4 | SG on pile. | |
| 32695 | - LIGHT 5A | 35-23-08.125N 076-20-27.706W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 32700 | - Daybeacon 6 | 35-23-24.369N 076-20-17.605W | | | | TR on pile. | |
| 32705 | - LIGHT 7 | 35-23-38.921N 076-20-20.344W | Fl G 6s | 15 | 4 | SG on pile. | |
| 32710 | - LIGHT 8 | 35-23-54.872N 076-20-29.809W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 32715 | - LIGHT 10 | 35-24-05.346N 076-20-28.580W | Fl R 4s | 15 | 3 | TR on pile. | |
| 32725 | Swanquarter PPA Warning Daybeacon A | 35-26-39.150N 076-24-55.030W | | | | NW on pile. | Private aid. |
| 32725.1 | Swanquarter PPA Warning Daybeacon B | 35-26-03.290N 076-24-23.740W | | | | NW on pile. | Private aid. |
| 32725.11 | Swanquarter PPA Warning Daybeacon L | 35-20-18.910N 076-24-24.840W | | | | NW on pile. | Private aid. |
| 32725.12 | Swanquarter PPA Warning Daybeacon M | 35-19-39.160N 076-23-44.820W | | | | NW on pile. | Private aid. |
| 32725.13 | Swanquarter PPA Warning Daybeacon N | 35-19-57.050N 076-22-29.790W | | | | NW on pile. | Private aid. |
| 32725.14 | Swanquarter PPA Warning Daybeacon P | 35-19-44.390N 076-21-24.764W | | | | NW on pile. | Private aid. |
| 32725.15 | Swanquarter PPA Warning Daybeacon Q | 35-19-32.000N 076-20-19.570W | | | | NW on pile. | Private aid. |
| 32725.16 | Swanquarter PPA Warning Daybeacon R | 35-19-19.130N 076-19-14.740W | | | | NW on pile. | Private aid. |
| 32725.17 | Swanquarter PPA Warning Daybeacon S | 35-19-06.630N 076-18-09.650W | | | | NW on pile. | Private aid. |
| 32725.18 | Swanquarter PPA Warning Daybeacon T | 35-18-54.010N 076-17-04.670W | | | | NW on pile. | Private aid. |
| 32725.19 | Swanquarter PPA Warning Daybeacon U | 35-18-33.090N 076-16-05.050W | | | | NW on pile. | Private aid. |
| 32725.2 | Swanquarter PPA Warning Daybeacon C | 35-25-27.070N 076-23-52.350W | | | | NW on pile. | Private aid. |
| 32725.21 | Swanquarter PPA Warning Daybeacon V | 35-18-06.470N 076-15-04.790W | | | | NW on pile. | Private aid. |
| 32725.22 | Swanquarter PPA Warning Daybeacon W | 35-17-39.760N 076-14-04.630W | | | | NW on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **WESTERN PART OF PAMLICO SOUND (Chart 11548)** | | | | | | |
| | **Pamlico River Approach** | | | | | | |
| | **Swanquarter Bay** | | | | | | |
| 32725.23 | Swanquarter PPA Warning Daybeacon X | 35-18-20.640N 076-13-05.610W | | | | NW on pile. | Private aid. |
| 32725.24 | Swanquarter PPA Warning Daybeacon Y | 35-19-01.570N 076-12-06.410W | | | | NW on pile. | Private aid. |
| 32725.25 | Swanquarter PPA Warning Daybeacon Z | 35-19-42.380N 076-11-07.140W | | | | NW on pile. | Private aid. |
| 32725.26 | Swanquarter PPA Warning Daybeacon AA | 35-20-17.920N 076-10-53.270W | | | | NW on pile. | Private aid. |
| 32725.27 | Swanquarter PPA Warning Daybeacon BB | 35-20-48.460N 076-10-41.300W | | | | NW on pile. | Private aid. |
| 32725.28 | Swanquarter PPA Warning Daybeacon CC | 35-21-54.590N 076-17-11.030W | | | | NW on pile. | Private aid. |
| 32725.29 | Swanquarter PPA Warning Daybeacon DD | 35-21-37.990N 076-18-18.750W | | | | NW on pile. | Private aid. |
| 32725.3 | Swanquarter PPA Warning Daybeacon D | 35-24-37.090N 076-24-29.840W | | | | NW on pile. | Private aid. |
| 32725.31 | Swanquarter PPA Warning Daybeacon EE | 35-21-59.000N 076-19-16.710W | | | | NW on pile. | Private aid. |
| 32725.32 | Swanquarter PPA Warning Daybeacon FF | 35-22-19.880N 076-20-14.960W | | | | NW on pile. | Private aid. |
| 32725.33 | Swanquarter PPA Warning Daybeacon GG | 35-22-59.270N 076-20-40.140W | | | | NW on pile. | Private aid. |
| 32725.34 | Swanquarter PPA Warning Daybeacon HH | 35-23-37.080N 076-20-27.430W | | | | NW on pile. | Private aid. |
| 32725.35 | Swanquarter PPA Warning Daybeacon JJ | 35-24-07.620N 076-20-46.750W | | | | NW on pile. | Private aid. |
| 32725.36 | Swanquarter PPA Warning Daybeacon KK | 35-24-35.670N 076-21-04.920W | | | | NW on pile. | Private aid. |
| 32725.4 | Swanquarter PPA Warning Daybeacon E | 35-23-49.940N 076-25-02.270W | | | | NW on pile. | Private aid. |
| 32725.5 | Swanquarter PPA Warning Daybeacon F | 35-23-02.730N 076-25-34.730W | | | | NW on pile. | Private aid. |
| 32725.6 | Swanquarter PPA Warning Daybeacon G | 35-22-26.450N 076-26-28.800W | | | | NW on pile. | Private aid. |
| 32725.7 | Swanquarter PPA Warning Daybeacon H | 35-21-46.540N 076-25-50.190W | | | | NW on pile. | Private aid. |
| 32725.8 | Swanquarter PPA Warning Daybeacon J | 35-21-06.570N 076-25-11.500W | | | | NW on pile. | Private aid. |
| 32725.9 | Swanquarter PPA Warning Daybeacon K | 35-20-26.620N 076-24-32.940W | | | | NW on pile. | Private aid. |
| 32730 | JUDITH ISLAND CUT EAST LIGHT 2 | 35-22-54.448N 076-21-24.835W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Rose Bay** | | | | | | |
| 32735 | DEEP COVE LIGHT 1 | 35-19-48.529N 076-23-36.691W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 32740 | DEEP COVE LIGHT 2 | 35-21-37.030N 076-23-09.873W | Fl R 6s | 15 | 4 | TR on pile. | |
| 32745 | - ENTRANCE LIGHT 2 | 35-22-24.126N 076-26-28.115W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Germantown Bay** | | | | | | |
| 32750 | - Approach Daybeacon 2 | 35-23-10.425N 076-27-41.443W | | | | TR on pile. | |
| 32755 | - LIGHT 3 | 35-23-53.245N 076-27-49.029W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 32760 | - Daybeacon 4 | 35-24-05.436N 076-27-27.242W | | | | TR on pile. | |
| 32765 | - Daybeacon 5 | 35-24-25.786N 076-27-29.986W | | | | SG on pile. | |
| 32770 | - *Lighted Buoy 7* | 35-24-46.642N 076-27-06.417W | Fl G 4s | | 4 | Green. | |
| 32775 | - Daybeacon 9 | 35-25-15.643N 076-27-23.291W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **WESTERN PART OF PAMLICO SOUND (Chart 11548)** | | | | | | |
| | **Pamlico River Approach** | | | | | | |
| | **Germantown Bay** | | | | | | |
| 32780 | DEEP BAY LIGHT 1 | 35-22-41.728N<br>076-23-16.207W | Fl G 4s | 16 | 4 | SG on slatted pile structure. | |
| 32783 | Deep Bay Oyster Sanctuary Buoy A | 35-22-54.756N<br>076-22-09.672W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-02.<br>Aid maintained by State DOT Private aid. |
| 32783.1 | Deep Bay Oyster Sanctuary Buoy B | 35-22-46.302N<br>076-22-09.672W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-02.<br>Aid maintained by State DOT Private aid. |
| 32783.2 | Deep Bay Oyster Sanctuary Buoy C | 35-22-46.302N<br>076-22-20.262W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-02.<br>Aid maintained by State DOT Private aid. |
| 32783.3 | Deep Bay Oyster Sanctuary Buoy D | 35-22-54.756N<br>076-22-20.262W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-02.<br>Aid maintained by State DOT Private aid. |
| 32785 | DEEP BAY LIGHT 2 | 35-22-33.596N<br>076-21-49.572W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Rose Bay** | | | | | | |
| 32790 | - Daybeacon 3 | 35-23-03.030N<br>076-25-48.585W | | | | SG on pile. | |
| 32795 | - Daybeacon 4 | 35-24-44.004N<br>076-24-19.519W | | | | TR on pile. | |
| 32800 | - LIGHT 5 | 35-25-32.580N<br>076-23-54.024W | Fl G 4s | 15 | 4 | SG on pile. | |
| 32805 | - LIGHT 6 | 35-26-49.313N<br>076-25-10.635W | Fl R 4s | 15 | 3 | TR on pile. | |
| | **Pamlico River** | | | | | | |
| 32810 | PAMLICO POINT LIGHT PP<br>On east point of shoal. | 35-18-48.962N<br>076-26-59.605W | Fl W 4s | 25 | 5 | NB on multi-pile structure. | |
| 32813 | PAMLICO POINT WARNING LIGHT | 35-18-48.200N<br>076-27-20.443W | Fl W 6s | 15 | 5 | NW on pile. | |
| 32815 | - Daybeacon 1 | 35-19-04.238N<br>076-28-56.558W | | | | SG on pile. | |
| | **Oyster Creek** | | | | | | |
| 32820 | - ENTRANCE LIGHT 2 | 35-19-29.686N<br>076-31-04.809W | Fl R 4s | 15 | 4 | TR on pile. | |
| 32825 | *- Lighted Buoy 4* | 35-19-25.870N<br>076-31-52.693W | Q R | | 4 | Red. | |
| 32830 | - Daybeacon 6 | 35-19-18.626N<br>076-32-19.659W | | | | TR on pile. | |
| 32835 | - Buoy 8 | 35-19-16.972N<br>076-32-35.493W | | | | Red nun. | |
| | **Pamlico River** | | | | | | |
| 32845 | WILLOW POINT SHOAL LIGHT | 35-21-47.640N<br>076-28-49.420W | Fl W 4s | 15 | 5 | NB on pile. | |
| 32850 | ABEL BAY LIGHT 1 | 35-23-14.129N<br>076-30-36.783W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **Pungo River** | | | | | | |
| 32855<br>38140 | - JUNCTION LIGHT PR | 35-22-39.595N<br>076-33-34.993W | Fl (2+1)R 6s | 18 | 5 | JR-TY on multi-pile structure. | |
| 32860<br>38135 | - WRECK LIGHT WR2<br>5 yards, 245° from wreck. | 35-25-18.452N<br>076-33-30.508W | Q R | 15 | 4 | TR-SY on pile. | |
| | **Wright Creek** | | | | | | |
| 32865 | - LIGHT 2WC | 35-25-01.264N<br>076-35-09.763W | Fl R 2.5s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **WESTERN PART OF PAMLICO SOUND (Chart 11548)** | | | | | | |
| | **Pungo River** | | | | | | |
| | **Wright Creek** | | | | | | |
| 32870 | - Daybeacon 4 | 35-24-54.688N 076-35-16.623W | | | | TR on pile. | |
| 32875 | - LIGHT 5 | 35-24-43.313N 076-35-26.507W | Q G | 15 | 4 | SG on pile. | |
| 32880 | - Buoy 6 | 35-24-47.141N 076-35-45.903W | | | | Red nun. | |
| 32885 | - Daybeacon 8 | 35-24-41.366N 076-35-56.310W | | | | TR on pile. | |
| 32890 | - Daybeacon 10 | 35-24-43.161N 076-36-05.532W | | | | TR on pile. | |
| | **Pungo River** | | | | | | |
| 32895 38130 | - LIGHT 3 | 35-25-44.934N 076-34-14.402W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 32900 38125 | - LIGHT 4 | 35-26-56.913N 076-34-26.463W | Fl R 4s | 15 | 3 | TR-SY on pile. | |
| 32902 | *Jordan Creek Lighted Buoy 1* | 35-27-20.040N 076-36-21.480W | Fl G 4s | | | Green. | Private aid. |
| 32905 38120 | - Daybeacon 5 | 35-28-16.179N 076-35-16.112W | | | | SG-TY on pile. | |
| 32907 | Quilley Point Artificial Reef Buoy AR-292A | 35-28-27.300N 076-34-30.000W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32907.1 | Quilley Point Artificial Reef Buoy AR-292B | 35-28-26.100N 076-34-18.000W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32907.2 | Quilley Point Artificial Reef Buoy AR-292C | 35-28-15.900N 076-34-18.000W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32907.3 | Quilley Point Artificial Reef Buoy AR-292D | 35-28-18.500N 076-34-30.000W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32910 38115 | - LIGHT 7 | 35-29-00.384N 076-35-14.567W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 32915 38110 | - LIGHT 8 | 35-30-08.713N 076-35-36.809W | Fl R 4s | 15 | 5 | TR-SY on multi-pile. | |
| 32920 | Pungo Creek Daybeacon 2PC | 35-30-57.274N 076-37-52.164W | | | | TR on pile. | |
| 32925 | PUNGO CREEK LIGHT 3 | 35-30-57.989N 076-38-14.609W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| | **Belhaven Channel** | | | | | | |
| 32930 | - LIGHT 1BC | 35-31-12.385N 076-36-05.810W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 32935 | - Daybeacon 2BC | 35-31-16.274N 076-36-05.263W | | | | TR on pile. | |
| 32940 | - Daybeacon 3 | 35-31-24.015N 076-36-28.750W | | | | SG on pile. | |
| 32945 | - Daybeacon 4 | 35-31-27.397N 076-36-27.190W | | | | TR on pile. | |
| 32950 | - LIGHT 5 | 35-31-39.324N 076-36-57.721W | Fl G 4s | 15 | 5 | SG on pile. | |
| 32955 | - LIGHT 6 | 35-31-42.078N 076-36-54.844W | Fl R 4s | 15 | 4 | TR on pile. | |
| 32960 | - Daybeacon 8 | 35-31-54.744N 076-37-06.569W | | | | TR on pile. | |
| 32965 | - Daybeacon 9 | 35-32-07.461N 076-37-24.932W | | | | SG on pile. | |
| 32970 | - Daybeacon 11 | 35-32-18.523N 076-37-39.932W | | | | SG on pile. | |
| 32975 | - Daybeacon 12 | 35-32-24.668N 076-37-46.359W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **WESTERN PART OF PAMLICO SOUND (Chart 11548)** | | | | | | |
| | **Pungo River** | | | | | | |
| 32980 | TOOLEYS CREEK LIGHT 1 | 35-32-06.628N 076-35-58.949W | Fl G 2.5s | 15 | 3 | SG on pile. | |
| 32985 38105 | - CHANNEL LIGHT 10 | 35-31-18.093N 076-35-33.014W | Q R | 15 | 4 | TR-SY on multi-pile structure. | |
| 32990 38100 | - Channel Daybeacon 11 | 35-31-25.165N 076-35-07.932W | | | | SG-TY on pile. | |
| 32995 38095 | - Channel Daybeacon 12 | 35-31-12.487N 076-33-31.640W | | | | TR-SY on pile. | |
| 33000 38090 | - CHANNEL LIGHT 13 | 35-31-17.792N 076-33-31.694W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 33010 38080 | - Channel Daybeacon 15 | 35-31-13.564N 076-31-32.085W | | | | SG-TY on multi-pile structure. | |
| 33015 38075 | - Channel Daybeacon 16 | 35-31-06.302N 076-30-19.791W | | | | TR-SY on pile. | |
| 33017 | SMITH CREEK WRECK LIGHT WR1 | 35-30-49.618N 076-29-12.765W | Q G | 15 | 3 | SG on pile. | |
| 33020 38070 | - Channel Daybeacon 17 | 35-31-11.087N 076-30-06.038W | | | | SG-TY on pile. | |
| 33025 38065 | - CHANNEL LIGHT 18 | 35-31-04.087N 076-29-46.168W | Q R | 15 | 4 | TR-SY on multi-pile structure. | |
| 33030 38060 | - Channel Daybeacon 19 | 35-31-19.212N 076-29-39.625W | | | | SG-TY on pile. | |
| 33035 38055 | - CHANNEL LIGHT 21 | 35-32-08.670N 076-28-53.969W | Fl G 4s | 15 | 4 | SG-TY on multi-pile structure. | |
| 33040 38050 | - Channel Daybeacon 22 | 35-32-53.829N 076-28-05.080W | | | | TR-SY on pile | |
| 33045 38045 | - CHANNEL LIGHT 23 | 35-33-02.929N 076-27-59.939W | Q G | 15 | 3 | SG-TY on pile. | |
| 33050 38040 | - Channel Daybeacon 24 | 35-33-00.893N 076-27-53.610W | | | | TR-SY on pile. | |
| 33055 38035 | - CHANNEL LIGHT 25 | 35-33-08.454N 076-27-25.405W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 33060 38030 | - Channel Daybeacon 27PR | 35-33-13.526N 076-26-58.134W | | | | SG-TY on pile. | |
| 33065 38025 | - Channel Daybeacon 28 | 35-33-11.976N 076-26-56.959W | | | | TR-SY on pile. | |
| | **Pamlico River** | | | | | | |
| | **Eastham Creek** | | | | | | |
| 33070 | - Daybeacon 1 | 35-17-35.255N 076-36-46.617W | | | | SG on pile. | |
| 33075 | - Daybeacon 3 | 35-17-42.304N 076-36-27.695W | | | | SG on pile. | |
| 33080 | - Daybeacon 4 | 35-17-45.640N 076-36-16.683W | | | | TR on pile. | |
| 33085 | - Daybeacon 5 | 35-17-39.601N 076-35-56.735W | | | | SG on pile. | |
| 33090 | - Daybeacon 7 | 35-17-35.689N 076-35-41.118W | | | | SG on pile. | |
| 33095 | - Daybeacon 9 | 35-17-38.385N 076-35-28.387W | | | | SG on pile. | |
| 33100 | - Daybeacon 10 | 35-17-42.742N 076-35-15.857W | | | | TR on pile. | |
| 33105 | Indian Island Shoal East End Junction Daybeacon | 35-21-36.649N 076-37-43.807W | | | | JG on pile. | |
| | **PAMLICO RIVER (Chart 11554)** | | | | | | |
| | **South Creek** | | | | | | |
| 33110 | - Channel Daybeacon 2 | 35-21-13.091N 076-38-28.028W | | | | TR on pile. | |
| 33115 | - CHANNEL LIGHT 4 | 35-21-26.813N 076-40-36.449W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 33120 | - Channel Daybeacon 5 | 35-21-19.432N 076-40-57.665W | | | | SG on pile. | |
| 33125 | Bond Creek Daybeacon 2 | 35-20-45.164N 076-41-35.315W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **PAMLICO RIVER (Chart 11554)** | | | | | | |
| | **South Creek** | | | | | | |
| 33130 | Bond Creek Daybeacon 3 | 35-20-33.251N 076-41-41.214W | | | | SG on pile. | |
| 33135 | - Channel Daybeacon 7 | 35-21-13.321N 076-42-15.575W | | | | SG on pile. | |
| 33140 | - Channel Daybeacon 8 25 feet outside channel limit. | 35-21-12.353N 076-43-38.886W | | | | TR on pile. | |
| 33145 | - Channel Daybeacon 9 25 feet outside channel limit. | 35-20-33.693N 076-44-18.177W | | | | SG on pile. | |
| 33150 | - Channel Daybeacon 10 25 feet outside channel limit. | 35-20-10.917N 076-45-23.885W | | | | TR on pile. | |
| 33155 | - Channel Daybeacon 12 25 feet outside channel limit. | 35-19-36.574N 076-45-46.575W | | | | TR on pile. | |
| 33160 | - Channel Daybeacon 14 25 feet outside channel limit. | 35-19-23.092N 076-45-54.331W | | | | TR on pile. | |
| 33165 | - Channel Daybeacon 16 25 feet outside channel limit. | 35-19-19.236N 076-46-08.082W | | | | TR on pile. | |
| 33170 | - Channel Daybeacon 18 25 feet outside channel limit. | 35-19-29.275N 076-46-36.512W | | | | TR on pile. | |
| 33175 | - Channel Daybeacon 20 25 feet outside channel limit. | 35-19-28.529N 076-46-44.405W | | | | TR on pile. | |
| 33180 | - Channel Daybeacon 21 25 feet outside channel limit. | 35-19-03.403N 076-47-20.499W | | | | SG on pile. | |
| 33185 | - Channel Daybeacon 22 25 feet outside channel limit. | 35-18-55.212N 076-47-16.990W | | | | TR on pile. | |
| 33190 | - Channel Daybeacon 24 25 feet outside channel limit. | 35-18-52.702N 076-47-09.044W | | | | TR on pile. | |
| 33195 | - Channel Daybeacon 25 25 feet outside channel limit. | 35-18-34.693N 076-46-59.383W | | | | SG on pile. | |
| 33200 | Jacobs Creek Canal Daybeacon 1 | 35-20-00.609N 076-45-46.051W | | | | SG on pile. | Private aid. |
| 33205 | Jacobs Creek Canal Daybeacon 2 | 35-20-01.809N 076-45-46.651W | | | | TR on pile. | Private aid. |
| | **Pamlico River** | | | | | | |
| 33210 | - CHANNEL LIGHT 3 | 35-22-19.436N 076-38-44.358W | Fl G 4s | 15 | 5 | SG on multi-pile structure. | |
| 33215 | Indian Island Channel Daybeacon 1 | 35-21-53.064N 076-40-28.305W | | | | SG on pile. | |
| 33220 | NORTH CREEK ENTRANCE LIGHT 1NC | 35-24-46.307N 076-40-05.462W | Fl G 4s | 15 | 4 | SG on pile. | |
| 33225 | North Creek Daybeacon 2 | 35-24-55.311N 076-40-10.485W | | | | TR on pile. | |
| 33230 | North Creek Daybeacon 4 | 35-25-15.499N 076-39-50.596W | | | | TR on pile. | |
| 33235 | LONG POINT FERRY TERMINAL CHANNEL LIGHT 1 | 35-23-05.837N 076-44-39.033W | Fl G 2.5s | 15 | 3 | SG on multi-pile structure. | |
| 33240 | Long Point Ferry Terminal Channel Daybeacon 2 | 35-22-49.578N 076-44-49.855W | | | | TR on pile. | |
| 33245 | GAYLORD BAY FERRY TERMINAL CHANNEL LIGHT 1 | 35-25-18.613N 076-43-59.330W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 33250 | Gaylord Bay Ferry Terminal Channel Daybeacon 3 | 35-25-26.521N 076-44-27.959W | | | | SG on pile. | |
| 33255 | - CHANNEL LIGHT 4 | 35-24-46.681N 076-45-48.222W | Fl R 6s | 15 | 6 | TR on pile. | |
| 33260 | Texasgulf Entrance Daybeacon 1 | 35-23-25.603N 076-45-58.758W | | | | SG on pile. | Private aid. |
| 33265 | Texasgulf Entrance Daybeacon 2 | 35-23-28.603N 076-46-19.759W | | | | TR on dolphin. | Private aid. |
| 33270 | Durham Creek Daybeacon 2 | 35-24-04.729N 076-49-13.774W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **PAMLICO RIVER (Chart 11554)** | | | | | | |
| | **Pamlico River** | | | | | | |
| | **Bath Creek** | | | | | | |
| 33275 | - LIGHT 1 | 35-27-06.850N 076-49-13.365W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 33280 | - Daybeacon 2 | 35-27-17.410N 076-49-08.973W | | | | TR on pile. | |
| 33285 | - Daybeacon 3 | 35-28-05.194N 076-49-02.595W | | | | SG on pile. | |
| 33290 | - LIGHT 4 | 35-28-18.700N 076-49-00.243W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Pamlico River** | | | | | | |
| 33293 | Eborn Point Artificial Fishing Reef Buoy AR-291D | 35-26-10.400N 076-48-35.200W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33293.1 | Eborn Point Artificial Fishing Reef Buoy AR-291A | 35-26-02.000N 076-48-00.700W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33293.2 | Eborn Point Artificial Fishing Reef Buoy AR-291B | 35-25-48.400N 076-48-14.500W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33293.3 | Eborn Point Artificial Fishing Reef Buoy AR-291C | 35-25-56.200N 076-48-33.800W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33295 | - CHANNEL LIGHT 5 | 35-25-51.222N 076-50-30.316W | Fl G 4s | 15 | 5 | SG on pile. | |
| 33300 | - CHANNEL LIGHT 7 | 35-27-10.361N 076-55-08.298W | Fl G 6s | 15 | 5 | SG on pile. | |
| 33305 | - Channel Daybeacon 8 25 feet outside channel limit. | 35-27-25.276N 076-56-05.551W | | | | TR on pile. | |
| 33310 | Blounts Creek Daybeacon 2 | 35-26-14.372N 076-57-51.503W | | | | TR on pile. | |
| 33315 | - CHANNEL LIGHT 9 25 feet outside channel limit. | 35-27-42.449N 076-57-34.447W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 33320 | BROAD CREEK ENTRANCE LIGHT 1 | 35-28-51.577N 076-57-22.954W | Fl G 4s | 15 | 4 | SG on pile. | |
| 33325 | - Channel Daybeacon 10 25 feet outside channel limit. | 35-28-25.683N 076-58-29.836W | | | | TR on pile. | |
| 33330 | Broad Creek Daybeacon 3 | 35-29-04.463N 076-57-14.493W | | | | SG on pile. | |
| 33335 | BROAD CREEK LIGHT 4 | 35-29-05.673N 076-57-11.829W | Fl R 4s | 15 | 4 | TR on pile. | |
| 33340 | Broad Creek Daybeacon 6 | 35-29-28.907N 076-57-26.145W | | | | TR on pile. | |
| 33345 | - CHANNEL LIGHT 12 25 feet outside channel limit. | 35-28-57.698N 076-59-16.277W | Fl R 4s | 15 | 4 | TR on pile. | |
| 33347 | Shady Banks Outfall Buoy A | 35-29-37.620N 076-59-31.560W | | | | White can with orange band worded SUBMERGED PIPELINE. | Private aid. |
| 33347.1 | Shady Banks Outfall Buoy B | 35-29-36.660N 076-59-32.940W | | | | White can with orange band worded SUBMERGED PIPELINE. | Private aid. |
| 33350 | - CHANNEL LIGHT 14 25 feet outside channel limit. | 35-29-25.310N 077-00-11.647W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 33355 | - CHANNEL LIGHT 16 25 feet outside channel limit. | 35-30-28.510N 077-01-13.356W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 33360 | - CHANNEL LIGHT 17 25 feet outside channel limit. | 35-31-29.133N 077-02-17.458W | Q G | 15 | 4 | SG on pile. | |
| 33365 | - Channel Daybeacon 18 25 feet outside channel limit. | 35-31-41.559N 077-02-29.451W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **PAMLICO RIVER (Chart 11554)** | | | | | | |
| | **Pamlico River** | | | | | | |
| | **Fountain Powerboats Factory** | | | | | | |
| 33367.1 | - LIGHT 1F | 35-31-45.120N 077-02-42.360W | Fl G 4s | 13 | | SG on pile. | Private aid. |
| 33367.2 | - Daybeacon 3 | 35-31-41.160N 077-02-44.520W | | | | SG on pile. | Private aid. |
| 33367.3 | - Daybeacon 4 | 35-31-42.240N 077-02-45.240W | | | | TR on pile. | Private aid. |
| 33367.4 | - Daybeacon 5 | 35-31-37.920N 077-02-46.320W | | | | SG on pile. | Private aid. |
| 33367.5 | - Daybeacon 6 | 35-31-37.920N 077-02-47.400W | | | | TR on pile. | Private aid. |
| 33367.6 | - Daybeacon 7 | 35-31-33.960N 077-02-48.840W | | | | SG on pile. | Private aid. |
| 33367.7 | - Daybeacon 8 | 35-31-34.320N 077-02-49.920W | | | | TR on pile. | Private aid. |
| 33367.8 | - Daybeacon 9 | 35-31-29.640N 077-02-51.000W | | | | SG on pile. | Private aid. |
| 33367.9 | - Daybeacon 10 | 35-31-30.000N 077-02-51.000W | | | | TR on pile. | Private aid. |
| | **Pamlico River** | | | | | | |
| 33370 | - CHANNEL LIGHT 19<br>25 feet outside channel limit. | 35-31-52.633N 077-02-53.279W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 33373 | Carolina Wind Yacht Center Buoy 1 | 35-32-22.920N 077-03-30.300W | | | | Green can. | Private aid. |
| 33373.1 | Carolina Wind Yacht Center Buoy 2 | 35-32-23.760N 077-03-33.180W | | | | Red nun. | Private aid. |
| 33373.2 | Carolina Wind Yacht Center Buoy 3 | 35-32-20.700N 077-03-31.860W | | | | Green can. | Private aid. |
| 33373.3 | Carolina Wind Yacht Center Buoy 4 | 35-32-20.580N 077-03-34.380W | | | | Red nun. | Private aid. |
| 33375 | Tar River Outfall Buoy A | 35-32-39.120N 077-04-30.120W | | | | White can with orange band worded SUBMERGED PIPELINE. | Private aid. |
| | **PAMLICO SOUND (Chart 11548)** | | | | | | |
| | **Neuse River Approach** | | | | | | |
| | **Jones Bay** | | | | | | |
| 33380 | - LIGHT 2 | 35-11-27.721N 076-29-59.388W | Fl R 4s | 15 | 4 | TR on pile. | |
| 33385 | - LIGHT 3 | 35-12-01.562N 076-29-58.248W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 33390 | - LIGHT 5 | 35-13-53.701N 076-33-44.092W | Fl G 4s | 15 | 4 | SG on pile. | |
| | **Bay River** | | | | | | |
| 33395<br>38255 | BAY POINT LIGHT<br>On south end of shoal. | 35-10-21.328N 076-30-19.004W | Fl W 4s | 15 | 6 | NB on pile. | |
| 33400<br>38245 | - LIGHT 1 | 35-09-47.733N 076-32-00.608W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 33405<br>38250 | - LIGHT 3 | 35-10-48.060N 076-33-30.392W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 33410 | - LIGHT 4 | 35-10-24.285N 076-36-21.478W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 33415 | - LIGHT 5 | 35-10-13.510N 076-39-05.868W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 33420 | - Daybeacon 6 | 35-09-25.658N 076-40-44.100W | | | | TR on pile. | |
| 33425 | - Daybeacon 8 | 35-08-53.851N 076-41-44.873W | | | | TR on pile. | |
| 33427.5 | Swan Point Warning Daybeacon B | 35-08-49.600N 076-42-08.745W | | | | NW on pile worded DANGER SUBMERGED PIPELINE. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **PAMLICO SOUND (Chart 11548)** | | | | | | |
| | **Neuse River Approach** | | | | | | |
| | **Bay River** | | | | | | |
| 33428 | SWAN POINT WARNING LIGHT C | 35-08-40.600N 076-42-06.745W | Fl W 4s | 12 | | NW on pile worded DANGER SUBMERGED PIPELINE. | Private aid. |
| 33428.5 | Swan Point Warning Daybeacon D | 35-08-39.600N 076-42-05.745W | | | | NW on pile worded DANGER SUBMERGED PIPELINE. | Private aid. |
| 33430 | - LIGHT 9 | 35-08-32.806N 076-42-29.580W | Fl G 4s | 15 | 4 | SG on pile. | |
| 33435 | - Daybeacon 10 | 35-08-31.660N 076-42-49.756W | | | | TR on pile. | |
| 33440 | - Daybeacon 11 | 35-08-30.858N 076-43-11.103W | | | | SG on pile. | |
| 33445 | - Daybeacon 12 | 35-08-59.968N 076-43-31.863W | | | | TR on pile. | |
| 33455 | - Daybeacon 15 | 35-08-49.609N 076-43-48.099W | | | | SG on pile. | |
| 33460 | - Daybeacon 16 | 35-08-50.760N 076-44-11.204W | | | | TR on pile. | |
| 33465 | - Daybeacon 18 | 35-08-47.110N 076-44-16.206W | | | | TR on pile. | |
| 33470 | - Daybeacon 20 | 35-08-29.829N 076-44-21.298W | | | | TR on pile. | |
| 33475 | - Daybeacon 22 | 35-08-22.942N 076-44-44.156W | | | | TR on pile. | |
| | **Cedar Island** | | | | | | |
| 33478 | - Ferry Slip Breakwater Buoy 1 | 35-01-12.547N 076-18-32.469W | | | | Green Can. | |
| 33480 | - FERRY SLIP BREAKWATER LIGHT 3 | 35-01-11.211N 076-18-41.386W | Fl G 4s | 15 | 4 | SG on multi- pile structure. | |
| 33485 | - FERRY SLIP BREAKWATER LIGHT 2A | 35-01-14.179N 076-18-35.708W | Fl R 4s | 15 | 5 | TR on pile. | |
| 33487 | - Ferry Slip Breakwater Daybeacon 2B | 35-01-13.197N 076-18-37.926W | | | | TR on multi-pile structure. | |
| | **West Bay** | | | | | | |
| 33495 | - LIGHT 2WB | 35-02-53.071N 076-21-57.799W | Fl R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 33514 | Swan Island Oyster Sanctuary Buoy OS-15A | 35-05-37.000N 076-27-30.200W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33514.1 | Swan Island Oyster Sanctuary Buoy OS-15B | 35-05-36.100N 076-26-45.900W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33514.2 | Swan Island Oyster Sanctuary Buoy OS-15C | 35-05-29.100N 076-29-45.800W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33514.3 | Swan Island Oyster Sanctuary Buoy OS-15D | 35-05-29.900N 076-27-30.200W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33516 | Raccoon Island Oyster Sanctuary Daybeacon A | 35-05-28.560N 076-23-24.240W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| 33516.1 | Raccoon Island Oyster Sanctuary Daybeacon B | 35-05-22.080N 076-23-24.240W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| 33516.2 | Raccoon Island Oyster Sanctuary Daybeacon C | 35-05-22.080N 076-23-32.220W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| 33516.3 | Raccoon Island Oyster Sanctuary Daybeacon D | 35-05-28.560N 076-23-32.220W | | | | NW on multi-pile structure worded ROCK. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **PAMLICO SOUND (Chart 11548)** | | | | | | |
| | **Neuse River Approach** | | | | | | |
| | **West Bay** | | | | | | |
| 33517 | - RESTRICTED AREA LIGHT I | 35-01-16.027N 076-25-48.015W | Fl W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33517.1 | - RESTRICTED AREA LIGHT J | 35-02-05.027N 076-25-34.015W | Fl W 6s | 16 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33520 | - LIGHT 5WB Marks shoal. | 35-02-04.819N 076-22-52.393W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 33525 | - Daybeacon 6 | 35-00-42.526N 076-23-37.271W | | | | TR on pile. | |
| 33535 | - LIGHT 7WB | 34-59-24.492N 076-24-08.460W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 33537 | - Oyster Sanctuary Buoy A | 34-58-51.102N 076-21-21.792W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-03. Aid maintained by State DOT Private aid. |
| 33537.1 | - Oyster Sanctuary Buoy B | 34-58-45.966N 076-21-21.792W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-03. Aid maintained by State DOT Private aid. |
| 33537.2 | - Oyster Sanctuary Buoy C | 34-58-45.966N 076-21-28.410W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-03. Aid maintained by State DOT Private aid. |
| 33537.3 | - Oyster Sanctuary Buoy D | 34-58-51.102N 076-21-28.410W | | | | White can with orange diamond worded DANGER SUBMERGED ROCKS. | OS-03. Aid maintained by State DOT Private aid. |
| 33540 | - LIGHT 8WB | 34-58-28.347N 076-23-56.724W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 33545 | - LIGHT 10WB | 34-57-20.196N 076-23-39.804W | Fl R 4s | 15 | 4 | TR on pile. | |
| 33550 | - LIGHT 11WB | 34-56-33.015N 076-23-16.583W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 33555 | - Daybeacon 13WB | 34-56-23.661N 076-23-06.591W | | | | SG on pile. | |
| 33560 | - LIGHT 15WB | 34-56-03.417N 076-22-57.411W | Fl G 4s | 16 | 4 | SG on pile. | |
| 33565 | LONG BAY LIGHT 2 | 34-58-09.602N 076-25-29.363W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 33570 | LONG BAY LIGHT 4 | 34-57-24.513N 076-25-53.716W | Fl R 6s | 15 | 4 | TR on pile. | |
| 33575 | LONG BAY LIGHT 6 | 34-57-39.621N 076-27-34.365W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Neuse River** | | | | | | |
| 33580 38260 | - JUNCTION LIGHT NR | 35-08-46.705N 076-30-10.867W | Fl (2+1)R 6s | 15 | 5 | JR-TY on multi-pile structure. | |
| 33585 38265 | - ENTRANCE LIGHT 2 | 35-08-07.557N 076-30-51.187W | Fl R 4s | 15 | 5 | TR-TY on pile. | |
| 33590 38270 | - ENTRANCE LIGHT NR Marks northerly side of Point Marsh Shoal. | 35-06-37.299N 076-28-32.312W | Fl W 6s | 24 | 7 | NB on multi-pile structure. | |
| 33595 38275 | - CHANNEL LIGHT 4 | 35-05-06.687N 076-32-41.577W | Fl R 2.5s | 15 | 5 | TR-TY on pile. | |
| 33598 | - Warning Daybeacon | 35-05-13.715N 076-32-38.977W | | | | NW on pile worded DANGER SHOAL. | |
| | **Broad Creek** | | | | | | |
| 33605 | - LIGHT 1 | 35-05-28.883N 076-34-58.423W | Fl G 4s | 16 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **PAMLICO SOUND (Chart 11548)** | | | | | | |
| | **Neuse River** | | | | | | |
| | **Broad Creek** | | | | | | |
| 33610 | - Daybeacon 2A | 35-05-32.781N 076-35-17.463W | | | | TR on pile. | |
| 33615 | - Daybeacon 3 | 35-05-38.393N 076-35-38.597W | | | | SG on pile. | |
| 33620 | - Daybeacon 4 | 35-05-24.657N 076-36-30.912W | | | | TR on pile. | |
| 33623 | RATTAN BAY RESTRICTED AREA LIGHT A | 35-04-36.027N 076-28-35.015W | Fl W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.1 | RATTAN BAY RESTRICTED AREA LIGHT B | 35-03-58.027N 076-28-50.015W | Fl W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.2 | RATTAN BAY RESTRICTED AREA LIGHT C | 35-03-38.027N 076-28-45.015W | Fl W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.3 | RATTAN BAY RESTRICTED AREA LIGHT D | 35-03-17.027N 076-29-23.015W | Fl W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.4 | RATTAN BAY RESTRICTED AREA LIGHT E | 35-02-44.027N 076-29-47.015W | Fl W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.5 | RATTAN BAY RESTRICTED AREA LIGHT F | 35-02-06.027N 076-29-53.015W | Fl W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.6 | RATTAN BAY RESTRICTED AREA LIGHT G | 35-01-30.027N 076-29-41.015W | Fl W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.7 | RATTAN BAY RESTRICTED AREA LIGHT H | 35-01-06.027N 076-29-20.015W | Fl W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33624 | Cedar Bay Oyster Sanctuary Daybeacon A | 35-02-41.460N 076-30-47.580W | | | | NW on multi-pile worded ROCK. | Private aid. |
| 33624.1 | Cedar Bay Oyster Sanctuary Daybeacon B | 35-02-32.220N 076-30-47.880W | | | | NW on multi-pile worded ROCK. | Private aid. |
| 33624.2 | Cedar Bay Oyster Sanctuary Daybeacon C | 35-02-32.460N 076-30-59.100W | | | | NW on multi-pile worded ROCK. | Private aid. |
| 33624.3 | Cedar Bay Oyster Sanctuary Daybeacon D | 35-02-41.7000 076-30-58.800W | | | | NW on multi-pile worded ROCK. | Private aid. |
| | **Neuse River** | | | | | | |
| 33625 38280 | - CHANNEL LIGHT 6 | 35-03-51.843N 076-34-19.725W | Fl R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| | **Turnagain Bay** | | | | | | |
| 33627 | - WRECK LIGHT WR1 | 35-01-18.884N 076-29-57.548W | Q G | 15 | 3 | SG on pile. | |
| 33629 | - Oyster Sanctuary Buoy OS-08B | 35-00-29.500N 076-32-04.500W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33629.1 | - Oyster Sanctuary Buoy OS-08C | 35-00-29.500N 076-31-56.100W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33629.2 | - Oyster Sanctuary Buoy OS-08D | 35-00-22.500N 076-31-56.100W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33629.3 | - Oyster Sanctuary Buoy OS-08A | 35-00-22.500N 076-32-04.500W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33630 | - LIGHT 1A | 35-00-26.320N 076-30-11.387W | Fl G 4s | 15 | 4 | SG on pile. | |
| 33635 | - Daybeacon 2 | 35-00-13.348N 076-30-09.587W | | | | TR on pile. | |
| 33640 | - LIGHT 4 | 34-59-10.111N 076-29-20.054W | Fl R 6s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **PAMLICO SOUND (Chart 11548)** | | | | | | |
| | **Neuse River** | | | | | | |
| | **Turnagain Bay** | | | | | | |
| 33645 | - LIGHT 5 | 34-58-09.048N 076-29-21.867W | Fl G 6s | 15 | 4 | SG on pile. | |
| | **Orchard Creek Channel** | | | | | | |
| 33647.01 | - Daybeacon 1 | 35-03-25.300N 076-37-58.400W | | | | SG on pile. | Private aid. |
| 33647.03 | - Daybeacon 3 | 35-03-23.200N 076-38-07.400W | | | | SG on pile. | Private aid. |
| 33647.05 | - Daybeacon 5 | 35-03-21.100N 076-38-16.000W | | | | SG on pile. | Private aid. |
| 33647.06 | - Daybeacon 6 | 35-03-23.200N 076-38-19.600W | | | | TR on pile. | Private aid. |
| 33647.08 | - Daybeacon 8 | 35-03-27.100N 076-38-26.900W | | | | TR on pile. | Private aid. |
| 33647.1 | - Daybeacon 10 | 35-03-29.100N 076-38-29.600W | | | | TR on pile. | Private aid. |
| 33647.11 | - Daybeacon 11 | 35-03-30.700N 076-38-32.800W | | | | SG on pile. | Private aid. |
| | **Turnagain Bay** | | | | | | |
| 33650 | Cockle Point Warning Daybeacon | 35-02-54.709N 076-37-58.733W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| | **South River** | | | | | | |
| 33655 | - LIGHT 1 | 34-59-23.372N 076-35-25.482W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 33660 | - LIGHT 2 | 34-58-55.621N 076-35-03.566W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 33665 | - Wreck Daybeacon WR3 30 yards, 270° from submerged wreck. | 34-58-51.652N 076-34-59.473W | | | | SG on multi-pile structure. | |
| 33670 | - Daybeacon 5 | 34-58-30.590N 076-35-00.623W | | | | SG on pile. | |
| 33675 | Hardy Creek Junction Daybeacon HC | 34-58-02.003N 076-35-08.482W | | | | JR on pile. | |
| 33680 | Hardy Creek Daybeacon 1 | 34-57-55.278N 076-35-29.911W | | | | SG on pile. | |
| 33685 | - LIGHT 6 | 34-57-23.762N 076-34-43.230W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **NEUSE RIVER (Chart 11552)** | | | | | | |
| | **Pierce Creek** | | | | | | |
| 33690 | - LIGHT 2 | 35-02-18.905N 076-39-16.410W | Fl R 4s | 15 | 4 | TR on pile. | |
| 33695 | - Daybeacon 4 | 35-02-21.368N 076-39-28.813W | | | | TR on pile. | |
| 33700 | - Daybeacon 5 | 35-02-23.331N 076-39-45.490W | | | | SG on pile. | |
| 33705 | - Daybeacon 6 | 35-02-25.633N 076-39-57.277W | | | | TR on pile. | |
| 33710 | - Daybeacon 8 | 35-02-29.217N 076-40-00.121W | | | | TR on pile. | |
| | **Neuse River** | | | | | | |
| 33713 | Whitehurst Point Artificial Fishing Reef Buoy AR-396A | 35-01-52.200N 076-39-28.000W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 33713.1 | Whitehurst Point Artificial Fishing Reef Buoy AR-396B | 35-01-47.100N 076-39-23.900W | | | | White can with orange bands and diamound worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **NEUSE RIVER (Chart 11552)** | | | | | | |
| | **Neuse River** | | | | | | |
| 33713.2 | Whitehurst Point Artificial Fishing Reef Buoy AR-396C | 35-01-25.300N 076-39-51.200W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 33713.3 | Whitehurst Point Artificial Fishing Reef Buoy AR-396D | 35-01-35.900N 076-39-58.300W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 33715 38285 | - CHANNEL LIGHT 7 | 35-00-32.040N 076-39-38.187W | Fl G 4s | 15 | 5 | SG-SY on multi-pile structure. | |
| | **Whittaker Creek** | | | | | | |
| 33718 | - Daybeacon 1 | 35-01-24.386N 076-41-09.853W | | | | SG on pile. | |
| 33720 | - LIGHT 2 | 35-01-22.571N 076-41-09.082W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 33723 | - Daybeacon 3 | 35-01-30.341N 076-41-05.811W | | | | SG on pile. | |
| 33724 | - Buoy 3A | 35-01-31.854N 076-41-04.068W | | | | Green can. | |
| 33725 | - Daybeacon 4 | 35-01-35.814N 076-41-01.237W | | | | TR on pile. | |
| 33730 | - LIGHT 5 | 35-01-48.540N 076-40-54.516W | Fl G 4s | 15 | 4 | SG on pile. | |
| 33735 | - Daybeacon 7 | 35-01-50.298N 076-40-56.074W | | | | SG on pile. | |
| | **Greens Creek** | | | | | | |
| 33740 | - Daybeacon 1 | 35-01-25.754N 076-42-15.384W | | | | SG on pile. | |
| 33745 | - Daybeacon 2 | 35-01-29.488N 076-42-21.964W | | | | TR on pile. | |
| 33750 | - Daybeacon 3 | 35-01-30.498N 076-42-28.992W | | | | SG on pile. | |
| | **Smith Creek Channel** | | | | | | |
| 33755 | - LIGHT 1SC | 35-00-54.330N 076-41-28.464W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 33760 | - Daybeacon 3 | 35-01-02.367N 076-41-45.264W | | | | SG on pile. | |
| 33765 | - Daybeacon 5 | 35-01-08.058N 076-41-57.546W | | | | SG on pile. | |
| 33770 | - LIGHT 6 | 35-01-10.109N 076-41-54.236W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 33775 | - LIGHT 8 | 35-01-19.382N 076-41-56.772W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 33780 | - Daybeacon 9 | 35-01-31.472N 076-42-05.758W | | | | SG on pile. | |
| 33785 | - Daybeacon 10 | 35-01-41.928N 076-42-09.195W | | | | TR on pile. | |
| | **Neuse River** | | | | | | |
| 33790 38290 | *Adams Creek Lighted Buoy 1AC* | 34-58-30.114N 076-41-45.927W | Fl G 4s | | 4 | Green. | |
| 33795 | Dawson Creek Entrance Daybeacon 2 | 34-59-16.005N 076-45-01.155W | | | | TR on pile. | |
| 33800 | Dawson Creek Entrance Warning Daybeacon | 34-59-24.863N 076-45-27.852W | | | | NW on pile worded DANGER SHOAL. | |
| | **Clubfoot Creek** | | | | | | |
| 33805 | - Entrance Daybeacon 1 | 34-55-59.855N 076-45-13.401W | | | | SG on pile. | |
| 33810 | - ENTRANCE LIGHT 3 | 34-55-24.776N 076-45-34.362W | Fl G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **NEUSE RIVER (Chart 11552)** | | | | | | |
| | **Neuse River** | | | | | | |
| | **Clubfoot Creek** | | | | | | |
| 33815 | - Daybeacon 5 | 34-55-10.904N 076-45-31.046W | | | | SG on pile. | |
| 33820 | - Daybeacon 6 | 34-55-06.345N 076-45-31.842W | | | | TR on pile. | |
| 33825 | - Daybeacon 8 | 34-54-55.341N 076-45-24.872W | | | | TR on pile. | |
| | **Neuse River** | | | | | | |
| 33830 | - Channel Daybeacon 8 | 34-57-37.048N 076-47-59.775W | | | | TR on pile. | |
| 33835 | - CHANNEL LIGHT 9 | 34-56-50.691N 076-48-32.091W | Fl G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 33840 | WILKINSON POINT FERRY TERMINAL CHANNEL LIGHT 2 | 34-57-48.624N 076-48-34.949W | Fl R 2.5s | 15 | 3 | TR on multi-pile structure. | |
| 33845 | Wilkinson Point Ferry Terminal Channel Daybeacon 3 | 34-57-54.618N 076-48-31.123W | | | | SG on pile. | |
| 33850 | Wilkinson Point Ferry Terminal Channel Daybeacon 4 | 34-57-58.763N 076-48-25.257W | | | | TR on pile. | |
| 33855 | Cherry Point Daybeacon 2 | 34-56-45.927N 076-48-34.683W | | | | TR on pile. | |
| 33860 | Cherry Point Channel Daybeacon 3 | 34-56-30.966N 076-48-33.354W | | | | SG on pile. | |
| 33865 | Cherry Point Channel Daybeacon 4 | 34-56-27.357N 076-48-36.471W | | | | TR on pile. | |
| | **Minnesott Beach Yacht Basin** | | | | | | |
| 33870 | - ENTRANCE LIGHT 1 | 34-58-04.800N 076-49-13.800W | Q G | 14 | | SG on pile. | Private aid. |
| 33875 | - Entrance Daybeacon 2 | 34-58-07.077N 076-49-09.773W | | | | TR on pile. | Private aid. |
| 33890 | - Entrance Daybeacon 5 | 34-58-09.077N 076-49-09.023W | | | | SG on pile. | Private aid. |
| 33895 | - Entrance Daybeacon 6 | 34-58-12.600N 076-49-10.200W | | | | TR on pile. | Private aid. |
| | **Hancock Creek** | | | | | | |
| 33900 | - LIGHT 1 | 34-56-23.829N 076-50-47.931W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 33902 | MCAS Cherry Point Warning Daybeacon A | 34-56-39.039N 076-51-17.295W | | | | NW on pile worded DANGER LIVE FIRE SECTOR. | Aid maintained by U.S. Marine Corps. |
| 33902.1 | MCAS Cherry Point Warning Daybeacon B | 34-56-26.317N 076-51-00.405W | | | | NW on pile worded DANGER LIVE FIRE SECTOR. | Aid maintained by U.S. Marine Corps. |
| 33902.2 | MCAS Cherry Point Warning Daybeacon C | 34-56-20.057N 076-50-39.055W | | | | NW on pile worded DANGER LIVE FIRE SECTOR. | Aid maintained by U.S. Marine Corps. |
| 33902.3 | MCAS Cherry Point Warning Daybeacon D | 34-55-27.437N 076-51-10.295W | | | | NW on pile worded DANGER LIVE FIRE SECTOR. | Aid maintained by U.S. Marine Corps. |
| 33902.4 | MCAS Cherry Point Warning Daybeacon E | 34-55-30.857N 076-51-04.225W | | | | NW on pile worded DANGER LIVE FIRE SECTOR. | Aid maintained by U.S. Marine Corps. |
| 33905 | - Daybeacon 3 | 34-56-20.445N 076-51-06.469W | | | | SG on pile. | |
| 33910 | - Daybeacon 5 | 34-56-19.653N 076-51-11.587W | | | | SG on pile. | |
| 33915 | - LIGHT 6 | 34-56-20.499N 076-51-13.062W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Slocum Creek** | | | | | | |
| 33920 | - LIGHT 2 | 34-57-03.957N 076-53-16.585W | Q R | 15 | 4 | TR on pile. | |
| 33925 | - Daybeacon 1 | 34-57-00.225N 076-53-23.054W | | | | SG on pile. | |
| 33930 | - Daybeacon 4 | 34-57-03.781N 076-53-28.461W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| | **NEUSE RIVER (Chart 11552)** | | | | | | |
| | **Neuse River** | | | | | | |
| | **Slocum Creek** | | | | | | |
| 33935 | - Daybeacon 4A | 34-57-09.957N 076-53-45.404W | | | | TR on pile. | |
| 33940 | - Daybeacon 5 | 34-57-09.645N 076-53-48.578W | | | | SG on pile. | |
| 33945 | - Daybeacon 7 | 34-57-08.235N 076-54-01.173W | | | | SG on pile. | |
| 33950 | - Daybeacon 8 | 34-57-09.902N 076-54-09.366W | | | | TR on pile. | |
| 33955 | - Daybeacon 10 | 34-56-41.291N 076-54-23.098W | | | | TR on pile. | |
| 33960 | Beard Creek Entrance Daybeacon 1 | 34-59-49.903N 076-51-54.642W | | | | SG on pile. | |
| | **Neuse River** | | | | | | |
| 33965 | - CHANNEL LIGHT 11 | 34-59-57.863N 076-56-36.439W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 33970 | - Channel Daybeacon 13 | 35-00-30.354N 076-57-11.985W | | | | SG on pile. | |
| 33975 | - Channel Daybeacon 15 25 feet outside channel limit. | 35-00-52.028N 076-57-35.561W | | | | SG on pile. | |
| 33980 | - CHANNEL LIGHT 17 25 feet outside channel limit. | 35-01-23.769N 076-58-10.167W | Fl G 4s | 15 | 4 | SG on pile. | |
| 33985 | - CHANNEL LIGHT 19 | 35-02-37.143N 076-59-01.449W | Fl G 4s | 16 | 4 | SG on pile. | |
| 33990 | UPPER BROAD CREEK LIGHT 2 | 35-02-56.479N 076-57-24.598W | Fl R 4s | 15 | 4 | TR on pile. | |
| 33995 | Upper Broad Creek Daybeacon 3 | 35-03-22.097N 076-57-01.539W | | | | SG on pile. | |
| | **Northwest Creek Channel** | | | | | | |
| 33996 | - ENTRANCE LIGHT 1N | 35-03-10.380N 076-57-51.300W | Fl G 4s | 15 | | SG on pile. | Private aid. |
| 33997 | - Daybeacon 3 | 35-03-18.960N 076-57-54.120W | | | | SG on pile. | Private aid. |
| 33998 | - Daybeacon 4 | 35-03-19.320N 076-57-49.980W | | | | TR on pile. | Private aid. |
| 33998.1 | - Daybeacon 5 | 35-03-23.000N 076-58-01.000W | | | | SG on pile. | Private aid. |
| | **Neuse River** | | | | | | |
| 34000 | - CHANNEL LIGHT 22 | 35-04-47.813N 077-00-21.741W | Fl R 4s | 15 | 4 | TR on pile. | |
| 34005 | - Channel Daybeacon 24 25 feet outside channel limit. | 35-04-49.661N 077-00-30.431W | | | | TR on pile. | |
| 34010 | - Channel Daybeacon 26 | 35-04-51.441N 077-00-43.960W | | | | TR on pile. | |
| 34015 | - CHANNEL LIGHT 27 | 35-04-49.587N 077-00-54.792W | Fl G 4s | 16 | 4 | SG on pile. | |
| 34017 | Black Beacon Point Artificial Reef Buoy AR-392A | 35-05-17.100N 077-00-48.900W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 34017.1 | Black Beacon Point Artificial Reef Buoy AR-392B | 35-04-57.400N 077-00-19.400W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 34017.2 | Black Beacon Point Artificial Reef Buoy AR-392C | 35-04-50.300N 077-00-29.900W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 34017.3 | Black Beacon Point Artificial Reef Buoy AR-392D | 35-05-12.800N 077-00-55.600W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 34020 | - CHANNEL LIGHT 28 25 feet outside channel limit. | 35-05-18.629N 077-01-30.599W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 34030 | - CHANNEL LIGHT 32 25 feet outside channel limit. | 35-06-08.925N 077-02-00.741W | Fl R 2.5s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **NEUSE RIVER (Chart 11552)** | | | | | | |
| | **Neuse River** | | | | | | |
| 34040 | - Channel Daybeacon 34<br>25 feet outside channel limit. | 35-06-19.797N<br>077-01-59.679W | | | | TR on pile. | |
| 34045 | - Channel Daybeacon 38<br>25 feet outside channel limit. | 35-06-50.667N<br>077-02-05.997W | | | | TR on pile. | |
| 34047 | BRIDGETON WARNING LIGHT | 35-07-25.575N<br>077-01-40.809W | Fl W 4s | 6 | | NW on pile worded DANGER SUBMERGED PIPELINE DO NOT ANCHOR. | Private aid. |
| 34050 | - CHANNEL LIGHT 39 | 35-07-26.085N<br>077-02-41.715W | Fl G 4s | 15 | 4 | SG on pile. | |
| 34055 | - Channel Daybeacon 41 | 35-07-42.537N<br>077-02-46.053W | | | | SG on pile. | |
| 34060 | - Channel Daybeacon 43 | 35-07-59.379N<br>077-02-51.111W | | | | SG on pile. | |
| 34065 | - Channel Daybeacon 45 | 35-08-08.751N<br>077-02-59.241W | | | | SG on pile. | |
| 34070 | - Channel Daybeacon 47 | 35-08-18.075N<br>077-03-07.113W | | | | SG on pile. | |
| 34075 | - Channel Daybeacon 48 | 35-08-25.461N<br>077-03-21.849W | | | | TR on pile. | |
| 34080 | - CHANNEL LIGHT 48A | 35-08-33.717N<br>077-03-34.479W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Taylor Creek** | | | | | | |
| 34085 | - Daybeacon 2 | 35-08-43.576N<br>077-04-18.815W | | | | TR on pile. | Private aid. |
| 34090 | - Daybeacon 4 | 35-08-43.576N<br>077-04-19.815W | | | | TR on pile. | Private aid. |
| 34095 | - Daybeacon 6 | 35-08-40.576N<br>077-04-21.815W | | | | TR on pile. | Private aid. |
| 34100 | - Daybeacon 8 | 35-08-38.576N<br>077-04-22.815W | | | | TR on pile. | Private aid. |
| | **Neuse River** | | | | | | |
| 34110 | - Channel Daybeacon 49 | 35-08-31.120N<br>077-03-35.464W | | | | SG on pile. | |
| 34115 | - Channel Daybeacon 50 | 35-08-34.029N<br>077-03-44.145W | | | | TR on pile. | |
| 34120 | - Channel Daybeacon 50A | 35-08-36.363N<br>077-03-50.907W | | | | TR on pile. | |
| 34125 | - Channel Daybeacon 50B | 35-08-38.979N<br>077-04-00.423W | | | | TR on pile. | |
| 34130 | - Channel Daybeacon 50C | 35-08-46.443N<br>077-04-17.241W | | | | TR on pile. | |
| 34135 | - Channel Daybeacon 50D | 35-08-50.019N<br>077-04-32.565W | | | | TR on pile. | |
| 34137 | - Channel Buoy 50E | 35-08-54.559N<br>077-04-35.702W | | | | Red nun. | |
| 34140 | - Channel Daybeacon 51 | 35-08-42.069N<br>077-04-08.499W | | | | SG on pile. | |
| 34145 | - Channel Daybeacon 51A | 35-08-44.481N<br>077-04-21.063W | | | | SG on pile. | |
| 34150 | - Channel Buoy 51B | 35-08-54.954N<br>077-04-39.088W | | | | Green can. | |
| 34151 | - Channel Buoy 51C | 35-08-58.806N<br>077-04-32.728W | | | | Green can. | |
| 34155 | - Channel Buoy 52 | 35-09-00.603N<br>077-04-29.830W | | | | Red nun. | |
| 34160 | - Channel Daybeacon 52A | 35-09-13.767N<br>077-04-34.779W | | | | TR on pile. | |
| 34165 | - Channel Daybeacon 53 | 35-09-25.347N<br>077-04-35.721W | | | | SG on pile. | |
| 34170 | - Channel Daybeacon 54 | 35-09-35.373N<br>077-04-27.417W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **NORTH CAROLINA - Fifth District** | | | | |
| **NEUSE RIVER (Chart 11552)** | | | | | | | |
| **Neuse River** | | | | | | | |
| 34175 | - Channel Daybeacon 55 | 35-09-45.135N 077-04-45.711W | | | | SG on pile. | |
| 34180 | - Channel Daybeacon 57 | 35-09-45.702N 077-05-05.048W | | | | SG on pile. | |
| 34185 | - Channel Buoy 58 | 35-09-53.095N 077-05-15.750W | | | | Red nun. | |
| 34190 | - Channel Daybeacon 60 | 35-10-01.584N 077-05-21.586W | | | | TR on pile. | |
| 34195 | - Channel Daybeacon 62 | 35-10-28.662N 077-05-11.368W | | | | TR on pile. | |
| 34200 | - Channel Daybeacon 64 | 35-10-41.202N 077-05-24.586W | | | | TR on pile. | |
| 34205 | - Channel Daybeacon 65 | 35-10-54.369N 077-05-39.707W | | | | SG on pile. | |
| 34210 | - Channel Daybeacon 67 | 35-11-12.207N 077-05-45.107W | | | | SG on pile. | |
| 34215 | - Channel Daybeacon 68 | 35-11-32.589N 077-05-58.903W | | | | TR on pile. | |
| 34220 | - Channel Daybeacon 70 | 35-11-30.648N 077-06-20.467W | | | | TR on pile. | |
| 34225 | - Channel Daybeacon 72 | 35-11-44.393N 077-06-34.858W | | | | TR on pile. | |
| 34230 | - Channel Daybeacon 74 | 35-11-55.203N 077-06-48.812W | | | | TR on pile. | |
| 34235 | - Channel Daybeacon 76 | 35-12-15.620N 077-07-08.808W | | | | TR on pile. | |
| 34237 | FRONT STREET MARINA ENTRANCE LIGHT 2F | 35-06-24.001N 077-02-02.217W | Fl R 6s | 12 | | On end of floating dock. | Private aid. |
| **Trent River** | | | | | | | |
| 34240 | - Daybeacon 1 | 35-05-06.387N 077-03-09.747W | | | | SG on pile. | |
| 34245 | - LIGHT 2 | 35-04-48.339N 077-03-27.536W | Fl R 4s | 15 | 4 | TR on pile. | |
| 34250 | - Daybeacon 3 | 35-04-33.092N 077-03-43.362W | | | | SG on pile. | |
| 34255 | - Daybeacon 4 | 35-04-27.558N 077-04-01.485W | | | | TR on pile. | |
| 34260 | - Buoy 4A | 35-04-17.627N 077-04-25.899W | | | | Red nun. | |
| 34266 | - LIGHT 5 | 35-04-09.297N 077-04-43.400W | Fl G 4s | 15 | 4 | SG on pile. | |
| 34270 | - Daybeacon 6 | 35-04-11.937N 077-05-05.085W | | | | TR on pile. | |
| 34275 | - LIGHT 8 | 35-04-12.472N 077-05-16.073W | Fl R 4s | 15 | 4 | TR on pile. | |
| 34280 | - Buoy 9 | 35-04-23.817N 077-05-53.391W | | | | Green can. | |
| 34285 | - Daybeacon 10 | 35-04-31.989N 077-06-03.765W | | | | TR on pile. | |
| 34290 | - Daybeacon 12 | 35-04-25.574N 077-06-17.828W | | | | TR on pile. | |
| 34295 | - LIGHT 13 | 35-04-17.775N 077-06-26.991W | Fl G 4s | 15 | 4 | SG on multi-pile structure. | |
| 34300 | - Daybeacon 14 | 35-04-30.765N 077-06-51.057W | | | | TR on pile. | |
| 34305 | - Daybeacon 16 | 35-04-43.665N 077-07-23.385W | | | | TR on pile. | |
| 34310 | - Daybeacon 18 | 35-04-29.343N 077-07-49.005W | | | | TR on pile. | |
| 34315 | - Buoy 20 | 35-04-14.727N 077-07-56.289W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550)** | | | | | | |
| | **Core Sound** | | | | | | |
| 34320 | Harbor Island Warning Daybeacon | 35-00-39.691N 076-13-14.090W | | | | NW on pile worded DANGER SHOALING. | |
| 34370 | - LIGHT 11 | 34-58-31.079N 076-13-14.300W | Fl G 6s | 15 | 4 | SG on pile. | |
| 34375 | - LIGHT 13 | 34-57-18.474N 076-13-42.747W | Fl G 4s | 15 | 4 | SG on pile. | |
| 34380 | - *Lighted Buoy 15* | 34-56-41.705N 076-13-49.287W | Fl G 6s | | 4 | Green. | |
| 34385 | - LIGHT 16 | 34-56-34.027N 076-14-33.014W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 34390 | - LIGHT 18 | 34-56-20.650N 076-15-36.423W | Fl R 4s | 15 | 4 | TR on pile. | |
| 34395 | - Daybeacon 18A | 34-55-37.027N 076-16-11.914W | | | | TR on pile. | |
| | **Cedar Island Bay Channel** | | | | | | |
| 34400 | - LIGHT 2 | 34-58-04.671N 076-15-36.806W | Fl R 4s | 18 | 4 | TR on pile. | |
| 34405 | - Buoy 3 | 34-58-13.941N 076-16-05.480W | | | | Green can. | |
| 34410 | - *Lighted Wreck Buoy WR5* Located 25 feet outside channel limit. | 34-59-12.588N 076-17-30.060W | Q G | | 4 | Green. | |
| 34415 | - LIGHT 6 25 feet outside channel limit. | 34-59-20.415N 076-17-41.684W | Fl R 6s | 15 | 4 | TR on pile. | |
| 34420 | - LIGHT 8 | 34-59-31.731N 076-18-16.322W | Fl R 2.5s | 18 | 4 | TR on pile. | |
| | **Thorofare Channel** | | | | | | |
| 34425 | - LIGHT 1 | 34-55-31.341N 076-19-24.920W | Fl G 4s | 15 | 4 | SG on pile. | |
| 34435 | - Buoy 2 | 34-55-36.749N 076-20-51.068W | | | | Red nun. | |
| 34440 | - LIGHT 4 | 34-55-43.251N 076-21-28.713W | Fl R 4s | 15 | 3 | TR on pile. | |
| 34445 | - Daybeacon 6 | 34-55-36.393N 076-21-37.844W | | | | TR on pile. | |
| 34450 | - Daybeacon 7 | 34-55-33.936N 076-21-41.994W | | | | SG on pile. | |
| | **Core Sound** | | | | | | |
| 34455 | - *Lighted Buoy 19* | 34-54-59.520N 076-16-35.720W | Fl G 4s | | 4 | Green. | |
| 34460 | - *Lighted Buoy 19A* | 34-54-19.503N 076-17-38.725W | Fl G 4s | | 4 | Green. | |
| 34465 | - Warning Daybeacon 2 yards, 295° from wreck. | 34-54-17.883N 076-17-19.532W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| 34470 | - *Lighted Buoy 20* | 34-53-55.781N 076-18-19.118W | Fl R 4s | | 4 | Red. | |
| 34475 | - LIGHT 22 | 34-52-36.537N 076-19-33.831W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 34480 | - Buoy 22A | 34-52-31.259N 076-19-58.634W | | | | Red nun. | |
| 34485 | - Buoy 23 | 34-52-27.732N 076-20-10.183W | | | | Green can. | |
| | **BEAUFORT INLET AND SOUTHERN CORE SOUND (Chart 11545)** | | | | | | |
| | **Core Sound** | | | | | | |
| 34495 | Atlantic Channel Daybeacon 1 | 34-52-36.993N 076-20-16.904W | | | | SG on pile. | |
| 34500 | ATLANTIC CHANNEL LIGHT 2 | 34-52-49.933N 076-20-10.295W | Q R | 15 | 4 | TR on pile. | |
| 34505 | Atlantic Channel Buoy 4 | 34-52-53.784N 076-20-02.770W | | | | Red nun. | |
| 34515 | ATLANTIC CHANNEL LIGHT 6 | 34-53-01.581N 076-19-56.342W | Fl R 4s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **BEAUFORT INLET AND SOUTHERN CORE SOUND (Chart 11545)** | | | | | | |
| | **Core Sound** | | | | | | |
| 34520 | - WARNING LIGHT A | 34-51-50.117N 076-20-44.709W | Fl W 4s | 15 | 4 | NW on pile worded DANGER SHOALING. | |
| 34525 | - WARNING LIGHT B | 34-51-26.901N 076-21-11.408W | Fl W 4s | 15 | 4 | NW on pile worded DANGER SHOALING. | |
| 34540 | - WARNING LIGHT C | 34-50-38.553N 076-22-00.602W | Fl W 4s | 15 | 4 | NW on slatted pile structure worded DANGER SHOALING. | |
| 34545 | - *Lighted Buoy 28* | 34-50-33.011N 076-22-55.719W | Fl R 2.5s | | 4 | Red. | |
| 34550 | SEALEVEL CHANNEL ENTRANCE LIGHT 1<br>30 feet outside channel limit. | 34-51-11.106N 076-23-08.757W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 34560 | NELSON BAY LIGHT 1 | 34-51-19.018N 076-24-17.316W | Fl G 4s | 15 | 4 | SG on pile. | |
| 34565 | NELSON BAY LIGHT 3 | 34-52-11.808N 076-24-05.778W | Fl G 4s | 15 | 4 | SG on pile. | |
| 34575 | - *Lighted Buoy 29* | 34-49-11.366N 076-24-12.076W | Fl G 4s | | 4 | Green. | |
| 34580 | - *Lighted Buoy 31* | 34-48-54.093N 076-25-01.071W | Fl G 2.5s | | 4 | Green. | |
| 34585 | - LIGHT 33 | 34-48-37.954N 076-25-54.437W | Fl G 4s | 15 | 4 | SG on pile. | |
| 34590 | OYSTER CREEK ENTRANCE LIGHT 2 | 34-48-51.203N 076-26-45.820W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 34595 | *Oyster Creek Lighted Wreck Buoy WR3* | 34-49-06.688N 076-26-53.143W | Q G | | 4 | Green. | |
| 34600 | SALTER CREEK LIGHT 1 | 34-48-19.286N 076-26-56.468W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 34610 | DAVIS CHANNEL LIGHT 1 | 34-47-38.889N 076-27-07.728W | Fl G 4s | 15 | 4 | SG on pile. | |
| 34615 | - *Lighted Wreck Buoy WR34* | 34-46-31.990N 076-27-06.410W | Q R | | 4 | Red. | |
| 34620 | - LIGHT 35 | 34-45-05.691N 076-27-57.207W | Fl G 4s | 15 | 5 | SG on pile. | |
| 34625 | - LIGHT 36<br>25 feet outside channel limit. | 34-44-33.749N 076-29-26.457W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 34628 | - Daybeacon 37 | 34-44-17.227N 076-29-20.115W | | | | SG on pile. | |
| 34630 | - LIGHT 37A | 34-43-29.471N 076-28-56.475W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 34635 | - LIGHT 39 | 34-43-01.461N 076-29-28.238W | Fl G 4s | 15 | 4 | SG on pile. | |
| 34640 | - *Lighted Buoy 41* | 34-42-59.621N 076-29-58.491W | Fl G 2.5s | | 4 | Green. | |
| 34645 | - Daybeacon 42 | 34-42-50.631N 076-30-46.766W | | | | TR on pile. | |
| 34650 | - LIGHT 42A | 34-42-51.192N 076-30-53.353W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Marshallberg** | | | | | | |
| 34655 | - Channel Daybeacon 1 | 34-43-07.065N 076-31-14.853W | | | | SG on pile. | |
| 34660 | - Channel Daybeacon 3 | 34-43-17.985N 076-31-20.013W | | | | SG on pile. | |
| 34665 | - Channel Daybeacon 4 | 34-43-18.309N 076-31-17.853W | | | | TR on pile. | |
| | **Core Sound** | | | | | | |
| 34670 | - LIGHT 44 | 34-43-13.089N 076-31-37.524W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 34675 | - LIGHT 46 | 34-42-57.674N 076-32-36.857W | Fl R 4s | 15 | 4 | TR on pile. | |
| 34680 | - LIGHT 47 | 34-43-03.686N 076-33-10.171W | Fl G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **BEAUFORT INLET AND SOUTHERN CORE SOUND (Chart 11545)** | | | | | | |
| | **Core Sound** | | | | | | |
| 34681 | - Daybeacon 47A | 34-42-56.952N 076-33-56.616W | | | | SG on pile. | |
| 34690 | - Daybeacon 48 | 34-42-56.813N 076-34-53.347W | | | | TR on pile. | |
| 34695 | - Daybeacon 50 | 34-42-55.097N 076-35-06.093W | | | | TR on pile. | |
| 34700 | - Buoy 51 | 34-42-50.487N 076-35-13.695W | | | | Green can. | |
| 34705 | - LIGHT 55 | 34-42-43.408N 076-35-22.031W | Fl G 4s | 15 | 4 | SG on pile. | |
| 34723 | - LIGHT 56 | 34-42-12.252N 076-35-52.478W | Fl R 4s | 15 | 3 | TR on pile. | |
| 34725 | - Warning Daybeacon A | 34-42-14.374N 076-35-51.007W | | | | NW on pile worded DANGER SHOAL. | |
| 34730 | HARKERS ISLAND WEST CHANNEL LIGHT 1<br>20 feet outside channel limit. | 34-42-07.574N 076-35-45.934W | Fl G 4s | 15 | 4 | SG on pile. | |
| 34730.1 | Harkers Island West Channel Buoy 1A | 34-42-04.922N 076-35-46.388W | | | | Green can. | |
| 34735 | Harkers Island West Channel Daybeacon 3 | 34-41-57.189N 076-35-36.003W | | | | SG on pile. | |
| 34739 | - Daybeacon 56A | 34-42-07.764N 076-36-04.944W | | | | TR on pile. | |
| 34741 | - Buoy 56B | 34-42-05.870N 076-36-16.708W | | | | Red nun. | |
| 34745 | - LIGHT 58 | 34-42-07.990N 076-36-45.563W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| | **North River** | | | | | | |
| 34748 | - Daybeacon 1NR | 34-42-21.015N 076-36-50.505W | | | | SG on pile. | |
| 34750 | - Daybeacon 2 | 34-42-22.463N 076-36-47.494W | | | | TR on pile. | |
| 34755 | - Daybeacon 4 | 34-42-34.602N 076-36-45.403W | | | | TR on pile. | |
| | **Lenoxville Point** | | | | | | |
| 34757 | - Buoy 1L | 34-42-30.410N 076-36-51.489W | | | | Green can. | |
| 34760 | - Buoy 2 | 34-42-24.716N 076-36-59.317W | | | | Red nun. | |
| 34762 | - Buoy 3 | 34-42-23.965N 076-36-58.661W | | | | Green can. | |
| | **Core Sound** | | | | | | |
| 34775 | - LIGHT 60 | 34-42-11.159N 076-37-07.571W | Fl R 4s | 15 | 4 | TR on pile. | |
| | **Taylor Creek** | | | | | | |
| 34795 | - Channel Daybeacon 7 | 34-42-47.931N 076-39-42.879W | | | | SG on pile. | |
| 34800 | - Channel Daybeacon 9 | 34-42-53.538N 076-39-55.776W | | | | SG on pile. | |
| 34802 | - Junction Daybeacon TC | 34-42-57.966N 076-40-07.906W | | | | JR on pile. | |
| | **Newport River** | | | | | | |
| | **Beaufort Harbor Channel** | | | | | | |
| 34803 | - *Lighted Junction Buoy BH* | 34-42-06.574N 076-40-38.016W | Fl (2+1)R 6s | | 4 | Red and green bands. | |
| 34805 | - *Lighted Buoy 2* | 34-42-17.675N 076-40-38.674W | Q R | | 4 | Red. | |
| 34807 | - Buoy 2A | 34-42-29.204N 076-40-42.405W | | | | Red nun. | |
| 34811 | - Warning Daybeacon A | 34-42-19.489N 076-40-43.416W | | | | NW on pile worded DANGER SUBMERGED JETTY. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **NORTH CAROLINA - Fifth District** | | | | | | |
| | **BEAUFORT INLET AND SOUTHERN CORE SOUND (Chart 11545)** | | | | | | |
| | **Newport River** | | | | | | |
| | **Beaufort Harbor Channel** | | | | | | |
| 34815 | - *Lighted Buoy 3* | 34-42-17.670N 076-40-41.197W | Fl G 2.5s | | 4 | Green. | |
| 34820 | - Buoy 3A | 34-42-23.820N 076-40-44.014W | | | | Green can. | |
| 34823 | - *Lighted Research Buoy R* | 34-42-30.420N 076-40-47.760W | Fl Y 2.5s | | | | Private aid. |
| 34825 | - Daybeacon 3B | 34-42-33.266N 076-40-48.633W | | | | SG on pile. | |
| 34826 | - Daybeacon 4 | 34-42-37.263N 076-40-46.453W | | | | TR on pile. | |
| 34830 | - Daybeacon 6 | 34-42-41.955N 076-40-46.326W | | | | TR on pile. | |
| 34835 | - Daybeacon 7 | 34-42-52.521N 076-40-37.179W | | | | SG on pile. | |
| 34840 | - Daybeacon 8 | 34-42-49.268N 076-40-36.104W | | | | TR on pile. | |
| 34845 | - Daybeacon 10 20 feet outside channel limit. | 34-42-51.327N 076-40-16.803W | | | | TR on pile. | |
| | **Russell Slough** | | | | | | |
| 34855 | - CHANNEL JUNCTION LIGHT RG | 34-44-09.757N 076-40-34.505W | Fl (2+1)R 6s | 15 | 4 | JR on pile. | |
| 34860 | - Channel Daybeacon 10 | 34-43-57.960N 076-40-27.523W | | | | TR on pile. | |
| 34865 | - CHANNEL LIGHT 12 | 34-43-43.710N 076-40-10.742W | Q R | 15 | 4 | TR on pile. | |
| | **Town Creek Channel** | | | | | | |
| 34875 | - *Lighted Junction Buoy TC* | 34-43-30.930N 076-40-04.875W | Fl (2+1)G 6s | | 4 | Green and red bands. | |
| 34885 | - Buoy 2 | 34-43-30.450N 076-40-01.835W | | | | Red nun. | |
| 34890 | - Buoy 4 | 34-43-28.777N 076-39-53.175W | | | | Red nun. | |
| | **Chimney Island Slough** | | | | | | |
| 34907.1 | - Buoy 2 | 34-43-22.257N 076-41-24.343W | | | | Red nun. | |
| 34907.2 | - Daybeacon 3 | 34-43-29.107N 076-41-22.766W | | | | SG on pile. | |
| 34907.3 | - Daybeacon 4 | 34-43-39.390N 076-41-07.763W | | | | TR on pile. | |
| 34907.4 | - Daybeacon 5 | 34-43-52.469N 076-41-05.534W | | | | SG on pile. | |
| 34907.5 | - Daybeacon 6 | 34-43-57.980N 076-40-49.226W | | | | TR on pile. | |
| | **Calico Creek** | | | | | | |
| 34910 | - Entrance Buoy 2 | 34-43-24.978N 076-41-45.151W | | | | Red nun. | |
| 34915 | - Daybeacon 2A | 34-43-23.603N 076-41-52.658W | | | | TR on pile. | |
| 34925 | - Daybeacon 4 | 34-43-23.151N 076-42-02.697W | | | | TR on pile. | |
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **SANDY HOOK TO LITTLE EGG HARBOR (Chart 12324)** | | | | | | |
| | **Manasquan - Atlantic City** | | | | | | |
| | **Manasquan Inlet** | | | | | | |
| 34931 | - *Lighted Buoy 2M* | 40-05-32.249N 074-00-48.202W | Fl R 4s | | 6 | Red. | |
| 34932 | - LIGHT 3 | 40-06-01.406N 074-01-54.254W | Fl G 6s | 35 | 8 | SG on skeleton tower. | HORN: 1 blast ev 30 secs (3s bl). HORN is activated by keying the mic 5 times on VHF-FM 83A (157.175MHz). HORN operates for 30 minutes. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **SANDY HOOK TO LITTLE EGG HARBOR (Chart 12324)** | | | | | | |
| | **Manasquan - Atlantic City** | | | | | | |
| | **Manasquan Inlet** | | | | | | |
| 34934 | - LIGHT 4 | 40-06-06.152N 074-01-53.246W | Fl R 4s | 30 | 8 | TR on skeleton tower. | |
| | **Manasquan River** | | | | | | |
| 34935 | - LIGHT 2 | 40-06-24.632N 074-02-46.574W | Fl R 4s | 15 | 3 | TR on pile. | |
| 34945 | - LIGHT 4 | 40-06-10.596N 074-03-21.924W | Fl R 4s | 15 | 3 | TR on multi-pile structure. | |
| 34950 | - Daybeacon 5 | 40-06-07.886N 074-03-20.956W | | | | SG on pile. | |
| 34955 | - Daybeacon 7 | 40-05-47.778N 074-03-30.041W | | | | SG on pile. | |
| 34960 | - LIGHT 6 | 40-05-50.460N 074-03-30.219W | Fl R 4s | 17 | 4 | TR on pile. | |
| 34965 | - LIGHT 9 | 40-05-32.577N 074-03-50.512W | Fl G 4s | 15 | 4 | SG on pile. | |
| 34970 | - Daybeacon 8 | 40-05-36.092N 074-03-49.514W | | | | TR on pile. | |
| 34975 | - Daybeacon 11 | 40-05-25.014N 074-03-59.610W | | | | SG on pile. | |
| | **New Jersey Intracoastal Waterway** *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 34980 | - JUNCTION LIGHT NJICW | 40-05-17.988N 074-04-04.725W | Fl (2+1)R 6s | 17 | 3 | JR-TY on pile. | |
| 34985 | - LIGHT 2 | 40-03-48.872N 074-03-01.934W | Q R | 15 | 4 | TR-TY on pile. | |
| 34990 | - LIGHT 3 | 40-03-34.586N 074-03-06.844W | Fl G 4s | 17 | 4 | SG-SY on pile. | |
| 34995 | - LIGHT 4 | 40-03-24.771N 074-03-11.893W | Fl R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 35000 | - Daybeacon 6 | 40-03-15.872N 074-03-06.614W | | | | TR-TY on pile. | |
| 35005 | - Daybeacon 8 | 40-03-06.272N 074-03-01.542W | | | | TR-TY on pile. | |
| 35010 | - LIGHT 10 | 40-02-58.934N 074-03-01.381W | Fl R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 35015 | - Daybeacon 12 | 40-02-43.704N 074-03-08.807W | | | | TR-TY on pile. | |
| 35020 | - Daybeacon 13 | 40-02-17.484N 074-03-17.243W | | | | SG-SY on pile. | |
| 35025 | - Daybeacon 14 | 40-02-06.704N 074-03-22.684W | | | | TR-TY on pile. | |
| 35030 | - LIGHT 15 | 40-01-53.252N 074-03-23.594W | Q G | 17 | 4 | SG-SY on pile. | |
| 35035 | - LIGHT 17 | 40-01-38.672N 074-03-43.694W | Fl G 6s | 17 | 4 | SG-SY on pile. | |
| 35040 | - LIGHT 19 | 40-01-15.332N 074-04-09.194W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 35045 | - LIGHT 20 | 40-00-36.632N 074-04-54.434W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 35050 | - Daybeacon 21 | 40-00-12.582N 074-05-27.734W | | | | SG-SY on pile. | |
| 35055 | - LIGHT 22 | 39-59-35.519N 074-06-21.161W | Q R | 15 | 4 | TR-TY on pile. | |
| 35060 | - LIGHT 24 | 39-58-59.554N 074-06-41.465W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 35065 | - LIGHT 26 | 39-58-36.901N 074-06-29.121W | Fl R 6s | 16 | 4 | TR-TY on pile. | |
| 35070 | - LIGHT 27 | 39-58-07.959N 074-06-05.096W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 35075 | - LIGHT 28 | 39-57-36.572N 074-06-16.934W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 35080 | - LIGHT 29 | 39-57-04.352N 074-06-01.154W | Q G | 16 | 4 | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **SANDY HOOK TO LITTLE EGG HARBOR (Chart 12324)** | | | | | | |
| | **Manasquan - Atlantic City** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 35085 | - Buoy 31 | 39-56-34.853N 074-06-13.197W | | | | Green can with yellow square. | Removed when endangered by ice. |
| 35090 | - Buoy 33 | 39-56-21.027N 074-06-18.268W | | | | Green can with yellow square. | Removed when endangered by ice. |
| 35095 | - LIGHT 34 | 39-56-19.052N 074-06-19.754W | Q R | 15 | 4 | TR-TY on pile. | |
| 35100 | SHORE POINT LIGHT | 39-56-07.692N 074-09-05.220W | Fl Y 2.5s | 11 | | On multi-pile structure. | Maintained from May 1 to Sept. 30. Private aid. |
| 35105 | - LIGHT 36 | 39-55-38.858N 074-05-50.707W | Fl R 2.5s | 17 | 4 | TR-TY on pile. | |
| 35110 | - Daybeacon 37 | 39-54-57.152N 074-06-33.974W | | | | SG-SY on pile. | |
| 35115 | - Buoy 38 | 39-54-47.372N 074-06-57.074W | | | | Red nun. | Removed when endangered by ice. |
| 35120 | - LIGHT 39 | 39-53-59.076N 074-07-11.141W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 35125 | - LIGHT 40 | 39-51-42.444N 074-07-21.070W | Fl R 2.5s | 17 | 4 | TR-TY on multi-pile structure. | |
| 35130 | BARNEGAT BAY LIGHT BB | 39-49-21.452N 074-08-45.614W | Mo (A) W | 17 | 5 | MR-I on multi-pile structure. | |
| 35135 | BARNEGAT INLET LIGHT BI | 39-47-31.998N 074-09-54.893W | Mo (A) W | 17 | 5 | MR-I on multi-pile structure. | |
| 35155 | - LIGHT 42 | 39-45-46.383N 074-10-14.481W | Q R | 17 | 4 | TR-TY on multi-pile structure. | Maintained year round. |
| 35160 | - Daybeacon 44 | 39-45-23.774N 074-09-32.450W | | | | TR-TY on pile. | |
| 35165 | - Daybeacon 45 | 39-45-05.430N 074-09-06.575W | | | | SG-SY on pile. | |
| 35167 | - Buoy 46 | 39-44-59.441N 074-09-08.575W | | | | Red nun with yellow triangle. | Removed when endangered by ice. |
| 35170 | - LIGHT 47 | 39-44-33.285N 074-08-49.419W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 35175 | - LIGHT 48 | 39-43-51.092N 074-09-02.714W | Fl R 2.5s | 17 | 4 | TR-TY on pile. | |
| 35180 | - Daybeacon 49 | 39-43-34.950N 074-08-47.014W | | | | SG-SY on pile. | |
| 35185 | - LIGHT 49A | 39-43-15.867N 074-08-28.127W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 35190 | - Daybeacon 51 | 39-42-42.448N 074-08-31.073W | | | | SG-SY on pile. | |
| 35195 | - LIGHT 52 | 39-42-20.792N 074-08-45.674W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 35196 | - Buoy 53 | 39-42-00.724N 074-08-55.546W | | | | Green can. | Removed when endangered by ice. |
| 35198 | - Daybeacon 54 | 39-41-35.972N 074-09-14.174W | | | | TR-TY on pile. | |
| 35200 | - LIGHT 55 | 39-41-33.690N 074-09-10.686W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 35205 | - LIGHT 56 | 39-41-22.140N 074-09-44.064W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 35210 | - LIGHT 57 | 39-41-07.014N 074-09-48.612W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 35215 | - Daybeacon 58 | 39-41-07.373N 074-09-50.578W | | | | TR-TY on pile. | |
| 35220 | - Daybeacon 60 | 39-40-48.452N 074-10-07.214W | | | | TR-TY on pile. | |
| 35225 | - LIGHT 62 | 39-40-24.683N 074-10-31.286W | Q R | 15 | 4 | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **SANDY HOOK TO LITTLE EGG HARBOR (Chart 12324)** | | | | | | |
| | **Manasquan - Atlantic City** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 35230 | MANAHAWKIN BAY LOWER WARNING LIGHT | 39-40-01.429N 074-12-43.502W | Fl W 4s | 10 | | NW on pile worded DANGER. | Private aid. |
| 35235 | - Daybeacon 63 | 39-40-12.212N 074-11-05.594W | | | | SG-SY on pile. | |
| 35240 | - Daybeacon 64 | 39-40-10.472N 074-11-19.094W | | | | TR-TY on pile. | |
| 35245 | - Buoy 65 | 39-40-03.466N 074-11-40.125W | | | | Green can. | Removed when endangered by ice. |
| 35250 | - Buoy 67 | 39-39-55.546N 074-12-08.068W | | | | Green can. | Removed when endangered by ice. |
| 35255 | - LIGHT 68 | 39-39-55.769N 074-12-10.931W | Q R | 15 | 4 | TR-TY on pile. | |
| 35260 | - Daybeacon 69 | 39-39-25.772N 074-12-31.694W | | | | SG-SY on pile. | |
| 35265 | EAST THOROFARE PIER LIGHT | 39-39-17.000N 074-11-04.000W | F Y | 12 | | Green pyramidal structure. | Maintained from May 15 to Nov. 15. Private aid. |
| 35270 | - LIGHT 70 | 39-39-25.585N 074-12-33.367W | Q R | 15 | 4 | TR-TY on pile. | |
| 35275 | - Buoy 71 | 39-38-59.347N 074-12-25.006W | | | | Green can. | Removed when endangered by ice. |
| 35280 | - Buoy 72 | 39-38-58.594N 074-12-27.014W | | | | Red nun. | Removed when endangered by ice. |
| 35285 | - Buoy 74 | 39-38-26.633N 074-12-18.892W | | | | Red nun with yellow triangle. | Removed when endangered by ice. |
| 35290 | - Buoy 75 | 39-38-01.304N 074-12-10.748W | | | | Green can with yellow square. | Removed when endangered by ice. |
| 35295 | - Buoy 76 | 39-38-00.511N 074-12-12.254W | | | | Red nun. | Removed when endangered by ice. |
| 35300 | - LIGHT 78 | 39-37-30.112N 074-12-04.299W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 35305 | - Buoy 79 | 39-37-15.144N 074-12-14.047W | | | | Green can. | Removed when endangered by ice. |
| 35310 | - Buoy 80 | 39-37-03.249N 074-12-25.529W | | | | Red nun. | Removed when endangered by ice. |
| 35315 | - LIGHT 81 | 39-36-49.813N 074-12-34.932W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 35320 | - Daybeacon 82 | 39-36-32.671N 074-12-36.374W | | | | TR-TY on pile. | |
| 35325 | - LIGHT 83 | 39-36-30.990N 074-12-35.300W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 35330 | - Buoy 84 | 39-36-28.531N 074-12-38.414W | | | | Red nun with yellow triangle. | Removed when in endangered by ice. |
| 35332 | LONG BEACH PIER LIGHT | 39-36-00.427N 074-13-08.503W | F Y | 12 | | On end of pier. | Private aid. |
| 35335 | - LIGHT 86 | 39-36-14.191N 074-12-54.434W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 35340 | - Buoy 87 | 39-36-09.802N 074-12-58.551W | | | | Green can. | Removed when endangered by ice. |
| 35345 | - Buoy 88 | 39-35-56.082N 074-13-15.286W | | | | Red nun with yellow triangle. | Removed when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **SANDY HOOK TO LITTLE EGG HARBOR (Chart 12324)** | | | | | | |
| | **Manasquan - Atlantic City** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 35350 | - Buoy 89 | 39-35-49.831N 074-13-27.363W | | | | Green can. | Removed when endangered by ice. |
| 35355 | - Daybeacon 91 | 39-35-46.802N 074-13-33.283W | | | | SG-SY on pile. | |
| 35360 | - LIGHT 92 | 39-35-47.410N 074-13-34.529W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 35365 | - Buoy 94 | 39-35-31.491N 074-13-48.596W | | | | Red nun. | Removed when endangered by ice. |
| 35370 | - LIGHT 95 | 39-35-15.387N 074-13-58.764W | Q G | 15 | 4 | SG-SY on pile. | |
| 35375 | - Daybeacon 96 | 39-34-52.570N 074-13-52.309W | | | | TR-TY on pile. | |
| 35380 | - LIGHT 97 | 39-34-51.973N 074-13-49.935W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 35385 | - Daybeacon 98 | 39-34-46.840N 074-13-54.935W | | | | TR-TY on pile. | |
| | **LITTLE EGG HARBOR TO CAPE MAY (Chart 12316)** | | | | | | |
| | **Manasquan - Atlantic City** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 35390 | - Buoy 99 | 39-34-31.895N 074-14-11.987W | | | | Green can with yellow square. | Removed when endangered by ice. |
| 35395 | - Buoy 101 | 39-34-19.766N 074-14-21.487W | | | | Green can with yellow square. | Removed when endangered by ice. |
| 35400 | - Buoy 102 | 39-34-19.138N 074-14-23.796W | | | | Red nun with yellow triangle. | Removed when endangered by ice. |
| 35405 | - LIGHT 104 | 39-34-13.411N 074-14-28.754W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 35410 | - Daybeacon 106 | 39-34-03.366N 074-14-44.776W | | | | TR-TY on pile. | |
| 35415 | - Daybeacon 107 | 39-33-56.198N 074-14-56.119W | | | | SG-SY on pile. | |
| 35420 | - JUNCTION LIGHT LB | 39-33-44.670N 074-15-11.322W | Fl (2+1)R 6s | 15 | 4 | JR-TY on pile. | |
| 35425 | - Daybeacon 108 | 39-33-27.331N 074-15-31.634W | | | | TR-TY on pile. | |
| 35430 | - LIGHT 109 | 39-33-19.244N 074-15-28.117W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 35435 | - LIGHT 110 | 39-32-25.288N 074-16-14.711W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 35445 | - Buoy 112 | 39-31-55.455N 074-16-40.526W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35450 | - Buoy 113 | 39-31-38.086N 074-16-52.721W | | | | Green can with yellow square. | Maintained year round. |
| 35455 | - Buoy 114 | 39-31-28.734N 074-17-07.498W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35457 | - Buoy 114A | 39-31-08.439N 074-17-17.352W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35460 | - *Lighted Buoy 115* | 39-31-06.517N 074-17-14.988W | Fl G 4s | | 4 | Green with yellow square. | Replaced by can from Nov. 1 to May 1. |
| 35465 | - *Lighted Buoy 116* | 39-30-49.748N 074-17-38.344W | Fl R 4s | | 3 | Red with yellow triangle. | Replaced by nun from Nov. 1 to May 1. |
| 35467 | - Buoy 116A | 39-30-39.413N 074-18-02.540W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35470 | - Buoy 117 | 39-30-32.645N 074-18-08.961W | | | | Green can with yellow square. | Maintained year round. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **LITTLE EGG HARBOR TO CAPE MAY (Chart 12316)** | | | | | | |
| | **Manasquan - Atlantic City** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 35480 | - *Lighted Buoy 120* | 39-30-24.783N 074-18-36.080W | Q R | | 4 | Red with yellow triangle. | Replaced by nun from Nov. 1 to May 1. |
| 35485 | - *Junction Lighted Buoy LEI* | 39-30-15.390N 074-18-37.494W | Fl (2+1)G 6s | | 4 | Green and red with yellow square. | Replaced by can from Nov. 1 to May 1. |
| 35490 | - Buoy 123 | 39-30-24.046N 074-18-49.159W | | | | Green can with yellow square. | Maintained year round. |
| 35497 | - Buoy 125 | 39-30-23.184N 074-19-27.060W | | | | Green can with yellow square. | Maintained year round. |
| 35500 | - LIGHT 126 | 39-30-28.557N 074-20-18.603W | Q R | 15 | 4 | TR-TY on multi-pile structure. | |
| 35505 | OSBORN ISLAND LIGHT 2 | 39-32-30.423N 074-22-49.554W | Q R | 10 | | TR on pile. | Maintained from Mar. 1 to Dec. 1. Private aid. |
| 35510 | *Mullica River Lighted Research Buoy A* | 39-32-06.350N 074-24-03.500W | Fl Y 6s | | | Yellow | Maintained from Apr 1 to Nov 30. Private aid. |
| 35520 | - LIGHT 127 | 39-30-18.148N 074-20-32.125W | Fl G 2.5s | 15 | 3 | SG-SY on pile. | |
| 35525 | - Daybeacon 128 | 39-30-14.741N 074-20-35.295W | | | | TR-TY on pile. | |
| 35530 | - Daybeacon 129 | 39-30-06.836N 074-20-37.035W | | | | SG-SY on pile. | |
| 35536 | - LIGHT 130 | 39-30-00.606N 074-20-45.581W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 35537 | - Daybeacon 130A | 39-29-53.954N 074-21-00.406W | | | | TR-TY on pile. | |
| 35538 | - Buoy 130B | 39-29-52.431N 074-21-04.357W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35539 | - Buoy 130C | 39-29-53.397N 074-21-17.175W | | | | Red nun. | Maintained year round. |
| 35540 | - Daybeacon 131 | 39-29-50.678N 074-21-04.988W | | | | SG-SY on pile. | |
| 35540.1 | - Daybeacon 131A | 39-29-51.792N 074-21-23.085W | | | | SG-SY on pile. | |
| 35550 | - LIGHT 132 | 39-29-57.554N 074-21-26.881W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 35555 | - Daybeacon 135 | 39-29-54.952N 074-22-04.430W | | | | SG-SY on pile. | |
| 35560 | - Daybeacon 136 | 39-29-57.628N 074-22-07.193W | | | | TR-TY on pile. | |
| 35565 | - Daybeacon 138 | 39-29-55.260N 074-22-29.524W | | | | TR-TY on pile. | |
| 35570 | - LIGHT 139 | 39-29-52.662N 074-22-52.081W | Q G | 15 | 4 | SG-SY on multi-pile structure. | |
| 35575 | - LIGHT 141 | 39-29-24.716N 074-22-53.797W | Fl G 2.5s | 15 | 4 | SG-SY on multi-pile structure. | |
| 35580 | - Daybeacon 143 | 39-29-13.077N 074-22-40.597W | | | | SG-SY on pile. | |
| 35585 | - Daybeacon 144 | 39-29-04.361N 074-22-32.766W | | | | TR-TY on pile. | |
| 35590 | - LIGHT 145 | 39-29-02.053N 074-22-27.741W | Q G | 15 | 4 | SG-SY on pile. | |
| 35595 | - Daybeacon 147 | 39-28-45.481N 074-22-45.640W | | | | SG-SY on pile. | |
| 35600 | - Daybeacon 148 | 39-28-35.504N 074-22-58.531W | | | | TR-TY on pile. | |
| 35605 | - LIGHT 149 | 39-28-22.753N 074-23-14.041W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 35610 | - Daybeacon 150 | 39-28-15.301N 074-23-23.687W | | | | TR-TY on pile. | |
| 35615 | - Daybeacon 152 | 39-28-05.551N 074-23-33.194W | | | | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **LITTLE EGG HARBOR TO CAPE MAY (Chart 12316)** | | | | | | |
| | **Manasquan - Atlantic City** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 35620 | - Buoy 153 | 39-27-56.792N 074-23-39.429W | | | | Green can. | Removed when endangered by ice. |
| 35625 | - Daybeacon 155 | 39-27-44.028N 074-23-37.288W | | | | SG-SY on pile. | |
| 35630 | - Daybeacon 156 | 39-27-34.920N 074-23-37.776W | | | | TR-TY on pile. | |
| 35631 | - Buoy 156A | 39-27-15.143N 074-23-34.017W | | | | Red nun with yellow triangle. | Maintained from May 1 to Nov. 1. |
| 35635 | - Daybeacon 157 | 39-27-15.968N 074-23-32.833W | | | | SG-SY on pile. | |
| 35640 | - Daybeacon 159 | 39-27-03.854N 074-23-31.273W | | | | SG-SY on pile. | |
| 35645 | - LIGHT 160 | 39-26-52.546N 074-23-31.262W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 35647 | - Buoy 160A | 39-26-47.440N 074-23-27.890W | | | | Red nun with yellow triangle. | Maintained from May 1 to Nov. 1. |
| 35649 | - Buoy 161 | 39-26-55.044N 074-23-30.943W | | | | Green can with yellow square. | Maintained from May 1 to Nov. 1. |
| 35650 | - Daybeacon 162 | 39-26-41.071N 074-23-28.942W | | | | TR-TY on pile. | |
| 35655 | - Buoy 163 | 39-26-33.265N 074-23-28.590W | | | | Green can. | Removed when endangered by ice. |
| 35660 | - Daybeacon 164 | 39-26-27.708N 074-23-38.037W | | | | TR-TY on pile. | |
| 35665 | - Daybeacon 165 | 39-26-16.483N 074-23-55.413W | | | | SG-SY on pile. | |
| 35670 | - Buoy 166 | 39-26-10.460N 074-24-06.458W | | | | Red nun. | Removed when endangered by ice. |
| 35675 | - LIGHT 167 | 39-26-04.541N 074-24-11.983W | Q G | 15 | 4 | SG-SY on pile. | |
| 35680 | - Daybeacon 168 | 39-26-05.874N 074-24-13.851W | | | | TR-TY on pile. | |
| 35685 | - LIGHT 170 | 39-26-05.610N 074-24-50.126W | Q R | 15 | 4 | TR-TY on pile. | |
| 35687 | - Daybeacon 170A | 39-25-50.862N 074-25-01.544W | | | | TR-TY on pile. | |
| 35690 | - Daybeacon 171 | 39-25-59.553N 074-24-54.266W | | | | SG-SY on pile. | |
| 35695 | - LIGHT 172 | 39-25-47.191N 074-25-03.854W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 35700 | - LIGHT 173 | 39-25-33.991N 074-25-20.234W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 35705 | - LIGHT 174 | 39-25-20.575N 074-25-30.620W | Fl R 6s | 15 | 4 | TR-TY on pile. | |
| 35710 | - Daybeacon 175 | 39-25-10.578N 074-25-35.622W | | | | SG-SY on pile. | |
| 35715 | - Daybeacon 176 | 39-24-47.369N 074-25-53.473W | | | | TR-TY on pile. | |
| 35720 | - LIGHT 177 | 39-24-35.252N 074-25-59.851W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 35725 | - Daybeacon 178 | 39-24-16.638N 074-26-07.116W | | | | TR-TY on pile. | |
| 35730 | - LIGHT 179 | 39-24-02.071N 074-26-00.674W | Q G | 15 | 4 | SG-SY on pile. | |
| 35735 | - JUNCTION LIGHT AB | 39-23-47.696N 074-26-01.287W | Fl (2+1)R 6s | 15 | 4 | JR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **LITTLE EGG HARBOR TO CAPE MAY (Chart 12316)** | | | | | | |
| | **Manasquan - Atlantic City** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 35740 | - *Lighted Buoy 181* | 39-23-31.018N 074-25-43.972W | Fl G 4s | | 4 | Green with yellow square. | Replaced by can from Nov 1 to May 1. |
| 35745 | - LIGHT 182 | 39-23-24.265N 074-25-57.430W | Q R | 15 | 4 | TR-TY on pile. | |
| 35750 | - Daybeacon 184 | 39-23-22.531N 074-26-21.494W | | | | TR-TY on pile. | |
| 35755 | - Daybeacon 185 | 39-23-20.145N 074-26-49.505W | | | | SG-SY on pile. | |
| 35760 | - LIGHT 186 | 39-23-19.942N 074-26-56.665W | Fl R 2.5s | 15 | 4 | TR-TY on multi-pile structure. | |
| 35765 | - Daybeacon 187 | 39-23-18.384N 074-26-54.047W | | | | SG-SY on pile. | |
| 35770 | - *Lighted Buoy 189* | 39-23-02.760N 074-27-07.800W | Fl G 4s | | 4 | Green with yellow square. | Removed when endangered by ice. |
| 35775 | - Daybeacon 191 | 39-22-47.461N 074-27-03.284W | | | | SG-SY on pile. | |
| 35790 | - Daybeacon 193 60 feet northeast of channel limit. | 39-22-27.511N 074-27-31.094W | | | | SG-SY on pile. | |
| 35795 | - Daybeacon 195 | 39-22-25.531N 074-27-33.134W | | | | SG-SY on pile. | |
| 35800 | - Buoy 197 | 39-22-21.300N 074-27-31.260W | | | | Green can with yellow square. | Removed when endangered by ice. |
| 35805 | - Daybeacon 199 | 39-22-10.591N 074-27-15.074W | | | | SG-SY on pile. | |
| 35810 | - Daybeacon 201 | 39-22-12.931N 074-26-52.814W | | | | SG-SY on pile. | |
| 35815 | - Daybeacon 202 | 39-22-05.160N 074-26-45.303W | | | | TR-TY on pile. | |
| 35820 | - Daybeacon 204 | 39-21-41.503N 074-26-46.439W | | | | TR-TY on pile. | |
| 35825 | - Daybeacon 206 | 39-21-38.011N 074-26-50.114W | | | | TR-TY on pile. | |
| | **Atlantic City - Cape May** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 35830 | - Daybeacon 207 | 39-21-34.991N 074-26-59.052W | | | | SG-SY on pile. | |
| 35835 | - Daybeacon 209 | 39-21-28.679N 074-27-09.672W | | | | SG-SY on pile. | |
| 35840 | - LIGHT 211 | 39-20-33.594N 074-29-04.612W | Q G | 15 | 4 | SG-SY on pile. | |
| 35845 | - Daybeacon 213 | 39-21-11.038N 074-29-34.520W | | | | SG-SY on pile. | |
| 35850 | - LIGHT 215 | 39-21-12.391N 074-29-38.774W | Q G | 15 | 4 | SG-SY on pile. | |
| 35855 | - Daybeacon 217 | 39-21-10.374N 074-29-40.044W | | | | SG-SY on pile. | |
| 35860 | - LIGHT 219 | 39-20-52.651N 074-29-35.774W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 35865 | - LIGHT 220 | 39-20-45.710N 074-29-48.751W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 35867 | - Daybeacon 221 | 39-20-40.697N 074-30-17.618W | | | | SG-SY on pile. | |
| 35870 | - Daybeacon 222 | 39-20-33.271N 074-30-41.174W | | | | TR-TY on pile. | |
| 35880 | - LIGHT 225 | 39-20-05.839N 074-30-54.312W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 35885 | - LIGHT 226 | 39-19-36.087N 074-31-11.704W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **LITTLE EGG HARBOR TO CAPE MAY (Chart 12316)** | | | | | | |
| | **Atlantic City - Cape May** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 35890 | - Daybeacon 228 | 39-19-32.865N 074-31-18.059W | | | | TR-TY on pile. | |
| 35895 | - LIGHT 230 | 39-19-15.048N 074-31-42.666W | Q R | 15 | 4 | TR-TY on pile. | |
| 35900 | - Daybeacon 231 | 39-19-15.368N 074-31-53.346W | | | | SG-SY on pile. | |
| 35905 | - LIGHT 233 | 39-19-41.335N 074-32-17.450W | Q G | 15 | 4 | SG-SY on pile. | |
| 35910 | - Daybeacon 234 | 39-19-35.975N 074-32-28.472W | | | | TR-TY on pile. | |
| 35915 | - Daybeacon 235 | 39-19-27.363N 074-32-42.252W | | | | SG-SY on pile. | |
| 35920 | - Daybeacon 236 | 39-19-16.643N 074-32-49.586W | | | | TR-TY on pile. | |
| 35925 | - Daybeacon 238 | 39-19-09.174N 074-33-03.579W | | | | TR-TY on pile. | |
| 35930 | - Daybeacon 239 | 39-18-59.244N 074-33-27.598W | | | | SG-SY on pile. | |
| 35940 | - Daybeacon 241 | 39-18-55.885N 074-33-32.772W | | | | SG-SY on pile. | |
| 35945 | - Daybeacon 243 | 39-18-53.580N 074-33-33.274W | | | | SG-SY on pile. | |
| 35950 | - Daybeacon 245 | 39-18-30.757N 074-33-36.505W | | | | SG-SY on pile. | |
| 35955 | - Buoy 246 | 39-18-16.776N 074-33-34.712W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35960 | - Buoy 246A | 39-18-14.256N 074-33-40.416W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35965 | - Buoy 247 | 39-18-11.480N 074-33-41.705W | | | | Green can with yellow square. | Maintained year round. |
| 35970 | - Buoy 248 | 39-18-10.585N 074-33-51.246W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35975 | - Buoy 249 | 39-18-09.597N 074-33-50.609W | | | | Green can with yellow square. | Maintained year round. |
| 35977 | - Buoy 250 | 39-18-08.653N 074-33-58.750W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35978 | - Buoy 250A | 39-17-48.811N 074-33-55.214W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35979 | - Buoy 251 | 39-18-04.471N 074-34-10.094W | | | | Green can with yellow square. | Maintained year round. |
| 35980 | - LIGHT 252 | 39-17-11.395N 074-34-39.522W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 35985 | - Daybeacon 254 | 39-17-02.540N 074-34-58.771W | | | | TR-TY on pile. | |
| 35995 | - Buoy 258 | 39-16-45.559N 074-35-08.790W | | | | Red nun with yellow triangle. | Maintained year round. |
| 36000 | - LIGHT 260 | 39-16-42.190N 074-35-29.254W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 36005 | - LIGHT 262 | 39-16-50.565N 074-35-50.570W | Q R | 15 | 4 | TR-TY on pile. | |
| 36007 | - Buoy 263 | 39-16-48.158N 074-35-59.136W | | | | Green can with yellow square. | Removed when endangered by ice. |
| 36009 | - Buoy 263A | 39-16-41.067N 074-36-08.482W | | | | Green can with yellow square. | Removed when endangered by ice. |
| 36010 | - LIGHT 264 | 39-16-45.789N 074-36-03.838W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 36011 | - Buoy 264A | 39-16-25.956N 074-36-13.044W | | | | Red nun with yellow triangle. | Removed when endangered by ice. |
| 36015 | - Buoy 265 | 39-16-34.531N 074-36-11.834W | | | | Green can with yellow square. | Maintained year round. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **LITTLE EGG HARBOR TO CAPE MAY (Chart 12316)** | | | | | | |
| | **Atlantic City - Cape May** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 36020 | - Buoy 266 | 39-16-16.735N 074-36-16.338W | | | | Red nun with yellow triangle. | Removed when endangered by ice. |
| 36025 | - Daybeacon 268 | 39-16-11.773N 074-36-24.599W | | | | TR-TY on pile. | |
| 36030 | - Daybeacon 270 | 39-16-08.805N 074-36-32.061W | | | | TR-TY on pile. | |
| 36035 | - Daybeacon 272 | 39-16-10.431N 074-36-44.488W | | | | TR-TY on pile. | |
| 36040 | - Daybeacon 273 | 39-16-08.377N 074-36-51.392W | | | | SG-SY on pile. | |
| 36045 | - LIGHT 275 | 39-16-01.891N 074-37-00.494W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 36050 | - Daybeacon 276 | 39-15-50.946N 074-37-10.581W | | | | TR-TY on pile. | |
| 36055 | - Daybeacon 277 | 39-15-45.327N 074-37-14.501W | | | | SG-SY on pile. | |
| 36060 | - Daybeacon 278 | 39-15-39.732N 074-37-21.390W | | | | TR-TY on pile. | |
| 36065 | - LIGHT 280 | 39-15-32.147N 074-37-28.461W | Q R | 15 | 4 | TR-TY on pile. | |
| 36070 | - Daybeacon 282 | 39-15-20.857N 074-37-34.817W | | | | TR-TY on pile. | |
| 36075 | - Daybeacon 284 | 39-15-01.578N 074-37-38.271W | | | | TR-TY on pile. | |
| 36080 | - Daybeacon 285 | 39-14-56.605N 074-37-36.098W | | | | SG-SY on pile. | |
| 36085 | - Daybeacon 286 | 39-14-50.487N 074-37-38.788W | | | | TR-TY on pile. | |
| 36090 | - Daybeacon 288 | 39-14-41.805N 074-37-47.376W | | | | TR-TY on pile. | |
| 36095 | - Daybeacon 290 | 39-14-37.157N 074-37-56.621W | | | | TR-TY on pile. | |
| 36100 | - Daybeacon 291 | 39-14-35.485N 074-37-56.974W | | | | SG-SY on pile. | |
| 36105 | - LIGHT 293 | 39-14-34.344N 074-38-08.870W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 36110 | - Daybeacon 295 | 39-14-36.426N 074-38-17.760W | | | | SG-SY on pile. | |
| 36115 | - Daybeacon 296 | 39-14-25.097N 074-38-34.371W | | | | TR-TY on pile. | |
| 36120 | - Daybeacon 297 | 39-14-23.349N 074-38-47.298W | | | | SG-SY on pile. | |
| 36125 | - Daybeacon 298 | 39-14-06.441N 074-38-51.312W | | | | TR-TY on pile. | |
| 36130 | - LIGHT 299 | 39-14-01.565N 074-38-45.827W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 36135 | - Daybeacon 301 | 39-13-51.958N 074-38-49.322W | | | | SG-SY on pile. | |
| 36140 | - Daybeacon 302 | 39-13-41.471N 074-38-59.817W | | | | TR-TY on pile. | |
| 36145 | - LIGHT 304 | 39-13-39.545N 074-39-18.651W | Q R | 15 | 4 | TR-TY on pile. | |
| 36150 | - Daybeacon 306 | 39-13-35.517N 074-39-20.197W | | | | TR-TY on pile. | |
| 36155 | - Daybeacon 308 | 39-13-28.657N 074-39-17.044W | | | | TR-TY on pile. | |
| 36160 | - LIGHT 309 | 39-13-02.882N 074-39-17.172W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 36165 | - LIGHT 310 | 39-13-02.667N 074-39-19.583W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **LITTLE EGG HARBOR TO CAPE MAY (Chart 12316)** | | | | | | |
| | **Atlantic City - Cape May** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 36170 | - Daybeacon 311 | 39-12-55.077N 074-39-36.040W | | | | SG-SY on pile. | |
| 36175 | - Daybeacon 313 | 39-12-50.963N 074-39-39.272W | | | | SG-SY on pile. | |
| 36180 | - Daybeacon 314 70 feet west of channel limit. | 39-12-39.036N 074-39-44.616W | | | | TR-TY on pile. | |
| 36185 | - Daybeacon 316 | 39-12-28.659N 074-39-56.456W | | | | TR-TY on pile. | |
| 36190 | - LIGHT 317 | 39-12-25.090N 074-40-04.299W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36195 | - Daybeacon 318 | 39-12-22.931N 074-40-08.723W | | | | TR-TY on pile. | |
| 36200 | - Daybeacon 319 | 39-12-22.114N 074-40-07.641W | | | | SG-SY on pile. | |
| 36205 | - Daybeacon 320 | 39-12-18.387N 074-40-13.040W | | | | TR-TY on pile. | |
| 36210 | - LIGHT 322 | 39-12-14.522N 074-40-18.408W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 36215 | - Daybeacon 323 | 39-12-12.031N 074-40-39.255W | | | | SG-SY on pile. | |
| 36220 | - Daybeacon 325 | 39-12-11.371N 074-40-42.915W | | | | SG-SY on pile. | |
| 36225 | - Daybeacon 327 | 39-12-09.479N 074-40-46.506W | | | | SG-SY on pile. | |
| 36230 | - LIGHT 328 | 39-12-03.425N 074-40-49.654W | Q R | 15 | 4 | TR-TY on pile. | |
| 36235 | - Daybeacon 329 | 39-12-01.881N 074-40-47.666W | | | | SG-SY on pile. | |
| 36240 | - Daybeacon 330 | 39-11-54.195N 074-41-04.969W | | | | TR-TY on pile. | |
| 36245 | - LIGHT 331 | 39-11-52.059N 074-41-24.499W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36250 | - Daybeacon 333 | 39-11-49.831N 074-41-28.995W | | | | SG-SY on pile. | |
| 36255 | - Daybeacon 335 | 39-11-43.007N 074-41-33.623W | | | | SG-SY on pile. | |
| 36260 | - LIGHT 336 | 39-11-30.983N 074-41-42.907W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 36265 | - Daybeacon 337 | 39-11-21.271N 074-41-50.475W | | | | SG-SY on pile. | |
| 36270 | - Daybeacon 339 | 39-11-11.935N 074-41-56.296W | | | | SG-SY on pile. | |
| 36275 | - LIGHT 340 | 39-11-06.901N 074-41-58.228W | Fl R 2.5s | 15 | 4 | TR-TY on multi-pile structure. | |
| 36280 | - Buoy 342 | 39-10-56.311N 074-41-58.935W | | | | Red nun. | Removed when endangered by ice. |
| 36285 | - Daybeacon 344 | 39-10-45.862N 074-41-58.988W | | | | TR-TY on pile. | |
| 36290 | - Buoy 345 | 39-10-44.731N 074-41-57.195W | | | | Green can. | Removed when endangered by ice. |
| 36295 | - LIGHT 346 | 39-10-29.829N 074-41-52.573W | Q R | 15 | 4 | TR-TY on pile. | |
| 36300 | - Daybeacon 348 | 39-10-16.802N 074-41-59.475W | | | | TR-TY on pile. | |
| 36305 | - LIGHT 349 | 39-10-09.911N 074-42-01.456W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36310 | - Daybeacon 350 | 39-10-03.754N 074-42-01.018W | | | | TR-TY on pile. | |
| 36315 | - Daybeacon 352 | 39-09-56.223N 074-41-56.874W | | | | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **LITTLE EGG HARBOR TO CAPE MAY (Chart 12316)** | | | | | | |
| | **Atlantic City - Cape May** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 36320 | - Daybeacon 354 | 39-09-46.155N 074-41-52.821W | | | | TR-TY on pile. | |
| 36325 | - Daybeacon 356 | 39-09-39.902N 074-41-54.045W | | | | TR-TY on pile. | |
| 36330 | - Daybeacon 357 | 39-09-19.733N 074-42-14.969W | | | | SG-SY on pile. | |
| 36335 | - LIGHT 359 | 39-09-03.631N 074-42-28.695W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 36340 | - Daybeacon 361 | 39-08-59.791N 074-42-28.035W | | | | SG-SY on pile. | |
| 36345 | - LIGHT 362 | 39-08-39.991N 074-42-20.775W | Q R | 15 | 4 | TR-TY on pile. | |
| 36350 | - Daybeacon 363 | 39-08-33.267N 074-42-33.646W | | | | SG-SY on pile. | |
| 36355 | - Daybeacon 364 | 39-08-20.671N 074-42-48.435W | | | | TR-TY on pile. | |
| 36360 | - LIGHT 365 | 39-08-13.771N 074-42-52.695W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36365 | - Daybeacon 367 | 39-08-09.151N 074-42-53.055W | | | | SG-SY on pile. | |
| 36370 | - Daybeacon 368 | 39-07-55.051N 074-42-53.235W | | | | TR-TY on pile. | |
| 36375 | - Daybeacon 370 | 39-07-32.073N 074-42-56.580W | | | | TR-TY on pile. | |
| 36380 | - *Lighted Buoy 372* | 39-07-11.341N 074-43-06.453W | Q R | | 4 | Red with yellow triangle. | Replaced by nun from Nov. 1 to May 1. |
| 36385 | - Buoy 374 | 39-06-56.899N 074-43-30.873W | | | | Red nun with yellow triangle. | Maintained year round. |
| 36393 | - Buoy 376 | 39-06-30.455N 074-44-15.290W | | | | Red nun with yellow triangle. | Removed when endangered by ice. |
| 36395 | - LIGHT 377 | 39-06-26.311N 074-44-43.395W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 36400 | - LIGHT 378 | 39-06-03.511N 074-45-00.375W | Fl R 4s | 17 | 4 | TR-TY on pile. | |
| 36405 | - Daybeacon 380 | 39-06-02.011N 074-45-12.735W | | | | TR-TY on pile. | |
| 36410 | - Buoy 381 | 39-06-06.769N 074-45-26.082W | | | | Green can with yellow square. | Removed when endangered by ice. |
| 36415 | - Daybeacon 382 | 39-06-08.851N 074-45-38.235W | | | | TR-TY on pile. | |
| 36420 | - LIGHT 383 | 39-06-04.206N 074-45-48.578W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36425 | - Daybeacon 384 | 39-05-52.940N 074-45-52.506W | | | | TR-TY on pile. | |
| 36427 | - Daybeacon 385 | 39-05-45.338N 074-45-55.127W | | | | SG-SY on pile | |
| 36430 | - LIGHT 386 | 39-05-32.578N 074-46-01.143W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 36435 | - Daybeacon 388 | 39-05-17.241N 074-46-08.793W | | | | TR-TY on pile. | |
| 36440 | - Daybeacon 389 | 39-05-10.598N 074-46-10.145W | | | | SG-SY on pile. | |
| 36445 | - Daybeacon 390 | 39-04-59.633N 074-46-17.679W | | | | TR-TY on pile. | |
| 36450 | - LIGHT 392 | 39-04-48.723N 074-46-23.363W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 36455 | - Daybeacon 393 | 39-04-48.811N 074-46-21.735W | | | | SG-SY on pile. | |
| 36460 | - Daybeacon 395 | 39-04-41.387N 074-46-20.845W | | | | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **LITTLE EGG HARBOR TO CAPE MAY (Chart 12316)** | | | | | | |
| | **Atlantic City - Cape May** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 36465 | - Daybeacon 397 | 39-04-34.471N 074-46-13.515W | | | | SG-SY on pile. | |
| 36470 | - Daybeacon 399 | 39-04-28.831N 074-46-04.335W | | | | SG-SY on pile. | |
| 36475 | - Buoy 401 | 39-04-24.995N 074-45-50.142W | | | | Green can. | Removed when endangered by ice. |
| 36480 | - Daybeacon 402 | 39-04-19.591N 074-45-33.495W | | | | TR-TY on pile. | |
| 36485 | - Daybeacon 404 | 39-04-12.871N 074-45-22.455W | | | | TR-TY on pile. | |
| 36490 | - Daybeacon 406 | 39-04-06.249N 074-45-16.744W | | | | TR-TY on pile. | |
| 36495 | - Daybeacon 408 | 39-03-59.851N 074-45-18.375W | | | | TR-TY on pile. | |
| 36500 | - Daybeacon 410 | 39-03-47.491N 074-45-26.835W | | | | TR-TY on pile. | |
| 36505 | - Daybeacon 412 | 39-03-39.091N 074-45-36.795W | | | | TR-TY on pile. | |
| 36510 | - Daybeacon 414 | 39-03-11.975N 074-46-10.094W | | | | TR-TY on pile. | |
| 36515 | - Buoy 416 | 39-02-53.224N 074-46-31.145W | | | | Red nun with yellow triangle. | Maintained from May 1 to Nov. 1. |
| 36517 | - Buoy 417 | 39-02-44.071N 074-46-36.407W | | | | Green can with yellow square. | Maintained from May 1 to Nov. 1. |
| 36518 | - Buoy 418 | 39-02-45.602N 074-46-38.683W | | | | Red nun with yellow triangle. | Maintained from May 1 to Nov. 1. |
| 36520 | - Buoy 419 | 39-02-41.598N 074-46-42.399W | | | | Green can with yellow square. | Maintained from May 1 to Nov. 1. |
| 36525 | - Buoy 421 | 39-02-40.934N 074-46-50.090W | | | | Green can with yellow square. | Maintained from May 1 to Nov. 1. |
| 36530 | - Buoy 423 | 39-02-36.537N 074-46-53.832W | | | | Green can with yellow square. | Maintained from May 1 to Nov. 1. |
| 36535 | - Buoy 424 | 39-02-32.847N 074-46-58.636W | | | | Red nun with yellow triangle. | Maintained from May 1 to Nov. 1. |
| 36540 | - Buoy 425 | 39-02-32.349N 074-46-56.329W | | | | Green can with yellow square. | Maintained from May 1 to Nov. 1. |
| 36545 | - Daybeacon 427 | 39-02-34.171N 074-47-16.695W | | | | SG-SY on pile. | |
| 36550 | - Daybeacon 429 | 39-02-29.911N 074-47-28.875W | | | | SG-SY on pile. | |
| 36555 | - Daybeacon 430 | 39-02-22.111N 074-47-38.415W | | | | TR-TY on pile. | |
| 36560 | - LIGHT 431 | 39-02-15.013N 074-47-52.606W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 36565 | - Daybeacon 433 | 39-02-09.340N 074-47-57.020W | | | | SG-SY on pile. | |
| 36570 | - Daybeacon 434 | 39-02-01.891N 074-48-00.130W | | | | TR-TY on pile. | |
| 36575 | - LIGHT 436 | 39-01-56.603N 074-48-02.388W | Q R | 15 | 4 | TR-TY on pile. | |
| 36580 | - LIGHT 437 | 39-01-58.183N 074-48-20.946W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36585 | - Daybeacon 439 | 39-01-55.716N 074-48-30.684W | | | | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **LITTLE EGG HARBOR TO CAPE MAY (Chart 12316)** | | | | | | |
| | **Atlantic City - Cape May** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 36590 | - Daybeacon 441 | 39-01-29.611N 074-48-46.935W | | | | SG-SY on pile. | |
| 36595 | - LIGHT 442 | 39-01-09.812N 074-48-41.762W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 36600 | - LIGHT 443 | 39-00-52.881N 074-48-53.522W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36605 | - Buoy 444 | 39-00-40.898N 074-48-59.292W | | | | Red nun with yellow triangle. | Removed when endangered by ice. |
| 36607 | - Buoy 444A | 39-00-36.091N 074-49-02.055W | | | | Red nun with yellow triangle. | Maintained from May 1 to Nov. 1. |
| 36610 | - LIGHT 445 | 39-00-36.458N 074-48-59.726W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 36615 | - Daybeacon 446 | 39-00-32.545N 074-49-07.263W | | | | TR-TY on pile. | |
| 36620 | - Buoy 448 | 39-00-27.943N 074-49-19.525W | | | | Red nun with yellow triangle. | Removed when endangered by ice. |
| 36625 | - LIGHT 449 | 39-00-25.111N 074-49-24.375W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 36630 | - Buoy 450 | 39-00-25.375N 074-49-27.218W | | | | Red nun with yellow triangle. | Removed when endangered by ice. |
| 36635 | - Daybeacon 452 | 39-00-24.490N 074-49-35.200W | | | | TR-TY on pile. | |
| 36637 | - LIGHT 452A | 39-00-27.374N 074-49-46.033W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 36639 | - LIGHT 453 | 39-00-26.558N 074-49-45.914W | Fl G 2.5s | 15 | 3 | SG-SY on pile. | |
| 36640 | - Daybeacon 453A | 39-00-24.211N 074-49-56.655W | | | | SG-SY on pile. | |
| 36645 | - LIGHT 454 | 39-00-24.991N 074-49-58.875W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 36650 | - Daybeacon 455 | 39-00-21.271N 074-50-00.015W | | | | SG-SY on pile. | |
| 36655 | - Daybeacon 457 | 39-00-07.111N 074-50-06.255W | | | | SG-SY on pile. | |
| 36660 | - Daybeacon 459 | 39-00-00.454N 074-50-10.644W | | | | SG-SY on pile. | |
| 36665 | - LIGHT 461 | 38-59-57.124N 074-50-11.610W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36670 | - LIGHT 463 | 38-59-38.935N 074-50-02.715W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 36675 | - LIGHT 465 | 38-59-04.882N 074-50-20.731W | Q G | 15 | 4 | SG-SY on pile. | |
| 36680 | - Daybeacon 466 | 38-59-06.163N 074-50-26.932W | | | | TR-TY on pile. | |
| 36685 | - LIGHT 468 | 38-59-09.151N 074-50-38.715W | Q R | 15 | 4 | TR-TY on pile. | |
| 36690 | - Buoy 469 | 38-59-03.697N 074-50-41.814W | | | | Green can. | Removed when endangered by ice. |
| 36690.1 | - Buoy 469A | 38-59-01.144N 074-50-43.740W | | | | Green can. | Removed when endangered by ice. |
| 36695 | - LIGHT 470 | 38-58-49.547N 074-50-47.662W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 36700 | - LIGHT 471 | 38-58-41.548N 074-51-01.473W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 36705 | - Buoy 473 | 38-58-15.252N 074-51-46.486W | | | | Green can with yellow square. | Removed when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **LITTLE EGG HARBOR TO CAPE MAY (Chart 12316)** | | | | | | |
| | **Atlantic City - Cape May** | | | | | | |
| | **New Jersey Intracoastal Waterway** | | | | | | |
| | *Positions of buoys frequently shifted with changing conditions.* | | | | | | |
| 36710 | - LIGHT 475 | 38-58-06.436N 074-52-01.126W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 36715 | - Daybeacon 477 | 38-57-57.034N 074-52-08.459W | | | | SG-SY on pile. | |
| 36720 | - Daybeacon 479 | 38-57-47.732N 074-52-13.247W | | | | SG-SY on pile. | |
| | **Cape May Harbor** | | | | | | |
| 36730 | - *Lighted Buoy 3* | 38-57-03.436N 074-52-40.328W | Fl G 2.5s | | 4 | Green. | |
| 36733 1455 | - RANGE FRONT LIGHT 4 | 38-57-07.793N 074-52-35.171W | Q R | 13 | | Light 4 TR-TY on multi-pile structure. On same structure as Cape May Harbor Range Front light. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 36735 | - LIGHT 6 | 38-57-07.400N 074-52-50.381W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 36740 | - LIGHT 7 | 38-57-03.338N 074-52-56.621W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 36743 | - Daybeacon 7A | 38-57-00.197N 074-53-18.366W | | | | SG-SY on pile. | |
| 36745 | - LIGHT 8 | 38-57-03.865N 074-53-18.578W | Fl R 6s | 15 | 4 | TR-TY on pile. | |
| 36748 | COAST GUARD PIER WARNING LIGHT | 38-56-57.798N 074-53-22.258W | Fl Y 2.5s | 15 | 4 | On multi-pile structure. | |
| 36750 | - Daybeacon 10 | 38-57-02.188N 074-53-28.117W | | | | TR-TY on pile. | |
| 36755 | - Daybeacon 12 | 38-57-00.267N 074-53-36.302W | | | | TR-TY on pile. | |
| 36760 | - Daybeacon 13 | 38-56-56.467N 074-53-42.740W | | | | SG-SY on pile. | |
| 36765 | - LIGHT 14 | 38-56-58.040N 074-53-52.474W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 36770 | Schellenger Landing Daybeacon 1 | 38-56-55.419N 074-54-05.149W | | | | SG on pile. | |
| 36775 | Schellenger Landing Daybeacon 2 | 38-56-55.648N 074-54-05.731W | | | | TR on pile. | |
| | **Cape May Village** | | | | | | |
| 36777 | - Daybeacon 1 | 38-56-52.300N 074-54-09.200W | | | | SG on pile. | Private aid. |
| 36777.1 | - Daybaecon 2 | 38-56-51.300N 074-54-06.600W | | | | TR on pile. | Private aid. |
| 36777.2 | - Daybeacon 3 | 38-56-50.300N 074-54-08.100W | | | | SG on pile. | Private aid. |
| 36777.4 | - Daybeacon 5 | 38-56-47.200N 074-54-11.400W | | | | SG on pile. | Private aid. |
| | **Cape May Canal East Entrance** | | | | | | |
| 36780 | CAPE MAY CANAL EAST END ENTRANCE LIGHT 16 | 38-57-07.895N 074-54-08.395W | Fl R 4s | 12 | 4 | TR on pile. | |
| 36782 | RUTGERS AQUACULT PUMP STATION LIGHT 16 | 38-58-01.935N 074-56-33.604W | Q R | 10 | | TR on pile. | Private aid. |
| 36782.1 | RUTGERS AQUACULT PUMP STATION LIGHT 18 | 38-58-01.934N 074-56-34.061W | Q R | 10 | | TR on pile. | Private aid. |
| 36782.2 | RUTGERS AQUACULT PUMP STATION WARNING LIGHT | 38-58-02.464N 074-56-33.828W | Fl W 4s | 10 | | NB on pile worded PIPELINE. | Private aid. |
| | **Cape May Canal West Entrance** | | | | | | |
| 36785 1670 | CAPE MAY CANAL WEST ENTRANCE SOUTH JETTY LIGHT 10 | 38-57-57.580N 074-58-02.436W | Fl R 4s | 30 | 6 | TR-SY on skeleton tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (New Jersey) - Fifth District** | | | | | | |
| | **LITTLE EGG HARBOR TO CAPE MAY (Chart 12316)** | | | | | | |
| | **Atlantic City - Cape May** | | | | | | |
| | **Cape May Canal West Entrance** | | | | | | |
| 36790<br>1675 | - NORTH JETTY LIGHT 11 | 38-58-03.715N<br>074-57-59.705W | Fl G 2.5s | 34 | 6 | SG-TY on skeleton tower. | HORN: 1 blast ev 15s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 83A (157.175MHz). HORN operates for 30 minutes. |
| | **INTRACOASTAL WATERWAY (Virginia) - Fifth District** | | | | | | |
| | **NORFOLK TO ABLEMARLE SOUND (Chart 12206)** | | | | | | |
| | **Elizabeth River Southern Branch** | | | | | | |
| 36805<br>9955 | - LIGHT 2<br>105 feet outside channel limit. | 36-47-38.544N<br>076-17-50.041W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 36810<br>9960 | - Buoy 3<br>75 feet outside channel limit. | 36-47-32.262N<br>076-17-52.701W | | | | Green can with yellow square. | |
| 36815<br>9965 | - Buoy 5<br>75 feet outside channel limit. | 36-47-27.759N<br>076-18-01.472W | | | | Green can with yellow square. | |
| 36820<br>9970 | - Daybeacon 6 | 36-47-32.489N<br>076-18-07.383W | | | | TR-TY on pile. | |
| 36825<br>9975 | - LIGHT 8<br>75 feet outside channel limit. | 36-47-27.866N<br>076-18-12.195W | Q R | 18 | 4 | TR-TY on pile. | |
| 36830<br>9980 | - LIGHT 9<br>75 feet outside channel limit. | 36-47-17.093N<br>076-18-07.063W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36835<br>9985 | - Buoy 10 | 36-47-14.432N<br>076-18-12.631W | | | | Red nun with yellow triangle. | |
| 36840<br>9990 | - Buoy 12 | 36-47-07.353N<br>076-18-15.761W | | | | Red nun with yellow triangle. | |
| 36845<br>9995 | - Buoy 14 | 36-47-02.563N<br>076-18-19.701W | | | | Red nun with yellow triangle. | |
| 36850<br>10000 | - Buoy 15 | 36-46-54.545N<br>076-18-24.513W | | | | Green can with yellow square. | |
| 36855<br>10005 | - Buoy 17 | 36-46-49.563N<br>076-18-27.802W | | | | Green can with yellow square. | |
| 36860<br>10010 | - Daybeacon 19<br>75 feet outside channel limit. | 36-46-46.043N<br>076-18-25.599W | | | | SG-SY on pile. | |
| 36875<br>10025 | SWAN TERMINAL PIER LIGHT | 36-46-36.534N<br>076-18-22.786W | F R | 12 | | On pile. | Private aid. |
| 36880<br>10030 | - LIGHT 20<br>75 feet outside channel limit. | 36-46-35.365N<br>076-18-06.196W | Fl R 2.5s | 15 | 5 | TR-TY on pile. | |
| 36885<br>10035 | - LIGHT 22<br>75 feet outside channel limit. | 36-46-34.444N<br>076-17-49.268W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 36886<br>10041 | CHESAPEAKE ENERGY CENTER NORTH LIGHTED MOORING DOLPHIN N | 36-46-22.470N<br>076-17-47.150W | Fl Y 4s | 15 | | On concrete mooring dolphin. | Private aid. |
| 36887<br>10042 | CHESAPEAKE ENERGY CENTER SOUTH LIGHTED MOORING DOLPHIN S | 36-46-13.580N<br>076-17-52.270W | Fl Y 4s | 15 | | On concrete mooring dolphin. | Private aid. |
| 36895<br>10045 | VIRGINIA POWER COMPANY WHARF LIGHTS (2) | 36-46-12.534N<br>076-17-52.785W | F Y | 10 | | On dolphin. | Private aid. |
| 36905<br>10055 | CEC/VA Power Fish Return Line Daybeacon B | 36-46-15.534N<br>076-17-52.785W | | | | NW on pile worded DANGER SUBMERGED PILE. | Private aid. |
| 36910<br>10060 | - Turning Basin Daybeacon A<br>50 feet outside channel limit. | 36-46-10.908N<br>076-17-44.405W | | | | NB on pile. | |
| 36915<br>10065 | - Turning Basin Daybeacon B<br>50 feet outside channel limit. | 36-46-05.950N<br>076-17-46.730W | | | | NB on pile. | |
| 36920<br>10070 | - Buoy 26 | 36-46-06.907N<br>076-17-53.687W | | | | Red nun with yellow triangle. | |
| 36930<br>10080 | - Buoy 28 | 36-45-41.951N<br>076-17-55.540W | | | | Red nun with yellow triangle. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (Virginia) - Fifth District** | | | | | | |
| | **NORFOLK TO ABLEMARLE SOUND (Chart 12206)** | | | | | | |
| | **Deep Creek (Via Dismal Swamp Canal)** | | | | | | |
| 36935 | Deep Creek Daybeacon 1 | 36-45-21.042N 076-17-49.311W | | | | SG-SY on pile. | |
| 36940 | Deep Creek Daybeacon 2 | 36-45-22.722N 076-17-51.019W | | | | TR-TY on pile. | |
| 36945 | Deep Creek Daybeacon 4 | 36-45-20.190N 076-19-37.887W | | | | TR-TY on pile. | |
| 36950 | Deep Creek Daybeacon 5 | 36-45-12.422N 076-19-44.764W | | | | SG-SY on pile. | |
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NORFOLK TO ALBEMARLE SOUND (Chart 12206)** | | | | | | |
| | **Pasquotank River** | | | | | | |
| 36955 31480 | - Daybeacon 19 | 36-22-18.421N 076-13-53.022W | | | | SG-TY on pile. | |
| 36960 31475 | - Daybeacon 18 | 36-21-43.635N 076-13-48.456W | | | | TR-SY on pile. | |
| 36965 31470 | - Daybeacon 17 | 36-21-37.699N 076-13-48.472W | | | | SG-TY on pile. | |
| 36970 31465 | - Daybeacon 16 | 36-21-32.776N 076-13-40.668W | | | | TR-SY on pile. | |
| 36975 31460 | - Daybeacon 15 | 36-21-16.909N 076-13-37.626W | | | | SG-TY on pile. | |
| 36980 31455 | - Daybeacon 13 | 36-20-45.616N 076-13-27.212W | | | | SG-TY on pile. | |
| 36985 31450 | - Daybeacon 11 | 36-20-39.386N 076-13-04.245W | | | | SG-TY on pile. | |
| 36990 31445 | - LIGHT 9 | 36-18-21.192N 076-12-11.220W | Fl G 4s | 16 | 4 | SG-TY on slatted pile structure. | |
| 36995 31440 | - Daybeacon 8 | 36-17-55.345N 076-12-59.749W | | | | TR-SY on pile. | |
| 37000 31435 | - LIGHT 7 | 36-17-20.434N 076-11-19.263W | Q G | 18 | 4 | SG-TY on pile. | |
| 37005 31420 | - LIGHT 5A | 36-16-02.713N 076-09-06.194W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 37010 31425 | Coast Guard Base Daybeacon 1 | 36-16-16.202N 076-10-39.012W | | | | SG on pile. | |
| 37015 31430 | COAST GUARD BASE LIGHT 2 | 36-16-16.449N 076-10-39.490W | Fl R 4s | 15 | 4 | TR on pile. | |
| 37020 31415 | - LIGHT 5 | 36-15-15.148N 076-07-41.763W | Q G | 16 | 5 | SG-TY on pile. | |
| 37025 31410 | - LIGHT 4 | 36-13-57.170N 076-05-18.023W | Fl R 4s | 15 | 4 | TR-SY on pile. | |
| 37030 31405 | PASQUATANK RIVER WRECK LIGHT WR3 | 36-12-10.559N 076-04-03.917W | Q G | 17 | 4 | SG-TY on pile. | |
| 37035 31400 | - LIGHT 2 | 36-11-03.235N 076-01-37.073W | Fl R 4s | 15 | 4 | TR-SY on pile. | |
| 37040 31395 | - SLUE LIGHT 1PR | 36-09-01.212N 076-01-15.435W | Fl G 4s | 15 | 5 | SG-TY on pile. | |
| | **ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553)** | | | | | | |
| | **Albemarle Sound** | | | | | | |
| 37045 31390 | **Pasquotank River Entrance Light PR** On east part of shoal off point. | 36-09-22.739N 075-58-38.468W | Fl W 2.5s | 23 | 12 | NB on multi-pile structure. 20 | |
| 37047 31393 | Pasquotank River Warning Daybeacon A | 36-09-22.547N 075-58-40.019W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| | **INTRACOASTAL WATERWAY (Virginia) - Fifth District** | | | | | | |
| | **NORFOLK TO ALBEMARLE SOUND (Chart 12206)** | | | | | | |
| | **Elizabeth River Southern Branch** | | | | | | |
| 37060 10085 | - LIGHT 30 | 36-45-19.667N 076-17-45.945W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37065 10090 | - Turning Basin Daybeacon C | 36-45-12.563N 076-17-34.799W | | | | NB on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (Virginia) - Fifth District** | | | | | | |
| | **NORFOLK TO ALBEMARLE SOUND (Chart 12206)** | | | | | | |
| | **Elizabeth River Southern Branch** | | | | | | |
| 37070<br>10095 | - Turning Basin Daybeacon D | 36-45-04.474N<br>076-17-35.859W | | | | NB on pile. | |
| 37075 | - Daybeacon 31 | 36-44-34.314N<br>076-17-50.673W | | | | SG-SY on pile. | |
| 37080 | - LIGHT 32 | 36-44-26.297N<br>076-17-56.271W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37085 | - Buoy 33 | 36-44-07.337N<br>076-17-34.041W | | | | Green can with yellow square. | |
| 37090 | - Buoy 34 | 36-44-03.530N<br>076-17-28.708W | | | | Red nun with yellow triangle. | |
| 37095 | - Buoy 36 | 36-44-03.276N<br>076-17-15.659W | | | | Red nun with yellow triangle. | |
| 37100 | - LIGHT 37 | 36-44-06.393N<br>076-17-16.792W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37103 | - *Lighted No Wake Buoy A* | 36-43-59.057N<br>076-17-03.363W | Fl W 6s | | | | Private aid. |
| 37105 | - LIGHT 38 | 36-43-54.827N<br>076-17-04.293W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37110 | - Daybeacon 39 | 36-43-56.459N<br>076-17-01.131W | | | | SG-SY on pile. | |
| 37115 | - Daybeacon 41 | 36-43-53.546N<br>076-16-47.136W | | | | SG-SY on pile. | |
| 37120 | - LIGHT 42 | 36-43-47.000N<br>076-16-30.670W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37125 | - Daybeacon 43 | 36-43-49.980N<br>076-16-25.200W | | | | SG-SY on pile. | |
| 37130 | - Daybeacon 44 | 36-43-49.067N<br>076-16-14.805W | | | | TR-TY on pile. | |
| 37135 | - LIGHT 45 | 36-43-53.427N<br>076-16-12.388W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37140 | - LIGHT 47 | 36-43-53.595N<br>076-16-04.426W | Fl G 4s | 14 | 4 | SG-SY on pile. | |
| 37145 | - Daybeacon 48 | 36-43-49.274N<br>076-16-00.935W | | | | TR-TY on pile. | |
| | **Great Bridge to Albemarle Sound** | | | | | | |
| 37150 | Great Bridge Wreck Daybeacon WR1 | 36-43-34.217N<br>076-14-52.467W | | | | SG on pile. | |
| 37151 | *Great Bridge Lighted Wreck Buoy WR3* | 36-43-32.491N<br>076-14-46.389W | Q G | | 4 | Green. | |
| 37155 | - LIGHT 1 | 36-43-24.178N<br>076-06-38.109W | Fl G 4s | 19 | 4 | SG-SY on pile. | |
| 37160 | - LIGHT 2 | 36-42-53.195N<br>076-05-41.785W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37165 | - LIGHT 3 | 36-42-46.135N<br>076-04-55.970W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37170 | - LIGHT 4 | 36-42-37.255N<br>076-04-49.835W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37175 | - Daybeacon 5 | 36-42-21.984N<br>076-04-44.723W | | | | SG-SY on pile. | |
| 37180 | - LIGHT 6 | 36-42-19.556N<br>076-04-47.152W | Fl R 4s | 17 | 4 | TR-TY on pile. | |
| 37185 | - LIGHT 8 | 36-41-56.688N<br>076-04-32.946W | Fl R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 37190 | - LIGHT 10 | 36-41-48.161N<br>076-04-19.091W | Fl R 4s | 19 | 4 | TR-TY on pile. | |
| 37195 | - LIGHT 11 | 36-41-44.065N<br>076-04-09.008W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37200 | - Daybeacon 13 | 36-41-38.162N<br>076-04-06.004W | | | | SG-SY on pile. | |
| 37205 | - LIGHT 14 | 36-41-29.785N<br>076-04-07.271W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37210 | - LIGHT 15 | 36-41-14.186N<br>076-03-53.990W | Fl G 4s | 15 | 4 | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (Virginia) - Fifth District** | | | | | | |
| | **NORFOLK TO ALBEMARLE SOUND (Chart 12206)** | | | | | | |
| | **Great Bridge to Albemarle Sound** | | | | | | |
| | **West Neck Creek** | | | | | | |
| 37215 | - Daybeacon 1 | 36-41-04.542N 076-03-51.753W | | | | SG on pile. | Private aid. |
| 37225 | - Daybeacon 3 | 36-41-23.543N 076-02-45.751W | | | | SG on pile. | Private aid. |
| | **Great Bridge to Albemarle Sound** | | | | | | |
| 37305 | - Daybeacon 16 | 36-41-06.127N 076-03-56.875W | | | | TR-TY on pile. | |
| 37310 | - LIGHT 18 | 36-40-45.964N 076-04-08.104W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37315 | - LIGHT 20 | 36-40-35.141N 076-04-09.823W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37320 | - Daybeacon 21 | 36-40-25.702N 076-03-58.869W | | | | SG-SY on pile. | |
| 37325 | - LIGHT 23 | 36-40-18.034N 076-03-47.619W | Fl G 4s | 19 | 4 | SG-SY on pile. | |
| 37330 | - LIGHT 25 | 36-40-06.883N 076-03-41.874W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37335 | - LIGHT 27 | 36-39-38.807N 076-03-41.643W | Fl G 4s | 19 | 4 | SG-SY on pile. | |
| 37340 | - LIGHT 29 | 36-39-18.773N 076-03-32.373W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37345 | - LIGHT 30 | 36-39-04.613N 076-03-39.177W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37350 | - LIGHT 32 | 36-38-35.171N 076-03-34.125W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 37355 | - LIGHT 33 | 36-38-24.905N 076-03-19.929W | Fl G 4s | 15 | 4 | SG-SY on multi-pile structure. | |
| 37360 | - Daybeacon 34 | 36-38-23.873N 076-03-22.863W | | | | TR-TY on pile. | |
| 37365 | - LIGHT 35 | 36-38-09.899N 076-03-07.443W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37370 | North Landing River Warning Daybeacon 66 feet, 090° from wreck. Marks barge. | 36-38-08.684N 076-03-09.545W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| 37375 | - Daybeacon 36 | 36-38-02.831N 076-03-09.375W | | | | TR-TY on pile. | |
| 37380 | - LIGHT 38 | 36-37-45.083N 076-03-14.901W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37385 | - LIGHT 40 | 36-37-29.765N 076-03-06.003W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37390 | - LIGHT 41 | 36-37-08.933N 076-02-54.927W | Fl G 4s | 18 | 4 | SG-SY on multi-pile structure. | |
| 37395 | - Daybeacon 42 | 36-36-48.570N 076-03-04.839W | | | | TR-TY on pile. | |
| 37400 | - LIGHT 43 | 36-36-44.843N 076-03-03.753W | Fl G 4s | 16 | 4 | SG-SY on pile. | |
| 37405 | - LIGHT 44 | 36-36-09.905N 076-03-36.453W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37410 | - Daybeacon 45 | 36-36-09.178N 076-03-33.409W | | | | SG-SY on pile. | |
| 37415 | - LIGHT 46 | 36-35-39.383N 076-03-35.307W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37420 | - LIGHT 47 | 36-35-42.941N 076-03-31.479W | Q G | 15 | 4 | SG-SY on pile. | |
| 37425 | - LIGHT 49 | 36-35-32.837N 076-03-00.651W | Q G | 19 | 4 | SG-SY on pile. | |
| 37430 | - Daybeacon 51 | 36-35-14.344N 076-02-49.665W | | | | SG-SY on pile. | |
| 37435 | - Daybeacon 53 | 36-34-56.336N 076-02-39.024W | | | | SG-SY on pile. | |
| 37440 | - LIGHT 55 | 36-34-32.013N 076-02-24.832W | Fl G 4s | 15 | 4 | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **INTRACOASTAL WATERWAY (Virginia) - Fifth District** | | | | |
| | **NORFOLK TO ALBEMARLE SOUND (Chart 12206)** | | | | | | |
| | **Great Bridge to Albemarle Sound** | | | | | | |
| 37445 | - Daybeacon 57 | 36-34-12.557N 076-02-13.389W | | | | SG-SY on pile. | |
| 37450 | - Daybeacon 59 | 36-33-48.543N 076-01-58.958W | | | | SG-SY on pile. | |
| 37455 | - LIGHT 61 | 36-33-23.752N 076-01-44.660W | Fl G 4s | 16 | 4 | SG-SY on pile. | |
| | | | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | |
| | **NORFOLK TO ALBEMARLE SOUND (Chart 12206)** | | | | | | |
| | **Great Bridge to Albemarle Sound** | | | | | | |
| 37460 | - Daybeacon 63 | 36-32-58.574N 076-01-34.614W | | | | SG-SY on pile. | |
| 37465 | - Daybeacon 65 | 36-32-33.884N 076-01-25.618W | | | | SG-SY on pile. | |
| 37470 | - LIGHT 67 | 36-32-13.386N 076-01-17.993W | Fl G 4s | 19 | 4 | SG-SY on pile. | |
| 37475 | - Daybeacon 70 | 36-31-52.776N 076-01-14.935W | | | | TR-TY on pile. | |
| 37480 | - LIGHT 73 | 36-31-13.979N 076-00-55.868W | Fl G 6s | 15 | 4 | SG-SY on pile. | |
| 37485 | - Daybeacon 71 | 36-31-33.458N 076-01-02.498W | | | | SG-SY on pile. | |
| 37490 | - Daybeacon 76 | 36-30-49.782N 076-00-51.439W | | | | TR-TY on pile. | |
| 37495 | - Daybeacon 77 | 36-30-29.090N 076-00-39.231W | | | | SG-SY on pile. | |
| 37500 | - LIGHT 79 | 36-30-04.518N 076-00-31.858W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37505 | - Daybeacon 82 | 36-29-42.069N 076-00-30.760W | | | | TR-TY on pile. | |
| 37510 | - Daybeacon 83 | 36-29-21.898N 076-00-17.135W | | | | SG-SY on pile. | |
| 37515 | - Daybeacon 85 | 36-29-03.738N 076-00-11.174W | | | | SG-SY on pile. | |
| 37520 | - Daybeacon 86 | 36-28-41.002N 076-00-07.174W | | | | TR-TY on pile. | |
| 37525 | - LIGHT 87 | 36-28-41.816N 076-00-02.857W | Q G | 15 | 4 | SG-SY on pile. | |
| 37530 | - Daybeacon 89 | 36-28-26.856N 075-59-43.345W | | | | SG-SY on pile. | |
| 37535 | - Daybeacon 91 | 36-28-10.159N 075-59-21.232W | | | | SG-SY on pile. | |
| 37540 | - LIGHT 93 | 36-27-54.221N 075-58-59.991W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37545 | - LIGHT 95 | 36-27-36.814N 075-58-36.469W | Fl G 6s | 19 | 4 | SG-SY on pile. | |
| 37550 | - Daybeacon 97 | 36-27-22.564N 075-58-17.622W | | | | SG-SY on pile. | |
| 37555 | - LIGHT 99 | 36-27-03.293N 075-57-52.674W | Q G | 15 | 4 | SG-SY on pile. | |
| 37560 | - Daybeacon 100 | 36-26-59.707N 075-57-57.019W | | | | TR-TY on pile. | |
| 37565 | - Daybeacon 101 | 36-26-42.723N 075-57-43.982W | | | | SG-SY on pile. | |
| 37570 | - Daybeacon 104 | 36-26-17.201N 075-57-37.764W | | | | TR-TY on pile. | |
| 37575 | - LIGHT 105 | 36-25-54.853N 075-57-25.556W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37580 | - Daybeacon 107 | 36-25-39.497N 075-57-19.421W | | | | SG-SY on pile. | |
| 37585 | - Daybeacon 109 | 36-25-24.401N 075-57-13.659W | | | | SG-SY on pile. | |
| 37590 | - LIGHT 111 | 36-25-02.438N 075-57-08.138W | Q G | 15 | 4 | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | | | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | |
| | **NORFOLK TO ALBEMARLE SOUND (Chart 12206)** | | | | | | |
| | **Great Bridge to Albemarle Sound** | | | | | | |
| 37595 | - Warning Daybeacon | 36-25-04.249N 075-57-05.855W | | | | NW on pile worded DANGER SHOAL. | |
| 37600 | - Daybeacon 112 | 36-25-02.452N 075-57-10.735W | | | | TR-TY on pile. | |
| 37605 | - Daybeacon 113 | 36-24-40.997N 075-57-08.247W | | | | SG-SY on pile. | |
| 37610 | - Daybeacon 115 | 36-24-18.053N 075-57-11.223W | | | | SG-SY on pile. | |
| 37615 | - LIGHT 116 | 36-23-53.021N 075-57-14.037W | Q R | 15 | 4 | TR-TY on pile. | |
| 37620 | - LIGHT 118 | 36-23-32.591N 075-57-10.476W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37622 | - Daybeacon 119 | 36-23-10.681N 075-57-04.532W | | | | SG-SY on pile. | |
| 37625 | - Daybeacon 120 | 36-23-06.479N 075-57-05.727W | | | | TR-TY on pile. | |
| 37630 | - LIGHT 121 | 36-22-37.478N 075-56-57.819W | Fl G 4s | 19 | 4 | SG-SY on pile. | |
| 37635 | - Daybeacon 122 | 36-22-17.921N 075-56-56.691W | | | | TR-TY on pile. | |
| 37640 | - LIGHT 123 | 36-21-17.667N 075-56-44.021W | Q G | 17 | 4 | SG-SY on pile. | |
| 37645 | - LIGHT 125 | 36-19-23.293N 075-57-56.216W | Fl G 4s | 16 | 4 | SG-SY on pile. | |
| 37650 | - Daybeacon 127 | 36-19-05.732N 075-58-10.205W | | | | SG-SY on pile. | |
| 37655 | - LIGHT 128 | 36-18-55.519N 075-58-20.238W | Q R | 15 | 4 | TR-TY on pile. | |
| 37660 | - Daybeacon 129 | 36-18-52.804N 075-58-18.171W | | | | SG-SY on pile. | |
| 37665 | - Daybeacon 132 | 36-18-24.913N 075-58-16.728W | | | | TR-TY on pile. | |
| 37670 | - Daybeacon 133 | 36-18-06.598N 075-58-10.736W | | | | SG-SY on pile. | |
| 37675 | - Daybeacon 134 | 36-17-39.332N 075-58-08.705W | | | | TR-TY on pile. | |
| 37680 | - LIGHT 135 | 36-17-29.405N 075-58-02.605W | Fl G 4s | 16 | 4 | SG-SY on slatted pile structure. | |
| 37685 | - Daybeacon 137 | 36-17-24.068N 075-57-58.568W | | | | SG-SY on pile. | |
| 37690 | - LIGHT 138 | 36-17-16.595N 075-57-55.082W | Q R | 15 | 4 | TR-TY on pile. | |
| 37695 | - LIGHT 139 | 36-17-21.214N 075-57-37.580W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37700 | - Daybeacon 140 | 36-17-15.515N 075-57-34.445W | | | | TR-TY on pile. | |
| 37705 | - LIGHT 141 | 36-17-24.544N 075-57-18.537W | Q G | 15 | 4 | SG-SY on pile. | |
| 37710 | - LIGHT 143 | 36-17-06.435N 075-56-48.155W | Q G | 18 | 4 | SG-SY on pile. | |
| 37715 | - Daybeacon 142 | 36-17-10.712N 075-56-58.385W | | | | TR-TY on pile. | |
| 37720 | - Daybeacon 145 | 36-16-50.028N 075-56-53.315W | | | | SG-SY on pile. | |
| 37725 | - Daybeacon 147 | 36-16-33.452N 075-56-51.965W | | | | SG-SY on pile. | |
| 37730 | - LIGHT 149 | 36-16-17.882N 075-57-00.181W | Fl G 4s | 16 | 4 | SG-SY on multi-pile structure. | |
| 37735 | - Daybeacon 151 | 36-16-13.212N 075-57-10.564W | | | | SG-SY on pile. | |
| 37740 | - Daybeacon 152 | 36-16-01.601N 075-57-44.525W | | | | TR-TY on pile. | |
| 37745 | - LIGHT 153 | 36-15-58.372N 075-57-39.435W | Q G | 15 | 4 | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NORFOLK TO ALBEMARLE SOUND (Chart 12206)** | | | | | | |
| | **Great Bridge to Albemarle Sound** | | | | | | |
| 37750 | - LIGHT 154 | 36-15-41.427N 075-57-49.729W | Fl R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 37755 | - LIGHT 155 | 36-15-25.177N 075-57-36.046W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37760 | - Daybeacon 156 | 36-15-23.432N 075-57-40.805W | | | | TR-TY on pile. | |
| 37765 | - LIGHT 157 | 36-15-08.347N 075-57-10.262W | Fl G 4s | 15 | 4 | SG-SY on multi-pile structure. | |
| 37770 | - LIGHT 159 | 36-14-27.359N 075-56-30.853W | Fl G 4s | 15 | 4 | SG-SY on multi-pile structure. | |
| 37775 | - LIGHT 161 | 36-13-50.443N 075-55-54.380W | Q G | 15 | 4 | SG-SY on pile. | |
| 37780 | - Daybeacon 163 | 36-12-31.057N 075-55-24.038W | | | | SG-SY on pile. | |
| 37785 | - LIGHT 164 | 36-12-29.722N 075-55-27.879W | Q R | 15 | 4 | TR-TY on pile. | |
| 37790 | - LIGHT 165 | 36-11-28.753N 075-54-21.278W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37795 | - Daybeacon 166 | 36-10-33.124N 075-53-33.644W | | | | TR-TY on pile. | |
| 37800 | - LIGHT 167 | 36-10-29.602N 075-53-23.164W | Q G | 15 | 4 | SG-SY on multi-pile structure. | |
| 37803 | Great Bridge to Albermarle Sound Buoy 168 | 36-09-36.676N 075-53-31.280W | | | | Red nun with yellow triangle. | |
| 37805 | - Daybeacon 169 | 36-09-49.730N 075-53-24.750W | | | | SG-SY on pile. | |
| 37807 | Powells Point Warning Daybeacon A | 36-09-34.900N 075-52-07.000W | | | | NW on pile worded DANGER SUBMERGED PIPE. | Private aid. |
| 37810 | - LIGHT 170 | 36-09-23.812N 075-53-32.714W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37815 | - Buoy 171 | 36-09-11.967N 075-53-30.588W | | | | Green can with yellow square. | |
| 37820 | - LIGHT 173 | 36-08-42.518N 075-53-32.944W | Fl G 2.5s | 18 | 5 | SG-SY on multi-pile structure. | |
| | **ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553)** | | | | | | |
| | **Albemarle Sound** | | | | | | |
| 37825 | GREAT BRIDGE TO ALBEMARLE SOUND LIGHT N | 36-06-06.739N 075-54-44.854W | Iso W 6s | 21 | 8 | NB on multi-pile structure. | |
| 37830 | GREAT BRIDGE TO ALBEMARLE SOUND LIGHT S | 36-01-04.782N 075-57-36.625W | Fl W 4s | 15 | 5 | NR-I on multi-pile structure. | |
| | **Alligator River** | | | | | | |
| 37835 | - LIGHT 1AR | 35-58-09.896N 075-58-46.353W | Fl G 2.5s | 15 | 5 | SG-SY on multi-pile structure. | |
| 37840 | - LIGHT 3 | 35-57-32.106N 075-59-30.144W | Q G | 15 | 4 | SG-SY on pile. | |
| 37842 | - LIGHT 5 | 35-57-13.297N 075-59-12.999W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 37844 | - Daybeacon 6 | 35-56-54.021N 075-59-18.897W | | | | TR-TY on pile. | |
| 37845 | - LIGHT 7 | 35-56-43.710N 075-59-07.713W | Fl G 2.5s | 15 | 4 | SG-SY on multi-pile structure. | |
| 37850 | - LIGHT 8 | 35-56-38.224N 075-59-15.673W | Q R | 15 | 4 | TR-TY on pile. | |
| 37851 | - *Lighted Buoy 8A* | 35-56-15.345N 075-59-33.348W | Fl R 2.5s | | 4 | Red with yellow triangle. | |
| 37853 | - Daybeacon 9 | 35-56-20.191N 075-59-21.961W | | | | SG-SY on pile. | |
| 37855 | - LIGHT 10 | 35-55-48.331N 075-59-50.956W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553)** | | | | | | |
| | **Alligator River** | | | | | | |
| 37860 | - LIGHT 12 | 35-54-54.289N 076-00-12.747W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37865 | - LIGHT 14 | 35-52-59.898N 076-01-00.893W | Fl R 2.5s | 15 | 5 | TR-TY on pile. | |
| 37870 | - LIGHT 16 | 35-51-59.782N 076-01-27.159W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37875 | - LIGHT 18 | 35-51-02.554N 076-01-52.120W | Q R | 15 | 4 | TR-TY on multi-pile structure. | |
| 37880 | - LIGHT 20 | 35-49-30.148N 076-01-38.072W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37885 | - LIGHT 22 | 35-48-13.791N 076-01-26.571W | Fl R 2.5s | 15 | 4 | TR-TY on multi-pile structure. | |
| 37890 | - LIGHT 24 | 35-46-49.438N 076-01-16.791W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 37895 | - LIGHT 26 | 35-45-14.926N 076-01-06.570W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 37900 | - LIGHT 28 | 35-43-46.893N 076-00-57.035W | Fl R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 37910 | - LIGHT 31 | 35-42-15.106N 076-00-43.003W | Q G | 15 | 4 | SG-SY on multi-pile structure. | |
| 37915 | - Daybeacon 33 | 35-41-37.890N 076-01-05.366W | | | | SG-SY on pile. | |
| 37920 | - Daybeacon 35 | 35-41-03.310N 076-01-25.580W | | | | SG-SY on pile. | |
| 37925 | - LIGHT 37 | 35-40-25.774N 076-01-47.662W | Q G | 15 | 4 | SG-SY on pile. | |
| 37930 | - LIGHT 39 | 35-40-07.597N 076-02-21.681W | Q G | 15 | 4 | SG-SY on multi-pile structure. | |
| 37965 | - Daybeacon 41 | 35-40-12.823N 076-02-56.461W | | | | SG-SY on pile. | |
| 37970 | - Daybeacon 43 | 35-40-20.558N 076-03-35.491W | | | | SG-SY on pile. | |
| 37975 | - Daybeacon 45 | 35-40-27.704N 076-04-19.321W | | | | SG-SY on pile. | |
| 37980 | - LIGHT 46 | 35-40-32.617N 076-04-25.578W | Q R | 15 | 4 | TR-TY on pile. | |
| 37985 | - Daybeacon 47 | 35-40-26.415N 076-04-31.711W | | | | SG-SY on pile. | |
| 37990 | - Daybeacon 49 | 35-40-19.507N 076-04-58.593W | | | | SG-SY on pile. | |
| 37995 | - Daybeacon 52 | 35-40-07.751N 076-05-52.580W | | | | TR-TY on pile. | |
| 38000 | - LIGHT 54 | 35-40-01.644N 076-06-12.550W | Q R | 16 | 4 | TR-TY on pile. | |
| | **Alligator River - Pungo River** | | | | | | |
| 38005 | - LIGHT 55 | 35-35-51.132N 076-13-17.605W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 38010 | - LIGHT 57 | 35-35-25.838N 076-14-24.901W | Fl G 4s | 15 | 4 | SG-SY on pile. | Higher intensity toward Pungo River. |
| 38015 | - LIGHT 59AR | 35-34-04.341N 076-22-03.821W | Fl G 6s | 15 | 4 | SG-SY on pile. | |
| 38020 | - Warning Daybeacon | 35-34-12.985N 076-21-12.639W | | | | NW on pile worded DANGER SHOAL. | |
| | **Pungo River** | | | | | | |
| 38025 33065 | - Channel Daybeacon 28 | 35-33-11.976N 076-26-56.959W | | | | TR-SY on pile. | |
| 38030 33060 | - Channel Daybeacon 27PR | 35-33-13.526N 076-26-58.134W | | | | SG-TY on pile. | |
| 38035 33055 | - CHANNEL LIGHT 25 | 35-33-08.454N 076-27-25.405W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 38040 33050 | - Channel Daybeacon 24 | 35-33-00.893N 076-27-53.610W | | | | TR-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553)** | | | | | | |
| | **Pungo River** | | | | | | |
| 38045<br>33045 | - CHANNEL LIGHT 23 | 35-33-02.929N<br>076-27-59.939W | Q G | 15 | 3 | SG-TY on pile structure. | |
| 38050<br>33040 | - Channel Daybeacon 22 | 35-32-53.829N<br>076-28-05.080W | | | | TR-SY on pile. | |
| 38055<br>33035 | - CHANNEL LIGHT 21 | 35-32-08.670N<br>076-28-53.969W | Fl G 4s | 15 | 4 | SG-TY on multi-pile structure. | |
| 38060<br>33030 | - Channel Daybeacon 19 | 35-31-19.212N<br>076-29-39.625W | | | | SG-TY on pile. | |
| 38065<br>33025 | - CHANNEL LIGHT 18 | 35-31-04.087N<br>076-29-46.168W | Q R | 15 | 4 | TR-SY on multi-pile structure. | |
| 38070<br>33020 | - Channel Daybeacon 17 | 35-31-11.087N<br>076-30-06.038W | | | | SG-TY on pile. | |
| 38075<br>33015 | - Channel Daybeacon 16 | 35-31-06.302N<br>076-30-19.791W | | | | TR-SY on pile. | |
| 38080<br>33010 | - Channel Daybeacon 15 | 35-31-13.564N<br>076-31-32.085W | | | | SG-TY on multi-pile structure. | |
| 38090<br>33000 | - CHANNEL LIGHT 13 | 35-31-17.792N<br>076-33-31.694W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 38095<br>32995 | - Channel Daybeacon 12 | 35-31-12.487N<br>076-33-31.640W | | | | TR-SY on pile. | |
| 38100<br>32990 | - Channel Daybeacon 11 | 35-31-25.165N<br>076-35-07.932W | | | | SG-TY on pile. | |
| 38105<br>32985 | - CHANNEL LIGHT 10 | 35-31-18.093N<br>076-35-33.014W | Q R | 15 | 4 | TR-SY on multi-pile structure. | |
| 38110<br>32915 | - LIGHT 8 | 35-30-08.713N<br>076-35-36.809W | Fl R 4s | 15 | 5 | TR-SY on multi-pile. | |
| 38115<br>32910 | - LIGHT 7 | 35-29-00.384N<br>076-35-14.567W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 38120<br>32905 | - Daybeacon 5 | 35-28-16.179N<br>076-35-16.112W | | | | SG-TY on pile. | |
| 38125<br>32900 | - LIGHT 4 | 35-26-56.913N<br>076-34-26.463W | Fl R 4s | 15 | 3 | TR-SY on pile. | |
| 38130<br>32895 | - LIGHT 3 | 35-25-44.934N<br>076-34-14.402W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 38135<br>32860 | - WRECK LIGHT WR2<br>5 yards, 245° from wreck. | 35-25-18.452N<br>076-33-30.508W | Q R | 15 | 4 | TR-SY on pile. | |
| 38140<br>32855 | - JUNCTION LIGHT PR | 35-22-39.595N<br>076-33-34.993W | Fl (2+1)R 6s | 18 | 5 | JR-TY on multi-pile structure. | |
| | **Goose Creek** | | | | | | |
| 38145 | - LIGHT 1 | 35-20-23.893N<br>076-35-44.728W | Fl G 2.5s | 15 | 6 | SG-SY on multi-pile structure. | |
| 38150 | - Daybeacon 3 | 35-20-12.790N<br>076-36-09.754W | | | | SG-SY on pile. | |
| 38155 | - Daybeacon 4 | 35-20-13.980N<br>076-36-14.775W | | | | TR-TY on pile. | |
| 38160 | - Daybeacon 5 | 35-19-55.648N<br>076-36-47.477W | | | | SG-SY on pile. | |
| 38165 | - LIGHT 6 | 35-19-53.832N<br>076-37-02.528W | Q R | 15 | 4 | TR-TY on multi-pile structure. | |
| 38170 | - Daybeacon 7 | 35-19-42.565N<br>076-36-58.592W | | | | SG-SY on pile. | |
| 38175 | - Daybeacon 8 | 35-19-25.825N<br>076-37-03.617W | | | | TR-TY on pile. | |
| 38180 | - Daybeacon 10 | 35-18-39.029N<br>076-37-06.814W | | | | TR-TY on pile. | |
| 38185 | - LIGHT 11 | 35-18-00.067N<br>076-37-02.082W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 38190 | - Daybeacon 13 | 35-17-31.635N<br>076-36-55.404W | | | | SG-SY on pile. | |
| 38195 | - Daybeacon 14 | 35-17-02.078N<br>076-36-50.908W | | | | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553)** | | | | | | |
| | **Goose Creek** | | | | | | |
| 38200 | - LIGHT 15 | 35-17-02.971N 076-36-47.783W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 38205 | - Daybeacon 17 | 35-16-33.716N 076-36-18.363W | | | | SG-SY on pile. | |
| 38210 | - LIGHT 19 | 35-16-14.954N 076-36-02.404W | Q G | 15 | 4 | SG-SY on pile. | |
| 38215 | - LIGHT 21 | 35-14-28.958N 076-35-22.255W | Q G | 19 | 4 | SG-SY on pile. | |
| 38220 | - LIGHT 22 | 35-12-57.117N 076-35-36.497W | Fl R 2.5s | 15 | 4 | TR-TY on pile on small red house. | |
| 38225 | - Daybeacon 23 | 35-12-37.988N 076-35-21.435W | | | | SG-SY on pile. | |
| 38230 | - Daybeacon 24 | 35-12-05.170N 076-35-03.316W | | | | TR-TY on pile. | |
| 38235 | - Buoy 25 | 35-11-55.827N 076-34-55.995W | | | | Green can with yellow square. | |
| 38240 | - LIGHT 27 | 35-11-40.168N 076-34-46.515W | Q G | 15 | 4 | SG-SY on multi-pile structure. | |
| | **Bay River** | | | | | | |
| 38245 33400 | - LIGHT 1 | 35-09-47.733N 076-32-00.608W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 38250 33405 | - LIGHT 3 | 35-10-48.060N 076-33-30.392W | Fl G 4s | 15 | 4 | SG-TY on pile. | |
| 38255 33395 | BAY POINT LIGHT On south end of shoal. | 35-10-21.328N 076-30-19.004W | Fl W 4s | 15 | 6 | NB on pile. | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Neuse River** | | | | | | |
| 38260 33580 | - JUNCTION LIGHT NR | 35-08-46.705N 076-30-10.867W | Fl (2+1)R 6s | 15 | 5 | JR-TY on multi-pile structure. | |
| 38265 33585 | - ENTRANCE LIGHT 2 | 35-08-07.557N 076-30-51.187W | Fl R 4s | 15 | 5 | TR-TY on pile. | |
| 38270 33590 | - ENTRANCE LIGHT NR Marks northerly side of Point Marsh Shoal. | 35-06-37.299N 076-28-32.312W | Fl W 6s | 24 | 7 | NB on multi-pile structure. | |
| 38275 33595 | - CHANNEL LIGHT 4 | 35-05-06.687N 076-32-41.577W | Fl R 2.5s | 15 | 5 | TR-TY on pile. | |
| 38280 33625 | - CHANNEL LIGHT 6 | 35-03-51.843N 076-34-19.725W | Fl R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 38285 33715 | - CHANNEL LIGHT 7 | 35-00-32.040N 076-39-38.187W | Fl G 4s | 15 | 5 | SG-SY on multi-pile structure. | |
| | **Adams Creek** *Aids located 30 - 35 feet outside channel limit.* | | | | | | |
| 38290 33790 | - *Lighted Buoy 1AC* | 34-58-30.114N 076-41-45.927W | Fl G 4s | | 4 | Green. | |
| 38295 | - Buoy 2 | 34-57-50.909N 076-40-55.968W | | | | Red nun with yellow triangle. | |
| 38300 | - LIGHT 3 | 34-57-51.544N 076-40-51.324W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 38305 | - LIGHT 4 | 34-57-24.922N 076-40-54.253W | Q R | 15 | 4 | TR-TY on pile. | |
| 38311 | - LIGHT 7 | 34-56-36.775N 076-39-35.381W | Q G | 15 | 4 | SG-SY on pile. | |
| 38320 | - Daybeacon 4A | 34-57-07.568N 076-40-29.218W | | | | TR-TY on pile. | |
| 38325 | - Daybeacon 6 | 34-56-50.556N 076-40-03.125W | | | | TR-TY on multi-pile structure. | |
| 38329 | - LIGHT 8 | 34-56-17.534N 076-39-26.591W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 38331 | - LIGHT 8A | 34-55-50.425N 076-39-16.554W | Q R | 15 | 4 | TR-TY on pile. | |
| 38333 | - LIGHT 9 | 34-55-59.534N 076-39-07.055W | Q G | 15 | 4 | SG-SY on pile. | |
| 38340 | - Daybeacon 10 | 34-55-30.847N 076-39-26.194W | | | | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Adams Creek** | | | | | | |
| | *Aids located 30 - 35 feet outside channel limit.* | | | | | | |
| 38345 | - Daybeacon 11 | 34-55-05.196N 076-39-36.045W | | | | SG-SY on pile. | |
| 38350 | - Daybeacon 12 | 34-54-41.183N 076-39-55.316W | | | | TR-TY on pile. | |
| 38355 | - LIGHT 13 | 34-54-18.744N 076-40-05.341W | Fl G 2.5s | 15 | 4 | SG-SY on multi-pile structure. | |
| 38360 | - Daybeacon 14 | 34-54-11.503N 076-40-28.260W | | | | TR-TY on pile. | |
| 38365 | - Daybeacon 15 | 34-53-55.503N 076-40-59.397W | | | | SG-SY on pile. | |
| 38370 | - LIGHT 16 | 34-53-54.223N 076-41-05.604W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 38375 | - LIGHT 17 | 34-53-41.435N 076-41-08.977W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 38380 | - LIGHT 18 | 34-53-24.153N 076-41-12.411W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| | **Core Creek** | | | | | | |
| | *Aids located 30 - 35 feet outside channel limit.* | | | | | | |
| 38385 | - LIGHT 19 | 34-48-25.227N 076-41-08.367W | Q G | 15 | 3 | SG-SY on pile. | |
| 38390 | - LIGHT 20 | 34-47-59.731N 076-41-14.359W | Fl R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 38395 | - Daybeacon 21 | 34-47-03.124N 076-41-08.832W | | | | SG-SY on pile. | |
| 38407 | - LIGHT 24 | 34-46-20.547N 076-41-08.115W | Q R | 15 | 4 | TR-TY on pile. | |
| 38410 | - Daybeacon 23 | 34-46-22.647N 076-41-05.115W | | | | SG-SY on pile. | |
| 38415 | - Daybeacon 25 | 34-46-14.459N 076-41-00.238W | | | | SG-SY on pile. | |
| 38420 | - Daybeacon 26 | 34-46-03.399N 076-40-54.561W | | | | TR-TY on pile. | |
| 38425 | - Daybeacon 27 | 34-45-47.889N 076-40-34.065W | | | | SG-SY on pile. | |
| 38430 | - Daybeacon 28 | 34-45-32.067N 076-40-29.247W | | | | TR-TY on pile. | |
| 38435 | - LIGHT 29 | 34-45-32.920N 076-40-21.266W | Q G | 15 | 4 | SG-SY on multi-pile structure. | |
| 38436 | - Buoy 29A | 34-45-14.158N 076-40-28.882W | | | | Green can with yellow square. | |
| | **Russell Slough** | | | | | | |
| 38440 | - JUNCTION LIGHT RS | 34-45-24.828N 076-40-23.216W | Fl (2+1)G 6s | 15 | 3 | JG on multi-pile structure | |
| 38445 | - Daybeacon 2 | 34-45-13.239N 076-40-19.917W | | | | TR on pile. | |
| 38450 | - Daybeacon 3 | 34-45-00.603N 076-40-14.511W | | | | SG on pile. | |
| 38455 | - Daybeacon 4 | 34-44-41.108N 076-40-14.275W | | | | TR on pile. | |
| 38460 | - LIGHT 5 | 34-44-31.131N 076-40-07.513W | Fl G 4s | 15 | 4 | SG on pile. | |
| 38465 | - Daybeacon 6 | 34-44-25.791N 076-40-14.883W | | | | TR on pile. | |
| 38467 | - *Lighted Buoy 6A* | 34-44-23.611N 076-40-15.045W | Q R | | 4 | Red. | |
| 38470 | - Daybeacon 7 | 34-44-07.847N 076-40-29.804W | | | | SG on pile. | |
| 38471 | - Buoy 8 | 34-44-06.345N 076-40-33.413W | | | | Red nun. | |
| | **Core Creek** | | | | | | |
| | *Aids located 30 - 35 feet outside channel limit.* | | | | | | |
| 38481 | - Buoy 30 | 34-45-28.669N 076-40-26.200W | | | | Red nun with yellow triangle. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Core Creek** | | | | | | |
| | *Aids located 30 - 35 feet outside channel limit.* | | | | | | |
| 38482 | - Buoy 30A | 34-45-24.263N 076-40-26.384W | | | | Red nun with yellow triangle. | |
| 38485 | - Daybeacon 31 | 34-44-57.417N 076-40-32.913W | | | | SG-SY on pile. | |
| | **Newport Marshes** | | | | | | |
| 38490 | - Daybeacon 32 | 34-44-43.233N 076-40-45.129W | | | | TR-TY on pile. | |
| 38493 | - Daybeacon 33 | 34-44-36.405N 076-40-40.551W | | | | SG-SY on pile. | |
| 38495 | - LIGHT 34 | 34-44-22.321N 076-40-53.140W | Q R | 15 | 4 | TR-TY on pile. | |
| 38500 | - LIGHT 35 | 34-44-18.383N 076-40-50.637W | Q G | 15 | 4 | SG-SY on multi-pile structure. | |
| 38505 | - LIGHT 36 | 34-44-04.455N 076-41-16.839W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 38510 | - Buoy 37 | 34-43-48.118N 076-41-28.237W | | | | Green can with yellow square. | |
| 38515 | - LIGHT 38 | 34-43-40.509N 076-41-39.981W | Fl R 4s | 15 | 5 | TR-TY on multi-pile structure. | |
| 38520 | - Buoy 39 | 34-43-36.411N 076-41-32.645W | | | | Green can with yellow square. | |
| 38525 29445 | *Morehead City Channel Lighted Buoy 23* | 34-42-47.003N 076-41-52.033W | Fl G 2.5s | | 4 | Green with yellow square. | |
| | **Bogue Sound** | | | | | | |
| | *Aids located 30 feet outside channel limit.* | | | | | | |
| 38530 | - Daybeacon 1B | 34-42-44.928N 076-42-21.967W | | | | SG on pile. | |
| | **Triple S. Marina** | | | | | | |
| 38535 | - Daybeacon 1 | 34-42-34.581N 076-42-38.754W | | | | SG on pile. | Private aid. |
| 38540 | - Daybeacon 2 | 34-42-35.581N 076-42-40.754W | | | | TR on pile. | Private aid. |
| 38545 | - Daybeacon 3 | 34-42-33.081N 076-42-38.754W | | | | SG on pile. | Private aid. |
| 38550 | - Daybeacon 4 | 34-42-33.581N 076-42-40.754W | | | | TR on pile. | Private aid. |
| 38555 | - Daybeacon 5 | 34-42-31.081N 076-42-38.754W | | | | SG on pile. | Private aid. |
| 38560 | - Daybeacon 6 | 34-42-30.581N 076-42-40.754W | | | | TR on pile. | Private aid. |
| 38565 | - Daybeacon 7 | 34-42-28.081N 076-42-38.754W | | | | SG on pile. | Private aid. |
| 38570 | - Daybeacon 8 | 34-42-25.581N 076-42-40.754W | | | | TR on pile. | Private aid. |
| 38575 | - Daybeacon 9 | 34-42-26.081N 076-42-38.754W | | | | SG on pile. | Private aid. |
| 38580 | - Daybeacon 10 | 34-42-20.581N 076-42-40.754W | | | | TR on pile. | Private aid. |
| 38585 | - Daybeacon 11 | 34-42-23.081N 076-42-38.754W | | | | SG on pile. | Private aid. |
| 38590 | - Daybeacon 12 | 34-42-17.582N 076-42-40.754W | | | | TR on pile. | Private aid. |
| 38595 | - Daybeacon 13 | 34-42-16.082N 076-42-38.754W | | | | SG on pile. | Private aid. |
| | **Morehead City Harbor Channel** | | | | | | |
| 38600 | - JUNCTION LIGHT MC | 34-42-50.715N 076-42-26.649W | Fl (2+1)R 6s | 15 | 4 | JR on pile. | |
| 38605 | - Daybeacon 3 | 34-43-04.611N 076-42-18.669W | | | | SG on pile. | |
| 38610 | - Daybeacon 5 | 34-43-06.441N 076-42-22.131W | | | | SG on pile. | |
| 38615 | - Daybeacon 6 | 34-43-05.349N 076-43-00.807W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Bogue Sound** | | | | | | |
| | **Morehead City Harbor Channel** | | | | | | |
| 38620 | - Daybeacon 7 | 34-42-59.790N 076-43-08.995W | | | | SG on pile. | |
| 38625 | - Daybeacon 8 | 34-42-57.981N 076-43-17.649W | | | | TR on pile. | |
| 38627 | - Turning Basin Daybeacon A | 34-43-00.075N 076-42-21.615W | | | | NB on pile. | |
| 38629 | - Turning Basin Daybeacon B | 34-42-42.471N 076-42-10.563W | | | | NB on pile. | |
| 38630 | BOGUE SOUND LIGHT 2 | 34-42-46.395N 076-42-53.871W | Q R | 15 | 4 | TR-TY on pile. | |
| | **Money Island Channel** | | | | | | |
| 38635 | - JUNCTION LIGHT MI | 34-42-39.591N 076-43-14.007W | Fl (2+1)R 6s | 15 | 3 | JR on pile. | |
| 38643 | - Buoy 1 | 34-42-35.590N 076-43-17.717W | | | | Green can. | |
| 38645 | - Warning Daybeacon A | 34-42-35.547N 076-43-17.132W | | | | NW on pile worded DANGER SHOAL. | |
| 38652 | - Buoy 2 | 34-42-33.903N 076-43-20.103W | | | | Red nun. | |
| 38655 | - Daybeacon 2A | 34-42-26.407N 076-43-28.045W | | | | TR on pile. | |
| 38660 | - Daybeacon 3 | 34-42-22.137N 076-43-31.395W | | | | SG on pile. | |
| 38665 | - Daybeacon 4 | 34-42-15.877N 076-43-39.525W | | | | TR on pile. | |
| 38670 | - LIGHT 5 | 34-42-10.215N 076-43-44.043W | Fl G 4s | 15 | 4 | SG on pile. | |
| 38675 | - Daybeacon 6 | 34-42-09.921N 076-43-45.459W | | | | TR on pile. | |
| 38677 | - Buoy 7 | 34-42-07.551N 076-43-45.475W | | | | Green can. | |
| 38679 | - Buoy 8 | 34-42-06.043N 076-43-46.766W | | | | Red nun. | |
| | **Eight and One Half Marina** | | | | | | |
| 38680 | - Daybeacon 1 | 34-42-11.903N 076-43-41.896W | | | | SG on pile. | Private aid. |
| 38685 | - Daybeacon 2 | 34-42-11.426N 076-43-42.307W | | | | TR on pile. | Private aid. |
| 38690 | - Daybeacon 3 | 34-42-10.027N 076-43-40.228W | | | | SG on pile. | Private aid. |
| 38695 | - Daybeacon 4 | 34-42-09.688N 076-43-40.343W | | | | TR on pile. | Private aid. |
| 38700 | - Daybeacon 5 | 34-42-08.840N 076-43-39.047W | | | | SG on pile. | Private aid. |
| 38705 | - Daybeacon 6 | 34-42-08.469N 076-43-39.240W | | | | TR on pile. | Private aid. |
| 38710 | - Daybeacon 7 | 34-42-07.716N 076-43-38.238W | | | | SG on pile. | Private aid. |
| 38712 | - Daybeacon 8 | 34-42-07.734N 076-43-38.525W | | | | TR on pile. | Private aid. |
| 38714 | - Daybeacon 10 | 34-42-06.858N 076-43-37.930W | | | | TR on pile. | Private aid. |
| 38716 | - Daybeacon 12 | 34-42-06.360N 076-43-37.250W | | | | TR on pile. | Private aid. |
| | **Causeway Channel** | | | | | | |
| 38720 | - Daybeacon 2 | 34-42-44.337N 076-43-26.913W | | | | TR on pile. | |
| 38725 | - Daybeacon 3 | 34-42-45.273N 076-43-42.609W | | | | SG on pile. | |
| 38727 | - Buoy 4 | 34-42-48.513N 076-43-45.639W | | | | Red nun. | |
| 38730 | - Daybeacon 5 | 34-42-48.380N 076-43-52.375W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Bogue Sound** | | | | | | |
| | **Causeway Channel** | | | | | | |
| 38731 | - Buoy 5A | 34-42-49.335N 076-44-00.427W | | | | Green can. | |
| 38735 | - Buoy 6 | 34-42-50.841N 076-43-57.495W | | | | Red nun. | |
| 38736 | - Buoy 6A | 34-42-48.846N 076-44-02.868W | | | | Red nun. | |
| 38740 | - Buoy 7 | 34-42-45.420N 076-44-03.582W | | | | Green can. | |
| 38745 | - Buoy 7A | 34-42-42.202N 076-44-08.411W | | | | Green can. | |
| 38750 | - Daybeacon 8 | 34-42-39.105N 076-44-10.647W | | | | TR on pile. | |
| | **Bogue Sound** *Aids located 30 feet outside channel limit.* | | | | | | |
| 38755 | - Buoy 3 | 34-42-44.608N 076-43-06.770W | | | | Green can with yellow square. | |
| 38760 | - Daybeacon 3A | 34-42-54.177N 076-43-41.568W | | | | SG-SY on pile. | |
| 38765 | - LIGHT 3B | 34-43-09.499N 076-44-41.918W | Fl G 2.5s | 15 | 5 | SG-SY on pile. | |
| 38770 | - LIGHT 4 50 feet outside channel limit. | 34-42-53.033N 076-43-29.067W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 38810 | - Daybeacon 5 | 34-43-11.227N 076-45-13.115W | | | | SG-SY on pile. | |
| 38815 | - LIGHT 6 | 34-43-17.745N 076-45-59.533W | Fl R 2.5s | 15 | 4 | TR-TY on multi-pile structure. | |
| 38840 | - Daybeacon 7 | 34-43-17.247N 076-46-52.155W | | | | SG-SY on pile. | |
| 38842 | - Buoy 7A | 34-43-18.177N 076-46-58.045W | | | | Green can. | |
| 38845 | - Daybeacon 8 | 34-43-20.564N 076-47-26.278W | | | | TR-TY on pile. | |
| 38850 | - LIGHT 9 | 34-43-19.695N 076-48-09.522W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| | **Spooner Creek** | | | | | | |
| 38855 | - Daybeacon 1 | 34-43-22.580N 076-48-11.770W | | | | SG on pile. | Private aid. |
| 38860 | - Daybeacon 2 | 34-43-22.580N 076-48-08.769W | | | | TR on pile. | Private aid. |
| 38865 | - Daybeacon 3 | 34-43-24.580N 076-48-11.770W | | | | SG on pile. | Private aid. |
| 38870 | - Daybeacon 4 | 34-43-24.580N 076-48-08.769W | | | | TR on pile. | Private aid. |
| | **Bogue Sound** *Aids located 30 feet outside channel limit.* | | | | | | |
| 38875 | - Daybeacon 10 | 34-43-23.223N 076-48-46.020W | | | | TR-TY on pile. | |
| 38877 | - *Lighted Buoy 10A* | 34-43-25.022N 076-49-44.747W | Fl R 4s | | 4 | Red. | |
| 38880 | - Daybeacon 11 | 34-43-22.279N 076-49-16.917W | | | | SG-SY on pile. | |
| 38883 | - Buoy 11A | 34-43-23.620N 076-49-48.425W | | | | Green can. | |
| 38885 | - Warning Daybeacon A | 34-43-25.625N 076-49-46.638W | | | | NW on pile worded DANGER SHOALING. | |
| 38887 | - Buoy 12A | 34-43-25.037N 076-49-52.630W | | | | Red nun. | |
| 38890 | - LIGHT 13 | 34-43-24.808N 076-50-13.400W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 38895 | - Daybeacon 14 | 34-43-28.162N 076-50-42.934W | | | | TR-TY on pile. | |
| 38900 | - Daybeacon 15 | 34-43-26.439N 076-51-03.812W | | | | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Bogue Sound** | | | | | | |
| | *Aids located 30 feet outside channel limit.* | | | | | | |
| 38905 | - LIGHT 17 | 34-43-28.347N 076-51-45.773W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 38910 | - Daybeacon 18 | 34-43-25.396N 076-52-18.650W | | | | TR-TY on pile. | |
| 38915 | - Daybeacon 19 | 34-43-17.961N 076-52-51.500W | | | | SG-SY on pile. | |
| 38920 | - Daybeacon 20 | 34-43-15.629N 076-53-21.964W | | | | TR-TY on pile. | |
| 38925 | - LIGHT 21 | 34-43-08.105N 076-53-55.333W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 38930 | - Daybeacon 22 | 34-43-06.831N 076-54-20.580W | | | | TR-TY on pile. | |
| 38935 | - Daybeacon 23 | 34-43-00.603N 076-54-47.438W | | | | SG-SY on pile. | |
| 38940 | - Daybeacon 24 | 34-42-58.680N 076-55-14.438W | | | | TR-TY on pile. | |
| 38945 | - LIGHT 25 | 34-42-53.202N 076-55-37.206W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 38950 | - Daybeacon 26 | 34-42-48.068N 076-56-03.712W | | | | TR-TY on pile. | |
| 38955 | - Daybeacon 27 | 34-42-39.000N 076-56-30.160W | | | | SG-SY on pile. | |
| 38960 | - Daybeacon 28 | 34-42-33.435N 076-56-57.512W | | | | TR-TY on pile. | |
| 38965 | - LIGHT 29 | 34-42-25.294N 076-57-20.168W | Fl G 4s | 15 | 5 | SG-SY on pile. | |
| | **Wood Island Danger Area** | | | | | | |
| 38968 | Wood Island Warning Daybeacon A | 34-40-59.082N 076-57-01.930W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.01 | Wood Island Warning Daybeacon B | 34-40-58.076N 076-57-04.724W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.02 | Wood Island Warning Daybeacon C | 34-40-58.986N 076-57-11.698W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.03 | Wood Island Warning Daybeacon D | 34-41-01.507N 076-57-14.315W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.04 | Wood Island Warning Daybeacon E | 34-41-05.475N 076-57-15.942W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.05 | Wood Island Warning Daybeacon F | 34-41-08.901N 076-57-18.854W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.06 | Wood Island Warning Daybeacon G | 34-41-11.498N 076-57-21.515W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.07 | Wood Island Warning Daybeacon H | 34-41-15.702N 076-57-21.592W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.08 | Wood Island Warning Daybeacon J | 34-41-19.205N 076-57-20.188W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.09 | Wood Island Warning Daybeacon K | 34-41-22.155N 076-57-17.161W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Bogue Sound** | | | | | | |
| | **Wood Island Danger Area** | | | | | | |
| 38968.11 | Wood Island Warning Daybeacon M | 34-41-24.575N 076-57-07.243W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.12 | Wood Island Warning Daybeacon N | 34-41-22.760N 076-57-02.019W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.13 | Wood Island Warning Daybeacon P | 34-41-20.179N 076-56-58.086W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.14 | Wood Island Warning Daybeacon Q | 34-41-16.688N 076-56-55.811W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.15 | Wood Island Warning Daybeacon R | 34-41-14.050N 076-56-53.197W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.16 | Wood Island Warning Daybeacon S | 34-41-10.131N 076-56-51.933W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.17 | Wood Island Warning Daybeacon T | 34-41-06.715N 076-56-51.837W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.18 | Wood Island Warning Daybeacon U | 34-41-02.650N 076-56-53.301W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.19 | Wood Island Warning Daybeacon V | 34-41-01.078N 076-56-57.928W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| | **Bogue Sound** | | | | | | |
| | *Aids located 30 feet outside channel limit.* | | | | | | |
| 38970 | - Daybeacon 30 | 34-42-20.511N 076-57-44.228W | | | | TR-TY on pile. | |
| 38975 | - Daybeacon 31 | 34-42-11.235N 076-58-13.706W | | | | SG-SY on pile. | |
| 38980 | - Daybeacon 32 | 34-42-05.433N 076-58-40.927W | | | | TR-TY on pile. | |
| 38985 | - LIGHT 33 | 34-41-55.551N 076-59-10.015W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 38990 | - Daybeacon 34 | 34-41-47.517N 076-59-34.172W | | | | TR-TY on pile. | |
| 38995 | - Daybeacon 35 | 34-41-37.246N 076-59-50.974W | | | | SG-SY on pile. | |
| 39000 | - Daybeacon 36 | 34-41-26.968N 077-00-20.411W | | | | TR-TY on pile. | |
| 39005 | - LIGHT 37 | 34-41-13.865N 077-00-45.042W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 39010 | - Daybeacon 38 | 34-40-58.250N 077-01-26.230W | | | | TR-TY on pile. | |
| 39015 | - Daybeacon 40 | 34-40-48.608N 077-01-47.473W | | | | TR-TY on pile. | |
| 39020 | - Daybeacon 40A | 34-40-36.647N 077-02-13.989W | | | | TR-TY on pile. | |
| 39025 | - LIGHT 41 | 34-40-34.911N 077-02-13.199W | Q G | 15 | 4 | SG-SY on multi-pile structure. | |
| 39030 | - Daybeacon 42 | 34-40-34.119N 077-02-48.843W | | | | TR-TY on pile. | |
| 39031 | - Daybeacon 42A | 34-40-31.605N 077-03-17.160W | | | | TR-TY on pile. | |
| 39035 | - Daybeacon 44 | 34-40-24.146N 077-04-50.004W | | | | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Bogue Sound** | | | | | | |
| | *Aids located 30 feet outside channel limit.* | | | | | | |
| 39040 | - LIGHT 45 | 34-40-19.611N 077-05-26.830W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 39050 | - Buoy 45A | 34-40-22.914N 077-05-51.828W | | | | Green can with yellow square. | |
| 39060 | - Daybeacon 45B | 34-40-31.769N 077-06-25.881W | | | | SG-SY on pile. | |
| 39063 | Cedar Point Artificial Reef Buoy AR-381A | 34-40-25.800N 077-06-30.240W | | | | White can with orange bands and diamond worded REEF. | Aid maintained by State DOT Private aid. |
| 39063.1 | Cedar Point Artificial Reef Buoy AR-381B | 34-40-25.620N 077-06-30.120W | | | | White can with orange bands and diamond worded REEF. | Aid maintained by State DOT Private aid. |
| 39063.2 | Cedar Point Artificial Reef Buoy AR-381C | 34-40-24.540N 077-06-33.420W | | | | White can with orange bands and diamond worded REEF. | Aid maintained by State DOT Private aid. |
| 39063.3 | Cedar Point Artificial Reef Buoy AR-381D | 34-40-24.780N 077-06-33.540W | | | | White can with orange bands and diamond worded REEF. | Aid maintained by State DOT Private aid. |
| 39065 | - LIGHT 46 | 34-40-27.449N 077-06-08.259W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 39070 | - Daybeacon 46A | 34-40-45.515N 077-06-45.639W | | | | TR-TY on pile. | |
| 39075 | - Daybeacon 46B | 34-40-51.028N 077-06-57.291W | | | | TR-TY on pile. | |
| 39080 | - Daybeacon 47 | 34-40-58.943N 077-07-18.141W | | | | SG-SY on pile. | |
| | **Bogue Sound - New River** | | | | | | |
| | *Aids located 35 feet outside channel limit.* | | | | | | |
| 39085 | - LIGHT 46C | 34-41-04.227N 077-07-24.525W | Q R | 17 | 4 | TR-TY on pile. | |
| 39090 | - Buoy 47A | 34-40-59.185N 077-07-30.735W | | | | Green can with yellow square. | |
| 39095 | - Buoy 47B | 34-40-51.627N 077-07-48.255W | | | | Green can with yellow square. | |
| 39100 | - LIGHT 48 | 34-40-53.471N 077-07-51.669W | Q R | 16 | 4 | TR-TY on pile. | |
| 39105 | - Daybeacon 48A | 34-40-43.415N 077-07-54.573W | | | | TR-TY on pile. | |
| 39110 | - LIGHT 49 | 34-40-15.797N 077-07-58.881W | Q G | 15 | 5 | SG-SY on multi-pile structure. | |
| 39115 | - Buoy 50 | 34-40-17.430N 077-08-00.294W | | | | Red nun with yellow triangle. | |
| 39120 | - Daybeacon 51 | 34-39-43.865N 077-08-51.813W | | | | SG-SY on pile. | |
| | **Cow Creek Channel** | | | | | | |
| 39125 | - Daybeacon CC | 34-39-29.486N 077-09-13.583W | | | | JG on pile. | Private aid. |
| 39132 | - Daybeacon 3 | 34-39-25.259N 077-09-08.347W | | | | SG on pile. | Private aid. |
| 39135 | - Daybeacon 4 | 34-39-24.758N 077-09-09.143W | | | | TR on pile. | Private aid. |
| 39137 | - Daybeacon 5 | 34-39-19.705N 077-09-06.463W | | | | SG on pile. | Private aid. |
| 39140 | - Daybeacon 6 | 34-39-19.576N 077-09-07.329W | | | | TR on pile. | Private aid. |
| 39145 | - Daybeacon 7 | 34-39-11.820N 077-09-06.222W | | | | SG on pile. | Private aid. |
| 39147 | - Daybeacon 8 | 34-39-11.662N 077-09-07.187W | | | | TR on pile. | Private aid. |
| 39150 | - Daybeacon 9 | 34-39-02.417N 077-08-56.872W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Cow Creek Channel** | | | | | | |
| 39155 | - Daybeacon 10 | 34-39-01.975N 077-08-57.552W | | | | TR on pile. | Private aid. |
| 39160 | - Daybeacon 11 | 34-38-54.783N 077-08-49.325W | | | | SG on pile. | Private aid. |
| 39165 | - Daybeacon 12 | 34-38-54.351N 077-08-50.152W | | | | TR on pile. | Private aid. |
| 39170 | - Daybeacon 13 | 34-38-43.391N 077-08-38.424W | | | | SG on pile. | Private aid. |
| 39175 | - Daybeacon 14 | 34-38-43.014N 077-08-39.241W | | | | TR on pile. | Aid maintained by State DOT Private aid. |
| 39180 | - Daybeacon 15 | 34-38-37.352N 077-08-36.604W | | | | SG on pile. | Private aid. |
| 39185 | - Daybeacon 16 | 34-38-37.060N 077-08-37.549W | | | | TR on pile. | Private aid. |
| 39190 | - Daybeacon 17 | 34-38-31.374N 077-08-29.710W | | | | SG on pile. | Private aid. |
| 39195 | - Daybeacon 18 | 34-38-31.374N 077-08-30.432W | | | | TR on pile. | Private aid. |
| | **Bogue Sound - New River** | | | | | | |
| | *Aids located 35 feet outside channel limit.* | | | | | | |
| 39200 | - Daybeacon 53 | 34-39-21.797N 077-09-28.424W | | | | SG-SY on pile. | |
| 39205 | - LIGHT 55 | 34-38-34.558N 077-10-48.280W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 39210 | - LIGHT 58 | 34-37-57.077N 077-12-18.015W | Q R | 15 | 4 | TR-TY on pile. | |
| 39215 | - LIGHT 59 | 34-37-23.795N 077-12-39.163W | Fl G 4s | 15 | 5 | SG-SY on pile. | |
| 39217 | - Buoy 60 | 34-35-52.402N 077-14-31.143W | | | | Red nun with yellow triangle. | |
| 39220 | - LIGHT 61 | 34-36-24.177N 077-13-50.598W | Fl G 4s | 16 | 4 | SG-SY on pile. | |
| 39223 | - Buoy 61A | 34-35-50.843N 077-14-32.133W | | | | Green can with yellow square. | |
| 39224 | - Buoy 62 | 34-35-46.075N 077-14-38.524W | | | | Red nun with yellow triangle. | |
| 39225 | - Buoy 63 | 34-35-44.651N 077-14-36.772W | | | | Green can with yellow square. | |
| 39230 | - LIGHT 64 | 34-33-54.033N 077-16-54.549W | Fl R 4s | 15 | 4 | TR-TY on pile | |
| 39235 | - LIGHT 65 | 34-33-03.139N 077-18-38.376W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 39240 | - LIGHT 65A | 34-32-43.541N 077-19-03.530W | Q G | 15 | 4 | SG-SY on pile. | |
| 39245 | - LIGHT 66 | 34-32-52.288N 077-19-35.853W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| | **Mile Hammock Bay** | | | | | | |
| | *Aids located 30 feet outside channel limit.* | | | | | | |
| 39250 | - Channel Daybeacon 1 | 34-32-55.889N 077-19-39.419W | | | | SG on pile. | |
| 39255 | - Channel Daybeacon 2 | 34-32-55.786N 077-19-37.731W | | | | TR on pile. | |
| 39260 | - Channel Daybeacon 3 | 34-33-02.200N 077-19-36.687W | | | | SG on pile. | |
| 39265 | - Channel Daybeacon 4 | 34-33-00.644N 077-19-33.687W | | | | TR on pile. | |
| | **Bogue Sound - New River** | | | | | | |
| | *Aids located 35 feet outside channel limit.* | | | | | | |
| 39275 | - Daybeacon 67 | 34-32-53.100N 077-19-45.014W | | | | SG-SY on pile. | |
| 39280 | - LIGHT 68 | 34-32-55.552N 077-19-46.532W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 39285 | - Daybeacon 69 | 34-33-03.277N 077-20-23.576W | | | | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **Bogue Sound - New River** | | | | | | |
| | *Aids located 35 feet outside channel limit.* | | | | | | |
| 39290 | - Buoy 70 | 34-33-07.904N 077-20-34.503W | | | | Red nun with yellow triangle. | |
| 39293 | - Buoy 71 | 34-33-10.859N 077-20-50.534W | | | | Green can with yellow square. | |
| 39295 | - LIGHT 72 | 34-33-12.254N 077-20-49.773W | Q R | 15 | 4 | TR-TY on pile. | |
| 39300 | - Buoy 72A | 34-33-11.525N 077-20-57.379W | | | | Red nun with yellow triangle. | |
| 39305 | - Buoy 74 | 34-33-10.863N 077-21-13.054W | | | | Red nun with yellow triangle. | |
| 39310 | - Daybeacon 76 | 34-33-06.560N 077-21-23.223W | | | | TR-TY on pile. | |
| | **New River - Cape Fear River** | | | | | | |
| | *Aids located 30 feet outside channel limit.* | | | | | | |
| 39315 | - LIGHT 2 | 34-32-58.084N 077-21-35.127W | Q R | 18 | 4 | TR-TY on pile. | |
| 39320 | - Daybeacon 4 | 34-32-38.784N 077-21-36.136W | | | | TR-TY on pile. | |
| 39325 | - Daybeacon 6 | 34-32-24.969N 077-21-36.588W | | | | TR-TY on pile. | |
| 39330 | - LIGHT 9 | 34-32-10.529N 077-21-34.857W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 39335 | - Daybeacon 10 | 34-31-57.840N 077-21-44.293W | | | | TR-TY on pile. | |
| 39340 | - Daybeacon 12 | 34-31-39.898N 077-21-55.519W | | | | TR-TY on pile. | |
| 39345 | - Daybeacon 14 | 34-31-19.370N 077-22-08.279W | | | | TR-TY on pile. | |
| 39350 | - LIGHT 15 | 34-31-03.801N 077-22-16.269W | Q G | 15 | 4 | SG-SY on pile. | |
| 39355 | - Daybeacon 17 | 34-30-47.595N 077-23-08.056W | | | | SG-SY on pile. | |
| 39360 | - Daybeacon 19 | 34-30-29.266N 077-24-09.545W | | | | SG-SY on pile. | |
| 39365 | - LIGHT 23 | 34-30-18.014N 077-24-44.720W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 39370 | - Daybeacon 25 | 34-30-11.769N 077-25-04.924W | | | | SG-SY on pile. | |
| 39375 | - LIGHT 27 | 34-29-33.838N 077-27-06.130W | Fl G 4s | 18 | 4 | SG-SY on pile. | |
| 39380 | - Daybeacon 29 | 34-29-26.784N 077-27-23.156W | | | | SG-SY on pile. | |
| 39385 | - Daybeacon 31 | 34-29-13.142N 077-27-54.002W | | | | SG-SY on pile. | |
| 39390 | - Daybeacon 32 | 34-29-07.289N 077-28-11.812W | | | | TR-TY on pile. | |
| 39395 | - Daybeacon 37 | 34-28-56.238N 077-28-32.676W | | | | SG-SY on pile. | |
| 39400 | - LIGHT 39 | 34-28-42.059N 077-29-05.505W | Fl G 4s | 18 | 4 | SG-SY on pile. | |
| 39405 | - Daybeacon 41 | 34-28-32.023N 077-29-28.869W | | | | SG-SY on pile. | |
| 39410 | - Daybeacon 43 | 34-28-26.472N 077-29-40.808W | | | | SG-SY on pile. | |
| 39415 | - Daybeacon 45 | 34-28-18.856N 077-29-59.003W | | | | SG-SY on pile. | |
| 39420 | - Daybeacon 47 | 34-28-12.824N 077-30-12.963W | | | | SG-SY on pile. | |
| 39425 | - LIGHT 49 | 34-28-05.290N 077-30-28.857W | Q G | 18 | 4 | SG-SY on pile. | |
| 39430 | - Daybeacon 51 | 34-27-56.376N 077-30-38.656W | | | | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **New River - Cape Fear River** | | | | | | |
| | *Aids located 30 feet outside channel limit.* | | | | | | |
| 39435 | - Daybeacon 53 | 34-27-44.089N 077-30-52.899W | | | | SG-SY on pile. | |
| 39440 | - Daybeacon 57 | 34-27-19.810N 077-31-20.034W | | | | SG-SY on pile. | |
| 39445 | - Daybeacon 59 | 34-27-08.324N 077-31-33.209W | | | | SG-SY on pile. | |
| 39450 | - LIGHT 61 | 34-26-56.889N 077-31-45.036W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 39455 | - Daybeacon 65 | 34-26-35.924N 077-32-08.969W | | | | SG-SY on pile. | |
| 39460 | - Daybeacon 69 | 34-26-12.311N 077-32-35.578W | | | | SG-SY on pile. | |
| 39463 | Sears Landing Channel Daybeacon 1 | 34-25-55.260N 077-32-58.440W | | | | SG on pile. | Private aid. |
| 39463.1 | Sears Landing Channel Daybeacon 2 | 34-25-55.860N 077-32-57.780W | | | | TR on pile. | Private aid. |
| 39463.2 | Sears Landing Channel Warning Daybeacon W | 34-25-56.760N 077-32-59.400W | | | | Yellow dayboard on pile. | Private aid. |
| 39463.3 | Sears Landing Channel Daybeacon 4 | 34-25-57.730N 077-32-59.840W | | | | TR on pile. | Private aid. |
| 39463.4 | Sears Landing Channel Daybeacon 6 | 34-25-58.750N 077-33-00.860W | | | | TR on pile. | Private aid. |
| 39463.5 | Sears Landing Channel Daybeacon 8 | 34-26-00.060N 077-33-01.260W | | | | TR on pile. | Private aid. |
| 39465 | - LIGHT 71 | 34-25-45.765N 077-33-06.083W | Fl G 4s | 15 | 4 | SG-SY on multi-pile structure. | |
| 39470 | - Buoy 72 | 34-25-41.684N 077-33-22.623W | | | | Red nun. | |
| 39475 | - Daybeacon 76 | 34-25-29.084N 077-33-56.283W | | | | TR-TY on pile. | |
| 39480 | - Daybeacon 78 | 34-25-23.024N 077-34-12.543W | | | | TR-TY on pile. | |
| 39485 | - Daybeacon 80 | 34-25-16.871N 077-34-27.524W | | | | TR-TY on pile. | |
| 39490 | - Daybeacon 82 | 34-25-09.341N 077-34-48.107W | | | | TR-TY on pile. | |
| 39493 | - LIGHT 82A | 34-24-59.987N 077-35-12.866W | Q R | 15 | 4 | TR-TY on pile. | |
| 39500 | - Daybeacon 84 | 34-24-51.180N 077-35-26.055W | | | | TR-TY on pile. | |
| 39505 | - Daybeacon 86 | 34-24-41.700N 077-35-39.921W | | | | TR-TY on pile. | |
| 39507 | - LIGHT 89 | 34-24-31.243N 077-35-51.223W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 39510 | - Daybeacon 90 | 34-24-18.425N 077-36-13.798W | | | | TR-TY on pile. | |
| 39515 | - Daybeacon 92 | 34-24-07.215N 077-36-29.704W | | | | TR-TY on pile. | |
| 39520 30140 | NEW RIVER TO CAPE FEAR RIVER JUNCTION LIGHT BC | 34-24-37.848N 077-35-41.288W | Fl (2+1)G 6s | 15 | 4 | JG-SY on pile. | |
| 39525 | - LIGHT 93 | 34-23-54.746N 077-36-44.397W | Fl G 4s | 16 | 4 | SG-SY on pile. | |
| 39527 | - LIGHT 94 | 34-23-11.261N 077-37-50.961W | Fl R 2.5s | 15 | 4 | TR-TY on pile. | |
| 39530 | - LIGHT 96 | 34-22-33.224N 077-38-47.156W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 39545 | - LIGHT 98 | 34-21-42.530N 077-40-12.910W | Fl R 4s | 18 | 4 | TR-TY on pile. | |
| 39547 | - Buoy 99 | 34-21-34.775N 077-40-23.531W | | | | Green can with yellow square. | |
| 39548 | - Buoy 99A | 34-21-17.901N 077-40-53.322W | | | | Green can yellow square. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **New River - Cape Fear River** | | | | | | |
| | *Aids located 30 feet outside channel limit.* | | | | | | |
| 39550 | - LIGHT 100 | 34-20-38.597N 077-42-01.522W | Fl R 4s | 18 | 4 | TR-TY on pile. | |
| 39555 | - Daybeacon 102 | 34-20-08.115N 077-42-16.497W | | | | TR-TY on pile. | |
| 39560 | - LIGHT 103 | 34-19-44.733N 077-42-27.140W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 39565 | - Daybeacon 105 | 34-19-25.685N 077-42-57.089W | | | | SG-SY on multi-pile structure. | |
| 39570 | - LIGHT 107 | 34-19-03.140N 077-43-29.007W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 39575 | - Daybeacon 108 | 34-18-49.381N 077-43-42.492W | | | | TR-TY on pile. | |
| 39580 | - Daybeacon 110 | 34-18-32.479N 077-43-56.339W | | | | TR-TY on pile. | |
| 39585 | - Daybeacon 114 | 34-17-59.822N 077-44-23.241W | | | | TR-TY on pile. | |
| 39590 | - LIGHT 118 | 34-17-25.744N 077-44-51.097W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 39595 | - Daybeacon 120 | 34-16-56.162N 077-45-15.004W | | | | TR-TY on pile. | |
| 39597 | - Buoy 121 | 34-14-59.752N 077-46-56.194W | | | | Green can with yellow square. | |
| 39598 | - Buoy 121A | 34-14-55.497N 077-46-58.671W | | | | Green can with yellow square. | |
| 39600 | - LIGHT 122 | 34-15-12.314N 077-46-46.502W | Fl R 4s | 18 | 4 | TR-TY on pile. | |
| 39601 | - Buoy 122A | 34-14-58.060N 077-46-58.660W | | | | Red nun with yellow square. | |
| 39603 | MASON INLET PIER LIGHT A | 34-15-00.954N 077-46-57.413W | Fl Y 6s | | | Yellow. | Private aid. |
| 39603.1 | MASON INLET PIER LIGHT B | 34-14-59.812N 077-46-58.480W | Fl Y 6s | | | Yellow. | Private aid. |
| 39605 | - Daybeacon 123 | 34-14-46.240N 077-47-06.648W | | | | SG-SY on pile. | |
| 39610 | - Daybeacon 124 | 34-14-18.953N 077-47-33.315W | | | | TR-TY on pile. | |
| 39615 | - LIGHT 125 | 34-13-50.668N 077-47-56.586W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 39620 | - LIGHT 127 | 34-12-46.561N 077-49-01.324W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| | **Bradley Creek** | | | | | | |
| 39621.1 | - LIGHT 1 | 34-12-24.480N 077-49-12.960W | Fl G 2s | 12 | | SG on pile. | Private aid. |
| 39621.2 | - LIGHT 2 | 34-12-26.220N 077-49-11.700W | Fl R 2s | 12 | | TR on pile. | Private aid. |
| 39621.3 | - Daybeacon 3 | 34-12-30.780N 077-49-25.500W | | | | SG on pile. | Private aid. |
| 39621.4 | - Daybeacon 4 | 34-12-32.100N 077-49-23.820W | | | | TR on pile. | Private aid. |
| 39621.5 | - Daybeacon 5 | 34-12-33.300N 077-49-29.880W | | | | SG on pile. | Private aid. |
| 39621.6 | - Daybeacon 6 | 34-12-33.840N 077-49-29.160W | | | | TR on pile. | Private aid. |
| 39621.7 | - LIGHT 7 | 34-12-35.160N 077-49-34.560W | Fl G 4s | 12 | | SG on pile. | Private aid. |
| 39621.8 | - Daybeacon 8 | 34-12-35.940N 077-49-32.820W | | | | TR on pile. | Private aid. |
| 39621.9 | - LIGHT 9 | 34-12-38.760N 077-49-41.160W | Fl G 4s | 12 | | SG on pile. | Private aid. |
| 39623.1 | - Daybeacon 10 | 34-12-40.200N 077-49-41.160W | | | | TR on pile. | Private aid. |
| 39623.2 | - LIGHT 12 | 34-12-44.700N 077-49-48.060W | Q R | 12 | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)** | | | | | | |
| | **New River - Cape Fear River** | | | | | | |
| | **Bradley Creek** | | | | | | |
| 39623.3 | - LIGHT 14 | 34-12-49.680N 077-49-52.680W | Fl R 4s | 12 | | TR on pile. | Private aid. |
| 39623.4 | - Daybeacon 16 | 34-12-51.780N 077-49-55.980W | | | | TR on pile. | Private aid. |
| | **New River - Cape Fear River** | | | | | | |
| | *Aids located 30 feet outside channel limit.* | | | | | | |
| 39625 | - LIGHT 128 | 34-11-48.808N 077-49-24.217W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 39630 | - Buoy 129 | 34-11-30.697N 077-49-34.406W | | | | Green can with yellow square. | |
| 39635 | - LIGHT 129A | 34-11-16.946N 077-49-42.761W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 39640 | - LIGHT 130 | 34-10-26.217N 077-50-26.223W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 39645 | - Daybeacon 134 | 34-09-58.966N 077-50-46.723W | | | | TR-TY on pile. | |
| 39650 | - Daybeacon 135 | 34-09-33.138N 077-51-02.218W | | | | SG-SY on pile. | |
| 39655 | - LIGHT 137 | 34-09-04.938N 077-51-24.196W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 39660 | - Daybeacon 138 | 34-08-52.824N 077-51-30.933W | | | | TR-TY on multi-pile structure. | |
| 39665 | - Daybeacon 139 | 34-08-35.375N 077-51-35.565W | | | | SG-SY on pile. | |
| 39670 | - Daybeacon 140 | 34-08-09.399N 077-51-50.229W | | | | TR-TY on pile. | |
| | **MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534)** | | | | | | |
| | **New River - Cape Fear River** | | | | | | |
| | *Aids located 35 feet outside channel limit.* | | | | | | |
| 39675 | - Daybeacon 141 | 34-07-45.058N 077-51-57.315W | | | | SG-SY on pile. | |
| 39680 | - Daybeacon 143 | 34-07-21.410N 077-52-07.753W | | | | SG-SY on pile. | |
| 39685 | - LIGHT 145 | 34-07-06.957N 077-52-13.563W | Fl G 4s | 18 | 4 | SG-SY on pile. | |
| 39695 | - Daybeacon 148 | 34-06-46.423N 077-52-22.169W | | | | TR-TY on pile. | |
| 39700 | - Daybeacon 149 | 34-06-31.011N 077-52-25.428W | | | | SG-SY on pile. | |
| 39705 | - Daybeacon 150 | 34-06-11.237N 077-52-33.308W | | | | TR-TY on pile. | |
| 39710 | - Daybeacon 151 | 34-05-53.701N 077-52-36.923W | | | | SG-SY on pile. | |
| 39715 | - Daybeacon 152 | 34-05-34.373N 077-52-46.082W | | | | TR-TY on pile. | |
| 39720 | - LIGHT 153 | 34-05-13.642N 077-52-49.912W | Fl G 4s | 15 | 4 | SG-SY on multi-pile structure. | |
| 39725 | - Buoy 154 | 34-04-53.577N 077-52-59.148W | | | | Red nun with yellow triangle. | |
| 39726 | - Buoy 154A | 34-04-38.914N 077-53-04.654W | | | | Red nun with yellow triangle. | |
| 39730 | - Buoy 155 | 34-04-49.675N 077-52-57.719W | | | | Green can with yellow square. | |
| | **Inlet Watch Yacht club Harbor** | | | | | | |
| 39733 | - LIGHT 1 | 34-04-40.500N 077-53-07.620W | Fl G 2.5s | 10 | | SG on pile. | Private aid. |
| 39733.1 | - LIGHT 2 | 34-04-40.740N 077-53-06.600W | Fl R 4s | 10 | | TR on pile. | Private aid. |
| | **New River - Cape Fear River** | | | | | | |
| | *Aids located 35 feet outside channel limit.* | | | | | | |
| 39735 | - Buoy 155A | 34-04-37.880N 077-53-01.446W | | | | Green can with yellow square. | |
| 39740 | - Daybeacon 156 | 34-04-21.530N 077-53-09.269W | | | | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534)** | | | | | | |
| | **New River - Cape Fear River** | | | | | | |
| | *Aids located 35 feet outside channel limit.* | | | | | | |
| 39745 | - Daybeacon 157 | 34-04-06.057N 077-53-11.549W | | | | SG-SY on pile. | |
| 39750 | - Daybeacon 159 | 34-03-50.259N 077-53-16.921W | | | | SG-SY on pile. | |
| 39755 | - LIGHT 161 | 34-03-32.226N 077-53-22.062W | Fl G 4s | 15 | 5 | SG-SY on multi-pile structure. | |
| 39756 | - Buoy 161A | 34-03-07.461N 077-54-52.286W | | | | Green can with yellow square. | |
| 39757 | - Buoy 162 | 34-03-09.414N 077-54-39.622W | | | | Red nun with yellow triangle. | |
| 39758 | - Buoy 162A | 34-03-06.855N 077-55-03.641W | | | | Red nun with yellow triangle. | |
| | **Carolina Beach Harbor** | | | | | | |
| 39760 | - Channel Daybeacon 2 | 34-03-25.484N 077-53-24.241W | | | | TR on pile. | |
| 39765 | - Channel Daybeacon 4 | 34-03-15.468N 077-53-21.614W | | | | TR on pile. | |
| 39770 | - Channel Daybeacon 5 | 34-03-05.263N 077-53-22.445W | | | | SG on pile. | |
| 39780 | - Channel Daybeacon 7 | 34-02-34.522N 077-53-25.432W | | | | SG on pile. | |
| | **New River - Cape Fear River** | | | | | | |
| | *Aids located 35 feet outside channel limit.* | | | | | | |
| 39825 | - *Lighted Buoy 163* | 34-03-04.770N 077-55-08.731W | Fl G 4s | | 4 | Green with yellow square. | |
| 39836 | - Daybeacon 164 | 34-03-04.679N 077-55-15.710W | | | | TR-TY on pile. | |
| | **Carolina Beach State Park** | | | | | | |
| 39847 | - Daybeacon 1 | 34-03-01.740N 077-55-14.700W | | | | SG on pile. | Private aid. |
| 39847.1 | - Daybeacon 2 | 34-03-01.980N 077-55-14.880W | | | | TR on pile. | Private aid. |
| 39847.2 | - Daybeacon 3 | 34-03-00.540N 077-55-12.600W | | | | SG on pile. | Private aid. |
| 39847.3 | - Daybeacon 4 | 34-03-00.400N 077-55-13.700W | | | | TR on pile. | Private aid. |
| 39847.4 | - Daybeacon 5 | 34-03-00.540N 077-55-09.960W | | | | SG on pile. | Private aid. |
| 39847.5 | - Daybeacon 6 | 34-03-00.600N 077-55-10.620W | | | | TR on pile. | Private aid. |
| | **New River - Cape Fear River** | | | | | | |
| | *Aids located 35 feet outside channel limit.* | | | | | | |
| 39850 | - Daybeacon 165 | 34-03-00.477N 077-55-20.463W | | | | SG-SY on pile. | |
| 39855 | - Buoy 167 | 34-02-53.789N 077-55-34.030W | | | | Green can with yellow square. | |
| 39857 | - LIGHT 168 | 34-02-57.310 N 077-55-33.230 W | Q R | 15 | 4 | TR-TY on pile. | |
| 39860 | - Daybeacon 170 | 34-02-37.137N 077-55-45.399W | | | | TR-TY on pile. | |
| 39865 | - Daybeacon 172 | 34-02-24.690N 077-55-51.192W | | | | TR-TY on pile. | |
| 39867 | - Buoy 172A | 34-02-20.815N 077-55-52.965W | | | | Red nun with yellow triangle. | |
| 39870 | - Daybeacon 174 | 34-02-13.808N 077-55-58.301W | | | | TR-TY on pile. | |
| 39875 | - Daybeacon 176 | 34-02-02.647N 077-56-05.769W | | | | TR-TY on pile. | |
| 39880 30690 | - LIGHT 177 | 34-01-47.292N 077-56-10.838W | Fl G 4s | 16 | 4 | SG-SY on pile. | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| 39885 30695 | - *Channel Lighted Buoy 35* | 34-02-03.244N 077-56-28.771W | Fl G 4s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| 39890<br>30675 | UPPER MIDNIGHT CHANNEL NORTH RANGE FRONT LIGHT | 34-03-22.904N<br>077-56-25.386W | Q W<br>(NIGHT)<br>Q W<br>(DAY) | 17<br>19 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| 39895<br>30680 | UPPER MIDNIGHT CHANNEL NORTH RANGE REAR LIGHT<br>877 yards, 358.6° from front light. | 34-03-48.939N<br>077-56-25.652W | Iso W 6s<br>(NIGHT)<br>Iso W 6s<br>(DAY) | 51<br>49 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| 39895.1<br>30680.1 | UPPER MIDNIGHT CHANNEL NORTH RANGE REAR PASSING LIGHTS (2) | 34-03-48.939N<br>077-56-25.652W | Fl W 4s | 15 | 4 | Located on same structure as Upper Midnight Channel Range Rear Light. | |
| 39900<br>30685 | - *Channel Lighted Buoy 33* | 34-01-23.722N<br>077-56-28.335W | Fl G 2.5s | | 4 | Green with yellow triangle. | |
| 39905<br>30670 | - *Channel Lighted Buoy 31* | 34-00-38.355N<br>077-56-28.156W | Q G | | 4 | Green with yellow triangle. | |
| 39910<br>30665 | - *Channel Lighted Buoy 30* | 34-00-08.305N<br>077-56-29.064W | Fl R 4s | | 4 | Red with yellow square. | |
| 39915<br>30640 | LOWER MIDNIGHT CHANNEL NORTH RANGE FRONT LIGHT | 34-00-59.324N<br>077-56-17.375W | Q W<br>(NIGHT)<br>Q W<br>(DAY) | 20 | | On skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 3° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side or rangeline. |
| 39920<br>30645 | LOWER MIDNIGHT CHANNEL NORTH RANGE REAR LIGHT<br>800 yards, 013.9° from front light. | 34-01-22.306N<br>077-56-10.240W | Iso W 6s<br>(NIGHT)<br>Iso W 6s<br>(DAY) | 45 | | On skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible 1.5° eithers side of rangeline. |
| 39920.1<br>30645.1 | LOWER MIDNIGHT CHANNEL NORTH RANGE REAR PASSING LIGHTS (2) | 34-01-22.306N<br>077-56-10.240W | Fl W 4s | 15 | 4 | Located on same structure as Lower Midnight Channel North Range Rear Light. | |
| 39925<br>30650 | - *Channel Lighted Buoy 29* | 33-59-24.792N<br>077-56-51.015W | Fl G 4s | | 5 | Green with yellow triangle. | |
| 39930<br>30635 | - *Channel Lighted Buoy 28* | 33-59-13.470N<br>077-56-46.069W | Q R | | 4 | Red with yellow square. | |
| 39935<br>30555 | REAVES POINT CHANNEL RANGE FRONT LIGHT | 33-57-40.858N<br>077-56-59.325W | Iso W 2s | 21 | | On multi-pile structure. On same structure as Snows Marsh Channel Range Front Light. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 39940<br>30560 | REAVES POINT CHANNEL RANGE REAR LIGHT<br>1,180 yards, 184.7° from front light. | 33-57-06.009N<br>077-57-03.230W | Iso W 6s | 40 | | On multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 39941<br>30560.5 | REAVES POINT CHANNEL RANGE REAR PASSING LIGHTS (2) | 33-57-06.009N<br>077-57-03.230W | Fl W 4s | 15 | 4 | On same structure as Reaves Point Channel Range Rear Light. | Located on corners of platform. |
| 39945<br>30550 | - *Channel Lighted Buoy 27* | 33-58-16.146N<br>077-56-59.752W | Q G | | 4 | Green with yellow triangle. | |
| 39950<br>30535 | HORSESHOE SHOAL CHANNEL RANGE FRONT LIGHT | 33-56-34.610N<br>077-57-48.857W | Q W | 15 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around; higher intensity 4.0° either side of rangeline. |
| 39955<br>30540 | HORSESHOE SHOAL CHANNEL RANGE REAR LIGHT<br>1475 yards, 203.8° from front light. | 33-55-54.542N<br>077-58-10.000W | Iso W 6s | 44 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| 39960<br>30545 | - *Channel Lighted Buoy 26* | 33-57-33.651N<br>077-57-11.970W | Fl R 4s | | 4 | Red with yellow square. | |
| 39965<br>30530 | - *Channel Lighted Buoy 25* | 33-57-14.831N<br>077-57-35.813W | Q G | | 4 | Green with yellow triangle. | |
| 39965.1<br>30531 | - *Channel Lighted Buoy 25A* | 33-57-31.389N<br>077-57-21.946W | Q G | | 4 | Green with yellow triangle. | |
| 39966<br>30491 | FEDERAL POINT RANGE FRONT LIGHT | 33-58-11.535N<br>077-56-49.444W | Fl W 2.5s | 22 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 39967<br>30492 | FEDERAL POINT RANGE REAR LIGHT<br>966 yards, 338.6° from front light. | 33-57-44.729N<br>077-56-37.212W | Iso W 6s | 42 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 39969<br>30494 | FEDERAL POINT RANGE REAR PASSING LIGHTS (2) | 33-57-44.729N<br>077-56-37.212W | Fl W 4s | 17 | 4 | On same structure as Federal Point Range Rear Light. | Located on corners of platform. |
| 39970<br>30485 | SNOWS MARSH CHANNEL RANGE FRONT LIGHT | 33-57-40.826N<br>077-56-59.328W | Iso W 2s | 21 | | On multi-pile structure. On same structure as Reaves Point Channel Range Front Light. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 39975<br>30490 | SNOWS MARSH CHANNEL RANGE REAR LIGHT<br>1,495 yards, 045.3° from front light. | 33-58-11.657N<br>077-56-21.065W | Iso W 6s | 55 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 39976<br>30490.5 | SNOWS MARSH RANGE REAR PASSING LIGHTS (2) | 33-58-11.657N<br>077-56-21.065W | Fl W 4s | 15 | 5 | On same structure as Snows Marsh Range Rear Light. | |
| 39980<br>30525 | - *Channel Lighted Buoy 23* | 33-56-45.840N<br>077-58-11.540W | Fl G 4s | | 4 | Green with yellow triangle. | |
| | **MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| | **Price Creek-ADM Terminal** | | | | | | |
| 39985<br>30495 | PRICE CREEK SOUTH MOORING DOLPHIN LIGHT | 33-56-00.534N<br>077-59-13.006W | Fl Y 4s | 12 | | On dolphin. | Private aid. |
| 39990<br>30500 | PRICE CREEK SOUTH BRESTING DOLPHIN LIGHT | 33-56-02.626N<br>077-59-09.959W | Fl Y 4s | 12 | | On dolphin. | Private aid. |
| 39995<br>30505 | PRICE CREEK LOADING PLATFORM LIGHTS (2) | 33-56-03.626N<br>077-59-08.959W | Fl Y 4s | 12 | | On platform. | Private aid. |
| 40000<br>30510 | PRICE CREEK NORTH BRESTING DOLPHIN LIGHT | 33-56-04.626N<br>077-59-08.459W | Fl Y 4s | 12 | | On dolphin. | Private aid. |
| 40005<br>30515 | PRICE CREEK NORTH MOORING DOLPHIN LIGHT | 33-56-07.626N<br>077-59-04.459W | Fl Y 4s | 12 | | On dolphin. | Private aid. |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| 40010<br>30520 | - *Channel Lighted Buoy 22* | 33-56-13.087N<br>077-58-44.015W | Fl R 4s | | 4 | Red with yellow square. | |
| 40011 | DEEP POINT MARINA JETTY LIGHT 1 | 33-55-46.000N<br>077-59-39.800W | Q G | 12 | | SG on pile. | Private aid. |
| 40013 | DEEP POINT MARINA JETTY LIGHT 2 | 33-55-47.000N<br>077-59-37.500W | Q R | 12 | | TR on pile. | Private aid. |
| 40015<br>30480 | - *Channel Lighted Buoy 20* | 33-55-29.152N<br>077-59-34.976W | Q R | | 4 | Red with yellow square. | |
| 40020<br>30475 | - *Channel Lighted Buoy 19* | 33-55-15.766N<br>078-00-15.680W | Fl G 4s | | 4 | Green with yellow triangle. | Marks pile of stone ballast. |
| 40025<br>30460 | LOWER SWASH CHANNEL RANGE FRONT LIGHT | 33-55-51.419N<br>077-59-04.824W | Q W<br>(NIGHT)<br>Q W<br>(DAY) | 20 | | On multi-pile structure. | Lighted throughout 24 hours. Day : Visible 14° either side of rangeline. Night : Visible all around; higher intensity 14° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **CAPE FEAR RIVER (Chart 11537)** | | | | | | |
| | **Cape Fear River** | | | | | | |
| 40030<br>30465 | LOWER SWASH CHANNEL RANGE REAR LIGHT<br>767 yards, 055.1° from front light. | 33-56-04.202N<br>077-58-42.252W | Iso W 6s<br>(NIGHT)<br>Iso W 6s<br>(DAY) | 42 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 10° either side rangeline. |
| 40030.1<br>30465.1 | LOWER SWASH CHANNEL RANGE REAR PASSING LIGHTS (2) | 33-56-04.202N<br>077-58-42.252W | Fl W 4s | 15 | 4 | On same structure as Lower Swash Channel Range Rear Light. | Located on corners of platform. |
| 40035<br>30455 | SOUTHPORT LIGHT 1 | 33-54-53.391N<br>078-01-11.521W | Fl G 2.5s | 15 | 4 | SG-SY on multi-pile structure. | |
| | **MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534)** | | | | | | |
| | **Cape Fear River - Little River** | | | | | | |
| 40045 | - Buoy 2 | 33-54-55.483N<br>078-01-08.267W | | | | Red nun with yellow triangle. | |
| 40050 | - LIGHT 2A | 33-54-58.993N<br>078-01-46.171W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 40053 | - Daybeacon 3 | 33-54-58.102N<br>078-01-55.444W | | | | SG-SY on same structure as Southport Range Rear Light. | |
| 40055 | - Daybeacon 5 | 33-55-03.347N<br>078-02-36.038W | | | | SG-SY on pile. | |
| 40060 | - LIGHT 7<br>35 feet outside channel limit. | 33-55-09.515N<br>078-03-16.797W | Fl G 2.5s | 15 | 4 | SG-SY on pile. | |
| 40065 | - Daybeacon 8 | 33-55-13.142N<br>078-03-27.576W | | | | TR-TY on pile. | |
| 40070 | - Daybeacon 9<br>35 feet outside channel limit. | 33-55-12.481N<br>078-03-45.728W | | | | SG-SY on pile. | |
| 40075 | - LIGHT 11 | 33-55-18.868N<br>078-04-34.526W | Fl G 4s | 18 | 4 | SG-SY on pile. | |
| 40080 | - Daybeacon 13 | 33-55-18.680N<br>078-05-13.659W | | | | SG-SY on pile. | |
| 40085 | - Daybeacon 15 | 33-55-18.724N<br>078-05-46.587W | | | | SG-SY on pile. | |
| 40090 | - LIGHT 16 | 33-55-20.997N<br>078-06-44.121W | Fl R 4s | 18 | 4 | TR-TY on pile. | |
| 40095 | - LIGHT 18 | 33-55-44.337N<br>078-10-17.834W | Fl R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 40100 | - LIGHT 24 | 33-55-36.485N<br>078-11-21.982W | Fl R 4s | 18 | 4 | TR-TY on multi-pile structure. | |
| 40105 | - Daybeacon 26 | 33-55-26.335N<br>078-11-35.060W | | | | TR-TY on pile. | |
| 40110 | - Daybeacon 28 | 33-55-19.664N<br>078-11-42.599W | | | | TR-TY on pile. | |
| 40115 | - LIGHT 29 | 33-55-08.960N<br>078-11-50.737W | Fl G 4s | 18 | 4 | SG-SY on pile. | |
| 40120 | - Daybeacon 32 | 33-55-14.330N<br>078-12-16.961W | | | | TR-TY on pile. | |
| 40125 | - LIGHT 33 | 33-55-16.312N<br>078-12-45.438W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 40130 | - Daybeacon 36 | 33-55-23.206N<br>078-12-54.051W | | | | TR-TY on pile. | |
| | **Lockwoods Folly River** | | | | | | |
| 40135 | - Daybeacon 1 | 33-55-29.030N<br>078-12-57.952W | | | | SG on pile. | |
| 40140 | - Daybeacon 2 | 33-55-35.840N<br>078-12-54.436W | | | | TR on pile. | |
| 40145 | - Daybeacon 4 | 33-55-43.414N<br>078-12-58.558W | | | | TR on pile. | |
| 40150 | - Daybeacon 5 | 33-55-54.304N<br>078-13-04.018W | | | | SG on pile. | |
| 40155 | - Daybeacon 6 | 33-55-59.974N<br>078-13-06.265W | | | | TR on pile. | |
| 40160 | - Daybeacon 7 | 33-56-13.114N<br>078-13-12.652W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534)** | | | | | | |
| | **Cape Fear River - Little River** | | | | | | |
| | **Lockwoods Folly River** | | | | | | |
| 40170 | - Daybeacon 9 | 33-56-31.946N 078-13-12.376W | | | | SG on pile. | |
| 40175 | - Daybeacon 10 | 33-56-40.418N 078-13-17.908W | | | | TR on pile. | |
| 40180 | - Daybeacon 12 | 33-56-49.714N 078-13-25.282W | | | | TR on pile. | |
| 40185 | - Daybeacon 14 | 33-57-06.622N 078-13-33.742W | | | | TR on pile. | |
| | **Cape Fear River - Little River** | | | | | | |
| 40195 | - Daybeacon 39 35 feet outside channel limit. | 33-55-27.043N 078-13-04.977W | | | | SG-SY on pile. | |
| 40200 | - LIGHT 40 | 33-55-32.050N 078-13-11.090W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 40205 | - Daybeacon 41 35 feet outside channel limit. | 33-55-26.958N 078-13-22.540W | | | | SG-SY on pile. | |
| 40210 | - Daybeacon 42 35 feet outside channel limit. | 33-55-24.402N 078-13-33.138W | | | | TR-TY on pile. | |
| 40215 | - LIGHT 44 35 feet outside channel limit. | 33-55-19.899N 078-13-43.995W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 40220 | - Daybeacon 46 | 33-55-18.340N 078-13-53.967W | | | | TR-TY on pile. | |
| 40222 | - Buoy 46A | 33-55-18.639N 078-14-05.603W | | | | Red nun. | |
| 40225 | - Buoy 47 | 33-55-17.375N 078-14-02.590W | | | | Green can with yellow square. | |
| 40230 | - Buoy 47A | 33-55-16.681N 078-14-10.003W | | | | Green can with yellow square. | |
| 40235 | - Buoy 48 | 33-55-14.632N 078-14-18.062W | | | | Red nun with yellow triangle. | |
| 40240 | - LIGHT 48A | 33-55-12.927N 078-14-33.123W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 40245 | - LIGHT 50 | 33-55-07.484N 078-15-19.633W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 40250 | - LIGHT 51 | 33-55-04.652N 078-15-42.101W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 40255 | - LIGHT 51A | 33-54-57.470N 078-16-13.139W | Fl G 4s | 15 | 5 | SG-SY on pile. | |
| 40260 | - Daybeacon 53 | 33-54-57.109N 078-16-49.402W | | | | SG-SY on pile. | |
| 40265 | - Daybeacon 55 | 33-54-57.276N 078-17-24.456W | | | | SG-SY on pile. | |
| 40270 | - Daybeacon 57 | 33-54-57.441N 078-17-56.784W | | | | SG-SY on pile. | |
| 40275 | - LIGHT 59 | 33-54-57.427N 078-18-29.724W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 40280 | - Daybeacon 61 | 33-54-55.766N 078-18-57.136W | | | | SG-SY on pile. | |
| 40285 | - Daybeacon 63 | 33-54-53.897N 078-19-22.835W | | | | SG-SY on pile. | |
| 40287 | - Warning Daybeacon | 33-54-53.571N 078-19-22.877W | | | | NW on pile worded DANGER SUBMERGED OBJECT. | |
| 40290 | - Daybeacon 65 | 33-54-51.517N 078-19-46.424W | | | | SG-SY on pile. | |
| 40295 | - LIGHT 67 | 33-54-49.651N 078-20-11.932W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 40300 | - Daybeacon 69 | 33-54-45.500N 078-20-34.286W | | | | SG-SY on pile. | |
| 40305 | - Daybeacon 71 | 33-54-37.368N 078-21-20.326W | | | | SG-SY on pile. | |
| 40310 | - LIGHT 71A 35 feet outside channel limit. | 33-54-32.444N 078-21-44.221W | Fl G 4s | 15 | 4 | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (North Carolina) - Fifth District** | | | | | | |
| | **MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534)** | | | | | | |
| | **Cape Fear River - Little River** | | | | | | |
| 40315 | - Daybeacon 73<br>35 feet outside channel limit. | 33-54-36.490N<br>078-21-56.565W | | | | SG-SY on pile. | |
| 40320 | - Buoy 75 | 33-54-41.837N<br>078-22-11.260W | | | | Green can with yellow square. | |
| 40323 | - Buoy 76 | 33-54-45.201N<br>078-22-16.655W | | | | Red nun with yellow triangle. | |
| 40325 | - LIGHT 77 | 33-54-46.417N<br>078-22-25.361W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 40330 | - LIGHT 78 | 33-54-48.670N<br>078-22-33.105W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 40335 | - Daybeacon 80 | 33-54-38.459N<br>078-22-50.330W | | | | TR-TY on pile. | |
| 40337 | - Buoy 80A | 33-54-29.524N<br>078-23-00.989W | | | | Red nun with yellow triangle. | |
| 40340 | - Buoy 81 | 33-54-25.019N<br>078-23-06.176W | | | | Green can with yellow square. | |
| 40345 | - Buoy 82 | 33-54-19.903N<br>078-23-14.286W | | | | Red nun with yellow triangle. | |
| 40350 | - LIGHT 83 | 33-54-16.576N<br>078-23-21.341W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 40355 | - LIGHT 84 | 33-54-15.491N<br>078-23-42.588W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 40360 | - LIGHT 85 | 33-54-12.394N<br>078-24-08.537W | Fl G 4s | 16 | 4 | SG-SY on pile. | |
| 40365 | - Daybeacon 87 | 33-54-05.407N<br>078-24-37.667W | | | | SG-SY on pile. | |
| 40370 | - Daybeacon 89 | 33-53-58.554N<br>078-25-04.365W | | | | SG-SY on pile. | |
| 40375 | - LIGHT 90 | 33-53-52.748N<br>078-25-35.972W | Fl R 4s | 15 | 3 | TR-TY on pile. | |
| 40380 | - Daybeacon 91 | 33-53-48.457N<br>078-25-50.663W | | | | SG-SY on pile. | |
| 40385 | - LIGHT 93 | 33-53-40.922N<br>078-26-39.421W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 40390 | - Daybeacon 95 | 33-53-33.235N<br>078-27-16.084W | | | | SG-SY on pile. | |
| 40395 | - Daybeacon 97 | 33-53-28.517N<br>078-27-39.668W | | | | SG-SY on pile. | |
| 40400 | - LIGHT 98 | 33-53-25.438N<br>078-28-03.096W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 40405 | - Daybeacon 99 | 33-53-20.538N<br>078-28-30.282W | | | | SG-SY on pile. | |
| 40410 | - LIGHT 101<br>35 feet outside channel limit. | 33-53-15.490N<br>078-29-08.192W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 40415 | - Daybeacon 103<br>35 feet outside channel limit. | 33-53-10.710N<br>078-29-27.539W | | | | SG-SY on pile. | |
| 40420 | - Daybeacon 105<br>35 feet outside channel limit. | 33-53-01.432N<br>078-30-03.785W | | | | SG-SY on pile. | |
| 40425 | - LIGHT 108<br>35 feet outside channel limit. | 33-52-42.272N<br>078-31-28.802W | Fl R 4s | 15 | 4 | TR-TY on pile. | |
| 40430 | - Daybeacon 109<br>35 feet outside channel limit. | 33-52-37.328N<br>078-31-51.575W | | | | SG-SY on pile. | |
| 40435 | - LIGHT 111<br>35 feet outside channel limit. | 33-52-32.646N<br>078-32-25.052W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 40440 | - Daybeacon 113 | 33-52-22.997N<br>078-32-45.158W | | | | SG-SY on pile. | |
| 40445 | - Daybeacon 115 | 33-52-13.141N<br>078-33-04.181W | | | | SG-SY on pile. | |
| | **INTRACOASTAL WATERWAY (South Carolina) - Fifth District** | | | | | | |
| | **MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534)** | | | | | | |
| | **Cape Fear River - Little River** | | | | | | |
| 40450 | - LIGHT 116 | 33-51-55.110N<br>078-33-43.870W | Fl R 4s | 15 | 4 | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---|---|---|---|---|---|
| | **INTRACOASTAL WATERWAY (South Carolina) - Fifth District** | | | | | | |
| | **MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534)** | | | | | | |
| | **Cape Fear River - Little River** | | | | | | |
| 40455 | - LIGHT 117 | 33-51-51.756N<br>078-34-04.090W | Fl G 4s | 15 | 4 | SG-SY on pile. | |
| 40460 | - LIGHT 119 | 33-52-04.519N<br>078-34-16.593W | Fl G 4s | 15 | 4 | SG-SY on pile. | |