

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|------------------------------------|---------------------------------|------------------------|---------------|--------------|--|--|
| ST. LAWRENCE RIVER | | | | | | | |
| ILE ST. REGIS TO/A CROIL ISLANDS (Chart 1433)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 5 | - Lighted Buoy 1 | 45-00-13.840N 074-40-05.670W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 10 | - LIGHT 2 (C) | 45-00-12.000N 074-40-30.000W | Q R | 40 12 | | White circular tower, red top. | Seasonal. |
| 15 | - Lighted Buoy 3 | 44-59-57.580N 074-40-28.260W | Q G | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 20 | - LIGHT 4 (C) | 45-00-06.000N 074-41-00.000W | FI R 4s | 40 12 | | White circular tower, red top. | Seasonal. |
| 25 | - Lighted Buoy 5 | 44-59-53.700N 074-40-58.400W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 30 | - Lighted Buoy 5A | 44-59-56.100N 074-41-21.800W | FI G 4s | | | Green. | Winter marker. Aid maintained by S.L.S.D.C. |
| 35 | - Lighted Buoy 5B | 44-59-58.400N 074-41-44.700W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 40 | - Lighted Buoy 6 | 45-00-00.400N 074-41-20.800W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 45 | - Lighted Buoy 6A | 45-00-02.800N 074-41-43.700W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 50 | - Lighted Buoy 7 | 45-00-00.700N 074-42-07.300W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 55 | - Lighted Buoy 8 | 45-00-05.100N 074-42-06.600W | FI R 4s | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 60 | - Lighted Buoy 9 | 44-59-58.900N 074-42-38.700W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 65 | - LIGHT 10 SECTOR (C) | 45-00-06.000N 074-42-54.000W | F W (R & G Sectors) | 54 16 | | White skeleton tower on pile crib with orange triangular day mark. | Red 276° to 277.8°; white 277.8° to 279.3°; green 279.3° to 281°. White sector indicates preferred channel. Seasonal. |
| 66 | - LIGHT 10 DIRECTION (C) | 45-00-06.000N 074-42-54.000W | F R | 51 16 | | White skeleton tower on pile crib with orange triangular day mark. | Visible from 044.5° to 051.5°. Increased intensity on a bearing of 048°. Seasonal. |
| 70 | - LIGHT 11 | 44-59-48.000N 074-43-06.000W | FI G 2.5s | 28 9 | | SG on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 75 | - LIGHT 13 | 44-59-36.000N 074-43-24.000W | FI G 4s | 28 9 | | SG on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 80 | - Lighted Buoy 14 | 44-59-25.400N 074-44-19.200W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 85 | - Lighted Buoy 15 | 44-59-23.600N 074-43-42.400W | Q G | | | Green. | Aid maintained by S.L.S.D.C. |
| 90 | Aluminum Foundry Water Intake Buoy | 44-59-21.000N 074-44-02.000W | | | | Yellow. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| ST. LAWRENCE RIVER | | | | | | | |
| ILE ST. REGIS TO/A CROIL ISLANDS (Chart 1433)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 95 | - Lighted Buoy 16 | 44-59-27.100N 074-45-25.600W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 100 | - Lighted Buoy 17 | 44-59-16.500N 074-45-16.300W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 105 | POLLY'S GUT TRAINING DIKE EAST END LIGHT A | 44-59-27.600N 074-45-46.200W | Q Y | 15 5 | | On white pile. | Aid maintained by S.L.S.D.C. |
| 110 | POLLY'S GUT TRAINING DIKE WEST END LIGHT B | 44-59-27.600N 074-45-46.200W | Q Y | 6 2 | | On box. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 115 | POLLY'S GUT TRAINING DIKE A LIGHT C | 44-59-30.000N 074-45-48.000W | Q Y | 15 5 | | On white pile. | Aid maintained by S.L.S.D.C. |
| 125 | - Buoy 19 | 44-59-14.900N 074-46-00.300W | | | | Green can. | Aid maintained by S.L.S.D.C. |
| 130 | - LIGHT 20 | 44-59-24.500N 074-45-59.900W | F R | 28 9 | | TR on wall. | Aid maintained by S.L.S.D.C. |
| 145 | - LIGHT 24 | 44-59-13.900N 074-47-10.200W | F R | 28 9 | | TR on wall. | Aid maintained by S.L.S.D.C. |
| 150 | - LIGHT 25 About 75 feet outside channel limit. | 44-59-08.400N 074-47-09.300W | FI G 2.5s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 155 | - Lighted Buoy 26 | 44-59-10.590N 074-47-35.650W | FI R 4s | | | | Aid maintained by S.L.S.D.C. |
| 160 | - MOORING CELLS LIGHT A | 44-59-05.200N 074-47-44.300W | F Y | 15 5 | | | Aid maintained by S.L.S.D.C. |
| 165 | - MOORING CELLS LIGHT B | 44-59-04.300N 074-47-53.000W | F Y | 15 5 | | | Aid maintained by S.L.S.D.C. |
| 170 | - LIGHT 28 About 63 feet outside channel limit. | 44-59-05.700N 074-48-31.100W | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 175 | - LIGHT 29 About 73 feet outside channel limit. | 44-59-00.600N 074-48-29.700W | FI G 4s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 180 | - LIGHT 30 About 50 feet outside channel limit. | 44-58-58.900N 074-49-24.300W | FI R 2.5s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 185 | - LIGHT 31 | 44-58-53.900N 074-49-23.100W | FI G 2.5s | 28 9 | | SG on cell. | Aid maintained by S.L.S.D.C. |
| 190 | - MOORING CELLS LIGHT C | 44-58-52.900N 074-49-31.700W | F Y | 15 5 | | | Aid maintained by S.L.S.D.C. |
| 195 | - Lighted Buoy 32 | 44-58-53.500N 074-50-02.700W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 205 | - Lighted Buoy 33 | 44-58-47.400N 074-50-15.600W | FI G 4s | | | Green. | Year round lighted buoy. Aid maintained by S.L.S.D.C. |
| 210 | - LIGHT 34 | 44-58-54.000N 074-50-30.000W | F R | 28 9 | | TR on wall. | Aid maintained by S.L.S.D.C. |
| 225 | - LIGHT 38 | 44-58-43.900N 074-51-35.200W | F R | 28 9 | | TR on wall. | Aid maintained by S.L.S.D.C. |
| 235 | - Lighted Buoy 39 | 44-58-36.800N 074-51-41.900W | FI G 4s | | | Green. | Winter marker. Aid maintained by S.L.S.D.C. |
| 240 | - Lighted Buoy 40 | 44-58-40.000N 074-51-55.000W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| ST. LAWRENCE RIVER | | | | | | | |
| ILE ST. REGIS TO/A CROIL ISLANDS (Chart 1433)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 245 | - MOORING CELLS LIGHT D | 44-58-25.400N 074-52-51.900W | F Y | 15 5 | | | Aid maintained by S.L.S.D.C. |
| 250 | - LIGHT 41 | | FI G 2.5s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 255 | - LIGHT 42 About 55 feet outside channel limit. | 44-58-29.000N 074-53-02.000W | FI R 2.5s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 260 | - LIGHT 43 About 55 feet outside channel limit. | 44-58-16.100N 074-53-44.400W | FI G 4s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 265 | - LIGHT 44 About 50 feet outside channel limit. | 44-58-21.800N 074-53-46.300W | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 270 | - LIGHT 45 About 75 feet outside channel limit. | 44-58-07.300N 074-54-37.500W | FI G 2.5s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 275 | - LIGHT 46 About 55 feet outside channel limit. | 44-58-13.000N 074-54-39.400W | FI R 2.5s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 280 | - <i>Lighted Buoy 46A</i> | 44-58-07.100N 074-55-10.200W | FI R 4s | | | Red. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 285 | - LIGHT 47 | 44-57-54.000N 074-55-42.000W | FI G 4s | 28 9 | | SG on cell. | Maintained from Apr. 15 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 290 | - LIGHT 48 About 50 feet outside channel limit. | 44-58-02.000N 074-55-45.260W | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 295 | - <i>Lighted Buoy 48A</i> | 44-57-56.700N 074-56-12.100W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 300 | - <i>Lighted Buoy 49</i> | 44-57-49.400N 074-56-28.800W | FI G 4s | | | Green. | Winter marker. Aid maintained by S.L.S.D.C. |
| 305 | - <i>Lighted Buoy 50</i> | 44-57-50.000N 074-56-51.400W | FI R 4s | | | Red. | Year Round Lighted Buoy Aid maintained by S.L.S.D.C. |
| 310 | - LIGHT 51 | 44-57-38.200N 074-57-32.400W | FI G 4s | 28 9 | | SG on tower. | Aid maintained by S.L.S.D.C. |
| 315 | - <i>Lighted Buoy 52</i> | 44-57-42.400N 074-57-39.200W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 320 | - LIGHT 54 | 44-57-40.600N 074-57-52.200W | FI R 2.5s | 28 9 | | TR on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 325 | - LIGHT 55 About 60 feet outside channel limit. | 44-57-30.000N 074-58-06.000W | FI G 2.5s | 28 9 | | SG on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 330 | - <i>Lighted Buoy 56</i> | 44-57-38.300N 074-58-02.100W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-------------------------|---|
| ST. LAWRENCE RIVER | | | | | | | |
| CROIL ISLAND TO/A CARDINAL (Chart 1434)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 335 | - LIGHT 57 About 125 feet outside channel limit. | | Q G | 30 9 | | SG on tower on cell. | Aid maintained by S.L.S.D.C. |
| Lake St. Lawrence Yacht Club Channel | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 336.1 | - Buoy 1 | 44-56-31.000N 074-59-57.094W | | | | Green can. | Private aid. |
| 336.15 | - Buoy 2 | 44-56-32.068N 074-59-58.052W | | | | Red nun. | Private aid. |
| 336.2 | - Buoy 3 | 44-56-26.000N 074-59-56.099W | | | | Green can. | Private aid. |
| 336.25 | - Buoy 4 | 44-56-24.068N 074-59-56.055W | | | | Red nun. | Private aid. |
| 336.3 | - Buoy 5 | 44-56-21.000N 074-59-59.021W | | | | Green can. | Private aid. |
| 336.35 | - Buoy 6 | 44-56-20.710N 075-00-00.034W | | | | Red nun. | Private aid. |
| 336.4 | - Buoy 7 | 44-56-20.029N 074-59-57.057W | | | | Green can. | Private aid. |
| 336.45 | - Buoy 8 | 44-56-18.008N 074-59-59.018W | | | | Red nun. | Private aid. |
| 336.5 | - Buoy 9 | 44-56-20.350N 074-59-54.670W | | | | Green can. | Private aid. |
| 336.55 | - Buoy 10 | 44-56-21.019N 074-59-56.090W | | | | Red nun. | Private aid. |
| 336.6 | - Buoy 11 | 44-56-20.270N 074-59-52.870W | | | | Green can. | Private aid. |
| 336.65 | - Buoy 12 | 44-56-21.005N 074-59-54.350W | | | | Red nun. | Private aid. |
| 340 | - LIGHT 58 About 175 feet outside channel limit. | 44-57-04.400N 075-00-22.000W | FI R 4s | 28 9 | | TR on tower on cell. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 345 | CAT ISLAND LEADING LIGHT | 44-57-12.000N 075-00-24.000W | F W | | | NB on cells. | Visible 4° each side of 257.4° Aid maintained by S.L.S.D.C. |
| 350 | - <i>Lighted Buoy 60</i> Marks shoal. | 44-56-56.900N 075-00-30.800W | Q R | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| Wilson Hill Small Boat Channel | | | | | | | |
| <i>Buoys maintained from Apr. 30 to Sep. 30.</i> | | | | | | | |
| 351 | - Buoy 1 | 44-56-24.410N 075-00-31.065W | | | | Green can. | Private aid. |
| 351.05 | - Buoy 2 | 44-56-23.042N 075-00-37.072W | | | | Red nun. | Private aid. |
| 351.1 | - Buoy 3 | 44-56-13.000N 075-00-31.000W | | | | Green can. | Private aid. |
| 351.15 | - Buoy 4 | 44-56-13.078N 075-00-32.000W | | | | Red nun. | Private aid. |
| 351.2 | - Buoy 5 | 44-56-08.069N 075-00-28.078W | | | | Green can. | Private aid. |
| 351.25 | - Buoy 6 | 44-56-10.000N 075-00-33.310W | | | | Red nun. | Private aid. |
| 351.3 | - Buoy 7 | 44-56-00.000N 075-00-26.000W | | | | Green can. | Private aid. |
| 351.35 | - Buoy 8 | 44-56-03.240N 075-00-27.004W | | | | Red nun. | Private aid. |
| 351.4 | - Buoy 9 | 44-55-58.058N 075-00-36.062W | | | | Green can. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| ST. LAWRENCE RIVER | | | | | | | |
| CROIL ISLAND TO/A CARDINAL (Chart 1434)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| Wilson Hill Small Boat Channel | | | | | | | |
| <i>Buoys maintained from Apr. 30 to Sep. 30.</i> | | | | | | | |
| 351.45 | - Buoy 10 | 44-56-00.021N 075-00-36.032W | | | | Red nun. | Private aid. |
| 351.5 | - Buoy 11 | 44-55-50.079N 075-00-41.062W | | | | Green can. | Private aid. |
| 351.55 | - Buoy 12 | 44-55-51.000N 075-00-42.000W | | | | Red nun. | Private aid. |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 355 | - Lighted Buoy 61 | 44-56-31.700N 075-01-21.300W | FI G 4s | | | Green. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 360 | WILSON HILL RANGE FRONT LIGHT | 44-57-00.000N 074-59-42.000W | F G | 28 9 | | Orange triangular day mark with black stripes on square tower. | Aid maintained by S.L.S.D.C. |
| 365 | WILSON HILL RANGE REAR LIGHT 1,500 feet, 068.7° from front light. | | F G | 58 18 | | Orange triangular day mark with black stripes on square tower. | Aid maintained by S.L.S.D.C. |
| 370 | - Lighted Buoy 63 | 44-56-22.100N 075-01-55.800W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 375 | Weaver Shoal Anchorage Area E Lighted Buoy XA (C) | 44-56-54.000N 075-01-54.000W | FI Y 4s | | | Yellow. | Seasonal. |
| 380 | Weaver Shoal Anchorage Area W Lighted Buoy XC (C) | 44-56-30.000N 075-03-24.000W | FI Y 4s | | | Yellow. | Seasonal. |
| 385 | - Lighted Buoy 67 | 44-55-50.500N 075-03-45.300W | FI G 4s | | | Green. | Winter marker. Aid maintained by S.L.S.D.C. |
| 390 | - LIGHT 68 (C) Marks Weaver Shoal. | 44-55-54.000N 074-04-06.000W | Q R | 45 14 | | White circular tower. | |
| 395 | - LIGHT 70 (C) | 44-55-48.000N 075-04-48.000W | FI R 4s | 29 9 | | White circular tower with red top. | Seasonal. |
| 400 | - LIGHT 71 | 44-55-30.500N 075-04-54.500W | FI G 4s | 23 7 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 410 | - Lighted Buoy 72 (C) | 44-55-48.000N 075-05-30.000W | Q R | | | Red. | Seasonal. |
| 415 | - LIGHT 73 | 44-55-33.500N 075-05-43.100W | FI G 2.5s | 30 9 | | SG on tower on cell. | RACON: M (- -) Aid maintained by S.L.S.D.C. |
| 420 | - Lighted Buoy 74 (C) | 44-55-24.000N 075-06-36.000W | FI R 4s | | | Red. | Seasonal. |
| 425 | DORAN SHOAL RANGE FRONT LIGHT (C) | 44-56-00.000N 075-06-48.000W | F Y | 33 10 | | Orange triangular day mark with black stripes on skeleton tower. | Seasonal. |
| 430 | DORAN SHOAL RANGE REAR LIGHT (C) 1,225 feet, 040.2° from front light. | | F Y | 56 17 | | Orange triangular day mark with black stripes on skeleton tower. | Seasonal. |
| Coles Creek Channel | | | | | | | |
| <i>These private aids best mark the channel and may shift as channel conditions warrant. Maintained from Apr. 30 to Sept. 30.</i> | | | | | | | |
| 435 | - Lighted Buoy 1 | 44-54-15.000N 075-06-44.000W | FI G 4s | | | Green. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. LAWRENCE RIVER | | | | | | | |
| CROIL ISLAND TO/A CARDINAL (Chart 1434)(C) | | | | | | | |
| Coles Creek Channel | | | | | | | |
| <i>These private aids best mark the channel and may shift as channel conditions warrant. Maintained from Apr. 30 to Sept. 30.</i> | | | | | | | |
| 440 | - Lighted Buoy 2 | 44-54-09.500N 075-06-55.000W | FI R 4s | | | Red. | Private aid. |
| 445 | - Lighted Buoy 3 | 44-53-52.000N 075-06-47.000W | FI G 4s | | | Green. | Private aid. |
| 450 | - Lighted Buoy 4 | 44-53-44.000N 075-06-57.500W | FI R 4s | | | Red. | Private aid. |
| 455 | - Lighted Buoy 5 | 44-53-34.000N 075-06-51.000W | FI G 4s | | | Green. | Private aid. |
| 460 | - Lighted Buoy 6 | 44-53-34.500N 075-07-01.000W | FI R 4s | | | Red. | Private aid. |
| 465 | - Lighted Buoy 7 | 44-53-24.500N 075-06-59.000W | FI G 4s | | | Green. | Private aid. |
| 470 | - Lighted Buoy 8 | 44-53-27.000N 075-07-01.500W | FI R 4s | | | Red. | Private aid. |
| 475 | - Lighted Buoy 9 | 44-53-23.000N 075-07-05.000W | FI G 4s | | | Green. | Private aid. |
| 480 | - Lighted Buoy 10 | 44-53-27.000N 075-07-04.500W | FI R 4s | | | Red. | Private aid. |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 485 | - LIGHT 75 About 100 feet outside channel limit. | 44-55-10.600N 075-06-59.300W | FI G 4s | 30 9 | | SG on tower on cell. | Aid maintained by S.L.S.D.C. |
| 490 | - Lighted Buoy 77 | 44-55-04.800N 075-07-34.000W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 495 | WEAVER SHOAL RANGE FRONT LIGHT (C) | 44-55-30.000N 075-07-54.000W | F W | 33 10 | | White triangular day mark with black stripe on skeleton tower. | Seasonal. |
| 500 | WEAVER SHOAL RANGE REAR LIGHT (C) 1,520 feet, 262° from front light. | | F W | 56 17 | | White inverted triangular day mark with black stripe on skeleton tower. | Seasonal. |
| 505 | - Lighted Buoy 78 (C) | | Q R | | | Red. | Seasonal. |
| 510 | - LIGHT 79 About 70 feet outside channel limit. | 44-54-50.100N 075-08-01.300W | Q G | 30 9 | | SG on tower on cell. | Aid maintained by S.L.S.D.C. |
| 515 | GOOSE NECK ISLAND SHOALS RANGE FRONT LIGHT (C) | 44-54-54.000N 075-08-48.000W | F R | 33 10 | | Orange triangular day mark with black stripes on skeleton tower. | Seasonal. |
| 520 | GOOSE NECK ISLAND SHOALS RANGE REAR LIGHT (C) 470 feet, 255° from front light. | | F R | 45 14 | | Orange inverted day mark with black stripes on skeleton tower. | Seasonal. |
| 530 | - LIGHT 81 (C) Marks Doran Shoal. | 44-54-00.000N 075-09-00.000W | Q G | 37 11 | | White circular tower with green band at top. | Seasonal. |
| 535 | - LIGHT 82 (C) About 150 feet outside channel limits. | 44-54-06.000N 075-09-12.000W | FI R 4s | 29 9 | | White circular tower with red top. | Seasonal. |
| 540 | - Lighted Buoy 84 (C) | 44-53-48.000N 075-09-42.000W | FI R 4s | | | Red. | Seasonal. |
| 550 | - LIGHT 85 | | FI G 4s | 10 3 | | SG on tower on cell. | Maintained from Apr. 15 to Dec. 15. Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. LAWRENCE RIVER | | | | | | | |
| CROIL ISLAND TO/A CARDINAL (Chart 1434)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 555 | - Lighted Buoy 86 (C) | 44-53-12.000N 075-11-00.000W | FI R 4s | | | Red. | Seasonal. |
| 560 | Canada Island Anchorage Area N Lighted Buoy XJ (C) | 44-53-36.000N 075-10-30.000W | FI Y 4s | | | Yellow. | Seasonal. |
| 565 | - Lighted Buoy 87 | 44-53-19.900N 075-10-28.100W | FI G 4s | | | Green. | Winter marker. Aid maintained by S.L.S.D.C. |
| 570 | - Lighted Buoy 88 (C) | 44-53-06.000N 075-11-24.000W | FI R 4s | | | Red. | |
| 575 | - Lighted Buoy 89 Marks northwest side of Clark Island Shoal. | 44-53-00.200N 075-11-10.900W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 580 | OGDEN ISLAND RANGE FRONT LIGHT | 44-52-48.000N 075-11-42.000W | F G | 28 9 | | Orange triangular day mark with black stripes on skeleton tower on cell. | Aid maintained by S.L.S.D.C. |
| 585 | OGDEN ISLAND RANGE REAR LIGHT 950 feet, 237.3° from front light. | | F G | 52 16 | | Orange triangular day mark with black stripes on square tower. | Aid maintained by S.L.S.D.C. |
| 590 | - Lighted Buoy 91 | 44-52-54.500N 075-11-40.300W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 595 | - LIGHT 92 (C) | 44-52-54.000N 075-12-12.000W | FI R 4s | 36 11 | | White circular tower with red top. | Seasonal. |
| 600 | MARIATOWN RANGE FRONT LIGHT (C) | 44-53-00.000N 075-12-36.000W | F G | 33 10 | | Orange triangular day mark with black stripes on white skeleton tower. | Seasonal. |
| 605 | MARIATOWN RANGE REAR LIGHT (C) 443 feet, 057° from front light. | | F G | 47 14 | | Orange inverted triangular day mark with black stripes on white skeleton tower. | Seasonal. |
| 610 | - Lighted Buoy 92A (C) | 44-52-48.000N 075-12-36.000W | FI R 4s | | | Red. | Seasonal. |
| 615 | - Lighted Buoy 93 | 44-52-37.300N 075-13-03.400W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 620 | - Lighted Buoy 94 (C) | | Q R | | | Red. | Seasonal. |
| 625 | - Lighted Buoy 95 (C) | 44-52-30.000N 075-13-24.000W | FI G 4s | | | Green. | Seasonal. |
| 630 | - LIGHT 96 (C) | | FI R 4s | 27 8 | 7 | White circular tower with red top. | Seasonal. |
| 635 | MARIATOWN APPROACH RANGE FRONT LIGHT (C) | 44-52-36.000N 075-13-42.000W | F R | 38 12 | | Orange triangular day mark with black stripe on white skeleton tower. | |
| 640 | MARIATOWN APPROACH RANGE REAR LIGHT (C) 500 feet, 255.4° from front light. | | F R | 53 16 | | Orange triangular day mark with black stripe on white skeleton tower. | Seasonal. |
| 645 | - Lighted Buoy 96A (C) | 44-52-18.000N 075-14-00.000W | FI R 4s | | | Red. | Seasonal. |
| 650 | - Lighted Buoy 98 (C) | | FI R 4s | | | Red. | Seasonal. |
| 655 | - Lighted Buoy 99 | 44-51-56.300N 075-14-33.300W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| ST. LAWRENCE RIVER | | | | | | | |
| CROIL ISLAND TO/A CARDINAL (Chart 1434)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 660 | - Lighted Buoy 100 (C) | 44-51-36.000N 075-15-18.000W | Q R | | | Red. | Seasonal. |
| 665 | - Lighted Buoy 101 Marks shoal. | 44-51-26.500N 075-15-20.000W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 670 | - Lighted Buoy 102 (C) | 44-51-30.000N 075-15-42.000W | FI R 4s | | | Red. | Seasonal. |
| 675 | - Lighted Buoy 103 | 44-51-16.000N 075-16-03.500W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 680 | - Lighted Buoy 104 (C) | 44-51-18.000N 075-16-24.000W | Q R | | | Red. | Seasonal. |
| 685 | - Lighted Buoy 105 | 44-51-04.300N 075-16-35.000W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 700 | - Lighted Buoy 107A (C) | | FI G 4s | | | Green boat-shaped buoy. | Seasonal. |
| 705 | IROQUOIS LOCK RANGE FRONT LIGHT (C) | 44-50-42.000N 075-18-12.000W | F W | 33 10 | | Orange triangular day mark with black stripes on white skeleton tower. | Seasonal. |
| 710 | IROQUOIS LOCK RANGE REAR LIGHT (C) 745 feet, 026.3° from front light. | | F W | 43 13 | | Orange triangular day mark with black stripes on white skeleton tower. | Seasonal. |
| 715 | - Lighted Buoy 108 (C) | | Q R | | | Red. | Seasonal. |
| 720 | - Lighted Buoy 108A (C) | 44-50-24.000N 075-18-30.000W | FI R 4s | | | Red. | Seasonal. |
| 725 | IROQUOIS APPROACH RANGE FRONT LIGHT (C) | 44-50-24.000N 075-18-36.000W | F R | 32 10 | | Orange triangular day mark with black stripes on white skeleton tower. | Seasonal. |
| 730 | IROQUOIS APPROACH RANGE REAR LIGHT (C) 601 feet, 241.4° from front light. | | F R | 47 14 | | Orange triangular day mark with black stripes on white skeleton tower. | Seasonal. |
| 735 | - Lighted Buoy 109 (C) | | Q G | | | Green boat-shaped buoy. | Seasonal. |
| 745 | - LIGHT 111 (C) | | FI G 4s | 46 14 | | Orange triangular day mark on white skeleton tower. | Seasonal. |
| 755 | - Lighted Buoy 112 (C) | 44-49-00.000N 075-19-30.000W | FI R 4s | | | Red. | Seasonal. |
| 760 | - Lighted Buoy 113 (C) | 44-48-54.000N 075-19-18.000W | Q G | | | Green. | Seasonal. |
| 765 | - LIGHT 114 (C) | 44-48-48.000N 075-19-48.000W | FI R 4s | 23 7 | | White circular tower with red top. | Seasonal. |
| 770 | TOUSSAINT ISLAND WEST LIGHT (C) | 44-48-42.000N 075-20-00.000W | Iso R 2s | 21 6 | | White circular tower with red top. | Seasonal. |
| 775 | SPARROWHAWK POINT LEADING LIGHT | 44-48-06.000N 075-20-00.000W | F G | 48 15 | | Orange triangular day mark with black stripe on post. | Higher intensity beam on bearing 205.8°. Aid maintained by S.L.S.D.C. |
| 780 | - LIGHT 115 About 200 feet outside channel limit. | 44-47-56.900N 075-20-46.100W | FI G 2.5s | 28 9 | | SG on pile on cell. | Aid maintained by S.L.S.D.C. |
| 785 | - Lighted Buoy 116 | 44-47-25.800N 075-21-46.600W | FI R 4s | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| ST. LAWRENCE RIVER | | | | | | | |
| CROIL ISLAND TO/A CARDINAL (Chart 1434)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 790 | - Lighted Buoy 117 | 44-47-14.400N 075-21-51.200W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 795 | - Lighted Buoy 118 (C) | 44-47-06.000N 075-22-12.000W | FI R 4s | | | Red. | Seasonal. |
| 800 | - Lighted Buoy 119 | 44-46-56.700N 075-22-21.600W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 805 | - Lighted Buoy 120 (C) | 44-46-54.000N 075-22-42.000W | FI R 4s | | | Red. | Seasonal. |
| 810 | GALOP ISLAND EAST RANGE FRONT LIGHT | 44-46-36.000N 075-22-54.000W | F G | 28 9 | | Orange triangular day mark with black stripes on skeleton tower. | Aid maintained by S.L.S.D.C. |
| 815 | GALOP ISLAND EAST RANGE REAR LIGHT 1,700 feet, 227° from front light. | | F G | 60 18 | | Orange triangular day mark with black stripes on square tower. | Aid maintained by S.L.S.D.C. |
| 820 | - LIGHT 121 | 44-46-34.800N 075-23-04.800W | FI G 4s | 28 9 | | SG on pile on cell. | Aid maintained by S.L.S.D.C. |
| 835 | - Lighted Buoy 122 | 44-46-25.900N 075-23-41.500W | FI R 4s | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| CARDINAL TO/A WHALEBACK SHOAL (Chart 1435)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 840 | - LIGHT 123 About 160 feet outside channel limit. | 44-46-01.000N 075-24-16.000W | FI G 4s | 28 9 | | White square day mark with green border on white pile. | Aid maintained by S.L.S.D.C. |
| 845 | - Lighted Buoy 125 | 44-45-58.300N 075-24-24.000W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 855 | - Lighted Buoy 125A | 44-45-48.000N 075-24-39.600W | FI G 4s | | | Green. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 860 | - Lighted Buoy 126 | 44-45-32.000N 075-25-10.600W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 865 | - Lighted Buoy 127 | 44-45-23.200N 075-25-10.600W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 870 | DRUMMOND ISLAND RANGE FRONT LIGHT (C) | 44-45-30.000N 075-25-36.000W | Iso R 2s | 45 14 | | Orange inverted triangular day mark with black stripe on white skeleton tower. | Seasonal. |
| 875 | DRUMMOND ISLAND RANGE REAR LIGHT (C) 3,168 feet, 236.5° from front light. | | F R | 70 21 | | Orange inverted triangular day mark with black stripes on skeleton tower. | Seasonal. |
| 880 | GALOP ISLAND WEST RANGE FRONT LIGHT | 44-45-12.000N 075-25-12.000W | F G | 28 9 | | Orange triangular day mark with black stripes on skeleton tower. | Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|------------------------|---------------|--------------|---|--|
| ST. LAWRENCE RIVER | | | | | | | |
| CARDINAL TO/A WHALEBACK SHOAL (Chart 1435)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 885 | GALOP ISLAND WEST RANGE REAR LIGHT 1,296 feet, 058.0° from front light. | 44-45-18.000N 075-24-54.000W | F G | 48 15 | | Orange triangular day mark with black stripes on skeleton tower. | Aid maintained by S.L.S.D.C. |
| 890 | - Lighted Buoy 126A | 44-45-01.900N 075-25-47.500W | Q R | | | Red. | Aid maintained by S.L.S.D.C. |
| 895 | - ICE BOOM CELL LIGHT C Marks location of anchors, cables and pile cells. | 44-44-53.000N 075-25-40.000W | F Y | 12 4 | | Post on cell. | Private aid. |
| 900 | - Lighted Buoy 129 | 44-44-49.000N 075-25-52.800W | Q G | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 905 | - Lighted Buoy 128 | 44-44-47.200N 075-26-12.000W | FI R 4s | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 910 | CHIMNEY ISLAND LEADING LIGHT | 44-44-30.000N 075-26-24.000W | F W (R & G sectors) | 28 9 | | On post. | Red from 220.4° to 221.3°, white from 221.3° to 222.2°, green from 222.2° to 223.2°. Aid maintained by S.L.S.D.C. |
| 925 | - Lighted Buoy 130A (C) | | FI R 4s | | | Red. | Seasonal. |
| 940 | - Lighted Buoy 131 (C) | 44-44-18.000N 075-27-06.000W | FI G 4s | | | Green. | Seasonal. |
| 950 | - Lighted Buoy 131A (C) | 44-43-42.000N 075-28-00.000W | FI G 4s | | | Green. | Seasonal. |
| 955 | - ICE BOOM CELL LIGHT B Marks location of anchors, cables and pile cells. | 44-43-23.000N 075-27-54.000W | F Y | 12 4 | | White post on cell. | Private aid. |
| 960 | - Lighted Buoy 131B | 44-43-07.900N 075-28-36.300W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 965 | - Lighted Buoy 132 (C) | 44-43-06.000N 075-29-06.000W | FI R 4s | | | Red. | Seasonal. |
| 970 | - Lighted Buoy 133 | 44-42-18.600N 075-30-15.800W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 975 | PRESCOTT HERITAGE HARBOUR LIGHT (C) | 44-42-36.000N 075-30-36.000W | Iso G 4s | 25 8 | | White lighthouse with green top. | Seasonal. |
| Ogdensburg Harbor | | | | | | | |
| 985 | - East Entrance Lighted Buoy 2 | 44-42-33.200N 075-29-13.500W | FI R 4s | | 4 | Red. | Maintained from Apr. 1 to Dec. 15 Aid maintained by S.L.S.D.C. |
| 990 | - East Entrance Lighted Buoy 4 | 44-42-22.500N 075-29-20.600W | FI R 4s | | 4 | Red. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 992 | - LIGHT | 44-41-52.000N 075-30-12.000W | FI W 10s | 70 21 | | | Private aid. |
| 995 | - West Entrance Lighted Buoy 2 | 44-42-06.150N 075-30-21.990W | FI R 4s | | 4 | Red. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1000 | - West Entrance Buoy 3 | 44-41-58.390N 075-30-04.220W | | | | Green can. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. LAWRENCE RIVER | | | | | | | |
| CARDINAL TO/A WHALEBACK SHOAL (Chart 1435)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| Ogdensburg Harbor | | | | | | | |
| 1005 | - West Entrance Buoy 4 | 44-41-54.400N 075-30-11.300W | | | | Red nun. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1010 | - West Entrance Lighted Buoy 5 | 44-41-57.940N 075-29-56.800W | FI G 4s | | 4 | Green. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1020 | Catamaran Shoal Buoy Lighted 135 Marks northwest side of shoal. | 44-36-55.000N 075-37-19.400W | FI G 4s | | | Green can. | Aid maintained by S.L.S.D.C. |
| 1025 | North McNair Shoal Lighted Buoy 136 (C) | | FI R 4s | | | Red. | Seasonal. |
| 1035 | South McNair Shoal Lighted Buoy 137A (C) | 44-35-36.000N 075-40-00.000W | FI G 4s | | | Green. | Seasonal. |
| 1040 | Brockville Breakwater Light (C) | | FI R 4s | 32 10 | | White circular tower with red top. | Seasonal. |
| 1045 | SKELETON ISLAND LIGHT 138 (C) | | FI R 4s | 37 11 | | White circular tower with red top. | Seasonal. |
| 1050 | Refugee Island Shoal Lighted Buoy 139 (C) Marks east side of shoal. | | FI G 4s | | | Green. | Seasonal. |
| 1065 | MCCOY ISLAND LIGHT 141 (C) | | Q G | 30 9 | | White circular tower with black top. | Seasonal. |
| 1070 | ROYAL ISLAND LIGHT 142 (C) Marks shoal. | | FI R 4s | 31 9 | | White circular tower with red top. | Seasonal. |
| 1075 | - LIGHT 143 (C) | 44-34-00.000N 075-42-24.000W | FI G 4s | 26 8 | | White circular tower with black top. | Seasonal. |
| 1080 | - Lighted Buoy 143A (C) Marks north side of shoal. | 44-33-42.000N 075-42-42.000W | FI G 4s | | | Green. | Seasonal. |
| 1085 | - LIGHT 144 (C) Marks McDonald Point Shoal. | | Q R | 28 9 | | White circular tower with red top. | Seasonal. |
| 1090 | STOVIN ISLAND LIGHT 145 (C) | 44-33-36.000N 075-42-54.000W | FI G 4s | 34 10 | | White circular tower with green top. | Seasonal. |
| 1095 | NEEDLES EYE ISLAND LIGHT 146 (C) | | FI R 4s | 34 10 | | White circular tower with red top. | Seasonal. |
| 1100 | Derottenburg Lighted Buoy 145A (C) | | FI G 4s | | | Green. | Seasonal. |
| 1105 | - Lighted Buoy 146A (C) | | FI R 4s | | | Red. | |
| 1110 | DEWATTEVILLE ISLAND RANGE FRONT LIGHT (C) | 44-32-54.000N 075-44-00.000W | F W | 30 9 | | Orange triangular day mark with black stripes on white circular tower with red top. | Seasonal. |
| 1115 | DEWATTEVILLE ISLAND RANGE REAR LIGHT (C) 1,140 feet, 036.9° from front light. | | F W | 69 21 | | Orange inverted triangular day mark with black stripes on red skeleton tower. | Visible on range line only. Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|------------------------|---------------|--------------|--|--|
| ST. LAWRENCE RIVER | | | | | | | |
| CARDINAL TO/A WHALEBACK SHOAL (Chart 1435)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1120 | - LIGHT 147 (C) | 44-32-30.000N 075-44-12.000W | FI G 4s | 30 9 | | White circular tower with green top. | Seasonal. |
| 1125 | - Lighted Buoy 147A (C) | 44-32-12.000N 075-44-36.000W | FI G 4s | | | Green. | Seasonal. |
| 1130 | - LIGHT 150 (C) | 44-31-48.000N 075-45-18.000W | FI R 4s | 28 9 | | White cylindrical tower with red top. | Seasonal. |
| 1135 | <i>Cole Shoal Lighted Buoy 150A (C)</i> Marks south side of Cole Shoal. | | FI R 4s | | | Red. | Seasonal. |
| 1140 | - LIGHT 151 (C) | 44-31-24.000N 075-45-24.000W | FI G 4s | 30 9 | | White circular tower with green top. | Seasonal. |
| 1145 | - Lighted Buoy 152 (C) | 44-31-06.000N 075-46-00.000W | FI R 4s | | | Red. | Seasonal. |
| 1150 | BROCKVILLE CROSSOVER RANGE FRONT LIGHT (C) | 44-31-36.000N 075-45-54.000W | Iso G 2s | 32 10 | | Orange triangular day mark with black stripe on white circular tower. | Seasonal. |
| 1155 | BROCKVILLE CROSSOVER RANGE REAR LIGHT (C) 2,153 feet, 013.5° from front light. | | F G | 61 19 | | Orange inverted triangular day mark with black stripe on white skeleton tower. | Seasonal. |
| 1170 | - Lighted Buoy 153 | 44-30-37.400N 075-46-08.200W | Q G | | | Green. | RACON: M (- -) Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1180 | - LIGHT 156 Marks Bay State Shoal, about 60 feet outside channel limit. | | FI R 2.5s | 30 9 | | TR on tower on cell. | Aid maintained by S.L.S.D.C. |
| 1185 | - Lighted Buoy 157 | 44-30-18.900N 075-46-14.400W | FI G 4s | | | Green. | Winter marker. Aid maintained by S.L.S.D.C. |
| 1190 | - Lighted Buoy 159 | 44-29-48.900N 075-46-24.500W | FI G 4s | | | Green. | Winter marker. Aid maintained by S.L.S.D.C. |
| 1195 | - LIGHT 160 Marks Cross Over Island Shoal, about 105 feet outside channel limit. | 44-29-48.000N 075-46-36.000W | FI R 4s | 28 9 | | TR on tower on cell. | Aid maintained by S.L.S.D.C. |
| 1200 | - Lighted Buoy 162 | 44-28-41.500N 075-46-56.100W | Q R | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1205 | - LIGHT 163 About 140 feet outside channel limit. | | FI G 2.5s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 1210 | CHIPPEWA POINT DIRECTIONAL LIGHT | | F W (R & G sectors) | 28 9 | | White post. | White from 193° to 195°, red from 186° to 193°, green from 195° to 202°. Aid maintained by S.L.S.D.C. |
| 1215 | - Lighted Buoy 163A | 44-28-22.600N 075-47-05.800W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1220 | - Lighted Buoy 164 | 44-28-30.500N 075-47-08.200W | FI R 4s | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| ST. LAWRENCE RIVER | | | | | | | |
| WHALE BACK SHOAL TO/A SUMMERLAND GROUP (Chart 1436) (C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1225 | - LIGHT 165 | | FI G 4s | 23 7 | | SG on tower on cell. | Aid maintained by S.L.S.D.C. |
| 1230 | CHIMNEY ISLAND LIGHT (C) | 44-28-00.000N 075-50-00.000W | FI R 4s | 18 5 | | White circular tower with red top. | Seasonal. |
| 1235 | HAFFIE SHOAL LIGHT (C) | 44-27-30.000N 075-50-42.000W | FI R 4s | 34 10 | | White circular tower with red top. | |
| 1240 | - Lighted Buoy 166 | 44-27-14.000N 075-48-30.800W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1245 | - Lighted Buoy 167 | 44-26-55.800N 075-48-37.400W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1250 | - LIGHT 168 | 44-27-00.000N 075-48-48.000W | FI R 4s | 23 7 | | TR on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1255 | - Lighted Buoy 170 | 44-26-45.100N 075-48-59.200W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1260 | - Lighted Buoy 172 (C) Marks shoal. | | FI R 4s | | | Red. | Seasonal. |
| 1265 | Haskell Shoal Lighted Buoy 173 (C) Marks north side of shoal. | 44-26-12.000N 075-49-24.000W | Q G | | | Green. | Spar; winter marker. Seasonal. |
| 1270 | - Lighted Buoy 176 | 44-25-03.100N 075-50-26.400W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 1275 | - Lighted Buoy 177 | 44-24-46.200N 075-50-30.700W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1280 | - LIGHT 178 About 175 feet outside channel limit. | | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 1285 | - LIGHT 179 | | FI G 2.5s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 1290 | - LIGHT 180 Marks Ironside Shoal. | 44-23-48.000N 075-51-24.000W | Q R | 28 9 | | TR on tower on cell. | Aid maintained by S.L.S.D.C. |
| 1295 | - Lighted Buoy 181 | 44-23-30.000N 075-51-29.100W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1300 | - Lighted Buoy 181A | 44-22-49.000N 075-52-25.200W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1305 | - LIGHT 182 Marks Whiskey Island Shoal, about 95 feet outside channel limit. | | FI R 4s | 28 9 | | TR on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1310 | - LIGHT 183 Marks Excelsior Shoal, about 180 feet outside channel limit. | 44-22-24.000N 075-53-06.000W | FI G 4s | 34 10 | | SG on tower on concrete base. | Aid maintained by S.L.S.D.C. |
| 1315 | - Lighted Buoy 185 | 44-22-13.200N 075-53-23.400W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1320 | - LIGHT 186 About 320 feet outside channel limit. | | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|------------------------|---------------|--------------|-----------------------------------|---|
| ST. LAWRENCE RIVER | | | | | | | |
| SUMMERLAND GROUP TO/A GRINDSTONE ISLAND (Chart 1437)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1325 | - LIGHT 187 | | FI G 4s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 1330 | Hammond Shoal Buoy Marks south side of shoal. | 44-20-44.800N 075-54-42.300W | | | | Green and red bands; can. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1335 | - LIGHT 189 About 290 feet outside channel limit. | | FI G 4s | 30 9 | | SG on conical tower. | Aid maintained by S.L.S.D.C. |
| 1340 | - LIGHT 191 Marks southwest side of Sunken Rock Shoal, about 70 feet outside channel limits. | | FI G 2.5s | 28 9 | | SG on tower on concrete base. | Aid maintained by S.L.S.D.C. |
| 1345 | - LIGHT 192 Marks Frontenac Shoal, about 25 feet outside channel limit. | | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 1350 | Broadway Shoal Buoy Marks north side of shoal. | 44-20-22.420N 075-55-15.810W | | | | Green and red bands; can. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1353 | ALEXANDRIA BAY HARBOR LIGHT | 44-20-07.500N 075-55-15.800W | FI Y 2s | 3 1 | | On floating dock. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 1360 | - LIGHT 194 Marks Pullman Shoal, about 100 feet outside channel limit. | 44-20-06.000N 075-55-48.000W | FI R 4s | 34 10 | | TR on tower on concrete base . | Aid maintained by S.L.S.D.C. |
| 1365 | - LIGHT 195 About 12 feet outside channel limit. | | FI G 4s | 23 7 | | SG on pile . | Maintained from Apr . 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1370 | - LIGHT 197 | | FI G 4s | 28 9 | | SG on pile . | Aid maintained by S.L.S.D.C. |
| 1375 | - LIGHT 198 | | FI R 4s | 23 7 | | TR on tower on concrete base | Aid maintained by S.L.S.D.C. |
| 1380 | - LIGHT 199 Marks Comfort Island Shoal. | | FI G 2.5s | 28 9 | | SG on tower on concrete base . | Aid maintained by S.L.S.D.C. |
| 1385 | KEEWAYDIN STATE PARK BREAKWATER LIGHT | 44-19-22.000N 075-56-11.000W | FI G 4s | 10 3 | | Green day mark on steel post. | Maintained from May 1 to Nov 1. Private aid. |
| 1386 | <i>Keewaydin State Park Lighted Entrance Buoy</i> | 44-49-20.600N 075-56-13.600W | FI R 4s | | | Red. | Maintained May 1 to Nov . 1. Private aid. |
| 1390 | - LIGHT 200 About 90 feet outside channel limit. | | Q R | 28 9 | | TR on pile . | Aid maintained by S.L.S.D.C. |
| 1395 | - <i>Lighted Buoy 202</i> | 44-19-22.600N 075-56-38.600W | Iso R 3s | | | Red. | S .L.S .D.C . Aid maintained by S.L.S.D.C. |
| 1400 | POINT VIVIAN LEADING LIGHT | | F W (R & G sectors) | 28 9 | | On post. | Red from 216.5 ° to 217.5 °, white from 217.5 ° to 218.5 °, green from 218.5° to 219.5 °. S. L.S. D.C. Aid maintained by S.L.S.D.C. |
| 1405 | - LIGHT 203 About 40 feet outside channel limit. | | FI G 4s | 28 9 | | SG on pile . | Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|-----------------------------------|---|
| ST. LAWRENCE RIVER | | | | | | | |
| SUMMERLAND GROUP TO/A GRINDSTONE ISLAND (Chart 1437)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1410 | - LIGHT 204 About 30 feet outside channel limit. | | FI R 4s | 28 9 | | TR on pile . | Aid maintained by S.L.S.D.C. |
| 1415 | - <i>Lighted Buoy 205</i> | 44-18-53.900N 075-57-20.100W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1420 | - LIGHT 206 About 25 feet outside channel limit. | 44-18-36.000N 075-58-12.000W | Iso R 2s | 28 9 | | TR on pile . | Aid maintained by S.L.S.D.C. |
| 1425 | - LIGHT 207 About 15 feet outside channel limit. | | FI G 4s | 28 9 | | SG on pile . | Aid maintained by S.L.S.D.C. |
| 1430 | - LIGHT 209 About 40 feet outside channel limit. | 44-17-54.000N 075-59-12.000W | FI G 2.5s | 31 9 | | SG on tower on cell. | Aid maintained by S.L.S.D.C. |
| 1435 | - <i>Lighted Buoy 208</i> | 44-17-56.700N 075-59-22.700W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1440 | - <i>Lighted Buoy 209A</i> | 44-17-36.700N 075-59-43.900W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1445 | - LIGHT 210 About 50 feet outside channel limit. | 44-17-42.000N 075-59-54.000W | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 1450 | - <i>Lighted Buoy 211</i> | 44-17-14.900N 076-00-21.400W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1455 | - <i>Lighted Buoy 212</i> | 44-17-13.700N 076-00-35.500W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1460 | - LIGHT 213 40 feet outside channel limit. | 44-16-54.000N 076-00-54.000W | FI G 2.5s | 31 9 | | SG on tower on cell. | Aid maintained by S.L.S.D.C. |
| 1465 | FISHER LANDING LIGHT | 44-16-43.200N 076-00-37.700W | FI G 4s | 11 3 | 4 | SG on column on concrete base. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1470 | - LIGHT 214 Marks east side of Granite State Shoal, about 51 feet outside channel limit. | | FI R 2.5s | 28 9 | | TR on tower. | RACON: M (- -) Aid maintained by S.L.S.D.C. |
| 1473 | ROCK ISLAND LIGHT | 44-16-51.840N 076-01-01.620W | F W | | | | Private aid. |
| 1475 | - <i>Lighted Buoy 215</i> | 44-16-46.400N 076-01-11.900W | Q G | | | Green. | Spar; winter maker. Aid maintained by S.L.S.D.C. |
| 1480 | - <i>Lighted Buoy 216</i> | 44-16-41.600N 076-01-34.300W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 1485 | - Buoy 216A | 44-16-34.200N 076-01-50.600W | FI R 4s | | | Red nun. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1490 | - <i>Lighted Buoy 217</i> | 44-16-08.700N 076-02-17.200W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1495 | - <i>Lighted Buoy 217A</i> | 44-15-36.000N 076-03-51.900W | Q G | | | Green. | Aid maintained by S.L.S.D.C. |
| 1500 | - <i>Lighted Buoy 218</i> | 44-15-45.200N 076-03-45.800W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|----------------------------------|---|
| ST. LAWRENCE RIVER | | | | | | | |
| SUMMERLAND GROUP TO/A GRINDSTONE ISLAND (Chart 1437)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1505 | - LIGHT 219 About 68 feet outside channel limit. | | FI G 4s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 1510 | - Lighted Buoy 221 Marks west side of shoal. | 44-15-28.100N 076-04-02.300W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1515 | - LIGHT 222 Marks southeast side of Chapman Shoal, about 50 feet outside channel limit. | | FI R 2.5s | 28 9 | | TR on tower. | RACON: C (- . - .) Aid maintained by S.L.S.D.C. |
| Clayton Marina | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 1517 | - Buoy 2 | 44-14-29.249N 076-04-14.788W | | | | Red nun. | Private aid. |
| 1518 | - Buoy 4 | 44-14-29.249N 076-04-14.788W | | | | Red nun. | Private aid. |
| 1519 | - Buoy 6 | 44-15-29.249N 076-04-14.788W | | | | Red nun. | Private aid. |
| 1519.5 | - Buoy 8 | 44-14-29.249N 076-04-14.788W | | | | Red nun. | Private aid. |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1520 | Clayton Shoal Lighted Buoy 1 | 44-14-44.200N 076-05-00.900W | FI G 4s | | 4 | Green. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1523 | CLAYTON CITY DOCK LIGHT | 44-14-39.638N 076-04-59.159W | FI Y 2.5s | | | | Private aid. |
| 1525 | - Lighted Buoy 224 | 44-15-00.500N 076-05-10.900W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1527 | CLAYTON FLOATING DOCK LIGHT | 44-14-35.465N 076-05-17.455W | FI W 4s | 7 2 | | Marks NE corner of dock. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| 1530 | MARY STREET DOCK LIGHT | 44-14-12.300N 076-05-28.800W | F G | 12 4 | | On steel post. | Private aid. |
| 1545 | - Lighted Buoy 225 Marks shoal. | 44-14-33.400N 076-06-03.400W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1550 | - LIGHT 226 Marks Calumet Shoal, about 188 feet outside channel limit. | | FI R 2.5s | 23 7 | | TR on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1555 | - Lighted Buoy 226A | 44-14-40.800N 076-06-04.200W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 1560 | - LIGHT 227 About 322 feet outside channel limit. | 44-14-24.000N 076-06-30.000W | F G | 23 7 | | SG on tower on concrete base. | Aid maintained by S.L.S.D.C. |
| GRINDSTONE ISLAND TO/A CARLETON ISLAND (Chart 1438)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1565 | - Buoy 228 Marks shoal. | 44-14-31.600N 076-07-03.500W | FI R 4s | | | Red nun. | Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| ST. LAWRENCE RIVER | | | | | | | |
| GRINDSTONE ISLAND TO/A CARLETON ISLAND (Chart 1438)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1570 | - LIGHT 229 | 44-13-12.000N 076-09-36.000W | FI G 2.5s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| Wolfe Island Cut | | | | | | | |
| 1575 | - Lighted Buoy Pv2 (C) | 44-14-00.000N 076-10-30.000W | Q R | | | Red. | Seasonal. |
| 1580 | - Lighted Buoy Pv1 (C) | | FI G 4s | | | Green. | Seasonal. |
| 1595 | - North Lighted Buoy Pv6 (C) | | FI R 4s | | | Red. | Seasonal. |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1605 | Wolfe Island Light (C) | 44-14-18.000N 076-11-00.000W | F W | 37 11 | 12 | White pyramid tower. | Seasonal. |
| 1610 | - LIGHT 231 | 44-12-18.000N 076-12-24.000W | FI G 4s | 33 10 | | SG on tower on concrete base. | Aid maintained by S.L.S.D.C. |
| 1615 | - Lighted Buoy 233 Marks north side of shoal. | 44-12-02.600N 076-13-36.800W | FI G 4s | | | Green. | Year Round Lighted Buoy Aid maintained by S.L.S.D.C. |
| 1625 | - Lighted Buoy 234 | 44-12-12.500N 076-15-03.200W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1630 | - Lighted Buoy 235 | 44-11-40.100N 076-17-55.700W | Q G | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1635 | BAYFIELD ISLAND LIGHT (C) | 44-11-39.300N 076-19-42.400W | | 38 12 | | White square skeleton tower with orange triangular day mark. | F R 260.5° to 262°, Al WR 262° to 262.25°, W phase increasing with bearing, F W 262.25° to 263.75°, Al WG 263.75° to 264°, G phase increasing with bearing, F G 264° to 265.5°. Seasonal. |
| 1640 | - Lighted Buoy 237 | 44-11-20.800N 076-18-28.000W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1645 | - Lighted Buoy 236 | 44-11-21.200N 076-19-06.200W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1650 | - Lighted Buoy 238 | 44-10-05.100N 076-19-27.100W | FI R 4s | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1655 | IRVINE POINT RANGE FRONT LIGHT (C) | 44-12-18.000N 076-18-36.000W | F R | 35 11 | | Orange rectangular day mark with black vertical stripe on white skeleton tower. | Visible on range line only. Seasonal. |
| 1660 | IRVINE POINT RANGE REAR LIGHT (C) 2,560 feet, 013.3° from front light. | | F R | 70 21 | | Orange rectangular day mark with black vertical stripe on white skeleton tower. | Visible on range line only. Seasonal. |
| 1665 | - Lighted Buoy 239 | 44-10-31.600N 076-19-05.100W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| ST. LAWRENCE RIVER | | | | | | | |
| GRINDSTONE ISLAND TO/A CARLETON ISLAND (Chart 1438)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1670 | CARLETON ISLAND LEADING LIGHT | 44-10-12.000N 076-18-42.000W | F G | 29 9 | | Orange triangular day mark with black stripes on square tower. | Visible on bearing 033° only. Aid maintained by S.L.S.D.C. |
| 1675 | - Lighted Buoy 240 | 44-09-04.700N 076-19-49.300W | Q R | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| CARLETON ISLAND TO/A CHARITY SHOAL (Chart 1439)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1680 | - Lighted Buoy 241 | 44-08-38.900N 076-19-31.700W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1685 | Carleton Island South Channel Buoy 1 | 44-10-00.000N 076-17-48.510W | | | | Green can. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1690 | Carleton Island South Channel Buoy 3 | 44-09-53.930N 076-18-18.740W | | | | Green can. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1695 | Carleton Island South Channel Buoy 5 | 44-09-45.760N 076-18-48.440W | | | | Green can. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1700 | CAPE VINCENT BREAKWATER EAST END LIGHT | 44-07-56.900N 076-19-49.500W | Q W | 20 6 | 6 | SG on post. | Aid maintained by S.L.S.D.C. |
| 1705 | CAPE VINCENT BREAKWATER WEST END LIGHT | 44-07-53.200N 076-20-07.200W | F R | 20 6 | 6 | TR on post. | Higher intensity on bearing 068° and 193°. Aid maintained by S.L.S.D.C. |
| 1710 | - Lighted Buoy 242 | 44-08-01.700N 076-20-57.500W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1720 | - Lighted Buoy 243 | 44-07-45.600N 076-20-40.400W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1725 | - Lighted Buoy 244 Marks shoal. | 44-07-12.500N 076-22-39.400W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1735 | Tibbetts Point Light | 44-06-02.237N 076-22-14.204W | Oc W 10s | 69 21 | 16 | White conical tower. 69 | Standby light of reduced intensity shows Oc W 4s. AIS MMSI: 993672194 |
| 1745 | <i>Tibbetts Point Traffic Lighted Buoy</i> | 44-06-02.700N 076-24-20.400W | Mo (A) W | | | Red and white stripes. | Aid maintained by S.L.S.D.C. |
| 1750 | - Lighted Buoy 245 | 44-05-45.400N 076-23-18.800W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |

LAKE ONTARIO

| | | | | | | | |
|---|---|---------------------------------|---------|----------|---|--------|------------------------------|
| CLAYTON TO FALSE DUCK ISLAND (Chart 14802) | | | | | | | |
| 1755 | <i>Allan Otty Shoal Lighted Buoy 2</i> Marks southeast side of shoal. | 44-03-49.600N 076-27-01.100W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1760 | EAST CHARITY SHOAL LIGHT Marks east side of Charity Shoals Group. | 44-02-12.592N 076-28-52.957W | FI W 4s | 52 16 | 9 | Tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ONTARIO | | | | | | | |
| CLAYTON TO FALSE DUCK ISLAND (Chart 14802) | | | | | | | |
| 1765 | <i>East Charity Shoal Traffic Lighted Buoy</i> | 44-01-32.580N 076-27-16.020W | Mo (A) W | | | Red and white stripes. | Aid maintained by S.L.S.D.C. |
| 1770 | <i>Stony Island Lighted Buoy 2</i> | 43-55-10.467N 076-17-41.054W | FI R 4s | | 4 | Red. | Maintained from May 7 to Nov. 14. |
| 1775 | <i>Point Peninsula Lighted Buoy 3</i> | 43-56-53.113N 076-16-24.248W | FI G 6s | | 4 | Green. | Maintained from May 7 to Nov. 14. |
| CHAUMONT, HENDERSON AND BLACK RIVER BAYS (Chart 14811) | | | | | | | |
| Chaumont Bay | | | | | | | |
| 1780 | CHERRY ISLAND LIGHT | 44-00-52.332N 076-11-11.676W | FI W 4s | 43 13 | 8 | NR on white skeleton tower with enclosed base. | |
| 1785 | <i>Johnson Shoal Lighted Buoy 1</i> | 44-02-59.198N 076-09-53.749W | FI G 4s | | 3 | Green. | Maintained from May 14 to Nov. 1. |
| 1790 | - <i>Junction Lighted Buoy</i> | 44-03-21.697N 076-09-08.450W | FI (2+1)G 6s | | 3 | Green and red bands. | Maintained from May 14 to Nov. 1. |
| 1795 | Chaumont Harbor Daybeacon 2 Marks rock. | 44-03-37.640N 076-08-15.340W | | | | TR on pile on concrete base. | |
| 1800 | CHAUMONT HARBOR LIGHT | 44-03-31.880N 076-08-45.200W | F G | 30 9 | 6 | SG on skeleton tower with enclosed base. | |
| 1805 | CRESENT MARINE PIER LIGHT | 44-03-48.000N 076-08-04.300W | F R | 9 3 | | Post. | Maintained from May 1 to Dec. 1. Private aid. |
| Chaumont Shoal | | | | | | | |
| <i>Buoys maintained from Apr. 30 to Oct. 30. Due to shifting sandbar, buoys may be relocated without prior notice.</i> | | | | | | | |
| 1810 | - Buoy A | 44-03-55.674N 076-09-03.855W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |
| 1815 | - Buoy B | 44-03-57.671N 076-09-01.038W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |
| 1820 | - Buoy C | 44-03-59.301N 076-08-56.792W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |
| 1825 | - <i>Lighted Buoy D</i> | 44-05-08.000N 076-08-50.174W | FI W 2s | | | White with orange bands and diamond worded DANGER. | Private aid. |
| 1830 | - Buoy E | 44-04-00.000N 076-08-50.787W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |
| 1835 | - Buoy F | 44-04-01.000N 076-08-52.000W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |
| 1840 | - Buoy G | 44-04-02.876N 076-08-52.471W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |
| 1845 | - Buoy H | 44-04-04.000N 076-08-56.000W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |
| Black River Bay | | | | | | | |
| 1850 | SACKETS HARBOR LIGHT | 43-56-37.414N 076-08-43.036W | FI W 2.5s | 57 17 | 5 | NB on gray skeleton tower. | Light obscured by trees 092° to 157° and 242° to 267°. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| LAKE ONTARIO | | | | | | | |
| CHAUMONT, HENDERSON AND BLACK RIVER BAYS (Chart 14811) | | | | | | | |
| Black River Bay | | | | | | | |
| 1852 | <i>Horse Island Lighted Buoy 2</i> | 43-56-30.935N 076-09-11.955W | FI R 4s | | 3 | Red. | Maintained from May 14 to Nov. 01. |
| Navy Point | | | | | | | |
| <i>Aids maintained from Jun. 1 to Nov. 1.</i> | | | | | | | |
| 1855 | - LIGHT | 43-57-01.300N 076-07-16.300W | FI R 4s | 27 8 | 4 | TR on post. | |
| 1860 | - MARINE DOCK LIGHT 4 | 43-56-58.000N 076-07-20.000W | F R | 15 5 | | TR on post. | Private aid. |
| 1865 | - <i>Marina Anchorage Lighted Buoy A</i> | 43-56-58.000N 076-07-18.000W | Q Y | | | Yellow. | Private aid. |
| 1870 | - <i>Marina Anchorage Lighted Buoy B</i> | 43-57-02.000N 076-07-16.800W | Q Y | | | Yellow. | Private aid. |
| 1875 | - <i>Marina Anchorage Lighted Buoy C</i> | 43-57-03.500N 076-07-18.700W | Q Y | | | Yellow. | Private aid. |
| 1880 | - <i>Marina Anchorage Lighted Buoy D</i> | 43-57-04.000N 076-07-23.600W | Q Y | | | Yellow. | Private aid. |
| Black River Bay | | | | | | | |
| 1882 | MADISON BARRACKS MARINA ENTRANCE LIGHT | 43-57-17.900N 076-06-44.900W | F R | 17 5 | | TR on post. | Maintained from May 1 to Oct. 1. Private aid. |
| 1885 | <i>Black River Entrance Lighted Buoy 1</i> | 43-59-12.000N 076-04-42.000W | FI G 4s | | | Green. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1890 | <i>Black River Entrance Lighted Buoy 2</i> | 43-59-06.000N 076-04-36.000W | FI R 4s | | | Red. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1895 | - Buoy 3 | 43-58-53.200N 076-05-04.200W | | | | Green can. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1900 | - Buoy 4 | 43-58-53.200N 076-05-04.200W | | | | Red spar. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1905 | - Buoy 5 | 43-59-00.100N 076-04-57.900W | | | | Green can. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1910 | - Buoy 6 | 43-58-56.700N 076-04-55.800W | | | | Red spar. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1915 | - Buoy 7 | 43-59-05.800N 076-04-46.200W | | | | Green can. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1920 | - Buoy 8 | 43-59-04.300N 076-04-43.900W | | | | Red spar. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1925 | - Buoy 9 | 43-59-08.800N 076-04-40.900W | | | | Green can. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1930 | - Buoy 10 | 43-59-08.800N 076-04-37.700W | | | | Red spar. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1935 | - Buoy 11 | 43-59-59.100N 076-03-30.500W | | | | Green can. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| Henderson Bay | | | | | | | |
| 1940 | <i>Lime Barrel Shoal Lighted Buoy 1</i> | 43-54-44.218N 076-11-55.739W | FI G 4s | | 4 | Green. | Maintained from May 7 to Nov. 14. |
| 1943 | - Buoy 1 | 43-54-27.500N 076-08-34.900W | | | | Green can. | Maintained from May 14 to Nov. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE ONTARIO | | | | | | | |
| CHAUMONT, HENDERSON AND BLACK RIVER BAYS (Chart 14811) | | | | | | | |
| Henderson Bay | | | | | | | |
| 1945 | WESTCOTT BEACH STATE PARK LIGHT 1 | 43-54-04.100N 076-07-38.000W | FI G 3s | 19 6 | | SG on post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 1950 | WESTCOTT BEACH STATE PARK LIGHT 2 | 43-54-05.000N 076-07-40.500W | FI R 3s | 19 6 | | TR on post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| Henderson Harbor Special Anchorage <i>Maintained from May 1 to Oct. 30.</i> | | | | | | | |
| 1955 | - LIGHT A | 43-51-08.800N 076-12-08.900W | FI Y 4s | 5 2 | | On yellow post. | Private aid. |
| 1960 | - Lighted Buoy B | 43-51-09.000N 076-12-19.000W | FI Y 4s | | | Yellow. | Private aid. |
| 1965 | - Lighted Buoy C | 43-51-23.800N 076-12-19.000W | FI Y 4s | | | Yellow. | Private aid. |
| 1970 | - Lighted Buoy D | 43-51-23.800N 076-12-09.600W | FI Y 4s | | | Yellow. | Private aid. |
| 1975 | - Lighted Buoy E | 43-51-21.700N 076-12-05.500W | FI Y 4s | | | Yellow. | Private aid. |
| 1980 | - Lighted Buoy F | 43-51-33.400N 076-12-06.200W | FI Y 4s | | | Yellow. | Private aid. |
| 1985 | - LIGHT G | 43-51-33.600N 076-12-00.800W | FI Y 4s | 5 2 | | On yellow post. | Private aid. |
| 1990 | - Lighted Buoy H | 43-51-21.800N 076-11-58.200W | FI Y 4s | | | Yellow. | Private aid. |
| CLAYTON TO FALSE DUCK ISLAND (Chart 14802) | | | | | | | |
| Henderson Bay | | | | | | | |
| 1995 | <i>Galloo Island Shoal Lighted Buoy 3</i> Marks southwest side of shoal. | 43-53-43.518N 076-28-34.731W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 14 to May 7. |
| 2005 | Calf Island Spit Buoy 5 | 43-51-23.254N 076-23-26.416W | | | | Green can. | |
| 2010 | STONY POINT LIGHT | 43-50-19.548N 076-17-55.944W | Iso R 6s | 40 12 | 6 | TR on skeleton tower. | |
| 2015 | PORT ONTARIO LIGHT | 43-34-27.000N 076-12-08.000W | FI W 2s | 50 15 | | Cupola on three- story gray house. | Maintained from Mar. 1 to Dec. 1. Private aid. |
| Stony Creek Bay <i>Buoys maintained from Apr. 30 to Sep. 30.</i> | | | | | | | |
| 2019 | - Lighted Channel Buoy 1 | 43-48-30.000N 076-14-54.000W | FI G 2s | | | Green. | Private aid. |
| 2019.1 | - Lighted Channel Buoy 2 | 43-48-30.000N 076-14-54.000W | FI R 2s | | | Red. | Private aid. |
| 2019.2 | - Channel Buoy 3 | 43-48-30.000N 076-14-54.000W | | | | Green can. | Private aid. |
| 2019.3 | - Channel Buoy 4 | 43-48-30.000N 076-14-54.000W | | | | Red nun. | Private aid. |
| 2020 | Drowned Island Buoy 7 | 43-47-23.218N 076-14-38.201W | | | | Green can. | |
| SOUTH OF STONY POINT TO PORT BAY (Chart 14803) | | | | | | | |
| Port Ontario | | | | | | | |
| 2025 | - LIGHT 2 | 43-34-39.880N 076-12-20.420W | FI R 2.5s | 36 11 | 4 | Red and white cylindrical tower on jetty. | |
| 2030 | - LIGHT 3 | 43-34-38.699N 076-12-15.870W | FI G 2.5s | 34 10 | 3 | SG on pile on jetty. | |
| 2035 | - Buoy 4 | 43-34-35.456N 076-12-15.005W | | | | Red nun. | Maintained from May 14 to Nov. 1. |
| 2040 | - Buoy 6 | 43-34-33.287N 076-12-13.142W | | | | Red nun. | Maintained from May 14 to Nov. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|----------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ONTARIO | | | | | | | |
| SOUTH OF STONY POINT TO PORT BAY (Chart 14803) | | | | | | | |
| Port Ontario | | | | | | | |
| 2045 | MEXICO POINT LIGHT | 43-31-24.000N 076-15-18.000W | Fl W 5s | 17 5 | | On aluminum post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 2050 | MEXICO POINT BOAT LAUNCH LIGHT 1 | 43-31-54.000N 076-15-41.000W | Fl G 4s | 10 3 | | On post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 2055 | MEXICO POINT BOAT LAUNCH LIGHT 2 | 43-31-00.630N 076-15-52.000W | Fl R 4s | 10 3 | | On post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 2056 | Little Salmon River Buoy 2 | 43-31-45.000N 076-15-41.000W | | | | Red can. | Maintained from May 14 to Nov. 1. Private aid. |
| 2056.2 | Little Salmon River Buoy 4 | 43-31-40.000N 076-15-36.000W | | | | Red nun. | Maintained from May 14 to Nov. 1. Private aid. |
| 2056.3 | Little Salmon River Buoy 5 | 43-31-39.000N 076-15-33.000W | | | | Green can. | Maintained from May 14 to Nov. 1. Private aid. |
| 2056.4 | Little Salmon River Buoy 6 | 43-31-32.000N 076-15-37.000W | | | | Red nun. | Maintained from May 14 to Nov. 1. Private aid. |
| 2056.5 | Little Salmon River Buoy 7 | 43-31-32.000N 076-15-31.000W | | | | Green can. | Maintained from May 14 to Nov. 1. Private aid. |
| 2056.6 | Little Salmon River Buoy 8 | 43-31-25.000N 076-15-34.000W | | | | Red nun. | Maintained from May 14 to Nov. 1. Private aid. |
| 2056.7 | Little Salmon River Buoy 9 | 43-31-27.000N 076-15-35.000W | | | | Green can. | Maintained from May 14 to Nov. 1. Private aid. |
| 2056.8 | Little Salmon River Buoy 10 | 43-31-42.000N 076-15-18.000W | | | | Red nun. | Maintained from May 14 to Nov. 1. Private aid. |
| 2056.9 | Little Salmon River Buoy 11 | 43-31-43.000N 076-15-14.000W | | | | Green can. | Maintained from May 14 to Nov. 1. Private aid. |
| 2057 | Little Salmon River Buoy 12 | 43-31-35.000N 076-15-08.000W | | | | Red nun. | Maintained from May 14 to Nov. 1. Private aid. |
| 2057.1 | Little Salmon River Buoy 13 | 43-31-35.000N 076-15-06.000W | | | | Green can. | Maintained from May 14 to Nov. 1. Private aid. |
| Constellation Nuclear Security Zone | | | | | | | |
| 2060 | - No Entry Buoy A | 43-31-00.000N 076-25-41.800W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar from Nov. 1 to Apr. 15. Private aid. |
| 2060.1 | - No Entry Buoy B | 43-31-12.000N 076-25-42.000W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar from Nov. 1 to Apr. 15. Private aid. |
| 2060.2 | - No Entry Buoy C | 43-31-19.560N 076-25-26.940W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replace by spar from Nov. 1 to Apr 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ONTARIO | | | | | | | |
| SOUTH OF STONY POINT TO PORT BAY (Chart 14803) | | | | | | | |
| Port Ontario | | | | | | | |
| Constellation Nuclear Security Zone | | | | | | | |
| 2060.3 | - No Entry Buoy D | 43-31-27.010N 076-25-11.940W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar f from Nov. 1 to Apr 15. Private aid. |
| 2060.4 | - No Entry Buoy E | 43-31-34.500N 076-24-56.820W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar f from Nov. to Apr. 15. Private aid. |
| 2060.5 | - No Entry Buoy F | 43-31-37.860N 076-24-39.300W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar f from Nov. 1 to Apr 15. Private aid. |
| 2060.6 | - No Entry Buoy G | 43-31-39.660N 076-24-21.240W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar f from Nov. 1 to Apr 15. Private aid. |
| 2060.7 | - No Entry Buoy H | 43-31-41.760N 076-24-03.240W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar f from Nov. 1 to Apr. 15. Private aid. |
| 2060.8 | - No Entry Buoy I | 43-31-44.000N 076-23-45.240W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar f from Nov. 1 to Apr. 15. Private aid. |
| 2060.9 | - No Entry Buoy J | 43-31-45.800N 076-23-28.620W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar f from Nov. 1 to Apr. 15. Private aid. |
| 2061 | - No Entry Buoy K | 43-31-48.000N 076-23-12.000W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar f from Nov. 1 to Apr 15. Private aid. |
| 2061.1 | - No Entry Buoy L | 43-31-35.640N 076-23-12.000W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar f from Nov. 1 to Apr 15. Private aid. |
| OSWEGO HARBOR (Chart 14813) | | | | | | | |
| Oswego Harbor | | | | | | | |
| 2065 | - DETACHED BREAKWATER WEST END LIGHT | 43-28-34.550N 076-30-57.820W | FI G 4s | 30 9 | 6 | SG on gray post. | Vessels enroute to or f from harbor should use new lake approach channel to westward of Oswego Detached Breakwater. |
| 2070 | - DETACHED BREAKWATER EAST END LIGHT | 43-28-32.413N 076-30-46.986W | FI Y 4s | 30 9 | 7 | NB on gray post. | Vessels enroute to or f from harbor should use new lake approach channel to westward of Oswego Detached Breakwater. |
| 2075 | - EAST BREAKWATER LIGHT | 43-28-25.789N 076-30-51.287W | FI G 6s | 43 13 | 6 | SG on gray post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| LAKE ONTARIO | | | | | | | |
| OSWEGO HARBOR (Chart 14813) | | | | | | | |
| Oswego Harbor | | | | | | | |
| 2080 | - West Pierhead Light | 43-28-23.735N 076-31-01.352W | FI R 10s | 57 17 | 11 | | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 2090 | - Inner Buoy 1 On southeast point of shoal. | 43-27-59.654N 076-30-45.257W | | | | Green can. | |
| 2095 | - Inner Lighted Buoy 2 | 43-27-58.448N 076-30-52.600W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 14 to May 7. |
| 2097 | - Inner Buoy 4 | 43-27-53.935N 076-30-50.118W | | | | Red nun. | |
| 2100 | - Canal Channel Lighted Buoy 6 | 43-27-35.490N 076-30-39.612W | FI R 6s | | 4 | Red | Maintained from May. 14 to Nov. 1. |
| 2103 | Kokosing North Mooring | 43-28-07.600N 076-31-01.200W | Q W | | | | Private aid. |
| 2103.1 | Kokosing South Mooring | 43-28-12.000N 076-30-59.800W | Q W | | | | Private aid. |
| 2105 | - WEST CHANNEL LIGHT 2 | 43-27-58.303N 076-31-12.361W | FI R 4s | 36 11 | 4 | TR on pile. | |
| 2110 | - West Channel Buoy 3 | 43-27-53.246N 076-31-13.493W | | | | Green can. | Maintained from May 14 to Nov 1. |
| 2115 | - West Channel Buoy 5 | 43-27-47.646N 076-31-27.894W | | | | Green can. | Maintained from May 14 to Nov 1. |
| 2120 | - West Channel Buoy 7 | 43-27-41.945N 076-31-41.895W | | | | Green can. | Maintained from May 14 to Nov 1. |
| SOUTH OF STONY POINT TO PORT BAY (Chart 14803) | | | | | | | |
| 2130 | Ford Shoal Lighted Buoy 1 | 43-26-57.258N 076-35-20.715W | FI G 4s | | 4 | Green. | Maintained from May 7 to to Nov. 14. |
| 2131.1 | USGS 1 | 43-25-09.000N 076-37-18.000W | Q Y | | | | Private aid. |
| 2131.2 | USGS 2 | 43-25-34.020N 076-38-40.020W | Q Y | | | | Private aid. |
| 2131.3 | USGS 3 | 43-27-03.000N 076-39-10.020W | Q Y | | | | Private aid. |
| 2131.4 | USGS 4 | 43-28-18.720N 076-40-03.000W | Q Y | | | | Private aid. |
| 2131.5 | USGS 5 | 43-32-59.220N 076-41-49.260W | Q Y | | | | Private aid. |
| 2135 | FAIR HAVEN BREAKWATER LIGHT 2 | 43-21-01.200N 076-42-30.800W | FI R 4s | 28 9 | 7 | TR on post. | |
| 2140 | FAIR HAVEN BREAKWATER LIGHT 1 | 43-21-01.100N 076-42-27.000W | FI G 4s | 30 9 | 6 | SG on post. | |
| PORT BAY TO LONG POND (Chart 14804) | | | | | | | |
| Port Bay | | | | | | | |
| <i>Aids maintained from May 1 to Oct. 20.</i> | | | | | | | |
| 2145 | - Entrance Lighted Buoy 1 | 43-18-19.500N 076-50-14.000W | Iso G 2s | | | Green. | Private aid. |
| 2150 | - ENTRANCE LIGHT 2 | 43-18-19.500N 076-50-15.200W | Q R | 21 6 | | On red pile. | Private aid. |
| 2155 | - Lighted Buoy 3 | 43-18-17.000N 076-50-15.200W | Iso G 2s | | | Green. | Private aid. |
| 2165 | - Lighted Buoy 5 | 43-18-15.000N 076-50-15.000W | Iso G 2s | | | Green. | Private aid. |
| SODUS BAY (Chart 14814) | | | | | | | |
| Sodus Bay | | | | | | | |
| 2168 | SUNY ESF Buoy | 43-16-54.600N 076-57-39.000W | FI Y 4s | | | | Maintained from Apr. 1 to Nov. 30. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ONTARIO | | | | | | | |
| SODUS BAY (Chart 14814) | | | | | | | |
| Sodus Bay | | | | | | | |
| 2170 | Sodus Outer Light | 43-16-38.674N 076-58-26.242W | Iso R 6s | 51 16 | 10 | Tower. | |
| 2180 | - EAST PIER LIGHT 1 | 43-16-36.926N 076-58-21.350W | FI G 4s | 18 5 | 6 | SG on grey post. | |
| 2182 | - Channel Lighted Buoy 4 | 43-16-20.067N 076-58-25.846W | FI R 2.5s | | 3 | Red. | Maintained from May 14 to Nov. 1. |
| 2185 | - Channel Lighted Buoy 5 | 43-16-20.036N 076-58-21.285W | FI G 2.5s | | 3 | Green. | Maintained from May 14 to Nov. 1. |
| 2190 | - LIGHT 6 | 43-16-11.700N 076-58-25.930W | FI R 4s | 18 5 | 4 | TR on white column. | |
| 2200 | Newark Island Danger Lighted Buoy | 43-15-57.700N 076-57-34.900W | Q W | | 3 | White can with orange bands and diamond worded DANGER ROCKS | Maintained from May 14 to Nov. 1. |
| 2205 | - Special Anchorage Buoy A | 43-15-51.840N 076-58-32.052W | | | | Yellow can. | Maintained from May 14 to Nov. 1. |
| 2207 | - Special Anchorage Buoy B | 43-15-53.556N 076-58-46.140W | | | | Yellow can. | Maintained from May 14 to Nov. 1. |
| 2209 | - Special Anchorage Buoy C | 43-15-54.198N 076-58-48.924W | | | | Yellow can. | Maintained from May 14 to Nov. 1. |
| 2211 | - Special Anchorage Buoy D | 43-15-54.960N 076-58-59.124W | | | | Yellow can. | Maintained from May 14 to Nov. 1. |
| 2215 | DAVENPORT MARINE DOCK LIGHT | 43-13-30.000N 076-55-36.000W | F G | 10 3 | | On pile. | Private aid. |
| PORT BAY TO LONG POND (Chart 14804) | | | | | | | |
| Pultneyville Entrance | | | | | | | |
| 2220 | PULTNEYVILLE YACHT CLUB LIGHT | 43-17-06.000N 077-11-06.000W | FI W 4s | 35 11 | | On pile. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2225 | PULTNEYVILLE OUTER RANGE FRONT LIGHT | 43-16-57.000N 077-10-57.000W | F G | 18 5 | | White diamond day mark on pile. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2230 | PULTNEYVILLE OUTER RANGE REAR LIGHT 60 feet, 189° from front light. | 43-16-56.000N 077-10-57.000W | F G | 30 9 | | White diamond day mark on pile. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2235 | - Lighted Buoy 1 | 43-17-05.000N 077-10-56.500W | FI G 3s | | | Green. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2240 | - Lighted Buoy 2 | 43-17-05.000N 077-10-58.000W | FI R 3s | | | Red. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2245 | - Lighted Buoy 3 | 43-17-01.000N 077-10-56.500W | FI G 3s | | | Green. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2250 | - Lighted Buoy 4 | 43-17-01.000N 077-10-58.000W | FI R 3s | | | Red. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2255 | PULTNEYVILLE INNER RANGE FRONT LIGHT | 43-16-59.000N 077-11-06.000W | F R | 11 3 | | White diamond shaped day mark with red border on post. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2260 | PULTNEYVILLE INNER RANGE REAR LIGHT 225 feet, 259° from front light. | 43-17-00.000N 077-11-12.000W | F R | 20 6 | | White diamond shaped day mark with red border on pile. | Maintained from Apr. 30 to Sep. 30. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ONTARIO | | | | | | | |
| PORT BAY TO LONG POND (Chart 14804) | | | | | | | |
| Pultneyville Entrance | | | | | | | |
| 2265 | - Lighted Buoy 5 | 43-17-06.000N 077-11-00.000W | FI G 3s | | | Green. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2270 | - Lighted Buoy 6 | 43-17-06.000N 077-11-00.000W | FI R 3s | | | Red. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| R. E. Ginna Nuclear Security Zone | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 2271 | - No Entry Buoy A | 43-16-57.000N 077-18-54.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.1 | - No Entry Buoy B | 43-17-07.800N 077-18-54.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.2 | - No Entry Buoy C | 43-17-18.000N 077-18-54.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.3 | - No Entry Buoy D | 43-17-18.000N 077-18-42.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.4 | - No Entry Buoy E | 43-17-18.000N 077-18-30.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.5 | - No Entry Buoy F | 43-17-18.000N 077-18-18.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.6 | - No Entry Buoy G | 43-17-07.800N 077-18-18.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.7 | - No Entry Buoy H | 43-16-57.000N 077-18-18.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.8 | - No Entry Buoy I | 43-16-46.800N 077-18-18.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| Pultneyville Entrance | | | | | | | |
| 2275 | WEBSTER PARK BREAKWATER LIGHT 1 | 43-15-45.000N 077-27-01.000W | FI G 6s | 20 | 6 | On post on jetty. | Maintained from May 1 to Oct. 15. Private aid. |
| 2276.1 | USGS 6 | 43-24-51.600N 077-25-28.800W | Q Y | | | | Private aid. |
| 2276.2 | USGS 7 | 43-20-05.100N 077-28-45.960W | Q Y | | | | Private aid. |
| 2276.3 | USGS 8 | 43-18-30.180N 077-30-09.600W | Q Y | | | | Private aid. |
| Irondequoit Bay | | | | | | | |
| 2280 | - LIGHT 2 | 43-14-17.500N 077-32-01.700W | FI R 4s | 16 | 5 | White cylindrical tower with red band. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ONTARIO | | | | | | | |
| PORT BAY TO LONG POND (Chart 14804) | | | | | | | |
| Irondequoit Bay | | | | | | | |
| 2285 | - LIGHT 3 | 43-14-13.300N 077-32-01.400W | FI G 2.5s | 16 5 | 4 | SG on post. | |
| 2290 | - LIGHT 4 | 43-14-03.000N 077-32-04.000W | FI R 4s | 16 5 | 4 | TR on pile. | |
| 2295 | - <i>Lighted Buoy A</i> | 43-14-01.000N 077-32-04.000W | FI (2+1)R 6s | | | | Maintained from May 21 to Nov 14. |
| 2300 | - LIGHT 5 | 43-13-50.000N 077-32-03.000W | Q G | 16 5 | 4 | SG on pile. | |
| 2305 | - LIGHT 6 | 43-13-50.000N 077-32-04.000W | Q R | 16 5 | 4 | TR on pile. | |
| 2310 | - LIGHT 7 | 43-13-34.000N 077-32-09.000W | FI G 4s | 16 5 | 4 | SG on pile. | |
| 2315 | - LIGHT 8 | 43-13-34.000N 077-32-11.000W | FI R 4s | 16 5 | 3 | TR on pile. | |
| 2316 | USGS 9 | 43-15-55.920N 077-32-59.580W | Q Y | | | | Private aid. |
| 2317 | USGS 10 | 43-14-33.060N 077-33-42.060W | Q Y | | | | Private aid. |
| ROCHESTER HARBOR (Chart 14815) | | | | | | | |
| Rochester Harbor | | | | | | | |
| 2320 | - Light | 43-15-50.040N 077-35-56.322W | FI R 4s | 40 12 | 9 | White cylindrical tower with red band. | |
| 2330 | - EAST PIER LIGHT | 43-15-44.620N 077-35-54.310W | FI G 4s | 20 6 | 8 | On post. | |
| 2333 | CHARLOTTE-GENESEE LIGHTHOUSE | 43-15-09.975N 077-36-38.142W | F W | | | | Private aid. |
| 2335 | Genesee River Turning Basin Buoy 4 Marks south side of shoal. | 43-14-02.091N 077-37-04.057W | | | | Red nun. | Maintained from May 7 to Nov 7. |
| 2337 | <i>Genesee River Lighted Buoy WR2</i> | 43-14-20.265N 077-36-50.779W | Q R | | 3 | | Maintained from May 7 to Nov 7. |
| 2340 | BRADDOCK BAY CHANNEL LIGHT 1 | 43-18-23.000N 077-42-55.000W | FI G 4s | | | SG on post. | Maintained from Apr. 15 to Sep. 15. Private aid. |
| 2345 | BRADDOCK BAY CHANNEL LIGHT 2 | 43-18-24.000N 077-42-30.000W | FI R 4s | | | TR on post. | Maintained from Apr. 15 to Sep. 15. Private aid. |
| LONG POND TO THIRTYMILE POINT (Chart 14805) | | | | | | | |
| Braddock Bay | | | | | | | |
| 2350 | Braddock Point Light | 43-20-28.300N 077-45-45.500W | Iso W 6s | 55 17 | 14 | Brown circular tower. 55 | |
| 2355 | <i>Wautoma Shoal Lighted Buoy 1</i> | 43-21-28.691N 077-48-13.391W | FI G 4s | | 4 | Green. | Maintained from May 7 to Nov. 14. |
| 2356 | BROCKPORT HARBOR LIGHT | 43-21-09.440N 077-53-30.030W | Q W | 8 2 | | On post. | Maintained from Jun. 1 to Oct. 1. Private aid. |
| Eagle Creek Marina | | | | | | | |
| 2360 | - ENTRANCE LIGHT 1 | 43-22-05.000N 078-01-52.000W | Iso G 2s | 10 3 | | SG on post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 2361 | - ENTRANCE LIGHT 2 | 43-22-07.000N 078-01-48.000W | Iso R 2s | 10 3 | | TR on post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 2362 | - ENTRANCE LIGHT 3 | 43-22-04.500N 078-01-45.000W | Iso G 2s | 10 3 | | SG on post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 2363 | - ENTRANCE LIGHT 4 | 43-22-04.500N 078-01-48.000W | Iso R 2s | 10 3 | | TR on post. | Maintained from Apr. 15 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-----------------------------------|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ONTARIO | | | | | | | |
| LONG POND TO THIRTYMILE POINT (Chart 14805) | | | | | | | |
| Oak Orchard | | | | | | | |
| 2365 | - BREAKWATER LIGHT B | 43-22-28.330N 078-11-31.680W | FI W 6s | 30 9 | 6 | NR on post. | |
| 2370 | - BREAKWATER LIGHT A | 43-22-28.240N 078-11-28.480W | Q W | 25 8 | 5 | NR on post. | |
| 2375 | - BREAKWATER LIGHT C | 43-22-28.430N 078-11-35.420W | Q W | 25 8 | 5 | NR on post. | |
| 2380 | - JETTY LIGHT 3 | 43-22-25.540N 078-11-30.330W | FI G 4s | 25 8 | 5 | SG on post. | |
| 2390 | - JETTY LIGHT 4 | 43-22-25.560N 078-11-33.310W | FI R 4s | 25 8 | 5 | TR on post. | |
| 2391 | - HARBOR LIGHT | 43-22-20.040N 078-11-29.400W | F W | | | | Private aid. |
| Golden State Park Entrance | | | | | | | |
| <i>Aids maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 2393 | - LIGHT 3 | 43-22-18.000N 078-28-40.000W | Q G | 30 9 | | SG on pole. | Private aid. |
| 2395 | Thirtymile Point Light | 43-22-29.500N 078-29-10.700W | FI W 10s | 60 18 | | Square tower on northeast corner of two-story house. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| THIRTYMILE POINT TO PORT DALHOUSIE (Chart 14806) | | | | | | | |
| Wilson Harbor | | | | | | | |
| 2400 | OLCOTT LIGHT | 43-20-26.445N 078-43-10.917W | FI R 2.5s | 29 9 | 6 | TR on post. | |
| 2405 | - PIERHEAD LIGHT 2 | 43-19-10.511N 078-50-13.458W | FI R 4s | 27 8 | 7 | TR on post. | |
| 2410 | - Buoy 4 | 43-19-00.149N 078-50-10.015W | | | | Red nun. | Maintained from May 1 to Nov. 1. |
| 2415 | - Buoy 3 | 43-19-03.456N 078-50-08.796W | | | | Green can. | Maintained from May 1 to Nov. 1. |
| 2420 | - Day beacon 6 | 43-18-57.400N 078-50-13.210W | | | | TR on pile. | |
| 2425 | - Day beacon 7 | 43-18-55.370N 078-50-13.490W | | | | SG on pile. | |
| 2430 | - Day beacon 8 | 43-18-56.310N 078-50-16.260W | | | | TR on pile. | |
| 2435 | - Day beacon 9 | 43-18-55.240N 078-50-23.810W | | | | SG on pile. | |
| 2440 | - Day beacon 10 | 43-18-56.240N 078-50-24.240W | | | | TR on pile. | |
| 2445 | - Day beacon 12 | 43-18-51.720N 078-50-34.910W | | | | TR on pile. | |
| 2450 | - Day beacon 13 | 43-18-50.140N 078-50-35.840W | | | | SG on pile. | |
| 2455 | - Day beacon 15 | 43-18-50.350N 078-50-39.630W | | | | SG on pile. | |
| 2460 | - Day beacon 16 | 43-18-52.480N 078-50-42.010W | | | | TR on pile. | |
| 2465 | - Day beacon 17 | 43-18-49.810N 078-50-43.750W | | | | SG on pile. | |
| 2470 | - Day beacon 18 | 43-18-50.310N 078-50-47.300W | | | | TR on pile. | |
| 2475 | - Day beacon 20 | 43-18-47.440N 078-50-49.740W | | | | TR on pile. | |
| 2480 | - Day beacon 21 | 43-18-44.800N 078-50-52.780W | | | | SG on pile. | |
| LOWER NIAGARA RIVER (Chart 14816) | | | | | | | |
| 2485 | Fort Niagara Light 5 | 43-15-42.530N 079-03-50.040W | Oc G 4s | 80 24 | 10 | SG on tower. 80 | |
| 2490 | <i>Niagara Bar Lighted Buoy 2</i> | 43-19-02.394N 079-04-14.074W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 14 to May 7. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-------------------------------|---------------|--------------|--|---|
| LAKE ONTARIO | | | | | | | |
| LOWER NIAGARA RIVER (Chart 14816) | | | | | | | |
| 2495 | <i>Fort Niagara Lighted Bell Buoy 3</i> Marks northwest side of shoal. | 43-16-24.451N 079-04-29.988W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 14 to May 7. |
| Niagara River (Below the Falls) | | | | | | | |
| 2505 | NIAGARA RIVER RANGE FRONT LIGHT (C) | 43-15-18.000N 079-03-42.000W | F R | 34 10 | | White tower with red top. | Visible on range line only. Seasonal. |
| 2510 | NIAGARA RIVER RANGE REAR LIGHT (C) 693 feet, 149.3° from front light. | | F R | 47 14 | | White tower with red top. | Visible on range line only. Seasonal. |
| 2515 | <i>Youngstown Safe Boating Zone Lighted Float A</i> | 43-15-17.000N 079-03-19.000W | Q Y | | | 4x8 foot yellow float displaying two 34x12 inch sign boards. | Maintained from May 1 to Nov. 1. Private aid. |
| 2516 | <i>Youngstown Safe Boating Zone Lighted Float B</i> | 43-14-40.800N 079-03-17.000W | Q Y | | | 4x8 foot yellow float displaying two 34x12 inch sign boards. | Maintained from May 1 to Nov. 1. Private aid. |
| 2517 | <i>Youngstown Safe Boating Zone Lighted Float C</i> | 43-14-16.000N 079-03-18.500W | Q Y | | | 4x8 foot yellow float displaying two 34x12 inch sign boards. | Maintained from May 1 to Nov. 1. Private aid. |
| 2525 | LEWISTON SKI JUMP LIGHT | 43-10-24.000N 079-03-00.000W | Q W | 8 2 | | On water ski jump. | Maintained from Jun. 1 to Oct. 31. Private aid. |
| APPROACHES TO NIAGARA RIVER AND WELLAND CANAL (Chart 14822) | | | | | | | |
| Port Weller | | | | | | | |
| 2535 | Outer Light (C) | 43-14-42.000N 079-13-06.000W | FI R 10s 0.3s fl. 9.7s ec. | 51 16 | 15 | Red skeleton tower. | Maintained from Apr. to Dec. Seasonal. |
| 2545 | EAST BREAKWATER EAST LIGHT (C) | | FI G 4s | 34 10 | 9 | Orange day mark on white pile. | Eastern limits; measured distance. Seasonal. |
| 2550 | ST. CATHERINE'S OUTER LIGHT (C) | 43-14-42.000N 079-12-30.000W | Iso R 2s | 26 8 | 5 | White cylindrical tower with red top. | Seasonal. |
| 2555 | ENTRANCE RANGE FRONT LIGHT (C) | 43-13-24.000N 079-13-00.000W | Iso Y 5s | 54 16 | | On orange and white post. | |
| 2560 | ENTRANCE RANGE REAR LIGHT (C) 2,975 feet, 180° from front light. | | F Y (R & G sectors) | 105 32 | | Orange and white skeleton tower. | Red from 177.5° to 179.7°, yellow from 179.7° to 180.3°, green 180.3° to 182.5°. Yellow sector indicates preferred channel. |
| CLAYTON TO FALSE DUCK ISLAND (Chart 14802) | | | | | | | |
| 2565 | Nine Mile Point Light (C) | 44-09-06.000N 076-33-24.000W | FI W 10s 03s fl 9.7s ec. | 53 16 | 20 | White circular tower with red top. | Seasonal. Emergency light. |
| 2570 | PIGEON ISLAND LIGHT (C) | 44-04-00.000N 076-33-00.000W | FI W 4s | 65 20 | 8 | White square skeleton tower with red top. | Seasonal. |
| 2575 | <i>South Charity Shoal Lighted Buoy M6 (C)</i> Marks southwest side of shoal. | | FI R 4s | | | Red. | |
| 2580 | <i>South Charity Shoal Lighted Buoy M7 (C)</i> | 43-59-00.000N 076-32-30.000W | FI G 4s | | | Green. | |
| 2585 | Main Duck Island Light (C) | 43-55-54.000N 076-38-18.000W | FI W 6s | 77 23 | 20 | White octagonal tower with red upper portion. | Seasonal. Emergency light. |
| 2595 | <i>The Ducks Lighted Buoy MM2 (C)</i> | 43-54-36.000N 076-35-42.000W | FI R 4s | | | Red. | |
| 2600 | <i>Main Duck Island Lighted Buoy M9 (C)</i> Marks west side of shoal. | 43-50-00.000N 076-40-30.000W | FI G 4s | | | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|---|---------------|--------------|---|---|
| LAKE ONTARIO | | | | | | | |
| CLAYTON TO FALSE DUCK ISLAND (Chart 14802) | | | | | | | |
| 2605 | <i>Psyche Shoal Lighted Bell Buoy M10 (C)</i> Marks southeast side of shoal. | | FI R 4s | | | Red. | |
| 2610 | <i>William Shoal Lighted Buoy K11 (C)</i> Marks southwest side of shoal. | 43-55-30.000N 076-47-48.000W | FI G 4s | | | Green. | Seasonal. |
| 2615 | False Ducks Light (C) | 43-56-54.000N 076-47-54.000W | FI R 4s | 72 22 | 20 | Hexagonal tower with red and white bands. | Seasonal. |
| 2620 | <i>False Ducks Bank Lighted Buoy K12 (C)</i> Marks southeast side of bank. | 43-56-00.000N 076-48-42.000W | FI R 4s | | | Red. | Seasonal. |
| 2625 | <i>Traverse Shoal Lighted Buoy K14 (C)</i> | 43-54-12.000N 076-50-48.000W | FI R 4s | | | Red. | Seasonal. |
| 2630 | PRINCE EDWARD POINT LIGHT (C) | 43-56-12.000N 076-51-30.000W | Iso W 2s | 47 14 | 6 | White skeleton tower. | Seasonal. |
| 2635 | Point Petre Light (C) | 43-50-24.000N 077-09-12.000W | FI W 10s 0.3s fl 9.7s ec. | 71 22 | 15 | Red and white banded circular tower. | Seasonal. |
| 2645 | SCOTCH BONNET ISLAND LIGHT (C) | 43-54-00.000N 077-32-36.000W | FI W 4s | 75 23 | 6 | White skeleton tower. | |
| 2650 | PROCTOR POINT LIGHT (C) | 43-58-18.000N 077-44-48.000W | FI R 4s | 40 12 | | White circular tower with red top. | Seasonal. |
| LAKE ONTARIO (Chart 14800) | | | | | | | |
| 2655 | NOAA Lighted Weather Buoy 45012 | 43-37-15.000N 077-24-03.000W | FI (4)Y 20s 1s fl 1.5s ec. 1s fl 1.5s ec. 1s fl 1.5s ec. 1s fl 1.5s ec. | | 4 | Yellow, disk-shaped hull. | Replaced by nun Nov. 1 to Apr. 1. Aid maintained by National Oceanic and Atmospheric Administration. |
| LAKE ERIE | | | | | | | |
| BUFFALO HARBOR (Chart 14833) | | | | | | | |
| Buffalo Harbor | | | | | | | |
| 2665 | Buffalo Safe Water VAIS | 42-50-08.639N 078-55-25.922W | | | | | MMSI: 993682126 |
| 2670 | BUFFALO INTAKE CRIB LIGHT | 42-52-48.000N 078-54-42.000W | FI (2)W 5s 0.5s fl 1s ec. 0.5s fl 3s ec. | 60 18 | | Large circular building on concrete crib. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 2675 | - WEST BREAKWATER LIGHT | 42-52-29.560N 078-54-20.090W | FI W 4s | 35 11 | 5 | NG on post. | |
| 2680 | - Light | 42-52-14.200N 078-54-09.198W | FI G 2.5s | 71 22 | 12 | White tower. 71 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 2690 | - <i>North Entrance Channel Lighted Bell Buoy 1</i> | 42-51-41.809N 078-54-29.227W | FI G 4s | | 4 | Green. | Maintained from Apr. 28 to Dec. 1. |
| 2695 | - <i>North Entrance Channel Lighted Buoy 2</i> | 42-51-38.099N 078-54-19.070W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Dec. 1. |
| 2700 | - <i>North Entrance Channel Lighted Buoy 4</i> | 42-52-09.209N 078-53-57.980W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Dec. 1. |
| 2705 | - NORTH ENTRANCE LIGHT 5 | 42-52-35.320N 078-53-53.620W | FI G 2.5s | 34 10 | 5 | SG on post. | |
| 2710 | - NORTH ENTRANCE LIGHT 6 | 42-52-26.760N 078-53-46.030W | FI R 2.5s | 34 10 | 5 | TR on post. | |
| 2715 | - OLD BREAKWATER NORTH END LIGHT | 42-52-39.260N 078-53-57.180W | FI W 2.5s | 35 11 | 5 | NR on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-----------------------------------|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE ERIE | | | | | | | |
| BUFFALO HARBOR (Chart 14833) | | | | | | | |
| Buffalo Harbor | | | | | | | |
| 2720 | - NORTH ENTRANCE LIGHT 7 | 42-52-49.460N 078-53-45.560W | FI G 2.5s | 20 6 | 7 | SG on post. | |
| Buffalo River | | | | | | | |
| 2725 | BUFFALO COAST GUARD SLIP LIGHT | 42-52-38.090N 078-53-28.119W | Iso R 6s | 20 6 | 4 | TR on post. | |
| 2730 | - LIGHT 2 | 42-52-40.488N 078-53-23.321W | Oc R 4s | 25 8 | 7 | TR on post. | |
| 2735 | - Junction Lighted Buoy BR | 42-52-46.718N 078-53-31.240W | FI (2+1)R 6s | | 4 | Red and green bands. | Replaced by nun f from Dec. 21 to Apr. 1. |
| 2740 | - LIGHT 5 | 42-52-44.300N 078-53-15.200W | FI G 3s | 32 10 | | On white pile. | Maintained from Apr. 1 to Dec. 15. Private aid. |
| Black Rock Canal | | | | | | | |
| <i>Lighted buoys maintained from Apr. 14 to Dec. 21.</i> | | | | | | | |
| 2785 | - Lighted Buoy 1 | 42-53-02.558N 078-53-34.280W | FI G 4s | | 3 | Green. | Replaced by can f from Dec. 21 to Apr. 1. |
| 2790 | STATE BREAKWATER LIGHT 2 | 42-53-06.000N 078-53-26.000W | FI R 4s | 28 9 | | TR on white skeleton tower with small white house with enclosed base. | Maintained from Apr. 1 to Dec. 15. Private aid. |
| 2795 | - Lighted Buoy 3 | 42-53-09.771N 078-53-34.539W | FI G 2.5s | | 3 | Green. | Replaced by can f from Dec. 21 to Apr. 14. |
| 2800 | - LIGHT 4 | 42-53-16.491N 078-53-33.123W | FI R 2.5s | 27 8 | 6 | TR on post. | |
| 2805 | - Lighted Buoy 5 | 42-53-21.894N 078-53-46.545W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 14. |
| 2810 | - Buoy 6 | 42-53-23.718N 078-53-44.230W | | | | Red nun. | |
| 2820 | - Lighted Buoy 8 | 42-53-27.368N 078-53-51.491W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 14. |
| 2825 | - Lighted Buoy 9 | 42-53-34.228N 078-54-04.291W | FI G 4s | | 3 | Green. | Replaced by can f from Dec. 21 to Apr. 14. |
| 2830 | - Lighted Buoy 10 | 42-53-33.686N 078-53-59.941W | FI R 2.5s | | 3 | Red. | Replaced by nun f from Dec. 21 to Apr. 14. |
| 2835 | - Lighted Buoy 11 | 42-53-43.288N 078-54-10.362W | FI G 2.5s | | 3 | Green. | Replaced by can f from Dec. 21 to Apr. 14. |
| 2840 | - Lighted Buoy 12 | 42-53-43.488N 078-54-07.051W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 14. |
| 2845 | - Lighted Buoy 13 | 42-53-49.138N 078-54-11.812W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 14. |
| 2850 | - Lighted Buoy 14 | 42-53-49.138N 078-54-08.502W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 14. |
| 2855 | - LIGHT 15 | 42-53-58.490N 078-54-12.320W | FI G 4s | 24 7 | 4 | SG on post. | |
| 2860 | - Lighted Buoy 16 | 42-53-57.865N 078-54-08.432W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 14. |
| 2865 | - Lighted Buoy 17 | 42-54-13.238N 078-54-09.412W | FI G 4s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|-------------------|--|
| LAKE ERIE | | | | | | | |
| BUFFALO HARBOR (Chart 14833) | | | | | | | |
| Black Rock Canal | | | | | | | |
| <i>Lighted buoys maintained from Apr. 14 to Dec. 21.</i> | | | | | | | |
| 2875 | - Lighted Buoy 19 | 42-55-08.247N 078-54-05.752W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 14. |
| 2880 | - Lighted Buoy 21 | 42-55-25.677N 078-54-00.822W | FI G 2.5s | | 4 | Green. | |
| 2885 | - Lighted Buoy 23 | 42-55-39.597N 078-54-01.463W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 14. |
| 2890 | - Lighted Buoy 24 | 42-55-41.961N 078-53-57.922W | FI R 4s | | 4 | Red. | |
| 2895 | - Lighted Buoy 25 | 42-55-48.177N 078-54-04.366W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 14. |
| 2900 | - Lighted Buoy 26 | 42-55-47.317N 078-54-00.463W | FI R 2.5s | | 4 | Red. | Maintained from Apr. 14 to Dec. 21. |
| Buffalo Harbor South Entrance | | | | | | | |
| 2905 | - LIGHT 2 | 42-50-09.200N 078-52-28.800W | FI R 6s | 36 11 | 8 | NR on post. | |
| 2910 | - LIGHT 3 | 42-50-07.290N 078-52-03.130W | FI G 2.5s | 20 6 | 6 | SG on post. | |
| 2915 | BUFFALO HARBOR SOUTH SIDE LIGHT 4 | 42-50-01.050N 078-52-03.530W | FI R 2.5s | 40 12 | 5 | TR on post. | |
| 2925 | LACKAWANNA EAST PIERHEAD LIGHT | 42-49-52.900N 078-51-42.200W | F R | 20 6 | | On black post. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| 2930 | LACKAWANNA WEST PIERHEAD LIGHT | 42-49-51.000N 078-51-45.100W | F R | 20 6 | | On red post. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| 2935 | UNION CANAL LIGHT | 42-49-58.500N 078-51-37.800W | F R | 20 6 | | On black post. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| Buffalo Outer Harbor | | | | | | | |
| 2975 | <i>Middle Reefs Lighted Buoy EU4 (C)</i> | | FI R 4s | | | Red. | Seasonal. No winter mark. |
| 2975.1 | Bird Island Reef EU Buoy 6 (C) | | | | | Red nun. | Maintained from May 1 to Oct. 7. |
| 2975.2 | Limekiln Reef EU Buoy 7 (C) | | | | | Green can. | Maintained from May 1 to Oct. 7. |
| 2975.3 | Bird Island Reef EU Buoy 8 (C) | | | | | Red nun. | Maintained from May 1 to Oct. 7. |
| UPPER NIAGARA RIVER (Chart 14832) | | | | | | | |
| Strawberry Island Cut | | | | | | | |
| 2985 | - Lighted Buoy 1 | 42-56-38.056N 078-54-40.925W | FI G 4s | | 3 | Green. | Replaced by can f from Dec. 21 to May 7. |
| 2990 | HARBOUR PLACE MARINE NORTH LIGHT | 42-56-35.000N 078-54-35.800W | F G | 15 5 | | On post. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| 2995 | HARBOUR PLACE MARINE SOUTH LIGHT | 42-56-33.000N 078-54-35.800W | F R | 15 5 | | On post. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| 3000 | - UPPER RANGE FRONT LIGHT | 42-57-12.313N 078-54-37.631W | F R | 25 8 | | KRW on gray post. | Visible 4° each side of range line. |
| 3005 | - UPPER RANGE REAR LIGHT 788 feet, 001.4° from front light. | 42-57-20.099N 078-54-37.366W | F R | 48 15 | | KRW on gray post. | Visible 4° each side of range line. |
| 3010 | - Lighted Buoy 5 | 42-56-59.586N 078-54-39.915W | Q G | | 4 | Green. | Replaced by can f from Dec. 21 to May 7. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|-------------------|------------------------|--|
| LAKE ERIE | | | | | | | |
| UPPER NIAGARA RIVER (Chart 14832) | | | | | | | |
| Strawberry Island Cut | | | | | | | |
| 3015 | - LOWER RANGE FRONT LIGHT | 42-57-01.981N 078-54-33.928W | F R | 27 8 | | KRW on gray post. | Visible 1.5° each side of range line. |
| 3020 | - LOWER RANGE REAR LIGHT 733 feet, 138.8° from front light. | 42-56-56.529N 078-54-27.437W | F R | 86 26 | | KRW on skeleton tower. | Visible 1.5° each side of range line. |
| 3025 | - <i>Lighted Buoy 7</i> Marks Strawberry Island Reef. | 42-57-06.266N 078-54-42.615W | FI G 4s | | 3 | Green. | Replaced by can f from Dec. 7 to May 7. |
| 3030 | - Buoy 8 | 42-57-13.196N 078-54-43.625W | | | | Red nun. | |
| 3045 | - <i>Lighted Buoy 11</i> | 42-57-26.306N 078-55-06.216W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 07 to May 7. |
| 3050 | - Buoy 12 | 42-57-28.776N 078-55-02.436W | | | | Red nun. | |
| Beaver Island State Park | | | | | | | |
| <i>Lights maintained from May 15 to Nov. 1.</i> | | | | | | | |
| 3055 | - EAST BULKHEAD LIGHT | | Q Y | 12 4 | | NY on pile. | Private aid. |
| 3060 | - EAST ENTRANCE LIGHT 2 | 42-57-27.700N 078-57-18.500W | FI R 2s | 12 4 | | TR on pile. | Private aid. |
| 3065 | - WEST ENTRANCE LIGHT 1 | 42-57-28.500N 078-57-20.000W | FI G 2s | 12 4 | | SG on pile. | Private aid. |
| 3070 | - WEST BULKHEAD LIGHT | 42-57-00.300N 078-57-42.000W | Q Y | 12 4 | | NY on pile. | Private aid. |
| Strawberry Island Cut | | | | | | | |
| 3075 | GRAND ISLAND DIRECTION LIGHT | 42-58-40.130N 078-56-50.240W | F R W G | 29 9 | R 7 G 7 W 7 | 4 NB on gray post. | Red from 311.5° to 313.0°, white from 313.0° to 314.0°, green from 314.0° to 315.5°. |
| 3085 | - Buoy 13 | 42-57-39.176N 078-55-24.757W | | | | Green can. | |
| 3090 | - Buoy 14 | 42-57-42.606N 078-55-22.837W | | | | Red nun. | |
| 3091 | - <i>Lighted Buoy 15</i> | 42-57-53.765N 078-55-46.498W | FI G 4s | | 3 | Green. | Replaced by can f from Dec. 07 to May 7. |
| 3095 | - Buoy 16 | 42-57-54.265N 078-55-38.978W | | | | Red nun. | Maintained f from May 7 to Dec. 7. |
| 3105 | <i>Erie County Water Authority Lighted Intake Buoy ECWA</i> | 42-57-53.000N 078-55-53.000W | FI Y 2.5s | | | Yellow. | Maintained f from Apr. 1 to Jan. 1. Private aid. |
| 3110 | - Buoy 18 | 42-58-12.005N 078-56-03.239W | | | | Red nun. | |
| 3135 | - <i>Lighted Buoy 20</i> | 42-58-24.265N 078-56-21.450W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 7 to May 7. |
| Tonawanda Channel | | | | | | | |
| 3140 | - Buoy 21 Marks east side of shoal. | 42-58-28.705N 078-56-34.140W | | | | Green can. | |
| 3145 | - Buoy 22 Marks shoal. | 42-58-38.555N 078-56-28.550W | | | | Red nun. | |
| 3150 | - <i>Lighted Buoy 26</i> | 42-59-06.265N 078-56-44.771W | Q R | | 4 | Red. | Replaced by nun f from Dec. 7 to May 7. |
| 3155 | - <i>Lighted Buoy 28</i> | 42-59-31.004N 078-56-34.631W | FI R 4s | | 3 | Red. | Maintained f from May 7 to Dec. 7. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE ERIE | | | | | | | |
| UPPER NIAGARA RIVER (Chart 14832) | | | | | | | |
| Tonawanda Channel | | | | | | | |
| 3155.1 | COLLINS MARINE ENTRANCE LIGHT 1 | 42-59-47.000N 078-56-05.500W | F G | 15 5 | | SG on post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 3155.2 | COLLINS MARINE ENTRANCE LIGHT 2 | 42-59-45.000N 078-56-09.200W | F R | 9 3 | | TR on post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 3156 | - Lighted Buoy 29 | 43-00-06.404N 078-55-59.140W | FI G 4s | | 4 | Green. | Maintained from May 7 to Dec. 7. |
| 3157 | UNITED REFINERY OBSTRUCTION LIGHT A | 43-00-02.000N 078-55-46.000W | FI W 2s | 12 4 | | | Private aid. |
| 3158 | UNITED REFINING OBSTRUCTION MIDDLE LIGHT | 43-00-02.000N 078-55-45.000W | F R | 18 5 | | | Private aid. |
| 3159 | UNITED REFINERY OBSTRUCTION LIGHT B | 43-00-02.000N 078-55-46.000W | FI W 2s | 12 4 | | | Private aid. |
| 3160 | - Buoy 31 | 43-01-11.955N 078-53-32.505W | | | | Green can. | Maintained from May 7 to Dec. 7. |
| 3165 | TONAWANDA INTAKE CRIB LIGHT | 43-01-00.000N 078-53-36.000W | FI W 4s | 15 5 | | White triangular day mark with red top on stone base. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 3170 | Tonawanda Island Buoy 1 | 43-01-20.618N 078-53-10.876W | | | | Green can. | Maintained from May 7 to Dec. 7. |
| 3180 | - Buoy 33 | 43-01-22.345N 078-53-26.775W | | | | Green can. | Maintained from May 7 to Dec 7. |
| 3183 | - Buoy 34 | 43-01-21.855N 078-53-21.715W | | | | Red nun. | Maintained from May 7 to Dec 7. |
| 3185 | NORTH TONAWANDA INTAKE CRIB LIGHT | 43-01-32.000N 078-53-28.500W | FI G 4s | 19 6 | | Cylindrical structure on crib. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 3190 | - Buoy 35 | 43-01-52.535N 078-53-27.186W | | | | Green can. | Maintained from May 07 to Dec. 07. |
| 3195 | - Buoy 36 | 43-01-59.284N 078-53-21.704W | | | | Red nun. | Maintained from May 7 to Dec 7. |
| 3200 | LOCKPORT INTAKE CRIB LIGHT | 43-01-57.000N 078-53-42.000W | FI W 4s | 15 5 | | NW worded DANGER on cylindrical structure. | Maintained from May 15 to Nov. 1. Private aid. |
| 3215 | - Buoy 37 | 43-02-14.274N 078-53-36.886W | | | | Green can. | Maintained from May 7 to Dec 7. |
| Niagara River | | | | | | | |
| 3235 | - Lighted Buoy 39 | 43-02-41.759N 078-53-42.381W | FI G 4s | | 3 | Green. | Maintained from May 7 to Dec. 7. |
| 3240 | - Lighted Buoy 41 | 43-02-57.219N 078-54-06.501W | FI G 4s | | 3 | Green. | Maintained from May 7 to Dec. 7. |
| 3243 | - Lighted Buoy 42 | 43-03-00.200N 078-54-05.201W | FI R 4s | | 3 | Red. | Maintained from May 7 to Dec. 7. |
| 3245 | - Lighted Buoy 43 | 43-03-22.264N 078-55-18.392W | FI G 4s | | 3 | Green. | Maintained from May 7 to Dec. 7. |
| 3250 | - Lighted Buoy 45 | 43-03-50.000N 078-56-37.900W | FI G 4s | | 3 | Green. | Maintained from May 7 to Dec. 7. |
| 3255 | - Lighted Buoy 47 | 43-03-56.202N 078-58-46.000W | FI G 4s | | 3 | Green. | Maintained from May 7 to Dec. 7. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| UPPER NIAGARA RIVER (Chart 14832) | | | | | | | |
| Niagara River | | | | | | | |
| 3265 | LITTLE RIVER RANGE FRONT LIGHT | 43-04-31.500N 078-57-10.000W | F R | 29 9 | | On pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 3270 | LITTLE RIVER RANGE REAR LIGHT 200 feet, 344° from front light. | 43-04-33.300N 078-57-10.500W | F R | 33 10 | | On pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 3275 | LASALLE YACHT CLUB PIER EAST LIGHT | 43-04-24.000N 078-59-18.000W | F R | 6 2 | | | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3280 | LASALLE YACHT CLUB PIER WEST LIGHT | | F R | 6 2 | | | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3285 | NIAGARA MOHAWK POWER CORPORATION LIGHT | 43-04-12.000N 079-00-00.000W | FI W 3s | 14 4 | | Tower | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3292 | NIAGARA FALLS INTAKE CRIB LIGHT | 43-04-13.968N 078-59-59.875W | FI W 2.5s | 14 4 | | NW on concrete crib. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 3295 | NIAGARA FALLS TRANSMISSION LINE LIGHT B | 43-04-12.000N 079-00-12.000W | FI W 3s | 20 6 | | Gray cylindrical standard on concrete base. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3300 | NIAGARA FALLS TRANSMISSION LINE LIGHT C | 43-03-54.000N 079-00-06.000W | FI W 3s | 20 6 | | Cylindrical standard. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| Buckhorn Island | | | | | | | |
| 3305 | - DIKE LIGHT 1 | 43-04-10.000N 079-00-28.000W | FI W 4s | 20 6 | | | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 3310 | - DIKE LIGHT 2 | 43-04-03.000N 079-00-21.000W | FI W 4s | 20 6 | | | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 3315 | - DIKE LIGHT 3 | 43-04-02.000N 079-00-18.000W | FI W 4s | 20 6 | | | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 3325 | HOOKER ELECTROCHEMICAL CRIB LIGHT | 43-03-01.000N 079-00-01.000W | FI W 7s | 9 3 | | On post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 3330 | HOOKER ELECTROCHEMICAL OUTFALL CRIB LIGHT | 43-03-52.300N 078-59-37.200W | FI W 7s | 9 3 | | On post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| Chippawa Channel | | | | | | | |
| 3335 | BIG SIX MILE CREEK LIGHT | 43-01-38.000N 079-00-43.500W | F R | 12 4 | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 3340 | CHIPPAWA LIGHT (C) | 43-03-48.000N 079-02-54.000W | Iso R 2s | 16 5 | | On ornamental pile. | Defines danger zone above Niagara Falls. Private aid. |
| 3343 | NIAGARA SAFETY ZONE LIGHT | 43-04-41.000N 079-01-35.000W | Q Y | 25 8 | 4 | Safety Zone sign on monopile. | Marks Niagara Safety Zone above Niagara Falls. |
| 3345 | Niagara Falls Safety Buoy A Marks safety zone above Niagara Falls. | 43-04-06.540N 079-01-07.080W | | | | White can with orange bands and danger symbol. | Maintained from May 1 to Oct. 28. |
| 3350 | Niagara Falls Safety Buoy B Marks safety zone above Niagara Falls. | 43-04-12.180N 079-01-03.060W | | | | White can with orange bands and danger symbol. | Maintained from May 1 to Oct. 28. |
| 3355 | Niagara Falls Safety Buoy C Marks safety zone above Niagara Falls. | 43-04-17.280N 079-00-59.800W | | | | White can with orange bands and danger symbol. | Maintained from May 1 to Oct. 28. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---------------------------------------|
| LAKE ERIE | | | | | | | |
| UPPER NIAGARA RIVER (Chart 14832) | | | | | | | |
| Chippawa Channel | | | | | | | |
| 3356 | Niagara Falls Safety Buoy D Marks safety zone above Niagara Falls. | 43-04-21.960N 079-00-56.460W | | | | White can with orange bands and danger symbol. | Maintained from May 1 to Oct. 28. |
| 3357 | Niagara Falls Safety Buoy E Marks safety zone above Niagara Falls. | 43-04-27.840N 079-00-52.500W | | | | White can with orange bands and danger symbol. | Maintained from May 1 to Oct. 28. |
| 3358 | Niagara Falls Safety Buoy F Marks safety zone above Niagara Falls. | 43-04-34.680N 079-00-56.460W | | | | White can with orange bands and danger symbol. | Maintained from May 1 to Oct. 28. |
| 3359.1 | Canadian Niagara Falls Safety Buoy 1 (C) Marks safety zone above Niagara Falls. | 43-03-46.560N 079-02-32.760W | | | | White can with orange bands and danger symbols. | Maintained from May 1 to Oct. 7. |
| 3359.2 | Canadian Niagara Falls Safety Buoy 2 (C) Marks safety zone above Niagara Falls. | 43-03-50.460N 079-02-15.480W | | | | White can with orange bands and danger symbols. | Maintained from May 1 to Oct. 7. |
| 3359.3 | Canadian Niagara Falls Safety Buoy 3 (C) Marks safety zone above Niagara Falls. | 43-03-53.820N 079-02-01.980W | | | | White can with orange bands and danger symbols. | Maintained from May 1 to Oct. 7. |
| 3359.4 | Canadian Niagara Falls Safety Buoy 4 (C) Marks safety zone above Niagara Falls. | 43-03-55.980N 079-01-50.820W | | | | White can with orange bands and danger symbols. | Maintained from May 1 to Oct. 7. |
| 3359.5 | Canadian Niagara Falls Safety Buoy 5 (C) Marks safety zone above Niagara Falls. | 43-03-58.140N 079-01-40.200W | | | | White can with orange bands and danger symbols. | Maintained from May 1 to Oct. 7. |
| 3359.6 | Canadian Niagara Falls Safety Buoy 6 (C) Marks safety zone above Niagara Falls. | 43-04-08.400N 079-01-29.100W | | | | White can with orange bands and danger symbols. | Maintained from May 1 to Oct. 7. |
| APPROACHES TO NIAGARA RIVER (Chart 14822) | | | | | | | |
| 3360 | <i>Seneca Shoal Lighted Buoy 2</i> Marks northwest side of shoal. | 42-47-36.209N 078-55-58.017W | FIR 4s | | 4 | Red. | Maintained from May 7 to Dec. 1. |
| STURGEON POINT TO TWENTY MILE CREEK (Chart 14823) | | | | | | | |
| 3365 | STURGEON POINT LIGHT 2 | 42-41-34.351N 079-02-43.715W | FI R 2.5s | 32 10 | 4 | TR on post. | |
| 3370 | STURGEON POINT LIGHT 3 | 42-41-32.265N 079-02-43.739W | FI G 4s | 28 9 | 4 | SG on post. | |
| Cattaraugus Creek | | | | | | | |
| 3375 | - NORTH BREAKWATER LIGHT 1 | 42-34-18.804N 079-08-17.808W | FI G 2.5s | 31 9 | 5 | SG on pile. | |
| 3380 | - SOUTH BREAKWATER LIGHT 2 | 42-34-21.642N 079-08-22.914W | FI R 2.5s | 31 9 | 4 | TR on pile. | |
| Dunkirk Harbor | | | | | | | |
| 3410 | Dunkirk Light | 42-29-38.022N 079-21-14.118W | Oc W 4s | 82 25 | 16 | | |
| 3430 | - LIGHT 1 | 42-29-35.779N 079-20-39.640W | FI G 4s | 20 6 | 6 | SG on pile. | |
| 3435 | - PIERHEAD LIGHT 2 | 42-29-34.510N 079-20-43.210W | FI R 6s | 63 19 | 8 | White cylindrical tower with red band. | |
| 3440 | - Buoy 3 | 42-29-32.007N 079-20-32.757W | | | | Green can. | Maintained from May 14 to Nov. 01. |
| 3445 | - Buoy 4 | 42-29-29.126N 079-20-31.784W | | | | Red nun. | Maintained from May 14 to Nov. 01. |
| 3450 | - Buoy 5 | 42-29-28.907N 079-20-23.257W | | | | Green can. | Maintained from May 14 to Nov. 01. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| STURGEON POINT TO TWENTY MILE CREEK (Chart 14823) | | | | | | | |
| Dunkirk Harbor | | | | | | | |
| 3453 | - Buoy 6 | 42-29-27.107N 079-20-24.557W | | | | Red nun. | Maintained from May 14 to Nov. 01. |
| 3455 | - EAST INNER BREAKWATER WEST END LIGHT 1 | 42-23-00.000N 079-20-12.000W | FI G 2.5s | 35 11 | 4 | SG on post. | |
| 3460 | - WEST INNER BREAKWATER EAST END LIGHT 2 | 42-29-23.000N 079-20-14.000W | FI R 2.5s | 33 10 | 4 | TR on post. | |
| 3465 | - WEST INNER BREAKWATER WEST END LIGHT 4 | 42-29-18.000N 079-20-30.000W | FI R 4s | 33 10 | 4 | TR on post. | |
| STURGEON POINT TO TWENTY MILE CREEK (Chart 14823) | | | | | | | |
| 3480 | BARCELONA HARBOR EAST BREAKWATER LIGHT | 42-20-43.030N 079-35-44.028W | FI G 4s | 26 8 | 7 | SG on post. | |
| 3485 | BARCELONA HARBOR WEST BREAKWATER LIGHT | 42-20-42.768N 079-35-46.378W | FI R 4s | 26 8 | 6 | TR on post. | |
| 3490 | WILLIS CRIB DOCK LIGHT | 42-10-30.000N 080-00-30.000W | FI W 4s | 20 6 | 7 | NB on gray post. | |
| 3492 | Willis Crib Isolated Danger Buoy DW | 42-10-20.544N 080-00-54.094W | | | | Black with red band. | Maintained from May 14 to Nov. 1. |
| ERIE HARBOR (Chart 14835) | | | | | | | |
| Erie Harbor | | | | | | | |
| 3495 | - PIERHEAD LIGHT | 42-09-21.882N 080-04-16.823W | FI R 2.5s | 42 13 | 7 | Square tower with black and white bands. | |
| 3505 | INTERNATIONAL PAPER EAST CRIB LIGHT | 42-09-06.000N 080-03-30.000W | Q W | 15 5 | | NG on gray pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 3510 | International Paper Obstruction Buoy | 42-08-48.200N 080-03-29.000W | | | | White can with orange bands and diamond worded ROCKS. | Maintained from May 1 to Nov. 1. Private aid. |
| 3515 | - Entrance Lighted Bell Buoy 1 | 42-09-49.208N 080-03-10.709W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to May 1. AIS MMSI: 993672195 |
| 3520 | - Entrance Lighted Buoy 2 | 42-09-53.032N 080-03-15.452W | FI R 4s | | 3 | Red. | Year round lighted buoy |
| 3525 | - Entrance Buoy 3 | 42-09-32.308N 080-03-43.711W | | | | Green can. | |
| 3530 | - Entrance Buoy 4 | 42-09-36.508N 080-03-47.511W | | | | Red nun. | |
| 3535 | - Entrance Lighted Buoy 5 | 42-09-18.608N 080-04-12.012W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 7 to May 1. AIS MMSI: 993672196 |
| 3540 | - LIGHT 7 | 42-09-12.000N 080-04-24.000W | FI G 4s | 27 8 | 4 | SG on post. | |
| 3545 | - ENTRANCE RANGE FRONT LIGHT | 42-09-08.095N 080-04-36.870W | F G | 32 10 | | KRW on skeleton tower. | Visible 4° each side of range line. |
| 3550 | - ENTRANCE RANGE REAR LIGHT 752 feet, 235.3° from front light. | 42-09-03.859N 080-04-45.078W | F G | 62 19 | | KRW on skeleton tower. | Visible 4° each side of range line. |
| 3555 | JOHN E. LAMPE MUNICIPAL MARINA LIGHT 1 | 42-08-54.000N 080-04-30.000W | F G | | | SG on tower. | Private aid. |
| 3560 | JOHN E. LAMPE MUNICIPAL MARINA LIGHT 2 | 42-08-55.000N 080-04-26.000W | F R | 25 8 | | TR on tower. | Private aid. |
| 3565 | - LIGHT 8 | 42-09-06.400N 080-04-53.200W | FI R 4s | 30 9 | 4 | TR on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| ERIE HARBOR (Chart 14835) | | | | | | | |
| Erie Harbor | | | | | | | |
| 3570 | - Junction Buoy M | 42-09-05.128N 080-04-54.698W | | | | Red with green band; nun. | |
| 3575 | - Lighted Buoy 9 | 42-08-53.108N 080-05-08.315W | FI G 2.5s | | 4 | Green. | Replaced by can from Nov. 1 to May 15 |
| 3580 | - Lighted Buoy 10 | 42-08-55.803N 080-05-17.094W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 1 to May 15. |
| 3585 | - Lighted Buoy 11 | 42-08-47.017N 080-05-11.451W | FI G 4s | | 4 | Green. | Replaced by can from Nov 1 to May 15. |
| 3590 | - Lighted Buoy 12 | 42-08-47.208N 080-05-32.516W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 1 to May 15. |
| 3595 | - Lighted Buoy 13 | 42-08-36.051N 080-05-06.301W | FI G 2.5s | | 4 | Green. | Replaced by can f from Nov. 1 to May 15. |
| 3596 | - Lighted Buoy 14 | 42-08-34.220N 080-05-41.782W | FI R 4s | | 4 | Red. | Replaced by can from Nov. 1 to May 15. |
| 3597 | - No Wake Buoy | 42-08-18.300N 080-05-44.100W | | | | White can with orange bands worded SLOW-NO WAKE. | Maintained f from May 15 to Sep. 15. Private aid. |
| 3597.5 | - No Wake Buoy | 42-08-23.000N 080-05-32.000W | | | | White can with orange bands worded SLOW-NO WAKE. | Maintained f from May 15 to Sep. 15. Private aid. |
| 3598 | - No Wake Buoy | 42-08-26.200N 080-05-21.900W | | | | White can with orange bands worded SLOW-NO WAKE. | Maintained f from May 15 to Sep. 15. Private aid. |
| 3598.5 | - No Wake Buoy | 42-08-30.000N 080-05-13.300W | | | | White can with orange bands worded SLOW-NO WAKE. | Maintained f from May 15 to Sep. 15. Private aid. |
| 3599 | - No Wake Buoy | 42-08-31.700N 080-05-07.600W | | | | White can with orange bands worded SLOW-NO WAKE. | Maintained f from May 15 to Sep. 15. Private aid. |
| Presque Isle Park | | | | | | | |
| <i>Aids maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 3615 | - RANGE FRONT LIGHT | 42-09-20.900N 080-06-47.000W | F R | | 19 6 | KWB on skeleton tower. | Private aid. |
| 3620 | - REAR RANGE LIGHT 425 feet, 339.8° from front light. | 42-09-25.500N 080-06-49.300W | F R | | 31 9 | KWB on skeleton tower. | Private aid. |
| 3625 | - LIGHT 1 | 42-09-10.200N 080-06-44.400W | FI G 2s | | 20 6 | SG on post. | Private aid. |
| 3630 | - LIGHT 2 | 42-09-10.000N 080-06-39.100W | FI R 2s | | 20 6 | TR on post. | Private aid. |
| 3635 | - LIGHT 3 | 42-09-13.000N 080-06-45.800W | FI G 2s | | 20 6 | SG on post. | Private aid. |
| 3640 | - LIGHT 4 | 42-09-12.700N 080-06-40.800W | FI R 2s | | 20 6 | TR on post. | Private aid. |
| Erie Harbor | | | | | | | |
| 3645 | - Water Pipe Intake Buoy A | 42-08-07.500N 080-05-57.500W | | | | White and orange bands; spar. | Maintained from May 1 to Nov. 1. Private aid. |
| 3650 | - Water Pipe Intake Buoy B | 42-08-27.300N 080-06-47.500W | | | | White with orange bands; spar. | Maintained from May 1 to Nov. 1. Private aid. |
| 3655 | - Water Pipe Intake Buoy C | 42-08-18.900N 080-07-39.800W | | | | White with orange bands; spar. | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|----------------------------------|---------------------------------|--|---------------|--------------|-------------------------------|--|
| LAKE ERIE | | | | | | | |
| ERIE HARBOR (Chart 14835) | | | | | | | |
| Erie Harbor | | | | | | | |
| Erie Yacht Club | | | | | | | |
| 3660 | - BREAKWATER LIGHT | 42-07-24.900N 080-07-49.100W | FI W 2s | 32 10 | | White lighthouse. | Maintained from Apr. 1 to Oct. 30. Private aid. |
| 3665 | - ENTRANCE LIGHT 1 | 42-07-23.000N 080-07-52.400W | F G | 10 3 | | SG on skeleton tower. | Maintained from May 30 to Oct. 15. Private aid. |
| 3670 | - ENTRANCE LIGHT 2 | 42-07-21.900N 080-07-57.700W | F R | 10 3 | | TR on skeleton tower. | Maintained from May 30 to Oct. 15. Private aid. |
| 3675 | Erie Harbor West Shoal Buoy A | 42-07-44.300N 080-08-05.700W | | | | White can with orange bands. | Maintained from May 15 to Sep. 15. Private aid. |
| 3680 | Erie Harbor West Shoal Buoy B | 42-07-40.000N 080-08-10.900W | | | | White can with orange bands. | Maintained from May 15 to Sep. 15. Private aid. |
| 3685 | Erie Harbor West Shoal Buoy C | 42-07-39.100N 080-08-19.500W | | | | White can with orange bands. | Maintained from May 15 to Sep. 15. Private aid. |
| SIXTEEN MILE CREEK TO CONNEAUT (Chart 14824) | | | | | | | |
| 3690 | Presque Isle Light | 42-09-56.800N 080-06-55.500W | Iso W 6s | 73 22 | 15 | Square tower. | |
| 3692 | DEP PA | 42-08-39.840N 080-07-30.000W | FI Y 4s | | | | Private aid. |
| 3693 | NOAA RSC A | 42-08-52.520N 080-15-59.040W | FI Y 4s | | | | Private aid. |
| 3695 | WALNUT CREEK BREAKWATER LIGHT | 42-04-38.500N 080-14-25.000W | FI R 2.5s | 14 4 | | On pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 3696 | WALNUT CREEK CHANNEL LIGHT | 42-04-37.600N 080-14-23.100W | FI G 2s | 12 4 | | On steel tower | Maintained from May 1 to Nov. 1. Private aid. |
| Conneaut Harbor | | | | | | | |
| 3700 | - BREAKWATER LIGHT 1 | 41-58-50.274N 080-33-18.750W | FI G 4s | 46 14 | 6 | SG on gray post. | |
| 3705 | - West Breakwater Light | 41-58-48.075N 080-33-27.298W | FI R 10s 0.1s W fl 4.9s ec. 0.1s R fl 4.9s ec. | 80 24 | 12 | Square pyramidal tower. 80 | |
| 3710 | - EAST GAP LIGHT 1 | 41-58-25.547N 080-32-44.068W | FI G 4s | 25 8 | 4 | SG on post. | |
| 3715 | - PIER LIGHT 3 | 41-58-21.102N 080-32-55.548W | FI G 2.5s | 20 6 | 4 | SG on post. | |
| 3720 | - PIER LIGHT 4 | 41-58-21.088N 080-32-54.949W | Iso R 6s | 28 9 | 4 | TR on post. | |
| 3723 | CONNEAUT BOAT CLUB EAST LIGHT | 41-58-17.820N 080-33-07.560W | F G | 14 4 | | SG on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 3725 | CONNEAUT BOAT CLUB WEST LIGHT | 41-58-17.800N 080-33-08.580W | F R | 14 4 | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 3731 | - NORTH LIGHT 1 | 41-58-13.000N 080-33-20.000W | FI G 3s | 19 6 | | SG on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 3732 | - NORTH LIGHT 2 | 41-58-14.300N 080-33-19.800W | FI R 3s | 19 6 | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 3733 | - <i>Lighted Buoy 2</i> | 41-58-14.520N 080-33-22.320W | FI R 2.5s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 3734 | - <i>Lighted Buoy 4</i> | 41-58-09.220N 080-33-20.570W | FI R 2.5s | | | | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| SIXTEEN MILE CREEK TO CONNEAUT (Chart 14824) | | | | | | | |
| Conneaut Harbor | | | | | | | |
| 3735 | - Lighted Buoy 6 | 41-58-06.120N 080-33-20.500W | FI R 2.5s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 3736 | - Lighted Buoy 1 | 41-58-15.100N 080-33-18.560W | FI G 2.5s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 3737 | - Lighted Buoy 3 | 41-58-06.440N 080-33-18.450W | FI G 2.5s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 3738 | - Lighted Buoy 5 | 41-58-06.590N 080-33-18.280W | FI G 2.5s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| ASHTABULA TO CHAGRIN RIVER (Chart 14825) | | | | | | | |
| 3740 | ASHTABULA INTAKE BREAKWATER LIGHT | 41-54-48.000N 080-46-12.000W | FI G 3s | 17 5 | | SG on skeleton tower. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 3742 | ASHTABULA TOWNSHIP BREAKWALL LIGHT | 41-54-30.000N 080-46-48.100W | F Y | 7 2 | | On single pile. | Private aid. |
| ASHTABULA HARBOR (Chart 14836) | | | | | | | |
| Ashtabula Harbor | | | | | | | |
| 3745 | - LIGHT | 41-55-06.555N 080-47-45.840W | FI Y 6s | 51 16 | 9 | | |
| 3750 | ASHTABULA EAST BREAKWATER SOUTH END LIGHT | 41-54-47.640N 080-46-48.043W | FI W 4s | 25 8 | 8 | NR on post. | |
| 3755 | - ENTRANCE LIGHT 1 | 41-55-11.586N 080-47-33.139W | FI G 4s | 34 10 | 7 | White cylindrical tower with green band. | |
| 3760 | - ENTRANCE LIGHT 2 | 41-55-11.681N 080-47-42.117W | FI R 2.5s | 40 12 | 7 | White cylindrical tower with red band. | |
| 3765 | - Lighted Buoy 3 | 41-55-04.709N 080-47-30.465W | FI G 2.5s | | 3 | Green. | Year round lighted buoy |
| 3770 | - Junction Lighted Buoy A | 41-54-57.049N 080-47-33.825W | FI (2+1)G 6s | | 3 | Green with red band. | Year round lighted buoy . |
| 3775 | - INNER BREAKWATER LIGHT 7 | 41-54-43.236N 080-47-38.352W | FI G 2.5s | 34 10 | 7 | SG on post | |
| 3780 | - East Basin Lighted Buoy 1 | 41-54-54.680N 080-47-18.674W | FI G 4s | | 4 | Green. | Replaced by can Nov 15 to Apr 15 |
| 3785 | - East Basin Lighted Buoy 2 | 41-54-49.010N 080-47-24.384W | FI R 4s | | 3 | Red. | Year round lighted buoy . |
| 3790 | ASHTABULA RIVER LIGHT 1 | 41-54-38.600N 080-47-52.300W | FI G 2.5s | 31 9 | 4 | SG on post. | |
| 3795 | Ashtabula River Lighted Buoy 2 | 41-54-39.258N 080-47-54.973W | FI R 4s | | 3 | Red | Maintained from Apr 15 to Nov. 15. |
| 3800 | ASHTABULA RIVER LIGHT 4 | 41-54-32.800N 080-47-57.100W | FI R 6s | 35 11 | 7 | TR on grey post. | |
| 3802 | Ashtabula Buoy 5 | 41-53-53.700N 080-47-36.840W | | | | | Maintained from Apr. 14 to Nov. 14. |
| 3803 | Ashtabula Buoy 7 | 41-53-41.880N 080-47-45.600W | | | | | Maintained from Apr. 14 to Nov. 14. |
| ASTABULA TO CHAGRIN RIVER (Chart 14825) | | | | | | | |
| 3825 | GENEVA ON THE LAKE LIGHT 1 | 41-51-33.468N 080-58-27.924W | FI G 2.5s | 31 9 | 3 | White cylindrical tower with green band. | |
| 3830 | GENEVA ON THE LAKE LIGHT 2 | 41-51-35.000N 080-58-26.000W | FI R 2.5s | 31 9 | 5 | TR on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| ASHTABULA TO CHAGRIN RIVER (Chart 14825) | | | | | | | |
| 3832 | NORTH PERRY LIGHT 1 | 41-49-11.364N 081-06-13.825W | FI G 4s | | | | Private aid. |
| 3832.1 | NORTH PERRY EAST BREAKWATER LIGHT | 41-49-11.610N 081-06-10.977W | FI W 4s | | | | Private aid. |
| 3833 | NORTH PERRY LIGHT 2 | 41-49-10.757N 081-06-15.644W | FI R 4s | | | | Private aid. |
| 3833.1 | NORTH PERRY WEST BREAKWATER LIGHT | 41-49-08.039N 081-06-21.085W | FI W 4s | | | | Private aid. |
| 3834 | PAINESVILLE FISHING PIER LIGHT | 41-46-01.540N 081-14-01.440W | | | | | Private aid. |
| FAIRPORT HARBOR (Chart 14837) | | | | | | | |
| Fairport Harbor | | | | | | | |
| 3835 | - EAST BREAKWATER EAST END LIGHT | 41-46-03.030N 081-15-21.550W | FI R 4s | 28 9 | 6 | TR on pile. | |
| 3840 | - BREAKWATER LIGHT A | 41-45-57.624N 081-16-00.198W | FI Y 2.5s | 27 8 | 4 | NY on post. | |
| ASHTABULA TO CHAGRIN RIVER (Chart 14825) | | | | | | | |
| Fairport Harbor | | | | | | | |
| 3845 | - BREAKWATER LIGHT B | 41-46-00.102N 081-15-43.278W | FI Y 2.5s | 27 8 | 4 | NY on post. | |
| 3850 | <i>Lake County Outer PVI Crib Lighted Buoy</i> Marks north side of crib. | 41-46-05.600N 081-15-46.200W | FI W 3s | | | White with orange bands and diamond. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3855 | LAKE COUNTY INNER CRIB LIGHT | 41-45-39.200N 081-15-40.000W | FI W 2.5s | 15 5 | | NW on post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3860 | - EAST BREAKWATER LIGHT | 41-46-04.500N 081-16-43.800W | FI G 4s | 37 11 | 6 | SG on post. | |
| 3865 | - WEST BREAKWATER EXTENSION LIGHT | 41-46-10.000N 081-16-50.000W | FI R 2.5s | 46 14 | 7 | TR on post. | |
| 3870 | - West Breakwater Light | 41-46-04.300N 081-16-52.200W | Iso W 6s | 56 17 | 13 | Tower. 56 | Fog Signal operates by keying microphone five times on VHF FM Channel 83A. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). |
| 3880 | - WEST PIER LIGHT | 41-45-42.000N 081-16-48.000W | F R | 38 12 | 7 | White cylindrical tower with red band. | |
| 3885 | - EAST PIER LIGHT | 41-45-41.360N 081-16-47.850W | Iso G 6s | 26 8 | 6 | SG on post. | |
| 3890 | - PORT AUTHORITY BOAT RAMP LIGHT | 41-45-34.200N 081-16-41.800W | Q R | 13 4 | | On post. | Maintained from May 1 to Oct 31. Private aid. |
| 3891 | - PORT AUTHORITY BREAKWATER LIGHT | 41-45-36.000N 081-16-40.000W | FI W 4s | 9 3 | | On post. | Private aid. |
| 3895 | MORTON SALT COMPANY BOATLOADING NORTH AND SOUTH LIGHTS (2) | 41-45-15.300N 081-16-49.800W | F R | 13 4 | | | Maintained from May 1 to Nov. 1. Private aid. |
| 3900 | MORTON SALT COMPANY DOLPHIN LIGHT | 41-45-12.600N 081-16-49.900W | F R | 9 3 | | On dolphin. | Maintained from May 1 to Nov. 1. Private aid. |
| 3905 | <i>Painesville Inner Intake Crib Lighted Buoy 1</i> | 41-45-23.800N 081-17-52.500W | Q G | | | Green. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| Mentor Harbor | | | | | | | |
| <i>Aids maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 3910 | - LIGHT 1 | 41-43-30.000N 081-21-00.000W | F G | 21 6 | | SG on white pile. | Private aid. |
| 3915 | - LIGHT 2 | 41-43-30.000N 081-21-00.000W | F R | 21 6 | | TR on white pile. | Private aid. |
| 3920 | - LIGHT 3 | 41-43-30.000N 081-21-00.000W | FI W 2s | 33 10 | | White diamond day mark on white pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------|--|
| LAKE ERIE | | | | | | | |
| ASHTABULA TO CHAGRIN RIVER (Chart 14825) | | | | | | | |
| Mentor Harbor | | | | | | | |
| <i>Aids maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 3925 | - LIGHT 4 | 41-43-30.000N 081-21-00.000W | F R | 10 3 | | On post. | Private aid. |
| 3930 | - YACHT CLUB RANGE FRONT LIGHT | 41-43-30.000N 081-21-00.000W | F W | 20 6 | | On white post. | Private aid. |
| 3935 | - YACHT CLUB RANGE REAR LIGHT | 41-43-30.000N 081-21-00.000W | F W | 25 8 | | On white post. | Private aid. |
| ASHTABULA TO CHAGRIN RIVER (Chart 14825) | | | | | | | |
| 3940 | CHAGRIN EAST PIER LIGHT | 41-40-37.800N 081-26-13.200W | FI G 4s | 22 7 | | On green post. | Maintained from May 1 to Oct. 31. Private aid. |
| 3945 | CHAGRIN WEST PIER LIGHT | 41-40-37.000N 081-26-15.100W | FI R 4s | 27 8 | | On red post. | Maintained from May 1 to Oct. 31. Private aid. |
| 3950 | CHAGRIN WEST PIER INNER LIGHT | 41-40-35.200N 081-26-13.300W | F R | 32 10 | | On red post. | Maintained from May 1 to Oct. 31. Private aid. |
| 3955 | EASTLAKE INTAKE BREAKWATER LIGHT | 41-40-27.400N 081-26-49.900W | Q Y | 18 5 | | NW on post worded DANGER. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| Wildwood Park | | | | | | | |
| <i>Lights maintained from May 1 to Oct. 15.</i> | | | | | | | |
| 3975 | - WEST DETACHED BREAKWATER LIGHT | 41-35-17.000N 081-34-02.000W | Q W | 16 5 | | NW on pile. | Private aid. |
| 3980 | - CENTER DETACHED BREAKWATER LIGHT | 41-35-19.000N 081-34-00.000W | Q W | 16 5 | | NW on pile. | Private aid. |
| 3985 | - EAST DETACHED BREAKWATER LIGHT | 41-35-21.000N 081-39-59.000W | Q W | 16 5 | | NW on pile. | Private aid. |
| 3990 | - EAST PIERHEAD LIGHT | 41-35-18.000N 081-34-58.000W | FI G 4s | 16 5 | | SG on pile. | Private aid. |
| 3995 | - WEST PIERHEAD LIGHT | 41-35-14.000N 081-33-58.000W | FI R 4s | 16 5 | | TR on pile. | Private aid. |
| 3996 | - INNER PIERHEAD LIGHT | 41-35-15.000N 081-33-54.000W | FI G 4s | 16 5 | | SG on pile. | Private aid. |
| 4000 | EUCLID BEACH EAST BREAKWATER LIGHT | 41-35-01.000N 081-34-07.000W | Q G | 26 8 | | On post. | Private aid. |
| 4005 | EUCLID BEACH WEST BREAKWATER LIGHT | 41-35-01.000N 081-34-15.000W | Q G | 26 8 | | On post. | Private aid. |
| 4015 | NORTHEAST YACHT CLUB OUTER LIGHT | 41-34-25.000N 081-35-03.000W | F R | 14 4 | | On pile. | Maintained from Mar. 15 to Nov. 1. Private aid. |
| 4020 | NORTHEAST YACHT CLUB INNER LIGHT | 41-34-24.000N 081-35-04.000W | F G | 14 4 | | On pile. | Maintained from Mar. 15 to Nov. 1. Private aid. |
| 4021 | NEWPORT HARBOR ENTRANCE LIGHT 1 | 41-33-25.000N 081-36-30.000W | F G | 20 6 | | SG on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 4022 | NEWPORT HARBOR ENTRANCE LIGHT 2 | 41-33-25.000N 081-36-33.000W | F R | 20 6 | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 4025 | <i>GLERL Cleveland</i> | 41-44-00.660N 081-41-54.240W | FI Y 4s | | | | Secured with two point mooring system, lighted spar buoys with the same flash characteristics marking mooring locations. Private aid. |
| 4027 | <i>Limco Tech Cleveland A</i> | 41-35-31.200N 081-47-31.200W | | | | | Private aid. |
| 4027.1 | <i>Limco Tech Cleveland B</i> | 41-44-06.000N 081-41-52.800W | | | | | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| Wildwood Park | | | | | | | |
| <i>Lights maintained from May 1 to Oct. 15.</i> | | | | | | | |
| 4030 | CLEVELAND WATERWORKS INTAKE CRIB LIGHT | 41-32-54.000N 081-45-00.000W | Q W | 55 17 | | Square house on cylindrical crib. | Maintained from May 1 to Dec. 1. HORN: 1 blast ev 30s (3s bl). Private aid. |
| 4035 | <i>Cleveland Intake Lighted Buoy</i> Marks submerged water intake. | 41-32-54.000N 081-45-48.000W | FI W 4s | | | White with orange bands. | Replaced by unlighted buoy from Nov. 1 to May. 1. Private aid. |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| 4037 | <i>Cleveland Water Quality</i> | 41-33-07.560N 081-46-02.640W | FI Y 4s | | | | Private aid. |
| CLEVELAND HARBOR (Chart 14839) | | | | | | | |
| Cleveland Harbor | | | | | | | |
| Gordon Park | | | | | | | |
| 4040 | - DISPOSAL LIGHT A | 41-32-52.812N 081-38-00.696W | FI W 4s | 40 12 | 7 | NB on post. | |
| 4045 | - BOAT BASIN LIGHT 1 | 41-32-33.576N 081-38-17.514W | FI G 2.5s | 40 12 | 4 | SG on post. | |
| 4050 | - BOAT BASIN ENTRANCE NORTH LIGHT | 41-32-29.400N 081-38-08.900W | FI R 4s | 18 5 | | On pile. | Maintained from May 1 to Oct. 15. Private aid. |
| 4055 | - BOAT BASIN ENTRANCE SOUTH LIGHT | 41-32-27.700N 081-38-09.300W | FI G 4s | 18 5 | | On pile. | Maintained from May 1 to Oct. 15. Private aid. |
| Cleveland Harbor | | | | | | | |
| <i>Lighted buoys maintained from Apr. 28 to Dec. 14.</i> | | | | | | | |
| 4060 | - EAST ENTRANCE LIGHT 2 | 41-32-34.980N 081-39-05.060W | Iso R 6s | 59 18 | 9 | White cylindrical tower with red band | |
| 4065 | - <i>East Basin Channel Lighted Buoy 1</i> | 41-32-25.440N 081-39-02.631W | FI G 4s | | 4 | Green. | Maintained from Apr 14 to Dec 1. |
| 4075 | - EAST 55TH STREET MARINA ENTRANCE NORTH LIGHT | 41-31-57.500N 081-39-14.800W | FI G 4s | 14 4 | | On pile. | Maintained from May 1 to Oct. 15. Private aid. |
| 4080 | - EAST 55TH STREET MARINA ENTRANCE SOUTH LIGHT | 41-31-57.000N 081-39-12.200W | FI R 4s | 18 5 | | On pile. | Maintained from May 1 to Oct. 15. Private aid. |
| 4085 | - <i>East Basin Channel Lighted Buoy 3</i> | 41-31-55.430N 081-39-55.668W | FI G 4s | | 4 | Green. | Maintained from Apr 14 to Dec 1. |
| 4095 | - EAST BASIN DIKE LIGHT 2 | 41-31-43.777N 081-39-44.504W | FI R 4s | 27 8 | 4 | TR on skeleton tower. | |
| 4100 | Forest City Yacht Club 4 | 41-31-38.487N 081-39-40.278W | | | | Red nun. | Private aid. |
| 4104 | BKL REGULATED NAVIGATION AREA LIGHT | 41-31-28.000N 081-40-02.600W | FI Y 4s | 6 2 | | NW on pile worded DANGER LOW FLYING AIRCRAFT. | Private aid. |
| 4105 | LAKESIDE YACHT CLUB ENTRANCE NORTH LIGHT | 41-31-12.400N 081-40-00.800W | F G | 7 2 | | On post. | Maintained from Mar. 1 to Dec. 1. Private aid. |
| 4110 | LAKESIDE YACHT CLUB ENTRANCE SOUTH LIGHT | 41-31-12.400N 081-40-00.800W | F R | 7 2 | | On post. | Maintained from Mar. 1 to Dec. 1. Private aid. |
| 4120 | - <i>East Basin Channel Lighted Buoy 4</i> | 41-31-36.305N 081-40-39.922W | FI R 6s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 14. |
| 4135 | - <i>East Basin Channel Lighted Buoy 5</i> | 41-30-49.192N 081-41-52.351W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 14. |
| 4140 | - <i>East Basin Channel Lighted Buoy 6</i> | 41-30-53.086N 081-41-56.218W | FI R 6s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 14. |
| 4147 | North Coast Harbor Day beacon 1 | 41-30-37.500N 081-41-53.700W | | | | SG on pilings. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-------------------------------------|---------------------------------|-----------------------|---------------|-------------------|--|---|
| LAKE ERIE | | | | | | | |
| CLEVELAND HARBOR (Chart 14839) | | | | | | | |
| Cleveland Harbor | | | | | | | |
| <i>Lighted buoys maintained from Apr. 28 to Dec. 14.</i> | | | | | | | |
| 4150 | NORTH COAST HARBOR LIGHT 2 | 41-30-33.200N 081-41-49.500W | FI R 4s | 23 7 | | TR on post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 4155 | - East Basin Channel Lighted Buoy 8 | 41-30-36.182N 081-42-26.023W | FI R 4s | | 4 | Red. | Year Round Lighted Buoy |
| 4160 | - Main Entrance Light | 41-30-32.210N 081-43-04.350W | FI R 6s | 63 19 | 14 | White conical tower with fog signal building attached. 50 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates from Apr. 1 to Dec. 1. Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 4165 | - MAIN ENTRANCE LIGHT 1 | 41-30-36.528N 081-42-55.716W | Iso G 6s | 39 12 | 7 | Tower. | |
| 4170 | - LIGHT 3 | 41-30-28.374N 081-42-47.664W | FI G 4s | 29 9 | 4 | SG on post. | |
| 4175 | - LIGHT 4 | 41-30-23.100N 081-42-57.400W | FI R 4s | 29 9 | 6 | TR on post. | |
| 4180 | - LIGHT 5 | 41-30-14.270N 081-42-41.690W | FI G 2.5s | 31 9 | 4 | SG on post. | |
| 4185 | - LIGHT 6 | 41-30-12.816N 081-42-45.228W | FI R 2.5s | 27 8 | 5 | TR on post. | |
| Whiskey Island Marina | | | | | | | |
| 4190 | - ENTRANCE LIGHT 1 | 41-29-59.000N 081-43-02.000W | FI G 2s | 7 2 | | SG on post. | Private aid. |
| 4191 | - ENTRANCE LIGHT 2 | 41-29-57.200N 081-43-04.000W | FI R 2s | 7 2 | | TR on post. | Private aid. |
| Cleveland Harbor West Basin Channel | | | | | | | |
| 4200 | <i>Great Lakes East Mooring</i> | 41-30-01.660N 081-43-19.140W | F W | | | | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 4200.1 | <i>Great Lakes West Mooring</i> | 41-29-57.510N 081-43-26.570W | F W | | | | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 4215 | - LIGHT 1 | 41-29-46.110N 081-43-45.264W | Q G | 31 9 | 6 | SG on post. | Light visible from 255° to 200°. |
| 4220 | - LIGHT 2 | 41-29-44.594N 081-43-46.744W | FI R 2.5s | 30 9 | 4 | TR on post. | |
| 4225 | - JUNCTION LIGHT | 41-29-42.984N 081-43-41.976W | Iso W 6s | 21 6 | W 3 G 3 R 3 | JG on post. | White light visible from 123° to 133°. Red light visible from 114° to 122°. Green light visible from 134° to 140°. |
| 4230 | - Day beacon 4 | 41-29-42.900N 081-43-45.000W | | | | TR on triangular tower. | |
| 4232 | - LIGHT 7 | 41-29-47.300N 081-43-37.900W | FI G 2.5s | 31 9 | 4 | SG on post. | Light visible from 210° to 070°. |
| 4233 | - LIGHT 8 | 41-29-45.312N 081-43-37.476W | FI R 6s | 31 9 | 4 | TR on post. | Light visible from 210° to 100°. |
| Cuyahoga River | | | | | | | |
| 4240 | CUYAHOGA RIVER ABUTMENT LIGHT | 41-28-46.100N 081-40-29.800W | F R | 14 4 | | | Private aid. |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| 4245 | ROCKY RIVER LIGHT 1 | 41-29-30.864N 081-50-20.142W | FI G 2.5s | 35 11 | 6 | White cylindrical tower with green band. | |
| 4250 | ROCKY RIVER BREAKWATER LIGHT | 41-29-24.400N 081-50-10.500W | FI Y 4s | 28 9 | 6 | NY on post. | |
| 4255 | BRADSTREET LANDING DOCK LIGHT | 41-29-07.000N 081-52-03.000W | FI G 6s | 36 11 | | On post. | Maintained from Apr. 15 to Nov. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------------------|--|
| LAKE ERIE | | | | | | | |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| 4256 | CASHELMARA JETTY LIGHT | 41-29-00.000N 081-52-42.000W | Q Y | 20 6 | | On post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| Avon Lake | | | | | | | |
| <i>Launch Basin aids maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 4270 | - INTAKE BREAKWATER LIGHT | 41-30-30.000N 082-03-18.000W | FI W 2.5s | 12 4 | | NB on pedestal. | Private aid. |
| 4274 | - LAUNCH BASIN LIGHT 1 | 41-30-17.000N 082-03-37.000W | FI G 4s | 25 8 | | SG on post. | Private aid. |
| 4275 | - LAUNCH BASIN LIGHT 2 | 41-30-17.000N 082-03-41.000W | FI R 2.5s | 25 8 | | TR on post. | Private aid. |
| 4280 | - LAUNCH BASIN BREAKWATER LIGHT | 41-30-13.000N 082-03-45.000W | Q W | 27 8 | | NW on post worded DANGER. | Private aid. |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| 4300 | SHEFFIELD LAKE LIGHT 1 | 41-29-27.944N 082-06-49.319W | FI G 4s | | | | Private aid. |
| 4301 | SHEFFIELD LAKE LIGHT 2 | 41-29-27.484N 082-06-49.042W | FI R 4s | | | | Private aid. |
| LORAIN HARBOR (Chart 14841) | | | | | | | |
| Lorain Harbor | | | | | | | |
| 4320 | - Light | 41-28-51.620N 082-11-43.290W | FI W 6s | 60 18 | 12 | On tower. 50 | HORN: 1 blast ev 30s (3s bl-27s si). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 4323 | - DETACHED BREAKWATER MIDDLE LIGHT | 41-28-49.800N 082-11-29.100W | FI Y 4s | 20 6 | 3 | On post. | |
| 4325 | - DETACHED BREAKWATER EAST LIGHT | 41-28-47.520N 082-11-17.200W | Q Y | 25 8 | 4 | NY on post. | |
| 4330 | - LIGHT 1 | 41-28-41.982N 082-11-16.914W | FI G 2.5s | 30 9 | 4 | SG on post. | |
| 4335 | - LIGHT 2 | 41-28-39.000N 082-11-26.000W | FI R 4s | 58 18 | 7 | | |
| 4345 | - Lighted Buoy 5 | 41-28-31.075N 082-11-03.595W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 14 to Apr. 15. |
| 4350 | - LIGHT 6 | 41-28-25.800N 082-11-09.700W | FI R 6s | 32 10 | 4 | TR on post. | |
| 4355 | - LIGHT 7 | 41-28-24.800N 082-10-57.600W | FI G 4s | 32 10 | 4 | SG on post. | |
| 4360 | - INNER HARBOR DETACHED BREAKWATER LIGHT | 41-28-47.688N 082-11-15.685W | FI Y 2.5s | 32 10 | 4 | NY on post. | |
| 4365 | - EAST BREAKWATER MIDDLE LIGHT | 41-28-35.514N 082-10-52.203W | FI Y 4s | 25 8 | 8 | NY on post. | |
| 4370 | - Inner Harbor Day beacon 1 | 41-28-26.100N 082-10-52.500W | | | | SG on post. | |
| 4375 | - Inner Harbor Day beacon 2 | 41-28-23.300N 082-10-54.900W | | | | TR on post. | |
| 4380 | - JUNCTION LIGHT | 41-28-20.814N 082-10-57.468W | FI (2+1)G 6s | 30 9 | 6 | JG on post. | |
| 4385 | U.S. STEEL CORPORATION MOORING CELL LIGHT | 41-27-13.000N 082-08-47.000W | Q R | 17 5 | | Sheet piling mooring cell. | Private aid. |
| 4390 | LAKEVIEW PARK WEST LIGHT | 41-27-49.271N 082-11-52.975W | FI Y 2.5s | 30 9 | 4 | NY on post. | |
| 4395 | LAKEVIEW PARK EAST LIGHT | 41-27-54.800N 082-11-41.700W | FI Y 4s | 30 9 | 4 | NY on post. | |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| Beaver Creek | | | | | | | |
| <i>Lights maintained from May 1 to Oct. 31.</i> | | | | | | | |
| 4410 | - ENTRANCE LIGHT 1 | 41-26-16.000N 082-15-09.300W | F G | 25 8 | | SG on lighthouse. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| Beaver Creek | | | | | | | |
| <i>Lights maintained from May 1 to Oct. 31.</i> | | | | | | | |
| 4415 | - ENTRANCE LIGHT 2 | 41-26-15.100N 082-15-10.500W | F R | 15 5 | | TR on post. | Private aid. |
| 4420 | - ENTRANCE LIGHT 4 | 41-26-13.200N 082-15-07.300W | FI R 2.5s | 15 5 | | TR on post. | Private aid. |
| 4425 | - ENTRANCE LIGHT 5 | 41-26-12.700N 082-15-09.800W | F G | 15 5 | | SG on post. | Private aid. |
| 4426 | - ENTRANCE LIGHT 6 | 41-26-12.200N 082-15-06.900W | F R | 15 5 | | TR on post. | Private aid. |
| 4429 | - Water Tower Light | 41-25-17.200N 082-21-30.300W | FI W 4s | 191 58 | | White, single-pedestal watersphere. 150 | Private aid. |
| Vermilion | | | | | | | |
| 4430 | - DETACHED BREAKWATER LIGHT A | 41-25-45.000N 082-21-45.500W | Q W | 25 8 | 4 | NB on post. | |
| 4435 | - DETACHED BREAKWATER LIGHT B | 41-25-45.100N 082-21-50.100W | FI W 6s | 30 9 | 8 | NB on post. | |
| 4440 | - BREAKWATER DETACHED LIGHT C | 41-25-44.322N 082-21-55.938W | Q W | 25 8 | 4 | NB on post. | |
| 4445 | - EAST PIERHEAD LIGHT 1 | 41-25-42.100N 082-21-49.500W | FI G 4s | 22 7 | 4 | SG on post. | |
| 4450 | - WEST PIERHEAD LIGHT 2 | 41-25-41.450N 082-21-51.420W | FI R 4s | 27 8 | 4 | TR on post. | |
| 4451 | - MUSEUM LIGHTHOUSE | 41-25-30.800N 082-22-00.500W | F W | 35 11 | | White conical tower. | Private aid. |
| 4455 | BEACHWOOD VILLA LIGHT 1 | 41-23-16.300N 082-31-26.800W | F G | 15 5 | | SG on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 4460 | BEACHWOOD VILLA LIGHT 2 | 41-23-17.200N 082-31-26.000W | F R | 15 5 | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |
| HURON HARBOR (Chart 14843) | | | | | | | |
| Huron Harbor | | | | | | | |
| 4475 | - Light | 41-24-16.490N 082-32-38.160W | Iso R 6s | 80 24 | 12 | Square pyramidal tower. 80 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 4485 | - <i>Entrance Lighted Buoy 1</i> | 41-24-32.053N 082-32-13.969W | FI G 6s | | 4 | Green. | Replaced by can f from Dec. 1 to Apr. 14. |
| 4490 | - Entrance Buoy 2 | 41-24-34.133N 082-32-18.419W | | | | Red nun. | |
| 4495 | - Entrance Buoy 3 | 41-24-14.024N 082-32-32.840W | | | | Green can. | |
| 4500 | - LIGHT 5 | 41-24-01.830N 082-32-43.060W | FI G 4s | 25 8 | 5 | SG on post. | |
| 4505 | - LIGHT 8 | 41-23-57.090N 082-32-56.090W | FI R 4s | 27 8 | 5 | TR on post. | |
| 4510 | - LIGHT 7 | 41-23-54.510N 082-32-53.560W | FI G 2.5s | 25 8 | 4 | SG on post. | |
| 4515 | HURON RIVER MOORING BASIN NORTH LIGHT | 41-23-36.000N 082-23-13.800W | F R | 15 5 | | On pile. | Maintained from May 1 to Oct. 1. Private aid. |
| 4520 | HURON RIVER MOORING BASIN SOUTH LIGHT | 41-23-35.200N 082-33-13.700W | F G | 15 5 | | On pile. | Maintained from May 1 to Oct. 1. Private aid. |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| 4525 | SAWMILL CREEK ENTRANCE EAST LIGHT | 41-25-00.000N 082-35-38.000W | F G | 20 6 | | Pole on seawall. | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| 4530 | SAWMILL CREEK ENTRANCE WEST LIGHT | 41-25-03.000N 082-35-41.000W | F R | 20 6 | | Pole on seawall. | Maintained from May 1 to Nov. 1. Private aid. |
| LAKE ERIE (Chart 14820) | | | | | | | |
| SANDUSKY HARBOR (Chart 14845) | | | | | | | |
| Sandusky Harbor | | | | | | | |
| 4550 | BGSU Sandusky Buoy | 41-27-46.599N 082-39-00.629W | FI Y 4s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 4560 | - Breakwater Light | 41-29-57.148N 082-40-28.880W | FI W 6s | 30 9 | 11 | White cylindrical tower with green band. 30 | HORN: 1 blast ev 30s (3s bl-27s si). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| LAKE ERIE | | | | | | | |
| SANDUSKY HARBOR (Chart 14845) | | | | | | | |
| Sandusky Harbor | | | | | | | |
| Moseley Channel | | | | | | | |
| 4570 | - RANGE FRONT LIGHT | 41-29-11.121N 082-42-12.521W | Q G | 33 10 | | KRW on white cylindrical tower. | Higher intensity on range line. |
| 4575 | - RANGE REAR LIGHT 2,606 feet, 237.0° from front light. | 41-28-57.114N 082-42-41.254W | Iso G 6s | 77 23 | | KRW on white cylindrical tower. | Higher intensity on range line. |
| 4580 | - Lighted Bell Buoy 1 | 41-30-20.276N 082-39-45.647W | FI G 4s | | 4 | Green. | Maintained from Apr. 14 to Dec. 1. AIS MMSI: 993672197 |
| 4585 | - Lighted Buoy 2 | 41-30-23.576N 082-39-48.647W | FI R 4s | | 4 | Red. | Maintained from Apr. 14 to Dec. 1. AIS MMSI: 993672198 |
| 4595 | - Lighted Buoy 4 | 41-30-02.372N 082-40-32.495W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 14. |
| 4600 | - Lighted Buoy 5 | 41-29-41.079N 082-41-06.152W | FI G 4s | | 4 | Green. | Maintained from Apr. 14 to Dec. 07. |
| 4605 | - Lighted Buoy 6 | 41-29-44.479N 082-41-08.753W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 14. |
| 4610 | - Buoy 8 | 41-29-31.469N 082-41-35.416W | | | | Red nun. | |
| 4615 | - Lighted Buoy 9 | 41-29-24.403N 082-41-39.757W | Q G | | 4 | Green. | Year round lighted buoy. |
| 4620 | - Lighted Buoy 10 | 41-29-23.386N 082-41-49.461W | FI R 2.5s | | 4 | Red. | Replaced by can from Dec. 7 to Apr. 14. |
| Sandusky Straight Channel | | | | | | | |
| 4625 | - RANGE FRONT LIGHT | 41-29-28.955N 082-41-45.730W | Q W | 33 10 | | KRW on white cylindrical tower. | Higher intensity on range line. |
| 4630 | - RANGE REAR LIGHT 1,513 feet, 017.1° from front light. | 41-29-43.248N 082-41-39.891W | Iso W 6s | 77 23 | | KRW on white cylindrical tower. | Higher intensity on range line. |
| 4635 | - Lighted Buoy 11 | 41-29-14.380N 082-41-48.855W | Q G | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 14. |
| 4640 | - Lighted Buoy 12 | 41-29-10.262N 082-41-56.576W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 14. |
| 4645 | CEDAR POINT WATER INTAKE LIGHT | 41-29-00.900N 082-41-36.400W | FI Y 4s | 20 6 | | NY on green post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 4650 | - Lighted Buoy 13 | 41-28-32.181N 082-42-06.257W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 14. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--------------------------------------|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE ERIE | | | | | | | |
| SANDUSKY HARBOR (Chart 14845) | | | | | | | |
| Sandusky Harbor | | | | | | | |
| Sandusky Straight Channel | | | | | | | |
| 4655 | - Lighted Buoy 14 | 41-28-32.981N 082-42-11.657W | FI R 2.5s | | 4 | Red. | |
| 4660 | Sandusky Exit Channel Junction Lighted Buoy E | 41-28-22.781N 082-42-15.657W | FI (2+1)R 6s | | 4 | Red and green bands. | Replaced by nun f from Dec. 7 to Apr. 14. |
| 4665 | - Buoy 15 | 41-27-53.982N 082-42-21.857W | | | | Green can. | |
| 4670 | - Lighted Buoy 16 | 41-27-52.682N 082-42-27.858W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Dec. 7 to Apr. 14. |
| Sandusky Dock Channel | | | | | | | |
| 4675 | - Lighted Buoy 18 | 41-27-43.083N 082-42-39.159W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 7 to Apr. 14. |
| 4676 | DOCK OF THE BAY MARINA ENTRANCE LIGHT | 41-27-37.700N 082-42-41.600W | F R | 18 5 | | TR on white post. | Maintained f from Apr. 7 to Dec. 1. Private aid. |
| 4677 | DOCK OF THE BAY MARINA EAST BREAKWATER LIGHT | 41-27-38.200N 082-42-42.800W | F W | 18 5 | | On grey post. | Maintained f from Apr. 7 to Dec. 1. Private aid. |
| 4678 | DOCK OF THE BAY MARINA WEST BREAKWATER LIGHT | 41-27-35.700N 082-42-49.000W | F W | 18 5 | | On grey post. | Maintained f from Apr. 7 to Dec. 1. Private aid. |
| 4680 | - Lighted Buoy 20 | 41-27-33.083N 082-43-05.960W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 7 to Apr. 14. |
| 4685 | - LIGHT 21 | 41-27-25.155N 082-43-16.300W | FI G 4s | 19 6 | 5 | SG on pile. | |
| 4690 | - Lighted Buoy 23 | 41-27-18.161N 082-43-36.327W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 14. |
| 4695 | - Lighted Buoy 24 | 41-27-20.984N 082-43-38.462W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 7 to Apr. 14. |
| 4705 | SANDUSKY HARBOR TURNING BASIN LIGHT | 41-27-23.071N 082-43-44.729W | FI W 2.5s | 20 6 | 5 | NR on post. | |
| Sandusky Bay Exit Channel | | | | | | | |
| 4710 | - Buoy 9 | 41-27-27.384N 082-43-50.663W | | | | Green can. | |
| 4715 | - Lighted Buoy 7 | 41-27-44.034N 082-43-45.090W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 14. |
| 4720 | - Buoy 8 | 41-27-51.684N 082-43-47.663W | | | | Red nun. | |
| 4725 | - RANGE FRONT LIGHT | 41-28-33.610N 082-41-50.580W | Q G | 33 10 | | KRW on white square skeleton tower. | Higher intensity on range line. |
| 4730 | - RANGE REAR LIGHT 2,600 feet, 063.7° f from front light. | 41-28-45.008N 082-41-19.972W | Iso G 6s | 53 16 | | KRW on white square skeleton tower. | Visible 4° each side of range line. |
| 4735 | - RANGE REAR PASSING LIGHT | 41-28-45.008N 082-41-19.968W | FI Y 4s | 23 7 | 4 | | |
| 4740 | - Lighted Buoy 6 | 41-27-56.184N 082-43-35.962W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 7 to Apr. 14. |
| 4745 | - Lighted Buoy 5 | 41-27-53.284N 082-43-34.862W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 14. |
| 4750 | - Lighted Buoy 4 | 41-28-09.683N 082-42-59.560W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 7 to Apr. 14. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--------------------------------------|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| LAKE ERIE | | | | | | | |
| SANDUSKY HARBOR (Chart 14845) | | | | | | | |
| Sandusky Harbor | | | | | | | |
| Sandusky Bay Exit Channel | | | | | | | |
| 4755 | - Lighted Buoy 3 | 41-28-06.983N 082-42-57.860W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 14. |
| 4760 | - Lighted Buoy 2 | 41-28-23.582N 082-42-22.358W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Dec. 7 to Apr. 14. |
| Cedar Point Marina | | | | | | | |
| 4765 | - ENTRANCE LIGHT 1 | 41-28-38.100N 082-41-08.900W | F G | 15 5 | | SG on post. | Maintained f from Mar. 1 to Dec. 15. Private aid. |
| 4770 | - ENTRANCE LIGHT 2 | 41-28-40.700N 082-41-07.800W | F R | 15 5 | | TR on post. | Maintained f from Mar. 1 to Dec. 15. Private aid. |
| 4775 | - BREAKWATER LIGHT | 41-28-32.800N 082-40-57.900W | F W | 15 5 | | NW on post. | Maintained f from Mar. 1 to Dec. 15. Private aid. |
| 4780 | - SOUTH BASIN LIGHT 2 | 41-28-22.100N 082-40-52.900W | FI R 2.5s | 22 7 | | TR on post. | Maintained f from Apr. 1 to Nov. 15. Private aid. |
| 4785 | - SOUTH BASIN LIGHT 1 | 41-28-20.000N 082-40-55.000W | FI G 2.5s | 22 7 | | SG on post. | Maintained f from Apr. 1 to Nov. 15. Private aid. |

LAKE ERIE (Chart 14820)

| | | | | | | | |
|--------------------------------------|--|---------------------------------|-----|---------|--|--------------------|---|
| SANDUSKY HARBOR (Chart 14845) | | | | | | | |
| Sandusky Harbor | | | | | | | |
| 4790 | SADLER SAILING BASIN ENTRANCE LIGHT 1 | 41-27-39.600N 082-41-51.300W | F G | 10 3 | | On post. | Maintained f from Apr. 15 to Oct. 15. Private aid. |
| 4795 | SADLER SAILING BASIN ENTRANCE LIGHT 2 | 41-27-40.200N 082-41-51.800W | F R | 13 4 | | On post. | Maintained f from Apr. 15 to Oct. 15. Private aid. |
| 4800 | SANDUSKY SLUDGE BASIN LIGHT | 41-27-38.300N 082-41-49.000W | Q R | 13 4 | | On white post. | Maintained f from Apr. 15 to Oct. 15. Private aid. |
| 4805 | EAST COVE ENTRANCE LIGHT 1 | 41-27-33.300N 082-41-53.500W | F G | 7 2 | | On spar on jetty . | Maintained f from Apr. 15 to Oct. 15. Private aid. |
| 4806 | EAST COVE ENTRANCE LIGHT 2 | 41-27-32.500N 082-41-56.600W | F R | 15 5 | | On pole. | Maintained f from Apr. 15 to Oct. 15. Private aid. |
| 4807 | EAST COVE ENTRANCE LIGHT 3 | 41-27-32.000N 082-41-55.700W | F G | 15 5 | | On pole. | Maintained f from Apr. 15 to Oct. 15. Private aid. |
| 4810 | CAUSEWAY LEADING LIGHT | 41-27-21.500N 082-40-24.200W | F G | 5 2 | | On black pile. | Visible f from 037.25° to 157.25°. Maintained f from Apr. 15 to Oct. 15. Private aid. |

LAKE ERIE

| | | | | | | | |
|--|------------------------------------|---------------------------------|---------|--|--|--------|--------------|
| SANDUSKY HARBOR (Chart 14845) | | | | | | | |
| Sandusky Harbor | | | | | | | |
| Harbor Development Channel | | | | | | | |
| <i>Aids to navigation maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 4815 | East Bay Channel Lighted Buoy 1 | 41-27-42.400N 082-40-23.900W | FI G 4s | | | Green. | Private aid. |
| 4820 | East Bay Channel Lighted Buoy 2 | 41-27-41.100N 082-40-24.100W | FI R 4s | | | Red. | Private aid. |
| 4825 | East Bay Channel Lighted Buoy 3 | 41-27-41.800N 082-40-18.000W | FI G 4s | | | Green. | Private aid. |
| 4830 | East Bay Channel Lighted Buoy 4 | 41-27-40.600N 082-40-18.900W | FI R 4s | | | Red. | Private aid. |
| 4835 | East Bay Channel Lighted Buoy 5 | 41-27-41.200N 082-40-13.200W | Q G | | | Green. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| SANDUSKY HARBOR (Chart 14845) | | | | | | | |
| Sandusky Harbor | | | | | | | |
| Harbor Development Channel | | | | | | | |
| <i>Aids to navigation maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 4840 | East Bay Channel Lighted Buoy 6 | 41-27-39.900N 082-40-14.700W | Q R | | | Red. | Private aid. |
| 4845 | East Bay Channel Lighted Buoy 7 | 41-27-32.600N 082-40-03.700W | FI G 4s | | | Green. | Private aid. |
| 4850 | East Bay Channel Lighted Buoy 8 | 41-27-31.500N 082-40-05.300W | FI R 4s | | | Red. | Private aid. |
| 4855 | East Bay Channel Lighted Buoy 9 | 41-27-25.900N 082-39-56.000W | FI G 4s | | | Green. | Private aid. |
| 4860 | East Bay Channel Lighted Buoy 10 | 41-27-25.200N 082-39-57.800W | FI R 4s | | | Red. | Private aid. |
| 4865 | East Bay Channel Lighted Buoy 11 | 41-27-21.500N 082-39-51.000W | FI G 4s | | | Green. | Private aid. |
| 4870 | East Bay Channel Lighted Buoy 12 | 41-27-20.900N 082-39-52.400W | FI R 4s | | | Red. | Private aid. |
| 4875 | East Bay Channel Lighted Buoy 13 | 41-27-16.400N 082-39-45.200W | FI G 4s | | | Green. | Private aid. |
| 4880 | East Bay Channel Lighted Buoy 14 | 41-27-16.100N 082-39-47.400W | FI R 4s | | | Red. | Private aid. |
| 4885 | East Bay Channel Lighted Buoy 15 | 41-27-09.100N 082-39-39.500W | Q G | | | Green. | Private aid. |
| 4890 | East Bay Channel Lighted Buoy 16 | 41-27-09.000N 082-39-38.900W | Q R | | | Red. | Private aid. |
| 4895 | East Bay Channel Lighted Buoy 17 | 41-27-02.200N 082-39-40.800W | FI G 4s | | | Green. | Private aid. |
| 4900 | East Bay Channel Lighted Buoy 18 | 41-27-02.200N 082-39-42.800W | FI R 4s | | | Red. | Private aid. |
| 4905 | East Bay Channel Lighted Buoy 19 | 41-26-55.800N 082-39-44.400W | Q G | | | Green. | Private aid. |
| 4910 | East Bay Channel Lighted Buoy 20 | 41-26-56.400N 082-39-45.400W | FI R 4s | | | Red. | Private aid. |
| 4915 | East Bay Channel Lighted Buoy 21 | 41-26-53.800N 082-39-51.500W | FI G 4s | | | Green. | Private aid. |
| 4920 | East Bay Channel Lighted Buoy 22 | 41-26-54.800N 082-39-51.900W | FI R 4s | | | Red. | Private aid. |
| 4925 | East Bay Channel Lighted Buoy 23 | 41-26-51.900N 082-40-01.000W | FI G 4s | | | Green. | Private aid. |
| 4930 | East Bay Channel Lighted Buoy 24 | 41-26-53.000N 082-40-01.200W | FI R 4s | | | Red. | Private aid. |
| 4935 | East Bay Channel Lighted Buoy 25 | 41-26-50.000N 082-40-09.900W | FI G 4s | | | Green. | Private aid. |
| 4940 | East Bay Channel Lighted Buoy 26 | 41-26-51.500N 082-40-10.100W | FI R 4s | | | Red. | Private aid. |
| Lyman Harbor | | | | | | | |
| 4945 | - LIGHT | 41-27-19.200N 082-41-02.400W | FI W 4s | 43 13 | | Steel frame lighthouse red with yellow trim and worded LYMAN in black. | Private aid. |
| 4946 | - LIGHT 1 | 41-27-17.670N 082-40-59.880W | FI G 2s | 10 3 | | SG on end of break wall. | Private aid. |
| 4947 | - LIGHT 2 | 41-27-19.200N 082-41-02.400W | FI R 2s | 6 2 | | TR on end of break wall. | Private aid. |
| Harbor Development Channel | | | | | | | |
| <i>Aids to navigation maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 4950 | BATTERY PARK MARINA SOUTH ENTRANCE LIGHT | 41-27-50.000N 082-42-02.400W | F G | 20 6 | | On post. | Maintained from May 1 to Oct. 31. Private aid. |
| 4955 | BATTERY PARK MARINA NORTH ENTRANCE LIGHT | 41-27-51.000N 082-42-02.500W | F R | 20 6 | | On post. | Maintained from May 1 to Oct. 31. Private aid. |
| 4960 | SANDUSKY YACHT CLUB LIGHT 1 | 41-27-45.600N 082-42-21.600W | Q G | 23 7 | | SG on post. | Maintained from Apr. 15 to Dec. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| SANDUSKY HARBOR (Chart 14845) | | | | | | | |
| Sandusky Harbor | | | | | | | |
| Harbor Development Channel | | | | | | | |
| <i>Aids to navigation maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 4965 | SANDUSKY YACHT CLUB LIGHT 2 | 41-27-45.000N 082-42-22.200W | Q R | 23 7 | | TR on post. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| West End Sandusky Bay | | | | | | | |
| 4970 | DANBURY BREAKWATER LIGHT | 41-30-20.000N 082-45-31.000W | FI G 4s | 23 7 | | On post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 4972 | BAY WINDS ENTRANCE LIGHT 1 | 41-30-07.380N 082-46-21.000W | FI G 4s | | | | Private aid. |
| 4972.1 | BAY WINDS ENTRANCE LIGHT 2 | 41-30-07.800N 082-46-20.880W | FI R 4s | | | | Private aid. |
| 4975 | COMMODORE BAY MARINA ENTRANCE LIGHT 1 | 41-30-08.000N 082-46-24.000W | F G | | | SG on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 4980 | COMMODORE BAY MARINA ENTRANCE LIGHT 2 | 41-30-10.000N 082-42-24.000W | F R | | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 4985 | LOCKWOOD ENTRANCE CHANNEL JETTY LIGHT 1 | 41-29-17.000N 082-53-28.000W | FI G 4s | | | | Private aid. |
| 4985.1 | LOCKWOOD ENTRANCE CHANNEL JETTY LIGHT 2 | 41-29-17.000N 082-53-28.000W | FI R 4s | | | | Private aid. |
| 4986 | QUARRY ENTRANCE CHANNEL LIGHT 1 | 41-29-19.000N 082-53-43.000W | FI G 6s | | | | Private aid. |
| 4986.1 | QUARRY ENTRANCE CHANNEL LIGHT 2 | 41-29-19.000N 082-53-43.000W | FI R 6s | | | | Private aid. |
| Sandusky Bay Channel | | | | | | | |
| 4990 | - TRANSMISSION LINE LIGHT A | 41-29-04.500N 082-49-36.000W | Q W | 15 5 | | NW worded DANGER on concrete pier. | Maintained from May 1 to Dec. 1. Private aid. |
| 4995 | Thomas Edison Bridge Shoal Buoy A | 41-29-03.000N 082-50-02.000W | | | | White with orange bands and diamond worded HAZARD. | Maintained from May 1 to Oct. 15. Private aid. |
| 5000 | Thomas Edison Bridge Shoal Buoy B | 41-29-09.000N 082-50-03.000W | | | | White with orange bands and diamond worded HAZARD. | Maintained from May 1 to Oct. 15. Private aid. |
| 5005 | Thomas Edison Bridge Shoal Buoy C | 41-29-06.000N 082-50-02.000W | | | | White can with orange bands and diamond worded HAZARD. | Maintained from May 1 to Oct. 15. Private aid. |
| 5010 | - TRANSMISSION LINE LIGHT B | 41-28-57.000N 082-49-33.000W | Q W | 15 5 | | NW worded DANGER on concrete pier. | Maintained from May 1 to Dec. 1. Private aid. |
| SOUTH SHORE OF LAKE ERIE (Chart 14842) | | | | | | | |
| West End Sandusky Bay | | | | | | | |
| Sandusky Bay Channel | | | | | | | |
| 5020 | Willow Point Buoy A | 41-26-42.000N 082-53-12.000W | | | | White with orange bands. | Maintained from May 15 to Oct. 15. Private aid. |
| 5025 | Willow Point Buoy B | 41-26-42.000N 082-53-24.000W | | | | White with orange bands. | Maintained from May 15 to Oct. 15. Private aid. |
| 5030 | Willow Point Buoy C | 41-26-30.000N 082-53-30.000W | | | | White with orange bands. | Maintained from May 15 to Oct. 15. Private aid. |
| Muddy Creek | | | | | | | |
| 5085 | SQUAW ISLAND LIGHT | 41-27-09.500N 082-59-41.200W | Q W | 25 8 | 3 | NW "DANGER SHOALING" day marks on structure | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|----------------------------------|--|
| LAKE ERIE | | | | | | | |
| SOUTH SHORE OF LAKE ERIE (Chart 14842) | | | | | | | |
| West End Sandusky Bay | | | | | | | |
| Sandusky River | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1. Due to silting, buoys may be relocated without prior notice.</i> | | | | | | | |
| 5090 | - Day beacon Outer | 41-26-58.242N 083-00-00.384W | | | | NW on pile. "DANGER ROCKS" | |
| 5096 | - Day beacon Middle | 41-26-56.880N 083-00-03.912W | | | | NW on pile. "DANGER ROCKS" | |
| 5100 | - Day beacon Inner | 41-26-50.592N 083-00-06.882W | | | | NW on pile. "DANGER ROCKS" | |
| South Passage to Maumee Bay | | | | | | | |
| Bay Point | | | | | | | |
| 5170 | - Shoal Lighted Buoy 2 Marks east side of shoal. | 41-30-12.029N 082-41-28.254W | FI R 4s | | 5 | Red. | Maintained from Apr. 14 to Nov. 14. |
| Bay Point State Park Hazard | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Oct. 15. Due to shifting sandbar, buoys may be relocated without prior notice.</i> | | | | | | | |
| 5215 | BAY POINT MARINA EAST LIGHT | 41-30-51.200N 082-43-11.200W | Q W | 10 3 | | On white post. | Maintained from May 15 to Nov. 15. Private aid. |
| 5245 | BAY POINT MARINA SOUTH LIGHT | 41-30-34.600N 082-43-30.000W | Q W | 8 2 | | On white post. | Maintained from May 15 to Nov. 15. Private aid. |
| 5246 | JOHNSON ISLAND LIGHT 2 | 41-29-27.600N 082-43-50.400W | FI R 4s | 15 5 | | On single pole. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 5247 | JOHNSON ISLAND LIGHT 1 | 41-29-24.600N 082-43-54.000W | FI G 4s | 15 5 | | On single pole. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 5250 | Marblehead Light | 41-32-10.750N 082-42-42.550W | FI G 6s | 67 20 | 12 | White structure with red trim | |
| 5255 | PLEASANT POINTE NORTH PIER LIGHT | 41-32-23.900N 082-42-53.700W | F W | 16 5 | | On post. | Maintained from Apr. 15 to Nov. 30. Private aid. |
| 5260 | PLEASANT POINTE SOUTHEAST PIER LIGHT | 41-32-22.300N 082-42-52.400W | F R | 16 5 | | On post. | Maintained from Apr. 15 to Nov. 30. Private aid. |
| 5261 | PLEASANT POINTE SOUTH PIER LIGHT | 41-32-22.100N 082-42-52.900W | F G | 16 5 | | On post. | Maintained from Apr. 15 to Nov. 30. Private aid. |
| 5265 | MARBLEHEAD STONE DOCK LIGHT | 41-32-42.000N 082-43-48.000W | Q W | 18 5 | | NW on post. | Maintained from Mar. 15. to Dec. 15. Private aid. |
| 5270 | LAKESIDE ASSOCIATION DOCK LIGHT | 41-32-53.000N 082-45-03.000W | F R | 10 3 | | On post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 5275 | LAKESIDE MARINE INC. BREAKWATER LIGHT | 41-32-48.500N 082-45-17.000W | F G | 20 6 | | On pile. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 5280 | LAKESIDE MARINE INC. PIERHEAD LIGHT | 41-32-48.700N 082-45-14.000W | Q W | 35 11 | | White structure. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| Port Clinton | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 1.</i> | | | | | | | |
| 5282 | MAZURIK FISH ACCESS LIGHT 1 | 41-32-36.240N 082-45-55.380W | FI G 4s | | | | Private aid. |
| 5283 | MAZURIK FISH ACCESS LIGHT 2 | 41-32-35.160N 082-45-55.440W | FI R 4s | | | | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---------------------------|---|
| LAKE ERIE | | | | | | | |
| SOUTH SHORE OF LAKE ERIE (Chart 14842) | | | | | | | |
| South Passage to Maumee Bay | | | | | | | |
| Bay Point State Park Hazard | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Oct. 15. Due to shifting sandbar, buoys may be relocated without prior notice.</i> | | | | | | | |
| 5285 | SCHROCKS MARINA EAST BREAKWATER LIGHT | 41-32-31.300N 082-46-04.800W | F W | 20 6 | | On post. | Maintained from Apr. 20 to Oct. 20. Private aid. |
| 5290 | SCHROCKS MARINA WEST BREAKWATER LIGHT | 41-32-30.900N 082-46-05.500W | F R | 15 5 | | On post. | Maintained from Apr. 20 to Oct. 20. Private aid. |
| 5300 | LAKEVUE WEST ENTRANCE LIGHTS (3) | 41-32-26.000N 082-46-22.500W | F R | 4 1 | | On post. | Maintained from May 1 to Sep. 30. Private aid. |
| 5305 | EAST HARBOR ENTRANCE LIGHT 1 | 41-32-36.000N 082-47-00.000W | FI G 4s | 24 7 | | SG on skeleton tower. | Private aid. |
| 5310 | EAST HARBOR ENTRANCE LIGHT 2 | 41-32-36.000N 082-47-00.000W | FI R 4s | 24 7 | | TR on skeleton tower. | Private aid. |
| 5315 | CHANNEL GROVE MARINA DOCK LIGHT | 41-32-11.000N 082-47-14.000W | FI R 4s | 16 5 | | On post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| East Harbor Smallboat Concourse | | | | | | | |
| <i>Buoys maintained from May 15 to Sep. 15</i> | | | | | | | |
| 5325 | - Buoy 1 | 41-32-17.000N 082-47-12.300W | | | | Green can. | Private aid. |
| 5330 | - Buoy 2 | 41-32-17.500N 082-47-14.000W | | | | Red nun. | Private aid. |
| 5335 | - Buoy 3 | 41-32-14.300N 082-47-15.800W | | | | Green can. | Private aid. |
| 5340 | - Buoy 4 | 41-32-14.600N 082-47-16.500W | | | | Red nun. | Private aid. |
| 5365 | EAST HARBOR STATE PARK EAST BREAKWATER LIGHT | 41-33-27.000N 082-47-59.000W | FI W 2.5s | 20 6 | | NW on post worded DANGER. | Private aid. |
| 5370 | EAST HARBOR STATE PARK WEST BREAKWATER LIGHT | 41-33-42.000N 082-48-12.000W | FI W 2.5s | 20 6 | | NW on post worded DANGER. | Private aid. |
| 5375 | <i>Middle Harbor Shoal Lighted Buoy 1</i> | 41-34-19.281N 082-47-39.473W | FI G 4s | | 4 | Green. | Maintained from Apr. 14 to Nov. 28. |
| West Harbor | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 28.</i> | | | | | | | |
| 5380 | - ENTRANCE CHANNEL LIGHT 1 | 41-34-08.000N 082-48-33.000W | FI G 4s | 36 11 | 4 | SG on post. | |
| 5385 | - ENTRANCE CHANNEL LIGHT 2 | 41-34-09.000N 082-48-37.000W | FI R 2.5s | 31 9 | 4 | TR on post. | |
| 5390 | - Access Channel Buoy 3 | 41-34-03.681N 082-48-39.675W | | | | Green can. | |
| 5395 | - Access Channel Buoy 4 | 41-34-04.681N 082-48-40.675W | | | | Red nun. | |
| 5400 | - Access Channel Lighted Buoy 5 | 41-33-59.969N 082-48-44.763W | FI G 4s | | 3 | Green. | |
| 5405 | - Access Channel Lighted Buoy 6 | 41-34-00.181N 082-48-46.175W | FI R 4s | | 3 | Red. | |
| 5410 | - Access Channel Lighted Buoy 8 | 41-33-54.981N 082-48-52.675W | FI R 4s | | 3 | Red. | |
| 5415 | - ACCESS CHANNEL LIGHT 7 | 41-33-54.500N 082-48-51.000W | FI G 2.5s | 25 8 | 4 | SG on piles. | |
| 5420 | - ACCESS CHANNEL LIGHT 9 | 41-33-43.500N 082-48-53.000W | FI G 6s | 15 5 | 4 | SG on pile. | |
| 5425 | - ACCESS CHANNEL LIGHT 10 | 41-33-44.000N 082-48-55.000W | FI R 6s | 15 5 | 4 | TR on pile. | |
| 5430 | - Inner Channel Daybeacon 11 | 41-33-33.500N 082-49-09.500W | | | | SG on pile. | |
| 5435 | - Inner Channel Daybeacon 12 | 41-33-34.200N 082-49-10.500W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| LAKE ERIE | | | | | | | |
| SOUTH SHORE OF LAKE ERIE (Chart 14842) | | | | | | | |
| South Passage to Maumee Bay | | | | | | | |
| West Harbor | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 28.</i> | | | | | | | |
| 5440 | STATE PARK MARINA ENTRANCE LIGHT 1 | 41-33-31.700N 082-49-15.200W | F G | 10 3 | | SG on pyramidal structure. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 5445 | STATE PARK MARINA ENTRANCE LIGHT 2 | 41-33-31.200N 082-49-16.100W | F R | 10 3 | | TR on pyramidal structure. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 5450 | ANCHORS AWAY MARINA ENTRANCE LIGHT 1 | 41-33-32.000N 082-49-18.000W | F G | 10 3 | | On post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 5455 | ANCHORS AWAY MARINA ENTRANCE LIGHT 2 | 41-33-32.000N 082-49-18.000W | F R | 16 5 | | On post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 5460 | - JUNCTION LIGHT | 41-33-32.286N 082-49-25.469W | FI (2+1)R 6s | 25 8 | 4 | JR on pile. | |
| 5465 | - Inner Channel Day beacon 13 | 41-33-28.500N 082-49-28.000W | | | | SG on pile. | |
| 5470 | - Inner Channel Day beacon 14 | 41-33-28.500N 082-49-30.500W | | | | TR on pile. | |
| 5475 | - Inner Channel Day beacon 15 | 41-33-19.000N 082-49-34.600W | | | | SG on pile. | |
| 5480 | - Inner Channel Day beacon 16 | 41-33-19.000N 082-49-37.000W | | | | TR on pile. | |
| 5485 | - Inner Channel Day beacon 17 | 41-33-10.700N 082-49-40.000W | | | | SG on pile. | |
| 5490 | - Inner Channel Day beacon 18 | 41-33-11.000N 082-49-42.500W | | | | TR on pile. | |
| 5492 | - Inner Channel Warning Day beacon | 41-33-01.500N 082-49-53.000W | | | | NW with orange stripes on pile. | Marks end of channel. |
| Gem Beach | | | | | | | |
| 5495 | - SOUTH ENTRANCE LIGHT 1 | 41-34-10.000N 082-48-59.000W | FI G 4s | 20 6 | | SG on pile. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 5500 | - NORTH ENTRANCE LIGHT 2 | 41-34-15.000N 082-48-54.000W | FI R 4s | 28 9 | | TR on post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 5505 | - Access Channel Day beacon 3 | 41-33-54.800N 082-49-20.500W | | | | SG on pile. | |
| 5510 | - Access Channel Day beacon 5 | 41-33-39.000N 082-49-24.200W | | | | SG on pile. | |
| 5515 | - Access Channel Day beacon 6 | 41-33-39.000N 082-49-27.200W | | | | TR on pile. | |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| 5520 | <i>Scott Point Shoal Lighted Buoy 1</i> Marks northeast side of shoal. | 41-36-05.035N 082-48-22.554W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 7 to May 7. |
| 5525 | <i>Starve Island Reef Lighted Buoy 2</i> Marks west side of reef. | 41-36-41.500N 082-49-02.343W | FI R 6s | | 4 | Red. | Replaced by nun from Nov. 7 to May 7. |
| 5530 | South Bass Island Light | 41-37-44.151N 082-50-29.554W | FI R 6s | 95 29 | 12 | NR on skeleton tower. 75 | |
| 5535 | GREEN ISLAND LIGHT | 41-38-42.110N 082-52-04.240W | FI W 2.5s | 80 24 | 8 | NR on skeleton tower. | Light obscured by woods from 238° to 273°. |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| 5540 | <i>Niagara Reef Lighted Buoy 5</i> | 41-40-12.277N 082-58-21.597W | FI G 4s | | 4 | Green. | |
| 5545 | Crib Reef Buoy 7 | 41-38-47.178N 082-59-59.700W | | | | Green can. | Maintained from Apr. 7 to Nov. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| 5550 | WEST SISTER ISLAND LIGHT | 41-44-13.090N 083-06-38.331W | Fl W 4s | 55 17 | 9 | Tower. | Light obscured by trees from 210° thru 269°, other scattered trees obscure light at intervals. |
| 5552 | UT LAKE ERIE CENTER A | 41-45-00.000N 083-06-11.000W | Iso W 2s | | | | Private aid. |
| 5553 | Battle of Lake Erie Lighted Buoy | 41-44-50.000N 083-02-00.000W | Fl W 6s | | 5 | Red buoy hull with a blue and white vertical tower. | Maintained from Apr. 7 to Nov. 1. |
| 5555 | NOAA Lighted Weather Buoy 45005 | 41-40-36.000N 082-23-54.000W | Fl (4)Y 20s | | | Yellow disc-shaped hull. | Maintained from May 1 to Dec. 1. Aid maintained by National Oceanic and Atmospheric Administration. |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| 5565 | Kelleys Island Shoal Lighted Buoy 1 Marks northeast side of shoal. | 41-38-40.966N 082-37-56.637W | Fl G 4s | | 4 | Green. | Replaced by can from Nov. 7 to May 7. |
| 5570 | CAMP PATOS LIGHT | 41-37-01.000N 082-40-58.000W | Fl W 2s | 11 3 | | Small lighthouse structure. | Maintained from May 30 to Sep. 1. Private aid. |
| 5575 | Kelley s Island Buoy 1 | 41-37-26.370N 082-40-01.746W | | | | Green can. | |
| 5580 | Kelley s Island Shoal Buoy 3 | 41-38-25.669N 082-39-30.843W | | | | Green can. | |
| 5585 | KELLY ISLAND STATE PARK BREAKWATER LIGHT | 41-37-00.000N 082-42-11.000W | Fl R 4s | 20 6 | | TR on gray tower. | Private aid. |
| 5590 | KELLSTONE CRIB LIGHT | 41-36-38.000N 082-43-40.000W | Q R | 7 2 | | On pile. | Maintained from May 1 to Dec. 20. Private aid. |
| 5595 | Rock Shoal Lighted Buoy 2 | 41-36-15.579N 082-44-50.366W | Fl R 4s | | 4 | Red. | Maintained from May 7 to Nov. 7. |
| 5600 | Gull Island Shoal Lighted Buoy 4 Marks south side of shoal. | 41-39-16.971N 082-41-19.850W | Fl R 4s | | 4 | Red. | Maintained from May 7 to Nov. 7. |
| 5615 | Middle Bass Island East Shoal Lighted Bell Buoy 1 Marks east side of shoal. | 41-41-54.525N 082-45-53.981W | Fl G 4s | | 4 | Green. | Replaced by can f from Nov. 7 to May 7. |
| North Bass Island | | | | | | | |
| 5620 | - Shoal Buoy 2 | 41-42-36.761N 082-51-27.877W | | | | Red nun. | Maintained from May 7 to Nov. 7. |
| 5625 | - Lighted Buoy 3 | 41-43-40.133N 082-48-17.572W | Fl G 4s | | 4 | Green. | Replaced by can from Nov. 7 to May 7. |
| 5630 | - Buoy 4 | 41-44-07.713N 082-48-35.072W | | | | Red nun. | Maintained from May 7 to Nov. 7. |
| 5635 | - Lighted Bell Buoy 6 | 41-45-01.872N 082-50-05.176W | Fl R 4s | | 4 | Red. | Maintained from May 7 to Nov. 7. |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| 5650 | BALLAST ISLAND LIGHT | 41-40-42.810N 082-47-02.590W | Fl W 4s | 92 28 | 8 | NR on skeleton tower. | Obscured from 014° to 070°. |
| 5652 | MIDDLE BASS ISLAND NORTH BREAKWATER LIGHT | 41-40-35.490N 082-48-20.860W | Fl R 6s | | | | Private aid. |
| 5653 | MIDDLE BASS ISLAND SOUTH BREAKWATER LIGHT | 41-40-34.010N 082-48-23.510W | Fl G 6s | | | | Private aid. |
| 5655 | Ballast Island Channel Lighted Buoy 5 | 41-40-16.301N 082-46-53.895W | Fl G 2.5s | | 4 | Green. | Maintained from May 7 to Nov 7. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ERIE | | | | | | | |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| 5660 | <i>Ballast Island Channel Lighted Buoy 6</i> | 41-40-25.476N 082-47-09.970W | Fl R 2.5s | | 4 | Red nun. | Maintained from May 21 to Nov 1. |
| 5665 | <i>Ballast Island Channel Lighted Buoy 7</i> | 41-40-21.376N 082-47-26.670W | Fl G 4s | | 4 | Green can. | Maintained from May 21 to Nov 1. |
| 5670 | Perry Memorial Monument Light | 41-39-14.630N 082-48-41.039W | Iso W 6s | 341 104 | 9 | On roof of monument. 352 | |
| Put-In-Bay | | | | | | | |
| <i>Buoys maintained from May 21 to Nov. 1.</i> | | | | | | | |
| 5673 | <i>Stone Lab 1</i> | 41-39-32.760N 082-49-23.159W | Fl Y 2.5s | | | | Private aid. |
| 5675 | Put In Bay Shoal Buoy 1 Marks northwest side of shoal. | 41-39-33.877N 082-48-51.274W | | | | Green can. | Maintained year round. |
| 5680 | - <i>Channel Lighted Buoy 2</i> | 41-39-29.200N 082-49-06.200W | Fl R 2.5s | | 3 | Red. | |
| 5685 | - Channel Buoy 3 | 41-39-29.177N 082-48-53.674W | | | | Green can. | |
| 5690 | - <i>Channel Lighted Buoy 4</i> | 41-39-22.100N 082-49-06.200W | Fl R 4s | | 4 | Red. | |
| 5695 | - Channel Buoy 5 | 41-39-24.677N 082-48-55.774W | | | | Green can. | |
| 5705 | - Channel Buoy 6 | 41-39-18.405N 082-49-13.476W | | | | Red nun. | |
| 5710 | - Channel Buoy 8 | 41-39-17.440N 082-49-17.716W | | | | Red nun. | |
| 5715 | - Channel Buoy 10 | 41-39-18.877N 082-49-21.675W | | | | Red nun. | |
| 5716 | - <i>East Lighted Float</i> | 41-39-29.700N 082-48-52.500W | Q Y | | | Three 8 foot boards marked NO WAKE, on a wood raft. | Maintained from May 1 to Oct. 15. Private aid. |
| 5717 | - <i>West Lighted Float</i> | 41-39-27.900N 082-49-07.000W | Q Y | | | Three 8 foot boards marked NO WAKE, on a wood raft. | Maintained from May 1 to Oct. 15. Private aid. |
| Miller Channel | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 5720 | - Entrance Buoy 1 | 41-39-20.300N 082-49-25.500W | | | | Green can. | Private aid. |
| 5725 | - Entrance Buoy 2 | 41-39-20.700N 082-49-24.300W | | | | Red nun. | Private aid. |
| 5730 | - Entrance Buoy 3 | 41-39-18.200N 082-49-30.500W | | | | Green can. | Private aid. |
| 5735 | - Entrance Buoy 4 | 41-39-21.500N 082-49-25.200W | | | | Red nun. | Private aid. |
| 5736 | - Entrance Buoy 6 | 41-39-19.600N 082-49-30.700W | | | | Red nun. | Private aid. |
| 5745 | Oak Point Reef Cut Buoy 1 | 41-39-24.000N 082-49-24.900W | | | | Green can. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 5750 | Oak Point Reef Cut Buoy 2 | 41-39-24.000N 082-49-24.800W | | | | Red nun. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| Put-In-Bay Anchorage | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 5754 | - Buoy A | 41-39-28.000N 082-49-10.900W | | | | Yellow can. | Private aid. |
| 5755 | - Buoy B | 41-39-27.200N 082-49-15.000W | | | | Yellow can. | Private aid. |
| 5760 | - Buoy C | 41-39-25.800N 082-49-20.000W | | | | Yellow can. | Private aid. |
| 5765 | - Buoy D | 41-39-24.600N 082-49-21.800W | | | | Yellow can. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| LAKE ERIE | | | | | | | |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| Put-In-Bay | | | | | | | |
| Put-In-Bay Anchorage | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 5770 | - Buoy E | 41-39-23.000N 082-49-23.800W | | | | Yellow can. | Private aid. |
| 5775 | <i>Peach Orchard Point Lighted Buoy 2</i> | 41-39-47.176N 082-49-17.675W | FI R 4s | | 4 | Red. | Maintained from May 07 to November 07. |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| Erie Proving Ground | | | | | | | |
| 5780 | - Buoy A | 41-41-29.761N 083-07-32.570W | | | | Yellow can. | |
| 5785 | - Buoy B | 41-41-29.073N 083-03-45.410W | | | | Yellow can. | |
| 5790 | - Buoy C | 41-41-29.076N 082-59-59.701W | | | | Yellow can. | |
| 5795 | - Buoy D | 41-38-34.468N 082-57-23.304W | | | | Yellow can. | |
| 5800 | - Buoy E | 41-37-05.679N 082-56-06.691W | | | | Yellow can. | |
| 5805 | - Buoy F | 41-35-39.660N 082-54-53.828W | | | | Yellow can. | |
| 5810 | - Buoy G | 41-34-36.181N 082-56-43.692W | | | | Yellow can. | |
| 5815 | - Buoy H | 41-33-37.181N 082-58-40.696W | | | | Yellow can. | |
| 5820 | - Buoy J | 41-36-00.178N 083-03-24.707W | | | | Yellow can. | |
| 5825 | - Buoy K | 41-37-40.176N 083-04-52.711W | | | | Yellow can. | Maintained from Apr. 7 to Nov. 1. |
| 5830 | - Buoy L | 41-39-53.173N 083-06-17.716W | | | | Yellow can. | Maintained from Apr. 7 to Nov. 1. |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| 5832 | CATAWBA MILLER LIGHT A | 41-35-16.290N 082-50-15.490W | FI Y 4s | | | | Maintained from Apr. 1 to November 30. Private aid. |
| 5832.1 | CATAWBA MILLER LIGHT B | 41-35-15.790N 082-50-15.360W | FI Y 4s | | | | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 5832.2 | CATAWBA MILLER LIGHT C | 41-35-15.360N 082-50-15.230W | FI Y 4s | | | | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 5835 | <i>Catawba Island Lighted Buoy 1</i> | 41-34-36.631N 082-52-05.182W | FI G 4s | | 4 | Green. | Maintained from May 7 to Nov. 7. |
| 5840 | CATAWBA STATE PARK PIER LIGHT | 41-34-22.000N 082-51-24.000W | FI G 2.5s | 15 5 | | Skeleton tower. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 5845 | CATAWBA CLIFFS HARBOR LIGHT | 41-34-18.000N 082-51-18.000W | F R | 12 4 | | White triangular structure. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 5846 | CATAWBA ISLAND MARINA SOUTH LIGHT 1 | 41-33-42.000N 082-51-10.000W | Q G | 10 3 | | SG on pile. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 5847 | CATAWBA ISLAND MARINA SOUTH LIGHT 2 | 41-33-41.000N 082-51-08.000W | Q R | 10 3 | | TR on pile. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 5849.3 | LEMARIN ENTRANCE LIGHT 5 | 41-33-33.000N 082-51-10.000W | F G | 20 6 | | SG on concrete pile. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 5849.4 | LEMARIN ENTRANCE LIGHT 6 | 41-33-32.000N 082-51-10.500W | F R | 20 6 | | TR on concrete pile. | Maintained from Apr. 1 to Nov. 30. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE ERIE | | | | | | | |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| 5850 | COLONY CLUB MARINA NORTH LIGHT | 41-34-00.000N 082-51-25.000W | F G | 10 3 | | White triangular structure. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 5855 | COLONY CLUB MARINA SOUTH LIGHT | 41-33-13.000N 082-51-25.000W | F R | 10 3 | | White triangular structure. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 5857 | NORTHWEST CATAWABA MARINA ENTRANCE LIGHT 1 | 41-32-53.700N 082-51-28.500W | FI G 3s | 10 3 | | SG on post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 5858 | NORTHWEST CATAWABA MARINA ENTRANCE LIGHT 2 | 41-32-52.500N 082-51-29.000W | FI R 3s | 10 3 | | TR on post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| Port Clinton | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 1.</i> | | | | | | | |
| 5860 | - Intake Crib Lighted Buoy | 41-31-12.500N 082-56-21.800W | Q W | | | White and orange bands with orange diamond worded DANGER. | Maintained from May 15 to Nov. 15. Private aid. |
| 5861 | - Regional Water Intake Crib Lighted Buoy | 41-31-20.759N 082-56-17.925W | FI W 4s | | | White with orange bands and diamond worded DANGER CRIB. | Maintained from May 15 to Oct. 15. Private aid. |
| 5865 | - Light 2 | 41-31-08.420N 082-56-10.340W | FI (2)R 6s | 30 9 | 10 | TR on post. 30 | Higher intensity beam on bearing of 208°. |
| 5870 | - EAST PIERHEAD LIGHT 1 | 41-31-08.249N 082-56-07.436W | FI G 6s | 25 8 | 6 | SG on white pile. | |
| 5875 | - Channel Buoy 1 | 41-30-54.451N 082-57-01.051W | | | | Green can. | |
| 5877 | - Channel Buoy 2 | 41-30-55.880N 082-57-02.045W | | | | Red nun. | |
| 5880 | - Channel Buoy 3 | 41-30-53.427N 082-57-19.604W | | | | Green can. | |
| 5885 | - Channel Buoy 4 | 41-30-56.183N 082-57-26.693W | | | | Red nun. | |
| 5890 | - Channel Buoy 5 | 41-31-00.063N 082-57-38.193W | | | | Green can. | |
| 5895 | - Channel Buoy 6 | 41-31-00.983N 082-57-37.593W | | | | Red nun. | |
| 5898 | SPINNAKER BAY ENTRANCE LIGHT 1 | 41-31-28.800N 082-58-05.500W | F G | 10 3 | | SG on post on breakwater. | Private aid. |
| 5899 | SPINNAKER BAY ENTRANCE LIGHT 2 | 41-31-30.000N 082-58-05.500W | F R | 10 3 | | TR on post on breakwater. | Private aid. |
| Lake Front Marina | | | | | | | |
| 5900 | - ENTRANCE EAST LIGHT 1 | 41-31-35.000N 082-58-13.800W | FI G 2s | 13 4 | | SG on pile. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 5905 | - ENTRANCE WEST LIGHT 2 | 41-31-35.200N 082-58-15.500W | FI R 2s | 13 4 | | TR on pile. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 5910 | - RANGE FRONT LIGHT | 41-31-27.300N 082-58-19.000W | F Y | 34 10 | | On skeleton tower. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 5915 | - RANGE REAR LIGHT 75 feet, 210° from front light. | 41-31-27.000N 082-58-19.500W | F Y | 49 15 | | On skeleton tower. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| <i>Crib buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 5950 | Davis-Besse Nuclear Power Plant Obstruction Buoy | 41-36-25.121N 083-03-48.616W | | | | Orange and white regulatory buoy marked SUBMERGED CRIB. | Maintained from Apr. 1 to Nov. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--------------------------|---|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| <i>Crib buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 5951 | Davis Besse Security Zone Buoy A | 41-36-22.020N 083-04-27.840W | | | | White with orange bands. | Private aid. |
| 5951.1 | Davis Besse Security Zone Buoy B | 41-36-34.680N 083-04-16.560W | | | | White with orange bands. | Private aid. |
| 5951.2 | Davis Besse Security Zone Buoy C | 41-36-47.220N 083-04-05.280W | | | | White with orange bands. | Private aid. |
| 5951.3 | Davis Besse Security Zone Buoy D | 41-37-00.000N 083-03-54.000W | | | | White with orange bands. | Private aid. |
| 5951.4 | Davis Besse Security Zone Buoy E | 41-36-48.540N 083-03-39.300W | | | | White with orange bands. | Private aid. |
| 5951.5 | Davis Besse Security Zone Buoy F | 41-36-37.560N 083-03-25.320W | | | | White with orange bands. | Private aid. |
| 5951.6 | Davis Besse Security Zone Buoy G | 41-36-27.060N 083-03-11.880W | | | | White with orange bands. | Private aid. |
| 5951.7 | Davis Besse Security Zone Buoy H | 41-36-16.200N 083-02-58.020W | | | | White with orange bands. | Private aid. |
| 5951.8 | Davis Besse Security Zone Buoy I | 41-36-05.100N 083-02-43.980W | | | | White with orange bands. | Private aid. |
| 5951.9 | Davis Besse Security Zone Buoy J | 41-35-54.000N 083-02-30.000W | | | | White with orange bands. | Private aid. |
| 5952 | Davis Besse Security Zone Buoy K | 41-35-46.980N 083-02-46.980W | | | | White with orange bands. | Private aid. |
| 5952.1 | Davis Besse Security Zone Buoy L | 41-35-39.000N 083-03-06.000W | | | | White with orange bands. | Private aid. |
| 5952.2 | Davis Besse Security Zone Buoy M | 41-35-31.980N 083-03-22.980W | | | | White with orange bands. | Private aid. |
| Wild Wings Marina | | | | | | | |
| 5955 | - ENTRANCE LIGHT 1 | 41-36-48.500N 083-06-13.000W | FI G 2s | 20 6 | | SG on white post. | Maintained from May 1 to Nov. 1. Private aid. |
| 5960 | - ENTRANCE LIGHT 2 | 41-36-49.800N 083-06-14.100W | FI R 2s | 20 6 | | TR on white post. | Maintained from May 1 to Nov. 1. Private aid. |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| <i>Crib buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 5970 | LONG BEACH RANGE FRONT LIGHT | 41-36-53.200N 083-06-48.200W | F G | 13 4 | | On white post. | Maintained from May 30 to Nov. 1. Private aid. |
| 5975 | LONG BEACH RANGE REAR LIGHT 147 feet, 159° from front light. | 41-36-52.000N 083-06-48.000W | F G | 22 7 | | On white post. | Maintained from May 30 to Nov. 1. Private aid. |
| 5980 | LONG BEACH ENTRANCE LIGHT | 41-36-53.200N 083-06-48.800W | F R | 12 4 | | On white post. | Maintained from May 1 to Nov. 1. Private aid. |
| Turtle Creek | | | | | | | |
| <i>Aids maintained from Apr. 1 to Nov. 15.</i> | | | | | | | |
| 5996 | - BREAKWATER LIGHT 2 | 41-36-59.300N 083-07-44.000W | FI R 2.5s | 28 9 | | TR on pile. | Private aid. |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| 5999 | UT LAKE ERIE CENTER C | 41-38-59.000N 083-09-00.000W | Iso W 2s | | | | Private aid. |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| <i>Crib buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 6000 | WARD CANAL EAST JETTY LIGHT 1 | 41-39-05.300N 083-14-11.900W | FI G 2.5s | 22 7 | 4 | SG on post. | |
| 6001 | WARD CANAL WEST JETTY LIGHT 2 | 41-39-04.800N 083-14-15.600W | FI R 4s | 28 9 | 5 | TR on post. | |
| Cooley Canal | | | | | | | |
| 6005 | - BREAKWATER LIGHT 1 | 41-40-35.701N 083-16-59.203W | FI G 4s | 30 9 | 4 | SG on tower. | |
| 6010 | - BREAKWATER LIGHT 2 | 41-40-37.065N 083-17-02.179W | FI R 4s | 30 9 | 4 | TR on tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| Turtle Creek | | | | | | | |
| <i>Aids maintained from Apr. 1 to Nov. 15.</i> | | | | | | | |
| 6015 | COOLEY CANAL FRONT RANGE LIGHT | 41-40-30.720N 083-17-01.980W | F R | | | KRW on pile. | Private aid. |
| 6016 | COOLEY CANAL REAR RANGE LIGHT | 41-40-29.580N 083-17-02.280W | F R | | | KRW in Pipe. | Private aid. |
| 6025 | TOLEDO WATER WORKS INTAKE CRIB LIGHTS | 41-41-58.000N 083-15-33.000W | Q W | 50 15 | | Circular building surmounting crib. | Four (4) lights mounted on each corner of crib. Maintained from Apr. 1 to Nov. 15. Private aid. |
| 6025.5 | <i>Lirno Toledo</i> | 41-42-04.600N 083-15-22.100W | FI Y 4s | | | | Private aid. |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| 6027 | <i>UT LAKE ERIE CENTER B</i> | 41-43-58.000N 083-17-44.000W | Iso W 2s | | | | Private aid. |
| TOLEDO HARBOR (Chart 14847) | | | | | | | |
| Maumee Bay | | | | | | | |
| 6027.1 | <i>UT Water Quality Bouy</i> | 41-43-28.000N 083-22-12.000W | FI Y 4s | | | | Maintained from Jun. 1 to Nov. 1. Private aid. |
| 6030 | Toledo Harbor Light | 41-45-42.680N 083-19-44.470W | Iso W 6s | 72 22 | 13 | | HORN: 1 blast ev 30s (3s bl). Operates from Apr. 1 to Dec. 1. |
| 6035 | - STATE PARK ENTRANCE LT 2 | 41-41-11.400N 083-22-20.400W | FI R 3s | 25 8 | | | Private aid. |
| 6036 | - STATE PARK ENTRANCE LT 1 | 41-41-12.000N 083-22-18.000W | FI G 3s | 25 8 | | | Private aid. |
| 6040 | Maumee Safe Water VAIS | 41-50-07.946N 083-10-10.530W | | | | | MMSI: 993682127 |
| 6045 | - <i>Entrance Lighted Buoy 1</i> | 41-49-26.940N 083-11-27.380W | Q G | | 4 | Green. | Replaced by can from Dec. 14 to Apr. 7. AIS MMSI: 993672199 |
| 6050 | - Entrance Light 2 | 41-49-31.919N 083-11-36.717W | FI R 2.5s | 44 13 | 12 | TR on tower with red band. 35 | RACON: M (- -) Horn 1 blast every 15s. |
| 6055 | - Buoy 3 | 41-48-54.181N 083-12-41.673W | | | | Green can. | |
| 6060 | - Buoy 4 | 41-48-58.060N 083-12-45.987W | | | | Red nun. | |
| 6065 | - <i>Lighted Buoy 5</i> | 41-48-29.301N 083-13-34.622W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14. |
| 6070 | - <i>Lighted Buoy 6</i> | 41-48-33.491N 083-13-37.953W | FI R 4s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14 |
| 6075 | - Buoy 7 | 41-48-04.830N 083-14-26.470W | | | | Green can. | |
| 6080 | - Buoy 8 | 41-48-08.750N 083-14-30.399W | | | | Red nun. | |
| 6085 | - LIGHT 9 | 41-47-39.841N 083-15-17.867W | FI G 4s | 33 10 | 5 | White cylindrical tower with green band. | |
| 6090 | - <i>Lighted Buoy 10</i> | 41-47-44.720N 083-15-21.230W | FI R 4s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14. AIS MMSI: 993672200 |
| 6095 | - Buoy 11 | 41-47-15.608N 083-16-10.917W | | | | Green can. | |
| 6100 | - Buoy 12 | 41-47-19.561N 083-16-14.731W | | | | Red nun. | |
| 6105 | MANHATTAN RANGE FRONT LIGHT | 41-41-38.683N 083-28-11.048W | F R | 24 7 | | KRW on post. | Lighted throughout 24 hours. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------------------------------|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| TOLEDO HARBOR (Chart 14847) | | | | | | | |
| Maumee Bay | | | | | | | |
| 6110 | MANHATTAN RANGE REAR LIGHT 3,005 feet, 237.6° from front light. | 41-41-22.823N 083-28-44.528W | F R | 105 32 | | KRW on storage bin on building. | Lighted throughout 24 hours. |
| 6115 | - Lighted Buoy 13 | 41-46-51.333N 083-17-02.292W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14 |
| 6120 | - Lighted Buoy 14 | 41-46-55.450N 083-17-06.209W | FI R 2.5s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14 |
| 6125 | - Buoy 15 | 41-46-34.550N 083-17-38.800W | | | | Green can. | |
| 6130 | - Buoy 16 | 41-46-38.727N 083-17-41.880W | | | | Red nun. | |
| 6135 | - Lighted Buoy 17 | 41-46-11.340N 083-18-27.540W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14. |
| 6140 | - Lighted Buoy 18 | 41-46-15.869N 083-18-31.010W | FI R 4s | | 4 | Red. | Maintained from Apr. 07 to Dec. 14. |
| 6145 | - Buoy 19 | 41-45-55.050N 083-19-02.310W | | | | Green can. | |
| 6150 | - Buoy 20 | 41-45-59.556N 083-19-04.743W | | | | Red nun. | |
| 6155 | - Lighted Buoy 21 | 41-45-37.490N 083-19-39.070W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14. AIS MMSI: 993672201 |
| 6160 | - Buoy 23 | 41-45-18.782N 083-20-19.389W | | | | Green can. | |
| 6165 | - Buoy 24 | 41-45-22.880N 083-20-23.018W | | | | Red nun. | |
| 6170 | - Lighted Buoy 25 | 41-44-59.770N 083-20-59.630W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14. |
| 6175 | - Lighted Buoy 26 | 41-45-03.759N 083-21-03.207W | FI R 4s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14. |
| 6180 | - Buoy 27 | 41-44-39.625N 083-21-41.528W | | | | Green can. | |
| 6185 | - Buoy 28 | 41-44-43.939N 083-21-45.281W | | | | Red nun. | |
| 6190 | - LIGHT 29 | 41-44-19.900N 083-22-21.600W | FI G 4s | 43 13 | 5 | SG on white cylindrical tower with green band. | |
| 6195 | - Lighted Buoy 30 | 41-44-24.750N 083-22-25.310W | FI R 4s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14. AIS MMSI: 993672202 |
| 6200 | - Buoy 31 | 41-44-04.525N 083-22-56.009W | | | | Green can. | |
| 6205 | - Buoy 32 | 41-44-08.527N 083-22-59.416W | | | | Red nun. | |
| 6210 | - Lighted Buoy 33 | 41-43-49.190N 083-23-28.800W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14. |
| 6215 | - Lighted Buoy 34 | 41-43-53.218N 083-23-32.259W | FI R 4s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14. |
| 6220 | - Buoy 35 | 41-43-25.090N 083-24-20.170W | | | | Green can. | |
| 6225 | - Buoy 36 | 41-43-28.016N 083-24-25.293W | | | | Red nun. | |
| 6230 | - Lighted Buoy 37 | 41-42-58.659N 083-25-16.460W | FI G 4s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ERIE | | | | | | | |
| TOLEDO HARBOR (Chart 14847) | | | | | | | |
| Maumee Bay | | | | | | | |
| 6235 | - Lighted Buoy 38 | 41-43-02.830N 083-25-19.525W | FI R 4s | | 4 | Red. | |
| 6240 | - Buoy 40 | 41-42-42.432N 083-26-02.346W | | | | Red nun. | |
| Disposal Area | | | | | | | |
| <i>Aids maintained from Apr. 15 to Dec. 15.</i> | | | | | | | |
| 6245 | - LIGHT A | 41-42-34.000N 083-26-06.000W | Q W | 19 6 | | On dolphin. | Private aid. |
| 6250 | - LIGHT B | 41-42-33.000N 083-26-09.000W | Q W | 19 6 | | On dolphin. | Private aid. |
| Maumee Bay | | | | | | | |
| 6265 | - Lighted Buoy 41 | 41-42-18.510N 083-26-40.019W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 7. |
| 6270 | - Buoy 42 | 41-42-22.627N 083-26-43.743W | | | | Red nun. | |
| 6275 | - Lighted Buoy 43 | 41-42-02.480N 083-27-14.560W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 7. |
| 6280 | - Lighted Buoy 45 | 41-41-57.176N 083-27-26.754W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 7. |
| 6285 | - Lighted Buoy 46 | 41-42-00.580N 083-27-34.873W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 7 to Apr. 7. |
| 6290 | - Lighted Buoy 48 | 41-41-50.503N 083-27-52.179W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 7 to Apr. 7. |
| Maumee River | | | | | | | |
| 6295 | - Lighted Buoy 49 | 41-41-38.853N 083-27-59.006W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 14. |
| 6300 | - Lighted Buoy 50 | 41-41-33.117N 083-28-13.192W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 7 to Apr. 14. |
| 6305 | - Buoy 52 | 41-41-13.874N 083-28-39.058W | | | | Red nun. | |
| Harrison Marina | | | | | | | |
| 6320 | - Entrance Buoy 3 | 41-41-08.700N 083-28-48.200W | | | | Green can. | Private aid. |
| 6325 | - Entrance Buoy 4 | 41-41-11.200N 083-28-51.200W | | | | Green can. | Private aid. |
| 6330 | - Danger Buoy G | 41-41-07.800N 083-28-51.900W | | | | White with orange bands and diamond; can. | Private aid. |
| Maumee River | | | | | | | |
| 6337 | - Turning Basin Buoy 54 | 41-40-45.571N 083-29-11.291W | | | | Red nun. | |
| 6340 | - Turning Basin Buoy 56 | 41-40-09.076N 083-29-54.759W | | | | Red nun. | |
| 6345 | - Turning Basin Buoy 58 | 41-40-10.076N 083-29-59.759W | | | | Red nun. | |
| 6350 | - Turning Basin Buoy 60 | 41-40-04.253N 083-30-06.860W | | | | Red nun. | |
| 6355 | - Lighted Buoy 62 | 41-40-00.076N 083-30-08.659W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 7 to Apr. 14. |
| 6356.2 | Glass City Marina Buoy 3 | 41-39-27.000N 083-30-52.000W | | | | Green | Maintained f from Apr. 15 to Oct. 15. Private aid. |
| 6356.3 | Glass City Marina Buoy 5 | 41-39-26.000N 083-30-51.000W | | | | Green | Maintained f from Apr. 15 to Oct. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ERIE | | | | | | | |
| TOLEDO HARBOR (Chart 14847) | | | | | | | |
| Maumee River | | | | | | | |
| 6357 | Glass City Marina Buoy A | 41-39-28.000N 083-30-50.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.1 | Glass City Marina Buoy B | 41-39-27.000N 083-30-51.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.2 | Glass City Marina Buoy C | 41-39-27.000N 083-30-55.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.3 | Glass City Marina Buoy D | 41-39-25.000N 083-30-58.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.4 | Glass City Marina Buoy E | 41-39-26.000N 083-30-51.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.5 | Glass City Marina Buoy F | 41-39-25.000N 083-30-50.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.6 | Glass City Marina Buoy G | 41-39-24.000N 083-30-49.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.7 | Glass City Marina Buoy H | 41-39-23.000N 083-30-49.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6360 | - Lighted Buoy 63 | 41-39-19.693N 083-31-20.265W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 14. |
| 6361 | - Buoy 64 | 41-38-48.161N 083-31-58.132W | | | | Red nun. | |
| 6362 | - Buoy 65 | 41-38-47.277N 083-31-54.314W | | | | Green can. | |
| 6365 | - Buoy 67 | 41-37-37.000N 083-32-03.000W | | | | Green can. | |
| Pier 75 Detached Breakwater | | | | | | | |
| <i>Lights maintained from Apr. 1 to Dec. 1.</i> | | | | | | | |
| 6370 | - LIGHT A | 41-37-34.600N 083-32-40.900W | Q W | | | On southeast corner of detached breakwater. | Private aid. |
| 6375 | - LIGHT B | 41-37-34.500N 083-32-43.000W | Q W | | | On detached breakwater. | Private aid. |
| 6380 | - LIGHT C | 41-37-34.400N 083-32-44.900W | Q W | | | On detached breakwater. | Private aid. |
| 6385 | - LIGHT D | 41-37-33.400N 083-32-46.900W | Q W | | | On southwest corner of detached breakwater. | Private aid. |
| 6390 | - LIGHT E | 41-37-35.100N 083-32-41.100W | Q W | | | On northeast corner of detached breakwater. | Private aid. |
| 6395 | - LIGHT F | 41-37-35.000N 083-32-43.100W | Q W | | | On detached breakwater. | Private aid. |
| 6400 | - LIGHT G | 41-37-34.900N 083-32-45.000W | Q W | | | On detached breakwater. | Private aid. |
| 6405 | - LIGHT H | 41-37-34.500N 083-32-47.000W | Q W | | | On northwest corner of detached breakwater. | Private aid. |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| <i>Crib buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 6410 | WALBRIDGE PARK RANGE FRONT LIGHT | 41-36-51.000N 083-34-50.000W | F R | 10 3 | | Square day mark on white pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 6415 | WALBRIDGE PARK REAR RANGE LIGHT 70 feet, 000.5° from front light. | 41-36-51.500N 083-34-50.000W | F R | 20 6 | | Square day mark on white pile. | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| <i>Crib buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 6420 | Corbutt Island Intake Crib Buoy J | 41-37-23.000N 083-33-58.500W | | | | White can with orange bands and diamond. | Private aid. |
| 6425 | Corbutt Island Intake Crib Buoy K | 41-37-23.500N 083-33-56.000W | | | | White can with orange bands and diamond. | Private aid. |
| 6430 | Corbutt Island Intake Crib Buoy L | 41-37-24.250N 083-33-54.500W | | | | White can with orange bands and diamond. | Private aid. |
| 6435 | Brookford Road Water Intake Crib Buoy M | 41-36-00.000N 083-35-24.000W | | | | White can with orange bands and diamond. | Private aid. |
| 6440 | Brookford Road Water Intake Crib Buoy N | 41-36-01.000N 083-35-22.500W | | | | White can with orange bands and diamond. | Private aid. |
| 6445 | Brookford Road Water Intake Crib Buoy P | 41-36-01.500N 083-35-23.000W | | | | White can with orange bands and diamond. | Private aid. |
| Toledo Beach Marina | | | | | | | |
| <i>Lights maintained from Apr. 15 to Oct. 15.</i> | | | | | | | |
| 6460 | - RANGE FRONT LIGHT | 41-49-44.160N 083-24-45.360W | F R | 37 11 | | On pile. | Private aid. |
| 6465 | - RANGE REAR LIGHT 860 feet, 290° from front light. | 41-49-47.100N 083-24-56.800W | F R | 47 14 | | On pile. | Private aid. |
| 6470 | - SOUTH BREAKWATER LIGHT | 41-49-40.000N 083-24-32.500W | Q G | 10 3 | | On pile. | Private aid. |
| 6474 | - NORTH BREAKWATER LIGHT | 41-49-40.500N 083-24-30.000W | Q R | 10 3 | | On pile. | Private aid. |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| <i>Crib buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 6480 | OTTER CREEK RANGE FRONT LIGHT | 41-50-44.600N 083-24-02.300W | F G | 12 4 | | SG on pile. | Maintained from May 1 to Nov. 30. Private aid. |
| 6485 | OTTER CREEK RANGE REAR LIGHT 75 feet, 284° from front light. | 41-50-44.800N 083-24-03.200W | FI G 4s | 22 7 | | SG on pile. | Maintained from May 1 to Nov. 30. Private aid. |
| Bolles Harbor | | | | | | | |
| <i>Unlighted buoys maintained from Apr. 21 to Nov. 14.</i> | | | | | | | |
| 6490 | - Lighted Buoy 2 | 41-51-22.164N 083-22-17.754W | FI R 4s | | 4 | Red. | Maintained from Apr. 21 to Nov. 14. |
| 6493 | - Lighted Buoy 1 | 41-51-21.222N 083-22-18.984W | FI G 4s | | 4 | Green | Maintained from Apr. 21 to Nov. 14. |
| 6500 | - Lighted Buoy 3 | 41-51-42.752N 083-22-28.391W | FI G 2.5s | | 4 | Green. | Maintained from Apr. 21 to Nov. 14. |
| 6505 | - Lighted Buoy 4 | 41-51-43.064N 083-22-27.254W | FI R 4s | | 4 | Red. | Maintained from Apr. 21 to Nov. 14. |
| 6515 | - Buoy 5 | 41-52-03.664N 083-22-38.154W | | | | Green can. | |
| 6525 | - ENTRANCE LIGHT 6 | 41-52-03.960N 083-22-36.010W | FI (2)R 5s 0.4s fl 0.6s ec. 0.4s fl 3.6s ec. | 35 11 | 8 | TR on post. | |
| 6530 | - Buoy 7 | 41-52-10.315N 083-22-41.285W | | | | Green can. | |
| 6535 | - ENTRANCE LIGHT 9 | 41-52-15.700N 083-22-45.580W | FI G 4s | 25 8 | 5 | SG on pile. | |
| 6540 | - Day beacon 10 | 41-52-16.690N 083-22-42.600W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--|----------------------|--------------|-------------------------------|---|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| Bolles Harbor | | | | | | | |
| <i>Unlighted buoys maintained from Apr. 21 to Nov. 14.</i> | | | | | | | |
| 6545 | - ENTRANCE LIGHT 11 | 41-52-19.530N 083-22-45.580W | F G | 31 9 | 8 | SG on post. | |
| 6550 | - RANGE FRONT LIGHT | 41-52-26.067N 083-22-47.460W | Q W | 19 6 | | KRW on square skeleton tower. | |
| 6555 | - RANGE REAR LIGHT 2,355 feet, 341.5° from front light. | 41-52-48.128N 083-22-57.328W | Iso W 6s | 75 23 | | KRW on square skeleton tower. | |
| Monroe Harbor | | | | | | | |
| 6560 | - RANGE FRONT LIGHT | 41-53-46.207N 083-20-58.643W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 51 16 48 15 | | KRW on square skeleton tower. | Lighted throughout 24 hours. |
| 6565 | - RANGE REAR LIGHT 5,066 feet, 291.7° from front light. | 41-54-04.731N 083-22-00.864W | F W (NIGHT) F W (DAY) | 89 27 91 28 | | Tapered skeleton tower. | Lighted throughout 24 hours. |
| 6570 | - <i>Lighted Buoy 1</i> | 41-52-30.922N 083-16-51.896W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 14 to Apr. 14. AIS MMSI: 993672203 |
| 6575 | - <i>Lighted Buoy 2</i> | 41-52-33.685N 083-16-48.597W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr. 14. AIS MMSI: 993672204 |
| 6580 | - Buoy 3 | 41-52-51.263N 083-17-59.348W | | | | Green can. | |
| 6585 | - Buoy 4 | 41-52-53.616N 083-17-56.046W | | | | Red nun. | |
| 6590 | - <i>Lighted Buoy 5</i> | 41-53-10.895N 083-19-05.270W | FI G 4s | | 4 | Green. | Maintained from Apr 07 to Dec07 |
| 6595 | - <i>Lighted Buoy 6</i> | 41-53-14.006N 083-19-05.389W | FI R 4s | | 4 | Red. | Maintained from Apr 07 to Dec 07 |
| 6600 | - Buoy 7 | 41-53-28.221N 083-20-04.303W | | | | Green can. | |
| 6605 | - Buoy 8 | 41-53-31.298N 083-20-02.684W | | | | Red nun. | |
| 6610 | - Buoy 9 | 41-54-01.764N 083-21-24.408W | | | | Green can. | |
| Sterling State Park | | | | | | | |
| <i>Buoys maintained from May 1 to Sep. 30. Buoys mark remnants of an old dock.</i> | | | | | | | |
| 6615 | - Hazard Buoy A | 41-54-11.100N 083-19-59.000W | | | | White with orange bands. | Private aid. |
| 6620 | - Hazard Buoy B | 41-54-11.500N 083-19-53.000W | | | | White with orange bands. | Private aid. |
| 6625 | - Hazard Buoy C | 41-54-14.000N 083-19-52.800W | | | | White with orange bands. | Private aid. |
| 6630 | - Hazard Buoy D | 41-54-14.600N 083-19-58.100W | | | | White with orange bands. | Private aid. |
| Stony Creek Channel | | | | | | | |
| <i>Aids maintained from May 15 to Nov. 1.</i> | | | | | | | |
| 6635 | STONE CREEK CHANNEL RANGE FRONT LIGHT | 41-56-36.600N 083-18-12.000W | F R | 14 4 | | On white post. | Private aid. |
| 6640 | STONE CREEK CHANNEL RANGE REAR LIGHT 125 feet, 319° from front light. | 41-56-35.900N 083-18-11.000W | F R | 23 7 | | On red post. | Private aid. |
| 6645 | - Buoy 1 | 41-56-12.000N 083-17-30.000W | | | | Green can. | Private aid. |
| 6650 | - Buoy 2 | 41-56-24.000N 083-17-56.000W | | | | Red nun. | Private aid. |
| 6655 | - Buoy 3 | 41-56-26.000N 083-18-01.000W | | | | Green can. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| Stony Creek Channel | | | | | | | |
| <i>Aids maintained from May 15 to Nov. 1.</i> | | | | | | | |
| 6660 | - Buoy 4 | 41-56-28.000N 083-18-00.000W | | | | Red nun. | Private aid. |
| 6665 | - Buoy 5 | 41-56-39.000N 083-18-04.000W | | | | Green can. | Private aid. |
| 6670 | - Buoy 6 | 41-56-30.000N 083-18-03.000W | | | | Red nun. | Private aid. |
| 6675 | - Buoy 7 | 41-56-32.800N 083-18-08.000W | | | | Green can. | Private aid. |
| 6680 | - Buoy 8 | 41-56-33.000N 083-18-07.000W | | | | Red nun. | Private aid. |
| Sandy Creek | | | | | | | |
| <i>Buoys maintained from May 1 to Sep. 15.</i> | | | | | | | |
| 6681 | - Buoy 1 | 41-55-24.890N 083-19-38.630W | | | | | Private aid. |
| 6681.5 | - Buoy 2 | 41-55-25.900N 083-19-37.600W | | | | | Private aid. |
| 6682 | - Buoy 3 | 41-55-27.730N 083-19-43.690W | | | | | Private aid. |
| 6682.5 | - Buoy 4 | 41-55-28.740N 083-19-42.620W | | | | | Private aid. |
| 6683 | - Buoy 5 | 41-55-29.730N 083-19-47.360W | | | | | Private aid. |
| 6683.5 | - Buoy 6 | 41-55-30.630N 083-19-46.530W | | | | | Private aid. |
| 6684 | - Buoy 7 | 41-55-31.350N 083-19-51.150W | | | | | Private aid. |
| 6684.5 | - Buoy 8 | 41-55-31.130N 083-19-50.160W | | | | | Private aid. |
| 6685 | - Buoy 9 | 41-55-32.120N 083-19-53.850W | | | | Green. | Private aid. |
| 6690 | - Buoy 10 | 41-55-32.740N 083-19-55.420W | | | | Red. | Private aid. |
| 6691 | - Buoy 11 | 41-55-29.020N 083-19-55.430W | | | | | Private aid. |
| 6692 | - Buoy 12 | 41-55-29.530N 083-19-59.350W | | | | | Private aid. |
| 6695 | - Buoy 13 | 41-55-24.320N 083-19-58.390W | | | | Green can. | Private aid. |
| 6700 | - Buoy 14 | 41-55-24.810N 083-19-59.350W | | | | Red nun. | Private aid. |
| 6705 | - Buoy 15 | 41-55-21.290N 083-20-00.700W | | | | Green can. | Private aid. |
| 6710 | - Buoy 16 | 41-55-22.110N 083-20-01.690W | | | | Red nun. | Private aid. |
| 6715 | ENRICO FERMI POWER PLANT INTAKE LIGHTS | 41-57-42.000N 083-15-00.000W | F W | 26 8 | | On white pile. | Maintained from Mar. 1 to Dec. 1. Private aid. |
| 6716 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy A</i> | 41-58-26.220N 083-15-19.980W | Q Y | | | White with orange bands. | Private aid. |
| 6716.1 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy B</i> | 41-58-30.600N 083-15-00.000W | Q Y | | | White with orange bands. | Private aid. |
| 6716.2 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy C</i> | 41-58-27.960N 083-14-49.020W | Q Y | | | White with orange bands. | Private aid. |
| 6716.3 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy D</i> | 41-58-20.100N 083-14-15.000W | Q Y | | | White with orange bands. | Private aid. |
| 6716.4 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy E</i> | 41-58-12.000N 083-13-42.000W | Q Y | | | White with orange bands. | Private aid. |
| 6716.5 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy F</i> | 41-57-45.960N 083-13-44.220W | Q Y | | | White with orange bands. | Private aid. |
| 6716.6 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy G</i> | 41-57-19.920N 083-13-46.020W | Q Y | | | White with orange bands. | Private aid. |
| 6716.7 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy H</i> | 41-56-54.000N 083-13-48.000W | Q Y | | | White with orange bands. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|------------------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| Sandy Creek | | | | | | | |
| <i>Buoys maintained from May 1 to Sep. 15.</i> | | | | | | | |
| 6716.8 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy I</i> | 41-56-54.000N 083-14-22.920W | Q Y | | | White with orange bands. | Private aid. |
| 6716.9 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy J</i> | 41-56-54.000N 083-14-57.900W | Q Y | | | White with orange bands. | Private aid. |
| 6717 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy K</i> | 41-56-54.060N 083-15-10.560W | Q Y | | | White with orange bands. | Private aid. |
| 6717.1 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy L</i> | 41-56-54.000N 083-15-12.000W | Q Y | | | | Private aid. |
| Swan Creek Entrance | | | | | | | |
| 6720 | - Lighted Buoy 1 | 41-58-27.960N 083-14-35.940W | FI G 2.5s | 7 | | Green. | Private aid. |
| 6725 | - Lighted Buoy 2 | 41-58-30.300N 083-14-34.140W | FI R 2.5s | 7 | | Red. | Private aid. |
| 6730 | - Buoy 3 | 41-58-30.960N 083-14-40.140W | | | | Green can. | Private aid. |
| 6735 | - Buoy 4 | 41-58-32.340N 083-14-40.140W | | | | Red nun. | Private aid. |
| 6736 | - Lighted Buoy 5 | 41-58-33.720N 083-14-45.960W | FI G 2.5s | 5 | | Green. | Private aid. |
| 6737 | - RANGE FRONT LIGHT 6 | 41-58-34.400N 083-14-45.000W | F R | 10 | | TR on post. | Private aid. |
| 6738 | - RANGE REAR LIGHT 80 feet, 315° from front light. | 41-58-35.040N 083-14-45.780W | F R | 30 | | Three-masted tower. | Private aid. |
| 6740 | - Lighted Buoy 7 | 41-58-36.840N 083-14-51.060W | FI G 2.5s | 7 | | Green. | Private aid. |
| 6741 | - Day beacon 8 | 41-58-37.200N 083-14-56.340W | | | | TR on post. | Private aid. |
| 6742 | - Day beacon 10 | 41-58-36.200N 083-14-58.800W | | | | TR on post. | Private aid. |
| 6743 | - Day beacon 12 | 41-58-36.000N 083-15-04.500W | | | | TR on post. | Private aid. |
| LAKE ERIE (Chart 14820) | | | | | | | |
| Port Colborne | | | | | | | |
| 6755 | OUTER LIGHT (C) | | F R | 36 | | White square tower with red upper portion. | Seasonal. Tower floodlighted. Light intensified over an arc of 030° SSW. Emergency light. |
| 6760 | WEST BREAKWATER LIGHT (C) | 42-52-12.000N 079-16-06.000W | FI W 4s | 24 | | White circular tower. | Seasonal. |
| 6765 | Inner Light (C) | 42-52-06.000N 079-15-12.000W | FI W 10s 0.3s fl 9.7s ec. | 50 | 17 | White square tower, red upper portion. | Seasonal. |
| 6775 | Lighted Buoy E3 (C) | | FI G 4s | | | Green. | |
| 6780 | EAST BREAKWATER LIGHT (C) | | FI G 4s | 35 | | White circular concrete tower with green top. | Seasonal. |
| 6783 | ODAS Lighted Buoy 45142 | 42-44-12.000N 079-17-24.000W | | | | Yellow disc shaped hull. | Seasonal. |
| 6785 | Long Point Light (C) | 42-32-54.000N 080-03-00.000W | FI (5) Y 20s FI W8s | 97 | 25 | White octagonal tower with red upper portion. | RACON: M (- -) Seasonal. Emergency light. |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| Pelee Passage | | | | | | | |
| 6795 | Southeast Shoal Light (C) | 41-49-36.000N 082-27-48.000W | FI R 10s | 70 | 21 | White square structure with red stripes on pyramidal base. | RACON: K (- -) Winter light FI W 4s. Seasonal. Emergency light. |
| 6805 | East Lighted Buoy E6 (C) | | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| Pelee Passage | | | | | | | |
| 6810 | <i>Southeast Shoal Lighted Buoy X (C)</i> | 41-48-42.000N 082-27-48.000W | Mo (A) W | | | Red and white stripes. | Seasonal. |
| 6815 | <i>Pelee Point Lighted Bell Buoy EP2 (C)</i> | 41-52-12.000N 082-30-30.000W | FI R 4s | | | Red. | Seasonal. |
| 6820 | <i>Grubb Reef Lighted Buoy E8 (C)</i> | 41-51-54.000N 082-33-36.000W | FI R 4s | | | Red. | Seasonal. |
| 6825 | <i>Traffic Lighted Buoy P (C)</i> | 41-51-48.000N 082-34-30.000W | Mo (A) W | | | Red and white stripes. | Seasonal. |
| 6830 | <i>Middle Ground Lighted Buoy E9 (C)</i> | 41-51-24.000N 082-34-48.000W | FI G 4s | | | Green. | Seasonal. |
| 6835 | Light (C) | 41-51-12.000N 083-34-54.000W | FI W 4s | 91 28 | 10 | White circular tower with green upper and lower portions; on pier. | RACON: M (- -) Winter light FI W 4s. Seasonal. |
| 6840 | <i>Turning Lighted Buoy E10 (C)</i> | 41-53-12.000N 082-38-42.000W | FI R 4s | | | Red. | Seasonal. |
| 6845 | SCUDDER BREAKWATER LIGHT (C) | 41-49-00.000N 082-39-30.000W | FI R 4s | 24 7 | | White circular tower with red top. | Seasonal. |
| 6850 | SCUDDER WHARF LIGHT (C) | 41-48-54.000N 082-39-36.000W | F R | 30 9 | 8 | On elevator. | Seasonal. |
| 6855 | SCUDDER WHARF INNER LIGHT (C) | | FI R 4s | 19 6 | 7 | White circular tower with red upper portion. | Seasonal. |
| 6865 | <i>North Harbor Island Reef Lighted Buoy E13 (C)</i> | 41-51-00.000N 082-51-12.000W | FI G 4s | | | Green. | Seasonal. |
| 6870 | COLCHESTER REEF LIGHT (C) Marks south side of reef. | 41-56-00.000N 082-53-30.000W | FI R 4s | 72 22 | 6 | Red skeleton tower with red rectangular day mark on two sides. | Seasonal. |
| 6875 | MIDDLE SISTER ISLAND LIGHT (C) | 41-51-00.000N 082-59-54.000W | FI G 4s | 65 20 | 6 | White square skeleton tower. | May be obscured by trees from south-southwest approaches. Seasonal. |

DETROIT RIVER

| | | | | | | | |
|---|----------------------------|---------------------------------|------------|----------|----|--|--|
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| Detroit River Entrance | | | | | | | |
| East Outer Channel | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Dec. 21.</i> | | | | | | | |
| 6885 | Detroit River Light | 42-00-02.948N 083-08-28.483W | FI (2)W 6s | 55 17 | 12 | White conical tower with black top on hexagonal top. | RACON: X (- . . -) HORN: 1 blast ev 30s (3s bl). Operates continuously. |
| 6895 | - Light 1E | 41-54-45.300N 083-07-17.000W | FI G 5s | 44 13 | 10 | Tower on platform with green band. | RACON: O (- - -) HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Operates Year Round. |
| 6900 | - <i>Lighted Buoy 2</i> | 41-55-16.800N 083-06-18.660W | Q R | | 5 | Red. | Replaced by nun f from Dec. 21 to Apr. 01. |
| 6905 | - <i>Lighted Buoy 3</i> | 41-55-13.550N 083-06-32.640W | FI G 4s | | 4 | Green. | Maintained from Apr. 1 to Dec. 21. |
| 6910 | - <i>Lighted Buoy 5</i> | 41-56-04.427N 083-06-53.426W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 01. |
| 6915 | - <i>Lighted Buoy 6</i> | 41-56-07.780N 083-06-38.250W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Dec.21 to Apr. 01. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| East Outer Channel | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Dec. 21.</i> | | | | | | | |
| 6920 | - Lighted Buoy 7 | 41-56-55.693N 083-07-13.032W | FI G 4s | | 4 | Green. | |
| 6925 | - Lighted Buoy 8 | 41-56-58.210N 083-06-57.910W | FI R 4s | | 4 | Red. | |
| 6930 | - Lighted Buoy 9 | 41-57-45.050N 083-07-31.990W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 1. |
| 6935 | - LIGHT 10 | 41-57-48.000N 083-07-17.000W | FI R 2.5s | 44 13 | 7 | Cylindrical tower with red band on platf orm. | |
| 6940 | - Lighted Buoy 11 | 41-58-35.760N 083-07-52.040W | FI G 4s | | 4 | Green. | |
| 6945 | - Lighted Buoy 12 | 41-58-38.980N 083-07-37.410W | FI R 4s | | 4 | Red. | |
| 6950 | - Lighted Buoy 13 | 41-59-24.900N 083-08-10.410W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 1. |
| 6955 | - Lighted Buoy 14 | 41-59-27.416N 083-07-56.689W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. |
| 6960 | - Lighted Buoy 16 | 42-00-17.260N 083-08-14.030W | Q R | | 5 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. AIS MMSI: 993672205 |
| Amherstburg Channel | | | | | | | |
| 6965 | - Lighted Buoy 23 | 42-00-44.711N 083-08-29.827W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 1. AIS MMSI: 993672206 |
| 6970 | Lighted Buoy D24 (C) | | FI R 4s | | | Red. | Seasonal. |
| 6975 | - Buoy 25 | 42-01-03.310N 083-08-25.677W | | | | Green can. | |
| 6980 | DETROIT RIVER PIER LIGHT 30D (C) | 42-01-36.000N 083-08-06.000W | Q R | 33 10 | | White circular with red top. | |
| 6985 | Lighted Buoy D31 (C) | | FI G 4s | | | Green. | Seasonal. |
| 6990 | Lighted Buoy D32 (C) | | FI R 4s | | | Red. | Seasonal. |
| 6995 | Bar Point Pier Light D33 (C) | 42-02-24.100N 083-08-03.600W | FI G 10s | 46 14 | 10 | White square tower. | Light obscured f from 090° to 191°. |
| 7000 | BAR POINT RANGE FRONT LIGHT D49 (C) | 42-04-12.000N 083-07-24.000W | F Y | 27 8 | | Fluorescent orange triangular day mark on white circular tower with green upper portion and black vertical stripe. | Visible on range line only . |
| 7005 | BAR POINT RANGE REAR LIGHT (C) 2,500 feet, 013.5° f from front light. | | F Y | 58 18 | | Fluorescent orange triangular day mark on white circular tower with green upper portion and black vertical stripe. | Visible on range line only . |
| 7010 | Lighted Buoy D35 (C) | | Q G | | | Green. | Seasonal. |
| 7015 | Lighted Buoy D36 (C) | | Q R | | | Red. | Seasonal. |
| 7020 | HACKETT REACH RANGE FRONT LIGHT (C) | 42-05-48.000N 083-06-48.000W | F R | 45 14 | | Orange triangular day mark with black stripes on pile. | Visible on range line only . |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Amherstburg Channel | | | | | | | |
| 7025 | HACKETT REACH RANGE REAR LIGHT (C) 994 feet, 014.9° from front light. | | F R | 80 24 | | Orange triangular day mark with black stripes on white skeleton tower. | Visible on range line only . |
| 7030 | <i>Lighted Buoy D37 (C)</i> | 42-03-06.000N 083-07-48.000W | FI G 4s | | | Green. | Seasonal. |
| 7035 | <i>Lighted Buoy D38 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7040 | <i>Lighted Buoy D43 (C)</i> | | FI G 4s | | | Green. | Seasonal. |
| 7045 | <i>Lighted Buoy D44 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7050 | <i>Lighted Buoy D45 (C)</i> | 42-03-48.000N 083-07-30.000W | FI G 4s | | | Green. | Seasonal. |
| 7055 | <i>Lighted Buoy D46 (C)</i> | 42-03-48.000N 083-07-30.000W | FI R 4s | | | Red. | Seasonal. |
| 7060 | <i>Lighted Buoy D50 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7070 | <i>Lighted Buoy D52 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7075 | LIGHT D53 (C) | 42-05-12.000N 083-07-06.000W | FI G 4s | 31 9 | | White circular tower with green top. | |
| 7080 | <i>Lighted Buoy D56 (C)</i> | | Q R | | | Red. | Seasonal. |
| 7085 | <i>Lighted Buoy D57 (C)</i> | | Q G | | | Green. | Seasonal. |
| 7090 | AMHERSTBURG RANGE FRONT LIGHT D65 (C) | 42-06-48.000N 083-07-06.000W | F Y | 27 8 | | Orange triangular day mark with black stripe on white circular tower with green top. | |
| 7095 | AMHERSTBURG RANGE REAR LIGHT (C) 1,138 feet, 355.8° from front light. | | F Y | 40 12 | | Orange triangular day mark with black stripe on white circular tower with green top. | Visible on range line only . |
| 7100 | <i>Lighted Buoy D59 (C)</i> | | FI G 4s | | | Green. | Seasonal. |
| 7105 | <i>Lighted Buoy D60 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7110 | LIGHT D61 (C) | 42-06-00.000N 083-07-06.000W | FI G 4s | 41 13 | | White circular tower with green top. | Visible on range line only . |
| 7115 | <i>Lighted Buoy D63 (C)</i> | | Q G | | | Green. | Seasonal. |
| Limekiln Crossing Reach Channel | | | | | | | |
| 7120 | <i>Lighted Buoy D64 (C)</i> | | Q R | | | Red. | Seasonal. |
| 7125 | LIMEKILN CROSSING RANGE FRONT LIGHT (C) | 42-07-42.000N 083-06-54.000W | F R | 24 7 | | Orange triangular day mark with black stripe on skeleton tower. | Visible on range line only . Range leads to Fort Malden Range Line. |
| 7130 | LIMEKILN CROSSING RANGE REAR LIGHT (C) 1,185 feet, 002.9° from front light. | | F R | 40 12 | | Orange inverted triangular day mark with black stripe on white circular mast. | Visible on range line only . |
| 7135 | <i>Lighted Buoy D67 (C)</i> | | FI G 4s | | | Green. | Seasonal. |
| 7140 | <i>Lighted Buoy D68 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7145 | LIGHT D69 (C) | 42-07-18.000N 083-07-00.000W | Q G | 27 8 | | White circular tower with green top. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------------------------------|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Ballards Reef Channel | | | | | | | |
| 7150 | <i>Lighted Buoy D72 (C)</i> | | Q R | | | Red. | Seasonal. |
| 7155 | FORT MALDEN RANGE FRONT LIGHT (C) Marks Ballards Reef Channel. | 42-06-54.000N 083-06-42.000W | F R | 45 14 | | Orange triangular day mark with black vertical stripe on white circular tower. | Visible on range line only . |
| 7160 | FORT MALDEN RANGE REAR LIGHT (C) 383 feet, 162.5° from front light. | | F R | 76 23 | | Orange inverted triangular day mark with black vertical stripe on white skeleton tower. | Visible on range line only . |
| 7165 | GROSSE ILE SOUTH CHANNEL RANGE FRONT LIGHT | 42-11-07.082N 083-08-31.011W | F G | 30 9 | | KRW on square skeleton tower. | Lighted throughout 24 hours. |
| 7170 | GROSSE ILE SOUTH CHANNEL RANGE REAR LIGHT 1,491 feet, 342.6° from front light. | 42-11-21.132N 083-08-36.947W | F G | 55 17 | | KRW on square skeleton tower. | Lighted throughout 24 hours. |
| 7175 | LIGHT D71 (C) | 42-07-24.000N 083-07-06.000W | FI G 4s | 33 10 | | White circular tower with green top. | |
| 7185 | <i>Lighted Buoy D74 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7190 | <i>Lighted Buoy D76 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7195 | Livingstone Channel Upper Entrance Light (C) | 42-08-12.000N 083-07-18.000W | Al WR 10s | 40 12 | 15 | White circular tower mounted on white square crib. | Emergency light FI (2) W 15s. HORN: (two-tone) 1 blast ev 15s (4s bl). Operates year round. |
| 7200 | Light D77 (C) | 42-08-30.000N 083-07-30.000W | FI G 5s | 37 11 | 10 | Green stripes on the corners of a white square tower. | |
| 7205 | <i>Lighted Buoy D78 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7210 | - <i>Lighted Buoy 81</i> | 42-09-07.798N 083-07-45.293W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. |
| 7220 | <i>Lighted Buoy DFB (C)</i> | 42-09-12.000N 083-07-36.000W | | | | Red with green band. | Seasonal. |
| 7225 | - <i>Lighted Buoy 85</i> | 42-09-49.267N 083-08-02.294W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. |
| 7230 | - <i>Lighted Buoy 86</i> | 42-10-10.747N 083-08-02.924W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 1. |
| 7231 | GROSSE ILE LIGHT | 42-10-03.000N 083-08-22.000W | Iso W 2s | 45 14 | | | Private aid. |
| 7235 | - <i>Lighted Buoy 87</i> | 42-10-17.867N 083-08-14.414W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. |
| Livingstone Channel | | | | | | | |
| 7240 | - LIGHT 25 | 42-07-45.370N 083-07-31.220W | FI G 2.5s | 34 10 | 3 | White cylindrical tower with green band. | |
| 7245 | - LIGHT 26 | 42-07-44.950N 083-07-24.680W | FI R 2.5s | 34 10 | 4 | White cylindrical tower with red band. | |
| 7250 | - LIGHT 23 | 42-07-17.700N 083-07-34.740W | Iso G 6s | 34 10 | 3 | White cylindrical tower with green band. | |
| 7255 | - LIGHT 24 | 42-07-17.228N 083-07-28.320W | Iso R 6s | 34 10 | 4 | White cylindrical tower with red band. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------------------------------|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|---------------------------------------|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Livingstone Channel | | | | | | | |
| 7260 | - LIGHT 21 | 42-06-49.959N 083-07-38.518W | FI G 2.5s | 34 10 | 3 | White cylindrical tower with green band. | |
| 7265 | LIGHT DL22 (C) | | FI R 4s | 38 12 | 6 | White circular tower with red top. | |
| 7270 | LIGHT DL20 (C) | | Iso R 2s | 34 10 | 6 | White circular tower with red top. | |
| 7275 | - LIGHT 19 | 42-06-21.214N 083-07-42.934W | Iso G 6s | 34 10 | 3 | White cylindrical tower with green band. | |
| 7280 | LIGHT DL17 (C) | | FI G 4s | 34 10 | | White circular tower with green top. | Obscured from 010° to 175°. |
| 7285 | LIGHT DL18 (C) | | FI R 4s | 34 10 | 6 | White circular tower with red top. | |
| 7290 | LIGHT DL15 (C) | | Iso G 2s | 34 10 | | White circular tower with green top. | |
| 7295 | LIGHT DL16 (C) | | Iso R 2s | 34 10 | 6 | White circular tower with red top. | |
| 7300 | LIGHT DL13 (C) | | FI G 4s | 34 10 | | White circular tower with green top. | |
| 7305 | LIGHT DL14 (C) | | FI R 4s | 34 10 | | White circular tower with red top. | |
| 7310 | <i>Lighted Buoy D16 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7315 | <i>Lighted Buoy D15 (C)</i> | | FI G 4s | | | Green. | Seasonal. |
| 7320 | <i>Lighted Buoy D11 (C)</i> | 42-02-30.000N 083-08-12.000W | FI G 4s | | | Green. | Seasonal. |
| Detroit River Entrance | | | | | | | |
| West Outer Channel | | | | | | | |
| 7325 | - Buoy 9 | 42-00-04.044N 083-08-41.355W | | | | Green can. | |
| 7330 | - Buoy 8 | 41-59-13.589N 083-08-44.258W | | | | Red nun. | |
| 7335 | - Buoy 7 | 41-59-14.991N 083-08-55.069W | | | | Green can. | |
| 7340 | - Buoy 6 | 41-58-31.242N 083-08-56.133W | | | | Red nun. | |
| 7345 | - Buoy 5 | 41-58-33.280N 083-09-06.569W | | | | Green can. | |
| 7350 | - Buoy 4 | 41-57-46.423N 083-09-08.773W | | | | Red nun. | |
| 7355 | - Buoy 3 | 41-57-48.096N 083-09-19.070W | | | | Green can. | |
| 7360 | - Buoy 2 | 41-57-02.620N 083-09-20.146W | | | | Red nun. | |
| 7365 | - <i>Lighted Buoy 1W</i> | 41-57-00.954N 083-09-32.344W | FI G 6s | | 6 | Green. | Replaced by can from Dec. 7 to May 7. |
| Point Mouillee | | | | | | | |
| 7370 | Point Mouillee Access Channel Buoy 1 | 42-00-11.381N 083-08-46.678W | | | | Green can. | |
| 7375 | - Access Channel Buoy 2 | 42-00-15.068N 083-08-45.263W | | | | Red nun. | |
| 7380 | - Access Channel Buoy 3 | 42-00-20.591N 083-09-45.501W | | | | Green can. | |
| 7385 | Point Mouillee Access Channel Buoy 4 | 42-00-22.851N 083-09-44.411W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Detroit River Entrance | | | | | | | |
| Metro Park Marina | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 7390 | South Huron Valley Outfall West Lighted Buoy | 42-03-09.000N 083-09-50.000W | Q W | | | White with orange bands and orange diamond worded DANGER OUTFALL. | Maintained from May 1 to Nov. 1. Private aid. |
| 7395 | South Huron Valley Outfall Center Lighted Buoy | 42-03-09.500N 083-09-48.000W | Q W | | | White with orange bands and orange diamond worded DANGER OUTFALL. | Maintained from May 1 to Nov. 1. Private aid. |
| 7400 | South Huron Valley Outfall East Lighted Buoy | 42-03-08.800N 083-09-46.000W | Q W | | | White with orange bands and orange diamond worded DANGER OUTFALL. | Maintained from May 1 to Nov. 1. Private aid. |
| 7405 | - Lighted Buoy 1 | 42-03-09.500N 083-10-49.000W | FI G 4s | | | Green. | Private aid. |
| 7410 | - Lighted Buoy 2 | 42-03-12.000N 083-10-49.000W | FI R 4s | | | Red. | Private aid. |
| 7415 | - Buoy 3 | 42-03-09.500N 083-10-55.000W | | | | Green can. | Private aid. |
| 7420 | - Buoy 4 | 42-02-12.000N 083-10-54.000W | | | | Red nun. | Private aid. |
| 7425 | - Buoy 5 | 42-03-09.500N 083-11-00.000W | | | | Green can. | Private aid. |
| 7430 | - Buoy 6 | 42-03-12.000N 083-11-00.000W | | | | Red nun. | Private aid. |
| 7435 | - Buoy 7 | 42-03-09.500N 083-11-05.000W | | | | Green can. | Private aid. |
| 7440 | - Buoy 8 | 42-03-12.500N 083-11-05.000W | | | | Red nun. | Private aid. |
| 7445 | - RANGE FRONT LIGHT | 42-03-12.000N 083-11-36.000W | FI R 4s | 15 5 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 7450 | - RANGE REAR LIGHT 100 yards, 270° from front light. | 43-03-10.500N 083-11-37.000W | F R | 30 9 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| Hickory Island Channel | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 21.</i> | | | | | | | |
| 7455 | - Buoy 1 | 42-04-22.855N 083-09-39.030W | | | | Green can. | Maintained from 14 May to 21 November |
| 7460 | - Lighted Buoy 2 | 42-04-21.765N 083-09-11.958W | FI R 4s | | 4 | Red nun. | Maintained from May 14 to Nov. 21. |
| 7465 | - Buoy 3 | 42-04-39.565N 083-09-37.740W | | | | Green can. | Maintained from May 14 to Nov. 21. |
| Ford Yacht Club | | | | | | | |
| <i>Aids maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 7468 | - East Basin Entrance Buoy 1 | 42-05-14.000N 083-10-13.300W | | | | Green can. | Private aid. |
| 7469 | - East Basin Entrance Buoy 2 | 42-05-13.800N 083-10-11.000W | | | | Red nun. | Private aid. |
| 7470 | - EAST BASIN ENTRANCE LIGHT 3 | 42-05-20.000N 083-10-11.200W | Q G | 6 2 | | On single post. | Private aid. |
| 7471 | - EAST BASIN ENTRANCE LIGHT 4 | 42-05-20.000N 083-10-09.000W | FI R 2.5s | | | On single post. | Private aid. |
| 7472 | - EAST BASIN RANGE FRONT LIGHT | 42-05-27.000N 083-10-08.000W | F R | | | 4ft light pipe centered on white diamond day mark. | Private aid. |
| 7473 | - EAST BASIN RANGE REAR LIGHT | 42-05-27.200N 083-10-08.300W | F R | | | 4ft light pipe centered on white diamond day mark. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Detroit River Entrance | | | | | | | |
| Ford Yacht Club | | | | | | | |
| <i>Aids maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 7480 | - West Basin Entrance Buoy 1 | 42-05-19.500N 083-10-18.500W | | | | Green can. | Private aid. |
| 7485 | - West Entrance Buoy 2 | 42-05-19.000N 083-10-16.000W | | | | Red nun. | Private aid. |
| 7490 | - WEST BASIN ENTRANCE LIGHT 3 | 42-05-24.100N 083-10-16.500W | Q G | 6 2 | | On single post. | Private aid. |
| 7495 | - WEST BASIN ENTRANCE LIGHT 4 | 42-05-24.000N 083-10-14.900W | Q R | 6 2 | | On single post. | Private aid. |
| 7500 | - WEST BASIN RANGE FRONT LIGHT | 42-05-24.000N 083-10-12.000W | F R | | | 4 ft light pipe centered on white diamond day mark. | Private aid. |
| 7505 | - WEST BASIN RANGE REAR LIGHT | 42-05-27.000N 083-10-12.200W | F R | | | 4 ft light pipe centered on white diamond day mark. | Private aid. |
| Hickory Island Channel | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 21.</i> | | | | | | | |
| 7550 | - Buoy 4 | 42-04-38.885N 083-09-20.559W | | | | Red nun. | |
| 7555 | - Lighted Junction Buoy H | 42-04-42.884N 083-09-24.269W | FI (2+1)G 6s | | 4 | Green can. | Maintained from May 14 to Nov. 21. |
| 7560 | - Buoy 7 | 42-04-59.192N 083-09-12.257W | | | | Green can. | |
| 7565 | - Lighted Buoy 8 | 42-05-04.374N 083-09-03.248W | FI R 4s | | 4 | Red. | Maintained from 14 May to 21 November. |
| 7570 | - Buoy 10 Marks shoal. | 42-05-15.780N 083-08-58.534W | | | | Red nun. | |
| 7575 | GROSSE ILE YACHT CLUB HARBOR SOUTH ENTRANCE LIGHT | 42-05-23.900N 083-09-03.300W | FI G 2s | 8 2 | | On black post. | Private aid. |
| 7580 | GROSSE ILE YACHT CLUB HARBOR NORTH ENTRANCE LIGHT | 42-05-24.200N 083-09-03.200W | FI R 2s | 8 2 | | On red post. | Maintained from May 1 to Nov. 1. Private aid. |
| 7585 | ELBA-MAR BOAT CLUB RANGE FRONT LIGHT | 42-05-51.700N 083-09-00.200W | F G | 10 3 | | Orange and black diamond day mark. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 7590 | ELBA-MAR BOAT CLUB RANGE REAR LIGHT 250 feet, 306° from front light. | 42-05-53.000N 083-09-03.000W | F G | 18 5 | | Orange and black diamond day mark. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 7595 | Elba-Mar Boat Club Entrance Buoy 1 | 42-05-48.500N 083-08-54.000W | | | | Green can. | Private aid. |
| 7600 | Elba-Mar Boat Club Entrance Buoy 2 | 42-05-49.000N 083-08-54.500W | | | | Red nun. | Private aid. |
| 7605 | - Buoy 12 | 42-05-40.532N 083-08-38.016W | | | | Red nun. | |
| 7610 | - Buoy 13 | 42-05-46.793N 083-08-38.786W | | | | Green can. | |
| 7615 | - Buoy 16 | 42-06-15.990N 083-08-04.829W | | | | Red nun. | |
| 7620 | Powder House Island Junction Buoy | 42-06-23.452N 083-08-08.325W | | | | Green and red bands; can. | |
| 7625 | - Shoal Buoy | 42-06-22.752N 083-07-57.824W | | | | Red and green bands; nun. | Maintained year round. |
| Powder House Island Channel | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 21.</i> | | | | | | | |
| 7630 | - Buoy 1 | 42-06-24.482N 083-08-17.107W | | | | Green can. | |
| 7635 | - Buoy 2 | 42-06-42.186N 083-08-16.438W | | | | Red nun. | |
| 7640 | - Buoy 4 | 42-06-44.962N 083-08-19.325W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|-----------------------------------|----------------|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Detroit River Entrance | | | | | | | |
| Powder House Island Channel | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 21.</i> | | | | | | | |
| 7645 | - Buoy 6 | 42-06-48.306N 083-08-19.900W | | | | Red nun. | |
| Lake Erie Metropark Boat Launch | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Oct. 1.</i> | | | | | | | |
| 7651 | - Lighted Buoy 1 | 42-04-40.900N 083-11-22.200W | FI G 4s | | | Green. | Private aid. |
| 7651.1 | - Lighted Buoy 2 | 42-04-41.400N 083-11-22.000W | FI R 4s | | | Red. | Private aid. |
| 7651.2 | - Buoy 3 | 42-04-42.600N 083-11-27.100W | | | | Green can. | Private aid. |
| 7651.3 | - Buoy 4 | 42-04-43.000N 083-11-22.200W | | | | Red nun. | Private aid. |
| 7651.4 | - Buoy 5 | 42-04-44.200N 083-11-32.000W | | | | Green can. | Private aid. |
| 7651.5 | - Buoy 6 | 42-04-44.700N 083-11-31.600W | | | | Red nun. | Private aid. |
| 7651.6 | - Buoy 7 | 42-04-45.800N 083-11-36.800W | | | | Green can. | Private aid. |
| Gibraltar South Harbor Channel | | | | | | | |
| <i>Aids maintained from Apr. 1 to Dec. 1.</i> | | | | | | | |
| 7655 | - RANGE FRONT LIGHT | 42-04-44.200N 083-11-12.000W | F R | 7 2 | | On red pile. | Private aid. |
| 7660 | - RANGE REAR LIGHT 100 feet, 268° from front light. | 42-04-44.200N 083-11-10.500W | F R | | | Red on white diamond day mark. | Private aid. |
| 7665 | - LIGHT 1 | 42-04-44.000N 083-11-00.000W | FI G 2.5s | | | On pile cluster. | Private aid. |
| 7670 | - LIGHT 2 | 42-04-44.200N 083-11-00.000W | FI R 2.5s | | | On pile cluster. | Private aid. |
| 7671 | - Day beacon 3 | 42-04-44.500N 083-11-04.800W | | | | SG on single pile. | Private aid. |
| 7672 | - Day beacon 4 | 42-04-43.600N 083-11-04.400W | | | | TR on single pile. | Private aid. |
| 7675 | - LIGHT 5 | 42-04-44.000N 083-11-09.000W | Q G | | | On pile cluster. | Private aid. |
| 7680 | - LIGHT 6 | 42-04-44.500N 083-11-09.000W | Q R | | | On pile cluster. | Private aid. |
| 7685 | - LIGHT 7 | 42-04-46.500N 083-11-13.000W | Q G | | | On pile cluster. | Private aid. |
| 7690 | - LIGHT 8 | 42-04-47.100N 083-11-13.800W | Q R | | | On pile cluster. | Private aid. |
| 7695 | - LIGHT 9 | 42-04-47.000N 083-11-20.800W | Q G | | | On pile cluster. | Private aid. |
| 7700 | - LIGHT 10 | 42-04-47.800N 083-11-20.800W | Q R | | | On pile cluster. | Private aid. |
| Celeron Island | | | | | | | |
| <i>Aids maintained from May 14 to Nov. 21.</i> | | | | | | | |
| 7701 | - Buoy 1 | 42-04-53.000N 083-09-52.000W | | | | Green can. | |
| 7703 | - Buoy 3 | 42-05-15.584N 083-10-23.881W | | | | Green can. | |
| Gibraltar Middle Channel | | | | | | | |
| <i>Aids maintained from Apr. 1 to Dec. 1.</i> | | | | | | | |
| 7705 | GILBRALTAR MIDDLE CHANNEL SOUTH LIGHT | 42-05-11.500N 083-11-06.100W | FI G 2.5s | | | On pile cluster. | Private aid. |
| 7710 | GILBRALTAR MIDDLE CHANNEL NORTH LIGHT | 42-05-12.000N 083-11-06.100W | FI R 2.5s | | | On pile cluster. | Private aid. |
| Celeron Island | | | | | | | |
| <i>Aids maintained from May 14 to Nov. 21.</i> | | | | | | | |
| 7711 | - Buoy 4 | 42-05-22.000N 083-10-33.000W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Celeron Island | | | | | | | |
| <i>Aids maintained from May 14 to Nov. 21.</i> | | | | | | | |
| 7712 | - Buoy 5 | 42-05-26.918N 083-10-44.543W | | | | Green can. | |
| 7713 | - Buoy 7 | 42-05-47.000N 083-10-57.000W | | | | Green can. | |
| 7714 | - Buoy 8 | 42-05-53.000N 083-10-54.000W | | | | Red nun. | |
| Gibraltar North Channel | | | | | | | |
| <i>Aids maintained from Apr. 1 to Dec. 1.</i> | | | | | | | |
| 7715 | - RANGE FRONT LIGHT | 42-05-54.000N 083-11-12.000W | F R | 7 2 | | Red on white diamond day mark on post. | Private aid. |
| 7720 | - RANGE REAR LIGHT 10 feet, 239° from front light. | 42-05-42.000N 083-11-24.000W | F R | 14 4 | | Red on white diamond day mark on pile. | Private aid. |
| 7725 | - LIGHT 1 | 42-05-58.000N 083-11-04.400W | FI G 2.5s | 10 3 | | On pile cluster. | Private aid. |
| 7730 | - LIGHT 2 | 42-05-58.500N 083-11-00.500W | FI R 2.5s | 10 3 | | On pile cluster. | Private aid. |
| Fighting Island Channel | | | | | | | |
| 7735 | - SOUTH LIGHT | 42-10-22.780N 083-08-03.960W | Iso R 6s | 35 11 | 8 | TR on post. | |
| 7740 | <i>Mamajuda Shoal Junction Lighted Buoy</i> | 42-10-53.876N 083-08-12.094W | FI (2+1)G 6s | | 4 | Green and red bands. | Replaced by can f from Dec. 21 to Apr. 1. |
| 7745 | - Buoy 88 | 42-10-58.266N 083-08-01.354W | | | | Red nun. | |
| 7755 | - <i>Lighted Buoy 89</i> | 42-11-31.662N 083-08-08.023W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 1. |
| 7760 | - <i>Lighted Buoy 90</i> | 42-11-31.645N 083-07-58.023W | FI R 4s | | 4 | Red. | Maintained from Apr. 1 to Dec. 21. |
| 7765 | - <i>Lighted Buoy 91</i> | 42-12-23.434N 083-08-03.314W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 1. |
| 7770 | - <i>Lighted Buoy 92</i> | 42-12-22.844N 083-07-52.723W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. |
| 7775 | - Buoy 93 | 42-13-03.179N 083-07-59.207W | | | | Green can. | |
| 7780 | - Buoy 94 | 42-13-02.203N 083-07-48.953W | | | | Red nun. | |
| 7785 | GRASSY ISLAND LIGHT | 42-13-27.480N 083-07-59.280W | FI G 4s | 26 8 | 5 | SG on cylindrical tower with 6 foot green band. | Higher intensity beam up and down stream. |
| 7790 | - Buoy 96 | 42-13-27.072N 083-07-46.353W | | | | Red nun. | |
| 7805 | - <i>Lighted Buoy 97</i> | 42-13-47.732N 083-07-54.773W | FI G 4s | | 4 | Green. | Maintained from Apr. 1 to Dec. 21. |
| 7810 | - Buoy 98 Marks shoal. | 42-13-57.001N 083-07-43.102W | | | | Red nun. | |
| 7815 | NORTH LIGHT (C) | | Iso R 4s | 27 8 | 7 | White circular tower with red upper portion. | |
| 7820 | Grosse Ile Basin Buoy 1 | 42-10-21.276N 083-08-26.995W | | | | Green can. | |
| 7825 | Grosse Ile Basin Buoy 3 | 42-10-29.276N 083-08-28.575W | | | | Green can. | |
| 7830 | Grosse Ile Basin Buoy 5 | 42-10-40.496N 083-08-29.905W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------------------------------|---|---------------------------------|-----------------------|---------------|--------------|----------------------|---|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Fighting Island Channel | | | | | | | |
| Wyandotte Channel | | | | | | | |
| 7835 | - South Entrance Buoy 2 | 42-11-03.335N 083-08-20.885W | | | | Red nun. | |
| 7840 | - Lighted Buoy 3 | 42-11-03.130N 083-08-25.865W | Q G | | 4 | Green. | Replaced by can f from Dec. 14 to Apr. 7. |
| 7845 | - Buoy 4 | 42-11-20.505N 083-08-23.265W | | | | Red nun. | |
| 7850 | - Buoy 6 | 42-11-38.255N 083-08-25.255W | | | | Red nun. | |
| 7855 | - Lighted Buoy 7 | 42-11-57.208N 083-08-26.021W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 14 to Apr. 7. |
| 7860 | - Buoy 9 | 42-12-09.891N 083-08-25.611W | | | | Green can. | |
| 7865 | Grosse Isle Spit Junction Lighted Buoy Marks shoal. | 42-12-19.314N 083-08-31.355W | FI (2+1)G 6s | | 4 | Green and red bands. | Replaced by can f from Dec. 14 to Apr.07. |
| 7870 | - Buoy 12 | 42-12-21.341N 083-08-24.334W | | | | Red nun. | |
| 7875 | - Buoy 14 | 42-12-31.603N 083-08-24.284W | | | | Red nun. | |
| 7880 | - Lighted Buoy 16 | 42-13-02.613N 083-08-17.114W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr. 7. |
| 7885 | - Lighted Buoy 18 | 42-13-41.642N 083-08-39.125W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr. 7. |
| 7890 | - Lighted Buoy 20 | 42-13-52.941N 083-08-39.225W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr.7. |
| 7895 | Mud Island Junction Lighted Buoy | 42-13-53.741N 083-08-45.325W | FI (2+1)G 6s | | 4 | Green and red bands. | Replaced by can f from Dec. 14 to Apr.7. |
| 7900 | - Buoy 21 | 42-14-03.041N 083-08-36.825W | | | | Green can. | |
| 7905 | - Lighted Buoy 22 | 42-14-01.341N 083-08-33.425W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr.07. |
| 7910 | - Buoy 23 | 42-14-13.151N 083-08-24.274W | | | | Green can. | |
| 7915 | - Buoy 24 | 42-14-10.711N 083-08-21.124W | | | | Red nun. | |
| 7920 | - Lighted Buoy 25 | 42-14-27.381N 083-08-01.753W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 14 to Apr.7. |
| 7925 | - North Junction Lighted Buoy | 42-14-25.431N 083-07-58.643W | FI (2+1)R 6s | | 4 | Red and green bands. | Replaced by nun f from Dec. 14 to Apr 7. |
| Trenton Channel | | | | | | | |
| 7945 | - Lighted Buoy 1 | 42-07-22.651N 083-10-35.032W | Q G | | 4 | Green. | Replaced by can f from Dec. 14 to Apr.7. |
| 7950 | - Buoy 2 | 42-07-22.161N 083-10-29.151W | | | | Red nun. | |
| 7955 | - Buoy 3 | 42-07-35.150N 083-10-30.531W | | | | Green can. | |
| 7960 | - Buoy 4 | 42-07-35.450N 083-10-26.431W | | | | Red nun. | |
| 7965 | - Lighted Buoy 5 | 42-07-48.950N 083-10-26.531W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 14 to Apr.7. |
| 7970 | - Buoy 6 | 42-07-49.950N 083-10-23.331W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------------------------------|---|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Fighting Island Channel | | | | | | | |
| Trenton Channel | | | | | | | |
| 7980 | - Lighted Buoy 7 | 42-08-17.464N 083-10-21.004W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 14 to Apr. 7. |
| 7985 | - Lighted Buoy 8 | 42-08-17.034N 083-10-18.164W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr. 7. |
| 8000 | - Lighted Buoy 9 | 42-08-49.949N 083-10-14.130W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 14 to Apr. 7. |
| 8005 | - Lighted Buoy 10 | 42-08-49.489N 083-10-10.170W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr. 7. |
| 8010 | - Buoy 10A | 42-09-23.874N 083-09-52.980W | | | | Red nun. | |
| 8025 | - Lighted Buoy 11 | 42-09-23.518N 083-09-57.944W | FI G 2.5s | | 4 | Green can. | |
| 8030 | - Lighted Buoy 12 | 42-09-37.767N 083-09-46.194W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 14 to April 07. |
| 8035 | - Lighted Buoy 13 | 42-09-48.547N 083-09-49.229W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 14 to Apr. 7. |
| 8055 | - Lighted Buoy 15 | 42-10-09.725N 083-09-48.824W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 14 to Apr. 7. |
| 8060 | - Lighted Buoy 16 | 42-10-09.507N 083-09-45.729W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr. 7. |
| 8065 | - Lighted Buoy 17 | 42-10-42.986N 083-09-32.408W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 14 to Apr. 7. |
| 8070 | - Buoy 18 | 42-10-42.478N 083-09-28.071W | | | | Red nun. | |
| 8075 | - Lighted Buoy 20 | 42-11-15.595N 083-09-02.056W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr. 7. |
| 8080 | - Lighted Buoy 21 | 42-11-54.814N 083-08-53.844W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 14 to Apr. 7. |
| 8085 | - Lighted Buoy 22 | 42-11-54.144N 083-08-49.126W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr. 7. |
| Ecorse Channel | | | | | | | |
| 8090 | - Buoy 2 | 42-14-12.049N 083-08-45.006W | | | | Red nun. | Maintained f from Apr. 7 to Dec. 1. |
| 8095 | - Buoy 4 | 42-14-26.025N 083-08-31.126W | | | | Red nun. | Maintained f from Apr. 7 to Dec. 1. |
| 8100 | - Buoy 5 | 42-14-29.700N 083-08-25.474W | | | | Green can. | Maintained f from Apr. 7 to Dec. 1. |
| 8105 | - Buoy 6 | 42-14-31.960N 083-08-06.863W | | | | Red nun. | Maintained f from Apr. 7 to Dec. 1. |
| 8110 | - Lighted Buoy 7 | 42-14-33.886N 083-08-07.346W | FI G 4s | | 4 | Green. | Maintained f from Apr. 7 to Dec. 1. |
| Above Fighting Island | | | | | | | |
| 8115 | Fighting Island North Lighted Buoy 104D (C) | 42-15-01.600N 083-06-57.700W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------------------------------|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Above Fighting Island | | | | | | | |
| 8120 | <i>Fighting Island Anchorage Lighted Buoy Dq (C)</i> | 42-15-06.000N 083-06-54.000W | FI Y 4s | | | Yellow. | Seasonal. |
| 8125 | FIGHTING ISLAND NORTH ANCHORAGE LIGHT (C) | 42-15-41.100N 083-06-19.300W | FI Y 4s | 32 10 | 3 | SY with black anchor on yellow circular tower. | Visible all around. Seasonal. |
| 8130 | GREAT LAKES STEEL BOAT CLUB SOUTH LIGHT Marks entrance to marina. | 42-15-38.000N 083-07-02.500W | F G | 8 2 | | On post. | Private aid. |
| 8135 | GREAT LAKES STEEL BOAT CLUB NORTH LIGHT Marks entrance to marina. | 42-15-39.200N 083-07-01.700W | F R | 15 5 | | On post. | Private aid. |
| 8147 | MARINER'S MEMORIAL LIGHTHOUSE | 42-16-10.200N 083-06-42.000W | | | | Red and White. | Private aid. |
| 8150 | DETROIT EDISON CELL LIGHT SOUTH | 42-16-25.000N 083-06-36.000W | Q W | 20 6 | | On pile. | Private aid. |
| 8155 | DETROIT EDISON CELL LIGHT NORTH | 42-16-27.000N 083-06-36.000W | Q W | 20 6 | | On pile. | Private aid. |
| 8160 | <i>River Rouge Canal Entrance Lighted Buoy 2</i> | 42-16-31.188N 083-06-33.297W | FI R 4s | | 4 | Red. | AIS MMSI: 993672207 |
| 8170 | <i>Detroit River Lighted Buoy D108 (C)</i> | 42-18-48.000N 083-04-06.000W | FI R 4s | | | Red. | Seasonal. |
| 8195 | Third Street Junction Buoy | 42-19-24.187N 083-03-04.814W | | | | Green and red bands; can. | |
| 8200 | Griswold Street Junction Buoy | 42-19-30.937N 083-02-34.213W | | | | Green and red bands; can. | |
| 8201 | TRI-CENTENNIAL STATE PARK ENTRANCE LIGHT 1 | 42-19-55.750N 083-01-32.230W | FI G 4s | | | On single pile. | Private aid. |
| 8202 | TRI-CENTENNIAL STATE PARK ENTRANCE LIGHT 2 | 42-19-56.260N 083-01-30.310W | FI R 4s | | | On side of Lighthouse. | Private aid. |
| 8205 | <i>Belle Isle Lower Junction Lighted Buoy</i> | 42-19-54.837N 083-00-56.810W | FI (2+1)G 6s | | 4 | Green and red bands. | Replaced by can f from Dec. 21 to Apr. 1. AIS MMSI: 993672208 |
| Fleming Channel | | | | | | | |
| 8210 | BELLE ISLE LIGHT | 42-20-24.075N 082-57-35.678W | F G | 30 9 | 7 | On pile. | |
| 8215 | <i>Lighted Buoy D110 (C)</i> | 42-20-30.000N 082-57-06.000W | FI R 4s | | | Red. | Seasonal. |
| 8220 | <i>Livingstone Memorial Lighted Buoy 111</i> | 42-20-35.689N 082-57-15.805W | FI G 4s | | 4 | Green. | |
| 8225 | <i>Lighted Buoy DPB Of Shoal (C)</i> | | | | | Red with green band. | Spar; winter marker. Seasonal. |
| 8230 | <i>Belle Isle Upper Junction Lighted Buoy</i> | 42-21-02.126N 082-56-43.563W | FI (2+1)G 6s | | 4 | Green and red bands. | Maintained f from Apr. 1 to Dec. 21. |
| 8235 | PECHE ISLAND LIGHT | 42-20-54.450N 082-56-33.500W | FI R 4s | 44 13 | 6 | TR on cylindrical tower. | Higher intensity beam up and down stream. |
| 8240 | William Livingstone Memorial Light | 42-20-49.132N 082-57-15.807W | Oc W 4s | 58 18 | 14 | Pyramidal monumental structure. | Lighted throughout 24 hours. |
| 8245 | <i>Belle Isle North Lighted Buoy 113</i> | 42-21-08.263N 082-56-34.162W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 1. AIS MMSI: 993672209 |
| 8250 | <i>Starboard Lagoon Obstruction Lighted Buoy</i> Marks submerged barge. | 42-21-21.000N 082-56-35.000W | | | | White with orange bands and diamond. | Maintained f from Apr. 1 to Nov. 1. Private aid. |
| 8255 | <i>Peché Island Lighted Buoy 114</i> | 42-21-10.246N 082-55-57.404W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. AIS MMSI: 993672210 |
| 8260 | Windmill Point Light | 42-21-27.225N 082-55-47.859W | Iso W 6s | 42 13 | 15 | Tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------------------|---|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Fleming Channel | | | | | | | |
| 8265 | WINDMILL POINT PARK BREAKWATER OUTER LIGHT | 42-21-30.000N 082-55-41.000W | Q W | 3 1 | | On pile. | Length to breakwater is marked by 13 equally spaced fixed red lights. Private aid. |
| 8270 | WINDMILL POINT PARK BREAKWATER INNER LIGHT | 42-21-30.000N 082-55-41.000W | Q W | 3 1 | | On pile. | Private aid. |
| Belle Isle North Channel | | | | | | | |
| Scott Middle Ground | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 14.</i> | | | | | | | |
| 8280 | - Lower Junction Buoy | 42-20-08.277N 083-00-31.209W | | | | Red and green bands; nun. | Maintained year round. |
| 8285 | - North Channel Buoy 2 | 42-20-15.287N 083-00-19.008W | | | | Red nun. | Maintained year round. |
| 8290 | - North Channel Buoy 4 | 42-20-42.967N 082-59-46.227W | | | | Red nun. | |
| 8295 | - North Channel Buoy 6 | 42-20-55.997N 082-59-24.296W | | | | Red nun. | |
| 8300 | - North Channel Buoy 8 | 42-21-03.187N 082-59-04.345W | | | | Red nun. | |
| 8305 | DETROIT BOAT CLUB LIGHT | 42-20-29.700N 082-59-34.600W | F R | 15 5 | | On pile. | Private aid. |
| 8310 | - South Channel Buoy 1 | 42-20-36.527N 082-59-39.277W | | | | Green can. | |
| 8315 | - South Channel Buoy 3 | 42-20-41.867N 082-59-13.295W | | | | Green can. | |
| 8320 | - South Channel Buoy 5 | 42-20-50.127N 082-58-45.734W | | | | Green can. | |
| 8325 | - Upper Junction Buoy | 42-21-00.157N 082-58-37.314W | | | | Red and green bands; nun. | |
| Belle Isle North Channel | | | | | | | |
| 8330 | MEMORIAL PARK MARINA WEST ENTRANCE LIGHTS (2) | 42-21-07.500N 082-59-05.300W | F G | 18 5 | | On piles. | Private aid. |
| 8335 | MEMORIAL PARK MARINA EAST ENTRANCE LIGHTS (2) | 42-21-07.800N 082-59-04.500W | F R | 18 5 | | On piles. | Private aid. |
| 8340 | MEMORIAL PARK MARINA LIGHTS (6) Marks cable string between pilings. | 42-21-08.200N 082-59-02.500W | F R | 18 5 | | On piles. | Private aid. |
| 8341 | PORTERFIELD RAMP LIGHT | 42-21-20.600N 082-58-04.900W | F R | 8 2 | | On pile. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 8342 | PORTERFIELD MARINA ENTRANCE LIGHT 1 | 42-21-18.900N 082-58-02.500W | F G | 8 2 | | SG on pile. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 8343 | PORTERFIELD MARINA ENTRANCE LIGHT 2 | 42-21-18.800N 082-57-59.000W | F R | 8 2 | | TR on pile. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 8345 | Intake Pipe Buoy 1 | 42-21-13.776N 082-58-24.833W | | | | Green can. | Maintained from Apr. 1 to Nov. 14. |
| 8350 | WATERWORKS INTAKE CRIB LIGHT | 42-21-08.300N 082-57-59.900W | FI W 5s | 40 12 | | Gray stone tower on pier. | Private aid. |
| 8355 | <i>Detroit Edison Lighted Buoy 1A</i> | 42-21-12.286N 082-57-28.440W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 1. |
| 8360 | DETROIT EDISON BOAT CLUB ENTRANCE LIGHT 2 | 42-21-18.000N 082-57-24.800W | F R | | | TR on post. | Maintained from Apr. 1 to Oct. 1. Private aid. |
| 8365 | DETROIT EDISON BOAT CLUB ENTRANCE LIGHT 3 | 42-21-19.300N 082-57-25.000W | F G | | | SG on post. | Maintained from Apr. 1 to Oct. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Belle Isle North Channel | | | | | | | |
| 8370 | WATERWORKS INTAKE LAGOON LIGHT | 42-21-00.200N 082-57-16.500W | FI R 6s | 22 7 | | Red post on small house on concrete pier. | Private aid. |
| 8396 | Gray haven Canal Entrance Buoy 2 | 42-21-19.350N 082-56-45.050W | | | | Red nun. | Maintained May 15 to Oct 31. Private aid. |
| 8396.1 | PORT LAGOON LIGHT 1 | 42-21-20.700N 082-56-46.118W | F G | 11 3 | | | Private aid. |
| 8397 | PORT LAGOON LIGHT 2 | 42-21-20.160N 082-56-45.300W | F R | 11 3 | | | Private aid. |
| 8398 | STARBOARD LAGOON LIGHT 1 | 82-21-21.000N 082-56-34.200W | F G | 11 3 | | | Private aid. |
| 8399.5 | Starboard Lagoon Obstr Day beacon | 42-21-22.022N 082-56-36.720W | | | | | Private aid. |
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Lake St. Clair | | | | | | | |
| <i>Lighted buoys maintained from Mar. 28 to Dec. 21.</i> | | | | | | | |
| 8400 | PECHE ISLAND RANGE FRONT LIGHT | 42-21-37.556N 082-54-24.960W | F W | 35 11 | | KRW on white skeleton tower with round conical foundation. | RACON: G (- - .) Lighted throughout 24 hours. |
| 8405 | PECHE ISLAND RANGE FRONT PASSING LIGHT | 42-21-37.500N 082-54-25.000W | F W | 31 9 | 7 | On same structure as Peche Island Range Front Light. | |
| 8410 | PECHE ISLAND RANGE REAR LIGHT 3,697 feet, 227.7° from front light. | 42-21-12.985N 082-55-01.392W | F W | 114 35 | | KRW on white skeleton tower with round conical foundation. | Lighted throughout 24 hours. |
| 8415 | - LIGHT 1 | 42-22-01.065N 082-53-59.103W | Q G | 37 11 | 5 | SG on post. | |
| 8420 | - Lighted Buoy 2 | 42-21-54.270N 082-53-52.330W | FI R 4s | | 5 | Red. | AIS MMSI: 993672211 |
| 8425 | - Buoy 3 | 42-22-27.259N 082-53-18.287W | | | | Green can. | |
| 8430 | - Buoy 4 | 42-22-22.090N 082-53-11.030W | | | | Red nun. | |
| 8435 | - Buoy 5 | 42-22-56.223N 082-52-35.343W | | | | Green can. | |
| 8440 | - Buoy 6 | 42-22-50.681N 082-52-28.585W | | | | Red nun. | |
| 8442 | Grosse Pointe Dumping Grounds Buoy B | 42-22-12.000N 082-51-01.000W | | | | Yellow can. | |
| 8445 | - Lighted Buoy 7 | 42-23-19.748N 082-52-00.289W | FI G 4s | | 4 | Green. | Replaced by can Dec 21 to Mar 28 |
| 8450 | - Lighted Buoy 8 | 42-23-14.453N 082-51-53.007W | FI R 4s | | 4 | Red. | AIS MMSI: 993672212 |
| 8455 | - Buoy 9 | 42-23-47.733N 082-51-18.854W | | | | Green can. | |
| 8460 | - Buoy 10 | 42-23-42.320N 082-51-11.760W | | | | Red nun. | |
| 8465 | - Buoy 11 | 42-24-10.446N 082-50-44.793W | | | | Green can. | |
| 8470 | - Buoy 12 | 42-24-05.025N 082-50-37.636W | | | | Red nun. | |
| 8472 | Grosse Pointe Dumping Grounds Buoy A | 42-23-35.000N 082-48-52.000W | | | | Yellow can. | |
| 8475 | - Lighted Buoy 13 | 42-24-37.940N 082-50-04.990W | FI G 4s | | 4 | Green. | |
| 8480 | - LIGHT 14 | 42-24-31.566N 082-49-57.613W | FI R 4s | 30 9 | 5 | TR on post on concrete structure. | |
| 8485 | - Buoy 15 | 42-25-12.561N 082-49-12.341W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--------------------------|---------------|--------------|---|--|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Lake St. Clair | | | | | | | |
| <i>Lighted buoys maintained from Mar. 28 to Dec. 21.</i> | | | | | | | |
| 8490 | - Buoy 16 | 42-25-07.131N 082-49-04.665W | | | | Red nun. | |
| 8495 | - Lighted Buoy 17 | 42-25-50.100N 082-48-17.740W | FI G 4s | | 5 | Green. | |
| 8500 | - Lighted Buoy 18 | 42-25-44.220N 082-48-10.560W | FI R 4s | | 6 | Red. | |
| 8505 | - Buoy 19 | 42-26-24.652N 082-47-25.743W | | | | Green can. | |
| 8510 | - Buoy 20 | 42-26-19.110N 082-47-18.550W | | | | Red nun. | |
| 8515 | - Lighted Buoy 21 | 42-27-00.180N 082-46-33.390W | FI G 4s | | 4 | Green. | |
| 8520 | - Lighted Buoy 22 | 42-26-54.450N 082-46-26.130W | FI R 4s | | 4 | Red. | |
| 8525 | - LIGHT | 42-27-55.120N 082-45-15.440W | Iso G 6s | 52 16 | 9 | White square tower on cylindrical base. | RACON: N (- .) Higher intensity beam upstream. |
| 8530 | - Lighted Buoy 24 | 42-27-48.060N 082-45-06.030W | FI R 2.5s | | 4 | Red. | |
| 8535 | ST. CLAIR FLATS CANAL RANGE FRONT LIGHT | 42-33-02.595N 082-39-02.754W | F G | 48 15 | | White day mark on pyramidal tower. | Lighted throughout 24 hours. |
| 8540 | ST. CLAIR FLATS CANAL RANGE REAR LIGHT 4,018 feet, 041.1° f rom front light. | 42-33-32.507N 082-38-27.459W | F G | 112 34 | | White day mark on pyramidal tower. | Lighted throughout 24 hours. |
| 8545 | - Lighted Buoy 25 | 42-29-01.720N 082-43-53.570W | FI G 4s | | 4 | Green. | Replaced by can f from Dec 21. to Mar.28. |
| 8550 | - Lighted Buoy 26 | 42-28-56.610N 082-43-45.420W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 21 to Mar. 28. |
| 8555 | - Lighted Buoy 27 | 42-29-45.800N 082-43-01.750W | FI G 4s | | 4 | Green. | |
| 8560 | - Lighted Buoy 28 | 42-29-40.769N 082-42-53.601W | FI R 4s | | 4 | Red. | |
| 8565 | - Lighted Buoy 29 | 42-30-35.980N 082-42-02.660W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 21 to Mar. 28. AIS MMSI: 993672233 |
| 8570 | - Lighted Buoy 30 | 42-30-30.728N 082-41-54.471W | Q R | | 4 | Red | Year round lighted buoy . AIS MMSI: 993672213 |
| 8575 | - Buoy 31 | 42-30-49.949N 082-41-45.901W | | | | Green. | Replaced by can f from Dec. 21 to Mar. 28. |
| 8580 | SQUIRREL ISLAND RANGE FRONT LIGHT (C) | 42-33-12.000N 082-35-00.000W | Iso Y 2s 1s fl 1s ec. | 30 9 | | Orange triangular day mark with black vertical stripe on white square skeleton tower. | Visible on range line only . |
| 8585 | SQUIRREL ISLAND RANGE REAR LIGHT (C) 3,506 feet, 064.3° from front light. | | F Y | 84 26 | | Orange inverted triangular day mark with black vertical stripe on white skeleton tower. | Visible in line of range. |
| St. Clair Cut-Off Channel | | | | | | | |
| 8590 | - Preferred Channel Lighted Buoy CO | 42-30-58.568N 082-41-22.251W | FI (2+1)G 6s | | 4 | Green with red band | Replaced by can f from Dec. 14 to Mar. 28. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Lake St. Clair | | | | | | | |
| <i>Lighted buoys maintained from Mar. 28 to Dec. 21.</i> | | | | | | | |
| 8595 | PIER LIGHT X32/2 (C) 190 feet outside channel limit. | 42-30-54.000N 082-41-06.000W | FI R 4s | 24 7 | | White circular tower with red top. | |
| St. Clair Cut-Off Channel | | | | | | | |
| 8600.1 | - <i>Lighted Buoy 32</i> | 42-30-56.057N 082-41-09.411W | Q R | | 4 | | Replaced by nun from Dec. 21 to Mar. 28. |
| Lake St. Clair | | | | | | | |
| <i>Lighted buoys maintained from Mar. 28 to Dec. 21.</i> | | | | | | | |
| 8605 | PIER LIGHT X35 (C) 190 feet outside channel limit. | | FI G 4s | 33 10 | | White circular tower with green top. | |
| 8610 | PIER LIGHT X36 (C) 190 feet outside channel limit. | | FI R 4s | 26 8 | | White square tower with red stripes on corners. | |
| 8615 | PIER LIGHT X39 (C) | | FI G 4s | 29 9 | | White square tower with green top. | |
| 8620 | PIER LIGHT X40 (C) 190 feet outside channel limit. | | FI R 4s | 26 8 | | White square tower with red stripes on corners. | |
| 8625 | PIER LIGHT X43 (C) | 42-32-24.000N 082-37-30.000W | FI G 4s | 24 7 | | White square tower with green top. | |
| 8630 | PIER LIGHT X44 (C) 190 feet outside channel limit. | 42-32-12.000N 082-37-24.000W | FI R 4s | 24 7 | | White square tower with red stripes on corners. | |
| 8635 | PIER LIGHT X47 (C) | 42-32-48.000N 082-36-18.000W | FI G 4s | 29 9 | | White square tower with green top. | |
| 8640 | PIER LIGHT X48 (C) 190 feet outside channel limit. | 42-32-42.000N 082-36-12.000W | FI R 4s | 24 7 | | White square tower with red stripes on corners. | |
| St. Clair Cut-Off Channel | | | | | | | |
| 8645 | HARSENS ISLAND LIGHT 11 | 42-32-59.000N 082-35-55.000W | FI G 4s | 26 8 | 4 | SG on white cylindrical tower. | |
| Lake St. Clair | | | | | | | |
| <i>Lighted buoys maintained from Mar. 28 to Dec. 21.</i> | | | | | | | |
| 8650 | <i>Lighted Buoy X50 (C)</i> | 42-32-54.000N 082-35-30.000W | FI R 4s | | | Red. | |
| St. Clair Cut-Off Channel | | | | | | | |
| 8655 | - <i>Lighted Buoy 13</i> | 42-33-05.126N 082-35-27.163W | FI G 2.5s | | 4 | Green. | Maintained from Mar. 28 to Dec. 21. |
| Lake St. Clair | | | | | | | |
| <i>Lighted buoys maintained from Mar. 28 to Dec. 21.</i> | | | | | | | |
| 8660 | <i>Lighted Buoy A14 (C)</i> | 42-33-06.000N 082-35-12.000W | FI R 4s | | | Red. | Seasonal. |
| Grosse Point | | | | | | | |
| 8665 | - MUNICIPAL PIER NORTHEAST LIGHT | 42-22-50.000N 082-54-13.000W | F Y | 18 5 | | On post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8666 | - MUNICIPLE PIER SOUTHWEST LIGHT | 42-22-49.000N 082-54-16.000W | F Y | 18 5 | | On Post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8667 | - <i>Lighted Entrance Buoy 1</i> | 42-22-44.000N 082-54-13.500W | FI G 4s | | | Green. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8668 | - <i>Lighted Entrance Buoy 2</i> | 42-22-44.500N 082-54-13.000W | FI R 4s | | | Red. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8669 | - <i>Lighted Channel Buoy 3</i> | 42-22-46.500N 082-54-15.000W | FI G 4s | | | Green. | Maintained from Apr. 15 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Lake St. Clair | | | | | | | |
| Grosse Point | | | | | | | |
| 8670 | - Lighted Channel Buoy 4 | 42-22-47.000N 082-54-14.000W | FI R 4s | | | Red. | Maintained f from Apr. 15 to Nov. 1. Private aid. |
| 8675 | - MUNICIPAL PIER SOUTHWEST ENTRANCE LIGHT 5 | 42-22-50.000N 082-54-16.500W | FI G 4s | 16 5 | | On post. | Maintained f from Apr. 15 to Nov. 1. Private aid. |
| 8680 | - MUNICIPAL PIER SOUTHWEST ENTRANCE LIGHT 6 | 42-22-49.750N 082-54-16.500W | FI R 4s | 16 5 | | On post. | Maintained f from Apr. 15 to Nov. 1. Private aid. |
| 8685 | - MUNICIPAL PIER NORTHWEST ENTRANCE LIGHT 7 | 42-22-53.000N 082-54-19.000W | FI G 4s | 16 5 | | On post. | Maintained f from Apr. 15 to Nov. 1. Private aid. |
| 8690 | - MUNICIPAL PIER NORTHWEST ENTRANCE LIGHT 8 | 42-22-52.500N 082-54-15.000W | FI R 4s | 16 5 | | On post. | Maintained f from Apr. 15 to Nov. 1. Private aid. |
| 8695 | - CLUB HARBOR ENTRANCE WEST LIGHT | 42-22-57.500N 082-53-49.000W | F G | 10 3 | | On post. | Private aid. |
| 8700 | - CLUB HARBOR ENTRANCE EAST LIGHT | 42-22-57.500N 082-53-48.000W | F R | 10 3 | | On post. | Private aid. |
| 8705 | - CLUB DOCK SOUTH LIGHT | 42-23-00.000N 082-53-46.000W | F G | 15 5 | | On post. | Private aid. |
| 8710 | - CLUB DOCK NORTH LIGHT | 42-22-58.500N 082-53-42.000W | F G | 15 5 | | On post. | Private aid. |
| Crescent Sail Yacht Club | | | | | | | |
| 8715 | - LIGHT | 42-24-07.500N 082-53-05.000W | F G | 58 18 | | On tower. | Private aid. |
| 8720 | - SMALL (SOUTH) HARBOR LIGHT | 42-24-06.800N 082-53-07.300W | F G | 8 2 | | SG on green pile. | Private aid. |
| 8725 | - WEST LIGHT | 42-24-05.500N 082-53-05.200W | F G | 10 3 | | SG on pile. | Private aid. |
| 8730 | - EAST LIGHT | 42-24-04.900N 082-53-05.000W | F R | 9 3 | | TR on pile. | Private aid. |
| 8735 | - BREAKWATER SOUTH LIGHT | 42-24-06.600N 082-53-02.700W | Q W | 25 8 | | NW on white pile cluster. | Visible 180° through 020°. Private aid. |
| 8740 | - BREAKWATER NORTH LIGHT | 42-24-07.200N 082-53-02.000W | Q W | 25 8 | | NW on white pile cluster. | Visible 195° through 030°. Private aid. |
| Grosse Point | | | | | | | |
| 8745 | MUNICIPAL PIER SOUTH BASIN LIGHT | 42-24-17.600N 082-53-00.700W | F R | 10 3 | | TR on post. | Maintained f from Apr. 1 to Dec. 1. Private aid. |
| 8747 | - Farms Buoy 1 | 42-24-15.784N 082-52-58.791W | | | | Green can. | Maintained f from MAY 1. to NOV. 1 Private aid. |
| 8748 | - Farms Buoy 2 | 42-24-20.992N 082-52-58.544W | | | | Red nun. | Maintained f from MAY 1. to NOV 1. Private aid. |
| 8749 | - Farms Buoy 3 | 42-24-17.553N 082-53-01.728W | | | | Green can. | Maintained f from MAY 1. to NOV. 1 Private aid. |
| 8750 | - FARMS LIGHT 4 | 42-24-18.245N 082-53-01.214W | F R | 15 5 | | TR on post. | Maintained f from May. 1 to Nov. 1. Private aid. |
| 8752 | - FARMS LIGHT 5 | 42-24-17.580N 082-53-00.068W | F G | 6 2 | | SG on post. | Maintained f from May. 1 to Nov. 1. Private aid. |
| 8755 | - YACHT CLUB LIGHT | 42-26-06.000N 082-52-21.000W | FI G 2.5s | 65 20 | | Square skeleton tower with building attached. | Private aid. |
| 8756 | - E YACHT CLUB NORTH BREAKWATER LIGHT | 42-26-08.110N 082-52-07.280W | FI Y 4s | | | | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--|---------------|--------------|----------------------|---|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Lake St. Clair | | | | | | | |
| Grosse Point | | | | | | | |
| 8757 | - E YACHT CLUB CENTER BREAKWATER LIGHT | 42-26-05.730N 082-52-07.630W | FI Y 4s | | | | Private aid. |
| 8758 | - E YACHT CLUB SOUTH BREAKWATER LIGHT | 42-26-03.590N 082-52-09.090W | FI Y 4s | | | | Private aid. |
| 8760 | - YACHT CLUB OUTER BREAKWATER LIGHT B | 42-26-00.000N 082-52-13.000W | F R | 8 2 | | | Private aid. |
| 8765 | - YACHT CLUB OUTER BREAKWATER LIGHT C | 42-26-00.000N 082-52-16.000W | F R | 8 2 | | On pile. | Private aid. |
| 8770 | - YACHT CLUB OUTER BREAKWATER LIGHT D | 42-26-00.000N 082-52-17.000W | F G | 8 2 | | | Private aid. |
| 8775 | - YACHT CLUB OUTER BREAKWATER LIGHT E | 42-26-00.000N 082-52-20.000W | F R | 8 2 | | On pile. | Private aid. |
| 8780 | - YACHT CLUB OUTER BREAKWATER LIGHT F | 42-26-02.000N 082-52-25.000W | F R | 8 2 | | | Private aid. |
| Milk River Channel | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1</i> | | | | | | | |
| 8785 | - DRAIN LIGHT 1 | 42-27-36.000N 082-52-21.000W | FI W 4s | 8 2 | | Black. | Maintained from Apr. 20 to Nov. 20. Private aid. |
| 8790 | - Lighted Buoy 1 | 42-27-36.500N 082-52-17.500W | Q G | | | Green. | Private aid. |
| 8795 | - Lighted Buoy 2 | 42-27-37.100N 082-52-17.000W | Q R | | | Red. | Private aid. |
| 8800 | - Buoy 3 | 42-27-36.800N 082-52-21.200W | | | | Green can. | Private aid. |
| 8805 | - Buoy 4 | 42-27-37.700N 082-52-21.000W | | | | Red nun. | Private aid. |
| 8810 | - Buoy 5 | 42-27-36.800N 082-52-25.000W | | | | Green can. | Private aid. |
| 8815 | - Buoy 6 | 42-27-38.000N 082-52-25.500W | | | | Red nun. | Private aid. |
| 8820 | - Buoy 7 | 42-27-37.000N 082-52-29.500W | | | | Green can. | Private aid. |
| 8825 | - Buoy 8 | 42-27-38.000N 082-52-29.200W | | | | Red nun. | Private aid. |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| 8850 | <i>Gaukler Shoal Lighted Buoy 1</i> | 42-27-41.785N 082-51-39.208W | FI G 4s | | 3 | Green. | Maintained from Apr. 21 to Nov. 14. |
| 8855 | <i>Gaukler Shoal Junction Lighted Buoy</i> | 42-28-32.021N 082-51-30.314W | FI (2+1)G 6s | | 3 | Green and red bands. | Maintained from Apr. 21 to Nov. 14. |
| 8875 | MILLER MEMORIAL LIGHT | 42-27-49.500N 082-52-45.000W | Al WR 10s 0.2s W fl 4.8s ec. 0.2s R fl 4.8s ec. | 270 82 | | | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 8880 | St. Clair Shores Breakwater Day beacon 1 | 42-28-21.761N 082-52-42.781W | | | | SG on pile. | |
| 8885 | ST. CLAIR SHORES BREAKWATER LIGHT 2 | 42-28-22.265N 082-52-42.607W | FI R 4s | 16 5 | 5 | TR on pile. | |
| 8890 | MARTIN DRAIN OUTER LIGHT | 42-28-57.500N 082-52-47.800W | F W | 12 4 | | NW on post. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 8891 | <i>Masonic Country Club Lighted Buoy</i> | 42-31-28.440N 082-52-04.980W | FI Y 4s | | | | Maintained from Apr. 15 to November 15. Private aid. |
| St. Clair Municipal Park Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 8905 | - Buoy 1 | 42-29-44.000N 082-52-41.000W | | | | Green can. | Private aid. |
| 8910 | - Buoy 2 | 42-29-46.000N 082-52-42.000W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|-------------------------|---|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| St. Clair Municipal Park Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 8915 | - Buoy 3 | 42-29-44.000N 082-52-48.000W | | | | Green can. | Private aid. |
| 8920 | - Buoy 4 | 42-29-46.000N 082-52-49.000W | | | | Red nun. | Private aid. |
| 8921 | Point Rosa West Channel Entrance Buoy 1 | 43-34-06.870N 082-49-05.290W | | | | Green can. | Private aid. |
| 8921.1 | Point Rosa West Channel Entrance Buoy 2 | 42-34-06.900N 082-49-04.490W | | | | Red nun. | Private aid. |
| 8921.2 | Point Rosa West Channel Entrance Buoy 3 | 42-34-08.110N 082-49-05.230W | | | | Green can. | Private aid. |
| 8921.3 | Point Rosa West Channel Entrance Buoy 4 | 42-34-08.130N 082-49-04.430W | | | | Red nun. | Private aid. |
| 8921.4 | Point Rosa West Channel Entrance Buoy 5 | 42-34-09.340N 082-49-05.160W | | | | Green can. | Private aid. |
| 8921.5 | Point Rosa West Channel Entrance Buoy 6 | 42-34-09.360N 082-49-04.370W | | | | Red nun. | Private aid. |
| 8921.6 | Point Rosa West Channel Entrance Buoy 7 | 42-34-10.580N 082-49-05.100W | | | | Green can. | Private aid. |
| 8921.7 | Point Rosa West Channel Entrance Buoy 8 | 42-34-10.600N 082-49-04.300W | | | | Red nun. | Private aid. |
| 8922 | Point Rosa East Channel Entrance Buoy 1 | 42-34-06.470N 082-48-48.790W | | | | Green can. | Private aid. |
| 8922.1 | Point Rosa East Channel Entrance Buoy 2 | 42-34-06.490N 082-48-47.990W | | | | Red nun. | Private aid. |
| 8922.2 | Point Rosa East Channel Entrance Buoy 3 | 42-34-07.700N 082-48-48.730W | | | | Green can. | Private aid. |
| 8922.3 | Point Rosa East Channel Entrance Buoy 4 | 42-34-07.720N 082-48-47.930W | | | | Red nun. | Private aid. |
| 8922.4 | Point Rosa East Channel Entrance Buoy 5 | 42-34-08.930N 082-48-48.660W | | | | Green can. | Private aid. |
| 8922.5 | Point Rosa East Channel Entrance Buoy 6 | 42-34-08.950N 082-48-47.880W | | | | Red nun. | Private aid. |
| 8922.6 | Point Rosa East Channel Entrance Buoy 7 | 42-34-10.170N 082-48-48.600W | | | | Green can. | Private aid. |
| 8922.7 | Point Rosa East Channel Entrance Buoy 8 | 42-34-10.190N 082-48-47.800W | | | | Red nun. | Private aid. |
| 8925 | <i>Point Huron Lighted Buoy 1PH</i> | 42-33-12.306N 082-44-51.534W | FI G 2.5s | | 3 | Green. | Maintained from Apr. 14 to Nov. 01. |
| 8926 | <i>Harbor Club South Lighted Buoy 2</i> | 42-33-28.800N 082-50-37.300W | Q R | | | Red. | Maintained from 1 Apr. to 15 Nov. Private aid. |
| 8926.1 | Harbor Club South Unlighted Buoy 4 | 42-33-31.800N 082-50-37.700W | | | | Red nun. | Maintained from 1 Apr. to 15 Nov. Private aid. |
| 8926.2 | <i>Harbor Club South Lighted Buoy 6</i> | 42-33-33.700N 082-50-38.000W | FI R 4s | | | Red. | Maintained from 1 Apr. to 15 Nov. Private aid. |
| Black Creek | | | | | | | |
| 8930 | - RANGE FRONT LIGHT | 42-34-03.200N 087-47-05.000W | FI G 4s | 20 6 | | White diamond day mark. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8935 | - RANGE REAR LIGHT 336 feet, 297.3° from front light. | 42-34-06.200N 082-47-10.300W | F G | 40 12 | | White diamond day mark. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8940 | - <i>Lighted Buoy 1</i> | 42-33-53.800N 082-46-43.600W | FI G 4s | | | Green. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8945 | - <i>Lighted Buoy 2</i> | 42-33-55.700N 082-46-42.500W | FI R 4s | | | Red. | Maintained from Apr. 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Black Creek | | | | | | | |
| 8950 | - Buoy 3 | 42-33-56.000N 082-46-48.300W | | | | Green can. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8955 | - Buoy 4 | 42-33-57.500N 082-46-47.000W | | | | Red nun. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8960 | - Buoy 5 | 42-33-57.500N 082-46-53.000W | | | | Green can. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8965 | - Buoy 6 | 42-33-59.500N 082-46-52.000W | | | | Red nun. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8970 | HURON POINTE YACHT CLUB BREAKWALL LIGHT | 42-35-36.000N 082-46-51.000W | Q R | 15 5 | | On post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| Harbor Club North Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 30.</i> | | | | | | | |
| 8971 | - Lighted Buoy 1 | 42-34-05.000N 082-49-22.500W | FI G 2s | | | Green. | Private aid. |
| 8971.5 | - Lighted Buoy 2 | 42-34-05.000N 082-49-20.000W | FI R 2s | | | Red. | Private aid. |
| 8972 | - Buoy 3 | 42-34-07.000N 082-49-22.500W | | | | Green can. | Private aid. |
| 8972.5 | - Buoy 4 | 42-34-07.000N 082-49-20.000W | | | | Red nun. | Private aid. |
| 8973 | - Buoy 5 | 42-34-09.800N 082-49-22.500W | | | | Green can. | Private aid. |
| 8973.5 | - Buoy 6 | 42-34-09.800N 082-49-20.000W | | | | Red nun. | Private aid. |
| Clinton River | | | | | | | |
| <i>Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 8975 | - Entrance Lighted Buoy CR | 42-35-38.663N 082-44-43.420W | Mo (A) W | | 3 | Red and white stripes. | |
| 8980 | - Entrance Lighted Buoy 1 | 42-35-36.593N 082-45-44.202W | FI G 4s | | 3 | Green. | |
| 8985 | - Entrance Lighted Buoy 2 | 42-35-39.703N 082-45-43.683W | FI R 4s | | 4 | Red. | |
| 8990 | - Entrance Buoy 3 | 42-35-37.279N 082-45-52.944W | | | | Green can. | |
| 8995 | - Entrance Buoy 4 | 42-35-39.547N 082-45-52.398W | | | | Red nun. | |
| 9000 | - Entrance Buoy 5 | 42-35-38.324N 082-46-01.593W | | | | Green can. | |
| 9005 | - Entrance Buoy 6 | 42-35-39.931N 082-46-00.810W | | | | Red nun. | |
| 9015 | - NORTH BREAKWATER LIGHT | 42-35-41.600N 082-46-12.500W | FI R 2.5s | 26 8 | 4 | TR on post. | |
| 9020 | - SOUTH BREAKWATER LIGHT | 42-35-38.200N 082-46-10.200W | FI G 4s | 35 11 | 5 | SG on green and white cylindrical tower. | |
| 9030 | MACOMB COUNTY SHERIFF LOOKOUT TOWER LIGHT | 42-35-34.200N 082-46-21.000W | FI Y 4s | 46 14 | | Lookout tower. | Private aid. |
| 9035 | - INNER LIGHT | 42-35-42.561N 082-46-32.540W | FI R 4s | 25 8 | 5 | TR on post. | |
| Island Cove Marina | | | | | | | |
| 9038 | - Entrance Lighted Buoy 1 | 42-36-07.440N 082-46-59.760W | FI G 4s | | | Green. | Private aid. |
| 9039 | - Entrance Lighted Buoy 2 | 42-36-09.360N 082-47-01.080W | FI R 4s | | | Red. | Private aid. |
| 9040 | - Entrance Lighted Buoy 3 | 42-36-04.260N 082-47-06.720W | FI G 4s | | | Green. | Private aid. |
| 9041 | - Entrance Lighted Buoy 4 | 42-36-05.280N 082-47-07.440W | FI R 4s | | | Red. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Island Cove Marina | | | | | | | |
| 9042 | - Entrance Lighted Buoy 5 | 42-36-00.480N 082-47-15.120W | FI G 4s | | | Green. | Private aid. |
| 9043 | - Entrance Lighted Buoy 6 | 42-36-00.540N 082-47-17.280W | FI R 4s | | | Red. | Private aid. |
| 9044 | - Entrance Lighted Buoy 7 | 42-35-57.960N 082-47-17.040W | FI G 4s | | | Green. | Private aid. |
| 9045 | - Entrance Lighted Buoy 8 | 42-35-57.900N 082-47-18.600W | FI R 4s | | | Red. | Private aid. |
| 9046 | - Entrance Lighted Buoy 9 | 42-35-55.000N 082-47-17.000W | FI G 4s | | | Green | Private aid. |
| 9047 | - Entrance Lighted Buoy 10 | 42-35-55.000N 082-47-19.000W | FI R 4s | | | Red. | Private aid. |
| 9048 | - Entrance Lighted Buoy 11 | 42-35-51.000N 082-47-18.000W | FI G 4s | | | Green. | Private aid. |
| 9049 | - Entrance Lighted Buoy 12 | 42-35-51.000N 082-47-19.000W | FI R 4s | | | Red. | Private aid. |
| Belle Maer Marina | | | | | | | |
| <i>Aids to navigation maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 9070 | - RANGE FRONT LIGHT | 43-36-16.500N 082-47-38.800W | F G | 15 5 | | White diamond shaped day mark with red and black in center on post. | Private aid. |
| 9075 | - RANGE REAR LIGHT 450 feet, 203.5° from front light. | 42-36-12.300N 082-47-42.400W | F G | 25 8 | | White diamond shaped day mark with red and black in center on post. | Private aid. |
| 9080 | - Lighted Buoy 1 | 42-36-32.500N 082-47-28.800W | FI G 4s | | | Green. | Private aid. |
| 9085 | - Lighted Buoy 2 | 42-36-32.500N 082-47-30.500W | FI R 4s | | | Red. | Private aid. |
| 9090 | - Buoy 3 | 42-36-25.800N 082-47-32.500W | | | | Green can. | Private aid. |
| 9095 | - Buoy 4 | 42-36-25.800N 082-47-34.000W | | | | Red nun. | Private aid. |
| Macray East Harbor Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 9100 | - Lighted Buoy 1 | 42-36-32.500N 082-47-52.500W | FI G 2.5s | | | Green. | Private aid. |
| 9105 | - Buoy 2 | 42-36-32.900N 082-47-55.000W | | | | Red nun. | Private aid. |
| 9110 | - Buoy 3 | 42-36-27.500N 082-47-55.500W | | | | Green can. | Private aid. |
| 9115 | - Buoy 4 | 42-36-28.300N 082-47-56.500W | | | | Red nun. | Private aid. |
| Macray West Harbor Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 9120 | - Lighted Buoy 1 | 42-36-39.000N 082-48-09.500W | | | | Green. | Private aid. |
| 9125 | - Buoy 2 | 42-36-40.000N 082-48-12.300W | | | | Red nun. | Private aid. |
| 9130 | - Buoy 3 | 42-36-35.000N 082-48-12.500W | | | | Green can. | Private aid. |
| 9135 | - Buoy 4 | 42-36-36.000N 082-48-14.200W | | | | Red nun. | Private aid. |
| Selfridge Field | | | | | | | |
| 9140 | - SOUTHEAST BREAKWATER LIGHT | 42-36-36.000N 082-48-48.000W | FI Y 6s | 11 3 | 5 | On post. | |
| 9150 | - NORTHWEST BREAKWATER LIGHT | 42-36-42.000N 082-48-54.000W | FI Y 6s | 11 3 | 5 | On post. | |
| Selfridge Launch Facility | | | | | | | |
| 9162 | SELFRIDGE MARINA SOUTH BREAKWALL LIGHT 1 | 42-36-57.900N 082-49-06.000W | FI G 4s | 20 6 | 5 | SG on pile. | |
| 9163 | SELFRIDGE MARINA NORTH BREAKWATER LIGHT 2 | 42-36-59.000N 082-49-06.000W | FI R 4s | 20 6 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Selfridge Launch Facility | | | | | | | |
| 9165 | - Buoy 1 | 42-37-04.800N 082-49-00.600W | | | | Green can. | Private aid. |
| 9170 | - Buoy 2 | 42-37-48.000N 082-49-06.000W | | | | Red cylinders. | Private aid. |
| 9175 | - Buoy 3 | 42-37-35.500N 082-49-05.000W | | | | Green can. | Private aid. |
| 9180 | - Buoy 4 | 42-37-48.000N 082-49-06.000W | | | | Red cylinders. | Private aid. |
| 9185 | - Buoy 5 | 42-37-35.500N 082-49-07.000W | | | | Green can. | Private aid. |
| 9190 | - Buoy 6 | 42-37-48.000N 082-49-06.000W | | | | Red cylinders. | Private aid. |
| 9195 | - ENTRANCE LIGHT 2 | 42-37-47.000N 082-49-00.000W | FI R 4s | 28 9 | | On breakwall. | Maintained from May 1 to Nov. 1. Private aid. |
| 9200 | SALT RIVER RANGE FRONT LIGHT | 42-39-16.000N 082-47-05.000W | F G | 16 5 | | White day mark with orange diamond on pile. | Maintained from Jun. 15 to Nov. 15. Private aid. |
| 9205 | SALT RIVER RANGE REAR LIGHT 295 feet, 018° from front light. | 42-39-18.300N 082-47-04.400W | F G | 26 8 | | White day mark with orange diamond on pile. | Maintained from Jun. 15 to Nov. 15. Private aid. |
| Bouvier Bridge Marina Channel | | | | | | | |
| <i>Channel marked by 18 lighted and unlighted buoys maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 9259 | - Lighted Buoy 1 | 42-40-13.277N 082-38-03.190W | FI G 2.5s | | | Green. | Private aid. |
| 9260 | - Lighted Buoy 2 | 42-40-11.734N 082-38-03.873W | FI R 2.5s | | | Red. | Private aid. |
| 9265 | Fair Haven Entrance Lighted Buoy 1FH | 42-40-03.319N 082-38-29.587W | FI G 4s | | 3 | Green. | Maintained from Apr. 14 to Nov. 1. |
| 9295 | CHATEAU MARINA LIGHT 1 | 42-41-13.000N 082-42-19.000W | F G | 8 2 | | SG on pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 9300 | CHATEAU MARINA LIGHT 2 | 42-41-12.100N 082-42-19.500W | F R | 8 2 | | TR on pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| North Channel Entrance | | | | | | | |
| <i>Position of unlighted buoys frequently shifted with changing conditions. Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9305 | - Lighted Buoy 2NC | 42-37-32.500N 082-43-03.800W | FI R 4s | | 3 | Red. | |
| 9310 | - Buoy 3 | 42-37-50.084N 082-42-49.055W | | | | Green can. | |
| 9320 | - Buoy 5 | 42-38-04.500N 082-42-24.800W | | | | Green can. | |
| 9325 | - Buoy 6 | 42-38-03.077N 082-42-20.293W | | | | Red nun. | |
| 9327 | - Buoy 6A | 42-38-14.785N 082-41-55.968W | | | | Red nun. | |
| 9330 | - Buoy 7 | 42-38-21.760N 082-41-52.591W | | | | Green can. | |
| 9335 | - Buoy 8 | 42-38-20.281N 082-41-51.024W | | | | Red nun. | |
| 9340 | - Buoy 9 | 42-38-28.099N 082-41-47.519W | | | | Green can. | |
| 9345 | - Buoy 10 | 42-38-26.727N 082-41-45.594W | | | | Red nun. | |
| 9347 | - Buoy 11 | 42-38-33.366N 082-41-40.260W | | | | Green can. | |
| 9350 | - Buoy 12 | 42-38-33.435N 082-41-31.992W | | | | Red nun. | |
| 9355 | - Lighted Buoy 13 | 42-38-37.191N 082-41-27.110W | FI G 4s | | 3 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ST. CLAIR | | | | | | | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| <i>Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9360 | North Channel Buoy 14 | 42-38-34.005N 082-41-08.347W | | | | Red nun. | |
| 9365 | North Channel Buoy 15 | 42-38-39.420N 082-40-57.489W | | | | Green can. | |
| 9370 | North Channel Buoy 17 | 42-38-42.092N 082-40-25.167W | | | | Green can. | |
| 9375 | North Channel Buoy 18 | 42-38-33.308N 082-40-44.647W | | | | Red nun. | |
| 9380 | North Channel Buoy 19 | 42-38-39.533N 082-40-04.650W | | | | Green can. | |
| 9385 | <i>North Channel Lighted Buoy 20</i> | 42-38-33.851N 082-40-09.302W | FI R 4s | | 3 | Red. | |
| 9387 | North Channel Buoy 22 | 42-38-26.800N 082-39-55.800W | | | | Red nun. | |
| 9390 | BELVIDERE BOAT CLUB LIGHT | 42-38-01.200N 082-39-29.000W | F R | 16 5 | | Small house with red and white stripes. | Maintained from May 15 to Nov. 1. Private aid. |
| 9395 | NORTH CHANNEL YACHT CLUB LIGHT 1 | 42-37-40.000N 082-38-52.300W | F G | 7 2 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 9400 | NORTH CHANNEL YACHT CLUB LIGHT 2 | 42-37-39.800N 082-38-53.800W | F R | 7 2 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| Sassy Marine | | | | | | | |
| <i>Aids maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 9405 | - WEST ENTRANCE LIGHT 1 | 42-37-20.000N 082-37-09.000W | F G | 6 2 | | On pile. | Private aid. |
| 9410 | - WEST ENTRANCE LIGHT 2 | 42-37-21.000N 082-37-09.000W | F R | 8 2 | | On pile. | Private aid. |
| 9415 | - EAST ENTRANCE LIGHT 1 | 42-37-18.000N 082-37-04.000W | F G | 8 2 | | On pile. | Private aid. |
| 9420 | - EAST ENTRANCE LIGHT 2 | 42-37-16.000N 082-37-04.000W | F R | 7 2 | | On pile. | Private aid. |
| 9425 | Algonac Harbor Buoy 1 | 42-36-36.000N 082-32-54.000W | | | | Green spar. | Private aid. |
| 9430 | Algonac Harbor Buoy 2 | 42-36-35.000N 082-32-53.100W | | | | Red spar. | Private aid. |
| Middle Channel Entrance | | | | | | | |
| <i>Position of unlighted buoys frequently shifted with changing conditions. Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9435 | - <i>Lighted Buoy 1MC</i> | 42-33-45.795N 082-43-57.613W | FI G 4s | | 3 | Green. | |
| 9440 | - <i>Lighted Buoy 2</i> | 42-33-50.270N 082-43-20.216W | FI R 4s | | 3 | Red. | |
| 9445 | - Buoy 3 | 42-33-53.795N 082-43-18.142W | | | | Green can. | |
| 9450 | - Buoy 4 | 42-33-36.119N 082-43-06.287W | | | | Red nun. | |
| 9455 | - Buoy 5 | 42-33-39.037N 082-43-05.166W | | | | Green can. | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| <i>Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9460 | <i>Middle Channel Lighted Buoy 6</i> | 42-33-21.456N 082-42-47.504W | FI R 2.5s | | 3 | Red. | |
| 9465 | Middle Channel Buoy 7 | 42-33-27.615N 082-42-46.896W | | | | Green can. | |
| 9470 | Middle Channel Buoy 8 | 42-33-18.921N 082-42-20.980W | | | | Red nun. | |
| 9475 | Middle Channel Buoy 9 | 42-33-23.115N 082-42-20.587W | | | | Green can. | |
| 9480 | Middle Channel Buoy 10 | 42-33-17.835N 082-41-54.948W | | | | Red nun. | |
| 9485 | Middle Channel Buoy 11 | 42-33-23.021N 082-41-54.963W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|------------------------------------|
| LAKE ST. CLAIR | | | | | | | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| <i>Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9490 | Middle Channel Lighted Buoy 12 | 42-33-20.145N 082-41-29.877W | FI R 4s | | 3 | Red. | |
| Clinton River Boat Club | | | | | | | |
| <i>Aids maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 9495 | - South Entrance Buoy 4 | 42-33-33.800N 082-40-59.500W | | | | Red nun. | Private aid. |
| 9500 | - South Entrance Buoy 3 | 42-33-35.000N 082-40-56.000W | | | | Green can. | Private aid. |
| 9505 | - Entrance Buoy 2 | 42-33-48.000N 082-40-44.000W | | | | Red nun. | Private aid. |
| 9510 | - Entrance Buoy 1 | 42-33-49.000N 082-40-42.500W | | | | Green can. | Private aid. |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| <i>Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9515 | Middle Channel Buoy 13 | 42-34-28.124N 082-40-04.601W | | | | Green can. | |
| 9520 | Middle Channel Buoy 14 | 42-35-05.730N 082-38-49.300W | | | | Red nun. | |
| 9525 | Dickinson Island Junction Lighted Buoy | 42-37-03.923N 082-35-01.372W | FI (2+1)R 6s | | 4 | Red and green bands. | |
| St. Clair Flats Old Channel | | | | | | | |
| <i>Position of buoys frequently shifted with changing conditions. Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9530 | - Lighted Buoy 20C | 42-31-36.127N 082-42-41.875W | FI R 4s | | 3 | Red. | |
| 9535 | - Buoy 3 | 42-31-45.817N 082-42-39.876W | | | | Green can. | |
| 9540 | - Buoy 4 | 42-31-58.927N 082-42-07.675W | | | | Red nun. | |
| 9545 | - Buoy 6 | 42-32-10.927N 082-41-40.174W | | | | Red nun. | |
| 9550 | - LIGHT | 42-32-16.370N 082-41-35.830W | FI W 4s | 28 9 | 6 | Yellow tower on crib. | |
| 9560 | - Buoy 8 | 42-32-12.287N 082-41-27.284W | | | | Red nun. | |
| 9565 | - Buoy 10 | 42-32-11.254N 082-41-17.385W | | | | Red nun. | |
| St. Clair Flats Canal | | | | | | | |
| 9570 | - Buoy 1 | 42-31-11.476N 082-41-18.738W | | | | Green can. | |
| 9575 | ST CLAIR FLATS DANGER LIGHT | 42-31-06.681N 082-41-12.020W | FI (2)W 5s | 28 9 | 8 | NW on post marking submerged jetty worded DANGER ROCKS. | |
| 9580 | - Buoy 5 | 42-31-37.788N 082-40-48.857W | | | | Green can. | |
| 9585 | - Lighted Buoy 4 | 42-31-17.045N 082-41-03.466W | FI R 2.5s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14. |
| 9590 | - Lighted Buoy 7 | 42-32-05.107N 082-40-14.451W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14. |
| 9595 | OLD CLUB BREAKWATER LOWER LIGHT | 42-32-21.000N 082-39-59.500W | F W | 10 3 | | On pile cluster. | Private aid. |
| 9600 | OLD CLUB BREAKWATER UPPER LIGHT | 42-32-28.100N 082-39-54.000W | F W | 10 3 | | On pile cluster. | Private aid. |
| 9605 | MAYBURY HIGHWAY LIGHT 10 (C) | 42-33-18.000N 082-38-18.000W | FI R 4s | 24 7 | | White square tower with red top. | |
| Riverside Store | | | | | | | |
| <i>The following buoys are maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 9610 | - Buoy 1 | 42-33-28.500N 082-37-27.000W | | | | Green barrel. | Private aid. |
| 9615 | - Buoy 2 | 42-33-28.500N 082-37-25.700W | | | | Red barrel. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE ST. CLAIR | | | | | | | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| Riverside Shore | | | | | | | |
| <i>The following buoys are maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 9620 | - Buoy 3 | 42-33-30.000N 082-37-27.000W | | | | Green barrel. | Private aid. |
| 9625 | - Buoy 4 | 42-33-30.000N 082-37-25.800W | | | | Red barrel. | Private aid. |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| <i>Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9630 | ST. CLAIR FLATS LIGHT 13 | 42-33-28.200N 082-37-21.900W | F G | 24 7 | 6 | SG on post. | |
| 9635 | Schneider Marina Buoy 1 | 42-33-20.600N 082-36-59.600W | | | | Green can. | Maintained from May 15 to Nov. 1. Private aid. |
| 9640 | Schneider Marina Buoy 2 | 42-33-20.000N 082-36-58.500W | | | | Red barrel. | Maintained from May 15 to Nov. 1. Private aid. |
| 9645 | SOUTHEAST BEND LIGHT 16 (C) | | FI R 4s | 23 7 | | White square tower with red top. | |
| 9650 | HARSENS ISLAND LIGHT 17 | 42-33-01.759N 082-36-28.979W | FI G 4s | 27 8 | 4 | SG on pile. | |
| ST. CLAIR RIVER | | | | | | | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| 9655 | HARSENS ISLAND RANGE FRONT LIGHT | 42-34-20.622N 082-34-32.727W | F G | 27 8 | | White cylindrical tower. | |
| 9660 | HARSENS ISLAND RANGE REAR LIGHT 524 feet, 023.5° f from front light. | 42-34-25.407N 082-34-29.944W | F G | 38 12 | | White cylindrical tower. | Light visible 360°. Higher intensity on range line. |
| 9665 | South Channel Lighted Buoy 15 | 42-33-22.976N 082-35-09.313W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 1. |
| 9670 | South Channel Lighted Buoy 16 | 42-33-20.224N 082-35-01.965W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. |
| 9675 | South Channel Lighted Buoy 17 | 42-33-54.335N 082-34-55.063W | FI G 4s | | 4 | Green. | |
| South Channel | | | | | | | |
| 9680 | LIGHT A20 (C) | 42-33-48.000N 082-34-48.000W | Q R | 33 10 | | White square tower with red stripes on corners. | |
| 9685 | Lighted Buoy A22 (C) | | FI R 4s | | | Red. | Seasonal. |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| 9690 | GRANDE POINTE LIGHT 23 | 42-35-07.112N 082-33-23.546W | FI G 6s | 28 9 | 7 | SG on dolphin. | |
| South Channel | | | | | | | |
| 9695 | Lighted Buoy A24 (C) | | FI R 4s | | | Red. | Seasonal. |
| 9700 | ST. CLAIR RIVER LIGHT A26 (C) | 42-35-30.000N 082-32-42.000W | Q R | 39 12 | | White circular tower with red top. | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| 9705 | Grande Pointe Lighted Buoy 27 | 42-35-42.594N 082-32-43.503W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 21 to Apr. 1. |
| 9710 | Russell Island Lighted Buoy 29 | 42-36-20.324N 082-31-41.563W | FI G 4s | | 4 | Green. | Year round lighted buoy . |
| South Channel | | | | | | | |
| 9715 | Walpole Island Lighted Buoy A30 (C) | 42-36-12.000N 082-31-30.000W | FI R 4s | | | Red. | Seasonal. |
| 9720 | Walpole Island Light (C) | 42-36-18.000N 082-31-24.000W | F R | 30 9 | 10 | White circular tower with red top. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. CLAIR RIVER | | | | | | | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| 9725 | RUSSELL ISLAND LIGHT | 42-36-20.788N 082-31-45.229W | F W (G sector) | 33 10 | W 10 G 8 | SG on post. | Green from 237° to 057°. |
| South Channel | | | | | | | |
| 9730 | Walpole Island Lower Light A32 (C) | 42-36-42.000N 082-31-06.000W | Iso R 4s | 18 5 | 12 | White square tower with red top. | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| 9735 | RUSSELL ISLAND LIGHT 33 | 42-36-48.673N 082-31-17.726W | FI G 2.5s | 26 8 | 7 | SG on post. | |
| South Channel | | | | | | | |
| 9740 | WALPOLE ISLAND FERRY BREAKWATER LIGHT (C) | 42-36-54.000N 082-30-54.000W | FI R 4s | 11 3 | | On pile dolphin. | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| 9745 | <i>Russell Island Shoal Lighted Buoy RI</i> | 42-37-20.353N 082-31-03.364W | FI (2+1)G 6s | | 4 | Green and red bands. | Replaced by can f from Dec. 21 to Apr. 1. AIS MMSI: 993672214 |
| South Channel | | | | | | | |
| 9750 | WALPOLE ISLAND UPPER LIGHT A34 (C) | 42-37-18.000N 082-30-42.000W | FI R 4s | 23 7 | | White square tower with red top. | |
| St. Clair River | | | | | | | |
| 9755 | <i>Chenal Ecarte Shoal Lighted Buoy A36 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 9760 | CHENAL ECARTE RANGE FRONT LIGHT (C) | 42-38-12.000N 082-30-06.000W | F R | 17 5 | | Orange triangular day mark with black stripe on circular tower. | Visible on range line only. Seasonal. |
| 9765 | CHENAL ECARTE RANGE REAR LIGHT (C) 200 feet, 138.3° from front light. | | F R | 37 11 | | Orange triangular day mark with black stripe on circular tower. | Visible on range line only. Seasonal. |
| 9770 | WILLOW POINT LIGHT | 42-38-38.524N 082-30-45.743W | F G | 31 9 | 8 | SG on post. | |
| 9775 | <i>Roberts Landing Lighted Buoy 37</i> | 42-39-47.171N 082-30-48.227W | FI G 4s | | 4 | Green. | Maintained f from Apr. 1 to Dec. 21. |
| 9780 | <i>Fawn Island Lighted Buoy 38</i> Marks south side of shoal. | 42-40-55.921N 082-30-11.671W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. AIS MMSI: 993672234 |
| Marine City | | | | | | | |
| 9785 | - SALT DOCK LIGHT | 42-41-16.734N 082-30-20.569W | F G | 28 9 | 8 | SG on post. | |
| 9790 | - <i>Shoal Lighted Buoy 40</i> | 42-42-03.721N 082-29-44.873W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. AIS MMSI: 993672235 |
| Marine City Channel <i>Buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 9795 | - Buoy 1 | 42-42-06.000N 082-30-03.200W | | | | Green can. | Private aid. |
| 9800 | - Buoy 2 | 42-42-07.000N 082-30-01.000W | | | | Red nun. | Private aid. |
| 9805 | - Buoy 3 | 42-42-07.000N 082-30-03.000W | | | | Green can. | Private aid. |
| 9810 | - Buoy 4 | 42-42-08.000N 082-30-01.900W | | | | Red nun. | Private aid. |
| 9815 | - Buoy 5 | 42-42-07.500N 082-30-03.600W | | | | Green can. | Private aid. |
| 9820 | - Buoy 6 | 42-42-08.200N 082-30-02.500W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--------------------------------------|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| ST. CLAIR RIVER | | | | | | | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| St. Clair River | | | | | | | |
| 9825 | <i>Fawn Island Upper End Lighted Buoy 42</i> | 42-43-12.220N 082-29-05.174W | Q R | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. |
| 9833 | <i>Lighted Buoy A 42/2 (C)</i> | 42-44-05.000N 082-28-47.000W | FI R 4s | | | Red. | Seasonal. |
| 9835 | KESSEL POINT LIGHT (C) | 42-45-06.000N 082-27-54.000W | F Y | 30 9 | 8 | Orange diamond day mark on white square skeleton mast. | |
| 9840 | RECORDS POINT DOCK LOWER LIGHT | 42-45-31.900N 082-28-20.700W | FI G 4s | 30 9 | | On white post. | Private aid. |
| 9845 | <i>Records Point Lighted Buoy A44 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 9850 | RECORDS POINT DOCK UPPER LIGHT | 42-45-53.200N 082-28-13.400W | Iso G 2s | 30 9 | | On white post. | Private aid. |
| 9855 | BOWENS CREEK DIRECTIONAL LIGHT (C) | 42-46-12.000N 082-27-48.000W | F Y | 28 9 | | White circular tower with red top. | Higher intensity beam on bearings 022° and 159°. |
| 9860 | HARTS LANDING LIGHT | 42-47-02.750N 082-28-27.240W | FI G 6s | 26 8 | 8 | SG on dolphin. | |
| 9865 | <i>Harts Landing Lighted Buoy A46 (C)</i> | 42-47-18.000N 082-28-18.000W | FI R 4s | | | Red. | Seasonal. |
| 9870 | COURTRIGHT LIGHT (C) | 42-48-24.000N 082-28-42.000W | F Y | 20 6 | 7 | White skeleton tower on dolphin. | |
| 9875 | <i>St. Clair Middle Ground Lighted Buoy 48</i> | 42-48-51.216N 082-28-51.485W | Q R | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. |
| 9880 | <i>St. Clair Middle Ground Lighted Buoy 50</i> | 42-49-25.215N 082-28-53.486W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. |
| 9885 | <i>St. Clair Middle Ground Lighted Buoy 52</i> | 42-49-40.015N 082-28-49.486W | Q R | | 4 | Red. | Year round lighted buoy. AIS MMSI: 993672215 |
| 9890 | MOORETOWN LIGHT (C) | 42-50-24.000N 082-28-06.000W | FI Y 4s | 30 9 | 8 | White circular tower with red top. | |
| 9895 | <i>St. Clair Middle Ground Lighted Buoy A54 (C)</i> | | Q R | | | Red. | Seasonal. |
| 9900 | <i>Stag Island Lower Lighted Buoy 55</i> | 42-51-10.619N 082-28-17.087W | FI G 4s | | 4 | Green. | Maintained f from Apr. 1 to Dec. 21. |
| 9905 | <i>Stag Island Shoal Lower Junction Lighted Buoy AMB (C)</i> | | FI (2+1) R 6s | | | Red with green band. | Seasonal. |
| 9910 | STAG ISLAND SHOAL LIGHT (C) Marks south side of shoal. | 42-51-54.000N 082-28-00.000W | FI W 4s | 22 7 | 4 | White circular tower. | |
| 9925 | STAG ISLAND MIDDLE LIGHT | 42-53-09.403N 082-28-30.960W | Oc G 4s | 16 5 | 8 | SG on skeleton tower. | Higher intensity beam upstream. |
| 9930 | <i>Stag Island Shoal Lighted Buoy 56</i> | 42-52-20.109N 082-28-13.290W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. |
| 9935 | <i>Stag Island Lighted Buoy 58</i> | 42-53-19.912N 082-28-13.991W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. AIS MMSI: 993672216 |
| 9940 | <i>Stag Island North Cardinal Lighted Buoy Am (C)</i> | | Q W | | | Black and yellow. | Spar; winter marker. Seasonal. |
| 9945 | STAG ISLAND UPPER LIGHT | 42-54-25.122N 082-27-57.652W | FI G 2.5s | 26 8 | 5 | SG on post. | Higher intensity beam up and downstream. |
| 9950 | <i>Lighted Buoy A60 (C)</i> | 42-55-13.000N 082-27-23.000W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| ST. CLAIR RIVER | | | | | | | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| St. Clair River | | | | | | | |
| 9955 | <i>Stag Island North End Lighted Buoy AM3 (C)</i> | 42-53-42.000N 082-27-36.000W | FI G 4s | | | Green. | Spar; winter marker. Seasonal. |
| 9965 | BLACK RIVER ENTRANCE LIGHT 1 | 42-58-21.300N 082-25-09.600W | FI G 4s | 29 9 | 3 | SG on pile. | |
| 9970 | <i>Sarnia Breakwater Junction Lighted Buoy AHB (C)</i> | | FI (2+1) R 6s | | | Red with green band. | Spar; winter marker. Seasonal. |
| 9975 | <i>Point Edward Lighted Buoy A66 (C)</i> | 42-59-18.000N 082-25-18.000W | FI R 4s | | | Red. | Seasonal. |
| 9980 | <i>Point Edward Lighted Buoy A68 (C)</i> | 42-59-36.000N 082-25-24.000W | Q R | | | Red. | Spar; winter marker. Seasonal. |
| 9990 | FORT GRATIOT RANGE FRONT LIGHT | 42-59-36.155N 082-25-38.430W | F G | 41 13 | | KRW with 12 foot vertical bar light on brown cylindrical tower. | Port Huron-Sarnia Bridge center span lights (Oc G) are on Fort Gratiot range line. Lighted throughout 24 hours. |
| 9995 | FORT GRATIOT RANGE FRONT PASSING LIGHT | 42-59-36.155N 082-25-38.430W | F G | 44 13 | 9 | On same structure as Fort Gratiot Range Front Light. | |
| 10000 | FORT GRATIOT RANGE REAR LIGHT 460 feet, 207.6° from front light. | 42-59-32.129N 082-25-41.300W | F G | 52 16 | | KRW with 12 foot vertical bar light on brown octagonal tower. | Port Huron-Sarnia Bridge center span lights (Oc G) are on Fort Gratiot range line. Lighted throughout 24 hours. |
| LAKE HURON | | | | | | | |
| LAKE HURON (Chart 14860) | | | | | | | |
| 10010 | <i>NOAA Lighted Weather Buoy 45008</i> | 44-17-00.000N 082-24-59.000W | FI (4)Y 20s | | | Yellow disc-shaped hull. | Maintained from May. 14 to Nov 14. Aid maintained by National Oceanic and Atmospheric Administration. |
| PORT HURON TO PTE AUX BARQUES (Chart 14862) | | | | | | | |
| 10015 | Fort Gratiot Light | 43-00-22.596N 082-25-21.086W | FI G 6s | | 16 | White conical brick tower. | Station will give available information on fog conditions in upper river by radiotelephone when requested, (156.80 MHz). Lighted throughout 24 hours. |
| 10025 | POINT EDWARD RANGE FRONT LIGHT (C) | 43-00-12.000N 082-25-00.000W | F R | 42 13 | | Orange triangular day mark with black vertical stripe on white circular tower with red band at top. | RACON: M (- -) Visible from all points of approach. |
| 10030 | POINT EDWARD RANGE REAR LIGHT (C) 2,140 feet, 180.4° from front light. | | F R | 120 37 | | Orange triangular day mark, with black vertical stripe mounted on International Bridge. | Visible on range line only. |
| Lake Huron Cut | | | | | | | |
| <i>Lighted buoys maintained from Apr. 1 to Dec. 21 unless otherwise noted.</i> | | | | | | | |
| 10035 | - <i>Lighted Buoy 1</i> | 43-00-33.297N 082-25-04.173W | Q G | | 5 | Green. | Replaced by lighted ice buoy from Dec 21 to 01 April. AIS MMSI: 993672236 |
| 10040 | - <i>Lighted Buoy 2 (C)</i> | | Q R | | | Red. | Spar; winter marker. |
| 10045 | - <i>Lighted Buoy 3</i> | 43-01-47.116N 082-25-03.245W | FI G 4s | | 4 | Green. | |
| 10050 | - <i>Lighted Buoy 4</i> | 43-01-47.116N 082-24-52.764W | FI R 4s | | 4 | Red. | |
| 10055 | - <i>Lighted Buoy 5</i> | 43-02-40.436N 082-25-02.986W | FI G 4s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------|---|
| LAKE HURON | | | | | | | |
| PORT HURON TO PTE AUX BARQUES (Chart 14862) | | | | | | | |
| Lake Huron Cut | | | | | | | |
| <i>Lighted buoys maintained from Apr. 1 to Dec. 21 unless otherwise noted.</i> | | | | | | | |
| 10060 | - Lighted Buoy 6 | 43-02-40.496N 082-24-52.255W | FI R 4s | | 4 | Red. | |
| 10065 | - LIGHT 7 | 43-03-34.838N 082-25-03.981W | Q G | 47 14 | 10 | SG on cylindrical tower. | |
| 10070 | - Lighted Buoy 8 | 43-03-34.801N 082-24-51.210W | Q R | | 4 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. |
| 10075 | - Lighted Buoy 9 | 43-04-26.145N 082-24-55.977W | FI G 4s | | 4 | Green. | |
| 10080 | - Lighted Buoy 10 | 43-04-25.465N 082-24-45.157W | FI R 4s | | 4 | Red. | |
| 10085 | - Lighted Buoy 11 | 43-05-28.404N 082-24-47.661W | FI G 4s | | 5 | Green. | Replaced by lighted ice buoy f from 21 Dec to 01 Apr. AIS MMSI: 993672217 |
| 10090 | - Lighted Buoy 12 | 43-05-27.934N 082-24-37.127W | FI R 4s | | 5 | Red. | Replaced by nun f from Dec. 21 to Apr. 1. AIS MMSI: 993672218 |
| Lexington Harbor | | | | | | | |
| 10095 | - EAST BREAKWATER LIGHT 2 | 43-15-59.800N 082-31-22.230W | FI R 2.5s | 29 9 | 5 | TR on post. | |
| 10100 | - WEST BREAKWATER LIGHT 3 | 43-16-02.820N 082-31-24.750W | FI G 4s | 25 8 | 4 | SG on post. | |
| Port Sanilac | | | | | | | |
| 10115 | - Light | 43-25-44.430N 082-32-24.710W | FI W 2.5s | 69 21 | 14 | White octagonal tower. 69 | |
| 10120 | - NORTH BREAKWATER LIGHT 2 | 43-25-48.990N 082-32-05.300W | FI R 4s | 35 11 | 7 | TR on pile. | |
| 10125 | - SOUTH BREAKWATER LIGHT 3 | 43-25-51.700N 082-32-08.980W | FI G 4s | 29 9 | 5 | SG on pile. | |
| Wagener County Park | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 10126 | - Buoy 1 | 43-46-12.000N 082-36-54.000W | | | | Green can. | Private aid. |
| 10126.5 | - Buoy 2 | 43-46-12.000N 082-36-54.000W | | | | Red nun. | Private aid. |
| 10127 | - Buoy 3 | 43-46-12.000N 082-36-54.000W | | | | Green can. | Private aid. |
| 10127.5 | - Buoy 4 | 43-46-12.000N 082-36-54.000W | | | | Red nun. | Private aid. |
| 10128 | - Buoy 5 | 43-46-12.000N 082-36-54.000W | | | | Green can. | Private aid. |
| 10128.5 | - Buoy 6 | 43-46-12.000N 082-36-54.000W | | | | Red nun. | Private aid. |
| 10129 | White Rock Shoal Lighted Buoy 3 | 43-43-59.000N 082-35-19.000W | FI G 4s | | 4 | Green. | Maintained f from May 1 to Nov. 1. |
| Harbor Beach | | | | | | | |
| 10130 | - LIGHT "2" | 43-50-44.196N 082-37-52.086W | FI R 6s | 20 6 | 8 | TR on navigation pole | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 10133 | - LIGHT | 43-50-44.299N 082-37-53.102W | FI W 6s | 54 16 | | | Private aid. |
| 10140 | - South Pier Light 1 | 43-50-37.701N 082-37-51.970W | FI G 4s | 27 8 | 11 | SG on post. | |
| 10145 | - Buoy 3 | 43-50-38.745N 082-38-05.386W | | | | Green can. | Maintained f from 21 Apr to 01 Nov |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|----------------------------------|---------------------------------|--|---------------|--------------|---|------------------------------------|
| LAKE HURON | | | | | | | |
| PORT HURON TO PTE AUX BARQUES (Chart 14862) | | | | | | | |
| Harbor Beach | | | | | | | |
| 10150 | - Lighted Buoy 4 | 43-50-43.714N 082-37-54.349W | FI R 2.5s | | 4 | Red nun. | Maintained from 21 Apr to 01 Nov |
| 10155 | - Buoy 5 | 43-51-00.370N 082-38-15.031W | | | | Green can. | Maintained from 21 Apr to 01 Nov |
| 10161 | - Buoy 7 | 43-51-12.685N 082-38-27.708W | | | | Green can. | Maintained 21 Apr. to 01 Nov. |
| 10162 | - Buoy 9 | 43-51-18.242N 082-38-37.236W | | | | Green can. | Maintained 21 Apr. to 01 Nov |
| Offshore Marine | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 10165 | - Buoy 1 | 43-50-56.100N 082-38-36.800W | | | | Green spar. | Private aid. |
| 10170 | - Buoy 2 | 43-50-59.000N 082-32-55.000W | | | | Red spar. | Private aid. |
| 10175 | - Buoy 3 | 43-50-56.100N 082-38-39.800W | | | | Green spar. | Private aid. |
| 10180 | - Buoy 4 | 43-50-56.100N 082-38-58.000W | | | | Red spar. | Private aid. |
| 10185 | - Buoy 5 | 43-50-56.100N 082-38-42.200W | | | | Green spar. | Private aid. |
| 10190 | - Buoy 6 | | | | | Red spar. | Private aid. |
| Stafford County Park | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 10202.1 | - Buoy 1 | 43-56-36.000N 082-42-24.000W | | | | Green can. | Private aid. |
| 10202.2 | - Buoy 2 | 43-56-36.000N 082-42-24.000W | | | | Red nun. | Private aid. |
| 10202.3 | - Buoy 3 | 43-56-36.000N 082-42-24.000W | | | | Green can. | Private aid. |
| 10202.4 | - Buoy 4 | 43-56-36.000N 082-42-24.000W | | | | Red nun. | Private aid. |
| 10202.5 | - Buoy 5 | 43-56-36.000N 082-42-24.000W | | | | Green can. | Private aid. |
| 10202.6 | - Buoy 6 | 43-56-36.000N 082-42-24.000W | | | | Red nun. | Private aid. |
| Harbor Beach | | | | | | | |
| 10205 | Point Aux Barques Lighted Buoy 1 | 44-02-32.504N 082-45-19.687W | FI G 4s | | 4 | Green. | Maintained from Apr. 28 to Nov 14. |
| 10210 | Point Aux Barques Light | 44-01-22.208N 082-47-35.728W | FI (2)W 20s 0.2s fl 4.8s ec. 0.2s fl 14.8s ec. | 93 28 | 16 | White conical tower with dwelling attached. 93 | |
| Lighthouse County Park | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 10211 | - Buoy 1 | 44-01-00.000N 082-47-12.000W | | | | Green can. | Private aid. |
| 10212 | - Buoy 2 | 44-01-00.000N 082-47-12.000W | | | | Red nun. | Private aid. |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Grindstone Channel | | | | | | | |
| <i>Entrance buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 10215 | - Entrance Buoy 1 | 44-03-30.000N 082-53-30.000W | | | | Green can. | Private aid. |
| 10220 | - Entrance Buoy 2 | 44-03-49.000N 082-53-46.000W | | | | Red nun. | Private aid. |
| 10225 | - Entrance Buoy 3 | 44-03-42.000N 082-53-48.000W | | | | Green can. | Private aid. |
| 10230 | - Entrance Buoy 4 | 44-03-42.000N 082-53-48.000W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE HURON | | | | | | | |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Grindstone Channel | | | | | | | |
| <i>Entrance buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 10235 | - Entrance Buoy 5 | 44-03-39.000N 082-53-50.000W | | | | Green can. | Private aid. |
| 10240 | - Entrance Buoy 6 | 44-03-40.000N 082-53-51.000W | | | | Red nun. | Private aid. |
| 10245 | - Entrance Buoy 7 | 44-03-39.000N 082-53-53.000W | | | | Green can. | Private aid. |
| 10250 | - Entrance Buoy 8 | 44-03-38.000N 082-53-54.000W | | | | Red nun. | Private aid. |
| 10255 | - Entrance Buoy 9 | 44-03-38.000N 082-53-56.000W | | | | Green can. | Private aid. |
| 10260 | - Entrance Buoy 10 | 44-03-37.000N 082-53-58.000W | | | | Red nun. | Private aid. |
| 10265 | - Entrance Buoy 11 | 44-03-37.000N 082-53-59.000W | | | | Green can. | Private aid. |
| 10270 | - Entrance Buoy 12 | 44-03-36.000N 082-53-59.000W | | | | Red nun. | Private aid. |
| 10271 | - Entrance Buoy 13 | 44-03-22.200N 082-53-34.800W | | | | Green can. | Private aid. |
| 10272 | - Entrance Buoy 14 | 44-03-22.800N 082-53-35.400W | | | | Red nun. | Private aid. |
| 10273 | - Entrance Buoy 15 | 44-03-20.400N 082-53-37.200W | | | | Green can. | Private aid. |
| 10274 | - Entrance Buoy 16 | 44-03-21.000N 082-53-37.800W | | | | Red nun. | Private aid. |
| Port Austin | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 10275 | - REEF LIGHT | 44-04-55.300N 082-58-56.615W | FI W 6s | 76 23 | 8 | Buff square tower with house attached. | |
| 10280 | - Shoal Buoy 1 Marks north side of shoal. | 44-05-48.035N 082-59-35.182W | | | | Green can. | Maintained from May 1 to Nov 14. |
| 10285 | - Buoy 3 | 44-03-33.729N 082-59-36.620W | | | | Green can. | |
| 10290 | - BREAKWATER LIGHT 4 | 44-03-11.450N 082-59-36.900W | FI R 2.5s | 24 7 | 4 | TR on pile. | |
| 10295 | - LIGHT 5 | 44-03-13.700N 082-59-37.000W | FI G 2.5s | 25 8 | 6 | SG on post. | |
| 10300 | - Buoy 5A | 44-03-09.426N 082-59-30.282W | | | | Green can. | |
| 10305 | - Buoy 6 | 44-03-04.798N 082-59-38.553W | | | | Red nun. | |
| 10310 | - Buoy 7 | 44-02-59.216N 082-59-36.517W | | | | Green can. | |
| 10315 | - Channel Buoy 1 | 44-02-54.000N 082-59-40.000W | | | | On black spar. | Maintained from Jun. 1 to Sep. 1. Private aid. |
| 10320 | - Channel Buoy 2 | 44-03-01.000N 082-59-40.000W | | | | On red spar. | Maintained from Jun. 1 to Sep. 1 Private aid. |
| 10325 | - Channel Buoy 4 | 44-02-58.000N 082-59-43.000W | | | | On red spar. | Maintained from Jun. 1 to Sep. 1. Private aid. |
| 10330 | - Channel Buoy 6 | 44-02-56.000N 082-59-43.000W | | | | On red spar. | Maintained from Jun. 1 to Sep. 1 Private aid. |
| Caseville Harbor | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 10345 | - LIGHT 1 | 43-56-52.600N 083-17-09.800W | FI G 2.5s | 27 8 | 5 | SG on post. | |
| 10350 | - RANGE FRONT LIGHT | 43-56-43.100N 083-16-43.400W | F R | 25 8 | | On red pile. | Maintained from Apr. 1 to Nov. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE HURON | | | | | | | |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Caseville Harbor | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 10355 | - RANGE REAR LIGHT 330 feet, 113.5° from front light. | 43-56-42.000N 083-16-39.900W | F R | 30 9 | | On red pile. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 10365 | - Buoy 2 | 43-56-51.540N 083-17-10.560W | | | | Red nun. | |
| 10370 | - Buoy 4 | 43-56-48.334N 083-16-59.748W | | | | Red nun. | |
| 10372 | - Buoy 6 | 43-56-47.005N 083-16-55.381W | | | | Red nun. | |
| 10373 | - LIGHT | 43-56-36.500N 083-16-22.000W | FI W 10s | 65 20 | | Square white tower with red roofed cupola. | Private aid. |
| 10375 | Sand Point Midchannel Buoy S | 43-55-54.960N 083-24-45.660W | | | | Red and white stripes; spherical. | |
| 10380 | <i>Wildfowl Bay Channel Lighted Buoy 1</i> | 43-52-42.000N 083-21-24.000W | Q G | | | Green. | Maintained from May 15 to Oct. 15. Private aid. |
| 10385 | <i>Wildfowl Bay Channel Lighted Buoy 2</i> | 43-52-42.000N 083-21-24.200W | Q R | | | Red. | Maintained from May 15 to Oct 15. Private aid. |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| 10390 | <i>Sebewaing Harbor Channel Lighted Buoy 1</i> | 43-45-08.874N 083-31-15.652W | FI G 2.5s | | | Green. | Maintained from Apr. 21 to Nov. 15. |
| 10395 | <i>Sebewaing Harbor Channel Lighted Buoy 2</i> | 43-45-07.554N 083-31-16.386W | FI R 2.5s | | | Red. | Maintained from Apr. 21 to Nov. 15. |
| 10400 | <i>Sebewaing Channel Lighted Buoy 3</i> | 43-44-58.542N 083-30-37.698W | FI G 4s | | 4 | Green | Maintained from Apr. 21 to Nov. 15. |
| 10405 | <i>Sebewaing Channel Lighted Buoy 4</i> | 43-44-57.450N 083-30-38.886W | FI R 4s | | 4 | Red | Maintained from Apr. 21 to Nov. 15. |
| 10410 | <i>Sebewaing Channel Lighted Buoy 5</i> | 43-44-48.246N 083-30-00.456W | FI G 6s | | 4 | Green | Maintained from Apr. 21 to Nov. 15. |
| 10415 | <i>Sebewaing Channel Lighted Buoy 6</i> | 43-44-47.346N 083-30-01.128W | FI R 6s | | 4 | Red | Maintained from Apr. 21 to Nov. 15. |
| 10420 | <i>Sebewaing Channel Lighted Buoy 7</i> | 43-44-37.212N 083-29-20.652W | FI G 4s | | 4 | Green | Maintained from Apr. 21 to Nov. 15. |
| 10425 | <i>Sebewaing Channel Lighted Buoy 8</i> | 43-44-36.606N 083-29-21.204W | FI R 4s | | 4 | Red | Maintained from Apr. 21 to Nov. 15. |
| 10470 | SEBEWAING YACHT CLUB SOUTH LIGHT | 43-44-12.000N 083-27-48.000W | F R | 24 7 | | On pile. | Maintained from Mar. 15 to Oct. 15. Private aid. |
| 10475 | SEBEWAING YACHT CLUB NORTH LIGHT | 43-44-23.000N 083-27-08.000W | F G | 24 7 | | On pile. | Maintained from Mar. 15 to Oct. 15. Private aid. |
| 10480 | OAKHURST PARK MARINA RANGE FRONT LIGHT | 43-37-45.100N 083-37-08.000W | F G | 17 5 | | Orange triangle on post. | Maintained from May 1 to Oct. 31. Private aid. |
| 10485 | OAKHURST PARK MARINA RANGE REAR LIGHT 100 feet, 143.5° from front light. | 43-37-44.900N 083-37-07.800W | F G | 37 11 | | Orange and white triangle on tower. | Maintained from May 1 to Oct. 31. Private aid. |
| Quincassee River | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 10490 | - Buoy 1 | 43-35-46.000N 083-40-32.400W | | | | Green can. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|--------------------------------|----------------------|--------------|--|--|
| LAKE HURON | | | | | | | |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Quincassee River | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 10495 | - Buoy 2 | 43-35-46.000N 083-40-32.400W | | | | Red nun. | Private aid. |
| 10500 | - Buoy 3 | 43-35-41.000N 083-40-36.000W | | | | Green can. | Private aid. |
| 10505 | - Buoy 4 | 43-35-41.000N 083-40-36.000W | | | | Red nun. | Private aid. |
| 10510 | - Buoy 5 | 43-35-34.000N 083-40-40.000W | | | | Green can. | Private aid. |
| 10515 | - Buoy 6 | 43-35-34.000N 083-40-40.000W | | | | Red nun. | Private aid. |
| 10520 | - Buoy 7 | 43-35-22.000N 083-40-46.000W | | | | Green can. | Private aid. |
| 10525 | - Buoy 8 | 43-35-22.000N 083-40-46.000W | | | | Red nun. | Private aid. |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| 10530 | <i>Charity Island Shoal Lighted Bell Buoy 1</i> | 44-06-30.156N 083-29-46.172W | Q G | | 5 | Green. | Replaced by can f from Dec. 7 to Apr. 28. AIS MMSI: 993672219 |
| 10535 | <i>Charity Island Shoal Lighted Buoy 3</i> Marks west side of shoal. | 44-03-25.005N 083-30-43.833W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 28. AIS MMSI: 993672220 |
| 10540 | Gravelly Shoal Light | 44-01-11.425N 083-32-18.218W | FI R 6s | 75 23 | 10 | White square tower on cylindrical base. 75 | HORN: 1 blast ev 30s (3s bl). Operates continuously. |
| SAGINAW RIVER (Chart 14867) | | | | | | | |
| Saginaw Bay Channel | | | | | | | |
| 10550 | - RANGE FRONT LIGHT | 43-38-54.324N 083-51-05.673W | F R (NIGHT) F R (DAY) | 70 21 66 20 | | On skeleton tower. | Lighted throughout 24 hours. |
| 10555 | SAGINAW BAY RANGE FRONT PASSING LIGHT | 43-38-54.324N 083-51-05.673W | F R | 66 20 | 8 | On same structure as Saginaw Bay Channel Range Front Light. | |
| 10560 | - RANGE REAR LIGHT 8,708 feet, 211.2° f rom front light. | 43-37-40.758N 083-52-07.018W | F G | 159 48 | | On skeleton tower. | Lighted throughout 24 hours. |
| 10570 | - Light 1 | 43-48-21.049N 083-43-07.826W | FI G 6s | 50 15 | 10 | White cylindrical tower with green band in middle. 50 | |
| 10575 | - <i>Lighted Buoy 2</i> | 43-48-23.127N 083-43-12.997W | FI R 2.5s | | 4 | Red. | Nun; winter marker. Maintained from Apr. 21 to Dec. 7. |
| 10590 | - Buoy 3 | 43-47-27.034N 083-43-53.880W | | | | Green can. | |
| 10595 | - Buoy 4 | 43-47-29.000N 083-43-58.000W | | | | Red nun. | |
| 10600 | - <i>Lighted Buoy 5</i> | 43-46-34.300N 083-44-38.500W | FI G 4s | | 4 | Green. | Can; winter marker. Maintained from Apr. 21 to Dec. 7. AIS MMSI: 993672221 |
| 10605 | - <i>Lighted Buoy 6</i> | 43-46-35.661N 083-44-42.582W | FI R 4s | | 4 | Red. | Nun; winter marker. Maintained from Apr. 21 to Dec. 7. AIS MMSI: 993672222 |
| 10610 | - Buoy 7 | 43-45-41.000N 083-45-23.200W | | | | Green can. | |
| 10615 | - Buoy 8 | 43-45-43.480N 083-45-26.905W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------------------------------|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE HURON | | | | | | | |
| SAGINAW RIVER (Chart 14867) | | | | | | | |
| Saginaw Bay Channel | | | | | | | |
| 10620 | - Lighted Buoy 9 | 43-44-48.183N 083-46-06.982W | FI G 4s | | 4 | Green. | Can; winter marker. Maintained from Apr. 21 to Dec. 7. |
| 10625 | - Lighted Buoy 10 | 43-44-50.000N 083-46-12.000W | FI R 4s | | 4 | Red. | Nun; winter marker. Maintained from Apr. 21 to Dec. 7. |
| 10640 | - Lighted Buoy 11 | 43-43-54.183N 083-46-51.978W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 07 to Apr. 21. |
| 10644 | - LIGHT 12 | 43-43-56.354N 083-46-56.919W | FI R 2.5s | 20 6 | 6 | White cylindrical tower with red stripe in middle. Green can. | |
| 10650 | - Buoy 13 | 43-42-59.809N 083-47-38.274W | | | | Red nun. | |
| 10655 | - Buoy 14 | 43-43-02.000N 083-47-42.200W | | | | Red nun. | |
| 10660 | - Lighted Buoy 15 | 43-42-07.000N 083-48-22.300W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 07 to Apr. 21. AIS MMSI: 993672223 |
| 10665 | - Lighted Buoy 16 | 43-42-08.700N 083-48-27.000W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 07 to Apr. 21. AIS MMSI: 993672224 |
| 10670 | - Buoy 17 | 43-41-13.000N 083-49-07.500W | | | | Green can. | |
| 10675 | - Buoy 18 | 43-41-15.000N 083-49-11.500W | | | | Red nun. | |
| 10680 | - Lighted Buoy 19 | 43-40-21.975N 083-49-49.739W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 07 to Apr. 21. |
| 10685 | - Lighted Buoy 20 | 43-40-24.031N 083-49-53.846W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 07 to Apr. 21. |
| 10690 | - OBSTRUCTION LIGHT A | 43-40-16.200N 083-49-53.300W | Q W | 21 6 | | On dolphin. | Maintained from Apr. 15 to Dec. 15. Maintained by ACOE. Private aid. |
| 10695 | - OBSTRUCTION LIGHT B | 43-40-14.600N 083-49-54.600W | Q W | 21 6 | | On dolphin. | Maintained from Apr. 15 to Dec. 15. Maintained by ACOE. Private aid. |
| 10710 | - Lighted Buoy 21 | 43-39-38.567N 083-50-25.985W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 01 to Apr. 21. |
| 10715 | - Lighted Buoy 22 | 43-39-40.358N 083-50-30.056W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Dec. 01 to Apr. 21. |
| 10720 | - Lighted Buoy 23 | 43-39-08.890N 083-50-50.750W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 01 to Apr. 21. |
| 10725 | - Lighted Buoy 24 | 43-39-09.290N 083-50-55.702W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Dec. 01 to Apr. 21. |
| 10730 | - LIGHT 26 | 43-39-02.024N 083-50-59.345W | Q R | 23 7 | 6 | TR on pile. | |
| 10735 | - Lighted Buoy 25 | 43-38-58.700N 083-50-54.454W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 01 to Apr. 21. |
| 10740 | - Lighted Buoy 28 | 43-38-46.147N 083-50-58.249W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Dec. 01 to Apr. 21. |
| 10745 | Bay City Yacht Club North Basin Buoy 1 | 43-38-36.960N 083-51-00.540W | | | | Green can. | Maintained from May 1 to Oct. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------------|---|
| LAKE HURON | | | | | | | |
| SAGINAW RIVER (Chart 14867) | | | | | | | |
| Saginaw Bay Channel | | | | | | | |
| 10746 | Bay City Yacht Club Noth Basin Buoy 2 | 43-38-37.320N 083-51-00.600W | | | | Red nun. | Maintained from May 1 to Oct. 15. Private aid. |
| 10747 | Bay City Yacht Club North Basin Buoy 3 | 43-38-36.720N 083-51-02.340W | | | | Green can. | Maintained from May 1 to Oct. 15. Private aid. |
| 10748 | Bay City Yacht Club North Basin Buoy 4 | 43-38-37.080N 083-51-02.400W | | | | Red nun. | Maintained from May 1 to Oct. 15. Private aid. |
| 10749 | Bay City Yacht Club North Basin Buoy 5 | 43-38-36.480N 083-51-04.140W | | | | Green can. | Maintained from May 1 to Oct. 15. Private aid. |
| 10750 | Bay City Yacht Club North Basin Buoy 6 | 43-38-36.840N 083-51-04.200W | | | | Red nun. | Maintained from May 1 to Oct. 15. Private aid. |
| 10751 | Bay City Yacht Club South Basin Buoy 1 | 43-38-29.400N 083-51-00.180W | | | | Green can. | Maintained from May 1 to Oct. 15. Private aid. |
| 10752 | Bay City Yacht Club South Basin Buoy 2 | 43-38-30.000N 083-51-00.540W | | | | Red nun. | Maintained from May 1 to Oct. 15. Private aid. |
| 10753 | Bay City Yacht Club South Basin Buoy 3 | 43-38-29.100N 083-51-01.080W | | | | Green can. | Maintained from May 1 to Oct. 15. Private aid. |
| 10754 | Bay City Yacht Club South Basin Buoy 4 | 43-38-29.700N 083-51-01.440W | | | | Red nun. | Maintained from May 1 to Oct. 15. Private aid. |
| Saginaw River | | | | | | | |
| <i>Lighted buoys maintained from Apr. 21 to Dec. 01.</i> | | | | | | | |
| 10755 | - Buoy 2 | 43-38-31.425N 083-50-55.659W | | | | Red nun. | |
| 10760 | ESSEXVILLE RANGE FRONT LIGHT | 43-37-21.712N 083-50-19.204W | F G | 38 12 | | KRW on skeleton tower. | Visible 4° each side of range line. |
| 10765 | ESSEXVILLE RANGE REAR LIGHT 1,099 feet, 160.1° f from front light. | 43-37-11.502N 083-50-14.129W | F G | 53 16 | | KRW on skeleton tower. | Visible 4° each side of range line. |
| 10770 | - Lighted Buoy 3 | 43-38-14.023N 083-50-44.040W | FI G 4s | | 4 | Green. | Can; winter marker. |
| 10775 | - Lighted Buoy 4 | 43-38-13.347N 083-50-46.595W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10780 | - Buoy 5 | 43-37-53.147N 083-50-33.561W | | | | Green can. | |
| 10785 | - Buoy 6 | 43-37-52.497N 083-50-36.029W | | | | Red nun. | |
| 10790 | - Lighted Buoy 7 | 43-37-37.084N 083-50-25.525W | FI G 4s | | 4 | Green. | Can; winter marker |
| 10795 | - Lighted Buoy 8 | 43-37-36.768N 083-50-28.260W | FI R 4s | | 4 | Red. | Nun; winter marker |
| 10800 | - Lighted Buoy 10 | 43-37-21.660N 083-50-28.940W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10805 | - Lighted Buoy 12 | 43-37-09.360N 083-50-36.100W | FI R 2.5s | | 4 | Red. | Nun; winter marker. |
| 10810 | - Buoy 14 | 43-37-04.262N 083-50-41.831W | | | | Red nun. | |
| 10815 | - Lighted Buoy 16 | 43-36-59.882N 083-50-50.854W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10817 | - Buoy 18 | 43-36-50.000N 083-51-13.800W | | | | Red nun. | |
| 10820 | - Buoy 19 | 43-36-44.701N 083-51-38.930W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---------------------|
| LAKE HURON | | | | | | | |
| SAGINAW RIVER (Chart 14867) | | | | | | | |
| Saginaw River | | | | | | | |
| <i>Lighted buoys maintained from Apr. 21 to Dec. 01.</i> | | | | | | | |
| 10825 | - Buoy 20 | 43-36-47.506N 083-51-39.091W | | | | Red nun. | |
| 10830 | - Buoy 21 | 43-36-43.768N 083-52-44.455W | | | | Green can. | |
| 10835 | - <i>Lighted Buoy 23</i> | 43-36-36.539N 083-53-03.953W | FI G 4s | | 4 | Green. | Can; winter marker. |
| 10840 | - Buoy 25 | 43-36-26.458N 083-53-16.618W | | | | Green can. | |
| 10845 | - Buoy 27 | 43-36-05.210N 083-53-29.069W | | | | Green can. | |
| 10850 | - <i>Lighted Buoy 28</i> | 43-35-20.738N 083-53-45.962W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10855 | - Buoy 30 | 43-34-17.382N 083-54-11.857W | | | | Red nun. | |
| 10860 | - <i>Lighted Buoy 31</i> | 43-34-04.656N 083-54-13.918W | FI G 4s | | 4 | Green. | Can; winter marker. |
| 10862 | - Buoy 33 | 43-33-41.100N 083-54-16.530W | | | | Green can. | |
| 10865 | - Buoy 35 | 43-33-12.960N 083-54-18.300W | | | | Green. | |
| 10870 | - Buoy 37 | 43-33-04.494N 083-54-16.441W | | | | Green can. | |
| 10875 | - <i>Lighted Buoy 36</i> | 43-33-12.926N 083-54-21.634W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10880 | - Buoy 39 | 43-32-51.878N 083-54-12.821W | | | | Green can. | |
| 10885 | - Buoy 40 | 43-32-52.031N 083-54-15.639W | | | | Red nun. | |
| 10890 | - Buoy 41 | 43-32-41.285N 083-54-09.782W | | | | Green can. | |
| 10895 | - Buoy 42 | 43-32-40.674N 083-54-12.381W | | | | Red nun. | |
| 10900 | - Buoy 43 | 43-32-31.578N 083-54-03.812W | | | | Green. | |
| 10905 | - <i>Lighted Buoy 44</i> | 43-32-29.945N 083-54-05.783W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10910 | - <i>Lighted Buoy 45</i> | 43-32-26.598N 083-53-54.593W | FI G 4s | | 4 | Green. | Can; winter marker. |
| 10915 | - Buoy 46 | 43-32-23.996N 083-53-56.734W | | | | Red nun. | |
| 10925 | - Buoy 47 | 43-32-20.579N 083-53-24.554W | | | | Green can. | |
| 10930 | - <i>Lighted Buoy 48</i> | 43-32-18.376N 083-53-26.847W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10935 | - Buoy 49 | 43-32-10.874N 083-53-10.701W | | | | Green can. | |
| 10940 | - <i>Lighted Buoy 50</i> | 43-32-09.637N 083-53-12.900W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10945 | - Buoy 52 | 43-31-56.434N 083-53-02.108W | | | | Red nun. | |
| 10950 | - Buoy 53 | 43-31-53.678N 083-52-56.712W | | | | Green can. | |
| 10955 | - <i>Lighted Buoy 54</i> | 43-31-49.713N 083-53-01.051W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10960 | - Buoy 55 | 43-31-48.000N 083-52-58.500W | | | | Green can. | |
| 10965 | - Buoy 56 | 43-31-27.436N 083-53-09.595W | | | | Red nun. | |
| 10970 | - <i>Lighted Buoy 57</i> | 43-31-28.000N 083-53-06.000W | FI G 4s | | 4 | Green. | Can; winter marker. |
| 10975 | - Buoy 59 | 43-31-12.896N 083-53-02.984W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|-----------------------------------|-----------------------|---------------|--------------|------------------|---------------------|
| LAKE HURON | | | | | | | |
| SAGINAW RIVER (Chart 14867) | | | | | | | |
| Saginaw River | | | | | | | |
| <i>Lighted buoys maintained from Apr. 21 to Dec. 01.</i> | | | | | | | |
| 10980 | - Buoy 60 | 43-31-12.384N 083-53-05.585W | | | | Red nun. | |
| 10985 | - Buoy 61 | 43-30-56.811N 083-52-58.671W | | | | Green can. | |
| 10990 | - <i>Lighted Buoy 62</i> | 43-30-58.454N 083-53-01.873W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10995 | - Buoy 63 | 43-30-49.987N 083-53-00.268W | | | | Green can. | |
| 11000 | - Buoy 64 | 43-30-50.591N 083-53-02.880W | | | | Red nun. | |
| 11005 | - Buoy 65 | 43-30-38.000N 083-53-08.000W | | | | Green can. | |
| 11010 | - Buoy 66 | 43-30-39.000N 083-53-11.000W | | | | Red nun. | |
| 11015 | - Buoy 67 | 43-30-23.977N 083-53-17.413W | | | | Green can. | |
| 11020 | - <i>Lighted Buoy 68</i> | 43-30-25.089N 083-53-19.689W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 11035 | - Buoy 69 | 43-30-05.800N 083-53-40.000W | | | | Green can. | |
| 11040 | - Buoy 70 | 43-30-07.500N 083-53-42.000W | | | | Red nun. | |
| 11045 | - <i>Lighted Buoy 71</i> | 43-29-48.198N 083-54-01.786W | FI G 4s | | 4 | Green. | Can; winter marker. |
| 11050 | - Buoy 72 | 43-29-49.414N 083-54-03.935W | | | | Red nun. | |
| 11055 | - Buoy 73 | 43-29-19.976N 083-54-27.561W | | | | Green can. | |
| 11060 | - Buoy 74 | 43-29-22.606N 083-54-28.566W | | | | Red nun. | |
| 11065 | - Buoy 76 | 43-28-32.378N 083-54-44.400W | | | | Red nun. | |
| 11070 | - Buoy 78 | 43-28-18.903N 083-54-36.322W | | | | Red nun. | |
| 11075 | - <i>Lighted Buoy 80</i> | 43-28-13.790N 083-54-35.302W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 11080 | - Buoy 82 | 43-27-44.154N 083-54-43.566W | | | | Red nun. | |
| 11082 | - <i>Lighted Buoy 84</i> | 43-27-30.200N 083-54-58.000W | FI R 2.5s | | 4 | | |
| 11085 | - Buoy 86 | 43-27-21.515N 083-55-21.774W | | | | Red nun. | |
| 11087 | - <i>Lighted Buoy 87</i> | 43-27-10.000 N 083-55-48.000 W | FI G 4s | | 4 | | |
| 11090 | - Buoy 88 | 43-27-00.901N 083-56-06.425W | | | | Red nun. | |
| 11095 | - Buoy 89 | 43-26-43.943N 083-56-12.299W | | | | Green can. | |
| Pinconning Park | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 11111 | - Buoy 1 | 43-50-51.000N 083-55-06.000W | | | | Green. | Private aid. |
| 11112 | - Buoy 2 | 43-50-51.000N 083-55-06.000W | | | | Red. | Private aid. |
| 11113 | - Buoy 3 | 43-50-51.000N 083-55-06.000W | | | | Green. | Private aid. |
| 11114 | - Buoy 4 | 43-50-51.000N 083-55-06.000W | | | | Red. | Private aid. |
| 11115 | - Buoy 5 | 43-50-51.000N 083-55-06.000W | | | | Green. | Private aid. |
| 11116 | - Buoy 6 | 43-50-51.000N 083-55-06.000W | | | | Red. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|----------------------------------|-------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE HURON | | | | | | | |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Au Gres Harbor | | | | | | | |
| 11140 | Point Au Gres Obstruction Buoy | 43-59-12.000N 083-40-36.000W | | | | White with orange bands and diamond worded DANGER SUBMERGED OBSTRUCTION, can. | Maintained from May 1 to Nov. 1. |
| 11145 | - Entrance Buoy 1 | 44-01-01.500N 083-39-45.600W | | | | Green can. | Maintained from May 1 to Nov. 1. |
| 11150 | - Entrance Buoy 2 | 44-01-04.920N 083-39-43.800W | | | | Red nun. | Maintained from May 1 to Nov. 1. |
| 11155 | - NORTH PIER LIGHT 4 | 44-01-11.990N 083-40-00.000W | FI R 2.5s | 26 8 | 6 | TR on white cylindrical tower with red band. | |
| 11160 | - SOUTH PIER LIGHT 3 | 44-01-10.880N 083-40-03.380W | FI G 4s | 30 9 | 7 | SG on post. | |
| 11165 | ALABASTER TRAMWAY RANGE FRONT LIGHT | 44-11-24.000N 083-31-54.000W | F R | | | Gray box. | Private aid. |
| 11170 | ALABASTER TRAMWAY RANGE REAR LIGHT | | F R | | | Gray box. | Private aid. |
| | 170 feet, 270° from front light. | | | | | | |
| 11170.1 | U.S. GYPSUM TRAMWAY LIGHT A | 44-11-19.000N 083-33-19.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.2 | U.S. GYPSUM TRAMWAY LIGHT B | 44-11-18.000N 083-33-09.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.3 | U.S. GYPSUM TRAMWAY LIGHT C | 44-11-16.000N 083-32-58.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.4 | U.S. GYPSUM TRAMWAY LIGHT D | 44-11-15.000N 083-32-49.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.5 | U.S. GYPSUM TRAMWAY LIGHT E | 44-11-14.000N 083-32-39.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.6 | U.S. GYPSUM TRAMWAY LIGHT F | 44-11-13.000N 083-32-29.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.7 | U.S. GYPSUM TRAMWAY LIGHT G | 44-11-11.000N 083-32-19.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.8 | U.S. GYPSUM TRAMWAY LIGHT H | 44-11-10.000N 083-32-09.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.9 | U.S. GYPSUM TRAMWAY LIGHT I | 44-11-09.000N 083-31-59.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11171 | U.S. GYPSUM TRAMWAY LIGHT J | 44-11-08.000N 083-37-56.000W | FI W 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11171.1 | U.S. GYPSUM TRAMWAY LIGHT K | 44-11-09.000N 083-31-56.000W | FI W 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11171.2 | U.S. GYPSUM TRAMWAY LIGHT L | 44-11-08.000N 083-31-54.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11171.3 | U.S. GYPSUM TRAMWAY LIGHT M | 44-11-09.000N 083-31-54.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---------------------------------|---|
| LAKE HURON | | | | | | | |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Au Gres Harbor | | | | | | | |
| 11171.4 | U.S. GYPSUM TRAMWAY LIGHT N | 44-11-07.000N 083-31-51.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11171.5 | U.S. GYPSUM TRAMWAY LIGHT O | 44-11-09.000N 083-31-51.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11171.6 | U.S. GYPSUM TRAMWAY LIGHT P | 44-11-24.000N 083-33-15.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11175 | <i>Northport Marina Entrance Lighted Buoy 1</i> | 44-02-43.800N 083-39-12.000W | FI G 2.5s | | | Green. | Maintained from May 1 to Oct. 31. Private aid. |
| 11180 | <i>Northport Marina Entrance Lighted Buoy 2</i> | 44-02-45.600N 083-39-06.000W | FI R 2.5s | | | Red. | Maintained from May 1 to Oct. 31. Private aid. |
| National Gypsum Company | | | | | | | |
| <i>Aids maintained from Apr. 1 to Dec. 30.</i> | | | | | | | |
| 11190 | - RANGE FRONT LIGHT | 44-14-15.500N 083-32-24.500W | F R | 46 14 | | On post. | Light operated only for vessel arrivals and departures. Private aid. |
| 11195 | - RANGE REAR LIGHT 1,400 feet, 293.5° from front light. | 44-14-21.200N 083-32-42.000W | F R | 78 24 | | On post. | Light operated only for vessel arrivals and departures. Private aid. |
| Tawas | | | | | | | |
| 11240 | - Light | 44-14-54.012N 083-27-32.947W | FI W 4s | 46 14 | 11 | Square skeleton tower. 46 | HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Fog signal operates by keying VHF FM Marine Radio channel 83A five times. |
| 11245 | - <i>Point Lighted Buoy 2</i> | 44-14-27.901N 083-28-15.333W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Dec. 1. |
| 11250 | - <i>Harbor Lighted Buoy 4</i> Marks northwest side of shoal. | 44-15-38.000N 083-27-59.100W | FI R 2.5s | | 4 | Red. | Maintained from Apr. 28 to Dec. 1. |
| 11255 | - <i>Harbor Lighted Buoy 6</i> | 44-15-54.000N 083-27-10.000W | FI R 4s | | 4 | Red. | Maintained from 28 April to 01 November |
| 11265 | - BAY YACHT CLUB RANGE FRONT LIGHT | 44-15-47.400N 083-26-59.000W | F R | 8 2 | | Red square day mark on pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 11270 | - BAY YACHT CLUB RANGE REAR LIGHT 150 feet, 165° from front light. | 44-15-00.770N 083-26-00.554W | F R | 12 4 | | Red square day mark on pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 11275 | JERRY'S MARINA RANGE FRONT LIGHT | 44-15-48.500N 083-26-27.000W | F G | 12 4 | | On post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 11280 | JERRY'S MARINA RANGE REAR LIGHT 400 feet, 128° from front light. | | F G | 20 6 | | On tree. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 11285 | - BAY HARBOR LIGHT 5 | 44-16-38.000N 083-29-10.000W | FI G 6s | 25 8 | 7 | SG on pile. | |
| 11300 | - RIVER RANGE FRONT LIGHT | 44-15-34.500N 083-31-38.000W | F R | 10 3 | | White diamond day mark on pile. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 11305 | - RIVER RANGE REAR LIGHT 130 feet, 326° from front light. | | F R | 18 5 | | White diamond day mark on pile. | Maintained from Apr. 1 to Dec. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--------------------------------------|---|
| LAKE HURON | | | | | | | |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Tawas | | | | | | | |
| 11306 | - BAY CONDO MARINA RANGE FRONT LIGHT | | F Y | 8 2 | | Circular orange day mark on pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 11307 | - BAY CONDO MARINA RANGE REAR LIGHT 252 feet, 132° from front light. | | F Y | 15 5 | | Circular orange day mark on pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 11308.1 | - Bay Condo Marina Buoy 1 | 44-15-23.000N 083-31-34.000W | FI G 4s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 11308.2 | - Bay Condo Marina Buoy 2 | 44-15-24.000N 083-31-32.000W | FI R 4s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 11308.3 | - BAY CONDO MARINA LIGHT 3 | | FI G 2.5s | 11 3 | | SG on pole on south jetty. | Maintained from May 1 to Nov. 1. Private aid. |
| 11308.4 | - BAY CONDO MARINA LIGHT 4 | | FI R 2.5s | 11 3 | | TR on pole on north jetty. | Maintained from May 1 to Nov. 1. Private aid. |
| Au Sable | | | | | | | |
| 11310 | - Point Lighted Buoy 1 | 44-18-59.560N 083-17-12.974W | FI G 6s | | 4 | Green. | Maintained from Apr. 28 to Dec. 1. |
| 11315 | - SOUTH PIERHEAD LIGHT | 44-24-21.900N 083-19-00.300W | FI G 4s | 25 8 | 6 | SG on white tower. | |
| 11320 | - NORTH PIERHEAD LIGHT | 44-24-23.870N 083-18-59.380W | FI R 4s | 25 8 | 7 | TR on white tower. | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| HARRISVILLE TO FORTY MILE POINT (Chart 14864) | | | | | | | |
| Harrisville | | | | | | | |
| 11323 | - Entrance Buoy 2 | 44-39-46.242N 083-16-51.450W | | | | Red nun | Maintained from May . 01 to Nov. 01. |
| 11325 | - EAST BREAKWATER LIGHT 3 | 44-39-41.000N 083-16-54.500W | FI G 2.5s | 20 6 | 7 | SG on post. | |
| 11330 | - WEST BREAKWATER LIGHT 4 | 44-39-38.800N 083-16-59.700W | FI R 4s | 33 10 | 5 | TR on column. | |
| 11345 | STURGEON POINT LIGHT | 44-42-45.500N 083-16-21.000W | FI W 6s | 69 21 | 9 | | |
| 11345.1 | W. H. Rounds Wreck Mooring Buoy | 44-50-13.139N 083-16-56.340W | | | | | Private aid. |
| Thunder Bay National Marine Sanctuary | | | | | | | |
| <i>Buoys maintained May 1 through Oct 31.</i> | | | | | | | |
| 11348 | TBNMS Wreck Mooring Lighted Buoy | 44-59-03.800N 083-15-11.000W | Q W | | | Mooring buoy . | "Montana (Bow)" Private aid. |
| 11353 | TBNMS Wreck Mooring Lighted Buoy | 45-03-46.000N 083-23-34.000W | Q W | | | Mooring buoy . | "William P. Rend" Private aid. |
| Alpena | | | | | | | |
| 11355 | Thunder Bay Traffic Lighted Bell Buoy TB | 44-58-41.048N 083-15-17.282W | Mo (A) W | | 4 | Red and white stripes. | Maintained from Apr. 28 to Dec. 1. |
| 11356 | Haltiner Barge Boiler Wreck Mooring Buoy | 45-02-08.279N 083-19-35.400W | | | | | Private aid. |
| 11360 | North Point Buoy 10 | 45-00-05.930N 083-14-56.490W | | | | Red nun. | |
| 11365 | PARTRIDGE POINT MARINA LIGHT | 45-01-06.000N 083-27-00.200W | FI W 2.5s | 20 6 | | White house. | Maintained from Apr. 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE HURON | | | | | | | |
| HARRISVILLE TO FORTY MILE POINT (Chart 14864) | | | | | | | |
| Alpena | | | | | | | |
| 11370 | - Light | 45-03-37.229N 083-25-23.022W | FI R 6s | 44 13 | 9 | Red skeleton tower with upper part enclosed. 44 | To operate the fog signal, key the microphone on channel 83A VHF marine radio five times. HORN: 1 blast ev 15s (2s bl). |
| 11375 | - SOUTH BREAKWATER LIGHT | 45-03-35.000N 083-25-25.000W | FI G 2.5s | 29 9 | 5 | White tower with green band. | |
| 11380 | CITY OF ALPENA HARBOR ENTRANCE LIGHT 1 | 45-03-37.800N 083-25-29.900W | FI G 4s | 15 5 | | SG on post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 11385 | CITY OF ALPENA HARBOR ENTRANCE LIGHT 2 | 45-03-37.700N 083-25-29.600W | F R | 15 5 | | TR on post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| East Alpena Channel | | | | | | | |
| 11386 | LAFARGE CORPORATION CHANNEL RANGE FRONT LIGHT | 45-04-06.000N 083-24-32.000W | F R | 76 23 | | Orange and white striped day mark on skeleton tower. | Private aid. |
| 11387 | LAFARGE CORPORATION CHANNEL RANGE REAR LIGHT L233 yards, 344° from front light. | 45-04-14.000N 083-24-32.500W | F R | 109 33 | | Orange and white stiped day mark on skeleton tower. | Private aid. |
| 11388.1 | - Buoy 2 | 45-02-40.050N 083-23-47.000W | | | | Red nun. | Private aid. |
| 11388.2 | - Buoy 3 | 45-02-45.000N 083-23-58.000W | | | | Green can. | Private aid. |
| 11388.3 | - Buoy 4 | 45-02-45.000N 083-23-56.500W | | | | Red nun. | Private aid. |
| 11388.4 | - Buoy 6 | 45-02-57.700N 083-24-01.500W | | | | Red nun. | Private aid. |
| 11388.5 | - Buoy 7 | 45-03-14.300N 083-24-11.000W | | | | Green can. | Private aid. |
| 11388.6 | - Buoy 8 | 45-03-14.800N 083-24-08.000W | | | | Red nun. | Private aid. |
| 11388.7 | - Buoy 9 | 45-03-25.000N 083-24-14.600W | | | | Green can. | Private aid. |
| 11388.8 | - Buoy 10 | 45-03-25.500N 083-24-12.200W | | | | Red nun. | Private aid. |
| 11388.9 | - Buoy 11 | 45-03-35.500N 083-24-19.000W | | | | Green can. | Private aid. |
| 11389 | - Buoy 12 | 45-03-36.000N 083-24-16.500W | | | | Red nun. | Private aid. |
| 11389.1 | - Buoy 13 | 45-03-45.800N 083-24-23.000W | | | | Green can. | Private aid. |
| 11389.2 | - Buoy 14 | 45-03-46.000N 083-24-20.900W | | | | Red nun. | Private aid. |
| 11389.3 | - Buoy 15 | 45-03-53.400N 083-24-26.100W | | | | Green can. | Private aid. |
| Alpena | | | | | | | |
| 11390 | - Junction Lighted Buoy A1 | 45-02-57.718N 083-24-04.930W | FI (2+1)R 6s | | 4 | Red with green band. | Replaced by nun f from Dec. 1 to Apr. 28. AIS MMSI: 993672225 |
| 11395 | - Channel Buoy 1 | 45-03-03.066N 083-24-22.158W | | | | Green can. | |
| 11400 | - Channel Buoy 2 | 45-03-05.741N 083-24-20.695W | | | | Red nun. | |
| 11405 | - Channel Buoy 3 | 45-03-13.154N 083-24-42.952W | | | | Green can. | |
| 11410 | - Channel Buoy 4 | 45-03-15.031N 083-24-38.552W | | | | Red nun. | |
| 11415 | - Channel Buoy 5 | 45-03-23.683N 083-25-02.328W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE HURON | | | | | | | |
| HARRISVILLE TO FORTY MILE POINT (Chart 14864) | | | | | | | |
| Lafarge Corporation Channel | | | | | | | |
| 11420 | - Junction Buoy TB | 45-03-26.286N 083-25-00.531W | | | | Red and green bands. | |
| 11425 | - RANGE FRONT LIGHT | 45-04-02.100N 083-25-02.000W | F G | 22 7 | | Orange and white striped day mark on gray skeleton tower. | Private aid. |
| 11430 | - RANGE REAR LIGHT 133 yards, 358° from front light. | 45-04-06.400N 083-25-00.700W | F G | 38 12 | | Orange and white striped day mark on gray skeleton tower. | Private aid. |
| East Alpena Channel | | | | | | | |
| Thunder Bay National Marine Sanctuary | | | | | | | |
| 11456 | <i>TBNMS Wreck Mooring Lighted Buoy</i> | 45-02-35.800N 083-14-22.500W | Q W | | | Mooring buoy . | "New Orleans" Private aid. |
| HARRISVILLE TO FORTY MILE POINT (Chart 14864) | | | | | | | |
| 11495 | Thunder Bay Island Light | 45-02-14.167N 083-11-39.325W | FI G 10s | 63 19 | 16 | Conical tower with dwelling attached. 63 | |
| 11500 | STONYCROFT POINT LIGHT | 45-06-24.000N 083-18-30.000W | Q W | 30 9 | | TR on red skeleton tower. | Maintained from Mar. 15 to Nov. 15. Private aid. |
| 11505 | <i>Nordmeer Wreck Lighted Buoy WR1</i> 1,470 feet, 102° from last reported position of wreck. | 45-08-08.560N 083-09-17.874W | Q G | | 4 | | RACON: N (- .) Maintained from Apr. 28 to Dec. 1. AIS MMSI: 993672237 |
| 11510 | <i>NOAA Lighted Weather Buoy 45003</i> | 45-21-01.484N 082-50-25.620W | FI (4)Y 20s | | | Yellow, disc-shaped hull. | Maintained from May 14 to Nov 14 Aid maintained by National Oceanic and Atmospheric Administration. |
| 11515 | Middle Island Light | 45-11-35.470N 083-19-15.701W | FI W 10s | 78 24 | 14 | White conical tower with orange bands in middle with dwelling detached. 78 | |
| 11520 | <i>Middle Island Lighted Buoy 13</i> | 45-11-13.000N 083-18-10.000W | FI G 4s | | 5 | Green. | Maintained from Apr. 28 to Dec. 1. |
| 11525 | ROCKPORT HARBOR CRIB LIGHT R | 45-12-17.000N 083-22-54.000W | FI W 4s | 12 4 | | NB on red skeleton tower on crib. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 11530 | STONEPORT LIGHT | 45-17-48.214N 083-25-08.717W | AI WR 10s | | | White cylindrical structure. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| 11540 | Stoneport Buoy 3 | 45-19-51.600N 083-25-53.400W | | | | Green can. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 11545 | Stoneport Buoy 5 | 45-19-56.400N 083-25-57.400W | | | | Green can. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| Presque Isle Harbor | | | | | | | |
| 11550 | Presque Isle Light | 45-21-23.359N 083-29-32.370W | FI W 15s | 123 38 | 22 | 123 | |
| 11560 | - <i>Entrance Shoal Lighted Bell Buoy 2</i> | 45-20-21.227N 083-27-51.199W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Dec. 1. |
| 11565 | - RANGE FRONT LIGHT | 45-20-16.467N 083-29-25.106W | F G | 23 7 | | KRW on skeleton tower. | Visible 14° each side of range line. |
| 11570 | - RANGE REAR LIGHT 744 feet, 273.9° from front light. | 45-20-16.982N 083-29-35.918W | F G | 50 15 | | KRW on skeleton tower. | Visible 14° each side of range line. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE HURON | | | | | | | |
| HARRISVILLE TO FORTY MILE POINT (Chart 14864) | | | | | | | |
| Presque Isle Harbor Marina | | | | | | | |
| <i>Lights and buoys maintained from May 15 to Oct 1.</i> | | | | | | | |
| 11574 | Presque Isle Harbor Marina Entrance Lighted Buoy 2 | 45-20-18.130N 083-28-56.760W | Q R | | | Red. | Private aid. |
| 11575 | - Entrance Lighted Buoy 3 | 45-20-15.620N 083-29-05.640W | Q G | | | Green. | Private aid. |
| 11580 | - Entrance Buoy 4 | 45-20-19.600N 083-29-00.300W | | | | Red nun. | Private aid. |
| 11585 | - Entrance Buoy 5 | 45-20-18.900N 083-29-07.900W | | | | Green can. | Private aid. |
| 11590 | - Entrance Buoy 6 | 45-20-21.500N 083-29-04.500W | | | | Red nun. | Private aid. |
| 11595 | - Entrance Buoy 7 | 45-20-21.800N 083-29-10.000W | | | | Green can. | Private aid. |
| 11595.5 | - Entrance Buoy 8 | 45-20-22.800N 083-29-08.000W | | | | Red nun. | Private aid. |
| 11596 | - Entrance Buoy 9 | 45-20-22.000N 083-29-12.000W | | | | Green can. | Private aid. |
| 11600 | - ENTRANCE LIGHT 10 | 45-20-23.700N 083-29-08.500W | FI W 2.5s | 26 | | TR on post. | HORN: 1 blast ev 20s (2s bl). Private aid. |
| 11605 | - ENTRANCE LIGHT 11 | 45-20-24.000N 083-29-11.000W | FI G 4s | 26 | | SG on post. | Private aid. |
| Calcite | | | | | | | |
| <i>Aids maintained from May 1 to Dec. 1.</i> | | | | | | | |
| 11610 | - BREAKWATER LIGHT 2 | 45-25-02.300N 083-46-24.000W | Iso R 4s | 49 | | TR on skeleton tower. | HORN: 1 blast ev 20s (2s bl). Private aid. |
| 11630 | - INCOMING RANGE FRONT LIGHT | 45-24-37.200N 083-47-11.500W | F R | 30 | | White diamond day mark on convey or house. | Private aid. |
| 11635 | - INCOMING RANGE REAR LIGHT 500 feet, 236° from front light. | 45-24-36.000N 083-47-14.100W | F R | 110 | | On side of brick house. | Private aid. |
| 11640 | - OUTGOING RANGE FRONT LIGHT | 45-24-38.200N 083-47-06.700W | F G | 52 | | Two lights, 10 feet apart horizontal. | Private aid. |
| 11645 | - OUTGOING RANGE REAR LIGHT 160 feet, 236° from front light. | 45-24-35.600N 083-47-12.700W | F G | 78 | | Box on convey or structure. | Private aid. |
| Rogers City | | | | | | | |
| <i>Buoys maintained from Jun. 1 to Oct. 1.</i> | | | | | | | |
| 11660 | - Harbor Channel Lighted Buoy 1 | 45-25-26.700N 083-48-27.800W | FI G 4s | | | Green. | Private aid. |
| 11665 | - Harbor Channel Lighted Buoy 2 | 45-25-27.200N 083-48-29.300W | FI R 4s | | | Red. | Private aid. |
| 11670 | - Harbor Channel Lighted Buoy 3 | 45-25-24.600N 083-48-29.200W | FI G 6s | | | Green. | Private aid. |
| 11675 | - Harbor Channel Lighted Buoy 4 | 45-25-25.100N 083-48-30.700W | FI R 6s | | | Red. | Private aid. |
| 11680 | - Harbor Channel Lighted Buoy 5 | 45-25-22.400N 083-48-30.600W | FI G 6s | | | Green. | Private aid. |
| 11685 | - Harbor Channel Lighted Buoy 6 | 45-25-22.900N 083-48-32.200W | FI R 6s | | | Red. | Private aid. |
| 11690 | - Harbor Channel Lighted Buoy 7 | 45-25-20.900N 083-48-31.700W | FI G 6s | | | Green. | Private aid. |
| 11693 | POLYCHROME LEADING LIGHT | 45-25-12.000N 083-48-36.000W | | | | 68' | Red/Clear/Green Private aid. |
| 11695 | - HARBOR CHANNEL BREAKWATER LIGHT 8 | 45-25-22.500N 083-48-33.200W | FI R 2.5s | 25 | | TR on pole. | Private aid. |
| 11700 | - HARBOR CHANNEL BREAKWATER LIGHT 9 | 45-25-20.900N 083-48-35.000W | FI G 2.5s | 25 | | SG on pole. | Private aid. |
| 11715 | Forty-Mile Point Light | 45-29-10.228N 083-54-49.063W | Iso W 6s | 66 | 16 | White square brick tower on dwelling. | 66 |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|-----------------------------------|-----------------------|---------------|--------------|---|---|
| STRAITS OF MACKINAC | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| 11720 | HAMMOND BAY HARBOR OF REFUGE EAST BREAKWATER LIGHT | 45-35-37.457N 084-09-44.651W | FI G 2.5s | 25 8 | 5 | SG on post. | |
| 11725 | HAMMOND BAY HARBOR OF REFUGE WEST BREAKWATER LIGHT | 45-35-33.771N 084-09-44.500W | FI R 4s | 25 8 | 4 | TR on post. | |
| 11730 | Spectacle Reef Light Marks west side of reef. | 45-46-22.892N 084-08-16.802W | FI R 5s | 86 26 | 11 | Gray conical tower on square concrete pier. 86 | |
| 11735 | Raynolds Reef Buoy 1 | 45-46-32.446N 084-12-01.360W | | | | Green can. | |
| 11740 | Raynolds Reef Buoy 2 | 45-46-29.845N 084-13-46.866W | | | | Red nun. | |
| 11745 | <i>Cordwood Point Lighted Buoy 1</i> Marks north side of shoal. | 45-40-51.841N 084-18-06.483W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 7 to May. 01. |
| 11750 | POE REEF LIGHT | 45-41-41.198N 084-21-43.598W | Iso W 2s | 71 22 | 9 | Square tower with white and black bands on concrete crib. | RACON: Z (- - . .) HORN: 1 blast ev 30s (3s bl). Operates year round. |
| 11760 | Poe Reef Buoy 2 | 45-41-30.342N 084-21-34.198W | | | | Red nun. | |
| 11765 | Fourteen Foot Shoal Light | 45-40-47.604N 084-26-03.784W | Oc W 4s | 51 16 | 13 | White conical tower, square structure on concrete crib. 51 | Operates year round. HORN: 1 blast ev 15s (2s bl). |
| 11770 | Fourteen Foot Shoal Buoy 3 | 45-41-00.044N 084-26-14.918W | | | | Green can. | |
| 11775 | BOIS BLANC TOWNSHIP DOCK LIGHT | 45-43-36.000N 084-27-03.000W | Q G | 17 5 | | On pile. | Maintained f from May 1 to Dec. 1. Private aid. |
| Cheboygan | | | | | | | |
| 11776 | Leviathan Wreck Mooring Buoy | 45-39-41.940N 084-26-05.760W | | | | | Private aid. |
| 11777 | <i>Genesee Chief Wreck Mooring Buoy</i> | 45-39-44.220N 084-26-09.480W | | | | | Private aid. |
| 11778 | <i>Jenny Lynn Lighted Wreck Buoy 1</i> | 45-39-12.600 N 084-26-04.000 W | Q G | | 3 | Green. | Maintained f from May 14 to Oct. 14. |
| 11780 | - <i>River Entrance Lighted Buoy 2</i> | 45-39-57.831N 084-27-22.684W | Q R | | 4 | Red. | Replaced by nun Dec. 07 to Apr. 28. |
| 11785 | - River Entrance Buoy 3 | 45-39-52.018N 084-27-23.729W | | | | Green can. | |
| 11790 | - RIVER RANGE FRONT LIGHT | 45-38-50.698N 084-28-22.029W | F R | 48 15 | | KRW on building. | Visible 4° each side of range line. Lighted throughout 24 hours. |
| 11795 | - RIVER RANGE REAR LIGHT 1,119 feet, 212.7° from front light. | 45-38-41.407N 084-28-30.538W | F R | 83 25 | | KRW on skeleton tower. | Visible 4° each side of range line. Lighted throughout 24 hours. |
| 11800 | - River Light 4 | 45-39-28.123N 084-27-50.155W | FI R 4s | 25 8 | 10 | TR on white cylindrical tower. 26 | |
| MICHIGAN INLAND ROUTE (Chart 14886) | | | | | | | |
| Cheboygan River | | | | | | | |
| 11806 | - Buoy 1 | 45-38-08.566N 084-28-49.938W | | | | | Maintained f from May 15 to Oct 15. |
| 11810 | - Day beacon 3 | 45-38-06.778N 084-28-54.356W | | | | SG on pile. | |
| 11815 | - Day beacon 5 | 45-36-16.967N 084-27-52.293W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| STRAITS OF MACKINAC | | | | | | | |
| MICHIGAN INLAND ROUTE (Chart 14886) | | | | | | | |
| Cheboygan River | | | | | | | |
| 11820 | - Day beacon 6 | 45-36-06.752N 084-27-51.998W | | | | TR on pile. | |
| 11825 | - Day beacon 7 | 45-35-58.998N 084-27-51.731W | | | | SG on pile. | |
| 11830 | - Day beacon 9 | 45-35-55.872N 084-27-53.831W | | | | SG on pile. | |
| 11835 | - Day beacon 11 | 45-35-50.016N 084-28-02.094W | | | | SG on pile. | |
| 11840 | - Day beacon 12 | 45-35-50.418N 084-28-03.053W | | | | TR on pile. | |
| 11845 | - Day beacon 13 | 45-35-42.829N 084-28-06.040W | | | | SG on pile. | |
| 11850 | - Day beacon 14 | 45-35-43.282N 084-28-06.717W | | | | TR on pile. | |
| 11855 | - Day beacon 15 | 45-35-41.381N 084-28-14.859W | | | | SG on pile. | |
| 11860 | - Day beacon 16 | 45-35-42.188N 084-28-15.102W | | | | TR on pile. | |
| 11865 | - Day beacon 17 | 45-35-43.072N 084-28-21.077W | | | | SG on pile. | |
| 11875 | - Day beacon 19 | 45-35-08.849N 084-29-00.037W | | | | SG on pile. | |
| 11880 | - Day beacon 20 | 45-35-07.355N 084-29-00.585W | | | | TR on pile. | |
| 11885 | - Day beacon 21 | 45-35-03.594N 084-29-04.330W | | | | SG on pile. | |
| Mullett Lake | | | | | | | |
| 11890 | - LIGHT 21A | 45-34-34.068N 084-29-17.549W | FI G 4s | 24 | 4 | SG on pole. | |
| 11895 | - LIGHT 23 | 45-34-29.144N 084-29-19.930W | FI G 6s | 16 | 3 | SG on dolphin. | |
| 11900 | - <i>Lighted Buoy 24</i> | 45-33-04.764N 084-30-27.378W | FI R 4s | | 3 | Red. | Maintained from May 15 to Oct. 15. |
| 11905 | ALOHA STATE PARK NORTH JETTY LIGHT | 45-31-05.000N 084-28-05.000W | FI G 2.5s | 16 | | On pile. | Maintained from May 1 to Dec. 1. Private aid. |
| 11910 | ALOHA STATE PARK SOUTH JETTY LIGHT | 45-31-03.000N 084-28-04.000W | FI R 2.5s | 16 | | On pile. | Maintained from May 1 to Dec. 1. Private aid. |
| 11915 | - <i>Lighted Buoy 24A</i> | 45-27-08.184N 084-34-31.320W | FI R 4s | | 3 | Red. | Maintained from May 15 to Oct. 15. |
| Indian River | | | | | | | |
| 11920 | - Buoy 25 | 45-26-56.907N 084-34-42.919W | | | | Green can | Maintained from May 14 to Oct. 14. |
| 11925 | - Day beacon 27 | 45-26-51.087N 084-34-51.032W | | | | SG on pile. | |
| 11930 | - Day beacon 27A | 45-26-48.530N 084-34-50.254W | | | | SG on pile. | |
| 11935 | - Day beacon 28 | 45-26-51.767N 084-34-51.819W | | | | TR on pile. | |
| 11940 | - Day beacon 29 | 45-26-46.171N 084-34-50.435W | | | | SG on pile. | |
| 11945 | - Day beacon 30 | 45-26-41.716N 084-35-02.641W | | | | TR on pile. | |
| 11950 | - Day beacon 31 | 45-26-38.450N 084-35-02.484W | | | | SG on pile. | |
| 11955 | - Day beacon 32 | 45-26-38.287N 084-35-03.105W | | | | TR on pile. | |
| 11960 | - Day beacon 34 | 45-26-34.923N 084-34-59.773W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|--------------------------|--|
| STRAITS OF MACKINAC | | | | | | | |
| MICHIGAN INLAND ROUTE (Chart 14886) | | | | | | | |
| Indian River | | | | | | | |
| 11965 | - Day beacon 35 | 45-26-33.530N 084-34-54.289W | | | | SG on pile. | |
| 11970 | - Day beacon 37 | 45-26-31.105N 084-34-51.020W | | | | SG on pile. | |
| 11975 | - Day beacon 39 | 45-26-23.763N 084-34-55.226W | | | | SG on pile. | |
| 11976 | - Day beacon 39A | 45-26-23.173N 084-34-59.867W | | | | SG on pile. | |
| 11980 | - Day beacon 40 | 45-26-26.238N 084-35-07.785W | | | | TR on pile. | |
| 11985 | - Day beacon 41 | 45-26-25.247N 084-35-08.948W | | | | SG on pile. | |
| 11990 | - Day beacon 42 | 45-26-24.825N 084-35-10.346W | | | | TR on pile. | |
| 11995 | - Day beacon 43 | 45-26-16.260N 084-35-09.134W | | | | SG on pile. | |
| 12000 | - Day beacon 44 | 45-26-14.803N 084-35-11.501W | | | | TR on pile. | |
| 12005 | - Day beacon 45 | 45-26-12.860N 084-35-13.332W | | | | SG on pile. | |
| 12010 | - Day beacon 46 | 45-26-12.956N 084-35-24.695W | | | | TR on pile. | |
| 12015 | - Day beacon 47 | 45-26-12.198N 084-35-24.417W | | | | SG on pile. | |
| 12020 | - Day beacon 48 | 45-26-11.582N 084-35-27.596W | | | | TR on pile. | |
| 12025 | - Day beacon 50 | 45-26-09.258N 084-35-26.141W | | | | TR on pile. | |
| 12030 | - Day beacon 52 | 45-26-07.197N 084-35-20.378W | | | | TR on pile. | |
| 12035 | - Day beacon 53 | 45-26-05.892N 084-35-19.723W | | | | SG on pile. | |
| 12040 | - Day beacon 54 | 45-26-03.071N 084-35-29.306W | | | | TR on pile. | |
| 12045 | - Day beacon 55 | 45-25-57.875N 084-35-29.899W | | | | SG on pile. | |
| 12050 | - Day beacon 57 | 45-25-54.902N 084-35-31.825W | | | | SG on pile. | |
| 12055 | - Day beacon 58 | 45-25-50.960N 084-35-46.503W | | | | TR on pile. | |
| 12060 | - Day beacon 60 | 45-25-42.072N 084-35-59.094W | | | | TR on pile. | |
| 12065 | - Day beacon 61 | 45-25-35.243N 084-36-00.968W | | | | SG on pile. | |
| 12070 | - Day beacon 62 | 45-25-33.651N 084-36-06.387W | | | | TR on pile. | |
| 12075 | - Day beacon 63 | 45-25-24.027N 084-36-06.401W | | | | SG on pile. | |
| 12080 | - Day beacon 66 | 45-25-17.229N 084-36-14.800W | | | | TR on pile. | |
| 12085 | - Day beacon 67 | 45-25-04.746N 084-36-15.066W | | | | SG on pile. | |
| 12090 | - Day beacon 68 | 45-25-02.103N 084-36-21.598W | | | | TR on pile. | |
| Burt Lake | | | | | | | |
| 12095 | - LIGHT 70 | 45-24-37.000N 084-37-27.000W | FI R 4s | 15 5 | 4 | TR on pile. | |
| 12100 | - Obstruction Buoy | 45-24-10.752N 084-38-14.034W | | | | White with orange bands. | Maintained from May 15 to Oct. 15. Worded: SUBMERGED OBJECT. |
| 12105 | - LIGHT 71 | 45-28-16.297N 084-43-22.204W | FI G 4s | 15 5 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| STRAITS OF MACKINAC | | | | | | | |
| MICHIGAN INLAND ROUTE (Chart 14886) | | | | | | | |
| 12110 | Crooked River Day beacon 73 | 45-28-13.605N 084-43-38.958W | | | | SG on pile. | |
| 12115 | Crooked River Day beacon 75 | 45-28-16.497N 084-43-56.316W | | | | SG on pile. | |
| Crooked Lake | | | | | | | |
| <i>Buoys maintained from May 7 to Nov. 1.</i> | | | | | | | |
| 12120 | - LIGHT 77 | 45-25-50.182N 084-47-17.155W | FI G 4s | 15 5 | 3 | SG on pile. | |
| 12125 | - Day beacon 79 | 45-25-25.626N 084-47-29.063W | | | | SG on pile. | |
| 12130 | - Day beacon 80 | 45-25-26.401N 084-47-30.021W | | | | TR on pile. | |
| 12135 | PICKEREL CHANNEL ENTRANCE LIGHT 2 | 45-24-57.144N 084-47-42.830W | FI R 4s | 15 5 | 3 | TR on pile. | |
| 12140 | - Day beacon 81 | 45-25-05.762N 084-48-07.694W | | | | SG on pile. | |
| 12150 | - Day beacon 83 | 45-25-08.614N 084-48-31.413W | | | | SG on pile. | |
| 12155 | - Day beacon 84 | 45-25-09.102N 084-48-31.320W | | | | TR on pile. | |
| 12160 | - Day beacon 85 | 45-25-09.868N 084-48-48.824W | | | | SG on pile. | |
| 12165 | - Day beacon 86 | 45-25-10.506N 084-48-48.684W | | | | TR on pile. | |
| 12170 | - Day beacon 87 | 45-25-11.605N 084-49-05.606W | | | | SG on pile. | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| 12175 | Cheboygan Buoy 5 | 45-41-15.077N 084-27-22.619W | | | | Green can. | |
| 12180 | <i>Cheboygan Traffic Lighted Bell Buoy</i> | 45-42-14.510N 084-28-18.242W | Mo (A) W | | 4 | Red and white stripes. | NOTE: Vessels are requested to leave buoy on port hand in passing. Maintained from May .01. to Dec. 7. |
| 12182 | <i>St. Andrew Wreck Mooring Buoy</i> | 45-42-03.000N 084-31-48.660W | | | | | Private aid. |
| 12185 | Zela Shoal Buoy 6 Marks west side of shoal. | 45-46-29.546N 084-33-54.651W | | | | Red nun. | |
| LAKE MICHIGAN | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| 12191 | EAST BREAKWATER LIGHT 1 | 45-46-44.200N 084-34-13.700W | FI G 2.5s | | | | Maintained from May 1 to Oct. 15. Private aid. |
| 12192 | WEST BREAKWATER LIGHT 2 | 45-46-43.300N 084-43-10.000W | FI R 2.5s | | | | Maintained from May 1 to Oct. 15. Private aid. |
| STRAITS OF MACKINAC | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| 12195 | MACKINAW CITY HARBOR ENTRANCE LIGHT 1 | 45-46-53.100N 084-43-12.500W | FI G 2.5s | 25 8 | 5 | SG on pile. | |
| 12200 | MACKINAW CITY HARBOR ENTRANCE LIGHT 2 | 45-46-51.372N 084-43-16.662W | FI R 4s | 25 8 | 4 | TR on pile. | |
| 12201 | <i>Straits State Harbor Lighted Buoy A</i> | 45-46-43.980N 084-43-07.386W | Q R | | | | Private aid. |
| North End of Lake Huron | | | | | | | |
| 12205 | Martin Reef Light Marks south side of reef . | 45-54-47.292N 084-08-54.950W | FI R 10s | 65 20 | 13 | White square tower on concrete crib. 65 | HORN: 1 blast ev 30s (3s bl). Maintained from Apr. 01 to Nov. 01 |
| 12210 | <i>Pomeroy Reef Lighted Gong Buoy 2PR</i> Marks west side of Pomeroy Reef . | 45-55-27.500N 084-12-32.824W | FI R 4s | | 4 | Red. | Maintained from May 1 to Dec 01. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| STRAITS OF MACKINAC | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| North End of Lake Huron | | | | | | | |
| 12215 | Tobin Reef Buoy 1 Marks northwest side of reef. | 45-56-29.722N 084-12-16.659W | | | | Green can. | |
| LES CHENEAUX ISLANDS (Chart 14885) | | | | | | | |
| 12220 | Crow Island Leading Light | 45-58-06.000N 084-14-24.000W | Iso W 6s | 31 9 | 11 | Black rectangular day mark on gray tower. 32 | |
| 12222 | <i>Les Cheneaux Island Lighted Buoy 2</i> | 45-56-29.900N 084-13-14.000W | FI R 6s | | 4 | Red. | Replaced by nun f from Dec. 1 to May 1. |
| 12225 | <i>Les Cheneaux Island Lighted Buoy 3</i> | 45-56-54.700N 084-14-27.800W | FI G 6s | | 4 | Green. | Replaced by can f from Dec. 1 to May 1. |
| 12230 | <i>Les Cheneaux Island Lighted Buoy 4</i> | 45-57-25.700N 084-13-49.000W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Dec. 1 to May 1. |
| 12235 | <i>Les Cheneaux Island Lighted Buoy 5</i> | 45-57-36.000N 084-14-23.000W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 1 to May 1. |
| 12240 | <i>Port Dolomite Lighted Buoy 7</i> | 45-58-50.676N 084-16-26.013W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 1 to May 1. |
| 12243 | Port Dolomite Buoy 9 | 45-58-54.300N 084-16-59.500W | | | | Green can. | |
| 12245 | MCKAY BAY RANGE FRONT LIGHT | 45-59-57.000N 084-16-28.000W | F R | 23 7 | | NR on white structure. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 12250 | MCKAY BAY RANGE REAR LIGHT 600 feet, 309° from front light. | 45-59-05.000N 084-16-00.000W | F R | 58 18 | | NR on white structure. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 12260 | <i>Penny Island Point Lighted Buoy 1</i> Marks shoal. | 45-56-52.765N 084-17-06.292W | FI G 4s | | 4 | Green. | Maintained from May 14 to Oct. 21. |
| 12265 | Scammons Harbor Buoy 3 | 45-57-35.247N 084-17-40.959W | | | | Green can. | Maintained from May 14 to Oct. 21. |
| 12270 | <i>Scammons Harbor Lighted Buoy 4</i> | 45-57-56.964N 084-17-58.185W | FI R 2.5s | | 4 | Red. | Maintained from May 14 to Oct. 21. |
| 12275 | ISLE ISIDORE LIGHT | 45-58-12.000N 084-18-18.000W | FI W 4s | 15 5 | | White triangular tower. | Maintained from Jul. to Sep. Private aid. |
| Cedarville East Channel | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 21.</i> | | | | | | | |
| 12280 | - Buoy 5 | 45-58-52.540N 084-19-38.937W | | | | Green can. | |
| 12285 | - Buoy 6 | 45-59-16.504N 084-20-00.115W | | | | Red nun. | |
| 12290 | - <i>Lighted Buoy 7</i> | 45-59-15.914N 084-20-01.571W | FI G 4s | | 3 | Green | |
| 12295 | - Buoy 8 | 45-59-30.498N 084-20-22.117W | | | | Red nun. | |
| 12300 | - Buoy 9 | 45-59-29.756N 084-20-22.969W | | | | Green can. | |
| 12305 | - <i>Lighted Buoy 10</i> | 45-59-39.987N 084-20-45.245W | Q R | | 3 | Red. | |
| 12310 | - Buoy 11 | 45-59-37.858N 084-20-46.014W | | | | Green can. | |
| 12315 | - Buoy 12 | 45-59-38.105N 084-21-00.462W | | | | Red nun. | |
| 12320 | - Buoy 13 | 45-59-36.910N 084-21-00.517W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| STRAITS OF MACKINAC | | | | | | | |
| LES CHENEAUX ISLANDS (Chart 14885) | | | | | | | |
| Les Cheneaux Islands Middle Entrance | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 21.</i> | | | | | | | |
| 12325 | - Buoy 1 Marks southeast side of shoal. | 45-56-57.662N 084-20-14.096W | | | | Green can. | Maintained year round. |
| 12330 | - Buoy 3 | 45-57-04.197N 084-20-34.475W | | | | Green can. | Maintained year round. |
| 12335 | - Buoy 4 | 45-57-25.616N 084-21-13.170W | | | | Red nun. | |
| 12340 | - Lighted Buoy 5 | 45-57-24.800N 084-21-14.300W | FI G 2.5s | | 3 | Green. | |
| 12345 | - Buoy 7 | 45-57-28.669N 084-21-21.198W | | | | Green can. | |
| 12350 | - Buoy 8 | 45-57-39.985N 084-21-32.103W | | | | Red nun. | |
| 12355 | - Lighted Buoy 10 | 45-57-50.318N 084-21-45.880W | Q R | | 3 | Red. | |
| 12360 | Goose Island Buoy 1 | 45-54-09.892N 084-25-10.865W | | | | Green can. | Maintained year round. |
| 12365 | Goose Island Shoal Buoy 1 | 45-53-39.846N 084-28-45.261W | | | | Green can. | Maintained year round. |
| 12370 | Goose Island Shoal Lighted Buoy 2 Marks northwest side of shoal. | 45-54-10.316N 084-29-45.620W | FI R 4s | | 4 | Red. | Replaced by nun from Oct. 21 to May 14. |
| Les Cheneaux Islands West Entrance | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 21.</i> | | | | | | | |
| 12375 | - Lighted Buoy 1 Marks shoal. | 45-57-51.733N 084-27-04.928W | FI G 4s | | 4 | Green. | |
| 12380 | - Lighted Buoy 2 Marks northwest side of shoal. | 45-58-59.657N 084-27-10.148W | FI R 4s | | 4 | Red. | |
| 12385 | - Lighted Buoy 3 Marks shoal. | 45-59-39.071N 084-26-42.131W | FI G 4s | | 4 | Green. | |
| 12390 | - Lighted Buoy 4 Marks west side of shoal. | 45-59-57.488N 084-26-23.638W | FI R 4s | | 4 | Red. | |
| 12395 | - Buoy 5 | 46-00-12.650N 084-26-10.270W | | | | Green can. | |
| 12400 | - Buoy 6 | 45-59-57.840N 084-25-53.021W | | | | Red nun. | |
| 12405 | - Buoy 8 | 45-59-46.159N 084-25-36.566W | | | | Red nun. | |
| Mackinac Bay Passage | | | | | | | |
| 12410 | - Lighted Buoy 10 | 45-59-19.602N 084-24-08.999W | FI R 2.5s | | 3 | Red. | |
| 12415 | - Buoy 11 | 45-59-21.483N 084-24-13.312W | | | | Green can. | |
| 12420 | - Buoy 12 | 45-59-32.346N 084-24-02.902W | | | | Red nun. | |
| 12425 | - Buoy 13 | 45-59-35.087N 084-24-04.809W | | | | Green can. | |
| 12430 | - Buoy 14 | 45-59-33.706N 084-23-58.672W | | | | Red nun. | |
| 12435 | - Buoy 15 | 45-59-35.274N 084-23-58.134W | | | | Green can. | |
| 12440 | - Buoy 16 | 45-59-21.841N 084-23-32.577W | | | | Red nun. | |
| 12441 | - Buoy 16A | 45-59-20.460N 084-23-22.140W | | | | Red nun. | |
| 12445 | - Buoy 17 | 45-59-23.228N 084-23-30.160W | | | | Green can. | |
| 12450 | - Buoy 18 | 45-59-17.626N 084-23-13.652W | | | | Red nun. | |
| 12455 | - Buoy 19 | 45-59-18.308N 084-23-11.146W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--------------------------|---|
| STRAITS OF MACKINAC | | | | | | | |
| LES CHENEUX ISLANDS (Chart 14885) | | | | | | | |
| Mackinac Bay Passage | | | | | | | |
| 12460 | - Buoy 20 | 45-59-05.555N 084-22-58.655W | | | | Red nun. | |
| 12465 | - Buoy 21 | 45-59-05.967N 084-22-57.062W | | | | Green can. | |
| 12470 | - Buoy 22 | 45-58-53.827N 084-22-44.701W | | | | Red nun. | |
| 12475 | - Buoy 23 | 45-58-52.660N 084-22-39.619W | | | | Green can. | |
| Muscallonge Bay | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 21.</i> | | | | | | | |
| 12480 | - Buoy 24 | 45-58-35.521N 084-22-12.179W | | | | Red nun. | |
| 12485 | - Buoy 25 | 45-58-36.716N 084-22-11.492W | | | | Green can. | |
| 12490 | - Buoy 26 | 45-58-27.007N 084-21-56.879W | | | | Red nun. | |
| 12495 | - Buoy 27 | 45-58-10.349N 084-21-14.414W | | | | Green can. | |
| 12500 | - Lighted Buoy 29 | 45-58-09.966N 084-20-55.105W | FI G 4s | | 3 | Green. | |
| Cedarville West Channel | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 21.</i> | | | | | | | |
| 12505 | - Buoy 30 | 45-58-49.915N 084-20-50.106W | | | | Red nun. | |
| 12510 | - Lighted Buoy 31 | 45-58-50.959N 084-20-54.363W | FI G 4s | | 3 | Green. | |
| 12515 | - Buoy 32 | 45-59-16.283N 084-21-21.200W | | | | Red nun. | |
| 12520 | - Lighted Buoy 33 | 45-59-17.189N 084-21-24.304W | Q G | | 3 | Green. | |
| 12525 | - Buoy 34 | 45-59-28.972N 084-21-24.359W | | | | Red nun. | |
| 12530 | - Buoy 35 | 45-59-30.428N 084-21-26.199W | | | | Green can. | |
| 12532 | <i>Ailes Point Lighted Danger Buoy</i> | 45-59-34.132N 084-21-17.582W | FI W 2.5s | | 4 | White with orange bands. | "DANGER ROCKS" |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| 12535 | BOIS BLANC LIGHT | 45-48-40.755N 084-25-14.640W | FI W 2.5s | 32 10 | 7 | White cylindrical tower. | Visible from 101° to 311°. |
| Round Island Passage | | | | | | | |
| 12540 | <i>Mission Point Lighted Bell Buoy 2</i> Marks shoal. | 45-50-55.447N 084-35-56.658W | Q R | | 4 | Red. | Replaced by nun f from Dec. 7 to Apr. 28. |
| 12545 | MACKINAC ISLAND EAST BREAKWATER LIGHT 2 | 45-50-45.955N 084-36-32.865W | FI R 2.5s | 25 8 | 5 | TR on white pile. | |
| 12550 | MACKINAC ISLAND WEST BREAKWATER LIGHT 1 | 45-50-39.396N 084-36-51.814W | FI G 2.5s | 33 10 | 4 | SG on post. | |
| 12565 | PASSENGER PIERHEAD LIGHT | 45-50-39.300N 084-36-27.700W | F R | 20 6 | | On white post. | Maintained from May 1 to Oct. 1. Private aid. |
| 12570 | COAL DOCK PIERHEAD LIGHT | 45-50-54.000N 084-36-59.100W | F W | 14 4 | | On white post. | Maintained from May 1 to Oct. 1. Private aid. |
| 12575 | <i>Round Island Lighted Buoy 3</i> Marks shoal. | 45-50-27.447N 084-36-31.060W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 28. AIS MMSI: 993672251 |
| 12580 | - Light | 45-50-34.928N 084-36-55.431W | FI R 5s | 71 22 | 11 | Lighthouse. 71 | RACON: X (- . . -) HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone 5 times on VHF-FM channel 83A. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------------|---|
| STRAITS OF MACKINAC | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| 12583 | <i>William H. Barnum Wreck Mooring Buoy</i> | 45-44-42.900N 084-37-51.480W | | | | | Private aid. |
| Round Island Passage | | | | | | | |
| 12585 | Old Round Island Point Light | 45-50-12.000N 084-37-00.000W | FI (2)W 10s | 53 16 | | Red and white conical tower. | Private aid. |
| 12590 | <i>Round Island Shoal Lighted Buoy 5</i> Marks shoal. | 45-50-17.646N 084-37-05.661W | Q G | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 28. AIS MMSI: 993672252 |
| 12595 | Majors Shoal East Buoy 1 Marks east side of shoal. | 45-48-59.945N 084-39-05.067W | | | | Green can. | Replaced by smaller can f from Dec. 7 to Apr. 28. |
| 12600 | <i>Majors Shoal Lighted Buoy 3</i> Marks west side of shoal. | 45-49-01.745N 084-39-51.469W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 28. |
| 12605 | <i>North Graham Shoal Lighted Bell Buoy 3</i> Marks east side of shoal. | 45-50-14.545N 084-41-12.773W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 28. |
| 12607 | ST. IGNACE COAST GUARD SLIP LIGHT | 45-51-19.700N 084-42-09.000W | FI W 6s | 16 5 | 3 | NW on dolphin. | |
| 12608 | Wawatam Lighthouse | 45-51-57.370N 084-42-55.550W | FI W 5s | | | Lighthouse 62 | Private aid. |
| 12609 | ST. IGNACE MARINA ENTRANCE LIGHT 1 | 45-51-57.400N 084-43-03.400W | FI G 2.5s | 25 8 | | SG on white pole. | Private aid. |
| 12609.5 | ST. IGNACE MARINA ENTRANCE LIGHT 2 | 45-51-58.300N 084-43-00.600W | FI R 2.5s | 25 8 | | TR on white pole. | Private aid. |
| 12610 | ST IGNACE MARINA NORTHEAST BREAKWALL LIGHT | 45-52-04.300N 084-43-04.000W | FI Y 2.5s | 10 3 | | NY on white pole. | Private aid. |
| 12615 | NORTHWESTERN DOCK LIGHT | 45-52-28.200N 084-42-53.000W | Q W | 20 6 | | On middle of three mooring dolphins. | Maintained f from Apr. 15 to Dec. 15. Private aid. |
| Mackinaw Bridge <i>Buoys maintained from Apr. 28 to Dec. 7.</i> | | | | | | | |
| 12625 | <i>Mackinac Bridge Lighted Bell Buoy 1</i> | 45-48-29.344N 084-42-26.076W | FI G 4s | | 5 | Green. | Maintained f from May. 01 to Dec. 07. AIS MMSI: 993672140. |
| 12630 | <i>Mackinac Bridge Lighted Gong Buoy 2</i> | 45-49-07.845N 084-42-27.276W | FI R 4s | | 4 | Red. | Maintained from May. 01 to Dec. 07. AIS MMSI: 993672141. |
| 12635 | South Graham Shoal Buoy 2A Marks south side of shoal. | 45-49-31.545N 084-42-20.276W | | | | Red nun. | |
| 12640 | Mackinac Bridge Fog Signal | 45-48-55.100N 084-43-40.900W | | | | On center span of Mackinac Bridge. | HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Private aid. |
| 12645 | <i>Mackinac Bridge Lighted Bell Buoy 3</i> | 45-48-38.744N 084-44-08.481W | FI G 2.5s | | 4 | Green. | Maintained f from May. 01 to Dec. 07. AIS MMSI: 993672142. |
| 12650 | <i>Mackinac Bridge Lighted Gong Buoy 4</i> | 45-49-15.544N 084-44-08.481W | FI R 2.5s | | 4 | Red. | Maintained from May. 01 to Dec. 07. AIS MMSI: 993672143. |
| 12651 | McGulpin Point Lighthouse | 45-47-13.128N 084-46-21.756W | FI W 4s | | | 108 | Private aid. |
| 12653 | <i>Michigan Tech Weather Buoy</i> | 45-49-30.948N 084-46-19.806W | Q Y | | | | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|------------------------------------|---------------------------------|--|---------------|--------------|--|--|
| LAKE HURON, CANADA | | | | | | | |
| PORT HURON TO PTE AUX BARQUES (Chart 14862) | | | | | | | |
| East Side | | | | | | | |
| 12660 | Goderich (Main) Light (C) | 43-44-30.000N 081-43-36.000W | Fl (2) W 25s 0.5s fl 5.5s ec. 0.5s fl 18.5s ec. | 140 43 | 18 | White square tower with red top. | Seasonal. |
| 12670 | Point Clark Light (C) | 44-04-24.000N 081-45-24.000W | Fl W 3.5s | 93 28 | 16 | White circular tower. | Seasonal. |
| 12675 | Cove Island Light (C) | 45-19-36.000N 081-44-06.000W | Fl W 5s | 101 31 | 18 | White circular tower with dwelling attached. | Seasonal. Emergency light. |
| 12685 | Great Duck Island Light (C) | 45-38-30.000N 082-57-48.000W | Fl (3) W 15s fl 2.5s ec. fl 2.5s ec. fl 10s ec. | 108 33 | | White octagonal tower. | Seasonal. Emergency light. |
| ST. MARYS RIVER | | | | | | | |
| DE TOUR PASSAGE TO MUNUSCONG LAKE (Chart 14882) | | | | | | | |
| Potagannissing Bay | | | | | | | |
| 12690 | BURNT ISLAND REEF LIGHT 1 | 46-06-27.000N 083-49-43.000W | Fl G 4s | 40 12 | 5 | SG on skeleton tower. | |
| 12695 | <i>Bacon Shoal Lighted Buoy 3</i> | 46-03-36.344N 083-49-55.219W | Fl G 2.5s | | 4 | Green. | Replaced by can f from Oct. 28 to May 14. |
| 12700 | Big Trout Island Buoy 4 | 46-03-19.624N 083-50-21.649W | | | | Red nun. | |
| 12704 | Bow Island Buoy 1 | 46-02-00.791N 083-49-29.577W | | | | Green can. | |
| 12705 | Sturgeon Bay Shoal Buoy 2 | 46-01-27.000N 083-48-45.000W | | | | Red nun. | |
| 12707 | Gull Island Buoy 3 | 46-01-55.000N 083-47-27.000W | | | | Green can. | |
| 12710 | Cheney Shoal Buoy 5 | 46-02-03.200N 083-46-03.150W | | | | Green can. | Maintained f from May 14 to Oct. 28. |
| 12715 | <i>Wreck Island Lighted Buoy 6</i> | 46-01-58.575N 083-45-51.314W | Fl R 2.5s | | 3 | Red. | Maintained f from May 14 to Oct. 28. |
| 12720 | Howard Island Buoy 7 | 46-01-53.809N 083-45-15.716W | | | | Green can. | Maintained f from May 14 to Oct. 28. |
| Drummond Island Shoal Yacht Haven Channel | | | | | | | |
| <i>Aids maintained from May 15 to Oct. 15.</i> | | | | | | | |
| 12725 | - Buoy 1 | 46-01-45.000N 083-44-50.000W | | | | Green can. | Private aid. |
| 12730 | - Buoy 2 | 46-01-45.000N 083-44-56.100W | | | | Red nun. | Private aid. |
| 12735 | - Buoy 3 | 46-01-34.200N 083-44-50.000W | | | | Green can. | Private aid. |
| 12740 | - Buoy 4 | 46-01-34.000N 083-44-54.900W | | | | Red nun. | Private aid. |
| 12743 | Roggs Island Buoy 9 | 46-02-05.937N 083-44-26.873W | | | | Green can. | Maintained f from May 14 to Oct. 28. |
| 12745 | Rogg Island Buoy 8 | 46-02-01.304N 083-44-34.942W | | | | Red nun. | Maintained f from May 14 to Oct. 28. |
| 12746 | Quarry Island Buoy 10 | 46-02-00.003N 083-44-01.441W | | | | Red nun. | Maintained f from May 14 to Oct. 28. |
| 12750 | Quarry Island Buoy 11 | 46-02-08.643N 083-43-56.405W | | | | Green can. | Maintained f from May 14 to Oct. 28. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|-----------------------------------|------------------------|---------------|--------------|------------------|--|
| ST. MARYS RIVER | | | | | | | |
| DE TOUR PASSAGE TO MUNUSCONG LAKE (Chart 14882) | | | | | | | |
| Potagannissing Bay | | | | | | | |
| Drummond Island Shoal Yacht Haven Channel | | | | | | | |
| <i>Aids maintained from May 15 to Oct. 15.</i> | | | | | | | |
| 12751 | Quarry Island Buoy 13 | 46-02-19.636N 083-43-52.124W | | | | Green can. | Maintained from May 14 to Oct. 28. |
| 12751.1 | Fire Island Shoal Buoy | 46-02-19.500 N 083-44-10.056 W | | | | | Maintained from May 14 to Oct. 28. |
| 12752 | La Pointe Island Buoy 14 | 46-02-20.395N 083-43-45.991W | | | | Red nun. | Maintained from May 14 to Oct. 28. |
| 12753 | <i>Grape Island Lighted Buoy 16</i> | 46-02-44.000N 083-43-48.500W | FI R 4s | | 3 | Red. | Maintained from May 14 to Oct. 28. |
| 12755 | Harbor Island Shoal Buoy 17 | 46-03-42.614N 083-44-08.197W | | | | Green can. | Maintained from May 14 to Oct. 28. |
| 12760 | Propeller Island Shoal Buoy 19 | 46-04-44.529N 083-44-20.390W | | | | Green can. | Maintained from May 14 to Oct. 28. |
| 12762 | Bruce Point Buoy 21 | 46-05-02.424N 083-44-26.537W | | | | Green can. | Maintained from May 14 to Oct. 28. |
| 12763 | Bruce Point Buoy 22 | 46-05-03.000N 083-44-08.000W | | | | Red nun. | Maintained from May 14 to Oct. 28. |
| Drummond Island - South Side | | | | | | | |
| 12765 | Big Shoal Buoy 2 | 45-54-24.197N 083-37-08.287W | | | | Red nun. | |
| 12770 | De Tour Reef Light | 45-56-56.788N 083-54-11.245W | FI W 10s (R sector) | 74 23 | W 18 R 15 | 84 | RACON: D (- . .) Red from 079.5° to 189.5°. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Operates Apr. 1 to Nov. 1. Fog signal operates by keying VHF FM Marine radio channel 83A five times. |
| Whitney Bay | | | | | | | |
| <i>Aids maintained from Jun. 1 to Oct. 1.</i> | | | | | | | |
| 12780 | - East Entrance Buoy 2 | 45-57-16.000N 083-51-53.200W | | | | Red nun. | Private aid. |
| 12785 | - East Entrance Buoy 4 | 45-57-31.000N 083-51-32.000W | | | | Red nun. | Private aid. |
| 12790 | - East Entrance Buoy 6 | 45-58-23.700N 083-51-35.500W | | | | Red nun. | Private aid. |
| 12795 | - West Entrance Buoy 1 | 45-57-47.000N 083-52-58.800W | | | | Green can. | Private aid. |
| 12800 | - West Entrance Buoy 3 | 45-57-59.000N 083-52-27.900W | | | | Green can. | Private aid. |
| 12805 | - West Entrance Buoy 4 | 45-58-10.900N 083-52-03.000W | | | | Red nun. | Private aid. |
| 12810 | - West Entrance Buoy 5 | 45-58-31.000N 083-51-47.400W | | | | Green can. | Private aid. |
| De Tour Passage | | | | | | | |
| 12815 | - <i>Lighted Buoy 2</i> | 45-56-34.371N 083-52-33.887W | FI R 6s | | 5 | Red. | Replaced by nun from Dec. 1 to May 1. |
| 12820 | - Buoy 3 | 45-57-45.000N 083-54-00.000W | | | | Green can. | |
| 12825 | <i>Crab Island Shoal Lighted Bell Buoy 4</i> Marks west side of shoal. | 45-57-36.244N 083-53-10.902W | FI R 2.5s | | 5 | Red. | Replaced by nun from Dec. 1 to May 1. |
| 12830 | Drummond Island Shoal Buoy 6 | 45-58-50.604N 083-53-00.947W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. MARYS RIVER | | | | | | | |
| DE TOUR PASSAGE TO MUNUSCONG LAKE (Chart 14882) | | | | | | | |
| De Tour Passage | | | | | | | |
| 12835 | FRYING PAN ISLAND LIGHT 7 | 45-59-07.602N 083-53-40.944W | Q G | 14 4 | 6 | SG on post. | Higher intensity beam on bearing 176° and 356° diminishing around remainder of horizon. |
| 12840 | DETOUR HARBOR ENTRANCE LIGHT 2 | 45-59-44.203N 083-53-56.789W | FI R 4s | 28 9 | 4 | TR on pile. | |
| 12845 | Drummond Island Shoal Buoy 8 | 45-59-14.821N 083-52-48.541W | | | | Red nun. | |
| Lower River | | | | | | | |
| 12850 | WATSONS REEFS LIGHT 9A | 46-00-24.620N 083-53-58.154W | FI G 4s | 33 10 | 6 | SG on post on tripod foundation. | Higher intensity beam upstream. |
| 12855 | Watson Reefs Buoy 9 Marks east side of reef. | 46-00-16.872N 083-53-50.099W | | | | Green can. | |
| 12860 | Watson Reefs Buoy 11 | 46-00-36.832N 083-54-05.420W | | | | Green can. | |
| 12865 | <i>Pipe Island Shoal Lighted Buoy</i> 1 Marks southeast side of shoal. | 46-00-34.469N 083-53-17.128W | FI G 2.5s | | 3 | Green. | Replaced by can f from Dec. 07 to May. 01. |
| 12870 | Sims Point Buoy 2 | 46-01-39.673N 083-51-03.751W | | | | Red nun. | |
| Pipe Island | | | | | | | |
| 12875 | - Light | 46-00-58.800N 083-53-57.500W | FI W 5s | 52 16 | 11 | KRW on yellow octagonal tower with black skeleton superstructure. | |
| 12880 | - <i>Lighted Buoy 12</i> | 46-00-57.011N 083-54-06.874W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 7 to May 1. |
| 12885 | - TWINS LIGHT | 46-01-33.929N 083-53-29.342W | FI W 2.5s | 27 8 | 9 | NG on post. | |
| 12890 | - <i>Twins Lighted Buoy 3</i> | 46-01-43.200N 083-53-24.780W | Q G | | 4 | Green. | Replaced by can f from Dec. 7 to May 1. |
| Lower River | | | | | | | |
| 12895 | SQUAW ISLAND LIGHT 4 | 46-02-20.280N 083-54-13.620W | FI R 2.5s | 26 8 | 6 | TR on post. | |
| 12905 | Sweets Point Light 13 Marks north side of shoal. | 46-02-19.389N 083-56-09.711W | FI G 2.5s | 20 6 | 10 | White cylindrical tower with green stripe in middle. | Higher intensity beam on bearings 316° and 121° diminishing around remainder of horizon. |
| Lime Island | | | | | | | |
| 12907 | - <i>Lighted Buoy 14</i> | 46-03-17.333N 083-57-36.756W | FI R 4s | | 3 | Red. | Replaced by nun f from Dec. 7 to May 1. |
| 12910 | - <i>Lighted Buoy 14A</i> | 46-04-12.252N 084-00-23.536W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 7 to May 1. |
| 12915 | - <i>Traffic Lighted Buoy</i> | 46-04-21.864N 084-00-59.206W | Mo (A) W | | 4 | Red and white stripes. | Vessels are required to leave buoy to port when passing. |
| 12920 | - <i>Lighted Buoy 15</i> | 46-05-06.545N 084-01-14.119W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 7 to May 1. |
| 12925 | - COAL DOCK LIGHT | 46-05-10.900N 084-00-45.000W | Oc Y 4s | 27 8 | 4 | On post. | |
| 12930 | - COAL DOCK PASSAGE LIGHT | 46-05-18.900N 084-00-45.000W | FI Y 6s | 27 8 | 4 | On post. | |
| 12935 | - <i>Lighted Buoy 16</i> | 46-05-51.667N 084-00-49.774W | FI R 4s | | 5 | Red. | Replaced by nun f from Dec. 7 to May 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-------------------------|---------------|--------------|--|--|
| ST. MARYS RIVER | | | | | | | |
| DE TOUR PASSAGE TO MUNUSCONG LAKE (Chart 14882) | | | | | | | |
| Lower River | | | | | | | |
| 12940 | ROUND ISLAND LIGHT | 46-06-34.510N 084-01-10.030W | FI W 2.5s (R sector) | 28 9 | W 7 R 6 | NG on post. | Red from 145° to 186°. Obscured from 358° to 145°. |
| 12945 | <i>Round Island Lighted Buoy 17</i> | 46-06-30.044N 084-01-01.152W | FI G 4s | | 3 | Green. | Replaced by can f from Dec. 7 to May 1. |
| 12950 | Round Island Buoy 18 | 46-06-28.674N 084-00-43.650W | | | | Red nun. | |
| 12955 | <i>Hay Point Reef Lighted Buoy 18A</i> | 46-07-32.298N 084-00-32.602W | FI R 4s | | 5 | Red. | Replaced by nun f from Dec. 7 to May 1. |
| Point Aux Frenes | | | | | | | |
| 12960 | - LIGHT 19 | 46-07-48.481N 084-01-00.625W | FI G 2.5s | 33 10 | 7 | White cylindrical tower with green band | |
| 12965 | - <i>Lighted Buoy 20</i> | 46-07-57.594N 084-00-46.609W | FI R 2.5s | | 3 | Red. | Replaced by nun f from Dec. 7 to May 1. |
| 12975 | - LIGHT 21 | 46-08-18.000N 084-01-18.000W | Q G | 34 10 | 9 | SG on post on concrete structure. | |
| 12980 | - <i>Lighted Buoy 22</i> | 46-08-18.907N 084-01-00.237W | FI R 4s | | 3 | Red. | Replaced by nun f from Dec. 7 to May 1. |
| 12985 | - <i>Lighted Buoy 23</i> | 46-08-49.474N 084-02-18.975W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 7 to May 1. |
| 12990 | - <i>Lighted Buoy 24</i> | 46-08-57.558N 084-02-10.496W | FI R 4s | | 5 | Red. | Replaced by nun f from Dec. 7 to May 1. |
| Munuscong Lake | | | | | | | |
| 12995 | HAY POINT RANGE FRONT LIGHT (C) | 46-07-42.000N 084-00-00.000W | F W | 38 12 | | White day mark with orange stripe on square tower. | Seasonal. |
| 13000 | HAY POINT RANGE REAR LIGHT (C) 1,100 feet, 128° from front light. | | F W | 60 18 | | White day mark with orange stripe on square tower. | Seasonal |
| 13005 | - <i>Lighted Buoy 25</i> | 46-09-35.862N 084-03-43.010W | FI G 4s | | 5 | Green. | Replaced by can f from Dec 7 to May 1 |
| 13010 | - <i>Lighted Buoy 26</i> | 46-09-43.678N 084-03-34.044W | FI R 4s | | 5 | Red. | Replaced by nun f from Dec. 7 to May 1. |
| MUNUSCONG LAKE TO SAULT STE. MARIE (Chart 14883) | | | | | | | |
| Munuscong Channel (Upbound) | | | | | | | |
| 13015 | WINTER POINT RANGE FRONT LIGHT | 46-13-33.888N 084-08-38.727W | F W | 46 14 | | KRW on white skeleton tower. | Visible 4° each side of range line. Lighted throughout 24 hours. |
| 13025 | WINTER POINT RANGE REAR LIGHT 3,903 feet, 322.1° from front light. | 46-14-04.295N 084-09-12.837W | F W | 82 25 | | KRW on white skeleton tower. | Visible 4° each side of range line. Lighted throughout 24 hours. |
| 13030 | - JUNCTION LIGHT | 46-10-55.836N 084-05-45.270W | FI (2+1)G 6s | | 8 | | |
| 13035 | - <i>Lighted Buoy 2</i> | 46-11-00.955N 084-05-41.835W | FI R 4s | | 5 | Red. | Replaced by nun f from Dec. 14 to Apr. 28. |
| 13040 | - Buoy 3 | 46-11-37.864N 084-06-32.122W | | | | Green can. | |
| 13045 | - Buoy 4 | 46-11-41.050N 084-06-27.272W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE (Chart 14883) | | | | | | | |
| Munuscong Channel (Upbound) | | | | | | | |
| 13050 | - Lighted Buoy 5 | 46-12-02.125N 084-06-59.390W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 14 to Apr. 21. |
| 13055 | - Lighted Buoy 6 | 46-12-05.664N 084-06-54.611W | Q R | | 4 | Red. | Year round lighted buoy |
| 13060 | - Buoy 7 | 46-12-21.889N 084-07-22.076W | | | | Green can. | |
| 13065 | - Lighted Buoy 8 | 46-12-32.611N 084-07-04.613W | Q R | | 3 | Red. | Year round lighted buoy |
| 13070 | - Lighted Buoy 9 | 46-12-44.270N 084-07-13.084W | FI G 4s | | 4 | Green. | Year round lighted buoy . |
| 13075 | - Buoy 10 | 46-13-15.129N 084-06-48.232W | | | | Red nun. | |
| 13080 | - Lighted Buoy 11 | 46-13-17.474N 084-06-58.384W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 7 to Apr. 21. |
| 13085 | - Lighted Buoy 12 | 46-13-48.436N 084-06-35.803W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 1 to Apr. 21. |
| 13090 | - Lighted Buoy 13 | 46-13-48.876N 084-06-44.874W | FI G 4s | | 3 | Green. | Replaced by can f from Dec. 1 to Apr. 21. |
| 13095 | - Buoy 15 | 46-14-22.689N 084-06-29.969W | | | | Green can. | |
| Sailors Encampment Channel | | | | | | | |
| 13100 | UPBOUND RANGE FRONT LIGHT (C) | 46-15-42.000N 084-05-54.000W | F W | 76 23 | | White day mark with orange stripe on square tower. | Seasonal. |
| 13105 | UPBOUND RANGE REAR LIGHT (C) 2,183 feet, 017° f from front light. | | F W | 104 32 | | White day mark with orange stripe on square tower. | Seasonal. |
| 13110 | Everens Point Lighted Buoy Q16 (C) | 46-14-46.330N 084-06-12.566W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 13115 | - Lighted Buoy 17 | 46-14-48.977N 084-06-18.277W | FI G 4s | | 3 | Green. | Replaced by can f from Dec. 1 to Apr. 21. |
| 13120 | JOHNSON POINT LIGHT 19 | 46-15-17.705N 084-06-06.687W | FI G 2.5s | 29 9 | 7 | SG on pile. | Higher intensity beam up and down stream. |
| 13125 | - Lighted Buoy 21 | 46-15-30.232N 084-06-10.393W | Q G | | 4 | Green. | Year round lighted buoy . |
| 13130 | Lighted Buoy Q22 (C) | 46-15-35.723N 084-06-02.419W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 13135 | RAINS WHARF RANGE FRONT LIGHT (C) | 46-15-18.000N 084-05-42.000W | F W | 32 10 | | White day mark with orange stripe on circular tower. | Visible on range line only . Passing light F W, visible all around. Seasonal. |
| 13140 | RAINS WHARF RANGE REAR LIGHT (C) 880 feet, 134.9° f from front light. | | F W | 53 16 | | White day mark with orange stripe on skeleton tower. | Seasonal. |
| 13145 | POINT OF WOODS RANGE FRONT LIGHT | 46-16-19.421N 084-07-13.762W | F W | 31 9 | | KRW on triangular skeleton tower. | Lighted throughout 24 hours. |
| 13155 | POINT OF WOODS RANGE REAR LIGHT 325 feet, 314.7° f from front light. | 46-16-21.679N 084-07-17.056W | F W | 42 13 | | KRW on square skeleton tower. | Lighted throughout 24 hours. |
| 13160 | - Buoy 23 | 46-15-47.169N 084-06-35.384W | | | | Green can. | |
| 13165 | - Lighted Buoy 25 | 46-16-00.951N 084-06-55.618W | FI G 4s | | 4 | Green. | Year round lighted buoy . |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE (Chart 14883) | | | | | | | |
| Munuscong Channel | | | | | | | |
| 13170 | DARK HOLE EAST RANGE FRONT LIGHT | 46-15-53.993N 084-06-54.783W | F G | 40 12 | | KRG on square skeleton tower. | Range marks eastern half of channel. High intensity beam on range line. F G light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours. |
| 13175 | DARK HOLE EAST RANGE REAR LIGHT 499 feet, 176.6° from front day beacon. | 46-15-49.072N 084-06-54.360W | F G | 75 23 | | KRG on square skelton tower. | Range marks eastern half of channel. High intensity beam on range line. F G light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours. |
| 13180 | DARK HOLE WEST RANGE FRONT LIGHT | 46-15-54.855N 084-06-57.709W | Q W | 38 12 | | KRW on square skeleton tower. | Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13185 | DARK HOLE WEST RANGE REAR LIGHT 424 feet, 176.6° from front light. | 46-15-50.671N 084-06-57.356W | F W | 73 22 | | KRW on square skeleton tower. | Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13190 | HARWOOD POINT EAST RANGE FRONT LIGHT | 46-19-17.250N 084-07-12.212W | F R | 30 9 | | KRG on white cylindrical tower. | Range marks eastern half of channel. High intensity beam on range line. F R light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours. |
| 13195 | HARWOOD POINT EAST RANGE REAR LIGHT 1,002 feet, 356.6° from front light. | 46-19-27.128N 084-07-13.059W | F R | 65 20 | | KRG on white cylindrical tower. | Range marks eastern half of channel. High intensity beam on range line. F R light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours. |
| 13200 | HARWOOD POINT WEST RANGE FRONT LIGHT | 46-19-17.272N 084-07-15.059W | F W | 32 10 | | KRW on white cylindrical tower. | Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13205 | HARWOOD POINT WEST RANGE REAR LIGHT 1,001 feet, 356.6° from front light. | 46-19-27.138N 084-07-15.910W | F W | 65 20 | | KRW on white cylindrical tower. | Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13210 | - <i>Lighted Buoy 27</i> | 46-16-12.173N 084-07-01.337W | Q G | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 21. |
| 13215 | <i>Coyle Point Lighted Buoy Q28 (C)</i> | 46-16-16.957N 084-06-53.620W | Q R | | | Red. | Spar; winter marker. |
| 13217 | - <i>Lighted Buoy 29</i> | 46-16-28.383N 084-07-02.667W | FI G 2.5s | | 3 | Green. | Year round lighted buoy |
| 13220 | - <i>Buoy 31</i> | 46-16-51.967N 084-07-04.902W | | | | Green can. | |
| 13225 | <i>Coyle Point North Lighted Buoy Q30 (C)</i> | 46-16-51.555N 084-06-57.946W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 13235 | - <i>Lighted Buoy 33</i> | 46-17-26.457N 084-07-07.834W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 21. |
| 13240 | <i>Green Point Lighted Buoy Q34 (C)</i> | 46-17-26.367N 084-07-01.140W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 13245 | - <i>Lighted Buoy 35</i> | 46-18-00.947N 084-07-10.767W | FI G 4s | | 4 | Green. | Year round lighted buoy . |
| 13250 | - <i>Lighted Buoy Q36 (C)</i> | 46-18-00.259N 084-07-03.331W | FI R 4s | | | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE (Chart 14883) | | | | | | | |
| Munuscong Channel | | | | | | | |
| 13255 | - LIGHT 39 | 46-18-33.612N 084-07-14.112W | Q G | 30 9 | 5 | SG on post on concrete cone. | |
| 13256 | Hen Island Day beacon H | 46-18-32.567N 084-07-52.930W | | | | NB on skeleton tower. | |
| Middle Neebish Channel | | | | | | | |
| 13260 | STRIBLING POINT UPBOUND RANGE FRONT LIGHT (C) | 46-18-48.000N 084-06-54.000W | F W | 64 20 | | White day mark with orange stripe on skeleton tower. | Seasonal. |
| 13265 | STRIBLING POINT UPBOUND RANGE REAR LIGHT (C) 3,154 feet, 111.9° from front light. | | F W | 100 30 | | White day mark with orange stripe on square skeleton tower. | |
| 13275 | MIDDLE NEEBISH SOUTH RANGE FRONT LIGHT | 46-19-56.372N 084-11-04.615W | Q W | 22 7 | | KRW on red steel structure. | Visible 1.5° each side of range line. |
| 13280 | MIDDLE NEEBISH SOUTH RANGE REAR LIGHT 5,574 feet, 291.9° from front light. | 46-20-16.783N 084-12-18.089W | F W | 50 15 | | KRW on square skeleton tower. | Visible 1.5° each side of range line. |
| 13285 | - <i>Lighted Buoy 43</i> | 46-18-57.395N 084-07-37.488W | Q G | | 4 | Green. | Year round lighted buoy . |
| 13290 | Hardwood Point Junction Buoy HP | 46-18-59.310N 084-07-19.269W | | | | Red nun with green band. | |
| 13295 | - Buoy 45 | 46-19-10.642N 084-08-25.452W | | | | Green can. | |
| 13300 | - Buoy 46 | 46-19-18.720N 084-08-28.860W | | | | Red nun. | |
| 13310 | - <i>Lighted Buoy 49</i> | 46-19-19.654N 084-08-57.633W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 28 to Apr. 21. |
| 13315 | - LIGHT 50 | 46-19-24.672N 084-08-54.282W | FI R 4s | 26 8 | 4 | TR on post. | |
| 13320 | - Buoy 51 | 46-19-26.248N 084-09-21.824W | | | | Green can. | |
| 13325 | - LIGHT 54 | 46-19-35.820N 084-09-34.500W | FI R 4s | 26 8 | 4 | TR on post. | |
| 13330 | - Buoy 55 | 46-19-36.029N 084-09-57.248W | | | | Green can. | |
| 13335 | - Buoy 57 | 46-19-41.354N 084-10-15.866W | | | | Green can. | |
| 13340 | - LIGHT 58 | 46-19-46.920N 084-10-14.410W | FI R 4s | 20 6 | 4 | TR on post. | |
| 13345 | - <i>Lighted Buoy 59</i> | 46-19-47.994N 084-10-40.106W | FI G 2.5s | | 4 | Green. | Year round lighted buoy |
| 13350 | - Buoy 60 | 46-19-54.433N 084-10-34.486W | | | | Red nun. | |
| 13353 | - LIGHT 61 | 46-19-57.648N 084-11-03.114W | Q G | 26 8 | 4 | SG on post. | |
| Lake Nicolet | | | | | | | |
| 13355 | LOWER NICOLET EAST RANGE FRONT LIGHT | 46-19-29.250N 084-10-32.670W | F G | 54 16 | | KRG on skeleton tower. | Range marks eastern half of channel. High intensity beam on range line. F G light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours. |
| 13360 | LOWER NICOLET EAST RANGE REAR LIGHT 1,758 feet, 150.5° from front day beacon. | 46-19-14.146N 084-10-20.317W | F G | 75 23 | | KRG on skeleton tower. | Range marks eastern half of channel. High intensity beam on range line. F G light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE (Chart 14883) | | | | | | | |
| Lake Nicolet | | | | | | | |
| 13365 | LOWER NICOLET WEST RANGE FRONT LIGHT | 46-19-28.617N 084-10-35.407W | F W | 60 18 | | KRW on skeleton tower. | Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13370 | LOWER NICOLET WEST RANGE REAR LIGHT 3,794 feet, 150.5° from front light. | 46-18-56.025N 084-10-08.756W | F W | 104 32 | | KRW on skeleton tower. | Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13375 | MIDDLE NEEBISH LIGHT 62 | 46-20-06.000N 084-11-01.000W | Q R | 34 10 | 5 | TR on post. | |
| 13380 | - <i>Lighted Buoy 63</i> | 46-20-05.068N 084-11-08.106W | FI G 2.5s | | 3 | Green. | Replaced by can f from Dec. 7 to Apr. 21. |
| 13385 | - <i>Lighted Buoy 64</i> | 46-20-26.560N 084-11-17.323W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr. 14. |
| 13390 | - <i>Lighted Buoy 65</i> | 46-20-24.099N 084-11-23.421W | FI G 4s | | 4 | Green. | Year round lighted buoy |
| 13395 | - <i>Lighted Buoy 66</i> | 46-21-03.858N 084-11-48.003W | FI R 4s | | 3 | Red. | Replaced by nun f from Dec. 7 to Apr. 21. |
| 13400 | - <i>Lighted Buoy 67</i> | 46-21-01.595N 084-11-53.926W | FI G 4s | | 5 | Green. | Replaced by can f from Dec. 7 to Apr. 21. |
| 13405 | - <i>Lighted Buoy 68</i> | 46-21-40.179N 084-12-18.103W | FI R 4s | | 3 | Red. | Replaced by nun f from Nov. 28 to Apr. 21. |
| 13410 | - <i>Lighted Buoy 69</i> | 46-21-38.023N 084-12-23.535W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 28 to Apr. 21. |
| 13425 | - <i>Lighted Buoy 72</i> | 46-22-16.753N 084-12-47.916W | FI R 4s | | 3 | Red. | Replaced by nun f from Nov. 28 to Apr. 14. |
| 13430 | - <i>Lighted Buoy 73</i> | 46-22-14.918N 084-12-53.766W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 28 to Apr. 14. |
| 13445 | - <i>Lighted Buoy 76</i> | 46-22-54.135N 084-13-18.505W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 28 to Apr. 14. |
| 13450 | - <i>Lighted Buoy 77</i> | 46-22-51.398N 084-13-24.069W | FI G 4s | | 4 | Green. | Year Round Lighted Buoy |
| 13455 | - Buoy 78 | 46-23-27.305N 084-13-45.287W | | | | Red nun. | |
| 13460 | - <i>Lighted Buoy 79</i> | 46-23-29.921N 084-14-08.921W | FI G 4s | | 3 | Green. | Replaced by can f from Nov. 21 to Apr. 14. |
| 13465 | - LIGHT 80 | 46-23-36.000N 084-13-47.870W | FI R 2.5s | 27 8 | 4 | TR on post. | |
| West Neebish Channel (Downbound) | | | | | | | |
| 13470 | - UPPER RANGE FRONT LIGHT | 46-20-16.796N 084-12-18.125W | Q W | 40 12 | | KRW on skeleton tower. | For downbound traffic. Range marks western half of channel. Visible 4° each side of range line. |
| 13475 | - UPPER RANGE REAR LIGHT 6,221 feet, 159.6° from front light. | 46-19-19.220N 084-11-47.287W | F W | 82 25 | | KRW on red and white square skeleton tower. | For downbound traffic. Range marks western half of channel. Visible 4° each side of range line. |
| 13480 | - LIGHT 54 | 46-22-50.800N 084-13-37.900W | FI R 4s | 34 10 | 6 | TR on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE (Chart 14883) | | | | | | | |
| West Neebish Channel (Downbound) | | | | | | | |
| 13485 | - Lighted Buoy 53 | 46-22-49.229N 084-13-42.477W | FI G 4s | | 3 | Green. | Replaced by can f from Dec. 14 to Apr. 14. |
| 13490 | - Buoy 52 | 46-22-10.381N 084-13-16.353W | | | | Red nun. | |
| 13495 | - Buoy 51 | 46-22-09.344N 084-13-21.405W | | | | Green can. | |
| 13500 | - Lighted Buoy 50 | 46-21-35.403N 084-12-57.364W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 21 to Apr. 14. |
| 13505 | - LIGHT 49 | 46-21-33.510N 084-13-01.820W | Q G | 32 10 | 6 | SG on column on concrete cone. | |
| 13510 | - Lighted Buoy 48 | 46-21-09.546N 084-12-44.587W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr. 14. |
| 13515 | - OAK RIDGE RANGE FRONT LIGHT | 46-17-08.127N 084-12-56.831W | F G | 73 22 | | KRW on square skeleton tower. | Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13520 | - OAK RIDGE RANGE REAR LIGHT 1,947 feet, 181.5° f from front light. | 46-16-48.915N 084-12-57.573W | F G | 144 44 | | KRW on square skeleton tower. | Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13525 | - Lighted Buoy 46 | 46-20-44.626N 084-12-45.343W | FI R 4s | | 4 | Red. | Year round lighted buoy |
| 13530 | - LIGHT 45 | 46-20-44.130N 084-12-50.140W | FI G 2.5s | 32 10 | 5 | SG on black tripod tower. | |
| 13535 | - Buoy 44 | 46-20-04.681N 084-12-47.226W | | | | Red nun. | |
| 13540 | - Buoy 43 | 46-20-04.459N 084-12-51.817W | | | | Green can. | |
| 13545 | - Lighted Buoy 42 | 46-19-25.091N 084-12-48.730W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 21 to Apr. 21. |
| 13550 | - Lighted Buoy 41 | 46-19-23.670N 084-12-53.526W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 21 to Apr. 21. |
| 13555 | - Lighted Buoy 40 | 46-18-44.930N 084-12-50.469W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 21 to Apr. 21. |
| 13560 | - Lighted Buoy 39 | 46-18-44.986N 084-12-55.448W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 21 to Apr. 21. |
| 13565 | - Lighted Buoy 38 | 46-18-05.807N 084-12-52.044W | FI R 4s | | 3 | Red. | Replaced by nun f from Dec. 1 to Apr. 21. |
| 13570 | - Lighted Buoy 37 | 46-18-06.540N 084-12-57.119W | FI G 4s | | 3 | Green. | Replaced by can f from Dec. 1 to Apr. 21. |
| 13575 | WEST NEEBISH LIGHT 36 | 46-17-38.340N 084-12-53.880W | FI R 2.5s | 33 10 | 7 | White cylindrical tower with red band | |
| 13580 | - Buoy 35 | 46-17-18.867N 084-12-58.568W | | | | Green can. | |
| 13585 | - Buoy 34 | 46-17-30.360N 084-12-51.780W | | | | Red nun. | |
| 13590 | - LIGHT 33 | 46-17-10.100N 084-12-50.190W | Q G | 32 10 | 4 | SG on black column adjoining small house. | |
| 13595 | - LIGHT 32 | 46-17-07.050N 084-12-40.430W | Q R | 31 9 | 4 | TR on post. | |
| 13600 | Rock Cut Lower Leading Light | 46-15-06.310N 084-10-33.033W | F W | 29 9 | 15 | KRW on square skeleton tower. | Lighted throughout 24 hours. |
| 13605 | - LIGHT 30 | 46-16-56.140N 084-12-28.690W | F R | 31 9 | 6 | TR on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE (Chart 14883) | | | | | | | |
| West Neebish Channel (Downbound) | | | | | | | |
| 13610 | - LIGHT 29 | 46-16-54.330N 084-12-32.260W | Q G | 31 9 | 5 | SG on post. | |
| 13615 | - LIGHT 28 | 46-16-29.000N 084-11-59.900W | Iso R 6s | 32 10 | 3 | TR on triangular skeleton tower. | |
| 13620 | - LIGHT 27 | 46-16-27.000N 084-12-03.438W | Iso G 6s | 32 10 | 3 | SG on triangular skeleton tower. | |
| 13625 | - LIGHT 26 | 46-16-01.910N 084-11-30.500W | F R | 34 10 | 4 | TR on triangular skeleton tower. | |
| 13630 | - LIGHT 25 | 46-16-00.090N 084-11-34.030W | F G | 34 10 | 5 | SG on triangular skeleton tower. | |
| 13635 | - <i>Lighted Buoy 24</i> | 46-15-29.036N 084-10-55.377W | Q R | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr. 21. |
| 13640 | <i>Sawmill Point Lighted Buoy 23</i> | 46-15-03.022N 084-10-53.027W | Q G | | 4 | Green. | Year round lighted buoy . |
| 13645 | <i>Sawmill Point Lighted Buoy 22</i> | 46-15-04.516N 084-10-47.916W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 14 to Apr. 21. |
| 13650 | MOON ISLAND LEADING LIGHT | 46-13-07.344N 084-10-15.920W | F W | 40 12 | 6 | Cylindrical tower with black band. | |
| 13655 | - Buoy 20 | 46-14-41.927N 084-10-40.778W | | | | Red nun. | |
| 13660 | - Buoy 19 | 46-14-41.076N 084-10-46.197W | | | | Green can. | |
| 13665 | - <i>Lighted Buoy 18</i> | 46-14-21.195N 084-10-34.752W | FI R 4s | | 5 | Red. | Replaced by nun f from Nov. 28 to Apr. 21. |
| 13670 | - LIGHT 17 | 46-14-19.830N 084-10-39.120W | FI G 4s | 32 10 | 7 | SG on post. | |
| 13675 | <i>Kemps Point Lighted Buoy 15A</i> | 46-13-49.535N 084-10-30.348W | FI G 4s | | 3 | Green. | Replaced by can f from Dec. 14 to Apr. 21. |
| 13680 | - LIGHT 16 | 46-13-36.980N 084-10-21.250W | Q R | 32 10 | 3 | TR on post on concrete base. | |
| 13685 | - <i>Lighted Buoy 15</i> | 46-13-19.128N 084-10-20.718W | Q G | | 5 | Green. | Replaced by can f from Dec. 14 to Apr. 21. |
| 13690 | - LIGHT 14 | 46-13-10.090N 084-09-58.230W | Q R | 24 7 | 4 | TR on post. | |
| 13695 | <i>Moon Island Lighted Buoy 13</i> | 46-13-07.680N 084-10-00.964W | FI G 2.5s | | 4 | Green. | Year round lighted buoy . |
| 13700 | - <i>Lighted Buoy 12</i> | 46-12-54.875N 084-09-30.494W | FI R 4s | | 3 | Red. | Replaced by nun f from Nov. 28 to Apr. 21. |
| 13705 | - <i>Lighted Buoy 11</i> | 46-12-52.713N 084-09-33.476W | FI G 4s | | 3 | Green. | Replaced by can f from Nov. 28 to Apr. 21. |
| 13710 | - <i>Lighted Buoy 10</i> | 46-12-37.994N 084-08-59.739W | FI R 2.5s | | 3 | Red. | Replaced by nun f from Nov. 28 to Apr. 28. |
| 13715 | - LIGHT 9 | 46-12-35.400N 084-09-03.300W | FI G 2.5s | 42 13 | 6 | White cylindrical tower with green band. | |
| 13720 | - Buoy 8 | 46-12-24.895N 084-08-36.441W | | | | Red nun. | |
| 13725 | - Buoy 7 | 46-12-22.065N 084-08-38.090W | | | | Green can. | |
| 13730 | - <i>Lighted Buoy 6</i> | 46-12-11.026N 084-08-11.296W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 28 to Apr. 28. |
| 13735 | - <i>Lighted Buoy 5</i> | 46-12-09.065N 084-08-14.088W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 28 to Apr. 28. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE (Chart 14883) | | | | | | | |
| West Neebish Channel (Downbound) | | | | | | | |
| 13740 | - Buoy 4 | 46-11-40.403N 084-07-15.020W | | | | Red nun. | |
| 13745 | - Buoy 3 | 46-11-38.066N 084-07-18.083W | | | | Green can. | |
| 13750 | - Lighted Buoy 2 | 46-11-09.644N 084-06-19.290W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Nov. 28 to Apr. 28. |
| 13755 | - Lighted Buoy 1 | 46-11-07.290N 084-06-22.142W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 28 to Apr. 28. |
| Lake George | | | | | | | |
| East Neebish Island Channel | | | | | | | |
| <i>Buoys maintained from May 7 to Oct. 28.</i> | | | | | | | |
| 13760 | - Buoy 1 | 46-19-15.261N 084-06-40.282W | | | | Green can. | Maintained f from May 07 to October 28 |
| 13765 | - Buoy 2 | 46-19-13.960N 084-06-33.850W | | | | Red nun. | Maintained f from May 7 to October 28 |
| 13770 | - Lighted Buoy 3 | 46-19-21.266N 084-06-32.990W | FI G 4s | | 3 | Green | |
| 13775 | - Buoy 5 | 46-20-19.967N 084-07-18.293W | | | | Green can. | |
| 13780 | - Buoy 7 | 46-20-30.067N 084-07-27.393W | | | | Green can. | |
| 13785 | - Buoy 8 | 46-20-39.849N 084-07-29.123W | | | | Red nun. | |
| 13790 | - Lighted Buoy 9 | 46-20-43.967N 084-07-39.194W | Q G | | 3 | Green. | |
| 13795 | - Buoy 11 | 46-20-50.128N 084-07-40.170W | | | | Green can. | |
| 13800 | - Lighted Buoy 12 | 46-20-50.476N 084-07-38.081W | FI R 4s | | 3 | Red | |
| 13805 | - Lighted Buoy 13 | 46-20-56.322N 084-07-39.901W | FI G 4s | | 3 | Green. | |
| 13810 | - Buoy 14 | 46-20-56.743N 084-07-37.184W | | | | Red nun. | |
| 13815 | <i>Birch Point Lighted Buoy QV18</i> | 46-22-18.000N 084-08-12.000W | FI R 4s | | | Red spar. | Seasonal. |
| Lake George Channel | | | | | | | |
| <i>Buoys maintained from May 7 to Oct. 28.</i> | | | | | | | |
| 13820 | - Buoy 1 | 46-23-26.072N 084-08-33.086W | | | | Green can. | |
| 13830 | - Buoy 3 | 46-23-42.536N 084-08-33.150W | | | | Green can. | |
| 13835 | - Buoy 3A | 46-23-52.748N 084-08-35.095W | | | | Green can. | |
| 13840 | - Buoy 4A | 46-23-54.200N 084-08-33.125W | | | | Red nun. | |
| 13845 | - Buoy 5 | 46-24-02.369N 084-08-39.004W | | | | Green can. | |
| 13850 | - Lighted Buoy 6 | 46-24-03.604N 084-08-38.103W | FI R 2.5s | | 3 | Red. | |
| 13855 | - Buoy 7 | 46-24-17.548N 084-08-47.310W | | | | Green can. | |
| 13860 | - Buoy 8 | 46-24-19.672N 084-08-44.943W | | | | Red nun. | |
| 13865 | - Lighted Buoy 9 | 46-24-35.488N 084-08-58.375W | FI G 2.5s | | 3 | Green. | |
| 13870 | - Buoy 10 | 46-24-35.276N 084-08-54.801W | | | | Red nun. | |
| 13875 | - Buoy 11 | 46-25-05.719N 084-09-08.836W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|----------------------------------|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE (Chart 14883) | | | | | | | |
| Lake George | | | | | | | |
| Lake George Channel | | | | | | | |
| <i>Buoys maintained from May 7 to Oct. 28.</i> | | | | | | | |
| 13880 | - Buoy 12 | 46-25-05.720N 084-09-05.465W | | | | Red nun. | |
| 13885 | - Buoy 13 | 46-25-36.069N 084-09-17.710W | | | | Green can. | |
| 13890 | - Buoy 14 | 46-25-36.716N 084-09-14.851W | | | | Red nun. | |
| 13895 | - Lighted Buoy 15 | 46-26-06.172N 084-09-28.811W | FI G 4s | | 3 | Green. | |
| 13900 | - Buoy 16 | 46-26-06.076N 084-09-24.112W | | | | Red nun. | Maintained year round. |
| Sugar Island North Channel | | | | | | | |
| <i>Buoys maintained from May 7 to Oct. 28.</i> | | | | | | | |
| 13905 | - Lighted Buoy 1 | 46-30-13.406N 084-06-43.043W | FI G 4s | | 3 | Green. | Replaced by can f from Oct. 28 to May 7. |
| 13910 | - Buoy 5 | 46-31-51.115N 084-08-46.047W | | | | Green can. | |
| 13912 | - Lighted Buoy 6 | 46-31-39.954N 084-09-24.156W | FI R 4s | | 4 | Red | |
| 13915 | - Lighted Buoy 6A | 46-31-32.048N 084-10-37.238W | Q R | | 3 | Red. | |
| 13920 | - Buoy 7 | 46-31-34.637N 084-10-49.655W | | | | Green can. | |
| 13925 | - Buoy 8 | 46-32-09.118N 084-11-41.834W | | | | Red nun. | |
| 13930 | - Buoy 9 | 46-32-05.458N 084-11-44.446W | | | | Green can. | |
| 13935 | - Buoy 13 | 46-31-14.165N 084-14-12.106W | | | | Green can. | |
| 13940 | - Buoy 15 | 46-30-45.354N 084-14-41.305W | | | | Green can. | |
| 13945 | - Buoy 30 | 46-29-35.016N 084-17-53.827W | | | | Red nun. | |
| 13950 | - Buoy 31 | 46-29-31.903N 084-17-58.285W | | | | Green can. | |
| Lake Nicolet | | | | | | | |
| 13955 | UPPER NICOLET RANGE FRONT LIGHT | 46-27-15.561N 084-15-55.624W | F W | 42 13 | | KRW on square skeleton tower. | For upbound traffic. Range marks eastern half of channel. Visible 1.5° each side of range line |
| 13960 | UPPER NICOLET RANGE REAR LIGHT 3,107 feet, 339.6° from front light. | 46-27-44.307N 084-16-11.105W | F W | 84 26 | | KRW on skeleton tower. | For upbound traffic. Range marks eastern half of channel. Visible 1.5° each side of range line. |
| 13965 | - Lighted Buoy 82 | 46-24-15.573N 084-14-11.079W | FI R 4s | | 3 | Red. | Replaced by nun f from Nov. 21 to Apr. 14. |
| 13970 | - Lighted Buoy 83 | 46-24-52.572N 084-14-53.960W | FI G 4s | | 3 | Green. | Replaced by can f from Nov. 21 to Apr. 14. |
| 13975 | - Buoy 84 | 46-25-25.391N 084-14-49.195W | | | | Red nun. | |
| 13980 | - Buoy 85 | 46-25-19.700N 084-15-08.643W | | | | Green can. | |
| 13985 | - Anchorage Buoy A | 46-23-30.685N 084-14-25.020W | | | | Yellow can. | |
| 13990 | - Anchorage Buoy B | 46-24-21.533N 084-14-51.975W | | | | Yellow can. | |
| 13995 | - Buoy 86 | 46-25-54.989N 084-15-04.785W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-----------------------------------|---------------------------------|-----------------------|---------------|--------------|--|---|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE (Chart 14883) | | | | | | | |
| Lake Nicolet | | | | | | | |
| 14000 | - Lighted Buoy 86A | 46-26-07.631N 084-15-19.213W | FI R 4s | | 3 | Red. | Replaced by nun f from Nov. 21 to Apr. 14. |
| 14005 | Six Mile Point Lighted Buoy 87 | 46-26-03.542N 084-15-31.972W | FI G 4s | | 5 | Green. | Replaced by can f from Dec. 14 to Apr. 14. |
| 14010 | FRECHETTE POINT LIGHT | 46-27-20.131N 084-16-45.886W | FI G 2.5s | 30 | 5 | SG on same structure as Frechette Point Range Front Light. | |
| 14015 | FRECHETTE POINT RANGE FRONT LIGHT | 46-27-20.221N 084-16-46.003W | Q G | 38 | 12 | KRW on square skeleton tower. | Visible 1.5° each side of range line. |
| 14020 | FRECHETTE POINT RANGE REAR LIGHT | 46-27-55.734N 084-17-24.163W | F G | 93 | 28 | KRW on triangular skeleton tower. | Visible 1.5° each side of range line. |
| 14025 | - LIGHT 88 | 46-26-48.701N 084-16-05.228W | FI R 2.5s | 34 | 7 | TR on post on concrete foundation. | |
| 14030 | - Lighted Buoy 89 | 46-26-53.800N 084-16-21.605W | FI G 4s | | 4 | Green. | Year round lighted buoy. |
| 14035 | - Buoy 90 | 46-27-12.209N 084-16-26.303W | | | | Red nun. | |
| 14040 | Sugar Island Leading Light | 46-24-44.210N 084-13-58.904W | Iso W 6s | 50 | 15 | KRW on square skeleton tower. | Lighted throughout 24 hours. |
| Little Rapids Cut | | | | | | | |
| 14045 | SIX MILE POINT RANGE FRONT LIGHT | 46-26-23.764N 084-15-58.774W | F W | 30 | 9 | KRW on white cylindrical tower. | Lighted throughout 24 hours. |
| 14050 | SIX MILE POINT RANGE REAR LIGHT | 46-26-02.785N 084-15-43.390W | Iso W 6s | 63 | 19 | KRW on square skeleton tower. | Higher intensity on range line. Lighted throughout 24 hours. |
| 14055 | - Lighted Buoy 92 | 46-27-40.624N 084-16-50.983W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 21 to Apr. 14. |
| 14060 | - Junction Lighted Buoy | 46-27-38.065N 084-16-57.405W | FI (2+1)G 6s | | 4 | Green and red bands. | Replaced by can f from Nov. 21 to Apr. 14. |
| Little Rapids Channel | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 14.</i> | | | | | | | |
| 14065 | - Buoy 2 | 46-27-42.761N 084-17-08.489W | | | | Red nun. | |
| 14070 | - Buoy 4 | 46-27-44.803N 084-17-13.610W | | | | Red nun. | |
| 14075 | - Buoy 5 | 46-27-46.555N 084-17-20.443W | | | | Green can. | |
| 14080 | - Buoy 6 | 46-27-47.436N 084-17-18.744W | | | | Red nun. | |
| 14085 | - Buoy 8 | 46-28-08.548N 084-17-42.997W | | | | Red nun. | |
| Little Rapids Cut | | | | | | | |
| 14090 | - LIGHT 95 | 46-28-23.430N 084-17-32.466W | FI G 2.5s | 18 | 4 | SG on column on concrete pier. | |
| 14095 | - LIGHT 96 | 46-28-30.960N 084-17-26.070W | FI R 2.5s | 20 | 4 | TR on column on concrete pier. | |
| 14100 | - LIGHT 98 | 46-29-07.474N 084-17-53.087W | Q R | 25 | 7 | TR on triangular tower. | |
| 14105 | - Lighted Ice Buoy 98B V-AIS | 46-29-07.000N 084-17-55.000W | Q R | | 4 | Red ice buoy. | Marks upstream end of ice boom on eastern side of river. On station only during deployment of ice boom. AIS MMSI: 993683017 |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE (Chart 14883) | | | | | | | |
| Little Rapids Cut | | | | | | | |
| 14110 | - LIGHT 99 | 46-29-12.105N 084-18-08.269W | F G | 32 10 | 8 | SG on skeleton tower. | Visible 120° to 335°. |
| 14115 | MISSION POINT OBSTRUCTION LIGHT D | 46-29-16.374N 084-17-59.268W | FI W 6s | 20 6 | 5 | On post. | |
| 14120 | MISSION POINT OBSTRUCTION LIGHT A | 46-29-16.764N 084-18-13.098W | FI W 4s | 20 6 | 5 | On post. | |
| 14125 | MISSION POINT OBSTRUCTION LIGHT E | 46-29-21.630N 084-18-03.108W | FI W 4s | 20 6 | 5 | On post. | |
| 14130 | - <i>Lighted Buoy 101</i> | 46-29-21.677N 084-18-17.049W | FI G 4s | | 3 | Green. | Maintained from Apr. 14 to Dec. 7. |
| 14135 | - <i>Junction Lighted Buoy LR</i> | 46-29-25.678N 084-18-07.132W | FI (2+1)R 6s | | 4 | Red with green band. | Replaced by nun f from Dec. 7 to Apr. 14. |
| 14140 | MISSION POINT OBSTRUCTION LIGHT B | 46-29-25.926N 084-18-24.162W | FI W 6s | 20 6 | 5 | On post. | |
| 14145 | MISSION POINT OBSTRUCTION LIGHT C | 46-29-31.416N 084-18-32.694W | FI W 4s | 20 6 | 5 | On post. | |
| 14150 | - <i>Lighted Buoy 104</i> | 46-29-34.875N 084-18-14.283W | Q R | | 3 | Red. | Replaced by nun f from Dec. 7 to Apr. 14. |
| 14155 | - <i>Lighted Buoy 105</i> | 46-29-32.878N 084-18-31.733W | Q G | | 3 | Green. | Replaced by can f from Dec. 14 to Apr. 14. |
| HEAD OF LAKE NICOLET TO WHITEFISH BAY (Chart 14884) | | | | | | | |
| Bayfield Channel | | | | | | | |
| 14160 | BAYFIELD ROCK RANGE FRONT LIGHT | 46-29-19.962N 084-16-59.114W | F W | 35 11 | | KRW on skeleton tower. | Visible 4° each side of range line. Lighted throughout 24 hours. |
| 14165 | BAYFIELD ROCK RANGE REAR LIGHT | 46-29-16.969N 084-16-46.667W | F W | 54 16 | | KRW on skeleton tower. | Visible 4° each side of range line. Lighted throughout 24 hours. |
| | 922 feet, 109.2° f from front light. | | | | | | |
| 14170 | - <i>Lighted Buoy 107</i> | 46-29-36.898N 084-18-49.895W | FI G 4s | | 3 | Green. | Replaced by can f from Nov. 21 to Apr. 14. |
| 14175 | - <i>Lighted Buoy 108</i> | 46-30-03.091N 084-19-38.075W | FI R 2.5s | | 3 | Red. | Replaced by nun f from Nov. 21 to Apr. 14. |
| 14180 | - Buoy 109 | 46-29-35.148N 084-18-54.987W | | | | Green can. | |
| 14185 | BAYFIELD DIKE LIGHT (C) | | Iso R 4s | 25 8 | | Red and white striped triangular daymark on mast. | Seasonal. |
| 14190 | - <i>Lighted Buoy 110</i> | 46-30-11.582N 084-19-57.618W | FI R 4s | | 3 | Red. | Replaced by nun f from Dec. 14 to Apr. 14. |
| 14191 | GEORGE KEMP MARINA EAST LIGHT | 46-30-01.200N 084-20-13.740W | FI G 4s | 12 4 | | Metal tower. | Maintained from May 1 to Oct. 31. Private aid. |
| 14192 | GEORGE KEMP MARINA WEST LIGHT | 46-30-01.800N 084-20-13.740W | FI R 4s | 12 4 | | Piling with metal tower. | Maintained from May 1 to Oct. 31. Private aid. |
| American Canal | | | | | | | |
| 14195 | SOUTHEAST PIERHEAD LIGHT | | F R | 9 3 | | Pipe. | Aid maintained by U.S. Army Corps of Engineers. |
| 14200 | EAST CENTER PIERHEAD LIGHT | | F R | 20 6 | | Concrete column. | Aid maintained by U.S. Army Corps of Engineers. |
| | Marks direction of pier. | | | | | | |
| 14205 | NORTHEAST PIERHEAD LIGHT | | F R | 21 6 | | Concrete column. | Aid maintained by U.S. Army Corps of Engineers. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. MARYS RIVER | | | | | | | |
| HEAD OF LAKE NICOLET TO WHITEFISH BAY (Chart 14884) | | | | | | | |
| American Canal | | | | | | | |
| 14210 | WEST CENTER PIERHEAD LIGHT | | F R | 20 6 | | Concrete column. | Aid maintained by U.S. Army Corps of Engineers. |
| 14215 | SOUTHWEST PIER LIGHT | | Q W | 6 2 | | Concrete column. | Aid maintained by U.S. Army Corps of Engineers. |
| 14220 | SOUTHWEST PIERHEAD LIGHT | | F R | 20 6 | | Concrete column. | Aid maintained by U.S. Army Corps of Engineers. |
| 14225 | NORTHWEST PIERHEAD LIGHT | | F R | 20 6 | | Concrete column. | SIREN: Answers signals. Aid maintained by U.S. Army Corps of Engineers. |
| Vidal Shoals Channel | | | | | | | |
| 14230 | - RANGE FRONT LIGHT | 46-30-14.113N 084-22-01.746W | Q R | 32 10 | | KRW on skeleton tower. | Visible 1.5° each side of range line |
| 14235 | - RANGE REAR LIGHT 885 feet, 076.2° from front light. | 46-30-16.200N 084-21-49.465W | Iso R 6s | 66 20 | | KRW on skeleton tower. | Visible 1.5° each side of range line. |
| 14245 | - Lighted Buoy 2 | 46-30-10.813N 084-23-05.017W | FI R 4s | | 3 | Red. | Replaced by nun from Nov. 21 to May 1. |
| 14250 | - Lighted Buoy 3 | 46-29-56.500N 084-23-07.331W | FI G 4s | | 3 | Green. | Replaced by can from Nov. 21 to May 1. |
| 14255 | - Lighted Buoy 5 | 46-29-47.612N 084-23-55.464W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 21 to May 1. |
| 14265 | Big Point Lighted Buoy 7 | 46-29-30.577N 084-25-16.452W | Q G | | 4 | Green. | Year round lighted buoy . |
| 14290 | CANADIAN CANAL UPPER ENTRANCE RANGE FRONT LIGHT (C) | 46-30-54.000N 084-22-18.000W | F R | 40 12 | | Red square day mark with white vertical stripe on skeleton tower. | Lighted throughout 24 hours. Seasonal. |
| 14295 | CANADIAN CANAL UPPER ENTRANCE RANGE REAR LIGHT (C) 811 feet, 051° from front light. | | F R | 63 19 | | Red square day mark with white vertical stripe on skeleton tower. | Lighted throughout 24 hours. Seasonal. |
| 14300 | - Upper Turning Lighted Buoy QM11 (C) | 46-30-41.969N 084-22-31.589W | Q G | | | Green. | Spar; winter marker. Seasonal. |
| Vidal Shoals | | | | | | | |
| 14305 | - Northeast Lighted Buoy QM13 (C) | 46-30-29.018N 084-22-56.089W | FI G 4s | | | Green. | Spar; winter marker. Seasonal. |
| 14310 | - North Lighted Buoy QM14 (C) | 46-30-24.613N 084-23-13.421W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 14315 | - Southwest Lighted Buoy P (C) | 46-30-06.647N 084-23-34.365W | | | | Yellow with black band. | Spar; winter marker. Cardinal buoy age. Seasonal. |
| 14320 | - West Lighted Buoy QM24 (C) | 46-30-01.789N 084-23-53.609W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| Pointe Aux Pins Channel | | | | | | | |
| 14325 | POINTE AUX PINS RANGE FRONT LIGHT (C) | 46-28-06.000N 084-28-18.000W | F G | 30 9 | | KWR on tower. | Visible on range line only. Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. MARYS RIVER | | | | | | | |
| HEAD OF LAKE NICOLET TO WHITEFISH BAY (Chart 14884) | | | | | | | |
| Pointe Aux Pins Channel | | | | | | | |
| 14330 | POINTE AUX PINS RANGE REAR LIGHT (C) 922 feet, 233.1° f from front light. | | F G | 62 19 | | KRW on skeleton tower. | Visible on range line only. Seasonal. |
| 14335 | - <i>Lighted Buoy 8</i> | 46-29-39.353N 084-25-30.162W | FI R 2.5s | | 4 | Red. | Year round lighted buoy. |
| 14337 | - <i>Lighted Buoy 9</i> | 46-29-04.795N 084-26-08.200W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 21 to May 1. |
| 14340 | - <i>Lighted Buoy 10</i> | 46-29-14.365N 084-26-18.715W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 21 to May 1. |
| 14345 | <i>Pointe Aux Pins Bay Lighted Buoy P12 (C)</i> | 46-28-45.322N 084-27-13.728W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 14350 | <i>Brush Point Lighted Buoy 13</i> | 46-28-23.593N 084-27-28.615W | Q G | | 4 | Green. | Replaced by can f from Dec. 21 to May 1. |
| 14355 | BRUSH POINT LIGHT A | 46-28-20.551N 084-27-27.110W | Q W | 25 8 | 4 | NB on post. | |
| 14360 | <i>Pointe Aux Pins Bay Lighted Buoy P14 (C)</i> | 46-28-21.871N 084-27-51.890W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 14365 | <i>Brush Point Lighted Buoy 15</i> | 46-28-06.570N 084-27-43.910W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 21 to May 1. |
| 14370 | POINTE AUX PINS MAIN LIGHT (C) | 46-27-50.800N 084-28-22.300W | Iso R 4s | 27 8 | 8 | On circular tower with red and white bands. | Seasonal. |
| 14375 | <i>Brush Point Lighted Buoy 17</i> | 46-27-43.477N 084-28-04.562W | Q G | | 4 | Green. | Replaced by can f from Dec. 21 to May 1. |
| 14380 | <i>Brush Point Lighted Buoy P19 (C)</i> | 46-27-28.692N 084-28-41.258W | FI G 4s | | | Green. | Spar; winter marker. Seasonal. |
| 14385 | <i>Point Louise Lighted Buoy P20 (C)</i> | 46-27-39.900N 084-28-42.120W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 14390 | BRUSH POINT RANGE FRONT LIGHT | 46-27-44.459N 084-27-46.843W | F R | 33 10 | | KRW on square skeleton tower. | |
| 14395 | BRUSH POINT RANGE REAR LIGHT | 46-27-49.951N 084-27-19.167W | F R | 71 22 | | KRW on square skeleton tower. | Visible 14° each side of range line. Lighted throughout 24 hours. |
| 14400 | <i>Cedar Point Lighted Buoy 21</i> | 46-27-15.439N 084-29-42.962W | FI G 4s | | 3 | Green. | Replaced by can f from Nov. 21 to May 1. |
| 14405 | <i>Cedar Point Lighted Buoy P22 (C)</i> | 46-27-27.134N 084-29-46.155W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 14410 | <i>Cedar Point Lighted Buoy 23</i> | 46-27-02.289N 084-30-48.707W | FI G 4s | | 3 | Green. | Replaced by can f from Nov. 21 to May 1. |
| 14415 | <i>Cedar Point Lighted Buoy 24</i> | 46-27-13.553N 084-30-52.068W | FI R 4s | | 3 | Red. | Replaced by nun f from Nov. 21 to May 1. |
| Round Island | | | | | | | |
| 14420 | - <i>Lighted Buoy 25</i> | 46-26-50.752N 084-31-39.753W | FI G 4s | | 4 | Green. | Year round lighted buoy. |
| 14425 | - LIGHT 26 | 46-27-02.100N 084-31-53.000W | Q R | 34 10 | 5 | White cylindrical tower with red band. | RACON: M (- -) |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|---|---------------|--------------|-----------------------------------|---|
| ST. MARYS RIVER | | | | | | | |
| HEAD OF LAKE NICOLET TO WHITEFISH BAY (Chart 14884) | | | | | | | |
| Round Island | | | | | | | |
| 14430 | BIRCH POINT RANGE FRONT LIGHT | 46-26-01.301N 084-31-24.093W | F R | 63 19 | | KRW on skeleton tower. | Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 14435 | BIRCH POINT RANGE REAR LIGHT 3,450 feet, 138.6° from front light. | 46-25-35.734N 084-30-51.555W | F R | 113 34 | | KRW on skeleton tower. | Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 14440 | - Buoy 27 | 46-26-43.317N 084-32-17.114W | | | | Green can. | |
| 14445 | Point Iroquois Anchorage Buoy "B" | 46-26-40.647N 084-33-00.394W | | | | Yellow can. | |
| 14450 | - Buoy 30 | 46-27-11.345N 084-32-23.877W | | | | Red nun. | |
| 14455 | - Traffic Buoy (RI) V-AIS | 46-27-07.023N 084-32-47.446W | | | | | V-AIS MMSI: 993683016 |
| 14460 | - <i>Lighted Buoy 32</i> | 46-27-19.511N 084-32-45.709W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec. 7 to May 1. |
| Point Iroquois | | | | | | | |
| 14465 | - <i>Shoal Lighted Buoy 33</i> | 46-27-39.538N 084-33-47.859W | FI G 4s | | 4 | Green. | Maintained from 01 May to 07 Dec. |
| 14470 | - Anchorage Buoy A | 46-27-32.438N 084-34-58.892W | | | | Yellow can. | |
| 14473 | <i>Pointe De Chenes Lighted Buoy P34 (C)</i> | 46-27-54.156N 084-33-28.453W | FI R 4s | | | | |
| 14475 | - Shoal Buoy 35 | 46-28-25.577N 084-34-47.062W | | | | Green can. | |
| 14483 | - <i>Lighted Buoy P38 (C)</i> | 46-29-11.419N 084-35-07.385W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 14485 | - Shoal Buoy 37 | 46-29-01.020N 084-35-32.537W | | | | Green can. | |
| 14490 | - <i>Shoal Lighted Bell Buoy 39</i> | 46-29-41.942N 084-36-24.579W | Q G | | 4 | Green. | Replaced by can from 07 Dec to 01 May |
| 14495 | Gros Cap Reefs Light (C) | 46-30-42.000N 084-36-54.000W | FI R 5s | 59 18 | 14 | On white square block. | Seasonal. Emergency light. |
| LAKE SUPERIOR | | | | | | | |
| ST. MARYS RIVER TO AU SABLE POINT (Chart 14962) | | | | | | | |
| 14510 | Ile Parisienne Light (C) | 46-38-42.000N 084-43-24.000W | FI W 10s 1s fl 9s ec. | 53 16 | 16 | White hexagonal tower. | Seasonal. Emergency light. |
| 14515 | WHITEFISH HARBOR LIGHT 2 | 46-45-31.950N 084-57-50.148W | FI R 4s | 29 9 | 5 | TR on pile. | |
| 14520 | WHITEFISH HARBOR LIGHT 3 | 46-45-33.333N 084-57-52.992W | FI G 4s | 29 9 | 4 | SG on pile. | |
| 14525 | WHITEFISH HARBOR LIGHT 4 | 46-45-35.800N 084-57-53.900W | FI R 4s | 25 8 | 4 | TR on white column. | |
| 14530 | Whitefish Point Light | 46-46-16.062N 084-57-26.802W | FI (2)W 20s 0.2s fl 4.8s ec. 0.2s fl 14.8s ec. | 80 24 | 15 | White cylindrical tower. 90 | RACON: O (- - -) Standby light of reduced intensity. |
| 14535 | CRISP POINT LIGHT | 46-45-06.900N 085-15-27.180W | FI W 6s | | | | Maintained from May 1 to Nov 1 Private aid. |
| 14540 | LITTLE LAKE HARBOR LIGHT 2 | 46-43-04.404N 085-21-52.128W | FI R 4s | 19 6 | 5 | | Maintained from Jun.1 to Oct. 1. |
| 14545 | LITTLE LAKE HARBOR LIGHT 3 | 46-42-59.775N 085-21-50.971W | FI G 4s | 28 9 | 4 | SG on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|------------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE SUPERIOR | | | | | | | |
| ST. MARYS RIVER TO AU SABLE POINT (Chart 14962) | | | | | | | |
| 14550 | Grand Marais Harbor Of Refuge Outer Light | 46-41-01.611N 085-58-18.224W | FI W 2.5s | 40 12 | 10 | Skeleton tower with upper part enclosed. 41 | HORN: 1 blast ev 15s (2s bl). Fog signal operates by keying microphone five times on VHF-FM channel 83A. Operates from May 1 to Oct. 20. |
| 14552 | <i>Grand Marais Weather Buoy</i> | 46-44-24.000N 085-58-48.000W | FI Y 4s | | | | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 14555 | GRAND MARAIS HARBOR OF REFUGE LIGHT 1 | 46-40-50.800N 085-58-09.900W | FI G 4s | 24 7 | 4 | SG on post. | |
| 14560 | Grand Marais Harbor Of Refuge Inner Light | 46-40-36.005N 085-58-16.031W | F W | 54 16 | 16 | White square pyramidal skeleton tower with upper part enclosed. 64 | |
| GRAND MARAIS TO BIG BAY POINT (Chart 14963) | | | | | | | |
| 14565 | Au Sable Light | 46-40-18.600N 086-08-23.500W | FI W 6s | 100 30 | 13 | White conical tower with red dwelling attached. 110 | |
| 14570 | GRAND ISLAND LIGHT | 46-33-34.692N 086-40-48.432W | FI W 6s | 190 58 | 9 | On white post. | |
| 14572 | <i>Munising Weather Buoy</i> | 46-34-12.000N 086-34-12.000W | FI Y 4s | | | | Maintained from Apr. 15 to Nov. 15 Private aid. |
| 14575 | MUNISING RANGE FRONT LIGHT | 46-24-53.820N 086-39-40.644W | F R | 79 24 | | White conical tower. | |
| 14580 | MUNISING RANGE REAR LIGHT | 46-24-45.150N 086-39-50.268W | F R | 107 33 | | White conical tower. | |
| | | 1,150 feet, 217° from front light. | | | | | |
| 14582 | MUNISING CITY PIER LIGHT | 46-24-49.080N 086-39-06.960W | FI R 3s | | | On white post. | Private aid. |
| 14585 | <i>Trout Point Lighted Bell Buoy 2</i> | 46-29-05.000N 086-35-47.500W | FI R 4s | | 4 | Red. | Replaced by nun from Oct. 14 to May 7. |
| 14590 | <i>Sand Point Lighted Bell Buoy 3</i> | 46-27-31.040N 086-36-46.739W | FI G 4s | | 4 | Green. | Replaced by can from Oct. 14 to May 7. |
| 14595 | Grand Island Harbor Buoy 4 | 46-27-27.827N 086-37-04.496W | | | | Red nun. | |
| 14600 | Bay Furnace Light | 46-26-19.602N 086-41-31.464W | FI W 2.5s | 20 6 | 11 | White cylindrical tower. 21 | Higher intensity beam on bearing 166°. |
| 14603 | Bay Furnace Buoy 2 | 46-26-33.400N 086-41-18.900W | | | | Red nun. | |
| 14610 | Williams Landing Buoy 1 | 46-26-47.415N 086-40-49.611W | | | | Green can. | |
| 14615 | Grand Island Shoal Buoy 1A | 46-27-09.375N 086-41-45.714W | | | | Green can. | |
| MARQUETTE AND PRESQUE ISLE HARBORS (Chart 14970) | | | | | | | |
| 14620 | Marquette Bay South Shoal Buoy 1A | 46-30-44.205N 087-21-27.316W | | | | Green can. | |
| 14625 | Marquette Rocks Buoy 1 | 46-32-55.107N 087-22-09.486W | | | | Green can. | Replaced by can from Oct. 14 to May 7. |
| | | Marks northeast side of shoal. | | | | | |
| 14630 | Marquette Light | 46-32-48.080N 087-22-33.760W | FI W 10s | 77 23 | 10 | Red square tower on dwelling. | |
| 14635 | Marquette Breakwater Outer Light | 46-32-01.680N 087-22-29.040W | FI W 2.5s | 36 11 | 12 R 12 | White cylindrical tower with red band. | Red from 181° to 198°. HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 14640 | MARQUETTE BREAKWATER INNER LIGHT | 46-32-12.870N 087-22-43.430W | FI R 6s | 38 12 | 5 | TR on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE SUPERIOR | | | | | | | |
| MARQUETTE AND PRESQUE ISLE HARBORS (Chart 14970) | | | | | | | |
| 14645 | Marquette Harbor Buoy 1 Marks shoal. | 46-31-41.941N 087-22-52.892W | | | | Green can. | |
| 14650 | Marquette Power And Light Channel Buoy 1 | 46-32-01.900N 087-23-07.300W | | | | Green can. | Private aid. |
| 14655 | Marquette Power And Light Channel Buoy 2 | 46-32-06.100N 087-23-08.000W | | | | Red nun-shaped spar. | Private aid. |
| 14656 | Marquette Power And Light Range Front Day beacon | 46-31-56.100N 087-23-36.500W | | | | Orange and white diamond. | Private aid. |
| 14657 | Marquette Power And Light Range Rear Day beacon 100 feet, 250° from front range beacon. | 46-31-55.500N 087-23-38.600W | | | | Orange and white diamond. | Private aid. |
| 14660 | Marquette Harbor Buoy 3 | 46-32-10.110N 087-23-08.532W | | | | Green can. | |
| 14665 | Marquette Harbor Buoy 5 | 46-32-19.260N 087-23-08.462W | | | | Green can. | |
| 14666 | Marquette Harbor Buoy 7 | 46-32-31.207N 087-23-08.409W | | | | Green can. | |
| 14667 | MARQUETTE MARINA ENTRANCE LIGHT 1 | 46-32-34.510N 087-23-02.520W | FI G 2.5s | | | SG on blue pole. | Maintained from Mar. 1 to Nov. 30. Private aid. |
| 14668 | MARQUETTE MARINA ENTRANCE LIGHT 2 | 46-32-33.420N 087-23-01.820W | FI R 2.5s | | | TR on blue pole. | Maintained from Mar. 1 to Nov. 30. Private aid. |
| 14670 | Presque Isle Harbor Breakwater Light | 46-34-28.110N 087-22-28.180W | FI R 4s | 56 17 | 11 | White cylindrical tower with red band on octagonal building. 56 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog Signal operates by keying the microphone five times on VHF- FM Channel 83A. |
| 14680 | <i>Presque Isle Harbor Lighted Buoy 1</i> Marks north side of shoal. | 46-34-08.024N 087-23-03.573W | FI G 4s | | 4 | Green. | Replaced by can f from Oct. 14 to May 7. |
| 14685 | <i>Wisconsin Electric Power Company Lighted Buoy 3</i> | 46-34-33.800N 087-23-16.200W | Q G | | | Green. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 14688 | PRESQUE ISLE MARINA LIGHT 1 | 46-34-49.700N 087-23-09.000W | F G | | | SG on building. | Maintained from May 1 to Oct. 31. Private aid. |
| 14690 | PRESQUE ISLE MARINA LIGHT 2 | 46-34-51.000N 087-23-06.000W | FI R 4s | 12 4 | | TR on red steel pile. | Maintained from May 1 to Oct. 31. Private aid. |
| 14695 | Presque Isle Harbor Buoy 2 Marks shoal. | 46-34-34.168N 087-22-49.647W | | | | Red nun. | |
| GRAND MARAIS TO BIG BAY POINT (Chart 14963) | | | | | | | |
| 14700 | Granite Island Light | 46-43-15.200N 087-24-45.600W | FI W 6s | 96 29 | 11 | Gray skeleton tower. 50 | |
| 14702 | <i>Granite Island Weather Buoy</i> | 46-43-12.000N 087-25-12.000W | FI Y 4s | | | | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 14705 | Big Bay Point Light | 46-50-31.150N 087-40-45.320W | FI W 6s | 89 27 | 12 | Red square tower on dwelling. 60 | |
| 14710 | Big Bay Point Buoy 1 Marks north side of shoal. | 46-51-41.718N 087-41-15.468W | | | | Green can. | Maintained from May 14 to Oct. 14. |
| 14715 | BIG BAY HARBOR WEST PIER LIGHT | 46-49-48.000N 087-43-29.400W | FI R 4s | 25 8 | 5 | TR on column. | |
| 14720 | Big Bay Harbor East Pier Day beacon | 46-49-41.300N 087-43-32.000W | | | | SG on column. | |
| 14725 | Stannard Rock Light Marks north side of reef. | 47-11-00.620N 087-13-30.420W | FI W 6s | 102 31 | 10 | Gray conical tower on cylindrical crib. 110 | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE SUPERIOR | | | | | | | |
| BIG BAY POINT TO REDRIDGE (Chart 14964) | | | | | | | |
| 14730 | Huron Island Light | 46-57-47.920N 087-59-55.410W | FI W 10s | 197 60 | 12 | Gray granite tower on dwelling. 39 | |
| 14735 | Point Abbaye Shoal Buoy 6 | 46-57-29.861N 088-05-51.512W | | | | Red nun. | |
| 14740 | <i>Point Abbaye Shoal Lighted Bell Buoy 3</i> | 46-58-22.524N 088-06-15.441W | FI G 4s | | 5 | Green. | Maintained from May 14 to Oct. 14. |
| 14745 | HURON BAY LIGHT | 46-53-28.000N 088-12-53.000W | FI W 4s | 34 10 | 6 | NG on skeleton tower. | |
| 14750 | SAND POINT LIGHT | 46-47-00.246N 088-27-59.310W | FI W 4s | 40 12 | 6 | NR on skeleton tower. | |
| 14755 | L'Anse Bay Shoal Buoy 2 | 46-46-46.440N 088-28-04.920W | | | | Red nun. | Maintained from May 14 to Oct. 14. |
| 14760 | L'Anse Buoy 1 | 46-45-33.369N 088-27-33.557W | | | | Green can. | Maintained from May 14 to Oct. 14. |
| 14762 | L'ANSE MARINA LIGHT 2 | 46-45-28.000N 088-27-26.000W | FI R 4s | 8 2 | | TR on pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 14763 | Indian Country Sports Light | 46-45-28.200N 088-27-21.300W | FI W 2.5s | 44 13 | | Cupola atop white square tower. | Private aid. |
| KEWEENAW WATERWAY (Chart 14972) | | | | | | | |
| Keweenaw Waterway | | | | | | | |
| <i>Lighted buoys maintained from May 14 to Nov. 14.</i> | | | | | | | |
| 14765 | - LOWER ENTRANCE LIGHT | 46-58-07.986N 088-25-51.561W | FI W 6s | 68 21 | 9 | White octagonal tower on concrete pierhead. | Standby light of reduced intensity. HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 14775 | - <i>Lighted Buoy 1</i> | 46-58-05.418N 088-25-59.768W | FI G 4s | | 4 | Green. | |
| 14780 | - <i>Lighted Buoy 3</i> | 46-58-25.068N 088-26-01.430W | FI G 4s | | 4 | Green. | |
| 14780.1 | - Buoy 3A | 46-58-47.178N 088-26-06.120W | | | | Green can. | Maintained from May 14 to Oct. 14. |
| 14785 | - <i>Lighted Buoy 4</i> | 46-58-56.641N 088-26-03.647W | FI R 4s | | 3 | Red. | |
| 14790 | - LIGHT 5 | 46-58-55.164N 088-26-08.230W | FI G 2.5s | 14 4 | 4 | SG on white pile. | |
| 14795 | - Day beacon 7 | 46-59-00.242N 088-26-08.950W | | | | SG on skeleton tower. | |
| 14800 | - Day beacon 9 | 46-59-19.977N 088-26-10.983W | | | | SG on skeleton tower. | |
| 14805 | - LIGHT 10 | 46-59-21.890N 088-26-01.690W | FI R 2.5s | 14 4 | 4 | TR on post. | |
| 14810 | - LIGHT 11 Marks northwest end of Middle Ground. | 46-59-24.224N 088-26-08.927W | FI G 2.5s | 14 4 | 4 | SG on white pile. | |
| 14815 | - LIGHT 13 | 46-59-31.928N 088-26-09.300W | Q G | 14 4 | 4 | SG on white pile. | |
| 14820 | - SOUTH RANGE FRONT LIGHT | 46-59-36.499N 088-26-03.461W | Q W | 25 8 | | KRW on gray skeleton tower. | Light visible 360°. |
| 14825 | - SOUTH RANGE REAR LIGHT 1,673 feet, 136.2° f rom front light. | 46-59-24.585N 088-25-46.750W | Iso W 6s | 57 17 | | KRW on gray skeleton tower. | Visible 1.5° each side of range line. |
| 14830 | - LIGHT 15 | 46-59-43.620N 088-26-16.670W | FI G 2.5s | 14 4 | 4 | SG on white pile. | |
| 14835 | - LIGHT 17 | 47-00-07.880N 088-26-50.630W | FI G 2.5s | 14 4 | 4 | SG on white pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE SUPERIOR | | | | | | | |
| KEWEENAW WATERWAY (Chart 14972) | | | | | | | |
| Keweenaw Waterway | | | | | | | |
| <i>Lighted buoys maintained from May 14 to Nov. 14.</i> | | | | | | | |
| 14840 | - LIGHT 16 | 47-00-10.610N 088-26-46.460W | FI R 2.5s | 14 4 | 4 | TR on white pile. | |
| 14845 | - LIGHT 19 | 47-00-41.060N 088-27-37.170W | FI G 2.5s | 14 4 | 4 | SG on post. | |
| 14850 | - LIGHT 18 | 47-00-43.800N 088-27-33.010W | FI R 2.5s | 14 4 | 4 | TR on white pile. | |
| 14855 | - LIGHT 20 | 47-01-13.890N 088-28-15.240W | Q R | 14 4 | 4 | TR on white pile. | |
| 14860 | PRINCESS POINT RANGE FRONT LIGHT | 47-01-17.531N 088-28-29.300W | Q W | 20 6 | | KRW on gray skeleton tower. | Light visible 360°. Higher intensity on range line. |
| 14865 | PRINCESS POINT RANGE REAR LIGHT 1,142 feet, 164.7° from front light. | 47-01-06.666N 088-28-24.940W | Iso W 6s | 41 13 | | KRW on gray skeleton tower. | Visible 1.5° each side of range line. |
| 14870 | - LIGHT 22 | 47-01-34.800N 088-28-30.940W | FI R 2.5s | 13 4 | 4 | TR on white pile. | |
| 14875 | - Buoy 24 | 47-01-50.843N 088-28-40.247W | | | | Red nun. | Maintained from May 14 to Nov 14. |
| 14880 | - LIGHT 25 | 47-01-49.620N 088-28-43.740W | FI G 2.5s | 15 5 | 4 | SG on white pile. | |
| 14885 | - Buoy 26 | 47-02-19.720N 088-28-51.024W | | | | Red nun. | |
| 14890 | - <i>Lighted Buoy 27</i> | 47-02-18.941N 088-28-55.874W | Q G | | 4 | Green. | |
| 14895 | Pike Bay Obstruction Beacons (5) | 47-01-41.000N 088-31-13.000W | | | | NW on posts worded DANGER SUBMERGED PILINGS. | Private aid. |
| 14900 | - <i>Junction Lighted Buoy "KW"</i> | 47-04-18.989N 088-29-25.074W | FI (2+1)R 6s | | 4 | Red and green bands. | |
| Torch Lake Canal | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 14.</i> | | | | | | | |
| 14905 | - Buoy 1 | 47-05-42.518N 088-25-38.255W | | | | Green can. | |
| 14906 | - <i>Lighted Buoy 2</i> | 47-05-50.040N 088-25-13.950W | FI R 4s | | 4 | Red nun. | |
| 14907 | - Buoy 3 | 47-06-49.000N 088-24-35.000W | | | | Green can. | |
| 14908 | - Buoy 4 | 47-06-49.000N 088-24-29.000W | | | | Red nun. | |
| 14911 | - Buoy 5 | 47-07-37.020N 088-24-22.970W | | | | Green can. | |
| 14914 | - Buoy 7 | 47-08-01.820N 088-24-18.220W | | | | Green can. | |
| 14915 | - Buoy 8 | 47-08-02.078N 088-24-16.655W | | | | Red nun. | |
| 14915.5 | - <i>Lighted Buoy 9</i> | 47-08-10.590N 088-24-19.040W | FI G 4s | | 4 | Green can. | |
| 14916 | - Buoy 10 | 47-08-24.450N 088-24-22.660W | | | | Red nun. | |
| 14917 | - Buoy 11 | 47-08-33.970N 088-24-28.420W | | | | Green can. | |
| 14918 | - Buoy 12 | 47-09-00.900N 088-24-40.240W | | | | Red nun. | |
| 14919 | - Buoy 13 | 47-09-00.698N 088-24-41.795W | | | | Green can. | |
| 14922 | - <i>Lighted Buoy 14</i> | 47-09-26.138N 088-24-53.495W | FI R 2.5s | | 4 | Red nun. | |
| 14923 | - Buoy 15 | 47-09-26.200N 088-24-55.870W | | | | Green can. | |
| 14925 | Lake Linden Harbor Buoy 1 | 47-10-36.392N 088-24-32.312W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------------|---|
| LAKE SUPERIOR | | | | | | | |
| KEWEENAW WATERWAY (Chart 14972) | | | | | | | |
| Keweenaw Waterway | | | | | | | |
| <i>Lighted buoys maintained from May 14 to Nov. 14.</i> | | | | | | | |
| 14926 | Torch Lake Southwest Arm Wreck Buoy 2 | 47-08-58.889N 088-27-01.151W | | | | Red nun. | Maintained from May 14 to Nov 14. |
| 14935 | - Buoy 30 Marks west side of shoal. | 47-05-19.749N 088-29-52.981W | | | | Red nun. | |
| 14937 | - Buoy 30A | 47-06-05.231N 088-30-03.296W | | | | Red nun. | Maintained from May 14 to Nov 14. |
| 14940 | PILGRIM POINT LEADING LIGHT | 47-06-23.962N 088-30-26.439W | FI W 4s | 22 7 | 9 | NB on post. | Higher intensity beam on bearing 165°. |
| 14945 | - <i>Lighted Buoy 31</i> | 47-06-32.414N 088-30-19.834W | Q G | | 3 | Green. | Can; winter marker. |
| 14950 | - <i>Lighted Buoy 33</i> | 47-07-04.160N 088-31-56.382W | FI G 2.5s | | 4 | Green can. | |
| 14955 | - Buoy 34 | 47-07-21.448N 088-32-47.551W | | | | Red nun. | Maintained from May 14 to Nov 14. |
| 14960 | - <i>Lighted Buoy 35</i> | 47-07-17.563N 088-32-48.527W | FI G 4s | | 4 | Green. | |
| 14965 | - Buoy 36 | 47-07-27.016N 088-33-08.434W | | | | Red nun. | |
| 14970 | OSCEOLA POINT LIGHT | 47-07-22.649N 088-35-39.183W | Q R | 20 6 | 4 | TR on post. | |
| 14975 | <i>Atlantic Point Lighted Buoy 37</i> | 47-07-29.977N 088-36-28.124W | FI G 4s | | 4 | Green. | |
| 14980 | - Buoy 39 | 47-07-33.267N 088-36-59.615W | | | | Green can. | |
| 14985 | - Buoy 40 | 47-07-39.687N 088-36-58.775W | | | | Red nun. | Maintained from May 14 to Nov 14. |
| 14990 | - <i>Lighted Buoy 42</i> | 47-07-49.206N 088-37-11.267W | FI R 4s | | 4 | Red. | |
| 14995 | COLE CREEK LIGHT | 47-07-45.403N 088-37-19.370W | FI G 2.5s | 25 8 | 5 | SG on post. | |
| 15000 | - Buoy 44 | 47-07-58.156N 088-37-20.428W | | | | Red nun. | Maintained from May 14 to Nov 14. |
| 15005 | - Buoy 46 | 47-08-14.231N 088-37-28.181W | | | | Red nun. | Maintained from May 14 to Nov 14. |
| 15010 | - Buoy 48 | 47-09-10.507N 088-37-47.678W | | | | Red nun. | |
| 15015 | - <i>Lighted Buoy 49</i> | 47-09-28.500N 088-37-58.910W | FI G 4s | | 3 | Green. | Can; winter marker. |
| 15025 | - <i>Lighted Buoy 50</i> | 47-09-59.785N 088-38-19.931W | FI R 4s | | 3 | Red. | Nun; winter marker. |
| 15030 | - <i>Lighted Buoy 51</i> | 47-10-13.719N 088-38-28.618W | FI G 2.5s | | 3 | Green. | Replaced by can from Nov. 14 to May 14. |
| 15035 | - Buoy 52 | 47-10-12.076N 088-38-20.806W | | | | Red nun. | Maintained from May 14 to Nov 14. |
| 15040 | ROULEAU POINT RANGE FRONT LIGHT | 47-11-33.218N 088-37-07.865W | Q W | 26 8 | | KRW on skeleton tower. | Light visible 360°. Also serves as a leading light for Lily Pond Lower Canal. |
| 15045 | ROULEAU POINT RANGE REAR LIGHT 1,282 feet, 033.4° from front light. | 47-11-43.778N 088-36-57.635W | F W | 55 17 | | KRW on skeleton tower. | Visible 1.5° each side of range line. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------------|---------------------------------|--|---------------|--------------|---|---|
| LAKE SUPERIOR | | | | | | | |
| KEWEENAW WATERWAY (Chart 14972) | | | | | | | |
| Keweenaw Waterway | | | | | | | |
| <i>Lighted buoys maintained from May 14 to Nov. 14.</i> | | | | | | | |
| 15050 | - Buoy 54 | 47-10-23.100N 088-38-13.460W | | | | Red nun. | Maintained from May 14 to Nov 14. |
| 15055 | - Buoy 55 | 47-10-29.237N 088-38-12.679W | | | | Green can. | |
| 15060 | - Buoy 56 | 47-10-52.320N 088-37-45.270W | | | | Red nun. | Maintained from May 14 to Nov 14. |
| 15065 | - Buoy 57 | 47-10-52.315N 088-37-50.075W | | | | Green can. | Maintained from May 14 to Nov 14. |
| 15070 | - Buoy 59 | 47-11-18.724N 088-37-24.779W | | | | Green can. | Maintained from May 14 to Nov 14. |
| 15075 | - Buoy 60 | 47-11-22.070N 088-37-17.074W | | | | Red nun. | Maintained from May 14 to Nov 14. |
| 15080 | - <i>Lighted Buoy 61</i> | 47-11-28.022N 088-37-18.237W | FI G 2.5s | | 3 | Green. | Replaced by can from Nov 14 to May 14. |
| 15085 | LILY POND LEADING LIGHT | 47-12-01.340N 088-37-03.860W | FI R 2.5s | 25 8 | 6 | TR on post. | |
| 15090 | - Buoy 63 | 47-11-51.676N 088-37-10.593W | | | | Green can. | Maintained from May 14 to Nov 14. |
| 15095 | LILY POND SOUTH LIGHT 68 | 47-12-30.420N 088-37-05.340W | FI R 4s | 25 8 | 5 | TR on post. | |
| 15100 | LILY POND NORTH LIGHT 70 | 47-13-00.960N 088-37-08.730W | Q R | 25 8 | 5 | TR on post. | |
| Keweenaw Upper Entrance | | | | | | | |
| 15105 | - EAST REVETMENT LIGHT 72 | 47-13-36.060N 088-37-32.380W | FI R 4s | 25 8 | 5 | TR on post. | |
| 15110 | - WEST REVETMENT LIGHT | 47-13-34.330N 088-37-37.780W | FI G 4s | 25 8 | 5 | SG on post. | |
| 15115 | - WEST BREAKWATER LIGHT | 47-14-01.940N 088-37-56.620W | FI G 4s | 32 10 | 5 | SG on post. | |
| 15120 | - Light | 47-14-04.320N 088-37-49.210W | FI W 15s | 82 25 | 15 | White square tower on cylindrical base. | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Channel 83A. |
| BIG BAY POINT TO REDRIDGE (Chart 14964) | | | | | | | |
| 15130 | GRAND TRAVERSE BAY HARBOR LIGHT 2 | 47-11-18.000N 088-14-06.000W | FI (2)R 5s 0.4s fl 0.6s ec. 0.4s fl 3.6s ec. | 29 9 | 7 | TR on post. | |
| 15135 | GRAND TRAVERSE BAY HARBOR LIGHT3 | 44-11-19.700N 088-14-08.000W | FI G 2.5s | 27 8 | 4 | SG on post. | |
| 15140 | Bete Grise Bay Shoal Buoy 1 | 47-21-29.676N 087-55-30.000W | | | | Green can. | |
| 15145 | LAC LA BELLE SOUTH PIERHEAD LIGHT | 47-22-27.300N 087-57-46.000W | FI G 4s | 29 9 | 7 | SG on post. | |
| 15150 | LAC LA BELLE NORTH PIERHEAD LIGHT | 47-22-31.200N 087-57-48.200W | FI R 4s | 25 8 | 4 | 2 TR on gray pole. | |
| 15151 | Mendota Light | 47-22-26.500N 087-58-00.100W | FI W 20s | 44 13 | | Square buff-brick tower in front of dwelling with steep gable roof. | Private aid. |
| 15155 | <i>Keweenaw Point Lighted Buoy 1</i> | 47-23-46.177N 087-42-31.938W | FI G 4s | | 4 | Green. | Maintained from May 14 to Oct. 14. |
| 15160 | Gull Rock Buoy 4 | 47-24-30.694N 087-40-01.847W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--|---------------|--------------|--|---|
| LAKE SUPERIOR | | | | | | | |
| BIG BAY POINT TO REDRIDGE (Chart 14964) | | | | | | | |
| 15165 | GULL ROCK LIGHT | 47-25-03.000N 087-39-50.000W | FI (2)W 5s 0.4s fl 0.6s ec. 0.4s fl 3.6s ec. | 50 15 | 8 | White square tower on dwelling. | |
| 15170 | Manitou Light | 47-25-11.300N 087-35-12.610W | FI W 10s | 81 25 | 12 | Cylindrical tower. | RACON: M (- -) |
| 15175 | Copper Harbor Light | 47-28-28.100N 087-51-36.900W | FI G 6s | 90 27 | 14 | On white skeleton tower near white dwelling. | |
| 15180 | <i>Copper Harbor Entrance Lighted Bell Buoy CH</i> | 47-28-41.094N 087-51-52.171W | Mo (A) W | | 6 | Red and white stripes. | Maintained from May 14 to Oct. 14. |
| 15185 | COPPER HARBOR RANGE FRONT LIGHT | 47-28-07.392N 087-51-59.250W | Q W | 28 9 | | KWR on red small house with tower. | Visible 14° each side of range line. |
| 15190 | COPPER HARBOR RANGE REAR LIGHT 412 feet, 190.5° f from front light. | 47-28-03.392N 087-52-00.341W | F W | 40 12 | | KWR on white tapered skeleton tower. | Visible 14° each side of range line. |
| 15191 | Copper Harbor Crib Buoy | 47-28-12.000N 087-53-03.000W | | | | White with orange bands and orange diamond. | Maintained from May 15 to Oct. 15. Private aid. |
| 15192 | Copper Harbor Shoal Buoy | 47-28-17.000N 087-53-42.000W | | | | White with orange bands and orange diamond. | Maintained from May 15 to Oct. 15. Private aid. |
| 15195 | Eagle Harbor Light | 47-27-35.130N 088-09-32.700W | AI WR 20s | 60 18 | 23 | White octagonal tower on red dwelling. | Obscured 150° to 330°. |
| 15205 | <i>Eagle Harbor Shoal Lighted Bell Buoy 1</i> | 47-27-50.078N 088-09-30.239W | FI G 4s | | 5 | Green. | Maintained from May 14 to Oct. 14. |
| 15210 | EAGLE HARBOR RANGE FRONT LIGHT | 47-27-18.449N 088-09-05.251W | Q G | 24 7 | | KRW on post. | Visible 4° each side of range line. |
| 15215 | EAGLE HARBOR RANGE REAR LIGHT 1055 feet, 149.7° from front light. | 47-27-09.457N 088-08-57.512W | Iso G 6s | 44 13 | | KRW on gray tower. | Visible 4° each side of range line. |
| REDRIDGE TO SAXON HARBOR (Chart 14965) | | | | | | | |
| 15220 | ONTONAGON HARBOR EAST BREAKWATER LIGHT | 46-52-44.900N 089-19-43.500W | Iso G 6s | 25 8 | 6 | SG on pile. | |
| 15225 | ONTONAGON HARBOR WEST BREAKWATER LIGHT | 46-52-46.080N 089-19-51.040W | FI R 4s | 31 9 | 8 | White skeleton tower with upper part enclosed. | HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Operates from May 1 to Oct. 20. |
| 15230 | BLACK RIVER EAST BREAKWATER LIGHT 1 | 46-40-08.682N 090-02-56.262W | FI G 4s | 31 9 | 9 | SG on post. | |
| 15235 | BLACK RIVER WEST BREAKWATER LIGHT 2 | 46-40-05.730N 090-02-57.160W | FI R 4s | 18 5 | 3 | TR on tower. | Maintained from May 28 to Oct. 14. |
| 15240 | Black River Buoy 3 | 46-40-06.230N 090-02-53.547W | | | | Green can. | Maintained from May 21 to Oct. 21. |
| 15245 | SAXON HARBOR EAST BREAKWATER LIGHT | 46-33-49.170N 090-26-16.520W | FI G 6s | 29 9 | 7 | SG on post. | |
| 15250 | SAXON HARBOR WEST BREAKWATER LIGHT | 46-33-47.070N 090-26-17.070W | FI R 6s | 29 9 | 7 | TR on white column. | |
| APOSTLE ISLANDS (Chart 14973) | | | | | | | |
| 15255 | Outer Island Light | 47-04-35.500N 090-25-00.110W | FI W 10s | 130 40 | 12 | White conical tower with dwelling attached. 130 | |
| 15260 | GULL ISLAND LIGHT | 46-54-24.000N 090-26-36.000W | FI W 2.5s | 56 17 | 7 | | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-------------------------------------|---|
| LAKE SUPERIOR | | | | | | | |
| APOSTLE ISLANDS (Chart 14973) | | | | | | | |
| 15265 | STOCKTON ISLAND HARBOR EAST ENTRANCE LIGHT | 46-54-50.000N 090-33-05.500W | FI G 2.5s | 18 5 | | SG on post. | Private aid. |
| 15270 | STOCKTON ISLAND HARBOR WEST ENTRANCE LIGHT | 46-54-48.000N 090-33-07.000W | FI R 2.5s | 18 5 | | TR on post. | Private aid. |
| 15275 | Michigan Island Light | 46-52-17.154N 090-29-49.545W | FI W 6s | 170 52 | 11 | White cylindrical tower. 11 | |
| 15280 | LA POINTE LIGHT | 46-43-43.359N 090-47-05.697W | Iso G 6s | 70 21 | 10 | White cylindrical tower. | |
| 15290 | <i>Madeline Island Lighted Buoy 4</i> Marks west side of shoal. | 46-44-57.955N 090-48-01.016W | FI R 4s | | 4 | Red. | Nun; winter marker. Maintained from May 21 to Nov. 21. |
| 15295 | CHEQUAMEGON POINT LIGHT | 46-43-42.550N 090-48-33.380W | FI G 4s | 33 10 | 7 | White cylindrical tower. | |
| Chequamegon Bay | | | | | | | |
| 15300 | <i>Houghton Point Lighted Buoy 6</i> | 46-41-48.376N 090-50-45.179W | FI R 4s | | 4 | Red. | Maintained from May 21 to Nov. 21. |
| 15305 | - <i>Lighted Buoy 1</i> Marks west side of shoal. | 46-39-54.855N 090-51-33.520W | FI G 4s | | 4 | Green. | Maintained from May 21 to Nov. 21. |
| ASHLAND AND WASHBURN HARBORS (Chart 14974) | | | | | | | |
| Chequamegon Bay | | | | | | | |
| Ashland Harbor | | | | | | | |
| 15310 | - BREAKWATER LIGHT | 46-37-41.478N 090-52-14.200W | FI W 6s | 60 18 | 9 | White octagonal pyramidal tower. | |
| 15315 | - BREAKWATER SOUTH LIGHT | 46-37-03.893N 090-50-32.886W | FI R 4s | 21 6 | 5 | White pile. | |
| 15355 | - <i>Lighted Buoy 1</i> | 46-36-06.762N 090-53-26.983W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 21. to May 21. |
| 15360 | - Buoy 2 | 46-36-06.472N 090-53-32.913W | | | | Red nun. | |
| 15365 | - Buoy 3 | 46-35-56.983N 090-53-26.873W | | | | Green can. | |
| 15370 | - <i>Lighted Buoy 4</i> | 46-35-56.403N 090-53-35.274W | Q R | | 4 | Red. | Replaced by nun from Nov. 21 to May 21. |
| 15375 | - Buoy 5 | 46-35-50.583N 090-53-35.064W | | | | Green can. | |
| 15380 | - Buoy 6 | 46-35-46.770N 090-53-57.645W | | | | Red. | |
| 15390 | ASHLAND ORE DOCK LIGHT | 46-36-10.660N 090-52-56.880W | Q Y | | | Diamond day mark on a pile. | Private aid. |
| 15395 | NORTHERN POWER LIGHT 1 | 46-35-48.050N 090-53-13.110W | FI Y 4s | | | | Private aid. |
| 15395.1 | NORTHERN POWER LIGHT 2 | 46-35-45.510N 090-53-14.980W | FI Y 4s | | | | Private aid. |
| 15395.2 | NORTHERN POWER LIGHT 3 | 46-35-51.670N 090-53-02.340W | FI Y 4s | | | | Private aid. |
| 15400 | Reiss Coal Co. Dock Buoy 2 | 46-35-39.500N 090-53-50.000W | | | | Red spar. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 15404 | ASHLAND MARINA SOUTH BREAKWATER LIGHT | 46-35-34.195N 090-53-16.770W | FI W 2.5s | 17 5 | | NW on post worded DANGER. | Maintained from May 1 to Nov. 1. Private aid. |
| 15405 | ASHLAND MARINA LIGHT 1 | 46-35-39.800N 090-53-18.000W | FI G 2.5s | 20 6 | | SG on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 15406 | ASHLAND MARINA LIGHT 2 | 46-35-41.198N 090-53-23.550W | FI R 2.5s | 21 6 | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE SUPERIOR | | | | | | | |
| ASHLAND AND WASHBURN HARBORS (Chart 14974) | | | | | | | |
| Chequamegon Bay | | | | | | | |
| Ashland Harbor | | | | | | | |
| 15410 | ASHLAND MARINA BREAKWATER LIGHT | 46-35-43.100N 090-53-19.500W | Q W | 20 6 | | NW on post worded DANGER. | Maintained from May 1 to Nov. 1. Private aid. |
| 15420 | WASHBURN HARBOR SOUTH BREAKWATER LIGHT 2 | 46-40-01.800N 090-53-17.000W | FI R 4s | 20 6 | | TR on post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 15425 | WASHBURN HARBOR NORTH BREAKWATER LIGHT 1 | 46-40-02.900N 090-53-16.900W | FI G 4s | 20 6 | | SG on post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 15430 | SIXTH AVENUE BREAKWALL LIGHT | 46-39-57.000N 090-54-19.000W | F Y | 7 2 | | On post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| APOSTLE ISLANDS (Chart 14973) | | | | | | | |
| 15440 | MADLINE ISLAND MARINA ENTRANCE SOUTH LIGHT | 46-46-20.800N 090-47-01.400W | FI R 4s | 15 5 | | TR on white metal frame. | Maintained from May 1 to Nov. 1. Private aid. |
| 15445 | MADLINE ISLAND MARINA ENTRANCE NORTH LIGHT | 46-46-21.500N 090-46-58.600W | FI W 4s | 15 5 | | Green square day mark on white metal frame. | Maintained from May 1 to Nov. 1. Private aid. |
| 15450 | LAPOINTE HARBOR DETACHED BREAKWATER WEST LIGHT | 46-46-40.000N 090-47-23.800W | Q W | 26 8 | | On post. | Private aid. |
| 15455 | LAPOINTE HARBOR DETACHED BREAKWATER EAST LIGHT | 46-46-40.200N 090-47-20.100W | Q W | 26 8 | | On post. | Private aid. |
| 15460 | MADLINE ISLAND BREAKWATER LIGHT | 46-46-43.150N 090-47-20.850W | FI G 4s | 28 9 | 6 | SG on pole. | |
| Port Superior Marina | | | | | | | |
| <i>Aids maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 15470 | - Buoy 2 | 46-47-20.600N 090-50-59.000W | | | | Red. | Private aid. |
| 15475 | - Buoy 4 | 46-47-20.700N 090-51-00.300W | | | | Red. | Private aid. |
| 15480 | - Buoy 5 | 46-47-19.800N 090-51-02.600W | | | | Green. | Private aid. |
| 15485 | - Buoy 6 | 46-47-20.600N 090-51-02.200W | | | | Red. | Private aid. |
| 15490 | - LIGHT 7 | 46-47-19.600N 090-51-03.900W | FI G 4s | 15 5 | | On pile. | Private aid. |
| 15495 | - LIGHT 8 | 46-47-20.200N 090-51-05.700W | FI R 4s | 15 5 | | On pile. | Private aid. |
| APOSTLE ISLANDS (Chart 14973) | | | | | | | |
| 15500 | Bayfield Ruins Buoy 1 | 46-48-08.560N 090-49-26.000W | | | | Green can. | Maintained from May 21 to Oct. 21. |
| 15505 | MATTSON LIGHT | 46-48-22.400N 090-49-14.300W | FI R 2.5s | 13 4 | | Diamond day mark on pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 15510 | BAYFIELD HARBOR SOUTH BREAKWATER LIGHT | 46-48-34.620N 090-48-41.050W | FI G 4s | 25 8 | 7 | SG on post. | HORN: 1 blast ev 15s (2s bl). Operates by keying the microphone five times on VHF- FM channel 83A. |
| 15520 | BAYFIELD HARBOR NORTH BREAKWATER LIGHT | 46-48-35.980N 090-48-39.330W | FI R 4s | 28 9 | 6 | TR on white column. | |
| 15525 | BAYFIELD MUNICIPAL BREAKWATER LIGHT | 46-48-41.300N 090-48-41.000W | Iso G 6s | 25 8 | | On pile. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| 15527 | BAYFIELD FERRY LANDING BREAKWALL LIGHT 2 | 46-48-43.140N 090-48-38.940W | FI R 4s | | | TR on post. | Maintained from Apr. 15 to Nov. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE SUPERIOR | | | | | | | |
| APOSTLE ISLANDS (Chart 14973) | | | | | | | |
| Red Cliff | | | | | | | |
| 15530 | - BREAKWATER LIGHT | 46-50-10.000N 090-47-16.000W | FI R 4s | 18 5 | | On pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 15545 | - Point Lighted Buoy 4 | 46-53-40.500N 090-44-47.500W | FI R 4s | | 4 | Red. | Maintained from May 21 to Oct. 14. |
| APOSTLE ISLANDS (Chart 14973) | | | | | | | |
| 15550 | LITTLE MANITOU ISLAND LIGHT | 46-57-42.350N 090-41-10.860W | FI G 4s | 21 6 | 6 | SG on skeleton tower. | |
| 15555 | RASPBERRY ISLAND LIGHT | 46-58-13.200N 090-48-17.470W | FI W 2.5s | 58 18 | 7 | | |
| 15560 | Marina Shoal Buoy 3 | 46-58-10.604N 090-48-33.832W | | | | Green can. | |
| 15565 | Devils Island Light | 47-04-46.288N 090-43-41.130W | FI R 10s | 100 30 | 11 | Cylindrical tower. 100 | |
| 15570 | York Island Shoals Lighted Bell Buoy 1 Marks west side of shoal. | 47-01-35.142N 090-51-22.577W | FI G 4s | | 4 | Green. | Maintained from May 21 to Oct. 14. |
| 15575 | Sand Island Buoy 2 Marks north side of shoal. | 47-00-51.462N 090-54-17.570W | | | | Red nun. | Maintained from May 21 to Oct. 14. |
| 15580 | SAND ISLAND LIGHT | 47-00-11.910N 090-56-14.720W | FI W 6s | 60 18 | 9 | Red tower on dwelling. | |
| 15581 | LITTLE SAND BAY HARBOR EAST LIGHT 1 | 46-56-47.840N 090-53-31.080W | FI G 2.5s | 17 5 | | On post. | Private aid. |
| 15582 | LITTLE SAND BAY HARBOR WEST LIGHT 2 | 46-56-47.220N 090-53-32.880W | FI R 2.5s | 17 5 | | On post. | Private aid. |
| 15584 | Cornucopia West Entrance Buoy 2 Marks best water due to shoaling. | 46-51-34.140N 091-06-16.260W | | | | Red nun. | Maintained from May 1 to Oct. 15. Private aid. |
| LITTLE GIRLS POINT TO SILVER BAY (Chart 14966) | | | | | | | |
| 15585 | CORNUCOPIA EAST PIER LIGHT | 46-51-34.848N 091-06-17.232W | FI G 2.5s | 29 9 | 8 | SG on post. | |
| 15590 | PORT WING EAST PIER LIGHT | 46-47-34.729N 091-23-10.067W | FI G 4s | 27 8 | 5 | SG on post. | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| Superior Entry | | | | | | | |
| 15595 | - South Breakwater Light | 46-42-36.740N 092-00-22.220W | FI G 5s | 70 21 | 15 | White cylindrical tower on fog signal building. 70 | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM C. 83A. |
| 15600 | - NORTH BREAKWATER LIGHT 2 | 46-42-41.478N 092-00-30.000W | Q R | 38 12 | 5 | TR on post. | |
| 15605 | - INNER NORTH PIERHEAD LIGHT 2A | 46-42-30.920N 092-00-49.200W | Iso R 6s | 35 11 | 7 | TR on post. | |
| 15610 | - INNER SOUTH PIERHEAD LIGHT 1 | 46-42-26.770N 092-00-44.990W | Iso G 6s | 35 11 | 5 | SG on post. | |
| 15615 | SUPERIOR HARBOR BASIN LIGHT 1A | 46-42-15.840N 092-01-01.380W | FI G 2.5s | 35 11 | 4 | SG on post. | |
| Allouez Bay | | | | | | | |
| 15630 | - Entrance Buoy 1 | 46-42-12.833N 092-01-03.914W | | | | Green can. | |
| 15635 | - Channel Buoy 2 | 46-42-06.683N 092-01-13.184W | | | | Red nun. | |
| 15640 | - Lighted Buoy 3 | 46-42-06.506N 092-01-01.801W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 01 to Apr. 28. |
| 15645 | - Channel Buoy 4 | 46-41-57.503N 092-00-54.004W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---------------------------------|---------------------------------------|
| LAKE SUPERIOR | | | | | | | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| Allouez Bay | | | | | | | |
| 15650 | - Channel Buoy 5 | 46-41-59.293N 092-00-48.284W | | | | Green can. | |
| Superior Harbor Basin | | | | | | | |
| 15660 | - Anchorage Buoy A | 46-42-34.604N 092-01-43.480W | | | | Yellow nun. | |
| 15665 | - Anchorage Buoy B | 46-42-58.581N 092-02-20.441W | | | | Yellow nun. | |
| 15670 | - Buoy 1 | 46-42-17.785N 092-01-36.295W | | | | Green can. | |
| 15675 | - Buoy 3 | 46-42-19.613N 092-01-48.124W | | | | Green can. | |
| 15680 | - <i>Lighted Buoy 4</i> | 46-42-30.213N 092-01-55.384W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Dec. 01. |
| 15685 | - Buoy 5 | 46-42-29.803N 092-02-15.664W | | | | Green can. | |
| Superior Front Channel | | | | | | | |
| 15690 | - RANGE FRONT LIGHT | 46-42-25.592N 092-02-07.451W | Q G | 42 13 | | KRW on skeleton tower. | Visible 1.5° each side of range line. |
| 15695 | - RANGE FRONT PASSING LIGHT | 46-42-25.780N 092-02-06.750W | FI G 4s | 18 5 | 5 | On range front light structure. | Visible from 150° to 270°. |
| 15700 | - RANGE REAR LIGHT 892 feet, 135.5° from front light. | 46-42-19.307N 092-01-58.481W | Oc G 4s | 70 21 | | KRW on skeleton tower. | Visible 1.5° each side of range line. |
| 15705 | - <i>Lighted Buoy 2</i> | 46-42-51.392N 092-02-36.610W | Q R | | 4 | Red. | Year round lighted buoy. |
| Barkers Island Marina | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 15710 | - <i>Lighted Buoy 1</i> | 46-42-50.000N 092-02-49.000W | FI G 2s | | | Green. | Private aid. |
| 15715 | - <i>Lighted Buoy 2</i> | 46-42-50.600N 092-02-49.900W | FI R 2s | | | Red. | Private aid. |
| 15720 | - Buoy 3 | 46-42-48.300N 092-02-51.500W | | | | Green can. | Private aid. |
| 15725 | - Buoy 4 | 46-42-48.900N 092-02-52.400W | | | | Red nun. | Private aid. |
| 15730 | - Buoy 5 | 46-42-46.100N 092-02-55.700W | | | | Green can. | Private aid. |
| 15735 | - Buoy 6 | 46-42-46.400N 092-02-56.300W | | | | Red nun. | Private aid. |
| 15740 | - Buoy 7 | 46-42-45.100N 092-03-00.900W | | | | Green can. | Private aid. |
| 15745 | - Buoy 8 | 46-42-46.100N 092-03-01.000W | | | | Red nun. | Private aid. |
| 15746 | - Buoy 9 | 46-42-45.600N 092-03-08.200W | | | | Green can. | Private aid. |
| 15747 | - Buoy 10 | 46-42-46.600N 092-03-06.600W | | | | Red nun. | Private aid. |
| Superior Front Channel | | | | | | | |
| 15750 | - Buoy 1 | 46-42-50.164N 092-02-45.500W | | | | Green can. | |
| 15755 | - Buoy 3 | 46-42-58.344N 092-02-58.035W | | | | Green can. | |
| 15760 | - Buoy 4 | 46-43-02.109N 092-02-51.820W | | | | Red nun. | |
| 15765 | - Buoy 5 | 46-43-10.074N 092-03-14.495W | | | | Green can. | |
| 15770 | - <i>Lighted Buoy 6</i> | 46-43-13.933N 092-03-08.610W | FI R 4s | | 3 | Red. | Maintained from Apr. 28 to Dec. 1. |
| 15775 | - Buoy 7 | 46-43-22.614N 092-03-32.485W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-----------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE SUPERIOR | | | | | | | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| Superior Front Channel | | | | | | | |
| 15780 | - Buoy 8 | 46-43-26.654N 092-03-26.135W | | | | Red nun. | |
| 15785 | - Buoy 9 | 46-43-35.214N 092-03-50.685W | | | | Green can. | |
| 15790 | - Lighted Buoy 10 | 46-43-39.044N 092-03-44.529W | FI R 4s | | 3 | Red. | Maintained from Apr. 28 to Dec. 1. |
| 15795 | - Buoy 12 | 46-43-50.618N 092-04-01.247W | | | | Red nun. | |
| 15800 | - Buoy 13 | 46-43-49.784N 092-04-11.885W | | | | Green can. | |
| 15805 | - Lighted Buoy 14 | 46-44-03.105N 092-04-18.769W | FI R 4s | | 3 | Red. | Maintained from Apr. 28 to Dec. 01. |
| 15810 | - Buoy 15 | 46-44-04.234N 092-04-32.185W | | | | Green can. | |
| 15815 | - Buoy 16 | 46-44-15.375N 092-04-36.274W | | | | Red nun. | |
| 15820 | - Lighted Buoy 18 | 46-44-30.784N 092-04-57.655W | FI R 4s | | 3 | Red. | Replaced by nun from Dec. 1 to Apr. 28. |
| 15825 | - Lighted Buoy 19 | 46-44-32.035N 092-05-11.285W | FI G 4s | | 4 | Green. | Year round lighted buoy. |
| 15830 | East Gate Basin Buoy 20 | 46-44-37.940N 092-05-02.740W | | | | Red nun. | |
| Duluth Harbor | | | | | | | |
| 15840 | - Breakwater Isolated Danger Buoy | 46-47-14.412N 092-05-22.603W | | | | Black and Red Can | Maintained from Apr. 21 to Oct. 14. |
| 15845 | - South Breakwater Outer Light | 46-46-48.460N 092-05-15.020W | F G | 44 13 | 16 | White tower on fog signal building. 44 | HORN: 2 bl ev 60s (3s bl-3s si). Operates from Apr. 1 to Dec 1. Standby light of reduced intensity |
| 15855 | - North Pier Light | 46-46-51.540N 092-05-17.030W | Iso R 6s | 43 13 | 12 | White cylindrical tower with black top and base. 43 | |
| 15860 | - South Breakwater Inner Light | 46-46-43.580N 092-05-30.530W | FI W 5s | 68 21 | 16 | Black cylindrical tower with white lantern room. 68 | Light obscured from 270° through 325°. |
| 15865 | - Basin Buoy 1 | 46-46-34.043N 092-05-39.643W | | | | Green can. | |
| 15870 | - Basin Traffic Lighted Buoy | 46-46-29.573N 092-05-59.364W | Mo (A) W | | 5 | Red and white stripes. | Maintained from Apr. 21 to Dec. 07. AIS MMSI 993672226 |
| 15875 | - Basin Lighted Buoy 2 | 46-46-22.244N 092-06-11.554W | FI R 4s | | 4 | Red. | Year round lighted buoy. |
| 15880 | - Basin Lighted Buoy 3 | 46-46-24.613N 092-05-43.103W | FI G 4s | | 4 | Green. | Year round lighted buoy. |
| Harbor Cove Marina | | | | | | | |
| <i>Lights maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 15885 | - LIGHT 1 | 46-46-21.000N 092-05-36.000W | F G | | | On post. | Private aid. |
| 15890 | - LIGHT 2 | 46-46-20.000N 092-05-34.000W | F R | | | On post. | Private aid. |
| 15895 | - LIGHT 3 | 46-46-21.000N 092-05-35.000W | F G | | | On post. | Private aid. |
| 15900 | - LIGHT 4 | 46-46-20.000N 092-05-35.000W | F R | | | On post. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---------------------------|--|
| LAKE SUPERIOR | | | | | | | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| Duluth Harbor | | | | | | | |
| 15905 | - Basin Lighted Buoy 5 | 46-46-03.614N 092-05-50.594W | FI G 4s | | 4 | Green. | Year round lighted buoy . |
| 15910 | - Basin Anchorage Buoy A | 46-46-12.213N 092-05-34.614W | | | | Yellow can. | |
| 15915 | - Basin Anchorage Buoy B | 46-45-59.380N 092-05-25.824W | | | | Yellow can. | |
| 15920 | - Basin Anchorage Buoy C | 46-45-46.604N 092-05-17.214W | | | | Yellow can. | |
| 15925 | - Basin Lighted Buoy 7 | 46-45-28.084N 092-05-24.694W | FI G 4s | | 4 | Green. | Year round lighted buoy . |
| 15930 | DULUTH MARINE TERMINAL EAST LIGHT | 46-45-16.000N 092-05-38.000W | F R | 28 9 | | On white pile. | Maintained from Apr. 15 to close of navigation. Private aid. |
| 15935 | DULUTH MARINE TERMINAL SOUTH LIGHT | 46-45-12.000N 092-05-40.000W | F R | 28 9 | | On white pile. | Maintained from Apr. 15 to close of navigation. Private aid. |
| 15940 | Rices Point Lighted Buoy 9 | 46-45-13.284N 092-05-18.685W | Q G | | 4 | Green. | Year round lighted buoy . |
| 15945 | INTERSTATE FISHING PIER EAST LIGHT | 46-45-00.350N 092-05-59.800W | F R | 15 5 | | On pile. | Maintained from Mar. 15 to Jan. 15. Private aid. |
| 15950 | INTERSTATE FISHING PIER WEST LIGHT | 46-45-00.150N 092-06-01.250W | F R | 15 5 | | On pile. | Maintained from Mar. 15 to Jan. 15. Private aid. |
| 15955 | East Gate Basin Buoy 11 | 46-44-57.886N 092-05-12.866W | | | | Green can. | |
| Rices Point Boatslip | | | | | | | |
| <i>Aids maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 15960 | - Buoy 1 | 46-45-02.000N 092-06-04.000W | | | | Green can. | Private aid. |
| 15965 | - Buoy 2 | 46-45-02.000N 092-06-03.000W | | | | Red nun. | Private aid. |
| 15970 | - Buoy 3 | 46-45-03.000N 092-06-04.500W | | | | Green can. | Private aid. |
| 15975 | - Buoy 4 | 46-45-03.000N 092-06-04.200W | | | | Red nun. | Private aid. |
| 15980 | - Buoy 5 | 46-45-04.000N 092-06-02.500W | | | | Green can. | Private aid. |
| 15985 | - Buoy 6 | 46-45-04.000N 092-06-02.500W | | | | Red nun. | Private aid. |
| Hearding Island Channel | | | | | | | |
| 15995 | - Entrance Buoy 1 | 46-45-45.700N 092-05-13.800W | | | | Green can. | Private aid. |
| 16000 | - Entrance Buoy 2 | 46-45-44.400N 092-05-08.300W | | | | Red nun. | Private aid. |
| 16005 | - Entrance Buoy 4 | 46-45-44.800N 092-05-11.100W | | | | Red nun. | Private aid. |
| 16010 | - Entrance Buoy 6 | 46-45-44.500N 092-05-12.800W | | | | Red nun. | Private aid. |
| 16015 | ST. LOUIS BAY NORTH CHANNEL RANGE FRONT LIGHT (EASTERN SECTION) | 46-44-09.150N 092-08-40.662W | Q R | 42 13 | | KRW on skeleton tower. | Visible 1.5° each side of range line. |
| 16020 | ST. LOUIS BAY NORTH CHANNEL RANGE REAR LIGHT (EASTERN SECTION) 810 feet, 226.4° from front light. | 46-44-03.634N 092-08-49.074W | Iso R 6s | 62 19 | | KRW on skeleton tower. | Visible 1.5° each side of range line. On same structure as St. Louis Bay South Channel Range Rear Light (LLNR 16125). |
| St. Louis Bay North Channel (Western Section) | | | | | | | |
| 16023 | - Buoy 1 | 46-44-48.000N 092-06-13.400W | | | | Green can. | |
| 16025 | - Buoy 2 | 46-44-39.336N 092-07-59.127W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|------------------------|--|
| LAKE SUPERIOR | | | | | | | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| St. Louis Bay North Channel (Western Section) | | | | | | | |
| 16030 | - Lighted Buoy 3 | 46-44-35.546N 092-07-56.437W | Q G | | 4 | Green. | Replaced by can f from Dec. 1 to Apr. 21. |
| 16035 | - Buoy 4 | 46-44-30.168N 092-08-12.232W | | | | Red nun. | |
| 16040 | - Buoy 5 | 46-44-26.726N 092-08-10.137W | | | | Green can. | |
| 16045 | - Buoy 6 | 46-44-20.653N 092-08-26.157W | | | | Red nun. | |
| 16050 | - Buoy 7 | 46-44-18.157N 092-08-23.207W | | | | Green can. | |
| 16055 | St Louis Bay Junction Lighted Buoy | 46-44-14.587N 092-08-26.387W | FI (2+1)R 6s | | 3 | Red and green bands. | Replaced by nun f from Dec. 1 to Apr. 21. |
| 16060 | Howards Bay Buoy 2 | 46-44-38.285N 092-06-08.526W | | | | Red nun. | |
| St. Louis Bay South Channel (Eastern Section) | | | | | | | |
| 16065 | - Buoy 2 | 46-44-54.438N 092-06-18.736W | | | | Red nun. | |
| 16070 | - Lighted Buoy 2A | 46-44-48.502N 092-06-28.632W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 1 to Apr. 21. |
| 16075 | - Buoy 3 | 46-44-41.333N 092-06-32.517W | | | | Green can. | |
| 16080 | - Buoy 4 | 46-44-44.686N 092-06-46.886W | | | | Red nun. | |
| 16085 | - Buoy 5 | 46-44-32.250N 092-07-02.964W | | | | Green can. | |
| St. Louis Bay Cross Channel | | | | | | | |
| 16090 | - Lighted Buoy 2 | 46-44-40.563N 092-07-05.971W | Q R | | 4 | Red. | Replaced by nun f from Dec. 1 to Apr. 21. |
| 16095 | - Lighted Buoy 1 | 46-44-34.912N 092-07-38.641W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 1 to Apr. 21. |
| 16105 | - Lighted Buoy 6 | 46-44-44.986N 092-07-23.686W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 1 to Apr. 21. |
| 16115 | - Buoy 8 | 46-44-48.796N 092-07-28.306W | | | | Red nun. | |
| St. Louis Bay South Channel (Western Section) | | | | | | | |
| 16120 | - RANGE FRONT LIGHT | 46-44-06.103N 092-08-40.705W | Q R | 42 13 | | KRW on skeleton tower. | Visible all around. |
| 16125 | - RANGE REAR LIGHT 639 feet, 246.6° from front light. | 46-44-03.607N 092-08-49.046W | Iso R 6s | 62 19 | | KRW on skeleton tower. | Visible 1.5° each side of range line. On the same structure as St. Louis Bay North Range Rear Light (LLNR 16020) |
| 16130 | - Buoy 6 | 46-44-28.536N 092-07-30.545W | | | | Red nun. | |
| 16135 | - Buoy 7 | 46-44-25.346N 092-07-29.977W | | | | Green can. | |
| 16140 | - Buoy 8 | 46-44-24.634N 092-07-44.302W | | | | Red nun. | |
| 16145 | - Lighted Buoy 9 | 46-44-21.056N 092-07-44.477W | FI G 4s | | 4 | Green. | Maintained f from Apr. 21 to Dec. 1. |
| 16150 | - Buoy 10 | 46-44-19.776N 092-08-02.567W | | | | Red nun. | |
| 16155 | - Buoy 11 | 46-44-14.956N 092-08-04.967W | | | | Green can. | |
| 16160 | - Buoy 12 | 46-44-14.757N 092-08-20.027W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---------------------------------|--|
| LAKE SUPERIOR | | | | | | | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| St. Louis Bay South Channel (Western Section) | | | | | | | |
| 16165 | - Lighted Buoy 13 | 46-44-07.217N 092-08-25.317W | Q G | | 3 | Green. | Maintained from Apr. 21 to Dec. 1. |
| St. Louis River Upper Channel | | | | | | | |
| 16175 | - Entrance Buoy 1 | 46-44-00.507N 092-08-31.318W | | | | Green can. | |
| 16180 | - Lighted Buoy 4 | 46-43-21.884N 092-08-39.789W | Q R | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 21. |
| 16185 | - Buoy 5 | 46-43-24.407N 092-08-30.332W | | | | Green can. | |
| 16190 | - Buoy 5A | 46-43-17.297N 092-08-31.868W | | | | Green can. | |
| Minnesota Channel (Eastern Section) | | | | | | | |
| 16195 | - RANGE FRONT LIGHT | 46-43-12.099N 092-08-36.782W | FI G 4s | 14 4 | | KRW on triangular tower. | Visible all around. |
| 16200 | - RANGE REAR LIGHT 996 feet, 083.8° from front light. | 46-43-13.179N 092-08-22.537W | F G | 37 11 | | KRW on white cylindrical tower. | Visible 1.5° each side of range line. |
| 16205 | - Lighted Buoy 6 | 46-43-12.587N 092-08-50.688W | FI R 2.5s | | 3 | Red. | Replaced by nun from Dec. 1 to Apr. 28. |
| 16210 | - Lighted Buoy 7 | 46-43-08.853N 092-08-49.521W | Q G | | 4 | Green. | Replaced by can Dec. 1 from to Apr. 28. |
| 16215 | - Buoy 8 | 46-43-11.205N 092-09-04.549W | | | | Red nun. | |
| 16220 | - Lighted Buoy 9 | 46-43-04.887N 092-09-10.229W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 01 to Apr. 28. |
| 16225 | - Lighted Buoy 10 | 46-43-10.146N 092-09-17.310W | FI R 4s | | 3 | Red. | Replaced by nun from Dec. 01 to Apr. 28. |
| 16230 | - Buoy 13 | 46-43-02.997N 092-09-35.379W | | | | Green can. | |
| 16235 | - Lighted Buoy 14 | 46-43-05.825N 092-09-40.876W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Dec. 1. |
| 16240 | - Lighted Buoy 15 | 46-43-01.208N 092-09-58.979W | FI G 4s | | 4 | Green. | Maintained from Apr. 28 to Dec. 1. |
| 16245 | - Buoy 16 | 46-43-06.888N 092-10-04.099W | | | | Red nun. | |
| 16250 | - Lighted Buoy 19 | 46-43-03.345N 092-10-13.811W | FI G 2.5s | | 4 | Green. | Maintained from Apr. 28 to Dec. 1. |
| Minnesota Channel (Western Section) | | | | | | | |
| <i>Buoys maintained from Apr. 28 to Oct. 21.</i> | | | | | | | |
| 16255 | - Buoy 20 | 46-43-06.000N 092-10-15.000W | | | | Red Nun. | |
| 16260 | - Buoy 21 | 46-43-00.420N 092-10-53.400W | | | | Green can. | |
| 16265 | - Lighted Buoy 22 | 46-43-02.400N 092-10-53.460W | FI R 4s | | 3 | Red. | |
| 16270 | - Buoy 23 | 46-42-52.910N 092-11-20.079W | | | | Green can. | |
| 16275 | - Buoy 24 | 46-42-53.880N 092-11-21.300W | | | | Red nun. | |
| 16280 | - Lighted Buoy 26 | 46-42-43.800N 092-11-39.540W | FI R 4s | | 3 | Red. | |
| 16285 | - Buoy 27 | 46-42-43.320N 092-11-37.080W | | | | Green can. | |
| 16290 | - Buoy 28 | 46-42-35.100N 092-11-49.440W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--|---------------|--------------|--|---|
| LAKE SUPERIOR | | | | | | | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| St. Louis River Upper Channel | | | | | | | |
| Minnesota Channel (Western Section) | | | | | | | |
| <i>Buoys maintained from Apr. 28 to Oct. 21.</i> | | | | | | | |
| 16295 | - Buoy 29 | 46-42-33.420N 092-11-46.980W | | | | Green can. | |
| 16297 | - Lighted Buoy 30 | 46-42-17.719N 092-12-01.230W | FI R 4s | | 4 | Red nun. | |
| 16300 | - Buoy 31 | 46-42-15.000N 092-11-58.620W | | | | Green can. | |
| 16305 | - Buoy 32 | 46-42-00.120N 092-12-03.540W | | | | Red nun. | |
| 16308 | - Buoy 33 | 46-41-51.489N 092-11-56.923W | | | | Green can. | |
| 16310 | - Buoy 31A | 46-41-59.460N 092-11-59.880W | | | | Green can. | |
| 16315 | - Buoy 34 | 46-41-50.760N 092-12-00.240W | | | | Red nun. | |
| 16320 | - Buoy 35 | 46-41-46.200N 092-11-48.360W | | | | Green can. | |
| 16322 | - Buoy 36 | 46-41-45.300N 092-11-48.540W | | | | Red nun. | |
| 16323 | St. Louis River Danger Buoy | 46-41-43.981N 092-11-33.456W | | | | White can with orange bands and diamonds. | |
| St. Louis River | | | | | | | |
| <i>Buoys maintained from Apr. 28 to Oct. 21.</i> | | | | | | | |
| 16491 | Mcquade Road Small Craft Harbor Day beacon | 46-52-49.269N 091-55-12.904W | | | | On single pole. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| 16492 | MCQUADE ROAD SMALL CRAFT HARBOR LIGHT | 46-52-48.022N 091-55-11.412W | FI G 4s | | | | Maintained from Apr. 1 to Dec. 31. Private aid. |
| LITTLE GIRLS POINT TO SILVER BAY (Chart 14966) | | | | | | | |
| 16494 | <i>UMinn Research Bouy</i> | 46-51-54.000N 091-55-36.000W | FI Y 4s | | | | Private aid. |
| 16494.5 | <i>UMinn Research 2</i> | 46-48-42.000N 091-50-06.000W | FI Y 2s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| Knife River Harbor | | | | | | | |
| 16495 | - ENTRANCE LIGHT | 46-56-38.000N 091-46-42.000W | FI G 4s | 31 9 | 5 | SG on pile. | |
| Two Harbors | | | | | | | |
| 16500 | - Light | 47-00-50.330N 091-39-48.520W | FI (2)W 20s 0.15s fl 4.8s ec. 0.15s fl 14.8s ec. | 78 24 | | Square tower on dwelling. 78 | Light obscured from 065° to 210°. Private aid. |
| 16505 | - East Breakwater Light | 47-00-38.190N 091-40-10.100W | FI R 6s | 32 10 | 9 | Square pyramidal skeleton tower with upper part enclosed. | Standby light shows FI R 5s of reduced intensity . HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Channel 83A. |
| 16515 | - WEST BREAKWATER LIGHT | 47-00-42.430N 091-40-29.430W | FI G 4s | 26 8 | 4 | SG on post. | |
| 16520 | DULUTH MISSABE & IRON RANGE RAILWAY CO. ORE DOCK NO. 6 LIGHT | 47-00-55.000N 091-40-30.000W | F R | | | On pile. | Private aid. |
| 16525 | Agate Bay Buoy 2 | 47-00-46.831N 091-40-00.967W | | | | Red nun. | |
| 16530 | Agate Bay Buoy 4 | 47-00-53.821N 091-39-58.766W | | | | Red nun. | |
| 16535 | Agate Bay Buoy 6 | 47-00-57.771N 091-40-12.556W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE SUPERIOR | | | | | | | |
| LITTLE GIRLS POINT TO SILVER BAY (Chart 14966) | | | | | | | |
| Two Harbors | | | | | | | |
| 16536 | TWIN POINTS PROTECTED ACCESS LIGHT | 47-09-54.65 N 091-25-30.250W | F R | | | On galvanized pipe. | Maintained from May 1 to Nov. 1. Private aid. |
| BEAVER BAY TO PIGEON POINT (Chart 14967) | | | | | | | |
| 16540 | NOAA Lighted Weather Buoy 45006 | 47-20-05.636N 089-47-34.224W | FI (4)Y 20s | | | Yellow disc-shaped hull with tripod mast. | Maintained from Apr. 1 to Nov. 1. Aid maintained by National Oceanic and Atmospheric Administration. |
| 16545 | PELLET ISLAND LIGHT | 47-16-10.500N 091-16-03.000W | FI G 10s | 25 8 | | | Maintained from Apr. 15 to Dec. 1. Private aid. |
| Silver Bay | | | | | | | |
| <i>Aids maintained from Apr. 15 to Dec. 1.</i> | | | | | | | |
| 16550 | - Lighted Buoy 1 | 47-16-22.500N 091-15-55.000W | FI G 4s | | | Green. | Private aid. |
| 16555 | - Lighted Buoy 2 | 47-16-39.300N 091-15-41.000W | FI R 4s | | | Red. | Private aid. |
| 16560 | - Lighted Buoy 3 | 47-16-29.200N 091-16-10.100W | FI G 4s | | | Green. | Private aid. |
| 16565 | - Buoy 4 | 47-17-45.000N 091-15-47.500W | | | | Red nun. | Private aid. |
| 16570 | BEAVER ISLAND LIGHT | 47-16-48.300N 091-15-29.000W | FI R 10s | 20 6 | | Tower. | HORN: 1 blast ev 30s (3s bl). Private aid. |
| 16575 | - LEADING LIGHT | 47-16-45.000N 091-15-58.400W | FI G 4s | 20 6 | | On black post. | Private aid. |
| 16580 | - LIGHT | 47-17-11.300N 091-15-37.500W | FI W 30s | 126 38 | | On top of boiler house. | Private aid. |
| Taconite Harbor | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Dec. 31.</i> | | | | | | | |
| 16585 | - West Entrance Lighted Buoy 1 | 47-31-11.800N 090-55-27.500W | FI G 4s | | | Green. | Private aid. |
| 16590 | - West Entrance Lighted Buoy 2 | 47-31-08.700N 090-55-21.300W | FI R 4s | | | Red. | Private aid. |
| 16595 | - RANGE FRONT LIGHT | 47-31-32.600N 090-55-06.900W | F G | 86 26 | | On tower. | Visible 2° each side of centerline of channel. Private aid. |
| 16600 | - RANGE REAR LIGHT 1,550 feet, 028° from front light. | 47-31-47.300N 090-54-55.000W | F G | 154 47 | | On tower. | Visible 2° each side of centerline of channel. Private aid. |
| 16604 | - HARBOR OF REFUGE SOUTH BREAKWATER LIGHT | 47-31-17.099N 090-55-27.980W | Iso W 4s | 22 7 | | NW on tower worded CAUTION. | Ra ref. Private aid. |
| 16605 | - HARBOR OF REFUGE BREAKWATER LIGHT 3 | 47-31-15.900N 090-55-24.710W | FI G 4s | 22 7 | | SG on tower. | Ra ref. Private aid. |
| 16606 | - HARBOR OF REFUGE INNER LIGHT | 47-31-17.030N 090-55-24.950W | Q R | 17 5 | | TR on tower. | Visible from 284° to 336°. Private aid. |
| 16610 | - WESTENTRANCE LIGHT 4 | 47-31-13.000N 090-55-16.000W | FI R 4s | 24 7 | | On tower. | Private aid. |
| 16612 | University Of Minnesota Research Lighted Buoy | 46-51-36.000N 091-55-18.000W | FI Y 4s | | | Meteorological Surface Buoy. | Private aid. |
| Grand Marais | | | | | | | |
| 16615 | - Light | 47-44-42.790N 090-20-16.376W | FI W 2.5s | 48 15 | 12 | White square pyramidal skeleton tower with upper part enclosed. | Light Obscured from 170° to 190°. HORN: 2 blast ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying the microphone five times on VHF-FM channel 83A. |
| 16625 | - WEST BREAKWATER LIGHT 1 | 47-44-36.000N 090-20-24.000W | FI G 4s | 32 10 | 5 | White cylindrical tower with green band. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE SUPERIOR | | | | | | | |
| BEAVER BAY TO PIGEON POINT (Chart 14967) | | | | | | | |
| Grand Marais | | | | | | | |
| 16630 | - HARBOR INNER BREAKWATER LIGHT 7 | 47-44-51.800N 090-20-23.500W | FI G 2.5s | 14 4 | 4 | SG on triangular tower. | |
| BEAVER BAY TO PIGEON POINT (Chart 14967) | | | | | | | |
| 16635 | GRAND PORTAGE BAY ENTRANCE LIGHT | 47-57-11.740N 089-38-21.350W | FI W 4s | 39 12 | 7 | NR on skeleton tower. | |
| 16645 | GRAND PORTAGE PIER LIGHT | 47-57-37.000N 081-40-54.000W | FI W 2.5s | 12 4 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 16650 | <i>Hat Point Lighted Bell Buoy 1</i> | 47-57-00.835N 089-38-40.350W | FI G 4s | | 4 | Green. | Maintained from May 28 to Oct. 14. |
| ISLE ROYALE (Chart 14976) | | | | | | | |
| Isle Royale | | | | | | | |
| 16655 | Rock Of Ages Light | 47-51-59.456N 089-18-52.922W | FI W 10s | 130 40 | 12 | White conical tower on cylindrical base. | |
| 16660 | - West End Buoy 2 | 47-51-00.748N 089-19-26.366W | | | | Red nun. | |
| 16670 | Thompson Island Wreck Buoy | 47-53-36.000N 089-13-18.000W | | | | White with orange bands worded WRECK. | Maintained from Jun. 15 to Sep. 30. Private aid. |
| 16675 | WINDIGO DOCK LIGHT | 47-54-47.000N 089-09-30.000W | Q R | 11 3 | | On post. | Maintained from Jun. 15 to Sep. 30. Private aid. |
| 16680 | Cumberland Point Buoy 2 | 47-51-07.946N 089-14-36.981W | | | | Red nun. | Maintained from May 28 to Oct. 14. |
| Siskiwit Bay Passage | | | | | | | |
| 16685 | - <i>Lighted Bell Buoy SB</i> | 47-53-46.800N 088-53-06.650W | Mo (A) W | | 5 | Red and white stripes. | Maintained from May 28 to Oct. 14. |
| 16690 | - Buoy 1 | 47-53-54.633N 088-53-13.704W | | | | Green can. | |
| 16695 | - Buoy 2 | 47-53-55.190N 088-53-08.474W | | | | Red nun. | |
| 16700 | - Buoy 3 | 47-54-03.807N 088-53-17.120W | | | | Green can. | |
| ISLE ROYAL (Chart 14967) | | | | | | | |
| 16705 | Harlem Reef Buoy 2 | 47-54-00.920N 088-50-12.540W | | | | Red nun. | Maintained from May 28 to Oct. 14. |
| ISLE ROYALE (Chart 14976) | | | | | | | |
| 16710 | ISLE ROYALE LIGHT | 47-56-52.650N 088-45-40.340W | FI W 6s | 72 22 | 9 | White octagonal tower with dwelling attached. | |
| Malone Bay | | | | | | | |
| <i>Buoys maintained from May 28 to Oct. 14.</i> | | | | | | | |
| 16715 | - Entrance Buoy 2 | 47-58-22.810N 088-47-34.900W | | | | Red nun. | |
| 16720 | - Entrance Buoy 3 | 47-58-24.380N 088-47-50.168W | | | | Green can. | |
| 16725 | - Buoy 4 | 47-58-43.724N 088-48-16.670W | | | | Red nun. | |
| 16730 | - Buoy 5 | 47-58-39.970N 088-48-17.240W | | | | Green can. | |
| 16745 | Chippewa Harbor Day beacon | 48-01-45.600N 088-38-12.000W | | | | NW on post. | Private aid. |
| Rock Harbor | | | | | | | |
| 16750 | Barge Cove Buoy A | 48-06-50.000N 088-32-07.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16755 | Barge Cove Buoy B | 48-06-49.000N 088-32-08.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|---------------------------|---------------|--------------|---|--|
| LAKE SUPERIOR | | | | | | | |
| ISLE ROYALE (Chart 14976) | | | | | | | |
| Malone Bay | | | | | | | |
| Rock Harbor | | | | | | | |
| 16757 | Dollar Bay Entrance Buoy 2 | 48-06-18.000N 088-22-10.000W | | | | Red nun. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16760 | MOTT ISLAND DOCK LIGHT | 48-06-28.000N 088-32-59.000W | Q R | 10 3 | | On post. | Maintained from Jun. 15 to Sep. 30. Private aid. |
| 16765 | SNUG HARBOR DOCK LIGHT | 48-08-46.000N 088-29-12.000W | Q R | 12 4 | | On post. | Maintained from Jun. 15 to Sep. 30. Private aid. |
| 16766 | Windigo Water Intake Buoy | 47-54-38.000N 089-09-35.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16770 | <i>Middle Island Passage Lighted Bell Buoy 2</i> | 48-05-20.777N 088-34-22.493W | FI R 4s | | 4 | Red. | Replaced by nun from Oct 14 to May 28. |
| 16775 | Middle Island Passage Buoy 1 | 48-05-30.227N 088-34-25.650W | | | | Green can. | |
| 16780 | Middle Island Passage Buoy 3 | 48-05-33.038N 088-34-30.103W | | | | Green can. | |
| 16785 | Saginaw Point Day beacon | 48-03-36.000N 088-34-40.000W | | | | NW on post. | Private aid. |
| 16790 | Mott Island Shoal East Buoy | 48-06-22.000N 088-33-06.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16795 | Mott Island Shoal West Buoy Marks rock ledge. | 48-06-21.000N 088-33-10.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16800 | Daisy Farm East Buoy Marks reef. | 48-05-31.000N 088-35-39.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16805 | Daisy Farm West Buoy | 48-05-30.000N 088-35-37.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16810 | Mccargoe Cove Entrance Buoy 1 | 48-06-52.000N 088-41-11.000W | | | | Green can. | Maintained from Jun. 15 to Sep. 30. Private aid. |
| 16815 | Mccargoe Cove Entrance Buoy 2 | 48-06-49.000N 088-41-06.000W | | | | Red nun. | Maintained from Jun. 15 to Sep. 30. Private aid. |
| 16820 | Blake Point Light | 48-11-28.348N 088-25-20.541W | FI W 2.5s | 40 12 | 12 | NR on skeleton tower. | |
| 16825 | Blake Point Five-Foot Shoal Buoy D Marks south side of shoal. | 48-11-16.736N 088-24-09.904W | | | | Black, red and black bands; can. | Maintained from May 28 to Oct. 14. |
| 16830 | Locke Point Buoy 2 | 48-11-17.006N 088-27-10.716W | | | | Red nun. | Maintained from May 28 to Oct. 14. |
| GRAND PORTAGE BAY TO SHESHEEB POINT (Chart 14968) | | | | | | | |
| 16835 | Passage Island Light | 48-13-25.321N 088-21-56.073W | FI W 5s | 78 24 | 12 | Octagonal tower. | RACON: G (- - .) HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF-FM channel 83A. |
| 16845 | Caribou Island Light (C) | 47-20-24.000N 085-49-30.000W | FI W 15s 1s fl 14s ec. | 99 30 | 20 | Hexagonal structure. | RACON: C (- . - .) Emergency light. Seasonal. |
| 16850 | <i>NOAA Lighted Weather Buoy 45004</i> | 47-35-06.979N 086-35-07.832W | FI (4)Y 20s | | | Yellow disc-shaped hull with tripod mast. | Maintained from Apr. 1 to Nov. 1. Aid maintained by National Oceanic and Atmospheric Administration. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--|---------------|--------------|--|--|
| LAKE SUPERIOR | | | | | | | |
| GRAND PORTAGE BAY TO SHESHEEB POINT (Chart 14968) | | | | | | | |
| 16855 | Michipicoten Harbor Light (C) | 47-56-36.000N 084-54-24.000W | Fl W 30s | 88 27 | 18 | Skeleton tower. | Seasonal. HORN: 2 blasts ev 60s (3s bl). Horn points 210°. Operates by keying mike 5 times on VHF-FM Ch. 19. Emergency light. |
| 16865 | Slate Islands Light (C) | 48-37-18.000N 086-59-48.000W | Oc W 10s fl 5s ec. | 224 68 | 23 | White tower. | Emergency light. |
| 16870 | Battle Island Light (C) | 48-45-06.000N 087-33-24.000W | Fl (3) W 24s fl 4s ec. fl 4s ec. fl 16s ec. | 118 36 | 15 | Tower. | Emergency light. |
| 16880 | <i>NOAA Lighted Weather Buoy 45001</i> | 48-03-41.534N 087-47-30.447W | Fl (4)Y 20s | | 4 | Yellow disc-shaped hull with tripod mast. | Maintained from Apr. 1 to Nov. 1. Aid maintained by National Oceanic and Atmospheric Administration. |
| 16883 | <i>NOAA Lighted Weather Buoy 45T01</i> | 48-02-10.000N 087-44-30.000W | Fl (4)Y 20s | | 4 | Yellow disc-shaped hull with tripod mast. | Maintained from Apr. 1 to Nov. 1. Aid maintained by National Oceanic and Atmospheric Administration. |
| 16885 | Point Parphyry Light (C) | 48-20-25.000N 088-38-53.000W | Fl W 10s 1s fl 9s ec. | 82 25 | 17 | White slatted day mark on tower. | Fixed white between flashes. Emergency light. |
| 16890 | Trowbridge Island Light (C) | 48-17-32.000N 088-52-30.000W | Fl W 5s | 114 35 | 18 | White octagonal tower. | Emergency light. |
| 16895 | Angus Island Light (C) | 48-14-12.000N 089-00-24.000W | Fl W 20s | 81 25 | 18 | Skeleton tower on four concrete piers. | Emergency light. |
| Thunder Bay | | | | | | | |
| 16905 | THUNDER CAPE LIGHT (C) | 48-18-06.000N 088-56-18.000W | Fl W 4s | 35 11 | 6 | Red and white rectangular day mark on tower. | |
| 16910 | JARVIS ROCK LIGHT (C) | 48-06-12.000N 089-17-36.000W | Fl W 4s | 40 12 | 6 | Red and white rectangular day mark on mast. | |
| 16915 | - (Main) Light (C) | 48-26-00.000N 089-11-42.000W | Fl R 5s | 49 15 | 14 | White square tower. | Floodlighted. HORN: 3 blasts ev 60s (2s bl-3s si-2s bl-3s si-2s bl-48s si). Operates by keying the microphone five times on VHF-FM Ch. 79. Emergency light. |
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| BIG TRAVERSE BAY (CHART 6211) (C) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 16925 | PENASSE ISLAND LIGHT (C) | 49-22-18.000N 094-57-30.000W | Fl W 4s | 37 11 | 6 | Red and white rectangular day mark on circular mast. | Visible from 181° to 076°. |
| 16930 | <i>Pine Creek Lighted Buoy 2</i> | 49-21-08.800N 095-03-33.700W | Fl R 4s | | 3 | Red. | |
| 16932 | Pine Creek Buoy 3 | 49-20-55.900N 095-03-31.900W | | | | Green can. | |
| 16935 | Pine Creek Buoy 4 | 49-20-51.000N 095-03-35.100W | | | | Red nun. | |
| 16940 | <i>Crow Creek Lighted Buoy 1</i> | 49-21-18.900N 095-04-19.800W | Fl G 4s | | 4 | Green. | |
| 16945 | Crow Creek Buoy 2 | 49-21-13.000N 095-04-29.700W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| BIG TRAVERSE BAY (CHART 6211) (C) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 16947 | Youngs Bay Lighted Buoy 1 | 49-20-46.900N 094-57-51.600W | FI G 6s | | 4 | Green. | |
| 16950 | Brush Island Buoy 2 | 49-20-32.700N 094-55-46.200W | | | | Red nun. | |
| 16953 | Flag Island Buoy 1 | 49-20-12.438N 094-52-53.022W | | | | Green can | |
| 16955 | Flag Island Buoy 2 | 49-20-10.032N 094-52-54.618W | | | | Red nun. | |
| 16960 | Flag Island Buoy 3 | 49-20-10.290N 094-52-48.648W | | | | Green can. | |
| 16963 | DRIFTWOOD POINT LIGHT | 49-12-46.000N 094-56-45.000W | FI W 6s | 35 11 | 3 | NR on skeleton tower. | |
| 16965 | Flag Island Lighted Buoy 4 | 49-20-09.036N 094-52-50.736W | FI R 4s | | 3 | Red. | Permanent buoy . Light maintained from May 7 to Oct. 14. |
| 16966 | Flag Island Danger Buoy E | 49-20-04.104N 094-52-48.966W | | | | White / Organge can | |
| 16967 | Flag Island Danger Buoy W | 49-20-07.932N 094-53-01.194W | | | | White / Orange can | |
| 16968 | Flag Island Buoy 5 | 49-20-06.120N 094-52-44.622W | | | | Green can | |
| 16969 | Flag Island Buoy 6 | 49-20-05.778N 094-52-47.298W | | | | Red nun | |
| 16970 | BOUCHA ISLAND LIGHT (C) | 49-17-42.000N 094-49-12.000W | FI W 4s | 38 12 | 6 | Green and white banded day mark on mast. | |
| 16975 | OAK ISLAND LIGHT 1 | 49-18-08.880N 094-53-07.400W | FI G 4s | 39 12 | 3 | SG on skeleton tower. | |
| 16976 | Oak Island Buoy 4 | 49-18-17.100N 094-49-23.760W | | | | Red nun. | |
| 16977 | Oak Island Buoy 2 | 49-18-37.000N 094-49-27.200W | | | | Red nun. | |
| 16980 | Sugar Point Rock Buoy 2 | 49-17-35.300N 094-54-14.900W | | | | Red nun. | |
| 16985 | Stony Point Reef Buoy 2 | 49-08-09.500N 095-07-14.500W | | | | Red nun. | |
| 16990 | BIRCH POINT LIGHT (C) | 49-09-54.000N 095-14-00.000W | FI W 4s | 23 7 | | Fluorescent red and white banded rectangular day mark on mast. | |
| 16995 | Buffalo Point Marina Entrance Lighted Buoy (C) | 49-02-30.000N 095-13-42.000W | Mo (A) W | | | Red and white stripes. | |
| 17000 | BUFFALO POINT LIGHT (C) | 49-00-00.000N 095-13-54.000W | FI W 4s | 35 11 | 6 | Red and white banded diamond day mark on mast. | |
| 17005 | Warroad Lighted Buoy 2 | 48-54-55.500N 095-17-08.700W | FI R 4s | | 3 | Red. | |
| 17010 | WARROAD JETTY LIGHT 4 | 48-54-30.167N 095-17-46.640W | FI W 4s | 38 12 | 3 | TR on post. | |
| 17011 | Warroad Lighted Buoy "3" | 48-54-27.540N 095-17-45.600W | FI G 4s | | 3 | Green. | |
| 17013 | Warroad Buoy "5" | 48-54-24.420N 095-17-51.000W | | | | Green can. | |
| 17015 | WARROAD RANGE FRONT LIGHT | 48-54-03.578N 095-18-21.513W | F G | 35 11 | | KRW on black skeleton tower. | |
| 17020 | WARROAD RANGE REAR LIGHT | 48-53-55.926N 095-18-32.554W | Oc W 4s | 60 18 | | KRW on square skeleton tower. | |
| 17025 | GULL ROCK LIGHT | 48-59-02.170N 095-03-33.530W | FI W 4s | 17 5 | 3 | NR on skeleton tower. | |
| 17030 | Long Point East Shoal Buoy 1 | 48-58-08.300N 094-55-53.900W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| BIG TRAVERSE BAY (CHART 6211) (C) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| Zipple Bay | | | | | | | |
| 17035 | - Lighted Buoy 1 | 48-52-46.700N 094-51-07.000W | FI G 4s | | 3 | Green. | |
| 17040 | - LIGHT 2 | 48-52-24.000N 094-51-10.000W | FI R 2.5s | 30 9 | 3 | White cylindrical tower. | |
| 17045 | - LIGHT 3 | 48-52-18.000N 094-51-00.000W | FI G 2.5s | 28 9 | 3 | SG on post. | |
| 17050 | BRULE POINT LIGHT (C) Marks rocks. | 49-07-54.000N 094-20-06.000W | FI W 4s | 30 9 | 6 | Red and white rectangular day mark with black square in center on post. | |
| 17055 | ROCKY POINT LIGHT (C) | 48-57-30.000N 094-32-18.000W | FI W 4s | 25 8 | 9 | White day mark on post. | |
| 17060 | BURTON ISLAND LIGHT (C) | 48-57-00.000N 094-37-00.000W | FI W 4s | 35 11 | 6 | Florescent red and white rectangular day mark with black square in center on skeleton tower. | |
| 17065 | <i>Bell Buoy Shoal Lighted Buoy (C)</i> | | FI G 4s | | | Green. | |
| 17070 | OAK POINT LIGHT | 48-52-35.000N 094-41-10.500W | FI W 6s | 34 10 | 3 | NR on skeleton tower. | |
| Four Mile Bay | | | | | | | |
| 17073 | - Lighted Buoy 1 | 48-53-06.800N 094-41-12.600W | FI G 6s | | 4 | Green. | |
| 17075 | - Buoy 2 | 48-52-59.800N 094-41-12.300W | | | | Red nun. | |
| 17077 | - Buoy 4 | 48-52-53.400N 094-41-05.400W | | | | Red nun. | |
| 17079 | - Buoy 6 | 48-52-43.500N 094-48-55.800W | | | | Red nun. | |
| 17079.1 | - Buoy 7 | 48-52-47.000N 094-40-55.800W | | | | Green can. | |
| 17080 | - Buoy 8 | 48-51-33.100N 094-41-27.300W | | | | Red nun. | |
| 17083 | - Lighted Buoy 9 | 48-51-15.900N 094-41-31.000W | FI G 4s | | 4 | Green. | |
| 17085 | Rainy River Buoy 10 | 48-51-08.400N 094-41-34.000W | | | | Red nun. | |
| 17087 | WHEELER POINT LIGHT 12 | 48-50-24.257N 094-41-13.968W | FI R 4s | 20 6 | 3 | TR on skeleton tower. | |
| 17089 | Wheeler Point Buoy 14 | 48-50-18.200N 094-41-21.100W | | | | Red nun. | |
| Baudette Harbor | | | | | | | |
| 17095 | - Buoy 1 | 48-43-04.100N 094-35-29.300W | | | | Green can. | |
| 17100 | - Buoy 2 | 48-43-03.600N 094-35-30.400W | | | | Red nun. | |
| 17105 | - Buoy 3 | 48-42-50.600N 094-35-45.700W | | | | Green can. | |
| 17110 | - Buoy 4 | 48-42-50.700N 094-35-47.300W | | | | Red nun. | |
| 17115 | - Buoy 5 | 48-42-49.800N 094-35-46.900W | | | | Green can. | |
| 17120 | - Buoy 6 | 48-42-51.100N 094-35-48.200W | | | | Red nun. | |
| RAINY LAKE - INTERNATIONAL FALLS TO DRYWEED ISLAND (Chart 14998) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17125 | FORT FRANCES RANIER BRIDGE LIGHT (C) | 48-36-48.000N 093-22-00.000W | FI G 4s | 28 9 | | On post. | |
| 17140 | Rainy Lake Buoy 2 | 48-37-07.000N 093-20-49.900W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-----------------------|------------------|
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| RAINY LAKE - INTERNATIONAL FALLS TO DRYWEED ISLAND (Chart 14998) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17142 | Rainy Lake Buoy 2 A | 48-37-31.620N 093-20-25.440W | | | | | |
| 17145 | Rainy Lake Buoy 3 | 48-38-12.700N 093-15-48.300W | | | | Green can. | |
| 17150 | FRANSEN ISLAND LIGHT 2A | 48-37-39.670N 093-15-04.970W | FI R 4s | 20 6 | 3 | TR on skeleton tower. | |
| 17155 | Red Sucker Island Buoy 4 | 48-37-51.900N 093-11-38.600W | | | | Red nun. | |
| 17160 | Red Sucker Island Buoy 6 | 48-37-32.700N 093-11-04.800W | | | | Red nun. | |
| 17165 | BALD ROCK LIGHT | 48-37-26.580N 093-10-53.780W | FI W 4s | 35 11 | 3 | NB on skeleton tower. | |
| 17170 | Rainy Lake Buoy 7 | 48-33-36.200N 093-06-48.200W | | | | Green can. | |
| RAINY LAKE - DRYWEED ISLAND TO BIG ISLAND (Chart 14997) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17175 | Rainy Lake Buoy 8 | 48-37-24.000N 093-05-07.800W | | | | Red nun. | |
| 17180 | CAPSTAN REEF LIGHT (C) | 48-38-06.000N 093-03-00.000W | FI W 4s | 17 5 | 6 | White structure. | Radar reflector. |
| 17185 | Olsons Reef Buoy 10OR | 48-36-57.900N 092-59-34.900W | | | | Red nun. | |
| RAINY LAKE - INTERNATIONAL FALLS TO DRYWEED ISLAND (Chart 14998) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17190 | ROBERTS ISLAND LIGHT 2 | 48-37-08.830N 093-15-57.520W | FI R 4s | 27 8 | 3 | TR on skeleton tower. | |
| Canoe Channel | | | | | | | |
| 17195 | - Day beacon 4 Marks rocks. | 48-36-58.150N 093-15-37.240W | | | | TR on skeleton tower. | |
| 17200 | - Day beacon 5 Marks rock. | 48-36-57.740N 093-15-28.060W | | | | SG on skeleton tower. | |
| 17205 | - Buoy 7 Marks rock. | 48-36-54.700N 093-15-01.900W | | | | Green can. | |
| 17210 | - Day beacon 8 Marks rock. | 48-36-51.060N 093-14-51.230W | | | | TR on skeleton tower. | |
| 17215 | - Day beacon 10 Marks rock awash. | 48-36-38.590N 093-14-15.680W | | | | TR on skeleton tower. | |
| 17220 | - Day beacon 12 | 48-36-28.950N 093-13-53.790W | | | | TR on skeleton tower. | |
| 17225 | - Buoy 14 | 48-36-26.000N 093-13-15.600W | | | | Red nun. | |
| 17230 | - Day beacon 15 Marks submerged rock. | 48-36-31.610N 093-12-25.770W | | | | SG on skeleton tower. | |
| 17235 | - Buoy 16 Marks rock. | 48-36-33.700N 093-11-06.600W | | | | Red nun. | |
| 17240 | - LIGHT 17 Marks shoal. | 48-36-27.550N 093-10-54.880W | FI G 2.5s | 21 6 | 3 | SG on skeleton tower. | |
| 17245 | Fraser Island Buoy 17A Marks south side of shoal. | 48-36-14.000N 093-09-33.600W | | | | Green can. | |
| 17250 | Big American Island Day beacon 19 | 48-36-14.800N 093-09-01.240W | | | | SG on pile. | |
| 17252 | - Buoy 20 | 48-36-16.237N 093-07-51.473W | | | | Red nun. | |
| 17255 | South Shore Buoy 1 | 48-36-23.700N 093-06-05.700W | | | | Green can. | |
| RAINY LAKE - DRYWEED ISLAND TO BIG ISLAND (Chart 14997) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17260 | South Shore Buoy 3 | 48-36-29.700N 093-05-00.100W | | | | Green can. | |
| 17265 | South Shore Buoy 5 | 48-36-20.700N 093-04-30.500W | | | | Green can. | |
| 17267 | South Shore Buoy 6 | 48-36-15.798N 093-04-30.979W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|----------------------------|
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| RAINY LAKE - DRYWEED ISLAND TO BIG ISLAND (Chart 14997) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17270 | South Shore Buoy 7 | 48-36-22.400N 093-02-57.200W | | | | Green can. | |
| 17275 | South Shore Buoy 8 | 48-36-21.400N 093-01-40.100W | | | | Red nun. | |
| 17277 | South Shore Buoy 9 | 48-36-29.424N 093-01-28.920W | | | | Green can. | |
| 17280 | South Shore Buoy 10 | 48-36-13.300N 092-59-49.700W | | | | Red nun. | |
| 17285 | Rainy Lake Lighted Buoy 12 | 48-36-25.863N 092-57-37.017W | FI R 4s | | 4 | Red. | |
| 17290 | Rainy Lake Buoy 13 | 48-36-26.200N 092-57-35.600W | | | | Green can. | |
| 17295 | Rainy Lake Buoy 15 | 48-36-23.700N 092-57-13.100W | | | | Green can. | |
| 17300 | Rainy Lake Buoy 16 | 48-36-22.200N 092-56-32.600W | | | | Red nun. | |
| 17305 | MACKENZIE ISLAND LIGHT (C) | 48-36-30.000N 092-56-24.000W | FI W 4s | 26 8 | 6 | White diamond day mark on post. | Visible from 290° to 110°. |
| Brule Narrows | | | | | | | |
| 17310 | - Buoy 18 | 48-36-15.600N 092-55-35.100W | | | | Red nun. | |
| 17315 | - Buoy 19 | 48-36-15.100N 092-55-29.700W | | | | Green can. | |
| 17320 | - Buoy 20 | 48-36-05.200N 092-55-12.800W | | | | Red nun. | |
| 17325 | - Buoy 22 | 48-36-03.700N 092-55-08.700W | | | | Red nun. | |
| 17330 | - Buoy 24 | 48-36-03.200N 092-55-06.000W | | | | Red nun. | |
| 17335 | - Buoy 26 | 48-35-53.300N 092-54-47.200W | | | | Red nun. | |
| 17340 | BRULE ISLAND LIGHT (C) | 48-35-48.000N 092-54-00.000W | FI W 4s | 22 7 | 5 | Lattice tower on concrete base. | |
| 17345 | - Buoy 28 | 48-35-43.300N 092-53-55.100W | | | | Red nun. | |
| 17350 | - Buoy 29 | 48-35-40.200N 092-53-45.400W | | | | Green can. | |
| 17355 | - Buoy 29A | 48-35-33.300N 092-53-40.700W | | | | Green can. | |
| 17360 | - Buoy 30 | 48-35-30.900N 092-53-40.800W | | | | Red nun. | |
| 17365 | - Buoy 31 | 48-35-31.700N 092-53-38.900W | | | | Green can. | |
| 17367 | Soldiers Point Day beacon 30a | 48-26-30.000N 092-30-50.000W | | | | TR on skeleton tower. | |
| 17370 | - Lighted Buoy 32 | 48-35-29.200N 092-53-39.000W | FI R 4s | | 4 | Red. | |
| 17375 | RAINY LAKE LIGHT 34 | 48-33-33.860N 092-53-14.470W | FI R 4s | 5 2 | 3 | TR on skeleton tower. | |
| 17380 | Hitchcock Bay Buoy 35 | 48-33-09.500N 092-53-11.500W | | | | Green can. | |
| 17385 | Hitchcock Bay Buoy 35A | 48-32-53.400N 092-53-03.800W | | | | Green can. | |
| 17390 | Hitchcock Island Day beacon 36 | 48-32-47.000N 092-53-13.000W | | | | TR on skeleton tower. | |
| RAINY LAKE - BIG ISLAND TO OAK POINT ISLAND (Chart 14996) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| Rainy Lake | | | | | | | |
| 17395 | GULL ROCKS LIGHT (C) Marks rock. | 48-33-48.000N 092-46-36.000W | FI W 4s | 29 9 | | White rectangular day mark on mast. | |
| 17400 | - Buoy 37 | 48-32-22.700N 092-45-02.700W | | | | Green can. | |
| 17405 | - Buoy 38 | 48-32-16.800N 092-39-50.500W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------|----------------|
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| RAINY LAKE - BIG ISLAND TO OAK POINT ISLAND (Chart 14996) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| Rainy Lake | | | | | | | |
| 17410 | - Buoy 39 | 48-32-10.200N 092-38-38.700W | | | | Green can. | |
| 17415 | - Buoy 41 | 48-31-25.970N 092-37-47.188W | | | | Green can. | |
| 17420 | SURVEYOR'S ISLAND LIGHT 43 | 48-31-03.280N 092-37-41.110W | FI G 4s | | 4 | SG on skeleton tower. | |
| Kettle Channel | | | | | | | |
| 17425 | - Buoy 2 | 48-31-02.100N 092-37-43.000W | | | | Red nun. | |
| 17430 | - Buoy 4 | 48-30-45.200N 092-37-32.300W | | | | Red nun. | |
| 17435 | - Buoy 6 | 48-30-38.600N 092-37-40.700W | | | | Red nun. | |
| 17440 | - Buoy 7 | 48-30-24.300N 092-37-52.700W | | | | Green can. | |
| 17445 | - Buoy 8 | 48-30-06.400N 092-37-45.100W | | | | Red nun. | |
| EASTERN KABETOGAMA LAKE AND WESTERN NAMAKAN LAKE (Chart 14994) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| Namakan Lake | | | | | | | |
| 17450 | Mica Island Day beacon 2 | 48-29-47.670N 092-41-38.290W | | | | TR on skeleton tower. | |
| 17455 | Mica Island Day beacon 2A | 48-29-47.500N 092-41-45.000W | | | | TR on skeleton tower. | |
| 17460 | Squaw Narrows Day beacon 4 | 48-29-00.820N 092-42-10.230W | | | | TR on skeleton tower. | |
| 17465 | Gagnon Island Buoy 5 | 48-28-47.500N 092-42-27.500W | | | | Green can. | |
| 17470 | Gagnon Point Day beacon 6 | 48-28-21.847N 092-43-11.545W | | | | TR on skeleton tower. | |
| 17475 | Arrowhead Island Buoy 7 | 48-28-17.600N 092-43-01.600W | | | | Green can. | |
| 17480 | Alden Island Buoy 9 | 48-28-02.600N 092-43-01.700W | | | | Green can. | |
| 17485 | Biv o Island Day beacon 11 | 48-27-42.510N 092-42-51.020W | | | | SG on skeleton tower. | |
| 17490 | Biv o Island Buoy 13 | 48-27-39.000N 092-42-51.500W | | | | Green can. | |
| 17495 | - Buoy 14 | 48-27-32.500N 092-42-48.500W | | | | Red nun. | |
| 17500 | - Buoy 16 | 48-27-16.800N 092-43-17.500W | | | | Red nun. | |
| 17505 | Kubel Island Buoy 18 | 48-27-15.100N 092-43-37.500W | | | | Red nun. | |
| 17510 | Sexton Island Buoy 20 | 48-26-54.600N 092-44-51.600W | | | | Red nun. | |
| 17515 | Cemetary Island Buoy 22 | 48-26-47.400N 092-45-27.700W | | | | Red nun. | |
| 17520 | Sweetnose Island Day beacon 23 | 48-26-39.590N 092-46-30.850W | | | | SG on skeleton tower. | |
| 17525 | Sweetnose Island Buoy 24 | 48-26-42.300N 092-46-36.900W | | | | Red nun | |
| 17530 | - Day beacon 26 Marks rock awash. | 48-26-18.000N 092-47-06.000W | | | | TR on post. | |
| 17535 | - <i>Lighted Buoy 27</i> | 48-25-50.680N 092-47-38.311W | FI G 4s | | 3 | Green. | |
| Kabetogama Lake | | | | | | | |
| 17540 | - Buoy 29 | 48-26-10.700N 092-48-35.500W | | | | Green can. | |
| 17545 | - Buoy 31 | 48-26-15.000N 092-51-00.800W | | | | Green can. | |
| 17550 | - Warning Day beacon | 48-26-10.000N 092-51-00.000W | | | | NW on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---------------------------|----------------|
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| EASTERN KABETOGAMA LAKE AND WESTERN NAMAKAN LAKE (Chart 14994) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| Kabetogama Lake | | | | | | | |
| 17555 | - Buoy 32 | 48-26-21.700N 092-53-03.500W | | | | Red nun. | |
| 17560 | Green Island Buoy 34 | 48-26-24.700N 092-53-53.900W | | | | Red nun. | |
| 17565 | Feedem Island Buoy 36 | 48-27-00.800N 092-55-20.700W | | | | Red nun. | |
| 17570 | Knox Island Day beacon 37 | 48-27-01.220N 092-55-48.230W | | | | SG on skeleton tower. | |
| 17575 | - Junction Buoy | 48-27-13.100N 092-56-11.100W | | | | Green and red bands; can. | |
| 17580 | - Buoy 38 | 48-27-52.600N 092-57-43.500W | | | | Red nun. | |
| 17585 | - Buoy 39 | 48-28-02.000N 092-58-17.900W | | | | Green can. | |
| 17590 | Pin Cherry Buoy 38A | 48-28-26.500N 092-58-59.500W | | | | Red nun. | |
| WESTERN KABETOGAMA LAKE (Chart 14995) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| Kabetogama Lake | | | | | | | |
| 17595 | - Buoy 40 | 48-28-51.600N 093-00-26.400W | | | | Red nun. | |
| 17600 | - Buoy 42 | 48-28-46.000N 093-00-48.200W | | | | Red nun. | |
| 17605 | - Buoy 44 | 48-29-18.000N 093-03-33.800W | | | | Red nun. | |
| EASTERN KABETOGAMA LAKE AND WESTERN NAMAKAN LAKE (Chart 14994) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17610 | Martin Island Buoy 1 | 48-27-24.300N 092-59-03.600W | | | | Green can. | |
| WESTERN KABETOGAMA LAKE (Chart 14995) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17615 | Ram Island Buoy 4 | 48-28-24.200N 093-01-58.800W | | | | Red nun. | |
| 17620 | VOYAGEURS NATIONAL PARK BREAKWATER LIGHT | 48-26-32.500N 093-01-46.000W | Q R | 25 8 | | TR on post. | Private aid. |
| EASTERN KABETOGAMA LAKE AND WESTERN NAMAKAN LAKE (Chart 14994) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17625 | Namakan Island Day beacon N Marks bifurcation of Namakan and Kabetogama Lakes. | 48-27-06.000N 092-42-48.000W | | | | NR on skeleton tower. | |
| 17630 | Fox Island Day beacon 4 | 48-26-12.000N 092-39-59.000W | | | | TR on skeleton tower. | |
| 17635 | Randolph Island Buoy 6 | 48-26-04.100N 092-39-14.900W | | | | Red nun. | |
| 17640 | Pike Island Day beacon 8 | 48-26-08.000N 092-35-43.000W | | | | TR on skeleton tower. | |
| NAMAKAN LAKE - EASTERN PART (Chart 14993) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17645 | YOUR ISLAND LIGHT 9 | 48-26-29.000N 092-30-50.000W | FI G 6s | 25 8 | 3 | SG on skeleton tower. | |
| 17650 | Your Island Buoy 10 | 48-26-21.600N 092-30-19.100W | | | | Red nun. | |
| 17655 | Namakan Narrows Day beacon 12 | 48-26-11.000N 092-29-43.000W | | | | TR on skeleton tower. | |
| 17660 | Namakan Narrows Day beacon 14 | 48-25-31.500N 092-28-51.000W | | | | TR on skeleton tower. | |
| 17665 | Sand Point Buoy 16 | 48-24-56.400N 092-27-51.400W | | | | Red nun. | |
| 17670 | Sand Point Buoy 18 | 48-24-38.200N 092-27-24.200W | | | | Red nun. | |
| 17675 | Burnt Island Day beacon 20 | 48-24-10.000N 092-27-30.000W | | | | TR on skeleton tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| NAMAKAN LAKE - EASTERN PART (Chart 14993) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17680 | Sand Point Buoy 22 | 48-22-01.800N 092-28-42.300W | | | | Red nun. | |
| SAND POINT LAKE TO LAC LA CROIX (Chart 14992) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17685 | King Williams Narrows Buoy 24 | 48-20-05.100N 092-27-55.500W | | | | Red nun. | |
| 17690 | King Williams Narrows Buoy 25 | 48-19-49.800N 092-27-56.700W | | | | Green can. | |
| 17695 | King Williams Narrows Buoy 27 | 48-19-39.500N 092-27-52.200W | | | | Green can. | |
| 17700 | Crane Lake Buoy 28 | 48-17-58.000N 092-28-09.800W | | | | Red nun. | |
| 17705 | Crane Lake Buoy 29 | 48-17-35.000N 092-28-17.100W | | | | Green can. | |
| 17710 | Indian Island Buoy 30 | 48-17-30.700N 092-27-56.900W | | | | Red nun. | |
| 17715 | Bear Island Buoy 32 | 48-16-40.600N 092-28-07.500W | | | | Red nun. | |
| LAKE MICHIGAN | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| 17720 | ST HELENA LIGHT | 45-51-17.986N 084-51-48.931W | FI W 6s | 71 22 | 6 | White conical tower connected to dwelling. | |
| 17722 | <i>Sandusky Wreck Mooring Buoy</i> | 45-47-58.140N 084-50-15.300W | | | | | Private aid. |
| 17723 | <i>Maitland Wreck Mooring Buoy</i> | 45-48-15.000N 084-52-32.820W | | | | | Private aid. |
| 17725 | St Helena Southeast Shoal Buoy 1 | 45-50-59.366N 084-51-16.728W | | | | Green can. | |
| 17730 | St Helena Shoal Buoy SHS Marks south side of shoal. | 45-51-46.699N 084-55-25.241W | | | | Red and green bands; nun. | |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| 17735 | Manitou Paymen Shoal Buoy 2 Marks southwest side of shoal. | 45-57-29.829N 085-04-36.215W | | | | Red nun. | |
| 17740 | <i>New Shoal Lighted Buoy 1</i> | 45-49-16.280N 085-05-16.788W | FI G 4s | | 5 | Green. | Maintained from Apr. 21 to Dec. 14. AIS MMSI: 993672238 |
| 17745 | <i>New Shoal Lighted Bell Buoy 3</i> | 45-48-53.619N 085-08-00.517W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 14 to Apr. 21. AIS MMSI: 993672239 |
| 17750 | White Shoal Light Marks east side of shoal. | 45-50-30.074N 085-08-08.420W | FI W 5s | 125 38 | 11 | Red and white spiral bands on conical crib. 125 | RACON: K (- -) HORN: 1 blast ev 30s (3s bl). |
| 17755 | White Shoal Buoy Marks southwest side of shoal. | 45-50-10.625N 085-09-55.455W | | | | Red and green bands; nun. | |
| 17760 | <i>Simmons Reef Lighted Bell Buoy 2</i> Marks south side of reef. | 45-54-08.325N 085-12-58.713W | FI R 4s | | 4 | Red. | Maintained from Apr. 21 to Nov. 28. |
| Grays Reef Passage Channel | | | | | | | |
| 17765 | - <i>Lighted Buoy 5</i> | 45-46-51.927N 085-08-17.947W | FI G 4s | | 5 | Green. | Maintained from Apr 21 to 14 Dec |
| 17770 | - <i>Lighted Bell Buoy 4</i> | 45-46-56.027N 085-09-03.549W | FI R 4s | | 4 | Red. | Maintained from Apr 21 to 14 Dec |
| 17775 | Grays Reef Light | 45-45-56.590N 085-09-13.611W | FI R 10s | 82 25 | 14 | Square tower. 82 | RACON: G (- -) Obscured from 080° to 170°. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---------------------------------------|---|
| LAKE MICHIGAN | | | | | | | |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| Grays Reef Passage Channel | | | | | | | |
| 17780 | - Lighted Buoy 7 | 45-45-44.377N 085-08-29.152W | FI G 4s | | 5 | Green. | Replaced by can f from Dec. 14 to Apr. 21. AIS MMSI: 993672227 |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| 17785 | Ile Aux Galets Buoy 2 Marks east side of shoal. | 45-40-58.829N 085-08-06.838W | | | | Red nun. | |
| 17790 | Ile Aux Galets Buoy 9 Marks northwest side of shoal. | 45-40-56.840N 085-11-03.023W | | | | Green can. | |
| 17795 | Ile Aux Galets Light | 45-40-34.936N 085-10-19.653W | FI W 6s | 58 18 | 11 | White octagonal tower. 58 | |
| 17800 | Dahlia Shoal Buoy 1 Marks southwest side of shoal. | 45-37-31.627N 085-12-47.945W | | | | Green can. | |
| 17805 | Hog Island Reef Buoy 10 Marks east side of reef. | 45-43-13.015N 085-20-19.278W | | | | Red nun. | Seasonal maintained from 21 Apr to 14 Nov |
| 17810 | <i>Beaver Island Shoal Northeast End Lighted Buoy 1</i> | 45-45-48.845N 085-29-41.146W | FI G 4s | | 3 | Green. | Maintained from May 7 to Nov. 14. |
| St. James Harbor | | | | | | | |
| 17815 | - Buoy 1 | 45-43-57.797N 085-29-44.712W | | | | Green can. | |
| 17820 | - Buoy 2 | 45-44-18.697N 085-29-39.713W | | | | Red nun. | |
| 17825 | - Lighted Buoy 4 | 45-44-26.518N 085-30-31.674W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 14 to May 7. |
| 17830 | - Buoy 6 | 45-44-46.495N 085-31-00.616W | | | | Red nun. | Maintained from May 7 to Nov. 14. |
| 17835 | - Buoy 7 | 45-44-52.795N 085-30-55.716W | | | | Green can. | Maintained from May 7 to Nov. 14. |
| 17840 | - Buoy 8 | 45-44-51.795N 085-30-54.116W | | | | Red nun. | Maintained from May 7 to Nov. 14. |
| 17845 | St. James Light | 45-44-34.030N 085-30-31.010W | Iso R 6s | 38 12 | 11 | Cylindrical tower. 38 | Light obscured from 127°30' to 199°30'. |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| 17850 | <i>Stony Point Shoal Lighted Bell Buoy 1</i> Marks east side of shoal. | 45-43-12.017N 085-28-48.062W | FI G 6s | | 4 | Green. | Replaced by can f from Nov. 14 to May 7. |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY (Chart 14913) | | | | | | | |
| Harbor Springs | | | | | | | |
| 17855 | LITTLE TRAVERSE LIGHT | 45-25-09.078N 084-58-38.682W | FI G 6s | 72 22 | 8 | White skeleton tower. | |
| 17860 | - <i>Special Anchorage Lighted Buoy B</i> | 45-25-35.000N 084-59-07.000W | FI W 2s | | | White. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 17865 | STATE STREET PIER LIGHT | 45-25-43.300N 084-59-16.300W | F R | | | On top of restaurant with white roof. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 17870 | SPRING STREET PIERHEAD LIGHT | 45-25-45.000N 084-59-26.000W | F R | | | On dock. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| Ford Park Channel | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 17875 | - Lighted Buoy 1 | 45-25-35.000N 084-58-55.200W | FI G 2s | | | Green. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--------------------------|--|
| LAKE MICHIGAN | | | | | | | |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY (Chart 14913) | | | | | | | |
| Ford Park Channel | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 17880 | - Lighted Buoy 2 | 45-25-35.000N 084-58-53.000W | FI R 2s | | | Red. | Private aid. |
| 17885 | - Lighted Buoy 3 | 45-25-35.000N 084-59-07.000W | FI G 2s | | | Green. | Private aid. |
| 17890 | - Lighted Buoy 4 | 45-25-35.000N 084-59-07.000W | FI R 2s | | | Red. | Private aid. |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY (Chart 14913) | | | | | | | |
| 17895 | WALSTROM MARINE LIGHT 1 | 45-25-43.100N 084-58-44.800W | Q G | 8 2 | | On post. | Maintained from Jun. 1 to Oct. 1. Private aid. |
| 17900 | WALSTROM MARINE LIGHT 2 | 45-35-43.200N 084-58-43.900W | Q R | 9 3 | | On post. | Maintained from Jun. 1 to Oct. 1. Private aid. |
| Harbor Springs | | | | | | | |
| 17902 | Zoll Street Channel Lighted Buoy 1 | 45-25-33.600N 084-58-53.390W | FI G 4s | | | | Private aid. |
| 17902.1 | Zoll Street Channel Lighted Buoy 2 | 45-25-33.500N 084-58-56.890W | FI R 4s | | | | Private aid. |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY (Chart 14913) | | | | | | | |
| 17905 | Harbor Springs Special Anchorage Lighted Buoy A | 45-25-35.000N 084-58-24.800W | FI W 2s | | | White. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| Petoskey | | | | | | | |
| 17915 | - LIGHT | 45-22-48.337N 084-57-41.356W | FI R 2.5s | 44 13 | 4 | White cylindrical tower. | |
| LAKE CHARLEVOIX (Chart 14942) | | | | | | | |
| Charlevoix | | | | | | | |
| 17920 | - North Pierhead Light | 45-19-14.892N 085-15-53.796W | FI G 2.5s | 20 6 | 10 | SG on post. 20 | |
| 17925 | - South Pierhead Light | 45-19-12.930N 085-15-53.748W | FI R 4s | 41 13 | 10 | 41 | HORN: 1 blast ev 30s (3s bl). Operate the fog signal by keying the microphone on channel 83A VHF marine radio five times. |
| 17930 | Round Lake Special Anchorage Buoy A | 45-19-08.981N 085-15-23.375W | | | | Yellow can. | Maintained from Apr. 14 to Nov. 14. |
| 17935 | Round Lake Special Anchorage Buoy B | 45-19-07.573N 085-15-19.701W | | | | Yellow can. | Maintained from Apr. 14 to Nov. 14. |
| 17940 | Round Lake Special Anchorage Buoy C | 45-19-00.936N 085-15-06.318W | | | | Yellow can. | Maintained from Apr. 14 to Nov. 14. |
| 17945 | PINE RIVER LIGHT 3 | 45-18-56.500N 085-14-44.200W | FI G 2.5s | 10 3 | 5 | SG on skeleton tower. | |
| 17950 | Pine River Channel Lighted Buoy 2 | 45-18-52.824N 085-14-41.111W | FI R 4s | | 3 | Red. | Maintained from Apr. 14 to Nov. 14. |
| 17955 | NORTHWEST MARINE YACHT BASIN LIGHT 4 | 45-18-26.000N 085-14-43.000W | F R | 7 2 | | TR on pile. | Maintained from May 15 to Nov. 1. Private aid. |
| 17960 | NORTHWEST MARINE YACHT BASIN LIGHT 1 | 45-18-24.000N 085-14-40.000W | F G | 6 2 | | SG on tripod. | Maintained from May 15 to Nov. 1. Private aid. |
| 17965 | NORTHWEST MARINE YACHT BASIN LIGHT 3 | 45-18-24.000N 085-14-43.000W | F G | 7 2 | | SG on pile. | Maintained from May 15 to Nov. 1. Private aid. |
| Belvedere Club Dock | | | | | | | |
| <i>Lights maintained from May 1 to Nov. 15.</i> | | | | | | | |
| 17970 | - LIGHT A | 45-18-57.000N 085-14-57.500W | F R | 6 2 | | On pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--------------------------|--|
| LAKE MICHIGAN | | | | | | | |
| LAKE CHARLEVOIX (Chart 14942) | | | | | | | |
| Charlevoix | | | | | | | |
| Belvedere Club Dock | | | | | | | |
| <i>Lights maintained from May 1 to Nov. 15.</i> | | | | | | | |
| 17975 | - LIGHT B | 45-18-57.000N 085-14-57.500W | F R | 6 2 | | On pile. | Private aid. |
| 17980 | - LIGHT C | 45-18-57.000N 085-18-57.000W | F R | 6 2 | | On pile. | Private aid. |
| 17985 | - LIGHT D | 45-18-57.000N 085-14-57.500W | F R | 6 2 | | On pile. | Private aid. |
| Charlevoix Floating Breakwall | | | | | | | |
| <i>Lights maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 17990 | - LIGHT | 45-18-08.000N 085-14-44.200W | FI W 4s | | | On floating breakwall. | Private aid. |
| 17995 | - LIGHT | 45-18-08.000N 085-14-44.200W | FI W 4s | | | On floating breakwall. | Private aid. |
| 18000 | - LIGHT | 45-18-08.000N 085-14-44.200W | FI W 4s | | | On floating breakwall. | Private aid. |
| 18005 | - LIGHT | 45-18-08.000N 085-14-44.200W | FI W 4s | | | On floating breakwall. | Private aid. |
| Charlevoix | | | | | | | |
| 18010 | IRISH BOAT SHOP STOVER ROAD LIGHT 2 | 45-18-07.000N 085-14-45.000W | Oc R 4s | 12 4 | | On post. | Private aid. |
| 18015 | IRISH BOAT SHOP STOVER ROAD LIGHT 1 | 45-18-07.000N 085-14-45.000W | F G | 12 4 | | On post. | Private aid. |
| 18020 | IRISH BOAT SHOP FERRY AVENUE LIGHT 2 | 45-18-19.980N 085-14-44.760W | FI R 4s | 4 1 | | On post. | Maintained from May 1 to Nov 1. Private aid. |
| 18025 | IRISH BOAT SHOP FERRY AVENUE LIGHT 1 | 45-18-31.000N 084-14-45.500W | FI G 2.5s | 4 1 | | On post. | Maintained from May 1 to Nov 1. Private aid. |
| 18036 | PINE LAKE CLUB MARINA ENTRANCE LIGHT 1 | 45-17-39.200N 085-14-35.500W | FI G 2.5s | 8 2 | | SG on post. | Maintained from May 1 to Nov 1. Private aid. |
| 18037 | PINE LAKE CLUB MARINA ENTRANCE LIGHT 2 | 45-17-39.000N 085-14-36.800W | F R | 8 2 | | TR on post. | Maintained from May 1 to Nov 1. Private aid. |
| 18040 | OYSTER BAY MARINA LIGHT 2 | 45-18-58.900N 085-12-18.000W | F R | 12 4 | | TR on pile. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 18045 | OYSTER BAY MARINA LIGHT 1 | 45-18-59.100N 085-12-18.000W | F G | 12 4 | | SG on pile. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 18046 | Old Lumber Crane Crib Buoy | 45-19-06.000N 085-14-25.200W | | | | White with orange bands. | Maintained from May 10 to Oct. 30. Private aid. |
| Haters Dock | | | | | | | |
| <i>Lights maintained from May 15 to Oct. 15.</i> | | | | | | | |
| 18050 | - LIGHT 2 | 45-14-52.000N 085-10-43.000W | F R | 7 2 | | On pile. | Private aid. |
| 18055 | - LIGHT 4 | 45-14-51.200N 085-10-42.500W | F R | 7 2 | | On pile. | Private aid. |
| 18060 | - LIGHT 6 | 45-14-19.200N 085-10-21.900W | F R | 9 3 | | On post. | Private aid. |
| 18065 | - LIGHT 8 | 45-14-18.200N 085-10-22.000W | F R | 9 3 | | On post. | Private aid. |
| 18067 | <i>Horse Point Lighted Buoy 3</i> | 45-13-49.860N 085-03-42.906W | FI G 4s | | 3 | Green. | Maintained from Apr. 14 to Nov. 14. |
| Boyne City | | | | | | | |
| Harborage Marina | | | | | | | |
| <i>Lights maintained from Apr. 1 to Dec. 1.</i> | | | | | | | |
| 18070 | - WEST ENTRANCE LIGHT 2 | 45-12-37.500N 085-01-21.000W | Q R | 10 3 | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| LAKE MICHIGAN | | | | | | | |
| LAKE CHARLEVOIX (Chart 14942) | | | | | | | |
| Boyne City | | | | | | | |
| Harborage Marina | | | | | | | |
| <i>Lights maintained from Apr. 1 to Dec. 1.</i> | | | | | | | |
| 18075 | - WEST ENTRANCE LIGHT 1 | 45-12-38.500N 085-01-19.000W | Q G | 10 3 | | SG on post. | Private aid. |
| 18080 | - EAST BREAKWATER LIGHT | 45-12-42.000N 085-01-14.000W | Q W | 10 3 | | NW on post worded DANGER. | Private aid. |
| 18085 | - EAST ENTRANCE LIGHT 2 | 45-12-45.000N 085-01-10.000W | Q R | 10 3 | | TR on post. | Private aid. |
| 18090 | - EAST ENTRANCE LIGHT 1 | 45-12-43.000N 085-01-08.000W | Q G | 10 3 | | SG on post. | Private aid. |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY (Chart 14913) | | | | | | | |
| 18095 | MEDUSA CHANNEL BREAKWATER LIGHT | 45-19-09.000N 085-17-25.000W | FI R 4s | 24 7 | | On gray pile. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| 18100 | <i>South Point Lighted Bell Buoy 2</i> Marks shoal. | 45-19-35.597N 085-17-59.367W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 14 to May. 01. |
| Grand Traverse Bay | | | | | | | |
| 18105 | Fisherman Island Shoal Buoy 1 | 45-17-51.217N 085-22-10.871W | | | | Green can. | |
| 18110 | Grand Traverse Light | 45-12-37.740N 085-33-01.110W | FI W 6s | 50 15 | 14 | NR on skeleton tower. 50 | The light is visible from 260 to 065 degrees true |
| 18115 | - <i>Shoal Lighted Bell Buoy 3</i> Marks northwest side of shoal. | 45-08-07.800N 085-26-12.000W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 14 to May. 01. |
| 18120 | <i>Northport Point Lighted Bell Buoy 2</i> Marks south side of shoal. | 45-07-44.799N 085-33-12.503W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 14 to May. 01. |
| 18125 | Northport Bay Shoal Buoy 4 Marks southeast side of shoal. | 45-07-44.954N 085-33-58.825W | | | | Red nun. | |
| 18130 | Northport Bay Shoal Buoy 6 Marks southwest side of shoal. | 45-07-40.897N 085-35-09.503W | | | | Red nun. | |
| 18135 | NORTHPORT WEST LIGHT 2 | 45-07-48.800N 085-36-40.700W | Q R | 18 5 | | TR on post. | Visible from 090° to 135°. Maintained from May 15 to Dec. 1. Private aid. |
| 18140 | NORTHPORT EAST LIGHT 1 | 45-07-48.000N 085-36-39.000W | Q G | 18 5 | | SG on post. | Maintained from May 15 to Dec. 1. Private aid. |
| 18145 | MISSION POINT LIGHT | 45-01-05.630N 085-30-21.700W | FI W 6s | 41 13 | 6 | White cylindrical tower. | |
| 18150 | Omena Buoy 2 | 45-02-04.000N 085-34-19.000W | | | | Red nun. | Maintained from May 1 to Oct. 1. Private aid. |
| 18152 | ARTHUR DUHAMEL MARINA LIGHT 1 | 45-01-56.100N 085-35-51.000W | FI G 2.5s | 23 7 | | | Private aid. |
| 18153 | ARTHUR DUHAMEL MARINA LIGHT 2 | 45-01-57.000N 085-35-55.020W | FI R 2.5s | 23 7 | | | Private aid. |
| Elk Rapids | | | | | | | |
| 18155 | - <i>Lighted Buoy 1</i> | 44-54-09.500N 085-25-04.800W | FI G 2.5s | | | Green. | Maintained from May 15 to Oct. 15. Private aid. |
| 18157 | - <i>Lighted Buoy 2</i> | 44-54-08.800N 085-25-06.100W | FI R 2.5s | | | Red. | Maintained from May 15 to Oct. 15. Private aid. |
| 18160 | - BREAKWATER LIGHT 3 | 44-54-07.100N 085-25-03.100W | FI G 4s | 16 5 | | SG on pile. | Maintained from May 15 to Oct. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--------------------------------|---------------|--------------|------------------------------|--|
| LAKE MICHIGAN | | | | | | | |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY (Chart 14913) | | | | | | | |
| Elk Rapids | | | | | | | |
| 18162 | - BREAKWATER LIGHT 4 | 44-54-06.600N 085-25-05.000W | FI R 4s | 14 4 | | TR on pile. | Maintained from May 15 to Oct. 15. Private aid. |
| 18165 | - Buoy 6 | 44-54-04.300N 085-25-03.400W | | | | Red nun. | Maintained from May 15 to Oct. 15. Private aid. |
| 18167 | - Buoy 8 | 44-54-03.000N 085-25-03.000W | | | | Red nun. | Maintained from May 15 to Oct. 15. Private aid. |
| 18170 | - RANGE FRONT LIGHT | 44-54-02.000N 085-25-01.800W | F R (NIGHT) F W (DAY) | 16 5 | | KWR on black post. | Maintained from May 15 to Oct. 15. Private aid. |
| 18175 | - REAR RANGE LIGHT 490 feet, 159.5° from front light. | 44-53-57.100N 085-24-59.700W | F R (NIGHT) F W (DAY) | 24 7 | | KWR on black post. | Maintained from May 15 to Oct. 15. Private aid. |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY (Chart 14913) | | | | | | | |
| 18180 | EAST BAY HARBOR NORTH BREAKWATER LIGHT | 44-46-02.500N 085-30-25.000W | Q G | 8 2 | | On post. | Maintained from May 1 to Nov. 1. Private aid. |
| 18185 | EAST BAY HARBOR SOUTH BREAKWATER LIGHT | 44-46-00.000N 085-30-25.000W | FI R 5s | 8 2 | | On post. | Maintained from May 1 to Nov. 1. Private aid. |
| Grand Traverse Bay | | | | | | | |
| 18186 | <i>West Grand Traverse Bay Research Lighted Buoy</i> | 45-11-02.000N 085-27-09.000W | Q Y | | | Orange Research Buoy w/mast. | Maintained from APR 01 TO NOV 30. Private aid. |
| 18187 | - <i>Research Lighted Buoy</i> | 45-04-00.000N 085-29-50.000W | Q Y | | | Yellow Research Buoy w/mast | Maintained from APR 01 TO NOV 30. Private aid. |
| Suttons Bay | | | | | | | |
| 18190 | - YACHT CLUB BASIN LIGHT 2 | 44-59-00.300N 085-38-28.000W | FI R 2.5s | 20 6 | | TR on post. | Maintained from May 15 to Oct. 15. Private aid. |
| 18195 | - YACHT BASIN OBSTRUCTION LIGHT | 44-59-00.300N 085-38-28.000W | FI W 2.5s | 20 6 | | NW on post worded DANGER. | Maintained from May 15 to Oct. 15. Private aid. |
| 18200 | - Yacht Club Entrance Buoy 3 | 44-59-00.300N 085-38-28.000W | | | | Green can. | Maintained from May 15 to Oct. 15. Private aid. |
| 18205 | - Municipal Entrance Buoy 2S | 44-58-33.900N 085-38-41.000W | | | | Red nun. | Maintained from May 1 to Nov. 1. Private aid. |
| 18210 | - Municipal Entrance Buoy 3 | 44-58-31.200N 085-38-43.200W | | | | Green can. | Maintained from May 1 to Nov. 1. Private aid. |
| 18215 | - Municipal Entrance Buoy 4 | 44-58-32.100N 085-38-42.000W | | | | Red nun. | Maintained from May 1 to Nov. 1. Private aid. |
| 18220 | - MUNICIPAL DOCK LIGHT 6 | 44-58-33.000N 085-38-43.500W | Q R | 17 5 | | TR on white post. | Maintained from May 1 to Nov. 30. Private aid. |
| 18225 | - MUNICIPAL DOCK LIGHT 7 | 44-58-30.800N 085-38-44.200W | Q G | 17 5 | | SG on white post. | Maintained from May 1 to Nov. 1. Private aid. |
| 18230 | - Municipal Entrance Buoy 9 | 44-58-32.300N 085-38-45.500W | | | | Green can. | Maintained from May 1 to Nov. 1. Private aid. |
| 18235 | - Buoy 1 Marks north side of shoal. | 44-59-50.933N 085-36-03.768W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--------------------------|---|
| LAKE MICHIGAN | | | | | | | |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY (Chart 14913) | | | | | | | |
| West Arm | | | | | | | |
| 18240 | - <i>Lighted Bell Buoy 4</i> Marks shoal. | 44-56-02.225N 085-35-29.497W | FI R 4s | | 4 | Red. | Maintained from May . 01 to Nov . 14. |
| 18245 | - Buoy 6 Marks south side of shoal. | 44-53-14.700N 085-36-21.500W | | | | Red nun. | |
| 18250 | Tucker Point Shoal Buoy 1 Marks south side of shoal. | 44-52-50.884N 085-33-36.681W | | | | Green can. | |
| 18255 | Marion Island Shoal Buoy 2 Marks north side of shoal. | 44-52-34.800N 085-33-54.000W | | | | Red nun. | |
| 18260 | - Buoy 7 Marks wreck. | 44-51-14.754N 085-35-48.685W | | | | Green can. | |
| 18265 | - <i>Lighted Buoy 8</i> | 44-47-33.437N 085-37-23.600W | FI R 4s | | 5 | Red. | Replaced by nun from Nov . 14 to May . 01. |
| Traverse City | | | | | | | |
| 18270 | - BREAKWATER LIGHT | 44-47-18.230N 085-38-00.000W | FI R 2.5s | 40 | 5 | TR on tube. | |
| 18275 | - WEST BREAKWATER LIGHT 1 | 44-47-18.980N 085-38-03.060W | FI G 4s | 24 | 4 | SG on white pile. | |
| 18280 | ZEPHYR COMPANY LIGHT | 44-46-58.000N 085-38-10.000W | F G | 20 | | | Private aid. |
| 18285 | TOTAL PETRO LIGHT | 44-46-54.000N 085-38-12.000W | F G | 15 | | On pile. | Operated only for the arrival and departure of tankers. Private aid. |
| 18290 | DUNCAN L CLINCH YACHT HARBOR LIGHT | 44-46-03.780N 085-37-19.890W | Q G | 22 | | SG on pile. | Maintained from May 1 to Nov 1. Private aid. |
| 18291 | DUNCAN L. CLINCH YACHT CLUB LIGHT 2 | 44-46-06.000N 085-37-18.800W | FI R 2.5s | 22 | | TR on pile. | Maintained from May 1 to Nov 1. Private aid. |
| 18295 | BOARDMAN RIVER WEST PIERHEAD LIGHTS (2) | 44-45-56.300N 085-36-43.500W | F R | 20 | | On black poles. | Private aid. |
| 18300 | GREAT LAKES MARITIME ACADEMY WEST PIER LIGHT | 44-46-30.000N 085-36-30.000W | FI G 15s | 13 | | On Black Tripod tower. | Private aid. |
| 18305 | GREAT LAKES MARITIME ACADEMY EAST PIER LIGHT | 44-46-00.000N 085-36-18.000W | Q R | 13 | | On pile. | Private aid. |
| PLATTE BAY TO LELAND (Chart 14912) | | | | | | | |
| 18310 | NOAA <i>Lighted Weather Buoy 45002</i> | 45-20-39.240N 086-24-41.081W | FI (4)Y 20s | | | Yellow disc-shaped hull. | Maintained from Apr. 21 to Nov . 1. Aid maintained by National Oceanic and Atmospheric Administration. |
| 18315 | South Fox Island Shoals Buoy 3 | 45-17-27.217N 085-50-56.578W | | | | Green can. | |
| 18320 | South Fox Island Shoals Buoy 4 | 45-18-34.442N 085-50-40.321W | | | | Red nun. | |
| 18325 | South Fox Island Shoals Buoy 2 | 45-14-50.259N 085-50-13.502W | | | | Red nun. | |
| 18327 | NORTH MANITOU ISLAND PIER LIGHT 2 | 45-07-13.800N 085-58-24.300W | FI R 4s | 20 | | TR on post. | Maintained from May 15 to Oct. 30. Private aid. |
| 18328 | NORTH MANITOU ISLAND PIER LIGHT 4 | 45-07-21.000N 085-58-22.000W | FI R 4s | 20 | | TR on post. | Maintained from May 15 to Oct. 30. Private aid. |
| 18330 | LELAND HARBOR LIGHT 1 | 45-01-26.670N 085-45-51.780W | FI G 2.5s | 25 | 6 | SG on post. | |
| 18335 | LELAND HARBOR LIGHT 2 | 45-01-27.760N 085-45-48.480W | FI R 4s | 25 | 4 | TR on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| PLATTE BAY TO LELAND (Chart 14912) | | | | | | | |
| 18340 | North Manitou Shoal Light Marks south side of shoal. | 45-01-15.596N 085-57-25.685W | FI R 15s | 79 24 | 14 | | RACON: N (- .) HORN: 2 blasts ev 20s (2s bl- 2s si-2s bl-14s si). Standby light of reduced intensity |
| 18350 | <i>Pyramid Point Shoal Lighted Buoy 5</i> Marks north side of shoal. | 45-00-00.280N 085-55-37.429W | FI G 4s | | 5 | Green. | Replaced by can from Nov. 14 to Apr. 21. |
| 18355 | North Manitou Shoal Southwest End Buoy 6 | 45-00-17.109N 086-00-17.854W | | | | Red nun. | |
| 18357 | South Manitou Island Lighthouse | 45-00-27.654N 086-05-37.620W | F W | 54 16 | | 104 | Private aid. |
| 18360 | <i>South Manitou Island Shoal Lighted Gong Buoy 8</i> | 44-57-26.375N 086-10-02.852W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 14 to Apr. 21. |
| 18365 | <i>Sleeping Bear Lighted Bell Buoy 7</i> | 44-54-04.979N 086-09-57.350W | FI G 4s | | 5 | Green. | Replaced by can from Nov. 14 to Apr. 21. |
| 18366 | Manning Light | 44-48-48.000N 086-03-58.000W | FI W 4s | 38 12 | | White circular tower. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| STONY LAKE TO POINT BETSIE (Chart 14907) | | | | | | | |
| 18370 | Point Betsie Light | 44-41-28.531N 086-15-18.758W | FI W 10s | 52 16 | 19 | 52 | |
| Frankfort | | | | | | | |
| 18375 | - North Breakwater Light | 44-37-51.127N 086-15-07.708W | F W | 72 22 | 16 | White square pyramidal tower. 72 | HORN: 1 blast ev 30s (3s bl) operates by keying microphone five times on VHF FM marine CH 83A |
| 18385 | - SOUTH BREAKWATER LIGHT | 44-37-46.028N 086-15-08.131W | FI R 4s | 46 14 | 8 | White cylindrical tower with red band. | |
| 18390 | - NORTH PIERHEAD LIGHT | 44-37-47.690N 086-14-49.225W | FI G 2.5s | 31 9 | 4 | SG on post. | |
| 18395 | - SOUTH PIERHEAD LIGHT | 44-37-45.101N 086-14-44.462W | FI R 6s | 30 9 | 4 | TR on post. | |
| 18405 | ARCADIA HARBOR LIGHT 1 | 44-29-01.113N 086-14-58.125W | FI G 4s | 30 9 | 4 | SG on post. | |
| 18410 | ARCADIA HARBOR LIGHT 2 | 44-28-59.043N 086-15-01.580W | FI R 2.5s | 30 9 | 4 | White cylindrical tower with red band. | |
| Portage Lake | | | | | | | |
| 18415 | - NORTH PIERHEAD LIGHT | 44-21-37.470N 086-16-04.940W | FI G 4s | 32 10 | 5 | White cylindrical tower with green band. | HORN: 1 blast ev 15s (2s bl) operat the fog signal by keying VHF FM marine radio 5 times on channel 83A |
| 18420 | - SOUTH PIERHEAD LIGHT | 44-21-33.737N 086-16-07.174W | FI R 4s | 27 8 | 6 | | |
| 18425 | - INNER LIGHT | 44-21-30.905N 086-15-36.086W | FI R 6s | 27 8 | 4 | TR on post. | |
| 18427 | - <i>Lighted Buoy 3</i> Marks shoal. | 44-21-37.000N 086-14-37.000W | FI G 4s | | 3 | Green. | Maintained from Apr. 14 to Oct. 14. |
| MANISTEE HARBOR (Chart 14938) | | | | | | | |
| Manistee | | | | | | | |
| 18450 | - North Pierhead Light | 44-15-06.502N 086-20-48.695W | FI G 6s | 55 17 | 12 | White cylindrical tower. 55 | HORN: 1 blast ev 15s (2s bl). Fog signal operates by keying the microphone five times on VHF-FM CH 83A. |
| 18460 | - SOUTH BREAKWATER LIGHT | 44-15-05.276N 086-20-59.613W | FI R 4s | 33 10 | 5 | White cylindrical tower, with red band. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE MICHIGAN | | | | | | | |
| MANISTEE HARBOR (Chart 14938) | | | | | | | |
| Manistee | | | | | | | |
| 18465 | - SOUTH PIERHEAD LIGHT | 44-15-00.363N 086-20-39.878W | Iso R 6s | 29 9 | 4 | TR on pole. | |
| Manistee Lake | | | | | | | |
| 18480 | - <i>Lighted Buoy 2</i> | 44-15-11.350N 086-18-47.000W | FI R 2.5s | | 3 | Red. | Maintained from May 14 to Oct. 14. |
| 18483 | - Buoy 3 | 44-15-11.198N 086-18-38.319W | | | | Green can. | |
| 18490 | - <i>Obstruction Lighted Buoy A</i> Marks submerged ruins. | 44-14-54.500N 086-18-37.000W | FI R 2.5s | | | | Maintained from May 1 to Oct. 31. Private aid. |
| 18495 | - Buoy 5 | 44-15-04.588N 086-18-28.417W | | | | Green can. | |
| 18497 | - Buoy 7 | 44-14-55.040N 086-18-20.210W | | | | Green can. | |
| 18500 | - Buoy 9 | 44-14-37.333N 086-18-14.629W | | | | Green can. | |
| 18505 | - Buoy 10 | 44-14-30.911N 086-18-16.409W | | | | Red nun. | |
| 18510 | - Buoy 12 | 44-14-23.756N 086-18-14.591W | | | | Red nun. | |
| 18515 | - Buoy 13 | 44-14-14.961N 086-18-09.389W | | | | Green can. | |
| 18520 | - Buoy 14 | 44-13-56.871N 086-17-59.758W | | | | Red nun. | |
| STONY LAKE TO POINT BETSIE (Chart 14907) | | | | | | | |
| 18525 | BIG SABLE LIGHT | 44-03-27.839N 086-30-51.572W | F W | 106 32 | 9 | White conical tower with top and middle third black with dwelling attached. | Obscured from 238° to 346°. |
| LUDINGTON HARBOR (Chart 14937) | | | | | | | |
| Ludington | | | | | | | |
| 18530 | - NORTH BREAKWATER LIGHT | 43-57-13.002N 086-28-09.737W | Iso G 6s | 55 17 | 8 | | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM CH 83A |
| 18540 | - NORTH PIERHEAD LIGHT | 43-57-10.562N 086-27-45.031W | FI G 4s | 26 8 | 5 | SG on white column. | |
| 18550 | - INNER BREAKWATER SOUTH LIGHT | 43-57-14.400N 086-27-45.000W | Q W | 16 5 | | On steel pile. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 18555 | - SOUTH BREAKWATER LIGHT | 43-57-06.756N 086-28-08.844W | FI R 2.5s | 30 9 | 6 | White cylindrical tower with red band. | |
| 18560 | - SOUTH PIERHEAD LIGHT 6 | 43-57-05.650N 086-27-36.100W | FI R 4s | 30 9 | 5 | TR on post. | |
| Pere Marquette Lake | | | | | | | |
| 18565 | - <i>Lighted Buoy 1</i> | 43-56-43.698N 086-26-48.868W | FI G 2.5s | | 4 | Green. | Maintained from May 14 to Oct. 14. |
| 18570 | - Buoy 3 | 43-56-45.618N 086-26-38.548W | | | | Green can. | Maintained from May 14 to Oct. 14. |
| 18575 | - Buoy 5 | 43-56-46.488N 086-26-35.148W | | | | Green can. | Maintained from May 14 to Oct. 14. |
| 18580 | - West Buoy 2 Marks submerged piling. | 43-56-31.508N 086-26-57.948W | | | | Red nun. | Maintained from May 14 to Oct. 14. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE MICHIGAN | | | | | | | |
| STONY LAKE TO POINT BETSIE (Chart 14907) | | | | | | | |
| Consumer Power Company | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Oct. 15. Buoys are located 230 feet apart, 100 feet off breakwall and lighted buoys mark submerged net.</i> | | | | | | | |
| 18585 | - Lighted Obstruction Buoy A | 43-54-25.000N 086-27-38.000W | Q W | | | White with orange diamond. | Private aid. |
| 18590 | - Lighted Obstruction Buoy B | 43-54-15.000N 086-27-38.000W | Q W | | | White with orange diamond. | Private aid. |
| 18595 | - Lighted Obstruction Buoy C | 43-53-58.000N 086-27-54.000W | Q W | | | White with orange diamond. | Private aid. |
| 18600 | - Lighted Obstruction Buoy D | 43-53-37.000N 086-27-59.000W | Q W | | | White with orange diamond. | Private aid. |
| 18605 | - Lighted Obstruction Buoy E | 43-53-03.000N 086-27-58.000W | Q W | | | White with orange diamond. | Private aid. |
| 18610 | - Lighted Obstruction Buoy F | 43-53-11.000N 086-27-32.000W | Q W | | | White with orange diamond. | Private aid. |
| 18615 | - Lighted Obstruction Buoy G | 43-53-11.000N 086-27-06.000W | Q W | | | White with orange diamond. | Private aid. |
| STONY LAKE TO POINT BETSIE (Chart 14907) | | | | | | | |
| 18617 | <i>Comanche Wreck Mooring Buoy</i> | 43-50-15.180N 086-29-01.380W | | | | | Private aid. |
| Pentwater | | | | | | | |
| 18620 | - NORTH PIERHEAD LIGHT 3 | 43-46-56.353N 086-26-36.985W | FI G 2.5s | 43 13 | 9 | White cylindrical tower with green band. | HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM CH 83A |
| 18630 | - SOUTH PIERHEAD LIGHT 4 | 43-46-53.541N 086-26-38.892W | FI R 4s | 48 15 | 4 | TR on red skeleton tower. | |
| 18633 | <i>Anna C. Minch Wreck Mooring Buoy</i> | 43-45-42.060N 086-27-50.040W | | | | | Private aid. |
| SOUTH HAVEN TO STONEY LAKE (Chart 14906) | | | | | | | |
| Muskegon | | | | | | | |
| 18647 | <i>GVSU AXYS Buoy</i> | 43-16-00.000N 086-32-00.000W | FI Y 20s | | | | Maintained from 1 Apr. to 1 Jan. Private aid. |
| 18647.5 | <i>GLERL M45Z</i> | 43-11-01.860N 086-29-38.880W | FI Y 4s | | | | Private aid. |
| 18648 | <i>GLERL Muskegon</i> | 43-11-17.400N 086-20-38.400W | FI Y 4s | | | | Secured with two point mooring system, lighted spar buoys with same flash characteristics marking mooring locations. Private aid. |
| 18649 | <i>State of Michigan Wreck Mooring Buoy</i> | 43-23-20.100N 086-27-51.060W | | | | | Private aid. |
| WHITE LAKE (Chart 14935) | | | | | | | |
| White Lake | | | | | | | |
| 18650 | - NORTH PIERHEAD LIGHT 1 | 43-22-31.730N 086-25-45.250W | FI G 6s | 25 8 | 8 | White column with green band. | |
| 18655 | - SOUTH PIERHEAD LIGHT 2 | 43-22-29.670N 086-25-46.410W | FI R 4s | 33 10 | 5 | TR on post. | |
| 18660 | - PIERHEAD INNER LIGHT 4 | 43-22-30.070N 086-25-20.460W | FI R 2.5s | 30 9 | 4 | TR on post. | |
| 18665 | - Lighted Buoy 5 | 43-22-30.000N 086-25-10.000W | FI G 2.5s | | 3 | Green. | Maintained from Apr. 21 to Nov. 14. |
| 18670 | - Lighted Buoy 7 | 43-22-28.122N 086-25-03.137W | FI G 4s | | 3 | Green. | Maintained from Apr. 21 to Nov. 14. |
| 18675 | - Lighted Buoy 9 | 43-22-32.590N 086-23-42.916W | FI G 2.5s | | 3 | Green. | Maintained from Apr. 21 to Nov. 14. |
| 18680 | - Lighted Buoy 11 | 43-23-04.012N 086-22-41.042W | FI G 6s | | 3 | Green. | Maintained from Apr. 21 to Nov. 14. |
| 18685 | - Lighted Buoy 12 | 43-23-32.979N 086-21-59.862W | FI R 4s | | 3 | Red. | Maintained from Apr. 21 to Nov. 14. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| WHITE LAKE (Chart 14935) | | | | | | | |
| White Lake | | | | | | | |
| 18690 | - LIGHT 14 | 43-24-05.849N 086-21-18.482W | FI R 2.5s | 12 4 | 4 | TR on pile. | |
| 18695 | - LIGHT 15 | 43-24-13.685N 086-21-16.616W | FI G 4s | 12 4 | 4 | SG on pile. | |
| MUSKEGON LAKE (Chart 14934) | | | | | | | |
| Muskegon | | | | | | | |
| 18705 | - SOUTH BREAKWATER LIGHT | 43-13-26.697N 086-20-48.804W | Iso R 6s | 70 21 | 8 | Pyramidal tower. | HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Fog signal operates by keying the microphone five times on VHF-FM CH 83A |
| 18710 | - SOUTH PIERHEAD LIGHT | 43-13-35.951N 086-20-28.544W | FI R 4s | 50 15 | 6 | Conical tower. | |
| 18720 | - NORTH BREAKWATER LIGHT | 43-13-31.839N 086-20-52.946W | FI G 4s | 34 10 | 4 | White cylindrical tower with green band. | |
| 18725 | - NORTH PIER OUTER LIGHT | 43-13-39.309N 086-20-30.575W | FI G 6s | 30 9 | 4 | SG on post. | |
| 18730 | - NORTH PIER INNER LIGHT | 43-13-58.336N 086-19-40.243W | FI G 4s | 30 9 | 4 | SG on post. | |
| 18735 | - LAKE LIGHT | 43-13-54.123N 086-19-38.300W | FI R 2.5s | 28 9 | 4 | White cylindrical tower with red band. | |
| 18740 | HARBOUR TOWNE ENTRANCE LIGHT 1 | 43-13-42.700N 086-19-27.100W | F G | 8 2 | | On tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 18745 | HARBOUR TOWNE ENTRANCE LIGHT 2 | 43-13-42.600N 086-19-28.100W | F R | 8 2 | | On tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 18750 | - <i>Lake Lighted Buoy 3</i> | 43-13-55.050N 086-18-04.217W | FI G 2.5s | | 4 | Green. | Maintained from Apr. 1 to Nov. 21. |
| 18770 | BEAR LAKE ENTRANCE WEST LIGHT | 43-14-22.500N 086-17-52.320W | FI G 4s | 8 2 | | SB on piling. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 18775 | BEAR LAKE ENTRANCE EAST LIGHT | 43-14-22.260N 086-17-50.640W | F R | 8 2 | | TR on pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 18780 | BEAR LAKE CHANNEL LIGHT 1 | 43-14-42.000N 086-17-44.460W | Q G | 6 2 | | SG on pile | Maintained from Apr 1 to Nov 1. Private aid. |
| Great Lakes Marina Entrance | | | | | | | |
| <i>Lights maintained from Apr. 15 to Dec. 12.</i> | | | | | | | |
| 18785 | - LIGHT 1 | 43-13-20.500N 086-17-38.100W | Q G | 10 3 | | SG on pile. | Private aid. |
| 18790 | - LIGHT 2 | 43-13-20.500N 086-17-40.100W | Q R | 11 3 | | TR on pile. | Private aid. |
| 18795 | - LIGHT 3 | 43-13-15.500N 086-17-38.100W | FI G 2.5s | 10 3 | | SG on pile. | Private aid. |
| 18800 | - LIGHT 4 | 43-13-15.500N 086-17-40.100W | FI R 2.5s | 11 3 | | TR on pile. | Private aid. |
| 18805 | - LIGHT 5 | 43-13-09.500N 086-17-38.100W | FI G 4s | 10 3 | | SG on pile. | Private aid. |
| 18810 | - LIGHT 6 | 43-13-09.500N 086-17-40.100W | FI R 4s | 10 3 | | TR on pile. | Private aid. |
| 18815 | BANK POINT LIGHT Marks south side of shoal. | 43-13-49.500N 086-17-24.100W | FI G 4s | 24 7 | 5 | SG on post on concrete pier. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| LAKE MICHIGAN | | | | | | | |
| MUSKEGON LAKE (Chart 14934) | | | | | | | |
| Muskegon | | | | | | | |
| 18818 | GVSU Research Buoy | 43-14-17.660N 086-16-49.914W | FI Y 4s | | | | Secured with two point mooring system, spar buoys marking mooring locations. Maintained from Apr. 7 to Nov. 7. Private aid. |
| 18819 | GVSU Bath 1 | 43-14-05.760N 086-17-01.200W | | | | | Maintained from 1 Apr. to 1 Jan. Private aid. |
| 18819.5 | GVSU Bath 2 | 43-14-01.860N 086-16-40.800W | | | | | Maintained from 1 Apr. to 1 Jan. Private aid. |
| Lakeshore Yacht Club Channel | | | | | | | |
| <i>Aids maintained from Apr. 15 to Oct. 15.</i> | | | | | | | |
| 18820 | - Lighted Buoy 1 | 43-13-47.900N 086-16-46.200W | FI G 4s | | | Green. | Private aid. |
| 18825 | - Lighted Buoy 2 | 43-13-47.200N 086-16-48.100W | FI R 4s | | | Red. | Private aid. |
| 18830 | - Buoy 3 | 43-13-46.500N 086-16-42.500W | | | | Green can. | Private aid. |
| 18835 | - Buoy 4 | 43-13-45.500N 086-16-44.000W | | | | Red nun. | Private aid. |
| 18840 | - Buoy 5 | 43-13-44.900N 086-16-38.800W | | | | Green can. | Private aid. |
| 18845 | - Buoy 6 | 43-13-44.000N 086-16-40.200W | | | | Red nun. | Private aid. |
| 18850 | - Buoy 7 | 43-13-43.000N 086-16-34.500W | | | | Green can. | Private aid. |
| 18855 | - Buoy 8 | 43-13-42.300N 086-16-36.500W | | | | Red nun. | Private aid. |
| 18870 | - LIGHT 10 | 43-13-41.800N 086-16-34.800W | F R | 12 | | TR on post. | Private aid. |
| 18871 | - LIGHT 11 | 43-13-41.100N 086-16-33.000W | F G | 12 | | SG on post. | Private aid. |
| 18875 | MUSKEGON HARTSHORN LIGHT Marks north side of shoal. | 43-14-05.028N 086-16-32.862W | FI R 4s | 15 | 3 | TR on column. | |
| Hartshorn Municipal Marina | | | | | | | |
| <i>Aids maintained from Apr. 15 to Oct. 15.</i> | | | | | | | |
| 18881 | - Lighted Buoy 1 | 43-14-05.831N 086-16-06.258W | FI G 4s | | | Green. | Private aid. |
| 18882 | - Lighted Buoy 2 | 43-14-05.520N 086-16-08.772W | FI R 4s | | | Red. | Private aid. |
| 18883 | - Buoy 3 | 43-13-58.020N 086-16-01.608W | | | | Green can. | Private aid. |
| 18884 | - Lighted Buoy 4 | 43-13-57.800N 086-16-03.720W | FI R 2s | | | Red. | Private aid. |
| 18885 | - LIGHT 5 | 43-13-52.600N 086-16-00.500W | Iso G 12s | 15 | | On tripod. | Private aid. |
| 18890 | - LIGHT 6 | 43-13-51.700N 086-16-00.500W | Iso R 10s | 15 | | On tripod. | Private aid. |
| 18895 | - BASIN LIGHT | 43-43-47.000N 086-15-57.500W | F R | 18 | | On pole. | Private aid. |
| 18900 | Verplank Channel Buoy 2 | 43-14-41.658N 086-15-09.564W | | | | | Private aid. |
| 18905 | Verplank Channel Buoy 4 | 43-14-40.716N 086-15-03.828W | | | | | Private aid. |
| Conservation Club Channel | | | | | | | |
| <i>Aids maintained from May. 1 to Nov. 1.</i> | | | | | | | |
| 18925 | - Lighted Buoy 1 | 43-15-27.600N 086-15-22.860W | FI G 2s | | | Green. | Private aid. |
| 18930 | - Lighted Buoy 2 | 43-15-27.240N 086-15-22.140W | FI R 2s | | | Red. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| MUSKEGON LAKE (Chart 14934) | | | | | | | |
| Conservation Club Channel | | | | | | | |
| <i>Aids maintained from May. 1 to Nov. 1.</i> | | | | | | | |
| 18935 | - Lighted Buoy 3 | 43-15-29.640N 086-15-21.420W | Q G | | | Green. | Private aid. |
| 18936 | - Buoy 3A | 43-15-30.180N 086-15-21.300W | | | | Green can. | Private aid. |
| 18940 | - Buoy 4 | 43-15-32.500N 086-15-13.200W | | | | Red nun. | Private aid. |
| 18945 | - Dayboard 5 | 43-15-34.300N 086-15-15.000W | | | | SG on post. | Private aid. |
| 18950 | - Buoy 6 | 43-15-31.320N 086-15-17.220W | | | | Red. | Private aid. |
| GRAND HAVEN AND GRAND RIVER (Chart 14933) | | | | | | | |
| Grand Haven | | | | | | | |
| 18965 | - South Pierhead Entrance Light | 43-03-24.910N 086-15-21.420W | FI R 10s | 42 13 | 15 | Red fog signal building. 42 | Fog Signal operates by keying the microphone five times on VHF-FM CH 83A. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). |
| 18975 | - SOUTH PIERHEAD INNER LIGHT | 43-03-25.935N 086-15-13.631W | Oc R 4s | 52 16 | 6 | Red cylindrical tower. | |
| 18980 | - NORTH PIERHEAD LIGHT 1 | 43-03-29.411N 086-15-21.205W | FI G 4s | 36 11 | 6 | White cylindrical tower with green band. | |
| Grand River | | | | | | | |
| <i>Unlighted buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 18995 | - Lighted Buoy 3 | 43-03-44.930N 086-14-17.332W | FI G 2.5s | | 3 | Green. | Replaced by can f from Nov. 28 to April 1. |
| 19000 | - Lighted Buoy 3A | 43-03-49.364N 086-14-12.992W | FI G 4s | | 3 | Green. | Replaced by can f from Nov. 28 to April 1. |
| 19005 | - Lighted Buoy 4 | 43-04-15.695N 086-14-08.961W | FI R 4s | | 3 | Red. | Replaced by nun f from Nov. 28 to April 1. |
| 19010 | - Buoy 6 | 43-04-26.736N 086-14-05.568W | | | | | Maintained f from Apr. 1 to Nov. 1. |
| 19015 | - Buoy 7 | 43-04-35.400N 086-14-00.900W | | | | Green can. | Maintained f from Apr. 1 to Nov. 1. |
| 19020 | - Lighted Buoy 8 | 43-04-34.211N 086-13-57.761W | FI R 2.5s | | 3 | Red. | Replaced by nun f from Nov. 28 to April 1. |
| 19025 | - Buoy 10 | 43-04-37.942N 086-13-49.944W | | | | Red nun. | |
| 19030 | - Turning Basin Buoy 12 | 43-04-34.878N 086-13-23.541W | | | | Red nun. | Maintained f from Apr. 1 to Nov. 1. |
| 19035 | - Lighted Buoy 14 | 43-04-29.039N 086-12-59.478W | FI R 2.5s | | 3 | Red. | Maintained f from April 1 to Nov. 1. |
| 19040 | SPRING LAKE OBSTRUCTION LIGHT | 43-04-38.894N 086-12-49.841W | FI W 2.5s | 15 5 | 5 | 3 NW on pile worded DANGER. | |
| 19043 | SPRING LAKE YACHT CLUB LIGHT A | 43-04-55.770N 086-11-40.350W | F W | | | | Maintained f from Apr. 1 to Nov. 1. Private aid. |
| 19043.1 | SPRING LAKE YACHT CLUB LIGHT B | 43-04-55.820N 086-11-36.680W | F W | | | | Maintained f from Apr. 1 to Nov. 1. Private aid. |
| 19043.2 | SPRING LAKE YACHT CLUB LIGHT C | 43-04-56.470N 086-11-33.700W | F W | | | | Maintained f from Apr. 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| LAKE MICHIGAN | | | | | | | |
| GRAND HAVEN AND GRAND RIVER (Chart 14933) | | | | | | | |
| Grand Haven | | | | | | | |
| Grand River | | | | | | | |
| <i>Unlighted buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 19043.3 | SPRING LAKE YACHT CLUB LIGHT D | 43-04-57.230N 086-11-32.430W | F W | | | | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 19045 | - Lighted Buoy 14A | 43-04-27.606N 086-12-45.345W | FI R 6s | | 3 | Red. | Maintained from April 1 to Nov. 1. |
| 19050 | - Lighted Buoy 15 | 43-04-24.708N 086-12-36.567W | FI G 4s | | 3 | Green. | Maintained from April 1 to Nov. 1. |
| 19051 | - Lighted Buoy 15A | 43-04-18.678N 086-12-32.838W | FI G 6s | | 3 | Green. | Maintained from April 1 to Nov. 1. |
| 19055 | - Lighted Buoy 16 | 43-04-24.198N 086-12-37.773W | FI R 4s | | 3 | Red. | Maintained from April 1 to Nov. 1. |
| 19060 | - Lighted Buoy 16A | 43-04-13.287N 086-12-31.645W | FI R 6s | | 3 | Red. | Maintained from April 1 to Nov. 1. |
| 19065 | - Buoy 17 | 43-04-04.650N 086-12-21.500W | | | | Green can. | |
| 19070 | - Buoy 19 | 43-03-56.514N 086-12-13.021W | | | | Green can. | |
| 19075 | - Buoy 20 | 43-03-54.000N 086-12-13.100W | | | | Red nun. | |
| 19080 | - Buoy 21 | 43-03-50.835N 086-11-59.512W | | | | Green can. | |
| 19085 | - Buoy 22 | 43-03-46.509N 086-11-47.034W | | | | Red nun. | |
| 19090 | - Buoy 23 | 43-03-40.200N 086-11-19.700W | | | | Green can. | |
| 19095 | - Buoy 24 | 43-03-26.598N 086-10-32.580W | | | | Red nun. | |
| 19100 | - Buoy 26 | 43-03-19.424N 086-10-09.871W | | | | Red nun. | |
| 19105 | - Buoy 28 | 43-03-08.800N 086-09-50.300W | | | | Red nun. | |
| 19110 | - Buoy 29 | 43-02-40.200N 086-09-38.600W | | | | Green can. | |
| 19115 | - Buoy 30 | 43-02-40.816N 086-09-39.911W | | | | Red nun. | |
| 19120 | - Buoy 31 | 43-02-21.000N 086-09-42.600W | | | | Green can. | |
| 19125 | - Buoy 33 | 43-02-10.500N 086-09-41.100W | | | | Green can. | |
| 19130 | - Buoy 35 | 43-01-55.900N 086-09-35.600W | | | | Green can. | |
| 19135 | - Buoy 37 | 43-01-31.300N 086-09-02.800W | | | | Green can. | |
| 19140 | - Buoy 39 | 43-01-33.400N 086-08-53.900W | | | | Green can. | |
| 19145 | - Buoy 40 | 43-01-51.900N 086-08-38.600W | | | | Red nun. | |
| 19150 | - Buoy 42 | 43-02-10.233N 086-08-33.144W | | | | Red nun. | |
| 19155 | - Buoy 44 | 43-02-19.814N 086-08-23.872W | | | | Red nun. | |
| 19160 | - Buoy 46 | 43-02-25.700N 086-08-13.000W | | | | Red nun. | |
| 19165 | - Buoy 48 | 43-02-29.171N 086-08-01.989W | | | | Red nun. | |
| 19170 | - Buoy 50 | 43-02-30.225N 086-07-48.601W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE MICHIGAN | | | | | | | |
| GRAND HAVEN AND GRAND RIVER (Chart 14933) | | | | | | | |
| Grand Haven | | | | | | | |
| Grand River | | | | | | | |
| <i>Unlighted buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 19175 | - Buoy 51 | 43-02-24.000N 086-07-11.900W | | | | Green can. | |
| 19180 | - Buoy 52 | 43-02-22.438N 086-06-39.135W | | | | Red nun. | |
| 19185 | - Buoy 54 | 43-02-25.000N 086-06-11.100W | | | | Red nun. | |
| 19190 | - Buoy 55 | 43-02-24.141N 086-05-44.892W | | | | Green can. | |
| 19195 | - Buoy 57 | 43-02-23.800N 086-05-19.700W | | | | Green can. | |
| 19200 | - Buoy 59 | 43-02-26.500N 086-04-56.600W | | | | Green can. | |
| 19205 | - Buoy 60 | 43-02-27.800N 086-04-45.600W | | | | Red nun. | |
| 19210 | - Buoy 62 | 43-02-30.509N 086-04-24.168W | | | | Red nun. | |
| 19215 | - Buoy 64 | 43-02-26.754N 086-04-01.329W | | | | Red nun. | |
| 19220 | - Buoy 66 | 43-02-19.000N 086-03-37.100W | | | | Red nun. | |
| 19225 | - Buoy 67 | 43-02-07.300N 086-03-11.200W | | | | Green can. | |
| 19230 | - Buoy 68 | 43-01-55.900N 086-02-47.600W | | | | Red nun. | |
| 19235 | - Buoy 69 | 43-01-46.700N 086-02-26.800W | | | | Green can. | |
| 19240 | - Buoy 71 | 43-01-42.100N 086-02-10.300W | | | | Green can. | |
| 19245 | - Buoy 72 | 43-01-37.500N 086-01-59.700W | | | | Red nun. | |
| 19250 | - Buoy 74 | 43-01-25.200N 086-01-31.900W | | | | Red nun. | |
| 19255 | - Buoy 76 | 43-01-09.100N 086-01-12.800W | | | | Red nun. | |
| 19260 | - Danger Buoy | 43-01-03.104N 086-01-09.192W | | | | White can with orange bands worded DANGER END OF DREDGED CHANNEL | |
| Grand Haven | | | | | | | |
| 19261 | <i>Ironsides Wreck Mooring Buoy</i> | 43-02-55.799N 086-19-08.999W | | | | | Private aid. |
| SOUTH HAVEN TO STONEY LAKE (Chart 14906) | | | | | | | |
| Port Sheldon | | | | | | | |
| 19270 | - BREAKWATER NORTH LIGHT | 42-54-00.000N 086-13-06.000W | FI G 4s | 14 4 | | Column. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 19275 | - BREAKWATER SOUTH LIGHT | 42-54-00.000N 086-03-06.000W | FI R 4s | 14 4 | | Column. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| HOLLAND HARBOR (Chart 14932) | | | | | | | |
| Holland Harbor | | | | | | | |
| 19280 | - NORTH BREAKWATER LIGHT | 42-46-24.400N 086-12-56.900W | FI G 6s | 27 8 | 7 | White cylindrical tower with green band. | |
| 19285 | - SOUTH BREAKWATER LIGHT | 42-46-21.100N 086-12-56.900W | FI R 4s | 27 8 | 5 | White cylindrical tower with red band. | HORN: 1 blast ev 30s (3s blast). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 19290 | - NORTH PIERHEAD LIGHT | 42-46-23.850N 086-12-45.756W | FI G 4s | 25 8 | 4 | SG on cylindrical tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|-------------------------------------|---|---------------------------------|-----------------------|---------------|--------------|------------------------------------|---|
| LAKE MICHIGAN | | | | | | | |
| HOLLAND HARBOR (Chart 14932) | | | | | | | |
| Holland Harbor | | | | | | | |
| 19295 | - South Pierhead Light | 42-46-21.520N 086-12-44.993W | Al WR 10s | 52 16 | W 19 R 17 | On square tower on building. 52 | |
| Lake Macatawa | | | | | | | |
| 19305 | - LIGHT | 42-46-19.600N 086-12-24.300W | FI R 2.5s | 24 7 | 4 | TR on column. | Not visible westward. |
| 19310 | - <i>Lighted Buoy 1</i> | 42-46-18.281N 086-12-03.848W | FI G 2.5s | | 4 | Green. | Replaced by can f from Nov. 7 to Apr. 14. |
| 19320 | <i>Big Bay Lighted Buoy 1</i> | 42-46-51.558N 086-11-02.119W | FI G 6s | | 3 | Green. | Maintained f from Apr. 14 to Nov. 14. |
| 19325 | <i>Big Bay Lighted Buoy 2</i> | 42-46-52.464N 086-10-57.366W | FI R 6s | | 3 | Red. | Maintained f from Apr. 14 to Nov. 14. |
| 19330 | Big Bay Buoy 3 | 42-47-04.020N 086-10-58.643W | | | | Green can. | Maintained f from Apr. 14 to Nov. 14. |
| 19335 | MIDDLE GROUND LIGHT 3 Marks southeast side of shoal. | 42-46-45.322N 086-10-41.034W | FI G 4s | 23 7 | 4 | SG on column on cylindrical base. | |
| 19340 | DRAKE POINT LIGHT 4 Marks north side of shoal. | 42-46-44.040N 086-10-22.453W | FI R 4s | 23 7 | 4 | TR on column on cylindrical base. | |
| 19345 | - Buoy 5 | 42-46-44.455N 086-09-53.291W | | | | Green can. | |
| 19350 | - <i>Lighted Buoy 6</i> | 42-46-43.058N 086-09-53.562W | FI R 6s | | 4 | Red. | Replaced by nun f from Nov. 7 to Apr. 14. |
| 19375 | POINT SUPERIOR LIGHT 7 | 42-46-44.520N 086-09-16.110W | FI G 4s | 23 7 | 4 | SG on column on cylindrical base. | |
| 19380 | - Buoy 9 | 42-46-41.149N 086-09-08.305W | | | | Green can. | |
| 19385 | - <i>Lighted Buoy 10</i> | 42-46-39.172N 086-09-02.038W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Nov. 7 to Apr. 14. |
| 19390 | - Buoy 11 | 42-46-42.950N 086-08-57.372W | | | | Green can. | |
| 19393 | - Buoy 12 | 42-46-53.303N 086-08-30.225W | | | | Red nun. | |
| 19395 | - Buoy 13 | 42-46-58.829N 086-08-21.731W | | | | Green can. | |
| 19400 | - <i>Lighted Buoy 14</i> | 42-47-05.183N 086-08-03.150W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 7 to Apr. 14. |
| 19405 | - Buoy 15 | 42-47-15.038N 086-07-45.057W | | | | Green can. | |
| 19410 | - <i>Lighted Buoy 16</i> | 42-47-21.980N 086-07-25.472W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Nov. 7 to Apr. 14. |
| 19415 | - Buoy 17 | 42-47-26.988N 086-07-16.740W | | | | Green can. | |
| 19420 | - <i>Lighted Buoy 19</i> | 42-47-34.536N 086-07-10.684W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 7 to Apr. 14. |
| 19425 | - Buoy 21 | 42-47-38.598N 086-06-59.084W | | | | Green can. | |
| 19430 | - Buoy 23 | 42-47-46.782N 086-06-53.733W | | | | Green can. | Maintained f from Apr. 14 to Nov. 07. |
| 19435 | - Buoy 25 | 42-47-53.448N 086-06-49.359W | | | | Green can. | Maintained f from Apr. 14 to Nov. 07. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE MICHIGAN | | | | | | | |
| HOLLAND HARBOR (Chart 14932) | | | | | | | |
| Holland Harbor | | | | | | | |
| Lake Macatawa | | | | | | | |
| 19440 | - Buoy 26 | 42-47-52.994N 086-06-48.005W | | | | Red nun. | Maintained from Apr. 14 to Nov. 07. |
| SOUTH HAVEN TO STONY LAKE (Chart 14906) | | | | | | | |
| Saugatuck | | | | | | | |
| 19445 | - SOUTH PIERHEAD LIGHT | 42-40-36.000N 086-12-59.000W | FI R 4s | 30 9 | 7 | Cylindrical structure with red band. | HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 19450 | - NORTH PIERHEAD LIGHT | 42-40-38.880N 086-12-57.410W | FI G 4s | 30 9 | 5 | Cylindrical structure with green band. | |
| Kalamazoo River | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 7.</i> | | | | | | | |
| 19455 | - Buoy 2 | 42-40-32.700N 086-12-22.800W | | | | Red nun. | |
| 19460 | - Buoy 4 | 42-40-35.100N 086-12-12.300W | | | | Red nun. | |
| 19465 | - Buoy 5 | 42-40-23.300N 086-11-54.800W | | | | Green can. | |
| 19470 | - Buoy 6 | 42-40-19.300N 086-11-53.700W | | | | Red nun. | |
| 19475 | - Buoy 8 | 42-39-54.000N 086-12-03.800W | | | | Red nun. | |
| 19480 | - Buoy 9 | 42-39-50.800N 086-12-04.800W | | | | Green can. | |
| 19485 | - Buoy 11 | 42-39-42.794N 086-12-17.875W | | | | Green can. | |
| 19490 | - Buoy 12 | 42-39-40.200N 086-12-22.200W | | | | Red nun. | |
| 19495 | - Buoy 14 | 42-39-28.400N 086-12-24.000W | | | | Red nun. | |
| South Haven | | | | | | | |
| 19505 | - South Pierhead Light | 42-24-04.830N 086-17-16.640W | F R | 37 11 | 13 | Red conical tower. 37 | Fog Signal operates by keying the microphone five times on VHF-FM CH 83A. HORN: 2 blast ev 30s (2s bl-2s si-2s bl-24s si). |
| 19510 | - NORTH PIER LIGHT | 42-24-06.800N 086-17-17.500W | FI G 4s | 28 9 | 6 | On pole. | |
| Palisades Nuclear Security Zone | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 19511 | - No Entry Buoy A | 42-19-12.000N 086-19-24.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19511.1 | - No Entry Buoy B | 42-19-17.000N 086-19-37.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19511.2 | - No Entry Buoy C | 42-19-22.000N 086-19-54.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19511.3 | - No Entry Buoy D | 42-19-33.000N 086-19-48.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|------------------------------------|
| LAKE MICHIGAN | | | | | | | |
| SOUTH HAVEN TO STONY LAKE (Chart 14906) | | | | | | | |
| South Haven | | | | | | | |
| Palisades Nuclear Security Zone | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 19511.4 | - No Entry Buoy E | 42-19-44.000N 086-19-42.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19511.5 | - No Entry Buoy F | 42-19-39.000N 086-19-24.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19511.6 | - No Entry Buoy G | 42-19-35.000N 086-19-07.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| ST. JOSEPH AND BENTON HARBOR (Chart 14930) | | | | | | | |
| St. Joseph | | | | | | | |
| 19515 | - North Pierhead Light | 42-06-59.069N 086-29-40.320W | FI W 2.5s | 31 9 | 12 | White cylindrical tower. 31 | |
| 19520 | - North Pier Inner Light | 42-06-57.790N 086-29-36.480W | Iso W 2s | 53 16 | 7 | Octagonal tower. 53 | |
| 19525 | - SOUTH PIERHEAD LIGHT | 42-06-54.960N 086-29-39.396W | Iso R 6s | 25 8 | 7 | | |
| 19527 | - COAST GUARD LIGHT | 42-06-47.819N 086-29-03.973W | FI Y 4s | 26 8 | 4 | | |
| 19530 | - River Buoy 3 | 42-06-44.880N 086-28-34.400W | | | | Green can. | Maintained from Apr. 28 to Nov. 1. |
| Donald S. Cook Nuclear Security Zone | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 15</i> | | | | | | | |
| 19534 | Donald C. Cook Nuclear Security Zone No Entry Buoy A | 41-58-31.980N 086-34-18.500W | Iso W 2s | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19534.1 | Donald C. Cook Nuclear Security Zone No Entry Buoy B | 41-58-35.340N 086-34-35.460W | Iso W 2s | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19534.2 | Donald C. Cook Nuclear Security Zone No Entry Buoy C | 41-58-40.380N 086-34-33.660W | Iso W 2s | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19534.3 | Donald C. Cook Nuclear Security Zone No Entry Buoy D | 41-58-46.140N 086-34-31.500W | Iso W 2s | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19534.4 | Donald C. Cook Nuclear Security Zone No Entry Buoy E | 41-58-42.780N 086-34-14.940W | Iso W 2s | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| WAUKEGAN TO SOUTH HAVEN (Chart 14905) | | | | | | | |
| New Buffalo | | | | | | | |
| 19535 | - HARBOR LIGHT 1 | 41-48-08.460N 086-45-08.600W | FI G 2.5s | 25 8 | 6 | SG on column. | |
| 19540 | - HARBOR LIGHT 2 | 41-48-06.120N 086-45-05.072W | FI R 2.5s | 25 8 | 6 | TR on column. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| WAUKEGAN TO SOUTH HAVEN (Chart 14905) | | | | | | | |
| Michigan City | | | | | | | |
| 19544 | <i>Purdue Research Lighted Buoy A</i> | 41-45-19.800N 086-58-33.960W | STROBE | | | Yellow | Maintained from May 1 to Nov. 1 Private aid. |
| 19545 | - East Pierhead Light | 41-43-44.045N 086-54-41.642W | Oc W 4s | 55 17 | 13 | White octagonal tower with red roof attached to fog signal building. 55 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 19555 | - BREAKWATER LIGHT | 41-43-48.185N 086-54-50.149W | FI R 4s | 36 11 | 6 | TR on pyramidal structure with red band. | |
| 19560 | - BREAKWATER SOUTH LIGHT | 41-43-36.876N 086-54-58.698W | FI Y 2.5s | 33 10 | 4 | NY on pyramidal structure. | |
| 19565 | - WEST PIERHEAD LIGHT | 41-43-35.987N 086-54-36.050W | FI R 6s | 41 13 | 4 | TR on tower. | |
| 19570 | - OUTER BASIN LIGHT | 41-43-32.513N 086-54-31.393W | FI G 4s | 25 8 | 4 | SG on pile. | |
| Burns Harbor | | | | | | | |
| 19575 | BAILEYTOWN WATER INTAKE CRIB LIGHT | 41-38-58.614N 087-07-21.864W | Q W | 14 4 | | Skeleton tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 19580 | - EAST LIGHT | 41-38-58.000N 087-07-52.000W | FI W 2s | 38 12 | | On pile. | Private aid. |
| 19583 | - Shoal Buoy 1 | 41-39-10.687N 087-08-07.449W | | | | Green can | |
| 19585 | - NORTH LIGHT 2 | 41-38-55.800N 087-08-45.580W | FI R 2.5s | 36 11 | 7 | TR on pile. | |
| 19590 | - SOUTH LIGHT 3 | 41-38-47.300N 087-08-49.100W | FI G 4s | 47 14 | 9 | White cylindrical tower with green band. | |
| 19595 | BURNS WATERWAY JETTY NORTH LIGHT 1 | 41-38-03.669N 087-10-41.725W | FI G 6s | 27 8 | 7 | White cylindrical tower with green band. | |
| 19600 | BURNS WATERWAY WEST PIER LIGHT 2 | 41-38-00.513N 087-10-40.048W | FI R 2.5s | 27 8 | 6 | TR on post. | |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| Gary | | | | | | | |
| 19605 | - BULKHEAD LIGHT | 41-37-26.598N 087-17-19.836W | FI R 4s | 20 6 | | On cylindrical tower. | Private aid. |
| 19610 | - BREAKWATER LIGHT | 41-37-49.146N 087-19-13.098W | FI (3)R 40s 2s fl 8s ec. 2s fl 8s ec. 2s fl 18s ec. | 40 12 | | On cylindrical tower. | Standby light. HORN: 1 blast ev 30s (2s bl). Private aid. |
| 19615 | - EAST PIERHEAD LIGHT | 41-37-27.921N 087-19-27.055W | F W | 30 9 | | On post. | Operates during navigation season only. Private aid. |
| 19620 | - WEST PIERHEAD LIGHT | 41-37-28.298N 087-19-30.888W | F R | 25 8 | | On post. | Operates during navigation season only. Private aid. |
| 19625 | <i>Indiana Shoal Lighted Gong Buoy 4</i> Marks northeast side of shoals. | 41-43-25.709N 087-20-52.534W | FI R 4s | | 4 | Red. | Maintained from Apr. 21 to Dec. 1. |
| Buffington Harbor | | | | | | | |
| 19630 | - BREAKWATER LIGHT | 41-38-45.000N 087-24-37.500W | FI R 4s | 48 15 | | Conical tower. | Private aid. |
| 19636 | - INNER BREAKWATER EAST LIGHT 2 | 41-38-35.000N 087-24-53.000W | FI R 2.5s | 24 7 | | On post. | Private aid. |
| 19637 | - INNER BREAKWATER WEST LIGHT 1 | 41-38-33.000N 087-24-56.000W | Q G | 24 7 | | On post. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE MICHIGAN | | | | | | | |
| CALUMET AND INDIANA HARBORS (Chart 14929) | | | | | | | |
| City of East Chicago, Indiana | | | | | | | |
| 19648 | - CASINO HARBOR LIGHT 1 | 41-39-17.390N 087-25-55.340W | Q G | 50 15 | | SG on cylindrical tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 19649 | - CASINO HARBOR LIGHT 2 | 41-39-15.110N 087-25-59.930W | Oc R 4s | 50 15 | | TR on cylindrical tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 19650 | - PASTRICK MARINA LIGHT 3 | 41-39-14.600N 087-26-05.600W | FI G 4s | 16 5 | | SG on post. | Maintained from Apr. 1 to Dec. 15. Visible 294° through 359°. Private aid. |
| 19655 | - PASTRICK MARINA LIGHT 4 | 41-39-14.500N 087-26-03.000W | FI R 4s | 16 5 | | TR on post. | Maintained from Apr. 1 to Dec. 15. Visible 294° through 359°. Private aid. |
| Indiana Harbor | | | | | | | |
| 19660 | - SOUTH BULKHEAD LIGHT | 41-39-34.074N 087-25-14.232W | FI R 2s | 49 15 | | Pyramidal tower. | Private aid. |
| 19665 | - EAST BULKHEAD LIGHT | 41-40-41.328N 087-24-04.866W | FI R 2s | 48 15 | | Pyramidal tower. | Private aid. |
| 19670 | - NORTH BULKHEAD LIGHT | 41-41-20.340N 087-25-01.044W | FI R 2s | 48 15 | | Pyramidal tower. | Private aid. |
| 19675 | - East Breakwater Light | 41-40-51.014N 087-26-28.027W | Iso G 6s | 78 24 | 12 | Square tower. | HORN: 2 blast ev 20s. Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 19685 | - LIGHT 2 | 41-41-06.090N 087-26-49.380W | Oc R 4s | 29 9 | 6 | TR on pile. | |
| 19690 | - LIGHT 5 | 41-40-27.643N 087-26-19.840W | FI G 2.5s | 48 15 | 5 | White cylindrical tower with green band. | |
| 19695 | - LIGHT 6 | 41-40-22.756N 087-26-26.274W | FI R 2.5s | 48 15 | 6 | White cylindrical tower with red band. | Higher intensity beam on bearing 165.5°. |
| 19700 | - LIGHT 7 | 41-40-00.758N 087-26-31.264W | F G | 45 14 | 8 | SG on white cylindrical tower. | |
| 19705 | - LIGHT 8 | 41-40-03.781N 087-26-34.574W | FI R 4s | 13 4 | 5 | TR on white cylindrical tower. | |
| CALUMET AND INDIANA HARBORS (Chart 14929) | | | | | | | |
| 19710 | American Oil Company Intake Buoy A | 41-40-48.000N 087-29-18.000W | | | | White with orange bands and orange diamond. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 19715 | WHITING LAKEFRONT PARK LIGHT A | 41-41-03.500N 087-29-20.000W | Q G | 19 6 | | On post. | Private aid. |
| 19720 | WHITING LAKEFRONT PARK LIGHT B | 41-41-05.200N 087-29-20.000W | Q R | 19 6 | | On post. | Private aid. |
| Calumet | | | | | | | |
| 19740 | HAMMOND INTAKE CRIB LIGHT | 41-42-25.100N 087-29-49.500W | FI W 6s | 26 8 | | On tower. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| Hammond Marina | | | | | | | |
| <i>Aids maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 19745 | - ENTRANCE LIGHT 1 | 41-41-44.700N 087-30-14.800W | FI G 4s | 20 6 | | SG on pile. | Private aid. |
| 19750 | - ENTRANCE LIGHT 2 | 41-41-44.700N 087-30-11.700W | FI R 4s | 20 6 | | TR on pile. | Private aid. |
| 19752 | - Lighted Obstruction Buoy AA | 41-41-43.780N 087-30-09.180W | Q W | | | | Private aid. |
| 19755 | - Lighted Obstruction Buoy A | 41-41-47.400N 087-30-09.300W | FI W 2.5s | | | White with orange bands and orange diamond. | Private aid. |
| 19760 | - Lighted Obstruction Buoy B | 41-41-51.800N 087-30-13.700W | FI W 2.5s | | | White with orange bands and orange diamond. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|---|---------------|--------------|---|--|
| LAKE MICHIGAN | | | | | | | |
| CALUMET AND INDIANA HARBORS (Chart 14929) | | | | | | | |
| Calumet | | | | | | | |
| Hammond Marina | | | | | | | |
| <i>Aids maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 19765 | - Lighted Obstruction Buoy C | 41-41-55.400N 087-30-20.300W | FI W 2.5s | | | White with orange bands and orange diamond. | Private aid. |
| 19770 | - Lighted Obstruction Buoy D | 41-41-57.500N 087-30-26.600W | FI W 2.5s | | | White with orange bands and orange diamond. | Private aid. |
| Calumet | | | | | | | |
| 19775 | Nipsco Obstruction Buoy A | 41-42-00.000N 087-30-26.000W | | | | White with orange bands worded SUBMERGED PILINGS. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 19780 | - PARK 101ST STREET PIER LIGHT | 41-42-47.923N 087-31-30.809W | FI R 4s | 28 9 | 6 | TR on post. | |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| 19785 | Indiana Shoal Buoy 2 | 41-46-10.332N 087-23-26.733W | | | | Red nun. | |
| 19790 | Chicago Lake Front Northeast Shoal Lighted Buoy 2 Marks east side of shoal. | 41-45-36.268N 087-28-02.018W | FI R 4s | | 4 | Red. | RACON: C (- . - .) Replaced by nun f from Dec. 1 to Apr. 21. AIS MMSI: 993672228 |
| CALUMET AND INDIANA HARBORS (Chart 14929) | | | | | | | |
| 19795 | Calumet East Shoal Lighted Buoy 4 | 41-43-59.008N 087-28-13.836W | FI R 6s | | 4 | Red. | Replaced by nun f from Dec. 01 to Apr 21. |
| 19800 | Calumet Harbor Breakwater South End Light | 41-43-33.652N 087-29-35.956W | Al WR 10s 0.2s W fl 4.8s ec. 0.2s R fl 4.8s ec. | 50 15 | W 17 R 14 | White square skeleton tower with red band. Lower half open. 46 | HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 19810 | Calumet Harbor Lighted Buoy 1 | 41-43-07.704N 087-29-48.694W | FI G 4s | | 3 | Green. | Year round lighted buoy |
| 19815 | Calumet Harbor Buoy 3 | 41-43-15.125N 087-29-58.770W | | | | Green can. | |
| 19820 | Calumet Harbor Buoy 5 | 41-43-38.376N 087-30-30.348W | | | | Green can. | |
| 19825 | Calumet Harbor Lighted Buoy 7 | 41-43-48.248N 087-30-43.758W | FI G 4s | | 3 | Green. | Year round lighted buoy . |
| 19827 | CALUMET HARBOR BREAKWATER OBSTRUCTION LIGHT | 41-44-29.394N 087-30-52.040W | FI Y 2.5s | 28 9 | 8 | White cylindrical tower with yellow band. | |
| 19830 | CALUMET HARBOR LIGHT | 41-44-12.635N 087-30-28.804W | FI R 2.5s | 51 16 | 7 | White cylindrical tower with red band. | |
| 19835 | CALUMET HARBOR ENTRANCE SOUTH SIDE LIGHT | 41-44-08.146N 087-30-22.721W | FI G 4s | 30 9 | 6 | White cylindrical tower with green band. | |
| 19840 | CALUMET PIERHEAD LIGHT | 41-44-01.492N 087-31-44.479W | Iso R 6s | 31 9 | 6 | TR on post. | Obscured f from 240° to 060°. |
| 19845 | CALUMET HARBOR DISPOSAL AREA LIGHT | 41-43-52.296N 087-31-29.633W | FI G 6s | 26 8 | 4 | SG on tower. | |
| 19850 | CALUMET RIVER ENTRANCE LIGHT | 41-43-56.306N 087-31-46.175W | FI G 2.5s | 28 9 | 5 | SG on post. | |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| 19855 | Clarke Point Buoy 8 | 41-45-33.926N 087-31-44.064W | | | | Red nun. | Maintained from Apr. 14 to Nov. 01. |
| 19860 | FILTRATION PLANT BREAKWATER SOUTH END LIGHT | 41-45-24.822N 087-32-16.794W | FI W 2.5s | 39 12 | | NW on skeleton tower marked DANGER. | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE MICHIGAN | | | | | | | |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| 19865 | FILTRATION PLANT BREAKWATER NORTH END LIGHT | 41-45-42.438N 087-32-38.820W | FI W 2.5s | 39 12 | | NW on skeleton tower marked DANGER. | Maintained from May 1 to Nov. 1. Private aid. |
| 19870 | SIXTY-EIGHTH STREET CRIB LIGHT | 41-47-10.500N 087-31-48.000W | FI R 3s | 61 19 | | Silver-gray lantern on red skeleton tower on stone crib. | BELL: 1 strike ev 12s. Private aid. |
| 19875 | JACKSON PARK OUTER HARBOR LIGHT 2 | 41-47-04.500N 087-34-03.500W | FI R 2.5s | 28 9 | | TR on pile at end of breakwater. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19880 | JACKSON PARK OUTER HARBOR LIGHT 4 | 41-46-52.900N 087-34-06.774W | FI R 4s | 28 9 | | TR on pile. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19885 | JACKSON PARK INNER HARBOR LIGHT 6 | 41-46-47.300N 087-34-22.800W | F R | 35 11 | | TR on pile. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19890 | JACKSON PARK INNER HARBOR LIGHT 5 | 41-46-45.600N 087-34-21.800W | F G | | | SG on pile. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19895 | FIFTY-NINTH STREET YACHT HARBOR SOUTH PIER LIGHT | 41-47-17.300N 087-34-30.700W | F G | 35 11 | | On post. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19900 | FIFTY-NINTH STREET YACHT HARBOR NORTH PIER LIGHT | 41-47-12.000N 087-34-18.000W | F R | 35 11 | | On post. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19905 | South Park Shoal Buoy 6 Marks east side of shoal. | 41-47-53.884N 087-32-22.199W | | | | Red nun. | |
| 19910 | <i>Clemson Shoal Lighted Bell Buoy 4</i> | 41-48-24.565N 087-32-04.726W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 01 to Apr. 21. |
| 19915 | Hyde Park Shoal Outside Buoy 2 | 41-48-31.014N 087-32-38.801W | | | | Red nun. | |
| 19920 | <i>Morgan Shoals Lighted Buoy 2</i> | 41-48-38.600N 087-34-27.900W | FI R 2.5s | | 3 | Red. | Maintained from Apr. 14 to Nov 1. |
| 19921 | OAKWOOD BEACH NORTH PIER LIGHT | 41-49-24.922N 087-35-48.453W | FI Y 2s | 20 6 | | | Private aid. |
| 19922 | OAKWOOD BEACH SOUTH PIER LIGHT | 41-49-17.193N 087-35-39.191W | FI Y 2s | | | | Private aid. |
| 19925 | FOUR-MILE CRIB LIGHT | 41-52-24.000N 087-32-42.000W | FI W 15s | 66 20 | | Red skeleton tower on stone crib. | HORN: 1 blast ev 20s (2s bl). Private aid. |
| CHICAGO HARBOR (Chart 14928) | | | | | | | |
| 19930 | THIRTY-FIRST STREET OUTER JETTY LIGHT | 41-50-21.700N 087-36-15.800W | FI Y 2.5s | 29 9 | | NW on cylindrical tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19931 | <i>Thirty-First Street Jetty Danger Lighted Buoy A</i> | 41-50-22.600N 087-36-18.200W | FI W 2s | | | White with orange bands and diamond worded DANGER BREAKWATER. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 19932 | <i>Thirty-First Street Jetty Danger Lighted Buoy B</i> | 41-50-23.000N 087-36-20.800W | FI W 2s | | | White with orange bands and diamond worded DANGER BREAKWATER. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 19933 | <i>Thirty-First Street Jetty Danger Lighted Buoy C</i> | 41-50-23.500N 087-36-23.300W | FI W 2s | | | White with orange bands and diamond worded DANGER BREAKWATER. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 19934 | THIRTY-FIRST STREET INNER JETTY LIGHT | 41-50-24.400N 087-36-26.000W | FI Y 2.5s | 26 8 | | NW on cylindrical tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| Northerly Island Danger Zone | | | | | | | |
| 19955 | BURNHAM PARK HARBOR LIGHT | 41-51-42.000N 087-36-36.000W | FI G 3s | 60 18 | | On skeleton tower. | Red from 135° to 255°. Maintained from Apr. 15 to Dec. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE MICHIGAN | | | | | | | |
| CHICAGO HARBOR (Chart 14928) | | | | | | | |
| Northerly Island Danger Zone | | | | | | | |
| 19956 | <i>Northerly Island Danger Lighted Buoy A</i> | 41-51-52.200N 087-36-21.200W | FI W 2s | | | White and orange bands and diamond worded DANGER SUBMERGED BULKHEAD. | Maintained from Apr. 15 to Oct 31. Private aid. |
| 19956.1 | <i>Northerly Island Danger Lighted Buoy B</i> | 41-51-48.500N 087-36-21.000W | FI W 2s | | | White and orange bands and diamond worded DANGER SUBMERGED BULKHEAD. | Maintained from Apr. 15 to Oct 31. Private aid. |
| 19956.2 | <i>Northerly Island Danger Lighted Buoy C</i> | 51-51-45.000N 087-36-21.000W | FI W 2s | | | White with orange bands and diamond worded DANGER SUBMERGED BULKHEAD. | Maintained from Apr. 15 to Oct 31. Private aid. |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| Chicago Harbor | | | | | | | |
| 19960 | - Light | 41-53-21.658N 087-35-25.712W | FI R 5s | 82 25 | 15 | White conical tower. 82 | HORN operates by keying the microphone five times on VHF-FM channel 83A. 2 blasts ev 30s (2s bl). |
| 19980 | - OUTER BREAKWATER SOUTH END LIGHT | 41-52-48.623N 087-35-25.905W | Iso R 6s | 27 8 | 6 | White cylindrical tower with red band. | |
| 19985 | - ENTRANCE SOUTH SIDE LIGHT | 41-53-14.864N 087-35-25.861W | FI G 4s | 27 8 | 6 | White cylindrical tower with green band. | |
| 19990 | - SOUTH BREAKWATER NORTHEAST LIGHT 1 | 41-52-29.330N 087-36-36.430W | FI G 2.5s | 35 11 | 5 | SG on post. | |
| 19995 | - BREAKWATER SOUTH LIGHT | 41-52-36.957N 087-36-36.300W | FI R 4s | 23 7 | 4 | White cylindrical tower with red band. | |
| 20000 | - SOUTHEAST GUIDE WALL LIGHT | 41-53-17.940N 087-36-09.044W | Iso W 6s | 48 15 | 9 | White square tower with green band. | Visible from 157° to 023°. |
| 20005 | - MUNICIPAL PIER NO. 1 LIGHT | 41-53-23.300N 087-35-58.800W | FI Y 2.5s | | | NY on skeleton tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 20010 | - NAVY PIER SOUTH LIGHT | 41-53-29.400N 087-35-54.500W | Iso W 4s | 30 9 | | On skeleton tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 20012 | - NAVY PIER NORTH LIGHT | 41-53-32.300N 087-35-54.500W | Iso W 4s | 30 9 | | On skeleton tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 20015 | - FILTRATION PLANT LIGHT B | 41-53-35.800N 087-36-08.000W | FI W 4s | 15 5 | | On dolphin. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 20020 | - FILTRATION PLANT LIGHT A | 41-53-46.600N 087-36-08.800W | FI W 4s | 10 3 | | | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 20025 | OAK STREET BREAKWATER LIGHT | 41-54-11.021N 087-36-28.239W | FI G 4s | 30 9 | 5 | SG on post. | |
| 20030 | - OAK STREET BREAKWATER NORTHEAST END LIGHT 2 | 41-54-10.904N 087-36-33.989W | FI R 2.5s | 26 8 | 6 | TR on post. | |
| 20035 | - OAK STREET BREAKWATER SOUTHWEST END LIGHT 3 | 41-54-05.076N 087-37-02.205W | FI G 2.5s | 26 8 | 6 | SG on post. | |
| 20040 | WILLIAM E. DEVER CRIB LIGHT | 41-55-00.000N 087-34-18.000W | Q W | 72 22 | | On skeleton tower. | HORN: 1 blast ev 20s (2s bl). Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|----------------------------------|--|
| LAKE MICHIGAN | | | | | | | |
| CHICAGO HARBOR (Chart 14928) | | | | | | | |
| Chicago North Side (Chart 14928) | | | | | | | |
| 20055 | NORTH AVENUE JETTY LIGHT | 41-54-54.000N 087-37-12.000W | Q R | 38 12 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20080 | DIVERSEY HARBOR ENTRANCE NORTH BREAKWATER LIGHT | 41-55-57.300N 087-37-50.500W | FI R 3s | 38 12 | | On post. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20085 | DIVERSEY HARBOR ENTRANCE SOUTH BREAKWATER LIGHT | 41-55-57.200N 087-37-52.100W | FI G 3s | 38 12 | | On post. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20090 | BELMONT HARBOR LIGHT | 41-56-30.000N 087-38-00.000W | FI R 3s | 30 9 | | On tubular steel tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 20095 | BELMONT HARBOR INNER LIGHT | 41-56-35.000N 087-38-09.000W | FI R 3s | 80 24 | | On skeleton tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 20100 | Belmont Rock Shoal Buoy | 41-56-38.057N 087-37-39.805W | | | | Red nun. | Maintained from Apr. 14 to Nov. 01. |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| 20105 | MONTROSE BREAKWATER LIGHT | 41-57-48.000N 087-37-53.000W | FI R 3s | 40 12 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20110 | MONTROSE HARBOR EAST BREAKWATER LIGHT | 41-57-33.000N 087-38-25.000W | FI R 3s | 40 12 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20115 | MONTROSE HARBOR WEST BREAKWATER LIGHT | 41-57-33.400N 087-38-28.000W | FI G 3s | 41 13 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20130 | WILSON AVENUE BREAKWATER LIGHT | 41-58-07.000N 087-37-53.000W | FI G 3s | 36 11 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20135 | WILSON AVENUE INTAKE CRIB LIGHT | 41-58-00.000N 087-35-30.000W | Q W | 68 21 | | On cylindrical tower. | HORN: 1 blast ev 20s (2s bl). Private aid. |
| 20140 | FOSTER AVENUE PIERHEAD LIGHT | 41-58-49.000N 087-38-46.000W | FI W 3s | 41 13 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20145 | HOLLYWOOD AVENUE BREAKWATER LIGHT | 41-59-10.000N 087-38-59.000W | FI R 3s | 41 13 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20165 | FARWELL AVENUE BREAKWATER LIGHT | 42-00-24.000N 087-39-24.000W | FI R 3s | 41 13 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20170 | South Boulevard Branch Warning Day beacons | 42-01-38.500N 087-39-58.000W | | | | NW on pile worded DANGER GROIN. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| Evanston | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 31.</i> | | | | | | | |
| 20185 | - BREAKWATER LIGHT | 42-02-44.500N 087-40-16.200W | FI R 4s | 22 7 | | On post. | Maintained from May 1 to Oct. 15. Private aid. |
| 20190 | GROSSEPOINT LIGHT | 42-04-00.000N 087-41-00.000W | FI (2)W 15s | 119 36 | | White, conical tower, red roofs. | Private aid. |
| 20195 | - Boat Ramp Buoy 1 | 42-02-41.500N 087-40-16.000W | | | | Green can. | Private aid. |
| 20200 | - Boat Ramp Buoy 3 | 42-02-42.200N 087-40-16.500W | | | | Green can. | Private aid. |
| 20205 | - Boat Ramp Buoy 5 | 42-02-42.800N 087-40-17.000W | | | | Green can. | Private aid. |
| 20210 | - Boat Ramp Buoy 2 | 42-02-42.500N 087-40-15.000W | | | | Red nun. | Private aid. |
| 20215 | - Boat Ramp Buoy 4 | 42-02-42.900N 087-40-15.400W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE MICHIGAN | | | | | | | |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| Evanston | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 31.</i> | | | | | | | |
| 20220 | - Boat Ramp Buoy 6 | 42-02-43.300N 087-40-15.800W | | | | Red nun. | Private aid. |
| 20221 | - Boat Ramp Buoy 7 | 42-02-43.300N 087-40-17.500W | | | | Green can. | Private aid. |
| 20222 | - Boat Ramp Buoy 8 | 42-07-43.600N 087-40-16.200W | | | | Red nun. | Private aid. |
| WAUKEGAN TO SOUTH HAVEN (Chart 14905) | | | | | | | |
| Wilmette Harbor | | | | | | | |
| 20225 | - Entrance Buoy 1 | 42-04-36.200N 087-40-40.600W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |
| 20230 | - Entrance Buoy 2 | 42-04-38.000N 087-40-39.800W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 20235 | - ENTRANCE SOUTH LIGHT | 42-04-37.000N 087-40-48.300W | FI G 4s | 15 5 | | On pile. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 20240 | - ENTRANCE NORTH LIGHT | 42-04-37.200N 087-40-44.400W | FI R 4s | 20 6 | | On pile. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 20245 | - PIERHEAD LIGHT | 42-04-43.350N 087-40-47.364W | FI W 4s | 40 12 | | On pile. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| WAUKEGAN TO SOUTH HAVEN (Chart 14905) | | | | | | | |
| 20250 | <i>Wilmette Wreck Lighted Bell Buoy WR 2</i> | 42-05-41.114N 087-38-57.870W | Q R | | 4 | Red. | Replaced by nun from Dec. 01 to Apr. 21. |
| 20255 | <i>Grossepoint Outer Lighted Bell Buoy 4</i> | 42-08-14.361N 087-35-17.476W | FI R 6s | | 4 | Red. | Replaced by nun from Dec. 01 to Apr. 21. |
| 20257 | <i>Wilmette Weather Buoy</i> | 42-08-16.000N 087-39-30.000W | FI Y 4s | | | | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 20260 | HIGHLAND PARK BREAKWATER LIGHT | 42-11-27.000N 087-47-12.000W | Q R | 21 6 | | On yellow post. | Maintained from May 1 to Oct. 31. Private aid. |
| 20275 | LAKE FOREST BREAKWATER LIGHT | 42-15-01.531N 087-49-03.713W | FI R 4s | 25 8 | | TR on post. | Maintained from Mar. 1 to Dec. 15. Private aid. |
| 20280 | LAKE FOREST JETTY LIGHT | 42-15-02.219N 087-49-05.599W | FI G 4s | 21 6 | | SG on post. | Maintained from Mar. 1 to Dec. 15. Private aid. |
| Great Lakes | | | | | | | |
| 20282 | - Buoy N | 42-19-22.620N 087-49-14.262W | | | | Yellow Can | Maintained from Apr. 14 to Oct. 14. |
| 20284 | - Buoy S | 42-18-18.972N 087-49-06.054W | | | | Yellow Can | Maintained from Apr. 14 to Oct. 14. |
| 20285 | - LIGHT 2 | 42-18-21.270N 087-49-29.105W | FI R 4s | 34 10 | 6 | White cylindrical tower with red band. | |
| 20290 | - LIGHT 1 | 42-18-18.376N 087-49-35.121W | FI G 4s | 34 10 | 5 | White cylindrical tower with green band. | |
| 20295 | - LIGHT 4 | 42-18-29.854N 087-49-50.012W | FI R 2.5s | 15 5 | 4 | TR on tower. | |
| 20300 | - LIGHT 3 | 42-18-27.991N 087-49-51.774W | FI G 2.5s | 15 5 | 5 | SG on tower. | |
| 20301 | - Buoy A | 42-18-17.988N 087-48-41.628W | | | | Yellow can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|--|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| WAUKEGAN TO SOUTH HAVEN (Chart 14905) | | | | | | | |
| Great Lakes | | | | | | | |
| 20302 | - Buoy B | 42-18-59.298N 087-48-41.892W | | | | Yellow can. | |
| 20303 | - Buoy C | 42-19-42.474N 087-48-41.628W | | | | Yellow can. | |
| PORT WASHINGTON TO WAUKEGAN (Chart 14904) | | | | | | | |
| Waukegan | | | | | | | |
| 20305 | WAUKEGON SOUTH HARBOR MARINA LIGHT 2 | 42-21-20.574N 087-49-13.542W | Q R | 26 8 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 20310 | - SOUTH HARBOR MARINA LIGHT 1 | 42-21-24.000N 087-49-14.700W | Q G | 26 8 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 20315 | - Harbor Light | 42-21-38.320N 087-48-48.240W | Oc G 4s | 36 11 | 12 | On cylindrical tower with green band. 36 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by key the microphone 5 times on VHF channel 83A. |
| 20325 | - Shoals Buoy 1 | 42-21-27.105N 087-47-39.606W | | | | Green can. | |
| 20330 | - Shoals Lighted Buoy 3 Marks northeast side of shoal. | 42-21-40.899N 087-47-52.820W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec 1 to Apr 21. |
| 20335 | - BREAKWATER LIGHT | 42-21-44.431N 087-48-38.828W | FI (2)R 5s 0.4s fl 0.6s ec. 0.4s fl 3.6s ec. | 32 10 | 6 | White cylindrical tower with red band. | |
| 20340 | - NORTH PIERHEAD LIGHT | 42-21-40.870N 087-48-52.955W | FI R 4s | 24 7 | 4 | TR on post. | |
| PORT WASHINGTON TO WAUKEGAN (Chart 14904) | | | | | | | |
| 20345 | COMMONWEALTH EDISON BREAKWATER LIGHT | 42-22-54.600N 087-48-15.600W | FI R 6s | 35 11 | | On skeleton tower. | Private aid. |
| 20350 | JOHNS-MANVILLE INTAKE CRIB LIGHT | 42-23-26.340N 087-48-37.074W | Q W | 38 12 | | On skeleton tower. | Private aid. |
| Zion Intake | | | | | | | |
| <i>Lights maintained from Apr. 1 to Oct. 31.</i> | | | | | | | |
| 20355 | - Lighted Buoy A | 42-26-38.460N 087-47-31.500W | Q W | | | White with orange bands and diamond. | Private aid. |
| 20360 | - WEST LIGHT | 42-26-38.220N 087-47-28.920W | FI W 2.5s | 5 2 | | NW on post. | Private aid. |
| 20380 | Zion Discharge Buoy B | 42-26-44.000N 087-47-42.000W | | | | White can with orange bands and diamond. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 20385 | Zion Discharge Buoy C | 42-26-41.000N 087-47-42.000W | | | | White can with orange bands and diamond. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| Northpoint Marina | | | | | | | |
| <i>Aids to navigation maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 20386 | - Reef Obstruction Lighted Buoy A | 42-28-49.275N 087-47-53.076W | Q W | | | White with orange bands and diamond worded REEF. | Private aid. |
| 20387 | - Reef Obstruction Lighted Buoy B | 42-28-53.324N 087-47-52.723W | Q W | | | White with orange bands and diamond worded REEF. | Private aid. |
| 20388 | - Reef Obstruction Lighted Buoy C | 42-28-56.798N 087-47-52.515W | Q W | | | White with orange bands and diamond worded REEF. | Private aid. |
| 20389 | - Reef Obstruction Lighted Buoy D | 42-29-00.831N 087-47-52.310W | Q W | | | White with orange bands and diamond worded REEF. | Private aid. |
| 20390 | - ENTRANCE LIGHT 1 | 42-29-16.000N 087-47-59.000W | FI G 4s | 20 6 | | SG on post. | Maintained from Apr. 01 to Nov. 30. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE MICHIGAN | | | | | | | |
| PORT WASHINGTON TO WAUKEGAN (Chart 14904) | | | | | | | |
| Northpoint Marina | | | | | | | |
| <i>Aids to navigation maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 20395 | - ENTRANCE LIGHT 2 | 42-29-17.298N 087-47-55.122W | FI R 4s | 20 6 | | TR on post. | Maintained from Apr. 01 thru Nov. 30. Private aid. |
| 20400 | - NORTH OBSTRUCTION LIGHT | 42-29-22.000N 087-47-58.000W | Q W | 20 6 | | NW on post. | Maintained from Apr. 01 to Nov. 30. Private aid. |
| 20405 | - CENTER OBSTRUCTION LIGHT | 42-29-11.000N 087-47-57.000W | Q W | 20 6 | | NW on post. | Maintained from Apr. 01 to Nov. 30. Private aid. |
| 20410 | - SOUTH OBSTRUCTION LIGHT | 42-29-05.000N 087-47-56.000W | Q W | 20 6 | | NW on post. | Maintained from Apr. 01 to Nov. 30. Private aid. |
| Prairie Harbor | | | | | | | |
| 20412 | - ENTRANCE NORTH PIER LIGHT 2 | 42-29-34.800N 087-48-04.200W | FI R 2.5s | 21 6 | | | Private aid. |
| 20413 | - ENTRANCE SOUTH PIER LIGHT 1 | 42-29-33.840N 087-48-06.800W | FI G 2.5s | 21 6 | | | Private aid. |
| Kenosha | | | | | | | |
| 20415 | - Light | 42-35-19.700N 087-48-30.830W | Iso R 6s | 50 15 | 8 | 50 | HORN: 1 blast ev 30s (3s bl). Operate the fog signal by keying the microphone on VHF-FM marine radio five times on channel 83A. |
| 20430 | - BREAKWATER LIGHT | 42-35-20.510N 087-48-21.070W | FI R 4s | 20 6 | 8 | White cylindrical tower with red band. | Higher intensity beam lakeward. |
| 20435 | - SOUTH PIER LIGHT | 42-35-17.199N 087-48-26.880W | FI G 4s | 34 10 | 5 | Green band on cylindrical tower. | Higher intensity beam lakeward. |
| 20445 | SOUTHPORT MARINA ENTRANCE LIGHT 2 | 42-34-56.300N 087-48-35.400W | FI R 4s | 36 11 | | TR on pile. | Private aid. |
| 20450 | SOUTHPORT MARINA ENTRANCE LIGHT 1 | 42-34-58.800N 087-48-34.800W | FI G 4s | 31 9 | | SG on pile. | Private aid. |
| 20455 | SOUTHPORT MARINA INNER BREAKWATER LIGHT | 42-34-54.400N 087-48-39.200W | Q W | 34 10 | | NW on post worded DANGER ROCKS. | Private aid. |
| RACINE HARBOR (Chart 14925) | | | | | | | |
| Racine | | | | | | | |
| 20470 | - LAUNCH BASIN ENTRANCE LIGHT | 42-43-42.900N 087-46-38.200W | FI R 2.5s | 27 8 | | TR on post. | Maintained from Mar. 1 to Dec. 15. Private aid. |
| 20475 | - LAUNCH BASIN INNER LIGHT | 42-43-43.800N 087-46-38.900W | FI G 2.5s | 23 7 | | SG on post. | Maintained from Mar. 1 to Dec. 15. Private aid. |
| 20480 | - Reef Light Marks east side of reef. | 42-43-39.184N 087-44-10.019W | FI W 6s | 50 15 | 11 | On skeleton tower. 50 | HORN: 1 blast ev 15s (2s bl). Operates continuously from 01 Apr. to 01 Nov. |
| 20483 | - <i>Reef Lighted Buoy 18</i> Marks east side of reef. | 42-43-39.965N 087-44-01.132W | FI R 2.5s | | 5 | Red. | Replaced by nun from Dec. 1 to Apr. 21. |
| 20485 | - <i>Reef West End Lighted Buoy</i> 1 | 42-43-33.059N 087-46-01.360W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 21. |
| 20490 | - East Harbor Entrance Light 2 | 42-44-01.000N 087-46-14.000W | Q R | 50 15 | | On post with 10 ft. lightpipe. | Maintained from Apr. 1 to Nov. 1. HORN: 2 blasts ev 18s (2s bl-2s si-2s bl-12s si). Private aid. |
| 20495 | - WEST HARBOR ENTRANCE LIGHT 3 | 42-44-00.000N 087-46-18.700W | Q G | 52 16 | | SG on skeleton tower. | Maintained from Apr. 15 to Oct. 31. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------------------------------|---|---------------------------------|-----------------------|---------------|--------------|----------------------|---|
| LAKE MICHIGAN | | | | | | | |
| RACINE HARBOR (Chart 14925) | | | | | | | |
| Racine | | | | | | | |
| 20500 | - HARBOR LIGHT 5 | 42-44-01.800N 087-46-29.000W | Q G | 33 10 | | SG on pile. | Maintained f from Mar. 1 to Dec. 15. Private aid. |
| 20505 | - Harbor Channel Lighted Buoy 4 | 42-44-05.300N 087-46-25.000W | Q R | | | Red. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20510 | - Harbor Channel Lighted Buoy 6 | 42-44-05.200N 087-46-27.000W | Q R | | | Red. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20515 | - HARBOR LIGHT 9 | 42-44-01.800N 087-46-32.100W | Q G | 18 5 | | SG on post. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20520 | - Harbor Channel Lighted Buoy 8 | 42-44-04.800N 087-46-32.000W | Q R | | | Red. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20525 | - Harbor Channel Lighted Buoy 10 | 42-44-04.000N 087-46-35.000W | Q R | | | Red. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20530 | - Harbor Channel Lighted Buoy 12 | 42-44-03.000N 087-46-37.000W | Q R | | | Red. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20535 | - Harbor Preferred Channel Lighted Buoy | 42-44-02.800N 087-46-39.000W | FI (2+1)R 6s | | | Red and green bands. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20540 | - HARBOR LIGHT 14 | 42-44-02.400N 087-46-40.100W | FI R 2.5s | 33 10 | | TR on pile. | Maintained f from Mar. 1 to Dec. 15. Private aid. |
| 20545 | - HARBOR LIGHT 13 | 42-43-59.900N 087-46-38.900W | Q G | 18 5 | | SG on post. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20550 | - HARBOR JUNCTION LIGHT | 42-43-59.500N 087-46-44.000W | FI (2+1)G 6s | 30 9 | | JG on pile. | Maintained f from Mar. 1 to Dec. 15. Private aid. |
| 20555 | - Yacht Club Channel Lighted Buoy 2 | 42-44-05.000N 087-46-38.000W | Q R | | | Red. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20560 | - Yacht Club Channel Lighted Buoy 3 | 42-44-05.000N 087-46-39.500W | Q G | | | Green. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20565 | - Yacht Club Channel Lighted Buoy 4 | 42-44-07.000N 087-46-36.000W | Q R | | | Red. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20570 | - Yacht Club Channel Lighted Buoy 5 | 42-44-07.000N 087-46-40.000W | Q G | | | Green. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20575 | - Yacht Club Channel Lighted Buoy 6 | 42-44-09.000N 087-46-34.500W | Q R | | | Red. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20580 | - Yacht Club Channel Lighted Buoy 8 | 42-44-11.000N 087-46-34.000W | Q R | | | Red. | Maintained f from Apr. 15 to Oct. 31. Private aid. |
| 20585 | - YACHT CLUB SOUTH BREAKWATER LIGHT | 42-44-06.000N 087-46-36.000W | F R | 15 5 | | On post. | Maintained f from Apr. 1 to Nov. 1. Private aid. |
| 20590 | - YACHT CLUB NORTH BREAKWATER LIGHT | 42-44-12.000N 087-46-30.000W | F G | 15 5 | | On post. | Maintained f from Apr. 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE MICHIGAN | | | | | | | |
| LAKE MICHIGAN (Chart 14901) | | | | | | | |
| 20595 | <i>NOAA Lighted Weather Buoy 45007</i> | 42-40-24.984N 087-01-34.324W | Fl (4)Y 20s | | | Yellow disc-shaped hull. | Maintained from Apr 21 to Nov 21. Aid maintained by National Oceanic and Atmospheric Administration. |
| PORT WASHINGTON TO WAUKEGAN (Chart 14904) | | | | | | | |
| 20600 | Wind Point South Shoal Buoy 16 Marks east side of shoal. | 42-46-13.095N 087-44-03.997W | | | | Red nun. | |
| 20605 | Wind Point Light | 42-46-52.122N 087-45-29.995W | Fl W 20s | 111 34 | 21 | White conical tower connected to dwelling. 111 | The light may display a false or double flash at certain bearings |
| 20610 | <i>Wind Point North Shoal Lighted Buoy 14</i> Marks southeast side of shoals. | 42-47-33.371N 087-43-32.124W | Fl R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 21. |
| 20613 | OAK CREEK BREAKWATER LIGHT 3 | 42-50-46.198N 087-49-30.072W | Fl G 4s | 30 9 | | SG on pile on breakwater. | Maintained from Feb. 1 to Dec. 1. Private aid. |
| 20614 | OAK CREEK BREAKWATER LIGHT 2 | 42-50-47.575N 087-49-25.608W | Fl R 4s | 30 9 | | TR on pile on breakwater. | Maintained from Feb. 1 to Dec. 1. Private aid. |
| 20615 | Oak Creek Park Daybeacon 1 | 42-51-55.400N 087-50-13.550W | | | | SG on pile on breakwater. | Private aid. |
| 20616 | OAK CREEK PARK LIGHT 2 | 42-51-58.780N 087-50-14.460W | Fl R 4s | 27 8 | | TR on pile on breakwater. | Private aid. |
| 20617 | WISCONSIN ELECTRIC EAST END JETTY LIGHT A | 42-51-11.400N 087-49-51.500W | Q Y | | | Steel sheet pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 20618 | WISCONSIN ELECTRIC EAST END JETTY LIGHT B | 42-51-11.100N 087-49-51.000W | Q Y | | | Steel sheet pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 20626.5 | SOUTH MILWAUKEE Y.C. HARBOR ENTRANCE LIGHT 1 | 42-54-17.000N 087-50-34.000W | Q G | 12 4 | | SG on pole on top of tanks. | Maintained from May 1 to Nov. 1. Private aid. |
| 20627 | SOUTH MILWAUKEE Y.C. HARBOR ENTRANCE LIGHT 2 | 42-54-16.000N 087-50-32.000W | Q R | 12 4 | | TR on pole on sunken barge. | Maintained from May 1 to Nov. 1. Private aid. |
| 20629 | <i>Lighted Dredge 906</i> | 42-58-06.000N 087-47-10.000W | Q W | | | | Maintained from May 1 to Oct. 1. Private aid. |
| 20630 | <i>Milwaukee South Point Lighted Bell Buoy 1</i> Marks east side of shoal. | 42-59-20.585N 087-49-50.497W | Fl G 4s | | 5 | Green. | Replaced by can from Dec. 1 to Apr. 21. |
| MILWAUKEE HARBOR (Chart 14924) | | | | | | | |
| Milwaukee | | | | | | | |
| 20635 | - Breakwater Light | 43-01-36.992N 087-52-54.927W | Fl R 10s | 61 19 | 14 | Black lantern on white square structure. 61 | Light Characteristic is FL R (2) 10s. Two Red Flashes in 10 seconds. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates by keying the microphone five times on channel 83A. |
| 20645 | - BREAKWATER ENTRANCE SOUTH SIDE LIGHT | 43-01-31.421N 087-52-54.717W | Fl G 2.5s | 48 15 | 7 | White cylindrical tower with green band. | |
| 20650 | - SOUTH ENTRANCE LIGHT 1 | 43-00-27.700N 087-52-37.800W | Fl G 4s | 27 8 | 5 | SG on post. | |
| 20655 | - SOUTH ENTRANCE LIGHT 2 | 43-00-30.047N 087-52-35.428W | Fl R 4s | 35 11 | 5 | White cylindrical tower with red band. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE MICHIGAN | | | | | | | |
| MILWAUKEE HARBOR (Chart 14924) | | | | | | | |
| Milwaukee | | | | | | | |
| 20660 | - NORTH ENTRANCE LIGHT 1 | 43-02-37.125N 087-52-50.021W | FI G 4s | 34 10 | 7 | White cylindrical tower with green band. | |
| 20665 | - NORTH ENTRANCE LIGHT 2 | 43-02-41.207N 087-52-49.034W | FI R 4s | 32 10 | 4 | TR on post. | |
| 20670 | - PIERHEAD LIGHT | 43-01-33.378N 087-53-42.938W | FI R 4s | 45 14 | 7 | TR on cylindrical tower. | |
| 20675 | - SOUTH PIERHEAD LIGHT 3 | 43-01-29.844N 087-53-40.782W | FI G 4s | 20 6 | 7 | On grey pole with concrete base. | |
| 20681 | LAKESHORE STATE PARK ENTRANCE LT 1 | 43-02-06.000N 087-53-43.000W | FI G 2.5s | | | | Private aid. |
| 20681.1 | LAKESHORE STATE PARK ENTRANCE LT 2 | 43-02-05.000N 087-53-40.000W | FI R 2.5s | | | | Private aid. |
| 20685 | - CITY PIER SOUTH SLIP LIGHT 2 | 43-01-22.200N 087-53-40.000W | F R | 16 5 | | On yellow post. | Private aid. |
| 20690 | - CITY PIER SOUTH SLIP LIGHT 1 | 43-01-16.800N 087-53-41.200W | F G | 12 4 | | On yellow post. | Private aid. |
| 20695 | - CITY SOUTH PIER NO. 2 NORTH LIGHT | 43-01-10.000N 087-53-38.000W | FI G 4s | 20 6 | | On yellow post. | Maintained from Apr. 30 to Nov. 30. Private aid. |
| 20700 | - CITY SOUTH PIER NO. 2 SOUTH LIGHT | 43-01-04.900N 087-53-35.000W | Q R | 20 6 | | On yellow post. | Maintained from Apr. 30 to Nov. 30. Private aid. |
| 20715 | - TANKER PIER LIGHT | 43-00-54.000N 087-53-24.000W | FI W 4s | 14 4 | | On green post. | Private aid. |
| 20720 | - SOUTH DISPOSAL AREA LIGHT 2 | 43-00-17.366N 087-53-03.971W | FI R 2.5s | 31 9 | 4 | TR on pile. | |
| 20725 | SOUTH SHORE PARK BREAKWATER LIGHT | 43-00-08.800N 087-53-05.400W | Q G | 16 5 | | On post standard. | Private aid. |
| 20729 | SOUTH SHORE PARK ENTRANCE LIGHTED BUOY 1 | 42-59-37.998N 087-52-28.308W | FI G 4s | 3 1 | | Green. | Maintained from May 1 to Oct. 15. Private aid. |
| 20730 | <i>South Shore Park Entrance Lighted Buoy 2</i> | 42-59-41.062N 087-52-21.485W | FI R 2.5s | | | Red. | Maintained from May 1 to Oct. 15. Private aid. |
| 20735 | Texas Rock Regulatory Buoy | 42-59-28.559N 087-52-23.378W | | | | White can with orange bands worded DANGER ROCKS. | Maintained from Apr. 14 to Oct. 14. |
| 20751 | - War Memorial South Day beacon | 43-02-19.100N 087-53-45.000W | | | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 20752 | - War Memorial North Day beacon | 43-02-22.200N 087-53-44.800W | | | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 20754 | VETERANS PARK WEST LIGHT | 43-02-35.100N 087-53-18.720W | FI W 4s | | | | Private aid. |
| 20754.1 | VETERANS PARK EAST LIGHT | 43-02-35.880N 087-53-16.360W | FI W 4s | | | | Private aid. |
| MicKinley Marina | | | | | | | |
| <i>Aids to navigation maintained from Apr. 1 to Oct. 31.</i> | | | | | | | |
| 20755 | - LIGHT 1 | 43-02-46.000N 087-52-54.500W | Q G | 20 6 | | SG on post. | Private aid. |
| 20756 | - PREFERRED CHANNEL LIGHT A/B | 43-02-48.200N 087-52-50.700W | FI (2+1)R 6s | 21 6 | | JR on post. | Private aid. |
| 20757 | - LIGHT 2 | 43-02-42.400N 087-52-52.900W | FI R 2.5s | 21 6 | | TR on post. | Private aid. |
| 20758 | - Day beacon 3 | 43-02-51.500N 087-52-50.300W | | | | SG on post. | Private aid. |
| 20759 | - Day beacon 4 | 43-02-51.300N 087-52-46.900W | | | | TR on post. | Private aid. |
| 20760 | - Day beacon 5 | 43-03-01.000N 087-52-58.300W | | | | SG on post. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE MICHIGAN | | | | | | | |
| MILWAUKEE HARBOR (Chart 14924) | | | | | | | |
| Milwaukee | | | | | | | |
| MicKinley Marina | | | | | | | |
| <i>Aids to navigation maintained from Apr. 1 to Oct. 31.</i> | | | | | | | |
| 20761 | - Day beacon 6 | 43-03-00.400N 087-52-56.100W | | | | TR on post. | Private aid. |
| PORT WASHINGTON TO WAUKEGAN (Chart 14904) | | | | | | | |
| 20761.5 | <i>UWM BBB 1</i> | 43-03-33.120N 087-51-58.320W | Q Y | | | | Private aid. |
| 20762 | <i>UWM ATW</i> | 43-05-53.760N 087-50-58.680W | FI Y 4s | | | | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 20762.1 | <i>UWM SFS</i> | 43-05-47.460N 087-51-52.200W | FI Y 4s | | | | Maintained from 1 Apr. to Nov. 1. Private aid. |
| 20763 | <i>Milwaukee Yacht Club Race Buoy</i> | 43-02-15.180N 087-47-03.900W | FI W 2.5s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 20765 | KEVICH LIGHT | 43-19-23.700N 087-53-18.500W | Iso W 8s | 163 50 | | White cylindrical tower. | Private aid. |
| Port Washington | | | | | | | |
| 20770 | - BREAKWATER LIGHT | 43-23-06.942N 087-51-34.802W | FI R 6s | 78 24 | 7 | On square tower. | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal operates by keying the microphone five times on VHF-FM channel 83A. |
| 20780 | - HARBOR BREAKWATER LIGHT 1 | 43-23-04.000N 087-51-39.000W | FI G 4s | 34 10 | 6 | White cylindrical tower with green band. | |
| 20790 | - HARBOR LIGHT 4 | 43-23-15.127N 087-51-48.570W | FI R 2.5s | 27 8 | 4 | TR on post. | |
| 20795 | - MUNICIPAL MARINA LIGHT 1 | 43-23-17.766N 087-51-48.978W | FI G 2.5s | 27 8 | 5 | SG on post. | |
| ALGOMA TO SHEBOYGAN (Chart 14903) | | | | | | | |
| Sheboygan | | | | | | | |
| 20805 | - GENERATING STATION SOUTH INTAKE CRIB LIGHT 6 | 43-42-55.980N 087-41-58.380W | FI R 3s | 49 15 | | TR on skeleton tower on cylindrical well. | Private aid. |
| 20810 | - GENERATING STATION MIDDLE INTAKE CRIB LIGHT 4 | 43-43-00.000N 087-41-49.600W | FI R 10s | 50 15 | | TR on rectangular tower. | Private aid. |
| 20815 | - <i>Generating Station North Intake Lighted Buoy 2</i> | 43-43-02.000N 087-42-01.200W | FI R 4s | | | Red. | Maintained from May 1 to Oct. 15. Private aid. |
| MANITOWOC AND SHEBOYGAN (Chart 14922) | | | | | | | |
| Sheboygan | | | | | | | |
| 20820 | - BREAKWATER LIGHT | 43-44-58.200N 087-41-33.800W | FI R 4s | 55 17 | 8 | On cylindrical tower. | HORN: 1 blast ev 30s (3s bl). Fog signal operates by keying the microphone five times on VHF-FM channel 83A. |
| 20830 | - SOUTH PIERHEAD LIGHT | 43-44-54.927N 087-41-41.619W | FI G 4s | 22 7 | 6 | SG on post. | |
| 20832 | - MARINA LIGHT 2 | 43-45-02.200N 087-42-03.600W | FI R 4s | 20 6 | | TR on pole. | Maintained from May 1 to Nov. 15. Private aid. |
| 20833 | - Marina Day beacon 1 | 43-45-04.800N 087-42-04.700W | | | | SG on pole. | Private aid. |
| 20835 | - NORTH PIERHEAD LIGHT | 43-44-57.484N 087-42-09.377W | F R | 29 9 | 6 | TR on post. | |
| 20840 | - Reef Buoy 2 Marks east side of reef. | 43-45-26.718N 087-41-09.431W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| MANITOWOC AND SHEBOYGAN (Chart 14922) | | | | | | | |
| Manitowoc | | | | | | | |
| 20842 | - INTAKE EAST LIGHT | 44-04-42.000N 087-38-54.000W | Q W | 10 3 | | On post. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20843 | - INTAKE WEST LIGHT | 44-04-49.800N 087-39-18.000W | Q W | 10 3 | | On post. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20845 | - Shoal Buoy 1 Marks northeast side of shoal. | 44-05-18.132N 087-37-44.119W | | | | Green can. | |
| 20850 | - Shoal Buoy 2 | 44-05-56.752N 087-37-32.183W | | | | Red nun. | |
| 20855 | - SOUTH BREAKWATER LIGHT 3 | 44-05-29.101N 087-38-36.950W | FI G 2.5s | 37 11 | 7 | White cylindrical tower with green band. | Higher intensity beam lakeward. |
| 20860 | - Breakwater Light | 44-05-33.918N 087-38-36.910W | Iso W 6s | 52 16 | 13 | On cylindrical tower on fog signal building. 52 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM CH 83A. |
| 20863 | - No Wake Buoy | 44-05-36.000N 087-38-48.000W | | | | White can with orange bands. | Maintained from Apr. 15 to Oct. 1. Private aid. |
| 20865 | - Buoy 6 | 44-05-35.208N 087-38-51.063W | | | | Red nun. | Maintained from Apr. 14 to Nov. 14. |
| Manitowoc Harbor of Refuge | | | | | | | |
| 20870 | - Junction Buoy Mh | 44-05-35.258N 087-38-58.408W | | | | Red and green bands; nun. | Maintained from Apr. 14 to Nov. 14. |
| 20875 | - PIERHEAD LIGHT 8 | 44-05-32.650N 087-39-05.560W | FI R 4s | 33 10 | 4 | TR on skeleton tower. | |
| 20876 | Manitowoc River Buoy 9 | 44-05-48.284N 087-39-56.488W | | | | | Maintained from Apr. 14 to Nov. 14 |
| 20878 | CITY CENTRE PILE 1 | 44-05-49.500N 087-39-56.040W | FI W 2.5s | | | | Private aid. |
| 20879 | CITY CENTRE PILE 2 | 44-05-49.440N 087-39-56.700W | FI W 2.5s | | | | Private aid. |
| 20880 | - Buoy 1 | 44-05-37.576N 087-38-58.399W | | | | Green can. | Maintained from Apr. 14 to Nov. 14. |
| 20885 | - Buoy 2 | 44-05-37.690N 087-38-53.597W | | | | Red nun. | Maintained from Apr. 14 to Nov. 14. |
| 20890 | - Buoy 3 | 44-05-39.832N 087-38-58.887W | | | | Green can. | Maintained from Apr. 14 to Nov. 14. |
| 20895 | - LIGHT 4 | 44-05-40.300N 087-38-56.000W | FI R 2.5s | 15 5 | 4 | TR on post. | |
| 20900 | - ICE BOOM WEST LIGHT | 44-05-41.900N 087-38-55.500W | Q R | | | On post. | Maintained on station only during deployment of ice boom. Private aid. |
| 20905 | - ICE BOOM EAST LIGHT | 44-05-41.900N 087-38-55.900W | Q R | 4 1 | | On post. | Maintained on station only during deployment of ice boom. Private aid. |
| 20910 | - LIGHT 5 | 44-05-41.900N 087-38-56.000W | FI G 2.5s | 15 5 | 5 | SG on post. | |
| 20915 | - Day beacon 6 | 44-05-41.500N 087-38-53.300W | | | | TR on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE MICHIGAN | | | | | | | |
| ALGOMA TO SHEBOYGAN (Chart 14903) | | | | | | | |
| Two Rivers | | | | | | | |
| 20925 | - NORTH PIERHEAD LIGHT | 44-08-34.030N 087-33-37.660W | FI R 2.5s | 34 10 | 12 | White cylindrical tower with red band. | HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 20930 | - SOUTH PIERHEAD LIGHT | 44-08-32.034N 087-33-41.688W | FI G 4s | 30 9 | 4 | SG on post. | |
| ALGOMA TO SHEBOYGAN (Chart 14903) | | | | | | | |
| 20935 | Rawley Point Light | 44-12-38.821N 087-30-31.615W | FI W 15s | 113 34 | 21 | On cylindrical tower. 113 | |
| Kewaunee | | | | | | | |
| 20950 | - SHOAL LIGHT | 44-27-03.941N 087-27-55.369W | FI G 4s | 43 13 | 8 | White cylindrical tower with green band. | HORN: 1 blast ev 15s (2s bl). Operates from Apr. 1 to Nov. 1. |
| 20955 | - Pierhead Light | 44-27-26.670N 087-29-34.400W | F W | 45 14 | 15 | Square tower on fog signal building. 45 | HORN: 1 blast ev 30s (3s bl). Operated by keying the microphone five times on VHF FM channel 83A / 157.175MHz. |
| 20965 | - BREAKWATER LIGHT | 44-27-29.310N 087-29-26.580W | FI R 4s | 39 12 | 8 | White cylindrical tower with red band. | |
| 20970 | - NORTH PIERHEAD LIGHT 4 | 44-27-33.018N 087-29-48.346W | FI R 6s | 38 12 | 4 | TR on pile. | |
| LOWER GREEN BAY (Chart 14910) | | | | | | | |
| Algoma | | | | | | | |
| 20975 | - Light | 44-36-25.092N 087-25-45.513W | Iso R 6s | 48 15 | 16 | Cylindrical tower. 48 | HORN: 1 blast ev 10s (1s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 20980 | - LIGHT 1 | 44-36-23.180N 087-25-47.304W | FI G 4s | 20 6 | 6 | SG on post. | |
| 20985 | - LIGHT 2 | 44-36-26.720N 087-25-48.810W | FI R 4s | 28 9 | 4 | TR on pile on post. | |
| STURGEON BAY AND CANAL (Chart 14919) | | | | | | | |
| 20990 | Canal Shoal Buoy 1 Marks east side of shoal. | 44-45-33.500N 087-18-06.050W | | | | Green can. | |
| Sturgeon Bay Ship Canal | | | | | | | |
| 20995 | - Light | 44-47-42.038N 087-18-48.030W | FI R 10s | 107 33 | 17 | On cylindrical tower. 107 | |
| 21005 | - NORTH PIERHEAD LIGHT | 44-47-31.260N 087-18-34.322W | FI R 2.5s | 40 12 | 11 | Cylindrical tower attached to fog signal building. | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying the microphone five times on VHF FM marine radio channel 83A/157.175MHz. |
| 21010 | - <i>Lighted Buoy 2</i> | 44-46-43.000N 087-17-24.000W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 07 to Apr. 14. |
| 21015 | - Buoy 3 | 44-47-20.480N 087-18-27.955W | | | | Green can. | |
| 21020 | - Buoy 4 | 44-47-23.718N 087-18-21.265W | | | | Red nun. | |
| 21025 | - SOUTH PIERHEAD LIGHT | 44-47-28.730N 087-18-37.700W | FI G 4s | 32 10 | 5 | White cylindrical tower with green band. | |
| 21030 | - South Day beacon 5A | 44-47-36.000N 087-18-48.000W | | | | SG on pile. | |
| 21035 | - LIGHT 6 | 44-47-38.952N 087-18-47.536W | FI R 4s | 11 3 | 4 | TR on post. | |
| 21040 | - LIGHT 7 | 44-48-19.911N 087-19-50.735W | FI G 4s | 31 9 | 4 | SG on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE MICHIGAN | | | | | | | |
| STURGEON BAY AND CANAL (Chart 14919) | | | | | | | |
| Sturgeon Bay Ship Canal | | | | | | | |
| 21045 | - Buoy 9 | 44-48-43.334N 087-20-26.468W | | | | Green can. | |
| 21050 | - Buoy 10 | 44-48-45.204N 087-20-24.138W | | | | Red nun. | |
| 21055 | - Buoy 11 | 44-48-54.163N 087-20-44.188W | | | | Green can. | |
| 21060 | - LIGHT 12 | 44-48-57.797N 087-20-41.601W | FI R 4s | 21 6 | 4 | TR on pile. | |
| 21065 | - RANGE FRONT LIGHT | 44-48-42.585N 087-20-10.030W | Q W | 26 8 | | KRW on skeleton tower. | Lighted throughout 24 hours. |
| 21070 | - RANGE REAR LIGHT 1,658 feet, 120.4° from front light. | 44-48-34.308N 087-19-50.194W | F W | 46 14 | | KRW on skeleton tower. | Lighted throughout 24 hours. |
| Strawberry Creek Channel Entrance | | | | | | | |
| <i>Aids maintained from Jun. 1 to Nov. 1.</i> | | | | | | | |
| 21075 | - <i>Lighted Bouy 1</i> | 44-48-46.000N 087-20-38.000W | | | | Green. | Private aid. |
| 21080 | - Buoy 2 | 44-48-46.300N 087-20-40.000W | | | | Red nun. | Private aid. |
| 21085 | - LIGHT 3 | 44-48-44.000N 087-20-42.500W | F G | 38 12 | | On tower. | Private aid. |
| 21090 | - LIGHT 4 | 44-48-43.600N 087-20-40.000W | F R | 38 12 | | On tower. | Private aid. |
| 21095 | - RANGE FRONT LIGHT | 44-48-40.000N 087-20-42.000W | F G | 14 4 | | On post. | Private aid. |
| 21100 | - RANGE REAR LIGHT 125 feet, 190° from front light. | 44-48-38.200N 087-20-43.000W | F G | 20 6 | | On post. | Private aid. |
| Sturgeon Bay Ship Channel | | | | | | | |
| 21105 | STURGEON BAY SHIP CANAL LEADING LIGHT | 44-49-52.714N 087-22-56.999W | F G | 25 8 | 5 | NB on 2nd span from west end of highway bridge. | Lighted throughout 24 hours. |
| 21110 | Sturgeon Bay Ship Canal Buoy 15 | 44-49-24.745N 087-21-53.765W | | | | Green can. | |
| 21115 | Sturgeon Bay Ship Canal Buoy 16 | 44-49-26.581N 087-21-52.240W | | | | Red nun. | |
| 21117 | <i>Sturgeon Bay Ship Canal Lighted Buoy 15A</i> | 44-49-35.280N 087-22-19.140W | FI G 2.5s | | 4 | Green can. | Replaced by can f from Nov. 21 to Apr. 21. |
| 21118 | <i>Sturgeon Bay Ship Canal Lighted Buoy 16A</i> | 44-49-37.260N 087-22-17.100W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 21 to Apr. 21. |
| 21120 | <i>Sturgeon Bay Ship Canal Lighted Buoy 17</i> | 44-49-39.863N 087-22-37.145W | Q G | | 4 | Green. | Replaced by can f from Nov. 21 to Apr. 21. |
| 21125 | Sturgeon Bay Ship Canal Buoy 19 | 44-50-01.860N 087-22-57.161W | | | | Green can. | |
| 21130 | Dunlap Reef Buoy C | 44-50-05.000N 087-23-11.000W | | | | White with orange bands and orange diamond worded SHALLOW AREA. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 21135 | Dunlap Reef Buoy B | 44-50-14.000N 087-23-21.900W | | | | White can with orange bands and diamond worded SHALLOW AREA. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 21140 | Dunlap Reef Buoy D | 44-50-15.800N 087-23-12.900W | | | | White can with orange bands and diamond worded SHALLOW AREA. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 21155 | - Buoy 22 | 44-50-48.321N 087-23-31.719W | | | | Red nun. | |
| 21160 | - LIGHT 21 Marks north side of Dunlap Reef. | 44-50-24.844N 087-23-17.513W | FI G 4s | 31 9 | 7 | SG on post. | Higher intensity beam up and downstream. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE MICHIGAN | | | | | | | |
| STURGEON BAY AND CANAL (Chart 14919) | | | | | | | |
| Sturgeon Bay Ship Channel | | | | | | | |
| 21165 | Dunlap Reef Buoy A | 44-50-25.000N 087-23-21.000W | | | | White with orange bands and orange diamond worded SHALLOW AREA. Green can. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 21170 | - Buoy 23 | 44-50-46.985N 087-23-35.527W | | | | | |
| 21175 | - Buoy 24 | 44-51-09.613N 087-23-49.071W | | | | Red nun. | Maintained from Apr. 21 to Nov. 21. |
| 21180 | - Buoy 25 | 44-51-08.531N 087-23-53.703W | | | | Green can. | Maintained from Apr. 21 to Nov. 21. |
| 21185 | - <i>Lighted Buoy 26</i> | 44-51-35.436N 087-24-09.306W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 21 to Apr. 21. |
| 21190 | - LIGHT 27 | 44-51-34.200N 087-24-17.210W | FI G 4s | 29 9 | 5 | SG on post. | Higher intensity beam up and downstream. |
| 21195 | - Buoy 28 | 44-52-04.395N 087-24-29.406W | | | | Red nun. | |
| 21200 | - Buoy 29 | 44-52-02.843N 087-24-35.848W | | | | Green can. | |
| 21205 | - Entrance Leading Light | 44-52-07.440N 087-24-52.954W | F Y | 36 11 | 17 | KRW on cylindrical tower. 36 | Sectored light, Yellow light in the channel center, green light right of channel center, red light left of channel center. |
| 21206 | - <i>Lighted Buoy 30</i> | 44-52-33.000N 087-24-48.000W | Q R | | 4 | Red. | Replaced by nun from Apr. 21 to Nov. 21. |
| 21210 | - Buoy 31 Marks east side of shoal. | 44-52-45.709N 087-24-55.219W | | | | Green can. | Maintained from Apr. 21 to Nov. 21. |
| 21215 | - <i>Lighted Buoy 32</i> | 44-52-43.813N 087-24-48.727W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 21 to Apr. 21. |
| 21217 | DOOR COUNTY PARK LIGHT 1 | 44-54-15.000N 087-24-23.000W | FI G 4s | | | | Maintained from Apr. 1 TO Nov. 30. Private aid. |
| 21218 | DOOR COUNTY PARK LIGHT 2 | 44-54-15.000N 087-24-21.000W | FI R 4s | | | | Private aid. |
| LOWER GREEN BAY (Chart 14910) | | | | | | | |
| 21220 | Whitfish Point Shoal Buoy 10 Marks southeast side of shoal. | 44-51-56.594N 087-11-26.557W | | | | Red nun. | |
| 21225 | Jacksonport Shoal Buoy 2 | 44-57-53.100N 087-09-11.300W | | | | Red nun. | |
| UPPER GREEN BAY (Chart 14909) | | | | | | | |
| Baileys Harbor | | | | | | | |
| 21228 | - FRONT RANGE LIGHT | 45-04-12.700N 087-07-11.100W | F R | | | | Private aid. |
| 21229 | - REAR RANGE LIGHT | 45-04-22.200N 087-07-16.200W | F W | | | | Private aid. |
| 21235 | - <i>Entrance Lighted Bell Buoy</i> | 45-01-50.681N 087-05-56.712W | Mo (A) W | | 4 | Red and white stripes. | Maintained from Apr. 21 to Oct. 14. |
| 21240 | - Buoy 3 | 45-02-16.080N 087-06-36.083W | | | | Green can. | |
| 21245 | - Buoy 2 | 45-02-27.997N 087-06-00.019W | | | | Red nun. | |
| 21250 | BAILEYS YACHT CLUB BREAKWATER LIGHT | 45-03-52.000N 087-05-53.000W | Q R | 18 5 | | On post. | Maintained from Apr. 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--------------------------------------|---|---------------------------------|--|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| UPPER GREEN BAY (Chart 14909) | | | | | | | |
| 21255 | Cana Island Light | 45-05-17.234N 087-02-51.515W | F W | 83 25 | 17 | On conical tower connected to dwelling. 83 | |
| 21260 | North Bay Entrance South Side Buoy 1 | 45-07-42.317N 087-02-50.330W | | | | Green can. | |
| 21265 | North Bay Entrance North Side Buoy 2 | 45-07-52.088N 087-02-37.028W | | | | Red nun. | |
| 21270 | Four-Foot Shoal Buoy 8 Marks south side of shoal. | 45-08-59.772N 086-59-33.200W | | | | Red nun. | |
| Rowley Bay | | | | | | | |
| 21273 | - Buoy 1 | 45-10-21.420N 087-01-23.880W | | | | Green can. | |
| 21275 | - Buoy 2 Marks west side of Barkers Reef. | 45-10-36.600N 087-01-05.200W | | | | Red nun. | |
| 21280 | Spider Reef Buoy 6 Marks south side of reef. | 45-11-34.422N 086-58-05.412W | | | | Red nun. | |
| 21285 | - East Entrance Buoy 2A Marks shoal. | 45-11-38.844N 086-59-40.446W | | | | Red nun. | |
| 21290 | - Buoy 3 Marks east side of shoal. | 45-11-34.600N 087-01-35.000W | | | | Green can. | |
| 21295 | - Buoy 4 Marks south side of shoal. | 45-11-53.100N 087-01-01.000W | | | | Red nun. | |
| Porte Des Morts Passage | | | | | | | |
| 21300 | <i>Porte Des Morts Entrance Lighted Bell Buoy</i> | 45-13-52.769N 086-53-54.110W | Mo (A) W | | 4 | Red and white stripes. | Maintained from Apr. 21 to Nov. 07. AIS MMSI: 993672158. |
| 21305 | PLUM ISLAND RANGE FRONT LIGHT | 45-18-13.566N 086-57-17.903W | Iso R 6s | 40 12 | | KRW on white skeleton tower. | Visible 5.5° each side of range line. |
| 21310 | PLUM ISLAND RANGE REAR LIGHT 1,633 feet, 330° from front light. | 45-18-27.521N 086-57-29.415W | F R | 84 26 | | KRW on white cylindrical tower. | Light visible 360°. Lighted throughout 24 hours. |
| 21320 | - Outer Shoal Buoy 1 Marks east side of shoal. | 45-13-57.799N 086-55-28.876W | | | | Green can. | |
| 21325 | Pilot Island Light | 45-17-03.067N 086-55-11.012W | Fl (2)W 6s 1s fl 1s ec. 1s fl 3s ec. | 48 15 | 12 | Yellow square tower with red roof s attached to dwelling. 48 | |
| 21330 | Nine-Foot Shoal Buoy 3 Marks east side of shoal. | 45-16-32.757N 086-57-03.816W | | | | Green can. | |
| 21335 | <i>Waverly Shoal Lighted Bell Buoy 5</i> Marks northeast side of shoal. | 45-17-07.178N 086-56-42.484W | Fl G 2.5s | | 4 | Green. | Replaced by can from Nov 7 to Apr. 21. |
| 21337 | - NORTHPORT HARBOR BREAKWATER LIGHT 1 | 45-17-32.000N 086-58-34.000W | Fl G 2.5s | 20 6 | | SG on blue pole. | Private aid. |
| 21338 | - NORTHPORT HARBOR BREAKWATER LIGHT 2 | 45-17-28.000N 086-58-30.000W | Fl R 2.5s | 20 6 | | TR on blue pole. | Private aid. |
| Detroit Island Passage | | | | | | | |
| 21340 | - <i>Lighted Buoy 2</i> Marks southwest side of shoal. | 45-18-57.017N 086-56-18.210W | Q R | | 4 | Red | Replaced by nun from Nov. 7 to Apr. 21. |
| 21345 | <i>Plum Island Lighted Buoy 1</i> | 45-19-18.441N 086-56-43.948W | Fl G 2.5s | | 5 | Green. | Replaced by can from Nov. 7 to Apr. 21. |
| Detroit Harbor | | | | | | | |
| 21348 | - Entrance Buoy 2 | 45-19-43.047N 086-56-10.253W | | | | Red Nun | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--------------------------------------|--|---------------------------------|-----------------------|---------------|--------------|---------------------------|---|
| LAKE MICHIGAN | | | | | | | |
| UPPER GREEN BAY (Chart 14909) | | | | | | | |
| Detroit Harbor | | | | | | | |
| 21350 | - ENTRANCE LIGHT | 45-19-55.692N 086-56-12.299W | FI W 4s | 25 8 | 11 | SG on skeleton tower. | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. Ra ref. |
| 21354 | - Channel Lighted Buoy 4 | 45-19-54.177N 086-56-09.350W | FI R 2.5s | | 3 | Red. | Maintained from 7 May to Nov. 21. |
| 21355 | - Channel Buoy 6 | 45-20-04.429N 086-56-07.849W | | | | Red nun. | |
| 21360 | - CHANNEL LIGHT 8 | 45-20-13.008N 086-56-07.247W | FI R 4s | 32 10 | 5 | TR on post. | |
| 21365 | - CHANNEL LIGHT 9 | 45-20-16.848N 086-56-10.762W | FI G 2.5s | 32 10 | 4 | SG on post. | |
| 21370 | - Channel Buoy 10 | 45-20-20.362N 086-56-08.562W | | | | Red nun. | |
| 21375 | - Channel Buoy 12 | 45-20-24.120N 086-56-07.596W | | | | Red nun. | Maintained from 07 May to 21 November |
| 21380 | - Channel Danger Buoy | 45-20-26.070N 086-56-11.268W | | | | Isolated Danger Buoy | Maintained from 07 May to 21 Nov |
| 21385 | - Channel Buoy 13 | 45-20-25.180N 086-56-09.041W | | | | Green can. | Maintained from 07 May to 21 Nov |
| Shipyard Island Marina | | | | | | | |
| 21390 | - Lighted Buoy 2 | 45-20-32.000N 086-55-45.000W | FI R 2.5s | | | Red. | Maintained from May 15 to Oct. 15. Private aid. |
| 21395 | - Lighted Buoy 4 | 45-20-27.500N 086-55-12.000W | FI R 3s | | | Red. | Maintained from May 15 to Oct. 15. Private aid. |
| 21400 | - Lighted Buoy 6 | 45-20-24.100N 086-54-45.600W | FI R 3s | | | Red. | Maintained from May 15 to Oct. 15. Private aid. |
| 21405 | - NORTH DOCK LIGHT | 45-20-24.100N 086-54-33.500W | FI R 2.5s | 10 3 | | SG on post. | Maintained from May 15 to Oct. 15. Private aid. |
| 21410 | - SOUTH DOCK LIGHT | 45-20-23.000N 086-54-30.000W | FI R 2.5s | 10 3 | | TR on post. | Maintained from May 15 to Oct. 15. Private aid. |
| UPPER GREEN BAY (Chart 14909) | | | | | | | |
| 21420 | <i>Fisherman Shoal Lighted Bell Buoy 6</i> Marks southeast side of shoal. | 45-21-32.889N 086-46-12.612W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 07 to Apr. 21. |
| Rock Island Passage | | | | | | | |
| 21423 | - Traffic Buoy (RI) V-AIS | 45-26-06.012N 086-44-32.016W | | | | | V-AIS MMSI# 993682124 |
| 21425 | POTTAWATOMIE LIGHT | 45-25-39.503N 086-49-43.536W | FI W 4s | 159 48 | 7 | On square skeleton tower. | Light is obscured from 275° to 020° by dense foliage on Rock Island. |
| 21435 | <i>St Martin Island Shoal Lighted Buoy 2</i> Marks south side of shoal. | 45-26-36.032N 086-45-07.421W | FI R 2.5s | | 4 | Red. | Maintained from Apr 21 to Nov 07. AIS MMSI: 993672240 |
| 21440 | St Martin Shoal Buoy 4 Marks southwest side of shoal. | 45-26-39.865N 086-46-26.030W | | | | Red nun. | Maintained from Apr. 21 to Nov. 07. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|---|---------------|--------------|---|---|
| LAKE MICHIGAN | | | | | | | |
| UPPER GREEN BAY (Chart 14909) | | | | | | | |
| 21445 | <i>Little Gull Island Lighted Bell Buoy 2</i> | 45-29-33.624N 086-42-58.051W | Fl R 4s | | 4 | Red. | Maintained from Apr. 21 to Oct. 14. |
| 21450 | St. Martin Island Light | 45-30-15.937N 086-45-28.000W | Al WR 10s W fl 5s ec. R fl 5s ec. | 84 26 | W 18 R 15 | On hexagonal tower. 84 | Light visible from 135° to 355°, dark sector covering island. |
| 21455 | Gravelly Island Shoal Buoy 4 Marks west side of shoal. | 45-30-45.334N 086-43-59.080W | | | | Red nun. | |
| 21465 | SUMMER ISLAND LIGHT | 45-34-19.520N 086-37-40.480W | Fl W 4s | 38 12 | 6 | NR on skeleton tower. | |
| DUTCH JOHNS POINT TO FISHERY POINT (Chart 14908) | | | | | | | |
| Manistique | | | | | | | |
| 21470 | <i>Wiggins Point Shoal Lighted Bell Buoy 4</i> | 45-50-26.985N 086-16-52.882W | Fl R 4s | | 4 | | Maintained from Apr. 28 to Nov. 14. |
| 21475 | - LIGHT | 45-56-41.556N 086-14-51.430W | Iso R 6s | 50 15 | 9 | On tower. | HORN: 1 blast ev 30s (3s bl). Operate the fog signal by keying VHF Marine radio five times on channel 83A. |
| 21480 | - WEST BREAKWATER LIGHT 1 | 45-56-43.423N 086-14-55.459W | Fl G 4s | 26 8 | 4 | SG on post. | |
| 21485 | - WEST PIERHEAD LIGHT 3 | 45-56-52.220N 086-14-47.960W | Fl G 2.5s | 23 7 | 4 | SG on post. | |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| 21490 | Seul Choix Point Light | 45-55-17.083N 085-54-43.142W | Fl W 6s | 80 24 | 13 | 80 | |
| Port Inland | | | | | | | |
| 21500 | - LIGHT | 45-57-08.000N 085-52-06.000W | | 48 15 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 15. HORN: 1 blast ev 12s (2s bl). Private aid. |
| 21505 | - OUTER RANGE FRONT LIGHT | 45-58-06.000N 085-52-06.000W | Q R | 25 8 | | Orange and white square day mark on pile. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| 21510 | - OUTER RANGE REAR LIGHT 800 feet, 000° from front light. | 45-58-30.000N 085-52-06.000W | F R | 45 14 | | Orange and white square day mark on pile. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| 21515 | - INNER RANGE FRONT LIGHT | 45-58-25.000N 085-52-06.000W | F R | 20 6 | | Orange and white square day mark on pile. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| 21520 | - INNER RANGE REAR LIGHT 625 feet, 047° from front light. | 45-58-12.000N 085-52-00.000W | F R | 40 12 | | Orange and white square day mark on pile. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| 21525 | <i>Boulder Reef Lighted Bell Buoy 1</i> | 45-35-12.002N 085-58-57.889W | Fl G 4s | | 5 | Green. | Replaced by can from Nov. 14 to Apr. 28. |
| 21530 | GULL ISLAND LIGHT | 45-42-41.646N 085-50-33.246W | Fl W 6s | 77 23 | 9 | NR on skeleton tower. | |
| 21535 | Lansing Shoals Light | 45-54-13.440N 085-33-42.180W | Fl W 10s | 69 21 | 12 | Gray square tower on concrete crib. 69 | RACON: Y (- . - -) HORN: 1 blast ev 30s (3s bl). |
| 21540 | <i>Garden Island Shoal Lighted Bell Buoy 1</i> Marks northeast side of shoal. | 45-52-05.689N 085-28-26.126W | Fl G 4s | | 5 | Green. | Replaced by can from Nov. 14 to Apr. 28. |
| 21545 | Trout Island Shoal Buoy 5 Marks west side of shoal. | 45-46-45.600N 085-44-15.000W | | | | Green can. | |
| 21550 | Whiskey Island Shoal Buoy 6 | 45-47-16.657N 085-37-58.576W | | | | Red nun. | |
| 21555 | Whiskey Island Shoal Buoy 4 Marks south side of shoal. | 45-48-07.155N 085-35-30.998W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| 21560 | Squaw Island Shoal Buoy 2 Marks east side of shoal. | 45-50-12.970N 085-34-05.023W | | | | Red nun. | |
| 21565 | Squaw Island Shoal Buoy 1 | 45-52-18.011N 085-35-00.557W | | | | Green can. | |
| 21570 | Potter Reef Buoy 1 Marks northeast side of reef. | 45-59-50.174N 085-30-54.851W | | | | Green can. | |
| 21575 | Millecoquins Inner Reef Buoy 2 Marks west side of reef. | 46-00-43.367N 085-28-15.186W | | | | Red nun. | |
| 21580 | NAUBINWAY ISLAND LIGHT | 46-04-32.160N 085-26-41.880W | FI W 4s | 32 10 | 6 | White cylindrical tower. | |
| GREEN BAY | | | | | | | |
| DUTCH JOHNS POINT TO FISHERY POINT (Chart 14908) | | | | | | | |
| Big Bay De Noc | | | | | | | |
| 21590 | <i>Fayette Lighted Bell Buoy 2</i> | 45-43-21.389N 086-40-20.728W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Oct 14. |
| 21592 | - OGONTZ BAY BOAT LAUNCH LIGHT | 45-49-58.000N 086-47-14.000W | | 20 6 | | On post. | Maintained from Apr. 15 to Oct. 30. Private aid. |
| 21595 | - Shoal Buoy 1 Marks south side of shoal. | 45-44-42.017N 086-42-20.294W | | | | Green can. | |
| 21600 | <i>Drisco Shoal Lighted Bell Buoy 2</i> Marks south side of shoal. | 45-33-18.905N 086-57-33.773W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Nov. 21 to Apr. 28. |
| 21605 | <i>Southwest Drisco Shoal Lighted Buoy DA</i> | 45-32-09.889N 087-00-36.449W | FI (2)W 5s | | 4 | Black with red band and two top marks. | Replaced by can f from Nov. 21 Apr. 28. AIS MMSI: 993672241 |
| 21610 | Minneapolis Shoal Light | 45-34-53.326N 086-59-55.377W | FI W 5s | 82 25 | 15 | On white square tower with red stripe. | RACON: M (- -) HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF-FM 83A. |
| 21615 | Corona Shoal Buoy 4 | 45-36-42.104N 086-57-44.535W | | | | Red nun. | Maintained from Apr. 28 to Nov. 21. |
| 21620 | <i>Ford River Shoal Lighted Buoy 5</i> Marks southeast side of shoal. | 45-38-31.957N 087-03-38.802W | FI G 4s | | 4 | Green. | Maintained from Apr. 28 to Nov. 21. |
| 21621 | FORD RIVER BOAT LAUNCH LIGHT | 45-40-26.000N 087-08-24.000W | FI Y 4s | | | On post. | Maintained from May 1 to Nov. 1. Private aid. |
| 21625 | <i>Eleven Foot Shoal Lighted Bell Buoy 6</i> | 45-38-03.891N 086-59-16.469W | FI R 6s | | 4 | Red. | Replaced by nun f from Nov. 21 to Apr. 28. |
| LITTLE BAY DE NOC (Chart 14915) | | | | | | | |
| Little Bay De Noc | | | | | | | |
| 21630 | - <i>Lighted Buoy 8</i> | 45-43-45.789N 087-01-30.586W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Nov. 21. AIS MMSI: 993672242 |
| 21631 | Escanaba Harbor Day beacon 1 | 45-44-32.700N 087-02-15.500W | | | | SG on post. | Private aid. |
| 21632 | ESCANABA YACHT HARBOR NORTH PIERHEAD LIGHT 2 | 45-41-35.400N 087-02-14.200W | F R | 30 9 | | TR on post. | Private aid. |
| 21635 | ESCANABA LIGHT Marks shoal. | 45-44-47.530N 087-02-13.938W | Iso W 6s | 45 14 | 11 | White square tower with green band. | HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF-FM Ch. 83A. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| GREEN BAY | | | | | | | |
| LITTLE BAY DE NOC (Chart 14915) | | | | | | | |
| Little Bay De Noc | | | | | | | |
| 21645 | Escanaba Buoy 1 Marks north side of obstruction. | 45-44-50.388N 087-02-38.589W | | | | Green can. | |
| 21646 | Basic Marine Inc. Buoy 1 | 45-44-53.400N 087-03-06.500W | | | | Green can. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 21647 | Basic Marine Inc. Buoy 2 | 45-44-58.000N 087-03-10.000W | | | | Red nun. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 21650 | - Shoal Lighted Buoy 10 Marks southwest side of shoal. | 45-45-31.088N 087-01-21.991W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Nov. 21. |
| 21655 | C & N ORE DOCK LIGHT 4 | 45-46-03.000N 087-03-20.000W | F R | 8 2 | | | Maintained from May 1 to Jan. 1. Private aid. |
| 21670 | Vinette Co Buoy 2 Marks submerged piling. | 45-46-15.000N 087-03-20.000W | | | | Red nun. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 21675 | Vinette Co Buoy 4 Marks submerged piling. | 45-46-14.600N 087-03-28.000W | | | | Red nun. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 21680 | Vinette Co Buoy 6 Marks submerged piling. | 45-46-14.300N 087-03-45.100W | | | | Red nun. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 21682 | Escanaba River Lighted Buoy 1 | 45-46-34.200N 087-03-21.000W | FI G 4s | | | Green. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.1 | Escanaba River Lighted Buoy 2 | 45-46-35.400N 087-03-19.200W | FI R 4s | | | Red. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.2 | Escanaba River Buoy 3 | 45-46-36.000N 087-03-24.000W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.3 | Escanaba River Buoy 4 | 45-46-36.600N 087-03-23.400W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.4 | Escanaba River Buoy 5 | 45-46-37.800N 087-03-29.400W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.5 | Escanaba River Buoy 6 | 45-46-38.400N 087-03-28.200W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.6 | Escanaba River Buoy 7 | 45-46-38.400N 087-03-33.600W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.7 | Escanaba River Buoy 8 | 45-46-39.000N 087-03-32.400W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.8 | Escanaba River Buoy 9 | 45-46-39.000N 087-03-39.000W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.9 | Escanaba River Buoy 10 | 45-46-40.200N 087-03-37.800W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21683 | Escanaba River Buoy 11 | 45-46-40.200N 087-03-43.800W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |
| 21683.1 | Escanaba River Buoy 12 | 45-46-41.400N 087-03-43.200W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21683.2 | Escanaba River Buoy 13 | 45-46-41.400N 087-03-49.200W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--------------------|---|
| GREEN BAY | | | | | | | |
| LITTLE BAY DE NOC (Chart 14915) | | | | | | | |
| Little Bay De Noc | | | | | | | |
| 21683.3 | Escanaba River Buoy 14 | 45-46-42.600N 087-03-48.600W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21683.4 | Escanaba River Buoy 16 | 45-46-43.200N 087-03-51.000W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21685 | - Lighted Buoy 11 | 45-48-14.000N 087-02-41.000W | FI G 2.5s | | 5 | Green. | Maintained from Apr. 28 to Nov. 21. |
| 21690 | Squaw Point Lighted Buoy 12 | 45-49-55.464N 087-00-25.706W | FI R 6s | | 4 | Red. | Maintained from Apr. 28 to Nov. 21. |
| Gladstone | | | | | | | |
| <i>Buoys maintained from May 15 to Oct. 15.</i> | | | | | | | |
| 21695 | - BREAKWATER LIGHT | 45-50-17.500N 087-01-03.000W | FI G 2.5s | 20 | | | Private aid. |
| 21700 | - Entrance Buoy 1 | 45-50-18.000N 087-01-02.000W | | 6 | | Green can. | Private aid. |
| 21705 | - Entrance Buoy 2 | 45-50-19.000N 087-01-00.000W | | | | Red nun. | Private aid. |
| 21710 | - Entrance Buoy 3 | 45-50-19.000N 087-01-04.000W | | | | Green can. | Private aid. |
| 21715 | - Entrance Buoy 4 | 45-50-20.000N 087-01-02.000W | | | | Red nun. | Private aid. |
| 21720 | - Entrance Buoy 5 | 45-50-20.000N 087-01-05.000W | | | | Green can. | Private aid. |
| 21725 | - Entrance Buoy 6 | 45-50-21.000N 087-01-03.000W | | | | Red nun. | Private aid. |
| Little Bay De Noc | | | | | | | |
| 21730 | Saunders Point Buoy 13 | 45-50-53.163N 086-59-44.532W | | | | Green can. | |
| 21735 | SAUNDERS POINT LIGHT | 45-50-51.985N 087-00-01.542W | Iso G 6s | 28 | 6 | SG on post. | |
| 21740 | Saunders Point Shoal Inside Buoy 15 | 45-51-07.243N 086-59-55.718W | | | | Green can. | |
| 21741 | - HUNTERS POINT BOAT LAUNCH LIGHT | 45-50-48.000N 086-50-05.000W | | 20 | | On post. | Maintained from Apr. 15 to Oct. 30. Private aid. |
| 21743 | Butler Island Lighted Buoy 17 | 45-51-53.000N 087-00-33.000W | FI G 4s | | 3 | | Maintained from May 1 to Nov. 14 |
| 21746 | Days River Shoal Lighted Buoy 19 | 45-53-09.000N 086-58-32.000W | FI G 2.5s | | 3 | | Maintained from May 1 to Nov. 14 |
| UPPER GREEN BAY (Chart 14909) | | | | | | | |
| 21760 | JACKSON HARBOR LIGHT | 45-24-10.190N 086-51-01.750W | FI R 4s | 20 | 7 | TR on pile. | |
| 21765 | Jackson Harbor Buoy 1 | 45-24-12.363N 086-50-57.274W | | 6 | | Green can. | |
| 21766 | Jackson Harbor Buoy 2 | 45-24-12.925N 086-50-59.576W | | | | Red nun. | |
| 21770 | BOYER BLUFF LIGHT | 45-25-13.860N 086-56-11.770W | FI W 6s | 220 | 8 | On skeleton tower. | |
| 21775 | Whaleback Shoal East End Lighted Bell Buoy 4 | 45-21-00.685N 087-10-12.119W | FI R 6s | | 4 | Red. | Replaced by nun from Nov 21 to Apr. 28. |
| 21780 | Whaleback Shoal West End Buoy 1 Marks northwest side of shoal. | 45-22-07.988N 087-11-49.625W | | | | Green can. | |
| 21785 | CEDAR RIVER PIERHEAD LIGHT | 45-24-26.451N 087-21-03.719W | FI G 4s | 26 | 7 | SG on post. | |
| | | | | 8 | | | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--------------------------------------|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| GREEN BAY | | | | | | | |
| UPPER GREEN BAY (Chart 14909) | | | | | | | |
| 21787 | CEDAR RIVER LIGHT 2 | 45-24-29.314N 087-21-01.342W | FI R 4s | 20 6 | 4 | TR on pole. | |
| 21790 | <i>Cedar River Entrance Lighted Buoy 1</i> | 45-23-43.821N 087-20-28.625W | FI G 6s | | 4 | Green can. | Marks rock. Maintained f from 28 Apr to 21 Nov. |
| 21793 | Cedar River Buoy 3 | 45-24-11.634N 087-20-59.742W | | | | Green can. | Maintained f from May 14 to Nov. 14. |
| 21793.5 | Cedar River Buoy 4 | 45-24-11.160N 087-20-53.864W | | | | Red nun. | Maintained f from May 14 to Nov. 14. |
| 21794 | Cedar River Buoy 5 | 45-24-20.052N 087-21-01.260W | | | | Green can. | Maintained f from May 14 to Nov. 14 |
| 21794.1 | Cedar River Buoy 6 | 45-24-20.766N 087-20-59.694W | | | | Red nun. | Maintained f from May 14 to Nov. 14. |
| 21794.2 | Cedar River Buoy 9 | 45-24-24.042N 087-21-02.530W | | | | Green can. | Maintained f from May 14 to Nov. 14. |
| 21794.3 | Cedar River Buoy 10 | 45-24-23.400N 087-21-01.428W | | | | Red nun. | Maintained f from May 14 to Nov. 14. |
| 21794.4 | Cedar River Buoy 11 | 45-24-25.776N 087-21-02.877W | | | | Green can. | Maintained f from May 14 to Nov. 14. |
| 21794.5 | Cedar River Buoy 12 | 45-24-25.410N 087-21-01.536W | | | | Red nun. | Maintained f from May 14 to Nov. 14. |
| 21795 | Sister Islands Buoy 1 | 45-13-33.614N 087-09-07.634W | | | | Green can. | |
| 21797 | YACHT WORKS MARINA WEST BREAKWATER LIGHT A | 45-12-12.000N 087-07-16.200W | FI W 4s | 22 7 | | | Private aid. |
| 21798 | YACHT WORKS MARINA BREAKWATER LIGHT 1 | 45-12-08.460N 087-07-15.300W | FI G 2.5s | 27 8 | | SG on pile. | Private aid. |
| 21799 | YACHT WORKS MARINA BREAKWATER LIGHT 2 | 45-12-08.340N 087-07-13.740W | FI R 2.5s | 31 9 | | TR on pile. | Private aid. |
| 21800 | SISTER BAY MARINA LIGHT 1 | 45-11-54.000N 087-07-12.000W | FI G 4s | 20 6 | | SG on post. | Private aid. |
| 21802 | SISTER BAY RESORT AND YACHT CLUB LIGHT | 45-11-25.000N 087-07-24.000W | FI R 2s | 5 2 | | On post. | Maintained f from May 1 to Nov. 1. Private aid. |
| 21805 | <i>Horseshoe Reef Lighted Buoy 2</i> Marks southeast side of reef. | 45-12-59.653N 087-11-54.104W | FI R 4s | | 4 | Red. | Replaced by nun f from Oct. 14 to May 1. |
| 21810 | Sister Shoals Buoy 3 | 45-11-57.157N 087-10-37.218W | | | | Green can. | |
| 21815 | HORSESHOE ISLAND LIGHT | 45-10-38.152N 087-12-41.395W | FI G 4s | 33 10 | 4 | NB on post. | |
| Strawberry Channel | | | | | | | |
| 21820 | - Northeast Buoy 4 Marks east side of shoal. | 45-10-48.000N 087-14-55.600W | | | | Red nun. | |
| 21825 | EAGLE BLUFF LIGHT | 45-10-07.300N 087-14-11.980W | FI W 6s | 75 23 | 6 | Yellow square tower with brown roof attached to dwelling | Light is obscured f from 220° to 030°. |
| 21830 | - <i>Southeast Lighted Bell Buoy 6</i> | 45-09-02.846N 087-14-59.535W | FI R 4s | | 3 | Red. | No winter mark f from Oct. 14 to May 1. |
| 21835 | - <i>Mid-Channel Lighted Buoy S</i> | 45-08-33.000N 087-16-22.000W | FI (2+1)R 6s | | 4 | Red and green bands. | Replaced by nun f from Oct. 14 to May 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| GREEN BAY | | | | | | | |
| UPPER GREEN BAY (Chart 14909) | | | | | | | |
| Strawberry Channel | | | | | | | |
| 21845 | Hanover Shoal Buoy 2 | 45-08-33.557N 087-17-42.293W | | | | Red nun. | Replaced by smaller nun from Oct. 14 to Apr. 1. |
| 21850 | Hat Island South Shoal Buoy HI | 45-05-17.177N 087-19-23.883W | | | | Black can with red band. Topmark spheres. | Maintained from Apr. 21 to Oct. 14. |
| UPPER GREEN BAY (Chart 14909) | | | | | | | |
| 21851 | EGG HARBOR LIGHT 1 | 45-02-57.225N 087-17-03.198W | FI G 4s | | | | Private aid. |
| Strawberry Channel | | | | | | | |
| 21855 | <i>Anchorage Cove Lighted Buoy 1</i> | 45-04-08.000N 087-16-54.000W | Q G | | | Green. | Maintained from May 1 to Oct. 30. Private aid. |
| 21860 | <i>Anchorage Cove Lighted Buoy 2</i> | 45-04-06.000N 087-16-54.000W | Q R | | | Red. | Maintained from May 1 to Oct. 30. Private aid. |
| 21865 | Anchorage Cove Buoy 3 | 45-04-06.000N 087-16-54.000W | | | | Green can. | Maintained from May 1 to Oct. 30. Private aid. |
| 21870 | Anchorage Cove Buoy 4 | 45-04-06.000N 087-16-54.000W | | | | Red nun. | Maintained from May 1 to Oct. 30. Private aid. |
| 21875 | LILLA HAMMAR LIGHT 1 | 45-03-58.200N 087-17-07.800W | F G | 12 4 | | SG on post. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 21880 | LILLA HAMMAR LIGHT 2 | 45-03-58.200N 087-17-07.800W | F R | 12 4 | | TR on post. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 21885 | LILLA HAMMAR ENTRANCE LIGHT | 45-04-15.000N 087-16-50.000W | F W | 9 3 | | On post. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 21890 | <i>Chambers Islands North Shoal Lighted Bell Buoy 1</i> | 45-14-24.042N 087-19-48.305W | FI G 4s | | 4 | Green. | Replaced by can from Nov 14 to Apr. 21. |
| 21895 | Chambers Island Light | 45-12-06.432N 087-21-56.354W | FI W 6s | 97 30 | 12 | On skeleton tower. 60 | |
| 21900 | <i>Chambers Island West Shoal Lighted Bell Buoy 3</i> | 45-10-48.124N 087-24-23.486W | FI G 2.5s | | 4 | Green. | Replaced by can from Nov 14 to Apr. 21. AIS MMSI: 993672243 |
| MENOMINEE AND MARINETTE HARBORS (Chart 14917) | | | | | | | |
| Menominee | | | | | | | |
| 21905 | - MARINA BREAKWATER LIGHT 2 | 45-06-23.000N 087-36-00.000W | FI R 4s | 40 12 | | TR on post. | Private aid. |
| 21910 | - Marina Breakwater Day beacon 3 | 45-06-23.600N 087-36-03.700W | | | | SG on post. | Private aid. |
| 21915 | - Shoal Lighted Bell Buoy 2A | 45-06-19.848N 087-34-26.085W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 14 to Apr. 21. |
| 21920 | - Entrance Lighted Buoy 1 Marks shoal. | 45-05-55.949N 087-34-33.985W | FI G 2.5s | | 4 | Green can. | Replaced by can buoy from Nov 14 to Apr 21. AIS MMSI: 993672244 |
| 21925 | - Entrance Lighted Buoy 2 Marks shoal. | 45-06-00.248N 087-34-40.785W | FI R 2.5s | | 4 | Red nun. | Replaced by nun buoy from Nov 14 to Apr 21. AIS MMSI 993672245 |
| 21930 | MARINETTE PIERHEAD LIGHT 3 | 45-05-47.089N 087-35-06.301W | FI G 4s | 25 8 | 4 | SG on post. | |
| 21935 | - PIERHEAD LIGHT 4 | 45-05-50.110N 087-35-09.701W | Oc R 4s | 46 14 | 9 | | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| GREEN BAY | | | | | | | |
| MENOMINEE AND MARINETTE HARBORS (Chart 14917) | | | | | | | |
| Menominee | | | | | | | |
| 21940 | - Pier Light 6 | 45-05-46.930N 087-35-19.160W | F R | 59 18 | 12 | On red skeleton tower. 50 | |
| 21945 | - River Buoy 2 | 45-06-01.951N 087-36-58.774W | | | | Red nun. | Maintained from May 7 to Nov. 7. |
| 21950 | - River Buoy 4 | 45-06-03.991N 087-37-07.954W | | | | Red nun. | Maintained from May 7 to Nov. 7. |
| 21955 | - River Buoy 6 | 45-06-04.471N 087-37-13.114W | | | | Red nun. | Maintained from May 7 to Nov. 7. |
| 21957 | - River Buoy 7 Marks shoal. | 45-06-04.891N 087-37-26.434W | | | | Green can. | Maintained from May 7 to Nov. 7. |
| 21960 | Menekaunee Shoal Buoy 6 | 45-04-14.553N 087-34-02.582W | | | | Red nun. | |
| UPPER GREEN BAY (Chart 14909) | | | | | | | |
| 21965 | <i>Green Island Shoal Lighted Buoy 1</i> | 45-03-37.456N 087-31-30.681W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 14 to Apr. 28. Marks west side of shoal. |
| 21970 | GREEN ISLAND LIGHT | 45-03-20.556N 087-29-30.562W | FI W 6s | 80 24 | 9 | NR on skeleton tower. | |
| 21975 | Green Island Southeast Shoal Buoy 2 | 45-02-40.625N 087-28-51.456W | | | | Red nun. | Maintained from Apr. 28 to Nov. 14. AIS MMSI: 993672246 |
| 21980 | MARINETTE LITTLE RIVER LIGHT | 45-02-42.000N 087-37-30.000W | FI Y 2.5s | 28 9 | | NY on post. | Private aid. |
| LOWER GREEN BAY (Chart 14910) | | | | | | | |
| 21985 | Monument Shoal Buoy 5 Marks west side of shoal. | 44-59-34.492N 087-22-56.532W | | | | Green can. | |
| 21990 | PESHTIGO REEF LIGHT Marks southeast side of shoal. | 44-57-23.872N 087-34-44.820W | FI W 6s | 72 22 | 9 | On white column with red band. | HORN: 1 blast ev 30s (3s bl). Operates from May 1 to Oct. 20. |
| 21995 | <i>Sherwood Point Lighted Buoy 7</i> | 44-54-52.727N 087-27-42.872W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 14 to Apr. 21. |
| 22000 | Sherwood Point Light | 44-53-34.000N 087-26-00.360W | Iso W 6s | 61 19 | 12 | White square tower, dwelling attached. 61 | |
| 22005 | <i>Sherwood Point Traffic Lighted Bell Buoy</i> | 44-53-34.312N 087-24-51.469W | Mo (A) W | | 4 | Red and white stripes. | Maintained from Apr. 21 to Nov. 21. AIS MMSI: 993672247 |
| Little Sturgeon | | | | | | | |
| <i>Buoys maintained from May 15 to Oct. 15.</i> | | | | | | | |
| 22012.1 | - Buoy 1 | 44-50-36.600N 087-32-48.000W | | | | Green can. | Private aid. |
| 22012.2 | - Buoy 2 | 44-50-38.000N 087-32-54.000W | | | | Red nun. | Private aid. |
| 22012.3 | - Buoy 3 | 44-50-31.000N 087-33-02.000W | | | | Green can. | Private aid. |
| 22012.4 | - Buoy 4 | 44-50-33.000N 087-33-04.000W | | | | Red nun. | Private aid. |
| 22012.5 | - Buoy 5 | 44-50-30.000N 087-33-08.000W | | | | Green can. | Private aid. |
| 22012.6 | - Buoy 6 | 44-50-32.000N 087-33-09.000W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| GREEN BAY | | | | | | | |
| LOWER GREEN BAY (Chart 14910) | | | | | | | |
| Little Sturgeon | | | | | | | |
| <i>Buoys maintained from May 15 to Oct. 15.</i> | | | | | | | |
| 22012.7 | - Buoy 7 | 44-50-31.000N 087-33-15.000W | | | | Green can. | Private aid. |
| 22012.8 | - Buoy 8 | 44-50-32.000N 087-33-16.000W | | | | Red nun. | Private aid. |
| 22012.9 | - Buoy 9 | 44-50-33.000N 087-33-21.000W | | | | Green can. | Private aid. |
| 22013 | - Buoy 10 | 44-50-35.000N 087-33-21.000W | | | | Red nun. | Private aid. |
| 22013.1 | - Buoy 11 | 44-50-37.000N 087-33-27.000W | | | | Green can. | Private aid. |
| 22013.2 | - Buoy 12 | 44-50-37.000N 087-33-26.000W | | | | Red nun. | Private aid. |
| 22013.5 | CARMODY COUNTY PARK NAVIGATIONAL LIGHT | 44-50-38.000N 087-33-29.900W | FI G 3s | | | On single pole. | Maintained from Apr. 1 to Sept. 30. Private aid. |
| 22014 | <i>Oconto Harbor Lighted Bell Buoy 2</i> | 44-53-00.000N 087-46-00.000W | FI R 4s | | 4 | Red. | Replaced by nun f from Oct. 14 to May 01. |
| 22015 | OCONTO HARBOR NORTH PIERHEAD LIGHT 2 | 44-53-57.000N 087-49-16.000W | F R | 40 12 | | TR on pile. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 22020 | OCONTO HARBOR SOUTH PIERHEAD LIGHT 3 | 44-53-54.010N 087-49-19.142W | FI G 6s | 20 6 | 7 | SG on post. | |
| 22025 | <i>Oconto River Lighted Buoy 4</i> | 44-53-49.000N 087-49-32.000W | Q R | | | Red. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 22035 | PENSAUKEE HARBOR LIGHT | 44-49-11.490N 087-53-54.462W | FI R 4s | 16 5 | 7 | TR on post. | |
| 22040 | <i>Pensaukee Harbor Entrance Lighted Buoy 2</i> | 44-49-05.731N 087-53-11.194W | FI R 6s | | 3 | Red. | Maintained from May 7 to Nov. 1. Buoy may be relocated without prior notice to mark the best channel. |
| All Season's Marina | | | | | | | |
| 22050 | BAY SHORE COUNTY PARK LIGHT | 44-38-19.000N 087-45-15.000W | FI R 2s | 15 5 | | On pile. | Maintained from May 7 to Nov. 1. Private aid. |
| 22055 | <i>Suamico Lighted Buoy 1</i> | 44-38-01.593N 088-00-04.116W | FI G 4s | | 3 | Green. | Maintained from May 7 to Nov. 1. Buoy may be relocated without prior notice to mark the best channel. |
| 22055.2 | <i>Suamico Lighted Buoy 2</i> | 44-38-02.000N 088-00-07.000W | Q R | | | Red. | Maintained from May 1 to Oct. 31. Private aid. |
| 22055.3 | <i>Suamico Lighted Buoy 3</i> | 44-37-56.000N 088-00-12.000W | Q G | | | Green. | Maintained from May 1 to Oct. 31. Private aid. |
| 22055.4 | <i>Suamico Lighted Buoy 4</i> | 44-37-57.000N 088-00-11.000W | Q R | | | Red. | Maintained from May 1 to Oct. 31. Private aid. |
| 22055.5 | <i>Suamico Lighted Buoy 5</i> | 44-37-52.000N 088-00-18.000W | Q G | | | Green. | Maintained from May 1 to Oct. 31. Private aid. |
| 22055.6 | <i>Suamico Lighted Buoy 6</i> | 44-37-53.000N 088-00-19.000W | Q R | | | Red. | Maintained from May 1 to Oct. 31. Private aid. |
| 22055.7 | <i>Suamico Lighted Buoy 7</i> | 44-37-48.000N 088-00-24.000W | Q G | | | Green. | Maintained from May 1 to Oct. 31. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| GREEN BAY | | | | | | | |
| LOWER GREEN BAY (Chart 14910) | | | | | | | |
| All Season's Marina | | | | | | | |
| 22060 | <i>Suamico Lighted Buoy 8</i> | 44-37-49.289N 088-00-24.420W | FI R 4s | | 3 | Red. | Maintained from May 7 to Nov. 1. Buoy may be relocated without prior notice to mark the best channel. |
| 22065 | <i>Suamico Lighted Buoy 9</i> | 44-37-49.000N 088-00-28.000W | Q G | | | Green. | Maintained from May 1 to Oct. 31. Private aid. |
| 22066 | <i>Suamico Lighted Buoy 10</i> | 44-37-50.000N 088-00-28.000W | Q R | | | Red. | Maintained from May 1 to Oct. 31. Private aid. |
| 22070 | Suamico River Obstruction Buoy | 44-37-51.000N 088-00-32.000W | | | | White with orange bands. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| Pirates Cove Marina | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 15.</i> | | | | | | | |
| 22075 | - <i>Lighted Buoy 1</i> | 44-35-25.551N 087-59-33.132W | FI G 2.5s | | | Green. | Private aid. |
| 22080 | - <i>Lighted Buoy 2</i> | 44-35-26.739N 087-59-28.428W | FI R 2.5s | | | Red. | Private aid. |
| 22085 | - Buoy 3 | 44-35-57.952N 087-59-58.530W | | | | Green can. | Private aid. |
| 22090 | - Buoy 4 | 44-35-59.610N 087-59-54.981W | | | | Red nun. | Private aid. |
| 22095 | - Buoy 5 | 44-36-21.449N 088-00-16.259W | | | | Green can. | Private aid. |
| 22100 | - Buoy 6 | 44-36-22.520N 088-00-12.134W | | | | Red nun. | Private aid. |
| 22100.1 | - Buoy 7 | 44-36-43.125N 088-00-31.587W | | | | Green can. | Private aid. |
| 22100.2 | - Buoy 8 | 44-36-46.200N 088-00-29.417W | | | | Red nun. | Private aid. |
| 22100.3 | - Buoy 9 | 44-36-50.582N 088-00-40.824W | | | | Green can. | Private aid. |
| 22100.4 | - Buoy 10 | 44-36-51.219N 088-00-40.761W | | | | Red nun. | Private aid. |
| HEAD OF GREEN BAY (Chart 14918) | | | | | | | |
| Green Bay Harbor | | | | | | | |
| Green Bay Harbor Entrance Channel | | | | | | | |
| <i>Lighted buoys maintained from Apr. 21 to Dec. 1, unless otherwise noted.</i> | | | | | | | |
| 22105 | - <i>Lighted Buoy 1</i> | 44-40-36.700N 087-52-34.700W | FI G 2.5s | | 4 | Green. | AIS MMSI: 993672229 |
| 22110 | - <i>Lighted Bell Buoy 2</i> | 44-40-39.037N 087-52-41.860W | FI R 2.5s | | 4 | Red. | AIS MMSI: 993672230 |
| 22115 | - <i>Lighted Buoy 3</i> | 44-39-53.404N 087-53-14.911W | FI G 4s | | 4 | Green. | |
| 22120 | - <i>Lighted Buoy 4</i> | 44-39-55.074N 087-53-22.088W | FI R 4s | | 4 | Red. | |
| 22125 | - <i>Lighted Buoy 5</i> | 44-39-07.875N 087-53-56.465W | FI G 6s | | 4 | Green. | AIS MMSI: 993672248 |
| 22130 | Green Bay Harbor Entrance Light | 44-39-11.134N 087-54-04.538W | Oc R 4s | 72 22 | 12 | White conical tower on cylindrical base. 72 | HORN: 1 blast ev 15s (2s bl). Operate the fog signal by keying the VHF-FM marine radio five times on channel 83A. |
| 22135 | - <i>Lighted Buoy 7</i> | 44-38-16.562N 087-54-43.405W | FI G 2.5s | | 4 | Green. | |
| 22140 | - <i>Lighted Buoy 8</i> | 44-38-19.546N 087-54-50.527W | FI R 2.5s | | 4 | Red. | |
| 22145 | - <i>Lighted Buoy 9</i> | 44-37-22.415N 087-55-32.891W | FI G 4s | | 4 | Green. | Replaced by can f from 01 Dec to 21 Apr. AIS MMSI 993672231 |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| GREEN BAY | | | | | | | |
| HEAD OF GREEN BAY (Chart 14918) | | | | | | | |
| Green Bay Harbor | | | | | | | |
| Green Bay Harbor Entrance Channel | | | | | | | |
| <i>Lighted buoys maintained from Apr. 21 to Dec. 1, unless otherwise noted.</i> | | | | | | | |
| 22150 | - Lighted Buoy 10 | 44-37-24.667N 087-55-41.519W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 1 to Apr. 21. AIS MMSI: 993672232 |
| 22155 | - Lighted Bell Buoy 11 | 44-36-31.495N 087-56-20.599W | FI G 4s | | 4 | Green. | |
| 22160 | - Lighted Buoy 12 | 44-36-34.185N 087-56-26.396W | FI R 4s | | 4 | Red. | |
| 22165 | - LIGHT 14 | 44-35-49.473N 087-57-08.782W | Q R | 40 12 | 6 | White cylindrical tower with red band. | |
| 22170 | - Lighted Buoy 15 | 44-35-34.474N 087-57-12.969W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 1 to Apr. 28. |
| 22175 | - Lighted Bell Buoy 16 | 44-35-31.424N 087-57-31.730W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 1 to Apr. 28. |
| 22180 | - RANGE FRONT LIGHT | 44-35-22.679N 087-57-27.737W | Q G | 45 14 | | KRW on cylindrical tower. | Visible 5.5° each side of range line. |
| 22181 | - RANGE FRONT PASSING LIGHT | 44-35-22.670N 087-57-27.362W | FI Y 4s | 45 14 | 5 | On same structure as Green Bay Harbor Entrance Channel Range Front Light. | Above Range Front Light. |
| 22185 | - RANGE REAR LIGHT 5,499 feet, 213.1° f from front light. | 44-34-37.202N 087-58-09.261W | Oc G 4s | 92 28 | | KRW on white cylindrical tower. | Visible 4° each side of range line. |
| 22186 | - RANGE REAR PASSING LIGHT | 44-34-37.178N 087-58-09.348W | FI Y 4s | 20 6 | 5 | On same structure as Green Bay Harbor Entrance Channel Range Rear Light | Below Range Rear Light. |
| 22188 | - Lighted Buoy 15A | 44-35-09.852N 087-58-06.494W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 1 to Apr. 28 |
| 22189 | - Lighted Buoy 16A | 44-35-13.992N 087-58-10.157W | FI R 4s | | 4 | Green. | Replaced by can f from Dec. 1 to Apr. 28 |
| 22200 | - Lighted Buoy 17 | 44-34-55.402N 087-58-37.017W | Q G | | 4 | Green. | year round lighted ice buoy |
| 22205 | - LIGHT 18 | 44-34-56.021N 087-58-50.498W | FI R 2.5s | 35 11 | 7 | White cylindrical tower with red band. | |
| 22210 | - Lighted Buoy 19 | 44-34-42.774N 087-58-53.372W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 1 to Apr. 28. |
| 22215 | - INNER RANGE FRONT LIGHT | 44-34-48.517N 087-58-59.804W | Q G | 31 9 | | KRW on cylindrical tower. | Visible 14° each side of range line. |
| 22216 | - INNER RANGE FRONT PASSING LIGHT | 44-34-48.500N 087-58-59.861W | FI Y 4s | 30 9 | 5 | On same structure as Green Bay Harbor Entrance Channel Inner Range Front Light. | Above Inner Range Front Light. |
| 22220 | - INNER RANGE REAR LIGHT 2,498 feet, 237.5° from front light. | 44-34-35.270N 087-59-28.920W | Iso G 6s | 50 15 | | KRW on white cylindrical tower. | Visible 14° each side of range line. |
| 22221 | - INNER RANGE REAR PASSING LIGHT | 44-34-35.210N 087-59-28.947W | FI Y 4s | 50 15 | 5 | On same structure as Green Bay Harbor Entrance Channel Inner Range Rear Light. | Above Inner Range Rear Light. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| GREEN BAY | | | | | | | |
| HEAD OF GREEN BAY (Chart 14918) | | | | | | | |
| Green Bay Harbor | | | | | | | |
| Green Bay Harbor Entrance Channel | | | | | | | |
| <i>Lighted buoys maintained from Apr. 21 to Dec. 1, unless otherwise noted.</i> | | | | | | | |
| 22225 | - Lighted Buoy 22 | 44-34-30.282N 087-59-08.531W | FI R 2.5s | | 4 | Red. | Replaced by nun f from Dec. 1 to Apr. 28. |
| 22230 | - Lighted Buoy 21 | 44-34-29.069N 087-59-04.716W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 1 to Apr. 28. |
| 22235 | - Lighted Buoy 24 | 44-34-02.037N 087-59-25.403W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 1 to Apr. 28. |
| 22240 | - Lighted Buoy 23 | 44-34-01.017N 087-59-21.705W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 1 to Apr. 28. |
| 22245 | - LIGHT 25 | 44-33-31.649N 087-59-38.266W | FI G 2.5s | 28 9 | 7 | SG on post. | |
| 22255 | - Lighted Buoy 27 | 44-32-56.741N 087-59-57.482W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 1 to Apr. 28. |
| 22260 | - Lighted Buoy 28 | 44-32-58.178N 088-00-01.375W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 1 to Apr. 28. |
| 22265 | - Lighted Buoy 30 | 44-32-22.173N 088-00-19.374W | FI R 2.5s | | 4 | Red. | Maintained f from Apr. 28 to Dec. 1. |
| Green Bay Harbor | | | | | | | |
| 22270 | - DISPOSAL LIGHT | 44-32-21.000N 088-00-13.000W | Q W | 8 2 | | On dolphin. | Maintained f from Apr. 15 to Nov. 15. Private aid. |
| South Bay Marina | | | | | | | |
| <i>Lights maintained from Apr. 1 to Nov. 30.</i> | | | | | | | |
| 22271 | - EAST BREAKWATER LIGHT | 44-32-24.100N 087-59-58.000W | FI W 6s | 11 3 | | On pile. | Private aid. |
| 22271.1 | - EAST MIDDLE BREAKWATER LIGHT | 44-32-24.100N 088-00-04.000W | FI W 6s | 11 3 | | On pile. | Private aid. |
| 22271.2 | - WEST MIDDLE BREAKWATER LIGHT | 44-32-24.100N 088-00-08.000W | FI W 6s | 11 3 | | On pile. | Private aid. |
| 22271.3 | - WEST BREAKWATER LIGHT | 44-32-22.000N 088-00-11.000W | FI W 6s | 11 3 | | On pile. | Private aid. |
| Green Bay Harbor | | | | | | | |
| 22272 | SOUTH BAY MARINA ENTRANCE LIGHT 1 | 44-32-20.800N 088-00-11.500W | F G | 11 3 | | SG on pile. | Private aid. |
| 22273 | SOUTH BAY MARINA ENTRANCE LIGHT 2 | 44-32-20.000N 088-00-11.500W | F R | 11 3 | | TR on pile. | Private aid. |
| LOWER FOX RIVER AND LAKE WINNEBAGO | | | | | | | |
| LOWER FOX RIVER (Chart 14916) | | | | | | | |
| Green Bay City | | | | | | | |
| <i>Due to silting, all buoys in the Fox River and Lake Winnebago may be relocated without prior notice to mark the best channel.</i> | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 14.</i> | | | | | | | |
| 22280 | - Buoy 2 | 44-30-07.140N 088-01-27.799W | | | | Red nun. | |
| 22285 | - Buoy 4 | 44-29-28.179N 088-01-38.832W | | | | Red nun. | |
| 22290 | - Buoy 6 | 44-29-22.371N 088-01-44.568W | | | | Red nun. | |
| 22295 | - Buoy 7 | 44-29-14.401N 088-01-52.012W | | | | Green can. | |
| 22300 | - Buoy 8 | 44-29-15.489N 088-01-53.431W | | | | Red nun. | |
| 22305 | - Buoy 10 | 44-29-08.754N 088-02-05.785W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| LOWER FOX RIVER AND LAKE WINNEBAGO | | | | | | | |
| LOWER FOX RIVER (Chart 14916) | | | | | | | |
| Green Bay City | | | | | | | |
| <i>Due to silting, all buoys in the Fox River and Lake Winnebago may be relocated without prior notice to mark the best channel.</i> | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 14.</i> | | | | | | | |
| 22310 | - Buoy 12 | 44-29-00.689N 088-02-20.578W | | | | Red nun. | |
| 22315 | - Buoy 13 | 44-28-50.144N 088-02-36.503W | | | | Green can. | |
| 22320 | - Buoy 14 | 44-28-51.686N 088-02-35.973W | | | | Red nun. | |
| 22323 | - Buoy 16 | 44-28-42.173N 088-02-43.046W | | | | Red nun. | |
| 22325 | - Buoy 18 | 44-28-15.606N 088-03-03.168W | | | | Red nun. | |
| 22330 | - Buoy 19 | 44-27-57.886N 088-03-13.316W | | | | Green can. | |
| 22335 | - Buoy 20 | 44-27-58.679N 088-03-15.098W | | | | Red nun. | |
| 22345 | - Buoy 22 | 44-27-40.580N 088-03-32.836W | | | | Red nun. | |
| 22350 | - Buoy 24 | 44-27-27.146N 088-03-47.615W | | | | Red nun. | |
| 22355 | - Buoy 26 | 44-27-13.311N 088-04-01.513W | | | | Red nun. | |
| 22360 | - Buoy 27 | 44-27-11.851N 088-03-59.399W | | | | Green can. | |
| 22400 | BROTHERTOWN MARINA ENTRANCE LIGHT 1 | 43-57-59.000N 088-19-11.000W | FI G 6s | 15 5 | | | Private aid. |