

U.S. Department of
Homeland Security

United States
Coast Guard



LIGHT LIST

Volume II

ATLANTIC COAST

Shrewsbury River, New Jersey to Little River, South Carolina

This Light List contains a list of lights, sound signals, buoys, daybeacons, and other aids to navigation.

2025

COMDTPUB P16502.2

OFFICIAL DISCLAIMER

The introductory sections of this document, including the preface, table of contents, and introduction, are presently being revised to conform to the updated format. These materials will be finalized and published in a subsequent release.

We appreciate your patience and understanding during this process.

Light List for Volume 2 (District 5) 01/02/2025

LLNR	Name	Position	Characteristic	Height	Range	Structure	Remarks
3	NOAA Lighted Data Buoy 44066 (ODAS)	39-37-06.000N 072-38-40.000W	Fl (4)Y 20s	5		Yellow boat shaped hull.	
4	Attentive Energy Lighted Data Buoy A	39-41-52.440N 073-09-34.950W	Fl (5)Y 20s			Yellow disc shaped hull.	AIS: MMSI 993663043
4	Attentive Energy Lighted Data Buoy A	39-41-52.440N 073-09-34.950W	Fl (5)Y 20s			Yellow disc shaped hull.	AIS: MMSI 993663043
5	NOAA Lighted Data Buoy 44402 (DART)	39-18-52.000N 070-43-01.000W	Fl (4)Y 20s	5		Yellow disc shaped hull.	
7.5	Lake Como Outfall Warning Light A	40-10-01.500N 074-00-55.600W	Fl W 5s			NW on pile worded DANGER SUBMERGED PIPE.	
8	Sea Girt Outfall Light 1	40-08-16.960N 074-01-27.624W	Fl W 4s			On pile worded DANGER SUBMERGED PIPE.	
10	Ocean Power Tech Lighted Research Buoy A	40-02-33.960N 073-58-28.419W	Fl (4)Y 20s				
10	Ocean Power Tech Lighted Research Buoy A	40-02-33.960N 073-58-28.419W	Fl (4)Y 20s				
11	Ocean Power Tech Lighted Research Buoy B	39-57-44.220N 073-58-12.769W	Fl (4)Y 20s				
11	Ocean Power Tech Lighted Research Buoy B	39-57-44.220N 073-58-12.769W	Fl (4)Y 20s				
12	Ocean Power Tech Lighted Research Buoy C	39-52-34.215N 074-00-05.365W	Fl (4)Y 20s				
12	Ocean Power Tech Lighted Research Buoy C	39-52-34.215N 074-00-05.365W	Fl (4)Y 20s				
13	University of California Lighted Data Buoy A	39-46-14.500N 073-46-11.600W	Fl (5)Y 20s			Yellow.	
15	Barnegat Offshore Lighted Buoy 2	39-45-30.466N 073-59-28.484W	Fl R 6s	6		Red.	
25	Barnegat Inlet Outer Lighted Whistle Buoy BI	39-44-19.093N 074-04-07.738W	Mo (A) W	6		Red and white stripes with red spherical topmark.	
30	Ocean Tech Hudson South Lighted Research Buoy OT2	39-23-58.115N 073-19-22.677W	Fl Y 4s			Yellow.	
40	Brigantine Inlet Lighted Wreck Buoy WR2	39-24-41.108N 074-13-43.440W	Q R	5		Red.	
57	TGS Research Lighted Data Buoy F	39-11-22.006N 073-37-27.654W	Fl Y 4s			Yellow Research Buoy.	
57	TGS Research Lighted Data Buoy F	39-11-22.006N 073-37-27.654W	Fl Y 4s			Yellow Research Buoy.	
60	Absecon Inlet Lighted Buoy 1	39-20-47.424N 074-24-01.351W	Fl G 4s	5		Green.	
65	Steel Pier Wreck Lighted Buoy WR2	39-21-15.483N 074-25-00.321W	Q R	4		Red.	
75	Townsend Inlet Shoals Lighted Buoy 4A	39-07-05.442N 074-40-37.591W	Fl R 4s	5		Red.	
80	Ludlam Beach Buoy L	39-07-15.443N 074-38-09.084W				Red and green bands; nun.	
85	Avalon Shoal Lighted Buoy 2	39-05-23.443N 074-33-56.573W	Fl R 6s	5		Red.	
90	Hereford Inlet Light	39-00-23.788N 074-47-28.032W	Fl W 10s	0	18	White square tower with cupola on white dwelling.	Structure maintained by entity outside the U.S. Coast Guard.
100	Five Fathom Bank Northeast Lighted Buoy 2FB	38-58-12.442N 074-31-34.568W	Fl R 4s	6		Red.	
105	Five Fathom Bank NW Lighted Buoy 3FB	38-57-28.031N 074-42-36.014W	Fl G 4s	6		Green.	
115	Five Fathom Bank South Lighted Buoy 4FB	38-49-42.440N 074-36-46.584W	Fl R 2.5s	6		Red.	
120	Five Fathom Bank Lighted Buoy F	38-46-49.031N 074-34-32.014W	Fl Y 2.5s	6		Yellow.	Synthetic AIS MMSI 993672390.
125	Five Fathom Bank Traffic Lane Lighted Buoy FA	38-46-49.031N 074-44-14.014W	Fl Y 4s	6		Yellow.	
130	Five Fathom Bank Traffic Lane Lighted Buoy FB	38-46-51.031N 074-55-35.015W	Fl Y 6s	6		Yellow.	
135	Cape May Inlet Lighted Buoy 2CM	38-55-47.036N 074-51-20.524W	Fl R 2.5s	5		Red.	
155	Cape May Light	38-55-58.815N 074-57-37.394W	Fl W 15s	0	22	White tower red cupola two white dwellings nearby.	Structure maintained by entity outside the U.S. Coast Guard.
160	McCrie Shoal Lighted Buoy 2MS	38-50-29.236N 074-50-16.622W	Fl R 4s	5		Red.	

165	Delaware Lighted Buoy D	38-27-18.441N 074-41-46.607W	Fl Y 6s	6	Yellow.	Synthetic AIS MMSI 993672393.
168	NOAA Lighted Data Buoy 44009 (ODAS)	38-27-35.000N 074-41-31.000W	Fl (4)Y 20s	4	Yellow disc-shape hull.	
170	Delaware Traffic Lane Lighted Buoy DA	38-32-44.805N 074-46-55.891W	Fl Y 2.5s	6	Yellow.	
175	Delaware Traffic Lane Lighted Buoy DB	38-38-12.435N 074-52-10.631W	Fl Y 4s	7	Yellow.	
180	Delaware Traffic Lane Lighted Buoy DC	38-43-47.434N 074-57-32.644W	Fl Y 2.5s	6	Yellow.	
190	Hen and Chickens Shoal Lighted Buoy 1HC	38-42-42.792N 074-58-55.903W	Fl G 2.5s	5	Green.	
191	Rehoboth Beach Lighted Mooring Buoy CG	38-44-22.804N 075-04-27.610W	Fl W 4s	5	White with blue band worded CG.	
191	Rehoboth Beach Lighted Mooring Buoy CG	38-44-22.804N 075-04-27.610W	Fl W 4s	5	White with blue band worded CG.	
195	Indian River Inlet Lighted Buoy 1	38-36-32.932N 075-02-46.462W	Fl G 2.5s	5	Green.	
200	Bethany Beach CDIP Lighted Data Buoy A	38-32-12.300N 075-02-37.860W	Fl (5)Y 20s		Yellow.	
200	Bethany Beach CDIP Lighted Data Buoy A	38-32-12.300N 075-02-37.860W	Fl (5)Y 20s		Yellow.	
205	Fenwick Island Light	38-27-06.000N 075-03-18.000W	Iso W 8s		White conical brick tower.	
210	Fenwick Shoal Lighted Buoy 1FS	38-26-47.934N 074-57-22.651W	Fl G 4s	6	Green.	
220	Woods Hole Lighted Research Buoy WH	38-18-10.799N 074-38-41.999W	Fl Y 4s			
225	Ocean City Inlet Jetty Light	38-19-27.072N 075-05-05.596W	Iso W 6s	35	6	NB On skeleton tower. HORN: 1 blast ev 10s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 81A (157.075MHz). HORN operates for 30 minutes.
240	Ocean City Inlet Lighted Buoy 2	38-19-25.566N 075-03-41.153W	Fl R 4s	6	Red.	
275	Assateague Light	37-54-40.274N 075-21-21.714W	Fl (2)W 5s	0	22	Conical brick tower with red and white bands. Emergency light of reduced intensity when main light is extinguished; visible from seaward only.
280	Wallops Island CDIP Lighted Data Buoy A	37-45-15.000N 075-19-30.000W	Fl (5)Y 20s		Yellow.	
280	Wallops Island CDIP Lighted Data Buoy A	37-45-15.000N 075-19-30.000W	Fl (5)Y 20s		Yellow.	
290	Chincoteague Shoals Lighted Buoy 2	37-47-25.460N 075-22-21.255W	Fl R 2.5s	5	Red.	
305	Wachapreague Inlet Lighted Whistle Buoy W	37-34-54.108N 075-33-36.525W	Mo (A) W	6	Red and white stripes with red spherical topmark.	
310	Woods Hole Lighted Research Data Buoy WH2	37-09-41.400N 075-14-58.200W	Fl Y 4s		Yellow.	Private aid.
310	Woods Hole Lighted Research Data Buoy WH2	37-09-41.400N 075-14-58.200W	Fl Y 4s		Yellow.	Private aid.
320.82	Coastal Virginia Offshore Wind WTG E07	36-56-47.351N 075-25-10.206W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.8	Coastal Virginia Offshore Wind WTG E06	36-56-47.150N 075-26-06.243W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.78	Coastal Virginia Offshore Wind WTG E05	36-56-46.941N 075-27-02.280W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.74	Coastal Virginia Offshore Wind WTG E03	36-56-46.501N 075-28-54.354W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.42	Coastal Virginia Offshore Wind WTG D04	36-57-42.254N 075-28-05.530W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.46	Coastal Virginia Offshore Wind WTG D06	36-57-42.681N 075-26-13.434W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.2	Coastal Virginia Offshore Wind WTG C05	36-58-38.574N 075-27-20.620W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.44	Coastal Virginia Offshore Wind WTG D05	36-57-42.471N 075-27-09.482W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.48	Coastal Virginia Offshore Wind WTG D07	36-57-42.883N 075-25-17.385W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.04	Coastal Virginia Offshore Wind WTG B07	36-59-33.915N 075-25-31.713W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.52	Coastal Virginia Offshore Wind WTG D09	36-57-43.267N 075-23-25.288W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.5	Coastal Virginia Offshore Wind WTG D08	36-57-43.079N 075-24-21.337W	Q Y	5	Gray monopile.	Wind turbine under construction.

320.84	Coastal Virginia Offshore Wind WTG E08	36-56-47.545N 075-24-14.169W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.24	Coastal Virginia Offshore Wind WTG C07	36-58-38.416N 075-25-24.550W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.22	Coastal Virginia Offshore Wind WTG C06	36-58-38.212N 075-26-20.587W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.02	Coastal Virginia Offshore Wind WTG B06	36-59-33.710N 075-26-27.784W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.56	Coastal Virginia Offshore Wind WTG D11	36-57-43.620N 075-21-33.190W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.54	Coastal Virginia Offshore Wind WTG D10	36-57-43.447N 075-22-29.239W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.9	Coastal Virginia Offshore Wind WTG E11	36-56-48.084N 075-21-26.056W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.86	Coastal Virginia Offshore Wind WTG E09	36-56-47.732N 075-23-18.131W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.76	Coastal Virginia Offshore Wind WTG E04	36-56-46.724N 075-27-58.317W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.58	Coastal Virginia Offshore Wind WTG D12	36-57-43.786N 075-20-37.141W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.88	Coastal Virginia Offshore Wind WTG E10	36-56-47.912N 075-22-22.094W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.92	Coastal Virginia Offshore Wind WTG E13	36-56-48.407N 075-19-33.980W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.06	Coastal Virginia Offshore Wind WTG B12	36-59-34.828N 075-20-51.355W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.08	Coastal Virginia Offshore Wind WTG B13	36-59-34.988N 075-19-55.283W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.28	Coastal Virginia Offshore Wind WTG C13	36-58-39.483N 075-19-48.166W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.3	Coastal Virginia Offshore Wind WTG C14	36-58-39.635N 075-18-52.105W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.6	Coastal Virginia Offshore Wind WTG D13	36-57-43.945N 075-19-41.092W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.94	Coastal Virginia Offshore Wind WTG E14	36-56-48.557N 075-18-37.942W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.1	Coastal Virginia Offshore Wind WTG B14	36-59-35.142N 075-18-59.211W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.82	Coastal Virginia Offshore Wind WTG E07	36-56-47.351N 075-25-10.206W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.8	Coastal Virginia Offshore Wind WTG E06	36-56-47.150N 075-26-06.243W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.78	Coastal Virginia Offshore Wind WTG E05	36-56-46.941N 075-27-02.280W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.74	Coastal Virginia Offshore Wind WTG E03	36-56-46.501N 075-28-54.354W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.42	Coastal Virginia Offshore Wind WTG D04	36-57-42.254N 075-28-05.530W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.46	Coastal Virginia Offshore Wind WTG D06	36-57-42.681N 075-26-13.434W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.2	Coastal Virginia Offshore Wind WTG C05	36-58-38.574N 075-27-20.620W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.44	Coastal Virginia Offshore Wind WTG D05	36-57-42.471N 075-27-09.482W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.48	Coastal Virginia Offshore Wind WTG D07	36-57-42.883N 075-25-17.385W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.04	Coastal Virginia Offshore Wind WTG B07	36-59-33.915N 075-25-31.713W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.52	Coastal Virginia Offshore Wind WTG D09	36-57-43.267N 075-23-25.288W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.5	Coastal Virginia Offshore Wind WTG D08	36-57-43.079N 075-24-21.337W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.84	Coastal Virginia Offshore Wind WTG E08	36-56-47.545N 075-24-14.169W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.24	Coastal Virginia Offshore Wind WTG C07	36-58-38.416N 075-25-24.550W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.22	Coastal Virginia Offshore Wind WTG C06	36-58-38.212N 075-26-20.587W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.02	Coastal Virginia Offshore Wind WTG B06	36-59-33.710N 075-26-27.784W	Q Y	5	Gray monopile.	Wind turbine under construction.

320.56	Coastal Virginia Offshore Wind WTG D11	36-57-43.620N 075-21-33.190W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.54	Coastal Virginia Offshore Wind WTG D10	36-57-43.447N 075-22-29.239W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.9	Coastal Virginia Offshore Wind WTG E11	36-56-48.084N 075-21-26.056W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.86	Coastal Virginia Offshore Wind WTG E09	36-56-47.732N 075-23-18.131W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.76	Coastal Virginia Offshore Wind WTG E04	36-56-46.724N 075-27-58.317W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.58	Coastal Virginia Offshore Wind WTG D12	36-57-43.786N 075-20-37.141W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.88	Coastal Virginia Offshore Wind WTG E10	36-56-47.912N 075-22-22.094W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.92	Coastal Virginia Offshore Wind WTG E13	36-56-48.407N 075-19-33.980W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.06	Coastal Virginia Offshore Wind WTG B12	36-59-34.828N 075-20-51.355W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.08	Coastal Virginia Offshore Wind WTG B13	36-59-34.988N 075-19-55.283W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.28	Coastal Virginia Offshore Wind WTG C13	36-58-39.483N 075-19-48.166W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.3	Coastal Virginia Offshore Wind WTG C14	36-58-39.635N 075-18-52.105W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.6	Coastal Virginia Offshore Wind WTG D13	36-57-43.945N 075-19-41.092W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.94	Coastal Virginia Offshore Wind WTG E14	36-56-48.557N 075-18-37.942W	Q Y	5	Gray monopile.	Wind turbine under construction.
320.1	Coastal Virginia Offshore Wind WTG B14	36-59-35.142N 075-18-59.211W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.8	Coastal Virginia Offshore Wind WTG H06	36-54-00.586N 075-25-44.770W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.78	Coastal Virginia Offshore Wind WTG H05	36-54-00.380N 075-26-40.773W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.76	Coastal Virginia Offshore Wind WTG H04	36-54-00.167N 075-27-36.776W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.44	Coastal Virginia Offshore Wind WTG G06	36-54-56.118N 075-25-51.911W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.42	Coastal Virginia Offshore Wind WTG G05	36-54-55.911N 075-26-47.926W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.12	Coastal Virginia Offshore Wind WTG F07	36-55-51.818N 075-25-03.070W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.74	Coastal Virginia Offshore Wind WTG H03	36-53-59.946N 075-28-32.779W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.38	Coastal Virginia Offshore Wind WTG G03	36-54-55.476N 075-28-39.954W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.04	Coastal Virginia Offshore Wind WTG F03	36-55-50.972N 075-28-47.173W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.06	Coastal Virginia Offshore Wind WTG F04	36-55-51.195N 075-27-51.147W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.08	Coastal Virginia Offshore Wind WTG F05	36-55-51.410N 075-26-55.122W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.1	Coastal Virginia Offshore Wind WTG F06	36-55-51.618N 075-25-59.096W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.72	Coastal Virginia Offshore Wind WTG CV-A01	36-53-46.661N 075-29-29.899W	FI Y 5s		White and yellow wind turbine labelled CV-A01.	HORN: 1 blast ev 20s. Activated during low visibility.
321.14	Coastal Virginia Offshore Wind WTG F08	36-55-52.012N 075-24-07.044W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.4	Coastal Virginia Offshore Wind WTG G04	36-54-55.697N 075-27-43.940W	Q Y	5	Gray Monopile.	Wind turbine under construction.
321.48	Coastal Virginia Offshore Wind WTG G08	36-54-56.510N 075-23-59.882W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.16	Coastal Virginia Offshore Wind WTG F09	36-55-52.198N 075-23-11.018W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.5	Coastal Virginia Offshore Wind WTG G09	36-54-56.695N 075-23-03.867W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.2	Coastal Virginia Offshore Wind WTG F11	36-55-52.547N 075-21-18.965W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.18	Coastal Virginia Offshore Wind WTG F10	36-55-52.376N 075-22-14.992W	Q Y	5	Gray monopile.	Wind turbine under construction.

321.52	Coastal Virginia Offshore Wind WTG G10	36-54-56.873N 075-22-07.852W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.84	Coastal Virginia Offshore Wind WTG H08	36-54-00.976N 075-23-52.763W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.86	Coastal Virginia Offshore Wind WTG H09	36-54-01.160N 075-22-56.760W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.88	Coastal Virginia Offshore Wind WTG H12	36-54-01.668N 075-20-08.748W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.9	Coastal Virginia Offshore Wind WTG H13	36-54-01.822N 075-19-12.744W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.82	Coastal Virginia Offshore Wind WTG H07	36-54-00.785N 075-24-48.767W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.92	Coastal Virginia Offshore Wind WTG H14	36-54-01.970N 075-18-16.740W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.6	Coastal Virginia Offshore Wind WTG G14	36-54-57.510N 075-18-23.791W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.54	Coastal Virginia Offshore Wind WTG G11	36-54-57.043N 075-21-11.837W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.22	Coastal Virginia Offshore Wind WTG F12	36-55-52.711N 075-20-22.939W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.24	Coastal Virginia Offshore Wind WTG F13	36-55-52.868N 075-19-26.912W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.58	Coastal Virginia Offshore Wind WTG G13	36-54-57.362N 075-19-19.806W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.56	Coastal Virginia Offshore Wind WTG G12	36-54-57.206N 075-20-15.822W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.46	Coastal Virginia Offshore Substation OSS G07	36-54-56.318N 075-24-55.897W	Q Y		Gray Monopile.	Offshore substation under construction.
321.8	Coastal Virginia Offshore Wind WTG H06	36-54-00.586N 075-25-44.770W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.78	Coastal Virginia Offshore Wind WTG H05	36-54-00.380N 075-26-40.773W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.76	Coastal Virginia Offshore Wind WTG H04	36-54-00.167N 075-27-36.776W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.44	Coastal Virginia Offshore Wind WTG G06	36-54-56.118N 075-25-51.911W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.42	Coastal Virginia Offshore Wind WTG G05	36-54-55.911N 075-26-47.926W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.12	Coastal Virginia Offshore Wind WTG F07	36-55-51.818N 075-25-03.070W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.74	Coastal Virginia Offshore Wind WTG H03	36-53-59.946N 075-28-32.779W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.38	Coastal Virginia Offshore Wind WTG G03	36-54-55.476N 075-28-39.954W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.04	Coastal Virginia Offshore Wind WTG F03	36-55-50.972N 075-28-47.173W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.06	Coastal Virginia Offshore Wind WTG F04	36-55-51.195N 075-27-51.147W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.08	Coastal Virginia Offshore Wind WTG F05	36-55-51.410N 075-26-55.122W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.1	Coastal Virginia Offshore Wind WTG F06	36-55-51.618N 075-25-59.096W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.72	Coastal Virginia Offshore Wind WTG CV-A01	36-53-46.661N 075-29-29.899W	FI Y 5s		White and yellow wind turbine labelled CV-A01.	HORN: 1 blast ev 20s. Activated during low visibility.
321.14	Coastal Virginia Offshore Wind WTG F08	36-55-52.012N 075-24-07.044W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.4	Coastal Virginia Offshore Wind WTG G04	36-54-55.697N 075-27-43.940W	Q Y	5	Gray Monopile.	Wind turbine under construction.
321.48	Coastal Virginia Offshore Wind WTG G08	36-54-56.510N 075-23-59.882W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.16	Coastal Virginia Offshore Wind WTG F09	36-55-52.198N 075-23-11.018W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.5	Coastal Virginia Offshore Wind WTG G09	36-54-56.695N 075-23-03.867W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.2	Coastal Virginia Offshore Wind WTG F11	36-55-52.547N 075-21-18.965W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.18	Coastal Virginia Offshore Wind WTG F10	36-55-52.376N 075-22-14.992W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.52	Coastal Virginia Offshore Wind WTG G10	36-54-56.873N 075-22-07.852W	Q Y	5	Gray monopile.	Wind turbine under construction.

321.84	Coastal Virginia Offshore Wind WTG H08	36-54-00.976N 075-23-52.763W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.86	Coastal Virginia Offshore Wind WTG H09	36-54-01.160N 075-22-56.760W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.88	Coastal Virginia Offshore Wind WTG H12	36-54-01.668N 075-20-08.748W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.9	Coastal Virginia Offshore Wind WTG H13	36-54-01.822N 075-19-12.744W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.82	Coastal Virginia Offshore Wind WTG H07	36-54-00.785N 075-24-48.767W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.92	Coastal Virginia Offshore Wind WTG H14	36-54-01.970N 075-18-16.740W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.6	Coastal Virginia Offshore Wind WTG G14	36-54-57.510N 075-18-23.791W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.54	Coastal Virginia Offshore Wind WTG G11	36-54-57.043N 075-21-11.837W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.22	Coastal Virginia Offshore Wind WTG F12	36-55-52.711N 075-20-22.939W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.24	Coastal Virginia Offshore Wind WTG F13	36-55-52.868N 075-19-26.912W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.58	Coastal Virginia Offshore Wind WTG G13	36-54-57.362N 075-19-19.806W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.56	Coastal Virginia Offshore Wind WTG G12	36-54-57.206N 075-20-15.822W	Q Y	5	Gray monopile.	Wind turbine under construction.
321.46	Coastal Virginia Offshore Substation OSS G07	36-54-56.318N 075-24-55.897W	Q Y		Gray Monopile.	Offshore substation under construction.
322.3	Coastal Virginia Offshore Wind WTG K04	36-52-08.992N 075-27-22.994W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.06	Coastal Virginia Offshore Wind WTG J05	36-53-04.849N 075-26-33.584W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.04	Coastal Virginia Offshore Wind WTG J04	36-53-04.637N 075-27-29.575W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.02	Coastal Virginia Offshore Wind WTG J03	36-53-04.417N 075-28-26.567W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.28	Coastal Virginia Offshore Wind WTG K03	36-52-08.887N 075-28-18.398W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.08	Coastal Virginia Offshore Wind WTG J06	36-53-05.054N 075-25-37.592W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.32	Coastal Virginia Offshore Wind WTG K05	36-52-09.317N 075-26-26.437W	Q Y	5	Gray monopile.	Wind turbine under construction.
322	Coastal Virginia Offshore Wind WTG CV-A02	36-53-12.587N 075-29-29.681W	FI Y 5s		White and yellow wind turbine labelled CV-A02.	
322.36	Coastal Virginia Offshore Wind WTG K07	36-52-09.717N 075-24-34.475W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.1	Coastal Virginia Offshore Wind WTG J07	36-53-05.251N 075-24-41.599W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.12	Coastal Virginia Offshore Wind WTG J09	36-53-05.624N 075-22-49.615W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.4	Coastal Virginia Offshore Wind WTG K09	36-52-10.089N 075-22-42.513W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.34	Coastal Virginia Offshore Wind WTG K06	36-52-09.521N 075-25-30.456W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.42	Coastal Virginia Offshore Wind WTG K10	36-52-10.263N 075-21-46.532W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.16	Coastal Virginia Offshore Wind WTG J13	36-53-06.283N 075-19-05.644W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.38	Coastal Virginia Offshore Wind WTG K08	36-52-09.907N 075-23-38.494W	Q Y	5		
322.14	Coastal Virginia Offshore Wind WTG J12	36-53-06.129N 075-20-01.637W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.3	Coastal Virginia Offshore Wind WTG K04	36-52-08.992N 075-27-22.994W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.06	Coastal Virginia Offshore Wind WTG J05	36-53-04.849N 075-26-33.584W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.04	Coastal Virginia Offshore Wind WTG J04	36-53-04.637N 075-27-29.575W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.02	Coastal Virginia Offshore Wind WTG J03	36-53-04.417N 075-28-26.567W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.28	Coastal Virginia Offshore Wind WTG K03	36-52-08.887N 075-28-18.398W	Q Y	5	Gray monopile.	Wind turbine under construction.

322.08	Coastal Virginia Offshore Wind WTG J06	36-53-05.054N 075-25-37.592W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.32	Coastal Virginia Offshore Wind WTG K05	36-52-09.317N 075-26-26.437W	Q Y	5	Gray monopile.	Wind turbine under construction.
322	Coastal Virginia Offshore Wind WTG CV-A02	36-53-12.587N 075-29-29.681W	FI Y 5s		White and yellow wind turbine labelled CV-A02.	
322.36	Coastal Virginia Offshore Wind WTG K07	36-52-09.717N 075-24-34.475W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.1	Coastal Virginia Offshore Wind WTG J07	36-53-05.251N 075-24-41.599W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.12	Coastal Virginia Offshore Wind WTG J09	36-53-05.624N 075-22-49.615W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.4	Coastal Virginia Offshore Wind WTG K09	36-52-10.089N 075-22-42.513W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.34	Coastal Virginia Offshore Wind WTG K06	36-52-09.521N 075-25-30.456W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.42	Coastal Virginia Offshore Wind WTG K10	36-52-10.263N 075-21-46.532W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.16	Coastal Virginia Offshore Wind WTG J13	36-53-06.283N 075-19-05.644W	Q Y	5	Gray monopile.	Wind turbine under construction.
322.38	Coastal Virginia Offshore Wind WTG K08	36-52-09.907N 075-23-38.494W	Q Y	5		
322.14	Coastal Virginia Offshore Wind WTG J12	36-53-06.129N 075-20-01.637W	Q Y	5	Gray monopile.	Wind turbine under construction.
345	USN SESEF Lighted Buoy A	36-55-01.767N 075-38-13.711W	FI Y 2.5s	5	Yellow.	
350	Chesapeake Lights (2)	36-54-16.696N 075-42-45.818W	FI W 4s	5	Blue tower on white square superstructure on four black piles. CHESAPEAKE on sides.	
355	Cape Henry CDIP Lighted Data Buoy A	36-54-50.400N 075-43-18.500W	FI (5)Y 20s		Yellow.	
355	Cape Henry CDIP Lighted Data Buoy A	36-54-50.400N 075-43-18.500W	FI (5)Y 20s		Yellow.	
360	USN SESEF Lighted Buoy B	36-55-01.764N 075-45-28.728W	FI Y 4s	5	Yellow.	
370	Cape Henry Light	36-55-34.889N 076-00-25.949W	Mo (U) W 20s 0	17	Octagonal pyramidal tower upper and lower half of each face alternately black and white.	Red from 154° to 233° covers shoals outside Cape Charles and Middle Ground inside bay. Emergency light of lower intensity will be displayed when main light is extinguished.
385	North Chesapeake Entrance Lighted Bell Buoy NCA	36-57-30.029N 075-48-12.615W	FI Y 2.5s	6	Yellow.	
390	North Chesapeake Entrance Lighted Gong Buoy NCB	36-56-57.569N 075-50-17.055W	FI Y 6s	6	Yellow.	
395	North Chesapeake Entrance Lighted Bell Buoy NCC	36-56-24.029N 075-52-24.015W	FI Y 4s	6	Yellow.	
400	North Chesapeake Entrance Lighted Buoy NCD	36-56-24.468N 075-53-41.381W	FI Y 2.5s	6	Yellow.	
403	North Chesapeake Entrance Lighted Buoy NCE	36-56-24.029N 075-54-57.015W	FI Y 6s	6	Yellow.	
405	Chesapeake Bay Entrance Lighted Buoy CH	36-56-08.358N 075-57-26.558W	Mo (A) W	6	Red and white stripes with red spherical topmark.	Synthetic AIS MMSI: 993672978.
410	Chesapeake Bay Southern Approach Lighted Whistle Buoy CB	36-48-59.772N 075-45-36.028W	Mo (A) W	6	Red and white stripes with red spherical topmark.	AIS MMSI: 993672982.
415	Chesapeake Bay Southern Approach Lighted Buoy 1	36-49-31.651N 075-46-54.887W	FI G 2.5s	6	Green.	
420	Chesapeake Bay Southern Approach Lighted Buoy 2	36-49-42.584N 075-46-46.436W	FI R 2.5s	6	Red.	
425	Chesapeake Bay Southern Approach Lighted Buoy 3	36-50-11.634N 075-48-15.109W	FI G 4s	6	Green.	
430	Chesapeake Bay Southern Approach Lighted Buoy 4	36-50-22.468N 075-48-06.663W	FI R 4s	6	Red.	
435	Chesapeake Bay Southern Approach Lighted Buoy 5	36-50-51.497N 075-49-35.173W	FI G 4s	6	Green.	
440	Chesapeake Bay Southern Approach Lighted Buoy 6	36-51-02.384N 075-49-26.727W	FI R 4s	6	Red.	
445	Chesapeake Bay Southern Approach Lighted Buoy 7	36-51-31.344N 075-50-55.174W	FI G 2.5s	6	Green.	
450	Chesapeake Bay Southern Approach Lighted Buoy 8	36-51-42.282N 075-50-46.717W	FI R 2.5s	6	Red.	
455	Chesapeake Bay Southern Approach Lighted Buoy 9	36-52-11.804N 075-52-16.731W	Q G	6	Green.	

460	Chesapeake Bay Southern Approach Lighted Buoy 10	36-52-21.645N 075-52-05.651W	Q R	6	Red.	
465	Chesapeake Bay Southern Approach Lighted Buoy 11	36-53-07.700N 075-53-19.230W	FI G 2.5s	6	Green.	
470	Chesapeake Bay Southern Approach Lighted Buoy 12	36-53-16.327N 075-53-07.358W	FI R 2.5s	6	Red.	
475	Chesapeake Bay Southern Approach Lighted Buoy 13	36-54-03.242N 075-54-21.795W	FI G 4s	6	Green.	
480	Chesapeake Bay Southern Approach Lighted Buoy 14	36-54-11.882N 075-54-09.946W	FI R 4s	6	Red.	
485	Chesapeake Bay Southern Approach Lighted Buoy 15	36-54-58.623N 075-55-24.303W	Q G	6	Green.	
490	Chesapeake Bay Southern Approach Lighted Buoy 16	36-55-07.216N 075-55-12.418W	Q R	6	Red.	
495	Woods Hole Lighted Whale Research Buoy WH	36-43-04.080N 075-28-18.012W	FI Y 4s		Yellow.	
495	Woods Hole Lighted Whale Research Buoy WH	36-43-04.080N 075-28-18.012W	FI Y 4s		Yellow.	
501	Rudee Inlet Entrance Lighted Buoy 1	36-49-47.022N 075-57-43.503W	FI G 2.5s	5	Green.	
503	Rudee Inlet Entrance Lighted Buoy 2	36-49-50.546N 075-57-44.490W	FI R 2.5s	5	Red.	
505	Rudee Inlet Jetty Light 4	36-49-49.382N 075-57-59.452W	Iso R 6s	10	5	TR on skeleton tower.
515	Dam Neck Disposal Area Lighted Buoy A	36-50-02.392N 075-53-24.025W	FI Y 2.5s	5	Yellow.	Position changed frequently for dredging.
540	Dam Neck Firing Zone Lighted Buoy B	36-43-45.573N 075-54-22.748W	FI Y 4s	5	Yellow.	
548	Scripps Lighted Data Buoy CDIP 171	36-36-42.100N 074-50-20.000W	FI (5)Y 20s			Yellow disc-shaped hull.
548	Scripps Lighted Data Buoy CDIP 171	36-36-42.100N 074-50-20.000W	FI (5)Y 20s			Yellow disc-shaped hull.
550	NOAA Lighted Data Buoy 44014 (ODAS)	36-36-10.000N 074-50-13.000W	FI (4)Y 20s	4		Yellow disc-shaped hull.
555	Currituck Beach Light	36-22-36.594N 075-49-46.722W	FI W 20s	18		Red conical tower. Structure maintained by entity outside the U.S. Coast Guard.
562	Kitty Hawk Wind Lighted Meteorological Buoy KHW	36-24-40.800N 075-13-56.904W	FI Y 4s			Yellow.
567	Duck Lighted Data Buoy 1	36-11-21.058N 075-44-37.160W	FI Y 4s			Yellow.
567.01	Duck Lighted Data Buoy 2	36-11-15.070N 075-44-34.808W	FI Y 4s			Yellow.
567.02	Duck Lighted Data Buoy 3	36-11-09.076N 075-44-32.378W	FI Y 4s			Yellow.
568	Duck Research Pier Light	36-11-01.348N 075-44-45.014W	FI W 4s			On skeleton tower.
569	Duck Lighted Directional Waverider Buoy	36-11-58.700N 075-42-53.900W	Q Y			Yellow.
569.3	Triaxys Lighted Directional Wave Buoy	36-15-30.200N 075-35-36.200W	Q Y			Yellow.
570	Navy Air Combat Maneuvering Range Tower Light A	36-13-36.069N 075-14-59.874W	FI Y 2.5s			
571	Woods Hole Lighted Data Buoy WE	35-57-16.200N 075-20-00.000W	FI Y 4s			Yellow.
571.4	Woods Hole Lighted Data Buoy NOSM	36-10-29.000N 074-49-16.000W	FI Y 4s			Yellow.
571.5	Woods Hole Lighted Data Buoy NO	36-10-44.000N 074-49-34.000W	FI Y 4s			Yellow.
571.6	Woods Hole Lighted Data Buoy SOSM	35-53-41.000N 074-51-04.000W	FI Y 4s			Yellow.
571.1	Woods Hole Lighted Data Buoy CNSM	35-57-00.000N 075-07-10.000W	FI Y 4s			Yellow.
571.2	Woods Hole Lighted Data Buoy CNSW	35-57-13.000N 075-07-30.000W	FI Y 4s			Yellow.
571.7	Woods Hole Lighted Data Buoy SO	35-43-19.000N 074-51-14.000W	FI Y 4s			Yellow.
571.8	Woods Hole Lighted Data Buoy NEPM	36-03-29.000N 074-46-39.000W	FI Y 4s			Yellow.
571.9	Woods Hole Lighted Data Buoy SEPM	35-51-19.000N 074-51-03.000W	FI Y 4s			Yellow.

571.3	Woods Hole Lighted Data Buoy EA	35-57-17.000N 074-50-46.000W	Fl Y 4s			Yellow.	
571	Woods Hole Lighted Data Buoy WE	35-57-16.200N 075-20-00.000W	Fl Y 4s			Yellow.	
571.4	Woods Hole Lighted Data Buoy NOSM	36-10-29.000N 074-49-16.000W	Fl Y 4s			Yellow.	
571.5	Woods Hole Lighted Data Buoy NO	36-10-44.000N 074-49-34.000W	Fl Y 4s			Yellow.	
571.6	Woods Hole Lighted Data Buoy SOSM	35-53-41.000N 074-51-04.000W	Fl Y 4s			Yellow.	
571.1	Woods Hole Lighted Data Buoy CNSM	35-57-00.000N 075-07-10.000W	Fl Y 4s			Yellow.	
571.2	Woods Hole Lighted Data Buoy CNSW	35-57-13.000N 075-07-30.000W	Fl Y 4s			Yellow.	
571.7	Woods Hole Lighted Data Buoy SO	35-43-19.000N 074-51-14.000W	Fl Y 4s			Yellow.	
571.8	Woods Hole Lighted Data Buoy NEPM	36-03-29.000N 074-46-39.000W	Fl Y 4s			Yellow.	
571.9	Woods Hole Lighted Data Buoy SEPM	35-51-19.000N 074-51-03.000W	Fl Y 4s			Yellow.	
571.3	Woods Hole Lighted Data Buoy EA	35-57-17.000N 074-50-46.000W	Fl Y 4s			Yellow.	
575	Navy Air Combat Maneuvering Range Tower Light B	36-03-53.829N 074-58-58.083W	Fl Y 2.5s				
580	Navy Air Combat Maneuvering Range Tower Light C	35-57-00.208N 075-15-56.914W	Fl Y 2.5s				
585	Navy Air Combat Maneuvering Range Tower Light G	35-47-11.838N 075-05-40.873W	Fl Y 2.5s				
590	Bodie Island Light	35-49-06.837N 075-33-47.909W	Fl (2)W 30s	18		Conical brick tower white and black bands above granite base black ironwork.	
592	Wright Brothers Monument Light	36-00-51.773N 075-40-04.635W	Fl W 10s			Granite tower.	Aid maintained by National Park Service.
592	Wright Brothers Monument Light	36-00-51.773N 075-40-04.635W	Fl W 10s			Granite tower.	Aid maintained by National Park Service.
593.2	NOAA CURBY Lighted Data Buoy B	35-54-44.360N 075-35-10.675W	Fl (5)Y 20s				4 foot diameter buoy with 4 foot tower.
593.2	NOAA CURBY Lighted Data Buoy B	35-54-44.360N 075-35-10.675W	Fl (5)Y 20s				4 foot diameter buoy with 4 foot tower.
595	Scripps Lighted Data Buoy CDIP 243	36-00-04.800N 075-25-15.500W	Fl (5)Y 20s			Yellow.	
600	Oregon Inlet Lighted Whistle Buoy OI	35-47-27.809N 075-30-06.226W	Mo (A) W	6		Red and white stripes.	Topmark not installed on this aid.
615	Oregon Inlet Jetty Light	35-46-25.942N 075-31-30.026W	Fl W 2.5s	0	7	NB on pile.	
616	UNC-Chapel Hill Lighted Data Buoy P	35-45-00.000N 075-19-48.000W	Fl Y 4s			Yellow.	
625	Cape Hatteras Light	35-15-01.948N 075-31-43.754W	Fl W 7.5s	14		Conical brick tower black and white spirally banded red brick base with granite corners.	Structure maintained by the National Park Service.
627	Cape Hatteras Lighted Wave Buoy CDIP 250	35-15-33.300N 075-17-09.960W	Fl (5)Y 20s				
630	Outer Diamond Shoals Buoy 2	35-08-24.948N 075-23-20.764W				Red nun.	
635	NOAA Lighted Data Buoy 41001 (ODAS)	34-42-52.000N 072-14-51.000W	Fl (4)Y 20s	5		Yellow boat-shaped hull.	
637	NOAA Lighted Data Buoy 41025 (ODAS)	35-00-35.000N 075-27-16.000W	Fl (4)Y 20s	5		Yellow disc-shaped hull.	
640	Diamond Shoals Lighted Buoy 12	35-09-05.028N 075-17-33.013W	Q R	5		Red.	Marks remaining structure of Diamond Shoal Light.
642	Cape Hatteras Lighted Research Buoy	35-39-26.470N 075-09-37.320W	Fl Y 4s			Yellow/Blue Buoy.	
642	Cape Hatteras Lighted Research Buoy	35-39-26.470N 075-09-37.320W	Fl Y 4s			Yellow/Blue Buoy.	
645	Hatteras Inlet Light	35-11-51.541N 075-43-56.005W	Iso W 6s	10		Skeleton tower on black house.	
650	Hatteras Inlet Entrance Lighted Whistle Buoy HI	35-09-53.935N 075-44-56.909W	Mo (A) W	6		Red and white stripes with red spherical topmark.	Position frequently shifted with changing conditions.

660	Ocracoke Light	35-06-32.308N 075-59-09.685W	F W	15	White conical tower.	Structure maintained by the National Park Service.
670	Cape Lookout Light	34-37-21.916N 076-31-28.356W	Fl W 15s	14	Conical brick tower black and white diagonally checkered.	Structure maintained by the National Park Service.
680	Cape Lookout Shoals Lighted Buoy 2	34-29-36.629N 076-25-40.715W	Q R	4	Red.	
685	Cape Lookout Lighted Buoy 14	34-18-06.640N 076-23-59.204W	Fl R 4s	6	Red.	
690	Cape Lookout Shoals Lighted Buoy 4	34-26-56.541N 076-28-23.264W	Fl R 2.5s	4	Red.	
695	Cape Lookout Shoals Lighted Buoy 6	34-27-16.016N 076-33-40.447W	Fl R 6s	5	Red.	
705	Cape Lookout Shoals Lighted Buoy 8	34-32-54.610N 076-36-09.535W	Q R	4	Red.	
710	Cape Lookout Breakwater Lighted Buoy 2	34-37-06.948N 076-33-45.931W	Q R	4	Red.	
720	Beaufort Inlet Channel Lighted Buoy BM	34-36-39.121N 076-41-09.815W	Mo (A) W	6	Red and white stripes with red spherical topmark.	Synthetic AIS MMSI 993672329.
730	Bogue Inlet Entrance Lighted Whistle Buoy BI	34-38-08.932N 077-04-38.894W	Mo (A) W	6	Red and white stripes with red spherical topmark.	
740	Camp Lejeune Danger Zone Lighted Buoy A	34-36-19.530N 077-05-35.568W	Fl Y 4s	6	Yellow.	
745	Camp Lejeune Danger Zone Lighted Buoy B	34-35-22.198N 077-01-27.606W	Fl Y 2.5s	6	Yellow.	
750	Camp Lejeune Danger Zone Lighted Buoy C	34-30-01.202N 077-02-03.604W	Fl Y 4s	6	Yellow.	
755	Camp Lejeune Danger Zone Lighted Buoy D	34-25-28.210N 077-05-34.803W	Fl Y 6s	6	Yellow.	
760	Camp Lejeune Danger Zone Lighted Buoy E	34-22-33.629N 077-10-59.912W	Fl Y 4s	6	Yellow.	
765	Camp Lejeune Danger Zone Lighted Buoy F	34-21-54.999N 077-17-28.647W	Fl Y 6s	6	Yellow.	
770	Camp Lejeune Danger Zone Lighted Buoy G	34-23-36.212N 077-23-34.664W	Fl Y 2.5s	6	Yellow.	
775	Camp Lejeune Danger Zone Lighted Buoy H	34-27-57.008N 077-21-07.856W	Fl Y 4s	6	Yellow.	
790	New River Inlet Lighted Whistle Buoy NR	34-31-00.211N 077-19-35.566W	Mo (A) W	6	Red and white stripes with red spherical topmark.	
795	New Topsail Inlet Lighted Whistle Buoy NT	34-20-11.703N 077-38-26.765W	Mo (A) W	6	Red and white stripes with red spherical topmark.	
800	Masonboro Inlet Lighted Whistle Buoy A	34-10-24.261N 077-47-51.081W	Mo (A) W	6	Red and white stripes with red spherical topmark.	
802.5	UNCW/CORMP Lighted Data Buoy D	34-12-30.240N 076-56-48.900W	Fl Y 4s		Yellow.	
802.3	Scripps Lighted Data Buoy CDIP 217	34-12-45.200N 076-56-56.400W	Fl (5)Y 20s		Yellow.	
803.2	UNCW/CORMP Lighted Data Buoy C	34-08-27.600N 077-43-01.800W	Fl (5)Y 20s		Yellow.	
803.1	UNCW/CORMP Lighted Data Buoy B	33-59-15.720N 077-21-36.960W	Fl Y 4s		Yellow.	
803	UNCW/CORMP Lighted Data Buoy A	34-08-30.800N 077-42-54.200W	Fl Y 4s		Yellow.	
805	Carolina Beach Inlet Entrance Lighted Whistle Buoy CB	34-04-53.983N 077-51-11.123W	Mo (A) W	5	Red and white stripes with red spherical topmark.	
810	Oak Island Light	33-53-34.190N 078-02-05.747W	Fl (4)W 10s	0	22	Cylindrical tower top third black middle third white lower third gray. Structure maintained by entity outside the U.S. Coast Guard.
812	Oak Island Lighted Sensor Buoy A	33-53-38.196N 078-05-06.558W	Fl Y 6s		Yellow.	
815	NOAA Lighted Data Buoy 41013 (ODAS)	33-26-28.000N 077-45-50.000W	Fl (4)Y 20s	5	Yellow disc-shaped hull.	
817	NOAA Lighted Data Buoy 41424 (Dart)	32-55-41.000N 072-28-11.000W	Fl (4)Y 20s	5	Yellow disc shaped hull.	
820	Frying Pan Shoals Slough Approach Lighted Whistle Buoy SA	33-42-36.745N 077-51-04.989W	Mo (A) W	6	Red and white stripes with red spherical topmark.	
825	Frying Pan Shoals Slough Buoy 1	33-39-06.617N 077-52-49.168W			Green can.	
830	Frying Pan Shoals Slough Buoy 2	33-39-16.236N 077-52-56.909W			Red nun.	
835	Frying Pan Shoals Lighted Buoy 16	33-28-50.634N 077-35-07.912W	Fl R 2.5s	5	Red.	Marks remains of Frying Pan Shoals Light tower.

845	Frying Pan Shoals Lighted Buoy 4FP	33-36-32.221N 077-54-59.875W	FI R 2.5s	4	Red.	
850	Frying Pan Shoals Lighted Buoy 6FP	33-41-00.026N 078-04-00.016W	FI R 4s	6	Red.	
857	Bald Head Island Lighted Sensor Buoy A	33-50-38.976N 078-00-43.494W	FI Y 4s		Yellow.	
860	Cape Fear River Entrance Lighted Whistle Buoy CF	33-46-16.729N 078-03-01.583W	Mo (A) W	6	Red and white stripes with red spherical topmark.	On channel centerline. Synthetic AIS MMSI 993672156.
867	UNC Wilmington Lighted Data Buoy SB	33-50-26.884N 078-28-59.459W	FI (5)Y 20s		Yellow.	
867.5	UNC Wilmington Lighted Data Buoy S	33-50-26.880N 078-29-15.720W	FI Y 4s		Yellow	
868	Cape Fear Lighted Research Buoy A	33-43-15.200N 078-00-59.000W	FI (5)Y 20s		Yellow.	
872	Shark River Inlet South Breakwater Light 1	40-11-11.391N 074-00-26.745W	FI G 4s	33	7	SG on pile.
873	Shark River Inlet North Breakwater Light 2	40-11-14.870N 074-00-28.982W	FI R 4s	25	6	TR on skeleton tower.
875	Barnegat Inlet Outer Lighted Whistle Buoy BI	39-44-19.093N 074-04-07.738W	Mo (A) W	6	Red and white stripes with red spherical topmark.	
880	Barnegat Inlet North Jetty Danger Buoy B	39-45-37.642N 074-05-20.838W				White and orange; can. Marks submerged jetty.
900	Barnegat Inlet Lighted Buoy 1	39-44-48.926N 074-04-36.458W	FI G 2.5s	5	Green.	
910	Barnegat Inlet Buoy 2	39-44-56.571N 074-04-29.919W				Red nun.
915	Barnegat Inlet Buoy 3	39-45-00.347N 074-04-52.378W				Green can.
920	Barnegat Inlet North Jetty Danger Buoy A	39-45-40.908N 074-05-23.912W				White and orange; can. Marks submerged jetty.
925	Barnegat Inlet Lighted Buoy 4	39-45-06.438N 074-04-50.030W	FI R 6s	5	Red.	
942	Barnegat Inlet North Breakwater Light 6	39-45-32.828N 074-05-22.646W	Q R	0	5	TR on multi-pile structure.
943	Barnegat Inlet South Breakwater Light 7	39-45-25.648N 074-05-35.711W	Q G	22	5	SG on skeleton tower.
950	Barnegat Inlet Lighted Buoy 9	39-45-45.291N 074-05-46.322W	FI G 2.5s	4	Green.	
955	Barnegat Inlet Lighted Buoy 11	39-45-56.681N 074-06-03.064W	Q G	4	Green.	
958	Barnegat Light	39-45-51.540N 074-06-22.230W	FI W 10s	22	Conical brick tower top half red bottom white.	
960	Barnegat Inlet Lighted Buoy 12	39-46-03.041N 074-06-06.978W	FI R 2.5s	4	Red.	
965	Barnegat Inlet Lighted Buoy 14	39-45-53.362N 074-06-27.712W	FI R 2.5s	4	Red.	Replaced by nun from Nov. 1 to May 1.
975	Barnegat Inlet Buoy 16	39-45-53.020N 074-06-34.162W				Red nun.
980	Barnegat Inlet Buoy 17	39-45-47.895N 074-06-35.619W				Green can.
985	Barnegat Inlet Buoy 18	39-45-55.856N 074-06-42.633W				Red nun.
990	Barnegat Inlet Buoy 19	39-46-05.310N 074-06-59.606W				Green can.
995	Barnegat Inlet Buoy 20	39-46-02.036N 074-06-48.899W				Red nun.
1000	Barnegat Inlet Buoy 21	39-46-12.528N 074-07-00.730W				Green can.
1005	Barnegat Inlet Buoy 22	39-46-11.704N 074-06-58.214W				Red nun.
1010	Barnegat Inlet Buoy 24	39-46-30.638N 074-06-54.114W				Red nun.
1015	Barnegat Inlet Buoy 25	39-46-27.947N 074-06-58.000W				Green can.
1020	Barnegat Inlet Lighted Buoy 26	39-46-41.988N 074-07-02.111W	FI R 2.5s	4	Red.	Replaced by nun from Nov. 1 to May 1.
1025	Barnegat Inlet Buoy 27	39-46-41.061N 074-07-05.655W				Green can.
1030	Barnegat Inlet Buoy 27A	39-47-00.684N 074-07-02.744W				Green can.

1035	Barnegat Inlet Buoy 28	39-47-01.227N 074-07-00.652W				Red nun.	
1040	Barnegat Inlet Buoy 29	39-47-08.633N 074-07-13.485W				Green can.	
1045	Barnegat Inlet Buoy 29A	39-47-16.458N 074-07-31.982W				Green can.	
1050	Barnegat Inlet Lighted Buoy 30	39-47-11.004N 074-07-11.687W	FI R 2.5s	4	Red.		Replaced by nun from Nov. 1 to May 1.
1055	Barnegat Inlet Buoy 31	39-47-19.743N 074-07-51.830W				Green can.	
1060	Barnegat Inlet Buoy 32	39-47-23.118N 074-07-51.286W				Red nun.	
1065	Barnegat Inlet Buoy 33	39-47-28.911N 074-08-17.047W				Green can.	
1070	Barnegat Inlet Lighted Buoy 34	39-47-33.144N 074-08-09.532W	FI R 2.5s	4	Red.		Replaced by nun from Nov. 1 to May 1.
1073	Oyster Creek Channel Buoy 35	39-47-29.998N 074-08-31.853W				Green can.	
1075	Oyster Creek Channel Buoy 36	39-47-32.852N 074-08-40.786W				Red nun.	
1080	Oyster Creek Channel Buoy 37	39-47-28.721N 074-09-04.706W				Green can.	Removed when endangered by ice.
1090	Oyster Creek Channel Buoy 38	39-47-30.772N 074-09-05.081W				Red nun.	Removed when endangered by ice.
1093	Oyster Creek Channel Buoy 39	39-47-28.540N 074-09-19.256W				Green can.	Removed when endangered by ice.
1095	Oyster Creek Channel Buoy 40	39-47-28.862N 074-09-25.357W				Red nun.	Removed when endangered by ice.
1097	Oyster Creek Channel Buoy 41	39-47-26.313N 074-09-37.070W				Green can.	Removed when endangered by ice.
1099	Oyster Creek Channel Lighted Buoy 42	39-47-27.875N 074-09-45.963W	Q R	4	Red.		Removed when endangered by ice.
1100	Little Egg Inlet Lighted Buoy 1	39-28-01.280N 074-16-49.101W	FI G 4s	6	Green.		
1105	Little Egg Inlet Lighted Buoy 2	39-28-18.204N 074-17-10.374W	FI R 4s	6	Red.		
1110	Little Egg Inlet Lighted Buoy 3	39-28-14.070N 074-17-13.905W	Q G	4	Green.		
1115	Little Egg Inlet Buoy 4	39-28-23.259N 074-17-35.422W				Red nun.	
1120	Little Egg Inlet Lighted Buoy 5	39-28-32.812N 074-18-03.407W	FI G 4s	5	Green.		
1125	Little Egg Inlet Lighted Buoy 6	39-28-50.499N 074-18-06.640W	Q R	4	Red.		Replaced by nun from Nov. 1 to May 1.
1129	Little Egg Inlet Buoy 8	39-29-13.567N 074-18-20.234W				Red nun.	
1131	Little Egg Inlet Lighted Buoy 10	39-29-44.555N 074-18-30.992W	FI R 2.5s	4	Red.		Replaced by nun from Nov. 1 to May 1.
1132	Little Egg Inlet Buoy 11	39-29-54.692N 074-18-58.235W				Green can.	
1140	Marshelder Channel Buoy 1	39-31-33.224N 074-17-37.114W				Green can.	
1145	Marshelder Channel Buoy 2	39-31-32.580N 074-17-28.944W				Red nun.	
1150	Marshelder Channel Buoy 2A	39-31-57.624N 074-17-16.313W				Red nun.	
1155	Marshelder Channel Buoy 3	39-32-12.424N 074-17-22.514W				Green can.	
1160	Marshelder Channel Buoy 4	39-32-24.424N 074-17-28.514W				Red nun.	
1165	Marshelder Channel Buoy 5	39-32-30.424N 074-17-46.515W				Green can.	
1167	Schramms Shellfish Lighted Danger Buoy A	39-35-04.587N 074-19-10.813W	FI W 6s			White and orange.	
1167.1	Schramms Shellfish Lighted Danger Buoy B	39-35-02.866N 074-19-10.813W	FI W 6s			White and orange.	
1167.2	Schramms Shellfish Lighted Danger Buoy C	39-35-00.615N 074-19-14.064W	FI W 6s			White and orange.	
1167.3	Schramms Shellfish Lighted Danger Buoy D	39-35-02.336N 074-19-15.434W	FI W 6s			White and orange.	

1167	Schramms Shellfish Lighted Danger Buoy A	39-35-04.587N 074-19-10.813W	Fl W 6s		White and orange.
1167.1	Schramms Shellfish Lighted Danger Buoy B	39-35-02.866N 074-19-10.813W	Fl W 6s		White and orange.
1167.2	Schramms Shellfish Lighted Danger Buoy C	39-35-00.615N 074-19-14.064W	Fl W 6s		White and orange.
1167.3	Schramms Shellfish Lighted Danger Buoy D	39-35-02.336N 074-19-15.434W	Fl W 6s		White and orange.
1170	Absecon Inlet Lighted Buoy 1	39-20-47.424N 074-24-01.351W	Fl G 4s	5	Green.
1175	Absecon Inlet Lighted Buoy 2	39-20-51.367N 074-23-48.874W	Fl R 2.5s	4	Red.
1180	Absecon Inlet Lighted Buoy 3	39-21-23.695N 074-24-11.998W	Fl G 2.5s	5	Green.
1185	Absecon Inlet Lighted Buoy 4	39-21-29.641N 074-24-06.004W	Fl R 2.5s	5	Red.
1190	Absecon Inlet Lighted Buoy 5	39-21-41.121N 074-24-17.394W	Fl G 2.5s	5	Green.
1215	Absecon Inlet Buoy 6	39-22-12.591N 074-24-25.994W			Red nun.
1220	Absecon Inlet Buoy 8	39-22-23.755N 074-24-36.100W			Red nun.
1225	Absecon Inlet Buoy 10	39-22-37.098N 074-24-44.763W			Red nun.
1230	Absecon Inlet Buoy 12	39-22-52.261N 074-25-01.461W			Red nun.
1235	Absecon Inlet Buoy 13	39-22-50.442N 074-25-07.687W			Green can.
1237	Absecon Inlet Buoy 15	39-22-57.951N 074-25-14.449W			Green can.
1240	Clam Creek Junction Lighted Buoy CC	39-22-43.063N 074-25-01.749W	Fl (2+1)G 6s	5	Green and red bands.
1245	Clam Creek Buoy 2	39-22-42.379N 074-25-06.912W			Red nun.
1250	Clam Creek Buoy 4	39-22-40.796N 074-25-18.486W			Red nun.
1270	Great Egg Harbor Inlet Lighted Buoy 1	39-16-57.561N 074-31-48.569W	Fl G 2.5s	6	Green.
1275	Great Egg Harbor Inlet Lighted Buoy 2	39-17-00.826N 074-31-37.439W	Fl R 2.5s	6	Red.
1277	Great Egg Harbor Inlet Buoy 3	39-17-18.307N 074-32-04.060W			Green can.
1280	Great Egg Harbor Inlet Buoy 4	39-17-43.158N 074-32-19.932W			Red nun.
1285	Great Egg Harbor Inlet Lighted Buoy 5	39-17-35.412N 074-32-22.599W	Fl G 4s	4	Green.
1288	Great Egg Harbor Inlet Buoy 7	39-18-01.597N 074-32-42.366W			Green can.
1290	Great Egg Harbor Inlet Junction Lighted Buoy GH	39-18-09.756N 074-32-40.134W	Fl (2+1)G 6s	5	Green and red bands.
1291	Great Egg Harbor Inlet Buoy 9	39-18-08.108N 074-32-51.735W			Green can.
1292	Great Egg Harbor Inlet Buoy 10	39-18-05.860N 074-33-29.045W			Red nun.
1293	Great Egg Harbor Inlet Buoy 12	39-18-02.467N 074-33-31.706W			Red nun.
1295	Longport Channel Buoy 1	39-18-22.177N 074-32-21.566W			Green can.
1300	Longport Channel Buoy 2	39-18-18.907N 074-32-19.574W			Red nun.
1305	Longport Channel Buoy 3	39-18-27.990N 074-32-08.563W			Green can.
1315	Longport Channel Buoy 5	39-18-35.597N 074-31-56.330W			Green can.
1317	Longport Channel Buoy 7	39-18-42.357N 074-31-51.518W			Green can.
1318	Longport Channel Buoy 8	39-18-47.917N 074-31-44.109W			Red nun.
1319	Longport Channel Buoy 9	39-18-50.914N 074-31-44.945W			Green can.

1325	Ship Channel Buoy 1	39-17-55.416N 074-34-13.559W				Green can.	Maintained from Apr. 1 to Nov. 30.
1330	Ship Channel Buoy 2	39-18-11.416N 074-34-30.560W				Red nun.	Maintained from Apr. 1 to Nov. 30.
1335	Ship Channel Buoy 3	39-18-33.416N 074-35-15.562W				Green can.	Maintained from Apr. 1 to Nov. 30.
1340	Ship Channel Buoy 4	39-18-18.416N 074-35-58.564W				Red nun.	Maintained from Apr. 1 to Nov. 30.
1345	Ship Channel Buoy 5	39-18-12.416N 074-36-16.565W				Green can.	Maintained from Apr. 1 to Nov. 30.
1350	Ship Channel Buoy 6	39-17-42.416N 074-36-34.565W				Red nun.	Maintained from Apr. 1 to Nov. 30.
1355	Ship Channel Buoy 7	39-17-42.415N 074-37-06.367W				Green can.	Maintained from Apr. 1 to Nov. 30.
1405	Townsend Inlet Lighted Buoy 2T	39-05-51.936N 074-41-48.384W	FI R 2.5s	4		Red.	
1407	Townsend Inlet Lighted Buoy 3	39-05-59.982N 074-42-09.912W	Q G	4		Green.	
1409	Townsend Inlet Buoy 4	39-06-03.606N 074-42-07.350W				Red nun.	
1410	Townsend Inlet Shoals Lighted Buoy 4A	39-07-05.442N 074-40-37.591W	FI R 4s	5		Red.	
1412	Avalon Jetty Light A	39-06-24.260N 074-42-12.470W	FI W 2.5s				
1415	Townsend Inlet Lighted Buoy 6	39-06-32.256N 074-42-11.400W	FI R 4s	4		Red.	
1420	Townsend Inlet Buoy 8	39-06-53.362N 074-42-39.584W				Red nun.	
1425	Townsend Inlet Buoy 10	39-07-03.939N 074-42-50.151W				Red nun.	
1435	Cape May Inlet Lighted Buoy 2CM	38-55-47.036N 074-51-20.524W	FI R 2.5s	5		Red.	
1440	Cape May Inlet East Jetty Light 4	38-56-12.146N 074-51-42.676W	FI R 4s	20	6	TR on skeleton tower.	
1445	Cape May Inlet West Jetty Light 5	38-56-11.746N 074-51-55.326W	FI G 4s	20	6	SG on pile.	
1455	Cape May Harbor Range Front Light 4	38-57-07.793N 074-52-35.171W	Q R	0		Light 4 TR-TY on multi-pile structure. On same structure as Cape May Harbor Range Front light.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
1460	Cape May Harbor Range Rear Light	38-57-25.482N 074-52-49.787W	Oc W 4s	25		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
1463	Cape May Harbor Range Rear Passing Light	38-57-25.482N 074-52-49.787W	FI W 4s	28	5	On same structure as Cape May Harbor Range Rear Light.	On corner of platform.
1465	Cape May Harbor Lighted Buoy 2	38-56-59.573N 074-52-22.894W	FI R 2.5s	4		Red.	
1475	Delaware Bay North Approach Lighted Buoy 2	38-48-19.031N 074-55-18.015W	Q R	5		Red.	
1480	Delaware Bay North Approach Lighted Buoy 4	38-47-56.076N 074-58-33.032W	FI R 4s	5		Red.	
1483	Delaware Bay Entrance Junction Lighted Buoy DF	38-46-17.265N 074-58-45.117W	FI (2+1)R 6s	5		Red and green bands.	
1485	Delaware Bay Approach Lighted Whistle Buoy CH	38-46-14.008N 075-01-19.539W	Mo (A) W	6		Red and white stripes with red spherical topmark.	Synthetic AIS MMSI 993672980.
1490	Hen and Chickens Shoal Lighted Buoy 1HC	38-42-42.792N 074-58-55.903W	FI G 2.5s	5		Green.	
1495	Hen and Chickens Shoal Lighted Buoy 3HC	38-44-46.448N 075-01-24.482W	FI G 4s	5		Green.	
1505	Delaware Bay Entrance Channel Lighted Buoy 5	38-46-36.031N 075-03-33.015W	FI G 2.5s	5		Green.	
1510	Delaware Bay Entrance Channel Lighted Buoy 6	38-47-33.031N 075-01-48.015W	Q R	5		Red.	Marks the NE corner of pilots triangle.
1515	Delaware Bay Entrance Channel Lighted Buoy 8	38-49-21.031N 075-02-30.015W	FI R 2.5s	5		Red.	
1520	South Shoal Lump Lighted Buoy 8A	38-49-18.434N 075-01-34.655W	Oc R 4s	4		Red.	
1525	South Shoal Lump Buoy 8B	38-50-00.434N 075-02-04.656W				Red nun.	
1530	Harbor of Refuge Light	38-48-52.254N 075-05-32.636W	FI W 10s	0	19	White conical tower on black cylindrical substructure.	Red from 325° to 351° covers Hen and Chicken Shoal and 127° to 175° covers Brown Shoals. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si) Structure maintained by entity outside the U.S. Coast Guard.
1533	Brown Shoal Lighted Buoy 9	38-55-16.410N 075-05-56.927W	FI G 2.5s	5		Green.	Removed when endangered by ice.

1533	Brown Shoal Lighted Buoy 9	38-55-16.410N 075-05-56.927W	FI G 2.5s	5	Green.	Removed when endangered by ice.
1535	Brown Shoal Light	38-55-21.073N 075-06-00.672W	FI W 2.5s	20	7	NB on skeleton tower. Synthetic AIS MMSI 993672627.
1540	Delaware Bay Main Channel Lighted Buoy 10	38-56-24.800N 075-06-17.411W	FI R 4s	5	Red.	Removed when endangered by ice.
1550	Delaware Bay Main Channel Lighted Buoy 12	38-58-52.235N 075-07-36.673W	FI R 4s	5	Red.	Removed when endangered by ice.
1555	Brandywine Shoal Light	38-59-10.465N 075-06-47.480W	FI W 10s	0	19	Cylindrical concrete structure adjacent to old screw-pile. Red from 151° to 338° covers shoal area southwest of Cape May. Emergency light of lower intensity with same characteristic as main light when light is extinguished. HORN: 1 blast ev 15s (2s bl). Maintained from Mar. 15 to Dec. 15. Structure maintained by entity outside the U.S. Coast Guard.
1565	Delaware Bay Main Channel Lighted Buoy 14	39-00-18.435N 075-08-24.775W	FI R 2.5s	4	Red.	Removed when endangered by ice.
1570	Delaware Bay Main Channel Lighted Buoy 16	39-02-08.436N 075-09-23.878W	FI R 4s	5	Red.	Replaced by LIB of reduced intensity when endangered by ice.
1575	Fourteen Foot Bank Light	39-02-53.727N 075-10-55.953W	FI W 9s	13	White tower and dwelling on black cylindrical pier. Red from 332.5° to 151° covers Brown and Joe Flogger Shoals. HORN: 1 blast ev 30s (3s bl). Operates continuously from Mar. 15 to Dec. 1. Structure maintained by entity outside the U.S. Coast Guard.	
1580	Delaware Bay Main Channel Light 19	39-05-01.431N 075-11-16.459W	Q G	0	5	SG on pile.
1585	Miah Maul Shoal Light	39-07-35.959N 075-12-31.270W	Oc W 4s	0	10	Red conical tower on gray caisson; red cylindrical watch room and black lantern. Red from 137.5° to 333° covers Brandywine Shoal and Cross Ledge. HORN: 1 blast ev 10s (1s bl). Maintained from Mar. 15 to Dec. 15. Structure maintained by entity outside the U.S. Coast Guard.
1590	Delaware Bay Main Channel Lighted Buoy 25	39-07-10.925N 075-13-10.881W	FI G 4s	6	Green.	Replaced by LIB of reduced intensity when endangered by ice.
1595	Delaware Bay Main Channel Lighted Buoy 27	39-09-33.539N 075-15-20.699W	FI G 2.5s	6	Green.	Removed when endangered by ice.
1598	Elbow Of Cross Ledge Lighted Buoy 28	39-10-54.478N 075-16-09.834W	Q R	5	Red.	Replaced by LIB of reduced intensity when endangered by ice. AIS: MMSI 993672862.
1598	Elbow Of Cross Ledge Lighted Buoy 28	39-10-54.478N 075-16-09.834W	Q R	5	Red.	Replaced by LIB of reduced intensity when endangered by ice. AIS: MMSI 993672862.
1600	Elbow of Cross Ledge Light	39-10-56.045N 075-16-06.411W	Iso W 6s	45	16	Red skeleton tower with small white house on international orange cylindrical base. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Maintained from Mar. 15 to Dec. 15.
1605	Delaware Bay Main Channel Lighted Buoy 29	39-10-49.639N 075-16-28.203W	Q G	5	Green.	Replaced by LIB of reduced intensity when endangered by ice.
1615	Delaware Bay Main Channel Lighted Buoy 31	39-12-42.740N 075-17-34.806W	FI G 2.5s	6	Green.	Replaced by LIB of reduced intensity when endangered by ice.
1620	Delaware Bay Main Channel Light 32	39-13-59.740N 075-17-57.978W	Q R	47	6	TR on pile.
1625	Delaware Bay Main Channel Lighted Buoy 34	39-14-49.640N 075-18-57.211W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.
1630	Delaware Bay Main Channel Lighted Buoy 35	39-16-02.239N 075-20-41.415W	FI G 2.5s	6	Green.	Replaced by LIB of reduced intensity when endangered by ice.
1635	Delaware Bay Main Channel Buoy 38	39-17-46.938N 075-22-21.918W				Red nun.
1640	Ship John Shoal Light	39-18-19.108N 075-22-35.959W	FI W 5s	0	16	Brown octagonal dwelling with pyramidal roof; on cylindrical pier. Red from 138° to 321.5° covers shoals on east channel. High intensity beam down Miah Maul Range. HORN: 1 blast ev 15s (2s bl 13s si). Horn maintained from Mar. 15 to Dec. 15. Structure Maintained by entity outside the U.S. Coast Guard.
1645	Delaware Bay Main Channel Lighted Buoy 42	39-21-04.747N 075-26-12.603W	FI R 4s	6	Red.	
1648	Cape May-Lewes Ferry Lighted Data Buoy A	38-53-53.950N 075-01-33.030W	FI (5) W 20S			Yellow spar buoy. Seasonal 11/01-04/30
1648	Cape May-Lewes Ferry Lighted Data Buoy A	38-53-53.950N 075-01-33.030W	FI (5) W 20S			Yellow spar buoy. Seasonal 11/01-04/30
1650	Cape May Canal West Entrance Approach Lighted Buoy 2	38-54-30.031N 075-02-15.015W	FI R 4s	4	Red.	Replaced by LIB of reduced intensity when endangered by ice.
1655	Cape May Canal West Entrance Approach Lighted Buoy 4	38-55-33.031N 075-00-47.515W	FI R 2.5s	4	Red.	Replaced by LIB of reduced intensity when endangered by ice.
1660	Cape May Canal West Entrance Approach Lighted Buoy 5	38-56-30.031N 075-00-45.015W	FI G 4s	4	Green.	Replaced by LIB of reduced intensity when endangered by ice.
1665	Cape May Canal West Entrance Approach Lighted Buoy 8	38-57-58.736N 074-58-46.448W	FI R 2.5s	4	Red.	Maintained from May 1 to Nov. 1.
1670	Cape May Canal West Entrance South Jetty Light 10	38-57-57.102N 074-58-00.516W	FI R 4s	25	6	TR-SY on skeleton tower.

1675	Cape May Canal West Entrance North Jetty Light 11	38-58-03.715N 074-57-59.705W	Fl G 2.5s	20	6	SG-TY on skeleton tower.	HORN: 1 blast ev 15s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 83A (157.175MHz). HORN operates for 30 minutes.
1677	Cape May Canal West Entrance Buoy 12	38-58-01.572N 074-57-31.509W				Red nun.	Removed when endangered by ice.
1679	Cape May Canal West Entrance Buoy 14	38-58-01.528N 074-57-27.305W				Red nun.	Removed when endangered by ice.
1680	Cape May Ferry Fog Signal	39-58-03.405N 074-57-36.606W					Bell: 3 strokes ev 10s.
1685	Deadman Shoal Lighted Buoy 1DS	39-05-12.438N 074-59-52.649W	Fl G 4s		4	Green.	Maintained from May 1 to Nov. 1.
1687	Cape May Aquaculture Zone Lighted Buoy A	39-04-22.200N 074-55-10.800W	Fl W 4s			White can with orange diamond.	
1687.1	Cape May Aquaculture Zone Lighted Buoy B	39-04-16.800N 074-54-56.400W	Fl W 4s			White can with orange diamond.	
1687.2	Cape May Aquaculture Zone Lighted Buoy C	39-03-51.600N 074-55-11.400W	Fl W 4s			White can with orange diamond.	
1687.3	Cape May Aquaculture Zone Lighted Buoy D	39-03-38.400N 074-55-27.000W	Fl W 4s			White can with orange diamond.	
1695	East Point Light	39-11-45.221N 075-01-38.324W	Iso W 6s	48	9	Black cupola on white two story house with a red roof.	Red from 055° to 017°. Structure maintained by entity outside the U.S. Coast Guard.
1700	Maurice River Entrance Lighted Buoy 1	39-08-36.439N 075-06-16.670W	Fl G 4s		5	Green.	Replaced by can from Nov. 1 to Apr. 1.
1705	Maurice River Buoy 2	39-10-39.140N 075-02-16.656W				Red nun.	
1710	Maurice River Lighted Buoy 3	39-10-42.440N 075-02-22.657W	Fl G 4s		4	Green.	Replaced by can from Nov. 1 to Apr. 1.
1715	Maurice River Lighted Buoy 5	39-11-18.441N 075-02-16.656W	Fl G 2.5s		4	Green.	Replaced by can from Nov. 1 to Apr. 1.
1720	Maurice River Buoy 7	39-11-49.149N 075-02-22.656W				Green can.	
1725	Maurice River Lighted Buoy 8	39-11-58.573N 075-02-23.119W	Q R		4	Red.	Replaced by nun from Nov. 1 to Apr. 1.
1730	Maurice River Buoy 9	39-12-13.432N 075-02-21.287W				Green can.	
1733	Maurice River Buoy 11	39-12-29.863N 075-02-16.902W					
1733	Maurice River Buoy 11	39-12-29.863N 075-02-16.902W					
1735	Maurice River Buoy 12	39-12-44.464N 075-01-49.869W				Red nun.	
1745	Maurice River Lighted Buoy 13	39-13-00.189N 075-01-31.906W	Fl G 2.5s		4	Green.	Replaced by can from Nov. 1 to Apr. 1.
1748	Maurice River Buoy 14	39-13-22.111N 075-01-46.395W				Red nun.	
1750	Maurice River Wreck Buoy WR16	39-14-07.203N 075-01-35.017W				Red nun.	
1775	Maurice River Buoy 17	39-18-00.271N 074-58-55.035W				Green can.	
1780	Maurice River Buoy 18	39-18-00.451N 074-59-19.215W				Red nun.	
1790	Maurice River Buoy 19	39-18-12.391N 074-59-31.875W				Green can.	
1795	Maurice River Buoy 21	39-18-23.191N 074-59-23.175W				Green can.	
1800	Maurice River Buoy 22	39-18-25.323N 074-59-46.999W				Red nun.	
1805	Maurice River Buoy 24	39-18-45.331N 075-00-06.015W				Red nun.	
1810	Maurice River Buoy 25	39-19-00.151N 074-59-50.775W				Green can.	
1825	Maurice River Buoy 26	39-19-20.851N 075-00-20.895W				Red nun.	
1830	Maurice River Buoy 27	39-19-35.806N 075-00-08.555W				Green can.	
1840	Maurice River Buoy 29	39-19-44.311N 075-00-33.135W				Green can.	
1850	Maurice River Buoy 30	39-20-07.711N 075-00-27.495W				Red nun.	
1860	Maurice River Buoy 32	39-20-28.871N 075-00-57.067W				Red nun.	

1865	Maurice River Warning Buoy	39-20-30.337N 075-00-56.289W				White can.	
1875	Maurice River Buoy 34	39-20-44.611N 075-01-20.644W				Red nun.	
1877	Maurice River Buoy 34A	39-20-51.360N 075-01-20.394W				Red nun.	
1880	Maurice River Buoy 35	39-21-03.719N 075-01-21.355W				Green can.	
1885	Maurice River Buoy 36	39-21-11.179N 075-01-39.969W				Red nun.	
1887	Maurice River Buoy 36A	39-21-14.443N 075-01-49.405W				Red nun.	
1890	Maurice River Buoy 38	39-21-25.109N 075-01-48.997W				Red nun.	
1893	Maurice River Buoy 38A	39-21-31.768N 075-01-40.172W				Red nun.	
1895	Maurice River Buoy 39	39-21-36.031N 075-01-41.355W				Green can.	
1900	Maurice River Buoy 40	39-22-02.371N 075-02-15.255W				Red nun.	
1905	Maurice River Buoy 41	39-22-04.895N 075-02-14.023W				Green can.	
1910	Maurice River Buoy 42	39-22-07.531N 075-02-07.335W				Red nun.	
1915	Maurice River Buoy 43	39-22-08.388N 075-02-07.775W				Green can.	
1925	Maurice River Buoy 44	39-22-08.591N 075-02-04.879W				Red nun.	
1930	Maurice River Buoy 45	39-22-10.414N 075-02-04.711W				Green can.	
1931	Maurice River Buoy 45A	39-22-17.449N 075-02-05.856W				Green can.	
1935	Maurice River Buoy 46	39-22-18.261N 075-02-04.759W				Red nun.	
1940	Maurice River Buoy 48	39-22-20.602N 075-02-07.411W				Red nun.	
1943	Maurice River Buoy 50	39-22-25.641N 075-02-12.362W				Red nun.	
1945	Egg Island Point Light	39-10-20.640N 075-07-55.075W	Fl W 4s	25	7	NR on skeleton tower; on multi-pile structure.	
1955	Fortescue Entrance Lighted Buoy 2F	39-14-14.320N 075-11-04.646W	Fl R 4s		4	Red.	Maintained from Apr. 1 to Dec. 1.
1970	Nantuxent Point Light	39-16-38.544N 075-14-40.403W	Fl W 4s	15	5	NR on pile.	
1980	Nantuxent Creek Warning Daybeacon A	39-16-56.866N 075-14-22.447W				NR on pile.	
1980	Nantuxent Creek Warning Daybeacon A	39-16-56.866N 075-14-22.447W				NR on pile.	
1981	Nantuxent Creek Warning Daybeacon B	39-16-58.373N 075-14-20.030W				NR on pile.	
1981	Nantuxent Creek Warning Daybeacon B	39-16-58.373N 075-14-20.030W				NR on pile.	
1982	Nantuxent Creek Warning Daybeacon C	39-16-59.395N 075-14-18.021W				NR on pile.	
1982	Nantuxent Creek Warning Daybeacon C	39-16-59.395N 075-14-18.021W				NR on pile.	
1984	Nantuxant Cove Breakwater Warning Daybeacon A	39-17-31.498N 075-14-53.611W				NW on pile worded ROCK.	
1984	Nantuxant Cove Breakwater Warning Daybeacon A	39-17-31.498N 075-14-53.611W				NW on pile worded ROCK.	
1985	Nantuxant Cove Breakwater Warning Daybeacon B	39-17-32.872N 075-14-55.608W				NW on pile worded ROCK.	
1985	Nantuxant Cove Breakwater Warning Daybeacon B	39-17-32.872N 075-14-55.608W				NW on pile worded ROCK.	
1986	Nantuxant Cove Breakwater Warning Daybeacon C	39-17-34.252N 075-14-57.229W				NW on pile worded ROCK.	
1986	Nantuxant Cove Breakwater Warning Daybeacon C	39-17-34.252N 075-14-57.229W				NW on pile worded ROCK.	
1987	Nantuxant Cove Breakwater Warning Daybeacon D	39-17-39.682N 075-15-03.648W				NW on pile worded ROCK.	

1987	Nantuxant Cove Breakwater Warning Daybeacon D	39-17-39.682N 075-15-03.648W					NW on pile worded ROCK.	
1988	Nantuxant Cove Breakwater Warning Daybeacon E	39-17-41.525N 075-15-06.392W					NW on pile worded ROCK.	
1988	Nantuxant Cove Breakwater Warning Daybeacon E	39-17-41.525N 075-15-06.392W					NW on pile worded ROCK.	
1989	Nantuxant Cove Breakwater Warning Daybeacon F	39-17-43.924N 075-15-09.285W					NW on pile worded ROCK.	
1989	Nantuxant Cove Breakwater Warning Daybeacon F	39-17-43.924N 075-15-09.285W					NW on pile worded ROCK.	
1990	Cohansey Light	39-20-30.239N 075-21-40.585W	Fl W 4s	25	8		NB on black skeleton tower.	Red from 068° to 098° and from 275° to 305°.
1995	Cohansey Outer Light 1C	39-20-40.595N 075-22-01.064W	Q G	32	5		SG on square tower.	
2005	Cohansey River Outfall Light	39-25-00.500N 075-14-00.500W	Fl W 4s				NW on pile worded OUTFALL.	
2030	Delaware Breakwater West End Light 3	38-48-01.814N 075-06-59.930W	Fl G 4s	40	7		SG on tower.	
2032	University of Delaware Lighted Wave Buoy A	38-47-35.520N 075-07-25.730W	Fl Y 2.5s				Yellow.	Temp till Sep 2026
2032	University of Delaware Lighted Wave Buoy A	38-47-35.520N 075-07-25.730W	Fl Y 2.5s				Yellow.	Temp till Sep 2026
2033	Cape Henlopen Fishing Pier Light A	38-47-27.220N 075-06-16.000W	Fl W 6s				On pier.	
2033.1	Cape Henlopen Fishing Pier Light B	38-47-27.710N 075-06-14.030W	Fl W 6s				On pier.	
2033.2	Cape Henlopen Fishing Pier Light C	38-47-28.300N 075-06-12.080W	Fl W 6s				On pier.	
2033.3	Cape Henlopen Fishing Pier Light D	38-47-23.600N 075-06-12.780W	Fl W 6s				On pier.	
2035	Lewes Breakwater Front Light	38-47-15.982N 075-07-05.512W	Iso R 2s				Tower.	
2040	Lewes Breakwater Middle Light	38-47-07.094N 075-07-17.360W	Fl R 4s				Tower.	
2043	Harbor of Refuge Lighted Mooring Buoy CG	38-47-47.751N 075-07-54.315W	Fl W 4s		4		White with blue band.	
2045	Lewes Ferry Terminal Fog Signal	38-46-59.200N 075-07-07.000W						Horn: 1 blast ev 15s
2050	Harbor Of Refuge North End Light 1	38-49-57.086N 075-06-20.503W	Fl G 4s	24	7		SG on skeleton tower.	
2055	Delaware Bay East Icebreaker Light 2	38-50-17.834N 075-06-39.369W	Fl R 2.5s		6		White column tower.	
2060	Delaware Bay West Icebreaker Light W	38-50-08.666N 075-07-10.265W	Fl W 4s	10	6		NB on sheleton tower on multi-pile structure.	
2065	Roosevelt Inlet Jetty Light 1R	38-47-38.938N 075-09-21.158W	Fl G 4s	9	6		SG on multi-pile structure.	Higher intensity beam toward 004°.
2070	Roosevelt Inlet Jetty Light 2	38-47-41.551N 075-09-26.441W	Fl R 4s	9	6		TR on multi-pile structure.	
2073	Roosevelt Inlet Buoy 4	38-47-26.373N 075-09-35.318W					Red nun.	Removed when endangered by ice.
2075	Roosevelt Inlet Range Front Light	38-47-15.369N 075-09-44.394W	Q W	20			KRW on skeleton tower.	NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
2080	Roosevelt Inlet Range Rear Light	38-47-11.005N 075-09-48.036W	Oc W 4s	30			KRW on skeleton tower.	NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
2085	Lewes and Rehoboth Canal Jetty Warning Light	38-41-15.134N 075-05-52.368W	Fl W 4s	0	6		NW on skeleton tower on white cylindrical base; worded DANGER SUBMERGED JETTY.	
2095	Rehoboth Bay Channel Buoy 1	38-41-13.887N 075-05-52.369W					Green can.	Removed when endangered by ice.
2100	Rehoboth Bay Channel Buoy 3	38-40-39.085N 075-06-04.203W					Green can.	Removed when endangered by ice.
2105	Rehoboth Bay Channel Buoy 5	38-40-03.151N 075-06-16.317W					Green can.	Removed when endangered by ice.
2110	Rehoboth Bay Channel Buoy 7	38-39-26.863N 075-06-27.381W					Green can.	Removed when endangered by ice.
2112	Rehoboth Bay Channel Buoy 7A	38-38-56.863N 075-06-31.095W					Green can.	Removed when endangered by ice.
2115	Rehoboth Bay Channel Lighted Buoy 9	38-38-41.059N 075-06-25.238W	Fl G 4s		4		Green.	Removed when endangered by ice.
2117	Rehoboth Bay Channel Buoy 10	38-38-29.851N 075-06-19.695W					Red nun.	Removed when endangered by ice.

2119.26	Herring Creek Daybeacon 26	38-39-05.090N 075-08-55.940W				TR on pile.	
2119.25	Herring Creek Daybeacon 25	38-39-04.570N 075-08-56.600W				SG on pile.	
2119.24	Herring Creek Daybeacon 24	38-39-02.740N 075-08-49.850W				TR on pile.	
2119.23	Herring Creek Daybeacon 23	38-39-02.210N 075-08-50.470W				SG on pile.	
2119.22	Herring Creek Daybeacon 22	38-39-00.560N 075-08-48.190W				TR on pile.	
2119.21	Herring Creek Daybeacon 21	38-39-00.290N 075-08-49.010W				SG on pile.	
2119.2	Herring Creek Daybeacon 20	38-38-56.730N 075-08-46.870W				TR on pile.	
2119.19	Herring Creek Daybeacon 19	38-38-56.440N 075-08-47.680W				SG on pile.	
2119.18	Herring Creek Daybeacon 18	38-38-52.900N 075-08-45.540W				TR on pile.	
2119.17	Herring Creek Daybeacon 17	38-38-52.590N 075-08-46.350W				SG on pile.	
2119.16	Herring Creek Daybeacon 16	38-38-47.390N 075-08-40.210W				TR on pile.	
2119.15	Herring Creek Daybeacon 15	38-38-46.900N 075-08-40.840W				SG on pile.	
2119.14	Herring Creek Daybeacon 14	38-38-44.830N 075-08-35.940W				TR on pile.	
2119.13	Herring Creek Daybeacon 13	38-38-44.340N 075-08-36.580W				SG on pile.	
2119.12	Herring Creek Daybeacon 12	38-38-42.270N 075-08-31.680W				TR on pile.	
2119.11	Herring Creek Daybeacon 11	38-38-41.790N 075-08-32.220W				SG on pile.	
2119.1	Herring Creek Daybeacon 10	38-38-39.500N 075-08-29.210W				TR on pile.	
2119.09	Herring Creek Daybeacon 9	38-38-38.900N 075-08-29.760W				SG on pile.	
2119.08	Herring Creek Daybeacon 8	38-38-38.160N 075-08-23.530W				TR on pile.	
2119.07	Herring Creek Daybeacon 7	38-38-37.520N 075-08-23.900W				SG on pile.	
2119.06	Herring Creek Daybeacon 6	38-38-36.820N 075-08-17.850W				TR on pile.	
2119.05	Herring Creek Daybeacon 5	38-38-36.140N 075-08-18.050W				SG on pile.	
2119.04	Herring Creek Daybeacon 4	38-38-35.420N 075-08-05.500W				TR on pile.	
2119.03	Herring Creek Daybeacon 3	38-38-34.760N 075-08-05.830W				SG on pile.	
2119.02	Herring Creek Daybeacon 2	38-38-32.540N 075-08-00.090W				TR on pile.	
2119.01	Herring Creek Daybeacon 1	38-38-31.960N 075-08-00.580W				SG on pile.	
2120	Rehoboth Bay Channel Buoy 11	38-38-31.538N 075-06-16.185W				Green can.	Removed when endangered by ice.
2125	Rehoboth Bay Channel Buoy 12	38-38-08.957N 075-06-03.729W				Red nun.	Removed when endangered by ice.
2130	Rehoboth Bay Channel Lighted Buoy 13	38-38-03.712N 075-06-01.296W	FI G 4s	5		Green.	Removed when endangered by ice.
2133	Rehoboth Bay Channel Buoy 14	38-38-00.540N 075-06-04.311W				Red nun.	Removed when endangered by ice.
2135	Rehoboth Bay Channel Buoy 15	38-37-57.808N 075-06-04.238W				Green can.	Removed when endangered by ice.
2136	Bakers Channel Lighted Buoy 1A	38-38-01.884N 075-05-55.388W	FI G 4s			Green.	
2137	Bakers Channel Lighted Buoy 1B	38-37-59.812N 075-05-52.749W	FI G 4s			Green.	
2137.01	Bakers Channel Lighted Buoy 2	38-38-00.360N 075-05-52.749W	FI R 4s			Red.	
2137.02	Bakers Channel Lighted Buoy 3	38-37-58.392N 075-05-48.106W	FI G 4s			Green.	

2137.03	Bakers Channel Lighted Buoy 4	38-37-57.591N 075-05-50.261W	FI R 4s		Red.	
2137.04	Bakers Channel Lighted Buoy 5	38-37-53.716N 075-05-38.340W	FI G 4s		Green.	
2137.05	Bakers Channel Lighted Buoy 6	38-37-52.915N 075-05-39.947W	FI R 4s		Red.	
2137.06	Bakers Channel Lighted Buoy 7	38-37-50.168N 075-05-28.450W	FI G 4s		Green.	
2137.07	Bakers Channel Lighted Buoy 8	38-37-48.214N 075-05-29.537W	FI R 4s		Red.	
2137.08	Bakers Channel Lighted Buoy 9	38-37-43.813N 075-05-17.616W	FI G 4s		Green.	
2137.09	Bakers Channel Lighted Buoy 10	38-37-42.658N 075-05-18.986W	FI R 4s		Red.	
2137.11	Bakers Channel Lighted Buoy 11	38-37-41.200N 075-05-11.499W	FI G 4s		Green.	
2137.12	Bakers Channel Lighted Buoy 12	38-37-39.299N 075-05-13.518W	FI R 4s		Red.	
2137.13	Bakers Channel Lighted Buoy 13	38-37-30.846N 075-05-12.078W	FI G 4s		Green.	
2137.14	Bakers Channel Lighted Buoy 14	38-37-30.643N 075-05-14.857W	FI R 4s		Red.	
2137.15	Bakers Channel Lighted Buoy 15	38-37-20.102N 075-05-15.072W	FI G 4s		Green.	
2137.16	Bakers Channel Lighted Buoy 16	38-37-21.496N 075-05-17.186W	FI R 4s		Red.	
2137.18	Bakers Channel Lighted Buoy 16A	38-37-12.190N 075-05-22.745W	FI R 4s		Red.	
2138	Rehoboth Bay Channel Buoy 16	38-37-55.528N 075-06-06.662W			Red nun.	Removed when endangered by ice.
2139	Rehoboth Bay Channel Buoy 16A	38-37-46.282N 075-06-06.380W			Red nun.	Removed when endangered by ice.
2140	Rehoboth Bay Channel Buoy 16B	38-37-21.568N 075-05-44.406W			Red nun.	Removed when endangered by ice.
2142	Rehoboth Bay Channel Buoy 17	38-37-54.874N 075-06-05.564W			Green can.	Removed when endangered by ice.
2143	Rehoboth Bay Channel Buoy 17A	38-37-33.537N 075-05-59.909W			Green can.	Removed when endangered by ice.
2145.1	Rehoboth Bay Channel Buoy 18	38-37-14.877N 075-05-39.617W			Red nun.	Removed when endangered by ice.
2145	Rehoboth Bay Channel Buoy 17B	38-37-15.758N 075-05-38.627W			Green can.	Removed when endangered by ice.
2148	Rehoboth Bay Channel Buoy 19	38-37-11.598N 075-05-35.702W			Green can.	Removed when endangered by ice.
2151	Rehoboth Bay Channel Buoy 20	38-37-06.445N 075-05-34.712W			Red nun.	Removed when endangered by ice.
2155	Rehoboth Bay Channel Buoy 21	38-37-00.647N 075-05-27.416W			Green can.	Removed when endangered by ice.
2157	Rehoboth Bay Channel Buoy 22	38-36-54.927N 075-05-36.197W			Red nun.	Removed when endangered by ice.
2165.5	Rehoboth Bay Channel Buoy 23A	38-36-29.298N 075-05-29.669W			Green can.	Removed when endangered by ice.
2165.5	Rehoboth Bay Channel Buoy 23A	38-36-29.298N 075-05-29.669W			Green can.	Removed when endangered by ice.
2165	Rehoboth Bay Channel Buoy 23	38-36-43.905N 075-05-32.135W			Green can.	Removed when endangered by ice.
2166	Rehoboth Bay Channel Buoy 24	38-36-40.323N 075-05-37.187W			Red nun.	Removed when endangered by ice.
2167	Rehoboth Bay Channel Buoy 24A	38-36-28.218N 075-05-36.211W			Red nun.	Removed when endangered by ice.
2167	Rehoboth Bay Channel Buoy 24A	38-36-28.218N 075-05-36.211W			Red nun.	Removed when endangered by ice.
2169	Rehoboth Bay Channel Buoy 25	38-36-22.427N 075-05-18.415W			Green can.	Removed when endangered by ice.
2180	Tanker Anchorage Approach Lighted Buoy A	38-53-50.435N 075-08-08.674W	FI Y 2.5s	6	Yellow.	Replaced by LIB of reduced intensity when endangered by ice.
2185	Tanker Anchorage Lighted Buoy B	38-57-05.435N 075-12-11.686W	FI Y 6s	7	Yellow.	
2190	Tanker Anchorage Buoy C	38-58-35.435N 075-13-17.689W			Yellow nun.	

2195	Tanker Anchorage Buoy D	39-00-49.436N 075-14-55.694W				Yellow can.	
2200	Tanker Anchorage Buoy E	39-01-22.436N 075-13-23.690W				Yellow can.	
2205	Tanker Anchorage Buoy F	38-59-18.435N 075-11-53.685W				Yellow can.	
2210	Tanker Anchorage Lighted Buoy G	38-57-39.435N 075-10-41.681W	FI Y 4s	6		Yellow.	
2215	Lower Middle Wreck Buoy LMW	39-00-05.687N 075-12-16.794W				Red nun.	
2220	Channel Crossing Buoy 1	39-02-45.436N 075-14-02.992W				Green can.	
2225	Channel Crossing Buoy 2	39-02-42.436N 075-13-34.691W				Red nun.	
2235	Blake Channel Buoy 1	39-09-42.739N 075-17-26.305W				Green can.	
2240	Blake Channel Buoy 2	39-13-42.839N 075-19-58.313W				Red nun.	
2245	Bombay Hook Point Shoal Buoy 1	39-18-51.890N 075-24-48.393W				Green can.	
2260	Mispillion Inlet South Jetty Light 1M	38-56-11.873N 075-17-53.421W	FI G 4s	5		SG and NW on skeleton tower. NW worded DANGER SUBMERGED JETTY.	
2265	Mispillion South Jetty Warning Daybeacon A	38-56-14.257N 075-17-56.709W				NW on multi-pile structure worded DANGER SUBMERGED JETTY.	
2270	Mispillion South Jetty Warning Daybeacon B	38-56-17.455N 075-18-02.007W		15		NW on multi-pile structure worded DANGER SUBMERGED JETTY.	
2275	Mispillion Inlet North Jetty Light 2	38-56-13.431N 075-17-51.791W	FI R 4s	10	6	TR on skeleton tower on multi pile structure.	
2300	Murderkill River Light 1	39-03-48.366N 075-22-40.546W	FI G 2.5s	10	4		
2300	Murderkill River Light 1	39-03-48.366N 075-22-40.546W	FI G 2.5s	10	4		
2305	Murderkill River Range Front Light 7	39-03-30.102N 075-23-46.129W	FI G 2.5s	10		SG on multi-pile structure.	Lighted throughout 24 hours. Visible all around; higher intensity 1.5° either side of rangeline.
2305	Murderkill River Range Front Light 7	39-03-30.102N 075-23-46.129W	FI G 2.5s	10		SG on multi-pile structure.	Lighted throughout 24 hours. Visible all around; higher intensity 1.5° either side of rangeline.
2310	Murderkill River Range Rear Light	39-03-18.453N 075-24-22.621W	F G	55		On skeleton tower.	Lighted throughout 24 hours. Visible all around; higher intensity 1.5° either side of rangeline.
2315	Murderkill River Buoy 2	39-03-45.072N 075-23-00.820W				Red nun.	Removed when endangered by ice.
2320	Murderkill River Buoy 3	39-03-44.295N 075-22-59.375W				Green can.	Removed when endangered by ice.
2330	Murderkill River Buoy 4	39-03-40.655N 075-23-14.416W				Red nun.	Removed when endangered by ice.
2335	Murderkill River Buoy 5	39-03-39.876N 075-23-13.959W				Green can.	Removed when endangered by ice.
2337	Murderkill River Buoy 6	39-03-35.802N 075-23-30.132W				Red nun.	Removed when endangered by ice.
2345	Port Mahon Light	39-10-42.437N 075-24-22.723W	Oc W 4s	15	5	On steel pole.	
2350	Port Mahon Approach Buoy 1	39-12-43.827N 075-20-11.180W				Green can.	
2360	Port Mahon Approach Light 3	39-11-47.011N 075-21-59.205W	FI G 2.5s	0	4	SG on multi-pile structure.	
2362	Port Mahon Approach Buoy 4	39-11-39.931N 075-22-25.735W				Red nun.	
2365	Port Mahon Approach Light 5	39-11-22.035N 075-22-46.672W	FI G 4s	0	4	SG on multi-pile structure.	
2370	Port Mahon Approach Buoy 6	39-11-16.851N 075-23-12.575W				Red nun.	
2375	Port Mahon Approach Light 7	39-11-01.061N 075-23-34.545W	FI G 2.5s	0	4	SG on multi-pile structure.	
2380	Port Mahon Approach Buoy 8	39-11-03.587N 075-23-49.879W				Red nun.	
2385	Port Mahon Approach Buoy 9	39-10-58.532N 075-23-49.149W				Green can.	
2420	Leipsic River Light 2	39-14-46.103N 075-24-32.683W	FI R 4s	4		TR on skeleton tower.	
2425	Smyrna River South Jetty Daybeacon 1	39-22-11.159N 075-30-11.610W		18		SG on pile.	

2430	Collins Beach Light 2	39-23-20.364N 075-31-02.828W	FI R 2.5s	4		TR on pile.	
2435	Collins Beach Daybeacon 3	39-23-18.306N 075-31-08.987W		12		SG on pile.	
2440	Collins Beach Daybeacon 4	39-23-19.507N 075-31-23.907W				TR on pile.	
2445	Liston Range Front Light	39-28-57.166N 075-35-29.979W	Iso W 6s	15		White skeleton tower with small white house.	Lighted throughout 24 hours.
2450	Liston Range Rear Light	39-31-25.670N 075-38-22.913W	F W			Gallery on pyramidal skeleton tower black central column.	Lighted throughout 24 hours.
2455	Delaware Bay Main Channel Lighted Buoy 44	39-22-36.107N 075-27-59.676W	FI R 6s	5		Red.	Removed when endangered by ice.
2460	Delaware Bay Main Channel Lighted Buoy 46	39-23-59.335N 075-29-35.437W	FI R 2.5s	5		Red.	Replaced by LIB of reduced intensity when endangered by ice.
2470	Delaware Bay Main Channel Lighted Buoy 48	39-25-38.234N 075-31-30.542W	FI R 4s	5		Red.	Removed when endangered by ice.
2472	Delaware Bay Main Channel Lighted Buoy 49	39-26-19.460N 075-32-36.503W	FI G 2.5s	5		Green.	Replaced by LIB of reduced intensity when endangered by ice.
2475	Hope Creek Jetty Light 1	39-26-38.394N 075-30-40.799W	Q G	10	5	SG and NW on pile on red cement block NW worded DANGER SUBMERGED JETTY.	
2485	Delaware River Lighted Buoy 1DR	39-27-18.434N 075-33-42.747W	Q G	4		Green.	Replaced by LIB of reduced intensity when endangered by ice.
2490	Delaware River Light 2 (2)	39-27-24.811N 075-33-26.531W	FI R 2.5s	20	6	TR on pile.	Lights located on upbound and downbound sides of platform.
2495	Reedy Island Dike Lower Buoy 2	39-27-38.134N 075-34-13.248W				Red nun.	
2497	Silver Run Tower Vessel Protection Light A	39-27-35.217N 075-35-11.135W	Q W				
2497.1	Silver Run Tower Vessel Protection Light B	39-27-33.614N 075-35-11.530W	Q W				
2500	Reedy Island Dike South Warning Light	39-28-04.314N 075-34-28.569W	FI W 2.5s	20	5	NW on skeleton tower worded DANGER SUBMERGED DIKE.	
2505	Baker Range Front Light	39-30-42.326N 075-33-59.834W	FI W 2.5s	12		On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline
2510	Baker Range Rear Light	39-31-50.754N 075-34-07.462W	Iso W 6s	45		Skeleton tower on multipile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
2511	Baker Range Rear Passing Light	39-31-50.754N 075-34-07.462W	FI W 4s	45	4	Located on same structure as Baker Range Rear Light.	
2515	Delaware River Lighted Buoy 3	39-28-09.291N 075-33-52.956W	FI G 2.5s	5		Green.	Replaced by LIB of reduced intensity when endangered by ice.
2520	Delaware River Lighted Buoy 4	39-28-10.434N 075-33-35.747W	FI R 4s	5		Red.	Replaced by LIB of reduced intensity when endangered by ice.
2523	Artificial Island Terminal Lighted Buoy 2	39-28-16.743N 075-33-29.793W	FI R 2.5s			Red.	
2523.2	Artificial Island Terminal Lighted Buoy 3	39-28-23.832N 075-33-12.624W	FI G 4s			Green.	
2523.4	Artificial Island Terminal Lighted Buoy 5	39-28-24.993N 075-32-53.691W	FI G 4s			Green.	
2523.6	Artificial Island Terminal Lighted Buoy 6	39-28-19.465N 075-32-46.720W	FI R 4s			Red.	
2523.8	Artificial Island Terminal Lighted Buoy 7	39-28-30.096N 075-32-50.121W	FI G 4s			Green.	
2523.11	Artificial Island Terminal Lighted Warning Buoy A	39-28-16.927N 075-32-38.000W	FI W 6s			White and orange.	
2523	Artificial Island Terminal Lighted Buoy 2	39-28-16.743N 075-33-29.793W	FI R 2.5s			Red.	
2523.2	Artificial Island Terminal Lighted Buoy 3	39-28-23.832N 075-33-12.624W	FI G 4s			Green.	
2523.4	Artificial Island Terminal Lighted Buoy 5	39-28-24.993N 075-32-53.691W	FI G 4s			Green.	
2523.6	Artificial Island Terminal Lighted Buoy 6	39-28-19.465N 075-32-46.720W	FI R 4s			Red.	
2523.8	Artificial Island Terminal Lighted Buoy 7	39-28-30.096N 075-32-50.121W	FI G 4s			Green.	
2523.11	Artificial Island Terminal Lighted Warning Buoy A	39-28-16.927N 075-32-38.000W	FI W 6s			White and orange.	
2525	Reedy Island Dike Warning Buoy A	39-28-20.734N 075-34-35.549W				White can with orange bands worded DIKE.	
2530	Reedy Island Dike Warning Buoy B	39-28-32.234N 075-34-22.248W				White can with orange bands worded DIKE.	

2535	Reedy Island Dike Warning Buoy C	39-29-18.091N 075-34-25.762W					White can with orange bands worded DIKE.	
2540	Reedy Island Dike Warning Buoy D	39-29-16.234N 075-34-20.848W					White can with orange bands worded DIKE.	
2545	Reedy Island Dike Warning Buoy E	39-29-49.234N 075-34-17.448W					White can with orange bands worded DIKE.	
2550	Reedy Island Dike Warning Buoy F	39-29-42.934N 075-34-09.448W					White can with orange bands worded DIKE.	
2555	Reedy Island Dike Warning Buoy G	39-30-20.534N 075-34-09.548W					White can with orange bands worded DIKE.	
2560	Reedy Island Dike Warning Buoy H	39-30-19.501N 075-34-00.002W					White can with orange bands worded DIKE.	
2565	Reedy Island Dike Middle Light	39-28-58.514N 075-34-26.479W	FI W 6s	15	7		NW on pile worded DANGER SUBMERGED DIKE.	
2570	Delaware River Buoy 5	39-28-59.343N 075-33-54.171W					Green can.	
2575	Delaware River Lighted Bell Buoy 6	39-28-58.431N 075-33-40.432W	Q R		5	Red.		Replaced by LIB of reduced intensity when endangered by ice.
2580	Reedy Island Range Front Light	39-26-44.881N 075-34-35.229W	F R	10		On skeleton tower.		Lighted throughout 24 hours. Visible .9° either side of rangeline.
2585	Reedy Island Range Rear Light	39-24-23.599N 075-35-24.594W	F R	0		Gallery on pyramidal skeleton structure with black central column.		Lighted throughout 24 hours. Visible .9° either side of rangeline.
2590	Artificial Island Anchorage Buoy A	39-28-51.234N 075-33-05.945W					Yellow nun.	
2595	Delaware River Lighted Buoy 8	39-30-35.761N 075-33-08.106W	FI R 2.5s		5	Red.		Replaced by LIB of reduced intensity when endangered by ice.
2605	Old Reedy Island Light	39-30-02.694N 075-34-07.708W	Iso W 6s	20	8	NR on tower.		Red from 353° to 014°. Covers dike making out south from Reedy Island.
2610	Reedy Island Gap South Daybeacon 1	39-30-12.374N 075-34-06.688W		0		SG on pile.		
2615	Reedy Island Gap North Light 2	39-30-14.184N 075-34-06.228W	Q R	15	3	TR on pile.		
2620	Delaware River Lighted Buoy 9	39-31-01.611N 075-33-11.706W	FI G 2.5s		5	Green.		Replaced by LIB of reduced intensity when endangered by ice.
2630	Artificial Island Anchorage Buoy B	39-31-00.434N 075-32-29.743W					Yellow nun.	
2635	Delaware River Lighted Wreck Buoy WR10	39-32-12.031N 075-32-30.016W	Q R		5	Red		Replaced by LIB of reduced intensity when endangered by ice.
2641	Reedy Island Anchorage Buoy A	39-32-15.841N 075-33-08.916W					Yellow can.	
2643	Reedy Island Anchorage Buoy B	39-33-09.030N 075-33-09.967W					Yellow can.	
2645	Salem River Entrance Channel Lighted Buoy 2	39-32-39.686N 075-32-13.802W	FI R 4s		5	Red.		Replaced by LIB of reduced intensity when endangered by ice.
2650	Salem River Entrance Channel Light 3	39-33-11.977N 075-31-46.010W	FI G 2.5s	0	4	SG on multi-pile structure.		
2655	Salem River Entrance Channel Directional Light	39-34-15.742N 075-31-02.406W	FI G 2.5s	10		On skeleton tower.		Light visible on a bearing of 027.4°. Lighted throughout 24 hours.
2665	Salem River Entrance Channel Light 4	39-33-10.518N 075-31-42.062W	FI R 2.5s	0	4	TR on multi-pile structure.		
2670	Salem River Entrance Channel Light 5	39-33-37.099N 075-31-29.435W	FI G 4s	0	4	SG on multi-pile structure.		
2675	Salem River Entrance Channel Light 6	39-33-34.818N 075-31-26.336W	FI R 4s	0	3	TR on multi-pile structure.		
2680	Salem River Entrance Channel Light 7	39-34-08.974N 075-31-08.609W	Q G	0	4	SG on multi-pile structure.		
2685	Salem River Entrance Channel Light 8	39-34-07.457N 075-31-04.928W	FI R 2.5s	0	4	TR on multi-pile structure.		
2690	Salem River Entrance Channel Light 9	39-34-14.166N 075-30-59.006W	Q G	0	4	SG on multi-pile structure.		
2695	Salem River Entrance Channel Light 10	39-34-11.195N 075-30-55.660W	FI R 2.5s	10	4	TR on multi-pile structure.		
2700	Salem River Directional Light	39-34-14.434N 075-30-40.369W	Oc W 4s		6	NB on multi-pile structure.		Higher intensity beam towards Salem River entrance. Lighted throughout 24 hours.
2705	Salem River Entrance Channel Light 11	39-34-13.116N 075-30-28.934W	FI G 2.5s	0	4	SG on multi-pile structure.		
2710	Salem River Entrance Channel Light 12	39-34-08.061N 075-30-27.407W	Q R	0	4	TR on multi-pile structure.		
2713	Salem River Entrance Channel Light 13	39-34-21.801N 075-29-42.036W	FI G 4s	0	4	SG on multi-pile structure.		

2715	Salem River Entrance Channel 14 V-AIS	39-34-15.735N 075-29-53.272W					Virtual AIS: MMSI 993672159
2720	Delaware River Lighted Buoy 11	39-33-06.498N 075-32-36.920W	Q G	5	Green.		Replaced by LIB of reduced intensity when endangered by ice. Synthetic AIS MMSI 993672077.
2725	Delaware River Lighted Buoy 12	39-33-07.935N 075-32-14.641W	Q R	5	Red.		Replaced by LIB of reduced intensity when endangered by ice.
2730	New Castle Range Front Light	39-38-32.639N 075-35-43.543W	Iso G 2s	55	On white skeleton tower.		Lighted throughout 24 hours. Visible 0.9° either side of rangeline.
2735	New Castle Range Rear Light	39-38-53.397N 075-35-56.480W	F G	100	White skeleton tower small white house.		Lighted throughout 24 hours. Visible 0.9° either side or rangeline.
2740	Delaware River Lighted Buoy 13	39-34-08.694N 075-33-05.718W	FI G 4s	4	Green.		Replaced by LIB of reduced intensity when endangered by ice. Synthetic AIS MMSI 993672078.
2742	Fort Mott State Park Warning Light A	39-36-03.980N 075-33-15.915W	FI Y 4s		On Ferry Mooring multi-pile.		
2742.1	Fort Mott State Park Warning Light B	39-36-04.583N 075-33-16.537W	FI Y 4s		On Ferry Mooring multi-pile.		
2745	Chesapeake and Delaware Canal Junction Lighted Buoy CD	39-33-51.804N 075-33-17.580W	FI (2+1)R 6s	4	Red with green band.		Replaced by LIB of reduced intensity when endangered by ice. Synthetic AIS: MMSI 993672079.
2750	Chesapeake And Delaware Canal South Jetty Light 1CD	39-33-31.985N 075-33-29.764W	Q G	35	5	SG on skeleton tower.	
2755	Chesapeake And Delaware Canal Light 2	39-33-46.615N 075-33-32.504W	Q R	15	5	TR on skeleton tower.	
2760	Chesapeake And Delaware Canal Light 3	39-33-08.024N 075-37-15.615W	FI G 2.5s	10	5	SG on pile.	Higher intensity towards center span of bridge.
2765	Bulkhead Shoal Channel Range Front Light	39-35-37.975N 075-36-13.215W	Q R			KRW on orange skeleton structure.	Lighted throughout 24 hours.
2770	Bulkhead Shoal Channel Range Rear Light	39-35-55.615N 075-36-44.226W	F R			KRW on orange skeleton structure.	Lighted throughout 24 hours.
2775	Bulkhead Shoal Channel Lighted Buoy 2	39-34-04.140N 075-33-23.482W	FI R 2.5s			Red.	
2780	Bulkhead Shoal Channel Lighted Buoy 3	39-34-13.697N 075-33-50.459W	FI G 2.5s			Green.	
2785	Bulkhead Shoal Channel Buoy 4	39-34-17.430N 075-33-47.100W				Red nun.	
2790	Bulkhead Shoal Channel Buoy 4A	39-34-28.800N 075-34-06.605W				Red nun.	
2795	Bulkhead Shoal Channel Lighted Buoy 5	39-34-36.924N 075-34-30.660W	FI G 2.5s			Green.	
2800	Bulkhead Shoal Channel Buoy 6	39-34-40.473N 075-34-27.840W				Red nun.	
2805	Bulkhead Shoal Channel Lighted Buoy 6A	39-34-46.530N 075-34-38.448W	FI R 2.5s			Red.	Replaced by nun from Dec. 1 to Apr. 1.
2810	Delaware City Light 1	39-34-45.341N 075-35-06.868W	FI G 4s	4		SG on multi-pile structure.	
2815	Bulkhead Shoal Channel Buoy 8	39-35-18.108N 075-35-21.210W				Red nun.	
2830	Delaware River Light 15	39-35-24.905N 075-33-55.375W	FI G 6s	5		SG on pile.	
2835	Delaware River Lighted Buoy 17	39-36-28.036N 075-34-33.247W	FI G 2.5s	5	Green.		Replaced by can when endangered by ice.
2840	Pea Patch Island Warning Daybeacon PPA	39-36-14.655N 075-35-03.468W		12		NW on pile worded DANGER SUBMERGED DIKE.	
2845	Pea Patch Island Transmission Sound Signal	39-36-44.205N 075-34-53.531W					HORN: 1 blast ev 17s (3s bl).
2850	Pea Patch Island Racon	39-36-42.000N 075-34-54.000W				On platform on overhead power cable tower No. 97.	
2855	Pea Patch Island Warning Daybeacon PPC	39-36-32.595N 075-35-12.739W		12		NW on pile worded DANGER SUBMERGED DIKE.	
2860	Pea Patch Island Dike Warning Light A	39-36-52.185N 075-35-17.598W	FI W 4s	13	5	NW on pile worded DANGER SUBMERGED DIKE.	
2865	Pea Patch Island Dike Warning Daybeacon PPD	39-37-38.166N 075-35-09.841W		10		NW on pile worded DANGER SUBMERGED DIKE.	
2870	Pea Patch Island Warning Light B	39-37-31.409N 075-35-12.982W	FI W 2.5s	4		NW on pile worded DANGER SUBMERGED DIKE.	
2872	Pea Patch Island Dike Warning Light C	39-38-05.592N 075-34-49.215W	FI W 6s	7		NW on multi-pile structure worded DANGER SUBMERGED DIKE.	
2874	Pea Patch Island Dike Warning Light E	39-38-43.947N 075-34-03.742W	FI W 4s	10	5	NW on skeleton structure worded DANGER SUBMERGED DIKE.	
2875	Delaware River Lighted Buoy 18	39-36-51.186N 075-34-33.246W	Q R	4	Red.		Replaced by LIB of reduced intensity when endangered by ice.

2880	Bulkhead Bar Range Front Light	39-38-19.454N 075-34-33.216W	Iso R 2s	10		On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
2885	Bulkhead Bar Range Rear Light	39-39-19.156N 075-34-22.201W	F R	44		On black skeleton tower small white house.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
2890	Delaware River Lighted Buoy 20	39-37-15.636N 075-34-34.446W	Fl R 4s	5		Red.	Replaced by nun when endangered by ice.
2895	Deepwater Point Range Front Light	39-40-42.110N 075-31-06.335W	Iso G 2s			On yellow cylindrical tower.	Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around; higher intensity 0.5° either side of rangeline.
2900	Pennsville Dike Warning Buoy PDA	39-39-45.478N 075-31-41.735W				White with orange bands worded DANGER DIKE; can.	Maintained from May 15 to Nov. 1.
2905	Pennsville Dike Warning Buoy PDB	39-40-11.438N 075-31-12.433W				White and orange bands worded DANGER DIKE; can.	Maintained from May 15 to Nov. 1.
2910	Deepwater Point Range Rear Light	39-41-04.240N 075-30-40.789W	F G	55		On yellow cylindrical tower.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 0.5° either side of rangeline.
2912	Deepwater Point Range Rear Passing Lights (2)	39-41-04.240N 075-30-40.789W	Fl W 4s	15	5	On same structure as Deepwater Point Range Rear Light.	
2920	Delaware River Lighted Buoy 21	39-37-44.144N 075-34-39.897W	Fl G 2.5s	4		Green.	Replaced by can when endangered by ice.
2925	Delaware River Lighted Buoy 22	39-37-45.436N 075-34-22.045W	Q R	4		Red.	Replaced by LIB of reduced intensity when endangered by ice.
2945	Delaware River Lighted Buoy 24	39-38-25.737N 075-33-35.743W	Fl R 4s	4		Red.	Replaced by nun when endangered by ice.
2950	Delaware River Lighted Buoy 25	39-39-21.938N 075-32-49.740W	Fl G 4s	4		Green.	Replaced by can when endangered by ice.
2955	Delaware River Lighted Buoy 26	39-39-24.187N 075-32-27.238W	Fl R 4s	4		Red.	Replaced by LIB of reduced intensity when endangered by ice.
2965	Delaware River Lighted Buoy 27	39-40-29.318N 075-31-38.026W	Q G	5		Green.	Replaced by LIB of reduced intensity when endangered by ice.
2970	Delaware River Lighted Buoy 28	39-40-22.438N 075-31-21.733W	Fl R 2.5s	5		Red.	Replaced by LIB of reduced intensity when endangered by ice.
2973	Dupont Chambers Diffuser Warning Lighted Buoy A	39-41-53.730N 075-30-35.330W	Fl W 4s			White with orange bands and diamond worded DANGER SUBMERGED PIPELINE.	Removed when endangered by ice.
2975	Cherry Island Range Front Light	39-45-02.199N 075-29-39.070W	Iso R 2s	35		Skeleton tower on multi-pile structure..	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
2977	Cherry Island Range Front Passing Lights (2)	39-45-02.199N 075-29-39.070W	Fl W 4s	12	4	Located on same structure as Cherry Island Range Front Light.	
2980	Cherry Island Range Rear Light	39-45-43.434N 075-29-23.056W	F R	40		On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
2995	Delaware River Lighted Buoy 29	39-42-10.689N 075-30-53.230W	Fl G 4s	5		Green.	Replaced by can when endangered by ice.
3000	Christina River South Jetty Light 1	39-42-54.939N 075-30-45.029W	Fl G 2.5s	15	6	SG on skeleton tower.	
3005	Christina River Range Front Light	39-43-21.953N 075-31-56.809W	Q G	20		On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3010	Christina River Range Rear Light	39-43-25.160N 075-32-06.519W	Iso G 6s	30		On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3015	Christina River Entrance Lighted Buoy 2	39-43-01.123N 075-30-37.926W	Fl R 4s	4		Red.	Removed when endangered by ice.
3017	Diamond State Pier Light N	39-42-37.400N 075-30-44.500W	Fl Y 4s			On pier.	
3017.1	Diamond State Pier Light S	39-42-29.900N 075-30-47.700W	Fl Y 2.5s			On pier.	
3017.2	Diamond State Pier Light Q	39-42-28.370N 075-30-49.650W	Fl Y 2.5s			On mooring dolphin.	
3017.3	Diamond State Pier Light R	39-42-27.180N 075-30-50.100W	Fl Y 2.5s			On mooring dolphin.	
3020	Delaware River Lighted Buoy 30	39-43-08.640N 075-30-16.527W	Fl R 6s	5		Red.	Replaced by nun when endangered by ice.
3025	Delaware River Buoy 31	39-43-12.040N 075-30-28.428W				Green can.	
3030	Delaware River Lighted Buoy 32	39-44-09.031N 075-29-53.786W	Q R	5		Red.	Replaced by nun when endangered by ice.
3035	Delaware River Buoy 33	39-43-43.440N 075-30-16.227W				Green can.	
3040	Delaware River Buoy 35	39-44-23.641N 075-30-00.726W				Green can.	
3045	Delaware River Lighted Buoy 36	39-44-50.591N 075-29-27.166W	Fl R 2.5s	4		Red.	Replaced by LIB of reduced intensity when endangered by ice.
3050	Cherry Island Flats East Channel Buoy 1	39-43-06.540N 075-30-01.526W				Green can.	

3055	Cherry Island Flats East Channel Buoy 2	39-43-28.940N 075-29-20.524W					Red nun.	
3060	Cherry Island Flats East Channel Buoy 3	39-44-06.240N 075-29-13.224W					Green can.	
3065	Cherry Island Flats East Channel Buoy 4	39-44-31.440N 075-28-38.921W					Red nun.	
3070	Cherry Island Flats East Channel Buoy 5	39-45-00.640N 075-28-44.221W					Green can.	
3075	Cherry Island Flats Upper Junction Buoy CF	39-45-30.240N 075-28-31.321W					Red and green bands; nun.	
3080	Bellevue Range Front Light	39-44-07.369N 075-30-14.314W	FI G 2.5s	10			On tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3085	Bellevue Range Rear Light	39-43-41.240N 075-30-38.456W	F G	60			On skeleton tower.	Lighted throughout 24 hours. DAY : Visible 0.9° either side of rangeline. NIGHT : Visible 0.5° either side of rangeline.
3090.1	Dupont-Edgemoor Warning Buoy D	39-45-10.850N 075-29-24.320W					White with orange band worded SUBMERGED PIPE; can.	
3110	Delaware River Lighted Buoy 38	39-45-29.741N 075-28-50.806W	FI R 4s		4		Red.	Replaced by LIB of reduced intensity when endangered by ice.
3113	Delaware River Buoy 39	39-45-50.051N 075-28-48.256W					Green can.	
3120	Delaware River Lighted Buoy 40	39-46-41.438N 075-27-45.520W	FI R 2.5s		4		Red.	Removed when endangered by ice.
3123	Delaware River Lighted Buoy 41	39-47-01.751N 075-27-40.756W	FI G 4s		4		Green.	Removed when endangered by ice.
3125	Grubbs Landing Light	39-47-08.548N 075-27-51.401W	FI W 4s	15	6		NG on skeleton tower.	
3130	Delaware River Lighted Buoy 42	39-47-04.639N 075-27-13.619W	Q R		5		Red.	Replaced by LIB of reduced intensity when endangered by ice.
3135	Marcus Hook Range Front Light	39-46-40.578N 075-28-17.229W	Q R	0			On tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline
3138	Marcus Hook Front Range Passing Lights (2)	39-46-40.578N 075-28-17.229W	FI W 4s	20	4		Located on same structure as Marcus Hook Front Range Light.	
3140	Marcus Hook Range Rear Light	39-46-30.654N 075-28-37.369W	Oc R 4s	50			On tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3143	Marcus Hook Rear Range Passing Lights (2)	39-46-30.654N 075-28-37.369W	FI W 4s		4		Located on same structure as Marcus Hook Rear Range Light.	
3150	Delaware River Lighted Buoy 43	39-47-23.938N 075-26-58.718W	FI G 2.5s		5		Green.	Replaced by can when endangered by ice.
3155	Delaware River Buoy 44	39-47-25.438N 075-26-35.617W					Red nun.	
3160	Delaware River Lighted Buoy 46	39-47-43.637N 075-25-59.915W	FI R 4s		4		Red.	Replaced by LIB of reduced intensity when endangered by ice.
3165	Marcus Hook Anchorage Buoy A	39-47-47.621N 075-25-03.143W					Yellow nun.	
3170	Marcus Hook Intake Light	39-48-16.326N 075-25-22.608W	FI Y 2.5s				On wood trestle on pile.	
3180	Marcus Hook Anchorage Buoy B	39-48-11.780N 075-24-10.774W					Yellow nun.	
3201	Raccoon Creek Jetty Light 2RC	39-48-34.132N 075-23-02.756W	FI R 4s	0	5		TR on pile.	
3205	Marcus Hook Anchorage Buoy C	39-48-37.989N 075-23-17.293W					Yellow nun.	
3210	Delaware River Lighted Buoy 47	39-49-03.427N 075-23-40.500W	FI G 2.5s		5		Green.	Replaced by can when endangered by ice.
3215	Delaware River Lighted Buoy 49	39-49-27.136N 075-22-51.506W	Q G		5		Green.	Replaced by LIB of reduced intensity when endangered by ice.
3220	Chester Transmission West Lights (2)	39-49-30.405N 075-23-04.690W	F R				On platform.	
3225	Chester Transmission East Lights (4)	39-49-12.406N 075-22-46.689W	F R				On platform.	HORN : 1bl ev 20s (2s bl).
3230	Chester Range Front Light	39-51-14.490N 075-19-53.303W	Iso G 2s	50			On square skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3235	Chester Range Rear Light	39-51-24.788N 075-19-36.994W	Iso G 6s				On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3240	Delaware River Buoy 48	39-49-17.137N 075-22-48.705W					Red nun.	
3245	Delaware River Lighted Buoy 50	39-49-52.836N 075-21-52.702W	FI R 4s		5		Red.	Replaced by LIB of reduced intensity when endangered by ice.
3250	Chester Intake Light	39-50-30.405N 075-21-22.684W					On pile.	

3255	Delaware River Lighted Buoy 52	39-50-28.736N 075-20-51.098W	Q R	4	Red.	Replaced by LIB of reduced intensity when endangered by ice.
3260	Delaware River Lighted Buoy 53	39-50-45.701N 075-20-34.393W	FI G 2.5s	4	Green.	Replaced by LIB of reduced intensity when endangered by ice.
3270	Delaware River Lighted Buoy 54	39-50-50.537N 075-19-51.695W	Q R	4	Red.	Replaced by LIB of reduced intensity when endangered by ice.
3275	Eddystone Generating Station Range Front Light	39-51-24.405N 075-19-22.677W	Q W		Rectangular white daymark with orange vertical stripe on steel tower.	
3280	Eddystone Generating Station Range Rear Light	39-51-29.420N 075-19-17.550W	Oc W 4s		Rectangular white daymark with orange stripe on tower.	
3285	Tinicum Range Front Light	39-50-51.963N 075-15-09.863W	Iso R 2s	30	On skeleton tower.	Lighted throughout 24 hours. Visible 0.9° either side of rangeline.
3290	Tinicum Range Rear Light	39-50-50.941N 075-14-23.091W	F R	90	Gallery on pyramidal skeleton structure black central tower.	Lighted throughout 24 hours. Visible 0.9° either side of rangeline.
3295	Delaware River Lighted Buoy 55	39-51-02.151N 075-19-24.346W	FI G 2.5s	4	Green.	Replaced by can when endangered by ice.
3300	Delaware River Buoy 56	39-50-51.851N 075-18-47.606W			Red nun.	
3305	Thompson Point Intake Light	39-50-42.406N 075-18-16.673W	F R		On pile.	
3310	Delaware River Buoy 57	39-51-00.146N 075-17-47.299W			Green can.	
3315	Delaware River Lighted Buoy 59	39-50-59.338N 075-15-53.479W	Q G	5	Green.	Replaced by LIB of reduced intensity when endangered by ice.
3320	Billingsport Range Front Light	39-50-29.907N 075-17-14.838W	Iso R 2s	15	On tower.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 4° either side of rangeline.
3325	Billingsport Range Rear Light	39-50-25.126N 075-17-32.195W	Oc R 4s	40	On tower.	Lighted throughout 24 hours. Visible 0.5° either side of rangeline.
3345	Mantua Creek Upper Jetty Light 1M	39-51-12.888N 075-13-47.980W	FI G 2.5s	10	3	SG on white pile; concrete base.
3360	Mantua Creek Channel Buoy 2	39-51-04.338N 075-13-42.470W			Red nun.	Maintained from May. 15 to Nov. 1.
3370	Mifflin Range Front Light	39-50-51.910N 075-15-09.809W	Iso G 2s	40	On same structure as Tinicum Range Front Light.	Lighted throughout 24 hours. Visible 0.9° either side of rangeline.
3375	Mifflin Range Rear Light	39-50-40.657N 075-15-29.610W	F G	65	White skeleton tower.	Lighted throughout 24 hours. Visible 0.9° either side of rangeline.
3380	Delaware River Lighted Buoy 61	39-51-22.938N 075-14-30.073W	Q G	4	Green.	Replaced by LIB of reduced intensity when endangered by ice.
3385	Delaware River Buoy 63	39-51-53.111N 075-13-31.919W			Green can.	
3390	Mantua Creek Anchorage Buoy A	39-51-35.178N 075-13-14.506W			Yellow nun.	
3395	Mantua Creek Anchorage Buoy B	39-52-09.972N 075-12-15.336W			Yellow nun.	
3400	Mantua Creek Anchorage Buoy C	39-52-32.887N 075-12-01.176W			Yellow nun.	
3405	Delaware River Lighted Buoy 64	39-52-42.712N 075-11-45.387W	Q R	4	Red.	Replaced by LIB of reduced intensity when endangered by ice.
3410	Schuylkill River Entrance Buoy 1	39-52-52.938N 075-11-55.163W			Green can.	
3415	Schuylkill River Range Front Light	39-53-20.213N 075-11-35.938W	Q G	20	On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3420	Schuylkill River Range Rear Light	39-53-26.181N 075-11-33.028W	Oc G 4s		On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3425	Schuylkill River Jetty Light 2	39-53-00.998N 075-11-40.862W	FI R 4s	37	6	TR on skeleton tower on cylindrical base.
3433	Schuylkill River Light 3	39-53-24.309N 075-11-46.127W	FI G 2.5s	4	SG on pile.	
3435	Schuylkill River Reserve Basin Junction Buoy RB	39-53-31.241N 075-11-41.279W			Red and green band; nun.	
3445	Schuylkill River Buoy 7	39-53-44.948N 075-12-37.001W			Green can.	
3450	Schuylkill River Buoy 8	39-54-10.337N 075-12-53.465W			Red nun.	
3455	Schuylkill River Buoy 10	39-54-29.021N 075-12-55.518W			Red nun.	
3490	Delaware River Lighted Buoy 66	39-52-49.157N 075-10-25.089W	Q R	4	Red.	Replaced by LIB of reduced intensity when endangered by ice.
3495	Eagle Point Range Front Light	39-52-58.710N 075-12-01.041W	Iso G 2s	10	On skeleton tower.	Lighted throughout 24 hours. Visible 3° either side of rangeline.

3500	Eagle Point Range Rear Light	39-52-59.301N 075-12-12.177W	F G	50	On white pyramidal tower.	Lighted throughout 24 hours. Visible 4° either side of rangeline.
3505	Delaware River Lighted Buoy 68	39-52-47.847N 075-10-00.204W	FI R 4s	4	Red.	Replaced by nun when endangered by ice.
3507	CEPOC Buoy A	39-52-44.040N 075-09-41.640W			Yellow sphere.	
3509	Delaware River Lighted Buoy 69	39-52-56.380N 075-09-05.394W	Q G	5	Green.	Replaced by LIB of reduced intensity when endangered by ice.
3512	CEPOC Buoy B	39-52-42.600N 075-09-03.000W			Yellow sphere.	
3515	Delaware River Lighted Buoy 70	39-52-47.970N 075-08-53.154W	FI R 2.5s	5	Red.	Replaced by nun when endangered by ice.
3517	Delaware River Lighted Buoy 71	39-53-00.701N 075-08-49.715W	FI G 2.5s	4	Green.	Replaced by LIB of reduced intensity when endangered by ice.
3520	Delaware River Lighted Buoy 73	39-53-08.630N 075-08-35.467W	Q G	4	Green.	Replaced by LIB of reduced intensity when endangered by ice.
3525	Delaware River Buoy 74	39-53-02.354N 075-08-25.098W			Red nun.	Removed when endangered by ice.
3527.4	CEPOC Buoy F	39-53-10.800N 075-08-08.400W			Yellow sphere.	
3527.3	CEPOC Buoy E	39-53-06.600N 075-08-09.660W			Yellow sphere.	
3527.2	CEPOC Buoy D	39-53-02.640N 075-08-11.640W			Yellow sphere.	
3527.1	CEPOC Buoy C	39-52-58.500N 075-08-13.620W			Yellow sphere.	
3530	Horseshoe Range Front Light	39-52-40.788N 075-08-44.780W	Q R	10	On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3535	Horseshoe Range Rear Light	39-52-24.345N 075-08-55.099W	Oc R 4s	20	On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3540	Horseshoe Bend Directional Light	39-53-12.555N 075-08-04.354W	Q W	10	Tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of centerline of channel (bearing 061.2°). NIGHT: Visible all around higher intensity 1.5° either side of centerline of channel.
3565	Delaware River Lighted Buoy 75	39-53-35.738N 075-08-16.750W	FI G 2.5s	4	Green.	Replaced by can when endangered by ice.
3567	BKEP Materials Dock Light A	39-53-41.150N 075-07-50.950W	FI Y 4s		Yellow.	
3567.1	BKEP Materials Dock Light B	39-53-41.492N 075-07-50.851W	FI Y 4s		Yellow.	
3570	South Jersey Dock Light A	39-54-29.407N 075-07-32.632W	F Y		On pier.	
3575	South Jersey Light B	39-54-32.407N 075-07-32.632W	F Y		On pier.	
3580	Petty Island Lower End Buoy P	39-57-44.463N 075-07-26.224W			Red and green band; nun.	
3585	Back Channel Light 1BC	39-57-29.847N 075-06-27.987W	FI G 2.5s	4	SG on pile.	
3605	Delaware River Lighted Buoy 76	39-58-01.636N 075-07-08.647W	FI R 2.5s	4	Red.	Replaced by nun when endangered by ice.
3610	Port Richmond Anchorage Buoy A	39-58-01.036N 075-06-55.146W			Yellow nun.	
3615	Port Richmond Anchorage Buoy B	39-58-10.236N 075-06-17.844W			Yellow nun.	
3620	Delaware River Lighted Buoy 78	39-58-26.925N 075-05-42.001W	FI R 2.5s	4	Red.	Replaced by LIB of reduced intensity when endangered by ice.
3625	Fisher Point Range Front Light	39-58-40.299N 075-04-13.961W	Iso G 6s	40	KRW on multi-pile structure.	NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
3630	Fisher Point Range Rear Light	39-58-41.007N 075-04-08.485W	F G		KRW on firewall of gasoline storage tank.	NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
3640	Delaware River Buoy 80	39-58-33.636N 075-04-51.640W			Red nun.	
3645	Delaware River Lighted Buoy 81	39-58-42.636N 075-04-34.139W	Q G	4	Green.	Replaced by can when endangered by ice.
3650	Delair Range Front Light	40-00-30.310N 075-03-16.824W	Iso G 2s	25	On skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
3655	Delair Range Rear Light	40-00-35.051N 075-03-14.835W		30	On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3660	Upper Delaware River Channel Lighted Buoy 2	39-59-15.235N 075-03-45.437W	FI R 2.5s	4	Red.	Replaced by nun when endangered by ice.
3663	Upper Delaware River Channel Lighted Buoy 4	39-59-32.964N 075-03-37.386W	FI R 4s	5	Red.	Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15.

3665	Upper Delaware River Channel Buoy 5	39-59-42.535N 075-03-41.938W				Green can.	
3670	Upper Delaware River Channel Lighted Buoy 6	40-00-06.636N 075-03-23.837W	FI R 2.5s	6		Red.	Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15.
3680	Upper Delaware River Channel Lighted Buoy 8	40-00-24.936N 075-03-05.036W	Q R	5		Red.	Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15.
3685	Upper Delaware River Channel Buoy 9	40-00-38.635N 075-02-48.335W				Green can.	
3690	Upper Delaware River Channel Buoy 10	40-00-36.261N 075-02-39.780W				Red nun.	
3695	Upper Delaware River Channel Buoy 10A	40-00-45.835N 075-02-19.033W				Red nun.	
3700	Upper Delaware River Channel Buoy 11	40-00-50.235N 075-02-22.434W				Green can.	
3705	Frankford Channel Lower Directional Light	40-00-19.250N 075-03-25.960W	F G	20		On multi-pile structure.	Light oriented on bearing 241° (not on centerline of channel). Lighted throughout 24 hours.
3707	Frankford Channel Lower Directional Passing Light	40-00-19.250N 075-03-25.960W	FI W 4s	5		On same structure as Frankford Channel Lower Directional Light.	
3710	Upper Delaware River Channel Lighted Buoy 12	40-00-54.935N 075-01-56.833W	Q R	5		Red.	Replaced by nun when endangered by ice.
3715	Frankford Upper Range Front Light	40-01-12.883N 075-01-21.254W	Q G	5		On tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible around higher intensity 1.5° either side of rangeline.
3718	Frankford Upper Range Rear Light	40-01-34.500N 075-00-30.694W	Oc G 4s	35		On tower on multipile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3719	Frankford Upper Range Rear Passing Lights (2)	40-01-34.500N 075-00-30.694W	FI W 4s	15	4	On same structure as Frankford Upper Range Rear Light.	
3720	Tacony Range Front Light	40-01-27.734N 075-00-10.703W	Q W	25		On skeleton tower on small white house.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
3725	Tacony Range Rear Light	40-01-29.594N 075-00-04.132W	Iso W 6s	40		On skeleton tower on white house.	Lighted throughout 24 hours. DAY: Visible 10° either side of rangeline. NIGHT: Visible all around higher intensity 10° either side of rangeline.
3730	Upper Delaware River Channel Lighted Buoy 14	40-01-07.235N 075-01-14.731W	FI R 4s	5		Red.	Replaced by nun when endangered by ice.
3735	Upper Delaware River Channel Lighted Buoy 15	40-01-22.235N 075-00-40.529W	Q G	4		Green.	Replaced by can when endangered by ice.
3740	Torresdale Lower Range Front Light	40-01-07.047N 075-00-48.953W	Q W	15		Skeleton tower.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
3745	Torresdale Lower Range Rear Light	40-00-54.500N 075-01-03.647W	Oc W 4s	30		On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 4° either side of rangeline. NIGHT: Visible 10° either side of rangeline.
3750	Torresdale Upper Range Front Light	40-03-15.588N 074-58-18.497W	FI R 2.5s	15		On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 0.9° either side of rangeline. NIGHT: Visible 5.5° either side of rangeline.
3755	Torresdale Upper Range Rear Light	40-03-32.420N 074-57-58.771W	Oc R 4s	40		On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 0.9° either side of rangeline. NIGHT: Visible 5.5° either side of rangeline.
3760	Torresdale Warning Daybeacon	40-03-09.652N 074-58-30.873W		20		NW on skeleton tower worded DANGER SUBMERGED ROCK.	
3765	Mud Island Lower Range Front Light	40-02-04.420N 074-59-51.754W	Q W	15		On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side or rangeline. NIGHT: Visible all around; higher intensity 1.5° either side or rangeline.
3770	Mud Island Lower Range Rear Light	40-01-58.739N 075-00-01.318W	Oc W 4s	60		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3773	Mud Island Lower Range Rear Passing Lights (2)	40-01-58.739N 075-00-01.318W	FI W 4s	4		Located on same structure as Mud Island Lower Range Rear Light.	
3775	Upper Delaware River Channel Lighted Buoy 18	40-01-42.134N 075-00-04.127W	FI R 4s	5		Red.	Replaced by nun when endangered by ice.
3777	Tri-County Water Intake Lighted Buoy N	40-02-01.200N 074-59-30.100W	FI Y 6s			Yellow worded KEEP AWAY - WATER SUPPLY INTAKE.	Maintained from Apr.15 to Nov. 15.
3778	Tri-County Water Intake Lighted Buoy S	40-02-00.000N 074-59-41.600W	FI Y 6s			Yellow worded KEEP AWAY- WATER SUPPLY INTAKE.	Maintained from Apr. 15 to Nov. 15.
3780	Upper Delaware River Channel Buoy 19	40-02-25.401N 074-59-21.281W				Green can.	
3785	Upper Delaware River Channel Lighted Buoy 20	40-02-21.684N 074-59-16.780W	Q R	5		Red.	Replaced by nun when endangered by ice.
3795	Mud Island Upper Range Front Light	40-03-42.059N 074-57-07.247W	Oc W 4s	10		On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
3800	Mud Island Upper Range Rear Light	40-03-52.504N 074-56-49.620W	Iso W 6s	35		On small house on concrete base.	Lighted throughout 24 hours. Visible 0.5° either side of rangeline.
3803	Mud Island Upper Range Rear Passing Light	40-03-52.504N 074-56-49.620W	FI W 4s	5		On same structure as Mud Island Upper Range Rear Light.	
3805	Upper Delaware River Channel Lighted Buoy 22	40-02-50.233N 074-58-29.824W	FI R 4s	4		Red.	Replaced by nun when endangered by ice.
3810	Upper Delaware River Channel Buoy 23	40-03-10.833N 074-58-05.423W				Green can.	

3813	Upper Delaware River Channel Buoy 25	40-03-22.627N 074-57-44.420W				Green can.	
3815	Upper Delaware River Channel Lighted Buoy 26	40-03-19.332N 074-57-41.022W	Q R	5		Red.	Replaced by nun when endangered by ice.
3820	Enterprise Lower Range Front Light	40-03-06.336N 074-58-20.172W	Oc W 4s	10		On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline.
3825	Enterprise Lower Range Rear Light	40-02-51.226N 074-58-55.864W	F W	30		On skeleton tower.	Lighted throughout 24 hours. DAY/NIGHT: Visible 1.5° either side of rangeline.
3830	Upper Delaware River Channel Lighted Buoy 28	40-03-45.931N 074-56-40.119W	Fl R 4s	4		Red.	Replaced by nun when endangered by ice.
3835	Upper Delaware River Channel Buoy 29	40-03-53.631N 074-56-36.119W				Green can.	
3840	Enterprise Upper Range Front Light	40-04-29.306N 074-55-04.036W	Fl W 2.5s	15		On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3845	Enterprise Upper Range Rear Light	40-04-32.585N 074-54-56.325W	F W	35		On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3855	Upper Delaware River Channel Buoy 31	40-04-17.031N 074-55-40.117W				Green can.	
3860	Upper Delaware River Channel Lighted Buoy 30	40-04-10.532N 074-55-37.917W	Q R	4		Red.	
3865	Beverly Lower Range Front Light	40-04-14.912N 074-56-05.185W	Oc G 4s	22		On skeleton tower.	Lighted throughout 24 hours. DAY/NIGHT : Visible 1.5° either side of rangeline.
3870	Beverly Lower Range Rear Light	40-04-15.095N 074-56-10.085W	F G	40		On skeleton tower.	Lighted throughout 24 hours. DAY/NIGHT : Visible 1.5° either side of rangeline.
3875	Upper Delaware River Channel Lighted Buoy 33	40-04-17.431N 074-54-46.815W	Q G	4		Green.	
3880	Beverly Upper Range Front Light	40-04-13.122N 074-54-10.178W	Q W	15		On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 4° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
3885	Beverly Upper Range Rear Light	40-04-12.993N 074-54-02.465W	Oc W 4s	37		On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 4° either side of rangeline. NIGHT : Visible 14° either side of rangeline.
3890	Edgewater Upper Range Front Light	40-04-54.162N 074-52-26.356W		15		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
3895	Edgewater Upper Range Rear Light	40-04-57.718N 074-52-13.922W		35		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3897	Edgewater Upper Range Rear Passing Light	40-04-57.718N 074-52-13.922W	Oc W 4s	35	4	On same structure as Edgewater Upper Range Rear Light.	
3900	Upper Delaware River Channel Buoy 34	40-04-11.031N 074-54-48.015W				Red nun.	
3905	Edgewater Lower Range Front Light	40-04-08.732N 074-55-05.620W	Q W			Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
3910	Edgewater Lower Range Rear Light	40-04-05.794N 074-55-15.917W	F W	30		On skeleton tower.	Lighted throughout 24 hours. Visible 5.5° either side or rangeline.
3915	Neshaminy Marina Jetty Light N	40-04-24.431N 074-54-22.614W	Fl W 4s	12	5	NR on pile.	
3920	Upper Delaware River Lighted Buoy 36	40-04-27.431N 074-53-51.113W	Fl R 4s	4		Red.	
3925	Upper Delaware River Channel Buoy 39	40-04-44.730N 074-53-08.311W				Green can.	
3930	Upper Delaware River Lighted Buoy 40	40-04-39.931N 074-53-05.812W	Q R	4		Red.	
3935	Devlin Lower Range Front Light	40-04-37.534N 074-53-37.737W	Q R	15		On skeleton tower.	Lighted throughout 24 hours DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
3940	Devlin Lower Range Rear Light	40-04-31.779N 074-54-12.941W	Oc R 4s	40		On skeleton tower.	Lighted throughout 24 hours DAY Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline.
3945	Devlin Upper Range Front Light	40-05-01.335N 074-51-11.375W	Q W	15		On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3950	Devlin Upper Range Rear Light	40-05-02.928N 074-51-01.598W	Iso W 6s	20		On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
3955	Upper Delaware River Channel Lighted Buoy 43	40-04-59.631N 074-51-52.409W	Q G	4		Green.	
3960	Upper Delaware River Channel Buoy 44	40-05-03.331N 074-51-39.508W				Red nun.	
3965	Lehigh Lower Range Front Light	40-04-51.437N 074-51-51.600W	Oc G 4s	35	4	On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
3970	Lehigh Lower Range Rear Light	40-04-50.295N 074-51-52.388W	F G	45		On skeleton tower.	Lighted throughout 24 hours. Higher intensity 1.5° either side of rangeline.
3975	Lehigh Upper Range Front Light	40-05-41.312N 074-51-16.394W		15		On multi-pile structure.	Lighted throughout 24 hours. Visible all around; higher intensity 1.5° either side of rangeline.
3980	Lehigh Upper Range Rear Light	40-05-43.343N 074-51-14.970W	F G	40		On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.

3985	Upper Delaware River Channel Lighted Buoy 45	40-05-32.230N 074-51-25.807W	Fl G 2.5s	4	Green.	
3990	Upper Delaware River Channel Lighted Buoy 48	40-05-38.130N 074-51-07.007W	Q R	5	Red.	Replaced by nun when endangered by ice.
3995	Bristol Range Front Light	40-05-31.027N 074-51-29.303W	Iso W 2s	5	On skeleton tower.	Lighted throughout 24 hours. Day : Visible 10.0° either side of rangeline. Night : Visible all around higher intensity 1.5° either side of rangeline.
4000	Bristol Range Rear Light	40-05-29.829N 074-51-32.113W	F R	35	On skeleton tower.	Lighted throughout 24 hours. Day : Visible 1.5° either side of rangeline. Night : Visible all around higher intensity 1.5 either side of rangeline.
4005	Yacht Anchorage Buoy A	40-05-54.397N 074-50-40.591W			White can.	Maintained from Apr. 1 to Nov. 30.
4010	Upper Delaware River Channel Lighted Buoy 51	40-05-58.029N 074-50-33.605W	Q G	4	Green.	
4015	Upper Delaware River Channel Lighted Buoy 52	40-05-54.829N 074-50-27.605W	Q R	4	Red.	
4030	Yacht Anchorage Buoy B	40-06-09.000N 074-50-21.000W			White can.	Maintained from May. 1 to Nov. 1.
4035	Upper Delaware River Channel Lighted Buoy 53	40-06-19.229N 074-50-12.505W	Q G	4	Green.	
4040	Upper Delaware River Channel Lighted Buoy 54	40-06-14.429N 074-50-06.604W	Q R	4	Red.	
4045	Landreth Range Front Light	40-06-04.544N 074-50-13.920W	Iso W 6s	15	On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 5.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
4050	Landreth Range Rear Light	40-05-52.455N 074-50-19.028W	F W	35	On skeleton tower.	Lighted through 24 hours. DAY: Visible 5.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of range line.
4055	Upper Delaware River Channel Buoy 55	40-06-34.629N 074-50-04.505W			Green can.	
4060	Upper Delaware River Channel Lighted Buoy 56	40-07-26.028N 074-49-33.603W	Q R	4	Red.	
4065	Upper Delaware River Channel Buoy 57	40-07-36.128N 074-49-32.003W			Green can.	
4070	Upper Delaware River Channel Lighted Buoy 58	40-07-34.818N 074-49-22.103W	Fl R 2.5s	4	Red.	
4073	Upper Delaware River Channel Light 59	40-07-45.035N 074-48-56.100W	Fl G 2.5s	0	4	SG on multi-pile structure.
4075	Upper Delaware River Lighted Buoy 60	40-07-37.728N 074-48-56.681W	Q R	4	Red.	
4080	Florence Lower Directional Light	40-07-45.557N 074-49-13.530W	Q W	15	On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of centerline of channel (bearing 291.3°).
4090	Upper Delaware River Channel Lighted Buoy 63	40-07-29.228N 074-48-10.640W	Fl G 4s	4	Green.	
4095	Upper Delaware River Lighted Buoy 65	40-07-16.671N 074-47-28.870W	Q G	4	Green.	
4100	Florence Upper Range Front Light	40-07-08.076N 074-47-07.140W	Q W	15	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
4103	Florence Upper Range Front Passing Light	40-07-08.076N 074-47-07.140W	Fl W 4s	15	4	Located on same structure as Florence Marks side of platform nearest channel. Upper Range Front Light.
4105	Florence Upper Range Rear Light	40-07-05.095N 074-46-57.120W	Oc W 4s	25	On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
4110	Kinkora Lower Range Front Light	40-07-09.401N 074-47-05.238W	Q W	10	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
4115.1	Kinkora Lower Range Rear Passing Light	40-07-06.557N 074-47-09.676W	Fl W 4s	3	4	Located on same structure as Kinkora Lower Range Rear Light. Located on corner of platform.
4115	Kinkora Lower Range Rear Light	40-07-06.557N 074-47-09.676W	Oc W 4s	25	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
4120	Upper Delaware River Channel Buoy 66	40-07-10.128N 074-47-22.399W			Red nun.	
4125	Roebbing Range Front Light	40-07-17.772N 074-46-42.331W	Oc R 4s	33	On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
4130	Roebbing Range Rear Light	40-07-17.990N 074-46-40.756W	F R	40	On tower with small house on concrete base.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
4135	Upper Delaware River Lighted Buoy 69	40-07-17.017N 074-47-07.537W	Q G	4	Green.	
4140	Upper Delaware River Channel Buoy 70	40-07-13.829N 074-46-54.198W			Red nun.	
4145	Kinkora Upper Range Front Light	40-08-06.640N 074-45-35.882W	Fl G 2.5s	10	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline.
4150	Kinkora Upper Range Rear Light	40-08-10.498N 074-45-29.914W	Iso G 6s	30	On skeleton tower.	Lighted throughout 24 hours. Higher intensity 1.5° either side of rangeline.
4155	Upper Delaware River Channel Lighted Buoy 71	40-07-21.329N 074-46-52.465W	Q G	4	Green.	Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15.

4160	Upper Delaware River Lighted Buoy 72	40-07-36.428N 074-46-19.597W	FI R 4s	4	Red.	
4165	Upper Delaware River Channel Buoy 75	40-08-02.228N 074-45-47.596W			Green can.	
4170	Upper Delaware River Channel Lighted Buoy 76	40-08-01.428N 074-45-31.596W	Q R	4	Red.	Replaced by nun when endangered by ice.
4175	Upper Delaware River Channel Lighted Buoy 78	40-08-03.828N 074-45-04.795W	FI R 2.5s	4	Red.	Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15.
4180	Upper Delaware River Channel Buoy 80	40-08-02.228N 074-44-37.094W			Red nun.	
4185	Newbold Directional Light	40-08-02.774N 074-44-18.868W	Q W	34	NR on skeleton tower.	Visible on centerline of channel at a bearing 095.4°. Lighted throughout 24 hours.
4190	Upper Delaware River Channel Buoy 81	40-08-06.328N 074-44-39.194W			Green can.	
4195	Upper Delaware River Channel Buoy 82	40-08-04.428N 074-44-27.593W			Red nun.	
4200	Upper Delaware River Channel Buoy 83	40-08-08.428N 074-44-29.293W			Green can.	
4215	Upper Delaware River Channel Buoy 84	40-08-26.478N 074-43-53.592W			Red nun.	
4220	Upper Delaware River Channel Buoy 85	40-08-30.428N 074-43-53.682W			Green can.	
4223	Upper Delaware River Channel Buoy 86	40-08-48.446N 074-43-21.396W			Red nun.	Maintained from 15 May to 01 Nov.
4225	Upper Delaware River Channel Buoy 87	40-08-50.028N 074-43-25.991W			Green can.	
4245	Upper Delaware River Channel Buoy 88	40-09-00.928N 074-43-15.891W			Red nun.	
4250	Upper Delaware River Channel Lighted Buoy 89	40-09-01.428N 074-43-20.591W	FI G 4s	4	Green.	Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15.
4255	Bordertown Range Front Light	40-09-55.717N 074-43-19.690W	Q G	23	On skeleton tower with small house on concrete base.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
4260	Bordertown Range Rear Light	40-10-03.617N 074-43-19.889W	Iso G 6s	24	On skeleton tower with small house on concrete base.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
4265	Upper Delaware River Channel Buoy 90	40-09-20.228N 074-43-16.091W			Red nun.	
4270	Upper Delaware River Channel Lighted Buoy 91	40-09-38.027N 074-43-22.291W	FI G 4s	4	Green.	Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15.
4275	Upper Delaware River Channel Buoy 92	40-09-39.627N 074-43-17.191W			Red nun.	
4280	Duck Island Range Front Light	40-10-57.525N 074-44-31.853W	Q W	15	On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
4285	Duck Island Range Rear Light	40-11-03.597N 074-44-37.489W	Iso W 6s	60	On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
4290	Upper Delaware River Channel Buoy 94	40-09-52.427N 074-43-28.992W			Red nun.	
4295	Upper Delaware River Channel Buoy 95	40-10-11.027N 074-43-51.092W			Green can.	
4300	Upper Delaware River Channel Buoy 96	40-10-30.121N 074-44-03.801W			Red nun.	
4305	Upper Delaware River Channel Buoy 97	40-10-40.498N 074-44-18.497W			Green can.	
4346	Upper Delaware River Pipeline Outfall Buoy	40-12-00.245N 074-45-34.298W			White with orange bands.	Seasonal 1 Apr to 1 Nov.
4360	Indian River Inlet Lighted Buoy 1	38-36-32.932N 075-02-46.462W	FI G 2.5s	5	Green.	
4365	Indian River Inlet Lighted Buoy 2	38-36-32.683N 075-03-22.163W	FI R 4s	5	Red.	
4375	Indian River Inlet South Jetty Light 3	38-36-28.233N 075-03-33.064W	FI G 4s	20	6	SG on skeleton tower.
4400	Indian River Inlet Buoy 11	38-36-26.158N 075-04-40.277W			Green can.	
4405	Indian River Inlet Buoy 12	38-36-28.830N 075-04-47.865W			Red nun.	
4410	Indian River Inlet Buoy 14	38-36-10.293N 075-05-01.401W			Red nun.	
4415	Indian River Inlet Buoy 15	38-35-56.898N 075-05-18.944W			Green can.	Removed when endangered by ice.
4417	Indian River Inlet Lighted Buoy 16	38-35-59.781N 075-05-19.011W	Q R	4	Red.	Removed when endangered by ice.

4419	Indian River Inlet Buoy 16A	38-35-58.555N 075-05-27.304W			Red nun.	Removed when endangered by ice.
4420	Indian River Inlet Lighted Buoy 17	38-36-04.397N 075-05-44.558W	FI G 2.5s	4	Green.	Removed when endangered by ice.
4433	Indian River Inlet Buoy 18	38-36-14.788N 075-06-07.073W			Red nun.	Removed when endangered by ice.
4460	Pepper Creek Warning Daybeacon A	38-34-06.810N 075-11-53.535W		0	NW on pile worded DANGER SHOAL.	
4465	Pepper Creek Warning Daybeacon B	38-33-58.511N 075-12-09.092W		0	NW on pile worded DANGER SHOAL.	
4475	Pepper Creek Warning Daybeacon C	38-33-42.384N 075-12-47.727W		0	NW on pile worded DANGER SHOAL.	
4480	Pepper Creek Warning Daybeacon D	38-33-41.472N 075-12-59.325W		0	NW on pile worded DANGER SHOAL.	
4485	Pepper Creek Daybeacon 14	38-33-42.109N 075-12-59.434W			TR on pile.	
4490	Indian River Channel Buoy 20	38-36-23.534N 075-06-40.172W			Red nun.	Removed when endangered by ice.
4495	Indian River Channel Buoy 22	38-36-02.234N 075-07-34.775W			Red nun.	Removed when endangered by ice.
4500	Indian River Channel Buoy 24	38-35-50.834N 075-08-29.077W			Red nun.	Removed when endangered by ice.
4505	Indian River Channel Buoy 26	38-35-35.010N 075-09-26.955W			Red nun.	Removed when endangered by ice.
4510	Indian River Channel Buoy 28	38-35-22.470N 075-10-36.375W			Red nun.	Removed when endangered by ice.
4515	Indian River Channel Buoy 30	38-35-23.136N 075-11-38.585W			Red nun.	Removed when endangered by ice.
4520	Indian River Channel Buoy 31	38-35-23.910N 075-12-03.075W			Green can.	Removed when endangered by ice.
4525	Indian River Channel Buoy 32	38-35-31.736N 075-12-31.788W			Red nun.	Removed when endangered by ice.
4530	Indian River Channel Buoy 34	38-35-26.136N 075-12-44.388W			Red nun.	Removed when endangered by ice.
4535	Indian River Channel Warning Daybeacon A	38-35-27.936N 075-13-08.389W		0	NW on pile worded DANGER SHOAL.	
4536	Indian River Channel Buoy 36	38-35-24.859N 075-13-05.315W			Red nun.	Removed when endangered by ice.
4540	Indian River Channel Buoy 38	38-35-19.916N 075-13-27.365W			Red nun.	Removed when endangered by ice.
4545	Indian River Channel Buoy 40	38-35-15.730N 075-13-58.915W			Red nun.	Removed when endangered by ice.
4547	Indian River Channel Daybeacon 41	38-35-14.090N 075-14-12.520W			SG on pile.	
4550	Indian River Channel Buoy 42	38-35-17.437N 075-14-09.192W			Red nun.	Removed when endangered by ice.
4551.16	Indian River Channel Daybeacon 58	38-35-08.249N 075-15-48.692W			TR on pile.	
4551.15	Indian River Channel Daybeacon 57	38-35-07.097N 075-15-49.138W			SG on pile.	
4551.14	Indian River Channel Daybeacon 56	38-35-00.748N 075-15-34.061W			TR on pile.	
4551.13	Indian River Channel Daybeacon 55	38-34-59.467N 075-15-34.282W			SG on pile.	
4551.12	Indian River Channel Daybeacon 54	38-35-00.646N 075-15-26.633W			TR on pile.	
4551.11	Indian River Channel Daybeacon 53	38-34-59.517N 075-15-26.638W			SG on pile.	
4551.1	Indian River Channel Daybeacon 52	38-35-09.882N 075-15-15.047W			TR on pile.	
4551.09	Indian River Channel Daybeacon 51	38-35-08.354N 075-15-13.485W			SG on pile.	
4551.08	Indian River Channel Daybeacon 50	38-35-20.253N 075-15-01.384W			TR on pile.	
4551.07	Indian River Channel Daybeacon 49	38-35-17.324N 075-15-00.027W			SG on pile.	
4551.06	Indian River Channel Daybeacon 48	38-35-28.111N 075-14-51.420W			TR on pile.	
4551.05	Indian River Channel Daybeacon 47	38-35-26.290N 075-14-49.568W			SG on pile.	

4551.04	Indian River Channel Daybeacon 46	38-35-30.544N 075-14-41.079W					TR on pile.	
4551.03	Indian River Channel Daybeacon 45	38-35-27.068N 075-14-41.108W					SG on pile.	
4551.02	Indian River Channel Daybeacon 44	38-35-29.859N 075-14-22.933W					TR on pile.	
4551.01	Indian River Channel Daybeacon 43	38-35-26.674N 075-14-24.155W					SG on pile.	
4551.31	Indian River Channel Daybeacon 70	38-35-24.325N 075-16-34.922W					TR on pile.	
4551.29	Indian River Channel Daybeacon 69	38-35-24.153N 075-16-36.216W					SG on pile.	
4551.28	Indian River Channel Daybeacon 68A	38-35-18.488N 075-16-37.497W					TR on pile.	
4551.27	Indian River Channel Daybeacon 68	38-35-14.222N 075-16-38.000W					TR on pile.	
4551.26	Indian River Channel Daybeacon 67	38-35-14.196N 075-16-39.395W					SG on pile.	
4551.25	Indian River Channel Daybeacon 66	38-35-10.450N 075-16-33.908W					TR on pile.	
4551.24	Indian River Channel Daybeacon 65	38-35-09.947N 075-16-34.516W					SG on pile.	
4551.23	Indian River Channel Daybeacon 64	38-35-12.277N 075-16-22.434W					TR on pile.	
4551.22	Indian River Channel Daybeacon 63	38-35-11.385N 075-16-22.281W					SG on pile.	
4551.21	Indian River Channel Daybeacon 62	38-35-12.150N 075-16-16.109W					TR on pile.	
4551.19	Indian River Channel Daybeacon 61	38-35-11.004N 075-16-16.044W					SG on pile.	
4551.18	Indian River Channel Daybeacon 60	38-35-10.245N 075-16-05.921W					TR on pile.	
4551.17	Indian River Channel Daybeacon 59	38-35-09.118N 075-16-06.130W					SG on pile.	
4665	White Creek Warning Daybeacon A	38-34-33.534N 075-05-49.871W	0				NW on pile worded DANGER SHOAL.	
4670	White Creek Warning Daybeacon B	38-34-06.449N 075-05-42.602W	0				NW on pile worded DANGER SHOAL.	
4675	White Creek Warning Daybeacon C	38-33-52.362N 075-05-29.829W	0				NW on pile worded DANGER SHOAL.	
4680	White Creek Warning Daybeacon D	38-33-42.333N 075-05-24.970W	0				NW on pile worded DANGER SHOAL.	
4685	Beach Cove Entrance Channel Daybeacon 1	38-35-15.000N 075-04-00.000W					SG on pile.	
4690	Beach Cove Entrance Daybeacon 2	38-35-16.000N 075-04-01.000W					TR on pile.	
4695	Beach Cove Daybeacon 3	38-35-10.000N 075-04-13.000W					SG on pile.	
4700	Beach Cove Channel Daybeacon 4	38-35-10.000N 075-04-15.000W					TR on pile.	
4720	Ocean City Inlet Jetty Light	38-19-27.072N 075-05-05.596W	Iso W 6s	35	6		NB On skeleton tower.	HORN: 1 blast ev 10s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 81A (157.075MHz). HORN operates for 30 minutes.
4730	Ocean City Inlet Lighted Buoy 2	38-19-25.566N 075-03-41.153W	Fl R 4s		6		Red.	
4735	Ocean City Inlet Entrance Lighted Buoy 4	38-19-23.742N 075-04-55.875W	Fl R 4s		4		Red.	
4740	Ocean City Inlet Lighted Buoy 5	38-19-22.243N 075-05-01.775W	Fl G 4s		4		Green.	
4745	Ocean City Inlet Lighted Buoy 8	38-19-25.104N 075-05-23.280W	Fl R 2.5s		4		Red.	
4750	Ocean City Inlet Lighted Buoy 10	38-19-27.953N 075-05-30.325W	Fl R 4s		4		Red.	
4753	Ocean City Inlet Junction Lighted Buoy OC	38-19-35.094N 075-05-34.635W	Fl (2+1)R 6s		4		Red and green.	
4755	Ocean City Inlet Lighted Buoy 11	38-19-36.383N 075-05-40.364W	Fl G 2.5s		4		Green.	
4758	Ocean City Inlet Lighted Buoy 13	38-19-38.100N 075-05-46.464W	Fl G 2.5s		4		Green.	
4758	Ocean City Inlet Lighted Buoy 13	38-19-38.100N 075-05-46.464W	Fl G 2.5s		4		Green.	

4765	Isle of Wight Bay Warning Buoy A	38-19-39.404N 075-05-34.624W				White can with orange bands and orange diamond.
4770	Isle of Wight Bay Warning Buoy B	38-19-40.619N 075-05-40.283W				White can with orange bands and orange diamond.
4780	Isle of Wight Bay Buoy 1	38-20-10.254N 075-05-20.763W				Green can.
4785	Isle of Wight Bay Warning Buoy C	38-20-30.580N 075-05-07.384W				White can with orange bands worded DANGER OBSTRUCTION.
4790	Isle of Wight Bay Light 2	38-20-23.408N 075-05-14.679W	FI R 2.5s		4	TR on multi-pile structure.
4830	Isle Of Wight Bay Buoy 5	38-20-40.279N 075-05-27.463W				Green can.
4835	Isle of Wight Bay Warning Daybeacon A	38-20-59.742N 075-05-28.809W				NW on multi-pile structure worded DANGER.
4837	Isle Of Wight Bay Buoy 6	38-21-00.065N 075-05-30.064W				Red nun.
4840	Isle Of Wight Bay Buoy 7	38-21-09.216N 075-05-26.037W				Green can.
4850	Isle of Wight Bay Warning Daybeacon B	38-21-16.123N 075-05-20.856W				NW on pile worded DANGER.
4853	Isle Of Wight Bay Buoy 8	38-21-20.593N 075-05-20.772W				Red nun.
4855	Isle Of Wight Bay Light 9	38-21-30.511N 075-05-17.974W	FI G 4s	0	4	SG on multi-pile structure.
4857	Isle Of Wight Bay Buoy 9A	38-21-39.810N 075-05-14.610W				Green can.
4860.5	Isle of Wight Bay Lighted Buoy 11	38-21-46.383N 075-05-15.246W	FI G 2.5s		4	Green.
4860	Isle of Wight Bay Warning Daybeacon C	38-21-46.314N 075-05-15.651W				NW on pile worded DANGER.
4861	Isle Of Wight Bay Buoy 11A	38-21-53.890N 075-05-22.452W				Green can.
4870	Isle of Wight Bay Lighted Wreck Buoy WR13	38-22-02.331N 075-05-24.870W	Q G		4	Green.
4871	Isle of Wight Bay Lighted Wreck Buoy WR14	38-22-12.390N 075-05-29.774W	Q R		4	Red.
4875	Thorofare Channel Buoy 3	38-20-57.767N 075-05-35.772W				Green can.
4880	Thorofare Channel Buoy 4	38-21-12.672N 075-05-44.879W				Red nun.
4885	Thorofare Channel Buoy 5	38-21-18.680N 075-05-57.580W				Green can.
4890	Thorofare Channel Buoy 6	38-21-24.623N 075-06-04.211W				Red nun.
4895	Thorofare Channel Buoy 8	38-21-21.707N 075-06-15.876W				Red nun.
4900	Thorofare Channel Buoy 10	38-21-21.707N 075-06-22.860W				Red nun.
4905	Thorofare Channel Buoy 12	38-21-25.560N 075-06-27.071W				Red nun.
4910	Thorofare Channel Buoy 14	38-21-37.404N 075-06-35.603W				Red nun.
4915	Thorofare Channel Buoy 15	38-22-06.411N 075-06-52.664W				Green can.
4920	Thorofare Channel Buoy 16	38-21-50.112N 075-06-40.536W				Red nun.
4925	Ocean Pines Yacht Club Light 2	38-23-01.410N 075-07-22.664W	FI R 2.5s			TR on pile.
4930	Ocean Pines Yacht Club Light 3	38-23-06.848N 075-07-39.753W	FI G 2.5s			SG on pile.
4935	Ocean Pines Yacht Club Light 4	38-23-07.732N 075-07-39.039W	FI R 2.5s			TR on pile.
4940	Ocean Pines Outfall Light A	38-23-25.000N 075-07-43.000W	FI Y 2.5s			NY on pile.
4945	Ocean Pines Outfall Daybeacon B	38-23-25.000N 075-07-43.000W				NY on pile.
4946	87th Street Channel Buoy 1	38-24-27.500N 075-04-24.600W				Green can.
4946.01	87th Street Channel Buoy 2	38-24-25.600N 075-04-25.500W				Red nun.

4946.02	87th Street Channel Buoy 3	38-24-25.900N 075-04-19.200W		Green can.
4946.03	87th Street Channel Buoy 4	38-24-24.600N 075-04-19.200W		Red nun.
4946.04	87th Street Channel Buoy 5	38-24-24.000N 075-04-11.100W		Green can.
4946.05	87th Street Channel Buoy 6	38-24-23.200N 075-04-11.100W		Red nun.
4946.06	87th Street Channel Buoy 7	38-24-21.700N 075-04-01.300W		Green can.
4946.07	87th Street Channel Buoy 8	38-24-20.400N 075-04-01.900W		Red nun.
4946.08	87th Street Channel Buoy 9	38-24-18.600N 075-03-53.200W		Green can.
4946.09	87th Street Channel Buoy 10	38-24-17.900N 075-03-53.300W		Red nun.
4950	Cape Windsor Channel Daybeacon 2CW	38-27-00.494N 075-04-16.651W		TR on pile.
4955	Cape Windsor Channel Daybeacon 3	38-27-04.494N 075-04-17.651W		SG on pile.
4960	Cape Windsor Channel Daybeacon 4	38-27-06.494N 075-04-18.651W		TR on pile.
4965	Cape Windsor Channel Daybeacon 5	38-27-06.494N 075-04-10.651W		SG on pile.
4970	Cape Windsor Channel Daybeacon 7	38-27-12.494N 075-04-13.651W		SG on pile.
4975	Roy Creek Daybeacon 1	38-27-11.210N 075-05-02.470W		SG on pile.
4980	Roy Creek Daybeacon 2	38-27-12.040N 075-05-01.290W		TR on pile.
4985	Roy Creek Daybeacon 3	38-27-20.010N 075-05-10.090W		SG on pile.
4990.5	Fenwick Island Yacht Club Warning Light A	38-27-56.580N 075-03-32.100W	Fl W 4s	NW on pile.
4990	Roy Creek Daybeacon 4	38-27-20.910N 075-05-09.310W		TR on pile.
4991	Little Assawoman Bay Daybeacon 1	38-27-18.983N 075-03-48.152W		SG on pile.
4991.01	Little Assawoman Bay Daybeacon 1A	38-27-23.585N 075-03-45.079W		SG on pile.
4991.02	Little Assawoman Bay Daybeacon 3	38-27-27.790N 075-03-45.960W		SG on pile.
4991.03	Little Assawoman Bay Daybeacon 4	38-27-27.780N 075-03-44.790W		TR on pile.
4991.04	Little Assawoman Bay Daybeacon 4A	38-27-33.580N 075-03-43.480W		TR on pile.
4991.05	Little Assawoman Bay Daybeacon 5	38-27-40.980N 075-03-41.760W		SG on pile.
4991.06	Little Assawoman Bay Daybeacon 5A	38-27-45.180N 075-03-43.230W		SG on pile.
4991.07	Little Assawoman Bay Daybeacon 6	38-27-40.980N 075-03-40.590W		TR on pile.
4991.08	Little Assawoman Bay Daybeacon 7	38-27-58.160N 075-03-51.222W		SG on pile.
4991.09	Little Assawoman Bay Daybeacon 8	38-27-58.420N 075-03-50.250W		TR on pile.
4991.1	Little Assawoman Bay Daybeacon 9	38-28-09.770N 075-03-47.240W		SG on pile.
4991.11	Little Assawoman Bay Daybeacon 10	38-28-10.190N 075-03-45.950W		TR on pile.
4991.12	Little Assawoman Bay Daybeacon 11	38-28-26.970N 075-03-49.380W		SG on pile.
4991.13	Little Assawoman Bay Daybeacon 12	38-28-27.000N 075-03-48.220W		TR on pile.
4991.14	Little Assawoman Bay Daybeacon 13	38-28-41.590N 075-03-49.080W		SG on pile.
4991.15	Little Assawoman Bay Daybeacon 14	38-28-41.690N 075-03-47.820W		TR on pile.
4991.16	Little Assawoman Bay Daybeacon 15	38-28-56.440N 075-03-49.600W		SG on pile.

4991.17	Little Assawoman Bay Daybeacon 16	38-28-56.760N 075-03-48.290W				TR on pile.
4991.18	Little Assawoman Bay Daybeacon 17	38-29-12.170N 075-03-50.560W				SG on pile.
4991.19	Little Assawoman Bay Daybeacon 18	38-29-12.270N 075-03-49.230W				TR on pile.
4991.2	Little Assawoman Bay Daybeacon 19	38-29-29.640N 075-03-42.400W				SG on pile.
4991.21	Little Assawoman Bay Daybeacon 20	38-29-29.430N 075-03-41.040W				TR on pile.
4991.22	Little Assawoman Bay Daybeacon 21	38-29-34.750N 075-03-35.620W				SG on pile.
4991.23	Little Assawoman Bay Daybeacon 22	38-29-36.530N 075-03-34.370W				TR on pile.
4991.24	Little Assawoman Bay Daybeacon 23	38-29-45.660N 075-03-30.960W				SG on pile.
4991.25	Little Assawoman Bay Daybeacon 24	38-29-46.000N 075-03-29.960W				TR on pile.
4991.26	Little Assawoman Bay Daybeacon 25	38-29-57.320N 075-03-41.550W				SG on pile.
4991.27	Little Assawoman Bay Daybeacon 26	38-29-57.680N 075-03-40.490W				TR on pile.
4991.28	Little Assawoman Bay Daybeacon 27	38-30-11.760N 075-03-50.810W				SG on pile.
4991.29	Little Assawoman Bay Daybeacon 28	38-30-11.810N 075-03-49.630W				TR on pile.
4995	Sinepuxent Bay Channel Buoy 1	38-19-34.183N 075-05-49.618W				Green can.
5000	Sinepuxent Bay Channel Lighted Wreck Buoy WR2	38-19-33.318N 075-05-51.645W	Q R	4		Red.
5005	Sinepuxent Bay Channel Buoy 3	38-19-14.777N 075-06-09.470W				Green can.
5010	Sinepuxent Bay Channel Lighted Wreck Buoy WR4	38-19-04.317N 075-06-28.553W	Q R	4		Red.
5015	Sinepuxent Bay Channel Buoy 6	38-18-41.112N 075-06-41.109W				Red nun.
5017	Sinepuxent Bay Channel Buoy 7	38-18-31.066N 075-06-46.119W				Green can.
5020	Sinepuxent Bay Channel Light 8	38-18-08.916N 075-06-52.707W	FI R 4s	4		TR on multi-pile structure.
5035	Sinepuxent Bay Channel Danger Daybeacon B	38-18-02.880N 075-06-59.229W				NW on pile worded DANGER B.
5036	Sinepuxent Bay Channel Buoy 10	38-18-02.008N 075-06-57.930W				Red nun.
5037	Sinepuxent Bay Channel Buoy 10A	38-17-56.933N 075-07-05.298W				Red nun.
5040	Sinepuxent Bay Channel Warning Daybeacon A	38-17-48.582N 075-07-17.649W		0		NW on multi-pile structure worded DANGER SHOAL.
5042	Sinepuxent Bay Channel Lighted Buoy 11	38-17-49.867N 075-07-17.580W	FI G 4s	4		Green. Replaced by can when endangered by ice.
5045	Sinepuxent Bay Channel Buoy 12	38-17-37.296N 075-07-30.011W				Red nun..
5050	Sinepuxent Bay Channel Buoy 12A	38-17-25.676N 075-07-41.170W				Red nun.
5055	Sinepuxent Bay Channel Light 13	38-17-05.824N 075-07-50.421W	FI G 4s	4		SG on multi-pile structure.
5060	Sinepuxent Bay Channel Daybeacon 14	38-16-33.606N 075-08-09.027W				TR on pile.
5065	Sinepuxent Bay Channel Light 15	38-15-58.572N 075-08-21.969W	FI G 4s	0	4	SG on multi-pile structure.
5070	Sinepuxent Bay Channel Lighted Buoy 16	38-15-34.230N 075-08-36.447W	FI R 2.5s	4		Red.
5075	Sinepuxent Bay Channel Buoy 17	38-15-06.981N 075-08-46.859W				Green can.
5080	Sinepuxent Bay Channel Light 19	38-14-45.918N 075-08-56.085W	FI G 4s	4		SG on multi-pile structure.
5085	Sinepuxent Bay Channel Buoy 20	38-14-31.183N 075-09-15.573W				Red nun.
5095	Sinepuxent Bay Channel Buoy 23	38-13-55.508N 075-09-45.433W				Green can.

5100	Sinepuxent Bay Channel Light 25	38-13-34.968N 075-10-04.887W	FI G 4s	0	4	SG on multi-pile structure.
5110	Sinepuxent Bay Channel Buoy 27A	38-12-50.392N 075-10-48.598W				Green can.
5115	Sinepuxent Bay Channel Buoy 28	38-12-51.432N 075-10-50.379W				Red nun.
5125	Sinepuxent Bay Channel Lighted Buoy 31	38-12-08.530N 075-11-33.015W	FI G 4s		4	Green.
5130	Sinepuxent Bay Channel Buoy 33	38-11-41.588N 075-12-05.943W				Green can.
5135	Sinepuxent Bay Channel Buoy 35	38-10-53.830N 075-13-09.697W				Green can.
5140	Sinepuxent Bay Channel Buoy 37	38-10-35.478N 075-13-31.959W				Green can.
5145	Sinepuxent Bay Channel Lighted Wreck Buoy WR39	38-10-03.932N 075-14-13.353W	Q G		4	Green.
5150	Public Landing Light 1	38-09-00.936N 075-16-50.343W	FI G 2.5s	0	3	SG on multi-pile structure.
5155	Tanhouse Creek Entrance Light 2	38-07-45.730N 075-17-25.815W	FI R 2.5s		4	TR on pile.
5180	Chincoteague Bay State Boundary Line Buoy E	38-01-15.137N 075-18-58.697W				White and orange can worded MD/VA.
5190	Chincoteague Bay State Boundary Line Buoy G	38-01-24.637N 075-17-09.192W				White and orange can worded MD/VA.
5195	Chincoteague Bay Buoy 29	38-09-07.082N 075-14-45.098W				Green Can.
5200	Chincoteague Bay Lighted Buoy 28	38-08-04.894N 075-15-04.712W	FI R 4s		4	Red.
5210	Chincoteague Bay Light 24	38-05-53.502N 075-16-29.775W	FI R 4s		4	TR on pile.
5220	Chincoteague Bay Lighted Buoy 21	38-03-08.290N 075-17-02.255W	FI G 4s		4	Green.
5225	Johnson Bay Entrance Daybeacon 1	38-04-02.464N 075-19-51.086W				SG on pile.
5230	Johnson Bay Entrance Daybeacon 3	38-04-26.434N 075-21-37.016W		0		SG on multi-pile structure.
5235	Chincoteague Bay Buoy 19	38-01-36.137N 075-19-14.394W				Green can.
5240	Chincoteague Bay Light 18	38-01-18.618N 075-20-02.115W	FI R 4s		4	TR on pile.
5245	George Island Landing Channel Light 1G	38-01-48.480N 075-20-41.493W	FI G 4s		4	SG on pile.
5250	George Island Landing Channel Daybeacon 3	38-02-01.680N 075-21-12.375W		0		SG on pile.
5260	George Island Channel Daybeacon 6	38-02-17.633N 075-21-41.067W				TR on pile.
5265	George Island Channel Daybeacon 8	38-02-25.791N 075-21-38.279W				TR on pile.
5275	Chincoteague Inlet Lighted Buoy 1C	37-50-58.219N 075-24-48.625W	FI G 4s		4	Green.
5280	Chincoteague Inlet Lighted Buoy 2	37-51-07.981N 075-24-43.909W	FI R 2.5s		4	Red.
5283	Chincoteague Inlet Buoy 3	37-51-18.139N 075-24-50.426W				Green can.
5285	Chincoteague Inlet Buoy 4	37-51-27.816N 075-24-44.061W				Red nun.
5295	Chincoteague Inlet Lighted Buoy 5	37-51-39.137N 075-24-51.241W	FI G 2.5s		4	Green.
5300	Chincoteague Inlet Lighted Buoy 6	37-52-00.396N 075-25-00.612W	FI R 4s		4	Red.
5305	Chincoteague Inlet Lighted Buoy 8	37-52-16.778N 075-25-11.215W	Q R		4	Red.
5310	Chincoteague Channel Lighted Buoy 9	37-52-34.252N 075-25-04.580W	Q G		4	Green.
5315	Chincoteague Channel Lighted Buoy 10	37-52-41.133N 075-24-43.178W	FI R 2.5s		4	Red.
5320	Chincoteague Channel Lighted Buoy 11	37-52-55.197N 075-24-30.869W	FI G 2.5s		4	Green.
5325	Chincoteague Channel Lighted Buoy 12	37-53-21.350N 075-24-12.956W	FI R 4s		4	Red.

5330	Chincoteague Channel Buoy 13	37-53-31.304N 075-24-16.981W					Green can.	
5335	Chincoteague Channel Warning Daybeacon A	37-53-32.438N 075-23-49.640W		0			NW on pile worded DANGER PILE.	
5336	Chincoteague Channel Buoy 14	37-53-42.345N 075-24-13.788W					Red nun.	
5345	Chincoteague Channel Light 16	37-53-58.986N 075-24-26.865W	FI R 4s	0	4		TR on pile.	
5350	Chincoteague Channel Lighted Buoy 17	37-54-12.375N 075-24-43.502W	FI G 4s		4		Green.	
5358	Chincoteague Channel Buoy 19	37-54-21.510N 075-24-34.865W					Green can.	
5360	Chincoteague Channel Lighted Buoy 20	37-54-28.276N 075-24-22.747W	FI R 2.5s		4		Red.	
5365	Chincoteague Channel Buoy 21	37-54-52.935N 075-23-57.255W					Green can.	
5370	Chincoteague Channel Lighted Buoy 23	37-55-06.762N 075-23-45.070W	FI G 4s		4		Green.	
5375	Chincoteague Channel Lighted Buoy 24	37-55-29.805N 075-23-34.840W	FI R 4s		4		Red.	
5380	Chincoteague Channel Lighted Buoy 25	37-55-40.667N 075-23-28.312W	FI G 4s		4		Green.	
5385	Chincoteague Channel Lighted Buoy 26	37-55-43.275N 075-23-24.025W	FI R 4s		4		Red.	
5387	Chincoteague Channel Warning Daybeacon B	37-55-45.652N 075-23-27.356W					NW on multi-pile structure worded DANGER.	
5390	Chincoteague Channel Lighted Buoy 27	37-55-50.773N 075-23-20.908W	FI G 4s		4		Green.	
5415	Chincoteague Bay Channel Warning Daybeacon A	37-56-28.142N 075-22-06.330W		0			NW on multi-pile structure worded DANGER SHOAL.	
5430	Chincoteague Bay Lighted Buoy 8	37-57-15.484N 075-21-42.264W	FI R 2.5s		4		Red.	
5435	Chincoteague Bay Channel Buoy 9	37-57-37.164N 075-21-44.421W					Green can.	
5441	Chincoteague Bay Channel Buoy 10	37-58-02.544N 075-22-24.369W					Red nun.	
5445	Chincoteague Bay Lighted Buoy 12	37-58-27.381N 075-23-05.052W	Q R		4		Red.	
5450	Chincoteague Bay Buoy 14	37-59-15.999N 075-22-49.980W					Red nun.	
5455	Greenbackville Lighted Wreck Buoy WR1	38-00-01.378N 075-23-02.136W	Q G		4		Green.	
5460	Greenbackville East Jetty Light 2	38-00-22.371N 075-23-17.139W	FI R 2.5s		4		TR on pile.	
5465	Greenbackville West Jetty Light 3	38-00-21.378N 075-23-18.591W	FI G 2.5s		4		SG on pile.	
5470	Greenbackville Lighted Wreck Buoy WR5	38-00-23.750N 075-23-20.407W	Q G		4		Green.	
5472	Greenbackville CBFS Data Buoy A	37-59-52.130N 075-23-33.340W					Yellow.	Aid maintained by CBFS
5472	Greenbackville CBFS Data Buoy A	37-59-52.130N 075-23-33.340W					Yellow.	Aid maintained by CBFS
5475	Chincoteague Bay Buoy 16	38-00-42.290N 075-21-11.285W					Red nun.	
5480	Chincoteague Bay Light 18	38-01-18.618N 075-20-02.115W	FI R 4s		4		TR on pile.	
5487	Chincoteague Bay Lighted Wreck Buoy WR20	38-02-13.481N 075-17-59.774W	Q R		4		Red.	
5490	Chincoteague Bay Lighted Buoy 21	38-03-08.290N 075-17-02.255W	FI G 4s		4		Green.	
5500	Chincoteague Bay Light 24	38-05-53.502N 075-16-29.775W	FI R 4s		4		TR on pile.	
5510	Chincoteague Bay Lighted Buoy 28	38-08-04.894N 075-15-04.712W	FI R 4s		4		Red.	
5515	Chincoteague Bay Buoy 29	38-09-07.082N 075-14-45.098W					Green Can.	
5520	Wallops Island Lighted Buoy 1	37-53-44.190N 075-25-09.479W	FI G 4s		4		Green.	
5531	Wallops Island Lighted Buoy 3	37-53-43.778N 075-25-43.501W	FI G 2.5s		4		Green.	

5535	Wallops Island Lighted Buoy 4	37-53-34.761N 075-26-03.525W	FI R 2.5s	4	Red.
5540	Wallops Island Lighted Buoy 5	37-53-30.060N 075-26-43.665W	FI G 2.5s	4	Green.
5545	Wallops Island Lighted Buoy 6	37-53-27.687N 075-27-03.028W	FI R 2.5s	4	Red.
5547	Wallops Island Lighted Buoy 7	37-53-16.307N 075-27-26.527W	FI G 4s	4	Green.
5610	Wallops Island Lighted Buoy 7A	37-53-06.063N 075-27-48.195W	FI G 2.5s	4	Green.
5615	Wallops Island Buoy 9	37-52-40.141N 075-27-49.759W			Green can.
5620	Wallops Island Buoy 11	37-52-27.262N 075-27-52.679W			Green can.
5622	Wallops Island Buoy 12	37-52-21.872N 075-27-52.772W			Red nun.
5625	Wallops Island Buoy 13	37-52-00.353N 075-28-09.104W			Green can.
5630	Wallops Island Warning Daybeacon A	37-51-57.066N 075-28-15.939W			NW on pile worded DANGER SHOAL.
5850	Metompkin Warning Daybeacon A	37-43-05.868N 075-35-47.793W			NW on multi-pile structure worded DANGER SHOAL.
5865	Metompkin Buoy 2M	37-42-36.470N 075-36-05.295W			Red nun.
5877	Metompkin Buoy 4	37-42-17.170N 075-36-21.025W			Red nun.
5880	Metompkin Daybeacon 5	37-41-52.548N 075-36-39.417W		11	SG on pile.
5887	Metompkin Buoy 7	37-41-20.810N 075-36-55.585W			Green can.
5890	Metompkin Daybeacon 9	37-41-05.058N 075-36-36.081W		10	SG on pile.
5895	Metompkin Lighted Wreck Buoy WR11	37-41-02.523N 075-36-16.995W	Q G	4	Green.
5900	Metompkin Daybeacon 12	37-40-42.330N 075-36-16.971W			TR on pile.
5903	Metompkin Buoy 13	37-40-33.294N 075-36-19.449W			Green can.
5905	Metompkin Warning Daybeacon B	37-40-32.538N 075-36-29.265W		0	NW on pile worded DANGER SHOALING.
5907	Metompkin Buoy 15	37-40-24.270N 075-36-56.635W			Green can.
5910	Metompkin Warning Daybeacon C	37-40-24.216N 075-36-53.463W			NW on pile worded DANGER.
5915	Metompkin Lighted Buoy 17	37-40-08.040N 075-37-10.485W	FI G 4s	4	Green.
5920	Metompkin Daybeacon 18	37-39-47.562N 075-37-04.515W			TR on pile.
5925	Metompkin Daybeacon 19	37-39-26.628N 075-37-12.825W			SG on pile.
5930	Metompkin Warning Daybeacon D	37-39-21.726N 075-37-21.489W			NW on pile worded DANGER.
5933	Metompkin Buoy 20	37-39-19.950N 075-37-21.295W			Red nun.
5935	Metompkin Lighted Wreck Buoy WR22	37-39-17.874N 075-37-28.705W	Q R	4	Red.
5943	Metompkin Buoy 23	37-39-13.670N 075-37-40.735W			Green can.
5945	Metompkin Buoy 24	37-39-07.610N 075-37-57.595W			Red nun.
5950	Metompkin Warning Daybeacon E	37-38-54.558N 075-38-16.287W			NW on pile worded DANGER SHOAL
5990	Wachapreague Channel Warning Daybeacon A	37-36-40.997N 075-39-59.090W			NW on pile worded DANGER.
5995	Wachapreague Channel Warning Daybeacon B	37-36-34.680N 075-39-56.289W		0	NW on pile worded DANGER SHOAL.
6015	Bradford Bay Buoy 10	37-35-47.744N 075-41-09.057W			Red nun.
6020	Bradford Bay Light 9	37-35-47.701N 075-41-12.712W	FI G 2.5s	0 4	SG on multi-pile structure.

6025	Bradford Bay Buoy 8	37-35-31.971N 075-40-56.902W				Red nun.
6035	Bradford Bay Buoy 7	37-35-12.567N 075-40-39.889W				Green can.
6040	Bradford Bay Light 5	37-35-00.162N 075-40-28.556W	FI G 4s	3		SG on multi-pile structure.
6045	Bradford Bay Daybeacon 3	37-34-50.415N 075-40-17.731W		0		SG on pile.
6050	Bradford Bay Buoy 2	37-34-40.896N 075-40-13.452W				Red nun.
6053	Bradford Bay Buoy 1B	37-34-24.590N 075-39-45.682W				Green can.
6055	Bradford Bay Warning Daybeacon A	37-34-22.065N 075-39-45.946W		0		NW on multi-pile structure worded DANGER.
6060	Bradford Bay Warning Daybeacon B	37-34-03.983N 075-40-06.381W		0		NW on pile worded DANGER.
6250	Virginia Inside Passage Daybeacon 192	37-23-26.021N 075-46-08.985W				TR on pile.
6420	Virginia Inside Passage Daybeacon 226	37-21-33.083N 075-52-51.177W		0		TR on multi-pile structure.
6425	Virginia Inside Passage Daybeacon 227	37-20-53.189N 075-52-54.615W		0		SG on multi-pile structure.
6427	Virginia Inside Passage Daybeacon 228	37-20-17.057N 075-53-28.641W		0		TR on multi-pile structure.
6432	Virginia Inside Passage Daybeacon 230	37-18-33.233N 075-54-02.595W		0		TR on multi-pile structure.
6590	Virginia Inside Passage Daybeacon 267	37-06-53.092N 075-58-13.714W				SG on pile.
6595	Virginia Inside Passage Light 270	37-07-01.542N 075-58-49.001W	FI R 2.5s	0	4	TR on pile.
6600	Wachapreague Inlet Lighted Whistle Buoy W	37-34-54.108N 075-33-36.525W	Mo (A) W		6	Red and white stripes with red spherical topmark.
6605	Wachapreague Inlet Buoy 1	37-34-30.564N 075-34-42.006W				Green can.
6610	Wachapreague Inlet Buoy 2	37-34-35.673N 075-34-51.222W				Red nun.
6615	Wachapreague Inlet Buoy 3	37-34-43.017N 075-35-18.891W				Green can.
6620	Wachapreague Inlet Buoy 6	37-34-46.898N 075-36-37.081W				Red nun.
6625	Wachapreague Inlet Lighted Buoy 5	37-34-42.826N 075-35-48.206W	FI G 2.5s		4	Green. Replaced by can when endangered by ice.
6635	Wachapreague Inlet Lighted Buoy 7	37-34-42.098N 075-37-01.801W	FI G 4s		4	Green.
6640	Wachapreague Channel Warning Daybeacon A	37-35-04.764N 075-37-13.593W		0		NW on pile.
6650	Wachapreague Channel Buoy 1	37-34-50.927N 075-37-18.902W				Green can
6655	Wachapreague Channel Warning Daybeacon B	37-35-32.838N 075-37-36.591W		0		NW on multi-pile structure.
6657	Wachapreague Channel Lighted Buoy 2	37-35-28.353N 075-37-36.823W	FI R 2.5s		4	Red.
6660	Wachapreague Channel Lighted Wreck Buoy WR4	37-35-33.930N 075-38-32.846W	Q R		4	Red.
6665	Wachapreague Channel Light 5	37-36-10.956N 075-38-37.707W	FI G 2.5s	0	4	SG on multi-pile structure.
6670	Wachapreague Channel Light 6	37-36-18.666N 075-38-42.951W	FI R 4s	0	4	TR on multi-pile structure.
6675	Wachapreague Channel Lighted Wreck Buoy WR7	37-36-12.987N 075-39-33.079W	Q G		4	Green.
6680	Wachapreague Channel Warning Daybeacon C	37-36-37.290N 075-39-50.343W		0		NW on pile worded DANGER SHOAL.
6681	Wachapreague Channel Lighted Buoy 10	37-36-35.580N 075-39-51.670W	FI R 4s		4	Red.
6681	Wachapreague Channel Lighted Buoy 10	37-36-35.580N 075-39-51.670W	FI R 4s		4	Red.
6683	Wachapreague Channel Buoy 11	37-36-34.530N 075-39-52.777W				Green can.
6683	Wachapreague Channel Buoy 11	37-36-34.530N 075-39-52.777W				Green can.

6685	Wachapreague Channel Light 12	37-36-15.744N 075-40-27.699W	Fl R 4s	0	4	TR on multi-pile structure.
6690	Wachapreague Channel Daybeacon 13	37-35-57.060N 075-40-41.523W		0		SG on multi-pile structure.
6695	Wachapreague Channel Junction Lighted Buoy WB	37-35-58.132N 075-41-03.262W	Fl (2+1)R 6s		4	Red with green band.
6730	Quinby Creek Warning Daybeacon A	37-27-49.763N 075-40-11.619W		15		NW on multi-pile structure worded DANGER PILE.
6735	Quinby Creek Warning Daybeacon B	37-27-54.053N 075-40-50.475W		0		NW on multi-pile structure worded DANGER PILE.
6743	Quinby Creek Warning Daybeacon C	37-29-31.787N 075-41-16.725W				NW on pile worded DANGER.
6745	Quinby Creek Warning Daybeacon D	37-30-10.907N 075-42-06.117W		10		NW on single pile structure worded DANGER.
6755	Quinby Creek Warning Daybeacon F	37-30-44.166N 075-43-02.991W				NW on pile worded DANGER.
6760	Quinby Creek Warning Daybeacon G	37-31-09.281N 075-43-03.849W				NW on multi-pile structure worded DANGER.
6765	Quinby Creek Warning Daybeacon H	37-31-15.148N 075-43-06.231W				NW on pile worded DANGER.
6770	Quinby Creek Warning Daybeacon I	37-31-33.449N 075-43-23.655W				NW on multi-pile structure worded DANGER.
6785	Quinby Creek Warning Daybeacon J	37-32-52.008N 075-43-50.547W				NW on multi-pile structure worded DANGER.
6795	North Inlet Warning Daybeacon A	37-27-02.555N 075-42-39.609W				NW on multi-pile structure worded DANGER SHOAL.
6805	Great Machipongo Inlet Buoy 2	37-21-42.555N 075-41-07.968W				Red nun.
6810	Great Machipongo Inlet Buoy 3	37-21-37.123N 075-42-12.299W				Green can.
6815	Great Machipongo Inlet Lighted Buoy 4	37-22-01.536N 075-43-51.531W	Fl R 2.5s		4	Red.
6820	Great Machipongo Inlet Light 5	37-21-39.585N 075-44-05.857W	Fl G 4s	0	4	SG on pile.
6835	Virginia Inside Passage Junction Daybeacon GV	37-22-04.643N 075-45-19.437W				JG on multi-pile structure.
6840	Great Machipongo Inlet Buoy 8	37-22-30.331N 075-45-04.850W				Red nun.
6843	Great Machipongo Inlet Daybeacon 9	37-23-15.623N 075-45-25.893W				SG on pile.
6845	Great Machipongo Inlet Light 11	37-23-54.713N 075-45-32.997W	Fl G 4s	0	4	SG on pile.
6850	Great Machipongo Inlet Daybeacon 12	37-24-28.691N 075-45-24.219W				TR on pile.
6855	Great Machipongo Inlet Buoy 13	37-24-44.231N 075-45-40.827W				Green can.
6860	Great Machipongo Inlet Light 14	37-25-14.393N 075-45-30.165W	Fl R 4s	16	4	TR on multi-pile structure.
6865	Great Machipongo Inlet Daybeacon 15	37-25-47.627N 075-45-50.181W				SG on pile.
6870	Great Machipongo Inlet Light 17	37-26-18.125N 075-46-02.667W	Fl G 4s	0	4	SG on multi-pile structure.
6873	Great Machipongo Inlet Daybeacon 18	37-26-55.331N 075-46-19.437W				TR on pile.
6875	Great Machipongo Inlet North Channel Warning Daybeacon A	37-27-18.941N 075-46-32.865W				NW on pile worded DANGER SHOAL.
6890	Great Machipongo Channel Light 1	37-27-49.464N 075-47-09.754W	Fl G 4s	0	4	SG on multi-pile structure.
6895	Great Machipongo Channel Lighted Wreck Buoy WR3	37-27-50.609N 075-47-20.481W	Q G		4	Green.
6910	Great Machipongo Channel Light 4	37-27-45.509N 075-48-10.611W	Q R	0	4	TR on pile.
6912	Great Machipongo Channel Daybeacon 4A	37-27-47.105N 075-48-18.321W				TR on pile.
6917	Great Machipongo Channel Lighted Buoy 6	37-27-50.022N 075-48-24.736W	Q R		4	Red.
6920	Great Machipongo Channel Buoy 8	37-28-22.241N 075-48-22.797W				Red nun.
6927	Great Machipongo Channel Lighted Wreck Buoy WR10	37-29-00.335N 075-48-00.747W	Q R		4	Red.

6930	Great Machipongo Channel Lighted Buoy 11	37-29-23.081N 075-47-39.359W	Q G	4	Green.	
6935	Great Machipongo Channel Light 12	37-29-57.467N 075-47-38.810W	FI R 4s	15	4	TR on multi-pile structure.
6940	Great Machipongo Channel Light 13	37-30-12.191N 075-47-31.773W	FI G 4s	4	SG on multi-pile structure.	
6945	Great Machipongo Channel Daybeacon 15	37-30-17.105N 075-48-11.589W				SG on pile.
6950	Great Machipongo Channel Daybeacon 17	37-30-35.579N 075-48-15.471W				SG on pile.
6955	Great Machipongo Channel Daybeacon 18	37-30-40.205N 075-48-17.091W		14		TR on pile.
6960	Ramshorn Channel Warning Daybeacon A	37-23-25.289N 075-51-16.341W		0		NW on pile worded DANGER SHOAL.
6991	Sand Shoal Lighted Wreck Buoy WR3	37-17-55.371N 075-48-52.524W	Q G	4	Green.	
6996	Sand Shoal Channel Light 10	37-17-50.735N 075-52-39.297W	FI R 4s	0	4	TR on pile.
7010	Oyster Creek Channel Daybeacon 5	37-17-31.283N 075-54-29.517W				SG on pile.
7015	Oyster Creek Channel Light 6	37-17-19.931N 075-54-37.257W	FI R 4s	4	TR on multi-pile structure.	
7020	Oyster Creek Channel Daybeacon 8	37-17-17.057N 075-54-46.869W				TR on multi-pile structure.
7025	Oyster Creek Channel Light 10	37-17-21.113N 075-55-06.843W	FI R 4s	4	TR on pile.	
7030	Cape Henry Buoy 1	36-55-02.459N 075-57-59.960W				Green can.
7035	Chesapeake Channel Lighted Buoy 2C	36-57-18.557N 075-58-22.261W	FI R 2.5s	5	Red.	
7040	Cape Henry Lighted Wreck Buoy WR2CH	36-57-33.356N 076-00-46.067W	Q R	5	Red.	
7045	Chesapeake Channel Lighted Buoy 3	36-57-43.588N 075-59-33.454W	FI G 4s	5	Green.	
7050	Chesapeake Channel Lighted Buoy 4	36-57-48.940N 075-59-21.492W	FI R 4s	5	Red.	
7055	Chesapeake Channel Lighted Buoy 5	36-58-47.330N 076-00-13.967W	FI G 2.5s	5	Green.	
7060	Chesapeake Channel Lighted Buoy 6	36-59-15.857N 076-00-16.008W	Q R	5	Red.	
7065	Tail of The Horseshoe Shoal Lighted Buoy 2T	36-58-26.505N 076-02-16.970W	FI R 4s	5	Red.	
7068	NOAA Lighted Data Buoy FL	36-59-53.100N 076-05-14.280W	FI Y 4s			Yellow.
7070	Chesapeake Channel Lighted Buoy 7	36-59-24.991N 076-00-48.913W	Q G	5	Green.	
7075	Chesapeake Channel Lighted Buoy 9	37-00-10.555N 076-01-51.925W	FI G 4s	5	Green.	
7080	Chesapeake Channel Lighted Buoy 10	37-00-19.905N 076-01-41.353W	FI R 4s	5	Red.	
7085	Chesapeake Channel Lighted Buoy 11	37-00-57.443N 076-02-52.134W	Q G	5	Green.	
7090	Chesapeake Channel Lighted Buoy 12	37-01-04.343N 076-02-40.515W	Q R	5	Red.	
7095	Chesapeake Channel Tunnel South Light	37-02-17.471N 076-04-28.011W	F Y			Mounted atop wall on centerline. BELL: 1 stroke ev 10s. Operates during periods of low visibility only.
7100	Chesapeake Channel Tunnel North Light	37-02-40.990N 076-03-54.230W	F Y			Mounted atop wall on centerline. HORN: 1 blast ev 20s (2s bl). Operates during periods of low visibility only.
7105	Chesapeake Channel Lighted Buoy 13	37-02-26.029N 076-04-17.015W	FI G 4s	5	Green.	Synthetic AIS MMSI: 993672080.
7110	Chesapeake Channel Lighted Buoy 14	37-02-31.030N 076-04-02.891W	FI R 4s	5	Red.	Synthetic AIS MMSI: 993672081.
7115	Chesapeake Channel Lighted Buoy 15	37-03-48.563N 076-05-34.705W	Q G	5	Green.	
7120	Chesapeake Channel Lighted Buoy 16	37-03-53.610N 076-05-25.163W	Q R	5	Red.	
7125	Chesapeake Channel Lighted Buoy 18	37-05-45.401N 076-06-44.083W	FI R 2.5s	5	Red.	
7130	Chesapeake Channel Junction Lighted Buoy CY	37-06-02.545N 076-07-10.213W	FI (2+1)G 6s	5	Green and red bands.	

7135	Chesapeake Channel Lighted Buoy 19	37-06-59.775N 076-07-50.416W	FI G 4s	5	Green.		
7140	Chesapeake Channel Lighted Buoy 20	37-07-04.417N 076-07-40.220W	FI R 4s	5	Red.		
7145	Chesapeake Channel Lighted Buoy 22	37-08-23.695N 076-08-36.822W	Q R	5	Red.		
7150	Chesapeake Channel Lighted Buoy 23	37-08-40.673N 076-09-02.362W	Q G	5	Green.		
7155	Chesapeake Channel Lighted Buoy 24	37-09-06.524N 076-08-54.267W	FI R 2.5s	5	Red.		
7160	Chesapeake Channel Lighted Buoy 25	37-09-55.285N 076-09-13.645W	FI G 4s	5	Green.		
7165	Chesapeake Channel Lighted Buoy 26	37-09-56.231N 076-09-02.027W	FI R 4s	5	Red.		
7170	Chesapeake Channel Lighted Buoy 28	37-10-47.221N 076-09-09.674W	Q R	5	Red.		
7175	Chesapeake Channel Lighted Buoy 29	37-11-10.077N 076-09-25.035W	Q G	5	Green.		
7180	Chesapeake Channel Lighted Buoy 30	37-11-30.147N 076-09-04.755W	FI R 2.5s	5	Red.		
7185	Chesapeake Channel Lighted Buoy 31	37-12-29.564N 076-08-53.802W	FI G 4s	5	Green.		
7190	Chesapeake Channel Lighted Buoy 32	37-12-26.629N 076-08-42.781W	FI R 4s	5	Red.		
7200	Chesapeake Channel Lighted Buoy 33	37-14-10.946N 076-08-14.105W	FI G 6s	5	Green.		
7205	Chesapeake Channel Lighted Buoy 34	37-14-08.092N 076-08-02.917W	FI R 6s	5	Red.		
7210	Chesapeake Channel Lighted Buoy 35	37-15-52.231N 076-07-34.438W	FI G 4s	5	Green.		
7215	Chesapeake Channel Lighted Buoy 36	37-15-49.425N 076-07-23.223W	FI R 4s	5	Red.		
7220	Chesapeake Channel Buoy 36A	37-15-04.791N 076-03-54.961W			Red nun.		
7225	Chesapeake Channel Lighted Buoy 37	37-17-33.565N 076-06-54.733W	FI G 2.5s	5	Green.		
7230	Chesapeake Channel Lighted Buoy 38	37-17-30.759N 076-06-43.515W	FI R 2.5s	5	Red.		
7235	Chesapeake Channel Buoy 38A	37-19-13.578N 076-02-53.547W			Red nun.		
7240	Chesapeake Channel Lighted Buoy 40	37-21-49.519N 076-04-27.783W	FI R 4s	5	Red.	Replaced by nun when endangered by ice. Synthetic AIS MMSI: 993672084.	
7250	Chesapeake Channel Buoy 40A	37-23-06.019N 076-01-58.475W			Red nun.		
7255	Wolf Trap Lighted Buoy 1WT	37-23-29.949N 076-10-27.815W	FI G 4s	5	Green.		
7265	Chesapeake Channel Lighted Buoy 41	37-24-36.515N 076-05-09.785W	FI G 4s	5	Green.	Replaced by can when endangered by ice.	
7270	Chesapeake Channel Buoy 41A	37-29-36.849N 076-11-11.171W			Green can.		
7275	Chesapeake Channel Lighted Buoy 42	37-25-37.113N 076-05-06.585W	FI R 4s	5	Red.	Synthetic AIS: MMSI 993672385	
7280	Chesapeake Channel Buoy 42A	37-27-27.229N 076-00-54.615W			Red nun.		
7285	Chesapeake Channel Mid-Channel Lighted Whistle Buoy CB	37-30-01.337N 076-02-36.472W	Mo (A) W	5	Red and white stripes.		
7290	Rappahannock Shoal Channel South Range Front Light	37-32-18.647N 076-00-51.049W	F W	0	Red monopile with white equipment hut on top.	Lighted throughout 24 hours. DAY : Visible on rangeline only. NIGHT : Visible 0.5° either side of rangeline.	
7291	Rappahannock Shoal Channel South Range Front Passing Light	37-32-18.647N 076-00-51.049W	FI W 6s	12	5	On same structure as Rappahannock Shoal Channel South Range Front Light.	
7295	Rappahannock Shoal Channel South Range Rear Light	37-29-29.971N 075-57-54.778W	F W	270	On skeleton tower on caisson.	Lighted throughout 24 hours. DAY : Visible on rangline only. NIGHT : Visible 0.9° either side of rangeline.	
7296	Rappahannock Shoal Channel South Range Rear Passing Lights (2)	37-29-29.950N 075-57-54.797W	FI W 6s	30	6	On same structure as Rappahannock Shoal Channel South Range Rear Light.	On corners of platform.
7300	Chesapeake Channel Lighted Buoy 43	37-32-09.675N 076-02-32.820W	FI G 2.5s	5	Green.	Replaced by can when endangered by ice.	
7305	Chesapeake Channel Lighted Buoy 44	37-32-09.186N 076-02-21.160W	FI R 2.5s	5	Red.	Replaced by nun when endangered by ice.	

7310	Chesapeake Channel Lighted Buoy 45	37-32-54.218N 076-02-29.810W	Fl G 2.5s	5	Green.	Replaced by can when endangered by ice.
7315	Chesapeake Channel Lighted Buoy 46	37-33-45.323N 076-02-14.162W	Q R	5	Red.	Replaced by nun when endangered by ice.
7320	Chesapeake Channel Lighted Buoy 47	37-34-19.309N 076-03-04.926W	Q G	5	Green.	Replaced by can when endangered by ice.
7325	Stingray Point Light	37-33-40.592N 076-16-12.199W	Fl W 4s	20	7	NG on skeleton tower on monopile.
7330	Windmill Point Light	37-35-48.955N 076-14-09.907W	Fl W 6s	24	9	NR on skeleton tower on monopile. Red from 293° to 082° and from 091.5° to 113°.
7360	Chesapeake Channel Lighted Buoy 49	37-34-51.964N 076-03-39.342W	Fl G 4s	5	Green.	Replaced by can when endangered by ice.
7365	Chesapeake Channel Lighted Buoy 50	37-34-58.005N 076-03-30.136W	Fl R 4s	5	Red.	Replaced by nun when endangered by ice.
7370	Chesapeake Channel Lighted Buoy 51	37-35-58.811N 076-04-50.244W	Fl G 6s	5	Green.	Replaced by can when endangered by ice.
7375	Chesapeake Channel Lighted Buoy 52	37-36-04.910N 076-04-39.935W	Fl R 6s	5	Red.	Replaced by nun when endangered by ice.
7380	Chesapeake Channel Lighted Buoy 53	37-37-09.556N 076-06-03.458W	Fl G 4s	5	Green.	Replaced by can when endangered by ice.
7385	Chesapeake Channel Lighted Buoy 54	37-37-16.429N 076-05-54.893W	Fl R 4s	5	Red.	Replaced by nun when endangered by ice.
7390	Chesapeake Channel Buoy 54A	37-37-24.329N 075-57-36.015W			Red nun.	
7395	Chesapeake Channel Lighted Buoy 55	37-38-18.261N 076-07-15.506W	Fl G 6s	5	Green.	Replaced by can when endangered by ice.
7400	Chesapeake Channel Lighted Buoy 56	37-38-24.264N 076-07-06.672W	Fl R 6s	5	Red.	Replaced by nun when endangered by ice.
7405	Chesapeake Channel Lighted Buoy 57	37-39-16.041N 076-08-16.119W	Fl G 4s	5	Green.	Replaced by can when endangered by ice.
7410	Chesapeake Channel Lighted Buoy 58	37-39-21.749N 076-08-07.232W	Fl R 4s	5	Red.	Replaced by nun when endangered by ice.
7415	Chesapeake Channel Lighted Buoy 59	37-40-21.945N 076-09-25.339W	Fl G 2.5s	5	Green.	Replaced by can when endangered by ice.
7425	Chesapeake Channel Lighted Buoy 60	37-40-28.001N 076-09-16.501W	Fl R 2.5s	5		
7425	Chesapeake Channel Lighted Buoy 60	37-40-28.001N 076-09-16.501W	Fl R 2.5s	5		
7430	Chesapeake Channel Mid-Channel Lighted Whistle Buoy RP	37-42-21.499N 076-11-03.804W	Mo (A) W	5	Red and white stripes.	
7435	Tangier Sound Light	37-47-16.876N 075-58-24.427W	Fl W 6s	30	7	NW on skeleton tower on multi-pile structure worded DANGER.
7440	Chesapeake Channel Lighted Buoy 62	37-46-28.496N 076-10-16.304W	Fl R 4s	5	Red.	Replaced by nun when endangered by ice. Synthetic AIS: MMSI 993672893.
7445	Chesapeake Channel Buoy 63A	37-50-51.211N 076-11-00.148W			Green can.	
7450	USN Aerial Gunnery Area Lighted Warning Buoy A	37-47-41.664N 075-59-26.473W	Fl W 2.5s	4	White can with orange bands and diamond.	Removed when endangered by ice.
7460	Tangier Island Shoal Point Buoy 2	37-47-05.651N 076-05-40.467W			Red nun.	
7462	Naval Facilities Tangier Lighted Danger Daybeacon A	37-48-15.793N 076-03-59.470W	Fl W 10s			NW on pile worded DANGER.
7462.2	Naval Facilities Tangier Lighted Danger Daybeacon B	37-47-42.296N 076-04-01.138W	Fl W 6s			NW on pile worded DANGER.
7462	Naval Facilities Tangier Lighted Danger Daybeacon A	37-48-15.793N 076-03-59.470W	Fl W 10s			NW on pile worded DANGER.
7462.2	Naval Facilities Tangier Lighted Danger Daybeacon B	37-47-42.296N 076-04-01.138W	Fl W 6s			NW on pile worded DANGER.
7465	Tangier Island Wreck Light WR1	37-48-29.246N 076-01-32.526W	Q G	4	SG on pile.	
7480	Smith Point Light	37-52-47.575N 076-11-01.512W	Fl W 10s	0	15	White brick square tower and octagonal dwelling on brown cylindrical pier. Structure maintained by entity outside the U.S. Coast Guard.
7490	Smith Point Lighted Buoy SP	37-52-48.457N 076-09-06.791W	Mo (A) W	5	Red and white stripes with spherical topmark.	
7495	Chesapeake Channel Lighted Buoy 64	37-55-30.484N 076-09-04.799W	Fl R 4s	5	Red.	Replaced by nun when endangered by ice.
7500	Chesapeake Channel Lighted Buoy 65	37-56-24.135N 076-11-40.041W	Fl G 2.5s	5	Green.	Replaced by can when endangered by ice.
7505	Chesapeake Channel Lighted Buoy 66	37-58-16.482N 076-10-33.801W	Fl R 6s	5	Red.	Replaced by nun when endangered by ice.

7515	Chesapeake Channel Lighted Buoy 68	37-59-53.480N 076-11-48.803W	FI R 2.5s	5	Red.	Replaced by nun when endangered by ice.
7520	Chesapeake Channel Lighted Buoy 70	38-01-41.480N 076-12-16.805W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.
7525	Point Lookout Light	38-01-30.300N 076-19-24.802W	FI (2)W 5s	20	7	NW on skeleton tower on piles worded DANGER.
7530	Chesapeake Channel Buoy 69A	38-02-20.183N 076-17-25.017W				Green can.
7535	Navy Bombing Area Light B	38-02-34.268N 076-09-37.067W	FI Y 4s	5		NW on multi-pile worded DANGER BOMBING RANGE.
7545	Holland Island Bar Light	38-04-07.375N 076-05-44.922W	FI W 2.5s	15	6	NB on skeleton tower on piles.
7550	Holland Island Warning Daybeacon	38-07-21.636N 076-05-40.627W				NW on pile worded DANGER WRECK.
7555	Chesapeake Channel Lighted Buoy 72	38-06-54.477N 076-12-54.808W	FI R 2.5s	5	Red.	Replaced by nun when endangered by ice.
7557	Chesapeake Channel Lighted Buoy 72A	38-10-00.030N 076-13-33.016W	FI R 4s	5	Red	Replaced by LIB of reduced intensity when endangered by ice.
7558	Chesapeake Channel Lighted Buoy 72B	38-15-22.030N 076-15-47.016W	FI R 2.5s	5	Red.	Replaced by LIB of reduced intensity when endangered by ice.
7560	Point No Point Light	38-07-41.281N 076-17-24.987W	FI W 6s	0	9	White octagonal brick dwelling on brown cylinder.
7570	Hooper Strait Approach Lighted Buoy 1	38-12-17.174N 076-09-20.301W	FI G 4s	5	Green.	Replaced by can when endangered by ice.
7575	Chesapeake Channel Mid-Channel Lighted Buoy HS	38-12-20.876N 076-14-33.733W	Mo (A) W	5		Red and white stripes with red spherical topmark.
7580	USN Aerial Gunnery Area Lighted Buoy C	38-13-10.712N 076-18-16.002W	FI Y 4s	5	Yellow.	Replaced by nun when endangered by ice.
7585	USN Aerial Gunnery Area Lighted Buoy D	38-12-51.336N 076-19-51.051W	FI Y 2.5s	5	Yellow.	Replaced by nun when endangered by ice.
7590	Hooper Island Light	38-15-22.530N 076-14-59.316W	FI W 6s	9		White conical tower on brown cylinder. Structure maintained by entity outside the U.S. Coast Guard.
7595	Chesapeake Channel Mid-Channel Lighted Whistle Buoy HI	38-18-40.474N 076-18-40.823W	Mo (A) W	5		Red and white stripes with red spherical topmark.
7600	Chesapeake Channel Lighted Buoy 74	38-18-56.473N 076-17-03.820W	FI R 2.5s	5	Red.	Replaced by nun when endangered by ice.
7605	Drum Point Light 4	38-19-08.297N 076-25-15.497W	FI R 2.5s	0	5	TR on multi-pile structure.
7620	Chesapeake Channel Lighted Buoy 76	38-21-23.472N 076-18-32.423W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.
7625	Chesapeake Channel Lighted Buoy 77	38-21-04.974N 076-21-41.630W	FI G 2.5s	5	Green.	Replaced by can when endangered by ice.
7630	Cove Point Light	38-23-10.530N 076-22-54.316W	FI W 10s	0	12	White tower. Lighted throughout 24 hours.
7640	Cove Point Platform Light A	38-24-08.843N 076-23-08.217W	FI Y 2.5s			On northwest corner of concrete platform.
7645	Cove Point Platform Light B	38-24-07.943N 076-23-07.317W	FI Y 2.5s			On southwest corner of concrete platform.
7650	Cove Point South Mooring Dolphin Light C	38-24-00.343N 076-22-54.716W	FI Y 2.5s			On pile on concrete platform. HORN: 1 blast ev 20s (2s bl). Operated during periods of low visibility.
7655	Cove Point Middle Mooring Dolphin Light D	38-24-10.443N 076-23-03.517W	FI Y 2.5s			On pile on concrete platform.
7660.1	Cove Point Lighted Warning Buoy F	38-24-27.150N 076-23-41.876W	FI W 4s			White can with orange bands and diamond worded RESTRICTED AREA.
7660.2	Cove Point Lighted Warning Buoy G	38-24-44.088N 076-23-10.191W	FI W 2.5s			White can with orange bands and diamond worded RESTRICTED AREA.
7660.3	Cove Point Lighted Warning Buoy H	38-23-54.837N 076-22-26.028W	FI W 2.5s			White can with orange bands and diamond worded RESTRICTED AREA.
7660.4	Cove Point Lighted Warning Buoy J	38-23-36.556N 076-22-57.318W	FI W 4s			White can with orange bands and diamond worded RESTRICTED AREA.
7660	Cove Point North Mooring Dolphin Light E	38-24-20.843N 076-23-12.317W	FI Y 2.5s			On pile on concrete platform. HORN: 1 blast ev 20s (2s bl). Operated during periods of low visibility.
7665	Chesapeake Channel Mid-Channel Lighted Buoy CP	38-28-11.080N 076-22-34.521W	Mo (A) W	5		Red and white stripes with spherical topmark.
7670	Chesapeake Channel Buoy 77A	38-28-33.874N 076-27-16.903W				Green can.
7671	Flag Harbor Light 1	38-27-55.800N 076-28-09.900W	FI G 5s			SG on pile.
7672.5	Flag Harbor Channel Daybeacon 6	38-27-50.900N 076-28-17.700W				TR on pile at corner of pier.

7672.3	Flag Harbor Channel Daybeacon 4	38-27-52.100N 076-28-16.200W					TR on pile.
7672.1	Flag Harbor Channel Daybeacon 3	38-27-54.100N 076-28-12.500W					SG on pile.
7672	Flag Harbor Entrance Light 2	38-27-57.000N 076-28-11.000W	FI R 5s				TR on dolphin at end of stone jetty.
7673	Flag Harbor Directional Light	38-27-50.900N 076-28-17.700W	FI W 3s				NW on pile at corner of pier.
7675	Chesapeake Channel Buoy 77B	38-31-08.270N 076-28-57.644W					Green can.
7676	NOAA Lighted DOX Buoy A	38-33-23.436N 076-29-34.836W	FI Y 6s				Yellow.
7676	NOAA Lighted DOX Buoy A	38-33-23.436N 076-29-34.836W	FI Y 6s				Yellow.
7680	Chesapeake Channel Lighted Buoy 78	38-33-19.012N 076-25-39.235W	FI R 4s	5		Red.	Replaced by nun when endangered by ice.
7681	NOAA Lighted Data Buoy GR	38-33-22.500N 076-24-52.920W	FI Y 4s				Yellow.
7681.5	NOAA Lighted DOX Buoy B	38-33-23.400N 076-23-31.848W	FI Y 6s				Yellow.
7681.5	NOAA Lighted DOX Buoy B	38-33-23.400N 076-23-31.848W	FI Y 6s				Yellow.
7682	Chesapeake Channel Lighted Buoy 78A	38-34-42.030N 076-25-53.016W	FI R 2.5s	5		Red.	Replaced by LIB of reduced intensity when endangered by Synthetic AIS MMSI 993672085.
7685	Chesapeake Channel Lighted Buoy 80	38-36-32.463N 076-24-46.838W	FI R 2.5s	5		Red.	
7690	NOAA Lighted DOX Buoy SI	38-37-09.760N 076-24-34.730W	FI Y 6s				Yellow.
7690	NOAA Lighted DOX Buoy SI	38-37-09.760N 076-24-34.730W	FI Y 6s				Yellow.
7695	Chesapeake Channel Lighted Buoy CR	38-38-57.460N 076-24-53.840W	Mo (A) W	5		Red and white stripes with red spherical topmark.	
7697	Chesapeake Channel Buoy 79A	38-38-39.528N 076-29-11.086W					Green can.
7698	Chesapeake Channel Lighted Wreck Buoy WR79B	38-40-08.895N 076-25-40.590W	Q G	5		Green.	
7698	Chesapeake Channel Lighted Wreck Buoy WR79B	38-40-08.895N 076-25-40.590W	Q G	5		Green.	
7700	Chesapeake Channel Buoy 80A	38-39-49.710N 076-22-58.837W					Red nun.
7705	Plum Point Shoal Buoy 1	38-37-16.281N 076-30-01.088W					Green can.
7707	Chesapeake Channel Buoy 81A	38-43-35.155N 076-29-56.250W					Green can.
7710	Chesapeake Channel Lighted Buoy 82	38-42-04.457N 076-25-19.842W	FI R 4s	5		Red.	
7730	Chesapeake Channel Lighted Buoy 83	38-45-07.554N 076-26-39.346W	FI G 4s	5		Green.	Replaced by can when endangered by ice.
7735	Chesapeake Channel Buoy 83A	38-46-08.407N 076-29-41.474W					Green can.
7740	Chesapeake Channel Lighted Buoy 84	38-45-27.454N 076-25-06.844W	FI R 4s	5		Red.	
7745	Chesapeake Channel Lighted Buoy 84A	38-47-35.650N 076-24-41.347W	FI R 2.5s	5		Red.	
7747	Chesapeake Channel Buoy 85A	38-49-56.931N 076-27-43.477W					Green can.
7751	Bloody Point Bar Warning Light	38-49-59.903N 076-23-35.457W	FI W 6s	10	7	NW on multi-pile structure.	Marks remains of Bloody Point Bar Lighthouse.
7755	Chesapeake Channel Lighted Buoy 86	38-51-58.444N 076-23-32.852W	FI R 4s	5		Red.	
7760	Thomas Point Shoal Light	38-53-56.330N 076-26-09.216W	FI W 5s	16		White hexagonal tower on piles.	Red from 011° to 051.5° and 096.5° to 202°. Structure maintained by entity outside the U.S. Coast Guard.
7762	Prices Creek Light 5	38-53-54.500N 076-21-57.400W	FI G 3s				
7765	Chesapeake Channel Lighted Buoy WR87	38-55-58.157N 076-23-32.792W	Q G	5		Green.	
7795	Kent Island Northern Range Obstruction Daybeacon	38-56-06.438N 076-21-47.847W					NW on pile.
7800	Chesapeake Channel Lighted Buoy 88	38-56-07.938N 076-22-55.858W	FI R 2.5s	5		Red.	

7815	Matapeake North Breakwater Daybeacon 1	38-57-23.170N 076-21-26.010W				SG on pile.
7820	Hackett Point Shoal Buoy 1	38-58-12.134N 076-24-52.265W				Green can.
7825	Chesapeake Channel Lighted Buoy 90	38-58-18.534N 076-23-18.962W	Fl R 2.5s	5	Red.	Replaced by LIB of reduced intensity when endangered by ice.
7827	Hackett Point Mooring Buoy A	38-58-27.550N 076-21-27.520W				White with blue band.
7827.2	Hackett Point Mooring Buoy B	38-58-49.200N 076-24-30.120W				White w/blue band.
7827.4	Kokosing McLean Mooring Buoy A	38-57-57.720N 076-21-29.340W				White with blue band.
7827	Hackett Point Mooring Buoy A	38-58-27.550N 076-21-27.520W				White with blue band.
7827.2	Hackett Point Mooring Buoy B	38-58-49.200N 076-24-30.120W				White w/blue band.
7827.4	Kokosing McLean Mooring Buoy A	38-57-57.720N 076-21-29.340W				White with blue band.
7830	Chesapeake Channel Lighted Buoy 91	38-58-59.133N 076-23-16.563W	Fl G 4s	5	Green	Replaced by LIB of reduced intensity when endangered by ice.
7835	Chesapeake Channel Lighted Bell Buoy 92	38-58-55.833N 076-23-04.563W	Fl R 4s	5	Red.	
7840	Bay Bridge Marina Light 1	38-58-45.000N 076-20-40.800W	Q G			SG on pile.
7845	Bay Bridge Marina Light 2	38-58-43.200N 076-20-40.800W	Fl R 2.5s			TR on pile.
7850	Bay Bridge Marina Light 3	38-58-48.000N 076-20-28.800W	Fl G 2.5s			SG on pile.
7855	Bay Bridge Marina Light 4	38-58-46.800N 076-20-29.400W	Fl R 2.5s			TR on pile.
7860	Bay Bridge Marina Light 5	38-58-50.400N 076-20-19.800W	Fl G 2.5s			SG on pile.
7865	Bay Bridge Marina Light 6	38-58-49.200N 076-20-19.200W	Fl R 2.5s			TR on pile.
7870	Bay Bridge Marina Daybeacon 7	38-58-48.600N 076-20-06.600W				SG on pile.
7875	Bay Bridge Marina Light 8	38-58-48.000N 076-20-07.200W	Fl R 4s			TR on pile.
7890.1	William P. Lane Jr. Bridge West Channel Fog Signal	38-59-39.680N 076-22-54.080W				Horn: 1 blast ev 15s(5s bl). Operates during periods of low visibility only. Horn directed on 017° and 197°.
7890	William P. Lane Jr. Bridge West Channel Fog Signal	38-59-35.560N 076-22-55.770W				Horn: 1 blast ev 15s(5s bl). Operates during periods of low visibility only. Horn directed on bearings 017° and 197°.
7890.1	William P. Lane Jr. Bridge West Channel Fog Signal	38-59-39.680N 076-22-54.080W				Horn: 1 blast ev 15s(5s bl). Operates during periods of low visibility only. Horn directed on 017° and 197°.
7892	William P. Lane Jr. Bridge V-AIS SE	38-59-33.509N 076-22-47.075W				Virtual AIS AIS: MMSI 993672316
7892.1	William P. Lane Jr. Bridge V-AIS SW	38-59-37.853N 076-23-04.985W				Virtual AIS AIS: MMSI 993672315
7894	William P. Lane Jr. Bridge V-AIS NE	38-59-37.798N 076-22-45.353W				Virtual AIS AIS: MMSI 993672318
7894.1	William P. Lane Jr. Bridge V-AIS NW	38-59-41.764N 076-23-03.371W				Virtual AIS AIS: MMSI 993672317
7905	Sandy Point State Park Daybeacon 1	39-00-30.456N 076-24-12.771W				SG on pile.
7910	Sandy Point State Park Daybeacon 2	39-00-31.322N 076-24-11.703W				TR on pile.
7915	Sandy Point State Park Buoy 3	39-00-38.764N 076-24-11.196W				Green can.
7915	Sandy Point State Park Buoy 3	39-00-38.764N 076-24-11.196W				Green can.
7920	Sandy Point State Park Buoy 4	39-00-38.000N 076-24-10.000W				Red nun.
7920	Sandy Point State Park Buoy 4	39-00-38.000N 076-24-10.000W				Red nun.
7925	Sandy Point State Park Buoy 5	39-00-40.900N 076-24-11.000W				Green can.
7930	Sandy Point State Park Danger Marker A	39-00-42.406N 076-24-11.763W				NW on pile.
7935	Sandy Point State Park Danger Marker B	39-00-45.349N 076-24-13.254W				NW on pile.

7940	Sandy Point State Park Danger Marker C	39-00-48.242N 076-24-14.796W				NW on pile.	
7945	Sandy Point State Park Danger Marker D	39-00-50.494N 076-24-14.955W				NW on pile.	
7950	Sandy Point State Park Danger Marker E	39-00-51.732N 076-24-13.291W				NW on pile.	
7955	Sandy Point State Park Danger Marker F	39-00-52.410N 076-24-10.618W				NW on pile.	
7957.3	Sandy Point State Park North Beach Buoy 3	39-00-45.500N 076-23-35.000W					
7957.6	Sandy Point State Park North Beach Buoy 6	39-00-47.800N 076-23-38.100W			Red nun.		Maintained from Apr. 15 to Oct. 15.
7957.5	Sandy Point State Park North Beach Buoy 5	39-00-45.300N 076-23-38.100W			Green can.		Maintained from Apr. 15 to Oct. 15.
7957.4	Sandy Point State Park North Beach Buoy 4	39-00-47.700N 076-23-34.900W			Red nun.		Maintained from Apr. 15 to Oct. 15.
7957.2	Sandy Point State Park North Beach Buoy 2	39-00-47.800N 076-23-32.000W			Red nun.		Maintained from Apr. 15 to Oct. 15.
7957.1	Sandy Point State Park North Beach Buoy 1	39-00-45.700N 076-23-31.800W			Green can.		Maintained from Apr. 15 to Oct. 15.
7957.3	Sandy Point State Park North Beach Buoy 3	39-00-45.500N 076-23-35.000W					
7960	Chesapeake Channel Lighted Buoy 93	39-00-03.110N 076-22-52.736W	FI G 4s	5	Green.		Replaced by LIB of reduced intensity when endangered by ice.
7965	Chesapeake Channel Lighted Buoy 94	39-00-00.092N 076-22-40.254W	FI R 4s	5	Red.		Replaced by LIB of reduced intensity when endangered by ice.
7970	Chesapeake Channel Lighted Buoy 95	39-00-26.931N 076-22-43.864W	FI G 2.5s	5	Green.		Replaced by LIB of reduced intensity when endangered by ice.
7975	William P. Lane Jr. Bridge East Channel Fog Signal	38-59-19.670N 076-21-29.450W					HORN: 1 blast ev 20s (2s bl). Operates during periods of low visibility only.
7980	Queen Ann County Obstruction Buoy A	38-59-18.303N 076-20-26.243W				White with orange bands worded OUTFALL.	
7985	Queen Ann County Obstruction Buoy B	38-59-15.503N 076-20-14.042W				White with orange bands worded OUTFALL.	
7995	Craighill Channel Entrance Range Front Light	39-06-07.162N 076-24-23.503W	Oc W 4s			On mono-pile.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around. Higher intensity 0.9° either side of rangeline.
8000	Craighill Channel Entrance Range Rear Light	39-07-04.086N 076-24-45.081W	F W			Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Day : Visible 0.5° either side of rangeline. Night : Visible 0.9° either side of rangeline.
8001	Craighill Channel Entrance Range Rear Passing Lights	39-07-04.086N 076-24-45.081W	Iso W 4s	5		On same structure as Craighill Channel Entrance Range Rear Light.	
8005	Craighill Entrance Lighted Buoy 1C	39-01-22.536N 076-22-41.181W	Q G	5	Green.		Replaced by LIB of lower intensity when endangered by ice.
8010	Craighill Entrance Lighted Buoy 2	39-01-25.342N 076-22-29.356W	Q R	5	Red.		Replaced by LIB of lower intensity when endangered by ice.
8015	Craighill Lighted Buoy 3	39-02-13.219N 076-23-00.448W	FI G 4s	5	Green.		Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8020	Craighill Lighted Buoy 4	39-02-15.674N 076-22-50.068W	FI R 4s	5	Red.		Replaced by LIB of lower intensity when endangered by ice.
8025	Craighill Lighted Buoy 5	39-03-03.978N 076-23-19.633W	FI G 6s	5	Green.		Replaced by LIB of lower intensity when endangered by ice.
8030	Craighill Lighted Buoy 6	39-03-06.493N 076-23-09.305W	FI R 6s	5	Red.		Replaced by LIB of lower intensity when endangered by ice.
8035	Baltimore Light	39-03-33.108N 076-23-56.409W	FI W 2.5s	7		White octagonal dwelling on brown cylindrical base.	Red from 082° to 160°.
8040	Craighill Channel Range Front Light	39-11-19.043N 076-23-39.855W	FI W 2.5s			Brown dwelling on cylindrical pier.	Lighted throughout 24 hours. Day : Visible 0.5° either side of rangeline. Night : Visible all around higher intensity 0.5° either side of rangeline. Red sector from 311° to 316°. Structure Maintained by entity outside the U.S. Coast Guard.
8050	Craighill Channel Range Rear Light	39-13-44.556N 076-23-39.920W	F W	0		Square pyramidal tower lower part white upper part brown.	Lighted throughout 24 hours. Visible 0.9° either side of rangeline.
8055	Craighill Lighted Buoy 8	39-03-57.729N 076-23-28.706W	Q R	5	Red.		Replaced by LIB of reduced intensity when endangered by ice.
8060	Craighill Lighted Buoy 9	39-04-09.928N 076-23-44.866W	Q G	5	Green.		Replaced by LIB of reduced intensity when endangered by ice.
8065	Craighill Lighted Buoy 10	39-04-27.501N 076-23-34.284W	FI R 2.5s	5	Red.		Replaced by LIB of reduced intensity when endangered by ice.
8070	Craighill Lighted Buoy 11	39-05-10.762N 076-23-45.141W	FI G 4s	5	Green.		Replaced by LIB of lower intensity when endangered by ice.
8075	Craighill Lighted Buoy 12	39-05-10.762N 076-23-34.322W	FI R 4s	5	Red.		Replaced by LIB of lower intensity when endangered by ice.

8077	Craighill Lighted Buoy 13	39-06-06.057N 076-23-45.179W	FI G 2.5s	5	Green.	Replaced by LIB of lower intensity when endangered by ice.	
8078	Craighill Lighted Buoy 14	39-06-06.000N 076-23-34.307W	FI R 2.5s	5	Red.	Replaced by LIB of lower intensity when endangered by ice.	
8080	Craighill Lighted Buoy 15	39-06-59.414N 076-23-45.106W	Q G	5	Green.	Replaced by LIB of reduced intensity when endangered by ice.	
8085	Craighill Lighted Buoy 16	39-06-59.427N 076-23-34.193W	FI R 6s	5	Red.	Replaced by LIB of lower intensity when endangered by ice.	
8090	Craighill Channel Upper Range Front Light	39-11-49.439N 076-26-53.793W	Iso W 2s	0	Red octagonal tower white horizontal bands at middle.	Lighted throughout 24 hours. Visible 1.5° either side or rangeline.	
8095	Craighill Channel Upper Range Rear Light	39-12-58.240N 076-27-45.889W	Iso W 6s	80	White square pyramidal skeleton and central shaft.	Lighted throughout 24 hours. Visible 1.5° either side or rangeline.	
8100	Craighill Lighted Buoy 18	39-07-34.004N 076-23-34.495W	Q R	5	Red.	Replaced by LIB of lower intensity when endangered by ice.	
8105	Craighill Lighted Buoy 19	39-07-42.894N 076-24-06.057W	FI G 4s	5	Green.	Replaced by LIB of lower intensity when endangered by ice.	
8110	Craighill Lighted Buoy 20	39-08-19.153N 076-24-08.672W	FI R 2.5s	5	Red.	Replaced by LIB of lower intensity when endangered by ice.	
8115	Craighill Lighted Buoy 21	39-08-27.879N 076-24-27.599W	Q G	5	Green.	Replaced by LIB of reduced intensity when endangered by ice.	
8117	NOAA Lighted Data Buoy SN	39-09-06.860N 076-23-28.120W	FI Y 4s		Yellow.		
8117	NOAA Lighted Data Buoy SN	39-09-06.860N 076-23-28.120W	FI Y 4s		Yellow.		
8120	Sevenfoot Knoll Light	39-09-19.133N 076-24-32.523W	FI W 6s	52	9	On skeleton tower.	Red from 134° to 344°. Lighted throughout 24 hours.
8125	Craighill Lighted Buoy 23	39-09-20.028N 076-25-07.004W	FI G 4s	5	Green.	Replaced by LIB of lower intensity when endangered by ice.	
8130	Craighill Lighted Buoy 24	39-09-24.292N 076-24-57.702W	FI R 4s	5	Red.	Replaced by LIB of lower intensity when endangered by ice.	
8135	Craighill Lighted Buoy 25	39-10-11.977N 076-25-46.350W	Q G	5	Green.	Replaced by LIB of reduced intensity when endangered by ice.	
8140	Craighill Lighted Buoy 26	39-10-16.279N 076-25-37.122W	FI R 6s	5	Red.	Replaced by LIB of lower intensity when endangered by ice.	
8145	Brewerton Lighted Buoy 2B	39-10-44.020N 076-25-58.014W	Q R	5	Red.	Replaced by LIB of reduced intensity when endangered by ice.	
8150	Brewerton Channel Range Front Light	39-12-19.072N 076-31-26.169W	Iso G 2s	25	Skeleton tower on caisson.	Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around higher intensity 0.5° either side of rangeline.	
8155	Brewerton Channel Range Rear Light	39-12-49.247N 076-33-06.342W	F G	57	On black skeleton tower.	Lighted throughout 24 hours. Visible 0.5° either side of rangeline.	
8160	Brewerton Channel Lighted Buoy 3	39-10-48.766N 076-26-42.035W	Q G	5	Green.	Replaced by can when endangered by ice.	
8165	Brewerton Channel Lighted Buoy 4	39-10-57.142N 076-26-39.573W	FI R 2.5s	5	Red.	Replaced by nun when endangered by ice.	
8170	Brewerton Channel Lighted Buoy 6	39-11-09.368N 076-27-19.814W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.	
8175	Pennwood Lighted Junction Buoy PW	39-11-15.021N 076-27-34.975W	FI (2+1)R 6s	4	Red and green.		
8180	Brewerton Channel Lighted Buoy 7	39-11-08.855N 076-27-48.524W	FI G 6s	5	Green.	Replaced by can when endangered by ice.	
8185	Brewerton Channel Lighted Buoy 8	39-11-36.018N 076-28-48.373W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.	
8190	Brewerton Channel Lighted Buoy 9	39-11-29.234N 076-28-56.071W	FI G 4s	5	Green.	Replaced by can when endangered by ice.	
8195	Brewerton Channel Lighted Buoy 11	39-11-41.597N 076-29-36.981W	FI G 6s	5	Green.	Replaced by can when endangered by ice.	
8200	Brewerton Channel Lighted Buoy 12	39-11-51.218N 076-29-38.661W	FI R 6s	5	Red.	Replaced by nun when endangered by ice.	
8205	Brewerton Channel Lighted Buoy 14	39-12-00.168N 076-30-08.107W	Q R	5	Red.	Replaced by nun when endangered by ice.	
8210	Brewerton Channel Lighted Buoy 15	39-11-55.800N 076-30-24.087W	FI G 2.5s	5	Green.	Replaced by can when endangered by ice.	
8212	Barge Fleeting Area Mooring Buoy Y	39-12-27.520N 076-30-41.190W			White with blue band.		
8212.2	Barge Fleeting Area Mooring Buoy G	39-12-17.630N 076-30-30.550W			White with blue band.		
8212.4	Barge Fleeting Area Mooring Buoy R	39-12-09.990N 076-30-21.100W			White with blue band.		
8212	Barge Fleeting Area Mooring Buoy Y	39-12-27.520N 076-30-41.190W			White with blue band.		

8212.2	Barge Fleeting Area Mooring Buoy G	39-12-17.630N 076-30-30.550W				White with blue band.	
8212.4	Barge Fleeting Area Mooring Buoy R	39-12-09.990N 076-30-21.100W				White with blue band.	
8215	Fort McHenry Channel Lighted Buoy 1M	39-12-03.020N 076-30-46.781W	Q G	5	Green.	Replaced by LIB of reduced intensity when endangered by ice.	
8220	Fort McHenry Channel Range Front Light	39-15-50.118N 076-34-39.802W	F G	0	On skeleton tower.	Lighted throughout 24 hours. Visible 0.9° either side of rangeline.	
8225	Fort McHenry Channel Range Rear Light	39-16-31.927N 076-35-23.934W	F R	0	On skeleton tower.	Lighted throughout 24 hours. Visible 0.9° either side of rangeline.	
8230	Fort McHenry Channel Lighted Buoy 2	39-12-27.294N 076-30-55.107W	Q R	5	Red.	Replaced by nun when endangered by ice.	
8235	Fort McHenry Channel Lighted Buoy 3	39-12-42.075N 076-31-28.568W	FI G 4s	5	Green.		
8235	Fort McHenry Channel Lighted Buoy 3	39-12-42.075N 076-31-28.568W	FI G 4s	5	Green.		
8237	Francis Scott Key Bridge V-AIS SE	39-12-55.001N 076-31-43.476W				Virtual AIS AIS: MMSI 993672313	
8237.1	Francis Scott Key Bridge V-AIS SC	39-12-57.869N 076-31-46.518W				Virtual AIS AIS: MMSI 993672312	
8237.2	Francis Scott Key Bridge V-AIS SW	39-13-01.727N 076-31-50.430W				Virtual AIS AIS: MMSI 993672314	
8238	Francis Scott Key Bridge V-AIS NE	39-13-02.291N 076-31-33.834W				Virtual AIS AIS: MMSI 993672310	
8238.1	Francis Scott Key Bridge V-AIS NC	39-13-05.129N 076-31-36.966W				Virtual AIS AIS: MMSI 993672309	
8238.2	Francis Scott Key Bridge V-AIS NW	39-13-09.029N 076-31-40.998W				Virtual AIS AIS: MMSI 993672311	
8245	Francis Scott Key Memorial Buoy	39-13-27.318N 076-31-42.684W				Nun with red and white stripes with blue band and white stars topmost.	Maintained from June 1 to Nov. 1 to commemorate the writing of the Star Spangled Banner.
8250	Fort McHenry Channel Lighted Buoy 6	39-13-19.821N 076-31-54.092W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.	
8255	Fort McHenry Channel Lighted Buoy 7	39-13-27.570N 076-32-16.534W	FI G 4s	5	Green.	Replaced by can when endangered by ice.	
8260	Fort McHenry Channel Lighted Buoy 8	39-13-42.635N 076-32-18.327W	Q R	5	Red.	Replaced by nun when endangered by ice.	
8265	Fort McHenry Channel Lighted Buoy 9	39-13-48.036N 076-32-37.911W	FI G 4s	5	Green.	Replaced by can when endangered by ice.	
8267	Fort McHenry Channel Lighted Buoy 10	39-14-04.009N 076-32-40.994W	FI R 2.5s	5	Red.	Replaced by nun when endangered by ice.	
8270	Fort McHenry Channel Lighted Buoy 10A	39-14-16.400N 076-32-53.887W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.	
8275	Fort McHenry Channel Buoy 11	39-14-23.698N 076-33-15.766W				Green can.	
8280	Fort McHenry Channel Lighted Buoy 13	39-14-35.295N 076-33-27.784W	FI G 2.5s	5	Green can.		
8285	Fort McHenry Channel Lighted Buoy 14	39-14-46.966N 076-33-26.221W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.	
8290	Fort McHenry Anchorage Buoy B	39-14-58.147N 076-33-08.710W				Yellow can.	
8295	Fort McHenry Channel Lighted Buoy 15	39-14-47.014N 076-33-40.169W	FI G 4s	5	Green.	Replaced by can when endangered by ice.	
8305	Fort McHenry Channel Lighted Buoy 16	39-14-56.607N 076-33-36.404W	Q R	5	Red.	Replaced by nun when endangered by ice.	
8310	Fort McHenry Channel Lighted Buoy 18	39-15-19.295N 076-34-00.230W	FI R 2.5s	5	Red.	Replaced by nun when endangered by ice.	
8315	Fort McHenry Angle Junction Lighted Buoy FM	39-15-23.825N 076-34-18.337W	FI (2+1)G 6s	5	Green and red bands.	Replaced by can when endangered by ice.	
8320	Upper Chesapeake Channel Lighted Buoy LP	39-02-34.830N 076-20-45.661W	Mo (A) W	5	Red and white stripes.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8323	Love Point Mooring Buoy A	39-02-48.590N 076-18-09.120W				White with blue band.	
8323	Love Point Mooring Buoy A	39-02-48.590N 076-18-09.120W				White with blue band.	
8325	Swan Point Channel North Range Front Light	39-07-09.603N 076-16-36.680W	Iso W 6s	0	On yellow mono-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	
8330	Swan Point Channel North Range Rear Light	39-07-40.997N 076-16-07.984W	F W	22	On upper platform of yellow mono-pile structure. On same structure as Brewerton Channel Eastern Extension Directional Sector Light.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	

8333	Swan Point Channel North Range Rear Passing Lights (2)	39-07-40.997N 076-16-07.984W	Fl W 4s	0	4	On lower platform of yellow mono-pile structure. On same structure as Brewerton Channel Eastern Directional Sector Light.	Located on SW and NE corners of platform.
8335	Upper Chesapeake Channel Lighted Buoy 1UC	39-04-48.637N 076-18-51.305W	Fl G 4s		5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8340	Love Point Light	39-03-25.406N 076-17-01.184W	Fl W 6s	15	9	NR on skeleton tower.	Red from 017° to 061° covers shoal of Love Point.
8340	Love Point Light	39-03-25.406N 076-17-01.184W	Fl W 6s	15	9	NR on skeleton tower.	Red from 017° to 061° covers shoal of Love Point.
8345	Upper Chesapeake Channel Lighted Buoy 3	39-05-23.410N 076-18-19.377W	Fl G 2.5s		5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8350	Swan Point Channel South Range Front Light	39-03-39.218N 076-17-31.107W	Fl W 2.5s	0		On yellow mono-pile structure.	Lighted throughout 24 hours. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
8355	Swan Point Channel South Range Rear Light	39-03-14.399N 076-17-25.442W	Oc W 4s	30		On upper platform of yellow mono-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
8356	Swan Point Channel South Range Rear Passing Lights (2)	39-03-14.399N 076-17-25.442W	Fl W 2.5s	0	4	On same structure as Swan Point South Range Rear Light.	
8360	Upper Chesapeake Channel Lighted Buoy 4	39-05-39.072N 076-17-53.664W	Q R		5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8365	Upper Chesapeake Channel Lighted Buoy 5	39-06-02.041N 076-18-08.217W	Q G		5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8370	Upper Chesapeake Channel Lighted Buoy 7	39-06-35.359N 076-18-17.596W	Fl G 6s		5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8375	Upper Chesapeake Channel Lighted Buoy 8	39-07-36.315N 076-19-11.062W	Fl R 2.5s		5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8380	Upper Chesapeake Channel Lighted Buoy 10	39-08-22.981N 076-19-21.444W	Q R		5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8385	Brewerton Channel Eastern Extension Lighted Buoy 2BE	39-08-55.059N 076-19-58.761W	Fl R 2.5s		5	Red.	Replaced by LIB of reduced intensity when endangered by ice.
8390	Brewerton Channel Eastern Extension Directional Sector Light	39-07-40.997N 076-16-07.984W			0	On lower platform of yellow mono-pile structure. On same structure as Swan Point North Range Rear Light.	Directional Light: F R - From 111.8° to 111.3°. AL RW - From 111.3° to 111.0°. F W (Channel Center Line) From 111.0° to 110.8°. AL G W - From 110.8° to 110.6°. F G - From 110.6° to 110.1°.
8405	Brewerton Eastern Extension Lighted Buoy 3	39-09-08.182N 076-21-08.109W	Fl G 4s		5	Green.	Replaced by LIB of reduced intensity when endangered by ice.
8410	Brewerton Eastern Extension Lighted Buoy 4	39-09-15.112N 076-21-04.491W	Fl R 4s		5	Red.	Replaced by LIB of reduced intensity when endangered by ice.
8415	Brewerton Eastern Extension Lighted Buoy 5	39-09-30.306N 076-22-21.201W	Fl G 6s		5	Green.	Replaced by LIB of reduced intensity when endangered by ice.
8420	Brewerton Eastern Extension Lighted Buoy 6	39-09-37.305N 076-22-17.737W	Fl R 6s		5	Red.	Replaced by LIB of reduced intensity when endangered by ice.
8425	Brewerton Eastern Extension Lighted Buoy 7	39-09-52.435N 076-23-33.988W	Fl G 4s		5	Green.	Replaced by LIB of reduced intensity when endangered by ice.
8430	Brewerton Eastern Extension Lighted Buoy 8	39-09-59.316N 076-23-30.578W	Fl R 4s		5	Red.	Replaced by LIB of reduced intensity when endangered by ice.
8435	Brewerton Eastern Extension Lighted Buoy 9	39-10-14.493N 076-24-47.069W	Fl G 2.5s		5	Green.	Replaced by LIB of reduced intensity when endangered by ice.
8440	Brewerton Eastern Extension Lighted Buoy 10	39-10-21.453N 076-24-43.507W	Fl R 2.5s		5	Red.	Replaced by LIB of reduced intensity when endangered by ice.
8441	Tolchester Channel Range Front Light	39-08-07.859N 076-20-07.902W	Fl W 2.5s	0		On yellow mono-pile structure.	Lighted throughout 24 hours. DAY/NIGHT Visible 1.5° either side of rangeline. NIGHT: Visible all around with higher intensity on range line.
8443	Tolchester Channel Range Rear Light	39-07-24.661N 076-20-56.270W	Iso W 6s	64		Tower on yellow mono-pile structure.	Lighted throughout 24 hours. DAY/NIGHT: Visible 1.5° either side of rangeline.
8444	Tolchester Channel Range Rear Passing Lights (2)	39-07-24.661N 076-20-56.270W	Fl W 4s	0	4	On same structure as Tolchester Channel Range Rear Light.	Lights are located on the north and south corners of platform.
8445	Upper Chesapeake Channel Lighted Buoy 11	39-09-01.200N 076-19-14.376W	Q G		5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8450	Upper Chesapeake Channel Lighted Buoy 12	39-08-54.738N 076-19-08.979W	Fl R 2.5s		5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8455	Upper Chesapeake Channel Lighted Buoy 13	39-09-48.134N 076-18-21.870W	Fl G 2.5s		5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8460	Upper Chesapeake Channel Lighted Buoy 14	39-09-43.147N 076-18-14.300W	Fl R 2.5s		5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8465	Upper Chesapeake Channel Lighted Buoy 15	39-10-33.565N 076-17-32.797W	Fl G 4s		5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8470	Upper Chesapeake Channel Lighted Buoy 16	39-10-27.346N 076-17-24.930W	Fl R 4s		5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8475	Upper Chesapeake Channel Lighted Buoy 17	39-11-32.576N 076-16-24.844W	Fl G 2.5s		5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
8480	Upper Chesapeake Channel Lighted Buoy 18	39-11-27.509N 076-16-17.528W	Fl R 2.5s		5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.

8485	Upper Chesapeake Channel Lighted Buoy 19	39-12-20.691N 076-15-30.815W	FI G 2.5s	5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8490	Upper Chesapeake Channel Lighted Buoy 20	39-12-24.830N 076-15-13.290W	Q R	5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8505	Upper Chesapeake Channel Lighted Buoy 21	39-12-36.951N 076-15-16.847W	FI G 2.5s	5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8515	Upper Chesapeake Channel Buoy 21A	39-12-44.524N 076-15-45.854W			Green can.		
8535	Upper Chesapeake Channel Lighted Buoy 23	39-13-26.350N 076-14-48.524W	FI G 4s	5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8540	Upper Chesapeake Channel Lighted Buoy 24	39-13-23.348N 076-14-39.711W	FI R 4s	5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8545	Upper Chesapeake Channel Lighted Buoy 25	39-14-05.745N 076-14-25.938W	FI G 2.5s	5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8550	Upper Chesapeake Channel Lighted Buoy 26	39-14-18.825N 076-14-08.067W	Q R	5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8553	Upper Chesapeake Channel Lighted Buoy 27	39-14-38.178N 076-14-15.651W	FI G 2.5s	5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8555	Pooles Island South Range Front Light	39-17-31.977N 076-14-11.727W	Q W	0	On yellow mono-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.	
8560	Pooles Island South Range Rear Light	39-18-07.054N 076-14-11.678W	Oc W 4s	42	On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline.	
8561	Pooles Island South Range Rear Passing Lights (2)	39-18-07.054N 076-14-11.678W	FI W 4s	27	4	On same structure as Pooles Island South Range Rear Light.	Marks both Pooles Island North and Pooles Island South Range Rear platform.
8580	Upper Chesapeake Channel Lighted Buoy 29	39-15-45.319N 076-14-16.545W	FI G 2.5s	5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8585	Upper Chesapeake Channel Buoy 29A	39-16-13.623N 076-14-20.852W			Green can.		
8590	Upper Chesapeake Channel Lighted Buoy 30	39-15-45.356N 076-14-07.008W	Q R	5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8595	Upper Chesapeake Channel Range Front Light	39-19-12.557N 076-12-58.445W	FI W 2.5s	0	On yellow mono-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.	
8600	Upper Chesapeake Channel Range Rear Light	39-19-37.215N 076-12-49.681W	Oc W 4s			Tower on yellow mono-pile structure. On same structure as Shad Battery Shoal Range Rear Light.	Lighted throughout 24 hours. DAY/NIGHT: Visible 1.5° either side of rangeline.
8601	Upper Chesapeake Channel Range Rear Passing Lights (2)	39-19-37.215N 076-12-49.681W	Oc W 4s	27	4	On same structure as Upper Chesapeake Channel Range Rear Light.	Light also marks Shad Battery Range Rear Light.
8605	Upper Chesapeake Channel Lighted Buoy 31	39-16-46.089N 076-13-54.378W	FI G 4s	5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8610	Upper Chesapeake Channel Lighted Buoy 32	39-16-43.413N 076-13-46.574W	FI R 4s	5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8615	Upper Chesapeake Channel Lighted Buoy 33	39-17-44.690N 076-13-33.600W	FI G 6s	6	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.	
8620	Upper Chesapeake Channel Lighted Buoy 34	39-17-43.115N 076-13-26.243W	FI R 6s	5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.	
8625	Upper Chesapeake Channel Buoy 34A	39-18-11.015N 076-12-46.096W			Red nun.		
8630	Upper Chesapeake Channel Lighted Buoy 36	39-18-40.006N 076-13-06.060W	Q R	5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.	
8635	Upper Chesapeake Channel Lighted Buoy 37	39-18-55.757N 076-13-07.379W	Q G	5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.	
8640	Upper Chesapeake Channel Lighted Buoy 38	39-19-02.306N 076-12-48.258W	FI R 2.5s	5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.	
8645	Pooles Island Flats Channel Lighted Buoy 1	39-13-08.222N 076-22-00.704W	FI G 4s	5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	
8646	Pooles Island Flats Channel Lighted Buoy 2	39-12-54.422N 076-21-05.863W	FI R 4s	4	Red.	Replaced by nun from Dec. 1 to Mar. 15.	
8650	Pooles Island Flats Channel Lighted Buoy 3	39-14-16.722N 076-19-31.361W	FI G 6s	4	Green.	Replaced by can from Dec. 1 to Mar. 15.	
8655	Pooles Island Flats Channel Lighted Buoy 4	39-13-53.422N 076-19-20.860W	FI R 6s	4	Red.	Replaced by nun from Dec. 1 to Mar. 15.	
8660	Pooles Island Flats Channel Lighted Buoy 5	39-15-00.421N 076-18-13.858W	FI G 4s	4	Green.	Replaced by can from Dec. 1 to Mar. 15.	
8663	Pooles Island Bar Light	39-15-42.421N 076-16-40.856W	FI W 2.5s	6	Black skeleton tower on cylindrical base.	Red from 058° to 225°.	
8665	Pooles Island Flats Channel Lighted Buoy 6	39-14-45.421N 076-17-47.857W	FI R 4s	4	Red.	Replaced by nun from Dec. 1 to Mar. 15.	
8670	Pooles Island Flats Channel Lighted Buoy 7	39-16-11.662N 076-15-55.854W	FI G 4s	4	Green.	Replaced by can from Dec. 1 to Mar. 15.	

8675	Pooles Island Flats Channel Lighted Buoy 8	39-16-39.322N 076-15-03.353W	Q R	4	Red.	Replaced by nun from Dec. 1 to Mar. 15.
8690	Pooles Island Flats Channel Lighted Buoy 9	39-16-58.622N 076-14-14.351W	FI G 2.5s	4	Green.	Replaced by can from Dec. 1 to Mar. 15.
8693	Pooles Island Light	39-17-25.771N 076-15-59.146W			Stone tower.	
8695	Pooles Island North Range Front Light	39-18-31.462N 076-13-37.325W	FI W 2.5s	0	Mono pile with platform.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Higher intensity. Visible 1.5° either side or rangeline.
8697	Pooles Island North Range Front Passing Light	39-18-31.462N 076-13-37.325W	FI W 4s	4	On same structure as Pooles Island North Range Front Light.	Light is located on west side of lower platform.
8700	Pooles Island North Range Rear Light	39-18-07.054N 076-14-11.678W	Oc W 4s	66	On same structure as Pooles Island South Range Rear Light.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 4.0° either side of rangeline.
8705	Aberdeen Restricted Area Buoy A	39-16-46.422N 076-17-10.857W			Yellow can.	
8710	Aberdeen Restricted Area Buoy B	39-17-05.921N 076-18-01.859W			Yellow can.	
8715	Aberdeen Restricted Area Buoy C	39-18-15.422N 076-14-16.852W			Yellow can.	
8720	Aberdeen Restricted Area Buoy D	39-19-18.423N 076-13-10.849W			Yellow can.	
8725	Aberdeen Restricted Area Buoy E	39-20-21.924N 076-12-03.847W			Yellow can.	
8730	Aberdeen Restricted Area Buoy F	39-21-24.425N 076-10-57.845W			Yellow can.	
8735	Aberdeen Restricted Area Buoy G	39-22-29.427N 076-09-50.842W			Yellow can.	
8740	Aberdeen Restricted Area Buoy H	39-23-30.430N 076-08-14.839W			Yellow can.	
8745	Aberdeen Restricted Area Buoy J	39-24-33.414N 076-06-36.902W			Yellow can.	
8750	Aberdeen Restricted Area Buoy K	39-25-34.436N 076-04-58.833W			Yellow can.	
8755	Aberdeen Restricted Area Buoy L	39-26-28.440N 076-03-11.830W			Yellow can.	
8770	Upper Chesapeake Channel Lighted Buoy 38A	39-19-47.025N 076-11-31.246W	Q R	5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8780	Upper Chesapeake Channel Lighted Buoy 39	39-20-03.297N 076-11-34.387W	FI G 4s	5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8785	Upper Chesapeake Channel Lighted Buoy 40	39-19-57.841N 076-11-30.411W	FI R 4s	5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8790	Upper Chesapeake Channel Buoy 40A	39-20-23.425N 076-10-44.344W			Red nun.	
8795	Upper Chesapeake Channel Lighted Buoy 41	39-20-55.426N 076-10-20.843W	FI G 2.5s	5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8800	Upper Chesapeake Channel Lighted Buoy 42	39-20-50.732N 076-10-13.710W	FI R 2.5s	5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8805	Stillpond Creek Entrance Light 25	39-20-07.227N 076-08-14.002W	FI R 2.5s	0	4	TR on multi-pile structure.
8810	Stillpond Creek Daybeacon 3	39-20-02.913N 076-08-02.748W		0		SG on pile.
8815	Stillpond Creek Buoy 4	39-20-01.946N 076-08-02.676W			Red nun.	
8819	Stillpond Creek Buoy 5	39-19-59.622N 076-07-57.195W			Green can.	
8820	Stillpond Creek Light 6	39-19-58.711N 076-07-56.176W	FI R 4s	0	4	TR on pile.
8825	Stillpond Creek Buoy 7	39-20-01.079N 076-07-51.660W			Green can.	
8830	Stillpond Creek Daybeacon 9	39-20-02.232N 076-07-50.214W		0		SG on pile.
8860	Upper Chesapeake Channel Lighted Buoy 43	39-21-32.798N 076-09-02.645W	FI G 4s	5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8865	Upper Chesapeake Channel Lighted Buoy 44	39-21-27.793N 076-08-58.545W	FI R 4s	5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8870	Upper Chesapeake Channel Lighted Buoy 45	39-22-10.870N 076-07-45.478W	FI G 2.5s	4	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. Synthetic AIS MMSI 993672086.
8875	Upper Chesapeake Channel Lighted Buoy 46	39-22-05.862N 076-07-41.382W	FI R 2.5s	5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. Synthetic AIS MMSI 993672087.
8885	Grove Point Range Front Light	39-24-09.338N 076-02-15.666W	FI W 2.5s	0	On platform.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 4.0° either side of rangeline.

8890	Grove Point Range Rear Light	39-24-30.748N 076-01-14.209W	Oc W 4s	32		On skeleton tower.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline.
8891	Grove Point Range Rear Passing Lights (2)	39-24-30.748N 076-01-14.209W	Fl W 4s	0	4	On same structure as Grove Point Range Rear Light.	Located on NW and NE corners of platform.
8895	Upper Chesapeake Channel Lighted Buoy 47	39-22-50.775N 076-06-10.221W	Fl G 4s		5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. Synthetic AIS MMSI 993672088.
8900	Upper Chesapeake Channel Lighted Buoy 48	39-22-45.368N 076-06-07.084W	Fl R 4s		5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. AIS: Synthetic MMSI 993672089.
8905	Upper Chesapeake Channel Lighted Buoy 49	39-23-20.332N 076-04-45.547W	Fl G 6s		5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8910	Shad Battery Shoal Range Front Light	39-20-18.360N 076-11-26.403W	Fl W 2.5s	0		Yellow monopile and platform with white equipment hut on top.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 4.0° either side of rangeline.
8912	Shad Battery Shoal Range Front Passing Light	39-20-18.360N 076-11-26.403W	Fl W 4s		4	On same structure as Shad Battery Shoal Range Front Light.	On channel side of platform.
8915	Shad Battery Shoal Range Rear Light	39-19-37.215N 076-12-49.681W	Oc W 4s			On yellow mono-pile structure. On same structure as Upper Chesapeake Channel Range Rear Light.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline.
8920	Upper Chesapeake Channel Lighted Buoy 50	39-23-14.925N 076-04-42.410W	Fl R 6s		5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8925	Elk River Channel Lighted Buoy 1ER	39-23-51.269N 076-03-16.844W	Fl G 2.5s		5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. AIS: Synthetic MMSI 993672090.
8930	Elk River Channel Lighted Buoy 2	39-23-51.567N 076-02-56.957W	Q R		5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8935	Elk River Channel South Range Front Light	39-22-11.963N 076-04-59.041W	F W	60		On skeleton tower.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 14.0° either side of rangeline. Night range emergency light of lower intensity will be displayed when main light is inoperative and only visible 4.0° either side of rangeline.
8940	Elk River Channel South Range Rear Light	39-20-49.870N 076-06-35.013W	F W	120		On skeleton tower.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 4.0° either side of rangeline. Night range emergency light of lower intensity will be displayed when main light is inoperative and only visible 1.5° either side of rangeline.
8945	Elk River Channel Lighted Buoy 3	39-24-06.114N 076-02-50.636W	Q G		5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8950	Elk River Channel Lighted Buoy 5	39-25-04.043N 076-01-42.793W	Fl G 4s		5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8955	Elk River Channel Lighted Buoy 6	39-25-00.056N 076-01-37.133W	Fl R 4s		5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8960	Elk River Channel Lighted Buoy 7	39-26-03.287N 076-00-33.364W	Fl G 2.5s		5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8965	Elk River Channel Lighted Buoy 8	39-25-59.300N 076-00-27.702W	Fl R 2.5s		5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8975	Turkey Point Light	39-26-59.578N 076-00-30.313W	Fl W 6s			White tower.	
8980	Elk River Channel Lighted Buoy 9	39-27-02.517N 075-59-23.860W	Fl G 4s		5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8985	Elk River Channel Lighted Buoy 10	39-26-58.763N 075-59-17.872W	Fl R 4s		5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
8990	Elk River Channel North Range Front Light	39-29-36.356N 075-56-18.056W	Fl W 2.5s	0		On yellow mono-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
8991	Elk River Channel North Range Front Passing Light	39-29-36.356N 075-56-18.056W	Fl W 2.5s		4	On same structure as Elk River Channel North Range Front Light.	
8995	Elk River Channel North Range Rear Light	39-31-06.670N 075-54-31.822W	F W	147		On white skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
9005	Elk River Channel Lighted Buoy 11	39-28-01.311N 075-58-14.802W	Fl G 2.5s		5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
9010	Elk River Channel Lighted Buoy 12	39-27-57.053N 075-58-09.476W	Fl R 2.5s		5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
9015	Elk River Channel Lighted Buoy 13	39-28-45.870N 075-57-15.558W	Fl G 6s		5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15..
9020	Elk River Channel Lighted Buoy 14	39-28-41.728N 075-57-10.069W	Fl R 6s		5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
9025	Oldfield Point Range Front Light	39-30-30.226N 075-54-51.164W	Iso W 2s			On yellow mono-pile structure.	Lighted throughout 24 hours. D/N Visible 1.5° either side of rangeline.
9027	Oldfield Point Range Front Passing Lights (2)	39-30-30.226N 075-54-51.164W	Fl W 4s		4	On same structure as Oldfield Point Range Front Light.	
9030	Oldfield Point Range Rear Light	39-31-09.952N 075-53-58.261W	Oc W 4s	90		On skeleton tower.	Lighted throughout 24 hours. D/N Visible 1.5° either side of rangeline.
9035	Elk River Channel Lighted Buoy 15	39-29-29.968N 075-56-16.899W	Fl G 4s		5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
9040	Elk River Channel Lighted Buoy 16	39-29-25.668N 075-56-11.351W	Fl R 4s		5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.

9045	Elk River Channel Lighted Buoy 18	39-30-09.455N 075-55-13.320W	Q R	5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
9050	Elk River Channel Lighted Buoy 19	39-30-21.142N 075-55-08.758W	Q G	5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
9055	Elk River Channel East Range Front Light	39-30-41.845N 075-53-16.704W	Q W	3	On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all round with higher intensity 1.5° either side of rangeline.
9060	Elk River Channel East Range Rear Light	39-30-43.161N 075-53-10.162W	Iso W 6s	15	On multi-pile structure.	Lighted throughout 24 hours. DAY/NIGHT: Visible 1.5° either side of rangeline.
9061	Elk River Channel East Range Rear Passing Light	39-30-43.161N 075-53-10.162W	Fl W 4s	15	4	On same structure as Elk River East Range Rear Light. On channel side of platform.
9061	Elk River Channel East Range Rear Passing Light	39-30-43.161N 075-53-10.162W	Fl W 4s	15	4	On same structure as Elk River East Range Rear Light. On channel side of platform.
9065	Elk River Channel West Range Front Light	39-30-08.759N 075-55-52.535W	F R	30	KWB on white skeleton tower.	NIGHT : Visible 1.5° either side of rangeline.
9070	Elk River Channel West Range Rear Light	39-30-06.951N 075-56-01.021W	F R	20	KWB on white skeleton tower.	NIGHT : Visible 1.5° either side of rangeline.
9075	Elk River Channel Lighted Buoy 20	39-30-18.200N 075-54-53.377W	Fl R 2.5s	5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
9080	Elk River Channel Lighted Buoy 21	39-30-36.401N 075-53-56.736W	Q G	5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
9085	Elk River Channel Lighted Buoy 22	39-30-32.116N 075-53-50.837W	Q R	5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
9090	Courthouse Point Obstruction Buoy	39-30-43.008N 075-53-20.594W			White can with orange bands and worded DANGER SUBMERGED PIPELINE.	
9095	Elk River Channel Lighted Buoy 23	39-30-51.443N 075-53-23.304W	Fl G 2.5s	5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
9100	Elk River Channel Lighted Buoy 24	39-30-47.031N 075-53-18.188W	Q R	4	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
9105	Back Creek Channel Range Front Light	39-31-48.911N 075-51-51.352W	Q W	15	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all round higher intensity 1.5° either side of rangeline.
9110	Back Creek Channel Range Rear Light	39-31-56.881N 075-51-39.572W	Iso W 6s	55	On skeleton tower.	Lighted throughout 24 hours. DAY/NIGHT: Visible 1.5° either side of rangeline.
9155	Elk River Channel Lighted Buoy 25	39-31-11.855N 075-52-51.776W	Fl G 4s	5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
9160	Elk River Channel Lighted Buoy 26	39-31-07.394N 075-52-46.731W	Fl R 4s	5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
9165	Bohemia River Light 2	39-28-32.028N 075-53-11.120W	Fl R 4s	0	4	TR on pile.
9170	Bohemia River Daybeacon 4	39-28-03.103N 075-52-35.147W		0		TR on pile.
9180	Back Creek Channel Light 28	39-31-33.297N 075-52-07.810W	Fl R 2.5s	0	5	TR on multi-pile structure.
9185	Back Creek Channel Light 29	39-31-38.596N 075-52-12.801W	Fl G 2.5s	1	4	SG on multi-pile structure.
9190	Back Creek Channel Light 30	39-31-40.658N 075-51-52.706W	Fl R 4s	0	5	TR on multi-pile structure.
9195	Back Creek Channel Light 31	39-31-51.234N 075-51-40.272W	Fl G 4s	0	5	SG on multi-pile structure.
9200	Back Creek Channel Light 32	39-31-44.344N 075-51-37.304W	Fl R 2.5s	0	5	TR on multi-pile structure.
9205	Thimble Shoal Lighted Buoy 1TS	36-56-57.840N 076-01-25.899W	Fl G 2.5s	5	Green.	Buoy located 75' outside channel limit.
9205	Thimble Shoal Lighted Buoy 1TS	36-56-57.840N 076-01-25.899W	Fl G 2.5s	5	Green.	Buoy located 75' outside channel limit.
9210	Thimble Shoal Lighted Buoy 2	36-57-11.530N 076-01-20.556W	Fl R 2.5s	5	Red.	Buoy located 75' outside channel limit.
9210	Thimble Shoal Lighted Buoy 2	36-57-11.530N 076-01-20.556W	Fl R 2.5s	5	Red.	Buoy located 75' outside channel limit.
9215	Thimble Shoal Lighted Buoy 3	36-57-32.582N 076-03-40.364W	Fl G 4s	5	Green.	Buoy located 75' outside channel limit.
9215	Thimble Shoal Lighted Buoy 3	36-57-32.582N 076-03-40.364W	Fl G 4s	5	Green.	Buoy located 75' outside channel limit.
9220	Thimble Shoal Lighted Buoy 4	36-57-46.219N 076-03-34.412W	Fl R 4s	5	Red.	Buoy located 75' outside channel limit.
9220	Thimble Shoal Lighted Buoy 4	36-57-46.219N 076-03-34.412W	Fl R 4s	5	Red.	Buoy located 75' outside channel limit.
9225	Thimble Shoal Lighted Buoy 5	36-58-08.757N 076-05-59.965W	Fl G 2.5s	5	Green.	Buoy located 75' outside channel limit.
9225	Thimble Shoal Lighted Buoy 5	36-58-08.757N 076-05-59.965W	Fl G 2.5s	5	Green.	Buoy located 75' outside channel limit.

9230	Thimble Shoal Lighted Buoy 6	36-58-22.375N 076-05-54.101W	FI R 2.5s	5	Red.	Buoy located 75' outside channel limit.
9230	Thimble Shoal Lighted Buoy 6	36-58-22.375N 076-05-54.101W	FI R 2.5s	5	Red.	Buoy located 75' outside channel limit.
9235	Thimble Shoal Tunnel South Light	36-57-59.600N 076-06-44.900W	F Y		On wall.	BELL: 1 stroke ev 10s. Operates during periods of low visibility only.
9235	Thimble Shoal Tunnel South Light	36-57-59.600N 076-06-44.900W	F Y		On wall.	BELL: 1 stroke ev 10s. Operates during periods of low visibility only.
9240	Thimble Shoal Tunnel North Light	36-58-50.900N 076-06-23.700W	F Y		On wall.	HORN: 1 blast ev 20s (2s bl). Operates during periods of low visibility only.
9240	Thimble Shoal Tunnel North Light	36-58-50.900N 076-06-23.700W	F Y		On wall.	HORN: 1 blast ev 20s (2s bl). Operates during periods of low visibility only.
9245	Thimble Shoal Lighted Buoy 7	36-58-28.791N 076-07-11.451W	FI G 2.5s	5	Green.	Buoy located 75' outside channel limit.
9245	Thimble Shoal Lighted Buoy 7	36-58-28.791N 076-07-11.451W	FI G 2.5s	5	Green.	Buoy located 75' outside channel limit.
9250	Thimble Shoal Lighted Buoy 8	36-58-39.645N 076-07-06.734W	FI R 2.5s	5	Red.	Buoy located 75' outside channel limit.
9250	Thimble Shoal Lighted Buoy 8	36-58-39.645N 076-07-06.734W	FI R 2.5s	5	Red.	Buoy located 75' outside channel limit.
9255	Thimble Shoal Lighted Buoy 9	36-58-48.411N 076-08-27.281W	FI G 4s	5	Green.	Buoy located 75' outside channel limit.
9255	Thimble Shoal Lighted Buoy 9	36-58-48.411N 076-08-27.281W	FI G 4s	5	Green.	Buoy located 75' outside channel limit.
9260	Thimble Shoal Lighted Buoy 10	36-58-59.294N 076-08-23.013W	FI R 4s	5	Red.	Buoy located 75' outside channel limit.
9260	Thimble Shoal Lighted Buoy 10	36-58-59.294N 076-08-23.013W	FI R 4s	5	Red.	Buoy located 75' outside channel limit.
9265	Thimble Shoal Lighted Buoy 11	36-59-08.292N 076-09-44.202W	FI G 6s	5	Green.	Buoy located 75' outside channel limit.
9265	Thimble Shoal Lighted Buoy 11	36-59-08.292N 076-09-44.202W	FI G 6s	5	Green.	Buoy located 75' outside channel limit.
9270	Thimble Shoal Lighted Buoy 12	36-59-19.097N 076-09-39.805W	FI R 6s	6	Red.	Buoy located 75' outside channel limit.
9270	Thimble Shoal Lighted Buoy 12	36-59-19.097N 076-09-39.805W	FI R 6s	6	Red.	Buoy located 75' outside channel limit.
9275	Thimble Shoal Lighted Buoy 13	36-59-30.236N 076-11-17.412W	FI G 2.5s	5	Green.	Buoy located 75' outside channel limit.
9275	Thimble Shoal Lighted Buoy 13	36-59-30.236N 076-11-17.412W	FI G 2.5s	5	Green.	Buoy located 75' outside channel limit.
9280	Thimble Shoal Lighted Buoy 14	36-59-45.276N 076-11-13.158W	FI R 2.5s	5	Red.	Buoy located 75' outside channel limit.
9280	Thimble Shoal Lighted Buoy 14	36-59-45.276N 076-11-13.158W	FI R 2.5s	5	Red.	Buoy located 75' outside channel limit.
9285	Thimble Shoal Lighted Buoy 15	36-59-55.333N 076-12-54.910W	FI G 4s	5	Green.	Buoy located 75' outside channel limit.
9285	Thimble Shoal Lighted Buoy 15	36-59-55.333N 076-12-54.910W	FI G 4s	5	Green.	Buoy located 75' outside channel limit.
9290	Thimble Shoal Lighted Buoy 16	37-00-09.948N 076-12-48.934W	FI R 4s	5	Red.	Buoy located 75' outside channel limit.
9290	Thimble Shoal Lighted Buoy 16	37-00-09.948N 076-12-48.934W	FI R 4s	5	Red.	Buoy located 75' outside channel limit.
9295	Thimble Shoal Lighted Buoy 17	37-00-20.422N 076-14-32.516W	FI G 2.5s	5	Green.	Buoy located 75' outside channel limit.
9300	Thimble Shoal Lighted Buoy 18	37-00-41.485N 076-14-51.493W	Q R	5	Red.	Buoy located 75' outside channel limit.
9305	Thimble Shoal Lighted Buoy 19	37-00-21.893N 076-15-30.729W	Q G	5	Green.	Buoy located 75' outside channel limit.
9310	Thimble Shoal Light	37-00-52.149N 076-14-23.472W	FI W 10s		Red conical tower on brown cylindrical pier.	
9315	Thimble Shoal Lighted Buoy 21	37-00-04.098N 076-17-02.049W	Q G	6	Green.	Buoy located 75' outside channel limit.
9320	Thimble Shoal Lighted Buoy 22	37-00-04.114N 076-18-00.648W	Q R	5	Red.	Buoy located 75' outside channel limit.
9355	Naval Ordnance Lighted Buoy P	37-00-20.803N 076-16-56.703W	FI Y 4s	5	Yellow.	
9360	Naval Ordnance Lighted Buoy R	37-00-17.714N 076-17-16.299W	FI Y 4s	5	Yellow.	
9365	Naval Ordnance Lighted Buoy T	37-00-14.240N 076-17-36.913W	FI Y 4s	5	Yellow.	

9370	Norfolk Entrance Reach Range Front Warning Light	37-00-40.187N 076-17-05.946W	Fl W 4s	0	5	On skeleton tower.	
9375	Norfolk Entrance Reach Range Rear Warning Light	37-01-00.565N 076-16-40.385W	Fl W 4s	58	4	On skeleton tower.	
9380	Old Point Comfort Light	37-00-06.301N 076-18-23.287W		0	14	White tower.	White from 265° to 038°.
9390	Hampton Bar Buoy 14	36-59-46.058N 076-19-23.709W				Red nun.	
9400	Hampton Bar Warning Light	36-59-26.229N 076-20-23.162W	Fl W 4s	0	5	NW on pile worded DANGER OBSTRUCTION.	
9405	Hampton Bar Daybeacon 16	36-59-16.964N 076-20-20.733W				TR on pile.	
9410	Hampton Bar Daybeacon 18	36-58-46.857N 076-21-04.722W		0		TR on pile.	
9415	Hampton Bar Channel Buoy 20	36-58-06.048N 076-21-59.433W				Red nun.	
9420	Hampton Bar Channel Buoy 22	36-58-00.208N 076-22-35.821W				Red nun.	
9425	Hampton Flats Bar Channel Daybeacon 1	36-59-06.418N 076-21-34.790W		0		SG on pile.	
9426	Hampton Flats Lighted Anchorage Area Buoy A	36-59-40.410N 076-22-10.660W	Fl Y 4s				
9426.1	Hampton Flats Lighted Anchorage Area Buoy B	37-00-01.840N 076-21-01.690W	Fl Y 4s				
9426.2	Hampton Flats Lighted Anchorage Area Buoy C	36-59-52.620N 076-20-57.230W	Fl Y 4s				
9426.3	Hampton Flats Lighted Anchorage Area Buoy D	36-59-31.190N 076-22-06.200W	Fl Y 4s				
9426.4	Hampton Flats Lighted Mooring Buoy E	36-59-37.580N 076-22-02.680W	Fl W 6s				
9426.5	Hampton Flats Lighted Mooring Buoy F	36-59-41.160N 076-21-51.190W	Fl W 6s				
9426.6	Hampton Flats Lighted Mooring Buoy G	36-59-44.730N 076-21-39.690W	Fl W 6s				
9426.7	Hampton Flats Lighted Mooring Buoy H	36-59-48.300N 076-21-28.200W	Fl W 6s				
9426.8	Hampton Flats Lighted Mooring Buoy I	36-59-51.870N 076-21-16.700W	Fl W 6s				
9426.9	Hampton Flats Lighted Mooring Buoy J	36-59-55.440N 076-21-05.210W	Fl W 6s				
9430	Hampton Flats Bar Channel Light 2	36-59-00.581N 076-21-22.951W	Fl R 2.5s	0	4	TR on pile.	
9435	Hampton Flats Bar Channel Daybeacon 3	37-00-11.462N 076-20-31.451W		0		SG on pile.	
9440	Hampton Flats Bar Channel Daybeacon 4	37-00-10.977N 076-20-15.997W		0		TR on pile.	
9445	Elizabeth River Lighted Buoy 1ER	36-59-16.153N 076-18-41.325W	Q G		5	Green.	
9450	Sewells Point Spit Daybeacon A	36-58-51.430N 076-18-49.662W		0		NY on pile.	
9455	Sewells Point Spit Daybeacon B	36-58-48.211N 076-18-54.207W		0		NY on pile.	
9460	Sewells Point Spit Daybeacon C	36-58-31.747N 076-19-14.393W		0		NY on pile.	
9465	Elizabeth River Lighted Buoy 3	36-58-25.628N 076-19-43.896W	Fl G 2.5s		5	Green.	
9470	Elizabeth River Lighted Buoy 5	36-58-00.230N 076-19-59.792W	Q G		5	Green.	
9475	Elizabeth River Lighted Buoy 7	36-57-44.481N 076-20-01.087W	Fl G 2.5s		5	Green.	
9480	Norfolk Naval Base Breakwater Light	36-57-50.559N 076-19-49.810W	Fl Y 4s			On pile.	
9485	Naval Base Pier Buoy 1	36-57-41.479N 076-19-53.517W				Green can.	
9495	Norfolk Naval Base Service Craft Basin Light BW	36-57-10.929N 076-19-56.315W	Fl Y 4s			On pile.	
9500	Elizabeth River Lighted Buoy 8	36-57-01.598N 076-20-21.879W	Fl R 2.5s		5	Red.	
9515	Elizabeth River Lighted Buoy 9	36-56-37.049N 076-20-06.615W	Fl G 4s		5	Green.	

9520	Elizabeth River Lighted Buoy 10	36-56-35.910N 076-20-24.001W	FI R 4s	5	Red.	
9522	Lehigh Portland Cement Lighted Mooring Dolphin A	36-55-48.000N 076-20-01.000W	FI Y 4s		On dolphin.	
9525	Elizabeth River Lighted Buoy 11	36-55-51.831N 076-20-10.288W	FI G 6s	5	Green.	
9530	Elizabeth River Lighted Buoy 12	36-55-47.580N 076-20-27.960W	FI R 6s	5	Red.	
9532	HRSD NIT Outfall Warning Buoy AB	36-55-18.560N 076-20-09.740W			White and orange can.	
9535	Elizabeth River Lighted Buoy 13	36-55-06.614N 076-20-14.005W	FI G 2.5s	5	Green.	
9540	Elizabeth River Lighted Buoy 14	36-55-05.837N 076-20-31.373W	Q R	5	Red.	
9545	Elizabeth River Lighted Buoy 15	36-54-44.158N 076-20-15.822W	Q G	5	Green.	
9550	Norfolk International Terminal Warning Daybeacon	36-55-17.117N 076-19-46.126W			NW on pile worded DANGER SHOAL.	
9551.5	Norfolk International Terminal North Channel Lighted Buoy 2N	36-55-36.808N 076-20-04.936W	Q R	4	Red.	
9552.5	Norfolk International Terminal North Channel Lighted Buoy 6N	36-55-31.801N 076-19-54.064W	Q R	4	Red.	
9552	Norfolk International Terminal North Channel Buoy 4N	36-55-34.814N 076-19-59.277W			Red nun.	
9553.5	Norfolk International Terminal North Channel Buoy 8N	36-55-20.966N 076-19-53.826W			Red nun.	
9555	Norfolk International Terminal South Channel Buoy 2S	36-54-48.850N 076-20-11.125W			Red nun.	
9560	Norfolk International Terminal South Channel Lighted Buoy 4S	36-54-43.351N 076-19-56.299W	FI R 2.5s	4	Red.	
9565	Norfolk International Terminal South Channel Lighted Buoy 6S	36-54-36.974N 076-19-52.062W	Q R	4	Red.	
9570	Norfolk International Terminal South Channel Lighted Buoy 8S	36-54-18.778N 076-19-43.253W	FI R 2.5s	4	Red.	
9572	Norfolk International Terminal South Channel Daybeacon 10S	36-54-11.118N 076-19-41.796W		0	TR on pile.	
9575	Craney Island Disposal Area North Range Front Daybeacon	36-53-57.149N 076-20-54.255W			KRW on pile.	
9580	Craney Island Disposal Area North Range Rear Daybeacon	36-54-00.029N 076-21-00.015W			KRW on pile.	
9585	Craney Island Disposal Area South Range Front Daybeacon	36-53-40.889N 076-20-48.715W			KRW on pile.	
9590	Craney Island Disposal Area South Range Rear Daybeacon	36-53-38.429N 076-20-52.335W			KRW on pile.	
9595	Elizabeth River Lighted Buoy 17	36-54-16.959N 076-20-11.236W	FI G 2.5s	5	Green.	
9600	Elizabeth River Lighted Buoy 18	36-54-15.743N 076-20-22.841W	FI R 2.5s	5	Red.	
9602	Craney Island Lighted Warning Buoy A	36-54-03.385N 076-20-37.255W	FI W 2s		White with orange diamond worded DANGER OBSTRUCTION.	
9603	Elizabeth River-Dominion Lighted Danger Buoy B	36-53-40.970N 076-20-31.790W	FI W 2s		White can with orange diamond.	Danger Underwater Cable.
9603.1	Elizabeth River-Dominion Lighted Danger Buoy A	36-53-45.230N 076-20-20.210W	FI W 2s		White can with orange diamond.	Danger Underwater Cable.
9603	Elizabeth River-Dominion Lighted Danger Buoy B	36-53-40.970N 076-20-31.790W	FI W 2s		White can with orange diamond.	Danger Underwater Cable.
9603.1	Elizabeth River-Dominion Lighted Danger Buoy A	36-53-45.230N 076-20-20.210W	FI W 2s		White can with orange diamond.	Danger Underwater Cable.
9605	Elizabeth River Lighted Buoy 19	36-53-37.491N 076-20-04.503W	FI G 4s	5	Green.	
9610	Craney Island Warning Daybeacon A	36-53-34.961N 076-20-16.309W		0	NW on pile worded DANGER SUBMERGED ROCKS.	
9615	Craney Island Warning Daybeacon B	36-53-31.962N 076-20-17.019W		0	NW on pile worded DANGER SUBMERGED ROCKS.	

9620	Elizabeth River Lighted Buoy 20	36-53-32.156N 076-20-15.363W	FI R 4s	5	Red.	
9630	Elizabeth River Lighted Buoy 21	36-52-55.835N 076-19-57.375W	FI G 4s	5	Green.	
9635	Craney Island Pipeline Warning North Front Light	36-53-04.412N 076-20-24.894W	F R		On pile.	
9640	Craney Island Pipeline Warning North Rear Light	36-53-05.162N 076-20-27.954W	F R		On pile.	
9645	Craney Island Pipeline Warning South Front Light	36-53-03.782N 076-20-25.074W	F W		On pile.	
9650	Craney Island Pipeline Warning South Rear Light	36-53-04.752N 076-20-27.864W	F W		On pile.	
9655	Norfolk And Western Coal Pier Light	36-52-47.032N 076-19-55.293W	FI Y 4s		On pile.	
9665	Craney Island Creek Light 2CI	36-52-50.850N 076-20-27.715W	Q R	0	4	TR on pile.
9668	Craney Island Creek Light 4	36-52-50.590N 076-20-37.918W	FI R 4s	0	4	TR on pile.
9670	Craney Island Creek Light 5	36-52-47.633N 076-20-40.149W	Q G	0	4	SG on pile.
9675	Craney Island Creek Light 6	36-52-52.652N 076-20-47.144W	Q R	0	4	TR on pile.
9677	Craney Island Creek Buoy 7	36-52-50.498N 076-20-51.837W				Green can.
9678	Craney Island Creek Light 8	36-52-58.775N 076-20-47.871W	FI R 2.5s	0	4	TR on pile.
9683	Craney Island Creek Light 10	36-53-05.259N 076-20-57.358W	FI R 4s		4	TR on pile.
9690	Craney Island Creek Wreck Light WR12	36-53-05.183N 076-21-01.989W	Q R		4	TR on pile.
9695	Craney Island Creek Light 14	36-53-07.193N 076-21-04.811W	FI R 2.5s	0	4	TR on multi-pile structure.
9697	Craney Island Creek Lighted Junction Buoy CA	36-52-47.586N 076-20-17.549W	FI (2+1)G 6s	5		Green and red bands.
9699	APM Terminal Channel Lighted Buoy 1	36-52-37.709N 076-20-13.455W	Q G		5	Green.
9700	APM Terminal Channel Lighted Buoy 3	36-52-31.632N 076-20-32.329W	Q G		5	Green.
9701	APM Terminal Channel Lighted Buoy 4	36-52-43.880N 076-20-37.826W	Q R		5	Red.
9702	APM Terminal Channel Lighted Buoy 5	36-52-18.841N 076-20-45.414W	FI G 2.5s		5	Green.
9703	APM Terminal Channel Lighted Buoy 6	36-52-44.535N 076-20-47.363W	FI R 2.5s		5	Red.
9704	APM Terminal Channel Lighted Buoy 7	36-52-12.270N 076-20-43.873W	FI G 4s		5	Green.
9705	APM Terminal Channel Lighted Buoy 8	36-52-46.850N 076-20-52.974W	FI R 2.5s		5	Red.
9706	APM Terminal Channel Junction Lighted Buoy A	36-52-50.498N 076-20-53.582W	FI (2+1)R 6s		5	Red and green bands.
9707	Lambert Bend Turning Basin Daybeacon A	36-52-13.414N 076-20-18.644W			0	NB on pile.
9708	Lambert Bend Turning Basin Daybeacon B	36-52-18.598N 076-20-34.854W			0	NB on pile.
9710	Elizabeth River Lighted Buoy 23	36-52-27.814N 076-19-52.611W	FI G 2.5s		5	Green.
9715	Elizabeth River Lighted Buoy 25	36-52-13.427N 076-19-42.853W	Q G		5	Green.
9725	Elizabeth River U.S. Navy Deperming Range Sound Signal	36-52-07.329N 076-19-57.315W				On platform. SIREN : 1 blast ev 30s (5s bl). Continuous.
9728	U.S. Navy Deperming Range Z-LOOP Platform Light North	36-52-11.929N 076-19-59.415W	FI W 2s			On platform.
9730	U.S. Navy Deperming Range Light	36-52-08.029N 076-19-53.015W	FI Y 2.5s			On pile.
9732	U.S. Navy Deperming Range Z-LOOP Platform Light South	36-51-52.829N 076-19-50.015W	FI Y 2s			On platform.
9735	Elizabeth River Lighted Buoy 26	36-52-00.090N 076-19-41.348W	Q R		5	Red.
9740	U.S. Navy Degaussing Station Light	36-51-47.029N 076-19-39.015W	FI Y 2.5s			On multi-pile structure.

9745	Western Branch Channel Buoy 2	36-51-49.871N 076-19-48.757W				Red nun.
9750	Western Branch Channel Daybeacon 4	36-51-41.529N 076-19-57.715W		0		TR on pile.
9755	Western Branch Channel Light 5	36-51-33.839N 076-20-00.129W	FI G 4s	0	4	SG on pile.
9760	Western Branch Channel Buoy 6	36-51-33.420N 076-20-14.321W				Red nun.
9765	Western Branch Buoy 7	36-51-18.862N 076-21-10.710W				Green can.
9770	Western Branch Buoy 9	36-51-09.598N 076-21-20.403W				Green can.
9775	Western Branch Buoy 10	36-50-48.649N 076-21-35.071W				Red nun.
9780	Western Branch Daybeacon 11	36-50-17.003N 076-21-52.345W		0		SG on pile.
9785	Western Branch Buoy 13	36-50-20.195N 076-22-32.607W				Green can.
9790	Western Branch Daybeacon 14	36-50-13.396N 076-23-08.769W		0		TR on pile.
9795	Western Branch Daybeacon 16	36-49-42.490N 076-23-47.583W		0		TR on pile.
9810	Portsmouth Marine Terminal Lighted Buoy 2PM	36-51-43.400N 076-19-21.409W	Q R		4	Red.
9812	Portsmouth Marine Terminal Lighted Buoy 2A	36-51-37.946N 076-19-26.860W	FI R 4s		4	Red.
9812	Portsmouth Marine Terminal Lighted Buoy 2A	36-51-37.946N 076-19-26.860W	FI R 4s		4	Red.
9815	Portsmouth Marine Terminal Lighted Buoy 3PM	36-51-39.610N 076-19-14.325W	Q G		4	Green.
9820	Portsmouth Marine Terminal Lighted Buoy 4	36-51-31.919N 076-19-35.479W	FI R 2.5s		4	Red.
9830	Portsmouth Marine Terminal Lighted Buoy 6	36-51-28.807N 076-19-45.659W	FI R 4s		4	Red.
9832	Portsmouth Marine Terminal Daybeacon 8	36-51-27.455N 076-19-56.598W		0		TR on pile.
9832	Portsmouth Marine Terminal Daybeacon 8	36-51-27.455N 076-19-56.598W		0		TR on pile.
9835	Elizabeth River Lighted Buoy 27	36-51-58.105N 076-19-20.837W	FI G 4s		5	Green.
9835	Elizabeth River Lighted Buoy 27	36-51-58.105N 076-19-20.837W	FI G 4s		5	Green.
9840	Elizabeth River Lighted Buoy 28	36-51-35.031N 076-19-04.580W	FI R 2.5s		5	Red.
9845	Sea-Land Terminal Buoy 2SL	36-51-33.120N 076-19-11.318W				Red nun.
9847	Marine Hydraulics Pier Lights (2)	36-51-39.000N 076-18-51.260W	FI Y 4s			On end of concrete pier.
9850	Elizabeth River Lighted Buoy 29	36-51-27.866N 076-18-37.173W	FI G 2.5s		5	Green.
9851	Pinner Point Warning Buoy A	36-51-28.170N 076-18-58.630W				White can with orange bands and orange diamond labeled SUBMERGED WALL.
9851.1	Pinner Point Warning Buoy B	36-51-27.600N 076-18-57.600W				White can with orange bands and orange diamond labeled SUBMERGED WALL.
9851.2	Pinner Point Warning Buoy C	36-51-23.860N 076-18-58.350W				White can with orange bands and orange diamond labeled SUBMERGED WALL.
9852	Midtown Tunnel East Warning Buoy A	36-51-40.460N 076-18-36.280W				White can with orange bands and orange diamond worded SUBMERGED WALL.
9852.1	Midtown Tunnel East Warning Light B	36-51-31.440N 076-18-37.430W	FI W 4s			On pile.
9852.2	Pinner Point No Wake Buoy	36-51-25.000N 076-18-49.000W				White can with orange bands and diamond worded NO WAKE.
9853	Elizabeth River Town Point Reach No Wake Buoy A	36-51-07.400N 076-18-24.450W				White and orange can worded NO WAKE.
9854	Hospital Point No Wake Buoy	36-51-04.000N 076-18-24.000W				White can with orange bands and diamond worded NO WAKE.
9855	Elizabeth River Buoy 30	36-51-05.799N 076-18-22.426W				Red nun.

9857	Fort Norfolk Warning Daybeacon A	36-51-25.910N 076-18-25.721W				NW on pile worded DANGER SUBMERGED BREAKWATER/ OYSTER REEF.
9857.5	Fort Norfolk Warning Daybeacon B	36-51-24.840N 076-18-25.669W				NW on pile worded DANGER SUBMERGED BREAKWATER/ OYSTER REEF.
9860	Scott Creek Channel Daybeacon 1	36-51-02.552N 076-18-33.559W		0		SG on pile.
9865	Scott Creek Channel Daybeacon 1A	36-50-59.777N 076-18-42.769W		0		SG on pile.
9870	Scott Creek Channel Daybeacon 2	36-51-01.246N 076-18-43.711W		0		TR on pile.
9875	Scott Creek Channel Daybeacon 3	36-50-55.900N 076-18-51.842W		0		SG on pile.
9880	Scott Creek Channel Daybeacon 4	36-50-49.835N 076-18-57.075W		0		TR on pile.
9885	Scott Creek Channel Daybeacon 5	36-50-47.704N 076-18-54.049W				SG on pile.
9890	Smith Creek Buoy 2S	36-51-04.969N 076-17-58.865W				Red nun.
9895	Smith Creek Buoy 4	36-51-07.832N 076-17-56.306W				Red nun.
9897	Elizabeth River Town Point Reach No Wake Buoy B	36-51-01.120N 076-17-59.350W				White and orange can worded NO WAKE.
9900	Elizabeth River Lighted Buoy 32	36-50-49.747N 076-17-59.316W	Q R		5	Red.
9910	Elizabeth River Anchorage N Lighted Obstruction Buoy N	36-50-43.261N 076-18-03.885W	Fl W 2.5s		4	White with orange diamond.
9935	Elizabeth River Town Point Reach No Wake Buoy C	36-50-35.000N 076-17-50.380W				White and orange can worded NO WAKE.
9940	Norfolk Waterside Pier Light	36-50-35.532N 076-17-28.786W	F Y			On pile on end of pier.
9955	Elizabeth River Southern Branch Light 2	36-47-38.544N 076-17-50.041W	Fl R 2.5s	0	4	TR-TY on pile.
9960	Elizabeth River Southern Branch Buoy 3	36-47-32.262N 076-17-52.701W				Green can with yellow square.
9965	Elizabeth River Southern Branch Buoy 5	36-47-28.019N 076-18-01.685W				Green can with yellow square.
9970	Elizabeth River Southern Branch Daybeacon 6	36-47-32.489N 076-18-07.383W		0		TR-TY on pile.
9975	Elizabeth River Southern Branch Light 8	36-47-27.866N 076-18-12.195W	Q R	0	4	TR-TY on pile.
9980	Elizabeth River Southern Branch Light 9	36-47-17.093N 076-18-07.063W	Fl G 2.5s	0	4	SG-SY on pile.
9985	Elizabeth River Southern Branch Buoy 10	36-47-14.432N 076-18-12.631W				Red nun with yellow triangle.
9990	Elizabeth River Southern Branch Buoy 12	36-47-07.353N 076-18-15.761W				Red nun with yellow triangle.
9995	Elizabeth River Southern Branch Buoy 14	36-47-02.563N 076-18-19.701W				Red nun with yellow triangle.
10000	Elizabeth River Southern Branch Buoy 15	36-46-54.545N 076-18-24.513W				Green can with yellow square.
10005	Elizabeth River Southern Branch Buoy 17	36-46-49.563N 076-18-27.802W				Green can with yellow square.
10010	Elizabeth River Southern Branch Daybeacon 19	36-46-46.043N 076-18-25.599W				SG-SY on pile.
10023	St. Julian Creek Warning Daybeacon A	36-46-57.800N 076-18-57.900W				NW on pile worded DANGER OVERHEAD POWERLINE.
10025	Swan Terminal Pier Light	36-46-36.534N 076-18-22.786W	F R			On pile.
10030	Elizabeth River Southern Branch Light 20	36-46-35.365N 076-18-06.196W	Fl R 2.5s	0	5	TR-TY on pile.
10035	Elizabeth River Southern Branch Light 22	36-46-34.444N 076-17-49.268W	Fl R 4s	0	4	TR-TY on pile.
10041	Chesapeake Energy Center North Lighted Mooring Dolphin N	36-46-22.470N 076-17-47.150W	Fl Y 4s			On concrete mooring dolphin.
10042	Chesapeake Energy Center South Lighted Mooring Dolphin S	36-46-13.580N 076-17-52.270W	Fl Y 4s			On concrete mooring dolphin.
10045	Virginia Power Company Wharf Lights (2)	36-46-12.534N 076-17-52.785W	F Y			On dolphin.

10060	Elizabeth River Southern Branch Turning Basin Daybeacon A	36-46-10.908N 076-17-44.405W		0			NB on pile.	
10065	Elizabeth River Southern Branch Turning Basin Daybeacon B	36-46-05.950N 076-17-46.730W		0			NB on pile.	
10070	Elizabeth River Southern Branch Buoy 26	36-46-06.907N 076-17-53.687W					Red nun with yellow triangle.	
10080	Elizabeth River Southern Branch Buoy 28	36-45-41.951N 076-17-55.540W					Red nun with yellow triangle.	
10085	Elizabeth River Southern Branch Light 30	36-45-19.667N 076-17-45.945W	Fl R 4s	0	4		TR-TY on pile.	
10090	Elizabeth River Southern Branch Turning Basin Daybeacon C	36-45-12.563N 076-17-34.799W		0			NB on pile.	
10095	Elizabeth River Southern Branch Turning Basin Daybeacon D	36-45-04.474N 076-17-35.859W		0			NB on pile.	
10130	Lynnhaven Inlet Light 1L	36-55-05.709N 076-05-22.053W	Q G	0	5		On multi-pile structure.	
10130	Lynnhaven Inlet Light 1L	36-55-05.709N 076-05-22.053W	Q G	0	5		On multi-pile structure.	
10135	Lynnhaven Inlet Light 2	36-55-03.816N 076-05-25.729W	Fl R 2.5s	0	5		TR on pile.	Higher intensity beam bearing 346°.
10135	Lynnhaven Inlet Light 2	36-55-03.816N 076-05-25.729W	Fl R 2.5s	0	5		TR on pile.	Higher intensity beam bearing 346°.
10136	Lynnhaven Inlet Light 3	36-54-50.270N 076-05-25.974W	Fl G 4s		4		SG on pile.	
10138	Lynnhaven Inlet Light 4	36-54-49.519N 076-05-28.465W	Fl R 4s		4		TR on pile.	
10140	Lynnhaven Inlet Lighted Buoy 4A	36-54-47.763N 076-05-27.819W	Q R		4		Red.	
10140	Lynnhaven Inlet Lighted Buoy 4A	36-54-47.763N 076-05-27.819W	Q R		4		Red.	
10142	Lynnhaven Inlet Light 5	36-54-36.537N 076-05-28.723W	Fl G 2.5s	0	5		SG on pile.	
10145	Lynnhaven Inlet Daybeacon 6	36-54-33.379N 076-05-31.745W		0			TR on pile.	
10150	Lynnhaven Inlet East Vepco Lights (2)	36-54-26.530N 076-05-27.761W	Fl Y 4s				On pile.	
10150	Lynnhaven Inlet East Vepco Lights (2)	36-54-26.530N 076-05-27.761W	Fl Y 4s				On pile.	
10155	Lynnhaven Inlet West Vepco Lights (2)	36-54-26.530N 076-05-34.761W	Fl Y 4s				On pile.	
10155	Lynnhaven Inlet West Vepco Lights (2)	36-54-26.530N 076-05-34.761W	Fl Y 4s				On pile.	
10156	Crab Creek Entrance Buoy 2CC	36-54-21.983N 076-05-33.694W					Red nun.	
10157.02	Crab Creek Buoy 4	36-54-21.567N 076-05-35.591W					Red nun.	
10157.13	Crab Creek Buoy 13	36-54-15.567N 076-05-44.982W					Green can.	
10157.12	Crab Creek Buoy 12	36-54-15.899N 076-05-44.330W					Red nun.	
10157.11	Crab Creek Buoy 11	36-54-13.920N 076-05-42.890W					Green can.	
10157.09	Crab Creek Warning Daybeacon A	36-54-12.690N 076-05-40.990W					NW on pile.	
10157.07	Crab Creek Daybeacon 9	36-54-14.980N 076-05-40.600W					SG on pile.	
10157.06	Crab Creek Buoy 8	36-54-15.300N 076-05-41.360W					Red nun.	
10157.05	Crab Creek Buoy 7	36-54-17.212N 076-05-39.350W					Green can.	
10157.03	Crab Creek Buoy 5	36-54-21.004N 076-05-35.202W					Green can.	
10157.01	Crab Creek Entrance Buoy 3CC	36-54-21.383N 076-05-33.404W					Green can.	
10157.08	Crab Creek Buoy 10	36-54-14.464N 076-05-42.320W					Red nun.	
10157.1	Crab Creek Warning Buoy B	36-54-12.920N 076-05-43.060W					White can with orange diamond.	

10157.13	Crab Creek Buoy 13	36-54-15.567N 076-05-44.982W				Green can.
10157.12	Crab Creek Buoy 12	36-54-15.899N 076-05-44.330W				Red nun.
10157.11	Crab Creek Buoy 11	36-54-13.920N 076-05-42.890W				Green can.
10157.09	Crab Creek Warning Daybeacon A	36-54-12.690N 076-05-40.990W				NW on pile.
10157.07	Crab Creek Daybeacon 9	36-54-14.980N 076-05-40.600W				SG on pile.
10157.06	Crab Creek Buoy 8	36-54-15.300N 076-05-41.360W				Red nun.
10157.05	Crab Creek Buoy 7	36-54-17.212N 076-05-39.350W				Green can.
10157.03	Crab Creek Buoy 5	36-54-21.004N 076-05-35.202W				Green can.
10157.01	Crab Creek Entrance Buoy 3CC	36-54-21.383N 076-05-33.404W				Green can.
10159	Long Creek Lighted Buoy 2LC	36-54-24.711N 076-05-27.897W	Q R		4	Red.
10159	Long Creek Lighted Buoy 2LC	36-54-24.711N 076-05-27.897W	Q R		4	Red.
10161	Long Creek Buoy 4	36-54-23.316N 076-05-19.924W				Red nun.
10161	Long Creek Buoy 4	36-54-23.316N 076-05-19.924W				Red nun.
10163	Long Creek Buoy 6	36-54-21.842N 076-05-15.777W				Red nun.
10163	Long Creek Buoy 6	36-54-21.842N 076-05-15.777W				Red nun.
10165	Long Creek Warning Daybeacon B	36-54-15.566N 076-05-21.911W				NW on pile worded DANGER SHOAL
10166.1	Athey Island Reef Warning Daybeacon	36-54-14.648N 076-05-16.561W				NW on pile.
10168	Long Creek Warning Daybeacon C	36-54-14.311N 076-05-12.669W				NW on pile worded DANGER SHOAL C.
10170	Long Creek Light 6A	36-54-15.918N 076-05-05.381W	FI R 4s	0	4	TR on pile.
10170	Long Creek Light 6A	36-54-15.918N 076-05-05.381W	FI R 4s	0	4	TR on pile.
10173	Long Creek Lighted Buoy 7	36-54-14.886N 076-04-59.051W	Q G		4	Green.
10173	Long Creek Lighted Buoy 7	36-54-14.886N 076-04-59.051W	Q G		4	Green.
10175	Long Creek Warning Daybeacon D	36-54-15.476N 076-04-57.406W		0		NW on pile worded DANGER SHOAL D.
10175	Long Creek Warning Daybeacon D	36-54-15.476N 076-04-57.406W		0		NW on pile worded DANGER SHOAL D.
10180	Long Creek Daybeacon 8	36-54-15.490N 076-04-45.619W		0		TR on pile.
10185	Long Creek Junction Buoy BL	36-54-12.827N 076-04-21.573W				Green and red can.
10186	Lynnhaven River Daybeacon 1LR	36-54-14.268N 076-05-17.312W				SG on pile.
10186.5	Lynnhaven River Buoy 3LR	36-54-06.300N 076-05-13.000W				Green can.
10186	Lynnhaven River Daybeacon 1LR	36-54-14.268N 076-05-17.312W				SG on pile.
10186.5	Lynnhaven River Buoy 3LR	36-54-06.300N 076-05-13.000W				Green can.
10187	Lynnhaven River Junction Daybeacon EW	36-53-54.200N 076-05-12.600W				JR on pile.
10187	Lynnhaven River Junction Daybeacon EW	36-53-54.200N 076-05-12.600W				JR on pile.
10188	Lynnhaven River Western Branch Daybeacon 1	36-53-53.000N 076-05-15.000W				SG on pile.
10189	Lynnhaven River Western Branch Daybeacon 2	36-53-54.000N 076-05-16.000W				TR on pile.
10190	Lynnhaven River Western Branch Daybeacon 3	36-53-48.000N 076-05-18.000W				SG on pile.

10195	Lynnhaven River Western Branch Daybeacon 4	36-53-50.000N 076-05-19.000W	TR on pile.
10200	Lynnhaven River Western Branch Daybeacon 5	36-53-46.000N 076-05-34.000W	SG on pile.
10205	Lynnhaven River Western Branch Daybeacon 6	36-53-48.000N 076-05-34.000W	TR on pile.
10210	Lynnhaven River Western Branch Daybeacon 7	36-53-42.000N 076-05-41.000W	SG on pile.
10215	Lynnhaven River Western Branch Daybeacon 8	36-53-43.000N 076-05-41.000W	TR on pile.
10220	Lynnhaven River Western Branch Buoy 9	36-53-36.030N 076-05-44.480W	Green can.
10225	Lynnhaven River Western Branch Buoy 10	36-53-36.600N 076-05-45.220W	Red nun.
10230	Lynnhaven River Western Branch Daybeacon 11	36-53-33.000N 076-05-53.000W	SG on pile.
10235	Lynnhaven River Western Branch Daybeacon 12	36-53-34.000N 076-05-53.000W	TR on pile.
10240	Lynnhaven River Western Branch Daybeacon 13	36-53-33.420N 076-06-03.800W	SG on pile.
10245	Lynnhaven River Western Branch Daybeacon 14	36-53-34.210N 076-06-03.970W	TR on pile.
10250	Lynnhaven River Western Branch Daybeacon 15	36-53-31.000N 076-06-12.000W	SG on pile.
10255	Lynnhaven River Western Branch Daybeacon 16	36-53-32.000N 076-06-13.000W	TR on pile.
10260	Lynnhaven River Western Branch Daybeacon 17	36-53-21.000N 076-06-27.000W	SG on pile.
10265	Lynnhaven River Western Branch Daybeacon 18	36-53-21.000N 076-06-28.000W	TR on pile.
10270	Lynnhaven River Western Branch Daybeacon 19	36-53-16.000N 076-06-32.000W	SG on pile.
10275	Lynnhaven River Western Branch Daybeacon 20	36-53-17.000N 076-06-33.000W	TR on pile.
10280	Lynnhaven River Western Branch Daybeacon 21	36-53-04.200N 076-06-38.680W	SG on pile.
10285	Lynnhaven River Western Branch Daybeacon 22	36-53-04.280N 076-06-39.690W	TR on pile.
10290	Lynnhaven River Western Branch Daybeacon 23	36-52-49.000N 076-06-35.000W	SG on pile.
10295	Lynnhaven River Western Branch Daybeacon 24	36-51-29.532N 076-07-11.764W	TR on pile.
10300	Lynnhaven River Western Branch Daybeacon 25	36-52-32.660N 076-06-33.840W	SG on pile.
10305	Lynnhaven River Western Branch Daybeacon 26	36-52-33.000N 076-06-34.000W	TR on pile.
10310	Lynnhaven River Western Branch Daybeacon 27	36-52-23.100N 076-06-25.170W	SG on pile.
10315	Lynnhaven River Western Branch Daybeacon 28	36-52-22.840N 076-06-26.150W	TR on pile.
10320	Lynnhaven River Western Branch Daybeacon 29	36-52-18.850N 076-06-25.120W	SG on pile.
10325	Lynnhaven River Western Branch Daybeacon 30	36-52-19.130N 076-06-26.100W	TR on pile.
10330	Lynnhaven River Western Branch Daybeacon 31	36-52-07.410N 076-06-36.560W	SG on pile.
10331	Lynnhaven River Western Branch Daybeacon 32	36-52-07.940N 076-06-37.290W	TR on pile.
10331.01	Lynnhaven River Western Branch Daybeacon 33	36-51-53.240N 076-06-54.830W	SG in pile.
10331.02	Lynnhaven River Western Branch Daybeacon 34	36-51-53.570N 076-06-55.830W	TR on pile.
10331.25	Lynnhaven River Western Branch Daybeacon 58	36-50-50.170N 076-07-22.730W	TR on pile.
10331.24	Lynnhaven River Western Branch Daybeacon 57	36-50-50.500N 076-07-22.260W	SG on pile.
10331.23	Lynnhaven River Western Branch Daybeacon 56	36-50-53.390N 076-07-26.150W	TR on pile.
10331.22	Lynnhaven River Western Branch Daybeacon 54	36-50-56.550N 076-07-30.100W	TR on pile.

10331.21	Lynnhaven River Western Branch Daybeacon 53	36-50-59.010N 076-07-35.990W	SG on pile.	
10331.2	Lynnhaven River Western Branch Daybeacon 52	36-51-04.300N 076-07-37.690W	TR on pile.	
10331.19	Lynnhaven River Western Branch Daybeacon 51	36-51-04.280N 076-07-37.070W	SG on pile.	
10331.18	Lynnhaven River Western Branch Daybeacon 49	36-51-14.440N 076-07-33.870W	SG on pile.	
10331.17	Lynnhaven River Western Branch Daybeacon 47	36-51-16.920N 076-07-32.070W	SG on pile.	
10331.16	Lynnhaven River Western Branch Daybeacon 46	36-51-19.190N 076-07-29.670W	TR on pile.	
10331.15	Lynnhaven River Western Branch Daybeacon 45	36-51-18.820N 076-07-29.280W	SG on pile.	
10331.14	Lynnhaven River Western Branch Daybeacon 43	36-51-24.780N 076-07-20.200W	SG on pile.	
10331.13	Lynnhaven River Western Branch Daybeacon 41	36-51-27.620N 076-07-10.550W	SG on pile.	
10331.12	Lynnhaven River Western Branch Daybeacon 40	36-51-29.450N 076-07-03.810W	TR on pile.	
10331.11	Lynnhaven River Western Branch Daybeacon 38	36-51-35.980N 076-06-59.900W	TR on pile.	
10331.1	Lynnhaven River Western Branch Daybeacon 36	36-51-40.160N 076-06-55.090W	TR on pile.	
10331.04	Lynnhaven River Old Donation Creek Entrance Daybeacon 2OD	36-51-50.960N 076-06-58.920W		TR on pile.
10331.05	Lynnhaven River Old Donation Creek Daybeacon 3	36-51-52.050N 076-07-03.680W		SG on pile.
10331.06	Lynnhaven River Old Donation Creek Daybeacon 5	36-51-53.520N 076-07-07.730W		SG on pile.
10331.04	Lynnhaven River Old Donation Creek Entrance Daybeacon 2OD	36-51-50.960N 076-06-58.920W		TR on pile.
10331.05	Lynnhaven River Old Donation Creek Daybeacon 3	36-51-52.050N 076-07-03.680W		SG on pile.
10331.06	Lynnhaven River Old Donation Creek Daybeacon 5	36-51-53.520N 076-07-07.730W		SG on pile.
10331.25	Lynnhaven River Western Branch Daybeacon 58	36-50-50.170N 076-07-22.730W	TR on pile.	
10331.24	Lynnhaven River Western Branch Daybeacon 57	36-50-50.500N 076-07-22.260W	SG on pile.	
10331.23	Lynnhaven River Western Branch Daybeacon 56	36-50-53.390N 076-07-26.150W	TR on pile.	
10331.22	Lynnhaven River Western Branch Daybeacon 54	36-50-56.550N 076-07-30.100W	TR on pile.	
10331.21	Lynnhaven River Western Branch Daybeacon 53	36-50-59.010N 076-07-35.990W	SG on pile.	
10331.2	Lynnhaven River Western Branch Daybeacon 52	36-51-04.300N 076-07-37.690W	TR on pile.	
10331.19	Lynnhaven River Western Branch Daybeacon 51	36-51-04.280N 076-07-37.070W	SG on pile.	
10331.18	Lynnhaven River Western Branch Daybeacon 49	36-51-14.440N 076-07-33.870W	SG on pile.	
10331.17	Lynnhaven River Western Branch Daybeacon 47	36-51-16.920N 076-07-32.070W	SG on pile.	
10331.16	Lynnhaven River Western Branch Daybeacon 46	36-51-19.190N 076-07-29.670W	TR on pile.	
10331.15	Lynnhaven River Western Branch Daybeacon 45	36-51-18.820N 076-07-29.280W	SG on pile.	
10331.14	Lynnhaven River Western Branch Daybeacon 43	36-51-24.780N 076-07-20.200W	SG on pile.	
10331.13	Lynnhaven River Western Branch Daybeacon 41	36-51-27.620N 076-07-10.550W	SG on pile.	
10331.12	Lynnhaven River Western Branch Daybeacon 40	36-51-29.450N 076-07-03.810W	TR on pile.	
10331.11	Lynnhaven River Western Branch Daybeacon 38	36-51-35.980N 076-06-59.900W	TR on pile.	
10331.1	Lynnhaven River Western Branch Daybeacon 36	36-51-40.160N 076-06-55.090W	TR on pile.	
10332.03	Lynnhaven River Eastern Branch Buoy 2A	36-53-35.900N 076-05-02.400W	Red nun.	

10332.51	Lynnhaven River Eastern Branch Wreck Buoy WR8A	36-52-46.605N 076-04-10.579W	Red nun.
10332.01	Lynnhaven River Eastern Branch Buoy 2EB	36-53-45.907N 076-05-02.697W	Red nun.
10332	Lynnhaven River Eastern Branch Buoy 1EB	36-53-46.241N 076-05-01.603W	Green can.
10332.1	Lynnhaven River Eastern Branch Buoy 3	36-53-32.600N 076-04-54.600W	Green can.
10332.2	Lynnhaven River Eastern Branch Daybeacon 4	36-53-28.600N 076-04-46.300W	TR on pile.
10332.3	Lynnhaven River Eastern Branch Daybeacon 5	36-53-15.600N 076-04-29.400W	SG on pile.
10332.4	Lynnhaven River Eastern Branch Daybeacon 6	36-53-15.000N 076-04-29.900W	TR on pile.
10332.5	Lynnhaven River Eastern Branch Daybeacon 7	36-53-00.300N 076-04-16.800W	SG on pile.
10332.6	Lynnhaven River Eastern Branch Daybeacon 8	36-52-45.000N 076-04-05.100W	TR on pile.
10332.7	Lynnhaven River Eastern Branch Daybeacon 10	36-52-33.900N 076-04-03.400W	TR on pile.
10332.8	Lynnhaven River Eastern Branch Daybeacon 12	36-52-31.100N 076-04-06.400W	TR on pile.
10332.9	Lynnhaven River Eastern Branch Daybeacon 13	36-52-24.300N 076-04-18.200W	SG on pile.
10332.01	Lynnhaven River Eastern Branch Buoy 2EB	36-53-45.907N 076-05-02.697W	Red nun.
10332	Lynnhaven River Eastern Branch Buoy 1EB	36-53-46.241N 076-05-01.603W	Green can.
10332.1	Lynnhaven River Eastern Branch Buoy 3	36-53-32.600N 076-04-54.600W	Green can.
10332.2	Lynnhaven River Eastern Branch Daybeacon 4	36-53-28.600N 076-04-46.300W	TR on pile.
10332.3	Lynnhaven River Eastern Branch Daybeacon 5	36-53-15.600N 076-04-29.400W	SG on pile.
10332.4	Lynnhaven River Eastern Branch Daybeacon 6	36-53-15.000N 076-04-29.900W	TR on pile.
10332.5	Lynnhaven River Eastern Branch Daybeacon 7	36-53-00.300N 076-04-16.800W	SG on pile.
10332.6	Lynnhaven River Eastern Branch Daybeacon 8	36-52-45.000N 076-04-05.100W	TR on pile.
10332.7	Lynnhaven River Eastern Branch Daybeacon 10	36-52-33.900N 076-04-03.400W	TR on pile.
10332.8	Lynnhaven River Eastern Branch Daybeacon 12	36-52-31.100N 076-04-06.400W	TR on pile.
10332.9	Lynnhaven River Eastern Branch Daybeacon 13	36-52-24.300N 076-04-18.200W	SG on pile.
10333	Lynnhaven River Eastern Branch Daybeacon 14	36-52-24.800N 076-04-18.800W	TR on pile.
10333.1	Lynnhaven River Eastern Branch Daybeacon 15	36-52-18.300N 076-04-22.200W	SG on pile.
10333.2	Lynnhaven River Eastern Branch Daybeacon 17	36-52-08.600N 076-04-20.700W	SG on pile.
10333.3	Lynnhaven River Eastern Branch Daybeacon 19	36-51-59.700N 076-04-15.400W	SG on pile.
10333.4	Lynnhaven River Eastern Branch Daybeacon 20	36-51-59.700N 076-04-16.000W	TR on pile.
10333.5	Lynnhaven River Eastern Branch Daybeacon 21	36-51-46.150N 076-04-11.390W	SG on pile.
10333.6	Lynnhaven River Eastern Branch Daybeacon 23	36-51-35.600N 076-04-04.100W	SG on pile.
10333.7	Lynnhaven River Eastern Branch Daybeacon 24	36-51-35.300N 076-04-04.800W	TR on pile.
10333.8	Lynnhaven River Eastern Branch Daybeacon 25	36-51-25.900N 076-04-04.000W	SG on pile.
10333.9	Lynnhaven River Eastern Branch Daybeacon 26	36-51-25.600N 076-04-05.100W	TR on pile.
10333	Lynnhaven River Eastern Branch Daybeacon 14	36-52-24.800N 076-04-18.800W	TR on pile.
10333.1	Lynnhaven River Eastern Branch Daybeacon 15	36-52-18.300N 076-04-22.200W	SG on pile.

10333.2	Lynnhaven River Eastern Branch Daybeacon 17	36-52-08.600N 076-04-20.700W		SG on pile.
10333.3	Lynnhaven River Eastern Branch Daybeacon 19	36-51-59.700N 076-04-15.400W		SG on pile.
10333.4	Lynnhaven River Eastern Branch Daybeacon 20	36-51-59.700N 076-04-16.000W		TR on pile.
10333.5	Lynnhaven River Eastern Branch Daybeacon 21	36-51-46.150N 076-04-11.390W		SG on pile.
10333.6	Lynnhaven River Eastern Branch Daybeacon 23	36-51-35.600N 076-04-04.100W		SG on pile.
10333.7	Lynnhaven River Eastern Branch Daybeacon 24	36-51-35.300N 076-04-04.800W		TR on pile.
10333.8	Lynnhaven River Eastern Branch Daybeacon 25	36-51-25.900N 076-04-04.000W		SG on pile.
10333.9	Lynnhaven River Eastern Branch Daybeacon 26	36-51-25.600N 076-04-05.100W		TR on pile.
10334	Lynnhaven River Eastern Branch Daybeacon 27	36-51-20.100N 076-03-58.200W		SG on pile.
10334.1	Lynnhaven River Eastern Branch Daybeacon 28	36-51-19.300N 076-03-58.800W		TR on pile.
10334.2	Lynnhaven River Eastern Branch Daybeacon 30	36-51-18.000N 076-03-45.100W		TR on pile.
10334.3	Lynnhaven River Eastern Branch Daybeacon 32	36-51-16.300N 076-03-41.700W		TR on pile.
10334.4	Lynnhaven River Eastern Branch Daybeacon 34	36-51-13.600N 076-03-40.000W		TR on pile.
10334.5	Lynnhaven River Eastern Branch Daybeacon 35	36-51-07.600N 076-03-42.200W		SG on pile.
10334.6	Lynnhaven River Eastern Branch Daybeacon 37	36-51-00.520N 076-03-43.000W		SG on pile.
10334.7	Lynnhaven River Eastern Branch Daybeacon 38	36-50-56.300N 076-03-39.700W		TR on pile.
10334.8	Lynnhaven River Eastern Branch Daybeacon 40	36-50-48.500N 076-03-37.800W		TR on pile.
10334.9	Lynnhaven River Eastern Branch Daybeacon 42	36-50-40.700N 076-03-35.900W		TR on pile.
10334	Lynnhaven River Eastern Branch Daybeacon 27	36-51-20.100N 076-03-58.200W		SG on pile.
10334.1	Lynnhaven River Eastern Branch Daybeacon 28	36-51-19.300N 076-03-58.800W		TR on pile.
10334.2	Lynnhaven River Eastern Branch Daybeacon 30	36-51-18.000N 076-03-45.100W		TR on pile.
10334.3	Lynnhaven River Eastern Branch Daybeacon 32	36-51-16.300N 076-03-41.700W		TR on pile.
10334.4	Lynnhaven River Eastern Branch Daybeacon 34	36-51-13.600N 076-03-40.000W		TR on pile.
10334.5	Lynnhaven River Eastern Branch Daybeacon 35	36-51-07.600N 076-03-42.200W		SG on pile.
10334.6	Lynnhaven River Eastern Branch Daybeacon 37	36-51-00.520N 076-03-43.000W		SG on pile.
10334.7	Lynnhaven River Eastern Branch Daybeacon 38	36-50-56.300N 076-03-39.700W		TR on pile.
10334.8	Lynnhaven River Eastern Branch Daybeacon 40	36-50-48.500N 076-03-37.800W		TR on pile.
10334.9	Lynnhaven River Eastern Branch Daybeacon 42	36-50-40.700N 076-03-35.900W		TR on pile.
10337	Long Creek East Channel Warning Daybeacon A	36-54-13.300N 076-04-16.500W		NW on pile worded DANGER. SUBMERGED REEF.
10338	Long Creek East Channel Warning Daybeacon B	36-54-13.300N 076-04-13.400W		NW on pile worded DANGER SUBMERGED REEF.
10340	Long Creek East Channel Daybeacon 1A	36-54-32.323N 076-03-07.165W	0	SG on pile.
10340	Long Creek East Channel Daybeacon 1A	36-54-32.323N 076-03-07.165W	0	SG on pile.
10345	Long Creek East Channel Daybeacon 3	36-54-39.077N 076-02-54.213W	0	SG on pile.
10345	Long Creek East Channel Daybeacon 3	36-54-39.077N 076-02-54.213W	0	SG on pile.
10355	Long Creek East Channel Daybeacon 5	36-54-39.761N 076-02-46.107W	0	SG on pile.

10355	Long Creek East Channel Daybeacon 5	36-54-39.761N 076-02-46.107W		0	SG on pile.
10360	Long Creek East Channel Buoy 7	36-54-34.773N 076-02-24.321W			Green can.
10365	Long Creek East Channel Daybeacon 8	36-54-31.583N 076-02-14.829W		0	TR on pile.
10365	Long Creek East Channel Daybeacon 8	36-54-31.583N 076-02-14.829W		0	TR on pile.
10370	Long Creek East Channel Daybeacon 10	36-54-26.699N 076-02-10.275W		0	TR on pile.
10370	Long Creek East Channel Daybeacon 10	36-54-26.699N 076-02-10.275W		0	TR on pile.
10375	Long Creek East Channel Daybeacon 11	36-54-22.631N 076-02-02.193W		0	SG on pile.
10375	Long Creek East Channel Daybeacon 11	36-54-22.631N 076-02-02.193W		0	SG on pile.
10380	Long Creek East Channel Daybeacon 12	36-54-22.115N 076-02-02.499W		0	TR on pile.
10380	Long Creek East Channel Daybeacon 12	36-54-22.115N 076-02-02.499W		0	TR on pile.
10385	Long Creek East Channel Daybeacon 13	36-54-13.000N 076-01-55.898W		0	SG on pile.
10385	Long Creek East Channel Daybeacon 13	36-54-13.000N 076-01-55.898W		0	SG on pile.
10390	Long Creek East Channel Daybeacon 14	36-54-12.725N 076-01-57.195W		0	TR on pile.
10390	Long Creek East Channel Daybeacon 14	36-54-12.725N 076-01-57.195W		0	TR on pile.
10395	Broad Bay Buoy 9	36-54-07.759N 076-03-34.425W			Green can.
10400	Broad Bay Lighted Buoy 10	36-54-06.029N 076-03-11.375W	FI R 2.5s	4	Red.
10405	Broad Bay Lighted Buoy 12	36-53-56.059N 076-02-22.895W	FI R 2.5s	4	
10410.2	Broad Bay Canal Daybeacon 5	36-53-32.247N 076-01-44.390W			SG on pile.
10410.1	Broad Bay Canal Daybeacon 3	36-53-33.699N 076-01-44.013W			SG on pile.
10410	Broad Bay Canal Daybeacon 1	36-53-35.112N 076-01-43.624W			SG on pile.
10410.2	Broad Bay Canal Daybeacon 5	36-53-32.247N 076-01-44.390W			SG on pile.
10410.1	Broad Bay Canal Daybeacon 3	36-53-33.699N 076-01-44.013W			SG on pile.
10410	Broad Bay Canal Daybeacon 1	36-53-35.112N 076-01-43.624W			SG on pile.
10415	Broad Bay Lighted Buoy 13	36-53-37.889N 076-01-25.719W	FI G 2.5s	4	Green.
10420	Broad Bay Buoy 14	36-53-37.169N 076-01-26.045W			Red nun.
10425	Broad Bay Buoy 15	36-53-29.379N 076-01-09.665W			Green can.
10430	Broad Bay Buoy 16	36-53-28.519N 076-01-10.675W			Red nun.
10435	Broad Bay Buoy 18	36-53-17.179N 076-00-58.335W			Red nun.
10440	Broad Bay Lighted Buoy 19	36-53-18.019N 076-00-57.465W	FI G 2.5s	4	Green.
10445	Linkhorn Bay Buoy 20	36-53-13.729N 076-00-52.965W			Red nun.
10450	Linkhorn Bay Lighted Buoy 21	36-52-17.639N 076-00-32.485W	FI G 2.5s	4	Green.
10455	Linkhorn Bay Buoy 22	36-52-10.119N 076-00-51.165W			Red nun.
10460	Linkhorn Bay Buoy 24	36-51-59.529N 076-00-44.505W			Red nun.
10468	Little Creek Harbor Entrance Lighted Buoy 1LC	36-58-04.625N 076-10-03.790W	Q G	5	Green.
10468	Little Creek Harbor Entrance Lighted Buoy 1LC	36-58-04.625N 076-10-03.790W	Q G	5	Green.

10470	Little Creek Harbor Entrance Lighted Buoy 2	36-56-29.432N 076-10-47.623W	FI R 2.5s	5	Red.	
10470	Little Creek Harbor Entrance Lighted Buoy 2	36-56-29.432N 076-10-47.623W	FI R 2.5s	5	Red.	
10495	Little Creek Harbor Range Front Light	36-54-41.855N 076-10-35.270W	FI G 2.5s	43	Skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
10495	Little Creek Harbor Range Front Light	36-54-41.855N 076-10-35.270W	FI G 2.5s	43	Skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
10500	Little Creek Harbor Range Rear Light	36-54-33.589N 076-10-34.865W	Iso G 6s	64	Skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
10500	Little Creek Harbor Range Rear Light	36-54-33.589N 076-10-34.865W	Iso G 6s	64	Skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
10505	Little Creek Harbor Jetty Light 3	36-55-58.739N 076-10-35.074W	Q G	10	5	SG on multi-pile structure.
10505	Little Creek Harbor Jetty Light 3	36-55-58.739N 076-10-35.074W	Q G	10	5	SG on multi-pile structure.
10510	Little Creek Harbor Jetty Light 4	36-55-54.954N 076-10-44.220W	Q R	10	6	TR on mult pile-structure.
10510	Little Creek Harbor Jetty Light 4	36-55-54.954N 076-10-44.220W	Q R	10	6	TR on mult pile-structure.
10515	Little Creek Harbor Jetty Light 6	36-55-44.828N 076-10-41.808W	FI R 2.5s	4	TR on pile.	
10515	Little Creek Harbor Jetty Light 6	36-55-44.828N 076-10-41.808W	FI R 2.5s	4	TR on pile.	
10520	Little Creek Harbor Light 5	36-55-41.825N 076-10-34.384W	FI G 2.5s	0	4	SG on pile.
10520	Little Creek Harbor Light 5	36-55-41.825N 076-10-34.384W	FI G 2.5s	0	4	SG on pile.
10524	Little Creek Harbor Lighted Buoy 7	36-55-28.947N 076-10-35.707W	FI G 2.5s	4	Green.	
10524	Little Creek Harbor Lighted Buoy 7	36-55-28.947N 076-10-35.707W	FI G 2.5s	4	Green.	
10530	Little Creek Harbor Light 8	36-55-22.310N 076-10-41.747W	FI R 6s	0	4	TR on pile.
10530	Little Creek Harbor Light 8	36-55-22.310N 076-10-41.747W	FI R 6s	0	4	TR on pile.
10550	Little Creek Cove Daybeacon 2	36-54-49.038N 076-10-23.027W		0		TR on pile.
10550	Little Creek Cove Daybeacon 2	36-54-49.038N 076-10-23.027W		0		TR on pile.
10555	Little Creek Cove Daybeacon 4	36-54-48.665N 076-10-10.689W		0		TR on pile.
10555	Little Creek Cove Daybeacon 4	36-54-48.665N 076-10-10.689W		0		TR on pile.
10560	Little Creek Cove Daybeacon 6	36-54-47.270N 076-09-58.949W		0		TR on pile.
10560	Little Creek Cove Daybeacon 6	36-54-47.270N 076-09-58.949W		0		TR on pile.
10575	Willoughby Bay Channel Lighted Wreck Buoy WR1	36-58-55.593N 076-18-36.224W	Q G	4	Green.	
10580	Willoughby Bay Channel Light 2	36-58-58.035N 076-18-38.551W	FI R 2.5s	0	4	TR on multi-pile structure.
10585	Willoughby Bay Channel Daybeacon 3	36-58-42.135N 076-18-36.733W		0		SG on pile.
10587	Willoughby Bay Channel Daybeacon 4	36-58-44.031N 076-18-40.433W		0		TR on pile.
10590	Willoughby Bay Channel Buoy 5	36-58-24.800N 076-18-28.476W				Red nun.
10595	Willoughby Bay Channel Light 7	36-58-05.171N 076-18-19.376W	FI G 6s	0	4	SG on pile.
10600	Willoughby Bay Channel Daybeacon 9	36-57-53.067N 076-18-06.785W		0		SG on pile.
10605	Willoughby Bay Channel Daybeacon 11	36-57-45.632N 076-17-47.468W		12		SG on pile.
10608	Willoughby Bay Channel Wreck Light WR13	36-57-44.925N 076-17-23.163W	Q G	0	4	SG on pile.
10610	Willoughby Bay Channel Daybeacon 15	36-57-47.261N 076-17-17.592W				SG on pile.
10611	Willoughby Bay Special Lighted Buoy A	36-57-48.680N 076-17-08.200W	Q Y			

10611.1	Willoughby Bay Special Lighted Buoy B	36-57-33.170N 076-17-19.430W	Q Y
10611.2	Willoughby Bay Special Lighted Buoy C	36-57-28.780N 076-16-51.750W	FI Y 2.5s
10611.3	Willoughby Bay Special Lighted Buoy D	36-57-35.310N 076-16-42.800W	FI Y 2.5s
10611.4	Willoughby Bay Special Lighted Buoy E	36-57-44.840N 076-16-44.480W	FI Y 2.5s
10612	Willoughby Bay Lighted Exclusion Buoy F	36-57-44.500N 076-17-11.010W	FI W 6s
10612.1	Willoughby Bay Lighted Exclusion Buoy G	36-57-40.920N 076-17-13.820W	FI W 6s
10612.2	Willoughby Bay Lighted Exclusion Buoy H	36-57-37.050N 076-17-16.620W	FI W 6s
10612.3	Willoughby Bay Lighted Exclusion Buoy I	36-57-32.070N 076-17-12.510W	FI W 6s
10612.4	Willoughby Bay Lighted Exclusion Buoy J	36-57-30.980N 076-17-05.580W	FI W 6s
10612.5	Willoughby Bay Lighted Exclusion Buoy K	36-57-29.880N 076-16-58.670W	FI W 6s
10612.6	Willoughby Bay Lighted Exclusion Buoy L	36-57-32.050N 076-16-47.270W	FI W 6s
10612.7	Willoughby Bay Lighted Exclusion Buoy M	36-57-40.050N 076-16-43.640W	FI W 6s
10612.8	Willoughby Bay Lighted Exclusion Buoy N	36-57-46.120N 076-16-52.390W	FI W 6s
10612.9	Willoughby Bay Lighted Exclusion Buoy O	36-57-47.400N 076-17-00.300W	FI W 6s
10613	Willoughby Bay Lighted Mooring Pile A	36-57-45.460N 076-17-02.040W	F R
10613.01	Willoughby Bay Lighted Mooring Pile B	36-57-45.180N 076-17-01.690W	FI Y 6s
10613.02	Willoughby Bay Lighted Mooring Pile C	36-57-44.900N 076-17-01.350W	FI Y 6s
10613.03	Willoughby Bay Lighted Mooring Pile D	36-57-44.620N 076-17-01.000W	FI Y 6s
10613.04	Willoughby Bay Lighted Mooring Pile E	36-57-44.340N 076-17-00.660W	FI Y 6s
10613.05	Willoughby Bay Lighted Mooring Pile F	36-57-44.050N 076-17-00.310W	FI Y 6s
10613.06	Willoughby Bay Lighted Mooring Pile G	36-57-43.770N 076-16-59.970W	FI Y 6s
10613.07	Willoughby Bay Lighted Mooring Pile H	36-57-43.490N 076-16-59.620W	FI Y 6s
10613.08	Willoughby Bay Lighted Mooring Pile I	36-57-43.210N 076-16-59.270W	FI Y 6s
10613.09	Willoughby Bay Lighted Mooring Pile J	36-57-42.930N 076-16-58.930W	FI Y 6s
10613.1	Willoughby Bay Lighted Mooring Pile K	36-57-42.640N 076-16-58.580W	FI Y 6s
10613.11	Willoughby Bay Lighted Mooring Pile L	36-57-42.360N 076-16-58.240W	FI Y 6s
10613.12	Willoughby Bay Lighted Mooring Pile M	36-57-42.080N 076-16-57.890W	FI Y 6s
10613.13	Willoughby Bay Lighted Mooring Pile N	36-57-41.800N 076-16-57.540W	FI Y 6s
10613.14	Willoughby Bay Lighted Mooring Pile O	36-57-41.520N 076-16-57.200W	FI Y 6s
10613.15	Willoughby Bay Lighted Mooring Pile P	36-57-41.240N 076-16-56.850W	FI Y 6s
10613.16	Willoughby Bay Lighted Mooring Pile Q	36-57-40.950N 076-16-56.510W	FI Y 6s
10613.17	Willoughby Bay Lighted Mooring Pile R	36-57-40.670N 076-16-56.160W	FI Y 6s
10613.18	Willoughby Bay Lighted Mooring Pile S	36-57-40.390N 076-16-55.810W	FI Y 6s
10613.19	Willoughby Bay Lighted Mooring Pile T	36-57-40.110N 076-16-55.470W	FI Y 6s
10613.2	Willoughby Bay Lighted Mooring Pile U	36-57-39.830N 076-16-55.120W	FI Y 6s

10613.21	Willoughby Bay Lighted Mooring Pile V	36-57-39.550N 076-16-54.780W	FI Y 6s			
10613.22	Willoughby Bay Lighted Mooring Pile W	36-57-39.260N 076-16-54.430W	FI Y 6s			
10613.23	Willoughby Bay Lighted Mooring Pile X	36-57-38.980N 076-16-54.090W	FI Y 6s			
10613.24	Willoughby Bay Lighted Mooring Pile Y	36-57-38.700N 076-16-53.740W	FI Y 6s			
10613.25	Willoughby Bay Lighted Mooring Pile Z	36-57-38.420N 076-16-53.390W	FI Y 6s			
10613.26	Willoughby Bay Lighted Mooring Pile AA	36-57-38.140N 076-16-53.040W	FI Y 6s			
10613.27	Willoughby Bay Lighted Mooring Pile BB	36-57-37.860N 076-16-52.700W	FI W 6s			
10613.28	Willoughby Bay Lighted Mooring Pile DD	36-57-37.300N 076-16-52.000W	FI Y 6s			
10613.29	Willoughby Bay Lighted Mooring Pile EE	36-57-37.010N 076-16-51.660W	FI Y 6s			
10613.31	Willoughby Bay Lighted Mooring Pile FF	36-57-36.730N 076-16-51.310W	FI Y 6s			
10613.32	Willoughby Bay Lighted Mooring Pile GG	36-57-36.450N 076-16-50.970W	FI Y 6s			
10613.33	Willoughby Bay Lighted Mooring Pile HH	36-57-36.170N 076-16-50.620W	FI Y 6s			
10613.34	Willoughby Bay Lighted Mooring Pile II	36-57-35.890N 076-16-50.280W	FI Y 6s			
10613.35	Willoughby Bay Lighted Mooring Pile JJ	36-57-35.600N 076-16-49.930W	FI Y 6s			
10613.36	Willoughby Bay Lighted Mooring Pile KK	36-57-35.320N 076-16-49.580W	FI Y 6s			
10613.37	Willoughby Bay Lighted Mooring Pile LL	36-57-35.040N 076-16-49.240W	FI Y 6s			
10613.38	Willoughby Bay Lighted Mooring Pile MM	36-57-34.900N 076-16-49.060W	F R			
10613.26	Willoughby Bay Lighted Mooring Pile AA	36-57-38.140N 076-16-53.040W	FI Y 6s			
10613.27	Willoughby Bay Lighted Mooring Pile BB	36-57-37.860N 076-16-52.700W	FI W 6s			
10613.28	Willoughby Bay Lighted Mooring Pile DD	36-57-37.300N 076-16-52.000W	FI Y 6s			
10613.29	Willoughby Bay Lighted Mooring Pile EE	36-57-37.010N 076-16-51.660W	FI Y 6s			
10613.31	Willoughby Bay Lighted Mooring Pile FF	36-57-36.730N 076-16-51.310W	FI Y 6s			
10613.32	Willoughby Bay Lighted Mooring Pile GG	36-57-36.450N 076-16-50.970W	FI Y 6s			
10613.33	Willoughby Bay Lighted Mooring Pile HH	36-57-36.170N 076-16-50.620W	FI Y 6s			
10613.34	Willoughby Bay Lighted Mooring Pile II	36-57-35.890N 076-16-50.280W	FI Y 6s			
10613.35	Willoughby Bay Lighted Mooring Pile JJ	36-57-35.600N 076-16-49.930W	FI Y 6s			
10613.36	Willoughby Bay Lighted Mooring Pile KK	36-57-35.320N 076-16-49.580W	FI Y 6s			
10613.37	Willoughby Bay Lighted Mooring Pile LL	36-57-35.040N 076-16-49.240W	FI Y 6s			
10613.38	Willoughby Bay Lighted Mooring Pile MM	36-57-34.900N 076-16-49.060W	F R			
10615	Naval Boat Channel Light 2	36-57-51.039N 076-19-37.400W	FI R 4s	0	4	TR on pile.
10620	Naval Boat Channel Daybeacon 3	36-57-49.916N 076-19-13.673W		0		SG on pile.
10622	Norfolk Naval Base Fishing Pier Light A	36-57-47.619N 076-19-18.525W	FI Y 4s			On pile on end of pier.
10625	Naval Boat Channel Light 4	36-57-48.765N 076-19-14.104W	FI R 6s	0	4	TR on pile.
10630	Naval Boat Channel Daybeacon 5	36-57-47.459N 076-18-52.304W				SG on pile.
10635	Naval Boat Channel Light 6	36-57-46.001N 076-18-54.462W	FI R 2.5s	0	4	TR on pile.

10640	Naval Boat Channel Daybeacon 7	36-57-42.877N 076-18-44.601W		0		SG on pile.
10645	Naval Boat Channel Light 8	36-57-40.993N 076-18-47.007W	Fl R 2.5s	0	4	TR on pile.
10650	Naval Boat Channel Light 9	36-57-23.129N 076-18-39.398W	Q G	0	4	SG on pile.
10655	Naval Boat Channel Light 10	36-57-16.629N 076-18-36.915W	Fl R 4s		3	On tripod structure on seawall.
10660	Lafayette River Channel Light 2	36-53-35.777N 076-19-26.769W	Fl R 4s	0	4	TR on pile.
10665	Lafayette River Channel Daybeacon 3	36-53-42.837N 076-19-23.890W				SG on pile.
10670	Lafayette River Channel Daybeacon 4	36-53-54.959N 076-19-14.019W		0		TR on pile.
10675	Lafayette River Channel Light 5	36-54-06.215N 076-19-08.451W	Fl G 4s	0	4	SG on pile.
10680	Lafayette River Channel Daybeacon 6	36-54-07.883N 076-19-05.205W		0		TR on pile.
10685	Lafayette River Channel Daybeacon 7	36-54-18.719N 076-19-00.897W				SG on pile.
10690	Lafayette River Channel Daybeacon 9	36-54-27.257N 076-18-55.557W		0		SG on pile.
10695	Lafayette River Channel Daybeacon 10	36-54-26.837N 076-18-52.466W		0		TR on pile.
10700	Lafayette River Channel Light 11	36-54-30.131N 076-18-53.037W	Fl G 4s	0	4	SG on pile.
10705	Lafayette River Channel Daybeacon 13	36-54-29.537N 076-18-41.211W		0		SG on pile.
10710	Lafayette River Channel Daybeacon 14	36-54-21.833N 076-18-28.227W		1		TR on pile.
10715	Lafayette River Channel Buoy 15	36-54-23.255N 076-18-01.438W				Green can.
10720	Lafayette River Channel Daybeacon 16	36-54-16.283N 076-17-49.215W				TR on pile.
10725	Lafayette River Channel Buoy 17	36-54-15.503N 076-17-36.921W				Green can.
10730	Lafayette River Channel Buoy 19	36-54-07.438N 076-17-24.623W				Green can.
10735	Lafayette River Channel Daybeacon 20	36-54-00.617N 076-17-26.949W		0		TR on multi-pile structure.
10740	Lafayette River Channel Daybeacon 22	36-53-35.951N 076-17-34.977W		0		TR on pile.
10743	Knitting Mill Creek Warning Daybeacon A	36-53-28.900N 076-17-32.100W				NW on pile worded DANGER.
10743.1	Knitting Mill Creek Warning Daybeacon B	36-53-28.300N 076-17-29.900W				NW on pile worded DANGER.
10745	Lafayette River Channel Daybeacon 24	36-53-26.819N 076-17-26.463W		0		TR on pile.
10750	Knitting Mill Creek Daybeacon 2	36-53-22.493N 076-17-31.909W		0		TR on pile.
10755	Knitting Mill Creek Daybeacon 3	36-53-12.429N 076-17-32.000W				SG on pile.
10757	Lafayette River Warning Daybeacon S	36-53-21.288N 076-16-39.323W				NW on pile worded DANGER OYSTER REEF.
10758	Lafayette River Warning Daybeacon N	36-53-23.234N 076-16-39.354W				NW on pile worded DANGER OYSTER REEF.
10762.01	Lafayette River Northern Branch Daybeacon 1N	36-53-20.000N 076-16-37.000W				SG on pile.
10762.02	Lafayette River Northern Branch Daybeacon 2	36-53-19.000N 076-16-36.000W				TR on pile.
10762.03	Lafayette River Northern Branch Daybeacon 3	36-53-22.000N 076-16-35.000W				SG on pile.
10762.04	Lafayette River Northern Branch Daybeacon 4	36-53-22.000N 076-16-34.000W				TR on pile.
10762.05	Lafayette River Northern Branch Daybeacon 5	36-53-28.000N 076-16-26.000W				SG on pile.
10762.06	Lafayette River Northern Branch Daybeacon 6	36-53-27.000N 076-16-25.000W				TR on pile.
10762.07	Lafayette River Northern Branch Daybeacon 7	36-53-44.000N 076-16-24.000W				SG on pile.

10762.08	Lafayette River Northern Branch Daybeacon 8	36-53-51.000N 076-16-10.000W				TR on pile.	
10762.09	Lafayette River Northern Branch Daybeacon 10	36-53-52.000N 076-16-05.000W				TR on pile.	
10762.1	Lafayette River Northern Branch Daybeacon 12	36-53-50.000N 076-16-02.000W				TR on pile.	
10762.11	Lafayette River Southern Branch Daybeacon 2S	36-53-14.000N 076-16-34.000W				TR on pile.	
10762.12	Lafayette River Southern Branch Daybeacon 3	36-53-07.000N 076-16-29.000W				SG on pile.	
10762.13	Lafayette River Southern Branch Daybeacon 4	36-52-53.000N 076-16-27.000W				TR on pile.	
10762.14	Lafayette River Southern Branch Daybeacon 6	36-52-47.000N 076-16-20.000W				TR on pile.	
10762	Lafayette River Junction Daybeacon A	36-53-16.400N 076-16-40.300W				JR on pile.	
10765	Newport News Anchorage Buoy H	36-56-45.460N 076-21-36.314W				Yellow nun.	
10770	Newport News Anchorage Buoy I	36-56-38.560N 076-21-38.814W				Yellow nun.	
10775	Newport News Anchorage Buoy J	36-56-57.760N 076-22-23.816W				Yellow nun.	
10780	Newport News Anchorage Buoy K	36-56-52.560N 076-22-30.516W				Yellow nun.	
10783	Newport News Anchorage L Lighted Mooring Buoy CG	36-56-05.274N 076-21-51.757W	FI W 4s		4	White with blue band worded CG.	
10785	TARMAC Mooring Buoy	36-58-00.531N 076-23-40.805W				White with blue band; can.	
10790	Newport News Creek Lighted Buoy 1	36-57-27.683N 076-24-34.605W	FI G 4s		4	Green.	
10795	Newport News Creek Light 2	36-57-34.839N 076-24-33.773W	FI R 2.5s	0	4	TR on pile.	
10800	Newport News Creek Lighted Buoy 4	36-57-42.960N 076-24-37.622W	FI R 4s		4	Red.	
10805	Newport News Creek Light 6	36-57-46.295N 076-24-41.727W	Q R	0	4	TR on pile.	
10810	Newport News Obstruction Light	36-57-42.023N 076-24-24.303W	FI W 4s	0	5	NW on pile.	
10815	Newport News Middle Ground Light	36-56-42.662N 076-23-29.366W	FI R 10s	0	7	Red conical tower on red cylindrical pier.	Structure maintained by entity outside the U.S. Coast Guard.
10820	Hampton Roads Outfall Warning Buoy	36-55-54.111N 076-23-47.514W				White with orange bands; can.	
10840	Newport News Lighted Buoy 2NN	36-58-03.148N 076-20-37.463W	FI R 2.5s		5	Red.	
10843	Golf 2 Anchorage Lighted Mooring Buoy A	36-58-14.029N 076-21-01.015W	FI W 6s			White with blue band.	
10845	Newport News Lighted Buoy 4	36-57-42.428N 076-21-07.329W	Q R		5	Red.	
10850	Newport News Lighted Buoy 5	36-57-29.429N 076-21-08.175W	Q G		5	Green.	
10855	Newport News Lighted Buoy 6	36-57-35.939N 076-21-25.635W	FI R 4s		5	Red.	
10860	Newport News Lighted Buoy 7	36-57-21.009N 076-22-19.705W	FI G 2.5s		5	Green.	
10865	Newport News Lighted Buoy 8	36-57-30.279N 076-22-21.775W	FI R 2.5s		5	Red.	
10870	Newport News Lighted Buoy 9	36-57-14.089N 076-23-28.365W	FI G 4s		5	Green.	
10875	Newport News Lighted Buoy 10	36-57-22.839N 076-23-35.625W	FI R 4s		5	Red.	
10880	Newport News Lighted Buoy 12	36-57-17.769N 076-24-25.455W	FI R 2.5s		5	Red.	
10881	HRSD Newport News Point Outfall Lighted Buoy BH	36-57-24.630N 076-24-42.740W	FI W 4s			White.	
10885	Newport News Lighted Buoy 13	36-57-06.569N 076-24-43.375W	Q G		5	Green.	
10890	Newport News Lighted Buoy 14	36-57-22.509N 076-24-53.985W	Q R		5	Red.	
10892.24	HRSD Lighted Mooring Pile A	36-57-00.191N 076-25-09.357W	FI Y 6s			Mooring Pile.	Temp till 2025

10892.02	HRSD Lighted Mooring Pile C	36-56-59.412N 076-25-09.528W	FI Y 6s			Mooring Pile.	Temp till 2025
10892.04	HRSD Lighted Mooring Pile E	36-56-58.633N 076-25-09.699W	FI Y 6s			Mooring Pile	Temp till 2025
10892.06	HRSD Lighted Mooring Pile G	36-56-57.854N 076-25-09.869W	FI Y 6s			Mooring Pile.	Temp till 2025
10892.08	HRSD Lighted Mooring Pile I	36-56-57.075N 076-25-10.040W	FI Y 6s			Mooring Pile.	Temp till 2025
10892.12	HRSD Lighted Mooring Pile L	36-56-56.208N 076-25-10.793W	FI Y 6s			Mooring Pile.	Temp till 2025.
10892.25	HRSD Lighted Mooring Pile X	36-56-54.260N 076-25-11.221W	FI Y 6s			Mooring Pile.	Temp till 2025.
10892.13	HRSD Lighted Mooring Pile M	36-56-56.053N 076-25-09.701W	FI Y 6s			Mooring Pile.	Temp till 2025
10892.26	HRSD Lighted Mooring Pile Y	36-56-54.106N 076-25-10.129W	FI Y 6s			Mooring Pile.	Temp till 2025.
10892.24	HRSD Lighted Mooring Pile A	36-57-00.191N 076-25-09.357W	FI Y 6s			Mooring Pile.	Temp till 2025
10892.02	HRSD Lighted Mooring Pile C	36-56-59.412N 076-25-09.528W	FI Y 6s			Mooring Pile.	Temp till 2025
10892.04	HRSD Lighted Mooring Pile E	36-56-58.633N 076-25-09.699W	FI Y 6s			Mooring Pile	Temp till 2025
10892.06	HRSD Lighted Mooring Pile G	36-56-57.854N 076-25-09.869W	FI Y 6s			Mooring Pile.	Temp till 2025
10892.08	HRSD Lighted Mooring Pile I	36-56-57.075N 076-25-10.040W	FI Y 6s			Mooring Pile.	Temp till 2025
10892.12	HRSD Lighted Mooring Pile L	36-56-56.208N 076-25-10.793W	FI Y 6s			Mooring Pile.	Temp till 2025.
10892.25	HRSD Lighted Mooring Pile X	36-56-54.260N 076-25-11.221W	FI Y 6s			Mooring Pile.	Temp till 2025.
10892.13	HRSD Lighted Mooring Pile M	36-56-56.053N 076-25-09.701W	FI Y 6s			Mooring Pile.	Temp till 2025
10892.26	HRSD Lighted Mooring Pile Y	36-56-54.106N 076-25-10.129W	FI Y 6s			Mooring Pile.	Temp till 2025.
10895	Hampton River Channel Light 1HR	37-00-00.049N 076-19-16.857W	Q G	0	4	SG on pile.	
10900	Hampton River Channel Daybeacon 5	37-00-05.794N 076-19-23.039W		0		SG on pile.	
10905	Hampton River Channel Light 6	37-00-14.032N 076-19-26.651W	Q R	0	4	TR on multi-pile structure.	
10910	Hampton River Channel Daybeacon 7	37-00-12.749N 076-19-31.836W		0		SG on pile.	
10915	Hampton River Channel Daybeacon 8	37-00-21.052N 076-19-51.197W		0		TR on pile.	
10920	Hampton River Channel Daybeacon 10	37-00-27.145N 076-20-13.164W		0		TR on pile.	
10925	Hampton River Channel Light 11	37-00-26.046N 076-20-19.179W	Q G	0	4	SG on multi-pile structure.	
10927	McLean Contracting Lighted Mooring Pile A	37-00-31.334N 076-20-08.706W	FI W 6s			White light on mooring pile.	
10927.2	McLean Contracting Lighted Mooring Pile B	37-00-31.284N 076-20-08.217W	FI W 6s			White light on mooring pile.	
10927.4	McLean Contracting Lighted Mooring Pile C	37-00-31.233N 076-20-07.728W	FI W 6s			White light on mooring pile.	
10927.6	McLean Contracting Lighted Mooring Pile D	37-00-31.190N 076-20-07.291W	FI W 6s			White light on mooring pile.	
10927.8	McLean Contracting Lighted Mooring Pile E	37-00-31.140N 076-20-06.809W	FI W 6s			White light on mooring pile.	
10927	McLean Contracting Lighted Mooring Pile A	37-00-31.334N 076-20-08.706W	FI W 6s			White light on mooring pile.	
10927.2	McLean Contracting Lighted Mooring Pile B	37-00-31.284N 076-20-08.217W	FI W 6s			White light on mooring pile.	
10927.4	McLean Contracting Lighted Mooring Pile C	37-00-31.233N 076-20-07.728W	FI W 6s			White light on mooring pile.	
10927.6	McLean Contracting Lighted Mooring Pile D	37-00-31.190N 076-20-07.291W	FI W 6s			White light on mooring pile.	
10927.8	McLean Contracting Lighted Mooring Pile E	37-00-31.140N 076-20-06.809W	FI W 6s			White light on mooring pile.	
10930	Hampton River Channel Daybeacon 12	37-00-30.523N 076-20-16.524W		0		TR on pile.	

10935	Hampton River Channel Daybeacon 13	37-00-46.417N 076-20-23.596W		0		SG on pile.
10940	Hampton River Channel Daybeacon 14	37-00-46.015N 076-20-20.471W		0		TR on pile.
10945	Hampton River Channel Light 16	37-01-03.312N 076-20-23.864W	Fl R 4s	0	4	TR on pile.
10955	Hampton River Channel Daybeacon 18	37-01-15.048N 076-20-33.258W		0		TR on pile.
10960	Hampton River Channel Daybeacon 20	37-01-19.181N 076-20-32.663W				TR on pile.
10962	Hampton River Channel Buoy 22	37-01-23.520N 076-20-29.286W				Red nun.
10963	Hampton River Channel Buoy 24	37-01-27.186N 076-20-25.182W				Red nun.
10964	Hampton River Channel Daybeacon 26	37-01-29.826N 076-20-22.923W				TR on dolphin.
10965	Sunset Creek Junction Light SC	37-01-06.900N 076-20-31.183W	Fl (2+1)G 6s	0	3	JG on pile.
10975	Sunset Creek Daybeacon 3	37-01-02.144N 076-20-40.923W		0		SG on pile.
10990	Merrimac Harbor Light 2	37-00-40.528N 076-20-27.797W	Fl R 4s			TR on pile.
10995	Phoebus Channel Wreck Light WR2	36-59-57.970N 076-18-43.232W	Q R	0	4	NW on pile worded DANGER SUBMERGED PILING.
11000	Phoebus Channel Entrance Light 1	36-59-57.309N 076-18-54.715W	Fl G 2.5s	0	4	SG on pile.
11005	Phoebus Channel Daybeacon 3	37-00-12.212N 076-18-58.151W		0		SG on pile.
11007.3	Old Point Comfort Marina Sea Wall Light D	37-00-27.800N 076-18-53.500W	Fl Y 2.5s			On platform above sea wall.
11007.2	Old Point Comfort Marina Sea Wall Light C	37-00-19.500N 076-18-54.100W	Fl Y 4s			On platform above sea wall.
11007.1	Old Point Comfort Marina Sea Wall Light B	37-00-18.300N 076-18-54.200W	Fl Y 4s			On platform above sea wall.
11007	Old Point Comfort Marina Sea Wall Light A	37-00-11.600N 076-18-54.700W	Fl Y 2.5s			On platform above sea wall.
11010	Phoebus Channel Daybeacon 4	37-00-26.498N 076-18-53.755W				TR on pile.
11015	Phoebus Channel Daybeacon 5	37-00-44.276N 076-19-07.647W				SG on pile.
11017	Nansemond River Channel Light 2NR	36-55-47.086N 076-25-00.194W	Fl R 2.5s	0	5	TR on pile.
11017	Nansemond River Channel Light 2NR	36-55-47.086N 076-25-00.194W	Fl R 2.5s	0	5	TR on pile.
11018	Nansemond River Channel Daybeacon 3	36-55-16.288N 076-25-48.295W		0		SG on pile.
11018	Nansemond River Channel Daybeacon 3	36-55-16.288N 076-25-48.295W		0		SG on pile.
11020	Nansemond Ordnance Depot Warning Daybeacon	36-55-01.870N 076-25-58.131W		0		NW on pile worded DANGER SUBMERGED PILING.
11020	Nansemond Ordnance Depot Warning Daybeacon	36-55-01.870N 076-25-58.131W		0		NW on pile worded DANGER SUBMERGED PILING.
11025	Nansemond River Channel Light 5	36-54-44.619N 076-27-03.260W	Fl G 4s	0	4	SG on pile.
11025	Nansemond River Channel Light 5	36-54-44.619N 076-27-03.260W	Fl G 4s	0	4	SG on pile.
11030	Nansemond River Channel Daybeacon 7	36-54-17.968N 076-27-20.133W		0		SG on pile.
11030	Nansemond River Channel Daybeacon 7	36-54-17.968N 076-27-20.133W		0		SG on pile.
11035	Nansmond River Channel Daybeacon 8	36-53-53.194N 076-27-48.447W		0		TR on pile.
11035	Nansmond River Channel Daybeacon 8	36-53-53.194N 076-27-48.447W		0		TR on pile.
11040	Nansemond River Channel Light 9	36-53-26.326N 076-28-17.367W	Fl G 4s	0	4	SG on pile.
11040	Nansemond River Channel Light 9	36-53-26.326N 076-28-17.367W	Fl G 4s	0	4	SG on pile.
11043	James River Oyster Sanctuary Daybeacon SMT	37-00-58.890N 076-33-35.730W				NW on pile.

11043.1	James River Oyster Sanctuary Daybeacon STH	37-01-19.370N 076-33-23.320W				NW on pile.
11045	Bennett Creek Light 1BC	36-53-12.786N 076-28-49.257W	FI G 4s	0	4	SG on pile.
11047	Bennett Creek Daybeacon 2	36-53-11.358N 076-28-50.976W		0		TR on pile.
11050	Bennett Creek Daybeacon 4	36-52-56.446N 076-28-54.374W		0		TR on pile.
11055	Bennett Creek Buoy 5	36-52-41.578N 076-28-56.755W				Green can.
11060	Nansemond River Channel Light 11	36-52-58.594N 076-29-48.861W	FI G 4s	0	4	SG on pile.
11060	Nansemond River Channel Light 11	36-52-58.594N 076-29-48.861W	FI G 4s	0	4	SG on pile.
11065	Virginia Power West Tower Light	36-52-36.592N 076-30-16.200W	FI Y 4s			On tower.
11065	Virginia Power West Tower Light	36-52-36.592N 076-30-16.200W	FI Y 4s			On tower.
11070	Virginia Power East Tower Light	36-52-36.592N 076-30-02.545W	FI Y 4s			On tower.
11070	Virginia Power East Tower Light	36-52-36.592N 076-30-02.545W	FI Y 4s			On tower.
11075	Nansemond River Channel Light 12	36-52-30.677N 076-30-18.153W	FI R 4s	0	4	TR on pile.
11075	Nansemond River Channel Light 12	36-52-30.677N 076-30-18.153W	FI R 4s	0	4	TR on pile.
11080	Nansemond River Channel Daybeacon 14	36-52-06.564N 076-30-46.834W		0		TR on pile.
11080	Nansemond River Channel Daybeacon 14	36-52-06.564N 076-30-46.834W		0		TR on pile.
11085	Nansemond River Channel Daybeacon 15	36-51-44.008N 076-31-20.542W		0		SG on pile.
11085	Nansemond River Channel Daybeacon 15	36-51-44.008N 076-31-20.542W		0		SG on pile.
11090	Nansemond River Channel Light 16	36-51-25.044N 076-31-34.635W	FI R 4s	0	4	TR on multi-pile structure.
11090	Nansemond River Channel Light 16	36-51-25.044N 076-31-34.635W	FI R 4s	0	4	TR on multi-pile structure.
11095	Nansemond River Channel Daybeacon 18	36-50-44.564N 076-31-37.835W		0		TR on pile.
11095	Nansemond River Channel Daybeacon 18	36-50-44.564N 076-31-37.835W		0		TR on pile.
11100	Nansemond River Channel Light 19	36-50-36.857N 076-31-36.802W	FI G 4s	0	4	SG on slatted pile structure.
11100	Nansemond River Channel Light 19	36-50-36.857N 076-31-36.802W	FI G 4s	0	4	SG on slatted pile structure.
11105	Nansemond River Channel Daybeacon 21	36-50-18.730N 076-32-15.244W		0		SG on pile.
11105	Nansemond River Channel Daybeacon 21	36-50-18.730N 076-32-15.244W		0		SG on pile.
11108	Nansemond River Channel Daybeacon 21A	36-50-12.252N 076-33-00.308W		0		SG on pile.
11110	Nansemond River Channel Daybeacon 22	36-50-16.672N 076-33-00.961W		0		TR on pile.
11110	Nansemond River Channel Daybeacon 22	36-50-16.672N 076-33-00.961W		0		TR on pile.
11115	Nansemond River Channel Daybeacon 23	36-50-10.540N 076-33-15.184W				SG on pile.
11115	Nansemond River Channel Daybeacon 23	36-50-10.540N 076-33-15.184W				SG on pile.
11120	Nansemond River Channel Light 25	36-50-05.583N 076-33-25.855W	FI G 4s	0	4	SG on pile.
11120	Nansemond River Channel Light 25	36-50-05.583N 076-33-25.855W	FI G 4s	0	4	SG on pile.
11125	Nansemond River Channel Daybeacon 26	36-49-59.134N 076-33-36.448W		0		TR on pile.
11125	Nansemond River Channel Daybeacon 26	36-49-59.134N 076-33-36.448W		0		TR on pile.
11130	Nansemond River Channel Light 28	36-49-41.523N 076-33-41.397W	FI R 4s	0	4	TR on pile.

11130	Nansemond River Channel Light 28	36-49-41.523N 076-33-41.397W	FI R 4s	0	4	TR on pile.
11135	Nansemond River Channel Daybeacon 29	36-49-39.923N 076-33-37.057W		0		SG on pile.
11135	Nansemond River Channel Daybeacon 29	36-49-39.923N 076-33-37.057W		0		SG on pile.
11140	Nansemond River Channel Daybeacon 31	36-49-27.117N 076-33-29.895W		0		SG on pile.
11140	Nansemond River Channel Daybeacon 31	36-49-27.117N 076-33-29.895W		0		SG on pile.
11145	Nansemond River Channel Daybeacon 33	36-48-56.175N 076-33-16.521W		0		SG on pile.
11145	Nansemond River Channel Daybeacon 33	36-48-56.175N 076-33-16.521W		0		SG on pile.
11150	Nansemond River Channel Daybeacon 35	36-48-40.861N 076-33-29.151W				SG on pile.
11150	Nansemond River Channel Daybeacon 35	36-48-40.861N 076-33-29.151W				SG on pile.
11155	Nansemond River Channel Daybeacon 36	36-48-34.261N 076-33-35.691W		0		TR on pile.
11155	Nansemond River Channel Daybeacon 36	36-48-34.261N 076-33-35.691W		0		TR on pile.
11160	Nansemond River Channel Daybeacon 38	36-48-17.709N 076-33-31.983W		0		TR on pile.
11160	Nansemond River Channel Daybeacon 38	36-48-17.709N 076-33-31.983W		0		TR on pile.
11165	Nansemond River Channel Daybeacon 40	36-48-09.411N 076-33-34.446W				TR on pile.
11165	Nansemond River Channel Daybeacon 40	36-48-09.411N 076-33-34.446W				TR on pile.
11170	Nansemond River Channel Daybeacon 41	36-47-51.837N 076-33-43.557W		0		SG on pile.
11170	Nansemond River Channel Daybeacon 41	36-47-51.837N 076-33-43.557W		0		SG on pile.
11175	Nansemond River Channel Daybeacon 43	36-47-27.453N 076-33-43.275W				SG on pile.
11175	Nansemond River Channel Daybeacon 43	36-47-27.453N 076-33-43.275W				SG on pile.
11180	Western Branch Junction Daybeacon A	36-47-20.633N 076-33-45.550W		0		JR on pile.
11180	Western Branch Junction Daybeacon A	36-47-20.633N 076-33-45.550W		0		JR on pile.
11185	Western Branch Daybeacon 2	36-47-20.288N 076-33-57.300W		0		TR on pile.
11185	Western Branch Daybeacon 2	36-47-20.288N 076-33-57.300W		0		TR on pile.
11190	Western Branch Daybeacon 3	36-47-23.267N 076-34-05.074W				SG on pile.
11190	Western Branch Daybeacon 3	36-47-23.267N 076-34-05.074W				SG on pile.
11195	Western Branch Daybeacon 4	36-47-29.282N 076-34-12.707W				TR on pile.
11195	Western Branch Daybeacon 4	36-47-29.282N 076-34-12.707W				TR on pile.
11200	Nansemond River-Lake Meade Dam Warning Buoy A	36-44-44.900N 076-35-19.150W				White can with orange diamond worded DANGER DAM.
11200.1	Nansemond River-Lake Meade Dam Warning Buoy B	36-44-46.600N 076-35-17.930W				White can with orange diamond worded DANGER DAM.
11200.2	Nansemond River-Lake Meade Dam Warning Buoy C	36-44-47.800N 076-35-17.550W				White can with orange diamond worded DANGER DAM.
11205	Chuckatuck Creek Approach Daybeacon CC	36-56-18.273N 076-27-46.960W		0		MR on pile.
11205	Chuckatuck Creek Approach Daybeacon CC	36-56-18.273N 076-27-46.960W		0		MR on pile.
11210	Chuckatuck Creek Entrance Light 2	36-55-58.876N 076-28-57.079W	FI R 2.5s	0	4	TR on pile.
11210	Chuckatuck Creek Entrance Light 2	36-55-58.876N 076-28-57.079W	FI R 2.5s	0	4	TR on pile.
11215	Chuckatuck Creek Entrance Light 3	36-56-03.250N 076-29-12.759W	FI G 4s	0	4	SG on multi-pile structure.

11215	Chuckatuck Creek Entrance Light 3	36-56-03.250N 076-29-12.759W	Fl G 4s	0	4	SG on multi-pile structure.	
11220	Chuckatuck Creek Entrance Daybeacon 5	36-56-03.703N 076-29-15.773W		0		SG on pile.	
11220	Chuckatuck Creek Entrance Daybeacon 5	36-56-03.703N 076-29-15.773W		0		SG on pile.	
11225	Chuckatuck Creek Entrance Light 7	36-55-56.525N 076-29-28.932W	Fl G 4s	0	4	SG on pile.	
11225	Chuckatuck Creek Entrance Light 7	36-55-56.525N 076-29-28.932W	Fl G 4s	0	4	SG on pile.	
11230	Chuckatuck Creek Entrance Light 8	36-55-20.182N 076-29-41.430W	Fl R 4s	0	4	TR on pile.	
11230	Chuckatuck Creek Entrance Light 8	36-55-20.182N 076-29-41.430W	Fl R 4s	0	4	TR on pile.	
11235	Chuckatuck Creek Buoy 10	36-55-07.880N 076-29-45.888W				Red nun.	
11270	Newport News Point Pier Lights (2)	36-57-37.400N 076-25-00.000W	F Y			On dolphins.	
11270	Newport News Point Pier Lights (2)	36-57-37.400N 076-25-00.000W	F Y			On dolphins.	
11272	KMT (Kinder Morgan Terminal) Pier 10 Mooring Dolphin Light	36-57-53.570N 076-25-46.350W	Fl Y 4s			On mooring dolphins.	
11275	Pier 9 Terminal Lights (2)	36-57-59.706N 076-25-49.350W	F Y			On metal frame on pier.	SIREN : 1 bl ev 15s (5s bl). Operates only during periods of low visibility.
11275	Pier 9 Terminal Lights (2)	36-57-59.706N 076-25-49.350W	F Y			On metal frame on pier.	SIREN : 1 bl ev 15s (5s bl). Operates only during periods of low visibility.
11280	Newport News Pier Eight Warning Daybeacon A	36-58-05.002N 076-25-49.935W				NW on pile.	
11280	Newport News Pier Eight Warning Daybeacon A	36-58-05.002N 076-25-49.935W				NW on pile.	
11285	Newport News Pier Eight Warning Daybeacon B	36-58-07.369N 076-25-47.797W		0		NW on pile.	
11285	Newport News Pier Eight Warning Daybeacon B	36-58-07.369N 076-25-47.797W		0		NW on pile.	
11295	Virginia International Terminal Pier C Light B	36-58-12.593N 076-25-59.308W	Fl Y 2.5s			On pile.	
11300	Virginia Maritime Dolphin Light A	36-58-23.531N 076-26-10.811W	Fl Y 2.5s			On platform on piles.	
11300	Virginia Maritime Dolphin Light A	36-58-23.531N 076-26-10.811W	Fl Y 2.5s			On platform on piles.	
11305	Newport News Shipbuilding Pier 2 Light	36-58-48.531N 076-26-22.812W	Fl Y 4s			Gray cone.	
11305	Newport News Shipbuilding Pier 2 Light	36-58-48.531N 076-26-22.812W	Fl Y 4s			Gray cone.	
11307.1	Seaward Marine Lighted Mooring Buoy B	36-58-49.450N 076-27-31.450W	Fl W 4s			White buoy.	
11307	Seaward Marine Lighted Mooring Buoy A	36-58-40.070N 076-27-23.150W	Fl W 4s			White buoy.	
11307.1	Seaward Marine Lighted Mooring Buoy B	36-58-49.450N 076-27-31.450W	Fl W 4s			White buoy.	
11307	Seaward Marine Lighted Mooring Buoy A	36-58-40.070N 076-27-23.150W	Fl W 4s			White buoy.	
11310	Newport News Shipbuilding Buffer Pier Light	36-59-24.531N 076-26-46.814W	Fl Y 4s			On multi-piles.	
11310	Newport News Shipbuilding Buffer Pier Light	36-59-24.531N 076-26-46.814W	Fl Y 4s			On multi-piles.	
11315	Virginia Power West Tower Fender Lights (3)	37-00-10.049N 076-28-15.083W	Fl Y 4s			On platform.	
11315	Virginia Power West Tower Fender Lights (3)	37-00-10.049N 076-28-15.083W	Fl Y 4s			On platform.	
11320	Virginia Power East Tower Fender Lights (3)	37-00-15.740N 076-28-07.925W	Fl Y 4s			On platform.	
11320	Virginia Power East Tower Fender Lights (3)	37-00-15.740N 076-28-07.925W	Fl Y 4s			On platform.	
11325	Huntington Park Channel Daybeacon 1	37-00-56.530N 076-27-33.816W				SG on pile.	
11325	Huntington Park Channel Daybeacon 1	37-00-56.530N 076-27-33.816W				SG on pile.	
11330	Huntington Park Channel Daybeacon 2	37-00-55.930N 076-27-33.616W				TR on pile.	

11330	Huntington Park Channel Daybeacon 2	37-00-55.930N 076-27-33.616W					TR on pile.
11335	Huntington Park Channel Daybeacon 3	37-00-58.830N 076-27-22.916W					SG on pile.
11335	Huntington Park Channel Daybeacon 3	37-00-58.830N 076-27-22.916W					SG on pile.
11340	Huntington Park Channel Daybeacon 4	37-00-58.330N 076-27-22.016W					TR on pile.
11340	Huntington Park Channel Daybeacon 4	37-00-58.330N 076-27-22.016W					TR on pile.
11345	Huntington Park Channel Daybeacon 6	37-00-59.130N 076-27-22.216W					TR on pile.
11345	Huntington Park Channel Daybeacon 6	37-00-59.130N 076-27-22.216W					TR on pile.
11350	Leeward Marina Channel Daybeacon 1	37-00-38.600N 076-27-26.400W					SG on pile.
11350	Leeward Marina Channel Daybeacon 1	37-00-38.600N 076-27-26.400W					SG on pile.
11355	Leeward Marina Channel Daybeacon 2	37-00-38.100N 076-27-25.900W					TR on pile.
11355	Leeward Marina Channel Daybeacon 2	37-00-38.100N 076-27-25.900W					TR on pile.
11357	Leeward Marina Channel Daybeacon 3	37-00-42.500N 076-27-20.300W					SG on pile.
11360	Leeward Marina Channel Daybeacon 4	37-00-42.100N 076-27-20.800W					TR on wave screen.
11360	Leeward Marina Channel Daybeacon 4	37-00-42.100N 076-27-20.800W					TR on wave screen.
11362	Leeward Marina Directional Light LM	37-00-43.600N 076-27-19.800W	F W				On wave screen. Night operation only. Visible on a bearing of 225.0°.
11367	James River Channel Lighted Buoy 1	37-00-46.029N 076-29-54.516W	Fl G 2.5s	5			Green.
11367	James River Channel Lighted Buoy 1	37-00-46.029N 076-29-54.516W	Fl G 2.5s	5			Green.
11370	James River Channel Light 2	37-01-18.584N 076-30-21.554W	Fl R 4s	0	5		TR on multi-pile structure.
11370	James River Channel Light 2	37-01-18.584N 076-30-21.554W	Fl R 4s	0	5		TR on multi-pile structure.
11375	Pagan River Entrance Channel Daybeacon 2	37-00-49.463N 076-32-19.388W		0			TR on pile.
11375	Pagan River Entrance Channel Daybeacon 2	37-00-49.463N 076-32-19.388W		0			TR on pile.
11380	Pagan River Entrance Light 3	37-00-45.389N 076-32-19.806W	Fl G 2.5s	0	4		SG on pile.
11380	Pagan River Entrance Light 3	37-00-45.389N 076-32-19.806W	Fl G 2.5s	0	4		SG on pile.
11385	Oyster Rock Warning Daybeacon	37-00-24.467N 076-32-16.641W		0			NW on pile worded DANGER SUBMERGED ROCK.
11385	Oyster Rock Warning Daybeacon	37-00-24.467N 076-32-16.641W		0			NW on pile worded DANGER SUBMERGED ROCK.
11390	Pagan River Channel Daybeacon 4	37-00-47.866N 076-32-57.448W		0			TR on pile.
11390	Pagan River Channel Daybeacon 4	37-00-47.866N 076-32-57.448W		0			TR on pile.
11395	Pagan River Channel Daybeacon 6	37-00-45.493N 076-33-25.653W		0			TR on pile.
11395	Pagan River Channel Daybeacon 6	37-00-45.493N 076-33-25.653W		0			TR on pile.
11400	Pagan River Channel Light 8	37-00-42.917N 076-33-53.248W	Fl R 4s	4			TR on pile.
11400	Pagan River Channel Light 8	37-00-42.917N 076-33-53.248W	Fl R 4s	4			TR on pile.
11405	Pagan River Channel Daybeacon 10	37-00-37.645N 076-34-15.780W		0			TR on pile.
11405	Pagan River Channel Daybeacon 10	37-00-37.645N 076-34-15.780W		0			TR on pile.
11410	Pagan River Channel Light 12	37-00-20.947N 076-34-28.668W	Fl R 2.5s	0	4		TR on pile.
11410	Pagan River Channel Light 12	37-00-20.947N 076-34-28.668W	Fl R 2.5s	0	4		TR on pile.

11415	Pagan River Channel Light 13	37-00-12.001N 076-34-23.250W	FI G 4s	0	4	SG on multi-pile structure.
11415	Pagan River Channel Light 13	37-00-12.001N 076-34-23.250W	FI G 4s	0	4	SG on multi-pile structure.
11420	Jones Creek Warning Daybeacon A	37-00-04.712N 076-34-18.793W		12		NW on pile worded DANGER SHOAL.
11420	Jones Creek Warning Daybeacon A	37-00-04.712N 076-34-18.793W		12		NW on pile worded DANGER SHOAL.
11425	Jones Creek Warning Daybeacon B	36-59-55.462N 076-34-11.074W				NW on pile worded DANGER SHOAL.
11425	Jones Creek Warning Daybeacon B	36-59-55.462N 076-34-11.074W				NW on pile worded DANGER SHOAL.
11430	Pagan River Channel Light 14	36-59-58.323N 076-34-32.443W	FI R 4s	0	4	TR on pile.
11430	Pagan River Channel Light 14	36-59-58.323N 076-34-32.443W	FI R 4s	0	4	TR on pile.
11435	Pagan River Channel Daybeacon 15	36-59-52.834N 076-36-04.169W		0		SG on pile.
11435	Pagan River Channel Daybeacon 15	36-59-52.834N 076-36-04.169W		0		SG on pile.
11440	Pagan River Channel Warning Daybeacon A	36-59-52.853N 076-36-18.941W		0		NW on multi-pile structure worded DANGER SHOALING.
11440	Pagan River Channel Warning Daybeacon A	36-59-52.853N 076-36-18.941W		0		NW on multi-pile structure worded DANGER SHOALING.
11441	Pagan River Channel Buoy 15A	36-59-56.037N 076-36-19.786W				Green Can.
11442	Pagan River Channel Lighted Buoy 16	36-59-57.817N 076-36-23.371W	Q R		4	Red.
11443	Pagan River Channel Buoy 16A	36-59-56.852N 076-36-37.422W				Red nun.
11445	Pagan River Channel Daybeacon 17	36-59-53.237N 076-36-44.410W		0		SG on pile.
11445	Pagan River Channel Daybeacon 17	36-59-53.237N 076-36-44.410W		0		SG on pile.
11450	Pagan River Channel Daybeacon 18	36-59-49.477N 076-36-59.613W		0		TR on pile.
11450	Pagan River Channel Daybeacon 18	36-59-49.477N 076-36-59.613W		0		TR on pile.
11455	Pagan River Channel Light 19	36-59-33.148N 076-37-24.825W	FI G 2.5s	0	4	SG on multi-pile structure.
11455	Pagan River Channel Light 19	36-59-33.148N 076-37-24.825W	FI G 2.5s	0	4	SG on multi-pile structure.
11460	Pagan River Channel Daybeacon 21	36-59-16.739N 076-37-11.719W		0		SG on pile.
11460	Pagan River Channel Daybeacon 21	36-59-16.739N 076-37-11.719W		0		SG on pile.
11463	James River Channel Light 3	37-01-42.776N 076-31-49.280W	FI G 4s	0	5	SG on multi-pile structure.
11463	James River Channel Light 3	37-01-42.776N 076-31-49.280W	FI G 4s	0	5	SG on multi-pile structure.
11465	James River Channel Light 4	37-01-47.080N 076-31-10.455W	FI R 2.5s	15	5	TR on multi-pile structure.
11465	James River Channel Light 4	37-01-47.080N 076-31-10.455W	FI R 2.5s	15	5	TR on multi-pile structure.
11467	James River Channel Light 5	37-02-21.202N 076-32-46.728W	FI G 2.5s	0	5	SG on pile.
11467	James River Channel Light 5	37-02-21.202N 076-32-46.728W	FI G 2.5s	0	5	SG on pile.
11470	Deep Creek Channel Junction Light DC	37-02-39.094N 076-31-58.601W	FI (2+1)R 6s	0	5	JR on pile.
11470	Deep Creek Channel Junction Light DC	37-02-39.094N 076-31-58.601W	FI (2+1)R 6s	0	5	JR on pile.
11475	Deep Creek Channel Entrance Light 2	37-03-36.497N 076-32-06.156W	FI R 4s	0	4	TR on pile.
11475	Deep Creek Channel Entrance Light 2	37-03-36.497N 076-32-06.156W	FI R 4s	0	4	TR on pile.
11480	Deep Creek Channel Daybeacon 4	37-04-00.931N 076-32-09.421W		0		TR on pile.
11480	Deep Creek Channel Daybeacon 4	37-04-00.931N 076-32-09.421W		0		TR on pile.

11485	Deep Creek Channel Daybeacon 6	37-04-21.646N 076-32-10.902W		0		TR on pile.
11485	Deep Creek Channel Daybeacon 6	37-04-21.646N 076-32-10.902W		0		TR on pile.
11490	Deep Creek Channel Light 7	37-04-25.240N 076-32-12.690W	Fl G 4s	1	3	SG on multi-pile structure.
11490	Deep Creek Channel Light 7	37-04-25.240N 076-32-12.690W	Fl G 4s	1	3	SG on multi-pile structure.
11495	Deep Creek Channel Daybeacon 8	37-04-25.132N 076-32-09.450W		0		TR on pile.
11495	Deep Creek Channel Daybeacon 8	37-04-25.132N 076-32-09.450W		0		TR on pile.
11500	Deep Creek Channel Daybeacon 10	37-04-39.958N 076-31-50.010W		0		TR on pile.
11500	Deep Creek Channel Daybeacon 10	37-04-39.958N 076-31-50.010W		0		TR on pile.
11510	Deep Creek Channel Daybeacon 11	37-04-50.896N 076-31-37.914W		0		SG on pile.
11510	Deep Creek Channel Daybeacon 11	37-04-50.896N 076-31-37.914W		0		SG on pile.
11515	Deep Creek Channel Light 12	37-04-53.578N 076-31-32.052W	Fl R 4s	0	4	TR on pile.
11515	Deep Creek Channel Light 12	37-04-53.578N 076-31-32.052W	Fl R 4s	0	4	TR on pile.
11520	Deep Creek Channel Daybeacon 14	37-05-00.959N 076-31-18.804W		0		TR on pile.
11520	Deep Creek Channel Daybeacon 14	37-05-00.959N 076-31-18.804W		0		TR on pile.
11521.5	Deep Creek Channel Daybeacon 19	37-05-32.284N 076-31-11.907W				SG on pile.
11521.4	Deep Creek Channel Daybeacon 18	37-05-28.202N 076-31-20.039W				TR on pile.
11521.3	Deep Creek Channel Daybeacon 17	37-05-20.032N 076-31-22.249W				SG on pile.
11521.2	Deep Creek Channel Daybeacon 16	37-05-17.095N 076-31-19.496W				TR on pile.
11521.1	Deep Creek Channel Daybeacon 15	37-05-14.479N 076-31-24.039W				SG on pile.
11521.5	Deep Creek Channel Daybeacon 19	37-05-32.284N 076-31-11.907W				SG on pile.
11521.4	Deep Creek Channel Daybeacon 18	37-05-28.202N 076-31-20.039W				TR on pile.
11521.3	Deep Creek Channel Daybeacon 17	37-05-20.032N 076-31-22.249W				SG on pile.
11521.2	Deep Creek Channel Daybeacon 16	37-05-17.095N 076-31-19.496W				TR on pile.
11521.1	Deep Creek Channel Daybeacon 15	37-05-14.479N 076-31-24.039W				SG on pile.
11530	Warwick River Warning Daybeacon A	37-05-28.710N 076-33-00.295W		0		NW on pile worded DANGER SHOAL.
11530	Warwick River Warning Daybeacon A	37-05-28.710N 076-33-00.295W		0		NW on pile worded DANGER SHOAL.
11535	Warwick River Warning Daybeacon B	37-05-53.478N 076-33-24.805W		0		NW on pile worded DANGER SHOAL.
11535	Warwick River Warning Daybeacon B	37-05-53.478N 076-33-24.805W		0		NW on pile worded DANGER SHOAL.
11540	Warwick River Warning Daybeacon C	37-06-21.346N 076-33-43.534W		0		NW on pile worded DANGER SHOAL.
11540	Warwick River Warning Daybeacon C	37-06-21.346N 076-33-43.534W		0		NW on pile worded DANGER SHOAL.
11545	Warwick River Warning Daybeacon D	37-06-36.688N 076-33-52.734W		0		NW on pile worded DANGER SHOAL.
11545	Warwick River Warning Daybeacon D	37-06-36.688N 076-33-52.734W		0		NW on pile worded DANGER SHOAL.
11550	Warwick River Warning Daybeacon E	37-06-45.514N 076-33-55.122W		0		NW on pile worded DANGER SHOAL.
11550	Warwick River Warning Daybeacon E	37-06-45.514N 076-33-55.122W		0		NW on pile worded DANGER SHOAL.
11555	Warwick River Warning Daybeacon F	37-07-21.432N 076-34-07.282W		0		NW on pile worded DANGER SHOAL.

11555	Warwick River Warning Daybeacon F	37-07-21.432N 076-34-07.282W		0		NW on pile worded DANGER SHOAL.
11560	White Shoal Daybeacon 2	37-01-27.099N 076-32-02.050W		0		TR on pile.
11560	White Shoal Daybeacon 2	37-01-27.099N 076-32-02.050W		0		TR on pile.
11564	James River Oyster Sanctuary Daybeacon NMT	37-02-46.440N 076-32-05.760W				NW on pile.
11564.1	James River Oyster Sanctuary Daybeacon NTH	37-03-12.180N 076-31-25.380W				NW on pile.
11565	James River Oyster Sanctuary Daybeacon EWS	37-03-37.600N 076-33-49.500W				NW on pile.
11565.1	James River Oyster Sanctuary Daybeacon AWS	37-03-36.357N 076-35-06.623W				NW on pile.
11565.2	James River Oyster Sanctuary Daybeacon DWS	37-04-01.870N 076-34-06.420W				NW on pile.
11565.3	James River Oyster Sanctuary Daybeacon BWS	37-04-01.410N 076-34-52.240W				NW on pile.
11565.4	James River Oyster Sanctuary Daybeacon CWS	37-04-24.440N 076-34-39.410W				NW on pile.
11570	James River Channel Lighted Buoy 6	37-03-12.660N 076-33-34.245W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.
11570	James River Channel Lighted Buoy 6	37-03-12.660N 076-33-34.245W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.
11575	James River Channel Lighted Buoy 7	37-03-07.960N 076-33-46.646W	Q G	5	Green.	
11575	James River Channel Lighted Buoy 7	37-03-07.960N 076-33-46.646W	Q G	5	Green.	
11580	James River Channel Lighted Buoy 9	37-03-08.460N 076-34-18.047W	FI G 4s	5	Green.	
11580	James River Channel Lighted Buoy 9	37-03-08.460N 076-34-18.047W	FI G 4s	5	Green.	
11585	James River Channel Light 10	37-03-12.223N 076-34-36.657W	FI R 4s	0	5	TR on multi-pile structure.
11585	James River Channel Light 10	37-03-12.223N 076-34-36.657W	FI R 4s	0	5	TR on multi-pile structure.
11590	James River Channel Buoy 10A	37-03-15.997N 076-35-18.439W				Red nun.
11590	James River Channel Buoy 10A	37-03-15.997N 076-35-18.439W				Red nun.
11595	James River Channel Lighted Buoy 11	37-03-08.060N 076-35-27.449W	Q G	5	Green.	
11595	James River Channel Lighted Buoy 11	37-03-08.060N 076-35-27.449W	Q G	5	Green.	
11600	Burwell Bay Daybeacon 1	37-02-58.597N 076-36-56.071W		1		SG on pile.
11600	Burwell Bay Daybeacon 1	37-02-58.597N 076-36-56.071W		1		SG on pile.
11605	Burwell Bay Daybeacon 2	37-03-04.440N 076-36-55.722W		12		TR on pile.
11605	Burwell Bay Daybeacon 2	37-03-04.440N 076-36-55.722W		12		TR on pile.
11610	Burwell Bay Daybeacon 3	37-02-57.616N 076-38-30.509W		0		SG on pile.
11610	Burwell Bay Daybeacon 3	37-02-57.616N 076-38-30.509W		0		SG on pile.
11615	Burwell Bay Daybeacon 4	37-03-03.643N 076-38-28.978W		0		TR on pile.
11615	Burwell Bay Daybeacon 4	37-03-03.643N 076-38-28.978W		0		TR on pile.
11620	Burwell Bay Daybeacon 5	37-03-09.328N 076-39-05.687W		0		SG on pile.
11620	Burwell Bay Daybeacon 5	37-03-09.328N 076-39-05.687W		0		SG on pile.
11625	Burwell Bay Daybeacon 6	37-03-14.039N 076-38-59.885W		0		TR on pile.
11625	Burwell Bay Daybeacon 6	37-03-14.039N 076-38-59.885W		0		TR on pile.
11630	Burwell Bay Daybeacon 7	37-03-59.945N 076-39-28.315W		0		SG on pile.

11630	Burwell Bay Daybeacon 7	37-03-59.945N 076-39-28.315W		0		SG on pile.
11635	Burwell Bay Daybeacon 8	37-03-59.600N 076-39-20.515W		0		TR on pile.
11635	Burwell Bay Daybeacon 8	37-03-59.600N 076-39-20.515W		0		TR on pile.
11640	Burwell Bay Daybeacon 10	37-05-23.383N 076-38-32.170W		0		TR on pile.
11640	Burwell Bay Daybeacon 10	37-05-23.383N 076-38-32.170W		0		TR on pile.
11645	James River Channel Light 12	37-03-21.168N 076-35-29.056W	FI R 2.5s	0	5	TR on pile.
11645	James River Channel Light 12	37-03-21.168N 076-35-29.056W	FI R 2.5s	0	5	TR on pile.
11650	James River Channel Buoy 13	37-03-20.360N 076-35-36.849W				Green can.
11650	James River Channel Buoy 13	37-03-20.360N 076-35-36.849W				Green can.
11655	James River Channel Light 15	37-04-18.361N 076-36-18.221W	FI G 4s	0	5	SG on pile.
11655	James River Channel Light 15	37-04-18.361N 076-36-18.221W	FI G 4s	0	5	SG on pile.
11660	James River Channel Light 16	37-04-22.043N 076-36-12.292W	FI R 4s	0	5	TR on pile.
11660	James River Channel Light 16	37-04-22.043N 076-36-12.292W	FI R 4s	0	5	TR on pile.
11665	James River Channel Buoy 17	37-04-49.560N 076-36-41.051W				Green can.
11665	James River Channel Buoy 17	37-04-49.560N 076-36-41.051W				Green can.
11670	James River Channel Light 18	37-04-54.459N 076-36-35.236W	FI R 4s	1	5	TR on multi-pile structure.
11670	James River Channel Light 18	37-04-54.459N 076-36-35.236W	FI R 4s	1	5	TR on multi-pile structure.
11675	James River Channel Light 19	37-05-34.031N 076-37-12.901W	FI G 4s	0	5	SG on pile.
11675	James River Channel Light 19	37-05-34.031N 076-37-12.901W	FI G 4s	0	5	SG on pile.
11680	James River Channel Buoy 20	37-05-36.321N 076-37-06.863W				Red nun.
11680	James River Channel Buoy 20	37-05-36.321N 076-37-06.863W				Red nun.
11685	James River Channel Buoy 21	37-06-21.142N 076-37-45.078W				Green can.
11685	James River Channel Buoy 21	37-06-21.142N 076-37-45.078W				Green can.
11690	James River Channel Lighted Buoy 22	37-06-19.714N 076-37-38.270W	FI R 4s		5	Red.
11690	James River Channel Lighted Buoy 22	37-06-19.714N 076-37-38.270W	FI R 4s		5	Red.
11695	James River Channel Lighted Buoy 23	37-07-00.615N 076-38-12.346W	FI G 2.5s		5	Green.
11695	James River Channel Lighted Buoy 23	37-07-00.615N 076-38-12.346W	FI G 2.5s		5	Green.
11700	James River Channel Light 24	37-07-03.558N 076-38-08.827W	Q R	0	5	TR on pile.
11700	James River Channel Light 24	37-07-03.558N 076-38-08.827W	Q R	0	5	TR on pile.
11705	Tylers Beach Channel Daybeacon 1TB	37-04-46.454N 076-39-17.789W		0		SG on pile.
11705	Tylers Beach Channel Daybeacon 1TB	37-04-46.454N 076-39-17.789W		0		SG on pile.
11710	Tylers Beach Channel Daybeacon 3	37-04-50.147N 076-39-33.100W		12		SG on pile.
11710	Tylers Beach Channel Daybeacon 3	37-04-50.147N 076-39-33.100W		12		SG on pile.
11715	Tylers Beach Channel Daybeacon 5	37-04-53.399N 076-39-44.974W		12		SG on pile.
11715	Tylers Beach Channel Daybeacon 5	37-04-53.399N 076-39-44.974W		12		SG on pile.

11720	Tylers Beach Channel Light 7	37-04-55.073N 076-39-51.154W	Fl G 4s	0	4	SG on pile.	
11720	Tylers Beach Channel Light 7	37-04-55.073N 076-39-51.154W	Fl G 4s	0	4	SG on pile.	
11725	Tylers Beach Channel Daybeacon 8	37-04-56.285N 076-39-50.602W		0		TR on pile.	
11725	Tylers Beach Channel Daybeacon 8	37-04-56.285N 076-39-50.602W		0		TR on pile.	
11730	Mulberry Island Entrance Light 1MI	37-08-07.440N 076-38-01.685W	Fl G 2.5s		4	SG on pile.	Maintained by MARAD.
11735	Mulberry Island Entrance Daybeacon 2	37-08-05.928N 076-38-01.179W				TR on pile.	Maintained by MARAD.
11740	Mulberry Island Range Front Light	37-08-14.958N 076-37-18.752W	F R			KRW on pile.	Maintained by MARAD. Night : Visible all around.
11745	Mulberry Island Range Rear Light	37-08-15.858N 076-37-14.352W	F G			KRW on pile.	Maintained by MARAD. Night : Visible all around.
11750	Mulberry Island Daybeacon 3	37-08-08.392N 076-37-56.869W				SG on pile.	Maintained by MARAD.
11755	Mulberry Island Daybeacon 5	37-08-09.344N 076-37-52.077W				SG on pile.	Maintained by MARAD.
11760	Mulberry Island Daybeacon 7	37-08-10.277N 076-37-47.286W				SG on pile.	Maintained by MARAD.
11765	Mulberry Island Daybeacon 9	37-08-11.230N 076-37-42.495W				SG on pile.	Maintained by MARAD.
11770	Mulberry Island Daybeacon 11	37-08-12.141N 076-37-37.630W				SG on pile.	Maintained by MARAD.
11775	Mulberry Island Light 13	37-08-13.094N 076-37-32.888W	Fl G 2.5s		4	SG on pile.	Maintained by MARAD.
11777	Mulberry Island Daybeacon 14	37-08-11.485N 076-37-32.421W				TR on pile.	Maintained by MARAD.
11780	DEEP WATER SHOALS WARNING LIGHT	37-08-55.283N 076-38-13.496W	Fl W 4s	0	4	NW on pile worded DANGER.	
11785	James River Channel Buoy 25	37-09-13.758N 076-38-35.054W				Green can.	
11785	James River Channel Buoy 25	37-09-13.758N 076-38-35.054W				Green can.	
11800	Surry Power Station Daybeacon 2	37-08-20.389N 076-39-28.684W				TR on pile.	
11800	Surry Power Station Daybeacon 2	37-08-20.389N 076-39-28.684W				TR on pile.	
11805	Surry Power Station Daybeacon 3	37-08-35.370N 076-39-48.207W				SG on pile.	
11805	Surry Power Station Daybeacon 3	37-08-35.370N 076-39-48.207W				SG on pile.	
11810	Surry Power Station Daybeacon 5	37-08-58.228N 076-39-54.768W				SG on pile.	
11810	Surry Power Station Daybeacon 5	37-08-58.228N 076-39-54.768W				SG on pile.	
11815	Surry Power Station Daybeacon 7	37-09-24.635N 076-40-00.626W				SG on pile.	
11815	Surry Power Station Daybeacon 7	37-09-24.635N 076-40-00.626W				SG on pile.	
11820	Surry Power Station Daybeacon 9	37-09-21.630N 076-40-12.141W				SG on pile.	
11820	Surry Power Station Daybeacon 9	37-09-21.630N 076-40-12.141W				SG on pile.	
11825	Skiffes Creek Channel Lighted Buoy 2	37-09-51.982N 076-37-44.890W	Q R		4	Red.	Replaced by nun when endangered by ice.
11825	Skiffes Creek Channel Lighted Buoy 2	37-09-51.982N 076-37-44.890W	Q R		4	Red.	Replaced by nun when endangered by ice.
11830	Skiffes Creek Channel Buoy 1	37-09-55.834N 076-37-44.710W				Green can.	
11830	Skiffes Creek Channel Buoy 1	37-09-55.834N 076-37-44.710W				Green can.	
11840	Skiffes Creek Channel Daybeacon 3	37-09-56.879N 076-37-20.582W		0		SG on pile.	
11840	Skiffes Creek Channel Daybeacon 3	37-09-56.879N 076-37-20.582W		0		SG on pile.	
11845	Skiffes Creek Channel Daybeacon 4	37-09-53.400N 076-37-18.986W				TR on pile.	

11845	Skiffes Creek Channel Daybeacon 4	37-09-53.400N 076-37-18.986W				TR on pile.
11850	Skiffes Creek Channel Light 5	37-09-58.240N 076-36-54.988W	FI G 4s	0	4	SG on pile.
11850	Skiffes Creek Channel Light 5	37-09-58.240N 076-36-54.988W	FI G 4s	0	4	SG on pile.
11855	Skiffes Creek Channel Light 6	37-09-55.040N 076-36-48.825W	FI R 4s		4	TR on pile.
11855	Skiffes Creek Channel Light 6	37-09-55.040N 076-36-48.825W	FI R 4s		4	TR on pile.
11860	Skiffes Creek Channel Daybeacon 7	37-09-59.169N 076-36-46.024W		0		SG on pile.
11860	Skiffes Creek Channel Daybeacon 7	37-09-59.169N 076-36-46.024W		0		SG on pile.
11865	Skiffes Creek Channel Daybeacon 8	37-09-54.091N 076-36-37.242W				TR on pile.
11865	Skiffes Creek Channel Daybeacon 8	37-09-54.091N 076-36-37.242W				TR on pile.
11870	Skiffes Creek Channel Daybeacon 9	37-10-04.775N 076-36-34.034W				SG on pile.
11870	Skiffes Creek Channel Daybeacon 9	37-10-04.775N 076-36-34.034W				SG on pile.
11875	Hog Island Cutoff Daybeacon 2	37-09-49.542N 076-38-40.765W		0		TR on pile.
11875	Hog Island Cutoff Daybeacon 2	37-09-49.542N 076-38-40.765W		0		TR on pile.
11880	Hog Island Cutoff Daybeacon 3	37-11-15.006N 076-39-45.482W				SG on pile.
11880	Hog Island Cutoff Daybeacon 3	37-11-15.006N 076-39-45.482W				SG on pile.
11885	Hog Island Cutoff Daybeacon 4	37-11-24.715N 076-39-33.066W				TR on pile.
11885	Hog Island Cutoff Daybeacon 4	37-11-24.715N 076-39-33.066W				TR on pile.
11890	Hog Island Cutoff Daybeacon 6	37-12-17.409N 076-40-56.087W				TR on pile.
11890	Hog Island Cutoff Daybeacon 6	37-12-17.409N 076-40-56.087W				TR on pile.
11893	Hog Island Cutoff Lighted Wreck Buoy WR7	37-12-21.877N 076-41-26.061W	Q G		5	Green.
11893	Hog Island Cutoff Lighted Wreck Buoy WR7	37-12-21.877N 076-41-26.061W	Q G		5	Green.
11895	James River Channel Lighted Buoy 27	37-09-56.925N 076-38-02.193W	FI G 4s		5	Green.
11895	James River Channel Lighted Buoy 27	37-09-56.925N 076-38-02.193W	FI G 4s		5	Green.
11900	James River Channel Buoy 28	37-10-06.383N 076-37-53.680W				Red nun.
11900	James River Channel Buoy 28	37-10-06.383N 076-37-53.680W				Red nun.
11903	James River Channel Lighted Buoy 29	37-10-48.780N 076-37-56.833W	Q G		5	Green.
11903	James River Channel Lighted Buoy 29	37-10-48.780N 076-37-56.833W	Q G		5	Green.
11905	James River Channel Lighted Buoy 30	37-10-46.257N 076-37-50.649W	FI R 2.5s		5	Red.
11905	James River Channel Lighted Buoy 30	37-10-46.257N 076-37-50.649W	FI R 2.5s		5	Red.
11910	James River Channel Buoy 31	37-11-28.741N 076-38-11.050W				Green can.
11910	James River Channel Buoy 31	37-11-28.741N 076-38-11.050W				Green can.
11915	James River Channel Lighted Buoy 32	37-11-30.841N 076-38-05.715W	FI R 4s		5	Red.
11915	James River Channel Lighted Buoy 32	37-11-30.841N 076-38-05.715W	FI R 4s		5	Red.
11920	James River Channel Buoy 34	37-11-58.056N 076-38-34.054W				Red nun.
11920	James River Channel Buoy 34	37-11-58.056N 076-38-34.054W				Red nun.

11922	James River Channel Lighted Buoy 35	37-12-04.946N 076-38-48.774W	FI G 4s	5	Green.	
11922	James River Channel Lighted Buoy 35	37-12-04.946N 076-38-48.774W	FI G 4s	5	Green.	
11925	James River Channel Light 36	37-12-13.044N 076-38-51.162W	FI R 4s	0	5	TR on multi-pile structure.
11925	James River Channel Light 36	37-12-13.044N 076-38-51.162W	FI R 4s	0	5	TR on multi-pile structure.
11930	James River Channel Buoy 38	37-12-28.996N 076-39-11.985W				Red nun.
11930	James River Channel Buoy 38	37-12-28.996N 076-39-11.985W				Red nun.
11933	HRSD Williamsburg WWTP Outfall Warning Buoy A	37-12-44.520N 076-38-59.210W				White and orange buoy worded DANGER PIPELINE DO NOT ANCHOR.
11933	HRSD Williamsburg WWTP Outfall Warning Buoy A	37-12-44.520N 076-38-59.210W				White and orange buoy worded DANGER PIPELINE DO NOT ANCHOR.
11935	James River Channel Lighted Buoy 39	37-12-41.757N 076-39-42.756W	FI G 2.5s	5	Green.	
11935	James River Channel Lighted Buoy 39	37-12-41.757N 076-39-42.756W	FI G 2.5s	5	Green.	
11940	James River Channel Light 40	37-12-47.918N 076-39-37.695W	FI R 4s	0	5	TR on multi-pile structure.
11940	James River Channel Light 40	37-12-47.918N 076-39-37.695W	FI R 4s	0	5	TR on multi-pile structure.
11945	James River Channel Buoy 41	37-12-44.700N 076-40-17.296W				Green can.
11945	James River Channel Buoy 41	37-12-44.700N 076-40-17.296W				Green can.
11950	James River Channel Lighted Buoy 42	37-12-50.756N 076-40-18.781W	FI R 4s	5	Red.	
11950	James River Channel Lighted Buoy 42	37-12-50.756N 076-40-18.781W	FI R 4s	5	Red.	
11955	Kings Mill Marina Light 1	37-13-15.898N 076-39-48.789W	FI G 4s			On pile structure.
11955	Kings Mill Marina Light 1	37-13-15.898N 076-39-48.789W	FI G 4s			On pile structure.
11960	Kings Mill Marina Light 2	37-13-16.303N 076-39-48.135W	FI R 4s			On pile structure.
11960	Kings Mill Marina Light 2	37-13-16.303N 076-39-48.135W	FI R 4s			On pile structure.
11965	Hog Island Junction Lighted Buoy HI	37-12-30.354N 076-41-17.758W	FI (2+1)G 6s	5	Green with red band.	
11965	Hog Island Junction Lighted Buoy HI	37-12-30.354N 076-41-17.758W	FI (2+1)G 6s	5	Green with red band.	
11987	James River Channel Lighted Buoy 44	37-12-31.106N 076-42-13.379W	Q R	5	Red.	
11987	James River Channel Lighted Buoy 44	37-12-31.106N 076-42-13.379W	Q R	5	Red.	
12040	James River Channel Lighted Buoy 45	37-11-51.859N 076-43-00.162W	FI G 4s	5	Green.	
12040	James River Channel Lighted Buoy 45	37-11-51.859N 076-43-00.162W	FI G 4s	5	Green.	
12045	James River Channel Lighted Buoy 46	37-11-57.059N 076-43-04.362W	Q R	5	Red.	Replaced by nun when endangered by ice.
12045	James River Channel Lighted Buoy 46	37-11-57.059N 076-43-04.362W	Q R	5	Red.	Replaced by nun when endangered by ice.
12055	Virginia Power Groin Light A	37-10-18.531N 076-42-22.845W	FI Y 4s			Pile structure.
12055	Virginia Power Groin Light A	37-10-18.531N 076-42-22.845W	FI Y 4s			Pile structure.
12060	Virginia Power Groin Light B	37-10-18.531N 076-42-28.846W	FI Y 4s			Pile structure.
12060	Virginia Power Groin Light B	37-10-18.531N 076-42-28.846W	FI Y 4s			Pile structure.
12065	Goose Hill Channel Range Front Light	37-10-20.823N 076-45-12.633W	FI W 2.5s	20	On multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline.
12065	Goose Hill Channel Range Front Light	37-10-20.823N 076-45-12.633W	FI W 2.5s	20	On multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline.

12070	Goose Hill Channel Range Rear Light	37-10-08.288N 076-45-30.226W	Iso W 6s	50	On multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline.
12070	Goose Hill Channel Range Rear Light	37-10-08.288N 076-45-30.226W	Iso W 6s	50	On multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline.
12072	Goose Hill Channel Warning Daybeacon	37-10-02.231N 076-45-38.318W		0	NW on multi-pile structure worded WARNING.	
12075	James River Channel Lighted Buoy 47	37-11-25.319N 076-43-38.026W	Fl G 2.5s	5	Green.	
12075	James River Channel Lighted Buoy 47	37-11-25.319N 076-43-38.026W	Fl G 2.5s	5	Green.	
12080	James River Channel Buoy 48	37-11-27.967N 076-43-42.028W				Red nun.
12080	James River Channel Buoy 48	37-11-27.967N 076-43-42.028W				Red nun.
12085	James River Channel Lighted Buoy 49	37-10-55.740N 076-44-19.940W	Q G	5	Green.	Replaced by can when endangered by ice.
12085	James River Channel Lighted Buoy 49	37-10-55.740N 076-44-19.940W	Q G	5	Green.	Replaced by can when endangered by ice.
12090	James River Channel Lighted Buoy 50	37-10-57.865N 076-44-24.463W	Fl R 4s	5	Red.	
12090	James River Channel Lighted Buoy 50	37-10-57.865N 076-44-24.463W	Fl R 4s	5	Red.	
12095	James River Channel Buoy 51	37-10-44.361N 076-44-35.966W				Green can.
12095	James River Channel Buoy 51	37-10-44.361N 076-44-35.966W				Green can.
12100	James River Channel Lighted Buoy 52	37-10-52.561N 076-44-51.066W	Q R	5	Red.	Replaced by nun when endangered by ice.
12100	James River Channel Lighted Buoy 52	37-10-52.561N 076-44-51.066W	Q R	5	Red.	Replaced by nun when endangered by ice.
12105	James River Channel Buoy 53	37-11-02.339N 076-45-44.822W				Green can.
12105	James River Channel Buoy 53	37-11-02.339N 076-45-44.822W				Green can.
12110	James River Channel Lighted Buoy 54	37-11-08.326N 076-45-41.718W	Fl R 4s	5	Red.	
12110	James River Channel Lighted Buoy 54	37-11-08.326N 076-45-41.718W	Fl R 4s	5	Red.	
12113	NOAA Lighted Data Buoy J	37-12-43.200N 076-47-06.000W	Fl Y 4s			Yellow.
12115	Scotland Wharf Ferry Light A	37-11-10.000N 076-47-04.000W	F Y			On dolphin.
12115	Scotland Wharf Ferry Light A	37-11-10.000N 076-47-04.000W	F Y			On dolphin.
12116	Scotland Wharf Ferry Light 2	37-11-10.000N 076-47-02.000W	Oc R 4s			On dolphin. Siren signals Ferry leaving dock.
12116.5	Scotland Wharf Ferry Light 3	37-11-09.000N 076-47-00.000W	Oc G 4s			On dolphin.
12116	Scotland Wharf Ferry Light 2	37-11-10.000N 076-47-02.000W	Oc R 4s			On dolphin. Siren signals Ferry leaving dock.
12116.5	Scotland Wharf Ferry Light 3	37-11-09.000N 076-47-00.000W	Oc G 4s			On dolphin.
12117	Scotland Wharf Ferry Light B	37-11-08.000N 076-46-59.000W	F Y			On dolphin.
12117	Scotland Wharf Ferry Light B	37-11-08.000N 076-46-59.000W	F Y			On dolphin.
12118	Scotland Wharf Ferry Light C	37-11-07.000N 076-46-58.000W	F Y			On dolphin.
12118	Scotland Wharf Ferry Light C	37-11-07.000N 076-46-58.000W	F Y			On dolphin.
12119	Scotland Wharf Ferry Light D	37-11-06.000N 076-46-57.000W	F Y			On dolphin.
12119	Scotland Wharf Ferry Light D	37-11-06.000N 076-46-57.000W	F Y			On dolphin.
12120	James River Channel Lighted Gong Buoy 55	37-12-06.761N 076-46-57.369W	Fl G 4s	5	Green.	
12121	James River Channel Buoy 55A	37-13-01.061N 076-48-02.572W				Green can.
12125	Glasshouse Point Upper Ferry Light	37-13-11.532N 076-47-31.855W	Oc G 4s			On caisson.

12126	Glasshouse Point Center Ferry Light	37-13-11.032N 076-47-29.855W	F Y		On caisson.	
12127	Glasshouse Point Lower Ferry Light	37-13-10.032N 076-47-28.854W	Oc R 4s		On caisson.	
12130	Swann Point Shoal Channel Range Front Light	37-13-18.782N 076-47-42.182W	Fl W 2.5s	10	On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of range line.
12135	Swann Point Shoal Channel Range Rear Light	37-13-21.893N 076-47-04.154W	Iso W 6s	62	On white tower.	Lighted throughout 24 hours; visible 1.5° either side of rangeline.
12140	Swann Point Junction Lighted Buoy SP	37-13-18.561N 076-48-06.372W	Fl (2+1)R 6s	5	Red and green bands.	Replaced by nun when endangered by ice.
12141	Chickahominy River Channel Daybeacon 1	37-13-44.228N 076-49-17.622W		0	SG on pile.	
12141.5	Chickahominy River Channel Daybeacon 2	37-13-50.975N 076-49-14.128W		0	TR on pile.	
12141	Chickahominy River Channel Daybeacon 1	37-13-44.228N 076-49-17.622W		0	SG on pile.	
12141.5	Chickahominy River Channel Daybeacon 2	37-13-50.975N 076-49-14.128W		0	TR on pile.	
12142	Chickahominy River Channel Daybeacon 3	37-14-07.063N 076-50-21.366W		0	SG on pile.	
12142.5	Chickahominy River Channel Daybeacon 4	37-14-12.881N 076-50-19.990W		0	TR on pile.	
12142	Chickahominy River Channel Daybeacon 3	37-14-07.063N 076-50-21.366W		0	SG on pile.	
12142.5	Chickahominy River Channel Daybeacon 4	37-14-12.881N 076-50-19.990W		0	TR on pile.	
12143	Chickahominy River Channel Daybeacon 5	37-14-03.329N 076-51-41.516W		0	SG on pile.	
12143.5	Chickahominy River Channel Daybeacon 6	37-14-10.536N 076-51-40.999W		0	TR on pile.	
12143.6	Barrets Point Light 1	37-14-18.700N 076-51-47.700W	Fl G 3s	4	SG on pile.	
12143.65	Barrets Point Light 2	37-14-19.300N 076-51-46.900W	Fl R 3s	4	TR on pile.	
12143.7	Barrets Point Daybeacon 3	37-14-22.400N 076-51-52.200W			SG on pile.	
12143.9	Barrets Point Light 6	37-14-30.500N 076-51-54.500W	Fl R 5s	4	TR on pile.	
12143.85	Barrets Point Light 5	37-14-30.800N 076-51-55.900W	Fl G 6s	4	SG on pile.	
12143.8	Barrets Point Warning Light	37-14-28.600N 076-51-54.200W	Fl W 3s	4	On pile.	
12143.75	Barrets Point Daybeacon 4	37-14-22.800N 076-51-51.400W			TR on pile.	
12143.6	Barrets Point Light 1	37-14-18.700N 076-51-47.700W	Fl G 3s	4	SG on pile.	
12143.65	Barrets Point Light 2	37-14-19.300N 076-51-46.900W	Fl R 3s	4	TR on pile.	
12143.7	Barrets Point Daybeacon 3	37-14-22.400N 076-51-52.200W			SG on pile.	
12143.9	Barrets Point Light 6	37-14-30.500N 076-51-54.500W	Fl R 5s	4	TR on pile.	
12143.85	Barrets Point Light 5	37-14-30.800N 076-51-55.900W	Fl G 6s	4	SG on pile.	
12143.8	Barrets Point Warning Light	37-14-28.600N 076-51-54.200W	Fl W 3s	4	On pile.	
12143.75	Barrets Point Daybeacon 4	37-14-22.800N 076-51-51.400W			TR on pile.	
12143	Chickahominy River Channel Daybeacon 5	37-14-03.329N 076-51-41.516W		0	SG on pile.	
12143.5	Chickahominy River Channel Daybeacon 6	37-14-10.536N 076-51-40.999W		0	TR on pile.	
12144	Chickahominy River Channel Daybeacon 7	37-14-10.705N 076-52-28.013W		0	SG on pile.	
12144	Chickahominy River Channel Daybeacon 7	37-14-10.705N 076-52-28.013W		0	SG on pile.	
12145	Chickahominy River Channel Buoy 8	37-14-16.221N 076-52-17.285W			Red nun.	
12145	Chickahominy River Channel Buoy 8	37-14-16.221N 076-52-17.285W			Red nun.	

12150	Chickahominy River Channel Buoy 10	37-14-21.801N 076-52-31.011W				Red nun.
12150	Chickahominy River Channel Buoy 10	37-14-21.801N 076-52-31.011W				Red nun.
12155	Chickahominy River Channel Buoy 12	37-14-59.924N 076-52-37.678W				Red nun.
12155	Chickahominy River Channel Buoy 12	37-14-59.924N 076-52-37.678W				Red nun.
12160	Chickahominy River Channel Buoy 14	37-15-25.502N 076-52-18.958W				Red nun.
12160	Chickahominy River Channel Buoy 14	37-15-25.502N 076-52-18.958W				Red nun.
12165	Chickahominy River Channel Buoy 15	37-17-42.560N 076-52-28.882W				Green can.
12165	Chickahominy River Channel Buoy 15	37-17-42.560N 076-52-28.882W				Green can.
12170	Chickahominy River Channel Buoy 17	37-18-16.718N 076-52-34.203W				Green can.
12170	Chickahominy River Channel Buoy 17	37-18-16.718N 076-52-34.203W				Green can.
12175	Chickahominy River Channel Buoy 18	37-18-42.559N 076-52-34.882W				Red nun.
12175	Chickahominy River Channel Buoy 18	37-18-42.559N 076-52-34.882W				Red nun.
12180	Chickahominy River Channel Buoy 19	37-22-04.583N 076-54-05.416W				Green can.
12180	Chickahominy River Channel Buoy 19	37-22-04.583N 076-54-05.416W				Green can.
12185	Chickahominy River Channel Buoy 21	37-22-16.557N 076-53-52.886W				Green can.
12185	Chickahominy River Channel Buoy 21	37-22-16.557N 076-53-52.886W				Green can.
12190	Chickahominy River Channel Buoy 23	37-22-43.308N 076-54-23.830W				Green can.
12190	Chickahominy River Channel Buoy 23	37-22-43.308N 076-54-23.830W				Green can.
12195.1	Chickahominy River Dam Light B	37-24-23.000N 076-56-18.000W	FI W 2.5s			Daymark on pile worded DANGER KEEP AWAY DAM SPILLWAY.
12195	Chickahominy River Dam Light A	37-24-22.000N 076-56-21.000W	FI W 2.5s			Daymark on pile worded DANGER KEEP AWAY DAM SPILLWAY.
12195.1	Chickahominy River Dam Light B	37-24-23.000N 076-56-18.000W	FI W 2.5s			Daymark on pile worded DANGER KEEP AWAY DAM SPILLWAY.
12195	Chickahominy River Dam Light A	37-24-22.000N 076-56-21.000W	FI W 2.5s			Daymark on pile worded DANGER KEEP AWAY DAM SPILLWAY.
12200	James River Channel Lighted Buoy 57	37-13-13.321N 076-48-27.101W	Q G	5		Green.
12200	James River Channel Lighted Buoy 57	37-13-13.321N 076-48-27.101W	Q G	5		Green.
12203	James River Channel Lighted Buoy 58	37-13-15.623N 076-48-49.765W	FI R 2.5s	5		Red.
12203	James River Channel Lighted Buoy 58	37-13-15.623N 076-48-49.765W	FI R 2.5s	5		Red.
12205	James River Channel Lighted Buoy 59	37-13-03.499N 076-50-30.196W	FI G 4s	5		Green.
12205	James River Channel Lighted Buoy 59	37-13-03.499N 076-50-30.196W	FI G 4s	5		Green.
12210	James River Channel Lighted Buoy 60	37-13-07.198N 076-50-29.620W	FI R 4s	5		Red.
12210	James River Channel Lighted Buoy 60	37-13-07.198N 076-50-29.620W	FI R 4s	5		Red.
12215	James River Channel Lighted Buoy 61	37-12-54.279N 076-52-19.886W	FI G 2.5s	5		Green.
12215	James River Channel Lighted Buoy 61	37-12-54.279N 076-52-19.886W	FI G 2.5s	5		Green.
12220	James River Channel Lighted Buoy 62	37-12-58.196N 076-52-18.561W	FI R 2.5s	5		Red.
12220	James River Channel Lighted Buoy 62	37-12-58.196N 076-52-18.561W	FI R 2.5s	5		Red.
12225	James River Channel Lighted Buoy 63	37-12-45.581N 076-54-11.170W	Q G	5		Green.

12225	James River Channel Lighted Buoy 63	37-12-45.581N 076-54-11.170W	Q G	5	Green.	
12230	James River Channel Lighted Buoy 64	37-12-51.563N 076-54-14.684W	Q R	5	Red.	Replaced by nun when endangered by ice.
12230	James River Channel Lighted Buoy 64	37-12-51.563N 076-54-14.684W	Q R	5	Red.	Replaced by nun when endangered by ice.
12235	Dancing Point Shoal Channel Range Front Light	37-12-46.051N 076-54-28.625W	Fl W 2.5s	10	On skeleton tower on platform.	Lighted throughout 24 hours. Visible all around higher intensity 1.5° either side of rangeline.
12235	Dancing Point Shoal Channel Range Front Light	37-12-46.051N 076-54-28.625W	Fl W 2.5s	10	On skeleton tower on platform.	Lighted throughout 24 hours. Visible all around higher intensity 1.5° either side of rangeline.
12240	Dancing Point Shoal Channel Range Rear Light	37-12-43.281N 076-55-03.076W	Iso W 6s	50	On skeleton tower on top of platform.	Lighted throughout 24 hours. Visible 0.5° either side of rangeline.
12245	James River Channel Lighted Buoy 65	37-13-10.108N 076-55-06.420W	Fl G 2.5s	5	Green.	
12245	James River Channel Lighted Buoy 65	37-13-10.108N 076-55-06.420W	Fl G 2.5s	5	Green.	
12250	James River Channel Lighted Buoy 66	37-13-22.788N 076-55-25.075W	Fl R 2.5s	5	Red.	
12250	James River Channel Lighted Buoy 66	37-13-22.788N 076-55-25.075W	Fl R 2.5s	5	Red.	
12275	James River Channel Wreck Lighted Buoy WR67	37-14-50.350N 076-58-44.810W	Q G	5	Green.	
12275	James River Channel Wreck Lighted Buoy WR67	37-14-50.350N 076-58-44.810W	Q G	5	Green.	
12280	James River Channel Lighted Buoy 68	37-14-55.663N 076-58-36.795W	Q R	5	Red.	
12280	James River Channel Lighted Buoy 68	37-14-55.663N 076-58-36.795W	Q R	5	Red.	
12285	James River Channel Light 73	37-16-16.974N 076-59-32.833W	Fl G 4s	0	5	SG on pile.
12285	James River Channel Light 73	37-16-16.974N 076-59-32.833W	Fl G 4s	0	5	SG on pile.
12290	James River Channel Buoy 74	37-16-27.862N 076-59-20.996W				Red nun.
12290	James River Channel Buoy 74	37-16-27.862N 076-59-20.996W				Red nun.
12295	James River Channel Light 74A	37-17-56.927N 076-59-24.573W	Fl R 4s	0	5	TR on pile.
12295	James River Channel Light 74A	37-17-56.927N 076-59-24.573W	Fl R 4s	0	5	TR on pile.
12300	James River Channel Light 74B	37-18-27.509N 077-00-33.026W	Fl R 4s	5	TR on pile.	
12300	James River Channel Light 74B	37-18-27.509N 077-00-33.026W	Fl R 4s	5	TR on pile.	
12305	James River Channel Light 74C	37-18-16.655N 077-01-27.696W	Fl R 6s	0	5	TR on multi-pile structure.
12305	James River Channel Light 74C	37-18-16.655N 077-01-27.696W	Fl R 6s	0	5	TR on multi-pile structure.
12310	James River Channel Buoy 75	37-16-31.263N 077-02-57.104W				Green can.
12310	James River Channel Buoy 75	37-16-31.263N 077-02-57.104W				Green can.
12315	James River Channel Lighted Buoy 75A	37-16-18.963N 077-03-12.905W	Fl G 4s	5	Green.	Replaced by can when endangered by ice.
12315	James River Channel Lighted Buoy 75A	37-16-18.963N 077-03-12.905W	Fl G 4s	5	Green.	Replaced by can when endangered by ice.
12320	James River Channel Lighted Buoy 76	37-16-23.163N 077-03-15.905W	Fl R 2.5s	5	Red.	
12320	James River Channel Lighted Buoy 76	37-16-23.163N 077-03-15.905W	Fl R 2.5s	5	Red.	
12325	James River Channel Light 76A	37-16-18.712N 077-04-24.050W	Fl R 4s	0	5	TR on multi-pile structure.
12325	James River Channel Light 76A	37-16-18.712N 077-04-24.050W	Fl R 4s	0	5	TR on multi-pile structure.
12330	James River Channel Buoy 77	37-16-10.663N 077-03-32.806W				Green can.
12330	James River Channel Buoy 77	37-16-10.663N 077-03-32.806W				Green can.
12335	James River Channel Light 77A	37-16-12.669N 077-04-35.025W	Fl G 4s	0	5	SG on pile.

12335	James River Channel Light 77A	37-16-12.669N 077-04-35.025W	Fl G 4s	0	5	SG on pile.	
12340	James River Channel Light 77B	37-16-35.473N 077-05-02.519W	Fl G 4s	0	5	SG on pile.	
12340	James River Channel Light 77B	37-16-35.473N 077-05-02.519W	Fl G 4s	0	5	SG on pile.	
12345	James River Channel Light 79	37-17-36.610N 077-05-02.435W	Fl G 2.5s	0	5	SG on multi-pile structure.	
12345	James River Channel Light 79	37-17-36.610N 077-05-02.435W	Fl G 2.5s	0	5	SG on multi-pile structure.	
12350	James River Channel Lighted Buoy 81	37-18-18.286N 077-04-56.794W	Fl G 4s		5	Green.	Replaced by can when endangered by ice.
12350	James River Channel Lighted Buoy 81	37-18-18.286N 077-04-56.794W	Fl G 4s		5	Green.	Replaced by can when endangered by ice.
12355	James River Channel Lighted Buoy 82	37-18-17.471N 077-04-49.869W	Fl R 4s		5	Red.	
12355	James River Channel Lighted Buoy 82	37-18-17.471N 077-04-49.869W	Fl R 4s		5	Red.	
12360	James River Channel Lighted Buoy 83	37-18-35.762N 077-05-15.209W	Fl G 4s		5	Green.	Replaced by can when endangered by ice.
12360	James River Channel Lighted Buoy 83	37-18-35.762N 077-05-15.209W	Fl G 4s		5	Green.	Replaced by can when endangered by ice.
12365	James River Channel Buoy 84	37-18-40.562N 077-05-10.310W				Red nun.	
12365	James River Channel Buoy 84	37-18-40.562N 077-05-10.310W				Red nun.	
12370	James River Channel Lighted Buoy 85	37-18-42.062N 077-05-37.210W	Fl G 2.5s		5	Green.	
12370	James River Channel Lighted Buoy 85	37-18-42.062N 077-05-37.210W	Fl G 2.5s		5	Green.	
12375	James River Channel Lighted Buoy 86	37-18-50.932N 077-05-47.623W	Fl R 4s		5	Red.	Replaced by nun when endangered by ice.
12375	James River Channel Lighted Buoy 86	37-18-50.932N 077-05-47.623W	Fl R 4s		5	Red.	Replaced by nun when endangered by ice.
12380	James River Channel Lighted Buoy 87	37-18-40.062N 077-06-03.811W	Fl G 4s		5	Green.	
12380	James River Channel Lighted Buoy 87	37-18-40.062N 077-06-03.811W	Fl G 4s		5	Green.	
12385	James River Channel Lighted Buoy 89	37-18-32.951N 077-06-22.428W	Fl G 2.5s		5	Green.	Replaced by can when endangered by ice.
12385	James River Channel Lighted Buoy 89	37-18-32.951N 077-06-22.428W	Fl G 2.5s		5	Green.	Replaced by can when endangered by ice.
12387	James River Channel Lighted Buoy 89A	37-18-07.723N 077-07-05.955W	Q G		5	Green.	Replaced by can when endangered by ice.
12390	Virginia Power South Tower Obstruction Lights (2)	37-18-34.030N 077-05-43.422W	F Y			On skeleton tower.	
12390	Virginia Power South Tower Obstruction Lights (2)	37-18-34.030N 077-05-43.422W	F Y			On skeleton tower.	
12395	Virginia Power North Tower Obstruction Lights (2)	37-19-02.366N 077-05-41.733W	F Y			On skeleton tower.	
12395	Virginia Power North Tower Obstruction Lights (2)	37-19-02.366N 077-05-41.733W	F Y			On skeleton tower.	
12400	James River Channel Lighted Buoy 90	37-18-08.423N 077-07-17.976W	Fl R 2.5s		5	Red.	Replaced by nun when endangered by ice.
12400	James River Channel Lighted Buoy 90	37-18-08.423N 077-07-17.976W	Fl R 2.5s		5	Red.	Replaced by nun when endangered by ice.
12405	James River Channel Lighted Buoy 91	37-17-57.966N 077-07-37.770W	Fl G 4s		5	Green.	
12405	James River Channel Lighted Buoy 91	37-17-57.966N 077-07-37.770W	Fl G 4s		5	Green.	
12410	James River Channel Lighted Buoy 92	37-18-06.862N 077-07-49.815W	Q R		5	Red.	
12410	James River Channel Lighted Buoy 92	37-18-06.862N 077-07-49.815W	Q R		5	Red.	
12425	James River Channel Lighted Buoy 93	37-18-12.574N 077-09-20.164W	Fl G 4s		5	Green.	
12425	James River Channel Lighted Buoy 93	37-18-12.574N 077-09-20.164W	Fl G 4s		5	Green.	
12430	James River Channel Lighted Buoy 94	37-18-16.655N 077-09-22.988W	Fl R 4s		5	Red.	

12430	James River Channel Lighted Buoy 94	37-18-16.655N 077-09-22.988W	FI R 4s	5	Red.	
12435	James River Channel Lighted Buoy 97	37-18-24.962N 077-10-50.722W	FI G 4s	5	Green.	
12435	James River Channel Lighted Buoy 97	37-18-24.962N 077-10-50.722W	FI G 4s	5	Green.	
12440	James River Channel Light 98	37-18-30.917N 077-10-46.837W	FI R 4s	0	5	TR on multi-pile structure.
12440	James River Channel Light 98	37-18-30.917N 077-10-46.837W	FI R 4s	0	5	TR on multi-pile structure.
12445	James River Channel Buoy 99	37-18-37.462N 077-11-26.223W				Green can.
12445	James River Channel Buoy 99	37-18-37.462N 077-11-26.223W				Green can.
12450	James River Channel Lighted Buoy 100	37-18-39.962N 077-11-21.823W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.
12450	James River Channel Lighted Buoy 100	37-18-39.962N 077-11-21.823W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.
12453	James River Channel Buoy 101	37-18-56.719N 077-12-00.409W				Green can.
12453	James River Channel Buoy 101	37-18-56.719N 077-12-00.409W				Green can.
12455	James River Channel Lighted Buoy 102	37-19-03.362N 077-12-01.325W	FI R 4s	5	Red.	
12455	James River Channel Lighted Buoy 102	37-19-03.362N 077-12-01.325W	FI R 4s	5	Red.	
12460	James River Channel Buoy 103	37-19-04.762N 077-12-33.826W				Green can.
12460	James River Channel Buoy 103	37-19-04.762N 077-12-33.826W				Green can.
12465	James River Channel Lighted Buoy 104	37-19-10.462N 077-12-34.626W	FI R 4s	5	Red.	
12465	James River Channel Lighted Buoy 104	37-19-10.462N 077-12-34.626W	FI R 4s	5	Red.	
12475	James River Channel Lighted Buoy 106	37-19-08.062N 077-13-08.227W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.
12475	James River Channel Lighted Buoy 106	37-19-08.062N 077-13-08.227W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.
12480	James River Channel Light 107	37-18-44.268N 077-13-56.404W	FI G 6s	0	5	SG on multi-pile structure.
12480	James River Channel Light 107	37-18-44.268N 077-13-56.404W	FI G 6s	0	5	SG on multi-pile structure.
12485	James River Channel Light 108	37-18-32.270N 077-14-33.717W	FI R 4s	0	5	TR on multi-pile structure.
12490	James River Channel Light 109	37-18-23.635N 077-14-36.406W	FI G 4s	0	5	SG on multi-pile structure.
12495	James River Channel Light 110	37-18-22.919N 077-15-02.252W	FI R 4s	0	5	TR on multi-pile structure.
12500	James River Channel Lighted Buoy 111	37-18-18.663N 077-15-15.732W	FI G 4s	5	Green.	
12505	Stone Container Corp. Dock Light A	37-18-18.000N 077-15-36.000W	FI Y 4s			On pier.
12510	Stone Container Corp. Dock Light B	37-18-20.534N 077-15-33.916W	FI Y 4s			On pier.
12515	James River Channel Light 112	37-18-26.098N 077-15-31.150W	FI R 4s	0	5	TR on multi-pile structure.
12520	James River Channel Light 118	37-19-02.656N 077-16-16.783W	FI R 4s	0	5	TR on multi-pile structure.
12525	James River Channel Buoy 119	37-19-13.674N 077-16-38.539W				Green can.
12530	James River Channel Wreck Light WR120	37-19-21.529N 077-16-36.476W	Q R	0	4	TR on pile.
12535	Appomattox River Junction Light AR	37-19-19.471N 077-16-43.385W	FI (2+1)G 6s	0	5	JG on pile.
12540	Appomattox River Channel Buoy 1	37-19-12.114N 077-16-52.937W				Green can.
12545	Appomattox River Channel Daybeacon 2	37-19-14.003N 077-16-56.123W				TR on pile.
12550	Appomattox River Channel Daybeacon 4	37-18-58.163N 077-17-10.973W		0		TR on pile.

12555	Appomattox River Channel Light 5	37-18-52.967N 077-17-10.913W	FI G 4s	0	4	SG on multi-pile structure.
12560	Appomattox River Channel Daybeacon 6	37-18-50.363N 077-17-19.673W		0		TR on pile.
12565	Appomattox River Channel Light 8	37-18-45.683N 077-17-29.129W	FI R 4s	0	4	TR on pile.
12570	Sunken Island Junction Daybeacon SI	37-18-56.510N 077-20-19.428W		8		JR on pile.
12575	Appomattox River Channel Daybeacon 9	37-18-45.641N 077-20-56.567W		0		SG on pile.
12580	Appomattox River Channel Daybeacon 10	37-18-40.727N 077-21-08.905W		0		TR on pile.
12585	Appomattox River Buoy 14	37-17-56.100N 077-21-08.949W				Red nun.
12590	Appomattox River Channel Daybeacon 16	37-17-25.409N 077-21-19.835W		0		TR on pile.
12595	Appomattox River Channel Daybeacon 17	37-17-13.426N 077-21-21.154W		0		SG on pile.
12600	James River Channel Light 121	37-19-33.543N 077-16-41.743W	FI G 4s	0	5	SG on multi-pile structure.
12605	James River Channel Light 122	37-19-33.219N 077-16-34.289W	Q R		5	TR on multi-pile structure.
12610	James River Channel Light 124	37-20-02.080N 077-16-20.897W	FI R 4s	0	5	TR on multi-pile structure.
12615	James River Channel Light 125	37-20-10.727N 077-16-23.897W	FI G 4s		5	SG on multi-pile structure.
12620	James River Channel Lighted Buoy 126	37-20-32.098N 077-15-59.190W	FI R 4s		5	Red.
12625	James River Channel Light 127	37-20-26.027N 077-16-13.745W	FI G 2.5s	0	5	SG on pile.
12630	James River Channel Lighted Buoy 128	37-20-41.372N 077-15-58.077W	Q R		5	Red.
12635	James River Channel Light 132	37-21-11.744N 077-16-30.153W	FI R 4s	13	5	TR on pile.
12640	James River Channel Light 133	37-21-08.868N 077-16-40.168W	FI G 4s	0	5	SG on pile.
12645	James River Bermuda 100 Light A	37-21-07.844N 077-16-57.164W	F Y			On dolphin.
12650	James River Channel Light 135	37-21-09.464N 077-17-19.510W	FI G 2.5s	0	4	SG on pile.
12655	James River Channel Light 137	37-21-28.064N 077-18-10.674W	FI G 4s	0	5	SG on multi-pile structure.
12660	James River Channel Lighted Buoy 138	37-21-48.201N 077-18-24.859W	FI R 4s		5	Red.
12665	James River Channel Light 139	37-21-54.122N 077-18-35.424W	FI G 6s	0	5	SG on pile.
12670	James River Channel Lighted Buoy 140	37-22-06.278N 077-18-31.843W	FI R 4s		5	Red.
12675	James River Channel Light 143	37-22-23.313N 077-18-40.543W	FI G 4s	0	5	SG on pile.
12680	James River Channel Light 144	37-22-26.726N 077-18-36.933W	FI R 4s		5	TR on pile.
12685	James River Channel Light 146	37-22-47.179N 077-19-10.802W	FI R 4s	0	5	TR on multi-pile structure.
12690	James River Channel Light 147	37-22-43.862N 077-19-18.130W	FI G 4s	0	5	SG on pile.
12695	James River Channel Light 150	37-22-48.562N 077-20-52.945W	FI R 4s	0	4	TR on pile.
12705	James River Channel Light 151	37-22-35.856N 077-21-34.250W	Q G	0	4	SG on pile.
12710	James River Channel Light 152	37-22-42.509N 077-21-42.009W	FI R 4s	0	5	TR on pile.
12715	James River Channel Light 152A	37-22-58.280N 077-22-31.248W	FI R 2.5s	1	4	TR on multi-pile structure.
12720	James River Channel Light 154	37-23-04.741N 077-22-52.794W	FI R 4s	0	4	TR on multi-pile structure.
12720	James River Channel Light 154	37-23-04.741N 077-22-52.794W	FI R 4s	0	4	TR on multi-pile structure.
12735	James River Channel Light 155	37-23-09.469N 077-23-06.864W	Q G	0	4	SG on pile.

12735	James River Channel Light 155	37-23-09.469N 077-23-06.864W	Q G	0	4	SG on pile.
12740	James River Channel Light 155A	37-23-38.537N 077-23-02.188W	FI G 2.5s		4	SG on pile.
12740	James River Channel Light 155A	37-23-38.537N 077-23-02.188W	FI G 2.5s		4	SG on pile.
12745	James River Channel Light 156	37-23-51.002N 077-22-55.776W	Q R	0	5	TR on pile.
12745	James River Channel Light 156	37-23-51.002N 077-22-55.776W	Q R	0	5	TR on pile.
12750	James River Channel Light 157	37-24-10.826N 077-23-35.364W	FI G 4s	0	4	SG on pile.
12750	James River Channel Light 157	37-24-10.826N 077-23-35.364W	FI G 4s	0	4	SG on pile.
12755	James River Channel Light 158	37-25-08.357N 077-23-44.669W	FI R 4s		4	TR on pile.
12755	James River Channel Light 158	37-25-08.357N 077-23-44.669W	FI R 4s		4	TR on pile.
12760	James River Channel Light 160	37-25-30.832N 077-24-08.891W	Q R		4	TR on pile.
12760	James River Channel Light 160	37-25-30.832N 077-24-08.891W	Q R		4	TR on pile.
12765	James River Channel Light 161	37-25-18.463N 077-24-46.553W	FI G 4s	0	4	SG on pile.
12765	James River Channel Light 161	37-25-18.463N 077-24-46.553W	FI G 4s	0	4	SG on pile.
12770	James River Channel Lighted Buoy 162	37-25-20.496N 077-25-02.959W	FI R 2.5s		4	Red.
12770	James River Channel Lighted Buoy 162	37-25-20.496N 077-25-02.959W	FI R 2.5s		4	Red.
12780	James River Channel Light 163	37-25-55.368N 077-25-43.316W	FI G 4s	0	4	SG on pile.
12780	James River Channel Light 163	37-25-55.368N 077-25-43.316W	FI G 4s	0	4	SG on pile.
12785	James River Channel Light 165	37-26-09.874N 077-25-40.265W	FI G 4s	0	4	SG on pile.
12785	James River Channel Light 165	37-26-09.874N 077-25-40.265W	FI G 4s	0	4	SG on pile.
12790	James River Channel Light 166	37-26-59.821N 077-25-05.983W	FI R 4s	0	4	TR on pile.
12790	James River Channel Light 166	37-26-59.821N 077-25-05.983W	FI R 4s	0	4	TR on pile.
12795	James River Channel Light 168	37-29-27.540N 077-25-18.391W	FI R 4s	0	4	TR on pile.
12795	James River Channel Light 168	37-29-27.540N 077-25-18.391W	FI R 4s	0	4	TR on pile.
12800	James River Channel Buoy 169	37-29-34.833N 077-25-23.057W				Green can.
12800	James River Channel Buoy 169	37-29-34.833N 077-25-23.057W				Green can.
12805	James River Channel Buoy 171	37-29-39.049N 077-25-25.133W				Green can.
12805	James River Channel Buoy 171	37-29-39.049N 077-25-25.133W				Green can.
12810	James River Channel Buoy 172	37-29-46.173N 077-25-24.030W				Red nun.
12810	James River Channel Buoy 172	37-29-46.173N 077-25-24.030W				Red nun.
12815	James River Channel Light 173	37-29-55.349N 077-25-25.109W	FI G 4s	0	4	SG on multi-pile structure.
12815	James River Channel Light 173	37-29-55.349N 077-25-25.109W	FI G 4s	0	4	SG on multi-pile structure.
12820	Horseshoe Crossing HC V-AIS	37-01-19.753N 076-08-56.585W				Virtual AIS AIS: MMSI 993672437
12820	Horseshoe Crossing HC V-AIS	37-01-19.753N 076-08-56.585W				Virtual AIS AIS: MMSI 993672437
12825	Scripps Lighted Data Buoy CDIP 240 NDBC 44087	37-01-32.200N 076-08-57.500W	FI (5)Y 20s			Yellow. Aid maintained by Scripps Institution of Oceanography.
12830	Horseshoe West Channel Daybeacon 2	37-01-58.754N 076-15-44.976W		0		TR on pile.

12830	Horseshoe West Channel Daybeacon 2	37-01-58.754N 076-15-44.976W		0		TR on pile.
12835	Horseshoe West Channel Light 3	37-03-14.229N 076-15-39.015W	FI G 2.5s	0	4	SG on pile.
12835	Horseshoe West Channel Light 3	37-03-14.229N 076-15-39.015W	FI G 2.5s	0	4	SG on pile.
12845	Salt Ponds Daybeacon 1	37-03-36.660N 076-16-08.100W				SG on pile.
12845	Salt Ponds Daybeacon 1	37-03-36.660N 076-16-08.100W				SG on pile.
12850	Salt Ponds Daybeacon 2	37-03-38.880N 076-16-09.120W				TR on pile.
12850	Salt Ponds Daybeacon 2	37-03-38.880N 076-16-09.120W				TR on pile.
12855	Salt Ponds Daybeacon 3	37-03-43.860N 076-16-43.800W				SG on pile.
12855	Salt Ponds Daybeacon 3	37-03-43.860N 076-16-43.800W				SG on pile.
12860	Salt Ponds Daybeacon 4	37-03-43.320N 076-16-33.600W				TR on pile.
12860	Salt Ponds Daybeacon 4	37-03-43.320N 076-16-33.600W				TR on pile.
12865	Salt Ponds Daybeacon 5	37-03-45.600N 076-16-51.000W				SG on multi-pile structure.
12865	Salt Ponds Daybeacon 5	37-03-45.600N 076-16-51.000W				SG on multi-pile structure.
12870	Salt Ponds Light 6	37-03-45.540N 076-16-47.160W	FI R 2.5s			TR on multi-pile structure.
12870	Salt Ponds Light 6	37-03-45.540N 076-16-47.160W	FI R 2.5s			TR on multi-pile structure.
12873	Salt Ponds Daybeacon 6A	37-03-47.580N 076-16-53.700W				TR on pile.
12873	Salt Ponds Daybeacon 6A	37-03-47.580N 076-16-53.700W				TR on pile.
12875	Salt Ponds Daybeacon 7	37-03-46.200N 076-16-54.000W				SG on pile.
12880	Salt Ponds Daybeacon 8	37-03-48.120N 076-16-58.860W				TR on pile.
12880	Salt Ponds Daybeacon 8	37-03-48.120N 076-16-58.860W				TR on pile.
12885	Salt Ponds Daybeacon 9	37-03-47.400N 076-16-58.800W				SG on pile.
12885	Salt Ponds Daybeacon 9	37-03-47.400N 076-16-58.800W				SG on pile.
12887	Salt Ponds Daybeacon 10	37-03-46.380N 076-17-01.080W				TR on pile.
12887	Salt Ponds Daybeacon 10	37-03-46.380N 076-17-01.080W				TR on pile.
12895	Salt Ponds Daybeacon 12	37-03-42.000N 076-17-02.640W				TR on pile.
12895	Salt Ponds Daybeacon 12	37-03-42.000N 076-17-02.640W				TR on pile.
12900	Salt Ponds Daybeacon 14	37-03-35.222N 076-17-04.080W				TR on pile.
12900	Salt Ponds Daybeacon 14	37-03-35.222N 076-17-04.080W				TR on pile.
12905	Salt Ponds Daybeacon 16	37-03-20.460N 076-17-15.420W				TR on pile.
12905	Salt Ponds Daybeacon 16	37-03-20.460N 076-17-15.420W				TR on pile.
12910	Back River Entrance Light 1BR	37-05-37.029N 076-15-03.976W	FI G 4s	0	4	SG on pile.
12915	Back River Channel Daybeacon 2	37-05-49.471N 076-15-21.678W		0		TR on pile.
12920	Back River Channel Light 4	37-06-06.053N 076-15-44.517W	FI R 4s	0	4	TR on pile.
12925	Back River Channel Light 5	37-06-21.527N 076-16-16.641W	FI G 4s	0	4	SG on pile.
12930	Back River Channel Daybeacon 6	37-06-30.803N 076-16-34.503W		0		TR on pile.

12933	Back River Channel Buoy 6A	37-06-32.057N 076-16-41.921W				Red nun.
12935	Back River Channel Light 7	37-06-27.702N 076-16-34.973W	Fl G 4s	0	4	SG on pile.
12940	Back River Channel Light 8	37-06-42.051N 076-17-24.285W	Fl R 4s	0	4	TR on multi-pile structure.
12945	Back River Channel Light 9	37-06-36.365N 076-17-23.101W	Fl G 4s	0	4	SG on pile.
12946	Back River Channel Daybeacon 9A	37-06-35.537N 076-17-34.230W		0		SG on pile.
12947	Back River Channel Daybeacon 9B	37-06-32.865N 076-17-41.268W		0		SG on pile.
12949	Back River South Channel Daybeacon 1	37-06-30.600N 076-17-45.660W				SG on pile
12950	Back River South Channel Daybeacon 2	37-06-26.680N 076-17-39.250W				TR on pile.
12952	Back River South Channel Daybeacon 3	37-06-27.600N 076-17-38.100W				SG on pile.
12954	Back River South Channel Daybeacon 4	37-06-23.190N 076-17-37.690W				TR on pile.
12955	Back River South Channel Daybeacon 5	37-06-23.270N 076-17-36.150W				SG on pile.
12956	Back River South Channel Daybeacon 6	37-06-16.290N 076-17-39.690W				TR on pile.
12957	Back River South Channel Junction Daybeacon B	37-06-15.520N 076-17-38.440W				JG on pile.
12958	Back River South Channel Daybeacon 8	37-06-12.920N 076-17-41.440W				TR on pile.
12960	Back River South Channel Daybeacon 9	37-06-07.820N 076-17-46.380W				SG on pile.
12962	Back River South Channel Junction Daybeacon WC	37-06-04.900N 076-17-52.310W				JG on pile.
12963	Back River South Channel Daybeacon 10	37-06-02.940N 076-18-00.940W				TR on pile.
12964	Dandy Haven Marina Entrance Daybeacon 1	37-05-59.700N 076-18-04.000W				SG on pile.
12965	Dandy Haven Marina Entrance Daybeacon 2	37-05-59.700N 076-18-04.500W				TR on pile.
12970	Dandy Haven Marina Entrance Daybeacon 3	37-05-57.500N 076-18-03.600W				SG on pile.
12975	Dandy Haven Marina Entrance Daybeacon 4	37-05-57.400N 076-18-04.100W				TR on pile.
12980	Dandy Haven Marina Entrance Daybeacon 5	37-05-56.700N 076-18-03.000W				SG on pile.
12985	Dandy Haven Marina Entrance Daybeacon 6	37-05-54.900N 076-18-03.600W				TR on pile.
12990	Dandy Haven Marina Entrance Daybeacon 7	37-05-51.200N 076-18-02.400W				SG on pile.
12995	Dandy Haven Marina Entrance Daybeacon 8	37-05-51.100N 076-18-02.800W				TR on pile.
13000	Dandy Haven Marina Entrance Daybeacon 9	37-05-49.900N 076-18-01.200W				SG on pile.
13005	Dandy Haven Marina Entrance Daybeacon 10	37-05-49.600N 076-18-01.600W				TR on pile.
13010	Dandy Haven Marina Entrance Daybeacon 11	37-05-48.400N 076-17-59.800W				SG on pile.
13015.6	Dandy Haven Marina Entrance Daybeacon 14	37-05-45.600N 076-17-58.100W				TR on pile.
13015.5	Dandy Haven Marina Entrance Daybeacon 13	37-05-45.700N 076-17-57.400W				SG on pile.
13015	Dandy Haven Marina Entrance Daybeacon 12	37-05-48.100N 076-18-00.300W				TR on pile.
13020	Back River Channel Daybeacon 10	37-06-30.978N 076-17-50.541W		0		TR on pile.
13025	Back River Channel Daybeacon 12	37-06-20.120N 076-18-21.041W		0		TR on pile.
13030	Back River Channel Light 13	37-06-17.960N 076-18-25.233W	Fl G 4s	0	4	SG on multi-pile structure.
13035	Back River Channel Daybeacon 14	37-06-18.907N 076-18-29.262W		0		TR on pile.

13040	Back River Channel Daybeacon 16	37-06-15.364N 076-19-04.078W		0		TR on pile.
13045	Harris River Approach Daybeacon 2	37-06-06.519N 076-19-03.000W				TR on pile.
13050	Harris River Approach Daybeacon 3	37-06-05.000N 076-18-57.000W				SG on pile.
13055	Harris River Approach Daybeacon 4	37-05-55.000N 076-18-56.000W				TR on pile.
13060	Harris River Approach Daybeacon 5	37-05-50.000N 076-18-46.000W				SG on pile.
13065	Harris River Approach Daybeacon 6	37-05-42.000N 076-18-42.000W				TR on pile.
13070	Harris River Approach Daybeacon 8	37-05-36.000N 076-18-41.000W				TR on pile.
13075	Back River Channel Light 17	37-06-10.046N 076-19-03.138W	FI G 2.5s	0	4	SG on multi-pile structure.
13080	Back River Channel Light 18	37-06-13.996N 076-19-43.337W	Q R	0	4	TR on pile.
13083	University of Delaware Lighted Research Buoy A	37-06-03.600N 076-19-53.020W	FI Y 2.5s			Yellow buoy.
13083	University of Delaware Lighted Research Buoy A	37-06-03.600N 076-19-53.020W	FI Y 2.5s			Yellow buoy.
13085	Back River Channel Daybeacon 20	37-05-59.182N 076-19-50.763W		0		TR on pile.
13090	Back River Channel Light 21	37-05-47.839N 076-19-51.566W	FI G 4s	0	4	SG on pile.
13095	Back River Channel Light 22	37-05-24.228N 076-20-03.975W	FI R 4s	0	4	TR on pile.
13100	Back River Channel Light 25	37-05-08.617N 076-20-09.741W	FI G 2.5s	0	4	SG on pile.
13105	Back River Channel Light 27	37-04-36.426N 076-20-23.834W	FI G 4s	0	4	SG on pile.
13120	Back River Northwest Branch Light 1	37-05-55.002N 076-20-10.731W	FI G 2.5s	0	4	SG on pile.
13125	Back River Northwest Branch Light 3	37-05-42.033N 076-20-31.966W	FI G 4s	0	4	SG on pile.
13130	Back River Northwest Branch Daybeacon 4	37-05-44.665N 076-20-38.442W		0		TR on pile.
13135	Back River Northwest Branch Daybeacon 5	37-05-46.308N 076-20-54.433W		0		SG on pile.
13140	Back River Northwest Branch Daybeacon 6	37-06-02.324N 076-20-56.596W		0		TR on pile.
13145	Poquoson Flats Channel Daybeacon 2PF	37-06-18.283N 076-14-43.325W		0		TR on pile.
13150	Poquoson Flats Channel Daybeacon 3	37-07-21.929N 076-15-28.315W		0		SG on pile.
13155	Poquoson Flats Channel Daybeacon 4	37-08-57.518N 076-15-49.677W		0		TR on pile.
13160	Poquoson Flats Channel Daybeacon 5	37-10-26.417N 076-16-41.685W		0		SG on pile.
13165	Poquoson River Junction Lighted Buoy P	37-13-30.737N 076-19-29.809W	FI (2+1)G 6s		5	Green and red.
13170	Poquoson River Entrance Buoy 4	37-12-38.540N 076-20-22.812W				Red nun.
13172	Poquoson River Entrance Daybeacon 5	37-11-41.003N 076-21-11.262W		0		SG on pile.
13175	Poquoson River Entrance Light 6	37-11-43.936N 076-21-22.367W	FI R 4s	0	4	TR on pile.
13180	Poquoson River Entrance Daybeacon 8	37-10-54.575N 076-22-10.854W		0		TR on pile.
13185	Poquoson River Entrance Light 10	37-10-02.269N 076-23-05.364W	FI R 2.5s	0	4	TR on pile.
13190	Poquoson River Entrance Light 11	37-09-53.171N 076-23-00.908W	FI G 4s	0	4	SG on pile.
13195	Poquoson River Daybeacon 13	37-09-54.487N 076-23-22.824W		0		SG on pile.
13203	Poquoson River Light 14	37-10-06.302N 076-23-36.286W	FI R 4s	0	4	TR on pile.
13205	Chisman Creek Daybeacon 2	37-10-33.028N 076-24-14.522W		0		TR on pile.

13210	Chisman Creek Daybeacon 4	37-10-49.574N 076-24-28.631W		0		TR on pile.	
13213	Chisman Creek Buoy 5	37-11-02.017N 076-25-11.350W				Green can.	
13215	Chisman Creek Warning Daybeacon	37-11-00.546N 076-25-10.825W		0		NW on pile worded DANGER SHOAL.	
13220	Goose Creek Junction Light GC	37-11-05.422N 076-25-25.041W	FI (2+1)R 6s	0	4	JR on pile.	
13225	Chisman Creek Daybeacon 6	37-10-51.041N 076-26-03.205W		0		TR on pile.	
13230	Goose Creek Daybeacon 2	37-11-19.059N 076-25-34.183W		0		TR on pile.	
13235	Poquoson River Light 15	37-10-06.496N 076-24-06.249W	FI G 2.5s	0	4	SG on pile.	
13240	Poquoson River Daybeacon 16	37-09-17.364N 076-24-55.506W		0		TR on pile.	
13245	Poquoson River Daybeacon 17	37-09-10.409N 076-25-18.493W		0		SG on pile.	
13247	Poquoson River Daybeacon 18	37-08-56.000N 076-25-28.100W				TR on pile.	
13247.1	Poquoson River Daybeacon 19	37-08-27.800N 076-25-39.900W				SG on pile.	
13257	Poquoson River Daybeacon 20	37-08-14.100N 076-25-43.800W				TR on pile.	
13257.1	Poquoson River Daybeacon 22	37-08-07.200N 076-25-51.700W				TR on pile.	
13260	Bennett Creek - Poquoson River Daybeacon 1BC	37-09-44.552N 076-22-56.807W		0		SG on pile.	
13265	Bennett Creek - Poquoson River Light 2	37-09-32.730N 076-22-36.854W	FI R 4s	0	4	TR on pile.	
13270	Bennett Creek - Poquoson River Light 4	37-09-25.729N 076-22-29.397W	FI R 2.5s	0	4	TR on pile.	
13275	Bennett Creek - Poquoson River Light 6	37-09-15.457N 076-22-26.040W	FI R 4s	0	4	TR on pile.	
13280	Bennett Creek - Poquoson River Light 8	37-09-02.198N 076-22-22.986W	FI R 2.5s	0	4	TR on pile.	
13285	Bennett Creek - Poquoson River Light 10	37-08-47.835N 076-22-19.870W	FI R 4s	0	4	TR on pile.	
13290	White House Cove Daybeacon 1	37-08-45.353N 076-22-25.468W		0		SG on pile.	
13295	White House Cove Buoy 1A	37-08-38.817N 076-22-31.405W				Green can.	Maintained from Mar. 15 to Dec. 1.
13300	White House Cove Daybeacon 2	37-08-37.454N 076-22-33.098W		0		TR on pile.	
13310	Back Creek Light 2BC	37-12-20.758N 076-22-56.123W	FI R 2.5s	0	4	TR on pile.	
13315	Back Creek Light 3	37-12-32.089N 076-23-26.989W	FI G 2.5s	0	4	SG on pile.	
13320	Back Creek Daybeacon 4	37-12-30.511N 076-23-42.637W		0		TR on pile.	
13325	Back Creek Light 5	37-12-33.079N 076-23-59.125W	FI G 4s	0	4	SG on pile.	
13330	Back Creek Daybeacon 7	37-12-41.355N 076-24-25.930W		0		SG on pile.	
13340	Back Creek Warning Daybeacon B	37-12-56.240N 076-24-48.409W		0		NW on pile worded DANGER.	
13345	Back Creek Warning Daybeacon C	37-13-05.947N 076-25-00.103W		0		NW on pile worded DANGER.	
13350	Back Creek Warning Daybeacon D	37-13-19.180N 076-25-05.620W		0		NW on pile worded DANGER.	
13370	Back Creek Light 9	37-12-36.544N 076-24-46.824W	FI G 2.5s	0	4	SG on pile.	
13372	Back Creek Daybeacon 10	37-12-37.139N 076-24-49.504W		0		TR on pile.	
13375	Back Creek Daybeacon 11	37-12-31.742N 076-24-49.762W		0		SG on pile.	
13380	Back Creek Daybeacon 12	37-12-32.789N 076-24-54.766W		0		TR on pile.	
13383	Back Creek Buoy 13	37-12-28.043N 076-24-55.048W				Green can.	

13385	Back Creek Daybeacon 14	37-12-25.855N 076-25-03.043W		0		TR on pile.
13390	Back Creek Daybeacon 15	37-12-19.417N 076-25-23.593W		0		SG on pile.
13395	York River Entrance Channel Lighted Buoy 1YR	37-07-37.708N 076-09-51.542W	FI G 2.5s	5		Green.
13400	York River Entrance Channel Lighted Buoy 2	37-07-44.647N 076-09-44.867W	FI R 2.5s	5		Red.
13405	York River Entrance Channel Lighted Buoy 3	37-08-35.513N 076-11-19.107W	FI G 4s	5		Green.
13410	York River Entrance Channel Lighted Buoy 4	37-08-42.445N 076-11-11.951W	FI R 4s	5		Red.
13415	York River Entrance Channel Lighted Buoy 5	37-09-30.845N 076-12-42.507W	FI G 2.5s	5		Green.
13420	York River Entrance Channel Lighted Buoy 6	37-09-37.875N 076-12-35.262W	FI R 2.5s	5		Red.
13425	York River Entrance Channel Lighted Buoy 7	37-10-31.425N 076-14-13.794W	FI G 6s	5		Green.
13430	York River Entrance Channel Lighted Buoy 8	37-10-38.388N 076-14-06.601W	FI R 6s	5		Red.
13435	York River Entrance Channel Lighted Buoy 9	37-11-30.142N 076-15-42.059W	FI G 4s	5		Green.
13440	York River Entrance Channel Lighted Buoy 10	37-11-36.392N 076-15-34.493W	FI R 4s	5		Red.
13455	York Spit Light	37-12-35.095N 076-15-14.596W	FI W 6s	0	7	NW on multi-pile structure.
13457	NOAA Lighted Data Buoy YS	37-12-30.000N 076-16-06.000W	FI Y 4s			Yellow.
13460	York River Entrance Channel Lighted Buoy 11	37-12-27.985N 076-17-09.573W	FI G 2.5s	5		Green.
13465	York River Entrance Channel Lighted Buoy 12	37-12-34.280N 076-17-02.463W	FI R 2.5s	5		Red.
13470	York River Entrance Channel Lighted Buoy 13	37-13-25.594N 076-18-36.865W	Q G	5		Green.
13475	York River Entrance Channel Lighted Buoy 14	37-13-32.531N 076-18-29.645W	Q R	5		Red.
13490	York Spit Warning Daybeacon	37-13-56.178N 076-18-43.450W		0		NW on pile worded DANGER SHOAL.
13492	York River Channel Lighted Buoy 16	37-14-09.036N 076-19-28.509W	FI R 2.5s	5		Red.
13494	York River Channel Lighted Buoy 17	37-14-02.538N 076-21-05.814W	FI G 4s	5		Green.
13494	York River Channel Lighted Buoy 17	37-14-02.538N 076-21-05.814W	FI G 4s	5		Green.
13495	York River Channel Lighted Buoy 18	37-14-36.537N 076-20-46.814W	FI R 4s	5		Red.
13495	York River Channel Lighted Buoy 18	37-14-36.537N 076-20-46.814W	FI R 4s	5		Red.
13496	York River East Range Lighted Wreck Buoy WR	37-15-01.980N 076-20-49.902W	Q R	4		Red.
13496	York River East Range Lighted Wreck Buoy WR	37-15-01.980N 076-20-49.902W	Q R	4		Red.
13497	York River East Warning Light B	37-15-04.879N 076-20-32.994W	FI W 4s	4		NW on multi-pile structure worded Danger.
13497	York River East Warning Light B	37-15-04.879N 076-20-32.994W	FI W 4s	4		NW on multi-pile structure worded Danger.
13498	York River Channel Lighted Buoy 19	37-14-19.539N 076-22-25.818W	Q G	5		Green.
13498	York River Channel Lighted Buoy 19	37-14-19.539N 076-22-25.818W	Q G	5		Green.
13500	York River Channel Lighted Buoy 20	37-15-02.239N 076-22-33.819W	Q R	5		Red.
13500	York River Channel Lighted Buoy 20	37-15-02.239N 076-22-33.819W	Q R	5		Red.
13510	Perrin River Junction Lighted Buoy PR	37-14-49.752N 076-23-29.580W	FI (2+1)R 6s	4		Red and green bands.
13510	Perrin River Junction Lighted Buoy PR	37-14-49.752N 076-23-29.580W	FI (2+1)R 6s	4		Red and green bands.
13515	Perrin River Entrance Buoy 2P	37-15-09.490N 076-23-39.721W				Red nun.

13515	Perrin River Entrance Buoy 2P	37-15-09.490N 076-23-39.721W				Red nun.	
13520	Perrin River Entrance Light 4	37-15-33.708N 076-24-31.060W	Fl R 4s	0	4	TR on multi-pile structure.	
13520	Perrin River Entrance Light 4	37-15-33.708N 076-24-31.060W	Fl R 4s	0	4	TR on multi-pile structure.	
13525	Perrin River Entrance Daybeacon 6	37-15-38.039N 076-24-43.528W		0		TR on pile.	
13525	Perrin River Entrance Daybeacon 6	37-15-38.039N 076-24-43.528W		0		TR on pile.	
13530	Perrin River Entrance Light 7	37-15-37.296N 076-24-56.512W	Fl G 4s	0	4	SG on multi-pile structure.	
13530	Perrin River Entrance Light 7	37-15-37.296N 076-24-56.512W	Fl G 4s	0	4	SG on multi-pile structure.	
13535	Perrin River Entrance Light 8	37-15-40.566N 076-25-14.008W	Fl R 4s	0	4	TR on multi-pile structure.	
13535	Perrin River Entrance Light 8	37-15-40.566N 076-25-14.008W	Fl R 4s	0	4	TR on multi-pile structure.	
13540	Perrin River Entrance Daybeacon 9	37-15-44.628N 076-25-17.644W		0		SG on pile.	
13540	Perrin River Entrance Daybeacon 9	37-15-44.628N 076-25-17.644W		0		SG on pile.	
13545	Perrin River Daybeacon 11	37-16-00.411N 076-25-27.289W		0		SG on pile.	
13545	Perrin River Daybeacon 11	37-16-00.411N 076-25-27.289W		0		SG on pile.	
13550	York River West Range Front Light	37-13-35.319N 076-29-12.840W	Fl W 2.5s	7		On multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
13550	York River West Range Front Light	37-13-35.319N 076-29-12.840W	Fl W 2.5s	7		On multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
13555	York River West Range Rear Light	37-13-32.758N 076-29-27.671W	Iso W 6s	48		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
13555	York River West Range Rear Light	37-13-32.758N 076-29-27.671W	Iso W 6s	48		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
13557	York River West Range Rear Passing Lights (2)	37-13-32.758N 076-29-27.671W	Fl W 4s	0	4	On same structure as York River West Range Rear Light.	Lights are located on corners of platform.
13557	York River West Range Rear Passing Lights (2)	37-13-32.758N 076-29-27.671W	Fl W 4s	0	4	On same structure as York River West Range Rear Light.	Lights are located on corners of platform.
13560	York River Channel Lighted Buoy 21	37-14-05.842N 076-24-50.124W	Fl G 2.5s		5	Green.	
13560	York River Channel Lighted Buoy 21	37-14-05.842N 076-24-50.124W	Fl G 2.5s		5	Green.	
13565	York River Channel Lighted Buoy 22	37-14-24.643N 076-25-38.626W	Fl R 2.5s		5	Red.	
13565	York River Channel Lighted Buoy 22	37-14-24.643N 076-25-38.626W	Fl R 2.5s		5	Red.	
13570	Bull Creek AMOCO Pier Light A	37-13-39.877N 076-26-08.420W	Fl Y 4s			On pole on east end of pier.	
13570	Bull Creek AMOCO Pier Light A	37-13-39.877N 076-26-08.420W	Fl Y 4s			On pole on east end of pier.	
13572	Bull Creek AMOCO Pier Light B	37-13-33.809N 076-26-35.906W	Fl Y 4s			On pole on west end of pier.	
13572	Bull Creek AMOCO Pier Light B	37-13-33.809N 076-26-35.906W	Fl Y 4s			On pole on west end of pier.	
13575	Virginia Power Underwater Obstruction Light A	37-13-36.517N 076-27-16.815W	Fl W 3s			NW on piles worded DANGER SUBMERGED PIPES.	
13575	Virginia Power Underwater Obstruction Light A	37-13-36.517N 076-27-16.815W	Fl W 3s			NW on piles worded DANGER SUBMERGED PIPES.	
13580	York River Channel Lighted Buoy 24	37-14-11.846N 076-28-00.632W	Q R		5	Red.	
13580	York River Channel Lighted Buoy 24	37-14-11.846N 076-28-00.632W	Q R		5	Red.	
13585	Virginia Power Intake Jetty Light A	37-13-12.910N 076-27-45.290W	Fl Y 2.5s			On pile.	
13585	Virginia Power Intake Jetty Light A	37-13-12.910N 076-27-45.290W	Fl Y 2.5s			On pile.	
13590	Virginia Power Intake Jetty Light B	37-13-12.380N 076-27-47.910W	Fl Y 4s			On pile.	
13590	Virginia Power Intake Jetty Light B	37-13-12.380N 076-27-47.910W	Fl Y 4s			On pile.	

13591	Virginia Power Debris Exclusion Boom Light C	37-13-13.289N 076-27-46.939W	FI Y 4s			NY on pile.
13595	West Branch Channel Entrance Light 2WB	37-13-14.989N 076-27-57.635W	FI R 2.5s	0	4	TR on pile.
13595	West Branch Channel Entrance Light 2WB	37-13-14.989N 076-27-57.635W	FI R 2.5s	0	4	TR on pile.
13600	West Branch Channel Daybeacon 3	37-13-09.984N 076-28-00.609W			14	SG on pile.
13600	West Branch Channel Daybeacon 3	37-13-09.984N 076-28-00.609W			14	SG on pile.
13605	West Branch Channel Daybeacon 4	37-13-05.746N 076-28-04.495W			0	TR on pile.
13605	West Branch Channel Daybeacon 4	37-13-05.746N 076-28-04.495W			0	TR on pile.
13610	West Branch Channel Daybeacon 6	37-12-57.878N 076-28-07.363W			0	TR on pile.
13610	West Branch Channel Daybeacon 6	37-12-57.878N 076-28-07.363W			0	TR on pile.
13615	West Branch Channel Daybeacon 7	37-12-57.699N 076-28-06.911W			0	SG on pile.
13615	West Branch Channel Daybeacon 7	37-12-57.699N 076-28-06.911W			0	SG on pile.
13620	West Branch Channel Daybeacon 9	37-12-53.664N 076-28-08.613W			0	SG on pile.
13620	West Branch Channel Daybeacon 9	37-12-53.664N 076-28-08.613W			0	SG on pile.
13635	Wormley Creek Marina Buoy 2	37-12-51.518N 076-28-07.817W				Red nun.
13635	Wormley Creek Marina Buoy 2	37-12-51.518N 076-28-07.817W				Red nun.
13640	Wormley Creek Marina Buoy 4	37-12-51.518N 076-28-05.817W				Red nun.
13640	Wormley Creek Marina Buoy 4	37-12-51.518N 076-28-05.817W				Red nun.
13645	Wormley Creek Marina Buoy 6	37-12-50.518N 076-28-05.817W				Red nun.
13645	Wormley Creek Marina Buoy 6	37-12-50.518N 076-28-05.817W				Red nun.
13650	Wormley Creek Marina Buoy 8	37-12-48.518N 076-28-05.817W				Red nun.
13650	Wormley Creek Marina Buoy 8	37-12-48.518N 076-28-05.817W				Red nun.
13655	West Branch Channel Buoy 10	37-12-51.652N 076-28-10.714W				Red nun.
13660	West Branch Channel Daybeacon 12	37-12-51.106N 076-28-12.585W			0	TR on pile.
13660	West Branch Channel Daybeacon 12	37-12-51.106N 076-28-12.585W			0	TR on pile.
13670	West Branch Channel Daybeacon 14	37-12-51.521N 076-28-17.588W			0	TR on pile.
13670	West Branch Channel Daybeacon 14	37-12-51.521N 076-28-17.588W			0	TR on pile.
13675	West Branch Channel Daybeacon 16	37-12-50.678N 076-28-18.869W			0	TR on pile.
13675	West Branch Channel Daybeacon 16	37-12-50.678N 076-28-18.869W			0	TR on pile.
13680	West Branch Channel Daybeacon 18	37-12-47.996N 076-28-20.247W			0	TR on pile.
13680	West Branch Channel Daybeacon 18	37-12-47.996N 076-28-20.247W			0	TR on pile.
13685	West Branch Channel Daybeacon 20	37-12-46.767N 076-28-21.822W			0	TR on pile.
13685	West Branch Channel Daybeacon 20	37-12-46.767N 076-28-21.822W			0	TR on pile.
13690	West Branch Channel Daybeacon 22	37-12-46.816N 076-28-24.221W			0	TR on pile..
13690	West Branch Channel Daybeacon 22	37-12-46.816N 076-28-24.221W			0	TR on pile..
13695	West Branch Channel Daybeacon 24	37-12-49.033N 076-28-29.449W			0	TR on pile.

13695	West Branch Channel Daybeacon 24	37-12-49.033N 076-28-29.449W		0		TR on pile.
13700	West Branch Channel Daybeacon 26	37-12-51.961N 076-28-33.928W				TR on pile.
13700	West Branch Channel Daybeacon 26	37-12-51.961N 076-28-33.928W				TR on pile.
13703	West Branch Channel Daybeacon 28	37-12-50.285N 076-28-47.271W		0		TR on pile.
13703	West Branch Channel Daybeacon 28	37-12-50.285N 076-28-47.271W		0		TR on pile.
13710	Sarah Creek Entrance Light 2	37-14-46.028N 076-29-09.818W	FI R 4s	0	4	TR on pile.
13710	Sarah Creek Entrance Light 2	37-14-46.028N 076-29-09.818W	FI R 4s	0	4	TR on pile.
13715	Sarah Creek Daybeacon 4	37-14-55.903N 076-29-02.476W		0		TR on pile.
13715	Sarah Creek Daybeacon 4	37-14-55.903N 076-29-02.476W		0		TR on pile.
13720	Sarah Creek Daybeacon 5	37-15-05.071N 076-29-04.714W		0		SG on pile.
13720	Sarah Creek Daybeacon 5	37-15-05.071N 076-29-04.714W		0		SG on pile.
13725	Sarah Creek Daybeacon 6	37-15-07.768N 076-28-58.500W		0		TR on pile.
13725	Sarah Creek Daybeacon 6	37-15-07.768N 076-28-58.500W		0		TR on pile.
13730	Sarah Creek Light 8	37-15-13.865N 076-28-57.067W	FI R 4s		4	TR on pile.
13730	Sarah Creek Light 8	37-15-13.865N 076-28-57.067W	FI R 4s		4	TR on pile.
13735	Sarah Creek Daybeacon 9	37-15-17.010N 076-28-49.660W		0		SG on pile.
13735	Sarah Creek Daybeacon 9	37-15-17.010N 076-28-49.660W		0		SG on pile.
13740	Sarah Creek Daybeacon 11	37-15-29.052N 076-28-43.552W		0		SG on pile.
13740	Sarah Creek Daybeacon 11	37-15-29.052N 076-28-43.552W		0		SG on pile.
13742	Yorktown NWS Lighted Restriction Buoy A	37-15-05.000N 076-31-27.000W	FI W 4s			White with orange bands; can
13742.1	Yorktown NWS Lighted Restriction Buoy B	37-15-42.000N 076-32-06.000W	FI W 4s			White with orange bands; can
13742	Yorktown NWS Lighted Restriction Buoy A	37-15-05.000N 076-31-27.000W	FI W 4s			White with orange bands; can
13742.1	Yorktown NWS Lighted Restriction Buoy B	37-15-42.000N 076-32-06.000W	FI W 4s			White with orange bands; can
13745	Upper York River Channel Light 2	37-15-48.536N 076-31-13.232W	FI R 2.5s	0	4	TR on multi-pile structure.
13750	Upper York River Channel Light 3	37-16-12.455N 076-32-49.534W	FI G 4s	0	5	SG on multi-pile structure.
13755	Upper York River Channel Light 4	37-16-38.883N 076-32-21.941W	FI R 4s	0	5	TR on multi-pile structure.
13760	Upper York River Channel Light 6	37-17-23.654N 076-33-56.692W	FI R 2.5s	0	4	TR on pile.
13775	Upper York River Light 8	37-17-53.211N 076-34-39.221W	FI R 4s	0	4	TR on pile.
13785	Queen Creek Entrance Light 2QC	37-18-01.416N 076-36-29.656W	FI R 2.5s	0	4	TR on multi-pile structure.
13790	Queen Creek Daybeacon 3	37-18-02.538N 076-36-37.696W		0		SG on pile.
13795	Queen Creek Buoy 4	37-18-07.590N 076-36-49.931W				Red nun.
13800	Queen Creek Daybeacon 5	37-18-05.989N 076-36-49.976W		0		SG on pile.
13805	Queen Creek Daybeacon 6	37-18-05.970N 076-36-54.934W		0		TR on pile.
13810	Queen Creek Buoy 7	37-18-05.194N 076-36-54.087W				Green can.
13815	Queen Creek Daybeacon 8	37-18-01.506N 076-37-08.638W		0		TR on pile.

13820	Queen Creek Daybeacon 10	37-17-58.848N 076-37-21.316W		0		TR on pile.
13825	Queen Creek Buoy 11	37-17-56.075N 076-37-33.118W				Green can.
13830	Queen Creek Daybeacon 12	37-17-50.298N 076-37-45.544W		0		TR on pile.
13835	Queen Creek Buoy 13	37-17-46.971N 076-37-51.798W				Green can.
13840	Queen Creek Daybeacon 14	37-17-48.126N 076-37-51.766W		0		TR on pile.
13845	Queen Creek Daybeacon 15	37-17-48.918N 076-37-56.710W		0		SG on pile.
13850	Queen Creek Daybeacon 15A	37-17-55.716N 076-38-05.896W		0		SG on pile.
13855	Queen Creek Daybeacon 16	37-18-00.966N 076-38-19.708W		0		TR on pile.
13860	Queen Creek Buoy 18	37-17-56.261N 076-38-45.922W				Red nun.
13865	Queen Creek Buoy 20	37-17-46.898N 076-38-55.389W				Red nun.
13880	Upper York River Channel Daybeacon 9	37-19-21.544N 076-36-00.084W		0		SG on pile.
13885	Upper York River Channel Light 10	37-20-05.131N 076-36-01.393W	FI R 2.5s	0	4	TR on pile.
13920	Upper York River Channel Light 12	37-20-59.508N 076-36-55.360W	FI R 4s	0	4	TR on multi-pile structure.
13925	Upper York River Channel Light 13	37-21-49.990N 076-38-14.270W	FI G 4s	0	4	SG on pile.
13930	Upper York River Channel Light 14	37-22-37.182N 076-38-35.908W	FI R 2.5s	0	4	TR on multi-pile structure.
13935	Upper York River Channel Light 16	37-23-23.262N 076-39-27.232W	FI R 4s	0	4	TR on pile.
13945	Upper York River Channel Light 18	37-25-09.474N 076-41-23.050W	FI R 4s	0	4	TR on pile.
13950	Upper York River Channel Light 20	37-25-56.181N 076-42-16.687W	FI R 2.5s	0	4	TR on pile.
13955	Upper York River Channel Light 21	37-25-54.465N 076-42-26.680W	FI G 2.5s	0	4	SG on pile.
13960	Croaker Landing Daybeacon 1	37-25-42.702N 076-43-24.930W				SG on pile.
13965	Croaker Landing Daybeacon 2	37-25-43.122N 076-43-25.580W				TR on pile.
13970	Croaker Landing Daybeacon 3	37-25-40.472N 076-43-27.190W				SG on pile.
13975	Croaker Landing Daybeacon 4	37-25-40.892N 076-43-27.840W				TR on pile.
13980	Upper York River Channel Light 22	37-26-53.678N 076-43-26.908W	FI R 4s	0	4	TR on pile.
13985	Upper York River Channel Light 23	37-26-52.908N 076-43-47.656W	FI G 4s	0	4	SG on pile.
13990	Upper York River Channel Light 25	37-28-37.860N 076-44-48.130W	FI G 2.5s	0	4	SG on pile.
13995	Bells Rock Light	37-29-02.254N 076-44-59.237W	FI W 4s	27	7	NR on white skeleton tower on piles.
14000	Upper York River Channel Light 27	37-29-06.575N 076-45-27.996W	FI G 4s	0	4	SG on pile.
14005	Upper York River Channel Daybeacon 28	37-29-44.232N 076-46-34.054W		0		TR on pile.
14010	Upper York River Channel Light 29	37-29-44.914N 076-46-54.206W	FI G 4s	0	4	SG on pile.
14015	Upper York River Channel Light 30	37-29-56.620N 076-46-58.799W	Q R	0	4	TR on pile.
14020	Upper York River Channel Light 31	37-30-00.384N 076-47-07.084W	Q G	0	4	SG on pile.
14025	Upper York River Channel Daybeacon 33	37-30-25.974N 076-47-21.232W		0		SG on pile.
14035	Upper York River Channel Light 35	37-30-48.937N 076-47-33.935W	FI G 2.5s	0	4	SG on pile.
14040	Upper York River Channel Daybeacon 36	37-30-59.598N 076-47-35.920W		0		TR on pile.

14045	Upper York River Channel Light 37	37-31-12.312N 076-47-49.818W	Q G	0	4	SG on pile.
14050	Mobjack Bay Channel Buoy 1MB	37-11-28.029N 076-12-29.415W				Green can.
14052	Mobjack Bay Channel Buoy 2MB	37-12-11.229N 076-12-30.215W				Red nun.
14055	Mobjack Bay Channel Buoy 3MB	37-12-57.429N 076-14-00.015W				Green can.
14060	Mobjack Bay Channel Buoy 4MB	37-15-59.029N 076-16-35.015W				Red nun.
14065	Mobjack Bay Channel Buoy 5MB	37-17-00.029N 076-18-20.015W				Green can.
14070	Mobjack Bay Channel Daybeacon 6MB	37-18-05.443N 076-18-50.148W		0		TR on pile.
14075	New Point Comfort Spit Channel Light 2	37-17-44.179N 076-15-41.067W	FI R 2.5s	0	6	TR on pile.
14077	New Point Comfort Light	37-18-03.660N 076-16-39.887W	FI W 5s			
14080	New Point Comfort Spit Light 4	37-17-40.519N 076-17-07.375W	FI R 4s	0	4	TR on pile.
14085	Mobjack Bay Channel Daybeacon 7MB	37-19-34.069N 076-21-18.770W		0		SG on pile.
14090	Mobjack Bay Channel Daybeacon 8MB	37-19-56.260N 076-20-44.834W		0		TR on pile.
14095	Mobjack Bay Channel Daybeacon 10MB	37-21-29.004N 076-22-02.773W		0		TR on pile.
14100	York Spit Swash Channel Daybeacon 1	37-15-14.529N 076-20-24.854W		0		SG on pile.
14105	York Spit Swash Channel Daybeacon 2	37-15-27.268N 076-20-02.498W		0		TR on pile.
14110	York Spit Swash Channel Light 3	37-15-43.665N 076-19-56.553W	FI G 4s	0	4	SG on pile.
14115	York Spit Swash Channel Daybeacon 5	37-16-49.046N 076-19-32.497W		0		SG on pile.
14125	Davis Creek Channel Light 1	37-19-12.650N 076-17-59.105W	FI G 6s			SG on pile.
14125	Davis Creek Channel Light 1	37-19-12.650N 076-17-59.105W	FI G 6s			SG on pile.
14130	Davis Creek Channel Light 2	37-19-26.885N 076-17-58.770W	FI R 4s			TR on multi-pile structure.
14130	Davis Creek Channel Light 2	37-19-26.885N 076-17-58.770W	FI R 4s			TR on multi-pile structure.
14135	Davis Creek Channel Light 4	37-19-29.811N 076-17-58.121W	FI R 4s			TR on multi-pile structure.
14135	Davis Creek Channel Light 4	37-19-29.811N 076-17-58.121W	FI R 4s			TR on multi-pile structure.
14140	Davis Creek Channel Light 6	37-19-35.044N 076-17-55.142W	FI R 4s			TR on multi-pile structure.
14140	Davis Creek Channel Light 6	37-19-35.044N 076-17-55.142W	FI R 4s			TR on multi-pile structure.
14145	Davis Creek Channel Light 8	37-19-42.617N 076-17-53.251W	FI R 4s			TR on multi-pile structure.
14145	Davis Creek Channel Light 8	37-19-42.617N 076-17-53.251W	FI R 4s			TR on multi-pile structure.
14150	Davis Creek Channel Light 10	37-19-51.711N 076-17-58.447W	FI R 4s			TR on multi-pile structure.
14150	Davis Creek Channel Light 10	37-19-51.711N 076-17-58.447W	FI R 4s			TR on multi-pile structure.
14153	Pepper Creek Light 2P	37-19-19.219N 076-19-16.185W	FI R 4s	0	4	TR on multi-pile structure.
14155	Pepper Creek Daybeacon 3	37-20-00.753N 076-19-36.916W		0		SG on pile.
14160	Pepper Creek Daybeacon 5	37-20-30.526N 076-19-04.809W		0		SG on pile.
14165	East River Entrance Light 1E	37-21-19.623N 076-21-07.086W	FI G 4s	0	4	SG on pile.
14170	East River Daybeacon 2	37-21-35.323N 076-20-42.515W		0		TR on pile.
14175	East River Light 3	37-22-14.143N 076-20-39.022W	FI G 4s	0	4	SG on pile.

14180	Mobjack Marina Channel Daybeacon 1	37-22-41.896N 076-20-36.725W		0		SG on pile.
14185	Mobjack Marina Channel Daybeacon 3	37-22-41.878N 076-20-42.312W		0		SG on pile.
14190	East River Light 5	37-22-41.973N 076-20-33.637W	Q G	0	4	SG on pile.
14195	East River Light 9	37-23-22.123N 076-20-25.351W	Fl G 4s	0	4	SG on pile.
14200	East River Daybeacon 7	37-22-56.886N 076-20-28.408W		0		SG on pile.
14205	East River Daybeacon 11	37-23-35.130N 076-20-31.990W		0		SG on pile.
14210	East River Daybeacon 13	37-24-17.748N 076-20-57.436W		0		SG on pile.
14215	East River Daybeacon 15	37-24-43.740N 076-20-44.098W		0		SG on pile.
14220	East River Daybeacon 17	37-25-03.962N 076-21-03.540W		0		SG on pile.
14225	East River Daybeacon 18	37-25-11.430N 076-21-30.340W		0		TR on pile.
14230	Browns Bay Light 1BB	37-18-08.554N 076-22-56.996W	Fl G 4s	0	4	SG on multi-pile structure.
14235	Browns Bay Daybeacon 2	37-18-12.787N 076-22-42.684W		0		TR on pile.
14240	Browns Bay Light 3	37-18-10.825N 076-23-13.200W	Fl G 4s	0	4	SG on pile.
14245	Browns Bay Light 4	37-18-06.276N 076-23-27.766W	Fl R 4s	0	4	TR on pile.
14250	Severn River Junction Light SR	37-20-15.401N 076-23-41.373W	Fl (2+1)R 6s	0	4	JR on multi-pile structure.
14255	Severn River Light 1	37-19-22.804N 076-23-39.086W	Fl G 4s	0	4	SG on pile.
14260	Severn River Daybeacon 2	37-19-08.136N 076-24-58.042W		0		TR on pile.
14265	Severn River Light 3	37-18-57.675N 076-25-53.281W	Fl G 4s	0	4	SG on pile.
14270	Severn River Daybeacon 5	37-19-23.822N 076-26-58.419W		0		SG on pile.
14275	Southwest Branch Daybeacon 1	37-18-57.947N 076-25-59.045W		0		SG on pile.
14280	Southwest Branch Daybeacon 2	37-18-47.184N 076-26-10.696W		0		TR on pile.
14285	Southwest Branch Daybeacon 3	37-18-25.206N 076-26-27.616W		0		SG on pile.
14290	Southwest Branch Daybeacon 4	37-18-12.180N 076-26-44.512W		0		TR on pile.
14310	Ware River Daybeacon 1W	37-21-28.429N 076-24-59.649W		0		SG on pile.
14315	Ware River Daybeacon 2	37-21-44.232N 076-24-58.870W		0		TR on pile.
14320	Ware River Light 3	37-22-07.146N 076-26-19.294W	Fl G 2.5s	1	4	SG on multi-pile structure.
14325	Ware River Daybeacon 5	37-22-09.534N 076-26-40.828W		0		SG on pile.
14330	Ware River Light 6	37-22-08.664N 076-27-26.710W	Q R	0	4	TR on pile.
14335	Ware River Daybeacon 7	37-22-43.884N 076-27-29.236W		0		SG on pile.
14340	Ware River Light 9	37-23-18.618N 076-27-33.862W	Fl G 6s	0	4	SG on pile.
14345	Ware River Daybeacon 10	37-23-40.380N 076-27-52.696W		0		TR on pile.
14350	Ware River Daybeacon 11	37-23-39.402N 076-28-15.634W		0		SG on pile.
14355	Ware River Daybeacon 12	37-23-50.952N 076-28-44.746W		0		TR on pile.
14360	North River Entrance Light 1N	37-22-07.818N 076-23-34.168W	Fl G 4s	0	4	SG on pile.
14365	North River Daybeacon 2	37-22-27.154N 076-23-38.496W		0		TR on pile.

14370	Blackwater Creek Light 2	37-24-53.994N 076-24-09.262W	Fl R 2.5s	0	4	TR on pile.
14375	Blackwater Creek Daybeacon 3	37-25-08.244N 076-24-08.512W		0		SG on pile.
14380	North River Daybeacon 3	37-23-40.524N 076-24-19.450W		0		SG on pile.
14390	North River Light 5	37-24-38.513N 076-24-51.425W	Fl G 4s	0	4	SG on pile.
14395	North River Light 6	37-25-13.146N 076-26-41.200W	Fl R 4s	0	4	TR on pile.
14400	North River Daybeacon 7	37-25-11.676N 076-26-59.051W		0		SG on pile.
14405	Green Mansion Cove Daybeacon 2	37-25-30.496N 076-24-08.805W				TR on pile.
14410	Green Mansion Cove Daybeacon 3	37-25-36.496N 076-24-05.805W				SG on pile.
14415	New Point Comfort Shoal Buoy 1NP	37-17-30.329N 076-11-34.415W				Green can.
14420	New Point Comfort Shoal Channel Buoy 2	37-17-51.829N 076-11-29.515W				Red nun.
14425	New Point Comfort Shoal Channel Buoy 3	37-15-51.929N 076-13-22.915W				Green can.
14430	New Point Comfort Shoal Channel Buoy 4	37-16-07.029N 076-13-36.615W				Red nun.
14435	York Spit Daybeacon 5	37-13-25.129N 076-16-33.515W		0		SG on pile.
14440	York Spit Daybeacon 6	37-13-34.321N 076-16-43.985W		0		TR on pile.
14445	Horn Harbor Entrance Light HH	37-20-11.471N 076-15-03.138W	Mo (A) W	0	5	MR on pile.
14450	Horn Harbor Wreck Light WR2	37-20-15.211N 076-15-33.265W	Q R	0	4	TR on pile.
14453	Horn Harbor Lighted Buoy 2	37-20-13.812N 076-15-33.648W	Fl R 4s		4	Red.
14455	Horn Harbor Light 3	37-20-17.449N 076-15-48.113W	Fl G 2.5s	0	4	SG on pile.
14460	Horn Harbor Daybeacon 4	37-20-18.734N 076-15-48.046W		0		TR on pile.
14465	Horn Harbor Light 5	37-20-19.791N 076-15-52.284W	Q G	0	4	SG on pile.
14470	Horn Harbor Daybeacon 6	37-20-20.235N 076-15-50.196W		0		TR on pile.
14475	Horn Harbor Light 7	37-20-36.567N 076-15-56.364W	Fl G 4s	0	4	SG on pile.
14480	Horn Harbor Daybeacon 7A	37-20-45.239N 076-15-56.849W		0		SG on pile.
14485	Horn Harbor Warning Daybeacon B	37-20-53.749N 076-15-59.447W		0		NW on pile worded DANGER SHOAL.
14487	Horn Harbor Lighted Buoy 8	37-20-53.500N 076-16-01.263W	Fl R 6s		4	Red.
14490	Horn Harbor Light 10	37-21-27.978N 076-16-10.354W	Fl R 2.5s	0	4	TR on multi-pile structure.
14495	Horn Harbor Light 12	37-21-37.849N 076-16-42.605W	Fl R 4s	0	4	TR on pile.
14500	Horn Harbor Daybeacon 14	37-21-45.193N 076-17-28.199W		0		TR on pile.
14505	Horn Harbor Light 16	37-21-49.927N 076-17-54.474W	Fl R 6s	0	4	TR on pile.
14510	Horn Harbor Daybeacon 17	37-21-57.925N 076-17-59.682W		0		SG on pile.
14515	Horn Harbor Daybeacon 18	37-22-01.843N 076-18-01.740W		0		TR on pile.
14520	Horn Harbor Daybeacon 19	37-22-05.482N 076-18-05.794W		0		SG on pile.
14560	Milford Haven East Channel Light 1	37-27-22.555N 076-12-44.259W	Fl G 6s			SG on pile.
14560	Milford Haven East Channel Light 1	37-27-22.555N 076-12-44.259W	Fl G 6s			SG on pile.
14565	Milford Haven East Channel Light 3	37-27-37.508N 076-14-01.106W	Fl G 4s			SG on pile.

14565	Milford Haven East Channel Light 3	37-27-37.508N 076-14-01.106W	FI G 4s		SG on pile.
14570	Milford Haven East Channel Warning Daybeacon A	37-27-49.987N 076-15-12.277W			NW on pile worded Danger.
14570	Milford Haven East Channel Warning Daybeacon A	37-27-49.987N 076-15-12.277W			NW on pile worded Danger.
14575	Milford Haven East Channel Lighted Buoy 4	37-27-43.272N 076-15-09.118W	FI R 4s		Red.
14575	Milford Haven East Channel Lighted Buoy 4	37-27-43.272N 076-15-09.118W	FI R 4s		Red.
14580	Milford Haven East Channel Warning Daybeacon B	37-27-55.904N 076-15-13.814W			NW on pile worded Danger.
14580	Milford Haven East Channel Warning Daybeacon B	37-27-55.904N 076-15-13.814W			NW on pile worded Danger.
14585	Milford Haven East Channel Lighted Buoy 4A	37-27-59.265N 076-15-32.143W	FI R 4s		Red.
14585	Milford Haven East Channel Lighted Buoy 4A	37-27-59.265N 076-15-32.143W	FI R 4s		Red.
14590	Milford Haven East Channel Lighted Buoy 5	37-28-03.420N 076-15-48.600W	FI G 4s		Green can.
14590	Milford Haven East Channel Lighted Buoy 5	37-28-03.420N 076-15-48.600W	FI G 4s		Green can.
14595	Milford Haven East Channel Danger Light 6	37-28-05.416N 076-15-54.009W	FI W 4s		
14595	Milford Haven East Channel Danger Light 6	37-28-05.416N 076-15-54.009W	FI W 4s		
14600	Milford Haven East Channel Lighted Buoy 7	37-28-03.540N 076-15-59.040W	FI G 4s		
14600	Milford Haven East Channel Lighted Buoy 7	37-28-03.540N 076-15-59.040W	FI G 4s		
14605	Milford Haven East Channel Light 8	37-27-58.194N 076-16-08.445W	Q R		TR on pile.
14605	Milford Haven East Channel Light 8	37-27-58.194N 076-16-08.445W	Q R		TR on pile.
14630	Stutts Creek Entrance Daybeacon 1	37-28-10.015N 076-16-41.676W		0	SG on pile.
14635	Stutts Creek Entrance Daybeacon 2	37-28-12.535N 076-16-44.046W		0	TR on pile.
14640	Stutts Creek Daybeacon 3	37-28-02.365N 076-17-00.162W		0	SG on pile.
14645	Stutts Creek Daybeacon 4	37-27-47.455N 076-17-28.080W		0	TR on pile.
14650	Stutts Creek Junction Daybeacon SC	37-27-46.555N 076-17-13.668W		0	JG on pile.
14655	Stutts Creek Daybeacon 5	37-27-41.719N 076-17-54.732W		0	SG on pile.
14660	Stutts Creek Daybeacon 6	37-27-42.853N 076-18-00.414W		0	TR on pile.
14665	Stutts Creek Daybeacon 7	37-27-43.813N 076-18-23.754W		0	SG on pile.
14670	Piankatank River Lighted Buoy 1P	37-32-54.509N 076-15-13.806W	FI G 2.5s	4	Green.
14675	Piankatank River Lighted Buoy 2	37-33-13.506N 076-15-25.303W	FI R 4s	4	Red.
14680	Piankatank River Light 3	37-32-22.057N 076-16-42.246W	FI G 4s	0	4 SG on pile.
14690	Piankatank River Light 5	37-31-41.956N 076-18-22.630W	Q G	0	4 SG on pile.
14700	Jackson Creek Channel Light 1JC	37-32-41.582N 076-19-19.248W	FI G 4s	0	4 SG on pile.
14705	Jackson Creek Channel Daybeacon 2	37-32-41.351N 076-19-17.914W		0	TR on pile.
14710	Jackson Creek Channel Buoy 3	37-32-46.340N 076-19-17.987W			Green can.
14715	Jackson Creek Channel Buoy 4	37-32-46.881N 076-19-17.024W			Red nun.
14720	Jackson Creek Channel Buoy 5	37-32-49.047N 076-19-19.874W			Green can.
14723	Jackson Creek Channel Buoy 6	37-32-50.187N 076-19-19.689W			Red nun.

14730	Jackson Creek Channel Daybeacon 7	37-32-47.719N 076-19-30.114W		0		SG on pile.	
14735	Jackson Creek Channel Daybeacon 8	37-32-46.676N 076-19-39.285W		0		TR on pile.	
14740	Piankatank River Light 7	37-31-15.249N 076-18-41.437W	FI G 2.5s	0	4	SG on pile.	
14745	Piankatank River Light 8	37-30-50.630N 076-18-55.950W	Q R		4	TR on pile.	
14745	Piankatank River Light 8	37-30-50.630N 076-18-55.950W	Q R		4	TR on pile.	
14753	Piankatank River Daybeacon 9	37-30-58.029N 076-19-30.016W		0		SG on pile.	
14755	Piankatank River Light 10	37-31-29.452N 076-20-19.487W	FI R 4s	0	4	TR on pile.	
14758	Piankatank River Daybeacon 11	37-31-08.493N 076-20-42.070W		0		SG on pile.	
14760	Piankatank River Daybeacon 12	37-31-32.167N 076-20-53.976W		0		TR on pile.	
14765	Milford Haven Light 1	37-29-32.342N 076-19-04.048W	FI G 4s	0	4	SG on pile.	
14773	Milford Haven Lighted Buoy 3	37-29-23.851N 076-19-03.615W	Q G		4	Green.	
14776	Milford Haven Buoy 3A	37-29-20.617N 076-18-59.633W				Green can.	
14777	Milford Haven Buoy 3B	37-29-19.425N 076-18-53.919W				Green can.	
14780	Milford Haven Daybeacon 4	37-29-17.776N 076-18-47.934W		0		TR on pile.	
14785	Milford Haven Daybeacon 4A	37-29-21.287N 076-18-26.567W		0		TR on pile.	
14790	Milford Haven Daybeacon 5	37-29-23.881N 076-18-28.630W		0		SG on pile.	
14795	Milford Haven Light 6	37-29-32.293N 076-18-16.338W	Q R	0	4	TR on pile.	
14800	Milford Haven Daybeacon 8	37-29-15.265N 076-17-39.642W		0		TR on pile.	
14805	Milford Haven Daybeacon 10	37-28-49.691N 076-16-57.459W		0		TR on pile.	
14810	Milford Haven Light 12	37-28-38.407N 076-16-29.292W	FI R 4s	0	4	TR on pile.	
14815	Queens Creek Channel Light 1	37-29-23.401N 076-19-15.432W	FI G 2.5s	0	4	SG on pile.	
14820	Queens Creek Channel Buoy 2	37-29-23.897N 076-19-16.299W				Red nun.	Removed when endangered by ice.
14835	Queens Creek Channel Buoy 3	37-29-18.190N 076-19-21.095W				Green can.	Removed when endangered by ice.
14840	Queens Creek Channel Lighted Buoy 5	37-29-13.826N 076-19-26.422W	FI G 4s		4	Green.	Removed when endangered by ice.
14845	Queens Creek Channel Buoy 6	37-29-14.730N 076-19-26.206W				Red nun.	Removed when endangered by ice.
14850	Queens Creek Channel Buoy 8	37-29-14.635N 076-19-41.022W				Red nun.	Removed when endangered by ice.
14855	Queens Creek Channel Buoy 9	37-29-14.083N 076-19-43.854W				Green can.	Removed when endangered by ice.
14860	Queens Creek Channel Buoy 10	37-29-12.195N 076-19-54.580W				Red nun.	Removed when endangered by ice.
14880	Piankatank River Warning Daybeacon	37-31-55.269N 076-22-21.562W		0		NW on pile worded DANGER.	
14883	Piankatank River Light 13	37-31-57.867N 076-22-27.202W	FI G 2.5s	15	4	SG on pile.	
14885	Piankatank River Daybeacon 14	37-31-57.877N 076-23-24.354W		0		TR on pile.	
14890	Piankatank River Light 15	37-32-02.269N 076-24-11.370W	FI G 4s	0	4	SG on pile.	
14895	Cobbs Creek Daybeacon 1	37-31-44.281N 076-23-52.602W		0		SG on pile.	
14900	Cobbs Creek Daybeacon 2	37-31-39.553N 076-24-06.174W		0		TR on pile.	
14905	Rappahannock River Entrance Lighted Buoy 1R	37-32-16.306N 076-11-28.897W	FI G 6s		5	Green.	

14910	Rappahannock River Entrance Buoy 2R	37-34-13.304N 076-11-43.698W					Red nun.
14912	NOAA Lighted Data Buoy SR	37-34-03.000N 076-15-44.400W	FI Y 4s				Yellow.
14915	Rappahannock River Light 3R	37-34-20.531N 076-16-09.811W	FI G 2.5s	0	4		SG on pile.
14925	Rappahannock River Entrance Lighted Buoy 6R	37-35-23.909N 076-17-40.609W	FI R 4s		5		Red.
14935	Windmill Point Marina Light 2	37-36-47.000N 076-17-29.800W	FI R 2.5s				TR on multi-pile.
14940	Windmill Point Marina Light 3	37-36-47.900N 076-17-30.500W	FI G 2.5s				SG on multi- pile.
14950	Windmill Point Marina Light 5	37-36-52.000N 076-17-26.300W	FI G 4s				SG on pile.
14955	Windmill Point Marina Light 6	37-36-51.500N 076-17-25.200W	FI R 4s				TR on pile.
14960	Broad Creek Wreck Warning Daybeacon WR	37-34-11.986N 076-18-15.147W		0			NW on pile worded DANGER SUBMERGED WRECK.
14965	Broad Creek Channel Entrance Light 1BC	37-34-13.522N 076-18-30.771W	FI G 2.5s	0	4		SG on pile.
14970	Broad Creek Channel Daybeacon 2	37-34-06.451N 076-18-37.621W		0			TR on pile.
14973	Broad Creek Channel Wreck Light WR3	37-34-02.057N 076-18-39.177W	Q G	0	4		SG on pile.
14975	Broad Creek Channel Buoy 4	37-33-55.529N 076-18-45.594W					Red nun.
14975	Broad Creek Channel Buoy 4	37-33-55.529N 076-18-45.594W					Red nun.
14977	Broad Creek Channel Daybeacon 5	37-33-47.791N 076-18-49.465W		0			SG on pile.
14980	Broad Creek Channel Light 6	37-33-47.214N 076-18-51.549W	FI R 2.5s	0	3		TR on pile.
14983	Broad Creek Channel Buoy 6A	37-33-42.151N 076-18-50.460W					Red nun.
14985	Broad Creek Channel Daybeacon 8	37-33-36.517N 076-18-49.730W		0			TR on pile.
14990	Broad Creek Channel Daybeacon 10	37-33-33.866N 076-18-50.620W		0			TR on pile.
15000	Broad Creek Channel Daybeacon 11	37-33-33.344N 076-18-55.118W		0			SG on pile.
15003.3	Broad Creek Southern Branch Daybeacon 7	37-33-23.166N 076-19-00.828W					SG on pile.
15003.2	Broad Creek Southern Branch Daybeacon 6	37-33-23.790N 076-19-01.130W					TR on pile.
15003.1	Broad Creek Southern Branch Daybeacon 4	37-33-25.440N 076-18-59.230W					TR on pile.
15003	Broad Creek Southern Branch Daybeacon 2S	37-33-28.500N 076-18-57.810W					TR on pile.
15025	Broad Creek Northern Branch Daybeacon 7	37-33-41.656N 076-18-41.282W					SG on pile.
15030	Broad Creek Northern Branch Daybeacon 8	37-33-40.707N 076-18-40.804W					TR on pile.
15035	Broad Creek Northern Branch Daybeacon 9	37-33-43.297N 076-18-36.322W					SG on pile.
15040	Broad Creek Northern Branch Daybeacon 10	37-33-42.568N 076-18-35.569W					TR on pile.
15045	Broad Creek Northern Branch Daybeacon 11	37-33-43.363N 076-18-32.995W					SG on pile.
15050	Broad Creek Northern Branch Daybeacon 12	37-33-42.885N 076-18-32.780W					TR on pile.
15055	Rappahannock River Entrance Light 7R	37-35-08.887N 076-19-44.315W	FI G 4s	0	4		SG on pile.
15060	Grinels Breakwater Warning Daybeacon A	37-34-31.785N 076-21-24.308W					NW on pile worded DANGER.
15060	Grinels Breakwater Warning Daybeacon A	37-34-31.785N 076-21-24.308W					NW on pile worded DANGER.
15065	Grinels Breakwater Warning Daybeacon B	37-34-34.875N 076-21-31.851W		12			NW on pile worded DANGER.
15065	Grinels Breakwater Warning Daybeacon B	37-34-34.875N 076-21-31.851W		12			NW on pile worded DANGER.

15066	Grinels Breakwater Warning Daybeacon C	37-34-32.074N 076-21-32.857W		0			NW on pile worded DANGER.
15066	Grinels Breakwater Warning Daybeacon C	37-34-32.074N 076-21-32.857W		0			NW on pile worded DANGER.
15070	Rappahannock River Entrance Light 8R	37-36-06.071N 076-21-18.599W	FI R 2.5s	0	4		TR on pile.
15075	Mill Creek Entrance Light 2MC	37-35-28.960N 076-24-34.184W	FI R 4s	0	4		TR on pile.
15080	Mill Creek Daybeacon 3	37-35-09.696N 076-24-36.781W		0			SG on pile.
15085	Mill Creek Light 4	37-35-05.115N 076-24-53.430W	FI R 4s	0	4		TR on multi-pile structure.
15090	Mill Creek Daybeacon 5	37-35-18.521N 076-25-16.825W		0			SG on pile.
15095	Locklies Creek Light 1	37-36-02.407N 076-25-26.355W	Q G	0	4		SG on pile.
15100	Locklies Creek Daybeacon 2	37-35-53.875N 076-25-32.729W		0			TR on pile.
15105	Locklies Creek Daybeacon 4	37-35-41.926N 076-25-42.366W		0			TR on pile.
15110	Locklies Creek Daybeacon 5	37-35-40.303N 076-25-54.508W		0			SG on pile.
15113	Rappahannock River Mooring Buoy PG	37-37-29.000N 076-23-37.000W					White with blue band; can.
15114	Rappahannock River Entrance Light 9R	37-36-20.397N 076-24-17.882W	FI G 4s	0	4		SG on pile.
15115	Rappahannock River Entrance Warning Light A	37-36-48.249N 076-25-25.426W	FI W 4s	0	4		NW on cylindrical base worded DANGER.
15120	Carter Creek Light 1CC	37-38-56.465N 076-26-35.675W	FI G 4s	0	4		SG on multi-pile structure.
15125	Carter Creek Daybeacon 2	37-38-55.369N 076-26-31.182W		0			TR on pile.
15130	Carter Creek Daybeacon 3	37-39-00.383N 076-26-34.291W		0			SG on pile.
15135	Carter Creek Daybeacon 4	37-39-08.835N 076-26-26.962W		0			TR on pile.
15140	Carter Creek Daybeacon 6	37-39-11.293N 076-26-24.528W		0			TR on pile.
15145	Carter Creek Light 7	37-39-12.974N 076-26-27.732W	FI G 2.5s	0	4		SG on pile.
15150	Carter Creek Eastern Branch Light 1	37-39-12.778N 076-25-51.822W	FI G 4s	0	4		SG on pile.
15155	Corrotoman River Light 2	37-40-00.498N 076-28-55.930W	FI R 4s	0	4		TR on pile.
15157	Corrotoman River Light 3	37-40-40.338N 076-28-33.727W	FI G 4s	0	4		SG on pile.
15165	Corrotoman River Daybeacon 4	37-40-59.562N 076-28-23.020W		0			TR on pile.
15170	Corrotoman River Daybeacon 6	37-41-19.998N 076-28-23.596W		0			TR on pile.
15175	Myers Creek Daybeacon 2	37-41-11.791N 076-28-57.334W		0			TR on pile.
15180	Myers Creek Daybeacon 3	37-41-26.190N 076-29-15.304W		0			SG on pile.
15185	Myers Creek Daybeacon 4	37-41-28.704N 076-29-20.266W		0			TR on pile.
15190	Corrotoman River Light 7	37-41-37.284N 076-28-31.654W	FI G 4s	0	4		SG on pile.
15195	Corrotoman River Light 8	37-42-05.365N 076-28-52.028W	FI R 4s	0	4		TR on multi-pile structure.
15200	Corrotoman River Daybeacon 9	37-42-17.574N 076-28-59.560W		0			SG on pile.
15230	Rappahannock River Lighted Buoy 6	37-38-02.640N 076-30-17.137W	FI R 4s		5		Red.
15230	Rappahannock River Lighted Buoy 6	37-38-02.640N 076-30-17.137W	FI R 4s		5		Red.
15235	Beach Creek Entrance Warning Daybeacon	37-39-36.947N 076-32-01.786W		0			NW on pile worded DANGER SHOAL.
15235	Beach Creek Entrance Warning Daybeacon	37-39-36.947N 076-32-01.786W		0			NW on pile worded DANGER SHOAL.

15240	Urbanna Creek Channel Light 2	37-38-30.592N 076-33-47.440W	Fl R 4s	0	4	TR on pile.
15240	Urbanna Creek Channel Light 2	37-38-30.592N 076-33-47.440W	Fl R 4s	0	4	TR on pile.
15243	Urbanna Creek Channel Buoy 2A	37-38-30.245N 076-33-44.983W				Red nun.
15245	Urbanna Creek Channel Daybeacon 3	37-38-28.014N 076-33-52.529W		0		SG on pile.
15245	Urbanna Creek Channel Daybeacon 3	37-38-28.014N 076-33-52.529W		0		SG on pile.
15250	Urbanna Creek Channel Light 5	37-38-25.237N 076-34-05.070W	Fl G 4s	0	4	SG on multi-pile structure.
15250	Urbanna Creek Channel Light 5	37-38-25.237N 076-34-05.070W	Fl G 4s	0	4	SG on multi-pile structure.
15253	Urbanna Creek Channel Buoy 5A	37-38-23.767N 076-34-09.905W				Green can.
15255	Urbanna Creek Channel Daybeacon 6	37-38-27.025N 076-34-07.596W		0		TR on pile.
15255	Urbanna Creek Channel Daybeacon 6	37-38-27.025N 076-34-07.596W		0		TR on pile.
15260	Urbanna Creek Channel Daybeacon 7	37-38-20.849N 076-34-10.000W		0		SG on pile.
15260	Urbanna Creek Channel Daybeacon 7	37-38-20.849N 076-34-10.000W		0		SG on pile.
15265	Urbanna Creek Channel Daybeacon 9	37-38-08.311N 076-34-11.317W		0		SG on pile.
15265	Urbanna Creek Channel Daybeacon 9	37-38-08.311N 076-34-11.317W		0		SG on pile.
15270	Urbanna Creek Channel Daybeacon 11	37-37-55.737N 076-34-12.407W		0		SG on pile.
15270	Urbanna Creek Channel Daybeacon 11	37-37-55.737N 076-34-12.407W		0		SG on pile.
15275	Robinson Creek Light 1	37-39-04.891N 076-34-33.876W	Fl G 4s	0	4	SG on multi-pile structure.
15275	Robinson Creek Light 1	37-39-04.891N 076-34-33.876W	Fl G 4s	0	4	SG on multi-pile structure.
15280	Robinson Creek Daybeacon 3	37-39-08.227N 076-34-39.510W		0		SG on pile.
15280	Robinson Creek Daybeacon 3	37-39-08.227N 076-34-39.510W		0		SG on pile.
15285	Rappahannock River Light 8	37-40-09.488N 076-32-48.362W	Fl R 2.5s	0	5	TR on multi-pile structure.
15285	Rappahannock River Light 8	37-40-09.488N 076-32-48.362W	Fl R 2.5s	0	5	TR on multi-pile structure.
15290	Lagrange Creek Entrance Light 2	37-39-55.813N 076-34-48.653W	Fl R 2.5s	0	4	TR on pile.
15290	Lagrange Creek Entrance Light 2	37-39-55.813N 076-34-48.653W	Fl R 2.5s	0	4	TR on pile.
15295	Lagrange Creek Daybeacon 4	37-40-00.415N 076-35-11.124W		0		TR on pile.
15295	Lagrange Creek Daybeacon 4	37-40-00.415N 076-35-11.124W		0		TR on pile.
15300	Lagrange Creek Daybeacon 5	37-40-05.239N 076-35-22.806W		0		SG on pile.
15300	Lagrange Creek Daybeacon 5	37-40-05.239N 076-35-22.806W		0		SG on pile.
15303.3	Belle Isle State Park Daybeacon 7	37-46-23.300N 076-34-58.600W				SG on pile.
15303.2	Belle Isle State Park Daybeacon 6	37-46-16.300N 076-35-04.400W				TR on pile.
15303.1	Belle Isle State Park Daybeacon 4	37-46-10.800N 076-35-05.400W				TR on pile.
15303	Belle Isle State Park Daybeacon 2	37-46-03.400N 076-35-05.400W				TR on pile.
15303.3	Belle Isle State Park Daybeacon 7	37-46-23.300N 076-34-58.600W				SG on pile.
15303.2	Belle Isle State Park Daybeacon 6	37-46-16.300N 076-35-04.400W				TR on pile.
15303.1	Belle Isle State Park Daybeacon 4	37-46-10.800N 076-35-05.400W				TR on pile.

15303	Belle Isle State Park Daybeacon 2	37-46-03.400N 076-35-05.400W					TR on pile.	
15305	Greenville Creek Lighted Buoy 2	37-42-28.053N 076-32-46.535W	FI R 2.5s	4		Red.	Maintained from Mar. 15 to Dec. 1.	
15340	Rappahannock River Light 10	37-44-16.089N 076-35-06.476W	FI R 2.5s	0	5		TR on multi-pile structure.	
15340	Rappahannock River Light 10	37-44-16.089N 076-35-06.476W	FI R 2.5s	0	5		TR on multi-pile structure.	
15345	Parrotts Creek Entrance Light 1	37-43-53.214N 076-36-27.526W	FI G 2.5s	0	4		SG on pile.	
15345	Parrotts Creek Entrance Light 1	37-43-53.214N 076-36-27.526W	FI G 2.5s	0	4		SG on pile.	
15350	Parrotts Creek Channel Daybeacon 3	37-43-50.694N 076-36-49.438W			0		SG on pile.	
15350	Parrotts Creek Channel Daybeacon 3	37-43-50.694N 076-36-49.438W			0		SG on pile.	
15355	Parrotts Creek Channel Daybeacon 4	37-43-51.582N 076-37-07.558W			0		TR on multi-pile structure.	
15355	Parrotts Creek Channel Daybeacon 4	37-43-51.582N 076-37-07.558W			0		TR on multi-pile structure.	
15360	Parrotts Creek Channel Daybeacon 6	37-43-39.210N 076-37-06.388W			0		TR on pile.	
15360	Parrotts Creek Channel Daybeacon 6	37-43-39.210N 076-37-06.388W			0		TR on pile.	
15365	Parrotts Creek Channel Daybeacon 8	37-43-37.542N 076-37-19.294W			0		TR on pile.	
15365	Parrotts Creek Channel Daybeacon 8	37-43-37.542N 076-37-19.294W			0		TR on pile.	
15375	Rappahannock River Lighted Buoy 11	37-45-32.132N 076-36-58.754W	FI G 4s		5		Green.	
15375	Rappahannock River Lighted Buoy 11	37-45-32.132N 076-36-58.754W	FI G 4s		5		Green.	
15380	Mulberry Creek Light 1	37-47-01.260N 076-37-34.996W	FI G 4s	0	4		SG on multi-pile structure.	
15380	Mulberry Creek Light 1	37-47-01.260N 076-37-34.996W	FI G 4s	0	4		SG on multi-pile structure.	
15390	Morattico River Entrance Light 1	37-47-27.048N 076-38-45.238W	FI G 4s	0	4		SG on pile.	
15390	Morattico River Entrance Light 1	37-47-27.048N 076-38-45.238W	FI G 4s	0	4		SG on pile.	
15395	Morattico Creek Daybeacon 2	37-47-49.266N 076-38-28.426W			0		TR on pile.	
15395	Morattico Creek Daybeacon 2	37-47-49.266N 076-38-28.426W			0		TR on pile.	
15400	Morattico Creek Daybeacon 3	37-48-03.917N 076-38-19.955W			0		SG on pile.	
15400	Morattico Creek Daybeacon 3	37-48-03.917N 076-38-19.955W			0		SG on pile.	
15405	Lancaster Creek Daybeacon 1	37-47-53.058N 076-37-50.446W			0		SG on pile.	
15405	Lancaster Creek Daybeacon 1	37-47-53.058N 076-37-50.446W			0		SG on pile.	
15410	Lancaster Creek Daybeacon 3	37-47-59.904N 076-37-47.782W			0		SG on pile.	
15410	Lancaster Creek Daybeacon 3	37-47-59.904N 076-37-47.782W			0		SG on pile.	
15415	Rappahannock River Buoy 12	37-46-33.030N 076-39-30.960W					Red nun.	
15415	Rappahannock River Buoy 12	37-46-33.030N 076-39-30.960W					Red nun.	
15420	Rappahannock River Lighted Buoy 13	37-47-17.629N 076-40-36.062W	FI G 4s		5		Green.	Replaced by can when endangered by ice.
15420	Rappahannock River Lighted Buoy 13	37-47-17.629N 076-40-36.062W	FI G 4s		5		Green.	Replaced by can when endangered by ice.
15425	Rappahannock River Buoy 15	37-48-08.527N 076-41-57.364W					Green can.	
15425	Rappahannock River Buoy 15	37-48-08.527N 076-41-57.364W					Green can.	
15430	Rappahannock River Buoy 16	37-48-43.626N 076-42-42.065W					Red nun.	

15430	Rappahannock River Buoy 16	37-48-43.626N 076-42-42.065W				Red nun.
15435	Wildwood Beach Light 2	37-48-43.668N 076-44-34.564W	Fl R 2.5s	0	4	TR on pile.
15435	Wildwood Beach Light 2	37-48-43.668N 076-44-34.564W	Fl R 2.5s	0	4	TR on pile.
15440	Rappahannock River Buoy 18	37-49-20.825N 076-43-37.367W				Red nun.
15440	Rappahannock River Buoy 18	37-49-20.825N 076-43-37.367W				Red nun.
15445	Rappahannock River Light 19	37-49-28.560N 076-43-57.916W	Fl G 6s	20	7	SG on cylindrical base.
15445	Rappahannock River Light 19	37-49-28.560N 076-43-57.916W	Fl G 6s	20	7	SG on cylindrical base.
15450	Rappahannock River Buoy 21	37-51-18.722N 076-45-25.169W				Green can.
15450	Rappahannock River Buoy 21	37-51-18.722N 076-45-25.169W				Green can.
15455	Totuskey Creek Buoy 2	37-51-30.621N 076-45-10.033W				Red nun.
15455	Totuskey Creek Buoy 2	37-51-30.621N 076-45-10.033W				Red nun.
15465	Totuskey Creek Light 3	37-52-21.505N 076-45-03.026W	Q G	0	4	SG on pile.
15465	Totuskey Creek Light 3	37-52-21.505N 076-45-03.026W	Q G	0	4	SG on pile.
15470	Totuskey Creek Daybeacon 5	37-52-37.585N 076-44-39.308W		0		SG on pile.
15470	Totuskey Creek Daybeacon 5	37-52-37.585N 076-44-39.308W		0		SG on pile.
15475	Totuskey Creek Daybeacon 7	37-52-55.524N 076-44-22.667W		0		SG on pile.
15475	Totuskey Creek Daybeacon 7	37-52-55.524N 076-44-22.667W		0		SG on pile.
15480	Totuskey Creek Daybeacon 9	37-53-01.220N 076-44-25.799W		0		SG on pile.
15480	Totuskey Creek Daybeacon 9	37-53-01.220N 076-44-25.799W		0		SG on pile.
15485	Totuskey Creek Daybeacon 11	37-53-08.630N 076-44-24.509W		0		SG on pile.
15485	Totuskey Creek Daybeacon 11	37-53-08.630N 076-44-24.509W		0		SG on pile.
15490	Totuskey Creek Daybeacon 12	37-53-07.585N 076-44-16.424W		0		TR on pile.
15490	Totuskey Creek Daybeacon 12	37-53-07.585N 076-44-16.424W		0		TR on pile.
15495	Totuskey Creek Daybeacon 13	37-53-09.168N 076-44-07.796W		0		SG on pile.
15495	Totuskey Creek Daybeacon 13	37-53-09.168N 076-44-07.796W		0		SG on pile.
15500	Totuskey Creek Daybeacon 15	37-53-08.500N 076-43-41.464W		0		SG on pile.
15500	Totuskey Creek Daybeacon 15	37-53-08.500N 076-43-41.464W		0		SG on pile.
15505	Totuskey Creek Daybeacon 17	37-53-21.855N 076-43-28.532W		0		SG on pile.
15505	Totuskey Creek Daybeacon 17	37-53-21.855N 076-43-28.532W		0		SG on pile.
15510	Totuskey Creek Daybeacon 18	37-53-22.520N 076-43-20.277W		0		TR on pile.
15510	Totuskey Creek Daybeacon 18	37-53-22.520N 076-43-20.277W		0		TR on pile.
15515	Totuskey Creek Daybeacon 19	37-53-26.046N 076-43-13.748W		0		SG on pile.
15515	Totuskey Creek Daybeacon 19	37-53-26.046N 076-43-13.748W		0		SG on pile.
15520	Totuskey Creek Daybeacon 21	37-53-33.871N 076-43-05.956W		0		SG on pile.
15520	Totuskey Creek Daybeacon 21	37-53-33.871N 076-43-05.956W		0		SG on pile.

15525	Totuskey Creek Daybeacon 22	37-53-41.673N 076-43-06.208W		0		TR on pile.	
15525	Totuskey Creek Daybeacon 22	37-53-41.673N 076-43-06.208W		0		TR on pile.	
15530	Totuskey Creek Daybeacon 24	37-53-49.683N 076-43-01.318W		0		TR on pile.	
15530	Totuskey Creek Daybeacon 24	37-53-49.683N 076-43-01.318W		0		TR on pile.	
15535	Totuskey Creek Daybeacon 26	37-54-08.763N 076-43-15.778W		0		TR on pile.	
15535	Totuskey Creek Daybeacon 26	37-54-08.763N 076-43-15.778W		0		TR on pile.	
15540	Totuskey Creek Daybeacon 27	37-54-27.325N 076-43-19.519W		0		SG on pile.	
15540	Totuskey Creek Daybeacon 27	37-54-27.325N 076-43-19.519W		0		SG on pile.	
15541	TMT Lighted Mooring Buoy A	37-51-12.000N 076-45-40.000W	FI W 4s			White with blue band.	
15541	TMT Lighted Mooring Buoy A	37-51-12.000N 076-45-40.000W	FI W 4s			White with blue band.	
15543	TMT Lighted Mooring Buoy B	37-51-20.000N 076-45-47.000W	FI W 4s			White with blue band.	
15543	TMT Lighted Mooring Buoy B	37-51-20.000N 076-45-47.000W	FI W 4s			White with blue band.	
15545	Totuskey Creek Daybeacon 29	37-54-40.603N 076-43-19.240W		0		SG on pile.	
15545	Totuskey Creek Daybeacon 29	37-54-40.603N 076-43-19.240W		0		SG on pile.	
15550	Rappahannock River Buoy 22	37-52-06.520N 076-45-52.870W				Red nun.	
15555	VA Power Cable Crossing East Tower Light A	37-52-36.491N 076-46-11.454W	FI Y 4s			On tower.	
15555	VA Power Cable Crossing East Tower Light A	37-52-36.491N 076-46-11.454W	FI Y 4s			On tower.	
15560	VA Power Cable Crossing Middle Tower Light B (2)	37-52-30.541N 076-46-23.455W	FI Y 4s			Tower.	
15560	VA Power Cable Crossing Middle Tower Light B (2)	37-52-30.541N 076-46-23.455W	FI Y 4s			Tower.	
15565	VA Power Cable Crossing West Tower Light C	37-52-24.211N 076-46-35.555W	FI Y 4s			On tower.	
15565	VA Power Cable Crossing West Tower Light C	37-52-24.211N 076-46-35.555W	FI Y 4s			On tower.	
15570	Rappahannock River Buoy 23	37-53-40.818N 076-47-03.572W				Green can.	
15570	Rappahannock River Buoy 23	37-53-40.818N 076-47-03.572W				Green can.	
15575	Rappahannock River Lighted Buoy 24	37-54-05.637N 076-47-35.573W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.	
15575	Rappahannock River Lighted Buoy 24	37-54-05.637N 076-47-35.573W	FI R 4s	5	Red.	Replaced by nun when endangered by ice.	
15580	Rappahannock River Buoy 26	37-54-24.517N 076-48-04.875W				Red nun.	
15580	Rappahannock River Buoy 26	37-54-24.517N 076-48-04.875W				Red nun.	
15585	Rappahannock River Buoy 28	37-54-48.517N 076-48-40.876W				Red nun.	
15585	Rappahannock River Buoy 28	37-54-48.517N 076-48-40.876W				Red nun.	
15590	Rappahannock River Light 29	37-54-59.542N 076-49-21.268W	FI G 4s	0	4	SG on multi-pile structure.	
15590	Rappahannock River Light 29	37-54-59.542N 076-49-21.268W	FI G 4s	0	4	SG on multi-pile structure.	
15595	Rappahannock River Buoy 30	37-55-30.516N 076-50-02.880W				Red nun.	
15595	Rappahannock River Buoy 30	37-55-30.516N 076-50-02.880W				Red nun.	
15600	Hoskins Creek Light 1HC	37-55-31.381N 076-50-43.329W	FI G 2.5s	0	4	SG on pile.	
15600	Hoskins Creek Light 1HC	37-55-31.381N 076-50-43.329W	FI G 2.5s	0	4	SG on pile.	

15603	Hoskins Creek Light 2	37-55-25.576N 076-50-56.423W	FI R 4s	0	4	TR on pile.
15605	Hoskins Creek Range Front Light	37-55-17.755N 076-51-09.860W	Q W			KWR on pile. Night: Visible all round higher intensity beam on bearing 235°.
15605	Hoskins Creek Range Front Light	37-55-17.755N 076-51-09.860W	Q W			KWR on pile. Night: Visible all round higher intensity beam on bearing 235°.
15610	Hoskins Creek Range Rear Light	37-55-11.405N 076-51-21.763W	Iso W 6s	20		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. Night: Visible 1.5° either side of rangeline.
15611	Hoskins Creek Range Rear Passing Light	37-55-11.405N 076-51-21.763W	FI W 4s	20	4	On channel side of platform of Hoskins Creek Range Rear Light.
15613	Hoskins Creek Light 3	37-55-18.474N 076-51-07.457W	Q G	0	4	SG on pile.
15615	Hoskins Creek Daybeacon 4	37-55-20.497N 076-51-11.209W		0		TR on pile.
15615	Hoskins Creek Daybeacon 4	37-55-20.497N 076-51-11.209W		0		TR on pile.
15625	Rappahannock River Light 32	37-56-24.922N 076-51-29.098W	FI R 4s		4	TR on pile.
15625	Rappahannock River Light 32	37-56-24.922N 076-51-29.098W	FI R 4s		4	TR on pile.
15630	Rappahannock River Daybeacon 34	37-57-14.493N 076-51-32.091W				TR on pile.
15630	Rappahannock River Daybeacon 34	37-57-14.493N 076-51-32.091W				TR on pile.
15635	Rappahannock River Light 35	37-57-45.604N 076-51-39.835W	FI G 4s	0	4	SG on multi-pile structure.
15635	Rappahannock River Light 35	37-57-45.604N 076-51-39.835W	FI G 4s	0	4	SG on multi-pile structure.
15640	Rappahannock River Light 36	37-58-35.088N 076-51-50.041W	Q R	0	4	TR on multi-pile structure.
15640	Rappahannock River Light 36	37-58-35.088N 076-51-50.041W	Q R	0	4	TR on multi-pile structure.
15650	Rappahannock River Light 38	37-59-03.397N 076-54-06.705W	FI R 2.5s	0	4	TR on multi-pile structure.
15650	Rappahannock River Light 38	37-59-03.397N 076-54-06.705W	FI R 2.5s	0	4	TR on multi-pile structure.
15655	Rappahannock River Light 40	38-01-07.613N 076-54-31.204W	FI R 6s	0	4	TR on multi-pile.
15655	Rappahannock River Light 40	38-01-07.613N 076-54-31.204W	FI R 6s	0	4	TR on multi-pile.
15660	Rappahannock River Daybeacon 42	38-05-18.486N 076-59-10.889W				TR on pile.
15660	Rappahannock River Daybeacon 42	38-05-18.486N 076-59-10.889W				TR on pile.
15665	Rappahannock River Daybeacon 44	38-06-26.027N 076-59-16.218W		0		TR on pile.
15670	Rappahannock River Daybeacon 46	38-05-37.057N 077-02-04.809W				TR on pile.
15670	Rappahannock River Daybeacon 46	38-05-37.057N 077-02-04.809W				TR on pile.
15675	Rappahannock River Daybeacon 47	38-06-19.645N 077-02-33.307W				SG on pile.
15675	Rappahannock River Daybeacon 47	38-06-19.645N 077-02-33.307W				SG on pile.
15680	Rappahannock River Daybeacon 48	38-06-47.072N 077-03-15.622W				TR on pile.
15680	Rappahannock River Daybeacon 48	38-06-47.072N 077-03-15.622W				TR on pile.
15683	Rappahannock River Buoy 48A	38-09-14.220N 077-04-12.621W				Red nun.
15685	Rappahannock River Buoy 49	38-09-04.571N 077-04-05.238W				Green can.
15685	Rappahannock River Buoy 49	38-09-04.571N 077-04-05.238W				Green can.
15687	Rappahannock River Buoy 49A	38-08-40.940N 077-04-06.775W				Green can.
15690	Rappahannock River Buoy 50	38-08-35.066N 077-04-31.200W				Red nun.
15690	Rappahannock River Buoy 50	38-08-35.066N 077-04-31.200W				Red nun.

15695	Rappahannock River Buoy 52	38-08-37.929N 077-04-45.635W				Red nun.
15695	Rappahannock River Buoy 52	38-08-37.929N 077-04-45.635W				Red nun.
15700	Rappahannock River Buoy 54	38-08-51.254N 077-04-55.444W				Red nun.
15700	Rappahannock River Buoy 54	38-08-51.254N 077-04-55.444W				Red nun.
15705	Rappahannock River Buoy 55	38-09-18.525N 077-04-55.156W				Green can.
15705	Rappahannock River Buoy 55	38-09-18.525N 077-04-55.156W				Green can.
15710	Rappahannock River Buoy 57	38-09-34.574N 077-06-01.050W				Green can.
15710	Rappahannock River Buoy 57	38-09-34.574N 077-06-01.050W				Green can.
15715	Rappahannock River Buoy 59	38-09-20.011N 077-06-19.702W				Green can.
15715	Rappahannock River Buoy 59	38-09-20.011N 077-06-19.702W				Green can.
15720	Rappahannock River Buoy 60	38-09-17.948N 077-06-27.107W				Red nun.
15725	Rappahannock River Buoy 62	38-09-12.730N 077-06-41.053W				Red nun.
15730	Rappahannock River Buoy 63	38-09-08.622N 077-06-48.854W				Green can.
15730	Rappahannock River Buoy 63	38-09-08.622N 077-06-48.854W				Green can.
15735	Rappahannock River Buoy 64	38-09-19.992N 077-07-11.049W				Red nun.
15740	Rappahannock River Buoy 65	38-09-21.880N 077-07-19.685W				Green can.
15740	Rappahannock River Buoy 65	38-09-21.880N 077-07-19.685W				Green can.
15745	Rappahannock River Buoy 67	38-09-52.918N 077-07-52.011W				Green can.
15745	Rappahannock River Buoy 67	38-09-52.918N 077-07-52.011W				Green can.
15750	Rappahannock River Light 68	38-10-07.042N 077-08-27.252W	Fl R 4s	0	4	TR on multi-pile structure.
15750	Rappahannock River Light 68	38-10-07.042N 077-08-27.252W	Fl R 4s	0	4	TR on multi-pile structure.
15755	Rappahannock River Daybeacon 69	38-10-10.553N 077-09-06.408W		0		SG on pile.
15755	Rappahannock River Daybeacon 69	38-10-10.553N 077-09-06.408W		0		SG on pile.
15760	Rappahannock River Buoy 70	38-10-01.832N 077-09-32.597W				Red nun.
15765	Rappahannock River Buoy 72	38-09-50.763N 077-09-48.279W				Red nun.
15770	Rappahannock River Buoy 74	38-09-46.668N 077-10-11.551W				Red nun.
15775	Rappahannock River Light 75	38-09-49.695N 077-10-26.598W	Fl G 4s	0	4	SG on pile.
15775	Rappahannock River Light 75	38-09-49.695N 077-10-26.598W	Fl G 4s	0	4	SG on pile.
15780	Rappahannock River Buoy 77	38-10-55.785N 077-11-37.462W				Green can.
15780	Rappahannock River Buoy 77	38-10-55.785N 077-11-37.462W				Green can.
15785	Rappahannock River Buoy 78	38-11-09.048N 077-11-58.284W				Red nun.
15790	Rappahannock River Buoy 79	38-11-56.444N 077-13-01.156W				Green can.
15790	Rappahannock River Buoy 79	38-11-56.444N 077-13-01.156W				Green can.
16005	Antipoison Creek Daybeacon 2	37-38-28.628N 076-19-21.158W		0		TR on pile.
16010	Antipoison Creek Light 4	37-37-55.391N 076-19-28.990W	Fl R 2.5s	0	4	TR on pile.

16015	Antipoison Creek Daybeacon 5	37-37-51.856N 076-19-55.925W		0		SG on pile.
16020	Antipoison Creek Daybeacon 6	37-37-54.121N 076-20-12.756W		0		TR on pile.
16025	Antipoison Creek Daybeacon 7	37-37-53.172N 076-20-26.215W		0		SG on pile.
16030	North Point Light 1N	37-39-14.736N 076-17-59.116W	FI G 4s	0	4	SG on pile.
16035	Dymer Creek Entrance Light 2	37-39-21.092N 076-19-04.376W	FI R 4s	0	4	TR on pile.
16040	Dymer Creek Entrance Light 4	37-39-30.559N 076-19-22.802W	FI R 2.5s	0	4	TR on pile.
16045	Dymer Creek Entrance Light 6	37-39-42.941N 076-19-37.317W	FI R 4s	0	4	TR on multi-pile structure.
16050	Dymer Creek Entrance Light 7	37-39-49.524N 076-19-49.726W	FI G 4s	0	4	SG on pile.
16055	Johnson Creek Warning Daybeacon A	37-40-25.685N 076-21-01.604W		0		NW on pile worded DANGER.
16060	Fleets Bay Buoy 1	37-40-31.499N 076-14-06.806W				Green can.
16065	Fleets Bay Buoy 2	37-41-01.499N 076-14-11.806W				Red nun.
16070	Bluff Point Light B	37-40-33.103N 076-16-29.997W	FI W 2.5s	0	5	NR on pile.
16075	Indian Creek Entrance Light 2	37-40-18.509N 076-18-22.814W	FI R 2.5s	0	4	TR on pile.
16080	Indian Creek Light 4	37-40-38.829N 076-18-57.635W	FI R 4s	0	4	TR on pile.
16085	Indian Creek Light 6	37-41-00.678N 076-19-39.875W	FI R 4s	0	4	TR on pile.
16090	Indian Creek Daybeacon 7	37-41-07.386N 076-20-01.017W		0		SG on pile.
16095	Indian Creek Light 8	37-41-16.717N 076-20-15.000W	FI R 2.5s		4	Red. TR on pile.
16100	Indian Creek Daybeacon 9	37-41-19.282N 076-20-28.998W		0		SG on pile.
16105	Indian Creek Light 10	37-41-27.851N 076-20-36.823W	FI R 4s	0	4	TR on pile.
16110	Indian Creek Daybeacon 11	37-41-35.388N 076-20-52.033W		0		SG on pile.
16115	Indian Creek Light 12	37-41-41.774N 076-20-55.962W	FI R 6s	0	4	TR on pile.
16120	Dividing Creek Entrance Light 3	37-42-45.637N 076-17-00.499W	FI G 4s	0	4	SG on pile.
16125	Dividing Creek Entrance Light 4	37-43-08.730N 076-17-59.247W	FI R 4s	0	4	TR on pile.
16130	Dividing Creek Entrance Daybeacon 6	37-43-16.117N 076-18-11.383W		0		TR on pile.
16135	Dividing Creek Entrance Light 7	37-43-22.002N 076-18-24.135W	FI G 4s	0	4	SG on pile.
16140	Dividing Creek Daybeacon 7A	37-43-24.439N 076-18-43.507W		0		SG on pile.
16145	Jarvis Creek Daybeacon 2	37-43-22.615N 076-19-03.322W		0		TR on pile.
16150	Jarvis Creek Daybeacon 3	37-43-20.860N 076-19-14.980W		0		SG on pile.
16155	Prentice Creek Entrance Daybeacon 1	37-43-43.817N 076-19-06.820W		0		SG on pile.
16160	Prentice Creek Daybeacon 2	37-43-47.894N 076-19-22.792W		0		TR on pile.
16165	Dividing Creek Daybeacon 8	37-43-48.509N 076-18-46.817W		0		TR on pile.
16170	Dividing Creek Daybeacon 9	37-44-00.510N 076-19-04.817W		0		SG on pile.
16175	Dividing Creek Daybeacon 10	37-44-09.503N 076-19-17.842W		0		TR on pile.
16180	Great Wicomico River Lighted Buoy 1GW	37-47-25.660N 076-14-02.866W	FI G 4s		5	Green.
16195	Great Wicomico River Lighted Buoy 2	37-48-01.810N 076-15-16.616W	FI R 2.5s		4	Red.

16200	Great Wicomico River Buoy 3	37-47-55.200N 076-15-52.866W				Green can.
16205	Mill Creek Entrance Light 2MC	37-47-36.708N 076-17-47.249W	Fl R 4s	0	4	TR on pile
16210	Mill Creek Entrance Daybeacon 3	37-47-35.767N 076-18-07.249W				SG on pile.
16215	Mill Creek Entrance Daybeacon 4	37-47-17.782N 076-18-39.734W		0		TR on pile.
16220	Mill Creek Entrance Daybeacon 5	37-47-35.197N 076-18-54.715W		0		SG on pile.
16225	Ingram Bay Marina Daybeacon 2	37-47-49.474N 076-17-58.800W				TR on pile.
16230	Ingram Bay Marina Daybeacon 3	37-48-00.474N 076-18-08.801W				SG on pile.
16235	Ingram Bay Marina Daybeacon 4	37-48-10.473N 076-18-08.801W				TR on pile.
16240	Ingram Bay Marina Daybeacon 5	37-48-07.474N 076-18-10.801W				SG on pile.
16245	Great Wicomico River Wreck Light WR4	37-48-10.502N 076-16-02.345W	Q R	0	4	TR on pile.
16250	Great Wicomico River Light 6	37-48-33.727N 076-17-24.154W	Fl R 2.5s	0	4	TR on pile.
16255	Cockrell Creek Warning Daybeacon A	37-49-09.868N 076-17-04.039W		0		NW on pile worded DANGER.
16257	Cockrell Creek Light 1C	37-49-09.637N 076-17-02.707W	Fl G 2.5s	0	4	SG on pile.
16260	Cockrell Creek Daybeacon 2	37-50-28.552N 076-16-53.941W		0		TR on pile.
16265	Buzzards Point Daybeacon 1	37-50-16.468N 076-16-55.798W				SG on pile.
16270	Buzzards Point Daybeacon 2	37-50-21.468N 076-17-06.799W				TR on pile.
16275	Buzzards Point Daybeacon 3	37-50-24.468N 076-17-10.799W				SG on pile.
16280	Great Wicomico River Daybeacon 8	37-49-07.270N 076-17-44.789W		0		TR on pile.
16285	Cranes Creek Buoy 2	37-48-55.349N 076-18-20.221W				Red nun.
16290	Cranes Creek Buoy 3	37-48-57.881N 076-18-31.183W				Green can.
16295	Cranes Creek Buoy 5	37-48-56.963N 076-18-36.017W				Green can.
16300	Great Wicomico River Light 9	37-49-29.303N 076-18-13.503W	Fl G 2.5s	0	4	SG on pile.
16303	Great Wicomico River Warning Daybeacon A	37-49-27.138N 076-18-12.019W				NW on pile worded DANGER.
16305	Whays Creek Daybeacon 2	37-49-57.000N 076-18-28.000W				TR on pile.
16310	Whays Creek Daybeacon 3	37-49-59.000N 076-18-58.000W				SG on pile.
16315	Whays Creek Daybeacon 4	37-49-57.471N 076-18-42.000W				TR on pile.
16320	Whays Creek Daybeacon 5	37-50-01.471N 076-18-38.000W				SG on pile.
16325	Whays Creek Daybeacon 7	37-50-01.000N 076-18-38.000W				SG on pile.
16330	Great Wicomico River Daybeacon 10	37-49-49.595N 076-18-57.090W		0		TR on slatted pile structure.
16335	Great Wicomico River Light 11	37-50-56.373N 076-20-01.081W	Fl G 4s	0	4	SG on pile.
16336.07	Warehouse Creek Daybeacon 7	37-50-51.650N 076-19-04.840W				SG on pile.
16336.06	Warehouse Creek Daybeacon 6	37-50-51.600N 076-19-04.740W				TR on pile.
16336.05	Warehouse Creek Daybeacon 5	37-50-51.920N 076-19-03.280W				SG on pile.
16336.04	Warehouse Creek Daybeacon 4	37-50-51.900N 076-19-03.240W				TR on pile.
16336.03	Warehouse Creek Daybeacon 3	37-50-46.200N 076-19-07.800W				SG on pile.

16336.02	Warehouse Creek Daybeacon 2	37-50-40.500N 076-19-12.130W				TR on pile.
16336.01	Warehouse Creek Daybeacon 1WC	37-50-35.640N 076-19-19.800W				SG on pile.
16350	Little Wicomico River Approach Light 2LW	37-53-17.419N 076-13-53.054W	Fl R 2.5s	0	4	TR on pile.
16355	Little Wicomico River Light 4	37-53-25.202N 076-14-09.484W	Q R	0	4	TR on pile.
16360	Little Wicomico River Light 5	37-53-22.380N 076-14-08.246W	Fl G 2.5s	16	4	SG on skeleton tower.
16365	Little Wicomico River Light 7	37-53-15.481N 076-14-30.106W	Fl G 4s	0	4	SG on multi-pile structure.
16370	Little Wicomico River Daybeacon 9	37-53-20.350N 076-14-53.296W		0		SG on pile.
16375	Little Wicomico River Daybeacon 8	37-53-20.054N 076-14-43.964W		0		TR on pile.
16380	Slough Creek Daybeacon 1S	37-53-19.645N 076-14-56.871W		0		SG on pile.
16385	Slough Creek Daybeacon 2	37-53-10.420N 076-15-04.712W		0		TR on pile.
16390	Slough Creek Daybeacon 3	37-53-06.087N 076-15-11.092W		0		SG on pile.
16400	Slough Creek Daybeacon 5	37-53-04.963N 076-15-12.310W		0		SG on pile.
16405	Slough Creek Daybeacon 7	37-53-04.008N 076-15-11.514W				SG on pile.
16410	Slough Creek Daybeacon 8	37-53-03.245N 076-15-10.002W				TR on pile.
16415	Slough Creek Daybeacon 10	37-52-58.462N 076-15-12.794W				TR on pile.
16415.1	Slough Creek Daybeacon 11	37-52-55.000N 076-15-14.000W				SG on pile.
16420	Little Wicomico River Light 11	37-53-22.669N 076-15-07.192W	Fl G 4s	0	4	SG on pile.
16425	Little Wicomico River Daybeacon 12	37-53-24.224N 076-15-31.678W		0		TR on pile.
16430	Ellyson Creek Channel Daybeacon 1E	37-53-40.496N 076-15-51.606W		0		SG on pile.
16435	Ellyson Creek Channel Daybeacon 2	37-53-42.805N 076-15-53.394W		0		TR on pile.
16440	Ellyson Creek Channel Daybeacon 4	37-53-51.260N 076-16-00.160W		0		TR on pile.
16445	Ellyson Creek Channel Daybeacon 5	37-54-02.986N 076-16-16.247W		0		SG on pile.
16450	Ellyson Creek Channel Daybeacon 6	37-54-05.138N 076-16-20.552W		0		TR on pile.
16455	Little Wicomico River Daybeacon 13	37-53-18.901N 076-15-57.646W		0		SG on pile.
16460	Little Wicomico River Buoy 14	37-53-14.215N 076-16-17.140W				Red nun. Removed when endangered by ice.
16465	Little Wicomico River Buoy 15	37-53-16.507N 076-16-41.741W				Green can.
16470	Little Wicomico River Daybeacon 17	37-53-22.867N 076-17-14.458W		0		SG on pile.
16475	Little Wicomico River Daybeacon 18	37-53-23.100N 076-17-20.244W		0		TR on pile.
16480	Little Wicomico River Daybeacon 20	37-53-28.879N 076-17-40.657W		0		TR on pile.
16485	Little Wicomico River Daybeacon 21	37-53-41.179N 076-17-53.476W		0		SG on pile.
16490	Potomac River Channel Buoy 1	37-54-10.687N 076-11-47.804W				Green can.
16495	Potomac River Channel Buoy 3	37-56-45.488N 076-16-15.313W				Green can.
16500	Potomac River Channel Buoy 5	37-59-16.689N 076-20-44.826W				Green can.
16505	Potomac River Mid-Channel Lighted Whistle Buoy A	38-00-51.186N 076-20-39.825W	Mo (A) W		6	Red and white stripes.
16537	NOAA Lighted Data Buoy PL	38-02-00.000N 076-20-15.000W	Fl Y 4s			Yellow

16538	NOAA Lighted DOX Buoy PR	38-02-55.040N 076-21-34.330W	FI Y 6s			Yellow buoy.	
16538	NOAA Lighted DOX Buoy PR	38-02-55.040N 076-21-34.330W	FI Y 6s			Yellow buoy.	
16540	Lake Conoy Daybeacon 1	38-03-00.768N 076-19-47.668W		0		SG on pile.	
16545	Lake Conoy Light 2	38-02-59.653N 076-19-45.805W	FI R 2.5s	0	4	TR on pile.	
16550	Lake Conoy Daybeacon 3	38-03-04.430N 076-19-43.308W		0		SG on pile.	
16555	Lake Conoy Warning Daybeacon A	38-03-09.349N 076-19-43.825W				NW on pile.	
16560	Lake Conoy Warning Daybeacon B	38-03-10.339N 076-19-40.694W				NW on pile.	
16565	Lake Conoy Warning Daybeacon C	38-03-12.416N 076-19-37.420W				NW on pile.	
16570	Potomac River Channel Lighted Buoy 7	38-01-44.790N 076-25-07.938W	FI G 4s		5	Green.	Replaced by can when endangered by ice.
16575	Coan River Entrance Buoy 2	38-01-07.491N 076-26-03.840W				Red nun.	
16580	Coan River Entrance Buoy 4	38-00-44.717N 076-26-35.719W				Red nun.	
16585	Coan River Entrance Light 5	38-00-05.921N 076-27-03.878W	FI G 4s	0	4	SG on multi-pile structure.	
16590	Coan River Light 6	37-59-36.714N 076-27-10.282W	FI R 2.5s	0	4	TR on pile.	
16595	Coan River Daybeacon 8	37-59-30.298N 076-27-58.184W		0		TR on pile.	
16600	Coan River Daybeacon 10	37-59-21.212N 076-28-00.685W		0		TR on pile.	
16602	Coan River Warning Daybeacon	37-59-06.781N 076-27-58.369W		0		NW on pile.	
16603	Coan River Daybeacon 11	37-59-11.490N 076-28-00.586W		0		SG on pile.	
16605	Coan River Daybeacon 13	37-59-02.717N 076-27-56.643W		0		SG on pile.	
16607	Coan River Daybeacon 14	37-59-00.309N 076-27-52.846W		0		TR on pile.	
16610	Coan River Daybeacon 14A	37-58-55.388N 076-27-43.813W		0		TR on pile.	
16612	Coan River Marina Buoy 1	37-58-57.000N 076-28-02.000W				Green can.	
16613	Coan River Marina Buoy 2	37-58-51.000N 076-28-13.000W				Red nun.	
16615	Coan River Daybeacon 16	37-58-39.753N 076-27-39.860W		0		TR on pile.	
16620	Coan River Daybeacon 18	37-58-19.577N 076-27-48.973W		0		TR on pile.	
16625	Coan River Daybeacon 19	37-58-10.032N 076-27-55.570W		0		SG on pile.	
16630	Coan River Daybeacon 20	37-58-08.694N 076-28-07.387W		0		TR on pile.	
16635	Coan River Daybeacon 22	37-58-11.793N 076-28-17.281W		0		TR on pile.	
16640	Smith Creek - Potomac River Approach Light 2S	38-05-31.138N 076-24-15.055W	Q R	0	4	TR on pile.	
16645	Smith Creek - Potomac River Light 3	38-06-00.996N 076-24-15.106W	FI G 2.5s	0	4	SG on pile.	
16650	Smith Creek - Potomac River Light 4	38-06-08.304N 076-24-27.175W	FI R 4s	0	4	TR on pile.	
16655	Smith Creek - Potomac River Light 6	38-06-46.907N 076-24-28.618W	FI R 6s	0	4	TR on pile.	
16660	St. Marys River Junction Lighted Buoy SM	38-04-32.688N 076-26-02.840W	FI (2+1)R 6s		5	Red and green bands.	Replaced by nun when endangered by ice.
16665	St. George Creek Junction Daybeacon A	38-07-16.539N 076-27-29.225W		0		JR on pile.	
16670	St. Marys River Light 1	38-08-23.325N 076-27-17.362W	FI G 2.5s	0	4	SG on pile.	
16675	St. Marys River Light 2	38-09-00.645N 076-26-40.465W	FI R 4s	0	4	TR on pile.	

16680	St. Marys River Light 3	38-09-31.263N 076-26-47.080W	Fl G 6s	0	4	SG on pile.
16685	St. Marys River Daybeacon 4	38-11-40.619N 076-26-52.771W		0		TR on pile.
16687	St. Inigoes Creek Light 2SI	38-09-33.058N 076-25-41.991W	Q R	0	4	TR on pile.
16690	Molls Cove Daybeacon 2M	38-09-27.961N 076-25-37.768W				TR on pile.
16695	Island Creek Channel Light 1	38-06-41.727N 076-27-47.099W	Fl G 4s	0	4	SG on multi-pile structure.
16700	Island Creek Channel Light 3	38-06-31.637N 076-28-01.456W	Fl G 4s	0	3	SG on pile.
16703	St. Marys River Horseshoe Bend Warning Buoy A	38-11-32.050N 076-25-50.310W				White with orange band worded DANGER.
16703.1	St. Marys River Horseshoe Bend Warning Buoy B	38-11-28.450N 076-25-53.870W				White with orange band worded DANGER.
16703.2	St. Marys River Horseshoe Bend Warning Buoy C	38-11-25.250N 076-25-57.080W				White with orange band worded DANGER.
16705	Island Creek Channel Daybeacon 4	38-06-32.850N 076-28-02.445W		0		TR on pile.
16710	Island Creek Channel Daybeacon 5	38-06-31.537N 076-28-03.697W		0		SG on pile.
16715	Island Creek Channel Daybeacon 6	38-06-33.253N 076-28-03.297W		0		TR on pile.
16720	Island Creek Channel Daybeacon 7	38-06-32.440N 076-28-04.898W		0		SG on pile.
16725	Island Creek Channel Daybeacon 8	38-06-34.673N 076-28-03.875W		0		TR on pile.
16730	Island Creek Channel Daybeacon 9	38-06-33.026N 076-28-06.393W		0		SG on pile.
16735	St. George Creek Light 2	38-07-22.228N 076-27-56.169W	Q R	0	4	TR on pile.
16740	St. George Creek Light 3	38-07-53.220N 076-28-54.145W	Fl G 4s	0	4	SG on pile.
16745	St. George Creek Light 4	38-08-04.170N 076-29-19.477W	Fl R 2.5s	0	4	TR on pile.
16750	St. George Creek Light 6	38-08-23.742N 076-29-48.150W	Fl R 4s	0	4	TR on pile.
16753	Lundeberg School Breakwater Light A	38-08-43.800N 076-30-05.040W	Fl W 4s			On end of breakwater.
16755	St. George Creek Daybeacon 7	38-08-55.932N 076-30-04.561W		0		SG on pile.
16757	St. George Creek Buoy 9	38-09-24.200N 076-30-28.500W				Green can.
16760	St. George Creek West Channel Warning Light A	38-08-00.701N 076-30-15.127W	Fl W 4s	0	4	NW on pile worded DANGER SHOAL.
16765	St. George Creek West Channel Warning Daybeacon B	38-08-05.550N 076-30-06.631W		0		NW on pile worded DANGER SHOAL.
16775	St. George Creek Channel Daybeacon 5	38-08-16.836N 076-29-48.288W		0		SG on pile.
16780	Carthagen Creek Daybeacon 1	38-08-42.827N 076-27-38.335W		0		SG on pile.
16785	Carthagen Creek Daybeacon 3	38-08-54.097N 076-27-51.395W				SG on pile.
16790	Carthagen Creek Light 4	38-09-08.720N 076-28-15.444W	Fl R 2.5s	0	4	TR on pile.
16795	Carthagen Creek Daybeacon 5	38-09-18.905N 076-28-12.431W		0		SG on pile.
16800	Potomac River Channel Buoy 9	38-03-18.291N 076-27-49.045W				Green can.
16800	Potomac River Channel Buoy 9	38-03-18.291N 076-27-49.045W				Green can.
16805	Yeocomico River Entrance Light 2Y	38-02-25.673N 076-30-01.879W	Fl R 4s	0	4	TR on pile. Remains of caisson structure at base of pile.
16810	Yeocomico River Light 3	38-01-51.915N 076-32-11.593W	Fl G 6s	0	4	SG on pile.
16815	West Yeocomico River Daybeacon 4	38-01-38.280N 076-32-53.880W				TR on pile.
16820	Yeocomico River Light 5	38-02-15.677N 076-32-54.722W	Fl G 4s	0	4	SG on pile.

16825	West Yeocomico River Daybeacon 6	38-01-40.260N 076-33-13.920W					TR on pile.
16830	South Yeocomico River Daybeacon 2	38-01-39.033N 076-32-29.946W		0			TR on pile.
16835	South Yeocomico River Daybeacon 4	38-00-38.915N 076-32-25.556W		0			TR on pile.
16837	Palmer Cove Light	38-00-35.000N 076-32-00.000W	Fl W 4s				Black and white striped lighthouse on multi-pile structure.
16840	South Yeocomico River Daybeacon 6	38-00-18.323N 076-32-25.682W		0			TR on pile.
16845	Mill Creek Daybeacon 2 (Yeocomico River)	38-00-22.468N 076-33-20.838W					TR on pile.
16850	Mill Creek Daybeacon 4 (Yeocomico River)	38-00-13.468N 076-33-38.838W					TR on pile.
16855	Potomac River Mid-Channel Lighted Whistle Buoy B	38-06-54.191N 076-31-51.454W	Mo (A) W	6			Red and white stripes. Removed when endangered by ice.
16855	Potomac River Mid-Channel Lighted Whistle Buoy B	38-06-54.191N 076-31-51.454W	Mo (A) W	6			Red and white stripes. Removed when endangered by ice.
16860	Piney Point Oil Pier Light A	38-07-58.100N 076-31-52.300W	F Y				
16865	Piney Point Oil Pier Light B	38-07-59.620N 076-31-55.410W	F Y				
16870	Piney Point Oil Pier Light C	38-08-00.970N 076-31-57.890W	F Y				
16875	Piney Point Oil Pier Light D	38-08-03.310N 076-32-00.220W	F Y				
16882	Bonum Creek North Jetty Warning Light A	38-05-53.576N 076-34-48.706W	Fl W 2.5s	0	4		NW on pile worded DANGER ROCKS.
16912	Maryland Historical Trust Mooring Buoy	38-08-10.000N 076-33-10.000W					White with blue band. Maintained from Apr. 1 to Oct. 31.
16915	Herring Creek Jetty Light 2	38-10-34.374N 076-32-57.352W	Fl R 4s	15	3		TR on skeleton tower.
16920	Herring Creek Jetty Light 1	38-10-36.678N 076-32-58.696W	Fl G 4s	15	4		SG on skeleton tower.
16927	Herring Creek Daybeacon 4	38-10-38.608N 076-32-49.142W		0			TR on pile.
16930	Herring Creek Daybeacon 5	38-10-40.553N 076-32-45.869W		0			SG on pile.
16935	Herring Creek Light 6	38-10-44.152N 076-32-34.723W	Fl R 4s	0	4		TR on multi-pile structure.
16940	Ragged Point Warning Light	38-09-16.332N 076-36-04.619W	Fl W 6s	16	6		NW on platform worded DANGER.
16942	Ragged Point Obstruction Light	38-09-16.363N 076-36-04.043W	Fl W 4s	18	5		NW on pile worded DANGER.
16942	Ragged Point Obstruction Light	38-09-16.363N 076-36-04.043W	Fl W 4s	18	5		NW on pile worded DANGER.
16952	NOAA Lighted DOX Buoy HC	38-09-41.140N 076-34-01.160W	Fl Y 6s				Yellow buoy.
16952	NOAA Lighted DOX Buoy HC	38-09-41.140N 076-34-01.160W	Fl Y 6s				Yellow buoy.
16955	Potomac River Channel Buoy 10	38-11-27.430N 076-35-47.916W					Red nun.
16960	Potomac River Channel Buoy 11	38-10-00.090N 076-38-33.760W					Green can.
16962	Cabin Point Creek Daybeacon 1	38-08-28.700N 076-39-39.400W					SG on pile.
16963	Cabin Point Creek Daybeacon 2	38-08-29.400N 076-39-39.500W					TR on pile.
16965	Lower Machodoc Creek Light 1LM	38-08-26.222N 076-39-00.218W	Fl G 4s	0	4		SG on pile.
16970	Lower Machodoc Creek Daybeacon 2	38-08-09.823N 076-38-49.060W		0			TR on pile.
16971	Glebe Creek Daybeacon 1	38-08-02.700N 076-38-58.440W					SG on pile.
16971.5	Glebe Creek Daybeacon 2	38-08-02.760N 076-38-59.400W					TR on pile.
16972	Glebe Creek Daybeacon 3	38-07-54.600N 076-38-59.760W					SG on pile.
16972.5	Glebe Creek Daybeacon 4	38-07-55.080N 076-39-00.120W					TR on pile.

16973	Glebe Creek Daybeacon 5	38-07-55.380N 076-39-05.340W				SG on pile.
16973.5	Glebe Creek Daybeacon 6	38-07-55.560N 076-39-04.920W				TR on pile.
16975	Lower Machodoc Creek Light 4	38-07-28.763N 076-38-21.737W	FI R 4s	0	3	TR on pile.
16980	Lower Machodoc Creek Daybeacon 6	38-07-25.199N 076-38-23.061W		0		TR on pile.
16985	Bransons Cove Daybeacon 1B	38-08-21.234N 076-38-52.759W		0		SG on pile.
16990	Bransons Cove Light 3	38-08-28.494N 076-38-17.755W	FI G 4s	0	3	SG on pile.
16995	Bransons Cove Daybeacon 5	38-08-30.426N 076-38-10.609W		0		SG on pile.
17000	Potomac River Channel Buoy 12	38-12-18.936N 076-40-00.040W				Red nun.
17005	Kingcopsico Point Warning Daybeacon	38-09-44.925N 076-42-05.562W		0		NW on pile worded DANGER SUBMERGED ROCKS.
17007	Potomac River Channel Buoy 13	38-10-48.132N 076-43-38.338W				Green can.
17010	Nomini Creek Channel Light 1	38-08-23.413N 076-43-22.711W	FI G 2.5s	0	4	SG on pile.
17015	Nomini Creek Channel Daybeacon 2	38-08-18.941N 076-43-27.854W		0		TR on pile.
17020	Nomini Creek Channel Daybeacon 4	38-08-03.636N 076-43-15.898W		0		TR on pile.
17023	Nomini Creek Channel Daybeacon 4A	38-07-57.887N 076-43-10.705W		0		TR on pile.
17025	Nomini Creek Channel Light 5	38-07-56.199N 076-43-06.793W	FI G 4s	0	4	SG on pile.
17030	Nomini Creek Channel Daybeacon 6	38-07-42.342N 076-43-06.451W		0		TR on pile.
17035	Nomini Creek Channel Daybeacon 8	38-07-22.224N 076-43-03.763W		0		TR on pile.
17040	Nomini Creek Channel Daybeacon 10	38-07-01.500N 076-42-38.005W		0		TR on pile.
17045	Haulover Point Lighted Buoy 2	38-09-56.870N 076-45-47.850W	FI R 2.5s			Red.
17045.1	Haulover Point Lighted Buoy 4	38-09-46.790N 076-45-40.560W	FI R 4s			Red.
17045.2	Haulover Point Lighted Buoy 6	38-09-41.130N 076-45-39.980W	FI R 6s			Red.
17045.3	Haulover Point Buoy 8	38-09-39.500N 076-45-48.200W				Red.
17045.4	Haulover Point Buoy 10	38-09-38.340N 076-45-53.680W				Red.
17045.5	Haulover Point Buoy 12	38-09-36.590N 076-46-03.290W				Red.
17045	Haulover Point Lighted Buoy 2	38-09-56.870N 076-45-47.850W	FI R 2.5s			Red.
17045.1	Haulover Point Lighted Buoy 4	38-09-46.790N 076-45-40.560W	FI R 4s			Red.
17045.2	Haulover Point Lighted Buoy 6	38-09-41.130N 076-45-39.980W	FI R 6s			Red.
17045.3	Haulover Point Buoy 8	38-09-39.500N 076-45-48.200W				Red.
17045.4	Haulover Point Buoy 10	38-09-38.340N 076-45-53.680W				Red.
17045.5	Haulover Point Buoy 12	38-09-36.590N 076-46-03.290W				Red.
17055	Heron Island Shoals Junction Buoy HI	38-12-38.595N 076-42-12.484W				Red and green bands; nun.
17060	Breton Bay Entrance Light 2	38-13-36.442N 076-41-40.363W	FI R 4s	0	4	TR on pile.
17065	Breton Bay Channel Daybeacon 4	38-14-22.227N 076-41-27.865W		0		TR on pile.
17070	Breton Bay Light 5	38-15-18.472N 076-41-34.621W	FI G 6s	0	4	SG on pile.
17075	Combs Creek Light 1C	38-15-34.415N 076-41-31.084W	FI G 2.5s	0	4	SG on pile.

17080	Combs Creek Daybeacon 3	38-15-38.498N 076-41-30.473W		0		SG on pile.	
17085	Combs Creek Daybeacon 4	38-15-38.721N 076-41-29.864W		0		TR on pile.	
17090	Breton Bay Light 7	38-15-25.325N 076-39-52.163W	FI G 2.5s	0	4	SG on pile.	
17095	Breton Bay Daybeacon 7A	38-15-48.635N 076-39-11.483W		0		SG on pile.	
17100	Breton Bay Light 8	38-15-53.999N 076-39-00.377W	FI R 4s	0	4	TR on pile.	
17105	Breton Bay Daybeacon 9	38-16-00.644N 076-38-43.756W		0		SG on pile.	
17110	Breton Bay Daybeacon 11	38-16-45.836N 076-37-48.152W		0		SG on pile.	
17115	St. Patrick Creek Light 2SP	38-13-53.532N 076-44-16.774W	FI R 4s	0	4	TR on pile.	
17123	St. Patrick Creek Buoy 3	38-13-56.115N 076-44-25.783W				Green can.	Removed when endanged by ice.
17130	St. Patrick Creek Buoy 4	38-13-59.940N 076-44-34.806W				Red nun.	Removed when endangered by ice.
17135	St. Patrick Creek Buoy 5	38-13-58.955N 076-44-32.564W				Green Can.	Removed when endangered by ice.
17140	St. Patrick Creek Buoy 6	38-14-00.307N 076-44-36.748W				Red Nun.	Removed when endangered by ice.
17145	St. Patrick Creek Buoy 7	38-14-00.619N 076-44-43.071W				Green Can.	Removed when endangered by ice.
17151	St. Patrick Creek Buoy 9	38-14-03.650N 076-44-49.716W				Green Can.	Removed when endangered by ice.
17153	St. Patrick Creek Buoy 10	38-14-05.272N 076-44-57.102W				Red nun.	Removed when endangered by ice.
17155	St. Clements Bay Warning Daybeacon	38-13-46.649N 076-43-11.246W		0		NW on pile worded DANGER SHOALING.	
17160	St. Clements Bay Light 2	38-14-28.541N 076-43-26.491W	FI R 2.5s	0	4	TR on pile.	
17165	St. Clements Bay Light 3	38-15-55.088N 076-42-45.316W	FI G 6s	0	4	SG on pile.	
17170	St. Clements Bay Light 5	38-17-13.268N 076-42-50.874W	FI G 4s	0	4	SG on pile.	
17175	Heron Island Bar Buoy 1	38-12-35.696N 076-43-43.088W				Green can.	
17180	Heron Island Bar Lighted Buoy 3	38-12-48.134N 076-43-57.649W	FI G 4s		4	Green.	Removed when endangered by ice.
17185	Heron Island Bar Buoy 4	38-12-58.641N 076-43-56.003W				Red nun.	Removed when endangered by ice.
17190	Heron Island Bar Buoy 5	38-12-59.404N 076-44-13.761W				Green can.	Removed when endangered by ice.
17250	Wicomico River Junction Buoy PW	38-14-01.430N 076-49-12.843W				Red and green bands; nun.	
17255	Wicomico River Entrance Light 1W	38-14-29.445N 076-49-28.820W	FI G 4s	0	4	SG on pile.	
17260	Wicomico River Warning Daybeacon	38-14-33.479N 076-49-35.613W		16		NW on multi-pile structure worded DANGER SHOAL.	
17265	Wicomico River Daybeacon 2W	38-15-13.507N 076-49-28.702W		0		TR on pile.	
17295	Wicomico River Light 3W	38-15-41.190N 076-49-54.167W	FI G 2.5s	0	4	SG on pile.	
17300	Cobb Island Wreck Light WR2	38-15-56.145N 076-50-22.395W	Q R	0	4	TR on pile.	
17305	Cobb Island Daybeacon 4	38-15-55.603N 076-50-26.428W		0		TR on pile.	
17310	Wicomico River Light 5W	38-16-35.174N 076-49-25.742W	FI G 4s	0	4	SG on pile.	
17312	Wicomico River Light 6W	38-17-04.868N 076-49-23.238W	FI R 2.5s	0	4	TR on pile.	
17315	Wicomico River Daybeacon 7W	38-17-51.305N 076-50-13.038W		0		SG on pile.	
17320	Wicomico River Light 9W	38-19-01.347N 076-50-44.753W	FI G 6s	0	4	SG on pile.	
17325	Wicomico River Daybeacon 11W	38-19-24.395N 076-50-53.004W		0		SG on pile.	

17330	Wicomico River Daybeacon 13W	38-19-49.964N 076-51-19.621W		0		SG on pile.	
17335	Wicomico River Daybeacon 14W	38-19-58.487N 076-51-27.907W		0		TR on pile.	
17340	Wicomico River Daybeacon 16W	38-20-48.614N 076-51-04.898W		0		TR on pile.	
17345	Wicomico River Daybeacon 17W	38-21-36.422N 076-50-40.857W		0		SG on pile.	
17350	Wicomico River Daybeacon 19W	38-21-54.497N 076-51-22.690W		0		SG on pile.	
17355	Potomac River Mid-Channel Lighted Whistle Buoy C	38-11-49.698N 076-44-39.589W	Mo (A) W	5		Red and white stripes.	Removed when endangered by ice.
17357	NOAA Lighted DOX Buoy SC	38-12-09.210N 076-44-24.030W	Fl Y 6s			Yellow buoy.	
17357	NOAA Lighted DOX Buoy SC	38-12-09.210N 076-44-24.030W	Fl Y 6s			Yellow buoy.	
17360	Potomac River Channel Buoy 14	38-12-05.497N 076-44-34.589W				Red nun.	
17365	Potomac River Channel Buoy 14A	38-13-05.397N 076-47-21.396W				Red nun.	
17370	Potomac River Channel Buoy 15	38-13-28.497N 076-49-47.102W				Green can.	
17380	Potomac River Channel Lighted Buoy 17	38-14-08.430N 076-51-06.717W	Fl G 4s	5		Green.	Replaced by can when endangered by ice.
17385	Potomac River Channel Buoy 18	38-14-11.596N 076-51-03.655W				Red nun.	
17390	Potomac River Channel Buoy 19	38-14-27.786N 076-51-57.307W				Green can.	
17395	Potomac River Channel Buoy 20	38-14-31.496N 076-51-54.907W				Red nun.	
17400	Neale Sound Channel Light 2N	38-16-01.172N 076-52-01.558W	Fl R 4s	0	4	TR on pile.	
17402	Neale Sound Channel Light 3	38-16-04.794N 076-52-01.773W	Fl G 2.5s	0	4	SG on pile.	
17405	Neale Sound Channel Daybeacon 4	38-16-08.483N 076-51-57.595W		0		TR on pile.	
17410	Neale Sound Channel Light 6	38-16-13.412N 076-51-54.826W	Fl R 2.5s	0	3	TR on pile.	
17412	Neale Sound Warning Daybeacon	38-16-16.155N 076-51-50.470W		0		NW on pile worded DANGER SHOAL.	
17415	Neale Sound Channel Light 7	38-16-15.753N 076-51-50.686W	Fl G 4s	0	3	SG on pile.	
17420	Neale Sound Channel Daybeacon 9	38-16-10.692N 076-51-36.375W		0		SG on pile.	
17425	Neale Sound Channel Daybeacon 11	38-16-04.315N 076-51-19.561W		0		SG on pile.	
17430	Potomac River Channel Lighted Buoy 21	38-14-46.796N 076-52-49.108W	Fl G 4s	5		Green.	Replaced by can when endangered by ice.
17435	Potomac River Channel Buoy 22	38-14-51.096N 076-52-49.309W				Red nun.	
17440	Potomac River Channel Buoy 23	38-15-04.116N 076-53-36.030W				Green can.	
17445	Potomac River Channel Buoy 24	38-15-07.695N 076-53-33.210W				Red nun.	
17450	Potomac River Channel Lighted Buoy 25	38-15-21.395N 076-54-25.911W	Fl G 4s	5		Green.	Replaced by can when endangered by ice.
17455	Potomac River Channel Buoy 26	38-15-25.895N 076-54-24.111W				Red nun.	
17460	Potomac River Channel Buoy 27	38-15-45.794N 076-55-53.513W				Green can.	
17465	Potomac River Channel Buoy 28	38-15-39.994N 076-54-59.112W				Red nun.	
17470	Swan Point Shoal Warning Daybeacon	38-16-46.235N 076-55-28.830W		0		NW on pile worded DANGER SHOAL.	
17475	Mattox Creek Light 1	38-13-17.962N 076-57-23.322W	Fl G 4s	0	4	SG on pile.	
17480	Mattox Creek Daybeacon 2	38-13-10.324N 076-57-28.334W		0		TR on pile.	
17485	Mattox Creek Daybeacon 3	38-12-51.329N 076-57-30.380W		0		SG on pile.	

17490	Mattox Creek Light 4	38-12-29.249N 076-57-41.492W	Fl R 4s	0	4	TR on multi-pile structure.	
17495	Harbor View Daybeacon 6	38-12-40.894N 076-58-09.526W				TR on pile.	
17500	Harbor View Daybeacon 7	38-12-45.195N 076-58-36.329W				SG on pile.	
17505	Harbor View Daybeacon 9	38-12-34.641N 076-58-56.660W				SG on pile.	
17510	Harbor View Daybeacon 11	38-12-29.000N 076-58-57.000W				SG on pile.	
17515	Monroe Creek Entrance Light 2	38-13-55.096N 076-56-57.497W	Fl R 4s	0	4	TR on pile.	
17520	Monroe Creek Entrance Light 4	38-13-40.583N 076-57-53.669W	Q R	0	4	TR on pile.	
17535	Monroe Creek Channel Daybeacon 6	38-14-04.541N 076-57-56.666W		0		TR on pile.	
17540	Monroe Creek Channel Light 8	38-14-12.812N 076-57-58.029W	Fl R 4s	0	4	TR on pile.	
17545	Monroe Creek Channel Daybeacon 9	38-14-14.333N 076-57-59.765W		0		SG on pile.	
17550	Monroe Creek Channel Daybeacon 10	38-14-16.003N 076-57-55.924W		0		TR on pile.	
17555	Monroe Creek Channel Daybeacon 12	38-14-19.793N 076-57-47.134W		0		TR on pile.	
17560	Line of Fire Buoy I	38-14-00.497N 076-48-16.900W				Yellow nun.	On north side of Potomac River between Wicomico River and Swan Point.
17565	Line of Fire Buoy K	38-14-38.696N 076-50-44.405W				Yellow nun.	On north side of Potomac River between Wicomico River and Swan Point.
17570	Line of Fire Buoy S	38-17-10.492N 076-59-38.919W				Yellow nun.	On north side of Potomac River between Wicomico River and Swan Point.
17575	Line of Fire Buoy M	38-15-51.994N 076-53-28.910W				Yellow nun.	On north side of Potomac River between Wicomico River and Swan Point.
17580	Line of Fire Buoy R	38-20-10.495N 076-59-03.085W				Yellow nun.	On north side of Potomac River between Wicomico River and Swan Point.
17585	Line of Fire Buoy O	38-17-11.092N 076-56-05.814W				Yellow nun.	On north side of Potomac River between Wicomico River and Swan Point.
17590	Line of Fire Buoy Q	38-19-06.017N 076-57-05.936W				Yellow nun.	On north side of Potomac River between Wicomico River and Swan Point.
17593	Swan Point NSWC Dahlgren Lighted Data Buoy A	38-18-08.382N 076-55-53.531W	Fl (4)Y 20s		4	Yellow.	Aid maintained by U.S. Navy.
17595	Line of Fire Buoy J	38-12-30.498N 076-52-54.905W				Yellow nun.	On south side of Potomac River between Popes Creek and Rosier Creek.
17600	Line Of Fire Buoy L	38-13-36.897N 076-55-16.011W				Yellow nun.	On south side of Potomac River between Popes Creek and Rosier Creek.
17605	Line of Fire Buoy N	38-14-53.496N 076-56-57.414W				Yellow nun.	On south side of Potomac river between Popes Creek and Rosier Creek.
17610	Line of Fire Buoy P	38-16-58.892N 076-58-45.817W				Yellow nun.	On south side of Potomac River between Popes Creek and Rosier Creek.
17615	Potomac River Mid-Channel Lighted Whistle Buoy D	38-16-47.992N 076-57-55.716W	Mo (A) W		5	Red and white stripes.	
17620	Cuckold Creek Light 1	38-18-48.750N 076-55-49.370W	Fl G 2.5s	0	4	SG on pile.	
17625	Cuckold Creek Daybeacon 2	38-18-48.647N 076-55-34.272W		0		TR on pile.	
17630	Cuckold Creek Light 3	38-18-49.910N 076-55-21.540W	Fl G 4s	0	4	SG on pile.	
17635	Potomac River Channel Lighted Buoy 29	38-18-30.489N 076-59-28.919W	Fl G 4s		5	Green.	Replaced by can when endangered by ice.
17640	Upper Machodoc Creek Light 2UM	38-18-35.926N 076-59-56.067W	Fl R 2.5s	0	4	TR on pile.	
17640	Upper Machodoc Creek Light 2UM	38-18-35.926N 076-59-56.067W	Fl R 2.5s	0	4	TR on pile.	
17655	Upper Machodoc Creek Daybeacon 4	38-18-42.272N 077-00-34.333W		0		TR on pile.	
17655	Upper Machodoc Creek Daybeacon 4	38-18-42.272N 077-00-34.333W		0		TR on pile.	
17660	Upper Machodoc Creek Daybeacon 6	38-18-48.901N 077-01-11.511W		0		TR on pile.	
17660	Upper Machodoc Creek Daybeacon 6	38-18-48.901N 077-01-11.511W		0		TR on pile.	

17665	Upper Machodoc Creek Daybeacon 8	38-18-55.356N 077-01-49.382W		0		TR on pile.
17670	Upper Machodoc Creek Daybeacon 9	38-18-53.459N 077-01-59.115W		0		SG on pile.
17675	Upper Machodoc Creek Light 11	38-18-56.650N 077-02-04.887W	FI G 2.5s	0	4	SG on pile.
17680	Baber Point Daybeacon 2B	38-18-04.479N 077-00-39.778W		0		TR on pile.
17680	Baber Point Daybeacon 2B	38-18-04.479N 077-00-39.778W		0		TR on pile.
17685	Baber Point Daybeacon 4	38-18-27.833N 077-01-09.765W		0		TR on pile.
17685	Baber Point Daybeacon 4	38-18-27.833N 077-01-09.765W		0		TR on pile.
17690	Baber Point Light 5	38-18-42.710N 077-01-34.919W	FI G 4s	0	4	SG on pile.
17695	Baber Point Junction Daybeacon BP	38-18-50.469N 077-01-37.918W		0		JG on pile.
17700	Potomac River Channel Light 30	38-19-43.455N 076-59-00.848W	FI R 4s	0	5	TR on caisson.
17705	Potomac River Channel Buoy 32	38-19-54.487N 076-59-11.919W				Red nun.
17710	Potomac River Channel Light 33	38-20-24.317N 076-59-36.609W	FI G 2.5s	38	5	SG on skeleton tower on pile.
17735	Potomac River Channel Buoy 35	38-21-12.484N 076-59-28.920W				Green can.
17737	Nice Middleton Lighted Mooring Buoy 1S	38-21-04.940N 076-59-37.050W	FI W 4s			
17737.1	Nice Middleton Lighted Mooring Buoy 2S	38-21-13.210N 076-59-38.510W	FI W 6s			
17737.3	Nice Middleton Lighted Mooring Buoy 3S	38-21-21.470N 076-59-45.400W	FI W 6s			
17740	Potomac River Bridge East Pier Fog Signal	38-21-45.200N 076-59-21.300W				BELL : 2 strokes ev 20s. Activated during low visibility.
17745	Potomac River Bridge West Pier Fog Signal	38-21-44.000N 076-59-31.700W				BELL : 1 stroke ev 20s. Activated during low visibility.
17750	Upper Potomac River Lighted Buoy 1UP	38-23-09.071N 077-00-21.248W	Q G		4	Green.
17750	Upper Potomac River Lighted Buoy 1UP	38-23-09.071N 077-00-21.248W	Q G		4	Green.
17755	Upper Potomac River Lighted Buoy 2	38-24-08.618N 077-00-35.545W	FI R 2.5s		4	Red.
17755	Upper Potomac River Lighted Buoy 2	38-24-08.618N 077-00-35.545W	FI R 2.5s		4	Red.
17760	Upper Potomac River Light 4	38-24-46.449N 077-02-19.556W	FI R 4s	0	4	TR on multi-pile structure.
17765	Upper Potomac River Channel Light 5	38-24-18.805N 077-02-33.982W	FI G 4s	16	4	SG on skeleton tower with small white house on piles.
17770	Port Tobacco River Light 1	38-26-37.812N 077-01-54.733W	FI G 2.5s	0	4	SG on pile.
17775	Port Tobacco River Daybeacon 3	38-27-45.289N 077-02-10.150W		0		SG on pile.
17780	Port Tobacco River Daybeacon 4	38-28-38.044N 077-02-04.968W		0		TR on pile.
17785	Port Tobacco River Daybeacon 6	38-28-58.933N 077-01-35.974W		0		TR on pile.
17795	Port Tobacco River Daybeacon 8	38-29-36.230N 077-01-27.594W		0		TR on pile.
17805	Port Tobacco River Daybeacon 10	38-29-43.526N 077-01-32.131W		0		TR on pile.
17810	Port Tobacco River Daybeacon 11	38-29-43.718N 077-01-32.978W		0		SG on pile.
17825	Upper Potomac River Light 6	38-24-09.341N 077-04-57.256W	FI R 6s	0	4	TR on multi-pile structure.
17830	Nanjemoy Creek Jurisdiction Line Buoy PRM 8B	38-23-55.436N 077-06-46.784W				White with orange bands; spar.
17835	Nanjemoy Creek Buoy 2	38-26-48.100N 077-07-29.000W				Red nun.
17840	Nanjemoy Creek Buoy 4	38-26-38.600N 077-08-00.600W				Red nun.

17845	Nanjemoy Creek Buoy 5	38-26-40.700N 077-08-20.700W				Green can.
17850	Nanjemoy Creek Buoy 6	38-26-44.150N 077-08-26.050W				Red nun.
17860	Nanjemoy Creek Buoy 7	38-27-12.340N 077-08-53.340W				Green can.
17860	Nanjemoy Creek Buoy 7	38-27-12.340N 077-08-53.340W				Green can.
17865	Upper Potomac River Lighted Buoy 7	38-23-19.998N 077-07-23.123W	FI G 4s	4		Green.
17865	Upper Potomac River Lighted Buoy 7	38-23-19.998N 077-07-23.123W	FI G 4s	4		Green.
17880	Upper Potomac River Light 9	38-22-32.720N 077-08-36.249W	FI G 4s	0	4	SG on multi-pile structure.
17890	Upper Potomac River Lighted Buoy 10	38-21-31.235N 077-10-51.965W	FI R 4s	4		Red.
17890	Upper Potomac River Lighted Buoy 10	38-21-31.235N 077-10-51.965W	FI R 4s	4		Red.
17895	Upper Potomac River Light 11	38-20-59.089N 077-11-51.293W	FI G 2.5s	16	4	SG and small white house on piles.
17905	Upper Potomac River Lighted Buoy 13	38-21-07.646N 077-12-51.060W	FI G 4s	4		
17905	Upper Potomac River Lighted Buoy 13	38-21-07.646N 077-12-51.060W	FI G 4s	4		
17910	Upper Potomac River Light 14	38-21-22.976N 077-13-25.402W	FI R 2.5s	0	4	TR on pile.
17910	Upper Potomac River Light 14	38-21-22.976N 077-13-25.402W	FI R 2.5s	0	4	TR on pile.
17915	Potomac Creek Light 2PC	38-20-38.217N 077-16-40.171W	FI R 4s	0	4	TR on pile.
17930	Upper Potomac River Light 15	38-21-59.184N 077-15-00.146W	FI G 2.5s	0	4	SG on pile.
17930	Upper Potomac River Light 15	38-21-59.184N 077-15-00.146W	FI G 2.5s	0	4	SG on pile.
17945	Upper Potomac River Light 17	38-23-29.735N 077-15-49.427W	FI G 4s	0	4	SG on pile.
17945	Upper Potomac River Light 17	38-23-29.735N 077-15-49.427W	FI G 4s	0	4	SG on pile.
17965	Marlboro Point Warning Daybeacon	38-22-24.341N 077-17-52.968W		0		NW on pile worded DANGER PILES.
17970	Aquia Creek Light 2	38-22-56.069N 077-18-14.550W	FI R 4s	0	3	TR on multi-pile structure.
17975	Aquia Creek Light 3	38-23-28.102N 077-18-41.808W	Q G	0	3	SG on pile.
17980	Aquia Creek Warning Daybeacon A	38-23-30.851N 077-18-46.118W		0		NW on pile worded DANGER SUBMERGED PILES.
17985	Aquia Creek Warning Daybeacon C	38-23-30.965N 077-18-47.720W		0		NW on pile worded DANGER SUBMERGED PILES.
17990	Aquia Creek Daybeacon 5	38-23-32.798N 077-18-47.886W		0		SG on pile.
17995	Aquia Creek Light 6	38-23-39.008N 077-18-46.111W	FI R 2.5s	0	3	TR on pile.
18000	Aquia Creek Daybeacon 8	38-23-39.659N 077-18-51.836W		0		TR on pile.
18005	Aquia Creek Light 10	38-23-39.374N 077-19-01.704W	FI R 4s	0	3	TR on pile.
18010	Aquia Creek Warning Light B	38-24-01.493N 077-19-46.226W	FI W 6s	0	4	NW on pile worded DANGER SHOAL.
18012	Aquia Creek Daybeacon 13	38-25-25.000N 077-21-19.000W				SG on pile.
18012.1	Aquia Creek Daybeacon 14	38-25-26.000N 077-21-20.000W				TR on pile.
18012.2	Aquia Creek Daybeacon 15	38-25-32.000N 077-21-23.000W				SG on pile.
18012.3	Aquia Creek Daybeacon 16	38-25-37.000N 077-21-24.000W				TR on pile.
18012.4	Aquia Creek Daybeacon 17	38-25-41.000N 077-21-27.000W				SG on pile.
18012.5	Aquia Creek Daybeacon 18	38-25-46.000N 077-21-30.000W				TR on pile.

18012.6	Aquia Creek Daybeacon 18A	38-25-57.000N 077-21-39.000W				TR on pile.
18012.7	Aquia Creek Daybeacon 19	38-25-53.000N 077-21-35.000W				SG on pile.
18012.8	Aquia Creek Daybeacon 19A	38-25-56.000N 077-21-40.000W				SG on pile.
18012.9	Aquia Creek Daybeacon 20	38-26-01.000N 077-21-44.000W				TR on pile.
18013	Aquia Creek Daybeacon 21	38-26-05.000N 077-21-47.000W				SG on pile.
18013.1	Aquia Creek Daybeacon 22	38-26-08.000N 077-21-50.000W				TR on pile.
18013.2	Aquia Creek Daybeacon 23	38-26-12.000N 077-21-54.000W				SG on pile.
18013.3	Aquia Creek Daybeacon 24	38-26-16.000N 077-22-00.400W				TR on pile.
18013.4	Aquia Creek Daybeacon 25	38-26-25.000N 077-22-10.000W				SG on pile.
18013.5	Aquia Creek Daybeacon 26	38-26-27.000N 077-22-15.000W				TR on pile.
18013.6	Aquia Creek Daybeacon 27	38-26-25.000N 077-22-10.000W				SG on pile.
18013.7	Aquia Creek Daybeacon 28	38-26-25.000N 077-22-26.000W				TR on pile.
18013.8	Aquia Creek Daybeacon 29	38-26-50.000N 077-23-05.000W				SG on pile.
18013.9	Aquia Creek Daybeacon 30	38-26-45.000N 077-23-00.000W				TR on pile.
18014.3	Aquia Creek Daybeacon 34	38-27-09.000N 077-22-45.000W				TR on pile.
18014.2	Aquia Creek Daybeacon 33	38-27-00.000N 077-22-45.000W				SG on pile.
18014.1	Aquia Creek Daybeacon 32	38-26-45.000N 077-22-40.000W				TR on pile.
18014	Aquia Creek Daybeacon 31	38-26-45.000N 077-22-45.000W				SG on pile.
18020	Upper Potomac River Lighted Buoy 18	38-24-02.445N 077-15-55.979W	FI R 2.5s	4		Red.
18020	Upper Potomac River Lighted Buoy 18	38-24-02.445N 077-15-55.979W	FI R 2.5s	4		Red.
18025	Upper Potomac River Lighted Buoy 19	38-24-54.966N 077-16-15.033W	Q G	4		Green.
18025	Upper Potomac River Lighted Buoy 19	38-24-54.966N 077-16-15.033W	Q G	4		Green.
18030	Clifton Beach Light	38-24-56.814N 077-15-56.689W	FI W 4s	0	6	NR on pile.
18035	Upper Potomac River Lighted Buoy 21	38-25-50.824N 077-16-18.235W	Q G	4		Green.
18040	Upper Potomac River Lighted Buoy 22	38-27-36.515N 077-16-21.981W	Q R	4		Red.
18040	Upper Potomac River Lighted Buoy 22	38-27-36.515N 077-16-21.981W	Q R	4		Red.
18052	Mallows Bay Lighted Data Buoy A	38-28-13.020N 077-16-21.960W	FI Y 4s			Yellow.
18055	Upper Potomac River Light 23	38-29-04.842N 077-16-55.087W	FI G 2.5s	0	4	SG on pile.
18055	Upper Potomac River Light 23	38-29-04.842N 077-16-55.087W	FI G 2.5s	0	4	SG on pile.
18060	Chopawamsic Creek Warning Buoy A	38-29-49.770N 077-18-24.857W				White with orange band worded CAUTION JET BLAST.
18061	Chopawamsic Creek Warning Buoy B	38-29-50.070N 077-18-27.437W				White with orange band worded CAUTION JET BLAST.
18065	Upper Potomac River Lighted Buoy 25	38-30-40.955N 077-16-43.425W	Q G	4		Green.
18075	Possum Point Pier Light	38-32-12.000N 077-16-37.000W	FI Y 4s			On pier.
18080	Moss Point- Possum Point Light A	38-31-42.000N 077-15-26.000W	FI Y 4s			On powerline tower on concrete platform.
18085	Moss Point- Possum Point Light B	38-31-54.000N 077-15-36.000W	FI Y 2.5s			On powerline tower on concrete platform.

18090	Potomac River Light 43A	38-32-21.500N 077-15-56.900W	Q G			SG on powerline tower on concrete platform.
18095	Potomac River Light 44	38-32-09.500N 077-15-46.900W	Q R			TR on powerline tower on concrete platform.
18100	Moss Point- Possum Point Light C	38-32-36.000N 077-16-10.000W	FI Y 2.5s			On powerline tower on concrete platform.
18105	Moss Point- Possum Point Light D	38-32-48.000N 077-16-20.000W	FI Y 4s			On powerline tower on concrete platform.
18125	Mattawoman Creek Daybeacon 1	38-33-31.585N 077-12-45.587W		0		SG on pile.
18130	Mattawoman Creek Light 3	38-33-41.024N 077-12-02.199W	FI G 2.5s	0	4	SG on pile.
18135	Mattawoman Creek Light 5	38-33-55.844N 077-11-39.867W	FI G 4s	0	4	SG on pile.
18140	Mattawoman Creek Daybeacon 6	38-33-48.664N 077-11-28.323W		0		TR on pile.
18145	Stump Neck Fender Light 1	38-33-13.730N 077-14-07.917W	Q G		4	SG on pile.
18150	Stump Neck Fender Light 2	38-33-13.530N 077-14-05.917W	Q R		4	TR on pile.
18155	Upper Potomac River Channel Lighted Buoy 45	38-33-38.360N 077-14-07.448W	FI G 4s		4	Green.
18160	Upper Potomac River Channel Buoy 46	38-33-35.460N 077-14-04.448W				Red nun.
18165	Leesylvania Park Light 1	38-35-04.128N 077-15-22.134W	FI G 2.5s			SG on pile.
18170	Leesylvania Park Light 2	38-35-11.627N 077-15-10.834W	FI R 2.5s			TR on pile.
18175	Leesylvania Park Daybeacon 3	38-35-07.628N 077-15-17.534W				SG on pile.
18180	Leesylvania Park Daybeacon 4	38-35-09.128N 077-15-15.334W				TR on pile.
18185	Leesylvania Park Daybeacon 5	38-35-10.328N 077-15-13.434W				SG on pile.
18190	Leesylvania Park Daybeacon 6	38-35-06.228N 077-15-19.534W				TR on pile.
18195	Leesylvania Park Warning Daybeacon A	38-35-14.027N 077-15-10.834W				NW on pile worded DANGER SUBMERGED ROCKS.
18200	Leesylvania Park Warning Daybeacon B	38-35-13.827N 077-15-11.634W				NW on pile worded DANGER SUBMERGED ROCKS.
18205	Leesylvania Park Warning Daybeacon C	38-35-09.328N 077-15-14.134W				NW on pile worded DANGER SUBMERGED ROCKS.
18210	Leesylvania Park Warning Daybeacon D	38-35-09.828N 077-15-14.634W				NW on pile worded DANGER SUBMERGED ROCKS.
18215	Leesylvania Park Warning Daybeacon E	38-35-06.628N 077-15-18.234W				NW on pile worded DANGER SUBMERGED ROCKS.
18220	Leesylvania Park Warning Daybeacon F	38-35-07.128N 077-15-18.734W				NW on pile worded DANGER SUBMERGED ROCKS.
18225	Leesylvania Park Warning Daybeacon G	38-35-04.928N 077-15-23.334W				NW on pile worded DANGER SUBMERGED ROCKS.
18230	Leesylvania Park Warning Daybeacon H	38-35-04.328N 077-15-23.534W				NW on pile worded DANGER SUBMERGED ROCKS.
18235	Upper Potomac River Channel Lighted Buoy 47	38-34-19.459N 077-13-26.447W	FI G 4s		4	Green.
18240	Cornwallis Neck Warning Buoy A	38-34-35.459N 077-12-22.946W				Yellow can.
18245	Cornwallis Neck Warning Buoy B	38-36-08.456N 077-10-58.944W				Yellow can.
18250	Upper Potomac River Channel Buoy 49	38-35-01.458N 077-12-43.847W				Green can.
18251	Neabsco Creek Channel Lighted Buoy 1	38-35-45.848N 077-14-45.018W	FI G 3s			Green. Maintained from Mar. 15 to Dec. 15.
18251.1	Neabsco Creek Channel Lighted Buoy 2	38-35-46.406N 077-14-44.506W	FI R 3s			Red. Maintained from Mar. 15 to Dec. 15.
18251.2	Neabsco Creek Channel Lighted Buoy 3	38-35-58.631N 077-15-11.481W	FI G 5s			Green. Maintained from Mar. 15 to Dec. 15.
18251.3	Neabsco Creek Channel Lighted Buoy 4	38-35-59.250N 077-15-11.362W	FI R 5s			Red. Maintained from Mar. 15 to Dec. 15.
18255	Upper Potomac River Channel Lighted Buoy 51	38-35-41.857N 077-12-02.446W	FI G 4s		4	Green.

18260	Upper Potomac River Channel Buoy 52	38-35-41.157N 077-11-56.446W				Red nun.
18265	Occoquan River Channel Light 2	38-37-24.198N 077-12-47.766W	FI R 4s	0	4	TR on pile.
18270	Occoquan River Channel Daybeacon 4	38-37-46.517N 077-12-54.765W		0		TR on pile.
18275	Occoquan River Channel Light 6	38-38-24.528N 077-13-08.065W	FI R 4s	0	4	TR on pile.
18280	Occoquan River Channel Daybeacon 7	38-38-26.166N 077-13-11.654W		0		SG on pile.
18281	Massey Creek Light 1MC	38-38-58.520N 077-13-22.210W	Q G			SG on pile.
18281.2	Massey Creek Light 2MC	38-38-57.830N 077-13-21.540W	Q R			TR on pile.
18281.3	Massey Creek Daybeacon 3	38-39-02.390N 077-13-22.080W				SG on pile.
18281.4	Massey Creek Daybeacon 4	38-39-02.390N 077-13-21.540W				TR on pile.
18281.5	Massey Creek Daybeacon 5	38-39-08.700N 077-13-22.080W				SG on pile.
18281.6	Massey Creek Daybeacon 6	38-39-08.760N 077-13-21.660W				TR on pile.
18281.7	Massey Creek Daybeacon 7	38-39-13.910N 077-13-22.310W				SG on pile.
18281.8	Massey Creek Daybeacon 8	38-39-14.020N 077-13-21.370W				TR on pile.
18281.9	Massey Creek Daybeacon 9	38-39-16.440N 077-13-22.310W				SG on pile.
18282	Massey Creek Daybeacon 10	38-39-16.500N 077-13-21.780W				TR on pile.
18282.1	Massey Creek Light 11	38-39-20.090N 077-13-22.680W	FI G 2s			SG on pile.
18282.2	Massey Creek Light 12	38-39-20.520N 077-13-22.370W	FI R 2s			TR on pile.
18282.3	Massey Creek Daybeacon 13	38-39-23.750N 077-13-27.170W				SG on pile.
18282.4	Massey Creek Daybeacon 14	38-39-23.930N 077-13-26.930W				TR on pile.
18282.5	Massey Creek Daybeacon 15	38-39-25.860N 077-13-30.410W				SG on pile.
18282.6	Massey Creek Light 16	38-39-26.390N 077-13-30.410W	FI R 4s			TR on pile.
18282.7	Massey Creek Light 17	38-39-26.270N 077-13-31.080W	FI G 4s			SG on pile.
18282.8	Massey Creek Light 22	38-39-39.120N 077-13-26.690W	FI R 6s			TR on pile.
18282.9	Massey Creek Light 23	38-39-39.410N 077-13-27.230W	FI G 6s			SG on pile.
18290	Occoquan River Channel Light 9	38-38-57.479N 077-13-25.221W	FI G 4s	0	4	SG on pile.
18293	Occoquan River Channel Daybeacon 10	38-39-00.293N 077-13-23.565W		0		TR on pile.
18295	Occoquan River Channel Light 12	38-39-26.758N 077-13-57.318W	FI R 4s	0	4	TR on pile.
18297	Occoquan River Channel Daybeacon 13	38-39-34.206N 077-14-04.368W		0		SG on pile.
18300	Occoquan River Channel Light 14	38-39-43.763N 077-14-06.093W	FI R 4s	0	4	TR on pile.
18305	Occoquan River Channel Daybeacon 15	38-39-51.659N 077-14-15.333W		0		SG on pile.
18306	Occoquan River Channel Daybeacon 16	38-40-44.384N 077-15-09.270W		0		TR on pile.
18307	Occoquan River Channel Daybeacon 17	38-40-55.152N 077-15-19.738W		0		SG on pile..
18308	Occoquan River Channel Daybeacon 19	38-40-59.880N 077-15-23.826W		0		SG on pile.
18315	Upper Potomac River Channel Buoy 54	38-36-28.455N 077-10-23.944W				Red nun.
18325	Upper Potomac River Channel Lighted Buoy 55	38-36-52.255N 077-08-25.840W	FI G 4s		4	Green. Replaced by can when endangered by ice.

18330	Upper Potomac River Channel Light 56	38-36-40.535N 077-08-18.561W	FI R 4s	0	4	TR on small white house red cylindrical base.	
18335	Upper Potomac River Channel Buoy 57	38-37-18.654N 077-07-52.440W				Green can.	
18340	Upper Potomac River Channel Buoy 58	38-37-19.794N 077-07-34.609W				Red nun.	
18345	Upper Potomac River Channel Lighted Buoy 59	38-37-49.753N 077-07-37.039W	FI G 4s		4	Green.	
18350	Upper Potomac River Channel Lighted Buoy 60	38-37-38.454N 077-07-20.139W	FI R 4s		4	Red.	
18360	Upper Potomac River Channel Buoy 61	38-38-20.202N 077-07-34.410W				Green can.	
18365	Upper Potomac River Channel Lighted Buoy 62	38-39-28.550N 077-07-54.941W	FI R 2.5s		4	Red.	
18370	Upper Potomac River Channel Lighted Buoy 64	38-40-06.949N 077-07-53.041W	FI R 4s		4	Red.	
18380	Upper Potomac River Channel Buoy 66	38-40-58.448N 077-07-06.220W				Red nun.	
18385	Upper Potomac River Channel Lighted Buoy 67	38-41-27.071N 077-06-36.905W	FI G 4s		4	Green.	
18390	Upper Potomac River Channel Buoy 69	38-41-36.447N 077-05-49.738W				Green can.	
18395	Upper Potomac River Channel Lighted Buoy 71	38-41-45.147N 077-05-12.337W	FI G 2.5s		4	Green.	
18400	Mount Vernon Cut Buoy 1	38-41-53.046N 077-05-13.587W				Green can.	Maintained from Mar. 1 to Dec. 1.
18405	Mount Vernon Cut Buoy 2	38-41-53.312N 077-05-10.269W				Red nun.	Maintained from Mar. 1 to Dec. 1.
18410	Mount Vernon Cut Buoy 3	38-42-05.722N 077-05-15.554W				Green can.	Maintained from Mar. 1 to Dec. 1.
18415	Mount Vernon Cut Buoy 4	38-42-06.369N 077-05-14.141W				Red nun.	Maintained from Mar. 1 to Dec. 1.
18420	Little Hunting Creek Buoy 1	38-42-14.820N 077-05-10.500W				Green can.	
18425	Little Hunting Creek Buoy 2	38-42-13.560N 077-05-09.840W				Red nun.	
18430	Little Hunting Creek Lighted Buoy 4	38-42-19.680N 077-04-58.140W	FI R 2.5s			Red.	
18435	Little Hunting Creek Lighted Buoy 5	38-42-25.200N 077-04-50.880W	Q G			Green.	
18437	Little Hunting Creek Buoy 6	38-42-30.420N 077-04-43.800W				Red nun.	
18440	Little Hunting Creek Buoy 7	38-42-31.020N 077-04-44.520W				Green can.	
18445	Little Hunting Creek Lighted Buoy 8	38-42-35.880N 077-04-38.040W	Q R			Red.	
18450	Little Hunting Creek Buoy 9	38-42-41.700N 077-04-32.880W				Green can.	
18455	Little Hunting Creek Buoy 10	38-42-41.280N 077-04-32.280W				Red nun.	
18460	Little Hunting Creek Lighted Buoy 11	38-42-45.000N 077-04-29.340W	Q G			Green.	
18465	Little Hunting Creek Buoy 12	38-42-44.640N 077-04-28.560W				Red nun.	
18475	Little Hunting Creek Light 14	38-42-47.820N 077-04-24.660W	FI R 2.5s			TR on pile.	
18477	Little Hunting Creek Buoy 15	38-42-51.000N 077-04-22.980W				Green can.	
18480	Little Hunting Creek Buoy 16	38-42-51.660N 077-04-21.420W				Red nun.	
18485	Little Hunting Creek Buoy 17	38-42-56.220N 077-04-23.400W				Green can.	
18490	Little Hunting Creek Lighted Buoy 18	38-43-00.660N 077-04-27.360W	FI R 2s			Red.	
18491	Little Hunting Creek Buoy 18A	38-42-56.460N 077-04-22.980W				Red nun.	
18495	Little Hunting Creek Buoy 19	38-43-02.880N 077-04-31.440W				Green can.	
18500	Upper Potomac River Channel Buoy 73	38-42-00.446N 077-04-09.935W				Green can.	

18505	Upper Potomac River Channel Buoy 76	38-42-15.636N 077-02-49.102W				Red nun.	
18510	Upper Potomac River Channel Lighted Buoy 77	38-42-22.446N 077-02-52.933W	FI G 4s		4	Green.	
18511.7	Little Hunting Creek Northern Extension Lighted Buoy 7A	38-42-16.620N 077-04-30.360W	FI G 2s			Green.	
18511.6	Little Hunting Creek Northern Extension Buoy 6A	38-42-17.940N 077-04-12.480W				Red nun.	
18511.5	Little Hunting Creek Northern Extension Buoy 5A	38-42-15.420N 077-04-19.440W				Green can.	
18511.4	Little Hunting Creek Northern Extension Buoy 4A	38-42-22.200N 077-03-49.620W				Red nun.	
18511.3	Little Hunting Creek Northern Extension Buoy 3A	38-42-20.580N 077-03-49.140W				Green can.	
18511.2	Little Hunting Creek Northern Extension Buoy 2A	38-42-25.620N 077-03-25.020W				Red nun.	
18511.1	Little Hunting Creek Northern Extension Lighted Buoy 1A	38-42-24.420N 077-03-25.080W	Q G			Green.	
18515	Piscataway Creek Light 2P	38-42-25.924N 077-02-18.531W	FI R 4s	0	4	TR on pile.	
18520	Piscataway Creek Daybeacon 4	38-42-16.014N 077-02-03.497W		0		TR on pile.	
18525	Piscataway Creek Daybeacon 6	38-42-05.868N 077-01-48.066W		0		TR on pile.	
18530	Piscataway Creek Daybeacon 7	38-42-06.060N 077-01-38.400W				SG on pile.	
18535	Piscataway Creek Daybeacon 8	38-42-04.800N 077-01-37.800W				TR on pile.	
18540	Piscataway Creek Warning Daybeacon A	38-42-05.400N 077-01-37.200W				NW on pile worded DANGER SHOAL.	
18545	Piscataway Creek Warning Daybeacon B	38-42-03.600N 077-01-30.600W				NW on pile worded DANGER SHOAL.	
18550	Piscataway Creek Warning Daybeacon C	38-42-03.600N 077-01-24.600W				NW on pile worded END OF CHANNEL.	
18555	Upper Potomac River Channel Buoy 79	38-42-39.945N 077-02-26.932W				Green can.	
18560	Upper Potomac River Light 80	38-42-40.787N 077-02-16.475W	FI R 6s	0	4	TR on pile.	
18565	Upper Potomac River Channel Buoy 81	38-43-08.445N 077-02-06.431W				Green can.	
18570	Upper Potomac River Channel Light 82	38-43-19.631N 077-01-53.796W	FI R 2.5s	0	4	TR on pile.	
18575	Upper Potomac River Lighted Wreck Buoy WR83	38-43-23.103N 077-02-06.049W	Q G		4	Green.	
18575	Upper Potomac River Lighted Wreck Buoy WR83	38-43-23.103N 077-02-06.049W	Q G		4	Green.	
18580	Upper Potomac River Channel Lighted Buoy 84	38-44-18.142N 077-02-09.932W	FI R 4s		4	Red.	
18585	Upper Potomac River Channel Buoy 86	38-45-09.441N 077-02-01.932W				Red nun.	
18588	Dyke Marsh Breakwater Warning Light A	38-45-39.490N 077-02-35.480W	Q W			NW on pipe worded Danger.	Maintained by Maryland DOT.
18588.2	Dyke Marsh Breakwater Warning Light B	38-45-35.640N 077-02-39.400W	Q W			NW on pipe worded Danger.	Maintained by Maryland DOT.
18588.4	Dyke Marsh Breakwater Warning Light C	38-45-32.870N 077-02-44.720W	Q W			NW on pipe worded Danger.	Maintained by Maryland DOT.
18590	Upper Potomac River Channel Buoy 87	38-46-04.320N 077-02-01.172W				Green can.	
18595	Upper Potomac River Channel Light 88	38-46-10.069N 077-01-51.018W	FI R 2.5s	0	4	TR on pile.	
18600	Upper Potomac River Channel Lighted Buoy 90	38-46-42.421N 077-02-04.102W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
18601	National Harbor Channel Daybeacon 2	38-46-35.184N 077-01-53.148W				TR on pile.	
18601.01	National Harbor Channel Light 3	38-46-40.110N 077-01-49.956W	FI G 4s			SG on pile.	
18601.02	National Harbor Channel Light 4	38-46-51.318N 077-01-35.526W	Q R			TR on pile.	
18601.03	National Harbor Channel Light 5	38-46-54.636N 077-01-22.230W	Q G			SG on pile.	

18601.04	National Harbor Channel Daybeacon 6	38-46-53.568N 077-01-16.848W				TR on pile.
18601.05	National Harbor Channel Light 7	38-46-57.582N 077-01-17.544W	FI G 4s			SG on pile.
18601.06	National Harbor Channel Light 8	38-46-58.914N 077-01-14.214W	FI R 4s			TR on pile.
18601.07	National Harbor Channel Light 9	38-47-05.724N 077-01-13.482W	FI G 4s			SG on pile.
18601.08	National Harbor Channel Light 11	38-47-13.428N 077-01-08.988W	Q G			SG on pile.
18610	Alexandria Light 2A	38-48-01.850N 077-02-07.214W	FI R 2.5s	4		TR on pile.
18610	Alexandria Light 2A	38-48-01.850N 077-02-07.214W	FI R 2.5s	4		TR on pile.
18615	Alexandria Channel Lighted Buoy 4	38-48-38.788N 077-02-00.279W	FI R 2.5s	4		Red.
18615	Alexandria Channel Lighted Buoy 4	38-48-38.788N 077-02-00.279W	FI R 2.5s	4		Red.
18655	Marbury Point Warning Daybeacon	38-48-50.432N 077-01-54.096W		0		NW on pile worded DANGER SUBMERGED PILE.
18655	Marbury Point Warning Daybeacon	38-48-50.432N 077-01-54.096W		0		NW on pile worded DANGER SUBMERGED PILE.
18657	Four Mile Run Entrance Light 1FM	38-48-57.000N 077-02-10.818W	FI G 2.5s	0	3	SG on pile.
18659	Four Mile Run Daybeacon 2	38-48-57.101N 077-02-10.041W		0		TR on pile.
18670	Four Mile Run Daybeacon 4	38-49-22.545N 077-02-17.625W		0		TR on pile.
18671	Four Mile Run Daybeacon 5	38-49-24.635N 077-02-19.519W		0		SG on pile.
18675.1	Four Mile Run Wreck Buoy WR6A	38-49-40.362N 077-02-14.535W				Red nun.
18675	Four Mile Run Daybeacon 6	38-49-26.530N 077-02-18.058W		0		TR on pile.
18677	Four Mile Run Daybeacon 7	38-49-46.014N 077-02-14.603W		0		SG on pile.
18680	Four Mile Run Daybeacon 8	38-49-47.988N 077-02-13.371W		0		TR on pile.
18681	Four Mile Run Daybeacon 9	38-49-51.688N 077-02-15.590W		0		SG on pile.
18685	Four Mile Run Daybeacon 10	38-49-53.909N 077-02-14.842W		0		TR on pile.
18687	Four Mile Run Daybeacon 11	38-49-54.832N 077-02-17.658W		0		SG on pile.
18690	Four Mile Run Daybeacon 13	38-50-04.089N 077-02-31.713W		0		SG on pile.
18691	Four Mile Run Daybeacon 14	38-50-06.871N 077-02-31.688W		0		TR on pile.
18693	Four Mile Run Daybeacon 16	38-50-03.183N 077-02-38.661W		0		TR on pile.
18695	Alexandria Lighted Buoy 5	38-49-26.839N 077-01-54.680W	FI G 4s	4		Green.
18697	Alexandria Light 7	38-50-03.540N 077-01-39.427W	FI G 4s	4		SG on Pile.
18697	Alexandria Light 7	38-50-03.540N 077-01-39.427W	FI G 4s	4		SG on Pile.
18700	Alexandria Light 9	38-50-41.765N 077-01-25.225W	FI G 2.5s	0	4	SG on pile.
18700	Alexandria Light 9	38-50-41.765N 077-01-25.225W	FI G 2.5s	0	4	SG on pile.
18705	Hains Point Junction Light HP	38-51-09.369N 077-01-19.071W	FI (2+1)G 6s	0	4	JG on pile.
18705	Hains Point Junction Light HP	38-51-09.369N 077-01-19.071W	FI (2+1)G 6s	0	4	JG on pile.
18715	Anacostia Light 2A	38-51-12.891N 077-01-11.471W	FI R 2.5s	0	4	TR on pile.
18715	Anacostia Light 2A	38-51-12.891N 077-01-11.471W	FI R 2.5s	0	4	TR on pile.
18720	Washington Channel Junction Light WC	38-51-24.910N 077-01-10.044W	FI (2+1)R 6s	4		JR on pile.

18720	Washington Channel Junction Light WC	38-51-24.910N 077-01-10.044W	Fl (2+1)R 6s	4		JR on pile.	
18725	Anacostia Light 4	38-51-31.831N 077-00-58.168W	Fl R 4s	4		TR on pile.	
18725	Anacostia Light 4	38-51-31.831N 077-00-58.168W	Fl R 4s	4		TR on pile.	
18730	Anacostia River Lighted Buoy 5	38-51-47.561N 077-00-36.216W	Fl G 2.5s	4		Green.	Maintained from March. 15 to Dec. 1. Virtual AIS Maintained year round. MMSI 993672308.
18735	Georgetown Light 2G	38-51-34.059N 077-01-33.666W	Fl R 2.5s	0	4	TR on pile.	
18735	Georgetown Light 2G	38-51-34.059N 077-01-33.666W	Fl R 2.5s	0	4	TR on pile.	
18740	Georgetown Light 4	38-52-06.206N 077-01-52.551W	Fl R 4s	4		TR on pile.	
18740	Georgetown Light 4	38-52-06.206N 077-01-52.551W	Fl R 4s	4		TR on pile.	
18795	St. Jerome Creek Light 1SJ	38-06-54.524N 076-20-08.614W	Fl G 2.5s	0	4	SG on pile.	
18795	St. Jerome Creek Light 1SJ	38-06-54.524N 076-20-08.614W	Fl G 2.5s	0	4	SG on pile.	
18805	St. Jerome Creek Daybeacon 3	38-07-03.419N 076-20-21.152W		0		SG on pile.	
18805	St. Jerome Creek Daybeacon 3	38-07-03.419N 076-20-21.152W		0		SG on pile.	
18810	St. Jerome Creek Light 3A	38-07-11.549N 076-20-27.377W	Fl G 2.5s	0	3	SG on pile.	Removed when endangered by ice.
18812	St. Jerome Creek Buoy 4	38-07-13.772N 076-20-29.868W				Red nun.	Removed when endangered by ice.
18815	St. Jerome Creek Buoy 6	38-07-09.842N 076-20-37.129W				Red nun.	Removed when endangered by ice.
18817	St. Jerome Creek Buoy 7	38-07-09.734N 076-20-45.351W				Green can.	Removed when endangered by ice.
18819	St. Jerome Creek Buoy 8	38-07-10.480N 076-20-43.383W				Red nun.	Removed when endangered by ice.
18819	St. Jerome Creek Buoy 8	38-07-10.480N 076-20-43.383W				Red nun.	Removed when endangered by ice.
18820	St. Jerome Creek Buoy 9	38-07-19.178N 076-20-43.689W				Green can.	Removed when endangered by ice.
18823	St. Jerome Creek Buoy 11	38-07-22.838N 076-20-42.720W				Green can.	Removed when endangered by ice.
18835	St. Jerome Creek North Prong Daybeacon 1	38-07-10.135N 076-21-10.765W		0		SG on pile.	
18835	St. Jerome Creek North Prong Daybeacon 1	38-07-10.135N 076-21-10.765W		0		SG on pile.	
18840	Buzzs Marina Channel Daybeacon 2	38-06-43.453N 076-20-58.811W				TR on pile.	
18840	Buzzs Marina Channel Daybeacon 2	38-06-43.453N 076-20-58.811W				TR on pile.	
18845	Buzzs Marina Channel Daybeacon 4	38-06-32.453N 076-21-04.812W				TR on pile.	
18845	Buzzs Marina Channel Daybeacon 4	38-06-32.453N 076-21-04.812W				TR on pile.	
18850	Buzzs Marina Channel Daybeacon 6	38-06-20.060N 076-21-05.900W				TR on pile.	
18850	Buzzs Marina Channel Daybeacon 6	38-06-20.060N 076-21-05.900W				TR on pile.	
18855	Buzzs Marina Channel Daybeacon 7	38-06-14.900N 076-21-13.900W				SG on pile.	
18855	Buzzs Marina Channel Daybeacon 7	38-06-14.900N 076-21-13.900W				SG on pile.	
18860	N.A.S. Patuxent River Basin Entrance Light 2	38-16-06.478N 076-23-34.835W	F R			TR on pile.	
18865	N.A.S. Patuxent River Basin Entrance Light 1	38-16-01.478N 076-23-38.835W	F G			SG on pile.	
18870	Patuxent River Lighted Bell Buoy 1PR	38-18-13.675N 076-21-10.829W	Fl G 4s	5		Green.	
18880	Patuxent River Light 3	38-19-01.619N 076-24-03.995W	Fl G 2.5s	0	4	SG on multi-pile structure.	
18885	Drum Point Light 4	38-19-08.297N 076-25-15.497W	Fl R 2.5s	0	5	TR on multi-pile structure.	

18890	Patuxent River Light 5	38-18-33.309N 076-25-05.401W	Fl G 4s	0	4	SG on pile.
18895	Patuxent River Light 6	38-18-56.041N 076-26-26.463W	Fl R 2.5s	0	4	TR on pile.
18900	Solomons Island Research Pier Light	38-19-02.460N 076-27-03.120W	Fl Y 4s			On post on top of pump house.
18905	Solomons Island Approach Daybeacon 2	38-19-05.289N 076-26-43.501W		0		TR on pile.
18910	Solomons Island Approach Light 3	38-19-10.977N 076-27-01.807W	Fl G 4s	0	4	SG on pile.
18915	Solomons Island Approach Daybeacon 4	38-19-19.515N 076-27-01.051W		0		TR on pile.
18917	Solomons Island UMCES Pier Light A	38-19-16.210N 076-27-08.820W	Fl Y 4s			On end of pier.
18920	Solomons Island Harbor Junction Light SH	38-19-19.833N 076-27-14.200W	Fl (2+1)R 6s	0	4	JR on pile.
18925	Swash Daybeacon 1	38-19-15.923N 076-26-06.146W		0		SG on pile.
18930	Swash Daybeacon 2	38-19-24.816N 076-26-05.472W		0		TR on pile.
18935	Swash Daybeacon 2A	38-19-20.784N 076-26-45.918W		0		TR on pile.
18940	Swash Daybeacon 3	38-19-17.808N 076-26-45.864W				SG on pile.
18945	Mill Creek (Patuxent River) Light 2	38-19-27.194N 076-27-11.502W	Fl R 4s	0	3	TR on pile.
18950	Mill Creek (Patuxent River) Light 3	38-19-34.569N 076-27-05.989W	Fl G 2.5s	0	3	SG on pile.
18960	Mill Creek (Patuxent River) Daybeacon 4	38-19-59.181N 076-26-54.034W		15		TR on pile.
18965	Mill Creek (Patuxent River) Buoy 7	38-20-01.325N 076-26-38.349W				Green buoy.
18970	Mill Creek (Patuxent River) Daybeacon 8	38-20-05.177N 076-26-23.944W				TR on pile.
18976	Mill Creek (Patuxent River) Buoy 9	38-20-12.228N 076-26-02.316W				Green can.
18980	Mill Creek (Patuxent River) Buoy 11	38-20-26.736N 076-25-51.132W				Green can.
18986	Mill Creek (Patuxent River) Buoy 12	38-20-30.948N 076-25-50.520W				Red nun.
18990	Lusby Point Junction Daybeacon LP	38-20-04.355N 076-26-50.510W		0		JG on pile.
18995	St. John Creek Buoy 2	38-20-11.780N 076-26-49.110W				Red nun.
19000	St. John Creek Daybeacon 3	38-20-16.376N 076-26-50.288W				SG on pile.
19005	St. John Creek Daybeacon 4	38-20-24.344N 076-26-50.383W				TR on pile.
19010	Back Creek Light 2	38-19-18.665N 076-27-18.401W	Fl R 4s	0	4	TR on pile.
19015	Back Creek Daybeacon 4	38-19-30.311N 076-27-23.786W		0		TR on pile.
19020	Back Creek Light 5	38-19-35.717N 076-27-26.905W	Fl G 4s	0	4	SG on pile.
19025	Back Creek Daybeacon 8	38-19-58.523N 076-27-34.514W				TR on pile.
19030	N.A.S. Patuxent River West Seaplane Basin Entrance Light 1	38-17-34.478N 076-26-53.842W	Fl G 2.5s		4	SG on pile.
19035	N.A.S. Patuxent River West Seaplane Basin Entrance Light 2	38-17-32.400N 076-26-58.926W	Fl R 2.5s		4	TR on pile.
19040	Patuxent River Light 6A	38-18-44.717N 076-27-16.673W	Q R	0	4	TR on pile.
19045	Lewis Creek Buoy 2	38-18-45.948N 076-28-35.030W				Red nun.
19055	Town Creek Light 2	38-18-55.018N 076-28-44.641W	Fl R 4s	0	4	TR on pile.
19060	Town Point Warning Daybeacon	38-19-20.166N 076-28-24.076W		0		NW on pile worded DANGER SHOAL.
19062	Solomons Island Fishing Pier Light	38-19-44.000N 076-28-10.000W	Fl Y 2.5s			On pole on pier.

19065	Second Cove Light 1	38-19-48.165N 076-28-24.109W	Fl G 2.5s	0	3	SG on pile.	
19070	Second Cove Daybeacon 2	38-19-47.512N 076-28-23.129W		0		TR on pile.	
19075	Second Cove Daybeacon 3	38-19-50.076N 076-28-21.942W		0		SG on pile.	
19080	Second Cove Daybeacon 4	38-19-49.677N 076-28-21.166W		0		TR on pile.	
19087	Patuxent River Lighted Buoy 8	38-19-40.786N 076-29-04.111W	Q R		4	Red.	Replaced by nun when endangered by ice.
19090	Patuxent River Light 9	38-20-13.607N 076-29-21.488W	Fl G 2.5s	0	4	SG on pile.	
19095	Cuckhold Creek Daybeacon 2	38-20-24.299N 076-29-31.838W		0		TR on pile.	
19100.01	Patuxent River Warning Buoy B	38-20-23.900N 076-29-54.800W				White can with orange diamond.	
19100.02	Patuxent River Warning Buoy C	38-20-18.800N 076-29-47.800W				White can with orange diamond.	
19100	Cuckhold Creek Daybeacon 3	38-20-25.505N 076-29-49.850W		0		SG on pile.	
19105	Cuckhold Creek Light 4	38-20-30.566N 076-30-01.395W	Fl R 4s	0	3	TR on pile.	
19110	Patuxent River Light 11	38-20-27.729N 076-29-21.079W	Q G	0	4	SG on pile.	
19115	Patuxent River Light 12	38-21-14.522N 076-29-13.608W	Fl R 4s	0	4	TR on pile.	
19120	Hellen Creek Buoy 1	38-21-01.440N 076-28-51.528W				Green can.	
19125	Hellen Creek Buoy 1A	38-21-11.159N 076-28-48.108W				Green can.	
19126	Hellen Creek Daybeacon 2	38-21-16.524N 076-28-44.652W				TR on pile.	
19130	Patuxent River Daybeacon 13	38-21-43.049N 076-30-05.018W		0		SG on pile.	
19135	Patuxent River Light 14	38-23-00.899N 076-30-23.309W	Fl R 6s	0	4	TR on pile.	
19140	St. Leonard Creek Entrance Daybeacon 1	38-23-03.203N 076-30-09.728W		0		SG on pile.	
19152	Academy Of Natural Science Intake Light B	38-23-36.120N 076-30-47.520W	Fl Y 4s			NY on pile.	
19155	Patuxent River Daybeacon 15	38-23-00.335N 076-31-54.869W		0		SG on pile.	
19160	Island Creek Light 2	38-24-29.957N 076-32-39.743W	Fl R 4s	0	3	TR on multi-pile structure.	
19165	Patuxent River Light 16	38-23-55.349N 076-33-20.903W	Fl R 2.5s	0	4	TR on pile.	
19210	Patuxent River Light 18	38-25-49.590N 076-36-30.698W	Fl R 6s	0	4	TR on pile.	
19217.1	Cat Creek Buoy 2	38-25-11.700N 076-36-57.200W				Red nun.	
19217.2	Cat Creek Buoy 3	38-25-09.400N 076-37-00.500W				Green can.	
19217.3	Cat Creek Buoy 5	38-25-08.800N 076-37-03.200W				Green can.	
19217.4	Cat Creek Buoy 7	38-25-08.300N 076-37-05.900W				Green can.	
19220	Battle Creek Channel Daybeacon 1	38-26-44.351N 076-36-14.796W				SG on pile.	DNR1189
19221	Battle Creek Channel Warning Daybeacon	38-26-52.253N 076-36-12.059W				NW on pile worded DANGER SHOAL.	
19222	Battle Creek Channel Daybeacon 3	38-26-47.621N 076-36-13.823W				SG on pile.	DNR1190
19223	Battle Creek Channel Daybeacon 4	38-26-52.154N 076-36-13.524W				TR on pile.	DNR1191
19224	Battle Creek Channel Daybeacon 5	38-27-01.245N 076-36-01.512W				SG on pile.	DNR1192
19230	Patuxent River Daybeacon 20	38-26-35.572N 076-37-17.790W		0		TR on pile.	
19235	Patuxent River Light 21	38-27-50.356N 076-38-58.604W	Fl G 4s	0	4	SG on pile.	

19240	Patuxent River Light 24	38-30-31.768N 076-40-19.014W	FI R 4s	0	4	TR on pile.	
19245	Patuxent River Daybeacon 23	38-29-29.522N 076-40-05.330W		0		SG on pile.	
19260	Chalk Point Cable Crossing Tower Light 27	38-32-47.437N 076-40-34.863W				SG on pile structure at base of tower.	
19265	Chalk Point Cable Crossing Tower Light 28	38-32-40.437N 076-40-23.863W				TR on pile structure at base of tower.	
19270	Chalk Point Cable Crossing Tower Light A	38-32-42.437N 076-40-11.862W				On pile structure at base of tower.	
19275	Chalk Point Cable Crossing Tower Light B	38-32-40.594N 076-40-02.760W	FI Y 2.5s			On pile structure at base of tower.	
19277	Chalk Point Cable Crossing Tower Light 29	38-32-49.811N 076-40-33.210W	Q G			On pile structure at base of tower.	
19278	Chalk Point Power Light 30	38-32-46.624N 076-40-21.627W	Q R			On pile structure at base of tower.	
19279	Chalk Point Tower Light C	38-32-35.754N 076-40-11.233W	Q Y			On pile structure at base of tower.	
19280	Chalk Point Tower Light D	38-32-41.067N 076-40-01.433W	Q Y			On pile structure at base of tower.	
19285	Chesapeake Beach Light 1	38-41-30.581N 076-31-16.439W	Q G	0	5	SG on pile.	
19300	Chesapeake Beach Light 2	38-41-30.119N 076-31-46.499W	FI R 2.5s	0	5	TR on pile.	
19305	Chesapeake Beach Light 3	38-41-28.774N 076-31-46.709W	FI G 2.5s	0	5	SG on pile.	
19310	Chesapeake Beach Daybeacon 4	38-41-28.823N 076-31-56.807W		0		TR on pile.	
19312	Chesapeake Beach WWTP Outfall Warning Daybeacons (2)	38-41-57.702N 076-31-54.525W				NW on pile worded DANGER OUTFALL PIPE.	
19320	Herring Bay Entrance Light 1	38-44-25.031N 076-30-51.338W	FI G 2.5s	0	4	SG on multi-pile structure.	
19325	Herring Bay Light 2	38-44-25.900N 076-32-38.920W	FI R 4s		4	TR on pile.	
19330	Herring Bay Light 3	38-45-18.142N 076-32-55.360W	FI G 2.5s	0	4	SG on pile.	
19335	Rose Haven Channel Light 1	38-44-01.776N 076-32-18.970W	Q G	0	4	SG on multi-pile structure.	
19345	South Herrington Harbour Range Front Light	38-43-28.130N 076-32-37.440W	F Y			Orange dayboards with black and white stripe on pile.	
19350	South Herrington Harbour Range Rear Light	38-43-26.720N 076-32-38.170W	F Y			Orange dayboards with black and white stripe on pile.	
19355	South Herrington Harbour Entrance Light 1	38-43-54.302N 076-32-22.927W	Q G			SG on pile.	
19360	South Herrington Harbour Light 2	38-43-55.025N 076-32-24.199W	Q R			TR on pile.	
19365	South Herrington Harbour Light 3	38-43-50.519N 076-32-24.726W	Q G			SG on pile.	
19370	South Herrington Harbour Light 4	38-43-50.872N 076-32-26.032W	Q R			TR on pile.	
19375	South Herrington Harbour Light 5	38-43-46.986N 076-32-27.396W	Q G			SG on pile.	
19380	South Herrington Harbour Light 6	38-43-46.488N 076-32-28.212W	Q R			TR on pile.	
19395	Rockhold Creek Channel Light 1R	38-45-55.878N 076-33-09.010W	FI G 4s	0	4	SG on pile.	
19400	Rockhold Creek Jetty Light 2	38-46-01.689N 076-33-16.239W	FI R 4s	0	4	TR on pile.	
19401	Rockhold Creek Channel Buoy 4	38-46-02.497N 076-33-18.296W				Red nun.	Maintained from Mar. 15 to Dec. 1.
19402	Rockhold Creek Channel Buoy 5	38-46-02.943N 076-33-20.725W				Green can.	Maintained from Mar. 15 to Dec. 1.
19403	Rockhold Creek Channel Buoy 6	38-46-05.475N 076-33-23.239W				Red nun.	Maintained from Mar. 15 to Dec. 1.
19404	Rockhold Creek Channel Buoy 7	38-46-05.804N 076-33-26.019W				Green can.	Maintained from Mar. 15 to Dec. 1.
19405	Rockhold Creek Channel Daybeacon 9	38-46-07.462N 076-33-28.625W		0		SG on pile.	
19407	Rockhold Creek Channel Daybeacon 10	38-46-08.183N 076-33-27.924W		0		TR on pile.	

19410	Rockhold Creek Channel Light 12	38-46-15.005N 076-33-38.912W	FI R 4s	0	4	TR on pile.
19415	Rockhold Creek Channel Light 13	38-46-14.985N 076-33-41.049W	Q G	0	4	SG on pile.
19420	Rockhold Creek Channel Daybeacon 15	38-46-21.192N 076-33-41.990W		0		SG on pile.
19425	Rockhold Creek Lighted Junction Buoy RC	38-46-16.200N 076-33-40.740W	FI (2+1)G 6s			Green and Red bands.
19430	Herrington Harbour North Light 1	38-46-16.740N 076-33-43.920W	Q G			SG on pile.
19435	Herrington Harbour North Light 2	38-46-18.360N 076-33-43.260W	Q R			TR on pile.
19450	Saunders Point Shoal Junction Light	38-53-01.826N 076-28-37.337W	FI (2+1)R 6s		4	JR on pile.
19455	Saunders Point Wreck Warning Daybeacon A	38-52-55.383N 076-28-54.643W		0		NW on pile worded DANGER WRECK.
19460	West River Lighted Buoy 1	38-51-50.724N 076-26-59.488W	FI G 4s		4	Green. Removed when endangered by ice.
19465	West River Light 1A	38-52-15.235N 076-28-48.400W	FI G 2.5s	0	4	SG on pile.
19465	West River Light 1A	38-52-15.235N 076-28-48.400W	FI G 2.5s	0	4	SG on pile.
19470	West River Entrance Light 2	38-51-56.421N 076-29-27.035W	FI R 2.5s		5	TR on pile.
19475	Parish Creek Light 1	38-51-06.620N 076-30-23.477W	FI G 2.5s	0	4	SG on pile.
19480	Parish Creek Light 3	38-50-49.943N 076-30-22.481W	FI G 4s	0	4	SG on pile.
19485	Parish Creek Daybeacon 5	38-50-44.809N 076-30-30.702W		0		SG on pile.
19495	West River Daybeacon 3	38-51-17.157N 076-31-26.795W				SG on pile.
19500	West River Light 4	38-51-17.480N 076-31-54.414W	FI R 4s	0	4	TR on pile.
19505	West River Daybeacon 5	38-50-50.673N 076-32-00.821W		0		SG on pile.
19510	West River Light 6	38-50-39.761N 076-32-03.989W	FI R 4s		4	TR on pile.
19512.2	West River Buoy 9	38-50-07.071N 076-32-28.942W				Green can.
19512.4	West River Buoy 10	38-50-06.414N 076-32-30.706W				Red nun.
19512.6	West River Buoy 12	38-49-59.609N 076-32-38.335W				Red nun.
19512.8	West River Buoy 13	38-49-56.483N 076-32-40.054W				Green can.
19512	West River Buoy 7	38-50-18.900N 076-32-25.100W				Green can.
19512.2	West River Buoy 9	38-50-07.071N 076-32-28.942W				Green can.
19512.4	West River Buoy 10	38-50-06.414N 076-32-30.706W				Red nun.
19512.6	West River Buoy 12	38-49-59.609N 076-32-38.335W				Red nun.
19512.8	West River Buoy 13	38-49-56.483N 076-32-40.054W				Green can.
19515	Rhode River Entrance Light 2RR	38-52-01.385N 076-30-49.461W	FI R 4s		4	TR on multi-pile structure.
19520	Rhode River Daybeacon 3	38-52-12.122N 076-31-00.041W				SG on pile.
19525	Rhode River Daybeacon 4	38-52-33.795N 076-31-04.811W		0		TR on pile.
19530	Cadle Creek Daybeacon 1	38-52-48.645N 076-30-54.185W				SG on pile.
19535	Cadle Creek Daybeacon 2	38-52-50.967N 076-30-50.891W				TR on pile.
19540	Rhode River Daybeacon 6	38-52-38.445N 076-31-05.723W				TR on pile.
19545	Rhode River Light 7	38-53-00.065N 076-31-21.795W	FI G 4s		4	SG on pile.

19550	Whitemarsh Creek Daybeacon 1	38-53-17.591N 076-31-29.282W					SG on pile.
19555	Whitemarsh Creek Daybeacon 3	38-53-23.830N 076-31-27.470W					SG on pile.
19560	South River Junction Buoy SR	38-53-39.458N 076-25-52.232W					Green and red bands; can.
19565	South River Entrance Buoy 2	38-53-44.341N 076-27-52.263W					Red nun.
19570	South River Light 4	38-54-07.338N 076-28-37.582W	FI R 2.5s		4		TR on multi-pile structure.
19575	South River Daybeacon 5	38-54-35.859N 076-29-18.980W					SG on pile.
19580	South River Light 6	38-54-55.326N 076-29-26.782W	FI R 4s	0	4		TR on pile.
19585	Selby Bay Entrance Light 2	38-54-32.942N 076-30-16.880W	FI R 2.5s		4		TR on multi-pile structure.
19590	Selby Bay South Basin Light 2	38-54-11.178N 076-30-24.168W	FI R 4s	0	4		TR on pile.
19595	Selby Bay Light 4	38-54-31.524N 076-30-35.097W	FI R 4s		4		TR on pile.
19600	Selby Bay South Basin Daybeacon 1	38-54-21.347N 076-30-19.251W					SG on pile.
19605	South River Light 8	38-55-10.400N 076-30-05.097W	FI R 6s	0	4		TR on pile.
19610	South River Daybeacon 9	38-55-13.143N 076-30-22.947W					SG on pile.
19615	South River Light 10	38-55-51.356N 076-31-01.193W	FI R 2.5s	0	4		TR on pile.
19625	South River Light 11	38-56-06.408N 076-31-24.227W	FI G 2.5s	0	4		SG on pile.
19630	Glebe Bay Light	38-56-07.677N 076-32-19.287W	F Y				On pile on wharf.
19635	South River Light 12	38-56-23.274N 076-31-38.747W	FI R 4s	0	4		TR on pile.
19645	South River Light 15	38-56-42.066N 076-32-27.252W	FI G 4s	0	4		SG on multi-pile structure.
19650	South River Light 16	38-56-58.746N 076-32-45.833W	FI R 2.5s		4		TR on pile.
19655	South River Light 17	38-57-11.392N 076-33-43.561W	FI G 2.5s	0	4		SG on pile.
19660	South River Light 18	38-57-12.060N 076-34-03.287W	FI R 4s	0	4		TR on pile.
19665	South River Junction Daybeacon	38-57-07.267N 076-34-08.226W			0		JG on pile.
19670	Fishing Creek Light 2F	38-54-40.996N 076-27-17.848W	FI R 2.5s	0	4		TR on pile.
19675	Fishing Creek Light 3	38-54-36.669N 076-27-37.775W	Q G		4		SG on pile.
19680	Fishing Creek Light 5	38-54-45.393N 076-27-59.730W	FI G 4s		4		SG on pile.
19685	Fishing Creek Light 6	38-55-07.227N 076-28-06.353W	FI R 2.5s		3		TR on pile.
19687	Fishing Creek - Oyster Creek Buoy 1	38-55-39.000N 076-27-39.700W					Green can.
19687.1	Fishing Creek - Oyster Creek Buoy 2	38-55-40.300N 076-27-40.100W					Red nun.
19687.2	Fishing Creek - Oyster Creek Buoy 3	38-55-38.600N 076-27-43.400W					Green can.
19687.3	Fishing Creek - Oyster Creek Buoy 4	38-55-39.700N 076-27-43.500W					Red nun.
19687.4	Fishing Creek - Oyster Creek Light 5	38-55-37.581N 076-27-46.249W	FI G 4s				SG on end of pier.
19687.5	Fishing Creek - Oyster Creek Light 6	38-55-38.582N 076-27-47.677W	FI R 4s				TR on bulkhead.
19690	Annapolis Harbor Channel Light 1AH	38-56-09.073N 076-26-10.058W	FI G 4s	0	4		SG on multi-pile structure.
19695	Annapolis Harbor Channel Lighted Buoy 2	38-56-30.030N 076-25-29.016W	FI R 2.5s		4	Red.	Replaced by nun when endangered by ice.
19697	NOAA Lighted Data Buoy AN	38-57-49.010N 076-26-48.370W	FI Y 4s			Yellow	Removed when endangered by ice.

19700	Naval Anchorage Light A	38-58-00.537N 076-27-09.019W	Fl Y 2.5s	0	4	NY on multi-pile structure.	
19705	Annapolis Harbor Entrance Light 4	38-58-06.215N 076-27-27.753W	Fl R 6s	0	4	TR on multi-pile structure.	
19730	Annapolis Harbor Channel Lighted Buoy 5	38-58-17.845N 076-27-43.481W	Fl G 4s		4	Green.	Replaced by can when endangered by ice.
19740	Annapolis Harbor Channel Lighted Buoy 6	38-58-29.030N 076-27-46.516W	Fl R 2.5s		4	Red.	Replaced by nun when endangered by ice.
19745	Horn Point Light HP	38-58-24.641N 076-28-09.143W	Fl W 6s	0	4	NG on pile.	
19750	Annapolis Harbor Channel Buoy 7	38-58-36.392N 076-27-54.736W				Green can.	
19755	Annapolis Harbor Channel Buoy 8	38-58-41.489N 076-27-54.296W				Red nun.	
19760	Annapolis Harbor Channel Lighted Buoy 9	38-58-42.219N 076-28-00.842W	Q G		4	Green.	Replaced by can when endangered by ice.
19765	Spa Creek Channel Junction Buoy SC	38-58-45.343N 076-28-07.053W				Green and red bands; can.	
19770	Severn River Restricted Area Buoy A	38-58-53.333N 076-28-14.872W				Yellow can.	
19775	Annapolis Harbor Channel Buoy 13	38-58-55.680N 076-28-24.825W				Green can.	
19780	Triton Light	38-58-53.030N 076-28-34.416W	Fl(4+5) G 30s			On seawall.	Light characteristic represents the Class of 1945.
19781	U.S. Naval Academy Class of 43 Light	38-58-38.530N 076-28-57.616W				Black iron structure on stone foundation.	Light characteristic represents Class of 1943.
19785	U.S. Naval Academy Light	38-58-39.433N 076-28-48.873W	Q W			Black iron structure on stone foundation	Red from 220° to 259.2°. White from 259.2° to 273.2°.
19790	Naval Station Ramp Obstruction Daybeacon	38-58-52.827N 076-27-55.024W		0		NW on pile worded DANGER ROCK.	
19793	US Naval Academy Lighted Data Buoy A	38-58-58.750N 076-28-23.000W	Fl Y 4s			Yellow buoy.	Aid maintained by U.S. Navy
19793	US Naval Academy Lighted Data Buoy A	38-58-58.750N 076-28-23.000W	Fl Y 4s			Yellow buoy.	Aid maintained by U.S. Navy
19795	Severn River Restricted Area Buoy B	38-58-59.212N 076-28-25.692W				Yellow can.	
19800	Severn River Restricted Area Buoy C	38-58-58.632N 076-28-38.673W				Yellow can.	
19805	Severn River Restricted Area Buoy D	38-59-03.444N 076-28-46.239W				Yellow can.	
19810	Annapolis Harbor Channel Buoy 14	38-59-09.102N 076-28-40.134W				Red nun.	
19815	Lake Ogleton Entrance Light 1L	38-57-07.919N 076-27-27.818W	Fl G 4s	0	4	SG on pile.	
19820	Lake Ogleton Entrance Daybeacon 2	38-57-02.798N 076-27-34.691W		0		TR on pile.	
19825	Lake Ogleton Entrance Daybeacon 3	38-56-59.945N 076-27-35.960W		0		SG on pile.	
19830	Lake Ogleton Entrance Daybeacon 4	38-56-52.823N 076-27-45.548W		0		TR on pile.	
19835	Lake Ogleton Entrance Light 5	38-56-49.943N 076-27-47.228W	Fl G 4s	0	4	SG on pile.	
19837.6	Lake Ogleton Buoy 7	38-56-49.600N 076-28-21.100W				Green can.	
19837.1	Lake Ogleton Buoy 2	38-56-47.040N 076-27-51.660W				Red nun.	
19837.5	Lake Ogleton Buoy 6	38-56-49.100N 076-28-19.400W				Red nun.	
19837.4	Lake Ogleton Buoy 5	38-56-48.400N 076-28-11.500W				Green can.	
19837.3	Lake Ogleton Buoy 4	38-56-48.120N 076-28-03.700W				Red nun.	
19837.2	Lake Ogleton Buoy 3	38-56-47.100N 076-28-02.800W				Green can.	
19837	Lake Ogleton Buoy 1	38-56-46.320N 076-27-51.420W				Green can.	
19840	Chesapeake Harbor Entrance Light 2	38-57-36.405N 076-27-58.853W	Fl R 3s			TR on pile.	
19845	Chesapeake Harbor Buoy 3	38-57-36.405N 076-28-04.853W				Green can.	

19850	Chesapeake Harbor Buoy 4	38-57-36.705N 076-28-06.754W				Red nun.	
19855	Chesapeake Harbor Buoy 5	38-57-36.005N 076-28-09.954W				Green can.	
19860	Chesapeake Harbor Buoy 6	38-57-37.305N 076-28-14.354W				Red nun.	
19865	Chesapeake Harbor Buoy 7	38-57-37.305N 076-28-14.354W				Green can.	
19870	Chesapeake Harbor Jetty Light 8	38-57-38.105N 076-28-22.954W	FI R 2.5s			On pile.	
19875	Chesapeake Harbor Jetty Light 9	38-57-36.505N 076-28-20.254W	FI G 2.5s			On pile.	
19880	Eastport Harbor Entrance Light 1E	38-57-57.281N 076-28-09.014W	FI G 2.5s	0	4	SG on pile.	
19885	Eastport Harbor Entrance Light 2E	38-58-04.130N 076-28-14.768W	FI R 2.5s	0	4	TR on pile.	
19890	Eastport Harbor Jetty Light 3	38-58-03.641N 076-28-21.794W	Q G	0	4	SG on pile.	
19895	Eastport Harbor Entrance Light 5	38-58-05.009N 076-28-27.992W	FI G 4s	0	4	SG on pile.	
19900	Eastport Harbor Daybeacon 7	38-58-02.825N 076-28-36.854W		0		SG on pile.	
19905	Spa Creek Entrance Buoy 1SC	38-58-35.074N 076-28-47.980W				Green can.	
19915	Spa Creek Buoy 3	38-58-22.037N 076-29-23.646W				Green can.	Maintained from Mar. 15 to Dec. 1.
19940	Severn River Daybeacon 1S	38-59-46.833N 076-29-27.055W		0		SG on pile.	
19945.5	Weems Creek Junction Daybeacon WC	39-00-05.321N 076-29-56.416W		0		JG on pile.	
19945	Severn River Light 2	39-00-14.968N 076-29-42.027W	FI R 4s	0	4	TR on pile.	
19946	USNA Hurricane Mooring Buoy W1	38-59-48.784N 076-30-17.491W					U.S. Government Property - No Trespassing.
19946.2	USNA Hurricane Mooring Buoy W2	38-59-46.940N 076-30-17.527W					U.S. Government Property - No Trespassing.
19946.3	USNA Hurricane Mooring Buoy W3	38-59-45.587N 076-30-19.576W					U.S. Government Property - No Trespassing.
19946.4	USNA Hurricane Mooring Buoy W4	38-59-43.679N 076-30-20.112W					U.S. Government Property - No Trespassing.
19946.5	USNA Hurricane Mooring Buoy W5	38-59-42.185N 076-30-19.209W					U.S. Government Property - No Trespassing.
19946.6	USNA Hurricane Mooring Buoy W6	38-59-40.370N 076-30-18.640W					U.S. Government Property - No Trespassing.
19946.7	USNA Hurricane Mooring Buoy W7	38-59-39.118N 076-30-19.191W					U.S. Government Property - No Trespassing.
19946.8	USNA Hurricane Mooring Buoy W8	38-59-36.612N 076-30-20.458W					U.S. Government Property - No Trespassing.
19947	USNA Hurricane Mooring Buoy L1	39-00-23.441N 076-30-59.979W					U.S. Government Property - No Trespassing.
19947.1	USNA Hurricane Mooring Buoy L2	39-00-22.548N 076-31-02.247W					U.S. Government Property - No Trespassing.
19947.2	USNA Hurricane Mooring Buoy L3	39-00-20.312N 076-31-04.781W					U.S. Government Property - No Trespassing.
19947.3	USNA Hurricane Mooring Buoy L4	39-00-20.795N 076-31-07.287W					U.S. Government Property - No Trespassing.
19947.4	USNA Hurricane Mooring Buoy L5	39-00-19.412N 076-31-07.539W					U.S. Government Property - No Trespassing.
19947.5	USNA Hurricane Mooring Buoy L6	39-00-20.428N 076-31-09.997W					U.S. Government Property - No Trespassing.
19947.6	USNA Hurricane Mooring Buoy L7	39-00-18.041N 076-31-11.279W					U.S. Government Property - No Trespassing.
19947.7	USNA Hurricane Mooring Buoy L8	39-00-19.607N 076-31-12.172W					U.S. Government Property - No Trespassing.
19947.8	USNA Hurricane Mooring Buoy L9	39-00-19.132N 076-31-14.177W					U.S. Government Property - No Trespassing.
19947.9	USNA Hurricane Mooring Buoy L10	39-00-17.958N 076-31-17.140W					U.S. Government Property - No Trespassing.
19948	USNA Hurricane Mooring Buoy S1	39-00-46.067N 076-31-35.025W					U.S. Government Property - No Trespassing.

19948.2	USNA Hurricane Mooring Buoy S2	39-00-43.853N 076-31-37.897W					U.S. Government Property - No Trespassing.
19948.3	USNA Hurricane Mooring Buoy S3	39-00-42.528N 076-31-38.963W					U.S. Government Property - No Trespassing.
19948.4	USNA Hurricane Mooring Buoy S4	39-00-41.822N 076-31-41.825W					U.S. Government Property - No Trespassing.
19950	Severn River Light 2A	39-01-07.427N 076-31-11.774W	Q R	0	4	TR on pile.	
19952	USNA Hurricane Mooring Buoy C1	39-01-04.229N 076-32-04.120W					U.S. Government Property - No Trespassing.
19952.1	USNA Hurricane Mooring Buoy C2	39-01-00.744N 076-32-05.387W					U.S. Government Property - No Trespassing.
19952.2	USNA Hurricane Mooring Buoy C3	39-01-04.002N 076-32-06.690W					U.S. Government Property - No Trespassing.
19952.3	USNA Hurricane Mooring Buoy C4	39-01-00.618N 076-32-07.324W					U.S. Government Property - No Trespassing.
19952.4	USNA Hurricane Mooring Buoy C5	39-01-00.568N 076-32-09.235W					U.S. Government Property - No Trespassing.
19952.5	USNA Hurricane Mooring Buoy C6	39-01-03.185N 076-32-11.806W					U.S. Government Property - No Trespassing.
19952.6	USNA Hurricane Mooring Buoy C7	39-01-01.745N 076-32-12.317W					U.S. Government Property - No Trespassing.
19952.7	USNA Hurricane Mooring Buoy C8	39-01-03.631N 076-32-13.689W					U.S. Government Property - No Trespassing.
19952.8	USNA Hurricane Mooring Buoy C9	39-01-02.094N 076-32-14.585W					U.S. Government Property - No Trespassing.
19952.9	USNA Hurricane Mooring Buoy C10	39-01-03.066N 076-32-15.975W					U.S. Government Property - No Trespassing.
19952.91	USNA Hurricane Mooring Buoy C11	39-01-04.096N 076-32-15.636W					U.S. Government Property - No Trespassing.
19952.92	USNA Hurricane Mooring Buoy C12	39-01-03.577N 076-32-17.609W					U.S. Government Property - No Trespassing.
19952.93	USNA Hurricane Mooring Buoy C13	39-01-04.024N 076-32-19.783W					U.S. Government Property - No Trespassing.
19955	Severn River Light 4	39-01-26.165N 076-31-29.841W	FI R 2.5s	0	4	TR on pile.	
19957	USNA Hurricane Mooring Buoy B1	39-01-25.631N 076-32-18.455W					U.S. Government Property - No Trespassing.
19957.2	USNA Hurricane Mooring Buoy B2	39-01-25.278N 076-32-24.982W					U.S. Government Property - No Trespassing.
19957.3	USNA Hurricane Mooring Buoy B3	39-01-24.212N 076-32-25.209W					U.S. Government Property - No Trespassing.
19957.4	USNA Hurricane Mooring Buoy B4	39-01-24.598N 076-32-30.115W					U.S. Government Property - No Trespassing.
19960	Severn River Light 5	39-01-51.361N 076-31-57.922W	FI G 4s	0	4	SG on pile.	
19965	Severn River Light 6	39-02-07.091N 076-32-09.861W	FI R 4s	0	4	TR on pile.	
19970	Little Round Bay South Daybeacon 2S	39-02-17.507N 076-33-58.593W				TR on pile.	
19975	Little Round Bay South Daybeacon 3	39-02-10.829N 076-34-02.187W		0		SG on pile.	
19980	Little Round Bay South Daybeacon 5	39-02-26.345N 076-34-17.187W				SG on pile.	
19985	Little Round Bay North Daybeacon 2N	39-02-33.011N 076-33-25.767W				TR on pile.	
19990	Little Round Bay North Daybeacon 3	39-02-28.607N 076-33-42.333W				SG on pile.	
19995	Little Round Bay North Daybeacon 5	39-02-37.409N 076-33-49.593W				SG on pile.	
20000	Severn River Daybeacon 7	39-02-41.273N 076-33-17.769W				SG on pile.	
20005	Severn River Daybeacon 9	39-03-02.129N 076-33-30.585W		0		SG on pile.	
20010	Severn River Daybeacon 10	39-03-24.005N 076-32-51.495W				TR on pile.	
20020	Severn River Light 12	39-03-41.499N 076-33-58.643W	FI R 4s	0	4	TR on pile.	
20025	Severn River Daybeacon 13	39-04-06.067N 076-34-29.860W		0		SG on pile.	

20029	Mathews Point Buoy 2	39-04-32.760N 076-35-56.340W				Red nun.	
20030	Severn River - Mill Creek Light 2M	38-59-34.110N 076-26-49.396W	FI R 2.5s	0	4	TR on pile.	
20035	Severn River - Mill Creek Daybeacon 3	38-59-37.825N 076-26-53.492W				SG on pile.	
20040	Severn River - Mill Creek Daybeacon 5	38-59-40.780N 076-26-56.143W				SG on pile.	
20045	Severn River - Mill Creek Daybeacon 6	38-59-41.651N 076-26-55.382W				TR on pile.	
20050	Severn River - Mill Creek Daybeacon 7	38-59-41.250N 076-26-58.876W				SG on pile.	
20055	Severn River - Mill Creek Daybeacon 8	38-59-42.365N 076-26-58.466W				TR on pile.	
20060	Severn River - Mill Creek Daybeacon 10	38-59-40.589N 076-27-03.374W				TR on pile.	
20063	Severn River - Mill Creek Buoy 11	39-00-23.820N 076-27-23.820W				Green can.	
20065	Whitehall Creek Entrance Light 2W	38-59-12.641N 076-26-16.516W	FI R 4s	0	4	TR on pile.	
20067	Sharps Point Light	38-59-47.500N 076-26-08.500W	FI W 10s			White house with red roof.	Obscured from 067° to 263°.
20070	Whitehall Creek Daybeacon 4	38-59-49.799N 076-25-44.489W		0		TR on pile.	
20075	Whitehall Creek Daybeacon 5	38-59-58.512N 076-25-45.484W		0		SG on pile.	
20080	Whitehall Creek Daybeacon 6	39-00-02.557N 076-25-55.487W		0		TR on pile.	
20085	Whitehall Creek Daybeacon 7	39-00-25.888N 076-25-56.929W		0		SG on pile.	
20090	Whitehall Creek Daybeacon 8	39-00-32.795N 076-26-00.608W		0		TR on pile.	
20092	Little Magothy River Buoy 1LM	39-02-57.880N 076-25-42.300W				Green can.	
20092.01	Little Magothy River Buoy 2	39-02-58.280N 076-25-43.410W				Red nun.	
20092.02	Little Magothy River Buoy 3	39-02-49.300N 076-25-45.140W				Green can.	
20092.04	Little Magothy River Buoy 5	39-02-37.230N 076-25-49.130W				Green can.	
20092.05	Little Magothy River Buoy 6	39-02-37.330N 076-25-49.730W				Red nun.	
20092.03	Little Magothy River Buoy 4	39-02-49.530N 076-25-45.790W				Red nun.	
20095	Magothy River Entrance Light 2	39-03-21.909N 076-25-46.840W	FI R 4s	0	4	TR on multi-pile structure.	
20100	Magothy River Light 3	39-03-19.077N 076-25-59.356W	FI G 4s	0	5	SG on multi-pile structure.	
20105	Magothy River Entrance Daybeacon 4	39-03-24.249N 076-25-58.234W		0		TR on pile.	
20110	Magothy River Daybeacon 5	39-03-22.947N 076-26-10.384W		0		SG on pile.	
20113	Magothy River Race Lighted Buoy B	39-03-26.990N 076-26-37.200W	FI Y 6s				Labeled MRSA B. Maintained from Apr 7 to Dec 1.
20113.4	Magothy River Race Lighted Buoy A	39-04-27.950N 076-27-15.180W	FI Y 6s				Labeled MRSA A. Maintained from Apr 7 to Dec 1.
20113.3	Magothy River Race Lighted Buoy C	39-03-55.800N 076-27-33.590W	FI Y 6s				Labeled MRSA C. Maintained from Apr 7 to Dec 1.
20113.6	Magothy River Race Lighted Buoy D	39-04-04.190N 076-28-28.200W	FI Y 6s				Labeled MRSA D. Maintained from Apr 7 to Dec 1.
20113.8	Magothy River Race Lighted Buoy E	39-04-28.800N 076-29-13.800W	FI Y 6s				Labeled MRSA E. Maintained from Apr 7 to Dec 1.
20113.7	Magothy River Race Lighted Buoy F	39-04-30.780N 076-28-13.250W	FI Y 6s				Labeled MRSA F. Maintained from Apr 7 to Dec 1.
20113.5	Magothy River Race Lighted Buoy G	39-05-14.390N 076-27-06.000W	FI Y 6s				Labeled MRSA G. Maintained from Apr 7 to Dec 1.
20113.2	Magothy River Race Lighted Buoy H	39-04-12.600N 076-26-43.190W	FI Y 6s				Labeled MRSA H. Maintained from Apr 7 to Dec 1.
20113.1	Magothy River Race Lighted Buoy J	39-03-39.590N 076-27-00.000W	FI Y 6s				Labeled MRSA J. Maintained from Apr 7 to Dec 1.

20115	Sillery Bay Light 1	39-04-47.721N 076-27-18.761W	FI G 4s	0	4	SG on pile.	
20120	Sillery Bay Light 3	39-05-25.251N 076-26-39.041W	FI G 4s	0	4	SG on pile.	
20125	Sillery Bay Light 4	39-05-28.875N 076-26-31.223W	Q R	0	4	TR on pile.	
20130	Gibson Island Inner Harbor Lighted Buoy 2	39-05-24.000N 076-25-45.000W	Q R			Red.	Maintained from May 1 to Nov. 1.
20131	Gibson Island Inner Harbor Lighted Buoy 3	39-05-12.000N 076-25-37.000W	Q G			Green.	Maintained from May 1 to Nov. 1.
20132	Gibson Island Inner Harbor Lighted Buoy 4	39-05-10.000N 076-25-46.000W	Q R			Red.	Maintained from May 1 to Nov. 1.
20135	Grays Creek Entrance Daybeacon 2	39-05-12.075N 076-27-38.147W		0		TR on pile.	
20141	Grays Creek Buoy 3	39-05-17.200N 076-27-48.700W				Can.	
20145	Grays Creek Buoy 4	39-05-17.096N 076-27-48.158W				Nun.	
20145	Grays Creek Buoy 4	39-05-17.096N 076-27-48.158W				Nun.	
20150	Grays Creek Buoy 5	39-05-18.596N 076-27-53.058W				Can.	
20150	Grays Creek Buoy 5	39-05-18.596N 076-27-53.058W				Can.	
20155	Grays Creek Buoy 6	39-05-19.496N 076-27-52.858W				Nun.	
20155	Grays Creek Buoy 6	39-05-19.496N 076-27-52.858W				Nun.	
20160	Deep Creek Daybeacon 1	39-03-11.205N 076-26-58.450W		0		SG on pile.	
20170	Deep Creek Light 3	39-03-06.333N 076-27-15.347W	FI G 4s	0	4	SG on pile.	
20175	Deep Creek Daybeacon 4	39-03-05.037N 076-27-20.404W		0		TR on pile.	
20180	Magothy River Daybeacon 7	39-03-46.197N 076-27-34.151W		0		SG on pile.	
20185	Magothy River Light 9	39-04-08.811N 076-28-48.047W	FI G 4s	0	5	SG on pile.	
20190	Broad Creek Entrance Daybeacon 2	39-04-38.180N 076-28-38.578W		0		TR on pile.	
20195	Broad Creek Entrance Daybeacon 3	39-04-34.724N 076-28-48.552W		0		SG on pile.	
20200	Magothy River Light 10	39-04-18.579N 076-29-37.373W	FI R 4s	0	4	TR on pile.	
20220	Cool Spring Cove Daybeacon 1	39-03-38.608N 076-29-22.711W				SG on pile.	
20225	Cool Spring Cove Daybeacon 2	39-03-39.438N 076-29-23.352W				TR on pile.	
20245	Magothy River Daybeacon 11	39-04-23.709N 076-30-03.527W		0		SG on pile.	
20247	South Ferry Point Warning Light A	39-04-23.000N 076-30-06.000W	FI W 2.5s			NW on pile on end of jetty worded DANGER.	
20250	Magothy River Light 12	39-04-36.327N 076-30-12.617W	FI R 4s	0	4	TR on pile.	
20255	Cypress Creek Daybeacon 1	39-04-26.103N 076-31-16.713W		0		SG on pile.	
20260	Cypress Creek Daybeacon 3	39-04-25.628N 076-31-20.714W		0		SG on pile.	
20270	Magothy River Light 13	39-04-54.861N 076-30-58.025W	FI G 2.5s	0	4	SG on multi-pile structure.	
20275	Magothy River Light 14	39-04-59.247N 076-31-10.217W	FI R 4s	0	4	TR on pile.	
20280	Magothy River Junction Daybeacon MR	39-05-10.144N 076-31-29.955W		0		JG on pile.	
20285	Cattail Creek Daybeacon 2	39-05-10.113N 076-31-32.627W		0		TR on pile.	
20290	Magothy River Daybeacon 15	39-05-11.537N 076-31-30.248W		0		SG on pile.	
20295	Magothy River Daybeacon 16	39-05-28.881N 076-31-35.813W		0		TR on pile.	

20310	Bodkin Point Shoal Daybeacon 1	39-08-05.375N 076-24-32.189W		0		SG on pile.
20310	Bodkin Point Shoal Daybeacon 1	39-08-05.375N 076-24-32.189W		0		SG on pile.
20315	Bodkin Point Shoal Light 3	39-08-10.082N 076-25-03.252W	FI G 4s	0	4	SG on multi-pile structure.
20315	Bodkin Point Shoal Light 3	39-08-10.082N 076-25-03.252W	FI G 4s	0	4	SG on multi-pile structure.
20320	Bodkin Creek Daybeacon 5	39-08-12.049N 076-25-27.918W		0		SG on pile.
20320	Bodkin Creek Daybeacon 5	39-08-12.049N 076-25-27.918W		0		SG on pile.
20325	Bodkin Creek Warning Daybeacon BC	39-08-58.415N 076-25-26.901W		0		NW on pile worded ROCK.
20325	Bodkin Creek Warning Daybeacon BC	39-08-58.415N 076-25-26.901W		0		NW on pile worded ROCK.
20330	Bodkin Creek Light 7	39-08-13.637N 076-25-53.184W	FI G 2.5s	0	4	SG on multi-pile structure.
20330	Bodkin Creek Light 7	39-08-13.637N 076-25-53.184W	FI G 2.5s	0	4	SG on multi-pile structure.
20335	Bodkin Creek Daybeacon 9	39-08-06.689N 076-26-06.458W		0		SG on pile.
20335	Bodkin Creek Daybeacon 9	39-08-06.689N 076-26-06.458W		0		SG on pile.
20340	Bodkin Creek Daybeacon 9A	39-08-01.724N 076-26-12.072W				SG on pile.
20340	Bodkin Creek Daybeacon 9A	39-08-01.724N 076-26-12.072W				SG on pile.
20345	Bodkin Creek Daybeacon 10	39-08-05.363N 076-26-07.043W				TR on pile.
20345	Bodkin Creek Daybeacon 10	39-08-05.363N 076-26-07.043W				TR on pile.
20350	Bodkin Creek Light 11	39-07-58.412N 076-26-20.026W	FI G 4s		4	SG on pile.
20350	Bodkin Creek Light 11	39-07-58.412N 076-26-20.026W	FI G 4s		4	SG on pile.
20355	Bodkin Creek Daybeacon 12	39-07-35.657N 076-26-39.171W		0		TR on pile.
20355	Bodkin Creek Daybeacon 12	39-07-35.657N 076-26-39.171W		0		TR on pile.
20370	White Rocks Light	39-10-25.798N 076-29-17.027W	FI W 4s		5	White house on concrete foundation.
20375	Rock Creek Channel Entrance Light 2	39-09-41.974N 076-29-50.581W	FI R 4s	0	4	TR on pile.
20375	Rock Creek Channel Entrance Light 2	39-09-41.974N 076-29-50.581W	FI R 4s	0	4	TR on pile.
20385	Rock Creek Channel Light 3	39-09-19.331N 076-30-04.056W	FI G 4s	0	4	SG on pile.
20385	Rock Creek Channel Light 3	39-09-19.331N 076-30-04.056W	FI G 4s	0	4	SG on pile.
20390	Rock Creek Channel Daybeacon 4	39-09-21.569N 076-30-07.585W		0		TR on pile.
20390	Rock Creek Channel Daybeacon 4	39-09-21.569N 076-30-07.585W		0		TR on pile.
20395	Rock Creek Channel Daybeacon 6	39-09-12.818N 076-30-14.469W		0		TR on pile.
20395	Rock Creek Channel Daybeacon 6	39-09-12.818N 076-30-14.469W		0		TR on pile.
20400	Stony Creek Buoy 2	39-10-50.682N 076-30-17.880W				Red nun.
20405	Stony Creek Buoy 3	39-10-31.122N 076-30-32.981W				Green can.
20410	Stony Creek Light 4	39-10-25.097N 076-31-01.006W	FI R 4s	0	4	TR on pile.
20415	Stony Creek Light 5	39-10-23.805N 076-30-54.793W	FI G 4s	0	4	SG on multi-pile structure.
20420	Stony Creek Daybeacon 6	39-10-19.984N 076-30-57.321W		0		TR on pile.
20425	Stony Creek Daybeacon 8	39-10-15.417N 076-30-57.877W		0		TR on pile.

20430	Pennwood Range Front Light	39-13-10.230N 076-27-42.970W	Q G			KRW on pile.
20430	Pennwood Range Front Light	39-13-10.230N 076-27-42.970W	Q G			KRW on pile.
20435	Pennwood Range Rear Light	39-13-33.980N 076-27-46.130W	Iso G 6s			KRW on pile.
20440	Pennwood Buoy 2PW	39-11-14.221N 076-27-24.875W				Red nun.
20440	Pennwood Buoy 2PW	39-11-14.221N 076-27-24.875W				Red nun.
20445	Pennwood Buoy 3	39-11-19.221N 076-27-31.075W				Green can.
20445	Pennwood Buoy 3	39-11-19.221N 076-27-31.075W				Green can.
20450	Pennwood Buoy 5	39-11-41.071N 076-27-33.195W				Green can.
20450	Pennwood Buoy 5	39-11-41.071N 076-27-33.195W				Green can.
20455	Pennwood Buoy 6	39-11-38.721N 076-27-28.675W				Red nun.
20455	Pennwood Buoy 6	39-11-38.721N 076-27-28.675W				Red nun.
20460	Pennwood Buoy 7	39-12-03.674N 076-27-36.267W				Green can.
20460	Pennwood Buoy 7	39-12-03.674N 076-27-36.267W				Green can.
20465	Pennwood Buoy 8	39-12-03.001N 076-27-32.355W				Red nun.
20465	Pennwood Buoy 8	39-12-03.001N 076-27-32.355W				Red nun.
20470	Pennwood Buoy 9	39-12-25.664N 076-27-39.983W				Green can.
20470	Pennwood Buoy 9	39-12-25.664N 076-27-39.983W				Green can.
20475	Pennwood Buoy 10	39-12-26.410N 076-27-35.396W				Red nun.
20475	Pennwood Buoy 10	39-12-26.410N 076-27-35.396W				Red nun.
20480	Pennwood Buoy 12	39-12-32.331N 076-27-29.645W				Red nun.
20480	Pennwood Buoy 12	39-12-32.331N 076-27-29.645W				Red nun.
20485	Pennwood Buoy 14	39-12-36.670N 076-27-29.229W				Red nun.
20485	Pennwood Buoy 14	39-12-36.670N 076-27-29.229W				Red nun.
20490	Pennwood Buoy 16	39-12-38.861N 076-27-36.855W				Red nun.
20490	Pennwood Buoy 16	39-12-38.861N 076-27-36.855W				Red nun.
20495	Old Road Bay Light 2RB	39-12-08.887N 076-27-22.227W	Fl R 2.5s	0	4	TR on pile.
20495	Old Road Bay Light 2RB	39-12-08.887N 076-27-22.227W	Fl R 2.5s	0	4	TR on pile.
20500	Old Road Bay Light 4	39-12-58.518N 076-26-49.287W	Q R	0	4	TR on pile.
20500	Old Road Bay Light 4	39-12-58.518N 076-26-49.287W	Q R	0	4	TR on pile.
20505	Jones Creek Light 1	39-12-53.556N 076-27-08.239W	Fl G 2.5s		4	SG on pile.
20505	Jones Creek Light 1	39-12-53.556N 076-27-08.239W	Fl G 2.5s		4	SG on pile.
20510	Jones Creek Daybeacon 2	39-12-54.534N 076-27-07.971W				TR on pile.
20510	Jones Creek Daybeacon 2	39-12-54.534N 076-27-07.971W				TR on pile.
20515	North Point Creek Lighted Wreck Buoy WR2	39-13-07.829N 076-26-29.183W	Q R		4	Red.
20515	North Point Creek Lighted Wreck Buoy WR2	39-13-07.829N 076-26-29.183W	Q R		4	Red.

20520	Jones Creek Daybeacon 3	39-12-58.380N 076-27-19.449W			SG on pile.
20520	Jones Creek Daybeacon 3	39-12-58.380N 076-27-19.449W			SG on pile.
20525	Jones Creek Daybeacon 4	39-12-58.956N 076-27-19.027W			TR on pile.
20525	Jones Creek Daybeacon 4	39-12-58.956N 076-27-19.027W			TR on pile.
20530	Jones Creek Daybeacon 5	39-13-04.200N 076-27-32.299W			SG on pile.
20530	Jones Creek Daybeacon 5	39-13-04.200N 076-27-32.299W			SG on pile.
20535	Jones Creek Light 6	39-13-04.961N 076-27-30.920W	FI R 4s	4	TR on pile.
20535	Jones Creek Light 6	39-13-04.961N 076-27-30.920W	FI R 4s	4	TR on pile.
20540	Jones Creek Warning Daybeacon	39-13-06.648N 076-27-29.587W		0	NW on pile worded DANGER SUBMERGED PILE.
20540	Jones Creek Warning Daybeacon	39-13-06.648N 076-27-29.587W		0	NW on pile worded DANGER SUBMERGED PILE.
20545	Sparrows Point Channel Range Front Light	39-12-42.268N 076-29-03.119W	F G		KRW on black pyramidal skeleton tower.
20545	Sparrows Point Channel Range Front Light	39-12-42.268N 076-29-03.119W	F G		KRW on black pyramidal skeleton tower.
20550	Sparrows Point Channel Range Rear Light	39-12-46.435N 076-29-03.653W	F R		KRW on skeleton tower.
20555	Sparrows Point Lighted Junction Buoy SP	39-11-40.220N 076-28-58.309W	FI (2+1)R 6s	4	Red and green.
20555	Sparrows Point Lighted Junction Buoy SP	39-11-40.220N 076-28-58.309W	FI (2+1)R 6s	4	Red and green.
20560	Sparrows Point Lighted Buoy 2	39-11-40.821N 076-28-51.877W	FI R 2.5s	4	Red.
20560	Sparrows Point Lighted Buoy 2	39-11-40.821N 076-28-51.877W	FI R 2.5s	4	Red.
20565	Sparrows Point Lighted Buoy 3	39-11-51.420N 076-28-59.978W	FI G 2.5s	4	Green.
20565	Sparrows Point Lighted Buoy 3	39-11-51.420N 076-28-59.978W	FI G 2.5s	4	Green.
20570	Sparrows Point Buoy 4	39-11-52.521N 076-28-44.177W			Red nun.
20570	Sparrows Point Buoy 4	39-11-52.521N 076-28-44.177W			Red nun.
20575	Sparrows Point Buoy 6	39-12-06.420N 076-28-45.977W			Red nun.
20575	Sparrows Point Buoy 6	39-12-06.420N 076-28-45.977W			Red nun.
20580	Sparrows Point Ore Pier Lights (2)	39-12-06.390N 076-28-28.860W	F R		Yellow dolphin.
20580	Sparrows Point Ore Pier Lights (2)	39-12-06.390N 076-28-28.860W	F R		Yellow dolphin.
20585	Sparrows Point Lighted Buoy 7	39-12-22.400N 076-29-03.058W	FI G 2.5s	4	Green.
20585	Sparrows Point Lighted Buoy 7	39-12-22.400N 076-29-03.058W	FI G 2.5s	4	Green.
20590	Sparrows Point Lighted Buoy 8	39-12-22.074N 076-28-58.178W	FI R 2.5s	4	Red.
20590	Sparrows Point Lighted Buoy 8	39-12-22.074N 076-28-58.178W	FI R 2.5s	4	Red.
20595	Sparrows Point Lighted Buoy 10	39-12-35.082N 076-28-54.136W	FI R 4s	4	Red.
20595	Sparrows Point Lighted Buoy 10	39-12-35.082N 076-28-54.136W	FI R 4s	4	Red.
20600	Sparrows Point Bulkhead Light A	39-12-04.960N 076-29-32.002W	F Y		On steel box on bulkhead.
20605	Sparrows Point Bulkhead Light B	39-12-06.454N 076-29-43.573W	F Y		On steel box on bulkhead.
20610	Sparrows Point Bulkhead Light C	39-12-10.880N 076-29-47.862W	FI Y 4s		On steel box on bulkhead.
20625	Sparrows Point Drydock Light P3	39-12-49.389N 076-30-03.863W	FI R 4s		On steel box.

20630	Sparrows Point Drydock Light P4	39-12-46.889N 076-30-03.863W	FI R 4s			On steel box.
20641	Marine Pier Channel Buoy 1	39-12-32.156N 076-30-58.618W				Green can.
20641	Marine Pier Channel Buoy 1	39-12-32.156N 076-30-58.618W				Green can.
20643	Marine Pier Channel Buoy 2	39-12-38.852N 076-30-45.447W				Red nun.
20643	Marine Pier Channel Buoy 2	39-12-38.852N 076-30-45.447W				Red nun.
20645	Marine Pier Channel Buoy 3	39-12-50.289N 076-30-39.467W				Green can.
20645	Marine Pier Channel Buoy 3	39-12-50.289N 076-30-39.467W				Green can.
20650	Marine Pier Channel Buoy 4	39-12-47.825N 076-30-36.042W				Red nun.
20650	Marine Pier Channel Buoy 4	39-12-47.825N 076-30-36.042W				Red nun.
20655	Marine Pier Channel Buoy 6	39-12-59.219N 076-30-24.280W				Red nun.
20655	Marine Pier Channel Buoy 6	39-12-59.219N 076-30-24.280W				Red nun.
20660	Marine Pier Channel Buoy 7	39-13-03.319N 076-30-25.781W				Green can.
20660	Marine Pier Channel Buoy 7	39-13-03.319N 076-30-25.781W				Green can.
20665	Marine Pier Channel Buoy 8	39-13-03.019N 076-30-15.580W				Red nun.
20665	Marine Pier Channel Buoy 8	39-13-03.019N 076-30-15.580W				Red nun.
20670	Bear Creek Junction Buoy BC	39-13-08.620N 076-30-13.580W				Green and red bands; can.
20670	Bear Creek Junction Buoy BC	39-13-08.620N 076-30-13.580W				Green and red bands; can.
20675	Bear Creek Entrance Light 3	39-13-51.486N 076-30-00.319W	FI G 2.5s	4		SG on pile.
20675	Bear Creek Entrance Light 3	39-13-51.486N 076-30-00.319W	FI G 2.5s	4		SG on pile.
20680	Bear Creek East Obstruction Lights (2)	39-14-10.600N 076-29-45.481W	F Y			On tower.
20680	Bear Creek East Obstruction Lights (2)	39-14-10.600N 076-29-45.481W	F Y			On tower.
20685	Bear Creek West Obstruction Lights (2)	39-14-10.300N 076-29-45.500W	F Y			On tower.
20685	Bear Creek West Obstruction Lights (2)	39-14-10.300N 076-29-45.500W	F Y			On tower.
20690	Long Point Light 5	39-14-40.867N 076-29-34.337W	FI G 4s	0	4	SG on pile.
20690	Long Point Light 5	39-14-40.867N 076-29-34.337W	FI G 4s	0	4	SG on pile.
20695	Lynch Cove Point Daybeacon	39-15-04.890N 076-29-13.353W				JG on pile.
20695	Lynch Cove Point Daybeacon	39-15-04.890N 076-29-13.353W				JG on pile.
20700	Sparrows Point Country Club Pier Light	39-15-21.388N 076-28-36.861W	F Y			On post at pier corner.
20700	Sparrows Point Country Club Pier Light	39-15-21.388N 076-28-36.861W	F Y			On post at pier corner.
20705	Sollers Point Daybeacon 1	39-14-00.388N 076-31-28.866W				SG on pile.
20705	Sollers Point Daybeacon 1	39-14-00.388N 076-31-28.866W				SG on pile.
20730	HAW Generating Plant Channel Buoy 1	39-11-46.390N 076-30-27.863W				Green can.
20730	HAW Generating Plant Channel Buoy 1	39-11-46.390N 076-30-27.863W				Green can.
20735	HAW Generating Plant Channel Buoy 2	39-11-47.390N 076-30-27.863W				Red nun.
20735	HAW Generating Plant Channel Buoy 2	39-11-47.390N 076-30-27.863W				Red nun.

20740	HAW Generating Plant Channel Buoy 3	39-11-32.390N 076-30-32.864W							Green can.
20740	HAW Generating Plant Channel Buoy 3	39-11-32.390N 076-30-32.864W							Green can.
20745	HAW Generating Plant Channel Buoy 4	39-11-32.390N 076-30-36.864W							Red nun.
20745	HAW Generating Plant Channel Buoy 4	39-11-32.390N 076-30-36.864W							Red nun.
20750	HAW Generating Plant Channel Buoy 5	39-11-09.391N 076-30-46.864W							Green can.
20750	HAW Generating Plant Channel Buoy 5	39-11-09.391N 076-30-46.864W							Green can.
20755	HAW Generating Plant Channel Buoy 6	39-11-09.391N 076-30-49.864W							Red nun.
20755	HAW Generating Plant Channel Buoy 6	39-11-09.391N 076-30-49.864W							Red nun.
20760	HAW Generating Plant Channel Buoy 7	39-10-53.391N 076-30-54.864W							Green can.
20760	HAW Generating Plant Channel Buoy 7	39-10-53.391N 076-30-54.864W							Green can.
20765	HAW Generating Plant Channel Buoy 9	39-10-51.391N 076-31-04.865W							Green can.
20765	HAW Generating Plant Channel Buoy 9	39-10-51.391N 076-31-04.865W							Green can.
20788	Hawkins Point Outfall Light A	39-12-14.800N 076-31-46.200W	FI Y 4s						On pile.
20788	Hawkins Point Outfall Light A	39-12-14.800N 076-31-46.200W	FI Y 4s						On pile.
20795	Hawkins Point Shoal Buoy 11S	39-12-40.769N 076-31-41.103W							Green can.
20795	Hawkins Point Shoal Buoy 11S	39-12-40.769N 076-31-41.103W							Green can.
20800	Key Electrical Tower Lights A (4)	39-12-46.874N 076-32-14.054W	Q W						Tower on concrete foundation.
20800	Key Electrical Tower Lights A (4)	39-12-46.874N 076-32-14.054W	Q W						Tower on concrete foundation.
20805	Key Electrical Tower Lights B (4)	39-12-58.561N 076-31-58.740W	Q W						Tower on concrete foundation.
20805	Key Electrical Tower Lights B (4)	39-12-58.561N 076-31-58.740W	Q W						Tower on concrete foundation.
20810	Key Electrical Tower Lights C (4)	39-13-13.789N 076-31-38.785W	Q W						Tower on concrete foundation.
20810	Key Electrical Tower Lights C (4)	39-13-13.789N 076-31-38.785W	Q W						Tower on concrete foundation.
20815	Key Electrical Tower Lights D (4)	39-13-26.608N 076-31-21.983W	Q W						Tower on concrete foundation.
20815	Key Electrical Tower Lights D (4)	39-13-26.608N 076-31-21.983W	Q W						Tower on concrete foundation.
20820	Key Electrical Tower Lights E (4)	39-13-39.427N 076-31-05.179W	Q W						Tower on concrete foundation.
20820	Key Electrical Tower Lights E (4)	39-13-39.427N 076-31-05.179W	Q W						Tower on concrete foundation.
20860	Curtis Bay Entrance Channel Lighted Buoy 1CB	39-13-11.566N 076-32-06.218W	Q G	5					Green.
20860	Curtis Bay Entrance Channel Lighted Buoy 1CB	39-13-11.566N 076-32-06.218W	Q G	5					Green.
20865	Curtis Bay Channel Lighted Buoy 2	39-13-21.976N 076-32-19.786W	FI R 2.5s	5					Red.
20865	Curtis Bay Channel Lighted Buoy 2	39-13-21.976N 076-32-19.786W	FI R 2.5s	5					Red.
20870	Curtis Bay Channel Directional Sector Light	39-13-16.229N 076-34-34.786W	FI W 2.5s	5	4			On multi-pile structure.	All round White light (Night). Directional Light: F R From 266.8° to 267.6° ALT R W From 267.6° to 268.3° F W (Channel Center Line) From 268.3° to 268.7° ALT G W From 268.7° to 269.4° F G From 269.4° to 270.2°
20870	Curtis Bay Channel Directional Sector Light	39-13-16.229N 076-34-34.786W	FI W 2.5s	5	4			On multi-pile structure.	All round White light (Night). Directional Light: F R From 266.8° to 267.6° ALT R W From 267.6° to 268.3° F W (Channel Center Line) From 268.3° to 268.7° ALT G W From 268.7° to 269.4° F G From 269.4° to 270.2°
20880	Curtis Bay Channel Lighted Buoy 3	39-13-16.522N 076-32-34.523W	FI G 2.5s	5					Green.
20880	Curtis Bay Channel Lighted Buoy 3	39-13-16.522N 076-32-34.523W	FI G 2.5s	5					Green.

20882	Thomas Cove Mooring Buoy A	39-12-58.200N 076-32-40.800W			White with blue band.
20883	Thomas Cove Mooring Buoy B	39-12-53.400N 076-32-39.600W			White with blue band.
20885	Curtis Bay Channel Lighted Buoy 4	39-13-21.628N 076-32-51.772W	Fl R 6s	5	Red.
20885	Curtis Bay Channel Lighted Buoy 4	39-13-21.628N 076-32-51.772W	Fl R 6s	5	Red.
20890	Curtis Bay Channel Lighted Buoy 5	39-13-15.714N 076-33-08.688W	Fl G 4s	5	Green.
20890	Curtis Bay Channel Lighted Buoy 5	39-13-15.714N 076-33-08.688W	Fl G 4s	5	Green.
20895	Curtis Bay Lighted Buoy 6	39-13-20.496N 076-33-31.935W	Fl R 4s	5	Red.
20895	Curtis Bay Lighted Buoy 6	39-13-20.496N 076-33-31.935W	Fl R 4s	5	Red.
20900	Curtis Bay Channel Lighted Buoy 7	39-13-14.278N 076-34-00.946W	Fl G 2.5s	5	Green.
20900	Curtis Bay Channel Lighted Buoy 7	39-13-14.278N 076-34-00.946W	Fl G 2.5s	5	Green.
20905	Curtis Bay Channel Lighted Buoy 8	39-13-19.732N 076-34-05.614W	Q R	5	Red.
20905	Curtis Bay Channel Lighted Buoy 8	39-13-19.732N 076-34-05.614W	Q R	5	Red.
20910	Curtis Bay Channel Lighted Buoy 9	39-13-12.039N 076-34-25.315W	Fl G 2.5s	5	Green.
20910	Curtis Bay Channel Lighted Buoy 9	39-13-12.039N 076-34-25.315W	Fl G 2.5s	5	Green.
20915	Curtis Bay Channel Lighted Buoy 10	39-13-26.195N 076-34-15.995W	Fl R 4s	5	Red.
20915	Curtis Bay Channel Lighted Buoy 10	39-13-26.195N 076-34-15.995W	Fl R 4s	5	Red.
20920	Curtis Bay Channel Lighted Buoy 11	39-13-04.383N 076-34-29.198W	Fl G 4s	5	Green.
20920	Curtis Bay Channel Lighted Buoy 11	39-13-04.383N 076-34-29.198W	Fl G 4s	5	Green.
20925	Curtis Bay Lighted Buoy 12	39-12-52.238N 076-34-38.300W	Fl R 4s	5	Red.
20925	Curtis Bay Lighted Buoy 12	39-12-52.238N 076-34-38.300W	Fl R 4s	5	Red.
20930	Hess Lighted Mooring Buoy	39-12-48.388N 076-34-41.873W	Fl W 2s		White with blue band.
20930	Hess Lighted Mooring Buoy	39-12-48.388N 076-34-41.873W	Fl W 2s		White with blue band.
20935	Curtis Bay Channel Lighted Buoy 13	39-12-32.147N 076-34-47.204W	Q G	5	Green.
20935	Curtis Bay Channel Lighted Buoy 13	39-12-32.147N 076-34-47.204W	Q G	5	Green.
20940	Curtis Creek Buoy 14	39-12-20.418N 076-34-52.891W			Red nun.
20940	Curtis Creek Buoy 14	39-12-20.418N 076-34-52.891W			Red nun.
20942	Curtis Creek Lighted Dolphin A	39-12-16.195N 076-34-50.547W	F W		
20942.1	Curtis Creek Lighted Dolphin B	39-12-15.349N 076-34-49.836W	F W		
20942.2	Curtis Creek Lighted Dolphin C	39-12-14.450N 076-34-49.199W	F W		
20945	Curtis Creek Buoy 16	39-12-15.519N 076-34-45.190W			Red nun.
20945	Curtis Creek Buoy 16	39-12-15.519N 076-34-45.190W			Red nun.
20950	Curtis Creek Buoy 18	39-11-52.439N 076-34-30.010W			Red nun.
20950	Curtis Creek Buoy 18	39-11-52.439N 076-34-30.010W			Red nun.
20955	Marley Creek Daybeacon 1	39-11-11.929N 076-34-31.289W		0	SG on pile.
20955	Marley Creek Daybeacon 1	39-11-11.929N 076-34-31.289W		0	SG on pile.

20960	Marley Creek Daybeacon 3	39-11-01.439N 076-34-40.251W		0		SG on pile.
20960	Marley Creek Daybeacon 3	39-11-01.439N 076-34-40.251W		0		SG on pile.
20965	Marley Creek Daybeacon 5	39-10-52.806N 076-34-49.673W		0		SG on pile.
20965	Marley Creek Daybeacon 5	39-10-52.806N 076-34-49.673W		0		SG on pile.
20970	Marley Creek Daybeacon 7	39-09-53.706N 076-35-21.731W		0		SG on pile.
20970	Marley Creek Daybeacon 7	39-09-53.706N 076-35-21.731W		0		SG on pile.
20975	CSX Coal Pier Dolphin Light A	39-13-22.388N 076-34-35.873W	Fl Y 2.5s			On southside end of pier.
20975	CSX Coal Pier Dolphin Light A	39-13-22.388N 076-34-35.873W	Fl Y 2.5s			On southside end of pier.
20980	CSX Coal Pier Dolphin Light B	39-13-23.890N 076-34-35.873W	Fl Y 2.5s			On northside end of pier
20980	CSX Coal Pier Dolphin Light B	39-13-23.890N 076-34-35.873W	Fl Y 2.5s			On northside end of pier
20985	CSX Ash Pier Light C	39-13-16.588N 076-34-34.373W	Fl Y 2.5s			On southeast dolphin.
20985	CSX Ash Pier Light C	39-13-16.588N 076-34-34.373W	Fl Y 2.5s			On southeast dolphin.
20997	Corman Marine Pier Light A	39-12-41.580N 076-34-47.500W	Fl Y 2s			On end of pier.
21000	Dundalk Terminal East Channel Range Front Light	39-14-24.987N 076-31-54.167W	Q G			KRW on pile.
21005	Dundalk Terminal East Channel Range Rear Light	39-14-32.487N 076-31-47.867W	Iso G 6s			KRW on pile.
21010	Dundalk Terminal East Channel Lighted Buoy 2DE	39-13-52.753N 076-32-17.626W	Fl R 2.5s	4		Red.
21025	Dundalk Terminal East Channel Lighted Buoy 4	39-14-01.596N 076-32-09.104W	Fl R 4s	5		Red.
21026	Dundalk Terminal East Channel Lighted Buoy 5	39-14-05.915N 076-32-13.685W	Fl G 2.5s	4		Green.
21027	Dundalk Terminal East Channel Lighted Buoy 7	39-14-09.902N 076-32-09.914W	Fl G 4s	4		Green.
21030	Dundalk Terminal East Channel Buoy 9	39-14-21.917N 076-32-09.621W				Green can.
21035	Dundalk Terminal East Channel Buoy 10	39-14-18.798N 076-31-50.003W				Red nun.
21040	Dundalk Terminal Southeast Bulkhead Light	39-14-21.388N 076-31-58.367W	F Y			On post.
21045	Seagirt Marine Terminal East Channel Lighted Buoy 2SE	39-14-16.222N 076-32-36.437W	Fl R 4s	4		Red.
21050	Seagirt Marine Terminal East Channel Lighted Buoy 3	39-14-34.905N 076-32-34.418W	Fl G 4s	4		Green.
21052	Seagirt Marine Terminal East Channel Lighted Buoy 4	39-14-31.128N 076-32-24.906W	Fl R 2.5s	4		Red.
21055	Seagirt Marine Terminal East Channel Lighted Buoy 5	39-14-40.946N 076-32-32.666W	Q G	4		Green.
21063	Seagirt Marine Terminal East Channel Lighted Buoy 7	39-14-48.832N 076-32-40.170W	Fl G 2.5s	4		Green.
21065	Seagirt Marine Terminal East Channel Lighted Buoy 9	39-14-59.298N 076-32-41.669W	Fl G 4s	4		Green.
21067	Seagirt Marine Terminal East Channel Lighted Buoy 11	39-15-09.061N 076-32-52.430W	Fl G 2.5s	4		Green.
21070	Colgate Creek Buoy 1C	39-15-02.666N 076-32-21.553W				Green can.
21075	Dundalk Terminal West Channel Buoy 2DW	39-14-30.843N 076-32-18.048W				Red nun.
21085	Dundalk Terminal West Channel Range Rear Light	39-14-48.480N 076-32-16.020W	Q G			On pile.
21119	AMPORTS Chesapeake Terminal Dolphin Light	39-14-28.491N 076-33-58.824W	Fl Y 6s			On pile at end of pier.
21119	AMPORTS Chesapeake Terminal Dolphin Light	39-14-28.491N 076-33-58.824W	Fl Y 6s			On pile at end of pier.
21120	SASOL North America Pier Light	39-14-26.988N 076-33-44.964W	Fl Y 2.5s			On pile at end of pier.

21135	Seagirt Marine Term West Channel Junction Buoy SW	39-15-10.101N 076-33-50.260W			Red and green bands; nun.
21140	Seagirt Marine Terminal West Lighted Buoy 3SW	39-15-12.247N 076-33-42.683W	FI G 4s	4	Green.
21145	Seagirt Marine Terminal West Channel Lighted Buoy 4	39-15-08.587N 076-33-37.679W	FI R 4s	4	Red.
21150	Seagirt Marine Terminal West Channel Buoy 5	39-15-24.137N 076-33-27.848W			Green can.
21155	Seagirt Marine Terminal West Channel Lighted Buoy 6	39-15-15.287N 076-33-28.166W	Q R	4	Red.
21160	Seagirt Marine Terminal West Lighted Buoy 8	39-15-18.160N 076-33-12.848W	FI R 2.5s	4	Red.
21165	Seagirt Marine Terminal West Channel Buoy 10	39-15-14.593N 076-33-01.385W			Red nun.
21170	Seagirt Marine Terminal West Channel Buoy 2	39-15-20.617N 076-33-43.889W			Red nun.
21190	Fairfield Channel Dolphin Light	39-15-00.386N 076-34-34.000W	FI Y 4s		On dolphin.
21195	Fairfield Channel Range Front Light	39-14-51.386N 076-34-41.874W	F G		On pile.
21200	Fairfield Channel Range Rear Light	39-14-43.386N 076-34-47.874W	F G		On pile.
21205	Ferry Bar Lighted Buoy 1FB	39-15-15.655N 076-34-15.797W	Q G	5	Green.
21210	Ferry Bar Channel Lighted Buoy 2	39-15-23.621N 076-34-44.020W	FI R 4s	5	Red.
21215	Ferry Bar Channel Lighted Buoy 3	39-15-16.268N 076-35-06.443W	FI G 4s	5	Green.
21220	Ferry Bar Channel Lighted Buoy 4	39-15-23.534N 076-35-14.260W	FI R 2.5s	5	Red.
21222	VMC South Locust Point Mooring Buoy A	39-15-34.140N 076-35-14.930W			White with blue band; sphere.
21223	Masonville Dike Warning Light A	39-15-07.493N 076-34-51.692W	FI W 4s		On containment dike.
21223.1	Masonville Dike Warning Light B	39-15-09.861N 076-34-57.493W	FI W 4s		On containment dike.
21223.2	Masonville Dike Warning Light C	39-15-13.517N 076-35-06.627W	FI W 4s		On containment dike.
21223.3	Masonville Dike Warning Light D	39-15-13.620N 076-35-19.291W	FI W 4s		On containment dike.
21223.4	Masonville Dike Warning Light E	39-15-13.447N 076-35-31.879W	FI W 4s		On containment dike.
21225	Locust Point East Channel Buoy 1LE	39-15-23.506N 076-35-28.779W			Green can.
21230	Locust Point East Channel Lighted Buoy 3LE	39-15-31.012N 076-35-32.715W	FI G 2.5s	4	Green.
21233	Locust Point East Channel Buoy 4	39-15-31.184N 076-35-25.149W			Red nun.
21240	Locust Point West Channel Lighted Buoy 1LW	39-15-25.025N 076-35-54.166W	FI G 2.5s	5	Green.
21245	Locust Point West Channel Lighted Buoy 2W	39-15-25.613N 076-35-43.679W	FI R 2.5s	4	Red.
21250	Locust Point West Channel Lighted Buoy 4W	39-15-30.567N 076-35-46.766W	FI R 4s	5	Red.
21255	Locust Point West Channel Lighted Buoy 6	39-15-35.013N 076-35-46.486W	FI R 2.5s	4	Red.
21260	Locust Point West Channel Lighted Buoy 8	39-15-38.962N 076-35-41.310W	Q R	4	Red.
21265	Ferry Bar Lighted Buoy 6	39-15-23.535N 076-35-37.220W	Q R	5	Red.
21270	Ferry Bar Lighted Buoy 7	39-15-16.120N 076-35-43.816W	FI G 2.5s	5	Green.
21275	Ferry Bar Channel Junction Buoy FB	39-15-19.796N 076-35-50.224W			Green and red bands; can.
21280	Ferry Bar Channel Daybeacon 8	39-15-20.628N 076-36-06.995W		0	TR on pile.
21285	Ferry Bar Channel Daybeacon 9	39-15-18.047N 076-36-13.515W		0	SG on pile.
21290	Ferry Bar Channel Daybeacon 10	39-15-20.079N 076-36-23.338W		0	TR on pile.

21295	Ferry Bar Channel Daybeacon 12	39-15-20.139N 076-36-37.021W		0		TR on pile.
21300	Ferry Bar Channel Light 13	39-15-18.810N 076-36-40.145W	Q G	0	4	SG on pile.
21305	Ferry Bar Channel Daybeacon 14	39-15-24.353N 076-36-46.959W		0		TR on pile.
21330	Northwest Harbor Lighted Buoy 2NH	39-15-31.709N 076-34-14.277W	Q R		4	Red.
21335	Northwest Harbor Lighted Buoy 3	39-15-37.133N 076-34-32.290W	Q G		4	Green.
21340	Northwest Harbor Lighted Buoy 5	39-15-56.762N 076-34-33.425W	Fl G 4s		4	Green.
21345	Northwest Harbor Lighted Buoy 7	39-16-04.501N 076-34-36.661W	Q G		4	Green.
21352	Erasmus Property Dolphin Light A	39-16-10.849N 076-34-46.692W	Fl Y 4s			NY on dolphin.
21360	Northwest Harbor Junction Lighted Buoy NH	39-16-12.809N 076-34-34.192W	Fl (2+1)R 6s		4	Red and green bands.
21362	North Locust Point Marine Terminal Pier 7 Warning Buoy A	39-16-24.400N 076-35-07.200W				White buoy with orange diamond worded DANGER.
21362.1	North Locust Point Marine Terminal Pier 7 Warning Buoy B	39-16-21.900N 076-35-08.800W				White buoy with orange diamond worded DANGER.
21362.2	North Locust Point Marine Terminal Pier 7 Warning Buoy C	39-16-19.800N 076-35-10.400W				White buoy with orange diamond worded DANGER.
21363	Baltimore Inner Harbor Buoy 2	39-16-40.657N 076-35-44.797W				Red nun.
21363.1	Baltimore Inner Harbor Buoy 4	39-16-40.701N 076-35-57.620W				Red nun.
21363.2	Baltimore Inner Harbor Buoy 5	39-16-45.240N 076-36-10.980W				Green can.
21363.3	Baltimore Inner Harbor Buoy 6	39-16-50.129N 076-36-09.383W				Red nun.
21366	North Channel Lighted Buoy 2N	37-00-19.179N 075-54-22.340W	Fl R 4s		5	Red.
21370	North Channel Buoy 4	37-00-59.914N 075-56-01.327W				Red nun.
21375	North Channel Buoy 6	37-02-17.949N 075-56-56.705W				Red nun.
21380	North Channel Buoy 8	37-03-13.515N 075-57-56.172W				Red nun.
21385	North Channel Buoy 10	37-04-05.441N 075-58-52.119W				Red nun.
21390	North Channel Buoy 11	37-04-15.546N 075-59-21.966W				Green can.
21395	North Channel Bridge Horn	37-05-18.515N 075-59-10.751W				HORN : 1 blast ev 20s (2s bl). Continuous.
21400	North Channel Buoy 13	37-06-15.995N 076-00-22.395W				Green can.
21405	Latimer Shoal Junction Buoy LS	37-05-49.425N 075-59-31.635W				Red and green bands; nun.
21410	North Channel Buoy 16	37-09-02.128N 076-01-01.062W				Red nun.
21413	North Channel Buoy 18	37-10-40.417N 076-01-21.860W				Red nun.
21415	Virginia Inside Passage Light 270	37-07-01.542N 075-58-49.001W	Fl R 2.5s	0	4	TR on pile.
21425	Kiptopeke Beach Breakwater Lighted Warning Buoy	37-09-55.000N 075-59-40.000W	Fl W 4s			White and orange buoy worded DANGER.
21427	Kiptopeke Beach Boat Ramp Entrance Light 1	37-10-01.150N 075-59-20.830W	Q G			SG on pile.
21429	Kiptopeke Beach Boat Ramp Entrance Light 2	37-10-00.830N 075-59-20.680W	Fl R 2.5s			TR on pile.
21430	Cherrystone Channel Light 2C	37-12-01.986N 076-01-32.530W	Fl R 2.5s	0	4	TR on pile.
21435	Old Plantation Flats Warning Light A	37-13-43.265N 076-02-48.122W	Fl W 4s	0	7	NW on pile worded DANGER ROCKS.
21440	Cape Charles City Range A Front Light	37-14-31.856N 076-01-53.994W	Q W	15		On multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of range line.

21445	Cape Charles City Range A Rear Light	37-14-36.360N 076-01-45.823W	Iso W 6s	20			Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of range line.
21450	Cape Charles City Light 1CC	37-13-58.514N 076-02-57.759W	Fl G 2.5s	0	4		SG on multi-pile structure.
21455	Cape Charles City Light 3	37-14-16.341N 076-02-25.829W	Q G	0	4		SG on pile.
21460	Cape Charles City Range B Front Light	37-15-44.027N 076-01-41.156W	Iso R 2s	5			Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline.
21465	Cape Charles City Range B Rear Light	37-16-00.166N 076-01-33.704W	Iso R 6s	20			Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
21470	Cape Charles City Light WR4	37-14-56.716N 076-02-00.066W	Q R	0	4		TR on pile.
21475	Cape Charles City Warning Light A	37-15-23.345N 076-01-56.825W	Fl W 4s	0	4		On caisson. NW worded Danger A.
21480	Cape Charles City Light 6	37-15-21.536N 076-01-46.778W	Fl R 4s	0	4		TR on pile.
21485	Cape Charles City Light 7	37-15-48.961N 076-01-48.376W	Fl G 2.5s	15	4		SG on pile.
21487	Cape Charles City Warning Daybeacon B	37-15-48.227N 076-01-50.661W		0			NW on pile worded Danger B.
21491.1	Cape Charles Breakwaters South Danger Light	37-15-43.040N 076-01-55.970W	Fl W 2.5s				NW on pile worded DANGER SOUTH BREAKWATER.
21491	Cape Charles Breakwaters North Danger Light	37-16-05.420N 076-01-54.080W	Fl W 2.5s				NW on pile worded DANGER NORTH BREAKWATER.
21495	Cape Charles City Jetty Light	37-15-58.091N 076-01-40.539W	Fl W 2.5s		4		NW on pile with platform worded Danger.
21500	Cape Charles City Daybeacon 9	37-15-57.775N 076-01-37.337W		0			SG on pile.
21515	Mud Creek Buoy 2	37-15-51.371N 076-00-58.923W					Red nun.
21530	Cherrystone Inlet Daybeacon 2CI	37-16-56.450N 076-01-20.336W		0			TR on multi-pile structure.
21531	Kings Creek Channel Light 2	37-16-46.929N 076-01-34.117W	Fl R 2.5s				TR on pile.
21535	Kings Creek Channel Daybeacon 3	37-16-48.838N 076-01-34.798W					SG on pile.
21540	Kings Creek Channel Daybeacon 4	37-16-47.906N 076-01-32.604W					TR on pile.
21543	Kings Creek Channel Light 5	37-16-52.037N 076-00-51.063W	Fl G 2.5s				SG on pile.
21545	Kings Creek Channel Daybeacon 6	37-16-50.982N 076-00-50.560W					TR on pile.
21547	Kings Creek Channel Daybeacon 7	37-16-57.001N 076-00-42.656W					SG on pile.
21550	Kings Creek Channel Daybeacon 8	37-16-55.889N 076-00-42.249W					TR on pile.
21555	Kings Creek Channel Daybeacon 9	37-16-56.337N 076-00-30.345W					SG on pile.
21557	Kings Creek Channel Light 10	37-16-55.287N 076-00-31.102W	Fl R 4s				TR on pile.
21560	Kings Creek Channel Daybeacon 11	37-16-52.896N 076-00-27.448W					SG on pile.
21565	Kings Creek Channel Daybeacon 12	37-16-52.887N 076-00-29.081W					TR on pile.
21570	Kings Creek Channel Daybeacon 14	37-16-50.896N 076-00-30.706W					TR on pile.
21575	Kings Creek Channel Light 15	37-16-49.251N 076-00-30.423W	Fl G 4s				SG on pile.
21580	Mattawoman Creek Light 1MC	37-23-21.857N 075-59-39.471W	Fl G 4s	0	4		SG on pile.
21580	Mattawoman Creek Light 1MC	37-23-21.857N 075-59-39.471W	Fl G 4s	0	4		SG on pile.
21585	Mattawoman Creek Light 2	37-23-32.365N 075-59-23.759W	Fl R 4s	0	4		TR on pile.
21585	Mattawoman Creek Light 2	37-23-32.365N 075-59-23.759W	Fl R 4s	0	4		TR on pile.
21590	Mattawoman Creek Light 3	37-23-53.573N 075-58-51.693W	Fl G 4s		4		SG on pile.

21590	Mattawoman Creek Light 3	37-23-53.573N 075-58-51.693W	FI G 4s	4		SG on pile.
21595	Mattawoman Creek Daybeacon 5	37-24-01.307N 075-58-41.085W				SG on pile.
21595	Mattawoman Creek Daybeacon 5	37-24-01.307N 075-58-41.085W				SG on pile.
21600	Mattawoman Creek Light 6	37-24-11.723N 075-58-32.025W	FI R 4s	0	3	TR on pile.
21600	Mattawoman Creek Light 6	37-24-11.723N 075-58-32.025W	FI R 4s	0	3	TR on pile.
21605	Hungar Creek Lighted Wreck Buoy WR2	37-24-20.814N 075-58-31.976W	Q R		4	Red.
21610	Hungar Creek Daybeacon 3	37-24-35.321N 075-58-27.027W				SG on pile.
21610	Hungar Creek Daybeacon 3	37-24-35.321N 075-58-27.027W				SG on pile.
21615	Hungar Creek Lighted Wreck Buoy WR5	37-24-37.270N 075-58-01.921W	Q G		4	Green.
21620	Hungar Creek Lighted Wreck Buoy WR7	37-24-40.501N 075-57-56.539W	Q G		5	Green.
21625	Hungar Creek Lighted Wreck Buoy WR9	37-24-53.121N 075-57-48.537W	Q G		4	Green.
21630	Nassawadox Creek Warning Daybeacon A	37-27-50.657N 075-58-20.943W				NW on pile worded DANGER PILE.
21630	Nassawadox Creek Warning Daybeacon A	37-27-50.657N 075-58-20.943W				NW on pile worded DANGER PILE.
21645	Nassawadox Creek Warning Daybeacon B	37-28-10.487N 075-57-55.557W				NW on pile worded DANGER PILE.
21645	Nassawadox Creek Warning Daybeacon B	37-28-10.487N 075-57-55.557W				NW on pile worded DANGER PILE.
21661	Nassawadox Creek Warning Daybeacon C	37-28-13.093N 075-57-45.824W				NW on pile worded DANGER PILE.
21662	Nassawadox Creek Warning Daybeacon D	37-28-16.119N 075-57-37.291W				NW on pile worded DANGER PILE.
21662.1	Nassawadox Creek Warning Daybeacon E	37-28-18.761N 075-57-35.559W				NW on pile worded DANGER PILE.
21663	Nassawadox Creek Warning Daybeacon F	37-28-27.994N 075-57-29.739W				NW on pile worded DANGER PILE.
21667	Nassawadox Creek Warning Daybeacon J	37-28-31.098N 075-56-18.379W				NW on pile worded DANGER PILE.
21670	Nassawadox Creek Danger Buoy K	37-28-31.059N 075-56-18.459W				White and orange; can.
21695	Occohannock Creek Warning Light A	37-32-34.247N 075-57-50.937W	FI W 4s		4	NW on pile worded DANGER SHOAL.
21695	Occohannock Creek Warning Light A	37-32-34.247N 075-57-50.937W	FI W 4s		4	NW on pile worded DANGER SHOAL.
21697	Occohannock Creek Light 2	37-31-52.643N 075-57-49.048W	FI R 2.5s	0	4	TR on pile.
21697	Occohannock Creek Light 2	37-31-52.643N 075-57-49.048W	FI R 2.5s	0	4	TR on pile.
21700	Occohannock Creek Warning Daybeacon B	37-32-06.755N 075-57-25.197W				NW on pile worded DANGER SHOAL.
21700	Occohannock Creek Warning Daybeacon B	37-32-06.755N 075-57-25.197W				NW on pile worded DANGER SHOAL.
21703	Occohannock Creek Light 3	37-32-01.710N 075-57-19.749W	FI G 4s	0	4	SG on pile.
21703	Occohannock Creek Light 3	37-32-01.710N 075-57-19.749W	FI G 4s	0	4	SG on pile.
21705	Occohannock Creek Warning Daybeacon C	37-32-21.670N 075-56-59.408W		0		NW on pile worded DANGER SHOAL.
21705	Occohannock Creek Warning Daybeacon C	37-32-21.670N 075-56-59.408W		0		NW on pile worded DANGER SHOAL.
21707	Occohannock Creek Daybeacon 5	37-32-21.532N 075-56-56.381W		0		SG on pile.
21707	Occohannock Creek Daybeacon 5	37-32-21.532N 075-56-56.381W		0		SG on pile.
21710	Occohannock Creek Daybeacon 6	37-32-45.308N 075-56-37.248W		0		TR on pile.
21710	Occohannock Creek Daybeacon 6	37-32-45.308N 075-56-37.248W		0		TR on pile.

21715	Occohannock Creek Warning Daybeacon D	37-32-59.556N 075-56-19.549W				NW on pile worded DANGER SHOAL.
21715	Occohannock Creek Warning Daybeacon D	37-32-59.556N 075-56-19.549W				NW on pile worded DANGER SHOAL.
21720	Occohannock Creek Light 7	37-33-04.222N 075-56-07.004W	Fl G 4s	0	4	SG on pile.
21720	Occohannock Creek Light 7	37-33-04.222N 075-56-07.004W	Fl G 4s	0	4	SG on pile.
21725	Occohannock Creek Buoy 8	37-33-18.347N 075-55-44.463W				Red nun.
21730	Occohannock Creek Warning Daybeacon E	37-33-18.455N 075-55-32.697W				NW on pile worded DANGER SHOAL.
21730	Occohannock Creek Warning Daybeacon E	37-33-18.455N 075-55-32.697W				NW on pile worded DANGER SHOAL.
21733	Occohannock Creek Buoy 10	37-33-19.164N 075-55-31.402W				Red nun.
21735	Occohannock Creek Daybeacon 12	37-33-15.755N 075-55-19.707W				TR on pile.
21735	Occohannock Creek Daybeacon 12	37-33-15.755N 075-55-19.707W				TR on pile.
21740	Occohannock Creek Daybeacon 13	37-33-15.323N 075-55-12.111W				SG on pile.
21740	Occohannock Creek Daybeacon 13	37-33-15.323N 075-55-12.111W				SG on pile.
21745	Occohannock Creek Daybeacon 15	37-33-16.193N 075-54-32.241W				SG on pile.
21745	Occohannock Creek Daybeacon 15	37-33-16.193N 075-54-32.241W				SG on pile.
21750	Occohannock Creek Daybeacon 16	37-33-24.173N 075-54-07.737W				TR on pile.
21750	Occohannock Creek Daybeacon 16	37-33-24.173N 075-54-07.737W				TR on pile.
21755	Occohannock Creek Daybeacon 17	37-33-13.319N 075-53-31.455W				SG on pile.
21755	Occohannock Creek Daybeacon 17	37-33-13.319N 075-53-31.455W				SG on pile.
21760	Occohannock Creek Daybeacon 19	37-33-00.029N 075-53-02.859W				SG on pile.
21760	Occohannock Creek Daybeacon 19	37-33-00.029N 075-53-02.859W				SG on pile.
21765	Nandua Creek Entrance Light 1N	37-38-07.956N 075-56-27.382W	Fl G 2.5s	12	5	SG on pile.
21765	Nandua Creek Entrance Light 1N	37-38-07.956N 075-56-27.382W	Fl G 2.5s	12	5	SG on pile.
21770	Nandua Creek Channel Light 3	37-37-42.758N 075-54-55.967W	Fl G 4s		4	SG on pile.
21770	Nandua Creek Channel Light 3	37-37-42.758N 075-54-55.967W	Fl G 4s		4	SG on pile.
21774	Nandua Creek Channel Warning Daybeacon A	37-37-30.526N 075-54-45.798W				NW on pile worded DANGER SHOAL.
21774	Nandua Creek Channel Warning Daybeacon A	37-37-30.526N 075-54-45.798W				NW on pile worded DANGER SHOAL.
21780	Nandua Creek Channel Daybeacon 5	37-37-35.386N 075-54-41.896W				SG on pile.
21780	Nandua Creek Channel Daybeacon 5	37-37-35.386N 075-54-41.896W				SG on pile.
21781	Nandua Creek Channel Warning Daybeacon B	37-37-38.128N 075-54-41.702W				NW on pile worded DANGER SHOAL.
21781	Nandua Creek Channel Warning Daybeacon B	37-37-38.128N 075-54-41.702W				NW on pile worded DANGER SHOAL.
21783.5	Nandua Creek Channel Warning Daybeacon D	37-37-26.550N 075-54-42.919W				NW on pile worded DANGER SHOAL.
21783	Nandua Creek Channel Warning Daybeacon C	37-37-29.004N 075-54-44.455W				NW on pile worded DANGER SHOAL.
21783	Nandua Creek Channel Warning Daybeacon C	37-37-29.004N 075-54-44.455W				NW on pile worded DANGER SHOAL.
21784	Nandua Creek Channel Buoy 8	37-37-36.929N 075-54-29.934W				Red nun.
21785	Nandua Creek Channel Warning Daybeacon E	37-37-47.520N 075-54-12.891W		0		NW on pile worded DANGER SHOAL.

21785	Nandua Creek Channel Warning Daybeacon E	37-37-47.520N 075-54-12.891W	0		NW on pile worded DANGER SHOAL.
21790	Nandua Creek Channel Warning Daybeacon F	37-37-54.501N 075-54-16.777W	0		NW on pile worded DANGER SHOAL.
21790	Nandua Creek Channel Warning Daybeacon F	37-37-54.501N 075-54-16.777W	0		NW on pile worded DANGER SHOAL.
21792	Nandua Creek Channel Buoy 9	37-37-45.417N 075-54-12.214W			Green can.
21795	Nandua Creek Channel Daybeacon 11	37-37-48.288N 075-53-59.037W	0		SG on pile.
21795	Nandua Creek Channel Daybeacon 11	37-37-48.288N 075-53-59.037W	0		SG on pile.
21797	Nandua Creek Channel Daybeacon 12	37-37-46.859N 075-53-53.943W	0		TR on pile.
21797	Nandua Creek Channel Daybeacon 12	37-37-46.859N 075-53-53.943W	0		TR on pile.
21800	Nandua Creek Channel Warning Daybeacon G	37-37-55.522N 075-54-08.700W			NW on pile worded DANGER SHOAL.
21800	Nandua Creek Channel Warning Daybeacon G	37-37-55.522N 075-54-08.700W			NW on pile worded DANGER SHOAL.
21805	Nandua Creek Channel Daybeacon 13	37-37-42.054N 075-53-44.517W	0		SG on pile.
21805	Nandua Creek Channel Daybeacon 13	37-37-42.054N 075-53-44.517W	0		SG on pile.
21815	Nandua Creek Channel Daybeacon 15	37-37-09.270N 075-53-27.932W	0		SG on pile.
21815	Nandua Creek Channel Daybeacon 15	37-37-09.270N 075-53-27.932W	0		SG on pile.
21820	Nandua Creek Channel Buoy 17	37-36-53.249N 075-53-27.830W			Green can.
21825	Nandua Creek Channel Buoy 19	37-36-45.347N 075-53-12.594W			Green can.
21830	Nandua Creek Channel Buoy 21	37-37-03.008N 075-52-52.512W			Green can.
21835	Nandua Creek Channel Daybeacon 22	37-37-25.044N 075-51-50.409W	0		TR on pile.
21835	Nandua Creek Channel Daybeacon 22	37-37-25.044N 075-51-50.409W	0		TR on pile.
21840	Nandua Creek Channel Daybeacon 23	37-37-29.940N 075-51-35.979W	0		SG on pile.
21840	Nandua Creek Channel Daybeacon 23	37-37-29.940N 075-51-35.979W	0		SG on pile.
21845	Pungoteague Creek Warning Light A	37-39-48.247N 075-53-52.997W	FI W 2.5s	4	NW on pile.
21845	Pungoteague Creek Warning Light A	37-39-48.247N 075-53-52.997W	FI W 2.5s	4	NW on pile.
21850	Pungoteague Creek Channel Light 1P	37-39-39.970N 075-53-51.254W	Q G	10	4 SG on multi-pile structure.
21850	Pungoteague Creek Channel Light 1P	37-39-39.970N 075-53-51.254W	Q G	10	4 SG on multi-pile structure.
21855	Pungoteague Creek Channel Daybeacon 2	37-39-57.622N 075-53-25.277W			TR on pile.
21855	Pungoteague Creek Channel Daybeacon 2	37-39-57.622N 075-53-25.277W			TR on pile.
21860	Pungoteague Creek Channel Light 4	37-40-05.999N 075-53-16.278W	FI R 4s	4	TR on pile.
21860	Pungoteague Creek Channel Light 4	37-40-05.999N 075-53-16.278W	FI R 4s	4	TR on pile.
21865	Pungoteague Creek Channel Daybeacon 5	37-40-13.562N 075-53-01.315W			SG on pile.
21865	Pungoteague Creek Channel Daybeacon 5	37-40-13.562N 075-53-01.315W			SG on pile.
21870	Pungoteague Creek Channel Daybeacon 6	37-40-22.494N 075-52-28.998W			TR on pile.
21870	Pungoteague Creek Channel Daybeacon 6	37-40-22.494N 075-52-28.998W			TR on pile.
21875	Pungoteague Creek Channel Daybeacon 8	37-40-26.930N 075-51-58.692W			TR on pile.
21875	Pungoteague Creek Channel Daybeacon 8	37-40-26.930N 075-51-58.692W			TR on pile.

21880	Pungoteague Creek Channel Daybeacon 9	37-40-20.893N 075-51-18.581W			SG on pile.
21880	Pungoteague Creek Channel Daybeacon 9	37-40-20.893N 075-51-18.581W			SG on pile.
21885	Pungoteague Creek Channel Daybeacon 10	37-40-23.136N 075-50-52.856W			TR on pile.
21885	Pungoteague Creek Channel Daybeacon 10	37-40-23.136N 075-50-52.856W			TR on pile.
21890	Pungoteague Creek Channel Daybeacon 10A	37-40-23.365N 075-50-41.465W		0	TR on pile.
21890	Pungoteague Creek Channel Daybeacon 10A	37-40-23.365N 075-50-41.465W		0	TR on pile.
21895	Pungoteague Creek Channel Daybeacon 11	37-40-27.469N 075-50-46.816W			SG on pile.
21895	Pungoteague Creek Channel Daybeacon 11	37-40-27.469N 075-50-46.816W			SG on pile.
21900	Pungoteague Creek Channel Daybeacon 12	37-40-18.495N 075-50-16.776W			TR on pile.
21900	Pungoteague Creek Channel Daybeacon 12	37-40-18.495N 075-50-16.776W			TR on pile.
21903	Pungoteague Creek Channel Daybeacon 12A	37-40-15.768N 075-50-18.770W			TR on pile.
21905	Pungoteague Creek Channel Light 13	37-40-10.571N 075-49-56.926W	FI G 4s	4	SG on multi-pile structure.
21905	Pungoteague Creek Channel Light 13	37-40-10.571N 075-49-56.926W	FI G 4s	4	SG on multi-pile structure.
21910	Pungoteague Creek Channel Daybeacon 14	37-40-03.024N 075-49-49.866W			TR on pile.
21910	Pungoteague Creek Channel Daybeacon 14	37-40-03.024N 075-49-49.866W			TR on pile.
21915	Pungoteague Creek Channel Daybeacon 15	37-39-57.378N 075-49-43.366W			SG on pile.
21915	Pungoteague Creek Channel Daybeacon 15	37-39-57.378N 075-49-43.366W			SG on pile.
21920	Pungoteague Creek Channel Daybeacon 16	37-39-54.953N 075-49-45.554W			TR on pile.
21920	Pungoteague Creek Channel Daybeacon 16	37-39-54.953N 075-49-45.554W			TR on pile.
21925	Onancock Creek Channel Light 1	37-43-28.215N 075-51-03.659W	FI G 4s	4	SG on multi-pile structure.
21925	Onancock Creek Channel Light 1	37-43-28.215N 075-51-03.659W	FI G 4s	4	SG on multi-pile structure.
21930	Onancock Creek Channel Daybeacon 2	37-43-21.866N 075-50-58.484W			TR on pile.
21930	Onancock Creek Channel Daybeacon 2	37-43-21.866N 075-50-58.484W			TR on pile.
21933	Onancock Creek Channel Daybeacon 4	37-43-17.250N 075-50-50.575W			TR on pile.
21940	Onancock Creek Channel Light 6	37-43-17.433N 075-50-32.281W	Q R	4	TR on pile.
21940	Onancock Creek Channel Light 6	37-43-17.433N 075-50-32.281W	Q R	4	TR on pile.
21950	Onancock Creek Channel Daybeacon 7	37-43-10.650N 075-50-18.601W			SG on pile.
21950	Onancock Creek Channel Daybeacon 7	37-43-10.650N 075-50-18.601W			SG on pile.
21953	Onancock Creek Channel Light 8	37-43-06.920N 075-50-12.685W	FI R 2.5s	4	TR on pile.
21960	Onancock Creek Channel Daybeacon 9	37-43-22.837N 075-49-41.320W			SG on pile.
21960	Onancock Creek Channel Daybeacon 9	37-43-22.837N 075-49-41.320W			SG on pile.
21965	Onancock Creek Channel Daybeacon 10	37-43-30.349N 075-49-15.929W			TR on pile.
21965	Onancock Creek Channel Daybeacon 10	37-43-30.349N 075-49-15.929W			TR on pile.
21970	Parkers Creek Junction Daybeacon PC	37-43-37.018N 075-48-35.807W			JR on pile.
21970	Parkers Creek Junction Daybeacon PC	37-43-37.018N 075-48-35.807W			JR on pile.

21975	Parkers Creek Daybeacon 1P	37-43-30.660N 075-48-30.723W			SG on pile.
21975	Parkers Creek Daybeacon 1P	37-43-30.660N 075-48-30.723W			SG on pile.
21980	Parkers Creek Daybeacon 2	37-43-26.076N 075-48-30.608W			TR on pile.
21980	Parkers Creek Daybeacon 2	37-43-26.076N 075-48-30.608W			TR on pile.
21985	Parkers Creek Daybeacon 4	37-43-21.322N 075-48-27.533W			TR on pile.
21985	Parkers Creek Daybeacon 4	37-43-21.322N 075-48-27.533W			TR on pile.
21987	Parkers Creek Buoy 4A	37-43-18.934N 075-48-26.199W			Red nun. Maintained from Mar. 15 to Dec. 1.
21990	Parkers Creek Daybeacon 6	37-43-18.091N 075-48-27.550W			TR on multi-pile structure.
21990	Parkers Creek Daybeacon 6	37-43-18.091N 075-48-27.550W			TR on multi-pile structure.
21995	Parkers Creek Daybeacon 7	37-43-15.005N 075-48-32.203W			SG on pile.
21995	Parkers Creek Daybeacon 7	37-43-15.005N 075-48-32.203W			SG on pile.
22000	Parkers Creek Daybeacon 8	37-43-11.683N 075-48-40.174W			TR on pile.
22000	Parkers Creek Daybeacon 8	37-43-11.683N 075-48-40.174W			TR on pile.
22005	Onancock Creek Channel Light 13	37-43-40.570N 075-48-22.679W	Fl G 4s	4	SG on pile.
22005	Onancock Creek Channel Light 13	37-43-40.570N 075-48-22.679W	Fl G 4s	4	SG on pile.
22010	Onancock Creek Channel Daybeacon 14	37-43-40.655N 075-48-15.336W			TR on pile.
22010	Onancock Creek Channel Daybeacon 14	37-43-40.655N 075-48-15.336W			TR on pile.
22015	Onancock Creek Channel Daybeacon 16	37-43-39.960N 075-48-07.685W			TR on pile.
22015	Onancock Creek Channel Daybeacon 16	37-43-39.960N 075-48-07.685W			TR on pile.
22025	Onancock Creek Channel Daybeacon 17	37-43-36.654N 075-48-00.506W			SG on pile.
22025	Onancock Creek Channel Daybeacon 17	37-43-36.654N 075-48-00.506W			SG on pile.
22030	Onancock Creek Channel Daybeacon 18	37-43-31.701N 075-47-47.743W			TR on pile.
22030	Onancock Creek Channel Daybeacon 18	37-43-31.701N 075-47-47.743W			TR on pile.
22035	Onancock Creek Channel Daybeacon 19	37-43-24.226N 075-47-30.950W			SG on pile.
22035	Onancock Creek Channel Daybeacon 19	37-43-24.226N 075-47-30.950W			SG on pile.
22040	Onancock Creek Channel Daybeacon 20	37-43-10.988N 075-47-15.806W			TR on pile.
22040	Onancock Creek Channel Daybeacon 20	37-43-10.988N 075-47-15.806W			TR on pile.
22045	Onancock Creek Channel Daybeacon 22	37-43-01.881N 075-46-56.504W			TR on pile.
22045	Onancock Creek Channel Daybeacon 22	37-43-01.881N 075-46-56.504W			TR on pile.
22055	Onancock Creek Channel Daybeacon 24	37-42-47.460N 075-46-39.205W			TR on pile.
22055	Onancock Creek Channel Daybeacon 24	37-42-47.460N 075-46-39.205W			TR on pile.
22065	Onancock Creek Channel Daybeacon 25	37-42-46.293N 075-46-21.974W			SG on pile.
22065	Onancock Creek Channel Daybeacon 25	37-42-46.293N 075-46-21.974W			SG on pile.
22070	Onancock Creek Channel Daybeacon 26	37-42-38.760N 075-46-14.755W			TR on pile.
22070	Onancock Creek Channel Daybeacon 26	37-42-38.760N 075-46-14.755W			TR on pile.

22080	Onancock Creek Channel Daybeacon 27	37-42-46.505N 075-45-51.146W					SG on pile.
22080	Onancock Creek Channel Daybeacon 27	37-42-46.505N 075-45-51.146W					SG on pile.
22090	Onancock Creek Channel Daybeacon 29	37-42-41.481N 075-45-33.928W					SG on pile.
22090	Onancock Creek Channel Daybeacon 29	37-42-41.481N 075-45-33.928W					SG on pile.
22100	Pocomoke Sound Light 2	37-43-37.089N 075-54-36.844W	FI R 4s		4		TR on multi-pile structure.
22100	Pocomoke Sound Light 2	37-43-37.089N 075-54-36.844W	FI R 4s		4		TR on multi-pile structure.
22105	Pocomoke Sound Shoal Light 3	37-44-55.030N 075-55-31.015W	FI G 2.5s		4		SG on multi-pile structure.
22105	Pocomoke Sound Shoal Light 3	37-44-55.030N 075-55-31.015W	FI G 2.5s		4		SG on multi-pile structure.
22110	Pocomoke Sound Light 5	37-45-55.405N 075-52-31.477W	FI G 4s		4		SG on multi-pile structure.
22110	Pocomoke Sound Light 5	37-45-55.405N 075-52-31.477W	FI G 4s		4		SG on multi-pile structure.
22115	Watts Island Rocks Warning Light	37-46-46.305N 075-53-43.281W	FI W 2.5s	0	5		NW on pile worded DANGER SUBMERGED ROCKS.
22115	Watts Island Rocks Warning Light	37-46-46.305N 075-53-43.281W	FI W 2.5s	0	5		NW on pile worded DANGER SUBMERGED ROCKS.
22125	Chesconessex Creek Light 1C	37-45-17.985N 075-49-39.351W	FI G 2.5s	0	4		SG on pile.
22125	Chesconessex Creek Light 1C	37-45-17.985N 075-49-39.351W	FI G 2.5s	0	4		SG on pile.
22130	Chesconessex Creek Light 2	37-45-17.937N 075-48-53.233W	FI R 4s	0	4		TR on pile.
22130	Chesconessex Creek Light 2	37-45-17.937N 075-48-53.233W	FI R 4s	0	4		TR on pile.
22135	Chesconessex Creek Daybeacon 3	37-45-25.991N 075-48-01.646W		0			SG on pile.
22135	Chesconessex Creek Daybeacon 3	37-45-25.991N 075-48-01.646W		0			SG on pile.
22145	Chesconessex Creek Daybeacon 5	37-45-40.174N 075-47-01.700W					SG on pile.
22145	Chesconessex Creek Daybeacon 5	37-45-40.174N 075-47-01.700W					SG on pile.
22150	Chesconessex Creek Daybeacon 6	37-45-36.555N 075-46-41.333W					TR on pile.
22150	Chesconessex Creek Daybeacon 6	37-45-36.555N 075-46-41.333W					TR on pile.
22155	Chesconessex Creek Daybeacon 8	37-45-07.412N 075-46-39.751W					TR on pile.
22155	Chesconessex Creek Daybeacon 8	37-45-07.412N 075-46-39.751W					TR on pile.
22160	Chesconessex Creek Buoy 10	37-45-02.122N 075-46-21.081W					Red nun. Maintained from Mar. 15 to Dec. 1.
22165	Chesconessex Creek Buoy 11	37-45-01.252N 075-46-18.182W					Green can. Maintained from Mar. 15 to Dec. 1.
22170	Chesconessex Creek Daybeacon 12	37-44-58.590N 075-46-16.899W					TR on pile.
22170	Chesconessex Creek Daybeacon 12	37-44-58.590N 075-46-16.899W					TR on pile.
22175	Chesconessex Creek South Basin Daybeacon 1	37-44-56.007N 075-46-16.580W					SG on pile.
22175	Chesconessex Creek South Basin Daybeacon 1	37-44-56.007N 075-46-16.580W					SG on pile.
22180	Chesconessex Creek South Basin Daybeacon 2	37-44-56.368N 075-46-19.382W					TR on pile.
22180	Chesconessex Creek South Basin Daybeacon 2	37-44-56.368N 075-46-19.382W					TR on pile.
22185	Pocomoke Sound Light 6	37-47-49.015N 075-50-19.038W	FI R 4s		4		TR on multi-pile structure.
22185	Pocomoke Sound Light 6	37-47-49.015N 075-50-19.038W	FI R 4s		4		TR on multi-pile structure.
22190	Deep Creek Entrance Light 1D	37-48-47.182N 075-48-25.557W	FI G 4s	0	4		SG on multi-pile structure.

22190	Deep Creek Entrance Light 1D	37-48-47.182N 075-48-25.557W	FI G 4s	0	4	SG on multi-pile structure.
22195	Deep Creek Light 3	37-49-09.654N 075-47-20.601W	FI G 6s		4	SG on pile.
22195	Deep Creek Light 3	37-49-09.654N 075-47-20.601W	FI G 6s		4	SG on pile.
22200	Deep Creek Light 4	37-49-18.864N 075-46-17.720W	FI R 4s	0	4	TR on pile.
22200	Deep Creek Light 4	37-49-18.864N 075-46-17.720W	FI R 4s	0	4	TR on pile.
22205	Deep Creek Light 6	37-49-06.670N 075-45-39.071W	FI R 2.5s		4	TR on pile.
22205	Deep Creek Light 6	37-49-06.670N 075-45-39.071W	FI R 2.5s		4	TR on pile.
22210	Deep Creek Light 7	37-48-26.915N 075-45-46.167W	FI G 2.5s		4	SG on pile.
22210	Deep Creek Light 7	37-48-26.915N 075-45-46.167W	FI G 2.5s		4	SG on pile.
22215	Deep Creek Daybeacon 9	37-48-12.408N 075-45-38.157W				SG on pile.
22215	Deep Creek Daybeacon 9	37-48-12.408N 075-45-38.157W				SG on pile.
22220	Deep Creek Light 11	37-48-03.919N 075-45-14.507W	FI G 6s		4	SG on pile.
22220	Deep Creek Light 11	37-48-03.919N 075-45-14.507W	FI G 6s		4	SG on pile.
22225	Deep Creek Daybeacon 12	37-47-46.888N 075-44-57.633W				TR on pile.
22225	Deep Creek Daybeacon 12	37-47-46.888N 075-44-57.633W				TR on pile.
22230	Deep Creek Warning Daybeacon D	37-47-22.806N 075-44-57.206W				NW on pile worded DANGER SHOAL.
22230	Deep Creek Warning Daybeacon D	37-47-22.806N 075-44-57.206W				NW on pile worded DANGER SHOAL.
22235	Deep Creek Warning Daybeacon C	37-46-56.383N 075-44-59.360W				NW on pile worded DANGER SHOAL.
22235	Deep Creek Warning Daybeacon C	37-46-56.383N 075-44-59.360W				NW on pile worded DANGER SHOAL.
22240	Deep Creek Warning Daybeacon B	37-46-37.273N 075-44-53.985W				NW on pile worded DANGER SHOAL.
22240	Deep Creek Warning Daybeacon B	37-46-37.273N 075-44-53.985W				NW on pile worded DANGER SHOAL.
22245	Deep Creek Warning Daybeacon A	37-46-18.189N 075-45-00.122W				NW on pile worded DANGER SHOAL.
22245	Deep Creek Warning Daybeacon A	37-46-18.189N 075-45-00.122W				NW on pile worded DANGER SHOAL.
22250	Pocomoke Sound Light 7	37-48-54.030N 075-50-21.015W	FI G 2.5s		4	SG on multi-pile structure.
22250	Pocomoke Sound Light 7	37-48-54.030N 075-50-21.015W	FI G 2.5s		4	SG on multi-pile structure.
22255	Guilford Flats Light 1GF	37-50-57.168N 075-46-37.587W	FI G 2.5s	0	4	SG on multi-pile structure.
22255	Guilford Flats Light 1GF	37-50-57.168N 075-46-37.587W	FI G 2.5s	0	4	SG on multi-pile structure.
22260	Hunting Creek Light 2	37-49-29.093N 075-43-54.023W	FI R 4s		4	TR on pile.
22260	Hunting Creek Light 2	37-49-29.093N 075-43-54.023W	FI R 4s		4	TR on pile.
22285	Hunting Creek Lighted Wreck Buoy WR 9	37-47-43.725N 075-42-54.413W	Q G		4	Green.
22305	Guilford Creek Light 2G	37-51-23.509N 075-42-37.990W	FI R 4s	0	4	TR on pile.
22305	Guilford Creek Light 2G	37-51-23.509N 075-42-37.990W	FI R 4s	0	4	TR on pile.
22310	Guilford Creek Daybeacon 4	37-51-22.467N 075-42-11.532W				TR on pile.
22310	Guilford Creek Daybeacon 4	37-51-22.467N 075-42-11.532W				TR on pile.
22315	Guilford Creek Light 6	37-50-58.052N 075-41-12.811W	FI R 4s	0	4	TR on pile.

22315	Guilford Creek Light 6	37-50-58.052N 075-41-12.811W	FI R 4s	0	4	TR on pile.
22320	Guilford Creek Daybeacon 7	37-50-28.886N 075-41-03.638W				SG on pile.
22320	Guilford Creek Daybeacon 7	37-50-28.886N 075-41-03.638W				SG on pile.
22330	Muddy Creek Daybeacon 1	37-51-00.580N 075-40-56.377W				SG on pile.
22330	Muddy Creek Daybeacon 1	37-51-00.580N 075-40-56.377W				SG on pile.
22335	Muddy Creek Wreck Light WR3	37-51-16.458N 075-40-25.906W	Q G	0	4	SG on pile.
22335	Muddy Creek Wreck Light WR3	37-51-16.458N 075-40-25.906W	Q G	0	4	SG on pile.
22365	Pocomoke Sound Shoal Light 8	37-52-27.594N 075-49-24.237W	FI R 4s	0	4	TR on multi-pile structure.
22365	Pocomoke Sound Shoal Light 8	37-52-27.594N 075-49-24.237W	FI R 4s	0	4	TR on multi-pile structure.
22370	Pocomoke Sound Shoal Light 9	37-53-48.121N 075-48-39.835W	FI G 2.5s	0	4	SG on multi-pile structure.
22370	Pocomoke Sound Shoal Light 9	37-53-48.121N 075-48-39.835W	FI G 2.5s	0	4	SG on multi-pile structure.
22375	Pocomoke Sound Light 10	37-54-30.159N 075-46-15.185W	FI R 2.5s	0	4	TR on pile.
22375	Pocomoke Sound Light 10	37-54-30.159N 075-46-15.185W	FI R 2.5s	0	4	TR on pile.
22380	Watkins Point State Boundry Line Daybeacon	37-54-40.450N 075-54-58.062W				Dayboards with orange borders upper board worded RANGE lower boards MD/VA LINE.
22380	Watkins Point State Boundry Line Daybeacon	37-54-40.450N 075-54-58.062W				Dayboards with orange borders upper board worded RANGE lower boards MD/VA LINE.
22385	Pocomoke Sound State Boundary Line Daybeacon BB	37-54-41.831N 075-51-21.457W				NW on pile worded MD/VA LINE.
22385	Pocomoke Sound State Boundary Line Daybeacon BB	37-54-41.831N 075-51-21.457W				NW on pile worded MD/VA LINE.
22390	Pocomoke Sound State Boundary Line Daybeacon CC	37-54-43.252N 075-49-24.255W				NW on pile worded MD/VA LINE.
22390	Pocomoke Sound State Boundary Line Daybeacon CC	37-54-43.252N 075-49-24.255W				NW on pile worded MD/VA LINE.
22395	Pocomoke Sound State Boundry Line Daybeacon A	37-54-43.452N 075-48-03.753W				NW on pile worded MD/VA LINE.
22395	Pocomoke Sound State Boundry Line Daybeacon A	37-54-43.452N 075-48-03.753W				NW on pile worded MD/VA LINE.
22400	Pocomoke Sound State Boundary Line Daybeacon B	37-55-18.952N 075-47-16.452W				NW on pile worded MD/VA LINE.
22400	Pocomoke Sound State Boundary Line Daybeacon B	37-55-18.952N 075-47-16.452W				NW on pile worded MD/VA LINE.
22405	Pocomoke Sound State Boundary Line Daybeacon C	37-55-30.600N 075-56-54.840W				NW on pile worded MD/VA LINE.
22405	Pocomoke Sound State Boundary Line Daybeacon C	37-55-30.600N 075-56-54.840W				NW on pile worded MD/VA LINE.
22410	Pocomoke Sound State Boundary Line Daybeacon D	37-54-24.600N 075-57-09.720W				NW on pile worded MD/VA LINE.
22410	Pocomoke Sound State Boundary Line Daybeacon D	37-54-24.600N 075-57-09.720W				NW on pile worded MD/VA LINE.
22415	Pocomoke Sound State Boundary Line Buoy E	37-56-38.551N 075-44-58.749W				White and orange can;worded MD/VA LINE.
22415	Pocomoke Sound State Boundary Line Buoy E	37-56-38.551N 075-44-58.749W				White and orange can;worded MD/VA LINE.
22420	Pocomoke Sound State Boundary Line Daybeacon F	37-56-48.650N 075-44-15.348W				NW on pile worded MD/VA LINE.
22420	Pocomoke Sound State Boundary Line Daybeacon F	37-56-48.650N 075-44-15.348W				NW on pile worded MD/VA LINE.
22425	Pocomoke Sound State Boundary Line Daybeacon G	37-56-58.850N 075-43-31.747W				NW on pile worded MD/VA LINE.
22425	Pocomoke Sound State Boundary Line Daybeacon G	37-56-58.850N 075-43-31.747W				NW on pile worded MD/VA LINE.
22430	Pocomoke Sound State Boundary Line Buoy H	37-57-16.249N 075-42-17.246W				White can with Orange bands worded MD/VA Line.
22435	Pocomoke Sound State Boundary Line Daybeacon J	37-57-19.448N 075-41-29.745W				NW on pile worded MD/VA LINE.

22435	Pocomoke Sound State Boundary Line Daybeacon J	37-57-19.448N 075-41-29.745W				NW on pile worded MD/VA LINE.	
22440	Pocomoke Sound State Boundary Line Buoy K	37-56-59.448N 075-40-02.743W				White can with Orange bands worded MD/VA Line.	
22445	Pocomoke Sound State Boundary Line Daybeacon L	37-56-42.448N 075-39-22.242W				NW on pile worded MD/VA LINE.	
22445	Pocomoke Sound State Boundary Line Daybeacon L	37-56-42.448N 075-39-22.242W				NW on pile worded MD/VA LINE.	
22450	Pocomoke Sound State Boundary Line Daybeacon M	37-56-48.078N 075-38-53.541W				NW on pile worded MD/VA LINE.	
22450	Pocomoke Sound State Boundary Line Daybeacon M	37-56-48.078N 075-38-53.541W				NW on pile worded MD/VA LINE.	
22455	Starling Creek Light 1S	37-55-28.914N 075-44-10.905W	FI G 4s	0	4	SG on multi-pile structure.	
22455	Starling Creek Light 1S	37-55-28.914N 075-44-10.905W	FI G 4s	0	4	SG on multi-pile structure.	
22460	Starling Creek Daybeacon 2	37-55-19.824N 075-44-03.870W			0	TR on pile.	
22460	Starling Creek Daybeacon 2	37-55-19.824N 075-44-03.870W			0	TR on pile.	
22465	Starling Creek Daybeacon 3	37-55-15.829N 075-43-58.455W				SG on pile.	
22465	Starling Creek Daybeacon 3	37-55-15.829N 075-43-58.455W				SG on pile.	
22470	Starling Creek Light 4	37-55-08.867N 075-43-52.896W	FI R 4s	0	4	TR on pile.	
22470	Starling Creek Light 4	37-55-08.867N 075-43-52.896W	FI R 4s	0	4	TR on pile.	
22475	Starling Creek Buoy 6	37-55-10.486N 075-43-48.938W				Red.	Maintained from Mar. 15 to Dec. 1.
22480	Starling Creek Daybeacon 8	37-55-09.762N 075-43-47.162W				TR on pile.	
22480	Starling Creek Daybeacon 8	37-55-09.762N 075-43-47.162W				TR on pile.	
22485	Starling Creek Daybeacon 10	37-55-05.803N 075-43-43.455W				TR on pile.	
22485	Starling Creek Daybeacon 10	37-55-05.803N 075-43-43.455W				TR on pile.	
22490	Starling Creek Daybeacon 12	37-55-05.922N 075-43-39.276W				TR on pile.	
22490	Starling Creek Daybeacon 12	37-55-05.922N 075-43-39.276W				TR on pile.	
22495	Pocomoke Sound Daybeacon 11	37-56-05.481N 075-44-25.964W				SG on pile.	
22495	Pocomoke Sound Daybeacon 11	37-56-05.481N 075-44-25.964W				SG on pile.	
22500	Pocomoke Sound Light 12	37-56-18.908N 075-43-39.915W	FI R 4s		4	TR on multi-pile structure.	
22500	Pocomoke Sound Light 12	37-56-18.908N 075-43-39.915W	FI R 4s		4	TR on multi-pile structure.	
22505	Pocomoke River Light 1PR	37-57-13.678N 075-43-15.921W	FI G 4s		4	SG on multi-pile structure.	
22510	Pocomoke River Channel Buoy 2	37-57-22.924N 075-42-46.017W				Red nun.	Maintained from Mar. 15 to Dec. 1. Synthetic AIS MMSI 993672362. AIS Maintained year round.
22510	Pocomoke River Channel Buoy 2	37-57-22.924N 075-42-46.017W				Red nun.	Maintained from Mar. 15 to Dec. 1. Synthetic AIS MMSI 993672362. AIS Maintained year round.
22515	Pocomoke River Channel Daybeacon 3	37-57-33.832N 075-42-27.097W				SG on pile.	
22520	Pocomoke River Channel Buoy 4	37-57-40.457N 075-42-08.245W				Red nun.	Maintained from Mar. 15 to Dec. 1. Synthetic AIS MMSI 993672363. AIS maintained year round.
22520	Pocomoke River Channel Buoy 4	37-57-40.457N 075-42-08.245W				Red nun.	Maintained from Mar. 15 to Dec. 1. Synthetic AIS MMSI 993672363. AIS maintained year round.
22525	Pocomoke River Channel Daybeacon 5	37-57-48.644N 075-41-50.824W			0	SG on pile.	
22540	Pocomoke River Channel Buoy 7	37-57-56.400N 075-41-30.495W				Green can.	Synthetic AIS MMSI 993672364.
22540	Pocomoke River Channel Buoy 7	37-57-56.400N 075-41-30.495W				Green can.	Synthetic AIS MMSI 993672364.
22555	Pocomoke River Channel Buoy 8	37-57-58.935N 075-41-05.476W				Red nun.	Maintained from Mar. 15 to Dec. 1. Synthetic AIS MMSI 993672365. AIS maintained year round.

22555	Pocomoke River Channel Buoy 8	37-57-58.935N 075-41-05.476W				Red nun.	Maintained from Mar. 15 to Dec. 1. Synthetic AIS MMSI 993672365. AIS maintained year round.
22570	Pocomoke River Channel Light 9	37-58-02.261N 075-40-39.640W	FI G 2.5s		4	SG on pile.	
22570	Pocomoke River Channel Light 9	37-58-02.261N 075-40-39.640W	FI G 2.5s		4	SG on pile.	
22575	Pocomoke River Channel Buoy 11	37-57-51.228N 075-40-15.506W				Green can.	Maintained from Mar. 15 to Dec. 1. Synthetic AIS MMSI 993672366. AIS maintained year round.
22575	Pocomoke River Channel Buoy 11	37-57-51.228N 075-40-15.506W				Green can.	Maintained from Mar. 15 to Dec. 1. Synthetic AIS MMSI 993672366. AIS maintained year round.
22590	Pocomoke River Channel Light 12	37-57-37.983N 075-39-48.566W	FI R 4s	0	4	TR on pile.	
22590	Pocomoke River Channel Light 12	37-57-37.983N 075-39-48.566W	FI R 4s	0	4	TR on pile.	
22595	Pocomoke River Channel Daybeacon 14	37-57-46.034N 075-39-20.901W				TR on pile.	
22595	Pocomoke River Channel Daybeacon 14	37-57-46.034N 075-39-20.901W				TR on pile.	
22600	Pocomoke River Channel Light 15	37-57-52.925N 075-39-03.201W	FI G 4s		4	SG on pile.	
22600	Pocomoke River Channel Light 15	37-57-52.925N 075-39-03.201W	FI G 4s		4	SG on pile.	
22615	Upper Pocomoke River Warning Daybeacon A	38-08-34.129N 075-26-28.667W				NW on pile worded DANGER.	
22615	Upper Pocomoke River Warning Daybeacon A	38-08-34.129N 075-26-28.667W				NW on pile worded DANGER.	
22620	Upper Pocomoke River Buoy 2	38-09-03.188N 075-26-16.371W				Red nun.	
22620	Upper Pocomoke River Buoy 2	38-09-03.188N 075-26-16.371W				Red nun.	
22625	Upper Pocomoke River Buoy 4	38-08-58.382N 075-26-05.505W				Red nun.	
22625	Upper Pocomoke River Buoy 4	38-08-58.382N 075-26-05.505W				Red nun.	
22635	Upper Pocomoke River Buoy 5	38-09-30.962N 075-25-27.593W				Green can.	
22635	Upper Pocomoke River Buoy 5	38-09-30.962N 075-25-27.593W				Green can.	
22640	Upper Pocomoke River Buoy 6	38-09-29.650N 075-25-23.056W				Red nun.	
22640	Upper Pocomoke River Buoy 6	38-09-29.650N 075-25-23.056W				Red nun.	
22665	Broad Creek South Entrance Wreck Light WR 2BC	37-54-58.697N 075-50-44.191W	FI R 2.5s	0	4	TR on pile.	
22665	Broad Creek South Entrance Wreck Light WR 2BC	37-54-58.697N 075-50-44.191W	FI R 2.5s	0	4	TR on pile.	
22670	Broad Creek Channel Daybeacon 4	37-55-11.080N 075-50-54.242W				TR on pile.	
22670	Broad Creek Channel Daybeacon 4	37-55-11.080N 075-50-54.242W				TR on pile.	
22675	Broad Creek Channel Daybeacon 6	37-55-20.908N 075-51-02.726W				TR on pile.	
22675	Broad Creek Channel Daybeacon 6	37-55-20.908N 075-51-02.726W				TR on pile.	
22680	Broad Creek Channel Light 8	37-55-29.908N 075-51-07.814W	FI R 4s	0	3	TR on pile.	
22680	Broad Creek Channel Light 8	37-55-29.908N 075-51-07.814W	FI R 4s	0	3	TR on pile.	
22685	Broad Creek Channel Light 9	37-55-52.558N 075-51-09.836W	FI G 4s		3	SG on pile.	
22685	Broad Creek Channel Light 9	37-55-52.558N 075-51-09.836W	FI G 4s		3	SG on pile.	
22690	Broad Creek Channel Daybeacon 11	37-55-58.044N 075-51-16.378W				SG on pile.	
22690	Broad Creek Channel Daybeacon 11	37-55-58.044N 075-51-16.378W				SG on pile.	
22695	Broad Creek Channel Light 12	37-56-05.074N 075-51-25.202W	FI R 2.5s		3	TR on pile.	
22695	Broad Creek Channel Light 12	37-56-05.074N 075-51-25.202W	FI R 2.5s		3	TR on pile.	

22700	Broad Creek Channel Buoy 13	37-56-19.866N 075-51-29.488W				Green can.
22700	Broad Creek Channel Buoy 13	37-56-19.866N 075-51-29.488W				Green can.
22705	Tangier Sound Buoy A	37-44-24.530N 076-02-40.815W				Yellow nun.
22705	Tangier Sound Buoy A	37-44-24.530N 076-02-40.815W				Yellow nun.
22710	Tangier Sound Buoy 1	37-46-09.747N 076-00-06.191W				Green can.
22710	Tangier Sound Buoy 1	37-46-09.747N 076-00-06.191W				Green can.
22715	Tangier Sound Light	37-47-16.876N 075-58-24.427W	Fl W 6s	30	7	NW on skeleton tower on multi-pile structure worded DANGER.
22715	Tangier Sound Light	37-47-16.876N 075-58-24.427W	Fl W 6s	30	7	NW on skeleton tower on multi-pile structure worded DANGER.
22720	Tangier Sound Buoy 3	37-49-54.784N 075-57-37.584W				Green can.
22720	Tangier Sound Buoy 3	37-49-54.784N 075-57-37.584W				Green can.
22725	Tangier Island West Channel Light 1W	37-49-51.480N 076-00-11.525W	Fl G 2.5s		4	SG on pile.
22725	Tangier Island West Channel Light 1W	37-49-51.480N 076-00-11.525W	Fl G 2.5s		4	SG on pile.
22730	Tangier Island West Channel Light 3	37-49-57.073N 075-59-54.237W	Fl G 4s		4	SG on pile.
22730	Tangier Island West Channel Light 3	37-49-57.073N 075-59-54.237W	Fl G 4s		4	SG on pile.
22735	Tangier Island West Channel Light 4	37-49-55.305N 075-59-53.221W	Fl R 4s	0	4	TR on pile.
22735	Tangier Island West Channel Light 4	37-49-55.305N 075-59-53.221W	Fl R 4s	0	4	TR on pile.
22740	Tangier Island East Channel Light 1E	37-50-24.014N 075-58-15.956W	Fl G 2.5s		4	SG on pile.
22740	Tangier Island East Channel Light 1E	37-50-24.014N 075-58-15.956W	Fl G 2.5s		4	SG on pile.
22745	Tangier Island East Channel Daybeacon 2	37-50-19.321N 075-58-26.536W				TR on pile.
22745	Tangier Island East Channel Daybeacon 2	37-50-19.321N 075-58-26.536W				TR on pile.
22750	Tangier Island East Channel Daybeacon 3	37-50-15.541N 075-58-29.759W				SG on pile.
22750	Tangier Island East Channel Daybeacon 3	37-50-15.541N 075-58-29.759W				SG on pile.
22755	Tangier Island East Channel Daybeacon 4	37-50-13.477N 075-58-37.167W				TR on pile.
22755	Tangier Island East Channel Daybeacon 4	37-50-13.477N 075-58-37.167W				TR on pile.
22760	Tangier Island East Channel Light 5	37-50-05.260N 075-58-47.767W	Fl G 4s		4	SG on pile.
22760	Tangier Island East Channel Light 5	37-50-05.260N 075-58-47.767W	Fl G 4s		4	SG on pile.
22765	Tangier Island East Channel Daybeacon 6	37-50-02.551N 075-58-55.161W				TR on pile.
22765	Tangier Island East Channel Daybeacon 6	37-50-02.551N 075-58-55.161W				TR on pile.
22770	Tangier Island East Channel Light 7	37-49-58.053N 075-59-00.553W	Fl G 4s		4	SG on pile.
22770	Tangier Island East Channel Light 7	37-49-58.053N 075-59-00.553W	Fl G 4s		4	SG on pile.
22775	Tangier Island East Channel Daybeacon 8	37-49-53.281N 075-59-10.883W				TR on pile.
22775	Tangier Island East Channel Daybeacon 8	37-49-53.281N 075-59-10.883W				TR on pile.
22780	Tangier Island East Channel Daybeacon 9	37-49-45.503N 075-59-21.178W				SG on pile.
22780	Tangier Island East Channel Daybeacon 9	37-49-45.503N 075-59-21.178W				SG on pile.
22785	Tangier Island East Channel Daybeacon 10	37-49-46.169N 075-59-22.291W				TR on pile.

22785	Tangier Island East Channel Daybeacon 10	37-49-46.169N 075-59-22.291W					TR on pile.
22790	Tangier Island East Channel Daybeacon 12	37-49-46.210N 075-59-27.635W					TR on pile.
22790	Tangier Island East Channel Daybeacon 12	37-49-46.210N 075-59-27.635W					TR on pile.
22795	Tangier Island East Channel Daybeacon 14	37-49-49.908N 075-59-37.824W					TR on pile.
22795	Tangier Island East Channel Daybeacon 14	37-49-49.908N 075-59-37.824W					TR on pile.
22800	Tangier Sound Lighted Buoy 5	37-51-05.843N 075-56-57.042W	FI G 6s		4	Green.	Replaced by can when endangered by ice.
22800	Tangier Sound Lighted Buoy 5	37-51-05.843N 075-56-57.042W	FI G 6s		4	Green.	Replaced by can when endangered by ice.
22805	Tangier Sound Lighted Buoy 6	37-54-25.480N 075-56-25.279W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
22805	Tangier Sound Lighted Buoy 6	37-54-25.480N 075-56-25.279W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
22815	Janes Island Light	37-57-48.189N 075-55-06.511W	FI W 4s	20	6	NB on skeleton tower on cylindrical base.	
22820	Little Annessex River Entrance Buoy 1	37-57-30.030N 075-54-46.015W					Green can.
22825	Little Annessex River Light 2	37-57-57.313N 075-54-04.812W	Q R		4		TR on pile.
22830	Little Annessex River Light 4	37-58-02.397N 075-53-26.801W	FI R 4s		0	4	TR on pile.
22835	Little Annessex River Daybeacon 5	37-58-01.986N 075-52-58.805W			0		SG on pile.
22837	Little Annessex River Warning Light A	37-57-59.552N 075-52-38.531W	Q W		0	4	NW on skeleton tower on piles worded DANGER.
22840	Little Annessex River Light 7	37-57-58.512N 075-52-37.674W	Q G		0	4	SG on pile.
22845	Little Annessex River Daybeacon 8	37-57-53.194N 075-52-35.624W					TR on pile.
22850	Broad Creek North Entrance Light 1	37-57-09.497N 075-51-55.175W	FI G 2.5s			4	SG on pile.
22855	Little Annessex River Daybeacon 9	37-58-21.979N 075-52-04.747W					SG on pile.
22860	Jenkins Creek Daybeacon 1	37-57-24.165N 075-51-45.145W					SG on pile.
22860	Jenkins Creek Daybeacon 1	37-57-24.165N 075-51-45.145W					SG on pile.
22865	Jenkins Creek Daybeacon 3	37-57-31.719N 075-51-33.727W					SG on pile.
22865	Jenkins Creek Daybeacon 3	37-57-31.719N 075-51-33.727W					SG on pile.
22870	Jenkins Creek Daybeacon 4	37-57-31.351N 075-51-20.671W					TR on pile.
22870	Jenkins Creek Daybeacon 4	37-57-31.351N 075-51-20.671W					TR on pile.
22875	Jenkins Creek Daybeacon 6	37-57-38.897N 075-51-09.507W					TR on pile.
22875	Jenkins Creek Daybeacon 6	37-57-38.897N 075-51-09.507W					TR on pile.
22880	Jenkins Creek Daybeacon 7	37-57-45.405N 075-51-05.478W					SG on pile.
22880	Jenkins Creek Daybeacon 7	37-57-45.405N 075-51-05.478W					SG on pile.
22885	Jenkins Creek Daybeacon 9	37-57-50.616N 075-50-53.793W					SG on pile.
22885	Jenkins Creek Daybeacon 9	37-57-50.616N 075-50-53.793W					SG on pile.
22890	Little Annessex River Light 10	37-58-20.346N 075-52-00.918W	FI R 4s			3	TR on pile.
22895	Little Annessex River Light 11	37-58-32.190N 075-51-57.930W	FI G 2.5s			3	SG on pile.
22900	Little Annessex River Daybeacon 11A	37-58-54.064N 075-51-54.271W			0		SG on pile.
22905	Crisfield Harbor Junction Light CH	37-59-01.458N 075-51-48.459W	FI (2+1)R 6s			3	JR on pile.

22915	Little Annessex River Light 13	37-59-24.675N 075-51-40.962W	Fl G 4s	3	SG on pile.	
22920	Brick Kiln Channel Daybeacon 2	37-59-28.236N 075-51-36.209W			TR on pile.	
22925	Brick Kiln Channel Light 3	37-59-23.135N 075-51-15.686W	Fl G 4s	3	SG on pile.	
22930	Little Annessex River Buoy 14	37-59-37.558N 075-51-27.794W			Red nun.	
22935	Little Annessex River Light 16	37-59-49.806N 075-51-17.565W	Fl R 4s	3	TR on pile.	
22940	Little Annessex River Light 18	38-00-07.742N 075-51-09.740W	Fl R 6s	3	TR on pile.	
22945	Ward Creek Daybeacon 1	38-00-40.245N 075-51-43.883W			SG on pile.	
22950	Ward Creek Daybeacon 2	38-00-41.407N 075-51-44.858W			TR on pile.	
22955	Ward Creek Daybeacon 3	38-00-45.446N 075-51-53.203W			SG on pile.	
22960	Ward Creek Daybeacon 4	38-00-50.372N 075-52-00.962W			TR on pile.	
22965	Ward Creek Daybeacon 5	38-00-54.613N 075-52-09.654W			SG on pile.	
22970	Ward Creek Daybeacon 6	38-00-55.404N 075-52-09.458W			TR on pile.	
22990	Rhodes Point Gut Channel Buoy 1	37-58-07.800N 076-01-35.204W			Green can.	Removed when endangered by ice.
22990	Rhodes Point Gut Channel Buoy 1	37-58-07.800N 076-01-35.204W			Green can.	Removed when endangered by ice.
22995	Rhodes Point Gut Channel Daybeacon 2	37-58-10.034N 076-01-43.128W			TR on pile.	
22995	Rhodes Point Gut Channel Daybeacon 2	37-58-10.034N 076-01-43.128W			TR on pile.	
23000	Rhodes Point Gut Channel Buoy 3	37-58-11.559N 076-01-52.469W			Green can.	Removed when endangered by ice.
23003	Rhodes Point Gut Channel Buoy 4	37-58-12.386N 076-02-25.962W			Red nun.	Removed when endangered by ice.
23005	Rhodes Point Gut Channel Buoy 5	37-58-12.839N 076-02-27.898W			Green can.	Removed when endangered by ice.
23005	Rhodes Point Gut Channel Buoy 5	37-58-12.839N 076-02-27.898W			Green can.	Removed when endangered by ice.
23010	Rhodes Point Gut Channel Buoy 7	37-58-19.278N 076-02-30.495W			Green can.	Removed when endangered by ice.
23010	Rhodes Point Gut Channel Buoy 7	37-58-19.278N 076-02-30.495W			Green can.	Removed when endangered by ice.
23012	Big Thorofare Channel Light 1T	37-57-54.229N 075-58-40.050W	Fl G 2.5s	0	5	SG on pile.
23015	Big Thorofare Channel Warning Daybeacon A	37-58-23.639N 075-58-45.722W				NW on pile worded DANGER.
23015	Big Thorofare Channel Warning Daybeacon A	37-58-23.639N 075-58-45.722W				NW on pile worded DANGER.
23020	Big Thorofare Channel Warning Daybeacon B	37-58-15.721N 075-59-00.654W				NW on pile worded DANGER.
23020	Big Thorofare Channel Warning Daybeacon B	37-58-15.721N 075-59-00.654W				NW on pile worded DANGER.
23025	Big Thorofare Channel Light 3	37-58-05.825N 075-59-16.345W	Fl G 4s	3	SG on pile.	
23025	Big Thorofare Channel Light 3	37-58-05.825N 075-59-16.345W	Fl G 4s	3	SG on pile.	
23030	Big Thorofare Channel Daybeacon 4	37-58-07.784N 075-59-16.254W				TR on pile.
23030	Big Thorofare Channel Daybeacon 4	37-58-07.784N 075-59-16.254W				TR on pile.
23035	Big Thorofare Channel Daybeacon 8	37-58-03.956N 075-59-29.568W				TR on pile.
23035	Big Thorofare Channel Daybeacon 8	37-58-03.956N 075-59-29.568W				TR on pile.
23037	Big Thorofare Channel Daybeacon 9	37-58-02.284N 075-59-31.796W				SG on pile.
23038	Big Thorofare Channel Daybeacon 10	37-58-03.869N 075-59-35.369W				TR on pile.

23043	Big Thorofare Channel Daybeacon 12	37-58-06.701N 075-59-46.803W				TR on pile.
23050	Big Thorofare Channel Daybeacon 14	37-58-09.144N 075-59-51.572W		0		TR on pile.
23050	Big Thorofare Channel Daybeacon 14	37-58-09.144N 075-59-51.572W		0		TR on pile.
23055	Big Thorofare Channel Daybeacon 15	37-58-17.372N 076-00-01.290W				SG on pile.
23055	Big Thorofare Channel Daybeacon 15	37-58-17.372N 076-00-01.290W				SG on pile.
23060	Big Thorofare Channel Daybeacon 16	37-58-26.444N 076-00-07.713W				TR on pile.
23060	Big Thorofare Channel Daybeacon 16	37-58-26.444N 076-00-07.713W				TR on pile.
23065	Big Thorofare Channel Daybeacon 17	37-58-34.190N 076-00-12.486W				SG on pile.
23065	Big Thorofare Channel Daybeacon 17	37-58-34.190N 076-00-12.486W				SG on pile.
23070	Big Thorofare Channel Daybeacon 19	37-58-38.672N 076-00-16.464W				SG on pile.
23075	Big Thorofare Channel Daybeacon 20	37-58-46.031N 076-00-25.683W				TR on pile.
23077	Big Thorofare Channel Daybeacon 20A	37-58-55.626N 076-00-32.091W				TR on pile.
23080	Big Thorofare Channel Buoy 21	37-59-06.154N 076-00-37.475W				Green can.
23085	Big Thorofare Channel Light 23	37-59-11.562N 076-00-37.516W	Fl G 4s		3	SG on pile.
23090	Big Thorofare Channel Daybeacon 25	37-59-17.703N 076-00-35.546W				SG on pile.
23095	Big Thorofare Channel Buoy 27	37-59-22.458N 076-00-37.104W				Green can.
23100	Big Thorofare Channel Daybeacon 29	37-59-28.322N 076-00-42.625W				SG on pile.
23105	Big Thorofare Channel Light 31	37-59-31.630N 076-00-50.362W	Fl G 2.5s		3	SG on pile.
23110	Big Thorofare Channel Daybeacon 33	37-59-37.488N 076-01-03.671W				SG on pile.
23115	Big Thorofare Channel Light 35	37-59-48.348N 076-01-17.251W	Fl G 4s	0	4	SG on pile.
23120	Big Thorofare Channel Light 37	37-59-49.208N 076-01-34.191W	Fl G 2.5s	0	4	SG on pile.
23125	Tyler Creek Channel Daybeacon 1	37-59-26.818N 076-01-03.189W				SG on pile.
23125	Tyler Creek Channel Daybeacon 1	37-59-26.818N 076-01-03.189W				SG on pile.
23130	Tyler Creek Channel Light 3	37-59-20.889N 076-01-07.935W	Fl G 4s		4	SG on pile.
23135	Tyler Creek Channel Daybeacon 5	37-59-12.813N 076-01-09.231W				SG on pile.
23135	Tyler Creek Channel Daybeacon 5	37-59-12.813N 076-01-09.231W				SG on pile.
23140	Tyler Creek Channel Daybeacon 7	37-59-03.531N 076-01-09.393W				SG on pile.
23140	Tyler Creek Channel Daybeacon 7	37-59-03.531N 076-01-09.393W				SG on pile.
23145	Tyler Creek Channel Daybeacon 9	37-58-54.181N 076-01-09.350W				SG on pile.
23145	Tyler Creek Channel Daybeacon 9	37-58-54.181N 076-01-09.350W				SG on pile.
23150	Tyler Creek Channel Light 11	37-58-36.489N 076-01-10.610W	Fl G 6s	0	3	SG on pile.
23150	Tyler Creek Channel Light 11	37-58-36.489N 076-01-10.610W	Fl G 6s	0	3	SG on pile.
23155	Tylerton Harbor Daybeacon 2	37-58-10.507N 076-01-20.919W				TR on pile.
23155	Tylerton Harbor Daybeacon 2	37-58-10.507N 076-01-20.919W				TR on pile.
23160	Tyler Creek Channel Buoy 13	37-58-20.422N 076-01-20.562W				Green can. Removed when endangered by ice.

23165	Tyler Creek Channel Daybeacon 14	37-58-17.991N 076-01-23.559W				TR on pile.
23165	Tyler Creek Channel Daybeacon 14	37-58-17.991N 076-01-23.559W				TR on pile.
23170	Tyler Creek Channel Daybeacon 15	37-58-12.697N 076-01-24.409W				SG on pile.
23170	Tyler Creek Channel Daybeacon 15	37-58-12.697N 076-01-24.409W				SG on pile.
23175	Sheep Pen Gut Warning Daybeacon A	37-58-16.663N 076-03-34.995W				NW on pile worded DANGER SHOAL.
23180	Sheep Pen Gut Warning Daybeacon B	37-58-31.909N 076-03-00.663W				NW on pile worded DANGER SHOAL.
23185	Sheep Pen Gut Warning Daybeacon C	37-58-42.473N 076-02-52.810W				NW on pile worded DANGER SHOAL.
23190	Big Thorofare West Approach Buoy BT	37-59-54.817N 076-05-07.879W				Red and white stripes; nun.
23190	Big Thorofare West Approach Buoy BT	37-59-54.817N 076-05-07.879W				Red and white stripes; nun.
23195	Smith Island West Side Warning Daybeacon	37-59-02.115N 076-03-05.981W				NW on pile worded DANGER SHOAL.
23195	Smith Island West Side Warning Daybeacon	37-59-02.115N 076-03-05.981W				NW on pile worded DANGER SHOAL.
23200	Big Thorofare West Light 1W	38-00-00.327N 076-03-22.189W	FI G 4s	4		SG on multi-pile structure.
23200	Big Thorofare West Light 1W	38-00-00.327N 076-03-22.189W	FI G 4s	4		SG on multi-pile structure.
23205	Big Thorofare West Wreck Light WR2	37-59-57.889N 076-03-21.618W	Q R	0	4	TR on pile.
23205	Big Thorofare West Wreck Light WR2	37-59-57.889N 076-03-21.618W	Q R	0	4	TR on pile.
23210	Big Thorofare West Daybeacon 2A	38-00-02.562N 076-03-06.593W				TR on pile.
23210	Big Thorofare West Daybeacon 2A	38-00-02.562N 076-03-06.593W				TR on pile.
23213	Big Thorofare West Buoy 3	38-00-03.772N 076-03-03.185W				Green can. Removed when endangered by ice.
23215	Big Thorofare West Daybeacon 3A	38-00-05.510N 076-02-59.390W				SG on pile.
23215	Big Thorofare West Daybeacon 3A	38-00-05.510N 076-02-59.390W				SG on pile.
23220	Big Thorofare West Warning Light A	38-00-05.316N 076-02-54.208W	FI W 2.5s	0	3	NW on pile worded DANGER SHOAL.
23220	Big Thorofare West Warning Light A	38-00-05.316N 076-02-54.208W	FI W 2.5s	0	3	NW on pile worded DANGER SHOAL.
23223	Big Thorofare West Buoy 4	38-00-05.448N 076-02-56.176W				Red nun. Removed when endangered by ice.
23225	Big Thorofare West Daybeacon 6	38-00-13.118N 076-02-34.156W		0		TR on pile.
23225	Big Thorofare West Daybeacon 6	38-00-13.118N 076-02-34.156W		0		TR on pile.
23230	Big Thorofare West Daybeacon 8	38-00-14.655N 076-02-26.494W				TR on pile.
23230	Big Thorofare West Daybeacon 8	38-00-14.655N 076-02-26.494W				TR on pile.
23235	Big Thorofare West Light 9	38-00-18.200N 076-02-21.427W	FI G 2.5s	0	4	SG on pile.
23235	Big Thorofare West Light 9	38-00-18.200N 076-02-21.427W	FI G 2.5s	0	4	SG on pile.
23240	Big Thorofare West Daybeacon 10	38-00-15.879N 076-02-20.800W		0		TR on pile.
23240	Big Thorofare West Daybeacon 10	38-00-15.879N 076-02-20.800W		0		TR on pile.
23245	Big Thorofare West Daybeacon 12	38-00-13.635N 076-02-18.934W				TR on pile.
23245	Big Thorofare West Daybeacon 12	38-00-13.635N 076-02-18.934W				TR on pile.
23250	Big Thorofare West Daybeacon 13	38-00-14.865N 076-02-17.955W		0		SG on pile.
23250	Big Thorofare West Daybeacon 13	38-00-14.865N 076-02-17.955W		0		SG on pile.

23255	Big Thorofare West Daybeacon 14	38-00-06.417N 076-02-15.586W			TR on pile.
23255	Big Thorofare West Daybeacon 14	38-00-06.417N 076-02-15.586W			TR on pile.
23260	Big Thorofare West Lighted Buoy 15	37-59-54.447N 076-02-07.708W	Q G	4	Green.
23263	Big Thorofare West Buoy 16	37-59-53.404N 076-02-07.860W			Red nun.
23263	Big Thorofare West Buoy 16	37-59-53.404N 076-02-07.860W			Red nun.
23265	Big Thorofare West Daybeacon 18	37-59-48.555N 076-02-01.159W		0	TR on pile.
23265	Big Thorofare West Daybeacon 18	37-59-48.555N 076-02-01.159W		0	TR on pile.
23270	Tangier Sound Lighted Buoy 8	37-57-55.477N 075-55-46.776W	FI R 2.5s	4	Red.
23275	Tangier Sound Lighted Buoy 9	38-00-00.975N 075-54-56.773W	Q G	4	Green.
23280	Big Annessex River Light 1BA	38-03-09.687N 075-52-09.399W	FI G 2.5s	4	SG on pile.
23280	Big Annessex River Light 1BA	38-03-09.687N 075-52-09.399W	FI G 2.5s	4	SG on pile.
23285	Big Annessex River Daybeacon 2	38-02-41.318N 075-51-26.500W			TR on pile.
23285	Big Annessex River Daybeacon 2	38-02-41.318N 075-51-26.500W			TR on pile.
23290	Big Annessex River Daybeacon 4	38-03-19.851N 075-49-32.103W			TR on pile.
23290	Big Annessex River Daybeacon 4	38-03-19.851N 075-49-32.103W			TR on pile.
23295	Big Annessex River Daybeacon 5	38-03-18.577N 075-48-54.292W			SG on pile.
23295	Big Annessex River Daybeacon 5	38-03-18.577N 075-48-54.292W			SG on pile.
23300	Big Annessex River Light 6	38-03-22.124N 075-48-16.456W	FI R 4s	4	TR on pile.
23300	Big Annessex River Light 6	38-03-22.124N 075-48-16.456W	FI R 4s	4	TR on pile.
23305	Jones Creek Daybeacon 1	38-02-06.402N 075-50-24.286W			
23310	Jones Creek Daybeacon 3	38-02-11.413N 075-50-13.615W			
23320	Jones Creek Daybeacon 5	38-02-03.134N 075-49-55.902W			
23325	Jones Creek Daybeacon 7	38-01-59.652N 075-49-39.544W			
23330	Jones Creek Daybeacon 9	38-01-50.574N 075-49-31.008W			
23335	Jones Creek Buoy 11	38-01-44.850N 075-49-30.983W			
23340	Jones Creek Buoy 12	38-01-43.959N 075-49-26.606W			Red nun.
23345	Jones Creek Daybeacon 14	38-01-39.822N 075-49-17.917W			
23350	Jones Creek Daybeacon 15	38-01-34.898N 075-49-21.223W			
23355	Jones Creek Daybeacon 16	38-01-26.908N 075-49-15.644W			
23360	Daugherty Creek Channel Light 1	38-02-14.834N 075-50-33.484W	FI G 4s	4	SG on pile.
23360	Daugherty Creek Channel Light 1	38-02-14.834N 075-50-33.484W	FI G 4s	4	SG on pile.
23365	Daugherty Creek Channel Daybeacon 3	38-01-50.932N 075-50-35.972W			SG on pile.
23365	Daugherty Creek Channel Daybeacon 3	38-01-50.932N 075-50-35.972W			SG on pile.
23370	Daugherty Creek Channel Lighted Buoy 5	38-01-32.314N 075-50-24.151W	Q G	4	Green.
23370	Daugherty Creek Channel Lighted Buoy 5	38-01-32.314N 075-50-24.151W	Q G	4	Green.

23375	Manokin River Junction Lighted Buoy MR	38-02-14.889N 075-55-26.249W	Fl (2+1)R 6s	5		Red and green bands.	
23380	Manokin River Light 2MR	38-04-11.156N 075-53-20.191W	Fl R 2.5s	4		TR on pile.	
23390	Manokin River Light 4	38-05-54.020N 075-52-52.753W	Q R	0	4	TR on pile.	
23395	Goose Creek Channel Entrance Lighted Buoy 1	38-05-40.472N 075-52-19.131W	Fl G 2.5s	4		Green.	Maintained from Mar. 15 to Dec. 1.
23400	Goose Creek Channel Daybeacon 2	38-05-33.501N 075-52-01.749W				TR on pile.	
23400	Goose Creek Channel Daybeacon 2	38-05-33.501N 075-52-01.749W				TR on pile.	
23405	Goose Creek Channel Daybeacon 4	38-05-26.965N 075-51-45.719W				TR on pile.	
23405	Goose Creek Channel Daybeacon 4	38-05-26.965N 075-51-45.719W				TR on pile.	
23410	Goose Creek Channel Lighted Wreck Buoy WR6	38-05-34.224N 075-51-35.560W	Q R		3	Red.	
23415	Manokin River Channel Light 5	38-07-21.106N 075-50-59.635W	Fl G 2.5s	0	4	SG on pile.	
23420	Manokin River Channel Daybeacon 6	38-07-50.180N 075-50-28.512W			0	TR on pile.	
23423	Manokin River Channel Light 7	38-08-28.239N 075-49-53.375W	Fl G 4s		4		
23425	Manokin River Channel Daybeacon 8	38-08-12.160N 075-48-47.828W			0	TR on pile.	
23430	Manokin River Channel Daybeacon 9	38-08-15.843N 075-48-12.863W				SG on pile.	
23440	St. Peters Creek Warning Daybeacon A	38-08-47.172N 075-49-12.963W				NW on pile worded DANGER SHOAL.	
23445	St. Peters Creek Warning Daybeacon B	38-08-50.022N 075-49-07.185W				NW on pile worded DANGER SHOAL.	
23450	St. Peters Creek Warning Daybeacon C	38-09-04.236N 075-48-50.977W				NW on pile worded DANGER SHOAL.	
23455	St. Peters Creek Warning Daybeacon D	38-09-13.464N 075-48-48.269W				NW on pile worded DANGER SHOAL.	
23460	Fog Point Light	38-02-11.652N 076-02-37.048W	Fl W 2.5s	0	4	NB on pile.	
23465	Kedges Straits Buoy 2	38-03-12.876N 076-03-21.280W				Red nun.	
23470	Kedges Straits Buoy 4	38-03-28.475N 076-01-59.984W				Red nun.	
23475	Solomons Lump Light	38-02-53.051N 076-00-54.077W	Fl W 6s		8	Brown octagonal dwelling with white square tower on brown cylindrical base.	Red from 086° to 111° and from 288° to 294°. Obscured from 331.5° to 039°.
23480	Kedges Straits Buoy 5	38-02-58.774N 075-59-38.378W				Green can.	
23485	Tangier Sound Lighted Buoy 10	38-03-06.974N 075-56-49.775W	Fl R 2.5s	4		Red.	
23490	Tangier Sound Lighted Buoy 12	38-06-19.474N 075-58-19.778W	Fl R 4s	4		Red.	
23495	Lower Thorofare Channel Light 2LT	38-07-21.851N 075-57-18.966W	Fl R 4s	4		TR on pile.	
23500	Lower Thorofare Channel Light 4	38-07-31.226N 075-56-49.267W	Q R	4		TR on multi-pile structure.	
23505	Lower Thorofare Channel Daybeacon 5	38-07-32.510N 075-56-50.113W				SG on pile.	
23510	Lower Thorofare Channel Daybeacon 6	38-07-39.935N 075-56-47.728W				TR on pile.	
23520	Tangier Sound Buoy 14	38-08-24.474N 075-58-18.777W				Red nun.	
23550	Haines Point Warning Light	38-10-19.359N 075-57-52.418W	Fl W 4s	4		NW on pile worded DANGER SHOAL.	
23555	Haines Point Obstruction Buoy HP	38-10-20.824N 075-57-51.099W				White can with orange bands and diamond.	Removed when endangered by ice.
23560	Upper Thorofare Channel Light 1UT	38-10-12.244N 075-57-20.853W	Fl G 2.5s	4		SG on pile.	
23565	Upper Thorofare Channel Light 4	38-10-11.902N 075-56-59.793W	Fl R 6s	4		TR on pile.	
23570	Upper Thorofare Channel Daybeacon 6	38-10-10.857N 075-56-55.256W				TR on pile.	

23585	Tangier Sound Lighted Buoy 16	38-11-18.673N 075-58-25.279W	Fl R 6s	5	Red.	
23595	Sharkfin Shoal Warning Light	38-12-09.325N 075-59-12.509W	Fl W 4s	0	7	NW on pile worded Danger. Marks submerged rock.
23595	Sharkfin Shoal Warning Light	38-12-09.325N 075-59-12.509W	Fl W 4s	0	7	NW on pile worded Danger. Marks submerged rock.
23600	Hooper Strait Approach Lighted Buoy 1	38-12-17.174N 076-09-20.301W	Fl G 4s	5	Green.	Replaced by can when endangered by ice.
23605	Okahanikan Point Light	38-11-41.769N 076-05-34.798W	Fl Y 6s	5	On concrete pile.	
23610	Hooper Strait Channel Buoy 2	38-13-14.274N 076-06-10.795W				Red nun.
23615	Hooper Strait Light	38-13-36.327N 076-04-31.908W	Fl W 6s	28	8	NB on skeleton tower. Higher intensity beam toward Hooper Strait. Red from 083° to 100°.
23620	Hooper Strait Channel Light 4	38-13-02.287N 076-03-43.594W	Fl R 2.5s	4	TR on multi-pile structure.	
23625	Hooper Strait Channel Buoy 6	38-12-57.473N 076-03-01.788W				Red nun.
23627	Hooper Strait Channel Buoy 7	38-12-23.907N 076-02-09.370W				Green can.
23630	Hooper Strait Channel Lighted Buoy 7A	38-12-09.130N 076-01-34.322W	Fl G 2.5s	4	Green.	
23640	Hooper Strait Channel Light 8	38-12-18.192N 076-00-53.806W	Fl R 2.5s	4	TR on multipile structure.	
23643	Hooper Strait Channel Light 10	38-12-47.116N 076-00-18.016W	Fl R 4s	4	TR on multi-pile structure.	
23655	Hooper Strait Channel Buoy 12	38-12-43.176N 075-59-31.083W				Red nun.
23660	Hooper Strait Channel Lighted Buoy 14	38-12-37.719N 075-58-50.277W	Fl R 2.5s	4	Red.	
23670	Dorchester/Somerset County Line Buoy DD	38-13-52.242N 075-57-54.662W				White can with orange bands and diamond worded DOR-SOM COUNTY RANGE LINE.
23673	Clay Island Shoal Lighted Wreck Buoy WR1	38-12-43.217N 075-57-25.204W	Q G	4	Green.	
23675	Wicomico River Junction Buoy WN	38-12-26.732N 075-56-43.405W				Green and red bands; can.
23680	Wicomico River Channel Lighted Buoy 1	38-12-20.772N 075-55-55.274W	Fl G 4s	5	Green.	
23685	Wicomico River Channel Buoy 2	38-12-42.791N 075-54-41.275W				Red nun.
23690	Wicomico River Channel Lighted Buoy 4	38-12-49.422N 075-53-56.910W	Fl R 6s	4	Red.	
23695	Wicomico River Channel Buoy 5	38-12-47.971N 075-53-05.770W				Green can.
23700	Great Shoals Light	38-12-51.536N 075-52-46.005W	Fl W 6s	25	7	NW worded DANGER on white skeleton tower on piles.
23705	Dames Quarter Creek Channel Buoy 2	38-12-13.241N 075-52-45.454W				Red nun.
23710	Dames Quarter Creek Channel Buoy 3	38-12-05.041N 075-52-51.655W				Green can.
23715	Dames Quarter Creek Channel Buoy 4	38-11-56.569N 075-52-59.688W				Red nun.
23720	Dames Quarter Creek Channel Buoy 5	38-11-41.341N 075-52-56.555W				Green can.
23725	Dames Quarter Creek Channel Daybeacon 6	38-11-39.041N 075-53-00.955W				TR on pile.
23730	Wicomico River Channel Buoy 7	38-12-48.471N 075-52-45.769W				Green can.
23735	Wicomico River Channel Buoy 7A	38-12-53.017N 075-52-40.036W				Green can.
23740	Wicomico River Channel Buoy 8	38-12-53.306N 075-52-35.179W				Red nun.
23745	Wicomico River Channel Buoy 9	38-13-13.737N 075-52-22.855W				Green can.
23750	Wicomico River Channel Light 10	38-13-13.094N 075-52-17.322W	Fl R 4s	4	TR on pile.	
23755	Wicomico River Channel Buoy 11	38-13-48.670N 075-52-22.568W				Green can.
23760	Wicomico River Channel Light 12	38-13-48.382N 075-52-19.094W	Fl R 2.5s	0	4	TR on pile.

23767	Wicomico River Channel Light 14	38-14-00.551N 075-52-10.336W	FI R 4s	4	TR on pile.
23770	Wicomico River Channel Buoy 15	38-14-24.170N 075-51-30.567W			Green can.
23775	Wicomico River Channel Light 15A	38-14-34.617N 075-51-11.469W	FI G 4s	4	SG on pile.
23780	Wicomico River Channel Light 16	38-14-31.886N 075-51-00.167W	FI R 4s	0	4 TR on pile.
23785	Wicomico River Channel Light 17	38-15-09.850N 075-50-48.717W	FI G 4s	4	SG on pile.
23790	Wicomico River Channel Light 18	38-15-15.930N 075-50-31.868W	FI R 4s	4	TR on pile.
23795	Webster Cove Channel Buoy 1	38-15-08.186N 075-50-04.432W			Green can.
23800	Webster Cove Channel Daybeacon 3	38-14-57.200N 075-49-51.603W			SG on pile.
23805	Wicomico River Channel Daybeacon 19	38-15-23.114N 075-50-21.604W			SG on pile.
23810	Wicomico River Channel Daybeacon 21	38-15-28.690N 075-49-40.759W			SG on pile.
23815	Wicomico River Channel Daybeacon 22	38-15-25.968N 075-49-31.753W		0	TR on pile.
23820	Wicomico River Channel Light 23	38-15-30.378N 075-49-23.057W	FI G 4s	4	SG on pile.
23825	Wicomico River Channel Daybeacon 24	38-15-15.145N 075-48-58.850W			TR on pile.
23830	Wicomico River Channel Light 25	38-15-18.037N 075-48-23.951W	FI G 2.5s	4	SG on pile.
23835	Wicomico River Channel Light 26	38-15-13.721N 075-48-11.874W	FI R 4s	4	TR on pile.
23840	Wicomico River Channel Light 27	38-16-00.207N 075-47-45.674W	FI G 2.5s	4	SG on pile.
23845	Wicomico River Channel Light 28	38-16-06.428N 075-46-37.592W	FI R 6s	4	TR on pile.
23850	Wicomico River Channel Light 29	38-17-12.871N 075-46-06.204W	FI G 4s	4	SG on pile.
23865	Wicomico Creek Daybeacon 2	38-17-13.014N 075-45-48.511W			TR on pile.
23870	Wicomico Creek Daybeacon 3	38-17-14.164N 075-45-41.169W			SG on pile.
23875	Wicomico River Channel Daybeacon 30	38-17-39.316N 075-45-30.219W			TR on pile.
23880	Wicomico River Channel Light 32	38-18-18.876N 075-45-43.630W	FI R 2.5s	4	TR on pile.
23885	Wicomico River Channel Daybeacon 33	38-18-47.165N 075-45-03.040W			SG on pile.
23890	Wicomico River Channel Light 35	38-19-18.036N 075-44-46.457W	FI G 2.5s	4	SG on pile.
23895	Wicomico River Channel Light 37	38-19-21.740N 075-44-10.347W	FI G 4s	4	SG on pile.
23900	Wicomico River Channel Light 38	38-19-48.128N 075-44-06.855W	FI R 4s	4	TR on pile.
23905	Wicomico River Channel Light 39	38-20-24.927N 075-42-46.001W	FI G 4s	4	SG on pile.
23910	Wicomico River Channel Daybeacon 41	38-20-40.126N 075-42-23.690W			SG on pile.
23915	Wicomico River Channel Light 43	38-20-25.024N 075-41-58.915W	FI G 2.5s	4	SG on multi-pile structure.
23920	Wicomico River Channel Light 45	38-20-22.653N 075-40-11.707W	FI G 4s	4	SG on pile.
23925	Wicomico River Channel Daybeacon 46	38-20-19.660N 075-40-10.384W			TR on pile.
23930	Wicomico River Channel Light 47	38-20-26.955N 075-39-18.783W	FI G 2.5s	4	SG on pile.
23935	Wicomico River Channel Light 49	38-20-34.595N 075-38-48.743W	FI G 4s	4	SG on pile.
23940	Wicomico River Channel Daybeacon 50	38-20-31.591N 075-38-45.383W		0	TR on pile.
23945	Wicomico River Channel Light 51	38-20-27.762N 075-38-29.703W	FI G 2.5s	4	SG on pile.

23950	Wicomico River Channel Light 53	38-20-29.767N 075-38-07.491W	FI G 4s	4		SG on pile.
23955	Wicomico River Channel Light 55	38-20-49.580N 075-37-52.194W	FI G 6s	4		SG on pile.
23960	Wicomico River Channel Light 57	38-21-00.036N 075-37-17.403W	FI G 2.5s	4		SG on pile.
23965	Nanticoke River Entrance Light 1N	38-13-04.519N 075-56-33.669W	FI G 2.5s	0	4	SG on pile.
23970	Nanticoke River Channel Daybeacon 4	38-14-08.528N 075-55-34.370W				TR on pile.
23975	Nanticoke River Channel Light 5	38-14-41.805N 075-55-47.346W	FI G 4s	0	4	SG on pile.
23980	Nanticoke River Channel Light 6	38-15-50.400N 075-55-24.491W	Q R	0	4	TR on pile.
23983	Nanticoke River Channel Warning Daybeacon	38-15-51.186N 075-55-23.805W				NW on pile worded DANGER SHOAL.
23985	Nanticoke Cut Daybeacon 2NC	38-16-16.103N 075-55-14.801W				TR on pile.
23985	Nanticoke Cut Daybeacon 2NC	38-16-16.103N 075-55-14.801W				TR on pile.
23990	Nanticoke Cut Light 3	38-16-14.266N 075-54-46.323W	FI G 4s	4		SG on pile.
23995	Nanticoke Cut Light 4	38-16-12.165N 075-54-48.904W	FI R 4s	4		TR on pile.
24000	Nanticoke River Junction Light B	38-17-05.992N 075-55-15.263W	FI (2+1)R 6s	4		JR on multi-pile structure.
24005	Nanticoke River Channel Light 7	38-17-41.208N 075-55-54.630W	FI G 6s	0	4	SG on pile.
24010	Nanticoke River Daybeacon 8	38-18-10.100N 075-55-34.160W				TR on pile.
24010	Nanticoke River Daybeacon 8	38-18-10.100N 075-55-34.160W				TR on pile.
24020	Nanticoke River Channel Light 9	38-18-39.899N 075-55-26.961W	FI G 4s	4		SG on pile.
24025	Nanticoke River Channel Light 9A	38-19-25.465N 075-54-39.931W	FI G 4s	0	4	SG on pile.
24030	Nanticoke River Daybeacon 10	38-19-58.898N 075-53-49.152W				TR on pile.
24030	Nanticoke River Daybeacon 10	38-19-58.898N 075-53-49.152W				TR on pile.
24035	Nanticoke River East Channel Buoy 2	38-17-25.181N 075-55-04.535W				Red nun.
24040	Nanticoke River East Channel Buoy 4	38-18-07.081N 075-54-15.388W				Red nun.
24045	Bivalve Channel Light 1B	38-18-44.524N 075-53-47.121W	FI G 6s	0	4	SG on pile.
24050	Bivalve Channel Daybeacon 2	38-18-40.808N 075-53-36.855W				TR on pile.
24055	Bivalve Channel Daybeacon 3	38-18-41.626N 075-53-36.429W				SG on pile.
24060	Bivalve Channel Light 5	38-18-39.434N 075-53-29.074W	FI G 4s	4		SG on multi-pile structure.
24065	Nanticoke River Channel Light 11	38-20-29.909N 075-53-21.236W	FI G 4s	4		SG on multi-pile structure.
24070	Nanticoke River Channel Daybeacon 12	38-20-49.860N 075-51-53.685W				TR on pile.
24075	Nanticoke River Channel Light 14	38-21-23.509N 075-51-20.021W	FI R 4s	4		TR on pile.
24080	Nanticoke River Channel Light 15	38-22-47.847N 075-51-58.759W	FI G 4s	4		SG on pile.
24085	Nanticoke River Channel Daybeacon 16	38-22-59.427N 075-51-18.203W		0		TR on pile.
24090	Nanticoke River Channel Daybeacon 17	38-23-13.148N 075-50-33.169W				SG on pile.
24095	Nanticoke River Channel Light 18	38-23-12.380N 075-50-15.706W	FI R 4s	4		TR on pile.
24100	Nanticoke River Channel Light 20	38-24-12.297N 075-50-57.078W	FI R 4s	4		TR on multi-pile structure.
24105	Nanticoke River Channel Light WR22	38-25-18.286N 075-50-37.068W	Q R	4		TR on pile.

24110	Nanticoke River Channel Light 23	38-25-27.301N 075-49-40.633W	FI G 4s	0	4	SG on pile.
24115	Nanticoke River Channel Light 25	38-26-13.533N 075-49-24.095W	FI G 2.5s		4	SG on pile.
24120	Nanticoke River Channel Light 26	38-26-42.103N 075-50-04.175W	FI R 4s	0	4	TR on pile.
24125	Nanticoke River Channel Light 28	38-27-26.329N 075-49-54.731W	FI R 4s	0	4	TR on pile.
24130	Nanticoke River Channel Light 30	38-27-51.003N 075-48-51.651W	FI R 4s		4	TR on pile.
24135	Nanticoke River Channel Daybeacon 31	38-28-09.601N 075-49-04.996W				SG on pile.
24140	Nanticoke River Channel Light 32	38-28-42.375N 075-49-22.686W	FI R 4s		4	TR on pile.
24145	Nanticoke River Channel Light 34	38-29-27.165N 075-47-43.660W	FI R 4s		4	TR on pile.
24150	Nanticoke River Channel Light 35	38-30-13.401N 075-46-51.068W	FI G 4s		4	SG on pile.
24155	Nanticoke River Channel Light 36	38-30-31.806N 075-45-34.844W	FI R 4s		4	TR on pile.
24160	Nanticoke River Channel Light 38	38-31-37.316N 075-45-12.072W	FI R 4s	0	4	TR on pile.
24165	Nanticoke River Channel Light 39	38-32-18.618N 075-44-39.911W	FI G 4s		4	SG on pile.
24170	Nanticoke River Channel Daybeacon 41	38-32-19.557N 075-43-54.817W				SG on pile.
24175	Nanticoke River Channel Light 43	38-33-07.785N 075-42-44.933W	FI G 4s		4	SG on pile.
24180	Nanticoke River Channel Light 45	38-33-39.908N 075-42-16.564W	FI G 4s		4	SG on pile.
24185	Nanticoke River Channel Light 46	38-33-25.660N 075-41-33.686W	FI R 4s		4	TR on pile.
24190	Nanticoke River Channel Light 48	38-33-38.679N 075-41-16.253W	FI R 4s		4	TR on pile.
24195	Nanticoke River Channel Light 50	38-33-53.046N 075-40-57.513W	FI R 4s		4	TR on pile.
24200	Broad Creek Daybeacon 2	38-34-07.406N 075-40-26.803W				TR on pile.
24200	Broad Creek Daybeacon 2	38-34-07.406N 075-40-26.803W				TR on pile.
24205	Broad Creek Daybeacon 3	38-34-14.757N 075-39-20.295W				SG on pile.
24205	Broad Creek Daybeacon 3	38-34-14.757N 075-39-20.295W				SG on pile.
24210	Broad Creek Daybeacon 4	38-34-11.034N 075-38-58.219W				TR on pile.
24210	Broad Creek Daybeacon 4	38-34-11.034N 075-38-58.219W				TR on pile.
24215	Broad Creek Daybeacon 5	38-34-09.351N 075-38-49.905W				SG on pile.
24215	Broad Creek Daybeacon 5	38-34-09.351N 075-38-49.905W				SG on pile.
24220	Broad Creek Daybeacon 6	38-34-16.953N 075-38-37.773W				TR on pile.
24220	Broad Creek Daybeacon 6	38-34-16.953N 075-38-37.773W				TR on pile.
24225	Broad Creek Daybeacon 7	38-34-14.932N 075-38-28.131W				SG on pile.
24225	Broad Creek Daybeacon 7	38-34-14.932N 075-38-28.131W				SG on pile.
24230	Broad Creek Daybeacon 8	38-34-11.559N 075-38-23.031W				TR on pile.
24230	Broad Creek Daybeacon 8	38-34-11.559N 075-38-23.031W				TR on pile.
24235	Broad Creek Daybeacon 10	38-34-14.871N 075-38-15.065W				TR on pile.
24235	Broad Creek Daybeacon 10	38-34-14.871N 075-38-15.065W				TR on pile.
24240	Broad Creek Daybeacon 12	38-34-06.173N 075-37-45.569W				TR on pile.

24240	Broad Creek Daybeacon 12	38-34-06.173N 075-37-45.569W				TR on pile.
24245	Broad Creek Daybeacon 13	38-34-01.053N 075-37-47.983W				SG on pile.
24245	Broad Creek Daybeacon 13	38-34-01.053N 075-37-47.983W				SG on pile.
24250	Broad Creek Daybeacon 15	38-33-49.331N 075-37-44.647W				SG on pile.
24250	Broad Creek Daybeacon 15	38-33-49.331N 075-37-44.647W				SG on pile.
24255	Broad Creek Daybeacon 16	38-33-52.399N 075-37-31.743W				TR on pile.
24255	Broad Creek Daybeacon 16	38-33-52.399N 075-37-31.743W				TR on pile.
24275	Nanticoke River Channel Daybeacon 51	38-34-13.414N 075-40-36.214W		0		SG on pile.
24280	Nanticoke River Channel Light 52	38-34-19.401N 075-40-24.244W	FI R 4s		4	TR on pile.
24285	Nanticoke River Channel Daybeacon 53	38-34-28.812N 075-40-18.711W		0		SG on pile.
24290	Nanticoke River Channel Light 54	38-34-37.161N 075-40-09.497W	FI R 4s		4	TR on multi-pile structure.
24295	Nanticoke River Channel Light 56	38-35-05.002N 075-40-11.084W	FI R 4s		4	TR on pile.
24300	Nanticoke River Channel Light 57	38-35-18.378N 075-40-10.235W	FI G 4s	0	4	SG on multi-pile structure.
24305	Nanticoke River Channel Light 58	38-35-23.998N 075-39-38.997W	FI R 4s	0	4	TR on multi-pile structure.
24310	Nanticoke River Channel Daybeacon 59	38-35-50.240N 075-39-32.749W				SG on pile.
24315	Nanticoke River Channel Light 61	38-36-20.756N 075-39-07.191W	FI G 4s	0	4	SG on multi-pile structure.
24320	Nanticoke River Channel Light 62	38-36-27.357N 075-38-41.643W	FI R 4s		4	TR on pile.
24325	Nanticoke River Channel Light 63	38-36-44.446N 075-38-38.159W	FI G 4s		4	SG on pile.
24330	Nanticoke River Channel Light 65	38-36-51.837N 075-38-30.987W	Q G		4	SG on pile.
24335	Nanticoke River Channel Light 66	38-37-04.598N 075-37-51.932W	FI R 4s	0	4	TR on multi-pile structure.
24340	Nanticoke River Channel Daybeacon 67	38-37-14.660N 075-37-41.966W				SG on pile.
24345	Nanticoke River Channel Light 68	38-37-25.578N 075-37-24.687W	FI R 4s	0	4	TR on pile.
24350	Nanticoke River Channel Daybeacon 70	38-37-49.618N 075-37-06.337W				TR on pile.
24375	Fishing Bay Entrance Light 2FB	38-13-33.624N 075-59-19.370W	FI R 4s		4	TR on pile.
24380	Tedious Creek Light 1TC	38-14-41.407N 076-02-24.104W	FI G 4s		4	SG on pile.
24385	Tedious Creek Daybeacon 2	38-14-50.294N 076-02-48.556W				TR on pile.
24400	Goose Creek Light 1GC	38-16-21.883N 076-01-40.284W	FI G 2.5s		4	SG on pile.
24405	Goose Creek Daybeacon 3	38-16-22.603N 076-02-14.063W				SG on pile.
24410	Fishing Bay Light 3	38-16-50.526N 076-00-53.114W	FI G 2.5s		4	SG on pile.
24415	Fishing Bay Light 4	38-17-20.582N 076-00-49.061W	Q R		4	TR on pile.
24420	Fishing Bay Lighted Data Buoy A	38-17-48.370N 076-01-24.270W	FI Y 4s			Yellow
24420.1	Fishing Bay Research Buoy B	38-22-17.390N 076-00-08.570W				Yellow can.
24420	Fishing Bay Lighted Data Buoy A	38-17-48.370N 076-01-24.270W	FI Y 4s			Yellow
24420.1	Fishing Bay Research Buoy B	38-22-17.390N 076-00-08.570W				Yellow can.
24425	Farm Creek Warning Daybeacon A	38-18-33.431N 076-02-18.138W				NW on pile worded A DANGER SHOAL.

24430	Farm Creek Warning Daybeacon B	38-18-28.718N 076-02-48.083W				NW on pile worded B DANGER SHOAL.
24435	Farm Creek Warning Daybeacon C	38-18-22.127N 076-03-08.419W				NW on pile worded C DANGER SHOAL.
24440	Farm Creek Warning Daybeacon D	38-18-16.044N 076-03-38.146W				NW on pile worded D DANGER SHOAL.
24445	Farm Creek Warning Daybeacon E	38-18-16.451N 076-03-43.609W				NW on pile worded E DANGER SHOAL.
24450	Honga River Light 1H	38-13-59.569N 076-06-31.988W	FI G 4s	0	4	SG on pile.
24455	Hearns Cove Entrance Light 2HC	38-15-56.629N 076-07-09.005W	FI R 4s		4	TR on pile.
24460	Paul Point Shoal Daybeacon 1	38-16-27.015N 076-06-48.787W				SG on pile.
24465	Hearns Cove Channel Daybeacon 3	38-16-23.755N 076-05-36.425W				SG on pile.
24470	Hearns Cove Channel Daybeacon 6	38-16-40.210N 076-05-14.878W				TR on pile.
24475	Hearns Cove Channel Daybeacon 7	38-16-49.901N 076-04-55.976W				SG on multi-pile structure.
24480	Muddy Hook Cove Channel Daybeacon 2	38-15-41.037N 076-10-07.665W				TR on pile.
24485	Muddy Hook Cove Channel Daybeacon 3	38-15-34.327N 076-10-37.522W				SG on pile.
24490	Muddy Hook Cove Channel Daybeacon 4	38-15-35.125N 076-10-37.024W				TR on pile.
24495	Honga River Light 2	38-16-01.600N 076-09-01.312W	FI R 4s		4	TR on pile.
24500	Honga River Daybeacon 4	38-16-34.611N 076-09-27.973W		0		TR on pile.
24505	Honga River Light 5	38-17-27.789N 076-09-19.620W	FI G 4s		4	SG on pile.
24510	Honga River Daybeacon 6	38-18-36.028N 076-09-46.788W				TR on pile.
24515	Middle Island Bridge West Channel Wreck Daybeacon WR1W	38-17-42.546N 076-12-46.579W				SG on pile.
24520	Middle Island Bridge East Channel Daybeacon 1E	38-18-01.150N 076-11-59.041W				SG on pile.
24525	Honga River Light 8	38-18-50.952N 076-12-29.182W	FI R 4s		4	TR on pile.
24530	Honga River Back Creek Entrance Channel Light 1BC	38-18-53.887N 076-12-52.894W	FI G 4s	0	4	SG on pile.
24535	Honga River Back Creek Channel Light 3	38-18-55.320N 076-13-26.222W	Q G		4	SG on multi-pile structure.
24540	Honga River Back Creek Channel Light 4	38-19-20.425N 076-13-42.358W	FI R 2.5s		3	TR on multi-pile structure.
24545	Honga River Light 10	38-20-08.800N 076-11-42.000W	FI R 4s			TR on pile.
24547	Honga River Oyster Sanctuary Lighted Danger Buoy B	38-20-02.100N 076-11-44.500W	FI W 6s			White can with orange bands and diamond.
24550	Honga River Warning Daybeacon A	38-21-05.892N 076-13-04.534W				NW on pile worded DANGER SHOAL.
24560	Wallace Creek Daybeacon 3	38-22-05.237N 076-12-22.460W				SG on pile.
24562	Wallace Creek Daybeacon 4	38-22-23.059N 076-12-25.772W				TR on pile.
24567	Wallace Creek Daybeacon 6	38-22-43.655N 076-12-30.417W				TR on pile.
24570	Wallace Creek Daybeacon 7	38-22-46.098N 076-12-30.741W				SG on pile.
24575	Wallace Creek Daybeacon 9	38-22-49.828N 076-12-25.573W				SG on pile.
24577	Tar Bay Warning Buoy A	38-21-06.921N 076-16-20.110W				White can with orange bands and diamond
24580	Tar Bay Warning Daybeacon B	38-20-58.226N 076-16-18.044W				NW on pile worded DANGER SHOAL.
24585	Tar Bay Warning Daybeacon C	38-20-53.302N 076-15-51.260W				NW on pile worded DANGER SHOAL.
24590	Tar Bay Warning Daybeacon D	38-20-50.335N 076-15-26.741W				NW on pile worded DANGER SHOAL.

24595	Tar Bay Warning Daybeacon E	38-20-45.164N 076-15-01.257W				NW on pile worded DANGER SHOAL.
24600	Tar Bay Warning Daybeacon G	38-20-42.916N 076-14-36.992W				NW on pile worded DANGER SHOAL.
24601	Tar Bay Warning Daybeacon F	38-20-48.736N 076-14-50.744W				NW on pile worded DANGER.
24605	Tar Bay Warning Daybeacon H	38-20-35.940N 076-14-22.938W				NW on pile worded DANGER SHOAL.
24610	Tar Bay Warning Daybeacon J	38-20-38.619N 076-14-08.992W				NW on multi-pile structure worded DANGER SHOAL.
24615	Tar Bay Warning Daybeacon K	38-20-46.410N 076-14-01.544W				NW multi-pile structure worded DANGER SHOAL.
24620	Tyler Cove Warning Daybeacon A	38-20-56.953N 076-13-47.275W				NW on pile worded DANGER SHOAL.
24625	Tyler Cove Warning Daybeacon B	38-20-59.553N 076-13-46.033W				NW on pile worded DANGER SHOAL.
24626	Barren Island Lighted Data Marker A	38-21-13.305N 076-15-08.938W	Q W			On steel pile.
24626.1	Barren Island Lighted Data Marker B	38-20-34.736N 076-15-14.327W	Q W			On steel pile.
24626.2	Barren Island Lighted Data Marker C	38-19-21.936N 076-14-51.360W	Q W			On steel pile.
24626	Barren Island Lighted Data Marker A	38-21-13.305N 076-15-08.938W	Q W			On steel pile.
24626.1	Barren Island Lighted Data Marker B	38-20-34.736N 076-15-14.327W	Q W			On steel pile.
24626.2	Barren Island Lighted Data Marker C	38-19-21.936N 076-14-51.360W	Q W			On steel pile.
24627	Fitzhugh Tar Bar Reef Buoy A	38-18-56.000N 076-14-07.000W				White and orange buoy worded DANGER.
24627.1	Fitzhugh Tar Bay Reef Buoy B	38-18-57.000N 076-14-04.000W				White and orange buoy worded DANGER.
24627.2	Fitzhugh Tar Bay Reef Buoy C	38-18-52.000N 076-14-02.000W				White and orange buoy worded DANGER.
24627.3	Fitzhugh Tar Bay Reef Buoy D	38-18-51.000N 076-14-05.000W				White and orange buoy worded DANGER.
24630	Little Choptank River Light 1	38-33-13.674N 076-19-15.442W	FI G 2.5s	10	5	SG on multi-pile structure.
24635	Little Choptank River Light 3	38-31-38.172N 076-17-36.518W	FI G 4s		4	SG on multi-pile structure.
24640	Little Choptank River Light 5	38-31-19.153N 076-16-27.486W	FI G 2.5s		4	SG on multi-pile structure.
24645	Slaughter Creek Light 2SC	38-30-18.154N 076-16-18.892W	FI R 2.5s		4	TR on pile.
24655	Slaughter Creek Daybeacon 3	38-30-09.000N 076-16-11.636W				SG on pile.
24665	Slaughter Creek Lighted Buoy 5	38-30-01.780N 076-16-13.666W	FI G 2.5s		4	Green. Maintained from Mar. 15 to Dec. 1.
24670	Slaughter Creek Buoy 6	38-29-51.981N 076-16-26.407W				Red nun. Maintained from Mar. 15 to Dec. 1.
24680	Slaughter Creek Buoy 7	38-29-41.187N 076-16-41.836W				Green can. Maintained from Mar. 15 to Dec. 1.
24683	Slaughter Creek Buoy 8	38-29-18.000N 076-17-01.106W				Red nun. Maintained from Mar. 15 to Dec. 1.
24692	Slaughter Creek Buoy 12	38-28-18.264N 076-17-33.360W				Nun.
24695	Brooks Creek Daybeacon 2	38-32-21.168N 076-15-39.702W				TR on pile.
24700	Brooks Creek Daybeacon 3	38-32-25.542N 076-15-43.134W				SG on pile.
24705	Brooks Creek Daybeacon 5	38-32-44.610N 076-15-51.744W				SG on pile.
24710	Little Choptank River Daybeacon 7	38-31-56.844N 076-14-32.890W				SG on pile.
24715	Hudson Creek Daybeacon 1	38-32-30.366N 076-14-32.340W				SG on pile.
24720	Hudson Creek Daybeacon 2	38-32-34.835N 076-14-43.256W			0	TR on pile.
24725	Hudson Creek Daybeacon 3	38-32-58.926N 076-14-51.246W			0	SG on pile.

24730	Little Choptank River Light 9	38-32-07.723N 076-13-56.862W	FI G 4s	3	SG on pile.	
24735	Madison Bay Light 2	38-31-51.416N 076-13-32.267W	FI R 4s	4	TR on pile.	
24740	Madison Bay Daybeacon 4	38-30-54.250N 076-13-15.020W			TR on pile.	
24745	Madison Bay Daybeacon 6	38-30-38.032N 076-13-23.266W			TR on pile.	
24750	Little Choptank River Daybeacon 11	38-32-33.821N 076-13-35.394W			SG on pile.	
24755	Little Choptank River Light 13	38-33-00.542N 076-13-06.236W	FI G 2.5s	3	SG on pile.	
24760	Fishing Creek Daybeacon 2	38-32-33.628N 076-12-58.133W			TR on pile.	
24765	Fishing Creek Buoy 3	38-32-08.136N 076-12-36.590W			Green can.	
24765	Fishing Creek Buoy 3	38-32-08.136N 076-12-36.590W			Green can.	
24770	Fishing Creek Buoy 4	38-32-01.595N 076-12-20.489W			Red nun.	
24770	Fishing Creek Buoy 4	38-32-01.595N 076-12-20.489W			Red nun.	
24775	Choptank River Buoy 2C	38-32-06.061N 076-23-13.115W			Red nun.	
24780	Choptank River Buoy 4	38-34-27.607N 076-22-24.597W			Red nun.	
24785	Choptank River Lighted Buoy 5	38-35-04.412N 076-23-01.585W	FI G 2.5s	4	Green.	Replaced by can when endangered by ice.
24785	Choptank River Lighted Buoy 5	38-35-04.412N 076-23-01.585W	FI G 2.5s	4	Green.	Replaced by can when endangered by ice.
24790	Choptank River Buoy 7	38-36-37.212N 076-21-01.157W			Green can.	
24795	Choptank River Lighted Buoy 8	38-36-54.112N 076-20-20.728W	Q R	4	Red.	Replaced by nun when endangered by ice.
24810	Sharps Island Warning Daybeacon	38-37-56.732N 076-22-26.776W		0	NW on pile worded DANGER.	
24810	Sharps Island Warning Daybeacon	38-37-56.732N 076-22-26.776W		0	NW on pile worded DANGER.	
24820	Choptank River Lighted Buoy 9	38-38-18.270N 076-20-13.530W	FI G 4s	4	Green.	Replaced by can when endangered by ice.
24830	Choptank River Lighted Buoy 10	38-38-53.187N 076-18-18.361W	FI R 2.5s	4	Red.	Replaced by nun when endangered by ice.
24835	Choptank River Lighted Buoy 12	38-39-13.195N 076-13-50.032W	Q R	4	Red.	Replaced by nun when endangered by ice.
24840	Cook Point Cove Daybeacon 2C	38-37-28.710N 076-16-10.492W			TR on pile.	
24850	Choptank River Lighted Buoy 13	38-38-31.616N 076-12-30.496W	FI G 2.5s	4	Green.	Replaced by can when endangered by ice.
24915	Choptank River Light	38-39-20.750N 076-11-04.062W	FI W 4s	15	7	Skeleton tower with small white house on piles.
24920	Island Creek Light 1C	38-39-18.881N 076-09-32.823W	FI G 4s	4	SG on pile.	
24925	Island Creek Daybeacon 2	38-39-34.293N 076-09-21.011W			TR on pile.	
24930	Choptank River Lighted Buoy 14	38-38-33.022N 076-10-41.122W	FI R 2.5s	4	Red.	Replaced by nun when endangered by ice.
24935	Choptank River Light 16	38-38-00.617N 076-09-37.587W	FI R 4s	3	TR on multi-pile structure.	
24937	NOAA Lighted DOX Buoy CP	38-38-05.520N 076-08-45.280W	FI Y 6s		Yellow.	
24937	NOAA Lighted DOX Buoy CP	38-38-05.520N 076-08-45.280W	FI Y 6s		Yellow.	
24940	Lecompte Bay Daybeacon 2	38-37-29.322N 076-09-08.905W		0	TR on pile.	
24940	Lecompte Bay Daybeacon 2	38-37-29.322N 076-09-08.905W		0	TR on pile.	
24945	Choptank River Lighted Buoy 18	38-37-53.979N 076-08-10.021W	FI R 2.5s	4	Red.	Replaced by nun when endangered by ice.
24955	La Trappe Creek Daybeacon 1	38-37-26.837N 076-07-16.934W			SG on black cylindrical structure.	

24960	La Trappe Creek Daybeacon 2	38-37-37.203N 076-07-11.776W				TR on caisson.
24965	Choptank River Lighted Buoy 19	38-36-31.158N 076-07-42.917W	FI G 2.5s	4	Green.	Replaced by can when endangered by ice.
24975	Choptank River Channel Light 20	38-36-00.542N 076-06-52.555W	FI R 4s	4	TR on multi-pile structure.	
24985	Choptank River Lighted Buoy 21	38-36-03.889N 076-06-14.604W	FI G 4s	4	Green.	Replaced by can when endangered by ice.
24990	Choptank River Light 23	38-35-54.526N 076-04-40.299W	Q G	0	4	SG on pile.
24990	Choptank River Light 23	38-35-54.526N 076-04-40.299W	Q G	0	4	SG on pile.
24995	Hambrooks Bar Warning Daybeacon	38-35-42.267N 076-04-51.159W				NW on white cylindrical structure on red base worded DANGER.
24995	Hambrooks Bar Warning Daybeacon	38-35-42.267N 076-04-51.159W				NW on white cylindrical structure on red base worded DANGER.
25000	Choptank River Channel Buoy 24	38-35-44.100N 076-04-49.971W				Red nun.
25000	Choptank River Channel Buoy 24	38-35-44.100N 076-04-49.971W				Red nun.
25010	Cambridge Municipal Yacht Basin Light 1	38-34-37.710N 076-04-13.910W	FI G 2.5s			SG on pile.
25010	Cambridge Municipal Yacht Basin Light 1	38-34-37.710N 076-04-13.910W	FI G 2.5s			SG on pile.
25015	Cambridge Municipal Yacht Basin Light 2	38-34-38.550N 076-04-13.190W	FI R 2.5s			TR on pile.
25015	Cambridge Municipal Yacht Basin Light 2	38-34-38.550N 076-04-13.190W	FI R 2.5s			TR on pile.
25030	Cambridge Channel Lighted Buoy 1	38-34-48.529N 076-03-44.857W	FI G 4s	4	Green.	Replaced by can when endangered by ice.
25030	Cambridge Channel Lighted Buoy 1	38-34-48.529N 076-03-44.857W	FI G 4s	4	Green.	Replaced by can when endangered by ice.
25035	Cambridge Channel Buoy 2	38-34-49.102N 076-03-48.564W				Red nun.
25035	Cambridge Channel Buoy 2	38-34-49.102N 076-03-48.564W				Red nun.
25040	Cambridge Channel Buoy 3	38-34-40.059N 076-03-52.985W				Green can.
25040	Cambridge Channel Buoy 3	38-34-40.059N 076-03-52.985W				Green can.
25045	Cambridge Channel Buoy 4	38-34-33.055N 076-04-04.138W				Red nun.
25045	Cambridge Channel Buoy 4	38-34-33.055N 076-04-04.138W				Red nun.
25050	Cambridge Channel Buoy 6	38-34-31.131N 076-04-09.700W				Red nun.
25050	Cambridge Channel Buoy 6	38-34-31.131N 076-04-09.700W				Red nun.
25055	Cambridge Sewer Outfall Warning Light	38-34-21.237N 076-03-10.064W	FI W 2.5s	4	NW on pile worded DANGER SUBMERGED PIPE.	
25055	Cambridge Sewer Outfall Warning Light	38-34-21.237N 076-03-10.064W	FI W 2.5s	4	NW on pile worded DANGER SUBMERGED PIPE.	
25057	Bill Burton Fishing Pier Light A	38-34-46.970N 076-03-21.640W	F Y			On end of pier.
25057.1	Bill Burton Fishing Pier Light B	38-34-38.170N 076-03-28.370W	F Y			On end of pier.
25057	Bill Burton Fishing Pier Light A	38-34-46.970N 076-03-21.640W	F Y			On end of pier.
25057.1	Bill Burton Fishing Pier Light B	38-34-38.170N 076-03-28.370W	F Y			On end of pier.
25060	Choptank Fishing Pier Warning Daybeacon A	38-35-23.400N 076-02-43.800W				NW on pile worded DANGER.
25060	Choptank Fishing Pier Warning Daybeacon A	38-35-23.400N 076-02-43.800W				NW on pile worded DANGER.
25065	Choptank Fishing Pier Warning Daybeacon B	38-35-20.400N 076-02-40.800W				NW on pile worded DANGER.
25065	Choptank Fishing Pier Warning Daybeacon B	38-35-20.400N 076-02-40.800W				NW on pile worded DANGER.
25070	Choptank Fishing Pier Warning Daybeacon C	38-35-18.600N 076-02-38.400W				NW on pile worded DANGER.

25070	Choptank Fishing Pier Warning Daybeacon C	38-35-18.600N 076-02-38.400W				NW on pile worded DANGER.
25075	Choptank River Light 27	38-34-22.003N 076-02-33.446W	FI G 2.5s	0	4	SG on multi-pile structure.
25075	Choptank River Light 27	38-34-22.003N 076-02-33.446W	FI G 2.5s	0	4	SG on multi-pile structure.
25080	Choptank River Daybeacon 29	38-34-23.652N 076-02-04.782W				SG on pile.
25080	Choptank River Daybeacon 29	38-34-23.652N 076-02-04.782W				SG on pile.
25085	Choptank River Daybeacon 30	38-34-22.115N 076-01-41.323W		0		TR on pile.
25085	Choptank River Daybeacon 30	38-34-22.115N 076-01-41.323W		0		TR on pile.
25125	Choptank River Light 31	38-34-41.558N 076-01-31.913W	FI G 4s		3	SG on pile.
25125	Choptank River Light 31	38-34-41.558N 076-01-31.913W	FI G 4s		3	SG on pile.
25130	Choptank River Light 32	38-35-25.929N 076-00-19.935W	FI R 2.5s		3	TR on pile.
25130	Choptank River Light 32	38-35-25.929N 076-00-19.935W	FI R 2.5s		3	TR on pile.
25135	Choptank River Daybeacon 33	38-35-52.758N 075-59-12.971W				SG on pile.
25135	Choptank River Daybeacon 33	38-35-52.758N 075-59-12.971W				SG on pile.
25140	Choptank River Light 34	38-36-04.754N 075-59-03.778W	FI R 4s		3	TR on pile.
25140	Choptank River Light 34	38-36-04.754N 075-59-03.778W	FI R 4s		3	TR on pile.
25145	Choptank River Daybeacon 35	38-36-25.516N 075-59-02.770W		0		SG on pile.
25145	Choptank River Daybeacon 35	38-36-25.516N 075-59-02.770W		0		SG on pile.
25150	Choptank River Daybeacon 36	38-36-35.982N 075-58-47.883W				TR on pile.
25150	Choptank River Daybeacon 36	38-36-35.982N 075-58-47.883W				TR on pile.
25155	Warwick River Daybeacon 1	38-36-39.481N 075-58-28.369W				SG on pile.
25155	Warwick River Daybeacon 1	38-36-39.481N 075-58-28.369W				SG on pile.
25160	Warwick River Daybeacon 2	38-36-43.478N 075-58-12.649W				TR on pile.
25160	Warwick River Daybeacon 2	38-36-43.478N 075-58-12.649W				TR on pile.
25161	Warwick River Channel Buoy 4	38-36-44.400N 075-58-03.000W				Red nun.
25161	Warwick River Channel Buoy 4	38-36-44.400N 075-58-03.000W				Red nun.
25165	Choptank River Daybeacon 37	38-37-43.017N 075-59-19.799W				SG on pile.
25165	Choptank River Daybeacon 37	38-37-43.017N 075-59-19.799W				SG on pile.
25170	Choptank River Light 38	38-38-04.603N 075-58-50.145W	FI R 2.5s		3	TR on pile.
25170	Choptank River Light 38	38-38-04.603N 075-58-50.145W	FI R 2.5s		3	TR on pile.
25175	Choptank River Daybeacon 39	38-38-33.234N 075-57-55.870W				SG on pile.
25175	Choptank River Daybeacon 39	38-38-33.234N 075-57-55.870W				SG on pile.
25180	Choptank River Light 40	38-39-16.151N 075-57-16.391W	FI R 6s		4	TR on pile.
25180	Choptank River Light 40	38-39-16.151N 075-57-16.391W	FI R 6s		4	TR on pile.
25185	Choptank River Light 41	38-40-26.084N 075-57-01.290W	Q G		3	SG on pile.
25185	Choptank River Light 41	38-40-26.084N 075-57-01.290W	Q G		3	SG on pile.

25190	Choptank River Daybeacon 43	38-40-59.331N 075-58-23.617W		SG on pile.
25190	Choptank River Daybeacon 43	38-40-59.331N 075-58-23.617W		SG on pile.
25195	Choptank River Daybeacon 45	38-41-31.644N 075-58-29.589W		SG on pile.
25195	Choptank River Daybeacon 45	38-41-31.644N 075-58-29.589W		SG on pile.
25200	Choptank River Daybeacon 47	38-41-46.179N 075-58-34.824W	0	SG on pile.
25200	Choptank River Daybeacon 47	38-41-46.179N 075-58-34.824W	0	SG on pile.
25205	Choptank River Daybeacon 49	38-41-48.319N 075-58-50.792W		SG on pile.
25205	Choptank River Daybeacon 49	38-41-48.319N 075-58-50.792W		SG on pile.
25210	Choptank River Daybeacon 50	38-41-48.730N 075-59-34.049W		TR on pile.
25210	Choptank River Daybeacon 50	38-41-48.730N 075-59-34.049W		TR on pile.
25215	Choptank River Daybeacon 51	38-42-25.073N 075-59-43.097W		SG on pile.
25215	Choptank River Daybeacon 51	38-42-25.073N 075-59-43.097W		SG on pile.
25220	Choptank River Daybeacon 52	38-43-29.042N 076-00-45.291W		TR on pile.
25220	Choptank River Daybeacon 52	38-43-29.042N 076-00-45.291W		TR on pile.
25225	Choptank River Daybeacon 54	38-44-07.472N 076-00-33.724W		TR on pile.
25225	Choptank River Daybeacon 54	38-44-07.472N 076-00-33.724W		TR on pile.
25230	Choptank River Daybeacon 55	38-44-15.498N 075-59-45.389W		SG on pile.
25230	Choptank River Daybeacon 55	38-44-15.498N 075-59-45.389W		SG on pile.
25235	Choptank River Daybeacon 57	38-46-24.651N 075-58-11.287W		SG on pile.
25235	Choptank River Daybeacon 57	38-46-24.651N 075-58-11.287W		SG on pile.
25240	Choptank River Daybeacon 58	38-46-45.322N 075-57-59.124W		TR on pile.
25240	Choptank River Daybeacon 58	38-46-45.322N 075-57-59.124W		TR on pile.
25245	Choptank River Daybeacon 59	38-46-41.916N 075-57-10.955W		SG on pile.
25245	Choptank River Daybeacon 59	38-46-41.916N 075-57-10.955W		SG on pile.
25250	Choptank River Daybeacon 60	38-47-48.182N 075-55-50.272W		TR on pile.
25250	Choptank River Daybeacon 60	38-47-48.182N 075-55-50.272W		TR on pile.
25255	Choptank River Daybeacon 62	38-48-45.090N 075-53-47.339W		TR on pile.
25255	Choptank River Daybeacon 62	38-48-45.090N 075-53-47.339W		TR on pile.
25260	Choptank River Daybeacon 64	38-48-44.280N 075-53-22.139W		TR on pile.
25260	Choptank River Daybeacon 64	38-48-44.280N 075-53-22.139W		TR on pile.
25265	Choptank River Daybeacon 66	38-49-11.714N 075-52-51.532W	0	TR on multi-pile structure.
25265	Choptank River Daybeacon 66	38-49-11.714N 075-52-51.532W	0	TR on multi-pile structure.
25270	Choptank River Daybeacon 67	38-49-52.836N 075-51-19.690W		SG on pile.
25270	Choptank River Daybeacon 67	38-49-52.836N 075-51-19.690W		SG on pile.
25275	Choptank River Daybeacon 68	38-51-03.078N 075-50-51.942W		TR on pile.

25275	Choptank River Daybeacon 68	38-51-03.078N 075-50-51.942W				TR on pile.
25280	Choptank River Light 70	38-51-18.120N 075-50-46.228W	FI R 2.5s	3		TR on pile.
25280	Choptank River Light 70	38-51-18.120N 075-50-46.228W	FI R 2.5s	3		TR on pile.
25285	Choptank River Light 71	38-51-29.005N 075-50-51.780W	FI G 2.5s	3		SG on pile.
25285	Choptank River Light 71	38-51-29.005N 075-50-51.780W	FI G 2.5s	3		SG on pile.
25290	Choptank River Daybeacon 73	38-51-38.991N 075-50-49.326W				SG on pile.
25290	Choptank River Daybeacon 73	38-51-38.991N 075-50-49.326W				SG on pile.
25295	Choptank River Daybeacon 75	38-51-53.680N 075-50-32.643W				SG on pile.
25295	Choptank River Daybeacon 75	38-51-53.680N 075-50-32.643W				SG on pile.
25300	Choptank River Daybeacon 77	38-52-11.469N 075-50-26.242W				SG on pile.
25300	Choptank River Daybeacon 77	38-52-11.469N 075-50-26.242W				SG on pile.
25305	Choptank River Daybeacon 78	38-52-31.613N 075-50-25.363W				TR on pile.
25305	Choptank River Daybeacon 78	38-52-31.613N 075-50-25.363W				TR on pile.
25310	Choptank River Daybeacon 79	38-52-46.213N 075-50-12.884W		0		SG on pile.
25310	Choptank River Daybeacon 79	38-52-46.213N 075-50-12.884W		0		SG on pile.
25315	Choptank River Daybeacon 80	38-53-03.753N 075-50-20.994W				TR on pile.
25315	Choptank River Daybeacon 80	38-53-03.753N 075-50-20.994W				TR on pile.
25316.07	Upper Choptank River Buoy 8	38-54-17.600N 075-50-07.300W				Red nun.
25316.06	Upper Choptank River Buoy 6	38-54-11.400N 075-49-57.400W				Red nun.
25316.05	Upper Choptank River Buoy 5	38-54-01.400N 075-49-49.400W				Green can.
25316.04	Upper Choptank River Buoy 4	38-53-36.500N 075-49-51.300W				Red nun.
25316.03	Upper Choptank River Buoy 3	38-53-36.900N 075-49-53.700W				Green can.
25316.02	Upper Choptank River Buoy 2	38-53-23.000N 075-49-57.900W				Red nun.
25316.01	Upper Choptank River Buoy 1	38-53-24.800N 075-49-57.800W				Green can.
25316.07	Upper Choptank River Buoy 8	38-54-17.600N 075-50-07.300W				Red nun.
25316.06	Upper Choptank River Buoy 6	38-54-11.400N 075-49-57.400W				Red nun.
25316.05	Upper Choptank River Buoy 5	38-54-01.400N 075-49-49.400W				Green can.
25316.04	Upper Choptank River Buoy 4	38-53-36.500N 075-49-51.300W				Red nun.
25316.03	Upper Choptank River Buoy 3	38-53-36.900N 075-49-53.700W				Green can.
25316.02	Upper Choptank River Buoy 2	38-53-23.000N 075-49-57.900W				Red nun.
25316.01	Upper Choptank River Buoy 1	38-53-24.800N 075-49-57.800W				Green can.
25320	Tred Avon River Light 1T	38-39-53.673N 076-11-18.880W	FI G 2.5s	4		SG on pile.
25325	Tred Avon River Lighted Buoy 2	38-41-36.455N 076-10-43.316W	FI R 4s	4		Red. Replaced by nun when endangered by ice.
25375	Town Creek Light 2TC	38-41-55.539N 076-10-05.796W	Q R	4		TR on pile.
25380	Town Creek Light 3	38-41-52.652N 076-10-00.903W	FI G 4s	0	4	SG on pile.

25385	Town Creek Daybeacon 4	38-41-52.325N 076-10-02.978W				TR on pile.
25390	Town Creek Light 6	38-41-46.204N 076-10-01.001W	FI R 4s	4		TR on pile.
25395	Town Creek Daybeacon 7	38-41-39.810N 076-09-59.346W				SG on pile.
25400	Town Creek Daybeacon 8	38-41-33.884N 076-10-02.381W				TR on pile.
25405	Town Creek Light 9	38-41-33.065N 076-09-59.879W	Q G	4		SG on pile.
25410	Town Creek Daybeacon 10	38-41-23.250N 076-10-07.970W				TR on pile.
25415	Town Creek Light 12	38-41-20.378N 076-10-09.282W	FI R 4s	3		TR on pile.
25420	Town Creek Light 13	38-41-10.391N 076-10-10.080W	FI G 4s	4		SG on pile.
25425	Plaindealing Creek Daybeacon 1	38-42-33.678N 076-10-07.447W				SG on pile.
25430	Tred Avon River Light 4	38-42-08.973N 076-09-48.942W	FI R 2.5s	4		TR on pile.
25435	Tred Avon River Daybeacon 5	38-42-12.914N 076-09-11.315W		0		SG on pile.
25438	Tred Avon Lighted Data Buoy A	38-42-04.782N 076-08-53.644W	FI Y 4s			Yellow.
25440	Tred Avon River Light 6	38-42-11.058N 076-08-43.747W	Q R	3		TR on pile.
25445	Trippe Creek Buoy 1	38-42-32.664N 076-08-23.448W				Green can.
25445	Trippe Creek Buoy 1	38-42-32.664N 076-08-23.448W				Green can.
25450	Tred Avon River Daybeacon 8	38-42-46.303N 076-08-36.871W				TR on pile.
25455	Tred Avon River Light 10	38-43-07.178N 076-08-39.558W	FI R 2.5s	4		TR on pile.
25460	Tred Avon River Daybeacon 11	38-43-27.168N 076-08-36.402W				SG on pile.
25465	Tred Avon River Daybeacon 12	38-43-32.383N 076-08-28.700W				TR on pile.
25470	Tred Avon River Light 13	38-43-56.843N 076-08-23.736W	FI G 4s	0	4	SG on pile.
25475	Tred Avon River Daybeacon 15	38-44-00.739N 076-07-54.268W				SG on pile.
25480	Tred Avon River Light 16	38-44-18.736N 076-07-12.916W	FI R 4s	4		TR on pile.
25485	Tred Avon River Light 18	38-45-01.882N 076-07-08.404W	FI R 4s	0	3	TR on pile.
25490	Tred Avon River Daybeacon 20	38-45-13.455N 076-07-03.106W				TR on pile.
25495	Tred Avon River Daybeacon 21	38-45-34.961N 076-06-40.476W				SG on pile.
25500	Tred Avon River Daybeacon 22	38-46-01.529N 076-05-46.994W				TR on pile.
25525	NOAA Lighted DOX Buoy CR	38-37-46.960N 076-19-10.220W	FI Y 6s			Yellow.
25525	NOAA Lighted DOX Buoy CR	38-37-46.960N 076-19-10.220W	FI Y 6s			Yellow.
25530	Broad Creek Light 1B	38-41-39.049N 076-14-57.591W	FI G 4s	4		SG on pile.
25535	Broad Creek Shoal Buoy 2	38-42-37.958N 076-15-31.227W				Red nun.
25540	Balls Creek Light 1	38-43-13.978N 076-16-10.587W	FI G 4s	4		SG on pile.
25545	Balls Creek Daybeacon 2	38-43-15.198N 076-16-15.421W				TR on pile.
25550	Balls Creek Daybeacon 3	38-43-22.005N 076-16-25.740W		0		SG on pile.
25555	Balls Creek Daybeacon 4	38-43-30.908N 076-16-37.252W				TR on pile.
25560	Balls Creek Junction Daybeacon	38-43-39.822N 076-16-45.358W				JR on pile.

25565	Neavitt Harbor Junction Daybeacon	38-43-14.893N 076-16-26.716W			JG on pile.	
25570	Neavitt Harbor Daybeacon 2	38-43-15.594N 076-16-30.938W			TR on pile.	
25670	Broad Creek Light 4	38-44-25.725N 076-14-43.698W	Fl R 4s	3	TR on pile.	
25675	Grace Creek Entrance Daybeacon 1	38-44-40.158N 076-15-25.805W			SG on pile.	
25680	Grace Creek Entrance Daybeacon 2	38-44-52.716N 076-15-25.248W			TR on pile.	
25685	Grace Creek Daybeacon 3	38-45-16.265N 076-15-28.590W			SG on pile.	
25690	Grace Creek Daybeacon 5	38-45-31.788N 076-15-42.213W			SG on pile.	
25695	Grace Creek Daybeacon 6	38-45-35.178N 076-15-48.025W			TR on pile.	
25700	Broad Creek Daybeacon 5	38-44-40.389N 076-14-36.858W			SG on pile.	
25705	Broad Creek Daybeacon 6	38-44-41.340N 076-14-12.156W			TR on pile.	
25710	Broad Creek Daybeacon 7	38-44-59.652N 076-14-19.540W			SG on pile.	
25715	Broad Creek Daybeacon 8	38-45-21.271N 076-14-14.000W			TR on pile.	
25720	Broad Creek Daybeacon 9	38-45-35.828N 076-14-27.543W			SG on pile.	
25725	Edge Creek Daybeacon 2EC	38-44-42.281N 076-13-49.351W			TR on pile.	
25727	Edge Creek Daybeacon 3	38-44-41.674N 076-13-30.550W			SG on pile.	
25730	Edge Creek Daybeacon 5	38-44-24.810N 076-12-48.984W		0	SG on pile.	
25735	Solitude Creek Buoy 1	38-43-55.561N 076-11-49.616W			Green can.	
25735	Solitude Creek Buoy 1	38-43-55.561N 076-11-49.616W			Green can.	
25740	Solitude Creek Buoy 3	38-44-26.000N 076-11-53.000W			Green can.	
25745	Upper Edge Creek Daybeacon 1	38-43-52.661N 076-11-41.945W			SG on pile.	DNR: 1301.
25755	Upper Edge Creek Daybeacon 3	38-43-51.573N 076-11-36.609W			SG on pile.	DNR: 1304.
25760	Upper Edge Creek Buoy 5	38-43-48.598N 076-11-34.200W			Green can.	DNR: 4801NAV5.
25765	Upper Edge Creek Daybeacon 7	38-43-45.621N 076-11-31.873W			SG on pile.	DNR: 1305.
25770	Upper Edge Creek Daybeacon 7A	38-43-44.346N 076-11-30.366W			SG on pile	DNR: 1306.
25775	Upper Edge Creek Daybeacon 9	38-43-44.256N 076-11-28.598W			SG on pile.	DNR: 1307.
25780	Upper Edge Creek Daybeacon 11	38-43-58.853N 076-11-23.452W			SG on pile.	DNR: 1302.
25785	Upper Edge Creek Daybeacon 12	38-44-05.015N 076-11-23.948W			TR on pile.	DNR: 1303.
25795	San Domingo Creek Daybeacon 2SD	38-45-13.935N 076-13-36.965W			TR on pile.	
25800	San Domingo Creek Daybeacon 3	38-45-21.240N 076-13-37.951W			SG on pile.	
25805	San Domingo Creek Daybeacon 4	38-45-45.831N 076-13-47.405W			TR on pile.	
25810	San Domingo Creek Daybeacon 6	38-46-02.155N 076-13-36.425W			TR on pile.	
25815	Blackwalnut Harbor Channel Light 1	38-40-36.122N 076-20-02.009W	Fl G 4s	4	SG on pile.	
25820	Blackwalnut Harbor Channel Daybeacon 3	38-40-45.114N 076-20-08.032W			SG on pile.	
25825	Blackwalnut Harbor Channel Daybeacon 5	38-41-06.528N 076-20-05.104W			SG on multi-pile structure.	
25830	Knapps Narrows East Channel Approach Light 1	38-41-23.938N 076-18-43.336W	Fl G 4s	4	SG on pile.	

25835	Knapps Narrows East Channel Approach Light 2	38-42-06.539N 076-19-22.584W	Fl R 4s	0	3	TR on pile.
25840	Tilghman Island Harbor Light 2TH	38-42-35.322N 076-19-45.256W	Fl R 2.5s		3	TR on pile.
25845	Tilghman Island Harbor Daybeacon 3	38-42-36.804N 076-19-54.325W				SG on pile.
25850	Tilghman Island Harbor Daybeacon 4	38-42-38.398N 076-19-57.994W				TR on pile.
25855	Tilghman Island Harbor Light 5	38-42-38.704N 076-20-02.105W	Fl G 4s		4	SG on pile.
25860	Tilghman Island Harbor Daybeacon 6	38-42-40.136N 076-20-02.755W				TR on pile.
25865	Tilghman Island Harbor Daybeacon 7	38-42-43.966N 076-20-04.216W		0		SG on pile.
25870	Harris Creek Light 2H	38-42-49.814N 076-18-19.271W	Fl R 2.5s		4	TR on pile.
25875	Harris Creek Daybeacon 4	38-43-43.023N 076-18-14.259W				TR on pile.
25880	Harris Creek Light 5	38-43-52.242N 076-18-16.630W	Fl G 4s		3	SG on pile.
25885	Harris Creek Daybeacon 6	38-44-22.288N 076-18-24.013W				TR on pile.
25890	Harris Creek Daybeacon 7	38-44-38.778N 076-18-38.271W				SG on pile.
25895	Harris Creek Daybeacon 9	38-44-54.777N 076-18-32.102W				SG on pile.
25900	Harris Creek Daybeacon 10	38-45-14.276N 076-18-28.636W				TR on pile.
25905	Harris Creek Daybeacon 11	38-45-42.722N 076-18-20.294W				SG on pile.
25910	Harris Creek Daybeacon 13	38-45-56.780N 076-18-02.192W				SG on pile.
25915	Harris Creek Light 15	38-46-17.541N 076-17-28.811W	Fl G 6s		4	SG on multi-pile structure.
25920	Knapps Narrows West Channel Light 1W	38-43-17.214N 076-20-46.498W	Fl G 4s	0	4	SG on pile.
25925	Knapps Narrows West Channel Daybeacon 3	38-43-17.052N 076-20-35.746W		0		SG on pile.
25927	Knapps Narrows West Channel Buoy 4	38-43-15.781N 076-20-28.531W				Red nun.
25927	Knapps Narrows West Channel Buoy 4	38-43-15.781N 076-20-28.531W				Red nun.
25930	Knapps Narrows West Channel Warning Daybeacon A	38-43-17.934N 076-20-26.030W		0		NW on pile worded DANGER SHOAL.
25931	Knapps Narrows West Channel Daybeacon 5	38-43-15.759N 076-20-21.451W		0		SG on pile.
25933	Knapps Narrows West Channel Daybeacon 5A	38-43-14.547N 076-20-13.538W		0		SG on pile.
25935	Knapps Narrows West Channel Daybeacon 7	38-43-15.488N 076-20-07.692W		0		SG on pile.
25940	Knapps Narrows East Channel Light 3E	38-42-34.542N 076-19-24.594W	Fl G 4s		4	SG on multi-pile structure.
25945	Knapps Narrows East Channel Daybeacon 5	38-42-44.834N 076-19-32.073W				SG on pile.
25950	Knapps Narrows East Channel Light 6	38-42-58.492N 076-19-40.978W	Fl R 4s		4	TR on pile.
25960	Poplar Island Narrows Daybeacon 3	38-44-24.396N 076-21-10.798W				SG on pile.
25960	Poplar Island Narrows Daybeacon 3	38-44-24.396N 076-21-10.798W				SG on pile.
25965	Poplar Island Narrows Daybeacon 4	38-44-47.898N 076-21-04.684W				TR on pile.
25965	Poplar Island Narrows Daybeacon 4	38-44-47.898N 076-21-04.684W				TR on pile.
25970	Poplar Island Narrows Daybeacon 5	38-45-23.400N 076-21-01.828W				SG on pile.
25970	Poplar Island Narrows Daybeacon 5	38-45-23.400N 076-21-01.828W				SG on pile.
25975	Poplar Island Narrows Daybeacon 6	38-45-50.994N 076-20-47.098W				TR on pile.

25975	Poplar Island Narrows Daybeacon 6	38-45-50.994N 076-20-47.098W				TR on pile.	
25980	Ferry Cove Light	38-46-05.569N 076-20-38.137W	Fl W 4s	0	5	NB on pile.	
25980	Ferry Cove Light	38-46-05.569N 076-20-38.137W	Fl W 4s	0	5	NB on pile.	
25985	Poplar Island Narrows Buoy 8	38-47-07.454N 076-20-52.847W				Red nun.	
25985	Poplar Island Narrows Buoy 8	38-47-07.454N 076-20-52.847W				Red nun.	
25987	Poplar Island Harbor Daybeacon 1	38-45-38.880N 076-21-45.886W				SG on pile.	
25990	Lowes Wharf Channel Daybeacon 1	38-45-59.553N 076-19-55.264W				SG on pile.	
25990	Lowes Wharf Channel Daybeacon 1	38-45-59.553N 076-19-55.264W				SG on pile.	
25995	Lowes Wharf Channel Light 2	38-45-56.466N 076-19-56.464W	Fl R 4s	0	4	TR on pile.	
25995	Lowes Wharf Channel Light 2	38-45-56.466N 076-19-56.464W	Fl R 4s	0	4	TR on pile.	
26000	Eastern Bay Entrance Lighted Buoy 1E	38-49-07.448N 076-22-07.845W	Fl G 4s		5	Green.	Replaced by can when endangered by ice.
26005	Eastern Bay Entrance Buoy 2	38-48-45.829N 076-20-49.342W				Red nun.	
26010	Eastern Bay Lighted Buoy 2A	38-50-33.377N 076-18-12.980W	Fl R 4s		4	Red.	Replaced by nun when endangered by ice.
26015	Claiborne Channel Light 1CC	38-50-08.721N 076-17-16.204W	Fl G 4s	0	4	SG on pile.	
26015	Claiborne Channel Light 1CC	38-50-08.721N 076-17-16.204W	Fl G 4s	0	4	SG on pile.	
26020	Claiborne Channel Buoy 3	38-50-06.972N 076-17-08.556W				Green can.	
26020	Claiborne Channel Buoy 3	38-50-06.972N 076-17-08.556W				Green can.	
26036	Claiborne Channel Buoy 5	38-50-11.328N 076-17-04.812W				Green can.	
26037	Claiborne Channel Buoy 6	38-50-12.400N 076-17-01.300W				Red nun.	
26037	Claiborne Channel Buoy 6	38-50-12.400N 076-17-01.300W				Red nun.	
26039	Claiborne Channel Warning Buoy A	38-50-13.200N 076-16-58.300W				White and orange can worded DANGER SHOAL.	
26042	Claiborne Channel Buoy 7	38-50-13.900N 076-16-57.100W				Green can.	
26043	Claiborne Channel Buoy 8	38-50-15.400N 076-16-52.600W				Red nun.	
26043	Claiborne Channel Buoy 8	38-50-15.400N 076-16-52.600W				Red nun.	
26045	Eastern Bay Buoy 3	38-51-40.445N 076-16-56.841W				Green can.	
26050	Eastern Bay Lighted Buoy 4	38-52-35.144N 076-15-04.979W	Fl R 4s		4	Red.	Replaced by nun when endangered by ice.
26055	Tilghman Creek Light 1TC	38-50-47.141N 076-15-43.300W	Fl G 4s	0	5	SG on pile.	
26060	Tilghman Creek Daybeacon 3	38-50-42.773N 076-15-45.872W		0		SG on pile.	
26065	Tilghman Creek Daybeacon 4	38-50-40.695N 076-15-47.546W		0		TR on pile.	
26070	Eastern Bay Buoy 6	38-52-17.445N 076-14-44.838W				Red nun.	
26075	Eastern Bay Buoy 8	38-50-32.768N 076-13-50.442W				Red nun.	
26080	Eastern Bay Buoy 9	38-49-53.448N 076-13-44.831W				Green can.	
26085	Eastern Bay Lighted Buoy 11	38-49-48.448N 076-13-10.830W	Fl G 4s		4	Green can.	Replaced by can when endangered by ice.
26090	Eastern Bay Buoy 10	38-49-35.548N 076-13-15.730W				Red nun.	
26095	Eastern Bay Daybeacon 12	38-48-38.088N 076-12-33.571W		0		TR on pile.	

26105	Eastern Bay Daybeacon 14	38-48-18.004N 076-12-36.099W				TR on pile.
26110	Wye River Entrance Light 1W	38-49-58.320N 076-12-37.647W	Fl G 2.5s	4		SG on pile.
26115	Wye River Entrance Daybeacon 3	38-50-33.550N 076-12-28.216W		0		SG on pile.
26115	Wye River Entrance Daybeacon 3	38-50-33.550N 076-12-28.216W		0		SG on pile.
26120	Wye River Entrance Light 4	38-50-48.911N 076-12-02.810W	Fl R 2.5s	4		TR on pile.
26120	Wye River Entrance Light 4	38-50-48.911N 076-12-02.810W	Fl R 2.5s	4		TR on pile.
26126	Wye River Buoy 1	38-51-56.590N 076-11-30.630W				Green can.
26130	Wye River Buoy 3 / 4843NAV3	38-52-27.580N 076-11-25.940W				Green can.
26130	Wye River Buoy 3 / 4843NAV3	38-52-27.580N 076-11-25.940W				Green can.
26135	Wye River Daybeacon 5	38-54-33.617N 076-10-11.215W				SG on pile.
26135	Wye River Daybeacon 5	38-54-33.617N 076-10-11.215W				SG on pile.
26141	Wye River Buoy 6	38-54-47.376N 076-10-09.232W				Red nun.
26146	Wye River Buoy 7	38-55-01.193N 076-10-02.118W				Green can.
26150	Wye River Warning Daybeacon A	38-50-28.130N 076-12-54.836W		0		NW on pile worded DANGER SHOAL.
26150	Wye River Warning Daybeacon A	38-50-28.130N 076-12-54.836W		0		NW on pile worded DANGER SHOAL.
26155	Wye East River Daybeacon 2	38-51-49.961N 076-10-45.153W				TR on pile.
26155	Wye East River Daybeacon 2	38-51-49.961N 076-10-45.153W				TR on pile.
26160	Wye East River Daybeacon 3	38-52-02.170N 076-10-15.170W				SG on pile.
26160	Wye East River Daybeacon 3	38-52-02.170N 076-10-15.170W				SG on pile.
26165	Miles River Light 1	38-48-10.079N 076-12-31.248W	Fl G 4s	0	4	SG on pile.
26165	Miles River Light 1	38-48-10.079N 076-12-31.248W	Fl G 4s	0	4	SG on pile.
26170	Miles River Daybeacon 2	38-47-57.503N 076-12-40.196W				TR on pile.
26170	Miles River Daybeacon 2	38-47-57.503N 076-12-40.196W				TR on pile.
26175	Miles River Light 4	38-47-41.867N 076-12-24.674W	Fl R 2.5s	4		TR on pile.
26175	Miles River Light 4	38-47-41.867N 076-12-24.674W	Fl R 2.5s	4		TR on pile.
26180	Leeds Creek Daybeacon 1	38-47-38.755N 076-11-52.355W		0		SG on pile.
26180	Leeds Creek Daybeacon 1	38-47-38.755N 076-11-52.355W		0		SG on pile.
26185	St. Michaels Harbor Entrance Light 2SM	38-47-21.317N 076-12-59.354W	Fl R 4s	0	4	TR on pile.
26190	St. Michaels Harbor Daybeacon 3	38-47-16.306N 076-13-00.369W		0		SG on pile.
26195	Miles River Daybeacon 5	38-47-04.715N 076-11-50.732W		15		SG on pile.
26195	Miles River Daybeacon 5	38-47-04.715N 076-11-50.732W		15		SG on pile.
26200	Miles River Light 7	38-45-51.603N 076-10-33.547W	Fl G 4s	0	5	SG on multi-pile structure.
26200	Miles River Light 7	38-45-51.603N 076-10-33.547W	Fl G 4s	0	5	SG on multi-pile structure.
26230	Miles River Daybeacon 8	38-46-52.955N 076-08-48.110W				TR on pile.
26230	Miles River Daybeacon 8	38-46-52.955N 076-08-48.110W				TR on pile.

26235	Miles River Daybeacon 9	38-47-08.309N 076-08-34.346W				SG on pile.
26235	Miles River Daybeacon 9	38-47-08.309N 076-08-34.346W				SG on pile.
26240	Miles River Daybeacon 10	38-47-18.977N 076-08-18.596W		0		TR on pile.
26240	Miles River Daybeacon 10	38-47-18.977N 076-08-18.596W		0		TR on pile.
26245	Philpots Island Buoy 2	38-53-53.861N 076-20-15.097W				
26250	Philpots Island Buoy 4	38-53-46.772N 076-20-21.214W				
26255	Philpots Island Buoy 6	38-53-35.212N 076-20-21.593W				
26265	Cox Creek Light 2CC	38-53-55.953N 076-18-51.061W	FI R 2.5s		4	TR on pile.
26265	Cox Creek Light 2CC	38-53-55.953N 076-18-51.061W	FI R 2.5s		4	TR on pile.
26267	Cox Creek Daybeacon 3	38-54-03.460N 076-19-33.316W		0		SG on pile.
26267	Cox Creek Daybeacon 3	38-54-03.460N 076-19-33.316W		0		SG on pile.
26270	Cox Creek Buoy 4	38-55-56.592N 076-18-44.814W				Red nun.
26270	Cox Creek Buoy 4	38-55-56.592N 076-18-44.814W				Red nun.
26280	Crab Alley Bay Daybeacon 1C	38-54-25.520N 076-16-19.606W				SG on pile.
26285	Crab Alley Bay Daybeacon 3	38-55-13.240N 076-17-27.166W		0		SG on pile.
26285	Crab Alley Bay Daybeacon 3	38-55-13.240N 076-17-27.166W		0		SG on pile.
26290	Crab Alley Bay Daybeacon 4	38-55-19.843N 076-17-19.567W		0		TR on pile.
26290	Crab Alley Bay Daybeacon 4	38-55-19.843N 076-17-19.567W		0		TR on pile.
26295	Crab Alley Bay Junction Daybeacon	38-55-39.108N 076-17-28.204W		0		JR on pile.
26295	Crab Alley Bay Junction Daybeacon	38-55-39.108N 076-17-28.204W		0		JR on pile.
26300	Crab Alley Bay Buoy 6	38-55-46.649N 076-17-34.548W				Red nun. Maintained from Apr 1. to Dec 1.
26305	Crab Alley Bay Daybeacon 7	38-55-51.419N 076-17-34.094W		0		SG on pile.
26305	Crab Alley Bay Daybeacon 7	38-55-51.419N 076-17-34.094W		0		SG on pile.
26310	Crab Alley - Little Creek Daybeacon 1	38-55-44.783N 076-17-17.897W		0		SG on pile.
26310	Crab Alley - Little Creek Daybeacon 1	38-55-44.783N 076-17-17.897W		0		SG on pile.
26315	Crab Alley - Little Creek Daybeacon 2	38-56-02.692N 076-17-08.429W		0		TR on pile.
26315	Crab Alley - Little Creek Daybeacon 2	38-56-02.692N 076-17-08.429W		0		TR on pile.
26320	Crab Alley - Little Creek Buoy 4	38-56-09.792N 076-17-06.021W				Red nun. Maintained from Apr. 1 to Dec 1.
26325	Crab Alley - Little Creek Daybeacon 6	38-56-13.517N 076-17-00.632W		0		TR on pile.
26325	Crab Alley - Little Creek Daybeacon 6	38-56-13.517N 076-17-00.632W		0		TR on pile.
26330	Crab Alley - Little Creek Daybeacon 8	38-56-15.677N 076-16-56.792W		0		TR on pile.
26330	Crab Alley - Little Creek Daybeacon 8	38-56-15.677N 076-16-56.792W		0		TR on pile.
26335	Prospect Bay Light 1P	38-54-01.693N 076-13-48.250W	FI G 4s		0 4	SG on pile.
26335	Prospect Bay Light 1P	38-54-01.693N 076-13-48.250W	FI G 4s		0 4	SG on pile.
26340	Prospect Bay Daybeacon 2	38-55-17.464N 076-14-11.202W		0		TR on pile.

26340	Prospect Bay Daybeacon 2	38-55-17.464N 076-14-11.202W		0		TR on pile.	
26343.9	Greenwood Creek Buoy 13	38-53-45.500N 076-11-50.500W				Green can.	
26343.8	Greenwood Creek Buoy 12	38-53-38.000N 076-11-56.900W				Red nun.	
26343.7	Greenwood Creek Buoy 10	38-53-33.196N 076-11-58.484W				Red nun.	
26343.6	Greenwood Creek Buoy 8	38-53-20.900N 076-12-00.300W				Red nun.	
26343.5	Greenwood Creek Buoy 6	38-53-10.000N 076-12-05.900W				Red nun.	
26343.4	Greenwood Creek Buoy 5	38-53-09.600N 076-12-08.700W				Green can.	
26343.3	Greenwood Creek Buoy 4	38-53-03.139N 076-12-08.803W				Red nun.	
26343.2	Greenwood Creek Buoy 3	38-53-03.583N 076-12-11.965W				Green can.	
26343.1	Greenwood Creek Buoy 2	38-52-53.847N 076-12-17.542W				Red nun.	
26343	Greenwood Creek Buoy 1G	38-52-54.250N 076-12-19.696W				Green Can.	
26343.9	Greenwood Creek Buoy 13	38-53-45.500N 076-11-50.500W				Green can.	
26343.8	Greenwood Creek Buoy 12	38-53-38.000N 076-11-56.900W				Red nun.	
26343.7	Greenwood Creek Buoy 10	38-53-33.196N 076-11-58.484W				Red nun.	
26343.6	Greenwood Creek Buoy 8	38-53-20.900N 076-12-00.300W				Red nun.	
26343.5	Greenwood Creek Buoy 6	38-53-10.000N 076-12-05.900W				Red nun.	
26343.4	Greenwood Creek Buoy 5	38-53-09.600N 076-12-08.700W				Green can.	
26343.3	Greenwood Creek Buoy 4	38-53-03.139N 076-12-08.803W				Red nun.	
26343.2	Greenwood Creek Buoy 3	38-53-03.583N 076-12-11.965W				Green can.	
26343.1	Greenwood Creek Buoy 2	38-52-53.847N 076-12-17.542W				Red nun.	
26343	Greenwood Creek Buoy 1G	38-52-54.250N 076-12-19.696W				Green Can.	
26345	Kent Island Narrows South Approach Light 1K	38-57-13.834N 076-14-36.650W	Fl G 4s	0	4	SG on pile.	
26350	Marshy Creek Buoy 1	38-57-37.406N 076-14-14.828W				Green can.	Maintained from Apr. 1 to Dec. 1.
26355	Marshy Creek Daybeacon 3	38-57-39.406N 076-14-06.828W				SG on pile.	
26360	Kent Island Narrows South Approach Channel Daybeacon 4	38-57-37.034N 076-14-26.488W				TR on pile.	
26365	Kent Island Narrows South Approach Channel Light 3	38-57-36.432N 076-14-29.051W	Fl G 2.5s	0	4	SG on pile.	
26370	Kent Island Narrows South Approach Channel Daybeacon 5	38-57-42.080N 076-14-31.506W				SG on pile.	
26375	Kent Island Narrows South Approach Channel Daybeacon 6	38-57-48.811N 076-14-33.968W		0		TR on pile.	
26380	Kent Island Narrows South Approach Channel Daybeacon 7	38-57-52.210N 076-14-37.278W				SG on pile.	
26385	Kent Island Narrows South Approach Channel Daybeacon 8	38-57-55.084N 076-14-35.811W				TR on pile.	
26390	Kent Island Narrows South Approach Channel Daybeacon 9	38-58-02.622N 076-14-45.081W				SG on pile.	
26395	Wells Cove Daybeacon 2	38-57-54.569N 076-14-26.252W				TR on pile.	
26400	Wells Cove Daybeacon 4	38-57-52.163N 076-14-24.938W				TR on pile.	

26405	Wells Cove Daybeacon 5	38-57-55.319N 076-14-21.404W					SG on pile.
26410	Wells Cove Daybeacon 6	38-57-53.002N 076-14-21.308W					TR on pile.
26413	Kent Island Narrows North Approach Light 1KN	38-59-13.460N 076-14-44.776W	Q G	0	4		SG on multi-pile structure.
26415	Kent Island Narrows North Approach Light 2KN	38-59-12.743N 076-14-46.274W	Q R	0	4		TR on multi-pile structure.
26417	Kent Island Narrows North Approach Lighted Buoy 2A	38-59-08.095N 076-14-42.002W	FI R 2.5s		4		Red. Maintained from Mar. 15 to Dec. 1.
26420	Kent Island Narrows North Approach Light 3	38-59-01.703N 076-14-36.164W	FI G 4s	0	4		SG on multi-pile structure.
26425	Kent Island Narrows North Approach Warning Light A	38-59-01.031N 076-14-37.442W	FI W 4s	0	4		NW on multi-pile structure worded Danger Shoal.
26430	Kent Island Narrows North Approach Light 5	38-58-49.841N 076-14-27.356W	Q G	0	4		SG on multi-pile structure.
26435	Kent Island Narrows North Approach Light 6	38-58-49.760N 076-14-29.286W	Q R	0	4		TR on multi-pile structure.
26437	Kent Island Narrows North Approach Lighted Buoy 6A	38-58-46.938N 076-14-29.309W	FI R 2.5s		4		Red. Maintained from Mar. 15 to Dec. 1.
26440	Kent Island Narrows North Approach Light 8	38-58-45.083N 076-14-30.872W	FI R 2.5s	0	4		TR on pile.
26445	Kent Island Narrows North Approach Daybeacon 9	38-58-44.330N 076-14-29.616W		0			SG on pile.
26450	Kent Island Narrows North Approach Daybeacon 11	38-58-42.419N 076-14-34.424W		0			SG on pile.
26455	Kent Island Narrows North Approach Daybeacon 12	38-58-42.263N 076-14-37.334W		0			TR on pile.
26460	Kent Island Narrows North Approach Light 13	38-58-36.683N 076-14-46.136W	FI G 4s	0	4		SG on pile.
26465	Kent Island Narrows North Approach Daybeacon 15	38-58-34.289N 076-14-47.966W		0			SG on pile.
26500	Chester River Entrance Buoy 2	39-04-01.539N 076-16-20.633W					Red nun.
26505	Chester River Buoy 3	39-02-06.431N 076-16-04.853W					Green can.
26510	Chester River Lighted Buoy 6	39-00-24.553N 076-15-04.882W	FI R 4s		4		Red. Replaced by nun from Dec. 1 to Apr. 1.
26515	Chester River Channel Buoy 7	39-00-14.377N 076-14-13.277W					Green can.
26520	Chester River Channel Lighted Buoy 9	38-59-34.997N 076-12-44.908W	FI G 4s		4		Green. Replaced by can from Dec. 1 to Apr. 1.
26525	Castle Harbor Marina Channel Light 1	38-59-24.680N 076-16-36.390W	FI G 4s				SG on pile. Maintained from Apr. 1 to Nov. 1.
26530	Castle Harbor Marina Channel Light 2	38-59-26.370N 076-16-37.220W	FI R 4s				TR on pile. Maintained from Apr. 1 to Nov. 1.
26535	Castle Harbor Marina Buoy 3	38-59-21.690N 076-16-41.520W					Green can.
26535	Castle Harbor Marina Buoy 3	38-59-21.690N 076-16-41.520W					Green can.
26540	Castle Harbor Marina Buoy 4	38-59-23.120N 076-16-43.330W					Red nun.
26540	Castle Harbor Marina Buoy 4	38-59-23.120N 076-16-43.330W					Red nun.
26545	Castle Harbor Marina Buoy 5	38-59-19.500N 076-16-45.330W					Green can.
26545	Castle Harbor Marina Buoy 5	38-59-19.500N 076-16-45.330W					Green can.
26550	Castle Harbor Marina Buoy 6	38-59-20.200N 076-16-46.200W					Red nun.
26550	Castle Harbor Marina Buoy 6	38-59-20.200N 076-16-46.200W					Red nun.
26555	Castle Harbor Marina Buoy 7	38-59-17.430N 076-16-48.820W					Green can.
26555	Castle Harbor Marina Buoy 7	38-59-17.430N 076-16-48.820W					Green can.
26560	Castle Harbor Marina Buoy 8	38-59-18.410N 076-16-49.390W					Red nun.
26560	Castle Harbor Marina Buoy 8	38-59-18.410N 076-16-49.390W					Red nun.

26570	Jackson Creek Daybeacon 2	38-58-32.424N 076-13-16.312W					TR on pile.	
26575	Jackson Creek Daybeacon 3	38-58-24.873N 076-13-17.240W					SG on pile.	
26580	Jackson Creek Daybeacon 5	38-58-19.742N 076-13-17.992W					SG on pile.	
26585	Queenstown Creek Light 2Q	39-00-13.433N 076-10-20.662W	Fl R 2.5s	0	4		Red.	
26585	Queenstown Creek Light 2Q	39-00-13.433N 076-10-20.662W	Fl R 2.5s	0	4		Red.	
26590	Queenstown Creek Warning Daybeacon A	39-00-01.629N 076-10-03.569W		0			NW on pile.	
26593	Queenstown Creek Buoy 3	39-00-01.010N 076-10-03.937W					Green can.	Maintained from Mar. 1 to Dec 15.
26595	Queenstown Creek Buoy 5	38-59-50.995N 076-09-53.021W					Green can.	Maintained from Mar. 1 to Dec. 15.
26600	Queenstown Harbor Channel Daybeacon 2	38-59-39.739N 076-09-43.085W		0			TR on pile.	
26605	Queenstown Harbor Channel Daybeacon 3	38-59-34.542N 076-09-43.438W		0			SG on pile.	
26610	Queenstown Harbor Channel Daybeacon 3A	38-59-27.719N 076-09-45.719W		0			SG on pile.	
26615	Queenstown Harbor Channel Daybeacon 4	38-59-24.524N 076-09-43.989W		0			TR on pile.	
26620	Queenstown Harbor Channel Daybeacon 6	38-59-22.888N 076-09-45.198W		0			TR on pile.	
26625	Chester River Channel Buoy 11	39-00-38.300N 076-11-23.934W					Green can.	
26630	Chester River Channel Lighted Buoy 12	39-00-54.695N 076-10-54.968W	Fl R 4s		4		Red.	Replaced by nun from Dec. 1 to Apr. 1.
26645	Chester River Channel Buoy 14	39-02-46.041N 076-12-01.293W					Red nun.	
26647	Chester River Channel Light 15	39-03-10.936N 076-12-21.981W	Fl G 4s	0	4		SG on pile.	
26655	Gordon Point Shoal Buoy 1	39-04-08.030N 076-09-50.835W					Green can.	
26660	Gordon Point Shoal Buoy 2	39-03-40.663N 076-09-38.257W					Red nun.	Maintained from Mar. 15 to Dec. 1.
26665	Langford Creek Junction Light LC	39-04-47.247N 076-10-46.457W	Fl (2+1)G 6s	0	4		JG on pile.	
26670	Langford Creek Daybeacon 1	39-04-51.756N 076-11-32.495W		0			SG on pile.	
26675	Langford Creek Daybeacon 3	39-05-25.996N 076-10-49.022W		0			SG on pile.	
26680	Langford Creek Daybeacon 5	39-05-41.105N 076-10-40.598W		0			SG on pile.	
26685	Langford Creek Daybeacon 7	39-06-43.143N 076-10-07.090W		0			SG on pile.	
26690	Long Cove Daybeacon 1	39-06-06.712N 076-10-44.895W		0			SG on pile.	
26695	Long Cove Daybeacon 3	39-06-23.298N 076-10-55.009W		0			SG on pile.	
26700	Davis Creek Entrance Buoy 2	39-07-09.574N 076-10-26.506W					Red nun.	
26700	Davis Creek Entrance Buoy 2	39-07-09.574N 076-10-26.506W					Red nun.	
26705	Chester River Channel Buoy 16	39-05-14.053N 076-09-53.809W					Red nun.	
26706	Nichols Point Warning Daybeacon A	39-05-34.078N 076-09-51.972W					NW on pile worded DANGER WRECKAGE.	
26707	Chester River Channel Light 17	39-05-37.099N 076-09-38.824W	Fl G 4s	0	4		SG on multi-pile structure.	
26710	Corsica River Junction Daybeacon CR	39-05-19.302N 076-09-24.534W		0			JR on pile.	
26710	Corsica River Junction Daybeacon CR	39-05-19.302N 076-09-24.534W		0			JR on pile.	
26715	Corsica River Daybeacon 2	39-04-56.422N 076-08-14.837W		0			TR on pile.	
26715	Corsica River Daybeacon 2	39-04-56.422N 076-08-14.837W		0			TR on pile.	

26720	Corsica River Daybeacon 4	39-04-54.478N 076-06-43.854W		0		TR on pile.	
26725	Corsica River Daybeacon 6	39-04-26.636N 076-05-19.312W		0		TR on pile.	
26727	Corsica River Buoy 8	39-04-04.600N 076-05-07.700W				Red nun.	
26730	Chester River Channel Buoy 18	39-05-50.941N 076-09-02.890W				Red nun.	
26735	Chester River Channel Buoy 19	39-06-09.162N 076-08-35.209W				Green can.	
26740	Chester River Channel Buoy 20	39-06-08.430N 076-07-50.830W				Red nun.	
26745	Chester River Channel Buoy 21	39-06-26.479N 076-07-13.956W				Green can.	
26750	Chester River Channel Light 23	39-06-30.771N 076-07-07.118W	Fl G 4s	0	4	SG on pile.	
26755	Chester River Channel Buoy 24	39-07-48.457N 076-05-22.814W				Red nun.	
26760	Chester River Channel Buoy 25	39-07-57.429N 076-04-31.321W				Green can.	
26765	Chester River Channel Light 27	39-08-14.758N 076-04-26.698W	Fl G 4s	0	4	SG on pile.	
26770	Chester River Channel Buoy 28	39-08-19.757N 076-04-20.130W				Red nun.	
26775	Chester River Channel Buoy 30	39-08-48.429N 076-04-48.822W				Red nun.	
26780	Southeast Creek Daybeacon 2	39-09-42.631N 076-02-38.956W		0		TR on pile.	
26785	Chester River Channel Buoy 32	39-09-08.928N 076-04-24.321W				Red nun.	
26790	Chester River Channel Light 34	39-10-07.535N 076-02-12.644W	Fl R 4s	0	4	TR on pile.	
26795	Chester River Channel Buoy 35	39-10-21.927N 076-02-22.815W				Green can.	
26800	Chester River Channel Buoy 37	39-10-41.927N 076-02-35.817W				Green can.	
26805	Chester River Channel Buoy 37A	39-10-58.427N 076-03-20.319W				Green can.	
26810	Chester River Channel Light 39	39-11-03.366N 076-04-03.384W	Fl G 4s	0	4	SG on pile.	
26815	Chester River Channel Buoy 40	39-11-29.427N 076-04-10.822W				Red nun.	
26825	Chester River Channel Buoy 42	39-14-18.393N 076-00-34.797W				Red nun.	
26830	Chester River Channel Buoy 43	39-14-18.393N 076-00-22.796W				Green can.	
26835	Chester River Channel Buoy 44	39-14-18.393N 076-00-10.796W				Red nun.	
26840	Chester River Channel Buoy 44A	39-14-18.393N 075-59-52.795W				Red nun.	
26845	Chester River Channel Buoy 45	39-14-04.394N 075-59-02.793W				Green can.	
26850	Swan Creek Entrance Buoy 1	39-05-34.253N 076-15-15.037W				Green can.	
26855	Swan Creek Entrance Buoy 3	39-06-06.428N 076-15-34.852W				Green can.	
26860	Swan Creek Entrance Lighted Buoy 4	39-07-17.515N 076-15-37.203W	Fl R 4s		4	Red.	Replaced by nun from Dec. 1 to Mar. 15.
26865	Swan Creek Entrance Buoy 5	39-08-01.694N 076-15-45.944W				Green can.	
26870	Swan Creek Entrance Light 6	39-08-21.735N 076-15-47.675W	Fl R 4s	0	4	TR on pile.	
26872	Swan Creek Buoy 8	39-08-42.480N 076-15-44.004W				Red nun.	
26873	Swan Creek Buoy 10	39-08-46.800N 076-15-41.160W				Red nun.	
26874.1	Swan Creek Buoy 13	39-08-53.900N 076-15-21.900W				Green can.	
26874	Swan Creek Buoy 11	39-08-51.840N 076-15-28.920W				Green can.	

26875	Swan Creek Buoy 14	39-08-54.716N 076-15-16.130W				Red Nun.
26876	Swan Creek Buoy 15	39-08-56.600N 076-15-17.200W				Green can.
26886	The Haven Channel Daybeacon 1	39-08-51.333N 076-15-10.072W				SG on pile.
26887	The Haven Channel Daybeacon 2	39-08-48.743N 076-15-10.199W				TR on pile.
26887.5	The Haven Channel Daybeacon 3	39-08-45.047N 076-15-04.137W				SG on pile.
26888	The Haven Channel Daybeacon 4	39-08-43.253N 076-15-05.788W				TR on pile.
26888.5	The Haven Channel Daybeacon 5	39-08-39.619N 076-14-58.775W				SG on pile.
26889	The Haven Channel Daybeacon 7	39-08-35.748N 076-14-57.123W				SG on pile.
26890	Rock Hall Harbor Entrance Buoy 1	39-07-44.101N 076-14-56.556W				Green can. Maintained from Mar. 15 to Dec. 1.
26893	Rock Hall Harbor Buoy 3	39-07-47.131N 076-14-54.576W				Green can. Maintained from Mar. 15 to Dec. 1.
26895	Rock Hall Harbor Light 4	39-07-49.003N 076-14-52.558W	Fl R 2.5s	0	4	TR on pile.
26900	Rock Hall Harbor Daybeacon 5	39-07-49.904N 076-14-54.006W				SG on pile.
26905	Rock Hall Harbor Daybeacon 6	39-07-52.087N 076-14-52.066W				TR on pile.
26910	Rock Hall Harbor Daybeacon 8	39-07-58.735N 076-14-52.906W		13		TR on pile.
26915	Rock Hall Harbor Daybeacon 10	39-08-00.611N 076-14-53.647W				TR on pile.
26920	Rock Hall Harbor Daybeacon 12	39-08-04.156N 076-14-48.410W				TR on pile.
26925	Rock Hall Harbor Daybeacon 14	39-08-03.685N 076-14-46.138W				TR on pile.
26930	Rock Hall Harbor East Daybeacon 2E	39-07-53.336N 076-14-51.441W				TR on pile.
26935	Rock Hall Harbor East Junction Daybeacon RH	39-08-00.043N 076-14-43.720W				JG on pile.
26940	Rock Hall Harbor East Daybeacon 4E	39-07-59.094N 076-14-42.257W				TR on pile.
26945	Rock Hall Harbor East Daybeacon 6E	39-07-56.254N 076-14-38.606W		0		TR on pile.
26950	Shallow Creek Light 1SC	39-11-59.336N 076-26-04.302W	Fl G 4s	0	4	SG on pile.
26950	Shallow Creek Light 1SC	39-11-59.336N 076-26-04.302W	Fl G 4s	0	4	SG on pile.
26955	Shallow Creek Daybeacon 2	39-11-59.611N 076-26-03.257W		0		TR on pile.
26955	Shallow Creek Daybeacon 2	39-11-59.611N 076-26-03.257W		0		TR on pile.
26960	Shallow Creek Daybeacon 3	39-12-09.420N 076-26-07.680W				SG on pile.
26960	Shallow Creek Daybeacon 3	39-12-09.420N 076-26-07.680W				SG on pile.
26965	Shallow Creek Daybeacon 4	39-12-09.780N 076-26-06.840W				TR on pile.
26965	Shallow Creek Daybeacon 4	39-12-09.780N 076-26-06.840W				TR on pile.
26975	Shallow Creek Daybeacon 6	39-12-21.420N 076-26-10.980W				TR on pile.
26975	Shallow Creek Daybeacon 6	39-12-21.420N 076-26-10.980W				TR on pile.
26985	Shallow Creek Daybeacon 8	39-12-27.600N 076-26-18.720W				TR on pile.
26985	Shallow Creek Daybeacon 8	39-12-27.600N 076-26-18.720W				TR on pile.
26990	Shallow Creek Daybeacon 9	39-12-32.940N 076-26-26.700W				SG on pile.
26990	Shallow Creek Daybeacon 9	39-12-32.940N 076-26-26.700W				SG on pile.

26995	Shallow Creek Daybeacon 10	39-12-33.480N 076-26-26.040W				TR on pile.	
26995	Shallow Creek Daybeacon 10	39-12-33.480N 076-26-26.040W				TR on pile.	
27000	Harts Island Channel Light 1	39-13-33.576N 076-23-46.039W	Fl G 2.5s	4		SG on pile.	
27000	Harts Island Channel Light 1	39-13-33.576N 076-23-46.039W	Fl G 2.5s	4		SG on pile.	
27005	Harts Island Channel Daybeacon 2	39-13-34.351N 076-23-44.837W				TR on pile.	
27005	Harts Island Channel Daybeacon 2	39-13-34.351N 076-23-44.837W				TR on pile.	
27010	Harts Island Channel Daybeacon 3	39-13-40.891N 076-23-47.417W				SG on pile.	
27010	Harts Island Channel Daybeacon 3	39-13-40.891N 076-23-47.417W				SG on pile.	
27015	Harts Island Channel Daybeacon 4	39-13-48.091N 076-23-47.597W				TR on pile.	
27015	Harts Island Channel Daybeacon 4	39-13-48.091N 076-23-47.597W				TR on pile.	
27020	Harts Island Channel Light 5	39-13-55.038N 076-23-50.823W	Q G	0	3	SG on pile.	
27020	Harts Island Channel Light 5	39-13-55.038N 076-23-50.823W	Q G	0	3	SG on pile.	
27025	Harts Island Channel Daybeacon 6	39-13-54.972N 076-23-49.095W				TR on pile.	
27025	Harts Island Channel Daybeacon 6	39-13-54.972N 076-23-49.095W				TR on pile.	
27030	Harts Island Channel Daybeacon 8	39-13-57.649N 076-23-48.797W				TR on pile.	
27030	Harts Island Channel Daybeacon 8	39-13-57.649N 076-23-48.797W				TR on pile.	
27035	Harts Island Channel Light 9	39-14-13.411N 076-23-43.157W	Fl G 2.5s	4		SG on pile.	
27035	Harts Island Channel Light 9	39-14-13.411N 076-23-43.157W	Fl G 2.5s	4		SG on pile.	
27040	Harts Island Channel Daybeacon 10	39-14-13.110N 076-23-41.217W		0		TR on pile.	
27040	Harts Island Channel Daybeacon 10	39-14-13.110N 076-23-41.217W		0		TR on pile.	
27045	Back River Buoy 2	39-16-14.078N 076-22-16.017W				Red nun.	
27045	Back River Buoy 2	39-16-14.078N 076-22-16.017W				Red nun.	
27050	Back River Light 3	39-15-06.944N 076-23-29.313W	Fl G 4s	0	4	SG on pile.	
27050	Back River Light 3	39-15-06.944N 076-23-29.313W	Fl G 4s	0	4	SG on pile.	
27055	Back River Light 5	39-14-33.990N 076-23-51.124W	Fl G 6s	0	4	SG on multi-pile structure.	
27055	Back River Light 5	39-14-33.990N 076-23-51.124W	Fl G 6s	0	4	SG on multi-pile structure.	
27065	Longs Creek Daybeacon 1	39-14-50.389N 076-24-18.853W				SG on pile.	
27065	Longs Creek Daybeacon 1	39-14-50.389N 076-24-18.853W				SG on pile.	
27070	Longs Creek Daybeacon 2	39-14-53.389N 076-24-16.853W				TR on pile.	
27070	Longs Creek Daybeacon 2	39-14-53.389N 076-24-16.853W				TR on pile.	
27075	Longs Creek Daybeacon 4	39-14-58.389N 076-24-20.353W				TR on pile.	
27075	Longs Creek Daybeacon 4	39-14-58.389N 076-24-20.353W				TR on pile.	
27079	Back River Buoy 6	39-14-49.473N 076-23-49.740W				Red nun.	1000NAV6.
27080	Back River Buoy 7	39-14-47.649N 076-26-07.334W				Green can.	4174NAV7.
27083	Back River Buoy 8	39-15-05.627N 076-26-17.068W				Red nun.	4353NAV8.

27085	Back River Buoy 10	39-15-29.609N 076-26-35.037W				Red nun.	2106NAV10.
27085	Back River Buoy 10	39-15-29.609N 076-26-35.037W				Red nun.	2106NAV10.
27087	Back River Buoy 11	39-16-04.094N 076-26-39.543W				Green can.	4354NAV11.
27090	Back River Buoy 12	39-16-33.995N 076-26-37.924W				Red nun.	4355NAV12.
27095	Back River Buoy 13	39-17-03.077N 076-27-31.409W				Green can.	4356NAV13.
27100	Back River Buoy 14	39-17-25.069N 076-27-53.482W				Red nun.	NAV2107NAV14.
27110	Middle River Light 1MR	39-16-21.671N 076-20-10.727W	Q G	0	4		SG on multi pile structure.
27110	Middle River Light 1MR	39-16-21.671N 076-20-10.727W	Q G	0	4		SG on multi pile structure.
27115	Glenmar Lighted Race Buoy S	39-16-55.002N 076-21-33.633W	FI Y 4s				
27116	Glenmar Lighted Race Buoy N	39-17-54.870N 076-21-50.380W	FI Y 4s				
27117	Middle River Light 3	39-17-12.331N 076-22-32.717W	FI G 2.5s	0	4		SG on multi-pile structure.
27117	Middle River Light 3	39-17-12.331N 076-22-32.717W	FI G 2.5s	0	4		SG on multi-pile structure.
27120	Middle River Light 4	39-17-37.860N 076-23-05.332W	FI R 2.5s		4		TR on multi-pile structure.
27120	Middle River Light 4	39-17-37.860N 076-23-05.332W	FI R 2.5s		4		TR on multi-pile structure.
27130	Sue Island Entrance Light 1	39-17-24.407N 076-23-53.298W	FI G 2.5s	0	4		SG on pile.
27130	Sue Island Entrance Light 1	39-17-24.407N 076-23-53.298W	FI G 2.5s	0	4		SG on pile.
27135	Frog Mortar Creek Daybeacon 2	39-19-11.502N 076-24-04.953W					TR on pile.
27135	Frog Mortar Creek Daybeacon 2	39-19-11.502N 076-24-04.953W					TR on pile.
27140	Frog Mortar Creek Daybeacon 4	39-19-31.476N 076-24-10.269W					TR on pile.
27140	Frog Mortar Creek Daybeacon 4	39-19-31.476N 076-24-10.269W					TR on pile.
27145	Wilson Point Junction Light WP	39-18-19.776N 076-24-32.716W	FI (2+1)R 6s	0	4		JR on pile.
27145	Wilson Point Junction Light WP	39-18-19.776N 076-24-32.716W	FI (2+1)R 6s	0	4		JR on pile.
27150	Norman Creek Daybeacon 2	39-18-20.502N 076-25-04.663W					TR on pile.
27150	Norman Creek Daybeacon 2	39-18-20.502N 076-25-04.663W					TR on pile.
27155	Middle River Daybeacon 5	39-18-38.497N 076-25-05.057W		0			SG on pile.
27155	Middle River Daybeacon 5	39-18-38.497N 076-25-05.057W		0			SG on pile.
27160	Clark Point Junction Daybeacon CP	39-18-52.951N 076-25-27.917W		0			JG on pile.
27160	Clark Point Junction Daybeacon CP	39-18-52.951N 076-25-27.917W		0			JG on pile.
27170	Seneca Creek Entrance Daybeacon 2S	39-18-11.158N 076-21-26.064W		0			TR on multi-pile structure.
27170	Seneca Creek Entrance Daybeacon 2S	39-18-11.158N 076-21-26.064W		0			TR on multi-pile structure.
27175	Gunpowder River Lighted Buoy 2G	39-17-15.521N 076-20-13.263W	FI R 4s		4	Red.	Maintained from Mar. 15 to Dec. 1.
27185	Gunpowder River Lighted Buoy 4	39-17-56.421N 076-19-53.363W	FI R 4s		4	Red.	Maintained from Mar. 15 to Dec. 1.
27195	Gunpowder River Lighted Buoy 6	39-18-22.521N 076-18-51.661W	FI R 4s		4	Red.	Maintained from Mar. 15 to Dec. 1.
27200	Gunpowder River Lighted Buoy 7	39-18-42.921N 076-18-31.760W	FI G 4s		4	Green.	Maintained from Mar. 15 to Dec. 1.
27205	Gunpowder River Wreck Light WR9	39-19-50.958N 076-19-11.043W	Q G	0	4		SG on pile.

27215	Gunpowder River Lighted Buoy 10	39-21-21.012N 076-19-28.832W	FI R 4s	4	Red.	Maintained from Mar. 15 to Dec 1.
27230	Upper Gunpowder River Buoy 2	39-22-57.387N 076-20-23.398W			Red nun.	Maintained from Apr. 15 to Oct. 15.
27235	Upper Gunpowder River Daybeacon 3	39-23-15.297N 076-20-41.959W			SG on pile.	
27240	Upper Gunpowder River Buoy 4	39-23-16.470N 076-20-40.976W			Red nun.	Maintained from Apr. 15 to Oct. 15.
27250	Upper Gunpowder River Buoy 6	39-23-20.190N 076-20-44.405W			Red nun.	Maintained from Apr. 15 to Oct. 15.
27255	Upper Gunpowder River Buoy 7	39-23-22.413N 076-20-50.911W			Green can.	Maintained from Apr. 15 to Oct. 15.
27260	Upper Gunpowder River Daybeacon 8	39-23-22.203N 076-20-49.411W			TR on pile.	
27265	Upper Gunpowder River Buoy 9	39-23-30.889N 076-20-52.399W			Green can.	Maintained from Apr. 15 to Oct. 15.
27270	Upper Gunpowder River Buoy 10	39-23-31.523N 076-20-51.053W			Red nun.	Maintained from Apr. 15 to Oct. 15.
27275	Upper Gunpowder River Buoy 11	39-23-40.118N 076-20-54.022W			Green can.	DNR: 1234NAV11.
27280	Upper Gunpowder River Buoy 12	39-23-40.393N 076-20-53.092W			Red nun.	
27285	Robins Point Shoal Buoy 1	39-17-04.279N 076-17-01.418W			Green can.	Maintained from Mar. 15 to Dec 1.
27285	Robins Point Shoal Buoy 1	39-17-04.279N 076-17-01.418W			Green can.	Maintained from Mar. 15 to Dec 1.
27290	Aberdeen Restricted Area Buoy A	39-16-46.422N 076-17-10.857W			Yellow can.	
27290	Aberdeen Restricted Area Buoy A	39-16-46.422N 076-17-10.857W			Yellow can.	
27295	Aberdeen Restricted Area Buoy B	39-17-05.921N 076-18-01.859W			Yellow can.	
27295	Aberdeen Restricted Area Buoy B	39-17-05.921N 076-18-01.859W			Yellow can.	
27310	Bush River Light 2B	39-20-03.616N 076-13-46.160W	FI R 2.5s	0	4	TR on multi-pile structure.
27310	Bush River Light 2B	39-20-03.616N 076-13-46.160W	FI R 2.5s	0	4	TR on multi-pile structure.
27315	Bush River Light 3	39-21-02.740N 076-15-06.570W	FI G 2.5s	0	4	SG on pile.
27315	Bush River Light 3	39-21-02.740N 076-15-06.570W	FI G 2.5s	0	4	SG on pile.
27320	Bush River Daybeacon 4	39-21-23.813N 076-15-15.564W		0		TR on pile.
27320	Bush River Daybeacon 4	39-21-23.813N 076-15-15.564W		0		TR on pile.
27325	Bush River Light 5	39-22-12.853N 076-16-02.449W	FI G 4s	0	4	SG on pile.
27327	Aberdeen Proving Ground Lighted Warning Buoy A	39-23-04.051N 076-16-08.736W	FI W 2.5s			White can with orange diamond worded DANGER SUBMERGED PIPE.
27330	Bush River Wreck Light WR6	39-23-04.216N 076-15-29.422W	Q R	0	3	TR on multi-pile structure.
27340	Bush River Wreck Light WR7	39-23-47.696N 076-15-37.942W	Q G	0	4	SG on multi-pile structure.
27345	Sod Run Obstruction Light 2	39-25-29.352N 076-13-58.708W	Q R			NW on dolphin worded DANGER SUBMERGED PIPELINE.
27350	Sod Run Warning Daybeacon A	39-25-29.842N 076-13-55.708W				NW on dolphin worded DANGER SUBMERGED PIPELINE.
27355	Sod Run Warning Daybeacon B	39-25-30.692N 076-13-52.777W				NW on dolphin worded DANGER SUBMERGED PIPELINE.
27363	Bush River Light 9	39-26-06.000N 076-14-33.600W	FI G 2.5s			SG on electric tower.
27364	Bush River Light 10	39-26-09.060N 076-14-21.000W	FI R 4s			TR on electric tower.
27365	Bush River Light 11	39-26-06.391N 076-14-28.839W	Q G			SG on electric tower.
27367	Bush River Light A	39-26-01.800N 076-14-48.500W	FI Y 4s			NY on electric tower.
27373	Otter Point Creek Light 3	39-26-35.300N 076-15-37.700W	FI G 4s			SG on electric tower.

27374	Otter Point Creek Light 4	39-26-44.900N 076-15-43.600W	FI R 4s			TR on electric tower.	
27375	Otter Point Creek Buoy 6	39-26-41.400N 076-15-22.050W				Red nun.	Maintained from May 1 to Oct. 1.
27390	Worton Creek Lighted Buoy 2	39-17-28.512N 076-10-15.727W	Q R	4		Red.	Maintained from Mar. 15 to Dec 1.
27390	Worton Creek Lighted Buoy 2	39-17-28.512N 076-10-15.727W	Q R	4		Red.	Maintained from Mar. 15 to Dec 1.
27395	Worton Creek Daybeacon 3	39-17-22.410N 076-10-12.506W				SG on pile.	
27395	Worton Creek Daybeacon 3	39-17-22.410N 076-10-12.506W				SG on pile.	
27400	Worton Creek Daybeacon 5	39-17-13.660N 076-10-10.668W				SG on pile.	
27400	Worton Creek Daybeacon 5	39-17-13.660N 076-10-10.668W				SG on pile.	
27410	Fairlee Creek Buoy 7	39-16-07.500N 076-12-26.640W				Green can.	Maintained from May to Oct.
27410	Fairlee Creek Buoy 7	39-16-07.500N 076-12-26.640W				Green can.	Maintained from May to Oct.
27415	Fairlee Creek Buoy 8	39-15-48.391N 076-12-29.230W				Red nun.	Maintained from May to Oct.
27415	Fairlee Creek Buoy 8	39-15-48.391N 076-12-29.230W				Red nun.	Maintained from May to Oct.
27420	Fairlee Creek Buoy 9	39-16-06.180N 076-12-23.760W				Green can.	Maintained from May to Oct.
27420	Fairlee Creek Buoy 9	39-16-06.180N 076-12-23.760W				Green can.	Maintained from May to Oct.
27425	Fairlee Creek Buoy 10	39-15-08.491N 076-12-02.028W				Red nun.	Maintained from May to Oct.
27425	Fairlee Creek Buoy 10	39-15-08.491N 076-12-02.028W				Red nun.	Maintained from May to Oct.
27435	Sassafras River Light 2SR	39-22-38.920N 075-59-39.930W	FI R 2.5s	4		TR on pile.	
27438	Rigbie Bluff Pier Light	39-22-20.400N 076-03-43.010W	FI Y 6s			On pile.	
27439	Sassafras River Daybeacon 3	39-22-19.149N 075-59-02.553W		0		SG on pile.	
27440	Sassafras River Light 3A	39-22-11.313N 075-58-44.670W	Q G	4		SG on pile.	
27445	Turner Creek Entrance Buoy 1	39-21-38.605N 075-59-09.799W				Green can.	Maintained from Apr. to Oct.
27460	Sassafras River Light 5	39-22-40.264N 075-57-44.592W	FI G 2.5s	0	4	SG on pile.	
27465	Sassafras River Daybeacon 6	39-22-29.681N 075-57-22.226W		0		TR on pile.	
27470	Sassafras River Light 7	39-22-12.159N 075-56-35.575W	FI G 2.5s	0	4	SG on pile.	
27495	Sassafras River Daybeacon 8	39-22-14.016N 075-55-45.849W		0		TR on pile.	
27500	Sassafras River Light 10	39-21-50.700N 075-54-43.887W	FI R 2.5s	0	4	TR on pile.	
27505	Sassafras River Daybeacon 12	39-21-54.881N 075-53-44.686W		0		TR on pile.	
27517	Budds Landing Pier Light	39-22-19.900N 075-50-23.400W	F Y				
27520	Aberdeen Proving Ground Channel Lighted Buoy 2	39-25-00.434N 076-05-46.334W	FI R 2.5s	3		Red.	
27535	Aberdeen Proving Ground Channel Buoy 4	39-25-41.007N 076-05-35.126W				Red nun.	Maintained from Mar. 15 to Dec. 1.
27540	Aberdeen Proving Ground Channel Buoy 5	39-26-01.183N 076-05-34.148W				Green can.	Maintained from Mar. 15 to Dec. 1.
27545	Aberdeen Proving Ground Channel Buoy 6	39-26-00.283N 076-05-30.508W				Red nun.	Maintained from Mar. 15 to Dec. 1.
27565	Aberdeen Proving Ground Channel Buoy 7	39-26-21.484N 076-05-44.268W				Green can.	Maintained from Mar. 15 to Dec. 1.
27570	Aberdeen Proving Ground Channel Daybeacon 9	39-27-01.813N 076-05-47.066W				SG on pile.	
27575	Aberdeen Proving Ground Channel Daybeacon 11	39-27-25.503N 076-05-47.034W				SG on pile.	

27580	Aberdeen Proving Ground Channel Daybeacon 12	39-27-37.145N 076-05-43.379W				TR on pile.	
27585	Susquehanna River Junction Light SN	39-26-39.221N 076-02-07.556W	FI (2+1)R 6s	0	4	JR on multi-pile structure.	
27590	Susquehanna River Channel Lighted Buoy 1S	39-27-46.842N 076-02-52.330W	FI G 2.5s		4	Green.	
27595	Susquehanna River Channel Buoy 2	39-28-18.343N 076-03-14.032W				Red nun.	
27600	Susquehanna River Channel Lighted Buoy 3	39-28-41.041N 076-04-10.733W	FI G 4s		4	Green.	
27605	Susquehanna River Channel Buoy 5	39-28-49.497N 076-04-48.313W				Green can.	
27610	Susquehanna River Channel Buoy 6	39-28-53.873N 076-04-46.840W				Red nun.	
27615	Susquehanna River Channel Buoy 7	39-29-12.038N 076-05-06.974W				Green can.	
27620	Susquehanna River Channel Buoy 8	39-29-13.704N 076-05-03.802W				Red nun.	
27625	Susquehanna River Channel Buoy 9	39-29-29.439N 076-05-15.398W				Green can.	
27643	Susquehanna River Channel Buoy 10	39-29-29.956N 076-05-11.883W				Red nun.	
27645	Susquehanna River Channel Lighted Buoy 11	39-29-56.739N 076-05-18.056W	FI G 4s		4	Green.	
27650	Susquehanna River Channel Buoy 12	39-29-57.602N 076-05-14.664W				Red nun.	
27655	Susquehanna River Channel Buoy 13	39-30-44.740N 076-05-09.336W				Green can.	
27660	Susquehanna River Channel Lighted Buoy 14	39-31-06.439N 076-05-02.736W	FI R 4s		4	Red.	
27665	Susquehanna River Channel Buoy 15	39-31-34.439N 076-05-00.836W				Green can.	
27670	Susquehanna River Channel Lighted Buoy 17	39-32-10.338N 076-04-54.636W	FI G 4s		4	Green.	
27675	Havre De Grace Yacht Basin Buoy 1	39-32-15.300N 076-05-04.100W				Green can.	
27680	Havre De Grace Yacht Basin Buoy 2	39-32-16.200N 076-05-04.600W				Red nun.	
27683	Havre De Grace Yacht Basin Buoy 3	39-32-15.200N 076-05-11.200W				Green can.	
27685	Havre De Grace Yacht Basin Buoy 4	39-32-16.200N 076-05-09.800W				Red nun.	
27690	Havre De Grace Yacht Basin Buoy 5	39-32-14.900N 076-05-16.600W				Green can.	
27693	Havre De Grace Yacht Basin Buoy 6	39-32-15.400N 076-05-16.400W				Red nun.	
27805	Susquehanna River Channel Buoy 18	39-32-34.538N 076-04-48.036W				Red nun.	
27810	Perry Point Warning Buoy	39-32-46.338N 076-04-21.334W				White can with orange bands and orange diamond worded SUBMERGED PILES.	
27815	Perryville Intake Warning Light A	39-34-36.700N 076-05-16.800W	FI W 4s			On pile.	
27815.1	Perryville Intake Warning Light B	39-34-35.800N 076-05-15.700W	FI W 4s			On pile.	
27820	Susquehanna River Junction Buoy SR	39-32-55.237N 076-04-57.936W				Green and red bands; can.	
27825	Susquehanna River Channel Buoy 19	39-33-00.737N 076-04-54.836W				Green can.	
27830	Susquehanna River Channel Alternate Route Buoy 2	39-33-01.437N 076-05-05.336W				Red nun.	
27835	Northeast River Light 2	39-29-23.111N 075-59-49.206W	FI R 2.5s	0	4	TR on pile.	
27840	Northeast River Light 4	39-30-44.144N 075-59-28.278W	FI R 4s	0	4	TR on pile.	
27845	Northeast River Lighted Buoy 5	39-31-52.948N 075-59-03.174W	FI G 2.5s		4	Green.	Maintained from Apr. 1 to Nov. 25.
27850	Northeast River Lighted Buoy 6	39-32-36.425N 075-58-22.259W	FI R 4s		4	Red.	Maintained from Apr. 1 to Nov. 25.
27855	Northeast River Lighted Buoy 7	39-33-10.713N 075-58-31.392W	FI G 4s		4	Green.	Maintained from Apr. 1 to Nov. 25.

27860	Northeast River Lighted Buoy 8	39-33-41.400N 075-58-19.166W	FI R 2.5s	4	Red.	Maintained from Apr. 1 to Nov. 25.
27875	Northeast River Lighted Buoy 10	39-34-21.668N 075-57-51.082W	FI R 4s	4	Red.	Maintained from Apr. 1 to Nov. 25.
27896.12	Elk River - Welch Point Buoy 16	39-33-49.117N 075-51-05.708W			Red nun.	1636NAV16
27896	Elk River - Welch Point Buoy 2	39-31-45.242N 075-52-59.505W			Red nun.	1637NAV2
27896.01	Elk River - Welch Point Buoy 4	39-32-04.725N 075-52-47.023W			Red nun.	1638NAV4
27896.02	Elk River - Welch Point Buoy 6	39-32-20.823N 075-52-34.316W			Red nun.	1639NAV6
27896.03	Elk River - Welch Point Buoy 7	39-32-42.031N 075-52-16.110W			Green can.	1640NAV7
27896.04	Elk River - Welch Point Buoy 8	39-33-12.224N 075-51-59.908W			Red nun.	1641NAV8
27896.05	Elk River - Welch Point Buoy 9	39-33-11.425N 075-52-06.505W			Green can.	1642NAV9
27896.07	Elk River - Welch Point Buoy 11	39-33-25.341N 075-51-45.713W			Green can.	1632NAV11
27896.06	Elk River - Welch Point Buoy 10	39-33-24.240N 075-51-44.902W			Red nun.	1631NAV10
27896.08	Elk River - Welch Point Buoy 12	39-33-28.816N 075-51-19.109W			Red nun.	1633NAV12
27896.09	Elk River - Welch Point Buoy 13	39-33-32.099N 075-51-19.345W			Green can.	1634NAV13
27896.11	Elk River - Welch Point Buoy 14	39-33-41.132N 075-51-09.105W			Red nun.	1635NAV14
27897	Upper Elk River Buoy 1	39-33-57.543N 075-50-59.392W			Green can.	4006NAV1.
27900	Upper Elk River Buoy 2	39-33-56.523N 075-50-58.550W			Red nun.	4566NAV2.
27903	Upper Elk River Buoy 3	39-34-05.243N 075-50-46.291W			Green can.	4007NAV3.
27905	Upper Elk River Buoy 4	39-34-13.134N 075-50-34.944W			Red nun.	4008NAV4.
27907	Upper Elk River Buoy 5	39-34-13.729N 075-50-35.360W			Green can.	4567NAV5.
27910	Upper Elk River Buoy 6	39-34-17.138N 075-50-31.453W			Red nun.	4009NAV6.
27915	Upper Elk River Buoy 7	39-34-22.399N 075-50-33.071W			Green can.	4568NAV7.
27920	Upper Elk River Buoy 8	39-34-22.617N 075-50-32.315W			Red nun.	4569NAV8.
27925	Upper Elk River Buoy 9	39-34-27.922N 075-50-36.767W			Green can.	4701NAV9.
27935	Upper Elk River Buoy 11	39-34-30.636N 075-50-37.938W			Green can.	4700NAV11.
27940	Upper Elk River Buoy 12	39-34-32.284N 075-50-37.829W			Red nun.	4571NAV12.
27945	Upper Elk River Buoy 13	39-34-40.223N 075-50-34.599W			Green can.	4572NAV13.
27950	Upper Elk River Buoy 14	39-34-46.065N 075-50-30.049W			Red nun.	4010NAV14.
27955	Upper Elk River Buoy 16	39-34-51.600N 075-50-32.724W			Red nun.	4011NAV16.
27960	Upper Elk River Buoy 18	39-34-54.843N 075-50-41.684W			Red nun.	4012NAV18.
27965	Upper Elk River Buoy 19	39-34-55.336N 075-50-53.349W			Green can.	4013NAV19.
27970	Oregon Inlet Lighted Whistle Buoy OI	35-47-27.809N 075-30-06.226W	Mo (A) W	6	Red and white stripes.	Topmark not installed on this aid.
27975	Oregon Inlet Lighted Buoy 1	35-47-12.382N 075-30-28.958W	Q G	4	Green.	
27980	Oregon Inlet Buoy 2	35-47-21.047N 075-30-37.313W			Red nun.	
27985	Oregon Inlet Lighted Buoy 3	35-47-04.604N 075-30-53.663W	FI G 2.5s	4	Green.	TEMP AIS MMSI: 993672098
27985	Oregon Inlet Lighted Buoy 3	35-47-04.604N 075-30-53.663W	FI G 2.5s	4	Green.	TEMP AIS MMSI: 993672098

27990	Oregon Inlet Lighted Buoy 4	35-47-13.619N 075-30-55.115W	FI R 2.5s	4	Red.	TEMP AIS MMSI: 993672097
27990	Oregon Inlet Lighted Buoy 4	35-47-13.619N 075-30-55.115W	FI R 2.5s	4	Red.	TEMP AIS MMSI: 993672097
27993	Oregon Inlet Lighted Buoy 5	35-46-53.791N 075-31-16.264W	FI G 4s	4	Green.	TEMP AIS MMSI: 993672916
27993	Oregon Inlet Lighted Buoy 5	35-46-53.791N 075-31-16.264W	FI G 4s	4	Green.	TEMP AIS MMSI: 993672916
27994	Oregon Inlet Lighted Buoy 6	35-47-04.011N 075-31-20.187W	FI R 4s	4	Red.	TEMP AIS MMSI: 993672919
27994	Oregon Inlet Lighted Buoy 6	35-47-04.011N 075-31-20.187W	FI R 4s	4	Red.	TEMP AIS MMSI: 993672919
27995	Oregon Inlet Jetty Light	35-46-25.942N 075-31-30.026W	FI W 2.5s	0	7	NB on pile.
28020	Oregon Inlet Lighted Buoy 8	35-46-48.327N 075-31-31.693W	FI R 2.5s	4	Red.	TEMP AIS MMSI: 993672918
28020	Oregon Inlet Lighted Buoy 8	35-46-48.327N 075-31-31.693W	FI R 2.5s	4	Red.	TEMP AIS MMSI: 993672918
28025	Oregon Inlet Buoy 9	35-46-33.546N 075-31-43.533W				Green can. TEMP AIS MMSI: 993672099
28025	Oregon Inlet Buoy 9	35-46-33.546N 075-31-43.533W				Green can. TEMP AIS MMSI: 993672099
28026	Oregon Inlet Lighted Buoy 10	35-46-18.332N 075-31-58.372W	FI R 4s	4	Red.	
28026	Oregon Inlet Lighted Buoy 10	35-46-18.332N 075-31-58.372W	FI R 4s	4	Red.	
28027	Oregon Inlet Lighted Buoy 11	35-46-14.185N 075-31-55.013W	FI G 4s	4	Green.	
28028	Oregon Inlet Lighted Buoy 12	35-46-03.339N 075-32-09.904W	Q R	4	Red.	
28045	Oregon Inlet Lighted Buoy 13	35-46-01.111N 075-32-08.550W	FI G 2.5s	4	Green.	
28050	Oregon Inlet Buoy 14	35-45-59.160N 075-32-16.248W				Red Nun.
28055	Oregon Inlet Buoy 15	35-45-53.107N 075-32-22.760W				Green can.
28057	Oregon Inlet Lighted Buoy 16	35-45-55.480N 075-32-27.325W	Q R	4	Red.	
28057	Oregon Inlet Lighted Buoy 16	35-45-55.480N 075-32-27.325W	Q R	4	Red.	
28059	Oregon Inlet Lighted Buoy 17	35-45-55.389N 075-32-35.672W	Q G	4	Green.	
28059	Oregon Inlet Lighted Buoy 17	35-45-55.389N 075-32-35.672W	Q G	4	Green.	
28062	Oregon Inlet Buoy 18	35-46-03.708N 075-32-45.678W				Red Nun.
28062	Oregon Inlet Buoy 18	35-46-03.708N 075-32-45.678W				Red Nun.
28065	Oregon Inlet Lighted Buoy 19	35-46-02.832N 075-32-49.194W	FI G 2.5s	4	Green.	
28070	Oregon Inlet Buoy 21	35-46-05.616N 075-32-58.686W				Green can.
28073	Oregon Inlet Buoy 22	35-46-10.974N 075-33-06.319W				Red Nun.
28073	Oregon Inlet Buoy 22	35-46-10.974N 075-33-06.319W				Red Nun.
28075	Oregon Inlet Lighted Buoy 23	35-46-13.445N 075-33-15.182W	FI G 4s	4	Green.	
28077	Oregon Inlet Buoy 24	35-46-19.295N 075-33-18.158W				Red nun.
28080	Oregon Inlet Buoy 25	35-46-20.848N 075-33-24.077W				Green can.
28083	Oregon Inlet Lighted Buoy 26	35-46-29.241N 075-33-31.951W	Q R	4	Red.	
28084.2	Oregon Inlet Cut Buoy 4	35-47-07.167N 075-33-10.447W				Red nun.
28084.3	Oregon Inlet Cut Lighted Buoy 3	35-47-08.907N 075-33-14.198W	FI G 4s	4	Green.	
28084.4	Oregon Inlet Cut Buoy 6	35-47-22.066N 075-33-17.808W				Red nun.

28084.5	Oregon Inlet Cut Buoy 5	35-47-23.708N 075-33-21.501W				Green can.
28084	Oregon Inlet Cut Buoy 1	35-46-48.909N 075-33-12.219W				Green can.
28084.1	Oregon Inlet Cut Lighted Buoy 2	35-46-52.113N 075-33-02.965W	Q R	4		Red.
28084	Oregon Inlet Cut Buoy 1	35-46-48.909N 075-33-12.219W				Green can.
28084.1	Oregon Inlet Cut Lighted Buoy 2	35-46-52.113N 075-33-02.965W	Q R	4		Red.
28085	Oregon Inlet Channel Lighted Buoy 27	35-46-28.110N 075-33-35.873W	Q G	4		Green.
28090	Oregon Inlet Channel Buoy 28	35-46-28.094N 075-33-44.271W				Red nun.
28093	Oregon Inlet Channel Buoy 28A	35-46-14.188N 075-33-57.254W				Red nun.
28095	Oregon Inlet Channel Lighted Buoy 29	35-46-05.954N 075-33-57.714W	FI G 4s	4		Green.
28097	Oregon Inlet Channel Buoy 30	35-45-57.636N 075-34-12.502W				Red nun.
28099	Oregon Inlet Channel Buoy 30A	35-45-49.114N 075-34-26.280W				Red nun.
28105	Oregon Inlet Channel Lighted Buoy 31	35-45-48.887N 075-34-19.189W	Q G	4		Green.
28110	Oregon Inlet Channel Buoy 32	35-45-42.970N 075-34-43.797W				Red nun.
28115	Oregon Inlet Channel Buoy 33	35-45-38.997N 075-34-45.987W				Green can.
28117	Oregon Inlet Channel Buoy 34	35-45-42.306N 075-35-03.919W				Red nun.
28118	Oregon Inlet Channel Lighted Buoy 34A	35-45-40.365N 075-35-22.247W	Q R	3		Red.
28123	Oregon Inlet Channel Lighted Buoy 35	35-45-36.980N 075-35-26.117W	Q G	3		Green.
28124	Old House Channel Junction Light OH	35-45-42.013N 075-35-26.384W	FI (2+1)G 6s	0	4	JG on pile.
28126	Oregon Inlet Channel Daybeacon 36	35-45-45.320N 075-35-20.442W		12		TR on pile.
28127	Oregon Inlet Channel Daybeacon 36A	35-46-00.398N 075-35-12.913W		0		TR on pile.
28131	Oregon Inlet Channel Light 37	35-45-50.324N 075-35-19.175W	FI G 2.5s	12	4	SG on pile.
28132	Oregon Inlet Channel Buoy 37A	35-46-09.637N 075-35-10.350W				Green can.
28135	Oregon Inlet Channel Buoy 38	35-46-07.073N 075-35-09.145W				Red nun.
28137	Oregon Inlet Channel Lighted Buoy 39	35-46-19.355N 075-35-02.825W	FI G 4s	4		Green.
28137.1	Oregon Inlet Channel Buoy 39A	35-46-25.902N 075-34-54.998W				Green can.
28139	Oregon Inlet Channel Buoy 40	35-46-14.144N 075-35-04.630W				Red nun.
28141	Oregon Inlet Channel Light 41	35-46-31.440N 075-34-47.532W	Q G	18	4	SG on pile.
28145	Oregon Inlet Channel Buoy 42	35-46-22.179N 075-34-56.424W				Red nun.
28150	Oregon Inlet Channel Buoy 44	35-46-28.754N 075-34-47.100W				Red nun.
28170	Oregon Inlet Channel Daybeacon 46	35-46-37.888N 075-34-41.714W		0		TR on pile.
28173	Oregon Inlet Channel Daybeacon 47	35-46-44.188N 075-34-39.674W				SG on pile.
28175	Oregon Inlet Channel Daybeacon 49	35-46-51.596N 075-34-35.820W				SG on pile.
28180	Oregon Inlet Channel Light 50	35-46-56.454N 075-34-30.387W	FI R 4s	15	4	TR on pile.
28185	Oregon Inlet Channel Light 52	35-47-11.915N 075-34-21.262W	Q R	4		TR on pile.
28190.5	Oregon Inlet Channel Buoy 53A	35-47-21.012N 075-34-20.106W				Green can.

28190.5	Oregon Inlet Channel Buoy 53A	35-47-21.012N 075-34-20.106W					Green can.
28190	Oregon Inlet Channel Daybeacon 53	35-47-15.441N 075-34-22.037W		0			SG on pile.
28194	Oregon Inlet Channel Light 54	35-47-21.154N 075-34-16.827W	Q R	0	4		TR on pile.
28195	Oregon Inlet Channel Lighted Buoy 55	35-47-24.421N 075-34-24.392W	Q G		4		Green.
28233	Old House Channel Lighted Buoy 1H	35-45-32.355N 075-35-33.188W	FI G 2.5s		3		Green.
28235.1	Old House Channel Light 3A	35-45-18.324N 075-35-46.202W	FI G 4s	12	4		SG on pile.
28235.1	Old House Channel Light 3A	35-45-18.324N 075-35-46.202W	FI G 4s	12	4		SG on pile.
28235	Old House Channel Buoy 3	35-45-27.342N 075-35-38.295W					Green can.
28237	Wavebreak Warning Lights (3)	35-45-17.305N 075-35-13.696W	FI W 2.5s				NW on pile worded DANGER.
28240	Old House Channel Buoy 4	35-45-19.846N 075-35-49.502W					Red nun.
28240	Old House Channel Buoy 4	35-45-19.846N 075-35-49.502W					Red nun.
28245	Old House Channel Daybeacon 5	35-45-11.213N 075-35-48.477W		0			SG on pile.
28250	Old House Channel Daybeacon 6	35-45-05.135N 075-35-57.994W					TR on pile.
28255	Old House Channel Daybeacon 7	35-44-46.772N 075-36-07.928W		0			SG on pile.
28260	Old House Channel Light 8	35-44-37.544N 075-36-23.123W	FI R 4s	0	4		TR on multi-pile structure.
28265	Old House Channel Daybeacon 9	35-44-19.724N 075-36-31.755W		12			SG on pile.
28270	Old House Channel Daybeacon 10	35-44-11.344N 075-36-43.805W		0			TR on pile.
28275	Old House Channel Buoy 11	35-43-54.152N 075-36-55.626W					Green can.
28280	Old House Channel Light 12	35-44-01.130N 075-36-53.342W	FI R 4s		4		TR on pile.
28285	Old House Channel Daybeacon 13	35-43-39.872N 075-37-03.435W		0			SG on pile.
28290	Old House Channel Daybeacon 14	35-43-37.712N 075-37-10.221W		0			TR on pile.
28295	Old House Channel Light 15	35-43-12.629N 075-37-25.465W	FI G 2.5s	0	4		SG on pile.
28300	Old House Channel Light 16OH	35-43-00.988N 075-37-39.744W	FI R 4s	0	4		TR on multi-pile structure.
28305.1	Walter Slough Buoy 2A	35-47-16.693N 075-34-18.277W					Red nun.
28305	Walter Slough Daybeacon 2	35-47-15.958N 075-34-07.214W		0			TR on pile.
28310	Walter Slough Light 3	35-47-23.359N 075-34-00.535W	FI G 4s	13	4		SG on pile.
28315	Walter Slough Daybeacon 4	35-47-21.544N 075-33-59.260W					TR on pile.
28320	Walter Slough Lighted Buoy 5	35-47-31.252N 075-33-51.487W	FI G 4s		4		Green.
28325.5	Walter Slough Buoy 6	35-47-30.664N 075-33-49.000W					Red nun.
28325.5	Walter Slough Buoy 6	35-47-30.664N 075-33-49.000W					Red nun.
28325	Walter Slough Warning Daybeacon	35-47-27.593N 075-33-49.212W		0			NW on pile worded DANGER SHOAL.
28326	Walter Slough Buoy 6A	35-47-33.983N 075-33-43.258W					Red nun.
28326	Walter Slough Buoy 6A	35-47-33.983N 075-33-43.258W					Red nun.
28327	Walter Slough Lighted Buoy 6B	35-47-34.440N 075-33-35.018W	Q R		4		Red.
28330	Walter Slough Buoy 7	35-47-35.937N 075-33-35.897W					Green can.

28335	Walter Slough Buoy 8	35-47-31.884N 075-33-24.582W				Red nun.
28337	Walter Slough Buoy 8A	35-47-33.046N 075-33-22.780W				
28340	Walter Slough Lighted Buoy 9	35-47-33.206N 075-33-24.517W	FI G 2.5s	4		Green.
28345	Walter Slough Buoy 10	35-47-35.078N 075-33-17.324W				Red nun.
28350	Walter Slough Lighted Buoy 11	35-47-41.008N 075-33-05.250W	FI G 4s	4		Green.
28355	Walter Slough Buoy 12	35-47-40.390N 075-33-04.714W				Red nun.
28360	Walter Slough Light 13	35-47-42.243N 075-32-57.720W	Q G	0	4	SG on pile.
28365	Roanoke Sound Channel Light 1	35-47-34.006N 075-34-35.622W	FI G 4s	12	4	SG on pile.
28370	Roanoke Sound Channel Daybeacon 2	35-47-35.732N 075-34-33.386W		10		TR on pile.
28375	Roanoke Sound Channel Light 4	35-47-53.264N 075-34-54.988W	FI R 2.5s	0	4	TR on pile.
28380	Roanoke Sound Channel Daybeacon 5	35-48-16.674N 075-35-10.325W		12		SG on pile.
28385	Roanoke Sound Channel Light 7	35-48-36.688N 075-35-22.874W	FI G 4s	12	4	SG on pile.
28387.1	Croatan Sound Oyster Sanctuary Buoy B	35-48-11.500N 075-38-20.200W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.
28387.2	Croatan Sound Oyster Sanctuary Buoy C	35-48-11.500N 075-38-27.400W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.
28387.3	Croatan Sound Oyster Sanctuary Buoy D	35-48-17.000N 075-38-27.500W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.
28387	Croatan Sound Oyster Sanctuary Buoy A	35-48-17.000N 075-38-20.200W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.
28390	Roanoke Island Cut Through Light 1	35-48-18.124N 075-37-04.154W	FI G 4s	12	4	SG on pile.
28395	Roanoke Sound Channel Daybeacon 8	35-48-34.698N 075-35-18.238W		0		TR on pile.
28400	Roanoke Sound Channel Light 10	35-49-05.588N 075-35-35.526W	FI R 4s	0	4	TR on pile.
28405	Roanoke Sound Channel Light 11	35-49-42.592N 075-35-56.979W	FI G 6s		4	SG on multi-pile structure.
28410	Roanoke Sound Channel Daybeacon 12	35-49-36.687N 075-35-51.431W				TR on pile.
28415	Roanoke Sound Channel Daybeacon 13	35-50-04.823N 075-36-09.688W		0		SG on pile.
28420	Roanoke Sound Channel Daybeacon 14	35-50-15.965N 075-36-12.207W		0		TR on pile.
28430	Roanoke Sound Channel Light 16	35-50-36.528N 075-36-22.690W	FI R 2.5s	0	4	TR on pile.
28435	Roanoke Sound Channel Daybeacon 16A	35-51-00.089N 075-36-37.535W		0		TR on pile.
28440	Wanchese Channel Buoy 1	35-50-33.234N 075-36-27.104W				Green can.
28445	Wanchese Channel Buoy 2	35-50-36.110N 075-36-27.561W				Red nun.
28450	Wanchese Channel Daybeacon 3	35-50-30.025N 075-36-40.034W		0		SG on pile.
28455	Wanchese Channel Daybeacon 4	35-50-30.263N 075-36-43.753W				TR on pile.
28460	Wanchese Channel Daybeacon 5	35-50-23.556N 075-36-58.565W				SG on pile.
28465	Wanchese Channel Light 6	35-50-25.284N 075-36-58.351W	FI R 4s		4	TR on pile.
28470	Roanoke Sound Channel Light 17	35-51-00.617N 075-36-41.470W	FI G 4s	0	4	SG on pile.
28475	Roanoke Sound Channel Light 19	35-51-40.903N 075-37-04.172W	FI G 2.5s	16	4	SG on multi-pile structure.
28480	Roanoke Sound Channel Daybeacon 21	35-52-32.355N 075-37-24.623W		0		SG on pile.

28485	Roanoke Sound Channel Light 22	35-53-04.323N 075-37-32.960W	FI R 2.5s	4	TR on multi-pile structure.	
28490	Roanoke Sound Channel Daybeacon 24	35-53-23.313N 075-37-51.622W		0	TR on pile.	
28495	Roanoke Sound Channel Daybeacon 24A	35-53-49.581N 075-38-12.590W		0	TR on pile.	
28505	Roanoke Sound Channel Daybeacon 25	35-54-02.945N 075-38-24.239W		10	SG on pile.	
28510	Roanoke Sound Channel Light 27	35-54-10.888N 075-38-33.729W	FI G 4s	0	4	SG on pile.
28515	Roanoke Sound Channel Daybeacon 28	35-54-22.168N 075-38-36.896W		0	TR on pile.	
28520	Roanoke Sound Channel Light 29	35-54-32.285N 075-38-39.443W	FI G 2.5s	0	4	SG on pile.
28525	Roanoke Sound Channel Daybeacon 29A	35-54-42.305N 075-38-45.323W			SG on pile.	
28527	Roanoke Sound Channel Daybeacon 29B	35-54-57.635N 075-38-54.683W		12	SG on pile.	
28529	Roanoke Sound Channel Buoy 29C	35-55-06.300N 075-38-59.077W			Green can.	
28530	Roanoke Sound Channel Light 30	35-54-50.662N 075-38-47.798W	FI R 2.5s	4	TR on pile.	
28531	Roanoke Sound Channel Light 30A	35-55-05.284N 075-38-57.722W	Q R	4	TR on pile.	
28535	Manteo Channel Daybeacon 2M	35-55-05.673N 075-39-00.994W			TR on pile.	
28537	Manteo Channel Daybeacon 3	35-55-03.311N 075-39-00.411W			SG on pile.	
28539	Manteo Channel Buoy 4	35-55-03.945N 075-39-01.332W			Red nun.	
28540	Manteo Channel Buoy 5	35-54-54.100N 075-39-08.100W			Green can.	
28550	Manteo Channel Lighted Buoy 6	35-54-44.015N 075-39-22.657W	FI R 4s	4	Red.	
28551.5	Manteo Channel Daybeacon 10	35-54-23.697N 075-39-53.618W			TR on pile.	
28551	Manteo Channel Light 8	35-54-23.844N 075-39-43.309W	Q R	4	TR on pile.	
28552	Shallowbag Bay Warning Light A	35-54-23.258N 075-39-30.654W	FI W 4s		NW on pile worded SUBMERGED PIPES.	
28553	Shallowbag Bay Warning Light D	35-54-23.476N 075-39-29.396W	FI W 4s		NW on pile worded SUBMERGED PIPES.	
28555	Shallowbag Bay Club Channel Daybeacon 1	35-54-12.000N 075-39-48.000W			SG on pile.	
28555.1	Shallowbag Bay Club Channel Daybeacon 2	35-54-06.000N 075-39-54.000W			TR on pile.	
28555.2	Shallowbag Bay Club Channel Daybeacon 3	35-54-06.000N 075-39-48.000W			SG on pile.	
28555.3	Shallowbag Bay Club Channel Daybeacon 4	35-54-00.000N 075-39-54.000W			TR on pile.	
28555.4	Shallowbag Bay Club Channel Daybeacon 5	35-54-00.000N 075-39-48.000W			SG on pile.	
28570	Roanoke Sound Channel Daybeacon 31	35-55-16.378N 075-39-03.248W		12	SG on pile.	
28571	Roanoke Sound Channel Daybeacon 31A	35-55-26.554N 075-39-07.148W		12	SG on pile.	
28575	Roanoke Sound Channel Daybeacon 32	35-55-29.242N 075-39-05.587W			TR on pile.	
28580	Roanoke Sound Channel Light 33	35-55-55.401N 075-39-18.069W	FI G 4s	5	SG on pile.	
28585	Roanoke Sound Channel Daybeacon 34	35-56-05.675N 075-39-19.661W		0	TR on pile.	
28590	Roanoke Sound Channel Light 36	35-56-25.528N 075-39-29.174W	FI R 2.5s	4	TR on pile.	
28595	Colington Cut Entrance Light 2C	35-59-50.207N 075-41-38.827W	FI R 2.5s	0	4	TR on pile.
28600	Roanoke Sound Channel Daybeacon 37	35-56-37.307N 075-40-37.627W		12	SG on pile.	
28605	Roanoke Sound Channel Light 39	35-56-49.375N 075-41-27.915W	FI G 4s	0	5	SG on pile.

28607	Fort Raleigh Artificial Reef Buoy AR-197A	35-57-19.400N 075-42-19.700W					White can with orange diamond worded REEF.	
28607.1	Fort Raleigh Artificial Reef Buoy AR-197B	35-57-19.000N 075-42-03.900W					White can with orange diamond worded REEF	
28607.2	Fort Raleigh Artificial Reef Buoy AR-197C	35-57-06.200N 075-42-04.400W					White can with orange diamond worded REEF	
28607.3	Fort Raleigh Artificial Reef Buoy AR-197D	35-57-06.600N 075-42-20.000W					White can with orange diamond worded REEF	
28610	Roanoke Sound Channel Light 40	35-57-07.785N 075-42-33.543W	FI R 4s	10	4		TR on pile.	
28615	Roanoke Sound Channel Daybeacon 41	35-56-47.149N 075-43-19.360W			12		SG on pile.	
28620	Roanoke Sound Channel Light 42	35-56-19.844N 075-44-34.813W	FI R 6s	0	5		TR on pile.	
28625	Hatteras Inlet Light	35-11-51.541N 075-43-56.005W	Iso W 6s		10		Skeleton tower on black house.	
28630	Hatteras Inlet Entrance Lighted Whistle Buoy HI	35-09-53.935N 075-44-56.909W	Mo (A) W		6		Red and white stripes with red spherical topmark.	Position frequently shifted with changing conditions.
28640	Hatteras Inlet Lighted Buoy 1	35-10-17.939N 075-45-04.261W	FI G 2.5s		4		Green.	
28645	Hatteras Inlet Lighted Buoy 2	35-10-17.487N 075-44-51.366W	FI R 2.5s		4		Red.	
28647	Hatteras Inlet Lighted Buoy 3	35-10-43.154N 075-45-21.652W	FI G 2.5s		4		Green.	
28647	Hatteras Inlet Lighted Buoy 3	35-10-43.154N 075-45-21.652W	FI G 2.5s		4		Green.	
28650	Hatteras Inlet Lighted Buoy 4	35-10-52.027N 075-45-11.272W	FI R 2.5s		4		Red.	
28657	Hatteras Inlet Lighted Buoy 5	35-11-04.873N 075-45-25.815W	FI G 4s		4		Green.	
28657	Hatteras Inlet Lighted Buoy 5	35-11-04.873N 075-45-25.815W	FI G 4s		4		Green.	
28660	Hatteras Inlet Lighted Buoy 6	35-11-07.387N 075-45-19.993W	FI R 4s		4		Red.	
28680	Hatteras Connector Lighted Buoy 1	35-11-22.308N 075-45-34.638W	Q G		4		Green.	
28680	Hatteras Connector Lighted Buoy 1	35-11-22.308N 075-45-34.638W	Q G		4		Green.	
28682	Hatteras Connector Lighted Buoy 3	35-11-29.478N 075-45-44.019W	FI G 2.5s		4		Green.	
28682	Hatteras Connector Lighted Buoy 3	35-11-29.478N 075-45-44.019W	FI G 2.5s		4		Green.	
28684	Hatteras Connector Buoy 5	35-11-34.746N 075-45-54.270W					Green Can.	
28684	Hatteras Connector Buoy 5	35-11-34.746N 075-45-54.270W					Green Can.	
28686	Hatteras Connector Lighted Buoy 6	35-11-41.660N 075-46-07.445W	FI R 4s		4		Red.	
28686	Hatteras Connector Lighted Buoy 6	35-11-41.660N 075-46-07.445W	FI R 4s		4		Red.	
28687	Hatteras Connector Buoy 6A	35-11-46.549N 075-46-15.740W					Red nun.	
28687	Hatteras Connector Buoy 6A	35-11-46.549N 075-46-15.740W					Red nun.	
28690	Hatteras Connector Buoy 7	35-11-38.250N 075-46-11.502W					Green Can.	
28690.5	Hatteras Connector Buoy 7A	35-11-52.910N 075-46-22.956W					Green can.	
28690	Hatteras Connector Buoy 7	35-11-38.250N 075-46-11.502W					Green Can.	
28690.5	Hatteras Connector Buoy 7A	35-11-52.910N 075-46-22.956W					Green can.	
28691	Hatteras Connector Warning Daybeacon A	35-11-44.104N 075-46-22.948W						NW on pile worded DANGER SHOAL.
28691	Hatteras Connector Warning Daybeacon A	35-11-44.104N 075-46-22.948W						NW on pile worded DANGER SHOAL.
28692	Hatteras Connector Lighted Buoy 8	35-11-52.134N 075-46-19.728W	FI R 2.5s		4		Red.	
28692	Hatteras Connector Lighted Buoy 8	35-11-52.134N 075-46-19.728W	FI R 2.5s		4		Red.	

28694	Hatteras Connector Buoy 9	35-11-59.574N 075-46-27.450W			Green can.
28694	Hatteras Connector Buoy 9	35-11-59.574N 075-46-27.450W			Green can.
28696	Hatteras Connector Buoy 10	35-12-02.802N 075-46-27.696W			Red nun.
28696	Hatteras Connector Buoy 10	35-12-02.802N 075-46-27.696W			Red nun.
28698	Hatteras Connector Lighted Buoy 12	35-12-11.359N 075-46-42.271W	FI R 4s	4	Red.
28698	Hatteras Connector Lighted Buoy 12	35-12-11.359N 075-46-42.271W	FI R 4s	4	Red.
28700	Hatteras Connector Lighted Buoy 11	35-12-03.042N 075-46-33.990W	FI G 4s	4	Green.
28700	Hatteras Connector Lighted Buoy 11	35-12-03.042N 075-46-33.990W	FI G 4s	4	Green.
28702	Hatteras Connector Buoy 13	35-12-07.859N 075-46-40.986W			Green Can.
28702	Hatteras Connector Buoy 13	35-12-07.859N 075-46-40.986W			Green Can.
28704	Hatteras Connector Lighted Buoy 14	35-12-14.878N 075-47-03.239W	Q R	4	Red.
28704	Hatteras Connector Lighted Buoy 14	35-12-14.878N 075-47-03.239W	Q R	4	Red.
28706	Hatteras Connector Lighted Buoy 15	35-12-12.371N 075-47-01.124W	FI G 2.5s	4	Green.
28706	Hatteras Connector Lighted Buoy 15	35-12-12.371N 075-47-01.124W	FI G 2.5s	4	Green.
28721	Barney Slough Channel Lighted Buoy 1B	35-11-37.423N 075-46-59.208W	FI G 2.5s	4	Green.
28721.3	Barney Slough Channel Lighted Buoy 2	35-11-57.071N 075-47-02.911W	FI R 4s	4	Red.
28721.5	Barney Slough Channel Lighted Buoy 3	35-13-12.649N 075-47-10.564W	FI G 2.5s	4	Green.
28721.6	Barney Slough Channel Lighted Buoy 3A	35-13-41.880N 075-47-11.580W	Q G	4	Green.
28721.4	Barney Slough Channel Buoy 2A	35-12-48.976N 075-47-03.254W			Red nun.
28721.2	Barney Slough Channel Buoy 1C	35-12-19.616N 075-47-16.289W			Green can.
28721.7	Barney Slough Channel Lighted Buoy 4	35-13-37.878N 075-47-09.007W	FI R 2.5s	4	Red.
28721.7	Barney Slough Channel Lighted Buoy 4	35-13-37.878N 075-47-09.007W	FI R 2.5s	4	Red.
28722.5	Barney Slough Channel Lighted Wreck Buoy WR8	35-14-02.005N 075-45-58.183W	Q R	4	Red.
28722.7	Barney Slough Channel Lighted Buoy 10	35-14-06.112N 075-45-32.642W	Q R	4	Red.
28722.9	Barney Slough Channel Buoy 11	35-13-37.611N 075-44-53.506W			Green can.
28722.4	Barney Slough Channel Lighted Buoy 7	35-13-57.279N 075-47-15.028W	Q G	4	Green.
28722.1	Barney Slough Channel Lighted Buoy 5	35-13-51.832N 075-47-14.429W	FI G 2.5s	4	Green.
28722.2	Barney Slough Channel Lighted Buoy 6	35-13-51.575N 075-47-11.863W	FI R 4s	4	Red.
28722.3	Barney Slough Channel Lighted Buoy 6A	35-13-56.811N 075-47-12.406W	Q R	4	Red.
28722.4	Barney Slough Channel Lighted Buoy 7	35-13-57.279N 075-47-15.028W	Q G	4	Green.
28722.1	Barney Slough Channel Lighted Buoy 5	35-13-51.832N 075-47-14.429W	FI G 2.5s	4	Green.
28722.2	Barney Slough Channel Lighted Buoy 6	35-13-51.575N 075-47-11.863W	FI R 4s	4	Red.
28722.3	Barney Slough Channel Lighted Buoy 6A	35-13-56.811N 075-47-12.406W	Q R	4	Red.
28723	Barney Slough Channel Buoy 12	35-13-31.066N 075-44-55.700W			Red nun.
28723.3	Barney Slough Channel Lighted Buoy 13	35-13-22.868N 075-44-36.194W	FI G 2.5s	4	Green.

28723.5	Barney Slough Channel Lighted Buoy 14	35-12-59.935N 075-44-11.497W	Q R	4	Red.
28723.7	Barney Slough Channel Lighted Buoy 15	35-12-55.790N 075-44-03.223W	FI G 4s	4	Green.
28723.9	Barney Slough Channel Lighted Buoy 16	35-12-47.749N 075-44-01.832W	FI R 2.5s	4	Red.
28723.1	Barney Slough Channel Buoy 12A	35-13-11.843N 075-44-19.809W			Red nun.
28723.1	Barney Slough Channel Buoy 12A	35-13-11.843N 075-44-19.809W			Red nun.
28725	Hatteras Inlet Warning Daybeacon A	35-11-47.103N 075-45-01.798W			NW on multi-pile structure worded DANGER SHOALING.
28725	Hatteras Inlet Warning Daybeacon A	35-11-47.103N 075-45-01.798W			NW on multi-pile structure worded DANGER SHOALING.
28730	Hatteras Inlet Channel Warning Daybeacon B	35-11-56.777N 075-44-20.751W			NW on multi pile structure worded DANGER SHOALING.
28730	Hatteras Inlet Channel Warning Daybeacon B	35-11-56.777N 075-44-20.751W			NW on multi pile structure worded DANGER SHOALING.
28732	Hatteras Inlet Channel Lighted Buoy 12	35-12-37.176N 075-43-54.725W	Q R	4	Red.
28732.1	Hatteras Inlet Channel Lighted Buoy 12A	35-12-23.799N 075-43-49.320W	FI R 2.5s	4	Red.
28732	Hatteras Inlet Channel Lighted Buoy 12	35-12-37.176N 075-43-54.725W	Q R	4	Red.
28732.1	Hatteras Inlet Channel Lighted Buoy 12A	35-12-23.799N 075-43-49.320W	FI R 2.5s	4	Red.
28733.1	Hatteras Inlet Channel Buoy 12B	35-12-15.755N 075-43-53.410W			Red nun.
28733.1	Hatteras Inlet Channel Buoy 12B	35-12-15.755N 075-43-53.410W			Red nun.
28735.3	Hatteras Inlet Channel Lighted Buoy 13	35-12-16.776N 075-43-51.097W	FI G 4s	4	Green.
28735.6	Hatteras Inlet Channel Lighted Buoy 14	35-12-09.335N 075-43-48.678W	FI R 2.5s	4	
28735.3	Hatteras Inlet Channel Lighted Buoy 13	35-12-16.776N 075-43-51.097W	FI G 4s	4	Green.
28735.6	Hatteras Inlet Channel Lighted Buoy 14	35-12-09.335N 075-43-48.678W	FI R 2.5s	4	
28736	Hatteras Inlet Channel Buoy 15	35-12-13.412N 075-43-51.221W			Green can.
28736	Hatteras Inlet Channel Buoy 15	35-12-13.412N 075-43-51.221W			Green can.
28750	Hatteras Inlet Channel Lighted Buoy 16	35-12-09.252N 075-43-37.392W	FI R 4s	4	Red.
28750	Hatteras Inlet Channel Lighted Buoy 16	35-12-09.252N 075-43-37.392W	FI R 4s	4	Red.
28753	Hatteras Inlet Channel Lighted Buoy 17	35-12-10.298N 075-43-47.362W	Q G	4	Green.
28753	Hatteras Inlet Channel Lighted Buoy 17	35-12-10.298N 075-43-47.362W	Q G	4	Green.
28755	Hatteras Inlet Channel Warning Daybeacon C	35-12-13.013N 075-43-24.864W			NW on pile worded DANGER SHOAL.
28755	Hatteras Inlet Channel Warning Daybeacon C	35-12-13.013N 075-43-24.864W			NW on pile worded DANGER SHOAL.
28756	Hatteras Inlet Channel Buoy 17A	35-12-10.354N 075-43-30.050W			Green can.
28756	Hatteras Inlet Channel Buoy 17A	35-12-10.354N 075-43-30.050W			Green can.
28757	Hatteras Inlet Channel Buoy 17B	35-12-13.228N 075-43-18.535W			Green can.
28757	Hatteras Inlet Channel Buoy 17B	35-12-13.228N 075-43-18.535W			Green can.
28760	Hatteras Inlet Channel Buoy 18	35-12-19.317N 075-43-12.052W			Red nun.
28760	Hatteras Inlet Channel Buoy 18	35-12-19.317N 075-43-12.052W			Red nun.
28761	Hatteras Inlet Channel Buoy 18A	35-12-29.875N 075-43-10.318W			Red nun.
28761	Hatteras Inlet Channel Buoy 18A	35-12-29.875N 075-43-10.318W			Red nun.

28763	Hatteras Inlet Channel Warning Daybeacon D	35-12-15.564N 075-43-16.423W				NW on pile worded DANGER SHOAL.
28763	Hatteras Inlet Channel Warning Daybeacon D	35-12-15.564N 075-43-16.423W				NW on pile worded DANGER SHOAL.
28765	Hatteras Inlet Channel Lighted Buoy 19	35-12-15.640N 075-43-15.605W	FI G 2.5s	4		Green.
28765.1	Hatteras Inlet Channel Buoy 19A	35-12-22.182N 075-43-15.216W				Green can.
28765	Hatteras Inlet Channel Lighted Buoy 19	35-12-15.640N 075-43-15.605W	FI G 2.5s	4		Green.
28765.1	Hatteras Inlet Channel Buoy 19A	35-12-22.182N 075-43-15.216W				Green can.
28767	Hatteras Inlet Channel Daybeacon 20	35-12-38.466N 075-43-05.233W		0		TR on pile.
28767	Hatteras Inlet Channel Daybeacon 20	35-12-38.466N 075-43-05.233W		0		TR on pile.
28768	Hatteras Inlet Channel Buoy 20A	35-12-42.350N 075-42-59.829W				Red nun.
28768	Hatteras Inlet Channel Buoy 20A	35-12-42.350N 075-42-59.829W				Red nun.
28770	Hatteras Inlet Channel Light 21	35-12-40.237N 075-43-08.918W	Q G	12	4	SG on pile.
28770	Hatteras Inlet Channel Light 21	35-12-40.237N 075-43-08.918W	Q G	12	4	SG on pile.
28775	Hatteras Inlet Channel Buoy 23	35-12-53.117N 075-42-36.685W				Green can.
28775	Hatteras Inlet Channel Buoy 23	35-12-53.117N 075-42-36.685W				Green can.
28780	Hatteras Inlet Channel Junction Daybeacon HF	35-12-48.119N 075-42-42.235W				JR on pile.
28780	Hatteras Inlet Channel Junction Daybeacon HF	35-12-48.119N 075-42-42.235W				JR on pile.
28785	Hatteras Inlet Channel Light 24	35-12-45.962N 075-42-45.656W	Q R	0	4	TR on pile.
28785	Hatteras Inlet Channel Light 24	35-12-45.962N 075-42-45.656W	Q R	0	4	TR on pile.
28787	Hatteras Inlet Channel Buoy 24A	35-12-57.525N 075-42-26.146W				Red nun.
28787	Hatteras Inlet Channel Buoy 24A	35-12-57.525N 075-42-26.146W				Red nun.
28790	Hatteras Inlet Channel Light 25	35-13-07.948N 075-42-11.834W	FI G 4s	0	4	SG on pile.
28790	Hatteras Inlet Channel Light 25	35-13-07.948N 075-42-11.834W	FI G 4s	0	4	SG on pile.
28795	Hatteras Inlet Channel Daybeacon 26	35-13-14.188N 075-41-57.074W		0		TR on pile.
28795	Hatteras Inlet Channel Daybeacon 26	35-13-14.188N 075-41-57.074W		0		TR on pile.
28800	Hatteras Inlet Channel Daybeacon 27	35-13-20.354N 075-41-48.878W		0		SG on pile.
28800	Hatteras Inlet Channel Daybeacon 27	35-13-20.354N 075-41-48.878W		0		SG on pile.
28807	Hatteras Harbor Daybeacon 2	35-13-17.867N 075-41-43.682W				TR on plie.
28807	Hatteras Harbor Daybeacon 2	35-13-17.867N 075-41-43.682W				TR on plie.
28810	Hatteras Harbor Light 4	35-13-14.458N 075-41-41.024W	FI R 4s	4		TR on multi pile structure.
28810	Hatteras Harbor Light 4	35-13-14.458N 075-41-41.024W	FI R 4s	4		TR on multi pile structure.
28815	Rollinson Channel Light 30	35-13-21.501N 075-41-44.721W	Q R	0	4	TR on pile.
28816	Rollinson Channel Buoy 30A	35-13-30.338N 075-41-51.994W				Red nun.
28817	Rollinson Channel Daybeacon 31	35-13-23.708N 075-41-47.632W		0		SG on pile.
28818	Rollinson Channel Buoy 31A	35-13-27.378N 075-41-50.904W				Green can.
28820	Rollinson Channel Light 32	35-13-48.949N 075-42-05.845W	FI R 2.5s	12	4	TR on pile.

28825	Rollinson Channel Light 33	35-14-16.992N 075-42-28.258W	FI G 2.5s	0	4	SG on pile.	
28827	Rollinson Channel Daybeacon 33A	35-14-33.148N 075-42-42.794W		0		SG on pile.	
28830	Rollinson Channel Light 34	35-14-39.028N 075-42-44.654W	FI R 4s	12	4	TR on pile.	
28835	Rollinson Channel Light 34A	35-14-56.277N 075-42-59.822W	FI R 2.5s	0	4	TR on pile.	
28840	Rollinson Channel Light 36	35-15-27.748N 075-43-17.396W	FI R 6s	12	4	TR on pile.	
28845	Rollinson Channel Light 38	35-15-56.654N 075-43-37.891W	FI R 4s	0	4	TR on pile.	
28850	Rollinson Channel Light 39	35-16-14.013N 075-43-57.679W	FI G 2.5s	12	4	SG on multi-pile structure.	
28855	Oliver Reef Warning Daybeacon	35-14-58.371N 075-43-10.887W				NW on pile worded DANGER SUBMERGED WRECK.	
28860	Rollinson Channel Daybeacon 41	35-16-35.876N 075-44-12.193W				SG on pile.	
28865	Rollinson Channel Light 42RC	35-16-45.655N 075-44-15.293W	FI R 2.5s	0	5	TR on multi-pile structure.	
28870	Austin Creek Entrance Channel Light 1	35-12-37.580N 075-42-20.690W	FI G 4s	12	4	SG on pile.	
28875	Austin Creek Light 2	35-12-32.871N 075-42-15.490W	FI R 4s	12	4	TR on pile.	
28880	Hatteras Fishing Center Daybeacon 2	35-12-37.210N 075-42-17.410W				TR on pile.	
28885	Hatteras Fishing Center Daybeacon 3	35-12-40.670N 075-42-10.630W				SG on pile.	
28890	Hatteras Fishing Center Daybeacon 4	35-12-40.490N 075-42-08.280W				TR on pile.	
28900	Ocracoke Inlet Lighted Buoy 1	35-03-33.026N 075-59-39.908W	Q G		5	Green.	TEMP AIS: MMSI 993672514
28905	Ocracoke Inlet Lighted Buoy 2	35-03-38.640N 075-59-37.913W	Q R		5	Red.	TEMP AIS: MMSI 936722471
28910	Ocracoke Inlet Lighted Buoy 3	35-03-36.530N 076-00-10.551W	FI G 2.5s		4	Green.	
28915	Ocracoke Inlet Lighted Buoy 4	35-03-41.705N 076-00-07.341W	FI R 2.5s		4	Red.	
28920	Ocracoke Inlet Buoy 5	35-03-50.152N 076-00-46.688W				Green can.	TEMP AIS: MMSI 993672479
28926	Ocracoke Inlet Lighted Buoy 6	35-03-52.017N 076-00-37.400W	FI R 4s		3	Red.	TEMP AIS: MMSI 993672416
28927	Ocracoke Inlet Buoy 8	35-04-07.034N 076-00-53.226W				Red nun.	
28935	Teaches Hole Lighted Buoy 9	35-04-15.980N 076-00-54.748W	Q G		4	Green.	
28935	Teaches Hole Lighted Buoy 9	35-04-15.980N 076-00-54.748W	Q G		4	Green.	
28940	Teaches Hole Lighted Buoy 10	35-04-19.771N 076-00-41.083W	FI R 2.5s		4	Red.	
28940	Teaches Hole Lighted Buoy 10	35-04-19.771N 076-00-41.083W	FI R 2.5s		4	Red.	
28945	Teaches Hole Lighted Buoy 11	35-04-23.258N 076-00-44.884W	FI G 2.5s		4	Green.	
28945	Teaches Hole Lighted Buoy 11	35-04-23.258N 076-00-44.884W	FI G 2.5s		4	Green.	
28953	Teaches Hole Buoy 12	35-04-27.550N 076-00-32.082W				Red nun.	
28953	Teaches Hole Buoy 12	35-04-27.550N 076-00-32.082W				Red nun.	
28955	Teaches Hole Buoy 13	35-04-32.216N 076-00-32.952W				Green can.	
28955	Teaches Hole Buoy 13	35-04-32.216N 076-00-32.952W				Green can.	
28957	Teaches Hole Lighted Buoy 14	35-04-38.033N 076-00-09.429W	FI R 4s		4	Red.	
28957	Teaches Hole Lighted Buoy 14	35-04-38.033N 076-00-09.429W	FI R 4s		4	Red.	
28960	Teaches Hole Lighted Buoy 15	35-04-40.942N 076-00-14.568W	FI G 4s		4	Green.	

28960	Teaches Hole Lighted Buoy 15	35-04-40.942N 076-00-14.568W	FI G 4s	4	Green.
28965	Teaches Hole Light 17	35-05-03.669N 075-59-59.351W	FI G 4s	4	SG on pile.
28967	Teaches Hole Lighted Buoy 18	35-05-22.828N 075-59-46.187W	FI R 4s	4	Red.
28970	Teaches Hole Buoy 19	35-05-28.743N 075-59-46.643W			Green can.
28970	Teaches Hole Buoy 19	35-05-28.743N 075-59-46.643W			Green can.
28971	Teaches Hole Warning Daybeacon A	35-05-34.723N 075-59-51.550W			NW on pile worded DANGER SHOAL.
28973	Teaches Hole Buoy 20	35-05-38.314N 075-59-36.626W			Red nun.
28975	Teaches Hole Daybeacon 21	35-05-50.118N 075-59-42.524W			SG on pile.
28977	Teaches Hole Buoy 23	35-06-06.964N 075-59-35.795W			Green can.
28980	Teaches Hole Daybeacon 25	35-06-14.778N 075-59-37.492W			SG on pile.
28985	Silver Lake Junction Light SL	35-06-37.633N 075-59-30.920W	FI (2+1)R 6s	16 4	JR on pile.
28990	Silver Lake Entrance Daybeacon 2	35-06-28.552N 075-59-25.205W		0	TR on pile.
28995	Silver Lake Entrance Daybeacon 4	35-06-40.162N 075-59-25.274W		0	TR on pile.
29010	Silver Lake Entrance Light 6	35-06-50.005N 075-59-23.163W	Q R	0 4	TR on pile.
29015	Silver Lake Entrance Light 7	35-06-53.338N 075-59-23.882W	Q G	12 4	SG on pile.
29020	Silver Lake Entrance Light 9	35-06-52.228N 075-59-14.588W	FI G 4s	4	SG on pile.
29025	Big Foot Slough Channel Daybeacon 1	35-06-29.041N 075-59-42.226W			SG on pile.
29030	Big Foot Slough Channel Light 3	35-06-48.922N 075-59-52.832W	FI G 4s	0 4	SG on pile.
29035	Big Foot Slough Channel Daybeacon 4	35-06-54.178N 075-59-43.166W		0	TR on pile.
29040	Big Foot Slough Channel Daybeacon 6	35-07-17.170N 075-59-55.459W		0	TR on pile.
29045	Big Foot Slough Channel Light 8	35-07-45.338N 076-00-04.180W	FI R 6s	0 4	TR on pile.
29050	Big Foot Slough Channel Daybeacon 8A	35-08-04.173N 076-00-10.581W			TR on pile.
29055	Big Foot Slough Channel Light 9	35-08-18.246N 076-00-18.553W	FI G 4s	4	SG on pile.
29056	Big Foot Slough Channel Light 9A	35-08-32.368N 076-00-21.134W	FI G 4s	0 4	SG on pile.
29060	Big Foot Slough Channel Daybeacon 9B	35-08-48.326N 076-00-31.017W		0	SG on pile.
29061	Big Foot Slough Channel Lighted Buoy 9C	35-09-02.695N 076-00-41.096W	FI G 2.5s		Green.
29070.3	Big Foot Slough Channel Lighted Buoy 11	35-09-08.101N 076-00-42.636W	FI G 4s	4	Green.
29070.1	Big Foot Slough Channel Lighted Buoy 10A	35-09-01.067N 076-00-38.571W			Red.
29070	Big Foot Slough Channel Light 10	35-08-44.481N 076-00-23.247W	FI R 4s	4	
29070	Big Foot Slough Channel Light 10	35-08-44.481N 076-00-23.247W	FI R 4s	4	
29077	Big Foot Slough Channel Daybeacon 12	35-09-07.414N 076-00-39.726W		0	TR on pile.
29080	Big Foot Slough Channel Warning Light NB	35-09-16.983N 076-00-38.477W	FI W 4s	5	NW on multi-pile structure worded DANGER WRECK.
29083	Big Foot Slough Channel Light 13	35-09-20.325N 076-00-47.848W	FI G 2.5s	0 4	SG on multi-pile structure.
29087	Big Foot Slough Channel Light 14BF	35-09-30.296N 076-00-50.857W	FI R 4s	0 4	TR on pile.
29089	Ocracoke Oyster Sanctuary Buoy AR-298A	35-10-49.600N 075-59-36.700W			White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.

29089.1	Ocracoke Oyster Sanctuary Buoy AR-298B	35-10-31.100N 075-59-36.700W				White can with orange band and diamond worded DANGER SUBMERGED ROCKS.
29089.2	Ocracoke Oyster Sanctuary Buoy AR-298C	35-10-31.100N 075-59-58.300W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.
29089.3	Ocracoke Oyster Sanctuary Buoy AR-298D	35-10-49.600N 075-59-58.400W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.
29090	Swash Channel Daybeacon 1	35-07-29.910N 076-00-10.615W				SG on pile.
29095	Swash Channel Daybeacon 2	35-07-32.680N 076-00-11.104W		0		TR on pile.
29100	Swash Channel Light 4	35-07-36.304N 076-00-22.544W	FI R 2.5s		4	TR on pile.
29105	Nine Foot Shoal Channel Daybeacon 5	35-07-41.417N 076-00-43.218W		0		SG on pile.
29110	Nine Foot Shoal Channel Light 6	35-08-01.867N 076-01-01.667W	FI R 4s	12	4	TR on pile.
29113	Nine Foot Shoal Channel Buoy 7	35-08-03.141N 076-01-34.105W				Green can.
29115	Nine Foot Shoal Channel Daybeacon 8	35-08-19.705N 076-02-04.078W				TR on pile.
29120	Nine Foot Shoal Channel Light 9	35-08-27.102N 076-02-39.895W	FI G 2.5s		4	SG on pile.
29125	Cape Lookout Breakwater Lighted Buoy 2	34-37-06.948N 076-33-45.931W	Q R		4	Red.
29130	Lookout Bight Lighted Buoy 4	34-38-27.197N 076-33-14.820W	FI R 6s		5	Red.
29135	Lookout Bight Lighted Mooring Buoy CG	34-37-21.793N 076-32-51.708W	FI W 4s		4	White with blue band worded CG.
29140	Barden Inlet Lighted Buoy 1	34-37-19.123N 076-32-43.729W	FI G 4s		3	Green.
29145	Barden Inlet Buoy 2	34-37-06.479N 076-32-33.128W				Red nun.
29150	Barden Inlet Buoy 3	34-37-09.476N 076-32-25.521W				Green can.
29160	Barden Inlet Buoy 4	34-37-08.577N 076-32-16.014W				Red nun.
29165	Barden Inlet Buoy 5	34-37-15.355N 076-32-10.271W				Green can.
29170	Barden Inlet Buoy 6	34-37-14.380N 076-32-06.340W				Red nun.
29175	Barden Inlet Buoy 7	34-37-30.930N 076-32-01.406W				Green can.
29180	Barden Inlet Buoy 8	34-37-28.114N 076-31-56.069W				Red nun.
29183	Barden Inlet Warning Buoy AA	34-37-36.362N 076-31-44.973W				White can with orange bands.
29185	Barden Inlet Buoy 9	34-37-43.028N 076-31-51.443W				Green can.
29190	Barden Inlet Buoy 10	34-37-45.024N 076-31-45.237W				Red nun.
29193	Barden Inlet Buoy 11	34-37-50.444N 076-31-37.509W				Green Can.
29200	Barden Inlet Buoy 13	34-37-57.534N 076-31-21.366W				
29210	Barden Inlet Buoy 15	34-38-03.084N 076-31-11.220W				Green can.
29215	Barden Inlet Buoy 17	34-38-21.377N 076-30-59.638W				Green can.
29220	Barden Inlet Buoy 18	34-38-32.258N 076-30-53.330W				Red nun.
29225	Barden Inlet Lighted Buoy 19	34-38-34.126N 076-31-00.227W	Q G		4	Green.
29230	Barden Inlet Buoy 20	34-38-58.971N 076-31-06.843W				Red nun.
29230	Barden Inlet Buoy 20	34-38-58.971N 076-31-06.843W				Red nun.
29235	Barden Inlet Lighted Buoy 21	34-39-10.180N 076-31-11.881W	FI G 4s		4	Green.

29240	Barden Inlet Buoy 24	34-39-24.702N 076-31-12.205W				Red nun.	
29245	Barden Inlet Buoy 25	34-39-41.270N 076-31-18.790W				Green can.	
29245	Barden Inlet Buoy 25	34-39-41.270N 076-31-18.790W				Green can.	
29248	Barden Inlet Buoy 26	34-40-00.470N 076-31-22.510W				Red nun.	
29248	Barden Inlet Buoy 26	34-40-00.470N 076-31-22.510W				Red nun.	
29252	Barden Inlet Buoy 27	34-40-18.500N 076-31-27.860W				Green can.	
29252	Barden Inlet Buoy 27	34-40-18.500N 076-31-27.860W				Green can.	
29255	Barden Inlet Buoy 28	34-40-41.280N 076-31-32.230W				Red nun.	
29255	Barden Inlet Buoy 28	34-40-41.280N 076-31-32.230W				Red nun.	
29257	Barden Inlet Buoy 30	34-40-55.978N 076-31-46.523W				Red nun.	
29257	Barden Inlet Buoy 30	34-40-55.978N 076-31-46.523W				Red nun.	
29261	Shell Point Channel Daybeacon 1	34-41-01.730N 076-31-37.500W				SG on pile.	
29262	Shell Point Channel Daybeacon 2	34-40-59.940N 076-31-37.500W				TR on pile.	
29262.1	Shell Point Channel Daybeacon 3	34-41-02.040N 076-31-34.440W				SG on pile.	
29262.2	Shell Point Channel Daybeacon 4	34-41-00.110N 076-31-33.310W				TR on pile.	
29262.4	Shell Point Channel Daybeacon 7	34-41-05.100N 076-31-32.640W				SG on pile.	
29265	Back Sound Lighted Buoy 1	34-41-00.878N 076-32-07.435W	FI G 4s	4		Green.	
29267	Back Sound Light 3	34-41-19.078N 076-33-48.560W	FI G 2.5s	4		SG on pile.	
29270	Beaufort Inlet Channel Lighted Buoy BM	34-36-39.121N 076-41-09.815W	Mo (A) W	6		Red and white stripes with red spherical topmark.	Synthetic AIS MMSI 993672329.
29272	Beaufort Inlet Channel Lighted Buoy 1	34-37-38.350N 076-40-57.408W	Q G	5		Green.	
29274	Beaufort Inlet Channel Lighted Buoy 2	34-37-36.648N 076-40-48.362W	Q R	5		Red.	
29276	Beaufort Inlet Channel Lighted Buoy 3	34-38-37.156N 076-40-43.306W	FI G 2.5s	4		Green.	
29278	Beaufort Inlet Channel Lighted Buoy 4	34-38-36.313N 076-40-34.173W	FI R 2.5s	4		Red.	
29280	Beaufort Inlet Channel Lighted Buoy 5	34-39-35.449N 076-40-29.330W	FI G 4s	4		Green.	
29282	Beaufort Inlet Channel Lighted Buoy 6	34-39-33.885N 076-40-20.403W	FI R 4s	4		Red.	
29284	Beaufort Inlet Channel Lighted Buoy 7	34-40-33.973N 076-40-13.191W	FI G 2.5s	4		Green.	
29286	Beaufort Inlet Channel Lighted Buoy 8	34-40-33.327N 076-40-06.765W	FI R 2.5s	4		Red.	
29288	Beaufort Inlet Channel Lighted Buoy 9	34-40-53.385N 076-40-10.473W	FI G 4s	5		Green.	
29291	Beaufort Inlet Channel Lighted Buoy 10	34-40-49.108N 076-40-01.774W	FI R 4s	4		Red.	
29294	Beaufort Inlet Channel Lighted Buoy 11	34-41-05.962N 076-40-07.963W	FI G 2.5s	4		Green.	
29297	Beaufort Inlet Channel Lighted Buoy 12	34-41-13.660N 076-39-58.543W	FI R 2.5s	4		Red.	
29300	Morehead City Channel Range Front Light	34-41-38.240N 076-39-59.900W	Q W	5		On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all round higher intensity 1.5° either side of rangeline.
29303	Morehead City Channel Range Rear Light	34-41-33.472N 076-39-52.301W	Iso W 6s	15		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible on 1.5° either side of rangeline. NIGHT: Visible all round higher intensity 1.5° either side of rangeline.
29305	Beaufort Inlet Channel Lighted Buoy 13	34-41-40.344N 076-40-15.458W	FI G 4s	4		Green.	
29310	Beaufort Inlet Channel Lighted Buoy 14	34-41-33.611N 076-40-06.336W	FI R 4s	4		Red.	

29313	Beaufort Inlet Channel Range Front Light	34-41-50.403N 076-39-52.317W	Q G	23	Skeleton tower on platform.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 4.0° either side of rangeline.
29314	Beaufort Inlet Channel Range Warning Light A	34-42-12.669N 076-39-46.958W	Fl W 4s	4	NW on multi-pile structure.	
29315	Beaufort Inlet Channel Range Rear Light	34-42-45.773N 076-39-39.028W	F G	68	Skeleton tower on platform.	Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible 4.0° either side of rangeline.
29316	Beaufort Inlet Channel Range Rear Passing Light	34-42-45.773N 076-39-39.028W	Fl W 2.5s	5	On same structure as Beaufort Inlet Channel Range Rear Light.	Marks corner of platform nearest channel.
29318	Shackleford Banks Rock Jetty Buoy 2	34-41-16.402N 076-38-40.741W			Red nun.	
29320	Shackleford Slue Junction Light NR	34-41-29.210N 076-38-02.397W	Fl (2+1)R 6s	4	JR on pile.	
29322	Shackleford Slue Channel Buoy 1	34-41-21.333N 076-38-00.941W			Green can.	
29324	Shackleford Slue Channel Buoy 3	34-40-49.230N 076-36-57.471W			Green can.	
29326	Shackleford Slue Channel Light 5	34-40-47.205N 076-36-47.961W	Fl G 4s	4	SG on pile.	
29328	Shackleford Slue Channel Daybeacon 7	34-40-54.219N 076-36-29.427W			SG on pile.	
29330	Shackleford Slue Channel Daybeacon 8	34-41-10.297N 076-36-05.936W			TR on pile.	
29332	Shackleford Slue Channel Daybeacon 10	34-41-23.044N 076-35-57.059W			TR on pile.	
29334	Shackleford Slue Channel Daybeacon 12	34-41-29.427N 076-35-47.315W			TR on pile.	
29336	Harkers Island West Light HW	34-41-40.057N 076-35-21.730W	Fl W 4s	5	NB on pile.	
29338	Harkers Island West Channel Daybeacon 2	34-41-57.189N 076-35-36.003W			TR on pile.	
29340	Harkers Island West Channel Buoy 3	34-42-06.360N 076-35-46.320W			Green can.	
29340	Harkers Island West Channel Buoy 3	34-42-06.360N 076-35-46.320W			Green can.	
29345	Harkers Island Straits Light 1	34-42-11.159N 076-37-07.571W	Fl G 4s	4	SG on pile.	
29350	North River Daybeacon 1NR	34-42-21.015N 076-36-50.505W			SG on pile.	
29352	North River Daybeacon 2	34-42-22.463N 076-36-47.494W			TR on pile.	
29354	North River Daybeacon 4	34-42-34.602N 076-36-45.403W			TR on pile.	
29356	Lenoxville Point Buoy 1L	34-42-24.963N 076-36-53.897W			Green can.	
29358	Lenoxville Point Buoy 2	34-42-23.753N 076-36-58.475W			Red nun.	
29360	Lenoxville Point Buoy 3	34-42-22.295N 076-37-00.793W			Green can.	
29364	Harkers Island Straits Light 3	34-42-07.990N 076-36-45.563W	Fl G 2.5s	0	4	SG on pile.
29366	Harkers Island Straits Buoy 3A	34-42-05.870N 076-36-16.708W			Green can.	
29368	Harkers Island Straits Daybeacon 5	34-42-07.764N 076-36-04.944W			SG on pile.	
29370	Harkers Island Straits Light 6	34-42-07.574N 076-35-45.934W	Fl R 4s	4	TR on pile.	
29372	Harkers Island Straits Light 7	34-42-12.252N 076-35-52.478W	Fl G 4s	4	SG on pile.	
29373	Harkers Island Straits Warning Daybeacon A	34-42-14.374N 076-35-51.007W		0		NW on pile worded DANGER SHOAL.
29374	Harkers Island Straits Light 8	34-42-43.408N 076-35-22.031W	Fl R 2.5s	4	TR on pile.	
29376	Harkers Island Straits Buoy 10	34-42-50.487N 076-35-13.695W			Red nun.	
29378	Harkers Island Straits Daybeacon 11	34-42-55.097N 076-35-06.093W		0		SG on pile.
29380	Harkers Island Straits Daybeacon 12	34-42-56.952N 076-33-56.616W			TR on pile.	
29382	Harkers Island Straits Light 14	34-43-03.686N 076-33-10.171W	Fl R 4s	4	TR on pile.	

29384	Harkers Island Staits Light 15	34-42-57.674N 076-32-36.857W	FI G 4s	4	SG on pile.	
29386	Harkers Island Straits Light 17	34-43-13.089N 076-31-37.524W	FI G 2.5s	4	SG on pile.	
29388	Marshallberg Channel Daybeacon 1	34-43-07.065N 076-31-14.853W			SG on pile.	
29388	Marshallberg Channel Daybeacon 1	34-43-07.065N 076-31-14.853W			SG on pile.	
29390	Marshallberg Channel Daybeacon 3	34-43-17.985N 076-31-20.013W		0	SG on pile.	
29390	Marshallberg Channel Daybeacon 3	34-43-17.985N 076-31-20.013W		0	SG on pile.	
29392	Marshallberg Channel Daybeacon 4	34-43-18.309N 076-31-17.853W		0	TR on pile.	
29392	Marshallberg Channel Daybeacon 4	34-43-18.309N 076-31-17.853W		0	TR on pile.	
29394	Harkers Island Straits Light 19	34-42-51.192N 076-30-53.353W	FI G 4s	4	SG on pile.	
29396	Harkers Island Straits Daybeacon 21	34-42-50.631N 076-30-46.766W			SG on pile.	
29398	Harkers Island Straits Lighted Buoy 22	34-42-59.621N 076-29-58.491W	FI R 4s	4	Red.	
29400	Harkers Island Straits Light 24	34-43-01.461N 076-29-28.238W	FI R 4s	4	TR on pile.	
29400	Harkers Island Straits Light 24	34-43-01.461N 076-29-28.238W	FI R 4s	4	TR on pile.	
29410	Morehead City Channel Lighted Buoy 15	34-41-47.452N 076-40-18.770W	Q G	4	Green.	
29415	Morehead City Channel Lighted Buoy 16	34-41-53.248N 076-40-15.101W	Q R	4	Red.	
29420.5	Fort Macon Reach Range Front Passing Light	34-42-04.940N 076-40-22.484W	Q W	23	4	On same structure as Fort Macon Reach Range Front Light.
29420.5	Fort Macon Reach Range Front Passing Light	34-42-04.940N 076-40-22.484W	Q W	23	4	On same structure as Fort Macon Reach Range Front Light.
29420	Fort Macon Reach Range Front Light	34-42-04.940N 076-40-22.484W	Q W	15		On tower on multi pile structure. Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
29421.5	Fort Macon Reach Range Rear Passing Light	34-42-11.791N 076-40-25.477W	FI W 4s	4		On same structure as Fort Macon Reach Range Rear Light.
29421.5	Fort Macon Reach Range Rear Passing Light	34-42-11.791N 076-40-25.477W	FI W 4s	4		On same structure as Fort Macon Reach Range Rear Light.
29421	Fort Macon Reach Range Rear Light	34-42-11.791N 076-40-25.477W	Iso W 6s	25		On tower on multi pile structure. Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
29425	Morehead City Channel Lighted Buoy 17	34-41-59.169N 076-40-37.397W	FI G 4s	4	Green.	
29430	Fort Macon Creek Warning Light	34-42-00.256N 076-40-59.612W	FI W 2.5s	4	NW on pile.	
29432	Fort Macon State Park Warning Daybeacon A	34-41-55.890N 076-41-03.350W				NW on pile worded DANGER SUBMERGED STRUCTURE.
29432.2	Fort Macon State Park Warning Daybeacon B	34-41-58.590N 076-41-08.060W				NW on pile worded DANGER SUBMERGED STRUCTURE.
29432.4	Fort Macon State Park Warning Daybeacon C	34-42-01.540N 076-41-12.320W				NW on pile worded DANGER SUBMERGED STRUCTURE.
29432.6	Fort Macon State Park Warning Daybeacon D	34-42-05.360N 076-41-15.710W				NW on pile worded DANGER SUBMERGED STRUCTURE.
29432.8	Fort Macon State Park Warning Daybeacon E	34-42-09.260N 076-41-18.920W				NW on pile worded DANGER SUBMERGED STRUCTURE.
29432	Fort Macon State Park Warning Daybeacon A	34-41-55.890N 076-41-03.350W				NW on pile worded DANGER SUBMERGED STRUCTURE.
29432.2	Fort Macon State Park Warning Daybeacon B	34-41-58.590N 076-41-08.060W				NW on pile worded DANGER SUBMERGED STRUCTURE.
29432.4	Fort Macon State Park Warning Daybeacon C	34-42-01.540N 076-41-12.320W				NW on pile worded DANGER SUBMERGED STRUCTURE.
29432.6	Fort Macon State Park Warning Daybeacon D	34-42-05.360N 076-41-15.710W				NW on pile worded DANGER SUBMERGED STRUCTURE.
29432.8	Fort Macon State Park Warning Daybeacon E	34-42-09.260N 076-41-18.920W				NW on pile worded DANGER SUBMERGED STRUCTURE.
29435	Morehead City Channel Lighted Buoy 19	34-42-24.288N 076-41-18.908W	FI G 2.5s	5	Green.	
29440	Morehead City Channel Lighted Buoy 20	34-42-30.046N 076-41-15.894W	FI R 2.5s	5	Red.	

29445	Morehead City Channel Lighted Buoy 21	34-42-38.930N 076-41-39.188W	Q G	4	Green.
29450	Morehead City Channel Lighted Buoy 23	34-42-47.003N 076-41-52.033W	FI G 2.5s	4	Green with yellow square.
29475	Aviation Fuel Terminal Pier South Light	34-42-52.036N 076-41-28.379W	F Y		On dolphin at end of pier.
29480	Aviation Fuel Terminal Pier North Light	34-42-53.516N 076-41-28.875W	F Y		On dolphin at end of pier.
29490	Bogue Inlet Entrance Lighted Whistle Buoy Bl	34-38-08.932N 077-04-38.894W	Mo (A) W	6	Red and white stripes with red spherical topmark.
29495	Bogue Inlet Lighted Buoy 1	34-38-05.091N 077-05-40.370W	FI G 2.5s	4	Green.
29500	Bogue Inlet Lighted Buoy 2	34-38-16.551N 077-05-45.290W	FI R 2.5s	4	Red.
29500	Bogue Inlet Lighted Buoy 2	34-38-16.551N 077-05-45.290W	FI R 2.5s	4	Red.
29515	Bogue Inlet Lighted Buoy 3	34-38-25.404N 077-06-03.166W	Q G	4	Green.
29515	Bogue Inlet Lighted Buoy 3	34-38-25.404N 077-06-03.166W	Q G	4	Green.
29520	Bogue Inlet Buoy 4	34-38-27.851N 077-06-07.401W			Red nun.
29540	Bogue Inlet Buoy 6	34-38-25.937N 077-06-19.402W			Red nun.
29550	Bogue Inlet Lighted Buoy 7	34-38-32.730N 077-06-28.543W	FI G 2.5s	4	Green.
29553	Bogue Inlet Buoy 7A	34-38-59.052N 077-06-23.688W			Green can.
29553	Bogue Inlet Buoy 7A	34-38-59.052N 077-06-23.688W			Green can.
29560	Bogue Inlet Lighted Buoy 8	34-38-45.169N 077-06-25.616W	FI R 4s	4	Red nun.
29570	Bogue Inlet Buoy 9	34-39-11.450N 077-05-59.034W			Green can.
29570	Bogue Inlet Buoy 9	34-39-11.450N 077-05-59.034W			Green can.
29580	Emerald Isle Cut Lighted Junction Buoy El	34-39-15.552N 077-05-55.060W	FI (2+1)R 6s	4	Red and Green bands.
29580	Emerald Isle Cut Lighted Junction Buoy El	34-39-15.552N 077-05-55.060W	FI (2+1)R 6s	4	Red and Green bands.
29590	Emerald Isle Cut Lighted Buoy 2	34-39-12.454N 077-05-47.289W	FI R 2.5s	4	Red.
29590	Emerald Isle Cut Lighted Buoy 2	34-39-12.454N 077-05-47.289W	FI R 2.5s	4	Red.
29610	Bogue Inlet Buoy 11	34-39-22.530N 077-05-59.102W			Green can.
29620	Bogue Inlet Lighted Buoy 13	34-39-34.201N 077-05-59.483W	FI G 2.5s	4	Green.
29625	Bogue Inlet Lighted Buoy 14	34-39-34.057N 077-05-55.377W	FI R 2.5s	4	Red.
29630	Bogue Inlet Lighted Buoy 15	34-39-55.582N 077-05-54.721W	FI G 4s	4	Green.
29630	Bogue Inlet Lighted Buoy 15	34-39-55.582N 077-05-54.721W	FI G 4s	4	Green.
29635	Bogue Inlet Buoy 17	34-40-10.206N 077-05-45.766W			Green can.
29635	Bogue Inlet Buoy 17	34-40-10.206N 077-05-45.766W			Green can.
29640	Bogue Inlet Junction Buoy B	34-40-20.690N 077-05-38.476W			Green and Red band; can.
29650	New River Inlet Lighted Whistle Buoy NR	34-31-00.211N 077-19-35.566W	Mo (A) W	6	Red and white stripes with red spherical topmark.
29655	New River Inlet Lighted Buoy 1	34-31-20.651N 077-20-01.189W	FI G 4s	5	Green.
29660	New River Inlet Lighted Buoy 2	34-31-21.219N 077-19-59.874W	FI R 4s	5	Red.
29665	New River Inlet Buoy 3	34-31-29.056N 077-20-05.256W			Green can.
29670	New River Inlet Buoy 4	34-31-31.238N 077-20-09.452W			Red nun.

29672	New River Inlet Buoy 4A	34-31-35.711N 077-20-24.331W				Red nun.
29672	New River Inlet Buoy 4A	34-31-35.711N 077-20-24.331W				Red nun.
29680	New River Inlet Buoy 6	34-32-00.717N 077-20-42.433W				Red nun.
29700	New River Inlet Buoy 8	34-32-11.611N 077-20-37.446W				Red nun.
29710	New River Inlet Buoy 9	34-32-23.860N 077-20-32.037W				Green can.
29712	New River Inlet Buoy 9A	34-32-36.834N 077-20-30.723W				Green can.
29712	New River Inlet Buoy 9A	34-32-36.834N 077-20-30.723W				Green can.
29720	New River Inlet Buoy 10	34-32-36.255N 077-20-29.671W				Red nun.
29730	New River Channel Buoy 11	34-33-16.611N 077-21-07.786W				Green can.
29730	New River Channel Buoy 11	34-33-16.611N 077-21-07.786W				Green can.
29735	New River Channel Wreck Light WR12	34-33-06.829N 077-20-57.830W	Q R	0	4	TR on pile.
29735	New River Channel Wreck Light WR12	34-33-06.829N 077-20-57.830W	Q R	0	4	TR on pile.
29737	New River Channel Buoy 12A	34-33-20.372N 077-21-10.153W				Red nun.
29740	New River Channel Light 13	34-33-23.987N 077-21-17.025W	FI G 4s	0	4	SG on pile.
29745	New River Channel Daybeacon 15	34-33-30.098N 077-21-22.995W		0		SG on pile.
29750	New River Channel Daybeacon 16	34-33-40.709N 077-21-32.901W		0		TR on pile.
29755	Traps Bay Warning Daybeacon	34-33-30.013N 077-21-18.627W				NW on pile worded DANGER LIVE FIRE SECTOR CONSULT NOTICE TO MARINERS.
29760	New River Channel Light 17	34-33-57.942N 077-21-54.255W	FI G 4s	0	4	SG on pile.
29763	New River Channel Buoy 17A	34-34-01.482N 077-22-02.188W				Green can.
29765	Courthouse Bay Buoy 1	34-34-43.800N 077-22-31.926W				Green can.
29770	Courthouse Bay Daybeacon 2	34-34-48.520N 077-22-32.600W		0		TR on pile.
29775	Courthouse Bay Daybeacon 3	34-34-54.620N 077-22-34.873W		0		SG on pile.
29780	Courthouse Bay Buoy 4	34-35-02.353N 077-22-31.384W				Red nun.
29785	Courthouse Bay Daybeacon 5	34-35-03.712N 077-22-33.750W		0		SG on pile.
29790	Courthouse Bay Buoy 7	34-35-09.155N 077-22-26.895W				Green can.
29795	New River Channel Daybeacon 18	34-34-18.448N 077-22-36.267W		0		TR on pile.
29800	New River Channel Daybeacon 21	34-34-32.282N 077-23-11.928W		0		SG on pile.
29805	New River Channel Light 23	34-34-44.820N 077-23-41.041W	Q G	0	4	SG on pile.
29810	New River Channel Light 25	34-34-30.363N 077-24-21.580W	FI G 4s		4	SG on pile.
29815	New River Channel Light 27	34-34-29.734N 077-24-42.979W	Q G	0	4	SG on pile.
29820	New River Channel Daybeacon 28	34-34-43.531N 077-25-07.858W		0		TR on pile.
29825	New River Channel Lighted Buoy 28A	34-34-52.433N 077-25-07.863W	Q R		4	Red.
29825	New River Channel Lighted Buoy 28A	34-34-52.433N 077-25-07.863W	Q R		4	Red.
29830	New River Channel Buoy 29	34-34-59.441N 077-24-59.456W				Green can.
29835	New River Channel Light 31	34-35-45.215N 077-24-41.097W	FI G 4s	0	4	SG on pile.

29840	Stones Bay Warning Daybeacon	34-36-23.583N 077-26-08.059W		0		NW on pile.	DANGER LIVE FIRING AREA.
29845	Stones Bay Warning Daybeacon A	34-36-13.337N 077-24-08.843W		0		NW on pile.	DANGER LIVE FIRING AREA.
29845.2	Stones Bay Warning Daybeacon B	34-36-49.587N 077-26-03.589W		0		NW on pile.	DANGER LIVE FIRING AREA.
29845.3	Stones Bay Warning Daybeacon C	34-36-44.231N 077-26-00.818W		0		NW on pile.	DANGER LIVE FIRING AREA.
29845.4	Stones Bay Warning Daybeacon D	34-36-38.176N 077-26-02.199W		0		NW on pile.	DANGER LIVE FIRING AREA.
29845.5	Stones Bay Warning Daybeacon E	34-36-32.011N 077-26-04.543W		0		NW on pile.	DANGER LIVE FIRING AREA.
29845.6	Stones Bay Warning Daybeacon F	34-36-26.638N 077-26-06.834W		0		NW on pile.	DANGER LIVE FIRING AREA.
29850	New River Channel Daybeacon 33	34-36-24.018N 077-23-44.013W		0		SG on pile.	
29855	New River Channel Daybeacon 35	34-36-58.137N 077-22-57.244W		0		SG on pile.	
29860	New River Channel Light 37	34-37-40.390N 077-22-02.439W	FI G 4s	0	4	SG on pile.	
29865	Grey Point Warning Daybeacon	34-37-40.824N 077-22-04.153W		0		NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS.	
29870	New River Channel Daybeacon 39	34-38-36.629N 077-21-57.781W		0		SG on pile.	
29875	Spring Point Warning Daybeacon	34-38-36.824N 077-21-58.272W		0		NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS.	
29880	New River Channel Light 42	34-39-35.945N 077-21-55.169W	FI R 4s	0	4	TR on pile.	
29883	Town Point Artificial Reef Buoy AR-398A	34-39-40.300N 077-22-18.000W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.	
29883.1	Town Point Artificial Reef Buoy AR-398B	34-39-31.500N 077-22-18.000W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.	
29883.2	Town Point Artificial Reef Buoy AR-398C	34-39-31.500N 077-22-36.000W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.	
29883.3	Town Point Artificial Reef Buoy AR-398D	34-39-40.300N 077-22-36.000W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.	
29885	New River Channel Daybeacon 43	34-39-58.430N 077-22-37.529W		0		SG on pile.	
29890	Farnell Bay Warning Daybeacon	34-39-57.939N 077-22-39.100W		0		NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS.	
29895	New River Channel Light 46	34-40-26.276N 077-23-21.166W	FI R 2.5s	0	4	TR on pile.	
29900	Wallace Creek Light 2	34-40-56.997N 077-22-18.826W	FI R 2.5s	0	4	TR on pile.	
29905	Wallace Creek Daybeacon 4	34-40-45.297N 077-21-50.800W		0		TR on pile.	
29910	New River Channel Lighted Wreck Buoy WR47	34-41-10.938N 077-23-53.062W	Q G		3	Green.	
29915	New River Channel Light 50	34-42-11.620N 077-24-13.529W	FI R 4s	0	4	TR on pile.	
29920	Morgan Bay Warning Daybeacon	34-42-12.099N 077-24-13.819W		0		NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS.	
29925	Southwest Creek Daybeacon 1	34-42-02.810N 077-25-05.931W		0		SG on pile.	
29930	Southwest Creek Daybeacon 2	34-41-48.002N 077-25-37.012W		0		TR on pile.	
29935	New River Channel Light 52	34-42-54.128N 077-25-07.094W	FI R 2.5s	0	4	TR on pile.	
29940	Jacksonville Warning Daybeacon	34-42-54.376N 077-25-06.231W		0		NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS.	
29955	New River Channel Daybeacon 57	34-44-17.363N 077-25-56.522W		0		SG on pile.	

29960	New River Channel Daybeacon 60	34-44-26.673N 077-26-00.448W		0	TR on pile.
29965	New River Channel Daybeacon 61	34-44-30.057N 077-26-20.248W		0	SG on pile.
29968	New River - Jacksonville Outfall Warning Light A	34-45-35.179N 077-26-22.697W	Fl W 4s		NW on pile worded DANGER SUBMERGED PIPE.
29968.1	New River - Jacksonville Outfall Warning Light B	34-45-34.380N 077-26-23.143W	Fl W 6s		NW on pile worded DANGER SUBMERGED PIPE.
29970	New Topsail Inlet Lighted Whistle Buoy NT	34-20-11.703N 077-38-26.765W	Mo (A) W	6	Red and white stripes with red spherical topmark .
29975	New Topsail Inlet Buoy 1	34-20-07.041N 077-39-20.086W			Green can.
29985	New Topsail Inlet Buoy 2	34-20-11.805N 077-39-15.237W			Red nun.
29995	New Topsail Inlet Buoy 3	34-20-14.436N 077-39-32.030W			Green can.
30000	New Topsail Inlet Buoy 4	34-20-18.342N 077-39-28.680W			Red nun.
30010	New Topsail Inlet Buoy 5	34-20-24.493N 077-39-49.474W			Green can.
30015	New Topsail Inlet Buoy 6	34-20-28.014N 077-39-47.896W			Red nun.
30020	New Topsail Inlet Buoy 7	34-20-33.060N 077-39-54.319W			Green can.
30025	New Topsail Inlet Buoy 8	34-20-37.241N 077-39-51.607W			Red nun.
30032	Old Topsail Creek Buoy 1	34-20-43.720N 077-39-59.739W			Green can.
30033	Old Topsail Creek Buoy 2	34-20-45.744N 077-39-57.517W			Red nun.
30034	Old Topsail Creek Buoy 3	34-20-53.014N 077-40-03.136W			Green can.
30035	Old Topsail Creek Buoy 4	34-21-00.684N 077-39-47.062W			Red nun.
30036	Old Topsail Creek Buoy 6	34-21-07.602N 077-39-43.235W			Red nun.
30037	Old Topsail Creek Buoy 7	34-21-08.096N 077-39-46.029W			Green can.
30038	Old Topsail Creek Buoy 8	34-21-10.300N 077-39-48.118W			Red nun.
30039	Old Topsail Creek Buoy 9	34-21-14.086N 077-40-05.454W			Green can.
30040	Old Topsail Creek Buoy 11	34-21-17.613N 077-40-06.857W			Green can.
30041	Old Topsail Creek Buoy 12	34-21-29.496N 077-40-00.781W			Red nun.
30042	Old Topsail Creek Buoy 13	34-21-30.241N 077-40-02.277W			Green can.
30043	Old Topsail Creek Buoy 15	34-21-31.661N 077-40-05.324W			Green can.
30045	Old Topsail Creek Buoy 17	34-21-30.618N 077-40-16.089W			Green can.
30046	Old Topsail Creek Buoy 19	34-21-31.818N 077-40-20.022W			Green can.
30048	Banks Slough Channel Buoy 2BS	34-20-44.060N 077-39-49.973W			Red nun.
30048.06	Banks Slough Channel Buoy 5	34-20-57.392N 077-39-30.441W			Green can.
30048.02	Banks Slough Channel Buoy 3BS	34-20-45.919N 077-39-52.543W			Green can.
30048.04	Banks Slough Channel Buoy 4	34-20-49.598N 077-39-41.184W			Red nun.
30050	Banks Channel Lighted Buoy 1	34-21-06.350N 077-39-10.468W	Fl G 4s	4	Green.
30050	Banks Channel Lighted Buoy 1	34-21-06.350N 077-39-10.468W	Fl G 4s	4	Green.
30055	Banks Channel Lighted Buoy 2	34-21-13.153N 077-38-52.924W	Fl R 4s	4	Red.
30055	Banks Channel Lighted Buoy 2	34-21-13.153N 077-38-52.924W	Fl R 4s	4	Red.

30065	Banks Channel Buoy 3	34-21-34.882N 077-38-35.628W				Green can.
30065	Banks Channel Buoy 3	34-21-34.882N 077-38-35.628W				Green can.
30070	Banks Channel Daybeacon 5	34-21-43.144N 077-38-21.052W		0		SG on pile.
30075	Banks Channel Light 6	34-21-48.602N 077-38-07.930W	FI R 4s	0	4	TR on pile.
30080	Banks Channel Light 7	34-22-13.962N 077-37-52.872W	Q G	0	4	SG on pile.
30082	Banks Channel Buoy 7A	34-22-21.224N 077-37-37.576W				Green can.
30085	Banks Channel Buoy 9	34-22-29.276N 077-37-22.710W				Green can.
30085	Banks Channel Buoy 9	34-22-29.276N 077-37-22.710W				Green can.
30090	Banks Channel Buoy 9A	34-22-37.945N 077-37-06.989W				Green can.
30090	Banks Channel Buoy 9A	34-22-37.945N 077-37-06.989W				Green can.
30095	Banks Channel Lighted Buoy 11	34-22-56.310N 077-36-51.681W	FI G 4s		4	Green.
30095	Banks Channel Lighted Buoy 11	34-22-56.310N 077-36-51.681W	FI G 4s		4	Green.
30100	Banks Channel Daybeacon 12	34-23-07.732N 077-36-24.364W		0		TR on pile.
30105	Banks Channel Buoy 13	34-23-22.618N 077-36-08.838W				Green can.
30105	Banks Channel Buoy 13	34-23-22.618N 077-36-08.838W				Green can.
30110	Banks Channel Daybeacon 14	34-23-34.871N 077-35-50.038W		0		
30110	Banks Channel Daybeacon 14	34-23-34.871N 077-35-50.038W		0		
30115	Banks Channel Buoy 15	34-23-48.989N 077-35-34.696W				Green can.
30115	Banks Channel Buoy 15	34-23-48.989N 077-35-34.696W				Green can.
30120	Banks Channel Daybeacon 16	34-23-57.044N 077-35-18.728W		0		TR on pile.
30125	Banks Channel Light 18	34-24-04.227N 077-35-17.074W	FI R 4s	0	5	TR on pile.
30130	Banks Channel Daybeacon 19	34-24-12.867N 077-35-23.716W		0		SG on pile.
30135	Banks Channel Buoy 21	34-24-22.341N 077-35-36.196W				Green can.
30135	Banks Channel Buoy 21	34-24-22.341N 077-35-36.196W				Green can.
30137	Banks Channel Buoy 22	34-24-28.558N 077-35-38.878W				Red nun.
30140	New River - Cape Fear River Junction Light BC	34-24-37.848N 077-35-41.288W	FI (2+1)G 6s	0	4	JG-SY on pile.
30145	Masonboro Inlet Lighted Whistle Buoy A	34-10-24.261N 077-47-51.081W	Mo (A) W		6	Red and white stripes with red spherical topmark.
30150	Masonboro Inlet Buoy 1	34-10-32.966N 077-48-09.656W				Green can.
30155	Masonboro Inlet Lighted Buoy 2	34-10-36.616N 077-48-04.066W	FI R 2.5s		4	Red.
30160	Masonboro Inlet Buoy 3	34-10-38.560N 077-48-20.729W				Green can.
30165	Masonboro Inlet Buoy 4	34-10-43.908N 077-48-15.148W				Red nun.
30170	Masonboro Inlet Lighted Buoy 5	34-10-52.686N 077-48-38.406W	FI G 2.5s		4	Green.
30175	Masonboro Inlet Lighted Buoy 6	34-10-56.691N 077-48-34.677W	FI R 2.5s		3	Red.
30180	Masonboro Inlet Buoy 7	34-11-04.452N 077-48-59.239W				Green can.
30185	Masonboro Inlet Lighted Buoy 8	34-11-05.534N 077-48-53.130W	Q R		4	Red.

30190	Shinn Creek Light 1	34-11-16.606N 077-49-04.739W	Fl G 2.5s	0	4	SG on multi-pile structure.	
30195	Shinn Creek Daybeacon 3	34-11-26.168N 077-49-17.728W		0		SG on multi-pile structure.	
30200	Wrightsville Channel Junction Buoy WC	34-11-20.240N 077-49-00.130W				Green and red bands; can.	
30205	Wrightsville Channel Buoy 10	34-11-16.084N 077-48-51.988W				Red nun.	
30210	Wrightsville Channel Light 11	34-11-43.874N 077-48-30.949W	Fl G 4s	0	4	SG on multi-pile structure.	
30215	Wrightsville Channel Daybeacon 13	34-11-54.122N 077-48-21.046W				SG on pile.	
30220	Wrightsville Channel Daybeacon 14	34-12-17.586N 077-48-08.869W		0		TR on pile.	
30223	Wrightsville Channel Light 15	34-12-17.090N 077-48-12.400W	Q G		4	SG on pile.	
30225	Wrightsville Channel Daybeacon 16	34-12-21.573N 077-48-13.912W		0		TR on pile.	
30230	Wrightsville Channel Daybeacon 18	34-12-27.956N 077-48-18.946W		0		TR on pile.	
30237	Wrightsville Channel Lighted Buoy 19	34-12-34.646N 077-48-16.245W	Q G		4	Green.	
30243	Wrightsville Channel Lighted Buoy 21	34-12-38.355N 077-48-18.345W	Fl G 2.5s		4	Green.	
30245	Wrightsville Channel Daybeacon 23	34-12-51.121N 077-48-39.173W				SG on pile.	
30255	Wrightsville Channel Daybeacon 25	34-12-52.088N 077-48-53.526W		0		SG on pile.	
30260	Carolina Beach Inlet Entrance Lighted Whistle Buoy CB	34-04-53.983N 077-51-11.123W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
30265	Carolina Beach Inlet Buoy 1	34-04-45.175N 077-51-47.671W				Green can.	
30270	Carolina Beach Inlet Buoy 2	34-04-46.330N 077-51-46.868W				Red nun.	
30275	Carolina Beach Inlet Buoy 3	34-04-52.151N 077-52-03.792W				Green can.	
30280	Carolina Beach Inlet Buoy 4	34-04-52.707N 077-55-01.290W				Red nun.	
30285	Carolina Beach Inlet Buoy 5	34-04-57.114N 077-52-15.851W				Green can.	
30290	Carolina Beach Inlet Buoy 6	34-04-59.385N 077-52-28.459W				Red nun.	
30295	Carolina Beach Inlet Buoy 7	34-04-57.108N 077-52-30.256W				Green can.	
30300	Carolina Beach Inlet Buoy 8	34-04-47.491N 077-52-47.883W				Red nun.	
30310	Cape Fear River Entrance Range Front Light	33-52-23.526N 078-01-09.506W	Iso W 2s			Skeleton tower on platform.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
30312	Cape Fear River Entrance Range Rear Light	33-53-33.099N 078-00-48.177W	Iso W 6s	90		Skeleton tower on platform.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
30313	Cape Fear River Entrance Range Rear Passing Lights (2)	33-53-33.099N 078-00-48.177W	Fl W 4s	0	4	On same structure as Cape Fear River Entrance Range Rear Light.	
30316	Cape Fear River Entrance Lighted Whistle Buoy CF	33-46-16.729N 078-03-01.583W	Mo (A) W		6	Red and white stripes with red spherical topmark.	On channel centerline. Synthetic AIS MMSI 993672156.
30318	Cape Fear River Entrance Channel Lighted Buoy 2	33-46-57.772N 078-02-45.540W	Q R		5	Red.	
30319	Cape Fear River Entrance Channel Lighted Buoy 3	33-47-19.238N 078-02-46.300W	Fl G 4s		5	Green.	
30320	Cape Fear River Entrance Channel Lighted Buoy 4	33-48-05.775N 078-02-24.734W	Fl R 4s		5	Red.	
30325	Cape Fear River Entrance Channel Lighted Buoy 5	33-48-41.397N 078-02-21.940W	Fl G 4s		5	Green.	
30330	Bald Head Shoal Channel Range Front Light	33-52-47.488N 078-00-04.587W	Iso W 2s			On platform.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
30335	Bald Head Shoal Channel Range Rear Light	33-52-57.178N 077-59-53.979W	Iso W 6s	25		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
30336	Bald Head Shoal Channel Range Rear Passing Lights (2)	33-52-57.178N 077-59-53.979W	Fl W 4s	0	4	On same structure as Bald Head Shoal Channel Range Rear Light.	Located on corners of platform.

30338	Southport Range Outbound Precision Directional Light	33-52-57.178N 077-59-53.979W	Iso G 2s	30		On tower with Bald Head Shoal Rear Range. Visible white in center of outbound channel.	Operated by VHF/FM 81A/157.075Mhz key microphone 5 times consecutively to activate optic signal for 15 minutes. Iso G 2s 138° to 139° F W on center line of channel from 139° to 140° Iso R 2s from 140° to 141°.
30340	Cape Fear River Entrance Channel Lighted Buoy 6	33-49-16.576N 078-02-02.945W	FI R 4s	5	Red.		
30345	Cape Fear River Entrance Channel Lighted Buoy 7	33-49-54.721N 078-01-59.471W	FI G 2.5s	5	Green.		
30350	Cape Fear River Entrance Channel Lighted Buoy 8	33-50-27.386N 078-01-39.952W	FI R 2.5s	5	Red.		
30355	Cape Fear River Entrance Channel Lighted Buoy 9	33-51-16.376N 078-01-37.370W	FI G 2.5s	5	Green.		
30360	Cape Fear River Entrance Channel Lighted Buoy 10	33-51-11.928N 078-01-24.090W	Q R	5	Red.		
30370	Cape Fear River Entrance Channel Lighted Buoy 11	33-51-51.309N 078-01-13.349W	FI G 4s	5	Green.		
30372	Cape Fear River Entrance Channel Lighted Buoy 12	33-51-49.348N 078-01-03.144W	FI R 2.5s	4	Red.		
30373	Cape Fear River Entrance Channel Lighted Buoy 13	33-52-21.001N 078-00-40.767W	Q G	4	Green.		
30375	Baldhead Island Marina Jetty Light 1	33-52-40.054N 078-00-06.582W	Q G			On concrete wall.	
30380	Baldhead Island Marina Jetty Light 2	33-52-39.370N 078-00-07.260W	Q R			On concrete wall.	
30385	Smith Island Range Front Light	33-53-36.147N 078-00-17.108W	Iso R 2s	0		On multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
30390	Smith Island Range Rear Light	33-53-43.254N 078-00-15.873W	F R	30		On multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around higher intensity 4.0° either side of rangeline.
30395	Cape Fear River Channel Lighted Buoy 13A	33-52-51.326N 078-00-29.722W	FI G 4s	5	Green.		
30400	Cape Fear River Channel Lighted Buoy 15	33-53-17.490N 078-00-26.684W	FI G 2.5s	4	Green.		
30405	Southport Channel Range Front Light	33-54-25.649N 078-01-22.838W	Q W	5		On multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 5.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
30410	Southport Channel Range Rear Light	33-54-59.100N 078-01-55.444W	Iso R 6s	25		On multi-pile structure	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline.
30415	Oak Island Channel Light 1	33-54-01.425N 078-01-15.123W	FI G 4s	0	4	SG on pile.	
30420	Oak Island Channel Light 2	33-54-03.003N 078-01-15.279W	FI R 4s	0	4	TR on pile.	
30425	Oak Island Channel Daybeacon 4	33-54-02.222N 078-01-21.554W		0		TR on pile.	
30430	Oak Island Channel Daybeacon 5	33-53-59.306N 078-01-28.098W		0		SG on pile.	
30435	Oak Island Channel Daybeacon 6	33-53-59.016N 078-01-35.634W		0		TR on pile.	
30440	Oak Island Channel Daybeacon 7	33-53-56.252N 078-01-43.381W		0		SG on pile.	
30445	Oak Island Channel Light 8	33-53-56.846N 078-01-44.843W	FI R 4s	0	4	TR on pile	
30450	Cape Fear River Channel Lighted Buoy 16	33-54-12.511N 078-01-04.250W	Q R	4	Red.		
30453	Cape Fear River Channel Lighted Buoy 16A	33-54-29.207N 078-01-06.664W	FI R 2.5s	4	Red.		
30455	Southport Light 1	33-54-53.182N 078-01-11.303W	FI G 2.5s	0	4	SG-SY on multi-pile structure.	
30460	Lower Swash Channel Range Front Light	33-55-51.419N 077-59-04.824W	Q W			On multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 14° either side of rangeline. NIGHT : Visible all around; higher intensity 14° either side of rangeline.
30465.1	Lower Swash Channel Range Rear Passing Lights (2)	33-56-04.202N 077-58-42.252W	FI W 4s	4		On same structure as Lower Swash Channel Range Rear Light.	Located on corners of platform.
30465	Lower Swash Channel Range Rear Light	33-56-04.202N 077-58-42.252W	Iso W 6s	25		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 10° either side rangeline.
30470	Cape Fear River Channel Lighted Buoy 18	33-54-42.938N 078-00-59.338W	FI R 4s	4	Red with yellow square.		
30475	Cape Fear River Channel Lighted Buoy 19	33-55-15.766N 078-00-15.680W	FI G 4s	4	Green with yellow triangle.	Marks pile of stone ballast.	
30480	Cape Fear River Channel Lighted Buoy 20	33-55-29.152N 077-59-34.976W	Q R	4	Red with yellow square.		

30485	Snows Marsh Channel Range Front Light	33-57-40.826N 077-56-59.328W	Iso W 2s	0		On multi-pile structure. On same structure as Reaves Point Channel Range Front Light.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
30490.5	Snows Marsh Range Rear Passing Lights (2)	33-58-11.657N 077-56-21.065W	Fl W 4s	0	5	On same structure as Snows Marsh Range Rear Light.	
30490	Snows Marsh Channel Range Rear Light	33-58-11.657N 077-56-21.065W	Iso W 6s	30		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
30491	Federal Point Range Front Light	33-58-11.535N 077-56-49.444W	Fl W 2.5s	5		On multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
30492	Federal Point Range Rear Light	33-57-44.729N 077-56-37.212W	Iso W 6s	35		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
30494	Federal Point Range Rear Passing Lights (2)	33-57-44.729N 077-56-37.212W	Fl W 4s	25	4	On same structure as Federal Point Range Rear Light.	Located on corners of platform.
30495	Price Creek South Mooring Dolphin Light	33-56-00.534N 077-59-13.006W	Fl Y 4s			On dolphin.	
30500	Price Creek South Breasting Dolphin Light	33-56-02.626N 077-59-09.959W	Fl Y 4s			On dolphin.	
30505	Price Creek Loading Platform Lights (2)	33-56-03.626N 077-59-08.959W	Fl Y 4s			On platform.	
30510	Price Creek North Breasting Dolphin Light	33-56-04.626N 077-59-08.459W	Fl Y 4s			On dolphin.	
30515	Price Creek North Mooring Dolphin Light	33-56-07.626N 077-59-04.459W	Fl Y 4s			On dolphin.	
30520	Cape Fear River Channel Lighted Buoy 22	33-56-13.087N 077-58-44.015W	Fl R 4s		4	Red with yellow square.	
30525	Cape Fear River Channel Lighted Buoy 23	33-56-45.840N 077-58-11.540W	Fl G 4s		4	Green with yellow triangle.	
30530	Cape Fear River Channel Lighted Buoy 25	33-57-14.831N 077-57-35.813W	Q G		4	Green with yellow triangle.	
30531	Cape Fear River Channel Lighted Buoy 25A	33-57-31.389N 077-57-21.946W	Q G		4	Green with yellow triangle.	
30535	Horseshoe Shoal Channel Range Front Light	33-56-34.610N 077-57-48.857W	Q W	3		On skeleton tower.	Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around; higher intensity 4.0° either of rangeline.
30540	Horseshoe Shoal Channel Range Rear Light	33-55-54.542N 077-58-10.000W	Iso W 6s	30		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
30541	Horseshoe Shoal Channel Range Rear Passing Lights (2)	33-55-54.542N 077-58-10.000W	Fl W 4s		4	On same structure as Horseshoe Channel Range Rear Light.	Located on corners of platform.
30545	Cape Fear River Channel Lighted Buoy 26	33-57-33.651N 077-57-11.970W	Fl R 4s		4	Red with yellow square.	
30550	Cape Fear River Channel Lighted Buoy 27	33-58-16.146N 077-56-59.752W	Q G		4	Green with yellow triangle.	
30553	Lower Midnight Channel South Range Front Light	33-58-09.354N 077-57-10.105W	Q W	5		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
30554	Lower Midnight Channel South Range Rear Light	33-57-41.629N 077-57-18.702W	Iso W 6s	30		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.0° degrees either side of rangeline.
30554.1	Lower Midnight Channel South Range Rear Passing Lights (2)	33-57-41.629N 077-57-18.702W	Fl W 4s	0	4	Located on same structure as Lower Midnight Channel South Range Rear Light.	
30555	Reaves Point Channel Range Front Light	33-57-40.858N 077-56-59.325W	Iso W 2s	0		On multi-pile structure. On same structure as Snows Marsh Channel Range Front Light.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
30560.5	Reaves Point Channel Range Rear Passing Lights (2)	33-57-06.009N 077-57-03.230W	Fl W 4s	0	4	On same structure as Reaves Point Channel Range Rear Light.	Located on corners of platform.
30560	Reaves Point Channel Range Rear Light	33-57-06.009N 077-57-03.230W	Iso W 6s	25		On multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
30561.1	Sunny Point Terminal Warning Boundary Light A	33-58-44.919N 077-57-09.604W	Fl Y 4s			NW on pile.	
30561.2	Sunny Point Terminal Warning Boundary Light B	33-59-00.523N 077-57-06.474W	Fl Y 2.5s			NW on pile.	
30561.3	Sunny Point Terminal Warning Boundary Light C	33-59-10.763N 077-56-58.187W	Fl Y 4s			NW on pile.	
30561.4	Sunny Point Terminal Warning Boundary Light D	33-59-24.248N 077-56-53.972W	Fl Y 2.5s			NW on pile.	
30561.5	Sunny Point Terminal Warning Boundary Light E	33-59-38.003N 077-56-50.514W	Fl Y 4s			NW on pile.	
30561.6	Sunny Point Terminal Warning Boundary Light F	33-59-49.439N 077-56-46.578W	Fl Y 2.5s			NW on pile.	
30561.7	Sunny Point Terminal Warning Boundary Light G	34-00-03.798N 077-56-40.202W	Fl Y 4s			NW on pile.	

30561.8	Sunny Point Terminal Boundary Light H	34-00-18.597N 077-56-36.856W	FI Y 2.5s			NW on pile.
30561.9	Sunny Point Terminal Boundary Light I	34-00-33.236N 077-56-35.911W	FI Y 4s			NW on pile.
30562	Sunny Point Terminal Entrance Range Front Light	33-59-38.050N 077-57-28.917W	FI G 2.5s	90		On skeleton tower. Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
30562.1	Sunny Point Terminal Boundary Light J	34-00-48.165N 077-56-35.472W	FI Y 2.5s			NW on pile.
30562.2	Sunny Point Terminal Boundary Light K	34-01-03.204N 077-56-34.516W	FI Y 4s			NW on pile.
30562.3	Sunny Point Terminal Boundary Light L	34-01-18.230N 077-56-34.461W	FI Y 2.5s			NW on pile.
30562.4	Sunny Point Terminal Boundary Light M	34-01-24.560N 077-56-34.365W	FI Y 4s			NW on pile.
30562.5	Sunny Point Terminal Boundary Light N	34-01-36.799N 077-56-37.373W	FI Y 2.5s			NW on pile.
30562.6	Sunny Point Terminal Boundary Light O	34-01-47.348N 077-56-28.874W	FI Y 4s			NW on pile.
30563	Sunny Point Terminal Entrance Range Rear Light	33-59-49.607N 077-57-34.192W	Iso G 6s	95		On skeleton tower. Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
30565	Sunny Point Terminal South Entrance Lighted Buoy 1S	33-58-44.432N 077-57-06.740W	FI G 2.5s		4	Green.
30570	Sunny Point Terminal South Entrance Lighted Junction Buoy SP	33-58-41.873N 077-56-59.557W	FI (2+1)G 6s		4	Green and red bands.
30575	Sunny Point Terminal South Entrance Light 5S	33-59-08.713N 077-57-18.493W	Q G	0	4	SG on multi-pile structure.
30577	Sunny Point Terminal South Entrance Light 6S	33-59-10.799N 077-57-12.897W	FI R 2.5s	0	4	TR on multi-pile structure.
30580	Sunny Point Terminal South Entrance Lighted Buoy 7S	33-59-51.491N 077-57-14.171W	Q G		4	Green.
30586	Sunny Point Terminal South Entrance Lighted Buoy 9S	34-00-00.629N 077-57-12.868W	FI G 2.5s		4	Green.
30588	Sunny Point Terminal South Entrance Lighted Buoy 10S	33-59-59.510N 077-57-06.797W	FI R 2.5s		4	Red.
30603	Sunny Point Terminal Central Channel Light 11	34-00-45.758N 077-57-10.104W	FI G 2.5s	0	4	SG on multi-pile structure.
30605	Sunny Point Terminal Central Channel Light 12	34-00-40.696N 077-57-06.343W	FI R 2.5s	0	4	TR on multi-pile structure.
30610	Sunny Point Terminal Central Channel Light 14	34-00-58.593N 077-56-56.140W	FI R 4s	0	4	TR on multi-pile structure.
30615	Sunny Point Terminal Central Channel Light 16	34-01-03.392N 077-56-49.325W	FI R 4s	0	4	TR on multi-pile structure.
30635	Cape Fear River Channel Lighted Buoy 28	33-59-13.470N 077-56-46.069W	Q R		4	Red with yellow square.
30640	Lower Midnight Channel North Range Front Light	34-00-59.324N 077-56-17.375W	Q W		5	On skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY : Visible 3° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
30645.1	Lower Midnight Channel North Range Rear Passing Lights (2)	34-01-22.306N 077-56-10.240W	FI W 4s	0	4	Located on same structure as Lower Midnight Channel North Range Rear Light.
30645	Lower Midnight Channel North Range Rear Light	34-01-22.306N 077-56-10.240W	Iso W 6s	25		On skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible 1.5° either side of rangeline.
30650	Cape Fear River Channel Lighted Buoy 29	33-59-24.792N 077-56-51.015W	FI G 4s		5	Green with yellow triangle.
30665	Cape Fear River Channel Lighted Buoy 30	34-00-08.305N 077-56-29.064W	FI R 4s		4	Red with yellow square.
30667	Upper Midnight Channel South Range Front Light	34-00-07.907N 077-56-23.407W	FI R 2.5s	5		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
30669	Upper Midnight Channel South Range Rear Light	33-59-54.356N 077-56-23.270W		30		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
30669.1	Upper Midnight Channel South Range Rear Passing Lights (2)	33-59-54.356N 077-56-23.270W	FI W 4s	20	4	Located on same structure as Upper Midnight Channel South Range Rear Light. Located on corners of platform.
30670	Cape Fear River Channel Lighted Buoy 31	34-00-38.355N 077-56-28.156W	Q G		4	Green with yellow triangle.
30675	Upper Midnight Channel North Range Front Light	34-03-22.904N 077-56-25.386W	Q W	5		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
30680.1	Upper Midnight Channel North Range Rear Passing Lights (2)	34-03-48.939N 077-56-25.652W	FI W 4s		4	Located on same structure as Upper Midnight Channel Range Rear Light.

30680	Upper Midnight Channel North Range Rear Light	34-03-48.939N 077-56-25.652W	Iso W 6s	35		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline.
30685	Cape Fear River Channel Lighted Buoy 33	34-01-23.722N 077-56-28.335W	FI G 2.5s	4		Green with yellow triangle.
30690	New River - Cape Fear River Light 177	34-01-47.292N 077-56-10.838W	FI G 4s	0	4	SG-SY on pile.
30695	Cape Fear River Channel Lighted Buoy 35	34-02-03.244N 077-56-28.771W	FI G 4s	4		Green.
30700	Cape Fear River Channel Lighted Buoy 36	34-02-15.389N 077-56-20.415W	FI R 4s	4		Red.
30705	Cape Fear River Channel Lighted Buoy 38	34-02-54.319N 077-56-21.235W	Q R	4		Red.
30710	Lower Liliput Range Front Light	34-05-12.846N 077-55-48.448W	Q W	6		On multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
30715	Lower Liliput Range Rear Light	34-05-45.064N 077-55-39.895W	Iso W 6s	30		On multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline.
30717	Lower Liliput Range Rear Passing Lights (2)	34-05-45.064N 077-55-39.895W	FI W 4s	3		On multi-pile structure. On same structure as Lower Liliput Range Rear Light. Located on corners of platform.
30720	Cape Fear River Channel Lighted Buoy 39	34-03-48.246N 077-56-14.969W	FI G 4s	4		Green.
30725	Cape Fear River Channel Lighted Buoy 40	34-04-11.096N 077-56-00.626W	FI R 4s	4		Red.
30730	Cape Fear River Channel Lighted Buoy 41	34-04-42.853N 077-56-02.081W	Q G	4		Green.
30735	Upper Liliput Range Front Light	34-04-12.641N 077-55-53.445W	Q W	2		On multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
30740	Upper Liliput Range Rear Light	34-03-31.399N 077-55-47.393W	Iso W 6s	25		On multi-pile structure. Lighted throughout 24 hours; visible 1.5° either side of rangeline.
30743	Upper Liliput Range Rear Passing Lights (2)	34-03-31.399N 077-55-47.393W	FI W 4s	4		On multi-pile structure. On same structure as Upper Liliput Range Rear Light. Located on corners of platform.
30745	Cape Fear River Channel Lighted Buoy 42	34-05-24.398N 077-56-00.995W	FI R 4s	4		Red.
30750	Cape Fear River Channel Lighted Buoy 44	34-06-16.725N 077-56-08.536W	Q R	4		Red.
30755	Keg Island Range Front Light	34-07-47.295N 077-56-05.400W	Q W	0		On multi-pile structure. Same structure as Big Island Upper South Range Front Light. Lighted throughout 24 hours. DAY : Visible 3.0° either side of rangeline. NIGHT : Visible all around; higher intensity 3.0° either side of rangeline.
30760	Keg Island Range Rear Light	34-08-05.747N 077-56-04.125W	Iso W 6s	15		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY : Visible 3.0° either side of rangeline. NIGHT: Visible all around; higher intensity 3.0° either side of rangeline.
30765	Cape Fear River Channel Lighted Buoy 46	34-06-51.562N 077-56-06.294W	FI R 4s	4		Red.
30770	Cape Fear River Channel Lighted Buoy 47	34-07-20.959N 077-56-10.194W	FI G 4s	4		Green.
30775	Big Island Lower South Range Front Light	34-07-26.397N 077-56-02.168W	Q W	10		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
30780	Big Island Lower South Range Rear Light	34-07-18.551N 077-55-57.106W	Iso W 6s	15		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
30783	Big Island Lower North Range Front Light	34-08-20.581N 077-56-37.140W	FI G 2.5s	0		On multi-pile structure. Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
30784	Big Island Lower North Range Rear Light	34-08-24.932N 077-56-39.950W	Oc G 4s	20		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
30785	Cape Fear River Channel Lighted Buoy 49	34-07-42.350N 077-56-16.111W	FI G 2.5s	4		Green.
30790	Cape Fear River Channel Lighted Buoy 51	34-08-00.834N 077-56-28.208W	Q G	4		Green.
30793	Lower Brunswick South Range Front Light	34-08-12.800N 077-56-47.035W	Q W	5		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
30794	Lower Brunswick South Range Rear Light	34-08-05.734N 077-56-42.753W	Iso W 6s	25		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible 1.5° either side of rangeline.
30794.1	Lower Brunswick South Range Rear Passing Lights (2)	34-08-05.734N 077-56-42.753W	FI W 4s	0	4	On same structure as Lower Brunswick South Range Rear Light.
30795	Cape Fear River Channel Lighted Buoy 52	34-08-08.838N 077-56-26.577W	FI R 4s	4		Red.

30796	Big Island Upper North Range Front Light	34-08-41.069N 077-57-11.476W	Iso G 2s	0	On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
30797	Big Island Upper North Range Rear Light	34-08-43.172N 077-57-14.057W	Iso G 6s	10	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
30800	Big Island Upper South Range Front Light	34-07-47.295N 077-56-05.400W	Q W	0	On multi-pile structure. On same structure as Keg Island Channel Range Front light.	Lighted throughout 24 hours. DAY: Visible 4.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 4.5° either side of rangeline.
30805	Big Island Upper South Range Rear Light	34-07-38.994N 077-55-55.200W	Iso W 6s	20	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 3.0° either side of rangeline only. NIGHT: Visible all around; higher intensity 3.0° either side of rangeline.
30810	Cape Fear River Channel Lighted Buoy 54	34-08-22.735N 077-56-43.433W	Fl R 2.5s	4	Red.	
30815	Cape Fear River Channel Lighted Buoy 55	34-08-24.053N 077-56-56.762W	Fl G 4s	4	Green.	
30820	Lower Brunswick North Range Front Light	34-09-46.414N 077-57-43.751W	Q W	15	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible on 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side on rangeline.
30825	Lower Brunswick North Range Rear Light	34-09-54.048N 077-57-48.381W	Iso W 6s	20	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1 5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
30830	Cape Fear River Channel Lighted Buoy 56	34-08-34.235N 077-56-56.755W	Fl R 4s	4	Red.	
30832	Watermark Marina Daybeacon 1	34-09-28.224N 077-56-45.302W			SG on pile.	
30832.1	Watermark Marina Daybeacon 2	34-09-27.345N 077-56-42.954W			TR on pile.	
30832.2	Watermark Marina Daybeacon 3	34-09-29.545N 077-56-42.786W			SG on pile.	
30832.3	Watermark Marina Daybeacon 4	34-09-28.938N 077-56-42.002W			TR on pile.	
30832.4	Watermark Marina Daybeacon 5	34-09-30.739N 077-56-41.448W			SG on pile.	
30832.5	Watermark Marina Daybeacon 6	34-09-30.133N 077-56-40.664W			TR on pile.	
30832.6	Watermark Marina Daybeacon 7	34-09-31.934N 077-56-40.110W			SG on pile.	
30832.7	Watermark Marina Daybeacon 8	34-09-31.327N 077-56-39.326W			TR on pile.	
30835	Cape Fear River Channel Lighted Buoy 57	34-09-17.444N 077-57-29.368W	Fl G 4s	4	Green.	
30836	Cape Fear River Channel Lighted Buoy 57A	34-09-41.098N 077-57-42.181W	Q G	4	Green.	
30840	Cape Fear River Channel Lighted Buoy 58	34-09-31.022N 077-57-31.066W	Q R	4	Red.	
30841	Cape Fear River Channel Lighted Buoy 58A	34-09-51.962N 077-57-34.450W	Fl R 4s	4	Red.	TEMP AIS: MMSI 993672859
30845	Upper Brunswick Range Front Light	34-11-07.811N 077-57-19.850W	Q R	25	On skeleton tower.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around; higher intensity 0.5° either side of rangeline.
30850	Upper Brunswick Range Rear Light	34-11-18.320N 077-57-17.312W	Iso R 6s	55	On skeleton tower.	Lighted throughout 24 hours. Visible 0.5° either side of rangeline.
30855	Cape Fear River Lighted Buoy 59	34-10-24.014N 077-57-34.478W	Fl G 4s	4	Green.	
30860	Exxon Pier Light A	34-10-37.114N 077-57-23.957W	F Y		On pier.	
30880	Wilmington Marine Center Daybeacon 1	34-10-21.644N 077-57-24.757W			SG on pile.	
30885	Wilmington Marine Center Daybeacon 2	34-10-19.554N 077-57-25.657W			TR on pile.	
30890	Wilmington Marine Center Daybeacon 3	34-10-20.884N 077-57-16.977W			SG on pile.	
30895	Wilmington Marine Center Daybeacon 4	34-10-18.674N 077-57-14.457W			TR on pile.	
30900	Wilmington Marine Center Daybeacon 5	34-10-20.204N 077-57-12.007W			SG on pile.	
30905	Wilmington Marine Center Daybeacon 6	34-10-17.774N 077-57-12.017W			TR on pile.	
30910.5	Wilmington Marine Center Daybeacon 8	34-10-17.220N 077-57-07.560W			TR on pile.	
30910	Wilmington Marine Center Daybeacon 7	34-10-17.424N 077-57-09.027W			SG on pile.	

30911	Wilmington Marine Center Daybeacon 9	34-10-13.800N 077-57-05.640W				SG on pile.
30911.5	Wilmington Marine Center Daybeacon 10	34-10-13.320N 077-57-04.260W				TR on pile.
30912	Upper Midnight Channel South Range Front Light	34-00-07.907N 077-56-23.407W	Fl R 2.5s	5		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.
30914	Upper Midnight Channel South Range Rear Light	33-59-54.356N 077-56-23.270W		30		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
30914.1	Upper Midnight Channel South Range Rear Passing Lights (2)	33-59-54.356N 077-56-23.270W	Fl W 4s	20	4	Located on same structure as Upper Midnight Channel South Range Rear Light. Located on corners of platform.
30925	Fourth East Jetty Range Front Light	34-09-56.611N 077-57-33.260W	Q W	5		On multi-pile structure. Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
30930	Fourth East Jetty Range Rear Light	34-09-22.961N 077-57-36.148W	Iso W 6s	20		On multi-pile structure. Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
30935	Cape Fear River Channel Lighted Buoy 61	34-11-36.790N 077-57-27.606W	Fl G 4s		4	Green.
30940	Cape Fear River Turning Basin Light A	34-12-28.298N 077-57-34.498W	Fl W 2.5s	0	5	NR on pile.
30947	Wilmington Turning Basin Retaining Wall Light A	34-12-33.970N 077-57-15.650W	Fl Y 4s			Steel Pile.
30947.1	Wilmington Turning Basin Retaining Wall Light B	34-12-34.270N 077-57-15.220W	Fl Y 4s			Steel Pile.
30947.2	Wilmington Turning Basin Retaining Wall Light C	34-12-35.340N 077-57-14.960W	Fl Y 4s			Steel Pile.
30947.3	Wilmington Turning Basin Retaining Wall Light D	34-12-36.420N 077-57-14.710W	Fl Y 4s			Steel Pile.
30947.4	Wilmington Turning Basin Retaining Wall Light E	34-12-37.500N 077-57-14.450W	Fl Y 4s			Steel Pile.
30947.5	Wilmington Turning Basin Retaining Wall Light F	34-12-38.570N 077-57-14.190W	Fl Y 4s			Steel Pile.
30947.6	Wilmington Turning Basin Retaining Wall Light G	34-12-39.650N 077-57-13.930W	Fl Y 4s			Steel Pile.
30947.7	Wilmington Turning Basin Retaining Wall Light H	34-12-40.460N 077-57-13.740W	Fl Y 4s			Steel Pile.
30950	Cape Fear River Turning Basin Light B	34-12-52.026N 077-57-29.116W	Fl W 4s	0	4	NR on multi-pile structure.
30955	Cape Fear River Channel Lighted Buoy 63	34-14-07.070N 077-57-06.065W	Fl G 2.5s		4	Green.
30960	Cape Fear River Junction Light A	34-14-26.463N 077-57-17.374W	Fl (2+1)G 6s	0	4	JG on multi-pile structure.
30970	Northeast Cape Fear River Turning Basin Lighted Buoy	34-14-48.506N 077-57-19.228W	Fl W 4s		4	White and orange.
30975	Northeast Cape Fear River Light 1	34-15-44.742N 077-57-02.459W	Fl G 2.5s	0	4	SG on pile.
30980	Northeast Cape Fear River Light 2	34-15-51.802N 077-57-00.041W	Fl R 4s	0	4	TR on multi-pile structure.
30985	Northeast Cape Fear River Light 4	34-15-59.680N 077-57-01.516W	Fl R 2.5s	0	4	TR on pile.
30990	Northeast Cape Fear River Light 6	34-16-20.078N 077-57-02.026W	Fl R 4s	0	4	TR on pile.
30995	Northeast Cape Fear River Daybeacon 8	34-16-23.666N 077-56-56.386W		0		TR on pile.
31000	Northeast Cape Fear River Daybeacon 10	34-16-29.926N 077-56-56.572W		0		TR on pile.
31002.1	PCS Nitrogen Pier Light B	34-16-34.000N 077-57-06.000W	F W			On south end of pier.
31002	PCS Nitrogen Pier Light A	34-16-35.000N 077-57-06.000W	F Y			On north end of pier.
31010	Lockwoods Folly Inlet Lighted Buoy 1	33-54-29.645N 078-13-49.394W	Fl G 4s		5	Green.
31015	Lockwoods Folly Inlet Lighted Buoy 2	33-54-30.487N 078-13-48.104W	Fl R 4s		5	Red.
31020	Lockwoods Folly Inlet Buoy 3	33-54-40.718N 078-13-56.623W				Green can.
31025	Lockwoods Folly Inlet Buoy 4	33-54-41.153N 078-13-55.311W				Red nun.
31027	Lockwoods Folly Inlet Buoy 5	33-54-50.461N 078-14-09.084W				Green can.

31030	Lockwoods Folly Inlet Buoy 6	33-54-55.973N 078-14-14.482W				Red nun.
31035	Lockwoods Folly Inlet Buoy 7	33-55-00.383N 078-14-16.978W				Green can.
31040	Lockwoods Folly Inlet Buoy 8	33-55-07.587N 078-14-13.863W				Red nun.
31055	Shallotte Inlet Buoy 1	33-59-33.480N 078-22-53.590W				Green can.
31060	Shallotte Inlet Buoy 2	33-53-34.825N 078-22-50.707W				Red nun.
31070	Shallotte Inlet Buoy 4	33-53-43.290N 078-22-51.010W				Red nun.
31075	Shallotte Inlet Buoy 5	33-53-47.126N 078-22-54.181W				Green can. Aid maintained by State DOT.
31080	Shallotte Inlet Buoy 6	33-53-53.365N 078-22-48.608W				Red nun.
31082	Shallotte Inlet Buoy 7	33-53-55.204N 078-22-53.227W				Green can.
31085	Shallotte Inlet Buoy 8	33-54-05.425N 078-22-45.847W				Red nun.
31087	Shallotte Inlet Buoy 9	33-54-07.344N 078-22-48.846W				Green can.
31090	Shallotte Inlet Buoy 3	33-53-39.270N 078-22-54.040W				Green can.
31090	Shallotte Inlet Buoy 3	33-53-39.270N 078-22-54.040W				Green can.
31115	Calabash Creek Daybeacon 2	33-52-15.905N 078-34-14.235W		0		TR on pile.
31120	Calabash Creek Daybeacon 3	33-52-25.484N 078-34-14.303W		0		SG on pile.
31125	Calabash Creek Light 4	33-52-33.442N 078-34-20.321W	FI R 2.5s	0	4	TR on pile.
31130	Calabash Creek Daybeacon 6	33-52-44.936N 078-34-16.337W				TR on pile.
31135	Calabash Creek Buoy 7	33-52-50.510N 078-34-12.623W				Green can.
31140	Calabash Creek Daybeacon 8	33-52-55.681N 078-34-08.426W		0		TR on pile.
31145	Calabash Creek Daybeacon 9	33-53-00.092N 078-34-04.985W		0		SG on pile.
31150	Calabash Creek Lighted Wreck Buoy WR10	33-53-06.493N 078-33-57.636W	Q R		4	Red.
31155	Calabash Creek Daybeacon 12	33-53-07.952N 078-33-50.788W		0		TR on pile.
31170	Whale Head Bay Lighted Buoy 1	36-21-52.926N 075-50-56.820W	FI G 4s		4	Green.
31175	Whale Head Bay Light 2	36-22-17.699N 075-50-10.593W	FI R 4s	0	4	TR on multi-pile structure.
31180	North Carolina Power Cable Warning Daybeacon A	36-19-59.804N 075-53-59.824W				NW on pile.
31185	North Carolina Power Cable Warning Daybeacon B	36-20-11.920N 075-53-28.806W				NW on pile.
31190	North Carolina Power Cable Warning Daybeacon C	36-20-24.034N 075-52-54.580W				NW on pile.
31195	North Carolina Power Cable Warning Daybeacon D	36-20-39.177N 075-52-18.215W				NW on pile.
31200	North Carolina Power Cable Warning Daybeacon E	36-20-46.964N 075-51-42.385W				NW on pile.
31205	North Carolina Power Cable Warning Daybeacon F	36-21-10.325N 075-51-09.229W				NW on pile.
31210	North Carolina Power Cable Warning Daybeacon G	36-21-13.353N 075-50-30.190W				NW on pile.
31215	North Carolina Power Cable Warning Daybeacon H	36-21-30.655N 075-50-00.242W				NW on pile.
31220	Poplar Branch Light 1	36-17-13.552N 075-52-56.961W	FI G 4s	0	4	SG on multi-pile structure.
31235	Beasley Bay Light 2	36-17-16.427N 075-48-41.966W	FI R 4s	0	4	TR on pile.
31240.2	Kitty Hawk Landing Light 1KHL	36-03-25.620N 075-44-29.280W	FI G 10s			SG on multi-pile structure.

31240.4	Kitty Hawk Landing Light 2KHL	36-03-24.840N 075-44-29.640W	FI R 10s				TR on multi-pile structure.	
31240	Currituck Sound Light 1	36-02-37.348N 075-45-31.428W	FI G 6s		4		SG on pile.	
31241.2	Currituck Sound Research Platform C	36-15-30.398N 075-50-51.884W	FI Y 4s		16		NY on multi-pile structure.	
31245	Currituck Ferry Terminal Light 2	36-27-18.819N 075-59-33.118W	Q R		12	4	TR on pile.	
31250	Currituck Ferry Terminal Light 3	36-26-59.524N 076-00-29.685W	FI G 4s		15	4	SG on pile.	
31255	Knotts Island Ferry Terminal Light 2	36-27-59.326N 075-57-39.012W	Q R		0	4	TR on pile.	
31260	Knotts Island Ferry Terminal Light 4	36-28-25.383N 075-56-43.832W	FI R 2.5s		12	4	TR on pile.	
31265	Knotts Island Ferry Terminal Light 6	36-28-50.675N 075-55-49.872W	FI R 4s		0	4	TR on pile.	
31270	Southern Shores Lighted Daybeacon 1	36-07-47.046N 075-44-56.808W	FI G 5s				SG on pile.	
31275	Southern Shores Lighted Daybeacon 2	36-07-45.250N 075-44-57.660W	FI R 5s				TR on pile.	
31280	Southern Shores Daybeacon 3	36-07-46.250N 075-44-54.590W					SG on pile.	
31285	Southern Shores Daybeacon 4	36-07-45.090N 075-44-55.470W					TR on pile.	
31290	Southern Shores Daybeacon 5	36-07-45.210N 075-44-51.900W					SG on pile.	
31295	Southern Shores Daybeacon 6	36-07-44.820N 075-44-52.610W					TR on pile.	
31300	Southern Shores Daybeacon 7	36-07-43.450N 075-44-48.920W					SG on pile.	
31302	Southern Shores Daybeacon 8	36-07-43.164N 075-44-49.668W					TR on pile.	
31302	Southern Shores Daybeacon 8	36-07-43.164N 075-44-49.668W					TR on pile.	
31305	Southern Shores Junction Daybeacon JG	36-07-40.870N 075-44-46.350W					JR on pile.	
31310	Southern Shores Daybeacon 9	36-07-41.450N 075-44-45.840W					SG on pile.	
31320	Southern Shores Daybeacon 11	36-07-39.408N 075-44-42.894W					SG on pile.	
31325	Southern Shores Lighted Daybeacon 12	36-07-39.108N 075-44-43.236W	FI R 5s				TR on pile.	
31326	Southern Shores Daybeacon 13	36-07-37.440N 075-44-37.630W					SG on pile.	
31326	Southern Shores Daybeacon 13	36-07-37.440N 075-44-37.630W					SG on pile.	
31327	Southern Shores Daybeacon 14	36-07-37.160N 075-44-38.010W					TR on pile.	
31327	Southern Shores Daybeacon 14	36-07-37.160N 075-44-38.010W					TR on pile.	
31330	Kitty Hawk Bay Light 2KH	36-01-10.703N 075-45-36.156W	FI R 4s		0	5	TR on pile.	
31335	Kitty Hawk Bay Daybeacon 3	36-02-11.335N 075-43-48.613W			0		SG on pile.	
31340	Kitty Hawk Bay Daybeacon 4	36-02-54.067N 075-42-34.627W					TR on pile.	
31345	Kitty Hawk Bay Daybeacon 6	36-03-04.519N 075-42-16.357W					TR on pile.	
31350	Colington Harbor Entrance Daybeacon 3	36-01-04.397N 075-43-42.841W					SG on pile.	
31355	Middle Ground Light MG	36-00-10.960N 075-48-33.134W	Iso W 6s		14	8	NR on multi-pile structure.	Higher intensity beams toward Albemarle Sound Light North Point Colington Island and Croaton Channel.
31360	Durant Island Daybeacon 1D	36-00-27.643N 075-51-59.221W			0		SG on multi-pile structure.	
31365	Powells Point Daybeacon 2PP	36-02-59.664N 075-50-17.525W			0		TR on pile.	
31370	Powells Point Daybeacon 4PP	36-06-32.812N 075-52-24.753W			0		TR on pile.	
31375	Durant Island Daybeacon 3D	36-00-10.153N 075-55-17.593W			0		SG on multi-pile structure.	

31390	Pasquotank River Entrance Light PR	36-09-22.739N 075-58-38.468W	FI W 2.5s	20	12	NB on multi-pile structure.
31393	Pasquotank River Warning Daybeacon A	36-09-22.547N 075-58-40.019W		0		NW on pile worded DANGER SUBMERGED ROCKS.
31395	Pasquotank River Slue Light 1PR	36-09-01.212N 076-01-15.435W	FI G 4s	0	5	SG-TY on pile.
31400	Pasquotank River Light 2	36-11-03.235N 076-01-37.073W	FI R 4s	15	4	TR-SY on pile.
31405	Pasquotank River Wreck Light WR3	36-12-10.559N 076-04-03.917W	Q G	0	4	SG-TY on pile.
31410	Pasquotank River Light 4	36-13-57.170N 076-05-18.023W	FI R 4s		4	TR-SY on pile.
31415	Pasquotank River Light 5	36-15-15.148N 076-07-41.763W	Q G	14	5	SG-TY on pile.
31416	Whitehall Shores Channel Light 1	36-17-06.566N 076-08-34.748W	FI G 2.5s			SG on pile.
31416.5	Whitehall Shores Channel Daybeacon 2	36-17-06.566N 076-08-31.748W				TR on pile.
31419.6	Whitehall Shores West Channel Daybeacon 1	36-17-20.566N 076-09-10.750W				SG on pile.
31420	Pasquotank River Light 5A	36-16-02.713N 076-09-06.194W	FI G 4s	0	4	SG-TY on pile.
31425	Coast Guard Base Daybeacon 1	36-16-16.202N 076-10-39.012W		0		SG on pile.
31430	Coast Guard Base Light 2	36-16-16.449N 076-10-39.490W	FI R 4s	0	4	TR on pile.
31435	Pasquotank River Light 7	36-17-20.434N 076-11-19.263W	Q G	16	4	SG-TY on pile.
31440	Pasquotank River Daybeacon 8	36-17-55.345N 076-12-59.749W				TR-SY on pile.
31445	Pasquotank River Light 9	36-18-21.192N 076-12-11.220W	FI G 4s	12	4	SG-TY on slatted pile structure.
31450	Pasquotank River Daybeacon 11	36-20-39.386N 076-13-04.245W		10		SG-TY on pile.
31455	Pasquotank River Daybeacon 13	36-20-45.616N 076-13-27.212W		12		SG-TY on pile.
31460	Pasquotank River Daybeacon 15	36-21-16.909N 076-13-37.626W		12		SG-TY on pile.
31465	Pasquotank River Daybeacon 16	36-21-32.776N 076-13-40.668W				TR-SY on pile.
31470	Pasquotank River Daybeacon 17	36-21-37.699N 076-13-48.472W				SG-TY on pile.
31475	Pasquotank River Daybeacon 18	36-21-43.635N 076-13-48.456W				TR-SY on pile.
31480	Pasquotank River Daybeacon 19	36-22-18.421N 076-13-53.022W				SG-TY on pile.
31485	Albemarle Sound Light 1AS	36-02-39.583N 076-04-30.218W	FI G 4s	0	6	SG on pile.
31490	Albemarle Sound Warning Daybeacon A	36-02-22.028N 076-07-30.015W				NW on pile worded DANGER BOMBING AREA.
31491	Albemarle Sound Warning Daybeacon B	36-02-00.028N 076-09-32.015W		0		NW on pile worded DANGER BOMBING AREA.
31493	Albemarle Sound Warning Daybeacon D	36-01-20.159N 076-14-32.422W		0		NW on pile worded DANGER BOMBING AREA.
31494	Albemarle Sound Warning Daybeacon E	36-01-05.026N 076-17-18.000W		0		NW on pile worded DANGER BOMBING AREA.
31495	Albemarle Sound Warning Light F	36-00-43.028N 076-19-21.015W	FI W 4s	0	5	NW on pile worded DANGER BOMBING AREA.
31496	Albemarle Sound Warning Daybeacon G	35-59-38.016N 076-19-19.993W		0		NW on pile worded DANGER BOMBING AREA.
31497	Albemarle Sound Warning Daybeacon H	35-59-41.028N 076-16-30.015W				NW on pile worded DANGER BOMBING AREA.
31498	Albemarle Sound Warning Daybeacon I	35-59-50.112N 076-13-17.283W				NW on pile worded DANGER BOMBING AREA.
31500.2	Naval Facilities Palmetto Danger Daybeacon A	36-00-19.201N 076-10-09.170W				NW on pile worded DANGER.
31500.4	Naval Facilities Palmetto Danger Daybeacon B	36-00-11.946N 076-10-18.321W				NW on pile worded DANGER.
31500.2	Naval Facilities Palmetto Danger Daybeacon A	36-00-19.201N 076-10-09.170W				NW on pile worded DANGER.

31500.4	Naval Facilities Palmetto Danger Daybeacon B	36-00-11.946N 076-10-18.321W					NW on pile worded DANGER.	
31500	Albemarle Sound Warning Daybeacon J	35-59-32.094N 076-13-16.875W		0			NW on pile worded DANGER BOMBING AREA.	
31501	Albemarle Sound Warning Daybeacon K	36-00-09.925N 076-07-12.274W		0			NW on pile worded DANGER BOMBING AREA.	
31502	Albemarle Sound Warning Daybeacon L	36-00-15.028N 076-04-26.015W		0			NW on pile worded DANGER BOMBING AREA.	
31505	Little River Entrance Daybeacon 1L	36-05-49.405N 076-10-18.866W		0			SG on pile.	
31510	Perquimans River Entrance Light 2P	36-04-31.482N 076-12-55.129W	FI R 2.5s		5		TR on pile.	
31515	Perquimans River Entrance Daybeacon 3P	36-04-52.978N 076-17-33.110W		0			SG on pile.	
31520	Perquimans River Light 5	36-06-08.277N 076-17-46.045W	FI G 4s	0	6		SG on pile.	
31525	Perquimans River Daybeacon 7	36-07-30.375N 076-20-40.500W					SG on pile.	
31530	Perquimans River Light 8	36-08-08.688N 076-22-25.023W	FI R 4s		5		TR on pile.	
31535	Perquimans River Daybeacon 9	36-11-39.105N 076-27-43.994W					SG on pile.	
31540	Perquimans River Daybeacon 11	36-11-41.667N 076-27-50.864W					SG on pile.	
31545	Albemarle Plantation Marina Light 1	36-03-56.000N 076-24-02.000W	FI G 2.5s				SG on dolphin.	
31550	Albemarle Plantation Marina Daybeacon 3	36-04-02.000N 076-24-00.000W					SG on pile.	
31555	Albemarle Plantation Marina Daybeacon 4	36-04-02.000N 076-24-02.000W					TR on pile.	
31560	Albemarle Plantation Marina Light 5	36-04-08.000N 076-24-02.000W	FI G 4s				SG on pile.	
31565	Albemarle Plantation Marina Light 6	36-04-30.500N 076-24-21.000W	Q R				TR on pile.	
31570	Albemarle Plantation Marina Daybeacon 8	36-04-37.000N 076-24-24.000W					TR on pile.	
31575	Bull Bay Warning Daybeacon	35-57-50.700N 076-21-42.989W					NW on pile worded DANGER WRECK.	
31580	Bull Bay Daybeacon 2BB	35-56-42.502N 076-21-59.307W		12			TR on pile.	
31585	Scuppernong River Channel Light 1SR	35-56-58.195N 076-19-36.390W	FI G 4s	14	5		SG on multi-pile structure.	
31590	Scuppernong River Channel Daybeacon 2	35-56-48.088N 076-19-28.995W		10			TR on pile.	
31595	Scuppernong River Channel Daybeacon 2A	35-56-38.968N 076-19-16.875W		8			TR on pile.	
31600	Scuppernong River Channel Light 3	35-56-27.809N 076-18-52.535W	FI G 4s	14	4		SG on pile.	
31605	Scuppernong River Channel Light 4	35-55-46.798N 076-17-11.450W	FI R 4s	12	4		TR on pile.	
31610	Scuppernong River Channel Daybeacon 5	35-55-30.320N 076-16-52.488W		10			SG on pile.	
31615	Scuppernong River Channel Light 7	35-55-14.402N 076-16-46.662W	Q G	12	4		SG on pile.	
31620	Scuppernong River Channel Daybeacon 8	35-55-19.408N 076-16-11.175W					TR on pile.	
31625	Scuppernong River Channel Light 10	35-55-24.886N 076-15-45.469W	FI R 2.5s	10	3		TR on pile.	
31626	Town of Columbia (WWTP Diffuser) Warning Light A	35-55-17.530N 076-15-29.290W	FI W 4s				NW on pile.	
31627	Harvey Point Warning Light A	36-04-32.080N 076-17-23.115W	FI W 4s	4			NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.
31627.01	Harvey Point Warning Light B	36-04-10.912N 076-17-12.711W	FI W 4s	4			NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.
31627.02	Harvey Point Warning Light C	36-03-35.308N 076-16-56.619W	FI W 4s	4			NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.
31627.03	Harvey Point Warning Light D	36-03-06.028N 076-16-43.015W	FI W 4s	4			NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.
31627.04	Harvey Point Warning Light E	36-02-53.159N 076-17-30.707W	FI W 4s	4			NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.

31627.05	Harvey Point Warning Light F	36-02-43.913N 076-18-05.029W	FI W 4s	4	NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.
31627.06	Harvey Point Warning Light G	36-02-33.026N 076-18-45.712W	FI W 4s	4	NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.
31627.07	Harvey Point Warning Light H	36-02-36.219N 076-20-02.830W	FI W 4s	4	NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.
31627.08	Harvey Point Warning Light J	36-02-56.860N 076-20-40.971W	FI W 4s	4	NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.
31627.09	Harvey Point Warning Light K	36-03-15.868N 076-21-18.843W	FI W 4s	4	NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.
31627.1	Harvey Point Warning Light L	36-03-30.210N 076-21-44.416W	FI W 4s	4	NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.
31627.2	Harvey Point Warning Light M	36-03-51.220N 076-21-30.075W	FI W 4s	4	NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.
31627.3	Harvey Point Warning Light N	36-04-22.934N 076-21-08.331W	FI W 4s	4	NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.
31627.4	Harvey Point Warning Light P	36-07-03.028N 076-20-37.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31627.5	Harvey Point Warning Light Q	36-06-52.028N 076-20-26.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31627.6	Harvey Point Warning Light R	36-06-45.028N 076-20-14.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31627.7	Harvey Point Warning Light S	36-06-35.028N 076-20-03.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31627.8	Harvey Point Warning Light T	36-06-29.028N 076-19-49.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31627.9	Harvey Point Warning Daybeacon U	36-06-23.028N 076-19-35.015W			NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628	Harvey Point Warning Daybeacon V	36-06-18.028N 076-19-19.015W			NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.01	Harvey Point Warning Daybeacon W	36-06-14.028N 076-19-03.015W			NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.02	Harvey Point Warning Light X	36-06-10.028N 076-18-48.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.03	Harvey Point Warning Light Y	36-06-10.028N 076-18-32.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.04	Harvey Point Warning Light Z	36-06-10.028N 076-18-17.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.05	Harvey Point Warning Light AA	36-06-01.028N 076-18-05.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.06	Harvey Point Warning Light BB	36-05-48.028N 076-18-05.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.07	Harvey Point Warning Light CC	36-05-36.028N 076-18-08.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.08	Harvey Point Warning Light DD	36-05-26.028N 076-18-15.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.09	Harvey Point Warning Light EE	36-05-19.028N 076-18-28.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.1	Harvey Point Warning Light FF	36-05-12.028N 076-18-41.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.2	Harvey Point Warning Light GG	36-05-07.028N 076-18-54.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.3	Harvey Point Warning Light HH	36-05-00.028N 076-19-07.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.4	Harvey Point Warning Light JJ	36-04-59.028N 076-19-21.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.5	Harvey Point Warning Light KK	36-04-57.028N 076-19-37.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.6	Harvey Point Warning Daybeacon LL	36-04-55.028N 076-19-52.015W			NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.7	Harvey Point Warning Daybeacon MM	36-04-58.028N 076-20-08.015W			NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.8	Harvey Point Warning Light NN	36-05-01.028N 076-20-23.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31628.9	Harvey Point Warning Light PP	36-05-00.028N 076-20-39.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31629	Harvey Point Warning Light QQ	36-04-59.028N 076-20-51.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
31629.01	Harvey Point Warning Light RR	36-05-00.028N 076-21-52.015W	FI W 4s	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.

31629.02	Harvey Point Warning Light SS	36-04-55.028N 076-22-06.015W	FI W 4s	1		NW on pile worded DANGER.	Maintained by Dept. of Defense.
31629.03	Harvey Point Warning Light TT	36-04-57.028N 076-22-21.015W	FI W 4s	1		NW on pile worded DANGER.	Maintained by Dept. of Defense.
31630	Albemarle Sound Light 2AS	36-02-20.335N 076-19-32.875W	Q R	0	5	TR on multi-pile structure.	
31632	Albemarle Sound Daybeacon 4AS	36-03-29.140N 076-22-44.142W				TR on pile.	
31635	Albemarle Sound Light 5AS	36-00-07.248N 076-23-32.100W	FI G 4s		5	SG on multi-pile white structure.	
31640	Laurel Point Warning Daybeacon C	35-59-31.693N 076-24-07.890W		0		NW on pile worded DANGER OBSTRUCTION.	
31645	Albemarle Sound Light 6AS	36-00-44.023N 076-27-11.209W	FI R 4s	15	5	TR on pile.	
31650	Albemarle Sound Light 8AS	35-59-10.678N 076-35-14.895W	FI R 4s	15	5	TR on multi-pile structure.	Higher intensity beam toward 089°.
31655	Albemarle Sound Light 9AS	35-59-04.520N 076-35-19.363W	FI G 4s	15	5	SG on multi-pile structure.	
31660	Kendrick Creek Channel Entrance Light 1KC	35-56-33.336N 076-36-42.459W	FI G 2.5s	0	4	SG on pile.	
31665	Kendrick Creek Channel Daybeacon 2	35-56-32.792N 076-36-43.756W		0		TR on pile.	
31670	Roanoke River Channel Entrance Light 1RR	35-57-17.913N 076-39-30.905W	FI G 4s	15	5	SG on multi-pile structure.	
31675	Roanoke River Channel Daybeacon 2	35-57-07.663N 076-40-17.306W			12	TR on pile.	
31680	Roanoke River Channel Light 3	35-56-48.982N 076-41-00.584W	FI G 2.5s	12	4	SG on pile.	
31685	Roanoke River Channel Daybeacon 5	35-56-42.470N 076-41-30.866W		0		SG on pile.	
31690	Roanoke River Channel Light 6	35-56-43.835N 076-41-34.746W	Q R	10	4	TR on pile.	
31695	Roanoke River Channel Daybeacon 8	35-56-35.917N 076-41-44.139W		10		TR on pile.	
31700	Roanoke River Channel Light 10	35-56-27.211N 076-41-47.317W	FI R 4s	12	4	TR on pile.	
31705	Roanoke River Channel Light 11	35-56-14.921N 076-41-46.413W	FI G 4s	0	4	SG on pile.	
31710	Roanoke River Channel Daybeacon 12	35-55-50.895N 076-41-57.357W				TR on pile.	
31715	Roanoke River Channel Light 13	35-55-24.470N 076-42-07.698W	FI G 4s	15	4	SG on pile.	
31720	Roanoke River Channel Light 14	35-55-26.839N 076-42-39.887W	FI R 2.5s		4	TR on pile.	
31725	Roanoke River Channel Light 15	35-55-08.413N 076-43-07.066W	FI G 4s	15	4	SG on pile.	
31730	Roanoke River Channel Daybeacon 16	35-54-43.123N 076-43-31.409W				TR on pile.	
31733	Roanoke River MCRWASA Light A	35-51-43.420N 077-02-40.540W	F W			NW on pile worded DANGER SUBMERGED PIPE.	
31735	Roanoke River Channel Light 17	35-52-42.132N 076-44-16.194W	FI G 2.5s	15	4	SG on pile.	
31736	Sandy Point Warning Light A	36-00-48.122N 076-30-12.369W	FI W 4s			NW on pile worded DANGER BREAKWATER.	
31736.1	Sandy Point Warning Daybeacon B	36-00-47.409N 076-30-10.519W				NW on pile worded DANGER BREAKWATER.	
31736.2	Sandy Point Warning Light C	36-00-46.783N 076-30-08.012W	FI W 4s			NW on pile worded DANGER BREAKWATER.	
31736.3	Sandy Point Warning Daybeacon D	36-00-47.902N 076-30-05.929W				NW on pile worded DANGER BREAKWATER.	
31736.4	Sandy Point Warning Light E	36-00-49.600N 076-30-02.951W	FI W 4s			NW on pile worded DANGER BREAKWATER.	
31736.5	Sandy Point Warning Daybeacon F	36-00-50.763N 076-30-00.881W				NW on pile worded DANGER BREAKWATER.	
31736.6	Sandy Point Warning Light G	36-00-51.245N 076-29-58.801W	FI W 4s			NW on pile worded DANGER BREAKWATER.	
31740	Edenton Bay Light 2	36-01-57.889N 076-36-54.394W	FI R 2.5s		5	TR on multi-pile structure.	
31745	Edenton Bay Light 4	36-02-31.333N 076-36-45.974W	FI R 4s		4	TR on pile.	

31750	Edenton Light	36-03-20.914N 076-36-35.163W	Fl W 6s	0	5	On white pile.
31755	Edenton Bay Daybeacon 6	36-03-00.706N 076-36-38.378W				TR on pile.
31760	Edenton Bay Daybeacon 8	36-03-12.131N 076-36-36.165W				TR on pile.
31765	Pembroke Creek Daybeacon 1	36-03-20.068N 076-36-44.164W		0		SG on pile.
31770	Pembroke Creek Daybeacon 3	36-03-26.358N 076-36-50.897W				SG on pile.
31775	Pembroke Creek Daybeacon 4	36-03-24.525N 076-37-05.925W				TR on pile.
31780	Pembroke Creek Daybeacon 6	36-03-15.861N 076-37-20.111W				TR on pile.
31782	Pembroke Creek Daybeacon 7	36-03-15.615N 076-37-19.355W				SG on pile.
31783	Pembroke Creek Daybeacon 8	36-03-24.611N 076-37-30.693W				TR on pile.
31785	Chowan River Entrance Light CR	36-00-12.836N 076-37-26.967W	Mo (A) W		5	NB on pile.
31790	Chowan River Entrance Light 2CR	36-01-44.545N 076-40-20.588W	Fl R 4s	15	5	TR on multi-pile structure.
31795	Chowan River Light 3	36-05-49.378N 076-43-28.621W	Fl G 4s		4	SG on multi-pile structure.
31800	Chowan River Light 5	36-09-54.251N 076-44-28.727W	Fl G 2.5s	0	5	SG on multi-pile structure.
31805	Chowan River Daybeacon 7	36-12-35.425N 076-43-36.384W		12		SG on pile.
31810	Chowan River Light 9	36-13-48.055N 076-43-00.085W	Fl G 4s	0	5	SG on pile.
31815	Chowan River Daybeacon 10	36-14-59.847N 076-42-07.565W		13		TR on multi-pile structure.
31820	Chowan River Light 12	36-16-07.756N 076-41-28.205W	Fl R 2.5s	0	5	TR on multi-pile structure.
31825	Chowan River Light 13	36-17-39.818N 076-41-50.508W	Q G	15	4	SG on pile.
31830	Chowan River Daybeacon 14	36-18-39.551N 076-42-58.486W		0		TR on pile.
31835	Chowan River Light 16	36-19-24.945N 076-44-00.091W	Fl R 4s		4	TR on pile.
31840	Chowan River Daybeacon 18	36-20-16.293N 076-44-43.700W				TR on pile.
31845	Chowan River Light 19	36-20-56.604N 076-45-33.350W	Fl G 4s		4	SG on multi-pile structure.
31850	Chowan River Daybeacon 20	36-21-20.632N 076-46-08.244W				TR on pile.
31855	Chowan River Light 22	36-21-46.846N 076-46-40.912W	Fl R 4s	0	4	TR on pile.
31860	Chowan River Daybeacon 24	36-21-40.965N 076-47-41.457W		12		TR on pile.
31861	Nucor Dolphin Light A	36-21-37.630N 076-48-19.920W	Fl Y 4s			On multi-pile dolphin.
31863	Nucor Dolphin Light B	36-21-39.960N 076-48-28.760W	Fl Y 2.5s			On multi-pile dolphin.
31865	Chowan River Light 26	36-21-52.228N 076-49-13.032W	Fl R 4s	0	4	TR on multi-pile structure.
31870	Chowan River Daybeacon 27	36-22-14.743N 076-50-03.864W				SG on pile.
31875	Chowan River Daybeacon 28	36-22-34.624N 076-50-54.226W				TR on pile.
31880	Chowan River Light 29	36-22-53.657N 076-52-25.928W	Fl G 4s		4	SG on multi-pile structure.
31885	Chowan River Daybeacon 30	36-23-00.396N 076-52-47.351W		10		TR on pile.
31890	Chowan River Daybeacon 31	36-23-20.493N 076-53-48.380W				SG on pile.
31895	Chowan River Daybeacon 32	36-23-27.227N 076-54-21.158W				TR on pile.
31900	Croatan Sound Approach Daybeacon 2	35-57-39.122N 075-47-31.423W		0		TR on pile.

31905	Croatan Sound Light 3CS	35-56-42.255N 075-46-40.494W	Fl G 4s	15	5	SG on pile.	
31907	Croatan Sound South Warning Daybeacon	35-56-42.359N 075-46-39.781W				NW on pile worded DANGER SUBMERGED ROCKS.	
31910	Croatan Sound Daybeacon 3A	35-56-10.048N 075-46-05.035W		0		SG on pile.	
31915	Manns Harbor Light 2	35-54-35.984N 075-46-00.084W	Fl R 4s		4	TR on pile.	
31920	Manns Harbor Canal Light 1	35-54-25.827N 075-46-00.609W	Fl G 2.5s	12	4	SG on pile.	
31925	Croatan Sound Light 4	35-54-35.847N 075-44-27.811W	Fl R 4s		5	TR on pile.	
31930	Croatan Sound Light 6	35-53-53.645N 075-43-48.500W	Fl R 2.5s	0	4	TR on pile.	
31933	Croatan Sound Light 7	35-53-11.976N 075-43-02.096W	Q G		4	SG on pile.	
31935	Croatan Sound Light 8	35-53-09.358N 075-43-05.012W	Fl R 4s		5	TR on pile.	
31937	Croatan Sound Light 9	35-52-06.015N 075-42-47.958W	Fl G 2.5s	15	4	SG on pile.	
31946.6	Spencer Creek Daybeacon 7	35-51-29.000N 075-45-02.000W				SG on pile.	
31946.5	Spencer Creek Daybeacon 6	35-51-21.000N 075-44-48.000W				TR on pile.	
31946.4	Spencer Creek Daybeacon 5	35-51-02.000N 075-44-26.000W				SG on pile.	
31946.3	Spencer Creek Daybeacon 4	35-50-56.000N 075-44-05.000W				TR on pile.	
31946.2	Spencer Creek Daybeacon 3	35-50-45.000N 075-43-41.000W				SG on pile.	
31946.1	Spencer Creek Daybeacon 2	35-50-42.000N 075-43-17.000W				TR on pile.	
31946	Spencer Creek Daybeacon 1	35-50-18.000N 075-43-00.000W				SG on pile.	
31950	Croatan Sound Light 10	35-50-21.358N 075-42-31.391W	Fl R 4s	0	4	TR on pile.	
31955	Croatan Sound Warning Daybeacon	35-49-04.860N 075-42-28.341W		0		NW on pile worded DANGER SUBMERGED ROCKS.	
31960	Roanoke Island West Side Light 2	35-50-24.136N 075-40-07.538W	Fl R 2.5s	12	4	TR on pile.	
31965	Roanoke Island West Side Light 4	35-50-34.544N 075-39-41.779W	Fl R 4s		4	TR on pile.	
31966	Roanoke Island West Side Buoy 6	35-50-35.655N 075-39-36.925W				Red nun.	
31966	Roanoke Island West Side Buoy 6	35-50-35.655N 075-39-36.925W				Red nun.	
31970	Roanoke Island West Side Buoy 8	35-50-35.152N 075-39-33.764W				Red nun.	
31970	Roanoke Island West Side Buoy 8	35-50-35.152N 075-39-33.764W				Red nun.	
31975	Roanoke Marshes Light RM	35-48-39.950N 075-42-02.163W	Fl W 6s		7	NG on pile.	
31976	Roanoke Marshes Warning Daybeacon	35-48-39.817N 075-42-04.170W		0		NW on pile worded DANGER SUBMERGED ROCKS.	
31979	Crab Hole Oyster Sanctuary Buoy A	35-43-40.900N 075-40-30.500W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	DNR: OS-05.
31979.1	Crab Hole Oyster Sanctuary Buoy B	35-43-30.000N 075-40-30.500W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	DNR: OS-05.
31979.2	Crab Hole Oyster Sanctuary Buoy C	35-43-30.000N 075-40-45.000W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	DNR: OS-05.
31979.3	Crab Hole Oyster Sanctuary Buoy D	35-43-40.900N 075-40-45.000W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	DNR: OS-05.
31980	Pamlico Sound North Light N	35-41-49.312N 075-40-40.402W	Fl W 2.5s	18	6	NR on skeleton tower on multi-pile structure.	
31981	Pea Island Oyster Sanctuary Daybeacon A	35-40-05.220N 075-36-49.260W				NW on multi-pile structure worded ROCK.	
31981.1	Pea Island Oyster Sanctuary Daybeacon B	35-39-53.580N 075-36-49.260W				NW on multi-pile structure worded ROCK.	

31981.2	Pea Island Oyster Sanctuary Daybeacon C	35-39-53.580N 075-37-03.480W					NW on multi-pile structure worded ROCK.
31981.3	Pea Island Oyster Sanctuary Daybeacon D	35-40-05.220N 075-37-03.480W					NW on multi-pile structure worded ROCK.
31985	Stumpy Point Bay Channel Daybeacon 1	35-39-08.842N 075-43-10.880W		0			SG on pile.
31990	Stumpy Point Bay Channel Light 2SP	35-39-11.910N 075-43-08.772W	FI R 2.5s	0	5		TR on pile.
31995	Stumpy Point Bay Channel Light 3	35-39-41.038N 075-43-50.138W	FI G 4s		4		SG on pile.
32000	Stumpy Point Channel Daybeacon 4	35-39-43.420N 075-43-48.008W					TR on pile.
32005	Stumpy Point Channel Daybeacon 5	35-40-15.718N 075-44-32.150W					SG on pile.
32010	Stumpy Point Channel Light 6	35-40-13.804N 075-44-25.796W	FI R 4s	12	4		TR on pile.
32015	Stumpy Point Harbor Lighted Wreck Buoy WR1SP	35-41-19.691N 075-44-29.346W	Q G		4		Green.
32020	Stumpy Point Channel Light 7	35-40-54.511N 075-45-19.408W	FI G 2.5s	12	4		SG on pile.
32021	Stumpy Point Buoy 7A	35-41-16.786N 075-45-46.265W					Green can.
32025	Stumpy Point Channel Daybeacon 8	35-40-55.906N 075-45-18.002W					TR on pile.
32026	Stumpy Point Buoy 8A	35-41-19.198N 075-45-45.197W					Red nun.
32030	Stumpy Point Lighted Buoy 10	35-41-38.604N 075-46-10.074W	FI R 2.5s		4		Red.
32030	Stumpy Point Lighted Buoy 10	35-41-38.604N 075-46-10.074W	FI R 2.5s		4		Red.
32040	Stumpy Point Channel Daybeacon 13	35-41-48.527N 075-46-22.864W					SG on pile.
32041	Stumpy Point Emergency Ferry Channel Daybeacon 1	35-41-46.464N 075-46-11.496W					SG on pile.
32041.1	Stumpy Point Emergency Ferry Channel Daybeacon 2	35-41-45.960N 075-46-10.380W					TR on pile.
32041.2	Stumpy Point Emergency Ferry Channel Daybeacon 3	35-41-51.720N 075-46-10.848W					SG on pile.
32041.3	Stumpy Point Emergency Ferry Channel Daybeacon 4	35-41-50.928N 075-46-08.832W					TR on pile.
32042	Sandy Point Warning Light	35-36-57.069N 075-43-54.010W	FI W 6s	12	4		NW on pile worded DANGER.
32045	Chicamacomico Channel Light 1CC	35-35-53.520N 075-31-09.166W	FI G 4s	12	4		SG on multi-pile structure.
32050	Chicamacomico Channel Daybeacon 2	35-36-04.545N 075-30-29.222W					TR on pile.
32053	Chicamacomico Channel Buoy 2A	35-36-13.964N 075-29-51.531W					Red nun.
32055	Chicamacomico Channel Light 3	35-36-16.720N 075-29-52.124W	FI G 4s	0	4		SG on pile.
32060	Chicamacomico Channel Daybeacon 4	35-36-00.648N 075-29-14.222W		10			TR on pile.
32063	Chicamacomico Channel Light 5	35-35-56.810N 075-28-58.357W	Q G	12	4		SG on pile.
32063.1	Chicamacomico Channel Daybeacon 5A	35-35-50.203N 075-28-41.024W					SG on pile.
32065	Chicamacomico Channel Light 6	35-35-42.297N 075-28-23.017W	FI R 4s	12	4		TR on pile.
32070	Long Shoal Light 2LS	35-33-33.612N 075-43-11.619W	FI R 4s	0	4		TR on pile.
32075	Stumpy Point Target Warning Light E	35-33-02.960N 075-39-00.692W	FI W 4s	15	5		NW on slatted pile worded DANGER BOMBING RANGE.
32077	Pamlico Sound Lighted Wreck Buoy WR2	35-26-34.636N 075-54-16.742W	Q R		4		Red.
32080	Stumpy Point Target Warning Light S	35-30-48.664N 075-40-31.620W	FI W 2.5s	0	5		NW on multi-pile structure worded DANGER BOMBING RANGE.
32085	Stumpy Point Target Warning Light W	35-33-00.661N 075-42-11.629W	FI W 6s	0	5		NW on slatted pile worded DANGER BOMBING RANGE.
32086	Long Shoal Oyster Sanctuary Daybeacon A	35-33-51.590N 075-49-46.010W					White with orange diamond worded OYSTER SANCTUARY DANGER SUBMERGED ROCKS on multi-pile structure.

32086.1	Long Shoal Oyster Sanctuary Daybeacon B	35-33-45.060N 075-49-46.010W					White with orange diamond worded OYSTER SANCTUARY DANGER SUBMERGED ROCKS on multi-pile structure.	
32086.2	Long Shoal Oyster Sanctuary Daybeacon C	35-33-45.060N 075-49-53.990W					White with orange diamond worded OYSTER SANCTUARY DANGER SUBMERGED ROCKS on multi-pile structure.	
32086.3	Long Shoal Oyster Sanctuary Daybeacon D	35-33-51.590N 075-49-53.990W					White with orange diamond worded OYSTER SANCTUARY DANGER SUBMERGED ROCKS on multi-pile structure.	
32090	Long Shoal River Daybeacon 2	35-34-04.498N 075-51-36.494W		0			TR on pile.	
32095	Long Shoal River Daybeacon 3	35-34-24.647N 075-52-04.662W		0			SG on pile.	
32100	Pingleton Shoal Light 1PS	35-32-45.921N 075-51-11.961W	FI G 4s	0	4		SG on pile.	
32103	Pamlico Sound Lighted Wreck Buoy WR4	35-09-44.134N 076-14-54.026W	Q R		4		Red.	
32105	Far Creek Channel Light 1FC	35-30-27.430N 075-56-57.950W	FI G 2.5s	0	4		SG on multi-pile structure.	
32110	Far Creek Channel Daybeacon 3	35-30-30.861N 075-57-25.749W		0			SG on pile.	
32115	Far Creek Channel Light 5	35-30-34.837N 075-57-59.318W	FI G 4s	12	4		SG on pile.	
32120	Far Creek Channel Daybeacon 7	35-30-38.604N 075-58-33.449W		0			SG on pile.	
32125	Far Creek Channel Light 9	35-30-41.883N 075-59-02.289W	Q G		3		SG on pile.	
32130	Far Creek Channel Light 10	35-30-37.956N 075-59-12.910W	FI R 4s		3		TR on pile.	
32135	Gibbs Shoal Light GBS	35-27-26.098N 075-55-52.293W	FI W 4s		6		NB on pile.	
32136	Gibbs Shoal Oyster Sanctuary Warning Daybeacon A	35-27-19.320N 075-56-11.400W					NW on multi-pile structure worded DANGER SUBMERGED ROCKS.	OS-10A.
32136.2	Gibbs Shoal Oyster Sanctuary Warning Daybeacon B	35-27-19.320N 075-55-57.540W					NW on multi-pile structure worded DANGER SUBMERGED ROCKS.	OS-10B.
32136.4	Gibbs Shoal Oyster Sanctuary Warning Daybeacon C	35-27-08.040N 075-55-57.540W					NW on multi-pile structure worded DANGER SUBMERGED ROCKS.	OS-10C.
32136.6	Gibbs Shoal Oyster Sanctuary Warning Daybeacon D	35-27-08.040N 075-56-11.400W					NW on multi-pile structure worded DANGER SUBMERGED ROCKS.	OS-10D.
32137	Long Shoal Lighted Wreck Buoy WR2	35-28-57.491N 075-45-11.612W	Q R		4		Red.	
32140	Pamlico Sound Light PS	35-25-29.505N 075-50-00.706W	Mo (A) W	35	7		MR on skeleton tower on multi-pile structure.	
32142	Pamlico Sound Lighted Wreck Buoy WR8	35-23-24.857N 075-43-24.635W	Q R		4		Red.	
32145	Gull Shoal Light GS	35-21-57.581N 075-57-26.691W	FI W 4s		6		NB on skeleton tower on piles.	
32147	Gull Shoal Oyster Reef Danger Buoy A1	35-23-27.920N 075-58-31.170W					White with orange bands and diamond worded REEF.	
32147.2	Gull Shoal Oyster Reef Danger Buoy A2	35-23-27.460N 075-58-17.150W					White with orange bands and diamond worded REEF.	
32147.3	Gull Shoal Oyster Reef Danger Buoy A3	35-23-27.210N 075-58-03.280W					White with orange bands and diamond worded REEF.	
32147.4	Gull Shoal Oyster Reef Danger Buoy A4	35-23-12.760N 075-58-31.680W					White with orange bands and diamond worded REEF.	
32147.5	Gull Shoal Oyster Reef Danger Buoy A5	35-23-12.010N 075-58-03.950W					White with orange bands and diamond worded REEF.	
32147.6	Gull Shoal Oyster Reef Danger Buoy A6	35-22-57.560N 075-58-32.270W					White with orange bands and diamond worded REEF.	
32147.7	Gull Shoal Oyster Reef Danger Buoy A7	35-22-57.140N 075-58-18.320W					White with orange bands and diamond worded REEF.	
32147.8	Gull Shoal Oyster Reef Danger Buoy A8	35-22-56.810N 075-58-04.370W					White with orange bands and diamond worded REEF.	
32147	Gull Shoal Oyster Reef Danger Buoy A1	35-23-27.920N 075-58-31.170W					White with orange bands and diamond worded REEF.	
32147.2	Gull Shoal Oyster Reef Danger Buoy A2	35-23-27.460N 075-58-17.150W					White with orange bands and diamond worded REEF.	
32147.3	Gull Shoal Oyster Reef Danger Buoy A3	35-23-27.210N 075-58-03.280W					White with orange bands and diamond worded REEF.	

32147.4	Gull Shoal Oyster Reef Danger Buoy A4	35-23-12.760N 075-58-31.680W					White with orange bands and diamond worded REEF.
32147.5	Gull Shoal Oyster Reef Danger Buoy A5	35-23-12.010N 075-58-03.950W					White with orange bands and diamond worded REEF.
32147.6	Gull Shoal Oyster Reef Danger Buoy A6	35-22-57.560N 075-58-32.270W					White with orange bands and diamond worded REEF.
32147.7	Gull Shoal Oyster Reef Danger Buoy A7	35-22-57.140N 075-58-18.320W					White with orange bands and diamond worded REEF.
32147.8	Gull Shoal Oyster Reef Danger Buoy A8	35-22-56.810N 075-58-04.370W					White with orange bands and diamond worded REEF.
32150	Wysocking Bay Entrance Daybeacon 2	35-23-20.782N 075-58-52.166W					TR on pile.
32155	Wysocking Bay Entrance Light 3	35-23-03.180N 076-00-13.545W	FI G 4s	0	4		SG on multi-pile structure.
32160	Wysocking Bay Entrance Daybeacon 4	35-23-21.372N 076-00-22.039W					TR on pile.
32165	Wysocking Bay Entrance Daybeacon 5	35-23-12.052N 076-01-42.074W					SG on pile.
32170	Wysocking Bay Light 6	35-24-41.068N 076-02-19.862W	FI R 4s		4		TR on multi-pile structure.
32175	Wysocking Bay Light 7	35-25-57.193N 076-03-32.432W	FI G 4s	0	4		SG on multi-pile structure.
32185	Hog Island Warning Daybeacon A	35-20-03.997N 076-02-05.678W			0		NW on pile worded DANGER SHOAL.
32190	Pamlico Sound South Light S	35-17-16.484N 075-59-10.004W	FI W 2.5s		6		NR on skeleton tower on multi-pile structure.
32195	Buxton Harbor Approach Light 1B	35-18-31.105N 075-37-24.950W	FI G 2.5s	16	4		SG on pile.
32200	Buxton Harbor Light 2	35-18-57.793N 075-36-05.006W	FI R 4s	12	4		TR on pile.
32205	Buxton Harbor Light 3	35-18-53.587N 075-34-45.482W	FI G 4s	12	4		SG on pile.
32215	Buxton Harbor Light 7	35-18-10.291N 075-33-37.229W	FI G 2.5s	12	4		SG on pile.
32221	Buxton Harbor Lighted Wreck Buoy WR8	35-17-34.954N 075-33-48.185W	Q R		4		Red.
32225	Buxton Harbor Light 10	35-17-15.409N 075-34-37.118W	FI R 4s	12	4		TR on pile.
32230	Buxton Harbor Light 12	35-16-37.087N 075-33-54.356W	FI R 6s	12	4		TR on pile.
32235	Buxton Harbor Daybeacon 14	35-16-16.782N 075-33-41.406W					TR on pile.
32240	Buxton Harbor Daybeacon 16	35-16-05.039N 075-33-31.539W					TR on pile.
32245	Buxton Harbor Light 17	35-16-00.604N 075-33-26.684W	FI G 4s	12	4		SG on pile.
32250	Avon Channel Warning Light AV	35-22-49.358N 075-33-35.043W	FI W 2.5s	14	4		NW on pile worded DANGER SHOAL.
32285	Avon Channel Warning Daybeacon	35-20-59.782N 075-30-49.106W					NW on pile worded DANGER SHOALING.
32290	Frisco Approach Light 2F	35-15-22.668N 075-41-01.490W	FI R 2.5s	12	4		TR on pile.
32295	Frisco Approach Light 4	35-15-33.937N 075-39-10.838W	FI R 6s	12	4		TR on pile.
32300	Frisco Channel Light 6	35-16-00.763N 075-38-03.172W	FI R 4s		4		TR on pile.
32303	Clam Shoal Oyster Sanctuary Buoy AR-296D	35-17-31.400N 075-37-41.500W					White can with orange bands and diamond worded REEF.
32303.1	Clam Shoal Oyster Sanctuary Buoy AR-296A	35-17-30.200N 075-37-10.000W					White can with orange bands and diamond worded REEF.
32303.2	Clam Shoal Oyster Sanctuary Buoy AR-296B	35-17-07.400N 075-37-10.300W					White can with orange bands and diamond worded REEF.
32303.3	Clam Shoal Oyster Sanctuary Buoy AR-296C	35-17-08.300N 075-37-42.100W					White can with orange bands and diamond worded REEF.
32305	Frisco Channel Daybeacon 8	35-15-28.537N 075-37-06.278W					TR on pile.
32315	Frisco Channel Light 10	35-15-26.317N 075-36-35.918W	FI R 6s	12	4		TR on pile.
32317	Frisco Woods Weather Sensor Warning Light	35-14-49.800N 075-37-43.900W	FI W 4s				NW on pile worded DANGER.

32320	Durant Point Lighted Buoy 2	35-14-14.123N 075-40-58.635W	Q R	3	Red.	
32325	Durant Point Buoy 4	35-13-57.124N 075-40-41.864W			Red nun.	
32330	Durant Point Daybeacon 6	35-13-44.308N 075-40-38.372W		8	TR on pile.	
32335	Durant Point Light 8	35-13-25.732N 075-40-25.238W	Fl R 4s	3	TR on pile.	
32340	Oliver Reef Light	35-15-48.900N 075-45-37.322W	Fl W 6s	5	NB on pile. Marks platform of old Lighthouse.	
32350	Bluff Shoal Slue Daybeacon 1	35-17-54.124N 076-05-18.045W			SG on pile.	
32355	Bluff Shoal Slue Daybeacon 2	35-17-36.058N 076-07-54.044W		0	TR on pile.	
32360	Bluff Shoal Light BL	35-12-36.948N 076-04-23.048W	Fl W 2.5s	6	NB on pile.	
32365	Royal Shoal Light 1	35-09-42.312N 076-04-42.716W	Fl G 4s	5	SG on pile.	
32370	Royal Shoal Light 3	35-10-03.088N 076-07-06.686W	Fl G 2.5s	0	4	SG on multi-pile structure.
32375	Royal Shoal Light 5RS	35-09-17.352N 076-09-36.393W	Q G	25	5	SG on multi-pile structure.
32380	Royal Shoal Wreck Light WR7	35-06-28.541N 076-08-29.596W	Q G	12	4	SG on multi-pile structure.
32395	Hodges Reef Outer Shoal Daybeacon OS	35-03-24.966N 076-11-16.087W			NB on pile.	
32415	North Bluff Point Warning Daybeacon	35-18-15.195N 076-04-47.385W			NW on pile worded DANGER SUBMERGED WRECK.	
32420	Outfall Canal Entrance Light 2	35-21-21.864N 076-06-23.286W	Fl R 2.5s	0	4	TR on multi-pile structure.
32425	Bluff Point Shoal Light	35-19-19.405N 076-07-13.400W	Fl W 4s	5	NB on pile.	
32430	West Bluff Oyster Sanctuary Buoy A	35-18-18.900N 076-10-04.100W			White can with orange bands and diamond worded REEF.	DNR: OS-09.
32430.1	West Bluff Oyster Sanctuary Buoy B	35-18-07.700N 076-10-04.100W			White can with orange bands and diamond worded REEF.	DNR: OS-09.
32430.2	West Bluff Oyster Sanctuary Buoy C	35-18-07.700N 076-10-17.800W			White can with orange bands and diamond worded REEF.	DNR: OS-09.
32430.3	West Bluff Oyster Sanctuary Buoy D	35-18-18.900N 076-10-17.800W			White can with orange bands and diamond worded REEF.	DNR: OS-09.
32440	Juniper Bay Approach Light 1	35-17-31.624N 076-13-49.042W	Fl G 4s	4	SG on multi-pile structure.	
32445	Juniper Bay Light 2	35-19-54.971N 076-14-11.177W	Fl R 4s	4	TR on pile.	
32450	Juniper Bay Daybeacon 3	35-21-32.230N 076-14-48.326W			SG on pile.	
32460	Juniper Bay Light 4	35-22-24.915N 076-15-25.058W	Fl R 6s	4	TR on pile.	
32470	Lower Middle Ground Light LM	35-14-00.556N 076-13-27.494W	Fl W 2.5s	8	NB on pile.	
32473	Inner Middle Ground Lighted Wreck Buoy WR6	35-14-13.684N 076-18-43.353W	Q R	4	Red.	
32475	Inner Middle Ground Light M	35-14-31.521N 076-18-03.282W	Fl W 4s	6	NB on multi-pile structure.	
32480	Upper Middle Ground Light UM	35-16-45.028N 076-20-44.015W	Fl W 6s	5	NB on pile.	
32485	Upper Middle Ground Wreck Light WR2	35-18-30.823N 076-23-46.423W	Fl R 2.5s	5	TR on pile.	
32491	Governor Scott Ferry Lighted Wreck Buoy WR2	35-08-17.234N 076-16-39.783W	Q R	4	Red.	
32500	Brant Island Warning Daybeacon A	35-13-43.620N 076-29-13.749W			NW on pile worded DANGER BOMBING RANGE.	
32503	Middle Bay Oyster Sanctuary Buoy A	35-14-09.500N 076-30-10.700W			White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	
32503.1	Middle Bay Oyster Sanctuary Buoy B	35-14-06.900N 076-30-10.700W			White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	
32503.2	Middle Bay Oyster Sanctuary Buoy C	35-14-06.900N 076-30-19.900W			White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	

32503.3	Middle Bay Oyster Sanctuary Buoy D	35-14-09.500N 076-30-19.300W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.
32505	Brant Island Warning Daybeacon B	35-14-15.528N 076-28-57.314W				NW on multi-pile structure worded DANGER BOMBING RANGE.
32510	Brant Island Warning Daybeacon C	35-14-35.244N 076-28-20.337W				NW on pile worded DANGER BOMBING RANGE.
32515	Brant Island Warning Daybeacon D	35-14-50.622N 076-27-52.746W				NW on pile worded DANGER BOMBING RANGE.
32520	Brant Island Warning Daybeacon E	35-15-04.300N 076-26-58.308W		0		NW on pile worded DANGER BOMBING RANGE.
32525	Brant Island Warning Daybeacon F	35-15-06.056N 076-26-26.275W				NW on pile worded DANGER BOMBING RANGE.
32530	Brant Island Warning Light G	35-15-01.759N 076-25-46.166W	FI W 2.5s		5	NW on multi-pile structure worded DANGER BOMBING RANGE.
32535	Brant Island Warning Daybeacon H	35-14-56.445N 076-25-24.787W			0	NW on multi-pile structure worded DANGER BOMBING RANGE.
32540	Brant Island Warning Daybeacon I	35-14-33.571N 076-24-40.746W			0	NW on multi-pile structure worded DANGER BOMBING RANGE.
32545	Brant Island Warning Light J	35-14-17.851N 076-24-14.180W	FI W 4s		5	NW on pile worded DANGER BOMBING RANGE.
32550	Brant Island Warning Daybeacon K	35-13-49.631N 076-23-49.975W			0	NW on multi-pile structure worded DANGER BOMBING RANGE.
32555	Brant Island Warning Daybeacon L	35-13-23.837N 076-23-32.727W				NW on multi-pile structure worded DANGER BOMBING RANGE.
32560	Brant Island Warning Light M	35-12-57.016N 076-23-23.760W	FI W 2.5s	0	5	NW on multi-pile structure worded DANGER BOMBING RANGE.
32565	Brant Island Warning Daybeacon N	35-12-27.607N 076-23-20.105W				NW on multi-pile structure worded DANGER BOMBING RANGE.
32570	Brant Island Warning Daybeacon O	35-11-58.621N 076-23-23.832W				NW on pile worded DANGER BOMBING RANGE.
32575	Brant Island Warning Daybeacon P	35-11-29.493N 076-23-35.449W				NW on pile worded DANGER BOMBING RANGE.
32580	Brant Island Warning Daybeacon Q	35-10-56.589N 076-23-57.919W				NW on pile worded DANGER BOMBING RANGE.
32585	Brant Island Warning Daybeacon R	35-10-41.440N 076-24-15.932W				NW on pile worded DANGER BOMBING RANGE.
32590	Brant Island Warning Light S	35-10-23.463N 076-24-40.440W	FI W 4s		5	NW on multi-pile structure worded DANGER BOMBING RANGE.
32595	Brant Island Warning Daybeacon T	35-10-08.699N 076-25-10.292W				NW on pile worded DANGER BOMBING RANGE.
32600	Brant Island Warning Daybeacon U	35-09-54.999N 076-25-53.537W				NW on pile worded DANGER BOMBING RANGE.
32605	Brant Island Warning Light V	35-09-52.963N 076-26-22.615W	FI W 2.5s	0	5	NW on pile worded DANGER BOMBING RANGE.
32610	Brant Island Warning Daybeacon W	35-09-54.389N 076-26-59.511W				NW on multi-pile structure worded DANGER BOMBING RANGE.
32615	Brant Island Warning Daybeacon X	35-10-01.645N 076-27-36.041W			0	NW on multi-pile structure worded DANGER BOMBING RANGE.
32620	Brant Island Warning Light Y	35-10-34.668N 076-28-40.486W	FI W 6s		5	NW on multi-pile structure worded DANGER BOMBING RANGE.
32625	Brant Island Warning Daybeacon Z	35-10-56.765N 076-29-05.226W				NW on multi-pile structure worded DANGER BOMBING RANGE.
32630	Brant Island Warning Daybeacon AA	35-11-24.072N 076-29-24.805W			0	NW on pile worded DANGER BOMBING RANGE.
32635	Brant Island Warning Daybeacon BB	35-11-40.914N 076-29-33.962W				NW on pile worded DANGER BOMBING RANGE.
32640	Brant Island Warning Daybeacon CC	35-12-03.106N 076-29-41.817W				NW on pile worded DANGER BOMBING RANGE.
32645	Brant Island Warning Light DD	35-12-26.053N 076-29-43.010W	FI W 2.5s		5	NW on pile worded DANGER BOMBING RANGE.
32650	Brant Island Shoal Light BI	35-08-09.525N 076-17-34.676W	FI W 6s		7	NR on skeleton tower on multi-pile structure.
32657	Brant Island Oyster Sanctuary Buoy OS-19A	35-09-48.500N 076-22-15.660W				White with orange bands and diamond worded REEF.
32657.2	Brant Island Oyster Sanctuary Buoy OS-19B	35-09-47.760N 076-21-35.850W				White with orange bands and diamond worded REEF.
32657.4	Brant Island Oyster Sanctuary Buoy OS-19C	35-09-34.250N 076-21-36.340W				White with orange bands and diamond worded REEF.
32657.6	Brant Island Oyster Sanctuary Buoy OS-19D	35-09-34.990N 076-22-15.900W				White with orange bands and diamond worded REEF.

32657	Brant Island Oyster Sanctuary Buoy OS-19A	35-09-48.500N 076-22-15.660W				White with orange bands and diamond worded REEF.
32657.2	Brant Island Oyster Sanctuary Buoy OS-19B	35-09-47.760N 076-21-35.850W				White with orange bands and diamond worded REEF.
32657.4	Brant Island Oyster Sanctuary Buoy OS-19C	35-09-34.250N 076-21-36.340W				White with orange bands and diamond worded REEF.
32657.6	Brant Island Oyster Sanctuary Buoy OS-19D	35-09-34.990N 076-22-15.900W				White with orange bands and diamond worded REEF.
32660	Brant Island Slue Light 1	35-10-31.043N 076-22-40.740W	FI G 4s		5	SG on pile.
32665	Brant Island Slue Daybeacon 2	35-11-01.161N 076-22-54.195W				TR on pile.
32667	Swanquarter Bay Lighted Wreck Buoy WR2	35-16-48.028N 076-13-03.947W	Q R		3	Red.
32670	Swanquarter Bay Entrance Light 1SQ	35-17-49.113N 076-18-32.283W	FI G 2.5s	0	4	SG on multi-pile structure.
32675	Swanquarter Bay Light 2	35-19-25.047N 076-18-39.506W	FI R 2.5s		4	TR on pile.
32677	Great Island Narrows Light 2	35-20-14.864N 076-18-01.687W	FI R 4s	0	4	TR on pile.
32680	Swanquarter Bay Light 3	35-20-50.271N 076-19-32.277W	FI G 4s	0	4	SG on pile.
32685	Swanquarter Bay Light 3A	35-22-20.506N 076-20-14.147W	FI G 4s	0	4	SG on pile.
32690	Swanquarter Bay Light 5	35-22-54.535N 076-20-41.714W	Q G		4	SG on pile.
32695	Swanquarter Bay Light 5A	35-23-08.125N 076-20-27.706W	FI G 2.5s		4	SG on pile.
32700	Swanquarter Bay Daybeacon 6	35-23-24.369N 076-20-17.605W				TR on pile.
32705	Swanquarter Bay Light 7	35-23-38.921N 076-20-20.344W	FI G 6s	0	4	SG on pile.
32710	Swanquarter Bay Light 8	35-23-54.872N 076-20-29.809W	FI R 2.5s	0	4	TR on pile.
32715	Swanquarter Bay Light 10	35-24-05.346N 076-20-28.580W	FI R 4s		3	TR on pile.
32725	Swanquarter PPA Warning Daybeacon A	35-26-39.150N 076-24-55.030W				NW on pile.
32725.1	Swanquarter PPA Warning Daybeacon B	35-26-03.290N 076-24-23.740W				NW on pile.
32725.2	Swanquarter PPA Warning Daybeacon C	35-25-27.070N 076-23-52.350W				NW on pile.
32725.3	Swanquarter PPA Warning Daybeacon D	35-24-37.090N 076-24-29.840W				NW on pile.
32725.4	Swanquarter PPA Warning Daybeacon E	35-23-49.940N 076-25-02.270W				NW on pile.
32725.5	Swanquarter PPA Warning Daybeacon F	35-23-02.730N 076-25-34.730W				NW on pile.
32725.6	Swanquarter PPA Warning Daybeacon G	35-22-26.450N 076-26-28.800W				NW on pile.
32725.7	Swanquarter PPA Warning Daybeacon H	35-21-46.540N 076-25-50.190W				NW on pile.
32725.8	Swanquarter PPA Warning Daybeacon J	35-21-06.570N 076-25-11.500W				NW on pile.
32725.9	Swanquarter PPA Warning Daybeacon K	35-20-26.620N 076-24-32.940W				NW on pile.
32725.11	Swanquarter PPA Warning Daybeacon L	35-20-18.910N 076-24-24.840W				NW on pile.
32725.12	Swanquarter PPA Warning Daybeacon M	35-19-39.160N 076-23-44.820W				NW on pile.
32725.13	Swanquarter PPA Warning Daybeacon N	35-19-57.050N 076-22-29.790W				NW on pile.
32725.14	Swanquarter PPA Warning Daybeacon P	35-19-44.390N 076-21-24.764W				NW on pile.
32725.15	Swanquarter PPA Warning Daybeacon Q	35-19-32.000N 076-20-19.570W				NW on pile.
32725.16	Swanquarter PPA Warning Daybeacon R	35-19-19.130N 076-19-14.740W				NW on pile.
32725.17	Swanquarter PPA Warning Daybeacon S	35-19-06.630N 076-18-09.650W				NW on pile.

32725.18	Swanquarter PPA Warning Daybeacon T	35-18-54.010N 076-17-04.670W				NW on pile.	
32725.19	Swanquarter PPA Warning Daybeacon U	35-18-33.090N 076-16-05.050W				NW on pile.	
32725.21	Swanquarter PPA Warning Daybeacon V	35-18-06.470N 076-15-04.790W				NW on pile.	
32725.22	Swanquarter PPA Warning Daybeacon W	35-17-39.760N 076-14-04.630W				NW on pile.	
32725.23	Swanquarter PPA Warning Daybeacon X	35-18-20.640N 076-13-05.610W				NW on pile.	
32725.24	Swanquarter PPA Warning Daybeacon Y	35-19-01.570N 076-12-06.410W				NW on pile.	
32725.25	Swanquarter PPA Warning Daybeacon Z	35-19-42.380N 076-11-07.140W				NW on pile.	
32725.26	Swanquarter PPA Warning Daybeacon AA	35-20-17.920N 076-10-53.270W				NW on pile.	
32725.27	Swanquarter PPA Warning Daybeacon BB	35-20-48.460N 076-10-41.300W				NW on pile.	
32725.28	Swanquarter PPA Warning Daybeacon CC	35-21-54.590N 076-17-11.030W				NW on pile.	
32725.29	Swanquarter PPA Warning Daybeacon DD	35-21-37.990N 076-18-18.750W				NW on pile.	
32725.31	Swanquarter PPA Warning Daybeacon EE	35-21-59.000N 076-19-16.710W				NW on pile.	
32725.32	Swanquarter PPA Warning Daybeacon FF	35-22-19.880N 076-20-14.960W				NW on pile.	
32725.33	Swanquarter PPA Warning Daybeacon GG	35-22-59.270N 076-20-40.140W				NW on pile.	
32725.34	Swanquarter PPA Warning Daybeacon HH	35-23-37.080N 076-20-27.430W				NW on pile.	
32725.35	Swanquarter PPA Warning Daybeacon JJ	35-24-07.620N 076-20-46.750W				NW on pile.	
32725.36	Swanquarter PPA Warning Daybeacon KK	35-24-35.670N 076-21-04.920W				NW on pile.	
32730	Judith Island Cut East Light 2	35-22-54.448N 076-21-24.835W	Fl R 4s	0	4	TR on pile.	
32735	Deep Cove Light 1	35-19-48.529N 076-23-36.691W	Fl G 2.5s		4	SG on pile.	
32740	Deep Cove Light 2	35-21-37.030N 076-23-09.873W	Fl R 6s		4	TR on pile.	
32745	Rose Bay Entrance Light 2	35-22-24.126N 076-26-28.115W	Fl R 4s		4	TR on pile.	
32750	Germantown Bay Approach Daybeacon 2	35-23-10.425N 076-27-41.443W				TR on pile.	
32755	Germantown Bay Light 3	35-23-53.245N 076-27-49.029W	Fl G 2.5s		4	SG on pile.	
32760	Germantown Bay Daybeacon 4	35-24-05.436N 076-27-27.242W				TR on pile.	
32765	Germantown Bay Daybeacon 5	35-24-25.786N 076-27-29.986W				SG on pile.	
32770	Germantown Bay Lighted Buoy 7	35-24-46.642N 076-27-06.417W	Fl G 4s		4	Green.	
32775	Germantown Bay Daybeacon 9	35-25-15.643N 076-27-23.291W				SG on pile.	
32780	Deep Bay Light 1	35-22-41.728N 076-23-16.207W	Fl G 4s		4	SG on slatted pile structure.	
32783	Deep Bay Oyster Sanctuary Buoy A	35-22-54.756N 076-22-09.672W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-02.
32783.1	Deep Bay Oyster Sanctuary Buoy B	35-22-46.302N 076-22-09.672W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-02.
32783.2	Deep Bay Oyster Sanctuary Buoy C	35-22-46.302N 076-22-20.262W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-02.
32783.3	Deep Bay Oyster Sanctuary Buoy D	35-22-54.756N 076-22-20.262W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-02.
32785	Deep Bay Light 2	35-22-33.596N 076-21-49.572W	Fl R 4s		4	TR on pile.	
32790	Rose Bay Daybeacon 3	35-23-03.030N 076-25-48.585W				SG on pile.	

32795	Rose Bay Daybeacon 4	35-24-44.004N 076-24-19.519W				TR on pile.
32800	Rose Bay Light 5	35-25-32.580N 076-23-54.024W	FI G 4s	4		SG on pile.
32805	Rose Bay Light 6	35-26-49.313N 076-25-10.635W	FI R 4s	3		TR on pile.
32810	Pamlico Point Light PP	35-18-48.962N 076-26-59.605W	FI W 4s	10	5	NB on multi-pile structure.
32815	Pamlico River Daybeacon 1	35-19-04.238N 076-28-56.558W				SG on pile.
32820	Oyster Creek Entrance Light 2	35-19-29.686N 076-31-04.809W	FI R 4s	4		TR on pile.
32825	Oyster Creek Lighted Buoy 4	35-19-25.870N 076-31-52.693W	Q R	4		Red.
32830	Oyster Creek Daybeacon 6	35-19-18.626N 076-32-19.659W				TR on pile.
32835	Oyster Creek Buoy 8	35-19-16.972N 076-32-35.493W				Red nun.
32845	Willow Point Shoal Light	35-21-47.640N 076-28-49.420W	FI W 4s	5		NB on pile.
32850	Abel Bay Light 1	35-23-14.129N 076-30-36.783W	FI G 4s	4		SG on pile.
32855	Pungo River Junction Light PR	35-22-39.595N 076-33-34.993W	FI (2+1)R 6s	5		JR-TY on multi-pile structure.
32860	Pungo River Wreck Light WR2	35-25-18.452N 076-33-30.508W	Q R	4		TR-SY on pile.
32865	Wright Creek Light 2WC	35-25-01.264N 076-35-09.763W	FI R 2.5s	4		TR on pile.
32870	Wright Creek Daybeacon 4	35-24-54.688N 076-35-16.623W				TR on pile.
32875	Wright Creek Light 5	35-24-43.313N 076-35-26.507W	Q G	4		SG on pile.
32880	Wright Creek Buoy 6	35-24-47.141N 076-35-45.903W				Red nun.
32885	Wright Creek Daybeacon 8	35-24-41.366N 076-35-56.310W				TR on pile.
32890	Wright Creek Daybeacon 10	35-24-43.161N 076-36-05.532W				TR on pile.
32895	Pungo River Light 3	35-25-44.934N 076-34-14.402W	FI G 4s	4		SG-TY on pile.
32900	Pungo River Light 4	35-26-56.913N 076-34-26.463W	FI R 4s	3		TR-SY on pile.
32902	Jordan Creek Lighted Buoy 1	35-27-20.040N 076-36-21.480W	FI G 4s			Green.
32905	Pungo River Daybeacon 5	35-28-16.179N 076-35-16.112W				SG-TY on pile.
32907	Quilley Point Artificial Reef Buoy AR-292A	35-28-27.300N 076-34-30.000W				White can with orange bands and diamond worded REEF.
32907.1	Quilley Point Artificial Reef Buoy AR-292B	35-28-26.100N 076-34-18.000W				White can with orange bands and diamond worded REEF.
32907.2	Quilley Point Artificial Reef Buoy AR-292C	35-28-15.900N 076-34-18.000W				White can with orange bands and diamond worded REEF.
32907.3	Quilley Point Artificial Reef Buoy AR-292D	35-28-18.500N 076-34-30.000W				White can with orange bands and diamond worded REEF.
32910	Pungo River Light 7	35-29-00.384N 076-35-14.567W	FI G 4s	0	4	SG-TY on pile.
32915	Pungo River Light 8	35-30-08.713N 076-35-36.809W	FI R 4s	0	5	TR-SY on multi-pile.
32920	Pungo Creek Daybeacon 2PC	35-30-57.274N 076-37-52.164W				TR on pile.
32925	Pungo Creek Light 3	35-30-57.989N 076-38-14.609W	FI G 4s	4		SG on multi-pile structure.
32930	Belhaven Channel Light 1BC	35-31-12.385N 076-36-05.810W	FI G 2.5s	4		SG on pile.
32935	Belhaven Channel Daybeacon 2BC	35-31-16.274N 076-36-05.263W				TR on pile.
32940	Belhaven Channel Daybeacon 3	35-31-24.015N 076-36-28.750W				SG on pile.
32945	Belhaven Channel Daybeacon 4	35-31-27.397N 076-36-27.190W				TR on pile.

32950	Belhaven Channel Light 5	35-31-39.324N 076-36-57.721W	FI G 4s	5	SG on pile.	
32955	Belhaven Channel Light 6	35-31-42.078N 076-36-54.844W	FI R 4s	4	TR on pile.	
32960	Belhaven Channel Daybeacon 8	35-31-54.744N 076-37-06.569W			TR on pile.	
32965	Belhaven Channel Daybeacon 9	35-32-07.461N 076-37-24.932W			SG on pile.	
32970	Belhaven Channel Daybeacon 11	35-32-18.523N 076-37-39.932W			SG on pile.	
32975	Belhaven Channel Daybeacon 12	35-32-24.668N 076-37-46.359W			TR on pile.	
32980	Tooleys Creek Light 1	35-32-06.628N 076-35-58.949W	FI G 2.5s	3	SG on pile.	
32985	Pungo River Channel Light 10	35-31-18.093N 076-35-33.014W	Q R	4	TR-SY on multi-pile structure.	
32990	Pungo River Channel Daybeacon 11	35-31-25.165N 076-35-07.932W		0	SG-TY on pile.	
32995	Pungo River Channel Daybeacon 12	35-31-12.487N 076-33-31.640W		0	TR-SY on pile.	
33000	Pungo River Channel Light 13	35-31-17.792N 076-33-31.694W	FI G 4s	0	4	SG-TY on pile.
33010	Pungo River Channel Daybeacon 15	35-31-13.564N 076-31-32.085W			SG-TY on multi-pile structure.	
33015	Pungo River Channel Daybeacon 16	35-31-06.302N 076-30-19.791W		15	TR-SY on pile.	
33017	Smith Creek Wreck Light WR1	35-30-49.618N 076-29-12.765W	Q G	3	SG on pile.	
33020	Pungo River Channel Daybeacon 17	35-31-11.087N 076-30-06.038W		0	SG-TY on pile.	
33025	Pungo River Channel Light 18	35-31-04.087N 076-29-46.168W	Q R	0	4	TR-SY on multi-pile structure.
33030	Pungo River Channel Daybeacon 19	35-31-19.212N 076-29-39.625W		0	SG-TY on pile.	
33035	Pungo River Channel Light 21	35-32-08.670N 076-28-53.969W	FI G 4s	4	SG-TY on multi-pile structure.	
33040	Pungo River Channel Daybeacon 22	35-32-53.829N 076-28-05.080W			TR-SY on pile	
33045	Pungo River Channel Light 23	35-33-02.929N 076-27-59.939W	Q G	3	SG-TY on pile.	
33050	Pungo River Channel Daybeacon 24	35-33-00.893N 076-27-53.610W			TR-SY on pile.	
33055	Pungo River Channel Light 25	35-33-08.454N 076-27-25.405W	FI G 4s	4	SG-TY on pile.	
33060	Pungo River Channel Daybeacon 27PR	35-33-13.526N 076-26-58.134W			SG-TY on pile.	
33065	Pungo River Channel Daybeacon 28	35-33-11.976N 076-26-56.959W			TR-SY on pile.	
33070	Eastham Creek Daybeacon 1	35-17-35.255N 076-36-46.617W			SG on pile.	
33075	Eastham Creek Daybeacon 3	35-17-42.304N 076-36-27.695W			SG on pile.	
33080	Eastham Creek Daybeacon 4	35-17-45.640N 076-36-16.683W			TR on pile.	
33085	Eastham Creek Daybeacon 5	35-17-39.601N 076-35-56.735W		0	SG on pile.	
33090	Eastham Creek Daybeacon 7	35-17-35.689N 076-35-41.118W			SG on pile.	
33095	Eastham Creek Daybeacon 9	35-17-38.385N 076-35-28.387W			SG on pile.	
33100	Eastham Creek Daybeacon 10	35-17-42.742N 076-35-15.857W			TR on pile.	
33105	Indian Island Shoal East End Junction Daybeacon	35-21-36.649N 076-37-43.807W			JG on pile.	
33110	South Creek Channel Daybeacon 2	35-21-13.091N 076-38-28.028W			TR on pile.	
33115	South Creek Channel Light 4	35-21-26.813N 076-40-36.449W	FI R 4s	4	TR on multi-pile structure.	
33120	South Creek Channel Daybeacon 5	35-21-19.432N 076-40-57.665W			SG on pile.	

33125	Bond Creek Daybeacon 2	35-20-45.164N 076-41-35.315W				TR on pile.
33130	Bond Creek Daybeacon 3	35-20-33.251N 076-41-41.214W				SG on pile.
33135	South Creek Channel Daybeacon 7	35-21-13.321N 076-42-15.575W				SG on pile.
33140	South Creek Channel Daybeacon 8	35-21-12.353N 076-43-38.886W				TR on pile.
33145	South Creek Channel Daybeacon 9	35-20-33.693N 076-44-18.177W				SG on pile.
33150	South Creek Channel Daybeacon 10	35-20-10.917N 076-45-23.885W				TR on pile.
33155	South Creek Channel Daybeacon 12	35-19-36.574N 076-45-46.575W				TR on pile.
33160	South Creek Channel Daybeacon 14	35-19-23.092N 076-45-54.331W				TR on pile.
33165	South Creek Channel Daybeacon 16	35-19-19.236N 076-46-08.082W				TR on pile.
33170	South Creek Channel Daybeacon 18	35-19-29.275N 076-46-36.512W				TR on pile.
33175	South Creek Channel Daybeacon 20	35-19-28.529N 076-46-44.405W				TR on pile.
33180	South Creek Channel Daybeacon 21	35-19-03.403N 076-47-20.499W				SG on pile.
33185	South Creek Channel Daybeacon 22	35-18-55.212N 076-47-16.990W				TR on pile.
33190	South Creek Channel Daybeacon 24	35-18-52.702N 076-47-09.044W				TR on pile.
33195	South Creek Channel Daybeacon 25	35-18-34.693N 076-46-59.383W				SG on pile.
33200	Jacobs Creek Canal Daybeacon 1	35-20-00.609N 076-45-46.051W				SG on pile.
33205	Jacobs Creek Canal Daybeacon 2	35-20-01.809N 076-45-46.651W				TR on pile.
33210	Pamlico River Channel Light 3	35-22-19.436N 076-38-44.358W	FI G 4s	5		SG on multi-pile structure.
33215	Indian Island Channel Daybeacon 1	35-21-53.064N 076-40-28.305W				SG on pile.
33220	North Creek Entrance Light 1NC	35-24-46.307N 076-40-05.462W	FI G 4s	4		SG on pile.
33225	North Creek Daybeacon 2	35-24-55.311N 076-40-10.485W				TR on pile.
33230	North Creek Daybeacon 4	35-25-15.499N 076-39-50.596W				TR on pile.
33235	Long Point Ferry Terminal Channel Light 1	35-23-05.837N 076-44-39.033W	FI G 2.5s	3		SG on multi-pile structure.
33240	Long Point Ferry Terminal Channel Daybeacon 2	35-22-49.578N 076-44-49.855W				TR on pile.
33245	Gaylord Bay Ferry Terminal Channel Light 1	35-25-18.613N 076-43-59.330W	FI G 2.5s	4		SG on pile.
33250	Gaylord Bay Ferry Terminal Channel Daybeacon 3	35-25-26.521N 076-44-27.959W				SG on pile.
33255	Pamlico River Channel Light 4	35-24-46.681N 076-45-48.222W	FI R 6s	0	6	TR on pile.
33260	Texasgulf Entrance Daybeacon 1	35-23-25.603N 076-45-58.758W				SG on pile.
33265	Texasgulf Entrance Daybeacon 2	35-23-28.603N 076-46-19.759W				TR on dolphin.
33270	Durham Creek Daybeacon 2	35-24-04.729N 076-49-13.774W				TR on pile.
33275	Bath Creek Light 1	35-27-06.850N 076-49-13.365W	FI G 2.5s	4		SG on pile.
33280	Bath Creek Daybeacon 2	35-27-17.410N 076-49-08.973W				TR on pile.
33285	Bath Creek Daybeacon 3	35-28-05.194N 076-49-02.595W				SG on pile.
33290	Bath Creek Light 4	35-28-18.700N 076-49-00.243W	FI R 4s	4		TR on pile.
33293	Eborn Point Artificial Fishing Reef Buoy AR-291D	35-26-10.400N 076-48-35.200W				White can with orange bands and diamond worded REEF.

33293.1	Eborn Point Artificial Fishing Reef Buoy AR-291A	35-26-02.000N 076-48-00.700W				White can with orange bands and diamond worded REEF.
33293.2	Eborn Point Artificial Fishing Reef Buoy AR-291B	35-25-48.400N 076-48-14.500W				White can with orange bands and diamond worded REEF.
33293.3	Eborn Point Artificial Fishing Reef Buoy AR-291C	35-25-56.200N 076-48-33.800W				White can with orange bands and diamond worded REEF.
33295	Pamlico River Channel Light 5	35-25-51.222N 076-50-30.316W	FI G 4s		5	SG on pile.
33300	Pamlico River Channel Light 7	35-27-10.361N 076-55-08.298W	FI G 6s		5	SG on pile.
33305	Pamlico River Channel Daybeacon 8	35-27-25.276N 076-56-05.551W				TR on pile.
33310	Blounts Creek Daybeacon 2	35-26-14.372N 076-57-51.503W				TR on pile.
33315	Pamlico River Channel Light 9	35-27-42.449N 076-57-34.447W	FI G 2.5s	0	4	SG on pile.
33320	Broad Creek Entrance Light 1	35-28-51.577N 076-57-22.954W	FI G 4s		4	SG on pile.
33325	Pamlico River Channel Daybeacon 10	35-28-25.683N 076-58-29.836W				TR on pile.
33330	Broad Creek Daybeacon 3	35-29-04.463N 076-57-14.493W				SG on pile.
33335	Broad Creek Light 4	35-29-05.673N 076-57-11.829W	FI R 4s		4	TR on pile.
33340	Broad Creek Daybeacon 6	35-29-28.907N 076-57-26.145W				TR on pile.
33345	Pamlico River Channel Light 12	35-28-57.698N 076-59-16.277W	FI R 4s	0	4	TR on pile.
33347	Shady Banks Outfall Buoy A	35-29-37.620N 076-59-31.560W				White can with orange band worded SUBMERGED PIPELINE.
33347.1	Shady Banks Outfall Buoy B	35-29-36.660N 076-59-32.940W				White can with orange band worded SUBMERGED PIPELINE.
33350	Pamlico River Channel Light 14	35-29-25.310N 077-00-11.647W	FI R 2.5s		4	TR on multi-pile structure.
33355	Pamlico River Channel Light 16	35-30-28.510N 077-01-13.356W	FI R 4s		4	TR on multi-pile structure.
33360	Pamlico River Channel Light 17	35-31-29.133N 077-02-17.458W	Q G		4	SG on pile.
33365	Pamlico River Channel Daybeacon 18	35-31-41.559N 077-02-29.451W				TR on pile.
33367.9	Fountain Powerboats Factory Daybeacon 10	35-31-30.000N 077-02-51.000W				TR on pile.
33367.8	Fountain Powerboats Factory Daybeacon 9	35-31-29.640N 077-02-51.000W				SG on pile.
33367.7	Fountain Powerboats Factory Daybeacon 8	35-31-34.320N 077-02-49.920W				TR on pile.
33367.6	Fountain Powerboats Factory Daybeacon 7	35-31-33.960N 077-02-48.840W				SG on pile.
33367.5	Fountain Powerboats Factory Daybeacon 6	35-31-37.920N 077-02-47.400W				TR on pile.
33367.4	Fountain Powerboats Factory Daybeacon 5	35-31-37.920N 077-02-46.320W				SG on pile.
33367.3	Fountain Powerboats Factory Daybeacon 4	35-31-42.240N 077-02-45.240W				TR on pile.
33367.2	Fountain Powerboats Factory Daybeacon 3	35-31-41.160N 077-02-44.520W				SG on pile.
33367.1	Fountain Powerboats Factory Light 1F	35-31-45.120N 077-02-42.360W	FI G 4s			SG on pile.
33370	Pamlico River Channel Light 19	35-31-52.633N 077-02-53.279W	FI G 2.5s		4	SG on pile.
33373	Carolina Wind Yacht Center Buoy 1	35-32-22.920N 077-03-30.300W				Green can.
33373.1	Carolina Wind Yacht Center Buoy 2	35-32-23.760N 077-03-33.180W				Red nun.
33373.2	Carolina Wind Yacht Center Buoy 3	35-32-20.700N 077-03-31.860W				Green can.
33373.3	Carolina Wind Yacht Center Buoy 4	35-32-20.580N 077-03-34.380W				Red nun.
33375	Tar River Outfall Buoy A	35-32-39.120N 077-04-30.120W				White can with orange band worded SUBMERGED PIPELINE.

33380	Jones Bay Light 2	35-11-27.721N 076-29-59.388W	FI R 4s	4	TR on pile.	
33385	Jones Bay Light 3	35-12-01.562N 076-29-58.248W	FI G 2.5s	4	SG on multi-pile structure.	
33390	Jones Bay Light 5	35-13-53.701N 076-33-44.092W	FI G 4s	4	SG on pile.	
33395	Bay Point Light	35-10-21.328N 076-30-19.004W	FI W 4s	5	NB on pile.	
33400	Bay River Light 1	35-09-47.733N 076-32-00.608W	FI G 4s	0	4	SG-TY on pile.
33405	Bay River Light 3	35-10-48.060N 076-33-30.392W	FI G 4s	0	4	SG-TY on pile.
33410	Bay River Light 4	35-10-24.285N 076-36-21.478W	FI R 4s	4	TR on multi-pile structure.	
33415	Bay River Light 5	35-10-13.510N 076-39-05.868W	FI G 4s	4	SG on multi-pile structure.	
33420	Bay River Daybeacon 6	35-09-25.658N 076-40-44.100W			TR on pile.	
33425	Bay River Daybeacon 8	35-08-53.851N 076-41-44.873W		0	TR on pile.	
33430	Bay River Light 9	35-08-32.806N 076-42-29.580W	FI G 4s	4	SG on pile.	
33435	Bay River Daybeacon 10	35-08-31.660N 076-42-49.756W			TR on pile.	
33440	Bay River Daybeacon 11	35-08-30.858N 076-43-11.103W			SG on pile.	
33445	Bay River Daybeacon 12	35-08-59.968N 076-43-31.863W		0	TR on pile.	
33455	Bay River Daybeacon 15	35-08-49.609N 076-43-48.099W		0	SG on pile.	
33460	Bay River Daybeacon 16	35-08-50.760N 076-44-11.204W			TR on pile.	
33465	Bay River Daybeacon 18	35-08-47.110N 076-44-16.206W			TR on pile.	
33470	Bay River Daybeacon 20	35-08-29.829N 076-44-21.298W			TR on pile.	
33475	Bay River Daybeacon 22	35-08-22.942N 076-44-44.156W			TR on pile.	
33478	Cedar Island Ferry Slip Breakwater Buoy 1	35-01-10.207N 076-18-29.507W			Green Can.	
33480	Cedar Island Ferry Slip Breakwater Light 3	35-01-11.211N 076-18-41.386W	FI G 4s	4	SG on multi- pile structure.	
33485	Cedar Island Ferry Slip Breakwater Light 2A	35-01-14.179N 076-18-35.708W	FI R 4s	5	TR on pile.	
33487	Cedar Island Ferry Slip Breakwater Daybeacon 2B	35-01-13.197N 076-18-37.926W			TR on multi-pile structure.	
33495	West Bay Light 2WB	35-02-53.071N 076-21-57.799W	FI R 2.5s	4	TR on multi-pile structure.	
33514	Swan Island Oyster Sanctuary Buoy OS-15A	35-05-37.000N 076-27-30.200W			White can with orange bands and diamond worded REEF.	
33514.1	Swan Island Oyster Sanctuary Buoy OS-15B	35-05-36.100N 076-26-45.900W			White can with orange bands and diamond worded REEF.	
33514.2	Swan Island Oyster Sanctuary Buoy OS-15C	35-05-29.100N 076-29-45.800W			White can with orange bands and diamond worded REEF.	
33514.3	Swan Island Oyster Sanctuary Buoy OS-15D	35-05-29.900N 076-27-30.200W			White can with orange bands and diamond worded REEF.	
33516	Raccoon Island Oyster Sanctuary Daybeacon A	35-05-28.560N 076-23-24.240W			NW on multi-pile structure worded ROCK.	
33516.1	Raccoon Island Oyster Sanctuary Daybeacon B	35-05-22.080N 076-23-24.240W			NW on multi-pile structure worded ROCK.	
33516.2	Raccoon Island Oyster Sanctuary Daybeacon C	35-05-22.080N 076-23-32.220W			NW on multi-pile structure worded ROCK.	
33516.3	Raccoon Island Oyster Sanctuary Daybeacon D	35-05-28.560N 076-23-32.220W			NW on multi-pile structure worded ROCK.	
33517	West Bay Restricted Area Light I	35-01-16.027N 076-25-48.015W	FI W 6s		NW on pile worded DANGER.	
33517.1	West Bay Restricted Area Light J	35-02-05.027N 076-25-34.015W	FI W 6s		NW on pile worded DANGER.	
33518	Cedar Island Point Reef Buoy A	35-03-28.400N 076-22-55.300W			White can with orange bands. White can with orange bands.	

33518.1	Cedar Island Point Reef Buoy B	35-03-27.860N 076-22-33.580W				White can with orange bands.	
33518.2	Cedar Island Point Reef Buoy C	35-03-10.260N 076-22-34.390W				White can with orange bands.	
33518.3	Cedar Island Point Reef Buoy D	35-03-10.660N 076-22-55.920W				White can with orange bands	
33518	Cedar Island Point Reef Buoy A	35-03-28.400N 076-22-55.300W				White can with orange bands. White can with orange bands.	
33518.1	Cedar Island Point Reef Buoy B	35-03-27.860N 076-22-33.580W				White can with orange bands.	
33518.2	Cedar Island Point Reef Buoy C	35-03-10.260N 076-22-34.390W				White can with orange bands.	
33518.3	Cedar Island Point Reef Buoy D	35-03-10.660N 076-22-55.920W				White can with orange bands	
33520	West Bay Light 5WB	35-02-04.819N 076-22-52.393W	FI G 2.5s	4		SG on pile.	
33525	West Bay Daybeacon 6	35-00-42.526N 076-23-37.271W				TR on pile.	
33535	West Bay Light 7WB	34-59-24.492N 076-24-08.460W	FI G 4s	4		SG on multi-pile structure.	
33537	West Bay Oyster Sanctuary Buoy A	34-58-51.102N 076-21-21.792W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-03.
33537.1	West Bay Oyster Sanctuary Buoy B	34-58-45.966N 076-21-21.792W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-03.
33537.2	West Bay Oyster Sanctuary Buoy C	34-58-45.966N 076-21-28.410W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-03.
33537.3	West Bay Oyster Sanctuary Buoy D	34-58-51.102N 076-21-28.410W				White can with orange diamond worded DANGER SUBMERGED ROCKS.	OS-03.
33540	West Bay Light 8WB	34-58-28.347N 076-23-56.724W	FI R 2.5s	4		TR on pile.	
33545	West Bay Light 10WB	34-57-20.196N 076-23-39.804W	FI R 4s	4		TR on pile.	
33550	West Bay Light 11WB	34-56-33.015N 076-23-16.583W	FI G 2.5s	4		SG on pile.	
33555	West Bay Daybeacon 13WB	34-56-23.661N 076-23-06.591W				SG on pile.	
33560	West Bay Light 15WB	34-56-03.417N 076-22-57.411W	FI G 4s	4		SG on pile.	
33565	Long Bay Light 2	34-58-09.602N 076-25-29.363W	FI R 2.5s	4		TR on pile.	
33570	Long Bay Light 4	34-57-24.513N 076-25-53.716W	FI R 6s	4		TR on pile.	
33575	Long Bay Light 6	34-57-39.621N 076-27-34.365W	FI R 4s	4		TR on pile.	
33580	Neuse River Junction Light NR	35-08-46.705N 076-30-10.867W	FI (2+1)R 6s	0	5	JR-TY on multi-pile structure.	
33585	Neuse River Entrance Light 2	35-08-07.557N 076-30-51.187W	FI R 4s		5	TR-TY on pile.	
33587	Maw Point Oyster Sanctuary Buoy OS-18A	35-08-10.450N 076-32-11.070W				White with orange bands and diamond worded REEF.	
33587.2	Maw Point Oyster Sanctuary Buoy OS-18B	35-08-09.220N 076-31-36.910W				White with orange bands and diamond worded REEF.	
33587.4	Maw Point Oyster Sanctuary Buoy OS-18C	35-07-50.550N 076-31-37.890W				White with orange bands and diamond worded REEF.	
33587.6	Maw Point Oyster Sanctuary Buoy OS-18D	35-07-51.040N 076-32-11.800W				White with orange bands and diamond worded REEF.	
33587	Maw Point Oyster Sanctuary Buoy OS-18A	35-08-10.450N 076-32-11.070W				White with orange bands and diamond worded REEF.	
33587.2	Maw Point Oyster Sanctuary Buoy OS-18B	35-08-09.220N 076-31-36.910W				White with orange bands and diamond worded REEF.	
33587.4	Maw Point Oyster Sanctuary Buoy OS-18C	35-07-50.550N 076-31-37.890W				White with orange bands and diamond worded REEF.	
33587.6	Maw Point Oyster Sanctuary Buoy OS-18D	35-07-51.040N 076-32-11.800W				White with orange bands and diamond worded REEF.	
33590	Neuse River Entrance Light NR	35-06-37.299N 076-28-32.312W	FI W 6s	10	7	NB on multi-pile structure.	
33595	Neuse River Channel Light 4	35-05-06.670N 076-32-41.818W	FI R 2.5s	0	5	TR-TY on pile.	

33598	Neuse River Warning Daybeacon	35-05-13.715N 076-32-38.977W				NW on pile worded DANGER SHOAL.
33605	Broad Creek Light 1	35-05-28.883N 076-34-58.423W	FI G 4s	4		SG on pile.
33610	Broad Creek Daybeacon 2A	35-05-32.781N 076-35-17.463W				TR on pile.
33615	Broad Creek Daybeacon 3	35-05-38.393N 076-35-38.597W				SG on pile.
33620	Broad Creek Daybeacon 4	35-05-24.657N 076-36-30.912W				TR on pile.
33623	Rattan Bay Restricted Area Light A	35-04-36.027N 076-28-35.015W	FI W 6s			NW on pile worded DANGER.
33623.1	Rattan Bay Restricted Area Light B	35-03-58.027N 076-28-50.015W	FI W 6s			NW on pile worded DANGER.
33623.2	Rattan Bay Restricted Area Light C	35-03-38.027N 076-28-45.015W	FI W 6s			NW on pile worded DANGER.
33623.3	Rattan Bay Restricted Area Light D	35-03-17.027N 076-29-23.015W	FI W 6s	0		NW on pile worded DANGER.
33623.4	Rattan Bay Restricted Area Light E	35-02-44.027N 076-29-47.015W	FI W 6s			NW on pile worded DANGER.
33623.5	Rattan Bay Restricted Area Light F	35-02-06.027N 076-29-53.015W	FI W 6s	0		NW on pile worded DANGER.
33623.6	Rattan Bay Restricted Area Light G	35-01-30.027N 076-29-41.015W	FI W 6s			NW on pile worded DANGER.
33623.7	Rattan Bay Restricted Area Light H	35-01-06.027N 076-29-20.015W	FI W 6s			NW on pile worded DANGER.
33624	Cedar Bay Oyster Sanctuary Daybeacon A	35-02-41.460N 076-30-47.580W				NW on multi-pile worded ROCK.
33624.1	Cedar Bay Oyster Sanctuary Daybeacon B	35-02-32.220N 076-30-47.880W				NW on multi-pile worded ROCK.
33624.2	Cedar Bay Oyster Sanctuary Daybeacon C	35-02-32.460N 076-30-59.100W				NW on multi-pile worded ROCK.
33624.3	Cedar Bay Oyster Sanctuary Daybeacon D	35-02-41.700N 076-30-58.800W				NW on multi-pile worded ROCK.
33625	Neuse River Channel Light 6	35-03-51.843N 076-34-19.725W	FI R 4s	0	4	TR-TY on multi-pile structure.
33627	Turnagain Bay Wreck Light WR1	35-01-18.884N 076-29-57.548W	Q G	0	3	SG on pile.
33629	Turnagain Bay Oyster Sanctuary Buoy OS-08B	35-00-29.500N 076-32-04.500W				White can with orange bands and diamond worded REEF.
33629.1	Turnagain Bay Oyster Sanctuary Buoy OS-08C	35-00-29.500N 076-31-56.100W				White can with orange bands and diamond worded REEF.
33629.2	Turnagain Bay Oyster Sanctuary Buoy OS-08D	35-00-22.500N 076-31-56.100W				White can with orange bands and diamond worded REEF.
33629.3	Turnagain Bay Oyster Sanctuary Buoy OS-08A	35-00-22.500N 076-32-04.500W				White can with orange bands and diamond worded REEF.
33630	Turnagain Bay Light 1A	35-00-26.320N 076-30-11.387W	FI G 4s	4		SG on pile.
33635	Turnagain Bay Daybeacon 2	35-00-13.348N 076-30-09.587W				TR on pile.
33640	Turnagain Bay Light 4	34-59-10.111N 076-29-20.054W	FI R 6s	4		TR on pile.
33645	Turnagain Bay Light 5	34-58-09.048N 076-29-21.867W	FI G 6s	0	4	SG on pile.
33647.11	Orchard Creek Channel Daybeacon 11	35-03-30.700N 076-38-32.800W				SG on pile.
33647.1	Orchard Creek Channel Daybeacon 10	35-03-29.100N 076-38-29.600W				TR on pile.
33647.08	Orchard Creek Channel Daybeacon 8	35-03-27.100N 076-38-26.900W				TR on pile.
33647.06	Orchard Creek Channel Daybeacon 6	35-03-23.200N 076-38-19.600W				TR on pile.
33647.05	Orchard Creek Channel Daybeacon 5	35-03-21.100N 076-38-16.000W				SG on pile.
33647.03	Orchard Creek Channel Daybeacon 3	35-03-23.200N 076-38-07.400W				SG on pile.
33647.01	Orchard Creek Channel Daybeacon 1	35-03-25.300N 076-37-58.400W				SG on pile.
33650	Cockle Point Warning Daybeacon	35-02-54.709N 076-37-58.733W				NW on pile worded DANGER SUBMERGED WRECK.

33655	South River Light 1	34-59-23.372N 076-35-25.482W	FI G 2.5s	12	4	SG on multi-pile structure.
33660	South River Light 2	34-58-55.621N 076-35-03.566W	FI R 2.5s		4	TR on pile.
33665	South River Wreck Daybeacon WR3	34-58-51.652N 076-34-59.473W		0		SG on multi-pile structure.
33670	South River Daybeacon 5	34-58-30.590N 076-35-00.623W				SG on pile.
33675	Hardy Creek Junction Daybeacon HC	34-58-02.003N 076-35-08.482W				JR on pile.
33680	Hardy Creek Daybeacon 1	34-57-55.278N 076-35-29.911W				SG on pile.
33685	South River Light 6	34-57-23.762N 076-34-43.230W	FI R 4s		4	TR on pile.
33690	Pierce Creek Light 2	35-02-18.905N 076-39-16.410W	FI R 4s	0	4	TR on pile.
33695	Pierce Creek Daybeacon 4	35-02-21.368N 076-39-28.813W				TR on pile.
33700	Pierce Creek Daybeacon 5	35-02-23.331N 076-39-45.490W				SG on pile.
33705	Pierce Creek Daybeacon 6	35-02-25.633N 076-39-57.277W				TR on pile.
33710	Pierce Creek Daybeacon 8	35-02-29.217N 076-40-00.121W		0		TR on pile.
33713	Whitehurst Point Artificial Fishing Reef Buoy AR-396A	35-01-52.200N 076-39-28.000W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.
33713.1	Whitehurst Point Artificial Fishing Reef Buoy AR-396B	35-01-47.100N 076-39-23.900W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.
33713.2	Whitehurst Point Artificial Fishing Reef Buoy AR-396C	35-01-25.300N 076-39-51.200W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.
33713.3	Whitehurst Point Artificial Fishing Reef Buoy AR-396D	35-01-35.900N 076-39-58.300W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.
33715	Neuse River Channel Light 7	35-00-32.040N 076-39-38.187W	FI G 4s	0	5	SG-SY on multi-pile structure.
33718	Whittaker Creek Daybeacon 1	35-01-24.386N 076-41-09.853W				SG on pile.
33720	Whittaker Creek Light 2	35-01-22.571N 076-41-09.082W	FI R 2.5s		4	TR on pile.
33723	Whittaker Creek Danger Shoal Beacon	35-01-30.341N 076-41-05.811W				NW on pile worded DANGER SHOAL
33724	Whittaker Creek Buoy 3	35-01-31.854N 076-41-04.068W				Green can.
33725	Whittaker Creek Daybeacon 4	35-01-35.814N 076-41-01.237W				TR on pile.
33730	Whittaker Creek Light 5	35-01-48.540N 076-40-54.516W	FI G 4s		4	SG on pile.
33735	Whittaker Creek Daybeacon 7	35-01-50.298N 076-40-56.074W				SG on pile.
33740	Greens Creek Daybeacon 1	35-01-25.754N 076-42-15.384W				SG on pile.
33745	Greens Creek Daybeacon 2	35-01-29.488N 076-42-21.964W				TR on pile.
33750	Greens Creek Daybeacon 3	35-01-30.498N 076-42-28.992W				SG on pile.
33755	Smith Creek Channel Light 1SC	35-00-54.330N 076-41-28.464W	FI G 4s		4	SG on multi-pile structure.
33760	Smith Creek Channel Daybeacon 3	35-01-02.367N 076-41-45.264W		0		SG on pile.
33765	Smith Creek Channel Daybeacon 5	35-01-08.058N 076-41-57.546W				SG on pile.
33770	Smith Creek Channel Light 6	35-01-10.109N 076-41-54.236W	FI R 2.5s		4	TR on pile.
33775	Smith Creek Channel Light 8	35-01-19.382N 076-41-56.772W	FI R 4s		4	TR on multi-pile structure.
33780	Smith Creek Channel Daybeacon 9	35-01-31.472N 076-42-05.758W				SG on pile.
33785	Smith Creek Channel Daybeacon 10	35-01-41.928N 076-42-09.195W		0		TR on pile.

33790	Adams Creek Lighted Buoy 1AC	34-58-30.114N 076-41-45.927W	FI G 4s	4	Green.	
33795	Dawson Creek Entrance Daybeacon 2	34-59-16.005N 076-45-01.155W		0	TR on pile.	
33800	Dawson Creek Entrance Warning Daybeacon	34-59-24.863N 076-45-27.852W			NW on pile worded DANGER SHOAL.	
33805	Clubfoot Creek Entrance Daybeacon 1	34-55-59.855N 076-45-13.401W			SG on pile.	
33810	Clubfoot Creek Entrance Light 3	34-55-24.776N 076-45-34.362W	FI G 4s	0	4	SG on pile.
33815	Clubfoot Creek Daybeacon 5	34-55-10.904N 076-45-31.046W			SG on pile.	
33820	Clubfoot Creek Daybeacon 6	34-55-06.345N 076-45-31.842W			TR on pile.	
33825	Clubfoot Creek Daybeacon 8	34-54-55.341N 076-45-24.872W			TR on pile.	
33830	Neuse River Channel Daybeacon 8	34-57-37.048N 076-47-59.775W			TR on pile.	
33835	Neuse River Channel Light 9	34-56-50.691N 076-48-32.091W	FI G 2.5s	0	4	SG on multi-pile structure.
33840	Wilkinson Point Ferry Terminal Channel Light 2	34-57-48.624N 076-48-34.949W	FI R 2.5s		3	TR on multi-pile structure.
33845	Wilkinson Point Ferry Terminal Channel Daybeacon 3	34-57-54.618N 076-48-31.123W				SG on pile.
33850	Wilkinson Point Ferry Terminal Channel Daybeacon 4	34-57-58.763N 076-48-25.257W				TR on pile.
33855	Cherry Point Daybeacon 2	34-56-45.927N 076-48-34.683W				TR on pile.
33860	Cherry Point Channel Daybeacon 3	34-56-30.966N 076-48-33.354W		0		SG on pile.
33865	Cherry Point Channel Daybeacon 4	34-56-27.357N 076-48-36.471W				TR on pile.
33870	Minnesott Beach Yacht Basin Entrance Light 1	34-58-04.800N 076-49-13.800W	Q G			SG on pile.
33875	Minnesott Beach Yacht Basin Entrance Daybeacon 2	34-58-07.077N 076-49-09.773W				TR on pile.
33890	Minnesott Beach Yacht Basin Entrance Daybeacon 5	34-58-12.810N 076-49-11.855W				SG on pile.
33895	Minnesott Beach Yacht Basin Entrance Daybeacon 6	34-58-12.600N 076-49-10.200W				TR on pile.
33900	Hancock Creek Light 1	34-56-23.829N 076-50-47.931W	FI G 2.5s		4	SG on pile.
33902	MCAS Cherry Point Warning Daybeacon A	34-56-39.039N 076-51-17.295W				NW on pile worded DANGER LIVE FIRE SECTOR.
33902.1	MCAS Cherry Point Warning Daybeacon B	34-56-26.317N 076-51-00.405W				NW on pile worded DANGER LIVE FIRE SECTOR.
33902.2	MCAS Cherry Point Warning Daybeacon C	34-56-20.057N 076-50-39.055W				NW on pile worded DANGER LIVE FIRE SECTOR.
33902.3	MCAS Cherry Point Warning Daybeacon D	34-55-27.437N 076-51-10.295W				NW on pile worded DANGER LIVE FIRE SECTOR.
33902.4	MCAS Cherry Point Warning Daybeacon E	34-55-30.857N 076-51-04.225W				NW on pile worded DANGER LIVE FIRE SECTOR.
33905	Hancock Creek Daybeacon 3	34-56-20.445N 076-51-06.469W				SG on pile.
33910	Hancock Creek Daybeacon 5	34-56-19.653N 076-51-11.587W				SG on pile.
33915	Hancock Creek Light 6	34-56-20.499N 076-51-13.062W	FI R 4s	15	4	TR on pile.
33920	Slocum Creek Light 2	34-57-03.957N 076-53-16.585W	Q R		4	TR on pile.
33925	Slocum Creek Daybeacon 1	34-57-00.225N 076-53-23.054W				SG on pile.
33930	Slocum Creek Daybeacon 4	34-57-03.781N 076-53-28.461W		7		TR on pile.
33935	Slocum Creek Daybeacon 4A	34-57-09.957N 076-53-45.404W				TR on pile.
33940	Slocum Creek Daybeacon 5	34-57-09.645N 076-53-48.578W				SG on pile.
33945	Slocum Creek Daybeacon 7	34-57-08.235N 076-54-01.173W				SG on pile.

33950	Slocum Creek Daybeacon 8	34-57-09.902N 076-54-09.366W				TR on pile.
33955	Slocum Creek Buoy 10	34-56-41.291N 076-54-23.098W				Red nun.
33955	Slocum Creek Buoy 10	34-56-41.291N 076-54-23.098W				Red nun.
33960	Beard Creek Entrance Daybeacon 1	34-59-49.903N 076-51-54.642W				SG on pile.
33965	Neuse River Channel Light 11	34-59-57.863N 076-56-36.439W	Q G	4		SG on multi-pile structure.
33970	Neuse River Channel Daybeacon 13	35-00-30.354N 076-57-11.985W				SG on pile.
33975	Neuse River Channel Daybeacon 15	35-00-52.028N 076-57-35.561W				SG on pile.
33980	Neuse River Channel Light 17	35-01-23.769N 076-58-10.167W	FI G 4s	4		SG on pile.
33985	Neuse River Channel Light 19	35-02-37.143N 076-59-01.449W	FI G 4s	4		SG on pile.
33990	Upper Broad Creek Light 2	35-02-56.479N 076-57-24.598W	FI R 4s	4		TR on pile.
33995	Upper Broad Creek Daybeacon 3	35-03-22.097N 076-57-01.539W				SG on pile.
33996	Northwest Creek Channel Entrance Light 1N	35-03-10.380N 076-57-51.300W	FI G 4s			SG on pile.
33997	Northwest Creek Channel Daybeacon 3	35-03-18.960N 076-57-54.120W				SG on pile.
33998	Northwest Creek Channel Daybeacon 4	35-03-19.320N 076-57-49.980W				TR on pile.
33998.1	Northwest Creek Channel Daybeacon 5	35-03-23.000N 076-58-01.000W				SG on pile.
34000	Neuse River Channel Light 22	35-04-47.813N 077-00-21.741W	FI R 4s	4		TR on pile.
34005	Neuse River Channel Daybeacon 24	35-04-49.661N 077-00-30.431W				TR on pile.
34010	Neuse River Channel Daybeacon 26	35-04-51.441N 077-00-43.960W		0		TR on pile.
34015	Neuse River Channel Light 27	35-04-49.587N 077-00-54.792W	FI G 4s	0	4	SG on pile.
34017	Black Beacon Point Artificial Reef Buoy AR-392A	35-05-17.100N 077-00-48.900W				White can with orange bands and diamond worded REEF.
34017.1	Black Beacon Point Artificial Reef Buoy AR-392B	35-04-57.400N 077-00-19.400W				White can with orange bands and diamond worded REEF.
34017.2	Black Beacon Point Artificial Reef Buoy AR-392C	35-04-50.300N 077-00-29.900W				White can with orange bands and diamond worded REEF.
34017.3	Black Beacon Point Artificial Reef Buoy AR-392D	35-05-12.800N 077-00-55.600W				White can with orange bands and diamond worded REEF.
34020	Neuse River Channel Light 28	35-05-18.629N 077-01-30.599W	FI R 4s	4		TR on multi-pile structure.
34030	Neuse River Channel Light 32	35-06-08.925N 077-02-00.741W	FI R 2.5s	4		TR on pile.
34040	Neuse River Channel Daybeacon 34	35-06-19.797N 077-01-59.679W				TR on pile.
34045	Neuse River Channel Daybeacon 38	35-06-50.667N 077-02-05.997W				TR on pile.
34047	Bridgeton Warning Light	35-07-25.575N 077-01-40.809W	FI W 4s			NW on pile worded DANGER SUBMERGED PIPELINE DO NOT ANCHOR.
34050	Neuse River Channel Light 39	35-07-26.085N 077-02-41.715W	FI G 4s	4		SG on pile.
34055	Neuse River Channel Daybeacon 41	35-07-42.537N 077-02-46.053W				SG on pile.
34060	Neuse River Channel Daybeacon 43	35-07-59.379N 077-02-51.111W				SG on pile.
34065	Neuse River Channel Daybeacon 45	35-08-08.751N 077-02-59.241W				SG on pile.
34070	Neuse River Channel Daybeacon 47	35-08-18.075N 077-03-07.113W				SG on pile.
34075	Neuse River Channel Daybeacon 48	35-08-25.461N 077-03-21.849W				TR on pile.
34080	Neuse River Channel Light 48A	35-08-33.717N 077-03-34.479W	FI R 4s	4		TR on pile.

34085	Taylor Creek Daybeacon 2	35-08-44.055N 077-04-18.949W			TR on pile.
34090	Taylor Creek Daybeacon 4	35-08-40.141N 077-04-21.467W			TR on pile.
34095	Taylor Creek Daybeacon 6	35-08-38.773N 077-04-22.848W			TR on pile.
34100	Taylor Creek Daybeacon 8	35-08-38.651N 077-04-25.433W			TR on pile.
34110	Neuse River Channel Daybeacon 49	35-08-31.120N 077-03-35.464W			SG on pile.
34115	Neuse River Channel Daybeacon 50	35-08-34.029N 077-03-44.145W			TR on pile.
34120	Neuse River Channel Daybeacon 50A	35-08-36.363N 077-03-50.907W			TR on pile.
34125	Neuse River Channel Daybeacon 50B	35-08-38.979N 077-04-00.423W			TR on pile.
34130	Neuse River Channel Daybeacon 50C	35-08-46.443N 077-04-17.241W			TR on pile.
34135	Neuse River Channel Daybeacon 50D	35-08-50.019N 077-04-32.565W			TR on pile.
34137	Neuse River Channel Buoy 50E	35-08-54.559N 077-04-35.702W			Red nun.
34140	Neuse River Channel Daybeacon 51	35-08-42.069N 077-04-08.499W			SG on pile.
34145	Neuse River Channel Daybeacon 51A	35-08-44.481N 077-04-21.063W			SG on pile.
34150	Neuse River Channel Buoy 51B	35-08-54.954N 077-04-39.088W			Green can.
34151	Neuse River Channel Buoy 51C	35-08-58.806N 077-04-32.728W			Green can.
34155	Neuse River Channel Buoy 52	35-09-00.603N 077-04-29.830W			Red nun.
34160	Neuse River Channel Daybeacon 52A	35-09-13.767N 077-04-34.779W			TR on pile.
34165	Neuse River Channel Daybeacon 53	35-09-25.347N 077-04-35.721W			SG on pile.
34170	Neuse River Channel Daybeacon 54	35-09-35.373N 077-04-27.417W			TR on pile.
34175	Neuse River Channel Daybeacon 55	35-09-45.135N 077-04-45.711W			SG on pile.
34180	Neuse River Channel Daybeacon 57	35-09-45.702N 077-05-05.048W			SG on pile.
34185	Neuse River Channel Buoy 58	35-09-53.095N 077-05-15.750W			Red nun.
34190	Neuse River Channel Daybeacon 60	35-10-01.584N 077-05-21.586W			TR on pile.
34195	Neuse River Channel Daybeacon 62	35-10-28.662N 077-05-11.368W			TR on pile.
34200	Neuse River Channel Daybeacon 64	35-10-41.202N 077-05-24.586W			TR on pile.
34205	Neuse River Channel Daybeacon 65	35-10-54.369N 077-05-39.707W			SG on pile.
34210	Neuse River Channel Daybeacon 67	35-11-12.207N 077-05-45.107W			SG on pile.
34215	Neuse River Channel Daybeacon 68	35-11-32.589N 077-05-58.903W			TR on pile.
34220	Neuse River Channel Daybeacon 70	35-11-30.648N 077-06-20.467W			TR on pile.
34225	Neuse River Channel Daybeacon 72	35-11-44.393N 077-06-34.858W			TR on pile.
34230	Neuse River Channel Daybeacon 74	35-11-55.203N 077-06-48.812W			TR on pile.
34235	Neuse River Channel Daybeacon 76	35-12-15.620N 077-07-08.808W			TR on pile.
34240	Trent River Daybeacon 1	35-05-06.387N 077-03-09.747W			SG on pile.
34245	Trent River Light 2	35-04-48.339N 077-03-27.536W	FI R 4s	4	TR on pile.
34250	Trent River Daybeacon 3	35-04-33.092N 077-03-43.362W			SG on pile.

34255	Trent River Daybeacon 4	35-04-27.558N 077-04-01.485W				TR on pile.
34260	Trent River Buoy 4A	35-04-17.627N 077-04-25.899W				Red nun.
34266	Trent River Light 5	35-04-09.297N 077-04-43.400W	FI G 4s	4		SG on pile.
34270	Trent River Daybeacon 6	35-04-11.937N 077-05-05.085W				TR on pile.
34275	Trent River Light 8	35-04-12.472N 077-05-16.073W	FI R 4s	4		TR on pile.
34280	Trent River Buoy 9	35-04-23.817N 077-05-53.391W				Green can.
34285	Trent River Daybeacon 10	35-04-31.989N 077-06-03.765W				TR on pile.
34290	Trent River Daybeacon 12	35-04-25.574N 077-06-17.828W				TR on pile.
34295	Trent River Light 13	35-04-17.775N 077-06-26.991W	FI G 4s	4		SG on multi-pile structure.
34300	Trent River Daybeacon 14	35-04-30.765N 077-06-51.057W				TR on pile.
34305	Trent River Daybeacon 16	35-04-43.665N 077-07-23.385W				TR on pile.
34310	Trent River Daybeacon 18	35-04-29.343N 077-07-49.005W				TR on pile.
34315	Trent River Lighted Wreck Buoy 20	35-04-14.760N 077-07-56.029W	Q R	4		Red.
34320	Harbor Island Warning Daybeacon	35-00-39.691N 076-13-14.090W				NW on pile worded DANGER SHOALING.
34370	Core Sound Light 11	34-58-31.079N 076-13-14.300W	FI G 6s	4		SG on pile.
34375	Core Sound Light 13	34-57-18.474N 076-13-42.747W	FI G 4s	4		SG on pile.
34380	Core Sound Lighted Buoy 15	34-56-41.705N 076-13-49.287W	FI G 6s	4		Green.
34385	Core Sound Light 16	34-56-34.027N 076-14-33.014W	FI R 2.5s	4		TR on pile.
34390	Core Sound Light 18	34-56-20.650N 076-15-36.423W	FI R 4s	4		TR on pile.
34395	Core Sound Daybeacon 18A	34-55-37.027N 076-16-11.914W				TR on pile.
34400	Cedar Island Bay Channel Light 2	34-58-04.671N 076-15-36.806W	FI R 4s	1	4	TR on pile.
34405	Cedar Island Bay Channel Buoy 3	34-58-13.941N 076-16-05.480W				Green can.
34410	Cedar Island Bay Channel Lighted Wreck Buoy WR5	34-59-12.588N 076-17-30.060W	Q G	4		Green.
34415	Cedar Island Bay Channel Light 6	34-59-20.415N 076-17-41.684W	FI R 6s	4		TR on pile.
34420	Cedar Island Bay Channel Light 8	34-59-31.731N 076-18-16.322W	FI R 2.5s	4		TR on pile.
34425	Thorofare Channel Light 1	34-55-31.341N 076-19-24.920W	FI G 4s	4		SG on pile.
34435	Thorofare Channel Buoy 2	34-55-36.749N 076-20-51.068W				Red nun.
34440	Thorofare Channel Light 4	34-55-43.251N 076-21-28.713W	FI R 4s	3		TR on pile.
34445	Thorofare Channel Daybeacon 6	34-55-36.393N 076-21-37.844W				TR on pile.
34450	Thorofare Channel Buoy 7	34-55-33.936N 076-21-41.994W				Green can.
34450	Thorofare Channel Buoy 7	34-55-33.936N 076-21-41.994W				Green can.
34455	Core Sound Lighted Buoy 19	34-54-59.520N 076-16-35.720W	FI G 4s	4		Green.
34460	Core Sound Lighted Buoy 19A	34-54-19.503N 076-17-38.725W	FI G 4s	4		Green.
34465	Core Sound Warning Daybeacon	34-54-17.883N 076-17-19.532W				NW on pile worded DANGER SUBMERGED WRECK.
34470	Core Sound Lighted Buoy 20	34-53-55.781N 076-18-19.118W	FI R 4s	4		Red.

34475	Core Sound Light 22	34-52-36.537N 076-19-33.831W	FI R 2.5s	4	TR on pile.
34480	Core Sound Buoy 22A	34-52-31.259N 076-19-58.634W			Red nun.
34485	Core Sound Buoy 23	34-52-27.732N 076-20-10.183W			Green can.
34495	Atlantic Channel Daybeacon 1	34-52-36.993N 076-20-16.904W			SG on pile.
34500	Atlantic Channel Light 2	34-52-49.933N 076-20-10.295W	Q R	4	TR on pile.
34505	Atlantic Channel Buoy 4	34-52-53.784N 076-20-02.770W			Red nun.
34515	Atlantic Channel Light 6	34-53-01.581N 076-19-56.342W	FI R 4s	4	TR on pile.
34520	Core Sound Warning Light A	34-51-50.117N 076-20-44.709W	FI W 4s	4	NW on pile worded DANGER SHOALING.
34525	Core Sound Warning Light B	34-51-26.901N 076-21-11.408W	FI W 4s	4	NW on pile worded DANGER SHOALING.
34540	Core Sound Warning Light C	34-50-38.553N 076-22-00.602W	FI W 4s	4	NW on slatted pile structure worded DANGER SHOALING.
34545	Core Sound Lighted Buoy 28	34-50-33.011N 076-22-55.719W	FI R 2.5s	4	Red.
34550	Sealevel Channel Entrance Light 1	34-51-11.106N 076-23-08.757W	FI G 2.5s	0	4 SG on pile.
34560	Nelson Bay Light 1	34-51-19.018N 076-24-17.316W	FI G 4s	0	4 SG on pile.
34565	Nelson Bay Light 3	34-52-11.808N 076-24-05.778W	FI G 4s	0	4 SG on pile.
34575	Core Sound Lighted Buoy 29	34-49-11.366N 076-24-12.076W	FI G 4s	4	Green.
34580	Core Sound Lighted Buoy 31	34-48-54.093N 076-25-01.071W	FI G 2.5s	4	Green.
34585	Core Sound Light 33	34-48-37.954N 076-25-54.437W	FI G 4s	4	SG on pile.
34590	Oyster Creek Entrance Light 2	34-48-51.203N 076-26-45.820W	FI R 2.5s	4	TR on pile.
34595	Oyster Creek Lighted Wreck Buoy WR3	34-49-06.688N 076-26-53.143W	Q G	4	Green.
34600	Salter Creek Light 1	34-48-19.286N 076-26-56.468W	FI G 2.5s	4	SG on pile.
34610	Davis Channel Light 1	34-47-38.889N 076-27-07.728W	FI G 4s	4	SG on pile.
34615	Core Sound Lighted Wreck Buoy WR34	34-46-31.990N 076-27-06.410W	Q R	4	Red.
34620	Core Sound Light 35	34-45-05.691N 076-27-57.207W	FI G 4s	5	SG on pile.
34625	Core Sound Light 36	34-44-33.749N 076-29-26.457W	FI R 2.5s	4	TR on pile.
34628	Core Sound Daybeacon 37	34-44-17.227N 076-29-20.115W			SG on pile.
34630	Core Sound South Light SS	34-43-29.471N 076-28-56.475W	FI W 4s	5	NB on pile.
34795	Taylor Creek Channel Daybeacon 7	34-42-47.931N 076-39-42.879W		0	SG on pile.
34800	Taylor Creek Channel Daybeacon 9	34-42-53.538N 076-39-55.776W		0	SG on pile.
34802	Taylor Creek Junction Daybeacon TC	34-42-57.966N 076-40-07.906W			JR on pile.
34803	Beaufort Harbor Channel Lighted Junction Buoy BH	34-42-06.574N 076-40-38.016W	FI (2+1)R 6s	4	Red and green bands.
34804	Beaufort Harbor Channel Lighted Buoy 1	34-42-17.670N 076-40-41.197W	FI G 2.5s	4	Green.
34804	Beaufort Harbor Channel Lighted Buoy 1	34-42-17.670N 076-40-41.197W	FI G 2.5s	4	Green.
34805	Beaufort Harbor Channel Lighted Buoy 2	34-42-17.675N 076-40-38.674W	Q R	4	Red.
34806	Beaufort Harbor Channel Buoy 3	34-42-21.927N 076-40-42.353W			Green can.
34806	Beaufort Harbor Channel Buoy 3	34-42-21.927N 076-40-42.353W			Green can.

34807	Beaufort Harbor Channel Buoy 4	34-42-29.204N 076-40-42.405W					Red nun.	
34811	Beaufort Harbor Channel Warning Daybeacon A	34-42-19.489N 076-40-43.416W					NW on pile worded DANGER SUBMERGED JETTY.	
34812	Beaufort Harbor Channel Warning Daybeacon B	34-42-21.695N 076-40-43.325W		0			NW on pile worded DANGER SUBMERGED JETTY.	
34812	Beaufort Harbor Channel Warning Daybeacon B	34-42-21.695N 076-40-43.325W		0			NW on pile worded DANGER SUBMERGED JETTY.	
34823	Beaufort Harbor Channel Lighted Research Buoy R	34-42-30.420N 076-40-47.760W	Fl Y 2.5s					
34825	Beaufort Harbor Channel Daybeacon 5	34-42-33.266N 076-40-48.633W		0			SG on pile.	
34826	Beaufort Harbor Channel Daybeacon 6	34-42-37.263N 076-40-46.453W		0			TR on pile.	
34830	Beaufort Harbor Channel Daybeacon 8	34-42-41.955N 076-40-46.326W		0			TR on pile.	
34835	Beaufort Harbor Channel Daybeacon 9	34-42-52.521N 076-40-37.179W		0			SG on pile.	
34840	Beaufort Harbor Channel Daybeacon 10	34-42-49.268N 076-40-36.104W		0			TR on pile.	
34845	Beaufort Harbor Channel Daybeacon 12	34-42-51.327N 076-40-16.803W		0			TR on pile.	
34855	Russell Slough Channel Junction Light RG	34-44-09.757N 076-40-34.505W	Fl (2+1)R 6s	0	4		JR on pile.	
34860	Russell Slough Channel Daybeacon 10	34-43-57.960N 076-40-27.523W					TR on pile.	
34865	Russell Slough Channel Light 12	34-43-43.710N 076-40-10.742W	Q R	0	4		TR on pile.	
34875	Town Creek Channel Lighted Junction Buoy TC	34-43-30.930N 076-40-04.875W	Fl (2+1)G 6s		4		Green and red bands.	
34885	Town Creek Channel Buoy 2	34-43-30.450N 076-40-01.835W					Red nun.	
34890	Town Creek Channel Buoy 4	34-43-28.777N 076-39-53.175W					Red nun.	
34907.1	Chimney Island Slough Buoy 2	34-43-22.257N 076-41-24.343W					Red nun.	
34907.2	Chimney Island Slough Daybeacon 3	34-43-29.107N 076-41-22.766W					SG on pile.	
34907.3	Chimney Island Slough Daybeacon 4	34-43-39.390N 076-41-07.763W		0			TR on pile.	
34907.4	Chimney Island Slough Daybeacon 5	34-43-52.469N 076-41-05.534W					SG on pile.	
34907.5	Chimney Island Slough Daybeacon 6	34-43-57.980N 076-40-49.226W		0			TR on pile.	
34910	Calico Creek Entrance Buoy 2	34-43-24.231N 076-41-43.970W					Red nun.	
34915	Calico Creek Daybeacon 2A	34-43-23.603N 076-41-52.658W					TR on pile.	
34925	Calico Creek Daybeacon 4	34-43-23.151N 076-42-02.697W					TR on pile.	
34931	Manasquan Inlet Lighted Buoy 2M	40-05-32.249N 074-00-48.202W	Fl R 4s		6		Red.	
34932	Manasquan Inlet Light 3	40-06-01.406N 074-01-54.254W	Fl G 6s	0	8		SG on skeleton tower.	HORN: 1 blast ev 30 secs (3s bl). HORN is activated by keying the mic 5 times on VHF-FM 83A (157.175MHz). HORN operates for 30 minutes.
34934	Manasquan Inlet Light 4	40-06-06.152N 074-01-53.246W	Fl R 4s	20	8		TR on skeleton tower.	
34935	Manasquan River Light 2	40-06-24.632N 074-02-46.574W	Fl R 4s	15	3		TR on pile.	
34945	Manasquan River Light 4	40-06-10.596N 074-03-21.924W	Fl R 4s	0	3		TR on multi-pile structure.	
34950	Manasquan River Daybeacon 5	40-06-07.886N 074-03-20.956W		0			SG on pile.	
34955	Manasquan River Daybeacon 7	40-05-47.778N 074-03-30.041W		0			SG on pile.	
34960	Manasquan River Light 6	40-05-50.460N 074-03-30.219W	Fl R 4s	0	4		TR on pile.	
34965	Manasquan River Light 9	40-05-32.577N 074-03-50.512W	Fl G 4s	0	4		SG on pile.	
34970	Manasquan River Daybeacon 8	40-05-36.092N 074-03-49.514W		0			TR on pile.	

34975	Manasquan River Daybeacon 11	40-05-25.014N 074-03-59.610W		0		SG on pile.
34980	New Jersey Intracoastal Waterway Junction Light NJICW	40-05-17.988N 074-04-04.725W	FI (2+1)R 6s	0	3	JR-TY on pile.
34985	New Jersey Intracoastal Waterway Light 2	40-03-48.872N 074-03-01.934W	Q R	0	4	TR-TY on pile.
34990	New Jersey Intracoastal Waterway Light 3	40-03-34.586N 074-03-06.844W	FI G 4s	0	4	SG-SY on pile.
34995	New Jersey Intracoastal Waterway Light 4	40-03-24.771N 074-03-11.893W	FI R 4s	0	4	TR-TY on multi-pile structure.
35000	New Jersey Intracoastal Waterway Daybeacon 6	40-03-15.872N 074-03-06.614W		0		TR-TY on pile.
35005	New Jersey Intracoastal Waterway Daybeacon 8	40-03-06.272N 074-03-01.542W		0		TR-TY on pile.
35010	New Jersey Intracoastal Waterway Light 10	40-02-58.934N 074-03-01.381W	FI R 4s	0	4	TR-TY on multi-pile structure.
35015	New Jersey Intracoastal Waterway Daybeacon 12	40-02-43.737N 074-03-08.825W				TR - TY on pile.
35015	New Jersey Intracoastal Waterway Daybeacon 12	40-02-43.737N 074-03-08.825W				TR - TY on pile.
35020	New Jersey Intracoastal Waterway Daybeacon 13	40-02-17.484N 074-03-17.243W		0		SG-SY on pile.
35025	New Jersey Intracoastal Waterway Daybeacon 14	40-02-06.666N 074-03-22.689W				TR-TY on pile.
35025	New Jersey Intracoastal Waterway Daybeacon 14	40-02-06.666N 074-03-22.689W				TR-TY on pile.
35030	New Jersey Intracoastal Waterway Light 15	40-01-53.252N 074-03-23.594W	Q G	0	4	SG-SY on pile.
35035	New Jersey Intracoastal Waterway Light 17	40-01-38.672N 074-03-43.694W	FI G 6s	0	4	SG-SY on pile.
35040	New Jersey Intracoastal Waterway Light 19	40-01-15.332N 074-04-09.194W	FI G 4s	3	4	SG-SY on pile.
35045	New Jersey Intracoastal Waterway Light 20	40-00-36.632N 074-04-54.434W	FI R 2.5s	15	4	TR-TY on pile.
35050	New Jersey Intracoastal Waterway Daybeacon 21	40-00-12.582N 074-05-27.734W		12		SG-SY on pile.
35055	New Jersey Intracoastal Waterway Light 22	39-59-35.519N 074-06-21.161W	Q R	0	4	TR-TY on pile.
35060	New Jersey Intracoastal Waterway Light 24	39-58-59.554N 074-06-41.465W	FI R 2.5s	0	4	TR-TY on pile.
35065	New Jersey Intracoastal Waterway Light 26	39-58-36.901N 074-06-29.121W	FI R 6s	0	4	TR-TY on pile.
35070	New Jersey Intracoastal Waterway Light 27	39-58-08.019N 074-06-05.131W	FI G 4s	0	4	SG - SY on pile.
35070	New Jersey Intracoastal Waterway Light 27	39-58-08.019N 074-06-05.131W	FI G 4s	0	4	SG - SY on pile.
35075	New Jersey Intracoastal Waterway Light 28	39-57-36.572N 074-06-16.934W	FI R 4s	0	4	TR-TY on pile.
35080	New Jersey Intracoastal Waterway Light 29	39-57-04.352N 074-06-01.154W	Q G	0	4	SG-SY on pile.
35085	New Jersey Intracoastal Waterway Daybeacon 31	39-56-35.659N 074-06-13.491W		0		SG - SY on pile.
35085	New Jersey Intracoastal Waterway Daybeacon 31	39-56-35.659N 074-06-13.491W		0		SG - SY on pile.
35090	New Jersey Intracoastal Waterway Daybeacon 33	39-56-20.973N 074-06-18.280W		0		SG - SY on pile.
35090	New Jersey Intracoastal Waterway Daybeacon 33	39-56-20.973N 074-06-18.280W		0		SG - SY on pile.
35095	New Jersey Intracoastal Waterway Light 34	39-56-19.052N 074-06-19.754W	Q R	0	4	TR-TY on pile.
35100	Shore Point Light	39-56-07.692N 074-09-05.220W	FI Y 2.5s			On multi-pile structure. Maintained from May 1 to Sept. 30.
35105	New Jersey Intracoastal Waterway Light 36	39-55-38.858N 074-05-50.707W	FI R 2.5s	0	4	TR-TY on pile.
35110	New Jersey Intracoastal Waterway Daybeacon 37	39-54-57.152N 074-06-33.974W		0		SG-SY on pile.
35115	New Jersey Intracoastal Waterway Daybeacon 38	39-54-47.442N 074-06-57.124W				TR-TY on pile.
35115	New Jersey Intracoastal Waterway Daybeacon 38	39-54-47.442N 074-06-57.124W				TR-TY on pile.

35120	New Jersey Intracoastal Waterway Light 39	39-53-59.076N 074-07-11.141W	FI G 4s	0	4	SG-SY on pile.	
35125	New Jersey Intracoastal Waterway Light 40	39-51-42.444N 074-07-21.070W	FI R 2.5s	0	4	TR-TY on multi-pile structure.	
35130	Barnegat Bay Light BB	39-49-21.452N 074-08-45.614W	Mo (A) W	0	5	MR-I on multi-pile structure.	
35135	Barnegat Inlet Light BI	39-47-31.998N 074-09-54.893W	Mo (A) W	0	5	MR-I on multi-pile structure.	
35155	New Jersey Intracoastal Waterway Light 42	39-45-46.383N 074-10-14.481W	Q R	0	4	TR-TY on multi-pile structure.	
35160	New Jersey Intracoastal Waterway Daybeacon 44	39-45-23.774N 074-09-32.450W		0		TR-TY on pile.	
35165	New Jersey Intracoastal Waterway Buoy 45	39-45-05.430N 074-09-06.575W				Green can with yellow square.	Removed when endangered by ice.
35165	New Jersey Intracoastal Waterway Buoy 45	39-45-05.430N 074-09-06.575W				Green can with yellow square.	Removed when endangered by ice.
35167	New Jersey Intracoastal Waterway Daybeacon 46	39-44-59.413N 074-09-08.557W		0		TR - TY on pile.	
35167	New Jersey Intracoastal Waterway Daybeacon 46	39-44-59.413N 074-09-08.557W		0		TR - TY on pile.	
35170	New Jersey Intracoastal Waterway Light 47	39-44-33.285N 074-08-49.419W	FI G 4s	0	4	SG-SY on pile.	
35175	New Jersey Intracoastal Waterway Light 48	39-43-50.936N 074-09-02.824W	FI R 2.5s	0	4	Red.	
35175	New Jersey Intracoastal Waterway Light 48	39-43-50.936N 074-09-02.824W	FI R 2.5s	0	4	Red.	
35180	New Jersey Intracoastal Waterway Daybeacon 49	39-43-34.950N 074-08-47.014W		0		SG-SY on pile.	
35185	New Jersey Intracoastal Waterway Light 49A	39-43-15.867N 074-08-28.127W	FI G 4s	0	4	SG-SY on pile.	
35190	New Jersey Intracoastal Waterway Daybeacon 51	39-42-42.448N 074-08-31.073W		12		SG-SY on pile.	
35195	New Jersey Intracoastal Waterway Light 52	39-42-21.996N 074-08-43.888W	FI R 4s	16	4	TR with yellow triangle on pile.	
35195	New Jersey Intracoastal Waterway Light 52	39-42-21.996N 074-08-43.888W	FI R 4s	16	4	TR with yellow triangle on pile.	
35196	New Jersey Intracoastal Waterway Daybeacon 53	39-42-00.700N 074-08-55.502W				SG - SY on pile.	
35196	New Jersey Intracoastal Waterway Daybeacon 53	39-42-00.700N 074-08-55.502W				SG - SY on pile.	
35198	New Jersey Intracoastal Waterway Buoy 54	39-41-35.972N 074-09-14.174W				Red nun with yellow triangle.	Removed when endangered by ice.
35198	New Jersey Intracoastal Waterway Buoy 54	39-41-35.972N 074-09-14.174W				Red nun with yellow triangle.	Removed when endangered by ice.
35200	New Jersey Intracoastal Waterway Light 55	39-41-33.690N 074-09-10.686W	FI G 4s	0	4	SG-SY on pile.	
35205	New Jersey Intracoastal Waterway Lighted Buoy 56	39-41-22.140N 074-09-44.064W	FI R 4s		4	Red with yellow triangle.	Removed when endangered by ice.
35210	New Jersey Intracoastal Waterway Light 57	39-41-07.014N 074-09-48.612W	FI G 2.5s	0	4	SG-SY on pile.	
35215	New Jersey Intracoastal Waterway Daybeacon 58	39-41-07.373N 074-09-50.578W		12		TR-TY on pile.	
35220	New Jersey Intracoastal Waterway Daybeacon 60	39-40-48.452N 074-10-07.214W		0		TR-TY on pile.	
35225	New Jersey Intracoastal Waterway Light 62	39-40-24.683N 074-10-31.286W	Q R	0	4	TR-TY on pile.	
35230	Manahawkin Bay Lower Warning Light	39-40-01.429N 074-12-43.502W	FI W 4s			NW on pile worded DANGER.	
35235	New Jersey Intracoastal Waterway Buoy 63	39-40-12.394N 074-11-05.459W				Green can with yellow square.	Removed when endangered by ice.
35235	New Jersey Intracoastal Waterway Buoy 63	39-40-12.394N 074-11-05.459W				Green can with yellow square.	Removed when endangered by ice.
35240	New Jersey Intracoastal Waterway Daybeacon 64	39-40-10.472N 074-11-19.094W		0		TR-TY on pile.	
35245	New Jersey Intracoastal Waterway Daybeacon 65	39-40-03.466N 074-11-40.125W				SG-SY on pile.	
35245	New Jersey Intracoastal Waterway Daybeacon 65	39-40-03.466N 074-11-40.125W				SG-SY on pile.	
35250	New Jersey Intracoastal Waterway Daybeacon 67	39-39-55.546N 074-12-08.068W				SG-SY on pile.	

35250	New Jersey Intracoastal Waterway Daybeacon 67	39-39-55.546N 074-12-08.068W				SG-SY on pile.	
35255	New Jersey Intracoastal Waterway Light 68	39-39-55.769N 074-12-10.931W	Q R	0	4	TR-TY on pile.	
35260	New Jersey Intracoastal Waterway Daybeacon 69	39-39-25.772N 074-12-31.694W		0		SG-SY on pile.	
35265	East Thorofare Pier Light	39-39-17.000N 074-11-04.000W	F Y			Green pyramidal structure.	Maintained from May 15 to Nov. 15.
35270	New Jersey Intracoastal Waterway Light 70	39-39-25.585N 074-12-33.367W	Q R	0	4	TR-TY on pile.	
35275	New Jersey Intracoastal Waterway Daybeacon 71	39-38-59.360N 074-12-25.084W				SG - SY on pile.	
35275	New Jersey Intracoastal Waterway Daybeacon 71	39-38-59.360N 074-12-25.084W				SG - SY on pile.	
35280	New Jersey Intracoastal Waterway Daybeacon 72	39-38-58.594N 074-12-27.014W		0		TR - TY on pile.	
35280	New Jersey Intracoastal Waterway Daybeacon 72	39-38-58.594N 074-12-27.014W		0		TR - TY on pile.	
35285	New Jersey Intracoastal Waterway Daybeacon 74	39-38-26.639N 074-12-18.873W					
35285	New Jersey Intracoastal Waterway Daybeacon 74	39-38-26.639N 074-12-18.873W					
35290	New Jersey Intracoastal Waterway Daybeacon 75	39-38-01.230N 074-12-10.808W				SG - SY on pile.	
35290	New Jersey Intracoastal Waterway Daybeacon 75	39-38-01.230N 074-12-10.808W				SG - SY on pile.	
35295	New Jersey Intracoastal Waterway Daybeacon 76	39-38-00.487N 074-12-12.162W				TR - TY on pile.	
35295	New Jersey Intracoastal Waterway Daybeacon 76	39-38-00.487N 074-12-12.162W				TR - TY on pile.	
35300	New Jersey Intracoastal Waterway Light 78	39-37-30.112N 074-12-04.299W	Fl R 2.5s	12	4	TR-TY on pile.	
35305	New Jersey Intracoastal Waterway Daybeacon 79	39-37-15.130N 074-12-14.045W				SG - SY on pile.	
35305	New Jersey Intracoastal Waterway Daybeacon 79	39-37-15.130N 074-12-14.045W				SG - SY on pile.	
35310	New Jersey Intracoastal Waterway Daybeacon 80	39-37-03.193N 074-12-25.535W				TR - TY on pile.	
35310	New Jersey Intracoastal Waterway Daybeacon 80	39-37-03.193N 074-12-25.535W				TR - TY on pile.	
35315	New Jersey Intracoastal Waterway Light 81	39-36-49.813N 074-12-34.932W	Fl G 2.5s	0	4	SG-SY on pile.	
35320	New Jersey Intracoastal Waterway Daybeacon 82	39-36-32.671N 074-12-36.374W		15		TR-TY on pile.	
35325	New Jersey Intracoastal Waterway Light 83	39-36-30.990N 074-12-35.300W	Fl G 4s		4	SG-SY on pile.	
35330	New Jersey Intracoastal Waterway Daybeacon 84	39-36-28.523N 074-12-38.357W				TR - TY on pile.	
35330	New Jersey Intracoastal Waterway Daybeacon 84	39-36-28.523N 074-12-38.357W				TR - TY on pile.	
35332	Long Beach Pier Light	39-36-00.000N 074-13-00.000W	F Y			On end of pier.	
35335	New Jersey Intracoastal Waterway Lighted Buoy 86	39-36-14.191N 074-12-54.434W	Fl R 4s		4	Red with yellow triangle.	Removed when endangered by ice.
35340	New Jersey Intracoastal Waterway Buoy 87	39-36-09.802N 074-12-58.551W				Green can with yellow square.	Removed when endangered by ice.
35345	New Jersey Intracoastal Waterway Buoy 88	39-35-56.082N 074-13-15.286W				Red nun with yellow triangle.	Removed when endangered by ice.
35350	New Jersey Intracoastal Waterway Buoy 89	39-35-49.831N 074-13-27.363W				Green can with yellow square.	Removed when endangered by ice.
35355	New Jersey Intracoastal Waterway Daybeacon 91	39-35-46.802N 074-13-33.283W		0		SG-SY on pile.	
35360	New Jersey Intracoastal Waterway Lighted Buoy 92	39-35-47.410N 074-13-34.529W	Fl R 4s		4	Red with yellow triangle.	Removed when endangered by ice.
35360	New Jersey Intracoastal Waterway Lighted Buoy 92	39-35-47.410N 074-13-34.529W	Fl R 4s		4	Red with yellow triangle.	Removed when endangered by ice.
35365	New Jersey Intracoastal Waterway Buoy 94	39-35-31.491N 074-13-48.596W				Red nun with yellow triangle.	Removed when endangered by ice.
35370	New Jersey Intracoastal Waterway Light 95	39-35-15.387N 074-13-58.764W	Q G	0	4	SG-SY on pile.	

35375	New Jersey Intracoastal Waterway Daybeacon 96	39-34-52.570N 074-13-52.309W		0		TR-TY on pile.	
35380	New Jersey Intracoastal Waterway Light 97	39-34-51.973N 074-13-49.935W	FI G 2.5s	15	4	SG-SY on pile.	
35385	New Jersey Intracoastal Waterway Daybeacon 98	39-34-46.840N 074-13-54.935W		0		TR-TY on pile.	
35390	New Jersey Intracoastal Waterway Buoy 99	39-34-31.895N 074-14-11.987W				Green can with yellow square.	Removed when endangered by ice.
35395	New Jersey Intracoastal Waterway Buoy 101	39-34-19.766N 074-14-21.487W				Green can with yellow square.	Removed when endangered by ice.
35400	New Jersey Intracoastal Waterway Buoy 102	39-34-19.138N 074-14-23.796W				Red nun with yellow triangle.	Removed when endangered by ice.
35405	New Jersey Intracoastal Waterway Light 104	39-34-13.411N 074-14-28.754W	FI R 2.5s	0	4	TR-TY on pile.	
35410	New Jersey Intracoastal Waterway Daybeacon 106	39-34-03.366N 074-14-44.776W		0		TR-TY on pile.	
35415	New Jersey Intracoastal Waterway Daybeacon 107	39-33-56.198N 074-14-56.119W		12		SG-SY on pile.	
35420	New Jersey Intracoastal Waterway Junction Light LB	39-33-44.670N 074-15-11.322W	FI (2+1)R 6s	0	4	JR-TY on pile.	
35425	New Jersey Intracoastal Waterway Daybeacon 108	39-33-27.331N 074-15-31.634W		0		TR-TY on pile.	
35430	New Jersey Intracoastal Waterway Light 109	39-33-19.244N 074-15-28.117W	FI G 4s	12	4	SG-SY on pile.	
35435	New Jersey Intracoastal Waterway Light 110	39-32-25.288N 074-16-14.711W	FI R 4s	0	4	TR-TY on pile.	
35445	New Jersey Intracoastal Waterway Buoy 112	39-31-55.455N 074-16-40.526W				Red nun with yellow triangle.	Maintained year round.
35450	New Jersey Intracoastal Waterway Buoy 113	39-31-38.086N 074-16-52.721W				Green can with yellow square.	Maintained year round.
35455	New Jersey Intracoastal Waterway Buoy 114	39-31-28.734N 074-17-07.498W				Red nun with yellow triangle.	Maintained year round.
35457	New Jersey Intracoastal Waterway Buoy 114A	39-31-08.439N 074-17-17.352W				Red nun with yellow triangle.	Maintained year round.
35460	New Jersey Intracoastal Waterway Lighted Buoy 115	39-31-06.517N 074-17-14.988W	FI G 4s		4	Green with yellow square.	Replaced by can from Nov. 1 to May 1.
35465	New Jersey Intracoastal Waterway Lighted Buoy 116	39-30-49.748N 074-17-38.344W	FI R 4s		3	Red with yellow triangle.	Replaced by nun from Nov. 1 to May 1.
35467	New Jersey Intracoastal Waterway Buoy 116A	39-30-39.413N 074-18-02.540W				Red nun with yellow triangle.	Maintained year round.
35470	New Jersey Intracoastal Waterway Buoy 117	39-30-32.645N 074-18-08.961W				Green can with yellow square.	Maintained year round.
35480	New Jersey Intracoastal Waterway Lighted Buoy 120	39-30-24.783N 074-18-36.080W	Q R		4	Red with yellow triangle.	Replaced by nun from Nov. 1 to May 1.
35485	New Jersey Intracoastal Waterway Junction Lighted Buoy LEI	39-30-15.390N 074-18-37.494W	FI (2+1)G 6s		4	Green and red with yellow square.	Replaced by can from Nov. 1 to May 1.
35490	New Jersey Intracoastal Waterway Buoy 123	39-30-24.046N 074-18-49.159W				Green can with yellow square.	Maintained year round.
35497	New Jersey Intracoastal Waterway Buoy 125	39-30-23.184N 074-19-27.060W				Green can with yellow square.	Maintained year round.
35500	New Jersey Intracoastal Waterway Light 126	39-30-28.557N 074-20-18.603W	Q R	0	4	TR-TY on multi-pile structure.	
35520	New Jersey Intracoastal Waterway Light 127	39-30-18.148N 074-20-32.125W	FI G 2.5s	0	3	SG-SY on pile.	
35525	New Jersey Intracoastal Waterway Daybeacon 128	39-30-14.741N 074-20-35.295W		0		TR-TY on pile.	
35530	New Jersey Intracoastal Waterway Daybeacon 129	39-30-06.836N 074-20-37.035W		0		SG-SY on pile.	
35536	New Jersey Intracoastal Waterway Lighted Buoy 130	39-30-00.606N 074-20-45.581W	FI R 4s		4	Red with yellow triangle.	Removed when endangered by ice.
35536	New Jersey Intracoastal Waterway Lighted Buoy 130	39-30-00.606N 074-20-45.581W	FI R 4s		4	Red with yellow triangle.	Removed when endangered by ice.
35537	New Jersey Intracoastal Waterway Buoy 130A	39-29-50.049N 074-21-02.378W				Red nun with yellow triangle.	Removed when endangered by ice.
35537	New Jersey Intracoastal Waterway Buoy 130A	39-29-50.049N 074-21-02.378W				Red nun with yellow triangle.	Removed when endangered by ice.
35538	New Jersey Intracoastal Waterway Lighted Buoy 130B	39-29-53.155N 074-21-28.526W	FI R 4s		4	Red with yellow triangle.	
35539	New Jersey Intracoastal Waterway Buoy 130C	39-29-58.844N 074-21-41.787W				Red nun with yellow triangle.	

35540	New Jersey Intracoastal Waterway Lighted Buoy 131	39-29-47.909N 074-21-01.286W	FI G 4s	4	Green with yellow square.	Removed when endangered by ice.
35540.1	New Jersey Intracoastal Waterway Buoy 131A	39-29-49.649N 074-21-22.727W			Green can with yellow square.	Removed when endangered by ice.
35540	New Jersey Intracoastal Waterway Lighted Buoy 131	39-29-47.909N 074-21-01.286W	FI G 4s	4	Green with yellow square.	Removed when endangered by ice.
35540.1	New Jersey Intracoastal Waterway Buoy 131A	39-29-49.649N 074-21-22.727W			Green can with yellow square.	Removed when endangered by ice.
35550	New Jersey Intracoastal Waterway Warning Daybeacon A	39-29-57.554N 074-21-26.881W		0	NW on pile worded DANGER SHOAL.	
35555	New Jersey Intracoastal Waterway Daybeacon 135	39-29-54.952N 074-22-04.430W		0	SG-SY on pile.	
35560	New Jersey Intracoastal Waterway Daybeacon 136	39-29-57.628N 074-22-07.193W		0	TR-TY on pile.	
35565	New Jersey Intracoastal Waterway Daybeacon 138	39-29-55.260N 074-22-29.524W		0	TR-TY on pile.	
35570	New Jersey Intracoastal Waterway Light 139	39-29-52.662N 074-22-52.081W	Q G	0	4	SG-SY on multi-pile structure.
35575	New Jersey Intracoastal Waterway Light 141	39-29-24.716N 074-22-53.797W	FI G 2.5s	0	4	SG-SY on multi-pile structure.
35580	New Jersey Intracoastal Waterway Daybeacon 143	39-29-13.077N 074-22-40.597W		0	SG-SY on pile.	
35585	New Jersey Intracoastal Waterway Daybeacon 144	39-29-04.361N 074-22-32.766W		0	TR-TY on pile.	
35590	New Jersey Intracoastal Waterway Light 145	39-29-02.053N 074-22-27.741W	Q G	0	4	SG-SY on pile.
35592	Blue Republic Shellfish Lighted Buoy A	39-28-56.012N 074-22-31.883W	FI W 6s		White can with orange bands.	Maintained from Apr. 1 to Dec. 31
35592.1	Blue Republic Shellfish Lighted Buoy B	39-28-54.460N 074-22-34.390W	FI W 6s		White can with orange bands.	Maintained from Apr. 1 to Dec. 31
35592	Blue Republic Shellfish Lighted Buoy A	39-28-56.012N 074-22-31.883W	FI W 6s		White can with orange bands.	Maintained from Apr. 1 to Dec. 31
35592.1	Blue Republic Shellfish Lighted Buoy B	39-28-54.460N 074-22-34.390W	FI W 6s		White can with orange bands.	Maintained from Apr. 1 to Dec. 31
35595	New Jersey Intracoastal Waterway Daybeacon 147	39-28-45.481N 074-22-45.640W		0	SG-SY on pile.	
35600	New Jersey Intracoastal Waterway Daybeacon 148	39-28-35.504N 074-22-58.531W		0	TR-TY on pile.	
35605	New Jersey Intracoastal Waterway Light 149	39-28-22.753N 074-23-14.041W	FI G 4s	0	4	SG-SY on pile.
35610	New Jersey Intracoastal Waterway Daybeacon 150	39-28-15.301N 074-23-23.687W		0	TR-TY on pile.	
35615	New Jersey Intracoastal Waterway Daybeacon 152	39-28-05.551N 074-23-33.194W		0	TR-TY on pile.	
35620	New Jersey Intracoastal Waterway Buoy 153	39-27-56.792N 074-23-39.429W			Green can with yellow square.	Removed when endangered by ice.
35625	New Jersey Intracoastal Waterway Daybeacon 155	39-27-44.028N 074-23-37.288W		0	SG-SY on pile.	
35630	New Jersey Intracoastal Waterway Daybeacon 156	39-27-34.920N 074-23-37.776W		0	TR-TY on pile.	
35631	New Jersey Intracoastal Waterway Buoy 156A	39-27-15.488N 074-23-33.376W			Red nun with yellow triangle.	Maintained from May 1 to Nov. 1.
35635	New Jersey Intracoastal Waterway Daybeacon 157	39-27-15.968N 074-23-32.833W		0	SG-SY on pile.	
35640	New Jersey Intracoastal Waterway Daybeacon 159	39-27-03.854N 074-23-31.273W		0	SG-SY on pile.	
35645	New Jersey Intracoastal Waterway Light 160	39-26-52.546N 074-23-31.262W	FI R 4s	15	4	TR-TY on pile.
35647	New Jersey Intracoastal Waterway Buoy 160A	39-26-47.440N 074-23-27.890W			Red nun with yellow triangle.	Maintained from May 1 to Nov. 1.
35649	New Jersey Intracoastal Waterway Buoy 161	39-26-55.044N 074-23-30.943W			Green can with yellow square.	Maintained from May 1 to Nov. 1.
35650	New Jersey Intracoastal Waterway Daybeacon 162	39-26-41.071N 074-23-28.942W		0	TR-TY on pile.	
35655	New Jersey Intracoastal Waterway Buoy 163	39-26-33.265N 074-23-28.590W			Green can with yellow square.	Removed when endangered by ice.
35660	New Jersey Intracoastal Waterway Daybeacon 164	39-26-27.708N 074-23-38.037W		0	TR-TY on pile.	
35665	New Jersey Intracoastal Waterway Daybeacon 165	39-26-16.483N 074-23-55.413W		0	SG-SY on pile.	

35670	New Jersey Intracoastal Waterway Buoy 166	39-26-10.460N 074-24-06.458W				Red nun with yellow triangle.	Removed when endangered by ice.
35675	New Jersey Intracoastal Waterway Light 167	39-26-04.541N 074-24-11.983W	Q G	0	4	SG-SY on pile.	
35680	New Jersey Intracoastal Waterway Daybeacon 168	39-26-05.874N 074-24-13.851W		0		TR-TY on pile.	
35685	New Jersey Intracoastal Waterway Light 170	39-26-05.610N 074-24-50.126W	Q R	0	4	TR-TY on pile.	
35687	New Jersey Intracoastal Waterway Daybeacon 170A	39-25-50.862N 074-25-01.544W		0		TR-TY on pile.	
35690	New Jersey Intracoastal Waterway Daybeacon 171	39-25-59.553N 074-24-54.266W		0		SG-SY on pile.	
35695	New Jersey Intracoastal Waterway Light 172	39-25-47.191N 074-25-03.854W	FI R 4s	0	4	TR-TY on pile.	
35700	New Jersey Intracoastal Waterway Light 173	39-25-33.991N 074-25-20.234W	FI G 4s	15	4	SG-SY on pile.	
35705	New Jersey Intracoastal Waterway Light 174	39-25-20.575N 074-25-30.620W	FI R 6s	0	4	TR-TY on pile.	
35710	New Jersey Intracoastal Waterway Daybeacon 175	39-25-10.578N 074-25-35.622W		0		SG-SY on pile.	
35715	New Jersey Intracoastal Waterway Daybeacon 176	39-24-47.369N 074-25-53.473W		0		TR-TY on pile.	
35720	New Jersey Intracoastal Waterway Light 177	39-24-35.252N 074-25-59.851W	FI G 2.5s	0	4	SG-SY on pile.	
35725	New Jersey Intracoastal Waterway Daybeacon 178	39-24-16.638N 074-26-07.116W		0		TR-TY on pile.	
35730	New Jersey Intracoastal Waterway Light 179	39-24-02.071N 074-26-00.674W	Q G	0	4	SG-SY on pile.	
35735	New Jersey Intracoastal Waterway Junction Light AB	39-23-47.696N 074-26-01.287W	FI (2+1)R 6s	0	4	JR-TY on pile.	
35740	New Jersey Intracoastal Waterway Lighted Buoy 181	39-23-31.018N 074-25-43.972W	FI G 4s		4	Green with yellow square.	Replaced by can from Nov 1 to May 1.
35745	New Jersey Intracoastal Waterway Lighted Buoy 182	39-23-24.265N 074-25-57.430W	Q R		4	Red with yellow triangle.	Removed when endangered by ice.
35745	New Jersey Intracoastal Waterway Lighted Buoy 182	39-23-24.265N 074-25-57.430W	Q R		4	Red with yellow triangle.	Removed when endangered by ice.
35750	New Jersey Intracoastal Waterway Buoy 184	39-23-22.531N 074-26-21.494W				Red nun with yellow triangle.	
35750	New Jersey Intracoastal Waterway Buoy 184	39-23-22.531N 074-26-21.494W				Red nun with yellow triangle.	
35755	New Jersey Intracoastal Waterway Daybeacon 185	39-23-20.145N 074-26-49.505W		0		SG-SY on pile.	
35760	New Jersey Intracoastal Waterway Light 186	39-23-19.942N 074-26-56.665W	FI R 2.5s	0	4	TR-TY on multi-pile structure.	
35765	New Jersey Intracoastal Waterway Daybeacon 187	39-23-18.384N 074-26-54.047W		0		SG-SY on pile.	
35770	New Jersey Intracoastal Waterway Lighted Buoy 189	39-23-02.760N 074-27-07.800W	FI G 4s		4	Green with yellow square.	Removed when endangered by ice.
35775	New Jersey Intracoastal Waterway Daybeacon 191	39-22-47.461N 074-27-03.284W		0		SG-SY on pile.	
35790	New Jersey Intracoastal Waterway Buoy 193	39-22-27.501N 074-27-31.180W				Green can with yellow square.	Removed when endangered by ice.
35790	New Jersey Intracoastal Waterway Buoy 193	39-22-27.501N 074-27-31.180W				Green can with yellow square.	Removed when endangered by ice.
35795	New Jersey Intracoastal Waterway Buoy 195	39-22-25.444N 074-27-33.637W				Green can with yellow square.	Removed when endangered by ice.
35795	New Jersey Intracoastal Waterway Buoy 195	39-22-25.444N 074-27-33.637W				Green can with yellow square.	Removed when endangered by ice.
35800	New Jersey Intracoastal Waterway Buoy 197	39-22-21.300N 074-27-31.260W				Green can with yellow square.	Removed when endangered by ice.
35805	New Jersey Intracoastal Waterway Buoy 199	39-22-10.492N 074-27-15.142W				Green can with yellow square.	Removed when endangered by ice.
35805	New Jersey Intracoastal Waterway Buoy 199	39-22-10.492N 074-27-15.142W				Green can with yellow square.	Removed when endangered by ice.
35810	New Jersey Intracoastal Waterway Daybeacon 201	39-22-12.931N 074-26-52.814W		0		SG-SY on pile.	
35815	New Jersey Intracoastal Waterway Daybeacon 202	39-22-05.160N 074-26-45.303W		0		TR-TY on pile.	
35820	New Jersey Intracoastal Waterway Daybeacon 204	39-21-41.503N 074-26-46.439W		0		TR-TY on pile.	

35825	New Jersey Intracoastal Waterway Daybeacon 206	39-21-38.011N 074-26-50.114W		0		TR-TY on pile.	
35830	New Jersey Intracoastal Waterway Daybeacon 207	39-21-34.991N 074-26-59.052W		0		SG-SY on pile.	
35835	New Jersey Intracoastal Waterway Daybeacon 209	39-21-28.679N 074-27-09.672W		0		SG-SY on pile.	
35840	New Jersey Intracoastal Waterway Light 211	39-20-33.594N 074-29-04.612W	Q G	0	4	SG-SY on pile.	
35845	New Jersey Intracoastal Waterway Daybeacon 213	39-21-11.038N 074-29-34.520W		0		SG-SY on pile.	
35850	New Jersey Intracoastal Waterway Light 215	39-21-12.391N 074-29-38.774W	Q G	0	4	SG-SY on pile.	
35855	New Jersey Intracoastal Waterway Daybeacon 217	39-21-10.374N 074-29-40.044W		0		SG-SY on pile.	
35860	New Jersey Intracoastal Waterway Light 219	39-20-52.651N 074-29-35.774W	FI G 4s	0	4	SG-SY on pile.	
35865	New Jersey Intracoastal Waterway Light 220	39-20-45.710N 074-29-48.751W	FI R 4s	15	4	TR-TY on pile.	
35867	New Jersey Intracoastal Waterway Daybeacon 221	39-20-40.697N 074-30-17.618W		0		SG-SY on pile.	
35870	New Jersey Intracoastal Waterway Lighted Wreck Buoy WR222	39-20-33.252N 074-30-41.166W	Q R		4	Red nun with yellow triangle.	
35870	New Jersey Intracoastal Waterway Lighted Wreck Buoy WR222	39-20-33.252N 074-30-41.166W	Q R		4	Red nun with yellow triangle.	
35880	New Jersey Intracoastal Waterway Light 225	39-20-05.839N 074-30-54.312W	FI G 4s	15	4	SG-SY on pile.	
35885	New Jersey Intracoastal Waterway Light 226	39-19-36.087N 074-31-11.704W	FI R 2.5s	0	4	TR-TY on pile.	
35890	New Jersey Intracoastal Waterway Daybeacon 228	39-19-32.865N 074-31-18.059W		0		TR-TY on pile.	
35895	New Jersey Intracoastal Waterway Light 230	39-19-15.048N 074-31-42.666W	Q R	0	4	TR-TY on pile.	
35900	New Jersey Intracoastal Waterway Daybeacon 231	39-19-15.368N 074-31-53.346W		0		SG-SY on pile.	
35905	New Jersey Intracoastal Waterway Light 233	39-19-41.335N 074-32-17.450W	Q G	0	4	SG-SY on pile.	
35910	New Jersey Intracoastal Waterway Daybeacon 234	39-19-35.975N 074-32-28.472W		0		TR-TY on pile.	
35915	New Jersey Intracoastal Waterway Daybeacon 235	39-19-27.363N 074-32-42.252W		12		SG-SY on pile.	
35920	New Jersey Intracoastal Waterway Daybeacon 236	39-19-16.643N 074-32-49.586W		15		TR-TY on pile.	
35925	New Jersey Intracoastal Waterway Daybeacon 238	39-19-09.174N 074-33-03.579W		15		TR-TY on pile.	
35930	New Jersey Intracoastal Waterway Daybeacon 239	39-18-59.244N 074-33-27.598W				SG-SY on pile.	
35940	New Jersey Intracoastal Waterway Warning Daybeacon B	39-18-55.885N 074-33-32.772W		15		NW on pile.	
35941	New Jersey Intracoastal Waterway Buoy 241	39-18-55.878N 074-33-33.966W				Green can.	
35941	New Jersey Intracoastal Waterway Buoy 241	39-18-55.878N 074-33-33.966W				Green can.	
35945	New Jersey Intracoastal Waterway Daybeacon 243	39-18-53.580N 074-33-33.274W		15		SG-SY on pile.	
35950	New Jersey Intracoastal Waterway Daybeacon 245	39-18-30.757N 074-33-36.505W		0		SG-SY on pile.	
35955	New Jersey Intracoastal Waterway Buoy 246	39-18-16.776N 074-33-34.712W				Red nun with yellow triangle.	Maintained year round.
35960	New Jersey Intracoastal Waterway Buoy 246A	39-18-14.256N 074-33-40.416W				Red nun with yellow triangle.	Maintained year round.
35965	New Jersey Intracoastal Waterway Buoy 247	39-18-11.480N 074-33-41.705W				Green can with yellow square.	Maintained year round.
35970	New Jersey Intracoastal Waterway Buoy 248	39-18-10.585N 074-33-51.246W				Red nun with yellow triangle.	Maintained year round.
35975	New Jersey Intracoastal Waterway Buoy 249	39-18-09.597N 074-33-50.609W				Green can with yellow square.	Maintained year round.
35977	New Jersey Intracoastal Waterway Buoy 250	39-18-08.653N 074-33-58.750W				Red nun with yellow triangle.	Maintained year round.

35978	New Jersey Intracoastal Waterway Buoy 250A	39-17-48.811N 074-33-55.214W				Red nun with yellow triangle.	Maintained year round.
35979.5	New Jersey Intracoastal Waterway Buoy 251A	39-17-57.170N 074-34-09.148W				Green can.	
35979	New Jersey Intracoastal Waterway Buoy 251	39-18-04.471N 074-34-10.094W				Green can with yellow square.	Maintained year round.
35979.5	New Jersey Intracoastal Waterway Buoy 251A	39-17-57.170N 074-34-09.148W				Green can.	
35980	New Jersey Intracoastal Waterway Light 252	39-17-11.395N 074-34-39.522W	FI R 2.5s	0	4	TR-TY on pile.	
35985	New Jersey Intracoastal Waterway Daybeacon 254	39-17-02.540N 074-34-58.771W		12		TR-TY on pile.	
35995	New Jersey Intracoastal Waterway Buoy 258	39-16-45.559N 074-35-08.790W				Red nun with yellow triangle.	Maintained year round.
36000	New Jersey Intracoastal Waterway Light 260	39-16-42.190N 074-35-29.254W	FI R 4s	0	4	TR-TY on pile.	
36004	New Jersey Intracoastal Waterway Warning Daybeacon	39-16-50.565N 074-35-50.570W		0		NW on pile worded DANGER SHOAL.	
36005	New Jersey Intracoastal Waterway Lighted Buoy 262	39-16-44.745N 074-35-53.848W	Q R		4	Red with yellow triangle.	Removed when endangered by ice.
36005	New Jersey Intracoastal Waterway Lighted Buoy 262	39-16-44.745N 074-35-53.848W	Q R		4	Red with yellow triangle.	Removed when endangered by ice.
36007	New Jersey Intracoastal Waterway Buoy 263	39-16-43.757N 074-35-46.728W				Green can with yellow square.	Removed when endangered by ice.
36009	New Jersey Intracoastal Waterway Buoy 263A	39-16-39.492N 074-35-59.409W				Green can with yellow square.	Removed when endangered by ice.
36010	New Jersey Intracoastal Waterway Lighted Buoy 264	39-16-41.117N 074-36-00.677W	FI R 2.5s		4	Red with yellow triangle.	Removed when endangered by ice.
36010	New Jersey Intracoastal Waterway Lighted Buoy 264	39-16-41.117N 074-36-00.677W	FI R 2.5s		4	Red with yellow triangle.	Removed when endangered by ice.
36011	New Jersey Intracoastal Waterway Buoy 264A	39-16-25.956N 074-36-13.044W				Red nun with yellow triangle.	Removed when endangered by ice.
36015	New Jersey Intracoastal Waterway Buoy 265	39-16-33.773N 074-36-05.890W				Green can with yellow square.	Maintained year round.
36020	New Jersey Intracoastal Waterway Buoy 266	39-16-16.735N 074-36-16.338W				Red nun with yellow triangle.	Removed when endangered by ice.
36025	New Jersey Intracoastal Waterway Daybeacon 268	39-16-11.773N 074-36-24.599W		0		TR-TY on pile.	
36030	New Jersey Intracoastal Waterway Daybeacon 270	39-16-08.805N 074-36-32.061W		0		TR-TY on pile.	
36035	New Jersey Intracoastal Waterway Daybeacon 272	39-16-10.431N 074-36-44.488W		0		TR-TY on pile.	
36040	New Jersey Intracoastal Waterway Daybeacon 273	39-16-08.377N 074-36-51.392W		0		SG-SY on pile.	
36045	New Jersey Intracoastal Waterway Lighted Buoy 275	39-16-01.891N 074-37-00.494W	FI G 4s		4	Green with yellow square.	
36045	New Jersey Intracoastal Waterway Lighted Buoy 275	39-16-01.891N 074-37-00.494W	FI G 4s		4	Green with yellow square.	
36050	New Jersey Intracoastal Waterway Daybeacon 276	39-15-50.946N 074-37-10.581W		0		TR-TY on pile.	
36055	New Jersey Intracoastal Waterway Daybeacon 277	39-15-45.327N 074-37-14.501W		0		SG-SY on pile.	
36060	New Jersey Intracoastal Waterway Daybeacon 278	39-15-39.732N 074-37-21.390W		0		TR-TY on pile.	
36065	New Jersey Intracoastal Waterway Light 280	39-15-32.147N 074-37-28.461W	Q R	0	4	TR-TY on pile.	
36070	New Jersey Intracoastal Waterway Buoy 282	39-15-20.857N 074-37-34.817W				Red nun with yellow triangle.	
36070	New Jersey Intracoastal Waterway Buoy 282	39-15-20.857N 074-37-34.817W				Red nun with yellow triangle.	
36075	New Jersey Intracoastal Waterway Daybeacon 284	39-15-01.578N 074-37-38.271W				TR-TY on pile.	
36080	New Jersey Intracoastal Waterway Daybeacon 285	39-14-56.605N 074-37-36.098W		0		SG-SY on pile.	
36085	New Jersey Intracoastal Waterway Daybeacon 286	39-14-50.487N 074-37-38.788W		0		TR-TY on pile.	
36090	New Jersey Intracoastal Waterway Daybeacon 288	39-14-41.805N 074-37-47.376W		0		TR-TY on pile.	
36095	New Jersey Intracoastal Waterway Daybeacon 290	39-14-37.157N 074-37-56.621W		0		TR-TY on pile.	

36100	New Jersey Intracoastal Waterway Daybeacon 291	39-14-35.485N 074-37-56.974W		0		SG-SY on pile.	
36105	New Jersey Intracoastal Waterway Light 293	39-14-34.344N 074-38-08.870W	FI G 4s	0	4	SG-SY on pile.	
36110	New Jersey Intracoastal Waterway Buoy 295	39-14-36.426N 074-38-17.760W				Green can with yellow square.	Removed when endangered by ice.
36115	New Jersey Intracoastal Waterway Daybeacon 296	39-14-25.097N 074-38-34.371W				TR-TY on pile.	
36120	New Jersey Intracoastal Waterway Daybeacon 297	39-14-23.349N 074-38-47.298W		0		SG-SY on pile.	
36125	New Jersey Intracoastal Waterway Daybeacon 298	39-14-06.441N 074-38-51.312W				TR-TY on pile.	
36130	New Jersey Intracoastal Waterway Lighted Buoy 299	39-14-01.565N 074-38-45.827W	FI G 4s		4	Green with yellow square.	Removed when endangered by ice.
36135	New Jersey Intracoastal Waterway Daybeacon 301	39-13-51.958N 074-38-49.322W				SG-SY on pile.	
36140	New Jersey Intracoastal Waterway Daybeacon 302	39-13-41.471N 074-38-59.817W		0		TR-TY on pile.	
36145	New Jersey Intracoastal Waterway Light 304	39-13-39.545N 074-39-18.651W	Q R	0	4	TR-TY on pile.	
36150	New Jersey Intracoastal Waterway Daybeacon 306	39-13-35.517N 074-39-20.197W		0		TR-TY on pile.	
36155	New Jersey Intracoastal Waterway Buoy 308	39-13-28.657N 074-39-17.044W				Red nun with yellow triangle.	Removed when endangered by ice.
36160	New Jersey Intracoastal Waterway Light 309	39-13-02.882N 074-39-17.172W	FI G 4s	0	4	SG-SY on pile.	
36165	New Jersey Intracoastal Waterway Light 310	39-13-02.667N 074-39-19.583W	FI R 2.5s	0	4	TR-TY on pile.	
36170	New Jersey Intracoastal Waterway Daybeacon 311	39-12-55.077N 074-39-36.040W		0		SG-SY on pile.	
36175	New Jersey Intracoastal Waterway Daybeacon 313	39-12-50.963N 074-39-39.272W		0		SG-SY on pile.	
36180	New Jersey Intracoastal Waterway Daybeacon 314	39-12-39.036N 074-39-44.616W		0		TR-TY on pile.	
36185	New Jersey Intracoastal Waterway Daybeacon 316	39-12-28.659N 074-39-56.456W		0		TR-TY on pile.	
36190	New Jersey Intracoastal Waterway Light 317	39-12-25.090N 074-40-04.299W	FI G 2.5s	0	4	SG-SY on pile.	
36195	New Jersey Intracoastal Waterway Daybeacon 318	39-12-22.931N 074-40-08.723W		0		TR-TY on pile.	
36200	New Jersey Intracoastal Waterway Daybeacon 319	39-12-22.114N 074-40-07.641W		0		SG-SY on pile.	
36205	New Jersey Intracoastal Waterway Daybeacon 320	39-12-18.387N 074-40-13.040W		0		TR-TY on pile.	
36210	New Jersey Intracoastal Waterway Light 322	39-12-14.522N 074-40-18.408W	FI R 2.5s	0	4	TR-TY on pile.	
36215	New Jersey Intracoastal Waterway Daybeacon 323	39-12-12.031N 074-40-39.255W		0		SG-SY on pile.	
36220	New Jersey Intracoastal Waterway Daybeacon 325	39-12-11.371N 074-40-42.915W		0		SG-SY on pile.	
36225	New Jersey Intracoastal Waterway Daybeacon 327	39-12-09.479N 074-40-46.506W		0		SG-SY on pile.	
36230	New Jersey Intracoastal Waterway Light 328	39-12-03.425N 074-40-49.654W	Q R	0	4	TR-TY on pile.	
36235	New Jersey Intracoastal Waterway Daybeacon 329	39-12-01.881N 074-40-47.666W		0		SG-SY on pile.	
36240	New Jersey Intracoastal Waterway Daybeacon 330	39-11-54.195N 074-41-04.969W		0		TR-TY on pile.	
36245	New Jersey Intracoastal Waterway Light 331	39-11-52.059N 074-41-24.499W	FI G 2.5s	0	4	SG-SY on pile.	
36250	New Jersey Intracoastal Waterway Daybeacon 333	39-11-49.831N 074-41-28.995W		0		SG-SY on pile.	
36255	New Jersey Intracoastal Waterway Daybeacon 335	39-11-43.007N 074-41-33.623W		0		SG-SY on pile.	
36260	New Jersey Intracoastal Waterway Light 336	39-11-30.983N 074-41-42.907W	FI R 4s	0	4	TR-TY on pile.	
36265	New Jersey Intracoastal Waterway Daybeacon 337	39-11-21.271N 074-41-50.475W		0		SG-SY on pile.	
36270	New Jersey Intracoastal Waterway Daybeacon 339	39-11-11.935N 074-41-56.296W		0		SG-SY on pile.	

36275	New Jersey Intracoastal Waterway Light 340	39-11-06.901N 074-41-58.228W	FI R 2.5s	0	4	TR-TY on multi-pile structure.	
36280	New Jersey Intracoastal Waterway Buoy 342	39-10-56.311N 074-41-58.935W				Red nun with yellow triangle.	Removed when endangered by ice.
36285	New Jersey Intracoastal Waterway Daybeacon 344	39-10-45.862N 074-41-58.988W		0		TR-TY on pile.	
36290	New Jersey Intracoastal Waterway Buoy 345	39-10-44.731N 074-41-57.195W				Green can.	Removed when endangered by ice.
36295	New Jersey Intracoastal Waterway Light 346	39-10-29.829N 074-41-52.573W	Q R	0	4	TR-TY on pile.	
36300	New Jersey Intracoastal Waterway Daybeacon 348	39-10-16.802N 074-41-59.475W		0		TR-TY on pile.	
36305	New Jersey Intracoastal Waterway Light 349	39-10-09.911N 074-42-01.456W	FI G 2.5s	0	4	SG-SY on pile.	
36310	New Jersey Intracoastal Waterway Daybeacon 350	39-10-03.754N 074-42-01.018W		0		TR-TY on pile.	
36315	New Jersey Intracoastal Waterway Daybeacon 352	39-09-56.223N 074-41-56.874W		0		TR-TY on pile.	
36320	New Jersey Intracoastal Waterway Daybeacon 354	39-09-46.155N 074-41-52.821W		0		TR-TY on pile.	
36325	New Jersey Intracoastal Waterway Daybeacon 356	39-09-39.902N 074-41-54.045W		0		TR-TY on pile.	
36330	New Jersey Intracoastal Waterway Daybeacon 357	39-09-19.733N 074-42-14.969W				SG-SY on pile.	
36335	New Jersey Intracoastal Waterway Light 359	39-09-03.631N 074-42-28.695W	FI G 4s	0	4	SG-SY on pile.	
36340	New Jersey Intracoastal Waterway Daybeacon 361	39-08-59.791N 074-42-28.035W		0		SG-SY on pile.	
36345	New Jersey Intracoastal Waterway Light 362	39-08-39.991N 074-42-20.775W	Q R	0	4	TR-TY on pile.	
36350	New Jersey Intracoastal Waterway Daybeacon 363	39-08-33.267N 074-42-33.646W		0		SG-SY on pile.	
36355	New Jersey Intracoastal Waterway Daybeacon 364	39-08-20.671N 074-42-48.435W		0		TR-TY on pile.	
36360	New Jersey Intracoastal Waterway Light 365	39-08-13.771N 074-42-52.695W	FI G 2.5s	0	4	SG-SY on pile.	
36365	New Jersey Intracoastal Waterway Daybeacon 367	39-08-09.151N 074-42-53.055W		0		SG-SY on pile.	
36370	New Jersey Intracoastal Waterway Daybeacon 368	39-07-55.051N 074-42-53.235W		0		TR-TY on pile.	
36375	New Jersey Intracoastal Waterway Daybeacon 370	39-07-32.073N 074-42-56.580W		0		TR-TY on pile.	
36380	New Jersey Intracoastal Waterway Lighted Buoy 372	39-07-11.341N 074-43-06.453W	Q R		4	Red with yellow triangle.	Replaced by nun from Nov. 1 to May 1.
36385	New Jersey Intracoastal Waterway Buoy 374	39-06-56.899N 074-43-30.873W				Red nun with yellow triangle.	Removed when endangered by ice.
36393	New Jersey Intracoastal Waterway Buoy 376	39-06-30.455N 074-44-15.290W				Red nun with yellow triangle.	Removed when endangered by ice.
36395	New Jersey Intracoastal Waterway Light 377	39-06-26.311N 074-44-43.395W	FI G 4s	0	4	SG-SY on pile.	
36400	New Jersey Intracoastal Waterway Light 378	39-06-03.511N 074-45-00.375W	FI R 4s	0	4	TR-TY on pile.	
36405	New Jersey Intracoastal Waterway Daybeacon 380	39-06-02.011N 074-45-12.735W		0		TR-TY on pile.	
36410	New Jersey Intracoastal Waterway Buoy 381	39-06-06.769N 074-45-26.082W				Green can with yellow square.	Removed when endangered by ice.
36415	New Jersey Intracoastal Waterway Buoy 382	39-06-08.851N 074-45-38.235W				Red nun with yellow triangle.	
36415	New Jersey Intracoastal Waterway Buoy 382	39-06-08.851N 074-45-38.235W				Red nun with yellow triangle.	
36420	New Jersey Intracoastal Waterway Light 383	39-06-04.206N 074-45-48.578W	FI G 2.5s	0	4	SG-SY on pile.	
36425	New Jersey Intracoastal Waterway Buoy 384	39-05-52.940N 074-45-52.506W				Red nun with yellow triangle.	Removed when endangered by ice.
36425	New Jersey Intracoastal Waterway Buoy 384	39-05-52.940N 074-45-52.506W				Red nun with yellow triangle.	Removed when endangered by ice.
36427	New Jersey Intracoastal Waterway Daybeacon 385	39-05-45.338N 074-45-55.127W		0		SG-SY on pile	
36430	New Jersey Intracoastal Waterway Light 386	39-05-32.578N 074-46-01.143W	FI R 4s	0	4	TR-TY on pile.	

36435	New Jersey Intracoastal Waterway Daybeacon 388	39-05-17.241N 074-46-08.793W		0		TR-TY on pile.	
36440	New Jersey Intracoastal Waterway Daybeacon 389	39-05-10.598N 074-46-10.145W		0		SG-SY on pile.	
36445	New Jersey Intracoastal Waterway Daybeacon 390	39-04-59.633N 074-46-17.679W		0		TR-TY on pile.	
36450	New Jersey Intracoastal Waterway Light 392	39-04-48.723N 074-46-23.363W	FI R 4s	0	4	TR-TY on pile.	
36455	New Jersey Intracoastal Waterway Daybeacon 393	39-04-48.811N 074-46-21.735W		0		SG-SY on pile.	
36460	New Jersey Intracoastal Waterway Daybeacon 395	39-04-41.387N 074-46-20.845W		0		SG-SY on pile.	
36465	New Jersey Intracoastal Waterway Daybeacon 397	39-04-34.471N 074-46-13.515W		0		SG-SY on pile.	
36470	New Jersey Intracoastal Waterway Daybeacon 399	39-04-28.831N 074-46-04.335W		0		SG-SY on pile.	
36475	New Jersey Intracoastal Waterway Buoy 401	39-04-24.995N 074-45-50.142W				Green can with yellow square.	Removed when endangered by ice.
36480	New Jersey Intracoastal Waterway Daybeacon 402	39-04-19.591N 074-45-33.495W		0		TR-TY on pile.	
36485	New Jersey Intracoastal Waterway Daybeacon 404	39-04-12.871N 074-45-22.455W		0		TR-TY on pile.	
36490	New Jersey Intracoastal Waterway Daybeacon 406	39-04-06.249N 074-45-16.744W		0		TR-TY on pile.	
36495	New Jersey Intracoastal Waterway Daybeacon 408	39-03-59.851N 074-45-18.375W		0		TR-TY on pile.	
36500	New Jersey Intracoastal Waterway Daybeacon 410	39-03-47.491N 074-45-26.835W		0		TR-TY on pile.	
36505	New Jersey Intracoastal Waterway Daybeacon 412	39-03-39.091N 074-45-36.795W		0		TR-TY on pile.	
36510	New Jersey Intracoastal Waterway Daybeacon 414	39-03-11.975N 074-46-10.094W		0		TR-TY on pile.	
36515	New Jersey Intracoastal Waterway Buoy 416	39-02-53.224N 074-46-31.145W				Red nun with yellow triangle.	Maintained from May 1 to Nov. 1.
36517	New Jersey Intracoastal Waterway Buoy 417	39-02-44.071N 074-46-36.407W				Green can with yellow square.	Maintained from May 1 to Nov. 1.
36518	New Jersey Intracoastal Waterway Buoy 418	39-02-45.602N 074-46-38.683W				Red nun with yellow triangle.	Maintained from May 1 to Nov. 1.
36520	New Jersey Intracoastal Waterway Buoy 419	39-02-41.598N 074-46-42.399W				Green can with yellow square.	Maintained from May 1 to Nov. 1.
36525	New Jersey Intracoastal Waterway Buoy 421	39-02-40.934N 074-46-50.090W				Green can with yellow square.	Maintained from May 1 to Nov. 1.
36530	New Jersey Intracoastal Waterway Buoy 423	39-02-36.537N 074-46-53.832W				Green can with yellow square.	Maintained from May 1 to Nov. 1.
36535	New Jersey Intracoastal Waterway Buoy 424	39-02-32.847N 074-46-58.636W				Red nun with yellow triangle.	Maintained from May 1 to Nov. 1.
36540	New Jersey Intracoastal Waterway Buoy 425	39-02-32.349N 074-46-56.329W				Green can with yellow square.	Maintained from May 1 to Nov. 1.
36545	New Jersey Intracoastal Waterway Daybeacon 427	39-02-34.171N 074-47-16.695W		0		SG-SY on pile.	
36550	New Jersey Intracoastal Waterway Daybeacon 429	39-02-29.911N 074-47-28.875W		0		SG-SY on pile.	
36555	New Jersey Intracoastal Waterway Daybeacon 430	39-02-22.111N 074-47-38.415W		0		TR-TY on pile.	
36560	New Jersey Intracoastal Waterway Buoy 431	39-02-10.875N 074-47-54.540W				Green can with yellow square.	Maintained from May 1 to Nov. 1.
36562	New Jersey Intracoastal Waterway Light 432	39-02-15.013N 074-47-52.606W	FI R 4s	0	4	TR-TY on pile.	
36564	New Jersey Intracoastal Waterway Daybeacon 432A	39-02-09.340N 074-47-57.020W		0		TR-TY on pile.	
36566	New Jersey Intracoastal Waterway Buoy 433	39-02-01.562N 074-47-57.445W				Green can with yellow square.	Maintained from May 1 to Nov. 1.
36570	New Jersey Intracoastal Waterway Daybeacon 434	39-02-01.891N 074-48-00.130W		0		TR-TY on pile.	
36575	New Jersey Intracoastal Waterway Light 436	39-01-56.603N 074-48-02.388W	Q R		4	TR-TY on pile.	
36577	New Jersey Intracoastal Waterway Buoy 437	39-01-57.775N 074-48-14.602W				Green can with yellow square.	Maintained from May 1 to Nov. 1.
36580	New Jersey Intracoastal Waterway Lighted Buoy 437A	39-01-59.318N 074-48-20.545W	FI G 2.5s		4	Green with yellow square.	Removed when endangered by ice.

36580	New Jersey Intracoastal Waterway Lighted Buoy 437A	39-01-59.318N 074-48-20.545W	FI G 2.5s	4		Green with yellow square.	Removed when endangered by ice.
36585	New Jersey Intracoastal Waterway Daybeacon 439	39-01-55.716N 074-48-30.684W		0		SG-SY on pile.	
36590	New Jersey Intracoastal Waterway Buoy 441	39-01-29.611N 074-48-46.935W				Green can with yellow triangle.	Removed when endangered by ice.
36590	New Jersey Intracoastal Waterway Buoy 441	39-01-29.611N 074-48-46.935W				Green can with yellow triangle.	Removed when endangered by ice.
36595	New Jersey Intracoastal Waterway Light 442	39-01-09.812N 074-48-41.762W	FI R 4s	0	4	TR-TY on pile.	
36600	New Jersey Intracoastal Waterway Light 443	39-00-52.881N 074-48-53.522W	FI G 2.5s	0	4	SG-SY on pile.	
36605	New Jersey Intracoastal Waterway Buoy 444	39-00-40.898N 074-48-59.292W				Red nun with yellow triangle.	Removed when endangered by ice.
36607	New Jersey Intracoastal Waterway Buoy 444A	39-00-36.091N 074-49-02.055W				Red nun with yellow triangle.	Maintained from May 1 to Nov. 1.
36610	New Jersey Intracoastal Waterway Light 445	39-00-36.458N 074-48-59.726W	FI G 4s	0	4	SG-SY on pile.	
36615	New Jersey Intracoastal Waterway Daybeacon 446	39-00-32.545N 074-49-07.263W		0		TR-TY on pile.	
36620	New Jersey Intracoastal Waterway Buoy 448	39-00-27.644N 074-49-19.446W				Red nun with yellow triangle.	Removed when endangered by ice.
36625	New Jersey Intracoastal Waterway Lighted Buoy 449	39-00-25.111N 074-49-24.375W	FI G 4s		4	Green with yellow square.	
36625	New Jersey Intracoastal Waterway Lighted Buoy 449	39-00-25.111N 074-49-24.375W	FI G 4s		4	Green with yellow square.	
36630	New Jersey Intracoastal Waterway Buoy 450	39-00-25.375N 074-49-27.218W				Red nun with yellow triangle.	Removed when endangered by ice.
36635	New Jersey Intracoastal Waterway Daybeacon 452	39-00-24.490N 074-49-35.200W		0		TR-TY on pile.	
36637	New Jersey Intracoastal Waterway Light 452A	39-00-27.374N 074-49-46.033W	FI R 2.5s	0	4	TR-TY on pile.	
36639	New Jersey Intracoastal Waterway Light 453	39-00-26.558N 074-49-45.914W	FI G 2.5s	0	3	SG-SY on pile.	
36640	New Jersey Intracoastal Waterway Daybeacon 453A	39-00-24.211N 074-49-56.655W		0		SG-SY on pile.	
36645	New Jersey Intracoastal Waterway Light 454	39-00-24.991N 074-49-58.875W	FI R 4s	12	4	TR-TY on pile.	
36650	New Jersey Intracoastal Waterway Daybeacon 455	39-00-21.271N 074-50-00.015W		0		SG-SY on pile.	
36655	New Jersey Intracoastal Waterway Daybeacon 457	39-00-07.111N 074-50-06.255W		0		SG-SY on pile.	
36660	New Jersey Intracoastal Waterway Daybeacon 459	39-00-00.454N 074-50-10.644W		0		SG-SY on pile.	
36665	New Jersey Intracoastal Waterway Light 461	38-59-57.124N 074-50-11.610W	FI G 2.5s	0	4	SG-SY on pile.	
36670	New Jersey Intracoastal Waterway Light 463	38-59-38.935N 074-50-02.743W	FI G 4s	0	4	SG-SY on pile.	
36670	New Jersey Intracoastal Waterway Light 463	38-59-38.935N 074-50-02.743W	FI G 4s	0	4	SG-SY on pile.	
36675	New Jersey Intracoastal Waterway Light 465	38-59-04.882N 074-50-20.731W	Q G	0	4	SG-SY on pile.	
36680	New Jersey Intracoastal Waterway Daybeacon 466	38-59-05.555N 074-50-27.590W		0		TR-TY on pile.	
36685	New Jersey Intracoastal Waterway Light 468	38-59-07.242N 074-50-36.129W	Q R	0	4	TR-TY on pile.	
36690.1	New Jersey Intracoastal Waterway Daybeacon 469A	38-59-01.136N 074-50-43.741W		0		SG-SY on pile.	
36690	New Jersey Intracoastal Waterway Daybeacon 469	38-59-03.881N 074-50-40.915W		0		SG-SY on pile.	
36690.1	New Jersey Intracoastal Waterway Daybeacon 469A	38-59-01.136N 074-50-43.741W		0		SG-SY on pile.	
36690	New Jersey Intracoastal Waterway Daybeacon 469	38-59-03.881N 074-50-40.915W		0		SG-SY on pile.	
36695	New Jersey Intracoastal Waterway Light 470	38-58-49.547N 074-50-47.662W	FI R 2.5s	0	4	TR-TY on pile.	
36700	New Jersey Intracoastal Waterway Light 471	38-58-41.548N 074-51-01.473W	FI G 4s	0	4	SG-SY on pile.	
36705	New Jersey Intracoastal Waterway Daybeacon 473	38-58-15.249N 074-51-46.466W		0		SG-SY on pile.	

36705	New Jersey Intracoastal Waterway Daybeacon 473	38-58-15.249N 074-51-46.466W		0		SG-SY on pile.	
36710	New Jersey Intracoastal Waterway Light 475	38-58-06.436N 074-52-01.126W	FI G 4s	15	4	SG-SY on pile.	
36715	New Jersey Intracoastal Waterway Daybeacon 477	38-57-57.034N 074-52-08.459W		0		SG-SY on pile.	
36720	New Jersey Intracoastal Waterway Daybeacon 479	38-57-47.732N 074-52-13.247W		0		SG-SY on pile.	
36730	Cape May Harbor Lighted Buoy 3	38-57-03.436N 074-52-40.328W	FI G 2.5s		4	Green with yellow square.	
36733	Cape May Harbor Range Front Light 4	38-57-07.793N 074-52-35.171W	Q R	0		Light 4 TR-TY on multi-pile structure. On same structure as Cape May Harbor Range Front light.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
36735	Cape May Harbor Light 6	38-57-07.400N 074-52-50.381W	FI R 4s	0	4	TR-TY on pile.	
36740	Cape May Harbor Light 7	38-57-03.338N 074-52-56.621W	FI G 4s	0	4	SG-SY on pile.	
36743	Cape May Harbor Daybeacon 7A	38-57-00.197N 074-53-18.366W		0		SG-SY on pile.	
36745	Cape May Harbor Light 8	38-57-03.865N 074-53-18.578W	FI R 6s	0	4	TR-TY on pile.	
36745	Cape May Harbor Light 8	38-57-03.865N 074-53-18.578W	FI R 6s	0	4	TR-TY on pile.	
36748	Coast Guard Pier Warning Light	38-56-57.798N 074-53-22.258W	FI Y 2.5s		4	On multi-pile structure.	
36750	Cape May Harbor Daybeacon 10	38-57-02.188N 074-53-28.117W		0		TR-TY on pile.	
36755	Cape May Harbor Daybeacon 12	38-57-00.267N 074-53-36.302W				TR-TY on pile.	
36760	Cape May Harbor Daybeacon 13	38-56-56.467N 074-53-42.740W		0		SG-SY on pile.	
36765	Cape May Harbor Light 14	38-56-58.040N 074-53-52.474W	FI R 4s	0	4	TR-TY on pile.	
36770	Schellenger Landing Daybeacon 1	38-56-54.100N 074-54-05.310W				SG on pile.	
36775	Schellenger Landing Daybeacon 2	38-56-55.648N 074-54-05.731W				TR on pile.	
36777	Cape May Village Daybeacon 1	38-56-52.300N 074-54-09.200W				SG on pile.	
36777.1	Cape May Village Daybeacon 2	38-56-51.300N 074-54-06.600W				TR on pile.	
36777.2	Cape May Village Daybeacon 3	38-56-50.300N 074-54-08.100W				SG on pile.	
36777.4	Cape May Village Daybeacon 5	38-56-47.200N 074-54-11.400W				SG on pile.	
36780	Cape May Canal East End Entrance Light 16	38-57-07.895N 074-54-08.395W	FI R 4s	16	4	TR on pile.	
36782	Rutgers Aquacult Pump Station Light 16	38-58-01.935N 074-56-33.604W	Q R			TR on pile.	
36782.1	Rutgers Aquacult Pump Station Light 18	38-58-01.934N 074-56-34.061W	Q R			TR on pile.	
36782.2	Rutgers Aquacult Pump Station Warning Light	38-58-02.464N 074-56-33.828W	FI W 4s			NB on pile worded PIPELINE.	
36785	Cape May Canal West Entrance South Jetty Light 10	38-57-57.102N 074-58-00.516W	FI R 4s	25	6	TR-SY on skeleton tower.	
36790	Cape May Canal West Entrance North Jetty Light 11	38-58-03.715N 074-57-59.705W	FI G 2.5s	20	6	SG-TY on skeleton tower.	HORN: 1 blast ev 15s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 83A (157.175MHz). HORN operates for 30 minutes.
36805	Elizabeth River Southern Branch Light 2	36-47-38.544N 076-17-50.041W	FI R 2.5s	0	4	TR-TY on pile.	
36810	Elizabeth River Southern Branch Buoy 3	36-47-32.262N 076-17-52.701W				Green can with yellow square.	
36815	Elizabeth River Southern Branch Buoy 5	36-47-28.019N 076-18-01.685W				Green can with yellow square.	
36820	Elizabeth River Southern Branch Daybeacon 6	36-47-32.489N 076-18-07.383W		0		TR-TY on pile.	
36825	Elizabeth River Southern Branch Light 8	36-47-27.866N 076-18-12.195W	Q R	0	4	TR-TY on pile.	
36830	Elizabeth River Southern Branch Light 9	36-47-17.093N 076-18-07.063W	FI G 2.5s	0	4	SG-SY on pile.	
36835	Elizabeth River Southern Branch Buoy 10	36-47-14.432N 076-18-12.631W				Red nun with yellow triangle.	

36840	Elizabeth River Southern Branch Buoy 12	36-47-07.353N 076-18-15.761W				Red nun with yellow triangle.
36845	Elizabeth River Southern Branch Buoy 14	36-47-02.563N 076-18-19.701W				Red nun with yellow triangle.
36850	Elizabeth River Southern Branch Buoy 15	36-46-54.545N 076-18-24.513W				Green can with yellow square.
36855	Elizabeth River Southern Branch Buoy 17	36-46-49.563N 076-18-27.802W				Green can with yellow square.
36860	Elizabeth River Southern Branch Daybeacon 19	36-46-46.043N 076-18-25.599W				SG-SY on pile.
36875	Swan Terminal Pier Light	36-46-36.534N 076-18-22.786W	F R			On pile.
36880	Elizabeth River Southern Branch Light 20	36-46-35.365N 076-18-06.196W	FI R 2.5s	0	5	TR-TY on pile.
36885	Elizabeth River Southern Branch Light 22	36-46-34.444N 076-17-49.268W	FI R 4s	0	4	TR-TY on pile.
36886	Chesapeake Energy Center North Lighted Mooring Dolphin N	36-46-22.470N 076-17-47.150W	FI Y 4s			On concrete mooring dolphin.
36887	Chesapeake Energy Center South Lighted Mooring Dolphin S	36-46-13.580N 076-17-52.270W	FI Y 4s			On concrete mooring dolphin.
36895	Virginia Power Company Wharf Lights (2)	36-46-12.534N 076-17-52.785W	F Y			On dolphin.
36910	Elizabeth River Southern Branch Turning Basin Daybeacon A	36-46-10.908N 076-17-44.405W		0		NB on pile.
36915	Elizabeth River Southern Branch Turning Basin Daybeacon B	36-46-05.950N 076-17-46.730W		0		NB on pile.
36920	Elizabeth River Southern Branch Buoy 26	36-46-06.907N 076-17-53.687W				Red nun with yellow triangle.
36930	Elizabeth River Southern Branch Buoy 28	36-45-41.951N 076-17-55.540W				Red nun with yellow triangle.
36935	Deep Creek Daybeacon 1	36-45-21.042N 076-17-49.311W		0		SG-SY on pile.
36940	Deep Creek Daybeacon 2	36-45-22.722N 076-17-51.019W				TR-TY on pile.
36945	Deep Creek Buoy 4	36-45-20.190N 076-19-37.887W				
36950	Deep Creek Daybeacon 5	36-45-12.422N 076-19-44.764W		0		SG-SY on pile.
36955	Pasquotank River Daybeacon 19	36-22-18.421N 076-13-53.022W				SG-TY on pile.
36960	Pasquotank River Daybeacon 18	36-21-43.635N 076-13-48.456W				TR-SY on pile.
36965	Pasquotank River Daybeacon 17	36-21-37.699N 076-13-48.472W				SG-TY on pile.
36970	Pasquotank River Daybeacon 16	36-21-32.776N 076-13-40.668W				TR-SY on pile.
36975	Pasquotank River Daybeacon 15	36-21-16.909N 076-13-37.626W		12		SG-TY on pile.
36980	Pasquotank River Daybeacon 13	36-20-45.616N 076-13-27.212W		12		SG-TY on pile.
36985	Pasquotank River Daybeacon 11	36-20-39.386N 076-13-04.245W		10		SG-TY on pile.
36990	Pasquotank River Light 9	36-18-21.192N 076-12-11.220W	FI G 4s	12	4	SG-TY on slatted pile structure.
36995	Pasquotank River Daybeacon 8	36-17-55.345N 076-12-59.749W				TR-SY on pile.
37000	Pasquotank River Light 7	36-17-20.434N 076-11-19.263W	Q G	16	4	SG-TY on pile.
37005	Pasquotank River Light 5A	36-16-02.713N 076-09-06.194W	FI G 4s	0	4	SG-TY on pile.
37010	Coast Guard Base Daybeacon 1	36-16-16.202N 076-10-39.012W		0		SG on pile.
37015	Coast Guard Base Light 2	36-16-16.449N 076-10-39.490W	FI R 4s	0	4	TR on pile.
37020	Pasquotank River Light 5	36-15-15.148N 076-07-41.763W	Q G	14	5	SG-TY on pile.
37025	Pasquotank River Light 4	36-13-57.170N 076-05-18.023W	FI R 4s		4	TR-SY on pile.

37030	Pasquotank River Wreck Light WR3	36-12-10.559N 076-04-03.917W	Q G	0	4	
37035	Pasquotank River Light 2	36-11-03.235N 076-01-37.073W	FI R 4s	15	4	TR-SY on pile.
37040	Pasquotank River Slue Light 1PR	36-09-01.212N 076-01-15.435W	FI G 4s	0	5	SG-TY on pile.
37045	Pasquotank River Entrance Light PR	36-09-22.739N 075-58-38.468W	FI W 2.5s	20	12	NB on multi-pile structure.
37047	Pasquotank River Warning Daybeacon A	36-09-22.547N 075-58-40.019W		0		NW on pile worded DANGER SUBMERGED ROCKS.
37060	Elizabeth River Southern Branch Light 30	36-45-19.667N 076-17-45.945W	FI R 4s	0	4	TR-TY on pile.
37065	Elizabeth River Southern Branch Turning Basin Daybeacon C	36-45-12.563N 076-17-34.799W		0		NB on pile.
37070	Elizabeth River Southern Branch Turning Basin Daybeacon D	36-45-04.474N 076-17-35.859W		0		NB on pile.
37075	Elizabeth River Southern Branch Daybeacon 31	36-44-34.314N 076-17-50.673W		0		SG-SY on pile.
37080	Elizabeth River Southern Branch Light 32	36-44-26.297N 076-17-56.271W	FI R 4s	0	4	TR-TY on pile.
37085	Elizabeth River Southern Branch Buoy 33	36-44-07.337N 076-17-34.041W				Green can with yellow square.
37090	Elizabeth River Southern Branch Buoy 34	36-44-03.530N 076-17-28.708W				Red nun with yellow triangle.
37095	Elizabeth River Southern Branch Buoy 36	36-44-03.276N 076-17-15.659W				Red nun with yellow triangle.
37100	Elizabeth River Southern Branch Light 37	36-44-06.393N 076-17-16.792W	FI G 4s	0	4	SG-SY on pile.
37103	Elizabeth River Southern Branch Lighted No Wake Buoy A	36-43-59.057N 076-17-03.363W	FI W 6s			
37105	Elizabeth River Southern Branch Light 38	36-43-54.827N 076-17-04.293W	FI R 4s	0	4	TR-TY on pile.
37110	Elizabeth River Southern Branch Daybeacon 39	36-43-56.459N 076-17-01.131W		0		SG-SY on pile.
37115	Elizabeth River Southern Branch Daybeacon 41	36-43-53.546N 076-16-47.136W		0		SG-SY on pile.
37120	Elizabeth River Southern Branch Light 42	36-43-47.000N 076-16-30.670W	FI R 4s	0	4	TR-TY on pile.
37125	Elizabeth River Southern Branch Daybeacon 43	36-43-49.980N 076-16-25.200W		0		SG-SY on pile.
37130	Elizabeth River Southern Branch Daybeacon 44	36-43-49.067N 076-16-14.805W		0		TR-TY on pile.
37135	Elizabeth River Southern Branch Light 45	36-43-53.427N 076-16-12.388W	FI G 4s	0	4	SG-SY on pile.
37140	Elizabeth River Southern Branch Light 47	36-43-53.595N 076-16-04.426W	FI G 4s	0	4	SG-SY on pile.
37145	Elizabeth River Southern Branch Daybeacon 48	36-43-49.274N 076-16-00.935W		0		TR-TY on pile.
37150	Great Bridge Wreck Daybeacon WR1	36-43-34.217N 076-14-52.467W		0		SG on pile.
37151	Great Bridge Lighted Wreck Buoy WR3	36-43-32.491N 076-14-46.389W	Q G		4	Green.
37155	Great Bridge to Albemarle Sound Light 1	36-43-24.178N 076-06-38.109W	FI G 4s	0	4	SG-SY on pile.
37160	Great Bridge to Albemarle Sound Light 2	36-42-53.195N 076-05-41.785W	FI R 4s	0	4	TR-TY on pile.
37165	Great Bridge to Albemarle Sound Light 3	36-42-46.135N 076-04-55.970W	FI G 4s	0	4	SG-SY on pile.
37170	Great Bridge to Albemarle Sound Light 4	36-42-37.255N 076-04-49.835W	FI R 4s	0	4	TR-TY on pile.
37175	Great Bridge to Albemarle Sound Daybeacon 5	36-42-21.984N 076-04-44.723W		0		SG-SY on pile.
37180	Great Bridge to Albemarle Sound Light 6	36-42-19.556N 076-04-47.152W	FI R 4s	0	4	TR-TY on pile.
37185	Great Bridge to Albemarle Sound Light 8	36-41-56.688N 076-04-32.946W	FI R 4s	0	4	TR-TY on multi-pile structure.
37190	Great Bridge to Albemarle Sound Light 10	36-41-48.161N 076-04-19.091W	FI R 4s	0	4	TR-TY on pile.

37195	Great Bridge to Albemarle Sound Light 11	36-41-44.065N 076-04-09.008W	FI G 4s	0	4	SG-SY on pile.
37200	Great Bridge to Albemarle Sound Daybeacon 13	36-41-38.162N 076-04-06.004W		0		SG-SY on pile.
37205	Great Bridge to Albemarle Sound Light 14	36-41-29.785N 076-04-07.271W	FI R 4s	0	4	TR-TY on pile.
37210	Great Bridge to Albemarle Sound Light 15	36-41-14.186N 076-03-53.990W	FI G 4s	0	4	SG-SY on pile.
37215	West Neck Creek Daybeacon 1	36-41-04.542N 076-03-51.753W				SG on pile.
37225	West Neck Creek Daybeacon 3	36-41-23.543N 076-02-45.751W				SG on pile.
37305	Great Bridge to Albemarle Sound Daybeacon 16	36-41-06.127N 076-03-56.875W		0		TR-TY on pile.
37310	Great Bridge to Albemarle Sound Light 18	36-40-45.964N 076-04-08.104W	FI R 4s	0	4	TR-TY on pile.
37315	Great Bridge to Albemarle Sound Light 20	36-40-35.141N 076-04-09.823W	FI R 4s	0	4	TR-TY on pile.
37320	Great Bridge to Albemarle Sound Daybeacon 21	36-40-25.702N 076-03-58.869W				SG-SY on pile.
37325	Great Bridge to Albemarle Sound Light 23	36-40-18.034N 076-03-47.619W	FI G 4s	0	4	SG-SY on pile.
37330	Great Bridge to Albemarle Sound Light 25	36-40-06.883N 076-03-41.874W	FI G 4s	0	4	SG-SY on pile.
37335	Great Bridge to Albemarle Sound Light 27	36-39-38.807N 076-03-41.643W	FI G 4s	0	4	SG-SY on pile.
37340	Great Bridge to Albemarle Sound Light 29	36-39-18.773N 076-03-32.373W	FI G 4s	0	4	SG-SY on pile.
37345	Great Bridge to Albemarle Sound Light 30	36-39-04.613N 076-03-39.177W	FI R 4s	0	4	TR-TY on pile.
37350	Great Bridge to Albemarle Sound Light 32	36-38-35.171N 076-03-34.125W	FI R 2.5s	0	4	TR-TY on pile.
37355	Great Bridge to Albemarle Sound Light 33	36-38-24.905N 076-03-19.929W	FI G 4s	0	4	SG-SY on multi-pile structure.
37360	Great Bridge to Albemarle Sound Daybeacon 34	36-38-23.873N 076-03-22.863W				TR-TY on pile.
37365	Great Bridge to Albemarle Sound Light 35	36-38-09.899N 076-03-07.443W	FI G 4s	0	4	SG-SY on pile.
37370	North Landing River Warning Daybeacon	36-38-08.684N 076-03-09.545W		0		NW on pile worded DANGER SUBMERGED WRECK.
37375	Great Bridge to Albemarle Sound Daybeacon 36	36-38-02.831N 076-03-09.375W		0		TR-TY on pile.
37380	Great Bridge to Albemarle Sound Light 38	36-37-45.083N 076-03-14.901W	FI R 4s	0	4	TR-TY on pile.
37385	Great Bridge to Albemarle Sound Light 40	36-37-29.765N 076-03-06.003W	FI R 4s	0	4	TR-TY on pile.
37390	Great Bridge to Albemarle Sound Light 41	36-37-08.933N 076-02-54.927W	FI G 4s	3	4	SG-SY on multi-pile structure.
37395	Great Bridge to Albemarle Sound Daybeacon 42	36-36-48.570N 076-03-04.839W		0		TR-TY on pile.
37400	Great Bridge to Albemarle Sound Light 43	36-36-44.843N 076-03-03.753W	FI G 4s		4	SG-SY on pile.
37405	Great Bridge to Albemarle Sound Light 44	36-36-09.905N 076-03-36.453W	FI R 4s	0	4	TR-TY on pile.
37410	Great Bridge to Albemarle Sound Daybeacon 45	36-36-09.178N 076-03-33.409W		0		SG-SY on pile.
37415	Great Bridge to Albemarle Sound Light 46	36-35-39.383N 076-03-35.307W	FI R 4s	0	4	TR-TY on pile.
37420	Great Bridge to Albemarle Sound Light 47	36-35-42.941N 076-03-31.479W	Q G	0	4	SG-SY on pile.
37425	Great Bridge to Albemarle Sound Light 49	36-35-32.837N 076-03-00.651W	Q G	0	4	SG-SY on pile.
37430	Great Bridge to Albemarle Sound Daybeacon 51	36-35-14.344N 076-02-49.665W		0		SG-SY on pile.
37435	Great Bridge to Albemarle Sound Daybeacon 53	36-34-56.336N 076-02-39.024W		0		SG-SY on pile.
37440	Great Bridge to Albemarle Sound Light 55	36-34-32.013N 076-02-24.832W	FI G 4s	0	4	SG-SY on pile.
37445	Great Bridge to Albemarle Sound Daybeacon 57	36-34-12.557N 076-02-13.389W		0		SG-SY on pile.

37450	Great Bridge to Albemarle Sound Daybeacon 59	36-33-48.543N 076-01-58.958W		0		SG-SY on pile.
37455	Great Bridge to Albemarle Sound Light 61	36-33-23.752N 076-01-44.660W	FI G 4s	0	4	SG-SY on pile.
37460	Great Bridge to Albemarle Sound Daybeacon 63	36-32-58.574N 076-01-34.614W				SG-SY on pile.
37465	Great Bridge to Albemarle Sound Daybeacon 65	36-32-33.884N 076-01-25.618W				SG-SY on pile.
37470	Great Bridge to Albemarle Sound Light 67	36-32-13.386N 076-01-17.993W	FI G 4s	10	4	SG-SY on pile.
37475	Great Bridge to Albemarle Sound Daybeacon 70	36-31-52.776N 076-01-14.935W		12		TR-TY on pile.
37480	Great Bridge to Albemarle Sound Light 73	36-31-13.979N 076-00-55.868W	FI G 6s	12	4	SG-SY on pile.
37485	Great Bridge to Albemarle Sound Daybeacon 71	36-31-33.458N 076-01-02.498W		0		SG-SY on pile.
37490	Great Bridge to Albemarle Sound Daybeacon 76	36-30-49.782N 076-00-51.439W				TR-TY on pile.
37495	Great Bridge to Albemarle Sound Daybeacon 77	36-30-29.090N 076-00-39.231W		12		SG-SY on pile.
37500	Great Bridge to Albemarle Sound Light 79	36-30-04.518N 076-00-31.858W	FI G 4s	15	4	SG-SY on pile.
37505	Great Bridge to Albemarle Sound Daybeacon 82	36-29-42.069N 076-00-30.760W				TR-TY on pile.
37510	Great Bridge to Albemarle Sound Daybeacon 83	36-29-21.898N 076-00-17.135W		0		SG-SY on pile.
37515	Great Bridge to Albemarle Sound Daybeacon 85	36-29-03.738N 076-00-11.174W		0		SG-SY on pile.
37520	Great Bridge to Albemarle Sound Daybeacon 86	36-28-41.002N 076-00-07.174W		0		TR-TY on pile.
37525	Great Bridge to Albemarle Sound Light 87	36-28-41.816N 076-00-02.857W	Q G	12	4	SG-SY on pile.
37530	Great Bridge to Albemarle Sound Daybeacon 89	36-28-26.856N 075-59-43.345W		0		SG-SY on pile.
37535	Great Bridge to Albemarle Sound Daybeacon 91	36-28-10.159N 075-59-21.232W		0		SG-SY on pile.
37540	Great Bridge to Albemarle Sound Light 93	36-27-54.221N 075-58-59.991W	FI G 4s	15	4	SG-SY on pile.
37545	Great Bridge to Albemarle Sound Light 95	36-27-36.814N 075-58-36.469W	FI G 6s	10	4	SG-SY on pile.
37550	Great Bridge to Albemarle Sound Daybeacon 97	36-27-22.564N 075-58-17.622W		0		SG-SY on pile.
37555	Great Bridge to Albemarle Sound Light 99	36-27-03.293N 075-57-52.674W	Q G	12	4	SG-SY on pile.
37560	Great Bridge to Albemarle Sound Daybeacon 100	36-26-59.707N 075-57-57.019W		0		TR-TY on pile.
37565	Great Bridge to Albemarle Sound Daybeacon 101	36-26-42.723N 075-57-43.982W		0		SG-SY on pile.
37570	Great Bridge to Albemarle Sound Daybeacon 104	36-26-17.201N 075-57-37.764W		0		TR-TY on pile.
37575	Great Bridge to Albemarle Sound Light 105	36-25-54.853N 075-57-25.556W	FI G 4s	0	4	SG-SY on pile.
37580	Great Bridge to Albemarle Sound Daybeacon 107	36-25-39.497N 075-57-19.421W		0		SG-SY on pile.
37585	Great Bridge to Albemarle Sound Daybeacon 109	36-25-24.401N 075-57-13.659W		0		SG-SY on pile.
37590	Great Bridge to Albemarle Sound Light 111	36-25-06.623N 075-57-07.967W	Q G	0	4	SG-SY on pile.
37595	Great Bridge to Albemarle Sound Warning Daybeacon	36-25-04.249N 075-57-05.855W		10		NW on pile worded DANGER SHOAL.
37600	Great Bridge to Albemarle Sound Daybeacon 112	36-25-02.452N 075-57-10.735W		0		TR-TY on pile.
37605	Great Bridge to Albemarle Sound Daybeacon 113	36-24-40.997N 075-57-08.247W		0		SG-SY on pile.
37610	Great Bridge to Albemarle Sound Daybeacon 115	36-24-18.053N 075-57-11.223W		0		SG-SY on pile.
37615	Great Bridge to Albemarle Sound Light 116	36-23-53.021N 075-57-14.037W	Q R	0	4	TR-TY on pile.
37620	Great Bridge to Albemarle Sound Light 118	36-23-32.591N 075-57-10.476W	FI R 4s	12	4	TR-TY on pile.

37622	Great Bridge to Albemarle Sound Daybeacon 119	36-23-10.681N 075-57-04.532W		0		SG-SY on pile.
37625	Great Bridge to Albemarle Sound Daybeacon 120	36-23-06.479N 075-57-05.727W		0		TR-TY on pile.
37630	Great Bridge to Albemarle Sound Light 121	36-22-37.478N 075-56-57.819W	FI G 4s	0	4	SG-SY on pile.
37635	Great Bridge to Albemarle Sound Daybeacon 122	36-22-17.921N 075-56-56.691W		16		TR-TY on pile.
37640	Great Bridge to Albemarle Sound Light 123	36-21-17.667N 075-56-44.021W	Q G		4	SG-SY on pile.
37645	Great Bridge to Albemarle Sound Light 125	36-19-23.293N 075-57-56.216W	FI G 4s		4	SG-SY on pile.
37650	Great Bridge to Albemarle Sound Daybeacon 127	36-19-05.732N 075-58-10.205W		0		SG-SY on pile.
37655	Great Bridge to Albemarle Sound Light 128	36-18-55.519N 075-58-20.238W	Q R	15	4	TR-TY on pile.
37660	Great Bridge to Albemarle Sound Daybeacon 129	36-18-52.804N 075-58-18.171W		0		SG-SY on pile.
37665	Great Bridge to Albemarle Sound Daybeacon 132	36-18-24.913N 075-58-16.728W		0		TR-TY on pile.
37670	Great Bridge to Albemarle Sound Daybeacon 133	36-18-06.598N 075-58-10.736W				SG-SY on pile.
37675	Great Bridge to Albemarle Sound Daybeacon 134	36-17-39.332N 075-58-08.705W				TR-TY on pile.
37680	Great Bridge to Albemarle Sound Light 135	36-17-29.405N 075-58-02.605W	FI G 4s	10	4	SG-SY on slatted pile structure.
37685	Great Bridge to Albemarle Sound Daybeacon 137	36-17-24.068N 075-57-58.568W		0		SG-SY on pile.
37690	Great Bridge to Albemarle Sound Light 138	36-17-16.595N 075-57-55.082W	Q R	0	4	TR-TY on pile.
37695	Great Bridge to Albemarle Sound Light 139	36-17-21.214N 075-57-37.580W	FI G 4s	0	4	SG-SY on pile.
37700	Great Bridge to Albemarle Sound Daybeacon 140	36-17-15.515N 075-57-34.445W		14		TR-TY on pile.
37705	Great Bridge to Albemarle Sound Light 141	36-17-24.544N 075-57-18.537W	Q G	15	4	SG-SY on pile.
37710	Great Bridge to Albemarle Sound Light 143	36-17-06.435N 075-56-48.155W	Q G	15	4	SG-SY on pile.
37715	Great Bridge to Albemarle Sound Daybeacon 142	36-17-10.712N 075-56-58.385W				TR-TY on pile.
37720	Great Bridge to Albemarle Sound Daybeacon 145	36-16-50.028N 075-56-53.315W				SG-SY on pile.
37725	Great Bridge to Albemarle Sound Daybeacon 147	36-16-33.452N 075-56-51.965W		0		SG-SY on pile.
37730	Great Bridge to Albemarle Sound Light 149	36-16-17.882N 075-57-00.181W	FI G 4s	15	4	SG-SY on multi-pile structure.
37735	Great Bridge to Albemarle Sound Daybeacon 151	36-16-13.212N 075-57-10.564W		0		SG-SY on pile.
37740	Great Bridge to Albemarle Sound Daybeacon 152	36-16-01.601N 075-57-44.525W				TR-TY on pile.
37745	Great Bridge to Albemarle Sound Light 153	36-15-58.372N 075-57-39.435W	Q G	10	4	SG-SY on pile.
37750	Great Bridge to Albemarle Sound Light 154	36-15-41.427N 075-57-49.729W	FI R 4s		4	TR-TY on multi-pile structure.
37755	Great Bridge to Albemarle Sound Light 155	36-15-25.177N 075-57-36.046W	FI G 4s	0	4	SG-SY on pile.
37760	Great Bridge to Albemarle Sound Daybeacon 156	36-15-23.432N 075-57-40.805W				TR-TY on pile.
37765	Great Bridge to Albemarle Sound Light 157	36-15-08.347N 075-57-10.262W	FI G 4s	0	4	SG-SY on multi-pile structure.
37770	Great Bridge to Albemarle Sound Light 159	36-14-27.359N 075-56-30.853W	FI G 4s		4	SG-SY on multi-pile structure.
37775	Great Bridge to Albemarle Sound Light 161	36-13-50.443N 075-55-54.380W	Q G		4	SG-SY on pile.
37780	Great Bridge to Albemarle Sound Daybeacon 163	36-12-31.057N 075-55-24.038W		0		SG-SY on pile.
37785	Great Bridge to Albemarle Sound Light 164	36-12-29.722N 075-55-27.879W	Q R	0	4	TR-TY on pile.
37790	Great Bridge to Albemarle Sound Light 165	36-11-28.753N 075-54-21.278W	FI G 4s	0	4	SG-SY on pile.

37795	Great Bridge to Albemarle Sound Daybeacon 166	36-10-33.124N 075-53-33.644W		0		TR-TY on pile.
37800	Great Bridge to Albemarle Sound Light 167	36-10-29.602N 075-53-23.164W	Q G		4	SG-SY on multi-pile structure.
37803	Great Bridge to Albemarle Sound Buoy 168	36-09-36.676N 075-53-31.280W				Red nun with yellow triangle.
37805	Great Bridge to Albemarle Sound Daybeacon 169	36-09-49.730N 075-53-24.750W				SG-SY on pile.
37807	Powells Point Warning Daybeacon A	36-09-34.900N 075-52-07.000W				NW on pile worded DANGER SUBMERGED PIPE.
37810	Great Bridge to Albemarle Sound Light 170	36-09-23.812N 075-53-32.714W	FI R 4s	0	4	TR-TY on pile.
37815	Great Bridge to Albemarle Sound Buoy 171	36-09-11.967N 075-53-30.588W				Green can with yellow square.
37820	Great Bridge to Albemarle Sound Light 173	36-08-42.518N 075-53-32.944W	FI G 2.5s	0	5	SG-SY on multi-pile structure.
37825	Great Bridge to Albemarle Sound Light N	36-06-06.739N 075-54-44.854W	Iso W 6s		8	NB on multi-pile structure.
37830	Great Bridge to Albemarle Sound Light S	36-01-04.782N 075-57-36.625W	FI W 4s	15	5	NR-I on multi-pile structure.
37835	Alligator River Light 1AR	35-58-09.896N 075-58-46.353W	FI G 2.5s	0	5	SG-SY on multi-pile structure.
37840	Alligator River Light 3	35-57-32.106N 075-59-30.144W	Q G	0	4	SG-SY on pile.
37842	Alligator River Light 5	35-57-13.297N 075-59-12.999W	FI G 4s		4	SG-SY on pile.
37844	Alligator River Daybeacon 6	35-56-54.021N 075-59-18.897W				TR-TY on pile.
37845	Alligator River Light 7	35-56-43.710N 075-59-07.713W	FI G 2.5s	12	4	SG-SY on multi-pile structure.
37850	Alligator River Light 8	35-56-38.224N 075-59-15.673W	Q R	12	4	TR-TY on pile.
37851	Alligator River Lighted Buoy 8A	35-56-28.149N 075-59-20.765W	FI R 2.5s		4	Red with yellow triangle.
37852	Alligator River Buoy 8B	35-56-20.820N 075-59-25.800W				Red with yellow triangle.
37852	Alligator River Buoy 8B	35-56-20.820N 075-59-25.800W				Red with yellow triangle.
37853	Alligator River Daybeacon 9	35-56-20.191N 075-59-21.961W		0		SG-SY on pile.
37855	Alligator River Light 10	35-55-48.331N 075-59-50.956W	FI R 2.5s	0	4	TR-TY on pile.
37860	Alligator River Light 12	35-54-54.289N 076-00-12.747W	FI R 4s	15	4	TR-TY on pile.
37865	Alligator River Light 14	35-52-59.898N 076-01-00.893W	FI R 2.5s	0	5	TR-TY on pile.
37870	Alligator River Light 16	35-51-59.782N 076-01-27.159W	FI R 4s	12	4	TR-TY on pile.
37875	Alligator River Light 18	35-51-02.554N 076-01-52.120W	Q R	14	4	TR-TY on multi-pile structure.
37880	Alligator River Light 20	35-49-30.148N 076-01-38.072W	FI R 4s	14	4	TR-TY on pile.
37885	Alligator River Light 22	35-48-13.791N 076-01-26.571W	FI R 2.5s		4	TR-TY on multi-pile structure.
37890	Alligator River Light WR24	35-46-49.438N 076-01-16.791W	Q R	0	4	TR-TY on pile.
37895	Alligator River Light 26	35-45-14.926N 076-01-06.570W	FI R 2.5s	0	4	TR-TY on pile.
37900	Alligator River Light 28	35-43-46.893N 076-00-57.035W	FI R 4s	12	4	TR-TY on multi-pile structure.
37910	Alligator River Light 31	35-42-15.106N 076-00-43.003W	Q G	0	4	SG-SY on multi-pile structure.
37915	Alligator River Daybeacon 33	35-41-37.890N 076-01-05.366W		16		SG-SY on pile.
37920	Alligator River Daybeacon 35	35-41-03.310N 076-01-25.580W		0		SG-SY on pile.
37925	Alligator River Light 37	35-40-25.774N 076-01-47.662W	Q G	0	4	SG-SY on pile.
37930	Alligator River Light 39	35-40-07.597N 076-02-21.681W	Q G	15	4	SG-SY on multi-pile structure.

37965	Alligator River Daybeacon 41	35-40-12.823N 076-02-56.461W		0			SG-SY on pile.	
37970	Alligator River Daybeacon 43	35-40-20.558N 076-03-35.491W					SG-SY on pile.	
37975	Alligator River Daybeacon 45	35-40-27.704N 076-04-19.321W					SG-SY on pile.	
37980	Alligator River Light 46	35-40-32.617N 076-04-25.578W	Q R	0	4		TR-TY on pile.	
37985	Alligator River Daybeacon 47	35-40-26.415N 076-04-31.711W		10			SG-SY on pile.	
37990	Alligator River Daybeacon 49	35-40-19.507N 076-04-58.593W		14			SG-SY on pile.	
37995	Alligator River Daybeacon 52	35-40-07.751N 076-05-52.580W		0			TR-TY on pile.	
38000	Alligator River Light 54	35-40-01.644N 076-06-12.550W	Q R	14	4		TR-TY on pile.	
38005	Alligator River - Pungo River Light 55	35-35-51.132N 076-13-17.605W	FI G 2.5s	0	4		SG-SY on pile.	
38010	Alligator River - Pungo River Light 57	35-35-25.838N 076-14-24.901W	FI G 4s	0	4		SG-SY on pile.	Higher intensity toward Pungo River.
38015	Alligator River - Pungo River Light 59AR	35-34-04.341N 076-22-03.821W	FI G 6s		4		SG-SY on pile.	
38020	Alligator River - Pungo River Warning Daybeacon	35-34-12.985N 076-21-12.639W					NW on pile worded DANGER SHOAL.	
38025	Pungo River Channel Daybeacon 28	35-33-11.976N 076-26-56.959W					TR-SY on pile.	
38030	Pungo River Channel Daybeacon 27PR	35-33-13.526N 076-26-58.134W					SG-TY on pile.	
38035	Pungo River Channel Light 25	35-33-08.454N 076-27-25.405W	FI G 4s		4		SG-TY on pile.	
38040	Pungo River Channel Daybeacon 24	35-33-00.893N 076-27-53.610W					TR-SY on pile.	
38045	Pungo River Channel Light 23	35-33-02.929N 076-27-59.939W	Q G		3		SG-TY on pile structure.	
38050	Pungo River Channel Daybeacon 22	35-32-53.829N 076-28-05.080W					TR-SY on pile.	
38055	Pungo River Channel Light 21	35-32-08.670N 076-28-53.969W	FI G 4s		4		SG-TY on multi-pile structure.	
38060	Pungo River Channel Daybeacon 19	35-31-19.212N 076-29-39.625W		0			SG-TY on pile.	
38065	Pungo River Channel Light 18	35-31-04.087N 076-29-46.168W	Q R	0	4		TR-SY on multi-pile structure.	
38070	Pungo River Channel Daybeacon 17	35-31-11.087N 076-30-06.038W		0			SG-TY on pile.	
38075	Pungo River Channel Daybeacon 16	35-31-06.302N 076-30-19.791W		15			TR-SY on pile.	
38080	Pungo River Channel Daybeacon 15	35-31-13.564N 076-31-32.085W					SG-TY on multi-pile structure.	
38090	Pungo River Channel Light 13	35-31-17.792N 076-33-31.694W	FI G 4s	0	4		SG-TY on pile.	
38095	Pungo River Channel Daybeacon 12	35-31-12.487N 076-33-31.640W		0			TR-SY on pile.	
38100	Pungo River Channel Daybeacon 11	35-31-25.165N 076-35-07.932W		0			SG-TY on pile.	
38105	Pungo River Channel Light 10	35-31-18.093N 076-35-33.014W	Q R		4		TR-SY on multi-pile structure.	
38110	Pungo River Light 8	35-30-08.713N 076-35-36.809W	FI R 4s	0	5		TR-SY on multi-pile.	
38115	Pungo River Light 7	35-29-00.384N 076-35-14.567W	FI G 4s	0	4		SG-TY on pile.	
38120	Pungo River Daybeacon 5	35-28-16.179N 076-35-16.112W					SG-TY on pile.	
38125	Pungo River Light 4	35-26-56.913N 076-34-26.463W	FI R 4s		3		TR-SY on pile.	
38130	Pungo River Light 3	35-25-44.934N 076-34-14.402W	FI G 4s		4		SG-TY on pile.	
38135	Pungo River Wreck Light WR2	35-25-18.452N 076-33-30.508W	Q R		4		TR-SY on pile.	
38140	Pungo River Junction Light PR	35-22-39.595N 076-33-34.993W	FI (2+1)R 6s		5		JR-TY on multi-pile structure.	

38145	Goose Creek Light 1	35-20-23.893N 076-35-44.728W	FI G 2.5s	6		SG-SY on multi-pile structure.
38150	Goose Creek Daybeacon 3	35-20-12.790N 076-36-09.754W		0		SG-SY on pile.
38155	Goose Creek Daybeacon 4	35-20-13.980N 076-36-14.775W		0		TR-TY on pile.
38160	Goose Creek Daybeacon 5	35-19-55.648N 076-36-47.477W				SG-SY on pile.
38165	Goose Creek Light 6	35-19-53.832N 076-37-02.528W	Q R	0	4	TR-TY on multi-pile structure.
38170	Goose Creek Daybeacon 7	35-19-42.565N 076-36-58.592W				SG-SY on pile.
38175	Goose Creek Daybeacon 8	35-19-25.825N 076-37-03.617W		0		TR-TY on pile.
38180	Goose Creek Daybeacon 10	35-18-39.029N 076-37-06.814W				TR-TY on pile.
38185	Goose Creek Light 11	35-18-00.067N 076-37-02.082W	FI G 2.5s	4		SG-SY on pile.
38190	Goose Creek Daybeacon 13	35-17-31.635N 076-36-55.404W		0		SG-SY on pile.
38195	Goose Creek Daybeacon 14	35-17-02.078N 076-36-50.908W				TR-TY on pile.
38200	Goose Creek Light 15	35-17-02.971N 076-36-47.783W	FI G 4s	0	4	SG-SY on pile.
38205	Goose Creek Daybeacon 17	35-16-33.716N 076-36-18.363W				SG-SY on pile.
38210	Goose Creek Light 19	35-16-14.954N 076-36-02.404W	Q G	0	4	SG-SY on pile.
38215	Goose Creek Light 21	35-14-28.958N 076-35-22.255W	Q G		4	SG-SY on pile.
38220	Goose Creek Light 22	35-12-57.117N 076-35-36.497W	FI R 2.5s	0	4	TR-TY on pile on small red house.
38225	Goose Creek Daybeacon 23	35-12-37.988N 076-35-21.435W		0		SG-SY on pile.
38230	Goose Creek Daybeacon 24	35-12-05.170N 076-35-03.316W		0		TR-TY on pile.
38235	Goose Creek Buoy 25	35-11-55.827N 076-34-55.995W				Green can with yellow square.
38240	Goose Creek Light 27	35-11-40.168N 076-34-46.515W	Q G		4	SG-SY on multi-pile structure.
38245	Bay River Light 1	35-09-47.733N 076-32-00.608W	FI G 4s	0	4	SG-TY on pile.
38250	Bay River Light 3	35-10-48.060N 076-33-30.392W	FI G 4s	0	4	SG-TY on pile.
38255	Bay Point Light	35-10-21.328N 076-30-19.004W	FI W 4s		5	NB on pile.
38260	Neuse River Junction Light NR	35-08-46.705N 076-30-10.867W	FI (2+1)R 6s	0	5	JR-TY on multi-pile structure.
38265	Neuse River Entrance Light 2	35-08-07.557N 076-30-51.187W	FI R 4s		5	TR-TY on pile.
38270	Neuse River Entrance Light NR	35-06-37.299N 076-28-32.312W	FI W 6s	10	7	NB on multi-pile structure.
38275	Neuse River Channel Light 4	35-05-06.670N 076-32-41.818W	FI R 2.5s	0	5	TR-TY on pile.
38280	Neuse River Channel Light 6	35-03-51.843N 076-34-19.725W	FI R 4s	0	4	TR-TY on multi-pile structure.
38285	Neuse River Channel Light 7	35-00-32.040N 076-39-38.187W	FI G 4s	0	5	SG-SY on multi-pile structure.
38290	Adams Creek Lighted Buoy 1AC	34-58-30.114N 076-41-45.927W	FI G 4s		4	Green.
38295	Adams Creek Buoy 2	34-57-50.909N 076-40-55.968W				Red nun with yellow triangle.
38300	Adams Creek Light 3	34-57-51.544N 076-40-51.324W	FI G 2.5s		4	SG-SY on pile.
38305	Adams Creek Light 4	34-57-24.922N 076-40-54.253W	Q R		4	TR-TY on pile.
38311	Adams Creek Light 7	34-56-36.775N 076-39-35.381W	Q G		4	SG-SY on pile.
38320	Adams Creek Daybeacon 4A	34-57-07.568N 076-40-29.218W				TR-TY on pile.

38325	Adams Creek Daybeacon 6	34-56-50.556N 076-40-03.125W		0		TR-TY on multi-pile structure.
38329	Adams Creek Light 8	34-56-17.534N 076-39-26.591W	FI R 2.5s	4		TR-TY on pile.
38331	Adams Creek Light 8A	34-55-50.425N 076-39-16.554W	Q R	4		TR-TY on pile.
38333	Adams Creek Light 9	34-55-59.534N 076-39-07.055W	Q G	4		SG-SY on pile.
38340	Adams Creek Daybeacon 10	34-55-30.847N 076-39-26.194W		0		TR-TY on pile.
38345	Adams Creek Daybeacon 11	34-55-05.196N 076-39-36.045W				SG-SY on pile.
38350	Adams Creek Daybeacon 12	34-54-41.183N 076-39-55.316W				TR-TY on pile.
38355	Adams Creek Light 13	34-54-18.744N 076-40-05.341W	FI G 2.5s	4		SG-SY on multi-pile structure.
38360	Adams Creek Daybeacon 14	34-54-11.503N 076-40-28.260W		0		TR-TY on pile.
38365	Adams Creek Daybeacon 15	34-53-55.503N 076-40-59.397W		0		SG-SY on pile.
38370	Adams Creek Light 16	34-53-54.223N 076-41-05.604W	FI R 2.5s	10	4	TR-TY on pile.
38375	Adams Creek Light 17	34-53-41.435N 076-41-08.977W	FI G 4s	0	4	SG-SY on pile.
38380	Adams Creek Light 18	34-53-24.153N 076-41-12.411W	FI R 4s	0	4	TR-TY on pile.
38385	Core Creek Light 19	34-48-25.227N 076-41-08.367W	Q G	3		SG-SY on pile.
38390	Core Creek Light 20	34-47-59.731N 076-41-14.359W	FI R 4s	0	4	TR-TY on multi-pile structure.
38395	Core Creek Daybeacon 21	34-47-03.124N 076-41-08.832W		0		SG-SY on pile.
38407	Core Creek Light 24	34-46-20.547N 076-41-08.115W	Q R	0	4	TR-TY on pile.
38410	Core Creek Daybeacon 23	34-46-22.647N 076-41-05.115W		0		SG-SY on pile.
38415	Core Creek Daybeacon 25	34-46-14.459N 076-41-00.238W		0		SG-SY on pile.
38420	Core Creek Daybeacon 26	34-46-03.399N 076-40-54.561W		0		TR-TY on pile.
38425	Core Creek Daybeacon 27	34-45-47.889N 076-40-34.065W		0		SG-SY on pile.
38430	Core Creek Daybeacon 28	34-45-35.789N 076-40-29.750W		0		TR-TY on pile.
38435	Core Creek Light 29	34-45-32.920N 076-40-21.266W	Q G	0	4	SG-SY on multi-pile structure.
38436	Core Creek Buoy 29A	34-45-13.477N 076-40-28.493W				Green can with yellow square.
38440	Russell Slough Junction Light RS	34-45-24.828N 076-40-23.216W	FI (2+1)G 6s	0	3	JG on multi-pile structure
38445	Russell Slough Daybeacon 2	34-45-13.239N 076-40-19.917W				TR on pile.
38450	Russell Slough Daybeacon 3	34-45-00.603N 076-40-14.511W		0		SG on pile.
38455	Russell Slough Daybeacon 4	34-44-41.108N 076-40-14.275W		0		TR on pile.
38460	Russell Slough Light 5	34-44-31.131N 076-40-07.513W	FI G 4s	4		SG on pile.
38465	Russell Slough Daybeacon 6	34-44-25.791N 076-40-14.883W				TR on pile.
38467	Russell Slough Lighted Buoy 6A	34-44-23.611N 076-40-15.045W	Q R	4		Red.
38470	Russell Slough Daybeacon 7	34-44-07.847N 076-40-29.804W		0		SG on pile.
38471	Russell Slough Buoy 8	34-44-06.345N 076-40-33.413W				Red nun.
38481	Core Creek Daybeacon 30	34-45-24.106N 076-40-27.736W		0		TR - TY on pile.
38485	Core Creek Daybeacon 31	34-44-57.417N 076-40-32.913W		0		SG-SY on pile.

38490	Newport Marshes Daybeacon 32	34-44-43.233N 076-40-45.129W		0		TR-TY on pile.
38493	Newport Marshes Daybeacon 33	34-44-36.405N 076-40-40.551W				SG-SY on pile.
38495	Newport Marshes Light 34	34-44-22.321N 076-40-53.140W	Q R		4	TR-TY on pile.
38500	Newport Marshes Light 35	34-44-18.383N 076-40-50.637W	Q G		4	SG-SY on multi-pile structure.
38505	Newport Marshes Light 36	34-44-04.455N 076-41-16.839W	Fl R 2.5s		4	TR-TY on pile.
38510	Newport Marshes Buoy 37	34-43-48.118N 076-41-28.237W				Green can with yellow square.
38515	Newport Marshes Light 38	34-43-40.509N 076-41-39.981W	Fl R 4s	0	5	TR-TY on multi-pile structure.
38520	Newport Marshes Buoy 39	34-43-36.411N 076-41-32.645W				Green can with yellow square.
38525	Morehead City Channel Lighted Buoy 23	34-42-47.003N 076-41-52.033W	Fl G 2.5s		4	Green with yellow square.
38530	Bogue Sound Daybeacon 1B	34-42-44.928N 076-42-21.967W				SG on pile.
38535	Triple S. Marina Daybeacon 1	34-42-34.581N 076-42-38.754W				SG on pile.
38540	Triple S. Marina Daybeacon 2	34-42-35.581N 076-42-40.754W				TR on pile.
38545	Triple S. Marina Daybeacon 3	34-42-33.081N 076-42-38.754W				SG on pile.
38550	Triple S. Marina Daybeacon 4	34-42-33.581N 076-42-40.754W				TR on pile.
38555	Triple S. Marina Daybeacon 5	34-42-31.081N 076-42-38.754W				SG on pile.
38560	Triple S. Marina Daybeacon 6	34-42-30.581N 076-42-40.754W				TR on pile.
38565	Triple S. Marina Daybeacon 7	34-42-28.081N 076-42-38.754W				SG on pile.
38570	Triple S. Marina Daybeacon 8	34-42-25.581N 076-42-40.754W				TR on pile.
38575	Triple S. Marina Daybeacon 9	34-42-26.081N 076-42-38.754W				SG on pile.
38580	Triple S. Marina Daybeacon 10	34-42-20.581N 076-42-40.754W				TR on pile.
38585	Triple S. Marina Daybeacon 11	34-42-23.081N 076-42-38.754W				SG on pile.
38590	Triple S. Marina Daybeacon 12	34-42-17.582N 076-42-40.754W				TR on pile.
38595	Triple S. Marina Daybeacon 13	34-42-16.082N 076-42-38.754W				SG on pile.
38600	Morehead City Harbor Channel Junction Light MC	34-42-50.715N 076-42-26.649W	Fl (2+1)R 6s		4	JR on pile.
38605	Morehead City Harbor Channel Daybeacon 3	34-43-04.611N 076-42-18.669W				SG on pile.
38610	Morehead City Harbor Channel Daybeacon 5	34-43-06.441N 076-42-22.131W				SG on pile.
38615	Morehead City Harbor Channel Daybeacon 6	34-43-05.349N 076-43-00.807W				TR on pile.
38620	Morehead City Harbor Channel Daybeacon 7	34-42-59.790N 076-43-08.995W				SG on pile.
38625	Morehead City Harbor Channel Daybeacon 8	34-42-57.892N 076-43-17.823W		0		TR on pile.
38627	Morehead City Harbor Channel Turning Basin Daybeacon A	34-43-00.075N 076-42-21.615W				NB on pile.
38629	Morehead City Harbor Channel Turning Basin Daybeacon B	34-42-42.471N 076-42-10.563W				NB on pile.
38630	Bogue Sound Light 2	34-42-46.395N 076-42-53.871W	Q R	0	4	TR-TY on pile.
38635	Money Island Channel Junction Light MI	34-42-39.591N 076-43-14.007W	Fl (2+1)R 6s		3	JR on pile.
38643	Money Island Channel Buoy 1	34-42-35.967N 076-43-17.620W				Green can.
38645	Money Island Channel Warning Daybeacon A	34-42-35.547N 076-43-17.132W				NW on pile worded DANGER SHOAL.

38652	Money Island Channel Buoy 2	34-42-33.903N 076-43-20.103W				Red nun.
38655	Money Island Channel Daybeacon 2A	34-42-26.407N 076-43-28.045W				TR on pile.
38660	Money Island Channel Daybeacon 3	34-42-22.137N 076-43-31.395W				SG on pile.
38665	Money Island Channel Daybeacon 4	34-42-15.877N 076-43-39.525W				TR on pile.
38670	Money Island Channel Light 5	34-42-10.215N 076-43-44.043W	Fl G 4s		4	SG on pile.
38675	Money Island Channel Daybeacon 6	34-42-09.921N 076-43-45.459W			0	TR on pile.
38677	Money Island Channel Buoy 7	34-42-07.551N 076-43-45.475W				Green can.
38679	Money Island Channel Buoy 8	34-42-06.043N 076-43-46.766W				Red nun.
38680	Eight And One Half Marina Daybeacon 1	34-42-11.903N 076-43-41.896W				SG on pile.
38685	Eight And One Half Marina Daybeacon 2	34-42-11.426N 076-43-42.307W				TR on pile.
38690	Eight And One Half Marina Daybeacon 3	34-42-10.027N 076-43-40.228W				SG on pile.
38695	Eight And One Half Marina Daybeacon 4	34-42-09.688N 076-43-40.343W				TR on pile.
38700	Eight And One Half Marina Daybeacon 5	34-42-08.840N 076-43-39.047W				SG on pile.
38705	Eight And One Half Marina Daybeacon 6	34-42-08.469N 076-43-39.240W				TR on pile.
38710	Eight And One Half Marina Daybeacon 7	34-42-07.716N 076-43-38.238W				SG on pile.
38712	Eight And One Half Marina Daybeacon 8	34-42-07.734N 076-43-38.525W				TR on pile.
38714	Eight And One Half Marina Daybeacon 10	34-42-06.858N 076-43-37.930W				TR on pile.
38716	Eight And One Half Marina Daybeacon 12	34-42-06.360N 076-43-37.250W				TR on pile.
38720	Causeway Channel Daybeacon 2	34-42-44.337N 076-43-26.913W				TR on pile.
38725	Causeway Channel Daybeacon 3	34-42-45.273N 076-43-42.609W			0	SG on pile.
38727	Causeway Channel Buoy 4	34-42-48.513N 076-43-45.639W				Red nun.
38730	Causeway Channel Daybeacon 5	34-42-48.380N 076-43-52.375W			0	SG on pile.
38731	Causeway Channel Buoy 5A	34-42-49.649N 076-44-01.956W				Green can.
38735	Causeway Channel Buoy 6	34-42-51.499N 076-43-58.377W				Red nun.
38736	Causeway Channel Buoy 6A	34-42-48.846N 076-44-02.868W				Red nun.
38740	Causeway Channel Buoy 7	34-42-45.420N 076-44-03.582W				Green can.
38745	Causeway Channel Buoy 7A	34-42-42.666N 076-44-08.604W				Green can.
38750	Causeway Channel Daybeacon 8	34-42-39.105N 076-44-10.647W				TR on pile.
38755	Bogue Sound Buoy 3	34-42-44.608N 076-43-06.770W				Green can with yellow square.
38760	Bogue Sound Daybeacon 3A	34-42-54.177N 076-43-41.568W				SG-SY on pile.
38765	Bogue Sound Light 3B	34-43-09.499N 076-44-41.918W	Fl G 2.5s	0	5	SG-SY on pile.
38770	Bogue Sound Light 4	34-42-53.425N 076-43-28.092W	Fl R 2.5s	0	4	TR-TY on pile.
38810	Bogue Sound Daybeacon 5	34-43-11.227N 076-45-13.115W				SG-SY on pile.
38813	Bogue Sound Lighted Buoy 5A	34-43-17.358N 076-46-24.960W	Fl G 4s		4	Green can with yellow square.
38813	Bogue Sound Lighted Buoy 5A	34-43-17.358N 076-46-24.960W	Fl G 4s		4	Green can with yellow square.

38815	Bogue Sound Light 6	34-43-17.745N 076-45-59.533W	FI R 2.5s	4	TR-TY on multi-pile structure.
38840	Bogue Sound Daybeacon 7	34-43-17.247N 076-46-52.155W		0	SG-SY on pile.
38842	Bogue Sound Buoy 7A	34-43-18.381N 076-47-02.003W			Green can with yellow square.
38845	Bogue Sound Daybeacon 8	34-43-20.564N 076-47-26.278W		0	TR-TY on pile.
38850	Bogue Sound Light 9	34-43-19.695N 076-48-09.522W	FI G 2.5s	0 4	SG-SY on pile.
38852	NC Artificial Reef 380 Warning Buoy A	34-43-07.740N 076-48-06.600W			White can with orange band
38852.1	NC Artificial Reef 380 Warning Buoy B	34-43-05.340N 076-48-06.540W			White can with orange band
38852.2	NC Artificial Reef 380 Warning Buoy C	34-43-07.920N 076-47-55.920W			White can with orange band
38852.3	NC Artificial Reef 380 Warning Buoy D	34-43-05.460N 076-47-55.860W			White can with orange band
38852	NC Artificial Reef 380 Warning Buoy A	34-43-07.740N 076-48-06.600W			White can with orange band
38852.1	NC Artificial Reef 380 Warning Buoy B	34-43-05.340N 076-48-06.540W			White can with orange band
38852.2	NC Artificial Reef 380 Warning Buoy C	34-43-07.920N 076-47-55.920W			White can with orange band
38852.3	NC Artificial Reef 380 Warning Buoy D	34-43-05.460N 076-47-55.860W			White can with orange band
38855	Spooner Creek Daybeacon 1	34-43-23.391N 076-48-10.884W			SG on pile.
38860	Spooner Creek Daybeacon 2	34-43-23.486N 076-48-09.989W			TR on pile.
38865	Spooner Creek Daybeacon 3	34-43-27.932N 076-48-11.149W			SG on pile.
38870	Spooner Creek Daybeacon 4	34-43-27.982N 076-48-10.272W			TR on pile.
38875	Bogue Sound Daybeacon 10	34-43-23.223N 076-48-46.020W		0	TR-TY on pile.
38877	Bogue Sound Lighted Buoy 10A	34-43-24.573N 076-49-49.371W	FI R 4s	4	Red with yellow triangle.
38880	Bogue Sound Daybeacon 11	34-43-22.279N 076-49-16.917W			SG-SY on pile.
38883	Bogue Sound Buoy 11A	34-43-24.154N 076-49-52.513W			Green can with yellow square.
38887	Bogue Sound Buoy 12	34-43-25.244N 076-49-56.235W			Red nun with yellow triangle.
38890	Bogue Sound Light 13	34-43-24.808N 076-50-13.400W	FI G 4s	4	SG-SY on pile.
38895	Bogue Sound Daybeacon 14	34-43-28.162N 076-50-42.934W		0	TR-TY on pile.
38900	Bogue Sound Daybeacon 15	34-43-26.439N 076-51-03.812W			SG-SY on pile.
38905	Bogue Sound Light 17	34-43-28.347N 076-51-45.773W	FI G 2.5s	4	SG-SY on pile.
38910	Bogue Sound Daybeacon 18	34-43-25.396N 076-52-18.650W			TR-TY on pile.
38915	Bogue Sound Daybeacon 19	34-43-17.961N 076-52-51.500W			SG-SY on pile.
38920	Bogue Sound Daybeacon 20	34-43-15.629N 076-53-21.964W		0	TR-TY on pile.
38925	Bogue Sound Light 21	34-43-08.105N 076-53-55.333W	FI G 4s	0 4	SG-SY on pile.
38930	Bogue Sound Daybeacon 22	34-43-06.831N 076-54-20.580W			TR-TY on pile.
38935	Bogue Sound Daybeacon 23	34-43-00.442N 076-54-47.857W		0	SG-SY on pile.
38940	Bogue Sound Daybeacon 24	34-42-58.680N 076-55-14.438W		0	TR-TY on pile.
38945	Bogue Sound Light 25	34-42-53.202N 076-55-37.206W	FI G 2.5s	4	SG-SY on pile.
38950	Bogue Sound Daybeacon 26	34-42-48.068N 076-56-03.712W			TR-TY on pile.

38955	Bogue Sound Daybeacon 27	34-42-39.000N 076-56-30.160W				SG-SY on pile.
38960	Bogue Sound Daybeacon 28	34-42-33.435N 076-56-57.512W		0		TR-TY on pile.
38965	Bogue Sound Light 29	34-42-25.294N 076-57-20.168W	FI G 4s	0	5	SG-SY on pile.
38968	Wood Island Warning Daybeacon A	34-40-59.082N 076-57-01.930W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.01	Wood Island Warning Daybeacon B	34-40-58.076N 076-57-04.724W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.02	Wood Island Warning Daybeacon C	34-40-58.986N 076-57-11.698W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.03	Wood Island Warning Daybeacon D	34-41-01.507N 076-57-14.315W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.04	Wood Island Warning Daybeacon E	34-41-05.475N 076-57-15.942W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.05	Wood Island Warning Daybeacon F	34-41-08.901N 076-57-18.854W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.06	Wood Island Warning Daybeacon G	34-41-11.498N 076-57-21.515W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.07	Wood Island Warning Daybeacon H	34-41-15.702N 076-57-21.592W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.08	Wood Island Warning Daybeacon J	34-41-19.205N 076-57-20.188W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.09	Wood Island Warning Daybeacon K	34-41-22.155N 076-57-17.161W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.11	Wood Island Warning Daybeacon M	34-41-24.575N 076-57-07.243W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.12	Wood Island Warning Daybeacon N	34-41-22.760N 076-57-02.019W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.13	Wood Island Warning Daybeacon P	34-41-20.179N 076-56-58.086W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.14	Wood Island Warning Daybeacon Q	34-41-16.688N 076-56-55.811W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.15	Wood Island Warning Daybeacon R	34-41-14.050N 076-56-53.197W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.16	Wood Island Warning Daybeacon S	34-41-10.131N 076-56-51.933W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.17	Wood Island Warning Daybeacon T	34-41-06.715N 076-56-51.837W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.18	Wood Island Warning Daybeacon U	34-41-02.650N 076-56-53.301W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38968.19	Wood Island Warning Daybeacon V	34-41-01.078N 076-56-57.928W				NW on pile worded DANGER UNEXPLODED ORDNANCE.
38970	Bogue Sound Daybeacon 30	34-42-20.511N 076-57-44.228W		15		TR-TY on pile.
38975	Bogue Sound Daybeacon 31	34-42-11.235N 076-58-13.706W				SG-SY on pile.
38980	Bogue Sound Daybeacon 32	34-42-05.433N 076-58-40.927W				TR-TY on pile.
38985	Bogue Sound Light 33	34-41-55.551N 076-59-10.015W	FI G 2.5s		4	SG-SY on pile.
38990	Bogue Sound Daybeacon 34	34-41-47.517N 076-59-34.172W				TR-TY on pile.
38995	Bogue Sound Daybeacon 35	34-41-37.246N 076-59-50.974W				SG-SY on pile.
39000	Bogue Sound Daybeacon 36	34-41-26.968N 077-00-20.411W				TR-TY on pile.
39005	Bogue Sound Light 37	34-41-13.865N 077-00-45.042W	FI G 4s		4	SG-SY on pile.
39010	Bogue Sound Daybeacon 38	34-40-58.250N 077-01-26.230W		0		TR-TY on pile.
39015	Bogue Sound Daybeacon 40	34-40-48.608N 077-01-47.473W		0		TR-TY on pile.
39020	Bogue Sound Daybeacon 40A	34-40-36.647N 077-02-13.989W		0		TR-TY on pile.
39025	Bogue Sound Light 41	34-40-34.911N 077-02-13.199W	Q G	0	4	SG-SY on multi-pile structure.
39030	Bogue Sound Daybeacon 42	34-40-34.119N 077-02-48.843W				TR-TY on pile.

39031	Bogue Sound Light 42A	34-40-31.605N 077-03-17.160W	Fl R 4s	0	4	TR-TY on pile.
39035	Bogue Sound Light 44	34-40-24.146N 077-04-50.004W	Fl R 4s	0	4	TR-TY on pile.
39040	Bogue Sound Light 45	34-40-19.611N 077-05-26.830W	Fl G 2.5s		4	SG-SY on pile.
39050	Bogue Sound Buoy 45A	34-40-22.921N 077-05-56.781W				Green can with yellow square.
39060	Bogue Sound Daybeacon 45B	34-40-31.769N 077-06-25.881W		0		SG-SY on pile.
39063	Cedar Point Artificial Reef Buoy AR-381A	34-40-25.800N 077-06-30.240W				White can with orange bands and diamond worded REEF.
39063.1	Cedar Point Artificial Reef Buoy AR-381B	34-40-25.620N 077-06-30.120W				White can with orange bands and diamond worded REEF.
39063.2	Cedar Point Artificial Reef Buoy AR-381C	34-40-24.540N 077-06-33.420W				White can with orange bands and diamond worded REEF.
39063.3	Cedar Point Artificial Reef Buoy AR-381D	34-40-24.780N 077-06-33.540W				White can with orange bands and diamond worded REEF.
39065	Bogue Sound Light 46	34-40-27.287N 077-06-08.194W	Fl R 4s	0	4	TR-TY on pile.
39070	Bogue Sound Daybeacon 46A	34-40-45.515N 077-06-45.639W		0		TR-TY on pile.
39075	Bogue Sound Daybeacon 46B	34-40-51.028N 077-06-57.291W		0		TR-TY on pile.
39080	Bogue Sound Daybeacon 47	34-40-58.943N 077-07-18.141W				SG-SY on pile.
39082	Swansboro Harbor Buoy 2	34-41-02.863N 077-07-14.846W				Red nun.
39082	Swansboro Harbor Buoy 2	34-41-02.863N 077-07-14.846W				Red nun.
39083	Swansboro Harbor Daybeacon 4	34-41-04.331N 077-07-10.140W		0		TR on pile.
39083	Swansboro Harbor Daybeacon 4	34-41-04.331N 077-07-10.140W		0		TR on pile.
39085	Bogue Sound - New River Light 46C	34-41-04.227N 077-07-24.525W	Q R	0	4	TR-TY on pile.
39090	Bogue Sound - New River Buoy 47A	34-40-59.185N 077-07-30.735W				Green can with yellow square.
39095	Bogue Sound - New River Buoy 47B	34-40-51.627N 077-07-48.255W				Green can with yellow square.
39100	Bogue Sound - New River Light 48	34-40-53.471N 077-07-51.669W	Q R	0	4	TR-TY on pile.
39105	Bogue Sound - New River Daybeacon 48A	34-40-43.415N 077-07-54.573W		0		TR-TY on pile.
39110	Bogue Sound - New River Light 49	34-40-15.797N 077-07-58.881W	Q G	0	5	SG-SY on multi-pile structure.
39115	Bogue Sound - New River Buoy 50	34-40-17.430N 077-08-00.294W				Red nun with yellow triangle.
39120	Bogue Sound - New River Daybeacon 51	34-39-43.865N 077-08-51.813W		0		SG-SY on pile.
39125	Cow Creek Channel Daybeacon CC	34-39-29.486N 077-09-13.583W				JG on pile.
39132	Cow Creek Channel Daybeacon 3	34-39-25.259N 077-09-08.347W				SG on pile.
39135	Cow Creek Channel Daybeacon 4	34-39-24.758N 077-09-09.143W				TR on pile.
39137	Cow Creek Channel Daybeacon 5	34-39-19.705N 077-09-06.463W				SG on pile.
39140	Cow Creek Channel Daybeacon 6	34-39-19.576N 077-09-07.329W				TR on pile.
39145	Cow Creek Channel Daybeacon 7	34-39-11.820N 077-09-06.222W				SG on pile.
39147	Cow Creek Channel Daybeacon 8	34-39-11.662N 077-09-07.187W				TR on pile.
39150	Cow Creek Channel Daybeacon 9	34-39-02.417N 077-08-56.872W				SG on pile.
39155	Cow Creek Channel Daybeacon 10	34-39-01.975N 077-08-57.552W				TR on pile.
39160	Cow Creek Channel Daybeacon 11	34-38-54.783N 077-08-49.325W				SG on pile.

39165	Cow Creek Channel Daybeacon 12	34-38-54.351N 077-08-50.152W				TR on pile.
39170	Cow Creek Channel Daybeacon 13	34-38-43.391N 077-08-38.424W				SG on pile.
39175	Cow Creek Channel Daybeacon 14	34-38-43.014N 077-08-39.241W				TR on pile.
39180	Cow Creek Channel Daybeacon 15	34-38-37.352N 077-08-36.604W				SG on pile.
39185	Cow Creek Channel Daybeacon 16	34-38-37.060N 077-08-37.549W				TR on pile.
39190	Cow Creek Channel Daybeacon 17	34-38-31.374N 077-08-29.710W				SG on pile.
39195	Cow Creek Channel Daybeacon 18	34-38-31.374N 077-08-30.432W				TR on pile.
39200	Bogue Sound - New River Daybeacon 53	34-39-21.797N 077-09-28.424W				SG-SY on pile.
39205	Bogue Sound - New River Light 55	34-38-34.558N 077-10-48.280W	FI G 4s	0	4	SG-SY on pile.
39210	Bogue Sound - New River Light 58	34-37-57.077N 077-12-18.015W	Q R	0	4	TR-TY on pile.
39215	Bogue Sound - New River Light 59	34-37-23.795N 077-12-39.163W	FI G 4s	0	5	SG-SY on pile.
39217	Bogue Sound - New River Buoy 60	34-35-52.402N 077-14-31.143W				Red nun with yellow triangle.
39220	Bogue Sound - New River Light 61	34-36-24.177N 077-13-50.598W	FI G 4s	0	4	SG-SY on pile.
39223	Bogue Sound - New River Buoy 61A	34-35-50.721N 077-14-31.886W				Green can with yellow square.
39224	Bogue Sound - New River Buoy 62	34-35-45.863N 077-14-38.848W				Red nun with yellow triangle.
39225	Bogue Sound - New River Buoy 63	34-35-45.375N 077-14-37.011W				Green can with yellow square.
39230	Bogue Sound - New River Light 64	34-33-54.033N 077-16-54.549W	FI R 4s	0	4	TR-TY on pile
39235	Bogue Sound - New River Light 65	34-33-03.139N 077-18-38.376W	FI G 4s	0	4	SG-SY on pile.
39237	Bogue Sound - New River Buoy 66A	34-32-45.862N 077-18-59.648W				Red nun with yellow triangle.
39237	Bogue Sound - New River Buoy 66A	34-32-45.862N 077-18-59.648W				Red nun with yellow triangle.
39240	Bogue Sound - New River Lighted Buoy 65A	34-32-42.212N 077-19-02.085W	Q G		4	Green with yellow square.
39240	Bogue Sound - New River Lighted Buoy 65A	34-32-42.212N 077-19-02.085W	Q G		4	Green with yellow square.
39243	Bogue Sound - New River Buoy 66B	34-32-44.248N 077-19-06.037W				Red nun with yellow triangle.
39243	Bogue Sound - New River Buoy 66B	34-32-44.248N 077-19-06.037W				Red nun with yellow triangle.
39245	Bogue Sound - New River Light 66	34-32-52.288N 077-19-35.853W	FI R 4s	0	4	TR-TY on pile.
39250	Mile Hammock Bay Channel Daybeacon 1	34-32-55.889N 077-19-39.419W			0	SG on pile.
39255	Mile Hammock Bay Channel Daybeacon 2	34-32-55.786N 077-19-37.731W			0	TR on pile.
39260	Mile Hammock Bay Channel Daybeacon 3	34-33-02.200N 077-19-36.687W			0	SG on pile.
39265	Mile Hammock Bay Channel Daybeacon 4	34-33-00.644N 077-19-33.687W			0	TR on pile.
39275	Bogue Sound - New River Daybeacon 67	34-32-53.100N 077-19-45.014W			0	SG-SY on pile.
39280	Bogue Sound - New River Light 68	34-32-55.552N 077-19-46.532W	FI R 4s	0	4	TR-TY on pile.
39285	Bogue Sound - New River Daybeacon 69	34-33-03.277N 077-20-23.576W			0	SG-SY on pile.
39290	Bogue Sound - New River Buoy 70	34-33-08.443N 077-20-38.050W				Red nun with yellow triangle.
39293	Bogue Sound - New River Buoy 71	34-33-10.012N 077-20-48.690W				Green can with yellow square.
39294	Bogue Sound - New River Buoy 71A	34-33-10.349N 077-20-54.941W				Green can with yellow square.

39294	Bogue Sound - New River Buoy 71A	34-33-10.349N 077-20-54.941W				Green can with yellow square.
39295	Bogue Sound - New River Light 72	34-33-12.254N 077-20-49.773W	Q R	0	4	TR-TY on pile.
39300	Bogue Sound - New River Buoy 72A	34-33-10.959N 077-20-57.939W				Red nun with yellow triangle.
39305	Bogue Sound - New River Buoy 74	34-33-11.010N 077-21-11.604W				Red nun with yellow triangle.
39310	Bogue Sound - New River Daybeacon 76	34-33-06.635N 077-21-23.032W		0		TR-TY on pile.
39315	New River - Cape Fear River Light 2	34-32-58.084N 077-21-35.127W	Q R	0	4	TR-TY on pile.
39320	New River - Cape Fear River Daybeacon 4	34-32-38.784N 077-21-36.136W		0		TR-TY on pile.
39325	New River - Cape Fear River Daybeacon 6	34-32-25.070N 077-21-36.319W		0		TR-TY on pile.
39330	New River - Cape Fear River Light 9	34-32-10.529N 077-21-34.857W	FI G 4s	0	4	SG-SY on pile.
39335	New River - Cape Fear River Daybeacon 10	34-31-57.840N 077-21-44.293W		0		TR-TY on pile.
39340	New River - Cape Fear River Daybeacon 12	34-31-39.898N 077-21-55.519W				TR-TY on pile.
39345	New River - Cape Fear River Daybeacon 14	34-31-19.370N 077-22-08.279W		0		TR-TY on pile.
39350	New River - Cape Fear River Light 15	34-31-03.801N 077-22-16.269W	Q G	0	4	SG-SY on pile.
39355	New River - Cape Fear River Daybeacon 17	34-30-47.595N 077-23-08.056W		0		SG-SY on pile.
39360	New River - Cape Fear River Daybeacon 19	34-30-29.266N 077-24-09.545W		13		SG-SY on pile.
39365	New River - Cape Fear River Light 23	34-30-18.014N 077-24-44.720W	FI G 4s	0	4	SG-SY on pile.
39370	New River - Cape Fear River Daybeacon 25	34-30-11.769N 077-25-04.924W		0		SG-SY on pile.
39375	New River - Cape Fear River Light 27	34-29-33.838N 077-27-06.130W	FI G 4s	0	4	SG-SY on pile.
39380	New River - Cape Fear River Daybeacon 29	34-29-26.784N 077-27-23.156W		0		SG-SY on pile.
39385	New River - Cape Fear River Daybeacon 31	34-29-13.142N 077-27-54.002W		0		SG-SY on pile.
39390	New River - Cape Fear River Daybeacon 32	34-29-07.289N 077-28-11.812W		0		TR-TY on pile.
39395	New River - Cape Fear River Daybeacon 37	34-28-56.238N 077-28-32.676W		0		SG-SY on pile.
39400	New River - Cape Fear River Light 39	34-28-42.059N 077-29-05.505W	FI G 4s	0	4	SG-SY on pile.
39405	New River - Cape Fear River Daybeacon 41	34-28-31.875N 077-29-29.862W		0		SG-SY on pile.
39410	New River - Cape Fear River Daybeacon 43	34-28-26.472N 077-29-40.808W		0		SG-SY on pile.
39415	New River - Cape Fear River Daybeacon 45	34-28-18.856N 077-29-59.003W		0		SG-SY on pile.
39420	New River - Cape Fear River Daybeacon 47	34-28-12.972N 077-30-12.914W		0		SG-SY on pile.
39425	New River - Cape Fear River Light 49	34-28-05.290N 077-30-28.857W	Q G	0	4	SG-SY on pile.
39430	New River - Cape Fear River Daybeacon 51	34-27-56.376N 077-30-38.656W		0		SG-SY on pile.
39435	New River - Cape Fear River Daybeacon 53	34-27-44.089N 077-30-52.899W		0		SG-SY on pile.
39440	New River - Cape Fear River Daybeacon 57	34-27-19.810N 077-31-20.034W				SG-SY on pile.
39445	New River - Cape Fear River Daybeacon 59	34-27-08.324N 077-31-33.209W		0		SG-SY on pile.
39450	New River - Cape Fear River Light 61	34-26-57.042N 077-31-44.994W	FI G 4s	0	4	SG-SY on pile.
39455	New River - Cape Fear River Daybeacon 65	34-26-35.924N 077-32-08.969W		0		SG-SY on pile.
39460	New River - Cape Fear River Daybeacon 69	34-26-12.311N 077-32-35.578W		0		SG-SY on pile.

39463.5	Sears Landing Channel Daybeacon 8	34-26-00.060N 077-33-01.260W				TR on pile.
39463.4	Sears Landing Channel Daybeacon 6	34-25-58.750N 077-33-00.860W				TR on pile.
39463.3	Sears Landing Channel Daybeacon 4	34-25-57.730N 077-32-59.840W				TR on pile.
39463.2	Sears Landing Channel Warning Daybeacon W	34-25-56.760N 077-32-59.400W				Yellow dayboard on pile.
39463.1	Sears Landing Channel Daybeacon 2	34-25-55.860N 077-32-57.780W				TR on pile.
39463	Sears Landing Channel Daybeacon 1	34-25-55.260N 077-32-58.440W				SG on pile.
39463.5	Sears Landing Channel Daybeacon 8	34-26-00.060N 077-33-01.260W				TR on pile.
39463.4	Sears Landing Channel Daybeacon 6	34-25-58.750N 077-33-00.860W				TR on pile.
39463.3	Sears Landing Channel Daybeacon 4	34-25-57.730N 077-32-59.840W				TR on pile.
39463.2	Sears Landing Channel Warning Daybeacon W	34-25-56.760N 077-32-59.400W				Yellow dayboard on pile.
39463.1	Sears Landing Channel Daybeacon 2	34-25-55.860N 077-32-57.780W				TR on pile.
39463	Sears Landing Channel Daybeacon 1	34-25-55.260N 077-32-58.440W				SG on pile.
39465	New River - Cape Fear River Light 71	34-25-46.129N 077-33-04.891W	FI G 4s	0	4	SG-SY on multi-pile structure.
39470	New River - Cape Fear River Buoy 72	34-25-41.684N 077-33-22.623W				Red nun with yellow triangle.
39475	New River - Cape Fear River Daybeacon 76	34-25-29.084N 077-33-56.283W				TR-TY on pile.
39480	New River - Cape Fear River Daybeacon 78	34-25-23.024N 077-34-12.543W		0		TR-TY on pile.
39485	New River - Cape Fear River Daybeacon 80	34-25-16.871N 077-34-27.524W		0		TR-TY on pile.
39490	New River - Cape Fear River Daybeacon 82	34-25-09.341N 077-34-48.107W		0		TR-TY on pile.
39493	New River - Cape Fear River Light 82A	34-24-59.987N 077-35-12.866W	Q R	0	4	TR-TY on pile.
39500	New River - Cape Fear River Daybeacon 84	34-24-51.180N 077-35-26.055W		0		TR-TY on pile.
39505	New River - Cape Fear River Daybeacon 86	34-24-41.700N 077-35-39.921W		0		TR-TY on pile.
39507	New River - Cape Fear River Light 89	34-24-31.243N 077-35-51.223W	FI G 2.5s	0	4	SG-SY on pile.
39510	New River - Cape Fear River Daybeacon 90	34-24-18.425N 077-36-13.798W		0		TR-TY on pile.
39515	New River - Cape Fear River Daybeacon 92	34-24-07.215N 077-36-29.704W		0		TR-TY on pile.
39520	New River - Cape Fear River Junction Light BC	34-24-37.848N 077-35-41.288W	FI (2+1)G 6s	0	4	JG-SY on pile.
39525	New River - Cape Fear River Light 93	34-23-54.746N 077-36-44.397W	FI G 4s	0	4	SG-SY on pile.
39527	New River - Cape Fear River Light 94	34-23-11.261N 077-37-50.961W	FI R 2.5s	0	4	TR-TY on pile.
39530	New River - Cape Fear River Light 96	34-22-33.224N 077-38-47.156W	FI R 4s	0	4	TR-TY on pile.
39545	New River - Cape Fear River Light 98	34-21-42.530N 077-40-12.910W	FI R 4s	0	4	TR-TY on pile.
39547	New River - Cape Fear River Buoy 99	34-21-34.718N 077-40-23.369W				Green can with yellow square.
39548	New River - Cape Fear River Buoy 99A	34-21-14.836N 077-40-57.664W				Green can yellow square.
39550	New River - Cape Fear River Light 100	34-20-38.597N 077-42-01.522W	FI R 4s	0	4	TR-TY on pile.
39555	New River - Cape Fear River Daybeacon 102	34-20-08.115N 077-42-16.497W		0		TR-TY on pile.
39560	New River - Cape Fear River Light 103	34-19-44.733N 077-42-27.140W	FI G 4s	0	4	SG-SY on pile.
39565	New River - Cape Fear River Daybeacon 105	34-19-25.685N 077-42-57.089W		0		SG-SY on multi-pile structure.

39570	New River - Cape Fear River Light 107	34-19-03.140N 077-43-29.007W	FI G 4s	10	4	SG-SY on pile.
39575	New River - Cape Fear River Daybeacon 108	34-18-49.381N 077-43-42.492W		0		TR-TY on pile.
39580	New River - Cape Fear River Daybeacon 110	34-18-32.479N 077-43-56.339W		0		TR-TY on pile.
39585	New River - Cape Fear River Daybeacon 114	34-17-59.822N 077-44-23.241W		0		TR-TY on pile.
39590	New River - Cape Fear River Light 118	34-17-25.744N 077-44-51.097W	FI R 4s	0	4	TR-TY on pile.
39595	New River - Cape Fear River Daybeacon 120	34-16-56.162N 077-45-15.004W		0		TR-TY on pile.
39597	New River - Cape Fear River Buoy 121	34-15-05.327N 077-46-50.448W				Green can with yellow square.
39598	New River - Cape Fear River Buoy 121A	34-14-55.539N 077-46-58.758W				Green can with yellow square.
39600	New River - Cape Fear River Light 122	34-15-12.314N 077-46-46.502W	FI R 4s	0	4	TR-TY on pile.
39601	New River - Cape Fear River Buoy 122A	34-15-06.984N 077-46-50.514W				Red nun with yellow square.
39603	Mason Inlet Pier Light A	34-15-00.954N 077-46-57.413W	FI Y 6s			Yellow.
39603.1	Mason Inlet Pier Light B	34-14-59.812N 077-46-58.480W	FI Y 6s			Yellow.
39605	New River - Cape Fear River Daybeacon 123	34-14-46.926N 077-47-06.984W				SG-SY on pile.
39610	New River - Cape Fear River Daybeacon 124	34-14-18.953N 077-47-33.315W		0		TR-TY on pile.
39615	New River - Cape Fear River Light 125	34-13-50.668N 077-47-56.586W	FI G 4s	0	4	SG-SY on pile.
39620	New River - Cape Fear River Light 127	34-12-46.211N 077-49-01.626W	FI G 4s	0	4	SG-SY on pile.
39621.9	Bradley Creek Light 9	34-12-38.760N 077-49-41.160W	FI G 4s			SG on pile.
39621.8	Bradley Creek Daybeacon 8	34-12-35.940N 077-49-32.820W				TR on pile.
39621.7	Bradley Creek Light 7	34-12-35.160N 077-49-34.560W	FI G 4s			SG on pile.
39621.6	Bradley Creek Daybeacon 6	34-12-33.840N 077-49-29.160W				TR on pile.
39621.5	Bradley Creek Daybeacon 5	34-12-33.300N 077-49-29.880W				SG on pile.
39621.4	Bradley Creek Daybeacon 4	34-12-32.100N 077-49-23.820W				TR on pile.
39621.3	Bradley Creek Daybeacon 3	34-12-30.780N 077-49-25.500W				SG on pile.
39621.2	Bradley Creek Light 2	34-12-26.220N 077-49-11.700W	FI R 2s			TR on pile.
39621.1	Bradley Creek Light 1	34-12-24.480N 077-49-12.960W	FI G 2s			SG on pile.
39623.4	Bradley Creek Daybeacon 16	34-12-51.780N 077-49-55.980W				TR on pile.
39623.3	Bradley Creek Light 14	34-12-49.680N 077-49-52.680W	FI R 4s			TR on pile.
39623.2	Bradley Creek Light 12	34-12-44.700N 077-49-48.060W	Q R			TR on pile.
39623.1	Bradley Creek Daybeacon 10	34-12-40.200N 077-49-41.160W				TR on pile.
39625	New River - Cape Fear River Light 128	34-11-48.808N 077-49-24.217W	FI R 4s	0	4	TR-TY on pile.
39630	New River - Cape Fear River Buoy 129	34-11-37.872N 077-49-29.609W				Green can with yellow square.
39635	New River - Cape Fear River Light 129A	34-11-16.909N 077-49-42.933W	FI G 2.5s	0	4	SG-SY on pile.
39640	New River - Cape Fear River Light 130	34-10-26.217N 077-50-26.223W	FI R 4s		4	TR-TY on pile.
39645	New River - Cape Fear River Daybeacon 134	34-09-58.966N 077-50-46.723W		0		TR-TY on pile.
39650	New River - Cape Fear River Daybeacon 135	34-09-33.138N 077-51-02.218W		0		SG-SY on pile.

39655	New River - Cape Fear River Light 137	34-09-04.938N 077-51-24.196W	FI G 4s	0	4	SG-SY on pile.
39660	New River - Cape Fear River Daybeacon 138	34-08-52.824N 077-51-30.933W		0		TR-TY on multi-pile structure.
39665	New River - Cape Fear River Daybeacon 139	34-08-35.375N 077-51-35.565W		0		SG-SY on pile.
39670	New River - Cape Fear River Daybeacon 140	34-08-09.399N 077-51-50.229W				TR-TY on pile.
39672	Masonboro Harbour Channel Daybeacon 1MH	34-08-03.118N 077-51-53.221W				
39672.1	Masonboro Harbour Channel Daybeacon 2	34-08-03.518N 077-51-53.003W				
39672.2	Masonboro Harbour Channel Daybeacon 3	34-08-03.750N 077-51-55.220W				
39672.3	Masonboro Harbour Channel Daybeacon 4	34-08-04.320N 077-51-55.020W				
39672.4	Masonboro Harbour Channel Daybeacon 5	34-08-04.590N 077-51-57.760W				
39672.5	Masonboro Harbour Channel Daybeacon 6	34-08-04.960N 077-51-57.560W				
39672	Masonboro Harbour Channel Daybeacon 1MH	34-08-03.118N 077-51-53.221W				
39672.1	Masonboro Harbour Channel Daybeacon 2	34-08-03.518N 077-51-53.003W				
39672.2	Masonboro Harbour Channel Daybeacon 3	34-08-03.750N 077-51-55.220W				
39672.3	Masonboro Harbour Channel Daybeacon 4	34-08-04.320N 077-51-55.020W				
39672.4	Masonboro Harbour Channel Daybeacon 5	34-08-04.590N 077-51-57.760W				
39672.5	Masonboro Harbour Channel Daybeacon 6	34-08-04.960N 077-51-57.560W				
39675	New River - Cape Fear River Daybeacon 141	34-07-45.058N 077-51-57.315W		0		SG-SY on pile.
39680	New River - Cape Fear River Daybeacon 143	34-07-21.410N 077-52-07.753W		0		SG-SY on pile.
39685	New River - Cape Fear River Light 145	34-07-06.957N 077-52-13.563W	FI G 4s	0	4	SG-SY on pile.
39695	New River - Cape Fear River Daybeacon 148	34-06-46.423N 077-52-22.169W		0		TR-TY on pile.
39700	New River - Cape Fear River Daybeacon 149	34-06-31.085N 077-52-25.745W		0		SG-SY on pile.
39705	New River - Cape Fear River Daybeacon 150	34-06-11.237N 077-52-33.308W		0		TR-TY on pile.
39710	New River - Cape Fear River Daybeacon 151	34-05-53.701N 077-52-36.923W		0		SG-SY on pile.
39715	New River - Cape Fear River Daybeacon 152	34-05-34.373N 077-52-46.082W		0		TR-TY on pile.
39720	New River - Cape Fear River Light 153	34-05-13.612N 077-52-50.171W	FI G 4s	0	4	SG-SY on multi-pile structure.
39725	New River - Cape Fear River Buoy 154	34-04-53.545N 077-52-57.615W				Red nun with yellow triangle.
39726	New River - Cape Fear River Buoy 154A	34-04-45.553N 077-53-00.915W				Red nun with yellow triangle.
39730	New River - Cape Fear River Buoy 155	34-04-55.568N 077-52-55.650W				Green can with yellow square.
39733.1	Inlet Watch Yacht Club Harbor Light 2	34-04-40.740N 077-53-06.600W	FI R 4s			TR on pile.
39733	Inlet Watch Yacht Club Harbor Light 1	34-04-40.500N 077-53-07.620W	FI G 2.5s			SG on pile.
39735	New River - Cape Fear River Buoy 155A	34-04-37.315N 077-53-02.026W				Green can with yellow square.
39740	New River - Cape Fear River Daybeacon 156	34-04-21.530N 077-53-09.269W		0		TR-TY on pile.
39745	New River - Cape Fear River Daybeacon 157	34-04-06.057N 077-53-11.549W		0		SG-SY on pile.
39750	New River - Cape Fear River Daybeacon 159	34-03-50.259N 077-53-16.921W		0		SG-SY on pile.
39755	New River - Cape Fear River Light 161	34-03-32.226N 077-53-22.062W	FI G 4s	0	5	SG-SY on multi-pile structure.

39756	New River - Cape Fear River Buoy 161A	34-03-07.140N 077-54-51.163W				Green can with yellow square.
39757	New River - Cape Fear River Buoy 162	34-03-09.414N 077-54-39.622W				Red nun with yellow triangle.
39758	New River - Cape Fear River Buoy 162A	34-03-06.598N 077-55-03.956W				Red nun with yellow triangle.
39760	Carolina Beach Harbor Channel Daybeacon 2	34-03-25.484N 077-53-24.241W		0		TR on pile.
39765	Carolina Beach Harbor Channel Daybeacon 4	34-03-15.468N 077-53-21.614W		0		TR on pile.
39770	Carolina Beach Harbor Channel Daybeacon 5	34-03-05.263N 077-53-22.445W		0		SG on pile.
39780	Carolina Beach Harbor Channel Daybeacon 7	34-02-34.522N 077-53-25.432W		0		SG on pile.
39825	New River - Cape Fear River Lighted Buoy 163	34-03-04.770N 077-55-08.731W	FI G 4s		4	Green can with yellow square.
39836	New River - Cape Fear River Daybeacon 164	34-03-04.679N 077-55-15.710W		0		TR-TY on pile.
39847	Carolina Beach State Park Daybeacon 1	34-03-01.740N 077-55-14.700W				SG on pile.
39847.1	Carolina Beach State Park Daybeacon 2	34-03-01.980N 077-55-14.880W				TR on pile.
39847.2	Carolina Beach State Park Daybeacon 3	34-03-00.540N 077-55-12.600W				SG on pile.
39847.3	Carolina Beach State Park Daybeacon 4	34-03-00.400N 077-55-13.700W				TR on pile.
39847.4	Carolina Beach State Park Daybeacon 5	34-03-00.540N 077-55-09.960W				SG on pile.
39847.5	Carolina Beach State Park Daybeacon 6	34-03-00.600N 077-55-10.620W				TR on pile.
39850	New River - Cape Fear River Daybeacon 165	34-03-00.477N 077-55-20.463W				SG-SY on pile.
39855	New River - Cape Fear River Buoy 167	34-02-53.789N 077-55-34.030W				Green can with yellow square.
39857	New River - Cape Fear River Light 168	34-02-57.310 N 077-55-33.230 W	Q R	0	4	TR-TY on pile.
39860	New River - Cape Fear River Daybeacon 170	34-02-37.137N 077-55-45.399W		0		TR-TY on pile.
39865	New River - Cape Fear River Daybeacon 172	34-02-24.690N 077-55-51.192W		0		TR-TY on pile.
39867	New River - Cape Fear River Buoy 172A	34-02-20.815N 077-55-52.965W				Red nun with yellow triangle.
39870	New River - Cape Fear River Daybeacon 174	34-02-13.808N 077-55-58.301W		0		TR-TY on pile.
39875	New River - Cape Fear River Daybeacon 176	34-02-02.647N 077-56-05.769W		0		TR-TY on pile.
39880	New River - Cape Fear River Light 177	34-01-47.292N 077-56-10.838W	FI G 4s		4	SG-SY on pile.
39885	Cape Fear River Channel Lighted Buoy 35	34-02-03.244N 077-56-28.771W	FI G 4s		4	Green.
39890	Upper Midnight Channel North Range Front Light	34-03-22.904N 077-56-25.386W	Q W	5		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline.
39895.1	Upper Midnight Channel North Range Rear Passing Lights (2)	34-03-48.939N 077-56-25.652W	FI W 4s		4	Located on same structure as Upper Midnight Channel Range Rear Light.
39895	Upper Midnight Channel North Range Rear Light	34-03-48.939N 077-56-25.652W	Iso W 6s	35		Skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline.
39900	Cape Fear River Channel Lighted Buoy 33	34-01-23.722N 077-56-28.335W	FI G 2.5s		4	Green with yellow triangle.
39905	Cape Fear River Channel Lighted Buoy 31	34-00-38.355N 077-56-28.156W	Q G		4	Green with yellow triangle.
39910	Cape Fear River Channel Lighted Buoy 30	34-00-08.305N 077-56-29.064W	FI R 4s		4	Red with yellow square.
39915	Lower Midnight Channel North Range Front Light	34-00-59.324N 077-56-17.375W	Q W	5		On skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY : Visible 3° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side or rangeline.
39920.1	Lower Midnight Channel North Range Rear Passing Lights (2)	34-01-22.306N 077-56-10.240W	FI W 4s	0	4	Located on same structure as Lower Midnight Channel North Range Rear Light.
39920	Lower Midnight Channel North Range Rear Light	34-01-22.306N 077-56-10.240W	Iso W 6s	25		On skeleton tower on multi-pile structure. Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible 1.5° either side of rangeline.
39925	Cape Fear River Channel Lighted Buoy 29	33-59-24.792N 077-56-51.015W	FI G 4s		5	Green with yellow triangle.

39930	Cape Fear River Channel Lighted Buoy 28	33-59-13.470N 077-56-46.069W	Q R	4	Red with yellow square.	
39935	Reaves Point Channel Range Front Light	33-57-40.858N 077-56-59.325W	Iso W 2s	0	On multi-pile structure. On same structure as Snows Marsh Channel Range Front Light.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
39940	Reaves Point Channel Range Rear Light	33-57-06.009N 077-57-03.230W	Iso W 6s	25	On multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
39941	Reaves Point Channel Range Rear Passing Lights (2)	33-57-06.009N 077-57-03.230W	Fl W 4s	0	4	On same structure as Reaves Point Channel Range Rear Light. Located on corners of platform.
39945	Cape Fear River Channel Lighted Buoy 27	33-58-16.146N 077-56-59.752W	Q G	4	Green with yellow triangle.	
39950	Horseshoe Shoal Channel Range Front Light	33-56-34.610N 077-57-48.857W	Q W	3	On skeleton tower.	Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around; higher intensity 4.0° either side of rangeline.
39955	Horseshoe Shoal Channel Range Rear Light	33-55-54.542N 077-58-10.000W	Iso W 6s	30	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
39960	Cape Fear River Channel Lighted Buoy 26	33-57-33.651N 077-57-11.970W	Fl R 4s	4	Red with yellow square.	
39965.1	Cape Fear River Channel Lighted Buoy 25A	33-57-31.389N 077-57-21.946W	Q G	4	Green with yellow triangle.	
39965	Cape Fear River Channel Lighted Buoy 25	33-57-14.831N 077-57-35.813W	Q G	4	Green with yellow triangle.	
39966	Federal Point Range Front Light	33-58-11.535N 077-56-49.444W	Fl W 2.5s	5	On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
39967	Federal Point Range Rear Light	33-57-44.729N 077-56-37.212W	Iso W 6s	35	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
39969	Federal Point Range Rear Passing Lights (2)	33-57-44.729N 077-56-37.212W	Fl W 4s	25	4	On same structure as Federal Point Range Rear Light. Located on corners of platform.
39970	Snows Marsh Channel Range Front Light	33-57-40.826N 077-56-59.328W	Iso W 2s	0	On multi-pile structure. On same structure as Reaves Point Channel Range Front Light.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
39975	Snows Marsh Channel Range Rear Light	33-58-11.657N 077-56-21.065W	Iso W 6s	30	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.
39976	Snows Marsh Range Rear Passing Lights (2)	33-58-11.657N 077-56-21.065W	Fl W 4s	0	5	On same structure as Snows Marsh Range Rear Light.
39980	Cape Fear River Channel Lighted Buoy 23	33-56-45.840N 077-58-11.540W	Fl G 4s	4	Green with yellow triangle.	
39985	Price Creek South Mooring Dolphin Light	33-56-00.534N 077-59-13.006W	Fl Y 4s		On dolphin.	
39990	Price Creek South Breasting Dolphin Light	33-56-02.626N 077-59-09.959W	Fl Y 4s		On dolphin.	
39995	Price Creek Loading Platform Lights (2)	33-56-03.626N 077-59-08.959W	Fl Y 4s		On platform.	
40000	Price Creek North Breasting Dolphin Light	33-56-04.626N 077-59-08.459W	Fl Y 4s		On dolphin.	
40005	Price Creek North Mooring Dolphin Light	33-56-07.626N 077-59-04.459W	Fl Y 4s		On dolphin.	
40010	Cape Fear River Channel Lighted Buoy 22	33-56-13.087N 077-58-44.015W	Fl R 4s	4	Red with yellow square.	
40011	Deep Point Marina Jetty Light 1	33-55-46.000N 077-59-39.800W	Q G		SG on pile.	
40013	Deep Point Marina Jetty Light 2	33-55-47.000N 077-59-37.500W	Q R		TR on pile.	
40015	Cape Fear River Channel Lighted Buoy 20	33-55-29.152N 077-59-34.976W	Q R	4	Red with yellow square.	
40020	Cape Fear River Channel Lighted Buoy 19	33-55-15.766N 078-00-15.680W	Fl G 4s	4	Green with yellow triangle.	Marks pile of stone ballast.
40025	Lower Swash Channel Range Front Light	33-55-51.419N 077-59-04.824W	Q W		On multi-pile structure.	Lighted throughout 24 hours. Day : Visible 14° either side of rangeline. Night : Visible all around; higher intensity 14° either side of rangeline.
40030.1	Lower Swash Channel Range Rear Passing Lights (2)	33-56-04.202N 077-58-42.252W	Fl W 4s	4	On same structure as Lower Swash Channel Range Rear Light. Located on corners of platform.	
40030	Lower Swash Channel Range Rear Light	33-56-04.202N 077-58-42.252W	Iso W 6s	25	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 10° either side rangeline.
40035	Southport Light 1	33-54-53.182N 078-01-11.303W	Fl G 2.5s	0	4	SG-SY on multi-pile structure.
40045	Cape Fear River - Little River Buoy 2	33-54-55.483N 078-01-08.267W			Red nun with yellow triangle.	
40050	Cape Fear River - Little River Light 2A	33-54-58.993N 078-01-46.171W	Fl R 4s	0	4	TR-TY on pile.
40053	Cape Fear River - Little River Daybeacon 3	33-54-58.102N 078-01-55.444W		0	SG-SY on same structure as Southport Range Rear Light.	

40055	Cape Fear River - Little River Daybeacon 5	33-55-03.347N 078-02-36.038W		0		SG-SY on pile.
40060	Cape Fear River - Little River Light 7	33-55-09.515N 078-03-16.797W	FI G 2.5s	0	4	SG-SY on pile.
40065	Cape Fear River - Little River Daybeacon 8	33-55-13.142N 078-03-27.576W		0		TR-TY on pile.
40070	Cape Fear River - Little River Daybeacon 9	33-55-12.481N 078-03-45.728W		0		SG-SY on pile.
40075	Cape Fear River - Little River Light 11	33-55-18.868N 078-04-34.526W	FI G 4s	0	4	SG-SY on pile.
40080	Cape Fear River - Little River Daybeacon 13	33-55-18.680N 078-05-13.659W		0		SG-SY on pile.
40085	Cape Fear River - Little River Daybeacon 15	33-55-18.724N 078-05-46.587W		0		SG-SY on pile.
40090	Cape Fear River - Little River Light 16	33-55-20.997N 078-06-44.121W	FI R 4s		4	TR-TY on pile.
40093	Cape Fear River - Little River Buoy 16A	33-55-29.892N 078-07-47.598W				Red nun.
40093	Cape Fear River - Little River Buoy 16A	33-55-29.892N 078-07-47.598W				Red nun.
40095	Cape Fear River - Little River Light 18	33-55-44.337N 078-10-17.834W	FI R 4s	0	4	TR-TY on multi-pile structure.
40100	Cape Fear River - Little River Light 24	33-55-36.485N 078-11-21.982W	FI R 4s	0	4	TR-TY on multi-pile structure.
40105	Cape Fear River - Little River Daybeacon 26	33-55-26.335N 078-11-35.060W		0		TR-TY on pile.
40110	Cape Fear River - Little River Daybeacon 28	33-55-19.431N 078-11-42.104W				TR-TY on pile.
40115	Cape Fear River - Little River Light 29	33-55-08.960N 078-11-50.737W	FI G 4s	0	4	SG-SY on pile.
40120	Cape Fear River - Little River Daybeacon 32	33-55-14.330N 078-12-16.961W		0		TR-TY on pile.
40125	Cape Fear River - Little River Light 33	33-55-16.312N 078-12-45.438W	FI G 4s		4	SG-SY on pile.
40130	Cape Fear River - Little River Daybeacon 36	33-55-23.887N 078-12-57.257W		0		TR-TY on pile.
40135	Lockwoods Folly River Daybeacon 1	33-55-29.030N 078-12-57.952W		0		SG on pile.
40140	Lockwoods Folly River Daybeacon 2	33-55-35.840N 078-12-54.436W		0		TR on pile.
40145	Lockwoods Folly River Daybeacon 4	33-55-43.414N 078-12-58.558W		0		TR on pile.
40150	Lockwoods Folly River Daybeacon 5	33-55-54.304N 078-13-04.018W				SG on pile.
40155	Lockwoods Folly River Daybeacon 6	33-55-59.974N 078-13-06.265W		0		TR on pile.
40160	Lockwoods Folly River Daybeacon 7	33-56-13.114N 078-13-12.652W		0		SG on pile.
40170	Lockwoods Folly River Daybeacon 9	33-56-31.946N 078-13-12.376W		0		SG on pile.
40175	Lockwoods Folly River Daybeacon 10	33-56-40.418N 078-13-17.908W		0		TR on pile.
40180	Lockwoods Folly River Buoy 12	33-56-49.714N 078-13-25.282W				Red nun.
40180	Lockwoods Folly River Buoy 12	33-56-49.714N 078-13-25.282W				Red nun.
40185	Lockwoods Folly River Daybeacon 14	33-57-06.622N 078-13-33.742W		0		TR on pile.
40195	Cape Fear River - Little River Daybeacon 39	33-55-27.043N 078-13-04.977W		0		SG-SY on pile.
40200	Cape Fear River - Little River Light 40	33-55-32.050N 078-13-11.090W	FI R 4s	0	4	TR-TY on pile.
40205	Cape Fear River - Little River Daybeacon 41	33-55-26.958N 078-13-22.540W		0		SG-SY on pile.
40210	Cape Fear River - Little River Daybeacon 42	33-55-24.402N 078-13-33.138W		0		TR-TY on pile.
40215	Cape Fear River - Little River Light 44	33-55-19.899N 078-13-43.995W	FI R 4s	0	4	TR-TY on pile.
40220	Cape Fear River - Little River Daybeacon 46	33-55-18.340N 078-13-53.967W		0		TR-TY on pile.

40222	Cape Fear River - Little River Buoy 46A	33-55-17.813N 078-14-13.446W					Red nun with yellow triangle.
40225	Cape Fear River - Little River Buoy 47	33-55-15.503N 078-14-01.416W					Green can with yellow square.
40227	Cape Fear River - Little River Buoy 47A	33-55-15.421N 078-14-11.205W					Green can with yellow square.
40227	Cape Fear River - Little River Buoy 47A	33-55-15.421N 078-14-11.205W					Green can with yellow square.
40230	Cape Fear River - Little River Buoy 47B	33-55-12.503N 078-14-20.517W					Green can with yellow square.
40235	Cape Fear River - Little River Buoy 48	33-55-14.394N 078-14-17.588W					Red nun with yellow triangle.
40240	Cape Fear River - Little River Light 48A	33-55-12.927N 078-14-33.123W	FI R 4s	0	4		TR-TY on pile.
40245	Cape Fear River - Little River Light 50	33-55-07.484N 078-15-19.633W	FI R 4s	0	4		TR-TY on pile.
40250	Cape Fear River - Little River Light 51	33-55-04.652N 078-15-42.101W	FI G 4s	0	4		SG-SY on pile.
40255	Cape Fear River - Little River Light 51A	33-54-57.470N 078-16-13.139W	FI G 4s	0	5		SG-SY on pile.
40260	Cape Fear River - Little River Daybeacon 53	33-54-57.109N 078-16-49.402W		0			SG-SY on pile.
40265	Cape Fear River - Little River Daybeacon 55	33-54-57.276N 078-17-24.456W		0			SG-SY on pile.
40270	Cape Fear River - Little River Daybeacon 57	33-54-57.798N 078-17-56.365W		0			SG-SY on pile.
40275	Cape Fear River - Little River Light 59	33-54-57.427N 078-18-29.724W	FI G 4s	0	4		SG-SY on pile.
40280	Cape Fear River - Little River Daybeacon 61	33-54-55.766N 078-18-57.136W		0			SG-SY on pile.
40285	Cape Fear River - Little River Daybeacon 63	33-54-54.504N 078-19-22.331W		0			SG-SY on pile.
40287	Cape Fear River - Little River Warning Daybeacon	33-54-53.571N 078-19-22.877W		0			NW on pile worded DANGER SUBMERGED OBJECT.
40290	Cape Fear River - Little River Daybeacon 65	33-54-51.517N 078-19-46.424W		0			SG-SY on pile.
40295	Cape Fear River - Little River Light 67	33-54-49.651N 078-20-11.932W	FI G 4s	0	4		SG-SY on pile.
40300	Cape Fear River - Little River Daybeacon 69	33-54-45.500N 078-20-34.286W		0			SG-SY on pile.
40305	Cape Fear River - Little River Daybeacon 71	33-54-37.368N 078-21-20.326W		0			SG-SY on pile.
40310	Cape Fear River - Little River Light 71A	33-54-32.444N 078-21-44.221W	FI G 4s	0	4		SG-SY on pile.
40315	Cape Fear River - Little River Daybeacon 73	33-54-36.490N 078-21-56.565W		0			SG-SY on pile.
40320	Cape Fear River - Little River Buoy 75	33-54-41.930N 078-22-10.923W					Green can with yellow square.
40323	Cape Fear River - Little River Buoy 76	33-54-45.990N 078-22-14.783W					Red nun with yellow triangle.
40325	Cape Fear River - Little River Light 77	33-54-47.281N 078-22-25.344W	FI G 4s	0	4		SG-SY on pile.
40330	Cape Fear River - Little River Light 78	33-54-48.670N 078-22-33.105W	FI R 4s	0	4		TR-TY on pile.
40335	Cape Fear River - Little River Daybeacon 80	33-54-36.669N 078-22-51.823W		0			TR-TY on pile.
40337	Cape Fear River - Little River Buoy 80A	33-54-29.524N 078-23-00.989W					Red nun with yellow triangle.
40340	Cape Fear River - Little River Buoy 81	33-54-25.426N 078-23-03.904W					Green can with yellow square.
40345	Cape Fear River - Little River Buoy 82	33-54-20.939N 078-23-12.705W					Red nun with yellow triangle.
40350	Cape Fear River - Little River Light 83	33-54-17.446N 078-23-18.856W	FI G 4s	0	4		SG-SY on pile.
40355	Cape Fear River - Little River Light 84	33-54-15.491N 078-23-42.588W	FI R 4s	0	4		TR-TY on pile.
40360	Cape Fear River - Little River Light 85	33-54-12.394N 078-24-08.537W	FI G 4s		4		SG-SY on pile.
40365	Cape Fear River - Little River Daybeacon 87	33-54-05.407N 078-24-37.667W		0			SG-SY on pile.

40370	Cape Fear River - Little River Daybeacon 89	33-53-58.554N 078-25-04.365W		0		SG-SY on pile.
40375	Cape Fear River - Little River Light 90	33-53-52.748N 078-25-35.972W	FI R 4s	0	3	TR-TY on pile.
40380	Cape Fear River - Little River Daybeacon 91	33-53-48.457N 078-25-50.663W		0		SG-SY on pile.
40385	Cape Fear River - Little River Light 93	33-53-40.922N 078-26-39.421W	FI G 4s	0	4	SG-SY on pile.
40390	Cape Fear River - Little River Daybeacon 95	33-53-33.235N 078-27-16.084W				SG-SY on pile.
40395	Cape Fear River - Little River Daybeacon 97	33-53-28.861N 078-27-40.290W		0		SG-SY on pile.
40400	Cape Fear River - Little River Light 98	33-53-25.438N 078-28-03.096W	FI R 4s	0	4	TR-TY on pile.
40405	Cape Fear River - Little River Daybeacon 99	33-53-20.538N 078-28-30.282W		0		SG-SY on pile.
40410	Cape Fear River - Little River Light 101	33-53-15.490N 078-29-08.192W	FI G 4s	0	4	SG-SY on pile.
40415	Cape Fear River - Little River Daybeacon 103	33-53-10.710N 078-29-27.539W		0		SG-SY on pile.
40420	Cape Fear River - Little River Daybeacon 105	33-53-01.432N 078-30-03.785W		0		SG-SY on pile.
40425	Cape Fear River - Little River Light 108	33-52-42.272N 078-31-28.802W	FI R 4s	0	4	TR-TY on pile.
40430	Cape Fear River - Little River Daybeacon 109	33-52-37.542N 078-31-51.768W		0		SG-SY on pile.
40435	Cape Fear River - Little River Light 111	33-52-33.209N 078-32-24.996W	FI G 4s	0	4	SG-SY on pile.
40440	Cape Fear River - Little River Daybeacon 113	33-52-22.997N 078-32-45.158W				SG-SY on pile.
40445	Cape Fear River - Little River Daybeacon 115	33-52-13.141N 078-33-04.181W		0		SG-SY on pile.
40450	Cape Fear River - Little River Light 116	33-51-55.110N 078-33-43.870W	FI R 4s	0	4	TR-TY on pile.
40455	Cape Fear River - Little River Light 117	33-51-51.756N 078-34-04.090W	FI G 4s	0	4	SG-SY on pile.
40460	Cape Fear River - Little River Light 119	33-52-04.702N 078-34-16.617W	FI G 4s	0	4	SG-SY on pile.