

U.S. Department of
Homeland Security

United States
Coast Guard



LIGHT LIST

Volume IV

GULF OF AMERICA

Econfina River, Florida to the Rio Grande, Texas

This Light List contains a list of lights, sound signals,
buoys, daybeacons, and other aids to navigation.

2025

COMDTPUB P16502.4

OFFICIAL DISCLAIMER

The introductory sections of this document, including the preface, table of contents, and introduction, are presently being revised to conform to the updated format. These materials will be finalized and published in a subsequent release.

We appreciate your patience and understanding during this process.

Light List for Volume 4 (District 8 - Gulf) 01/02/2025

LLNR	Name	Position	Characteristic	Height	Range	Structure	Remarks
5	Ochlockonee Shoals Lighted Buoy 24	29-51-27.486N 084-10-19.020W	Fl R 4s	4		Red.	
15	South Shoal Lighted Buoy 26	29-47-57.187N 084-20-41.739W	Fl R 6s	4		Red.	
20	U.S. Air Force Instrumentation Tower Light Smi	29-04-54.000N 084-19-12.000W	Q W	5		On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl).
25	U.S. Air Force Instrumentation Tower Light N6	29-24-54.000N 084-20-42.000W	Q W			On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl).
30	U.S. Air Force Instrumentation Tower Light N7	29-39-54.000N 084-22-12.000W	Q W			On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl).
35	U.S. Air Force Instrumentation Tower Light N5	29-17-54.000N 084-36-42.000W	Q W			On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl).
40	U.S. Air Force Instrumentation Tower Light N3	29-32-18.000N 084-37-00.000W	Q W			On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl).
45	U.S. Air Force Instrumentation Tower Light N4	29-24-42.000N 084-51-24.000W	Q W			On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl).
50	Crooked River Light	29-49-38.100N 084-42-02.600W	Fl (2)W 15s			Square skeleton tower. Lower half white upper half red.	
55	Carrabelle Channel Lighted Buoy 2	29-44-32.788N 084-39-12.167W	Fl R 4s	4		Red.	
60	USF Marine Lighted Buoy	28-49-00.875N 084-50-00.446W	Fl Y 4s			Yellow.	
65	St George Island West Jetty Lighted Buoy 1	29-36-09.898N 084-57-13.293W	Fl G 2.5s	4		Green.	
70	St George Island East Jetty Lighted Buoy 2	29-36-10.298N 084-57-09.493W	Fl R 2.5s	4		Red.	
75	St. George Lighthouse	29-39-46.580N 084-51-46.330W	Fl W 6s			White conical tower.	Visible 244° to 061°. Non-operational May 1 to October 31 annually.
80	NOAA Lighted Buoy 42056	19-49-12.012N 084-56-41.019W	Fl (4)Y 20s	4		Yellow disc buoy with mast.	
85	Cape San Blas Shoal Inner Buoy 1	29-37-26.720N 085-19-43.342W				Green can.	
90	Cape San Blas Shoal Inner Buoy 3	29-38-20.774N 085-22-35.723W				Green can.	
95	St Joseph Bay Light & Entrance A Range Rear Light	29-55-05.530N 085-22-49.708W	Iso W 6s	100	7	KRW on skeleton tower.	Visible all around; higher intensity 1.5° each side of range line.
105	St Andrew Bay Entrance Lighted Buoy SA	30-05-29.756N 085-46-25.775W	Mo (A) W	6		Red and white stripes with red spherical topmark.	AIS: MMSI 993682022
115	NOAA Lighted Buoy 42039	28-47-12.000N 086-00-24.000W	Fl (4)Y 20s			Yellow disc buoy with mast.	
120	Old Pass Lagoon Intake Lighted Buoy	30-22-06.000N 086-29-01.000W	Fl R 2.5s			White with orange bands.	
125	Choctawhatchee Bay Entrance Lighted Buoy CB	30-22-14.589N 086-30-55.975W	Mo (A) W	5		Red and white stripes with red spherical topmark.	AIS: MMSI 993682106
135	Continental Shelf Oceanographic Lighted Buoy	29-55-24.000N 087-13-06.000W	Fl Y 4s			Yellow.	
138	NOAA Lighted Data Buoy 42012	30-03-36.000N 087-32-54.000W	Fl (4)Y 20s			Yellow disc buoy with mast.	
140	Pensacola Light	30-20-46.065N 087-18-29.133W	Fl W 20s	27		Conical brick tower lower third white upper two thirds black.	White light visible from 222° to 090°. Aircraft warning light shows F R from 090° to 222°.
145	Pensacola Bay Entrance Lighted Buoy 1	30-16-15.744N 087-17-32.922W	Fl G 2.5s	4		Green.	
150	Pensacola Bay Entrance Lighted Buoy 2	30-16-16.769N 087-17-23.529W	Fl R 2.5s	4		Red.	
160	Texaco-VK-786A-A Racon	29-13-44.410N 087-46-51.480W				On Texaco platform.	BAND: S X. SIGN: Texaco-VK-786A-A.
163	NOAA Scientific Monitoring Buoy Z	29-16-06.000N 087-45-30.000W	Fl Y 2.5s				AIS: MMSI 993689001
165	Perdido Pass Entrance Lighted Buoy PP	30-15-30.748N 087-33-24.358W	Mo (A) W	6		Red and white stripes with red spherical topmark.	AIS: MMSI 993682023

175	Cox-104-03 RACON	30-05-39.780N 087-52-59.463W	Q W		On freestanding caisson.	BAND: S X SIGN: COX-104-03
180	Mobile Point Light	30-13-41.507N 088-01-26.556W	Fl W 10s	14	On skeleton tower.	
182.02	ADCNR Pelican Bay Special Light A	30-14-23.039N 088-06-29.761W	Fl Y 2.5s		Marks perimeter of artificial reef.	
182.01	ADCNR Pelican Bay Special Light B	30-14-20.040N 088-06-17.100W	Fl Y 2.5s		Marks perimeter of artificial reef.	
182.03	ADCNR Pelican Bay Special Light C	30-14-17.340N 088-06-31.561W	Fl Y 2.5s		Marks perimeter of artificial reef.	
182	ADCNR Pelican Bay Special Light D	30-14-14.460N 088-06-18.900W	Fl Y 2.5s		Marks perimeter of artificial reef.	
185	Mobile Entrance Lighted Buoy M	30-07-30.981N 088-04-07.222W	Mo (A) W	6	Red and white stripes with red spherical topmark.	
190	W&T Offshore Mooring Buoy	30-10-45.240N 088-04-55.500W			White with blue band.	
195	Geological Survey Research Lighted Buoys (2)	29-57-07.000N 088-10-46.000W	Fl Y 4s		Yellow.	Maintained by U.S. Geological Survey.
215	Seneca-111-1 Lighted Buoy	29-55-33.921N 088-03-19.036W	Fl W 2.5s		White with orange Bands.	
220	Dauphin Island Sea Lab Lighted Scientific Buoy	30-05-23.946N 088-13-52.926W	Fl Y 2.5s		Yellow.	
225	Conoco-Phillips Lighted Oceanographic Buoy	30-05-25.200N 088-12-42.000W	Fl Y 2.5s		Yellow.	
227	USA Lighted Scientific Monitoring Buoy	30-05-30.700N 088-12-41.430W	Fl Y 2.5s		Oceanographic monitoring buoy.	
230	Tana-117-05 (Lighted Buoy)	29-25-00.027N 088-23-16.394W	Fl W 2.5s		White with orange bands.	Sign: MAGNUM HUNTER-MP-232-1.
245	NOAA Lighted Buoy 42040 (ODAS)	29-12-24.000N 088-14-12.000W	Fl (4)Y 20s		Yellow disc buoy with mast.	
250	Magnum Hunter 102-1 Lighted Buoy	29-18-51.810N 088-13-30.700W	Q R		Red.	SIGN: MAGNUM HUNTER-MP-263-1.
255	Texas A&M Research Lighted Buoy D	29-21-06.000N 088-15-54.000W	Fl W 4s		White with orange bands.	
262	BP Nakika MC-474-A RACON	28-31-14.500N 088-17-19.800W			On BP Nakika TLP platform.	RACON: U (. . .) BAND S X SIGN: BP-MC-474-A
265	Tana-117-02 (Lighted Buoy)	29-32-48.429N 088-16-31.387W	Fl W 2.5s		White with orange bands.	SIGN: MAGNUM HUNTER-MP-187-1.
267	USM Lighted Scientific Buoy	29-42-56.000N 088-15-39.000W	Fl Y 2.5s		Maintained by University of Southern Mississippi.	
270	Tana-117-01 (Lighted Buoy)	29-32-47.852N 088-21-57.025W	Fl W 2.5s		White with orange bands.	SIGN: MAGNUM HUNTER-MP-185-1.
280	Tana-117-30 (Lighted Buoy)	29-25-48.748N 088-25-34.714W	Fl W 2.5s		White with orange bands.	SIGN: TEC-MP-233-1.
285	BP Exploration-MC-778-A RACON	28-11-26.205N 088-29-44.318W			On BP-MC-778-Thunderhorse platform.	BAND: S X. SIGN: THUNDERHORSE. Private aid.
290	Cox-104-04 RACON	30-05-04.000N 088-29-47.000W	Q W		On Cox platform A.	BAND: S X SIGN: COX-104-04
295	Energy Resource-200-1 Lighted Buoy	29-25-08.710N 088-29-34.910W	Fl W 2.5s		White with orange bands.	SIGN: ENERGY RESOURCE-MP-234-1
305	Noble Energy Lighted Mooring Buoy A	29-13-15.229N 088-33-40.596W	Q W		White with blue band.	
307	Energy XXI-MP-61-D RACON	29-19-33.840N 088-52-37.390W			On Energy XXI platform D.	BAND: S X. SIGN:EXXI-MP-61-D.
310	Horn Island Pass Lighted Buoy HI	30-08-30.069N 088-34-40.150W	Mo (A) W	5	Red and white stripes with red spherical topmark.	AIS: MMSI 993682105
312	Apache-101-40 (Lighted Buoy)	29-16-07.436N 088-38-04.048W	Fl W 2.5s		White with orange band.	SIGN: Apache-MP-295-1
313	U.S. Navy ODAS Lighted Buoy 42067	30-02-59.960N 088-35-00.025W	Fl (5)Y 20s	4	Yellow 2.2m ODAS buoy extending 4.0m above the waterline.	
315	Usm Research Lighted Buoy A	30-02-32.930N 088-38-50.330W	Fl Y 4s		Yellow.	
316	U.S. Navy ODAS Lighted Buoy 42069	30-09-59.300N 088-51-55.526W	Fl (4)Y 20s	4	Yellow 0.7m ODAS buoy extending 1.5m above the waterline.	
320	Dog Keys Pass Lighted Buoy 1	30-12-55.743N 088-47-27.115W	Fl G 4s	4	Green.	
325	Dog Key Pass Reef Lighted Buoy J	30-12-19.260N 088-49-51.600W	Fl Y 2.5s		Yellow.	
330	U.S.G.S. Ship Island Monitoring Platform Light	30-15-16.000N 088-52-08.800W	Fl Y 2.5s			Maintained by U.S. Geological Survey.

335	Ship Island Light	30-12-45.434N 088-57-58.762W	Fl W 6s	80	6	Skeleton tower on block. On same structure as Ship Channel Upper Reach Outbound Range Rear Light.	
340	Gulfport Ship Channel Lighted Buoy GP	30-07-09.951N 088-52-39.907W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993682104
344.01	BP Lighted Scientific Monitoring Buoy	28-08-51.540N 088-32-52.030W	Fl Y 2.5s				Monitors environmental conditions for the BP Thunder Horse.
345	Ms-Al Aquaculture Research Cage Light	29-58-38.940N 088-36-17.870W	Fl Y 4s			On research cage.	
350	Mobil-194-6 Lighted Horn Buoy	29-35-05.000N 088-40-58.000W	Q R			Red.	SIGN: MO-MP-99-1. HORN: 1 blast ev 20s (2s bl).
355	Equinor USA-100-1 (RACON)	28-02-00.610N 089-06-02.200W				On Equinor USA Spar.	RACON: A (. _) BAND: S X. SIGN: Equinor USA-MC-941-A.
365	Harvey Ward Wreck Buoy	29-10-00.420N 088-53-00.850W				White with orange bands.	
370	Energy XXI-102-10 (Lighted Horn Buoy)	29-14-20.408N 088-52-59.480W	Q G			Green.	
375	Pass A Loure North Pass Lighted Buoy 2	29-14-16.813N 088-57-28.175W	Fl R 6s		4	Red.	
380	Pass A Loure Lighted Buoy 4	29-09-53.821N 088-56-32.170W	Fl R 2.5s		4	Red.	
385	Ocean Energy Lighted Mooring Buoy A	29-07-02.000N 088-51-30.000W	Q W			White with blue bands.	
387	Taylor Energy Lighted Buoy A	28-56-12.619N 088-58-10.303W	Fl Y 2.5s			Marks subsea containment system.	TAYLOR ENERGY-MC-20
390	Ocean Energy-102-2 Buoy	28-59-19.222N 089-04-54.359W				White with orange bands.	SIGN: OE-SP-32-1.
395	Ocean Energy-102-1 Lighted Horn Buoy	28-59-17.194N 089-04-56.752W	Q R			Red.	SIGN: OE-SP-32-1.
400	Cat Island Reef Light K	30-12-07.380N 089-04-52.080W	Fl Y 2.5s			NY on pile.	
420	Southwest Pass Entrance Light	28-54-21.395N 089-25-43.051W	Fl W 10s	122	12	Tower on white dwelling on piles.	Emergency light of reduced intensity: Fl W 10s.
425.01	Cox-105-1 RACON	28-50-01.000N 089-27-10.000W	Q W			On platform A.	BAND: S X SIGN: Cox-105-1
430	Southwest Pass Entrance Lighted Buoy SW	28-52-39.119N 089-25-55.026W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
435	Walter-110-6 Lighted Buoy	28-49-47.390N 089-31-35.304W	Fl W 2.5s			White with orange bands.	SIGN: WALTER-WD-107-1.
440	Walter-110-8 Lighted Buoy	28-52-33.852N 089-32-02.370W	Fl W 2.5s			White with orange bands.	SIGN: WALTER-WD-107-6
450	Fugro Geoscience Lighted Buoy	28-59-49.916N 089-31-41.942W	Q R			Red.	
455	Shell-138-13 RACON	28-39-42.360N 089-33-04.600W	Q W			On Shell-WD-143-platform 1.	BAND: S X. SIGN: SH-WD-143-1.
470	Louisiana State University Oceanographic Lighted Buoy A	30-23-03.420N 086-45-47.820W	Fl Y 4s			Yellow.	
480	Fr-La-27 Lighted Buoy A	29-11-36.660N 089-52-59.340W	Fl Y 2.5s			Yellow buoy.	SIGN: FR-LA-27-A.
485	Fr-La-27 Lighted Buoy B	29-11-42.133N 089-53-29.609W	Fl Y 2.5s			Yellow Buoy	SIGN: FR-LA-27-B.
490	Fr-La-27 Lighted Buoy C	29-11-12.817N 089-53-54.707W	Fl Y 2.5s			Yellow Buoy	SIGN: FR-LA-27-C.
495	Fr-La-27 Lighted Buoy D	29-10-56.680N 089-53-20.080W	Fl Y 2.5s			Yellow Buoy	SIGN: FR-LA-27-D
500	Fr-La-27 Lighted Buoy E	29-11-02.620N 089-52-47.590W	Fl Y 2.5s			Yellow Buoy	SIGN: FR-LA-27-E.
505	Loop Pumping Platform Light-100-5	28-53-06.000N 090-01-30.000W	Fl W 10s		15	On platform.	Platform additionally lighted by (9) Q W lights. HORN (2): 1 blast (2s bl) in unison every 20s.
510	Loop Fairway Lighted Horn Buoy 1	28-48-36.000N 089-55-00.000W	Fl G 6s			Green.	
515	Apache-122-3 Lighted Buoy	28-41-08.290N 089-57-33.280W	Fl W 2.5s			White with orange bands.	SIGN: APACHE-GI-82-A
520	Loop Fairway Lighted Buoy 2	28-50-18.000N 089-53-54.000W	Fl R 6s			Red.	
525	Loop Fairway Lighted Buoy 3	28-50-09.000N 090-02-24.000W	Fl G 6s			Green.	
530	Loop Fairway Lighted Buoy 4	28-54-52.000N 089-57-00.000W	Fl R 6s			Red.	
535	Loop Spm Lighted Mooring Buoy 102	28-53-18.000N 089-59-59.000W	Q W			White deck with yellow sides.	

540	Loop Lighted Mooring Buoy 103	28-52-16.000N 090-00-18.000W	Q W		White deck with yellow sides.	
545	Loop Spm Lighted Mooring Buoy 104	28-51-45.000N 090-01-24.000W	Q W		White deck with yellow sides.	
550	Loop Lighted Mooring Buoy Vm-1	28-53-43.000N 090-01-26.000W	FI W 4s		White.	
555	Loop Lighted Mooring Buoy Vm-2	28-53-23.000N 090-01-58.000W	FI W 4s		White.	
565	Loop Anchorage Lighted Buoy L-B	28-52-06.000N 089-52-42.000W	FI Y 6s		Yellow.	
570	Loop Anchorage Lighted Buoy L-A	28-54-06.000N 089-56-36.000W	FI Y 6s		Yellow.	
580	Loop 100-7 Light	29-06-00.000N 090-06-48.000W	FI W 4s		On pile.	SIGN: LOOP-GI-25-B. HORN: 1 blast ev 20s (2s bl).
585	Loop 100-6 Light	29-06-06.000N 090-06-54.000W	FI W 4s		On pile.	SIGN: LOOP-GI-25-A.
590	Walter-115-3 Lighted Buoy	28-25-47.672N 090-08-05.142W	FI W 2.5s		White with orange bands.	SIGN: WOG-GI-101-1.
600	Shell Flare Pipe Buoy 153-15	28-58-30.000N 090-10-36.000W			White with orange bands.	Marks subsea installation. SIGN: SH-ST-26-BUOY.
605	Helis-106-4 Lighted Buoy	28-26-35.377N 090-11-04.550W	FI W 2.5s		White with orange bands.	SIGN: HELIS-ST-209-1.
610	Walter-116-3 Lighted Buoy	28-16-47.769N 090-14-21.460W	FI W 2.5s		White with orange bands.	SIGN: WALTER-ST-260-2.
615	Belle Pass Entrance Lighted Buoy 2	29-04-15.984N 090-13-40.363W	Q R	4	Red.	
620	Northstar-SP-86-C RACON	28-43-05.951N 089-23-35.127W			On Platform C.	BAND: S X SIGN: Northstar-SP-86-C.
621	BP Scientific Lighted Monitoring Buoy	27-11-56.040N 089-59-25.560W	FI Y 2.5s		Scientific monitoring buoy.	
622	BP Exploration-GC-780-A Racon	27-10-23.200N 090-21-58.000W			On BP Exploration Platform.	Char: J (- - -) Band: S X Sign: BP Exploration-GC-780-A.
625	BP Exploration-Gc-787-A (RACON)	27-11-43.641N 090-01-37.150W			On BP-GC-787 Atlantis platform.	BAND: X SIGN: ATLANTIS
626	BP Mad Dog GC-782-A RACON	27-11-18.000N 090-16-07.000W			On BP spar Mad Dog platform.	RACON: Z (_ _ .) BAND: S X SIGN: BP-GC-782-A
627	BP Exploration Lighted Scientific Data Buoy A	27-12-24.370N 090-16-57.660W	FI Y 4s		Yellow.	SIGN: BP-GC-782.
628	Chevron-GC-763-Racon	27-13-36.000N 091-11-24.000W			On Chevron FPU Anchor platform.	Char: P (- -) Band: S X Sign: Chevron-GC-763 Racon
630	Agip-103-1 Lighted Buoy	28-25-38.000N 090-05-24.000W	Q W		White with orange bands.	
635	Hunt-114-6 Lighted Buoy	28-32-43.904N 090-09-01.644W	FI W 2.5s		White with orange bands.	SIGN: HUNT-ST-155-1.
640	University of Southern Mississippi Special Lighted Buoy A	28-52-02.040N 090-28-45.300W	FI Y 2.5s		Marks scientific monitoring location.	
645	Remington-105-1 Lighted Buoy	28-33-36.595N 090-19-26.174W	Q W		White with orange bands.	SIGN: ROG-ST-159-1.
650	Hunt-114-4 Lighted Buoy	28-20-27.220N 090-22-05.192W	FI W 2.5s		White with orange bands.	
655	Fugro Metocean Lighted Buoy	26-41-28.445N 090-27-27.822W	FI Y 2.5s		Yellow.	SIGN: FUGRO-WR-294
659	SBM Stones Special Lighted Buoy	26-25-38.740N 090-48-45.350W	FI Y 2.5s			Marks subsurface turret buoy. Buoy not present when FPSO is onsite.
660	Petrobras BW Pioneer Lighted Buoy	26-41-46.250N 090-30-30.160W	FI Y 2.5s		Yellow.	Marks subsurface turret buoy. Buoy not present when FPSO is onsite.
662	Chevron-218-1 RACON	26-14-51.000N 091-15-32.000W			On Chevron (Jack St. Malo) WR-718-B structure.	BAND: S X RACON: U (. . _)
665	NS-Hamilton Oceanographic Lighted Buoy	27-46-11.470N 090-31-14.560W	FI Y 4s		Yellow.	
670	Ns-Hamilton Oceanographic Buoy	27-46-01.000N 090-31-14.860W			Yellow.	
680	Cat Island Pass Lighted Buoy CI	29-00-09.489N 090-34-05.876W	Mo (A) W	5	Red and white stripes with red spherical topmark.	
685	Trunkline-103-1 Lighted Buoy	28-47-16.000N 090-36-30.000W	Q R		Red.	SIGN: TGC-ST-72-T-21.
690	Probe-102-1 Lighted Buoy	28-26-18.764N 090-41-18.069W	FI W 2.5s		White with orange bands.	SIGN: EP-ST-214.
695	Shell Lighted Mooring Buoy A	28-09-29.000N 090-43-23.000W	Q W		White with blue bands.	

707	Fugro Lighted Scientific Monitoring Buoy	26-54-02.604N 090-29-07.614W	FI Y 2.5s			Provides real-time environmental reports to FPSO SBM Stone Turritella.	
712	Whistler Energy West Lighted Mooring Buoy	27-56-37.005N 091-01-50.576W	FI W 2.5s				
712.01	Whistler Energy East Lighted Mooring Buoy	27-56-36.846N 091-01-39.428W	FI W 2.5s				
715	Kerr Mc Gee-111-8 Lighted Buoy)	28-30-09.000N 091-03-16.000W	Q W			Red.	SIGN: KM-SS-218-7. HORN: 1 blast ev 20s (2s bl).
725	Chevron-196-39 Lighted Buoy	28-40-01.000N 091-04-50.000W	Q R			Red.	SIGN: CH-SS-170-1.
730	Ship Shoal Obstruction Lights	28-54-52.346N 091-04-16.107W	Q W	20	4	Brown skeleton structure on piles. (Abandoned Lighthouse.)	Shows 2 Quick Flashing White Obstruction lights displayed at a height of 17 feet from perimeter of lower platform.
735	Century Offshore-106-2 Lighted Horn Buoy	28-44-09.000N 091-14-29.000W	Q R			Red.	SIGN: COMC-SS-150-9& 10. HORN: 1 blast ev 20s (2s bl).
740	Dominion-102-2 Lighted Buoy	28-21-58.900N 091-15-49.900W	Q W			White with orange bands.	SIGN: DEP-SS-249-6.
745	Ship Shoal Buoy WR2	28-34-34.000N 091-17-23.000W				Red nun.	
760	Remington-102-4 Lighted Buoy	28-17-49.431N 091-25-08.075W	FI W 2.5s			White with orange bands.	SIGN: Remington-EI-302-3.
770	Fieldwood-103-93 Lighted Buoy	28-10-46.670N 091-28-57.460W	FI W 2.5s			Green.	SIGN: FOC-EI-342-A.
775	Apache-102-77 Lighted Buoy	28-24-13.206N 091-29-02.086W	FI W 2.5s			White with orange bands.	SIGN: APACHE-EI-282-1.
776	BP Exploration-124-1 Lighted Buoy	29-01-36.345N 091-31-36.855W	FI W 2.5s			Marks submerged platform obstruction.	
777	Energy Resource-107-16 Lighted Buoy	28-19-52.398N 091-32-30.277W	FI W 2.5s			White with orange bands.	SIGN: TARPON-EI-305-1
780	NewField 102-23 Lighted Buoy	28-40-13.000N 091-35-46.000W	Q W			White with orange bands.	SIGN: NFE-EL-206-B.
825	Remington-300-6 Lighted Buoy	28-23-18.444N 092-03-46.363W	FI W 2.5s			White with orange bands.	SIGN: ROG-SMI-116-1.
835	Mcmoran-Smi-217-226 Mooring Facility Lights(8)	29-26-19.900N 092-02-26.000W	Q W			On pile.	
840	Mcmoran-Smi-212-228 Mooring Facility Lights(10)	29-28-30.400N 092-02-55.900W	Q W			On pile.	
845	Mcmoran-Smi-212-North Mooring Facility Lights(16)	29-29-19.200N 092-03-25.800W	Q W			On pile.	
850	McMoran South Marsh Island Well 6 Mooring Facility Lights (10)	29-28-48.000N 091-52-40.800W	Q W			On pile.	
860	El Paso-106-5 Lighted Buoy	28-26-42.366N 092-16-04.464W	FI W 4s			White with orange bands.	SIGN: EPP-VE-274-B.
865	Energy Resource-103-12 Lighted Buoy	28-34-23.159N 092-14-55.454W	FI W 2.5s			White with orange bands.	SIGN: ENERGY RESOURCE-VR-249-1
870	Energy XXI-101-10 Lighted Buoy	28-30-30.073N 092-21-08.353W	FI W 2.5s			White with orange bands.	Sign: ENERGY XXI-EI-256.
875	Remington-104-3 Lighted Buoy	29-00-32.636N 092-23-17.846W	Q R			Red.	SIGN: REMINGTON-VE-136-1.
877	Scripps Lighted Data Buoy CDIP 255 NDBC 42091	29-05-16.080N 092-30-17.640W	FI (5)Y 20s			Yellow.	Aid maintained by Scripps Institution of Oceanography.
880	Energy Resource-103-17 Lighted Buoy	28-09-57.930N 092-29-09.690W	FI W 2.5s			White with orange bands.	SIGN: ENERGY RESOURCE-VR-348-1.
882	Tana-109-2 (Lighted Buoy)	28-24-53.220N 092-29-02.200W	FI W 2.5s			White with orange bands.	SIGN: TANA-VE-284-1.
890	Mcmoran-130-13 Lighted Buoy	28-55-52.400N 092-34-37.500W	Q R			Red.	SIGN: MOXY-VR-160-1.
895	Texas A&M Current Meter Lighted Buoy P	29-10-00.000N 092-44-00.250W	FI Y 4s			Yellow.	Maintained by Texas A&M.
900	Transworld-102-10 Lighted Buoy	28-56-49.018N 092-45-06.259W	Q G			Green.	SIGN: TEPI-EC-160-1.
905	Tarpon-105-2 Lighted Buoy	28-28-11.517N 092-49-47.329W	FI W 2.5s			White with orange bands.	
920	Fieldwood-100-13 (Racon)	28-09-50.6592 092-51-44.8452				On Fieldwood Energy platform A.	BAND: S X SIGN: FE-EC-332-A.
930	Novus-EC-318-B RACON	28-13-07.960N 092-55-31.197W				On Novus Platform.	BAND: S X. SIGN: NOVUS-EC-318-B.
932	Rooster-104-2 (Lighted Buoy)	28-31-29.310N 092-57-01.920W	FI W 2.5s			White with orange bands.	ROOSTER-EC-246.
943	Nippon-102-10 (Lighted Buoy)	28-21-12.631N 093-01-24.898W	Q G			Marks subsea obstruction.	SIGN: NIPPON-WC-533-A.

945	Remington-250-11 Lighted Buoy	28-37-10.859N 093-01-21.972W	FI W 2.5s		White and orange bands.	SIGN: REMINGTON-WC-457-1.
957	Nippon-102-5 Lighted Buoy	28-21-05.696N 093-02-50.150W	Q R		Red	Marks subsea installation. SIGN:NIPPON-WC-534-A
980	Helis-122-7 Lighted Buoy	28-06-34.370N 093-11-46.240W	FI W 2.5s		White with orange bands.	
988	McMoran-999-11 (Lighted Buoy)	27-56-44.022N 093-12-06.102W	FI W 2.5s		White with orange bands.	
990	Gryphon-104-1 Lighted Buoy	28-29-05.468N 093-16-19.634W	Q R		Red.	SIGN: GRAPHON-WC-489-1.
995	Cox-103-10	29-37-38.440N 093-18-11.500W			On El Paso platform 1.	BAND: S X. SIGN: EL PASO-WC-62-1
1000	Texaco-GB-189-A Racon	27-46-43.000N 093-18-34.000W			On Texaco platform A.	BAND: S X SIGN: TEXACO-GB-189-A.
1005	Remington-250-14 Lighted Buoy	29-24-34.562N 093-18-58.779W	Q R		Red.	SIGN: REMINGTON-WC-170-8.
1010	Calcasieu Channel Lighted Buoy CC	29-20-00.888N 093-13-17.594W	Mo (A) W	4	Red and white stripes with red spherical topmark.	
1015	Tarpon-100-2 Lighted Buoy	28-03-02.454N 093-19-09.682W	FI W 2.5s		White with orange bands.	SIGN: TARPON-WC-616-6&7.
1020	Pisces-WC-96-A RACON	29-33-36.386N 093-25-53.867W			On Pisces Energy platform.	Band: S X SIGN: Pisces-WC-96-A
1025	Eighteen Ft Shoal Lighted Buoy 3	29-30-36.864N 093-27-24.604W	FI G 2.5s	5	Green.	
1027	CPPJ Rutherford Danger Breakwater Light	29-45-23.990N 093-07-11.580W	FI W 2.5s		Marks shoreline breakwater.	
1027.01	CPPJ Rutherford Danger Breakwater Light	29-45-26.170N 093-07-21.140W	FI W 2.5s		Marks shoreline breakwater.	
1027.02	CPPJ Rutherford Danger Breakwater Light	29-45-29.060N 093-07-33.680W	FI W 2.5s		Marks shoreline breakwater.	
1027.03	CPPJ Rutherford Danger Breakwater Light	29-45-31.970N 093-07-46.560W	FI W 2.5s		Marks shoreline breakwater.	
1027.04	CPPJ Rutherford Danger Breakwater Light	29-45-35.290N 093-08-01.280W	FI W 2.5s		Marks shoreline breakwater.	
1040	Dept. of Energy Brine Diffuser Lighted Buoy F	29-40-16.000N 093-28-09.000W	FI Y 4s		Yellow.	
1045	D.O.E. Brine Diffuser Lighted Gong Buoy G	29-39-52.000N 093-28-35.000W	FI Y 4s		Yellow.	
1055	Oryx-110-3 Lighted Buoy	28-47-28.000N 093-35-34.000W	Q R		Red.	SIGN: SUN-WC-398-1. Ra ref.
1056	CPPJ Little Florida Danger Breakwater Light	29-45-20.260N 093-36-06.960W	FI W 2.5s		Marks breakwater structure.	
1056.01	CPPJ Little Florida Danger Breakwater Light	29-45-19.370N 093-36-14.200W	FI W 2.5s		Marks breakwater structure.	
1056.02	CPPJ Little Florida Danger Breakwater Light	29-45-18.990N 093-36-17.950W	FI W 2.5s		Marks breakwater structure.	
1056.03	CPPJ Little Florida Danger Breakwater Light	29-45-18.330N 093-36-24.550W	FI W 2.5s		Marks breakwater structure.	
1056.04	CPPJ Little Florida Danger Breakwater Light	29-45-17.720N 093-36-33.110W	FI W 2.5s		Marks breakwater structure.	
1056.05	CPPJ Little Florida Danger Breakwater Light	29-45-17.380N 093-36-39.330W	FI W 2.5s		Marks breakwater structure.	
1058	Texas A&M Lighted Data Buoy	27-54-27.300N 093-35-52.560W	FI Y 2.5s		Yellow	Maintained by Texas A&M.
1060	Texas A&M Current Meter Lighted Buoy V	27-54-01.090N 093-37-15.610W	FI Y 4s		Yellow.	
1065	Seneca-120-2 Lighted Buoy	28-04-44.120N 093-38-46.260W	FI W 2.5s		White with orange bands.	SIGN : SENACA-HI-345-1.
1070	Tarpon-103-1 Lighted Buoy	28-14-02.298N 093-35-11.711W	FI W 2.5s		White with orange bands.	SIGN: TARPON-HI-308-001.
1072	CPPJ Long Beach Danger Breakwater Light	29-45-13.830N 093-37-10.660W	FI W 2.5s		Marks shoreline breakwater.	
1072.02	CPPJ Long Beach Danger Breakwater Light	29-45-11.600N 093-37-32.900W	FI W 2.5s		Marks shoreline breakwater.	
1072.03	CPPJ Long Beach Danger Breakwater Light	29-45-10.180N 093-37-44.480W	FI W 2.5s		Marks shoreline breakwater.	
1072.01	CPPJ Long Beach Danger Breakwater Light	29-45-12.520N 093-37-21.680W	FI W 2.5s		Marks shoreline breakwater.	
1075	Texas A&M Lighted Current Meter Buoy R	29-38-01.000N 093-38-30.000W	FI Y 4s		Yellow.	Maintained by Texas A& M.

1085	Sabine Bank Channel Lighted Buoy SB	29-25-00.799N 093-39-53.731W	Mo (A) W	6	Red and white stripes with red spherical topmark.		
1090	Kerr Mc Gee-138-1 Lighted Buoy	27-44-53.846N 093-43-18.429W	Fl Y 4s		Yellow.	SIGN: KM-GB-224-5.	
1095	Sabine Bank Light	29-28-21.696N 093-43-21.294W	Q W	15	5	Cylindrical concrete base with 5X5 steel tower. No daybeacon.	
1100	Tarpon-103-2 Lighted Buoy	28-07-47.131N 093-44-41.360W	Fl W 2.5s		White and orange bands.	SIGN: TARPON-HI-366-001	
1105	Sabine Pass East Jetty Light	29-38-40.592N 093-49-21.968W	Iso W 2s	40	5	NB on skeleton tower.	AIS: MMSI 993682262
1107	Sabine Pass West Jetty V-AIS	29-38-35.872N 093-49-41.017W					AIS: MMSI 993682364
1110	FR-TX-59 Lighted Buoy	27-54-02.628N 093-34-38.656W	Fl Y 2.5s		10'	Yellow Lighted Spar Buoy	Maintained by Texas Parks & Wildlife
1122	NOAA Lighted Data Buoy 42055	22-08-24.000N 094-06-42.000W	Fl (4)Y 20s		4	Yellow disc buoy with mast.	
1135	Texas A&M Lighted Buoy N	27-53-24.000N 094-02-12.000W	Fl Y 4s			Yellow.	
1145	Energy Resource-106-11 Lighted Buoy	28-19-23.823N 094-03-13.837W	Fl W 2.5s		White with orange bands.	SIGN: Energy Resource-HI-466-1.	
1165	Texas A&M Crnt Metr Lighted Buoy F	28-50-30.000N 094-14-30.000W	Fl Y 4s		Yellow.	Ra ref.	
1170	Mobil-213-3 Lighted Horn Buoy	28-50-11.000N 094-15-37.000W	Q R		Red.	SIGN: MO-HI-A68-2. HORN: 1 blast ev 20s (2s bl).	
1180	Walter-112-6 Lighted Buoy	28-02-40.502N 094-14-16.588W	Fl W 2.5s		White with orange bands.	SIGN: WOG-HI-540-1.	
1190	Chevron-300-01 (RACON)	28-00-42.529N 094-21-19.216W			On Chevron platform.	CHAR: C (- • • •) BAND: S X SIGN: CHEVRON-HI-555-A	
1200	NOAA Lighted Data Buoy 42035	29-14-06.000N 094-24-36.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	
1205	Galveston Entrance Precaution Area Wreck Lighted Buoy B	29-06-34.825N 094-24-05.267W	Fl (2)W 5s		5	Black with red band.	Marks submerged wreck.
1210	Galveston Bay Entrance Lighted Buoy GA	29-09-28.884N 094-25-53.701W	Mo (A) W	6	Red and white stripes with red spherical topmark.		
1215	Galveston Bay Entrance Traffic Lane Lighted Buoy A	29-10-47.801N 094-27-35.564W	Fl Y 2.5s		5	Yellow.	
1220	Galveston Bay Entrance Traffic Lane Lighted Buoy C	29-12-06.656N 094-29-17.500W	Fl Y 4s		6	Yellow.	
1225	Galveston Bay Entrance Traffic Lane Lighted Buoy E	29-13-25.515N 094-30-59.467W	Fl Y 6s		5	Yellow.	
1230	Galveston Bay Entrance Lighted Buoy GB	29-14-44.365N 094-32-41.498W	Mo (A) W	5	Red and white stripes with red spherical topmark.	AIS: MMSI 993682024	
1241	Fieldwood-123-3 Lighted Buoy	29-13-31.445N 094-34-40.878W	Q R				
1245	Eaglescliff Wreck Lighted Buoy WR4	29-21-44.940N 094-39-21.359W	Q R		3	Red.	
1250	Forest-HI-A20-A RACON	29-03-42.000N 094-16-06.000W				On Forest Oil platform A.	BAND: S X SIGN: FOC-HI-A20-A.
1255	Arena Offshore-102-1	29-07-49.000N 094-32-48.000W				On Exxon platform A.	BAND: S X SIGN: EXXON-GA-209-A.
1260	Galveston Safety Wreck Lighted Buoy WR 4	28-58-24.917N 094-39-49.531W	Q R		3	Red.	Marks submerged wreck.
1280	Walter-101-16 Lighted Buoy	28-02-04.440N 094-45-32.721W	Q R			Red.	SIGN: WALTER-GA-A-192-1
1285	NOAA Lighted Data Buoy 42019	27-54-28.000N 095-20-34.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	
1290	Texas A & M Lighted Oceanographic Buoy C	28-48-39.400N 094-45-35.900W	Fl Y 4s			Yellow.	
1300	Texas A & M Lighted Oceanographic Buoy B	28-58-53.900N 094-53-58.800W	Fl Y 4s			Yellow.	
1305	Seagull-GA-330-A RACON	28-47-16.000N 095-03-40.000W				On free standing caisson.	BAND: S X SIGN: SEEP-GA-330-A.
1310	PEREGRINE-102-1 Lighted Buoy	28-09-37.740N 094-44-23.110W	Fl W 2.5s		White with orange bands.	SIGN: PEREGRINE-GA-A155-1.	
1315	Freeport Entrance Lighted Buoy FP	28-52-29.868N 095-14-01.668W	Mo (A) W	5	Red and white stripes with red spherical topmark.	AIS: MMSI 993682025	
1322	Matagorda County Pier Light	28-45-44.000N 095-37-42.560W	Fl W 2.5s			Marks outermost pier structure.	
1325	Pioneer-103-1 Lighted Horn Buoy	28-36-52.709N 095-21-56.137W	Q R		Red.	SIGN: PIONEER-BR-397-1. Horn: 1 BLAST EV 20S(2S BL)	

1330	Brazos Area Wreck Lighted Buoy WR2	28-43-33.283N 095-32-37.286W	Q R	3	Red.		
1335	Mariner-101-3 Lighted Buoy	28-07-12.517N 095-39-12.146W	Fl W 2.5s		White with orange bands.	SIGN: MARINER-BR-24-1	
1340	Texas Parks and Wildlife Special Lighted Buoy FR-TX-55	28-03-24.700N 095-52-24.340W	Fl Y 2.5s		Marks artificial reef.		
1345	Pioneer-102-1 Lighted Buoy	28-23-17.909N 095-53-29.726W	Q R		Red.		
1350	Texas A&M Current Meter Lighted Buoy W	28-21-00.000N 096-00-00.000W	Fl Y 4s		Yellow.		
1355	Anadarko-120-1 Lighted Buoy	26-04-10.389N 096-00-00.137W	Fl W 2.5s				
1357	Texas A&M Lighted Oceanographic Buoy X	27-03-57.730N 096-20-17.760W	Fl Y 2.5s				
1360	Enron-106-17 Lighted Buoy	28-11-10.000N 096-23-07.000W	Q R		Red.	SIGN: ENRON MI BLK 586 RA REF.	
1375	Colorado River West Jetty Entrance Light 1	28-35-27.992N 095-59-03.903W	Fl G 2.5s	0	4	SG on pile with platform.	
1377	Colorado River East Jetty Entrance Obstruction Light	28-35-25.991N 095-58-48.903W	Q W	15	4	NB on platform.	
1380	Colorado River East Jetty Entrance Light 2	28-35-27.737N 095-58-57.530W	Fl R 2.5s	0	4	TR on skeleton tower.	
1385	Matagorda Ship Channel Entrance Light	28-25-18.482N 096-19-05.940W	Fl W 10s		5	On same structure as Matagorda Ship Channel Range B Rear Light.	Obscured from 257° to 040°.
1392	Matagorda Ship Channel Entrance Lighted Buoy MB	28-23-01.028N 096-17-00.929W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
1395	Matagorda Light House	28-20-12.000N 096-25-24.000W	Fl W 2.5s			Black conical tower.	
1400	Texas A&M Lighted Buoy K	26-13-00.000N 096-30-00.000W	Fl Y 4s			Yellow.	
1405	NOAA Lighted Data Buoy 42020	26-58-11.000N 096-40-45.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	
1410	Texas A & M Oceanographic Lighted Buoy H	27-52-01.200N 096-32-36.060W	Fl Y 4s			Yellow.	
1420	Shoreline Ten Wreck Lighted Buoy WR2	28-04-47.904N 096-42-56.155W	Q R		3	Red.	
1422.01	FR-TX-56 Lighted Buoy	27-17-39.500N 096-42-02.480W	Fl Y 2.5s			Marks artificial reef site.	
1425	Denbury-101-1 Lighted Buoy	27-11-10.639N 096-48-19.903W	Q R			Red.	SIGN: DENBURY- NP I-A9-1&2.
1430	Aransas Pass Entrance Lighted Buoy AP	27-47-34.138N 096-57-22.175W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS: MMSI 993682026
1435	Scripps Lighted Data Buoy CDIP 252 NDBC 42092	27-38-25.368N 097-00-41.580W	Fl (5)Y 20s			Yellow.	Aid maintained by Scripps Institution of Oceanography.
1440	Texas A & M Lighted Oceanographic Buoy J	26-11-30.000N 097-03-00.000W	Fl Y 4s			Yellow.	
1450	Brazos Santiago Pass Entrance Lighted Buoy BS	26-03-56.070N 097-04-59.157W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
1460	NOAA Lighted Data Buoy 42003 (ODAS)	25-55-31.000N 085-36-58.000W	Fl (4)Y 20s		4	Yellow disc buoy with mast.	
1465	NOAA Lighted Buoy 42001 (ODAS)	25-55-32.000N 089-39-43.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	
1468	NOAA Data Buoy 42409	25-47-57.000N 089-17-28.000W				Yellow DART buoy.	
1470	NOAA Lighted Data Buoy 42002	26-03-17.980N 093-38-45.978W	Fl (4)Y 20s		4	Yellow disc buoy with mast.	
1475	Econfina River Light	30-02-05.000N 083-55-35.000W	Fl W 4s			On pile.	
1480	Gamble Point Light	30-04-38.600N 083-59-22.400W	Q W			On pile.	
1500	St Marks River Lighted Buoy 1	30-01-30.947N 084-10-34.814W	Fl G 4s		4	Green.	
1505	St Marks River Buoy 2	30-01-31.844N 084-10-31.013W				Red nun.	
1510	St Marks River Buoy 2A	30-01-54.218N 084-10-32.605W				Red nun.	
1515	St Marks River Buoy 3	30-01-54.655N 084-10-37.123W				Green can.	
1520	St Marks River Buoy 3A	30-02-17.573N 084-10-37.700W				Green can.	

1525	St Marks River Buoy 4	30-02-17.269N 084-10-34.391W				Red nun.	
1527	St. Marks Lighthouse	30-04-25.720N 084-10-46.689W	Fl W 2.5s			White brick tower.	Non-operational March 1st to May 1st and August 15th to October 31st annually.
1530	St Marks River Buoy 5	30-03-00.107N 084-10-59.875W				Green can.	
1535	St Marks River Buoy 4A	30-03-01.281N 084-10-56.740W				Red nun.	
1540	St Marks River Lighted Buoy 7	30-03-45.001N 084-11-23.457W	Fl G 4s		4	Green.	
1545	St Marks River Buoy 6	30-03-43.796N 084-11-19.381W				Red nun.	
1550	St Marks River Buoy 8	30-04-06.228N 084-11-22.628W				Red nun.	
1555	St Marks River Buoy 9	30-04-16.955N 084-11-28.172W				Green can.	
1560	St Marks River Light 10	30-04-18.466N 084-11-22.211W	Fl R 4s	0	3	TR on pile.	Ra ref.
1565	St Marks River Light 11	30-04-35.830N 084-11-17.462W	Fl G 4s	0	4	SG on dolphin.	
1570	St Marks River Buoy 12	30-04-36.764N 084-11-14.832W				Red nun.	
1575	St Marks River Buoy 13	30-04-40.764N 084-11-17.632W				Green can.	
1580	St Marks River Light 14	30-04-48.857N 084-11-16.699W	Fl R 4s	0	4	TR on pile.	Ra ref.
1585	St Marks River Buoy 15	30-04-49.964N 084-11-21.632W				Green can.	
1590	St Marks River Buoy 16	30-04-56.222N 084-11-26.355W				Red nun.	
1595	St Marks River Buoy 16A	30-05-04.312N 084-11-35.992W				Red nun.	
1600	St Marks River Light 17	30-05-05.440N 084-11-40.621W	Fl G 4s	0	4	SG on pile.	Ra ref.
1605	St Marks River Buoy 17A	30-05-15.105N 084-11-40.589W				Green can.	
1610	St Marks River Buoy 18	30-05-09.063N 084-11-38.233W				Red nun.	
1615	St Marks River Buoy 19	30-05-18.463N 084-11-41.233W				Green can.	
1620	St Marks River Buoy 20	30-05-26.263N 084-11-39.457W				Red nun.	
1625	St Marks River Buoy 22	30-05-37.653N 084-11-38.850W				Red nun.	
1630	St Marks River Buoy 23	30-05-37.508N 084-11-41.168W				Green can.	
1635	St Marks River Buoy 25	30-05-45.662N 084-11-41.433W				Green can.	
1640	St Marks River Light 26	30-05-50.759N 084-11-40.160W	Q R	0	4	TR on pile.	Ra ref.
1645	St Marks River Buoy 27	30-05-54.491N 084-11-44.681W				Green can.	
1650	St Marks River Buoy 28	30-06-05.040N 084-11-49.585W				Red nun.	
1655	St Marks River Buoy 27A	30-06-05.726N 084-11-52.414W				Green can.	
1660	St Marks River Light 29	30-06-15.763N 084-11-59.626W	Fl G 4s	0	4	SG on pile.	Ra ref.
1665	St Marks River Buoy 30	30-06-18.936N 084-11-58.116W				Red nun.	
1670	St Marks River Buoy 32	30-06-26.176N 084-12-02.603W				Red nun.	
1675	St Marks River Buoy 33	30-06-33.194N 084-12-07.450W				Green can.	
1680	St Marks River Light 34	30-06-37.366N 084-12-06.942W	Fl R 2.5s	0	4	TR on pile.	Ra ref.
1685	St Marks River Buoy 35	30-06-39.355N 084-12-11.115W				Green can.	
1690	St Marks River Buoy 36	30-06-49.453N 084-12-13.578W				Red nun.	

1695	St Marks River Lighted Buoy 37	30-06-48.329N 084-12-18.254W	FI G 4s		4	Green.	
1700	St Marks River Buoy 37A	30-06-55.356N 084-12-13.593W				Green can.	
1705	St Marks River Buoy 39	30-07-03.761N 084-12-08.636W				Green can.	
1710	St Marks River Light 40	30-07-06.800N 084-12-04.889W	FI R 4s	0	4	TR on pile.	Ra ref.
1715	St Marks River Buoy 41	30-07-13.262N 084-12-04.575W				Green can.	
1720	St Marks River Buoy 42	30-07-18.126N 084-12-01.177W				Red nun.	
1725	St Marks River Buoy 43	30-07-27.411N 084-12-00.068W				Green can.	
1730	St Marks River Light 44	30-07-30.835N 084-11-57.000W	Q R	0	4	TR on pile.	Ra ref.
1735	St Marks River Buoy 45	30-07-34.202N 084-12-00.670W				Green can.	
1740	St Marks River Buoy 45A	30-07-36.350N 084-12-01.422W				Green can.	
1745	St Marks River Buoy 46	30-07-39.295N 084-12-00.221W				Red nun.	
1750	St Marks River Buoy 47	30-07-46.560N 084-12-07.936W				Green can.	
1755	St Marks River Light 48	30-07-48.030N 084-12-05.278W	FI R 4s	0	3	TR on pile.	
1760	St Marks River Buoy 50	30-07-54.378N 084-12-12.389W				Red nun.	
1765	St Marks River Daybeacon 51	30-07-55.725N 084-12-18.194W		0		SG on pile.	
1770	St Marks River Buoy 52	30-08-01.222N 084-12-17.026W				Red nun.	
1775	St Marks River Buoy 53	30-08-03.117N 084-12-21.507W				Green can.	
1780	St Marks River Daybeacon 54	30-08-08.901N 084-12-22.736W		0		TR on pile.	
1785	St Marks River Light 55	30-08-11.535N 084-12-27.883W	FI G 2.5s	0	4	SG on pile.	Ra ref.
1790	St Marks River Buoy 56	30-08-15.759N 084-12-24.637W				Red nun.	
1795	St Marks River Buoy 57	30-08-22.559N 084-12-28.137W				Green can.	
1800	St Marks River Buoy 58	30-08-25.578N 084-12-26.652W				Red nun.	
1805	St Marks River Buoy 59	30-08-39.261N 084-12-32.902W				Green can.	
1810	St Marks River Buoy 60	30-08-40.882N 084-12-31.356W				Red nun.	
1815	St Marks River Daybeacon 62	30-08-51.994N 084-12-38.732W		0		TR on pile.	
1820	St Marks River Light 63	30-08-53.962N 084-12-42.457W	FI G 4s	0	4	SG on pile.	Ra ref.
1825	St Marks River Buoy 64	30-08-56.358N 084-12-38.238W				Red nun.	
1830	Shell Point Light	30-02-21.028N 084-17-40.605W	FI W 6s	0	5	NG on pile.	
1835	Shell Point Marina Light 2	30-03-04.000N 084-16-54.000W	Q R			TR on dolphin.	
1840	Shell Point Channel Daybeacon 1	30-02-50.000N 084-17-11.000W				SG on pile.	
1845	Shell Point Channel Daybeacon 2	30-03-03.000N 084-17-06.000W				TR on pile.	
1850	Shell Point Channel Daybeacon 3	30-03-03.000N 084-17-12.000W				SG on pile.	
1855	Shell Point Channel Daybeacon 4	30-03-12.000N 084-17-11.000W				TR on pile.	
1860	Shell Point Channel Daybeacon 5	30-03-08.000N 084-17-15.000W				SG on pile.	
1865	Shell Point Channel Daybeacon 6	30-03-11.000N 084-17-08.000W				TR on pile.	

1870	Shell Point Channel Daybeacon 7	30-03-13.000N 084-17-19.000W	SG on pile.
1875	Shell Point Channel Daybeacon 8	30-03-15.000N 084-17-12.000W	TR on pile.
1880	Shell Point Channel Daybeacon 9	30-03-20.000N 084-17-30.000W	SG on pile.
1885	Shell Point Channel Daybeacon 10	30-03-20.000N 084-17-18.000W	TR on pile.
1890	Shell Point Channel Daybeacon 11	30-03-28.000N 084-17-15.000W	SG on pile.
1895	Shell Point Channel Daybeacon 12	30-03-24.000N 084-17-12.000W	TR on pile.
1900	Shell Point Channel Daybeacon 13	30-03-30.000N 084-17-11.000W	SG on pile.
1905	Shell Point Channel Daybeacon 14	30-03-30.000N 084-17-06.000W	TR on pile.
1910	Shell Point Channel Daybeacon 15	30-03-34.000N 084-17-06.000W	SG on pile.
1915	Shell Point Channel Daybeacon 16	30-03-36.000N 084-17-02.000W	TR on pile.
1920	Junction Channel Daybeacon 1	30-03-21.000N 084-17-35.000W	SG on pile.
1925	Junction Channel Daybeacon 2	30-03-26.000N 084-17-37.000W	TR on pile.
1930	Junction Channel Daybeacon 3	30-03-17.000N 084-17-45.000W	SG on pile.
1935	Junction Channel Daybeacon 4	30-03-21.000N 084-17-51.000W	TR on pile.
1940	Junction Channel Daybeacon 5	30-03-09.000N 084-17-56.000W	SG on pile.
1945	Junction Channel Daybeacon 6	30-03-15.000N 084-18-00.000W	TR on pile.
1950	Junction Channel Daybeacon 7	30-03-05.000N 084-18-06.000W	SG on pile.
1955	Oyster Bay Channel Daybeacon 1	30-03-50.000N 084-18-21.000W	SG on pile.
1960	Oyster Bay Channel Daybeacon 2	30-03-48.000N 084-18-16.000W	TR on pile.
1965	Oyster Bay Channel Daybeacon 3	30-03-56.000N 084-18-24.000W	SG on pile.
1970	Oyster Bay Channel Daybeacon 4	30-03-55.000N 084-18-16.000W	TR on pile.
1975	Spring Creek Channel Daybeacon 1	30-02-30.000N 084-18-08.000W	SG on pile.
1980	Spring Creek Channel Daybeacon 2	30-02-37.000N 084-18-00.000W	TR on pile.
1985	Spring Creek Channel Daybeacon 3	30-02-37.000N 084-18-22.000W	SG on pile.
1990	Spring Creek Channel Daybeacon 4	30-02-42.000N 084-18-12.000W	TR on pile.
1995	Spring Creek Channel Daybeacon 5	30-02-54.000N 084-18-21.000W	SG on pile.
2000	Spring Creek Channel Daybeacon 6	30-02-55.000N 084-18-20.000W	TR on pile.
2005	Spring Creek Channel Daybeacon 7	30-03-10.060N 084-18-27.770W	SG on pile.
2010	Spring Creek Channel Daybeacon 8	30-03-02.000N 084-18-14.000W	TR on pile.
2015	Spring Creek Channel Daybeacon 9	30-03-12.110N 084-18-26.740W	SG on pile.
2020	Spring Creek Channel Daybeacon 10	30-03-10.000N 084-18-17.000W	TR on pile.
2025	Spring Creek Channel Daybeacon 11	30-03-12.000N 084-18-24.000W	SG on pile.
2030	Spring Creek Channel Daybeacon 12	30-03-14.000N 084-18-20.000W	TR on pile.
2035	Spring Creek Channel Daybeacon 13	30-03-15.000N 084-18-28.000W	SG on pile.
2040	Spring Creek Channel Daybeacon 14	30-03-18.000N 084-18-22.000W	TR on pile.

2045	Spring Creek Channel Daybeacon 15	30-03-20.000N 084-18-30.000W				SG on pile.
2050	Spring Creek Channel Daybeacon 16	30-03-24.000N 084-18-28.000W				TR on pile
2055	Spring Creek Channel Daybeacon 17	30-03-24.000N 084-18-37.000W				SG on pile.
2060	Spring Creek Channel Daybeacon 18	30-03-25.000N 084-18-36.000W				TR on pile.
2065	Spring Creek Channel Daybeacon 19	30-03-24.000N 084-18-47.000W				SG on pile.
2070	Spring Creek Channel Daybeacon 20	30-03-26.000N 084-18-41.000W				TR on pile.
2075	Spring Creek Channel Daybeacon 21	30-03-35.000N 084-18-43.000W				SG on pile.
2080	Spring Creek Channel Daybeacon 22	30-03-33.000N 084-18-37.000W				TR on pile.
2085	Spring Creek Channel Daybeacon 23	30-03-38.000N 084-18-37.000W				SG on pile.
2090	Spring Creek Channel Daybeacon 24	30-03-38.000N 084-18-33.000W				TR on pile.
2095	Spring Creek Channel Daybeacon 25	30-03-50.000N 084-18-42.000W				SG on pile.
2100	Spring Creek Channel Daybeacon 26	30-03-54.000N 084-18-37.000W				TR on pile.
2105	Spring Creek Channel Daybeacon 27	30-03-48.000N 084-19-00.000W				SG on pile.
2110	Spring Creek Channel Daybeacon 28	30-03-54.000N 084-18-55.000W				TR on pile.
2115	Spring Creek Channel Daybeacon 29	30-03-55.000N 084-19-13.000W				SG on pile.
2120	Spring Creek Channel Daybeacon 30	30-03-59.000N 084-19-07.000W				TR on pile.
2125	Spring Creek Channel Daybeacon 31	30-04-05.000N 084-19-27.000W				SG on pile.
2130	Spring Creek Channel Daybeacon 32	30-04-11.000N 084-19-22.000W				TR on pile.
2135	Spring Creek Channel Daybeacon 33	30-04-18.000N 084-19-22.000W				SG on pile.
2140	Spring Creek Channel Daybeacon 34	30-04-19.000N 084-19-18.000W				TR on pile.
2145	Spring Creek Channel Daybeacon 35	30-04-20.000N 084-19-35.000W				SG on pile.
2150	Spring Creek Channel Daybeacon 36	30-04-24.000N 084-19-30.000W				TR on pile.
2155	Spring Creek Channel Daybeacon 38	30-04-25.000N 084-19-38.000W				TR on pile.
2160	Panacea Channel Daybeacon 2	30-00-23.760N 084-18-42.959W		0		TR on pile.
2165	Panacea Channel Light 3	30-00-14.269N 084-20-10.306W	Fl G 4s	0	5	SG on dolphin.
2170	Panacea Channel Daybeacon 4	30-00-16.429N 084-20-09.995W		0		TR on pile.
2175	Panacea Channel Daybeacon 5	30-00-15.504N 084-20-22.545W		0		SG on pile. Ra ref.
2180	Panacea Channel Daybeacon 7	30-00-16.611N 084-20-36.556W		0		SG on pile.
2185	Panacea Channel Light 8	30-00-19.256N 084-20-39.323W	Fl R 2.5s	0	3	TR on dolphin.
2190	Panacea Channel Buoy 9	30-00-16.684N 084-20-41.727W				Green can.
2195	Panacea Channel Daybeacon 10	30-00-03.595N 084-21-19.349W		0		TR on pile.
2200	Panacea Channel Light 11	30-00-01.678N 084-21-21.798W	Q G		3	SG on dolphin.
2205	Panacea Channel Daybeacon 12	30-00-05.511N 084-21-26.270W		0		TR on pile.
2210	Panacea Channel Daybeacon 14	30-00-09.326N 084-21-35.572W		0		TR on pile.
2215	Panacea Channel Daybeacon 14A	30-00-14.136N 084-21-41.311W		0		TR on pile.

2220	Panacea Channel Light 15	30-00-09.355N 084-21-39.730W	Fl G 2.5s	0	3	SG on dolphin.
2225	Panacea Channel Buoy 15A	30-00-14.554N 084-21-44.569W				Green can.
2230	Panacea Channel Lighted Buoy 18	30-00-37.242N 084-21-57.871W	Fl R 2.5s		3	Red.
2235	Panacea Channel Daybeacon 19	30-00-37.602N 084-22-00.099W		0		SG on pile.
2240	Panacea Channel Daybeacon 19A	30-00-44.248N 084-22-13.075W		0		SG on pile.
2245	Panacea Channel Daybeacon 21	30-00-46.594N 084-22-19.156W		0		SG on pile.
2250	Panacea Channel Daybeacon 22	30-00-55.751N 084-22-34.264W		0		TR on pile.
2255	Panacea Channel Light 23	30-00-55.302N 084-22-36.855W	Fl G 2.5s	0	3	SG on dolphin.
2260	Panacea Channel Buoy 24	30-00-58.273N 084-22-36.606W				Red nun.
2265	Panacea Channel Buoy 25	30-01-10.872N 084-22-44.802W				Green can.
2270	Panacea Channel Light 26	30-01-16.821N 084-22-45.661W	Q R	0	3	TR on dolphin.
2275	Panacea Channel Daybeacon 27	30-01-15.572N 084-22-48.932W		0		SG on pile.
2280	Panacea Channel Daybeacon 28	30-01-18.991N 084-22-56.943W		0		TR on pile.
2285	Panacea Channel Daybeacon 29	30-01-17.295N 084-22-59.027W		0		SG on pile.
2287	WEI Special Light A	30-01-59.940N 084-21-21.420W	Fl Y 2.5s			Marks aquaculture perimeter.
2287.01	WEI Special Light B	30-02-06.660N 084-21-19.740W	Fl Y 2.5s			Marks aquaculture perimeter.
2287.02	WEI Special Light C	30-02-06.660N 084-21-23.340W	Fl Y 2.5s			Marks aquaculture perimeter.
2287.03	WEI Special Light D	30-01-59.940N 084-21-24.900W	Fl Y 2.5s			Marks aquaculture perimeter.
2287.04	Florida Department of Agriculture Oyster Bay Special Light A	30-02-43.080N 084-20-02.039W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.05	Florida Department of Agriculture Oyster Bay Special Light B	30-02-45.275N 084-19-59.520W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.06	Florida Department of Agriculture Oyster Bay Special Light C	30-03-01.835N 084-20-09.960W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.07	Florida Department of Agriculture Oyster Bay Special Light D	30-03-16.307N 084-20-09.960W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.08	Florida Department of Agriculture Oyster Bay Special Light E	30-03-25.920N 084-20-09.960W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.09	Florida Department of Agriculture Oyster Bay Special Light F	30-03-25.883N 084-20-22.919W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.11	Florida Department of Agriculture Oyster Bay Special Light G	30-03-16.272N 084-20-24.719W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.12	Florida Department of Agriculture Oyster Bay Special Light H	30-03-02.052N 084-20-18.959W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.13	Florida Department of Agriculture Earl and Lewis Special Light A	30-01-40.018N 084-21-28.501W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.14	Florida Department of Agriculture Earl and Lewis Special Light B	30-01-42.059N 084-21-25.740W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.15	Florida Department of Agriculture Earl and Lewis Special Light C	30-01-44.759N 084-21-25.318W				Marks perimeter of aquaculture farm.
2287.16	Florida Department of Agriculture Earl and Lewis Special Light D	30-01-44.759N 084-21-28.800W	Fl Y 2.5s			Marks perimeter of aquaculture farm.

2287.17	Florida Department of Agriculture Earl and Lewis Special Light E	30-01-40.018N 084-21-32.219W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.18	Florida Department of Agriculture Wakulla Oyster Farms Special Light A	30-01-51.319N 084-21-21.639W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.19	Florida Department of Agriculture Wakulla Oyster Farms Special Light B	30-01-59.541N 084-21-19.630W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.21	Florida Department of Agriculture Wakulla Oyster Farms Special Light C	30-01-59.739N 084-21-22.409W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.22	Florida Department of Agriculture Wakulla Oyster Farms Special Light D	30-01-51.744N 084-21-24.728W	Fl Y 2.5s			Marks perimeter of aquaculture farm.
2287.23	Florida Department of Agriculture Skipper Bay Oyster Farm Special Light A	30-02-11.520N 084-21-39.680W	Fl Y 2.5s			Marks aquaculture farm perimeter.
2287.24	Florida Department of Agriculture Skipper Bay Oyster Farm Special Light B	30-02-11.760N 084-21-29.520W	Fl Y 2.5s			Marks aquaculture farm perimeter.
2287.25	Florida Department of Agriculture Skipper Bay Oyster Farm Special Light C	30-02-16.580N 084-21-29.520W	Fl Y 2.5s			Marks aquaculture farm perimeter.
2287.26	Florida Department of Agriculture Skipper Bay Oyster Farm Special Light D	30-02-22.550N 084-21-33.480W	Fl Y 2.5s			Marks aquaculture farm perimeter.
2287.27	Florida Department of Agriculture Skipper Bay Oyster Farm Special Light E	30-02-29.140N 084-21-32.610W	Fl Y 2.5s			Marks aquaculture farm perimeter.
2287.28	Florida Department of Agriculture Skipper Bay Oyster Farm Special Light F	30-02-34.140N 084-21-27.720W	Fl Y 2.5s			Marks aquaculture farm perimeter.
2287.29	Florida Department of Agriculture Skipper Bay Oyster Farm Special Light G	30-02-39.550N 084-21-25.200W	Fl Y 2.5s			Marks aquaculture farm perimeter.
2287.31	Florida Department of Agriculture Skipper Bay Oyster Farm Special Light H	30-02-40.230N 084-21-29.520W	Fl Y 2.5s			Marks aquaculture farm perimeter.
2287.32	Florida Department of Agriculture Skipper Bay Oyster Farm Special Light I	30-02-33.480N 084-21-34.660W	Fl Y 2.5s			Marks aquaculture farm perimeter.
2287.33	Florida Department of Agriculture Skipper Bay Oyster Farm Special Light J	30-02-29.000N 084-21-37.730W	Fl Y 2.5s			Marks aquaculture farm perimeter.
2287.34	Florida Department of Agriculture Skipper Bay Oyster Farm Special Light K	30-02-23.710N 084-21-38.420W	Fl Y 2.5s			Marks aquaculture farm perimeter.
2287.35	Florida Department of Agriculture Skipper Bay Oyster Farm Special Light L	30-02-16.550N 084-21-39.600W	Fl Y 2.5s			Marks aquaculture farm perimeter.
2287.36	FDOA Oyster Bay Aquaculture Special Light I	30-03-51.340N 084-20-09.530W	Fl Y 2.5s			Marks aquaculture perimeter.
2287.37	FDOA Oyster Bay Aquaculture Special Light J	30-04-00.160N 084-20-06.860W	Fl Y 2.5s			Marks aquaculture perimeter.
2287.38	FDOA Oyster Bay Aquaculture Special Light K	30-04-00.520N 084-20-10.570W	Fl Y 2.5s			Marks aquaculture perimeter.
2287.39	FDOA Oyster Bay Aquaculture Special Light L	30-03-52.090N 084-20-14.100W	Fl Y 2.5s			Marks aquaculture perimeter.
2290	Ochlockonee Bay Entrance Light OB	29-56-02.808N 084-18-04.634W	Fl G 4s	0	4	SG on dolphin.
2295	Apalachee Bay Lighted Buoy 4	29-58-48.021N 084-13-08.208W	Fl R 4s		4	Red.
2300	Apalachee Bay Light 2	29-56-02.018N 084-15-44.953W	Fl R 4s	0	3	TR on pile.

2305	Light House Point LH	29-52-26.064N 084-19-33.231W	Fl G 6s	0	5	SG on pile.	Ra ref.
2310	Alligator Harbor Entrance Light 2	29-55-15.800N 084-27-07.000W	Fl R 2.5s			On dolphin.	
2315	Alligator Harbor Daybeacon 4	29-55-23.300N 084-27-03.500W				TR on pile.	
2320	Alligator Harbor Daybeacon 6	29-55-26.900N 084-27-02.300W				TR on pile.	
2325	Alligator Harbor Daybeacon 8	29-55-29.000N 084-26-58.800W				TR on pile.	
2328	Florida Department of Agriculture Special Light A	29-55-00.031N 084-24-11.798W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.01	Florida Department of Agriculture Special Light B	29-55-07.852N 084-24-09.466W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.02	Florida Department of Agriculture Special Light C	29-55-10.932N 084-24-23.047W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.03	Florida Department of Agriculture Special Light D	29-55-13.025N 084-24-32.287W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.04	Florida Department of Agriculture Special Light E	29-55-15.119N 084-24-41.524W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.05	Florida Department of Agriculture Special Light F	29-55-17.998N 084-24-54.226W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.06	Florida Department of Agriculture Special Light K	29-55-10.196N 084-24-56.549W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.07	Florida Department of Agriculture Special Light L	29-55-07.639N 084-24-45.295W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.08	Florida Department of Agriculture Special Light M	29-55-05.285N 084-24-34.884W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.09	Florida Department of Agriculture Special Light N	29-55-02.861N 084-24-24.226W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.11	Florida Department of Agriculture Special Light J	29-55-10.460N 084-24-59.051W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.12	Florida Department of Agriculture Special Light G	29-55-18.394N 084-24-57.381W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.13	Florida Department of Agriculture Special Light H	29-55-19.655N 084-25-05.319W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.14	Florida Department of Agriculture Special Light I	29-55-11.719N 084-25-06.981W	Fl Y 2.5s			Marks aquaculture perimeter.	
2328.15	FDOA Alligator Harbor Aquaculture Special Light O	29-54-54.550N 084-23-47.550W	Fl Y 2.5s			Marks perimeter corner point of aquaculture farm.	
2328.16	FDOA Alligator Harbor Aquaculture Special Light P	29-55-02.360N 084-23-45.220W	Fl Y 2.5s			Marks perimeter corner point of aquaculture farm.	
2328.17	FDOA Alligator Harbor Aquaculture Special Light Q	29-55-04.910N 084-23-56.490W	Fl Y 2.5s			Marks perimeter corner point of aquaculture farm.	
2328.18	FDOA Alligator Harbor Aquaculture Special Light R	29-54-57.370N 084-23-59.980W				Marks perimeter corner point of aquaculture farm.	
2330	Alligator Harbor Daybeacon 10	29-55-28.400N 084-26-55.400W				TR on pile.	
2335	Alligator Harbor Daybeacon 12	29-55-27.000N 084-26-53.000W				TR on pile.	
2340	Alligator Harbor Daybeacon 14	29-55-23.000N 084-26-48.700W				TR on pile.	
2345	Alligator Harbor Daybeacon 16	29-55-17.600N 084-26-44.500W				TR on pile.	
2350	Alligator Harbor Daybeacon 18	29-55-06.600N 084-26-34.600W				TR on pile.	
2355	Alligator Harbor Daybeacon 20	29-54-58.600N 084-26-27.000W				TR on pile.	
2360	Alligator Harbor Daybeacon 22	29-54-51.800N 084-26-18.500W				TR on pile.	
2365	Alligator Harbor Daybeacon 24	29-54-43.100N 084-26-08.500W				TR on pile.	
2370	Alligator Harbor Daybeacon 26	29-54-35.900N 084-25-54.000W				TR on pile.	
2375	Alligator Harbor Daybeacon 28	29-54-29.200N 084-25-40.100W				TR on pile.	
2380	Alligator Harbor Daybeacon 30	29-54-28.000N 084-25-35.400W				TR on pile.	

2385	Alligator Harbor Daybeacon 31	29-54-29.300N 084-25-34.500W				SG on pile.	
2390	Alligator Harbor Daybeacon 32	29-54-25.600N 084-25-26.700W				TR on pile.	
2395	Alligator Harbor Daybeacon 33	29-54-27.000N 084-25-26.200W				SG on pile.	
2400	Alligator Harbor Daybeacon 34	29-54-23.000N 084-25-18.200W				TR on pile.	
2405	Alligator Harbor Daybeacon 35	29-54-25.100N 084-25-18.000W				SG on pile.	
2410	Alligator Harbor Daybeacon 36	29-54-25.000N 084-25-00.100W				TR on pile.	
2415	Alligator Harbor Daybeacon 37	29-54-26.000N 084-25-09.300W				SG on pile.	
2420	Alligator Harbor Daybeacon 39	29-54-26.900N 084-25-07.200W				SG on pile.	
2425	Alligator Harbor Marina Junction Daybeacon A	29-54-26.900N 084-25-07.300W				JR on pile.	
2430	Dog Island Reef East Light 1	29-52-12.612N 084-26-41.729W	Fl G 2.5s	0	5	SG on pile.	
2435	Dog Island Reef Wrk Buoy WR1	29-48-29.472N 084-26-47.902W				Green can.	
2440	Turkey Point Daybeacon 2	29-52-30.000N 084-30-18.000W				TR on pile.	
2445	Turkey Point Daybeacon 4	29-53-24.000N 084-30-30.000W				TR on pile.	
2450	Turkey Point Daybeacon 6	29-53-44.000N 084-30-33.000W				TR on pile.	
2455	Turkey Point Daybeacon 8	29-54-06.000N 084-30-36.000W				TR on pile.	
2460	Turkey Point Daybeacon 10	29-54-18.000N 084-30-36.000W				TR on pile.	
2465	Turkey Point Daybeacon 12	29-54-34.000N 084-30-38.000W				TR on pile.	
2470	Turkey Point Daybeacon 14	29-54-48.000N 084-30-40.000W				TR on pile.	
2475	Florida State University Lighted Danger Buoy	29-54-48.480N 084-30-41.580W	Fl W 2.5s			Marks concrete seawater intake boxes.	
2480	Dog Island Light 3	29-51-29.964N 084-31-30.049W	Fl G 4s	0	5	SG on pile.	
2485	Dog Island Light 5	29-51-06.002N 084-33-47.155W	Fl G 2.5s	0	4	SG on dolphin.	Ra ref.
2490	Dog Island Light 7	29-50-10.035N 084-35-16.940W	Fl G 4s	0	5	SG on pile.	
2495	Dog Island Light 8	29-48-48.016N 084-37-07.010W	Fl R 6s	0	5	TR on pile.	Ra ref.
2500	St. George Sound North Spoil Daybeacon	29-49-32.193N 084-39-06.892W		0		NG on pile.	
2505	St. George Sound Middle Spoil Daybeacon	29-48-57.481N 084-39-22.936W		0		NR on pile.	
2510	St. George Sound South Spoil Daybeacon	29-48-13.791N 084-39-43.912W		0		NR on pile.	Ra ref.
2515	Crooked River Light	29-49-38.100N 084-42-02.600W	Fl (2)W 15s			Square skeleton tower. Lower half white upper half red.	
2520	Carrabelle Channel Lighted Buoy 2	29-44-32.788N 084-39-12.167W	Fl R 4s		4	Red.	
2525	Carrabelle Channel Buoy 3	29-44-59.787N 084-39-27.668W				Green can.	
2530	Carrabelle Channel Lighted Buoy 5	29-45-42.536N 084-39-41.107W	Fl G 4s		3	Green.	
2535	Carrabelle Channel Buoy 7	29-45-59.786N 084-40-02.560W				Green can.	
2540	Carrabelle Channel Buoy 9	29-46-38.082N 084-40-35.025W				Green can.	
2545	Carrabelle Channel Lighted Buoy 10	29-46-38.834N 084-40-29.979W	Fl R 2.5s		3	Red.	
2550	Carrabelle Channel Lighted Buoy 12	29-47-04.783N 084-40-39.716W	Fl R 4s		3	Red.	
2555	Carrabelle Channel Lighted Buoy 13	29-47-49.988N 084-40-20.961W	Fl G 2.5s		3	Green.	

2560	Carrabelle Channel Inner Leading Light	29-49-47.910N 084-39-17.469W	Q W	20			Visible all around; higher intensity on heading 023.1°.
2570	Carrabelle Channel Light 15	29-48-36.146N 084-39-53.870W	Fl G 4s	0	4	SG on dolphin.	Ra ref.
2575	Carrabelle Channel Buoy 17	29-49-04.954N 084-39-39.974W				Green can.	
2580	Carrabelle Channel South Spit Daybeacon	29-49-39.104N 084-39-34.193W		0		NG on pile.	
2585	Carrabelle Channel Buoy 18	29-49-28.812N 084-39-24.319W				Red nun.	
2590	Carrabelle River Daybeacon	29-49-18.447N 084-39-54.682W		0		NG on pile.	
2595	Carrabelle River Light 1	29-49-46.244N 084-39-22.414W	Q G	0	3	SG on pile.	Ra ref.
2600	Carrabelle River Light 2	29-50-03.054N 084-39-32.028W	Fl R 4s	0	3		
2605	Carrabelle River Daybeacon 3	29-50-01.070N 084-39-34.043W		0		SG on pile.	Ra ref.
2610	Carrabelle River Daybeacon 4	29-50-15.059N 084-39-41.948W		0		TR on pile.	
2615	Carrabelle River Light 5	29-50-14.942N 084-39-45.108W	Fl G 4s	0	3		
2620	Carrabelle River Lighted Buoy 6	29-50-26.827N 084-39-51.122W	Q R		3	Red.	
2625	Carrabelle River Daybeacon 7	29-50-39.896N 084-39-57.156W		0		SG on pile.	Ra ref.
2630	Carrabelle River Daybeacon 9	29-51-00.854N 084-39-58.762W		0		SG on pile.	
2635	Carrabelle River Daybeacon 11	29-51-03.986N 084-40-01.871W		0		SG on pile.	
2640	Carrabelle River Daybeacon 13	29-51-05.588N 084-40-05.525W		0		SG on pile.	
2645	Carrabelle River Daybeacon 15	29-51-06.894N 084-40-11.385W		0		SG on pile.	Ra ref.
2650	Carrabelle River Daybeacon 17	29-51-06.565N 084-40-17.676W		0		SG on pile.	
2655	Carrabelle River Daybeacon 18	29-51-00.045N 084-40-25.256W		0		TR on pile.	
2660	Carrabelle River Daybeacon 19	29-50-57.521N 084-40-26.060W		0		SG on pile.	
2665.01	Carrabelle River Buoy 21	29-50-57.502N 084-40-44.440W				Green can.	
2670.01	Carrabelle River Buoy 22	29-51-00.995N 084-40-47.727W				Red nun.	
2670.02	Carrabelle River Buoy 21A	29-51-03.136N 084-40-52.648W				Green can.	
2675.01	Carrabelle River Buoy 23	29-51-04.853N 084-40-57.289W				Green can.	
2680.01	Carrabelle River Buoy 25	29-51-03.292N 084-41-09.883W				Green can.	
2685.01	Carrabelle River Buoy 26	29-51-04.492N 084-41-13.213W				Red nun.	
2690.01	Carrabelle River Buoy 28	29-51-05.654N 084-41-16.971W				Red nun.	
2695.01	Carrabelle River Buoy 30	29-51-07.412N 084-41-20.827W				Red nun.	
2700.01	Carrabelle River Buoy 32	29-51-12.301N 084-41-23.256W				Red nun.	
2705.01	Carrabelle River Buoy 34	29-51-16.979N 084-41-22.976W				Red nun.	
2710	Carrabelle River Buoy 36	29-51-19.272N 084-41-21.676W				Red nun.	
2715.01	Carrabelle River Buoy 38	29-51-21.612N 084-41-18.442W				Red nun.	
2720.01	Carrabelle River Buoy 40	29-51-23.729N 084-41-14.662W				Red nun.	
2725.01	Carrabelle River Buoy 42	29-51-24.722N 084-41-11.535W				Red nun.	
2730.01	Carrabelle River Buoy 43	29-51-26.540N 084-41-09.254W				Green can.	

2735.01	Carrabelle River Buoy 44	29-51-24.599N 084-41-07.145W					Red nun.	
2740.01	Carrabelle River Buoy 45	29-51-24.488N 084-41-00.245W					Green can.	
2745.01	Carrabelle River Buoy 46	29-51-22.541N 084-40-57.972W					Red nun.	
2750.01	Carrabelle River Buoy 47	29-51-24.389N 084-40-50.712W					Green can.	
2755	Carrabelle River Buoy 49	29-51-24.739N 084-40-44.482W					Green can.	
2760.01	Carrabelle River Buoy 51	29-51-26.344N 084-40-39.685W					Green can.	
2765	Carrabelle River Buoy 53	29-51-27.753N 084-40-37.070W					Green can.	
2770.01	Carrabelle River Buoy 54	29-51-28.217N 084-40-33.961W					Red nun.	
2775.01	Carrabelle River Buoy 55	29-51-30.437N 084-40-34.291W					Green can.	
2780.01	Carrabelle River Buoy 56	29-51-38.805N 084-40-27.226W					Red nun.	
2785.01	Carrabelle River Buoy 57	29-51-39.330N 084-40-28.767W					Green can.	
2790.01	Carrabelle River Buoy 59	29-51-52.126N 084-40-26.291W					Green can.	
2795.01	Carrabelle River Buoy 61	29-51-55.315N 084-40-27.810W					Green can.	
2800	Carrabelle River Buoy 63	29-51-57.583N 084-40-29.392W					Green can.	
2805.01	Carrabelle River Buoy 65	29-51-59.967N 084-40-37.202W					Green can.	
2810.01	Carrabelle River Buoy 67	29-51-59.666N 084-40-41.816W					Green can.	
2815.01	Carrabelle River Buoy 68	29-51-59.625N 084-40-45.254W					Red nun.	
2820	St George Island West Jetty Lighted Buoy 1	29-36-09.898N 084-57-13.293W	FI G 2.5s		4		Green.	
2825	St George Island East Jetty Lighted Buoy 2	29-36-10.298N 084-57-09.493W	FI R 2.5s		4		Red.	
2840	ST GEORGE ISLAND LIGHTED BUOY 3	29-37-06.961N 084-57-48.447W	FI G 2.5s		3		Green can.	Relocated frequently to best mark shoaling.
2842	ST GEORGE ISLAND LIGHTED BUOY 5	29-37-19.731N 084-57-50.029W	FI G 4s		3		Green can.	Relocated frequently to best mark shoaling.
2845	ST GEORGE ISLAND LIGHTED BUOY 4	29-37-12.327N 084-57-48.336W	FI R 2.5s		3		Red nun.	Relocated frequently to best mark shoaling.
2846	ST GEORGE ISLAND LIGHTED BUOY 6	29-37-20.214N 084-57-48.136W	FI R 4s		3		Red nun.	Relocated frequently to best mark shoaling.
2850	Apalachicola Bay Wreck Light	29-39-20.164N 084-59-51.923W	FI W 2.5s	0	5		NW on pile.	Ra ref.
2855	Two Mile Channel Light 1	29-41-31.778N 085-00-45.354W	FI G 2.5s	0	3		SG on pile.	Ra ref.
2860	Two Mile Channel Buoy 2	29-41-45.912N 085-00-43.664W					Red nun.	
2865	Two Mile Channel Buoy 3	29-42-02.208N 085-00-46.034W					Green can.	
2870	Two Mile Channel Buoy 4	29-42-14.461N 085-00-44.504W					Red nun.	
2875	Two Mile Channel Buoy 5	29-42-29.331N 085-00-46.803W					Green can.	
2880	Two Mile Channel Buoy 7	29-42-42.868N 085-00-47.435W					Green can.	
2885	Two Mile Channel Buoy 8	29-42-42.687N 085-00-45.329W					Red nun.	
2890	Two Mile Channel Buoy 9	29-42-44.285N 085-00-48.530W					Green can.	
2895	Two Mile Channel Daybeacon 10	29-42-44.239N 085-00-43.388W			0		TR on pile.	Ra ref.
2900	Two Mile Channel West End Daybeacon 11	29-42-44.115N 085-01-01.973W			0		SG on pile.	
2905	Two Mile Channel West End Daybeacon 13	29-42-43.709N 085-01-16.794W			0		SG on pile.	

2910	Two Mile Channel East End Buoy 12	29-42-45.100N 085-00-28.290W						Red nun.	
2915	Two Mile Channel East End Buoy 14	29-42-45.003N 085-00-15.467W						Red nun.	
2920	Two Mile Channel East End Buoy 16	29-42-45.177N 085-00-01.029W						Red nun.	
2925	Two Mile Channel East End Daybeacon 17	29-42-46.904N 084-59-50.674W		0				SG on pile.	NW also on pile worded CAUTION MANATEE
2930	Two Mile Channel East End Buoy 18	29-42-51.061N 084-59-33.133W						Red nun.	
2935	Two Mile Channel East End Buoy 19	29-42-57.486N 084-59-19.868W						Green can.	
2940	Two Mile Channel East End Daybeacon 20	29-43-04.056N 084-59-04.928W		0				TR on pile.	Ra ref.
2941	Two Mile Channel Junction Light TM	29-43-12.348N 084-58-49.486W	Fl (2+1)G 6s	0	3			JG-SY on pile.	Ra ref.
2944.01	Flint River Daybeacon 1.05	30-43-12.691N 084-52-10.839W		0				TR up / TR down on pile.	
2944.02	Flint River Daybeacon 1.93	30-44-01.353N 084-52-10.794W		0				TR up / TR down on pile.	
2944.05	Flint River Daybeacon 2.61	30-44-37.613N 084-52-09.370W		0				SG up / SG down on pile.	
2944.06	Flint River Daybeacon 2.99	30-44-54.105N 084-51-56.699W		0				TR up / TR down on pile.	
2944.09	Flint River Daybeacon 3.64	30-45-15.258N 084-51-20.691W		0				SG up / SG down on pile.	
2944.12	Flint River Daybeacon 4.83	30-45-20.043N 084-50-16.042W		0				TR up / TR down on pile.	
2944.13	Flint River Daybeacon 5.08	30-45-36.194N 084-49-58.852W		0				SG up / SG down on pile.	
2944.14	Flint River Daybeacon 5.57	30-45-39.032N 084-49-33.846W		0				TR up / TR down on pile.	
2944.15	Flint River Daybeacon 5.72	30-45-45.889N 084-49-24.499W		0				SG up / SG down on pile.	
2944.17	Flint River Daybeacon 6.21	30-45-47.944N 084-49-03.791W		0				SG up / SG down on pile.	
2944.18	Flint River Daybeacon 6.92	30-45-35.652N 084-48-19.428W		0				TR up / TR down on pile.	
2944.19	Flint River Daybeacon 7.21	30-45-37.440N 084-48-03.057W		0				SG up / SG down on pile.	
2944.21	Flint River Daybeacon 7.40	30-45-33.060N 084-47-53.478W		0				TR up / TR down on pile.	
2944.22	Flint River Daybeacon 7.60	30-45-40.038N 084-47-41.859W		0				SG up / SG down on pile.	
2944.23	Flint River Daybeacon 7.77	30-45-35.390N 084-47-30.738W		0				TR up / TR down on pile.	
2944.24	Flint River Daybeacon 7.84	30-45-43.848N 084-47-27.880W		0				SG up / SG down on pile.	
2944.25	Flint River Daybeacon 8.15	30-45-46.332N 084-47-09.882W		0				TR up / TR down on pile.	
2944.26	Flint River Daybeacon 8.47	30-45-51.648N 084-46-49.633W		0				SG up / SG down on pile.	
2944.27	Flint River Daybeacon 8.79	30-45-47.451N 084-46-31.292W		0				TR up / TR down on pile.	
2944.28	Flint River Daybeacon 8.90	30-45-54.030N 084-46-23.737W		0				SG up / SG down on pile.	
2944.29	Flint River Daybeacon 9.63	30-46-14.869N 084-45-59.357W		0				TR up / TR down on pile.	
2944.31	Flint River Daybeacon 9.68	30-46-23.292N 084-46-00.354W		0				TR up / TR down on pile.	
2944.32	Flint River Daybeacon 9.79	30-46-33.443N 084-46-01.022W		0				SG up / SG down on tree.	
2944.33	Flint River Daybeacon 10.20	30-46-39.786N 084-45-37.401W		0				SG up / SG down on pile.	
2944.34	Flint River Daybeacon 11.31	30-46-40.861N 084-44-31.997W		0				TR up / TR down on pile.	
2944.35	Flint River Daybeacon 11.81	30-46-51.198N 084-44-01.794W		0				TR up / TR down on pile.	
2944.36	Flint River Daybeacon 12.32	30-47-19.405N 084-43-56.990W		0				TR up / TR down on pile.	

2944.37	Flint River Daybeacon 12.51	30-47-24.476N 084-43-47.489W	0	TR up / TR down on pile.
2944.38	Flint River Daybeacon 12.52	30-47-28.896N 084-43-52.823W	0	SG up / SG down on tree.
2944.42	Flint River Daybeacon 16.87	30-47-28.587N 084-39-46.310W	0	TR up / TR down on tree.
2944.43	Flint River Daybeacon 17.16	30-47-40.458N 084-39-32.668W		CNR up / TR down on tree.
2944.44	Flint River Daybeacon 17.78	30-48-05.976N 084-39-50.873W	0	CNG up / CNG down on tree.
2944.45	Flint River Daybeacon 17.84	30-48-11.898N 084-39-48.758W	0	CNG up / CNG down on tree.
2944.46	Flint River Daybeacon 17.99	30-48-23.294N 084-39-31.300W	0	CNR up / TR down on tree.
2944.52	Flint River Daybeacon 19.51	30-49-30.951N 084-39-51.700W	0	TR up / TR down on tree.
2944.53	Flint River Daybeacon 19.97	30-49-57.015N 084-39-39.885W	0	TR up / TR down on tree.
2944.54	Flint River Daybeacon 20.18	30-50-01.738N 084-39-36.567W	0	CNR up / CNR down on tree.
2944.55	Flint River Daybeacon 20.55	30-50-27.489N 084-39-44.017W	0	SG up / CNG down on tree.
2944.56	Flint River Daybeacon 20.80	30-50-38.899N 084-39-30.268W	0	TR up / TR down on tree.
2944.57	Flint River Daybeacon 21.04	30-50-58.392N 084-39-23.173W	0	CNG up / SG down on tree.
2944.62	Flint River Daybeacon 23.76	30-52-09.996N 084-37-40.027W	0	SG up / SG down on tree.
2944.63	Flint River Daybeacon 23.94	30-52-17.785N 084-37-37.233W	0	SG up / SG down on tree.
2944.65	Flint River Daybeacon 24.44	30-52-10.391N 084-37-16.895W	0	TR up / TR down on tree.
2945	Chattahoochee River Daybeacon 1.32	30-43-27.535N 084-52-33.122W	0	TR up / TR down on pile.
2945.01	Chattahoochee River Daybeacon 1.36	30-43-22.052N 084-52-47.145W	0	SG up / SG down on pile.
2945.06	Chattahoochee River Daybeacon 2.61	30-44-25.531N 084-53-10.071W	0	TR up / TR down on pile.
2945.11	Chattahoochee River Daybeacon 2.91	30-44-40.293N 084-53-18.820W	0	TR up / TR down on pile.
2945.15	Chattahoochee River Daybeacon 3.01	30-44-37.423N 084-53-26.560W	0	SG up / SG down on pile.
2945.25	Chattahoochee River Daybeacon 6.36	30-46-29.876N 084-54-57.898W	0	TR up / TR down on pile.
2945.65	Chattahoochee River Daybeacon 105.24	32-00-07.990N 085-03-55.625W	0	SG up / CNG down on tree.
2945.69	Chattahoochee River Daybeacon 106.47	32-00-46.614N 085-03-09.011W	0	CNR up / CNR down on tree.
2945.73	Chattahoochee River Daybeacon 106.76	32-01-11.859N 085-03-17.093W	0	CNG up / CNG down on tree.
2945.77	Chattahoochee River Daybeacon 107.61	32-01-17.579N 085-02-45.859W	0	CNR up / CNR down on tree.
2945.83	Chattahoochee River Daybeacon 108.07	32-01-48.151N 085-03-29.561W	0	CNG up / CNG down on tree.
2945.86	Chattahoochee River Daybeacon 108.38	32-01-59.364N 085-03-32.708W	0	CNG up / CNG down on tree.
2945.89	Chattahoochee River Daybeacon 108.85	32-02-11.182N 085-03-07.313W	0	CNR up / CNR down on tree.
2945.93	Chattahoochee River Daybeacon 113.03	32-05-13.788N 085-02-38.020W	0	TR up / CNR down on tree.
2945.95	Chattahoochee River Daybeacon 113.09	32-05-38.395N 085-02-59.307W	0	CNG up / CNG down on pile.
2947	FDOA St Vincent Sound Aquaculture Special Light A	29-42-41.510N 085-07-02.990W	FI Y 2.5s	Marks perimeter corner point of aquaculture farm.
2947.01	FDOA St Vincent Sound Aquaculture Special Light B	29-42-44.790N 085-06-48.090W	FI Y 2.5s	Marks perimeter corner point of aquaculture farm.
2947.02	FDOA St Vincent Sound Aquaculture Special Light C	29-42-49.590N 085-06-49.490W	FI Y 2.5s	Marks perimeter corner point of aquaculture farm.

2947.03	FDOA St Vincent Sound Aquaculture Special Light D	29-42-46.310N 085-07-04.390W	Fl Y 2.5s			Marks perimeter corner point of aquaculture farm.
2947.04	FDOA Turner Apalachicola Bay Aquaculture Special Light E	29-42-46.250N 085-07-04.660W	Fl Y 2.5s			Marks perimeter corner point of aquaculture farm.
2947.05	FDOA Turner Apalachicola Bay Aquaculture Special Light F	29-42-44.080N 085-07-14.500W	Fl Y 2.5s			Marks perimeter corner point of aquaculture farm.
2947.06	FDOA Turner Apalachicola Bay Aquaculture Special Light G	29-42-39.280N 085-07-13.100W	Fl Y 2.5s			Marks perimeter corner point of aquaculture farm.
2947.07	FDOA Turner Apalachicola Bay Aquaculture Special Light H	29-42-41.450N 085-07-03.260W	Fl Y 2.5s			Marks perimeter corner point of aquaculture farm.
2948	FDOA Franklin Four-Mile AUZ Special Light A	29-42-37.270N 085-02-39.200W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2948.01	FDOA Franklin Four-Mile AUZ Special Light B	29-42-43.000N 085-02-38.690W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2948.02	FDOA Franklin Four-Mile AUZ Special Light C	29-42-43.700N 085-02-50.190W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2948.03	FDOA Franklin Four-Mile AUZ Special Light D	29-42-44.230N 085-02-59.030W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2948.04	FDOA Franklin Four-Mile AUZ Special Light E	29-42-44.770N 085-03-07.860W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2948.05	FDOA Franklin Four-Mile AUZ Special Light F	29-42-45.300N 085-03-16.700W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2948.06	FDOA Franklin Four-Mile AUZ Special Light G	29-42-45.840N 085-03-25.540W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2948.07	FDOA Franklin Four-Mile AUZ Special Light H	29-42-46.370N 085-03-34.380W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2948.08	FDOA Franklin Four-Mile AUZ Special Light I	29-42-40.650N 085-03-34.890W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2948.09	FDOA Franklin Four-Mile AUZ Special Light J	29-42-39.950N 085-03-23.390W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2948.11	FDOA Franklin Four-Mile AUZ Special Light K	29-42-39.420N 085-03-14.550W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2948.12	FDOA Franklin Four-Mile AUZ Special Light L	29-42-38.880N 085-03-05.710W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2948.13	FDOA Franklin Four-Mile AUZ Special Light M	29-42-38.340N 085-02-56.870W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2948.14	FDOA Franklin Four-Mile AUZ Special Light N	29-42-37.810N 085-02-48.040W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.
2950	West Pass Light	29-37-56.904N 085-05-49.794W	Fl W 2.5s	0	5	NB on dolphin.
2955	West Pass Daybeacon 8	29-37-18.795N 085-04-35.705W		0		TR on pile.
2960	West Pass Light 10	29-36-32.458N 085-03-12.707W	Fl R 4s	0	3	TR on pile. Ra ref.
2965	West Pass Light 12	29-36-18.567N 085-02-03.551W	Fl R 4s	0	5	TR on dolphin.
2970	Presnells Channel Buoy 1	29-45-00.000N 085-18-50.000W				Green can.
2975	Presnells Channel Buoy 2	29-44-55.000N 085-18-51.000W				Red nun.
2980	Presnells Channel Buoy 3	29-44-56.000N 085-18-38.000W				Green can.
2985	Presnells Channel Buoy 4	29-44-54.000N 085-18-37.000W				Red nun.
2990	Presnells Channel Buoy 5	29-44-54.000N 085-18-24.000W				Green can.
2995	Presnells Channel Buoy 6	29-44-52.000N 085-18-22.000W				Red nun.
3000	Port St. Joe City Marina Channel Buoy 1	29-48-30.000N 085-18-24.000W				Green can.
3005	Port St. Joe City Marina Channel Buoy 2	29-48-16.000N 085-18-31.000W				Red nun.
3010	St Joseph State Park Entrance Light 1	29-45-52.560N 085-24-07.980W	Fl G 2.5s			SG on pile.
3015	St Joseph State Park Entrance Light 2	29-45-53.520N 085-24-11.280W	Fl R 2.5s			TR on pile.

3020	St Joseph Bay Entrance Lighted Buoy 2	29-52-14.288N 085-28-53.950W	Fl (2)R 5s	4	Red.	
3023	Port St. Joe Lighted Mooring Buoy	29-48-32.580N 085-30-22.340W	Fl W 2.5s		White with blue band.	
3025	St Joseph Bay Entrance A Range Front Light	29-54-24.830N 085-24-18.085W	Q W	0	KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
3030	St Joseph Bay Light & Entrance A Range Rear Light	29-55-05.530N 085-22-49.708W	Iso W 6s	100	7	KRW on skeleton tower. Visible all around; higher intensity 1.5° each side of range line.
3035	St Joseph Bay Entrance Lighted Buoy 3	29-52-33.367N 085-28-27.398W	Fl G 4s	4	Green.	
3040	St Joseph Bay Entrance Buoy 4	29-52-48.366N 085-27-41.557W			Red nun.	
3045	St Joseph Bay Entrance Buoy 5	29-53-08.458N 085-27-07.888W			Green can.	
3050	St Joseph Bay Entrance Lighted Buoy 6	29-53-20.030N 085-26-32.131W	Fl R 2.5s	3	Red.	
3055	St Joseph Bay Entrance Lighted Buoy 8	29-53-39.266N 085-25-48.738W	Q R	3	Red.	
3060	St Joseph Bay Entrance Range B Front Light	29-53-44.070N 085-23-03.915W	Q R	29	5	KRW on pile. Visible all around; higher intensity on rangeline. AIS: MMSI 993682493.
3065	St Joseph Bay Entrance Range B Rear Light	29-53-44.703N 085-22-15.123W	Iso R 6s	50		KRW on pile. Visible on rangeline only.
3070	St Joseph Bay Entrance Range B Rear Light Passing Light	29-53-44.703N 085-22-15.123W	Fl W 4s	53	4	On same structure as St. Joseph Bay Entrance Range B Rear Light.
3075	St Joseph Bay Entrance Lighted Buoy 10	29-53-40.539N 085-24-15.688W	Fl R 2.5s	3	Red.	
3080	St Joseph Bay Entrance C Range Front Light	29-52-54.726N 085-22-31.419W	Iso W 2s	28		KRW on pile. Visible all around.
3085	St Joseph Bay Entrance C Range Rear Light	29-52-32.855N 085-21-44.753W	Iso W 6s	52		KRW on skeleton tower piles. Visible 1.5° each side of rangeline.
3090	St Joseph Bay Entrance C Range Rear Passing Light	29-52-32.855N 085-21-44.753W	Fl W 2.5s	25	4	On same structure as St. Joseph Bay Entrance Range C Rear Light.
3095	St Joseph Bay Entrance Lighted Buoy 12	29-53-12.202N 085-23-14.718W	Q R	3	Red.	
3100	St Joseph Bay Entrance Lighted Buoy 14	29-52-58.167N 085-23-04.465W	Fl R 2.5s	3	Red.	
3105	St Joseph Bay Entrance Range D Rear Light	29-54-20.717N 085-23-05.162W	Iso R 6s	55		KRW on pile. Visible on rangeline only. Range DOES NOT mark the channel centerline.
3110	St Joseph Bay Entrance Range D Rear Light Passing Light	29-54-20.717N 085-23-05.162W	Fl W 4s	55	4	On same structure as St. Joseph Bay Entrance Range D Light.
3115	St Joseph Bay Entrance Lighted Buoy 16	29-52-40.125N 085-22-58.232W	Fl R 2.5s	4	Red.	
3120	St Joseph Bay Entrance Lighted Buoy 17	29-52-17.852N 085-22-48.435W	Fl G 4s	4	Green.	
3125	St Joseph Bay Entrance Buoy 18	29-51-34.769N 085-23-01.834W			Red nun.	
3130	Port St Joe North Channel Lighted Buoy 19	29-50-42.771N 085-22-47.734W	Q G	4	Green.	
3135	Port St Joe North Channel Lighted Buoy 21	29-50-09.666N 085-21-25.365W	Fl G 2.5s	4	Green.	
3140	Port St Joe North Channel Buoy 22	29-49-52.159N 085-20-51.352W			Red nun.	
3145	Port St Joe North Channel Lighted Buoy 24	29-49-38.563N 085-20-14.142W	Fl R 2.5s	3	Red.	
3150	Port St Joe North Channel Buoy 26	29-49-26.264N 085-19-41.936W			Red nun.	
3155	Port St Joe North Channel Buoy 27	29-49-17.772N 085-19-06.106W			Green can.	
3160	Port St Joe North Channel Lighted Buoy 28	29-49-12.100N 085-19-03.379W	Fl R 4s	3	Red.	
3165	Port St Joe Turning Basin Light 30	29-48-54.770N 085-18-55.510W	Fl R 6s	10	4	TR on pile.
3170	Port St Joe Marina Entrance Light 2	29-48-48.280N 085-18-38.240W	Fl R 2.5s			TR on pile.
3175	Port St Joe Marina Entrance Light 1	29-48-49.330N 085-18-38.490W	Fl G 2.5s			SG on pile.
3180	Gulf County Canal Spoil Dump Buoy 2	29-49-32.896N 085-19-18.747W			Red nun.	

3185	Gulf County Canal Buoy 3	29-49-45.365N 085-19-12.837W				Green can.	
3190	Gulf County Canal Entrance Lighted Buoy 4	29-49-43.459N 085-19-13.069W	Fl R 2.5s	3		Red.	
3195	Gulf County Canal Buoy 5	29-49-49.523N 085-19-03.472W				Green can.	
3200	Gulf County Canal Entrance Buoy 6	29-49-48.186N 085-19-02.216W				Red nun.	
3205	Gulf County Canal Buoy 7	29-49-53.030N 085-18-55.373W				Green can.	
3210	Gulf County Canal Buoy 8	29-49-51.453N 085-18-54.381W				Red nun.	
3212.03	Gulf County Highland View No Wake Mark	29-49-59.748N 085-18-39.078W				Marks no wake zone for Highland View Boat Ramp.	
3212.02	Gulf County Highland View No Wake Mark	29-49-57.462N 085-18-37.632W				Marks no wake zone for Highland View Boat Ramp.	
3212	Gulf County Highland View No Wake Mark	29-49-53.880N 085-18-48.138W				Marks no wake zone for Highland View Boat Ramp.	
3212.01	Gulf County Highland View No Wake Mark	29-49-55.962N 085-18-48.138W				Marks no wake zone for Highland View Boat Ramp.	
3215	Windmark Beach East Channel Daybeacon 1	29-50-44.187N 085-20-03.566W				SG on pile.	
3220	Windmark Beach East Channel Daybeacon 2	29-50-43.978N 085-20-02.559W				TR on pile.	
3225	Windmark Beach East Channel Daybeacon 3	29-50-45.420N 085-20-03.329W				SG on pile.	
3230	Windmark Beach East Channel Daybeacon 4	29-50-46.213N 085-20-02.417W				TR on pile.	
3235	Windmark Beach Middle Channel Daybeacon 1	29-50-52.748N 085-20-12.554W				SG on pile.	
3240	Windmark Beach Middle Channel Daybeacon 2	29-50-52.015N 085-20-12.125W				TR on pile.	
3245	Windmark Beach Middle Channel Daybeacon 3	29-50-54.027N 085-20-10.554W				SG on pile.	
3250	Windmark Beach Middle Channel Daybeacon 4	29-50-53.603N 085-20-10.204W				TR on pile.	
3255	Windmark Beach West Channel Daybeacon 1	29-50-58.915N 085-20-16.939W				SG on pile.	
3260	Windmark Beach West Channel Daybeacon 2	29-50-58.413N 085-20-16.513W				TR on pile.	
3265	Mexico Beach Canal Entrance Light 1	29-56-55.440N 085-25-49.200W	Fl G 6s			SG on pile.	
3270	Mexico Beach Canal Entrance Light 2	29-56-55.200N 085-25-48.200W	Fl R 6s			TR on pile.	
3285	Mexico Beach Canal Entrance Light 5	29-56-59.040N 085-25-49.320W	Fl G 6s			SG on pile.	
3290	Mexico Beach Canal Entrance Light 6	29-56-59.460N 085-25-48.420W	Fl R 6s			TR on pile.	
3335	St Andrew Bay Entrance Lighted Buoy SA	30-05-29.756N 085-46-25.775W	Mo (A) W	6		Red and white stripes with red spherical topmark.	AIS: MMSI 993682022
3340	St Andrew Bay A Range Front Light	30-08-45.722N 085-41-34.226W	Fl W 2.5s	10		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.
3345	St Andrew Bay A Range Rear Light	30-09-27.784N 085-40-31.223W	Iso W 6s	50		KRW on skeleton tower on piles.	Lighted throughout 24 hours.
3346	St Andrew Bay A Range Rear Passing Light	30-09-27.784N 085-40-31.223W	Fl W 4s	3		On same structure as St Andrew Bay A Range Rear Light.	
3350	St Andrew Bay Entrance Lighted Buoy 1	30-06-36.337N 085-44-53.480W	Fl G 4s	4		Green.	
3355	St Andrew Bay Entrance Lighted Buoy 2	30-06-31.666N 085-44-49.281W	Fl R 4s	3		Red.	
3360	St Andrew Bay Entrance Lighted Buoy 3	30-06-53.484N 085-44-27.397W	Fl G 2.5s	4		Green.	
3365	St Andrew Bay Entrance Lighted Buoy 4	30-06-49.179N 085-44-23.580W	Fl R 2.5s	3		Red.	
3370	St Andrew Bay Entrance Lighted Buoy 6	30-07-15.524N 085-43-44.742W	Fl R 4s	3		Red.	
3375	St Andrew Bay Entrance Lighted Buoy 8	30-07-27.549N 085-43-27.192W	Fl R 2.5s	3		Red.	
3378	St. Andrews State Park Danger Breakwater Light	30-07-32.520N 085-43-50.880W	Fl W 2.5s			Marks breakwater structure.	

3378.01	St. Andrews State Park Danger Breakwater Light	30-07-33.960N 085-43-47.640W	FI W 2.5s				Marks breakwater structure.	
3378.02	St. Andrews State Park Danger Breakwater Light	30-07-35.040N 085-43-44.760W	FI W 2.5s				Marks breakwater structure.	
3378.03	St. Andrews State Park Danger Breakwater Light	30-07-36.810N 085-43-40.240W	FI W 2.5s				Marks breakwater structure.	
3380	St Andrew Bay Entrance Lighted Buoy 9	30-07-42.703N 085-43-14.541W	FI G 4s		4		Green.	
3385	St Andrew Bay Entrance Lighted Buoy 10	30-07-36.752N 085-43-13.970W	FI R 4s		3		Red.	
3390	St Andrew Bay Entrance Lighted Buoy 11	30-07-57.144N 085-42-50.839W	FI G 2.5s		3		Green	
3395	St Andrew Bay Entrance Lighted Buoy 12	30-07-53.873N 085-42-47.999W	FI R 2.5s		3		Red.	
3400	St Andrew Bay B Range Front Light	30-08-02.831N 085-42-55.372W	Iso W 2s	25	6		KRW on tower on piles.	Visible all around higher intensity 4° each side of rangeline.
3405	St Andrew Bay B Range Rear Light	30-07-51.447N 085-43-34.806W	Iso W 6s	55			KRW on tower on piles.	Visible 1.5° each side of rangeline.
3406	St Andrew Bay B Range Rear Passing Light	30-07-51.447N 085-43-34.806W	FI W 4s		3		On same structure as St Andrew Bay B Range Rear Light.	
3410	St Andrew Bay Entrance Lighted Buoy 13	30-08-12.140N 085-42-28.241W	FI G 4s		4		Green.	
3415	St Andrew Bay Entrance Lighted Buoy 14	30-08-08.611N 085-42-25.105W	FI R 4s		3		Red.	
3420	St Andrew Bay Entrance Lighted Buoy 15	30-08-20.341N 085-42-03.083W	FI G 2.5s		4		Green.	
3425	St Andrew Bay Entrance Lighted Buoy 16	30-08-15.971N 085-42-01.383W	FI R 2.5s		3		Red.	
3430	St Andrew Bay Entrance Lighted Buoy 15A	30-08-38.140N 085-41-05.042W	Q G		4		Green.	
3435	St Andrew Bay Junction Lighted Buoy	30-08-56.595N 085-40-48.874W	FI (2+1)G 6s		4		Green can with red band and yellow triangle.	
3440	Massalina Bayou Entrance Light 2	30-08-57.048N 085-39-44.063W	FI R 2.5s	0	3		TR on pile.	Ra ref.
3445	St Andrew Bay Lighted Buoy 17	30-08-39.073N 085-39-59.131W	Q G		3		Green with yellow triangle.	
3450	St Andrew Bay Lighted Buoy 18	30-08-35.470N 085-40-01.727W	Q R		3		Red with yellow square.	
3455	St Andrew Bay Lighted Buoy 19	30-08-33.947N 085-39-33.008W	FI G 2.5s		3		Green can with yellow triangle.	
3460	St Andrew Bay Lighted Buoy 20	30-08-20.994N 085-39-28.308W	FI R 2.5s		3		Red with yellow square.	
3465	St Andrew Bay Lighted Buoy 21	30-08-01.411N 085-39-06.251W	Q G		4		Green with yellow triangle.	
3468	St Andrew Bay Lighted Buoy 22	30-07-55.047N 085-39-13.780W	Q R		3		Red with yellow square.	
3470	ST ANDREW BAY LIGHTED BUOY 24	30-07-36.828N 085-38-21.272W	FI R 4s		3		Red with yellow square.	
3475	St Andrew Bay Coast Guard Mooring Buoy	30-07-27.569N 085-38-12.067W						For use by USCG only.
3480	St Andrew Bay Lighted Buoy 25	30-07-53.370N 085-37-51.491W	FI G 2.5s		3		Green with yellow triangle.	
3482	St Andrew Bay V-AIS 26	30-07-47.615N 085-37-50.942W						AIS: MMSI 993682546
3485	St Andrew Bay Light 28	30-07-39.550N 085-37-16.457W	Q R	0	3		TR-SY on pile.	Ra ref.
3490	Gulf Power Electrical Tower Danger Light	30-07-49.570N 085-36-56.350W	FI W 2.5s				NW on power line structure worded: DANGER OVERHEAD POWER LINE.	
3495	Gulf Power Electrical Tower Danger Lights(2)	30-07-44.890N 085-36-59.460W	FI W 2.5s				NW on power line structure worded: DANGER OVERHEAD POWER LINE.	
3500	Gulf Power Electrical Tower Danger Lights (2)	30-07-38.920N 085-37-07.290W	FI W 2.5s				NW on power line structure worded: DANGER OVERHEAD POWER LINE.	
3505	Gulf Power Electrical Tower Danger Light	30-07-33.790N 085-37-14.010W	FI W 2.5s				NW on power line structure worded: DANGER OVERHEAD POWER LINE.	
3510	Gainer Bayou Channel Daybeacon 1	30-16-21.520N 085-37-31.690W					SG on pile.	
3515	Gainer Bayou Channel Daybeacon 2	30-16-21.550N 085-37-31.010W					TR on pile.	
3520	Gainer Bayou Channel Daybeacon 3	30-16-23.590N 085-37-31.820W					SG on pile.	

3525	Gainer Bayou Channel Daybeacon 4	30-16-23.380N 085-37-31.120W					TR on pile.	
3530	Gainer Bayou Channel Daybeacon 5	30-16-28.400N 085-37-27.080W					SG on pile.	
3535	Gainer Bayou Channel Daybeacon 6	30-16-28.220N 085-37-26.360W					TR on pile.	
3540	Gainer Bayou Channel Daybeacon 7	30-16-30.160N 085-37-27.330W					SG on pile.	
3545	Gainer Bayou Channel Daybeacon 8	30-16-30.240N 085-37-26.650W					TR on pile.	
3550	St Andrew Bay Light 29	30-07-22.556N 085-36-41.781W	FI G 2.5s	0	3		SG-TY on pile.	Ra ref.
3555	St Andrew Bay West Lighted Buoy 3	30-09-03.524N 085-41-16.535W	Q G		3		Green with yellow square.	
3560	St Andrew Bay West Lighted Buoy 5	30-09-16.322N 085-41-52.366W	FI G 4s		4		Green with yellow square.	
3565	Buena Vista Daybeacon	30-09-42.748N 085-41-35.767W		0			NW on pile worded DANGER.	Ra ref.
3570	St Andrew Bay West Lighted Buoy 6	30-09-29.565N 085-42-20.605W	FI R 2.5s		3		Red with yellow triangle.	
3575	St Andrew Bay West Lighted Buoy 8	30-09-40.453N 085-42-36.321W	FI R 4s		3		Red with yellow triangle.	
3580	St Andrew Bay West Lighted Buoy 9	30-09-50.205N 085-42-49.604W	FI G 2.5s		4		Green with yellow square.	
3585	St Andrew Bay West Lighted Buoy 10	30-10-09.896N 085-43-00.732W	FI R 4s		3		Red with yellow triangle.	
3590	St Andrew Bay West Lighted Buoy 11	30-09-57.748N 085-43-14.770W	FI G 4s		4		Green with yellow square.	
3592	St Andrew Bay West V-AIS 12	30-10-27.545N 085-43-36.967W						AIS: MMSI 993682548
3593	U.S. Naval Support Activity Lighted Mooring Buoy PC- 1	30-10-15.821N 085-44-10.923W	FI W 6s		2		White.	
3595	St Andrew Bay West Lighted Buoy 13	30-10-19.804N 085-43-29.134W	FI G 2.5s		4		Green with yellow triangle.	
3600	St Andrew Bay West Light 14	30-10-34.924N 085-44-10.516W	FI R 4s	0	3		TR-TY on pile.	Ra ref.
3605	Navy Dive School Buoy A	30-09-55.000N 085-44-15.000W					Yellow sphere.	U.S. Navy maintained.
3610	Navy Dive School Buoy B	30-09-56.000N 085-43-57.000W					Yellow sphere.	U.S. Navy maintained.
3615	Navy Dive School Buoy C	30-09-56.600N 085-43-43.000W					Yellow sphere.	U.S. Navy maintained.
3620	Navy Dive School Buoy D	30-09-57.000N 085-43-24.000W					Yellow sphere.	U.S. Navy maintained.
3625	Section Base Magazine Area Daybeacon 1	30-09-54.827N 085-44-17.966W		0			SG on pile.	Ra ref.
3630	Section Base Magazine Area Daybeacon 2	30-09-59.477N 085-44-20.072W		0			TR on pile.	Ra ref.
3635	Section Base Magazine Area Daybeacon 3	30-09-54.209N 085-44-29.282W		0			SG on pile.	Ra ref.
3640	Section Base Magazine Area Daybeacon 4	30-09-56.423N 085-44-28.328W		0			TR on pile.	Ra ref.
3645	Section Base Magazine Area Daybeacon 6	30-09-56.765N 085-44-30.242W		0			TR on pile.	Ra ref.
3650	Section Base Channel Range Front Light	30-10-11.761N 085-45-21.034W	Q G	15	8		KRW on skeleton tower.	Visible only on the rangeline.
3655	Section Base Channel Range Rear Light	30-10-09.275N 085-45-25.927W	Oc G 4s	15	9		KRW on skeleton tower on block.	Visible only on the rangeline.
3660	Section Base Channel Light 1	30-10-27.572N 085-44-47.113W	FI G 4s	0	4		SG on pile.	Ra ref.
3665	Section Base Channel Light 2	30-10-29.449N 085-44-49.774W	FI R 4s	0	3		TR on pile.	Ra ref.
3670	Section Base Channel Light 3	30-10-18.393N 085-45-03.008W	FI G 2.5s	0	3		SG on pile.	Ra ref.
3675	Section Base Channel Light 4	30-10-23.310N 085-45-02.607W	FI R 2.5s	0	3		TR on pile.	Ra ref.
3680	Sulphur Point Buoy 1	30-10-55.918N 085-44-35.167W					Green can with yellow square.	
3685	Sulphur Point Buoy 2	30-10-56.045N 085-44-27.056W					Red nun with yellow triangle.	

3690	Sulphur Point Buoy 3	30-11-05.555N 085-44-34.590W		Green can with yellow square.
3695	Sulphur Point Buoy 4	30-11-03.509N 085-44-27.107W		Red nun with yellow triangle.
3700	Gulf Power Company Structure Light A	30-11-22.500N 085-44-20.500W	Q W	On skeleton tower.
3705	Gulf Power Company Structure Light B	30-11-23.000N 085-44-38.500W	Q W	On skeleton tower.
3710	Sulphur Point Buoy 5	30-11-27.532N 085-44-32.763W		Green can with yellow square.
3715	Sulphur Point Buoy 6	30-11-26.769N 085-44-26.257W		Red nun with yellow triangle.
3720	Sulphur Point Buoy 7	30-11-36.151N 085-44-33.387W		Green can with yellow square.
3725	Sulphur Point Buoy 8	30-11-35.636N 085-44-23.894W		Red nun with yellow triangle.
3730	Woodlawn Bayou Channel Daybeacon 1	30-11-32.340N 085-44-58.500W		SG on pile.
3735	Woodlawn Bayou Channel Daybeacon 2	30-11-33.480N 085-44-58.260W		TR on pile.
3740	Woodlawn Bayou Channel Daybeacon 3	30-11-32.820N 085-45-00.780W		SG on pile.
3745	Woodlawn Bayou Channel Daybeacon 4	30-11-33.720N 085-45-00.660W		TR on pile.
3750	Woodlawn Bayou Channel Daybeacon 5	30-11-33.240N 085-45-04.200W		SG on pile.
3755	Woodlawn Bayou Channel Daybeacon 6	30-11-34.020N 085-45-03.720W		TR on pile.
3760	Woodlawn Bayou Channel Daybeacon 7	30-11-33.660N 085-45-06.900W		SG on pile.
3765	Woodlawn Bayou Channel Daybeacon 8	30-11-34.440N 085-45-06.720W		TR on pile.
3770	Woodlawn Bayou Channel Daybeacon 9	30-11-34.200N 085-45-08.460W		SG on pile.
3775	Woodlawn Bayou Channel Daybeacon 10	30-11-34.560N 085-45-07.860W		TR on pile.
3780	Harbor Towne Channel Daybeacon 1	30-11-55.260N 085-44-43.380W		SG on pile.
3785	Harbor Towne Channel Daybeacon 2	30-11-55.800N 085-44-42.720W		TR on pile.
3790	Harbor Towne Channel Daybeacon 3	30-11-56.700N 085-44-45.300W		SG on pile.
3795	Harbor Towne Channel Daybeacon 4	30-11-57.120N 085-44-44.760W		TR on pile.
3800	Harbor Towne Channel Daybeacon 5	30-11-57.688N 085-44-47.226W		SG on pile.
3805	Harbor Towne Channel Daybeacon 6	30-11-58.320N 085-44-46.620W		TR on pile.
3810	Harbor Towne Channel Daybeacon 7	30-11-58.832N 085-44-48.770W		SG on pile.
3815	Harbour Towne Channel Daybeacon 8	30-11-59.520N 085-44-48.840W		TR on pile.
3820	Posten Bayou Channel Daybeacon 1	30-11-42.000N 085-43-20.160W		SG on pile.
3825	Posten Bayou Channel Daybeacon 2	30-11-41.220N 085-43-20.400W		TR on pile.
3830	Posten Bayou Channel Daybeacon 3	30-11-41.880N 085-43-16.200W		SG on pile.
3835	Posten Bayou Channel Daybeacon 4	30-11-41.280N 085-43-16.560W		TR on pile.
3840	Posten Bayou Channel Daybeacon 5	30-11-41.700N 085-43-08.400W		SG on pile.
3845	Posten Bayou Channel Daybeacon 6	30-11-41.280N 085-43-08.160W		TR on pile.
3850	Posten Bayou Channel Daybeacon 7	30-11-35.760N 085-43-00.840W		SG on pile.
3855	Posten Bayou Channel Daybeacon 8	30-11-39.120N 085-43-05.880W		TR on pile.
3860	Posten Bayou Channel Daybeacon 9	30-11-33.840N 085-43-00.720W		SG on pile.

3865	Posten Bayou Channel Daybeacon 10	30-11-35.880N 085-43-01.320W	TR on pile.
3870	Posten Bayou Channel Daybeacon 11	30-11-31.920N 085-43-00.480W	SG on pile.
3875	Posten Bayou Channel Daybeacon 12	30-11-33.990N 085-43-01.080W	TR on pile.
3880	Pretty Bayou Channel North Daybeacon 1	30-12-06.900N 085-42-32.580W	SG on pile.
3885	Pretty Bayou Channel North Daybeacon 2	30-12-05.940N 085-42-32.940W	TR on pile.
3890	Pretty Bayou Channel North Daybeacon 3	30-12-06.840N 085-42-30.240W	SG on pile.
3895	Pretty Bayou Channel North Daybeacon 4	30-12-05.700N 085-42-30.540W	TR on pile.
3900	Pretty Bayou Channel North Daybeacon 5	30-12-06.600N 085-42-28.440W	SG on pile.
3905	Pretty Bayou Channel North Daybeacon 6	30-12-05.640N 085-42-28.620W	TR on pile.
3910	Pretty Bayou Channel North Daybeacon 7	30-12-06.960N 085-42-26.340W	SG on pile.
3915	Pretty Bayou Channel North Daybeacon 8	30-12-05.760N 085-42-26.580W	TR on pile.
3920	Pretty Bayou Channel North Daybeacon 9	30-12-06.780N 085-42-22.260W	SG on pile.
3925	Pretty Bayou Channel North Daybeacon 10	30-12-05.700N 085-42-24.840W	TR on pile.
3930	Pretty Bayou Channel North Daybeacon 11	30-12-06.480N 085-42-22.260W	SG on pile.
3935	Pretty Bayou Channel North Daybeacon 12	30-12-05.820N 085-42-22.560W	TR on pile.
3940	Pretty Bayou Channel South Daybeacon 1	30-11-53.090N 085-42-18.480W	SG on pile.
3945	Pretty Bayou Channel South Daybeacon 2	30-11-53.580N 085-42-18.360W	TR on pile.
3950	Pretty Bayou Channel South Daybeacon 3	30-11-53.390N 085-42-20.710W	SG on pile.
3955	Pretty Bayou Channel South Daybeacon 4	30-11-53.640N 085-42-21.590W	TR on pile.
3960	Pretty Bayou Channel South Daybeacon 5	30-11-51.910N 085-42-23.120W	SG on pile.
3965	North Bay Channel Daybeacon 2	30-12-57.000N 085-42-08.000W	TR on pile.
3970	North Bay Channel Daybeacon 4	30-12-54.000N 085-42-04.000W	TR on pile.
3975	North Bay Channel Daybeacon 6	30-12-51.000N 085-42-02.000W	TR on pile.
3980	North Bay Channel Daybeacon 8	30-12-48.000N 085-41-59.000W	TR on pile.
3985	North Bay Channel Daybeacon 10	30-12-46.000N 085-41-57.000W	TR on pile.
3990	Robinson Bayou Daybeacon 1	30-12-49.070N 085-42-12.720W	SG on pile.
3995	Robinson Bayou Daybeacon 2	30-12-47.940N 085-42-15.600W	TR on pile.
4000	Robinson Bayou Daybeacon 3	30-12-48.070N 085-42-07.090W	SG on pile.
4010	Robinson Bayou Daybeacon 5	30-12-45.720N 085-42-02.410W	SG on pile.
4015	Robinson Bayou Daybeacon 4	30-12-43.770N 085-42-04.180W	TR on pile.
4020	Robinson Bayou Daybeacon 7	30-12-40.900N 085-41-59.550W	SG on pile.
4025	Robinson Bayou Daybeacon 6	30-12-40.240N 085-42-02.480W	TR on pile.
4030	Goose Bayou Channel Daybeacon 1	30-13-35.730N 085-41-24.660W	SG on pile.
4035	Goose Bayou Channel Daybeacon 2	30-13-32.280N 085-41-34.140W	TR on pile.
4040	Goose Bayou Channel Daybeacon 3	30-13-30.600N 085-41-21.780W	SG on pile.

4045	Goose Bayou Channel Daybeacon 4	30-13-27.600N 085-41-28.920W				TR on pile.
4050	Goose Bayou Channel Daybeacon 5	30-13-23.940N 085-41-19.980W				SG on pile.
4055	Goose Bayou Channel Daybeacon 6	30-13-21.420N 085-41-25.200W				TR on pile.
4060	Goose Bayou Channel Daybeacon 8	30-13-18.360N 085-41-17.340W				TR on pile.
4065	Goose Bayou Channel Daybeacon 9	30-13-22.620N 085-41-08.880W				SG on pile.
4070	Goose Bayou Channel Daybeacon 10	30-13-16.080N 085-41-09.240W				TR on pile.
4075	Goose Bayou Channel Daybeacon 11	30-13-22.860N 085-41-04.560W				SG on pile.
4080	Goose Bayou Channel Daybeacon 12	30-13-19.140N 085-41-02.940W				TR on pile.
4085	Upper Goose Bayou Channel Daybeacon 1	30-14-29.100N 085-40-55.020W				SG on pile.
4090	Upper Goose Bayou Channel Daybeacon 2	30-14-25.740N 085-41-03.780W				TR on pile.
4095	Upper Goose Bayou Channel Daybeacon 3	30-14-20.760N 085-40-45.780W				SG on pile.
4100	Upper Goose Bayou Channel Daybeacon 4	30-14-20.820N 085-40-54.600W				TR on pile.
4105	Upper Goose Bayou Channel Daybeacon 5	30-14-14.820N 085-40-39.120W				SG on pile.
4110	Upper Goose Bayou Channel Daybeacon 6	30-14-11.160N 085-40-40.920W				TR on pile.
4115	Upper Goose Bayou Channel Daybeacon 7	30-14-09.180N 085-40-32.760W				SG on pile.
4120	Upper Goose Bayou Channel Daybeacon 8	30-14-07.380N 085-40-35.460W				TR on pile.
4125	Upper Goose Bayou Channel Daybeacon 9	30-14-06.780N 085-40-31.920W				SG on pile.
4130	North Bay Daybeacon 1	30-13-37.338N 085-43-11.465W		0		SG on pile.
4135	North Bay Light 3	30-13-37.510N 085-42-27.746W	FI G 6s	0	4	SG on pile.
4145	North Bay Daybeacon 4	30-14-18.575N 085-41-33.031W		0		TR on pile. Ra ref.
4150	North Bay Light 5	30-14-43.388N 085-41-30.876W	FI G 4s		4	SG on pile.
4155	North Bay Light 6	30-15-02.116N 085-41-01.911W	FI R 4s		3	TR on pile.
4156.01	Newman Bayou Daybeacon 1	30-16-02.030N 085-40-20.200W				Marks entrance to Newman Bayou.
4156.02	Newman Bayou Daybeacon 2	30-16-03.070N 085-40-19.200W				Marks entrance to Newman Bayou.
4156.03	Newman Bayou Daybeacon 3	30-16-02.890N 085-40-21.800W				Marks entrance to Newman Bayou.
4156.04	Newman Bayou Daybeacon 4	30-16-03.890N 085-40-20.790W				Marks entrance to Newman Bayou.
4156.05	Newman Bayou Daybeacon 5	30-16-03.890N 085-40-23.380W				Marks entrance to Newman Bayou.
4156.06	Newman Bayou Daybeacon 6	30-16-04.910N 085-40-22.440W				Marks entrance to Newman Bayou.
4160	Beatty Bayou Channel Daybeacon 1	30-15-17.013N 085-37-11.708W				SG on pile.
4165	Beatty Bayou Channel Daybeacon 2	30-15-17.057N 085-37-12.272W				TR on pile.
4170	Beatty Bayou Channel Daybeacon 3	30-15-14.650N 085-37-11.985W				SG on pile.
4175	Beatty Bayou Channel Daybeacon 4	30-15-14.742N 085-37-12.544W				TR on pile.
4180	Beatty Bayou Channel Daybeacon 5	30-15-11.925N 085-37-12.520W				SG on pile.
4185	Beatty Bayou Channel Daybeacon 6	30-15-11.991N 085-37-13.102W				TR on pile.
4190	Fannin Bayou Daybeacon 1	30-16-11.142N 085-39-26.211W				SG on pile.

4195.01	Fannin Bayou Buoy 2	30-16-08.992N 085-39-18.837W				Red nun.	
4200.01	Fannin Bayou Buoy 3	30-16-17.183N 085-39-13.677W				Green can.	
4210	Fannin Bayou Channel A Daybeacon 4	30-16-29.000N 085-39-00.000W				TR on pile.	
4215	Fannin Bayou Channel A Daybeacon 5	30-16-39.000N 085-38-50.000W				SG on pile.	
4220	Fannin Bayou Channel A Daybeacon 6	30-16-37.000N 085-38-46.000W				TR on pile.	
4225	Fannin Bayou Channel A Daybeacon 7	30-16-40.000N 085-38-36.000W				SG on pile.	
4230	Fannin Bayou Channel A Daybeacon 8	30-16-42.000N 085-38-34.000W				TR on pile.	
4235	Fannin Bayou Channel A Daybeacon 9	30-16-51.000N 085-38-36.000W				SG on pile.	
4240	Fannin Bayou Channel A Daybeacon 10	30-16-51.000N 085-38-31.000W				TR on pile.	
4245	Fannin Bayou Channel A Daybeacon 11	30-16-53.000N 085-38-26.000W				SG on pile.	
4250	Fannin Bayou Channel A Daybeacon 12	30-16-52.000N 085-38-25.000W				TR on pile.	
4255	Fannin Bayou Channel A Daybeacon 13	30-16-54.000N 085-38-23.000W				SG on pile.	
4260	Fannin Bayou Channel A Daybeacon 14	30-17-00.000N 085-38-25.000W				TR on pile.	
4265	Fannin Bayou Channel Junction Daybeacon A	30-16-33.000N 085-38-59.000W				JG on pile.	
4270	Fannin Bayou Channel Junction Daybeacon B	30-16-51.000N 085-39-00.000W				JG on pile.	
4275	Fannin Bayou Channel C Daybeacon 1	30-16-53.000N 085-39-12.000W				SG on pile.	
4280	Fannin Bayou Channel C Daybeacon 2	30-16-56.000N 085-39-23.000W				TR on pile.	
4285	Fannin Bayou Channel B Daybeacon 1	30-16-56.000N 085-38-52.000W				SG on pile.	
4290	Fannin Bayou Channel B Daybeacon 3	30-17-06.000N 085-38-49.000W				SG on pile.	
4295	Fannin Bayou Channel B Daybeacon 5	30-17-11.000N 085-38-49.000W				SG on pile.	
4300	Fannin Bayou Channel B Daybeacon 6	30-17-14.000N 085-38-55.000W				TR on pile.	
4305	Grand Lagoon Channel Light 2	30-07-53.097N 085-43-13.244W	Q R	0	3	TR on pile.	Ra ref.
4310	Grand Lagoon Channel Light 3	30-07-57.832N 085-43-39.474W	Fl G 2.5s	0	3	SG on pile.	
4315	Grand Lagoon Channel Light 4	30-08-17.751N 085-43-57.771W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
4320	Grand Lagoon Channel Daybeacon 6	30-08-26.724N 085-44-03.774W				TR on pile.	
4325	Grand Lagoon Channel Light 5	30-08-25.209N 085-44-05.132W	Fl G 4s	0	4	SG on pile.	Ra ref.
4330	Grand Lagoon Channel Daybeacon 7	30-08-33.008N 085-44-18.075W		0		SG on pile.	Ra ref.
4335	Grand Lagoon Channel Daybeacon 8	30-08-36.899N 085-44-20.357W				TR on pile.	
4340	Grand Lagoon Channel Junction Light A	30-08-42.262N 085-44-30.681W	Fl (2+1)G 6s	0	3	JG on pile.	
4345	Grand Lagoon Channel Daybeacon 9	30-08-46.623N 085-44-35.555W		0		SG on pile.	
4350	Grand Lagoon Channel Daybeacon 11	30-08-51.196N 085-44-49.803W		0		SG on pile.	
4355	Treasure Island Marina Channel Daybeacon 2	30-08-43.721N 085-44-42.032W				TR on pile.	
4360	Treasure Island Marina Channel Daybeacon 3	30-08-42.056N 085-44-39.986W		0		SG on pile.	
4365	Treasure Island Marina Channel Daybeacon 4	30-08-44.750N 085-44-51.873W		0		TR on pile.	Ra ref.
4370	West Grand Lagoon Channel Daybeacon 1	30-08-51.600N 085-44-55.200W				SG on pile.	

4375	West Grand Lagoon Channel Daybeacon 2	30-08-55.800N 085-44-54.600W				TR on pile.	
4380	West Grand Lagoon Channel Daybeacon 2A	30-09-01.850N 085-45-00.060W				TR on pile.	
4385	West Grand Lagoon Channel Daybeacon 3A	30-09-01.140N 085-45-00.480W				SG on pile.	
4390	West Grand Lagoon Channel Daybeacon 3	30-08-55.200N 085-44-55.200W				SG on pile.	
4395	West Grand Lagoon Channel Daybeacon 4	30-09-01.200N 085-45-04.800W				TR on pile.	
4400	West Grand Lagoon Channel Daybeacon 5	30-09-01.000N 085-45-02.000W				SG on pile.	
4405	West Grand Lagoon Channel Daybeacon 6	30-09-04.980N 085-45-13.080W				TR on pile.	
4410	West Grand Lagoon Channel Daybeacon 7	30-09-04.020N 085-45-13.080W				SG on pile.	
4415	West Grand Lagoon Channel Daybeacon 8	30-09-09.420N 085-45-22.260W				TR on pile.	
4420	West Grand Lagoon Channel Daybeacon 9	30-09-08.640N 085-45-22.940W				SG on pile.	
4425	West Grand Lagoon Channel Daybeacon 10	30-09-19.260N 085-45-36.540W				TR on pile.	
4430	West Grand Lagoon Channel Daybeacon 11	30-09-18.420N 085-45-37.140W				SG on pile.	
4435	West Grand Lagoon Channel Daybeacon 12	30-09-28.800N 085-45-48.680W				TR on pile.	
4440	West Grand Lagoon Channel Daybeacon 13	30-09-27.900N 085-45-48.980W				SG on pile.	
4445	West Grand Lagoon Channel Daybeacon 14	30-09-30.060N 085-45-55.200W				TR on pile.	
4450	West Grand Lagoon Channel Daybeacon 15	30-09-30.480N 085-45-56.280W				SG on pile.	
4455	West Grand Lagoon Channel Daybeacon 16	30-09-34.440N 085-46-04.340W				TR on pile.	
4460	West Grand Lagoon Channel Daybeacon 17	30-09-33.360N 085-46-04.580W				SG on pile.	
4465	West Grand Lagoon Channel Daybeacon 18	30-09-43.920N 085-46-21.020W				TR on pile.	
4470	West Grand Lagoon Channel Daybeacon 19	30-09-42.720N 085-46-21.860W				SG on pile.	
4475	West Grand Lagoon Channel Daybeacon 21	30-09-49.080N 085-46-33.440W				SG on pile.	
4480	West Grand Lagoon Channel Daybeacon 22	30-09-50.880N 085-46-37.520W				TR on pile.	
4485	West Grand Lagoon Channel Daybeacon 24	30-09-52.020N 085-46-43.100W				TR on pile.	
4490	West Grand Lagoon Channel Daybeacon 26	30-09-53.760N 085-46-45.740W				TR on pile.	
4495	West Grand Lagoon Channel Daybeacon 27	30-09-56.820N 085-46-51.240W				SG on pile.	
4505	West Grand Lagoon Channel Daybeacon 28	30-10-07.820N 085-47-11.080W				TR on pile.	
4510	West Grand Lagoon Channel Daybeacon 29	30-10-07.610N 085-47-11.320W				SG on pile.	
4515	West Grand Lagoon Channel Daybeacon 30	30-10-10.560N 085-47-14.380W				TR on pile.	
4520	West Grand Lagoon Channel Daybeacon 31	30-10-10.340N 085-47-14.600W				SG on pile.	
4525	West Grand Lagoon Channel Daybeacon 32	30-10-12.590N 085-47-16.680W				TR on pile.	
4530	West Grand Lagoon Channel Daybeacon 33	30-10-12.390N 085-47-16.930W				SG on pile.	
4535	Choctawhatchee Bay Entrance Lighted Buoy CB	30-22-14.589N 086-30-55.975W	Mo (A) W	5	Red and white stripes with red spherical topmark.	AIS: MMSI 993682106	
4540	Choctawhatchee Bay Entrance Buoy 1	30-22-33.818N 086-30-45.400W			Green can.		
4545	Choctawhatchee Bay Entrance Buoy 2	30-22-32.311N 086-30-43.065W			Red nun.		
4550	Choctawhatchee Bay Entrance Light 3	30-22-51.166N 086-30-37.550W	Q G	15	3	SG on skeleton tower on pile.	

4555	Choctawhatchee Bay Entrance Light 4	30-22-51.454N 086-30-27.279W	Q R	3	TR on skeleton tower on pile.	
4560	Choctawhatchee Bay Entrance Buoy 5A	30-23-03.230N 086-30-42.323W			Green can.	
4565	Choctawhatchee Bay Entrance Buoy 7	30-23-09.307N 086-30-46.423W			Green can.	
4570	Choctawhatchee Bay Entrance Lighted Buoy 8	30-23-24.495N 086-30-45.414W	FI R 2.5s	3	Red nun.	
4575	Choctawhatchee Bay Entrance Buoy 9	30-23-17.240N 086-30-49.823W			Green can.	
4578	City of Destin Danger Light	30-23-26.522N 086-30-39.156W	FI W 2.5s		Marks breakwater.	
4578.01	City of Destin Danger Light	30-23-28.514N 086-30-42.092W	FI W 2.5s		Marks breakwater.	
4578.02	City of Destin Danger Light	30-23-30.756N 086-30-45.344W	FI W 2.5s		Marks breakwater.	
4578.03	City of Destin Danger Light	30-23-32.679N 086-30-46.635W	FI W 2.5s		Marks breakwater.	
4578.04	City of Destin Danger Light	30-23-34.702N 086-30-51.791W	FI W 2.5s		Marks breakwater.	
4578.05	City of Destin Danger Light	30-23-37.049N 086-30-52.343W	FI W 2.5s		Marks breakwater.	
4578.06	City of Destin Danger Light	30-23-36.072N 086-30-47.622W	FI W 2.5s		Marks breakwater.	
4580	Choctawhatchee Bay Entrance Buoy 10	30-23-31.868N 086-30-51.219W			Red nun.	
4585	Choctawhatchee Bay Entrance Buoy 11	30-23-27.838N 086-30-55.909W			green can.	Ra ref.
4595	Old East Pass Harbor Channel Daybeacon 3	30-23-33.117N 086-30-35.605W			SG on pile.	Ra ref.
4600	Old East Pass Harbor Channel Buoy 4	30-23-31.261N 086-30-31.515W			Red nun.	
4605	Old East Pass Harbor Channel Daybeacon 6	30-23-31.452N 086-30-29.453W			TR on pile.	
4610	Old East Pass Harbor Channel Lighted Buoy 8	30-23-30.118N 086-30-22.417W	FI R 4s	3	Red nun.	
4615	Old East Pass Harbor Channel Light 13	30-23-22.186N 086-29-28.946W	FI G 4s	4	SG on pile.	Ra ref.
4620	Old East Pass Harbor Channel Light 14	30-23-21.960N 086-29-18.098W	FI R 2.5s	3	TR on pile.	Ra ref.
4625	Old East Pass Harbor Channel Light 15	30-23-22.115N 086-29-15.665W	FI G 2.5s	3	SG on pile.	Ra ref.
4630	Old East Pass Harbor Channel Light 16	30-23-18.882N 086-29-13.148W	FI R 4s	3	TR on pile.	Ra ref.
4635	Old East Pass East Danger Daybeacon	30-23-28.555N 086-30-26.365W		0	NW on pile worded DANGER SHOAL.	Ra ref.
4640	Old East Pass Harbor Channel Daybeacon 18	30-23-13.897N 086-29-10.315W			TR on pile.	
4645	Old East Pass West Danger Daybeacon	30-23-30.409N 086-30-30.433W		0	NW on pile worded DANGER SHOAL.	Ra ref.
4650	Okaloosa County Fishing Pier Lights	30-23-30.000N 086-35-36.000W			Fishing pier.	
4655	U. S. Coast Guard Base Daybeacon 2	30-23-38.372N 086-31-06.316W		0	TR on pile.	Ra ref.
4656	U. S. Coast Guard Base Buoy G	30-23-35.410N 086-31-25.952W			White with orange bands.	Restricted Access Area.
4656.01	U. S. Coast Guard Base Buoy H	30-23-35.814N 086-31-27.436W			White with orange bands.	Restricted Access Area.
4657.02	U. S. Coast Guard Base Buoy D	30-23-34.164N 086-31-29.866W			White with orange bands.	Restricted Access Area.
4657.01	U. S. Coast Guard Base Buoy E	30-23-34.675N 086-31-32.235W			White with orange bands.	Restricted Access Area.
4657	U. S. Coast Guard Base Buoy F	30-23-35.050N 086-31-34.464W			White with orange bands.	Restricted Access Area.
4659	U. S. Coast Guard Base Buoy 6	30-23-36.360N 086-31-26.155W			Red nun.	
4660	U. S. Coast Guard Base Daybeacon 4	30-23-33.645N 086-31-17.434W		0	TR on pile.	
4662	Okaloosa County Crab Island Exclusion Buoys (32)	30-23-38.160N 096-31-25.140W			Marks boat Exclusion Area.	

4663	U. S. Coast Guard Base Buoy 8	30-23-38.146N 086-31-29.765W				Red nun.	
4663.01	U. S. Coast Guard Base Buoy 7	30-23-36.789N 086-31-31.141W				Green can.	
4664	U. S. Coast Guard Base Buoy C	30-23-33.726N 086-31-27.601W				White with orange bands.	Restricted Access Area.
4665	U. S. Coast Guard Base Daybeacon A	30-23-32.588N 086-31-27.078W		0		NW on pile worded Restricted Area.	Maintain 100ft from shoreline do not impede access to Coast Guard Station 33 CFR 334.746.
4667	U. S. Coast Guard Base Buoy B	30-23-33.482N 086-31-25.691W				White with orange bands.	Restricted Access Area.
4668	U. S. Coast Guard Base Buoy 5	30-23-34.668N 086-31-27.241W				Green can.	
4670	Choctawhatchee Bay Entrance Daybeacon 13	30-24-05.578N 086-30-58.609W		0		SG on pile.	Ra ref.
4675	Choctawhatchee Bay Entrance Daybeacon 14	30-24-05.921N 086-30-54.335W		0		TR on pile.	Ra ref.
4680	Choctawhatchee Bay Entrance Daybeacon 15	30-24-16.490N 086-31-10.897W		0		SG on pile.	Ra ref
4685	Choctawhatchee Bay Entrance Light 16	30-24-26.664N 086-31-08.854W	FI R 2.5s	0	4	TR on pile.	Ra ref.
4690	Choctawhatchee Bay Entrance Light 17	30-24-25.842N 086-31-18.378W	FI G 2.5s	0	4		Ra ref.
4692	CHOCTAWHATCHEE BAY ENTRANCE WRECK LIGHTED BUOY WR19	30-24-37.704N 086-31-48.765W	Q G		3	Green can.	
4695	Pensacola Bay Entrance Lighted Buoy 1	30-16-15.744N 087-17-32.922W	FI G 2.5s		4	Green.	
4700	Pensacola Bay Entrance Lighted Buoy 2	30-16-16.769N 087-17-23.529W	FI R 2.5s		4	Red.	
4705	Caucus Channel Range Front Light	30-19-33.943N 087-18-44.145W	Q G	10		KRW on skeleton tower on piles.	Visible 1.5° each side of range line. Lighted throughout 24 hours.
4710	Caucus Channel Range Rear Light	30-20-07.575N 087-18-57.210W	Iso G 6s	50		KRW on skeleton tower.	Visible 1.5° each side of range line. Lighted throughout 24 hours.
4715	Pensacola Light	30-20-46.065N 087-18-29.133W	FI W 20s		27	Conical brick tower lower third white upper two thirds black.	White light visible from 222° to 090°. Aircraft warning light shows F R from 090° to 222°.
4720	Pensacola Bay Entrance Lighted Buoy 3	30-17-20.943N 087-17-57.423W	FI G 6s		4	Green.	
4725	Pensacola Bay Entrance Lighted Buoy 4	30-17-21.943N 087-17-48.124W	FI R 6s		4	Red.	
4730.01	Massachusetts Wreck Lighted Warning Buoy B	30-17-50.460N 087-18-38.160W	FI W 2.5s		5	White with orange bands and open face diamond.	
4730.02	Massachusetts Wreck Lighted Warning Buoy C	30-17-51.070N 087-18-46.910W	FI W 2.5s		5	White with orange bands and open face diamond.	
4730	Massachusetts Wreck Lighted Warning Buoy A	30-17-43.455N 087-18-44.235W	FI W 2.5s		5	White with orange bands and open face diamond.	
4735	Pensacola Bay Entrance Lighted Buoy 5	30-18-02.119N 087-18-12.914W	FI G 4s		4	Green.	
4740	Pensacola Bay Entrance Lighted Buoy 6	30-18-04.008N 087-18-04.107W	FI R 4s		3	Red.	
4745	Pensacola Bay Entrance Buoy 7	30-18-37.598N 087-18-26.531W				Green can.	
4750	Pensacola Bay Entrance Lighted Buoy 8	30-18-42.541N 087-18-18.025W	Q R		3	Red.	
4755	Pensacola Bay Entrance Lighted Buoy 9	30-18-55.506N 087-18-32.495W	Q G		4	Green.	
4780	Fort Barrancas Range Front Light	30-20-34.734N 087-18-29.129W	FI G 2.5s	20		KRW on skeleton tower on piles.	Visible only on the rangeline.
4785	Fort Barrancas Range Rear Light	30-20-45.278N 087-18-29.133W	F G			KRW on skeleton tower.	Visible only on the rangeline.
4810	Pensacola Bay Entrance Buoy 10	30-19-15.768N 087-18-24.261W				Red nun.	
4815	Pensacola Bay Entrance Lighted Buoy 11	30-19-16.240N 087-18-34.126W	FI G 4s		4	Green.	
4820	Pensacola Bay Entrance Lighted Buoy 12	30-19-41.927N 087-18-27.027W	FI (2)R 5s		3	Red.	
4830	Pensacola Bay Entrance Lighted Buoy 13	30-19-52.655N 087-18-37.515W	FI G 6s		4	Green.	
4835	Pensacola Bay Lighted Buoy 14	30-19-55.587N 087-18-18.666W	FI R 2.5s		3	Red.	
4840	Pensacola Bay Lighted Buoy 15	30-20-15.244N 087-18-07.488W	FI G 2.5s		4	Green with yellow triangle.	

4845	Pensacola Bay Lighted Buoy 16	30-19-55.908N 087-17-40.002W	Q R	3	Red with yellow square.	
4850	Pensacola Bay Navy Range Front Light	30-20-04.640N 087-18-59.547W	FI G 2.5s	0	KRW on dolphin.	Visible all around; higher intensity 1.5° each side of range line.
4855	Pensacola Bay Navy Range Rear Light	30-20-05.079N 087-19-09.089W	Iso G 6s		KRW on skeleton tower.	Visible only on the rangeline.
4860	Pensacola Coast Guard Jetty Light 1	30-20-37.738N 087-17-23.924W	FI G 6s	4	SG on skeleton tower.	
4865	Pensacola Coast Guard Jetty Light 2	30-20-37.738N 087-17-21.924W	FI R 6s	4	TR on skeleton tower.	
4870	Pensacola Bay Lighted Buoy 17	30-20-01.739N 087-16-55.923W	FI G 4s	4	Green with yellow triangle.	
4875	Pensacola Navy Homeport Channel Buoy 1	30-20-10.141N 087-16-33.576W			Green can.	
4880	Pensacola Navy Homeport Channel Buoy 3	30-20-28.317N 087-16-12.162W			Green can.	
4885	Pensacola Navy Homeport Channel Lighted Buoy 4	30-20-23.757N 087-16-01.547W	FI R 2.5s	3	Red.	
4890	Pensacola Navy Homeport Channel Buoy 6	30-20-26.997N 087-15-43.064W			Red nun.	
4895	Pensacola Navy Homeport Channel Buoy 7	30-20-48.015N 087-15-46.282W			Green can.	
4900	Pensacola Navy Homeport Channel Buoy 8	30-20-42.864N 087-15-34.922W			Red nun.	
4905	Pensacola Bay Lighted Buoy 18	30-19-53.518N 087-16-41.969W	FI R 4s	3	Red with yellow square.	
4910	Pensacola Bay Obstruction Daybeacon	30-20-36.430N 087-16-14.320W			NW on pile worded DANGER SUBMERGED SEAWALL.	
4915	Pensacola Bay Lighted Buoy 20	30-19-48.739N 087-15-17.919W	Q R	3	Red with yellow square.	
4918	FDOT Pensacola Bay Bridge Location Four West Mooring Lights (4)	30-22-36.560N 087-10-49.460W	FI W 2.5s		Marks four mooring piling locations.	
4920	Pensacola Bay Channel Range Front Light	30-24-25.614N 087-11-35.566W	FI G 2.5s		On skeleton tower on piles.	DAY: Visible 2° each side of rangeline. NIGHT: Visible all around higher intensity 2° each side of rangeline.
4925	Pensacola Bay Channel Range Rear Light	30-25-13.951N 087-10-59.945W	Iso G 6s	67	On skeleton tower on piles.	Visible 2° each side of rangeline.
4930	Pensacola Bay Lighted Buoy 21	30-20-30.738N 087-14-31.917W	FI G 2.5s	4	Green.	
4935	Pensacola Bay Lighted Buoy 22	30-20-27.739N 087-14-26.918W	FI R 2.5s	3	Red.	
4940	Pensacola Bay Navy Marker Lighted Buoy 1	30-21-03.953N 087-15-27.302W	FI G 4s	4	Green.	
4945	Pensacola Bay Lighted Buoy 23	30-21-17.185N 087-13-58.483W	FI G 4s	4	Green.	
4950	Pensacola Bay Buoy 24	30-21-14.737N 087-13-52.917W			Red nun.	
4955	Pensacola Bay Lighted Buoy 25	30-21-59.250N 087-13-27.503W	FI G 2.5s	3	Green.	
4960	Fair Point Light 2	30-21-57.130N 087-12-48.836W	FI R 6s	0	4	TR on pile. Ra ref.
4965	Pensacola Bay Buoy 26	30-21-57.336N 087-13-21.416W			Red nun.	
4970	Pensacola Bay Lighted Buoy 27	30-22-43.235N 087-12-54.116W	Q G	3	Green.	
4975	Pensacola Bay Buoy 28	30-22-45.757N 087-12-46.585W			Red nun.	
4980	Pensacola Bay East Channel Outer Range Front Light	30-22-22.972N 087-12-14.072W	Q W	10	KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
4985	Pensacola Bay East Channel Outer Range Rear Light	30-22-00.745N 087-12-09.110W	Iso W 6s	30	KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
4990	Pensacola Bay East Channel Inner Range Front Light	30-24-10.714N 087-12-38.180W	Q G	52	KRW on skelaton tower on building.	Visible all around.
4995	Pensacola Bay East Channel Inner Range Rear Light	30-24-16.742N 087-12-39.580W	Oc G 4s	69	KRW on skeleton tower.	Visible all around.
5000	Pensacola Bay Lighted Buoy 29	30-23-12.735N 087-12-32.416W	Q G	3	Green.	

5005	Pensacola Bay Lighted Buoy 30	30-23-16.735N 087-12-22.915W	Q R	2	Red nun.	
5010	Pensacola Bay Lighted Buoy 31	30-23-45.804N 087-12-34.210W	Fl G 2.5s	4	Green.	
5020	Pensacola Marine Terminal Buoy PMT1	30-23-45.640N 087-13-03.592W			Green can.	
5025	Pensacola Marine Terminal Lighted Buoy PMT2	30-23-55.229N 087-12-48.684W	Fl R 4s	4	Red.	
5030	Pensacola Bay Obstruction Daybeacon A	30-24-01.788N 087-13-21.298W			NG on pile.	Ra ref.
5035	Pensacola Bay Wreck Light WR2	30-23-57.050N 087-13-17.315W	Q R	0	3	TR on pile.
5070	Bayou Texar Light 2	30-24-50.734N 087-11-21.034W	Fl R 2.5s		3	TR on pile.
5075	Bayou Texar Jetty Light	30-25-06.000N 087-11-29.000W	Fl R 4s			On jetty.
5080	Bayou Texar Daybeacon 4	30-24-57.405N 087-11-27.286W		0		TR on pile.
5085	Bayou Texar Buoy 5	30-25-03.827N 087-11-31.325W				Green can.
5090	Bayou Texar Buoy 6	30-25-06.363N 087-11-32.082W				Red nun.
5095	Bayou Texar Daybeacon 1A	30-25-16.460N 087-11-35.403W				SG on pile.
5100	Bayou Texar Daybeacon 2A	30-25-15.858N 087-11-34.183W				TR on pile.
5105	Bayou Texar Daybeacon 3A	30-25-18.743N 087-11-30.862W				SG on pile.
5110	Bayou Texar Daybeacon 4A	30-25-17.752N 087-11-31.924W				TR on pile.
5115	Bayou Texar Daybeacon 5A	30-25-18.535N 087-11-27.127W				SG on pile.
5120	Bayou Texar Daybeacon 6A	30-25-17.119N 087-11-26.120W				TR on pile.
5125	Bayou Texar Daybeacon 7A	30-25-17.927N 087-11-23.189W				SG on pile.
5130	Bayou Texar Daybeacon 8A	30-25-17.174N 087-11-20.467W				TR on pile.
5135	Bayou Texar Daybeacon 9A	30-25-18.706N 087-11-19.684W				SG on pile.
5140	Bayou Texar Daybeacon 10A	30-25-19.183N 087-11-16.457W				TR on pile.
5145	Bayou Texar Daybeacon 11A	30-25-20.786N 087-11-16.798W				SG on pile.
5150	Bayou Texar Daybeacon 12A	30-25-24.161N 087-11-15.156W				TR on pile.
5155	Bayou Texar Daybeacon 13A	30-25-25.799N 087-11-16.242W				SG on pile.
5160	Bayou Texar Daybeacon 14A	30-25-29.291N 087-11-14.384W				TR on pile.
5165	Bayou Texar Daybeacon 15A	30-25-29.218N 087-11-15.799W				SG on pile.
5170	Florida Department of Environmental Protection Danger Buoy	30-24-59.470N 087-11-41.930W				White with orange bands and diamond worded: DANGER ROCKS.
5175	Florida Department of Environmental Protection Danger Buoy	30-24-59.470N 087-11-45.970W				White with orange bands and diamond worded: DANGER ROCKS.
5180	Florida Department of Environmental Protection Danger Buoy	30-24-58.820N 087-11-50.190W				White with orange bands and diamond worded: DANGER ROCKS.
5185	Florida Department of Environmental Protection Danger Buoy	30-24-55.430N 087-11-53.320W				White with orange bands and diamond worded: DANGER ROCKS.
5190	Florida Department of Environmental Protection Danger Buoy	30-24-48.900N 087-11-55.980W				White with orange bands and diamond worded: DANGER ROCKS.
5195	Florida Department of Environmental Protection Danger Buoy	30-24-50.190N 087-11-58.180W				White with orange bands and diamond worded: DANGER ROCKS.

5200	Florida Department of Environmental Protection Danger Buoy	30-24-45.690N 087-11-59.010W				White with orange bands and diamond worded: DANGER ROCKS.
5205	Florida Department of Environmental Protection Danger Buoy	30-24-43.300N 087-12-01.680W				White with orange bands and diamond worded: DANGER ROCKS.
5210	Florida Department of Environmental Protection Danger Buoy	30-24-43.030N 087-12-02.230W				White with orange bands and diamond worded: DANGER ROCKS.
5215	Florida Department of Environmental Protection Danger Buoy	30-24-39.810N 087-12-03.420W				White with orange bands and diamond worded: DANGER ROCKS.
5220	Florida Department of Environmental Protection Danger Buoy	30-24-38.250N 087-12-05.170W				White with orange bands and diamond worded: DANGER ROCKS.
5225	Florida Department of Environmental Protection Danger Buoy	30-24-39.900N 087-12-07.370W				White with orange bands and diamond worded: DANGER ROCKS.
5227	City of Pensacola Danger Breakwater Light	30-24-49.000N 087-11-56.000W	FI W 2.5s			Marks breakwater structure.
5227.01	City of Pensacola Danger Breakwater Light	30-24-44.000N 087-12-00.000W	FI W 2.5s			Marks breakwater structure.
5227.02	City of Pensacola Danger Breakwater Light	30-24-42.000N 087-12-01.000W	FI W 2.5s			Marks breakwater structure.
5227.03	City of Pensacola Danger Breakwater Light	30-24-38.000N 087-12-03.000W	FI W 2.5s			Marks breakwater structure.
5227.04	City of Pensacola Danger Breakwater Light	30-24-35.000N 087-12-07.000W	FI W 2.5s			Marks breakwater structure.
5227.05	City of Pensacola Danger Breakwater Light	30-24-32.000N 087-12-14.000W	FI W 2.5s			Marks breakwater structure.
5230	Pensacola Bay Bridge Approach Lighted Buoy 7	30-23-51.616N 087-10-30.050W	FI G 2.5s	4		Green.
5235	Pensacola Bay Bridge Approach Buoy 8	30-23-46.831N 087-10-29.058W				Red nun.
5240	Pensacola Bay Bridge Approach Buoy 5	30-23-46.252N 087-10-47.090W				Green can.
5245	Pensacola Bay Bridge Approach Buoy 6	30-23-42.886N 087-10-46.752W				Red nun.
5250	Pensacola Bay Bridge Approach Buoy 3	30-23-37.229N 087-11-24.315W				Green can.
5255	Pensacola Bay Bridge Approach Buoy 4	30-23-33.875N 087-11-22.995W				Red nun.
5260	Pensacola Bay Bridge Approach Buoy 1	30-23-33.831N 087-11-38.956W				Green can.
5265	Pensacola Bay Bridge Approach Buoy 2	30-23-28.920N 087-11-36.507W				Red nun.
5270	Deadmans Island Breakwater Danger Light	30-22-10.912N 087-11-08.363W	FI W 2.5s			NW on pile WORDED: DANGER BREAKWATER.
5275	Deadmans Island Breakwater Danger Light	30-22-10.490N 087-11-12.189W	FI W 2.5s			NW on pile WORDED: DANGER BREAKWATER.
5280	Deadmans Island Breakwater Danger Light	30-22-09.712N 087-11-17.188W	FI W 2.5s			NW on pile WORDED: DANGER BREAKWATER.
5285	Deadmans Island Breakwater Danger Daybeacon	30-22-07.062N 087-11-16.788W				NW on pile WORDED: DANGER BREAKWATER.
5290	Deadmans Island Breakwater Danger Light	30-22-05.193N 087-11-15.801W	FI W 2.5s			NW on pile WORDED: DANGER BREAKWATER.
5295	Bayou Chico Light 2	30-23-31.850N 087-13-44.086W	FI R 2.5s	0	3	TR on pile.
5300	Bayou Chico Daybeacon 4	30-23-36.193N 087-13-51.173W		0		TR on pile. Ra ref.
5305	Bayou Chico Light 5	30-23-35.505N 087-13-57.049W	FI G 4s	0	4	SG on pile. Ra ref.
5310	Bayou Chico Daybeacon 6	30-23-46.934N 087-14-06.919W		0		TR on pile. Ra ref.
5315	Bayou Chico Daybeacon 7	30-23-48.058N 087-14-12.568W		0		SG on pile.
5320	Bayou Chico Buoy 8	30-23-49.339N 087-14-10.822W				Red nun.
5325	Bayou Chico Light 10	30-23-56.100N 087-14-20.383W	FI R 4s		3	TR on pile.

5330	Chico Marina Light	30-23-57.543N 087-14-33.733W	Fl G 2.5s	On pile.
5335	Bayou Chico Buoy 11	30-24-12.146N 087-15-03.912W		Green can.
5340	Bayou Chico Buoy 13	30-24-18.233N 087-15-14.921W		Green can.
5345	Bayou Chico Daybeacon 15	30-24-16.820N 087-15-21.109W		SG on pile.
5350	Bayou Chico Daybeacon 17	30-24-21.352N 087-15-28.474W		SG on pile.
5355	Bayou Chico West Channel Daybeacon 2	30-24-20.460N 087-15-28.080W		TR on pile.
5360	Bayou Chico West Channel Daybeacon 1	30-24-19.680N 087-15-26.940W		SG on pile.
5365	Bayou Chico West Channel Daybeacon 4	30-24-16.980N 087-15-33.900W		TR on pile.
5370	Bayou Chico West Channel Daybeacon 3	30-24-15.300N 087-15-35.760W		SG on pile.
5375	Harbor View Marina Entrance Daybeacon 1	30-24-00.100N 087-15-00.000W		SG on pile.
5380	Harbor View Marina Entrance Daybeacon 2	30-24-00.100N 087-15-00.000W		TR on pile.
5385	Bayou Chico South Channel Daybeacon 1	30-24-08.000N 087-15-02.000W		SG on pile.
5390	Bayou Chico South Channel Daybeacon 2	30-24-10.000N 087-15-01.000W		TR on pile.
5395	Bayou Chico South Channel Daybeacon 3	30-24-06.000N 087-15-08.000W		SG on pile.
5400	Bayou Chico South Channel Daybeacon 4	30-24-09.000N 087-15-05.000W		TR on pile.
5405	Bayou Chico South Channel Daybeacon 5	30-24-14.000N 087-15-19.000W		SG on pile.
5410	Bayou Chico South Channel Shoal Daybeacons (2)	30-24-13.000N 087-15-15.000W		NW on pile worded DANGER SHOAL.
5415	Bayou Grande Entrance Light 1	30-22-23.000N 087-15-40.000W	Fl G 4s	SG on pile.
5420	Bayou Grande Daybeacon 2	30-22-27.000N 087-15-39.000W		TR on pile.
5425	Bayou Grande Buoy 2A	30-22-27.000N 087-15-43.000W		Red nun.
5430	Bayou Grande Daybeacon 3	30-22-23.000N 087-15-43.000W		SG on pile.
5435	Bayou Grande Daybeacon 4	30-22-27.000N 087-15-51.000W		TR on pile.
5440	Bayou Grande Daybeacon 5	30-22-25.000N 087-16-00.000W		SG on pile.
5445	Bayou Grande Daybeacon 6	30-22-27.000N 087-16-00.000W		TR on pile.
5450	Bayou Grande Daybeacon 7	30-22-18.000N 087-16-06.000W		SG on pile.
5455	Bayou Grande Daybeacon 8	30-22-20.000N 087-16-06.000W		TR on pile.
5460	Bayou Grande Daybeacon 9	30-22-18.000N 087-16-09.000W		SG on pile.
5465	Bayou Grande Daybeacon 10	30-22-20.000N 087-16-13.000W		TR on pile.
5470	Bayou Grande Daybeacon 11	30-22-13.000N 087-16-09.000W		SG on pile.
5475	Bayou Grande Daybeacon 12	30-22-13.000N 087-16-12.000W		TR on pile.
5478.17	FDOA Alford 2 Aquaculture Special Light Q	30-27-49.370N 087-05-54.960W	Fl Y 2.5s	Marks perimeter of aquaculture farm.
5478.19	FDOA Alford 2 Aquaculture Special Light S	30-27-52.630N 087-05-57.850W	Fl Y 2.5s	Marks perimeter of aquaculture farm.
5478.21	FDOA Alford 2 Aquaculture Special Light T	30-27-49.460N 087-05-58.070W	Fl Y 2.5s	Marks perimeter of aquaculture farm.

5478.18	FDOA Alford 2 Aquaculture Special Light R	30-27-52.570N 087-05-54.770W	FI Y 2.5s			Marks perimeter of aquaculture farm.
5478	FDOA Pensacola Bay Oyster Company East Bay Special Light A	30-26-17.800N 087-05-17.800W	FI Y 2.5s			Marks perimeter of aquaculture farm.
5478.01	FDOA Pensacola Bay Oyster Company East Bay Special Light B	30-26-17.590N 087-05-14.610W	FI Y 2.5s			Marks perimeter of aquaculture farm.
5478.02	FDOA Pensacola Bay Oyster Company East Bay Special Light C	30-26-25.400N 087-05-08.400W	FI Y 2.5s			Marks perimeter of aquaculture farm.
5478.03	FDOA Pensacola Bay Oyster Company East Bay Special Light D	30-26-25.500N 087-05-11.600W	FI Y 2.5s			Marks perimeter of aquaculture farm.
5478.04	FDOA East Bay South Aquaculture Special Light E	30-24-06.910N 087-04-26.070W	FI Y 2.5s			Marks perimeter of aquaculture farm.
5478.05	FDOA East Bay South Aquaculture Special Light F	30-24-08.880N 087-04-26.460W	FI Y 2.5s			Marks perimeter of aquaculture farm.
5478.07	FDOA East Bay South Aquaculture Special Light H	30-24-06.980N 087-04-38.440W	FI Y 2.5s			Marks perimeter of aquaculture farm.
5478.06	FDOA East Bay South Aquaculture Special Light G	30-24-08.950N 087-04-38.450W	FI Y 2.5s			Marks perimeter of aquaculture farm.
5478.08	FDOA Massey White Point Special Light M	30-26-40.200N 087-04-54.600W	FI Y 2.5s			Marks perimeter cornerpoint for aquaculture farm.
5478.09	FDOA Massey White Point Special Light N	30-26-44.800N 087-04-44.900W	FI Y 2.5s			Marks perimeter cornerpoint for aquaculture farm.
5478.11	FDOA Massey White Point Special Light O	30-26-46.510N 087-04-46.490W	FI Y 2.5s			Marks perimeter cornerpoint for aquaculture farm.
5478.12	FDOA Massey White Point Special Light P	30-26-42.010N 087-04-56.300W	FI Y 2.5s			Marks perimeter cornerpoint for aquaculture farm.
5478.13	FDOA Smith Redfish Point Special Light I	30-24-10.120N 087-05-07.650W	FI Y 2.5s			Marks perimeter cornerpoint for aquaculture farm.
5478.14	FDOA Smith Redfish Point Special Light J	30-24-10.800N 087-05-04.250W	FI Y 2.5s			Marks perimeter cornerpoint for aquaculture farm.
5478.15	FDOA Smith Redfish Point Special Light K	30-24-17.680N 087-05-06.930W	FI Y 2.5s			Marks perimeter cornerpoint for aquaculture farm.
5478.16	FDOA Smith Redfish Point Special Light L	30-24-17.170N 087-05-10.300W	FI Y 2.5s			Marks perimeter cornerpoint for aquaculture farm.
5480	Blackwater Channel Approach Light 3	30-25-38.977N 087-03-15.326W	FI G 4s	14	4	SG on pile.
5485	Blackwater Channel Daybeacon 4	30-26-10.831N 087-02-48.944W				TR on pile. Ra ref.
5490	Blackwater Channel Daybeacon 6	30-26-45.919N 087-02-41.744W				TR on pile.
5495	Blackwater Channel Daybeacon 8	30-27-27.061N 087-02-33.344W				TR on pile. Ra ref.
5500	Blackwater Channel Daybeacon 10	30-28-05.149N 087-02-25.430W		14		TR on pile. Ra ref.
5502	FDOA Alford Special Light A	30-28-07.820N 087-03-30.280W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint of aquaculture farm.
5502.01	FDOA Alford Special Light B	30-28-07.820N 087-03-33.590W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint of aquaculture farm.
5502.02	FDOA Alford Special Light C	30-28-09.260N 087-03-33.590W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint of aquaculture farm.
5502.03	FDOA Alford Special Light D	30-28-09.260N 087-03-30.280W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint of aquaculture farm.
5505	Blackwater Channel Daybeacon 12	30-28-38.959N 087-02-18.398W		0		TR on pile.
5510	Blackwater Channel Daybeacon 14	30-29-15.661N 087-02-10.790W				TR on pile.
5515	Blackwater Channel Daybeacon 16	30-29-42.787N 087-02-04.748W				TR on pile. Ra ref.
5520	Blackwater Channel Daybeacon 18	30-30-27.295N 087-01-55.136W		0		TR on pile. Ra ref.
5525	Blackwater Channel Daybeacon 20	30-31-14.089N 087-01-44.722W				TR on pile.
5530	Blackwater Channel Light 21	30-31-20.738N 087-01-46.381W	Q G	0	4	SG on pile. Ra ref.

5535	Blackwater Channel Daybeacon 22	30-31-36.262N 087-01-31.286W				TR on pile.	
5540	Blackwater Channel Daybeacon 24	30-32-10.446N 087-01-06.926W				TR on pile.	
5545	Blackwater Channel Daybeacon 26	30-32-39.853N 087-00-46.118W				TR on pile.	
5550	Blackwater Channel Daybeacon 28	30-33-18.916N 087-00-20.002W				TR on pile.	
5555	Blackwater Channel Light 30	30-33-58.125N 086-59-52.043W	Fl R 4s	14	3	TR on dolphin.	
5560	Blackwater Channel Buoy 31	30-34-07.411N 086-59-58.224W				Green can.	
5565	Blackwater Channel Daybeacon 32	30-34-28.978N 087-00-13.372W			0	TR on pile.	
5570	Blackwater Channel Buoy 32A	30-34-35.456N 087-00-24.257W				Red nun.	
5575	Blackwater Channel Light 33	30-34-51.284N 087-00-45.055W	Fl G 4s	17	4	SG on pile.	Ra ref.
5580	Blackwater Channel Daybeacon 34	30-34-57.379N 087-00-44.084W			0	TR on pile.	
5585	Blackwater Channel Buoy 35	30-35-18.084N 087-00-50.249W				Green can.	
5590	Blackwater Channel Daybeacon 36	30-35-24.540N 087-00-48.392W			0	TR on pile.	
5595	Blackwater Channel Lighted Buoy 37	30-35-33.130N 087-00-54.871W	Fl G 4s		3	Green.	
5600	Blackwater Channel Daybeacon 38	30-35-53.541N 087-01-00.084W				TR on pile.	
5605	Blackwater Channel Buoy 39	30-35-51.448N 087-01-01.674W				Green can.	
5610	Blackwater Channel Buoy 41	30-36-12.112N 087-01-30.038W				Green can.	
5615	Blackwater Channel Daybeacon 42	30-36-21.147N 087-01-39.235W				TR on pile.	
5620	Blackwater Channel Daybeacon 43	30-36-24.717N 087-01-53.900W				SG on pile.	Ra ref.
5635	Polynesian Isle Channel Daybeacon 1	30-24-13.380N 087-05-38.820W				SG on pile.	
5640	Polynesian Isle Channel Light 2	30-24-12.360N 087-05-40.380W				TR on pile.	
5645	Polynesian Isle Channel Daybeacon 4	30-24-05.760N 087-05-35.460W				TR on pile.	
5650	Polynesian Isle Channel Daybeacon 6	30-24-00.000N 087-05-29.880W				TR on pile.	
5655	Polynesian Isle Channel Daybeacon 8	30-23-54.660N 087-05-24.240W				TR on pile.	
5660	Polynesian Isle Channel Daybeacon 9	30-23-56.400N 087-05-18.600W				SG on pile.	
5665	Escambia Bay Light 2	30-28-00.376N 087-07-19.318W	Fl R 6s	0	5	TR on pile.	
5670	Escambia Bay Wreck Light WR3	30-28-37.462N 087-07-47.085W	Q G	0	3	SG on pile.	Marks submerged wreck.
5675	Escambia Bay Daybeacon 4	30-28-38.692N 087-07-34.969W				TR on pile.	Ra ref.
5680	Escambia Bay Light 7	30-29-18.259N 087-08-02.714W	Fl G 2.5s		3	SG on pile.	
5685	Escambia Bay Daybeacon 9	30-29-58.910N 087-08-21.399W				SG on pile.	Ra ref.
5690	Escambia Bay Daybeacon 10	30-30-00.343N 087-08-17.516W				TR on pile.	Ra ref.
5695	Escambia Bay Daybeacon 11	30-30-36.866N 087-08-42.244W			0	SG on pile.	
5700	Escambia Bay Buoy 12	30-30-53.600N 087-08-47.658W				Red nun.	
5705	Tidewater Skanska Lighted Mooring Buoy A	30-31-05.000N 087-08-30.000W	Fl W 4s			White with blue band.	
5710	Tidewater Skanska Lighted Mooring Buoy B	30-31-12.000N 087-08-12.000W	Fl W 4s			White with blue band.	
5715	Tidewater Skanska Lighted Mooring Buoy C	30-30-58.000N 087-09-20.000W	Fl W 4s			White with blue band.	

5720	Tidewater Skanska Lighted Mooring Buoy D	30-30-45.000N 087-09-38.000W	FI W 4s			White with blue band.
5725	Tidewater Skanska Lighted Mooring Buoy E	30-30-48.000N 087-09-00.000W	Q W			White with blue band.
5730	Tidewater Skanska Lighted Mooring Buoy F	30-30-41.000N 087-08-57.000W	Q W			White with blue band.
5735	Tidewater Skanska Lighted Mooring Buoy G	30-30-53.000N 087-08-38.000W	Q W			White with blue band.
5740	Tidewater Skanska Lighted Mooring Buoy H	30-30-56.000N 087-08-24.000W	FI W 4s			White with blue band.
5745	Santa Rosa County Channel Daybeacon 1	30-31-45.770N 087-07-52.290W				SG on pile.
5750	Santa Rosa County Channel Daybeacon 2	30-31-45.770N 087-07-51.890W				
5755	Santa Rosa County Channel Daybeacon 3	30-31-51.200N 087-07-51.960W				SG on pile.
5760	Santa Rosa County Channel Daybeacon 4	30-31-51.170N 087-07-51.530W				TR on pile.
5765	Santa Rosa County Channel Daybeacon 5	30-31-52.210N 087-07-51.530W				SG on pile.
5770	Santa Rosa County Channel Daybeacon 6	30-31-51.960N 087-07-51.200W				TR on pile.
5775	Santa Rosa County Channel Daybeacon 7	30-31-53.870N 087-07-49.730W				SG on pile.
5780	Santa Rosa County Channel Daybeacon 8	30-31-53.620N 087-07-49.440W				TR on pile.
5785	Escambia Bay Daybeacon 13	30-31-31.780N 087-09-10.500W				SG on pile.
5790	Escambia Bay Daybeacon 14	30-31-33.283N 087-09-08.330W		0		TR on pile.
5795	Escambia Bay Daybeacon 15	30-32-06.806N 087-09-33.383W				SG on pile. Ra ref.
5800	Escambia Bay Daybeacon 16	30-32-10.331N 087-09-31.303W		0		TR on pile. Ra ref.
5805	Escambia Bay Buoy 17	30-32-21.501N 087-09-42.623W				Green can.
5810	Escambia Bay Light 18	30-32-25.103N 087-09-40.610W	Q R	0	3	TR on pile. Ra ref.
5815	Escambia Bay Buoy 19	30-32-28.001N 087-09-56.112W				Green can.
5816	FDOA Escambia Bay Travis Gill Aquaculture Special Light A	30-25-51.130N 087-10-10.226W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.
5816.01	FDOA Escambia Bay Travis Gill Aquaculture Special Light B	30-25-58.186N 087-10-09.336W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.
5816.02	FDOA Escambia Bay Travis Gill Aquaculture Special Light C	30-25-59.077N 087-10-15.917W	FI Y 2.5s			
5816.03	FDOA Escambia Bay Travis Gill Aquaculture Special Light D	30-25-52.104N 087-10-17.099W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.
5818	FDOA Pensacola Bay Oyster Company Escambia Bay Special Light A	30-26-17.000N 087-10-10.700W	FI Y 2.5s			Marks perimeter of aquaculture farm.
5818.01	FDOA Pensacola Bay Oyster Company Escambia Bay Special Light	30-26-24.300N 087-10-09.100W	FI Y 2.5s			Marks perimeter of aquaculture farm.
5818.02	FDOA Pensacola Bay Oyster Company Escambia Bay Special Light C	30-26-24.900N 087-10-12.800W	FI Y 2.5s			Marks perimeter of aquaculture farm.
5818.03	FDOA Pensacola Bay Oyster Company Escambia Bay Special Light D	30-26-17.600N 087-10-14.300W	FI Y 2.5s			Marks perimeter of aquaculture farm.
5820	Escambia Bay Buoy 19A	30-32-29.984N 087-10-03.638W				Green can.
5825	Escambia Bay Buoy 20	30-32-29.150N 087-09-54.350W				Red nun.
5830	Escambia Bay Daybeacon 21	30-32-30.957N 087-10-10.597W		0		SG on pile. Ra ref.
5835	Escambia River Buoy 21A	30-32-39.129N 087-10-40.067W				Green can.

5840	Escambia River Buoy 22	30-32-32.838N 087-10-08.749W				Red nun.	
5845	Escambia River Buoy 25	30-33-08.195N 087-12-02.462W				Green can.	
5850	Escambia River Buoy 26	30-34-23.733N 087-13-25.146W				Red nun.	
5855	Escambia River Buoy 27	30-34-29.253N 087-13-28.296W				Green can.	
5860	Escambia River Buoy 28	30-34-30.231N 087-13-26.286W					
5862	Escambia River Buoy 28A	30-34-34.545N 087-13-26.376W				Red nun.	
5865	Escambia River Buoy 29	30-34-35.967N 087-13-28.560W				Green can.	
5870	Escambia Bay Pipeline Light A	30-33-12.000N 087-09-06.000W	Fl Y 2.5s			NW on pile.	
5875	Escambia Bay Pipeline Light B	30-33-24.000N 087-08-59.000W	Fl Y 2.5s			NW on pile.	
5880	Escambia Bay Pipeline Light C	30-33-38.000N 087-08-54.000W	Fl Y 2.5s			NW on pile.	
5882	Bridge Creek Daybeacon 1	30-24-54.390N 087-22-37.680W				SG on pile.	
5882.01	Bridge Creek Daybeacon 2	30-24-54.260N 087-22-39.240W				TR on pile.	
5882.02	Bridge Creek Daybeacon 3	30-24-43.720N 087-22-35.100W				SG on pile.	
5882.03	Bridge Creek Daybeacon 4	30-24-43.700N 087-22-35.890W				TR on pile.	
5882.04	Bridge Creek Daybeacon 5	30-24-37.710N 087-22-36.450W				SG on pile.	
5882.05	Bridge Creek Daybeacon 6	30-24-37.620N 087-22-37.130W				TR on pile.	
5882.06	Bridge Creek Daybeacon 7	30-24-30.580N 087-22-30.290W				SG on pile.	
5882.07	Bridge Creek Daybeacon 8	30-24-30.180N 087-22-30.920W				TR on pile.	
5885	Perdido Pass Entrance Lighted Buoy PP	30-15-30.748N 087-33-24.358W	Mo (A) W	6		Red and white stripes with red spherical topmark.	AIS: MMSI 993682023
5890	Perdido Pass Light 1	30-16-11.233N 087-33-29.043W	Q G	3		SG on steel pile.	
5895	Perdido Pass Light 2	30-16-10.642N 087-33-24.316W	Q R	3		TR on pile.	
5900	Perdido Pass Buoy 4	30-16-13.938N 087-33-25.963W				Red nun.	Relocated frequently to mark shoaling.
5905	Perdido Pass Lighted Buoy 6	30-16-25.818N 087-33-23.418W	Fl R 2.5s	3		Red.	
5910	Perdido Pass Buoy 7	30-16-26.082N 087-33-29.092W				Green can.	
5915	Perdido Pass Buoy 8	30-16-45.319N 087-33-10.504W				Red nun.	
5920	Perdido Pass Buoy 9	30-16-46.944N 087-33-14.034W				Green can.	
5925	Perdido Pass Buoy 10	30-16-55.478N 087-33-12.262W				Red nun.	
5930	Perdido Pass Buoy 11	30-16-55.006N 087-33-15.318W				Green can.	
5935	Perdido Pass Light 12	30-17-09.885N 087-33-11.861W	Fl R 4s	0	3	TR on pile.	Ra ref.
5937	Sportsman Marina Dock Light	30-17-29.064N 087-32-59.100W	Fl W 2.5s				
5937.01	Sportsman Marina Dock Light	30-17-29.062N 087-33-04.373W	Fl W 2.5s				
5940.01	Bayou St John Buoy 1	30-16-46.255N 087-33-01.864W				Green can.	
5945	Bayou St John Daybeacon 2	30-16-49.639N 087-32-49.561W		0		TR on pile.	Ra ref.
5950	Bayou St John Daybeacon 3	30-16-55.946N 087-32-38.816W				SG on pile.	Ra ref.
5955	Bayou St John Daybeacon 4	30-16-54.331N 087-32-38.198W		0		TR on pile.	Ra ref.

5960	Bayou St John Daybeacon 5	30-16-59.541N 087-32-29.785W		0		SG on pile.	Ra ref.
5965	Bayou St John Daybeacon 6	30-16-57.846N 087-32-29.607W		0		TR on pile.	Ra ref.
5970	Bayou St John Daybeacon 7	30-17-08.002N 087-32-05.337W		0		SG on pile.	
5975	Bayou St John Daybeacon 8	30-17-05.426N 087-32-05.002W				TR on pile.	
5980	Bayou St John Daybeacon 9	30-17-08.732N 087-31-54.169W		0		SG on pile.	Ra ref.
5985	Bayou St John Daybeacon 11	30-17-11.225N 087-31-49.705W		0		SG on pile.	Ra ref.
5990	Bayou St John Daybeacon 12	30-17-22.472N 087-31-37.914W				TR on pile.	
5993	Alabama DCNR Bayou St. John Danger Lights (8)	30-17-38.240N 087-31-52.370W	FI W 2.5s			Marks submerged fishing reef.	
5995	Ono Island Jetty Light West	30-17-28.920N 087-31-06.180W	FI R 2.5s			On jetty.	
6000	Bayou St John Daybeacon 13	30-17-36.512N 087-31-05.251W				SG on pile.	Ra ref.
6005	Bayou St John Daybeacon 15	30-17-46.847N 087-30-33.804W		0		SG on pile.	Ra ref.
6010	Ono Island Jetty Light East	30-17-45.120N 087-30-28.440W	FI R 2.5s			On jetty.	
6012	Ono Harbour Light 1	30-17-50.070N 087-30-22.090W	FI G 2.5s			SG on pile. Marks starboard side channel entry.	
6012.01	Ono Harbour Light 2	30-17-49.150N 087-30-21.720W	FI R 2.5s			TR on pile. Marks port side channel entry.	
6012.02	Ono Harbour Daybeacon 3	30-17-49.900N 087-30-17.550W				SG on pile. Marks starboard side channel.	
6012.03	Ono Harbour Daybeacon 4	30-17-49.160N 087-30-17.840W				TR on pile. Marks port side channel.	
6012.04	Ono Harbour Daybeacon 5	30-17-49.650N 087-30-15.800W				SG on pile. Marks starboard side channel.	
6012.05	Ono Harbour Daybeacon 6	30-17-48.820N 087-30-16.500W				TR on pile. Marks port side channel.	
6012.06	Ono Harbour Daybeacon 7	30-17-49.950N 087-30-11.400W				SG on pile. Marks starboard side channel.	
6012.07	Ono Harbour Daybeacon 8	30-17-49.450N 087-30-11.340W				TR on pile. Marks port side channel.	
6015	Bayou St John Daybeacon 17	30-17-59.066N 087-30-30.262W		0		SG on pile.	Ra ref.
6020	Bayou St John Light 18	30-17-58.621N 087-30-24.359W	Q R	0	3	TR on pile.	Ra ref.
6025	Soldier Creek Entrance Daybeacon 1	30-20-36.000N 087-29-34.000W				SG on pile.	
6025.01	Soldier Creek Daybeacon 2	30-20-42.000N 087-29-38.000W				Marks starboard side channel.	
6025.02	Soldier Creek Daybeacon 3	30-20-42.000N 087-29-39.000W				Marks port side channel.	
6025.03	Soldier Creek Daybeacon 4	30-20-45.000N 087-29-40.000W				Marks starboard side channel.	
6025.04	Soldier Creek Daybeacon 5	30-20-44.000N 087-29-40.000W				Marks port side channel.	
6025.05	Soldier Creek Daybeacon 6	30-20-48.000N 087-29-42.000W				Marks starboard side channel.	
6025.06	Soldier Creek Daybeacon 7	30-20-46.000N 087-29-41.000W				Marks port side channel.	
6025.07	Soldier Creek Daybeacon 8	30-20-49.000N 087-29-42.000W				Marks starboard side channel.	
6025.08	Soldier Creek Daybeacon 9	30-20-48.000N 087-29-43.000W				Marks port side channel.	
6025.09	Soldier Creek Daybeacon 11	30-20-50.000N 087-29-42.000W				Marks port side channel.	
6027	Alabama DCNR Danger Light	30-19-19.550N 087-30-40.400W	FI W 2.5s			Marks submerged fishing reef.	
6027.01	Alabama DCNR Danger Light	30-19-19.510N 087-30-43.480W	FI W 2.5s			Marks submerged fishing reef.	
6027.02	Alabama DCNR Danger Light	30-19-26.310N 087-30-43.190W	FI W 2.5s			Marks submerged fishing reef.	

6027.03	Alabama DCNR Danger Light	30-19-26.130N 087-30-40.080W	FI W 2.5s		Marks submerged fishing reef.
6028	Alabama Marine Resources Division Danger Light	30-20-04.080N 087-30-00.030W	FI W 2.5s		Marks perimeter of fishing reef.
6028.01	Alabama Marine Resources Division Danger Light	30-20-04.080N 087-29-54.390W	FI W 2.5s		Marks perimeter of fishing reef.
6028.02	Alabama Marine Resources Division Danger Light	30-20-04.080N 087-29-49.120W	FI R 2.5s		Marks perimeter of fishing reef.
6028.03	Alabama Marine Resources Division Danger Light	30-19-57.430N 087-30-00.030W	FI W 2.5s		Marks perimeter of fishing reef.
6028.04	Alabama Marine Resources Division Danger Light	30-19-57.430N 087-29-54.390W	FI W 2.5s		Marks perimeter of fishing reef.
6028.05	Alabama Marine Resources Division Danger Light	30-19-57.430N 087-29-49.120W	FI W 2.5s		Marks perimeter of fishing reef.
6030	Bayou Garcon Daybeacon 1	30-19-15.110N 087-26-54.890W			SG on pile.
6035	Bayou Garcon Daybeacon 2	30-19-15.830N 087-26-47.930W			TR on pile.
6040	Bayou Garcon Daybeacon 3	30-19-18.140N 087-26-44.070W			SG on pile.
6045	Bayou Garcon Daybeacon 4	30-19-18.880N 087-26-38.730W			TR on pile.
6050	Bayou Garcon Daybeacon 5	30-19-21.640N 087-26-32.830W			SG on pile.
6055	Navy Cove Harbor Channel Daybeacon 1	30-14-15.000N 087-58-28.800W			SG on pile.
6060	Navy Cove Harbor Channel Daybeacon 2	30-14-15.000N 087-58-30.000W			TR on pile.
6065	Navy Cove Harbor Channel Daybeacon 3	30-14-08.400N 087-58-28.800W			SG on pile.
6070	Navy Cove Harbor Channel Daybeacon 4	30-14-08.400N 087-58-30.000W			TR on pile.
6072.05	Southern Gem Aquaculture Special Light A	30-14-01.086N 087-59-30.928W	FI Y 2.5s		Marks perimeter of aquaculture farm.
6072.06	Southern Gem Aquaculture Special Light B	30-14-04.046N 087-59-29.199W	FI Y 2.5s		Marks perimeter of aquaculture farm.
6072.07	Southern Gem Aquaculture Special Light C	30-14-04.055N 087-59-30.908W	FI Y 2.5s		Marks perimeter of aquaculture farm.
6072	Wilson Aquaculture Special Lights (4)	30-13-58.000N 087-58-47.000W	FI Y 2.5s		Marks perimeter of aquaculture farm.
6073	Fairhope Oyster Company Special Lighted Buoy A	30-13-54.670N 087-59-58.430W	FI Y 2.5s		Marks perimeter of aquaculture farm.
6073.01	Fairhope Oyster Company Special Lighted Buoy B	30-13-58.030N 087-59-58.450W	FI Y 2.5s		Marks perimeter of aquaculture farm.
6073.02	Fairhope Oyster Company Special Lighted Buoy C	30-14-03.000N 087-59-58.510W	FI Y 2.5s		Marks perimeter of aquaculture farm.
6073.03	Fairhope Oyster Company Special Lighted Buoy D	30-14-07.980N 087-59-58.560W	FI Y 2.5s		Marks perimeter of aquaculture farm.
6073.04	Fairhope Oyster Company Special Lighted Buoy E	30-14-07.860N 087-59-59.490W	FI Y 2.5s		Marks perimeter of aquaculture farm.
6073.05	Fairhope Oyster Company Special Lighted Buoy F	30-14-07.700N 088-00-00.300W	FI Y 2.5s		Marks perimeter of aquaculture farm.
6073.06	Fairhope Oyster Company Special Lighted Buoy G	30-14-02.750N 088-00-00.250W	FI Y 2.5s		Marks perimeter of aquaculture farm.
6073.07	Fairhope Oyster Company Special Lighted Buoy H	30-13-57.830N 088-00-00.220W	FI Y 2.5s		Marks perimeter of aquaculture farm.
6073.08	Fairhope Oyster Company Special Lighted Buoy I	30-13-54.420N 088-00-00.230W	FI Y 2.5s		Marks perimeter of aquaculture farm.
6075	Mobile Entrance Lighted Buoy M	30-07-30.981N 088-04-07.222W	Mo (A) W	6	Red and white stripes with red spherical topmark.
6080	Mobile Channel A Range Front Light	30-12-18.030N 088-02-02.826W	F R		On same structure as Mobile Channel A Range Front Light.
6085	Mobile Point Range Front Passing Light	30-12-18.030N 088-02-02.826W	FI R 6s	4	On same structure as Mobile Point Range Front Light.
6090	Mobile Channel A Range Rear Light	30-13-41.507N 088-01-26.556W	F R	125	On same structure and 47 feet below Mobile Point Light.
6095	Mobile Point Light	30-13-41.507N 088-01-26.556W	FI W 10s	14	On skeleton tower.

6100	Mobile Bar Lighted Buoy 1	30-08-28.759N 088-03-48.017W	Fl (2)G 5s	3	Green.	
6105	Mobile Bar Lighted Buoy 2	30-08-25.365N 088-03-37.788W	Fl (2)R 5s	3	Red.	
6110	Mobile Bar Lighted Buoy 3	30-08-53.647N 088-03-36.831W	Fl G 2.5s	3	Green.	
6115	Mobile Bar Lighted Buoy 4	30-08-50.638N 088-03-27.805W	Fl R 2.5s	3	Red.	
6120	Mobile Bar Lighted Buoy 5	30-09-26.001N 088-03-22.603W	Q G	3	Green.	
6125	Mobile Bar Lighted Buoy 6	30-09-23.258N 088-03-14.316W	Fl R 4s	3	Red.	
6130	Mobile Bar Lighted Buoy 7	30-09-54.258N 088-03-11.717W	Fl G 2.5s	4	Green.	
6135	Mobile Bar Lighted Buoy 8	30-09-51.158N 088-03-02.516W	Q R	3	Red.	
6140	Mobile Bar Lighted Buoy 9	30-10-21.267N 088-03-03.429W	Q G	3	Green.	
6145	Mobile Bar Lighted Buoy 10	30-10-20.457N 088-02-54.716W	Fl R 2.5s	3	Red.	
6150	Mobile Bar Lighted Buoy 11	30-11-01.357N 088-02-55.117W	Fl G 4s	3	Green.	
6155	Mobile Bar Lighted Buoy 12	30-10-59.957N 088-02-44.316W	Fl R 4s	3	Red.	
6160	Mobile Bar Lighted Buoy 13	30-12-00.806N 088-02-37.091W	Fl G 2.5s	3	Green.	
6165	Mobile Bar Lighted Buoy 14	30-11-59.355N 088-02-28.716W	Fl R 2.5s	3	Red.	
6170	Mobile Bar Lighted Buoy 15	30-12-51.255N 088-02-24.017W	Fl G 4s	3	Green.	
6175	Mobile Bar Lighted Buoy 16	30-12-49.009N 088-02-15.351W	Fl R 4s	3	Red.	
6180	Mobile Channel B Range Front Light	30-15-44.102N 088-02-32.075W	Q G		KRW on skeleton tower on piles.	Visible 2° each side of range line.
6185	Mobile Channel B Range Front Light Passing Light	30-15-44.102N 088-02-32.075W	Q W	5	On same structure as Mobile Channel B Obscured on range line visible elsewhere.	Range Front Light.
6190	Mobile Channel B Range Rear Light	30-16-09.904N 088-02-37.188W	Iso G 6s	40	KRW on skeleton tower on piles.	Visible 2° each side of range line.
6195	Mobile Channel B Range Rear Light Passing Light	30-16-09.904N 088-02-37.188W	Fl W 4s	5	On same structure as Mobile Channel B Obscured on range line visible elsewhere.	Range Rear Light.
6200	Mobile Point Buoy T	30-13-48.266N 088-01-36.020W			Yellow can.	
6205	Fort Morgan Wreck Light WR2	30-14-00.036N 088-01-13.601W	Q R	4	TR on pile.	
6210	Fort Morgan Wreck Lighted Buoy WR2A	30-13-57.530N 088-01-15.897W	Q R	3	Red.	Buoy is set on the west side of wreck. Mariners should use extreme caution when transiting in the vicinity of the buoy and avoid the area by a wide margin.
6215	Fort Morgan Danger Wreck Daybeacon	30-13-59.760N 088-01-15.120W			NW on pile worded DANGER SUBMERGED WRECK.	MARKS PERIMETER OF SUKEN BARGE.
6220	Mobile Bar Lighted Buoy 17	30-13-27.054N 088-02-14.917W	Q G	3	Green.	
6225	Mobile Bar Lighted Buoy 18	30-13-37.347N 088-02-01.706W	Q R	3	Red.	
6230	Mobile Bar Lighted Buoy 19	30-14-17.699N 088-02-19.534W	Fl G 2.5s	3	Green.	
6235	Mobile Bar Lighted Buoy 20	30-14-20.254N 088-02-10.417W	Fl R 2.5s	3	Red.	
6240	Mobile Channel C Range Front Light	30-14-06.283N 088-02-29.957W	Fl W 2.5s	5	Platform on pile.	DAY: Visible on range line only. NIGHT: Visible all around higher intensity on range line.
6245	Mobile Channel C Range Rear Light	30-12-57.324N 088-02-39.869W	Oc W 4s		Skeleton tower on piles.	
6250	Mobile Channel C Range Rear Light Passing Light	30-12-57.160N 088-02-39.375W	Fl W 4s	6	On same structure as Mobile Channel C Range Rear Light.	
6255	Mobile Channel Lighted Buoy 21	30-14-52.966N 088-02-27.593W	Q G	3	Green.	
6260	Mobile Channel Lighted Buoy 22	30-15-09.064N 088-02-16.736W	Q R	3	Red.	
6265	Mobile Channel Lighted Buoy 23	30-15-46.550N 088-02-18.816W	Fl G 2.5s	3	Green.	
6270	Mobile Channel Lighted Buoy 24	30-15-44.551N 088-02-11.817W	Fl R 2.5s	3	Red.	

6275	Mobile Channel Lighted Buoy 25	30-16-27.249N 088-02-13.516W	FI G 4s	3	Green with yellow triangle.	
6280	Mobile Channel Lighted Buoy 26	30-16-25.027N 088-02-06.054W	FI (2)R 5s	3	Red with yellow triangle.	
6285	Mobile Channel Lighted Buoy 27	30-17-24.247N 088-02-06.116W	FI G 2.5s	3	Green.	
6290	Mobile Channel Lighted Buoy 28	30-17-25.788N 088-01-57.096W	FI R 2.5s	3	Red.	
6295	Mobile Channel Light 29	30-18-25.085N 088-01-58.517W	FI G 4s	4	SG on pile.	Ra ref.
6300	Mobile Channel Lighted Buoy 30	30-18-23.859N 088-01-47.197W	FI R 4s	4	Red.	
6305	Mobile Channel Light 31	30-19-20.916N 088-01-50.488W	FI G 6s	0	4	SG on pile. Ra ref.
6310	Mobile Channel Lighted Buoy 32	30-19-19.691N 088-01-39.166W	Oc R 4s	4	Red.	
6315	Mobile Channel Light 33	30-20-17.217N 088-01-42.298W	FI G 4s	0	4	SG on pile. Ra ref.
6320	Mobile Channel Lighted Buoy 34	30-20-16.313N 088-01-31.017W	FI R 2.5s	3	Red.	
6325	Mobile Channel Lighted Buoy 36	30-20-36.554N 088-01-28.104W	FI (2)R 5s	4	Red.	
6330	Mobile Channel Light 37	30-21-36.837N 088-01-30.928W	FI G 4s	0	4	SG on pile. Ra ref.
6335	Mobile Channel Lighted Buoy 38	30-21-35.619N 088-01-18.912W	FI R 4s	4	Red.	
6340	Mobile Channel Lighted Buoy 39	30-22-43.848N 088-01-21.281W	FI G 6s	4	Green.	
6345	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-25-22.140N 088-05-52.920W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6350	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-25-04.800N 088-05-53.940W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6355	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-24-47.700N 088-05-55.860W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6360	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-24-30.540N 088-05-57.600W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6365	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-24-13.440N 088-06-00.360W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6370	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-23-56.340N 088-06-02.700W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6375	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-23-39.120N 088-06-02.880W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6380	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-23-21.900N 088-06-02.520W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6385	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-25-21.900N 088-05-34.860W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6390	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-25-04.560N 088-05-31.080W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6395	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-24-47.100N 088-05-28.860W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6400	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-24-29.640N 088-05-26.820W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6405	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-24-12.180N 088-05-24.720W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6410	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-23-54.780N 088-05-26.820W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6415	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-23-37.440N 088-05-30.000W			NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.

6420	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-23-20.100N 088-05-33.180W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6425	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30-23-02.760N 088-05-36.360W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources.
6430	Mobile Channel Lighted Buoy 40	30-22-42.621N 088-01-09.951W	FI R 6s		4	Red.	
6435	Mobile Channel Light 41	30-23-34.670N 088-01-14.320W	FI G 4s	0	4	SG on pile.	Ra ref.
6440	Mobile Channel Lighted Buoy 42	30-23-33.385N 088-01-02.639W	FI R 4s		4	Red.	
6445	Mobile Channel Lighted Buoy 43	30-24-35.855N 088-01-05.145W	FI G 2.5s		4	Green.	
6450	Mobile Channel Lighted Buoy 44	30-24-34.628N 088-00-53.814W	FI R 2.5s		4	Red.	
6455	Mobile Channel E Range Front Light	30-25-42.335N 088-00-41.843W	Q R			KRW on skeleton tower on piles.	Visible 3° each side of range line.
6460	Mobile Channel E Range Front Passing Light	30-25-42.335N 088-00-41.843W	Q W		5	On same structure as Mobile Channel E Range Front Light.	
6465	Mobile Channel E Range Rear Light	30-24-40.500N 088-00-34.929W	Oc R 4s			KRW on skeleton tower on piles.	Visible 3° each side of range line.
6470	Mobile Channel E Range Rear Passing Light	30-24-40.783N 088-00-34.972W	FI W 4s		5	On same structure as Mobile Channel E Range Rear Light.	
6475	Mobile Channel Light 45	30-25-45.165N 088-00-55.157W	Q G	0	3	SG on piles.	Ra ref.
6480	Mobile Channel Lighted Buoy 46	30-25-44.349N 088-00-45.014W	Q R		3	Red.	
6485	Mobile Channel Lighted Buoy 47	30-26-14.892N 088-00-54.829W	FI G 2.5s		4	Green.	
6490.01	Mobile Bay Light	30-26-14.721N 088-00-40.443W	FI R 6s			Lighthouse on piles.	
6495	Mobile Channel D Range Front Light	30-26-45.235N 088-00-40.684W	Q W		5	KRW on skeleton tower on piles.	Visible all around; higher intensity 1.5° each side of range line.
6500	Mobile Channel D Range Rear Light	30-27-28.661N 088-00-34.471W	Oc W 4s			KRW on skeleton tower on piles.	Visible 2° each side of range line.
6505	Mobile Channel D Range Rear Light Passing Light	30-27-28.661N 088-00-34.471W	FI W 4s		3	On same structure as Mobile Channel D Range Rear Light.	
6510	Mobile Channel Light 49	30-26-44.234N 088-00-54.471W	Q G	0	4	SG on pile.	Ra ref.
6515	Mobile Channel Light 50	30-26-44.678N 088-00-44.566W	Q R	0	4	TR on pile.	Ra ref.
6520	Mobile Channel Lighted Buoy 51	30-27-52.284N 088-01-00.971W	FI G 2.5s		4	Green.	
6525	Mobile Channel Lighted Buoy 52	30-27-53.048N 088-00-51.872W	FI R 2.5s		4	Red.	
6530	Mobile Channel Lighted Buoy 54	30-28-37.372N 088-00-56.418W	FI R 4s		4	Red.	
6535	Theodore Ship Channel Light 1	30-28-38.723N 088-01-08.510W	Q G	0	3	SG on pile.	Ra ref.
6545	Theodore Ship Channel Junction Light T	30-28-58.945N 088-01-11.952W	FI (2+1)G 6s	0	4	JG on pile.	Ra ref.
6550	Mobile Channel Lighted Buoy 55	30-29-22.325N 088-01-10.511W	FI G 4s		4	Green.	
6555	Mobile Channel Light 57	30-30-16.111N 088-01-17.075W	FI G 6s	0	4	SG on pile.	Ra ref.
6560	Mobile Channel Light 58	30-30-16.876N 088-01-07.972W	FI R 6s	0	4	TR on pile.	Ra ref.
6565	Mobile Channel Lighted Buoy 59	30-31-20.480N 088-01-24.537W	Oc G 4s		4	Green.	
6570	Mobile Channel Lighted Buoy 60	30-31-20.894N 088-01-14.954W	Oc R 4s		4	Red.	
6575	Mobile Channel Light 63	30-32-20.485N 088-01-31.014W	FI G 4s	0	4	SG on pile.	Ra ref.
6580	Mobile Channel Light 64	30-32-21.250N 088-01-21.909W	FI R 4s	0	3	TR on pile.	Ra ref.
6585	Mobile Channel Light 65	30-33-17.892N 088-01-38.321W	FI G 4s	0	4	SG on pile.	Ra ref.
6590	Mobile Channel Light 66	30-33-18.456N 088-01-28.323W	FI R 4s	0	4	TR on pile.	Ra ref.
6595	Mobile Channel Lighted Buoy 67	30-34-26.616N 088-01-44.349W	FI G 6s		4	Green.	

6600	Mobile Channel Light 68	30-34-27.149N 088-01-36.027W	FI R 6s	0	4	TR on pile.	Ra ref.
6605	Mobile Channel Lighted Buoy 69	30-35-23.832N 088-01-51.583W	FI G 4s		4	Green.	
6610	Mobile Channel Lighted Buoy 70	30-35-24.597N 088-01-42.473W	FI R 4s		5	Red.	
6615	Mobile Channel Light 71	30-36-20.624N 088-01-57.959W	FI G 2.5s	0	4	SG on pile.	Ra ref.
6620	Mobile Channel Lighted Buoy 72	30-36-21.390N 088-01-48.847W	FI R 2.5s		4	Red.	
6625	Mobile Airport Approach Lights(4)	30-36-32.000N 088-03-20.000W	Q W			On platform on piles.	
6630	Mobile Channel Light 73	30-37-06.399N 088-02-03.099W	Q G		3	SG on pile.	Ra ref.
6635	Mobile Channel Lighted Buoy 74	30-37-06.500N 088-01-52.684W	Q R		4	Red.	
6640	Mobile Channel G Range Front Light	30-36-27.396N 088-01-59.986W	Q G			KRW on skeleton tower on piles.	For downbound traffic. Visible 2° each side of range line.
6645	Mobile Channel G Range Front Light Passing Light	30-36-27.388N 088-01-59.989W	Q W		5	On same structure as Mobile Channel G Range Front Light.	
6650	Mobile Channel G Range Rear Light	30-35-37.859N 088-02-01.688W	Iso G 6s			KRW on skeleton tower on piles.	Visible 2° each side of range line.
6655	Mobile Channel G Range Rear Light Passing Light	30-35-37.874N 088-02-01.692W	Q W		4	On same structure as Mobile Channel G Range Rear Light.	
6660	Mobile Channel Lighted Buoy 76	30-37-45.413N 088-01-52.500W	FI R 2.5s		3	Red.	
6665	Mobile Channel F Range Front Light	30-37-48.673N 088-02-03.246W	Q G			KRW on skeleton tower on piles.	
6670	Mobile Channel F Range Front Light Passing Light	30-37-48.679N 088-02-03.243W	Q W		5	On same structure as Mobile Channel F Range Front Light.	
6675	Mobile Channel F Range Rear Light	30-38-39.322N 088-02-08.943W	Iso G 6s	55		KRW on skeleton tower on piles.	
6680	Arlington Channel Lighted Buoy 1	30-38-22.709N 088-02-00.016W	FI G 2.5s		4	Green.	
6685	Mobile Channel Lighted Buoy 78	30-38-28.688N 088-01-51.638W	FI R 4s		5	Red.	
6690	Arlington Channel Junction Buoy A	30-38-40.708N 088-02-02.016W				Green can with red band.	
6695	Mobile Channel Light 82	30-38-58.828N 088-01-49.585W	FI R 2.5s	0	3	TR on pile.	Ra ref.
6700	USS Alabama Park Fishing Pier Light	30-40-58.540N 088-00-46.760W	FI G 2.5s			On east end fishing pier.	
6705	LI&E Dolphin Lights (2)	30-42-53.000N 088-02-15.000W	FI R 2.5s			On breasting dolphin.	
6710	Mobile River Terminal Light	30-43-39.000N 088-02-36.000W	F G			Pole.	
6712	ARC Terminal Mooring Dolphin Lights	30-43-17.808N 088-02-23.189W	FI R 2.5s			Marks outermost upstream and downstream dolphins.	
6715	Chickasaw Creek Junction Buoy C	30-44-16.640N 088-02-36.671W				Green can with red band.	
6717	Parker Towing Downstream Mooring Light	30-45-00.020N 088-02-06.520W	FI W 2.5s			Marks the most downstream mooring pile.	
6717.01	Parker Towing Upstream Mooring Light	30-45-20.420N 088-01-57.680W	FI W 2.5s			Marks the most upstream mooring pile.	
6720	Spanish River Light	30-46-15.710N 088-01-22.837W	FI R 2.5s	0	3	TR on pile.	Ra ref.
6722	Mobile County Scientific Monitoring Platform Light A	30-46-55.500N 088-04-25.400W	FI Y 2.5s			On pile.	
6723	Genesis Pipeline Lighted Danger Buoy	30-46-49.980N 088-00-54.470W	FI W 2.5s			Marks submerged rock.	
6725	Twelve Mile Island Light	30-47-06.339N 088-00-40.159W	FI R 2.5s	0	3	TR on pile.	Ra ref.
6750	Big Bayou Canot West Danger Daybeacon	30-48-40.368N 087-59-27.661W				NW on pile worded DANGER FIXED BRIDGE.	
6755	Big Bayou Canot East Danger Daybeacon	30-48-39.926N 087-59-24.253W				NW on pile worded DANGER FIXED BRIDGE.	
6765	Scott Bridge Company Bridge Assembly Structure Lights (2)	30-54-47.050N 087-57-41.530W	FI R 2.5s			Marks structure outermost corners.	

6775	Alabama Electric Coop Unloading Facility Lights (2)	31-29-26.000N 087-54-27.000W	FI G 6s			On mooring dolphins.	
6780	Boise White Paper Water Intake Buoy	31-29-24.000N 087-54-19.000W				Red.	
6785	Weyerhaeuser Water Intake Light A	33-26-09.000N 088-26-26.000W	FI G 6s			NW on pile.	
6790	Weyerhaeuser Water Intake Light B	33-26-07.000N 088-26-31.000W	FI (2)R 6s			NW on pile.	
6795	Weyerhaeuser Water Intake Light C	33-26-11.000N 088-26-27.000W	FI G 6s			NW on pile.	
6800.05	Alabama River Cellulose Piling Light	31-34-37.980N 087-31-09.620W	FI R 2.5s			Marks outermost upstream piling.	
6800	Weyerhaeuser Water Intake Light D	33-26-10.000N 088-26-31.000W	FI (2)R 6s			NW on pile.	
6801.01	NEON Special Lighted Scientific Monitoring Buoy A	31-51-13.740N 088-09-26.280W	FI Y 2.5s			Marks submerged scientific monitoring equipment.	
6801.02	NEON Special Lighted Scientific Monitoring Buoy B	31-51-09.780N 088-09-28.070W	FI Y 2.5s			Marks submerged scientific monitoring equipment.	
6802	NEON Special Lighted Scientific Monitoring Buoy C	32-32-32.750N 087-47-52.780W	FI Y 2.5s			Marks submerged scientific equipment.	
6803	NEON Special Lighted Scientific Monitoring Light D	32-32-31.000N 087-47-52.960W	FI Y 2.5s			Marks submerged scientific equipment.	
6805	Bon Secour River Light 2	30-17-02.358N 087-45-23.147W	FI R 2.5s	0	3	TR-TY on pile.	Ra ref.
6810	Bon Secour River Daybeacon 3	30-17-07.818N 087-45-15.865W		0		SG on pile.	Ra ref.
6815	Bon Secour River Daybeacon 4	30-17-05.745N 087-45-15.981W		0		TR on pile.	Ra ref.
6820	Bon Secour River Daybeacon 5	30-17-13.485N 087-45-05.582W		0		SG on pile.	Ra ref.
6825	Bon Secour River Daybeacon 6	30-17-12.445N 087-45-03.880W		0		TR on pile.	Ra ref.
6830	Bon Secour River Daybeacon 7	30-17-28.145N 087-45-00.280W				SG on pile.	Ra ref.
6835	Bon Secour River Daybeacon 8	30-17-27.763N 087-44-56.867W		0		TR on pile.	Ra ref.
6840	Bon Secour River Daybeacon 9	30-17-43.492N 087-44-55.809W		0		SG on pile.	Ra ref.
6845	Bon Secour River Daybeacon 10	30-17-42.525N 087-44-54.217W		0		TR on pile.	Ra ref.
6850	Bon Secour River Daybeacon 11	30-17-49.301N 087-44-38.660W		0		SG on pile.	Ra ref.
6855	South Fork Channel Daybeacon SF	30-17-47.138N 087-44-38.382W		0		JR on pile.	Ra ref.
6860	South Fork Channel Daybeacon 2	30-17-45.403N 087-44-42.278W		0		TR on pile.	Ra ref.
6865	South Fork Channel Daybeacon 3	30-17-44.744N 087-44-33.979W				SG on pile.	Ra ref.
6870	South Fork Channel Daybeacon 5	30-17-41.649N 087-44-28.982W				SG on pile.	Ra ref.
6875	Bon Secour River Daybeacon 14	30-17-53.883N 087-44-21.388W				TR on pile.	Ra ref.
6880	Bon Secour River Daybeacon 16	30-18-00.726N 087-44-13.622W				TR on pile.	Ra ref.
6885	Bon Secour River Daybeacon 18	30-18-05.444N 087-44-07.279W				TR on pile.	Ra ref.
6890	Bon Secour River Daybeacon 20	30-18-08.244N 087-44-01.279W		0		TR on pile.	Ra ref.
6895	Bon Secour River Daybeacon 22	30-18-09.657N 087-43-50.447W				TR on pile.	Ra ref.
6900	Bon Secour River Daybeacon 24	30-18-11.813N 087-43-37.740W				TR on pile.	Ra ref.
6905	Bon Secour River Daybeacon 26	30-18-23.443N 087-43-36.478W		0		TR on pile.	Ra ref.
6910	Bon Secour River Daybeacon 28	30-18-33.258N 087-43-35.214W				TR on pile.	Ra ref.

6915	Bon Secour River Daybeacon 30	30-18-40.242N 087-43-25.878W			TR on pile.	Ra ref.
6920	Bon Secour River Daybeacon 31	30-18-45.980N 087-43-20.302W			SG on pile.	Ra ref.
6925	Bon Secour River Daybeacon 32	30-18-44.178N 087-43-08.125W			TR on pile.	Ra ref.
6930	Bon Secour River Daybeacon 33	30-18-45.241N 087-43-07.812W			SG on pile.	Ra ref.
6935	Bon Secour River Daybeacon 34	30-18-42.876N 087-42-55.696W		0	TR on pile.	Ra ref.
6940	Bon Secour River Daybeacon 36	30-18-49.784N 087-42-48.707W			TR on pile.	Ra ref.
6945	Bon Secour River Daybeacon 37	30-19-00.078N 087-42-49.165W			SG on pile.	Ra ref.
6950	Bon Secour River Daybeacon 38	30-18-59.850N 087-42-47.687W			TR on pile.	Ra ref.
6955	Auburn University Research Light A	30-18-38.441N 087-47-10.670W	FI Y 2.5s		On platform on piles.	
6959.03	ADCNR Bon Secour Reef Special Light C	30-21-43.000N 087-54-12.000W	FI Y 2.5s		Marks perimeter of reef.	
6959.01	ADCNR Bon Secour Reef Special Light B	30-21-43.000N 087-54-04.000W	FI Y 2.5s		Marks perimeter of reef.	
6959.02	ADCNR Bon Secour Reef Special Light D	30-21-36.000N 087-54-12.000W	FI Y 2.5s		Marks perimeter of reef.	
6959	ADCNR Bon Secour Reef Special Light A	30-21-36.000N 087-54-04.000W	FI Y 2.5s		Marks perimeter of reef.	
6960	Weeks Bay Entrance Light 1	30-22-12.858N 087-51-17.065W	FI G 4s	5	SG on platform.	Ra ref.
6963	NOAA Bon Secour Bay Danger Breakwater Light	30-19-15.162N 087-47-25.445W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.01	NOAA Bon Secour Bay Danger Breakwater Light	30-19-17.260N 087-47-29.969W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.02	NOAA Bon Secour Bay Danger Breakwater Light	30-19-30.741N 087-47-56.618W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.03	NOAA Bon Secour Bay Danger Breakwater Light	30-19-21.655N 087-47-38.951W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.04	NOAA Bon Secour Bay Danger Breakwater Light	30-19-23.822N 087-47-43.441W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.05	NOAA Bon Secour Bay Danger Breakwater Light	30-19-26.069N 087-47-47.875W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.06	NOAA Bon Secour Bay Danger Breakwater Light	30-19-28.405N 087-47-52.241W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.07	NOAA Bon Secour Bay Danger Breakwater Light	30-19-30.741N 087-47-56.618W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.08	NOAA Bon Secour Bay Danger Breakwater Light	30-19-47.831N 087-48-20.166W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.09	NOAA Bon Secour Bay Danger Breakwater Light	30-19-36.167N 087-48-04.759W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.11	NOAA Bon Secour Bay Danger Breakwater Light	30-19-39.217N 087-48-08.511W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.12	NOAA Bon Secour Bay Danger Breakwater Light	30-19-42.019N 087-48-12.434W			Marks shoreline restoration breakwater structure.	
6963.13	NOAA Bon Secour Bay Danger Breakwater Light	30-19-44.742N 087-48-16.470W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.14	NOAA Bon Secour Bay Danger Breakwater Light	30-19-47.831N 087-48-20.166W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.15	NOAA Bon Secour Bay Danger Breakwater Light	30-19-50.981N 087-48-23.793W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.16	NOAA Bon Secour Bay Danger Breakwater Light	30-19-53.535N 087-48-27.977W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.17	NOAA Bon Secour Bay Danger Breakwater Light	30-19-56.396N 087-48-31.912W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.18	NOAA Bon Secour Bay Danger Breakwater Light	30-19-59.605N 087-48-35.482W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.19	NOAA Bon Secour Bay Danger Breakwater Light	30-20-03.022N 087-48-38.779W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.21	NOAA Bon Secour Bay Danger Breakwater Light	30-20-06.528N 087-48-41.951W	FI W 2.5s		Marks shoreline restoration breakwater structure.	
6963.22	NOAA Bon Secour Bay Danger Breakwater Light	30-20-10.284N 087-48-44.712W	FI W 2.5s		Marks shoreline restoration breakwater structure.	

6963.23	NOAA Bon Secour Bay Danger Breakwater Light	30-20-13.650N 087-48-48.010W	FI W 2.5s			Marks shoreline restoration breakwater structure.
6965	Alabama Marine Resources Division Danger Daybeacons (4)	30-23-12.300N 087-53-08.820W				NW on pile. DANGER - SUBMERGED WRECK. Marks submerged obstruction.
6968	MOBILE BAY DANGER LIGHT A	30-19-01.018N 087-57-56.893W	Q W	3		NW on pile worded DANGER PIPE Ra ref.
6970	Mullet Point Light 2	30-24-17.742N 087-55-14.713W	FI R 4s	20	5	TR on skeleton tower on piles. Ra ref.
6972	ADCNR Legacy Reef Special Lights (10)	30-15-59.800N 087-58-26.570W	FI Y 2.5s			Marks submerged obstructions.
6974	ADCNR Point Clear Reef Special Lights (6)	30-27-54.060N 087-57-43.920W	FI Y 2.5s			Marks submerged obstructions.
6975	Klondike Fishing Reef Daybeacons (8)	30-27-24.000N 087-56-06.000W				NW on piles worded DANGER SUBMERGED FISHING REEF.
6980	Great Point Clear Light 4	30-28-41.947N 087-57-18.377W	FI R 4s	20	5	TR on platform Ra ref.
7015	Grand Hotel Yacht Basin Daybeacon 1	30-29-13.374N 087-56-17.115W				SG on pile.
7025	Grand Hotel Yacht Basin Light 3	30-29-14.307N 087-56-06.012W	FI G 4s			SG on pile.
7030	Grand Hotel Yacht Basin Light 2	30-29-12.770N 087-56-05.924W	FI R 4s			TR on pile.
7035	Battles Wharf Fishing Reef Daybeacons (2)	30-29-42.000N 087-56-00.000W				NW on piles worded DANGER FISHING REEFS. Marks perimeter 150 ft square fishing reef.
7040	Upper Bay Barge Fishing Reef Daybeacons (5)	30-34-42.000N 087-56-54.000W				NW on piles. worded DANGER SUBMERGED FISHING REEF. Marks perimeter 150ft. square fishing reef.
7045	Fly Creek Entrance Light 2	30-32-38.038N 087-54-32.522W	FI R 4s		4	TR on pile. Ra ref.
7050	Fly Creek Daybeacon 3	30-32-38.634N 087-54-29.177W				SG on pile. Ra ref.
7055	Fly Creek Daybeacon 4	30-32-36.229N 087-54-26.442W				TR on pile. Ra ref.
7060	Fly Creek Buoy 5	30-32-37.290N 087-54-24.628W				Green can.
7065	Fly Creek Daybeacon 6	30-32-34.288N 087-54-17.335W			0	TR on pile. Ra ref.
7070	Fly Creek Buoy 7	30-32-35.282N 087-54-16.668W				Green can.
7143	Algae Systems Aquaculture Special Lights (13)	30-37-49.930N 087-55-23.100W	FI Y 2.5s			Marks aquaculture dock.
7144.12	D'Olive Bay Daybeacon 11	30-38-13.230N 087-55-10.120W				SG on pile.
7144.13	D'Olive Bay Daybeacon 12	30-38-13.200N 087-55-12.130W				TR on pile.
7144.14	D'Olive Bay Daybeacon 13	30-38-16.250N 087-55-06.000W				SG on pile.
7144.15	D'Olive Bay Daybeacon 14	30-38-12.610N 087-55-10.030W				TR on pile.
7144.16	D'Olive Bay Daybeacon 15	30-38-18.750N 087-55-05.790W				SG on pile.
7144.17	D'Olive Bay Daybeacon 16	30-38-15.360N 087-55-05.520W				TR on pile.
7144.18	D'Olive Bay Daybeacon 17	30-38-20.120N 087-55-02.840W				SG on pile.
7144.19	D'Olive Bay Daybeacon 18	30-38-18.600N 087-55-04.540W				TR on pile.
7144.21	D'Olive Bay Daybeacon 20	30-38-19.420N 087-55-02.640W				TR on pile.
7144.01	D'Olive Bay Daybeacon 1	30-38-24.750N 087-55-31.580W				SG on Pile.
7144.02	D'Olive Bay Daybeacon 2	30-38-23.860N 087-55-32.010W				TR on pile.
7144.03	D'Olive Bay Daybeacon 3	30-38-23.410N 087-55-29.430W				SG on pile.
7144.04	D'Olive Bay Daybeacon 4	30-38-22.480N 087-55-26.530W				TR on pile.
7144.05	D'Olive Bay Daybeacon 5	30-38-21.480N 087-55-22.310W				SG on pile.
7144.06	D'Olive Bay Daybeacon 6	30-38-21.800N 087-55-24.310W				TR on pile.

7144.07	D'Olive Bay Daybeacon 7	30-38-17.960N 087-55-16.980W				SG on pile.	
7144.08	D'Olive Bay Daybeacon 8	30-38-20.490N 087-55-21.280W				TR on pile.	
7144.09	D'Olive Bay Daybeacon 9	30-38-13.740N 087-55-11.420W				SG on pile.	
7144.11	D'Olive Bay Daybeacon 10	30-38-17.330N 087-55-17.510W				TR on pile.	
7150	Lower Hall Landing Dock Light	30-49-08.021N 087-54-57.025W	F R			On pole.	Maintained by U. S. Maritime Commission.
7155	Dauphin Island Channel Light 1	30-15-13.322N 088-03-22.707W	Q G	0	3	SG on pile.	Ra ref.
7160	Dauphin Island Channel Daybeacon 2	30-15-16.633N 088-03-25.978W		0		TR on pile.	Ra ref.
7165	Dauphin Island Channel Daybeacon 3	30-15-10.074N 088-03-33.565W		0		SG on pile.	
7170	Dauphin Island Channel Daybeacon 4	30-15-14.860N 088-03-35.074W				TR on pile.	Ra ref.
7175	Dauphin Island Channel Daybeacon 5	30-15-09.516N 088-03-41.376W		0		SG on pile.	Ra ref.
7180	Dauphin Island Channel Daybeacon 6	30-15-12.953N 088-03-42.872W		0		TR on pile.	Ra ref.
7185	Dauphin Island Channel Daybeacon 7	30-15-09.259N 088-03-48.740W		0		SG on pile.	Ra ref.
7190	Dauphin Island Channel Daybeacon 8	30-15-12.002N 088-03-49.667W		0		TR on pile.	Ra ref.
7195	Dauphin Island Channel Daybeacon 9	30-15-07.880N 088-04-01.328W		0		SG on pile.	Ra ref.
7200	Dauphin Island Channel Daybeacon 10	30-15-10.320N 088-04-01.454W		0		TR on pile.	Ra ref.
7205	Dauphin Island Channel Light 12	30-15-08.168N 088-04-19.493W	Q R	0	3	TR on pile.	Ra ref.
7210	Dauphin Island Channel Light 14	30-15-07.259N 088-04-32.812W	FI R 4s	0	3	TR on pile.	Ra ref.
7215	Dauphin Island Channel Daybeacon 16	30-15-07.218N 088-04-38.305W		0		TR on pile.	Ra ref.
7220	Dauphin Island Channel Light 17	30-15-05.418N 088-04-44.665W	Q G		3	SG on pile.	Ra ref.
7225	Fort Gaines Point Wreck Light WR1	30-14-59.752N 088-04-24.020W	Q G		3	On single pile.	Ra ref.
7230	Dauphin Island Spit Light D	30-15-00.326N 088-04-05.821W	Q W	0	5	NR on dolphin.	Ra ref.
7235	Sand Reef Oyster Reef Daybeacons (5)	30-16-12.000N 088-05-40.000W				NW on piles worded DANGER SUBMERGED FISHING REEFS.	
7237.02	ADCNR Ghost Rig Reef Special Light C	30-15-54.000N 088-04-01.000W	FI Y 2.5s			Marks perimeter of reef.	
7237.01	ADCNR Ghost Rig Reef Special Light B	30-15-54.000N 088-03-53.000W	FI Y 2.5s			Marks perimeter of reef.	
7237.03	ADCNR Ghost Rig Reef Special Light D	30-15-48.000N 088-04-01.000W	FI Y 2.5s			Marks perimeter of reef.	
7237	ADCNR Ghost Rig Reef Special Light A	30-15-48.000N 088-03-54.000W	FI Y 2.5s			Marks perimeter of reef.	
7237.05	ADCNR Wellhead Reef Special Light B	30-18-15.000N 088-03-43.000W	FI Y 2.5s			Marks perimeter of reef.	
7237.06	ADCNR Wellhead Reef Special Light C	30-18-15.000N 088-03-51.000W	FI Y 2.5s			Marks perimeter of reef.	
7237.04	ADCNR Wellhead Reef Special Light A	30-18-08.000N 088-03-43.000W	FI Y 2.5s			Marks perimeter of reef.	
7237.07	ADCNR Wellhead Reef Special Light D	30-18-10.000N 088-03-47.000W	FI Y 2.5s			Marks perimeter of reef.	
7240	Alabama Oyster Reef Daybeacons (38)	30-19-42.000N 088-05-06.000W				NW on pile worded DANGER SUBMERGED OYSTER REEF.	
7245	Alabama Oyster Reef Buoys (6)	30-17-12.200N 088-06-54.600W				White with orange bands and diamond worded DANGER OYSTER REEF.	
7250	West-Side Fishing Reef Daybeacons (5)	30-20-36.000N 088-03-54.000W				NW on piles worded DANGER SUBMERGED FISHING REEFS.	
7252	Mobile County Bayfront Park Danger Breakwater Light	30-21-16.850N 088-06-59.370W	FI W 2.5s			Marks breakwater structure.	
7252.01	Mobile County Bayfront Park Danger Breakwater Light	30-21-18.810N 088-06-58.230W	FI W 2.5s			Marks breakwater structure.	

7252.02	Mobile County Bayfront Park Danger Breakwater Light	30-21-20.810N 088-06-57.100W	FI W 2.5s				Marks breakwater structure.
7252.03	Mobile County Bayfront Park Danger Breakwater Light	30-21-22.780N 088-06-55.990W	FI W 2.5s				Marks breakwater structure.
7255	Fowl River Daybeacon 1	30-26-53.703N 088-04-57.144W					SG on pile. Ra ref.
7260	Fowl River Light 2	30-26-57.738N 088-04-56.425W	FI R 2.5s	0	4		TR on dolphin. Ra ref.
7265	Fowl River Daybeacon 3	30-26-58.761N 088-05-17.310W					SG on pile. Ra ref.
7270	Fowl River Daybeacon 4	30-27-01.743N 088-05-16.915W					TR on pile. Ra ref.
7275	Fowl River Daybeacon 5	30-27-04.728N 088-05-45.020W		0			SG on pile. Ra ref.
7280	Fowl River Light 6	30-27-07.072N 088-05-41.309W	FI R 6s		4		TR on dolphin. Ra ref.
7285	Fowl River Daybeacon 7	30-27-08.479N 088-05-57.020W					SG on pile. Ra ref.
7290	Fowl River Daybeacon 8	30-27-10.487N 088-05-57.111W					TR on pile. Ra ref.
7295	Fowl River Daybeacon 9	30-27-12.091N 088-06-14.162W					SG on pile. Ra ref.
7300	Fowl River Light 10	30-27-14.178N 088-06-14.065W	Q R		3		TR on dolphin. Ra ref.
7305	Fowl River Daybeacon 12	30-27-04.858N 088-06-29.611W					TR on pile. Ra ref.
7310	Fowl River Obstruction Light 12A	30-27-02.309N 088-06-31.111W	Q R		3		TR on pile.
7312.12	Dauphin Island Sea Lab North Danger Light	30-26-33.760N 088-06-13.400W	FI W 2.5s				Marks submerged reef.
7312.11	Dauphin Island Sea Lab South Danger Light	30-26-28.220N 088-06-08.320W	FI W 2.5s				Marks submerged reef.
7312	Mobile Bay National Estuary Danger Breakwater Light	30-27-00.630N 088-06-28.180W	FI W 2.5s				Marks shoreline restoration breakwater structure.
7312.01	Mobile Bay National Estuary Danger Breakwater Light	30-26-59.160N 088-06-25.070W	FI W 2.5s				Marks shoreline restoration breakwater structure.
7312.02	Mobile Bay National Estuary Danger Breakwater Light	30-26-55.680N 088-06-23.980W	FI W 2.5s				Marks shoreline restoration breakwater structure.
7312.03	Mobile Bay National Estuary Danger Breakwater Light	30-26-51.320N 088-06-23.760W	FI W 2.5s				Marks shoreline restoration breakwater structure.
7312.04	Abdur Aquaculture Special Lights A-H (8)	30-26-47.270N 088-06-09.290W	FI Y 2.5s				Marks perimeter of aquaculture farm.
7315	Fowl River Daybeacon 13	30-26-50.893N 088-06-36.424W					SG on pile. Ra ref.
7320	Fowl River Daybeacon 14	30-26-51.671N 088-06-38.412W					TR on pile. Ra ref.
7325	Fowl River Daybeacon 15	30-26-38.157N 088-06-44.183W					SG on pile. Ra ref.
7330	Fowl River Daybeacon 16	30-26-39.088N 088-06-45.794W					TR on pile. Ra ref.
7333	Ankersen Aquaculture Special Lights (4)	30-29-00.965N 088-06-00.139W	FI Y 2.5s				Marks outermost corners of aquaculture farm.
7335	Theodore Ship Channel Outer Range Front Light	30-28-36.022N 088-00-43.121W	Q W				KRW on skeleton tower on piles. Visible all around; higher intensity 1.5° each side of range line.
7340	Theodore Ship Channel Outer Range Rear Light	30-28-08.623N 087-59-55.512W	Iso W 6s	55			KRW on skeleton tower on piles. Visible 4° each side of rangeline.
7345	Theodore Ship Channel Outer Range Rear Light Passing Light	30-28-08.638N 087-59-55.531W	FI W 4s		3		On same structure as Theodore Ship Channel Outer Range Rear Light.
7350	Theodore Ship Channel Light 1	30-28-38.723N 088-01-08.510W	Q G	0	3		SG on pile. Ra ref.
7355	Theodore Ship Channel Junction Light T	30-28-58.945N 088-01-11.952W	FI (2+1)G 6s	0	4		JG on pile. Ra ref.
7360	Theodore Ship Channel Light 3	30-28-54.225N 088-01-22.868W	FI G 2.5s	0	4		SG on pile. Ra ref.

7365	Theodore Ship Channel Light 5	30-29-14.189N 088-01-56.979W	FI G 4s	0	4	SG on pile.	Ra ref.
7370	Theodore Ship Channel Light 6	30-29-19.443N 088-01-51.436W	FI R 4s	0	3	TR on pile.	Ra ref.
7375	Theodore Ship Channel Light 7	30-29-41.535N 088-02-43.848W	FI G 2.5s	0	3	SG on pile.	Ra ref.
7380	Theodore Ship Channel Light 8	30-29-47.481N 088-02-39.151W	FI R 2.5s		3	TR on pile.	Ra ref.
7385	Theodore Ship Channel Buoy 9	30-30-10.217N 088-03-35.397W				Green can.	
7390	Theodore Ship Channel Light 10	30-30-16.502N 088-03-30.904W	FI R 4s		3	TR on dolphin.	Ra ref.
7395	Theodore Ship Channel Light 11	30-30-36.844N 088-04-21.108W	FI G 2.5s	0	3	SG on pile.	Ra ref.
7400	Theodore Ship Channel Light 12	30-30-44.829N 088-04-20.958W	FI R 2.5s		3	TR on pile.	Ra ref.
7405	Theodore Ship Channel Light 13	30-30-53.920N 088-04-52.925W	FI G 4s	0	4	SG on pile.	Ra ref.
7410	Theodore Ship Channel Anchorage Daybeacon A	30-30-58.320N 088-05-04.825W				NY on pile.	Ra ref.
7415	Theodore Ship Channel Light 14	30-31-08.562N 088-05-00.464W	Q R	0	3	TR on pile.	Ra ref.
7420	Theodore Ship Channel Daybeacon 15	30-31-09.973N 088-05-18.922W		0		SG on pile.	Ra ref.
7425	Theodore Ship Channel Lighted Buoy 16	30-31-17.833N 088-05-16.654W	FI R 2.5s		3	Red.	
7430	Theodore Ship Channel Light 17	30-31-21.230N 088-05-36.073W	FI G 2.5s		3	SG on pile.	Ra ref.
7435	Theodore Ship Channel Light 18	30-31-24.737N 088-05-31.523W	FI R 2.5s		3	TR on pile.	Ra ref.
7440	Theodore Ship Channel Light 22	30-31-53.009N 088-06-23.019W	Q R	0	3	TR on pile.	Ra ref.
7445	Hollingers Island Fishing Reef Daybeacons (5)	30-32-06.000N 088-03-12.000W				NW on piles worded DANGER SUBMERGED FISHING REEFS.	
7450	Dog River Channel Daybeacon 1	30-32-45.494N 088-01-36.639W		0		SG on pile.	Ra ref.
7455	Dog River Channel Daybeacon 2	30-32-49.044N 088-01-39.469W				TR on pile.	Ra ref.
7460	Dog River Channel Light 3	30-33-18.064N 088-02-28.264W	FI G 4s	0	4	SG on pile.	Ra ref.
7465	Dog River Channel Daybeacon 4	30-33-19.463N 088-02-27.241W		0		TR on pile.	Ra ref.
7470	Dog River Channel Daybeacon 5	30-33-49.656N 088-03-19.997W				SG on pile.	Ra ref.
7475	Dog River Channel Light 6	30-33-57.445N 088-03-26.454W	FI R 2.5s		3	TR on pile.	Ra ref.
7477.03	ADCNR Dog River Reef Special Light C	30-33-14.000N 088-03-43.000W	FI Y 2.5s			Marks perimeter of reef.	
7477.01	ADCNR Dog River Reef Special Light B	30-33-14.000N 088-03-35.000W	FI Y 2.5s			Marks perimeter of reef.	
7477.02	ADCNR Dog River Reef Special Light D	30-33-07.000N 088-03-43.000W	FI Y 2.5s			Marks perimeter of reef.	
7477	ADCNR Dog River Reef Special Light A	30-33-08.000N 088-03-35.000W	FI Y 2.5s			Marks perimeter of reef.	
7480	Dog River Channel Daybeacon 7	30-33-58.867N 088-04-12.856W		0		SG on pile.	Ra ref.
7485	Dog River Channel Light 8	30-34-00.347N 088-04-12.719W	FI R 4s	0	4	TR on pile.	Ra ref.
7490	Dog River Channel Daybeacon 9	30-33-59.198N 088-04-24.557W				SG on pile.	Ra ref.
7495	Dog River Channel Daybeacon 10	30-34-01.137N 088-04-24.122W		0		TR on pile.	Ra ref.
7500	Dog River Channel Light 11	30-34-00.427N 088-04-35.396W	FI G 2.5s	0	4	SG on pile.	Ra ref.
7505	Dog River Channel Daybeacon 12	30-34-01.923N 088-04-35.470W		0		TR on pile.	Ra ref.
7510	Dog River Channel Daybeacon 13	30-33-57.173N 088-04-53.718W		0		SG on pile.	Ra ref.
7515	Dog River Channel Daybeacon 14	30-33-59.087N 088-04-53.881W				TR on pile.	Ra ref.

7520	Dog River Channel Light 15	30-33-53.562N 088-05-04.278W	FI G 4s	4	SG on pile.	Ra ref.	
7525	Dog River Channel Daybeacon 16	30-33-56.315N 088-05-04.920W			TR on pile.	Ra ref.	
7530	Brookley Hole Site Fishing Reef Daybeacons (2)	30-37-42.000N 088-03-24.000W			NW on piles worded DANGER SUBMERGED FISHING REEFS.		
7535	Arlington Docks Site Fishing Reef Daybeacons (4)	30-38-30.000N 088-02-30.000W			NW on pile worded DANGER SUBMERGED FISHING REEFS.		
7540	Arlington Channel Lighted Buoy 1	30-38-22.709N 088-02-00.016W	FI G 2.5s	4	Green.		
7545	Arlington Channel Outbound Range Front Light	30-38-28.576N 088-01-47.046W	Q W	4	KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	
7550	Arlington Channel Outbound Range Rear Light	30-38-26.545N 088-01-40.257W	Iso W 6s	5	KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	
7555	Arlington Channel Junction Buoy A	30-38-40.708N 088-02-02.016W			Green can with red band.		
7560	Arlington Channel Light 3	30-38-34.075N 088-02-13.320W	Q G	0	3	SG on dolphin.	
7565	Arlington Channel Light 4	30-38-37.417N 088-02-12.193W	FI R 2.5s	0	3	TR on pile.	Ra ref.
7570	Arlington Channel Light 5	30-38-39.278N 088-02-28.569W	FI G 6s	0	4	SG on pile.	Ra ref.
7575	Arlington Channel Light 6	30-38-42.213N 088-02-27.692W	FI R 6s	0	4	TR on pile.	Ra ref.
7580	Arlington Channel Light 7	30-38-42.842N 088-02-40.327W	FI G 2.5s	0	4	SG on pile.	Ra ref.
7585	Arlington Channel Daybeacon 8	30-38-46.433N 088-02-40.729W		0	TR on pile.	Ra ref.	
7590	Arlington Channel Light 9	30-38-49.277N 088-03-00.994W	FI G 6s	0	4	SG on pile.	Ra ref.
7595	Arlington Channel Daybeacon 10	30-38-52.222N 088-02-59.687W		0	TR on pile.	Ra ref.	
7600	Arlington Channel Light 11	30-38-53.324N 088-03-16.458W	FI G 2.5s	0	3	SG on pile.	Ra ref.
7605	Arlington Channel Light 12	30-38-58.818N 088-03-17.958W	FI R 4s	0	3	TR on pile.	Ra ref.
7610	Arlington Channel Light 14	30-39-05.287N 088-03-20.979W	FI R 2.5s	0	3	TR on pile.	Ra ref.
7615	Arlington Channel Range Front Light	30-39-00.239N 088-03-33.041W	Q R		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	
7620	Arlington Channel Range Rear Light	30-39-03.100N 088-03-42.619W	Oc R 4s		KRW on skeleton tower.	Visible all around; higher intensity on rangeline.	
7625	Choctaw Pass Fishing Reef Daybeacons (4)	30-39-48.000N 088-01-12.000W			NW on piles worded DANGER SUBMERGED FISHING REEFS.		
7632	ADCNR Danger Breakwater Lights (6)	30-19-14.160N 088-13-37.330W	FI W 2.5s		Marks marsh restoration breakwater.		
7632.01	ADCNR Danger Breakwater Lights (6)	30-19-11.240N 088-13-20.290W	FI W 2.5s		Marks marsh restoration breakwater.		
7635	Sunken Shrimpsboat Fishing Reef Daybeacons (5)	30-18-18.000N 088-16-24.000W			NW on piles worded DANGER SUBMERGED FISHING REEFS.		
7640	Isle Aux Herbes Wreck Light	30-18-17.916N 088-16-26.596W	FI W 2.5s	0	5	NW on pile worded DANGER WRECK.	Ra ref.
7645	Bayou La Batre Wreck Light WR 2	30-21-21.978N 088-16-30.925W	Q R		3	TR on pile.	Ra ref.
7650	Mississippi Sound Light WR6	30-20-34.554N 088-20-55.970W	FI W 4s	0	4	NW on pile.	
7660	Bayou La Batre Light 3	30-14-51.843N 088-25-32.575W	FI G 4s	0	4	SG-TY on pile.	Ra ref.
7665	Bayou La Batre Light 5	30-15-16.591N 088-20-45.410W	Q G	0	3	SG-TY on pile.	Ra ref.
7670	Bayou La Batre Buoy 7	30-15-53.993N 088-19-53.627W			Green can.		
7675	Bayou La Batre Buoy 8	30-16-10.767N 088-19-25.332W			Red nun.		
7680	Bayou La Batre Wreck Light WR	30-16-13.970N 088-19-16.589W	Q R	0	3	TR on pile.	Ra ref.
7685	Bayou La Batre Light 10	30-16-29.034N 088-18-58.262W	FI R 2.5s		3	TR on pile.	Ra ref.

7690	Bayou La Batre Buoy 11	30-16-56.527N 088-18-48.926W				Green can.	
7693.02	ADCNR Mississippi Sound Special Light A	30-17-02.880N 088-17-17.400W	FI Y 2.5s			Marks perimeter of artificial reef.	
7693	ADCNR Mississippi Sound Special Light B	30-16-56.940N 088-17-10.440W	FI Y 2.5s			Marks perimeter of artificial reef.	
7693.01	ADCNR Mississippi Sound Special Light C	30-17-02.889N 088-17-10.414W	FI Y 2.5s			Marks perimeter of artificial reef.	
7693.03	ADCNR Mississippi Sound Special Light D	30-16-57.000N 088-17-17.220W	FI Y 2.5s			Marks perimeter of artificial reef.	
7695	Bayou La Batre Buoy 12	30-17-23.874N 088-18-35.328W				Red nun.	
7700	Bayou La Batre Light 13	30-17-52.423N 088-18-25.640W	FI G 2.5s	0	3	SG on pile.	Ra ref.
7705	Bayou La Batre Buoy 14	30-18-19.844N 088-18-11.945W				Red nun.	
7710	Bayou La Batre Buoy 15	30-18-46.271N 088-18-02.130W				Green can.	
7715	Bayou La Batre Lighted Buoy 16	30-19-15.553N 088-17-48.481W	FI R 6s		2	Red.	
7720	Bayou La Batre Buoy 17	30-19-44.098N 088-17-38.673W				Green can.	
7725	Bayou La Batre Buoy 18	30-20-11.289N 088-17-25.062W				Red nun.	
7730	Bayou La Batre Lighted Buoy 19	30-20-39.708N 088-17-15.280W	FI G 4s		2	Green.	
7735	Bayou La Batre Buoy 20	30-21-07.487N 088-17-01.365W				Red nun.	
7740	Bayou La Batre Buoy 21	30-21-35.818N 088-16-52.008W				Green can.	
7745	Bayou La Batre Lighted Buoy 22	30-22-02.859N 088-16-38.177W	FI R 4s		2	Red.	
7748	City of Bayou La Batre Danger Light	30-22-04.862N 088-16-36.573W	FI W 2.5s			Marks submerged outfall diffuser.	
7750	Bayou La Batre Buoy 23	30-22-31.810N 088-16-28.951W				Green can.	
7752	Lightning Point East Danger Breakwater Light	30-22-51.450N 088-15-31.820W	FI W 2.5s			Marks breakwater structure.	
7752.01	Lightning Point East Danger Breakwater Light	30-22-51.060N 088-15-37.410W	FI W 2.5s			Marks breakwater structure.	
7752.02	Lightning Point East Danger Breakwater Light	30-22-47.140N 088-15-40.880W	FI W 2.5s			Marks breakwater structure.	
7752.03	Lightning Point East Danger Breakwater Light	30-22-43.970N 088-15-45.270W	FI W 2.5s			Marks breakwater structure.	
7752.04	Lightning Point East Danger Breakwater Light	30-22-42.270N 088-15-50.640W	FI W 2.5s			Marks breakwater structure.	
7752.05	Lightning Point East Danger Breakwater Light	30-22-41.550N 088-15-56.280W	FI W 2.5s			Marks breakwater structure.	
7752.06	Lightning Point East Danger Breakwater Light	30-22-42.300N 088-16-01.920W	FI W 2.5s			Marks breakwater structure.	
7752.07	Lightning Point East Danger Breakwater Light	30-22-43.380N 088-16-07.490W	FI W 2.5s			Marks breakwater structure.	
7752.08	Lightning Point East Danger Breakwater Light	30-22-44.960N 088-16-12.900W	FI W 2.5s			Marks breakwater structure.	
7752.09	Lightning Point East Danger Breakwater Light	30-22-47.060N 088-16-18.070W	FI W 2.5s			Marks breakwater structure.	
7752.11	Lightning Point East Danger Breakwater Light	30-22-49.180N 088-16-16.770W	FI W 2.5s			Marks breakwater structure.	
7752.12	Lightning Point East Danger Breakwater Light	30-22-53.650N 088-16-16.010W	FI W 2.5s			Marks breakwater structure.	
7752.13	Lightning Point East Danger Breakwater Light	30-22-47.040N 088-16-11.820W	FI W 2.5s			Marks breakwater structure.	
7752.14	Lightning Point East Danger Breakwater Light	30-22-45.490N 088-16-05.110W	FI W 2.5s			Marks breakwater structure.	
7752.15	Lightning Point East Danger Breakwater Light	30-22-44.460N 088-16-00.430W	FI W 2.5s			Marks breakwater structure.	
7752.16	Lightning Point East Danger Breakwater Light	30-22-44.050N 088-15-53.470W	FI W 2.5s			Marks breakwater structure.	
7752.17	Lightning Point East Danger Breakwater Light	30-22-45.240N 088-15-48.540W	FI W 2.5s			Marks breakwater structure.	

7752.18	Lightning Point East Danger Breakwater Light	30-22-48.410N 088-15-43.190W	FI W 2.5s				Marks breakwater structure.
7752.19	Lightning Point East Danger Breakwater Light	30-22-52.800N 088-15-40.790W	FI W 2.5s				Marks breakwater structure.
7752.21	Lightning Point East Danger Breakwater Light	30-22-53.110N 088-15-36.890W	FI W 2.5s				Marks breakwater structure.
7752.22	Lightning Point East Danger Breakwater Light	30-22-53.840N 088-15-32.390W	FI W 2.5s				Marks breakwater structure.
7753	Lightning Point West Danger Breakwater Light	30-22-50.610N 088-16-22.360W	FI W 2.5s				Marks breakwater structure.
7753.01	Lightning Point West Danger Breakwater Light	30-22-51.150N 088-16-27.590W	FI W 2.5s				Marks breakwater structure.
7753.02	Lightning Point West Danger Breakwater Light	30-22-53.130N 088-16-32.530W	FI W 2.5s				Marks breakwater structure.
7753.03	Lightning Point West Danger Breakwater Light	30-22-52.950N 088-16-21.530W	FI W 2.5s				Marks breakwater structure.
7753.04	Lightning Point West Danger Breakwater Light	30-22-53.220N 088-16-25.770W	FI W 2.5s				Marks breakwater structure.
7753.05	Lightning Point West Danger Breakwater Light	30-22-55.060N 088-16-30.610W	FI W 2.5s				Marks breakwater structure.
7755	Bayou La Batre Light 24	30-22-54.189N 088-16-17.369W	Q R	0	3		TR on pile. Ra ref.
7760	Bayou La Batre Light 25	30-23-00.150N 088-16-17.712W	FI G 2.5s	0	3		SG on pile. Ra ref.
7762	Mobile County Scientific Monitoring Platform Light B	30-24-21.300N 088-14-53.100W	FI Y 2.5s				On pile.
7763	Point Aux Pins Special Lighted Buoys (5)	30-22-57.120N 088-18-48.060W	FI Y 2.5s				Marks perimeter of oyster farm.
7765	Bayou Coden Junction Light BC	30-22-19.862N 088-16-30.970W	FI (2+1)R 6s	0	3		JR on pile. Ra ref.
7770	Bayou Coden Daybeacon 1	30-22-28.024N 088-16-08.505W		0			SG on pile. Ra ref.
7775	Bayou Coden Daybeacon 2	30-22-26.444N 088-16-07.867W		0			TR on pile. Ra ref.
7780	Bayou Coden Light 4	30-22-34.554N 088-15-45.563W	FI R 2.5s	0	3		TR on pile. Ra ref.
7785	Bayou Coden Daybeacon 3	30-22-36.842N 088-15-44.307W		0			SG on pile. Ra ref.
7790	Bayou Coden Daybeacon 5	30-22-27.126N 088-15-10.138W					SG on pile. Ra ref.
7795	Bayou Coden Daybeacon 6	30-22-25.191N 088-15-10.773W					TR on pile. Ra ref.
7800	Bayou Coden Daybeacon 7	30-22-18.499N 088-14-39.742W					SG on pile. Ra ref.
7805	Bayou Coden Light 8	30-22-15.978N 088-14-37.582W	Q R		3		TR on pile. Ra ref.
7810	Bayou Coden Daybeacon 9	30-22-20.081N 088-14-37.472W					SG on pile. Ra ref.
7815	Bayou Coden Light 10	30-22-32.702N 088-14-28.096W	FI R 4s		3		TR on pile. Ra ref.
7820	Bayou Coden Daybeacon 11	30-22-33.792N 088-14-29.350W		0			SG on pile. Ra ref.
7822	Portersville Oyster Company Special Lights (4)	30-21-21.000N 088-11-35.010W	FI W 2.5s				Marks aquaculture farm perimeter.
7823	Auburn University Oyster Farm Special Lights (4)	30-20-59.690N 088-11-36.340W	FI Y 2.5s				Marks aquaculture farm perimeter.
7825.01	Alma Bryant Aquaculture Special Lights A thru R	30-22-25.800N 088-19-10.980W	FI Y 2.5s				Marks the aquaculture farm perimeter.
7826.34	Shashy Aquaculture Farm Special Light C	30-22-10.145N 088-14-01.986W	FI Y 2.5s				Marks aquaculture perimeter.
7826.35	Shashy Aquaculture Farm Special Light D	30-22-10.213N 088-14-02.640W	FI Y 2.5s				Marks aquaculture perimeter.
7826	Sandy Bay Oyster Company Special Lights (6)	30-22-48.260N 088-18-42.020W	FI Y 2.5s				Marks perimeter of aquaculture farm.
7826.21	Auburn University Portersville Bay Oyster Farm Special Light A	30-21-56.100N 088-12-58.140W	FI Y 2.5s				Marks perimeter of aquaculture farm.
7826.22	Auburn University Portersville Bay Oyster Farm Special Light B	30-21-51.450N 088-12-55.500W	FI Y 2.5s				Marks perimeter of aquaculture farm.

7826.23	Auburn University Portersville Bay Oyster Farm Special Light C	30-21-47.200N 088-12-56.360W	Fl Y 2.5s		Marks perimeter of aquaculture farm.	
7826.24	Auburn University Portersville Bay Oyster Farm Special Light D	30-21-42.440N 088-12-58.100W	Fl Y 2.5s		Marks perimeter of aquaculture farm.	
7826.25	Auburn University Portersville Bay Oyster Farm Special Light E	30-21-37.520N 088-12-59.490W	Fl Y 2.5s		Marks perimeter of aquaculture farm.	
7826.26	Auburn University Portersville Bay Oyster Farm Special Light F	30-21-41.330N 088-13-02.300W	Fl Y 2.5s		Marks perimeter of aquaculture farm.	
7826.27	Auburn University Portersville Bay Oyster Farm Special Light G	30-21-45.480N 088-13-04.190W	Fl Y 2.5s		Marks perimeter of aquaculture farm.	
7826.28	Auburn University Portersville Bay Oyster Farm Special Light H	30-21-51.700N 088-13-04.190W	Fl Y 2.5s		Marks perimeter of aquaculture farm.	
7826.29	Auburn University Portersville Bay Oyster Farm Special Light I	30-21-56.500N 088-13-03.500W	Fl Y 2.5s		Marks perimeter of aquaculture farm.	
7826.31	Auburn University Portersville Bay Oyster Farm Special Light J	30-21-58.280N 088-13-02.300W	Fl Y 2.5s		Marks perimeter of aquaculture farm.	
7826.32	Shashy Aquaculture Farm Special Light A	30-22-10.960N 088-14-02.710W	Fl Y 2.5s		Marks southeastern corner of aquaculture farm.	
7826.33	Shashy Aquaculture Farm Special Light B	30-22-10.990N 088-14-03.070W	Fl Y 2.5s		Marks northwestern corner of aquaculture farm.	
7826.05	Sandy Bay Oyster Company Special Lights (6)	30-22-46.350N 088-18-43.650W	Fl Y 2.5s		Marks perimeter of aquaculture farm.	
7827	ADCNR West Dauphin Island East Danger Light	30-14-42.960N 088-14-25.200W	Fl W 2.5s		Marks southeast corner of submerged obstructions.	
7827.01	ADCNR West Dauphin Island East Danger Light	30-14-44.580N 088-14-25.200W	Fl W 2.5s		Marks northeast corner of submerged obstructions.	
7827.02	ADCNR West Dauphin Island East Danger Light	30-14-42.840N 088-14-35.460W	Fl W 2.5s		Marks northwest corner of submerged obstructions.	
7827.03	ADCNR West Dauphin Island East Danger Light	30-14-41.040N 088-14-34.500W	Fl W 2.5s		Marks southwest corner of submerged obstructions.	
7827.04	ADCNR West Dauphin Island Middle Danger Light	30-14-24.600N 088-16-14.940W	Fl W 2.5s		Marks southeast corner of submerged obstructions.	
7827.05	ADCNR West Dauphin Island Middle Danger Light	30-14-30.720N 088-16-18.300W	Fl W 2.5s		Marks northeast corner of submerged obstructions.	
7827.06	ADCNR West Dauphin Island Middle Danger Light	30-14-26.100N 088-16-30.600W	Fl W 2.5s		Marks northwest corner of submerged obstructions.	
7827.07	ADCNR West Dauphin Island Middle Danger Light	30-14-19.860N 088-16-27.060W	Fl W 2.5s		Marks southwest corner of submerged obstructions.	
7827.08	ADCNR West Dauphin Island West Danger Light	30-14-10.020N 088-17-31.200W	Fl W 2.5s		Marks southeast corner of submerged obstructions.	
7827.09	ADCNR West Dauphin Island West Danger Light	30-14-11.700N 088-17-31.620W	Fl W 2.5s		Marks northeast corner of submerged obstructions.	
7827.11	ADCNR West Dauphin Island West Danger Light	30-14-09.720N 088-17-41.460W	Fl W 2.5s		Marks northwest corner of submerged obstructions.	
7827.12	ADCNR West Dauphin Island West Danger Light	30-14-08.160N 088-17-41.100W	Fl W 2.5s		Marks southwest corner of submerged obstructions.	
7840	Petit Bois Pass Light P	30-13-52.877N 088-19-52.734W	Fl W 2.5s	5	NR on piles.	Ra ref.
7850	Horn Island Pass Lighted Buoy HI	30-08-30.069N 088-34-40.150W	Mo (A) W	5	Red and white stripes with red spherical topmark.	AIS: MMSI 993682105
7855	Horn Island Pass Lighted Buoy 1	30-09-15.282N 088-34-00.601W	Q G	3	Green.	
7860	Horn Island Pass Lighted Buoy 2	30-09-10.451N 088-33-54.036W	Q R	3	Red.	
7865	Horn Island Pass Lighted Buoy 3	30-09-58.072N 088-33-17.725W	Fl G 2.5s	3	Green.	
7870	Horn Island Pass Lighted Buoy 4	30-09-53.269N 088-33-11.269W	Fl R 2.5s	3	Red.	
7875	Horn Island Pass Lighted Buoy 5	30-10-40.870N 088-32-34.871W	Fl G 4s	4	Green.	
7880	Horn Island Pass Lighted Buoy 6	30-10-35.991N 088-32-28.354W	Fl R 4s	3	Red.	
7885	Horn Island Pass Lighted Buoy 7	30-11-24.483N 088-31-52.494W	Fl G 2.5s	3	Green.	

7890	Horn Island Pass Lighted Buoy 8	30-11-19.387N 088-31-45.354W	FI R 2.5s	3	Red.	
7895	Horn Island Pass Entrance Range Front Light	30-12-49.988N 088-30-19.688W	FI W 2.5s			Visible 2° each side of rangeline.
7900	Horn Island Pass Entrance Range Rear Light	30-13-27.309N 088-29-42.260W	Iso W 6s		Skeleton tower on piles.	Visible 2° each side of range line.
7905	Horn Island Pass Entrance Range Rear Light Passing Light	30-13-27.309N 088-29-42.260W	FI W 4s	5	On same structure as Horn Island Pass Entrance Range Rear Light.	
7910	Horn Island Pass Lighted Buoy 9	30-11-48.674N 088-31-25.973W	FI G 4s	4	Green.	
7915	Horn Island Pass Lighted Buoy 10	30-11-44.307N 088-31-20.088W	FI R 4s	3	Red.	
7920	Horn Island Pass Lighted Buoy 11	30-12-12.042N 088-31-02.738W	FI G 2.5s	4	Green.	
7925	Horn Island Pass Lighted Buoy 12	30-12-07.741N 088-30-56.687W	FI R 2.5s	4	Red.	
7930	Horn Island Pass Lighted Buoy 13	30-12-25.252N 088-30-53.231W	Q G	4	Green.	
7935	Horn Island Pass Lighted Buoy 14	30-12-22.401N 088-30-43.639W	Q R	4	Red.	
7940	Horn Island Pass Lighted Buoy 16	30-12-45.173N 088-30-34.647W	FI R 2.5s	3	Red.	
7945	Horn Island Pass Lighted Buoy 17	30-12-56.076N 088-30-39.544W	FI G 2.5s	4	Green.	
7950	Horn Island Pass Lighted Buoy 18	30-12-57.754N 088-30-28.706W	FI R 2.5s	3	Red.	
7955	Pascagoula Channel Lighted Buoy 19	30-13-18.309N 088-30-27.807W	Q G	3	Green.	
7960	Pascagoula Channel D Range Front Light	30-12-57.540N 088-30-15.460W	Q W		KRW on skeleton tower on piles.	Visible 2° each side of range line.
7965	Pascagoula Channel D Range Front Light Passing Light	30-12-57.540N 088-30-15.460W	FI W 4s	3	On same structure as Pascagoula Channel Range D Front Light.	
7970	Pascagoula Channel D Range Rear Light	30-12-42.583N 088-30-13.628W	Iso W 6s	0	KRW on skeleton tower.	Visible 2° each side of rangeline.
7975	Pascagoula Channel Lighted Buoy 20	30-13-23.835N 088-30-14.733W	Q R	3	Red.	
7980	Petit Bois Island Obstruction Light 2	30-13-22.963N 088-29-11.040W	Q R	4	TR on dolphin.	Ra ref.
7985	Pascagoula Channel Lighted Buoy 21	30-13-27.179N 088-30-24.818W	FI G 2.5s	3	Green.	
7987	MDMR Special Lighted Scientific Buoy H	30-12-58.020N 088-31-17.910W	FI Y 2.5s		Maintained by MS Dept of Marine Resources.	
7987.01	MDMR Special Lighted Scientific Buoy I	30-13-35.920N 088-31-55.030W	FI Y 2.5s		Maintained by MS Dept of Marine Resources.	
7987.02	MDMR Special Lighted Scientific Buoy J	30-12-48.330N 088-32-11.460W	FI Y 2.5s		Maintained by MS Dept of Marine Resources.	
7987.03	MDMR Special Lighted Scientific Buoy K	30-13-37.290N 088-32-42.530W	FI Y 2.5s		Maintained by MS Dept of Marine Resources.	
7987.04	MDMR Special Lighted Scientific Buoy L	30-12-51.650N 088-33-07.910W	FI Y 2.5s		Maintained by MS Dept of Marine Resources.	
7987.05	MDMR Special Lighted Scientific Buoy M	30-13-38.740N 088-33-29.430W	FI Y 2.5s		Maintained by MS Dept of Marine Resources.	
7987.06	MDMR Special Lighted Scientific Buoy N	30-12-51.450N 088-34-04.770W	FI Y 2.5s		Maintained by MS Dept of Marine Resources.	
7987.07	MDMR Special Lighted Scientific Buoy O	30-13-40.090N 088-34-15.680W	FI Y 2.5s		Maintained by MS Dept of Marine Resources.	
7987.08	MDMR Special Lighted Scientific Buoy P	30-13-07.960N 088-34-57.260W	FI Y 2.5s		Maintained by MS Dept of Marine Resources.	
7990	Pascagoula Channel A Range Front Light	30-17-57.623N 088-30-52.192W	FI R 2.5s			Day range visible on rangeline. Night range visible all around higher intensity beam 1.5° each side of rangeline.
7992	Pascagoula Channel A Range Front Passing Light	30-17-57.623N 088-30-52.192W	FI R 2.5s	5	On same structure as Pascagoula Channel A Range Front Light.	
7995	Pascagoula Channel A Range Rear Light	30-18-46.338N 088-30-58.166W	Iso R 6s			Visible 1.5° each side of rangeline. Passing light visible all around.
8000	Pascagoula Channel Lighted Buoy 23	30-13-55.458N 088-30-27.523W	FI G 2.5s	3	Green.	
8005	Pascagoula Channel Lighted Buoy 24	30-13-56.360N 088-30-19.386W	FI R 2.5s	3	Red.	
8010	Pascagoula Channel Lighted Buoy 25	30-14-28.087N 088-30-29.800W	FI G 4s	3	Green.	

8015	Pascagoula Channel Lighted Buoy 26	30-14-28.681N 088-30-23.338W	FI R 4s	3	Red.	
8020	Pascagoula Channel Lighted Buoy 27	30-14-43.834N 088-30-31.341W	FI G 6s	3	Green.	
8025	Bayou La Batre Junction Lighted Buoy BB	30-14-44.400N 088-30-25.271W	FI (2+1)R 6s	3	Red with green band.	
8030	Pascagoula Channel Lighted Buoy 29	30-15-24.424N 088-30-36.309W	Q G	3	Green with yellow triangle.	
8035	Pascagoula Channel Lighted Buoy 30	30-15-24.976N 088-30-30.243W	Q R	3	Red with yellow triangle.	
8040	Pascagoula Channel Lighted Buoy 31	30-16-05.014N 088-30-41.278W	FI G 4s	3	Green.	
8045	Pascagoula Channel Lighted Buoy 32	30-16-05.654N 088-30-35.134W	FI R 4s	3	Red.	
8050	Pascagoula Channel Lighted Buoy 33	30-16-39.187N 088-30-45.447W	FI G 2.5s	3	Green.	
8055	Pascagoula Channel Lighted Buoy 34	30-16-39.710N 088-30-39.777W	FI R 2.5s	3	Red.	
8060	Pascagoula Pipeline Channel Light A	30-16-29.200N 088-30-50.500W	FI Y 2.5s		On pile.	
8065	Pascagoula Pipeline Channel Light C	30-16-06.000N 088-30-08.000W	FI Y 2.5s		On pile.	
8070	Pascagoula Channel Wreck Light	30-16-50.774N 088-31-08.143W	FI W 2.5s	0	5	NW on pile worded DANGER WRECK. Ra ref.
8075	Pascagoula Channel Lighted Buoy 35	30-17-05.275N 088-30-49.245W	Q G	3	Green.	
8080	Pascagoula Channel Lighted Buoy 36	30-17-10.968N 088-30-42.335W	Q R	3	Red.	
8085	Pascagoula Channel Lighted Buoy 37	30-17-13.500N 088-30-53.381W	FI G 2.5s	3	Green.	
8090	Bayou Casotte Channel Junction Lighted Buoy BC	30-17-21.662N 088-30-51.679W	FI (2+1)R 6s	3	Red with green band.	
8095	Pascagoula Channel B Range Front Light	30-16-56.552N 088-30-33.003W	Q W		KRW on skeleton tower on piles.	Visible all around; higher intensity on range line.
8100	Pascagoula Channel B Range Rear Light	30-16-15.669N 088-29-53.317W	Oc W 4s		KRW on skeleton tower on piles.	Visible 2° each side of range line.
8105	Pascagoula Channel B Range Rear Light Passing Light	30-16-15.694N 088-29-53.309W	FI W 4s	3	On same structure as Pascagoula Channel Range B Rear Light.	
8110	Pascagoula Channel C Range Front Light	30-20-44.948N 088-34-15.146W	FI R 2.5s		On skeleton tower on piles.	Lighted throughout 24 hours. Visible 2° each side of rangeline.
8115	Pascagoula Channel C Range Rear Light	30-21-16.298N 088-34-45.665W	F R		On pile.	Lighted throughout 24 hours. Visible 2° each side of rangeline.
8120	Pascagoula Channel Light 39	30-17-42.082N 088-31-21.878W	FI G 2.5s	0	3	SG on pile. Ra ref.
8125	Pascagoula Channel Light 40	30-17-46.341N 088-31-16.473W	FI R 2.5s	0	3	TR on pile. Ra ref.
8130	Pascagoula Channel Light 41	30-18-12.741N 088-31-52.075W	FI G 4s	0	4	SG on pile. Ra ref.
8135	Pascagoula Channel Light 42	30-18-18.741N 088-31-48.075W	FI R 4s	3	TR on pile. Ra ref.	
8140	Pascagoula Pipeline Channel Light E	30-18-03.000N 088-32-00.000W	FI Y 2.5s		On pile.	
8145	Pascagoula Pipeline Channel Light F	30-18-04.000N 088-31-08.000W	FI Y 2.5s		On pile.	
8150	Spoil Bank Daybeacon 4	30-18-27.500N 088-32-34.000W			TR on pile.	
8155	Spoil Bank Light 3	30-18-35.000N 088-32-41.000W	FI G 2.5s		SG on dolphin.	
8160	Spoil Bank Daybeacon 2	30-18-15.000N 088-32-51.500W			TR on pile.	
8165	Pascagoula Channel Spoil Bank Wreck Light WR	30-18-21.092N 088-33-17.700W	Q G	3	On pile. Ra ref.	
8170	Spoil Bank Light 1	30-18-22.500N 088-32-58.500W	FI G 2.5s		SG on dolphin.	
8175	Pascagoula Channel Light 43	30-18-43.740N 088-32-22.078W	FI G 6s	0	4	SG on pile. Ra ref.
8180	Pascagoula Channel Light 44	30-18-47.740N 088-32-16.078W	FI R 6s	0	4	TR on pile. Ra ref.
8185	Pascagoula Channel Light 45	30-19-16.740N 088-32-54.080W	FI G 4s	0	4	SG on pile. Ra ref.

8190	Pascagoula Channel Light 46	30-19-21.020N 088-32-48.512W	FI R 4s		3	TR on pile.	Ra ref.
8195	Pascagoula Channel Light 47	30-19-47.284N 088-33-24.786W	FI G 2.5s	0	3	SG on pile.	Ra ref.
8200	Pascagoula Channel Light 48	30-19-52.137N 088-33-18.978W	FI R 2.5s		3	TR on pile.	Ra ref.
8205	Pascagoula Channel Light 49	30-20-19.360N 088-33-55.698W	FI G 4s	0	4	SG on pile.	Ra ref.
8210	Pascagoula Channel Lighted Buoy 50	30-20-24.149N 088-33-49.823W	FI R 4s		4	Red.	
8215	Pascagoula Channel Lighted Buoy 51	30-20-31.704N 088-34-05.278W	Q G		3	Green.	
8220	Yazoo Lake Entrance Bouy 2	30-20-36.218N 088-33-55.146W				Red nun.	
8222	Yazoo Channel Daybeacon 1	30-20-50.810N 088-33-35.790W				SG on pile.	
8222.01	Yazoo Channel Daybeacon 2	30-20-50.340N 088-33-35.370W				TR on pile.	
8225	Pascagoula Channel Light 52	30-20-37.474N 088-33-57.414W	Q R	0	3	TR on pile.	Ra ref.
8226	Ingalls Security Barrier Danger Light	30-20-55.250N 088-33-56.840W	FI W 2.5s			Marks security barrier.	
8226.01	Ingalls Security Barrier Danger Light	30-20-51.870N 088-33-53.330W	FI W 2.5s			Marks security barrier.	
8226.02	Ingalls Security Barrier Danger Light	30-20-48.050N 088-33-55.490W	FI W 2.5s			Marks security barrier.	
8226.03	Ingalls Security Barrier Danger Light	30-20-47.570N 088-33-55.270W	FI W 2.5s			Marks security barrier.	
8227	Jackson County Barge Fleet Mooring Buoy	30-20-39.090N 088-34-52.300W				Barge fleet mooring buoy.	
8227.11	Jackson County Barge Fleet Mooring Buoy	30-20-38.870N 088-34-54.400W				Barge fleet mooring buoy.	
8227.12	Jackson County Barge Fleet Mooring Buoy	30-20-38.620N 088-34-56.790W				Barge fleet mooring buoy.	
8227.13	Jackson County Barge Fleet Mooring Buoy	30-20-37.480N 088-34-59.500W				Barge fleet mooring buoy.	
8227.14	Jackson County Barge Fleet Mooring Buoy	30-20-35.510N 088-34-59.280W				Barge fleet mooring buoy.	
8227.15	Jackson County Barge Fleet Mooring Buoy	30-20-33.540N 088-34-59.050W				Barge fleet mooring buoy.	
8227.16	Jackson County Barge Fleet Mooring Buoy	30-20-31.570N 088-34-58.830W				Barge fleet mooring buoy.	
8227.17	Jackson County Barge Fleet Mooring Buoy	30-20-29.600N 088-34-58.600W				Barge fleet mooring buoy.	
8230	Pascagoula Navy Channel Buoy 1	30-20-31.594N 088-34-25.572W				Green can.	
8240	Mississippi Gulf Fish Reef Light A	30-15-57.000N 088-38-55.000W	FI Y 6s			NY on pile.	Ra ref.
8245	Pascagoula River Obstruction Lighted Buoy 2	30-21-06.000N 088-33-58.200W	FI R 2.5s			Red.	
8250	Pascagoula River Obstruction Lighted Buoy 4	30-21-19.800N 088-33-51.600W	FI R 2.5s			Red.	
8255	Mississippi Power East Tower Light	30-22-15.000N 088-33-43.000W	FI Y 2.5s			On pile cluster.	
8260	Mississippi Power West Tower Light	30-22-18.000N 088-33-51.000W	FI Y 2.5s			On pile cluster.	
8265	Krebs Lake Channel Junction Daybeacon K	30-22-40.452N 088-33-50.613W			0	JR on pile.	Ra ref.
8270	Krebs Lake Channel Buoy 3	30-22-47.350N 088-33-46.503W				Green can.	
8275	Krebs Lake Channel Buoy 5	30-22-51.013N 088-33-42.082W				Green can.	
8280	Krebs Lake Channel Buoy 7	30-22-53.766N 088-33-30.410W				Green can.	
8285	Krebs Lake Channel Buoy 9	30-22-54.122N 088-33-19.472W				Green can.	
8290	Krebs Lake Channel Buoy 11	30-22-48.738N 088-33-00.083W				Green can.	
8295	Pascagoula River Daybeacon 4	30-22-46.718N 088-34-00.316W			0	TR on pile.	Ra ref.

8297	Jackson County Southwest No Wake Mark	30-22-39.920N 088-34-08.440W					Marks southwest zone.	
8297.01	Jackson County Middle No Wake Mark	30-22-45.400N 088-33-53.680W					Marks middle bay zone.	
8297.02	Jackson County Northeast No Wake Mark	30-22-46.960N 088-33-49.660W					Marks northeast zone.	
8300	Pascagoula River Daybeacon 5	30-22-58.556N 088-34-07.832W		0			SG on pile.	Ra ref.
8305	Pascagoula River Light 6	30-23-18.853N 088-33-50.829W	Q R	0	3		TR on pile.	Ra ref.
8310	Pascagoula River Light 7	30-23-37.004N 088-34-32.834W	FI G 2.5s		3		SG on pile.	Ra ref.
8315	Pascagoula River Daybeacon 8	30-23-54.194N 088-34-40.088W		0			TR on pile.	Ra ref.
8320	Pascagoula River Light 10	30-24-08.677N 088-34-57.073W	FI R 2.5s	0	3		TR on pile.	Ra ref.
8325	Pascagoula River Light 11	30-24-19.937N 088-35-04.390W	FI G 4s		4		SG on pile.	Ra ref.
8330	Pascagoula River Daybeacon 12	30-24-44.128N 088-34-59.650W		0			TR on pile.	Ra ref.
8335	Pascagoula River Light 14	30-24-54.496N 088-34-53.890W	FI R 4s	0	3		TR on pile.	Ra ref.
8340	Pascagoula River Daybeacon 16	30-25-09.811N 088-34-21.938W					TR on pile.	Ra ref.
8345	Pascagoula River Daybeacon 17	30-25-13.643N 088-34-00.540W		0			SG on pile.	Ra ref.
8350	Escatawpa River Daybeacon 1	30-25-22.226N 088-33-31.208W		0			SG on pile.	Ra ref.
8355	Escatawpa River Daybeacon 2	30-25-22.868N 088-33-10.232W		0			TR on pile.	Ra ref.
8360	Escatawpa River Cutoff Light 3	30-25-33.045N 088-32-28.890W	FI G 4s		4		SG on pile.	Ra ref.
8365	Escatawpa River Daybeacon 4	30-25-23.790N 088-32-17.109W		0			TR on pile.	Ra ref.
8370	Escatawpa River Daybeacon 5	30-25-23.463N 088-32-06.632W					SG on pile.	Ra ref.
8375	Escatawpa River Cutoff Light 6	30-25-16.389N 088-31-57.443W	FI R 4s		3		TR on skeleton tower.	Ra ref.
8380	Escatawpa River Daybeacon 8	30-25-08.969N 088-31-42.131W					TR on pile.	Ra ref.
8385	Escatawpa River Cutoff Light 9	30-25-06.936N 088-31-28.922W	FI G 4s		4		SG on skeleton tower on piles.	Ra ref.
8390	Bayou Casotte Channel A Range Front Light	30-20-08.517N 088-30-45.833W	FI G 2.5s	35			Skeleton tower on piles.	
8395	Bayou Casotte Channel A Range Front Light Passing Light	30-20-08.540N 088-30-45.837W	FI W 4s	35	6		On same structure as Bayou Casotte Channel Range A Front Light.	
8400	Bayou Casotte Channel A Range Rear Light	30-20-36.247N 088-30-45.748W	Iso G 6s				Skeleton tower on piles.	
8405	Bayou Casotte Channel D Range Front Light	30-16-25.521N 088-30-46.568W	Q W				KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
8410	Bayou Casotte Channel D Range Rear Light	30-15-47.140N 088-30-46.667W	Iso W 6s				KRW on skeleton tower on piles.	
8415	Bayou Casotte Channel D Range Rear Light Passing Light	30-15-47.140N 088-30-46.667W	FI W 4s		4		On same structure as Bayou Casotte Channel D Rear Light.	
8420	Bayou Casotte Channel Light 1	30-17-44.054N 088-30-50.266W	FI G 2.5s	0	3		SG on pile.	Ra ref.
8425	Bayou Casotte Channel Light 2	30-17-43.978N 088-30-42.506W	FI R 2.5s	0	3		TR on pile.	Ra ref.
8430	Bayou Casotte Channel Light 3	30-18-13.336N 088-30-49.932W	FI G 4s	0	4		SG on pile.	Ra ref.
8435	Bayou Casotte Channel Light 4	30-18-13.274N 088-30-42.438W	FI R 4s	0	3		TR on pile.	Ra ref.
8440	Bayou Casotte Channel Pipeline Light A	30-18-38.400N 088-30-54.210W	FI Y 2.5s				On pile.	
8445	Bayou Casotte Channel Pipeline Light B	30-18-43.700N 088-30-37.500W	FI Y 2.5s				On pile.	
8450	Bayou Casotte Channel Light 5	30-18-49.940N 088-30-49.585W	FI G 4s	0	4		SG on pile.	Ra ref.
8455	Bayou Casotte Channel Light 6	30-18-49.940N 088-30-42.595W	FI R 4s	0	3		TR on pile.	Ra ref.

8460	Gulf LNG Light 2	30-19-08.012N 088-30-34.354W	FI R 6s			TR on pile.	
8465	Gulf LNG Light 4	30-19-14.499N 088-30-25.095W	FI R 6s			TR on pile.	
8470	Bayou Casotte Channel Light 7	30-19-11.878N 088-30-49.643W	FI G 2.5s	0	3	SG on pile.	Ra ref.
8475	Bayou Casotte Channel Light 8	30-18-57.305N 088-30-42.671W	FI R 2.5s	0	3	TR on pile.	Ra ref.
8480	Bayou Casotte Light 9	30-19-21.087N 088-30-49.072W	FI G 2.5s	0	4	SG on pile.	Ra ref.
8485	Bayou Casotte Channel Light 10	30-19-22.029N 088-30-42.195W	Q R	0	3	TR on pile.	Ra ref.
8490.01	Bayou Casotte Channel Lighted Buoy 10A	30-19-40.933N 088-30-40.445W	FI R 6s		3	Red.	
8495	Bayou Casotte Channel Light 11	30-19-39.425N 088-30-49.172W	Q G	0	3	SG on pile.	Ra ref.
8500	Bayou Casotte Channel Light 11A	30-19-58.238N 088-30-53.876W	FI G 6s	0	4	SG on pile.	Ra ref.
8505	Bayou Casotte Channel Light 11B	30-20-04.716N 088-30-52.451W	FI G 6s		4	SG on pile.	Ra ref.
8510	Bayou Casotte Channel B Range Front Light	30-21-08.160N 088-30-22.110W	Q W	15		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
8515	Bayou Casotte Channel B Range Rear Light	30-21-33.335N 088-30-15.260W	Iso W 6s		12	KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
8520.01	Bayou Casotte Lighted Buoy 12	30-21-08.570N 088-30-26.724W	FI R 2.5s		3		
8522	Mississippi Phosphates Lighted Danger Buoy	30-21-07.360N 088-30-20.330W	FI W 2.5s			Marks submerged pipe.	
8525	Chevron Dock 4 Lights (2)	30-19-51.000N 088-30-39.000W	FI R 2.5s			On dolphins.	
8530	Standard Oil Dock Lights (2)	30-20-07.200N 088-30-34.100W	FI R 2.5s			On mooring dolphin.	
8535	Chevron No. 4 Dock Lights (2)	30-20-11.000N 088-30-33.000W	FI R 2.5s			On dolphins at end of dock.	
8540	Bayou Casotte Channel C Range Front Light	30-19-19.733N 088-30-51.914W	Q W		5	KWR on tower.	Visible all around; higher intensity beam on rangeline.
8545	Bayou Casotte Channel C Range Rear Light	30-18-55.657N 088-30-58.465W	Iso W 6s		7	KWR on tower.	Visible all around; higher intensity on rangeline.
8550	Bayou Chico Jetty Light	30-20-15.900N 088-31-33.000W	FI R 2.5s			On pile.	
8555	Mississippi Gulf Fish Reef Light E	30-20-07.080N 088-31-56.040W	FI Y 4s			NY on pile.	Ra ref.
8560	Mississippi Gulf Fish Reef Light B	30-17-53.040N 088-35-53.040W	FI Y 4s			NY on pile.	Ra ref.
8565	U.S.G.S. Round Island Monitoring Platform Light	30-18-29.600N 088-35-02.500W	FI Y 2.5s			On pile.	
8570	Pascagoula Bay Channel Daybeacon 2	30-20-02.000N 088-36-03.000W				TR on pile.	
8575	Pascagoula Bay Channel Daybeacon 4	30-20-39.000N 088-36-03.000W				TR on pile.	
8578	Graveline Bayou Channel Daybeacon 1	30-21-13.080N 088-39-45.310W				SG on pile.	
8578.01	Graveline Bayou Channel Daybeacon 2	30-21-12.920N 088-39-44.470W				TR on pile.	
8578.02	Graveline Bayou Channel Daybeacon 3	30-21-22.750N 088-39-42.860W				SG on pile.	
8578.03	Graveline Bayou Channel Daybeacon 4	30-21-22.590N 088-39-42.030W				TR on pile.	
8578.04	Graveline Bayou Channel Daybeacon 5	30-21-33.380N 088-39-40.170W				SG on pile.	
8578.05	Graveline Bayou Channel Daybeacon 6	30-21-33.220N 088-39-39.340W				TR on pile.	
8578.06	Graveline Bayou Channel Daybeacon 7	30-21-35.280N 088-39-39.720W				SG on pile.	
8578.07	Graveline Bayou Channel Daybeacon 8	30-21-35.200N 088-39-38.870W				TR on pile.	
8578.08	Graveline Bayou Channel Daybeacon 9	30-21-37.740N 088-39-40.630W				SG on pile.	
8578.09	Graveline Bayou Channel Daybeacon 10	30-21-38.230N 088-39-39.990W				TR on pile.	

8578.11	Graveline Bayou Channel Daybeacon 11	30-21-39.640N 088-39-43.180W					SG on pile.	
8578.12	Graveline Bayou Channel Daybeacon 12	30-21-40.210N 088-39-42.630W					TR on pile.	
8578.13	Graveline Bayou Channel Daybeacon 13	30-21-43.340N 088-39-51.220W					SG on pile.	
8578.14	Graveline Bayou Channel Daybeacon 14	30-21-43.990N 088-39-50.820W					TR on pile.	
8580	Round Island Breakwater Obstruction Lights (6)	30-17-28.980N 088-35-18.780W	FI W 2.5s				NW on pile worded DANGER BREAKWATER	
8585	Mississippi Sound Pipeline Light Cp-7	30-17-09.600N 088-35-44.770W	Q W				On pile.	
8590	Round Island North Spit Light 2	30-19-26.681N 088-36-30.543W	FI R 4s	0	4		TR on skeleton tower on piles.	Ra ref.
8595	Dog Keys Pass Lighted Buoy 2	30-14-42.743N 088-46-56.117W	FI R 2.5s		3		Red.	
8600	Dog Keys Pass Buoy 3	30-15-18.743N 088-46-28.116W					Green can.	
8639	Deer Island Breakwater Southeast Danger Light	30-21-14.820N 088-49-54.660W	FI W 2.5s				Marks southeast end of breakwater.	
8640	Deer Island Breakwater Danger Light	30-21-14.440N 088-49-57.700W	FI W 2.5s				NW on pile worded DANGER.	
8645	Deer Island Breakwater Danger Light	30-21-17.840N 088-50-08.170W	FI W 2.5s				NW on pile worded DANGER.	
8650	Deer Island Breakwater Danger Light	30-21-18.120N 088-50-07.940W	FI W 2.5s				NW on pile worded DANGER.	
8655	Deer Island Breakwater Danger Light	30-21-21.300N 088-50-16.700W	FI W 2.5s				NW on pile worded DANGER.	
8660	Deer Island Breakwater Danger Light	30-21-21.580N 088-50-16.460W	FI W 2.5s				NW on pile worded DANGER.	
8665	Deer Island Breakwater Danger Light	30-21-25.150N 088-50-25.060W	FI W 2.5s				NW on pile worded DANGER.	
8670	Deer Island Breakwater Danger Light	30-21-25.460N 088-50-24.880W	FI W 2.5s				NW on pile worded DANGER.	
8675	Deer Island Breakwater Danger Light	30-21-28.610N 088-50-33.540W	FI W 2.5s				NW on pile worded DANGER.	
8677.01	MDMR Katrina Key Danger Breakwater Light	30-21-33.240N 088-50-46.260W	FI W 2.5s				Marks breakwater structure.	
8677.04	MDMR Katrina Key Danger Breakwater Light	30-21-35.520N 088-50-51.060W	FI W 2.5s				Marks breakwater structure.	
8677.05	MDMR Katrina Key Danger Breakwater Light	30-21-37.620N 088-50-55.560W	FI W 2.5s				Marks breakwater structure.	
8677.03	MDMR Katrina Key Danger Breakwater Light	30-21-37.140N 088-50-52.440W	FI W 2.5s				Marks breakwater structure.	
8677.02	MDMR Katrina Key Danger Breakwater Light	30-21-35.580N 088-50-48.000W	FI W 2.5s				Marks breakwater structure.	
8677	Deer Island Breakwater Northwest Danger Light	30-21-32.460N 088-50-44.820W	FI W 2.5s				Marks northwest end of breakwater.	
8678	Mississippi DMR Aquaculture Farm Special Light A	30-21-33.105N 088-50-12.696W	FI Y 2.5s				Marks perimeter of aquaculture farm.	
8678.01	Mississippi DMR Aquaculture Farm Special Light B	30-21-37.177N 088-50-10.399W	FI Y 2.5s				Marks perimeter of aquaculture farm.	
8678.02	Mississippi DMR Aquaculture Farm Special Light C	30-21-42.148N 088-50-21.890W	FI Y 2.5s				Marks perimeter of aquaculture farm.	
8678.03	Mississippi DMR Aquaculture Farm Special Light D	30-21-48.776N 088-50-37.212W	FI Y 2.5s				Marks perimeter of aquaculture farm.	
8678.04	Mississippi DMR Aquaculture Farm Special Light F	30-22-00.047N 088-50-49.920W					Marks perimeter of aquaculture farm.	
8678.05	Mississippi DMR Aquaculture Farm Special Light G	30-22-05.084N 088-51-01.166W	FI Y 2.5s				Marks perimeter of aquaculture farm.	
8678.06	Mississippi DMR Aquaculture Farm Special Light H	30-22-00.998N 088-51-08.215W	FI Y 2.5s				Marks perimeter of aquaculture farm.	
8678.07	Mississippi DMR Aquaculture Farm Special Light I	30-21-52.976N 088-50-58.524W	FI Y 2.5s				Marks perimeter of aquaculture farm.	

8678.08	Mississippi DMR Aquaculture Farm Special Light J	30-21-46.339N 088-50-43.209W	FI Y 2.5s				Marks perimeter of aquaculture farm.
8678.09	Mississippi DMR Aquaculture Farm Special Light K	30-21-39.697N 088-50-27.895W	FI Y 2.5s				Marks perimeter of aquaculture farm.
8678.11	Mississippi DMR Special Light L	30-21-55.587N 088-51-11.462W	FI Y 2.5s				Marks perimeter of aquaculture farm.
8678.12	Mississippi DMR Special Light M	30-22-03.345N 088-51-06.829W	FI Y 2.5s				Marks perimeter of aquaculture farm.
8678.13	Mississippi DMR Special Light Q	30-22-11.269N 088-51-21.308W	FI Y 2.5s				Marks perimeter of aquaculture farm.
8678.14	Mississippi DMR Special Light U	30-22-18.660N 088-51-36.158W	FI Y 2.5s				Marks perimeter of aquaculture farm.
8678.15	Mississippi DMR Special Light Y	30-22-25.698N 088-51-51.235W	FI Y 2.5s				Marks perimeter of aquaculture farm.
8678.16	Mississippi DMR Special Light EE	30-22-20.182N 088-52-07.327W	FI Y 2.5s				Marks perimeter of aquaculture farm.
8678.17	Mississippi DMR Special Light HH	30-22-15.754N 088-51-57.265W	FI Y 2.5s				Marks perimeter of aquaculture farm.
8678.18	Mississippi DMR Special Light LL	30-22-09.033N 088-51-41.997W	FI Y 2.5s				Marks perimeter of aquaculture farm.
8678.19	Mississippi DMR Special Light PP	30-22-02.308N 088-51-26.730W	FI Y 2.5s				Marks perimeter of aquaculture farm.
8680	Deer Island Wreck Daybeacon DI	30-21-46.244N 088-52-54.644W		0			NW on pile worded DANGER WRECK.
8685	Mississippi Gulf Keesler Fish Reef Light	30-21-54.000N 088-53-00.000W	FI Y 6s				NY on pile.
8690	Deer Island Wreck Light WR2	30-21-43.720N 088-52-54.126W	Q R	0	4		TR on pile. Ra ref.
8695	Biloxi East Channel Daybeacon 1	30-18-00.488N 088-46-33.997W		0			SG on pile. Ra ref.
8700	Biloxi East Channel Light 2	30-18-00.164N 088-46-29.470W	FI R 6s	0	4		TR on pile. Ra ref.
8705	Biloxi East Channel Daybeacon 3	30-18-32.671N 088-46-33.992W		0			SG on pile. Ra ref.
8710	Biloxi East Channel Light 4	30-18-34.204N 088-46-29.161W	FI R 4s	0	3		TR on pile. Ra ref.
8715	Biloxi East Channel Daybeacon 5	30-19-09.185N 088-46-33.930W		0			SG on pile. Ra ref.
8720	Biloxi East Channel Daybeacon 6	30-19-09.294N 088-46-28.948W		0			TR on pile. Ra ref.
8725	Biloxi East Channel Daybeacon 7	30-19-42.427N 088-46-33.975W		0			SG on pile. Ra ref.
8730	Biloxi East Channel Wreck Light WR7A	30-19-53.429N 088-46-55.556W	Q G	0	3		SG on pile. Ra ref.
8735	Biloxi East Channel Light 8	30-19-42.625N 088-46-28.707W	FI R 2.5s	0	3		TR on pile. Ra ref.
8740	Biloxi East Channel Daybeacon 9	30-20-21.495N 088-46-34.419W		15			SG on pile. Ra ref.
8745	Biloxi East Channel Light 10	30-20-20.978N 088-46-28.434W	Q R	0	3		TR on pile. Ra ref.
8750	Biloxi East Channel Daybeacon 11	30-20-50.814N 088-46-47.914W		0			SG on pile. Ra ref.
8755	Biloxi East Channel Daybeacon 12	30-20-52.254N 088-46-43.717W		0			TR on pile. Ra ref.
8760	Biloxi East Channel Daybeacon 13	30-21-23.286N 088-47-05.491W		0			SG on pile. Ra ref.
8765	Biloxi East Channel Light 14	30-21-23.495N 088-47-00.138W	Q R	0	3		TR on pile. Ra ref.
8770	Biloxi East Channel Daybeacon 16	30-21-47.718N 088-47-29.918W		0			TR on pile. Ra ref.
8775	Biloxi East Channel Daybeacon 17	30-22-07.997N 088-48-04.194W		0			SG on pile. Ra ref.
8780	Biloxi East Channel Light 18	30-22-11.654N 088-47-59.681W	FI R 2.5s		3		TR on pile. Ra ref.
8785	Biloxi East Channel Daybeacon 20	30-22-36.736N 088-48-30.123W		0			TR on pile. Ra ref.
8790	Biloxi East Channel Daybeacon 21	30-22-55.297N 088-49-00.258W		14			SG on pile. Ra ref.
8795	Biloxi East Channel Light 22	30-22-59.166N 088-48-58.564W	FI R 2.5s	0	3		TR on pile. Ra ref.

8800	Biloxi East Channel Daybeacon 24	30-23-23.067N 088-49-28.848W		0		TR on pile.	Ra ref.
8805	Biloxi East Channel Light 26	30-23-38.545N 088-49-47.786W	Q R	15	3	TR on pile.	Ra ref.
8807	MDEQ Biloxi East Special Lighted Buoy A	30-23-44.151N 088-49-51.879W	FI Y 2.5s			Marks subtidal reef.	
8807.01	MDEQ Biloxi East Special Lighted Buoy B	30-23-46.182N 088-49-50.184W	FI Y 2.5s			Marks subtidal reef.	
8810	Biloxi East Channel Daybeacon 27	30-23-43.057N 088-50-01.474W		0		SG on pile.	Ra ref.
8812	MDEQ Biloxi East Special Lighted Buoy C	30-23-50.888N 088-50-03.084W	FI Y 2.5s			Marks subtidal reef.	
8812.01	MDEQ Biloxi East Special Lighted Buoy D	30-23-57.511N 088-50-03.964W	FI Y 2.5s			Marks subtidal reef.	
8812.02	MDEQ Biloxi East Special Lighted Buoy E	30-24-04.901N 088-49-44.618W	FI Y 2.5s			Marks subtidal reef.	
8812.03	MDEQ Biloxi East Special Lighted Buoy F	30-24-08.007N 088-49-51.992W	FI Y 2.5s			Marks subtidal reef.	
8815	Biloxi East Channel Light 29	30-23-48.684N 088-50-12.200W	FI G 2.5s	0	4	SG on pile.	Ra ref.
8820	Biloxi East Channel Daybeacon 30	30-23-54.926N 088-50-12.052W		0		TR on pile.	Ra ref.
8825	Biloxi East Channel Daybeacon 31	30-23-59.077N 088-50-25.734W				SG on pile.	Ra ref.
8830.22	Davis Bayou Channel Daybeacon 26	30-23-15.430N 088-47-29.040W				TR on pile.	
8830.21	Davis Bayou Channel Daybeacon 13	30-23-20.780N 088-47-34.000W				SG on pile.	
8830.19	Davis Bayou Channel Daybeacon 24	30-23-19.780N 088-47-34.880W				TR on pile.	
8830.18	Davis Bayou Channel Daybeacon 11	30-23-25.590N 088-47-39.860W				SG on pile.	
8830.17	Davis Bayou Channel Daybeacon 22	30-23-24.460N 088-47-40.120W				TR on pile.	
8830.16	Davis Bayou Channel Daybeacon 20	30-23-26.530N 088-47-46.250W				TR on pile.	
8830.15	Davis Bayou Channel Daybeacon 9	30-23-27.960N 088-47-46.660W				SG on pile.	
8830.14	Davis Bayou Channel Daybeacon 7	30-23-28.800N 088-47-50.230W				SG on pile.	
8830.13	Davis Bayou Channel Daybeacon 18	30-23-27.780N 088-47-51.740W				TR on pile.	
8830.12	Davis Bayou Channel Daybeacon 16	30-23-28.190N 088-47-57.300W				TR on pile.	
8830.11	Davis Bayou Channel Daybeacon 5	30-23-29.720N 088-48-05.880W				SG on pile.	
8830.09	Davis Bayou Channel Daybeacon 14	30-23-28.440N 088-48-06.150W				TR on pile.	
8830.08	Davis Bayou Channel Daybeacon 12	30-23-28.430N 088-48-11.000W				TR on pile.	
8830.07	Davis Bayou Channel Daybeacon 10	30-23-29.200N 088-48-19.000W				TR on pile.	
8830.06	Davis Bayou Channel Danger Light	30-23-33.320N 088-48-29.230W	FI W 2.5s			NW on pile worded DANGER SUBMERGED ROCKS.	
8830.05	Davis Bayou Channel Daybeacon 8	30-23-32.010N 088-48-32.620W				TR on pile.	
8830.04	Davis Bayou Channel Daybeacon 3	30-23-34.730N 088-48-39.710W				SG on pile.	
8830.03	Davis Bayou Channel Daybeacon 6	30-23-32.340N 088-48-42.050W				TR on pile.	
8830.02	Davis Bayou Channel Daybeacon 4	30-23-31.420N 088-48-45.620W				TR on pile.	
8830.01	Davis Bayou Channel Light 2	30-23-30.040N 088-48-51.900W	FI R 2.5s			TR on pile.	
8830	Davis Bayou Channel Daybeacon 1	30-23-31.610N 088-48-52.760W				SG on pile.	
8831	Univ of Southern Mississippi Research Vessel Preferred Channel Daybeacon B	30-23-30.966N 088-47-46.248W				JR on pile.	
8950	Ocean Springs Channel Light 2	30-23-53.495N 088-49-37.956W	FI R 2.5s		3	TR on dolphin.	

8955	Biloxi Light	30-23-42.000N 088-54-06.000W	Oc W 4s			White conical tower black balustrade.	Higher intensity beam to south.
8960	Biloxi Channel Daybeacon 1	30-21-35.101N 088-54-13.403W		0		SG on pile.	Ra ref.
8965	Biloxi Channel Light 2	30-21-35.697N 088-54-07.538W	FI R 6s	0	4	TR on pile.	Ra ref.
8970	Biloxi Channel Light 4	30-22-07.183N 088-54-06.657W	FI R 6s	0	4	TR on pile.	Ra ref.
8975	Biloxi Channel Daybeacon 5	30-22-37.537N 088-54-10.269W		0		SG on pile.	Ra ref.
8980	Biloxi Channel Light 6	30-22-35.449N 088-54-05.976W	FI R 4s		3	TR on pile.	Ra ref.
8985	Biloxi Channel Light 8	30-22-58.872N 088-54-05.722W	FI R 2.5s	0	3	TR on pile.	Ra ref.
8990	Biloxi Channel Daybeacon 9	30-23-14.358N 088-54-07.027W		0		SG on pile.	Ra ref.
8995	Biloxi Channel Light 10	30-23-14.634N 088-54-03.035W	Q R	0	3	TR on pile.	Ra ref.
9000	Biloxi Channel Light 12	30-23-21.734N 088-53-56.935W	FI R 2.5s	0	3	TR on pile.	Ra ref.
9005	Biloxi Channel Daybeacon 14	30-23-25.262N 088-53-47.543W		0		TR on pile.	Ra ref.
9010	Biloxi Channel Daybeacon 16	30-23-25.734N 088-53-30.134W		0		TR on pile.	Ra ref.
9015	Biloxi Small Craft Harbor Entrance West Light	30-23-26.400N 088-53-02.400W	FI G 4s			SG on bulkhead.	
9020	Biloxi Small Craft Harbor Entrance East Light	30-23-26.400N 088-53-01.200W	FI R 4s			TR on bulkhead.	
9025	Biloxi Commercial Docking East Entrance Light	30-23-27.000N 088-53-12.000W	FI R 2.5s			TR on bulkhead.	
9030	Biloxi Commercial Docking West Entrance Light	30-23-27.000N 088-53-13.000W	FI G 2.5s			SG on bulkhead.	
9035	Biloxi Channel Light 18	30-23-23.761N 088-53-01.063W	FI R 2.5s	0	3	TR on pile.	Ra ref.
9040	Biloxi Channel Daybeacon 20	30-23-22.335N 088-52-36.632W				TR on pile.	Ra ref.
9045	Biloxi Channel Light 21	30-23-23.963N 088-52-14.521W	Q G	0	3	SG on pile.	Ra ref.
9050	Biloxi Channel Daybeacon 22	30-23-20.020N 088-52-13.826W		15		TR on pile.	Ra ref.
9055	Grand Casino Light	30-23-24.890N 088-51-56.120W	FI G 2.5s			On barge.	
9060	Biloxi Channel Daybeacon 24	30-23-17.120N 088-51-50.726W		0		TR on pile.	Ra ref.
9062	MDEQ Deer Island Reef Special Lighted Buoy A	30-22-56.610N 088-51-18.810W	FI Y 2.5s			Marks perimeter of reef.	
9062.01	MDEQ Deer Island Reef Special Lighted Buoy B	30-23-02.970N 088-51-12.930W	FI Y 2.5s			Marks perimeter of reef.	
9062.02	MDEQ Deer Island Reef Special Lighted Buoy C	30-23-09.340N 088-51-07.050W	FI Y 2.5s			Marks perimeter of reef.	
9062.03	MDEQ Deer Island Reef Special Lighted Buoy D	30-23-11.430N 088-51-19.780W	FI Y 2.5s			Marks perimeter of reef.	
9062.04	MDEQ Deer Island Reef Special Lighted Buoy E	30-23-13.700N 088-51-33.610W	FI Y 2.5s			Marks perimeter of reef.	
9062.05	MDEQ Deer Island Reef Special Lighted Buoy F	30-23-14.720N 088-51-45.700W	FI Y 2.5s			Marks perimeter of reef.	
9062.06	MDEQ Deer Island Reef Special Lighted Buoy G	30-23-04.240N 088-51-55.720W	FI Y 2.5s			Marks perimeter of reef.	
9065	Point Cadet Marina Breakwater Light 1	30-23-18.100N 088-51-40.970W	Q G			SG atop breakwater wall.	
9070	Point Cadet Marina Breakwater Daybeacon 2	30-23-19.610N 088-51-40.970W				TR atop breakwater wall.	
9075	Point Cadet Marina Breakwater Light 3	30-23-18.120N 088-51-36.130W	FI G 4s			SG atop breakwater wall.	
9080	Point Cadet Marina Breakwater Daybeacon 4	30-23-18.130N 088-51-31.820W				TR atop breakwater wall.	
9085	Point Cadet Marina Breakwater Light 5	30-23-18.170N 088-51-26.960W	FI G 4s			SG atop breakwater wall.	
9090	Point Cadet Marina Breakwater Daybeacon 6	30-23-18.250N 088-51-25.630W				TR atop breakwater wall.	

9095	Biloxi Channel Daybeacon 26	30-23-15.200N 088-51-34.491W				TR on pile.	Ra ref.
9100	Biloxi Channel Light 27	30-23-16.855N 088-51-22.483W	Q G	0	3	SG on dolphin.	Ra ref.
9105	Biloxi Channel Daybeacon 28	30-23-12.368N 088-51-08.327W				TR on pile.	Ra ref.
9110	Biloxi Channel Light 30	30-23-11.135N 088-50-54.524W	Q R	0	3	TR on pile.	Ra ref.
9115	Biloxi Channel Daybeacon 32	30-23-18.774N 088-50-35.306W				TR on pile.	Ra ref.
9120	Biloxi Channel Light 34	30-23-24.205N 088-50-21.297W	FI R 2.5s	0	3	TR on pile.	Ra ref.
9125	Biloxi Channel Daybeacon 35	30-23-36.736N 088-49-54.125W				SG on pile.	Ra ref.
9130	Ott Bayou Channel Daybeacon 1	30-24-24.196N 088-51-01.666W				SG on pile.	Ra ref.
9135	Ott Bayou Channel Daybeacon 3	30-24-14.622N 088-51-23.271W				SG on pile.	Ra ref.
9140	Ott Bayou Channel Daybeacon 5	30-24-11.580N 088-51-26.444W				SG on pile.	Ra ref.
9145	Ott Bayou Channel Daybeacon 7	30-23-54.140N 088-51-29.186W				SG on pile.	Ra ref.
9150	Palace Casino Marina Entrance Light 1	30-23-52.200N 088-51-36.300W	FI G 4s			SG on pile.	
9155	Palace Casino Marina Entrance Light 2	30-23-52.200N 088-51-34.200W	FI R 2.5s			TR on pile.	
9160.23	Old Fort Bayou Channel Daybeacon 28	30-25-07.108N 088-49-54.782W				TR on pile.	
9160.22	Old Fort Bayou Channel Daybeacon 13	30-25-10.507N 088-50-00.480W				SG on pile.	
9160.21	Old Fort Bayou Channel Daybeacon 26	30-25-12.805N 088-50-09.512W				TR on pile.	
9160.19	Old Fort Bayou Channel Daybeacon 24	30-25-16.134N 088-50-14.724W				TR on pile.	
9160.18	Old Fort Bayou Channel Light 22	30-25-16.972N 088-50-18.671W	FI R 2.5s			TR on pile.	
9160.17	Old Fort Bayou Channel Daybeacon 20	30-25-17.360N 088-50-21.613W				TR on pile.	
9160.15	Old Fort Bayou Channel Daybeacon 11	30-25-19.399N 088-50-21.250W				SG on pile.	
9160.14	Old Fort Bayou Channel Daybeacon 18	30-25-17.160N 088-50-24.691W				TR on pile.	
9160.13	Old Fort Bayou Channel Daybeacon 16	30-25-17.356N 088-50-35.213W				TR on pile.	
9160.12	Old Fort Bayou Channel Daybeacon 9	30-25-21.885N 088-50-37.136W				SG on pile.	
9160.11	Old Fort Bayou Channel Daybeacon 14	30-25-23.164N 088-50-42.571W				TR on pile.	
9160.09	Old Fort Bayou Channel Daybeacon 12	30-25-27.612N 088-50-46.853W				TR on pile.	
9160.08	Old Fort Bayou Channel Daybeacon 7	30-25-35.471N 088-50-53.006W				SG on pile.	
9160.07	Old Fort Bayou Channel Daybeacon 10	30-25-35.410N 088-50-55.782W				TR on pile.	
9160.06	Old Fort Bayou Channel Daybeacon 8	30-25-36.628N 088-51-03.180W				TR on pile.	
9160.05	Old Fort Bayou Channel Daybeacon 5	30-25-38.647N 088-51-04.864W				SG on pile.	
9160.04	Old Fort Bayou Channel Daybeacon 6	30-25-35.066N 088-51-09.290W				TR on pile.	
9160.03	Old Fort Bayou Channel Daybeacon 4	30-25-29.814N 088-51-13.801W				TR on pile.	
9160.02	Old Fort Bayou Channel Daybeacon 3	30-25-29.203N 088-51-15.952W				SG on pile.	
9160.01	Old Fort Bayou Channel Light 2	30-25-24.572N 088-51-16.814W	FI R 2.5s			TR on pile.	
9160	Old Fort Bayou Channel Daybeacon 1	30-25-24.521N 088-51-18.553W				SG on pile.	
9260	Back Bay Of Biloxi Buoy 2	30-24-42.939N 088-51-08.125W				Red nun.	

9265	Back Bay of Biloxi Light 3	30-24-40.377N 088-51-14.826W	FI G 2.5s	0	3	SG on pile.	Ra ref.
9270	Back Bay Of Biloxi Wreck Light WR3A	30-24-39.743N 088-51-30.341W	Q G	0	3	SG on pile.	Ra ref.
9275	Back Bay Of Biloxi Daybeacon 4	30-24-44.673N 088-51-43.552W		0		TR on pile.	Ra ref.
9280	Back Bay Of Biloxi Daybeacon 5	30-24-40.836N 088-51-43.055W		0		SG on pile.	Ra ref.
9282	MDEQ Big Island Danger Breakwater Light	30-25-02.911N 088-52-10.293W	FI W 2.5s			Marks breakwater structure.	
9282.01	MDEQ Big Island Danger Breakwater Light	30-24-56.276N 088-52-11.596W	FI W 2.5s			Marks breakwater structure.	
9285	Back Bay Of Biloxi Wreck Light WR5A	30-24-39.128N 088-52-18.708W	Q G	15	3	SG on pile.	Ra ref.
9287	MDEQ Big Island Danger Breakwater Light	30-24-49.175N 088-52-21.531W	FI W 2.5s			Marks breakwater structure.	
9287.01	MDEQ Big Island Danger Breakwater Light	30-24-49.400N 088-52-30.539W	FI W 2.5s			Marks breakwater structure.	
9290	Back Bay of Biloxi Light 6	30-24-48.967N 088-52-39.140W	FI R 2.5s	0	3	TR on pile.	Ra ref.
9295	Back Bay Of Biloxi Light 7	30-24-42.629N 088-52-31.701W	Oc G 4s	0	3	SG on dolphin.	Ra ref.
9300	Back Bay Of Biloxi Daybeacon 8	30-24-50.916N 088-52-42.882W		0		TR on pile.	Ra ref.
9302	MDEQ Big Island Danger Breakwater Light	30-24-49.929N 088-52-40.903W	FI W 2.5s			Marks breakwater structure.	
9305	Biloxi Port Commission Fishing Dock Light	30-24-47.713N 088-52-46.832W	FI G 2.5s			On dolphins.	
9307	MDEQ Big Island Danger Breakwater Light	30-24-55.763N 088-52-49.613W	FI W 2.5s			Marks breakwater structure.	
9307.01	MDEQ Big Island Danger Breakwater Light	30-25-02.377N 088-52-53.777W	FI W 2.5s			Marks breakwater structure.	
9310	Back Bay Of Biloxi Daybeacon 10	30-25-04.229N 088-53-00.934W		0		TR on pile.	Ra ref.
9315	American Commercial Dolphin Lights (4)	30-25-04.000N 088-53-13.000W	FI G 2.5s			On dolphins.	
9320	Mississippi Power Electrical Tower Crossing Light	30-25-19.000N 088-53-28.000W	FI G 2.5s			On dolphin.	
9325	Mississippi Power Electrical Tower Crossing Light	30-25-15.000N 088-53-28.000W	FI R 2.5s			On dolphin.	
9330	Back Bay Of Biloxi Daybeacon 12	30-25-35.828N 088-54-06.962W		15		TR on pile.	Ra ref.
9332	Back Bay of Biloxi Lighted Buoy 13	30-25-29.342N 088-54-25.160W	FI G 4s		3	Green can.	
9335	Back Bay Of Biloxi Daybeacon 14	30-25-32.525N 088-54-47.361W		0		TR on pile.	Ra ref.
9340	Back Bay Of Biloxi Daybeacon 16	30-25-22.332N 088-55-21.239W		0		TR on pile.	Ra ref.
9345	Back Bay Of Biloxi Light 18	30-25-03.373N 088-55-54.894W	FI R 2.5s	0	3	TR on pile.	Ra ref.
9350	Back Bay Of Biloxi Light 19	30-25-12.732N 088-56-48.143W	FI G 4s	0	3	SG on pile.	Ra ref.
9355	Back Bay Of Biloxi Daybeacon 20	30-25-18.732N 088-56-54.143W		0		TR on pile.	Ra ref.
9357	Back Bay of Biloxi Lighted Buoy 21	30-25-12.167N 088-57-49.470W	FI G 2.5s		3	Green can.	
9360	Back Bay Of Biloxi Daybeacon 22	30-25-14.160N 088-57-34.213W		0		TR on pile.	Ra ref.
9365	Back Bay Of Biloxi Daybeacon 23	30-25-10.027N 088-57-56.549W		0		SG on pile.	Ra ref.
9370	Back Bay Of Biloxi Daybeacon 24	30-25-06.863N 088-58-13.968W		0		TR on pile.	Ra ref.
9375	Biloxi River Light 1	30-25-23.219N 088-58-46.548W	FI G 4s	0	3	SG on pile.	Ra ref.
9380	Big Lake Junction Light BL	30-24-59.119N 088-58-50.216W	FI (2+1)R 6s	0	3	JR on pile.	Ra ref.
9385	Big Lake Daybeacon 26	30-24-54.937N 088-59-11.587W				TR on pile.	Ra ref.
9390	Big Lake Light 28	30-24-48.056N 088-59-26.119W	FI R 2.5s	0	3	TR on pile.	Ra ref.

9395	Big Lake Daybeacon 29	30-24-43.728N 088-59-26.282W		0		SG on pile.		Ra ref.
9400	Big Lake Daybeacon 30	30-24-49.241N 088-59-32.341W		17		TR on pile.		Ra ref.
9405	Big Lake Daybeacon 32	30-24-54.254N 088-59-41.550W		0		TR on pile.		Ra ref.
9410	Big Lake Daybeacon 33	30-24-51.035N 088-59-43.254W		0		SG on pile.		Ra ref.
9415	Big Lake Daybeacon 34	30-24-55.730N 088-59-55.793W		0		TR on pile.		Ra ref.
9420	Big Lake Daybeacon 36	30-24-56.773N 089-00-07.294W		0		TR on pile.		Ra ref.
9425	U.S.G.S. Gulfport Monitoring Platform Light	30-19-07.800N 088-58-20.600W	FI Y 2.5s					Maintained by U.S. Geological Survey.
9430	Mississippi Power North Light	30-25-15.200N 089-00-04.500W	Q W			On platform.		
9435	Mississippi Power South Light	30-25-10.900N 089-00-09.100W	Q W			On platform.		
9440	Warren Paving Barge Dock Lights (2)	30-25-24.000N 089-01-30.000W	FI R 2.5s			On dock.		
9445	Bernard Bayou Light 1	30-24-57.432N 089-00-15.372W	FI G 6s	15	4	SG on pile.		Ra ref.
9450	Bernard Bayou Light 2	30-25-07.431N 089-00-24.951W	Q R	0	3	TR on pile.		Ra ref.
9455	Bernard Bayou Light 3	30-25-36.729N 089-02-36.156W	FI G 2.5s	15	3	SG on pile.		Ra ref.
9460	Bernard Bayou Light 5	30-25-34.429N 089-03-09.258W	FI G 4s	0	4	SG on pile.		Ra ref.
9465	Bernard Bayou Light 9	30-25-27.128N 089-03-58.460W	Q G	15	3	SG on dolphin.		Ra ref.
9467	Gulf Ship Lighted Containment Buoys (2)	30-25-37.440N 089-02-47.580W	FI W 2.5s			Marks upstream/downstream temporary containment area at shipyard slip.		Buoys deployed during drydock operations only.
9470	Bernard Bayou Light 11	30-25-37.275N 089-04-12.903W	FI G 4s		4	SG on pile.		Ra ref.
9475.01	Bernard Bayou Lighted Buoy 13	30-25-43.548N 089-04-24.554W	FI G 2.5s		3			Green.
9480	Mississippi Gulf Fishing Reef Light B	30-15-24.000N 088-54-00.000W	FI Y 6s			NY on pile.		Ra ref.
9485	Mississippi Gulf Fishing Reef Light C	30-16-00.000N 088-57-42.000W	FI Y 6s			NY on pile.		Ra ref.
9490	Treasure Bay Casino Channel Daybeacon 1	30-22-50.000N 088-57-17.000W				SG on pile.		
9495	Treasure Bay Casino Channel Daybeacon 2	30-22-50.000N 088-57-15.000W				TR on pile.		
9500	Treasure Bay Casino Channel Daybeacon 3	30-22-57.000N 088-57-17.000W				SG on pile.		
9505	Treasure Bay Casino Channel Daybeacon 4	30-22-57.000N 088-57-15.000W				TR on pile.		
9510	Treasure Bay Casino Channel Daybeacon 5	30-23-04.000N 088-57-17.000W				SG on pile.		
9515	Treasure Bay Casino Channel Daybeacon 6	30-23-04.000N 088-57-15.000W				TR on pile.		
9520	Treasure Bay Casino Channel Daybeacon 7	30-23-11.000N 088-57-17.000W				SG on pile.		
9525	Treasure Bay Casino Channel Daybeacon 8	30-23-11.000N 088-57-15.000W				TR on pile.		
9530	Treasure Bay Casino Channel Daybeacon 9	30-23-18.000N 088-57-17.000W				SG on pile.		
9535	Treasure Bay Casino Channel Daybeacon 10	30-23-18.000N 088-57-15.000W				TR on pile.		
9540	Broadwater Beach Hotel Marina Channel Daybeacon 2	30-22-42.000N 088-57-50.820W				TR on pile.		
9545	Broadwater Beach Hotel Marina Channel Daybeacon 3	30-22-51.910N 088-57-50.060W				SG on pile.		
9550	Broadwater Beach Hotel Marina Channel Daybeacon 4	30-23-01.800N 088-57-51.120W				TR on pile.		

9555	Broadwater Beach Hotel Marina Channel Daybeacon 5	30-22-22.210N 088-57-50.520W				SG on pile.	
9560	Broadwater Beach Hotel Marina Channel Daybeacon 6	30-23-11.710N 088-57-50.360W				TR on pile.	
9565	Broadwater Beach Hotel Marina Channel Daybeacon 7	30-23-15.880N 088-57-51.330W				SG on pile.	
9570	Broadwater Beach Hotel Marina Channel Light	30-23-24.000N 088-57-54.000W	Fl W 5s			White cylindrical structure.	
9575	Gulfport Ship Channel Lighted Buoy GP	30-07-09.951N 088-52-39.907W	Mo (A) W	4		Red and white stripes with red spherical topmark.	AIS: MMSI 993682104
9580	Ship Island Light	30-12-45.434N 088-57-58.762W	Fl W 6s	80	6	Skeleton tower on concrete block. On same structure as Ship Channel Upper Reach Outbound Range Rear Light.	
9585	Gulfport Ship Channel Lighted Buoy 2	30-07-10.292N 088-53-49.205W	Fl R 2.5s		3	Red.	
9590	Gulfport Ship Channel Lighted Buoy 3	30-07-00.993N 088-54-44.383W	Fl G 4s		4	Green.	
9595	Gulfport Ship Channel Lighted Buoy 4	30-07-08.428N 088-54-44.644W	Fl R 4s		3	Red.	
9600	Gulfport Ship Channel Lighted Buoy 6	30-07-09.301N 088-55-30.022W	Q R		3	Red.	
9605	Gulfport Ship Channel Lighted Buoy 7	30-07-00.483N 088-55-50.342W	Q G		3	Green.	
9610	Gulfport Ship Channel Lighted Buoy 8	30-07-19.252N 088-55-54.288W	Oc R 4s		4	Red.	
9615	Gulfport Ship Channel Lighted Buoy 9	30-07-49.575N 088-56-30.902W	Fl G 2.5s		4	Green.	
9620	Gulfport Ship Channel Lighted Buoy 10	30-07-53.026N 088-56-25.343W	Fl R 2.5s		3	Red.	
9625	Gulfport Ship Channel Lighted Buoy 11	30-08-28.634N 088-57-03.006W	Fl G 4s		4	Green.	
9630	Gulfport Ship Channel Lighted Buoy 12	30-08-32.086N 088-56-57.445W	Fl (2)R 5s		3	Red.	
9635	Gulfport Ship Channel Lighted Buoy 13	30-09-07.639N 088-57-35.603W	Fl G 2.5s		4	Green.	
9640	Gulfport Ship Channel Lighted Buoy 14	30-09-11.142N 088-57-29.555W	Fl R 2.5s		3	Red.	
9645	Gulfport Ship Channel Lighted Buoy 15	30-09-46.745N 088-58-07.233W	Fl G 4s		3	Green.	
9650	Gulfport Ship Channel Lighted Buoy 16	30-09-50.197N 088-58-01.672W	Fl R 4s		3	Red.	
9655	Gulfport Ship Channel Lighted Buoy 17	30-10-25.797N 088-58-39.358W	Fl G 6s		3	Green.	
9660	Gulfport Ship Channel Lighted Buoy 18	30-10-29.249N 088-58-33.795W	Fl R 6s		3	Red.	
9665	Gulfport Ship Channel Lighted Buoy 20	30-11-07.515N 088-59-05.473W	Q R		3	Red.	
9670	Gulfport Ship Channel Lighted Buoy 21	30-11-19.716N 088-59-23.679W	Q G		3	Green.	
9675	Gulfport Middle Reach Inbound Range Front Light	30-15-58.595N 089-00-25.915W	Q W	20		KRW on skeleton tower on piles.	Visible all around; higher intensity 1.5° each side rangeline.
9680	Gulfport Middle Reach Inbound Range Rear Light	30-18-06.395N 089-00-56.064W	Iso W 6s	65		KRW on skeleton tower on piles.	Visible on rangeline only.
9685	Gulfport Middle Reach Channel Inbound Range Rear Passing Light	30-18-06.392N 089-00-56.061W	Fl W 4s	65	5	On same structure as Gulfport Ship Channel Middle Reach Inbound Range Rear Light.	
9690	Gulfport Ship Channel Lighted Buoy 22	30-11-38.728N 088-59-21.225W	Oc R 4s		3	Red.	
9695	Gulfport Ship Channel Lighted Buoy 23	30-12-12.128N 088-59-36.061W	Fl G 4s		3	Green.	
9700	Gulfport Ship Channel Lighted Buoy 24	30-12-13.319N 088-59-29.362W	Fl R 6s		3	Red.	
9705	Ship Island Pass Entrance Range Front Light	30-12-09.263N 089-00-00.310W	Q W	39		Skeleton tower on piles.	Day: Visible 4° each side of range line. Night: Visible all around higher intensity on range line.
9710	Ship Island Pass Entrance Range Rear Light	30-14-34.318N 089-01-59.435W	Oc W 4s	80		Skeleton tower on piles.	Visible 2° each side of range line.
9715	Ship Island Pass Entrance Range Rear Passing Light	30-14-34.318N 089-01-59.435W	Fl W 4s	43	6	On same structure as Ship Island Pass Range Rear Light.	

9720	Gulfport Ship Channel Lighted Buoy 25	30-12-56.990N 088-59-46.630W	FI G 2.5s	3	Green.	
9725	Gulfport Ship Channel Lighted Buoy 26	30-12-58.181N 088-59-39.931W	FI R 2.5s	3	Red.	
9730	Gulfport Ship Channel Light 27	30-13-21.833N 088-59-52.101W	FI G 6s	0	4	SG on pile. Ra ref.
9735	Gulfport Ship Channel Light 28	30-13-22.690N 088-59-45.921W	FI R 4s	0	3	TR on pile. Ra ref.
9740	Gulfport Ship Channel Light 29	30-13-51.315N 088-59-59.049W	FI G 4s	0	4	SG on pile. Ra ref.
9745	Gulfport Ship Channel Light 30	30-13-52.482N 088-59-52.698W	FI R 6s	0	4	TR on pile. Ra ref.
9750	Chevron Pipeline Light A	30-14-02.900N 089-00-08.000W	FI Y 2.5s			On pile.
9755	Chevron Pipeline Light B	30-14-12.600N 088-59-53.500W	FI Y 2.5s			On pile.
9760	Gulfport Ship Channel Light 31	30-14-20.797N 089-00-05.997W	FI G 6s	0	4	SG on pile. Ra ref.
9765	Gulfport Ship Channel Light 32	30-14-21.987N 088-59-59.294W	FI R 4s	0	3	TR on pile. Ra ref.
9770	Gulfport Ship Channel Light 33	30-14-50.169N 089-00-13.201W	FI G 4s	0	4	SG on pile. Ra ref.
9775	Gulfport Ship Channel Light 34	30-14-51.469N 089-00-06.243W	FI R 2.5s	0	3	TR on pile. Ra ref.
9780	Gulfport Ship Channel Light 35	30-15-19.761N 089-00-19.895W	Q G	0	3	SG on pile. Ra ref.
9790	Gulfport Upper Reach Outbound Range Front Light	30-13-50.761N 088-58-53.909W	Q W	35		KRW on pile. Visible all around; higher intensity on the range line.
9795	Gulfport Upper Reach Outbound Range Rear Light	30-12-45.434N 088-57-58.762W	Iso W 6s	81		KRW on skeleton tower on concrete pile. On same structure as Ship Island Light. Visible 2° each side of rangeline.
9800	Gulfport Ship Channel Light 36	30-15-34.780N 089-00-16.278W	Q R	0	3	TR on pile. Ra ref.
9805	Gulfport Ship Channel Light 37	30-15-40.665N 089-00-30.332W	Oc G 4s	0	4	SG on pile. Ra ref.
9810	Gulfport Ship Channel Light 39	30-16-04.624N 089-00-50.605W	FI G 4s	0	4	SG on pile. Ra ref.
9815	Gulfport Ship Channel Light 40	30-16-08.103N 089-00-45.093W	FI R 4s	0	3	TR on pile. Ra ref.
9820	Gulfport Ship Channel Light 41	30-16-31.520N 089-01-13.854W	FI G 2.5s	0	3	SG-SY on pile. Ra ref.
9825	Gulfport Ship Channel Light 42	30-16-31.747N 089-01-05.643W	Iso R 6s	0	4	TR-SY on pile. Ra ref.
9830	Gulfport Ship Channel Light 43	30-17-03.616N 089-01-40.884W	Iso G 6s	0	4	SG-TY on pile. Ra ref.
9835	Gulfport Ship Channel Light 44	30-17-03.647N 089-01-32.445W	FI R 2.5s	0	4	TR-TY on pile. Ra ref.
9840	Gulfport Ship Channel Light 45	30-17-24.459N 089-01-58.735W	FI G 4s	0	4	SG on pile. Ra ref.
9845	Gulfport Ship Channel Light 46	30-17-27.979N 089-01-53.223W	FI R 4s	0	3	TR on pile. Ra ref.
9850	Gulfport Ship Channel Light 47	30-17-48.696N 089-02-19.285W	FI G 4s	0	4	SG on pile. Ra ref.
9855	Gulfport Ship Channel Light 48	30-17-52.216N 089-02-13.773W	FI R 4s	0	3	TR on pile. Ra ref.
9860	Gulfport Ship Channel Light 49	30-18-12.933N 089-02-39.836W	FI G 4s	0	4	SG on pile. Ra ref.
9865	Gulfport Ship Channel Light 50	30-18-16.453N 089-02-34.324W	FI R 4s	0	3	TR on pile. Ra ref.
9870	Gulfport Upper Reach Inbound Range Front Light	30-21-12.237N 089-05-07.540W	Q R	35		KRW on skeleton tower on piles. Visible all around; higher intensity on the range line.
9875	Gulfport Upper Reach Inbound Range Rear Light	30-21-52.345N 089-05-41.567W	Oc R 4s	81	14	KRW on skeleton tower on block. Visible 2° each side of rangeline. Ra ref.
9880	Gulfport Ship Channel Light 51	30-18-37.171N 089-03-00.390W	FI G 4s	0	4	SG on pile. Ra ref.
9885	Gulfport Ship Channel Light 52	30-18-39.587N 089-02-54.121W	FI R 4s	0	3	TR on pile. Ra ref.
9890	Gulfport Ship Channel Light 53	30-19-00.854N 089-03-20.654W	FI G 2.5s	0	3	SG on pile. Ra ref.
9895	Gulfport Ship Channel Light 54	30-19-04.872N 089-03-15.582W	FI R 2.5s	0	3	TR on pile. Ra ref.

9905	Gulfport Ship Channel Light 55	30-19-25.235N 089-03-41.186W	Fl G 4s	0	4	SG on pile.	Ra ref.
9910	Gulfport Ship Channel Light 56	30-19-29.166N 089-03-35.988W	Fl R 4s	0	3	TR on pile.	Ra ref.
9915	Gulfport Ship Channel Light 57	30-19-49.658N 089-04-01.832W	Fl G 6s	0	4	SG on pile.	Ra ref.
9920	Gulfport Ship Channel Light 58	30-19-53.403N 089-03-56.545W	Fl R 6s	0	4	TR on pile.	Ra ref.
9925	Gulfport Ship Channel Light 59	30-20-14.033N 089-04-22.812W	Fl G 4s	0	4	SG on pile.	Ra ref.
9930	Gulfport Ship Channel Light 60	30-20-18.733N 089-04-18.157W	Fl R 4s	0	3	TR on pile.	Ra ref.
9935	Gulfport Ship Channel Light 61	30-20-38.358N 089-04-43.174W	Fl G 2.5s	0	4	SG on pile.	Ra ref.
9940	Gulfport Ship Channel Light 62	30-20-41.878N 089-04-37.663W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
9945	Gulfport Ship Channel Light 63	30-20-54.289N 089-04-56.602W	Q G	0	3	SG on pile.	Ra ref.
9950	Port Authority Dolphin Light	30-20-51.120N 089-05-12.180W	Fl R 6s			On dolphin.	
9952	Port of Gulfport Mooring Pile Lights (4)	30-21-31.300N 089-05-33.370W	Fl W 2.5s			Marks T-pier mooring piles.	
9955	Courthouse Road Boat Launch Channel Light 2	30-22-18.000N 089-02-40.000W	Fl R 2.5s			TR on pile.	
9960	Courthouse Road Boat Launch Channel Daybeacon 3	30-22-22.000N 089-02-41.000W				SG on pile.	
9965	Courthouse Road Boat Launch Channel Daybeacon 4	30-22-25.000N 089-02-40.000W				TR on pile.	
9970	Courthouse Road Boat Launch Channel Daybeacon 5	30-22-28.000N 089-02-41.000W				SG on pile.	
9975	Gulfport Small Boat Harbor Buoy 1	30-20-42.790N 089-04-52.707W				Green can.	
9980	Gulfport Small Boat Harbor Light 3	30-20-35.524N 089-05-16.926W	Fl G 2.5s		4	SG on pile.	Ra ref.
9985	Gulfport Small Boat Harbor Daybeacon 4	30-20-37.907N 089-05-16.977W		0		TR on pile.	Ra ref.
9990	Gulfport Small Boat Harbor Light 5	30-20-47.490N 089-05-40.214W	Q G	0	3	SG on pile.	Ra ref.
9995	Gulfport Small Boat Harbor Daybeacon 6	30-20-49.299N 089-05-38.797W		0		TR on pile.	Ra ref.
10000	Gulfport Small Boat Harbor Daybeacon 5A	30-21-02.916N 089-05-52.333W		0		SG on pile.	Ra ref.
10005	Gulfport Small Boat Harbor Buoy 6A	30-21-18.127N 089-06-00.138W				Red nun.	
10010	Gulfport Small Boat Harbor Light 7	30-21-18.768N 089-06-03.690W	Fl G 4s	0	4	SG on pile.	Ra ref.
10015	Gulfport Small Boat Harbor Buoy 8	30-21-21.668N 089-05-58.462W				Red nun.	
10020	Gulfport Harbor Lighthouse	30-21-22.000N 089-05-12.000W	Fl W 4s			On skeleton tower.	
10025	Gulfport Yacht Basin Channel Light 2	30-21-13.066N 089-04-56.066W	Q R	0	4	TR on dolphin.	Ra ref.
10030	Gulfport Yacht Basin Channel Daybeacon 3	30-21-14.939N 089-04-59.277W		0		SG on pile.	Ra ref.
10035	Gulfport Yacht Basin Channel Light 4	30-21-20.415N 089-05-01.870W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
10040	Gulfport Yacht Basin Channel Daybeacon 5	30-21-24.554N 089-05-07.388W		0		SG on pile.	Ra ref.
10045	Gulfport Yacht Basin Channel Light 6	30-21-29.227N 089-05-08.725W	Fl R 6s	0	3	TR on pile.	Ra ref.
10050	Gulfport Yacht Basin Channel Daybeacon 7	30-21-30.515N 089-05-12.566W		0		SG on pile.	Ra ref.
10055	Gulfport Yacht Basin Channel Light 8	30-21-32.432N 089-05-12.260W	Fl R 4s	0	3	TR on dolphin.	Ra ref.
10060	Gulfport Yacht Basin Channel Daybeacon 9	30-21-33.634N 089-05-15.422W		0		SG on pile.	Ra ref.
10065	Gulfport Yacht Basin Channel Light 10	30-21-35.980N 089-05-15.386W	Fl (2)R 5s	0	3	TR on pile.	Ra ref.

10070	Mississippi Sound Pipeline Light Cp-5	30-13-39.050N 089-00-45.930W	Q W			On pile.	
10075	Long Beach Harbor Entrance Light 1	30-20-25.000N 089-08-22.000W	Fl G 4s			SG on pile.	
10080	Long Beach Harbor Entrance Light 2	30-20-26.000N 089-08-21.000W	Fl R 4s			TR on pile.	
10085	Long Beach Harbor Daybeacon 3	30-20-27.000N 089-08-24.000W				SG on pile.	
10090	Long Beach Harbor Daybeacon 4	30-20-28.000N 089-08-23.000W				TR on pile.	
10095	Long Beach Harbor Daybeacon 5	30-20-29.000N 089-08-26.000W				SG on pile.	
10100	Long Beach Harbor Daybeacon 6	30-20-30.000N 089-08-24.000W				TR on pile.	
10105	Long Beach Harbor Daybeacon 7	30-20-30.000N 089-08-27.000W				SG on pile.	
10110	Long Beach Harbor Daybeacon 8	30-20-31.000N 089-08-28.000W				TR on pile.	
10115	Long Beach Harbor Daybeacon 9	30-20-32.000N 089-08-28.000W				SG on pile.	
10120	Long Beach Harbor Daybeacon 10	30-20-33.000N 089-08-27.000W				TR on pile.	
10125	Long Beach Harbor Daybeacon 11	30-20-32.000N 089-08-29.000W				SG on pile.	
10130	Long Beach Harbor Daybeacon 12	30-20-33.000N 089-08-29.000W				TR on pile.	
10135	Long Beach Harbor Daybeacon 13	30-20-32.000N 089-08-30.000W				SG on pile.	
10140	Long Beach Harbor Daybeacon 14	30-20-33.000N 089-08-31.000W				TR on pile.	
10185	Pass Christian Entrance East Light 2	30-18-33.510N 089-14-13.698W	Fl R 6s	0	4	TR on pile.	Ra ref.
10190	Pass Christian Breakwater Light 4	30-18-37.374N 089-14-49.886W	Q R	0	3	TR on skeleton tower.	
10195	Pass Christian Entrance West Light 1	30-18-15.180N 089-15-13.240W	Fl G 6s		4	SG on pile.	Ra ref.
10200	Pass Christian Entrance West Light 2A	30-18-27.420N 089-14-59.470W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
10202	Mississippi DMR Oyster Reef Buoys (8)	30-17-08.220N 089-14-43.140W				Marks oyster reef perimeter.	
10205	Bayou Portage Channel Light 1	30-19-54.092N 089-18-18.115W	Q G	0	3	SG on dolphin.	Ra ref.
10207	Bayou Portage Channel Daybeacon 1A	30-20-18.735N 089-18-01.037W		0		SG on pile.	Ra ref.
10210	Bayou Portage Channel Daybeacon 2	30-20-24.264N 089-17-53.278W				TR on pile.	Ra ref.
10215	Bayou Portage Channel Light 3	30-20-33.073N 089-17-51.601W	Q G	0	3	SG on pile.	Ra ref.
10220	Bayou Portage Channel Daybeacon 4	30-20-31.491N 089-17-41.752W		0		TR on pile.	Ra ref.
10222	MDMR Wolf River Danger Light	30-20-37.570N 089-17-33.540W	Fl W 2.5s			Marks SW corner of subtidal reef area.	
10225	Bayou Portage Channel Daybeacon 5	30-20-33.311N 089-17-14.667W		0		SG on pile.	Ra ref.
10228	MDMR Wolf River Danger Light	30-20-38.040N 089-17-10.650W	Fl W 2.5s			Marks SE corner of subtidal reef area.	
10230	Bayou Portage Channel Light 7	30-20-34.178N 089-16-37.649W	Fl G 4s	0	4	SG on dolphin.	Ra ref.
10235	Bayou Portage Channel Daybeacon 9	30-20-33.499N 089-16-13.571W		0		SG on pile.	Ra ref.
10240	Bayou Portage Channel Buoy 12	30-20-30.140N 089-15-27.896W				Red nun.	
10245	Bayou Portage Channel Light 13	30-20-33.578N 089-15-18.678W	Q G	0	3	SG on dolphin.	Ra ref.
10250	Bayou Portage Channel Buoy 14	30-20-24.810N 089-15-17.646W				Red nun.	
10267.06	MDEQ Wolf River North Danger Light	30-21-26.180N 089-17-09.900W	Fl W 2.5s			Marks sand berm.	
10267	MDEQ Wolf River Danger Light	30-21-04.850N 089-17-15.550W	Fl W 2.5s			NW on pile.	

10267.01	MDEQ Wolf River Danger Light	30-21-13.720N 089-17-15.590W	FI W 2.5s			NW on pile.	
10267.02	MDEQ Wolf River Danger Light	30-21-20.280N 089-17-19.020W	FI W 2.5s			NW on pile.	
10267.03	MDEQ Wolf River Danger Light	30-21-15.130N 089-17-35.640W	FI W 2.5s			NW on pile.	
10267.04	MDEQ Wolf River Danger Light	30-21-08.190N 089-17-37.400W	FI W 2.5s			NW on pile.	
10267.05	MDEQ Wolf River Danger Light	30-21-00.700N 089-17-36.630W	FI W 2.5s			NW on pile.	
10270	NOAA Bay Waveland Tide Monitoring Platform Light	30-19-34.510N 089-19-33.390W	FI Y 2.5s			On platform.	
10275	Dupont Diffuser Platform Light 1	30-22-16.100N 089-19-05.200W	FI W 4s			NW on protective structure worded DANGER SUBMERGED PIPE.	
10277	City of Diamondhead Rotten Bayou Bulkhead Light 1	30-23-11.296N 089-23-19.064W	FI G 2.5s			Marks port side bulkhead.	
10277.01	City of Diamondhead Rotten Bayou Bulkhead Light 2	30-23-11.009N 089-23-18.819W	FI R 2.5s			Marks starboard side bulkhead.	
10277.02	City of Diamondhead Rotten Bayou Bulkhead Light 3	30-23-12.098N 089-23-17.802W	FI G 2.5s			Marks port side bulkhead.	
10277.03	City of Diamondhead Rotten Bayou Bulkhead Light 4	30-23-11.606N 089-23-17.882W	FI R 2.5s			Marks starboard side bulkhead.	
10280	Jourdan River Channel Daybeacon 3	30-20-40.311N 089-19-31.714W		0		SG on pile.	Ra ref.
10285	Jourdan River Channel Light 5	30-20-55.804N 089-19-57.144W	FI G 4s	0	4	SG on pile.	Ra ref.
10290	Jourdan River Channel Daybeacon 7	30-20-44.724N 089-20-31.695W				SG on pile.	Ra ref.
10295	Jourdan River Channel Daybeacon 9	30-20-31.823N 089-21-06.433W		0		SG on pile.	Ra ref.
10300	Bay Cove Marina to Casino Magic Marina Daybeacon 1	30-20-21.500N 089-21-18.000W				SG on pile.	
10305	Bay Cove Marina to Casino Magic Marina Daybeacon 2	30-20-18.000N 089-21-17.500W				TR on pile.	
10310	Bay Cove Marina to Casino Magic Marina Daybeacon 3	30-20-14.500N 089-21-17.000W				SG on pile.	
10315	U.S.G.S. Pass Marianne Monitoring Platform Light	30-14-17.000N 089-14-33.000W	FI Y 2.5s				Maintained by U.S. Geological Survey.
10320	Mississippi Sound Wreck Light WR4	30-15-33.588N 089-14-23.919W	Q R	17	3	TR on pile.	Ra ref.
10325	U.S. GEOLOGICAL SURVEY SCIENTIFIC MONITORING PLATFORM LIGHT (SBP)	30-07-22.100N 089-15-01.000W	FI Y 2.5s			On pipe.	
10330	Square Handkerchief Shoal Light SH	30-15-49.155N 089-19-37.263W	FI (2+1)G 6s	0	3	JG on pile.	Ra ref.
10335	Square Handkerchief Shoal Light 2	30-15-59.799N 089-18-57.200W	FI R 2.5s	0	4	TR on pile.	Ra ref.
10340	Mississippi Gulf Fishing Banks Breakwater Light A	30-16-14.500N 089-18-49.000W	FI Y 2.5s			NY on pile.	Marks Breakwater.
10345	Square Handkerchief Shoal Light 4	30-16-23.385N 089-18-58.373W	FI R 4s	0	4	TR on pile.	Ra ref.
10350	Hancock County Boat Ramp Light 1	30-18-04.000N 089-19-40.000W	FI G 2.5s			Marks end of jetty.	
10355	Hancock County Boat Ramp Light 2	30-18-05.000N 089-19-39.000W	FI R 2.5s			Marks end of jetty.	
10357	City of Bay St. Louis Danger Lights (6)	30-18-43.900N 089-19-11.200W	FI W 2.5s			Marks submerged pier debris.	
10357.01	City of Bay St. Louis Municipal Pier Light 1	30-18-40.700N 089-19-12.200W	FI G 2.5s			Marks entrance of port side pier structure.	
10357.02	City of Bay St. Louis Municipal Pier Light 2	30-18-41.700N 089-19-12.700W	FI R 2.5s			Marks entrance of starboard side pier structure.	
10360	Mississippi Fishing Reef Fr-Ms-04 Daybeacon A	30-17-30.400N 089-20-12.500W				NY on pile worded FISHING REEF FR-MS-04.	
10365	Mississippi Fishing Reef Fr-Ms-04 Daybeacon B	30-17-16.600N 089-21-00.100W				NY on pile worded FISHING REEF FR-MS-04.	

10370	Mississippi Gulf Fish Reef Light F	30-16-55.200N 089-21-50.400W	FI Y 6s			NY on pile.	
10375	Mississippi Fishing Reef FR-MS-04 Light C	30-17-12.600N 089-20-36.100W	FI Y 6s			NY on pile worded FISHING REEF FR-MS-04.	
10380	Garfield Ladner Memorial Pier Light	30-16-50.020N 089-21-53.560W	FI R 2.5s			On pier.	
10385	Mississippi DMR Breakwater Danger Lights (7)	30-15-10.140N 089-23-02.220W	FI W 2.5s			NW on pile worded DANGER BREAKWATER.	
10387	Grand Pass Special Lighted Buoy B	30-07-59.412N 089-14-49.524W	FI Y 2.5s			Marks center of artificial reef.	
10388	Little Bayou Pierre Lighted Buoy 1	30-07-35.389N 089-13-22.898W	FI G 2.5s			Marks starboard side of private channel.	
10388.01	Little Bayou Pierre Lighted Buoy 3	30-07-37.448N 089-13-22.788W	FI G 2.5s			Marks starboard side of private channel.	
10388.02	Little Bayou Pierre Lighted Buoy 5	30-07-39.480N 089-13-23.148W	FI G 2.5s			Marks starboard side of private channel.	
10388.03	Little Bayou Pierre Lighted Buoy 7	30-07-41.466N 089-13-24.590W	FI G 2.5s			Marks starboard side of private channel.	
10388.04	Little Bayou Pierre Lighted Buoy 9	30-07-42.766N 089-13-26.823W	FI G 2.5s			Marks starboard side of private channel.	
10388.05	Little Bayou Pierre Lighted Buoy 11	30-07-43.223N 089-13-30.960W	FI G 2.5s			Marks starboard side of private channel.	
10388.06	Little Bayou Pierre Lighted Buoy 13	30-07-43.815N 089-13-34.184W	FI G 2.5s			Marks starboard side of private channel.	
10390	Bayou Caddy Light 1	30-13-51.925N 089-24-07.236W	FI G 6s	0	4	SG on dolphin.	Ra ref.
10395	Bayou Caddy Daybeacon 2	30-14-03.192N 089-24-22.466W		0		TR on pile.	Ra ref.
10400	Bayou Caddy Daybeacon 3	30-14-09.314N 089-24-41.512W		0		SG on pile.	Ra ref.
10405	Bayou Caddy Light 4	30-14-22.159N 089-25-01.170W	Q R	0	3	TR on dolphin.	Ra ref.
10410	Bayou Caddy Light 5	30-14-17.929N 089-25-28.342W	FI G 2.5s	0	3	SG on pile.	Ra ref.
10415	Hancock County Brealwater Danger Light North	30-14-23.100N 089-25-20.210W	FI W 2.5s			NW on pile.	
10420	Hancock County Brealwater Danger Light South (10)	30-14-08.480N 089-24-47.230W	FI W 2.5s			NW on pile.	
10425	U.S.G.S. St. Joe Pass Monitoring Platform Light	30-11-27.000N 089-25-20.000W	FI Y 2.5s			Maintained by U.S. Geological Survey.	
10425.01	East Half Moon Island Special Lighted Buoy C	30-08-50.064N 089-22-51.708W	FI Y 2.5s			Marks center of artificial reef.	
10427	Robert Campo Aquaculture Special Light A	30-01-40.320N 089-25-40.190W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.	
10427.01	Robert Campo Aquaculture Special Light B	30-01-37.600N 089-25-41.650W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.	
10427.02	Robert Campo Aquaculture Special Light C	30-01-37.120N 089-25-32.820W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.	
10427.03	Robert Campo Aquaculture Special Light D	30-01-34.670N 089-25-34.330W	FI Y 2.5s			Marks perimeter corner of aquaculture farm.	
10427.04	West Karako Bay Special Lighted Buoy A	30-01-00.012N 089-16-29.064W	FI Y 2.5s			Marks center of artificial reef.	
10428	LDWF Karako Bay Special Lighted Buoy	30-01-26.589N 089-19-05.175W	FI Y 2.5s			Marks center of reef.	
10429	Mississippi Department of Environmental Quality Danger Light	30-10-41.340N 089-27-29.910W	FI W 2.5s			Marks submerged breakwater structure.	
10429.01	MDEQ Heron Bay Danger Light	30-10-37.019N 089-27-54.378W	FI W 2.5s			Marks breakwaters.	
10429.02	MDEQ Heron Bay Danger Light	30-10-40.812N 089-27-53.071W				Marks breakwaters.	
10429.03	MDEQ Heron Bay Danger Light	30-10-44.605N 089-27-51.763W	FI W 2.5s			Marks breakwaters.	
10430	Pearl River Entrance Channel Light 1	30-09-20.901N 089-31-29.575W	FI G 4s	0	4	SG-TY on pile.	Ra ref.

10435	Pearl River Entrance Channel Daybeacon 3	30-09-37.227N 089-31-28.989W		0		SG on pile.	Ra ref.
10440	Pearl River Entrance Channel Daybeacon 5	30-09-53.036N 089-31-28.317W		0		SG on pile.	Ra ref.
10445	Pearl River Entrance Channel Daybeacon 7	30-10-20.502N 089-31-26.096W		0		SG on pile.	Ra ref.
10450	Pearl River Entrance Channel Light 7A	30-10-58.291N 089-31-38.986W	FI G 6s	0	3	SG on platform on piles.	Ra ref.
10455	Pearl River Entrance Channel Light 8	30-11-00.356N 089-31-28.240W	FI R 4s	0	3	TR on pile.	Ra ref.
10457	Mississippi DEQ Danger Breakwater Light	30-10-59.060N 089-31-22.020W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.01	Mississippi DEQ Danger Breakwater Light	30-10-59.300N 089-31-16.720W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.02	Mississippi DEQ Danger Breakwater Light	30-10-59.020N 089-31-14.350W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.03	Mississippi DEQ Danger Breakwater Light	30-11-00.300N 089-31-07.520W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.04	Mississippi DEQ Danger Breakwater Light	30-11-00.540N 089-31-05.130W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.05	Mississippi DEQ Danger Breakwater Light	30-11-02.190N 089-30-56.570W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.06	Mississippi DEQ Danger Breakwater Light	30-11-05.270N 089-30-51.800W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.07	Mississippi DEQ Danger Breakwater Light	30-11-00.300N 089-31-07.520W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.08	Mississippi DEQ Danger Breakwater Light	30-11-02.240N 089-30-38.110W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.09	Mississippi DEQ Danger Breakwater Light	30-11-02.440N 089-30-30.930W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.11	Mississippi DEQ Danger Breakwater Light	30-11-00.390N 089-30-19.220W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.12	Mississippi DEQ Danger Breakwater Light	30-11-00.500N 089-30-09.650W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.13	Mississippi DEQ Danger Breakwater Light	30-10-58.810N 089-30-04.150W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.14	Mississippi DEQ Danger Breakwater Light	30-10-56.900N 089-29-59.910W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.15	Mississippi DEQ Danger Breakwater Light	30-10-56.150N 089-29-50.380W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.16	Mississippi DEQ Danger Breakwater Light	30-10-57.780N 089-29-43.110W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.17	Mississippi DEQ Danger Breakwater Light	30-10-59.270N 089-29-36.480W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.18	Mississippi DEQ Danger Breakwater Light	30-10-59.990N 089-29-32.200W	FI W 2.5s			Marks shoreline protection breakwater.	
10457.28	Mississippi DEQ Danger Breakwater Light	30-10-36.562N 089-27-59.130W	FI W 2.5s			Marks breakwater.	
10457.29	Mississippi DEQ Danger Breakwater Light	30-10-32.804N 089-27-56.840W	FI W 2.5s			Marks breakwater.	
10457.31	Mississippi DEQ Danger Breakwater Light	30-10-31.483N 089-27-51.970W	FI W 2.5s			Marks breakwater.	
10457.32	Mississippi DEQ Danger Breakwater Light	30-10-32.433N 089-27-44.910W	FI W 2.5s			Marks breakwater.	
10457.33	Mississippi DEQ Danger Breakwater Light	30-10-33.979N 089-27-40.470W	FI W 2.5s			Marks breakwater.	
10457.34	Mississippi DEQ Danger Breakwater Light	30-10-38.495N 089-27-32.450W	FI W 2.5s			Marks breakwater.	
10457.35	Mississippi DEQ Danger Breakwater Light	30-10-45.203N 089-27-26.920W	FI W 2.5s			Marks breakwater.	
10457.36	Mississippi DEQ Danger Breakwater Light	30-10-53.429N 089-27-20.820W	FI W 2.5s			Marks breakwater.	
10457.37	Mississippi DEQ Danger Breakwater Light	30-11-00.001N 089-27-11.130W	FI W 2.5s			Marks breakwater.	
10457.38	Mississippi DEQ Danger Breakwater Light	30-11-00.085N 089-27-09.430W	FI W 2.5s			Marks breakwater.	
10457.39	Mississippi DEQ Danger Breakwater Light	30-11-01.549N 089-27-05.210W	FI W 2.5s			Marks breakwater.	
10457.41	Mississippi DEQ Danger Breakwater Light	30-11-08.034N 089-26-59.620W	FI W 2.5s			Marks breakwater.	

10457.42	Mississippi DEQ Danger Breakwater Light	30-11-14.153N 089-26-52.350W	FI W 2.5s			Marks breakwater.	
10457.43	Mississippi DEQ Danger Breakwater Light	30-11-15.831N 089-26-50.930W	FI W 2.5s			Marks breakwater.	
10457.44	Mississippi DEQ Danger Breakwater Light	30-11-23.714N 089-26-48.020W	FI W 2.5s			Marks breakwater.	
10457.45	Mississippi DEQ Danger Breakwater Light	30-11-33.649N 089-26-50.980W	FI W 2.5s			Marks breakwater.	
10457.46	Mississippi DEQ Danger Breakwater Light	30-11-39.868N 089-26-50.460W	FI W 2.5s			Marks breakwater.	
10457.47	Mississippi DEQ Danger Breakwater Light	30-11-40.977N 089-26-51.770W	FI W 2.5s			Marks breakwater.	
10457.48	Mississippi DEQ Danger Breakwater Light	30-11-41.323N 089-26-52.170W	FI W 2.5s			Marks breakwater.	
10457.49	Mississippi DEQ Danger Breakwater Light	30-11-53.420N 089-26-54.800W	FI W 2.5s			Marks breakwater.	
10457.51	Mississippi DEQ Danger Breakwater Light	30-12-03.263N 089-26-56.090W	FI W 2.5s			Marks breakwater.	
10457.52	Mississippi DEQ Danger Breakwater Light	30-12-05.917N 089-26-55.250W	FI W 2.5s			Marks breakwater.	
10457.53	Mississippi DEQ Danger Breakwater Light	30-12-08.692N 089-26-48.560W	FI W 2.5s			Marks breakwater.	
10457.54	Mississippi DEQ Danger Breakwater Light	30-12-19.085N 089-26-48.590W	FI W 2.5s			Marks breakwater.	
10457.55	Mississippi DEQ Danger Breakwater Light	30-12-34.230N 089-26-36.110W	FI W 2.5s			Marks breakwater.	
10457.56	Mississippi DEQ Danger Breakwater Light	30-12-38.901N 089-26-31.450W	FI W 2.5s			Marks breakwater.	
10457.57	Mississippi DEQ Danger Breakwater Light	30-12-39.889N 089-26-29.340W	FI W 2.5s			Marks breakwater.	
10457.58	Mississippi DEQ Danger Breakwater Light	30-12-40.748N 089-26-27.420W	FI W 2.5s			Marks breakwater.	
10457.59	Mississippi DEQ Danger Breakwater Light	30-12-42.227N 089-26-25.430W	FI W 2.5s			Marks breakwater.	
10457.61	Mississippi DEQ Danger Breakwater Light	30-12-51.776N 089-26-12.790W	FI W 2.5s			Marks breakwater.	
10457.62	Mississippi DEQ Danger Breakwater Light	30-12-56.964N 089-26-08.810W	FI W 2.5s			Marks breakwater.	
10457.63	Mississippi DEQ Danger Breakwater Light	30-13-04.396N 089-26-04.780W	FI W 2.5s			Marks breakwater.	
10460	Little Lake Light 1	30-09-35.826N 089-37-49.371W	FI G 2.5s	0	4	SG on dolphin.	Ra ref.
10465	Little Lake Buoy 2	30-09-30.230N 089-37-40.528W				Red nun.	
10470	Little Lake Daybeacon 3	30-09-38.947N 089-37-40.961W		0		SG on pile.	Ra ref.
10475	Little Lake Daybeacon 4	30-09-42.918N 089-37-29.870W		0		TR on pile.	Ra ref.
10480	Little Lake Daybeacon 5	30-09-45.830N 089-37-34.228W		0		SG on pile.	Ra ref.
10485	Little Lake Light 7	30-10-05.830N 089-37-04.427W	FI G 4s	0	4	SG on pile.	Ra ref.
10490	Little Lake Daybeacon 9	30-10-17.768N 089-36-38.688W		0		SG on pile.	Ra ref.
10495	Little Lake Light 10	30-10-14.480N 089-36-35.221W	FI R 6s	0	4	TR on pile.	Ra ref.
10500	Little Lake Light 11	30-10-36.350N 089-36-04.523W	FI G 2.5s	0	3	SG on dolphin.	Ra ref.
10505	Little Lake North Pass Daybeacon 2	30-10-41.395N 089-36-02.236W		0		TR on pile.	Ra ref.
10510	Little Lake North Pass Daybeacon 3	30-10-39.644N 089-36-24.909W		0		SG on pile.	Ra ref.
10515	Little Lake North Pass Buoy 5	30-10-43.048N 089-36-39.051W				Green can.	
10520	Little Lake Daybeacon 13	30-10-46.729N 089-35-44.224W		0		SG on pile.	Ra ref.
10525	Little Lake Light 14	30-10-42.626N 089-35-42.507W	FI R 4s	0	3	TR on pile.	Ra ref.
10530	Little Lake Light 15	30-11-01.229N 089-35-08.922W	FI G 2.5s	0	3	SG on pile.	Ra ref.

10535	Little Lake Daybeacon 16	30-10-53.960N 089-35-08.590W		0		TR on pile.	Ra ref.
10540	Little Lake Buoy 18	30-10-56.632N 089-34-50.322W				Red nun.	
10545	Little Lake Daybeacon 19	30-11-03.724N 089-34-50.769W		0		SG on pile.	Ra ref.
10550	Pearl River Light 21	30-11-05.209N 089-34-48.615W	Q G	17	3	SG on dolphin.	Ra ref.
10555	Pearl River Daybeacon 23	30-11-18.097N 089-35-04.595W		0		SG on pile.	Ra ref.
10560	Pearl River Light 23A	30-11-40.048N 089-35-18.526W	Fl G 6s	14	4	SG on pile.	Ra ref.
10565	Pearl River Daybeacon 24	30-11-42.250N 089-35-09.321W		0		TR on pile.	Ra ref.
10570	Pearl River Light 25	30-12-00.545N 089-35-23.280W	Fl G 4s	0	4	SG on pile.	Ra ref.
10575	Port Bienville Junction Light PB	30-12-25.836N 089-35-34.250W	Fl (2+1)R 6s		3	JR on pile.	Ra ref.
10580	Port Bienville Daybeacon 2	30-12-34.307N 089-35-20.905W		0		TR on pile.	Ra ref.
10585	Port Bienville Daybeacon 3	30-12-55.782N 089-35-12.687W		0		SG on pile.	Ra ref.
10587	Port Bienville Barge Canal Mooring Light	30-13-06.180N 089-34-53.390W	Fl W 2.5s			Marks mooring pile.	
10587.01	Port Bienville Barge Canal Mooring Light	30-13-07.850N 089-34-54.570W	Fl W 2.5s			Marks mooring pile.	
10587.02	Port Bienville Barge Canal Mooring Light	30-13-04.030N 089-34-45.650W	Fl W 2.5s			Marks mooring pile.	
10587.03	Port Bienville Barge Canal Mooring Light	30-13-04.890N 089-34-43.640W	Fl W 2.5s			Marks mooring pile.	
10587.04	Port Bienville Barge Canal Mooring Light	30-14-09.460N 089-34-23.670W	Fl W 2.5s			Marks mooring pile.	
10587.05	Port Bienville Barge Canal Mooring Light	30-14-10.770N 089-34-22.000W	Fl W 2.5s			Marks mooring pile.	
10587.06	Port Bienville Barge Canal Mooring Light	30-14-11.220N 089-34-21.420W	Fl W 2.5s			Marks mooring pile.	
10587.07	Port Bienville Barge Canal Mooring Light	30-14-12.550N 089-34-19.740W	Fl W 2.5s			Marks mooring pile.	
10590	Pearl River Light 30	30-12-44.113N 089-35-44.763W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
10595	Pearl River Daybeacon 31	30-12-54.198N 089-36-05.223W				SG on pile.	Ra ref.
10600	Pearl River Daybeacon 33	30-13-05.226N 089-36-37.728W		0		SG on pile.	Ra ref.
10605	Pearl River Light 35	30-13-15.042N 089-36-54.255W	Fl G 4s	0	4	SG on pile.	Ra ref.
10610	Pearl River Daybeacon 36	30-13-20.316N 089-36-55.287W				TR on pile.	Ra ref.
10615	Pearl River Daybeacon 38	30-13-33.776N 089-36-59.166W		0		TR on pile.	Ra ref.
10620	Pearl River Daybeacon 40	30-14-48.810N 089-36-53.541W				TR on pile.	Ra ref.
10625	Pearl River Daybeacon 41	30-14-54.786N 089-37-21.399W		0		SG on pile.	Ra ref.
10630	Pearl River Light 43	30-15-27.722N 089-37-59.232W	Fl G 2.5s	0	3	SG on pile.	Ra ref.
10635	Pearl River Daybeacon 45	30-15-42.442N 089-37-55.614W		0		SG on pile.	Ra ref.
10640	Pearl River Daybeacon 48	30-15-58.427N 089-37-33.426W				TR on pile.	Ra ref.
10645	Pearl River Daybeacon 49	30-16-07.699N 089-37-59.523W		0		SG on pile.	Ra ref.
10650	Pearl River Daybeacon 50	30-16-42.606N 089-37-48.153W		0		TR on pile.	Ra ref.
10655	Pearl River Daybeacon 51	30-17-07.934N 089-38-18.450W		0		SG on pile.	Ra ref.
10660	Pearl River Daybeacon 52	30-17-16.818N 089-38-15.163W		0		TR on pile.	Ra ref.
10665	Pearl River Daybeacon 55	30-17-32.028N 089-38-50.247W		0		SG on pile.	Ra ref.

10670	Pearl River Daybeacon 57	30-18-20.242N 089-38-33.451W		0		SG on pile.	Ra ref.
10675	Pearl River Light 59	30-18-27.858N 089-38-22.364W	Fl G 2.5s	0	3	SG on pile.	Ra ref.
10680	Pearl River Daybeacon 60	30-18-28.086N 089-38-11.121W		0		TR on pile.	Ra ref.
10685	Pearl River Daybeacon 61	30-18-33.069N 089-37-57.296W		0		SG on pile.	Ra ref.
10690	Pearl River Light 62	30-18-53.216N 089-37-33.081W	Fl R 2.5s	0	3	TR on dolphin.	Ra ref.
10695	Pearl River Daybeacon 63	30-19-05.754N 089-37-51.171W				SG on pile.	Ra ref.
10700	Pearl River Daybeacon 63A	30-19-09.861N 089-37-51.025W				SG on pile.	Ra ref.
10705	Pearl River Daybeacon 64	30-19-18.594N 089-37-45.441W		0		TR on pile.	Ra ref.
10710	Pearl River Daybeacon 66	30-19-31.179N 089-37-51.066W				TR on pile.	Ra ref.
10715	Pearl River Daybeacon 67	30-19-42.264N 089-37-58.911W		0		SG on pile.	Ra ref.
10720	Pearl River Daybeacon 68	30-20-04.495N 089-37-47.657W				TR on pile.	Ra ref.
10725	Pearl River Daybeacon 70	30-20-16.038N 089-37-50.559W				TR on pile.	Ra ref.
10730	Pearl River Daybeacon 72	30-20-26.548N 089-37-59.371W		0		TR on pile.	Ra ref.
10735	Pearl River Daybeacon 73	30-20-37.955N 089-38-05.814W				SG on pile.	Ra ref.
10740	West Pearl River Buoy 1	30-09-40.730N 089-38-58.231W				Green can.	Ra ref.
10745	West Pearl River Buoy 2	30-09-42.643N 089-38-53.885W				Red nun.	Ra ref.
10750	Lake Borgne Light WR2	30-06-37.147N 089-30-44.532W	Q R	0	3	TR on pile.	Ra ref.
10753	LDWF Petit Pass Special Lighted Buoy	30-07-00.361N 089-29-29.169W	Fl Y 2.5s			Marks center of reef.	
10755	NOAA Shell Beach Tide Monitoring Platform Light	29-52-05.240N 089-40-23.510W	Fl Y 2.5s			On platform.	
10758	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-52-53.480N 089-35-49.860W	Fl W 2.5s			Marks shoreline restoration breakwater.	
10758.01	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-52-57.730N 089-35-42.890W	Fl W 2.5s			Marks shoreline restoration breakwater.	
10758.02	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-53-03.420N 089-35-34.040W	Fl W 2.5s			Marks shoreline restoration breakwater.	
10758.03	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-53-06.950N 089-35-26.360W	Fl W 2.5s			Marks shoreline restoration breakwater.	
10758.04	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-53-11.780N 089-35-28.150W	Fl W 2.5s			Marks shoreline restoration breakwater.	
10758.05	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-53-18.780N 089-35-27.450W	Fl W 2.5s			Marks shoreline restoration breakwater.	
10758.06	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-53-28.170N 089-35-23.630W	Fl W 2.5s			Marks shoreline restoration breakwater.	
10758.07	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-53-37.590N 089-35-23.370W	Fl W 2.5s			Marks shoreline restoration breakwater.	
10758.08	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-53-46.690N 089-35-26.570W	Fl W 2.5s			Marks shoreline restoration breakwater.	
10758.09	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-53-52.140N 089-35-24.880W	Fl W 2.5s			Marks shoreline restoration breakwater.	
10758.11	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-54-01.370N 089-35-27.530W	Fl W 2.5s			Marks shoreline restoration breakwater.	

10758.12	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-54-09.270N 089-35-29.380W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.13	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-54-14.270N 089-35-29.560W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.14	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-54-17.540N 089-35-29.770W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.15	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-54-26.320N 089-35-30.310W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.16	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-54-36.450N 089-35-30.020W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.17	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-54-46.210N 089-35-28.470W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.18	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-54-55.730N 089-35-31.300W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.19	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-55-02.680N 089-35-31.690W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.21	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-55-08.900N 089-35-28.290W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.22	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-55-15.830N 089-35-20.090W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.23	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-55-23.930N 089-35-13.380W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.24	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-55-31.540N 089-35-07.020W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.25	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-55-37.060N 089-35-01.800W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.26	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-55-45.020N 089-34-55.020W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.27	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-55-50.160N 089-34-52.210W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.28	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-56-00.670N 089-34-48.610W	FI W 2.5s				Marks shoreline restoration breakwater.	
10758.29	Biloxi Marsh Wildlife Management Area Danger Breakwater Light	29-56-10.260N 089-34-45.440W	FI W 2.5s				Marks shoreline restoration breakwater.	
10760	Bayou Yscloskey Light 2	29-52-20.311N 089-40-26.465W	FI R 6s	0	4		TR on pile.	Ra ref.
10765	Bayou Yscloskey Daybeacon 3	29-52-11.811N 089-40-26.906W		0			SG on pile.	
10770	Bayou Yscloskey Daybeacon 4	29-52-07.838N 089-40-29.529W		0			TR on pile.	Ra ref.
10775	Proctor Point Light	29-56-46.929N 089-42-30.620W	FI W 6s	0	5		NB on dolphin.	Ra ref.
10780	Alligator Point Light	30-01-10.413N 089-43-11.757W	FI W 2.5s	0	3		NB on dolphin.	Ra ref.
10782	East Lake Borgne Special Lighted Buoy D	30-04-17.004N 089-35-06.396W	FI Y 2.5s				Marks center of artificial reef.	
10785	Bayou Dupre Light 1	29-57-15.993N 089-49-22.149W	FI G 6s	0	5		SG on pile.	Ra Ref.
10790	Bayou Dupre Daybeacon 2	29-57-11.351N 089-49-33.304W		0			TR on pile.	
10795	Bayou Dupre Daybeacon 3	29-57-01.690N 089-49-42.486W		0			SG on pile.	Ra ref.
10800	Bayou Dupre Daybeacon 4	29-56-54.364N 089-49-56.384W		0			TR on pile.	Ra ref.
10805	Bayou Dupre Daybeacon 5	29-56-45.922N 089-50-04.322W		0			SG on piles.	Ra ref.

10807	BAYOU DUPRE LIGHT 6	29-56-36.154N 089-50-21.761W	FI R 2.5s	0	3	TR on pile.	Ra ref.
10810	Mortello Castle Oyster Reef Daybeacons (6)	29-56-33.000N 089-50-05.000W				NW on pile worded DANGER SUBMERGED OYSTER REEF.	
10812	St. Bernard Parish Danger Breakwater Light	29-56-34.500N 089-50-14.800W	FI W 2.5s			Marks shoreline protection breakwater structure.	
10815	Chef Menteur Pass Light 2	30-02-13.070N 089-45-49.193W	FI R 4s	0	5	TR on pile.	Ra ref.
10820	Chef Menteur Pass Light 4	30-03-54.239N 089-47-19.257W	FI R 2.5s	0	4	TR-TY on pile.	Ra ref.
10825	Chef Menteur Pass Light 5	30-03-34.349N 089-47-44.411W	FI G 2.5s	0	5	SG-SY on pile.	Ra ref.
10827	Chef Menteur Pass Lighted Buoy 6	30-06-02.733N 089-48-59.989W	FI R 4s		3	Red nun.	
10840	The Rigolets Light 2	30-09-39.730N 089-39-07.432W	FI R 6s		4	TR on dolphin.	Ra ref.
10845	The Rigolets Light 3	30-10-23.865N 089-41-19.771W	FI G 4s	0	4	SG on dolphin.	Ra ref.
10850	The Rigolets Light 4	30-10-00.727N 089-43-00.241W	FI R 4s	0	3	TR on dolphin.	Ra ref.
10855	Louisiana State University Oceanographic Lighted Buoy B	30-10-19.200N 089-43-48.000W	FI Y 4s			Yellow.	
10858	FORT PIKE ENTRANCE WRECK LIGHT WR2	30-09-55.941N 089-44-07.407W	Q R	34	4	TR on dolphin.	Ra ref.
10860	Fort Pike Entrance Light 3	30-09-52.411N 089-44-09.308W	FI G 6s	0	4	SG on pile.	Ra ref.
10865	The Rigolets Light 5	30-10-29.249N 089-44-36.196W	FI G 4s	0	4	SG on pile.	Ra ref.
10870	The Rigolets Light 6	30-10-40.700N 089-45-17.944W	FI R 2.5s	0	3	TR on pile.	Ra ref.
10875	Lake Pontchartrain Rockpile Inner Daybeacon	30-09-55.053N 089-44-57.288W			0	NW on pile worded DANGER ROCKS.	Ra ref.
10880	Lake Pontchartrain Rockpile Outer Daybeacon	30-09-52.354N 089-44-56.994W			0	NW on pile worded DANGER ROCKS.	
10885	Fritchie Marsh Weir Danger Daybeacons (4)	30-13-45.000N 089-44-47.500W				NW on pile worded DANGER DO NOT PROCEED.	Marks weir.
10890	North Shore Channel Daybeacon 3	30-10-51.286N 089-45-38.550W			0	SG on pile.	Ra ref.
10895	North Shore Channel Daybeacon 5	30-11-06.622N 089-45-53.106W			0	SG on pile.	
10900	North Shore Channel Daybeacon 7	30-11-24.076N 089-46-14.562W			0	SG on pile.	
10905	Lakeshore Estates East Channel Daybeacon 1	30-11-32.420N 089-46-01.440W				SG on pile.	
10910	Lakeshore Estates East Channel Daybeacon 3	30-11-39.040N 089-45-58.550W				SG on pile.	
10915	Lakeshore Estates East Channel Daybeacon 5	30-11-45.660N 089-45-55.660W				SG on pile.	
10920	Lakeshore Estates East Channel Junction Daybeacon B	30-11-33.310N 089-45-58.610W				JR on pile.	
10925	Lakeshore Estates Southeast Channel Daybeacon 1	30-11-34.970N 089-45-53.370W				SG on pile.	
10930	Lakeshore Estates Southeast Channel Daybeacon 3	30-11-36.630N 089-45-48.130W				SG on pile.	
10935	North Shore Channel Light 8	30-11-48.365N 089-46-28.289W	Q R		3	TR on pile.	Ra ref.
10940	North Shore Channel Daybeacon 9	30-11-45.195N 089-46-37.673W			0	SG on pile.	Ra ref.
10945	North Shore Channel Daybeacon 11	30-11-45.481N 089-47-07.083W			0	SG on pile.	Ra ref.
10950	North Shore Channel Daybeacon 13	30-11-45.607N 089-47-37.625W			0	SG on pile.	Ra ref.
10955	North Shore Channel Daybeacon 15	30-11-45.512N 089-48-02.451W			0	SG on pile.	Ra ref.
10960	Eden Isles Channel Daybeacon 1	30-12-38.000N 089-48-35.000W				SG on dolphin.	
10965	Eden Isles Channel Daybeacon 2	30-12-35.000N 089-48-00.000W				SG on pile.	

10970	Eden Isles Channel Daybeacon 3	30-12-42.000N 089-47-57.000W				SG on pile.	
10975	Eden Isles Channel Daybeacon 4	30-12-40.000N 089-47-56.000W				TR on pile.	
10977	FR-LA-71-A	30-11-37.075N 089-50-13.164W	FI Y 2.5s			Marks center of reef site.	
10980	FR-LA-70-A	30-10-10.168N 089-50-44.646W	FI Y 2.5s			Marks center of reef site.	
11000	Irish Bayou Light 1	30-08-29.572N 089-51-31.812W	FI G 6s	0	4	SG on pile.	Ra ref.
11002	Lake Pontchartrain Hwy 11 Bridge Wreck Lighted Buoy WR2	30-12-12.571N 089-49-59.545W	Q R		3	Red nun.	
11003	CPRA Bayou Chevee Danger Breakwater Light	30-05-49.020N 089-49-35.180W	FI W 2.5s			Marks breakwater structure.	
11003.01	CPRA Bayou Chevee Danger Breakwater Light	30-05-47.210N 089-49-44.370W	FI W 2.5s			Marks breakwater structure.	
11003.02	CPRA Bayou Chevee Danger Breakwater Light	30-05-47.090N 089-49-53.910W	FI W 2.5s			Marks breakwater structure.	
11003.03	CPRA Bayou Chevee Danger Breakwater Light	30-05-49.040N 089-50-00.520W	FI W 2.5s			Marks breakwater structure.	
11003.04	CPRA Bayou Chevee Danger Breakwater Light	30-05-53.630N 089-50-07.090W	FI W 2.5s			Marks breakwater structure.	
11003.05	CPRA Bayou Chevee Danger Breakwater Light	30-05-57.540N 089-50-14.180W	FI W 2.5s			Marks breakwater structure.	
11003.06	CPRA Bayou Chevee Danger Breakwater Light	30-06-00.510N 089-50-16.500W	FI W 2.5s			Marks breakwater structure.	
11003.07	CPRA Bayou Chevee Danger Breakwater Light	30-06-06.040N 089-50-18.780W	FI W 2.5s			Marks breakwater structure.	
11003.08	CPRA Bayou Chevee Danger Breakwater Light	30-06-05.080N 089-50-21.870W	FI W 2.5s			Marks breakwater structure.	
11003.09	CPRA Bayou Chevee Danger Breakwater Light	30-06-05.510N 089-50-22.610W	FI W 2.5s			Marks breakwater structure.	
11003.11	CPRA Bayou Chevee Danger Breakwater Light	30-06-10.570N 089-50-21.770W	FI W 2.5s			Marks breakwater structure.	
11003.12	CPRA Bayou Chevee Danger Breakwater Light	30-06-14.920N 089-50-25.810W	FI W 2.5s			Marks breakwater structure.	
11003.13	CPRA Bayou Chevee Danger Breakwater Light	30-06-19.330N 089-50-34.800W	FI W 2.5s			Marks breakwater structure.	
11003.14	CPRA Bayou Chevee Danger Breakwater Light	30-06-26.170N 089-50-41.980W	FI W 2.5s			Marks breakwater structure.	
11003.15	CPRA Bayou Chevee Danger Breakwater Light	30-06-33.310N 089-50-46.430W	FI W 2.5s			Marks breakwater structure.	
11005	North Shore Beach Daybeacon 1	30-13-06.000N 089-49-48.000W				SG on pile.	
11010	North Shore Beach Daybeacon 2	30-13-06.000N 089-49-45.000W				TR on pile.	
11015	North Shore Beach Daybeacon 3	30-13-12.000N 089-49-48.000W				SG on pile.	
11020	North Shore Beach Daybeacon 4	30-13-12.000N 089-49-45.000W				TR on pile.	
11025	Bayou Bonfouca Channel Leading Light	30-14-59.093N 089-51-57.721W	Iso W 6s	0	5	NB on dolphin.	Visible all around.
11030	Bayou Bonfouca Channel Light 2	30-13-06.278N 089-51-57.983W	FI R 4s	0	4	TR on dolphin.	
11035	Bayou Bonfouca Channel Daybeacon 3	30-13-30.187N 089-52-04.127W			0	SG on pile.	
11040	Bayou Bonfouca Channel Daybeacon 4	30-14-00.726N 089-51-56.266W			0	TR on pile.	
11045	Bayou Bonfouca Channel Light 5	30-14-24.719N 089-52-04.809W	FI G 2.5s	0	3	SG on pile.	
11050	Bayou Bonfouca Channel Daybeacon 6	30-14-38.725N 089-51-56.266W			0	TR on pile.	
11055	Bayou Bonfouca Channel Daybeacon 8	30-14-49.688N 089-51-56.149W			0	TR on pile.	
11060	Bayou Bonfouca Channel Light 10	30-14-55.307N 089-51-55.791W	Q R	0	3	TR on pile.	
11065	Southern Railway East Lake Pontchartrain Mooring Buoy	30-12-00.000N 089-50-00.000W				White with blue band.	
11070	Lake Ponchartrain Tie In Platform Light	30-09-06.560N 089-53-47.050W	Q R			On concrete platform.	

11075	Lincoln Beach Daybeacon	30-04-26.521N 089-57-13.749W				NW on pile worded DANGER SPOIL AREA.
11080	Lincoln Beach Danger Daybeacon East Breakwater (2)	30-04-21.420N 089-57-03.240W				NW on pile worded DANGER ROCK JETTY.
11085	Lincoln Beach Danger Daybeacon West Breakwater (2)	30-04-12.200N 089-57-19.760W				NW on pile worded DANGER ROCK JETTY.
11090	Lacombe Bayou Entrance Light 2	30-15-04.497N 089-57-05.717W	FI R 4s	0	4	TR on dolphin.
11095	Lacombe Bayou Entrance Daybeacon 4	30-15-19.138N 089-57-00.708W		0		TR on pile. Ra ref.
11100	Lacombe Bayou Light 5	30-15-35.719N 089-56-56.905W	FI G 2.5s		4	SG on pile. Ra ref.
11105	South Shore Harbor Marina Safe Water Mark	30-02-58.000N 090-01-10.000W				MR on pile.
11110	South Shore Harbor Marina Light 1	30-02-47.000N 090-00-53.000W	FI G 2.5s			SG on pile.
11115	South Shore Harbor Marina Light 2	30-02-44.000N 090-00-56.000W	FI R 2.5s			TR on pile.
11120	South Shore Harbor Marina Light 3	30-02-43.000N 090-00-49.000W	FI G 2.5s			SG on pile.
11125	South Shore Harbor Marina Light 4	30-02-39.000N 090-00-50.000W	FI R 2.5s			TR on pile.
11130	South Shore Harbor Marina Light 5	30-02-39.000N 090-00-44.000W	FI G 2.5s			SG on pile.
11135	South Shore Harbor Marina Light 6	30-02-36.000N 090-00-47.000W	FI R 2.5s			TR on pile.
11140	South Shore Harbor Marina Light 7	30-02-35.000N 090-00-39.000W	FI G 2.5s			SG on pile.
11145	South Shore Harbor Marina Light 8	30-02-33.000N 090-00-43.000W	FI R 2.5s			TR on pile.
11150	South Shore Harbor Marina Light 9	30-02-28.000N 090-00-35.000W	FI G 2.5s			SG on pile.
11155	South Shore Harbor Marina Light 10	30-02-32.000N 090-00-44.000W	FI R 2.5s			TR on pile.
11160	South Shore Harbor Marina Light 11	30-02-23.000N 090-00-43.000W	FI G 2.5s			SG on pile.
11165	South Shore Harbor Marina Light 13	30-02-30.000N 090-00-46.000W	FI G 2.5s			SG on pile.
11170	Lakefront Airport Approach Lights (6)	30-03-36.000N 090-01-48.000W	F Y			Marks steel walkway supporting approach lights.
11175	Uno Survey Light B	30-09-52.000N 090-04-55.000W	FI Y 4s			On pile.
11180	New Canal Light	30-01-37.760N 090-06-47.550W	FI (2)W 5s			On skeleton pole.
11184	Bucktown Marina Entrance Light 2	30-01-25.933N 090-07-21.267W	FI R 2.5s	0	3	TR on pile. Ra ref.
11186	Bucktown Marina Entrance Light 3	30-01-24.343N 090-07-22.244W	FI G 2.5s	0	3	SG on pile. Ra ref.
11190	Bayou Castine Light 1	30-20-50.288N 090-03-47.279W	FI G 4s	0	4	SG on pile.
11195	Bayou Castine Light 2	30-20-49.084N 090-03-45.756W	FI R 4s		4	TR on pile.
11200	Mariners Village Marina Daybeacon 1	30-21-42.000N 090-05-26.000W				SG on pile.
11205	Mariners Village Marina Light 2	30-21-43.000N 090-05-24.000W	FI W 2.5s			TR on dolphin.
11210	Mariners Village Marina Daybeacon 3	30-21-44.000N 090-05-26.000W				SG on pile.
11215	Mariners Village Marina Daybeacon 4	30-25-45.000N 090-05-24.000W				TR on pile.
11220	Mariners Village Marina Daybeacon 5	30-21-46.000N 090-05-26.000W				SG on pile.
11225	Mariners Village Marina Daybeacon 6	30-21-48.000N 090-05-24.000W				TR on pile.
11230	Lake Pontchartrain Slab Storage East Lights (2)	30-21-39.365N 090-05-38.447W	Q W			On concrete slab.
11235	Lake Pontchartrain Slab Storage West Lights (2)	30-21-32.870N 090-05-41.727W	Q W			On concrete slab.
11239	Causeway Bridge Electrical Distribution Lights (19)	30-11-02.000N 090-07-32.000W	Q W			On west bridge span. Marks power distribution vaults on west span of bridge.

11240	Lake Pontchartrain Causeway Cut No.1 Light 1	30-14-32.200N 090-05-53.300W	FI G 4s			SG on pile.	
11245	Lake Pontchartrain Causeway Cut No.1 Light 2	30-15-11.600N 090-05-46.100W	FI R 4s			TR on pile.	
11250	Lake Pontchartrain Causeway Cut No.1 Light 3	30-14-46.100N 090-06-20.700W	FI G 4s			SG on pile.	
11255	Lake Pontchartrain Causeway Cut No.1 Light 4	30-15-05.900N 090-06-17.300W	FI R 4s			TR on pile.	
11260	Lake Pontchartrain Causeway Cut No.1 Light 5	30-14-54.100N 090-07-21.600W	FI G 4s			SG on pile.	
11265	Lake Pontchartrain Causeway Cut No.1 Light 6	30-15-13.900N 090-07-18.200W	FI R 4s			TR on pile.	
11270	Lake Pontchartrain Causeway Cut No.1 Light 7	30-14-48.400N 090-07-52.800W	FI G 4s			SG on pile.	
11275	Lake Pontchartrain Causeway Cut No.1 Light 8	30-15-28.100N 090-07-46.000W	FI R 4s			TR on pile.	
11280	Lake Pontchartrain Causeway Cut No. 2 Light 1	30-07-38.300N 090-07-05.600W	FI G 4s			SG on pile.	
11285	Lake Pontchartrain Causeway Cut No. 2 Light 2	30-08-17.600N 090-06-58.800W	FI R 4s			TR on pile.	
11290	Lake Pontchartrain Causeway Cut No. 2 Light 3	30-07-51.800N 090-07-33.800W	FI G 4s			SG on pile.	
11295	Lake Pontchartrain Causeway Cut No. 2 Light 4	30-08-11.300N 090-07-30.000W	FI R 4s			TR on pile.	
11300	Lake Pontchartrain Causeway Cut No. 2 Light 5	30-07-59.700N 090-08-34.300W	FI G 4s			SG on pile.	
11305	Lake Pontchartrain Causeway Cut No. 2 Light 6	30-08-19.600N 090-08-30.900W	FI R 4s			TR on pile.	
11310	Lake Pontchartrain Causeway Cut No. 2 Light 7	30-07-53.800N 090-09-05.600W	FI G 4s			SG on pile.	
11315	Lake Pontchartrain Causeway Cut No. 2 Light 8	30-08-33.100N 090-08-58.700W	FI R 4s			TR on pile.	
11320	Tchefuncte River Range Front Light	30-22-42.559N 090-10-10.199W	Q W	15		KRW on skeleton tower.	Visible all around.
11322	Town of Madisonville Tchefuncte River Lighthouse Breakwater Lights (3)	30-22-42.400N 090-10-08.500W	FI W 2.5s			Marks breakwater structure.	
11325	Tchefuncte River Range Rear Light	30-22-46.642N 090-10-08.849W	Iso W 6s	0		White conical tower.	Visible all around; higher intensity on rangeline.
11330	Tchefuncte River Light 2	30-22-03.354N 090-10-21.819W	FI R 4s	0	3	TR on pile.	
11335	Tchefuncte River Daybeacon 4	30-22-19.114N 090-10-16.494W		0		TR on pile.	
11340	Tchefuncte River Daybeacon 6	30-22-37.758N 090-10-10.059W		0		TR on pile.	Ra ref.
11345	Tchefuncte River Daybeacon 8	30-22-36.181N 090-09-50.919W		0		TR on pile.	
11350	Tchefuncte River Daybeacon 10	30-22-36.067N 090-09-39.691W		10		TR on pile.	
11352	Town of Madisonville Danger Breakwater Light	30-22-41.437N 090-09-38.498W	FI W 2.5s			Marks breakwater structure.	
11353	Kenyon Dock Lights (3)	30-24-48.456N 090-06-55.368W	FI W 2.5s			Marks dock and wave attenuator structure.	
11355	Port Louis Entrance Channel Light 1	30-22-29.000N 090-12-20.000W	FI G 2.5s			SG on pile.	
11360	Port Louis Entrance Channel Light 2	30-22-29.480N 090-12-18.980W	FI R 2.5s			TR on pile.	
11365	Port Louis Entrance Channel Tower Lights	30-22-33.860N 090-12-21.750W	Mo (A) W			MR on pile.	LIGHTS FLASH IN UNISON.
11370	Port Louis Channel Daybeacon 3	30-22-38.240N 090-12-24.510W				SG on pile.	
11375	Port Louis Channel Daybeacon 4	30-22-38.720N 090-12-23.070W				TR on pile.	

11380	Port Louis Channel Daybeacon 5	30-22-47.480N 090-12-28.610W				SG on pile.	
11385	Port Louis Channel Daybeacon 6	30-22-47.960N 090-12-27.160W				TR on pile.	
11390	Port Louis Channel Daybeacon 7	30-22-56.720N 090-12-32.700W				SG on pile.	
11395	Port Louis Channel Daybeacon 8	30-22-57.200N 090-12-31.260W				TR on pile.	
11400	Port Louis Channel Light 9	30-23-05.170N 090-12-36.320W	FI G 2.5s			SG on pile.	
11405	Port Louis Channel Light 10	30-23-05.440N 090-12-34.810W	FI R 2.5s			TR on pile.	
11410	Port Louis Channel Daybeacon 11	30-23-13.570N 090-12-36.390W				SG on pile.	
11415	Port Louis Channel Daybeacon 12	30-23-13.550N 090-12-34.850W				TR on pile.	
11420	New Orleans VOR Platform Lights (9)	30-01-54.000N 090-10-30.000W	F R			On square platform.	
11440	Gulf South Pipeline Light C1	30-07-14.000N 090-15-23.000W	FI Y 2.5s				
11460	Uno Survey Light A	30-01-56.016N 090-11-43.941W	FI Y 4s			On pile.	Maintained by U.N.O.
11465	Gulf South Pipeline Light E1	30-10-04.800N 090-12-53.700W	FI Y 2.5s				
11475	Gulf South Pipeline Light F1	30-11-30.000N 090-11-43.000W	FI Y 2.5s				
11490	Gulf South Pipeline Light I1	30-15-41.000N 090-08-28.000W	FI Y 2.5s				
11500	Gulf South Pipeline Light J1	30-16-56.500N 090-07-22.100W	FI Y 2.5s				
11510	Gulf South Pipeline Light K1	30-18-12.300N 090-06-12.900W	FI Y 2.5s				
11520	Gulf South Pipeline Light L1	30-19-14.000N 090-05-10.000W	FI Y 2.5s				
11530	Gulf South Pipeline Light M1	30-20-05.000N 090-04-00.000W	FI Y 2.5s				
11535	Lake Pontchartrain Power Line Lights (45)	30-04-54.000N 090-24-06.000W	Q W			On power line structure.	
11540	Entergy Tower Lights (2)	30-02-38.700N 090-14-12.700W	FI R 2.5s			Steel dolphins.	MARKS ELEVATED CLEARANCE FOR FOR ELECTRICAL TRANSMISSION POWER LINES.
11545	Entergy Tower Lights (2)	30-02-36.300N 090-14-09.500W	FI G 2.5s			Steel dolphin.	MARKS ELEVATED CLEARANCE FOR ELECTRICAL TRANSMISSION POWER LINE.
11550	Lake Pontchartrain Northwest Power Line Lights (12)	30-22-59.000N 090-11-51.000W	Q W			On power line structures.	
11555	Lumcon Enviromental Monitoring Station Light	30-18-52.680N 090-16-49.860W	FI Y 2.5s			On platform.	
11557	Tangipahoa Parish Danger Breakwater Lights (2)	30-18-51.191N 090-17-20.400W	FI W 2.5s			Marks shoreline breakwater.	
11557.01	Tangipahoa Parish Danger Breakwater Lights (2)	30-19-06.671N 090-17-10.679W	FI W 2.5s			Marks shoreline breakwater.	
11557.02	Tangipahoa Parish Danger Breakwater Lights (2)	30-19-32.087N 090-16-54.480W	FI W 2.5s			Marks shoreline breakwater.	
11557.03	Tangipahoa Parish Danger Breakwater Lights (3)	30-19-54.552N 090-16-37.919W	FI W 2.5s			Marks shoreline breakwater.	
11560	Tangipahoa River Light 2	30-19-41.704N 090-15-39.572W	FI R 4s	0	3	TR on dolphin.	
11565	Tangipahoa River Daybeacon 4	30-19-58.076N 090-16-03.144W		0		TR on pile.	
11570	Tangipahoa River Light 8	30-20-11.320N 090-16-27.012W	FI R 4s	0	4	TR on dolphin.	
11575	Pass Manchac South Channel Light 1	30-16-29.337N 090-18-43.139W	FI G 4s	0	4	SG on pile.	Ra ref.
11580	Pass Manchac South Channel Daybeacon 3	30-16-50.940N 090-18-32.560W		0		SG on pile.	Ra ref.
11585	Pass Manchac South Channel Daybeacon 5	30-17-12.195N 090-18-22.307W		0		SG on pile.	Ra ref.
11590	Pass Manchac South Channel Light 7	30-17-32.987N 090-18-11.569W	FI G 2.5s	0	4	SG on pile.	
11592	PASS MANCHAC LIGHTHOUSE WRECK LIGHT WR8	30-17-46.349N 090-17-53.117W	Q R	0	4	TR on pile.	Ra ref.

11595	Williams Land Company Danger Daybeacon South	30-19-52.000N 090-24-42.000W				NW on pile.	Worded: DANGER BARRICADE AHEAD.
11600	Williams Land Company Danger Lightd Buoy	30-19-53.000N 090-24-43.000W				White with Orange Bands and Open Face Diamond.	Marks Barricade on Private Canal.
11605	Williams Land Company Danger Daybeacon North	30-20-07.000N 090-24-45.000W				NW on pile.	Worded: Danger barricade Ahead.
11610	Lake Maurepas Daybeacon 2	30-17-26.426N 090-25-04.145W		0		TR on pile.	
11615	Lake Maurepas Daybeacon 4	30-17-39.671N 090-25-21.787W		0		TR on pile.	
11620	Lake Maurepas Light 5	30-17-40.961N 090-26-00.822W	Q G	0	4	TR on pile.	Ra ref.
11625	Tickfaw River Light 1	30-20-29.755N 090-28-30.474W	FI G 4s	0	4	SG on dolphin.	
11630	Tickfaw River Lighted Buoy 3	30-20-42.167N 090-28-24.618W	Q G		3	Green.	
11635	Tickfaw River Buoy 5	30-20-48.521N 090-28-26.612W				Green can.	
11640	Blind River Lighted Buoy 2	30-12-25.989N 090-34-48.507W	FI R 4s		3	Red.	
11645	Blind River Lighted Buoy 4	30-12-30.184N 090-35-21.879W	Q R		3	Red.	
11650	Amite River Entrance Light	30-17-49.559N 090-33-28.755W	FI W 4s	0	4	NW on piles.	
11652	Amite River Buoy 3	30-17-58.043N 090-33-27.006W				Green can.	
11654	Amite River Buoy 5	30-18-03.411N 090-33-33.113W				Green can.	
11665	Cal-Ky Pipeline Light Cp- 4B	30-07-58.430N 089-05-02.000W	FI Y 2.5s			Pile.	
11670	Cal-Ky Pipeline Light Cp55	30-02-55.000N 089-06-34.000W	FI Y 2.5s			Pile.	
11675	Cal-Ky Pipeline Light Cp4A	29-58-41.000N 089-07-51.000W	FI Y 2.5s			Pile.	
11680	Cal-Ky Pipeline Light Cp4	29-54-11.000N 089-09-16.000W	FI Y 2.5s				
11690	Cal-Ky Pipeline Light Cp3A	29-44-43.000N 089-13-02.680W	FI Y 2.5s			Concrete pile.	
11705	Mississippi River - Gulf Outlet Pipeline Light 27 (C- 1)	29-31-27.356N 089-10-16.710W	Q G			Pile structure.	
11710	Mississippi River - Gulf Outlet Pipeline Light 28 (C- 2)	29-31-34.574N 089-10-10.263W	Q R			Pile structure.	
11723	State of Louisiana Mississippi River Gulf Outlet Danger Light	29-49-19.190N 089-35-38.240W	FI W 2.5s			Marks channel closure structure.	
11723.01	State of Louisiana Mississippi River Gulf Outlet Danger Light	29-49-17.250N 089-35-39.970W	FI W 2.5s			Marks channel closure structure.	
11723.02	State of Louisiana Mississippi River Gulf Outlet Danger Light	29-49-15.320N 089-35-41.680W	FI W 2.5s			Marks channel closure structure.	
11723.03	State of Louisiana Mississippi River Gulf Outlet Danger Light	29-49-33.720N 089-35-53.890W	FI W 2.5s			Marks channel closure.	
11723.04	State of Louisiana Mississippi River Gulf Outlet Danger Light	29-49-29.200N 089-36-04.810W	FI W 2.5s			Marks channel closure.	
11723.05	State of Louisiana Mississippi River Gulf Outlet Danger Light	29-49-17.820N 089-35-31.770W	FI W 2.5s			Marks channel closure.	
11723.06	State of Louisiana Mississippi River Gulf Outlet Danger Light	29-49-09.120N 089-35-38.060W	FI W 2.5s			Marks channel closure.	
11840	Mississippi River - Gulf Outlet Pipeline Light 123A	29-59-20.000N 089-54-04.000W	FI Y 2.5s			NW on pile.	
11850	Mississippi River - Gulf Outlet Pipeline Light 124A	29-59-27.000N 089-53-57.000W	FI Y 2.5s			NW on pile.	
11853	Orleans Levee District Bayou Bienvenue Floodgate Light 2	30-00-09.180N 089-54-08.360W	FI R 2.5s			Marks southeast gate wall.	

11853.01	Orleans Levee District Bayou Bienvenue Floodgate Light 1	30-00-08.600N 089-54-08.540W	FI G 2.5s	Marks southwest gate wall.
11853.02	Orleans Levee District Bayou Bienvenue Floodgate Light 3	30-00-08.930N 089-54-09.850W	FI G 2.5s	Marks northwest gate wall.
11853.03	Orleans Levee District Bayou Bienvenue Floodgate Light 4	30-00-09.530N 089-54-09.640W	FI R 2.5s	Marks northeast gate wall.
11885	Michoud Dock Lights (2)	30-00-24.000N 089-56-03.000W	FI R 2.5s	On dock.
11890	Grant Street Discharge Light	30-00-14.000N 089-56-59.000W	FI R 2.5s	On dolphin.
11900	Amid Station Discharge Lights (2)	29-59-52.000N 090-00-35.000W	FI R 2.5s	On dolphins.
11905	California Bay Pipeline Light Cp3	29-36-40.000N 089-19-08.000W	Q W	
11908	Nature Conservancy Danger Daybeacon	29-44-34.480N 089-28-12.500W		Marks submerged shoreline protection.
11908.01	Nature Conservancy Danger Daybeacon	29-44-38.360N 089-28-10.420W		Marks submerged shoreline protection.
11908.02	Nature Conservancy Danger Daybeacon	29-44-41.960N 089-28-08.220W		Marks submerged shoreline protection.
11908.03	Nature Conservancy Danger Daybeacon	29-44-45.420N 089-28-05.560W		Marks submerged shoreline protection.
11908.04	Nature Conservancy Danger Daybeacon	29-44-48.730N 089-28-02.320W		Marks submerged shoreline protection.
11908.05	Nature Conservancy Danger Daybeacon	29-44-52.040N 089-27-58.900W		Marks submerged shoreline protection.
11909	LDWF Lake Machias Special Lighted Buoy	29-42-30.364N 089-28-58.459W	FI Y 2.5s	Marks center of reef.
11910	California Bay Pipeline Light Cp2	29-29-31.000N 089-26-14.000W	Q W	
11915	California Bay Pipeline Light Cp1	29-25-11.000N 089-29-48.000W	Q R	
11920	Quarantine Bay Channel Light 2	29-25-02.000N 089-28-27.000W	FI R 4s	TR on pile.
11925	Quarantine Bay Channel Light 3	29-25-02.000N 089-28-27.000W	FI G 4s	SG on pile.
11930	Quarantine Bay Channel Light 4	29-25-03.000N 089-28-28.000W	FI R 4s	TR on pile.
11935	Quarantine Bay Channel Light 5	29-24-54.000N 089-28-30.000W	FI G 4s	SG on pile.
11940	Quarantine Bay Channel Light 6	29-25-03.000N 089-28-48.000W	FI R 4s	TR on pile.
11945	Quarantine Bay Channel Light 8	29-25-03.000N 089-28-52.000W	FI R 4s	TR on pile.
11950	Quarantine Bay Channel Light 9	29-24-57.000N 089-29-11.000W	FI G 4s	SG on pile.
11955	Quarantine Bay Channel Light 10	29-25-02.000N 089-29-12.000W	FI R 4s	TR on pile.
11960	Quarantine Bay Channel Light 12	29-25-02.000N 089-29-15.000W	FI R 4s	TR on pile.
11965	Quarantine Bay Channel Light 14	29-24-54.000N 089-29-18.000W	FI R 4s	TR on pile.
11970	Quarantine Bay Channel Light 16	29-24-38.000N 089-29-43.000W	FI R 4s	TR on pile.
11975	Quarantine Bay Channel Light 18	29-24-25.000N 089-30-09.000W	FI R 4s	TR on pile.
11980	Quarantine Bay Channel Light 20	29-24-19.000N 089-30-21.000W	FI R 4s	TR on pile.
11985	Quarantine Bay Channel Light 22	29-24-12.000N 089-30-30.000W	FI R 4s	TR on pile.
11990	Quarantine Bay Channel Light 24	29-24-11.000N 089-30-45.000W	FI R 4s	TR on pile.
11995	Quarantine Bay Channel Light 30	29-23-49.000N 089-31-07.000W	FI R 4s	TR on pile.
12000	Quarantine Bay Channel Light 34	29-23-35.000N 089-31-14.000W	FI R 4s	TR on pile.
12005	Quarantine Bay Channel Light 36	29-23-34.000N 089-31-14.000W	FI R 4s	TR on pile.

12010	Quarantine Bay Channel Light 38	29-23-32.000N 089-31-16.000W	FI R 4s	TR on pile.
12015	Quarantine Bay Channel Light 40	29-23-00.000N 089-31-24.000W	FI R 4s	TR on pile.
12017	The Water Institute of the Gulf Scientific Platform Light	29-22-25.287N 089-29-27.145W	FI W 2.5s	
12017.01	The Water Institute of the Gulf Scientific Platform Light	29-22-44.135N 089-30-20.165W	FI W 2.5s	
12017.02	The Water Institute of the Gulf Scientific Platform Light	29-23-20.514N 089-31-16.451W	FI W 2.5s	
12020	Quarantine Bay Channel Light 42	29-23-16.000N 089-31-28.000W	FI R 4s	TR on pile.
12022	MOEM Bonnies Bay Pipeline Light A	29-23-55.980N 089-34-19.960W	FI Y 2.5s	Marks submerged pipeline.
12022.01	MOEM Bonnies Bay Pipeline Light B	29-23-57.090N 089-34-21.350W	FI Y 2.5s	Marks submerged pipeline.
12025	Quarantine Bay North Channel Light 2	29-25-44.000N 089-30-58.000W	FI R 4s	TR on pile.
12030	Southern Oil Palmetto Prospect Danger Obstruction Light	29-28-12.000N 089-31-53.000W	FI W 2.5s	Marks piling obstruction.
12030.01	Southern Oil Palmetto Prospect Danger Obstruction Light	29-28-15.000N 089-32-04.000W	FI W 2.5s	Marks piling obstruction.
12030.02	Southern Oil Palmetto Prospect Danger Obstruction Light	29-28-18.000N 089-32-15.000W	FI W 2.5s	Marks piling obstruction.
12030.03	Southern Oil Palmetto Prospect Danger Obstruction Light	29-28-20.000N 089-32-26.000W	FI W 2.5s	Marks piling obstruction.
12030.04	Southern Oil Palmetto Prospect Danger Obstruction Light	29-28-23.000N 089-32-37.000W	FI W 2.5s	Marks piling obstruction.
12030.05	Southern Oil Palmetto Prospect Danger Obstruction Light	29-28-26.000N 089-32-47.000W	FI W 2.5s	Marks piling obstruction.
12030.06	Southern Oil Palmetto Prospect Danger Obstruction Light	29-28-28.000N 089-32-58.000W	FI W 2.5s	Marks piling obstruction.
12030.07	Southern Oil Palmetto Prospect Danger Obstruction Light	29-28-26.000N 089-33-05.000W	FI W 2.5s	Marks piling obstruction.
12030.08	Southern Oil Palmetto Prospect Danger Obstruction Light	29-28-20.000N 089-33-12.000W	FI W 2.5s	Marks piling obstruction.
12030.09	Southern Oil Palmetto Prospect Danger Obstruction Light	29-28-12.000N 089-33-16.000W	FI W 2.5s	Marks piling obstruction.
12030.11	Southern Oil Palmetto Prospect Danger Obstruction Light	29-28-03.000N 089-33-21.000W	FI W 2.5s	Marks piling obstruction.
12030.12	Southern Oil Palmetto Prospect Danger Obstruction Light	29-27-54.000N 089-33-25.000W	FI W 2.5s	Marks piling obstruction.
12030.13	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-26.000N 089-33-11.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.14	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-23.000N 089-33-08.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.15	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-17.000N 089-33-18.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.16	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-25.000N 089-33-14.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.17	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-06.000N 089-33-23.000W	FI W 2.5s	Marks sediment curtain piling obstruction.

12030.18	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-06.000N 089-33-18.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.19	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-27-55.000N 089-33-28.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.21	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-27-52.000N 089-33-23.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.22	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-27-48.000N 089-33-28.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.23	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-26.000N 089-33-06.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.24	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-29.000N 089-33-08.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.25	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-20.000N 089-33-11.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.26	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-22.000N 089-33-15.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.27	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-10.000N 089-33-16.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.28	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-12.000N 089-33-21.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.29	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-02.000N 089-33-20.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.31	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-28-01.000N 089-33-26.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.32	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-27-57.000N 089-33-21.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.33	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-27-47.000N 089-33-26.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12030.34	Southern Oil Palmetto Prospect Sediment Curtain Danger Light	29-27-49.000N 089-33-31.000W	FI W 2.5s	Marks sediment curtain piling obstruction.
12032	MOEM Gasper Bay Pipeline Light A	29-27-46.530N 089-34-50.700W	FI Y 2.5s	Marks submerged pipeline.
12070	Telegraph Point Light	29-29-42.000N 089-30-12.000W	FI W 3s	On dolphin.
12072	MOEM Long Bay Pipeline Light A	29-29-31.640N 089-34-39.860W	FI Y 2.5s	Marks submerged pipeline.
12075	Black Bay Channel Light 1	29-33-06.000N 089-30-18.000W	FI W 4s	SG on piles.
12080	Helis Black Bay Channel Light 2	29-33-37.500N 089-30-36.500W	FI R 4s	TR on pile.
12085	Helis Black Bay Channel Light 3	29-33-36.500N 089-30-42.100W	FI G 4s	SG on pile.
12090	Helis Black Bay Channel Light 4	29-33-51.800N 089-30-51.000W	FI R 4s	TR on pile.
12095	Helis Black Bay Channel Light 5	29-33-50.300N 089-30-53.900W	FI G 4s	SG on pile.
12100	Helis Black Bay Channel Light 6	29-34-03.700N 089-30-59.100W	FI R 4s	TR on pile.
12105	Helis Black Bay Channel Light 7	29-34-03.800N 089-34-02.700W	FI G 4s	SG on pile.
12110	Helis Black Bay Channel Light 9	29-34-31.000N 089-31-00.300W	FI G 4s	SG on pile.
12115	Helis Black Bay Channel Light 11	29-34-47.100N 089-31-03.500W	FI G 4s	SG on pile.
12120	Helis Black Bay Channel Light 13	29-34-56.900N 089-31-09.300W	FI G 4s	SG on pile.
12125	Helis Black Bay Channel Light 15	29-34-58.100N 089-31-23.400W	FI G 4s	SG on pile.

12130	Helis Stone Island Remediation Project Danger Lights (3)	29-34-49.290N 089-31-56.640W	Fl W 2.5s	NW on pile.	Worded: DANGER ROCKS.
12135	Helis Black Bay Channel Light 17	29-35-00.600N 089-31-57.800W	Fl G 4s	SG on pile.	
12140	Helis Black Bay Channel Light 19	29-35-00.600N 089-31-57.800W	Fl G 4s	SG on pile.	
12145	Helis Black Bay Channel Light 21	29-35-01.800N 089-32-12.300W	Fl G 4s	SG on pile.	
12150	Helis Black Bay Channel Light 23	29-35-06.600N 089-32-29.300W	Fl G 4s	SG on pile.	
12345	West Black Bay Channel Light 78A	29-35-07.800N 089-33-02.100W	Fl W 4s	On dolphin.	
12350	U.S. GEOLOGICAL SURVEY SCIENTIFIC MONITORING PLATFORM LIGHT (PP)	29-35-08.700N 089-36-21.500W	Fl Y 2.5s	On pipe.	
12352	LDWF Mozambique Point Special Lighted Buoy	29-37-10.621N 089-29-21.782W	Fl Y 2.5s	Marks center of reef.	
12370	Bayou Terre Aux Boeufs Daybeacon 6	29-38-03.391N 089-32-25.459W		TR on pile.	Ra ref.
12375	Bayou Terre Aux Boeufs Daybeacon 7	29-39-31.077N 089-33-50.479W		SG on pile.	Ra ref.
12376	MOEM Black Bay Pipeline Light A	29-39-44.940N 089-36-40.850W	Fl Y 2.5s	Marks submerged pipeline.	
12376.01	MOEM Bayou Terra Aux Pipeline Light A	29-40-33.270N 089-36-57.150W	Fl Y 2.5s	Marks submerged pipeline.	
12376.02	MOEM Lake Jean Louis Pipeline Light A	29-42-58.880N 089-38-14.590W	Fl Y 2.5s	Marks submerged pipeline.	
12376.03	MOEM Lake Jean Louis Pipeline Light B	29-44-43.460N 089-39-09.960W	Fl Y 2.5s	Marks submerged pipeline.	
12376.04	MOEM Middle Bayou Pipeline Light A	29-46-36.280N 089-40-11.930W	Fl Y 2.5s	Marks submerged pipeline.	
12376.05	MOEM Crooked Bayou Pipeline Light A	29-48-04.830N 089-41-01.580W	Fl Y 2.5s	Marks submerged pipeline.	
12377	Nature Conservancy Bayou Palo Daybeacon 2	29-40-03.981N 089-32-06.988W		TR on pile.	
12377.01	Nature Conservancy Lake Fortuna Danger Daybeacons (4)	29-40-09.411N 089-32-08.248W		NW on pile.	
12377.02	Nature Conservancy Lake Fortuna Danger Daybeacons (3)	29-40-21.615N 089-31-57.100W		NW on pile.	
12377.03	Nature Conservancy Bayou Numa Daybeacon 1	29-40-26.873N 089-31-51.120W		SG on pile.	
12377.04	Nature Conservancy Bayou Numa Daybeacon 2	29-40-25.844N 089-31-49.820W		TR on pile.	
12377.05	Nature Conservancy Lake Fortuna Danger Daybeacons (5)	29-40-26.587N 089-31-40.470W		NW on pile.	
12377.06	Nature Conservancy Lake Fortuna Danger Daybeacons (4)	29-40-39.033N 089-31-47.090W		NW on pile.	
12377.07	Nature Conservancy Cat Pass Cut Daybeacon 1	29-40-52.114N 089-31-47.370W		SG on pile.	
12377.08	Nature Conservancy Lake Eloi Danger Daybeacons (5)	29-45-03.461N 089-26-14.900W		NW on pile.	
12377.09	Nature Conservancy Lake Eloi South Cut Daybeacon 1	29-45-09.923N 089-26-22.470W		SG on pile.	
12377.11	Nature Conservancy Lake Eloi South Cut Daybeacon 2	29-45-15.005N 089-26-24.650W		TR on pile.	
12377.12	Nature Conservancy Lake Eloi Danger Daybeacons (3)	29-45-16.301N 089-26-23.850W		NW on pile.	
12377.13	Nature Conservancy Lake Eloi Danger Daybeacon (3)	29-45-25.598N 089-26-25.440W		NW on pile.	
12377.14	Nature Conservancy Lake Eloi Center Cut Daybeacon 1	29-45-28.089N 089-26-27.950W		SG on pile.	

12377.15	Nature Conservancy Lake Eloi Center Cut Daybeacon 2	29-45-29.633N 089-26-30.230W					TR on pile.	
12377.16	Nature Conservancy Lake Eloi Danger Daybeacons (5)	29-45-33.583N 089-26-32.940W					NW on pile.	
12377.17	Nature Conservancy Lake Eloi North Cut Daybeacon 1	29-45-46.440N 089-26-26.610W					SG on pile.	
12378	CPRA Eloi Point Danger Breakwater Lights 1-30	29-45-24.460N 089-25-01.560W	FI W 2.5s				Marks shoreline restoration breakwater.	
12378.01	CPRA Eloi Point Danger Breakwater Lights 31-49	29-46-07.710N 089-24-31.580W	FI W 2.5s				Marks shoreline restoration breakwater.	
12378.02	CPRA Eloi Point Danger Breakwater Lights 50-53	29-47-17.590N 089-23-55.310W	FI W 2.5s				Marks shoreline restoration breakwater.	
12378.03	CRCL Danger Daybeacons (6)	29-45-18.560N 089-26-55.210W					Marks submerged oyster beds.	
12380	BAPTISTE COLLETTE BAYOU ENTRANCE LIGHT	29-24-43.464N 089-18-33.625W	Oc W 4s	0	4		NG on piles.	Ra ref.
12385	Baptiste Collette Bayou Light 1	29-24-16.599N 089-18-29.402W	FI G 2.5s	0	4		SG on pile.	Ra ref.
12390	Baptiste Collette Bayou Light 2	29-24-16.415N 089-18-34.003W	FI R 2.5s	0	4		TR on pile.	Ra ref.
12395	Baptiste Collette Bayou Light 3	29-23-57.883N 089-18-26.923W	FI G 6s	0	4		SG on pile.	Ra ref.
12400	Baptiste Collette Bayou Daybeacon 4	29-23-45.310N 089-18-30.154W		0			TR on pile.	Ra ref.
12405	Baptiste Collette Bayou Light 5	29-23-35.570N 089-18-23.441W	FI G 4s	0	4		SG on pile.	Ra ref.
12410	Baptiste Collette Bayou Light 6	29-23-21.712N 089-18-26.038W	FI R 6s	0	4		TR on pile.	Ra ref.
12415	Baptiste Collette Bayou Light 7	29-23-03.073N 089-18-18.097W	FI G 6s	0	4		SG on pile.	Ra ref.
12420	Baptiste Collette Bayou Daybeacon 8	29-23-03.570N 089-18-23.904W		0			TR on pile.	Ra ref.
12425	Baptiste Collette Bayou Light 9	29-22-42.401N 089-18-14.969W	FI G 4s		4		SG on dolphin.	
12430	Baptiste Collette Bayou Light 10	29-22-42.009N 089-18-20.187W	FI R 4s	0	3		TR on pile.	
12435	Baptiste Collette Bayou Daybeacon 11	29-22-29.442N 089-18-13.230W		0			SG on pile.	Ra ref.
12440	Baptiste Collette Bayou Daybeacon 12	29-22-22.747N 089-18-16.832W					TR on pile.	Ra ref.
12445	Baptiste Collette Bayou Light 13	29-22-04.343N 089-18-08.904W	FI G 2.5s	0	3		SG on pile.	Ra ref.
12450	Baptiste Collette Bayou Light 14	29-22-03.432N 089-18-13.872W	FI R 2.5s		3		TR on pile.	Ra ref.
12455	Baptiste Collette Bayou Daybeacon 15	29-21-45.110N 089-18-05.990W		0			SG on pile.	
12460	Baptiste Collette Bayou Daybeacon 16	29-21-45.721N 089-18-10.992W					TR on pile.	Ra ref.
12465	Baptiste Collette Bayou Light 17	29-21-34.997N 089-18-03.683W	FI G 2.5s	0	3		SG on pile.	Ra ref.
12470	Baptiste Collette Bayou Light 18	29-21-35.160N 089-18-09.293W	FI R 2.5s	17	3		TR on pile.	
12475	Baptiste Collette Bayou Daybeacon 19	29-19-14.335N 089-18-54.597W		0			SG on pile.	Ra ref.
12480	Baptiste Collette Bayou Daybeacon 20	29-18-52.289N 089-19-11.375W		0			TR on pile.	Ra ref.
12490	Baptiste Collette Bayou Daybeacon 21	29-18-04.408N 089-19-33.959W		0			SG on pile.	Ra ref.
12495	Baptiste Collette Bayou Light 22	29-18-07.523N 089-19-41.811W	Q R	0	3		TR on pile.	Ra ref.
12500	Baptiste Collette Bayou Light 23	29-17-55.283N 089-19-47.229W	Q G	0	3		SG on pile.	Ra ref.
12505	Baptiste Collette Bayou Light 25	29-17-34.624N 089-20-49.381W	FI G 2.5s	0	3		SG on pile.	
12510	Main Pass Loading Dock Light	29-15-20.000N 089-14-06.000W	FI W 2s					
12515	Lonesome Bayou Light 2	29-14-24.000N 089-03-43.000W	Q R				TR on dolphin.	

12520	Lonesome Bayou Daybeacon 4	29-13-17.000N 089-03-38.000W					TR on pile.	
12525	Lonesome Bayou Daybeacon 6	29-13-11.000N 089-03-33.000W					TR on pile.	
12530	Lonesome Bayou Daybeacon 8	29-13-04.000N 089-03-28.000W					TR on pile.	
12535	Lonesome Bayou Daybeacon 10	29-12-57.000N 089-03-23.000W					TR on pile.	
12540	Shell Pipeline Corporation Dock Light	29-09-06.000N 089-14-06.000W	F W				White rectangular daymark.	
12545	Garden Island Bay 214-160 Channel Light 1	29-06-21.000N 089-11-01.000W	Q G				SG on pile.	
12550	Johnson Pass Light 1	29-05-24.000N 089-09-42.000W	FI W 2.5s				On dolphin.	
12552	Crimson Gulf Pipeline Marker Light A	29-09-03.010N 089-13-10.830W	FI Y 2.5s				Western mark.	
12552.01	Crimson Gulf Pipeline Marker Light B	29-09-03.010N 089-13-10.600W	FI Y 2.5s				Eastern mark	
12555	Redfish Bay SI 11107 Pipeline Daybeacon A	29-05-54.000N 089-05-24.000W					NW on pile.	
12560	Redfish Bay SI 11107 Pipeline Daybeacon B	29-05-54.000N 089-05-30.000W					NW on pile.	
12565	Redfish Bay SI 11107 Pipeline Daybeacon C	29-06-00.000N 089-05-36.000W					NW on pile.	
12570	Redfish Bay SI 11107 Pipeline Daybeacon D	29-06-00.000N 089-05-42.000W					NW on pile.	
12575	South Pass Lighted Buoy 2	28-58-49.350N 089-06-52.601W	FI R 2.5s	4			Red.	
12580	South Pass Lighted Buoy 3	28-58-53.301N 089-07-19.185W	FI G 4s	4			Green.	
12585	South Pass Buoy 3A	28-59-11.656N 089-08-03.595W					Green can.	
12590	South Pass Lighted Buoy 4	28-59-22.227N 089-08-11.226W	Q R	4			Red.	
12596.06	South Pass Light 8	29-00-14.283N 089-09-03.085W	FI R 4s	17	4		TR on pile.	Ra ref.
12596.03	South Pass Light 7	28-59-48.795N 089-08-39.230W	FI G 4s		4		SG on pile.	Ra ref.
12596	South Pass Light 6	28-59-42.950N 089-08-26.723W	FI R 2.5s	17	4		TR on pile.	Ra ref.
12597	Port Eads Marina Lower Dock Light	29-00-55.000N 089-09-59.000W	FI G 2.5s				Marks lower end of dock.	
12597.01	Port Eads Marina Upper Dock Light	29-00-58.000N 089-10-03.000W	FI G 2.5s				Marks upper end of dock.	
12605	Picayune Bayou Light 9	29-01-36.757N 089-10-54.499W	Iso G 6s	0	4		SG on pile.	Ra ref.
12610	Oysterville Light 9A	29-03-12.364N 089-12-13.276W	Iso G 6s		4		SG on piles.	
12620	Old Grand Bayou Light 10	29-04-32.333N 089-12-44.871W	Iso R 6s	0	4		TR on pile.	Ra Ref.
12625	Southern Natural Gas South Pass Dock A Light	29-05-06.000N 089-13-12.000W	FI R 4s				On boat dock.	
12630	Southern Natural Gas South Pass Dock B Light	29-04-54.000N 089-13-24.000W	FI G 4s				On boat dock.	
12632	Clayton Williams Energy South Pass Pipeline Light	29-05-17.560N 089-13-37.640W	FI Y 2.5s				NW on pile.	
12632.01	Clayton Williams Energy South Pass Pipeline Light	29-05-09.710N 089-13-30.570W	FI Y 2.5s				NW on pile.	
12632.02	Clayton Williams Energy South Pass Pipeline Light	29-05-02.010N 089-13-23.290W	FI Y 2.5s				NW on pile.	
12635	Upper Cave Light 11	29-06-02.291N 089-14-09.063W	Iso G 6s		4		SG on dolphin.	
12640	South Pass Light 11A	29-06-53.098N 089-14-30.766W	FI G 2.5s	0	4		SG on pile.	Ra ref.
12645	South Pass Light 13	29-07-23.107N 089-14-34.542W	Iso G 6s		4		SG on pile.	Ra ref.
12650	Depot Point Light 14	29-07-59.539N 089-14-34.356W	Iso R 6s	0	4		TR on pile.	Ra ref.
12655	South Pass Light 14A	29-08-24.085N 089-14-49.188W	Iso R 6s	0	4		TR on pile.	Ra ref.

12660	Cypress Leading Light	29-08-01.593N 089-14-47.575W	Iso W 6s	25		NB on skeleton tower on piles.	Visible 6° either side of 166° to the light..
12665	South Pass Light 15	29-08-28.296N 089-15-01.048W	Iso G 6s	0	4	SG on pile.	Ra ref.
12670	South Pass Light 16	29-09-05.692N 089-14-58.824W	Fl R 2.5s	0	4	TR on pile.	Ra ref.
12680	Southwest Pass Entrance Lighted Buoy SW	28-52-39.119N 089-25-55.026W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
12685	Southwest Pass Entrance Range Front Light	28-54-34.475N 089-25-55.212W	F W	10		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12690	Southwest Pass Entrance Range Rear Light	28-54-45.841N 089-25-55.125W	F W			KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12695	Southwest Pass Lighted Buoy 1	28-53-41.280N 089-26-00.598W	Fl G 2.5s		4	Green.	
12700	Southwest Pass Entrance East Range Front Light	28-54-33.761N 089-25-53.472W	Q R	10		NR on tower on piles.	Visible 1.5° each side of rangeline.
12705	Southwest Pass Entrance East Range Front Passing Light	28-54-34.537N 089-25-53.480W	Q W	0	5	On same structure as Southwest Pass Entrance East Range Front Light.	
12710	Southwest Pass Entrance East Range Rear Light	28-54-49.867N 089-25-53.440W	Iso R 6s	20		NR on tower on piles.	Visible only on the east quarter of SWP Entrance Channel.
12715	Southwest Pass Entrance West Range Front Light	28-54-34.686N 089-25-56.924W	Q G			NG on dolphin.	Visible 1.5° each side of rangeline.
12720	Southwest Pass Entrance West Range Rear Light	28-54-46.766N 089-25-56.883W	Iso G 6s			NG on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12725.01	Southwest Pass Lighted Buoy 3A	28-54-06.198N 089-26-07.594W	Q G		4	Green.	
12725	Southwest Pass Leading Light	28-53-59.134N 089-26-15.605W	Q W	25	5	NB on pile.	
12730	Southwest Pass East Jetty End Light 4	28-54-19.910N 089-25-45.486W	Iso R 6s		5	TR on red skeleton tower on piles.	Higher intensity beam up channel.
12735	Southwest Pass East Jetty End Lighted Buoy 4A	28-54-16.762N 089-25-48.895W	Fl R 4s		3	Red.	
12740	Southwest Pass Entrance Light	28-54-21.395N 089-25-43.051W	Fl W 10s	122	12	Tower on white dwelling on piles.	Emergency light of reduced intensity: Fl W 10s.
12745	Southwest Pass B Range Front Light	28-55-01.204N 089-25-09.492W	Q W	25	11	KRW on skeleton tower on piles.	Visible 5.5° each side of rangeline.
12750	Southwest Pass B Range Front Passing Light	28-54-57.034N 089-25-13.861W	Fl W 2.5s		4	On same structure as Southwest Pass Range B Front Light.	
12755	Southwest Pass B Range Rear Light	28-55-12.985N 089-24-57.077W	Iso W 6s			KRW on skeleton tower on piles.	
12760	Southwest Pass B East Range Front Light	28-55-04.364N 089-25-03.871W	Q R	10		KWR on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12765	Southwest Pass B East Range Rear Light	28-55-10.978N 089-24-56.997W	Iso R 6s			KWR on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12770	Southwest Pass B West Range Front Light	28-55-06.216N 089-25-06.577W	Q G	10		KWG on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12775	Southwest Pass B West Range Rear Light	28-55-12.910N 089-24-59.466W	Iso G 6s			KWG on skeleton tower on piles.	Visible 1.5° each side of rangeline.
12780	Southwest Pass Light 5	28-56-11.284N 089-24-36.850W	Iso G 6s	25	5	SG on skeleton tower on piles.	
12785	Southwest Pass Light 6	28-56-15.791N 089-24-13.552W	Iso R 6s	25	4	TR on skeleton tower on piles.	
12790	Southwest Pass Light 7	28-56-51.037N 089-24-09.678W	Fl G 2.5s	25	5	SG on skeleton tower on piles.	
12795	Southwest Pass Light 8	28-57-05.634N 089-23-38.034W	Fl R 2.5s	25	9	TR on skeleton tower on piles.	
12800	Southwest Pass Light 9	28-57-57.260N 089-23-17.824W	Iso G 6s	25	5	SG on skeleton tower on piles.	
12805	Southwest Pass Light 10	28-58-35.514N 089-22-23.650W	Iso R 6s	30	5	TR on skeleton tower on piles.	
12810	Southwest Pass Light 11	28-58-51.863N 089-22-30.916W	Iso G 6s	25	5	SG on skeleton tower on piles.	
12815	Southwest Pass Light 12	28-59-25.526N 089-21-40.930W	Fl R 4s	25	4	TR on skeleton tower on piles.	
12820	Southwest Pass Light 14	29-00-08.130N 089-21-05.052W	Iso R 6s	20	5	TR on skeleton tower on piles.	
12825	Southwest Pass Light 16	29-00-45.108N 089-20-36.306W	Iso R 6s	25	5	TR on skeleton tower on piles.	
12830	Southwest Pass Light 17	29-01-18.583N 089-20-30.399W	Fl G 2.5s	25	5	SG on skeleton tower on piles.	

12835	Southwest Pass Light 18	29-01-23.784N 089-20-06.178W	FI R 2.5s	25	9	TR on skeleton tower on piles.	
12845	Chevron Pier Light	29-02-19.000N 089-19-33.200W	Q W			On dock.	
12855	Chevron Boat Dock Light	29-02-21.000N 089-19-13.000W	FI R 4s			On dolphin.	
12860	Double Bayou Light 19	29-02-49.054N 089-19-10.357W	FI G 2.5s	35	10	SG on skeleton tower on piles.	
12865	Energy Partners Outfall Light	29-02-57.800N 089-18-43.200W	FI R 4s			On pile.	
12870	Shell Terminal Loading Dock Lights (2)	29-03-18.000N 089-18-32.000W	F R			On dock.	
12875	Southwest Pass Light 21	29-03-41.659N 089-18-39.386W	Iso G 6s	25	5	SG on skeleton tower on piles.	
12880	Southwest Pass Light 22	29-03-58.759N 089-18-00.686W	Q R	30	5	TR on skeleton tower on piles.	
12885	Scotts Canal Light 23	29-05-08.844N 089-17-10.984W	FI G 2.5s	20	10	SG on skeleton tower on mud sills.	
12890	Southwest Pass Light 24	29-05-08.191N 089-16-50.231W	FI R 2.5s	25	5	TR on skeleton tower on piles.	
12895	Scotts Canal Landing Light	29-05-13.000N 089-17-03.000W	FI W 3s				
12900	Southwest Pass Light 26	29-06-26.737N 089-16-06.842W	Iso R 6s	25	4	TR on skeleton tower.	
12905	Southwest Pass Light 27	29-07-11.030N 089-16-01.042W	FI G 2.5s	25	5	SG on skeleton tower on piles.	
12910	Southwest Pass Head Range Front Light	29-07-56.359N 089-15-24.626W	F W			KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
12915	Southwest Pass Head Range Front Light Passing Light	29-07-54.831N 089-15-24.209W	FI W 4s	0	5	On same structure as Southwest Pass Head Range Front Light.	
12920	Southwest Pass Head Range Rear Light	29-07-45.808N 089-15-25.233W	F W	40		KRW on skeleton tower on mud sills.	Visible 2° each side of rangeline.
12925	Southwest Pass Head East Range Front Light	29-07-50.449N 089-15-21.535W	Q R	15		KWR on skeleton tower on piles.	Visible 4° each side of rangeline.
12930	Southwest Pass Head East Range Rear Light	29-07-38.570N 089-15-22.275W	Iso R 6s	30		KWR on skeleton tower on piles.	Visible 4° each side of rangeline.
12935	Southwest Pass Head West Range Front Light	29-07-50.793N 089-15-27.175W	Q G	15		KWG on skeleton tower on piles.	Visible 4° each side of rangeline.
12940	Southwest Pass Head West Range Rear Light	29-07-38.867N 089-15-27.899W	Iso G 6s			KWG on skeleton tower on piles.	Visible 4° each side of rangeline.
12945	Head Of Passes Junction Light	29-08-52.788N 089-15-05.572W	FI (2+1)R 6s		6	JR on skeleton tower on piles.	
12950	Cubits Gap Range Front Light	29-10-00.315N 089-15-13.028W	Q G	10		Skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
12955	Cubits Gap Range Rear Light	29-09-53.163N 089-15-08.743W	F G	30		Skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
12960	Pilottown A Range Front Light	29-10-06.768N 089-15-16.600W	Q W			KRW on skeleton tower.	
12965	Pilottown A Range Rear Light	29-10-15.610N 089-15-16.139W	Iso W 6s			KRW on skeleton tower.	
12970	Pilottown A East Range Front Light	29-10-11.187N 089-15-12.945W	Q R	10		KWR on skeleton tower on piles.	Visible 4° each side of rangeline.
12975	Pilottown A East Range Rear Light	29-10-22.878N 089-15-12.347W	Iso R 6s	20		KWR on skeleton tower on piles.	Visible 4° each side of rangeline.
12980	Pilottown A West Range Front Light	29-10-11.460N 089-15-18.565W	Q G	10		KWG on skeleton tower on piles.	Visible 4° each side of rangeline.
12985	Pilottown A West Range Rear Light	29-10-23.797N 089-15-17.871W	Iso G 6s	20		KWG on skeleton tower on piles.	Visible 4° each side of rangeline.
12993	Pilottown Anchorage Shoal Buoy 1	29-10-18.199N 089-15-52.382W				Green can.	
12995	Pilottown Lighted Buoy 1	29-10-22.488N 089-15-39.837W	Q G		4	Green.	
13000	Pilottown Wingdam Light 2	29-10-27.105N 089-15-25.032W	FI R 2.5s	0	5	TR on skeleton tower on piles.	
13002	Pilottown Anchorage Shoal Buoy 3	29-10-34.939N 089-16-02.066W				Green can.	
13005	River Pilots Wingdam Light	29-10-45.000N 089-15-34.000W	F R			On pile.	
13010	River Pilots Wharf Light	29-10-43.000N 089-15-32.000W	F R			Pile.	

13012	Pilottown Anchorage Shoal Buoy 5	29-10-48.619N 089-16-10.406W					Green can.	
13015	Pilottown Terminal Wing Dam Light	29-11-00.000N 089-15-39.000W	Q R					
13020	Cubits Gap Lighted Buoy 3	29-11-11.809N 089-16-01.749W	Fl G 4s	4			Green.	
13025	Cubits Gap Light 4	29-11-32.664N 089-15-51.605W	Iso R 6s	25	5		TR on skeleton tower on piles.	
13030	Old Quarantine Station Lighted Buoy A	29-12-00.645N 089-16-31.864W	Fl (2+1)G 6s	4			Green and red bands.	
13035	Old Quarantine Station Light 6	29-12-07.276N 089-16-17.274W	Fl R 4s	4			TR on skeleton tower on piles.	
13040	Spences Light 6A	29-14-24.191N 089-17-54.456W	Fl R 6s	25	4		TR on skeleton tower on piles.	
13045	Pilottown Anchorage Upper Daybeacon 6.7	29-14-04.420N 089-18-22.605W			15		NY on pile.	Ra ref.
13050	West Point Light 7	29-14-48.162N 089-19-02.308W	Fl G 4s	4			SG on skeleton tower on piles.	
13055	Wilder Flats Light 8	29-15-08.628N 089-18-42.892W	Fl R 2.5s	5			TR on skeleton tower on piles	
13060	Lower Venice Anchorage Lower Daybeacon 8.0	29-15-15.098N 089-18-51.333W			15		NY on pile.	Ra ref.
13065	Lower Venice Anchorage Upper Daybeacon 9.6	29-16-11.007N 089-20-00.081W			15		NY on pile.	Ra ref.
13070	Jump Light 9	29-15-47.934N 089-20-22.163W	Fl G 6s	30	4		SG on skeleton tower on piles.	
13075	Jump Shoal Lighted Buoy 10	29-15-50.250N 089-20-02.658W	Fl R 4s	4			Red.	
13080	Upper Venice Anchorage Lower Daybeacon 10.0	29-16-24.671N 089-20-16.297W			15		NY on pile.	Ra ref.
13085	Jump Shoal Lighted Buoy 10A	29-16-20.857N 089-20-34.441W	Fl R 2.5s	5			Red.	
13095	Upper Venice Anchorage Upper Daybeacon 11.2	29-17-09.454N 089-20-58.558W			0		NY on pile.	Ra ref.
13100	Getty Dock Lights (3)	29-17-28.000N 089-21-57.000W	F G					HORN: 1 BLAST EV 20S (2S BL).
13105	Michella Light 14	29-18-49.168N 089-22-18.783W	Iso R 6s	20	7		TR on skeleton tower on piles.	
13110	Boothville Anchorage Lower Daybeacon 12.2	29-17-36.827N 089-22-00.152W			0		NY on pile.	Ra ref.
13115	Olga Light 16	29-20-45.473N 089-24-09.960W	Iso R 6s	20	5		TR on skeleton tower on piles.	
13120	St Anne Light 18	29-21-44.050N 089-25-55.620W	Fl R 4s	25	5		TR on skeleton tower on piles.	
13125	Fort Jackson Lighted Buoy A	29-21-17.225N 089-25-31.282W	Fl (2+1)G 6s	4			Green with red bands.	
13130	Boothville Anchorage Upper Daybeacon 18.5	29-21-18.112N 089-26-02.311W			0		NY on pile.	Ra ref.
13135	Boothville Water Intake Light	29-21-31.000N 089-26-15.000W	Q G				On intake structure.	
13140	Fort Jackson Light 19	29-21-39.261N 089-26-50.885W	Iso G 6s	7			SG on skeleton tower on piles.	
13145	St Philips Bend Light 20	29-22-00.239N 089-27-04.124W	Iso R 6s	25	5		TR on skeleton tower on piles.	
13150	Harvey Light 20A	29-21-48.428N 089-27-40.524W	Fl R 4s	5			TR on skeleton tower on piles.	
13155	Bayou Petit Liard Light 21	29-20-48.823N 089-28-00.770W	Iso G 6s	25	5		SG on skeleton tower on piles.	
13160	Bayou Grand Liard Light 21A	29-20-23.827N 089-28-56.546W	Fl G 2.5s	25	5		SG on skeleton tower on piles.	
13165	Bolivar Point Light 22	29-20-47.064N 089-28-51.308W	Iso R 6s	4			TR on pile.	
13170	Triumph Shoal Lighted Buoy 23	29-21-03.372N 089-30-12.992W	Fl G 4s	4			Green.	
13175	Ostrica Anchorage Lower Daybeacon 23.0	29-20-41.345N 089-29-54.680W			0		NY on pile.	Ra ref.
13180	Neptune Light 24	29-21-30.033N 089-30-29.347W	Iso R 6s	25	5		TR on skeleton tower on piles.	Ra ref.
13185	Ostrica Anchorage Upper Daybeacon 24.4	29-21-20.006N 089-31-11.512W					NY on pile.	Ra ref.

13190	Tanker Loading Dock Light	29-22-05.000N 089-32-04.000W	F R			On pile.	
13195	Cal-Ky Ostrica Barge Dock Lights (2)	29-22-18.300N 089-33-12.200W	Q R				
13200	Cal-Ky Empire Tanker Dock Lights (4)	29-22-20.000N 089-33-23.000W	Fl R 2.5s			On dolphin.	HORN: 1 BLAST EV 20S (2S BL).
13205	Cal-Ky Empire Boat Dock Light	29-22-00.200N 089-34-00.030W	Q W				
13210	Alberta Light 27	29-22-20.207N 089-34-17.863W	Iso G 6s	5		SG on skeleton tower on piles.	
13215	Empire Water Intake Lights (2)	29-23-46.000N 089-36-00.000W	F G				HORN: 1 BLAST EV 20S (2S BL). OPERATED CONTINUOUSLY THROUGHOUT THE YEAR.
13220	Tropical Bend Lower Light 29	29-24-06.050N 089-36-20.424W	Iso G 6s	20	4	SG on skeleton tower on piles.	
13225	Point Pleasant Lower Light 30	29-24-16.787N 089-35-56.752W	Iso R 6s	25	5	TR on skeleton tower on piles.	
13230	Point Pleasant Upper Light 30A	29-25-07.025N 089-36-08.642W	Fl R 6s	20	4	TR on skeleton tower on piles.	
13235	Tropical Bend Upper Light 31	29-25-31.637N 089-36-28.867W	Iso G 6s	20	7	SG on skeleton tower on piles.	
13240	Sixty Mile Point Light 33	29-26-17.923N 089-36-09.484W	Q G		4	SG on skeleton tower on piles.	
13245	Bayou Lamoque Light 32	29-26-32.936N 089-35-43.788W	Iso R 6s	25	5	TR on skeleton tower on piles.	
13250	Sixty Mile Point Lighted Buoy A	29-26-44.656N 089-36-09.499W	Fl (2+1)G 6s		4	Green with red bands.	
13255	Bayou Lamoque Light 32A	29-26-52.828N 089-35-50.196W	Q R	25	5	TR on skeleton tower on piles.	
13260	Harris Bayou Light 34	29-27-21.584N 089-36-32.356W	Iso R 6s	20	4	TR on skeleton tower on piles.	
13265	Bass Loading Dock Lights (2)	29-27-38.000N 089-37-30.000W	F W			On dolphin.	
13270	Home Place Light 37	29-27-24.010N 089-39-13.533W	Iso G 6s	20	6	SG on skeleton tower on piles.	
13275	Home Place East Light 38	29-27-59.207N 089-39-42.472W	Iso R 6s		4	TR on skeleton tower on piles. On same structure as Port Sulphur Anchorage Lower Daybeacon 35.7.	
13280	Port Sulphur Anchorage Lower Daybeacon 37.5	29-27-59.267N 089-39-42.412W				NY on pile. On same structure as Home Place East Light 38.	
13285	Freeport McMoran Energy Dock Lower Light	29-28-22.000N 089-41-02.000W	Fl G 2.5s			On dock.	
13290	Freeport McMoran Energy Dock Upper Light	29-28-25.000N 089-41-06.000W	Fl G 2.5s			On dock.	
13295	Nestor Cnl Light 40	29-29-10.310N 089-41-18.490W	Iso R 6s	15	7	TR on skeleton tower on piles. On same structure as Port Sulphur Anchorage Upper Daybeacon 39.7.	
13300	Port Sulphur Anchorage Upper Daybeacon 39.7	29-29-10.547N 089-41-18.472W				NY on pile. On same structure as Nester Canal Light 40.	
13305	Huling Light 42	29-31-13.463N 089-43-02.624W	Iso R 6s	20	4	TR on skeleton tower on piles.	
13310	Point Michele Light 43	29-31-16.159N 089-43-45.251W	Iso G 6s	25	7	SG on skeleton tower on piles.	
13312	Socola Light 45	29-32-01.019N 089-45-22.806W	Fl G 4s	20	5	SG on tower.	
13315	Bohemia Light 46	29-32-11.246N 089-44-55.150W	Iso R 6s	20	7	TR on skeleton tower on piles.	
13320	Magnolia Anchorage Lower Daybeacon 45.5	29-32-14.437N 089-45-42.990W				NY on pile.	Ra ref.
13325	Magnolia Anchorage Upper Daybeacon 47.6	29-33-40.939N 089-47-09.039W		15		NY on pile.	Ra ref.
13330	Sulphur Loading Dock Lights (2)	29-34-21.000N 089-48-04.000W	Fl G 2.5s			On dolphins.	
13335	Rock Island Dock Lights (2)	29-34-50.000N 089-48-16.000W	Fl G 4s			On dolphins.	
13340	Celeste Anchorage Lower Daybeacon 49.8	29-34-43.696N 089-48-47.813W		0		NY on pile.	Ra ref.
13345	Celeste Anchorage Upper Daybeacon 52.0	29-35-52.002N 089-50-36.983W		15		NY on pile.	Ra ref.
13350	Favret Light 52	29-36-18.652N 089-50-50.725W	Iso R 6s	20	5	TR on skeleton tower on piles.	
13355	Point Celeste Light 53	29-36-03.689N 089-51-16.548W	Fl G 6s		4	SG on skeleton tower on piles.	

13360	Davant Anchorage Lower Daybeacon 52.8	29-36-22.699N 089-51-05.667W				NY on pile.			Ra ref.
13365	Davant Anchorage Upper Daybeacon 53.9	29-36-36.693N 089-52-09.314W				NY on pile.			Ra ref.
13368.03	Venture Global Plaquemes Upper Mooring Light	29-36-20.908N 089-52-44.310W	FI G 2.5s			On mooring dolphin.			
13368.02	Venture Global Plaquemes Upper Dock Light	29-36-20.715N 089-52-35.338W	FI G 2.5s			On upstream corner of dock.			
13368	Venture Global Plaquemes Lower Mooring Light	29-36-17.569N 089-52-30.175W	FI G 2.5s			On breasting dolphin.			
13368.01	Venture Global Plaquemes Lower Dock Light	29-36-19.879N 089-52-32.467W	FI G 2.5s			On downstream corner of dock.			
13375	Electro-Coal Mooring Buoy Light L	29-36-32.000N 089-52-10.500W	FI W 2.5s			White.			
13380	Electro Coal Mooring Buoy B	29-37-21.500N 089-54-14.000W				White			
13385	Electro Coal Mooring Buoy C	29-37-20.000N 089-54-11.500W				White			
13390	Electro Coal Mooring Buoy D	29-37-18.500N 089-54-09.000W				White			
13395	Electro Coal Mooring Buoy E	29-37-16.500N 089-54-06.000W				White.			
13400	Electro Coal Mooring Buoy F	29-36-43.000N 089-52-48.000W				White			
13405	Electro Coal Mooring Buoy G	29-36-45.000N 089-52-46.000W				White			
13410	Electro Coal Mooring Buoy H	29-36-38.500N 089-52-34.500W				White			
13415	Electro Coal Mooring Buoy I	29-36-41.000N 089-52-32.500W				White			
13420	Electro Coal Mooring Buoy J	29-36-34.500N 089-52-20.000W				White			
13425	Electro Coal Mooring Buoy K	29-36-37.000N 089-52-18.000W				White.			
13430	Electro-Coal Transfer Dock Lights (3)	29-36-55.000N 089-53-14.000W	FI R 2.5s			On piles.			Horn: 1 blast ev 20s in unison (2S BL). Operated during low visibility.
13435	Electro-Coal Lighted Mooring Buoy A	29-37-22.000N 089-54-14.500W	FI W 2.5s			White.			
13440	Citrus Lands Coal Terminal Lighted Mooring Buoy A	29-37-12.000N 089-54-17.000W	Q W						
13445	Citrus Lands Coal Terminal Lighted Mooring Buoy B	29-36-56.000N 089-54-04.000W	Q W						
13450	International Marine Terminal Dock Lights (5)	29-37-20.000N 089-54-55.000W	FI G 2.5s			On dock and dolphins.			
13455	International Marine Terminals Dolphin Light	29-37-55.000N 089-55-44.000W	FI G 2.5s			On dolphin.			
13462	NOLA Oil Terminal Downstream Barge Dock 4 Light	29-38-05.340N 089-56-08.774W	FI G 2.5s			Marks barge dock 4.			
13462.01	NOLA Oil Terminal Mid-Downstream Ship Dock 3 Light	29-38-10.114N 089-56-19.438W	FI W 2.5s			Marks ship dock 3.			
13462.02	NOLA Oil Terminal Mid-Upstream Ship Dock 2 Light	29-38-17.595N 089-56-38.991W	FI W 2.5s			Marks ship dock 2.			
13462.03	NOLA Oil Terminal Upstream Barge Dock 1 Light	29-38-18.046N 089-56-43.728W	FI G 2.5s			Marks barge dock 1.			
13465	Poverty Point Light 60	29-39-06.993N 089-57-10.995W	Iso R 6s	25	5	TR on pile.			
13470	Ironton Light 61	29-38-54.192N 089-57-30.898W	Iso G 6s	25	5	SG on skeleton tower on piles.			
13475	Mississippi River Grain Elevator Dock Lights (2)	29-40-25.000N 089-57-51.000W	Q W			On mooring dolphins.			
13480	Beau Sejour Light 62	29-40-54.147N 089-57-37.349W	Iso R 6s		5	TR on skeleton tower.			
13485	BP Alliance Refinery Coke Barge Dock Lights (2)	29-40-52.000N 089-58-03.000W	Q G			On mooring dolphin.			

13487	Phillips 66 AIS Station 1	29-40-43.000N 089-58-42.800W				Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663061
13487.01	Phillips 66 AIS Station 2	29-40-42.999N 089-58-42.900W				Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663062
13490	BP Alliance Refinery Coke Barge Dock Lights (2)	29-41-00.000N 089-58-07.000W	F G			On mooring dolphin.
13495	BP Alliance Refinery Tanker Dock Lights (4)	29-41-20.000N 089-58-20.000W	FI G 2.5s			On dock.
13500	Entergy Louisiana Submerged Cable Light	29-41-44.450N 089-58-46.510W	FI G 2.5s			On dolphins.
13505	Entergy Louisiana Submerged Cable Lights (2)	29-41-52.890N 089-58-18.820W	FI R 2.5s			On dolphin.
13510	British Petroleum Refinery Dock Lights (3)	29-41-40.000N 089-58-38.000W	FI G 2.5s			On dolphins.
13515	Alliance Anchorage Lower Daybeacon 63.8	29-41-59.681N 089-58-59.482W				NY on pile. Ra ref.
13520	Belair Light 66	29-43-35.595N 089-59-12.613W	Iso R 6s	25	7	TR on skeleton tower on piles.
13525	Alliance Anchorage Upper Daybeacon 65.8	29-43-34.902N 089-59-46.305W				NY on pile. Ra ref.
13530	La Grange Light 67	29-43-34.902N 089-59-46.305W	Iso G 6s		5	SG on skeleton tower on block.
13535	Wills Point Anchorage Lower Daybeacon 66.5	29-44-31.881N 090-00-06.759W			0	NY on pile. Ra ref.
13540	Wills Point Anchorage Upper Daybeacon 67.6	29-45-02.818N 090-00-57.086W			0	NY on pile. Ra ref.
13550	Live Oak Light 69	29-45-28.517N 090-01-37.668W	Iso G 6s	25	5	SG on skeleton tower on piles.
13555	Cedar Grove Anchorage Lower Daybeacon 69.9	29-46-41.522N 090-01-30.450W				NY on pile. Ra ref.
13560	Oakville Light 71	29-46-41.522N 090-01-30.450W	Iso G 6s	25	5	SG on skeleton tower on piles.
13565	Bertrandville Light 70	29-46-34.829N 090-01-03.456W	FI R 4s	25	3	TR on skeleton tower on piles.
13570	Cedar Grove Anchorage Upper Daybeacon 71.1	29-47-35.323N 090-01-00.909W			0	NY on pile. Ra ref.
13575	Dockside Elevator Lighted Mooring Buoys (5)	29-47-44.000N 090-00-40.000W	Q W			White with blue band.
13580	Oak Point Dolphin Lights (2)	29-48-27.700N 090-00-27.900W	FI G 2.5s			On dolphins.
13585	Belle Chasse Anchorage Lower Daybeacon 73.1	29-49-12.073N 090-00-21.885W			0	NY on pile. Ra ref.
13590	Scarsdale Light 76	29-50-18.477N 089-59-02.874W	Iso R 6s	25	5	TR on skeleton tower on piles.
13595	Belle Chasse Anchorage Upper Daybeacon 75.2	29-50-44.283N 089-59-16.747W			0	NY on pile. Ra ref.
13600	Red Star Yeast Wharf Lights (2)	29-51-05.000N 089-58-59.000W	FI G 2.5s			
13605	Belle Chasse Ferry Landing East Bank Lights	29-50-55.000N 089-58-41.000W	FI R 2.5s			Horn: 1 blast ev 20S (2S BL). Operated during low visibility.
13610	Belle Chasse Ferry Landing West Bank Lights (2)	29-51-18.000N 089-58-53.000W	FI G 2.5s			Horn: 1 blast ev 20S (2S BL). Operated during low visibility.
13613	Plaquemines Parish West Bank Ferry Maintenance Dock Mooring Lights (2)	29-51-13.360N 089-58-55.230W	FI G 2.5s			Marks the upper and lower mooring dolphins.
13615	CCI Port Nickel Dock Lights (2)	29-51-38.400N 089-58-21.800W	FI R 2.5s			On dock.
13620	CCI Port Nickel Dock Light	29-51-46.200N 089-58-20.300W	FI R 2.5s			On dolphin.
13625	Shingle Point Approach Light 78	29-52-24.431N 089-58-17.130W	FI R 4s	20	5	TR on skeleton tower on mud sill.
13630	Shingle Point Light 80	29-52-41.756N 089-57-59.297W	Iso R 6s	20	3	TR on skeleton tower on piles.
13635	English Turn Bend Light 79	29-53-02.968N 089-58-06.735W	Iso G 6s	25	5	SG on skeleton tower.
13640	English Turn Light 80A	29-52-40.965N 089-57-37.063W	FI R 2.5s	25	5	TR on skeleton tower.
13645	Lower 12 Mile Point Anchorage Lower Daybeacon 78.6	29-53-02.495N 089-57-22.892W				NY on pile. Ra ref.

13650	Stolt-Nielson Dock Light	29-52-17.000N 089-56-44.000W	FI R 2.5s			On dock.	
13655	Lower 12 Mile Point Anchorage Upper Daybeacon 80.8	29-52-06.255N 089-55-23.816W				NY on pile.	Ra ref.
13660	Twelve Mile Point Light 81	29-52-08.467N 089-54-50.037W	FI G 2.5s	25	4	SG on skeleton tower on piles.	
13665	Poydras Light 82	29-51-52.057N 089-54-35.511W	Iso R 6s	20	5	TR on skeleton tower on piles.	Higher intensity beam up and down river.
13670	River Bend Light 84	29-52-31.272N 089-53-59.468W	FI R 4s	25	4	TR on skeleton tower on piles.	
13675	Lower 9 Mile Point Anchorage Lower Daybeacon 82.7	29-52-52.517N 089-54-27.326W				0	NY on pile. Ra ref.
13680	Shell Intake Dolphin Lights (3)	29-53-00.000N 089-53-59.000W	FI R 2.5s			On dolphins.	
13683	St. Bernard Violet Intake Light	29-53-53.490N 089-54-11.160W	FI W 2.5s			Marks submerged intake structure.	
13685	Lower 9 Mile Point Anchorage Upper Daybeacon 85.0	29-54-38.228N 089-55-03.449W				0	NY on pile. Ra ref.
13690	Saxonholm Light 86	29-55-26.251N 089-55-27.855W	Iso R 6s	20	5	TR on pile.	Higher intensity beam up and down river.
13695	Murphy Wharf Lights (2)	29-55-31.000N 089-56-45.000W	F R			On dolphins.	Horn: 1 blast ev 20S (2S BL).
13700	New Orleans Water Discharge Dolphin Lights (4)	29-55-15.000N 089-57-30.000W	FI G 2.5s			On dolphin.	
13705	Sewerage And Water Board Pipeline Light A	29-55-04.000N 089-58-03.000W	FI Y 2.5s			NW on pile. Worded: DANGER PIPELINE	
13710	Sewerage And Water Board Pipeline Light B	29-55-09.000N 089-58-03.000W	FI Y 2.5s			NW on pile Worded: DANGER PIPELINE.	
13715	Algiers Alternate Route Junction Light A	29-55-11.941N 089-58-03.195W	FI (2+1)G 6s	20	4	JG-TY on skeleton tower on piles.	
13720	Tenneco Dock Lights (2)	29-55-33.000N 089-57-51.000W	FI R 2.5s			On dolphins.	
13725	Mobil St. Bernard Dolphin Light	29-55-30.650N 089-57-35.430W	FI W 2.5s			On dolphin.	
13730	Meraux Intake Lights (7)	29-55-31.000N 089-56-42.000W	FI R 2.5s				
13735	Humble Dock Lights (3)	29-55-31.000N 089-56-47.000W	FI R 2.5s			On dolphins.	
13740	Chalmette-Algiers West Bank Ferry Landing Lights (2)	29-55-18.600N 089-58-24.300W	FI G 2.5s			On barge.	Horn: 1 blast ev 20S (2S BL).
13745	Chalmette-Algiers East Bank Ferry Landing Lights (2)	29-55-41.700N 089-58-15.500W	FI R 2.5s			On dolphin and barge.	
13750	Chalmette Algiers West Bank Maintenance Landing Lights (2)	29-55-20.100N 089-55-28.100W	FI G 2.5s			On barge.	
13755	Tenneco Dock Lights (2)	29-55-45.000N 089-58-37.000W	F R				
13760	Mobil St. Benard Mooring Dolphin Lights (4)	29-55-42.000N 089-58-30.000W	FI R 2.5s			On dolphins.	
13765	Tenneco Coke Wharf Light	29-55-49.000N 089-58-44.000W	FI R 2.5s			On dolphin.	
13770	Kaiser Upper Light	29-55-48.000N 089-58-48.000W	F R			On multi-pile structure.	
13775	St. Bernard Port H&T District Downstream Lighted Mooring Buoy	29-56-00.240N 089-59-00.590W	FI W 2.5s			Marks downstream mooring.	
13775.01	St. Bernard Port H&T District Upstream Lighted Mooring Buoy	29-56-03.500N 089-59-14.500W	FI W 2.5s			Marks upstream mooring.	
13780	Norfolk Southern Corporation Light	29-56-23.000N 089-59-42.000W	FI R 2.5s			On wall.	
13785	Chalmette Obstruction Light	29-56-00.000N 089-59-12.000W	Q R			On multi-pile structure.	
13790	New Orleans General Anchorage Lower Daybeacon 90.1	29-55-52.026N 089-59-40.698W				0	NY on pile. Ra ref.

13795	PORT SHIP SERVICE DOCK LIGHT	29-55-57.563N 089-59-48.400W	FI G 2.5s			On dock.	
13800	Chalmette National Park Tour Boat Dock Lights (2)	29-56-20.000N 089-59-38.000W	FI R 2.5s			On dock.	Lights flash in unison.
13805	Southern Railway Light	29-56-24.000N 089-59-48.000W	FI R 2.5s			On fender.	
13807	Harbor Towing & Fleeting Downstream Mooring Light	29-56-00.600N 089-59-52.600W	FI G 2.5s			Marks downstream mooring pile.	
13807.01	Harbor Towing & Fleeting Upstream Mooring Light	29-56-22.000N 090-00-27.700W	FI G 2.5s			Marks upstream mooring pile.	
13810	New Orleans General Anchorage Upper Daybeacon 90.5	29-56-15.049N 090-00-19.047W		0		NY on pile.	Ra ref.
13815	Quarantine Anchorage Lower Daybeacon 90.9	29-56-15.187N 090-00-19.269W		0		NY on pile.	Ra ref.
13820	Quarantine Anchorage Upper Daybeacon 91.6	29-56-36.919N 090-00-55.023W		0		NY on pile.	Ra ref.
13825	Delery Street Discharge Light	29-56-59.000N 090-00-43.000W	Q R			On pile cluster.	
13830	Forstall Street Discharge Light	29-57-19.000N 090-01-25.000W	F R			On dolphins.	
13840	Inner Harbor Navigation Canal Light 2	29-57-26.137N 090-01-35.277W	Q R	15	4	TR-SY on skeleton tower.	
13842	Port of New Orleans Dolphin Light	29-59-14.900N 090-01-17.500W	FI W 2.5s			Marks dolphin.	
13845	Dwyer Road Discharge Station Light	30-00-58.000N 090-01-45.000W	FI W 2.5s			NW on dolphin worded DANGER WATER DISCHARGE.	
13855	Governor Nicholls Harbor Traffic Control Light 94	29-57-37.921N 090-03-22.899W	FI G 5s	90	16	On skeleton tower.	Operated by Vessel Traffic Safety Office New Orleans during periods of high water. Controls one way traffic around Algiers Point.
13860	Algiers Point Light 95	29-57-18.902N 090-03-19.119W	Q G	20	5	SG-SY on skeleton tower on piles.	
13865	New Orleans Police Mooring Dolphin Light	29-56-58.600N 090-03-43.800W	FI R 2.5s			On dolphin.	
13870	Upper Algiers Ferry Landing Lights (2)	29-57-12.000N 090-03-21.000W	FI G 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED DURING LOW VISIBILITY.
13875	Canal Street Ferry Landing Lights (2)	29-56-58.000N 090-03-43.000W	FI R 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED DURING LOW VISIBILITY.
13880	Gretna Harbor Traffic Control Light 97	29-55-33.175N 090-03-30.009W	FI R 5s	35	16	On skeleton tower.	Operated by Vessel Traffic Safety Office New Orleans during periods of high water. Controls one way traffic around Algiers Point.
13890	Gretna Water Intake Light	29-55-27.000N 090-03-38.000W	FI G 2.5s			On dolphin.	
13892	Gretna Ferry Boat Ramp Light	29-55-07.871N 090-04-00.494W	FI W 2.5s			Marks outermost upstream piling designating the riverward end of boat ramp.	
13895	Gretna Ferry Landing Lights (2)	29-55-06.000N 090-04-02.000W	FI G 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED DURING LOW VISIBILITY.
13900	Jackson Avenue Ferry Landing Lights (2)	29-55-20.000N 090-04-15.000W	FI R 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED DURING LOW VISIBILITY.
13905	International Matex Dock Lights (4)	29-55-00.000N 090-04-18.000W	FI G 2.5s			(2) on floating dock; (2) on outermost upstream and downstream dolphins.	
13907	Kinder Morgan Dock 1 Mooring Buoys (3)	29-54-34.990N 090-05-28.670W					
13907.01	Kinder Morgan Dock 2 Mooring Buoys (4)	29-54-37.680N 090-05-22.540W					
13907.02	Kinder Morgan Dock 3 Mooring Buoy	29-54-39.030N 090-05-16.430W					
13907.03	Kinder Morgan Dock 4 Mooring Buoys (5)	29-54-32.700N 090-05-37.480W					
13910	Milan Street Wharf Mooring Dolphin Light	29-54-45.000N 090-05-58.000W	FI R 2.5s			On dolphin.	
13940	St Services Dock Lights	29-54-45.000N 090-08-17.000W	FI G 2.5s			On Dock.	
13945	Six Mile Point Light 102	29-55-01.108N 090-08-03.723W	Q R	25	4	TR on tower.	
13950	Westwego Traffic Light	29-54-51.553N 090-08-23.043W	Q G	20	5	On skeleton tower.	Operated by Coast Guard Marine Safety Office New Orleans. Indicates to down bound traffic whether Gretna Harbor Traffic Control Light is red or green.
13955	Westwego Water Intake Light	29-54-55.308N 090-08-22.464W	FI G 2.5s			On dolphin.	
13960	International Matex Tank Terminal Walkway Light	29-55-03.800N 090-08-27.900W	FI G 2.5s			On walkway.	

13965	New Orleans Steamboat Co. Dock Light	29-55-13.000N 090-08-07.500W	FI R 2.5s			On dolphin.	
13970	Continental Barge Unloading Dock Light	29-56-01.000N 090-08-32.000W	FI G 2.5s			On pile.	
13975	Continental Grain Company Dock Lights (4)	29-56-17.000N 090-08-32.000W	FI G 2.5s			On dock.	
13980	Nine Mile Point Fuel Oil Unloading Facility Lights (3)	29-56-55.000N 090-08-35.000W	FI G 2.5s			On dock extremities.	
13985	Oak Street Intake Lights (3)	29-57-04.064N 090-08-17.638W	FI W 2.5s			On dolphins. Marks water intake.	
13990	Nine Mile Point Obstruction Lights (2)	29-56-55.000N 090-08-42.000W	F G			On dolphins.	
13995	New Orleans Raw Water Intake Lights (4)	29-57-17.541N 090-08-24.128W	FI W 2.5s			On dolphins.Marks water intake.	
14000	Southport Light 104	29-57-33.439N 090-09-04.419W	Iso R 6s	15	5	TR on skeleton tower on piles.	
14005	Jefferson Intake Dolphin Lights (10)	29-57-12.000N 090-09-45.500W	FI R 2.5s			On concrete dolphin.	HORN: 1 BLAST EV 20S (2S BL).
14010	Zito Lighted Mooring Buoy I	29-57-05.000N 090-09-45.000W	Q W			White with blue band.	
14015	Zito Lighted Mooring Buoy F	29-56-56.000N 090-09-56.000W	Q W			White with blue band.	
14020	Zito Lighted Mooring Buoy E	29-56-58.000N 090-09-59.000W	Q W			White with blue band.	
14025	Zito Lighted Mooring Buoy A	29-56-46.000N 090-10-08.000W	Q W			White with blue band.	
14035	Huey P Long Bridge Approach Buoy A	29-56-46.094N 090-09-57.656W				Red nun with green bands.	AIS: MMSI 993682000
14040	Huey P Long Bridge Approach Buoy B	29-56-42.131N 090-10-02.178W				Red nun with green bands.	AIS: MMSI 993682001
14045	Huey P Long Bridge Approach C V-AIS	29-56-33.677N 090-10-11.913W					AIS: MMSI 993682810
14050	Huey P Long Bridge Approach Buoy D	29-56-29.971N 090-10-16.446W				Red nun with green band.	AIS: MMSI 993682003
14055	Huey P Long Bridge Approach Buoy 1	29-56-35.988N 090-09-56.725W				Green can.	AIS: MMSI 993682004
14057	IMT Avondale Tank Terminal Dock Lights (2)	29-55-18.930N 090-11-45.510W	FI G 2.5s			Marks outermost upstream and outermost downstream dock structures.	
14060	12 Mile Point Light 110	29-55-31.591N 090-12-14.469W	Q R	30	5	TR on skeleton tower.	
14065	Waggaman Light 109	29-55-18.061N 090-12-47.499W	Iso G 6s		5	SG on skeleton tower.	
14070	Providence Light 112	29-57-22.735N 090-13-26.229W	Q R	25	5	TR on skeleton tower.	
14072	East Jefferson Levee District Dolphin Light	29-57-23.630N 090-13-28.280W	FI R 6s			Marks storm drainage discharge.	
14075	J.P.& Sons Lighted Mooring Buoy A	29-57-24.419N 090-13-48.419W	Q W			White with blue band.	Ra ref.
14080	J.P.& Sons Lighted Mooring Buoy	29-57-32.939N 090-13-59.098W	Q W			White with blue band.	Ra ref.
14085	J.P.And Sons Lighted Mooring Buoy C	29-57-43.220N 090-14-13.150W	Q W			White with blue band.	Ra ref.
14090	J.P.And Sons Lighted Mooring Buoy D	29-57-33.970N 090-14-01.070W	Q W			White with blue band.	
14095	East Jefferson Regional Sewage Treatment Plant Onstruction Lights (3)	29-57-48.000N 090-13-56.000W	FI R 2.5s			On dolphins.	
14105	Lasalle Landing Barge Dock Lights (2)	29-58-16.100N 090-14-49.030W	FI R 4s			On docking barge.	
14110	Lower Kenner Bend Anchorage Lower Daybeacon 113.5	29-57-56.744N 090-15-08.284W		0		NY on pile.	Ra ref.
14115	City Of Kenner Outfall Light	29-58-23.000N 090-15-50.000W	Q R			On dolphins.	
14120	Oakland Light 114A	29-58-26.401N 090-15-57.153W	Q R	30	4	TR on skeleton tower.	
14125	Lower Kenner Bend Anchorage Upper Daybeacon 114.3	29-57-55.037N 090-16-07.946W		0		NY on pile.	Ra ref.

14130	Fortier Obstructions Lights (2)	29-57-56.000N 090-16-19.000W				On dolphins.	HORN: 1 BLAST EV 20S (2S BL).
14135	Kenner Bend Anchorage Lower Daybeacon 114.7	29-57-51.617N 090-16-25.826W		0		NY on pile.	Ra ref.
14140	Fairview A Range Front Light	29-58-20.736N 090-16-53.658W	Q R	25		KRW on skeleton tower on sills.	
14145	Fairview A Range Rear Light	29-58-25.617N 090-16-48.751W	Oc R 4s	35		KRW on skeleton tower on block.	
14150	Fairview Wharf Lights (2)	29-58-16.000N 090-16-57.000W	FI W 2.5s			On dolphins.	
14155	Crescent Ship Barge Dock Lights (2)	28-58-15.000N 090-17-05.000W	FI G 2.5s				On docking barge.
14160	Mississippi River Wreck Lighted Buoy WR4	29-58-00.604N 090-17-18.718W	Q R		3	Red.	
14170	Kenner Bend Anchorage Upper Daybeacon 115.6	29-57-25.135N 090-17-31.875W		0		NY on pile.	Ra ref.
14185	ADM Grain Company Lights (2)	29-56-27.380N 090-18-39.340W	FI G 2.5s			On dolphins.	
14190	Davis Crevasse Range Front Light	29-55-58.715N 090-19-16.462W	Q R	15		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
14195	Davis Crevasse Range Rear Light	29-55-53.784N 090-19-21.384W	Iso R 6s	35		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
14197	International Matex Tank Terminal South Dock Lights (4)	29-56-18.400N 090-19-19.230W	FI R 2.5s			Marks outermost dock facility structures.	
14200	International Matex Tank Dock Lights (7)	29-56-13.000N 090-19-45.000W	FI R 2.5s				HORN (2): 1 BLAST EV 20S (2S BL). ON EACH END OF WHARF. OPERATED ONLY DURING LOW VISIBILITY.
14205	Davis Crevasse Light 121	29-55-51.469N 090-19-46.335W	Iso G 6s	20	4	SG on skeleton tower on concrete block.	
14210	Monsanto Fuel Dock Light	29-55-53.000N 090-20-43.000W	F G			On dolphin.	
14215	Monsanto Dock Lights (3)	29-55-55.000N 090-20-54.000W	F G				
14220	Bunge Dock Lights (2)	29-56-00.349N 090-21-00.042W	F R				
14225	ADM Growmark Loading Dock Lights (2)	29-56-23.000N 090-21-23.000W	F R				
14226.01	ARTCO Lighted Mooring Buoy	29-56-23.770N 090-21-39.490W	FI W 2.5s			White with blue band.	
14226	ARTCO Lighted Mooring Buoy	29-56-21.670N 090-21-38.000W	FI W 2.5s			White with blue band.	
14230	ARTCO Fleeting Lower Lighted Mooring Buoy	29-56-26.000N 090-21-55.000W	Q W			White with blue band.	
14232.03	ARTCO Lighted Mooring Buoy	29-56-29.090N 090-21-59.840W	FI W 2.5s			White with blue band.	
14232.04	ARTCO Lighted Mooring Buoy	29-56-27.280N 090-22-00.710W	FI W 2.5s			White with blue band.	
14232.01	ARTCO Lighted Mooring Buoy	29-56-27.410N 090-21-57.690W	FI W 2.5s			White with blue band.	
14232	ARTCO Lighted Mooring Buoy	29-56-28.230N 090-21-56.600W	FI W 2.5s			White with blue band.	
14232.02	ARTCO Lighted Mooring Buoy	29-56-26.160N 090-21-57.280W	FI W 2.5s			White with blue band.	
14235	ARTCO Fleeting Upper Lighted Mooring Buoy	29-56-32.000N 090-22-11.000W	Q W			White with blue band.	
14237.02	ARTCO Lighted Mooring Buoy	29-56-31.930N 090-22-15.180W	FI W 2.5s			White with blue band.	
14237.01	ARTCO Lighted Mooring Buoy	29-56-33.340N 090-22-13.880W	FI W 2.5s			White with blue band.	
14237	ARTCO Lighted Mooring Buoy	29-56-30.780N 090-22-13.700W	FI W 2.5s			White with blue band.	
14240	Hale Boggs Luling Bridge Approach Buoy A	29-56-31.031N 090-22-21.096W				Red nun with green bands.	AIS: MMSI 993682777.
14242	Hale Boggs Luling Bridge East Pier V-AIS	29-56-32.349N 090-22-24.317W					AIS: MMSI 993682005
14243	Hale Boggs Luling Bridge West Pier V-AIS	29-56-33.939N 090-22-27.917W					AIS: MMSI 993682006
14245	Hale Boggs Luling Bridge Approach B V-AIS	29-56-36.803N 090-22-32.818W					AIS: MMSI 993682805
14250	Hale Boggs Luling Bridge Approach Buoy C	29-56-38.941N 090-22-39.027W				Red nun with green band.	AIS: MMSI 993682713.

14255	26 Mile Point Light 122	29-57-14.731N 090-23-19.269W	Q R	25	5	TR on skeleton tower.	
14260	Fashion Light 123	29-57-03.205N 090-23-48.183W	Iso G 6s	20	4	SG on skeleton tower on piles.	
14265	Orion Refinery Dock 1 Lights (2)	29-59-24.500N 090-24-12.000W	FI R 2.5s			On dolphins.	
14270	26 Mile False Point Light 124	29-57-52.681N 090-23-31.959W	FI R 4s	25	3	TR on skeleton tower.	
14273	Valero St. Charles Dock Light	29-58-49.000N 090-23-41.000W	FI W 2.5s			Marks outermost upstream corner of dock.	
14275	Orion Refinery Dock 2 Lights (2)	29-59-19.000N 090-24-05.000W	FI R 2.5s			On dolphins.	
14280	Orion Refinery Dock 3 Lights (2)	29-59-13.000N 090-23-57.000W	FI R 2.5s			On dolphins.	
14285	Orion Refinery Dock 4 Lights (2)	29-58-58.380N 090-23-46.110W	FI R 2.5s			On dolphins.	
14290	Orion Refinery Dock 5 Lights (2)	29-58-54.000N 090-23-42.000W	FI R 2.5s			On dolphins.	
14300	Shell Pumping Station Obstruction Lights (2)	29-59-36.000N 090-24-30.000W	FI R 2.5s			On dolphin.	
14305	Norco Obstruction Lights (3)	29-59-49.834N 090-25-30.480W	FI R 2.5s			On dolphins.	
14310	Bonnet Carre Anchorage Lower Daybeacon 127.3	29-59-55.333N 090-25-49.983W			0	NY on pile.	Ra ref.
14315	Union Carbide Water Intake Lights (2)	29-59-35.000N 090-27-04.000W	Q W			On dolphins.	
14320	Union Carbide Dock Lights (3)	29-59-30.000N 090-26-48.000W	FI G 2.5s			On dolphins.	
14325	Bonnet Carre Anchorage Upper Daybeacon 128.8	29-59-58.374N 090-27-19.539W			0	NY on pile.	Ra ref.
14330	Occidental Chemical Mooring Facility Lights (3)	29-59-45.500N 090-27-35.100W	FI G 2.5s			On mooring facility.	
14335	Montz Obstruction Light	30-00-06.000N 090-27-54.000W	F R			On dolphin.	
14340	Little Gypsy Oil Unloading Facility Light	30-00-06.000N 090-27-58.000W	FI R 2.5s			Marks dock.	
14345	Entergy Dock Lower Light	30-00-06.800N 090-28-27.900W	FI G 2.5s			On dolphin.	
14350	Entergy Intake Upper Light	30-00-10.500N 090-28-30.000W	FI G 2.5s			On dolphin.	
14352	Entergy Deflector Wall Lights (2)	29-59-54.880N 090-28-13.038W	FI W 2.5s			Marks outer and inner deflector walls.	
14355	Entergy Discharge Light	30-00-01.800N 090-28-25.600W	FI G 2.5s			On dolphin.	
14360	Entergy Waterford Lights (3)	29-59-49.000N 090-28-03.227W	FI G 2.5s			On dolphin.	MARKS INTAKE AND DISCHARGE STRUCTURE.
14365	Thirty Five Mile Point Light 130	30-00-22.767N 090-28-12.659W	Q R	15	4	TR on skeleton tower.	
14370	Gypsy Light 132	30-01-57.906N 090-28-08.604W	Iso R 6s		4	TR on skeleton tower on piles.	
14375	Bayou Steel Dock Lights (2)	30-02-22.050N 090-28-16.600W	FI R 2.5s			On each end of dock.	
14380	Bonnet Carre Crevasse Light 132A	30-02-49.467N 090-28-27.500W	Iso R 6s	25	5	TR on skeleton tower on piles.	
14385	CGB Marine Services Lighted Mooring Buoy A	30-03-15.000N 090-29-46.000W	Q W			White with blue band.	Ra ref.
14390	CGB Marine Services Lighted Mooring Buoy B	30-03-16.000N 090-29-28.000W	Q W			White with blue band.	Ra ref.
14395	Bonnet Carre Point Light 133	30-02-53.983N 090-29-25.527W	Iso G 6s	25	5	SG on skeleton tower on piles.	
14400	Woodland Light 134	30-03-15.118N 090-29-10.711W	Iso R 6s	25	4	TR on skeleton tower on piles.	
14405	Laplace Anchorage 134.7 Lower Daybeacon	30-03-16.255N 090-30-18.033W				NY on pile.	Ra ref.
14407	La Place Anchorage Isolated Danger V-AIS LP	30-03-13.030N 090-30-19.540W					AIS: MMSI 993682318
14410	Lucy Light 135	30-02-55.444N 090-30-20.157W	Iso G 6s	20	4	SG on skeleton tower.	
14415	Laplace Anchorage Upper Daybeacon 135.4	30-03-10.332N 090-30-55.800W				NY on pile.	Ra ref.

14420	Dupont Barge Dock Lights (3)	30-03-12.000N 090-31-40.000W	FI R 2.5s			HORN: 1 BLAST EV 20S (2S BL).
14425	Dupont Water Intake Lights (5)	30-03-33.000N 090-44-21.000W	Q R		On dolphins.	SIREN: 1blast ev 30s (10s bl).
14430	Capital Marine Lighted Mooring Buoy A	30-02-43.000N 090-31-43.000W	Q W		White with blue band.	
14435	Capital Marine Lighted Mooring Buoy B	30-02-42.000N 090-32-00.000W	Q W		White with blue band.	
14440	California Light 137	30-02-34.663N 090-32-04.053W	Q G	15	5	SG on skeleton tower.
14445	Triangle Fleet Lighted Mooring Buoy A	30-02-41.000N 090-32-17.000W	Q W			White with blue band.
14450	Triangle Fleet Lighted Mooring Buoy B	30-02-42.000N 090-32-34.000W	Q W			White with blue band.
14455	Oleander Light 138	30-03-03.078N 090-32-35.906W	Q R	20	3	TR on skeleton tower on piles.
14467	Port of South Louisiana Finger Pier Lights (2)	30-03-14.030N 090-33-56.940W	FI R 2.5s		On pier.	Marks outermost corners of finger pier.
14470	Globalplex General Cargo Dock Lights (2)	30-03-14.000N 090-33-55.000W	Q R			On dock.
14475	Hall-Buck Marine Mooring Dolphin Lights (2)	30-03-12.000N 090-34-12.000W	FI R 2.5s			On dolphins.
14480	Cargill Grain Dock Lights (3)	30-03-14.660N 090-34-53.240W	FI R 2.5s			On each end of dock.
14485	Cargill Molasses Dock Lights (2)	30-03-08.000N 090-35-21.000W	FI R 2.5s			On dolphins.
14490	Marathon Refinery Mooring Dock 1 Lights (3)	30-03-04.000N 090-35-31.000W	FI R 2.5s		On dock loading platform.	HORN: 1 BLAST EV 15S (2S BL). CONTINUOUSLY FROM NOV. 1 TO APR. 30.
14495	Marathon Refinery Mooring Dock 2 Lights (3)	30-03-01.000N 090-35-40.000W	FI R 2.5s		On dock loading platform.	HORN: 1 BLAST EV 20S (2S BL).
14500	Marathon Refinery Mooring Lights	30-02-54.000N 090-35-53.000W	FI R 2.5s		On dock loading platform.	HORN: 1 BLAST EV 20S (2S BL).
14505	Marathon Refinery Dock 5 Lights (2)	30-02-52.000N 090-35-59.000W	FI R 2.5s		On dock.	HORN: 1 BLAST EV 20S (2S BL).
14510	White Rose Light 141	30-02-11.460N 090-36-17.140W	Q G	25	3	SG on skeleton tower on piles.
14512	St John Lighted Mooring Buoy	30-02-18.250N 090-36-37.160W	FI W 2.5s			White
14512.01	St John Mooring Buoy	30-02-18.750N 090-36-37.760W				White
14512.02	St John Mooring Buoy	30-02-19.280N 090-36-38.300W				White
14512.03	St John Lighted Mooring Buoy	30-02-27.960N 090-36-23.300W	FI W 2.5s			White
14512.04	St John Mooring Buoy	30-02-28.550N 090-36-24.210W				White
14512.05	St John Lighted Mooring Buoy	30-02-27.390N 090-36-23.030W	FI W 2.5s			White
14512.06	St John Mooring Buoy	30-02-28.200N 090-36-23.470W				White
14512.07	St John Mooring Buoy	30-02-28.850N 090-36-24.470W				White
14512.08	St John Lighted Mooring Buoy	30-02-33.870N 090-36-15.060W	FI W 2.5s			White
14512.09	St John Mooring Buoy	30-02-34.670N 090-36-15.680W				
14515	Wego Light 141A	30-01-44.965N 090-37-08.037W	Iso G 6s	15	5	SG on skeleton tower.
14520	Belle Point Light 142	30-02-10.987N 090-37-19.671W	Iso R 6s	15	4	TR on skeleton tower on piles.
14525	Marquez Light 144	30-02-28.303N 090-37-47.979W	Q R		4	TR on skeleton tower on piles.
14526	Mt. Airy Dock 2 Downstream Mooring Light	30-02-53.820N 090-38-16.010W	FI R 2.5s			Marks downstream mooring dolphin.
14527	Mt. Airy Upstream Mooring Light	30-03-08.857N 090-38-41.680W	FI R 2.5s			Marks outermost upstream mooring structure.
14532	Mt. Airy Terminal Downstream Mooring Light	30-03-04.275N 090-38-31.270W	FI R 2.5s			Marks outermost downstream mooring structure.
14535	Clark Oil Dock Horn And Lights (2)	30-03-12.000N 090-39-03.000W	FI R 2.5s		On dolphins.	HORN: 1 BLAST EV 20S (2S BL). LOCATED BETWEEN LIGHTS.

14540	Hall-Buck Marine Dock Lights (3)	30-03-12.000N 090-39-31.000W	FI R 2.5s			On dock.	
14545	Kaiser Barge Dock Light	30-03-15.000N 090-39-30.000W	FI R 2.5s				
14547	Noranda Alumina Downstream Dolphin Light	30-03-08.237N 090-39-49.951W	FI R 2.5s			Marks downstream mooring dolphin.	
14547.01	Noranda Alumina Upstream Dolphin Light	30-03-07.121N 090-39-53.114W	FI R 2.5s			Marks upstream mooring dolphin.	
14547.02	Noranda Alumina Lighted Downstream Mooring Buoy	30-03-07.730N 090-39-57.169W	Q W			White with blue band.	
14547.03	Noranda Alumina Lighted Middle Mooring Buoy	30-03-07.358N 090-39-58.223W	Q W			White with blue band.	
14547.04	Noranda Alumina Lighted Upstream Mooring Buoy	30-03-06.986N 090-39-59.277W	Q W			White with blue band.	
14550	Kaiser Coke Dock Lights (3)	30-16-11.000N 091-07-11.000W	FI R 2.5s			On ends and center of 1 200 foot dock.	
14555	Gramercy Bridge Approach Buoy 1	30-02-45.234N 090-40-11.158W				Green can.	AIS: MMSI 993682710.
14557	Gramercy Bridge West Pier V-AIS	30-02-39.979N 090-40-21.537W					AIS: MMSI 993682007
14558	Gramercy Bridge East Pier V-AIS	30-02-42.359N 090-40-16.977W					AIS: MMSI 993682008
14560	Gramercy Bridge Approach 3 V-AIS	30-02-38.526N 090-40-25.754W					AIS: MMSI 993682705
14565	Gramercy Bridge Approach Buoy 5	30-02-36.534N 090-40-29.966W				Green can.	AIS: MMSI 993682692.
14570	Lower Grand View Reach Anchorage Lower Daybeacon 146.4	30-02-44.719N 090-40-49.827W		0		NY on pile.	Ra ref.
14575	Gramercy Water Intake Light	30-02-33.600N 090-41-05.700W	FI R 2.5s			On dolphins.	
14580	Lower Grand View Reach Anchorage Upper Daybeacon 146.7	30-02-38.239N 090-41-01.827W		0		NY on pile.	Ra ref.
14585	Middle Grand View Reach Anchorage Lower Daybeacon 146.8	30-02-34.165N 090-41-09.007W		0		NY on pile.	Ra ref.
14590	Middle Grand View Reach Anchorage Upper Daybeacon 147.2	30-02-18.895N 090-41-31.615W		0		NY on pile.	
14595	Lutcher Intake Lights (2)	30-02-15.000N 090-41-35.000W	FI R 2.5s			Piles.	
14600	Upper Grand View Reach Anchorage Lower Daybeacon 147.5	30-02-10.399N 090-41-45.808W		0		NY on pile.	Ra ref.
14605	Crescent Light 147	30-01-06.925N 090-42-27.130W	Q G	10	5	SG on skeleton tower.	
14610	Upper Grand View Reach Anchorage Upper Daybeacon 148.8	30-01-20.699N 090-42-44.088W		0		NY on pile.	Ra ref.
14615	Laura Light 149	30-00-48.535N 090-43-04.978W	Q G	20	5	SG on skeleton tower on piles.	
14620	Vacherie Light 149A	30-00-37.065N 090-43-38.247W	Iso G 6s	15	3	SG on pile.	
14625	J. W. Stone Oil Dock Lights (2)	30-00-56.000N 090-43-58.000W	FI R 2.5s			On dolphins.	
14630	Peavey Dock Lights (3)	30-00-57.000N 090-44-02.000W	FI R 2.5s			On dolphins.	
14635	Hester Light 152	30-01-05.539N 090-45-24.682W	Iso R 6s	30	4	TR on skeleton tower on piles.	
14640	Lower Belmont Crossing Lower Side Range Front Light	30-01-07.678N 090-45-57.313W	Q G	15		KWG on skeleton tower.	Visible all around.
14645	Lower Belmont Crossing Lower Side Range Rear Light	30-01-09.644N 090-45-54.694W	Iso G 6s	45		KWG on skeleton tower.	Visible all around.
14650	Lower Belmont Crossing Range Front Light	30-01-07.510N 090-46-01.931W	F W	10		KRW on skeleton tower.	Visible 2° each side of range line. Lighted throughout 24 hours.
14655	Lower Belmont Crossing Range Rear Light	30-01-09.509N 090-45-59.295W	F W	35		KRW on skeleton tower on piles.	Visible 2° each side of range line. Lighted throughout 24 hours.

14660	Lower Belmont Crossing Upper Side Range Front Light	30-01-06.618N 090-46-07.492W	Q R	15		KWR on skeleton tower.	Visible all around.
14665	Lower Belmont Crossing Upper Side Range Rear Light	30-01-09.191N 090-46-04.072W	Iso R 6s	45		KWR on skeleton tower.	Visible all around.
14670	Belmont Light 154	30-00-57.727N 090-46-42.010W	Q R	0	4	TR on skeleton tower on piles.	
14675	College Point Light 156	29-59-08.879N 090-49-12.114W	Q R	20	4	TR pile.	
14680	Chotin Light 155	29-59-05.401N 090-48-25.852W	Q G	15	3	SG on skeleton tower.	
14685	Lagan Leading Light	29-58-39.817N 090-49-18.097W	Iso W 6s	25	5	NB on skeleton tower.	
14690	Richannel Bend Light 157	29-58-42.180N 090-49-24.303W	Q G	10	4	SG on skeleton tower.	
14693	Yuhuang Chemical Dock Lights (2)	29-59-36.040N 090-50-02.400W	FI G 2.5s			Marks outermost upstream / downstream corners of dock.	
14693.01	YCI Intake Protection Pile Lights (3)	29-59-30.420N 090-49-59.290W	FI W 2.5s			Marks freshwater intake piling protection structures.	
14695	St. James Sugar Dock Lights (2)	29-59-56.000N 090-50-05.000W	F G			On dock.	
14697	Plains St. James Middle Mooring Light	29-59-48.107N 090-50-02.409W	FI G 2.5s			Marks middle mooring dolphin.	
14697.01	Plains St. James Lower Mooring Light	29-59-44.070N 090-50-02.487W	FI G 2.5s			Marks middle mooring dolphin.	
14698	Plains Dock Lights (2)	30-00-03.260N 090-50-05.700W	FI G 2.5s			Marks outermost upstream and outermost downstream mooring dolphins.	
14700	Dept. of Energy Dock Lights (4)	30-00-37.000N 090-50-13.000W	FI G 2.5s			On dolphins.	
14705	Ryan Walsh Stevedoring Co. Lower Lighted Mooring Buoy	30-00-51.500N 090-49-55.300W	FI W 4s			White with blue band.	
14710	Ryan Walsh Stevedoring Co. Upper Lighted Mooring Buoy	30-00-37.700N 090-49-53.700W	FI W 4s			White with blue band.	
14715	St. James Terminal Tanker Dock 3 Dolphin Lights (4)	30-00-44.000N 090-50-14.500W	FI G 2.5s			On dolphins.	
14720	St. James Terminal Dock Lights (4)	30-01-07.000N 090-50-18.000W	FI G 2.5s				
14725	Shell Pipeline Corp. Dock Lights (6)	29-09-05.000N 089-14-07.000W	FI G 4s				
14730	NuStar Barge Dock Lights (4)	30-01-35.558N 090-50-22.903W	FI G 4s			On platform with dolphins.	
14735	Koch Tanker Dock Lights (4)	30-01-45.000N 090-50-23.000W	FI G 4s			Marks dock.	
14740	Capline Tanker Dock Lights (4)	30-01-53.000N 090-50-24.000W	FI G 2.5s			On dock extremities.	
14745	Matador Barge Dock Lights (2)	30-02-04.000N 090-50-26.000W	FI G 4s			On dock.	
14750	Ergon Tanker Dock Lights (3)	30-02-32.000N 090-50-29.000W	FI G 2.5s			On dolphins.	
14755	Raven Energy Terminal Lights (3)	30-02-48.390N 090-50-16.830W	FI R 2.5s			On mooring dolphin.	
14760	Occidental Chemical Dock Lights (3)	30-03-08.000N 090-50-24.000W	FI R 2.5s			On dolphins.	
14765	T.T. Barge Dock Lights (2)	30-03-15.040N 090-50-49.684W	FI G 2.5s			On dock.	
14770	Nita Light 162	30-03-47.149N 090-51-00.538W	Iso R 6s	0	5	TR on pile.	
14775	Brilliant Point Light 163	30-03-37.237N 090-52-22.462W	Iso G 6s	20	4	SG on skeleton tower.	
14780	Zen-Noh Grain Dock Lights (3)	30-03-52.430N 090-52-30.070W	FI R 2.5s			On grain dock.	
14785	St Alice Light 165	30-03-40.759N 090-53-46.138W	Q G	15	5	SG on skeleton tower on piles.	
14795	Chevron Chemical Dock Lights (7)	30-04-55.000N 090-54-40.000W	FI G 2.5s			On dolphins.	
14800	Shell Oil Loading Platform Light	30-04-39.000N 090-54-32.000W	FI G 4s			On loading platform.	

14805	Chevron Dock Lights (2)	30-05-10.000N 090-54-45.000W	FI G 2.5s			Piles.	
14815	YARA North America Mooring Dolphin Light	30-05-26.280N 090-54-28.610W	FI R 2.5s			On mooring dolphin.	
14820	Agrico Chemical Dock Lights (3)	30-05-19.900N 090-54-46.000W	FI G 2.5s			On dock extremities.	LIGHTS FLASH IN UNISON.
14825	Eagle Asphalt Products Lights (2)	30-06-01.720N 090-54-58.180W	FI G 2.5s			On mooring dolphins.	
14830	Lafarge Cement Company Dolphin Lights (2)	30-06-16.000N 090-54-36.000W	FI R 2.5s			On dolphins.	
14835	Sunshine Bridge Approach 1 V-AIS	30-05-46.841N 090-54-53.264W					AIS: MMSI 993682687
14840	Sunshine Bridge Approach Buoy A	30-05-47.307N 090-54-43.967W				Green can with red bands.	AIS: MMSI 993682010
14845	Sunshine Bridge Approach B V-AIS	30-05-59.276N 090-54-46.663W					AIS: MMSI 993682816
14846	Sunshine Bridge Approach 4 V-AIS	30-06-00.500N 090-54-36.830W					AIS: MMSI 993682814.
14850	Sunshine Bridge Approach Buoy C	30-06-04.986N 090-54-48.299W				Green can with red bands.	AIS: MMSI 993682012
14855	Star Enterprise Dock Lights (4)	30-06-34.000N 090-54-41.000W	FI R 2.5s			On dock.	
14860	Star Enterprise North Dock Lights (3)	30-06-43.000N 090-54-40.000W	FI R 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL).
14865	Impala Warehousing Dock Lights (2)	30-07-26.000N 090-54-55.000W	Q R				
14870	Impala Warehousing Lighted Mooring Buoy A	30-07-40.000N 090-55-08.000W	Q W			White with blue band.	
14875	Impala Warehousing Lighted Mooring Buoy B	30-07-29.000N 090-55-01.000W	Q W			White with blue band.	
14880	Impala Warehousing Terminal Dock Light	30-07-46.000N 090-55-08.000W	FI R 2.5s			On dolphin.	
14885	Impala Warehousing Dolphin Lights (2)	30-07-39.000N 090-55-03.000W	FI R 2.5s			On dolphin.	
14890	Impala Warehousing Light 170	30-08-22.519N 090-55-59.928W	Q R	20	4	TR on skeleton tower on piles.	
14895	River Cement Company Dock Lights	30-08-25.000N 090-56-22.000W	FI R 2.5s			On mooring dolphin.	
14900	Riverton Light 172	30-08-13.267N 090-56-44.506W	Iso R 6s	20	4	TR on skeleton tower on concrete pad.	
14905	Wade Hampton Light 173	30-07-43.698N 090-56-31.288W	Iso G 6s	20	5	SG on skeleton tower.	
14910	Rateau Light 173A	30-06-27.691N 090-56-47.458W	Q G	25	4	SG on skeleton tower on piles.	
14915	CF Industries Nitrogen Dolphin Lights (2)	30-06-12.250N 090-57-24.230W	FI G 2.5s			On dolphins.	
14917	CF Industries Mooring Dolphin Lights (2)	30-06-17.150N 090-57-09.365W	FI W 2.5s			Marks upstream and downstream mooring dolphins.	
14920	CF Industries Nitrogen Barge Dock Lights (2)	30-06-10.820N 090-57-34.520W	FI G 2.5s			On dock.	
14925	Bringier Point Light 174	30-06-46.999N 090-57-07.948W	Q R	20	5	TR on skeleton tower on piles.	
14930	C. F. Industries Nitrogen Mooring Facilities Lights (3)	30-06-10.620N 090-57-47.830W	FI G 2.5s			On dock extremities.	
14935	Pumpkin Bezette J Range Front Light	30-06-49.786N 090-58-09.272W	F W	20		KRW on skeleton tower on sills.	Lighted throughout 24 hours.
14940	Pumpkin Bezette J Range Rear Light	30-06-50.464N 090-58-00.254W	F W	30		KRW on skeleton tower on platform.	Lighted throughout 24 hours.
14945	Pumpkin Bezette Light 176	30-06-49.786N 090-58-09.272W	FI R 2.5s	20	5	TR on same structure as Range J Front Light.	
14947	Le Pelican Wreck V-AIS	30-06-37.019N 090-59-14.028W					AIS: MMSI 993682028
14950.01	Bayou Lafourche Intake V-AIS	30-06-38.089N 090-59-25.468W					AIS: MMSI 993682027
14950	Bayou Lafourche Intake Light	30-06-36.307N 090-59-23.323W	FI G 2.5s			On monopile.	
14955	Smoke Bend Range Front Light	30-06-36.764N 091-00-52.587W	Iso W 2s	15		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
14960	Smoke Bend Range Rear Light	30-06-36.298N 091-00-58.735W	Iso W 6s	35		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.

14965	Evan Hall Light 177	30-06-52.369N 091-01-52.158W	Iso G 6s	20	5	SG on skeleton tower.	
14970	Mcmanor Light 179	30-07-30.270N 091-02-08.634W	Q G	15	4	SG on skeleton tower on concrete block.	
14975	Eighty One Mile Point Light 180	30-07-22.117N 091-01-32.200W	Q R	15	4	TR on skeleton tower.	
14980	Gem Light 180A	30-08-37.813N 090-59-47.920W	Iso R 6s	25	5	TR on skeleton tower on piles.	
14982	Matador Dock Lights (3)	30-09-11.000N 090-59-48.000W	FI R 2.5s			Marks dock.	
14985	Philadelphia Point C Range Front Light	30-09-38.933N 091-00-22.820W	Iso W 2s	10		Skeleton tower on sills.	Visible 3° each side of rangeline. Lighted throughout 24 hours.
14990	Philadelphia Point C Range Rear Light	30-09-34.210N 091-00-21.425W		15		Skeleton tower on sills.	Visible 3° each side of rangeline. Lighted throughout 24 hours.
14993	IMTT Geismar Dock Lights (2)	30-11-21.410N 091-00-56.570W	FI R 2.5s			Marks outermost upstream and outermost downstream dock structures.	
14995	Osca Barge Dock Lights (2)	30-11-44.800N 091-01-12.000W	FI R 6s			On dolphins.	
15000	New River Light 184	30-11-53.785N 091-01-17.194W	Iso R 6s	20	5	TR on skeleton tower on piles.	
15005	Monochem Dock Lights (2)	30-11-52.110N 091-01-19.500W	F R			On dolphins.	
15010	Honeywell Chemical Dock Lights (2)	30-12-55.000N 090-03-16.000W	FI R 4s			On pier.	
15015	Cos-Mar Lights (2)	30-13-03.000N 091-04-06.500W	FI R 4s			Dolphins.	
15020	Rescue Light 190	30-12-58.198N 091-04-57.946W	Iso R 6s	15	4	TR on pile.	
15022	Bear Industries Dolphin Lights (2)	30-12-51.341N 091-05-14.520W	FI R 2.5s			Marks upstream and downstream dolphins.	
15025	Alhambra Range Front D Light	30-12-44.097N 091-05-49.152W	Iso R 2s	30		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
15030	Alhambra Range Rear D Light	30-12-50.045N 091-05-42.560W	Iso R 6s	20		KRW on skeleton tower on mud sills.	Visible all around; higher intensity on rangeline.
15035	White Castle Lower Anchorage Daybeacon 190.4	30-11-51.799N 091-06-19.288W		0		NY on pile.	Ra ref.
15040	White Castle Anchorage Upper Daybeacon 191.1	30-11-28.279N 091-06-55.708W		0		NY on pile.	Ra ref.
15045	White Castle Range Front Light	30-10-36.393N 091-08-10.751W	F G	15		KRW on skeleton tower on piles.	
15050	White Castle Range Rear Light	30-10-32.891N 091-08-14.632W	F G	25		KRW on skeleton tower on piles.	
15055	White Castle Light 193	30-10-36.188N 091-09-09.524W	Q G	25	5	SG on skeleton tower.	
15060	Eureka Light 195	30-11-23.557N 091-09-58.565W	Iso G 6s	0	4	SG on pile.	
15065	White Alder Memorial Light 195A	30-11-56.266N 091-10-07.916W	Q G	15	5	SG on skeleton tower on concrete block.	
15070	Bayou Goula Bend Light 197	30-12-54.007N 091-09-43.996W	Iso G 6s		5	SG on skeleton tower on piles.	
15072	Shintech Upper Dock Light	30-13-18.580N 091-09-12.150W	FI G 2.5s			Marks outermost upstream dock.	
15075	Bayou Goula E Range Front Light	30-13-25.672N 091-09-07.416W	FI G 2.5s	20		KRW on skeleton tower.	Visible all around.
15080	Bayou Goula E Range Rear Light	30-13-23.292N 091-09-14.054W	F G	45		KRW on skeleton tower.	Visible all around.
15085	Sunoco Terminal Dolphin Lights (2)	30-13-42.000N 091-07-59.000W	FI R 2.5s			On dolphins.	
15090	Virginia Range Front Light	30-14-00.073N 091-07-24.843W	F R	10		KRW on skeleton tower.	Visible all around; higher intensity on rangeline.
15095	Virginia Range Rear Light	30-14-01.957N 091-07-19.222W	F R	30		KRW on skeleton tower.	Visible all around; higher intensity on rangeline.
15100	Olin Dock Lights (3)	30-14-44.050N 091-06-28.570W	FI R 4s			On dolphins.	
15105	St. Gabriel Dock Light	30-19-23.000N 091-09-25.000W	FI R 2.5s			On end of dock.	
15110	St Gabriel Light 202	30-15-25.267N 091-06-22.588W	Q R	15	4	TR on skeleton tower on piles.	
15115	Willow Glenn Lower Dock Light	30-16-08.340N 091-07-04.780W	FI R 2.5s			Marks lower dock structure	

15115.01	Willow Glenn Upper Dock Light	30-16-13.170N 091-07-10.780W	FI R 2.5s				Marks upper dock structure.	
15120	Bayou Paul Light 204	30-16-29.307N 091-07-34.054W	Iso R 6s	20	4		TR on skeleton tower on piles.	
15125	Granada Range F Lower Front Light	30-16-52.290N 091-08-29.604W	Q G	15	4		NG on pile.	Visible 144° - 269°
15130	Granada Range F Lower Rear Light	30-16-52.771N 091-08-24.431W	Iso G 6s	0	3		NG on pile.	Visible 144° - 269°
15135	Granada Range F Front Light	30-16-53.156N 091-08-33.476W	F W	10			KRW on skeleton tower.	
15140	Granada Range F Rear Light	30-16-54.029N 091-08-24.162W	F W	40			KRW on skeleton tower.	
15145	Granada Range F Upper Front Light	30-16-54.122N 091-08-36.312W	Q R	0			NR on pile.	Visible 144° - 269°
15150	Granada Range F Upper Rear Light	30-16-54.767N 091-08-29.682W	Iso R 6s	0			NR on pile.	Visible 144° - 269°
15155	Petrounited Tanker Dock Lights (3)	30-16-58.500N 091-09-18.700W	FI R 2.5s				On wharf and mooring dolphins.	
15160	Ashland Dock Lights(2)	30-16-33.000N 091-10-19.200W	FI G 4s				On ends of dock.	
15165	Georgia Pacific Wharf Lights (5)	30-16-31.000N 091-11-02.000W	FI G 2.5s				On ends of wharf and mooring dolphins.	HORN: 1 BLAST EV 15S (3S BL).
15170	St Louis Plantation Range Front Light	30-16-31.513N 091-12-19.117W	F G	20			KRW on skeleton tower.	
15175	St Louis Plantation Range Rear Light	30-16-30.796N 091-12-26.570W	F G	30			KRW on skeleton tower.	
15180	Plaquemine Light 209	30-17-41.419N 091-14-01.618W	Iso G 6s	15	4		SG on skeleton tower on pile.	Higher intensity beam up and down river.
15185	Reliance Light 211	30-18-23.127N 091-14-00.976W	Q G		5		SG on skeleton tower on concrete block.	
15190	Plaquemine Wharf Lights (3)	30-18-44.000N 091-13-32.500W	FI G 2.5s				on dolphins.	HORN: 1 BLAST EV 20S (2S BL).
15195	Plaquemine Bend Light 213	30-19-04.159N 091-13-06.328W	Iso G 6s	0	4		SG on pile.	
15200	Medora G Range Front Light	30-19-20.600N 091-12-07.179W	FI W 2.5s	20			KRW on skeleton tower on mud sills.	Visible all around.
15205	Medora G Range Rear Light	30-19-22.757N 091-12-13.900W	Iso W 6s	30			KRW on skeleton tower on mud sills.	Visible all around.
15210	Old Hermitage Range Front Light	30-18-38.823N 091-09-56.731W	Iso R 2s	25			KRW on skeleton tower.	Visible all around; higher intensity on rangeline. Lighted nighttime only.
15215	Old Hermitage Range Rear Light	30-18-36.584N 091-09-49.733W	Iso R 6s	20			KRW on skeleton tower.	Visible all around; higher intensity on rangeline. Lighted nighttime only.
15220	Wadlington Light 214	30-18-37.669N 091-09-23.836W	Iso R 6s		4		TR on skeleton tower.	
15225	Manchac Bend Light 216	30-19-02.593N 091-08-22.156W	Q R	20	4		TR on skeleton tower.	
15230	Burtville Light 216A	30-19-53.602N 091-08-17.359W	Iso R 6s	20	4		TR on skeleton tower.	
15235	Longwood Plantation Light 216B	30-20-14.737N 091-08-31.090W	Q R	15	4		TR on skeleton tower on piles.	
15240	MULBERRY GROVE LIGHT 218	30-20-50.209N 091-09-46.792W	Iso R 6s	20	3		TR on skeleton tower on piles.	
15245	Richard Powell Range Front Light	30-21-07.219N 091-10-52.813W	Oc W 4s	20			KRW on skeleton tower on sill.	Visible all around.
15250	Richard Powell Range Rear Light	30-21-10.079N 091-10-46.809W	F W	30			KRW on skeleton tower.	Visible all around.
15255	Sardine Point Light 221	30-20-17.005N 091-12-23.731W	Q G	20	3		SG on skeleton tower on mud sills.	
15260	New Hope Light 221A	30-20-11.825N 091-13-45.456W	Q G	20	3		SG on skeleton tower.	
15265	Vopak Wharf Lights (5)	30-20-29.000N 091-14-23.000W	FI G 2.5s				On dock extremities.	
15270	St Delphine Light 223	30-20-53.584N 091-14-47.218W	Iso G 6s	20	4		SG on skeleton tower on concrete block.	
15275	Missouri Light 223A	30-21-14.933N 091-14-52.468W	Q G	25	3		SG on skeleton tower on concrete block.	
15280.01	Red Eye H Light	30-21-46.141N 091-14-49.943W	FI G 2.5s	20			On same structure as Red Eye H Range Front Light.	
15280	Red Eye H Range Front Light	30-21-46.141N 091-14-49.943W	F G	20			KRW on skeleton tower on mud sills.	

15285	Red Eye H Range Rear Light	30-21-41.379N 091-14-55.726W	F G	35		KRW on skeleton tower.	Visible only on range line.
15295	Baton Rouge General Anchorage Lower Daybeacon 225.8	30-23-31.932N 091-13-28.740W				NY on pile.	Ra ref.
15300	Arlington Range Front Light	30-23-42.141N 091-12-28.968W	F R	22		KRW on skeleton tower.	Visible all around; higher intensity 1.5° each side of range line.
15305	Arlington Range Rear Light	30-23-47.588N 091-12-22.341W	F R	55		KRW on skeleton tower.	Visible all around; higher intensity 1.5° each side of range line.
15310	College Town Light 226	30-24-12.853N 091-12-08.380W	Q R	25	4	TR on skeleton tower.	
15315	Baton Rouge General Anchorage Upper Daybeacon 227.3	30-24-40.996N 091-12-32.042W		0		NY on tree.	Ra ref.
15320	Gartness Light 228	30-25-01.237N 091-11-47.326W	Q R	20	4	TR on skeleton tower on piles.	
15325	Lower Baton Rouge Anchorage Lower Daybeacon 228.5	30-25-34.338N 091-11-37.887W		0		NY on pile.	Ra ref.
15330	Lower Baton Rouge Anchorage Upper Daybeacon 229.0	30-26-08.250N 091-11-34.411W		0		NY on tree.	Ra ref.
15335	Greater Baton Rouge Port Commission Lighted Mooring Buoy D	30-25-54.000N 091-11-47.000W	Q W			White with blue band.	
15340	Greater Baton Rouge Port Commission Lighted Mooring Buoy C	30-26-09.000N 091-11-44.000W	Q W			White with blue band.	
15345	Greater Baton Rouge Port Commission Lighted Mooring Buoy B	30-26-09.000N 091-11-46.000W	Q W			White with blue band.	
15350	Greater Baton Rouge Port Commission Lighted Mooring Buoy A	30-26-09.000N 091-11-48.000W	Q W			White with blue band.	
15355	I-10 Bridge Approach Buoy E	30-26-15.452N 091-11-47.798W				Red nun with green bands.	AIS: MMSI 993682013
15360	I-10 Bridge Approach F V-AIS	30-26-28.671N 091-11-47.251W					AIS: MMSI 993682123
15365	I-10 Bridge Approach Buoy G	30-26-31.659N 091-11-47.215W				Red nun with green bands.	AIS: MMSI 993682015
15370	Belle Of Baton Rouge Dock Lights (2)	30-26-30.000N 091-11-32.000W	FI R 2.5s			On piles.	
15385	Casino Rouge Barrier Barge Lights (2)	30-27-38.800N 091-11-33.000W	FI R 2.5s			On barrier barge.	
15390	Upper Baton Rouge Anchorage Lower Daybeacon 230.6	30-27-42.941N 091-11-32.483W		0		NY on tree.	Ra ref.
15400	Placid Mooring Facility Lights (5)	30-28-26.260N 091-11-59.930W	FI G 2.5s			On dolphins.	
15405	Exxon Refinery Dolphin and Dock Lights (10)	30-29-10.000N 091-11-37.000W	FI R 2.5s			On dolphin.	
15410	Intercontinental Terminal Company Dolphin Lights (3)	30-29-01.190N 091-11-58.380W	FI G 2.5s			On dolphins.	
15415	Hall-Buck Coke Terminal Dock Lights (2)	30-29-37.000N 090-11-00.000W	FI R 2.5s			On piles.	
15420	Formosa Plastics Lower Dock Lights (2)	30-30-04.000N 091-11-39.000W	FI R 2.5s			On dolphins.	
15425	Formosa Plastics Upper Dock Lights (3)	30-30-18.000N 091-11-39.000W	FI R 2.5s			On dock.	
15426	Baton Rouge Bridge Port Allen Pier South V-AIS	30-30-21.599N 091-11-56.998W					AIS: MMSI 993682021
15427	Baton Rouge Bridge Baton Rouge Pier South V-AIS	30-30-22.309N 091-11-49.668W					AIS: MMSI 993682017
15428	Baton Rouge Bridge Port Allen Pier North V-AIS	30-30-26.489N 091-11-56.988W					AIS: MMSI 993682020
15429	Baton Rouge Bridge Baton Rouge Pier North V-AIS	30-30-27.039N 091-11-49.648W					AIS: MMSI 993682016
15455	Tiger Pass Danger Light A	29-08-12.944N 089-26-09.994W	FI W 2.5s	0	3	NW on dolphin worded DANGER JETTIES.	Ra ref.
15460	Tiger Pass Danger Light B	29-08-23.237N 089-25-49.196W	FI W 2.5s	0	3	NW on dolphin worded DANGER JETTIES.	Ra ref.

15465	Tiger Pass Danger Daybeacon C	29-08-19.840N 089-25-47.215W					NW on dolphin worded DANGER JETTIES.	Ra ref.
15470	Tiger Pass Danger Daybeacon D	29-08-31.605N 089-25-29.692W		0			NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15475	Tiger Pass Danger Daybeacon E	29-08-27.970N 089-25-28.030W		17			NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15480	Tiger Pass Danger Light F	29-08-36.234N 089-25-18.668W	FI W 2.5s	14	3		NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15485	Tiger Pass Danger Light G	29-08-32.131N 089-25-19.082W	FI W 2.5s	17	3		NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15495	Tiger Pass Danger Daybeacon H	29-08-42.838N 089-24-55.215W		0			NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15500	Tiger Pass Danger Daybeacon I	29-08-53.059N 089-24-46.706W		17			NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15525	Tiger Pass Danger Light J	29-09-09.959N 089-23-55.585W	FI W 2.5s	0	3		NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15530	Tiger Pass Danger Light K	29-09-08.141N 089-23-47.566W	FI W 2.5s		3		NW on pile worded DANGER CHANNEL SHOALED.	Ra ref.
15535	Tiger Pass Light 23	29-09-14.718N 089-23-43.313W	FI G 4s		3		SG on pile.	Ra ref.
15540	Tiger Pass Buoy 24	29-09-18.493N 089-23-33.242W					Red nun.	
15545	Tiger Pass Daybeacon 25	29-09-30.543N 089-23-20.545W		17			SG on pile.	
15550	Tiger Pass Daybeacon 26	29-09-27.620N 089-23-19.915W		15			TR on pile.	Ra ref.
15555	Tiger Pass Daybeacon 27	29-09-48.385N 089-22-47.125W		0			SG on pile.	
15560	Tiger Pass Daybeacon 28	29-09-46.142N 089-22-44.620W					TR on pile.	
15565	Tiger Pass Daybeacon 29	29-10-06.874N 089-22-26.536W		0			SG on pile.	Ra ref.
15570	Tiger Pass Daybeacon 30	29-10-01.556N 089-22-27.946W		17			TR on pile.	Ra ref.
15575	Tiger Pass Daybeacon 31	29-10-18.088N 089-22-09.159W		0			SG on pile.	Ra ref.
15580	Tiger Pass Daybeacon 32	29-10-16.529N 089-22-05.825W		0			TR on pile.	Ra ref.
15585	Tiger Pass Daybeacon 33	29-10-27.755N 089-22-01.525W		0			SG on pile.	
15590	Tiger Pass Light 34	29-10-26.429N 089-21-57.947W	FI R 6s	0	3		TR on pile.	Ra ref.
15595	Tiger Pass Daybeacon 35	29-10-41.764N 089-21-55.199W		17			SG on pile.	
15600	Tiger Pass Daybeacon 36	29-10-40.993N 089-21-52.061W		15			TR on pile.	Ra ref.
15605	Tiger Pass Daybeacon 37	29-10-55.177N 089-21-53.261W		0			SG on pile.	Ra ref.
15610	Tiger Pass Daybeacon 38	29-11-02.027N 089-21-49.485W					TR on pile.	Ra ref.
15612	Tiger Pass Buoy 38A	29-11-08.842N 089-21-47.185W					Red nun.	
15615	Tiger Pass Daybeacon 39	29-11-17.017N 089-21-47.968W					SG on pile.	Ra ref.
15620	Tiger Pass Daybeacon 40	29-11-15.639N 089-21-44.586W		15			TR on pile.	Ra ref.
15625	Tiger Pass Light 41	29-11-28.182N 089-21-40.358W	FI G 4s	0	3		SG on pile.	Ra ref.
15630	Tiger Pass Daybeacon 42	29-11-24.462N 089-21-38.526W		15			TR on pile.	Ra ref.
15635	Tiger Pass Daybeacon 43	29-11-42.984N 089-21-33.828W		15			SG on pile.	
15640	Tiger Pass Light 44	29-11-41.640N 089-21-30.146W	FI R 6s	0	3		TR on pile.	Ra ref.
15645	Tiger Pass Daybeacon 45	29-11-55.204N 089-21-24.256W		0			SG on pile.	Ra ref.
15652	Tiger Pass Buoy 46	29-11-53.363N 089-21-22.085W					Red nun.	
15655	Tiger Pass Daybeacon 47	29-12-20.564N 089-21-15.134W		15			SG on pile.	Ra ref.

15660	Tiger Pass Daybeacon 48	29-12-19.999N 089-21-11.303W				TR on pile.	Ra ref.
15665	Tiger Pass Buoy 50	29-12-30.582N 089-21-08.622W				Red nun.	
15670	Tiger Pass Daybeacon 51	29-12-46.640N 089-21-03.620W		15		SG on pile.	Ra ref.
15675	Tiger Pass Light 52	29-12-55.290N 089-20-59.572W	FI R 4s		3	TR on pile.	Ra ref.
15677	Tiger Pass Buoy 52A	29-13-05.470N 089-21-02.965W				Red nun.	
15680	Tiger Pass Buoy 53	29-12-54.684N 089-21-03.236W				Green can.	
15685	Tiger Pass Buoy 54	29-13-12.099N 089-21-02.676W				Red nun.	
15690	Tiger Pass Daybeacon 55	29-13-26.829N 089-20-58.394W			17	SG on pile.	Ra ref.
15695	Tiger Pass Light 56	29-13-42.860N 089-20-54.326W	FI R 2.5s	0	3	TR on pile.	Ra ref.
15700	Tiger Pass Buoy 58	29-14-06.279N 089-21-28.063W				Red nun.	
15705	Dynegy Lpg Dock No. 1 Light	29-13-26.000N 089-23-33.000W	FI G 2.5s			On dock.	
15710	Dynegy Lpg Dock No.2 Light	29-13-30.000N 089-23-30.000W	FI G 2.5s			On dock.	
15725	Empire Waterway Danger Light A	29-14-56.736N 089-36-28.570W	FI W 2.5s	0	4	NW on pile worded DANGER JETTIES.	Ra ref.
15727	CPRA Barataria Basin Scientific Platform Light	29-18-15.880N 089-35-49.230W	Q W			Marks scientific platform structure.	
15728	Great Lakes Dredge & Dock Lighted Danger Buoys (20)	29-21-25.936N 089-35-47.851W	FI W 2.5s			Marks submerged dredge pipeline.	
15728.01	Great Lakes Dredge & Dock Lighted Danger Buoys (20)	29-15-25.104N 089-36-22.539W	FI W 2.5s			Marks submerged dredge pipeline.	
15728.02	Great Lakes Dredge & Dock Lighted Danger Marks (8)	29-21-49.116N 089-35-55.078W	FI W 2.5s			Marks submerged spoil area.	
15728.04	Great Lakes Dredge & Dock Lighted Danger Marks (8)	29-20-17.486N 089-35-34.745W	FI W 2.5s			Marks submerged spoil area.	
15728.05	Great Lakes Dredge & Dock Lighted Danger Marks (8)	29-19-35.875N 089-36-06.105W	FI W 2.5s			Marks submerged spoil area.	
15728.06	Great Lakes Dredge & Dock Lighted Danger Marks (8)	29-18-02.445N 089-35-52.720W	FI W 2.5s			Marks submerged spoil area.	
15728.07	Great Lakes Dredge & Dock Lighted Danger Marks (8)	29-16-48.601N 089-36-02.706W	FI W 2.5s			Marks submerged spoil area.	
15728.03	Great Lakes Dredge & Dock Lighted Danger Marks (8)	29-21-13.953N 089-35-41.864W	FI W 2.5s			Marks submerged spoil area.	
15728.08	Great Lakes Dredge & Dock Lighted Danger Buoy	29-21-56.147N 089-35-56.088W	FI W 2.5s			Marks submerged dredge pipeline.	
15728.09	Great Lakes Dredge & Dock Lighted Danger Buoy	29-20-43.172N 089-35-35.186W	FI W 2.5s			Marks submerged dredge pipeline.	
15728.11	Great Lakes Dredge & Dock Lighted Danger Buoys (4)	29-18-55.737N 089-36-12.210W	FI W 2.5s			Marks submerged dredge pipeline.	
15728.12	Great Lakes Dredge & Dock Lighted Danger Buoys (3)	29-17-41.945N 089-35-54.910W	FI W 2.5s			Marks submerged dredge pipeline.	
15728.13	Great Lakes Dredge & Dock Lighted Danger Buoys (2)	29-22-45.117N 089-35-37.543W	FI W 2.5s			Marks submerged dredge pipeline.	
15728.14	Great Lakes Dredge & Dock Lighted Danger Buoy	29-21-17.804N 089-35-43.442W	FI W 2.5s			Marks submerged dredge pipeline.	
15728.15	Great Lakes Dredge & Dock Lighted Danger Buoys (3)	29-19-29.501N 089-36-12.802W	FI W 2.5s			Marks submerged dredge pipeline.	
15728.16	Great Lakes Dredge & Dock Lighted Danger Buoy	29-14-52.582N 089-35-58.347W	FI W 2.5s			Marks submerged dredge pipeline.	

15728.17	Great Lakes Dredge & Dock Lighted Danger Buoy	29-14-43.486N 089-35-40.368W	FI W 2.5s		Marks submerged dredge pipeline.
15728.18	Great Lakes Dredge & Dock Lighted Danger Buoy	29-14-37.949N 089-35-40.368W	FI W 2.5s		Marks submerged dredge pipeline.
15728.19	Great Lakes Dredge & Dock Lighted Danger Buoy	29-14-32.410N 089-34-55.798W	FI W 2.5s		Marks submerged dredge pipeline.
15728.21	Great Lakes Dredge & Dock Lighted Danger Buoy	29-14-26.863N 089-34-33.483W	FI W 2.5s		Marks submerged dredge pipeline.
15728.22	Great Lakes Dredge & Dock Lighted Danger Buoy	29-14-34.574N 089-34-23.059W	FI W 2.5s		Marks submerged dredge pipeline.
15728.23	Great Lakes Dredge & Dock Lighted Danger Buoy	29-14-48.263N 089-33-53.199W	FI W 2.5s		Marks submerged dredge pipeline.
15728.24	Great Lakes Dredge & Dock Lighted Danger Buoy	29-14-50.105N 089-33-51.707W	FI W 2.5s		Marks submerged dredge pipeline.
15728.25	Great Lakes Dredge & Dock Lighted Danger Buoy	29-16-17.866N 089-36-28.040W	FI W 2.5s		Marks submerged spoil.
15728.26	Great Lakes Dredge & Dock Lighted Danger Buoy	29-16-17.670N 089-36-16.176W	FI W 2.5s		Marks submerged spoil.
15728.27	Great Lakes Dredge & Dock Lighted Danger Buoy	29-16-15.231N 089-36-16.669W	FI W 2.5s		Marks submerged spoil.
15728.28	Great Lakes Dredge & Dock Lighted Danger Buoy	29-16-13.414N 089-36-17.028W	FI W 2.5s		Marks submerged spoil.
15728.29	Great Lakes Dredge & Dock Lighted Danger Buoy	29-16-10.965N 089-36-17.533W	FI W 2.5s		Marks submerged spoil.
15728.31	Great Lakes Dredge & Dock Lighted Danger Buoy	29-16-11.054N 089-36-23.550W	FI W 2.5s		Marks submerged spoil.
15728.32	Great Lakes Dredge & Dock Lighted Danger Buoy	29-18-22.248N 089-35-58.046W	FI W 2.5s		Marks submerged spoil.
15728.33	Great Lakes Dredge & Dock Lighted Danger Buoy	29-18-22.640N 089-35-57.701W	FI W 2.5s		Marks submerged spoil.
15728.34	Great Lakes Dredge & Dock Lighted Danger Buoy	29-18-20.520N 089-35-55.213W	FI W 2.5s		Marks submerged spoil.
15728.35	Great Lakes Dredge & Dock Lighted Danger Buoy	29-18-20.181N 089-35-55.625W	FI W 2.5s		Marks submerged spoil.
15728.36	Great Lakes Dredge & Dock Lighted Danger Buoy	29-18-18.805N 089-35-53.840W	FI W 2.5s		Marks submerged spoil.
15728.37	Great Lakes Dredge & Dock Lighted Danger Buoy	29-18-15.948N 089-35-52.607W	FI W 2.5s		Marks submerged spoil.
15728.38	Great Lakes Dredge & Dock Lighted Danger Buoy	29-18-15.806N 089-35-53.148W	FI W 2.5s		Marks submerged spoil.
15728.39	Great Lakes Dredge & Dock Lighted Danger Buoy	29-18-18.507N 089-35-54.314W	FI W 2.5s		Marks submerged spoil.
15728.41	Great Lakes Dredge & Dock Lighted Danger Buoy	29-16-14.220N 089-36-15.875W	FI W 2.5s		Marks submerged pipeline.
15728.42	Great Lakes Dredge & Dock Lighted Danger Buoy	29-16-13.942N 089-36-13.050W	FI W 2.5s		Marks submerged pipeline.
15728.43	Great Lakes Dredge & Dock Lighted Danger Buoy	29-15-55.492N 089-36-20.177W	FI W 2.5s		Marks submerged pipeline.
15728.44	Great Lakes Dredge & Dock Lighted Danger Buoy	29-15-54.931N 089-36-16.663W	FI W 2.5s		Marks submerged pipeline.
15728.45	Great Lakes Dredge & Dock Lighted Danger Buoy	29-19-33.400N 089-36-09.380W	FI W 2.5s		Marks submerged pipeline.
15728.46	Great Lakes Dredge & Dock Lighted Danger Buoy	29-19-33.980N 089-36-09.350W	FI W 2.5s		Marks submerged pipeline.
15730	Meyers Canal Light 1	29-22-22.000N 089-39-57.000W	FI G 2.5s		SG on dolphin.
15735	Adams Bay Daybeacon A	29-22-46.178N 089-38-28.837W		0	NB on pile. Ra ref.
15738	Exxon-Mobil Bastian Bay Pipeline Light A	29-20-06.740N 089-38-26.410W	FI Y 2.5s		Marks submerged pipeline.
15740	Adams Bay Lighted Buoy 13	29-22-17.638N 089-36-06.011W	FI G 4s	4	Green.
15742	Exxon-Mobil East Piling Lights (20-25)	29-24-32.600N 089-49-07.320W	FI W 2.5s		Marks pilings.
15742.01	Exxon-Mobil East Piling Lights (26-30)	29-22-34.720N 089-44-29.090W	FI W 2.5s		Marks pilings.
15742.02	Exxon-Mobil East Piling Lights (31-35)	29-21-15.700N 089-41-48.680W	FI W 2.5s		Marks pilings.
15742.03	Exxon-Mobil East Piling Lights (36-41)	29-21-44.450N 089-34-34.320W	FI W 2.5s		Marks pilings.

15743	Shelley Farm SF1 Special Lights (6)	29-18-56.343N 089-44-09.494W	FI Y 2.5s		Marks perimeter of aquaculture farm.
15743.01	Shelley Farm SF2 Special Lights (6)	29-18-53.460N 089-43-33.952W	FI Y 2.5s		Marks perimeter of aquaculture farm.
15743.02	Shelley Farm SF3 Special Lights (6)	29-19-06.416N 089-43-12.984W	FI Y 2.5s		Marks perimeter of aquaculture farm.
15743.03	Shelley Farm SF4 Special Lights (6)	29-19-20.406N 089-42-18.384W	FI Y 2.5s		Marks perimeter of aquaculture farm.
15745	Pend Oreille-Bay Batiste South Channel Daybeacon 4	29-26-25.657N 089-51-35.905W			TR on pile.
15750	Pend Oreille-Bay Batiste South Channel Daybeacon 6	29-26-34.949N 089-51-49.138W			TR on pile.
15755	Pend Oreille-Bay Batiste South Channel Daybeacon 8	29-26-44.241N 089-52-02.372W			TR on pile.
15757	Pend Oreille-Bay Batiste Main Channel Daybeacon 4	29-24-44.982N 089-53-18.390W			TR on pile.
15760	Pend Oreille-Bay Batiste Main Channel Daybeacon 6	29-25-09.375N 089-52-41.502W			TR on pile.
15765	Pend Oreille-Bay Batiste Main Channel Daybeacon 8	29-25-38.921N 089-52-08.768W			TR on pile.
15770	Pend Oreille-Bay Batiste Main Channel Daybeacon 10	29-26-06.582N 089-51-36.707W			TR on pile.
15775	Pend Oreille-Bay Batiste Main Channel Daybeacon 12	29-26-25.765N 089-51-07.084W			TR on pile.
15780	Pend Oreille-Bay Batiste North Channel Daybeacon 2	29-26-51.900N 089-51-01.500W			TR on pile.
15785	Pend Oreille-Bay Batiste North Channel Daybeacon 4	29-26-54.353N 089-51-16.282W			TR on pile.
15790	LL & E S.L. 12036-1 Channel Daybeacon 2	29-26-44.397N 089-51-00.154W			TR on pile.
15795	LI & E S.L. 12036-1 Channel Daybeacon 4	29-26-57.245N 089-59-51.645W			TR on pile.
15800	LI & E S.L. 12036-1 Channel Daybeacon 6	29-27-10.092N 089-50-43.135W			TR on pile.
15802	Exxon Mobil Pipeline Light B	29-59-25.000N 089-53-42.000W	FI Y 2.5s		Marks pipeline.
15805	Barataria Pass Buoy 1	29-14-28.171N 089-54-46.544W			Green can.
15810	Barataria Pass Buoy 2	29-14-34.836N 089-54-42.280W			Red nun.
15815	Barataria Pass Buoy 3	29-14-49.837N 089-55-13.021W			Green can.
15820	Barataria Pass Buoy 4	29-14-56.001N 089-55-05.877W			Red nun.
15825	Barataria Pass Lighted Buoy 5	29-15-07.771N 089-55-35.624W	FI G 2.5s	3	Green can.
15830	Barataria Pass Lighted Buoy 6	29-15-16.957N 089-55-30.338W	FI R 6s	4	Red.
15835	Barataria Pass Buoy 7	29-15-22.580N 089-55-52.425W			Green can.
15840	Barataria Pass Buoy 8	29-15-31.361N 089-55-47.465W			Red nun.
15845	Barataria Pass Buoy 9	29-15-47.280N 089-56-20.709W			Green can.
15850	Barataria Pass Buoy 10	29-15-53.402N 089-56-13.823W			Red nun.
15855	Barataria Pass Buoy 11	29-16-06.834N 089-56-43.282W			Green can.
15860	U.S. GEOLOGICAL SURVEY SCIENTIFIC MONITORING PLATFORM LIGHT (JP)	29-16-22.200N 089-56-48.500W	FI Y 2.5s		On pipe.
15865	Fort Livingston Danger Daybeacon A	29-16-20.280N 089-56-36.550W			NW on pile worded DANGER ROCKS.

15870	Fort Livingston Danger Light B	29-16-19.300N 089-56-38.100W	FI W 2.5s			NW on pile worded DANGER ROCKS.
15875	Fort Livingston Danger Light C	29-16-18.680N 089-56-42.300W	FI W 2.5s			NW on pile worded DANGER ROCKS.
15880	Fort Livingston Danger Daybeacon D	29-16-21.550N 089-56-46.570W				NW on piles worded DANGER ROCKS.
15885	Fort Livingston Danger Daybeacon E	29-16-22.660N 089-56-46.870W				NW on pile worded DANGER ROCKS.
15890	Barataria Pass Survey Light A	29-16-16.270N 089-56-40.970W				On four pile cluster.
15895	Grand Isle State Park Fish Pier Lights (2)	29-15-40.000N 089-57-00.000W	FI W 3s			End of fishing piers on pilings.
15900	Grand Isle Fishing Jetty Light	29-15-44.700N 089-56-56.110W	Q R			On pile structure.
15905	Grand Isle Breakwater East Danger Daybeacon	29-15-28.700N 089-56-53.900W				NW on pile. WORDED: DANGER BREAKWATER.
15910	Grand Isle Breakwater West Danger Daybeacon	29-15-22.300N 089-57-03.700W				NW on pile. WORDED: DANGER BREAKWATER.
15915	Bayou Rigaud Lighted Buoy 1	29-16-24.708N 089-57-17.344W	FI G 2.5s	4		Green.
15920	Bayou Rigaud Buoy 2	29-16-30.197N 089-57-21.754W				Red nun. Ra ref.
15925	Bayou Rigaud Buoy 3	29-16-14.200N 089-57-25.317W				Green can. Ra ref.
15930	Bayou Rigaud Buoy 3A	29-16-06.918N 089-57-32.958W				Green can. Ra ref.
15935	Bayou Rigaud Buoy 4	29-16-11.996N 089-57-37.265W				Red nun. Ra ref.
15945.01	Grand Isle Turning Basin Daybeacon 1	29-16-02.242N 089-57-33.809W		0		Ra ref.
15950.01	Bayou Rigaud Junction Light A	29-16-01.850N 089-57-35.196W	FI (2+1)G 6s	0	3	JG on pile. Ra ref.
15955.01	Grand Isle Turning Basin Daybeacon 3	29-16-00.016N 089-57-33.485W		0		Ra ref.
15960	Grand Isle Turning Basin Buoy 3A	29-15-54.259N 089-57-31.328W				Green can.
15965.01	Grand Isle Turning Basin Light 4	29-15-57.862N 089-57-34.925W	FI R 4s	0	3	TR on pile. Ra ref.
15970	Bayou Rigaud Daybeacon 5	29-15-57.671N 089-57-39.566W		0		SG on pile. Ra ref.
15975	Fifi Island Danger Breakwater Light	29-15-51.890N 089-57-49.452W	FI W 2.5s			Marks breakwater structure.
15975.01	Fifi Island Danger Breakwater Light	29-15-51.300N 089-57-47.840W	FI W 2.5s			Marks breakwater structure.
15975.02	Fifi Island Danger Breakwater Light	29-15-54.630N 089-57-48.210W	FI W 2.5s			Marks breakwater structure.
15975.03	Fifi Island Danger Breakwater Light	29-15-54.030N 089-57-46.540W	FI W 2.5s			Marks breakwater structure.
15975.04	Fifi Island Danger Breakwater Light	29-15-57.350N 089-57-46.820W	FI W 2.5s			Marks breakwater structure.
15975.05	Fifi Island Danger Breakwater Light	29-15-56.710N 089-57-45.180W	FI W 2.5s			Marks breakwater structure.
15975.06	Fifi Island Danger Breakwater Light	29-16-00.060N 089-57-45.390W	FI W 2.5s			Marks breakwater structure.
15975.07	Fifi Island Danger Breakwater Light	29-15-59.400N 089-57-43.740W	FI W 2.5s			Marks breakwater structure.
15975.08	Fifi Island Danger Breakwater Light	29-16-02.140N 089-57-44.670W	FI W 2.5s			Marks breakwater structure.
15975.09	Fifi Island Danger Breakwater Light	29-16-01.330N 089-57-42.570W	FI W 2.5s			Marks breakwater structure.
15980	Bayou Rigaud Light 6	29-15-52.119N 089-57-45.709W	FI R 2.5s	0	3	TR on pile. Ra ref.
15990	Bayou Rigaud Light 7	29-15-54.151N 089-57-41.618W	FI G 4s	0	4	SG on pile. Ra ref.
15995	Bayou Rigaud Daybeacon 8	29-15-25.616N 089-58-06.340W		0		TR on pile. Ra ref.
16000	Bayou Rigaud Daybeacon 10	29-15-17.177N 089-58-30.715W		0		TR on pile. Ra ref.
16002	Exxon-Mobil West Piling Lights (1-6)	29-19-18.820N 089-58-36.510W	FI W 2.5s			Marks pilings.

16005	Bayou Rigaud Daybeacon 12	29-15-05.724N 089-58-51.157W	0	TR on pile.	Ra ref.
16010	Bayou Rigaud Daybeacon 14	29-14-48.230N 089-59-17.121W	0	TR on pile.	Ra ref.
16015	Bayou Rigaud Daybeacon 16	29-14-29.855N 089-59-54.697W	0	TR on pile.	Ra ref.
16020	Bayou Rigaud Daybeacon 18	29-14-25.079N 090-00-13.516W	0	TR on pile.	Ra ref.
16022	Nature Conservancy Grand Isle Southwest Danger Daybeacons (5)	29-13-44.571N 090-01-02.247W		NW on pile.	
16022.01	Nature Conservancy Grand Isle Southwest Danger Daybeacons (5)	29-13-54.716N 090-00-50.651W		NW on pile.	
16022.02	Nature Conservancy Grand Isle Southwest Danger Daybeacons (3)	29-13-59.844N 090-00-33.160W		NW on pile.	
16022.03	Nature Conservancy Fifi Island Northeast Danger Daybeacons (5)	29-15-38.431N 089-58-17.647W		NW on pile.	
16022.04	Nature Conservancy Fifi Island Northeast Danger Daybeacons (2)	29-15-46.512N 089-58-18.514W		NW on pile.	
16025	Barataria Bay Pipeline Light H	29-15-55.219N 089-58-18.935W	FI Y 2.5s	NW on pile worded DO NOT ANCHOR OR DREDGE.	
16030	Lake Grand Ecaille Light A	29-23-51.000N 089-47-45.000W	FI Y 4s	NW on pile.	
16035	Lake Grand Ecaille Light B	29-23-53.000N 089-47-46.000W	FI Y 4s	NW on pile.	
16038	Freeport McMoran Lake Grande Ecaille Danger Lights (74)	29-22-39.900N 089-46-47.200W	FI W 2.5s	Marks perimeter of navigation obstructions.	
16040	Lake Grand Ecaille Light 1	29-23-33.000N 089-47-36.000W	Q W		
16045	Lake Grand Ecaille Pipeline Light	29-23-31.000N 089-47-53.000W	Q R	On pile.	
16048	Grand Isle Port Commission Special Light A	29-13-10.530N 090-02-39.970W	FI Y 2.5s	Marks perimeter of oyster farm.	
16048.01	Grand Isle Port Commission Special Light B	29-13-08.590N 090-02-36.090W	FI Y 2.5s	Marks perimeter of oyster farm.	
16048.02	Grand Isle Port Commission Special Light C	29-13-14.690N 090-02-32.130W	FI Y 2.5s	Marks perimeter of oyster farm.	
16048.03	Grand Isle Port Commission Special Light D	29-13-12.960N 090-02-32.130W	FI Y 2.5s	Marks perimeter of oyster farm.	
16048.04	Grand Isle Port Commission Special Light E	29-13-22.450N 090-02-22.460W	FI Y 2.5s	Marks perimeter of oyster farm.	
16048.05	Grand Isle Port Commission Special Light F	29-13-26.140N 090-02-29.820W	FI Y 2.5s	Marks perimeter of oyster farm.	
16050	Shell Reef Daybeacon	29-20-39.868N 089-56-26.928W	0	NW on pile worded DANGER.	Ra ref.
16051	Jules Melancon Aquaculture Farm Special Lighted Buoy A	29-18-07.896N 089-56-14.851W	FI Y 2.5s	Marks perimeter of aquaculture farm.	
16051.01	Jules Melancon Aquaculture Farm Special Lighted Buoy B	29-18-07.750N 089-56-06.599W	FI Y 2.5s	Marks perimeter of aquaculture farm.	
16051.02	Jules Melancon Aquaculture Farm Special Lighted Buoy C	29-18-00.240N 089-56-06.613W	FI Y 2.5s	Marks perimeter of aquaculture farm.	
16051.03	Jules Melancon Aquaculture Farm Special Lighted Buoy D	29-18-00.359N 089-56-17.782W	FI Y 2.5s	Marks perimeter of aquaculture farm.	
16051.04	Queen Bess Danger Breakwater Light	29-18-11.200N 089-57-42.710W	FI W 2.5s	Marks breakwater structure.	
16051.05	Queen Bess Danger Breakwater Light	29-18-09.430N 089-57-36.940W	FI W 2.5s	Marks breakwater structure.	

16051.06	Queen Bess Danger Breakwater Light	29-18-08.640N 089-57-30.600W	FI W 2.5s			Marks breakwater structure.	
16051.07	Queen Bess Danger Breakwater Light	29-18-20.120N 089-57-27.450W	FI W 2.5s			Marks breakwater structure.	
16051.08	Queen Bess Danger Breakwater Light	29-18-20.580N 089-57-27.910W	FI W 2.5s			Marks breakwater structure.	
16095	Cal-Ky Pipeline Light	29-16-36.000N 089-57-24.000W	Q W			NW on pile worded DO NOT ANCHOR OR DREDGE.	
16100	Barataria Waterway Entrance Light 1	29-16-41.950N 089-57-30.941W	FI G 4s	0	4	SG on pile.	Ra ref.
16105	Barataria Waterway Entrance Light 2	29-16-45.566N 089-57-27.133W	Q R	0	4	TR on pile.	Ra ref.
16110	Barataria Bay Pipeline Light E	29-16-48.203N 089-57-28.441W	FI Y 2.5s			NW on pile worded DO NOT ANCHOR OR DREDGE.	
16115	Barataria Bay Pipeline Light F	29-16-41.919N 089-57-32.705W	FI Y 2.5s			NW on pile worded DO NOT ANCHOR OR DREDGE.	
16120	Barataria Waterway Buoy 2A	29-16-49.984N 089-57-36.249W				Red nun.	
16125	Barataria Waterway Daybeacon 3	29-16-59.430N 089-57-55.187W		0		SG on pile.	Ra ref.
16130	Barataria Waterway Daybeacon 4	29-17-03.006N 089-57-52.469W		0		TR on pile.	Ra ref.
16165	Barataria Waterway Light 5	29-17-25.073N 089-58-26.616W	FI G 2.5s	0	4	SG on pile.	Ra ref.
16170	Barataria Waterway Light 6	29-17-26.961N 089-58-21.955W	FI R 2.5s	0	3	TR on pile.	Ra ref.
16175	Barataria Waterway Daybeacon 7	29-17-55.473N 089-58-42.943W		0		SG on pile.	Ra ref.
16180	Barataria Waterway Daybeacon 8	29-17-57.556N 089-58-38.667W		0		TR on pile.	Ra ref.
16182	Exxon-Mobil Bay Des llettes Pipeline Light	29-17-58.800N 089-58-45.450W	FI Y 2.5s			Marks submerged buried pipeline.	
16185	Barataria Waterway Light 8A	29-18-22.556N 089-58-51.682W	FI R 2.5s	0	3	TR on pile.	Ra ref.
16188	Jules Melancon Aquaculture Special Light A	29-18-21.616N 090-02-02.080W	FI Y 2.5s			Marks perimeter of oyster farm.	
16188.01	Jules Melancon Aquaculture Special Light B	29-18-31.627N 090-02-05.077W	FI Y 2.5s			Marks perimeter of oyster farm.	
16188.02	Jules Melancon Aquaculture Special Light C	29-18-26.629N 090-02-09.770W	FI Y 2.5s			Marks perimeter of oyster farm.	
16190	Barataria Waterway Daybeacon 9	29-18-21.735N 089-58-54.350W		0		SG on pile.	Ra ref.
16195	Barataria Waterway Daybeacon 10	29-18-43.049N 089-59-00.458W		0		TR on pile.	Ra ref.
16200	Barataria Waterway Daybeacon 11	29-18-40.295N 089-59-02.976W		0		SG on pile.	Ra ref.
16205.01	Barataria Waterway Lighted Buoy 13	29-19-07.579N 089-59-08.303W	FI G 4s		4	Green.	
16210	Barataria Waterway Light 14	29-19-07.700N 089-59-05.716W	FI R 4s	0	3	TR on pile.	Ra ref.
16215	Barataria Waterway Light 15	29-19-58.290N 089-59-08.154W	FI G 6s	0	4	SG on pile.	Ra ref.
16220	Barataria Waterway Daybeacon 16	29-19-58.605N 089-59-04.610W		0		TR on pile.	Ra ref.
16222	CPRA Barataria Basin Scientific Platform Light	29-20-01.050N 089-59-18.600W	Q W			Marks scientific platform structure.	
16224	Barataria Waterway Buoy 17	29-20-40.387N 089-59-05.758W				Green can.	
16225	Barataria Waterway Light 18	29-20-55.951N 089-59-03.112W	FI R 6s	0	4	TR on pile.	Ra ref.
16227	Barataria Waterway Buoy 18A	29-21-11.782N 089-59-04.020W				Red nun.	
16230.01	Barataria Waterway Lighted Buoy 19	29-21-50.238N 089-59-04.017W	FI G 2.5s		4	Green.	
16235	Barataria Waterway Light 20	29-21-50.745N 089-59-00.176W	FI R 2.5s	0	3	TR on pile.	Ra ref.
16240	Barataria Waterway Daybeacon 21	29-22-08.117N 089-59-06.459W		0		SG on pile.	Ra ref.

16245	Barataria Waterway Daybeacon 22	29-22-10.556N 089-59-01.777W		0		TR on pile.	Ra ref.
16250	Barataria Waterway Daybeacon 23	29-22-33.926N 089-59-10.160W		0		SG on pile.	Ra ref.
16255	Barataria Waterway Light 24	29-22-30.390N 089-59-03.942W	FI R 4s	0	3	TR on pile.	Ra ref.
16257	CRCL Hackberry Danger Light	29-22-38.150N 090-00-52.020W	FI W 2.5s			NW on pile. Marks submerged hazard.	
16257.01	CRCL Hackberry Danger Light	29-22-39.930N 090-00-52.600W	FI W 2.5s			NW on pile. Marks submerged hazard.	
16257.02	CRCL Hackberry Danger Light	29-22-40.680N 090-00-56.520W	FI W 2.5s			NW on pile. Marks submerged hazard.	
16257.03	CRCL Hackberry Danger Light	29-22-42.690N 090-01-00.340W	FI W 2.5s			NW on pile. Marks submerged hazard.	
16257.04	CRCL Hackberry Danger Light	29-22-45.010N 090-01-05.730W	FI W 2.5s			NW on pile. Marks submerged hazard.	
16257.05	CRCL Hackberry Danger Light	29-22-47.790N 090-01-09.240W	FI W 2.5s			NW on pile. Marks submerged hazard.	
16257.06	CRCL Hackberry Danger Light	29-22-50.430N 090-01-12.380W	FI W 2.5s			NW on pile. Marks submerged hazard.	
16257.07	CRCL Hackberry Danger Light	29-22-52.060N 090-01-14.610W	FI W 2.5s			NW on pile. Marks submerged hazard.	
16257.08	CRCL Hackberry Danger Light	29-22-51.110N 090-01-18.220W	FI W 2.5s			NW on pile. Marks submerged hazard.	
16257.09	CRCL Hackberry Danger Light	29-22-51.330N 090-01-23.640W	FI W 2.5s			NW on pile. Marks submerged hazard.	
16257.11	CRCL Hackberry Danger Light	29-22-51.500N 090-01-28.670W	FI W 2.5s			NW on pile. Marks submerged hazard.	
16260	Barataria Waterway Light 25	29-22-58.671N 089-59-12.905W	FI G 4s	0	4	SG on pile.	Ra ref.
16265	Barataria Waterway Daybeacon 26	29-22-58.264N 089-59-07.952W		0		TR on pile.	Ra ref.
16270	Barataria Waterway Daybeacon 27	29-23-19.995N 089-59-15.481W		0		SG on pile.	Ra ref.
16275	Barataria Waterway Light 28	29-23-20.298N 089-59-11.384W	FI R 2.5s	0	3	TR on pile.	Ra ref.
16280	Mobil State Lease 356-2 Channel Daybeacon 1	29-23-43.625N 089-59-19.794W				SG on pile.	
16285	Mobil State Lease 356-2 Channel Daybeacon 3	29-23-42.003N 089-59-33.012W				SG on pile.	
16290	Mobil State Lease 356-2 Channel Daybeacon 5	29-23-43.856N 089-59-37.876W				SG on pile.	
16295	Mobil State Lease 356-2 Channel Daybeacon 7	29-23-59.895N 089-59-42.818W				SG on pile.	
16300	Mobil State Lease 356-2 Channel Daybeacon 9	29-24-10.974N 089-59-44.390W				SG on pile.	
16305	Mobil State Lease 356-2 Channel Daybeacon 11	29-24-23.931N 089-59-46.209W				SG on pile.	
16310	Mobil State Lease 356-2 Channel Daybeacon 13	29-24-28.886N 089-59-50.060W				SG on pile.	
16315	Mobil State Lease 356-2 Channel Daybeacon 15	29-24-26.965N 090-00-02.755W				SG on pile.	
16320	Barataria Waterway Daybeacon 29	29-23-43.767N 089-59-19.065W		0		SG on pile.	Ra ref.
16325	Barataria Waterway Daybeacon 30	29-23-44.587N 089-59-15.494W		0		TR on pile.	Ra ref.
16330	Barataria Waterway Light 31	29-24-21.091N 089-59-24.762W	FI G 6s	0	4	SG on pile.	Ra ref.
16335	Barataria Waterway Light 32	29-24-21.281N 089-59-20.754W	FI R 6s	0	4	TR on pile.	Ra ref.
16340	Barataria Waterway Daybeacon 33	29-24-58.814N 089-59-30.286W		0		SG on pile.	Ra ref.
16345	Barataria Waterway Daybeacon 34	29-25-15.258N 089-59-29.793W		0		TR on pile.	Ra ref.
16347	Exxon-Mobil West Piling Lights (7-12)	29-26-52.710N 090-01-01.390W	FI W 2.5s			Marks pilings.	
16350	Barataria Waterway Daybeacon 35	29-25-37.752N 089-59-36.887W		0		SG on pile.	Ra ref.
16355	Barataria Waterway Light 35A	29-25-59.748N 089-59-40.539W	Q G	0	4	SG on pile.	Ra ref.

16360	Barataria Waterway Light 36	29-26-16.069N 089-59-39.161W	FI R 4s	0	3	TR on pile.	Ra ref.
16365	Barataria Waterway Daybeacon 37	29-26-29.806N 089-59-45.533W		0		SG on pile.	Ra ref.
16370	Barataria Waterway Daybeacon 38	29-27-12.108N 089-59-49.087W		0		TR on pile.	Ra ref.
16375	Barataria Waterway Light 39	29-28-00.505N 090-00-01.618W	Q G	0	3	SG on pile.	Ra ref.
16380	Barataria Waterway Light 40	29-28-02.623N 089-59-59.155W	Q R	0	3	TR on pile.	Ra ref.
16385	Barataria Waterway Buoy 41	29-28-17.899N 090-00-13.768W				Green can.	
16390	Barataria Waterway Buoy 42	29-28-17.304N 090-00-09.766W				Red nun.	
16395	Barataria Waterway Light 43	29-28-31.213N 090-00-26.414W	FI R 2.5s	0	3	SG on pile.	Ra ref.
16400	Barataria Waterway Light 44	29-28-33.835N 090-00-22.095W	FI R 2.5s	0	3	TR on pile.	Ra ref.
16405	Barataria Waterway Daybeacon 46	29-28-59.940N 090-00-39.920W		0		TR on pile.	Ra ref.
16407	LLOX Manilla Village Piling Lights (2)	29-29-11.000N 089-59-39.000W	FI W 2.5s			Marks barge mooring pilings.	
16410	Barataria Waterway Daybeacon 47	29-29-17.480N 090-01-01.656W		0		SG on pile.	Ra ref.
16415	Barataria Waterway Buoy 48	29-29-31.803N 090-01-01.288W				Red nun.	
16420	Barataria Waterway Light 50	29-29-41.634N 090-01-06.282W	FI R 4s	0	3	TR on pile.	Ra ref.
16425	Barataria Waterway Light 51	29-29-56.107N 090-01-17.130W	FI G 4s	0	4	SG on pile.	Ra ref.
16430	Bay De Chene Pipeline Light A	29-27-10.000N 090-01-57.000W	FI Y 2.5s			NW on dolphin worded DANGER SUBMERGED PIPELINE.	
16435	Bay De Chene Pipeline Light B	29-27-06.000N 090-02-24.000W	FI Y 2.5s			NB on dolphin worded DANGER SUBMERGED PIPELINE.	
16440	Barataria Waterway Pipeline Light 1A	29-33-12.000N 090-02-36.000W				On dolphin.	
16445	Barataria Waterway Pipeline Light 2A	29-33-12.000N 090-02-42.000W				On dolphin.	
16450	Texaco Pipeline Marker Light B	29-34-54.845N 090-03-42.655W	FI Y 2.5s			NW on dolphin worded DANGER SUBMERGED PIPELINE.	
16455	Texaco Pipeline Marker Light A	29-34-54.894N 090-03-38.630W	FI Y 2.5s			NW on dolphin worded DANGER SUBMERGED PIPELINE.	
16460	Barataria Waterway Pipeline Light 1	29-34-59.000N 090-03-40.000W	FI Y 2.5s			On dolphin.	
16465	Barataria Waterway Pipeline Light 2	29-35-00.000N 090-03-35.000W	FI Y 2.5s			On dolphin.	
16470	Dupre Cut Light 1	29-34-40.376N 090-03-33.189W	FI G 4s	0	4	SG on pile.	Ra ref.
16475	Dupre Cut Light 2	29-35-15.703N 090-03-50.329W	FI R 4s	0	3	TR on pile.	Ra ref.
16480	Dupre Cut Light 3	29-36-03.302N 090-04-22.021W	FI G 2.5s	0	3	SG on pile.	Ra ref.
16485	Dupre Cut Light 4	29-36-04.495N 090-04-19.319W	FI R 2.5s	0	3	TR on pile.	Ra ref.
16490	Dupre Cut Daybeacon 5	29-36-40.490N 090-04-44.289W		0		SG on pile.	Ra ref.
16495	Dupre Cut Daybeacon 6	29-36-41.493N 090-04-40.667W		0		TR on pile.	Ra ref.
16500	Dupre Cut Light 7	29-37-23.425N 090-05-09.081W	FI G 4s	0	4	SG on pile.	Ra ref.
16505	Dupre Cut Light 8	29-37-25.425N 090-05-04.951W	FI R 4s	0	3	TR on pile.	Ra ref.
16510	Bayou Dupont Canal Weir Light 2	29-38-34.000N 090-05-44.700W	Q R			TR on pile clusters.	
16515	Bayou Dupont Canal Weir Daybeacon 1	29-38-34.700N 090-05-44.900W				SG on pile clusters.	
16520	Bayou Dupont Canal Weir Danger Daybeacons (2)	29-38-35.000N 090-05-43.450W				NW on pile worded DANGER OBSTRUCTION DO NOT PROCEED.	
16525	Bayou Dupont Canal Weir Danger Daybeacon	29-38-34.500N 090-05-43.000W				NW on pile worded DANGER OBSTRUCTION DO NOT PROCEED.	

16530	Bayou Dupont Canal Weir Danger Buoys (2)	29-38-35.210N 090-05-43.580W					TR on pile cluster.
16535	Bayou Dupont Canal Weir Light 4	29-38-35.110N 090-05-42.610W	Q R				SG on pile cluster.
16540	Bayou Dupont Canal Weir Light 3	29-38-35.480N 090-05-42.780W	Q G				SG on pile.
16542	The Pen Southshore Danger Daybeacons (8)	29-38-34.400N 090-05-41.800W					NW on pile. Marks shoreline restoration structure.
16542.01	The Pen Southshore Danger Daybeacons (8)	29-38-34.200N 090-05-09.500W					NW on pile. Marks shoreline restoration structure.
16542.02	The Pen Southshore Danger Daybeacons (6)	29-38-16.500N 090-04-33.800W					NW on pile. Marks shoreline restoration structure.
16542.03	The Pen Southshore Danger Daybeacons (2)	29-38-02.000N 090-04-03.200W					NW on pile. Marks shoreline restoration structure.
16545	Dupre Cut Light 10	29-38-44.695N 090-05-52.978W	FI R 2.5s	0	4		TR on pile. Ra ref.
16550	Bayou Rigolettes Light 1	29-39-58.323N 090-06-43.464W	FI G 4s	0	4		SG on pile. Ra ref.
16555	Bayou Rigolettes Light 2	29-40-01.240N 090-06-44.097W	FI R 4s	0	3		TR on pile. Ra ref.
16560	Goose Bayou Weir Light 2	29-41-30.830N 090-05-31.600W	Q R				TR on pile cluster.
16565	Goose Bayou Weir Light 1	29-41-31.240N 090-05-31.640W	Q G				SG on pile cluster.
16570	Goose Bayou Weir Danger Daybeacon (2)	29-41-31.000N 090-05-30.800W					NW on piles worded DANGER OBSTRUCTION PROCEED WITH CAUTION.
16575	Goose Bayou Weir Danger Daybeacon (4)	29-41-30.000N 090-05-30.800W					NW on pile worded DANGER OBSTRUCTION DO NOT PROCEED.
16580	Goose Bayou Weir Light 4	29-41-30.770N 090-05-29.940W	Q R				TR on pile cluster.
16585	Goose Bayou Weir Light 3	29-41-31.190N 090-05-29.940W	Q G				SG on pile cluster.
16590	Barataria Bay S.L. 10061 Pipeline Daybeacon	29-24-38.000N 089-54-24.000W					NW on dolphin.
16595	Bayou St. Denis Daybeacon 2	29-27-10.190N 089-58-29.198W		0			TR on pile. Ra ref.
16597	Phillips 66 Pipeline 1A VAIS	29-27-18.980N 089-58-50.120W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663063
16597.01	Phillips 66 Pipeline 1B VAIS	29-27-44.810N 089-59-12.280W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663064
16600	Bayou St. Denis Light 3	29-27-21.732N 089-59-13.211W	FI G 6s	0	5		SG on pile. Ra ref.
16605	Bayou St. Denis Light 5	29-28-09.513N 089-59-45.027W	FI G 4s	0	4		SG on pile. Ra ref.
16610	Caminada Pass Jetty Light	29-11-56.700N 090-02-27.960W	Q R				On dolphin.
16615	Caminada Bay Pipeline Marker Light A	29-12-34.000N 090-02-36.000W	FI Y 2.5s				NW on dolphin worded DO NOT ANCHOR OR DREDGE
16616	CPRA Bay St. Honore Southwest Danger Breakwater Light	29-12-30.770N 090-03-40.700W	FI W 2.5s				Marks shoreline breakwater.
16616.01	CPRA Bay St. Honore Southwest Danger Breakwater Light	29-12-32.240N 090-03-34.710W	FI W 2.5s				Marks shoreline breakwater.
16616.02	CPRA Bay St. Honore Northeast Danger Breakwater Light	29-13-26.110N 090-02-42.910W	FI W 2.5s				Marks shoreline breakwater.
16616.03	CPRA Bay St. Honore Northeast Danger Breakwater Light	29-13-26.590N 090-02-32.040W	FI W 2.5s				Marks shoreline breakwater.
16617	CPRA Barataria Basin Scientific Platform Light	29-13-52.880N 090-02-54.680W	Q W				Marks scientific platform structure.
16618.22	GIPC Aquaculture Special Light A	29-14-20.659N 090-00-56.497W	FI Y 2.5s				Marks perimeter of aquaculture farm.
16618.23	GIPC Aquaculture Special Light B	29-14-23.578N 090-00-59.597W	FI Y 2.5s				Marks perimeter of aquaculture farm.
16618.24	GIPC Aquaculture Special Light C	29-14-26.789N 090-01-02.999W	FI Y 2.5s				Marks perimeter of aquaculture farm.
16618.25	GIPC Aquaculture Special Light D	29-14-23.301N 090-01-07.312W	FI Y 2.5s				Marks perimeter of aquaculture farm.

16618.26	GIPC Aquaculture Special Light E	29-14-20.090N 090-01-03.907W	Fl Y 2.5s	Marks perimeter of aquaculture farm.
16618.27	GIPC Aquaculture Special Light F	29-14-17.710N 090-01-00.810W	Fl Y 2.5s	Marks perimeter of aquaculture farm.
16618	GIILD Danger Breakwater Light	29-12-20.000N 090-02-26.240W	Fl W 2.5s	Marks breakwater structure.
16618.01	GIILD Danger Breakwater Light	29-12-29.950N 090-02-18.800W	Fl W 2.5s	Marks breakwater structure.
16618.02	GIILD Danger Breakwater Light	29-12-42.570N 090-02-07.270W	Fl W 2.5s	Marks breakwater structure.
16618.03	GIILD Danger Breakwater Light	29-12-49.740N 090-01-59.490W	Fl W 2.5s	Marks breakwater structure.
16618.04	GIILD Danger Breakwater Light	29-12-57.100N 090-01-51.470W	Fl W 2.5s	Marks breakwater structure.
16618.05	GIILD Danger Breakwater Light	29-13-10.390N 090-01-39.920W	Fl W 2.5s	Marks breakwater structure.
16618.06	GIILD Danger Breakwater Light	29-13-19.430N 090-01-33.800W	Fl W 2.5s	Marks breakwater structure.
16618.07	GIILD Danger Breakwater Light	29-13-28.200N 090-01-27.700W	Fl W 2.5s	Marks breakwater structure.
16618.08	GIILD Danger Breakwater Light	29-13-42.260N 090-01-15.760W	Fl W 2.5s	Marks breakwater structure.
16618.09	GIILD Danger Breakwater Light	29-13-49.980N 090-01-07.220W	Fl W 2.5s	Marks breakwater structure.
16618.11	GIILD Danger Breakwater Light	29-13-55.260N 090-01-02.250W	Fl W 2.5s	Marks breakwater structure.
16618.12	GIILD Danger Breakwater Light	29-13-56.940N 090-00-59.950W	Fl W 2.5s	Marks breakwater structure.
16618.13	GIILD Danger Breakwater Light	29-13-59.340N 090-00-55.320W	Fl W 2.5s	Marks breakwater structure.
16618.14	GIILD Danger Breakwater Light	29-14-02.300N 090-09-49.520W	Fl W 2.5s	Marks breakwater structure.
16618.15	GIILD Danger Breakwater Light	29-14-05.000N 090-00-41.480W	Fl W 2.5s	Marks breakwater structure.
16618.16	GIILD Danger Breakwater Light	29-14-07.680N 090-00-34.130W	Fl W 2.5s	Marks breakwater structure.
16618.17	GIILD Danger Breakwater Light	29-14-13.480N 090-00-29.200W	Fl W 2.5s	Marks breakwater structure.
16618.18	GIILD Danger Breakwater Light	29-14-18.070N 090-00-22.320W	Fl W 2.5s	Marks breakwater structure.
16618.19	GIILD Danger Breakwater Light	29-14-21.880N 090-00-14.620W	Fl W 2.5s	Marks breakwater structure.
16618.21	GIILD Danger Breakwater Light	29-14-24.600N 090-00-08.660W	Fl W 2.5s	Marks breakwater structure.
16660	Bay Rambo Demonstration Oyster Reef Daybeacons (2)	29-21-02.260N 090-07-54.430W		NW on pile worded DANGER SUBMERGED OYSTER REEF.
16665	Harrison Family Barricade Unl. Buoy	29-21-18.232N 090-05-21.495W		White with orange band worded DANGER BARRICADE AHEAD.
16668	Phillips 66 Pipeline 2A VAIS	29-34-57.330N 090-10-15.160W		Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663065
16668.01	Phillips 66 Pipeline 2B VAIS	29-34-40.710N 090-09-21.820W		Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663066
16668.02	Phillips 66 Pipeline 3A VAIS	29-38-00.600N 090-10-06.530W		Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663067
16668.03	Phillips 66 Pipeline 3B VAIS	29-37-39.550N 090-09-02.010W		Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663068
16668.04	Phillips 66 Pipeline 4A VAIS	29-40-57.660N 090-11-04.320W		Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663069
16668.05	Phillips 66 Pipeline 4B VAIS	29-41-04.320N 090-10-32.220W		Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663070
16670	Little Lake Channel Light 1	29-31-57.000N 090-09-51.000W	Q W	SG on pile.
16675	Little Lake Channel Light 3	29-31-57.000N 090-09-36.000W	Q W	SG on pile.
16680	Little Lake Channel Light 5	29-31-56.000N 090-09-18.000W	Q W	SG on pile.
16685	Little Lake Well Channel Light 1	29-32-50.000N 090-09-59.000W	Q W	SG on pile.
16690	Little Lake Well Channel Light 2	29-32-48.000N 090-09-39.000W	Q W	TR on pile.

16692	Exxon-Mobil West Piling Lights (13-19)	29-32-46.260N 090-09-31.540W	FI W 2.5s			Marks pilings.	
16695	Bay L'Ourse Entrance Light 2	29-31-02.000N 090-10-47.000W	FI W 4s			TR on pile.	
16832	Lafourche Parish Little Lake Danger Light	29-34-09.750N 090-11-53.930W	FI W 2.5s			Marks rock shoreline.	
16832.01	Lafourche Parish Little Lake Danger Light	29-34-05.980N 090-11-40.260W	FI W 2.5s			Marks rock shoreline.	
16832.02	Lafourche Parish Little Lake Danger Light	29-34-05.950N 090-11-36.740W	FI W 2.5s			Marks rock shoreline.	
16832.03	Lafourche Parish Little Lake Danger Light	29-34-17.260N 090-11-18.590W	FI W 2.5s			Marks rock shoreline.	
16832.04	Lafourche Parish Little Lake Danger Light	29-34-14.100N 090-11-25.720W	FI W 2.5s			Marks rock shoreline.	
16832.05	Lafourche Parish Little Lake Danger Light	29-34-20.340N 090-11-03.690W	FI W 2.5s			Marks rock shoreline.	
16832.06	Lafourche Parish Little Lake Danger Light	29-34-20.550N 090-10-46.280W	FI W 2.5s			Marks rock shoreline.	
16832.07	Lafourche Parish Little Lake Danger Light	29-34-19.720N 090-10-33.790W	FI W 2.5s			Marks rock shoreline.	
16832.08	Lafourche Parish Little Lake Danger Light	29-34-19.350N 090-10-27.540W	FI W 2.5s			Marks rock shoreline.	
16832.09	Lafourche Parish Little Lake Danger Light	29-34-20.470N 090-10-22.120W	FI W 2.5s			Marks rock shoreline.	
16832.11	Lafourche Parish Little Lake Danger Light	29-34-17.120N 090-10-21.800W	FI W 2.5s			Marks rock shoreline.	
16832.12	Lafourche Parish Little Lake Danger Light	29-34-13.750N 090-10-15.070W	FI W 2.5s			Marks rock shoreline.	
16832.13	Lafourche Parish Little Lake Danger Light	29-34-12.540N 090-09-58.770W	FI W 2.5s			Marks rock shoreline.	
16832.14	Lafourche Parish Little Lake Danger Light	29-34-17.470N 090-09-44.320W	FI W 2.5s			Marks rock shoreline.	
16832.15	Lafourche Parish Little Lake Danger Light	29-34-21.360N 090-09-45.110W	FI W 2.5s			Marks rock shoreline.	
16832.16	Lafourche Parish Little Lake Danger Light	29-34-31.070N 090-10-01.840W	FI W 2.5s			Marks rock shoreline.	
16832.17	Lafourche Parish Little Lake Danger Light	29-34-34.240N 090-10-03.060W	FI W 2.5s			Marks rock shoreline.	
16832.18	Lafourche Parish Little Lake Danger Light	29-34-48.510N 090-10-10.040W	FI W 2.5s			Marks rock shoreline.	
16832.19	Lafourche Parish Little Lake Danger Light	29-34-54.940N 090-10-13.140W	FI W 2.5s			Marks rock shoreline.	
16832.21	Lafourche Parish Little Lake Danger Light	29-34-58.130N 090-10-16.940W	FI W 2.5s			Marks rock shoreline.	
16832.22	Lafourche Parish Little Lake Danger Light	29-35-09.160N 090-10-01.210W	FI W 2.5s			Marks rock shoreline.	
16835	Superior Canal Entrance Light 2	29-30-21.000N 090-12-57.000W	FI W 4s			TR on pile.	
16840	Couba Island Canal Entrance Light 1	29-48-00.000N 090-12-14.000W	Q W			SG on dolphin.	
16845	Bayou Couba Light 1	29-47-08.141N 090-14-05.827W	FI G 6s	0	4	SG on dolphin.	Ra ref.
16850	Bridgeline Pipeline Light A	29-41-00.000N 090-11-23.700W	FI Y 2.5s			NW on pile worded DANGER DO NOT ANCHOR OR DREDGE.	
16855	Bridgeline Pipeline Light B	29-41-09.870N 090-11-23.710W	FI Y 2.5s			NW on pile worded DANGER DO NOT ANCHOR OR DREDGE.	
16860	Bayou Perot Entrance Light 2	29-41-28.379N 090-12-37.425W	FI R 4s	0	4	TR on pile.	Ra ref.
16865	Lake Salvador Southeast Pipeline Light A	29-40-27.000N 090-13-19.000W	FI Y 2.5s			On dolphin.	
16870	Lake Salvador Southeast Pipeline Light B	29-40-58.000N 090-13-52.000W	FI Y 2.5s			On dolphin.	
16875	Lake Salvador Southeast Pipeline Light C	29-41-29.000N 090-14-25.000W	FI Y 2.5s			On dolphin.	
16880	Lake Salvador Northwest Pipeline Light B	29-42-52.000N 090-16-33.000W	FI Y 2.5s			On dolphin.	
16885	Lake Salvador Northwest Pipeline Light C	29-43-10.000N 090-17-19.000W	FI Y 2.5s			On dolphin.	
16890	Lake Salvador Northwest Pipeline Light D	29-43-28.000N 090-18-04.000W	FI Y 2.5s			On dolphin.	

16895	Lake Salvador Northwest Pipeline Light E	29-43-47.000N 090-18-49.000W	FI Y 2.5s			On dolphin.	
16900	Bayou Des Allemands Light 1	29-41-52.167N 090-20-26.650W	FI G 4s	0	4	SG on dolphin.	
16905	Bridgeline Pipeline Light C	29-41-01.770N 090-11-15.380W	FI Y 2.5s			NW on pile worded: DANGER DO NOT ANCHOR OR DREDGE.	
16907	Phillips 66 Pipeline 5A VAIS	29-41-27.180N 090-14-22.860W				Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663071	
16907.01	Phillips 66 Pipeline 5B VAIS	29-41-14.760N 090-11-29.700W				Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663072	
16907.02	Phillips 66 Pipeline 6A VAIS	29-39-55.020N 090-15-07.440W				Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663073	
16907.03	Phillips 66 Pipeline 6B VAIS	29-41-41.820N 090-18-55.620W				Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663074	
16907.04	Phillips 66 Pipeline 7A VAIS	29-43-00.900N 090-21-40.200W				Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663075	
16907.05	Phillips 66 Pipeline 7B VAIS	29-42-55.200N 090-21-28.560W				Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663076	
16907.06	Phillips 66 Pipeline 8A VAIS	29-45-07.200N 090-22-26.580W				Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663077	
16907.07	Phillips 66 Pipeline 8B VAIS	29-45-04.560N 090-22-14.700W				Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663078	
16907.08	Phillips 66 Pipeline 9A VAIS	29-46-34.020N 090-25-42.000W				Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663079	
16907.09	Phillips 66 Pipeline 9B VAIS	29-46-39.180N 090-25-43.620W				Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663080	
16910	Petit Lac Des Allemands Channel Buoy 1	29-46-54.190N 090-26-15.130W				Green can.	
16915	Petit Lac Des Allemands Channel Buoy 2	29-47-06.700N 090-26-13.800W				Red nun.	
16920	Petit Lac Des Allemands Channel Buoy 3	29-47-05.030N 090-26-35.190W				Green can.	
16925	Petit Lac Des Allemands Channel Buoy 4	29-47-06.700N 090-26-33.970W				Red nun.	
16930	Petit Lac Des Allemands Channel Buoy 5	29-47-15.810N 090-26-53.040W				Green can.	
16935	Petit Lac Des Allemands Channel Buoy 6	29-47-17.560N 090-26-51.960W				Red nun.	
16940	Petit Lac Des Allemands Channel Buoy 7	29-47-26.560N 090-27-11.080W				Green can.	
16945	Petit Lac Des Allemands Channel Buoy 8	29-47-28.430N 090-27-10.330W				Red nun.	
16950	Petit Lac Des Allemands Channel Buoy 9	29-47-39.000N 090-27-29.210W				Green can.	
16955	Petit Lac Des Allemands Channel Buoy 10	29-27-41.240N 090-27-28.130W				Red nun.	
16960	Petit Lac Des Allemands Channel Buoy 11	29-47-53.160N 090-27-47.070W				Green can.	
16965	Petit Lac Des Allemands Channel Buoy 12	29-47-54.000N 090-27-45.990W				Red nun.	
16970	Belle Pass Entrance Lighted Buoy 2	29-04-15.984N 090-13-40.363W	Q R		4	Red.	
16975	Belle Pass Entrance Lighted Buoy 1	29-04-18.071N 090-13-53.061W	Q G		4	Green.	
16980	Belle Pass Range Front Light	29-05-55.218N 090-13-23.004W	Q G	25		KRW on platform.	Visible all around; higher intensity 1.5° each side of rangeline.
16985	Belle Pass Range Rear Light	29-07-24.203N 090-13-03.101W	Iso G 6s	55		KRW on platform.	Visible only on rangeline.
16990	Belle Pass Range Rear Light Passing Light	29-07-24.203N 090-13-03.101W	FI W 4s	10	4	On same structure as Belle Pass Range Rear Light.	
16993	Grand Isle Sea Farm Ferblanc Bayou Special Light A	29-08-42.185N 090-08-42.185W	FI Y 2.5s			Marks aquaculture farm cornerpoint.	
16993.01	Grand Isle Sea Farm Ferblanc Bayou Special Light B	29-10-06.379N 090-08-46.051W	FI Y 2.5s			Marks aquaculture farm cornerpoint.	
16993.02	Grand Isle Sea Farm Ferblanc Bayou Special Light C	29-09-54.227N 090-09-11.990W	FI Y 2.5s			Marks aquaculture farm cornerpoint.	
16995	Belle Pass West Jetty Light 3	29-04-45.727N 090-13-45.987W	FI G 2.5s	0	5	SG on pile.	Ra ref.

17000	Belle Pass East Jetty Light 4	29-04-43.912N 090-13-32.606W	Fl R 2.5s	17	5	TR on pile.	Ra ref.
17005	Belle Pass Entrance Lighted Buoy 6	29-05-02.954N 090-13-32.716W	Fl R 4s		3	Red.	
17010	Belle Pass Entrance Light 8	29-05-27.520N 090-13-26.688W	Fl R 6s	0	4	TR on pile.	Ra ref.
17015	Terrebonne Bay Pipeline Light A	29-05-10.700N 090-33-25.500W	Q W			On pile.	
17020	Terrebonne Bay Pipeline Light B	29-05-36.700N 090-33-16.100W	Q W			On pile.	
17025	Terrebonne Bay Pipeline Light C	29-06-00.500N 090-31-46.400W	Q W			On pile.	
17030	Terrebonne Bay 1249-18 Channel Light 1	29-05-47.000N 090-31-42.000W	Q W			SG on pile.	
17035	Terrebonne Bay 1249-18 Channel Daybeacon 3	29-05-46.000N 090-31-42.000W				SG on pile.	
17040	Terrebonne Bay 1249-18 Channel Daybeacon 5	29-05-39.000N 090-31-41.000W				SG on pile.	
17045	Terrebonne Bay 1249-18 Channel Daybeacon 7	29-05-32.000N 090-31-40.000W				SG on pile.	
17050	Terrebonne Bay 1249-18 Channel Daybeacon 9	29-05-27.000N 090-31-38.000W				SG on pile.	
17055	Terrebonne Bay 1249-18 Channel Daybeacon 11	29-05-22.000N 090-31-36.000W				SG on pile.	
17060	Terrebonne Bay 1249-18 Channel Daybeacon 13	29-05-19.000N 090-31-36.000W				SG on pile.	
17065	Terrebonne Bay 1249-18 Channel Daybeacon 15	29-05-17.000N 090-31-35.000W				SG on pile.	
17070	Terrebonne Bay Pipeline Light D	29-06-27.900N 090-30-19.800W	Q W			On pile.	
17075	Terrebonne Bay Pipeline Light E	29-06-43.400N 090-29-49.300W	Q W			On pile.	
17080	Terrebonne Bay Pipeline Light F	29-06-41.600N 090-29-07.300W	Q W			On pile.	
17085	Terrebonne Bay Pipeline Light G	29-06-41.300N 090-29-04.500W	Q W			On pile.	
17090	Caillou Island Channel Daybeacon 2	29-05-32.000N 090-29-47.000W				TR on pile.	
17095	Caillou Island Channel Daybeacon 4	29-05-30.000N 090-29-42.000W				TR on pile.	
17100	Caillou Island Channel Daybeacon 6	29-05-28.000N 090-29-36.000W				TR on pile.	
17105	Caillou Island Channel Daybeacon 8	29-05-25.000N 090-29-30.000W				TR on pile.	
17110	Timbalier Island 2703 Well 1 Channel Light 2	29-04-29.000N 090-28-12.000W	Q R			TR on four pile platform.	
17115	Timbalier Island 2703 Well 1 Daybeacon 4	29-04-24.000N 090-28-14.000W				TR on piles.	
17120	Timbalier Island 2703 Well 1 Daybeacon 6	29-04-19.000N 090-28-15.000W				TR on pile.	
17125	Timbalier Island 2703 Well 1 Daybeacon 8	29-04-14.000N 090-28-17.000W				TR on pile.	
17130	Timbalier Island 2703 Well 1 Daybeacon 10	29-04-11.000N 090-28-20.000W				TR on pile.	
17135	Timbalier Island 2703 Well 4 Channel Light 2	29-04-44.000N 090-27-20.000W	Q W			TR on four pile platform.	
17140	Timbalier Island 2703 Well 4 Daybeacon 4	29-04-14.000N 090-27-15.000W				TR on piles.	
17145	Timbalier Island 2703 Well 4 Daybeacon 6	29-04-10.000N 090-27-14.500W				TR on pile.	
17150	Timbalier Island 2703 Well 4 Daybeacon 8	29-04-05.000N 090-27-14.000W				TR on piles.	
17155	Timbalier - Terrebonne Bay LIGHT 1	29-09-56.106N 090-34-54.348W	Fl G 2.5s	0	4	SG on pile.	Ra ref.
17160	Timbalier - Terrebonne Bay Light 3	29-09-54.413N 090-33-49.383W	Fl G 4s	0	4	SG on pile.	Ra ref.
17165	Timbalier - Terrebonne Bay Light 7	29-09-51.057N 090-31-39.145W	Fl G 6s	0	4	SG on pile.	Ra ref.
17170	Timbalier - Terrebonne Bay Light 11	29-09-47.666N 090-29-28.908W	Fl G 4s	0	4	SG on pile.	Ra ref.

17175	Timbalier - Terrebonne Bay Light 15	29-09-44.241N 090-27-18.674W	Fl G 6s	0	4	SG on pile.	Ra ref.
17180	Timbalier - Terrebonne Bay Light 19	29-09-40.779N 090-25-08.437W	Fl G 4s	0	4	SG on pile.	Ra ref.
17185	Timbalier - Terrebonne Bay Light 23	29-09-37.283N 090-22-58.214W	Fl G 6s	0	4	SG on pile.	Ra ref.
17190	Timbalier - Terrebonne Bay Light 27	29-09-33.824N 090-20-48.287W	Q G	0	4	SG on pile.	Ra ref.
17195	Timbalier - Terrebonne Bay LIGHT 29	29-09-02.520N 090-19-55.801W	Fl G 6s	0	4	SG on pile.	Ra ref.
17200	Timbalier - Terrebonne Bay Light 31	29-08-30.366N 090-19-04.094W	Fl G 4s	0	4	SG on pile.	Ra ref.
17205	Timbalier - Terrebonne Bay Light 37	29-07-59.423N 090-17-16.097W	Fl G 6s	0	4	SG on pile.	Ra ref.
17210	Timbalier - Terrebonne Bay Light 36	29-07-58.200N 090-18-12.348W	Q R	0	4	TR on pile.	Ra ref.
17215	Timbalier - Terrebonne Bay Light 38	29-07-40.162N 090-16-33.784W	Fl R 4s	0	4	TR on pile.	Ra ref.
17217.01	Timbalier - Terrebonne Bay Light 39	29-08-07.981N 090-15-16.851W	Fl G 4s	0	4	SG on pile.	Ra ref.
17220	Timbalier - Terrebonne Bay Light 40	29-07-56.566N 090-15-46.971W	Fl R 6s	0	4	TR on pile.	Ra ref.
17222	Timbalier - Terrebonne Bay Light 40A	29-08-05.382N 090-15-19.584W	Fl R 2.5s	0	4	TR on pile.	Ra ref.
17224.01	Timbalier - Terrebonne Bay Light 41	29-08-14.459N 090-15-00.703W	Fl G 2.5s	0	4	SG on dolphin.	Ra ref.
17225	Timbalier - Terrebonne Bay Light 42	29-08-13.304N 090-14-58.010W	Q R	0	4	TR on pile.	Ra ref.
17227.01	Timbalier - Terrebonne Bay Light 43	29-08-21.103N 090-14-54.705W	Fl G 4s	0	4	SG on pile.	Ra ref.
17230	Timbalier - Terrebonne Bay Junction Lighted Buoy TB	29-09-54.816N 090-36-00.163W	Fl (2+1)R 6s		4	Red with green band.	
17240	Lake Raccourci Field Entrance Light 2	29-11-11.000N 090-25-07.000W	Fl R 4s			TR on dolphin.	
17245	Bayou Blue Lighted Information Buoy	29-12-50.580N 090-16-46.500W	Fl W 2.5s			Buoy provides entrance information.	
17250	Bayou Rosa Entrance Lighted Buoy 1	29-13-39.000N 090-18-00.000W	Fl G 2.5s			Green can.	
17255	Bayou Rosa Buoy 3	29-13-44.000N 090-17-56.000W				Green can.	
17260	Bayou Rosa Buoy 5	29-13-50.000N 090-17-52.000W				Green can.	
17265	Bayou Rosa Buoy 7	29-13-55.000N 090-17-47.000W				Green can.	
17270	Bayou Rosa Buoy 9	29-14-00.000N 090-17-43.000W				Green can.	
17275	Bayou Rosa Buoy 11	29-14-06.000N 090-17-39.000W				Green can.	
17280	Bayou Rosa Buoy 13	29-14-11.000N 090-17-35.000W				Green can.	
17285	Bayou Rosa Buoy 15	29-14-16.000N 090-17-31.000W				Green can.	
17290	Bayou Rosa Buoy 17	29-14-22.000N 090-17-27.000W				Green can.	
17295	Bayou Rosa Buoy 19	29-14-28.000N 090-17-25.000W				Green can.	
17300	Little Lake Light 21	29-14-47.000N 090-16-57.000W	Fl W 4s			SG on piles.	
17305	Little Lake Buoy 23	29-14-47.000N 090-16-50.000W				Green can.	
17310	Little Lake Buoy 25	29-14-46.000N 090-16-43.000W				Green can.	
17315	Little Lake Buoy 27	29-14-45.000N 090-16-36.000W				Green can.	
17320	Little Lake Buoy 29	29-14-45.000N 090-16-28.000W				Green can.	
17325	Little Lake Buoy 31	29-14-44.000N 090-16-21.000W				Green can.	
17330	Little Lake Buoy 33	29-14-43.000N 090-16-14.000W				Green can.	

17335	Little Lake Buoy 35	29-14-42.000N 090-16-06.000W				Green can.	
17340	Little Lake Buoy 37	29-14-42.000N 090-15-59.000W				Green can.	
17345	Little Lake Buoy 39	29-14-41.000N 090-15-52.000W				Green can.	
17350	Little Lake Buoy 41	29-14-40.000N 090-15-44.000W				Green can.	
17355	Little Lake Buoy 43	29-14-40.000N 090-15-37.000W				Green can.	
17360	Little Lake Buoy 45	29-14-39.000N 090-15-30.000W				Green can.	
17365	Little Lake Buoy 47	29-14-38.000N 090-15-23.000W				Green can.	
17368	Bayou Rosa Oyster Farm Special Lights (4)	29-14-32.570N 090-15-20.853W	FI Y 2.5s			Marks perimeter of aquaculture farm.	
17368.01	Bayou Rosa Oyster Farm Special Lighted Buoy E	29-14-27.295N 090-15-19.806W	FI Y 2.5s			Marks perimeter of aquaculture farm.	
17370	Lake Raccourci Pipeline Marker Light	29-14-21.400N 090-20-23.400W	Q R			On pile.	
17375	Chinaman Bayou Daybeacon 1	29-17-27.685N 090-21-04.162W				SG on pile.	
17380	Chinaman Bayou Daybeacon 3	29-17-39.546N 090-20-50.896W				SG on pile.	
17385	Chinaman Bayou Daybeacon 5	29-17-41.771N 090-20-43.002W				SG on pile.	
17390	Chinaman Bayou Daybeacon 7	29-17-41.769N 090-20-26.357W				SG on pile.	
17395	Chinaman Bayou Daybeacon 9	29-17-44.792N 090-20-14.987W				SG on pile.	
17400	Chinaman Bayou Daybeacon 11	29-17-54.217N 090-20-05.165W				SG on pile.	
17405	Chinaman Bayou Daybeacon 13	29-18-02.975N 090-20-04.552W				SG on pile.	
17410	Chinaman Bayou Daybeacon 15	29-18-10.691N 090-20-06.587W				SG on pile.	
17415	Chinaman Bayou Daybeacon 17	29-18-19.835N 090-20-17.340W				SG on pile.	
17420	Chinaman Bayou Daybeacon 19	29-18-27.390N 090-20-25.487W				SG on pile.	
17425	USACE Bayou Blue Metering Station Light	29-32-36.500N 090-24-00.700W	FI Y 2.5s			On pile.	
17430	SLLD Grand Bayou Floodgate Light 1	29-30-15.363N 090-25-07.900W	FI G 2.5s			SG on dolphin.	
17430.01	SLLD Grand Bayou Floodgate Light 2	29-30-14.242N 090-25-06.500W	FI R 2.5s			TR on dolphin.	
17430.02	SLLD Grand Bayou Floodgate Light 3	29-30-18.784N 090-25-06.300W	FI G 2.5s			SG on dolphin.	
17430.03	SLLD Grand Bayou Floodgate Light 4	29-30-18.224N 090-25-04.700W	FI R 2.5s			TR on dolphin.	
17440	Lake La Graise Entrance Light 1	29-10-55.435N 090-35-00.579W	FI G 4s	0	4	SG on pile.	Ra ref.
17445	Lake La Graise Light 2	29-12-25.983N 090-34-50.033W	FI R 2.5s	0	4	TR on dolphin.	Ra ref.
17450	Lake La Graise Light 4	29-13-30.022N 090-35-45.852W	FI R 4s	0	4	TR on dolphin.	Ra ref.
17455	Lake La Graise Light 5	29-13-56.725N 090-36-11.497W	FI G 6s	0	4	SG on pile.	Ra ref.
17460	Lake La Graise Light 7	29-14-38.002N 090-35-29.052W	FI G 4s	0	4	SG on dolphin.	Ra ref.
17462.03	TLCD Barge Floodgate Dolphin Light 1	29-25-04.330N 090-26-53.120W	FI G 2.5s			Marks starboard side entry dolphin.	
17462.04	TLCD Barge Floodgate Dolphin Light 2	29-25-04.610N 090-26-52.440W	FI R 2.5s			Marks port side entry dolphin.	
17462.05	TLCD Barge Floodgate Dolphin Light 3	29-25-06.630N 090-26-54.370W	FI G 2.5s			Marks starboard side exit dolphin.	
17462.06	TLCD Barge Floodgate Dolphin Light 4	29-25-06.910N 090-26-53.690W	FI R 2.5s			Marks port side exit dolphin.	
17535	Company Canal Saltwater Control Floodgate Light 1	29-37-38.180N 090-33-27.690W	FI G 2.5s			SG on dolphin.	

17540	Company Canal Saltwater Control Structure Light 2	29-37-38.180N 090-33-26.730W	FI R 2.5s	TR on dolphin.	
17545	Company Canal Saltwater Control Structure West Obstruction Light	29-37-39.300N 090-33-28.600W		On barge.	On west side of floodgate. (QG open) (QR closed).
17550	Company Canal Saltwater Control Structure East Obstruction Light	29-37-39.000N 090-33-27.000W	Q R	On receiving structure cassion.	
17555	Company Canal Saltwater Control Structure Light 3	29-37-39.970N 090-33-27.670W	FI G 2.5s	SG dolphin.	
17560	Company Canal Saltwater Control Structure Light 4	29-37-39.970N 090-33-26.720W	FI R 2.5s	TR dolphin.	
17565	Company Canal Saltwater Control Structure Moveable Obstruction Light	29-37-38.500N 090-33-26.700W	Q R	On barge.	Shows only when floodgate closed.
17570	Bayou Petit Caillou Flood Canal East Light	29-32-53.000N 090-37-58.000W	FI R 2.5s	On gateway.	
17575	Bayou Petit Caillou Flood Canal West Light	29-32-53.000N 090-37-58.000W		On gateway.	(FL G 2.5s open) (FL R 2.5s closed).
17578	Bayou Petit Caillou Floodgate Dolphin Light 1	29-17-45.550N 090-38-55.320W	FI G 2.5s	Marks dolphin cluster.	
17578.01	Bayou Petit Caillou Floodgate Dolphin Light 2	29-17-46.210N 090-38-53.810W	FI R 2.5s	Marks dolphin cluster.	
17578.02	Bayou Petit Caillou Floodgate Dolphin Light 3	29-17-49.180N 090-38-55.160W	FI G 2.5s	Marks dolphin cluster.	
17578.03	Bayou Petit Caillou Floodgate Dolphin Light 4	29-17-49.130N 090-38-53.830W	FI R 2.5s	Marks dolphin cluster.	
17580	Placid Canal Floodgate Light 1	29-20-29.179N 090-37-54.712W	FI G 2.5s	SG on pile cluster.	
17585	Placid Canal Floodgate Light 2	29-20-29.530N 090-37-54.642W	FI R 2.5s	TR on pile.	
17590	Placid Canal Floodgate Light 3	29-20-29.436N 090-37-56.381W	FI G 2.5s	SG on pile.	
17595	Placid Canal Floodgate Light 4	29-20-29.787N 090-37-56.381W	FI R 2.5s	TR on pile.	
17600	Placid Canal Floodgate Sidewall Structure Lights(2)	29-20-29.671N 090-37-55.440W	FI W 2.5s	On barge structure.	Marks each sidewall of floodgate.
17605	Placid Canal Floodgate Center Gate Light	29-20-29.447N 090-37-55.272W	F R	On barge structure.	Shows only when center floodgate closed.
17610	Placid Canal Floodgate Sidewall Caisson Lights(2)	29-20-29.649N 090-37-55.479W	F R	On caisson structure.	Marks each sidewall caisson structure.
17615	Placid Canal Floodgate Northwest Piling Light	29-20-30.037N 090-37-56.503W	FI W 2.5s	On pile cluster.	
17620	Placid Canal Floodgate Southwest Piling Light	29-20-29.079N 090-37-56.935W	FI W 2.5s	On pile cluster.	
17625	Placid Canal Floodgate Northeast Piling Light	29-20-29.785N 090-37-53.421W	FI W 2.5s	On pile cluster.	
17630	Placid Canal Floodgate Southeast Piling Light	29-20-28.325N 090-37-53.472W	FI W 2.5s	On pile cluster.	
17632	Lea Aquaculture Montegut Special Light A	29-21-24.730N 090-36-30.590W	FI Y 2.5s	Marks aquaculture farm perimeter cornerpoint.	
17632.01	Lea Aquaculture Montegut Special Light B	29-21-29.380N 090-36-30.710W	FI Y 2.5s	Marks aquaculture farm perimeter cornerpoint.	
17632.02	Lea Aquaculture Montegut Special Light C	29-21-29.520N 090-36-31.650W	FI Y 2.5s	Marks aquaculture farm perimeter cornerpoint.	
17632.03	Lea Aquaculture Montegut Special Light D	29-21-24.760N 090-36-31.490W	FI Y 2.5s	Marks aquaculture farm perimeter cornerpoint.	
17635	Bush Canal Floodgate Light 1	29-22-06.079N 090-36-07.085W	FI G 2.5s	SG on pile.	
17640	Bush Canal Floodgate Light 2	29-22-06.448N 090-36-06.117W	FI R 2.5s	TR on pile.	
17645	Bush Canal Floodgate Light 3	29-22-07.809N 090-36-09.406W	FI G 2.5s	SG on pile.	
17650	Bush Canal Floodgate Light 4	29-22-08.688N 090-36-09.123W	FI R 2.5s	TR on pile.	
17655	Bush Canal Floodgate Sidewall Structure Lights (2)	29-22-07.031N 090-36-08.164W	FI W 2.5s	On barge structure.	Marks each sidewall of floodgate.
17660	Bush Canal Floodgate Center Gate Light	29-22-07.132N 090-36-07.767W	F R	On barge structure.	Shows only when center floodgate closed.

17665	Bush Canal Floodgate Sidewall Caisson Lights (2)	29-22-07.060N 090-36-08.202W	F R			On caisson structure.	Marks each sidewall caisson structure.
17670	Bush Canal Floodgate Southeast Piling Light	29-22-05.012N 090-36-07.513W	Fl W 2.5s			On pile cluster.	
17675	Bush Canal Floodgate Northeast Piling Light	29-22-07.210N 090-36-05.691W	Fl W 2.5s			On pile cluster.	
17680	Cat Island Pass Lighted Buoy C1	29-00-09.489N 090-34-05.876W	Mo (A) W	5		Red and white stripes with red spherical topmark.	
17685	Cat Island Pass Lighted Buoy 1	29-01-08.176N 090-34-16.455W	Fl G 6s	4		Green.	
17690	Cat Island Pass Lighted Buoy 3	29-02-07.088N 090-34-24.681W	Fl G 2.5s	4		Green.	
17695	Cat Island Pass Buoy 4	29-02-07.621N 090-34-20.274W				Red nun.	
17700	Cat Island Pass Buoy 5	29-02-36.676N 090-34-31.693W				Green can.	
17705	Cat Island Pass Lighted Buoy 7	29-03-05.049N 090-34-41.703W	Fl G 4s	4		Green.	
17710	Cat Island Pass Lighted Buoy 9	29-03-33.451N 090-34-51.725W	Fl G 4s	4		Green.	
17715	Cat Island Pass Buoy 10	29-03-34.561N 090-34-47.570W				Red nun.	
17720	Cat Island Pass Lighted Buoy 11	29-04-01.753N 090-35-01.924W	Q G	3		Green.	
17725	Cat Island Pass Lighted Buoy 12	29-04-03.055N 090-34-57.505W	Q R	3		Red.	
17730	Cat Island Pass Buoy 13	29-04-32.641N 090-35-08.477W				Green can.	
17735	Cat Island Pass Buoy 14	29-04-32.662N 090-35-03.840W				Red nun.	
17740	Cat Island Pass Lighted Buoy 15	29-05-03.693N 090-35-01.439W	Fl G 4s	4		Green.	
17745	Cat Island Pass Buoy 17	29-05-31.098N 090-34-48.432W				Green can.	
17750	Houma Navigation Canal Lighted Buoy 1	29-05-56.886N 090-34-39.159W	Q G	3		Green.	
17755	Houma Navigation Canal Lighted Buoy 2	29-05-58.648N 090-34-31.982W	Q R	3		Red.	
17760	Houma Navigation Canal Buoy 3	29-06-23.033N 090-34-48.043W				Green can.	Ra ref.
17765	Houma Navigation Canal Buoy 4	29-06-49.800N 090-34-43.545W				Red nun.	Ra ref.
17770	Houma Navigation Canal A Range Front Light	29-11-24.551N 090-36-42.161W	Q W	15			Visible all around; higher intensity 1.5° each side of rangeline. Lighted throughout 24 hours.
17775	Houma Navigation Canal A Range Rear Light	29-12-30.656N 090-37-09.315W	Iso W 6s	45			Visible 1.5° each side of range line. Lighted throughout 24 hours.
17776	Houma Navigation Canal A Range Rear Light Passing Light	29-12-30.656N 090-37-09.315W	Fl W 4s	0	5	On same structure as Houma Navigation Canal A Range Rear Light.	
17780	Houma Navigation Canal Lighted Buoy 5	29-07-06.519N 090-34-58.527W	Fl G 4s	4		Green.	
17785	Houma Navigation Canal Buoy 6	29-07-31.441N 090-35-04.391W				Red nun.	Ra ref.
17790	Houma Navigation Canal Buoy 7	29-07-54.848N 090-35-18.346W				Green can.	Ra ref.
17795	Houma Navigation Canal Buoy 8	29-08-22.847N 090-35-25.345W				Red nun.	Ra ref.
17800	Houma Navigation Canal Light 9	29-08-41.250N 090-35-38.181W	Fl G 2.5s	0	3	SG on pile.	Ra ref.
17805	Houma Navigation Canal Buoy 10	29-09-07.846N 090-35-43.345W				Red nun.	Ra ref.
17810	Houma Navigation Canal Buoy 11	29-09-27.777N 090-35-57.065W				Green can.	
17815	Houma Navigation Canal Light 13	29-10-14.716N 090-36-17.654W	Fl G 6s	0	4	SG on pile.	Ra ref.
17820	Houma Navigation Canal Buoy 14	29-10-22.671N 090-36-11.287W				Red nun.	
17835	Houma Navigation Canal Buoy 16	29-10-58.019N 090-36-29.027W				Red nun.	Ra ref.
17840	Houma Navigation Canal Light 17	29-11-11.556N 090-36-44.639W	Q G	0	4	SG on pile.	Ra ref.

17845	Houma Navigation Canal Buoy 18	29-11-17.004N 090-36-41.209W					Red nun.		Ra ref.
17850	Houma Navigation Canal Buoy 18A	29-11-28.742N 090-36-53.374W					Red nun.		
17855	Houma Navigation Canal B Range Front Light	29-11-13.310N 090-36-33.663W	Q W	15					Visible all around; higher intensity 1.5° each side of rangeline. Lighted throughout 24 hours.
17860	Houma Navigation Canal B Range Rear Light	29-10-47.928N 090-35-58.994W	Iso W 6s	30					Visible 1.5° each side of range line. Lighted throughout 24 hours.
17865	Houma Navigation Canal B Range Rear Light Passing Light	29-10-47.928N 090-35-58.994W	Fl W 4s	0	5			On same structure as Houma Navigation Canal Range B Rear Light.	
17870	Houma Navigation Canal Light 19	29-11-30.998N 090-37-00.162W	Fl G 2.5s	0	3		SG on piles.		Ra ref.
17875	Houma Navigation Canal Buoy 20	29-12-00.840N 090-37-36.344W						Red nun.	
17880	Houma Navigation Canal Light 21	29-12-12.835N 090-38-00.154W	Fl G 4s	0	4		SG on pile.		Ra ref.
17885	Houma Navigation Canal Light 22	29-12-32.607N 090-38-17.763W	Fl R 6s	0	4		TR on pile.		Ra ref.
17890	Houma Navigation Canal Light 23	29-12-41.939N 090-38-41.508W	Fl G 6s	0	4		SG on pile.		Ra ref.
17895	Houma Navigation Canal Light 24	29-13-00.924N 090-38-56.668W	Fl R 4s	0	3		TR on pile.		Ra ref.
17900	Houma Navigation Canal Light 25	29-13-17.953N 090-39-29.372W	Fl G 4s	0	4		SG on pile.		Ra ref.
17905	Houma Navigation Canal Light 26	29-13-42.735N 090-39-54.703W	Fl R 2.5s	0	3		TR on pile.		Ra ref.
17910	Houma Navigation Canal Light WR28	29-18-05.386N 090-42-49.576W	Q R	0	3		TR on pile.		Ra ref.
17911	Short Cut Canal Light 1	29-33-18.920N 090-42-24.010W	Fl G 2.5s						
17911.01	Short Cut Canal Light 2	29-33-20.110N 090-42-18.911W	Fl R 2.5s						
17911.02	Short Cut Canal Light 3	29-33-28.060N 090-42-19.000W	Fl G 2.5s						
17911.03	Short Cut Canal Light 4	29-33-28.707N 090-42-14.801W	Fl R 2.5s						
17912.11	TLCD Bayou Plat Alternate Channel Daybeacon 1	29-20-23.520N 090-44-00.560W					SG on pile.		
17912.12	TLCD Bayou Plat Alternate Channel Light 2	29-20-22.650N 090-44-00.570W	Fl R 2.5s				TR on pile.		
17912.13	TLCD Bayou Plat Alternate Channel Daybeacon 3	29-20-23.760N 090-43-55.160W					SG on pile.		
17912.14	TLCD Bayou Plat Alternate Channel Light 4	29-20-22.900N 090-43-55.240W	Fl R 2.5s				TR on pile.		
17912.15	TLCD Bayou Plat Alternate Channel Light 5	29-20-23.970N 090-43-49.320W	Fl G 2.5s				SG on pile.		
17912.16	TLCD Bayou Plat Alternate Channel Daybeacon 6	29-20-23.270N 090-43-49.270W					TR on pile.		
17912.17	TLCD Bayou Plat Alternate Channel Danger Closure Light	29-19-58.940N 090-43-44.350W	Fl W 2.5s				NW on pile.		
17912	Houma Navigation Canal Floodgate Light	29-19-39.800N 090-43-47.200W	Fl W 2.5s				On dolphin.		
17912.01	Houma Navigation Canal Floodgate Light	29-19-42.300N 090-43-41.200W	Fl W 2.5s				On dolphin.		
17912.02	Houma Navigation Canal Floodgate Light 2	29-19-43.000N 090-43-43.500W	Fl R 2.5s				TR on dolphin.		
17912.03	Houma Navigation Canal Floodgate Light 1	29-19-41.800N 090-43-46.400W	Fl G 2.5s				SG on dolphin.		
17912.04	Houma Navigation Canal Floodgate Barge Light	29-19-44.400N 090-43-44.400W	F R				On barge gate.	Marks barge gate when closed.	
17912.05	Houma Navigation Canal Floodgate Barge Light	29-19-45.800N 090-43-44.600W	F R				On barge gate.	Marks center of barge gate when closed.	
17912.06	Houma Navigation Canal Floodgate Barge Light	29-19-46.800N 090-43-45.700W	F R				On barge gate.	Marks barge gate when closed.	
17912.07	Houma Navigation Canal Floodgate Light 3	29-19-49.300N 090-43-50.500W	Fl G 2.5s				SG on dolphin.		
17912.08	Houma Navigation Canal Floodgate Light 4	29-19-50.500N 090-43-47.600W	Fl R 2.5s				TR on dolphin.		
17912.09	Houma Navigation Canal Floodgate Light	29-19-50.000N 090-43-52.800W	Fl W 2.5s				On dolphin.		

17915	Black Elk Energy Tank Battery Lights (3)	29-04-20.340N 090-38-29.310W	Q W			On pile.	
17920	Black Elk Energy Flow Line Light	29-04-20.200N 090-38-30.390W	Q W			On pile.	
17930	Lake Pelto Light LP	29-04-42.851N 090-42-20.072W	FI W 6s	0	3	NB on dolphin.	Ra ref.
17933	LDWF Bird Island Special Lighted Buoy	29-03-33.811N 090-43-23.578W	FI Y 2.5s			Marks center of reef.	
17935	Bayou Sale Channel Light	29-06-39.000N 090-44-31.000W	FI W 4s			On a dolphin.	
17943	Caillou Boca Shoal Daybeacon	29-03-55.897N 090-48-09.187W		0		NG on pile.	Ra ref.
17970	Calliou Bay Barge Loading Dock Light	29-07-31.000N 090-53-27.000W	Q W			On dock.	
17975	USACE West Grand Caillou Metering Station Light	29-20-30.100N 090-44-20.300W	FI Y 2.5s			On pile.	
17980	USACE East Grand Caillou Metering Station Light	29-20-54.700N 090-43-52.200W	FI Y 2.5s			On pile.	
17982	Bayou Grand Caillou Floodgate Light	29-20-35.700N 090-44-11.200W	FI W 2.5s			On pile.	
17982.01	Bayou Grand Caillou Floodgate Light	29-20-32.200N 090-44-09.700W	FI W 2.5s			On pile.	
17982.02	Bayou Grand Caillou Floodgate Light 2	29-20-35.000N 090-44-11.700W	FI R 2.5s			TR on dolphin.	
17982.03	Bayou Grand Caillou Floodgate Light 1	29-20-32.800N 090-44-11.100W	FI G 2.5s			SG on dolphin.	
17982.04	Bayou Grand Caillou Floodgate Barge Light	29-20-33.800N 090-44-16.100W	F R			On barge gate.	Marks barge gate when closed.
17982.05	Bayou Grand Caillou Floodgate Barge Light	29-20-33.900N 090-44-17.300W	F R			On barge gate.	Marks center of barge gate when closed.
17982.06	Bayou Grand Caillou Floodgate Barge Light	29-20-33.300N 090-44-18.400W	F R			On barge gate.	Marks barge gate when closed.
17982.07	Bayou Grand Caillou Floodgate Light 4	29-20-33.100N 090-44-20.000W	FI R 2.5s			TR on dolphin.	
17982.08	Bayou Grand Caillou Floodgate Light 3	29-20-30.900N 090-44-19.400W	FI G 2.5s			SG on dolphin.	
17982.09	Bayou Grand Caillou Floodgate Light	29-20-33.500N 090-44-20.800W	FI W 2.5s			On pile.	
17982.11	Bayou Grand Caillou Floodgate Light	29-20-30.500N 090-44-19.700W	FI W 2.5s			On pile.	
17983	U.S. Coast Guard Dulac Pier Light	29-22-39.514N 090-42-51.049W	FI W 4s	0	3	NW on dolphin worded SLOW NO WAKE.	
17985	Bayou Grand Caillou Entrance Light GC	29-09-05.133N 090-58-52.181W	FI W 6s	0	3	NG on pile.	Ra ref.
18005	Bayou Grand Caillou Buoy 11	29-11-14.604N 090-55-40.930W				Green can.	
18020	Bayou Grand Caillou Buoy 15	29-12-25.045N 090-54-43.107W				Green can.	
18050	Bayou Grand Caillou Buoy 20	29-12-28.935N 090-53-40.187W				Red nun.	
18060	Bayou Grand Caillou Buoy 22A	29-12-13.127N 090-53-00.364W				Red nun.	
18065	Bayou Grand Caillou Daybeacon 23	29-12-22.230N 090-52-49.509W		0		SG on pile.	Ra ref.
18080	Bayou Grand Caillou Daybeacon 27	29-13-07.261N 090-51-32.235W		0		SG on pile.	Ra ref.
18095	Bayou Grand Caillou Daybeacon 31	29-13-07.828N 090-50-54.360W		0		SG on pile.	Ra ref.
18100	Bayou Grand Caillou Buoy 32	29-13-14.511N 090-50-38.173W				Red nun.	
18105	Bayou Grand Caillou Buoy 33	29-13-21.919N 090-49-58.461W				Green can.	
18110	Bayou Grand Caillou Buoy 35	29-13-16.182N 090-49-44.655W				Green can.	
18115	Bayou Grand Caillou Buoy 36	29-13-13.489N 090-49-42.093W				Red nun.	
18120	Bayou Grand Caillou Daybeacon 39	29-13-23.827N 090-49-08.950W		0		SG on pile.	Ra ref.
18125	Bayou Grand Caillou Daybeacon 40	29-13-33.639N 090-48-51.401W		0		TR on pile.	Ra ref.

18130	Bayou Grand Caillou Buoy 41	29-13-32.098N 090-48-59.105W		Green can.	
18135	Bayou Grand Caillou Daybeacon 43	29-15-19.303N 090-47-27.577W	0	SG on pile.	Ra ref.
18140	Bayou Grand Caillou Daybeacon 44	29-15-16.196N 090-47-17.513W	0	TR on pile.	Ra ref.
18145	Bayou Grand Caillou Daybeacon 46	29-15-08.568N 090-46-54.609W	0	TR on pile.	Ra ref.
18155	Bayou Grand Caillou Daybeacon 48	29-15-19.935N 090-46-39.158W	0	TR on pile.	Ra ref.
18160	Bayou Grand Caillou Daybeacon 50	29-15-38.335N 090-46-06.326W	0	TR on pile.	Ra ref.
18165	Bayou Grand Caillou Daybeacon 52	29-16-28.689N 090-46-00.121W	0	TR on pile.	Ra ref.
18170	Bayou Grand Caillou Daybeacon 54	29-17-00.360N 090-45-59.271W	0	TR on pile.	Ra ref.
18172	Texas Gas Transmission Pipeline Lights (6)	29-10-32.290N 090-58-37.420W	FI Y 2.5s	Marks pipeline crossing.	
18175	Caillou Bay Boat Landing Light	29-10-40.000N 090-58-59.000W	FI W 2.5s	On wharf.	
18195	U.S. GEOLOGICAL SURVEY SCIENTIFIC MONITORING PLATFORM LIGHT (TP)	29-15-08.000N 090-55-18.000W	FI Y 2.5s	On pipe.	
18200	Lake Mechant Pipeline Light	29-16-24.000N 090-56-36.000W	FI Y 2.5s	NW on pile cluster.	
18202	Castex Lake Mechant Danger Light	29-18-08.000N 091-00-44.000W	FI W 2.5s	Marks spoil obstruction.	
18202.01	Castex Lake Mechant Danger Light	29-18-06.000N 091-00-43.000W	FI W 2.5s	Marks spoil obstruction.	
18202.02	Castex Lake Mechant Danger Light	29-18-02.000N 091-00-42.000W	FI W 2.5s	Marks spoil obstruction.	
18202.03	Castex Lake Mechant Danger Light	29-17-59.000N 091-00-40.000W	FI W 2.5s	Marks spoil obstruction.	
18202.04	Castex Lake Mechant Danger Light	29-17-57.000N 091-00-37.000W	FI W 2.5s	Marks spoil obstruction.	
18202.05	Castex Lake Mechant Danger Light	29-17-54.000N 091-00-24.000W	FI W 2.5s	Marks spoil obstruction.	
18202.06	Castex Lake Mechant Danger Light	29-17-52.000N 091-00-24.000W	FI W 2.5s	Marks spoil obstruction.	
18202.07	Castex Lake Mechant Danger Light	29-17-52.000N 091-00-22.000W	FI W 2.5s	Marks spoil obstruction.	
18202.08	Castex Lake Mechant Danger Light	29-17-50.000N 091-00-14.000W	FI W 2.5s	Marks spoil obstruction.	
18202.09	Castex Lake Mechant Danger Light	29-17-47.000N 091-00-12.000W	FI W 2.5s	Marks spoil obstruction.	
18202.11	Castex Lake Mechant Danger Light	29-17-47.000N 091-00-37.000W	FI W 2.5s	Marks spoil obstruction.	
18202.12	Castex Lake Mechant Danger Light	29-17-54.000N 091-00-10.000W	FI W 2.5s	Marks spoil obstruction.	
18202.13	Castex Bayou Chevreau Danger Light	29-19-14.000N 091-00-27.000W	FI W 2.5s	Marks spoil obstruction.	
18202.14	Castex Bayou Chevreau Danger Light	29-19-17.000N 091-00-24.000W	FI W 2.5s	Marks spoil obstruction.	
18202.15	Castex Bayou Chevreau Danger Light	29-19-19.000N 091-00-21.000W	FI W 2.5s	Marks spoil obstruction.	
18202.16	Castex Bayou Chevreau Danger Light	29-19-21.000N 091-00-18.000W	FI W 2.5s	Marks spoil obstruction.	
18202.17	Castex Bayou Chevreau Danger Light	29-19-24.000N 091-00-17.000W	FI W 2.5s	Marks spoil obstruction.	
18205	Bayou Dularge Floodgate Light A	29-20-09.211N 090-50-35.351W	FI R 2.5s	On pile.	
18210	Bayou Dularge Floodgate Light B	29-20-08.982N 090-50-36.669W	FI G 2.5s	On pile.	
18215	Bayou Dularge Floodgate Light C	29-20-08.319N 090-50-36.174W	FI R 2.5s	On pile.	
18220	Bayou Dularge Floodgate Traffic Light	29-20-09.124N 090-50-34.976W		On pile.	Traffic light displays FI R 2.5s when closed. Displays FI G 2.5s when open.
18225	Bayou Dularge Floodgate Light D	29-20-09.783N 090-50-35.067W	FI G 2.5s	On pile.	
18230	Bayou Dularge Floodgate Light E	29-20-09.287N 090-50-34.696W	FI R 2.5s	On pile.	

18232	Falgout Canal Floodgate Light 1	29-24-57.830N 090-47-23.510W	FI G 2.5s	Marks port side of floodgate.	
18232.03	Falgout Canal Floodgate Light 2	29-24-56.090N 090-47-23.840W	FI R 2.5s	Marks starboard side of floodgate.	
18232.06	Falgout Canal Floodgate Light 3	29-24-56.490N 090-47-18.110W	FI G 2.5s	Marks port side of floodgate.	
18232.09	Falgout Canal Floodgate Light 4	29-24-54.800N 090-47-18.660W	FI R 2.5s	Marks port side of floodgate.	
18235	Fina Pipeline Light A	29-25-03.130N 090-47-54.410W	FI Y 2.5s	NW on platform. worded: DO NOT ANCHOR OR DREDGE.	
18240	Lake De Cade Light 2	29-24-54.000N 090-50-00.000W	FI R 4s	TR on dolphin.	
18245	Lake De Cade Light 28	29-22-48.000N 090-54-12.000W	FI R 4s	TR on dolphin.	
18250	Jug Lake Danger Daybeacons(4)	29-22-27.000N 090-56-07.000W		NW on pile worded DANGER DO NOT PROCEED.	Marks weir.
18255	Jug Lake Danger Daybeacons (4)	29-22-47.000N 090-56-25.000W		NW on pile worded DANGER DO NOT PROCEED.	Marks weir.
18260	Jug Lake Danger Daybeacons (4)	29-22-39.000N 090-57-25.000W		NW on pile worded DANGER DO NOT PROCEED.	Marks weir.
18265	Bayou La Loutre Danger Daybeacons (8)	29-22-28.000N 090-57-25.000W		NW on pile worded DANGER PROCEED WITH CAUTION.	Marks Riprap.
18270	South Louisiana Electric Co Op Light A	29-21-01.699N 090-57-26.960W	Q W	On power pole.	
18275	South Louisiana Electric Co Op Light B	29-20-31.614N 090-56-57.120W	Q W	On power pole.	
18280	South Louisiana Electric Co Op Light C	29-20-34.924N 090-56-58.066W	Q W	On power pole.	
18285	South Louisiana Electric Co Op Light D	29-20-48.088N 090-57-08.258W	Q W	On power pole.	
18290	South Louisiana Electric Co Op Light E	29-20-53.720N 090-57-19.433W	Q W	On power pole.	
18295	South Louisiana Electric Co Op Light F	29-20-55.873N 090-57-21.700W	Q W	On power pole.	
18300	South Louisiana Electric Co Op Light G	29-21-49.787N 090-57-47.403W	Q W	On power pole.	
18305	South Louisiana Electric Co Op Light H	29-22-07.077N 090-58-23.557W	Q W	On power pole.	
18310	South Louisiana Electric Co Op Light I	29-21-48.544N 090-59-15.922W	Q W	On power pole.	
18315	South Louisiana Electric Co Op Light J	29-21-50.729N 090-59-05.674W	Q W	On power pole.	
18320	Unocal Pipeline Obstruction Light	29-22-06.000N 090-58-25.000W	FI G 2.5s		
18323	Lafourche-Terrebonne Soil & Conservation District Information Marks (2)	29-24-09.484N 090-56-35.115W		Marks debris barrier on Superior Canal.	
18324.01	Bayou Lafourche Swing Gate Light 1	29-53-55.600N 090-59-19.500W	FI G 2.5s	Marks navigable channel through swing gate.	
18324.02	Bayou Lafourche Swing Gate Light 2	29-53-55.600N 090-59-19.020W	FI R 2.5s	Marks navigable channel through swing gate.	
18324.03	Bayou Lafourche Swing Gate Light 3	29-53-55.830N 090-59-19.500W	FI G 2.5s	Marks navigable channel through swing gate.	
18324.04	Bayou Lafourche Swing Gate Light 4	29-53-55.840N 090-59-19.040W	FI R 2.5s	Marks navigable channel through swing gate.	
18324.05	Bayou Lafourche Swing Gate Light 5	29-53-56.300N 090-59-19.520W	FI G 2.5s	Marks navigable channel through swing gate.	
18324.06	Bayou Lafourche Swing Gate Light 6	29-53-56.260N 090-59-19.030W	FI R 2.5s	Marks navigable channel through swing gate.	
18325	Bayou Decade Light 1	29-21-59.000N 090-57-44.000W	FI G 2.5s	SG on pile.	Marks weir.
18330	Bayou Decade Danger Daybeacons 4	29-21-59.100N 090-57-44.100W		NW on pile worded DANGER OBSTRUCTION PROCEED WITH CAUTION.	Marks weir.
18335	Bayou Decade Light 2	29-21-59.000N 090-57-44.100W	FI R 2.5s	TR on pile.	Marks weir.
18340	Bayou Decade Danger Daybeacons 6	29-22-07.000N 090-58-33.000W		NW on pile worded DANGER DO NOT PROCEED.	Marks weir.
18345	Voss Canal Danger Daybeacons(8)	29-21-58.000N 090-59-32.000W		NW on pile worded DANGER PROCEED WITH CAUTION.	Marks riprap.
18355	USACE Bay Wallace Metering Station Light	29-37-29.000N 091-01-25.900W	FI Y 2.5s	On pile.	

18360	Lsu Platform Light Ob1	29-14-14.400N 091-08-01.800W	Q W		On platform.
18365	East Atchafalaya Bay Channel Daybeacon 2	29-24-36.000N 091-13-00.000W			TR on pile.
18370	East Atchafalaya Bay Channel Daybeacon 4	29-24-36.000N 091-13-00.000W			TR on pile.
18375	East Atchafalaya Bay Channel Daybeacon 10	29-25-24.000N 091-12-48.000W			TR on pile.
18380	East Atchafalaya Bay Channel Daybeacon 12	29-25-30.000N 091-12-48.000W			TR on pile.
18385	East Atchafalaya Bay Channel Daybeacon 14	29-25-36.000N 091-12-54.000W			TR on pile.
18390	East Atchafalaya Bay Channel Daybeacon 16	29-25-42.000N 091-13-00.000W			TR on pile.
18395	East Atchafalaya Bay Channel Daybeacon 18	29-25-53.200N 091-13-02.800W			TR on pile.
18400	East Atchafalaya Bay Channel Daybeacon 20	29-26-00.000N 091-13-12.000W			TR on pile.
18405	East Atchafalaya Bay Channel Daybeacon 22	29-26-06.000N 091-13-18.000W			TR on pile.
18410	East Atchafalaya Bay Channel Daybeacon 24	29-26-06.000N 091-13-24.000W			TR on pile.
18415	East Atchafalaya Bay Channel Daybeacon 26	29-26-06.000N 091-13-30.000W			TR on pile.
18420	East Atchafalaya Bay Channel Daybeacon 28	29-26-06.000N 091-13-42.000W			TR on pile.
18425	East Atchafalaya Bay Channel Daybeacon 30	29-26-06.000N 091-13-48.000W			TR on pile.
18430	East Atchafalaya Bay Channel Daybeacon 32	29-26-06.000N 091-14-00.000W			TR on pile.
18435	East Atchafalaya Bay Channel Daybeacon 34	29-26-06.000N 091-14-06.000W			TR on pile.
18440	East Atchafalaya Bay Channel Daybeacon 38	29-26-20.200N 091-14-20.800W			TR on pile.
18445	East Atchafalaya Bay Channel Daybeacon 40	29-26-24.000N 091-14-24.000W			TR on pile.
18450	East Atchafalaya Bay Channel Daybeacon 42	29-26-24.000N 091-14-30.000W			TR on pile.
18455	East Atchafalaya Bay Channel Daybeacon 44	29-26-30.000N 091-14-36.000W			TR on pile.
18460	East Atchafalaya Bay Channel Daybeacon 46	29-26-30.000N 091-14-48.000W			TR on pile.
18465	East Atchafalaya Bay Channel Daybeacon 48	29-26-36.000N 091-14-54.000W			TR on pile.
18470	East Atchafalaya Bay Channel Daybeacon 50	29-26-36.000N 091-15-06.000W			TR on pile.
18475	East Atchafalaya Bay Channel Daybeacon 52	29-26-36.000N 091-15-18.000W			TR on pile.
18480	East Atchafalaya Bay Channel Daybeacon 54	29-26-36.000N 091-15-24.000W			TR on pile.
18485	East Atchafalaya Bay Channel Daybeacon 58	29-26-46.000N 091-15-29.200W			TR on pile.
18490	East Atchafalaya Bay Channel Daybeacon 59	29-26-48.000N 091-15-30.000W			SG on pile.
18495	East Atchafalaya Bay Channel Daybeacon 60	29-26-54.000N 091-15-24.000W			TR on pile.
18500	East Atchafalaya Bay Channel Daybeacon 64	29-27-12.000N 091-15-30.000W			TR on pile.
18505	East Atchafalaya Bay Channel Daybeacon 66	29-27-24.000N 091-15-36.000W			TR on pile.
18510	East Atchafalaya Bay Channel Daybeacon 74	29-27-56.800N 091-15-49.600W			TR on pile.
18515	East Atchafalaya Bay Channel Daybeacon 76	29-28-06.400N 091-15-53.800W			TR on pile.
18520	Atchafalaya Channel Lighted Buoy 1	29-10-43.072N 091-33-21.824W	FI G 2.5s	4	Green.
18525	Atchafalaya Channel Lighted Buoy 2	29-10-37.340N 091-33-14.247W	FI R 2.5s	4	Red.
18530	Atchafalaya Channel Lighted Buoy 3	29-11-29.836N 091-32-39.613W	FI G 4s	4	Green.

18535	Atchafalaya Channel Buoy 4	29-11-27.561N 091-32-32.999W					Red nun.	
18540	Atchafalaya Channel Buoy 5	29-12-16.978N 091-31-57.587W					Green can.	
18545	Atchafalaya Channel Buoy 6	29-12-13.329N 091-31-52.178W					Red nun.	
18550	Atchafalaya Channel Lighted Buoy 7	29-13-04.148N 091-31-15.690W	FI G 2.5s		4		Green.	
18555	Atchafalaya Channel Buoy 8	29-13-00.649N 091-31-10.457W					Red nun.	
18560	Atchafalaya Channel Buoy 9	29-13-53.414N 091-30-32.120W					Green can.	
18565	Atchafalaya Channel Lighted Buoy 10	29-13-50.773N 091-30-27.226W	FI R 4s		3		Red.	
18570	Atchafalaya Channel Lighted Buoy 11	29-14-42.231N 091-29-49.362W	FI G 4s		4		Green.	
18575	Atchafalaya Channel Buoy 12	29-14-39.231N 091-29-44.926W					Red nun.	
18580	Atchafalaya Channel Buoy 13	29-15-28.808N 091-29-08.125W					Green can.	
18585	Atchafalaya Channel Lighted Buoy 15	29-16-16.937N 091-28-25.158W	FI G 6s		4		Green.	
18590	Atchafalaya Channel Lighted Buoy 14	29-15-26.083N 091-29-03.002W	FI R 2.5s		3		Red.	
18595	Atchafalaya Channel Buoy 16	29-16-13.077N 091-28-20.881W					Red nun.	
18600	Atchafalaya Channel Daybeacon 17	29-17-04.615N 091-27-43.258W			15		SG on pile.	Ra ref.
18605	USACE Test Platform A Light	29-16-35.580N 091-27-56.100W	FI Y 2.5s				NY on platform.	
18610	Atchafalaya Channel Light 18	29-17-00.396N 091-27-37.782W	FI R 4s	0	3		TR on pile.	Ra ref.
18615	Atchafalaya Channel Light 19	29-17-52.060N 091-27-00.649W	FI G 2.5s	0	3		SG on dolphin.	Ra ref.
18620	Atchafalaya Channel Daybeacon 20	29-17-48.115N 091-26-55.148W		0			TR on pile.	Ra ref.
18625.01	Atchafalaya Channel Daybeacon 21	29-18-40.373N 091-26-18.351W		0			SG on pile.	Ra ref.
18630	Atchafalaya Channel Light 22	29-18-35.346N 091-26-13.504W	FI R 2.5s	0	3		TR on pile.	Ra ref.
18632	Port of Morgan City Special Light A	29-19-05.090N 091-25-47.160W	FI Y 2.5s				Marks scientific data monitoring platform.	
18632.01	Port of Morgan City Special Light B	29-22-23.100N 091-23-02.040W	FI Y 2.5s				Marks scientific data monitoring platform.	
18635	USACE Test Platform B Light	29-19-15.500N 091-25-25.500W	FI Y 2.5s				NY on platform.	
18640	Atchafalaya Channel Light 24	29-19-22.715N 091-25-31.215W	FI R 4s	0	3		TR on pile.	Ra ref.
18645	Atchafalaya Channel Light 23	29-19-26.518N 091-25-38.604W	FI G 4s	0	4		SG on pile.	Ra ref.
18650	USACE Test Platform C Light	29-20-33.400N 091-25-56.900W	FI Y 2.5s				NY on platform.	
18655	Atchafalaya Channel Light 25	29-20-13.729N 091-24-56.962W	FI G 6s	0	4		SG on pile.	Ra ref.
18660	Atchafalaya Channel Light 26	29-20-08.694N 091-24-50.188W	FI R 6s	0	4		TR on pile.	Ra ref.
18665	Atchafalaya Channel Light 27	29-21-01.263N 091-24-14.574W	FI G 4s	0	4		SG on pile.	Ra ref.
18670	USACE Test Platform D Light	29-20-36.500N 091-23-46.700W	FI Y 2.5s				NY on platform.	
18675	USACE Test Platform E Light	29-21-14.200N 091-24-40.700W	FI Y 2.5s				NY on platform.	
18680	Atchafalaya Channel Light 28	29-20-56.537N 091-24-07.774W	FI R 4s	0	4		TR on pile.	Ra ref.
18685	Atchafalaya Channel Light 29	29-21-37.092N 091-23-42.484W	FI G 2.5s	0	3		SG on pile.	Ra ref.
18690	Atchafalaya Channel Light 30	29-21-33.878N 091-23-34.551W	FI R 2.5s	0	3		TR on pile.	Ra ref.
18700	Atchafalaya Channel Light 33	29-22-19.848N 091-23-03.738W	FI G 4s	0	4		SG on pile.	

18705	Atchafalaya Channel Light 34	29-22-15.800N 091-22-57.827W	FI R 4s	0	3	TR on pile.	Ra ref.
18710	Atchafalaya Channel Light 35	29-23-04.479N 091-22-27.153W	FI G 2.5s	0	3	SG on pile.	Ra ref.
18715	Atchafalaya Channel Light 36	29-22-59.898N 091-22-17.919W	FI R 2.5s	0	3	TR on pile.	Ra ref.
18720	Atchafalaya Channel Light 37	29-23-43.624N 091-21-51.085W	FI G 4s	0	4	SG on pile.	Ra ref.
18725	Atchafalaya Channel Light 38	29-23-40.349N 091-21-42.051W	FI R 4s	0	3	TR on pile.	Ra ref.
18730	Atchafalaya Channel Light 40	29-24-21.758N 091-21-06.849W	FI R 6s	0	4	TR on pile.	Ra ref.
18735	Atchafalaya Channel Light 39	29-24-34.195N 091-21-05.869W	FI G 6s	0	4	SG on pile.	Ra ref.
18740	Atchafalaya Channel Light 41	29-25-04.503N 091-20-40.868W	FI G 4s	0	4	SG on pile.	Ra ref.
18745	Atchafalaya Channel Light 42	29-25-00.734N 091-20-34.452W	FI R 4s	0	3	TR on pile.	Ra ref.
18750	Atchafalaya Channel Light 43	29-25-48.782N 091-20-02.042W	FI G 2.5s	0	3	SG on pile.	Ra ref.
18755	Atchafalaya Channel Light 44	29-25-33.037N 091-20-04.779W	FI R 2.5s	0	3	TR on pile.	Ra ref.
18760	Atchafalaya Channel Light 45	29-26-18.115N 091-19-37.760W	FI G 4s	0	4	SG on pile.	Ra ref.
18765	Atchafalaya Channel Light 46	29-26-16.020N 091-19-26.792W	FI R 4s	0	3	TR on pile.	Ra ref.
18770	Amerada Pass Channel Daybeacon 2	29-26-25.800N 091-19-45.400W				TR on pile.	
18775	Amerada Pass Channel Daybeacon 4	29-26-28.800N 091-19-50.400W				TR on pile.	
18780	Amerada Pass Channel Daybeacon 6	29-26-28.800N 091-19-56.400W				TR on pile.	
18785	Amerada Pass Channel Daybeacon 8	29-26-31.800N 091-19-57.400W				TR on pile.	
18790	Amerada Pass Channel Daybeacon 10	29-26-34.800N 091-19-58.400W				TR on pile.	
18795	Amerada Pass Channel Daybeacon 11	29-26-40.800N 091-19-59.400W				SG on pile.	
18800	Amerada Pass Channel Daybeacon 12	29-26-58.800N 091-20-06.400W				TR on pile.	
18805	Amerada Pass Channel Daybeacon 13	29-26-49.800N 091-20-03.400W				SG on pile.	
18810	NOAA Atchafalaya Bay Tide Monitoring Platform Light	29-26-58.540N 091-20-17.150W	FI Y 2.5s			On platform.	
18815	Atchafalaya Channel Light 47	29-26-38.421N 091-19-04.562W	Q G	0	3	SG on pile.	Ra ref.
18820	Atchafalaya Channel Light 48	29-26-31.419N 091-19-02.484W	Q R	0	3	TR on pile.	Ra ref.
18825	Atchafalaya Channel Light 51	29-26-51.503N 091-18-29.705W	FI G 2.5s	0	3	SG on pile.	Ra ref.
18830	Atchafalaya Channel Light 52	29-26-39.460N 091-18-36.401W	FI R 2.5s	0	3	TR on pile.	Ra ref.
18835	Atchafalaya Channel Light 53	29-27-07.379N 091-17-45.058W	FI G 4s	0	4	SG on pile.	Ra ref.
18840.01	Atchafalaya Channel Light 54	29-26-53.717N 091-17-47.239W	FI R 4s	0	3	TR on pile.	Ra ref.
18846	Atchafalaya Channel Light 55	29-27-19.490N 091-17-20.504W	FI G 6s	0	3	SG on pile.	Ra ref.
18850.01	Atchafalaya Channel Daybeacon 56	29-27-17.431N 091-17-02.351W				TR on pile.	Ra ref.
18856	Atchafalaya Channel Light 57	29-27-50.082N 091-16-57.032W	FI G 4s	0	4	SG on pile.	Ra ref.
18861	Atchafalaya Channel Light 58	29-27-58.955N 091-16-32.726W	FI R 6s	0	3	TR on pile.	Ra ref.
18865	Atchafalaya Channel Light 59	29-28-38.788N 091-16-39.456W	FI G 2.5s	0	4	SG on pile.	Ra ref.
18876	Atchafalaya River Light 2	29-28-46.830N 091-16-16.957W	FI R 2.5s	0	3	TR on pile.	Ra ref.
18877	Atchafalaya River Light 3	29-29-12.072N 091-16-27.990W	FI G 2.5s	0	3	SG on pile.	Ra ref.

18880	Atchafalaya River Light 4	29-29-37.052N 091-16-06.443W	FI R 4s	0	3	TR on pile.	Ra ref.
18885	Atchafalaya River Light 5	29-29-59.999N 091-16-15.592W	FI G 4s	0	3	SG on pile.	Ra ref.
18890	Atchafalaya River Light 6	29-30-10.558N 091-15-59.639W	Q R	0	3	TR on pile.	Ra ref.
18895	Atchafalaya River Light 7	29-30-36.996N 091-16-16.164W	FI G 2.5s	0	4	SG on pile.	Ra ref.
18901	Atchafalaya River Light 9	29-32-04.992N 091-16-14.670W	FI G 2.5s	0	3	SG on pile.	Ra ref.
18906	Atchafalaya River Light 10	29-32-05.807N 091-15-56.221W	FI R 2.5s	0	3	TR on pile.	Ra ref.
18911	Atchafalaya River Light 8	29-31-25.837N 091-16-11.773W	FI R 2.5s	0	3	TR on pile.	Ra ref.
18915	Atchafalaya River Light 11	29-32-20.722N 091-16-01.910W	FI G 4s	0	3	SG on pile.	Ra ref.
18921	Atchafalaya River Light 12	29-32-21.724N 091-15-39.511W	FI R 6s	0	3	TR on pile.	Ra ref.
18963	Atchafalaya River Junction Light C	29-32-30.713N 091-14-50.623W	FI (2+1)R 6s	0	3	JR on pile.	Ra ref.
18970.01	Avoca Island Cutoff Channel Daybeacon 1	29-32-18.809N 091-14-44.919W		0		SG on pile.	Ra ref.
18973	Avoca Island Cutoff Channel Light 2	29-32-12.036N 091-14-47.041W	FI R 2.5s	0	3	TR on pile.	Ra ref.
18975	Avoca Island Cutoff Channel Daybeacon 4	29-33-15.971N 091-12-30.884W		0		TR on pile.	Ra ref.
18980	Avoca Island Cutoff Channel Daybeacon 6	29-34-02.093N 091-12-11.182W		0		TR on pile.	Ra ref.
18985	Avoca Island Cutoff Channel Light 7	29-35-39.057N 091-11-43.898W	FI G 4s	0	4	SG on pile.	Ra ref.
18990	Avoca Island Cutoff Channel Daybeacon 8	29-35-44.927N 091-10-24.511W		0		TR on pile.	Ra ref.
18995	Avoca Island Cutoff Channel Daybeacon 9	29-35-40.245N 091-09-59.211W		0		SG on pile.	Ra ref.
19000	Avoca Island Cutoff Channel Daybeacon 10	29-35-33.253N 091-09-57.086W		0		TR on pile.	Ra ref.
19005	Avoca Island Cutoff Channel Light 11	29-35-41.976N 091-09-33.178W	FI G 2.5s	0	3	SG on pile.	Ra ref.
19010	Avoca Island Cutoff Channel Daybeacon 12	29-35-39.621N 091-09-25.840W		0		TR on pile.	Ra ref.
19015	Avoca Island Cutoff Channel Light 13	29-36-15.485N 091-09-10.399W	FI G 4s	0	4	SG on pile.	Ra ref.
19020	Avoca Island Cutoff Channel Daybeacon 14	29-36-23.828N 091-08-43.857W		0		TR on pile.	Ra ref.
19025	Avoca Island Cutoff Channel Light 15	29-36-37.689N 091-08-23.834W	FI G 6s	0	4	SG on pile.	Ra ref.
19027.04	Bayou Chene North Danger Light	29-37-22.090N 091-05-22.770W	FI W 2.5s			Marks the north rock wall.	
19027.05	Bayou Chene South Danger Light	29-37-17.060N 091-05-22.770W	FI W 2.5s			Marks the south rock wall.	
19027.06	Bayou Chene Floodgate Light 1	29-37-24.880N 091-05-38.270W	FI G 2.5s			Marks protection dolphin.	
19027.07	Bayou Chene Floodgate Light 2	29-37-20.160N 091-05-36.720W	FI R 2.5s			Marks protection dolphin.	
19027.08	Bayou Chene Floodgate Light 3	29-37-23.470N 091-05-32.620W	FI G 2.5s			Marks floodgate structure.	
19027.09	Bayou Chene Floodgate Light 4	29-37-19.360N 091-05-34.210W	FI R 2.5s			Marks floodgate structure.	
19027.11	Bayou Chene Floodgate Light 5	29-37-22.900N 091-05-31.020W	FI G 2.5s			Marks floodgate structure.	
19027.12	Bayou Chene Floodgate Light 6	29-37-18.670N 091-05-32.580W	FI R 2.5s			Marks floodgate structure.	
19030	Burke Canal 7 Barracade Light	29-36-06.000N 091-08-06.000W	FI W 2.5s			On pontoon gate.	
19035.01	Atchafalaya River Light 13	29-32-47.802N 091-14-56.693W	FI G 6s	0	3	SG on pile.	Ra ref.
19040.01	Atchafalaya River Daybeacon 15	29-33-05.530N 091-14-23.636W		0		SG on pile.	Ra ref.
19045.01	Atchafalaya River Daybeacon 17	29-33-26.639N 091-14-08.065W		0		SG on pile.	Ra ref.

19050.01	Atchafalaya River Light 16	29-33-20.930N 091-13-54.230W	FI R 2.5s	0	3	TR on pile.	Ra ref.
19055.01	Atchafalaya River Light 19	29-34-14.011N 091-13-51.487W	FI G 4s	0	3	SG on pile.	Ra ref.
19060.01	Atchafalaya River Light 21	29-34-35.340N 091-13-53.562W	FI G 2.5s	0	3	SG on pile.	Ra ref.
19065.01	Atchafalaya River Light 20	29-34-25.418N 091-13-35.848W	FI R 4s	0	3	TR on pile.	Ra ref.
19075	Bayou Shaffer Entrance Light 2	29-35-07.949N 091-13-06.682W	FI R 2.5s	0	3	TR on pile.	Ra ref.
19080	Vector Energy Co. Loading Dock Light	29-35-23.600N 091-12-55.300W	FI G 2.5s			Dock.	
19082.03	Central Boat Rentals Mooring Dolphin Light	29-39-17.820N 091-12-12.420W	FI W 2.5s			Marks fleeting area mooring dolphin.	
19082.02	Central Boat Rentals Mooring Dolphin Light	29-39-14.040N 091-12-09.240W	FI W 2.5s			Marks fleeting area mooring dolphin.	
19082.01	Central Boat Rentals Mooring Dolphin Light	29-39-08.760N 091-12-04.620W	FI W 2.5s			Marks fleeting area mooring dolphin.	
19082	Central Boat Rentals Mooring Dolphin Light	29-39-03.840N 091-12-01.800W	FI W 2.5s			Marks fleeting area mooring dolphin.	
19085	Bayou Shaffer Lighted Wreck Buoy WR1	29-40-30.708N 091-12-11.114W	Q G		3	Green.	
19090.01	Atchafalaya River Light 23	29-35-03.422N 091-13-57.962W	FI G 2.5s	0	3	SG on pile.	Ra ref.
19095.01	Atchafalaya River Light 24	29-35-30.659N 091-13-59.459W	FI R 4s	0	3	TR on pile.	Ra ref.
19101	Atchafalaya River Light 25	29-35-34.048N 091-14-22.048W	FI G 4s	0	3	SG on pile.	Ra ref.
19105.01	Atchafalaya River Light 26	29-36-30.469N 091-14-48.387W	FI R 2.5s	14	3	TR-NW on pile.	VTS Berwick check point sign. Daybeacon on same structure as light. Ra ref.
19108	Atchafalaya River Light 27	29-36-42.226N 091-15-14.627W	FI G 6s	0	3	SG on pile.	Ra ref.
19111	Atchafalaya River Light 29	29-37-31.956N 091-15-31.413W	FI G 4s	0	3	SG on pile.	Ra ref.
19115.01	Atchafalaya River Light 28	29-37-29.212N 091-15-21.995W	Q R	0	3	TR on pile.	Ra ref.
19125.01	Atchafalaya River Daybeacon 31	29-37-53.284N 091-14-49.835W			0	SG on pile.	Ra ref.
19131	Atchafalaya River Light 33	29-38-01.146N 091-14-38.358W	FI G 2.5s	0	3	SG on pile.	Ra ref.
19136	Atchafalaya River Light 34	29-38-19.518N 091-14-17.961W	FI R 4s	0	3	TR on pile.	Ra ref.
19140.01	Atchafalaya River Light 36	29-39-15.710N 091-14-26.189W	FI R 2.5s	17	3	TR on pile.	Ra ref.
19145	Little Wax Bayou Junction Light A	29-39-37.386N 091-14-31.852W	FI (2+1)G 6s	0	5	JG-TY on dolphin.	Ra ref.
19150	Little Wax Bayou Light 1	29-39-24.409N 091-14-48.528W	Q G	0	4	SG-SY on pile.	Ra ref.
19155	Berwick Bay Range Front A Light	29-41-10.118N 091-12-37.392W	Q R	0		KRW on skeleton tower on piles.	Visible from 054.6° to 215.6°.
19160	Berwick Bay Range Rear A Light	29-41-06.157N 091-12-35.851W	Iso R 6s	20		KRW on skeleton tower on piles.	Visible from 147.6° to 172.6°.
19165	Berwick Light	29-41-39.000N 091-13-03.000W	FI W 6s			Red tapered tower.	
19170	Berwick Bay Bridge Approach Danger Range Front Light	29-41-46.723N 091-12-54.865W	Q Y	0		KGR-I on west side bridge abutment.	Visible downbound only. Range marks the western boundary of the suggested downbound course for approaching the bridges. NOTE: Range is not to be steered on.
19175	Berwick Bay Bridge Approach Danger Range Rear Light	29-41-43.631N 091-12-53.222W	Iso Y 6s	0		KGR-I on west side bridge abutment.	Visible downbound only. NOTE: Range is not to be steered on.
19180	Conrad Drydock Lights	29-42-00.000N 091-13-00.000W	FI R 2.5s			On drydock and dolphin.	
19185	Berwick Locks Buoy 1	29-42-50.120N 091-13-21.869W				Green can with yellow triangle.	
19190	Berwick Lock Daybeacon	29-43-00.655N 091-13-22.758W			0	NW on pile.	VTS Berwick check point sign.
19195	Drews Island Shoal Buoy 2	29-43-21.185N 091-12-54.188W				Red nun.	
19200	Valero Refining Dock Lights (2)	30-31-50.000N 091-44-35.000W	FI G 2.5s			On dolphins.	
19205	Stouts Point Light 1	29-44-41.938N 091-13-50.284W	FI G 4s	0	4	SG on pile. NW on pile.	VTS Berwick check point sign. Daybeacon on same structure as light. Ra ref.

19210	P&P Oil Loading Dock Light A	30-16-11.000N 091-35-11.000W	FI R 2.5s	On square platform.
19215	Valero Dolphin Lights (2)	30-30-36.000N 091-45-00.000W	FI G 2.5s	On dolphins.
19220	Port Krotz Springs Dolphin Lights	30-31-17.400N 091-44-13.800W	FI G 2.5s	On dolphins.
19225	Avoyelles Parish Port Commission Unloading Dock Lights (2)	30-57-47.870N 091-48-24.200W	FI G 2.5s	On barge dock.
19226	New Iberia Civic Center Marina Dock Light Lower	30-00-12.625N 091-48-42.296W	FI G 2.5s	Marks downstream end of dock.
19226.01	New Iberia Civic Center Marina Dock Light Upper	30-00-13.957N 091-48-45.583W	FI G 2.5s	Marks upstream end of dock.
19245	Berwick-Bayou Vista Intake Light	29-43-26.000N 091-14-20.000W	Q G	On pile.
19250	Atchafalaya Bay Light 1	29-27-24.000N 091-20-45.000W	FI G 6s	SG on pile.
19255	Atchafalaya Bay Daybeacon 3	29-27-19.000N 091-20-40.000W		SG on pile.
19260	Atchafalaya Bay Daybeacon 5	29-27-17.000N 091-20-36.000W		SG on pile.
19265	Atchafalaya Bay Daybeacon 7	29-27-15.000N 091-20-34.000W		SG on pile.
19270	Atchafalaya Bay Daybeacon 9	29-27-15.000N 091-20-31.000W		SG on pile.
19275	Atchafalaya Bay Daybeacon 11	29-27-10.000N 091-20-27.000W		SG on pile.
19280	Atchafalaya Bay Daybeacon 13	29-27-08.000N 091-20-24.000W		SG on pile.
19285	Belle Isle 340-29 Channel Daybeacon 1	29-29-55.000N 091-23-30.000W		SG on pile.
19290	Belle Isle 340-29 Channel Daybeacon 3	29-29-55.000N 091-23-31.000W		SG on pile.
19295	Belle Isle 340-29 Channel Daybeacon 5	29-29-57.000N 091-23-26.000W		SG on pile.
19300	Belle Isle 340-29 Channel Daybeacon 7	29-29-57.000N 091-23-37.000W		SG on pile.
19305	Belle Isle 340-29 Channel Daybeacon 9	29-29-59.000N 091-23-42.000W		SG on pile.
19310	Belle Isle 340-29 Channel Daybeacon 11	29-29-59.000N 091-23-43.000W		SG on pile.
19315	Belle Isle 340-29 Channel Daybeacon 13	29-30-01.000N 091-23-47.000W		SG on pile.
19320	Belle Isle 340-29 Channel Daybeacon 15	29-30-01.000N 091-23-48.000W		SG on pile.
19325	Atchafalaya Bay Well 36 Daybeacon 1	29-30-07.000N 091-23-49.000W		SG on pile.
19330	Atchafalaya Bay Well 36 Daybeacon 3	29-30-11.000N 091-23-52.000W		SG on pile.
19335	Atchafalaya Bay Well 36 Daybeacon 5	29-30-16.000N 091-23-55.000W		SG on pile.
19340	Atchafalaya Bay Well 36 Daybeacon 7	29-30-20.000N 091-23-57.000W		SG on pile.
19345	Atchafalaya Bay Well 36 Daybeacon 9	29-30-22.000N 091-23-59.000W		SG on pile.
19350	Belle Isle 340-39 Channel Daybeacon 1	29-30-10.000N 091-23-39.000W		SG on pile.
19355	Belle Isle 340-39 Channel Daybeacon 3	29-30-10.000N 091-23-40.000W		SG on pile.
19360	Belle Isle 340-39 Channel Daybeacon 5	29-30-11.000N 091-23-44.000W		SG on pile.
19365	Belle Isle 340-39 Channel Daybeacon 7	29-30-12.000N 091-23-46.000W		SG on pile.
19370	Belle Isle 340-39 Channel Daybeacon 9	29-30-13.000N 091-23-51.000W		SG on pile.
19375	Belle Isle Well 38 Daybeacon 1	29-29-56.000N 091-24-43.000W		SG on pile.
19380	Belle Isle Well 38 Daybeacon 3	29-29-56.000N 091-24-42.000W		SG on pile.
19385	Belle Isle Well 38 Daybeacon 5	29-29-59.000N 091-24-38.000W		SG on pile.

19390	Belle Isle Well 38 Daybeacon 7	29-29-59.000N 091-24-37.000W		SG on pile.
19395	Belle Isle Well 38 Daybeacon 9	29-30-01.000N 091-24-34.000W		SG on pile.
19400	Belle Isle Well 38 Daybeacon 11	29-30-02.000N 091-24-33.000W		SG on pile.
19405	Belle Isle Well 38 Daybeacon 13	29-30-04.000N 091-24-29.000W		SG on pile.
19410	Belle Isle Well 38 Daybeacon 15	29-30-05.000N 091-24-28.000W		SG on pile.
19415	Belle Isle Well 38 Daybeacon 17	29-30-07.000N 091-24-24.000W		SG on pile.
19420	Belle Isle Well 38 Daybeacon 19	29-30-07.000N 091-24-23.000W		SG on pile.
19425	Belle Isle Well 38 Daybeacon 21	29-30-09.000N 091-24-19.000W		SG on pile.
19430	Belle Isle Well 38 Daybeacon 23	29-30-10.000N 091-24-18.000W		SG on pile.
19435	Belle Isle Well 38 Daybeacon 25	29-30-12.000N 091-24-15.000W		SG on pile.
19440	Belle Isle Well 38 Daybeacon 27	29-30-13.000N 091-24-14.000W		SG on pile.
19445	Belle Isle Well 38 Daybeacon 29	29-30-15.000N 091-24-10.000W		SG on pile.
19450	Belle Isle Well 38 Daybeacon 31	29-30-15.000N 091-24-09.000W		SG on pile.
19455	Belle Isle Well 38 Daybeacon 33	29-30-17.000N 091-24-05.000W		SG on pile.
19460	Belle Isle Well 38 Daybeacon 35	29-30-18.000N 091-24-04.000W		SG on pile.
19465	Belle Isle Well 38 Daybeacon 37	29-30-20.000N 091-24-00.000W		SG on pile.
19470	Atchafalaya Bay Well 24 Daybeacon 1	29-30-26.500N 090-22-51.000W		SG on pile.
19475	Atchafalaya Bay Well 24 Daybeacon 2	29-30-28.000N 090-22-56.000W		TR on pile.
19480	Atchafalaya Bay Well 24 Daybeacon 3	29-30-26.000N 090-22-54.000W		SG on pile.
19485	Atchafalaya Bay Well 24 Daybeacon 5	29-30-25.500N 091-23-57.000W		SG on pile.
19490	Atchafalaya Bay Well 24 Daybeacon 7	29-30-25.000N 091-23-00.000W		SG on pile.
19495	Atchafalaya Bay Well 24 Daybeacon 9	29-30-24.000N 091-23-07.000W		SG on pile.
19500	Atchafalaya Bay Well 35 Daybeacon 9	29-30-28.000N 091-23-14.000W		SG on pile.
19505	Atchafalaya Bay Light 1	29-25-18.000N 091-35-46.000W	Q G	Pile structure.
19510	Atchafalaya Bay Light 11	29-27-57.000N 091-34-24.000W	Q G	On pile.
19515	Atchafalaya Bay Light 12	29-30-59.000N 091-33-27.000W	Q R	On pile.
19520	Lake Fausse Pointe Channel Light 1	30-04-54.000N 091-37-47.000W	FI W 4s	SG on dolphin.
19525	Lake Fausse Pointe Channel Daybeacon 2	30-00-59.740N 091-39-26.510W		TR on pile.
19530	Lake Fausse Pointe Channel Daybeacon 4	30-00-59.820N 091-39-25.090W		TR on pile.
19535	Lake Fausse Pointe Channel Daybeacon 6	30-01-10.230N 091-39-12.850W		TR on pile.
19540	Lake Fausse Pointe Channel Daybeacon 8	30-01-19.670N 091-39-02.830W		TR on pile.
19545	Lake Fausse Pointe Channel Daybeacon 10	30-01-20.050N 091-39-02.310W		TR on pile.
19550	Lake Fausse Pointe Channel Daybeacon 12	30-01-25.260N 091-38-53.990W		TR on pile.
19555	Lake Fausse Pointe Channel Daybeacon 14	30-01-28.660N 091-38-45.810W		TR on pile.
19560	Lake Fausse Pointe Channel Daybeacon 16	30-01-28.840N 091-38-45.290W		TR on pile.

19565	Lake Fausse Pointe Channel Daybeacon 18	30-01-32.040N 091-38-38.510W	TR on pile.
19570	Lake Fausse Pointe Channel Daybeacon 20	30-01-35.090N 091-38-26.690W	TR on pile.
19575	Lake Fausse Pointe Channel Daybeacon 22	30-01-35.400N 091-38-25.390W	TR on pile.
19580	Lake Fausse Pointe Channel Daybeacon 24	30-01-38.330N 091-38-13.330W	TR on pile.
19585	Lake Fausse Pointe Channel Daybeacon 26	30-01-38.800N 091-38-02.630W	TR on pile.
19590	Lake Fausse Pointe Channel Daybeacon 28	30-01-38.720N 091-38-02.050W	TR on pile.
19595	Lake Fausse Pointe Channel Daybeacon 30	30-01-36.600N 091-37-54.710W	TR on pile.
19600	Lake Fausse Pointe Channel Daybeacon 32	30-01-31.350N 091-37-46.090W	TR on pile.
19605	Lake Fausse Pointe Channel Daybeacon 34	30-01-31.060N 091-37-47.630W	TR on pile.
19610	Lake Fausse Pointe Channel Daybeacon 36	30-01-24.870N 091-37-35.350W	TR on pile.
19615	Lake Fausse Pointe Channel Daybeacon 38	30-01-24.440N 091-37-30.690W	TR on pile.
19620	Lake Fausse Pointe Channel Daybeacon 40	30-01-26.930N 091-37-25.690W	TR on pile.
19625	Lake Fausse Pointe Channel Daybeacon 42	30-01-27.280N 091-37-25.290W	TR on pile.
19630	Lake Fausse Pointe Channel Daybeacon 44	30-01-25.690N 091-37-11.010W	TR on pile.
19635	Lake Fausse Pointe Channel Daybeacon 46	30-01-47.130N 091-37-27.450W	TR on pile.
19640	Lake Fausse Pointe Channel Daybeacon 48	30-01-47.580N 091-37-27.690W	TR on pile.
19645	Lake Fausse Pointe Channel Daybeacon 50	30-01-58.330N 091-37-32.970W	TR on pile.
19650	Lake Fausse Pointe Channel Daybeacon 52	30-02-09.500N 091-37-38.310W	TR on pile.
19655	Lake Fausse Pointe Channel Daybeacon 54	30-02-09.950N 091-37-38.490W	TR on pile.
19660	Lake Fausse Pointe Channel Daybeacon 56	30-02-21.780N 091-37-41.370W	TR on pile.
19665	Lake Fausse Pointe Channel Daybeacon 58	30-02-33.000N 091-37-42.630W	TR on pile.
19670	Lake Fausse Pointe Channel Daybeacon 60	30-02-34.800N 091-37-42.870W	TR on pile.
19675	Lake Fausse Pointe Channel Daybeacon 62	30-02-48.920N 091-37-44.330W	TR on pile.
19680	Lake Fausse Pointe Channel Daybeacon 64	30-02-53.630N 091-37-43.310W	TR on pile.
19685	Lake Fausse Pointe Channel Daybeacon 66	30-02-54.150N 091-37-43.650W	TR on pile.
19690	Lake Fausse Pointe Channel Daybeacon 68	30-03-00.150N 091-37-40.630W	TR on pile.
19695	Lake Fausse Pointe Channel Daybeacon 70	30-03-06.800N 091-37-36.250W	TR on pile.
19700	Lake Fausse Pointe Channel Daybeacon 72	30-03-07.170N 091-37-35.970W	TR on pile.
19705	Lake Fausse Pointe Channel Daybeacon 74	30-03-14.730N 091-37-28.570W	TR on pile.
19710	Lake Fausse Pointe Channel Daybeacon 76	30-03-21.190N 091-37-20.670W	TR on pile.
19715	Lake Fausse Pointe Channel Daybeacon 78	30-03-21.510N 091-37-20.270W	TR on pile.
19720	Lake Fausse Pointe Channel Daybeacon 80	30-03-26.670N 091-37-15.430W	TR on pile.
19725	Lake Fausse Pointe Channel Daybeacon 82	30-03-31.690N 091-37-12.530W	TR on pile.
19730	Lake Fausse Pointe Channel Daybeacon 84	30-03-37.050N 091-37-11.270W	TR on pile.
19735	Lake Fausse Pointe Channel Daybeacon 86	30-03-37.150N 091-37-10.990W	TR on pile.

19740	Lake Fausse Pointe Channel Daybeacon 88	30-03-44.270N 091-37-10.830W		TR on pile.	
19745	Lake Fausse Pointe Channel Daybeacon 90	30-03-55.310N 091-37-11.550W		TR on pile.	
19748	Loreauville Canal Flood Control Structure Light 1	30-01-08.900N 091-40-49.100W	FI G 2.5s	Marks southeast entry dolphin.	
19748.01	Loreauville Canal Flood Control Structure Light 2	30-01-09.700N 091-40-49.400W	FI R 2.5s	Marks northeast entry dolphin.	
19748.02	Loreauville Canal Flood Control Structure Light 3	30-01-09.400N 091-40-52.500W	FI G 2.5s	Marks southwest entry dolphin.	
19748.03	Loreauville Canal Flood Control Structure Light 4	30-01-10.000N 091-40-51.500W	FI R 2.5s	Marks northwest entry dolphin.	
19750	Bayou Sale Entrance Light 1	29-32-51.000N 091-32-09.000W	FI G 3s	SG on dolphin.	HORN: 1 blast ev 20s (2s bl).
19755	Bayou Sale Channel Buoy 2	29-32-50.500N 091-32-01.800W		Red nun.	
19760	Bayou Sale Channel Buoy 3	29-32-51.900N 091-32-02.200W		Black can.	
19765	Bayou Sale Channel Buoy 4	29-32-52.100N 091-31-55.200W		Red nun.	
19770	Bayou Sale Channel Buoy 5	29-32-53.500N 091-31-55.700W		Black can.	
19775	Bayou Sale Channel Buoy 6	29-32-55.500N 091-31-47.500W		Red nun.	
19780	Bayou Sale Channel Buoy 7	29-32-55.100N 091-31-49.100W		Black can.	
19785	Bayou Sale Channel Buoy 8	29-32-55.300N 091-31-42.100W		Red nun.	
19790	Bayou Sale Channel Buoy 9	29-32-56.700N 091-31-42.600W		Black can.	
19795	Bayou Sale Channel Buoy 10	29-32-56.900N 091-31-35.600W		Red nun.	
19800	Bayou Sale Channel Buoy 11	29-32-58.300N 091-31-36.000W		Black can.	
19805	Bayou Sale Channel Light 13	29-33-00.000N 091-31-00.500W	Q G	SG on dolphin.	
19810	Lukes Landing Light 2	29-35-48.200N 091-32-56.900W	FI R 4s	TR on dolphin.	
19815	Lukes Landing Light 1	29-35-51.200N 091-32-57.500W	FI G 4s	SG on dolphin.	
19816	St Mary Parish Burns Point Fishing Pier Lights (6)	29-34-26.110N 091-32-18.740W	Q W	Marks public fishing pier.	
19817	Burns Point Channel Daybeacon 1	29-34-34.320N 091-32-24.360W		SG on pile.	
19817.01	Burns Point Channel Daybeacon 2	29-34-33.240N 091-32-23.280W		TR on pile.	
19817.02	Burns Point Channel Daybeacon 3	29-34-33.600N 091-32-22.920W		SG on pile.	
19817.03	Burns Point Channel Daybeacon 4	29-34-32.520N 091-32-21.480W		TR on pile.	
19817.04	Burns Point Channel Daybeacon 5	29-34-32.880N 091-32-21.480W		SG on pile.	
19817.05	Burns Point Channel Daybeacon 6	29-34-31.800N 091-32-20.040W		TR on pile.	
19817.06	Burns Point Channel Daybeacon 7	29-34-32.160N 091-32-19.680W		SG on pile.	
19817.07	Burns Point Channel Daybeacon 8	29-34-31.080N 091-32-18.240W		TR on pile.	
19817.08	Burns Point Channel Daybeacon 9	29-34-31.440N 091-32-18.240W		SG on pile.	
19817.09	Burns Point Channel Daybeacon 10	29-34-31.080N 091-32-17.620W		TR on pile.	
19817.11	Burns Point Channel Danger Daybeacon	29-34-30.720N 091-32-17.160W		NW on bulkhead.	
19817.12	Burns Point Channel Danger Daybeacon	29-34-30.720N 091-32-16.800W		NW on bulkhead.	
19817.13	Burns Point Channel Danger Daybeacon	29-34-30.360N 091-32-16.440W		NW on bulkhead.	
19817.14	Burns Point Channel Danger Daybeacon	29-34-30.000N 091-32-16.080W		NW on bulkhead.	

19817.15	Burns Point Channel Danger Daybeacon	29-34-31.440N 091-32-17.880W		NW on bulkhead.	
19820	Louisiana Coastal Restoration Project East Danger Daybeacon	29-38-17.000N 091-34-04.000W		NW on pile worded DANGER UNDERWATER OBSTRUCTION DO NOT PROCEED.	Marks east end of submerged dike.
19825	Louisiana Coastal Restoration Project Middle Danger Daybeacon	29-38-18.000N 091-34-06.000W		NW on pile worded DANGER UNDERWATER OBSTRUCTION DO NOT PROCEED.	Marks middle of submerged dike.
19830	Louisiana Coastal Restoration Project West Danger Daybeacon	29-38-18.000N 091-34-36.000W		NW on pile worded DANGER UNDERWATER OBSTRUCTION DO NOT PROCEED.	Marks west end of submerged dike.
19835	E Cote Blan Bay Canal Entrance Light 1	29-38-08.000N 091-35-03.000W	FI W 4s	SG on dolphin.	
19840.01	Charenton Canal Buoy 2	29-41-17.000N 091-38-36.000W		Red nun.	
19845.01	Charenton Canal Buoy 4	29-41-32.000N 091-38-32.000W		Red nun.	
19850.01	Charenton Canal Buoy 6	29-41-43.000N 091-38-28.000W		Red nun.	
19855.01	Charenton Canal Buoy 8	29-41-58.000N 091-38-25.000W		Red nun.	
19860.01	Charenton Canal Buoy 10	29-42-12.000N 091-38-19.000W		Red nun.	
19865.01	Charenton Canal Buoy 12	29-42-26.000N 091-38-13.000W		Red nun.	
19870.01	Charenton Canal Buoy 14	29-42-39.000N 091-38-08.000W		Red nun.	
19875.01	Charenton Canal Buoy 16	29-42-51.000N 091-38-03.000W		Red nun.	
19880.01	Charenton Canal Buoy 18	29-43-05.000N 091-37-58.000W		Red nun.	
19885.01	Charenton Canal Buoy 20	29-43-17.000N 091-37-53.000W		Red nun.	
19890.01	Charenton Canal Buoy 22	29-43-29.000N 091-37-47.000W		Red nun.	
19895.01	Charenton Canal Buoy 24	29-43-44.000N 091-37-40.000W		Red nun.	
19900.01	Charenton Canal Buoy 26	29-43-58.000N 091-37-33.000W		Red nun.	
19905.01	Charenton Canal Buoy 28	29-44-10.000N 091-37-27.000W		Red nun.	
19910.01	Charenton Canal Buoy 30	29-44-22.000N 091-37-20.000W		Red nun.	
19915.01	Charenton Canal Buoy 32	29-44-35.000N 091-37-13.000W		Red nun.	
19920.01	Charenton Canal Buoy 34	29-44-47.000N 091-37-07.000W		Red nun.	
19925.01	Charenton Canal Buoy 36	29-44-59.000N 091-37-00.000W		Red nun.	
19930.01	Charenton Canal Buoy 38	29-45-04.000N 091-36-55.000W		Red nun.	
19935.01	Charenton Canal Buoy 40	29-45-07.000N 091-36-48.000W		Red nun.	
19960	Ivanhoe Canal Light 2	29-44-09.200N 091-44-10.300W	FI R 2.5s	TR on pile.	HORN: 1 blast ev 20s (2s bl).
19990	Ivanhoe Canal Light 8	29-44-26.000N 091-44-16.000W	FI R 2.5s	TR on pile.	
20045	Ivanhoe Canal Light 19	29-44-56.200N 091-44-17.700W	FI G 2.5s	SG on pile.	
20050	Ivanhoe Canal Light 20	29-44-55.600N 091-44-16.000W	FI R 2.5s	TR on pile.	
20055	Ivanhoe Canal Light 21	29-45-01.000N 091-44-18.000W	FI G 2.5s	SG on pile.	
20060	Mound Point Well 340-2 Light 2	29-27-35.000N 091-54-04.000W	Q R	TR on platform.	
20065	Mound Point Light 1	29-28-14.000N 091-54-36.000W	FI G 3s	SG on dolphin.	
20070	Mound Point Daybeacon 3	29-28-16.000N 091-56-26.000W		SG on pile.	
20075	Mound Point Daybeacon 5	29-28-21.000N 091-54-21.000W		SG on pile.	

20080	Mound Point Daybeacon 7	29-28-25.000N 091-54-16.000W					SG on pile.	
20085	Mound Point Daybeacon 9	29-28-29.000N 091-54-12.000W					SG on pile.	
20090	Mound Point Daybeacon 12	29-28-32.000N 091-54-13.000W					TR on pile.	
20095	Mound Point Daybeacon 14	29-28-34.000N 091-54-12.000W					TR on pile.	
20100	Mound Point Daybeacon 16	29-28-35.000N 091-54-10.000W					TR on pile.	
20105	Mound Point Daybeacon 18	29-28-35.000N 091-54-09.000W					TR on pile.	
20110	Mound Point Daybeacon 20	29-28-34.000N 091-54-08.000W					TR on pile.	
20115	Southwest Pass - Vermilion Bay Channel Light 3	29-32-18.906N 092-04-50.559W	FI G 4s	0	4		SG on pile.	Ra ref.
20120	Southwest Pass - Vermilion Bay Channel Light 4	29-32-15.123N 092-04-45.293W	FI R 4s	0	3		TR on dolphin.	Ra ref.
20125	Southwest Pass - Vermilion Bay Channel Light 5	29-33-41.354N 092-03-24.344W	FI G 6s	0	4		SG on pile.	Ra ref.
20130	Southwest Pass - Vermilion Bay Channel Light 7	29-34-37.141N 092-02-49.989W	FI G 2.5s	0	3		SG on pile.	Ra ref.
20132	Southwest Pass - Vermillion Bay Channel Light 8	29-34-43.016N 092-02-23.978W	FI R 2.5s	0	3		TR on pile.	Ra ref.
20135	Southwest Pass - Vermilion Bay Channel Light 10	29-34-55.533N 092-02-13.024W	Q R	0	3		TR on dolphin.	Ra ref.
20140	Southwest Pass - Vermilion Bay Channel Light 11	29-35-15.119N 092-02-06.109W	Q G	0	3		SG on pile.	Ra ref.
20145	Southwest Pass - Vermilion Bay Channel Light 13	29-35-13.619N 092-01-40.587W	FI G 4s	0	4		SG on pile.	Ra ref.
20150	Southwest Pass - Vermilion Bay Channel Light 14	29-35-06.020N 092-01-24.856W	FI R 6s	0	3		TR on pile.	Ra ref.
20155	Southwest Pass - Vermilion Bay Channel Light 15	29-35-34.830N 092-01-16.645W	FI G 6s	0	4		SG on pile.	Ra ref.
20160	Southwest Pass - Vermilion Bay Channel Light 16	29-35-26.056N 092-01-05.002W	FI R 6s	0	4		TR on pile.	Ra ref.
20165	Southwest Pass - Vermilion Bay Channel Light 17	29-35-58.284N 092-00-44.659W	FI G 2.5s	0	4		SG on pile.	Ra ref.
20170	Southwest Pass - Vermilion Bay Channel Light 18	29-35-50.993N 092-00-33.782W	FI R 2.5s	0	3		TR on pile.	Ra ref.
20175	Southwest Pass - Vermilion Bay Channel Light 19	29-36-24.608N 092-00-32.171W	FI G 4s	0	4		SG on pile.	Ra ref.
20180	Southwest Pass - Vermilion Bay Channel Light 20	29-36-12.570N 092-00-18.518W	FI R 4s	0	3		TR on pile.	Ra ref.
20185	Southwest Pass - Vermilion Bay Channel Light 21	29-36-44.561N 092-00-21.837W	Q G	0	3		SG on pile.	Ra ref.
20190	Southwest Pass - Vermilion Bay Channel Junction Light A	29-37-11.523N 092-00-14.425W	FI (2+1)R 6s	0	4		JR on pile.	Ra ref.
20195	Southwest Pass - Vermilion Bay Channel Light 22	29-38-09.572N 092-01-08.256W	FI R 4s	0	3		TR on pile.	Ra ref.
20200	Southwest Pass - Vermilion Bay Channel Light 24	29-39-02.251N 092-01-55.632W	FI R 6s	0	4		TR on pile.	Ra ref.
20205	Southwest Pass - Vermilion Bay Channel Light 26	29-39-47.881N 092-02-37.825W	FI R 2.5s	0	3		TR on pile.	Ra ref.
20210	Southwest Pass - Vermilion Bay Channel Light 28	29-40-36.218N 092-03-20.768W	FI R 4s	0	3		TR on dolphin.	Ra ref.
20215	Southwest Pass - Vermilion Bay Channel Light 29	29-41-08.316N 092-04-00.729W	FI G 2.5s	0	3		SG on pile.	Ra ref.
20220	Southwest Pass - Vermilion Bay Channel Light 30	29-41-21.623N 092-03-58.702W	FI R 2.5s	0	3		TR on pile.	Ra ref.
20225	Southwest Pass - Vermilion Bay Channel Light 32	29-42-14.389N 092-04-47.449W	FI R 4s	0	3		TR on pile.	Ra ref.
20230	Southwest Pass - Vermilion Bay Channel Light 34	29-42-57.601N 092-05-26.372W	FI R 6s	0	4		TR on pile.	Ra ref.
20235	Southwest Pass - Vermilion Bay Channel Light 35	29-43-39.972N 092-06-08.987W	FI G 2.5s	0	3		SG on pile.	Ra ref.
20240	Southwest Pass - Vermilion Bay Channel Light 36	29-43-41.904N 092-06-06.100W	FI R 2.5s	0	3		TR on pile.	Ra ref.
20245	Southwest Pass - Vermilion Bay Channel Light 37	29-44-27.503N 092-06-45.145W	FI G 4s	0	4		SG on pile.	Ra ref.

20250	Southwest Pass - Vermilion Bay Channel Light 38	29-44-30.373N 092-06-41.410W	Fl R 4s	0	3	TR on pile.	Ra ref.
20255	Shell Daybeacon 1	29-44-49.000N 092-11-56.800W				SG on pile.	Ra ref.
20260	Shell Daybeacon 2	29-44-48.560N 092-11-57.540W				TR on pile.	
20265	Shell Daybeacon 3	29-44-20.730N 092-11-20.740W				SG on pile.	
20270	Shell Daybeacon 4	29-44-19.870N 092-11-21.260W				TR on pile.	
20275	Shell Daybeacon 5	29-44-12.510N 092-10-30.140W				SG on pile.	
20280	Shell Daybeacon 6	29-44-11.570N 092-10-30.310W				TR on pile.	
20285	Shell Daybeacon 7	29-43-57.770N 092-09-42.960W				SG on pile.	
20290	Shell Daybeacon 8	29-43-57.360N 092-09-43.700W				TR on pile.	
20295	Acadiana Navigation Channel Light 1	29-38-01.583N 091-59-03.558W	Fl G 2.5s	0	4	SG on pile.	Ra ref.
20300	Acadiana Navigation Channel Light 4	29-38-23.387N 091-58-49.979W	Q R	0	4	TR on pile.	Ra ref.
20305	Acadiana Navigation Channel Light 6	29-40-02.853N 091-57-38.752W	Fl R 4s	0	3	TR on pile.	Ra ref.
20310	Acadiana Navigation Channel Light 8	29-41-44.309N 091-56-27.991W	Fl R 2.5s	0	4	TR on pile.	Ra ref.
20315	Acadiana Navigation Channel Light 9	29-42-36.321N 091-55-55.035W	Fl G 4s	0	4	SG on pile.	Ra ref.
20320	Acadiana Navigation Channel Light 12	29-43-25.765N 091-55-17.210W	Fl R 6s	0	4	TR on pile.	Ra ref.
20325	Acadiana Navigation Channel Light 14	29-45-07.221N 091-54-06.408W	Fl R 4s	0	4	TR on pile.	Ra ref.
20330	Acadiana Navigation Channel Light 16	29-46-48.676N 091-52-55.588W	Fl R 2.5s	0	4	TR on pile.	Ra ref.
20332	LCPRA Shark Island Danger Light	29-46-59.642N 091-51-11.496W	Fl W 2.5s			Marks shoreline protection structure.	
20332.01	LCPRA Shark Island Danger Light	29-46-51.563N 091-51-12.343W	Fl W 2.5s			Marks shoreline protection structure.	
20332.02	LCPRA Shark Island Danger Light	29-46-44.853N 091-51-17.407W	Fl W 2.5s			Marks shoreline protection structure.	
20332.03	LCPRA Shark Island Danger Light	29-46-36.000N 091-51-26.684W	Fl W 2.5s			Marks shoreline protection structure.	
20335	Acadiana Navigation Channel Light 18	29-47-39.875N 091-52-20.467W	Fl R 4s	0	4	TR on pile.	Ra ref.
20340	Acadiana Navigation Channel Light 19	29-49-04.857N 091-51-26.828W	Fl G 4s	0	4	SG on pile.	Ra ref.
20345	Acadiana Navigation Channel Daybeacon 20	29-49-03.191N 091-51-21.136W				TR on pile.	Ra ref.
20350	Acadiana Navigation Channel Daybeacon 21	29-49-40.656N 091-51-04.667W				SG on pile.	Ra ref.
20355	Acadiana Navigation Channel Daybeacon 22	29-49-39.448N 091-51-02.786W				TR on pile.	Ra ref.
20357	Bayou Companies Temporary Mooring Lights (3)	29-56-13.830N 091-50-39.110W	Fl W 2.5s			Marks mooring piles.	
20362.07	Cypremort Point Danger Breakwater Light	29-43-59.634N 091-51-15.290W	Fl W 2.5s			Marks breakwater structure.	
20362.22	Quintana Canal Light 1	29-44-01.650N 091-51-18.740W	Fl G 2.5s			SG on pile.	
20362.21	Quintana Canal Daybeacon 2	29-44-00.930N 091-51-20.730W				TR on pile.	
20362.24	Quintana Canal Light 3	29-44-01.100N 091-51-15.160W	Fl G 2.5s			SG on pile.	
20362.23	Quintana Canal Daybeacon 4	29-44-00.380N 091-51-17.160W				TR on pile.	
20362.26	Quintana Canal Light 5	29-44-00.530N 091-51-11.560W	Fl G 2.5s			SG on pile.	
20362.25	Quintana Canal Daybeacon 6	29-43-59.830N 091-51-13.580W				TR on pile.	
20362.09	Cypremort Point Danger Breakwater Light	29-43-59.470N 091-51-12.140W	Fl W 2.5s			Marks breakwater structure.	

20362.08	Cypremort Point Danger Breakwater Light	29-43-59.870N 091-51-14.540W	FI W 2.5s			Marks breakwater structure.
20362.06	Cypremort Point Danger Breakwater Light	29-43-59.670N 091-51-15.790W	FI W 2.5s			Marks breakwater structure.
20362.05	Cypremort Point Danger Breakwater Light	29-43-57.940N 091-51-17.140W	FI W 2.5s			Marks breakwater structure.
20362.04	Cypremort Point Danger Breakwater Light	29-43-56.240N 091-51-18.350W	FI W 2.5s			Marks breakwater structure.
20362	Cypremort Point Danger Breakwater Light	29-43-31.200N 091-51-44.445W	FI W 2.5s			Marks breakwater structure.
20362.01	Cypremort Point Danger Breakwater Light	29-43-40.748N 091-51-32.109W	FI W 2.5s			Marks breakwater structure.
20362.02	Cypremort Point Danger Breakwater Light	29-43-50.201N 091-51-18.013W	FI W 2.5s			Marks breakwater structure.
20362.03	Cypremort Point Danger Breakwater Light	29-43-52.247N 091-51-18.696W	FI W 2.5s			Marks breakwater structure.
20365	Weeks Island Channel Daybeacon 1	29-49-08.362N 091-50-04.702W				SG on pile.
20370	Weeks Island Channel Daybeacon 3	29-49-05.346N 091-50-04.185W				SG on pile.
20375	Weeks Island Channel Daybeacon 5	29-49-02.331N 091-50-03.668W				SG on pile.
20380	Weeks Island Channel Daybeacon 7	29-48-59.315N 091-50-03.152W				SG on pile.
20385	Weeks Island Channel Daybeacon 9	29-48-56.299N 091-50-02.635W				SG on pile.
20390	Weeks Island Channel Daybeacon 11	29-48-53.284N 091-50-02.119W				SG on pile.
20395	Weeks Island Channel Daybeacon 13	29-48-50.268N 091-50-01.603W				SG on pile.
20400	Weeks Island Channel Daybeacon 15	29-48-47.251N 091-50-01.093W				SG on pile.
20405	Weeks Island Channel Daybeacon 17	29-48-44.235N 091-50-00.582W				SG on pile.
20410	Weeks Island Channel Daybeacon 19	29-48-39.659N 091-49-59.808W				SG on pile.
20415	Weeks Island Channel Daybeacon 21	29-48-33.708N 091-49-58.973W				SG on pile.
20420	Weeks Island Channel Daybeacon 23	29-48-31.084N 091-49-57.491W				SG on pile.
20425	Weeks Island Channel Daybeacon 25	29-48-30.626N 091-49-50.356W				SG on pile.
20430	Weeks Island Channel Daybeacon 27	29-48-30.122N 091-49-37.675W				SG on pile.
20435	Weeks Bay Spoil Banks Daybeacon D	29-48-36.000N 091-49-59.000W				NW on pile.
20440	Weeks Bay Spoil Banks Daybeacon H	29-48-32.000N 091-49-58.000W				NW on pile.
20445	Weeks Bay South Channel Daybeacon 1	29-48-29.000N 091-49-38.000W				SG on pile.
20450	Weeks Bay South Channel Daybeacon 3	29-48-26.000N 091-49-37.000W				SG on pile.
20455	Weeks Bay South Channel Daybeacon 5	29-48-23.000N 091-49-36.000W				SG on pile.
20460	Weeks Bay South Channel Daybeacon 7	29-48-20.000N 091-49-35.000W				SG on pile.
20465	U.S. GEOLOGICAL SURVEY SCIENTIFIC MONITORING PLATFORM LIGHT (SMP)	29-42-34.000N 091-52-57.000W	FI Y 2.5s			On pipe.
20470	Avery Canal Light 1	29-49-24.964N 091-54-05.768W	FI G 2.5s	0	4	SG on dolphin. Ra ref.
20475	Avery Canal Light 3	29-49-45.470N 091-54-18.679W	FI G 4s	0	4	SG on dolphin. Ra ref.
20480	Avery Canal Light 4	29-49-51.169N 091-54-24.796W	FI R 4s	0	4	TR on pile. Ra ref.
20485	Avery Canal Danger Light North	29-49-53.000N 091-54-30.000W	FI W 2.5s			NW on pile worded DANGER ROCK SILL.
20490	Avery Canal Danger Light South	29-49-52.000N 091-54-31.500W	FI W 2.5s			NW on pile worded DANGER ROCK SILL.
20490.01	Avery Canal Southwest Danger Light	29-49-54.010N 091-54-32.660W	FI W 2.5s			Marks a rock weir.

20490.02	Avery Canal Northwest Danger Light	29-49-52.940N 091-54-33.230W	FI W 2.5s	Marks a rock weir.
20495	Cargill Mooring Barge Light	29-53-00.500N 091-55-52.500W	FI R 2.5s	Marks mooring barge.
20560	Boston Bayou Channel Entrance Light 1	29-46-00.400N 092-01-00.900W	FI G 4s	SG on dolphin.
20565	Boston Bayou Channel Light 7	29-46-54.000N 092-02-08.000W	FI G 4s	SG on pile.
20570	Boston Bayou Channel Light 8	29-46-54.000N 092-02-05.000W	FI R 4s	TR on pile.
20571.25	VPPJ Boston Bayou Danger Breakwater Light	29-45-31.160N 092-04-58.560W	FI W 2.5s	Marks breakwater structure.
20571.24	VPPJ Boston Bayou Danger Breakwater Light	29-45-35.870N 092-04-49.560W	FI W 2.5s	Marks breakwater structure.
20571.23	VPPJ Boston Bayou Danger Breakwater Light	29-45-41.040N 092-04-39.890W	FI W 2.5s	Marks breakwater structure.
20571.22	VPPJ Boston Bayou Danger Breakwater Light	29-45-46.980N 092-04-30.710W	FI W 2.5s	Marks breakwater structure.
20571.21	VPPJ Boston Bayou Danger Breakwater Light	29-45-52.910N 092-04-21.310W	FI W 2.5s	Marks breakwater structure.
20571.19	VPPJ Boston Bayou Danger Breakwater Light	29-45-57.670N 092-04-11.850W	FI W 2.5s	Marks breakwater structure.
20571.18	VPPJ Boston Bayou Danger Breakwater Light	29-46-02.460N 092-04-01.870W	FI W 2.5s	Marks breakwater structure.
20571.17	VPPJ Boston Bayou Danger Breakwater Light	29-46-06.610N 092-03-52.940W	FI W 2.5s	Marks breakwater structure.
20571.16	VPPJ Boston Bayou Danger Breakwater Light	29-46-12.120N 092-03-42.200W	FI W 2.5s	Marks breakwater structure.
20571.15	VPPJ Boston Bayou Danger Breakwater Light	29-46-17.440N 092-03-32.430W	FI Y 2.5s	Marks breakwater structure.
20571.14	VPPJ Boston Bayou Danger Breakwater Light	29-46-24.710N 092-03-17.760W	FI W 2.5s	Marks breakwater structure.
20571.13	VPPJ Boston Bayou Danger Breakwater Light	29-46-29.730N 092-03-07.910W	FI W 2.5s	Marks breakwater structure.
20571.12	VPPJ Boston Bayou Danger Breakwater Light	29-46-33.890N 092-02-57.590W	FI W 2.5s	Marks breakwater structure.
20571.11	VPPJ Boston Bayou Danger Breakwater Light	29-46-38.410N 092-02-47.560W	FI W 2.5s	Marks breakwater structure.
20571.09	VPPJ Boston Bayou Danger Breakwater Light	29-46-43.080N 092-02-37.520W	FI W 2.5s	Marks breakwater structure.
20571.08	VPPJ Boston Bayou Danger Breakwater Light	29-46-47.740N 092-02-27.430W	FI W 2.5s	Marks breakwater structure.
20571.07	VPPJ Boston Bayou Danger Breakwater Light	29-46-52.420N 092-02-17.500W	FI W 2.5s	Marks breakwater structure.
20571.06	VPPJ Boston Bayou Danger Breakwater Light	29-46-54.290N 092-02-10.140W	FI W 2.5s	Marks breakwater structure.
20571.05	VPPJ Boston Bayou Danger Breakwater Light	29-46-56.410N 092-02-02.010W	FI W 2.5s	Marks breakwater structure.
20571.04	VPPJ Boston Bayou Danger Breakwater Light	29-47-01.210N 092-01-51.130W	FI W 2.5s	Marks breakwater structure.
20571.03	VPPJ Boston Bayou Danger Breakwater Light	29-47-02.550N 092-01-39.550W	FI Y 2.5s	Marks breakwater structure.
20571.02	VPPJ Boston Bayou Danger Breakwater Light	29-47-03.250N 092-01-28.210W	FI W 2.5s	Marks breakwater structure.
20571.01	VPPJ Boston Bayou Danger Breakwater Light	29-47-05.910N 092-01-17.280W	FI W 2.5s	Marks breakwater structure.
20571	VPPJ Boston Bayou Danger Breakwater Light	29-47-07.620N 092-01-12.590W	FI W 2.5s	Marks breakwater structure.
20573	Vermilion Parish Danger Daybeacons (6)	29-34-17.000N 092-11-16.000W		Marks submerged shoreline erosion protection structures.
20573.01	Vermilion Parish Gomesa Danger Breakwater Light	29-33-51.730N 092-12-19.690W	FI W 2.5s	Marks shoreline breakwater.
20573.02	Vermilion Parish Gomesa Danger Breakwater Mark	29-33-54.080N 092-12-13.450W		Marks shoreline breakwater.
20573.03	Vermilion Parish Gomesa Danger Breakwater Mark	29-33-56.190N 092-12-06.940W		Marks shoreline breakwater.
20573.04	Vermilion Parish Gomesa Danger Breakwater Mark	29-33-59.320N 092-12-00.810W		Marks shoreline breakwater.
20573.05	Vermilion Parish Gomesa Danger Breakwater Mark	29-34-01.240N 092-11-54.680W		Marks shoreline breakwater.

20573.06	Vermilion Parish Gomesa Danger Breakwater Light	29-34-04.250N 092-11-48.470W	FI W 2.5s				Marks shoreline breakwater.	
20573.07	Vermilion Parish Gomesa Danger Breakwater Mark	29-34-06.290N 092-11-42.300W					Marks shoreline breakwater.	
20573.08	Vermilion Parish Gomesa Danger Breakwater Mark	29-34-08.890N 092-11-36.440W					Marks shoreline breakwater.	
20573.09	Vermilion Parish Gomesa Danger Breakwater Mark	29-34-11.190N 092-11-29.690W					Marks shoreline breakwater.	
20573.11	Vermilion Parish Gomesa Danger Breakwater Light	29-34-16.100N 092-11-16.040W	FI W 2.5s				Marks shoreline breakwater.	
20575	Freshwater Bayou Light 3	29-29-24.715N 092-19-06.894W	FI G 4s	0	4		SG on piles.	Ra ref.
20580	FRESHWATER BAYOU LIGHT 4	29-29-22.464N 092-18-56.087W	FI R 4s	0	4		TR on pile.	Ra ref.
20585	Freshwater Bayou Daybeacon 5	29-30-05.412N 092-18-58.711W		0			SG on pile.	Ra ref.
20590	Freshwater Bayou Light 6	29-30-03.990N 092-18-49.947W	FI R 6s	0	4		TR on dolphin.	Ra ref.
20595	Freshwater Bayou Light 7	29-30-45.066N 092-18-49.044W	FI G 4s	0	4		SG on dolphin.	Ra ref.
20600	Freshwater Bayou Daybeacon 8	29-30-46.084N 092-18-42.720W		0			TR on pile.	Ra ref.
20605	Freshwater Bayou Light 9	29-31-21.217N 092-18-41.308W	FI G 6s	0	4		SG on pile.	Ra ref.
20610	Freshwater Bayou Light 10	29-31-20.999N 092-18-36.232W	FI R 4s	0	4		TR on pile.	Ra ref.
20615	Freshwater Bayou Light 11	29-31-57.350N 092-18-33.449W	FI G 2.5s	0	4		SG on pile.	Ra ref.
20620	Freshwater Bayou Light 12	29-32-02.215N 092-18-27.951W	FI R 2.5s	0	4		TR on dolphin.	Ra ref.
20625	Freshwater Bayou Obstruction Light 13	29-32-23.958N 092-18-28.195W	Q G	0	3		SG on pile.	Ra ref.
20628	Vermilion Parish Tigre Point Danger Breakwater Light	29-32-58.000N 092-14-11.000W	FI W 2.5s				Marks oyster reef breakwaters.	
20628.01	Vermilion Parish Tigre Point Danger Breakwater Light	29-32-54.000N 092-14-20.000W	FI W 2.5s				Marks oyster reef breakwaters.	
20628.02	Vermilion Parish Tigre Point Danger Breakwater Light	29-32-43.000N 092-14-40.000W	FI W 2.5s				Marks oyster reef breakwaters.	
20628.03	Vermilion Parish Tigre Point Danger Breakwater Light	29-32-39.000N 092-14-49.000W	FI W 2.5s				Marks oyster reef breakwaters.	
20628.04	Vermilion Parish Tigre Point Danger Breakwater Light	29-32-35.000N 092-14-57.000W	FI W 2.5s				Marks oyster reef breakwaters.	
20628.05	Vermilion Parish Tigre Point Danger Breakwater Light	29-32-30.000N 092-15-06.000W	FI W 2.5s				Marks oyster reef breakwaters.	
20629	FRESHWATER BAYOU LIGHT WR15	29-32-36.810N 092-18-26.453W	Q G	0	3		SG on pile.	Ra ref.
20630	Freshwater Bayou Light 14	29-35-29.957N 092-17-46.777W	Q R	0	3		TR on pile.	Ra ref.
20635	Freshwater Bayou Light 16	29-37-36.813N 092-16-11.777W	FI R 2.5s	0	3		TR on dolphin.	Ra ref.
20640	Freshwater Bayou Light 18	29-39-50.104N 092-15-23.061W	FI R 2.5s	0	3		TR on pile.	Ra ref.
20645	Freshwater Bayou Light 20	29-43-37.806N 092-14-33.854W	FI R 2.5s	0	3		TR on pile.	Ra ref.
20650	FRESHWATER BAYOU LIGHT 22	29-44-37.406N 092-13-15.873W	Q R	0	3			
20652	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Light	29-44-51.650N 092-12-42.710W	FI W 2.5s				Marks breakwater structure.	
20652.01	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Light	29-44-57.150N 092-12-37.330W	FI W 2.5s				Marks breakwater structure.	
20652.02	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Light	29-45-02.190N 092-12-30.960W	FI W 2.5s				Marks breakwater structure.	

20652.03	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Light	29-45-05.050N 092-12-23.350W	FI W 2.5s				Marks breakwater structure.
20652.04	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Light	29-45-08.210N 092-12-17.860W	FI W 2.5s				Marks breakwater structure.
20652.05	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Daybeacon	29-45-13.370N 092-12-13.420W					Marks breakwater structure.
20652.06	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Light	29-45-17.280N 092-12-07.460W	FI W 2.5s				Marks breakwater structure.
20652.07	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Light	29-45-19.490N 092-12-03.520W	FI W 2.5s				Marks breakwater structure.
20652.08	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Light	29-44-19.990N 092-13-39.320W	FI W 2.5s				Marks breakwater structure.
20652.09	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Light	29-44-16.490N 092-13-45.370W	FI W 2.5s				Marks breakwater structure.
20652.11	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Mark	29-44-12.590N 092-13-51.900W					Marks breakwater structure.
20652.12	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Light	29-44-07.940N 092-13-59.250W	FI W 2.5s				Marks breakwater structure.
20652.13	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Mark	29-44-03.290N 092-14-06.600W					Marks breakwater structure.
20652.14	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Light	29-43-58.640N 092-14-13.940W	FI W 2.5s				Marks breakwater structure.
20652.15	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Light	29-43-53.710N 092-14-20.930W	FI W 2.5s				Marks breakwater structure.
20652.16	Vermilion Parish Police Jury Freshwater Canal Danger Breakwater Light	29-43-47.750N 092-14-27.450W	FI W 2.5s				Marks breakwater structure.
20657	Freshwater Bayou Light 23	29-46-18.019N 092-10-42.029W	FI G 2.5s	0	2		SG on pile.
20658	Freshwater Bayou Junction Light FW	29-46-29.276N 092-10-13.699W	FI (2+1)R 6s	0	2		JR-SY on pile. Ra ref.
20659	Intracoastal City Light 1	29-46-33.241N 092-10-42.055W	FI G 4s	0	2		SG on pile. Ra ref.
20660	Exxon Mobil Fee Well No.1 Breakwater Lights (9)	29-33-50.000N 092-29-58.000W	Q W				On Dolphins.
20670.17	LDWF Rockefeller Refuge Danger Breakwater Light	29-39-36.530N 092-49-39.980W	FI W 2.5s				Marks breakwater structure.
20670.18	LDWF Rockefeller Refuge Danger Breakwater Light	29-39-42.720N 092-49-53.800W	FI W 2.5s				Marks breakwater structure.
20670.19	LDWF Rockefeller Refuge Danger Breakwater Light	29-39-47.470N 092-50-04.380W	FI W 2.5s				Marks breakwater structure.
20670	Joseph Harbor Canal Breakwater Light South	29-38-08.838N 092-45-56.800W	FI W 2.5s				Marks breakwater structure.
20670.01	Joseph Harbor Canal Breakwater Light North	29-38-14.560N 092-45-58.300W	FI W 2.5s				Marks breakwater structure.
20670.02	LDWF Rockefeller Refuge Danger Breakwater Light	29-38-14.626N 092-46-01.888W	FI W 2.5s				Marks breakwater structure.
20670.03	LDWF Rockefeller Refuge Danger Breakwater Light	29-38-09.672N 092-46-24.614W	FI W 2.5s				Marks breakwater structure.
20670.04	LDWF Rockefeller Refuge Danger Breakwater Light	29-38-22.440N 092-46-54.734W	FI W 2.5s				Marks breakwater structure.
20670.05	LDWF Rockefeller Refuge Danger Breakwater Light	29-38-06.152N 092-46-08.206W	FI W 2.5s				Marks breakwater structure.
20670.06	LDWF Rockefeller Refuge Danger Breakwater Light	29-38-27.072N 092-47-10.983W	FI W 2.5s				Marks breakwater structure.
20670.07	LDWF Rockefeller Refuge Danger Breakwater Light	29-38-37.103N 092-47-25.152W	FI W 2.5s				Marks breakwater structure.
20670.08	LDWF Rockefeller Refuge Danger Breakwater Light	29-38-43.151N 092-47-38.945W	FI W 2.5s				Marks breakwater structure.
20670.09	LDWF Rockefeller Refuge Danger Breakwater Light	29-38-48.387N 092-47-55.927W	FI W 2.5s				Marks breakwater structure.

20670.11	LDWF Rockefeller Refuge Danger Breakwater Light	29-38-54.297N 092-48-12.028W	FI W 2.5s				Marks breakwater structure.
20670.12	LDWF Rockefeller Refuge Danger Breakwater Light	29-39-03.190N 092-48-31.678W	FI W 2.5s				Marks breakwater structure.
20670.13	LDWF Rockefeller Refuge Danger Breakwater Light	29-39-09.155N 092-48-42.838W	FI W 2.5s				Marks breakwater structure.
20670.14	LDWF Rockefeller Refuge Danger Breakwater Light	29-39-16.369N 092-48-58.290W	FI W 2.5s				Marks breakwater structure.
20670.15	LDWF Rockefeller Refuge Danger Breakwater Light	29-39-24.194N 092-49-13.876W	FI W 2.5s				Marks breakwater structure.
20670.16	LDWF Rockefeller Refuge Danger Breakwater Light	29-39-29.792N 092-48-29.581W	FI W 2.5s				Marks breakwater structure.
20680	Rockefeller Refuge Breakwater Danger Light B	29-38-11.600N 092-46-41.720W	FI W 2.5s				NW on pile.
20685	Rockefeller Refuge Breakwater Danger Light C	29-38-41.850N 092-47-43.490W	FI W 2.5s				NW on pile.
20690	Rockefeller Refuge Breakwater Danger Light D	29-37-47.380N 092-47-05.670W	FI W 2.5s				NW on pile.
20695	Rockefeller Wildlife Refuge Danger Breakwater Lights (4)	29-38-56.730N 092-48-23.270W	FI W 2.5s				NW on pile. Marks oyster reef breakwaters.
20715	Mermentau Channel East Jetty Light 6	29-43-18.654N 093-00-30.230W	FI R 2.5s	21	3		TR on pile.
20720	Mermentau Channel West Jetty Light 7	29-43-21.801N 093-00-41.510W	FI G 2.5s	21	3		SG on pile.
20727	Fieldwood Pipeline Danger Lights (3)	29-44-46.380N 093-04-53.660W	FI W 2.5s				NW on pile.
20745	Mermentau Channel Buoy 8	29-44-46.323N 093-00-35.538W					Red nun.
20770	Mermentau Channel Buoy 9	29-45-12.205N 093-00-41.005W					Green can.
20785	Mermentau Channel Buoy 11	29-45-42.300N 093-01-10.860W					Green can.
20790	Mermentau Channel Buoy 10	29-45-31.020N 093-01-11.040W					Red nun.
20905	Catfish Point Light 1	29-52-00.331N 092-50-41.149W	FI G 4s	0	4		SG on dolphin.
20910	South Grand Lake Light 2	29-50-00.000N 092-42-20.000W	FI W 10s				TR on dolphin.
20919	Tebo Point Danger Light	29-51-14.830N 092-48-38.090W	FI W 2.5s				Marks rock dike.
20920	Grand Lake Light 3	29-52-58.588N 092-48-01.520W	FI G 4s	0	5		SG on pile.
20925	Grand Lake Light 4	29-53-29.084N 092-44-42.207W	FI R 4s	0	4		TR on pile.
20930	Grand Lake Light 5	29-56-07.120N 092-46-47.132W	FI G 4s	0	4		SG on dolphin.
20935	Grand Lake Light 6	29-57-06.916N 092-48-13.961W	FI R 4s	0	5		TR on pile.
20940	Grand Lake Light 8	29-57-40.742N 092-47-23.891W	FI R 4s	0	4		TR on pile. Ra ref.
20950	Mermentau River Crossing Buoy 1	29-58-19.060N 092-47-19.713W					Green can with yellow square.
20954	Mermentau River Crossing Light 2	29-58-23.620N 092-47-14.570W	FI R 2.5s	0	3		TR-TY on pile. Ra ref.
20955	Mermentau River Crossing Buoy 2A	29-58-24.672N 092-47-24.563W					Red nun with yellow triangle.
20965	Mermentau River Crossing Buoy 4	29-58-24.785N 092-47-38.799W					Red nun with yellow triangle.
20970	Mermentau River Crossing Buoy 5	29-58-16.459N 092-47-51.456W					Green can with yellow square.
20975	Mermentau River Crossing Junction Buoy M	29-58-20.670N 092-48-04.147W					Red nun with green band and yellow triangle.
20980	Mermentau River Crossing Light 7	29-58-16.664N 092-48-10.619W	FI G 2.5s	0	3		SG-SY on pile. Ra ref.
20985	Mermentau River Wreck Light WR1	29-58-27.081N 092-48-05.857W	Q G	0	3		SG on pile.
20990	Mermentau River Daybeacon 1A	29-58-37.980N 092-48-10.739W		0			SG on pile. Ra ref.
20995	Mermentau River Daybeacon 2	29-58-56.999N 092-48-09.094W		0			TR on pile.

21000	Mermentau River Daybeacon 4	29-59-18.559N 092-47-36.065W		0		TR on pile.	Ra ref.
21005	Mermentau River Daybeacon 5	29-59-30.719N 092-47-20.748W		0		SG on pile.	Ra ref.
21010	Mermentau River Daybeacon 6	29-59-47.927N 092-47-17.872W		0		TR on pile.	
21015	Warren Petroleum Pile Light	30-00-11.000N 092-46-41.000W	FI R 2.5s			On pile.	
21020	Mermentau River Daybeacon 7	30-00-10.760N 092-46-34.479W		0		SG on pile.	
21025	Mermentau River Daybeacon 9	29-59-45.851N 092-46-18.864W		0		SG on pile.	
21030	Mermentau River Daybeacon 10	29-59-40.777N 092-46-28.556W		0		TR on pile.	
21035	Mermentau River Daybeacon 11	29-59-48.061N 092-45-47.289W		0		SG on pile.	
21040	Mermentau River Daybeacon 13	30-00-06.978N 092-45-25.164W		0		SG on pile.	
21045	Mermentau River Daybeacon 14	30-00-31.734N 092-45-13.305W		0		TR on pile.	
21050	Mermentau River Daybeacon 15	30-00-47.566N 092-45-17.342W		0		SG on pile.	Ra ref.
21055	Mermentau River Daybeacon 17	30-01-05.405N 092-45-29.615W		0		SG on pile.	Ra ref.
21060	Mermentau River Daybeacon 18	30-01-21.812N 092-46-00.508W		0		TR on pile.	
21065	Mermentau River Daybeacon 20	30-01-38.324N 092-46-00.460W		0		TR on pile.	
21070	Mermentau River Daybeacon 21	30-01-52.943N 092-45-28.349W		0		SG on pile.	
21075	Lake Arthur Daybeacon 2	30-02-20.194N 092-44-52.834W		0		TR on pile.	Ra ref.
21080	Lake Arthur A Range Front Light	30-02-17.022N 092-45-15.882W	Q W	25		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
21085	Lake Arthur A Range Rear Light	30-02-15.081N 092-45-24.321W	Iso W 6s	35		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
21090	Lake Arthur B Range Front Light	30-03-00.756N 092-42-06.245W	Q W	0		KRW on dolphin.	Visible all around; higher intensity on rangeline.
21095	Lake Arthur B Range Rear Light	30-03-03.854N 092-41-53.114W	Iso W 6s	37		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
21100	Lake Arthur Daybeacon 4	30-02-25.659N 092-44-29.798W				TR on pile.	
21110	Lake Arthur Light 8	30-02-35.100N 092-43-49.683W	FI R 4s		4	TR on pile.	
21120	Lake Arthur Daybeacon 12	30-02-44.067N 092-43-11.246W		0		TR on pile.	
21125	Lake Arthur Daybeacon 14	30-02-48.308N 092-42-53.461W		0		TR on pile.	
21140	Lake Arthur Light 20A	30-03-28.900N 092-41-43.595W	FI R 4s	0	5	TR on pile.	
21145	Lake Arthur Daybeacon 20	30-03-31.244N 092-41-42.317W		0		TR on pile.	
21150	Lake Arthur Daybeacon 22	30-03-38.036N 092-41-22.983W		0		TR on pile.	
21155	Lake Arthur Daybeacon 23	30-03-45.062N 092-41-18.053W		0		SG on pile.	Ra ref.
21160	Lake Arthur Daybeacon 25	30-03-53.073N 092-41-08.263W		0		SG on pile.	
21165	Lake Arthur Daybeacon 26	30-03-50.273N 092-41-01.835W		0		TR on pile.	
21170	Lake Arthur Daybeacon 28	30-04-02.501N 092-40-46.565W		0		TR on pile.	Ra ref.
21175	Lake Arthur Daybeacon 30	30-04-05.255N 092-40-23.213W		0		TR on pile.	
21180	Lake Arthur Daybeacon 31	30-04-06.919N 092-40-04.198W		0		SG on pile.	Ra ref.
21185	Lake Arthur Daybeacon 33	30-04-06.259N 092-39-51.925W		0		SG on pile.	Ra ref.
21190	Pure Transportation Co. Dock Lights (3)	30-04-20.000N 092-38-05.000W	Q R			Black dolphin.	

21195	Calcasieu Channel Lighted Buoy CC	29-20-00.888N 093-13-17.594W	Mo (A) W	4	Red and white stripes with red spherical topmark.	
21200	Calcasieu Channel Lighted Buoy 1	29-21-49.174N 093-13-24.694W	Fl G 2.5s	4	Green.	
21205	Calcasieu Channel Lighted Buoy 2	29-21-49.374N 093-13-14.164W	Fl R 2.5s	4	Red.	
21210	Calcasieu Channel Lighted Buoy 1A	29-22-49.173N 093-13-26.944W	Fl G 4s	4	Green.	
21215	Calcasieu Channel Lighted Buoy 2A	29-22-50.772N 093-13-15.033W	Fl R 4s	4	Red.	
21220	Calcasieu Channel Lighted Buoy 2B	29-27-20.562N 093-13-19.456W	Q R	3	Red.	
21225	Calcasieu Channel Lighted Buoy 3	29-28-58.852N 093-13-32.745W	Fl G 4s	4	Green.	
21230	Calcasieu Channel Lighted Buoy 4	29-28-59.055N 093-13-21.437W	Fl R 4s	4	Red.	
21235	Calcasieu Channel Lighted Buoy 5	29-30-00.875N 093-13-33.993W	Fl G 2.5s	4	Green.	
21240	Calcasieu Channel Lighted Buoy 6	29-30-01.131N 093-13-22.687W	Fl R 2.5s	3	Red.	
21245	Calcasieu Channel Lighted Buoy 7	29-30-52.521N 093-13-35.216W	Fl G 4s	4	Green.	
21250	Calcasieu Channel Lighted Buoy 8	29-31-07.939N 093-13-27.597W	Q R	3	Red.	
21255	Calcasieu Channel Lighted Buoy 9	29-31-14.781N 093-13-43.807W	Q G	3	Green.	
21260	Calcasieu Channel Lighted Buoy 11	29-31-52.294N 093-14-17.207W	Fl G 2.5s	4	Green.	
21265	Calcasieu Channel Lighted Buoy 12	29-31-58.387N 093-14-08.317W	Fl R 2.5s	3	Red.	
21270	Calcasieu Channel Lighted Buoy 14	29-32-47.370N 093-14-52.613W	Fl R 4s	3	Red.	
21275	Calcasieu Channel Lighted Buoy 15	29-33-28.328N 093-15-44.084W	Fl G 6s	4	Green.	
21280	Calcasieu Channel Lighted Buoy 16	29-33-34.918N 093-15-35.375W	Fl R 6s	4	Red.	
21285	Calcasieu Channel Lighted Buoy 18	29-34-22.672N 093-16-18.799W	Fl R 4s	3	Red.	
21290	Calcasieu Channel Lighted Buoy 19	29-35-04.929N 093-17-11.449W	Fl G 6s	4	Green.	
21295	Calcasieu Channel Lighted Buoy 20	29-35-11.671N 093-17-03.104W	Fl R 6s	4	Red.	
21300	Calcasieu Channel Lighted Buoy 22	29-35-58.723N 093-17-45.663W	Fl R 4s	4	Red.	
21305	Calcasieu Channel Lighted Buoy 23	29-36-39.272N 093-18-36.770W	Fl G 2.5s	4	Green.	
21310	Calcasieu Channel Lighted Buoy 24	29-36-46.225N 093-18-28.620W	Fl R 2.5s	3	Red.	
21315	Calcasieu Channel Lighted Buoy 27	29-37-27.348N 093-19-22.339W	Q G	3	Green.	
21320	Calcasieu Channel Lighted Buoy 28	29-37-34.633N 093-19-10.048W	Q R	3	Red.	
21325	Calcasieu Channel A Range Front Light	29-47-07.549N 093-20-52.082W	Q W	45	Skeleton tower on piles.	Lighted throughout 24 hours.
21335	Calcasieu Channel A Range Rear Light	29-48-04.611N 093-21-01.508W	F W	145	Skeleton tower on piles.	Lighted throughout 24 hours.
21340	Calcasieu Channel Lighted Buoy 29	29-38-39.009N 093-19-34.190W	Fl G 2.5s	4	Green.	
21345	Calcasieu Channel Lighted Buoy 30	29-38-39.924N 093-19-22.908W	Fl (2)R 5s	3	Red.	
21350	Calcasieu Channel Lighted Buoy 31	29-39-35.648N 093-19-43.512W	Fl G 4s	4	Green.	
21355	Calcasieu Channel Lighted Buoy 32	29-39-37.366N 093-19-32.348W	Fl R 4s	3	Red.	
21360	Calcasieu Channel Lighted Buoy 33	29-40-35.521N 093-19-53.358W	Fl G 6s	4	Green.	
21365	Calcasieu Channel Lighted Buoy 34	29-40-37.381N 093-19-42.212W	Fl R 6s	4	Red.	
21370	Calcasieu Channel Lighted Buoy 35	29-41-34.677N 093-20-03.081W	Fl G 6s	4	Green.	

21375	Calcasieu Channel Lighted Buoy 36	29-41-37.456N 093-19-52.085W	FI R 6s		4	Red.	
21380	Calcasieu Channel Lighted Buoy 37	29-42-35.198N 093-20-13.030W	FI G 4s		4	Green.	Ra ref.
21385	Calcasieu Channel Lighted Buoy 38	29-42-35.424N 093-20-01.612W	FI R 4s		3	Red.	
21390	Calcasieu Channel Lighted Buoy 39	29-43-32.880N 093-20-22.511W	FI G 2.5s		4	Green.	
21395	Calcasieu Channel Lighted Buoy 40	29-43-32.462N 093-20-10.986W	FI R 2.5s		3	Red.	
21400	Calcasieu Channel West Jetty Light 41	29-44-39.446N 093-20-33.261W	Q G	20	4	SG on square tower on piles.	
21405	Calcasieu Channel East Jetty Light 42	29-44-41.387N 093-20-22.475W	Q R	20	4	TR on square tower on piles.	
21410	Calcasieu Channel Light 47	29-45-58.280N 093-20-47.808W	FI G 2.5s	0	4	SG on pile.	
21415	Calcasieu Channel Light 48	29-46-02.198N 093-20-35.370W	Q R	0	3	TR on pile.	
21417	Venture Global LNG Special Lighted Buoy A	29-46-06.168N 093-20-37.036W	FI Y 2.5s			Marks toe of dredge slope.	
21417.01	Venture Global LNG Special Lighted Buoy B	29-46-07.793N 093-20-34.938W	FI Y 2.5s			Marks toe of dredge slope.	
21417.02	Venture Global LNG Special Lighted Buoy C	29-46-35.137N 093-20-32.216W	FI Y 2.5s			Marks toe of dredge slope.	
21417.03	Venture Global LNG Special Lighted Buoy D	29-46-35.218N 093-20-27.199W	FI Y 2.5s			Marks toe of dredge slope.	
21417.04	Venture Global LNG Mooring Light Lower	29-46-09.425N 093-20-25.900W	FI W 2.5s			Marks mooring dolphin.	
21417.05	Venture Global LNG Mooring Light Middle	29-46-20.908N 093-20-25.794W	FI W 2.5s			Marks mooring dolphin.	
21417.06	Venture Global LNG Mooring Light Upper	29-46-33.381N 093-20-25.678W	FI W 2.5s			Marks mooring dolphin.	
21420	NOAA Calcasieu Pass Tide Monitoring Platform Light	29-46-05.400N 093-20-34.370W	FI Y 2.5s			On platform.	
21425	Monkey Island Daybeacon 2	29-46-38.329N 093-20-29.146W			0	TR on pile.	
21430	Calcasieu Channel Light 50	29-46-41.742N 093-20-40.314W	FI R 2.5s	0	3	TR on pile.	
21435	Calcasieu Channel Light 52	29-47-55.051N 093-20-43.224W	FI R 4s	0	4	TR on pile.	Ra ref.
21440	Calcasieu Channel Light 53	29-48-09.459N 093-20-54.346W	FI G 4s	0	4	SG on skeleton tower on piles.	
21445	St Johns Island Daybeacon 2	29-50-38.007N 093-19-39.984W			0	TR on pile.	
21447	Calcasieu Lake Lighted Danger Buoy A	29-50-45.788N 093-19-25.625W	FI W 2.5s		3	White can.	Labeled DANGER ROCKS.
21447.03	Calcasieu Lake Lighted Danger Buoy B	29-50-50.518N 093-18-57.530W	FI W 4s		3	White can.	Labeled DANGER ROCKS.
21447.06	Calcasieu Lake Lighted Danger Buoy C	29-50-56.135N 093-18-27.378W	FI W 2.5s		3	White can.	Labeled DANGER ROCKS.
21448	LDWF East Calcasieu Artificial Reef Mooring Buoys (8)	29-53-16.440N 093-16-54.900W				Marks mooring locations for recreational boats.	
21450	Calcasieu Channel Light 56	29-49-17.524N 093-20-48.789W	FI R 2.5s	0	4	TR on pile.	Ra ref.
21455	Calcasieu Channel Light 57	29-49-50.521N 093-20-59.028W	Q G	30	3	SG on skeleton tower on piles.	
21460	Oyster Bayou Weir Light 1	29-48-41.470N 093-23-51.771W	FI G 2.5s			SG on pile.	
21465	Oyster Bayou Weir Light 2	29-48-41.088N 093-23-52.818W	FI R 2.5s			TR on pile.	
21470	Oyster Bayou Weir Light 3	29-48-39.461N 093-23-50.806W	FI G 2.5s			SG on pile.	
21475	Oyster Bayou Weir Light 4	29-48-39.079N 093-23-51.853W	FI R 2.5s			TR on pile.	
21480	Oyster Bayou Weir Danger Light	29-48-42.520N 093-23-51.828W	FI W 2.5s			NW on pile.	
21485	Oyster Bayou Weir Danger Light	29-48-42.627N 093-23-52.935W	FI W 2.5s			NW on pile.	
21490	Oyster Bayou Weir Danger Light	29-48-38.172N 093-23-51.468W	FI W 2.5s			NW on pile.	

21495	Oyster Bayou Weir Danger Light	29-48-38.596N 093-23-50.273W	FI W 2.5s			NW on pile.	
21500	Oyster Bayou East Danger Light	29-49-03.180N 093-22-24.231W	FI W 2.5s			NW on pile.	
21505	Oyster Bayou East Danger Light	29-49-02.181N 093-22-24.218W	FI W 2.5s			NW on pile.	
21510	Oyster Bayou East Danger Light	29-49-04.042N 093-22-23.376W	FI W 2.5s			NW on pile.	
21515	Oyster Bayou East Danger Light	29-49-04.017N 093-22-25.007W	FI W 2.5s			NW on pile.	
21520	Oyster Bayou East Danger Light	29-49-01.363N 093-22-23.715W	FI W 2.5s			NW on pile.	
21525	Oyster Bayou East Danger Light	29-49-01.347N 093-22-24.723W	FI W 2.5s			NW on pile.	
21530	Calcasieu Channel B Range Front Light	29-50-14.780N 093-20-57.020W	Q W	33		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.
21535	Calcasieu Channel B Range Rear Light	29-50-35.225N 093-20-58.218W	Iso W 6s	60		KRW on skeleton tower on piles.	Visible 4° each side of rangeline.
21540	Calcasieu Channel C Range Front Light	29-48-54.712N 093-21-00.230W	Q W	10		KRW on skeleton tower.	Visible 2° each side of rangeline.
21545	Calcasieu Channel C Range Front Light Passing Light	29-48-54.712N 093-21-00.230W	FI G 2.5s	32	4	On same structure as Calcasieu Channel Range C Front Light.	
21550	Calcasieu Channel C Range Rear Light	29-48-39.877N 093-21-01.609W	Iso W 6s	60		KRW on skeleton tower.	Visible 2° each side of rangeline.
21555	Calcasieu Channel Light 59	29-50-14.678N 093-20-56.952W	FI G 2.5s	35	4	SG on skeleton tower on piles. Same structure as Calcasieu Channel Range B Front Light.	
21560	Calcasieu Channel Light 60	29-50-19.496N 093-20-47.042W	FI R 2.5s	0	4	TR on pile.	Ra ref.
21565	Calcasieu Channel Light 61	29-51-09.605N 093-20-52.579W	FI G 4s	0	4	SG on pile.	Ra ref.
21570	Calcasieu Channel Light 62	29-51-09.804N 093-20-43.040W	FI R 4s	0	4	TR on pile.	Ra ref.
21575	Calcasieu Channel Light 63	29-52-10.193N 093-20-46.158W	FI G 6s	0	4	SG on pile.	
21576	Nature Conservancy Calcasieu Lake Southwest Cove Danger Daybeacon	29-52-23.440N 093-25-59.300W				Marks shoreline reef.	
21576.01	Nature Conservancy Calcasieu Lake Southwest Cove Danger Daybeacon	29-52-21.670N 093-26-02.910W				Marks shoreline reef.	
21576.02	Nature Conservancy Calcasieu Lake Southwest Cove Danger Light	29-52-19.240N 093-26-07.800W	FI W 2.5s			Marks shoreline reef.	
21576.03	Nature Conservancy Calcasieu Lake Southwest Cove Danger Daybeacon	29-52-16.330N 093-26-12.310W				Marks shoreline reef.	
21576.04	Nature Conservancy Calcasieu Lake Southwest Cove Danger Light	29-52-13.410N 093-26-16.830W	FI W 2.5s			Marks shoreline reef.	
21576.05	Nature Conservancy Calcasieu Lake Southwest Cove Danger Daybeacon	29-52-09.930N 093-26-20.700W				Marks shoreline reef.	
21576.06	Nature Conservancy Calcasieu Lake Southwest Cove Danger Light	29-52-07.470N 093-26-22.940W	FI W 2.5s			Marks shoreline reef.	
21576.14	Nature Conservancy Calcasieu Lake Southwest Cove Danger Light	29-51-46.940N 093-26-35.160W	FI W 2.5s			Marks shoreline reef.	
21576.13	Nature Conservancy Calcasieu Lake Southwest Cove Danger Daybeacon	29-51-51.180N 093-26-34.840W				Marks shoreline reef.	
21576.12	Nature Conservancy Calcasieu Lake Southwest Cove Danger Daybeacon	29-51-53.800N 093-26-33.740W				Marks shoreline reef.	
21576.11	Nature Conservancy Calcasieu Lake Southwest Cove Danger Light	29-51-57.040N 093-26-32.530W	FI W 2.5s			Marks shoreline reef.	
21576.09	Nature Conservancy Calcasieu Lake Southwest Cove Danger Daybeacon	29-51-59.980N 093-26-30.510W				Marks shoreline reef.	

21576.08	Nature Conservancy Calcasieu Lake Southwest Cove Danger Light	29-52-02.240N 093-26-28.600W	Fl W 2.5s	Marks shoreline reef.
21576.07	Nature Conservancy Calcasieu Lake Southwest Cove Danger Daybeacon	29-52-05.460N 093-26-25.400W		Marks shoreline reef.
21577.22	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-44.520N 093-24-58.440W		Marks shoreline reef.
21577.23	Nature Conservancy Calcasieu Lake West Cove Danger Light	29-52-46.130N 093-24-54.170W	Fl W 2.5s	Marks shoreline reef.
21577.24	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-47.300N 093-24-49.730W		Marks shoreline reef.
21577.25	Nature Conservancy Calcasieu Lake West Cove Danger Light	29-52-48.440N 093-24-45.270W	Fl W 2.5s	Marks shoreline reef.
21577.26	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-49.630N 093-24-40.890W		Marks shoreline reef.
21577.27	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-50.970N 093-24-36.430W		Marks shoreline reef.
21577.28	Nature Conservancy Calcasieu Lake West Cove Danger Light	29-52-52.120N 093-24-32.070W	Fl W 2.5s	Marks shoreline reef.
21577	Nature Conservancy Calcasieu Lake West Cove Danger Light	29-52-23.770N 093-25-57.380W	Fl W 2.5s	Marks shoreline reef.
21577.01	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-24.920N 093-25-54.580W	Fl W 2.5s	Marks shoreline reef.
21577.02	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-26.740N 093-25-50.480W	Fl W 2.5s	Marks shoreline reef.
21577.03	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-27.170N 093-25-49.140W	Fl W 2.5s	Marks shoreline reef.
21577.04	Nature Conservancy Calcasieu Lake West Cove Danger Light	29-52-28.410N 093-25-44.410W	Fl W 2.5s	Marks shoreline reef.
21577.05	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-28.780N 093-25-43.400W	Fl W 2.5s	Marks shoreline reef.
21577.06	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-30.810N 093-25-39.080W	Fl W 2.5s	Marks shoreline reef.
21577.07	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-31.540N 093-25-37.050W	Fl W 2.5s	Marks shoreline reef.
21577.08	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-32.720N 093-25-33.970W	Fl W 2.5s	Marks shoreline reef.
21577.09	Nature Conservancy Calcasieu Lake West Cove Danger Light	29-52-34.620N 093-25-29.670W	Fl W 2.5s	Marks shoreline reef.
21577.11	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-35.350N 093-25-28.200W	Fl W 2.5s	Marks shoreline reef.
21577.12	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-36.840N 093-25-24.050W	Fl W 2.5s	Marks shoreline reef.
21577.13	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-37.440N 093-25-22.560W	Fl W 2.5s	Marks shoreline reef.
21577.14	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-38.630N 093-25-18.550W	Fl W 2.5s	Marks shoreline reef.
21577.15	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-38.920N 093-25-17.080W	Fl W 2.5s	Marks shoreline reef.

21577.16	Nature Conservancy Calcasieu Lake West Cove Danger Light	29-52-39.800N 093-25-13.010W	FI W 2.5s				Marks shoreline reef.
21577.17	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-40.370N 093-25-11.140W	FI W 2.5s				Marks shoreline reef.
21577.18	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-41.720N 093-25-07.040W	FI W 2.5s				
21577.19	Nature Conservancy Calcasieu Lake West Cove Danger Daybeacon	29-52-42.190N 093-25-05.780W	FI R 2.5s				Marks shoreline reef.
21577.21	Nature Conservancy Calcasieu Lake West Cove Danger Light	29-52-43.580N 093-25-01.130W	FI W 2.5s				Marks shoreline reef.
21580	Calcasieu Channel Light 64	29-52-08.190N 093-20-37.347W	FI R 6s	0	4		TR on pile.
21585	Calcasieu Channel Pipeline Light A	29-52-18.000N 093-20-30.000W	FI Y 2.5s				On piles worded DO NOT ANCHOR OR DREDGE.
21590	Calcasieu Channel Pipeline Light B	29-52-12.000N 093-20-47.000W	FI Y 2.5s				On piles worded DO NOT ANCHOR OR DREDGE.
21595	Calcasieu Channel Light 65	29-53-07.801N 093-20-41.586W	FI G 4s	0	4		SG on pile. Ra ref.
21600	Calcasieu Channel Light 66	29-53-08.989N 093-20-33.147W	FI (2)R 5s	0	3		TR on pile.
21605	Calcasieu Channel Light 67	29-54-05.660N 093-20-35.800W	FI G 4s	0	4		SG on pile.
21610	Calcasieu Channel Light 68	29-54-05.657N 093-20-27.738W	FI R 4s	0	4		TR on pile. Ra ref.
21615	Calcasieu Channel Light 69	29-54-56.860N 093-20-30.969W	FI G 2.5s	0	4		SG on pile.
21620	Calcasieu Channel Light 70	29-54-55.225N 093-20-23.410W	FI R 2.5s	0	4		TR on pile.
21625	Calcasieu Channel Light 71	29-55-46.311N 093-20-26.205W	FI G 4s	0	4		SG on pile.
21630	Calcasieu Channel Light 72	29-55-45.629N 093-20-18.815W	FI R 4s	0	3		TR on skeleton tower on piles.
21635	Calcasieu Channel Light 73	29-56-43.292N 093-20-21.587W	FI G 6s		4		SG on pile.
21640	Calcasieu Channel Light 74	29-56-42.674N 093-20-13.670W	FI R 6s	0	4		TR on skeleton tower on piles.
21645	Calcasieu Channel Light 75	29-57-39.665N 093-20-16.610W	FI G 4s	0	4		SG on pile. Ra ref.
21650	Calcasieu Channel Light 76	29-57-39.290N 093-20-08.587W	FI R 2.5s	0	4		TR on pile.
21655	Calcasieu Channel Light 77	29-58-35.223N 093-20-11.450W	FI G 4s	0	4		SG on pile. Ra ref.
21660	Calcasieu Channel Light 78	29-58-34.929N 093-20-03.511W	FI R 4s	0	4		TR on pile.
21665	Calcasieu Channel Light 79	29-59-42.615N 093-20-05.125W	FI G 6s	0	4		SG on skeleton tower on piles. Ra ref.
21670	Calcasieu Channel Light 80	29-59-32.787N 093-19-58.466W	FI R 6s	0	4		TR on pile.
21675	Calcasieu Channel Light 81	30-00-27.100N 093-20-01.081W	FI G 2.5s	17	4		SG on skeleton tower on piles.
21680	Calcasieu Channel Light 82	30-00-26.633N 093-19-54.072W	FI R 2.5s	0	4		TR on skeleton tower on piles.
21685	Calcasieu Channel Light 83	30-01-19.550N 093-19-56.125W	FI G 6s	0	4		SG on skeleton tower on piles.
21690	Calcasieu Channel Light 84	30-01-18.782N 093-19-48.588W	FI R 6s	0	4		TR on pile.
21695	Calcasieu Lake Channel Entrance Light 2	30-01-25.500N 093-19-10.800W	Q R				TR on dolphin.
21700	Calcasieu Channel Light 85	30-02-53.903N 093-19-47.344W	FI G 4s	0	4		SG on pile. Ra ref.
21705	Cameron LNG Daybeacon A	30-02-04.257N 093-19-52.345W					On pile. CONTROLLED AREA.
21710	Cameron LNG Daybeacon B	30-02-09.726N 093-19-44.037W					On pile. CONTROLLED AREA.
21715	Cameron LNG Daybeacon C	30-02-19.995N 093-19-38.125W					On pile. CONTROLLED AREA.

21720	Cameron LNG Daybeacon D	30-02-29.623N 093-19-42.256W				On pile.	CONTROLLED AREA.
21725	Cameron Lng Facility South Jetty Light	30-02-05.844N 093-19-52.701W	FI G 2.5s			On dolphin.	
21730	Calcasieu Channel Light 86	30-02-53.407N 093-19-40.151W	FI R 4s	0	4	TR on pile.	
21735	Cameron Lng Facility North Jetty Light	30-02-33.834N 093-19-50.147W	FI G 2.5s			On dolphin.	
21738	Cameron LNG Daybeacon 1	30-02-42.000N 093-19-51.000W				Marks private channel.	
21738.01	Cameron LNG Daybeacon 2	30-02-44.000N 093-19-51.000W				Marks private channel.	
21740	Calcasieu Channel D Range Front Light	30-05-45.547N 093-19-28.189W	Iso R 2s	32		Skeleton tower on piles.	Night: Visible 2° each side of rangeline. Day: Light visible only on rangeline. AIS: MMSI 993682018
21745	Calcasieu Channel D Range Front Light Passing Light	30-05-45.547N 093-19-28.189W	FI R 4s	20	4	On same structure as Calcasieu Channel Range D Front Light.	
21750	Calcasieu Channel D Range Rear Light	30-06-09.484N 093-19-26.040W	Iso W 6s	50		Skeleton tower on piles.	Night: Visible only on the rangeline. Day: Light visible only on rangeline. AIS: MMSI 993682019
21755	Calcasieu Channel Light 87	30-03-50.462N 093-19-42.954W	FI G 6s	0	4	SG on skeleton tower on piles.	
21760	Calcasieu Channel Light 88	30-03-51.361N 093-19-34.665W	FI R 6s	0	4	TR on pile.	
21765	Calcasieu Channel Light 89	30-04-40.466N 093-19-37.758W	FI G 4s	0	4	SG on pile.	
21770	Calcasieu Channel Light 90	30-04-38.375N 093-19-29.988W	FI R 4s	0	4	TR on skeleton tower on piles.	
21775	Calcasieu Channel Light 91	30-05-16.685N 093-19-34.884W	FI G 2.5s	0	4	SG-SY on pile.	Ra ref.
21780	Calcasieu Channel Light 92	30-05-21.808N 093-19-24.950W	FI R 2.5s	0	4	TR-SY on pile.	
21785	Devils Elbow Light 1	30-05-48.822N 093-19-14.371W	Oc G 4s	0	3	SG-TY on pile.	Ra ref.
21790	Devils Elbow Light 2	30-05-47.641N 093-19-01.179W	Oc R 4s	0	3	TR-SY on pile.	Ra ref.
21795	Devils Elbow Light 3	30-06-16.417N 093-18-40.918W	FI G 2.5s	0	3	SG-TY on pile.	Ra ref.
21800	Devils Elbow Junction Light	30-06-14.057N 093-18-27.354W	FI (2+1)R 6s	0	3	JR-TY on pile.	Ra ref.
21805	Devils Elbow Range Front Light	30-05-14.623N 093-19-47.328W	Q W	17		KRW-I on skeleton tower.	Visible all around; higher intensity on the rangeline.
21810	Devils Elbow Range Rear Light	30-05-12.660N 093-19-49.702W	Iso W 6s	30		KRW-1 on skeleton tower.	Visible all around; higher intensity on the rangeline.
21815	Alcoa Metals West Dolphin Light	30-06-34.390N 093-17-56.620W	FI G 2.5s			On dolphin.	
21820	Alcoa Metals Dock Lights (2)	30-06-35.000N 093-17-46.000W	FI G 2.5s			On pier.	
21825	Alcoa Metals East Dolphin Light	30-06-36.590N 093-17-38.860W	FI G 2.5s			On mooring dolphin.	
21830	Devils Elbow Industrial Canal Range Front Light 5	30-06-27.819N 093-18-19.708W	Q G	20		KRW-I and SG on skeleton tower on piles.	Visible all around. Higher intensity on rangeline. KRW-I for inbound traffic. SG for outboard traffic.
21835	Devils Elbow Industrial Canal Range Rear Light	30-06-31.861N 093-18-14.846W	F G	10		KRW-I on skeleton tower on piles.	Visible 5.5° each side of range line.
21840	Devils Elbow Industrial Canal Light 7	30-06-31.806N 093-18-08.491W	FI G 2.5s	0	3	SG on pile.	
21845	Devils Elbow Industrial Canal Light 8	30-06-27.323N 093-17-59.327W	FI R 2.5s	0	3	TR on pile.	
21850	Devils Elbow Industrial Canal Light 10	30-06-30.417N 093-17-39.730W	Oc R 4s	0	3	TR on pile.	Ra ref.
21855	Trunkline LNG Dolphin Lights (4)	30-06-35.940N 093-17-17.500W	FI G 2.5s			On dolphin.	
21860	Calcasieu River Leading Light A	30-06-33.702N 093-20-05.040W	Iso W 6s	30	5	NB on skeleton tower on piles.	Visible all around; higher intensity on bearing 182°30'.
21865	Calcasieu River Light 96	30-06-35.542N 093-19-55.481W	FI R 2.5s	0	4	TR on skeleton tower on pile.	
21870	Calcasieu River Light 97	30-06-44.175N 093-20-08.936W	FI G 2.5s	0	4	SG on pile.	
21875	Calcasieu River Light 98	30-06-46.670N 093-19-59.698W	Q R	17	4	TR on pile.	Ra ref.
21880	Calcasieu River Light 99	30-06-58.355N 093-20-08.032W	FI G 4s	0	4	SG on pile.	Ra ref.

21885	Calcasieu River Light 100	30-06-57.797N 093-19-59.186W	FI R 2.5s	0	4	TR on dolphin.	
21890	Calcasieu River Light 101	30-07-27.992N 093-20-00.007W	FI G 4s	0	4	SG on pile.	
21895	Calcasieu River Light 102	30-07-26.198N 093-19-50.473W	FI R 4s	0	4	TR on pile.	
21900	Calcasieu River Light 103	30-07-51.319N 093-19-52.792W	FI G 2.5s	0	4	SG on pile.	
21905	Calcasieu River E Range Front Light	30-07-36.758N 093-19-44.521W	Q W	31		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
21910	Calcasieu River E Range Rear Light	30-07-15.766N 093-19-41.368W	Iso W 6s	40		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
21915	Calcasieu River Light 104	30-08-05.388N 093-19-44.790W	FI R 2.5s	0	4	TR on pile.	
21920	Calcasieu River Refining Dock Lights (3)	30-08-08.000N 093-19-14.000W	FI R 2.5s			On dolphins.	
21925	Calcasieu River Light 106	30-08-41.468N 093-19-50.064W	FI R 4s	0	4	TR on skeleton tower on piles.	
21930	Calcasieu River Light 108	30-09-10.811N 093-19-52.046W	Q R	0	4	TR on pile.	Ra ref.
21935	Davison Chemical Dock Lights (2)	30-09-17.000N 093-19-55.000W	F G			On dolphin.	
21940	Clifton Ridge Tanker Dock Lights (2)	30-09-24.500N 093-19-48.600W	FI G 2.5s			On each end of dock.	
21945	Clifton Ridge Dock Lights (3)	30-09-27.000N 093-14-46.000W	F W			On dock.	
21950	Calcasieu River Light 110	30-09-39.965N 093-19-08.643W	FI R 2.5s	0	3	TR on pile.	
21955	Citgo Petroleum Pipeline Facility Dolphin Light	30-09-36.000N 093-19-25.000W	FI G 2.5s			On dolphin.	
21960	Calcasieu River Light 109	30-09-43.074N 093-19-17.072W	Q G	0	4	SG on pile.	
21965	Citgo Petroleum Manufacturing Complex Bulkhead Lights(2)	30-09-59.870N 093-19-13.920W	FI G 2.5s			On bulkhead.	
21970	Citgo Petroleum Refining Dock A Lights (2)	30-10-24.000N 093-19-06.000W	FI G 2.5s			On dock.	
21975	Citgo Petroleum Refining Dock A Turning Light	30-10-18.900N 093-19-10.400W	FI G 2.5s			On pile.	
21980	Citgo Petroleum Refining Dock B Lights (2)	30-10-24.000N 093-19-06.000W	FI G 2.5s			On dock.	
21985	Calcasieu River Light 112	30-10-31.171N 093-19-00.703W	Q R	0	4	TR on pile.	Ra ref.
21990	Citgo Petroleum Refining Dock C Lights (2)	30-10-42.000N 093-19-54.000W	FI G 2.5s			On dock.	
21995	Citgo Petroleum Refining Dock P Lights (2)	30-10-54.000N 093-18-48.000W	FI G 2.5s			On dock.	
22000	Citgo Petroleum Refining Dock D Lights (2)	30-11-54.000N 093-18-42.000W	FI G 2.5s			On dock.	
22005	Calcasieu River Light 114	30-11-03.971N 093-18-19.425W	FI R 2.5s	0	4	TR on pile.	
22010	Cline Canal Entrance Daybeacon 1	30-11-52.400N 093-16-17.520W				SG on pile.	
22015	Cline Canal Entrance Daybeacon 3	30-11-50.340N 093-16-13.220W				SG on pile.	
22020	Cline Canal Entrance Daybeacon 5	30-11-49.100N 093-16-08.520W				SG on pile.	
22025	Coon Island Channel Light 1	30-12-19.230N 093-16-44.530W	FI G 2.5s	0	4	SG on pile.	
22030	Coon Island Channel Light 2	30-12-21.844N 093-16-37.554W	FI R 2.5s	0	4	TR on pile.	Ra ref.
22035	Coon Island Channel A Range Front Light	30-13-06.665N 093-16-53.666W	Q G	10		Skeleton tower.	Lighted throughout 24 hours.
22040	Coon Island Channel A Range Rear Light	30-13-13.803N 093-16-55.536W	Oc G 4s	20		Skeleton tower.	Higher intensity beam on rangeline.
22045	Coon Island Channel Daybeacon 1A	30-12-30.791N 093-16-46.529W		17		SG on pile.	
22050	Coon Island Channel Light 3	30-12-46.004N 093-16-51.053W	FI G 4s	0	4	SG on pile.	
22055	Coon Island Channel Light 4	30-12-45.475N 093-16-45.478W	FI R 4s	17	4	TR on pile.	

22060	Coon Island Channel Light 6	30-12-53.560N 093-16-47.211W	FI R 6s	0	3	TR on pile.	
22065	PPG South Loading Terminal Dock Lights (2)	30-12-52.300N 093-16-51.900W	F G			On sheerpier caissons.	
22070	Coon Island Channel Light 8	30-13-04.277N 093-16-47.732W	FI R 2.5s	0	3	TR on pile.	
22075	Ppg Riverside Power House Light	30-13-15.500N 093-16-47.700W	F G			On corner of structure.	
22080	Ppg Chlorine Loading Dock Light	30-13-22.200N 093-16-44.300W	F G			On corner of dock.	
22085	PPG Caustic Loading Dock Lights (2)	30-13-26.000N 093-16-37.400W	F G			On sheerpier caissons on ends of dock.	
22090	Coon Island Channel Light 10	30-13-14.179N 093-16-44.388W	FI R 4s	0	3	TR on pile.	
22095	Coon Island Channel Daybeacon 12	30-13-16.210N 093-16-41.332W		0		TR on pile.	
22100	Coon Island Channel Light 14	30-13-13.871N 093-16-33.458W	FI R 6s	0	3	TR on pile.	
22105	Coon Island Channel Light 16	30-13-17.332N 093-16-28.480W	FI R 2.5s	0	3	TR on pile.	
22110	Calcasieu River Buoy 115	30-11-52.400N 093-17-20.520W				Green can.	
22115	Bayou D'Inde Junction Buoy BD	30-11-53.705N 093-17-17.142W				Green can with red band.	
22120	Calcasieu River Light 115A	30-12-23.420N 093-16-29.135W	FI G 2.5s	0	4	SG on pile.	
22125	Calcasieu River Light 116	30-12-17.936N 093-16-22.718W	Q R	0	4	TR on pile.	
22130	Calcasieu River Light 117	30-12-26.443N 093-16-18.658W	Q G	0	4	SG on pile.	Ra ref.
22135	Calcasieu River Light 118	30-12-20.799N 093-15-54.666W	FI R 2.5s	0	4	TR on pile.	
22140	Calcasieu River Light 119	30-12-43.028N 093-15-35.816W	FI G 2.5s	0	4	SG on pile.	
22145	Calcasieu River Light 120	30-12-35.762N 093-15-29.560W	Q R	0	4	TR on pile.	
22150	Calcasieu River Pier 7 Light	30-12-40.000N 093-15-26.000W	FI R 2.5s			On pier.	
22155	Lake Charles Harbor Dock Light A	30-13-03.000N 093-15-33.000W	FI R 2.5s			On dolphin.	
22160	Lake Charles Harbor Dock Light B	30-13-08.000N 093-15-29.000W	FI R 2.5s			On dolphin.	
22165	Calcasieu River Light 121	30-13-09.523N 093-15-40.590W	Q G	0	4	SG on pile.	
22167.01	Contraband Bayou Daybeacon 1	30-12-30.430N 093-14-52.170W				SG on pile.	
22167.02	Contraband Bayou Daybeacon 2	30-12-28.480N 093-14-52.200W				TR on pile.	
22167.03	Contraband Bayou Daybeacon 3	30-12-29.400N 093-14-48.190W				SG on pile.	
22167.04	Contraband Bayou Daybeacon 4	30-12-27.700N 093-14-48.540W				TR on pile.	
22167.06	Contraband Bayou Daybeacon 6	30-12-26.520N 093-14-45.100W				TR on pile.	
22167.07	Contraband Bayou Daybeacon 7	30-12-26.320N 093-14-42.260W				SG on pile.	
22167.08	Contraband Bayou Daybeacon 8	30-12-24.000N 093-14-41.210W				TR on pile.	
22167.09	Contraband Bayou Daybeacon 9	30-12-25.100N 093-14-40.070W				SG on pile.	
22167.11	Contraband Bayou Daybeacon 10	30-12-23.210N 093-14-39.460W				TR on pile.	
22167.12	Contraband Bayou Daybeacon 11	30-12-24.490N 093-14-37.640W				SG on pile.	
22167.13	Contraband Bayou Daybeacon 12	30-12-22.920N 093-14-36.010W				TR on pile.	
22167.05	Contraband Bayou Daybeacon 5	30-12-28.480N 093-14-45.280W				SG on pile.	
22167.14	Contraband Bayou Daybeacon 13	30-12-24.630N 093-14-35.450W				SG on pile.	

22167.15	Contraband Bayou Daybeacon 14	30-12-24.010N 093-14-33.520W				TR on pile.	
22167.16	Contraband Bayou Daybeacon 15	30-12-26.540N 093-14-33.250W				SG on pile.	
22167.17	Contraband Bayou Daybeacon 16	30-12-24.750N 093-14-32.130W				TR on pile.	
22167.18	Contraband Bayou Daybeacon 17	30-12-26.950N 093-14-30.310W				SG on pile.	
22167.19	Contraband Bayou Daybeacon 18	30-12-25.970N 093-14-28.810W				TR on pile.	
22167.21	Contraband Bayou Daybeacon 19	30-12-24.920N 093-14-25.730W				SG on pile.	
22167.22	Contraband Bayou Daybeacon 20	30-12-19.940N 093-14-27.600W				TR on pile.	
22167.23	Contraband Bayou Daybeacon 21	30-12-19.230N 093-14-26.240W				SG on pile.	
22167.24	Contraband Bayou Daybeacon 22	30-12-15.140N 093-14-26.330W				TR on pile.	
22167.25	Contraband Bayou Daybeacon 23	30-12-17.200N 093-14-26.090W				SG on pile.	
22167.26	Contraband Bayou Daybeacon 24	30-12-10.090N 093-14-26.000W				TR on pile.	
22167.27	Contraband Bayou Daybeacon 25	30-12-15.200N 093-14-25.080W				SG on pile.	
22167.28	Contraband Bayou Daybeacon 26	30-12-02.880N 093-14-24.700W				TR on pile.	
22167.29	Contraband Bayou Daybeacon 27	30-12-06.560N 093-14-24.790W				SG on pile.	
22167.31	Contraband Bayou Daybeacon 28	30-11-58.010N 093-14-17.360W				TR on pile.	
22167.32	Contraband Bayou Daybeacon 29	30-12-00.880N 093-14-22.960W				SG on pile.	
22167.33	Contraband Bayou Daybeacon 30	30-11-55.230N 093-14-12.360W				TR on pile.	
22170	Clooneys Loop Light 2	30-13-03.875N 093-16-02.821W	FI R 4s	0	4	TR on pile.	Ra ref.
22175	Clooneys Loop Light 3	30-13-06.503N 093-16-13.790W	FI G 4s	0	4	SG on pile.	
22180	Conoco Dock 1 Dolphin Light	30-13-54.000N 093-15-29.500W	FI G 2.5s			On dolphin.	
22185	Conoco Dock 1 Lights (2)	30-13-53.800N 093-15-27.600W	FI G 2.5s			On dock.	
22190	Conoco Dock 2 Lights (2)	30-13-53.500N 093-15-18.500W	FI G 2.5s			On dock.	
22195	Conoco Dock 2B Lights(3)	30-13-48.780N 093-15-14.300W	FI G 2.5s			On dolphin.	
22200	Conoco Dock 3 Lights (2)	30-13-48.100N 093-15-14.000W	FI G 2.5s			On dock.	
22205	Conoco Dock 3 Dolphin Light	30-13-43.200N 093-15-10.000W	FI G 2.5s			On dolphin.	
22210	Westlake Dock Light	30-13-11.000N 093-15-04.000W	F G			On concrete bridge pier.	
22215	North American Land Company Fuel Dock Light A	30-13-10.000N 093-14-59.000W	FI G 2.5s			On pier.	
22220	North American Land Company Fuel Dock Light B	30-13-10.000N 093-15-00.000W	FI G 2.5s			On pier.	
22225	Calcasieu River Light 122	30-13-08.498N 093-14-21.723W	Q R	0	4	TR on pile.	
22230	Calcasieu River Lighted Buoy 122A	30-13-17.244N 093-14-20.837W	FI R 4s		3	Red.	
22235	Calcasieu River Light 123	30-13-10.911N 093-14-33.252W	Q G	0	3	SG on skeleton tower.	
22240	Calcasieu River Light 125	30-13-22.243N 093-14-30.620W	FI G 2.5s	0	3	SG on pile.	
22245	Calcasieu River Light 124	30-13-25.247N 093-14-24.011W	FI R 2.5s	0	3	TR on pile.	
22250	Calcasieu River Light 126	30-13-37.989N 093-14-36.744W	FI R 4s	0	4	TR on pile.	Ra ref.
22255	Calcasieu River Daybeacon 128	30-13-44.082N 093-14-40.694W			0	TR on pile.	

22260	Calcasieu River Light 130	30-13-50.639N 093-14-42.429W	Fl R 4s	0	4	TR on pile.	Ra ref.
22265	Westlake Ship Berth 13 Dock Lights (2)	30-13-53.000N 093-14-50.000W	Fl G 2.5s			On dock.	
22270	Calcasieu River Daybeacon 132	30-13-53.498N 093-14-38.908W		0		TR on pile.	
22275	Calcasieu River Daybeacon 134	30-14-04.648N 093-14-39.814W		0		TR on pile.	
22280	Calcasieu River Light 136	30-14-05.144N 093-14-44.308W	Fl R 6s	0	4	TR on pile.	
22285	Calcasieu River Erosion East Lights (2)	30-14-33.000N 093-14-44.000W	Fl R 2.5s			On pile clusters.	
22287	Port of Lake Charles Construction Dock Lights (4)	30-14-41.630N 093-14-50.470W	Fl W 2.5s			Marks construction docks A and B.	
22290	Calcasieu River Erosion West Lights (2)	30-14-32.000N 093-14-51.000W	Fl G 2.5s			On pile clusters.	
22295	Lake Charles Bulk Terminal No.7 Dock Lights (2)	30-14-33.000N 093-13-03.000W	Fl R 2.5s				
22298	McMichael Dock Light	30-18-42.000N 093-16-45.000W	Fl R 2.5s			Marks outermost upstream corner of dock.	
22300	Sabine Bank Channel Lighted Buoy SB	29-25-00.799N 093-39-53.731W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
22305	Sabine Bank Channel Lighted Buoy 1	29-26-04.863N 093-40-06.270W	Fl G 4s		4	Green.	
22310	Sabine Bank Channel Lighted Buoy 2	29-26-05.862N 093-39-55.616W	Fl R 4s		4	Red.	
22315	Sabine Bank Channel Lighted Buoy 3	29-27-07.990N 093-40-06.573W	Fl G 6s		4	Green.	
22320	Sabine Bank Channel Lighted Buoy 4	29-27-07.860N 093-39-54.960W	Fl R 6s		4	Red.	
22325	Sabine Bank Channel Lighted Buoy 5	29-28-12.858N 093-40-05.615W	Fl G 2.5s		4	Green.	
22330	Sabine Bank Channel Lighted Buoy 6	29-28-10.105N 093-39-54.717W	Fl R 2.5s		3	Red.	
22335	Sabine Bank Channel Lighted Buoy 7	29-28-42.737N 093-40-06.117W	Q G		3	Green.	
22340	Sabine Bank Channel Lighted Buoy 8	29-28-55.857N 093-39-55.614W	Q R		3	Red.	
22345	Sabine Bank Channel Lighted Buoy 9	29-29-01.053N 093-40-15.323W	Q G		3	Green.	
22350	Sabine Bank Channel Lighted Buoy 11	29-29-20.395N 093-40-37.420W	Fl G 2.5s		4	Green.	
22355	Sabine Bank Channel Lighted Buoy 12	29-29-26.855N 093-40-27.615W	Fl R 2.5s		4	Red.	
22360	Sabine Bank Channel Lighted Buoy 13	29-30-15.473N 093-41-42.122W	Fl G 4s		4	Green.	
22365	Sabine Bank Channel Lighted Buoy 14	29-30-21.892N 093-41-33.503W	Fl R 4s		3	Red.	
22370	Sabine Bank Channel Lighted Buoy 17	29-31-38.049N 093-43-21.754W	Fl G 4s		4	Green.	
22375	Sabine Bank Channel Lighted Buoy 18	29-31-46.846N 093-43-10.615W	Fl R 2.5s		4	Red.	
22380	Sabine Bank Channel Lighted Buoy 21	29-33-03.212N 093-45-01.062W	Fl G 4s		4	Green.	
22385	Sabine Bank Channel Lighted Buoy 22	29-33-10.840N 093-44-51.115W	Fl R 4s		3	Red.	
22390	Sabine Bank Channel Lighted Buoy 25	29-34-27.618N 093-46-39.724W	Fl G 4s		4	Green.	
22395	Sabine Bank Channel Lighted Buoy 26	29-34-37.257N 093-46-31.377W	Fl R 4s		4	Red.	
22400	Sabine Bank Channel Lighted Buoy 29	29-35-53.830N 093-48-20.620W	Q G		3	Green.	
22405	Sabine Bank Channel Lighted Buoy 30	29-35-56.750N 093-48-06.693W	Q R		3	Red.	
22410	Sabine Pass Outer A Range Front Light	29-39-18.940N 093-49-51.045W	Q G	25		Skeleton tower on pile.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
22415	Sabine Pass Outer A Range Rear Light	29-39-46.444N 093-50-04.204W	Iso G 6s	50		Skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
22420	Sabine Bank Channel Lighted Buoy 31	29-36-43.093N 093-48-44.404W	Fl G 2.5s		4	Green.	

22425	Sabine Bank Channel Lighted Buoy 32	29-36-47.528N 093-48-32.720W	FI R 2.5s	3	Red.		
22430	Sabine Bank Channel Lighted Buoy 33	29-37-39.825N 093-49-10.621W	FI G 2.5s	4	Green.		
22435	Sabine Bank Channel Lighted Buoy 34	29-37-43.825N 093-48-57.620W	FI R 2.5s	3	Red.		
22440	Sabine Pass East Jetty Light	29-38-40.592N 093-49-21.968W	Iso W 2s	40	5	NB on skeleton tower.	AIS: MMSI 993682262
22442	Sabine Pass West Jetty V- AIS	29-38-35.872N 093-49-41.017W					AIS: MMSI 993682364
22465	Sabine Pass Lighted Buoy 18	29-38-36.832N 093-49-24.018W	Q R	3	Red.		
22470	Sabine Pass Lighted Buoy 17	29-38-37.879N 093-49-36.092W	Q G	3	Green.		
22475	Sabine Pass Jetty B Range Front Light	29-41-37.232N 093-50-17.557W	Q R	10	4		Visible 2° each side of rangeline.
22480	Sabine Pass Jetty B Range Rear Light	29-41-52.486N 093-50-21.514W	Oc R 4s	45	4		Visible 2° each side of rangeline.
22485	Sabine Pass Lighted Buoy 19	29-39-27.309N 093-49-48.421W	FI G 2.5s	4	Green.		
22490	Sabine Pass Lighted Buoy 20	29-39-28.820N 093-49-38.921W	FI R 2.5s	3	Red.		
22495	Sabine Pass Lighted Buoy 21	29-40-17.817N 093-50-01.621W	FI G 2.5s	4	Green.		
22500	Sabine Pass Lighted Buoy 22	29-40-19.939N 093-49-51.685W	FI R 2.5s	3	Red.		
22505	Sabine Pass Lighted Buoy 26	29-41-03.340N 093-50-00.528W	Q R	3	Red.		
22530	Sabine Pass Lighted Buoy 27	29-41-21.529N 093-50-19.813W	Q G	3	Green.		
22535	Sabine Pass C Range Front Light	29-45-28.999N 093-53-24.478W	Iso R 2s	25		Skeleton tower on piles.	Visible all around higher intensity on rangeline.
22540	Sabine Pass C Range Rear Light	29-45-54.639N 093-53-44.223W	Iso R 6s	70		Skeleton tower on piles.	Lighted throughout 24 hours. Visible 1° each side of rangeline.
22545	Sabine Pass C Range Rear Light Passing Light	29-45-54.648N 093-53-44.232W	FI R 4s	70	3	On same structure as Sabine Pass C Range Rear Light.	
22550	Sabine Pass Lighted Buoy 29	29-41-51.613N 093-50-42.921W	FI G 2.5s	4	Green.		
22555	Sabine Pass Lighted Buoy 30	29-41-53.667N 093-50-33.393W	FI R 2.5s	3	Red.		
22560	Sabine Pass Lighted Buoy 32	29-42-23.811N 093-50-57.222W	FI R 4s	3	Red.		
22565	Sabine Pass Lighted Buoy 34	29-42-54.834N 093-51-21.559W	FI R 6s	3	Red nun.		
22570	Sabine Pass Lighted Buoy 36	29-43-27.808N 093-51-46.223W	FI R 4s	3	Red.		
22575	Sabine Pass Anchorage Basin Light A	29-44-05.086N 093-51-54.334W	FI Y 4s	0	5	NY on dolphin.	
22580	Sabine Pass LNG West Mooring Dolphin Light	29-44-32.800N 093-52-24.700W	FI W 2.5s			Mooring dolphin.	
22585	Sabine Pass LNG East Mooring Dolphin Light	29-44-26.300N 093-52-13.500W	FI W 2.5s			Mooring dolphin.	
22590	Sabine Pass Lng West Range Front Light	29-44-43.400N 093-52-07.700W	F G			KGW on tower.	Visible only from 175°T to 245°T.
22595	Sabine Pass Lng West Range Rear Light	29-44-48.300N 093-52-02.400W	F G			KGW on tower.	Visible only from 175°T to 245°T.
22600	Sabine Pass Lng East Range Front Light	29-44-42.000N 093-52-05.000W	F R			KRW on tower.	Visible only from 175°T to 245°T.
22605	Sabine Pass Lng East Range Rear Light	29-44-47.000N 093-52-01.400W	F R			KRW on tower.	Visible only from 175° to 245°.
22610	Sabine Pass Light 37	29-44-00.042N 093-52-22.438W	Q G	0	4	SG on pile.	
22615	Sabine Pass Battleground State Park Entrance Light 1	29-44-03.750N 093-52-28.450W	FI G 6s			SG on pile.	
22620	Sabine Pass Battleground State Park Daybeacon 2	29-44-03.880N 093-52-28.770W				TR on pile.	
22625	Sabine Pass Anchorage Lighted Buoy B	29-44-02.395N 093-52-01.225W	FI Y 6s	3	Yellow.		Marks northern most point of anchorage.
22627	Sabine Pass LNG Northeast Maneuvering Pile Light	29-44-23.100N 093-52-10.700W	FI W 2.5s				Marks maneuvering pile.

22627.01	Sabine Pass LNG Southwest Maneuvering Pile Light	29-44-22.000N 093-52-15.000W	FI W 2.5s			Marks maneuvering pile.
22627.02	Sabine Pass LNG Range Front Light	29-44-35.400N 093-51-58.300W	F G			Marks front range.
22627.03	Sabine Pass LNG Range Rear Light	29-44-37.500N 093-51-56.700W	F G			Marks rear range.
22630	Sabine Pass Light 38	29-44-34.164N 093-52-36.260W	Q R	0	3	TR on pile.
22635	Sabine Pass Light 39	29-45-04.474N 093-53-11.115W	Q G	0	4	SG on pile.
22640	Cox Sabine Facility Channel Channel Buoy 1	29-45-35.000N 093-53-19.000W				Green can.
22645	Cox Sabine Facility Channel Buoy 2	29-45-33.000N 093-53-13.000W				Red nun.
22650	Cox Sabine Facility Channel Buoy 3	29-45-39.000N 093-53-16.000W				Green can.
22655	Cox Sabine Facility Channel Buoy 4	29-45-38.000N 093-53-15.000W				Red nun.
22660	Cox Sabine Facility Channel Buoy 5	29-45-44.000N 093-53-13.000W				Green can.
22665	Cox Sabine Facility Channel Buoy 6	29-45-43.000N 093-53-12.000W				Red nun.
22670	Cox Sabine Facility Channel Buoy 7	29-45-47.000N 093-53-12.000W				Green can.
22675	Cox Sabine Facility Channel Buoy 8	29-45-46.000N 093-53-10.000W				Red nun.
22680	Cox Sabine Facility Channel Buoy 9	29-45-50.000N 093-53-10.000W				Green can.
22685	Cox Sabine Facility Channel Buoy 10	29-45-49.000N 093-53-08.000W				Red nun.
22690	Cox Sabine Facility Channel Buoy 11	29-45-53.000N 093-53-07.000W				Green can.
22695	Cox Sabine Facility Channel Buoy 12	29-45-52.000N 093-53-06.000W				Red nun.
22700	Cox Sabine Facility Channel Buoy 13	29-45-54.000N 093-53-06.000W				Green can.
22705	Cox Sabine Facility Channel Buoy 14	29-45-52.000N 093-53-05.000W				Red nun.
22710	Cox Sabine Facility Channel Buoy 15	29-45-56.000N 093-53-04.000W				Green can.
22715	Cox Sabine Facility Channel Buoy 16	29-45-52.000N 093-53-03.000W				Red nun.
22720	Cox Sabine Facility Channel Buoy 17	29-45-55.000N 093-53-01.000W				Green can.
22725	Cox Sabine Facility Channel Buoy 18	29-45-53.000N 093-53-02.000W				Red nun.
22730	Cox Sabine Facility Channel Danger Buoy A	29-45-31.000N 093-53-11.000W				White with orange diamond.
22735	Cox Sabine Facility Channel Danger Buoy B	29-45-32.000N 093-53-16.000W				White with orange diamond.
22740	Cox Sabine Facility Channel Danger Buoy C	29-45-37.000N 093-53-22.000W				White with orange diamond.
22745	Cox Sabine Facility Channel Danger Buoy D	29-45-47.000N 093-53-18.000W				White with orange diamond.
22750	Cox Sabine Facility Channel Danger Buoy E	29-45-52.000N 093-53-16.000W				White with orange diamond.
22755	Cox Sabine Facility Channel Danger Buoy F	29-45-57.000N 093-53-13.000W				White with orange diamond.
22760	Cox Sabine Facility Channel Rear Range Daymark	29-46-04.000N 093-53-00.000W				KRW on pile.
22765	Cox Sabine Facility Channel Front Range Daymark	29-46-01.000N 093-53-02.000W				KRW on pile.
22770	Texas Water Board Research Light Tower A	29-56-15.000N 093-48-30.000W	FI Y 4s			NY on pile. Ra ref.
22772	TWDB Lighted Scientific Monitoring Buoy SL	29-56-17.396N 093-49-11.236W	FI Y 2.5s			Marks data collection location.
22780	Port Arthur Canal Light 40	29-45-37.109N 093-53-51.210W	Q R	0	4	TR on pile.

22785	Port Arthur Canal D Range Front Light	29-45-16.180N 093-53-01.783W	Q G	20		Skeleton tower on piles.	Lighted throughout 24 hours.
22790	Port Arthur Canal D Range Rear Light	29-45-08.427N 093-52-38.688W	Iso G 6s	55		Skeleton tower on piles.	Lighted throughout 24 hours.
22795	Golden Pass LNG Berthing Lighted Entrance Buoy A	29-45-52.170N 093-55-00.310W	Fl Y 4s			Yellow.	
22800	Golden Pass LNG Berthing Lighted Entrance Buoy B	29-46-03.750N 093-55-14.760W	Fl Y 4s			Yellow.	
22810	Port Arthur Canal E Range Front Light	29-46-20.201N 093-56-12.992W	Q G	26	8	KRW on skeleton tower.	For upbound traffic. Visible for 2° each side of rangeline.
22815	Port Arthur Canal E Range Front Light Passing Light	29-46-20.136N 093-56-13.003W	Q G	0	3	KRW on skeleton tower. On same structure as Port Arthur Canal Range E Front Light.	
22820	Port Arthur Canal E Range Rear Light	29-46-25.781N 093-56-29.713W	Iso G 6s	54		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
22825	Port Arthur Canal Light 43	29-46-31.626N 093-56-28.090W	Fl G 2.5s	0	5	SG on pile.	
22835	Port Arthur Canal F Range Front Light 45	29-46-47.843N 093-56-42.480W	Q G	31		KRW and SG on skeleton tower on piles.	Visible all around; higher intensity 1.5° each side of range line.
22840	Port Arthur Canal F Range Rear Light	29-46-30.357N 093-56-36.073W	Iso G 6s	50		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
22845	Port Arthur Canal Light 46	29-46-55.326N 093-56-37.899W	Q R	0	4	TR on pile.	
22850	Port Arthur Canal G Range Front Light	29-49-34.327N 093-57-43.548W	Q G	25			Ra ref. Lighted throughout 24 hours.
22855	Port Arthur Canal G Range Rear Light	29-49-46.449N 093-57-48.034W	Iso G 6s	70			Ra ref. Lighted throughout 24 hours.
22860	Port Arthur Canal Light 47	29-47-02.412N 093-56-52.954W	Fl G 4s	0	5	SG on pile.	
22862.04	Port Arthur LNG Special Lighted Maneuvering Buoy Y1	29-47-52.559N 093-57-09.993W	Fl Y 2.5s			Marks maneuvering location.	
22862.02	Port Arthur LNG Special Lighted Maneuvering Buoy Y2	29-47-42.740N 093-56-55.771W	Fl Y 2.5s			Marks maneuvering location.	
22862	Port Arthur LNG Special Lighted Maneuvering Buoy Y3	29-47-27.755N 093-57-00.731W	Fl Y 2.5s			Marks maneuvering location.	
22862.01	Port Arthur LNG Dock Light	29-47-31.747N 093-57-12.064W	Fl W 2.5s				
22862.03	Port Arthur LNG Dock Light	29-47-42.752N 093-57-16.416W	Fl W 2.5s				
22863	Port Arthur LNG Pioneer Dock Light South	29-48-11.044N 093-57-19.003W	Fl W 2.5s			Marks south dock corner.	
22863.01	Port Arthur LNG Pioneer Dock Light North	29-48-12.732N 093-57-18.657W	Fl W 2.5s			Marks north dock corner.	
22864	Port Arthur LNG Special Lighted Maneuvering Buoy Y6	29-48-14.399N 093-57-17.953W	Fl Y 2.5s			Marks maneuvering location.	
22864.01	Port Arthur LNG Special Lighted Maneuvering Buoy Y5	29-48-14.787N 093-57-19.499W	Fl Y 2.5s			Marks maneuvering location.	
22864.02	Port Arthur LNG Special Lighted Maneuvering Buoy Y4	29-48-20.180N 093-57-20.055W	Fl Y 2.5s			Marks maneuvering location.	
22864.03	Port Arthur LNG Southwest Dock Light	29-48-16.366N 093-57-20.633W	Fl W 2.5s			Marks southwest corner of dock.	
22864.04	Port Arthur LNG Northeast Dock Light	29-48-19.403N 093-57-21.566W	Fl W 2.5s			Marks northeast corner of dock.	
22865	Port Arthur Canal Light 48	29-49-03.814N 093-57-26.829W	Fl R 4s	0	3	TR on pile.	
22867	TGS Development PI Dock Mooring Pile Light	29-49-20.824N 093-57-24.441W	Fl R 6s			Marks outermost mooring pile.	
22867.01	TGS Development PI Dock Front Range Light	29-49-25.683N 093-57-11.435W	F G			KGW on tower.	
22867.02	TGS Development PI Dock Rear Range Light	29-49-27.990N 093-57-06.413W	F G			KGW on tower.	
22870	Port Arthur Canal Light 49	29-49-23.511N 093-57-45.226W	Fl G 4s	0	4	SG-SY on pile.	
22872	GT Logistics Downstream Dock Light	29-49-59.960N 093-57-58.980W	Fl W 2.5s				

22872.01	GT Logistics Upstream Dock Light	29-50-01.490N 093-58-01.310W	FI W 2.5s				
22875	Taylor Bayou Turning Basin Light 1	29-50-10.031N 093-58-05.888W	FI G 4s	0	4	SG on pile.	
22876	Oxbow Calcining Dock Light	29-50-08.800N 093-57-59.800W	FI R 2.5s			Light marks outermost upstream dock structure.	
22880	Motiva Dock Lights (2)	29-49-48.059N 093-57-33.505W	FI R 2.5s			On dock.	
22885	Sabine-Neches Canal Light 50	29-49-48.691N 093-57-12.346W	FI R 2.5s	0	4	TR-SY on pile.	Ra ref.
22890	Sabine-Neches Canal Light 50A	29-50-20.229N 093-57-06.219W	FI R 4s	0	3	TR-SY on pile.	Ra ref.
22895	Sabine-Neches Canal Light 51	29-50-48.705N 093-57-06.579W	FI G 4s	0	4	SG-TY on pile.	
22900	Sabine-Neches Canal Light 52	29-50-45.186N 093-56-58.425W	Q R	0	4	TR-SY on pile.	
22905	Sabine-Neches Canal H Range Front Light	29-52-05.850N 093-55-49.149W	Q R	40		KRW-I on skeleton tower on block.	For upbound traffic Visible 2° each side of rangeline.
22910	Sabine-Neches Canal H Range Rear Light	29-52-13.269N 093-55-42.005W	Iso R 6s	50		KRW on skeleton tower on concrete block.	
22915	Sabine-Neches Canal Light 52A	29-51-36.280N 093-56-12.681W	FI R 2.5s	0	4	TR-SY on pile.	Ra ref.
22920	Sabine-Neches Canal Light 54	29-53-27.591N 093-54-37.305W	FI R 4s	0	4	TR-SY on pile.	
22925	Sabine-Neches Canal Light 56	29-54-06.077N 093-53-55.435W	FI R 4s	0	4	TR-SY on pile.	
22930	Sabine-Neches Canal Light 58	29-54-36.426N 093-53-29.107W	FI R 4s	0	3	TR-SY on pile.	Ra ref.
22935	Sabine-Neches Canal Light 60	29-54-55.639N 093-53-10.671W	FI R 2.5s	0	4	TR-SY on pile.	
22940	Sabine-Neches Canal Light 62	29-55-43.922N 093-52-26.869W	FI R 4s	0	4	TR-SY on pile.	Ra ref.
22945	Sabine-Neches Canal L Range Front Light	29-56-35.681N 093-51-46.487W	Q W	30		KRW-I on skeleton tower on piles.	
22950	Sabine-Neches Canal L Range Rear Light	29-56-58.215N 093-51-26.720W	Iso W 6s	55		KRW on skeleton tower on piles.	
22955	Sabine-Neches Canal K Range Front Light	29-56-04.503N 093-52-05.174W	Q W	30	14		
22960	Sabine-Neches Canal K Range Front Passing Light	29-56-04.503N 093-52-05.174W	FI R 2.5s	17	3	On same structure as Neches Canal Range K Front Light.	
22965	Sabine-Neches Canal K Range Rear Light	29-55-34.119N 093-52-17.861W	Iso W 6s	55			Visible only on rangeline. Lighted throughout 24 hours.
22970	Sabine-Neches Canal M Upper Range Front Light	29-58-15.930N 093-51-10.234W	Q W	20		On skeleton tower.	For upbound traffic. Visible 2° each side of rangeline. Lighted throughout 24 hours.
22975	Sabine-Neches Canal M Upper Range Rear Light	29-58-37.595N 093-51-01.160W	Iso W 6s	56		On skeleton tower on piles. On same structure as Neches River Outer Range R Rear Light.	
22980	Sabine-Neches Canal Light 64	29-56-56.539N 093-51-39.219W	FI R 4s	0	4	TR-SY on pile.	Ra ref.
22985	Sabine-Neches Canal Buoy 64A	29-57-33.945N 093-51-21.876W				Red nun with yellow square.	
22990	Sabine-Neches Canal Leading Light A	29-57-46.341N 093-51-09.433W	FI W 4s	0	7	NR on pile.	Ra ref.
22995	Sabine-Neches Canal Light 65	29-57-57.268N 093-51-25.028W	FI G 4s	17	4	SG-TY on pile.	Ra ref.
23000	Sabine-Neches Canal Light 66	29-58-04.526N 093-51-08.157W	FI R 2.5s	0	4	TR-SY on pile.	Ra ref.
23005	Sabine-Neches Canal N Range Front Light	29-58-02.241N 093-51-44.678W	Q G	35		On skeleton tower on piles.	For westbound traffic.
23010	Sabine-Neches Canal N Range Rear Light	29-57-52.328N 093-52-16.124W	Iso G 6s	80		On skeleton tower on piles.	Range is not effective inland of Sabine-Neches Canal Buoys 75 and 76.
23015	Sabine-Neches Canal Buoy 67	29-58-27.455N 093-50-36.641W				Green can with yellow triangle.	
23020	Sabine-Neches Canal Buoy 68	29-58-22.049N 093-50-33.380W				Red nun with yellow square.	
23025	Sabine-Neches Canal Buoy 69	29-58-32.889N 093-50-15.056W				Green can with yellow triangle.	
23030	Sabine-Neches Canal Buoy 70	29-58-28.857N 093-50-12.683W				Red nun with yellow square.	
23035	Sabine-Neches Canal Buoy 71	29-58-39.753N 093-49-53.030W				Green can with yellow triangle.	

23040	Sabine-Neches Canal Buoy 72	29-58-35.641N 093-49-51.205W					Red nun with yellow square.	
23045	Sabine-Neches Canal Light 73	29-58-49.885N 093-49-23.126W	FI G 4s	0	4	SG-TY on pile.		Ra ref.
23050	Sabine-Neches Canal Light 74	29-58-44.148N 093-49-21.354W	FI R 4s	0	4	TR-SY on pile.		Ra ref.
23055	Sabine-Neches Canal Buoy 75	29-58-57.997N 093-48-54.816W					Green can with yellow triangle.	
23060	Sabine-Neches Canal Buoy 76	29-58-54.027N 093-48-51.424W					Red nun with yellow square.	
23065	Sabine-Neches Canal Buoy 77	29-59-06.665N 093-48-27.586W					Green can with yellow triangle.	
23070	Sabine-Neches Canal Buoy 78	29-59-02.440N 093-48-25.374W					Red nun with yellow square.	
23075	Sabine-Neches Canal Buoy 79	29-59-12.727N 093-48-07.920W					Green can with yellow triangle.	
23080	Sabine-Neches Canal Buoy 80	29-59-08.740N 093-48-05.514W					Red nun with yellow square.	
23085	Sabine-Neches Canal O Range Front Light	29-59-30.992N 093-47-02.306W	Q R	5		KRW on skeleton tower.		For eastbound traffic.
23090	Sabine-Neches Canal O Range Rear Light	29-59-40.580N 093-46-31.692W	FI R 4s	45		KRW on skeleton tower on mud sills.		Passing light visible all around.
23095	Sabine-Neches Canal O Range Rear Passing Light	29-59-40.580N 093-46-31.692W	FI R 4s	0	4	On same structure as Neches Canal Range O Rear Light.		
23100	Sabine River Light 1	29-59-51.095N 093-46-29.984W	FI G 2.5s	0	4	SG-TY on pile.		Ra ref.
23105.01	Sabine River Lighted Buoy 2	29-59-59.425N 093-46-14.881W	FI R 4s		3		Red nun with yellow square.	
23110	Sabine River Daybeacon 4	30-00-50.050N 093-45-23.699W			0		TR-SY on pile.	
23115	Sabine River Light 5	30-00-51.180N 093-45-36.548W	FI G 4s	0	4	SG-TY on pile.		Ra ref.
23120	Sabine River P Range Front Light	30-01-06.738N 093-45-15.906W	Q W	20		KRW-I on skeleton tower on piles.		Visible 4° either side of rangeline.
23125	Sabine River P Range Rear Light	30-01-34.561N 093-44-50.120W	Iso W 6s	45		KRW-I on skeleton tower on piles.		
23130	Sabine River Light 8	30-01-04.850N 093-44-51.450W	FI R 2.5s	0	4	TR-SY on skeleton tower on piles.		
23135	Sabine River Daybeacon 10	30-01-13.423N 093-44-35.069W			0		TR-SY on pile.	Ra ref.
23140	Sabine River Light 11	30-01-21.596N 093-44-37.446W	FI G 4s	0	4	SG-TY on pile.		
23145	Sabine River Light 13	30-01-38.978N 093-44-26.604W	FI G 4s	0	4	SG-TY on pile.		
23150	Sabine River Lighted Buoy 13A	30-01-49.085N 093-44-24.678W	FI G 2.5s		3		Green can with yellow triangle.	
23155	Sabine River Light 15	30-02-02.276N 093-44-24.204W	FI G 4s	0	4	SG-TY on pile.		
23160	Dynergy Midstream Dock Lights(2)	30-02-09.000N 093-44-21.000W	FI G 2.5s				On dolphins.	
23165	Sabine River Light 16	30-02-16.856N 093-44-09.430W	Q R	0	4	TR-SY on pile.		
23170	Sabine River Outer Q Range Front Light	30-02-22.412N 093-44-17.987W	Q W	25		KRW-I on skeleton tower on piles.		Visible all around; higher intensity on rangeline.
23175	Sabine River Outer Q Range Rear Light	30-02-13.860N 093-44-30.392W	Iso W 6s	45		KRW on skeleton tower on mud sills.		Visible all around; higher intensity on rangeline.
23180	Adams Bayou Light 2	30-02-55.223N 093-43-46.802W	FI R 4s	17	3	TR-SY on pile.		
23185	Dupont Light 1	30-03-24.000N 093-44-30.000W	F G				On wharf.	
23190	Dupont Light 3	30-03-24.000N 093-44-30.000W	F G				On wharf.	
23195	Dupont Light 5	30-03-24.000N 093-44-30.000W	F G				On wharf.	
23200	Sabine River Light 20	30-02-54.390N 093-43-27.290W	FI R 2.5s	0	3	TR-SY on pile.		
23205	Sabine River Daybeacon 21	30-03-15.276N 093-43-17.116W			0		SG-TY on pile.	Ra ref.
23210	Sabine River Light 22	30-03-17.829N 093-43-07.570W	FI R 4s	0	3	TR-TY on pile.		Ra ref.

23215	Sabine River Daybeacon 23	30-03-33.348N 093-43-07.021W		0		SG on pile.	
23220	Sabine River Light 24	30-03-39.882N 093-42-57.160W	Fl R 4s	0	4	TR on pile.	Ra ref.
23225	Sabine River Daybeacon 25	30-03-43.588N 093-43-07.765W		0		SG on pile.	
23230	Sabine River Daybeacon 26	30-04-10.044N 093-42-55.092W		0		TR on pile.	Ra ref.
23235	Sabine River Light 27	30-03-56.644N 093-43-01.468W	Fl G 4s	0	4	SG on pile.	
23240	Conway Bayou Danger Daybeacon A	30-04-05.246N 093-42-54.042W		0		NW on pile.	Ra ref.
23245	Conway Bayou Danger Daybeacon B	30-03-33.467N 093-42-00.529W		0		NW on pile.	
23250	Sabine River Daybeacon 29	30-04-13.013N 093-43-05.692W		0		SG on pile.	
23255	Sabine River Light 31	30-04-43.826N 093-43-28.198W	Fl G 4s	17	4	SG on pile.	
23265	Old River Obstruction Lighted Buoy 2	30-04-43.808N 093-43-33.420W	Q R		3	Red.	
23270	Sabine River Obstruction Lighted Buoy 53	30-05-06.000N 093-43-24.000W	Q G			Green.	
23275	Navy Pier 10 Lights (2)	30-05-50.400N 093-43-15.000W	Fl G 2.5s			On dolphin.	Maintained by U.S. Navy.
23280	Orange County Pier Light 6	30-06-01.000N 093-42-57.000W	Q G			On pile.	
23285	Orange County Pier Light 3	30-06-13.000N 093-42-51.000W	Q G			On pile.	
23290	Orange County Pier Light 2	30-06-18.000N 093-42-50.000W	Q G			On pile.	
23295	Neches River Lighted Buoy 2	29-58-14.979N 093-51-16.539W	Q R		3	Red.	
23300	Neches River Light 6	29-58-33.474N 093-51-26.952W	Fl R 4s	0	3	TR on pile.	
23305	Neches River Light 7	29-58-30.950N 093-51-38.072W	Fl G 4s	0	4	SG on pile.	
23310	Neches River Buoy 9	29-58-36.665N 093-51-47.071W				Green can.	
23315	Neches River Outer R Range Front Light	29-58-41.422N 093-51-25.017W	Fl W 2.5s	10		On dolphin.	
23320	Neches River Light 10	29-58-44.602N 093-51-44.770W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
23325	Neches River Outer R Range Rear Light	29-58-37.595N 093-51-01.160W	Iso W 6s	25		On skeleton tower on piles. On same structure as Sabine-Neches Canal Upper Range M Rear Light.	
23330	Fina Wharf Light 1	29-58-00.800N 093-52-00.800W	F G			On pile.	
23335	Fina Wharf Light 3	29-58-00.800N 093-52-00.800W	F G			On pile.	
23340	Fina Wharf Light 5	29-58-00.800N 093-52-00.800W	F G			On pile.	
23345	Neches River Light 14	29-58-58.225N 093-52-47.060W	Fl R 4s	0	4	TR on pile.	Ra ref.
23350	Neches River Light 19	29-59-05.036N 093-54-18.836W	Q G	0	4	SG on pile.	
23355	Neches River Light 20	29-59-15.592N 093-54-37.391W	Fl R 4s	0	3	TR on pile.	
23360	Neches River Light 22	29-59-25.904N 093-55-29.614W	Fl R 4s	0	3	TR on pile.	Ra ref.
23365	Neches River S Range Front Light	29-59-20.632N 093-55-38.051W	Q G	35		KRW on skeleton tower on mud sills.	For downbound traffic. Visible all around; higher intensity on rangeline.
23370	Neches River S Range Rear Light	29-59-19.096N 093-55-33.941W	Iso G 6s	50		KRW on skeleton tower on mud sills.	
23375	Texas Company Wharf Lights (3)	29-59-36.000N 093-56-27.000W	Fl G 2.5s			On wharf.	
23380	Texas Petrochemical Neches River Wharf Lights (4)	29-59-37.000N 093-56-35.000W	Fl G 2.5s			On wharf.	
23385	Neches River Light 26	29-59-56.709N 093-56-58.014W	Fl R 4s	0	4	TR on pile.	Ra ref.
23390	City of Port Neches Wharf Lights (2)	30-00-10.870N 093-57-19.580W	Fl G 2.5s				

23395	Neches River Light 26A	30-00-18.734N 093-57-13.602W	FI R 2.5s	0	4	TR on pile.	
23400	Neches River Light 28	30-00-44.522N 093-57-22.144W	Q R	0	4	TR on dolphin.	
23405	Neches River Light 29	30-00-40.900N 093-57-32.604W	Q G	0	3	SG on pile.	
23410	Neches River Light 30	30-00-54.368N 093-57-41.232W	Q R	0	4	TR on pile.	Ra ref.
23414	Phillips 66 Main Dock Upstream Light	30-00-29.270N 093-58-35.220W	FI W 2.5s			Marks the main dock.	
23415	Phillips 66 Dock Light 1	30-00-39.000N 093-58-08.000W	FI G 2.5s			Pile structure.	
23420	Phillips 66 Dock Lights (3)	30-00-43.000N 093-57-59.000W	FI G 2.5s			Pile structure.	
23421	Phillips 66 Dock 4 Downstream Light	30-00-44.960N 093-57-46.470W	FI W 2.5s			Marks Dock 4.	
23425	Neches River Light 34	30-00-35.438N 093-58-52.522W	FI R 4s	0	3	TR on pile.	
23430	Neches River T Range Front Light	30-00-27.387N 093-58-41.663W	F G	37		On skeleton tower on block.	Lighted throughout 24 hours.
23435	Neches River T Range Rear Light	30-00-24.805N 093-58-32.483W	F G	50		On skeleton tower on block.	Lighted throughout 24 hours.
23440	Neches River U Range Front Light	30-01-17.753N 094-01-41.192W	FI G 2.5s	15		Skeleton tower on piles.	Lighted throughout 24 hours.
23445	Neches River U Range Rear Light	30-01-21.021N 094-01-52.828W	Iso G 6s	35		Skeleton tower.	Lighted throughout 24 hours. Visible 1.5° each side of range line.
23447	NECHES RIVER LIGHT 38	30-00-51.919N 093-59-54.602W	Q R		4	TR on pile.	
23448	Neches River V-AIS 39	30-00-48.820N 094-00-09.330W					AIS: MMSI 993682849
23450	Neches River Light 40	30-00-56.364N 094-00-14.817W	FI R 4s	0	4	TR on pile.	Ra ref.
23455	NECHES RIVER LIGHT 40A	30-01-14.129N 094-01-18.689W	FI R 2.5s	0	3	TR on pile.	Ra ref.
23460	Neches River Light 42	30-01-28.946N 094-01-41.579W	Q R	0	4	TR on pile.	
23465	Oiltanking Dock Channel Buoy 1	30-01-37.144N 094-01-58.620W				Green can.	
23470	Oiltanking Dock Channel Buoy 2	30-01-39.387N 094-01-59.292W				Red nun.	
23475	Oiltanking Dock Channel Buoy 3	30-01-36.255N 094-02-01.380W				Green can.	
23480	Oiltanking Dock Channel Buoy 4	30-01-37.874N 094-02-02.330W				Red nun.	
23485	Oiltanking Dock Channel Buoy 5	30-01-34.815N 094-02-04.623W				Green can.	
23490	Oiltanking Dock Channel Buoy 6	30-01-36.434N 094-02-05.573W				Red nun.	
23495	Oiltanking Dock Channel Buoy 7	30-01-33.374N 094-02-07.865W				Green can.	
23500	Oiltanking Dock Channel Buoy 8	30-01-34.993N 094-02-08.815W				Red nun.	
23506	Enterprise Products Terminal Dock North Light	30-02-01.300N 094-02-01.400W	FI G 2.5s			Marks upstream end of dock.	
23506.01	Enterprise Products Terminal Dock Middle Light	30-01-52.700N 094-02-01.300W	FI G 2.5s			Marks outermost center of dock.	
23506.02	Enterprise Products Terminal Dock South Light	30-01-43.100N 094-01-59.800W	FI G 2.5s			Marks downstream end of dock.	
23510	Enterprise Products Mooring Dolphin Light	30-02-10.410N 094-02-03.758W	FI G 2.5s			Marks mooring dolphin.	
23515	Neches River Light 46	30-02-04.995N 094-01-52.539W	FI R 4s	0	4	TR on pile.	
23520	Neches River Light 49	30-02-19.585N 094-01-56.022W	FI G 4s	0	4	SG on dolphin.	
23525	Standlond Cut Entrance Light 2	30-02-25.800N 094-02-13.800W	FI R 2.5s			TR on pile.	
23530	Neches River Light 51	30-02-49.418N 094-01-45.308W	Q G	0	4	SG on pile.	
23535	Neches River Light 54	30-02-51.867N 094-01-37.785W	FI R 4s	0	3	TR on pile.	

23540	Neches River Light 56	30-03-07.710N 094-01-38.457W	Q R	0	4	TR on skeleton tower on mud sills.	
23545	Entergy Powerline Barrier Lighted Buoy 2	30-03-22.160N 094-01-44.570W	FI R 2.5s			Marks outermost barrier structure.	
23545.01	Entergy Powerline Barrier Lighted Buoy 1	30-03-22.910N 094-01-52.560W	FI G 2.5s			Marks outermost barrier structure.	
23550	Neches River Light 58	30-03-37.938N 094-01-58.681W	Q R	0	3	TR on dolphin.	
23555	Neches River Light 60	30-03-46.018N 094-02-12.528W	Q R	0	3	TR on pile.	
23560	Neches Industrial Moring Dolphin Lights (2)	30-34-02.000N 094-02-16.000W	FI G 2.5s			On dolphins.	
23565	Neches River Light 63	30-03-44.286N 094-02-29.803W	FI G 4s	0	4	SG on pile.	
23570	Power Plant Diversion Wall Lights (2)	30-03-56.000N 094-02-50.000W	FI G 2.5s				
23575	Neches River Light 66	30-04-08.736N 094-02-56.802W	FI R 4s	0	4	TR on pile.	Ra ref.
23580	Lower Neches Valley Danger Light	30-04-11.780N 094-03-11.590W	FI W 2.5s			On steel pile.	
23585	Neches River Light 68	30-04-26.630N 094-03-19.168W	FI R 4s	0	4	TR on pile.	
23590	Mobil Chemical Dock Light 2	30-04-00.000N 094-03-33.000W	FI G 2.5s			On wharf.	
23595	Mobil No. 5 Wharf Lights (2)	30-04-34.000N 094-04-52.000W	FI G 2.5s			On dolphin.	
23600	Mobil No. 4 Wharf Lights (2)	30-04-36.000N 094-04-52.000W	FI G 2.5s			On end of dock.	
23605.01	Exxon-Mobil Blade Dock Downstream Dolphin Light	30-04-18.100N 094-03-20.154W	FI W 2.5s			Marks downstream mooring dolphin.	
23605.02	Exxon-Mobil Blade Dock Upstream Dolphin Light	30-04-21.410N 094-03-25.580W	FI W 2.5s			Marks upstream mooring dolphin.	
23605	Mobil No. 2 Wharf Lights (2)	30-04-36.000N 094-04-16.000W	FI G 2.5s			On end of dock.	
23610	Port Of Beaumont Ro-Ro Dock Lights (4)	30-04-32.000N 094-05-06.000W	F G			On dock ramp.	
23615	Port of Beaumont General Cargo Dock Lights (2)	30-04-40.389N 094-04-46.667W	FI R 2.5s			On dock.	
23617	Port of Beaumont Bulk Terminal Downstream Light	30-04-48.543N 094-05-01.701W	FI R 2.5s			Marks the downstream corner of dock.	
23617.01	Port of Beaumont Bulk Terminal Upstream Light	30-04-51.298N 094-05-07.493W	FI R 2.5s			Marks the upstream corner of dock.	
23620	Galveston Bay Entrance Channel Lighted Buoy 1	29-15-57.392N 094-34-28.707W	Q G		4	Green.	
23625	Galveston Bay Entrance Channel Lighted Buoy 2	29-16-09.230N 094-34-16.701W	Q R		4	Red.	
23630	Galveston Bay Entrance Channel Lighted Buoy 1A	29-17-03.374N 094-35-53.357W	FI G 4s		4	Green.	
23635	Galveston Bay Entrance Channel Lighted Buoy 2A	29-17-15.214N 094-35-41.352W	FI R 6s		4	Red.	
23650	Galveston Bay Entrance Channel Lighted Buoy 1B	29-18-08.887N 094-37-20.006W	Q G		3	Green.	
23655	Galveston Bay Entrance Channel Lighted Buoy 2B	29-18-22.950N 094-37-05.751W	Q R		3	Red.	
23660	Galveston Bay Entrance Lighted Buoy GA	29-09-28.884N 094-25-53.701W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
23665	Galveston Bay Entrance Traffic Lane Lighted Buoy A	29-10-47.801N 094-27-35.564W	FI Y 2.5s		5	Yellow.	
23670	Galveston Bay Entrance Traffic Lane Lighted Buoy C	29-12-06.656N 094-29-17.500W	FI Y 4s		6	Yellow.	
23675	Galveston Bay Entrance Traffic Lane Lighted Buoy E	29-13-25.515N 094-30-59.467W	FI Y 6s		5	Yellow.	
23680	Galveston Bay Entrance Lighted Buoy GB	29-14-44.365N 094-32-41.498W	Mo (A) W		5	Red and white stripes with red spherical topmark.	AIS: MMSI 993682024
23686	Fieldwood-123-3 Lighted Buoy	29-13-31.445N 094-34-40.878W	Q R				
23690	Galveston Bay Entrance Channel A Range Front Light	29-21-10.967N 094-42-44.336W	FI W 2.5s	0		On skeleton tower.	Lighted throughout 24 hours. Visible all around. Day light visible only on rangeline. Night light visible 1.5° each side of rangeline.

23695	Galveston Bay Entrance Channel A Range Rear Light	29-22-19.524N 094-44-54.356W	F W	100		Skeleton tower on block.	Lighted throughout 24 hours.
23700	Galveston Bay Entrance Channel Lighted Buoy 3	29-19-09.185N 094-39-11.167W	Fl G 4s	4		Green.	
23705	Galveston Bay Entrance Channel Lighted Buoy 4	29-19-22.752N 094-39-01.835W	Fl R 4s	3		Red.	
23710	Galveston Bay Entrance Channel Lighted Buoy 5	29-19-44.987N 094-40-18.951W	Fl G 2.5s	4		Green.	
23715	Galveston Bay Entrance Channel Lighted Buoy 6	29-19-58.556N 094-40-09.620W	Fl R 2.5s	3		Red.	
23720	Galveston South Jetty Light 5A	29-19-39.664N 094-41-20.433W	Iso G 6s	0	5	SG on pile.	Ra ref.
23725	Galveston North Jetty Light 6A	29-20-42.190N 094-40-41.476W	Iso R 6s	0	5	TR on pile.	Ra ref.
23730	Galveston Bay Entrance Channel Lighted Buoy 7	29-20-17.975N 094-41-21.394W	Q G		3	Green.	
23735	Galveston Bay Entrance Channel Lighted Buoy 8	29-20-31.862N 094-41-15.440W	Q R		3	Red.	
23740	Galveston Bay Entrance Channel B Range Front Light	29-21-18.439N 094-45-49.810W	Q G	25		KRW on skeleton tower on piles.	Visible all around; higher intensity 1.5° each side of rangeline.
23745	Galveston Bay Entrance Channel B Range Rear Light	29-21-27.019N 094-46-34.028W	Iso G 6s	50		KRW on skeleton tower.	
23750	Galveston Bay Entrance Channel B Range Rear Light Passing Light	29-21-27.048N 094-46-34.017W	Fl W 4s	0	5	On same structure as Galveston Bay Entrance Channel Range B Rear Light.	
23755	Galveston Bay Entrance Channel Lighted Buoy 7A	29-20-29.543N 094-42-06.145W	Fl G 2.5s	4		Green.	
23770	Galveston Bay Entrance Channel Lighted Buoy 9	29-20-35.881N 094-42-55.186W	Q G		3	Green.	
23775	Galveston Bay Entrance Channel Lighted Buoy 10	29-20-50.713N 094-42-54.176W	Q R		3	Red.	
23780	Galveston Bay Entrance Channel C Range Front Light	29-20-30.024N 094-46-57.972W	Q G	25		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
23785	Galveston Bay Entrance Channel C Range Rear Light	29-20-26.733N 094-47-53.761W	Iso G 6s	50		KRW on skeleton tower on block.	Visible 2° each side of rangeline.
23790	Galveston Bay Entrance Channel Lighted Buoy 11	29-20-32.366N 094-44-28.732W	Fl G 2.5s	4		Green.	
23795	Galveston Bay Entrance Channel Lighted Buoy 12	29-20-43.865N 094-44-47.232W	Fl R 2.5s	3		Red.	
23800	Galveston Anchorage A V-AIS	29-21-06.165N 094-42-52.130W					AIS: MMSI 993682486
23805	Galveston Anchorage Lighted Buoy B	29-21-15.865N 094-44-27.733W	Fl Y 6s	4		Yellow.	AIS: MMSI 993682488
23810	Galveston North Jetty Light WR2	29-21-51.032N 094-44-38.964W	Q R	0	2	TR on pile.	
23815	Galveston Anchorage Lighted Buoy C	29-20-56.699N 094-46-06.828W	Fl Y 6s	4		Yellow.	
23820	Galveston Bay Entrance Channel Lighted Buoy 16	29-20-41.298N 094-46-07.423W	Q R		3	Red.	
23825	Pelican Island Spit Shoal Lighted Buoy P	29-20-29.404N 094-46-24.089W	Fl (2+1)G 6s	4		Green with red bands.	
23865	Galveston Channel Lighted Buoy 1	29-20-16.366N 094-46-11.234W	Fl G 4s	4		Green with yellow square.	
23870	Galveston Channel Light 2	29-20-14.828N 094-46-35.783W	Q R	0	3	TR-TY on pile.	Ra ref.
23875	Seawolf Fishing Pier Light	29-20-17.700N 094-46-41.330W	Fl Y 4s			On pier.	Private aid.
23880	Galveston Channel Light 3	29-19-47.366N 094-46-28.734W	Fl G 2.5s	0	4	SG-SY on pile.	Ra ref.
23885	Grasso Marine Dock Lights (2)	29-19-24.000N 094-46-52.000W	Fl R 2.5s			On end of dock.	
23890	Galveston Island Marina Light	29-19-03.500N 094-46-40.000W	Q R				
23895	Galveston Terminal Dock Light	29-18-42.600N 094-48-24.900W	Fl (2)R 6s			On dock.	

23897	Texas International Terminals Turning Dolphin East	29-18-33.976N 094-49-14.682W	Fl W 2.5s			On dolphin.	
23898	Texas International Terminals Turning Dolphin West	29-18-35.147N 094-49-20.155W				On dolphin.	
23900	Houston Ship Channel Entrance Lighted Buoy 18	29-21-05.431N 094-46-58.678W	Q R		3	Red with yellow square.	
23905	Houston Ship Channel Entrance Outer Range Front Light	29-20-08.778N 094-46-10.209W	F G	20	9	KRW on skeleton tower.	For downbound traffic. Visible 2° each side of rangeline.
23910	Houston Ship Channel Entrance Outer Range Rear Light	29-19-30.490N 094-45-31.333W	F G	45	11	KRW on skeleton tower.	Visible 2° each side of rangeline.
23915	Houston Ship Channel Entrance Inner Range Front Light	29-22-39.565N 094-48-43.424W	Q G		15	KRW on skeleton tower on piles.	
23920	Houston Ship Channel Entrance Inner Range Rear Light	29-23-35.207N 094-49-40.006W	Iso G 6s		50	KRW on skeleton tower on piles.	Visible 4° each side of rangeline.
23925	Houston Ship Channel Entrance Inner Range Rear Light Passing Light	29-23-35.207N 094-49-40.006W	Fl W 4s	0	5	On same structure as Galveston Channel Entrance Inner Range Rear Light.	
23940	Bolivar Roads Alternate Inbound Route Range Front Light	29-22-53.308N 094-48-46.675W	Q G		15	KGR on skeleton tower on piles.	Visible all around; higher intensity 4° each side of centerline.
23945	Bolivar Roads Alternate Inbound Route Range Rear Light	29-23-12.438N 094-49-22.855W	Iso G 6s		45	KGR on skeleton tower on platform.	Visible 1.5° each side of rangeline.
23950	Bolivar Roads Alternate Inbound Route Range Rear Passing Light	29-23-12.435N 094-49-22.861W	Fl W 4s	0	3	On same structure as Bolivar Roads Alternate Inbound Range Rear Light.	
23955	Houston Ship Channel Lighted Buoy 25	29-22-00.858N 094-48-13.207W	Fl G 4s		4	Green.	
23960	Houston Ship Channel Lighted Buoy 26	29-22-08.394N 094-47-59.235W	Q R		3	Red.	
23970	Lower Galveston Bay Outer Range Front Light	29-20-52.852N 094-47-31.444W	Fl G 2.5s		0	On piles.	DAY: Visible 2° each side of range line. NIGHT: Visible all around higher intensity on range line.
23975	Lower Galveston Bay Outer Range Rear Light	29-19-14.143N 094-46-41.839W	Oc G 4s			On skeleton tower on piles.	Visible 2° each side of range line.
23980	Lower Galveston Bay Outer Range Rear Light Passing Light	29-19-14.143N 094-46-41.839W	Fl W 4s	0	5	On same structure as Lower Galveston Bay Outer Range Rear Light.	
23985	Houston Ship Channel Lighted Buoy 27	29-22-41.371N 094-48-33.381W	Fl G 2.5s		4	Green.	
23995	Houston Ship Channel Lighted Buoy 29	29-23-12.410N 094-48-48.998W	Fl (2)G 6s		4	Green.	
24000	Houston Ship Channel Lighted Buoy 30	29-23-17.200N 094-48-36.584W	Fl (2)R 6s		3	Red.	
24005	Houston Ship Channel Lighted Buoy 31	29-23-43.697N 094-49-04.736W	Fl G 2.5s		4	Green.	
24010	Houston Ship Channel Lighted Buoy 32	29-23-48.396N 094-48-52.275W	Fl R 2.5s		3	Red.	
24012	Texas A&M Lighted Oceanographic Buoy GB2	29-24-11.510N 094-48-16.560W	Fl Y 2.5s			Yellow disc buoy.	Maintained by Texas A&M University.
24015	Houston Ship Channel Lighted Buoy 33	29-24-24.960N 094-49-25.412W	Fl G 4s		4	Green.	
24020	Houston Ship Channel Lighted Buoy 34	29-24-29.647N 094-49-13.015W	Fl R 4s		4	Red.	
24025	Houston Ship Channel Light 35	29-25-01.229N 094-49-44.063W	Fl G 6s	17	4	SG on pile.	Ra ref.
24040	Houston Ship Channel Light 36	29-25-06.053N 094-49-31.079W	Fl R 6s	0	4	TR on pile.	Ra ref.
24045	Houston Ship Channel Light 37	29-25-37.292N 094-50-02.123W	Fl G 2.5s	0	4	SG on pile.	Ra ref.
24050	Houston Ship Channel Light 38	29-25-42.103N 094-49-49.263W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
24055	Lower Galveston Bay Inner Range Front Light	29-30-28.793N 094-52-21.895W	Fl G 2.5s		0	On pile.	DAY: Visible 2° each side of range line. NIGHT: Visible all around higher intensity on range line.
24060	Lower Galveston Bay Inner Range Rear Light	29-31-24.121N 094-52-49.294W	Iso G 6s			On skeleton tower on piles.	Visible 2° each side of range line.

24065	Lower Galveston Bay Inner Range Rear Light Passing Light	29-31-24.134N 094-52-49.298W	Fl W 4s	0	6	On same structure as Lower Galveston Bay Inner Range Rear Light.	
24070	Houston Ship Channel Light 39	29-26-13.475N 094-50-20.427W	Fl (2)G 6s	0	4	SG on pile.	Ra ref.
24075	Houston Ship Channel Light 40	29-26-18.533N 094-50-07.569W	Fl (2)R 6s	0	3	TR on pile.	Ra ref.
24077	Houston Pilots Scientific Platform Light	29-26-17.280N 094-50-02.800W	Fl W 2.5s			Marks small platform.structure.	
24080	Houston Ship Channel Light 41	29-26-49.765N 094-50-38.631W	Fl G 2.5s	0	4	SG on pile.	Ra ref.
24085	Houston Ship Channel Light 42	29-26-54.575N 094-50-25.752W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
24090	Houston Ship Channel Light 43	29-27-25.959N 094-50-56.915W	Fl G 4s	0	4	SG on pile.	Ra ref.
24095	Houston Ship Channel Light 44	29-27-30.951N 094-50-44.004W	Fl R 4s	0	3	TR on pile.	Ra ref.
24100	Houston Ship Channel Light 45	29-28-02.439N 094-51-15.296W	Fl G 6s	0	4	SG on pile.	Ra ref.
24105	Houston Ship Channel Light 46	29-28-07.208N 094-51-02.269W	Fl R 6s	0	4	TR on pile.	Ra ref.
24110	Houston Ship Channel Light 47	29-28-38.498N 094-51-33.465W	Fl G 2.5s	0	4	SG on pile.	Ra ref.
24115	Houston Ship Channel Light 48	29-28-43.413N 094-51-20.491W	Fl R 2.5s	0	4	TR on pile.	Ra ref.
24120	Houston Ship Channel Light 49	29-29-18.164N 094-51-53.220W	Fl (2)G 6s	0	4	SG on pile.	Ra ref.
24125	Houston Ship Channel Light 50	29-29-24.539N 094-51-41.341W	Fl (2)R 6s	0	4	TR on pile.	Ra ref.
24130	Trinity River Channel Light 1	29-31-48.283N 094-48-56.963W	Fl G 2.5s	0	3	SG on pile.	Ra ref.
24135	Trinity River Channel Daybeacon 2	29-31-59.871N 094-48-35.735W			0	TR on pile.	Ra ref.
24140	Trinity River Channel Daybeacon 3	29-32-13.143N 094-48-21.304W			0	SG on pile.	Ra ref.
24155	Trinity River Channel Light 7	29-32-49.981N 094-47-26.084W	Fl G 4s	0	4	SG on pile.	Ra ref.
24160	Trinity River Channel Daybeacon 9	29-32-49.021N 094-46-46.462W			0	SG on pile.	Ra ref.
24165	Trinity River Channel Light 10	29-32-45.257N 094-46-20.507W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
24170	Houston Ship Channel Light 51	29-29-31.421N 094-52-02.154W	Q G	17	4	SG on pile.	Ra ref. Ra ref.
24175	Houston Ship Channel Light 52	29-29-38.724N 094-51-48.706W	Q R	0	4	TR on pile.	Ra ref.
24180	Houston Ship Channel Light 53	29-30-13.085N 094-52-31.729W	Fl G 2.5s	0	3	SG on pile.	Ra ref.
24185	Houston Ship Channel Light 54	29-30-19.917N 094-52-20.119W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
24190	Redfish Island Shoal South Daybeacon	29-30-19.332N 094-53-09.030W			0	NR on pile.	Ra ref.
24195	Redfish Island Shoal Light	29-31-25.637N 094-53-38.891W	Fl W 6s	0	5	NG on pile.	
24200	Redfish Island Shoal North Daybeacon	29-31-02.871N 094-53-55.949W			0	NG on pile.	Ra ref.
24205	Upper Galveston Bay Outer Range Front Light	29-28-55.260N 094-51-23.512W	Q G	25		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
24210	Upper Galveston Bay Outer Range Rear Light	29-28-18.794N 094-50-55.635W	Iso G 6s	55		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
24215	Upper Galveston Bay Inner Range Front Light	29-37-08.388N 094-57-42.673W	Q W	15		KRW on piles.	Visible only on rangeline.
24220	Upper Galveston Bay Inner Range Rear Light	29-37-47.468N 094-58-12.751W	Iso W 6s	55		KRW on skeleton tower on piles.	Visible only on rangeline.
24225	Houston Ship Channel Light 55	29-30-45.945N 094-52-56.959W	Fl G 4s	0	4	SG on pile.	Ra ref.
24230	Houston Ship Channel Light 56	29-30-52.735N 094-52-45.301W	Fl R 4s	0	4	TR on pile.	Ra ref.
24235	Houston Ship Channel Light 57	29-31-18.809N 094-53-22.232W	Fl G 2.5s	0	4	SG on pile.	Ra ref.
24240	Houston Ship Channel Light 58	29-31-25.517N 094-53-10.455W	Fl R 2.5s	0	4	TR on pile.	Ra ref.

24245	Houston Ship Channel Light 59	29-31-51.696N 094-53-47.467W	Fl (2)G 6s	0	4	SG on pile.	Ra ref.
24250	Houston Ship Channel Light 60	29-31-58.431N 094-53-35.718W	Fl (2)R 6s	0	4	TR on pile.	Ra ref.
24255	Houston Ship Channel Light 61	29-32-27.320N 094-54-14.873W	Fl G 2.5s	0	4	SG on pile.	Ra ref.
24260	Houston Ship Channel Light 62	29-32-32.777N 094-54-02.155W	Fl R 2.5s	0	4	TR on pile.	Ra ref.
24265	South Boater Cut Light 1	29-32-35.141N 094-53-12.199W	Fl G 4s	0	4	SG on pile.	Ra ref.
24270	South Boater Cut Daybeacon 3	29-32-32.016N 094-53-37.045W		0		SG on pile.	Ra ref.
24275	South Boater Cut Daybeacon 4	29-32-36.047N 094-53-37.652W		0		TR on pile.	Ra ref.
24280	South Boater Cut Daybeacon 5	29-32-24.227N 094-54-39.369W		0		SG on pile.	
24285	South Boater Cut Daybeacon 6	29-32-28.246N 094-54-39.978W		0		TR on pile.	
24286	Galveston Bay Cruising Association Lighted Sailing Buoy	29-31-19.950N 094-55-29.690W	Fl W 2.5s			Marks sailboat race turning point.	
24290	South Boater Cut Light 8	29-32-25.104N 094-55-04.828W	Fl R 4s	0	3	TR on pile.	Ra ref.
24295	Houston Ship Channel Light 63	29-32-58.047N 094-54-36.877W	Fl G 4s	0	3	SG on pile.	
24300	Houston Ship Channel Light 64	29-33-03.463N 094-54-27.392W	Fl R 4s	0	4	TR on pile.	Ra ref.
24305	Houston Ship Channel Light 65	29-33-30.943N 094-55-02.132W	Fl G 6s	0	4	SG on pile.	Ra ref.
24310	Houston Ship Channel Light 66	29-33-36.282N 094-54-52.584W	Fl R 6s	0	4	TR on pile.	Ra ref.
24315	Houston Ship Channel Light 67	29-34-03.780N 094-55-27.409W	Fl G 2.5s	0	4	SG on pile.	Ra ref.
24320	Houston Ship Channel Light 68	29-34-09.147N 094-55-17.872W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
24325	Houston Ship Channel Light 69	29-34-36.538N 094-55-52.603W	Fl (2)G 6s	0	4	SG on pile.	Ra ref.
24330	Houston Ship Channel Light 70	29-34-41.855N 094-55-43.055W	Fl (2)R 6s	0	4	TR on pile.	Ra ref.
24335	Houston Ship Channel North Boater Cut Light 1	29-35-30.783N 094-55-05.724W	Fl G 4s	0	3	SG on pile.	Ra ref.
24340	Houston Ship Channel North Boater Cut Daybeacon 3	29-35-14.257N 094-55-33.882W		0		SG on pile.	Ra ref.
24345	Houston Ship Channel North Boater Cut Daybeacon 4	29-35-15.868N 094-55-35.023W		0		TR on pile.	Ra ref.
24350	Houston Ship Channel North Boater Cut Daybeacon 5	29-34-46.597N 094-56-20.552W		0		SG on pile.	Ra ref.
24355	Houston Ship Channel North Boater Cut Light 6	29-34-48.118N 094-56-22.072W	Fl R 4s	0	3	TR on pile.	Ra ref.
24365	Houston Ship Channel Light 71	29-35-09.369N 094-56-17.905W	Fl G 2.5s	0	4	SG on pile.	Ra ref.
24370	Houston Ship Channel Light 72	29-35-14.726N 094-56-08.401W	Fl R 2.5s	0	4	TR on pile.	Ra ref.
24372	Texas A&M Lighted Oceanographic Buoy GB1	29-35-10.640N 094-57-12.010W	Fl Y 2.5s			Yellow disc buoy.	Maintained by Texas A&M University.
24375	Houston Ship Channel Light 73	29-35-42.359N 094-56-43.291W	Fl G 4s	0	3	SG on pile.	Ra ref.
24380	Houston Ship Channel Light 74	29-35-47.726N 094-56-33.781W	Fl R 4s	0	3	TR on pile.	Ra ref.
24382	HOUSTON SHIP CHANNEL LIGHT 74A	29-36-11.344N 094-56-51.235W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
24385	Houston Ship Channel Light 75	29-36-26.609N 094-57-18.036W	Q G	0	4	SG on pile.	Ra ref.
24390	Houston Ship Channel Light 76	29-36-32.543N 094-57-04.620W	Q R	0	4	TR on pile.	Ra ref.
24392	HOUSTON SHIP CHANNEL LIGHT 76A	29-36-47.476N 094-57-12.411W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
24395	Morgans Point Approach Outer Range Front Light	29-35-46.927N 094-56-56.329W	Fl G 2.5s	0		Skeleton tower on piles.	Visible 2" each side of rangeline.

24400	Morgans Point Approach Outer Range Rear Light	29-34-40.331N 094-56-31.191W	Iso G 6s	65			Visible 2° each side of rangeline.
24405	Morgans Point Approach Channel Outer Range Rear Passing Light	29-34-40.349N 094-56-31.175W	Fl W 4s	65	6		On same structure as Morgans Point Approach Outer Range Rear Light.
24410	Five Mile Cut Buoy 2	29-36-33.347N 094-57-01.902W					Red nun.
24415	Five Mile Cut Buoy 4	29-36-35.519N 094-56-32.626W					Red nun.
24420	Five Mile Cut Buoy 6	29-36-36.707N 094-56-04.443W					Red nun.
24425	Five Mile Cut Daybeacon 7	29-36-42.065N 094-55-18.074W		0			SG on pile.
24430	Bayport Ship Channel Outer Range Front Light	29-36-52.280N 094-57-07.419W	Q G	15			Skeleton tower on piles.
24435	Bayport Ship Channel Outer Range Front Passing Light	29-36-52.280N 094-57-07.419W	Fl W 4s	0	3		On same structure as Bayport Ship Channel Outer Range Front Light.
24440	Bayport Ship Channel Outer Range Rear Light	29-36-54.261N 094-55-08.491W	Iso G 6s	70			Skeleton tower on piles.
24445	Bayport Ship Channel Outer Range Rear Light Passing Light	29-36-54.261N 094-55-08.491W	Fl W 4s	0	5		On same structure as Bayport Ship Channel Outer Range Rear Light.
24450	Bayport Ship Channel Light 1	29-36-36.422N 094-57-24.192W	Fl G 6s	0	4		SG on pile. Ra ref.
24455	Bayport Ship Channel Junction Light B	29-37-09.607N 094-57-33.459W	Fl (2+1)G 6s	0	4		JG on pile. Ra ref.
24460	Bayport Ship Channel Light 2	29-36-59.245N 094-57-38.548W	Fl R 2.5s	0	4		TR on pile. Ra ref.
24467	LBC Houston Directional Sector Light	29-36-47.327N 095-01-40.496W	F R W G				On tower. Long Range Light: FLG 269.4° to 269.2°. FG from 269.2° to 269.05°. GW from 269.05° to 268.85°. FW (on channel line) from 268.85° to 268.75°. RW from 268.75° to 268.55°. FR from 268.55° to 268.4°. FLR from 268.4° to 268.2°. Short Range Light: FG from 269.4° to 268.95°. FW (on channel line) from 268.95° to 268.65°. FR from 268.65° to 268.2°.
24475	Bayport Ship Channel Light 3	29-36-43.330N 094-57-35.158W	Fl G 2.5s	0	4		SG on pile. Ra ref.
24480	Bayport Ship Channel Light 4	29-36-55.205N 094-57-50.144W	Fl R 2.5s	0	4		TR on pile. Ra ref.
24485	Bayport Ship Channel Light 5	29-36-47.855N 094-57-50.299W	Fl G 4s	0	4		SG on pile. Ra ref.
24490	Bayport Ship Channel Light 6	29-36-54.052N 094-58-41.100W	Fl R 4s	0	4		TR on pile.
24495	Bayport Ship Channel Light 7	29-36-47.509N 094-58-40.831W	Fl G 6s	0	4		SG on pile. Ra ref.
24500	Bayport Ship Channel Light 8	29-36-53.582N 094-59-19.030W	Fl R 2.5s	0	4		TR on pile. Ra ref.
24505	Bayport Ship Channel Light 9	29-36-46.412N 094-59-18.907W	Fl G 2.5s	0	4		SG on pile. Ra ref.
24520	Houston Ship Channel Light 78	29-37-12.541N 094-57-22.719W	Fl R 4s	0	3		TR on pile. Ra ref.
24525	Houston Ship Channel Light 81	29-37-54.418N 094-57-50.431W	Fl G 2.5s	0	4		SG on pile. Ra ref.
24530	Houston Ship Channel Light 82	29-37-57.318N 094-57-39.631W	Fl R 2.5s		4		TR on pile. Ra ref.
24535	Houston Ship Channel Light 83	29-38-29.986N 094-58-03.911W	Fl G 4s	0	4		SG on pile. Ra ref.
24540	Houston Ship Channel Light 84	29-38-33.018N 094-57-53.131W	Fl R 4s	0	4		TR on pile. Ra ref.
24545	Houston Ship Channel Light 85	29-39-10.517N 094-58-19.230W	Fl G 6s	0	4		SG on pile. Ra ref.
24550	Houston Ship Channel Light 86	29-39-13.425N 094-58-08.470W	Fl R 6s	0	4		TR on dolphin. Ra ref.
24555	Houston Ship Channel Light 87	29-39-45.218N 094-58-32.331W	Fl G 2.5s	0	3		SG on pile. Ra ref.
24560	Houston Ship Channel Light 88	29-39-48.327N 094-58-21.538W	Fl R 2.5s	0	4		TR on pile. Ra ref.
24565	Houston Ship Channel Light 89	29-40-21.212N 094-58-44.844W	Fl (2)G 6s	0	5		SG on pile. Ra ref.
24570	Houston Ship Channel Light 89A	29-40-37.248N 094-58-50.720W	Fl G 4s	0	4		SG on pile. Ra ref.
24575	Houston Ship Channel Light 90	29-40-23.934N 094-58-35.046W	Fl (2)R 6s	0	4		TR on pile. Ra ref.

24580	Houston Ship Channel Light 90A	29-40-39.713N 094-58-41.042W	Fl R 4s	0	3	TR on pile.	Ra ref.
24585	Morgans Point Approach Inner Range Front Light	29-41-22.508N 094-59-03.183W	Fl G 2.5s	0		KRW on skeleton tower on piles.	Visible all around; higher intensity on the rangeline.
24590	Morgans Point Approach Inner Range Rear Light	29-42-50.114N 094-59-36.341W	Iso G 6s	0		KRW on skeleton tower.	Visible only on the rangeline.
24595	Houston Ship Channel Light 91	29-40-58.397N 094-58-59.560W	Fl G 2.5s	0	3	SG on dolphin.	Ra ref.
24600	Houston Ship Channel Light 92	29-41-02.033N 094-58-48.450W	Fl R 2.5s	0	4	TR on pile.	Ra ref.
24605	Barbours Cut Crossing Range Front Light	29-40-42.378N 094-58-40.487W	Q R	15		KRW on skeleton tower on concrete block.	For downbound traffic. Visible 2° each side of rangeline.
24610	Barbours Cut Crossing Range Rear Light	29-40-36.856N 094-58-39.329W	Iso R 6s	40		KRW on skeleton tower.	Visible 2° each side of rangeline.
24615	Cedar Bayou Channel Buoy 2	29-41-02.725N 094-58-47.484W				Red nun.	Ra ref.
24620.01	Cedar Bayou Channel Buoy 3	29-41-11.126N 094-58-38.229W				Green can.	
24625	Cedar Bayou Channel Buoy 6	29-41-13.021N 094-58-26.322W				Red nun.	
24630	Cedar Bayou Channel Buoy 8	29-41-16.554N 094-58-18.746W				Red nun.	
24635	Cedar Bayou Channel Buoy 10	29-41-18.438N 094-58-07.157W				Red nun.	
24645	Cedar Bayou Channel Lighted Buoy 14	29-41-18.972N 094-57-55.213W	Fl R 4s		4	Red.	
24650	Cedar Bayou Channel Buoy 16	29-41-12.371N 094-57-41.172W				Red nun.	
24655	Cedar Bayou Channel Buoy 18	29-41-05.152N 094-57-24.885W				Red nun.	
24660	Cedar Bayou Channel Buoy 20	29-40-53.916N 094-57-00.801W				Red nun.	
24665	Cedar Bayou Channel Buoy 22	29-40-45.077N 094-56-41.654W				Red nun.	
24670	Cedar Bayou Channel Lighted Buoy 23	29-40-41.183N 094-56-27.150W	Fl G 4s		4	Green.	
24675	Cedar Bayou Channel Buoy 24	29-40-37.525N 094-56-27.758W				Red nun.	
24680	Cedar Bayou Channel Buoy 25	29-40-31.666N 094-56-16.662W				Green can.	
24685	Cedar Bayou Channel Buoy 26	29-40-29.737N 094-56-18.581W				Red nun.	
24690	Cedar Bayou Channel Buoy 27	29-40-23.729N 094-56-08.158W				Green can.	
24695	Cedar Bayou Channel Buoy 28	29-40-22.454N 094-56-10.112W				Red nun.	
24700	Cedar Bayou Channel Buoy 29	29-40-21.063N 094-56-02.195W				Green can.	
24705	Cedar Bayou Channel Lighted Buoy 30	29-40-19.005N 094-55-54.611W	Fl R 4s		3	Red.	
24710	Cedar Bayou Channel Lighted Buoy 31	29-40-21.597N 094-55-54.279W	Fl G 4s		4	Green.	
24715	Cedar Bayou Channel Buoy 33	29-40-27.463N 094-55-48.185W				Green can.	
24720	Cedar Bayou Channel Buoy 35	29-40-39.080N 094-55-45.366W				Green can.	
24725	Cedar Bayou Channel Lighted Buoy 37	29-40-53.369N 094-55-36.848W	Fl G 6s		4	Green.	
24730	Cedar Bayou Channel Daybeacon 38	29-40-59.907N 094-55-20.356W		0		TR on pile.	Ra ref.
24735	Cedar Bayou Channel Daybeacon 39	29-41-01.501N 094-55-22.281W		0		SG on pile.	Ra ref.
24740	Cedar Bayou Channel Daybeacon 40	29-41-08.434N 094-55-11.662W		0		TR on pile.	Ra ref.
24745	Cedar Bayou Channel Buoy 42	29-41-21.304N 094-55-11.143W				Red nun.	
24750	Barbours Cut Junction Light BC	29-41-12.315N 094-59-10.031W	Fl (2+1)G 6s	0	4	JG pn pile.	Ra ref.
24752	Enterprise Products Special Light A	29-41-09.110N 095-00-26.650W	Fl Y 2.5s			Marks turning point for mooring.	

24755	Houston Ship Channel Light 93	29-41-17.619N 094-59-12.544W	Fl G 4s	0	3	SG on pile.	Ra ref.
24760	Upper Morgans Point Inbound Range Front Light	29-42-04.794N 095-00-02.435W	Q G	10		KRW on skeleton tower on piles.	Visible only on the rangeline. Range DOES NOT mark channel centerline.
24765	Upper Morgans Point Inbound Range Front Passing Light	29-42-04.818N 095-00-02.431W	Fl W 4s		3	On same structure as Upper Morgans Point Inbound Range Front Light.	Ra Ref.
24770	Upper Morgans Point Inbound Range Rear Light	29-42-09.514N 095-00-08.316W	Iso G 6s	25		KRW on skeleton tower on piles.	Visible on rangeline only.
24775	Upper Morgans Point Outbound Range Front Light	29-41-00.227N 094-58-45.119W	Q R	10		KRW on skeleton tower on piles.	Visible all around higher intensity on rangeline. Ra ref.
24780	Upper Morgans Point Outbound Range Rear Light	29-40-57.148N 094-58-41.280W	Iso R 6s	20		KRW on skeleton tower on pile platform.	Visible on rangeline only.
24785	Houston Ship Channel Light 94	29-41-22.989N 094-59-05.348W	Fl R 4s	0	4	TR on pile.	Ra ref.
24790.1	Houston Ship Channel Lighted Buoy 95	29-41-33.819N 094-59-32.703W	Fl G 6s		4	Green.	
24795	Houston Ship Channel Light 96	29-41-40.041N 094-59-25.651W	Fl R 6s	0	4	TR on pile.	Ra ref.
24800	Houston Ship Channel Light 97	29-41-48.400N 094-59-51.989W	Fl G 2.5s	0	4	SG on pile.	Ra ref.
24805	Houston Ship Channel Light 98	29-41-55.101N 094-59-45.592W	Fl R 2.5s	17	4	TR on pile.	Ra ref.
24810	Houston Ship Channel Light 99	29-41-53.450N 095-00-02.105W	Fl G 4s	0	4	SG on pile.	Ra ref.
24815	Houston Ship Channel Light 100	29-42-01.339N 094-59-58.391W	Fl R 4s	0	4	TR on pile.	Ra ref.
24820	Baytown Marina Channel Daybeacon 1	29-42-08.930N 095-00-04.880W				SG on pile.	
24825	Baytown Marina Channel Daybeacon 2	29-42-08.890N 095-00-03.400W				TR on pile.	
24830	Baytown Marina Channel Daybeacon 3	29-42-24.000N 094-59-53.207W				SG on pile.	
24835	Baytown Marina Channel Daybeacon 4	29-42-12.060N 095-00-03.070W				TR on pile.	
24840	Baytown Marina Channel Daybeacon 5	29-42-13.770N 095-00-04.120W				SG on pile.	
24845	Baytown Marina Channel Daybeacon 6	29-42-15.200N 095-00-02.460W				TR on pile.	
24850	Baytown Marina Channel Daybeacon 7	29-42-17.850N 095-00-03.370W				SG on pile.	
24855	Baytown Marina Channel Daybeacon 8	29-42-18.360N 095-00-01.850W				TR on pile.	
24860	Baytown Marina Channel Daybeacon 9	29-42-22.440N 095-00-02.320W				SG on pile.	
24865.01	Baytown Marina Channel Daybeacon 11	29-42-24.990N 095-00-01.850W				SG on pile.	
24865	Baytown Marina Channel Daybeacon 10	29-42-24.380N 095-00-00.790W				TR on pile.	
24870	Baytown Marina Channel Daybeacon 12	29-42-26.310N 095-00-00.530W				TR on pile.	
24875	Baytown Marina Channel Light 13	29-42-27.130N 095-00-01.520W	Fl G 2.5s			SG on pile.	
24880	Baytown Goose Creek Channel Daybeacon 1	29-42-26.410N 094-59-58.570W				SG on pile.	
24885	Baytown Goose Creek Channel Daybeacon 2	29-42-25.740N 094-59-58.100W				TR on pile.	
24890	Baytown Goose Creek Channel Daybeacon 3	29-42-25.480N 094-59-55.150W				SG on pile.	
24895	Baytown Goose Creek Channel Daybeacon 4	29-42-23.910N 094-59-51.960W				TR on pile.	
24900	Baytown Goose Creek Channel Daybeacon 5	29-42-23.860N 094-59-49.390W				SG on pile.	
24905	Baytown Goose Creek Channel Daybeacon 6	29-42-22.790N 094-59-47.420W				TR on pile.	
24910	Baytown Goose Creek Channel Daybeacon 7	29-42-22.430N 094-59-44.360W				SG on pile.	
24915	Baytown Goose Creek Channel Daybeacon 8	29-42-21.910N 094-59-44.290W				TR on pile.	

24920	Baytown Goose Creek Channel Daybeacon 9	29-42-22.480N 094-59-42.660W				SG on pile.	
24925	Baytown Goose Creek Channel Daybeacon 10	29-42-21.950N 094-59-42.520W				TR on pile.	
24930	Baytown Goose Creek Channel Daybeacon 11	29-42-22.770N 094-59-40.590W				SG on pile.	
24935	Baytown Goose Creek Channel Daybeacon 12	29-42-22.240N 094-59-40.450W				TR on pile.	
24940	Baytown Goose Creek Channel Daybeacon 13	29-42-23.460N 094-59-38.940W				SG on pile.	
24945	Baytown Goose Creek Channel Daybeacon 14	29-42-23.060N 094-59-38.390W				TR on pile.	
24950	Baytown Goose Creek Channel Daybeacon 15	29-42-25.250N 094-59-35.680W				SG on pile.	
24955	Baytown Goose Creek Channel Daybeacon 16	29-42-24.830N 094-59-35.160W				TR on pile.	
24960	Baytown Goose Creek Channel Daybeacon 17	29-42-27.040N 094-59-34.120W				SG on pile.	
24965	Baytown Goose Creek Channel Daybeacon 18	29-42-26.810N 094-59-33.370W				TR on pile.	
24970	Baytown Goose Creek Channel Daybeacon 19	29-42-28.840N 094-59-33.330W				SG on pile.	
24975	Baytown Goose Creek Channel Daybeacon 20	29-42-30.510N 094-59-31.990W				TR on pile.	
24980	Baytown Goose Creek Channel Daybeacon 21	29-42-32.620N 094-59-31.750W				SG on pile.	
24985	Baytown Goose Creek Channel Daybeacon 22	29-42-34.090N 094-59-30.650W				TR on pile.	
24990	Baytown Goose Creek Channel Daybeacon 23	29-42-34.240N 094-59-31.190W				SG on pile.	
24995	Baytown Goose Creek Channel Daybeacon 24	29-42-36.080N 094-59-30.360W				TR on pile.	
25000	Baytown Goose Creek Channel Daybeacon 25	29-42-37.190N 094-59-30.970W				SG on pile.	
25005	Baytown Goose Creek Channel Daybeacon 26	29-42-38.170N 094-59-30.200W				TR on pile.	
25010	Baytown Goose Creek Channel Daybeacon 27	29-42-41.100N 094-59-30.860W				SG on pile.	
25015	Baytown Goose Creek Channel Daybeacon 28	29-42-41.070N 094-59-30.260W				TR on pile.	
25020	Baytown Goose Creek Channel Daybeacon 29	29-42-43.020N 094-59-30.820W				SG on pile.	
25025	Baytown Goose Creek Channel Daybeacon 30	29-42-45.910N 094-59-30.030W				TR on pile.	
25027	Baytown Goose Creek Channel Daybeacon 31	29-42-46.370N 094-59-30.580W				SG on pile.	
25030	Baytown Marina Channel Daybeacon 14	29-42-29.900N 094-59-59.610W				TR on pile.	
25035	Baytown Marina Channel Daybeacon 15	29-42-30.010N 095-00-00.990W				SG on pile.	
25040	Baytown Marina Channel Daybeacon 16	29-42-33.100N 094-59-58.860W				TR on pile.	
25045	Baytown Marina Channel Light 17	29-42-33.400N 095-00-00.340W	Fl G 2.5s			SG on pile.	
25050	Baytown Marina Channel Daybeacon 18	29-42-33.400N 094-59-55.300W				TR on pile.	
25055	Baytown Marina Channel Daybeacon 19	29-42-35.290N 095-00-00.450W				SG on pile.	
25060	Lower Red Light Bend Inbound Range Front Light	29-42-07.607N 095-01-01.136W	Q G	10	KRW on skeleton tower on piles.	Visible all around higher intensity on rangeline.	
25065	Lower Red Light Bend Inbound Range Rear Light	29-42-07.867N 095-01-03.525W	Iso G 6s	15	KRW on skeleton tower on piles.		
25070	Lower Red Light Bend Outbound Range Front Light	29-41-58.520N 094-59-50.667W	Q R	10	KRW on skeleton tower on piles.	Visible all around higher intensity on rangeline.	
25075	Lower Red Light Bend Outbound Range Rear Light	29-41-57.895N 094-59-44.723W	Iso R 6s	15	KRW on skeleton tower on piles.	Visible all around higher intensity on rangeline.	
25080	Houston Ship Channel Light 101	29-41-58.607N 095-00-23.979W	Fl G 6s	0	4	SG on pile.	Ra ref.
25085	Houston Ship Channel Light 102	29-42-07.622N 095-00-21.289W	Fl R 6s	0	4	TR on pile.	Ra ref.

25090	Houston Ship Channel Light 101A	29-42-01.469N 095-00-45.864W	Fl G 4s	0	4	SG on pile.	Ra ref.
25095	Houston Ship Channel Light 102A	29-42-11.978N 095-00-46.471W	Fl R 4s	0	3	TR on pile.	Ra ref.
25100	Houston Ship Channel Light 103	29-42-15.087N 095-01-09.733W	Fl G 2.5s	0	4	SG on pile.	Ra ref.
25105	San Jacinto Bay Barge Channel Daybeacon 1	29-42-14.040N 095-01-12.980W				SG on pile.	
25110	San Jacinto Bay Barge Channel Daybeacon 3	29-42-11.083N 095-01-21.019W				SG on pile.	
25115	San Jacinto Bay Barge Channel Daybeacon 4	29-42-13.589N 095-01-31.851W				TR on pile.	
25120	San Jacinto Bay Barge Channel Daybeacon 5	29-42-10.326N 095-01-36.227W				SG on pile.	
25123	San Jacinto Bay Barge Channel Daybeacon 7	29-42-12.582N 095-01-40.471W				SG on pile.	
25125	San Jacinto Bay Barge Channel Daybeacon 6	29-42-15.713N 095-01-39.466W				TR on pile.	
25130	San Jacinto Bay Barge Channel Daybeacon 8	29-42-17.766N 095-01-47.398W				TR on pile.	
25132	San Jacinto Bay Barge Channel Daybeacon 9	29-42-15.344N 095-01-48.175W				SG on pile.	
25135	San Jacinto Bay Barge Channel Daybeacon 10	29-42-20.191N 095-01-56.404W				TR on pile.	
25138	San Jacinto Bay Barge Channel Daybeacon 11	29-42-17.798N 095-01-57.636W				SG on pile.	
25140	San Jacinto Bay Barge Channel Daybeacon 12	29-42-22.863N 095-02-06.194W				TR on pile.	
25142	San Jacinto Bay Barge Channel Daybeacon 13	29-42-20.206N 095-02-06.667W				SG on pile.	
25145	San Jacinto Bay Barge Channel Daybeacon 14	29-42-25.171N 095-02-14.479W				TR on pile.	
25150	San Jacinto Bay Barge Channel Daybeacon 15	29-42-22.364N 095-02-14.979W				SG on pile.	
25155	San Jacinto Bay Barge Channel Daybeacon 16	29-42-28.047N 095-02-24.799W				TR on pile.	
25158	San Jacinto Bay Barge Channel Daybeacon 17	29-42-24.463N 095-02-23.171W				SG on pile.	
25160	San Jacinto Bay Barge Channel Daybeacon 18	29-42-31.637N 095-02-38.009W				TR on pile.	
25162	San Jacinto Bay Barge Channel Daybeacon 19	29-42-27.805N 095-02-35.763W				SG on pile.	
25165	San Jacinto Bay Barge Channel Daybeacon 20	29-42-33.519N 095-02-44.728W				TR on pile.	
25168	San Jacinto Bay Barge Channel Daybeacon 21	29-42-31.225N 095-02-48.779W				SG on pile.	
25170	San Jacinto Bay Barge Channel Daybeacon 22	29-42-36.727N 095-02-56.074W				TR on pile.	
25175	San Jacinto Bay Barge Channel Daybeacon 23	29-42-35.369N 095-03-03.752W				SG on pile.	
25180	San Jacinto Bay Barge Channel Daybeacon 24	29-42-39.344N 095-03-02.279W				TR on pile.	
25185	San Jacinto Bay Barge Channel Daybeacon 25	29-42-36.530N 095-03-07.471W				SG on pile.	
25190	San Jacinto Bay Barge Channel Daybeacon 26	29-42-42.490N 095-03-08.272W				TR on pile.	
25195	San Jacinto Bay Barge Channel Daybeacon 27	29-42-39.690N 095-03-13.057W				SG on pile.	
25200	San Jacinto Bay Barge Channel Daybeacon 28	29-42-46.335N 095-03-14.911W				TR on pile.	
25205	Houston Ship Channel Light 104	29-42-22.263N 095-01-02.460W	Fl R 2.5s	0	4	TR on pile.	Ra ref.
25210	Houston Ship Channel Light 105	29-42-29.546N 095-01-17.892W	Fl G 4s	0	4	SG on pile.	Ra ref.
25215	Houston Ship Channel Light 106	29-42-31.251N 095-01-07.549W	Fl R 4s	0	3	TR on pile.	Ra ref.
25220	Houston Ship Channel Light 107	29-42-52.522N 095-01-19.379W	Fl G 6s	0	5	SG on pile.	Ra ref.
25230	Upper Red Light Bend Inbound Range Front Light	29-43-35.549N 095-01-13.740W	Q R	30		KRW on skeleton tower on piles.	For upbound traffic. Visible 2° each side of rangeline.

25235	Upper Red Light Bend Inbound Range Rear Light	29-44-02.583N 095-01-13.626W	Oc R 4s	151		KRW on skeleton tower on concrete block.	Visible 4° each side of rangeline.
25240	Upper Red Light Bend Outbound Range Front Light	29-42-22.165N 095-01-16.026W	Q R	0		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline. Range DOES NOT mark the channel centerline.
25245	Upper Red Light Bend Outbound Range Rear Light	29-42-11.343N 095-01-16.076W	Iso R 6s	25		KRW on skeleton tower on piles.	Visible 14° each side of rangeline.
25250	Houston Ship Channel Light 109	29-43-15.250N 095-01-20.009W	FI G 4s	0	5	SG on pile.	Ra ref.
25260	Exxon Black Duck Bay Obstruction Buoy	29-43-16.122N 095-00-50.856W				NW with orange band orange diamond worded DANGER.	
25265	Houston Ship Channel Light 109A	29-43-25.320N 095-01-23.936W	FI G 6s	0	4	SG on pile.	Ra ref.
25275	Houston Ship Channel Light 111	29-43-39.396N 095-01-37.997W	FI G 2.5s	0	4	SG on pile.	Ra ref.
25280	Exxon Dock 2 Light	29-43-37.000N 095-01-17.500W	FI R 2.5s			On pilings.	
25285	Exxon Dock 5 Light	29-43-39.400N 095-01-23.000W	FI R 2.5s			On pilings.	
25300	Baytown Bend Tower Obstruction Light A	29-43-39.700N 095-01-41.400W	Q W			On base of lattice tower.	
25305	Baytown Bend Tower Obstruction Light B	29-43-41.200N 095-01-43.700W	Q W			On base of tower.	
25310	Baytown Bend Tower Obstruction Light C	29-43-52.200N 095-01-34.800W	Q W			On base of lattice tower.	
25315	Baytown Bend Tower Obstruction Light D	29-43-51.000N 095-01-29.300W	Q W			On base of lattice tower.	
25317	Centerpoint Energy Tower Foundation Protection Cell Lights (6)	29-43-42.320N 095-01-47.572W	FI W 2.5s			Marks highline tower foundation concrete protection cells.	
25320	Lower Peggy'S Lake Inbound Range Front Light	29-43-57.019N 095-03-08.984W	Q R	40		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
25325	Lower Peggy'S Lake Inbound Range Rear Light	29-43-58.910N 095-03-27.004W	Iso R 6s			KRW on skeleton tower on block. On same structure as Lower Crossover Outbound Range Rear Light.	Visible 2° each side of rangeline.
25330	Lower Peggy's Lake Outbound Range Front Light	29-43-43.807N 095-01-20.236W	Q R	45		KRW on skeleton tower on piles.	Visible 4° each side of rangeline. Lighted throughout 24 hours.
25335	Lower Peggy'S Lake Outbound Range Rear Light	29-43-42.846N 095-01-11.280W	Oc R 4s			Skeleton Tower on piles	Visible 4° each side of rangeline. Lighted throughout 24 hours.
25340	Houston Ship Channel Lighted Buoy 112	29-43-50.037N 095-01-35.938W	FI R 4s		3	Red.	Ra ref.
25345	Houston Ship Channel Light 111A	29-43-43.870N 095-01-53.195W	FI G 2.5s	0	4	SG on pile.	Ra ref.
25349	Houston Ship Channel Light 112A	29-43-52.721N 095-01-44.478W			0	TR on pile.	Ra ref.
25350	Houston Ship Channel Light 112B	29-43-53.859N 095-01-54.491W	FI R 2.5s	0	3	TR on pile.	Ra ref.
25355	Houston Ship Channel Light 113	29-43-46.028N 095-02-16.165W	FI G 4s	0	4	SG on pile.	Ra ref.
25360	Houston Ship Channel Light 114	29-43-55.906N 095-02-15.647W	FI R 4s	0	4	TR on pile.	Ra ref.
25365	Houston Ship Channel Light 114A	29-43-55.618N 095-02-27.437W	FI R 6s	0	4	TR on pile.	Ra ref.
25370	Houston Ship Channel Light 113B	29-43-48.877N 095-02-38.053W	FI G 4s	0	4	SG on pile.	Ra ref.
25380	Houston Ship Channel Light 114B	29-43-57.188N 095-02-37.703W	FI R 4s	0	4	TR on pile.	Ra ref.
25385	Houston Ship Channel Light 115	29-43-51.018N 095-02-49.631W	FI G 2.5s	0	4	SG on pile.	Ra ref.
25390	Houston Ship Channel Light 116	29-44-02.586N 095-02-55.389W	FI R 2.5s	0	4	TR on pile.	Ra ref.
25392	Battleground Oil Bostco Terminal Downstream Pile Light	29-43-52.860N 095-02-58.300W	FI W 2.5s			Marks downstream pile.	
25392.01	Battleground Oil Bostco Terminal Upstream Pile Light	29-44-05.270N 095-03-19.400W	FI W 2.5s			Marks upstream pile.	

25392.02	Battleground Oil Bostco Terminal Upstream Turning Basin Pile Light	29-44-11.050N 095-03-05.380W	FI W 2.5s				Marks upstream turning basin piling.	
25392.03	Battleground Oil Bostco Terminal Downstream Turning Basin Pile Light	29-44-08.970N 095-03-01.710W	FI W 2.5s				Marks downstream turning basin piling.	
25394	BOSTCO Piling Lights (2)	29-43-58.446N 095-03-07.642W	FI W 2.5s					
25395	Upper Peggy's Lake Inbound Range Front Light	29-44-24.858N 095-03-41.304W	Q R	10			KRW on skeleton tower on pile.	Visible all around; higher intensity on rangeline.
25400	Upper Peggy's Lake Inbound Range Rear Light	29-44-28.107N 095-03-47.045W	Iso R 6s	25			KRW on skeleton tower on piles.	Visible 4° each side of rangeline.
25405	Upper Peggy's Lake Outbound Range Front Light	29-43-47.423N 095-02-38.840W	Q R	15			KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
25410	Exxon Goat Island Dock Light	29-44-02.300N 095-02-42.100W	FI R 2.5s				On. pile.	
25415	Upper Peggy's Lake Outbound Range Rear Light	29-43-43.819N 095-02-32.470W	Iso R 6s	25	4		KRW on skeleton tower on pile.	Visible 1.5° each side of rangeline.
25420	Houston Ship Channel Light 117	29-44-08.672N 095-03-24.383W	Q G	0	3		SG on pile.	Ra ref.
25425	Houston Ship Channel Light 118	29-44-16.949N 095-03-18.961W	Q R	0	4		TR on pile.	Ra ref.
25430	Houston Ship Channel Light 117A	29-44-15.818N 095-03-32.431W	FI G 4s	0	4		SG on pile.	Ra ref.
25435	Houston Ship Channel Light 119	29-44-24.063N 095-03-38.853W	FI R 2.5s	0	4		SG on pile.	Ra ref.
25440	Houston Ship Channel Light 120	29-44-28.779N 095-03-29.546W	FI R 2.5s	0	3		TR on pile.	Ra ref.
25445	Houston Ship Channel Light 121	29-44-41.418N 095-03-48.932W	FI G 4s	0	4		SG on pile.	Ra ref.
25450	Houston Ship Channel Light 121A	29-45-08.218N 095-04-02.232W	FI G 2.5s	0	4		SG on pile.	Ra ref.
25455	Houston Ship Channel Light 122	29-44-45.318N 095-03-39.332W	FI R 4s	0	4		TR on pile.	Ra ref.
25460	Houston Ship Channel Light 122A	29-45-11.447N 095-03-51.953W	FI R 2.5s	0	4		TR on pile.	Ra ref.
25465	Crossover Inbound Range Front Light	29-45-35.849N 095-04-10.150W	Q G	15			KRW on skeleton tower on piles.	Visible 1.5° each side of range line.
25470	Crossover Inbound Range Front Passing Light	29-45-35.849N 095-04-10.150W	Q R		3		KRW on skeleton tower on piles. On same structure as Crossover Inbound Range Front Light.	Ra ref.
25475	Crossover Inbound Range Rear Light	29-45-50.885N 095-04-18.043W	Iso G 6s	40			KRW on skeleton tower on piles.	Visible 1.5° each side of range line.
25480	Crossover Outbound Range Front Light	29-44-07.334N 095-03-25.940W	Q R	20			KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline (Day) Visible 14° each side of rangeline (Night).
25485	Crossover Outbound Range Rear Light	29-44-01.494N 095-03-22.874W	Iso R 6s				KRW on skeleton tower on piles. On same structure as Peggy's Lake Inbound Range Rear Light.	Visible 2° each side of rangeline.
25490	Houston Ship Channel Light 123	29-45-16.880N 095-04-07.360W	FI G 6s	0	4		SG on pile.	Ra ref.
25495	Houston Ship Channel Light 124	29-45-21.098N 095-03-58.154W	FI R 6s	0	4		TR on pile.	Ra ref.
25500	Houston Ship Channel Light 124A	29-45-28.922N 095-04-04.009W	FI R 2.5s	0	4		TR on pile.	Ra ref.
25505	Houston Ship Channel Light 125	29-45-27.501N 095-04-18.610W	FI G 4s	0	4		SG on pile.	Ra ref.
25510	Houston Ship Channel Light 125A	29-45-32.892N 095-04-29.154W	FI G 2.5s	0	3		SG on pile.	Ra ref.
25515	Houston Ship Channel Light 126	29-45-34.623N 095-04-10.703W	Q R	0	4		TR on pile.	Ra ref.
25520	Houston Ship Channel Light 126A	29-45-41.317N 095-04-22.325W	FI R 2.5s	0	3		TR on pile.	Ra ref.
25525	Lynchburg Inbound Range Front Light	29-45-57.256N 095-04-56.673W	Q R	0			KRW on dolphin.	Visible all around; higher intensity on rangeline.
25530	Lynchburg Inbound Range Rear Light	29-46-01.284N 095-05-03.631W	Iso R 6s	35			KRW on skeleton tower on piles.	Visible 4° each side of rangeline.
25535	Lynchburg Outbound Range Front Light	29-45-19.638N 095-03-55.442W	Q G	15			KRW on skeleton tower on piles.	Visible 4° each side of rangeline.
25540	Lynchburg Outbound Range Rear Light	29-45-16.685N 095-03-50.349W	Iso G 6s	25			KRW on skeleton tower on piles.	Visible 4° each side of rangeline.

25545	Ciwa Pipeline Light A	29-45-38.000N 095-04-37.000W	Fl G 2.5s				On dolphin.	
25550	Ciwa Pipeline Light B	29-45-39.000N 095-04-38.000W	Fl G 2.5s				On 40 foot diameter steel dolphin.	
25555	San Jacinto Junction Light SJ	29-45-57.458N 095-04-53.648W	Fl (2+1)R 6s	0	4		JR on pile.	Ra ref.
25560	San Jacinto River Buoy 2	29-46-21.108N 095-04-36.638W					Red nun.	
25565	San Jacinto River Buoy 4	29-46-30.387N 095-04-34.406W					Red nun.	
25570	San Jacinto River Buoy 6	29-46-43.637N 095-04-30.455W					Red nun.	
25585	San Jacinto River Buoy 11	29-47-40.121N 095-03-31.609W					Green can.	
25590	San Jacinto River Buoy 13	29-47-57.010N 095-03-33.187W					Green can.	
25595	San Jacinto River Buoy 14	29-48-02.154N 095-03-32.030W					Red nun.	
25605	San Jacinto River Buoy 16	29-48-14.374N 095-04-04.351W					Red nun.	
25610	San Jacinto River Lighted Buoy 17	29-48-10.211N 095-04-19.526W	Fl G 4s		4		Green.	
25615	San Jacinto River Buoy 18	29-48-12.758N 095-04-20.596W					Red nun.	
25620	San Jacinto River Buoy 19	29-48-03.710N 095-04-34.029W					Green can.	
25625	San Jacinto River Buoy 20	29-48-03.271N 095-04-42.060W					Red nun.	
25635	San Jacinto River Buoy 21	29-47-59.458N 095-04-41.759W					Green can.	
25640	San Jacinto River Buoy 22	29-47-55.218N 095-05-09.032W					Red nun.	
25660	San Jacinto River Buoy 26	29-48-30.618N 095-05-23.432W					Red nun.	
25665	San Jacinto River Buoy 27	29-48-10.818N 095-05-27.032W					Green can.	
25670	San Jacinto River Buoy 29	29-48-38.831N 095-05-28.237W					Green can.	
25680	San Jacinto River Buoy 32	29-48-46.437N 095-05-28.263W					Red nun.	
25695	Houston Ship Channel Light 127	29-45-42.965N 095-05-08.219W	Fl G 4s	0	4		SG on pile.	
25700	Houston Ship Channel Light 128	29-45-53.770N 095-05-05.710W	Fl R 2.5s	0	3		TR on pile.	Ra ref.
25705	Old River Transmission Tower Light A	29-45-56.400N 095-05-15.500W	Fl R 2.5s				On transmission tower.	
25710	Old River Transmission Tower Light B	29-45-50.500N 095-05-24.900W	Fl G 2.5s				On transmission tower.	
25715	Houston Ship Channel Light 129	29-45-39.286N 095-05-14.200W	Q G	0	4		SG on pile.	Ra ref.
25720	Houston Ship Channel Light 130	29-45-37.748N 095-05-30.996W	Fl R 2.5s	0	4		TR on pile.	Ra ref.
25725	Houston Ship Channel Light 131	29-45-33.755N 095-05-20.946W	Fl G 2.5s	0	4		SG on pile.	Ra ref.
25730	Houston Ship Channel Light 131A	29-45-17.036N 095-05-27.789W	Fl G 2.5s	0	4		SG on pile.	Ra ref.
25740	Houston Ship Channel Light 133	29-45-09.028N 095-05-32.980W	Fl G 2.5s	0	3		SG on pile.	Ra ref.
25742	Houston Ship Channel Security Zone Marker 1	29-45-19.395N 095-05-43.263W			0		NW on piles worded: United States Coast Guard SECURITY ZONE - KEEP OUT Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.	
25745	Houston Fuel Oil Terminal East Dock Lights (2)	29-45-13.500N 095-05-47.200W	Fl R 2.5s				Marks east dock #4 location.	
25750	Houston Fuel Oil Terminal Upper Dolphin Light	29-45-02.000N 095-05-54.000W	Fl R 2.5s				On dolphin.	
25755	Houston Fuel Oil Terminal Dock Light	29-44-58.000N 095-05-59.000W	Fl R 2.5s				On dock.	
25760	Houston Fuel Oil Terminal Lower Dolphin Light	29-44-57.000N 095-06-03.000W	Fl R 2.5s				On dolphin.	

25762	Tucker Bayou Security Zone Marker	29-44-31.959N 095-05-59.391W		0			NW on piles worded: United States Coast Guard SECURITY ZONE - KEEP OUT Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.
25770	R & H Inc. Outfall Lighted Buoy	29-44-27.781N 095-06-24.720W	FI W 4s				White with orange bands.
25772	Clean Harbors Outfall Lighted Buoy	29-44-32.633N 095-06-17.389W	FI W 4s				White with orange bands.
25773	Lubrizol Lighted Danger Buoy	29-44-23.840N 095-06-34.410W	FI W 2.5s				White with orange bands.
25775	Houston Ship Channel Light 139	29-44-17.150N 095-06-56.150W	FI G 4s	0	4		SG on pile.
25780	Houston Ship Channel Light 144	29-44-12.436N 095-08-30.902W	FI R 2.5s	0	4		TR on pile.
25785.01	Houston Ship Channel Lighted Buoy 145	29-44-04.870N 095-08-28.916W	FI G 4s		4		Green.
25787	Kinder Morgan Lighted Pipeline Mark	29-44-03.973N 095-08-48.637W	FI W 2.5s				Marks pipeline south crossing point.
25787.01	Kinder Morgan Lighted Pipeline Mark	29-44-16.374N 095-08-47.475W	FI W 2.5s				Marks pipeline north crossing point.
25790	Houston Ship Channel Light 146	29-44-18.974N 095-09-15.534W	FI R 4s	0	4		TR on pile.
25810	Houston Ship Channel Light 152	29-44-49.886N 095-10-02.835W	FI R 2.5s	0	4		TR on pile. Ra ref.
25815	Houston Ship Channel Light 160	29-44-09.882N 095-12-21.810W	FI R 2.5s	0	3		TR on pile. Ra ref.
25820	Houston Ship Channel Light 162	29-43-43.850N 095-12-36.993W	FI R 4s	0	4		TR on pile.
25822	Vinces Bayou Security Zone Marker	29-43-21.026N 095-13-26.842W		0			NW on piles worded: United States Coast Guard SECURITY ZONE - KEEP OUT Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.
25823	Kinder Morgan Mooring Dolphin Light	29-43-36.633N 095-13-27.940W	FI W 2.5s				Marks outermost upstream dock mooring dolphin.
25825	Sims Bayou Dock Lights (2)	29-43-02.100N 095-14-36.800W	FI G 2.5s				On steel pile dolphin.
25826	Sims Bayou Security Zone Marker	29-43-00.293N 095-14-38.407W		0			NW on piles worded: United States Coast Guard SECURITY ZONE - KEEP OUT Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.
25830	Valero Refining Fire Pump Dock Lights (2)	29-43-32.800N 095-15-24.400W	FI G 2.5s				On dock.
25835	Valero Refining Co. Dock Lights (2).	29-43-15.120N 095-14-59.020W	FI G 2.5s				On dolphins.
25843	Brays Bayou Security Zone Marker	29-43-38.067N 095-16-43.024W		0			NW on piles worded: United States Coast Guard SECURITY ZONE - KEEP OUT Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.
25844	Houston Ship Channel Security Zone Marker 3	29-44-52.821N 095-17-33.916W		0			NW on piles worded: United States Coast Guard SECURITY ZONE - KEEP OUT Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.
25845	Double Bayou Channel Light 2	29-37-41.171N 094-45-56.374W	FI R 4s	0	4		TR on pile. Ra ref.
25855	Double Bayou Channel Light 4	29-38-03.395N 094-44-48.392W	FI R 4s	0	3		TR on pile. Ra ref.
25865	Double Bayou Channel Light 6	29-38-29.696N 094-43-25.065W	FI R 2.5s	0	3		TR on pile. Ra ref.
25875	Double Bayou Channel Daybeacon 8	29-38-36.832N 094-43-02.837W		0			TR on pile. Ra ref.
25890	Double Bayou Channel Daybeacon 10	29-38-41.481N 094-42-48.821W		0			TR on pile. Ra ref.
25909	TWDB Lighted Scientific Monitoring Buoy TB	29-39-57.481N 094-44-39.122W	FI Y 2.5s				Marks data collection location.
25910	Anahuac Channel Daybeacon A	29-41-58.319N 094-44-09.163W		0			NB on pile. Ra ref.
25915	Anahuac Channel Daybeacon B	29-42-21.698N 094-43-49.776W		0			NB on pile. Ra ref.

25925	Anahuac Channel Daybeacon C	29-43-10.824N 094-43-12.740W		0		NB on pile.		Ra ref.
25940	Anahuac Channel Daybeacon D	29-44-21.438N 094-42-25.651W		0		NB on pile.		Ra ref.
25945	Anahuac Channel Daybeacon E	29-44-51.221N 094-42-04.938W		0		NB on pile.		Ra ref.
25950	Anahuac Channel Daybeacon F	29-45-11.920N 094-41-49.338W		0		NB on pile.		Ra ref.
25955	Anahuac Channel Daybeacon G	29-45-18.820N 094-41-42.737W		0		NB on pile.		Ra ref.
25960	Anahuac Channel Daybeacon H	29-45-56.220N 094-41-27.300W				NB on pile.		Ra ref.
25970	City Of Liberty Weir Lighted Buoy 2	30-02-21.900N 094-49-27.000W	Q R			Red.		Marks rock weir.
25975	City Of Liberty Weir Lighted Buoy 4	30-02-27.000N 094-49-27.800W	Q R			Red.		Marks rock weir.
25980	City Of Liberty Weir Lighted Buoy 6	30-02-31.000N 094-49-28.900W	Q R			Red.		Marks rock weir.
25985	City Of Liberty Weir Lighted Buoy 8	30-02-32.600N 094-49-31.400W	Q R			Red.		Marks rock weir.
25990	Trinity Bay State Tract 18- 19A Light 2	29-44-06.000N 094-45-34.000W	Q W					TR on dolphin.
25995	Trinity Bay State Tract 22- 23A Light 2	29-44-13.000N 094-44-45.000W	Q W					TR on dolphin.
26000	Fisher Shoal Daybeacon 1	29-39-30.833N 094-50-06.751W						SG on pile.
26030	Texas City Cut A Outer Range Front Light	29-20-11.069N 094-45-19.176W	Q G	15		KRW on skeleton tower on piles.		For downbound traffic. Visible 2° each side of rangeline.
26035	Texas City Cut A Outer Range Rear Light	29-19-56.547N 094-44-45.748W	Iso G 6s	50		KRW on skeleton tower on piles.		
26040	Texas City Channel Lighted Buoy 1	29-20-53.921N 094-47-13.100W	Fl G 4s	4		Green.		
26045	Texas City Cut A Inner Range Front Light	29-22-24.674N 094-50-27.224W	Q G	15		KRW on skeleton tower on piles.		Visible 1.5° each side of rangeline.
26050	Texas City Cut A Inner Range Front Light Passing Light	29-22-24.674N 094-50-27.224W	Fl R 4s	4		On same structure as Texas City Channel Cut A Inner Range Front Light.		
26055	Texas City Cut A Inner Range Rear Light	29-22-34.894N 094-50-50.227W	Iso G 6s	55		KRW on skeleton tower on piles.		Visible 2° each side of rangeline.
26060	Texas City Channel Lighted Buoy 2	29-21-18.501N 094-47-44.397W	Fl R 6s	4		Red.		
26065	Texas City Channel Lighted Buoy 3	29-21-11.983N 094-47-49.292W	Fl G 6s	4		Green.		
26070	Texas City Channel Light 5	29-21-21.086N 094-48-17.910W	Fl G 2.5s	0	4	SG on pile.		Ra ref.
26075	Texas City Channel Light 7	29-21-42.897N 094-49-00.686W	Fl G 4s	0	4	SG on pile.		Ra ref.
26080	Texas City Dike Boat Ramp Light	29-22-02.000N 094-48-54.000W	Fl R 2.5s					On breakwater.
26085	Texas City Channel Light 9	29-22-04.045N 094-49-50.969W	Q G	0	4	SG on pile.		
26090	Texas City Channel Light 10	29-22-10.710N 094-49-47.385W	Fl R 2.5s	0	3	TR on pile.		Ra ref.
26095	Texas City Cut B Outer Range Front Light	29-21-59.948N 094-49-15.339W	Q R	15		KRW on piles.		Visible 2° each side of rangeline.
26100	Texas City Cut B Outer Range Front Passing Light	29-21-59.948N 094-49-15.339W	Fl R 4s	10	3	On same structure as Texas City Channel Cut B Outer Range Front Light.		
26105	Texas City Cut B Outer Range Rear Light	29-21-54.625N 094-48-53.096W	Oc R 4s	55		KRW on skeleton tower on piles.		Visible 2° each side of rangeline.
26110	Texas City Cut B Inner Range Front Light	29-22-54.624N 094-53-04.348W	Fl R 2.5s	16		KRW on skeleton tower on piles.		Visible all around; higher intensity 1.5° each side of rangeline.
26115	Texas City Cut B Inner Range Rear Light	29-22-57.960N 094-53-18.401W	Iso R 6s	55		KRW on skeleton tower on piles.		Visible 1.5° each side of rangeline.
26120	Texas City Channel Light 12	29-22-28.238N 094-50-55.128W	Fl R 6s	0	4	TR on pile.		
26125	Texas City Channel Light 11	29-22-21.204N 094-50-59.425W	Fl G 2.5s	0	4	SG on pile.		Ra ref.
26130	Texas City Channel Light 14	29-22-40.919N 094-51-51.504W	Fl R 4s	0	3	TR on pile.		Ra ref.
26135	Texas City Channel Light 15	29-22-34.676N 094-51-54.726W	Fl G 4s	0	4	SG on pile.		Ra ref.

26140	Texas City Cut C Range Front Light	29-23-02.590N 094-52-42.052W	Iso G 2s			KRW on piles.	Visible all around; higher intensity on rangeline.
26145	Texas City Cut C Range Rear Light	29-23-09.167N 094-52-33.175W	Iso G 6s	25		KRW on piles.	Visible all around; higher intensity on rangeline.
26150	Texas City Channel Light 17	29-22-45.633N 094-52-41.572W	Q G	0	4	SG on pile.	Ra ref.
26155	Texas City Channel Light 18	29-22-54.143N 094-52-47.836W	FI R 2.5s	0	3	TR on pile.	Ra ref.
26160	Texas City Channel Light 19	29-22-45.197N 094-52-55.440W	FI G 2.5s	0	4	SG on pile.	
26162	Texas City Security Zone Marker 1	29-22-44.548N 094-52-55.519W				Marks security zone.	United States Coast Guard SECURITY ZONE - KEEP OUT Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.
26163	Texas City Security Zone Marker 2	29-22-55.068N 094-53-03.033W				Marks security zone.	United States Coast Guard SECURITY ZONE - KEEP OUT Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.
26165	Texas City Channel Light 21	29-22-38.496N 094-53-06.240W	Q G	0	4	SG on pile.	Ra ref.
26170	Texas City Canal Turning Cell Light	29-21-51.000N 094-53-24.000W	FI R 2.5s			On dolphin.	
26175	Texas City Channel Range Front Light	29-21-46.117N 094-53-21.404W	Q G	10	4	KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
26180	Texas City Channel Range Rear Light	29-21-46.121N 094-53-16.018W	Iso G 6s	25	4	KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
26182	Oiltanking Mooring Dolphin Light	29-21-43.087N 094-54-46.187W	FI W 2.5s				
26185	Texas City Connection Channel Buoy 1	29-21-12.018N 094-48-51.459W				Green can.	
26190	Texas City Connection Channel Buoy 2	29-21-17.373N 094-48-46.719W				Red nun.	
26195	Texas City Connection Channel Buoy 3	29-21-21.039N 094-48-50.556W				Green can.	
26200	Texas City Connection Channel Buoy 4	29-21-25.979N 094-48-46.328W				Red nun.	
26205	Texas City Connection Channel Buoy 5	29-21-24.185N 094-48-49.352W				Green can.	
26210	Texas City Connection Channel Buoy 6	29-21-35.865N 094-48-47.711W				Red nun.	
26215	Texas City Connection Channel Buoy 7	29-21-31.013N 094-48-51.015W				Green can.	
26220	Dickinson Bayou Channel Daybeacon 1	29-28-03.925N 094-51-32.096W		0		SG on pile.	Ra ref.
26225	Dickinson Bayou Channel Daybeacon 2	29-28-00.851N 094-52-45.752W		0		TR on pile.	Ra ref.
26230	Dickinson Bayou Channel Buoy 3	29-27-40.534N 094-53-51.143W				Green can.	
26235	Dickinson Bayou Channel Light 4	29-27-44.925N 094-53-59.324W	FI R 4s	0	4	TR on pile.	Ra ref.
26240	Dickinson Bayou Channel Daybeacon 5	29-27-37.257N 094-54-08.118W		0		SG on pile.	Ra ref.
26245	Dickinson Bayou Channel Buoy 7	29-27-34.142N 094-54-20.129W				Green can.	
26250	Dickinson Bayou Channel Daybeacon 8	29-27-35.547N 094-54-32.714W		0		TR on pile.	Ra ref.
26255	Dickinson Bayou Channel Buoy 9	29-27-28.788N 094-54-44.111W				Green can.	
26260	Dickinson Bayou Channel Buoy 11	29-27-25.772N 094-54-57.434W				Green can.	
26265	Dickinson Bayou Channel Buoy 13	29-27-24.179N 094-55-04.394W				Green can.	
26270	Dickinson Bayou Channel Light 14	29-27-25.240N 094-55-16.263W	FI R 4s	0	4	TR on pile.	Ra ref.
26275	Dickinson Bayou Channel Buoy 15	29-27-22.114N 094-55-17.041W				Green can.	
26280.01	Dickinson Bayou Channel Buoy 17	29-27-29.656N 094-55-38.836W				Green can.	
26285	Dickinson Bayou Channel Daybeacon 19	29-27-37.750N 094-55-55.658W		0		SG on pile.	Ra ref.
26290	Dickinson Bayou Channel Daybeacon 21	29-27-45.899N 094-56-15.702W		0		SG on pile.	Ra ref.
26295	Dickinson Bayou Channel Daybeacon 22	29-27-49.540N 094-56-17.314W		0		TR on pile.	Ra ref.

26300	Dickinson Bayou Channel Buoy 23	29-27-54.486N 094-56-35.148W					Green can.	
26305	Dickinson Bayou Channel Buoy 25	29-27-59.751N 094-56-47.426W					Green can.	
26310	Dickinson Bayou Channel Light 27	29-28-05.906N 094-57-03.493W	FI G 4s	0	4		SG on pile.	Ra ref.
26315	Dickinson Bayou Channel Daybeacon 29	29-27-57.986N 094-57-13.577W			0		SG on pile.	
26317	Clean Harbors Lighted Danger Mark	29-27-56.571N 094-58-02.393W	FI W 2.5s				Marks submerged outfall diffuser pipe.	
26322	TWDB Lighted Scientific Monitoring Buoy EGB	29-11-05.667N 095-02-18.783W	FI Y 2.5s				Marks data collection location.	
26323	Texas Sustainable Oyster Farm Special Light A	29-27-00.219N 092-42-01.828W	FI Y 2.5s				Marks perimeter corner point for aquaculture farm.	
26323.01	Texas Sustainable Oyster Farm Special Light B	29-27-05.133N 094-42-16.210W	FI Y 2.5s				Marks perimeter corner point for aquaculture farm.	
26323.02	Texas Sustainable Oyster Farm Special Light C	29-27-07.981N 094-42-14.875W	FI Y 2.5s				Marks perimeter corner point for aquaculture farm.	
26323.03	Texas Sustainable Oyster Farm Special Light D	29-27-03.063N 094-42-00.478W	FI Y 2.5s				Marks perimeter corner point for aquaculture farm.	
26325	Galveston Bay Oyster Lease 404A Daybeacons (4)	29-28-55.000N 094-53-31.000W					NW on pile worded DANGER SUBMERGED OYSTER REEF.	
26330	Galveston Bay Oyster Lease 405A Daybeacons (4)	29-28-37.000N 094-52-54.000W					NW on pile worded DANGER SUBMERGED OYSTER REEF.	
26335	Galveston Bay Oyster Lease 406A Daybeacons (4)	29-28-34.000N 094-53-30.000W					NW on pile worded DANGER SUBMERGED OYSTER REEF.	
26340	Galveston Bay Oyster Lease 407A Daybeacons (4)	29-29-01.000N 094-53-47.000W					NW on pile worded DANGER SUBMERGED OYSTER REEF.	
26345	Galveston Bay Oyster Lease 411A Daybeacons (4)	29-28-05.000N 094-52-31.000W					NW on pile worded DANGER SUBMERGED OYSTER REEF.	
26350	Eagle Point Wreck Light WR1	29-29-15.448N 094-53-34.255W	Q G	0	3		SG on pile.	Ra ref.
26353	Eagle Point Wreck Lighted Buoy WR3	29-30-04.077N 094-55-02.404W	Q G		3		Green can.	
26355	Texas Corinthian Yacht Club Pier Lights (2)	29-31-53.000N 095-00-05.000W	FI W 2.5s				On pier.	
26360	Clear Creek Channel Daybeacon 1	29-33-06.866N 094-59-32.351W			0		SG on pile.	Ra ref.
26365	Clear Creek Channel Light 2	29-33-09.823N 094-59-33.009W	FI R 6s	0	4		TR on pile.	Ra ref.
26370	Clear Creek Channel Daybeacon 3	29-33-02.510N 095-00-00.460W			0		SG on pile.	Ra ref.
26375	Clear Creek Channel Light 4	29-33-05.947N 095-00-01.054W	FI R 4s	0	3		TR on pile.	Ra ref.
26380	Clear Creek Channel Daybeacon 5	29-32-58.228N 095-00-28.022W			0		SG on pile.	Ra ref.
26385	Clear Creek Channel Light 6	29-33-01.508N 095-00-26.993W	FI R 2.5s	0	3		TR on pile.	Ra ref.
26390	Clear Creek Channel Daybeacon 7	29-32-53.844N 095-00-57.772W			0		SG on pile.	Ra ref.
26395	Clear Creek Channel Light 8	29-32-56.567N 095-00-57.287W	Q R	0	3		TR on pile.	Ra ref.
26400	Clear Creek Channel Light 10	29-32-52.471N 095-01-41.648W	Q R	0	3		TR on pile.	
26410	Clear Creek Channel Lighted Buoy 11	29-33-05.686N 095-01-45.289W	Q G		3		Green can.	
26415	Clear Creek Channel Light 13	29-33-07.378N 095-01-56.711W	FI G 4s	0	4		SG on pile.	
26420	Clear Creek Channel Buoy 14	29-33-09.709N 095-01-56.889W					Red nun.	
26425	Clear Creek Channel Buoy 15	29-33-16.239N 095-02-33.087W					Green can.	
26430	Clear Creek Channel Light 16	29-33-18.133N 095-02-33.127W	FI R 4s	0	3		TR on pile.	Ra ref.
26435	Clear Creek Channel Light 17	29-33-23.941N 095-03-07.610W	Q G	0	4		SG on pile.	

26440	Clear Creek Channel Buoy 18	29-33-25.600N 095-03-07.533W				Red nun.
26445	Clear Creek Channel Buoy 19	29-33-16.617N 095-03-40.177W				Green can.
26450	Clear Creek Channel Light 20	29-33-17.762N 095-03-39.968W	Fl R 4s	0	4	TR on pile.
26455	Clear Creek Channel Buoy 22	29-33-09.949N 095-04-12.027W				Red nun.
26460	Clear Creek Channel Light 23	29-33-08.304N 095-04-11.513W	Q G	0	4	SG on pile.
26465	Clear Creek Channel Buoy 24	29-33-00.848N 095-04-23.278W				Red nun.
26475	Lakewood Yacht Club Channel Daybeacon 1	29-33-10.000N 095-01-55.000W				SG on pile.
26480	Lakewood Yacht Club Channel Daybeacon 3	29-33-13.000N 095-01-55.000W				SG on pile.
26485	Lakewood Yacht Club Channel Daybeacon 5	29-33-16.000N 095-01-55.000W				SG on pile.
26490	Lakewood Yacht Club Channel Daybeacon 7	29-33-19.000N 095-01-55.000W				SG on pile.
26495	Lakewood Yacht Club Channel Daybeacon 9	29-33-23.000N 095-01-56.000W				SG on pile.
26500	Lakewood Yacht Club Channel Daybeacon 11	29-33-25.000N 095-01-58.000W				SG on pile.
26510	Lakewood Yacht Club Channel Daybeacon 13	29-33-36.000N 095-02-00.000W				SG on pile.
26515	Lakewood Yacht Club Channel Daybeacon 14	29-33-27.000N 095-01-59.000W				TR on pile.
26520	Lakewood Yacht Club Channel Daybeacon 16	29-33-28.000N 095-01-59.000W				TR on pile.
26525	Watergate Marina Channel Daybeacon 1	29-33-05.000N 095-02-02.000W				SG on pile.
26530	Watergate Marina Channel Light 2	29-33-07.000N 095-02-02.000W	Fl R 2.5s			TR on pile.
26535	Watergate Marina Channel Daybeacon 3	29-33-02.000N 095-02-06.000W				SG on pile.
26540	Watergate Marina Channel Daybeacon 4	29-33-03.000N 095-02-06.000W				TR on pile.
26545	Watergate Marina Channel Junction Daybeacon A	29-32-59.000N 095-02-10.000W				JG on pile.
26550	Watergate Marina Channel Daybeacon 6	29-33-01.000N 095-02-11.000W				TR on pile.
26555	Watergate Marina Channel Daybeacon 7	29-32-56.000N 095-02-13.000W				SG on pile.
26560	Watergate Marina Channel Daybeacon 8	29-32-57.000N 095-02-14.000W				TR on pile.
26565	Watergate Marina Channel Daybeacon 10	29-33-06.000N 095-02-06.000W				TR on pile.
26570	Watergate Marina Channel Breakwater Light 2	29-32-53.000N 095-02-16.000W	Q W			TR on end of breakwater.
26575	Watergate Marina Channel Light 9	29-32-52.000N 095-02-18.000W	Q G			SG on pile.
26580	Watergate Marina Channel Light 11	29-32-48.000N 095-02-24.000W	Q W			SG on breakwater bulkhead.
26585	Watergate Marina Channel Light 13	29-32-54.000N 095-02-24.000W	Q G			SG on breakwater bulkhead.
26590	Watergate Marina Channel Range Front Light	29-32-36.000N 095-02-36.000W	F G			KRW on post.
26595	Watergate Marina Channel Range Rear Light	29-32-42.000N 095-02-30.000W	F G			KRW on top of boat shed roof.
26600	Jarboe Bayou Channel Daybeacon 2	29-32-53.000N 095-02-11.570W				TR on pile.
26605	Jarboe Bayou Channel Daybeacon 4	29-32-48.000N 095-02-08.000W				TR on pile.
26610	Jarboe Bayou Channel Daybeacon 6	29-32-44.000N 095-02-08.100W				TR on pile.
26615	Jarboe Bayou Channel Daybeacon 8	29-32-39.000N 095-02-09.060W				TR on pile.
26620	Waterford Harbor Channel Junction Light B	29-32-58.100N 095-02-13.500W	Fl (2+1)R 6s			JR on pile.

26625	Waterford Harbor Channel Daybeacon 1	29-32-57.800N 095-02-17.200W				SG on pile.
26630	Waterford Harbor Channel Daybeacon 2	29-32-58.300N 095-02-17.300W				TR on pile.
26635	Waterford Harbor Channel Daybeacon 3	29-32-57.500N 095-02-21.000W				SG on pile.
26640	Waterford Harbor Channel Daybeacon 4	29-32-58.000N 095-02-21.200W				TR on pile.
26645	Waterford Harbor Channel Daybeacon 5	29-32-57.200N 095-02-24.700W				SG on pile.
26650	Waterford Harbor Channel Daybeacon 6	29-32-51.700N 095-02-24.900W				TR on pile.
26655	Waterford Harbor Channel Daybeacon 7	29-32-56.900N 095-02-29.000W				SG on pile.
26660	Waterford Harbor Channel Daybeacon 8	29-37-57.400N 095-02-29.200W				TR on pile.
26675	Marina Del Sol Channel Daybeacon 3	29-33-17.950N 095-02-55.000W				SG on pile.
26680	Marina Del Sol Channel Daybeacon 4	29-33-17.950N 095-02-56.000W				TR on pile.
26685	Marina Del Sol Channel Daybeacon 5	29-33-15.650N 095-02-55.750W				SG on pile.
26690	Marina Del Sol Channel Daybeacon 6	29-33-15.650N 095-02-56.750W				TR on pile.
26695	Marina Del Sol Channel Daybeacon 7	29-33-13.350N 095-02-56.500W				SG on pile.
26700	Marina Del Sol Channel Daybeacon 8	29-33-13.350N 095-02-57.500W				TR on pile.
26705	Marina Del Sol Channel Daybeacon 9	29-33-11.050N 095-02-57.250W				SG on pile.
26710	Marina Del Sol Channel Daybeacon 10	29-33-11.050N 095-02-58.250W				TR on pile.
26715	Marina Del Sol Channel Light 11	29-33-08.750N 095-02-58.000W	FI G 2s			SG on pile.
26720	Marina Del Sol Channel Light 12	29-33-08.750N 095-02-59.000W	FI R 2s			TR on pile.
26760	Hilton Hotel Marina Channel Entrance Daybeacon 1	29-33-20.750N 095-04-19.500W				SG on pile.
26765	Hilton Hotel Marina Channel Entrance Daybeacon 2	29-33-22.000N 095-04-22.000W				TR on pile.
26770	Hilton Hotel Marina Channel Range Front	29-33-21.000N 095-04-27.700W	F G			On pile.
26775	Hilton Hotel Marina Channel Range Rear	29-33-21.100N 095-04-29.000W	F G			On building.
26780	Hilton Hotel Marina Channel Breakwater Light 3	29-33-20.500N 095-04-25.000W	F G			SG on pile.
26785	Hilton Hotel Marina Channel Breakwater Light 4	29-33-21.200N 095-04-25.000W	F R			TR on pile.
26850	Clear Lake Wharf Light #1	29-32-08.700N 095-04-41.800W	FI G 4s			On dolphins.
26855	Clear Lake Wharf Light #2	29-31-09.000N 095-04-41.500W	FI R 4s			On dolphins.
26900	Sylvan Beach Breakwater Light 1	29-39-00.000N 095-00-36.000W	FI G 2.5s			SG on pile.
26905	Freeport Entrance Lighted Buoy FP	28-52-29.868N 095-14-01.668W	Mo (A) W	5	Red and white stripes with red spherical topmark.	AIS: MMSI 993682025
26910	Freeport Entrance Lighted Buoy 1	28-53-03.947N 095-14-42.917W	FI G 4s	4	Green.	Ra ref.
26915	Freeport Entrance Lighted Buoy 2	28-53-40.000N 095-15-03.992W	FI R 4s	4	Red.	Ra ref.
26920	Freeport Entrance Lighted Buoy 3	28-54-04.607N 095-15-47.788W	FI G 4s	4	Green.	Ra ref.
26925	Freeport Entrance Lighted Buoy 4	28-54-45.409N 095-16-11.170W	FI R 4s	3	Red.	Ra ref.
26930	Freeport Entrance Lighted Buoy 5	28-55-05.571N 095-16-50.266W	FI G 2.5s	3	Green.	Ra ref.
26935	Freeport Entrance Lighted Buoy 6	28-55-27.241N 095-16-54.074W	FI R 2.5s	3	Red.	Ra ref.

26940	Freeport Entrance Light 7	28-55-42.410N 095-17-28.684W	Q G	15	5	SG on skeleton tower on block.	
26945	Freeport Entrance Light 8	28-55-50.364N 095-17-18.528W	Q R	0	5	TR on skeleton tower on block.	
26950	Freeport Entrance Light 10	28-56-25.133N 095-17-58.248W	Oc R 4s	0	4	TR on pile.	
26955	Freeport Entrance Light 11	28-56-24.024N 095-18-10.668W	FI G 2.5s	0	3	SG on pile.	
26957	Freeport LNG Danger Light	28-56-27.300N 095-18-32.500W	Q W			Marks the end of breakwater structure.	
26960	Freeport Entrance Light 12	28-56-39.624N 095-18-21.390W	Q R	0	4	TR-SY on pile.	Ra ref.
26962	Dow Barge Canal Security Zone Marker 1	28-56-23.934N 095-18-15.162W			0	NW on piles worded: United States Coast Guard SECURITY ZONE - KEEP OUT Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.	
26963	Dow Barge Canal Security Zone Marker 2	28-56-48.536N 095-18-19.851W			0	NW on piles worded: United States Coast Guard SECURITY ZONE - KEEP OUT Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.	
26965	Freeport Jetty Inbound Range Front Light	28-56-37.432N 095-18-16.575W	Iso G 2s	30		KRW on skeleton tower on piles.	Visible only on range line. Lighted throughout 24 hours.
26970	Freeport Jetty Inbound Range Front Light Passing Light	28-56-37.432N 095-18-16.575W	Q W	35	5	On same structure as Freeport Jetty Inbound Range Front Light.	
26975	Freeport Jetty Inbound Range Rear Light	28-57-31.542N 095-19-12.900W	Oc G 4s	104		KRW on skeleton tower on block.	Visible only on rangeline. Lighted throughout 24 hours.
26980	Vopak A-14 Dock Light	28-56-43.000N 095-18-25.000W	FI R 2.5s			On dolphin.	
26985	Vopak A-13 Dock Light	28-56-49.700N 095-18-27.700W	FI R 2.5s			On dolphin.	
27005	Freeport Harbor Outbound Range Front Light	28-56-34.712N 095-18-06.537W	Q R	10		KRW on skeleton tower.	Visible 1.5° each side of rangeline.
27010	Freeport Harbor Outbound Range Rear Light	28-56-35.358N 095-18-00.328W	F R	35		KRW on skeleton tower.	Visible 1.5° each side of rangeline.
27011	Freeport Entrance Light 13	28-56-28.817N 095-18-32.431W	Q G	0	3	SG-SY on pile.	Ra ref.
27012	Freeport Harbor Junction Light FH	28-56-26.958N 095-18-49.081W	FI (2+1)G 6s	0	3	JG-TY on pile.	Ra ref.
27015	Vopak A-3A Dock Light	28-56-37.000N 095-19-09.000W	FI R 2.5s			On dolphin.	
27017	Freeport Harbor Light 18	28-56-10.817N 095-19-24.871W	FI R 2.5s	0	3	TR on pile.	Ra ref.
27018	Freeport Harbor Light 19	28-55-58.397N 095-19-21.151W	Q G	0	3	SG on pile.	Ra ref.
27020	Freeport Harbor Light 20	28-56-06.408N 095-19-30.990W	Q R	0	5	TR on skeleton tower.	Visible 209° to 085°.
27025	Freeport Harbor Light 21	28-55-55.414N 095-19-39.273W	FI G 2.5s	0	3	SG on pile.	Ra ref.
27030	Freeport Harbor Light 22	28-56-06.342N 095-19-41.904W	Q R	0	5	TR on skeleton tower.	Visible 271° to 161°.
27035	Phillips Petroleum Dock Lights (2)	28-56-04.000N 095-19-51.000W	FI G 2.5s			On Dock.	
27036	Brazos Harbor Security Zone Marker 1	28-56-22.500N 095-20-05.580W			0	NW on piles worded: United States Coast Guard SECURITY ZONE - KEEP OUT Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.	
27037	Brazos Harbor Security Zone Marker 2	28-56-13.140N 095-20-10.140W			0	NW on piles worded: United States Coast Guard SECURITY ZONE - KEEP OUT Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.	
27040	Phillips Petroleum Dolphin Lights (2)	28-54-00.000N 095-30-29.000W	FI G 2.5s			On dolphins.	
27045	Colorado River West Jetty Entrance Light 1	28-35-27.992N 095-59-03.903W	FI G 2.5s	0	4	SG on pile with platform.	
27047	Colorado River East Jetty Entrance Obstruction Light	28-35-25.991N 095-58-48.903W	Q W	15	4	NB on platform.	
27050	Colorado River East Jetty Entrance Light 2	28-35-27.737N 095-58-57.530W	FI R 2.5s	0	4	TR on skeleton tower.	

27055	STP Nuclear Lighted Danger Buoy	28-44-45.220N 096-00-00.860W	FI W 2.5s			Marks discharge pipe.
27055.01	STP Nuclear Lighted Danger Buoy	28-44-42.950N 095-59-59.650W	FI W 2.5s			Marks discharge pipe.
27055.02	STP Nuclear Lighted Danger Buoy	28-44-41.130N 095-59-58.410W	FI W 2.5s			Marks discharge pipe.
27055.03	STP Nuclear Lighted Danger Buoy	28-44-39.350N 095-59-56.280W	FI W 2.5s			Marks discharge pipe.
27055.04	STP Nuclear Lighted Danger Buoy	28-44-37.730N 095-59-54.290W	FI W 2.5s			Marks discharge pipe.
27055.05	STP Nuclear Lighted Danger Buoy	28-44-36.390N 095-59-52.410W	FI W 2.5s			Marks discharge pipe.
27055.06	STP Nuclear Lighted Danger Buoy	28-44-34.980N 095-59-50.170W	FI W 2.5s			Marks discharge pipe.
27105	Enron-106-17 Lighted Buoy	28-11-10.000N 096-23-07.000W	Q R			Red. SIGN: ENRON MI BLK 586 RA REF.
27110	Matagorda Ship Channel Entrance Light	28-25-18.482N 096-19-05.940W	FI W 10s	5		On same structure as Matagorda Ship Channel Range B Rear Light. Obscured from 257° to 040°.
27117	Matagorda Ship Channel Entrance Lighted Buoy MB	28-23-01.028N 096-17-00.929W	Mo (A) W	6		Red and white stripes with red spherical topmark.
27120	Matagorda Ship Channel A Range Front Light	28-26-34.424N 096-20-42.469W	Iso W 2s			On pile with platform. Visible all around; higher intensity 1.5° each side of rangeline.
27125	Matagorda Ship Channel A Range Rear Light	28-27-34.032N 096-21-46.170W	Iso W 6s	55		On skeleton tower on piles. Lighted throughout 24 hours.
27130	Matagorda Ship Channel A Range Rear Passing Light	28-27-34.032N 096-21-46.170W	FI W 4s	65	4	On same structure as Matagorda Ship Channel Range A Rear Light.
27135	Matagorda Ship Channel Lighted Buoy 1	28-23-38.127N 096-17-38.782W	FI G 4s		4	Green.
27140	Matagorda Ship Channel Lighted Buoy 2	28-23-41.858N 096-17-31.994W	FI R 4s		4	Red.
27145	Matagorda Ship Channel Lighted Buoy 3	28-24-14.993N 096-18-18.152W	FI G 2.5s		4	Green.
27150	Matagorda Ship Channel Lighted Buoy 4	28-24-19.102N 096-18-11.856W	FI R 2.5s		4	Red.
27155	Matagorda Ship Channel Lighted Buoy 7	28-24-41.648N 096-18-46.877W	Q G		3	Green.
27160	Matagorda Ship Channel Lighted Buoy 8	28-24-47.432N 096-18-41.517W	Q R		3	Red.
27165	Matagorda Ship Channel Light 11	28-25-34.473N 096-19-46.162W	FI G 2.5s	25	6	SG on skeleton tower on concrete block.
27170	Matagorda Ship Channel B Range Front Light	28-25-40.598N 096-19-37.204W	Q W	0		Skeleton tower on block. Visible 2° each side of rangeline. Lighted throughout 24 hours.
27175	Matagorda Ship Channel Light 12	28-25-40.637N 096-19-37.293W	FI R 4s	0	3	TR on skeleton tower on block. On same structure as Matagorda Ship Channel B Range Front Light.
27180	Matagorda Ship Channel B Range Rear Light	28-25-18.482N 096-19-05.940W	Oc W 4s	55		Skeleton tower on block. On same structure as Matagorda Bay Entrance Light. Visible 2° each side of rangeline. Lighted throughout 24 hours.
27185	Matagorda Ship Channel Lighted Buoy 13	28-26-02.960N 096-20-14.392W	Q G		3	Green.
27190	Matagorda Ship Channel Lighted Buoy 14	28-26-12.622N 096-20-16.841W	Q R		3	Red.
27195	Matagorda Ship Channel Lighted Buoy 17	28-26-28.873N 096-20-49.860W	FI G 2.5s		4	Green.
27200	Matagorda Ship Channel Lighted Buoy 18	28-26-32.693N 096-20-46.449W	FI R 2.5s		3	Red.
27205	Matagorda Ship Channel Light 19	28-26-51.742N 096-21-22.242W	Oc G 4s	6	3	SG on pile. Ra ref.
27210	Matagorda Ship Channel Light 20	28-26-55.606N 096-21-18.757W	Oc R 4s	0	4	TR on pile. Ra ref.
27212	MATAGORDA SHIP CHANNEL LIGHT 21	28-27-12.344N 096-21-51.775W	FI G 4s	0	3	SG on pile. Ra ref.
27213	MATAGORDA SHIP CHANNEL LIGHT 22	28-27-16.303N 096-21-48.377W	FI R 4s	0	3	TR on pile. Ra ref.
27215	Matagorda Ship Channel Light 23	28-27-38.877N 096-22-28.871W	Q G	0	3	SG on pile. Ra ref.
27220	Matagorda Ship Channel Light 24	28-27-43.920N 096-22-26.708W	Q R	0	3	TR on pile. Ra ref.
27225	Matagorda Ship Channel Light 25	28-28-02.204N 096-23-02.160W	FI G 4s	0	4	SG on pile. Ra ref.
27230	Matagorda Ship Channel Light 26	28-28-06.071N 096-22-58.663W	FI R 4s	0	3	TR on pile. Ra ref.

27235	Matagorda Ship Channel Light 27	28-28-25.709N 096-23-35.453W	FI G 2.5s	0	3	SG on pile.	Ra ref.
27240	Matagorda Ship Channel Light 28	28-28-29.576N 096-23-31.956W	FI R 2.5s	0	3	TR on dolphin.	Ra ref.
27245	Matagorda Ship Channel Light 29	28-28-49.212N 096-24-08.751W	Oc G 4s	0	3	SG on pile.	Ra ref.
27250	Matagorda Ship Channel Light 30	28-28-53.079N 096-24-05.253W	Oc R 4s	0	4	TR on pile.	Ra ref.
27255	Matagorda Ship Channel Light 31	28-29-12.713N 096-24-42.052W	Q G	0	3	SG on pile.	Ra ref.
27260	Matagorda Ship Channel Light 32	28-29-16.580N 096-24-38.553W	Q R	0	3	TR on pile.	Ra ref.
27265	Matagorda Ship Channel Light 33	28-29-36.007N 096-25-15.374W	FI G 2.5s	0	3	SG on pile.	Ra ref.
27270	Matagorda Ship Channel Light 34	28-29-40.078N 096-25-11.859W	FI R 2.5s		3	TR on pile.	Ra ref.
27275	Matagorda Ship Channel Light 35	28-29-59.707N 096-25-48.668W	FI G 4s	0	4	SG on pile.	Ra ref.
27280	Matagorda Ship Channel Light 36	28-30-03.574N 096-25-45.169W	FI R 4s		3	TR on pile.	Ra ref.
27285	Matagorda Ship Channel Light 37	28-30-23.155N 096-26-22.033W	Q G		3	SG on pile.	Ra ref.
27290	Matagorda Ship Channel Light 38	28-30-27.068N 096-26-18.482W	Q R	0	3	TR on pile.	Ra ref.
27295	Matagorda Ship Channel Light 39	28-30-46.692N 096-26-55.299W	Oc G 4s		4	SG on pile.	Ra ref.
27300	Matagorda Ship Channel Light 40	28-30-50.559N 096-26-51.800W	Oc R 4s	0	4	TR on pile.	Ra ref.
27305	Matagorda Ship Channel Light 41	28-31-10.181N 096-27-28.621W	FI G 2.5s	0	3	SG on pile.	Ra ref.
27310	Matagorda Ship Channel Light 42	28-31-14.048N 096-27-25.122W	FI R 2.5s		3	TR on pile.	Ra ref.
27315	Matagorda Ship Channel Light 43	28-31-33.629N 096-28-01.948W	FI G 4s	0	4	SG on pile.	Ra ref.
27320	Matagorda Ship Channel Light 44	28-31-37.535N 096-27-58.448W	FI R 4s		3	TR on pile.	Ra ref.
27325	Matagorda Ship Channel Light 45	28-31-57.152N 096-28-35.277W	Q G	0	3	SG on pile.	Ra ref.
27330	Matagorda Ship Channel Light 46	28-32-01.019N 096-28-31.778W	Q R	0	3	TR on pile.	Ra ref.
27335	Matagorda Ship Channel C Range Front Light	28-35-58.903N 096-34-14.636W	Q W	20		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
27340	Matagorda Ship Channel C Range Front Light Passing Light	28-35-58.903N 096-34-14.636W	Q W	20	5	KRW on skeleton tower on piles.	On same structure as Matagorda Ship Channel Range C Front Light.
27345	Matagorda Ship Channel C Range Rear Light	28-36-35.739N 096-35-07.075W	Oc W 4s	60		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
27350	Matagorda Ship Channel C Range Rear Light Passing Light	28-36-35.739N 096-35-07.075W	FI W 4s	60	5	On same structure as Matagorda Ship Channel Range C Rear Light.	
27355	Matagorda Ship Channel Light 47	28-32-20.634N 096-29-08.610W	FI G 2.5s	0	3	SG on dolphin.	Ra ref.
27360	Matagorda Ship Channel Light 48	28-32-24.501N 096-29-05.112W	FI R 2.5s	0	3	TR on pile.	Ra ref.
27365	Matagorda Ship Channel Light 49	28-32-44.114N 096-29-41.951W	Oc G 4s		4	SG on pile.	Ra ref.
27370	Matagorda Ship Channel Light 50	28-32-47.981N 096-29-38.450W	Oc R 4s	0	4	TR on pile.	Ra ref.
27375	Matagorda Ship Channel Light 51	28-33-07.592N 096-30-15.293W	Q G	0	3	SG on pile.	Ra ref.
27380	Matagorda Ship Channel Light 52	28-33-11.459N 096-30-11.792W	Q R		3	TR on pile.	Ra ref.
27385	Lavaca Pipeline Light A	28-33-08.750N 096-30-19.510W	FI Y 4s			On dolphin.	
27390	Lavaca Pipeline Light B	28-33-14.720N 096-30-14.940W	FI Y 4s			On dolphin.	
27395	Matagorda Ship Channel Light 53	28-33-34.307N 096-30-53.243W	FI G 2.5s	0	3	SG on pile.	Ra ref.
27400	Matagorda Ship Channel Light 54	28-33-38.174N 096-30-49.742W	FI R 2.5s		3	TR on pile.	Ra ref.
27405	Matagorda Ship Channel Light 55	28-33-54.474N 096-31-22.049W	FI G 4s	0	4	SG on pile.	Ra ref.

27410	Matagorda Ship Channel Light 56	28-33-58.407N 096-31-18.490W	FI R 4s	0	3	TR on pile.	Ra ref.
27415	Onyx Pipeline Light B	28-34-17.000N 096-31-42.000W	Q R			NW on pile worded DANGER PIPELINE CROSSING.	
27420	Onyx Pipeline Light A	28-34-09.000N 096-31-48.000W	Q G			NW on pile worded DANGER PIPELINE CROSSING.	
27425	Onyx Pipeline East Light	28-34-20.000N 096-31-38.000W	Q R			NR on pile worded DANGER PIPELINE CROSSING.	
27430	Onyx Pipeline West Light	28-34-05.000N 096-31-52.000W	Q G			NR on pile worded DANGER PIPELINE CROSSING.	
27435	Matagorda Ship Channel Light 57	28-34-18.010N 096-31-55.345W	FI G 2.5s		3	SG on pile.	Ra ref.
27440	Matagorda Ship Channel Light 58	28-34-21.983N 096-31-51.891W	FI R 2.5s	0	3	TR on pile.	Ra ref.
27445	Matagorda Ship Channel Light 59	28-34-41.452N 096-32-28.704W	Oc G 4s		4	SG on pile.	Ra ref.
27450	Matagorda Ship Channel Light 60	28-34-45.346N 096-32-25.203W	Oc R 4s	0	4	TR on pile.	Ra ref.
27455	Matagorda Ship Channel Light 61	28-35-04.945N 096-33-02.067W	FI G 4s	0	4	SG on pile.	Ra ref.
27460	Matagorda Ship Channel Light 62	28-35-08.811N 096-32-58.566W	FI R 4s		3	TR on pile.	Ra ref.
27465	Matagorda Ship Channel Light 63	28-35-28.408N 096-33-35.434W	FI G 2.5s	0	3	SG on pile.	Ra ref.
27470	Matagorda Ship Channel Light 64	28-35-32.275N 096-33-31.933W	FI R 2.5s	0	3	TR on pile.	Ra ref.
27475	Matagorda Ship Channel Light 65	28-35-39.888N 096-33-51.762W	Q G	10	3	SG on pile.	Ra ref.
27480	Matagorda Ship Channel Light 66	28-35-46.160N 096-33-48.080W	Q R	0	3	TR on pile.	Ra ref.
27485	Port Lavaca Channel Junction Light PL	28-35-50.055N 096-34-00.286W	FI (2+1)G 6s	0	3	JG on pile.	Ra ref.
27490	Matagorda Ship Channel E Range Front Light	28-38-57.349N 096-33-56.899W	Q R		25	KRW on skeleton tower on mud sills.	Visible 2° each side of rangeline.
27492	Matagorda Ship Channel E Range Front Light Passing Light	28-38-57.349N 096-33-56.899W	FI W 4s	0	4	On same structure as Matagorda Ship Channel E Range Front Light.	
27495	Matagorda Ship Channel E Range Rear Light	28-39-41.716N 096-33-55.664W	Oc R 4s	55		KRW on skeleton tower on mud sills.	Visible 2° each side of rangeline.
27500	Matagorda Ship Channel Light 67	28-36-03.738N 096-34-04.704W	Q G		3	SG on pile.	Ra ref.
27505	Matagorda Ship Channel Light 68	28-36-02.279N 096-33-56.890W	Q R		3	TR on pile.	Ra ref.
27510	Matagorda Ship Channel D Range Front Light	28-35-46.243N 096-34-02.488W	Q G		15	KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
27515	Matagorda Ship Channel D Range Front Light Passing Light	28-35-46.243N 096-34-02.488W	FI W 4s	20	5	On same structure as Matagorda Ship Channel Range D Front Light.	
27520	Matagorda Ship Channel D Range Rear Light	28-35-26.698N 096-34-02.994W	Oc G 4s	35		KRW on skeleton tower on piles.	
27525	Matagorda Ship Channel D Range Rear Light Passing Light	28-35-26.698N 096-34-02.994W	FI W 4s	35	5	On same structure as Matagorda Ship Channel Range D Rear Light.	
27530	Matagorda Ship Channel Light 69	28-36-29.536N 096-34-03.973W	FI G 2.5s		3	SG on pile.	Ra ref.
27535	Matagorda Ship Channel Light 70	28-36-29.413N 096-33-58.366W	FI R 2.5s		3	TR on pile.	Ra ref.
27540	Matagorda Ship Channel Light 71	28-36-55.335N 096-34-03.242W	FI G 4s		4	SG on pile.	Ra ref.
27545	Matagorda Ship Channel Light 72	28-36-55.212N 096-33-57.634W	FI R 4s	0	3	TR on pile.	Ra ref.
27550	Matagorda Ship Channel Light 73	28-37-21.134N 096-34-02.510W	FI G 4s	0	4	SG on pile.	Ra ref.
27555	Matagorda Ship Channel Light 74	28-37-21.011N 096-33-56.901W	FI R 4s	0	3	TR on pile.	Ra ref.
27560	Matagorda Ship Channel Light 75	28-37-46.933N 096-34-01.779W	FI G 2.5s	0	3	SG on pile.	Ra ref.
27565	Matagorda Ship Channel Light 76	28-37-46.809N 096-33-56.170W	FI R 2.5s		3	TR on pile.	Ra ref.
27570	Matagorda Ship Channel G Range Front Light	28-38-07.519N 096-34-05.545W	Q W	0		KRW on tower.	Visible all around.

27575	Matagorda Ship Channel G Range Rear Light	28-38-05.415N 096-34-08.626W	Iso W 6s	10		KRW on tower.	Visible all around.
27580	Matagorda Ship Channel Light 77	28-38-00.879N 096-34-01.383W	Q G		3	SG on pile.	Ra ref.
27585	Matagorda Ship Channel Light 78	28-38-03.126N 096-33-53.142W	Q R		3	TR on pile.	Ra ref.
27590	Matagorda Ship Junction Light A	28-38-10.304N 096-33-55.830W	Fl (2+1)G 6s		4	JG on pile.	Ra ref.
27595	Matagorda Ship Channel Light 79	28-38-24.360N 096-33-47.262W	Fl G 2.5s		3	SG on pile.	Ra ref.
27600	Matagorda Ship Channel Light 80	28-38-18.091N 096-33-43.599W	Fl R 2.5s		3	TR on pile.	Ra ref.
27605	Matagorda Ship Channel F Range Front Light	28-38-29.626N 096-33-40.106W	Q W		0	KRW on tower.	Visible all around.
27610	Matagorda Ship Channel F Range Rear Light	28-38-33.257N 096-33-37.878W	Iso W 6s		15	KRW on tower.	Visible all around.
27615	Matagorda Ship Channel Light 81	28-38-34.422N 096-33-30.248W	Q G		0 3	SG on Pile.	Ra ref.
27620	Matagorda Ship Channel Light 82	28-38-30.091N 096-33-27.230W	Q R		0 4	TR on pile.	Ra ref.
27625	Point Comfort Turning Basin Dock Lights (6)	28-38-32.900N 096-32-58.400W	Fl R 2.5s			On dolphins.	
27630	Point Comfort Turning Basin North Shoal Range Front Light	28-38-39.900N 096-32-56.800W	Q W			KGW on tower.	Marks shoal water.
27635	Point Comfort Turning Basin North Shoal Range Rear Light	28-38-39.900N 096-32-55.600W	Fl W 2.5s			KGW on tower.	Marks shoal water.
27640	Point Comfort Turning Basin South Shoal Range Front Light	28-38-33.100N 096-32-56.700W	Q W			KGW on tower.	Marks shoal water.
27645	Point Comfort Turning Basin South Shoal Range Rear Light	28-38-33.200N 096-32-55.400W	Fl W 2.5s			KGW on tower.	Marks shoal water.
27650	Point Comfort Turning Basin Pier Obstruction Light	28-38-36.900N 096-33-09.900W	Fl R 2.5s			On end of pier.	
27655	Matagorda Ship Junction Light A	28-38-10.304N 096-33-55.830W	Fl (2+1)G 6s		4	JG on pile.	Ra ref.
27660	Point Comfort Inner Channel Light 3	28-38-28.000N 096-34-00.000W	Fl G 4s			SG on pile.	
27665	Point Comfort Inner Channel Light 4	28-38-29.000N 096-33-54.000W	Fl R 4s			TR on pile.	
27670	Point Comfort Inner Channel Light 5	28-38-36.000N 096-34-02.000W	Fl W 4s			SG on pile.	
27675	Point Comfort Inner Channel Light 6	28-38-52.000N 096-33-52.000W	Fl R 4s			TR on pile.	
27680	Point Comfort Inner Channel Light 7	28-39-04.000N 096-33-53.000W	Fl G 4s			SG on pile.	
27685	Point Comfort Inner Channel Light 8	28-39-30.000N 096-34-04.000W	Fl R 3s			TR on pile.	
27690	Point Comfort Range A Front Light	28-39-35.000N 096-34-11.000W	Fl W 4s			KRW on pile.	
27695	Point Comfort Range A Rear Light	28-39-41.000N 096-34-15.000W	Q W			KRW on piles.	
27700	Port Lavaca Channel Light 1	28-36-01.220N 096-34-33.818W	Fl G 2.5s		0 4	SG on pile.	Ra ref.
27705	Port Lavaca Channel Daybeacon 3	28-36-12.097N 096-34-57.528W				SG on pile.	Ra ref.
27710	Port Lavaca Channel Buoy 6	28-36-24.527N 096-35-15.421W				Red nun.	
27715	Port Lavaca Channel Light 5	28-36-21.206N 096-35-17.394W	Fl G 6s		0 4	SG on pile.	Ra ref.
27720	Port Lavaca Channel Daybeacon 7	28-36-36.641N 096-35-50.425W				SG on pile.	Ra ref.
27725	Port Lavaca Channel Daybeacon 8	28-36-49.504N 096-36-09.851W			0	TR on pile.	Ra ref.
27730	Port Lavaca Channel Lighted Buoy 9	28-36-48.294N 096-36-15.602W	Fl G 4s		4	Green can.	
27735	Port Lavaca Channel Daybeacon 10	28-36-58.343N 096-36-29.896W				TR on pile.	Ra ref.

27740	Port Lavaca Channel Daybeacon 11	28-36-55.281N 096-36-30.766W		0		SG on pile.	Ra ref.
27745	Port Lavaca Channel Daybeacon 12	28-37-04.345N 096-36-43.149W				TR on dolphin.	Ra ref.
27750	Port Lavaca Channel Light 13	28-37-01.895N 096-36-45.307W	Fl G 2.5s	0	4	SG on pile.	Ra ref.
27755	Port Lavaca Channel Daybeacon 14	28-37-12.312N 096-37-00.819W		0		TR on pile.	Ra ref.
27760	Port Lavaca Channel Daybeacon 15	28-37-09.581N 096-37-01.931W		0		SG on pile.	Ra ref.
27765	Port Lavaca Channel Light 16	28-37-20.082N 096-37-17.857W	Q R		4	TR on pile.	Ra ref.
27770	Nautical Landing Channel Daybeacon 2	28-37-09.400N 096-37-02.300W				TR on pile.	
27775	Nautical Landing Channel Daybeacon 4	28-37-07.300N 096-37-06.200W				TR on pile.	
27780	Nautical Landing Channel Daybeacon 6	28-37-05.200N 096-37-09.900W				TR on pile.	
27785	Nautical Landing Channel Daybeacon 8	28-37-03.600N 096-37-12.900W				TR on pile.	
27790	Nautical Landing Channel Daybeacon 10	28-37-02.700N 096-37-12.400W				TR on pile.	
27795	Port Lavaca Harbor of Refuge Daybeacon 2	28-36-14.600N 096-35-13.967W		0		TR on pile.	Ra ref.
27800	Port Lavaca Harbor of Refuge Daybeacon 4	28-36-04.456N 096-35-37.068W				TR on pile.	Ra ref.
27805	Port Lavaca Harbor of Refuge Light WR 6	28-35-54.168N 096-36-00.239W	Q R	0	3	TR on pile.	Ra ref.
27810	Port Lavaca Harbor of Refuge Daybeacon 8	28-35-44.165N 096-36-23.267W		0		TR on pile.	Ra ref.
27815	Port Lavaca Harbor of Refuge Buoy 10	28-35-33.648N 096-36-46.360W				Red nun.	
27840	Lavaca Bay Channel Daybeacon 2	28-36-55.168N 096-36-09.632W		0		TR on pile.	Ra ref.
27845	Lavaca Bay Channel Daybeacon 4	28-37-16.113N 096-35-57.027W		0		TR on pile.	Ra ref.
27850	Lavaca Bay Channel Daybeacon 6	28-37-42.303N 096-35-41.149W		0		TR on pile.	Ra ref.
27855	Lavaca Bay Channel Daybeacon 8	28-38-08.152N 096-35-26.534W		0		TR on dolphin.	Ra ref.
27860	Lavaca Bay Channel Daybeacon 9	28-38-27.335N 096-35-19.233W		0		SG on pile.	Ra ref.
27865	Lavaca Bay Channel Daybeacon 11	28-38-32.901N 096-35-18.949W		0		SG on pile.	Ra ref.
27870	Lavaca Bay Channel Daybeacon 12	28-38-40.918N 096-35-18.968W		0		TR on pile.	Ra ref.
27897	Formosa Wastewater Danger Light	28-40-54.354N 096-34-55.145W	Fl W 2.5s			Marks submerged wastewater discharge structure.	
27897.01	Formosa Wastewater Danger Light	28-40-50.476N 096-34-58.634W	Fl W 2.5s			Marks submerged wastewater discharge structure.	
27897.02	Formosa Wastewater Danger Light	28-40-52.507N 096-34-52.506W	Fl W 2.5s			Marks submerged wastewater discharge structure.	
27897.03	Formosa Wastewater Danger Light	28-40-48.629N 096-34-55.996W	Fl W 2.5s			Marks submerged wastewater discharge structure.	
27915	Lavaca Bay Pipeline Light A-8	28-33-08.570N 096-29-19.510W	Q Y			On pile.	
27920	Lavaca Bay Pipeline Light A-10	28-35-46.210N 096-31-27.210W	Q R			On pile.	
27922	TWDB Lighted Scientific Monitoring Buoy CB	28-36-31.501N 096-32-33.889W	Fl Y 2.5s			Marks data collection location.	
27925	Lavaca Bay Pipeline Light D-8	28-37-53.000N 096-32-27.910W	Q R			On pile.	
27927	TWDB Lighted Scientific Monitoring Buoy MB	28-34-42.947N 096-19-58.488W	Fl Y 2.5s			Marks data collection location.	
27928	Schicke Point Danger Breakwater Light	28-37-43.150N 096-21-52.650W	Fl W 2.5s			Marks breakwater.	
27928.01	Schicke Point Danger Breakwater Light	28-37-40.680N 096-21-51.800W	Fl W 2.5s			Marks breakwater.	
27928.02	Schicke Point Danger Breakwater Light	28-37-37.970N 096-21-49.800W	Fl W 2.5s			Marks breakwater.	

27928.03	Schicke Point Danger Breakwater Daybeacon	28-37-36.330N 096-21-45.780W		Marks breakwater.	
27928.04	Schicke Point Danger Breakwater Light	28-37-34.820N 096-21-41.730W	FI W 2.5s	Marks breakwater.	
27928.05	Schicke Point Danger Breakwater Daybeacon	28-37-35.390N 096-21-37.800W		Marks breakwater.	
27928.06	Schicke Point Danger Breakwater Light	28-37-35.960N 096-21-33.880W	FI W 2.5s	Marks breakwater.	
27928.07	Schicke Point Danger Breakwater Light	28-37-36.350N 096-21-32.860W	FI W 2.5s	Marks breakwater.	
27928.08	Schicke Point Danger Breakwater Daybeacon	28-37-37.880N 096-21-28.930W		Marks breakwater.	
27928.09	Schicke Point Danger Breakwater Light	28-37-39.390N 096-21-25.040W	FI W 2.5s	Marks breakwater.	
27928.11	Schicke Point Danger Breakwater Daybeacon	28-37-40.920N 096-21-21.130W		Marks breakwater.	
27928.12	Schicke Point Danger Breakwater Light	28-37-42.450N 096-21-17.240W	FI W 2.5s	Marks breakwater.	
27930	Well Point Daybeacon 1	28-38-24.425N 096-17-10.961W	0	SG on pile.	Ra ref.
27935	Texas Parks & Wildlife Jetty Light	28-38-20.440N 096-19-24.000W	Q R	On jetty.	
27937	Jackson County Carancahua Bay Danger Breakwater Lights (2)	28-44-09.450N 096-24-06.760W		Marks east and west ends of jetty.	
27938	Aparicio Aquaculture Special Light A	28-40-26.700N 096-15-51.080W	FI Y 2.5s	Marks perimeter of aquaculture farm.	
27938.01	Aparicio Aquaculture Special Light B	28-40-24.840N 096-15-54.140W	FI Y 2.5s	Marks perimeter of aquaculture farm.	
27938.02	Aparicio Aquaculture Special Light C	28-40-30.490N 096-15-57.880W	FI Y 2.5s	Marks perimeter of aquaculture farm.	
27938.03	Aparicio Aquaculture Special Light D	28-40-32.320N 096-15-54.790W	FI Y 2.5s	Marks perimeter of aquaculture farm.	
27940	Matagorda Marine Education Channel Daybeacon 1	28-41-11.000N 096-14-24.000W		SG on pile.	
27945	Matagorda Marine Education Channel Daybeacon 2	28-41-11.000N 096-14-23.000W		TR on pile.	
27950	Matagorda Marine Education Channel Daybeacon 3	28-41-18.000N 096-14-24.000W		SG on pile.	
27955	Matagorda Marine Education Channel Daybeacon 4	28-41-18.000N 096-14-23.000W		TR on pile.	
27960	Matagorda Marine Education Channel Daybeacon 5	28-41-25.000N 096-14-24.000W		SG on pile.	
27965	Matagorda Marine Education Channel Daybeacon 6	28-41-25.000N 096-14-23.000W		TR on pile.	
27970	Geological Survey Tide Gage Daybeacon	28-44-20.000N 096-10-53.000W		NW on pile worded DANGER TIDE GAGE.	
27975	Geological Survey Tide Gage Daybeacon	28-37-52.000N 096-21-45.000W		NW on pile worded DANGER TIDE GAGE.	
27980	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 2	28-24-39.000N 096-25-14.000W		TR on pile.	
27985	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 4	28-24-00.700N 096-25-00.200W		TR on pile.	
27990	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 6	28-24-00.700N 096-25-00.200W		TR on pile.	
27995	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 8	28-24-00.700N 096-25-00.200W		TR on pile.	
28000	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 10	28-24-19.000N 096-25-36.000W		TR on pile.	
28005	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 12	28-24-00.700N 096-25-00.200W		TR on pile.	

28010	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 14	28-24-00.700N 096-25-00.200W	TR on pile.
28015	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 16	28-24-00.700N 096-25-00.200W	TR on pile.
28020	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 18	28-24-00.700N 096-25-00.200W	TR on pile.
28025	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 22	28-24-00.700N 096-25-00.200W	TR on pile.
28030	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 21	28-24-00.700N 096-25-00.200W	SG on pile.
28035	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 22	28-24-00.700N 096-25-00.200W	TR on pile.
28040	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 23	28-24-00.700N 096-25-00.200W	SG on pile.
28045	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 25	28-24-00.700N 096-25-00.200W	SG on pile.
28050	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 27	28-24-00.700N 096-25-00.200W	SG on pile.
28055	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 29	28-24-00.700N 096-25-00.200W	SG on pile.
28060	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 31	28-24-00.700N 096-25-00.200W	SG on pile.
28065	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 33	28-24-00.700N 096-25-00.200W	SG on pile.
28070	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 35	28-28-00.700N 096-25-00.200W	SG on pile.
28075	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 36	28-28-00.700N 096-25-00.200W	TR on pile.
28080	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 38	28-24-00.700N 096-25-00.200W	TR on pile.
28085	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 39	28-24-00.700N 096-25-00.200W	SG on pile.
28090	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 40	28-24-00.700N 096-25-00.200W	TR on pile.
28095	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 41	28-25-31.000N 096-24-33.000W	SG on pile.
28100	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 42	28-24-00.700N 096-25-00.200W	TR on pile.
28105	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 43	28-24-00.700N 096-25-00.200W	SG on pile.
28110	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 44	28-24-00.700N 096-25-00.200W	TR on pile.
28115	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 45	28-24-00.700N 096-25-00.200W	SG on pile.
28120	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 46	28-24-00.700N 096-25-00.200W	TR on pile.
28125	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 47	28-24-00.700N 096-25-00.200W	SG on pile.

28130	Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 48	28-24-00.700N 096-25-00.200W					TR on pile.	
28135	Aransas Pass Entrance Lighted Buoy AP	27-47-34.138N 096-57-22.175W	Mo (A) W	6		Red and white stripes with red spherical topmark.		AIS: MMSI 993682026
28140	Aransas Pass Lighted Buoy 3	27-48-57.261N 097-00-29.546W	Fl G 4s	4		Green.		
28145	Harbor Island Range Front Light	27-50-45.349N 097-03-41.229W	Iso G 2s	50		Skeleton tower.		Visible 2° each side of rangeline. Lighted throughout 24 hours.
28150	Harbor Island Range Rear Light	27-51-08.430N 097-04-24.103W	F G	115		Skeleton tower.		Visible 2° each side of rangeline. Lighted throughout 24 hours.
28155	Aransas Pass Lighted Buoy 6	27-49-31.144N 097-01-13.600W	Fl R 4s	4		Red.		
28160	Aransas Pass Lighted Buoy 7	27-49-42.000N 097-01-52.691W	Fl G 2.5s	4		Green.		
28165	Aransas Pass Lighted Buoy 8	27-49-52.177N 097-01-52.698W	Fl R 2.5s	3		Red.		
28170	Aransas Pass Lighted Buoy 9	27-50-01.831N 097-02-28.470W	Fl G 4s	4		Green.		
28175	Aransas Pass Lighted Buoy 10	27-50-09.428N 097-02-25.836W	Fl R 4s	3		Red.		
28199	University of Texas Pier Light	27-50-17.640N 097-03-01.050W	Fl W 2.5s				Marks center-end of pier.	
28200	University Of Texas Research Pier Lights (7)	27-50-16.200N 097-03-01.050W	Fl G 2.5s				On concrete pier.	
28205	Aransas Pass Lighted Buoy 11	27-50-32.045N 097-03-24.215W	Fl G 4s	4		Green.		
28210	Aransas Channel Light 2	27-51-04.753N 097-03-50.449W	Fl R 2.5s	1	3		TR on pile.	Ra ref.
28215	Aransas Channel Light 3	27-51-41.696N 097-04-39.814W	Fl G 2.5s	0	3		SG on pile.	
28220	Aransas Channel Daybeacon 4	27-51-43.845N 097-04-35.844W		0			TR on pile.	Ra ref.
28225	Aransas Channel Daybeacon 5	27-52-06.124N 097-05-05.581W		0			SG on pile.	Ra ref.
28230	Aransas Channel Daybeacon 6	27-52-08.039N 097-05-03.439W		0			TR on pile.	
28235	Aransas Channel Daybeacon 8	27-52-32.332N 097-05-30.276W		0			TR on pile.	Ra ref.
28240	Aransas Channel Daybeacon 9	27-52-55.505N 097-05-59.674W					SG on pile.	Ra ref.
28245	Aransas Channel Light 10	27-52-56.625N 097-05-57.116W	Fl R 4s	3			TR on pile.	
28250	Aransas Channel Daybeacon 11	27-53-08.538N 097-06-14.048W		0			SG on pile.	
28255	Aransas Channel Daybeacon 13	27-53-24.195N 097-06-31.727W		0			SG on pile.	Ra ref.
28260	Aransas Channel Light 14	27-53-32.096N 097-06-36.379W	Q R	4			TR on pile.	Ra ref.
28265	Aransas Channel Daybeacon 15	27-53-31.583N 097-06-45.716W		0			SG on pile.	Ra ref.
28270	Aransas Channel Daybeacon 17	27-53-34.425N 097-06-57.074W		0			SG on pile.	
28275	Aransas Channel Daybeacon 18	27-53-38.795N 097-07-03.330W		0			TR on pile.	
28280	Aransas Channel Light 20	27-53-44.987N 097-07-29.885W	Fl R 2.5s	0	4		TR on pile.	Ra ref.
28285	Aransas Channel Daybeacon 22	27-53-51.543N 097-07-57.110W		0			TR on pile.	Ra ref.
28290	Aransas Channel Light 23	27-53-51.539N 097-08-06.471W	Fl G 4s	0	4		SG-TY on pile.	Ra ref.
28295	Aransas Channel Daybeacon 24	27-53-55.332N 097-08-07.775W		0			TR on pile.	Ra ref.
28305	Corpus Christi Cut A East Range Front Light	27-50-41.831N 097-03-13.720W	Q W	30			KRW on skeleton tower on piles.	Lighted throughout 24 hours.
28306	CORPUS CHRISTI CUT A EAST RANGE FRONT PASSING LIGHT	27-50-41.831N 097-03-13.720W	Fl W 4s	4			On same structure as Corpus Christi Cut A East Range Front Light.	
28310	Corpus Christi Cut A East Range Rear Light	27-50-47.136N 097-02-44.563W	Iso W 6s	75			KRW on skeleton tower on concrete block.	Lighted throughout 24 hours.
28315	Port Aransas Harbor Daybeacon 2	27-50-29.789N 097-03-45.253W		0			TR on pile.	

28320	Port Aransas Harbor Light 3	27-50-30.109N 097-03-42.638W	Q G	0	3	SG on dolphin.	
28325	Port Aransas Harbor Daybeacon 4	27-50-27.530N 097-03-39.290W			17	TR on pile.	
28330	Port Aransas Rock Groin Danger Daybeacon	27-50-33.050N 097-05-00.220W				NW on pile worded: DANGER ROCK GROIN.	
28335	Port Aransas Rock Groin Danger Light	27-50-32.290N 097-05-00.640W	FI W 2.5s			On pile.	
28340	Port Aransas Rock Groin Danger Daybeacon	27-50-33.060N 097-05-00.990W				NW on pile worded: DANGER ROCK GROIN.	
28345	Corpus Christi Channel Light 1	27-50-18.224N 097-04-55.133W	FI G 2.5s	0	3	SG on pile.	Ra ref.
28350	Corpus Christi Channel Light 7	27-50-04.028N 097-06-13.102W	FI G 4s	0	4	SG on pile.	Ra ref.
28355	Corpus Christi Channel Light 8	27-50-12.678N 097-06-16.384W	FI R 4s	0	3	TR on pile.	Ra ref.
28360	Mustang Beach Channel Entrance Daybeacon 1	27-50-03.000N 097-06-24.000W				SG on piles.	
28365	Mustang Beach Channel East Jetty Danger Light	27-50-00.488N 097-06-21.587W	FI W 2.5s			On pile.	
28370	Mustang Beach Channel East Jetty Danger Daybeacon	27-49-57.555N 097-06-19.650W				NW on pile worded: DANGER JETTY.	
28375	Mustang Beach Channel East Jetty Danger Daybeacon	27-49-59.201N 097-06-20.874W				NW on pile worded: DANGER JETTY.	
28380	Mustang Beach Channel Daybeacon 1A	27-50-01.000N 097-06-23.000W				SG on piles.	
28385	Mustang Beach Channel Entrance Daybeacon 2	27-50-02.000N 097-06-28.000W				TR on piles.	
28390	Mustang Beach Channel West Jetty Danger Light	27-50-00.120N 097-06-23.555W	FI W 2.5s			On pile.	
28395	Mustang Beach Channel West Jetty Danger Daybeacon	27-49-56.346N 097-06-24.123W				NW on pile worded: DANGER JETTY.	
28400	Mustang Beach Channel West Jetty Danger Daybeacon	27-49-58.519N 097-06-23.704W				NW on pile worded: DANGER JETTY.	
28405	Mustang Beach Channel Daybeacon 2A	27-50-00.000N 097-06-27.000W				TR on pile.	
28410	Mustang Beach Channel Light 3	27-49-57.000N 097-06-22.000W	FI G 4s			SG on pile.	
28415	Mustang Beach Channel Daybeacon 3A	27-49-54.000N 097-06-22.000W				SG on pile.	
28420	Mustang Beach Channel Light 4	27-49-57.000N 097-06-25.000W	FI R 4s			TR on pile.	
28425	Mustang Beach Channel Daybeacon 4A	27-49-54.000N 097-06-24.000W				TR on pile.	
28430	Mustang Beach Channel Daybeacon 5	27-49-50.000N 097-06-22.000W				SG on pile.	
28435	Mustang Beach Channel Daybeacon 6	27-49-46.000N 097-06-22.000W				TR on pile.	
28440	Mustang Beach Channel Daybeacon 7	27-49-45.000N 097-06-20.000W				SG on pile.	
28445	Mustang Beach Channel Daybeacon 8	27-49-42.000N 097-06-21.000W				TR on pile.	
28450	Mustang Beach Channel Daybeacon 9	27-49-38.000N 097-06-19.000W				SG on pile.	
28455	Mustang Beach Channel Daybeacon 10	27-49-36.000N 097-06-19.000W				TR on pile.	
28460	Mustang Beach Channel Daybeacon 11	27-49-33.000N 097-06-17.000W				SG on pile.	
28465	Mustang Beach Channel Daybeacon 12	27-49-30.000N 097-06-18.000W				TR on pile.	
28470	Mustang Beach Channel Daybeacon 13	27-49-28.000N 097-06-15.000W				SG on pile.	
28475	Mustang Beach Channel Daybeacon 14	27-49-25.000N 097-06-16.000W				TR on pile.	
28480	Mustang Beach Channel Daybeacon 16	27-49-19.000N 097-06-15.000W				TR on pile.	
28485	Mustang Beach Channel Daybeacon 17	27-49-17.000N 097-06-13.000W				SG on pile.	

28490	Mustang Beach Channel Daybeacon 18	27-49-15.000N 097-06-14.000W				TR on pile.	
28495	Mustang Beach Channel Daybeacon 19	27-49-09.000N 097-06-11.000W				SG on pile.	
28500	Mustang Beach Channel Daybeacon 20	27-49-03.000N 097-06-11.000W				TR on pile.	
28505	Mustang Beach Channel Daybeacon 21	27-49-02.000N 097-06-10.000W				SG on pile.	
28510	Mustang Beach Channel Light 22	27-49-01.000N 097-06-11.000W	FI R 4s			TR on pile.	
28515	Mustang Beach Channel Daybeacon 23	27-49-03.000N 097-06-10.000W				SG on pile.	
28520	Mustang Beach Channel Daybeacon 23A	27-48-01.000N 097-06-08.000W				SG on pile.	
28525	Mustang Beach Channel Daybeacon 24	27-48-58.000N 097-06-07.000W				TR on pile.	
28530	Mustang Beach Channel Daybeacon 25	27-49-00.000N 097-06-07.000W				SG on pile.	
28535	Mustang Beach Channel Daybeacon 26	27-48-56.000N 097-06-05.000W				TR on pile.	
28540	Mustang Beach Channel Daybeacon 27	27-48-58.000N 097-06-02.000W				SG on pile.	
28545	Mustang Beach Channel Daybeacon 28	27-48-52.000N 097-05-57.000W				TR on pile.	
28550	Mustang Beach Channel Daybeacon 29	27-48-52.000N 097-05-55.000W				SG on pile.	
28555	Mustang Beach Channel Daybeacon 30	27-48-49.000N 097-05-52.000W				TR on pile.	
28560	Mustang Beach Channel Daybeacon 31	27-48-48.000N 097-05-49.000W				SG on pile.	
28565	Mustang Beach Channel Daybeacon 32	27-48-45.000N 097-05-45.000W				TR on pile.	
28570	Mustang Beach Channel Daybeacon 33	27-48-45.000N 097-05-43.000W				SG on pile.	
28575	Mustang Beach Channel Daybeacon 34	27-48-04.000N 097-05-41.500W				TR on pile.	
28580	Mustang Beach Channel Daybeacon 35	27-48-41.000N 097-05-37.000W				SG on pile.	
28585	Mustang Beach Channel Daybeacon 36	27-48-40.000N 097-05-37.500W				TR on pile.	
28590	Mustang Beach Channel Daybeacon 37	27-48-36.000N 097-05-34.000W				SG on pile.	
28595	Mustang Beach Channel Daybeacon 38	27-48-37.000N 097-05-32.000W				TR on pile.	
28600	Corpus Christi Channel Light 13	27-49-48.168N 097-07-35.840W	FI G 6s	0	4	SG on pile.	Ra ref.
28605	Corpus Christi Channel Light 14	27-49-57.515N 097-07-38.111W	FI R 6s	0	4	TR on pile.	Ra ref.
28607	Ransom Point Danger Breakwater Lights (5)	27-50-47.236N 097-08-20.843W	FI W 2.5s			Marks breakwater structure.	
28608	TPWD Dagger Island North Danger Breakwater Light	27-50-59.000N 097-08-54.000W	FI W 2.5s			Marks breakwater structure.	
28608.01	TPWD Dagger Island North Danger Breakwater Light	27-50-57.000N 097-08-58.000W	FI W 2.5s			Marks breakwater structure.	
28608.02	TPWD Dagger Island North Danger Breakwater Light	27-50-55.000N 097-09-00.000W	FI W 2.5s			Marks breakwater structure.	
28608.03	TPWD Dagger Island North Danger Breakwater Light	27-50-49.000N 097-09-12.000W	FI W 2.5s			Marks breakwater structure.	
28608.04	TPWD Dagger Island North Danger Breakwater Light	27-50-44.000N 097-09-28.000W	FI W 2.5s			Marks breakwater structure.	
28608.05	TPWD Dagger Island North Danger Breakwater Light	27-50-48.000N 097-09-30.000W	FI W 2.5s			Marks breakwater structure.	
28608.06	TPWD Dagger Island South Danger Breakwater Light	27-50-39.000N 097-09-40.000W	FI W 2.5s			Marks breakwater structure.	
28608.07	TPWD Dagger Island South Danger Breakwater Light	27-50-30.000N 097-09-45.000W	FI W 2.5s			Marks breakwater structure.	
28608.08	TPWD Dagger Island South Danger Breakwater Light	27-50-20.000N 097-09-59.000W	FI W 2.5s			Marks breakwater structure.	
28610	Corpus Christi Channel Light 19	27-49-34.602N 097-08-49.860W	FI G 6s	0	4	SG on pile.	Ra ref.

28615	Corpus Christi Channel Light 20	27-49-43.341N 097-08-52.571W	Fl (2)R 5s	0	3	TR on pile.	Ra ref.
28620	Corpus Christi Cut A West Range Front Light	27-48-30.199N 097-15-00.783W	Q G	14		KRW on skeleton tower on piles.	
28625	Corpus Christi Cut A West Range Rear Light	27-48-18.096N 097-16-05.643W	Iso G 6s	55		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline. Range is not effective seaward or Corpus Christi Channel Lights 19 and 20.
28630	Corpus Christi Channel Light 25	27-49-19.998N 097-10-11.459W	Fl G 4s	0	4	SG on pile.	Ra ref.
28635	Corpus Christi Channel Light 26	27-49-29.135N 097-10-15.289W	Fl R 4s	0	3	TR on pile.	Ra ref.
28640	Corpus Christi Channel Pipeline Light A	27-49-19.000N 097-10-13.000W	Fl G 4s			Pile structure.	
28645	Corpus Christi Channel Pipeline Light B	27-49-28.000N 097-10-14.000W	Q R			Pile structure.	
28650	Corpus Christi Channel Light 31	27-49-08.016N 097-11-16.363W	Fl G 2.5s	0	3	SG on pile.	Ra ref.
28655	Corpus Christi Channel Light 32	27-49-17.520N 097-11-15.501W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
28660	Corpus Christi Channel Light 33	27-48-56.616N 097-12-13.533W	Fl G 2.5s	0	3	SG on pile.	Ra ref.
28665	Flint Hills Dock Lights (2)	27-49-09.800N 097-12-00.800W	Fl R 2.5s			On dolphins.	
28667	MODA Ingleside Dolphin Lights (2)	27-49-03.530N 097-12-33.400W	Fl W 2.5s			Marks turning dolphin structure.	
28667.01	MODA Ingleside Pile Light South	27-49-10.650N 097-12-37.250W	Fl W 2.5s			Marks southern turning pile.	
28667.02	MODA Ingleside Pile Light North	27-49-15.030N 097-12-35.260W	Fl W 2.5s			Marks northern turning pile.	
28668	Oxy Ingleside Facility Channel Front Range Dayboard	27-49-18.680N 097-12-29.400W				KRW marks private channel range.	
28668.01	Oxy Ingleside Facility Channel Rear Range Dayboard	27-49-19.530N 097-12-29.350W				KRW marks private channel range.	
28675	Corpus Christi Channel Light 36	27-49-00.383N 097-12-46.553W	Fl R 4s	0	3	TR on pile.	Ra ref.
28680	Corpus Christi Channel Light 37	27-48-46.707N 097-13-11.213W	Fl G 2.5s	0	3	SG on pile.	Ra ref.
28685	Corpus Christi Channel Light 38	27-48-54.797N 097-13-15.888W	Fl R 4s	0	3	TR on pile.	Ra ref.
28690	Corpus Christi Channel Light 43	27-48-35.048N 097-14-14.348W	Q G	0	3	SG on dolphin.	Ra ref.
28695	Corpus Christi Channel Light 44	27-48-43.766N 097-14-15.559W	Q R	0	3	TR on pile.	Ra ref.
28700	Corpus Christi Cut B East Range Front Light	27-48-38.801N 097-13-41.149W	Fl W 2.5s	37		Platform on pile.	Visible all around; higher intensity 4° each side of rangeline.
28705	Corpus Christi Cut B East Range Front Light Passing Light	27-48-38.801N 097-13-41.149W	Q W	43	3	On same structure as Corpus Christi Channel Cut B East Range Front Light.	
28710	Corpus Christi Cut B East Range Rear Light	27-48-39.391N 097-10-52.352W	Iso W 6s			Skeleton tower on piles.	Visible 2° each side of rangeline.
28715	Corpus Christi Cut B East Range Rear Light Passing Light	27-48-39.391N 097-10-52.352W	Fl W 4s		3	On same structure as Corpus Christi Channel Cut B East Range Rear Light.	
28720	Corpus Christi Channel Light 49	27-48-34.378N 097-15-31.114W	Fl G 2.5s	0	3	SG on pile.	Ra ref.
28725	Corpus Christi Channel Light 50	27-48-42.652N 097-15-31.163W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
28730	Corpus Christi Channel Light 55	27-48-34.094N 097-16-47.135W	Fl G 4s	0	4	SG on dolphin.	Ra ref.
28735	Corpus Christi Channel Light 56	27-48-42.064N 097-16-47.242W	Fl R 4s	0	3	TR on pile.	Ra ref.
28740	Corpus Christi P/L Cross Buoy B	27-48-31.000N 097-16-54.000W				Yellow.	
28745	Corpus Christi Pipeline Crossing Buoy A	27-48-42.000N 097-16-54.000W				Yellow.	
28747	CORPUS CHRISTI BAY ALTERNATE ROUTE LEADING LIGHT	27-48-46.336N 097-17-26.743W	Fl W 2.5s	0	4	NR on pile.	Ra ref.
28747.1	Corpus Christi Bay Alternate Route Daybeacon 7	27-47-09.838N 097-16-28.100W		0		SG on pile.	Ra ref.

28747.2	Corpus Christi Bay Alternate Route Light 6	27-46-32.436N 097-15-25.890W	FI R 4s	3		TR on pile.	Ra ref.
28747.3	Corpus Christi Bay Alternate Route Daybeacon 5	27-44-51.817N 097-14-44.110W				SG on pile.	Ra ref.
28747.4	Corpus Christi Bay Alternate Route Light 4	27-44-37.019N 097-14-04.435W	FI R 2.5s	0	3	TR on pile.	Ra ref.
28747.5	Corpus Christi Bay Alternate Route Daybeacon 3	27-43-48.300N 097-13-59.374W				SG on pile.	Ra ref.
28750	Corpus Christi Channel Light 61	27-48-31.558N 097-18-04.232W	FI G 6s	0	4	SG on pile.	Ra ref.
28755	Corpus Christi Channel Light 62	27-48-41.717N 097-18-04.439W	FI R 6s	0	4	TR on pile.	Ra ref.
28760	Corpus Christi Channel Light 67	27-48-33.448N 097-19-18.926W	FI G 6s	0	4	SG on dolphin.	Ra ref.
28765	Corpus Christi Channel Light 68	27-48-41.410N 097-19-18.956W	FI (2)R 5s	0	3	TR on dolphin.	Ra ref.
28770	Corpus Christi Cut B West Range Front Light	27-48-37.025N 097-23-33.920W	Oc G 4s	45		KRW on building located south side of harbor entrance.	Visible 5° each side of rangeline.
28775	Corpus Christi Cut B West Range Rear Light	27-48-36.596N 097-25-00.717W	F G	101		KRW on skeleton tower located south side of harbor entrance.	Visible 5° each side of rangeline.
28780	Corpus Christi Channel Light 73	27-48-33.115N 097-20-39.793W	FI G 4s	0	4	SG on dolphin.	Ra ref.
28785	Corpus Christi Channel Light 74	27-48-41.076N 097-20-39.944W	FI R 4s	0	3	TR on dolphin.	Ra ref.
28790	Corpus Christi Channel Light 79	27-48-32.794N 097-21-56.794W	FI G 2.5s	0	3	SG on dolphin.	Ra ref.
28795	Corpus Christi Channel Light 80	27-48-40.688N 097-21-56.866W	FI R 2.5s	0	3	TR on pile.	Ra ref.
28800	Corpus Christi Channel Light 82	27-48-40.454N 097-22-51.696W	Q R	0	3	TR on dolphin.	Ra ref.
28805	Corpus Christi Channel Light 85	27-48-35.156N 097-23-17.464W	FI G 2.5s	0	3	SG on dolphin.	Ra ref.
28810	Corpus Christi Channel Light 86	27-48-45.436N 097-23-18.173W	FI R 4s		3	TR on dolphin.	
28815	Corpus Christi Harbor Outer Range Front Light	27-48-28.009N 097-22-03.356W	Q G	15		KRW on skeleton tower on piles.	Visible 4° each side of rangeline.
28820	Corpus Christi Harbor Outer Range Rear Light	27-48-26.114N 097-21-52.488W	Iso G 6s	35		KRW on skeleton tower on piles.	Visible 6° each side of rangeline.
28822	Flint Hills Resources Danger Light	27-48-52.140N 097-25-09.180W	FI W 2.5s			Marks outfall pipe.	
28825	Industrial Canal Range Front Light	27-49-14.434N 097-25-58.157W	Q G			KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
28830	Industrial Canal Range Rear Light	27-49-17.460N 097-26-05.875W	F G	60		KRW on skeleton tower on mud sills.	Visible 2° each side of rangeline.
28835	Tule Lake Channel A Range Front Light	27-49-29.745N 097-26-15.197W	Oc G 4s	30		On skeleton tower on piles.	Lighted throughout 24 hours.
28840	Tule Lake Channel A Range Rear Light	27-49-37.023N 097-25-56.307W	F G	63		KRW on skeleton tower on mud sills.	Lighted throughout 24 hours.
28850	Tule Lake Channel B Range Front Light	27-49-13.332N 097-28-56.829W	Q G	55		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
28855	Tule Lake Channel B Range Rear Light	27-49-17.621N 097-29-18.026W	Iso G 6s	85		KRW on skeleton tower on mud sills.	Visible all around; higher intensity on rangeline.
28860	Tule Lake Channel C Range Front Light	27-48-52.569N 097-27-14.416W	Q G			KRW on skeleton tower.	Lighted throughout 24 hours.
28865	Tule Lake Channel C Range Rear Light	27-48-51.427N 097-27-08.711W	Iso G 6s	35		KRW on skeleton tower on mud sills.	Lighted throughout 24 hours.
28870	Tule Lake Channel Directional Light D	27-49-42.998N 097-29-50.771W	F W			On skeleton tower.	Shows FI G from 298.6° to 298.0°; F G from 298.0° to 297.5°; Alternating GW from 297.5° to 296.9°; F W (on channel line) from 296.9° to 296.5°; Alternating RW from 296.5° to 295.9°; F R from 295.9° to 295.5°; FI R from 295.5° to 294.9°.
28872	Plains Corpus Christi Directional Sector Light A	27-48-52.624N 097-27-51.454W	F R W G			On tower.	Shows FG from 247.5° to 246.8°; FW (centered on centerline) from 246.8° to 246.3°; FR from 246.3° to 245.6°. Lighted throughout 24 hours.
28872.01	Plains Corpus Christi Downstream Dolphin Light	27-48-54.300N 097-27-40.900W	FI W 2.5s			Marks outermost downstream dolphin structure.	
28872.02	Plains Corpus Christi Upstream Dolphin Light	27-48-56.200N 097-27-53.400W	FI W 2.5s			Marks outermost upstream dolphin structure.	
28875	Tule Lake Channel E Range Front Light	27-49-01.924N 097-28-18.918W	Q G	26		KRW on skeleton tower.	Lighted throughout 24 hours.
28880	Tule Lake Channel E Range Rear Light	27-48-59.178N 097-28-12.772W	Iso G 6s	37		KRW on skeleton tower on mud sills.	Lighted throughout 24 hours.

28885	Tule Lake Channel F Range Front Light	27-49-05.753N 097-28-41.857W	Q G	55			KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
28890	Tule Lake Channel F Range Rear Light	27-48-54.106N 097-28-24.691W	Iso G 6s	78			KRW on skeleton tower on mud sills.	Visible all around; higher intensity on rangeline.
28895	Viola Channel G Range Front Light	27-50-35.837N 097-30-54.567W	Iso G 2s	20			KRW on skeleton tower on sills.	Visible all around; higher intensity on rangeline.
28900	Viola Channel G Range Rear Light	27-50-43.988N 097-31-06.566W	Iso G 6s	41			KRW on skeleton tower.	Visible all around; higher intensity on rangeline.
28910	Viola Channel H Range Front Light	27-50-39.347N 097-31-31.413W	Q G	30			KRW on skeleton tower.	Lighted throughout 24 hours.
28915	Viola Channel H Range Rear Light	27-50-43.008N 097-31-48.476W	Iso G 6s	41			KRW on skeleton tower on mud sills.	Lighted throughout 24 hours.
28920	La Quinta Channel Light 1	27-48-58.895N 097-13-16.094W	FI G 4s	0	4		SG on pile.	
28925	La Quinta Channel Light 2	27-49-06.676N 097-13-06.961W	FI R 4s	0	3		TR on pile.	Ra ref.
28930	La Quinta Channel Light 3	27-49-09.496N 097-13-27.293W	FI G 2.5s	0	3		SG on pile.	
28935	La Quinta Channel Entrance Range Front Light	27-49-14.931N 097-13-41.108W	Q W		4		KRW on piles.	Visible all around Ra ref.
28940	La Quinta Channel Entrance Range Rear Light	27-49-21.078N 097-13-55.989W	Iso W 6s		5		KRW on piles.	Visible all around Ra ref.
28945	La Quinta Channel Light 4	27-49-12.879N 097-13-19.051W	FI R 2.5s	0	3		TR on pile.	
28950	La Quinta Channel Light 6	27-49-29.967N 097-13-29.896W	FI R 4s	17	3		TR on pile.	
28955	La Quinta Channel Light 5	27-49-27.854N 097-13-35.840W	FI G 4s	0	4		SG on pile.	Ra ref.
28960	La Quinta Channel Outer Range Front Light	27-48-44.526N 097-13-11.500W	Q W	10			KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
28965	La Quinta Channel Outer Range Rear Light	27-48-20.287N 097-12-59.845W	Iso W 6s	45			KRW on skeleton tower on pile.	Visible 2° each side of rangeline.
28970	La Quinta Channel Inner Range Front Light	27-52-31.882N 097-15-01.016W	Q G	15			KRW on skeleton tower on piles.	
28975	La Quinta Channel Inner Range Rear Light	27-53-30.206N 097-15-29.140W	Iso G 6s	36			KRW on skeleton tower on piles.	
28980	La Quinta Channel Light 7	27-49-58.384N 097-13-50.441W	FI G 2.5s	0	3		SG on pile.	Ra ref.
28985	La Quinta Channel Light 8	27-50-02.961N 097-13-45.898W	FI R 2.5s	0	3		TR on pile.	
29000	La Quinta Channel Light 10	27-50-24.704N 097-13-55.968W	FI R 4s	0	3		TR on pile.	
29002	Jewel Fulton Channel Daybeacon 2	27-50-32.148N 097-13-51.411W			0		TR on pile.	Ra ref.
29005	Jewel Fulton Channel Daybeacon 1	27-50-34.510N 097-13-53.592W			0		SG on pile.	Ra ref.
29010	Jewel Fulton Channel Daybeacon 3	27-50-40.876N 097-13-44.003W			0		SG on pile.	Ra ref.
29015	Jewel Fulton Channel Daybeacon 4	27-50-38.643N 097-13-42.159W			0		TR on pile.	
29020	Peterson Builders Turning Basin Channel Daybeacon 1	27-50-56.000N 097-13-18.000W					SG on pile.	
29025	Peterson Builders Turning Basin Channel Daybeacon 2	27-50-56.000N 097-13-18.000W					TR on pile.	
29030	Peterson Builders Turning Basin Channel Daybeacon 3	27-51-01.000N 097-13-16.000W					SG on pile.	
29035	Peterson Builders Turning Basin Channel Daybeacon 4	27-50-57.000N 097-13-18.000W					TR on pile.	
29040	Peterson Builders Turning Basin Channel Front Range	27-50-56.000N 097-13-17.000W					KRW on pile.	
29045	Peterson Builders Turning Basin Channel Rear Range	27-50-59.000N 097-13-13.000W					KRW on pile.	
29050	La Quinta Channel Light 11	27-50-54.549N 097-14-17.926W	FI G 6s		4		SG on dolphin.	
29055	La Quinta Channel Light 12	27-50-57.226N 097-14-11.526W	FI R 4s		3		TR on pile.	
29060	La Quinta Channel Daybeacon 13	27-51-32.743N 097-14-35.922W			0		SG on pile.	

29065	La Quinta Channel Light 14	27-51-35.244N 097-14-30.178W	FI R 4s	0	3	TR on pile.	
29067	Subsea 7 Special Light A	27-51-52.700N 097-14-38.690W	FI Y 2.5s			Maneuvering light on pile.	
29067.01	Subsea 7 Special Light B	27-51-53.780N 097-14-38.010W	FI Y 2.5s			Maneuvering light on pile.	
29067.02	Subsea 7 Special Light C	27-51-57.820N 097-14-39.600W	FI Y 2.5s			Maneuvering light on pile.	
29067.03	Subsea 7 Special Light D	27-51-59.190N 097-14-41.890W	FI Y 2.5s			Maneuvering light on pile.	
29067.04	Subsea 7 Special Light E	27-51-56.660N 097-14-48.020W	FI Y 2.5s			Maneuvering light on pile.	
29067.05	Subsea 7 Special Light F	27-51-50.230N 097-14-44.670W	FI Y 2.5s			Maneuvering light on pile.	
29070	Dupont Mooring Facility Lights (6)	27-52-11.000N 097-14-44.000W	FI R 2.5s			On mooring facilities.	
29075	La Quinta Channel Light 15	27-52-07.419N 097-14-53.497W	FI G 2.5s	0	3	SG on pile.	Ra ref.
29076	La Quinta Channel A Outer Range Front Light	27-52-26.531N 097-14-56.281W	Q G			KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.
29077	La Quinta Channel A Outer Range Rear Light	27-52-20.113N 097-14-24.985W	Iso G 6s	138		KRW on skeleton tower.	Lighted throughout 24 hours. Visible 1.5° each side of rangeline.
29078	La Quinta Channel A Outer Precision Directional Light	27-52-20.113N 097-14-24.985W				On same structure as La Quinta Channel A Outer Range Rear Light.	Light Shows FI G from 101.9 to 102.2 F G from 102.2 to 102.6 Alternating G W from 102.6 to 102.9 F W from 102.9 to 103.1 centered on channel centerline Alternating W R from 103.1 to 103.5 F R from 103.5 to 103.9 FI R from 103.9 to 104.2. Light is controlled by a Marine Radio Activated Light System (MRALS). To activate the light key the mic for approximately one second on VHF-FM Channel 83A five or more times. Light will remain on for 30 minutes.
29079	La Quinta Channel Light 15A	27-52-16.405N 097-14-59.000W	FI G 4s		3	SG on pile.	Ra ref.
29079.01	La Quinta Channel Light 16	27-52-17.775N 097-14-51.194W	FI R 2.5s		3	TR on pile.	Ra ref.
29080	La Quinta Channel Light 17	27-52-23.925N 097-15-07.946W	FI G 2.5s	0	3	SG on pile.	Ra ref.
29085	La Quinta Channel Light 18	27-52-30.709N 097-15-05.452W	FI R 4s		3	TR on dolphin.	Ra ref.
29090	La Quinta Channel Light 19	27-52-29.171N 097-15-29.034W	FI G 4s		4	SG on pile.	Ra ref.
29092	La Quinta Channel Light 19B	27-52-27.553N 097-15-55.437W	FI G 4s		3	SG on pile.	Ra ref.
29095	LA QUINTA CHANNEL LIGHT 20	27-52-35.451N 097-15-23.167W	FI R 2.5s	0	3	TR on pile.	
29100	La Quinta Channel Light 19A	27-52-25.794N 097-15-45.503W	FI G 6s	0	3	SG on pile.	Ra ref.
29101	LA QUINTA CHANNEL LIGHT 21	27-52-37.486N 097-16-03.908W	FI G 2.5s	0	3	SG on pile.	Ra ref.
29101.03	LA QUINTA CHANNEL LIGHT 23	27-52-41.850N 097-16-26.285W	Q G	0	3	SG on pile.	Ra ref.
29101.09	LA QUINTA CHANNEL LIGHT 25	27-52-39.359N 097-16-48.535W	FI G 6s	0	3	SG on pile.	Ra ref.
29101.15	LA QUINTA CHANNEL LIGHT 27	27-52-29.209N 097-16-55.003W	FI G 4s	0	3	SG on pile.	Ra ref.
29101.18	LA QUINTA CHANNEL LIGHT 28	27-52-39.459N 097-17-13.297W	FI R 2.5s	0	3	TR on pile.	Ra ref.
29101.21	LA QUINTA CHANNEL LIGHT 29	27-52-26.652N 097-17-10.968W	FI G 2.5s	0	3	SG on pile.	Ra ref.
29101.06	La Quinta Channel Light 24	27-52-45.586N 097-16-50.139W	FI R 4s	17	5	TR on pile.	Ra ref.
29101.04	Corpus Christi Liquefaction Dock Light	27-52-48.770N 097-16-22.370W	FI W 2.5s			Marks outermost end of dock.	
29101.26	La Quinta Channel A Inner Range Rear Light	27-52-56.991N 097-17-24.288W	Iso G 6s	100		KRW on skeleton tower.	Lighted throughout 24 hours. Visible 1.5° each side of rangeline.
29101.25	La Quinta Channel A Inner Range Front Light	27-52-53.329N 097-17-06.572W	Q G			KRW on skeleton tower on piles.	Lighted throughout 24 hours. Visible 1.5° each side of rangeline.
29101.28	La Quinta Channel A Inner Precision Directional Light	27-52-56.991N 097-17-24.288W		100		On same structure as La Quinta Channel A Inner Ranger Rear Light.	Light Shows FI R from 281.9 to 282.3 F R from 282.3 to 282.6 Alternating W R from 282.6 to 282.9 F W from 282.9 to 283.1 centered on channel centerline Alternating W G from 283.1 to 283.5 F G from 283.5 to 283.8 FI G from 283.8 to 284.1. Light is controlled by a Marine Radio Activated Light System (MRALS). To activate the light key the mic for approximately one second on VHF-FM Channel 81A five or more times. Light will remain on for 30 minutes.

29102	LA QUINTA CHANNEL EXTENSION B RANGE FRONT LIGHT	27-52-35.253N 097-17-33.495W	Q W	10		Skeleton tower on piles.	Visible 4° each side of rangeline. Lighted throughout 24 hours. Additional light visible all around.
29103	LA QUINTA CHANNEL EXTENSION B RANGE REAR LIGHT	27-52-33.910N 097-17-41.149W	Iso W 6s	50		Skeleton tower on piles.	Visible 4° each side of rangeline. Lighted throughout 24 hours.
29104	LA QUINTA CHANNEL EXTENSION B RANGE REAR LIGHT PASSING LIGHT	27-52-33.910N 097-17-41.149W	FI W 4s		3	On same structure as La Quinta Channel Extension B Range Rear Light.	
29105	Rincon Canal Range Front Daybeacon	27-50-34.751N 097-22-47.653W				KWR on dolphin.	
29110	Rincon Canal Range Rear Daybeacon	27-50-48.075N 097-22-59.080W				KWR on dolphin.	
29115	Rincon Canal Daybeacon 2	27-48-57.216N 097-21-16.433W				TR on pile.	Ra ref.
29120	Rincon Canal Daybeacon 4	27-49-20.316N 097-21-37.533W			0	TR on pile.	Ra ref.
29125	Rincon Canal Light 6	27-49-43.216N 097-21-58.533W	FI R 4s	0	3	TR on pile.	Ra ref.
29130	Rincon Canal Daybeacon 8	27-50-06.116N 097-22-19.633W			0	TR on pile.	Ra ref.
29135	Rincon Canal Daybeacon 9	27-50-17.163N 097-22-32.578W			0	SG on pile.	Ra ref.
29140	Rincon Canal Daybeacon 10	27-50-18.087N 097-22-31.286W				TR on pile.	Ra ref.
29142	Coastal Bends Bays & Estuaries Danger Breakwater Light	27-51-04.065N 097-21-12.605W	FI W 2.5s			Marks breakwater structure.	
29142.01	Coastal Bends Bays & Estuaries Danger Breakwater Light	27-51-18.330N 097-20-51.530W	FI W 2.5s			Marks breakwater structure.	
29142.02	Coastal Bends Bays & Estuaries Danger Light	27-51-10.820N 097-21-01.710W	FI W 2.5s			Marks breakwater structure.	
29145	Rincon Canal Buoy 11	27-50-27.652N 097-22-42.075W				Green can.	
29148	CBBEP Rookery Island Danger Breakwater Light	27-50-26.250N 097-22-38.300W	FI W 2.5s			Marks breakwater structure.	
29148.01	CBBEP Rookery Island Danger Breakwater Light	27-50-24.890N 097-22-35.910W	FI W 2.5s			Marks breakwater structure.	
29148.02	CBBEP Rookery Island Danger Breakwater Light	27-50-31.660N 097-22-26.670W	FI W 2.5s			Marks breakwater structure.	
29148.03	CBBEP Rookery Island Danger Breakwater Light	27-50-37.150N 097-22-30.450W	FI W 2.5s			Marks breakwater structure.	
29148.04	CBBEP Rookery Island Danger Breakwater Light	27-50-33.910N 097-22-35.530W	FI W 2.5s			Marks breakwater structure.	
29148.05	CBBEP Rookery Island Danger Breakwater Light	27-50-28.350N 097-22-38.560W	FI W 2.5s			Marks breakwater structure.	
29150	Rincon Canal Buoy 12	27-50-31.186N 097-22-46.371W				Red nun.	
29155	Rincon Canal Buoy 13	27-50-29.164N 097-22-51.147W				Green can.	
29160	Rincon Canal Buoy 14	27-50-30.610N 097-22-54.177W				Red nun.	
29162	CBBEP Nueces Bay Lighted Danger Mark	27-51-59.890N 097-31-05.200W	FI W 2.5s			Marks segmented breakwater.	
29162.01	CBBEP Nueces Bay Lighted Danger Mark	27-52-06.650N 097-30-59.770W	FI W 2.5s			Marks segmented breakwater.	
29162.02	CBBEP Nueces Bay Lighted Danger Mark	27-52-13.750N 097-30-55.330W	FI W 2.5s			Marks segmented breakwater.	
29162.04	CBBEP Nueces Bay Lighted Danger Mark	27-52-23.820N 097-30-39.670W	FI W 2.5s			Marks segmented breakwater.	
29162.03	CBBEP Nueces Bay Lighted Danger Mark	27-52-19.710N 097-30-49.260W	FI W 2.5s			Marks segmented breakwater.	
29162.05	CBBEP Nueces Bay Lighted Danger Mark	27-52-39.770N 097-30-31.300W	FI W 2.5s			Marks segmented breakwater.	
29165	Corpus Christi Bay Pipeline Light A	27-49-56.000N 097-09-55.000W	Q R			On dolphin.	
29170	Corpus Christi Bay Pipeline Light B	27-48-37.000N 097-10-34.000W	Q R			On dolphin.	
29175	Corpus Christi Bay Spoil Bank Light	27-44-01.528N 097-16-32.875W	FI W 4s	0	5	NW on pile worded DANGER SPOIL AREA.	Ra ref.

29180	University Beach Danger Daybeacon A	27-42-51.660N 097-19-10.680W				NW on pile.	
29185	University Beach Danger Daybeacon B	27-42-53.965N 097-19-09.947W				NW on pile worded DANGER ROCK GROIN.	
29190	University Beach Danger Daybeacon C	27-42-55.409N 097-19-10.170W				NW on pile.	
29195	University Beach Danger Daybeacon E	27-42-56.430N 097-19-12.077W				NW on pile.	
29200	University Beach Danger Daybeacon D	27-42-54.980N 097-19-12.070W				NW on pile.	
29205	University Beach Light	27-42-57.710N 097-19-14.635W	FI G 2.5s			SG on pile.	
29210	University Beach Danger Daybeacon G	27-42-58.843N 097-19-18.203W				NW on pile worded DANGER BREAKWATER.	
29215	University Beach Danger Daybeacon F	27-42-56.620N 097-19-20.160W				NW on pile.	
29220	University Beach Danger Daybeacon I	27-42-59.213N 097-19-19.819W				NW on pile worded DANGER ROCK GROIN.	
29225	University Beach Danger Daybeacon H	27-42-57.660N 097-19-20.150W				NW on pile.	
29230	University Beach Danger Daybeacon J	27-42-58.588N 097-19-21.666W				NW on pile worded DANGER ROCK GROIN.	
29235	University Beach Danger Daybeacon K	27-42-56.110N 097-19-23.800W				NW on pile.	
29240	Alta Vista Reef Light	27-45-56.144N 097-21-10.823W	FI W 2.5s	5		NR on pile.	Ra ref.
29245	Corpus Christi Light	27-47-24.716N 097-22-41.633W	FI W 4s	0	6	NR on pile.	
29250	Corpus Christi Breakwater Light 1	27-47-59.289N 097-23-09.556W	FI G 2.5s	0	3	SG on pile.	
29255	Corpus Christi Breakwater Buoy WR1A	27-47-59.302N 097-23-10.596W				Green can.	
29260	Corpus Christi Breakwater Light 2	27-48-01.031N 097-23-11.301W	FI R 2.5s	0	3	TR on pile.	Ra ref.
29265	Corpus Christi Breakwater Buoy 3	27-47-58.900N 097-23-11.148W				Green can.	
29267	POCC Corpus Christi Bay Barge Channel Port Lateral 1 VAIS	27-49-02.710N 097-20-17.620W					UYW-418003 3 minute RATDMA Scheme. A=B=C=D=0. 10 meters.
29267.01	POCC Corpus Christi Bay Barge Channel Starboard Lateral 2 VAIS	27-50-08.040N 097-19-33.050W					UYW-418003 3 minute RATDMA Scheme. A=B=C=D=0. 10 meters.
29267.02	POCC Corpus Christi Bay Barge Channel Port Lateral 3 VAIS	27-51-15.410N 097-18-52.530W					UYW-418003 3 minute RATDMA Scheme. A=B=C=D=0. 10 meters.
29267.03	POCC Corpus Christi Bay Barge Channel Starboard Lateral 4 VAIS	27-52-17.800N 097-18-05.250W					UYW-418003 3 minute RATDMA Scheme. A=B=C=D=0. 10 meters.
29267.04	POCC Corpus Christi Bay Barge Channel Port Lateral 5 VAIS	27-52-20.650N 097-18-07.760W					UYW-418003 3 minute RATDMA Scheme. A=B=C=D=0. 10 meters.
29270	Port Mansfield Entrance Light 2	26-33-54.555N 097-16-13.292W	FI R 2.5s	5		TR on pile.	
29275	Port Mansfield Entrance Light 3	26-33-44.895N 097-16-07.172W	FI G 2.5s	5		SG on pile.	
29300	Port Mansfield Channel Light 5	26-33-47.892N 097-16-37.237W	FI G 4s	0	4	SG on pile.	
29305	Port Mansfield Channel Light 4	26-33-51.250N 097-16-35.375W	FI R 4s	0	3	TR on pile.	
29310	Port Mansfield Channel Light 7	26-33-46.234N 097-17-28.402W	FI G 6s	0	4	SG on pile.	
29315	Port Mansfield Channel Light 8	26-33-49.389N 097-17-28.312W	FI R 6s	4		TR on pile.	
29320	Port Mansfield Channel Daybeacon 10	26-33-48.070N 097-18-00.821W		0		TR on pile.	
29325	Port Mansfield Channel Daybeacon 11	26-33-44.014N 097-18-30.632W		0		SG-SY on pile.	Ra ref.
29330	Port Mansfield Channel Buoy 12	26-33-46.092N 097-18-53.970W				Red nun.	
29335	Port Mansfield Channel Daybeacon 13	26-33-42.291N 097-19-12.560W				SG on pile.	Ra ref.

29340	Port Mansfield Channel Light 14	26-33-44.235N 097-19-34.932W	Fl R 4s	0	4	TR on dolphin.	
29345	Port Mansfield Channel Daybeacon 15	26-33-39.809N 097-19-58.862W		0		SG on pile.	Ra ref.
29350	Port Mansfield Channel Daybeacon 16	26-33-42.771N 097-20-19.126W		0		TR-TY on pile.	Ra ref.
29355	Port Mansfield Channel Buoy 17	26-33-38.305N 097-20-42.945W				Green can.	
29360	Port Mansfield Channel Daybeacon 18	26-33-40.852N 097-21-03.554W		0		TR on pile.	Ra ref.
29365	Port Mansfield Channel Daybeacon 19	26-33-37.252N 097-21-24.955W		0		SG on pile.	Ra ref.
29370	Port Mansfield Channel Light 20	26-33-39.497N 097-21-47.981W	Fl R 4s	0	4	TR on pile.	Ra ref.
29375	Port Mansfield Channel Buoy 21	26-33-35.978N 097-22-10.118W				Green can.	
29380	Port Mansfield Channel Daybeacon 22	26-33-37.707N 097-22-31.265W		0		TR on pile.	Ra ref.
29385	Port Mansfield Channel Daybeacon 23	26-33-34.214N 097-22-50.673W				SG on pile.	
29390	Port Mansfield Channel Daybeacon 24	26-33-35.820N 097-23-14.210W				TR on pile.	
29395	Port Mansfield Channel Buoy 25	26-33-32.556N 097-23-39.560W				Green can.	
29400	Port Mansfield Channel Daybeacon 26	26-33-33.838N 097-24-01.358W				TR on pile.	Ra ref.
29405	Port Mansfield Channel Daybeacon 27	26-33-31.548N 097-24-21.186W				SG-SY on pile.	Ra ref.
29410	Port Mansfield Channel Junction Light PM	26-33-33.143N 097-24-26.351W	Fl (2+1)R 6s	0	4	JR-TY on pile.	Ra ref.
29415	Port Mansfield Channel Range Front Light	26-33-29.511N 097-25-30.572W	Q R			KRW on tower on piles.	Visible all around; higher intensity 1.5° each side of rangeline.
29420	Port Mansfield Channel Range Rear Light	26-33-28.419N 097-25-58.453W	Oc R 4s	77		KRW on skeleton tower on block.	Visible 2° each side of rangeline. F R aircraft warning light on tower.
29425	Port Mansfield Channel Daybeacon 29	26-33-29.670N 097-24-55.022W				SG on pile.	
29430	Port Mansfield Channel Daybeacon 30	26-33-31.566N 097-25-02.588W		0		TR on pile.	Ra ref.
29435	Port Mansfield Channel Daybeacon 31	26-33-28.152N 097-25-21.212W				SG on pile.	Ra ref.
29440	Port Mansfield Channel Daybeacon 32	26-33-30.513N 097-25-21.617W		0		TR on pile.	
29445	Port Mansfield Channel Daybeacon 33	26-33-27.810N 097-25-27.007W				SG on pile.	
29450	Port Mansfield Channel Daybeacon 34	26-33-29.676N 097-25-28.150W				TR-TY on pile.	
29455	Brazos Santiago Pass Entrance Lighted Buoy BS	26-03-56.070N 097-04-59.157W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
29460	Brazos Santiago Entrance Channel Lighted Buoy 2	26-04-03.459N 097-08-29.228W	Q R		4	Red.	
29465	Brazos Santiago Entrance Range Front Light	26-03-56.952N 097-10-16.035W	Q G	37		KRW on skeleton tower on piles.	Visible all around; Higher intensity 1.5° each side of rangeline.
29470	Brazos Santiago Entrance Range Rear Light	26-03-56.795N 097-10-33.194W	Iso G 6s	55		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
29475	Brazos Santiago Entrance Channel Lighted Buoy 3	26-03-53.620N 097-08-15.414W	Q G		4	Green.	
29480	Sea Ranch Marina Channel Daybeacon 1	26-04-34.000N 097-10-02.000W				SG on pile.	
29485	Sea Ranch Marina Channel Daybeacon 2	26-04-05.000N 097-10-00.000W				TR on pile.	
29490	Sea Ranch Marina Channel Daybeacon 3	26-04-06.000N 097-10-00.000W				SG on pile.	
29495	Sea Ranch Marina Channel Daybeacon 4	26-04-06.000N 097-10-00.000W				TR on pile.	
29500	Sea Ranch Marina Channel Daybeacon 5	26-04-06.000N 097-10-00.000W				SG on pile.	
29505	Sea Ranch Marina Channel Daybeacon 6	26-04-06.000N 097-09-09.000W				TR on pile.	
29510	South Padre Island Buoy 1	26-04-09.173N 097-09-57.858W				Green can.	

29515	South Padre Island Lighted Buoy 2	26-04-11.407N 097-09-54.352W	FI R 2.5s	4	Red.		
29520	South Padre Island Daybeacon 3	26-04-23.698N 097-10-16.022W		0	SG on pile.		
29522	South Padre Island Buoy 4	26-04-18.690N 097-10-00.538W			Red nun.		
29525	Cameron County Parks & Recreation Boat Ramp Lights (3)	26-04-06.830N 097-09-48.830W	FI R 2.5s		TR on pile.		
29530	Cameron County Parks & Recreation Boat Ramp Lights (3)	26-04-07.270N 097-09-48.970W	FI G 2.5s		SG on pile.		
29535	Cameron County Parks & Recreation Danger Daybeacons (3)	26-04-07.020N 097-09-47.160W			NW on pile worded: DANGER ROCKS.		
29540	Laguna Madre Channel Lighted Buoy 4	26-03-59.283N 097-10-02.788W	Q R	3	Red.		
29545	Laguna Madre Channel Lighted Buoy 5	26-03-53.948N 097-10-00.685W	Q G	3	Green.		
29550	Laguna Madre Channel Range Front Light	26-04-04.863N 097-09-49.053W	Q G	36	KRW on skeleton tower on piles.	Visible 2° each side of rangeline.	
29555	Laguna Madre Channel Range Front Light Passing Light	26-04-05.069N 097-09-49.210W	Q R	38	3	On same structure as Laguna Madre Channel Range Front Light.	
29560	Laguna Madre Channel Range Rear Light	26-04-18.418N 097-09-26.500W	Iso G 6s	67	KRW on skeleton tower.	Visible 2° each side of rangeline.	
29565	Laguna Madre Channel Light 9	26-03-42.800N 097-10-20.832W	FI G 2.5s	0	3	SG on dolphin.	
29570	Laguna Madre Channel Light 10	26-03-47.896N 097-10-24.280W	FI R 2.5s	0	3	TR on pile.	
29575	Laguna Madre Channel Light 15	26-03-27.975N 097-10-45.268W	FI G 2.5s	0	3	SG on pile.	
29580	Laguna Madre Channel Light 16	26-03-32.577N 097-10-49.395W	FI R 2.5s	3	TR on dolphin.	Ra ref.	
29585	Laguna Madre Channel Light 21	26-03-09.917N 097-11-15.113W	FI G 4s	0	3	SG on pile.	
29590	Laguna Madre Channel Light 22	26-03-14.289N 097-11-18.960W	FI R 4s	0	3	TR on pile.	Ra ref.
29595	Laguna Madre Channel Light 26	26-03-00.443N 097-11-40.830W	FI R 2.5s	0	3	TR on pile.	
29600	Laguna Madre Channel Light 27	26-02-55.007N 097-11-39.105W	FI G 2.5s	4	SG on pile.	Ra ref.	
29605	Laguna Madre Channel Light 28	26-02-52.148N 097-11-55.286W	FI R 2.5s	0	4	TR on dolphin.	
29606	LAGUNA MADRE CHANNEL LIGHT 29	26-02-47.561N 097-11-52.831W	FI G 4s	0	3	SG on pile.	
29610	South Padre Island Channel Daybeacon 1	26-05-07.800N 097-11-32.300W			SG on pile.		
29615	South Padre Island Channel Daybeacon 2	26-05-07.100N 097-11-31.900W			TR on pile.		
29620	South Padre Island Channel Daybeacon 3	26-05-11.400N 097-11-22.000W			SG on pile.		
29625	South Padre Island Channel Daybeacon 5	26-05-13.300N 097-11-11.200W			SG on pile.		
29630	South Padre Island Channel Daybeacon 7	26-05-13.600N 097-11-00.200W			SG on pile.		
29635	South Padre Island Channel Daybeacon 9	26-05-12.700N 097-10-49.500W			SG on pile.		
29640	South Padre Island Channel Daybeacon 11	26-05-10.800N 097-10-29.500W			SG on pile.		
29645	South Padre Island Channel Daybeacon 13	26-05-10.660N 097-10-28.390W			SG on pile.		
29650	South Padre Island Channel Daybeacon 14	26-05-15.000N 097-10-24.000W			TR on pile.		
29655	South Padre Island Channel Daybeacon 15	26-05-17.500N 097-10-24.000W			SG on pile.		
29660	South Padre Island Channel Daybeacon 16	26-05-23.250N 097-10-18.500W			TR on pile.		
29665	South Padre Island Channel Daybeacon 17	26-05-28.000N 097-10-16.450W			SG on pile.		
29670	South Padre Island Channel Daybeacon 18	26-05-33.500N 097-10-11.750W			TR on pile.		

29675	South Padre Island Channel Daybeacon 19	26-05-39.010N 097-10-09.540W					SG on pile.
29680	South Padre Island Channel Daybeacon 20	26-05-38.600N 097-10-08.100W					TR on pile.
29685	South Padre Island Channel Daybeacon 21	26-05-47.200N 097-10-09.700W					SG on pile.
29690	South Padre Island Channel Daybeacon 22	26-05-47.200N 097-10-08.200W					TR on pile.
29695	South Padre Island Channel Daybeacon 23	26-05-51.570N 097-10-09.820W					SG on pile.
29700	South Padre Island Channel Daybeacon 25	26-06-07.320N 097-10-09.400W					SG on pile.
29705	South Padre Island Channel Daybeacon 27	26-06-16.400N 097-10-15.220W					SG on pile.
29710	South Padre Island Channel Daybeacon 29	26-06-25.570N 097-10-18.960W					SG on pile.
29715	South Padre Island Channel Daybeacon 31	26-06-38.740N 097-10-21.590W					SG on pile.
29720	South Padre Island Channel Daybeacon 33	26-06-47.500N 097-10-25.700W					SG on pile.
29725	South Padre Island Channel Daybeacon 35	26-06-53.740N 097-10-28.460W					SG on pile.
29730	South Padre Island Channel Daybeacon 36	26-06-53.750N 097-10-26.500W					TR on pile.
29735	South Padre Island Channel Daybeacon 37	26-06-58.700N 097-10-24.200W					SG on pile.
29740	South Padre Island Channel Daybeacon 38	26-06-58.700N 097-10-22.200W					TR on pile.
29745	South Padre Island Channel Daybeacon 39	26-07-03.090N 097-10-20.340W					SG on pile.
29750	South Padre Island Channel Daybeacon 41	26-07-14.530N 097-10-21.210W					SG on pile.
29755	South Padre Island Channel Daybeacon 43	26-07-25.000N 097-10-26.400W					SG on pile.
29760	South Padre Island Channel Daybeacon 44	26-07-25.000N 097-10-24.700W					TR on pile.
29765	South Padre Island Channel Daybeacon 45	26-07-33.510N 097-10-30.430W					SG on pile.
29770	South Padre Island Channel Daybeacon 46	26-07-33.510N 097-10-28.700W					TR on pile.
29775	South Padre Island Channel Daybeacon 47	26-07-40.380N 097-10-29.430W					SG on pile.
29780	South Padre Island Channel Daybeacon 49	26-07-51.450N 097-10-34.870W					SG on pile.
29785	South Padre Island Channel Daybeacon 51	26-07-57.060N 097-10-37.320W					SG on pile.
29787	Guillot Parasail Platform Lights (2)	26-07-47.990N 097-11-09.240W	Q W				Marks parasail barge platform.
29790	South Padre Island Channel South Danger Daybeacon	26-05-42.000N 097-10-06.500W					NW on pile worded DANGER.
29795	South Padre Island Channel North Danger Daybeacon	26-05-52.000N 097-10-06.500W					NW on pile worded DANGER.
29800	Port Isabel Channel Junction Light PI	26-02-45.622N 097-12-12.108W	Fl (2+1)R 6s	0	4		JR on pile.
29805	Port Isabel Channel Light 1	26-02-48.825N 097-12-19.141W	Fl G 4s	0	3		SG on pile.
29810	Port Isabel Channel Light 2	26-02-50.909N 097-12-09.503W	Fl R 4s	0	4		TR on pile.
29815	Port Isabel Channel Light 4	26-02-53.488N 097-12-19.292W	Fl R 2.5s	0	3		TR on pile. Ra ref.
29820	Port Isabel Channel Leading Light	26-02-50.870N 097-12-25.668W	Iso W 6s		5		NB on pile.
29825	Port Isabel Channel Light 6	26-03-03.661N 097-12-29.568W	Q R	0	3		TR on dolphin.
29830	Harlingen-Port Isabel Light 90	26-03-39.203N 097-12-40.115W	Q R	0	3		TR-TY on dolphin. Ra ref.
29835	Port Isabel Cutoff Channel Light 1	26-02-41.953N 097-12-30.727W	Fl G 4s		4		SG-TY on dolphin. Ra ref.
29840	Port Isabel Cutoff Channel Light 3	26-03-01.772N 097-12-33.973W	Q G	17	3		SG-TY on pile.

29845	Laguna Madre Water District Outfall Danger Light	26-03-12.270N 097-12-40.440W	FI W 2.5s				Marks diffuser outfall.
29850	Port Isabel Channel Lighted Buoy 8	26-03-15.094N 097-12-36.372W	FI R 2.5s	3			Red nun with yellow square.
29855	Brownsville Channel Light 30	26-02-25.162N 097-12-39.820W	FI R 4s	0	3		TR-TY on pile. Ra ref.
29860	Brownsville Channel C Range Front Light	26-02-16.466N 097-12-43.299W	Q G	25			KRW-I on skeleton tower on piles. Visible all around; higher intensity on range line.
29865	Brownsville Channel C Range Rear Light	26-02-37.503N 097-11-57.638W	Iso G 6s	65			KRW on skeleton tower on piles. Visible 5.5° each side of rangeline.
29870	Brownsville Channel A Range Front Light	26-01-50.722N 097-13-32.099W	Q W	33			KRW-I on skeleton tower. Visible all around; higher intensity 14° each side of rangeline.
29875	Brownsville Channel A Range Rear Light	26-01-24.335N 097-14-15.926W	Iso W 6s	60			KRW on skeleton tower. Visible 2° each side of rangeline.
29880	Brownsville Channel Light 31	26-02-01.849N 097-13-09.296W	Q G	17	3		SG-SY on pile. Ra ref.
29885	Brownsville Channel Light 32	26-02-06.107N 097-13-11.665W	Q R	17	3		TR-TY on pile. Ra ref.
29890	Brownsville Channel Light 34	26-01-53.829N 097-13-38.517W	FI R 2.5s	0	3		TR-TY on pile. Ra ref.
29895	Brownsville Channel Light 35	26-01-22.484N 097-14-34.768W	FI G 4s	0	4		SG-SY on pile. Ra ref.
29900	Brownsville Channel E Range Front Light	26-01-22.666N 097-14-45.633W	Q W	35			KRW-I on skeleton tower on piles. For downbound traffic. Visible all around; higher intensity 1.5° each side of rangeline.
29905	Brownsville Channel E Range Rear Light	26-01-44.079N 097-14-07.385W	Iso W 6s	63			KRW on skeleton tower on piles. Visible 2° each side of rangeline.
29910	Brownsville Channel Light 36	26-01-10.029N 097-15-13.488W	Q R	17	3		TR-TY on pile. Ra ref.
29915	Brownsville Channel Light 37	26-01-05.327N 097-15-11.484W	Q G	17	3		SG-SY on pile. Ra ref.
29920	Brownsville Channel Light 39	26-00-55.422N 097-15-28.529W	FI G 4s	0	4		SG-SY on pile. Ra ref.
29925	Brownsville Channel B Range Front Light	26-00-52.513N 097-15-45.851W	Q R	35			KRW-I on skeleton tower on piles. Visible all around; higher intensity 5.5° each side of rangeline.
29930	Brownsville Channel B Range Rear Light	26-00-27.977N 097-16-39.159W	Iso R 6s	75			KRW on skeleton tower on piles. Visible 2° each side of rangeline.
29935	Brownsville Channel Light 40	25-59-55.501N 097-17-26.763W	FI R 4s	0	3		TR-TY on pile.
29940	Brownsville Channel Light 41	25-59-50.665N 097-17-23.838W	FI G 4s	0	4		SG-SY on pile.
29945	Brownsville Channel Light 42	25-59-24.268N 097-18-24.313W	FI R 2.5s		3		TR-TY on pile.
29950	Brownsville Channel D Range Front Light	25-58-28.327N 097-19-56.690W	Q W	30			KRW-I on skeleton tower. Visible all around; higher intensity 1.5° each side of rangeline.
29955	Brownsville Channel D Range Rear Light	25-58-03.780N 097-20-40.424W	Iso W 6s	65			KRW on skeleton tower.
29960	Brownsville Channel Light 44	25-58-49.359N 097-19-26.261W	FI R 4s	0	3		TR-TY on skeleton tower on piles.
29965	Brownsville Channel G Range Front Light	25-58-43.863N 097-19-22.116W	Q G	25			KRW-I on skeleton tower on piles. Visible all around; higher intensity on rangeline.
29967	Brownsville Channel G Range Front Light Passing Light	25-58-43.863N 097-19-22.116W	Q G	25	3		On same structure as Brownsville Channel G Range Front Light. Visible all around.
29970	Brownsville Channel G Range Rear Light	25-59-00.473N 097-18-35.054W	Iso G 6s	58			KRW on skeleton tower. Visible 2° each side of rangeline.
29975	Brownsville Channel Light 45	25-58-33.025N 097-19-44.875W	Q G	0	3		SG-SY on pile. Ra ref.
29980	Brownsville Channel Light 46	25-58-38.091N 097-19-46.553W	Q R	17	3		TR-TY on pile. Ra ref.
29985	Brownsville Channel Light 48	25-58-25.091N 097-20-21.728W	FI R 2.5s		3		TR-TY on dolphin.
29990	Brownsville Channel F Range Front Light	25-57-02.325N 097-24-11.378W	FI G 2.5s	30			KRW-I on skeleton tower. Visible 2° each side of rangeline.
29995	Brownsville Channel F Range Rear Light	25-56-20.537N 097-26-10.118W	Oc G 4s	90			KRW on skeleton tower. Visible 2° each side of rangeline. Lighted throughout 24 hours.
30000	Brownsville Liquid Cargo Dock Lights (4)	25-57-37.000N 097-22-22.000W	F G				On dock.
30005	Brownsville Oil Dock No. 3 Lights (2)	25-57-34.000N 097-22-43.000W	F R				On dock.
30010	Brownsville Cargo Dock No. 15 Light	25-57-26.000N 097-22-47.000W	FI G 2.5s				On dock.

30015	Brownsville Bulk Cargo Dock Lights (2)	25-57-21.300N 097-23-08.100W	F G				On dock.	
30020	Brownsville Oil Dock No. 2 Lights (6)	25-57-21.000N 097-23-23.000W	F R				On dock.	
30025	Brownsville Oil Dock No. 1 Lights (2)	25-57-18.000N 097-23-30.000W	F R				On dock.	
30030	St. George Sound Light 2	29-46-29.958N 084-42-27.926W	FI R 4s	0	4		TR-TY on pile.	Ra ref.
30035	St. George Sound Light 6	29-45-16.292N 084-44-33.792W	FI R 6s	0	4		TR-TY on pile.	Ra ref.
30040	St. George Sound Light 8	29-44-34.010N 084-45-45.903W	FI R 4s	0	3		TR-TY on dolphin.	Ra ref.
30045	St. George Sound Daybeacon 10	29-44-14.032N 084-46-35.333W		0			TR-TY on pile.	Ra ref.
30050	St. George Sound Daybeacon 12	29-44-07.786N 084-46-50.678W		0			TR-TY on pile.	Ra ref.
30055	St. George Sound Daybeacon 13	29-44-05.586N 084-46-47.834W		0			SG-SY on pile.	Ra ref.
30060	St. George Sound Light 14	29-43-57.003N 084-47-18.194W	FI R 2.5s	0	3		TR-TY on piles.	Ra ref.
30062	FDOA St. George Sound Aquaculture Special Lights A thru D	29-45-46.760N 084-48-26.600W	FI Y 2.5s				Marks aquaculture farm perimeter.	
30065	St. George Sound Daybeacon 15	29-43-54.490N 084-47-15.417W		0			SG-SY on pile.	
30070	St. George Sound Daybeacon 16	29-43-49.379N 084-47-36.248W		0			TR-TY on pile.	Ra ref.
30075	St. George Sound Daybeacon 17	29-43-45.951N 084-47-36.519W		0			SG-SY on pile.	Ra ref.
30080	St. George Sound Daybeacon 18	29-43-37.501N 084-48-05.262W		0			TR-TY on pile.	Ra ref.
30085	St. George Sound Daybeacon 19	29-43-31.859N 084-48-11.247W		0			SG-SY on pile.	
30090	St. George Sound Light 20	29-43-27.532N 084-48-29.671W	Q R	0	3		TR-TY on pile.	
30095	St. George Sound Buoy 21	29-43-21.735N 084-48-28.711W					Green can with yellow square.	
30100	St. George Sound Buoy 22	29-43-18.965N 084-48-37.642W					Red nun with yellow triangle.	
30105	St. George Sound Light 24	29-42-56.184N 084-48-50.469W	FI R 2.5s	0	3		TR-TY on dolphin.	
30110	St. George Sound Daybeacon 25	29-42-47.667N 084-48-46.592W		0			SG-SY on pile.	Ra ref.
30115	East Point Channel Light 2	29-44-06.784N 084-52-17.688W	FI R 2.5s	0	3		TR on dolphin.	
30120	East Point Channel Daybeacon 3	29-44-07.584N 084-52-18.388W		0			SG on pile.	
30125	East Point Channel Daybeacon 4	29-44-18.084N 084-52-24.188W		0			TR on pile.	Ra ref.
30130	East Point Channel Buoy 5	29-44-16.917N 084-52-25.696W					Green can.	
30135	St. George Sound Daybeacon 26	29-42-19.430N 084-49-02.572W		0			TR-TY on pile.	Ra ref.
30140	St. George Sound Buoy 27	29-41-55.395N 084-49-06.479W					Green can with yellow square.	
30142.08	FDOA Wren Rattlesnake Cove Special Light EE	29-41-25.070N 084-47-50.000W	FI Y 2.5s				Marks aquaculture farm perimeter cornerpoint.	
30142	FDOA Wren Rattlesnake Cove Special Light AA	29-41-23.430N 084-47-45.350W	FI Y 2.5s				Marks aquaculture farm perimeter cornerpoint.	
30142.01	FDOA Wren Rattlesnake Cove Special Light BB	29-41-29.620N 084-47-41.320W	FI Y 2.5s				Marks aquaculture farm perimeter cornerpoint.	
30142.02	FDOA Wren Rattlesnake Cove Special Light CC	29-41-31.770N 084-47-45.730W	FI Y 2.5s				Marks aquaculture farm perimeter cornerpoint.	
30142.03	FDOA Wren Rattlesnake Cove Special Light DD	29-41-28.860N 084-47-47.580W	FI Y 2.5s				Marks aquaculture farm perimeter cornerpoint.	
30142.04	FDOA Rash Rattlesnake Cove Special Light E	29-41-21.350N 084-47-38.940W	FI Y 2.5s				Marks aquaculture farm perimeter corner.	
30142.05	FDOA Rash Rattlesnake Cove Special Light F	29-41-25.100N 084-47-36.930W	FI Y 2.5s				Marks aquaculture farm perimeter corner.	
30142.06	FDOA Rash Rattlesnake Cove Special Light G	29-41-27.160N 084-47-42.120W	FI Y 2.5s				Marks aquaculture farm perimeter corner.	

30142.07	FDOA Rash Rattlesnake Cove Special Light H	29-41-23.680N 084-47-44.560W	FI Y 2.5s			Marks aquaculture farm perimeter corner.
30145	St. George Sound Light 28	29-41-56.584N 084-49-11.337W	Q R	0	3	TR-TY on pile.
30150	St. George Sound Light 30	29-41-45.314N 084-49-26.434W	Q R	0	3	TR-TY on pile.
30155	St. George Sound Buoy 31	29-41-40.606N 084-49-28.211W				Green can with yellow square.
30160	St. George Sound Daybeacon 32	29-41-41.350N 084-49-45.577W		0		TR-TY on pile. Ra ref.
30165	St. George Sound Light 34	29-41-36.828N 084-50-11.417W	FI R 2.5s	0	3	TR-TY on pile.
30170	St. George Sound Daybeacon 35	29-41-31.816N 084-50-14.813W		0		SG-SY on pile. Ra ref.
30175	St. George Sound Daybeacon 36	29-41-30.006N 084-50-42.732W		0		TR-TY on pile. Ra ref.
30180	St. George Sound Light 40	29-41-21.297N 084-51-21.710W	FI R 4s	0	3	TR-TY on pile. Ra ref.
30185	St. George Sound Daybeacon 41	29-41-18.204N 084-51-20.881W		0		SG-SY on pile.
30190	St. George Sound Buoy 44	29-41-14.143N 084-51-58.118W				Red nun with yellow triangle.
30195	St. George Sound Buoy 45	29-41-10.629N 084-51-58.734W				Green can with yellow square.
30200	St. George Sound Buoy 46	29-41-09.308N 084-52-17.420W				Red nun with yellow triangle.
30205	St. George Sound Buoy 47	29-41-07.252N 084-52-16.911W				Green can with yellow square.
30210	Apalachicola Bay Buoy 48	29-41-02.829N 084-52-44.692W				Red nun with yellow triangle.
30215	Apalachicola Bay Light 52	29-40-53.846N 084-53-35.961W	FI R 4s	0	3	TR-TY on pile. Ra ref.
30220	Apalachicola Bay Daybeacon 53	29-40-50.777N 084-53-34.144W		0		SG-SY on pile. Ra ref.
30225	Apalachicola Bay Daybeacon 54	29-40-48.138N 084-54-02.788W		0		TR-TY on pile. Ra ref.
30230	Apalachicola Bay Light 58	29-40-39.811N 084-54-40.822W	FI R 6s	0	4	TR-TY on pile. Ra ref.
30235	Apalachicola Bay Daybeacon 59	29-40-36.272N 084-54-40.617W		0		SG-SY on pile. Ra ref.
30240	Apalachicola Bay Daybeacon 60	29-40-32.772N 084-55-14.120W		0		TR-TY on pile. Ra ref.
30245	Apalachicola Bay Light 64	29-40-25.453N 084-55-49.120W	FI R 4s	0	3	TR-TY on pile. Ra ref.
30250	Apalachicola Bay Daybeacon 65	29-40-22.712N 084-55-47.721W		0		SG-SY on pile. Ra ref.
30255	Apalachicola Bay Daybeacon 66	29-40-19.046N 084-56-19.883W		0		TR-TY on pile. Ra ref.
30260	Apalachicola Bay Light 70	29-40-11.782N 084-56-53.105W	FI R 2.5s	0	3	TR-TY on pile. Ra ref.
30265	Apalachicola Bay Daybeacon 71	29-40-09.042N 084-56-51.969W		0		SG-SY on pile. Ra ref.
30270	Apalachicola Bay Daybeacon 74	29-40-01.064N 084-57-42.513W		0		TR-TY on pile. Ra ref.
30275	Apalachicola Bay Light 76	29-39-58.295N 084-57-57.305W	Q R	0	3	TR-TY on pile. Ra ref.
30280	Apalachicola Bay Buoy 77	29-39-53.817N 084-57-58.159W				Green can with yellow square.
30285	Apalachicola River Entrance Buoy 1	29-40-12.752N 084-58-12.452W				Green can with yellow square.
30290	Apalachicola River Entrance Light 2	29-40-10.070N 084-58-07.617W	FI R 2.5s	0	3	TR-TY on pile. Ra ref.
30295	Apalachicola River Entrance Buoy 3	29-40-43.857N 084-58-18.493W				Green can with yellow square.
30300	Apalachicola River Entrance Light 4	29-40-38.790N 084-58-14.696W	FI R 4s	0	3	TR-TY on pile. Ra ref.
30305	Apalachicola River Entrance Buoy 4A	29-40-59.820N 084-58-19.517W				Red nun with yellow triangle.
30310	Apalachicola River Entrance Buoy 5	29-41-11.301N 084-58-23.916W				Green can with yellow square.

30315	Apalachicola River Entrance Buoy 6	29-41-11.520N 084-58-21.677W					Red nun with yellow triangle.
30320	Apalachicola River Entrance Buoy 7	29-41-28.834N 084-58-27.257W					Green can with yellow square.
30325	Apalachicola River Entrance Buoy 9	29-41-42.498N 084-58-29.956W					Green can with yellow square.
30330	Apalachicola River Entrance Buoy 10	29-41-42.851N 084-58-27.821W					Red nun with yellow triangle.
30335	Apalachicola River Entrance Buoy 11	29-41-55.941N 084-58-32.681W					Green can with yellow square.
30340	Apalachicola River Entrance Buoy 13	29-42-09.799N 084-58-35.266W					Green can with yellow square.
30345	Apalachicola River Entrance Buoy 14	29-42-09.910N 084-58-32.866W					Red nun with yellow triangle.
30350	Apalachicola River Entrance Buoy 15	29-42-22.494N 084-58-37.790W					Green can with yellow square.
30355	Apalachicola River Entrance Buoy 16	29-42-22.950N 084-58-35.740W					Red nun with yellow triangle.
30360	Apalachicola River Entrance Buoy 17	29-42-38.339N 084-58-40.860W					Green can with yellow square.
30365	Apalachicola River Entrance Buoy 18	29-42-38.320N 084-58-38.697W					Red nun with yellow triangle.
30370	Apalachicola River Entrance Buoy 19	29-42-49.620N 084-58-43.157W					Green can with yellow square.
30375	Apalachicola River Entrance Buoy 20	29-42-50.094N 084-58-41.030W					Red nun with yellow triangle.
30380	Apalachicola River Entrance Buoy 21	29-43-01.219N 084-58-45.319W					Green can with yellow square.
30385	Apalachicola River Entrance Buoy 22	29-43-01.599N 084-58-43.364W					Red nun with yellow triangle.
30390	Apalachicola River Entrance Buoy 24	29-43-08.840N 084-58-43.288W					Red nun with yellow triangle.
30395	Two Mile Channel Junction Light TM	29-43-12.348N 084-58-49.486W	FI (2+1)G 6s	0	3	JG-SY on pile.	Ra ref.
30400	Apalachicola River Entrance Range Front Light	29-43-22.769N 084-58-48.461W	Q G	0		KRW-I on dolphin.	Visible all around; higher intensity 2° each side of rangeline.
30405	Apalachicola River Entrance Range Rear Light	29-44-03.140N 084-58-56.340W	F G	45		KRW-I on skeleton tower on piles.	Visible 2° each side of rangeline.
30410	Apalachicola River Light 2	29-43-40.953N 084-58-46.879W	Q R	0	3	TR-TY on pile.	Ra ref.
30415	Apalachicola River Daybeacon 4	29-43-48.461N 084-58-49.883W		0		TR-TY on pile.	Ra ref.
30420	Scipio Creek Junction Buoy A	29-43-41.930N 084-58-53.032W					Green can with green band.
30425	Apalachicola River Buoy 5	29-43-54.015N 084-58-58.218W					Green can with yellow square.
30430	Apalachicola River Daybeacon 6	29-43-54.810N 084-58-53.191W		0		TR-TY on pile.	Ra ref.
30435	Apalachicola River Light 8	29-44-08.504N 084-59-03.061W	FI R 2.5s	0	3	TR-TY on dolphin.	
30440	Apalachicola River Light 10	29-44-28.124N 084-59-32.860W	FI R 4s	0	3	TR-TY on dolphin.	
30445	Apalachicola River Buoy 13	29-45-32.432N 085-01-08.086W					Green can with yellow square.
30450	Apalachicola River Buoy 15	29-45-38.499N 085-01-16.136W					Green can with yellow square.
30455	Apalachicola River Buoy 17	29-45-43.664N 085-01-23.862W					Green can with yellow square.
30460	Apalachicola River Shoal Buoy 18	29-45-47.143N 085-01-22.351W					Red nun with yellow triangle.
30465	Apalachicola River Buoy 19	29-45-46.062N 085-01-30.184W					Green can with yellow square.
30470	Apalachicola River Daybeacon 20	29-45-49.139N 085-01-33.123W		0		TR-TY on pile.	Ra ref.
30475	Apalachicola River Buoy 21	29-45-48.873N 085-01-41.654W					Green can with yellow square.
30480	Apalachicola River Buoy 22	29-45-51.074N 085-01-39.162W					Red nun with yellow triangle.
30485	Apalachicola River Buoy 24	29-45-59.243N 085-02-10.000W					Red nun with yellow triangle.

30490	Apalachicola River Buoy 25	29-46-07.244N 085-02-30.027W				Green can with yellow square.
30495	Apalachicola River Daybeacon 26	29-46-22.759N 085-02-38.395W		0		TR-TY on pile. Ra ref.
30500	Apalachicola River Daybeacon 28	29-46-29.420N 085-02-46.005W		0		TR-TY on pile. Ra ref.
30505	Apalachicola River Daybeacon 30	29-46-34.240N 085-02-52.075W		0		TR-TY on pile. Ra ref.
30510	Jackson River Light 2	29-46-46.157N 085-03-04.609W	FI R 2.5s	0	3	TR-TY on dolphin.
30515	Jackson River Buoy 3	29-46-53.314N 085-03-18.394W				Green can with yellow square.
30520	Jackson River Daybeacon 4	29-46-55.927N 085-03-16.303W		0		TR-TY on pile.
30525	Jackson River Daybeacon 6	29-47-03.487N 085-03-22.363W		0		TR-TY on pile. Ra ref.
30530	Jackson River Buoy 7	29-47-01.572N 085-03-28.775W				Green can with yellow square.
30535	Jackson River Light 9	29-47-10.366N 085-03-38.817W	FI G 2.5s	0	3	SG-SY on dolphin.
30540	Jackson River Daybeacon 10	29-47-13.516N 085-03-36.606W		0		TR-TY on pile. Ra ref.
30545	Lake Wimico Light 1	29-46-38.776N 085-06-39.711W	FI G 2.5s	0	3	SG-SY on pile. Ra ref.
30550	Lake Wimico Daybeacon 3	29-47-01.783N 085-07-11.982W		0		SG-SY on pile. Ra ref.
30555	Lake Wimico Daybeacon 4	29-47-03.992N 085-07-11.688W		0		TR-TY on pile. Ra ref.
30560	Lake Wimico Light 5	29-47-24.186N 085-07-45.004W	FI G 4s	0	4	SG-SY on pile. Ra ref.
30565	Lake Wimico Daybeacon 6	29-47-26.822N 085-07-45.090W		0		TR-TY on pile. Ra ref.
30570	Lake Wimico Daybeacon 7	29-47-46.884N 085-08-18.768W		0		SG-SY on pile. Ra ref.
30575	Lake Wimico Daybeacon 8	29-47-48.399N 085-08-17.011W				TR-TY on pile. Ra ref.
30580	Lake Wimico Light 9	29-48-10.525N 085-08-53.583W	FI G 2.5s		3	SG-SY on pile. Ra ref.
30585	Lake Wimico Daybeacon 10	29-48-12.709N 085-08-52.975W		0		TR-TY on pile. Ra ref.
30590	Lake Wimico Daybeacon 11	29-48-28.104N 085-09-19.835W				SG-SY on pile. Ra ref.
30595	Lake Wimico Daybeacon 12	29-48-30.975N 085-09-19.843W		0		TR-TY on pile. Ra ref.
30600	Lake Wimico Light 13	29-49-01.939N 085-10-09.714W	Q G	0	3	SG-SY on pile. Ra ref.
30605	Lake Wimico Daybeacon 14	29-49-02.534N 085-10-05.683W		0		TR-TY on pile. Ra ref.
30610	Lake Wimico Light 15	29-49-11.870N 085-10-38.539W	FI G 2.5s	0	3	SG-SY on pile. Ra ref.
30611.03	Gulf County White City No Wake Mark	29-52-50.400N 085-13-22.860W				Marks no wake zone for white city boat ramp.
30611.02	Gulf County White City No Wake Mark	29-52-48.360N 085-13-24.360W				Marks no wake zone for white city boat ramp.
30611	Gulf County White City No Wake Mark	29-52-44.592N 085-13-12.942W				Marks no wake zone for white city boat ramp.
30611.01	Gulf County White City No Wake Mark	29-52-47.022N 085-13-11.712W				Marks no wake zone for white city boat ramp.
30611.26	Gulf County Overstreet No Wake Mark	29-59-49.890N 085-22-10.122W				Marks no wake zone for overstreet boat ramp.
30611.25	Gulf County Overstreet No Wake Mark	29-59-49.380N 085-22-13.002W				Marks no wake zone for overstreet boat ramp.
30611.28	Gulf County Overstreet No Wake Mark	29-59-56.382N 085-22-12.018W				Marks no wake zone for overstreet boat ramp.
30611.27	Gulf County Overstreet No Wake Mark	29-59-55.872N 085-22-15.162W				Marks no wake zone for overstreet boat ramp.
30612	Florida Department of Agriculture Indian Lagoon Special Light A	29-41-16.650N 085-14-03.830W	FI Y 2.5s			Marks southwest corner of aquaculture farm perimeter
30612.01	Florida Department of Agriculture Indian Lagoon Special Light B	29-41-16.900N 085-13-53.260W	FI Y 2.5s			Marks southeast corner of aquaculture farm perimeter

30612.02	Florida Department of Agriculture Indian Lagoon Special Light C	29-41-21.630N 085-13-53.260W	FI Y 2.5s			Marks northeast corner of aquaculture farm perimeter
30612.03	Florida Department of Agriculture Indian Lagoon Special Light D	29-41-21.380N 085-14-03.380W	FI Y 2.5s			Marks northwest corner of aquaculture farm perimeter
30612.04	FDOA Indian Lagoon Special Light E	29-41-16.900N 085-13-49.880W	FI Y 2.5s			Marks perimeter cornerpoint of aquaculture farm.
30612.05	FDOA Indian Lagoon Special Light F	29-41-21.631N 085-13-49.880W	FI Y 2.5s			Marks perimeter cornerpoint of aquaculture farm.
30612.06	FDOA Indian Lagoon Special Light G	29-41-21.630N 085-13-52.980W	FI Y 2.5s			Marks perimeter cornerpoint of aquaculture farm.
30612.07	FDOA Indian Lagoon Special Light H	29-41-16.900N 085-13-52.980W	FI Y 2.5s			Marks perimeter cornerpoint of aquaculture farm.
30612.08	FDOA Indian Lagoon Special Light I	29-41-02.190N 085-13-50.050W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint.
30612.09	FDOA Indian Lagoon Special Light J	29-41-06.950N 085-13-50.050W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint.
30612.11	FDOA Indian Lagoon Special Light K	29-41-09.510N 085-13-53.510W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint.
30612.12	FDOA Indian Lagoon Special Light L	29-41-09.420N 085-14-03.790W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint.
30612.13	FDOA Indian Lagoon Special Light M	29-41-02.190N 085-14-03.750W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint.
30612.14	FDOA Indian Lagoon Special Light N	29-41-02.190N 085-13-53.470W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint.
30615	Wetappo Creek Daybeacon 1	30-01-37.021N 085-23-29.122W		0		SG-SY on pile. Ra ref.
30620	Wetappo Creek Buoy 1A	30-01-50.245N 085-23-39.044W				Green can with yellow square.
30625	Wetappo Creek Buoy 3	30-01-58.793N 085-23-40.890W				Green can with yellow square.
30630	Wetappo Creek Buoy 5	30-02-07.215N 085-23-42.100W				Green can with yellow square.
30635	Wetappo Creek Buoy 7	30-02-15.663N 085-23-44.562W				Green can with yellow square.
30640	Wetappo Creek Buoy 9	30-02-22.911N 085-23-46.660W				Green can with yellow square.
30645	Wetappo Creek Light 10	30-02-25.321N 085-23-44.771W	Q R	0	3	TR-TY on pile. Ra ref.
30650	Wetappo Creek Buoy 11	30-02-26.847N 085-23-53.902W				Green can with yellow square.
30655	Wetappo Creek Buoy 13	30-02-29.028N 085-24-03.574W				Green can with yellow square.
30660	Wetappo Creek Buoy 14	30-02-35.979N 085-24-20.520W				Red nun with yellow triangle.
30665	Wetappo Creek Buoy 15	30-02-34.402N 085-24-21.914W				Green can with yellow square.
30670	Wetappo Creek Buoy 17	30-02-37.743N 085-24-32.391W				Green can with yellow square.
30675	Wetappo Creek Buoy 18	30-02-43.599N 085-24-48.706W				Red nun with yellow triangle.
30680	Wetappo Creek Light 19	30-02-41.820N 085-24-48.276W	FI G 2.5s	0	3	SG-SY on pile. Ra ref.
30685	Wetappo Creek Buoy 21	30-02-46.032N 085-25-01.918W				Green can with yellow square.
30690	Wetappo Creek Buoy 22	30-02-52.683N 085-25-16.930W				Red nun with yellow triangle.
30695	Wetappo Creek Buoy 23	30-02-51.177N 085-25-15.712W				Green can with yellow square.
30700	Wetappo Creek Buoy 25	30-02-54.075N 085-25-25.978W				Green can with yellow square.
30705	Wetappo Creek Buoy 27	30-02-58.445N 085-25-40.452W				Green can with yellow square.
30710	Wetappo Creek Light 28	30-03-01.648N 085-25-47.335W	Q R	0	3	TR-TY on pile. Ra ref.
30715	Wetappo Creek Buoy 29	30-02-57.341N 085-25-47.498W				Green can with yellow square.
30720	Wetappo Creek Buoy 31	30-02-55.920N 085-25-51.364W				Green can with yellow square.
30725	Wetappo Creek Buoy 32	30-02-39.380N 085-26-12.744W				Red nun with yellow triangle.

30730	Wetappo Creek Buoy 33	30-02-38.481N 085-26-10.942W					Green can with yellow square.	
30735	Wetappo Creek Buoy 35	30-02-28.047N 085-26-21.706W					Green can with yellow square.	
30740	Wetappo Creek Light 36	30-02-16.671N 085-26-37.398W	Fl R 2.5s	0	3		TR-TY pile.	Ra ref.
30745	Wetappo Creek Buoy 37	30-02-15.225N 085-26-35.146W					Green can with yellow square.	
30750	Wetappo Creek Daybeacon 39	30-02-00.861N 085-26-42.737W					SG-SY on pile.	Ra ref.
30755	Wetappo Creek Daybeacon 41	30-01-52.267N 085-26-47.421W			0		SG-SY on pile.	Ra ref.
30760	Wetappo Creek Light 42	30-01-49.016N 085-26-53.459W	Fl R 2.5s	0	3		TR-TY on pile.	Ra ref.
30765	Wetappo Creek Daybeacon 43	30-01-33.232N 085-27-02.074W					SG-SY on pile.	Ra ref.
30770	Wetappo Creek Daybeacon 44	30-01-35.925N 085-27-03.771W			0		TR-TY on pile.	Ra ref.
30775	Wetappo Creek Daybeacon 46	30-01-29.163N 085-27-13.854W			0		TR-TY on pile.	Ra ref.
30780	East Bay Light 1	30-01-26.043N 085-27-13.649W	Q G	0	3		SG-SY on pile.	
30785	East Bay Light 2	30-01-26.610N 085-27-28.682W	Q R	0	3		TR-TY on pile.	Ra ref.
30790	East Bay Daybeacon 3	30-01-23.222N 085-27-27.221W			0		SG-SY on pile.	Ra ref.
30795	East Bay Daybeacon 4	30-01-27.519N 085-27-42.154W			0		TR-TY on pile.	Ra ref.
30800	East Bay Daybeacon 6	30-01-30.292N 085-27-58.321W			0		TR-TY on pile.	Ra ref.
30805	East Bay Daybeacon 7	30-01-29.186N 085-28-04.533W			0		SG-SY on pile.	Ra ref.
30810	East Bay Light 8	30-01-33.603N 085-28-07.862W	Fl R 2.5s	0	3		TR-TY on pile.	Ra ref.
30815	East Bay Daybeacon 9	30-01-31.992N 085-28-22.968W			0		SG-SY on pile.	Ra ref.
30817	USGS Baker Point Lighted Wave Buoy	30-01-29.125N 085-28-38.561W	Fl Y 2.5s				Yellow.	Maintained by the USGS.
30820	East Bay Daybeacon 10	30-01-37.611N 085-28-40.287W			0		TR-TY on pile.	Ra ref.
30825	East Bay Light 11	30-01-36.445N 085-28-58.455W	Q G	0	3		SG-SY on pile.	Ra ref.
30830	East Bay Daybeacon 12	30-01-43.866N 085-28-59.452W			0		TR-TY on pile.	Ra ref.
30835	East Bay Daybeacon 13	30-01-51.854N 085-29-10.632W			0		SG-SY on pile.	Ra ref.
30840	East Bay Daybeacon 13A	30-01-57.233N 085-29-15.381W					SG-SY on pile.	Ra ref.
30845	East Bay Light 14	30-02-04.325N 085-29-16.326W	Q R	0	3		TR-TY on pile.	Ra ref.
30850	East Bay Light 15	30-02-15.419N 085-29-45.456W	Q G	0	4		SG-SY on pile.	Ra ref.
30855	East Bay Buoy 16	30-02-17.187N 085-29-39.059W					Red nun with yellow triangle.	
30860	East Bay Daybeacon 17	30-02-29.615N 085-29-49.923W			0		SG-SY on pile.	Ra ref.
30865	East Bay Daybeacon 18	30-02-40.657N 085-29-46.912W			0		TR-TY on pile.	Ra ref.
30870	East Bay Daybeacon 20	30-02-56.154N 085-29-49.621W					TR-TY on pile.	Ra ref.
30875	East Bay Daybeacon 22	30-03-08.147N 085-29-49.242W					TR-TY on pile.	Ra ref.
30880	East Bay Light 23	30-03-06.490N 085-29-55.180W	Fl G 2.5s	0	3		SG-SY on pile.	Ra ref.
30885	East Bay Light 25	30-03-21.667N 085-30-00.253W	Fl G 4s	0	4		SG-SY on pile.	Ra ref.
30890	East Bay Daybeacon 26	30-03-34.584N 085-30-04.773W			0		TR-TY on pile.	Ra ref.
30892	Richard Bayou Channel Daybeacon 1	30-03-38.411N 085-29-35.473W					SG on pile.	

30892.01	Richard Bayou Channel Daybeacon 2	30-03-38.147N 085-29-35.318W				TR on pile.	
30892.02	Richard Bayou Channel Daybeacon 3	30-03-40.029N 085-29-31.846W				SG on pile.	
30892.03	Richard Bayou Channel Daybeacon 4	30-03-39.748N 085-29-31.730W				TR on pile.	
30892.04	Richard Bayou Channel Daybeacon 5	30-03-40.318N 085-29-28.876W				SG on pile.	
30892.05	Richard Bayou Channel Daybeacon 6	30-03-40.086N 085-29-29.969W				TR on pile.	
30895	East Bay Light 28	30-03-52.805N 085-30-15.114W	FI R 4s	0	3	TR-TY on pile.	Ra ref.
30900	East Bay Daybeacon 29	30-03-54.147N 085-30-22.781W		0		SG-SY on pile.	Ra ref.
30905	East Bay Light 35	30-04-19.071N 085-30-38.022W	FI G 2.5s	0	3	SG-SY on pile.	Ra ref.
30910	East Bay Light 37	30-04-48.885N 085-31-07.992W	Q G	0	3	SG-SY on pile.	Ra ref.
30915	East Bay Daybeacon 38	30-05-10.035N 085-31-36.437W		0		TR-TY on pile.	Ra ref.
30920	East Bay Light 40	30-05-20.442N 085-31-58.471W	FI R 2.5s	0	3	TR-TY on pile.	Ra ref.
30925	East Bay Daybeacon 41	30-05-34.738N 085-32-28.376W		0		SG-SY on pile.	Ra ref.
30927	FDOA Westbrook Special Light A	30-07-19.950N 085-32-18.460W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint of aquaculture farm.	
30927.01	FDOA Westbrook Special Light B	30-07-19.950N 085-32-21.580W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint of aquaculture farm.	
30927.02	FDOA Westbrook Special Light C	30-07-21.540N 085-32-21.580W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint of aquaculture farm.	
30927.03	FDOA Westbrook Special Light D	30-07-21.540N 085-32-18.460W	FI Y 2.5s			NY on pile. Marks perimeter cornerpoint of aquaculture farm.	
30930	Cooks Bayou Daybeacon 2	30-07-59.960N 085-30-39.240W				TR on pile.	
30935	Cooks Bayou Daybeacon 3	30-08-01.660N 085-30-33.660W				SG on pile.	
30940	Cooks Bayou Daybeacon 4	30-08-01.460N 085-30-29.140W				TR on pile.	
30945	Cooks Bayou Daybeacon 5	30-08-00.630N 085-30-25.000W				SG on pile.	
30950	East Bay Light 43	30-06-12.749N 085-33-23.751W	FI G 4s	0	4	SG-SY on pile.	
30955	Callaway Bayou Daybeacon 2	30-06-50.909N 085-33-45.792W		0		TR on pile.	
30960	Callaway Bayou Daybeacon 4	30-07-27.057N 085-33-48.121W		0		TR on pile.	
30963	Callaway Bayou Daybeacon 1	30-08-28.200N 085-34-08.260W				SG on pile.	
30963.01	Callaway Bayou Daybeacon 3	30-08-32.630N 085-34-01.910W				SG on pile.	
30963.02	Callaway Bayou Daybeacon 5	30-08-35.570N 085-34-00.590W				SG on pile.	
30963.03	Callaway Bayou Daybeacon 2A	30-08-27.760N 085-34-08.000W				TR on pile.	
30963.04	Callaway Bayou Daybeacon 4A	30-08-29.820N 085-34-03.390W				TR on pile.	
30963.05	Callaway Bayou Daybeacon 6	30-08-34.880N 085-34-00.150W				TR on pile.	
30963.06	Callaway Bayou Daybeacon 8	30-08-34.650N 085-33-57.980W				TR on pile.	
30963.07	Callaway Bayou Daybeacon 10	30-08-33.080N 085-33-55.710W				TR on pile.	
30965	East Bay Light 45	30-06-10.750N 085-35-10.754W	Q G	0	3	SG-SY on pile.	Ra ref.
30970	Shoal Point Bayou Channel Light 1	30-05-57.650N 085-35-20.904W	FI G 2.5s	0	3	SG on pile.	Ra ref.
30975	Shoal Point Bayou Channel Buoy 2	30-05-53.375N 085-35-20.568W				Red nun.	Ra ref.
30980	Shoal Point Bayou Channel Buoy 3	30-05-47.221N 085-35-16.060W				Green can.	Ra ref.

30990	Shoal Point Bayou Channel Daybeacon 7	30-05-25.411N 085-35-14.422W		0			SG on pile.		Ra ref.
30995	Shoal Point Bayou Channel Daybeacon 9	30-05-16.108N 085-35-15.149W		0			SG on pile.		Ra ref.
31000	Long Point Buoy 1	30-05-59.750N 085-36-16.756W					Green can with yellow square.		
31005	Long Point Light 2	30-06-08.388N 085-36-10.248W	Q R	0	3		TR-TY on pile.		
31010	Long Point Buoy 3	30-06-08.657N 085-36-21.687W					Green can with yellow square.		
31015	Long Point Buoy 4	30-06-11.656N 085-36-18.552W					Red nun with yellow triangle.		
31020	Long Point Buoy 5	30-06-18.137N 085-36-36.377W					Green can with yellow square.		
31025	Long Point Buoy 6	30-06-20.328N 085-36-33.351W					Red nun with yellow triangle.		
31030	Long Point Buoy 7	30-06-24.263N 085-36-48.644W					Green can with yellow square.		
31035	Long Point Buoy 8	30-06-29.750N 085-36-36.757W					Red nun with yellow triangle.		
31040	Pearl Bayou Light 2	30-06-16.462N 085-36-46.746W	FI R 4s	0	3		TR on dolphin.		
31045	Pearl Bayou Light 3	30-06-03.356N 085-36-54.768W	FI G 4s	0	4		SG on pile.		Ra ref.
31050	St Andrew Bay Light 29	30-07-22.556N 085-36-41.781W	FI G 2.5s	0	3		SG-TY on pile.		Ra ref.
31055	Gulf Power Electrical Tower Danger Light	30-07-49.570N 085-36-56.350W	FI W 2.5s				NW on power line structure worded: DANGER OVERHEAD POWER LINE.		
31060	Gulf Power Electrical Tower Danger Lights(2)	30-07-44.890N 085-36-59.460W	FI W 2.5s				NW on power line structure worded: DANGER OVERHEAD POWER LINE.		
31065	Gulf Power Electrical Tower Danger Lights (2)	30-07-38.920N 085-37-07.290W	FI W 2.5s				NW on power line structure worded: DANGER OVERHEAD POWER LINE.		
31070	Gulf Power Electrical Tower Danger Light	30-07-33.790N 085-37-14.010W	FI W 2.5s				NW on power line structure worded: DANGER OVERHEAD POWER LINE.		
31075	St Andrew Bay Light 28	30-07-39.550N 085-37-16.457W	Q R	0	3		TR-SY on pile.		Ra ref.
31080	St Andrew Bay Lighted Buoy 25	30-07-53.370N 085-37-51.491W	FI G 2.5s		3		Green with yellow triangle.		
31082	St Andrew Bay V-AIS 26	30-07-47.615N 085-37-50.942W							AIS: MMSI 993682546
31085	St Andrew Bay Coast Guard Mooring Buoy	30-07-27.569N 085-38-12.067W							For use by USCG only.
31090	ST ANDREW BAY LIGHTED BUOY 24	30-07-36.828N 085-38-21.272W	FI R 4s		3		Red with yellow square.		
31092	St Andrew Bay Lighted Buoy 22	30-07-55.047N 085-39-13.780W	Q R		3		Red with yellow square.		
31095	St Andrew Bay Lighted Buoy 21	30-08-01.411N 085-39-06.251W	Q G		4		Green with yellow triangle.		
31100	St Andrew Bay Lighted Buoy 20	30-08-20.994N 085-39-28.308W	FI R 2.5s		3		Red with yellow square.		
31105	St Andrew Bay Lighted Buoy 19	30-08-33.947N 085-39-33.008W	FI G 2.5s		3		Green can with yellow triangle.		
31110	St Andrew Bay Lighted Buoy 18	30-08-35.470N 085-40-01.727W	Q R		3		Red with yellow square.		
31115	St Andrew Bay Lighted Buoy 17	30-08-39.073N 085-39-59.131W	Q G		3		Green with yellow triangle.		
31120	St Andrew Bay Junction Lighted Buoy	30-08-56.595N 085-40-48.874W	FI (2+1)G 6s		4		Green can with red band and yellow triangle.		
31125	St Andrew Bay West Lighted Buoy 3	30-09-03.524N 085-41-16.535W	Q G		3		Green with yellow square.		
31130	St Andrew Bay West Lighted Buoy 5	30-09-16.322N 085-41-52.366W	FI G 4s		4		Green with yellow square.		
31135	St Andrew Bay West Lighted Buoy 6	30-09-29.565N 085-42-20.605W	FI R 2.5s		3		Red with yellow triangle.		
31140	St Andrew Bay West Lighted Buoy 8	30-09-40.453N 085-42-36.321W	FI R 4s		3		Red with yellow triangle.		
31145	St Andrew Bay West Lighted Buoy 9	30-09-50.205N 085-42-49.604W	FI G 2.5s		4		Green with yellow square.		
31150	St Andrew Bay West Lighted Buoy 10	30-10-09.896N 085-43-00.732W	FI R 4s		3		Red with yellow triangle.		

31155	St Andrew Bay West Lighted Buoy 11	30-09-57.748N 085-43-14.770W	FI G 4s		4	Green with yellow square.	
31158	St Andrew Bay West V-AIS 12	30-10-27.545N 085-43-36.967W					AIS: MMSI 993682548
31160	St Andrew Bay West Lighted Buoy 13	30-10-19.804N 085-43-29.134W	FI G 2.5s		4	Green with yellow triangle.	
31165	St Andrew Bay West Light 14	30-10-34.924N 085-44-10.516W	FI R 4s	0	3	TR-TY on pile.	Ra ref.
31170	Sulphur Point Buoy 1	30-10-55.918N 085-44-35.167W				Green can with yellow square.	
31175	Sulphur Point Buoy 2	30-10-56.045N 085-44-27.056W				Red nun with yellow triangle.	
31180	Sulphur Point Buoy 3	30-11-05.555N 085-44-34.590W				Green can with yellow square.	
31185	Sulphur Point Buoy 4	30-11-03.509N 085-44-27.107W				Red nun with yellow triangle.	
31190	Sulphur Point Buoy 5	30-11-27.532N 085-44-32.763W				Green can with yellow square.	
31195	Sulphur Point Buoy 6	30-11-26.769N 085-44-26.257W				Red nun with yellow triangle.	
31200	Sulphur Point Buoy 7	30-11-36.151N 085-44-33.387W				Green can with yellow square.	
31205	Sulphur Point Buoy 8	30-11-35.636N 085-44-23.894W				Red nun with yellow triangle.	
31210	Shell Point Light 5	30-12-43.017N 085-44-00.476W	FI G 2.5s	0	3	SG-SY on pile.	Ra ref.
31215	Shell Point Light 7	30-13-37.344N 085-44-10.622W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
31220	Long Point Light 9	30-14-20.673N 085-44-59.724W	FI G 6s	0	4	SG-SY on pile.	Ra ref.
31225	West Bay Light 1	30-15-32.590N 085-46-28.976W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
31230	West Bay Daybeacon 3	30-15-36.842N 085-47-00.078W			0	SG-SY on pile.	Ra ref.
31235	West Bay Daybeacon 5	30-15-43.560N 085-47-40.146W				SG-SY on pile.	Ra ref.
31240	West Bay Light 7	30-15-47.456N 085-47-59.787W	FI G 2.5s	0	3	SG-SY on dolphin.	
31245	West Bay Buoy 8	30-15-50.550N 085-47-59.354W				Red nun with yellow triangle.	
31250	West Bay Buoy 9	30-15-50.516N 085-48-19.030W				Green can with yellow square.	
31255	West Bay Buoy 10	30-15-54.464N 085-48-20.889W				Red nun with yellow triangle.	
31260	West Bay Buoy 11	30-15-53.153N 085-48-32.469W				Green can with yellow square.	
31265	West Bay Buoy 12	30-15-56.730N 085-48-33.243W				Red nun with yellow triangle.	
31270	West Bay Buoy 13	30-15-57.133N 085-48-51.354W				Green can with yellow square.	
31275	West Bay Buoy 14	30-15-59.776N 085-48-49.649W				Red nun with yellow triangle.	
31280	West Bay Light 15	30-15-59.846N 085-49-05.750W	Q G	0	3	SG-SY on dolphin.	
31285	West Bay Buoy 16	30-16-03.424N 085-49-04.193W				Red nun with yellow triangle.	
31290	West Bay Buoy 17	30-16-07.849N 085-49-23.865W				Green can with yellow square.	
31295	West Bay Buoy 18	30-16-10.334N 085-49-20.444W				Red nun with yellow triangle.	
31300	West Bay Buoy 19	30-16-13.876N 085-49-36.444W				Green can with yellow square.	
31305	West Bay Buoy 20	30-16-16.984N 085-49-35.476W				Red nun with yellow triangle.	
31310	West Bay Buoy 21	30-16-20.501N 085-49-49.919W				Green can with yellow square.	
31315	West Bay Buoy 22	30-16-22.128N 085-49-48.932W				Red nun with yellow triangle.	
31320	West Bay Buoy 23	30-16-26.854N 085-50-04.114W				Green can with yellow square.	

31325	West Bay Buoy 24	30-16-28.528N 085-50-03.132W				Red nun with yellow triangle.	
31327	West Bay Oyster Company Special Lights (4)	30-15-31.254N 085-50-30.470W	FI Y 2.5s			Marks the perimeter corners of aquaculture farm.	
31330	West Bay Buoy 25	30-16-33.795N 085-50-18.432W				Green can with yellow square.	
31335	West Bay Light 26	30-16-35.436N 085-50-16.760W	Q R	0	3	TR-TY on pile.	Ra ref.
31340	West Bay Buoy 27	30-16-44.196N 085-50-28.931W				Green can with yellow square.	
31345	West Bay Buoy 28	30-16-45.391N 085-50-27.408W				Red nun with yellow triangle.	
31350	West Bay Buoy 29	30-16-54.506N 085-50-39.451W				Green can with yellow square.	
31355	West Bay Buoy 30	30-16-56.076N 085-50-38.828W				Red nun with yellow triangle.	
31360	West Bay Buoy 31	30-17-04.922N 085-50-50.187W				Green can with yellow square.	
31365	West Bay Buoy 32	30-17-06.738N 085-50-49.698W				Red nun with yellow triangle.	
31370	West Bay Buoy 33	30-17-15.332N 085-51-00.736W				Green can with yellow square.	
31375	West Bay Buoy 34	30-17-16.551N 085-50-59.175W				Red nun with yellow triangle.	
31380	West Bay Buoy 35	30-17-25.791N 085-51-11.395W				Green can with yellow square.	
31385	West Bay Buoy 36	30-17-26.946N 085-51-09.791W				Red nun with yellow triangle.	
31390	West Bay Buoy 37	30-17-32.314N 085-51-17.926W				Green can with yellow square.	
31395	West Bay Buoy 38	30-17-33.429N 085-51-16.597W				Red nun with yellow triangle.	
31402	West Bay Creek Wreck Buoy 1	30-18-40.659N 085-59-22.685W				Green can.	
31405	Choctawhatchee Bay Light 1	30-22-48.274N 086-07-01.933W	FI G 2.5s	0	3	SG-SY on pile.	Ra ref.
31410	Choctawhatchee Bay Buoy 2	30-22-53.983N 086-07-11.396W				Red nun with yellow triangle.	
31415	Choctawhatchee Bay Buoy 3	30-22-56.192N 086-07-22.364W				Green can with yellow square.	
31420	Choctawhatchee Bay Buoy 4	30-23-03.581N 086-07-36.930W				Red nun with yellow triangle.	
31425	Choctawhatchee Bay Buoy 5	30-23-01.379N 086-07-37.611W				Green can with yellow square.	
31430	Choctawhatchee Bay Buoy 7	30-23-05.494N 086-07-49.407W				Green can with yellow square.	
31435	Choctawhatchee Bay Buoy 8	30-23-11.700N 086-07-59.704W				Red nun with yellow triangle.	
31440	Choctawhatchee Bay Light 9	30-23-09.594N 086-08-01.165W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
31445	Choctawhatchee Bay Buoy 11	30-23-14.326N 086-08-13.231W				Green can with yellow square.	
31450	Choctawhatchee Bay Buoy 12	30-23-22.002N 086-08-26.361W				Red nun with yellow triangle.	
31455	Choctawhatchee Bay Buoy 13	30-23-19.616N 086-08-27.803W				Green can with yellow square.	
31460	Choctawhatchee Bay Buoy 15	30-23-23.922N 086-08-40.648W				Green can with yellow square.	
31465	Choctawhatchee Bay Buoy 16	30-23-32.153N 086-08-51.552W				Red nun with yellow triangle.	
31470	Choctawhatchee Bay Light 17	30-23-29.442N 086-08-54.869W	FI G 4s	0	4	SG-SY on pile.	
31475	Choctawhatchee Bay Buoy 18	30-23-39.513N 086-09-09.538W				Red nun with yellow triangle.	
31480	Choctawhatchee Bay Buoy 19	30-23-36.472N 086-09-12.061W				Green can with yellow square.	
31485	Choctawhatchee Bay Buoy 20	30-23-44.927N 086-09-22.603W				Red nun with yellow triangle.	
31490	Choctawhatchee Bay Buoy 21	30-23-42.156N 086-09-26.589W				Green can with yellow square.	

31495	Choctawhatchee Bay Buoy 22	30-23-51.990N 086-09-40.123W				Red nun with yellow triangle.
31500	Choctawhatchee Bay Light 23	30-23-49.362N 086-09-43.409W	Fl G 2.5s	0	3	SG-SY on pile.
31505	Choctawhatchee Bay Buoy 25	30-23-53.536N 086-09-53.013W				Green can with yellow square.
31507	FDOT Choctawhatchee Bay Temporary Pier Obstruction Light	30-23-59.750N 086-10-07.160W	Q W			Marks west pier structure.
31507.01	FDOT Choctawhatchee Bay Temporary Pier Obstruction Light	30-24-01.590N 086-10-06.310W	Q W			Marks east pier structure.
31510	Choctawhatchee Bay Buoy 26	30-24-07.989N 086-10-21.279W				Red nun with yellow triangle.
31515	Choctawhatchee Bay Daybeacon 27	30-24-09.070N 086-10-36.315W		0		SG-SY on pile.
31520	Choctawhatchee Bay Light 28	30-24-13.606N 086-10-33.675W	Q R		3	TR-TY on pile. Ra ref.
31525	Choctawhatchee Bay Daybeacon 29	30-24-21.859N 086-10-58.336W		0		SG-SY on pile. Ra ref.
31530	Choctawhatchee Bay Daybeacon 30	30-24-24.586N 086-10-54.989W		0		TR-TY on pile. Ra ref.
31535	Choctawhatchee Bay Daybeacon 33	30-24-33.428N 086-11-18.080W		0		SG-SY on pile.
31540	Choctawhatchee Bay Light 34	30-24-34.815N 086-11-12.654W	Fl R 2.5s		3	TR-TY on pile.
31545	Choctawhatchee Bay Daybeacon 35	30-24-43.759N 086-11-35.144W		0		SG-SY on pile. Ra ref.
31550	Choctawhatchee Bay Daybeacon 36	30-24-46.270N 086-11-32.115W		0		TR-TY on pile. Ra ref.
31555	Choctawhatchee Bay Daybeacon 39	30-24-53.532N 086-11-51.804W				SG-SY on pile.
31560	Choctawhatchee Bay Light 40	30-24-57.118N 086-11-49.527W	Fl R 4s	12	3	TR-TY on pile.
31565	Choctawhatchee Bay Daybeacon 45	30-25-16.213N 086-12-30.293W		0		SG-SY on pile.
31570	Choctawhatchee Bay Light 46	30-25-20.515N 086-12-28.006W	Fl R 6s	0	4	TR-TY on pile. Ra ref.
31572	Walton County Grady Brown Park Daybeacon 1	30-25-56.680N 086-09-21.780W				Marks starboard side of channel.
31572.01	Walton County Grady Brown Park Daybeacon 2	30-25-55.530N 086-09-21.240W				Marks port side of channel.
31572.02	Walton County Grady Brown Park Daybeacon 3	30-25-59.290N 086-09-19.910W				Marks starboard side of channel.
31572.03	Walton County Grady Brown Park Daybeacon 4	30-25-57.950N 086-09-19.550W				Marks port side of channel.
31575	La Grange Bayou Light 1	30-25-53.626N 086-12-32.176W	Q G		3	SG on pile. Ra ref.
31580	La Grange Bayou Daybeacon 3	30-26-17.563N 086-11-47.137W				SG on pile.
31585	La Grange Bayou Light 5	30-26-41.132N 086-11-02.035W	Fl G 4s		4	SG on pile. Ra ref.
31590	La Grange Bayou Daybeacon 7	30-26-51.387N 086-10-42.282W				SG on pile.
31595	La Grange Bayou Daybeacon 9	30-27-01.267N 086-10-23.581W				SG on pile. Ra ref.
31600	La Grange Bayou Light 11	30-27-16.134N 086-09-56.121W	Fl G 4s	0	4	SG on pile.
31605	La Grange Bayou Daybeacon 11A	30-27-19.297N 086-09-42.289W				SG on pile.
31610	La Grange Bayou Daybeacon 13	30-27-21.241N 086-09-28.459W				SG on pile.
31615	La Grange Bayou Light 14	30-27-18.512N 086-09-29.720W	Fl R 4s	0	3	TR on pile. Ra ref.
31620	La Grange Bayou Daybeacon 15	30-27-22.951N 086-09-25.603W		0		SG on pile. Ra ref.
31625	La Grange Bayou Daybeacon 16	30-27-32.373N 086-09-17.392W		1		TR on pile. Ra ref.
31630	La Grange Bayou Daybeacon 18	30-27-45.999N 086-09-09.400W		0		TR on pile. Ra ref.
31635	La Grange Bayou Light 19	30-27-49.101N 086-09-09.951W	Fl G 4s		4	SG on dolphin.

31640	La Grange Bayou Daybeacon 20	30-27-59.595N 086-08-46.360W			TR on pile.	
31645	La Grange Bayou Light 22	30-28-11.689N 086-08-26.396W	Fl R 4s	3	TR on dolphin.	
31650	La Grange Bayou Daybeacon 23	30-28-16.701N 086-08-24.743W			SG on pile.	
31655	La Grange Bayou Light 24	30-28-23.593N 086-08-15.649W	Fl R 4s	3	TR on pile.	Ra ref.
31660	La Grange Bayou Daybeacon 25	30-28-25.786N 086-08-18.389W			SG on pile.	
31665	La Grange Bayou Daybeacon 27	30-28-32.563N 086-08-19.680W			SG on pile.	Ra ref.
31670	American Commercial Lines Mooring Buoys (2)	30-26-40.000N 086-12-40.000W			White with blue band.	
31675	Choctawhatchee Bay Light 47	30-26-13.221N 086-14-31.539W	Fl G 4s	4	SG-SY on dolphin.	Ra ref.
31680	Hammock Point Wreck Light	30-27-39.109N 086-18-13.862W	Fl W 2.5s	5	NW on pile.	
31685	Hogtown Bayou Daybeacon 1	30-23-58.970N 086-14-11.730W			SG on pile.	
31690	Hogtown Bayou Daybeacon 2	30-23-56.870N 086-14-09.750W			TR on pile.	
31695	Hogtown Bayou Daybeacon 3	30-23-59.190N 086-13-59.610W			SG on pile.	
31700	Hogtown Bayou Daybeacon 4	30-23-57.790N 086-13-59.560W			TR on pile.	
31705	Hogtown Bayou Daybeacon 5	30-23-58.020N 086-13-50.630W			SG on pile.	
31710	Hogtown Bayou Daybeacon 6	30-23-56.600N 086-13-50.120W			TR on pile.	
31715	Choctawhatchee Bay Light 49	30-25-46.567N 086-18-46.650W	Fl G 4s	5	SG-SY on pile.	
31720	Sandestin Beach Channel Light 1	30-23-45.000N 086-20-09.000W	Fl G 4s		SG on pile.	
31725	Sandestin Beach Channel Light 2	30-23-43.000N 086-20-11.000W	Fl R 4s		TR on pile.	
31730	Sandestin Beach Channel Light 3	30-23-45.500N 086-20-09.700W	Fl G 4s		SG on pile.	
31735	Sandestin Beach Channel Light 4	30-23-41.000N 086-20-07.000W	Fl R 4s		TR on pile.	
31740	Sandestin Beach Channel Daybeacon 5	30-23-43.600N 086-20-07.400W			SG on pile.	
31745	Sandestin Beach Channel Daybeacon 6	30-23-42.800N 086-20-07.900W			TR on pile.	
31750	Sandestin Beach Channel Daybeacon 7	30-23-41.700N 086-20-03.000W			SG on pile.	
31755	Sandestin Beach Channel Daybeacon 8	30-23-40.900N 086-20-05.400W			TR on pile.	
31760	Sandestin Beach Channel Daybeacon 9	30-23-39.200N 086-20-02.100W			SG on pile.	
31765	Sandestin Beach Channel Daybeacon 10	30-23-38.600N 086-20-02.500W			TR on pile.	
31770	Sandestin Beach Channel Light 11	30-23-37.300N 086-19-59.700W	Fl G 4s		SG on pile.	
31775	Sandestin Beach Channel Light 12	30-23-36.700N 086-20-00.100W	Fl R 4s		TR on pile.	
31780	Sandestin Beach Channel Daybeacon 13	30-23-35.200N 086-19-57.000W			SG on pile.	
31785	Sandestin Beach Channel Daybeacon 14	30-23-35.000N 086-19-58.000W			TR on pile.	
31790	Sandestin Beach Channel Daybeacon 15	30-23-33.200N 086-19-54.500W			SG on pile.	
31795	Sandestin Beach Channel Daybeacon 16	30-23-32.500N 086-19-54.900W			TR on pile.	
31800	Sandestin Beach Channel Daybeacon 17	30-23-31.200N 086-19-52.100W			SG on pile.	
31805	Sandestin Beach Channel Daybeacon 18	30-23-30.600N 089-19-52.500W			TR on pile.	
31810	Sandestin Beach Channel Daybeacon 19	30-23-29.100N 086-19-49.400W			SG on pile.	

31815	Sandestin Beach Channel Daybeacon 20	30-23-28.500N 086-19-49.900W			TR on pile.
31820	Sandestin Beach Channel Light 21	30-23-27.200N 086-19-46.900W	Fl G 4s		SG on pile.
31825	Sandestin Beach Channel Light 22	30-23-26.500N 086-19-47.300W	Fl R 4s		TR on pile.
31830	Sandestin Beach Channel Daybeacon 23	30-23-11.000N 086-19-42.700W			SG on pile.
31835	Sandestin Beach Channel Light 24	30-23-18.600N 086-19-46.700W	Fl R 4s		TR on pile.
31840	Sandestin Beach Channel Daybeacon 25	30-23-07.800N 086-19-41.600W			SG on pile.
31845	Sandestin Beach Channel Daybeacon 26	30-23-13.500N 086-19-46.100W			TR on pile.
31850	Sandestin Beach Channel Daybeacon 28	30-23-10.500N 086-19-47.800W			TR on pile.
31855	Sandestin Beach Channel Daybeacon 30	30-23-14.400N 086-19-38.700W			TR on pile.
31860	Choctawhatchee Bay Lighted Buoy 51	30-25-46.828N 086-24-32.103W	Fl G 2.5s	3	Green with yellow square.
31865	Choctawhatchee Bay Buoy 52	30-25-59.986N 086-24-31.293W			Red nun with yellow triangle.
31870	Choctawhatchee Bay Buoy 53	30-25-53.423N 086-24-50.103W			Green can with yellow square.
31875	Choctawhatchee Bay Buoy 54	30-26-00.379N 086-24-49.845W			Red nun with yellow triangle.
31880	Choctawhatchee Bay Buoy 55	30-25-58.294N 086-25-17.756W			Green can with yellow square.
31885	Choctawhatchee Bay Buoy 56	30-26-07.034N 086-25-15.201W			Red nun with yellow triangle.
31890	Choctawhatchee Bay Buoy 57	30-25-59.990N 086-25-29.101W			Green can with yellow square.
31895	Choctawhatchee Bay Lighted Buoy 58	30-26-08.909N 086-25-29.775W	Fl R 2.5s	3	Red with yellow triangle.
31900	Mid-Bay Marina Channel Daybeacon 1	30-24-27.370N 086-25-25.450W			SG on pile.
31905	Mid-Bay Marina Channel Daybeacon 3	30-24-26.410N 086-25-25.720W			SG on pile.
31910	Mid-Bay Marina Channel Daybeacon 5	30-24-24.480N 086-25-26.300W			SG on pile.
31915	Mid-Bay Marina Channel Daybeacon 7	30-24-22.560N 086-25-26.890W			SG on pile.
31920	Mid-Bay Marina Channel Daybeacon 9	30-24-20.640N 086-25-27.520W			SG on pile.
31925	Mid-Bay Marina Channel Daybeacon 11	30-24-18.740N 086-25-28.170W			SG on pile.
31930	Mid-Bay Marina Channel Daybeacon 13	30-24-16.840N 086-25-28.860W			SG on pile.
31935	Mid-Bay Marina Channel Daybeacon 15	30-24-14.940N 086-25-29.560W			SG on pile.
31940	Mid-Bay Marina Channel Daybeacon 17	30-24-13.060N 086-25-30.290W			SG on pile.
31945	Indian Bayou Daybeacon 1	30-24-46.260N 086-26-55.280W			SG on pile.
31950	Indian Bayou Daybeacon 2	30-24-46.320N 086-26-56.820W			TR on pile.
31955	Indian Bayou Daybeacon 3	30-24-43.500N 086-26-55.200W			SG on pile.
31960	Indian Bayou Daybeacon 4	30-24-43.380N 086-26-56.160W			TR on pile.
31965	Indian Bayou Daybeacon 5	30-24-41.820N 086-26-54.960W			SG on pile.
31970	Indian Bayou Daybeacon 6	30-24-41.700N 086-26-55.740W			TR on pile.
31975	Indian Bayou Daybeacon 7	30-24-39.540N 086-26-54.540W			SG on pile.
31980	Indian Bayou Daybeacon 8	30-24-39.360N 086-26-55.200W			TR on pile.
31985	Indian Bayou Daybeacon 9	30-24-35.640N 086-26-53.820W			SG on pile.

31990	Indian Bayou Daybeacon 10	30-24-35.520N 086-26-54.540W				TR on pile.	
31995	Indian Bayou Daybeacon 11	30-24-30.900N 086-26-52.680W				TR on pile.	
32000	Indian Bayou Daybeacon 12	30-24-30.660N 086-26-53.460W				SG on pile.	
32005	Indian Bayou Daybeacon 13	30-24-24.180N 086-26-55.080W				TR on pile.	
32010	Indian Bayou Daybeacon 14	30-24-24.840N 086-26-55.680W				SG on pile.	
32015	Indian Bayou Daybeacon 15	30-24-18.480N 086-27-01.620W				TR on pile.	
32020	Indian Bayou Daybeacon 16	30-24-18.720N 086-27-03.360W				TR on pile.	
32025	Rocky Bayou Entrance Light 1	30-29-02.119N 086-27-10.975W	FI G 4s	0	4	SG on pile.	
32030	Ward Cove Channel Daybeacon 1	30-29-56.000N 086-26-52.000W				SG on pile.	
32035	Ward Cove Light 2	30-29-54.000N 086-26-54.000W	FI R 4s			TR on pile.	
32040	Ward Cove Light 3	30-29-53.000N 086-26-49.000W	FI G 4s			SG on pile.	
32045	Ward Cove Channel Daybeacon 4	30-29-52.000N 086-26-46.000W				TR on pile.	
32050	Boggy Bayou Light 1	30-27-36.255N 086-28-24.068W	FI G 6s	0	4	SG on dolphin.	
32055	Boggy Bayou Light 3	30-28-44.987N 086-28-28.505W	FI G 2.5s	0	3	SG on pile.	Ra ref.
32060	Boggy Bayou Daybeacon 4	30-28-49.853N 086-28-23.107W				TR-TY on pile.	Ra ref.
32065	Boggy Bayou Daybeacon 5	30-28-52.061N 086-28-31.265W				SG-SY on pile.	Ra ref.
32070	Boggy Bayou Daybeacon 6	30-29-32.479N 086-28-43.287W				TR on pile.	Ra ref.
32075	Boggy Bayou Daybeacon 7	30-29-32.647N 086-28-53.672W		0		SG on pile.	Ra ref.
32080	Boggy Bayou Daybeacon 8	30-30-04.198N 086-28-57.676W				TR on pile.	
32085	Boggy Bayou Light 9	30-30-16.891N 086-29-03.530W	FI G 4s	0	4	SG on pile.	
32090	Weekley Bayou Daybeacon 1	30-29-03.329N 086-28-55.311W				SG on pile.	Ra ref.
32095	Weekley Bayou Daybeacon 2	30-29-01.826N 086-28-59.574W		0		TR on pile.	Ra ref.
32100	Choctawhatchee Bay Light 59	30-25-35.813N 086-29-21.065W	Q G	0	3	SG-SY on pile.	Ra ref.
32105	Joes Bayou Entrance Channel Light 2	30-25-06.415N 086-29-34.975W	Q R		3	TR on pile.	Ra ref.
32110	Joes Bayou Entrance Channel Daybeacon 4	30-24-58.983N 086-29-31.987W		0		TR on pile.	
32115	Choctawhatchee Bay Light 61	30-24-29.721N 086-32-14.353W	FI G 6s	0	4	SG-SY on pile.	Ra ref.
32120	Black Point Light 2	30-25-32.328N 086-33-20.003W	FI R 2.5s		3	TR on pile.	
32125	Garnier Bayou Entrance Daybeacon 4	30-25-51.992N 086-34-33.945W				TR on pile.	
32130	Smack Shoal Light 3	30-25-33.700N 086-34-38.361W	FI G 2.5s		3	SG on pile.	Ra ref.
32135	Smack Shoal Light 5	30-25-40.164N 086-35-12.109W	FI G 4s	0	4	SG on pile.	
32140	Santa Rosa Sound Entrance Light 1	30-24-01.583N 086-33-37.812W	FI G 2.5s		4	SG-SY on dolphin.	Visible all around higher intensity on bearing 245°. Ra ref.
32145	Santa Rosa Sound Entrance Buoy 2	30-24-08.711N 086-33-40.960W				Red nun with yellow triangle.	
32150	Santa Rosa Sound Entrance Buoy 3	30-24-04.027N 086-33-51.704W				Green can with yellow square.	
32155	Santa Rosa Sound Entrance Buoy 4	30-24-07.546N 086-33-51.998W				Red nun with yellow triangle.	
32160	Santa Rosa Sound Entrance Buoy 5	30-24-04.630N 086-34-04.052W				Green can with yellow square.	

32165	Santa Rosa Sound Entrance Buoy 6	30-24-07.231N 086-34-05.049W					Red nun with yellow triangle.
32170	Santa Rosa Sound Entrance Buoy 7	30-24-04.556N 086-34-16.503W					Green can with yellow square.
32175	Santa Rosa Sound Entrance Buoy 8	30-24-06.946N 086-34-18.159W					Red nun with yellow triangle.
32180	Santa Rosa Sound Entrance Buoy 9	30-24-04.937N 086-34-31.007W					Green can with yellow square.
32185	Santa Rosa Sound Entrance Buoy 10	30-24-06.861N 086-34-31.137W					Red nun with yellow triangle.
32190	Santa Rosa Sound Entrance Buoy 11	30-24-04.295N 086-34-41.229W					Green can with yellow square.
32195	Santa Rosa Sound Entrance Buoy 12	30-24-06.169N 086-34-41.320W					Red nun with yellow triangle.
32200	Santa Rosa Sound Entrance Buoy 13	30-24-03.227N 086-34-52.622W					Green can with yellow square.
32205	Santa Rosa Sound Entrance Buoy 14	30-24-06.128N 086-34-52.309W					Red nun with yellow triangle.
32210	Santa Rosa Sound Entrance Buoy 15	30-24-02.941N 086-35-05.052W					Green can with yellow square.
32215	Santa Rosa Sound Entrance Buoy 16	30-24-06.196N 086-35-06.104W					Red nun with yellow triangle.
32220	Santa Rosa Sound Daybeacon 4	30-24-07.680N 086-35-39.577W		0			TR-TY on pile. Ra ref.
32225	Santa Rosa Sound Daybeacon 4A	30-24-06.448N 086-35-52.368W		0			TR-TY on pile. Ra ref.
32230	Santa Rosa Sound Daybeacon 6	30-24-03.240N 086-36-21.854W					TR-TY on pile. Ra ref.
32235	Santa Rosa Sound Buoy 7	30-24-00.417N 086-36-20.582W					Green can with yellow square.
32240	Santa Rosa Sound Daybeacon 8	30-24-02.613N 086-36-26.323W		0			TR-TY on pile. Ra ref.
32245	Santa Rosa Sound Light 10	30-24-01.381N 086-36-42.255W	Q R	0	3		TR-TY on pile.
32250	Santa Rosa Sound Daybeacon 14	30-24-01.839N 086-36-54.588W		0			TR-TY on pile.
32255	Santa Rosa Sound Daybeacon 16	30-24-01.909N 086-37-03.584W		0			TR-TY on pile. Ra ref.
32260	Fort Walton Lodge & Yacht Basin Daybeacon 1	30-24-03.750N 086-37-15.000W					SG on pile.
32265	Fort Walton Lodge & Yacht Basin Daybeacon 2	30-24-03.750N 086-37-13.120W					TR on pile.
32270	Santa Rosa Sound Daybeacon 20	30-24-04.098N 086-37-23.380W		0			TR-TY on pile. Ra ref.
32275	Santa Rosa Sound Light 21	30-24-04.539N 086-37-42.746W	FI G 2.5s	0	3		SG-SY on pile. Ra ref.
32280	Santa Rosa Sound Buoy 22	30-24-07.240N 086-37-48.556W					Red nun with yellow triangle.
32285	Santa Rosa Sound Buoy 23	30-24-05.760N 086-38-11.499W					Green can with yellow square.
32290	Santa Rosa Sound Daybeacon 24	30-24-08.140N 086-38-19.457W		0			TR-TY on pile. Ra ref.
32295	Santa Rosa Sound Daybeacon 26	30-24-07.240N 086-38-33.557W		0			TR-TY on pile. Ra ref.
32300	Santa Rosa Sound Daybeacon 28	30-24-05.940N 086-38-47.458W		0			TR-TY on pile. Ra ref.
32305	Santa Rosa Sound Buoy 29	30-24-02.086N 086-38-55.999W					Green can with yellow square.
32310	Santa Rosa Sound Light 30	30-24-04.885N 086-38-55.718W	Q R	0	3		TR-TY on pile.
32315	Santa Rosa Sound Buoy 31	30-24-06.313N 086-39-13.630W					Green can with yellow square.
32320	Santa Rosa Sound Light 32	30-24-09.295N 086-39-11.406W	Q R	0	3		TR-TY on pile.
32325	Santa Rosa Sound Buoy 32A	30-24-10.103N 086-39-12.812W					Red nun with yellow triangle.
32330	Santa Rosa Sound Buoy 34	30-24-14.465N 086-39-16.552W					Red nun with yellow triangle.
32335	Santa Rosa Sound Buoy 35	30-24-18.239N 086-39-26.059W					Green can with yellow square.

32340	Santa Rosa Sound Light 37	30-24-22.574N 086-39-33.370W	Q G	3	SG-SY on pile.	Ra ref.
32345	Santa Rosa Sound Daybeacon 39	30-24-23.224N 086-39-45.797W			SG-SY on pile.	Ra ref.
32350	Santa Rosa Sound Daybeacon 40	30-24-27.412N 086-40-02.608W			TR-TY on pile.	Ra ref.
32355	Santa Rosa Sound Daybeacon 41	30-24-24.039N 086-40-02.459W		0	SG-SY on pile.	Ra ref.
32360	Santa Rosa Sound Daybeacon 42	30-24-27.755N 086-40-12.681W		0	TR-TY on pile.	Ra ref.
32365	Santa Rosa Sound Light 43	30-24-25.903N 086-40-32.225W	Q G	0	3	SG-SY on pile. Ra ref.
32370	Santa Rosa Sound Daybeacon 45	30-24-25.499N 086-40-38.583W		0	SG-SY on pile.	Ra ref.
32375	Santa Rosa Sound Daybeacon 47	30-24-22.239N 086-40-55.761W			SG-SY on pile.	Ra ref.
32380	Santa Rosa Sound Daybeacon 48	30-24-26.038N 086-40-57.161W		0	TR-TY on pile.	Ra ref.
32385	Santa Rosa Sound Buoy 49	30-24-20.138N 086-41-09.761W			Green can with yellow square.	
32390	Santa Rosa Sound Shoal Buoy 48A	30-24-20.109N 086-41-24.525W			Red nun with yellow triangle.	
32395	Santa Rosa Sound Light 50	30-24-20.053N 086-41-30.152W	Q R	0	3	TR-TY on pile. Ra ref.
32400	Santa Rosa Sound Buoy 51	30-24-16.939N 086-41-28.362W			Green can with yellow square.	
32405	Santa Rosa Sound Buoy 52	30-24-20.838N 086-41-39.562W			Red nun with yellow triangle.	
32410	Santa Rosa Sound Buoy 53	30-24-18.639N 086-41-44.455W			Green can with yellow square.	
32415	Santa Rosa Sound Buoy 54	30-24-21.606N 086-41-50.413W			Red nun with yellow triangle.	
32420	Santa Rosa Sound Buoy 55	30-24-18.995N 086-42-00.716W			Green can with yellow square.	
32425	Santa Rosa Sound Lighted Buoy 56	30-24-22.221N 086-42-01.184W	FI R 2.5s	3	Red with yellow triangle.	Ra ref.
32430	Santa Rosa Sound Buoy 57	30-24-21.123N 086-42-09.375W			Green can with yellow square.	
32435	Santa Rosa Sound Buoy 58	30-24-26.638N 086-42-22.862W			Red nun with yellow triangle.	
32440	Santa Rosa Sound Light 59	30-24-22.168N 086-42-17.587W	FI G 2.5s	0	3	SG-SY on pile.
32445	Hurlburt Field Marina Buoy 1	30-24-28.800N 086-42-34.800W			Green can.	
32450	Hurlburt Field Marina Buoy 2	30-24-28.900N 086-42-33.900W			Red nun.	
32455	Santa Rosa Sound Light 60	30-24-26.430N 086-42-38.925W	FI R 2.5s	3	TR-TY on pile.	Ra ref.
32460	Santa Rosa Sound Buoy 60A	30-24-26.779N 086-42-45.113W			Red nun with yellow triangle.	
32465	Santa Rosa Sound Buoy 61	30-24-23.073N 086-42-39.424W			Green can with yellow square.	
32470	Santa Rosa Sound Buoy 62	30-24-27.796N 086-42-53.371W			Red nun with yellow triangle.	
32475	Santa Rosa Sound Buoy 63	30-24-25.738N 086-42-53.868W			Green can with yellow square.	
32480	Santa Rosa Sound Buoy 64	30-24-29.181N 086-43-03.593W			Red nun with yellow triangle.	
32485	Santa Rosa Sound Buoy 65	30-24-28.051N 086-43-13.089W			Green can with yellow square.	
32490	Santa Rosa Sound Light 66	30-24-31.586N 086-43-13.766W	Q R	0	3	TR-TY on pile. Ra ref.
32495	Santa Rosa Sound Light 67	30-24-26.585N 086-43-39.170W	Q G	0	3	SG-SY on pile.
32500	Santa Rosa Sound Buoy 68	30-24-31.025N 086-43-39.105W			Red nun with yellow triangle.	
32505	Santa Rosa Sound Buoy 69	30-24-19.938N 086-43-50.365W			Green can with yellow triangle.	
32510	Santa Rosa Sound Buoy 69A	30-24-17.637N 086-43-55.065W			Green can with yellow square.	

32515	Santa Rosa Sound Buoy 70	30-24-23.024N 086-43-52.278W				Red nun with yellow triangle.
32520	Santa Rosa Sound Buoy 70A	30-24-20.075N 086-43-56.938W				Red nun with yellow triangle.
32525	Santa Rosa Sound Light 71	30-24-12.350N 086-44-03.123W	Q G	0	3	SG-SY on pile.
32530	Santa Rosa Sound Buoy 72	30-24-16.392N 086-44-05.284W				Red nun with yellow triangle.
32535	Santa Rosa Sound Daybeacon 73	30-24-08.692N 086-44-13.350W				SG-SY on pile. Ra ref.
32540	Santa Rosa Sound Light 74	30-24-06.782N 086-44-34.795W	Q R	14	3	TR-TY on pile. Ra ref.
32545	Santa Rosa Sound Buoy 74A	30-24-04.965N 086-44-51.174W				Red nun with yellow triangle.
32550	Santa Rosa Sound Light 75	30-24-03.216N 086-45-23.868W	Q G	0	3	SG-SY on pile. Ra ref.
32555	Santa Rosa Sound Buoy 75A	30-23-59.138N 086-45-32.568W				Green can with yellow square.
32560	Santa Rosa Sound Buoy 76	30-24-03.438N 086-45-33.768W				Red nun with yellow triangle.
32565	Santa Rosa Sound Buoy 77	30-23-52.638N 086-45-43.668W				Green can with yellow square.
32570	Santa Rosa Sound Light 78	30-23-57.916N 086-45-46.310W	FI R 2.5s		3	TR-TY on pile.
32575	Santa Rosa Sound Daybeacon 79	30-23-47.086N 086-47-07.846W		0		SG-SY on pile. Ra ref.
32580	Santa Rosa Sound Light 80	30-23-49.099N 086-47-39.626W	FI R 4s	0	3	TR-TY on pile. Ra ref.
32585	Santa Rosa Sound Light 81	30-23-54.097N 086-48-48.818W	FI G 4s		4	SG-SY on pile.
32590	Santa Rosa Sound Daybeacon 81A	30-23-47.938N 086-49-31.675W		0		SG-SY on pile. Ra ref.
32595	Santa Rosa Sound Light 82	30-23-49.662N 086-49-54.525W	FI R 2.5s	0	3	TR-TY on pile. Ra ref.
32600	Santa Rosa Sound Buoy 83	30-23-46.238N 086-49-55.476W				Green can with yellow square.
32605	Santa Rosa Sound Daybeacon 84	30-23-52.038N 086-50-03.676W		0		TR-TY on pile. Ra ref.
32610	Santa Rosa Sound Daybeacon 85	30-23-49.438N 086-50-13.476W		0		SG-SY on pile. Ra ref.
32615	Santa Rosa Sound Light 87	30-23-51.937N 086-50-30.977W	FI G 2.5s	0	3	SG-SY on pile.
32620	Santa Rosa Sound Light 88	30-23-58.338N 086-51-01.578W	Q R	0	3	TR-TY on pile.
32625	Santa Rosa Sound Buoy 88A	30-23-54.838N 086-51-14.178W				Red nun with yellow triangle.
32630	Santa Rosa Sound Buoy 89	30-23-51.738N 086-51-12.878W				Green can with yellow square.
32635	Santa Rosa Sound Daybeacon 89A	30-23-48.737N 086-51-23.878W		0		SG-SY on pile. Ra ref.
32640	Santa Rosa Sound Light 90	30-23-54.003N 086-51-23.291W	FI R 2.5s	0	3	TR-TY on pile. Ra ref.
32645	Santa Rosa Sound Daybeacon 91	30-23-48.487N 086-51-40.093W		0		SG-SY on pile. Ra ref.
32650	Navarre Beach Pipeline Light	30-22-58.000N 086-51-53.000W	FI Y 2.5s			NW on pile.
32655	Navarre Pipeline Light	30-24-02.000N 086-51-59.000W	FI Y 2.5s			NW on pile.
32660	Santa Rosa Sound Daybeacon 92	30-23-50.537N 086-52-00.879W				TR-TY on pile. Ra ref.
32663	Santa Rosa County South Navarre Channel Light 1	30-23-42.150N 086-51-55.440W	FI G 2.5s			SG on pile marks south channel.
32663.01	Santa Rosa County South Navarre Channel Daybeacon 2	30-23-42.120N 086-51-57.150W				TR on pile marks south channel.
32663.02	Santa Rosa County South Navarre Channel Light 3	30-23-37.080N 086-51-55.170W	FI G 2.5s			SG on pile marks south channel.
32663.03	Santa Rosa County South Navarre Channel Light 4	30-23-35.800N 086-51-57.000W	FI R 2.5s			TR on pile marks south channel.
32663.04	Santa Rosa County South Navarre Channel Daybeacon 5	30-23-30.180N 086-51-54.810W				SG on pile marks south channel.

32663.05	Santa Rosa County South Navarre Channel Light 6	30-23-27.750N 086-51-56.810W	FI R 2.5s			TR on pile marks south channel.	
32663.06	Santa Rosa County South Navarre Channel Light 7	30-23-26.020N 086-51-54.120W	FI G 2.5s			SG on pile marks south channel.	
32663.07	Santa Rosa County South Navarre Channel Light 8	30-23-22.780N 086-51-55.400W	FI R 2.5s			TR on pile marks south channel.	
32663.08	Santa Rosa County South Navarre Channel Light 9	30-23-21.510N 086-51-52.200W	FI G 2.5s			SG on pile marks south channel.	
32663.09	Santa Rosa County South Navarre Channel Light 10	30-23-19.660N 086-51-55.000W	FI R 2.5s			TR on pile marks south channel.	
32663.11	Santa Rosa County South Navarre Channel Daybeacon 11	30-23-15.420N 086-51-52.790W				SG on pile marks south channel.	
32663.12	Santa Rosa County South Navarre Channel Daybeacon 12	30-23-15.470N 086-51-55.280W				TR on pile marks south channel.	
32663.13	Santa Rosa County South Navarre Channel Light 13	30-23-10.730N 086-51-53.250W	FI G 2.5s			SG on pile marks south channel.	
32665	Santa Rosa Sound Daybeacon 93	30-23-46.838N 086-51-59.780W		0		SG-SY on pile.	
32670	Santa Rosa Sound Buoy 95	30-23-44.591N 086-52-16.118W				Green can with yellow square.	
32675	Santa Rosa Sound Daybeacon 96	30-23-44.849N 086-52-34.034W		0		TR-TY on pile.	Ra ref.
32680	Santa Rosa Sound Buoy 97	30-23-42.271N 086-52-35.620W				Green can with yellow square.	
32685	Santa Rosa Sound Buoy 99	30-23-40.736N 086-52-48.403W				Green can with yellow square.	
32690	Santa Rosa Sound Buoy 101	30-23-39.732N 086-52-58.184W				Green can with yellow square.	
32695	Santa Rosa Sound Light 102	30-23-39.292N 086-53-20.626W	FI R 4s	0	3	TR-TY on pile.	Ra ref.
32700	Santa Rosa Sound Buoy 103	30-23-37.076N 086-53-19.101W				Green can with yellow square.	
32705	Santa Rosa Sound Daybeacon 104	30-23-37.126N 086-53-35.833W		0		TR-TY on pile.	Ra ref.
32710	Santa Rosa Sound Buoy 105	30-23-34.812N 086-53-35.876W				Green can with yellow square.	
32715	Santa Rosa Sound Daybeacon 106	30-23-35.837N 086-53-47.478W		0		TR-TY on pile.	Ra ref.
32720	Santa Rosa Sound Buoy 107	30-23-31.918N 086-54-00.479W				Green can with yellow square.	
32725	Santa Rosa Sound Light 108	30-23-34.607N 086-53-59.928W	FI R 6s	0	4	TR-TY on pile.	Ra ref.
32730	Santa Rosa Sound Daybeacon 110	30-23-33.278N 086-54-20.687W		0		TR-TY on pile.	Ra ref.
32735	Santa Rosa Sound Buoy 111	30-23-28.440N 086-54-28.489W				Green can with yellow square.	
32740	Santa Rosa Sound Buoy 113	30-23-27.058N 086-54-41.472W				Green can with yellow square.	
32745	Santa Rosa Sound Light 114	30-23-30.054N 086-54-42.371W	FI R 4s	0	3	TR-TY on pile.	
32750	Santa Rosa Sound Buoy 115	30-23-25.230N 086-54-56.655W				Green can with yellow square.	
32755	Santa Rosa Sound Buoy 117	30-23-23.589N 086-55-10.289W				Green can with yellow square.	
32760	Santa Rosa Sound Buoy 119	30-23-21.981N 086-55-24.848W				Green can with yellow square.	
32765	Santa Rosa Sound Light 121	30-23-19.131N 086-55-40.464W	FI G 2.5s	0	3	SG-SY on pile.	
32770	Santa Rosa Sound Daybeacon 122	30-23-24.737N 086-55-41.586W		0		TR-TY on pile.	Ra ref.
32775	Santa Rosa Sound Light 123	30-23-06.738N 086-57-23.889W	FI G 4s		4	SG-SY on pile.	Ra ref.
32780	Santa Rosa Sound Shoal Daybeacon 124	30-23-08.157N 086-58-35.588W				TR-TY on pile.	Ra ref.
32785	Santa Rosa Sound Light 125	30-22-56.438N 086-59-12.693W	FI G 6s	0	4	SG-SY on pile.	Ra ref.
32790	Santa Rosa Sound Daybeacon 127	30-22-39.250N 087-00-18.303W		0		SG-SY on pile.	Ra ref.
32795	Santa Rosa Sound Light 129	30-22-24.351N 087-01-30.054W	FI G 4s	0	4	SG-SY on pile.	

32800	Santa Rosa Sound Light 130	30-22-24.239N 087-02-05.298W	Fl R 4s	0	4	TR-TY on pile.	Ra ref.
32805	Santa Rosa Sound Light 131	30-21-34.876N 087-04-51.256W	Fl G 6s		4	SG-SY on pile.	Ra ref.
32810	East Santa Rosa Shores Channel Daybeacon 2	30-22-04.000N 087-04-06.000W				TR on pile.	Ra ref.
32815	East Santa Rosa Shores Channel Daybeacon 4	30-22-05.000N 087-04-06.000W				TR on pile.	Ra ref.
32820	East Santa Rosa Shores Channel Daybeacon 5	30-22-30.000N 087-04-36.000W				SG on pile.	Ra ref.
32825	East Santa Rosa Shore Channel Daybeacon 6	30-22-31.000N 087-04-34.000W				TR on pile.	
32830	East Santa Rosa Shores Daybeacon 7	30-22-34.000N 087-04-36.600W				SG on pile.	Ra ref.
32835	East Santa Rosa Shores Daybeacon 8	30-22-34.000N 087-04-36.000W				TR on pile.	Ra ref.
32840	Central Santa Rosa Shores Channel Daybeacon 2	30-22-03.000N 087-04-08.000W				TR on pile.	Ra ref.
32845	Central Santa Rosa Shores Channel Daybeacon 4	30-22-04.000N 087-04-08.000W				TR on pile.	Ra ref.
32850	Central Santa Rosa Shores Channel Daybeacon 6	30-22-05.000N 087-04-08.000W				TR on pile.	Ra ref.
32855	Central Santa Rosa Shores Channel Daybeacon 8	30-22-34.000N 087-04-45.000W				TR on pile.	Ra ref.
32860	Central Santa Rosa Shores Channel Daybeacon 9	30-22-31.800N 087-04-45.600W				SG on pile.	Ra ref.
32865	Center-West Crossing Santa Rosa 1	30-22-28.500N 087-04-49.000W				SG on pile.	Ra ref.
32870	Center-West Crossing Santa Rosa 2	30-22-29.000N 087-04-51.000W				TR on pile.	Ra ref.
32875	West Santa Rosa Shores Channel Daybeacon 2	30-22-02.000N 087-04-09.000W				TR on pile.	Ra ref.
32880	West Santa Rosa Shores Channel Daybeacon 4	30-22-03.000N 087-04-09.000W				TR on pile.	Ra ref.
32885	West Santa Rosa Shores Channel Daybeacon 6	30-22-04.000N 087-04-09.000W				TR on pile.	Ra ref.
32890	West Santa Rosa Shores Channel Daybeacon 8	30-22-26.000N 087-04-51.400W				TR on pile.	Ra ref.
32895	West Santa Rosa Shores Daybeacon 9	30-22-28.400N 087-04-51.900W				SG on pile.	Ra ref.
32900	West Santa Rosa Shores Channel Daybeacon 10	30-22-28.400N 087-04-51.500W				TR on pile.	Ra ref.
32905	West Santa Rosa Shores Daybeacon 11	30-22-29.300N 087-04-52.000W				SG on pile.	Ra ref.
32910	West Santa Rosa Shores Channel Daybeacon 12	30-22-29.300N 087-04-51.600W				TR on pile.	Ra ref.
32915	Grand Canal Channel Daybeacon 1	30-21-56.160N 087-06-53.520W				SG on pile.	
32920	Grand Canal Channel Light 2	30-21-56.100N 087-06-52.620W	Fl R 4s			TR on pile.	Ra ref.
32925	Grand Canal Channel Daybeacon 3	30-21-58.200N 087-06-54.060W				SG on pile.	
32930	Grand Canal Channel Daybeacon 4	30-21-58.200N 087-06-53.280W				TR on pile.	
32935	Grand Canal Channel Daybeacon 5	30-22-00.120N 087-06-54.780W				SG on pile.	
32940	Grand Canal Channel Daybeacon 6	30-22-00.200N 087-06-53.750W				TR on pile.	
32945	Grand Canal Channel Daybeacon 7	30-22-01.920N 087-06-55.200W				SG on pile.	
32950	Grand Canal Channel Daybeacon 8	30-22-02.070N 087-06-54.330W				TR on pile.	
32955	Grand Canal Channel Daybeacon 9	30-22-03.780N 087-06-55.680W				SG on pile.	
32960	Grand Canal Channel Daybeacon 10	30-22-03.960N 087-06-54.840W				TR on pile.	
32965	Santa Rosa Sound Lighted Buoy 133	30-21-15.423N 087-08-31.671W	Fl G 2.5s		4	Green with yellow triangle.	
32966	Escambia County Fish Bend South Channel Light 1	30-20-58.020N 087-07-52.680W	Fl G 6s				

32966.01	Escambia County Fish Bend South Channel Light 2	30-20-57.960N 087-07-55.020W	FI R 6s				
32966.02	Escambia County Fish Bend South Channel Light 3	30-20-48.540N 087-07-52.510W	FI G 6s				
32966.03	Escambia County Fish Bend South Channel Light 4	30-20-48.690N 087-07-54.920W	FI R 6s				
32966.04	Escambia County Fish Bend South Channel Light 5	30-20-36.750N 087-07-52.140W	FI G 6s				
32966.05	Escambia County Fish Bend South Channel Light 6	30-20-37.520N 087-07-54.460W	FI R 6s				
32966.06	Escambia County Fish Bend South Channel Light 7	30-20-28.260N 087-08-00.590W	FI G 6s				
32966.07	Escambia County Fish Bend South Channel Light 8	30-20-29.520N 087-08-02.250W	FI R 6s				
32966.08	Escambia County Fish Bend South Channel Light 9	30-20-19.960N 087-08-08.620W	FI G 6s				
32966.09	Escambia County Fish Bend South Channel Light 10	30-20-21.280N 087-08-10.290W	FI R 6s				
32966.11	Escambia County Fish Bend South Channel Light 11	30-20-15.620N 087-08-12.850W	FI G 6s				
32966.12	Escambia County Fish Bend South Channel Light 12	30-20-16.910N 087-08-14.560W	FI R 6s				
32966.13	Escambia County Fish Bend South Channel Light 13	30-20-11.370N 087-08-17.080W	FI G 6s				
32966.14	Escambia County Fish Bend South Channel Light 14	30-20-12.660N 087-08-18.720W	FI G 6s				
32966.15	Escambia County Fish Bend South Channel Light 15	30-20-10.810N 087-08-23.030W	FI G 6s				
32966.16	Escambia County Fish Bend South Channel Light 16	30-20-11.800N 087-08-24.640W	FI R 6s				
32970	Fishing Bend Obstruction Danger Buoy	30-20-25.220N 087-08-21.024W				White with orange	WORDED: DANGER.
32975	Grand Marlin Marina Entrance Light 2	30-20-40.031N 087-08-56.445W	FI R 2.5s			Marks marina entrance.	
32980	Grand Marlin Marina Entrance Daybeacon 1	30-20-38.507N 087-08-55.764W				Marks marina entrance.	
32985	Little Sabine Bay Daybeacon 2	30-20-33.000N 087-09-03.000W				TR on pile.	
32990	Little Sabine Bay Daybeacon 4	30-20-29.000N 087-09-00.000W				TR on pile.	
32995	Little Sabine Bay Daybeacon 5	30-20-24.000N 087-08-55.000W				SG on pile.	
33000	Little Sabine Bay Daybeacon 6	30-20-25.000N 087-08-58.000W				TR on pile.	
33005	Little Sabine Bay Daybeacon 7	30-20-24.000N 087-08-54.000W				SG on pile.	
33010	Little Sabine Bay Daybeacon 8	30-20-24.000N 087-08-56.000W				TR on pile.	
33015	Little Sabine Bay Daybeacon 9	30-20-20.000N 087-08-51.000W				SG on pile.	
33020	Little Sabine Bay Daybeacon 10	30-20-17.000N 087-08-51.000W				TR on pile.	
33025	Little Sabine Bay Daybeacon 12	30-20-12.000N 087-08-47.000W				TR on pile.	
33030	Santa Rosa Sound Light 140	30-20-49.503N 087-09-26.732W	FI R 4s	0	3	TR-TY on pile.	Ra ref.
33035	Santa Rosa Sound Light 141	30-20-38.889N 087-09-34.032W	FI (2)G 5s	14	4	SG-SY on pile.	Ra ref.

33040	Santa Rosa Sound Light 142	30-20-33.017N 087-10-00.685W	Fl R 2.5s	0	3	TR-TY on pile.	Ra ref.
33045	Santa Rosa Sound Light 144	30-20-23.862N 087-10-56.816W	Fl R 4s		3	TR-TY on pile.	
33047	Escambia County Artificial Reef Light A	30-19-39.900N 087-10-51.600W	Fl Y 2.5s			Marks southeast corner of reef.	
33047.01	Escambia County Artificial Reef Light B	30-19-39.840N 087-10-52.740W	Fl Y 2.5s			Marks southwest corner of reef.	
33047.02	Escambia County Artificial Reef Light C	30-19-40.860N 087-10-52.800W	Fl Y 2.5s			Marks northwest corner of reef.	
33047.03	Escambia County Artificial Reef Light D	30-19-40.860N 087-10-51.660W	Fl Y 2.5s			Marks northeast corner of reef.	
33050	Santa Rosa Sound Light 145	30-19-53.630N 087-13-53.372W	Fl G 2.5s		4	SG-SY on dolphin.	Ra ref.
33055	Pensacola Bay Lighted Buoy 20	30-19-48.739N 087-15-17.919W	Q R		3	Red with yellow square.	
33060	Pensacola Bay Navy Range Front Light	30-20-04.640N 087-18-59.547W	Fl G 2.5s	0		KRW on dolphin.	Visible all around; higher intensity 1.5° each side of range line.
33065	Pensacola Bay Navy Range Rear Light	30-20-05.079N 087-19-09.089W	Iso G 6s			On skeleton tower on piles.	Visible 2° each side of rangeline.
33070	Pensacola Bay Lighted Buoy 18	30-19-53.518N 087-16-41.969W	Fl R 4s		3	Red with yellow square.	
33075	Pensacola Bay Lighted Buoy 17	30-20-01.739N 087-16-55.923W	Fl G 4s		4	Green with yellow triangle.	
33080	Pensacola Bay Lighted Buoy 16	30-19-55.908N 087-17-40.002W	Q R		3	Red with yellow square.	
33085	Pensacola Bay Lighted Buoy 15	30-20-15.244N 087-18-07.488W	Fl G 2.5s		4	Green with yellow triangle.	
33090	Pensacola-Mobile Buoy 1	30-20-03.939N 087-18-37.126W				Green can with yellow square.	
33095	Pensacola-Mobile Lighted Buoy 2	30-20-09.966N 087-18-41.927W	Q R		3	Red with yellow triangle.	
33100	Pensacola-Mobile Lighted Buoy 3	30-20-04.121N 087-18-47.614W	Fl G 2.5s		3	Green can with yellow square.	
33105	Pensacola-Mobile Buoy 4	30-20-06.839N 087-18-50.327W				Red nun with yellow triangle.	
33110	Pensacola-Mobile Buoy 5	30-19-57.375N 087-19-04.038W				Green can with yellow square.	
33115	Pensacola-Mobile Shoal Buoy 5A	30-19-54.536N 087-19-17.199W				Green can with yellow square.	
33120	Pensacola-Mobile Buoy 6	30-20-00.809N 087-19-02.887W				Red nun with yellow triangle.	
33125	Pensacola-Mobile Buoy 6A	30-19-58.187N 087-19-14.248W				Red nun with yellow triangle.	
33130	Pensacola-Mobile Buoy 6B	30-19-54.556N 087-19-26.487W				Red nun with yellow triangle.	
33132	Pensacola-Mobile Buoy 8	30-19-51.667N 087-19-37.661W				Red nun with yellow triangle.	
33135	Sherman Cove Marina Daybeacon 1	30-19-52.000N 087-19-38.000W				SG on pile.	
33140	Sherman Cove Marina Daybeacon 2	30-19-52.000N 087-19-38.000W				TR on pile.	
33145	Sherman Cove Marina Daybeacon 3	30-19-55.000N 087-19-37.000W				SG on pile.	
33150	Sherman Cove Marina Daybeacon 4	30-19-55.000N 087-19-36.000W				TR on pile.	
33155	Sherman Cove Marina Daybeacon 5	30-19-57.000N 087-19-36.000W				SG on pile.	
33160	Sherman Cove Marina Daybeacon 6	30-19-59.000N 087-19-35.000W				TR on pile.	
33165	Sherman Cove Marina Daybeacon 7	30-19-59.000N 087-19-35.000W				SG on pile.	
33170	Sherman Cove Marina Daybeacon 8	30-19-59.000N 087-19-32.000W				TR on pile.	
33175	Sherman Cove Marina Daybeacon 9	30-20-00.000N 087-19-34.000W				SG on pile.	
33180	Sherman Cove Marina Daybeacon 10	30-20-00.000N 087-19-32.000W				TR on pile.	
33185	Pensacola-Mobile Light 7	30-19-48.912N 087-19-35.106W	Fl G 2.5s	0	3	SG-SY on pile.	Ra ref.

33190	Pensacola-Mobile Light 10	30-19-26.066N 087-21-05.727W	FI R 6s	0	4	TR-TY on pile.	Ra ref.
33195	Pensacola-Mobile Buoy 11	30-19-01.294N 087-23-21.171W				Green can with yellow square.	
33200	Grand Lagoon Boat Basin Channel Daybeacon 1	30-19-10.400N 087-23-28.300W				SG on pile.	
33205	Grand Lagoon Boat Basin Channel Daybeacon 2	30-19-10.020N 087-23-27.000W				TR on pile.	
33210	Grand Lagoon Boat Basin Channel Daybeacon 3	30-19-11.100N 087-23-29.000W				SG on pile.	
33215	Grand Lagoon Boat Basin Channel Daybeacon 4	30-19-10.090N 087-23-27.700W				TR on pile.	
33220	Grand Lagoon Boat Basin Channel Daybeacon 5	30-19-11.800N 087-23-29.600W				SG on pile.	
33225	Grand Lagoon Boat Basin Channel Daybeacon 6	30-19-11.600N 087-23-28.300W				TR on pile.	
33230	Grand Lagoon Boat Basin Channel Daybeacon 8	30-19-12.200N 087-23-28.900W				TR on pile.	
33235	Pensacola-Mobile Light 12	30-19-03.326N 087-23-33.328W	FI R 4s	0	3	TR-TY on pile.	
33240	Pensacola-Mobile Light 13	30-18-50.251N 087-23-25.970W	FI G 2.5s	0	3	SG-SY on pile.	Ra ref.
33245	Pensacola-Mobile Daybeacon 15	30-18-29.030N 087-23-32.265W				SG-SY on pile.	Ra ref.
33250	Pensacola-Mobile Light 16	30-18-33.156N 087-23-42.420W	FI R 2.5s	0	3	TR-TY on pile.	
33255	Pensacola-Mobile Daybeacon 17	30-18-20.383N 087-23-49.254W		0		SG-SY on pile.	Ra ref.
33260	Pensacola-Mobile Shoal Buoy 17A	30-18-20.083N 087-23-58.722W				Green can.	
33265	Pensacola-Mobile Light 18	30-18-25.430N 087-23-51.086W	Q R	0	3	TR-TY on pile.	Ra ref.
33270	Pensacola-Mobile Buoy 19	30-18-20.083N 087-24-10.512W				Green can with yellow square.	
33275	Pensacola-Mobile Daybeacon 20	30-18-23.762N 087-24-06.932W		0		TR-TY on pile.	Ra ref.
33280	Pensacola-Mobile Buoy 21	30-18-21.393N 087-24-21.490W				Green can with yellow square.	
33285	Pensacola-Mobile Buoy 21A	30-18-21.519N 087-24-27.448W				Green can with yellow square.	
33290	Pensacola-Mobile Daybeacon 22	30-18-24.132N 087-24-21.181W		0		TR-TY on pile.	Ra ref.
33295	Pensacola-Mobile Daybeacon 23	30-18-21.544N 087-24-34.489W		0		SG-SY on pile.	Ra ref.
33300	Pensacola-Mobile Buoy 24	30-18-24.743N 087-24-36.940W				Red nun with yellow triangle.	
33305	Pensacola-Mobile Light 25	30-18-21.359N 087-24-49.900W	Q G	0	3	SG-SY on pile.	Ra ref.
33310	Pensacola-Mobile Daybeacon 26	30-18-25.485N 087-24-48.623W		0		TR-TY on pile.	Ra ref.
33315	Pensacola-Mobile Buoy 28	30-18-30.866N 087-25-01.627W				Red nun with yellow triangle.	
33320	Pensacola-Mobile Daybeacon 29	30-18-32.726N 087-25-10.343W		15		SG-SY on pile.	Ra ref.
33325	Pensacola-Mobile Daybeacon 30	30-18-37.529N 087-25-12.189W				TR-TY on pile.	Ra ref.
33330	Pensacola-Mobile Light 31	30-18-38.766N 087-25-22.284W	FI G 2.5s	0	3	SG-SY on pile.	Ra ref.
33335	Pensacola-Mobile Shoal Buoy 31A	30-18-47.726N 087-25-43.897W				Green can with yellow square.	
33340	Pensacola-Mobile Buoy 33	30-18-48.351N 087-25-49.450W				Green can with yellow square.	
33345	Pensacola-Mobile Light 35	30-18-45.674N 087-26-20.454W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
33350	Pensacola-Mobile Daybeacon 36	30-18-47.967N 087-26-20.986W		0		TR-TY on pile.	Ra ref.
33410	Pensacola-Mobile Daybeacon 37	30-18-44.847N 087-26-34.469W		0		SG-SY on pile.	
33415	Pensacola-Mobile Light 39	30-18-44.537N 087-26-47.199W	FI G 4s	0	4	SG-SY on pile.	Ra ref.

33420	Pensacola-Mobile Buoy 39A	30-18-40.511N 087-26-59.985W					Green can.	
33425	Pensacola-Mobile Daybeacon 40	30-18-45.986N 087-26-53.118W					TR-I on pile.	
33430	Pensacola-Mobile Buoy 41	30-18-37.743N 087-27-05.945W					Green can with yellow square.	
33435	Pensacola-Mobile Buoy 42	30-18-39.329N 087-27-08.064W					Red nun with yellow triangle.	
33440	Pensacola-Mobile Daybeacon 43	30-18-30.998N 087-27-19.945W					SG-SY on pile.	Ra ref.
33445	Pensacola-Mobile Light 44	30-18-33.892N 087-27-22.443W	Q R	0	3		TR-TY on pile.	Ra ref.
33450	Pensacola-Mobile Daybeacon 46	30-18-31.418N 087-27-39.468W					TR-TY on pile.	Ra ref.
33455	Pensacola-Mobile Daybeacon 47	30-18-24.997N 087-28-02.531W		0			SG-SY on pile.	Ra ref.
33460	Pensacola-Mobile Daybeacon 48	30-18-28.132N 087-28-02.383W		0			TR-TY on pile.	Ra ref.
33465	Pensacola-Mobile Daybeacon 49	30-18-21.447N 087-28-26.569W		0			SG-SY on pile.	Ra ref.
33470	Pensacola-Mobile Daybeacon 50	30-18-24.982N 087-28-27.510W		0			TR-TY on pile.	
33475	Pensacola-Mobile Daybeacon 51	30-18-19.743N 087-28-48.949W		0			SG-SY on pile.	Ra ref.
33480	Pensacola-Mobile Daybeacon 52	30-18-22.520N 087-28-49.296W		0			TR-TY on pile.	Ra ref.
33485	Pensacola-Mobile Daybeacon 52A	30-18-19.498N 087-29-26.506W					TR-TY on pile.	Ra ref.
33490	Pensacola-Mobile Daybeacon 53	30-18-14.704N 087-29-27.636W		14			SG-SY on pile.	
33493	Alabama DCNR Ono Island Danger Lights (6)	30-18-07.120N 087-29-31.260W	FI W 2.5s				Marks submerged fishing reef.	
33495	Pensacola-Mobile Light 55	30-18-13.881N 087-29-43.615W	FI G 4s	30	4		SG-SY on pile.	
33500	Pensacola-Mobile Daybeacon 56	30-18-21.907N 087-30-01.292W		14			TR-TY on pile.	Ra ref.
33505	Pensacola-Mobile Light 57	30-18-17.744N 087-30-15.953W	FI G 4s	0	4		SG-SY on pile.	
33510	Pensacola-Mobile Light 58	30-18-35.143N 087-30-24.553W	FI R 2.5s	0	3		TR-TY on pile.	Ra ref.
33515	Pensacola-Mobile Light 59	30-18-49.293N 087-30-48.198W	FI G 2.5s	0	4		SG-SY on pile.	Ra ref.
33520	Pensacola-Mobile Light 60	30-19-04.562N 087-30-59.101W	FI R 4s	0	3		TR-TY on pile.	Ra ref.
33525	PENSACOLA-MOBILE LIGHT 61	30-19-00.315N 087-31-11.425W	Q G	1	3		SG-SY on pile.	Ra ref.
33530	Pensacola-Mobile Daybeacon 65	30-18-38.092N 087-31-44.104W		0			SG-SY on pile.	
33535	Stone Quarry Channel Daybeacon 2	30-18-42.900N 087-32-13.260W					TR on pile.	
33540	Stone Quarry Channel Daybeacon 4	30-18-45.300N 087-32-13.260W					TR on pile.	
33545	Stone Quarry Channel Daybeacon 6	30-18-46.800N 087-32-13.500W					TR on pile.	
33550	Stone Quarry Channel Daybeacon 8	30-18-48.300N 087-32-13.500W					TR on pile.	
33555	Pensacola-Mobile Daybeacon 67	30-18-19.655N 087-32-08.829W		0			SG-SY on pile.	Ra ref.
33560	Pensacola-Mobile Light 68	30-18-21.640N 087-32-15.661W	FI R 4s	0	3		TR-TY on pile.	Ra ref.
33565	Pensacola-Mobile Daybeacon 69	30-18-13.752N 087-32-30.183W		0			SG-SY on pile.	Ra ref.
33570	Pensacola-Mobile Light 70	30-18-18.134N 087-32-31.067W	FI R 4s	0	3		TR-TY on pile.	Ra ref.
33575	Pensacola-Mobile Daybeacon 71	30-18-16.471N 087-33-16.952W		0			SG-SY on pile.	
33580	Pensacola-Mobile Daybeacon 72	30-18-21.368N 087-33-16.331W		0			TR-TY on pile.	Ra ref.
33585	Pensacola-Mobile Daybeacon 73	30-18-19.289N 087-33-50.304W		0			SG-SY on pile.	Ra ref.

33590	Bay La Launch Channel Daybeacon 1	30-18-42.600N 087-34-08.640W				SG on pile.	
33595	Bay La Launch Channel Daybeacon 2	30-18-43.980N 087-34-11.280W				TR on pile.	
33600	Bay La Launch Channel Daybeacon 3	30-18-40.920N 087-34-07.320W				SG on pile.	
33605	Bay La Launch Channel Daybeacon 4	30-18-42.120N 087-34-05.400W				TR on pile.	
33610	Bay La Launch Channel Daybeacon 5	30-18-39.540N 087-34-06.240W				SG on pile.	
33615	Bay La Launch Channel Daybeacon 6	30-18-40.920N 087-34-04.380W				TR on pile.	
33620	Pensacola-Mobile Light 74	30-18-26.113N 087-33-53.243W	FI R 4s		3	TR-TY on pile.	
33625	Pensacola-Mobile Daybeacon 75	30-18-11.673N 087-34-08.291W				SG-SY on pile.	Ra ref.
33630	Pensacola-Mobile Daybeacon 76	30-18-15.662N 087-34-12.343W			0	TR-TY on pile.	Ra ref.
33635	Pensacola-Mobile Daybeacon 77	30-18-00.198N 087-34-29.504W			14	SG-SY on pile.	Ra ref.
33640	Pensacola-Mobile Light 78	30-18-04.714N 087-34-29.982W	FI R 4s		0 3	TR-TY on pile.	Ra ref.
33645	Pensacola-Mobile Daybeacon 80	30-18-04.526N 087-34-34.115W			0	TR-TY on pile.	
33650	Pensacola-Mobile Daybeacon 81	30-18-02.064N 087-35-03.794W			0	SG-SY on pile.	Ra ref.
33655	Pensacola-Mobile Daybeacon 82	30-18-05.677N 087-35-04.408W			30	TR-TY on pile.	Ra ref.
33660	Pensacola-Mobile Daybeacon 84	30-18-06.342N 087-35-25.907W			0	TR-TY on pile.	Ra ref.
33665	Pensacola-Mobile Daybeacon 85	30-18-02.980N 087-35-33.373W			0	SG-SY on pile.	Ra ref.
33670	Pensacola-Mobile Light 86	30-18-06.849N 087-35-42.304W	FI R 2.5s		0 3	TR-TY on pile.	Ra ref.
33675	Pensacola-Mobile Light 87	30-18-03.809N 087-36-10.088W	FI G 4s		4	SG-SY on pile.	Ra ref.
33680	Pensacola-Mobile Daybeacon 88	30-18-06.732N 087-36-09.790W			0	TR-TY on pile.	Ra ref.
33685	Pensacola-Mobile Daybeacon 89	30-18-03.744N 087-36-30.965W			0	SG-SY on pile.	Ra ref.
33690	Pensacola-Mobile Daybeacon 90	30-18-06.213N 087-36-31.883W			0	TR-TY on pile.	Ra ref.
33695	Pensacola-Mobile Daybeacon 91	30-18-03.445N 087-36-45.079W			0	SG-SY on pile.	Ra ref.
33700	Pensacola-Mobile Daybeacon 92	30-18-06.058N 087-36-45.400W			0	TR-TY on pile.	Ra ref.
33705	Pensacola-Mobile Daybeacon 93	30-18-03.502N 087-37-08.168W			0	SG-SY on pile.	Ra ref.
33710	Pensacola-Mobile Shoal Buoy 93A	30-18-03.016N 087-37-22.733W				Green can with yellow square.	
33715	Pensacola-Mobile Light 94	30-18-05.948N 087-37-20.501W	FI R 4s		0 3	TR-TY on pile.	Ra ref.
33720	Pensacola-Mobile Buoy 95	30-18-01.450N 087-37-27.571W				Green can with yellow square.	
33725	Pensacola-Mobile Buoy 95A	30-18-00.013N 087-37-30.261W				Green can with yellow square.	
33728	Saunders Yachtworks Basin Light 2	30-16-49.000N 087-40-32.500W	FI R 2.5s			Marks dolphin.	
33728.01	Saunders Yachtworks Basin Daybeacon 1	30-16-49.000N 087-40-33.200W				Marks dolphin.	
33730	Pensacola-Mobile Light 97	30-16-41.621N 087-43-23.928W	FI G 2.5s		0 3	SG-SY on pile.	Ra ref.
33735	Pensacola-Mobile Daybeacon 99	30-16-42.012N 087-43-46.093W			0	SG-SY on pile.	Ra ref.
33740	Pensacola-Mobile Light 100	30-16-44.538N 087-43-45.716W	FI R 4s		0 3	TR-TY on pile.	Ra ref.
33745	Pensacola-Mobile Light 101	30-16-42.810N 087-44-07.255W	Q G		0 3	SG-SY on pile.	Ra ref.
33750	Pensacola-Mobile Daybeacon 102	30-16-45.915N 087-44-08.513W			0	TR-TY on pile.	Ra ref.

33755	Pensacola-Mobile Light 103	30-16-54.654N 087-45-08.671W	FI G 4s	4		SG-SY on pile.	Ra ref.
33760	Pensacola-Mobile Buoy 104	30-16-57.432N 087-45-07.522W				Red nun with yellow triangle.	
33765	Pensacola-Mobile Daybeacon 105	30-16-58.871N 087-45-22.552W		0		SG-SY on pile.	Ra ref.
33770	Bon Secour River Light 2	30-17-02.358N 087-45-23.147W	FI R 2.5s	0	3	TR-TY on pile.	Ra ref.
33775	Pensacola-Mobile Buoy 106	30-17-03.125N 087-45-29.976W				Red nun with yellow triangle.	
33780	Pensacola-Mobile Buoy 107	30-17-02.746N 087-45-41.982W				Green can with yellow square.	
33785	Pensacola-Mobile Light 108	30-17-06.449N 087-45-42.953W	Q R	0	3	TR-TY on pile.	Ra ref.
33790	Pensacola-Mobile Buoy 109	30-17-03.030N 087-46-11.707W				Green can with yellow square.	
33795	Pensacola-Mobile Buoy 110	30-17-05.680N 087-46-12.244W				Red nun with yellow triangle.	
33800	Pensacola-Mobile Light 111	30-17-02.662N 087-46-44.842W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
33805	Pensacola-Mobile Daybeacon 112	30-17-05.420N 087-46-45.406W		0		TR-TY on pile.	Ra ref.
33810	Pensacola-Mobile Buoy 113	30-17-02.284N 087-47-14.392W				Green can with yellow square.	
33815	Pensacola-Mobile Buoy 114	30-17-04.907N 087-47-15.917W				Red nun with yellow triangle.	
33820	Pensacola-Mobile Light 115	30-17-01.577N 087-47-47.100W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
33823	Terrys Landing Oyster Farm Special Lights (2)	30-15-18.880N 087-48-00.370W	FI Y 2.5s			Marks the corner perimeters of aquaculture farm.	
33825	Pensacola-Mobile Daybeacon 116	30-17-04.746N 087-47-46.987W		0		TR-TY on pile.	Ra ref.
33830	Pensacola-Mobile Daybeacon 117	30-17-01.141N 087-48-25.252W		0		SG-SY on pile.	Ra ref.
33835	Pensacola-Mobile Daybeacon 118	30-17-04.182N 087-48-24.827W		0		TR-TY on pile.	Ra ref.
33837	Alabama DCNR Bon Secour Bay Danger Lights (6)	30-18-03.030N 087-48-26.310W	FI W 2.5s			Marks submerged fishing reef.	
33840	Pensacola-Mobile Light 119	30-17-01.609N 087-49-02.713W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
33845	Pensacola-Mobile Daybeacon 120	30-17-04.492N 087-49-02.954W		0		TR-TY on pile.	Ra ref.
33850	Pensacola-Mobile Daybeacon 121	30-17-01.355N 087-49-36.263W		0		SG-SY on pile.	Ra ref.
33855	Pensacola-Mobile Daybeacon 122	30-17-04.592N 087-49-36.700W		0		TR-TY on pile.	Ra ref.
33860	Pensacola-Mobile Light 123	30-17-00.959N 087-50-10.625W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
33865	Pensacola-Mobile Daybeacon 124	30-17-04.866N 087-50-12.091W		0		TR-TY on pile.	Ra ref.
33870	Pensacola-Mobile Daybeacon 125	30-17-01.401N 087-50-36.863W		0		SG-SY on pile.	Ra ref.
33875	Pensacola-Mobile Daybeacon 127	30-17-01.353N 087-51-00.730W		0		SG-SY on pile.	Ra ref.
33880	Pensacola-Mobile Daybeacon 129	30-17-01.326N 087-51-20.184W		0		SG-SY on pile.	Ra ref.
33885	Pensacola-Mobile Daybeacon 131	30-17-01.446N 087-51-47.060W		0		SG-SY on pile.	Ra ref.
33890	Pensacola-Mobile Daybeacon 133	30-17-01.433N 087-52-11.379W		0		SG-SY on pile.	Ra ref.
33895	Pensacola-Mobile Light 135	30-17-01.549N 087-52-35.546W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
33900	Pensacola-Mobile Daybeacon 137	30-17-01.748N 087-52-57.138W		0		SG-SY on pile.	Ra ref.
33905	Pensacola-Mobile Daybeacon 139	30-17-01.447N 087-53-23.483W		0		SG-SY on pile.	Ra ref.
33910	Pensacola-Mobile Daybeacon 141	30-17-01.822N 087-53-45.715W		0		SG-SY on pile.	Ra ref.
33915	Pensacola-Mobile Daybeacon 143	30-17-01.448N 087-54-06.834W		0		SG-SY on pile.	Ra ref.

33920	Pensacola-Mobile Daybeacon 145	30-17-01.864N 087-54-28.754W		0		SG-SY on pile.	Ra ref.
33925	Pensacola-Mobile Light 147	30-17-01.695N 087-54-55.231W	Q G	0	4	SG-SY on pile.	Ra ref.
33930	Pensacola-Mobile Daybeacon 149	30-16-45.981N 087-55-35.522W		0		SG-SY on pile.	Ra ref.
33935	Pensacola-Mobile Light 151	30-16-29.951N 087-56-16.912W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
33940	Pensacola-Mobile Daybeacon 153	30-16-14.711N 087-56-56.118W		0		SG-SY on pile.	Ra ref.
33945	Pensacola-Mobile Light 155	30-15-56.850N 087-57-42.408W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
33950	Pensacola-Mobile Light 157	30-15-32.081N 087-58-48.899W	Q G	0	4	SG-SY on pile.	Ra ref.
33955	Mobile Channel Lighted Buoy 26	30-16-25.027N 088-02-06.054W	FI (2)R 5s		3	Red with yellow triangle.	
33960	Mobile Channel Lighted Buoy 25	30-16-27.249N 088-02-13.516W	FI G 4s		3	Green with yellow triangle.	
33965	Pass Aux Herons Light 2	30-17-01.858N 088-04-54.936W	FI R 4s	0	4	TR-TY on pile.	Ra ref.
33970	Pass Aux Herons A Range Front Light	30-17-38.010N 088-07-17.103W	Q R	0		KRW-I on pile.	Visible 2° each side of rangeline.
33975	Pass Aux Herons A Range Front Light Passing Light	30-17-38.010N 088-07-17.103W	Q W	0	5	On same structure as Pass Aux Herons Range A Front Light.	
33980	Pass Aux Herons A Range Rear Light	30-17-45.582N 088-07-46.048W	Iso R 6s	35		KRW-I on pile structure.	Visible 2° each side of rangeline.
33981	Pass Aux Herons A Range Rear Passing Light	30-17-45.582N 088-07-46.048W	Q W	35	3	On the same structure as Pass Aux Herons A Range Rear Light.	Ra ref.
33985	Pass Aux Herons Daybeacon 3	30-17-05.546N 088-05-22.355W		0		SG-SY on pile.	Ra ref.
33990	Pass Aux Herons Daybeacon 4	30-17-15.010N 088-05-42.961W		0		TR-TY on pile.	Ra ref.
33995	Pass Aux Herons Daybeacon 5	30-17-18.206N 088-06-10.161W		0		SG-SY on pile.	Ra ref.
34000	Pass Aux Herons Buoy 6	30-17-32.409N 088-06-45.450W				Red nun with yellow triangle.	
34005	Pass Aux Herons Buoy 8	30-17-38.641N 088-06-57.848W				Red nun with yellow triangle.	
34010	Pass Aux Herons Buoy 9	30-17-31.859N 088-07-05.040W				Green can with yellow square.	
34015	Pass Aux Herons Buoy 10	30-17-35.113N 088-07-10.968W				Red nun with yellow triangle.	
34020	Pass Aux Herons Buoy 11	30-17-27.690N 088-07-19.375W				Green can with yellow square.	
34025	Pass Aux Herons Buoy 12	30-17-26.850N 088-07-33.478W				Red nun with yellow triangle.	
34030	Pass Aux Herons Buoy 13	30-17-23.314N 088-07-31.573W				Green can with yellow square.	
34035	Pass Aux Herons Buoy 14	30-17-10.534N 088-08-15.479W				Red nun with yellow triangle.	
34040	Pass Aux Herons Buoy 15	30-17-13.025N 088-07-58.721W				Green can with yellow square.	
34060	Pass Aux Herons C Range Rear Passing Light	30-15-29.644N 088-12-47.391W	Q W		5	On same structure as Pass Aux Herons Range C Rear Light.	
34065	Pass Aux Herons Buoy 17	30-17-05.891N 088-08-18.004W				Green can with yellow square.	
34070	Pass Aux Herons Buoy 18	30-17-03.786N 088-08-35.968W				Red nun with yellow triangle.	
34075	Pass Aux Herons Buoy 19	30-16-55.326N 088-08-48.442W				Green can with yellow square.	
34080	Pass Aux Herons Buoy 20	30-16-53.135N 088-09-05.225W				Red nun with yellow triangle.	
34085	Bayou Aloe Junction Light	30-16-42.749N 088-09-18.026W	FI (2+1)G 6s	0	3	JG-SY on pile.	Ra ref.
34090	Bayou Aloe Daybeacon 1	30-16-30.283N 088-08-55.445W				SG on pile.	Ra ref.
34095	Bayou Aloe Light 2	30-16-17.253N 088-08-32.761W	FI R 4s		3	TR on pile.	Ra ref.
34100	Bayou Aloe Daybeacon 3	30-16-09.208N 088-08-10.255W		0		SG on pile.	Ra ref.

34105	Bayou Aloe Light 5	30-15-57.853N 088-07-46.130W	Fl G 4s	0	4	SG on pile.	Ra ref.
34110	Bayou Aloe Daybeacon 6	30-15-55.905N 088-07-46.641W		0		TR on pile.	Ra ref.
34115	Bayou Aloe Daybeacon 7	30-15-46.224N 088-07-20.707W				SG on pile.	Ra ref.
34120	Bayou Aloe Daybeacon 8	30-15-44.881N 088-07-22.738W		0		TR on pile.	Ra ref.
34125	Bayou Aloe Light 9	30-15-34.284N 088-06-55.129W	Fl G 4s		4	SG on pile.	Ra ref.
34130	Bayou Aloe Daybeacon 10	30-15-33.004N 088-06-56.207W				TR on pile.	Ra ref.
34135	Dauphin Bay Daybeacon 1	30-16-02.280N 088-07-24.900W				SG on pile.	
34140	Dauphin Bay Daybeacon 2	30-16-02.280N 088-07-18.000W				TR on pile.	
34145	Dauphin Bay Daybeacon 3	30-16-04.080N 088-07-12.780W				SG on pile.	
34150	Dauphin Bay Daybeacon 4	30-16-03.900N 088-07-07.560W				TR on pile.	
34155	Dauphin Bay Daybeacon 5	30-16-05.460N 088-06-59.880W				SG on pile.	
34160	Dauphin Bay Daybeacon 6	30-16-01.380N 088-06-57.900W				TR on pile.	
34165	Dauphin Bay Daybeacon 7	30-15-55.740N 088-06-52.320W				SG on pile.	
34170	Dauphin Bay Daybeacon 8	30-15-56.880N 088-06-50.640W				TR on pile.	
34175	Pass Aux Herons Buoy 22	30-16-39.272N 088-09-40.706W				Red nun with yellow triangle.	
34180	Pass Aux Herons Buoy 23	30-16-30.642N 088-09-55.846W				Green can with yellow square.	
34185	Pass Aux Herons Buoy 24	30-16-28.036N 088-10-13.322W				Red nun with yellow triangle.	
34187	Ankersen Aquaculture Special Lights A thru D	30-15-17.660N 088-09-42.970W	Fl Y 2.5s			Marks perimeter of aquaculture farm.	
34190	Dauphin Island Wreck Light WR1	30-15-20.177N 088-10-20.155W	Q G		3	SG on pile.	Ra ref.
34195	Pass Aux Herons Buoy 25	30-16-18.639N 088-10-27.864W				Green can with yellow square.	
34200	Pass Aux Herons Buoy 26	30-16-17.358N 088-10-41.510W				Red nun with yellow triangle.	
34205	Pass Aux Herons Buoy 27	30-16-09.298N 088-10-52.088W				Green can with yellow square.	
34210	Pass Aux Herons Lighted Buoy 28	30-16-07.406N 088-11-10.153W	Q R		3	Red with yellow triangle.	
34215	Pass Aux Herons D Range Front Light	30-16-07.745N 088-10-38.834W	Q W			KRW-I on dolphin.	Visible 2° each side of rangeline.
34220	Pass Aux Herons D Range Front Light Passing Light	30-16-07.745N 088-10-38.834W	Fl W 4s		5	On same structure as Pass Aux Herons Range D Front Light.	
34225	Pass Aux Herons D Range Rear Light	30-16-15.605N 088-08-59.744W	Iso W 6s			KRW-I on piles.	Visible 2° each side of rangeline.
34230	Pass Aux Herons D Range Rear Light Passing Light	30-16-15.605N 088-08-59.744W	Fl W 4s		5	On same structure as Pass Aux Herons Range D Rear Light.	
34235	Pass Aux Herons Buoy 29	30-16-01.936N 088-11-26.836W				Green can with yellow square.	
34237	Mobile Oyster Company Special Lighted Buoy B	30-15-08.770N 088-11-25.410W	Fl Y 2.5s			Marks perimeter of off-bottom aquaculture farm.	
34237.01	Mobile Oyster Company Special Lighted Buoy C	30-15-08.130N 088-11-30.130W	Fl Y 2.5s			Marks perimeter of off-bottom aquaculture farm.	
34237.02	Mobile Oyster Company Special Light D	30-15-06.040N 088-11-30.130W	Fl Y 2.5s			Marks perimeter of off-bottom aquaculture farm.	
34237.03	Mobile Oyster Company Special Light A	30-15-06.700N 088-11-25.380W	Fl Y 2.5s			Marks perimeter of off-bottom aquaculture farm.	
34240	Pass Aux Herons Buoy 30	30-16-04.616N 088-11-43.985W				Red nun with yellow triangle.	
34245	Pass Aux Herons Buoy 31	30-15-58.546N 088-12-09.720W				Green can with yellow square.	
34250	Pass Aux Herons Daybeacon 32	30-16-01.380N 088-12-34.543W		0		TR-TY on pile.	Ra ref.

34255	Pass Aux Herons Daybeacon 33	30-15-56.404N 088-12-34.528W		0		SG-SY on pile.	Ra ref.
34260	Pass Aux Herons Daybeacon 34	30-15-57.163N 088-13-26.578W		0		TR-TY on pile.	Ra ref.
34265	Pass Aux Herons Daybeacon 35	30-15-51.737N 088-13-27.317W		0		SG-SY on pile.	Ra ref.
34270	Pass Aux Herons Daybeacon 36	30-15-52.839N 088-14-21.528W		0		TR-TY on pile.	Ra ref.
34275	Pass Aux Herons Daybeacon 37	30-15-48.088N 088-14-21.417W		0		SG-SY on pile.	Ra ref.
34280	Pass Aux Herons Daybeacon 37A	30-15-46.251N 088-14-49.085W		0		SG-SY on pile.	Ra ref.
34285	Pass Aux Herons Daybeacon 38	30-15-48.629N 088-15-14.355W		0		TR-TY on pile.	Ra ref.
34290	Pass Aux Herons Daybeacon 39	30-15-44.022N 088-15-14.191W		0		SG-SY on pile.	Ra ref.
34295	Pass Aux Herons Light 40	30-15-44.286N 088-16-02.037W	FI R 4s	0	5	TR-TY on pile.	Ra ref.
34300	Pass Aux Herons Light 41	30-15-40.057N 088-16-01.139W	FI G 4s	0	5	SG-SY on pile.	Ra ref.
34305	Gulf Intracoastal Waterway Mooring Buoy 103	30-15-56.560N 088-19-19.265W				White and blue band.	Maintained by U.S. Army Corps of Engineers. Ra ref.
34310	Gulf Intracoastal Waterway Mooring Buoy 102	30-15-55.500N 088-16-47.565W				White with blue band.	Maintained by U.S. Army Corps of Engineers. Ra ref.
34315	Bayou La Batre Light 5	30-15-16.591N 088-20-45.410W	Q G	0	3	SG-TY on pile.	Ra ref.
34320	Bayou La Batre Light 3	30-14-51.843N 088-25-32.575W	FI G 4s	0	4	SG-TY on pile.	Ra ref.
34325	Pascagoula Channel Lighted Buoy 30	30-15-24.976N 088-30-30.243W	Q R		3	Red with yellow triangle.	
34330	Pascagoula Channel Lighted Buoy 29	30-15-24.424N 088-30-36.309W	Q G		3	Green with yellow triangle.	
34335	Round Island South Channel Lighted Buoy 1	30-15-11.486N 088-34-44.684W	FI G 2.5s		4	Green with yellow square.	
34340	Round Island South Channel Light 2	30-15-19.179N 088-36-14.616W	FI R 4s	0	4	TR-TY on pile.	Ra ref.
34345	Round Island South Channel Light 3	30-15-06.637N 088-36-42.327W	Q G	0	3	SG-SY on pile.	Ra ref.
34350	Round Island South Channel Light 5	30-16-49.037N 088-38-09.019W	FI G 2.5s	0	5	SG-SY on pile.	Ra ref.
34360	Belle Fontaine Light 6	30-17-05.535N 088-41-05.278W	FI R 4s	0	4	TR-TY on pile.	Ra ref.
34365	Belle Fontaine Light 8	30-17-14.000N 088-44-42.311W	FI R 6s	0	5	TR-TY on pile.	Ra ref.
34370	Ship Island Light 2	30-17-10.989N 088-52-00.044W	FI R 2.5s	0	5	TR-TY on pile.	Ra ref.
34375	Ship Island Light 4	30-17-00.957N 088-57-11.713W	FI R 2.5s	0	4	TR-TY on pile.	Ra ref.
34380	Gulfport Ship Channel Light 42	30-16-31.747N 089-01-05.643W	Iso R 6s	0	4	TR-SY on pile.	Ra ref.
34385	Gulfport Ship Channel Light 41	30-16-31.520N 089-01-13.854W	FI G 2.5s	0	3	SG-SY on pile.	Ra ref.
34390	Gulfport Ship Channel Light 44	30-17-03.647N 089-01-32.445W	FI R 2.5s	0	4	TR-TY on pile.	Ra ref.
34395	Gulfport Ship Channel Light 43	30-17-03.616N 089-01-40.884W	Iso G 6s	0	4	SG-TY on pile.	Ra ref.
34400	Cat Island Light 2	30-16-51.420N 089-05-05.985W	FI R 2.5s	0	3	TR-TY on pile.	Ra ref.
34403	Marianne Channel Wreck Light WR2	30-16-41.802N 089-09-37.626W	Q R	0	3	TR-TY on pile.	Ra ref.
34405	Marianne Channel Lighted Buoy 1	30-16-37.557N 089-08-59.305W	FI G 2.5s		4	Green with yellow square.	
34410	Marianne Channel Light 3	30-16-15.020N 089-09-37.526W	FI G 6s	0	4	SG-SY on pile.	Ra ref.
34415	Marianne Channel Light 5	30-15-26.236N 089-10-54.150W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
34420	Marianne Channel Light 7	30-14-43.451N 089-11-44.026W	FI G 6s	0	4	SG-SY on pile.	Ra ref.
34425	Marianne Channel Light 8	30-14-15.486N 089-12-30.571W	FI R 4s	0	4	TR-TY on pile.	Ra ref.

34430	Marianne Channel Buoy 10	30-14-00.735N 089-12-59.072W					Red nun with yellow triangle.
34435	Marianne Channel Light 13	30-13-18.735N 089-13-48.173W	Fl G 4s	0	4	SG-SY on pile.	Ra ref.
34440	Marianne Channel Buoy 12	30-13-24.830N 089-13-53.564W					Red nun with yellow triangle.
34445	Marianne Channel Light 14	30-12-53.348N 089-14-46.255W	Fl R 4s	0	3	TR-TY on pile.	Ra ref.
34450	Marianne Channel Daybeacon 16	30-12-39.235N 089-15-08.927W		0		TR-TY on pile.	Ra ref.
34455	Marianne Channel Daybeacon 17	30-12-35.240N 089-15-05.567W		0		SG-SY on pile.	Ra ref.
34460	Marianne Channel Daybeacon 18	30-12-23.468N 089-15-34.946W		0		TR-TY on pile.	Ra ref.
34465	Marianne Channel Daybeacon 19	30-12-18.949N 089-15-32.619W		0		SG-SY on pile.	Ra ref.
34470	Marianne Channel Daybeacon 20	30-12-08.235N 089-16-03.179W		0		TR-TY on pile.	Ra ref.
34475	Marianne Channel Daybeacon 21	30-12-02.992N 089-16-01.358W		0		SG-SY on pile.	Ra ref.
34480	Marianne Channel Light 22	30-11-52.260N 089-16-31.850W	Fl R 4s	0	3	TR-TY on pile.	Ra ref.
34485	Marianne Channel Daybeacon 23	30-11-47.979N 089-16-28.153W		0		SG-SY on pile.	Ra ref.
34490	Marianne Channel Light 24	30-11-24.989N 089-17-17.476W	Fl R 2.5s	0	4	TR-TY on pile.	Ra ref.
34495	Marianne Channel Daybeacon 25	30-11-19.752N 089-17-14.155W				SG-SY on pile.	Ra ref.
34500	Marianne Channel Daybeacon 26	30-11-00.087N 089-18-01.051W				TR-TY on pile.	Ra ref.
34505	Pass Marianne Daybeacon 2	30-15-47.277N 089-12-13.986W		0		TR-TY on pile.	Ra ref.
34510	Pass Marianne Light 4P	30-15-31.784N 089-12-59.492W	Fl R 2.5s	0	3	TR-TY on pile.	Ra ref.
34515	Pass Marianne Daybeacon 5	30-14-43.990N 089-14-14.000W		0		SG-SY on pile.	Ra ref.
34520	Pass Marianne Daybeacon 6	30-14-37.721N 089-14-40.155W		0		TR-TY on pile.	Ra ref.
34525	Pass Marianne Daybeacon 7	30-14-28.439N 089-14-35.331W		0		SG-SY on pile.	Ra ref.
34530	Pass Marianne Daybeacon 8	30-14-30.740N 089-14-42.192W		0		TR-TY on pile.	Ra ref.
34535	Pass Marianne Wreck Light WR 8A	30-14-28.401N 089-14-44.068W	Q R	0	3	TR-TY on pile.	Ra ref.
34540	Pass Marianne Daybeacon 9	30-14-18.733N 089-14-42.186W		0		SG-SY on pile.	Ra ref.
34545	Pass Marianne Daybeacon 10	30-14-23.723N 089-14-55.222W		0		TR-TY on pile.	Ra ref.
34550	Pass Marianne Daybeacon 11	30-14-09.299N 089-15-01.717W		0		SG-SY on pile.	Ra ref.
34555	Pass Marianne Daybeacon 12	30-14-11.747N 089-15-45.172W		0		TR-TY on pile.	Ra ref.
34560	Pass Marianne Daybeacon 13	30-13-58.730N 089-16-08.166W		0		SG-SY on pile.	Ra ref.
34565	Pass Marianne Light 15P	30-13-46.732N 089-17-02.803W	Fl G 4s	0	5	SG-SY on pile.	Ra ref.
34570	Pass Marianne Light 17P	30-12-16.718N 089-21-19.178W	Fl G 2.5s	0	4	SG-SY on pile.	Ra ref.
34575	Grand Island Channel Light 1	30-10-47.079N 089-18-13.037W	Q G	0	4	SG-SY on pile.	Ra ref.
34580	Grand Island Channel Daybeacon 3	30-10-47.956N 089-19-10.499W		0		SG-SY on pile.	Ra ref.
34585	Grand Island Channel Light 5	30-10-46.895N 089-20-05.252W	Fl G 4s	0	4	SG-SY on pile.	Ra ref.
34590	Grand Island Channel Daybeacon 7	30-10-46.647N 089-21-07.300W		0		SG-SY on pile.	Ra ref.
34595	Grand Island Channel Light 9	30-10-46.871N 089-21-53.689W	Fl G 4s	0	4	SG-SY on pile.	Ra ref.
34600	Grand Island Channel Daybeacon 11	30-10-46.994N 089-22-37.822W		0		SG-SY on pile.	Ra ref.

34605	Grand Island Channel Daybeacon 13	30-10-46.463N 089-23-24.421W		0		SG-SY on pile.	Ra ref.
34610	Grand Island Channel Light 15	30-10-45.150N 089-24-08.238W	Q G	0	4	SG-SY on pile.	Ra ref.
34615	St Joseph Island Light 22	30-11-04.482N 089-25-33.650W	FI R 4s	0	5	TR-TY on pile.	Ra ref.
34620	St Joe Pass Daybeacon 2	30-10-19.862N 089-27-10.895W		0		TR-TY on pile.	Ra ref.
34625	St Joe Pass Light 3	30-09-29.814N 089-28-22.466W	FI G 4s		5	SG-SY on pile.	Ra ref.
34630	Lake Borgne Daybeacon 5	30-09-20.734N 089-30-09.210W		0		SG-SY on pile.	Ra ref.
34635	Lake Borgne Daybeacon 7	30-09-09.988N 089-31-05.490W		0		SG-SY on pile.	Ra ref.
34640	Pearl River Entrance Channel Light 1	30-09-20.901N 089-31-29.575W	FI G 4s	0	4	SG-TY on pile.	Ra ref.
34645	Lake Borgne Light 11	30-09-00.879N 089-31-48.487W	FI G 4s	0	5	SG-SY on pile.	Ra ref.
34650	Lake Borgne Daybeacon 12	30-09-07.820N 089-31-50.670W		0		TR-TY on pile.	Ra ref.
34655	Lake Borgne Daybeacon 14	30-08-58.733N 089-32-40.216W		0		TR-TY on pile.	Ra ref.
34660	Lake Borgne Light 15	30-08-44.708N 089-33-35.324W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
34665	Lake Borgne Daybeacon 16	30-08-50.733N 089-33-34.218W		0		TR-TY on pile.	Ra ref.
34670	Lake Borgne Daybeacon 18	30-08-42.733N 089-34-36.220W		0		TR-TY on pile.	Ra ref.
34675	Lake Borgne Light 19	30-08-30.105N 089-35-40.837W	Q G	0	4	SG-SY on pile.	Ra ref.
34680	Lake Borgne Daybeacon 20	30-08-37.020N 089-35-36.026W		0		TR-TY on pile.	Ra ref.
34685	Lake Borgne Lighted Buoy 21	30-08-39.624N 089-36-53.893W	FI G 4s		4	Green can with yellow square.	
34690	Lake Borgne Buoy 23	30-08-42.909N 089-37-21.405W				Green can with yellow square.	
34695	Lake Borgne Light 25	30-08-45.286N 089-37-45.986W	FI G 6s	0	4	SG-SY on pile.	Ra ref.
34700	Lake Borgne Light 26	30-08-51.587N 089-37-46.364W	Q R	0	4	TR-TY on pile.	Ra ref.
34705	New Orleans Cut Light 1	30-05-20.333N 089-44-30.012W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
34710	Chef Menteur Pass Light 4	30-03-54.239N 089-47-19.257W	FI R 2.5s	0	4	TR-TY on pile.	Ra ref.
34715	Chef Menteur Pass Light 5	30-03-34.349N 089-47-44.411W	FI G 2.5s	0	5	SG-SY on pile.	Ra ref.
34717	Orleans Levee District ICWW Surge Barrier Sector Gate Light 2	30-00-54.770N 089-54-00.770W	FI R 2.5s			Flashing red light marks northeast gate wall when open. Fixed red light marks closed gate.	
34717.01	Orleans Levee District ICWW Surge Barrier Sector Gate Light 1	30-00-52.200N 089-54-01.460W	FI G 2.5s			Flashing green light marks southeast gate wall when open. Fixed red light marks closed gate.	
34717.02	Orleans Levee District ICWW Surge Barrier Sector Gate Light 4	30-00-50.020N 089-54-11.960W	FI R 2.5s			Flashing red light marks northwest gate wall when open. Fixed red light marks closed gate.	
34717.03	Orleans Levee District ICWW Surge Barrier Sector Gate Light 3	30-00-49.130N 089-54-09.150W	FI G 2.5s			Flashing green light marks southwest gate wall when open. Fixed red light marks closed gate.	
34717.04	Orleans Levee District ICWW Surge Barrier Bypass Gate Light 2A	30-00-51.310N 089-54-01.080W	FI R 2.5s			Flashing red light marks northeast gate wall when bypass gate is open for navigation.	
34717.05	Orleans Levee District ICWW Surge Barrier Bypass Gate Light 1A	30-00-49.530N 089-53-59.410W	FI G 2.5s			Flashing green light marks southeast gate wall when bypass gate is open for navigation.	
34717.06	Orleans Levee District ICWW Surge Barrier Bypass Gate Light 4A	30-00-48.530N 089-54-08.880W	FI R 2.5s			Flashing red light marks northwest gate wall when bypass gate is open for navigation.	
34717.07	Orleans Levee District ICWW Surge Barrier Bypass Gate Light 3A	30-00-46.130N 089-54-07.660W	FI G 2.5s			Flashing green light marks southwest gate wall when bypass gate is open for navigation.	
34720	Michoud Canal Light 2	30-00-48.774N 089-54-19.207W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.

34735	Michoud Dock Lights (2)	30-00-24.000N 089-56-03.000W	FI R 2.5s			On dock.	
34740	Grant Street Discharge Light	30-00-14.000N 089-56-59.000W	FI R 2.5s			On dolphin.	
34750	Amid Station Discharge Lights (2)	29-59-52.000N 090-00-35.000W	FI R 2.5s			On dolphins.	
34755	Inner Harbor Navigation Canal Light 2	29-57-26.137N 090-01-35.277W	Q R	15	4	TR-SY on skeleton tower.	
34770	Governor Nicholls Harbor Traffic Control Light 94	29-57-37.921N 090-03-22.899W	FI G 5s	90	16	On skeleton tower.	Operated by Vessel Traffic Safety New Orleans during periods of high water. Controls one way traffic around Algiers Point.
34775	Algiers Point Light 95	29-57-18.902N 090-03-19.119W	Q G	20	5	SG-SY on skeleton tower on piles.	
34780	New Orleans Police Mooring Dolphin Light	29-56-58.600N 090-03-43.800W	FI R 2.5s			On dolphin.	
34785	Upper Algiers Ferry Landing Lights (2)	29-57-12.000N 090-03-21.000W	FI G 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED ONLY DURING LOW VISIBILITY.
34790	Canal Street Ferry Landing Lights (2)	29-56-58.000N 090-03-43.000W	FI R 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED ONLY DURING LOW VISIBILITY.
34795	Gretna Harbor Traffic Control Light 97	29-55-33.175N 090-03-30.009W	FI R 5s	35	16	On skeleton tower.	Operated by Vessel Traffic Safety Office New Orleans during periods of high water. Controls one way traffic around Algiers Point.
34805	Gretna Water Intake Light	29-55-27.000N 090-03-38.000W	FI G 2.5s			On dolphin.	
34808	Gretna Ferry Boat Ramp Light	29-55-07.871N 090-04-00.494W	FI W 2.5s			Marks outermost upstream piling designating the riverward end of boat ramp.	
34810	Gretna Ferry Landing Lights (2)	29-55-06.000N 090-04-02.000W	FI G 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED ONLY DURING LOW VISIBILITY.
34815	Jackson Avenue Ferry Landing Lights (2)	29-55-20.000N 090-04-15.000W	FI R 2.5s			On dock.	HORN: 1 BLAST EV 20S (2S BL). OPERATED ONLY DURING LOW VISIBILITY.
34820	International Matex Dock Lights (4)	29-55-00.000N 090-04-18.000W	FI G 2.5s			(2) on floating dock (2) on outermost upstream and downstream dolphins.	
34825	Hero Cut Obstruction Light A	29-50-02.081N 090-03-57.149W	Q W	0	5	NB on pile.	
34830	Forstall Street Discharge Light	29-57-19.000N 090-01-25.000W	F R			On dolphins.	
34835	Delery Street Discharge Light	29-56-59.000N 090-00-43.000W	Q R			On pile cluster.	
34840	Quarantine Anchorage Upper Daybeacon 91.6	29-56-36.919N 090-00-55.023W		0		NY on pile.	Ra ref.
34845	Quarantine Anchorage Lower Daybeacon 90.9	29-56-15.187N 090-00-19.269W		0		NY on pile.	Ra ref.
34850	New Orleans General Anchorage Upper Daybeacon 90.5	29-56-15.049N 090-00-19.047W		0		NY on pile.	Ra ref.
34855	Chalmette National Park Tour Boat Dock Lights (2)	29-56-20.000N 089-59-38.000W	FI R 2.5s			On dock.	Lights flash in unison.
34860	New Orleans General Anchorage Lower Daybeacon 90.1	29-55-52.026N 089-59-40.698W		0		NY on pile.	Ra ref.
34865	Chalmette Obstruction Light	29-56-00.000N 089-59-12.000W	Q R			On multi-pile structure.	
34870	Norfolk Southern Corporation Light	29-56-23.000N 089-59-42.000W	FI R 2.5s			On wall.	
34880	Kaiser Upper Light	29-55-48.000N 089-58-48.000W	F R			On multi-pile structure.	
34885	Tenneco Coke Wharf Light	29-55-49.000N 089-58-44.000W	FI R 2.5s			On dolphin.	
34890	Mobil St. Benard Mooring Dolphin Lights (4)	29-55-42.000N 089-58-30.000W	FI R 2.5s			On dolphins.	
34895	Tenneco Dock Lights (2)	29-55-45.000N 089-58-37.000W	F R				
34900	Chalmette Algiers West Bank Maintenance Landing Lights (2)	29-55-20.100N 089-55-28.100W	FI G 2.5s			On barge.	
34905	Chalmette-Algiers East Bank Ferry Landing Lights (2)	29-55-41.700N 089-58-15.500W	FI R 2.5s			Dolphin and barge.	
34910	Chalmette-Algiers West Bank Ferry Landing Lights (2)	29-55-18.600N 089-58-24.300W	FI G 2.5s			On barge.	Horn: 1 blast ev 20S (2S BL).
34915	Humble Dock Lights (3)	29-55-31.000N 089-56-47.000W	FI R 2.5s			On dolphins.	

34920	Meraux Intake Lights (7)	29-55-31.000N 089-56-42.000W	FI R 2.5s				
34925	Mobil St. Bernard Dolphin Light	29-55-30.650N 089-57-35.430W	FI W 2.5s			On dolphin.	
34930	Tenneco Dock Lights (2)	29-55-33.000N 089-57-51.000W	FI R 2.5s			On dolphin.	
34935	Algiers Alternate Route Junction Light A	29-55-11.941N 089-58-03.195W	FI (2+1)G 6s	20	4	JG-TY on skeleton tower on piles.	
34940	Algiers Alternate Route Junction Light	29-49-17.959N 090-04-03.748W	FI (2+1)R 6s	0	3	JR-TY on dolphin.	Higher intensity beam up Algiers Alternate Route and down Bayou Barataria.
34945	USACE West Closure Complex Lights (2)	29-48-55.083N 090-04-13.844W	Q R			Marks ends of structure.	HORN: 1 BLAST EV 20S (2S BL).
34950	Hole In The Wall Daybeacon 1	29-47-13.432N 090-03-47.188W			0	SG-SY on pile.	Ra ref.
34955	Hole In The Wall Daybeacon 3	29-46-59.315N 090-03-49.507W			0	SG-SY on pile.	Ra Ref
34957	Ten Mile Exchange Light 1	29-46-39.700N 090-04-01.710W	FI G 2.5s			On pile cluster.	
34957.01	Ten Mile Exchange Light 2	29-46-45.020N 090-04-05.330W	FI R 2.5s			On pile cluster.	
34957.02	Ten Mile Exchange Light 3	29-46-21.330N 090-04-24.190W	FI G 2.5s			On pile cluster.	
34957.03	Ten Mile Exchange Light 4	29-46-27.580N 090-04-27.000W	FI R 2.5s			On pile cluster.	
34957.04	Ten Mile Exchange Light 5	29-46-06.650N 090-04-51.020W	FI G 2.5s			On pile cluster.	
34957.05	Ten Mile Exchange Light 6	29-46-10.140N 090-04-50.560W	FI R 2.5s			On pile cluster.	
34960	Bayou Villars Daybeacon 2	29-44-20.984N 090-08-32.824W			0	TR-TY on pile.	Ra Ref
34965	Bayou Perot Entrance Crossing Daybeacon 2	29-41-15.191N 090-11-15.371W			0	TR-TY on pile.	Ra ref.
34970	Bayou Perot Entrance Crossing Daybeacon 4	29-40-53.553N 090-11-35.860W			0	TR-TY on pile.	Ra ref.
34975	Bayou Segnette Pump Station Lights (3)	29-53-45.000N 090-09-32.000W	FI W 4s			On dolphins. NW on upstream and downstream dolphins WORDED: DANGER WATER DISCHARGE.	
34979	Phillips 66 Pipeline 10A VAIS	29-38-05.120N 090-20-17.440W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663081
34979.01	Phillips 66 Pipeline 10B VAIS	29-38-08.480N 090-20-23.660W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663082
34980	Delta Farms Buoy 1	29-36-29.645N 090-21-27.761W				Green can with yellow square.	
34985	Delta Farms Buoy 3	29-36-13.004N 090-21-39.018W				Green can with yellow square.	
34990	Harvey Canal No. 2 Humble Pipeline Lights (2)	29-35-15.000N 090-22-18.000W	F G			On pile bulkhead.	
34992	Terrebonne Parish Pump Station Danger Light	29-34-58.250N 090-43-02.710W	FI W 2.5s			Marks submerged pipe.	
34993	Hutchinson Upstream Dock Light	29-36-08.500N 090-42-36.200W	FI W 2.5s			Marks upstream dolphin.	
34993.01	Hutchinson Downstream Dock Light	29-36-06.500N 090-42-36.200W	FI W 2.5s			Marks downstream dolphin.	
34995	Terrebone Parish Water Intake Lights (2)	29-34-30.000N 090-43-04.000W	FI R 2.5s			On dolphins.	
35000	USACE Copesaw Canal Metering Station Light	29-34-14.000N 090-57-10.300W	FI Y 2.5s			On pile.	
35005	USACE Minors Canal Metering Station Light	29-31-50.000N 090-47-42.000W				On pile.	
35010	USACE GICWW Metering Station Light	29-32-10.300N 090-47-50.450W	FI Y 2.5s			On pile.	
35013	Lafourche-Terrebonne S&W Conservation District Danger Light	29-34-19.129N 090-57-09.037W	FI W 2.5s			Marks shoreline restoration breakwater.	
35013.01	Lafourche-Terrebonne S&W Conservation District Danger Light	29-33-41.564N 090-55-54.218W	FI W 2.5s			Marks shoreline restoration breakwater.	
35013.02	Lafourche-Terrebonne S&W Conservation District Danger Light	29-33-34.257N 090-55-40.874W	FI W 2.5s			Marks shoreline restoration breakwater.	

35013.03	Lafourche-Terrebonne S&W Conservation District Danger Daybeacons (10)	29-33-57.757N 090-56-25.736W					Marks shoreline restoration breakwater.	
35013.04	Lafourche-Terrebonne S&W Conservation District Danger Daybeacons (11)	29-34-16.982N 090-57-09.498W					Marks shoreline restoration breakwater.	
35013.05	Lafourche-Terrebonne S&W Conservation District Danger Daybeacons (22)	29-33-34.466N 090-55-44.429W					Marks shoreline restoration breakwater.	
35015	Lake Cocodrie Light 2	29-35-20.420N 090-57-53.296W	Fl R 4s	0	3		TR-TY on pile.	Ra ref.
35020	Lake Cocodrie Buoy 3	29-35-24.011N 090-58-02.122W					Green can with yellow square.	
35025	Lake Cocodrie Buoy 4	29-35-25.921N 090-57-57.213W					Red nun with yellow triangle.	
35030	Lake Cocodrie Buoy 5	29-36-07.284N 090-58-28.910W					Green can with yellow square.	
35035	Lake Cocodrie Buoy 6	29-36-07.742N 090-58-23.123W					Red nun with yellow triangle.	
35040	Lake Cocodrie Buoy 7	29-36-33.429N 090-58-46.668W					Green can with yellow square.	
35045	Lake Cocodrie Buoy 8	29-36-39.308N 090-58-42.500W					Red nun with yellow triangle.	
35050	Lake Cocodrie Buoy 9	29-36-45.579N 090-58-56.879W					Green can with yellow square.	
35055	Lake Cocodrie Light 10	29-36-48.181N 090-58-52.755W	Fl R 2.5s	0	4		TR on pile.	Ra ref.
35060	Lake Cocodrie Buoy 12	29-37-00.722N 090-59-11.617W					Red nun with yellow triangle.	
35065	Lake Cocodrie Buoy 13	29-36-57.317N 090-59-14.403W					Green can with yellow square.	
35070	Lake Cocodrie Light 14	29-37-30.313N 091-00-11.651W	Fl R 2.5s	0	4		TR-TY on skeleton tower on piles.	
35085	Lake Verret Light C	29-56-47.000N 091-11-30.000W	Fl W 4s				Pile structure.	
35090	Lake Verret Light B	29-50-50.000N 091-06-05.000W	Fl W 4s				Pile structure.	
35095	Lake Verret Light A	29-49-30.000N 091-05-55.000W	Fl W 4s				Pile structure.	
35100	Vopak Barge Dock Light(2)	29-54-30.000N 091-13-30.000W	Fl R 2.5s				On mooring dolphins.	
35102	Lejeune Boat House Light	29-46-02.810N 091-09-48.800W	Fl W 2.5s				Marks boat house structure.	
35105	Morgan City-Port Allen Alternate Route Daybeacon	29-44-09.054N 091-10-42.213W		0			NW on pile.	
35110	Morgan City-Port Allen Alternate Route Daybeacon 10	29-43-59.968N 091-10-45.222W		0			TR-TY on pile.	Ra ref.
35115	Morgan City-Port Allen Alternate Route Daybeacon 11	29-44-01.671N 091-10-39.418W		0			SG-SY on pile.	Ra ref.
35120	Morgan City-Port Allen Alternate Route Daybeacon 12	29-43-46.655N 091-10-55.463W		0			TR-TY on pile.	Ra ref.
35125	Morgan City-Port Allen Alternate Route Daybeacon 13	29-43-44.824N 091-10-50.436W		0			SG-SY on pile.	Ra ref.
35130	Morgan City-Port Allen Alternate Route Daybeacon 14	29-43-37.199N 091-11-08.421W		0			TR-TY on pile.	Ra ref.
35135	Morgan City-Port Allen Alternate Route Daybeacon 15	29-43-32.627N 091-11-07.142W		0			SG-SY on pile.	Ra ref.
35140	Morgan City-Port Allen Alternate Route Daybeacon 16	29-43-32.525N 091-11-21.123W		0			TR-TY on pile.	Ra ref.
35145	Morgan City-Port Allen Alternate Route Daybeacon 17	29-43-28.651N 091-11-19.230W		0			SG-SY on pile.	Ra ref.
35150	Berwick Locks Buoy 1	29-42-50.120N 091-13-21.869W					Green can with yellow triangle.	

35155	Conrad Drydock Lights	29-42-00.000N 091-13-00.000W	FI R 2.5s				On drydock and dolphin.	
35160	Conrad Drydock Light	29-42-08.000N 091-12-59.000W	FI R 2.5s				On dolphin.	
35165	Berwick Light	29-41-39.000N 091-13-03.000W	FI W 6s				Red tapered tower.	
35170	Berwick Bay Range Front A Light	29-41-10.118N 091-12-37.392W	Q R	0			KRW on skeleton tower on piles.	Visible from 054.6° to 215.6°.
35175	Berwick Bay Range Rear A Light	29-41-06.157N 091-12-35.851W	Iso R 6s	20			KRW on skeleton tower on piles.	Visible from 147.6° to 172.6°.
35180	Berwick Bay Bridge Approach Danger Range Front Light	29-41-46.723N 091-12-54.865W	Q Y	0			KGR-I on west side bridge abutment.	Visible downbound only. Range marks the western most boundary of the suggested downbound course for approaching the bridges. NOTE: Range is not to be steered on.
35185	Berwick Bay Bridge Approach Danger Range Rear Light	29-41-43.631N 091-12-53.222W	Iso Y 6s	0			KGR-I on west side bridge abutment.	Visible downbound only. NOTE: Range is not to be steered on.
35190	Little Wax Bayou Junction Light A	29-39-37.386N 091-14-31.852W	FI (2+1)G 6s	0	5		JG-TY on dolphin.	Ra ref.
35195	Little Wax Bayou Light 1	29-39-24.409N 091-14-48.528W	Q G	0	4		SG-SY on pile.	Ra ref.
35200	Little Wax Bayou Light 2	29-39-29.741N 091-14-50.599W	FI R 2.5s	0	4		TR-TY on pile.	Ra ref.
35205	Little Wax Bayou Light 3	29-38-32.302N 091-18-07.565W	FI G 2.5s	0	4		SG-NW on pile worded: VTS BERWICK CHECK POINT SIGN.	Ra ref.
35210	Wax Outlet East Approach Daybeacon E	29-38-47.799N 091-23-11.482W		0			NG-NW on pile worded WARNING EXTREME CURRENT.	Ra ref.
35215	Wax Outlet Northeast Approach Daybeacon NE	29-38-54.931N 091-23-19.402W		0			NG-NW on pile worded WARNING EXTREME CURRENT.	Ra ref.
35220	Wax Outlet Northwest Approach Daybeacon NW	29-39-00.749N 091-23-46.085W		0			NG-NW on pile worded WARNING EXTREME CURRENT.	Ra ref.
35225	Wax Outlet West Approach Daybeacon W	29-38-58.025N 091-23-58.092W		0			NG-NW on pile worded WARNING EXTREME CURRENT.	Ra ref.
35227	Cleco Power Intake Light	29-40-53.591N 091-28-19.946W	FI W 2.5s				NW on Pile	
35228	St. Mary Levee District Flood Protection Structure Light 1	29-46-59.700N 091-31-42.300W	FI G 2.5s				Marks port side structure.	
35228.01	St. Mary Levee District Flood Protection Structure Light 2	29-46-59.200N 091-31-42.000W	FI R 2.5s				Marks starboard side structure.	
35228.02	St. Mary Levee District Flood Protection Structure Light 3	29-47-00.300N 091-31-41.100W	FI G 2.5s				Marks port side structure.	
35228.03	St. Mary Levee District Flood Protection Structure Light 4	29-46-59.800N 091-31-40.900W	FI R 2.5s				Marks starboard side structure.	
35228.04	Hanson Canal Light 1	29-45-14.040N 091-29-48.430W	FI G 2.5s				Marks port side of flood gate structure.	
35228.05	Hanson Canal Light 2	29-45-13.980N 091-29-48.270W	FI R 2.5s				Marks starboard side of flood gate structure.	
35230	Mud Lake Light 9	29-45-08.194N 091-35-57.667W	FI G 2.5s	0	3		SG on pile.	Ra ref.
35235	Mud Lake Light 11	29-45-25.788N 091-36-13.866W	FI G 4s	0	4		SG-SY on pile.	Ra ref.
35236	Bayou Teche Flood Control Lighted Danger Buoy	29-49-34.900N 091-32-12.900W	FI W 2.5s					
35237	Bayou Teche Flood Control Light 1	29-49-34.500N 091-32-12.600W	FI G 2.5s				Marks 7-pile cluster dolphin.	
35237.01	Bayou Teche Flood Control Light 2	29-49-34.000N 091-32-11.300W	FI R 2.5s				Marks 7-pile cluster dolphin.	
35237.02	Bayou Teche Flood Control Light 3	29-49-35.700N 091-32-10.400W	FI G 2.5s				Marks 7-pile cluster dolphin.	
35237.03	Bayou Teche Flood Control Light 4	29-49-35.100N 091-32-09.800W	FI R 2.5s				Marks 7-pile cluster dolphin.	
35237.04	Bayou Teche Flood Control Light 5	29-49-37.000N 091-32-08.700W	FI G 2.5s				Marks 7-pile cluster dolphin.	
35237.05	Bayou Teche Flood Control Light 6	29-49-35.900N 091-32-08.400W	FI R 2.5s				Marks 7-pile cluster dolphin.	
35240	Ivanhoe Canal Rip-Rap Obstruction Lights (2)	29-45-49.000N 091-44-26.000W	Q G				NW on structure.	
35245	Weeks Bay P/L Marker C	29-48-36.686N 091-49-22.159W					NW on pile.	

35250	Weeks Bay P/L Marker D	29-48-37.453N 091-49-18.634W					NW on pile.	
35255	Weeks Island Pipeline Marker Light	29-48-45.000N 091-49-25.500W	FI Y 2.5s				On dolphin.	
35260	Weeks Bay Pipeline Light A	29-49-06.000N 091-49-36.000W	FI Y 2.5s				NW on pile.	
35265	Weeks Bay Pipeline Light B	29-49-07.571N 091-49-30.467W	FI Y 2.5s				NW on pile.	
35270	Weeks Bayou Light	29-49-13.700N 091-49-29.800W	Q W				On dolphin.	
35274	VERMILLION RIVER ENTRANCE LIGHT 1	29-47-04.711N 092-08-38.662W	FI G 2.5s	0	3		SG on pile.	Ra ref.
35278	VERMILLION RIVER LIGHT 2	29-47-05.358N 092-08-34.396W	FI R 2.5s	0	3		TR on pile.	Ra ref.
35285	Broussard Landing Dock Light	29-46-52.000N 092-11-20.000W	FI R 2.5s				On pile.	
35295	Mermentau River Crossing Buoy 1	29-58-19.060N 092-47-19.713W					Green can with yellow square.	
35300	Mermentau River Crossing Buoy 2A	29-58-24.672N 092-47-24.563W					Red nun with yellow triangle.	
35302	Mermentau River Crossing Light 2	29-58-23.620N 092-47-14.570W	FI R 2.5s	0	3		TR-TY on pile.	Ra ref.
35310	Mermentau River Crossing Buoy 4	29-58-24.785N 092-47-38.799W					Red nun with yellow triangle.	
35315	Mermentau River Crossing Buoy 5	29-58-16.459N 092-47-51.456W					Green can with yellow square.	
35320	Mermentau River Crossing Junction Buoy M	29-58-20.670N 092-48-04.147W					Red nun with green band and yellow triangle.	
35325	Mermentau River Crossing Light 7	29-58-16.664N 092-48-10.619W	FI G 2.5s	0	3		SG-SY on pile.	Ra ref.
35330	Mermentau-Gibbstown Buoy 1	29-55-44.793N 092-57-13.186W					Green with yellow square.	
35365	Devils Elbow Industrial Canal Range Front Light 5	30-06-27.819N 093-18-19.708W	Q G	20			KRW-I and SG on skeleton tower on piles.	Visible all around; higher intensity on rangeline. KRW-I for inbound traffic. SG for outbound traffic.
35370	Devils Elbow Industrial Canal Range Rear Light	30-06-31.861N 093-18-14.846W	F G	10			KRW-I on skeleton tower on piles.	Visible 5.5° each side of range line.
35375	Devils Elbow Junction Light	30-06-14.057N 093-18-27.354W	FI (2+1)R 6s	0	3		JR-TR on pile.	Ra ref.
35380	Devils Elbow Light 3	30-06-16.417N 093-18-40.918W	FI G 2.5s	0	3		SG-SY on pile.	Ra ref.
35385	Devils Elbow Light 2	30-05-47.641N 093-19-01.179W	Oc R 4s	0	3		TR-SY on pile.	
35390	Devils Elbow Light 1	30-05-48.822N 093-19-14.371W	Oc G 4s	0	3		SG-TY on pile.	Ra ref.
35395	Devils Elbow Range Front Light	30-05-14.623N 093-19-47.328W	Q W	17			KRW-I on skeleton tower.	Visible all around; higher intensity on rangeline.
35400	Devils Elbow Range Rear Light	30-05-12.660N 093-19-49.702W	Iso W 6s	30			KRW-I on skeleton tower.	Visible all around; higher intensity on rangeline.
35405	Calcasieu Channel Light 92	30-05-21.808N 093-19-24.950W	FI R 2.5s	0	4		TR-SY on pile.	
35410	Calcasieu Channel Light 91	30-05-16.685N 093-19-34.884W	FI G 2.5s	0	4		SG-SY on pile.	Ra ref.
35415	Black Bayou Cutoff Canal Light 1	30-03-24.620N 093-37-05.180W					SG on pile.	
35420	Black Bayou Canal Cutoff Light 2	30-03-24.620N 093-37-06.630W	FI R 4s				TR on pile.	
35425	Calcasieu-Sabine West Light 2	30-03-31.979N 093-41-54.926W	FI R 4s	0	4		TR-TY on pile.	
35430	Sabine River Light 22	30-03-17.829N 093-43-07.570W	FI R 4s	0	3		TR-TY on pile.	Ra ref.
35435	Sabine River Daybeacon 21	30-03-15.276N 093-43-17.116W		0			SG-TY on pile.	Ra ref.
35440	Sabine River Light 20	30-02-54.390N 093-43-27.290W	FI R 2.5s	0	3		TR-SY on pile.	
35445	Adams Bayou Light 2	30-02-55.223N 093-43-46.802W	FI R 4s	17	3		TR-SY on pile.	
35450	Sabine River Outer Q Range Front Light	30-02-22.412N 093-44-17.987W	Q W	25			KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
35455	Sabine River Outer Q Range Rear Light	30-02-13.860N 093-44-30.392W	Iso W 6s	45			KRW on skeleton tower on mud sills.	Visible all around; higher intensity on rangeline.

35460	Burton Canal Rock Weir Obstruction Light	30-02-41.000N 093-43-36.000W	FI W 2.5s			NW on pile worded DANGER ROCK WEIR.
35465	Sabine River Light 16	30-02-16.856N 093-44-09.430W	Q R	0	4	TR-SY on pile.
35470	Dynegy Midstream Dock Lights(2)	30-02-09.000N 093-44-21.000W	FI G 2.5s			On dolphins.
35475	Sabine River Light 15	30-02-02.276N 093-44-24.204W	FI G 4s	0	4	SG-TY on pile.
35480	Sabine River Lighted Buoy 13A	30-01-49.085N 093-44-24.678W	FI G 2.5s		3	Green can with yellow triangle.
35485	Sabine River Light 13	30-01-38.978N 093-44-26.604W	FI G 4s	0	4	SG-TY on pile.
35490	Sabine River Light 11	30-01-21.596N 093-44-37.446W	FI G 4s	0	4	SG-TY on pile.
35495	Sabine River Daybeacon 10	30-01-13.423N 093-44-35.069W			0	TR-SY on pile. Ra ref.
35500	Sabine River Light 8	30-01-04.850N 093-44-51.450W	FI R 2.5s	0	4	TR-SY on skeleton tower on piles.
35505	Sabine River Light 5	30-00-51.180N 093-45-36.548W	FI G 4s	0	4	SG-TY on pile. Ra ref.
35510	Sabine River P Range Front Light	30-01-06.738N 093-45-15.906W	Q W		20	KRW-I on skeleton tower piles. Visible 4° either side of rangeline.
35515	Sabine River P Range Rear Light	30-01-34.561N 093-44-50.120W	Iso W 6s		45	KRW-I on skeleton tower on piles.
35520	Sabine River Daybeacon 4	30-00-50.050N 093-45-23.699W			0	TR-SY on pile.
35525.01	Sabine River Lighted Buoy 2	29-59-59.425N 093-46-14.881W	FI R 4s		3	Red nun with yellow square.
35530	Sabine River Light 1	29-59-51.095N 093-46-29.984W	FI G 2.5s	0	4	SG-TY on pile. Ra ref.
35535	Sabine-Neches Canal O Range Front Light	29-59-30.992N 093-47-02.306W	Q R		5	KRW-I on skeleton tower. For eastbound traffic.
35540	Sabine-Neches Canal O Range Rear Light	29-59-40.580N 093-46-31.692W	FI R 4s		45	KRW on skeleton tower on mud sills. Passing light visible all around.
35545	Sabine-Neches Canal Buoy 80	29-59-08.740N 093-48-05.514W				Red nun with yellow square.
35550	Sabine-Neches Canal Buoy 79	29-59-12.727N 093-48-07.920W				Green can with yellow triangle.
35555	Sabine-Neches Canal Buoy 78	29-59-02.440N 093-48-25.374W				Red nun with yellow square.
35560	Sabine-Neches Canal Buoy 77	29-59-06.665N 093-48-27.586W				Green can with yellow triangle.
35565	Sabine-Neches Canal Buoy 76	29-58-54.027N 093-48-51.424W				Red nun with yellow square.
35570	Sabine-Neches Canal Buoy 75	29-58-57.997N 093-48-54.816W				Green can with yellow triangle.
35575	Sabine-Neches Canal Light 74	29-58-44.148N 093-49-21.354W	FI R 4s	0	4	TR-SY on pile. Ra ref.
35580	Sabine-Neches Canal Light 73	29-58-49.885N 093-49-23.126W	FI G 4s	0	4	SG-TY on pile. Ra ref.
35585	Sabine-Neches Canal Buoy 72	29-58-35.641N 093-49-51.205W				Red nun with yellow square.
35590	Sabine-Neches Canal Buoy 71	29-58-39.753N 093-49-53.030W				Green can with yellow triangle.
35595	Sabine-Neches Canal Buoy 70	29-58-28.857N 093-50-12.683W				Red nun with yellow square.
35600	Sabine-Neches Canal Buoy 69	29-58-32.889N 093-50-15.056W				Green can with yellow triangle.
35605	Sabine-Neches Canal Buoy 68	29-58-22.049N 093-50-33.380W				Red nun with yellow square.
35610	Sabine-Neches Canal Buoy 67	29-58-27.455N 093-50-36.641W				Green can with yellow triangle.
35615	Sabine-Neches Canal N Range Front Light	29-58-02.241N 093-51-44.678W	Q G		35	On skeleton tower on piles. For westbound traffic.
35620	Sabine-Neches Canal N Range Rear Light	29-57-52.328N 093-52-16.124W	Iso G 6s		80	On skeleton tower on piles. Range is not effective inland of Sabine-Neches Canal Buoys 75 and 76.
35625	Sabine-Neches Canal Light 66	29-58-04.526N 093-51-08.157W	FI R 2.5s	0	4	TR-SY on pile. Ra ref.
35630	Sabine-Neches Canal M Upper Range Front Light	29-58-15.930N 093-51-10.234W	Q W		20	On skeleton tower. For upbound traffic. Visible 2° each side of rangeline. Lighted through 24 hours.

35635	Sabine-Neches Canal M Upper Range Rear Light	29-58-37.595N 093-51-01.160W	Iso W 6s	56		On skeleton tower on piles. On same structure as Neches River Outer Range R Rear Light.	
35640	Sabine-Neches Canal Light 65	29-57-57.268N 093-51-25.028W	Fl G 4s	17	4	SG-TY on pile.	Ra ref.
35645	Sabine-Neches Canal Buoy 64A	29-57-33.945N 093-51-21.876W				Red nun with yellow square.	
35650	Sabine-Neches Canal Light 64	29-56-56.539N 093-51-39.219W	Fl R 4s	0	4	TR-SY on pile.	Ra ref.
35655	Sabine-Neches Canal K Range Front Light	29-56-04.503N 093-52-05.174W	Q W	30	14		
35660	Sabine-Neches Canal K Range Front Passing Light	29-56-04.503N 093-52-05.174W	Fl R 2.5s	17	3	On same structure as Neches Canal Range K Front Light.	
35665	Sabine-Neches Canal K Range Rear Light	29-55-34.119N 093-52-17.861W	Iso W 6s	55			Visible only on rangeline. Lighted throughout 24 hours.
35670	Sabine-Neches Canal L Range Front Light	29-56-35.681N 093-51-46.487W	Q W	30		KRW-I on skeleton tower on piles.	
35675	Sabine-Neches Canal L Range Rear Light	29-56-58.215N 093-51-26.720W	Iso W 6s	55		KRW on skeleton tower on piles.	
35680	Sabine-Neches Canal Light 62	29-55-43.922N 093-52-26.869W	Fl R 4s	0	4	TR-SY on pile.	Ra ref.
35685	Sabine-Neches Canal Light 60	29-54-55.639N 093-53-10.671W	Fl R 2.5s	0	4	TR-SY on pile.	
35690	Sabine-Neches Canal Light 58	29-54-36.426N 093-53-29.107W	Fl R 4s	0	3	TR-SY on pile.	Ra ref.
35695	Sabine-Neches Canal Light 56	29-54-06.077N 093-53-55.435W	Fl R 4s	0	4	TR-SY on pile.	
35700	Sabine-Neches Canal Light 54	29-53-27.591N 093-54-37.305W	Fl R 4s	0	4	TR-SY on pile.	
35705	Sabine-Neches Canal Light 52A	29-51-36.280N 093-56-12.681W	Fl R 2.5s	0	4	TR-SY on pile.	Ra ref.
35710	Sabine-Neches Canal H Range Front Light	29-52-05.850N 093-55-49.149W	Q R	40		KRW-I on skeleton tower on block.	For upbound traffic. Visible 2° each side of rangeline.
35715	Sabine-Neches Canal H Range Rear Light	29-52-13.269N 093-55-42.005W	Iso R 6s	50		KRW on skeleton tower on concrete block.	
35720	Sabine-Neches Canal Light 52	29-50-45.186N 093-56-58.425W	Q R	0	4	TR-SY on pile.	
35725	Sabine-Neches Canal Light 51	29-50-48.705N 093-57-06.579W	Fl G 4s	0	4	SG-TY on pile.	
35730	Sabine-Neches Canal Light 50A	29-50-20.229N 093-57-06.219W	Fl R 4s	0	3	TR-SY on pile.	Ra ref.
35735	Sabine-Neches Canal Light 50	29-49-48.691N 093-57-12.346W	Fl R 2.5s	0	4	TR-SY on pile.	Ra ref.
35740	Port Arthur Canal Light 49	29-49-23.511N 093-57-45.226W	Fl G 4s	0	4	SG-SY on pile.	
35742	GT Logistics Barge Dock Lights (2)	29-51-40.610N 093-59-26.710W	Fl R 2.5s			Marks upstream and downstream dock pilings.	
35745	Mc Faddin Wildlife Refuge Danger Daybeacon A	29-44-40.440N 094-04-43.420W				NW on pile worded DANGER ROCK.	Marks rock groin.
35750	Mc Faddin Wildlife Refuge Danger Daybeacon B	29-44-35.810N 094-04-50.080W				NW on pile worded DANGER ROCK.	Marks rock groin.
35755	Mc Faddin Wildlife Refuge Danger Daybeacon C	29-44-18.170N 094-05-15.220W				NW on pile worded DANGER ROCK.	Marks rock groin .
35760	Mc Faddin Wildlife Refuge Danger Daybeacon D	29-44-00.210N 094-05-39.560W				NW on pile worded DANGER ROCK.	Marks rock groin.
35765	U.S. Dept. of Energy Raw Water Intake Lights (2)	29-40-58.000N 094-11-41.000W	Fl R 2.5s			On fenders.	
35775	East Bay Bayou Light 2	29-33-11.686N 094-28-02.369W	Fl R 2.5s		3	TR-TY on pile.	Ra ref.
35780	East Bay Bayou Light 3	29-33-09.466N 094-27-59.378W	Fl G 2.5s		3	SG-SY on pile.	Ra ref.
35790	East Bay Bayou Light 6	29-32-50.923N 094-28-17.210W	Fl R 2.5s	0	3	TR-TY on pile.	Ra ref.
35795	East Bay Bayou Light 7	29-32-47.709N 094-28-15.444W	Fl G 2.5s		3	SG-SY on pile.	Ra ref.
35805	Rollover Bay Daybeacon 1	29-31-29.702N 094-29-17.953W		0		SG-SY on pile.	Ra ref.
35810	Rollover Bay Light 2	29-31-32.986N 094-29-18.919W	Q R		3	TR-TY on pile.	Ra ref.
35815	Rollover Bay Range Front Light	29-31-35.375N 094-29-06.802W	Q G	0		KRW-I on pile.	Visible all around; higher intensity 14° each side of rangeline.

35820	Rollover Bay Range Rear Light	29-31-40.454N 094-28-52.912W	Iso G 6s	32		KRW-I on skeleton tower.	Range is not effective west of Rollover Bay Light 14.
35830.01	ROLLOVER BAY LIGHT 4	29-31-25.619N 094-29-37.356W	FI R 2.5s	0	3	TR-TY on pile.	Ra ref.
35835	Rollover Bay Light 5	29-31-17.375N 094-29-53.050W	FI G 4s		3	SG-SY on pile.	Ra ref.
35850	Rollover Bay Light 8	29-31-14.452N 094-30-08.490W	FI R 6s		3	TR-TY on pile.	Ra ref.
35855.01	ROLLOVER BAY LIGHT 9	29-31-05.467N 094-30-24.919W	FI G 2.5s	0	3	SG-SY on pile.	Ra ref.
35865	Rollover Bay Light 11	29-31-00.690N 094-30-38.395W	FI G 4s		3	SG-SY on pile.	Ra ref.
35870	Rollover Bay Light 12	29-31-03.306N 094-30-40.129W	FI R 4s		3	TR-TY on pile.	Ra ref.
35895	Bolivar Peninsula Light 4	29-25-51.216N 094-42-46.299W	FI R 4s	0	3	TR-TY on pile.	Ra ref.
35900	Galveston Bay Operating Loading Dock Light	29-22-54.150N 094-46-28.410W	FI W 2.5s			Marks loading dock.	
35910	Bolivar Peninsula Light 13A	29-22-41.002N 094-46-35.165W	FI G 2.5s	0	5	SG-SY on pile.	
35915	Bolivar Peninsula Light 14	29-22-44.369N 094-46-39.323W	FI R 2.5s	0	4	TR-TY on pile.	
35920	Bolivar Peninsula Light 15A	29-22-33.137N 094-46-43.918W	Q G	0	4	SG-SY on pile.	
35925	Bolivar Peninsula Light 16A	29-22-37.106N 094-46-47.946W	Q R		3	TR-TY on pile.	
35930	Bolivar Peninsula Lighted Buoy 17	29-22-20.719N 094-46-57.204W	FI G 2.5s		4	Green can with yellow square.	
35935	Bolivar Peninsula Lighted Buoy 18	29-22-25.269N 094-47-00.947W	FI R 2.5s		4	Red nun with yellow triangle.	
35940	Bolivar Peninsula Lighted Buoy 19	29-22-15.653N 094-47-04.354W	Q G		4	Green with yellow square.	AIS: MMSI 993682674
35942	Bolivar Peninsula 19A V-AIS	29-22-07.979N 094-47-09.970W					AIS: MMSI 993682785
35945	Bolivar Peninsula Lighted Buoy 20	29-22-22.523N 094-47-06.983W	Q R		4	Red with yellow triangle.	AIS: MMSI 993682791
35947	Bolivar Peninsula 22 V-AIS	29-22-18.303N 094-47-13.419W		0			AIS: MMSI 993682680
35950	Galveston-Freeport Cutoff Channel Buoy 3	29-21-22.308N 094-48-25.314W				Green can with yellow square.	
35955	Galveston-Freeport Cutoff Channel Buoy 5	29-21-18.044N 094-48-32.103W				Green can with yellow square.	
35965	Galveston-Freeport Cutoff Channel Light 7	29-21-09.910N 094-48-44.461W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
35970	Galveston-Freeport Cutoff Channel Light 9	29-20-45.292N 094-49-16.303W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
35975	Galveston-Freeport Cutoff Channel Buoy 11	29-20-24.174N 094-49-47.544W				Green can with yellow square.	
35980	Galveston-Freeport Cutoff Channel Buoy 12	29-20-27.120N 094-49-51.306W				Red nun with yellow triangle.	
35985	Galveston-Freeport Cutoff Channel Buoy 11A	29-20-02.931N 094-50-16.655W				Green can with yellow square.	
35990	Galveston-Freeport Cutoff Channel Buoy 12A	29-20-06.350N 094-50-20.754W				Red nun with yellow triangle.	
35995	Galveston-Freeport Cutoff Channel Light 13	29-19-39.866N 094-50-49.743W	FI G 2.5s	0	4	SG-SY on pile.	Ra ref.
36000	Galveston-Freeport Cutoff Channel Buoy 13A	29-19-25.465N 094-51-11.058W				Green can with yellow square.	
36005	Galveston-Freeport Cutoff Channel Light 14	29-19-42.866N 094-50-54.743W	FI R 2.5s	0	5	TR-TY on pile.	Ra ref.
36010	Galveston-Freeport Cutoff Channel Buoy 14A	29-19-28.362N 094-51-14.740W				Red nun with yellow triangle.	
36015	Galveston-Freeport Cutoff Channel Buoy 15	29-19-01.386N 094-51-45.601W				Green can with yellow square.	
36020	Galveston-Freeport Cutoff Channel Buoy 16	29-19-04.578N 094-51-48.982W				Red nun with yellow triangle.	
36025	Galveston-Freeport Cutoff Channel Light 17	29-18-39.121N 094-52-16.352W	FI G 4s	0	5	SG-SY on pile.	Ra ref.
36030	Galveston-Freeport Cutoff Channel Light 18	29-18-42.974N 094-52-20.539W	FI R 4s	0	4	TR-TY on pile.	Ra ref.

36035	Galveston-Freeport Cutoff Channel Junction Buoy	29-18-32.260N 094-52-25.963W					Green can with red band and yellow square.	
36040	Galveston-Freeport Cutoff Channel Buoy 20	29-18-31.271N 094-52-36.374W					Red nun with yellow triangle.	
36045	Galveston-Freeport Cutoff Channel Buoy 22	29-18-23.868N 094-52-45.745W					Red nun with yellow triangle.	
36050	Bolivar Point Light 21	29-21-28.883N 094-46-44.740W	FI G 4s		4		SG-SY on pile.	
36055	Houston Ship Channel Entrance Lighted Buoy 18	29-21-05.431N 094-46-58.678W	Q R		3		Red with yellow square.	
36060	Pelican Island Spit Shoal Lighted Buoy P	29-20-29.404N 094-46-24.089W	FI (2+1)G 6s		4		Green with red bands.	
36065	Galveston Channel Lighted Buoy 1	29-20-16.366N 094-46-11.234W	FI G 4s		4		Green with yellow square.	
36070	Galveston Channel Light 2	29-20-14.828N 094-46-35.783W	Q R	0	3		TR-TY on pile.	Ra ref.
36075	Galveston Channel Light 3	29-19-47.366N 094-46-28.734W	FI G 2.5s	0	4		SG-SY on pile.	Ra ref.
36080	Grasso Marine Dock Lights (2)	29-19-24.000N 094-46-52.000W	FI R 2.5s				On end of dock.	
36085	Galveston Island Marina Light	29-19-03.500N 094-46-40.000W	Q R					
36087	Texas International Terminals Turning Dolphin East	29-18-33.976N 094-49-14.682W	FI W 2.5s				On dolphin.	
36088	Texas International Terminals Turning Dolphin West	29-18-35.147N 094-49-20.155W					On dolphin.	
36090	Houston Lighting And Power South Tower Light	29-18-36.000N 094-49-27.000W	Q G				On dolphin.	
36095	Houston Lighting And Power North Tower Light	29-18-39.000N 094-49-25.000W	Q R				On dolphin.	
36100.01	Galveston-Freeport Light 1	29-18-37.459N 094-49-51.271W	FI G 4s	0	3		SG-SY on pile.	Ra ref.
36105	Galveston-Freeport Light 2	29-18-40.622N 094-49-51.670W	FI R 4s	0	3		TR-TY on pile.	
36110	Galveston-Freeport Light 3	29-18-32.728N 094-50-16.253W	FI G 2.5s	0	3		SG-SY on pile.	Ra ref.
36115	Galveston-Freeport Light 4	29-18-35.914N 094-50-16.154W	FI R 2.5s	0	3		TR-TY on pile.	
36120	Galveston-Freeport Light 5	29-18-27.100N 094-50-48.013W	FI G 4s	0	3		SG-SY on pile.	
36125	Galveston-Freeport Light 6	29-18-29.973N 094-50-48.928W	FI R 4s	0	3		TR-TY on pile.	Ra ref.
36130.01	Galveston-Freeport Light 7	29-18-25.125N 094-51-01.844W	Q G	0	3		SG-SY on pile.	Ra ref.
36135.01	Galveston-Freeport Light 8	29-18-28.357N 094-51-01.573W	Q R	0	3		TR-TY on pile.	Ra ref.
36140	Galveston-Freeport B&C Range Front Light	29-18-32.174N 094-52-41.588W	Q R		10		KRW-I on pile structure. On same structure as Range C Front Light.	Visible all around; higher intensity on rangeline.
36145	Galveston-Freeport B Range Rear Light	29-18-33.447N 094-53-10.161W	Iso R 6s		25		KRW-I on skeleton tower.	
36150	Galveston-Freeport Light 9	29-18-26.315N 094-51-21.126W	FI G 6s	0	3		SG-SY on pile.	Ra ref.
36155	Galveston-Freeport Light 10	29-18-29.371N 094-51-20.575W	FI R 6s	0	3		TR-TY on pile.	
36215	Pier 77 Channel Buoy 3	29-17-54.780N 094-51-21.120W					Green can.	
36220	Pier 77 Channel Buoy 4	29-17-57.540N 091-51-26.640W					Red nun.	
36225	Pier 77 Channel Buoy 7	29-17-53.400N 094-51-28.800W					Green can.	
36230	Pier 77 Channel Buoy 9	29-17-53.640N 094-51-31.500W					Green can.	
36235	Pier 77 Channel Buoy 10	29-17-56.340N 094-51-32.100W					Red nun.	
36240	Pier 77 Channel Buoy 12	29-17-52.860N 094-51-32.880W					Red nun.	
36245	Pier 77 Channel Buoy 13	29-17-49.260N 094-51-30.000W					Green can.	
36250	Pier 77 Channel Buoy 14	29-17-48.900N 094-51-32.220W					Red nun.	

36255.01	Galveston-Freeport Light 11	29-18-27.935N 094-51-45.835W	Fl G 2.5s	0	3	SG-SY on pile.	Ra ref.
36260.01	Galveston-Freeport Light 12	29-18-30.571N 094-51-45.748W	Fl R 2.5s	0	3	TR-TY on pile.	Ra ref.
36265	Galveston-Freeport Light 14	29-18-31.305N 094-52-00.509W	Fl R 4s	0	3	TR-TY on pile.	
36270	Galveston-Freeport Light 15	29-18-29.176N 094-52-13.532W	Q G	0	3	SG-SY on pile.	Ra ref.
36275	Galveston-Freeport Light 17	29-18-29.033N 094-52-22.872W	Fl G 2.5s	0	3	SG-SY on pile.	
36280	Galveston-Freeport Light 19	29-18-26.609N 094-52-32.502W	Fl G 4s	0	3	SG-SY on pile.	Ra ref.
36285	Galveston-Freeport Light 21	29-18-22.108N 094-52-39.665W	Fl G 6s	0	3	SG-SY on pile.	Ra ref.
36290	Galveston-Freeport Cutoff Channel Buoy 22	29-18-23.868N 094-52-45.745W				Red nun with yellow triangle.	
36295	Galveston-Freeport Buoy 23	29-18-13.848N 094-52-49.789W				Green can with yellow square.	
36300	Galveston-Freeport Buoy 24	29-18-12.906N 094-52-55.775W				Red nun with yellow triangle.	
36305	Galveston-Freeport B&C Range Front Light	29-18-32.174N 094-52-41.588W	Q R	10		KRW-I on pile structure. On same structure as Range C Front Light.	Visible all around; higher intensity on rangeline.
36310	Galveston-Freeport C Range Rear Light	29-18-53.858N 094-52-27.681W	Iso R 6s	25		KRW-I on skeleton tower on piles.	
36315	Galveston-Freeport Buoy 25	29-17-58.786N 094-53-01.023W				Green can with yellow square.	
36320	Galveston-Freeport Buoy 26	29-18-02.185N 094-53-04.530W				Red nun with yellow triangle.	
36325	Galveston-Freeport Buoy 27	29-17-34.798N 094-53-16.096W				Green can with yellow square.	
36330	Galveston-Freeport Buoy 28	29-17-37.093N 094-53-18.311W				Red nun with yellow triangle.	
36335	Offatts Bayou Entrance Channel Daybeacon 1	29-17-23.760N 094-53-19.905W		0		SG on pile.	Ra ref.
36340	Offatts Bayou Entrance Channel Daybeacon 2	29-17-21.809N 094-53-20.744W		0		TR on pile.	Ra ref.
36350	Offatts Bayou Entrance Channel Daybeacon 3	29-17-16.005N 094-53-15.235W		0		SG on pile.	Ra ref.
36352	Offatts Bayou Entrance Channel Daybeacon 4	29-17-17.011N 094-53-18.533W		0		TR on pile.	Ra ref.
36355	Offatts Bayou Entrance Channel Daybeacon 5	29-17-09.172N 094-53-10.980W		0		SG on pile.	Ra ref.
36360	Offatts Bayou Entrance Channel Daybeacon 6	29-17-09.570N 094-53-15.247W		0		TR on pile.	Ra ref.
36365	Offatts Bayou Entrance Channel Daybeacon 7	29-16-58.698N 094-53-05.121W		0		SG on pile.	
36370	Offatts Bayou Entrance Channel Daybeacon 8	29-16-54.957N 094-53-08.104W		0		TR on pile.	Ra ref.
36375	Offatts Bayou Entrance Channel Daybeacon 9	29-16-52.060N 094-53-03.145W		0		SG on pile.	
36380	Offatts Bayou Entrance Channel Daybeacon 10	29-16-49.611N 094-53-05.365W		0		TR on pile.	Ra ref.
36385	Offatts Bayou Entrance Channel Daybeacon 11	29-16-44.961N 094-52-57.905W		0		SG on pile.	
36390	Offatts Bayou Entrance Channel Daybeacon 12	29-16-42.701N 094-53-00.337W		0		TR on pile.	Ra ref.
36395	Galveston Airport Channel Daybeacon 2	29-16-34.801N 094-52-54.197W				TR on pile.	
36400	Galveston Airport Channel Daybeacon 4	29-16-25.695N 094-52-47.228W		0		TR on pile.	
36405	Offatts Bayou Entrance Channel Daybeacon 14	29-16-42.252N 094-52-56.679W		0		TR on pile.	Ra ref.
36410	Offatts Bayou Entrance Channel Daybeacon 16	29-16-41.416N 094-52-46.644W		0		TR on pile.	
36415	Offatts Bayou Entrance Channel Daybeacon 18	29-16-43.297N 094-52-37.184W		0		TR on pile.	
36420	Offatts Bayou Entrance Channel Daybeacon 20	29-16-44.881N 094-52-27.178W		0		TR on piles.	Ra ref.
36425	Offatts Bayou Entrance Channel Daybeacon 22	29-16-44.691N 094-52-06.251W		0		TR on pile.	

36430	Offatts Bayou Entrance Channel Daybeacon 24	29-16-49.468N 094-51-48.703W		0		TR on pile.		Ra ref.
36435	Offatts Bayou Entrance Channel Daybeacon 26	29-16-56.485N 094-51-34.214W		0		TR on pile.		Ra ref.
36437	Pelican Rest Marina Northwest Danger Lights (2)	29-16-59.340N 094-51-25.790W	Fl W 2.5s			Marks floating dock structure.		
36437.01	Pelican Rest Marina Southeast Danger Lights (3)	29-16-58.950N 094-51-22.960W	Fl W 2.5s			Marks floating dock structure.		
36437.02	Pelican Rest Marina Piling Lights (2)	29-17-00.870N 094-51-17.460W	Fl W 2.5s			Marks perimeter piles.		
36438	Offatts Bayou Entrance Channel Daybeacon 26A	29-16-53.588N 094-51-28.226W		0		TR on pile.		
36440	Offatts Bayou Entrance Channel Daybeacon 28	29-16-53.764N 094-51-19.745W		0		TR on pile.		
36445	Offatts Bayou Daybeacon 1	29-17-02.784N 094-50-32.399W		0		SG on pile.		Ra ref.
36450	Offatts Bayou Daybeacon 2	29-16-58.644N 094-50-22.141W		0		TR on pile.		Ra ref.
36455	Tiki Island Channel Daybeacon 1	29-17-33.180N 094-53-30.840W				SG on pile.		
36460	Tiki Island Channel Daybeacon 2	29-17-34.500N 094-53-29.880W				TR on pile.		
36465	Tiki Island Channel Daybeacon 3	29-17-35.640N 094-53-35.460W				SG on pile.		
36470	Tiki Island Channel Daybeacon 4	29-17-37.200N 094-53-34.380W				TR on pile.		
36475	Tiki Island Channel Daybeacon 5	29-17-41.640N 094-53-45.720W				SG on pile.		
36480	Tiki Island Channel Daybeacon 6	29-17-42.720N 094-53-45.240W				TR on pile.		
36485	Tiki Island Channel Daybeacon 7	29-17-45.840N 094-53-53.340W				SG on pile.		
36490	Tiki Island Channel Daybeacon 8	29-17-47.880N 094-53-55.080W				TR on pile.		
36495	Tiki Island Channel Daybeacon 9	29-17-51.360N 094-54-03.780W				SG on pile.		
36500	Tiki Island Channel Daybeacon 10	29-17-51.240N 094-54-01.620W				TR on pile.		
36505	Tiki Island Channel Daybeacon 11	29-17-54.000N 094-54-08.820W				SG on pile.		
36510	Tiki Island Channel Daybeacon 12	29-17-55.920N 094-54-09.420W				TR on pile.		
36515	Galveston-Freeport D Range Front Light	29-16-57.228N 094-53-42.013W	Q G	10		KRW-I on pile structure on same structure as Range E Front Light.		For westbound traffic. Visible all around; higher intensity on rangeline.
36520	Galveston-Freeport D Range Rear Light	29-16-35.451N 094-53-55.880W	Iso G 6s	30		KRW-I on skeleton tower.		
36525.01	Galveston-Freeport Light 30	29-17-28.589N 094-53-24.606W	Fl R 2.5s	0	3	TR-TY on pile.		Ra ref.
36530	Galveston-Freeport Buoy 32	29-17-18.868N 094-53-33.447W				Red nun with yellow triangle.		
36535.01	Galveston-Freeport Light 33	29-17-07.380N 094-53-38.766W	Fl G 2.5s	0	3	SG-SY on pile.		Ra ref.
36540.01	Galveston-Freeport Light 34	29-17-11.915N 094-53-41.667W	Q R	0	3	TR-TY on pile.		Ra ref.
36545	Galveston-Freeport Buoy 35	29-17-02.529N 094-53-49.940W				Green can with yellow square.		
36550	Galveston-Freeport Buoy 36	29-17-07.894N 094-53-51.813W				Red nun with yellow triangle.		
36555	Galveston-Freeport Buoy 37	29-17-01.209N 094-54-01.549W				Green can with yellow square.		
36560	Galveston-Freeport Buoy 38	29-17-06.424N 094-54-02.027W				Red nun with yellow triangle.		
36565.01	Galveston-Freeport Light 39	29-17-03.221N 094-54-13.515W	Fl G 2.5s	0	3	SG-SY on pile.		Ra ref.
36570.01	Galveston-Freeport Light 40	29-17-07.291N 094-54-12.474W	Q R	0	3	TR-TY on pile.		Ra ref.
36585	Galveston-Freeport E Range Front Light	29-16-57.228N 094-53-42.013W	Q W	10		KRW-I on pile structure; on same structure as Range D Front Light.		For eastbound traffic. Visible all around; higher intensity on rangeline.
36590	Galveston-Freeport E Range Rear Light	29-16-50.244N 094-53-14.986W	Iso G 6s			KRW-I on skeleton tower.		

36595	Galveston-Freeport Buoy 41	29-17-07.640N 094-54-30.723W				Green can with yellow square.	
36600	Galveston-Freeport Buoy 42	29-17-11.428N 094-54-31.614W				Red nun with yellow triangle.	
36605	Galveston-Freeport Buoy 43	29-17-15.273N 094-54-59.545W				Green can with yellow square.	
36610	Galveston-Freeport Buoy 44	29-17-19.033N 094-54-58.723W				Red nun with yellow triangle.	
36615	Galveston-Freeport Buoy 45	29-17-19.647N 094-55-16.189W				Green can with yellow square.	
36620	Galveston-Freeport Buoy 46	29-17-21.610N 094-55-07.204W				Red nun with yellow triangle.	
36625	Galveston-Freeport Light 47	29-17-19.507N 094-55-21.907W	Fl G 4s	0	4	SG-SY on pile.	Ra ref.
36630	Galveston-Freeport Buoy 48	29-17-23.478N 094-55-15.429W				Red nun with yellow triangle.	
36635	Galveston-Freeport Buoy 49	29-17-19.486N 094-55-30.182W				Green can with yellow square.	
36640.01	Galveston-Freeport Light 50	29-17-22.424N 094-55-31.152W	Fl R 2.5s	0	3	TR-TY on pile.	Ra ref.
36645	Galveston-Freeport F Range Front Light	29-17-24.939N 094-55-04.455W	Q W	0	12	KRW-I on pile structure.	For eastbound traffic.
36650	Galveston-Freeport F Range Rear Light	29-17-29.804N 094-54-33.248W	Iso W 6s	25		KRW-I on skeleton tower on piles.	
36655	Galveston-Freeport Buoy 51	29-17-17.463N 094-55-43.289W				Green can with yellow square.	
36660.01	Galveston-Freeport Light 52	29-17-21.071N 094-55-43.085W	Fl R 4s	0	3	TR-TY on pile.	Ra ref.
36665	Galveston-Freeport Buoy 53	29-17-11.858N 094-56-19.981W				Green can with yellow square.	
36670	Galveston-Freeport Buoy 54	29-17-14.898N 094-56-20.345W				Red nun with yellow triangle.	
36675	Galveston-Freeport Buoy 55	29-17-08.799N 094-56-41.560W				Green can with yellow square.	
36680	Galveston-Freeport Buoy 56	29-17-11.682N 094-56-42.024W				Red nun with yellow triangle.	
36685	Galveston-Freeport Buoy 57	29-17-05.457N 094-57-03.497W				Green can with yellow square.	
36690	Galveston-Freeport Buoy 58	29-17-08.192N 094-57-03.750W				Red nun with yellow triangle.	
36695	Galveston-Freeport Buoy 59	29-17-01.438N 094-57-31.583W				Green can with yellow square.	
36700	Harborwalk Entrance East Buoy 1	29-17-05.960N 094-57-31.100W				Green can.	
36705	Harborwalk Entrance East Buoy 2	29-17-06.190N 094-57-28.860W				Red nun.	
36710	Harborwalk Entrance East Buoy 3	29-17-08.660N 094-57-31.460W				Green can.	
36715	Harborwalk Entrance East Buoy 4	29-17-08.900N 094-57-29.220W				Red nun.	
36720	Harborwalk Entrance East Buoy 5	29-17-11.420N 094-57-31.830W				Green can.	
36725	Harborwalk Entrance East Buoy 6	29-17-11.650N 094-57-29.590W				Red nun.	
36730	Harborwalk Entrance East Buoy 7	29-17-14.290N 094-57-32.000W				Green can.	
36735	Harborwalk Entrance East Buoy 8	29-17-14.300N 094-57-29.750W				Red nun.	
36740	Harborwalk Entrance East Buoy 9	29-17-17.070N 094-57-32.020W				Green can.	
36745	Harborwalk Entrance East Buoy 10	29-17-17.070N 094-57-29.760W				Red nun.	
36750	Harborwalk Entrance East Buoy 11	29-17-20.650N 094-57-32.190W				Green can.	
36755	Harborwalk Entrance East Buoy 12	29-17-19.810N 094-57-29.770W				Red nun.	
36760	Harborwalk Entrance East Buoy 14	29-17-22.230N 094-57-30.890W				Red nun.	
36765	Galveston-Freeport Buoy 60	29-17-04.135N 094-57-32.344W				Red nun with yellow triangle.	

36770	Galveston-Freeport Buoy 61	29-16-58.265N 094-57-53.154W				Green can with yellow square.	
36775	Harborwalk Entrance West Buoy 1	29-17-02.390N 094-57-56.780W				Green can.	
36780	Harborwalk Entrance West Buoy 2	29-17-02.590N 094-57-55.680W				Red nun.	
36785	Harborwalk Entrance West Buoy 3	29-17-04.760N 094-57-57.350W				Green can.	
36790	Harborwalk Entrance West Buoy 4	29-17-04.960N 094-57-56.240W				Red nun.	
36795	Harborwalk Entrance West Buoy 5	29-17-07.130N 094-57-57.920W				Green can.	
36800	Harborwalk Entrance West Buoy 6	29-17-07.690N 094-57-56.900W				Red nun.	
36805	Harborwalk Entrance West Buoy 7	29-17-08.440N 094-57-59.230W				Green can.	
36810	Galveston-Freeport Buoy 62	29-17-00.870N 094-57-54.754W				Red nun with yellow triangle.	
36815.01	Galveston-Freeport Light 63	29-16-51.148N 094-58-25.379W	Q G	0	3	SG-SY on pile.	Ra ref.
36820	Galveston-Freeport G Range Front Light	29-16-54.152N 094-58-28.109W	Q W	0		KRW-I on pile.	For westbound traffic. Visible 2° each side of rangeline.
36825	Galveston-Freeport G Range Rear Light	29-16-49.681N 094-58-57.886W	Iso W 6s			KRW-I on skeleton tower.	Visible 2° each side of rangeline.
36830	Galveston-Freeport Buoy 75	29-11-48.196N 095-03-50.784W				Green can with yellow square.	
36835	Delhide Cove Danger Daybeacon A	29-13-50.200N 094-57-07.000W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater.
36840	Delhide Cove Danger Daybeacon B	29-13-50.400N 094-57-15.800W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater.
36845	Delhide Cove Danger Daybeacon C	29-13-47.900N 094-57-20.100W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater.
36850	Delhide Cove Danger Daybeacon D	29-13-44.400N 094-56-59.800W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater.
36855	Delhide Cove Danger Daybeacon E	29-13-47.700N 094-57-09.900W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater.
36860	Delhide Cove Danger Daybeacon F	29-13-45.000N 094-57-20.300W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater.
36865	Delhide Cove Danger Daybeacon G	29-13-39.300N 094-56-54.000W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater.
36870	Delhide Cove Danger Daybeacon H	29-13-35.900N 094-56-43.200W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater.
36875	Delhide Cove Danger Daybeacon I	29-13-26.100N 094-56-37.100W				NW on pile. Worded: DANGER BREAKWATER.	Marks Geotext tube Breakwater.
36878	City of Galveston Echert Bayou Outfall Danger Light	29-13-18.370N 094-56-09.740W	Fl W 2.5s			Marks submerged wastewater outfall structure.	
36879	TPWD Galveston Island State Park Danger Breakwater Daybeacon	29-13-02.056N 094-57-16.148W				Marks breakwater structure.	
36879.01	TPWD Galveston Island State Park Danger Breakwater Daybeacon	29-13-03.684N 094-57-17.137W				Marks breakwater structure.	
36879.02	TPWD Galveston Island State Park Danger Breakwater Daybeacon	29-13-09.713N 094-57-28.985W				Marks breakwater structure.	
36879.03	TPWD Galveston Island State Park Danger Breakwater Daybeacon	29-13-08.027N 094-57-43.402W				Marks breakwater structure.	
36879.04	TPWD Galveston Island State Park Danger Breakwater Daybeacon	29-12-54.527N 094-57-52.594W				Marks breakwater structure.	
36879.05	TPWD Galveston Island State Park Danger Breakwater Daybeacon	29-12-46.784N 094-57-53.212W				Marks breakwater structure.	
36879.06	TPWD Galveston Island State Park Danger Breakwater Daybeacon	29-12-45.913N 094-57-56.701W				Marks breakwater structure.	
36879.07	TPWD Galveston Island State Park Danger Breakwater Daybeacon	29-12-51.520N 094-58-12.458W				Marks breakwater structure.	

36879.08	TPWD Galveston Island State Park Danger Breakwater Daybeacon	29-12-47.988N 094-58-18.906W				Marks breakwater structure.
36879.09	TPWD Galveston Island State Park Danger Breakwater Daybeacon	29-12-45.256N 094-58-18.065W				Marks breakwater structure.
36879.11	TPWD Galveston Island State Park Danger Breakwater Daybeacon	29-12-45.732N 094-58-23.930W				Marks breakwater structure.
36880	Jamaica Beach Village Channel Light 1	29-12-29.000N 094-59-30.000W	FI G 2.5s			SG on pile.
36885	Jamaica Beach Village Channel Light 2	29-12-28.000N 094-59-31.000W	FI R 2.5s			TR on pile.
36890	Jamaica Beach Village Channel Light 3	29-12-20.000N 094-59-25.000W	FI G 2.5s			SG on pile.
36895	Jamaica Beach Village Channel Light 4	29-12-19.000N 094-59-31.000W	FI R 2.5s			TR on pile.
36900	Jamaica Beach Village Channel Light 5	29-12-12.000N 094-59-19.000W	FI G 2.5s			SG on pile.
36905	Jamaica Beach Village Channel Light 6	29-12-11.000N 094-59-20.000W	FI R 2.5s			TR on pile.
36910	Jamaica Beach Village Channel Light 7	29-12-05.000N 094-59-15.000W	FI G 2.5s			SG on pile.
36915	Jamaica Beach Village Channel Light 8	29-12-04.000N 094-59-16.000W	FI R 2.5s			TR on pile.
36918	TPWD Bird Island Cove Danger Breakwater Daybeacon	29-11-04.057N 095-00-05.278W				Marks breakwater structure.
36918.01	TPWD Bird Island Cove Danger Breakwater Daybeacon	29-11-04.810N 095-00-15.903W				Marks breakwater structure.
36918.02	TPWD Bird Island Cove Danger Breakwater Daybeacon	29-11-06.864N 095-00-24.051W				Marks breakwater structure.
36918.03	TPWD Bird Island Cove Danger Breakwater Daybeacon	29-11-09.478N 095-00-32.739W				Marks breakwater structure.
36918.04	TPWD Bird Island Cove Danger Breakwater Daybeacon	29-11-06.784N 095-00-45.725W				Marks breakwater structure.
36918.05	TPWD Bird Island Cove Danger Breakwater Daybeacon	29-10-54.409N 095-00-54.157W				Marks breakwater structure.
36918.06	TPWD Bird Island Cove Danger Breakwater Daybeacon	29-10-41.984N 095-01-02.675W				Marks breakwater structure.
36918.07	TPWD Bird Island Cove Danger Breakwater Daybeacon	29-10-37.391N 095-01-10.550W				Marks breakwater structure.
36918.08	TPWD Bird Island Cove Danger Breakwater Daybeacon	29-10-30.911N 095-01-13.240W				Marks breakwater structure.
36919	TWDB Lighted Scientific Monitoring Buoy WGB	29-30-31.947N 094-41-21.723W	FI Y 2.5s			Marks data collection location.
36920	West Bay (Texas) Light 2	29-11-36.428N 095-04-19.625W	FI R 2.5s	0	3	TR-TY on pile. Ra ref.
36925	West Bay (Texas) Light 3	29-11-33.737N 095-04-17.664W	FI G 2.5s	0	3	SG-SY on pile. Ra ref.
36930	West Bay (Texas) Buoy 4	29-11-24.483N 095-04-37.553W				Red nun with yellow triangle.
36935	West Bay (Texas) Buoy 5	29-11-21.953N 095-04-35.712W				Green can with yellow square.
36940	West Bay (Texas) Buoy 6	29-11-10.946N 095-04-56.438W				Red nun with yellow triangle.
36945	West Bay (Texas) Buoy 7	29-11-08.970N 095-04-54.527W				Green can with yellow square.
36950	West Bay (Texas) Buoy 8	29-11-03.447N 095-05-07.353W				Red nun with yellow triangle.
36955	West Bay (Texas) Buoy 9	29-11-01.500N 095-05-05.046W				Green can with yellow square.
36960	West Bay (Texas) Buoy 10	29-10-54.618N 095-05-20.874W				Red nun with yellow triangle.

36965	West Bay (Texas) Buoy 11	29-10-48.966N 095-05-23.632W				Green can with yellow square	
36970	West Bay (Texas) Buoy 12	29-10-42.639N 095-05-38.490W				Red nun with yellow triangle.	
36975	West Bay (Texas) Buoy 13	29-10-37.131N 095-05-41.210W				Green can with yellow square.	
36980	West Bay (Texas) Buoy 14	29-10-35.528N 095-05-50.689W				Red nun with yellow triangle.	
36985	West Bay (Texas) Light 15	29-10-32.645N 095-05-49.981W	FI G 2.5s	0	3	SG-SY on pile.	Ra ref.
36990	West Bay (Texas) Buoy 16	29-10-33.097N 095-05-59.277W				Red nun with yellow triangle.	
36995	Chocolate Bay Buoy 1	29-10-23.422N 095-06-38.601W				Green can with yellow square.	
37000	Chocolate Bay Buoy 1A	29-10-17.811N 095-06-54.618W				Green can with yellow square.	
37005	Chocolate Bay A Range Front Light	29-10-25.836N 095-06-44.330W	Q W	0		KRW-I on pile.	For eastbound traffic. Visible all around; higher intensity on rangeline.
37005.1	Chocolate Bay A Range Front Light Passing Light	29-10-25.836N 095-06-44.330W	FI R 2.5s	0	3		On same structure as Chocolate Bay A Range Front Light.
37010	Chocolate Bay A Range Rear Light	29-10-39.752N 095-06-21.377W	Iso W 6s	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
37015	Chocolate Bay Light 3	29-10-10.046N 095-07-06.434W	FI G 2.5s		3	SG-SY on pile.	Ra ref.
37020	Chocolate Bay Light 4	29-10-13.432N 095-07-09.072W	FI R 2.5s		3	TR-TY on pile.	Ra ref.
37025	Chocolate Bay Buoy 5	29-10-02.991N 095-07-19.554W				Green can with yellow square.	
37030	Chocolate Bay Light 7	29-09-54.158N 095-07-32.775W	FI G 4s	0	3	SG-SY on pile.	Ra ref.
37035	Chocolate Bay Light 8	29-09-57.889N 095-07-34.755W	FI R 4s	0	3	TR-TY on pile.	Ra ref.
37040	Chocolate Bayou Channel North Entrance Junction Buoy E	29-09-47.159N 095-07-52.936W				Red nun with green band.	
37045	Chocolate Bay Buoy 10	29-09-51.882N 095-07-46.392W				Red nun.	
37050	Chocolate Bayou West Channel Buoy 1	29-09-43.090N 095-08-08.665W				Green can.	
37055	Chocolate Bayou Channel Buoy 1	29-09-50.572N 095-07-58.477W				Green can.	
37060	Chocolate Bayou Channel Buoy 2	29-09-53.565N 095-07-55.545W				Red nun.	
37065	Chocolate Bayou West Channel Buoy 2	29-09-42.069N 095-08-06.141W				Red nun.	
37070	Chocolate Bayou Junction Buoy C	29-09-52.624N 095-08-04.540W				Green can with red band.	
37075	Chocolate Bayou Channel Buoy 4	29-09-56.800N 095-08-01.487W				Red nun.	
37080	Chocolate Bayou West Channel Buoy 3	29-09-53.715N 095-08-07.235W				Green can.	
37085	CHOCOLATE BAYOU CHANNEL LIGHT 5	29-10-09.711N 095-08-12.412W	FI G 2.5s	0	3	SG on pile.	Ra ref.
37090	Chocolate Bayou Channel Inner A Range Front Light	29-11-00.785N 095-08-24.830W	Q W	15		KRW on skeleton tower on pile.	Visible all around; higher intensity on rangeline.
37095	Chocolate Bayou Channel Inner A Range Rear Light	29-11-18.046N 095-08-29.848W	Iso W 6s	25		KRW on skeleton tower on pile.	Visible all around; higher intensity on rangeline.
37100	CHOCOLATE BAYOU CHANNEL LIGHT 6	29-10-09.173N 095-08-09.121W	FI R 2.5s	0	3	TR on pile.	Ra ref.
37105	Chocolate Bayou Channel Buoy 7	29-10-21.985N 095-08-15.111W				Green can.	
37110	Chocolate Bayou Channel Buoy 8	29-10-22.113N 095-08-12.195W				Red nun.	
37115	CHOCOLATE BAYOU CHANNEL LIGHT 9	29-10-38.273N 095-08-20.795W	Q G	0	3	SG on pile.	Ra ref.
37120	Chocolate Bayou Channel Outer Range Front Light	29-10-27.253N 095-08-06.702W	Q W			KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
37125	Chocolate Bayou Channel Outer Range Rear Light	29-10-09.642N 095-07-51.455W	Iso W 6s	30		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
37130	CHOCOLATE BAYOU CHANNEL LIGHT 10	29-10-39.998N 095-08-18.491W	Q R	0	3	TR on pile.	Ra ref.

37135	CHOCOLATE BAYOU CHANNEL LIGHT 12	29-10-49.666N 095-08-24.828W	FI R 4s	0	3	TR on pile.	Ra ref.
37140	CHOCOLATE BAYOU CHANNEL LIGHT 13	29-10-47.365N 095-08-26.331W	FI G 4s	0	3	SG on pile.	Ra ref.
37145	CHOCOLATE BAYOU CHANNEL LIGHT 15	29-11-03.368N 095-08-39.370W	FI G 2.5s	0	3	SG on pile.	Ra ref.
37150	CHOCOLATE BAYOU CHANNEL LIGHT 16	29-11-04.367N 095-08-37.247W	FI R 2.5s	0	3	TR on pile.	Ra ref.
37155	CHOCOLATE BAYOU CHANNEL LIGHT 17	29-11-19.095N 095-08-53.105W	FI G 6s	0	3	SG on pile.	Ra ref.
37160	CHOCOLATE BAYOU CHANNEL LIGHT 18	29-11-20.589N 095-08-51.308W	FI R 6s	0	3	TR on pile.	Ra ref.
37165	Chocolate Bayou Channel Buoy 19	29-11-34.842N 095-09-07.941W				Green can.	
37170	Chocolate Bayou Channel Buoy 20	29-11-36.201N 095-09-05.450W				Red nun.	
37175	Chocolate Bayou Channel Buoy 21	29-11-44.055N 095-09-18.773W				Green can.	
37180	Chocolate Bayou Channel Buoy 22	29-11-45.882N 095-09-16.778W				Red nun.	
37185	Chocolate Bayou Channel Buoy 23	29-11-47.753N 095-09-25.423W				Green can.	
37190	Chocolate Bayou Channel Buoy 24	29-11-49.882N 095-09-23.778W				Red nun.	
37195	Chocolate Bayou Channel Buoy 25	29-11-50.357N 095-09-32.336W				Green can.	
37200	Chocolate Bayou Channel Buoy 26	29-11-52.882N 095-09-30.778W				Red nun.	
37205	Chocolate Bayou Channel Buoy 27	29-11-53.132N 095-09-49.169W				Green can.	
37210	Chocolate Bayou Channel Buoy 28	29-11-55.376N 095-09-48.049W				Red nun.	
37215	Chocolate Bayou Channel Daybeacon 30	29-11-57.385N 095-10-03.592W		0		TR on pile.	
37220	Chocolate Bayou Channel Buoy 31	29-11-56.356N 095-10-20.008W				Green can.	
37225	Chocolate Bayou Channel Buoy 32	29-11-58.881N 095-10-19.780W				Red nun.	
37230	Chocolate Bayou Channel Daybeacon 34	29-12-04.736N 095-10-33.681W				TR on pile.	
37235	Chocolate Bayou Channel Buoy 35	29-12-09.841N 095-10-53.396W				Green can.	
37240	Chocolate Bayou Channel Buoy 36	29-12-11.546N 095-10-51.896W				Red nun.	
37245	Chocolate Bayou Channel Buoy 37	29-12-20.795N 095-11-19.242W				Green can.	
37250	Chocolate Bayou Channel Buoy 38	29-12-22.894N 095-11-18.203W				Red nun.	
37255	Chocolate Bayou Channel Light 39	29-12-31.507N 095-11-44.470W	FI G 4s	0	4	SG on pile.	
37260	Chocolate Bayou Channel Light 40	29-12-34.269N 095-11-42.694W	FI R 4s	0	3	TR on pile.	
37265	Chocolate Bayou Channel Daybeacon 42	29-12-53.077N 095-12-40.786W		0		TR on pile.	
37270	Chocolate Bayou Channel Daybeacon 43	29-13-00.737N 095-12-53.314W		0		SG on pile.	
37275	Chocolate Bayou Channel Daybeacon 44	29-13-27.423N 095-13-02.068W		0		TR on pile.	
37280	Chocolate Bayou Channel Daybeacon 45	29-13-33.940N 095-13-05.954W		0		SG on pile.	
37285	Chocolate Bay Buoy 9	29-09-47.452N 095-07-44.709W				Green can with yellow square.	
37290	Chocolate Bay Buoy 11	29-09-38.522N 095-07-59.330W				Green can with yellow square.	
37295	Chocolate Bay Buoy 13	29-09-29.665N 095-08-14.065W				Green can with yellow square.	
37300	Chocolate Bay Junction Buoy W	29-09-34.284N 095-08-13.514W				Red nun with green band.	
37305	Chocolate Bay Buoy 15	29-09-18.159N 095-08-33.001W				Green can with yellow square.	

37310	Chocolate Bay Light 17	29-09-09.373N 095-08-46.756W	FI G 4s	0	3	SG-SY on pile.	Ra ref.
37315	Chocolate Bay Light 18	29-09-12.074N 095-08-50.196W	FI R 4s		3	TR-TY on pile.	Ra ref.
37320	Chocolate Bay Buoy 19	29-09-01.486N 095-09-00.732W				Green can with yellow square.	
37325	Chocolate Bay Light 21	29-08-51.959N 095-09-15.833W	FI G 2.5s		3	SG-SY on pile.	Ra ref.
37330	Chocolate Bay Light 22	29-08-55.819N 095-09-16.920W	FI R 2.5s		3	TR-TY on pile.	Ra ref.
37335	Chocolate Bay Buoy 23	29-08-44.308N 095-09-29.556W				Green can with yellow square.	
37337	Lone Star Oyster Special Light A	29-08-06.000N 095-09-21.600W	FI Y 2.5s			Marks oyster farm perimeter corner point.	
37337.01	Lone Star Oyster Special Light B	29-08-06.710N 095-09-19.370W	FI Y 2.5s			Marks oyster farm perimeter corner point.	
37337.02	Lone Star Oyster Special Light C	29-08-02.810N 095-09-17.750W	FI Y 2.5s			Marks oyster farm perimeter corner point.	
37337.03	Lone Star Oyster Special Light D	29-08-02.090N 095-09-19.980W	FI Y 2.5s			Marks oyster farm perimeter corner point.	
37340	Chocolate Bay B Range Front Light	29-08-35.391N 095-09-46.867W	Q W	0		KRW-I on tower.	Visible 1.5° each side of rangeline.
37345	Chocolate Bay B Range Rear Light	29-08-24.504N 095-10-04.832W	Iso W 6s	10		KRW-I on skeleton tower on piles.	Visible 1.5° each side of rangeline.
37360	Oyster Lake Light 3	29-07-34.952N 095-10-44.751W	FI G 2.5s	0	4	SG-SY on pile.	Ra ref.
37365	Oyster Lake Light 4	29-07-29.695N 095-10-55.484W	FI R 4s		4	TR-TY on pile.	Ra ref.
37375	Brazoria Wildlife Refuge Wave Barrier Light	29-04-57.430N 095-12-24.580W	FI R 2.5s			On wave barrier.	
37377.01	Sanders Pier Light	29-02-54.520N 095-09-56.660W	FI W 2.5s			Marks end of pier.	
37380	Freeport Entrance Light 12	28-56-39.624N 095-18-21.390W	Q R	0	4	TR-SY on pile.	Ra ref.
37382	Freeport Entrance Light 13	28-56-28.817N 095-18-32.431W	Q G	0	3	SG-SY on pile.	Ra ref.
37384	Freeport Harbor Junction Light FH	28-56-26.958N 095-18-49.081W	FI (2+1)G 6s	0	3	JG-TY on pile.	Ra ref.
37405	Matagorda Bay Light 2	28-36-33.270N 096-10-10.184W	Q R	0	5	TR-TY on pile.	Ra ref.
37410	Matagorda Bay Light 3	28-35-41.754N 096-10-47.311W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
37415	Matagorda Bay Buoy 5	28-35-30.006N 096-10-57.215W				Green can with yellow square.	
37420	Matagorda Bay Buoy 6	28-35-31.328N 096-10-59.403W				Red nun with yellow triangle.	
37425	Matagorda Bay Buoy 7	28-35-17.622N 096-11-06.467W				Green can with yellow square.	
37430	Matagorda Bay Buoy 8	28-35-18.947N 096-11-08.656W				Red nun with yellow triangle.	
37435	Matagorda Bay Buoy 9	28-35-05.239N 096-11-15.720W				Green can with yellow square.	
37440	Matagorda Bay Buoy 10	28-35-06.564N 096-11-17.908W				Red nun with yellow triangle.	
37445	Matagorda Bay Light 11	28-34-52.362N 096-11-24.129W	FI G 2.5s	0	3	SG-SY on pile.	
37450	Matagorda Bay Buoy 12	28-34-54.180N 096-11-27.160W				Red nun with yellow triangle.	
37455	Matagorda Bay Buoy 13	28-34-40.472N 096-11-34.222W				Green can with yellow square.	
37460	Matagorda Bay Buoy 14	28-34-41.797N 096-11-36.411W				Red nun with yellow triangle.	
37465	Matagorda Bay Buoy 15	28-34-28.088N 096-11-43.473W				Green can with yellow square.	
37470	Matagorda Bay Buoy 16	28-34-29.413N 096-11-45.662W				Red nun with yellow triangle.	
37475	Matagorda Bay Buoy 17	28-34-15.705N 096-11-52.725W				Green can with yellow square.	
37495	Matagorda Bay Light 19	28-34-02.829N 096-12-01.134W	FI G 4s	0	4	SG-SY on pile.	

37500	Matagorda Bay Buoy 21	28-33-50.938N 096-12-11.225W				Green can with yellow square.
37505	Matagorda Bay Buoy 23	28-33-38.555N 096-12-20.476W				Green can with yellow square.
37510	Matagorda Bay Buoy 25	28-33-26.172N 096-12-29.725W				Green can with yellow square.
37540	Matagorda Bay Light 27	28-33-13.295N 096-12-38.133W	FI G 2.5s	0	3	SG-SY on pile.
37545	Matagorda Bay Buoy 29	28-33-01.405N 096-12-48.224W				Green can with yellow square.
37548	Matagorda Bay Light 30	28-32-55.007N 096-13-02.222W	Q R	0	3	TR on pile.
37550	Matagorda Bay Light 32	28-32-39.634N 096-13-28.850W	FI R 4s		4	TR-TY on pile. Ra ref.
37555	Matagorda Bay Daybeacon 34	28-32-00.286N 096-14-39.472W		0		TR-TY on pile. Ra ref.
37565	Matagorda Bay Light 36	28-31-22.848N 096-15-46.290W	FI R 6s	0	4	TR-TY on pile. Ra ref.
37570	Matagorda Bay Daybeacon 38	28-30-41.876N 096-17-02.342W		0		TR-TY on pile.
37580	Matagorda Bay Light 40	28-30-03.108N 096-18-13.778W	Q R	0	4	TR-TY on pile. Ra ref.
37585	Matagorda Bay Daybeacon 42	28-29-44.306N 096-19-13.472W		0		TR-TY on pile. Ra ref.
37595	Matagorda Bay Light 44	28-29-25.462N 096-20-13.277W	FI R 4s	0	4	TR-TY on pile. Ra ref.
37600	Matagorda Bay Daybeacon 46	28-29-08.007N 096-21-10.342W		0		TR-TY on pile. Ra ref.
37605	Matagorda Bay Buoy 47	28-28-41.973N 096-22-01.054W				Green can with yellow square.
37610	Matagorda Bay Light 48	28-28-49.052N 096-22-09.086W	FI R 2.5s	0	4	TR-TY on pile. Ra ref.
37615	Matagorda Bay Buoy 49	28-28-30.727N 096-22-17.433W				Green can with yellow square.
37620	Matagorda Bay Buoy 50	28-28-23.863N 096-22-26.690W				Red nun with yellow triangle.
37625	Matagorda Bay Lighted Buoy 51	28-28-05.475N 096-22-36.566W	FI G 6s		4	Green can with yellow square.
37630	Matagorda Bay Buoy 53	28-27-57.962N 096-22-40.738W				Green can with yellow square.
37635.01	Matagorda Bay Lighted Buoy 52	28-28-08.188N 096-22-38.986W	FI R 6s		4	Red nun with yellow triangle.
37640	Matagorda Bay Buoy 55	28-27-34.737N 096-22-54.956W				Green can with yellow square.
37645	Matagorda Bay Buoy 54	28-27-36.408N 096-22-58.089W				Red nun with yellow triangle.
37650	Matagorda Bay Buoy 57	28-27-20.408N 096-23-04.362W				Green can with yellow square.
37655	Matagorda Bay Buoy 58	28-27-10.981N 096-23-15.108W				Red nun with yellow triangle.
37660	Matagorda Bay Buoy 60	28-26-59.009N 096-23-21.257W				Red nun with yellow triangle.
37670	Halfmoon Reef Light	28-32-20.535N 096-15-30.907W	FI W 4s	0	5	NR on piles. Ra ref.
37675	The Nature Conservancy Halfmoon Reef Lighted Danger Buoy	28-34-18.813N 096-14-08.396W	FI W 2.5s			Marks reef perimeter.
37675.01	The Nature Conservancy Halfmoon Reef Lighted Danger Buoy	28-34-07.787N 096-14-18.338W	FI W 2.5s			Marks reef perimeter.
37675.02	The Nature Conservancy Halfmoon Reef Lighted Danger Buoy	28-33-56.968N 096-14-28.968W	FI W 2.5s			Marks reef perimeter.
37675.03	The Nature Conservancy Halfmoon Reef Lighted Danger Buoy	28-34-15.692N 096-13-59.352W	FI W 2.5s			Marks reef perimeter.
37675.04	The Nature Conservancy Halfmoon Reef Lighted Danger Buoy	28-34-04.928N 096-14-09.614W	FI W 2.5s			Marks reef perimeter.
37675.05	The Nature Conservancy Halfmoon Reef Lighted Danger Buoy	28-33-53.847N 096-14-19.472W	FI W 2.5s			Marks reef perimeter.

37695	Palacios Channel Daybeacon 6	28-30-21.585N 096-18-07.472W				TR on pile.	Ra ref.
37700	Palacios Channel Light 8	28-30-47.558N 096-18-17.921W	Fl R 4s	3		TR on pile.	Ra ref.
37705	Palacios Channel Daybeacon 10	28-31-27.393N 096-18-33.230W				TR on pile.	Ra ref.
37710	Palacios Channel Daybeacon 12	28-32-00.296N 096-18-46.112W		0		TR on pile.	Ra ref.
37715	Palacios Channel Light 13	28-32-11.043N 096-18-52.092W	Q G	0	4	SG on pile.	Ra ref.
37720	Palacios Channel Light 14	28-32-21.066N 096-18-44.670W	Q R	0	4	TR on pile.	Ra ref.
37725	Palacios Channel Daybeacon 16	28-32-57.328N 096-18-24.699W		0		TR on pile.	Ra ref.
37730	Palacios Channel Light 18	28-33-33.588N 096-18-04.725W	Fl R 2.5s	0	3	TR on dolphin.	Ra ref.
37735	Palacios Channel Daybeacon 20	28-34-09.848N 096-17-44.746W		0		TR on pile.	Ra ref.
37740	Palacios Channel Light 22	28-34-46.107N 096-17-24.764W	Fl R 4s	0	4	TR on pile.	Ra ref.
37745	Palacios Channel Daybeacon 24	28-35-22.365N 096-17-04.778W		0		TR on pile.	Ra ref.
37750	Palacios Channel Light 26	28-35-58.622N 096-16-44.788W	Fl R 6s	0	4	TR on pile.	Ra ref.
37755	Palacios Channel Daybeacon 28	28-36-34.878N 096-16-24.795W		0		TR on pile.	Ra ref.
37760	Palacios Channel Light 30	28-37-11.133N 096-16-04.798W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
37765	Palacios Channel Light 32	28-37-37.841N 096-15-50.064W	Fl R 6s	0	4	TR on pile.	Ra ref.
37770	Palacios Channel Light 34	28-38-04.548N 096-15-35.329W	Fl R 4s		3	TR on pile.	Ra ref.
37775	Palacios Channel Light 36	28-38-31.254N 096-15-20.588W	Fl R 2.5s	0	4	TR on pile.	Ra ref.
37780	Palacios Channel Light 38	28-38-57.959N 096-15-05.851W	Fl R 6s		4	TR on pile.	Ra ref.
37785	Palacios Channel Light 40	28-39-24.664N 096-14-51.109W	Fl R 4s	0	4	TR on pile.	Ra ref.
37790	Palacios Channel Light 42	28-39-51.368N 096-14-36.366W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
37795	Palacios Channel Light 44	28-40-18.072N 096-14-21.620W	Fl R 6s	0	4	TR on pile.	Ra ref.
37805	Palacios Channel Light 46	28-40-51.243N 096-14-03.365W	Fl R 4s	0	3	TR on pile.	Ra ref.
37810	Palacios Channel Light 48	28-41-11.479N 096-13-52.122W	Fl R 6s	0	4	TR on pile.	Ra ref.
37815	Palacios Channel Light 49	28-41-46.662N 096-13-36.093W	Fl G 2.5s		4	SG on dolphin.	Ra ref.
37820	Palacios Channel Light 50	28-41-43.998N 096-13-34.485W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
37855	Port O'Connor Channel Buoy 1	28-27-12.458N 096-22-01.957W				Green can with yellow square.	
37860	Port O'Connor Channel Buoy 2	28-27-13.903N 096-22-10.574W				Red nun with yellow triangle.	
37865	Port O'Connor Channel Buoy 3	28-27-07.098N 096-22-17.060W				Green can with yellow square.	
37880	Port O'Connor Channel Buoy 5	28-27-01.582N 096-22-32.579W				Green can with yellow square.	
37885	Port O'Connor Channel Buoy 7	28-26-55.848N 096-22-48.224W				Green can with yellow square.	
37890	Port O'Connor Channel Light 8	28-27-01.137N 096-22-50.410W	Fl R 2.5s		4	TR-TY on pile.	Ra ref.
37895	Port O'Connor Channel Buoy 9	28-26-50.548N 096-23-03.616W				Green can with yellow square.	
37900	Port O'Connor Channel Buoy 11	28-26-41.556N 096-23-27.702W				Green can with yellow square.	
37905	Port O'Connor Channel Light 13	28-26-37.278N 096-23-39.069W	Q G		5	SG-SY on skeleton tower.	
37910	Port O'Connor Channel Light 14	28-26-44.677N 096-23-42.390W	Q R		5	TR-TY on skeleton tower.	

37915	Port O' Connor Channel Buoy 16	28-26-38.098N 096-23-52.126W		Red nun with yellow triangle.
37920	Port O' Connor Channel Buoy 17	28-26-31.238N 096-24-04.730W		Green can with yellow square.
37925	Port O' Connor Channel Buoy 18	28-26-33.707N 096-24-05.672W		Red nun with yellow triangle.
37928	Caracol Marina Dolphin Lights (5)	28-26-33.302N 096-24-08.354W	FI W 2.5s	Marks marina dolphins.
37928.01	Caracol Marina Daybeacon 1	28-26-32.702N 096-24-10.061W		SG on pile. Marks port side marina entry.
37928.02	Caracol Marina Daybeacon 2	28-26-32.394N 096-24-10.969W		TR on pile. Marks starboard side marina entry.
37945	Espiritu Santo Bay Ferry Channel Daybeacon 7	28-24-10.713N 096-28-51.147W		SG on pile. Ra ref.
37950	Espiritu Santo Bay Ferry Channel Daybeacon 9	28-23-58.871N 096-28-53.866W	0	SG on pile. Ra ref.
37970.01	Espiritu Santo Bay Ferry Channel Daybeacon 17	28-21-40.740N 096-29-29.393W	0	SG on pile. Ra ref.
37985	Espiritu Santo Bay Ferry Channel Daybeacon 23	28-20-35.749N 096-28-14.557W	0	SG on pile. Ra ref.
37990.01	Espiritu Santo Bay Ferry Channel Daybeacon 24	28-20-17.680N 096-27-59.866W	0	TR on pile. Ra ref.
37995	Espiritu Santo Bay Ferry Channel Daybeacon 25	28-20-21.594N 096-27-57.684W	0	SG on pile. Ra ref.
38000	Espiritu Santo Bay Ferry Channel Daybeacon 27	28-20-11.534N 096-27-52.947W		SG on pile. Ra ref.
38005	Port O' Connor Landcut Daybeacon 2	28-24-21.638N 096-29-22.704W	0	TR-TY on pile. Ra ref.
38010	Port O' Connor Landcut Daybeacon 4	28-23-23.697N 096-31-33.410W	0	TR-TY on pile. Ra ref.
38015	Port O' Connor Landcut Daybeacon 4A	28-22-56.857N 096-32-32.785W		TR-TY on pile. Ra ref.
38020	Port O' Connor Landcut Daybeacon 6	28-22-37.869N 096-33-15.952W	0	TR-TY on pile. Ra ref.
38025	Port O' Connor Landcut Daybeacon 6A	28-22-09.266N 096-34-13.329W		TR-TY on pile. Ra ref.
38030	Port O' Connor Landcut Daybeacon 6B	28-21-34.336N 096-35-22.227W	0	TR-TY on pile. Ra ref.
38035	Port O' Connor Landcut Daybeacon 8	28-21-08.428N 096-36-11.209W	0	TR-TY on pile. Ra ref.
38040	Port O' Connor Landcut Daybeacon 10	28-20-40.562N 096-37-05.085W	0	TR-TY on pile. Ra ref.
38045	Port O' Connor Landcut Daybeacon 10A	28-20-09.411N 096-38-02.306W	1	TR-TY on pile. Ra ref.
38050	Port O' Connor Landcut Daybeacon 12	28-19-45.897N 096-38-45.726W		TR-TY on pile. Ra ref.
38055	Port O' Connor Landcut Daybeacon 14	28-19-17.820N 096-39-40.194W	0	TR-TY on pile. Ra ref.
38060	Port O' Connor Landcut Daybeacon 15	28-18-53.381N 096-40-16.244W	0	SG-SY on pile. Ra ref.
38065	Victoria East Entrance Channel Junction Buoy A	28-18-53.469N 096-40-22.465W		Red nun with green band and yellow triangle.
38070	Victoria East Entrance Channel Buoy 2E	28-18-56.321N 096-40-20.459W		Red nun.
38075	Victoria East Entrance Channel Buoy 4E	28-18-55.738N 096-40-28.587W		Red nun.
38080	Victoria East Entrance Channel Buoy 5E	28-18-55.454N 096-40-37.411W		Green can.
38085	Victoria East Entrance Channel Buoy 6E	28-19-00.096N 096-40-44.421W		Red nun.
38090	Victoria Channel Junction Buoy C	28-18-58.065N 096-40-45.207W		Green can with red band.
38095	Victoria Channel Buoy 7	28-19-05.347N 096-40-53.243W		Green can.
38100	Victoria Channel Buoy 8	28-19-06.141N 096-40-50.940W		Red nun.
38105	Victoria Channel Buoy 9	28-19-16.521N 096-41-01.867W		Green can.
38110	Victoria Channel Buoy 10	28-19-28.871N 096-41-09.760W		Red nun.

38115	Victoria Channel Light 11	28-19-39.022N 096-41-21.047W	Fl G 2.5s	0	3	SG on pile.	Ra ref.
38120	Victoria Channel Buoy 13	28-19-48.926N 096-41-28.798W				Green can.	
38125	Victoria Channel Buoy 14	28-19-58.312N 096-41-33.626W				Red nun.	
38130	Victoria Channel Buoy 15	28-20-06.816N 096-41-43.638W				Green can.	
38135	Victoria Channel Light 16	28-20-17.465N 096-41-49.123W	Fl R 2.5s	0	3	TR on pile.	Ra ref.
38140	Victoria Channel Buoy 17	28-20-24.934N 096-41-58.454W				Green can.	
38145	Victoria Channel Buoy 18	28-20-34.301N 096-42-03.559W				Red nun.	
38150	Victoria Channel Buoy 19	28-20-42.791N 096-42-13.305W				Green can.	
38155	Victoria Channel Light 21	28-20-52.730N 096-42-22.062W	Fl G 4s	0	4	SG on pile.	Ra ref.
38160	Victoria Channel Light 22	28-21-06.452N 096-42-27.108W	Fl R 4s	0	3	TR on pile.	Ra ref.
38165	Victoria Channel Buoy 23	28-21-05.368N 096-42-29.309W				Green can.	
38170	Victoria Channel Buoy 25	28-21-17.666N 096-42-37.046W				Green can.	
38175	Victoria Channel Daybeacon 27	28-21-29.580N 096-42-45.593W		0		SG on pile.	Ra ref.
38180	Victoria Channel Buoy 29	28-21-42.261N 096-42-52.523W				Green can.	
38185	Victoria Channel Light 30	28-21-47.418N 096-42-52.885W	Fl R 6s	0	4	TR on pile.	Ra ref.
38190	Victoria Channel Buoy 31	28-21-54.569N 096-43-00.263W				Green can.	
38195	Victoria Channel Daybeacon 33	28-22-06.389N 096-43-08.896W		0		SG on pile.	Ra ref.
38200	Victoria Channel Buoy 35	28-22-19.154N 096-43-15.743W				Green can.	
38205	Victoria Channel Buoy 37	28-22-31.451N 096-43-23.483W				Green can.	
38210	Victoria Channel Light 38	28-22-38.684N 096-43-25.153W	Fl R 4s	0	3	TR on pile.	Ra ref.
38215	Victoria Channel Buoy 39	28-22-43.748N 096-43-31.225W				Green can.	
38220	Victoria Channel Buoy 41	28-22-56.045N 096-43-38.966W				Green can.	
38225	Victoria Channel Buoy 42	28-23-07.892N 096-43-44.665W				Red nun.	
38230	Victoria Channel Light 43	28-23-20.233N 096-43-55.403W	Fl G 2.5s	0	3	SG on pile.	Ra ref.
38235	Victoria Channel Buoy 44	28-23-21.442N 096-43-53.110W				Red nun.	
38240	Victoria Channel Buoy 46	28-23-34.709N 096-44-01.549W				Red nun.	
38245	Victoria Channel Buoy 47	28-23-43.466N 096-44-08.826W				Green can.	
38250	Victoria Channel Buoy 49	28-23-54.880N 096-44-16.015W				Green can.	
38255	Victoria Channel Light 50	28-24-01.866N 096-44-17.461W	Fl R 4s	0	3	TR on pile.	Ra ref.
38260	Victoria Channel Buoy 51	28-24-06.293N 096-44-23.203W				Green can.	
38265	Victoria Channel Buoy 53	28-24-17.706N 096-44-30.391W				Green can.	
38270	Victoria Channel Light 55	28-24-28.661N 096-44-38.570W	Fl G 4s	0	4	SG on pile.	Ra ref.
38275	Victoria Channel Buoy 56	28-24-29.890N 096-44-36.017W				Red nun.	
38280	Victoria Channel Light 58	28-24-41.723N 096-44-42.619W	Fl R 6s	0	4	TR on pile.	Ra ref.
38285	Seadrift South Entrance Channel Daybeacon 1S	28-23-15.190N 096-43-47.015W		0		SG on pile.	

38290	Seadrift South Entrance Channel Daybeacon 2S	28-23-19.106N 096-43-43.659W					TR on pile.	
38295	Seadrift Channel Junction Daybeacon C	28-23-27.218N 096-43-41.467W			0		JG on pile.	
38300	Seadrift Channel Buoy 4	28-23-28.743N 096-43-34.929W					Red nun.	
38305	Seadrift Channel Light 6	28-23-42.946N 096-43-05.864W	FI R 4s		3		TR on pile.	Ra ref.
38310	Seadrift Channel Daybeacon 8	28-23-54.766N 096-42-41.636W			0		TR on pile.	Ra ref.
38315	City Of Seadrift Breakwater Light	28-24-18.000N 096-42-43.000W	FI R 2.5s				On concrete slab.	
38320	Seadrift North Entrance Channel Daybeacon 2N	28-23-28.544N 096-43-55.166W					TR on pile.	
38325	Seadrift North Entrance Channel Daybeacon 3N	28-23-30.125N 096-43-53.458W					SG on pile.	
38330	Victoria West Entrance Channel Buoy 2W	28-18-35.548N 096-40-49.085W					Red nun with yellow triangle.	
38335	Victoria West Entrance Channel Buoy 1W	28-18-34.671N 096-40-52.893W					Green can.	
38340	Victoria West Entrance Channel Buoy 3W	28-18-45.404N 096-40-47.664W					Green can.	
38345	Victoria West Entrance Channel Buoy 4W	28-18-50.315N 096-40-44.740W					Red nun.	
38350	Victoria West Entrance Channel Buoy 5W	28-18-57.511N 096-40-48.476W					Green can	
38355.01	San Antonio Bay Daybeacon 1	28-18-46.550N 096-40-28.330W			0		SG on pile.	Ra ref.
38360	San Antonio Bay Light 2	28-18-46.852N 096-40-36.168W	Q R		0	4	TR-TY on pile.	Ra ref.
38365.01	San Antonio Bay Daybeacon 3	28-18-24.200N 096-41-00.783W			0		SG-SY on pile.	Ra ref.
38375.01	San Antonio Bay Daybeacon 4	28-18-14.440N 096-41-20.574W			0		TR-TY on pile.	Ra ref.
38385	San Antonio Bay Light 5	28-17-57.471N 096-41-37.921W	FI G 2.5s		0	4	SG-SY on pile.	Ra ref.
38390	San Antonio Bay Daybeacon 6	28-18-00.120N 096-41-40.103W			0		TR-TY on pile.	Ra ref.
38395	San Antonio Bay Buoy 7	28-17-46.088N 096-41-54.806W					Green can with yellow square.	
38400.01	San Antonio Bay Daybeacon 9	28-17-34.710N 096-42-10.437W			0		SG-SY on pile.	Ra ref.
38410	San Antonio Bay Light 11	28-17-11.271N 096-42-42.333W	FI G 4s		0	4	SG-SY on pile.	Ra ref.
38415.01	San Antonio Bay Daybeacon 12	28-17-13.838N 096-42-44.642W			0		TR on pile.	Ra ref.
38425.01	San Antonio Bay Daybeacon 13	28-16-48.963N 096-43-14.649W			0		SG-SY on pile.	Ra ref.
38435	San Antonio Bay Light 15	28-16-24.971N 096-43-47.946W	FI G 4s			4	SG-SY on pile.	Ra ref.
38440	San Antonio Bay Daybeacon 16	28-16-27.737N 096-43-50.250W			0		TR-TY on pile.	Ra ref.
38450.01	San Antonio Bay Daybeacon 17	28-16-01.503N 096-44-20.810W			0		SG-SY on pile.	Ra ref.
38455	San Antonio Bay Pipeline Light A	28-16-07.550N 096-44-18.130W	FI Y 2.5s				NR on dolphin worded WARNING DO NOT ANCHOR OR DREDGE PIPELINE CROSSING.	
38457	TWDB Lighted Scientific Monitoring Buoy SAB	28-20-44.860N 096-44-38.810W	FI Y 2.5s				Scientific research buoy.	
38460	San Antonio Bay Pipeline Light B	28-16-02.920N 096-44-13.920W	FI Y 2.5s				NR on dolphin worded WARNING DO NOT ANCHOR OR DREDGE PIPELINE CROSSING.	
38470	San Antonio Bay Light 19	28-15-38.762N 096-44-52.864W	FI G 4s		0	4	SG-SY on pile.	Ra ref.
38475.01	San Antonio Bay Daybeacon 20	28-15-41.211N 096-44-55.790W			0		TR-TY on pile.	Ra ref.
38485.01	San Antonio Bay Daybeacon 21	28-15-17.397N 096-45-22.870W			0		SG-SY on pile.	Ra ref.
38495	San Antonio Bay Light 23	28-14-52.544N 096-45-57.767W	FI G 4s		0	4	SG-SY on pile.	Ra ref.
38500	San Antonio Bay Daybeacon 24	28-14-55.374N 096-46-00.438W			0		TR-TY on pile.	Ra ref.

38510.01	San Antonio Bay Daybeacon 25	28-14-22.170N 096-46-41.147W		0		SG-SY on pile.	Ra ref.
38520	San Antonio Bay Light 27	28-14-06.427N 096-47-02.828W	Fl G 4s	0	4	SG-SY on pile.	Ra ref.
38530.01	San Antonio Bay Daybeacon 28	28-14-01.463N 096-47-15.297W		0		TR-TY on pile.	Ra ref.
38540	San Antonio Bay Light 29	28-13-23.563N 096-48-02.643W	Fl G 2.5s	0	4	SG-SY on pile.	Ra ref.
38545.01	San Antonio Bay Daybeacon 30	28-13-17.242N 096-48-17.663W		0		TR-TY on pile.	Ra ref.
38550.01	San Antonio Bay Daybeacon 31	28-13-06.134N 096-48-28.557W		0		SG-SY on pile.	Ra ref.
38555.01	San Antonio Bay Daybeacon 32	28-13-02.450N 096-48-39.850W		0		TR-TY on pile.	Ra ref.
38560.01	San Antonio Bay Daybeacon 33	28-12-49.848N 096-48-51.069W		0		SG-SY on pile.	Ra ref.
38565	San Antonio Bay Light 34	28-12-43.088N 096-49-04.986W	Q R		4	TR-TY on pile.	Ra ref.
38570.01	San Antonio Bay Daybeacon 35	28-12-31.444N 096-49-10.365W		0		SG-SY on pile.	Ra ref.
38575.01	San Antonio Bay Daybeacon 36	28-12-25.242N 096-49-20.054W		0		TR-TY on pile.	Ra ref.
38580.01	San Antonio Bay Daybeacon 37	28-12-14.433N 096-49-24.708W		0		SG-SY on pile.	Ra ref.
38585	San Antonio Bay Light 39	28-12-05.501N 096-49-32.687W	Q G	0	4	SG-SY on pile.	Ra ref.
38590.01	San Antonio Bay Daybeacon 40	28-11-45.764N 096-50-05.839W		0		TR-TY on pile.	Ra ref.
38595	Sundown Bay Buoy 1	28-11-30.547N 096-50-22.115W				Green can with yellow square.	
38600	Sundown Bay Buoy 3	28-11-21.313N 096-50-35.245W				Green can with yellow square.	
38605	Sundown Bay Daybeacon 4	28-11-23.896N 096-50-37.178W		0		TR-TY on pile.	Ra ref.
38610	Sundown Bay Buoy 5	28-11-12.079N 096-50-48.373W				Green can with yellow square.	
38615	Sundown Bay Light 7	28-11-02.313N 096-51-00.888W	Fl G 4s	0	4	SG-SY on pile.	Ra ref.
38620	Sundown Bay Daybeacon 8	28-11-05.171N 096-51-03.585W		0		TR-TY on pile.	Ra ref.
38625	Sundown Bay Buoy 9	28-10-53.610N 096-51-14.629W				Green can with yellow square.	
38630	Sundown Bay Buoy 11	28-10-44.374N 096-51-27.756W				Green can with yellow square.	
38635	Sundown Bay Daybeacon 12	28-10-46.854N 096-51-29.399W		0		TR-TY on pile.	Ra ref.
38640	Sundown Bay Buoy 13	28-10-35.139N 096-51-40.882W				Green can with yellow square.	
38645	Aransas Bay Light 1	28-08-01.971N 096-54-40.284W	Fl G 2.5s	0	3	SG on pile.	Ra ref.
38650	Aransas Bay Buoy 2	28-07-53.755N 096-54-51.365W				Red nun with yellow triangle.	
38665	Aransas Bay Buoy 4	28-07-16.319N 096-55-23.749W				Red nun with yellow triangle.	
38670	Aransas Bay Light 5	28-07-04.671N 096-55-29.521W	Fl G 4s	0	4	SG-SY on pile.	Ra ref.
38685	Aransas Bay Daybeacon A	28-06-20.456N 096-54-44.315W				NR on pile.	
38687	Aransas Bay Daybeacon 7	28-06-40.971N 096-55-49.800W		0		SG-SY on pile.	Ra ref.
38690	Aransas Bay Buoy 8	28-06-31.872N 096-56-01.359W				Red nun with yellow triangle.	
38692.05	Blackjack Point Oyster Company Special Light F	28-06-53.279N 096-56-47.904W	Fl Y 2.5s			Marks perimeter of floating oyster farm.	
38692.02	Blackjack Point Oyster Company Special Light C	28-06-54.899N 096-56-44.807W	Fl Y 2.5s			Marks perimeter of floating oyster farm.	
38692.01	Blackjack Point Oyster Company Special Light B	28-06-52.606N 096-56-43.274W				Marks perimeter of floating oyster farm.	
38692	Blackjack Point Oyster Company Special Light A	28-06-50.255N 096-56-41.711W				Marks perimeter of floating oyster farm.	

38692.04	Blackjack Point Oyster Company Special Light E	28-06-48.636N 096-56-44.807W					Marks perimeter of floating oyster farm.	
38692.03	Blackjack Point Oyster Company Special Light D	28-06-50.975N 096-56-46.363W	FI Y 2.5s				Marks perimeter of floating oyster farm.	
38700	Aransas Bay Light 9	28-06-07.323N 096-56-18.765W	FI G 2.5s	17	4		SG-SY on pile.	Ra ref.
38705.01	Aransas Bay Daybeacon 10	28-06-05.112N 096-56-24.549W				0	TR-TY on pile.	Ra ref.
38710.01	Aransas Bay Daybeacon 11	28-05-32.734N 096-56-48.113W				0	SG-SY on pile.	Ra ref.
38725	Aransas Bay Light 13	28-05-09.919N 096-57-08.129W	FI G 4s	0	4		SG-SY on pile.	Ra ref.
38730.01	Aransas Bay Daybeacon 14	28-05-11.761N 096-57-11.194W				0	TR-TY on pile.	Ra ref.
38735.01	Aransas Bay Daybeacon 15	28-04-46.172N 096-57-28.531W				0	SG-SY on pile.	Ra ref.
38755	Aransas Bay Light 17	28-04-12.607N 096-57-57.322W	FI (2)G 5s	0	4		SG-SY on pile.	Ra ref.
38757	Aransas Bay Daybeacon 18	28-04-14.263N 096-58-01.029W				0	TR-TY on pile.	Ra ref.
38760	Aransas Bay Daybeacon C	28-03-25.901N 096-57-19.419W					NR on pile.	
38770	Copano Bay Approach Light 1	28-03-36.274N 097-00-49.342W	FI G 2.5s			3	SG on pile.	Ra ref.
38775	Copano Bay Approach Light 2	28-04-58.911N 097-00-36.769W	FI R 4s			3	TR on pile.	Ra ref.
38780	Copano Bay Approach Light 3	28-06-26.887N 097-00-40.122W	FI G 4s			4	SG on dolphin.	
38785	Aransas County Shellfish Mkr C	28-06-19.000N 097-00-58.000W					NW on pile.	
38786	Misho's Oyster Danger Breakwater Light	28-07-02.615N 097-02-01.421W	FI W 2.5s				Marks breakwater structure.	
38786.01	Misho's Oyster Danger Breakwater Light	28-07-06.226N 097-02-03.858W	FI W 2.5s				Marks breakwater structure.	
38786.02	Misho's Oyster Danger Breakwater Light	28-07-07.344N 097-02-08.784W	FI W 2.5s				Marks breakwater structure.	
38786.31	Big Tree Aquaculture Newcomb Bend Special Light A	28-09-22.950N 097-01-13.400W	FI Y 2.5s				Marks outermost perimeter corner of aquaculture farm.	
38786.32	Big Tree Aquaculture Newcomb Bend Special Light B	28-09-26.380N 097-01-12.210W	FI Y 2.5s				Marks outermost perimeter corner of aquaculture farm.	
38786.33	Big Tree Aquaculture Newcomb Bend Special Light C	28-09-28.130N 097-01-18.610W	FI Y 2.5s				Marks outermost perimeter corner of aquaculture farm.	
38786.34	Big Tree Aquaculture Newcomb Bend Special Light D	28-09-24.690N 097-01-19.800W	FI Y 2.5s				Marks outermost perimeter corner of aquaculture farm.	
38787	Lomax Oyster Special Light A	28-03-31.750N 097-09-54.860W	FI Y 2.5s				Marks perimeter of aquaculture reef.	
38787.01	Lomax Oyster Special Light B	28-03-29.050N 097-09-46.940W	FI Y 2.5s				Marks perimeter of aquaculture reef.	
38787.02	Lomax Oyster Special Light C	28-03-25.090N 097-09-48.640W	FI Y 2.5s				Marks perimeter of aquaculture reef.	
38787.03	Lomax Oyster Special Light D	28-03-27.720N 097-09-56.590W	FI Y 2.5s				Marks perimeter of aquaculture reef.	
38790	Fulton Channel Daybeacon 1	28-03-31.124N 097-01-25.179W					SG on pile.	Ra ref.
38795	Fulton Channel Light 2	28-03-34.610N 097-01-47.561W	FI R 4s			3	TR on dolphin.	
38800	Fulton Channel Daybeacon 3	28-03-32.858N 097-01-56.297W					SG on pile.	Ra ref.
38805	Fulton Channel Light 4	28-03-34.819N 097-01-57.196W	FI R 6s			4	TR on dolphin.	
38810	Fulton Channel Daybeacon 5	28-03-34.874N 097-01-58.991W					SG on pile.	
38815	Goose Island Breakwater Danger Daybeacon A	28-07-38.700N 096-59-28.900W					NW on pile worded: DANGER BREAKWATER.	
38820	Goose Island Breakwater Danger Daybeacon B	28-07-38.000N 096-59-39.500W					NW on pile worded: DANGER BREAKWATER.	
38825	Goose Island Breakwater Danger Light C	28-07-38.700N 096-59-48.200W	FI W 2.5s				NW on pile worded: DANGER BREAKWATER.	

38830	Goose Island Breakwater Danger Daybeacon D	28-07-40.900N 096-59-56.200W				NW on pile worded: DANGER BREAKWATER.
38835	Goose Island Breakwater Danger Light E	28-07-44.700N 097-00-02.200W	FI W 2.5s			NW on pile worded: DANGER BREAKWATER.
38840	Goose Island Breakwater Danger Daybeacon F	28-07-49.500N 097-00-06.200W				NW on pile worded: DANGER BREAKWATER.
38845.01	Aransas Bay Daybeacon 19	28-03-42.264N 096-58-22.322W		0		SG-SY on pile. Ra ref.
38860	Aransas Bay Light 21	28-03-14.565N 096-58-47.275W	FI G 4s	0	4	SG-SY on pile. Ra ref.
38865.01	Aransas Bay Daybeacon 22	28-03-16.116N 096-58-51.593W		0		TR-TY on pile. Ra ref.
38870.01	Aransas Bay Daybeacon 23	28-02-49.193N 096-59-10.146W		0		SG-SY on pile. Ra ref.
38875	Aransas Bay Pipeline Marker Light A	28-02-40.000N 096-59-20.000W	Q W			On pile worded WARNING DO NOT ANCHOR OR DREDGE-GAS PIPELINE CROSSING.
38880	Aransas Bay Pipeline Marker Light B	28-02-35.000N 096-59-15.000W	Q W			On pile worded WARNINGDO NOT ANCHOR OR DREDGE-GAS PIPELINE CROSSING.
38890.01	Aransas Bay Daybeacon 26	28-02-08.112N 096-59-51.614W		0		TR-TY on pile. Ra ref.
38895	Aransas Bay Light 25	28-02-11.488N 096-59-44.326W	FI G 2.5s	0	3	SG-SY on pile. Ra ref.
38905.01	Aransas Bay Daybeacon 27	28-01-40.658N 097-00-11.047W		0		SG-SY on pile. Ra ref.
38920	Aransas Bay Light 29	28-01-08.421N 097-00-41.430W	FI G 4s	0	4	SG-SY on pile.
38925	Nine Mile Point Dump Daybeacon 1	28-01-08.334N 097-00-54.556W		0		SG on pile. Ra ref.
38927	Aransas Bay Daybeacon 30	28-01-21.166N 097-00-37.256W		0		TR-TY on pile. Ra ref.
38930	Nine Mile Point Dump Daybeacon 2	28-01-12.935N 097-00-50.269W		0		TR on pile.
38935	Nine Mile Point Light NP	28-01-24.787N 097-01-13.766W	FI W 6s		5	NR on pile. Ra ref.
38940	Aransas County Navigaton District Little Bay Daybeacons (3)	28-02-48.000N 097-01-57.000W				SG on pile.
38942	Aransas County Daybeacon 1	28-03-04.200N 097-01-46.620W				SG on pile.
38942.01	Aransas County Daybeacon 2	28-03-04.740N 097-01-46.740W				TR on pile.
38942.02	Aransas County Daybeacon 3	28-03-03.540N 097-01-47.340W				SG on pile.
38942.03	Aransas County Daybeacon 4	28-03-03.900N 097-01-47.760W				TR on pile.
38945	Krueger Channel Light 1	28-01-43.000N 097-01-50.000W	FI G 4s			On dolphin.
38950	Krueger Channel Light 2	28-01-44.000N 097-01-45.000W	FI R 4s			On dolphin.
38955	Krueger Channel Daybeacon 3	28-01-46.200N 097-01-57.000W				SG on pile.
38960	Krueger Channel Daybeacon 4	28-01-45.600N 097-01-51.000W				TR on pile.
38965	Krueger Channel Daybeacon 5	28-01-50.400N 097-01-50.400W				SG on pile.
38970	Krueger Channel Daybeacon 6	28-01-51.000N 097-01-51.000W				TR on pile.
38975	Krueger Channel Daybeacon 7	28-01-52.800N 097-01-51.000W				SG on pile.
38980	Krueger Channel Daybeacon 8	28-01-52.800N 097-01-51.000W				TR on pile.
38985	Rockport Channel Light 1	28-00-52.497N 097-02-47.841W	FI G 2.5s	0	3	SG on dolphin.
38990	Rockport Channel Daybeacon 3	28-00-59.923N 097-02-50.490W				SG on pile.
38995	Rockport Channel Daybeacon 5	28-01-07.609N 097-02-54.090W				SG on pile.
39000	Rockport Channel Light 6	28-01-11.217N 097-02-53.161W	FI R 4s	0	3	TR on pile. Ra ref.

39005	Rockport Channel Daybeacon 7	28-01-11.125N 097-02-55.206W				SG on pile.	
39010	Texas Maritime Museum Lighthouse	28-01-34.980N 097-02-54.840W	Q W			White building with red roof.	
39015	Rockport Smallboat Harbor Jetty Light 1	28-00-05.030N 097-03-15.930W	Fl G 2.5s			SG on dolphin	
39020	Rockport Smallboat Harbor Jetty Light 2	28-00-05.960N 097-03-15.490W	Fl R 2.5s			TR on dolphin.	
39030	Aransas Bay Pipeline Marker Light C	28-00-50.000N 097-01-00.000W	Q W			On pile worded WARNING DO NOT ANCHOR OR DREDGE-GAS PIPELINE CROSSING.	
39035	Aransas Bay Pipeline Marker Light D	28-00-40.000N 097-00-45.000W	Q W			On pile worded WARNINGDO NOT ANCHOR OR DREDGE-GAS PIPELINE CROSSING.	
39040.01	Aransas Bay Daybeacon 31	28-00-34.059N 097-01-11.255W		0		SG-SY on pile.	Ra ref.
39055	Aransas Bay Light 33	28-00-05.590N 097-01-37.890W	Q G	0	4	SG-SY on pile.	Ra ref.
39060	Aransas-Corpus Christi Bay Cutoff Channel Junction Buoy	28-00-00.744N 097-01-49.134W				Red nun with green band and yellow triangle.	
39065.01	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 2	28-00-02.848N 097-02-03.692W		0		TR-TY on pile.	Ra ref.
39080.01	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 3	27-59-43.738N 097-03-01.424W		0		SG-SY on pile.	Ra ref.
39085.01	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 4	27-59-47.302N 097-03-01.856W		0		TR-TY on pile.	Ra ref.
39090	Aransas-Corpus Christi Bay Cutoff Channel Light 5	27-59-34.081N 097-03-38.863W	Fl G 2.5s	0	3	SG-SY on pile.	Ra ref.
39095	Aransas-Corpus Christi Bay Cutoff Channel Buoy 8	27-59-33.762N 097-03-53.219W				Red nun with yellow triangle.	
39100.01	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 7	27-59-30.976N 097-03-56.360W		0		SG-SY on pile.	Ra ref.
39105.01	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 10	27-59-30.148N 097-04-06.128W		0		TR-TY on pile.	Ra ref.
39110	Aransas-Corpus Christi Bay Cutoff Channel Buoy 9	27-59-27.663N 097-04-06.950W				Green can with yellow square.	
39115	Aransas-Corpus Christi Bay Cutoff Channel Light 12	27-59-24.582N 097-04-19.191W	Q R		4	TR-TY on pile.	Visible all around; higher intensity beam down channel into Aransas Bay. Ra ref.
39120	Aransas-Corpus Christi Bay Cutoff Channel Light 13	27-58-04.141N 097-05-17.645W	Fl G 2.5s		3	SG-SY on pile.	
39125	Palm Harbor Canal Danger Lights (2)	27-58-02.510N 097-05-22.130W	Fl W 2.5s			Marks ends of entrance fence to canal.	
39130	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 15	27-57-39.367N 097-05-34.731W		0		SG-SY on pile.	
39135	Mobil Channel Daybeacon 1	27-57-00.570N 097-05-00.660W				NG on pile.	
39140	Mobil Channel Daybeacon 2	27-57-00.580N 097-05-00.650W				NR on pile.	
39150	Aransas-Corpus Christi Bay Cutoff Channel Light 16	27-57-14.912N 097-05-55.188W	Fl R 4s	0	3	TR-TY on pile.	
39155	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 17	27-57-01.937N 097-06-00.970W		0		SG-SY on pile.	Ra ref.
39170	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 19	27-56-23.901N 097-06-27.311W		0		SG-SY on pile.	
39180.01	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 20	27-56-05.480N 097-06-43.288W		0		TR-TY on pile.	Ra ref.
39190	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 21	27-55-44.763N 097-06-54.951W		0		SG-SY on pile.	
39195	Aransas-Corpus Christi Bay Cutoff Channel Light 22	27-55-28.543N 097-07-09.601W	Q R	0	3	TR-TY on pile.	Ra ref.
39200	Aransas-Corpus Christi Bay Cutoff Channel Buoy 23	27-55-14.204N 097-07-15.126W				Green can with yellow square.	

39205	Aransas-Corpus Christi Bay Cutoff Channel Buoy 24	27-55-15.940N 097-07-16.202W					Red nun with yellow triangle.	
39210	Aransas-Corpus Christi Bay Cutoff Channel Buoy 25	27-54-33.148N 097-07-38.389W					Green can with yellow square.	
39215	Aransas-Corpus Christi Bay Cutoff Channel Buoy 26	27-54-33.497N 097-07-40.714W					Red nun with yellow triangle.	
39225	Aransas Channel Light 23	27-53-51.539N 097-08-06.471W	FI G 4s	0	4		SG-TY on pile.	Ra ref.
39230	Aransas-Corpus Christi Bay Cutoff Channel Buoy 27	27-53-25.220N 097-08-16.253W					Green can with yellow square.	
39235	Aransas-Corpus Christi Bay Cutoff Channel Buoy 28	27-53-26.895N 097-08-18.050W					Red nun with yellow triangle.	
39245	Aransas-Corpus Christi Bay Cutoff Channel Light 29	27-52-58.474N 097-08-32.976W	Q G	0	3		SG-SY on pile.	
39250	Aransas-Corpus Christi Bay Cutoff Channel Buoy 30	27-52-59.695N 097-08-35.543W					Red nun with yellow triangle.	
39255	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 31	27-52-43.282N 097-08-50.591W		0			SG-SY on pile.	
39265	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 33	27-52-22.262N 097-09-19.546W		0			SG-SY on pile.	Ra ref.
39270	Aransas-Corpus Christi Bay Cutoff Channel Light 34	27-52-15.121N 097-09-33.042W	Q R	0	3		TR-TY on pile.	
39275	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 35	27-51-39.352N 097-09-54.354W					SG-SY on pile.	
39280	Aransas-Corpus Christi Bay Cutoff Channel Pipeline Light A	27-51-30.000N 097-10-03.000W	FI R 4s				On piles.	
39285	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 37	27-51-07.430N 097-10-14.372W		0			SG-SY on pile.	
39290	San Jose Island Dock Channel Daybeacon 1	27-57-21.000N 096-59-42.000W					SG on pile.	Ra ref.
39295	San Jose Island Dock Channel Light 2	27-57-00.200N 096-59-00.700W	FI R 6s				TR on pile.	Ra ref.
39300	San Jose Island Dock Channel Daybeacon 3	27-57-14.000N 096-59-41.000W					SG on pile.	Ra ref.
39305	San Jose Island Dock Channel Daybeacon 4	27-57-03.000N 096-59-07.000W					TR on pile.	Ra ref.
39310	San Jose Island Dock Channel Daybeacon 5	27-57-14.000N 096-59-37.000W					SG on pile.	Ra ref.
39315	San Jose Island Dock Channel Daybeacon 6	27-57-03.000N 096-59-07.000W					TR on pile.	Ra ref.
39320	San Jose Island Dock Channel Daybeacon 7	27-57-03.000N 096-59-07.000W					SG on pile.	Ra ref.
39325	San Jose Island Dock Channel Daybeacon 8	27-57-03.000N 096-59-07.000W					TR on pile.	Ra ref.
39327	San Jose Island Breakwater Light 1	27-57-12.000N 096-59-27.000W	Q G				SG on pile.	
39330	San Jose Island Dock Channel Daybeacon 9	27-57-03.000N 096-59-07.000W					SG on pile.	Ra ref.
39335	San Jose Island Dock Channel Daybeacon 10	27-57-03.000N 096-59-07.000W					TR on pile.	Ra ref.
39340	City By The Sea Channel Light 2	27-57-05.000N 097-06-03.000W	FI R 2.5s				TR on pile.	
39345	City By The Sea Channel Daybeacon 1	27-57-04.000N 097-06-03.000W					SG on pile.	
39355	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 39	27-50-34.526N 097-10-35.273W		0			SG-SY on pile.	
39365	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 41	27-50-00.885N 097-10-56.037W					SG-SY on pile.	
39380.01	Aransas-Corpus Christi Bay Cutoff Channel Light 43	27-49-34.205N 097-11-13.796W	FI G 4s	0	3		SG-SY on pile.	Ra ref.
39385	Corpus Christi Bay Buoy 44	27-48-55.655N 097-11-41.805W					Red nun with yellow triangle.	
39390	Corpus Christi Bay Wreck Light 46A	27-48-43.858N 097-11-47.620W	Q R	0	3		TR-TY on pile.	

39395	Corpus Christi Bay Daybeacon 45	27-48-42.959N 097-11-44.217W		0		SG-SY on pile.	
39400	Corpus Christi Bay Daybeacon 48	27-48-26.609N 097-11-59.880W		0		TR-TY on pile.	Ra ref.
39405	Corpus Christi Bay Daybeacon 49	27-48-10.154N 097-12-06.025W		0		SG-SY on pile.	
39410	Corpus Christi Bay Daybeacon 50	27-47-52.049N 097-12-22.723W		0		TR-TY on pile.	Ra ref.
39415	Corpus Christi Bay Light 51	27-47-27.969N 097-12-30.891W	FI G 2.5s	0	3	SG on pile.	Ra ref.
39420	Corpus Christi Bay Daybeacon 52	27-46-58.827N 097-12-39.656W		0		TR-TY on pile.	
39425	Corpus Christi Bay Daybeacon 55	27-46-26.754N 097-12-38.537W		0		SG-SY on pile.	
39430	Corpus Christi Bay Daybeacon 54	27-46-35.015N 097-12-46.522W		0		TR-TY on pile.	
39435	Corpus Christi Bay Daybeacon 57	27-46-07.124N 097-12-42.995W		0		SG-SY on pile.	
39440	Corpus Christi Bay Light 58	27-45-42.290N 097-12-49.610W	FI R 4s	0	3	TR on pile.	Ra ref.
39445	Corpus Christi Bay Daybeacon 59	27-45-13.127N 097-12-48.995W		0		SG-SY on pile.	
39450	Corpus Christi Bay Daybeacon 60	27-44-44.898N 097-12-56.706W		0		TR-TY on pile.	Ra ref.
39455	Corpus Christi Bay Daybeacon 61	27-44-21.486N 097-12-55.427W		0		SG-SY on pile.	Ra ref.
39460	TWDB Corpus Christi Bay Special Lighted Scientific Buoy B	27-44-31.160N 097-13-06.020W	FI Y 2.5s			Water data collection location.	
39470.01	Aransas Bay Alternate Route Daybeacon 35	27-59-32.643N 097-02-08.023W		0		SG-SY on pile.	Ra ref.
39475.01	Aransas Bay Alternate Route Daybeacon 38	27-59-12.545N 097-02-32.451W		0		TR-TY on pile.	Ra ref.
39480	Aransas Bay Alternate Route Light 37	27-59-10.604N 097-02-28.343W	FI G 2.5s	0	4	SG-SY on pile.	Ra ref.
39485	Pi Energy Pipeline Light A	27-58-59.486N 097-02-43.296W	FI Y 2.5s			On dolphin.	
39490	Pi Energy Pipeline Light B	27-58-55.149N 097-02-37.208W	FI Y 2.5s			On dolphin.	
39500.01	Aransas Bay Alternate Route Daybeacon 39	27-58-49.365N 097-02-47.178W		0		SG-SY on pile.	Ra ref.
39515	Aransas Bay Alternate Route Light 41	27-58-15.026N 097-03-16.925W	Q G	0	4	SG-SY on pile.	Ra ref.
39520.01	Aransas Bay Alternate Route Daybeacon 42	27-58-16.766N 097-03-22.656W		0		TR-TY on pile.	Ra ref.
39530.01	Aransas Bay Alternate Route Daybeacon 43	27-57-21.169N 097-03-26.391W		0		SG-SY on pile.	Ra ref.
39540.01	Aransas Bay Alternate Route Daybeacon 44	27-57-21.883N 097-03-30.954W		0		TR-TY on pile.	Ra ref.
39560	Aransas Bay Alternate Route Light 45	27-56-34.002N 097-03-33.445W	Q G	0	4	SG-SY on pile.	Ra ref.
39565.01	Aransas Bay Alternate Route Daybeacon 46	27-56-33.796N 097-03-38.315W		0		TR-TY on pile.	Ra ref.
39575.01	Aransas Bay Alternate Route Daybeacon 48	27-56-07.522N 097-03-36.314W		0		TR-TY on pile.	Ra ref.
39580.01	Aransas Bay Alternate Route Daybeacon 47	27-55-56.127N 097-03-29.102W		0		SG-SY on pile.	Ra ref.
39595	Aransas Bay Alternate Route Light 49	27-55-18.093N 097-03-23.564W	FI G 2.5s	0	3	SG-SY on pile.	Ra ref.
39600.01	Aransas Bay Alternate Route Daybeacon 50	27-55-17.452N 097-03-28.103W		0		TR-TY on pile.	Ra ref.
39620	Aransas Bay Alternate Route Light 51	27-54-40.839N 097-03-10.097W	Q G	0	3	SG-SY on pile.	Ra ref.
39625.01	Aransas Bay Alternate Route Daybeacon 52	27-54-39.922N 097-03-14.498W		0		TR-TY on pile.	Ra ref.
39645	Aransas Bay Alternate Route Light 53	27-54-01.259N 097-02-59.448W	FI G 6s	0	4	SG-SY on pile.	Ra ref.
39650.01	Aransas Bay Alternate Route Daybeacon 54	27-53-59.333N 097-03-05.213W		0		TR-TY on pile.	Ra ref.
39665.01	Aransas Bay Alternate Route Light 55	27-53-25.362N 097-02-50.687W	FI G 4s	0	3	SG-SY on pile.	Ra ref.

39670	Aransas Bay Alternate Route Daybeacon 56	27-52-48.984N 097-02-53.164W				TR-TY on pile.	Ra ref.
39685	Aransas Bay Alternate Route Daybeacon 58	27-52-18.444N 097-02-55.230W				TR-TY on pile.	Ra ref.
39690	Aransas Bay Alternate Route Lighted Danger Buoy A	27-51-45.328N 097-03-00.156W	Fl W 4s	3		White with orange stripe.	
39695	Aransas Bay Alternate Route Daybeacon 60	27-51-59.322N 097-03-03.627W				TR-TY on pile.	Ra ref.
39700	Aransas Bay Alternate Route Lighted Buoy WR 59	27-51-49.424N 097-03-01.093W	Q G	3		Green can.	
39705	Aransas Bay Alternate Route Lighted Danger Buoy B	27-51-49.835N 097-02-58.462W	Fl W 4s	3		White with orange stripe.	
39710	Aransas Bay Alternate Route Daybeacon 62	27-51-15.137N 097-03-29.061W				TR-TY on pile.	Ra ref.
39715	Aransas Bay Alternate Route Buoy 61	27-51-11.208N 097-03-18.914W				Green can with yellow square.	
39720	Lydia Ann Channel Light	27-51-51.000N 097-03-21.000W	F W			Red and brown brick tower.	
39725	Corpus Christi Baffin Bay Light C	27-43-05.575N 097-13-07.331W	Mo (A) W	0	5	MR-I on dolphin.	Ra ref.
39730	Corpus Christi Baffin Bay Light 1	27-42-22.557N 097-13-09.781W	Fl G 2.5s	0	3	SG-I on pile.	Ra ref.
39740	Corpus Christi Baffin Bay Daybeacon 3	27-41-50.989N 097-13-18.496W		0		SG-SY on pile.	Ra ref.
39750	Corpus Christi Baffin Bay Light 5	27-41-25.137N 097-13-24.994W	Fl G 6s	0	4	SG-I on pile.	Ra ref.
39760	Corpus Christi Baffin Bay Daybeacon 6	27-41-18.242N 097-13-31.360W		0		TR-TY on pile.	Ra ref.
39765	Corpus Christi Baffin Bay Daybeacon 7	27-41-03.825N 097-13-31.172W		0		SG-SY on pile.	Ra ref.
39768	Corpus Christi Baffin Bay Lighted Buoy 8	27-40-45.343N 097-13-37.985W	Q R	3		Red nun with yellow triangle.	
39770	Corpus Christi Baffin Bay Buoy 10	27-40-41.288N 097-13-38.716W				Red nun with yellow triangle.	
39775	Corpus Christi Baffin Bay Buoy 9	27-40-38.425N 097-13-37.391W				Green can with yellow square.	
39780	Corpus Christi Baffin Bay Light 11	27-40-23.692N 097-13-40.956W	Fl G 4s	0	4	SG-SY on pile.	Ra ref.
39785	Corpus Christi Baffin Bay Daybeacon 12	27-40-24.638N 097-13-44.300W		0		TR-TY on pile.	Ra ref.
39787	Naval Air Station Corpus Christi Marina Channel Daybeacon 1	27-41-14.870N 097-14-35.590W				SG on pile.	
39787.01	Naval Air Station Corpus Christi Marina Channel Daybeacon 2	27-41-17.690N 097-14-44.550W				TR on pile.	
39787.02	Naval Air Station Corpus Christi Marina Channel Daybeacon 3	27-41-15.750N 097-14-46.760W				SG on pile.	
39787.03	Naval Air Station Corpus Christi Marina Channel Daybeacon 4	27-41-15.700N 097-14-55.190W				TR on pile.	
39787.04	Naval Air Station Corpus Christi Marina Channel Daybeacon 5	27-41-11.100N 097-14-58.130W				SG on pile.	
39787.05	Naval Air Station Corpus Christi Marina Channel Daybeacon 6	27-41-13.000N 097-15-00.910W				TR on pile.	
39787.06	Naval Air Station Corpus Christi Marina Channel Daybeacon 7	27-41-09.970N 097-15-03.830W				SG on pile.	
39787.07	Naval Air Station Corpus Christi Marina Channel Daybeacon 8	27-41-17.000N 097-15-21.480W				TR on pile.	
39787.08	Naval Air Station Corpus Christi Marina Channel Daybeacon 9	27-41-15.780N 097-15-22.350W				SG on pile.	
39795	Corpus Christi Baffin Bay Daybeacon 13	27-39-55.513N 097-13-48.705W		0		SG-SY on pile.	Ra ref.
39805	Corpus Christi Baffin Bay Light 15	27-39-21.492N 097-13-56.866W	Fl G 2.5s	0	3	SG-SY on pile.	Ra ref.

39810	Corpus Christi Baffin Bay Daybeacon 16	27-39-22.230N 097-14-00.470W		0		TR-TY on pile.	Ra ref.
39820	Corpus Christi Baffin Bay Daybeacon 17	27-38-53.234N 097-14-04.589W		0		SG-SY on pile.	Ra ref.
39830	Corpus Christi Baffin Bay Light 19	27-38-25.596N 097-14-11.554W	Q G	0	3	SG-SY on pile.	Ra ref.
39835	Corpus Christi Baffin Bay Daybeacon 20	27-38-26.392N 097-14-14.772W		0		TR-TY on pile.	Ra ref.
39845	Corpus Christi Baffin Bay Buoy 37	27-37-54.172N 097-14-28.300W				Green can with yellow square.	Ra ref.
39855	Packery Channel Daybeacon 1	27-36-54.960N 097-12-22.080W				SG on pile.	
39860	Packery Channel Daybeacon 2	27-36-56.700N 097-12-22.080W				TR on pile.	
39865	Packery Channel Daybeacon 3	27-36-57.780N 097-12-44.880W				SG on pile.	
39870	Packery Channel Daybeacon 4	27-37-01.200N 097-12-42.420W				TR on pile.	
39875	Packery Channel Daybeacon 5	27-37-25.860N 097-12-56.100W				SG on pile.	
39880	Packery Channel Daybeacon 6	27-37-36.000N 097-12-55.560W				TR on pile.	
39885	Packery Channel Daybeacon 7	27-37-46.900N 097-13-05.170W				SG on pile.	
39890	Packery Channel Daybeacon 8	27-37-48.720N 097-13-03.720W				TR on pile.	
39895	Packery Channel Daybeacon 9	27-37-58.620N 097-13-13.980W				SG on pile.	
39900	Packery Channel Daybeacon 10	27-38-00.120N 097-13-14.240W				TR on pile.	
39905	Packery Channel Daybeacon 11	27-38-00.660N 097-13-18.240W				SG on pile.	
39910	Packery Channel Daybeacon 12	27-38-01.500N 097-13-17.760W				TR on pile.	
39915	Packery Channel Daybeacon 13	27-38-01.140N 097-13-21.960W				SG on pile.	
39920	Packery Channel Daybeacon 14	27-38-01.500N 097-13-24.300W				TR on pile.	
39925	Packery Channel Daybeacon 15	27-37-56.700N 097-13-27.480W				SG on pile.	
39930	Packery Channel Daybeacon 16	27-37-55.800N 097-13-29.100W				TR on pile.	
39935	Packery Channel Daybeacon 17	27-37-49.980N 097-13-30.600W				SG on pile.	
39940	Packery Channel Daybeacon 18	27-37-51.840N 097-13-32.760W				TR on pile.	
39945	Packery Channel Daybeacon 19	27-37-49.260N 097-13-33.620W				SG on pile.	
39950	Packery Channel Daybeacon 20	27-37-49.860N 097-13-35.040W				TR on pile.	
39955	Packery Channel Daybeacon 21	27-37-49.320N 097-13-37.620W				SG on pile.	
39960	Packery Channel Daybeacon 22	27-37-51.120N 097-13-39.300W				TR on pile.	
39965	Packery Channel Daybeacon 23	27-37-57.660N 097-13-56.640W				SG on pile.	
39970	Packery Channel Daybeacon 24	27-38-00.360N 097-13-58.980W				TR on pile.	
39975	Packery Channel Daybeacon 25	27-38-07.440N 097-14-19.560W				SG on pile.	
39980	Packery Channel Daybeacon 26	27-38-09.000N 097-14-18.440W				TR on pile.	
39985	Padre Isles North Channel Light 1	27-37-43.100N 097-14-32.200W	Fl G 2.5s			SG on pile.	
39990	Padre Isles North Channel Daybeacon 2	27-37-41.400N 097-14-33.600W				TR on pile.	
39995	Padre Isles North Channel Daybeacon 3	27-37-41.200N 097-14-29.300W				SG on pile.	
40000	Padre Isles North Channel Daybeacon 4	27-37-40.000N 097-14-30.000W				TR on pile.	

40005	Padre Isles North Channel Daybeacon 6	27-37-38.800N 097-14-27.100W				SG on pile.	
40010	Padre Isles North Channel Daybeacon 5	27-37-39.400N 097-14-25.800W				TR on pile.	
40015	Padre Isles North Channel Daybeacon 7	27-37-38.100N 097-14-23.100W				SG on pile.	
40020	Padre Isles North Channel Daybeacon 8	27-37-37.300N 097-14-23.700W				TR on pile.	
40025	Padre Isles North Channel Daybeacon 9	27-37-37.000N 097-14-20.600W				SG on pile.	
40030	Padre Isles North Channel Daybeacon 10	27-37-35.800N 097-14-20.100W				TR on pile.	
40035	Padre Isles North Channel Daybeacon 11	27-37-37.300N 097-14-14.300W				SG on pile.	
40040	Padre Isles North Channel Daybeacon 12	27-37-36.300N 097-14-14.500W				TR on pile.	
40045	Padre Isles North Channel Daybeacon 13	27-37-38.300N 097-14-07.700W				SG on pile.	
40050	Padre Isles North Channel Daybeacon 14	27-37-37.000N 097-14-10.300W				TR on pile.	
40055	Padre Isles North Channel Daybeacon 15	27-37-38.100N 097-14-04.200W				SG on pile.	
40060	Padre Isles North Channel Daybeacon 16	27-37-36.900N 097-14-06.000W				TR on pile.	
40090	Corpus Christi Baffin Bay Light 39	27-37-29.490N 097-14-40.022W	FI G 2.5s		3	SG-SY on pile.	Ra ref.
40095	Corpus Christi Baffin Bay Daybeacon 40	27-37-32.032N 097-14-44.140W			0	TR-TY on pile.	Ra ref.
40105.01	Corpus Christi Baffin Bay Daybeacon 41	27-37-00.791N 097-14-55.252W			15	SG-SY on pile.	Ra ref.
40115	Corpus Christi Baffin Bay Light 43	27-36-35.777N 097-15-08.856W	FI G 4s		0 4	SG-SY on pile.	Ra ref.
40120	Corpus Christi Baffin Bay Daybeacon 44	27-36-37.365N 097-15-12.038W			0	TR-TY on pile.	Ra ref.
40130.01	Corpus Christi Baffin Bay Daybeacon 45	27-36-11.803N 097-15-20.918W				SG-SY on pile.	Ra ref.
40135	Tropic Isles Entrance Daybeacon 1	27-37-28.320N 097-17-10.740W				SG on pile.	
40140	Tropic Isles Entrance Light 2	27-37-29.160N 097-17-09.360W	FI R 2.5s			TR on pile.	
40145	Padre Isles South Channel Light 1	27-36-03.300N 097-15-24.700W	FI G 2.5s			SG on pile.	
40150	Padre Isles South Channel Daybeacon 2	27-36-01.000N 097-15-25.900W				TR on pile.	
40155	Padre Isles South Channel Daybeacon 3	27-36-02.200N 097-15-21.600W				SG on pile.	
40155.01	Padre Isles South Channel Daybeacon 4	27-36-00.600N 097-15-22.600W				TR on pile.	
40160	Padre Isles South Channel Daybeacon 5	27-36-01.300N 097-15-17.300W				SG on pile.	
40160.01	Padre Isles South Channel Daybeacon 6	27-35-59.900N 097-15-18.100W				TR on pile.	
40165	Padre Isles South Channel Daybeacon 7	27-36-00.800N 097-15-14.400W				SG on pile.	
40170	Padre Isles South Channel Daybeacon 8	27-35-59.200N 097-15-14.400W				TR on pile.	
40175	Padre Isles South Channel Daybeacon 9	27-36-01.900N 097-15-10.800W				SG on pile.	
40180	Padre Isles South Channel Daybeacon 10	27-36-01.000N 097-15-10.200W				TR on pile.	
40205	Corpus Christi Baffin Bay Light 47	27-35-43.930N 097-15-35.782W	FI G 6s		0 4	SG-SY on pile.	Ra ref.
40210	Corpus Christi Baffin Bay Daybeacon 48	27-35-44.812N 097-15-39.045W			0	TR-TY on pile.	Ra ref.
40445.01	Corpus Christi Baffin Bay Daybeacon 49	27-35-13.595N 097-15-52.603W			0	SG-SY on pile.	Ra ref.
40455	Corpus Christi Baffin Bay Light 51	27-34-48.221N 097-16-05.105W	FI G 4s		4	SG-SY on pile.	Ra ref.
40460.01	Corpus Christi Baffin Bay Daybeacon 52	27-34-50.851N 097-16-07.559W			0	TR-TY on pile.	Ra ref.

40470.01	Corpus Christi Baffin Bay Daybeacon 53	27-34-19.945N 097-16-20.629W		0		SG-SY on pile.	Ra ref.
40480	Corpus Christi Baffin Bay Light 55	27-33-54.546N 097-16-33.826W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
40485	Corpus Christi Baffin Bay Daybeacon 56	27-33-54.015N 097-16-37.033W		0		TR-TY on pile.	Ra ref.
40495.01	Corpus Christi Baffin Bay Daybeacon 57	27-33-29.755N 097-16-46.935W		0		SG-SY on pile.	Ra ref.
40505	Corpus Christi Baffin Bay Light 59	27-32-57.516N 097-17-03.712W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
40510.01	Corpus Christi Baffin Bay Daybeacon 60	27-32-58.111N 097-17-06.577W		0		TR-TY on pile.	Ra ref.
40520.01	Corpus Christi Baffin Bay Daybeacon 61	27-32-32.170N 097-17-17.269W		0		SG-SY on pile.	Ra ref.
40530	Corpus Christi Baffin Bay Light 63	27-32-03.777N 097-17-31.425W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
40535	Corpus Christi Baffin Bay Daybeacon 64	27-31-59.076N 097-17-37.869W				TR-TY on pile.	Ra ref.
40545.01	Corpus Christi Baffin Bay Daybeacon 65	27-31-33.739N 097-17-47.750W		0		SG-SY on pile.	Ra ref.
40555	Corpus Christi Baffin Bay Light 67	27-31-09.069N 097-18-00.261W	FI G 4s		4	SG-SY on pile.	Ra ref.
40560.01	Corpus Christi Baffin Bay Daybeacon 68	27-31-10.277N 097-18-03.229W		0		TR-TY on pile.	Ra ref.
40570.01	Corpus Christi Baffin Bay Daybeacon 69	27-30-44.920N 097-18-13.486W		0		SG-SY on pile.	Ra ref.
40580	Corpus Christi Baffin Bay Light 71	27-30-17.499N 097-18-27.598W	FI G 4s		4	SG-SY on pile.	Ra ref.
40585	Corpus Christi Baffin Bay Daybeacon 72	27-30-18.976N 097-18-30.366W		0		TR-TY on pile.	Ra ref.
40595.01	Corpus Christi Baffin Bay Daybeacon 73	27-29-49.270N 097-18-42.232W		0		SG-SY on pile.	Ra ref.
40605	Corpus Christi Baffin Bay Light 75	27-29-21.028N 097-18-57.196W	FI G 4s		4	SG-SY on pile.	Ra ref.
40610.01	Corpus Christi Baffin Bay Daybeacon 76	27-29-18.303N 097-19-01.624W		0		TR-TY on pile.	Ra ref.
40620.01	Corpus Christi Baffin Bay Daybeacon 77	27-28-54.872N 097-19-11.349W		0		SG-SY on pile.	Ra ref.
40630	Padre Island National Seashore Daybeacon 1	27-28-36.000N 097-19-09.000W				SG on pile.	
40635	Padre Island National Seashore Daybeacon 2	27-28-32.000N 097-19-10.000W				TR on pile.	
40640	Padre Island National Seashore Daybeacon 4	27-28-28.000N 097-18-58.000W				TR on pile.	
40645	Padre Island National Seashore Daybeacon 5	27-28-30.000N 097-18-52.000W				SG on pile.	
40650	Padre Island National Seashore Daybeacon 6	27-28-25.000N 097-18-47.000W				TR on pile.	
40655	Padre Island National Seashore Daybeacon 7	27-28-25.000N 097-18-39.000W				SG on pile.	
40660	Padre Island National Seashore Daybeacon 8	27-28-23.000N 097-18-40.000W				TR on pile.	
40665	Corpus Christi Baffin Bay Light 79	27-28-21.412N 097-19-28.298W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
40670	Corpus Christi Baffin Bay Daybeacon 80	27-28-22.839N 097-19-31.442W		0		TR-TY on pile.	Ra ref.
40680.01	Corpus Christi Baffin Bay Daybeacon 81	27-27-53.085N 097-19-42.622W		0		SG-SY on pile.	Ra ref.
40690	Corpus Christi Baffin Bay Light 83	27-27-27.465N 097-19-56.347W	FI G 4s		4	SG-SY on pile.	Ra ref.
40695.01	Corpus Christi Baffin Bay Daybeacon 84	27-27-27.702N 097-20-00.798W				TR-TY on pile.	Ra ref.
40705.01	Corpus Christi Baffin Bay Daybeacon 85	27-26-58.670N 097-20-11.419W				SG-SY on pile.	Ra ref.
40715	Corpus Christi Baffin Bay Light 87	27-26-38.648N 097-20-21.809W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
40720	Corpus Christi Baffin Bay Daybeacon 88	27-26-39.581N 097-20-25.446W		0		TR-TY on pile.	Ra ref.
40730.01	Corpus Christi Baffin Bay Daybeacon 89	27-26-10.766N 097-20-36.547W				SG-SY on pile.	Ra ref.

40740	Corpus Christi Baffin Bay Light 91	27-25-44.718N 097-20-50.234W	FI G 6s		4	SG-SY on pile.	Ra ref.
40745.01	Corpus Christi Baffin Bay Daybeacon 92	27-25-47.325N 097-20-52.330W			0	TR-TY on pile.	Ra ref.
40755.01	Corpus Christi Baffin Bay Daybeacon 93	27-25-12.512N 097-21-06.720W			0	SG-SY on pile.	Ra ref.
40765	Corpus Christi Baffin Bay Light 95	27-24-45.240N 097-21-21.378W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
40770	Corpus Christi Baffin Bay Daybeacon 96	27-24-46.455N 097-21-24.184W			0	TR-TY on pile.	Ra ref.
40780.01	Corpus Christi Baffin Bay Daybeacon 97	27-24-17.384N 097-21-36.276W			0	SG-SY on pile.	Ra ref.
40790	Corpus Christi Baffin Bay Light 99	27-23-50.721N 097-21-49.979W	FI G 2.5s		3	SG-SY on pile.	Ra ref.
40795.01	Corpus Christi Baffin Bay Daybeacon 100	27-23-53.319N 097-21-52.681W				TR-TY on pile.	Ra ref.
40805.01	Corpus Christi Baffin Bay Daybeacon 101	27-23-24.797N 097-22-04.383W			0	SG-SY on pile.	Ra ref.
40815	Corpus Christi Baffin Bay Light 103	27-23-04.418N 097-22-13.917W	Q G	0	3	SG-SY on pile.	Ra ref.
40820	Corpus Christi Baffin Bay Daybeacon 104	27-23-05.208N 097-22-17.614W				TR-TY on pile.	Ra ref.
40830.01	Corpus Christi Baffin Bay Daybeacon 105	27-22-37.005N 097-22-26.043W			0	SG-SY on pile.	Ra ref.
40840	Corpus Christi Baffin Bay Light 107	27-22-10.164N 097-22-38.324W	FI G 2.5s	0	3	SG-SY on pile.	Ra ref.
40845.01	Corpus Christi Baffin Bay Daybeacon 108	27-22-12.304N 097-22-41.128W			0	TR-TY on pile.	Ra ref.
40855.01	Corpus Christi Baffin Bay Daybeacon 109	27-21-41.978N 097-22-50.414W				SG-SY on pile.	Ra ref.
40865	Corpus Christi Baffin Bay Light 111	27-21-15.289N 097-23-02.636W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
40870	Corpus Christi Baffin Bay Daybeacon 112	27-21-16.280N 097-23-05.106W			0	TR-TY on pile.	Ra ref.
40880.01	Corpus Christi Baffin Bay Daybeacon 113	27-20-52.329N 097-23-11.498W			0	SG-SY on pile.	Ra ref.
40890	Corpus Christi Baffin Bay Light 115	27-20-20.664N 097-23-26.305W	FI G 4s		4	SG-SY on pile.	Ra ref.
40895	Corpus Christi Baffin Bay Daybeacon 116	27-20-21.265N 097-23-29.387W				TR-TY on pile.	Ra ref.
40910.01	Corpus Christi Baffin Bay Daybeacon 117	27-19-56.494N 097-23-36.852W			0	SG-SY on pile.	Ra ref.
40920	Corpus Christi Baffin Bay Light 119	27-19-22.660N 097-23-51.215W	FI G 2.5s		3	SG-SY on pile.	Ra ref.
40925	Corpus Christi Baffin Bay Daybeacon 120	27-19-24.250N 097-23-54.069W				TR-TY on pile.	Ra ref.
40930.01	Corpus Christi Baffin Bay Daybeacon 121	27-19-10.676N 097-23-57.082W			0	SG-SY on pile.	Ra ref.
40935.01	Corpus Christi Baffin Bay Daybeacon 122	27-19-09.126N 097-24-00.615W				TR-TY on pile.	Ra ref.
40940.01	Corpus Christi Baffin Bay Daybeacon 123	27-18-54.060N 097-24-03.975W				SG-SY on pile.	Ra ref.
40945.01	Corpus Christi Baffin Bay Daybeacon 124	27-18-53.861N 097-24-07.207W				TR-TY on pile.	Ra ref.
40950	Corpus Christi Baffin Bay Light 125	27-18-40.757N 097-24-09.249W	Q G	0	3	SG-SY on pile.	Ra ref.
40965.01	Corpus Christi Baffin Bay Daybeacon 127	27-18-11.524N 097-24-16.326W				SG-SY on pile.	Ra ref.
40980	Corpus Christi Baffin Bay Light 129	27-17-46.941N 097-24-21.422W	FI G 2.5s	0	3	SG-SY on pile.	Ra ref.
40985.01	Corpus Christi Baffin Bay Daybeacon 130	27-17-36.603N 097-24-27.129W				TR-TY on pile.	Ra ref.
40995.01	Corpus Christi Baffin Bay Daybeacon 131	27-17-19.250N 097-24-28.245W			0	SG-SY on pile.	Ra ref.
41005	Corpus Christi Baffin Bay Light 133	27-16-45.007N 097-24-34.956W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
41010.01	Baffin Bay Junction Daybeacon	27-16-28.724N 097-24-42.401W				JR-TY on pile.	
41015	Baffin Bay Daybeacon 2	27-16-39.544N 097-24-46.369W			0	TR on pile.	

41020	Baffin Bay Daybeacon 4	27-16-40.974N 097-25-05.489W				TR on pile.	
41025	Baffin Bay Daybeacon 5	27-16-28.629N 097-25-12.852W				SG on pile.	
41030	Baffin Bay Daybeacon 6	27-16-41.444N 097-25-37.727W				TR on pile.	
41035	Baffin Bay Daybeacon 8	27-16-39.483N 097-26-31.281W				TR on pile.	
41040	Baffin Bay Daybeacon 9	27-16-24.087N 097-27-09.036W				SG on pile.	
41045	Baffin Bay Daybeacon 10	27-16-38.172N 097-27-20.992W				TR on pile.	
41050	Baffin Bay Daybeacon 10A	27-16-23.993N 097-28-05.771W				TR on pile.	
41055	Baffin Bay Daybeacon 12	27-16-09.480N 097-28-56.085W				TR on pile.	
41060	Baffin Bay Daybeacon 11	27-16-06.897N 097-28-27.930W		0		SG on pile.	
41065	Baffin Bay Daybeacon 14	27-15-54.015N 097-29-36.033W				TR on pile.	
41067	TWDB Baffin Bay Special Lighted Scientific Buoy A	27-16-03.470N 097-30-14.270W	FI Y 2.5s			Water data collection location.	
41070	Baffin Bay Daybeacon 16	27-15-46.115N 097-30-11.033W				TR on pile.	
41075	Baffin Bay Daybeacon 18	27-15-34.304N 097-30-50.426W		0		TR on pile.	
41080	Baffin Bay Daybeacon 20	27-15-36.940N 097-31-39.735W				TR on pile.	
41085	Baffin Bay Daybeacon 22	27-15-39.549N 097-32-29.188W		0		TR on pile.	
41090	Baffin Bay Daybeacon 24	27-15-41.727N 097-33-10.614W		0		TR on pile.	
41095	Baffin Bay Daybeacon 26	27-15-45.255N 097-34-15.948W		0		TR on pile.	
41100	Baffin Bay Daybeacon 28	27-15-47.133N 097-34-55.140W		0		TR on pile.	
41105	Baffin Bay Daybeacon 30	27-15-49.002N 097-35-31.566W		0		TR on pile.	
41110	Baffin Bay Daybeacon 32	27-16-09.102N 097-36-27.143W		0		TR on pile.	
41115	Baffin Bay Daybeacon 34	27-16-20.535N 097-37-59.352W		0		TR on pile.	
41120	Baffin Bay Daybeacon 36	27-16-34.941N 097-37-31.818W		0		TR on pile.	
41125	Baffin Bay Daybeacon 38	27-16-47.670N 097-38-00.597W		0		TR on pile.	
41130	Baffin Bay Daybeacon 40	27-16-55.870N 097-38-22.506W		0		TR on pile.	
41150.01	Baffin Bay Land Cut Daybeacon 1	27-15-55.946N 097-24-46.035W				SG-SY on pile.	Ra ref.
41160	Baffin Bay Land Cut Light 3	27-15-29.107N 097-24-51.201W	FI G 6s	0	4	SG-SY on pile.	
41165	Baffin Bay Land Cut Daybeacon 4	27-15-30.934N 097-24-55.062W		0		TR-TY on pile.	Ra ref.
41175.01	Baffin Bay Land Cut Daybeacon 5	27-14-55.533N 097-24-59.524W				SG-SY on pile.	Ra ref.
41185	Baffin Bay Land Cut Light 7	27-14-25.942N 097-25-05.500W	FI G 4s	0	4	SG-SY on pile.	
41190	Baffin Bay Land Cut Daybeacon 8	27-14-25.189N 097-25-08.537W		0		TR-TY on pile.	
41200.01	Baffin Bay Land Cut Daybeacon 9	27-13-54.888N 097-25-12.666W				SG-SY on pile.	Ra ref.
41210	Baffin Bay Land Cut Light 11	27-13-26.400N 097-25-18.352W	FI G 4s	0	4	SG-SY on pile.	
41215	Baffin Bay Land Cut Daybeacon 12	27-13-26.967N 097-25-21.402W				TR-TY on pile.	
41225.01	Baffin Bay Land Cut Daybeacon 13	27-12-56.140N 097-25-24.373W				SG-SY on pile.	Ra ref.
41235	Baffin Bay Land Cut Light 15	27-12-27.426N 097-25-31.037W	FI G 4s	0	4	SG-SY on pile.	

41240	Baffin Bay Land Cut Daybeacon 16	27-12-27.869N 097-25-34.141W		0		TR-TY on pile.	Ra ref.
41250.01	Baffin Bay Land Cut Daybeacon 17	27-11-57.218N 097-25-37.111W		0		SG-SY on pile.	Ra ref.
41260	Baffin Bay Land Cut Light 19	27-11-25.446N 097-25-44.018W	Fl G 6s	0	4	SG-SY on pile.	
41265	Baffin Bay Land Cut Daybeacon 20	27-11-28.115N 097-25-47.033W		0		TR-TY on pile.	
41275.01	Baffin Bay Land Cut Daybeacon 21	27-10-52.746N 097-25-52.062W		0		SG-SY on pile.	Ra ref.
41285	Baffin Bay Land Cut Light 23	27-10-25.851N 097-25-56.945W	Fl G 4s	0	4	SG-SY on pile.	Ra ref.
41290	Baffin Bay Land Cut Daybeacon 24	27-10-26.082N 097-26-00.582W		0		TR-TY on pile.	
41295.01	Baffin Bay Land Cut Daybeacon 25	27-09-57.820N 097-26-03.841W		0		SG-SY on pile.	Ra ref.
41310	Baffin Bay Land Cut Light 27	27-09-28.193N 097-26-09.706W	Fl G 2.5s	0	3	SG-SY on pile.	Ra ref.
41315	Baffin Bay Land Cut Daybeacon 28	27-09-28.873N 097-26-13.433W		0		TR-TY on pile.	
41325.01	Baffin Bay Land Cut Daybeacon 29	27-09-02.348N 097-26-15.771W				SG-SY on pile.	Ra ref.
41335	Baffin Bay Land Cut Light 31	27-08-29.091N 097-26-22.347W	Q G	0	3	SG-SY on pile.	Ra ref.
41340	Baffin Bay Land Cut Daybeacon 32	27-08-29.115N 097-26-26.033W				TR-TY on pile.	
41350.01	Baffin Bay Land Cut Daybeacon 33	27-07-57.808N 097-26-24.806W				SG-SY on pile.	Ra ref.
41365	Baffin Bay Land Cut Light 34	27-07-24.361N 097-26-30.062W	Fl R 2.5s	0	3	TR-TY on pile.	Ra ref.
41370	Land Cut Light 1	27-06-46.281N 097-26-28.983W	Fl G 4s	0	4	SG-SY on pile.	Ra ref.
41375	Land Cut Light 2	27-05-54.504N 097-26-36.116W	Fl R 6s	0	4	TR-TY on pile.	Ra ref.
41380	Land Cut Daybeacon 3	27-04-57.522N 097-26-36.109W				SG-SY on pile.	
41385	Land Cut Daybeacon 4	27-04-07.910N 097-26-42.200W		0		TR-TY on pile.	
41390	Land Cut Light 5	27-03-20.084N 097-26-41.960W	Fl G 2.5s		3	SG-SY on pile.	Ra ref.
41395	Land Cut Daybeacon 6	27-02-32.746N 097-26-48.452W		0		TR-TY on pile.	Ra ref.
41400	Land Cut Light 7	27-01-32.328N 097-26-49.377W	Fl G 6s	0	4	SG-SY on pile.	Ra ref.
41405	Land Cut Daybeacon 8	27-00-42.497N 097-26-55.272W				TR-TY on pile.	
41410	Land Cut Daybeacon 9	26-59-48.542N 097-26-56.900W				SG-SY on pile.	Ra ref.
41415	Land Cut Light 10	26-58-53.664N 097-27-06.672W	Fl R 2.5s	0	3	TR-TY on pile.	Ra ref.
41420	Land Cut Daybeacon 11	26-58-02.239N 097-27-09.041W				SG-SY on pile.	Ra ref.
41425	Land Cut Light 12	26-57-12.113N 097-27-18.171W	Fl R 4s	0	3	TR-TY on pile.	Ra ref.
41430	Land Cut Daybeacon 13	26-56-23.298N 097-27-20.070W				SG-SY on pile.	
41435	Land Cut Light 14	26-55-27.819N 097-27-29.679W	Fl R 2.5s	0	3	TR-TY on pile.	Ra ref.
41440	Land Cut Daybeacon 15	26-54-36.890N 097-27-31.819W				SG-SY on pile.	
41445	Land Cut Daybeacon 16	26-53-49.857N 097-27-41.188W		0		TR-TY on pile.	Ra ref.
41450	Land Cut Light 17	26-52-55.675N 097-27-43.080W	Fl G 4s	0	4	SG-SY on pile.	Ra ref.
41455	Land Cut Daybeacon 18	26-52-00.765N 097-27-52.499W		0		TR-TY on pile.	Ra ref.
41460	Land Cut Light 19	26-51-10.854N 097-27-55.076W	Fl G 6s	0	4	SG-SY on pile.	Ra ref.
41465	Land Cut Light 20	26-50-11.929N 097-28-05.048W	Fl R 6s		4	TR-TY on pile.	Ra ref.

41470	Land Cut Light 21	26-49-26.982N 097-28-06.662W	FI G 4s	0	4	SG-SY on pile.	
41475	Land Cut Light 22	26-48-47.123N 097-28-14.162W	FI R 2.5s	0	3	TR-TY on pile.	Higher intensity beam up and down channel.
41480.01	Land Cut-Arroyo Colorado Daybeacon 23	26-48-25.375N 097-28-14.043W		0		SG-SY on pile.	Ra ref.
41490	Land Cut-Arroyo Colorado Light 25	26-48-05.594N 097-28-14.746W	Q G	0	3	SG-SY on pile.	Higher intensity beam up and down channel. Ra ref.
41495	Land Cut-Arroyo Colorado Daybeacon 26	26-48-05.507N 097-28-18.233W				TR-TY on pile.	
41500.01	Land Cut-Arroyo Colorado Daybeacon 27	26-47-37.665N 097-28-09.213W		0		SG-SY on pile.	Ra ref.
41520	Land Cut-Arroyo Colorado Light 29	26-47-07.024N 097-28-01.533W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
41525	Land Cut-Arroyo Colorado Daybeacon 30	26-47-06.195N 097-28-04.998W				TR-TY on pile.	
41530.01	Land Cut-Arroyo Colorado Daybeacon 31	26-46-39.065N 097-27-55.613W		0		SG-SY on pile.	Ra ref.
41550	Land Cut-Arroyo Colorado Light 32	26-46-13.915N 097-27-52.916W	FI R 4s	0	4	TR-TY on pile.	Ra ref.
41555.01	Land Cut-Arroyo Colorado Daybeacon 33	26-45-44.035N 097-27-42.953W		0		SG-SY on pile.	Ra ref.
41570	Land Cut-Arroyo Colorado Daybeacon 34	26-45-21.240N 097-27-40.479W		0		TR-TY on pile.	Ra ref.
41575.01	Land Cut-Arroyo Colorado Daybeacon 35	26-44-55.467N 097-27-31.700W		0		SG-SY on pile.	Ra ref.
41590	Land Cut-Arroyo Colorado Light 37	26-44-29.710N 097-27-25.195W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
41595	Land Cut-Arroyo Colorado Daybeacon 38	26-44-29.099N 097-27-28.490W		0		TR-TY on pile.	Ra ref.
41600.01	Land Cut-Arroyo Colorado Daybeacon 39	26-44-03.645N 097-27-19.883W				SG-SY on pile.	Ra ref.
41610	Land Cut-Arroyo Colorado Daybeacon 40	26-43-36.773N 097-27-16.458W		0		TR-TY on pile.	Ra ref.
41615.01	Land Cut-Arroyo Colorado Daybeacon 41	26-43-09.675N 097-27-07.303W		0		SG-SY on pile.	Ra ref.
41620.01	Land Cut-Arroyo Colorado Daybeacon 43	26-42-41.445N 097-27-00.273W		0		SG-SY on pile.	Ra ref.
41630	Land Cut-Arroyo Colorado Light 44	26-42-38.469N 097-27-04.527W	Q R		4	TR-TY on pile.	Higher intensity beam up and down channel.
41635.01	Land Cut-Arroyo Colorado Daybeacon 45	26-42-18.615N 097-26-52.933W		0		SG-SY on pile.	Ra ref.
41650	Land Cut-Arroyo Colorado Daybeacon 46	26-41-56.358N 097-26-47.814W		0		TR-TY on pile.	Ra ref.
41655.01	Land Cut-Arroyo Colorado Daybeacon 47	26-41-39.905N 097-26-38.853W		0		SG-SY on pile.	Ra ref.
41660	TWDB Lighted Scientific Monitoring Buoy LM1	26-41-28.500N 097-26-46.380W	FI Y 2.5s			Scientific research buoy.	
41670	Land Cut-Arroyo Colorado Light 49	26-41-10.050N 097-26-28.020W	FI G 4s	0	4	SG-SY on pile.	
41670.01	Land Cut-Arroyo Colorado Daybeacon 53	26-40-11.945N 097-26-07.903W		0		SG-SY on pile.	Ra ref.
41675	Land Cut-Arroyo Colorado Daybeacon 48	26-41-14.588N 097-26-33.017W		0		TR-TY on pile.	Ra ref.
41680.01	Land Cut-Arroyo Colorado Daybeacon 51	26-40-50.916N 097-26-21.331W		0		SG-SY on pile.	Ra ref.
41695	Land Cut-Arroyo Colorado Daybeacon 52	26-40-32.818N 097-26-18.222W				TR-TY on pile.	Ra ref.
41720	Land Cut-Arroyo Colorado Light 54	26-39-51.049N 097-26-03.431W	FI R 4s	0	4	TR-TY on pile.	Ra ref.
41725.01	Land Cut-Arroyo Colorado Daybeacon 55	26-39-31.365N 097-25-53.653W		0		SG-SY on pile.	Ra ref.
41735	Land Cut-Arroyo Colorado Daybeacon 56	26-39-09.277N 097-25-48.643W				TR-TY on pile.	Ra ref.
41740.01	Land Cut-Arroyo Colorado Daybeacon 57	26-38-52.085N 097-25-40.023W		0		SG-SY on pile.	Ra ref.
41750	Land Cut-Arroyo Colorado Light 59	26-38-11.448N 097-25-24.954W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
41755	Land Cut-Arroyo Colorado Daybeacon 58	26-38-27.506N 097-25-33.858W				TR-TY on pile.	Ra ref.

41770	Land Cut-Arroyo Colorado Daybeacon 60	26-37-45.725N 097-25-19.076W		0		TR-TY on pile.	Ra ref.
41775.01	Land Cut-Arroyo Colorado Daybeacon 61	26-37-25.285N 097-25-09.103W		0		SG-SY on pile.	Ra ref.
41790	Land Cut-Arroyo Colorado Light 62	26-37-03.961N 097-25-04.297W	FI R 4s	0	4	TR-TY on pile.	Ra ref.
41795.01	Land Cut-Arroyo Colorado Daybeacon 63	26-36-44.715N 097-24-54.862W		0		SG-SY on pile.	Ra ref.
41805	Land Cut-Arroyo Colorado Daybeacon 64	26-36-22.189N 097-24-49.519W		0		TR-TY on pile.	Ra ref.
41810.01	Land Cut-Arroyo Colorado Daybeacon 65	26-36-03.905N 097-24-39.905W		0		SG-SY on pile.	Ra ref.
41815	TWDB Lighted Scientific Monitoring Buoy LM2	26-36-01.140N 097-24-06.490W	FI Y 2.5s			Scientific research buoy.	
41820	Land Cut-Arroyo Colorado Light 67	26-35-41.332N 097-24-31.545W	Q G	0	4	SG on pile.	Ra ref.
41825	Land Cut-Arroyo Colorado Daybeacon 68	26-35-40.278N 097-24-35.190W		0		TR-TY on pile.	Ra ref.
41830.01	Land Cut-Arroyo Colorado Daybeacon 69	26-35-15.155N 097-24-28.982W		0		SG-SY on pile.	Ra ref.
41845	Land Cut-Arroyo Colorado Daybeacon 70	26-34-43.604N 097-24-29.366W		0		TR-TY on pile.	Ra ref.
41850.01	Land Cut-Arroyo Colorado Daybeacon 71	26-34-25.495N 097-24-25.842W		0		SG-SY on pile.	Ra ref.
41870	Land Cut-Arroyo Colorado Daybeacon 72	26-34-00.649N 097-24-26.791W		0		TR-TY on dolphin.	Ra ref.
41875	Port Mansfield Channel Junction Light PM	26-33-33.143N 097-24-26.351W	FI (2+1)R 6s	0	4	JR-TY on pile.	Ra ref.
41875.01	Land Cut-Arroyo Colorado Daybeacon 73	26-33-51.185N 097-24-23.852W		0		SG-SY on pile.	Ra ref.
41880	Port Mansfield Channel Daybeacon 27	26-33-31.548N 097-24-21.186W				SG-SY on pile.	Ra ref.
41885	Land Cut-Arroyo Colorado Daybeacon 75	26-33-12.368N 097-24-20.211W		0		SG-SY on pile.	
41890	Land Cut-Arroyo Colorado Daybeacon 74	26-33-17.693N 097-24-24.215W		0		TR-TY on dolphin.	Ra ref.
41895.01	Land Cut-Arroyo Colorado Daybeacon 77	26-32-48.055N 097-24-20.182W		0		SG-SY on pile.	Ra ref.
41905	Land Cut-Arroyo Colorado Light 79	26-32-26.651N 097-24-17.606W	Q G	0	4	SG-SY on dolphin.	Higher intensity beam up and down channel. Ra ref.
41910	Land Cut-Arroyo Colorado Daybeacon 80	26-32-25.534N 097-24-21.088W				TR-TY on pile.	Ra ref.
41915.01	Land Cut-Arroyo Colorado Daybeacon 81	26-32-01.855N 097-24-08.272W		0		SG-SY on pile.	Ra ref.
41925	Land Cut-Arroyo Colorado Daybeacon 83	26-31-36.786N 097-23-55.807W				SG-SY on pile.	Ra ref.
41930	Land Cut-Arroyo Colorado Daybeacon 84	26-31-32.421N 097-23-57.510W				TR-TY on pile.	
41935.01	Land Cut-Arroyo Colorado Daybeacon 85	26-31-08.885N 097-23-44.572W				SG-SY on pile.	Ra ref.
41945	Land Cut-Arroyo Colorado Daybeacon 87	26-30-45.752N 097-23-33.680W		0		SG-SY on pile.	Ra ref.
41950	Land Cut-Arroyo Colorado Light 88	26-30-45.493N 097-23-37.436W	FI R 4s	0	4	TR-TY on pile.	
41955.01	Land Cut-Arroyo Colorado Daybeacon 89	26-30-20.335N 097-23-22.882W				SG-SY on pile.	Ra ref.
41970	Land Cut-Arroyo Colorado Daybeacon 91	26-29-54.954N 097-23-10.542W				SG-SY on pile.	Ra ref.
41975	Land Cut-Arroyo Colorado Daybeacon 90	26-30-04.524N 097-23-19.435W		0		TR-TY on pile.	Ra ref.
41980.01	Land Cut-Arroyo Colorado Daybeacon 93	26-29-35.975N 097-23-03.012W		0		SG-SY on pile.	Ra ref.
41990	Land Cut-Arroyo Colorado Light 95	26-29-22.968N 097-22-56.007W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
42000.01	Land Cut-Arroyo Colorado Daybeacon 97	26-28-57.855N 097-22-45.782W		0		SG-SY on pile.	Ra ref.
42010	LAND CUT-ARROYO COLORADO LIGHT 99	26-28-23.292N 097-22-29.673W	FI G 2.5s	0	3	SG-SY on pile.	
42015	Land Cut-Arroyo Colorado Daybeacon 98	26-28-36.193N 097-22-39.031W		0		TR-TY on pile.	

42020.01	Land Cut-Arroyo Colorado Daybeacon 101	26-27-58.745N 097-22-19.452W		0			SG-SY on pile.	Ra ref.
42030	Land Cut-Arroyo Colorado Daybeacon 103	26-27-37.785N 097-22-09.407W		0			SG-SY on pile.	Ra ref.
42035	Land Cut-Arroyo Colorado Light 104	26-27-36.254N 097-22-11.822W	FI R 4s	0	3		TR-TY on pile.	Ra ref.
42050	Land Cut-Arroyo Colorado Daybeacon 107	26-26-59.217N 097-21-52.370W		0			SG-SY on pile.	Ra ref.
42055	Land Cut-Arroyo Colorado Daybeacon 106	26-27-10.861N 097-22-00.453W		0			TR-TY on pile.	
42060.01	Land Cut-Arroyo Colorado Daybeacon 109	26-26-45.525N 097-21-46.002W		0			SG-SY on pile.	Ra ref.
42065	Land Cut-Arroyo Colorado Light 111	26-26-28.215N 097-21-38.322W	FI G 4s	0	4		SG-SY on pile.	Ra ref.
42070	Land Cut-Arroyo Colorado Daybeacon 112	26-26-27.266N 097-21-40.953W		0			TR-TY on pile.	
42075.01	Land Cut-Arroyo Colorado Daybeacon 113	26-26-05.077N 097-21-28.086W		0			SG-SY on pile.	Ra ref.
42085	LAND CUT-ARROYO COLORADO LIGHT 115	26-25-35.870N 097-21-14.934W	FI G 2.5s	0	3		SG-SY on pile.	
42090	Land Cut-Arroyo Colorado Daybeacon 114	26-25-43.668N 097-21-21.457W					TR-TY on pile.	
42095.01	Land Cut-Arroyo Colorado Daybeacon 117	26-25-16.315N 097-21-06.192W		0			SG-SY on pile.	Ra ref.
42105	Land Cut-Arroyo Colorado Daybeacon 119	26-24-52.659N 097-20-55.904W					SG-SY on pile.	Ra ref.
42110	Land Cut-Arroyo Colorado Light 120	26-24-51.625N 097-20-58.394W	FI R 4s	0	3		TR-TY on pile.	
42115.01	Land Cut-Arroyo Colorado Daybeacon 121	26-24-29.065N 097-20-45.052W		0			SG-SY on pile.	Ra ref.
42125	Land Cut-Arroyo Colorado Light 123	26-24-10.780N 097-20-36.715W	FI G 2.5s	0	3		SG-SY on pile.	Ra ref.
42130	Land Cut-Arroyo Colorado Daybeacon 122	26-24-16.475N 097-20-42.478W		0			TR-TY on pile.	
42135.01	Land Cut-Arroyo Colorado Daybeacon 125	26-23-38.475N 097-20-22.612W		0			SG-SY on pile.	Ra ref.
42145	Land Cut-Arroyo Colorado Light 127	26-23-30.152N 097-20-18.652W	FI G 4s	0	4		SG-SY on pile.	Ra ref.
42150	Land Cut-Arroyo Colorado Daybeacon 126	26-23-32.876N 097-20-22.995W					TR-TY on pile.	
42155.01	Land Cut-Arroyo Colorado Daybeacon 129	26-23-11.855N 097-20-10.482W		0			SG-SY on pile.	Ra ref.
42165	Land Cut-Arroyo Colorado Daybeacon 131	26-22-50.411N 097-20-00.374W		0			SG-SY on pile.	Ra ref.
42170	Land Cut-Arroyo Colorado Daybeacon 132	26-22-49.277N 097-20-03.514W					TR-TY on pile.	
42175	Land Cut-Arroyo Colorado Buoy 133	26-22-36.763N 097-19-55.005W					Green can with yellow square.	
42180	Land Cut-Arroyo Colorado Buoy 135	26-22-12.849N 097-19-44.314W					Green can with yellow square.	
42185	Land Cut-Arroyo Colorado Light 136	26-22-05.190N 097-19-43.656W	Q R	0	4		TR-TY on pile.	Ra ref.
42190	Arroyo Colorado Cutoff Channel North Entrance Buoy 2N	26-21-59.540N 097-19-41.792W					Red nun.	
42195	Arroyo Colorado Cutoff Channel Junction Buoy N	26-21-54.996N 097-19-38.535W					Red nun with green band and yellow triangle.	
42200	Arroyo Colorado Cutoff Channel North Entrance Buoy 3N	26-21-47.627N 097-19-42.244W					Green can.	
42205	Arroyo Colorado Cutoff Channel North Entrance Buoy 4N	26-21-48.232N 097-19-44.633W					Red nun.	
42210	Arroyo Colorado Cutoff Channel South Entrance Buoy 2S	26-21-34.111N 097-19-29.660W					Red nun with yellow triangle.	
42215	Arroyo Colorado Cutoff Channel South Entrance Buoy 1S	26-21-32.101N 097-19-30.735W					Green can.	
42220	Arroyo Colorado Cutoff Channel South Entrance Buoy 4S	26-21-38.996N 097-19-38.229W					Red nun.	

42225	Arroyo Colorado Cutoff Channel South Entrance Buoy 3S	26-21-36.624N 097-19-38.794W					Green can.
42230	Arroyo Colorado Cutoff Channel Junction Buoy A	26-21-41.366N 097-19-47.234W					Green can with red band.
42235	Arroyo Colorado Cutoff Channel Buoy 4	26-21-43.306N 097-19-51.614W					Red nun.
42240	Arroyo Colorado Cutoff Channel Buoy 5	26-21-38.385N 097-20-01.431W					Green can.
42245	Arroyo Colorado Cutoff Channel Buoy 6	26-21-36.384N 097-20-21.344W					Red nun.
42250	Arroyo Colorado Cutoff Channel Buoy 7	26-21-34.630N 097-20-21.137W					Green can.
42255	Arroyo Colorado Cutoff Channel Buoy 8	26-21-33.708N 097-20-34.816W					Red nun.
42260	Arroyo Colorado Cutoff Channel Daybeacon 10	26-20-52.912N 097-24-23.090W	0				TR on pile. Ra ref.
42265	Arroyo Colorado Cutoff Channel Daybeacon 11	26-20-39.102N 097-25-19.844W	0				SG on pile. Ra ref.
42270	Arroyo Colorado Cutoff Channel Daybeacon 12	26-20-17.982N 097-26-10.039W	0				TR on pile. Ra ref.
42275	Arroyo Colorado Cutoff Channel Daybeacon 13	26-19-27.942N 097-26-48.535W	0				SG on pile. Ra ref.
42280	Arroyo Colorado Cutoff Channel Buoy 14	26-19-37.357N 097-27-20.742W					Red nun.
42285	Arroyo Colorado Cutoff Channel Daybeacon 14A	26-19-52.354N 097-27-27.277W	0				TR on pile. Ra ref.
42290	Arroyo Colorado Cutoff Channel Daybeacon 15	26-19-50.965N 097-28-21.597W	0				SG on pile. Ra ref.
42295	Arroyo Colorado Cutoff Channel Daybeacon 16	26-20-15.234N 097-29-11.840W	0				TR on pile. Ra ref.
42300	Arroyo Colorado Cutoff Channel Daybeacon 18	26-19-38.754N 097-31-03.580W	0				TR on pile. Ra ref.
42305	Arroyo Colorado Cutoff Channel Daybeacon 19	26-18-59.091N 097-31-36.083W					SG on pile. Ra ref.
42310	Arroyo Colorado Cutoff Channel Daybeacon 20	26-18-11.144N 097-31-34.586W	0				TR on pile. Ra ref.
42315	Arroyo Colorado Cutoff Channel Daybeacon 21	26-17-44.678N 097-32-16.206W	0				SG on pile. Ra ref.
42320	Arroyo Colorado Cutoff Channel Daybeacon 22	26-17-20.643N 097-33-04.974W	0				TR on pile. Ra ref.
42325	Arroyo Colorado Cutoff Channel Daybeacon 23	26-16-54.761N 097-33-43.458W	0				SG on pile. Ra ref.
42330	Arroyo Colorado Cutoff Channel Daybeacon 24	26-17-04.351N 097-34-34.668W	0				TR on pile. Ra ref.
42335	Arroyo Colorado Cutoff Channel Daybeacon 25	26-16-29.571N 097-34-54.051W	0				SG on pile. Ra ref.
42340	Arroyo Colorado Cutoff Channel Daybeacon 26	26-15-39.146N 097-34-59.490W	0				TR on pile. Ra ref.
42345	Arroyo Colorado Cutoff Channel Daybeacon 27	26-14-38.391N 097-35-02.106W	0				SG on pile. Ra ref.
42350	Arroyo Colorado Cutoff Channel Daybeacon 28	26-13-53.158N 097-35-06.250W	0				TR on pile. Ra ref.
42355	Arroyo Colorado Cutoff Channel Daybeacon 29	26-13-05.039N 097-35-24.700W					SG on pile. Ra ref.
42360	Land Cut-Arroyo Colorado Buoy 137	26-21-52.795N 097-19-35.373W					Green can with yellow square.
42365	Harlingen-Port Isabel Buoy 1	26-21-34.740N 097-19-27.277W					Green can with yellow square.
42370	Harlingen-Port Isabel Buoy 3	26-21-20.815N 097-19-20.935W					Green can with yellow square.
42375	Harlingen-Port Isabel Light 4	26-21-20.696N 097-19-23.073W	Q R	0	3		TR-TY on pile.
42380.01	Harlingen-Port Isabel Daybeacon 5	26-20-59.175N 097-19-10.472W		0			SG-SY on pile. Ra ref.
42390	Harlingen-Port Isabel Light 7	26-20-35.535N 097-18-59.997W	Fl G 2.5s	0	3		SG-SY on pile.
42395	Harlingen-Port Isabel Daybeacon 8	26-20-34.403N 097-19-03.105W		0			TR-TY on pile. Ra ref.
42400.01	Harlingen-Port Isabel Daybeacon 9	26-20-06.414N 097-18-46.472W					SG-SY on pile. Ra ref.

42415	Harlingen-Port Isabel Light 11	26-19-40.490N 097-18-34.756W	Fl G 4s	0	4	SG-SY on pile.	
42420	Harlingen-Port Isabel Daybeacon 12	26-19-39.358N 097-18-37.863W		0		TR-TY on pile.	Ra ref.
42425.01	Harlingen-Port Isabel Daybeacon 13	26-19-13.154N 097-18-22.712W		0		SG-SY on pile.	Ra ref.
42440	Harlingen-Port Isabel Light 15	26-18-46.021N 097-18-10.505W	Fl G 4s	0	4	SG-I on pile.	
42445	Harlingen-Port Isabel Daybeacon 16	26-18-44.889N 097-18-13.612W				TR-TY on pile.	Ra ref.
42450.01	Harlingen-Port Isabel Daybeacon 17	26-18-17.114N 097-17-57.632W		0		SG-SY on pile.	Ra ref.
42465	Harlingen-Port Isabel Light 19	26-17-50.288N 097-17-45.680W	Fl G 2.5s	0	3	SG-SY on pile.	Ra ref.
42470	Harlingen-Port Isabel Daybeacon 20	26-17-49.156N 097-17-48.787W				TR-TY on pile.	Ra ref.
42475.01	Harlingen-Port Isabel Daybeacon 21	26-17-23.054N 097-17-33.452W				SG-SY on pile.	Ra ref.
42490	Harlingen-Port Isabel Light 23	26-16-55.691N 097-17-20.898W	Q G		3	SG on pile.	
42495	Harlingen-Port Isabel Daybeacon 24	26-16-54.396N 097-17-23.706W		0		TR-TY on pile.	Ra ref.
42500.01	Harlingen-Port Isabel Daybeacon 25	26-16-25.334N 097-17-10.172W		0		SG-SY on pile.	Ra ref.
42515	Harlingen-Port Isabel Light 27	26-15-58.361N 097-17-00.279W	Fl G 2.5s	0	3	SG-SY on pile.	
42520	Harlingen-Port Isabel Daybeacon 28	26-15-57.467N 097-17-03.479W		0		TR-TY on pile.	Ra ref.
42525.01	Harlingen-Port Isabel Daybeacon 29	26-15-26.138N 097-16-48.850W		0		SG-SY on pile.	Ra ref.
42540	Harlingen-Port Isabel Light 31	26-15-00.527N 097-16-39.459W	Fl G 4s	0	4	SG-SY on pile.	Ra ref.
42545	Harlingen-Port Isabel Daybeacon 32	26-14-59.633N 097-16-42.659W		0		TR-TY on pile.	Ra ref.
42550.01	Harlingen-Port Isabel Daybeacon 33	26-14-38.484N 097-16-32.036W				SG-SY on pile.	Ra ref.
42555.01	Harlingen-Port Isabel Daybeacon 35	26-14-12.823N 097-16-22.807W				SG-SY on pile.	Ra ref.
42570	Harlingen-Port Isabel Light 37	26-13-47.377N 097-16-13.753W	Fl G 6s	0	4	SG-SY on pile.	
42575	Harlingen-Port Isabel Daybeacon 38	26-13-46.549N 097-16-16.849W				TR-TY on pile.	Ra ref.
42580.01	Harlingen-Port Isabel Daybeacon 39	26-13-16.394N 097-16-03.032W		0		SG-SY on Pile.	Ra ref.
42595	Harlingen-Port Isabel Light 41	26-12-50.048N 097-15-53.350W	Fl G 4s	0	4	SG-SY on dolphin.	Ra ref.
42600	Harlingen-Port Isabel Daybeacon 42	26-12-49.154N 097-15-56.549W				TR-TY on pile.	Ra ref.
42605.01	Harlingen-Port Isabel Daybeacon 43	26-12-19.034N 097-15-42.752W		0		SG-SY on pile.	Ra ref.
42620	Harlingen-Port Isabel Light 45	26-11-51.674N 097-15-33.132W	Fl G 2.5s	0	3	SG-SY on pile.	Ra ref.
42625	Harlingen-Port Isabel Daybeacon 46	26-11-50.780N 097-15-36.330W				TR-TY on pile.	Ra ref.
42630.01	Harlingen-Port Isabel Daybeacon 47	26-11-24.112N 097-15-23.252W				SG-SY on pile.	Ra ref.
42645	Harlingen-Port Isabel Light 49	26-10-53.754N 097-15-12.050W	Q G	0	3	SG-SY on pile.	
42648.01	UTRGV SPECIAL LIGHT B	26-12-12.380N 097-11-21.550W	Fl Y 2.5s			Marks cornerpoint of aquaculture farm.	
42648	UTRGV SPECIAL LIGHT A	26-12-11.410N 097-11-21.550W	Fl Y 2.5s			Mark cornerpoint of aquaculture farm.	
42650	Harlingen-Port Isabel Daybeacon 50	26-10-52.617N 097-15-15.151W		0		TR-TY on pile.	Ra ref.
42655.01	Harlingen-Port Isabel Daybeacon 51	26-10-27.903N 097-14-58.285W		0		SG-SY on pile.	Ra ref.
42670	Harlingen-Port Isabel Light 53	26-10-05.197N 097-14-44.577W	Fl G 2.5s	0	3	SG-SY on pile.	
42675	Harlingen-Port Isabel Daybeacon 54	26-10-03.825N 097-14-47.559W		0		TR-TY on pile.	Ra ref.

42680.01	Harlingen-Port Isabel Daybeacon 55	26-09-34.154N 097-14-28.472W		0		SG-SY on pile.	Ra ref.
42695	Harlingen-Port Isabel Light 57	26-09-09.570N 097-14-13.899W	Fl G 4s	0	4	SG-SY on dolphin.	Ra ref.
42700	Harlingen-Port Isabel Daybeacon 58	26-09-08.198N 097-14-16.881W		0		TR-TY on pile.	Ra ref.
42705.01	Harlingen-Port Isabel Daybeacon 59	26-08-40.667N 097-13-57.754W		0		SG-SY on pile.	Ra ref.
42720	Harlingen-Port Isabel Light 61	26-08-16.482N 097-13-43.803W	Fl G 6s		4	SG-SY on pile.	Ra ref.
42725	Harlingen-Port Isabel Daybeacon 62	26-08-15.110N 097-13-46.784W		0		TR-TY on pile.	Ra ref.
42730.01	Harlingen-Port Isabel Daybeacon 63	26-07-44.136N 097-13-26.251W		0		SG-SY on pile.	Ra ref.
42745	Harlingen-Port Isabel Light 65	26-07-20.755N 097-13-12.570W	Fl G 6s	0	4	SG-SY on pile.	Ra ref.
42750	Harlingen-Port Isabel Daybeacon 66	26-07-19.329N 097-13-15.586W		0		TR-TY on pile.	Ra ref.
42755.01	Harlingen-Port Isabel Daybeacon 67	26-06-52.934N 097-12-57.125W		0		SG-SY on pile.	Ra ref.
42770	Harlingen-Port Isabel Light 69	26-06-26.864N 097-12-42.244W	Fl G 4s	0	4	SG-SY on pile.	Ra ref.
42775	Harlingen-Port Isabel Daybeacon 70	26-06-25.394N 097-12-45.377W		0		TR-TY on pile.	Ra ref.
42780.01	Harlingen-Port Isabel Daybeacon 71	26-05-58.674N 097-12-26.142W		0		SG-SY on pile.	Ra ref.
42795	Harlingen-Port Isabel Light 73	26-05-32.970N 097-12-11.920W	Fl G 2.5s		3	SG-SY on dolphin.	Ra ref.
42800	Harlingen-Port Isabel Daybeacon 74	26-05-31.599N 097-12-14.901W		0		TR-TY on pile.	Ra ref.
42805	Port Isabel Small Boat Harbor Channel Daybeacon 1	26-05-20.148N 097-12-11.743W		0		SG on pile.	Ra ref.
42810	Port Isabel Small Boat Harbor Channel Light 2	26-05-22.279N 097-12-13.361W	Fl R 2.5s		3	TR on dolphin.	
42815	Port Isabel Small Boat Harbor Channel Daybeacon 4	26-05-16.790N 097-12-26.114W				TR on pile.	Ra ref.
42820	Port Isabel Small Boat Harbor Channel Buoy 5	26-05-08.179N 097-12-43.814W				Green can.	
42825	Port Isabel Small Boat Harbor Channel Buoy 9	26-04-58.058N 097-13-02.487W				Green can.	
42830	Port Isabel Small Boat Harbor Channel Lighted Buoy 10	26-04-58.899N 097-13-06.552W	Q R		3	Red nun.	
42835	Port Isabel Small Boat Harbor Channel Buoy 11	26-04-54.391N 097-13-05.377W				Green can.	
42840	Port Isabel Small Boat Harbor Channel Buoy 14	26-04-51.449N 097-13-11.388W				Red nun.	
42845.01	Port Isabel Small Boat Harbor Channel Buoy 15	26-04-48.831N 097-13-09.676W				Green can.	
42850	Harlingen-Port Isabel Buoy 75	26-05-19.725N 097-12-03.932W				Green can with yellow square.	
42855	Harlingen-Port Isabel Buoy 77	26-05-06.295N 097-11-57.434W				Green can with yellow square.	
42860	Queen Isabella Causeway North East Danger Lights (4)	26-04-58.500N 097-11-50.600W	Fl W 2.5s			On pile structure.	
42865	Queen Isabella Causeway North West Danger Lights (5)	26-04-53.500N 097-12-01.600W	Fl W 2.5s			On pile structure.	
42870	Queen Isabella Causeway South West Danger Lights (5)	26-04-52.400N 097-12-01.000W	Fl W 2.5s			On pile structure.	
42875	Queen Isabella Causeway South East Danger Lights(4)	26-04-57.400N 097-11-50.000W	Fl W 2.5s			On pile structure.	
42880	Harlingen-Port Isabel Buoy 79	26-04-49.588N 097-11-47.465W				Green can with yellow square.	
42885	Harlingen-Port Isabel Buoy 80	26-04-47.615N 097-11-51.733W				Red nun with yellow triangle.	

42890	Harlingen-Port Isabel Buoy 81	26-04-41.373N 097-11-45.285W				Green can with yellow square.	
42895	Harlingen-Port Isabel Buoy 83	26-04-33.605N 097-11-48.069W				Green can with yellow square.	
42900	Harlingen-Port Isabel Daybeacon 84	26-04-32.637N 097-11-53.220W		0		TR-TY on pile.	Ra ref.
42905	Harlingen-Port Isabel Light 85	26-04-27.554N 097-11-49.911W	Q G		3	SG-SY on dolphin.	Ra ref.
42910	Harlingen-Port Isabel Daybeacon 86	26-04-25.839N 097-11-56.437W		0		TR-TY on pile.	Ra ref.
42915	Harlingen - Port Isabel Daybeacon 87	26-04-18.252N 097-11-57.824W				SG-SY on pile.	Ra ref.
42920	Queen Isabella Fishing Pier West Lights (2)	26-04-28.000N 097-10-49.000W	Q G			On end of pier.	
42925	Harlingen-Port Isabel Daybeacon 88	26-04-20.421N 097-12-00.421W		0		TR-TY on pile.	Ra ref.
42930	Harlingen-Port Isabel Daybeacon A	26-04-13.039N 097-12-10.918W				JR-TY on pile.	
42935	Harlingen-Port Isabel Daybeacon B	26-04-08.811N 097-12-16.901W				JR-TY on pile.	Ra ref.
42940	Harlingen-Port Isabel Light 90	26-03-39.203N 097-12-40.115W	Q R	0	3	TR-TY on dolphin.	Ra ref.
42945	Port Isabel Channel Lighted Buoy 8	26-03-15.094N 097-12-36.372W	FI R 2.5s		3	Red nun with yellow square.	
42955	Port Isabel Channel Light 6	26-03-03.661N 097-12-29.568W	Q R	0	3	TR on dolphin.	
42960	Port Isabel Cutoff Channel Light 3	26-03-01.772N 097-12-33.973W	Q G	17	3	SG-TY on pile.	
42965	Port Isabel Channel Leading Light	26-02-50.870N 097-12-25.668W	Iso W 6s		5	NB on pile.	
42970	Port Isabel Cutoff Channel Light 1	26-02-41.953N 097-12-30.727W	FI G 4s		4	SG-TY on dolphin.	Ra ref.
42975	Brownsville Channel Light 30	26-02-25.162N 097-12-39.820W	FI R 4s	0	3	TR-TY on pile.	Ra ref.
42980	Brownsville Channel C Range Front Light	26-02-16.466N 097-12-43.299W	Q G	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on range line.
42985	Brownsville Channel C Range Rear Light	26-02-37.503N 097-11-57.638W	Iso G 6s	65		KRW on skeleton tower on piles.	Visible 5.5° each side of rangeline.
42990	Brownsville Channel A Range Front Light	26-01-50.722N 097-13-32.099W	Q W	33		KRW-I on skeleton tower.	Visible all around; higher intensity 14° each side of rangeline.
42995	Brownsville Channel A Range Rear Light	26-01-24.335N 097-14-15.926W	Iso W 6s	60		KRW on skeleton tower.	Visible 2° each side of rangeline.
43000	Brownsville Channel Light 31	26-02-01.849N 097-13-09.296W	Q G	17	3	SG-SY on pile.	Ra ref.
43005	Brownsville Channel Light 32	26-02-06.107N 097-13-11.665W	Q R	17	3	TR-TY on pile.	Ra ref.
43010	Brownsville Channel Light 34	26-01-53.829N 097-13-38.517W	FI R 2.5s	0	3	TR-TY on pile.	Ra ref.
43015	Brownsville Channel Light 35	26-01-22.484N 097-14-34.768W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
43020	Brownsville Channel E Range Front Light	26-01-22.666N 097-14-45.633W	Q W	35		KRW-I on skeleton tower on piles.	For downbound traffic. Visible all around; higher intensity 1.5° each side of rangeline.
43025	Brownsville Channel E Range Rear Light	26-01-44.079N 097-14-07.385W	Iso W 6s	63		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
43030	Brownsville Channel Light 36	26-01-10.029N 097-15-13.488W	Q R	17	3	TR-TY on pile.	Ra ref.
43035	Brownsville Channel Light 37	26-01-05.327N 097-15-11.484W	Q G	17	3	SG-SY on pile.	Ra ref.
43040	Brownsville Channel Light 39	26-00-55.422N 097-15-28.529W	FI G 4s	0	4	SG-SY on pile.	Ra ref.
43045	Brownsville Channel B Range Front Light	26-00-52.513N 097-15-45.851W	Q R	35		KRW-I on skeleton tower on piles.	Visible all around; higher intensity 5.5° each side of rangeline.
43050	Brownsville Channel B Range Rear Light	26-00-27.977N 097-16-39.159W	Iso R 6s	75		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
43055	Brownsville Channel Light 40	25-59-55.501N 097-17-26.763W	FI R 4s	0	3	TR-TY on pile.	
43060	Brownsville Channel Light 41	25-59-50.665N 097-17-23.838W	FI G 4s	0	4	SG-SY on pile.	
43065	Brownsville Channel Light 42	25-59-24.268N 097-18-24.313W	FI R 2.5s		3	TR-TY on pile.	

43070	Brownsville Channel Light 44	25-58-49.359N 097-19-26.261W	Fl R 4s	0	3	TR-TY on skeleton tower on piles.	
43072	Brownsville Channel G Range Front Light Passing Light	25-58-43.863N 097-19-22.116W	Q G	25	3	On same structure as Brownsville Channel G Range Front Light.	Visible all around.
43075	Brownsville Channel G Range Front Light	25-58-43.863N 097-19-22.116W	Q G	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
43080	Brownsville Channel G Range Rear Light	25-59-00.473N 097-18-35.054W	Iso G 6s	58		KRW on skeleton tower.	Visible 2° each side of rangeline.
43085	Brownsville Channel Light 45	25-58-33.025N 097-19-44.875W	Q G	0	3	SG-SY on pile.	Ra ref.
43090	Brownsville Channel Light 46	25-58-38.091N 097-19-46.553W	Q R	17	3	TR-TY on pile.	Ra ref.
43095	Brownsville Channel D Range Front Light	25-58-28.327N 097-19-56.690W	Q W	30		KRW-I on skeleton tower.	Visible all around; higher intensity 1.5° each side of rangeline.
43100	Brownsville Channel D Range Rear Light	25-58-03.780N 097-20-40.424W	Iso W 6s	65		KRW on skeleton tower.	
43105	Brownsville Channel Light 48	25-58-25.091N 097-20-21.728W	Fl R 2.5s		3	TR-TY on dolphin.	
43110	Brownsville Channel F Range Front Light	25-57-02.325N 097-24-11.378W	Fl G 2.5s	30		KRW-I on skeleton tower.	Visible 2° each side of rangeline.
43115	Brownsville Channel F Range Rear Light	25-56-20.537N 097-26-10.118W	Oc G 4s	90		KRW on skeleton tower.	Visible 2° each side of rangeline. Lighted throughout 24 hours.