

U.S. Department of
Homeland Security

United States
Coast Guard



LIGHT LIST

Volume VII

GREAT LAKES

Great Lakes and the St. Lawrence River
above the St. Regis River

This publication contains a list of lights, sound signals, buoys,
daybeacons, and other aids to navigation.

2025

COMDTPUB P16502.7

OFFICIAL DISCLAIMER

The introductory sections of this document, including the preface, table of contents, and introduction, are presently being revised to conform to the updated format. These materials will be finalized and published in a subsequent release.

We appreciate your patience and understanding during this process.

Light List for Volume 7 (District 9) 01/02/2025

LLNR	Name	Position	Characteristic	Height	Range	Structure	Remarks
5	St. Lawrence Seaway Lighted Buoy 1	45-00-13.875N 074-40-05.688W	FI G 4s			Green.	Year Round Lighted Buoy Aid maintained by GLS
10	St. Lawrence Seaway Light 2 (C)	45-00-12.035N 074-40-30.018W	Q R			White circular tower red top.	Seasonal.
15	St. Lawrence Seaway Lighted Buoy 3	44-59-57.615N 074-40-28.278W	Q G			Green.	Year Round Lighted Buoy Aid maintained by GLS
20	St. Lawrence Seaway Light 4 (C)	45-00-06.035N 074-41-00.018W	FI R 4s			White circular tower red top.	Seasonal.
25	St. Lawrence Seaway Lighted Buoy 5	44-59-53.735N 074-40-58.418W	FI G 4s			Green.	Year Round Lighted Buoy Aid maintained by GLS
30	St. Lawrence Seaway Lighted Buoy 5A	44-59-56.135N 074-41-21.818W	FI G 4s			Green.	Year Round Lighted Buoy Aid maintained by GLS
35	St. Lawrence Seaway Lighted Buoy 5B	44-59-58.435N 074-41-44.718W	FI G 4s			Green.	Year Round Lighted Buoy Aid maintained by GLS
40	St. Lawrence Seaway Lighted Buoy 6	45-00-00.435N 074-41-20.818W	FI R 4s			Red.	Year Round Lighted Buoy Aid maintained by GLS
45	St. Lawrence Seaway Lighted Buoy 6A	45-00-02.835N 074-41-43.718W	FI R 4s			Red.	Year Round Lighted Buoy Aid maintained by GLS
50	St. Lawrence Seaway Lighted Buoy 7	45-00-00.735N 074-42-07.318W	FI G 4s			Green.	Year Round Lighted Buoy Aid maintained by GLS
55	St. Lawrence Seaway Lighted Buoy 8	45-00-05.135N 074-42-06.618W	FI R 4s			Red.	Year Round Lighted Buoy Aid maintained by GLS
60	St. Lawrence Seaway Lighted Buoy 9	44-59-58.935N 074-42-38.718W	FI G 4s			Green.	Year Round Lighted Buoy Aid maintained by GLS
65	St. Lawrence Seaway Light 10 Sector (C)	45-00-06.035N 074-42-54.018W	F W			White skeleton tower on pile crib with orange triangular daymark.	Red 276° to 277.8°; white 277.8° to 279.3°; green 279.3° to 281°. White sector indicates preferred channel. Seasonal.
66	St. Lawrence Seaway Light 10 Direction (C)	45-00-06.035N 074-42-54.018W	F R			White skeleton tower on pile crib with orange triangular daymark.	Visible from 044.5° to 051.5°. Increased intensity on a bearing of 048°. Seasonal.
70	St. Lawrence Seaway Light 11	44-59-48.035N 074-43-06.018W	FI G 2.5s			SG on pile.	Maintained from Apr. 1 to Dec. 15.
75	St. Lawrence Seaway Light 13	44-59-36.035N 074-43-24.018W	FI G 4s			SG on pile.	Maintained from Apr. 1 to Dec. 15.
80	St. Lawrence Seaway Lighted Buoy 14	44-59-25.435N 074-44-19.218W	FI R 4s			Red.	Year Round Lighted Buoy Aid maintained by GLS
85	St. Lawrence Seaway Lighted Buoy 15	44-59-23.635N 074-43-42.418W	Q G			Green.	Year Round Lighted Buoy Aid maintained by GLS
90	Aluminum Foundry Water Intake Buoy	44-59-21.000N 074-44-02.000W				Yellow.	
95	St. Lawrence Seaway Lighted Buoy 16	44-59-27.135N 074-45-25.618W	FI R 4s			Red.	Year Round Lighted Buoy Aid maintained by GLS
100	St. Lawrence Seaway Lighted Buoy 17	44-59-16.535N 074-45-16.318W	FI G 4s			Green.	Year Round Lighted Buoy Aid maintained by GLS
105	Polly'S Gut Training Dike East End Light A	44-59-27.635N 074-45-46.218W	Q Y			On white pile.	
110	Polly'S Gut Training Dike West End Light B	44-59-27.635N 074-45-46.218W	Q Y			On box.	Maintained from Apr. 1 to Dec. 15.
115	Polly's Gut Training Dike A Light C	44-59-30.035N 074-45-48.018W	Q Y			On white pile.	
125	St. Lawrence Seaway Buoy 19	44-59-14.935N 074-46-00.318W				Green can.	
130	St. Lawrence Seaway Light 20	44-59-24.535N 074-45-59.918W	F R			TR on wall.	
145	St. Lawrence Seaway Light 24	44-59-13.935N 074-47-10.218W	F R			TR on wall.	
150	St. Lawrence Seaway Light 25	44-59-08.435N 074-47-09.318W	FI G 2.5s			SG on pile.	
155	St. Lawrence Seaway Lighted Buoy 26	44-59-10.625N 074-47-35.668W	FI R 4s			Red	Aid Maintained by SLSDC
160	St. Lawrence Seaway Mooring Cells Light A	44-59-05.235N 074-47-44.318W	F Y				
165	St. Lawrence Seaway Mooring Cells Light B	44-59-04.335N 074-47-53.018W	F Y				
170	St. Lawrence Seaway Light 28	44-59-05.735N 074-48-31.118W	FI R 4s			TR on pile.	
175	St. Lawrence Seaway Light 29	44-59-00.635N 074-48-29.718W	FI G 4s			SG on pile.	
180	St. Lawrence Seaway Light 30	44-58-58.935N 074-49-24.318W	FI R 2.5s			TR on pile.	

185	St. Lawrence Seaway Light 31	44-58-53.935N 074-49-23.118W	FI G 2.5s	SG on cell.	
190	St. Lawrence Seaway Mooring Cells Light C	44-58-52.935N 074-49-31.718W	F Y		
195	St. Lawrence Seaway Lighted Buoy 32	44-58-53.535N 074-50-02.718W	FI R 4s	Red.	Year Round Lighted Buoy
205	St. Lawrence Seaway Lighted Buoy 33	44-58-47.435N 074-50-15.618W	FI G 4s	Green.	Year round lighted buoy.
210	St. Lawrence Seaway Light 34	44-58-54.035N 074-50-30.018W	F R	TR on wall.	
225	St. Lawrence Seaway Light 38	44-58-43.935N 074-51-35.218W	F R	TR on wall.	
235	St. Lawrence Seaway Lighted Buoy 39	44-58-36.835N 074-51-41.918W	FI G 4s	Green.	Year Round Lighted Buoy
240	St. Lawrence Seaway Lighted Buoy 40	44-58-40.035N 074-51-55.018W	FI R 4s	Red.	Year Round Lighted Buoy
245	St. Lawrence Seaway Mooring Cells Light D	44-58-25.435N 074-52-51.918W	F Y		
255	St. Lawrence Seaway Light 42	44-58-29.035N 074-53-02.018W	FI R 2.5s	TR on pile.	
260	St. Lawrence Seaway Light 43	44-58-16.135N 074-53-44.418W	FI G 4s	SG on pile.	
265	St. Lawrence Seaway Light 44	44-58-21.835N 074-53-46.318W	FI R 4s	TR on pile.	
270	St. Lawrence Seaway Light 45	44-58-07.335N 074-54-37.518W	FI G 2.5s	SG on pile.	
275	St. Lawrence Seaway Light 46	44-58-13.035N 074-54-39.418W	FI R 2.5s	TR on pile.	
280	St. Lawrence Seaway Lighted Buoy 46A	44-58-07.135N 074-55-10.218W	FI R 4s	Red.	Maintained from Apr. 1 to Dec. 15.
285	St. Lawrence Seaway Light 47	44-57-54.035N 074-55-42.018W	FI G 4s	SG on cell.	Maintained from Apr. 15 to Dec. 15.
290	St. Lawrence Seaway Light 48	44-58-02.035N 074-55-45.278W	FI R 4s	TR on pile.	
295	St. Lawrence Seaway Lighted Buoy 48A	44-57-56.735N 074-56-12.118W	FI R 4s	Red.	
300	St. Lawrence Seaway Lighted Buoy 49	44-57-49.435N 074-56-28.818W	FI G 4s	Green.	Winter marker.
305	St. Lawrence Seaway Lighted Buoy 50	44-57-50.035N 074-56-51.418W	FI R 4s	Red.	Year Round Lighted Buoy
310	St. Lawrence Seaway Light 51	44-57-38.235N 074-57-32.418W	FI G 4s	SG on tower.	
315	St. Lawrence Seaway Lighted Buoy 52	44-57-42.435N 074-57-39.218W	FI R 4s	Red.	Winter marker.
320	St. Lawrence Seaway Light 54	44-57-40.635N 074-57-52.218W	FI R 2.5s	TR on pile.	Mainatined from Apr. 1 to Dec. 15.
325	St. Lawrence Seaway Light 55	44-57-30.035N 074-58-06.018W	FI G 2.5s	SG on pile.	Maintained from Apr. 1 to Dec. 15.
330	St. Lawrence Seaway Lighted Buoy 56	44-57-38.335N 074-58-02.118W	FI R 4s	Red.	Winter marker.
336.1	Lake St. Lawrence Yacht Club Channel Buoy 1	44-56-31.000N 074-59-57.094W		Green can.	
336.15	Lake St. Lawrence Yacht Club Channel Buoy 2	44-56-32.068N 074-59-58.052W		Red nun.	
336.2	Lake St. Lawrence Yacht Club Channel Buoy 3	44-56-26.000N 074-59-56.099W		Green can.	
336.4	Lake St. Lawrence Yacht Club Channel Buoy 7	44-56-20.029N 074-59-57.057W		Green can.	
336.5	Lake St. Lawrence Yacht Club Channel Buoy 9	44-56-20.350N 074-59-54.670W		Green can.	
336.6	Lake St. Lawrence Yacht Club Channel Buoy 11	44-56-20.270N 074-59-52.870W		Green can.	
336.65	Lake St. Lawrence Yacht Club Channel Buoy 12	44-56-21.005N 074-59-54.350W		Red nun.	
336.55	Lake St. Lawrence Yacht Club Channel Buoy 10	44-56-21.019N 074-59-56.090W		Red nun.	
336.45	Lake St. Lawrence Yacht Club Channel Buoy 8	44-56-18.008N 074-59-59.018W		Red nun.	
336.35	Lake St. Lawrence Yacht Club Channel Buoy 6	44-56-20.710N 075-00-00.034W		Red nun.	

336.3	Lake St. Lawrence Yacht Club Channel Buoy 5	44-56-21.000N 074-59-59.021W		Green can.	
336.25	Lake St. Lawrence Yacht Club Channel Buoy 4	44-56-24.068N 074-59-56.055W		Red nun.	
340	Lake St. Lawrence Yacht Club Channel Light 58	44-57-04.435N 075-00-22.018W	FI R 4s	TR on tower on cell.	Maintained from Apr. 1 to Dec. 15.
345	Cat Island Leading Light	44-57-12.035N 075-00-24.018W	F W	NB on cells.	Visible 4° each side of 257.4°
350	Lake St. Lawrence Yacht Club Channel Lighted Buoy 60	44-56-56.935N 075-00-30.818W	Q R	Red.	Winter marker.
351	Wilson Hill Small boat Channel Buoy 1	44-56-24.410N 075-00-31.065W		Green can.	
351.1	Wilson Hill Small boat Channel Buoy 3	44-56-13.000N 075-00-31.000W		Green can.	
351.55	Wilson Hill Small boat Channel Buoy 12	44-55-51.000N 075-00-42.000W		Red nun.	
351.5	Wilson Hill Small boat Channel Buoy 11	44-55-50.079N 075-00-41.062W		Green can.	
351.45	Wilson Hill Small boat Channel Buoy 10	44-56-00.021N 075-00-36.032W		Red nun.	
351.4	Wilson Hill Small boat Channel Buoy 9	44-55-58.058N 075-00-36.062W		Green can.	
351.35	Wilson Hill Small boat Channel Buoy 8	44-56-03.240N 075-00-27.004W		Red nun.	
351.3	Wilson Hill Small boat Channel Buoy 7	44-56-00.000N 075-00-26.000W		Green can.	
351.25	Wilson Hill Small boat Channel Buoy 6	44-56-10.000N 075-00-33.310W		Red nun.	
351.2	Wilson Hill Small boat Channel Buoy 5	44-56-08.069N 075-00-28.078W		Green can.	
351.15	Wilson Hill Small boat Channel Buoy 4	44-56-13.078N 075-00-32.000W		Red nun.	
351.05	Wilson Hill Small boat Channel Buoy 2	44-56-23.042N 075-00-37.072W		Red nun.	
355	St. Lawrence Seaway Lighted Buoy 61	44-56-31.735N 075-01-21.318W	FI G 4s	Green.	Maintained from Apr. 1 to Dec. 15.
360	Wilson Hill Range Front Light	44-57-00.035N 074-59-42.018W	F G	Orange triangular daymark with black stripes on square tower.	
370	St. Lawrence Seaway Lighted Buoy 63	44-56-22.135N 075-01-55.818W	FI G 4s	Green.	
375	Weaver Shoal Anchorage Area E Lighted Buoy XA (C)	44-56-54.035N 075-01-54.018W	FI Y 4s	Yellow.	Seasonal.
380	Weaver Shoal Anchorage Area W Lighted Buoy XC (C)	44-56-30.035N 075-03-24.018W	FI Y 4s	Yellow.	Seasonal.
385	St. Lawrence Seaway Lighted Buoy 67	44-55-50.535N 075-03-45.318W	FI G 4s	Green.	Winter marker.
390	St. Lawrence Seaway Light 68 (C)	44-55-54.035N 074-04-06.017W	Q R	White circular tower.	
395	St. Lawrence Seaway Light 70 (C)	44-55-48.035N 075-04-48.018W	FI R 4s	White circular tower with red top.	Seasonal.
400	St. Lawrence Seaway Light 71	44-55-30.535N 075-04-54.518W	FI G 4s	SG on pile.	
410	St. Lawrence Seaway Lighted Buoy 72 (C)	44-55-48.035N 075-05-30.018W	Q R	Red.	Seasonal.
415	St. Lawrence Seaway Light 73	44-55-33.535N 075-05-43.118W	FI G 2.5s	SG on tower on cell.	
420	St. Lawrence Seaway Lighted Buoy 74 (C)	44-55-24.035N 075-06-36.018W	FI R 4s	Red.	Seasonal.
425	Doran Shoal Range Front Light (C)	44-56-00.035N 075-06-48.018W	F Y	Orange triangular daymark with black stripes on skeleton tower.	Seasonal.
435	Coles Creek Channel Lighted Buoy 1	44-54-15.000N 075-06-44.000W	FI G 4s	Green.	
440	Coles Creek Channel Lighted Buoy 2	44-54-09.500N 075-06-55.000W	FI R 4s	Red.	
445	Coles Creek Channel Lighted Buoy 3	44-53-52.000N 075-06-47.000W	FI G 4s	Green.	
450	Coles Creek Channel Lighted Buoy 4	44-53-44.000N 075-06-57.500W	FI R 4s	Red.	
455	Coles Creek Channel Lighted Buoy 5	44-53-34.000N 075-06-51.000W	FI G 4s	Green.	

460	Coles Creek Channel Lighted Buoy 6	44-53-34.500N 075-07-01.000W	FI R 4s	Red.	
465	Coles Creek Channel Lighted Buoy 7	44-53-24.500N 075-06-59.000W	FI G 4s	Green.	
470	Coles Creek Channel Lighted Buoy 8	44-53-27.000N 075-07-01.500W	FI R 4s	Red.	
475	Coles Creek Channel Lighted Buoy 9	44-53-23.000N 075-07-05.000W	FI G 4s	Green.	
480	Coles Creek Channel Lighted Buoy 10	44-53-27.000N 075-07-04.500W	FI R 4s	Red.	
485	St. Lawrence Seaway Light 75	44-55-10.635N 075-06-59.318W	FI G 4s	SG on tower on cell.	
490	St. Lawrence Seaway Lighted Buoy 77	44-55-04.835N 075-07-34.018W	FI G 4s	Green.	Spar; winter marker.
495	Weaver Shoal Range Front Light (C)	44-55-30.035N 075-07-54.018W	F W	White triangular daymark with black stripe on skeleton tower.	Seasonal.
510	St. Lawrence Seaway Light 79	44-54-50.135N 075-08-01.318W	Q G	SG on tower on cell.	
515	Goose Neck Island Shoals Range Front Light (C)	44-54-54.035N 075-08-48.018W	F R	Orange triangular daymark with black stripes on skeleton tower.	Seasonal.
530	St. Lawrence Seaway Light 81 (C)	44-54-00.035N 075-09-00.018W	Q G	White circular tower with green band at top.	Seasonal.
535	St. Lawrence Seaway Light 82 (C)	44-54-06.035N 075-09-12.018W	FI R 4s	White circular tower with red top.	Seasonal.
540	St. Lawrence Seaway Lighted Buoy 84 (C)	44-53-48.035N 075-09-42.018W	FI R 4s	Red.	Seasonal.
555	St. Lawrence Seaway Lighted Buoy 86 (C)	44-53-12.035N 075-11-00.018W	FI R 4s	Red.	Seasonal.
560	Canada Island Anchorage Area N Lighted Buoy XJ (C)	44-53-36.035N 075-10-30.018W	FI Y 4s	Yellow.	Seasonal.
565	St. Lawrence Seaway Lighted Buoy 87	44-53-19.935N 075-10-28.118W	FI G 4s	Green.	Winter marker.
570	St. Lawrence Seaway Lighted Buoy 88 (C)	44-53-06.035N 075-11-24.018W	FI R 4s	Red.	
575	St. Lawrence Seaway Lighted Buoy 89	44-53-00.235N 075-11-10.918W	FI G 4s	Green.	Can Winter Mark
580	Ogden Island Range Front Light	44-52-48.035N 075-11-42.018W	F G	Orange triangular daymark with black stripes on skeleton tower on cell.	
590	St. Lawrence Seaway Lighted Buoy 91	44-52-54.535N 075-11-40.318W	FI G 4s	Green.	Can Winter Mark
595	St. Lawrence Seaway Light 92 (C)	44-52-54.035N 075-12-12.018W	FI R 4s	White circular tower with red top.	Seasonal.
600	Mariatown Range Front Light (C)	44-53-00.035N 075-12-36.018W	F G	Orange triangular daymark with black stripes on white skeleton tower.	Seasonal.
610	St. Lawrence Seaway Lighted Buoy 92A (C)	44-52-48.035N 075-12-36.018W	FI R 4s	Red.	Seasonal.
615	St. Lawrence Seaway Lighted Buoy 93	44-52-37.335N 075-13-03.418W	FI G 4s	Green.	Year Round Lighted Buoy
625	St. Lawrence Seaway Lighted Buoy 95 (C)	44-52-30.035N 075-13-24.018W	FI G 4s	Green.	Seasonal.
635	Mariatown Approach Range Front Light (C)	44-52-36.035N 075-13-42.018W	F R	Orange triangular daymark with black stripe on white skeleton tower.	
645	St. Lawrence Seaway Lighted Buoy 96A (C)	44-52-18.035N 075-14-00.018W	FI R 4s	Red.	Seasonal.
655	St. Lawrence Seaway Lighted Buoy 99	44-51-56.335N 075-14-33.318W	FI G 4s	Green.	Spar; winter marker.
660	St. Lawrence Seaway Lighted Buoy 100 (C)	44-51-36.035N 075-15-18.018W	Q R	Red.	Seasonal.
665	St. Lawrence Seaway Lighted Buoy 101	44-51-26.535N 075-15-20.018W	FI G 4s	Green.	
670	St. Lawrence Seaway Lighted Buoy 102 (C)	44-51-30.035N 075-15-42.018W	FI R 4s	Red.	Seasonal.
675	St. Lawrence Seaway Lighted Buoy 103	44-51-16.035N 075-16-03.518W	FI G 4s	Green.	
680	St. Lawrence Seaway Lighted Buoy 104 (C)	44-51-18.035N 075-16-24.018W	Q R	Red.	Seasonal.
685	St. Lawrence Seaway Lighted Buoy 105	44-51-04.335N 075-16-35.018W	FI G 4s	Green.	Spar; winter marker.
705	Iroquois Lock Range Front Light (C)	44-50-42.035N 075-18-12.018W	F W	Orange triangular daymark with black stripes on white skeleton tower.	Seasonal.

720	St. Lawrence Seaway Lighted Buoy 108A (C)	44-50-24.035N 075-18-30.018W	FI R 4s	Red.	Seasonal.
725	Iroquois Approach Range Front Light (C)	44-50-24.035N 075-18-36.018W	F R	Orange triangular daymark with black stripes on white skeleton tower.	Seasonal.
755	St. Lawrence Seaway Lighted Buoy 112 (C)	44-49-00.035N 075-19-30.018W	FI R 4s	Red.	Seasonal.
760	St. Lawrence Seaway Lighted Buoy 113 (C)	44-48-54.035N 075-19-18.018W	Q G	Green.	Seasonal.
765	St. Lawrence Seaway Light 114 (C)	44-48-48.035N 075-19-48.018W	FI R 4s	White circular tower with red top.	Seasonal.
770	Toussaint Island West Light (C)	44-48-42.035N 075-20-00.018W	Iso R 2s	White circular tower with red top.	Seasonal.
775	Sparrowhawk Point Leading Light	44-48-06.035N 075-20-00.018W	F G	Orange triangular daymark with black stripe on post.	Higher intensity beam on bearing 205.8°.
780	St. Lawrence Seaway Light 115	44-47-56.935N 075-20-46.118W	FI G 2.5s	SG on pile on cell.	
785	St. Lawrence Seaway Lighted Buoy 116	44-47-25.835N 075-21-46.618W	FI R 4s	Red.	Spar; winter marker.
790	St. Lawrence Seaway Lighted Buoy 117	44-47-14.435N 075-21-51.218W	FI G 4s	Green.	Spar; winter marker.
795	St. Lawrence Seaway Lighted Buoy 118 (C)	44-47-06.035N 075-22-12.018W	FI R 4s	Red.	Seasonal.
800	St. Lawrence Seaway Lighted Buoy 119	44-46-56.735N 075-22-21.618W	FI G 4s	Green.	
805	St. Lawrence Seaway Lighted Buoy 120 (C)	44-46-54.035N 075-22-42.018W	FI R 4s	Red.	Seasonal.
810	Galop Island East Range Front Light	44-46-36.035N 075-22-54.018W	F G	Orange triangular daymark with black stripes on skeleton tower.	
820	St. Lawrence Seaway Light 121	44-46-34.835N 075-23-04.818W	FI G 4s	SG on pile on cell.	
835	St. Lawrence Seaway Lighted Buoy 122	44-46-25.935N 075-23-41.518W	FI R 4s	Red.	Spar; winter marker.
840	St. Lawrence Seaway Light 123	44-46-01.035N 075-24-16.018W	FI G 4s	White square daymark with green border on white pile.	
843	St. Lawrence Seaway Lighted Buoy 124	44-46-00.035N 075-24-34.618W	FI R 4s	Red.	
845	St. Lawrence Seaway Lighted Buoy 125	44-45-58.335N 075-24-24.018W	FI G 4s	Green.	Spar; winter marker.
855	St. Lawrence Seaway Lighted Buoy 125A	44-45-48.035N 075-24-39.618W	FI G 4s	Green.	Can Winter Mark
860	St. Lawrence Seaway Lighted Buoy 126	44-45-32.035N 075-25-10.618W	FI R 4s	Red.	Winter marker.
865	St. Lawrence Seaway Lighted Buoy 127	44-45-23.235N 075-25-10.618W	FI G 4s	Green.	
870	Drummond Island Range Front Light (C)	44-45-30.035N 075-25-36.019W	Iso R 2s	Orange inverted triangular daymark with black stripe on white skeleton tower.	Seasonal.
880	Galop Island West Range Front Light	44-45-12.035N 075-25-12.018W	F G	Orange triangular daymark with black stripes on skeleton tower.	
885	Galop Island West Range Rear Light	44-45-18.035N 075-24-54.018W	F G	Orange triangular daymark with black stripes on skeleton tower.	
890	St. Lawrence Seaway Lighted Buoy 126A	44-45-01.935N 075-25-47.519W	Q R	Red.	Year Round Lighted Buoy
895	St. Lawrence Seaway Ice Boom Cell Light C	44-44-53.000N 075-25-40.000W	F Y	Post on cell.	
900	St. Lawrence Seaway Lighted Buoy 129	44-44-49.035N 075-25-52.819W	Q G	Green.	Spar; winter marker.
905	St. Lawrence Seaway Lighted Buoy 128	44-44-47.235N 075-26-12.019W	FI R 4s	Red.	Spar; winter marker.
910	Chimney Island Leading Light	44-44-30.035N 075-26-24.019W	F W	On post.	Red from 220.4° to 221.3° white from 221.3° to 222.2° green from 222.2° to 223.2°.
940	St. Lawrence Seaway Lighted Buoy 131 (C)	44-44-18.035N 075-27-06.019W	FI G 4s	Green.	Seasonal.
950	St. Lawrence Seaway Lighted Buoy 131A (C)	44-43-42.035N 075-28-00.019W	FI G 4s	Green.	Seasonal.
955	St. Lawrence Seaway Ice Boom Cell Light B	44-43-23.000N 075-27-54.000W	F Y	White post on cell.	
960	St. Lawrence Seaway Lighted Buoy 131B	44-43-07.935N 075-28-36.319W	FI G 4s	Green.	Spar; winter marker.
965	St. Lawrence Seaway Lighted Buoy 132 (C)	44-43-06.035N 075-29-06.019W	FI R 4s	Red.	Seasonal.

970	St. Lawrence Seaway Lighted Buoy 133	44-42-18.635N 075-30-15.819W	FI G 4s		Green.	Spar; winter marker.
975	Prescott Heritage Harbour Light (C)	44-42-36.035N 075-30-36.019W			White lighthouse with green top.	Seasonal.
985	Ogdensburg Harbor East Entrance Lighted Buoy 2	44-42-33.235N 075-29-13.519W	FI R 4s	4	Red.	Maintained from Apr. 1 to Dec. 15
990	Ogdensburg Harbor East Entrance Lighted Buoy 4	44-42-22.535N 075-29-20.619W	FI R 4s	4	Red.	Maintained from Apr. 1 to Dec. 15.
992	Ogdensburg Harbor Light	44-41-52.000N 075-30-12.000W	FI W 10s	1		
995	Ogdensburg Harbor West Entrance Lighted Buoy 2	44-42-06.184N 075-30-22.009W	FI R 4s	4	Red.	Maintained from Apr. 28 to Nov 28.
1000	Ogdensburg Harbor West Entrance Buoy 3	44-41-58.425N 075-30-04.239W			Green can.	Maintained from Apr 28 to Nov 28.
1005	Ogdensburg Harbor West Entrance Buoy 4	44-41-54.434N 075-30-11.319W			Red nun.	Maintained from Apr 28 to Nov 28.
1010	Ogdensburg Harbor West Entrance Lighted Buoy 5	44-41-57.975N 075-29-56.819W	FI G 4s	4	Green.	Maintained from Apr 28 to Nov 28
1020	Catamaran Shoal Buoy Lighted 135	44-36-55.034N 075-37-19.419W	FI G 4s		Green can.	
1035	South Mcnair Shoal Lighted Buoy 137A (C)	44-35-36.034N 075-40-00.019W	FI G 4s		Green.	Seasonal.
1075	St. Lawrence Seaway Light 143 (C)	44-34-00.034N 075-42-24.019W	FI G 4s		White circular tower with black top.	Seasonal.
1080	St. Lawrence Seaway Lighted Buoy 143A (C)	44-33-42.034N 075-42-42.019W	FI G 4s		Green.	Seasonal.
1090	Stovin Island Light 145 (C)	44-33-36.034N 075-42-54.019W	FI G 4s		White circular tower with green top.	Seasonal.
1110	Dewatteville Island Range Front Light (C)	44-32-54.034N 075-44-00.019W	F W		Orange triangular daymark with black stripes on white circular tower with red top.	Seasonal.
1120	St. Lawrence Seaway Light 147 (C)	44-32-30.034N 075-44-12.019W	FI G 4s		White circular tower with green top.	Seasonal.
1125	St. Lawrence Seaway Lighted Buoy 147A (C)	44-32-12.034N 075-44-36.019W	FI G 4s		Green.	Seasonal.
1130	St. Lawrence Seaway Light 150 (C)	44-31-48.034N 075-45-18.019W	FI R 4s		White cylindrical tower with red top.	Seasonal.
1140	St. Lawrence Seaway Light 151 (C)	44-31-24.034N 075-45-24.019W	FI G 4s		White circular tower with green top.	Seasonal.
1145	St. Lawrence Seaway Lighted Buoy 152 (C)	44-31-06.034N 075-46-00.019W	FI R 4s		Red.	Seasonal.
1150	Brockville Crossover Range Front Light (C)	44-31-36.034N 075-45-54.019W	Iso G 2s		Orange triangular daymark with black stripe on white circular tower.	Seasonal.
1170	St. Lawrence Seaway Lighted Buoy 153	44-30-37.434N 075-46-08.219W	Q G		Green.	Spar; winter marker.
1185	St. Lawrence Seaway Lighted Buoy 157	44-30-18.934N 075-46-14.419W	FI G 4s		Green.	Winter marker.
1190	St. Lawrence Seaway Lighted Buoy 159	44-29-48.934N 075-46-24.519W	FI G 4s		Green.	Winter marker.
1195	St. Lawrence Seaway Light 160	44-29-48.034N 075-46-36.019W	FI R 4s		TR on tower on cell.	
1200	St. Lawrence Seaway Lighted Buoy 162	44-28-41.534N 075-46-56.119W	Q R		Red.	Year Round Lighted Buoy
1210	Chippewa Point Directional Light	44-28-24.530N 075-46-57.470W	F W		White post.	White from 193° to 195° red from 189° to 193° green from 195° to 199°.
1215	St. Lawrence Seaway Lighted Buoy 163A	44-28-22.634N 075-47-05.819W	FI G 4s		Green.	
1220	St. Lawrence Seaway Lighted Buoy 164	44-28-30.534N 075-47-08.219W	FI R 4s		Red.	Spar; winter marker.
1230	Chimney Island Light (C)	44-28-00.034N 075-50-00.019W	FI R 4s		White circular tower with red top.	Seasonal.
1235	Haffie Shoal Light (C)	44-27-30.034N 075-50-42.019W	FI R 4s		White circular tower with red top.	
1240	St. Lawrence Seaway Lighted Buoy 166	44-27-14.034N 075-48-30.819W	FI R 4s		Red.	
1245	St. Lawrence Seaway Lighted Buoy 167	44-26-55.834N 075-48-37.419W	FI G 4s		Green.	Spar; winter marker.
1250	St. Lawrence Seaway Light 168	44-27-00.034N 075-48-48.019W	FI R 4s		TR on pile.	Maintained from Apr. 1 to Dec. 15.
1255	St. Lawrence Seaway Lighted Buoy 170	44-26-45.134N 075-48-59.219W	FI R 4s		Red.	Nun Winter Mark

1265	Haskell Shoal Lighted Buoy 173 (C)	44-26-12.034N 075-49-24.019W	Q G		Green.	Spar; winter marker. Seasonal.
1270	St. Lawrence Seaway Lighted Buoy 176	44-25-03.134N 075-50-26.419W	FI R 4s		Red.	Winter marker.
1275	St. Lawrence Seaway Lighted Buoy 177	44-24-46.234N 075-50-30.719W	FI G 4s		Green.	Can Winter Mark
1290	St. Lawrence Seaway Light 180	44-23-48.034N 075-51-24.019W	Q R		TR on tower on cell.	
1295	St. Lawrence Seaway Lighted Buoy 181	44-23-30.034N 075-51-29.119W	FI G 4s		Green.	Year Round Lighted Buoy
1300	St. Lawrence Seaway Lighted Buoy 181A	44-22-49.034N 075-52-25.219W	FI G 4s		Green.	
1310	St. Lawrence Seaway Light 183	44-22-24.034N 075-53-06.019W	FI G 4s		SG on tower on concrete base.	
1315	St. Lawrence Seaway Lighted Buoy 185	44-22-13.234N 075-53-23.419W	FI G 4s		Green.	
1330	Hammond Shoal Buoy	44-20-44.834N 075-54-42.319W			Green and red bands; can.	Maintained from Apr 28 to Nov 28.
1350	Broadway Shoal Buoy	44-20-22.454N 075-55-15.829W			Green and red bands; can.	Maintained from Apr 28 to Nov 28.
1353	Alexandria Bay Harbor Light	44-20-07.500N 075-55-15.800W	FI Y 2s		On floating dock.	Maintained from Apr. 1 to Dec. 1.
1360	St. Lawrence Seaway Light 194	44-20-06.034N 075-55-48.019W	FI R 4s		TR on tower on concrete base .	
1385	Keewaydin State Park Breakwater Light	44-19-22.000N 075-56-11.000W	FI G 4s		Green daymark on steel post.	Maintained from May 1 to Nov 1.
1386	Keewaydin State Park Lighted Entrance Buoy	44-49-20.600N 075-56-13.600W	FI R 4s	5	Red.	Maintained May 1 to Nov. 1.
1395	St. Lawrence Seaway Lighted Buoy 202	44-19-22.634N 075-56-38.619W			Red.	S .L.S.D.C .
1415	St. Lawrence Seaway Lighted Buoy 205	44-18-53.934N 075-57-20.119W	FI G 4s		Green.	Aid maintained by S.L.S.D.C.
1420	St. Lawrence Seaway Light 206	44-18-36.034N 075-58-12.019W	Iso R 2s		TR on pile .	
1430	St. Lawrence Seaway Light 209	44-17-54.034N 075-59-12.019W	FI G 2.5s		SG on tower on cell.	
1435	St. Lawrence Seaway Lighted Buoy 208	44-17-56.734N 075-59-22.719W	FI R 4s		Red.	
1440	St. Lawrence Seaway Lighted Buoy 209A	44-17-36.734N 075-59-43.919W	FI G 4s		Green.	
1445	St. Lawrence Seaway Light 210	44-17-42.034N 075-59-54.019W	FI R 4s		TR on pile.	
1450	St. Lawrence Seaway Lighted Buoy 211	44-17-14.934N 076-00-21.419W	FI G 4s		Green.	Spar; winter marker.
1455	St. Lawrence Seaway Lighted Buoy 212	44-17-13.734N 076-00-35.519W	FI R 4s		Red.	
1460	St. Lawrence Seaway Light 213	44-16-54.034N 076-00-54.019W	FI G 2.5s		SG on tower on cell.	
1465	Fisher Landing Light	44-16-43.234N 076-00-37.719W	FI G 4s	4	SG on column on concrete base.	Maintained from Apr. 1 to Dec. 15.
1473	Rock Island Light	44-16-51.840N 076-01-01.620W	F W			Maintained from May.1 to Dec.1.
1475	St. Lawrence Seaway Lighted Buoy 215	44-16-46.434N 076-01-11.919W	Q G		Green.	Spar; winter maker.
1480	St. Lawrence Seaway Lighted Buoy 216	44-16-41.634N 076-01-34.319W	FI R 4s		Red.	Winter marker.
1485	St. Lawrence Seaway Buoy 216A	44-16-34.234N 076-01-50.619W	FI R 4s		Red nun.	Maintained from Apr. 1 to Dec. 15.
1490	St. Lawrence Seaway Lighted Buoy 217	44-16-08.734N 076-02-17.219W	FI G 4s		Green.	Spar; winter marker.
1495	St. Lawrence Seaway Lighted Buoy 217A	44-15-36.034N 076-03-51.919W	Q G		Green.	Year Round Lighted Buoy
1500	St. Lawrence Seaway Lighted Buoy 218	44-15-45.234N 076-03-45.819W	FI R 4s		Red.	Winter marker.
1510	St. Lawrence Seaway Lighted Buoy 221	44-15-28.134N 076-04-02.319W	FI G 4s		Green.	
1517	Clayton Marina Buoy 2	44-14-29.249N 076-04-14.788W			Red nun.	
1518	Clayton Marina Buoy 4	44-14-29.249N 076-04-14.788W			Red nun.	

1519.5	Clayton Marina Buoy 8	44-14-29.249N 076-04-14.788W			Red nun.	
1519	Clayton Marina Buoy 6	44-15-29.249N 076-04-14.788W			Red nun.	
1520	Clayton Shoal Lighted Buoy 1	44-14-44.234N 076-05-00.919W	FI G 4s	4	Green.	Maintained from Apr. 1 to Dec. 15.
1523	Clayton City Dock Light	44-14-39.638N 076-04-59.159W	FI Y 2.5s			
1525	St. Lawrence Seaway Lighted Buoy 224	44-15-00.534N 076-05-10.919W	FI R 4s		Red.	Year Round Lighted Buoy Aid maintained by GLS
1527	Clayton Floating Dock Light	44-14-35.465N 076-05-17.455W	FI W 4s		Marks NE corner of dock.	Maintained from Apr. 1 to Dec. 31.
1528.1	Village of Clayton Wave Attenuator Buoy 1	44-14-34.649N 076-05-19.688W	FI W 4s			Maintained year round.
1528.2	Village of Clayton Wave Attenuator Buoy 2	44-14-35.314N 076-05-18.708W	FI W 4s			Maintained year round.
1528.3	Village of Clayton Wave Attenuator Buoy 3	44-14-35.912N 076-05-17.648W	FI W 4s			Maintained year round.
1530	Mary Street Dock Light	44-14-12.300N 076-05-28.800W	F G		On steel post.	
1545	St. Lawrence Seaway Lighted Buoy 225	44-14-33.434N 076-06-03.419W	FI G 4s		Green.	Year Round Lighted Buoy Aid maintained by GLS
1555	St. Lawrence Seaway Lighted Buoy 226A	44-14-40.834N 076-06-04.219W	FI R 4s		Red.	Year Round Lighted Buoy Aid maintained by GLS
1560	St. Lawrence Seaway Light 227	44-14-24.034N 076-06-30.019W	F G		SG on tower on concrete base.	
1565	St. Lawrence Seaway Buoy 228	44-14-31.634N 076-07-03.519W	FI R 4s		Red nun.	Year Round Lighted Buoy Aid maintained by GLS
1570	St. Lawrence Seaway Light 229	44-13-12.034N 076-09-36.019W	FI G 2.5s		SG on pile.	
1575	Wolfe Island Cut Lighted Buoy Pv2 (C)	44-14-00.034N 076-10-30.019W	Q R		Red.	Seasonal.
1605	Wolfe Island Light (C)	44-14-18.034N 076-11-00.019W	F W	12	White pyramid tower.	Seasonal.
1610	St. Lawrence Seaway Light 231	44-12-18.034N 076-12-24.019W	FI G 4s		SG on tower on concrete base.	
1615	St. Lawrence Seaway Lighted Buoy 233	44-12-02.634N 076-13-36.819W	FI G 4s		Green.	Year Round Lighted Buoy Aid maintained by GLS
1625	St. Lawrence Seaway Lighted Buoy 234	44-12-12.534N 076-15-03.219W	FI R 4s		Red.	Year Round Lighted Buoy Aid maintained by GLS
1630	St. Lawrence Seaway Lighted Buoy 235	44-11-40.134N 076-17-55.719W	Q G		Green.	Year Round Lighted Buoy Aid maintained by GLS
1635	Bayfield Island Light (C)	44-11-39.334N 076-19-42.419W			White square skeleton tower with orange triangular daymark.	F R 260.5° to 262° Al WR 262° to 262.25° W phase increasing with bearing F W 262.25° to 263.75° Al WG 263.75° to 264° G phase increasing with bearing F G 264° to 265.5°. Seasonal.
1640	St. Lawrence Seaway Lighted Buoy 237	44-11-20.834N 076-18-28.019W	FI G 4s		Green.	Year Round Lighted Buoy Aid maintained by GLS
1645	St. Lawrence Seaway Lighted Buoy 236	44-11-21.234N 076-19-06.219W	FI R 4s		Red.	Year Round Lighted Buoy Aid maintained by GLS
1650	St. Lawrence Seaway Lighted Buoy 238	44-10-05.134N 076-19-27.119W	FI R 4s		Red.	Spar; winter marker.
1655	Irvine Point Range Front Light (C)	44-12-18.034N 076-18-36.019W	F R		Orange rectangular daymark with black vertical stripe on white skeleton tower.	Visible on range line only. Seasonal.
1665	St. Lawrence Seaway Lighted Buoy 239	44-10-31.634N 076-19-05.119W	FI G 4s		Green.	Spar; winter marker.
1670	Carleton Island Leading Light	44-10-12.034N 076-18-42.019W	F G		Orange triangular daymark with black stripes on square tower.	Visible on bearing 033° only.
1675	St. Lawrence Seaway Lighted Buoy 240	44-09-04.734N 076-19-49.319W	Q R		Red.	Spar; winter marker.
1680	St. Lawrence Seaway Lighted Buoy 241	44-08-38.934N 076-19-31.719W	FI G 4s		Green.	
1685	Carleton Island South Channel Buoy 1	44-10-00.034N 076-17-48.529W			Green can.	Maintained from Apr 28 to Nov 28.
1690	Carleton Island South Channel Buoy 3	44-09-53.964N 076-18-18.759W			Green can.	Maintained from Apr 28 to Nov 28.
1695	Carleton Island South Channel Buoy 5	44-09-45.794N 076-18-48.459W			Green can.	Maintained from Apr 28 to Nov 28.
1700	Cape Vincent Breakwater East End Light	44-07-56.934N 076-19-49.519W	Q W	6	SG on post.	
1705	Cape Vincent Breakwater West End Light	44-07-53.234N 076-20-07.219W	F R	6	TR on post.	Higher intensity on bearing 068° and 193°.

1710	St. Lawrence Seaway Lighted Buoy 242	44-08-01.734N 076-20-57.519W	FI R 4s			Red.	
1720	St. Lawrence Seaway Lighted Buoy 243	44-07-45.634N 076-20-40.419W	FI G 4s			Green.	
1725	St. Lawrence Seaway Lighted Buoy 244	44-07-12.534N 076-22-39.419W	FI R 4s			Red.	
1735	Tibbetts Point Light	44-06-02.271N 076-22-14.223W	Oc W 10s	16		White conical tower.	Standby light of reduced intensity shows Oc W 4s. AIS MMSI: 993672194
1745	Tibbetts Point Traffic Lighted Buoy	44-06-02.734N 076-24-20.419W	Mo (A) W			Red and white stripes.	
1750	St. Lawrence Seaway Lighted Buoy 245	44-05-45.434N 076-23-18.819W	FI G 4s			Green.	
1755	Allan Otty Shoal Lighted Buoy 2	44-03-49.634N 076-27-01.119W	FI R 4s			Red.	
1760	East Charity Shoal Light	44-02-12.626N 076-28-52.976W	FI W 4s	56	9	Tower.	
1770	Stony Island Lighted Buoy 2	43-55-10.501N 076-17-41.073W	FI R 4s		4	Red.	Maintained from May 7 to Nov. 14.
1775	Point Peninsula Lighted Buoy 3	43-56-53.147N 076-16-24.267W	FI G 6s		4	Green.	Maintained from May 7 to Nov. 14.
1780	Cherry Island Light	44-00-52.366N 076-11-11.695W	FI W 4s	40	8	NR on white skeleton tower with enclosed base.	
1785	Johnson Shoal Lighted Buoy 1	44-02-59.232N 076-09-53.768W	FI G 4s		3	Green.	Maintained from May 14 to Nov. 1.
1790	Chaumont Bay Junction Lighted Buoy	44-03-21.731N 076-09-08.469W	FI (2+1)G 6s		3	Green and red bands.	Maintained from May 14 to Nov. 1.
1795	Chaumont Harbor Daybeacon 2	44-03-37.674N 076-08-15.359W			20	TR on pile on concrete base.	
1800	Chaumont Harbor Light	44-03-31.914N 076-08-45.219W	F G		6	SG on skeleton tower with enclosed base.	
1805	Crescent Marine Pier Light	44-03-48.000N 076-08-04.300W	F R			Post.	Maintained from May 1 to Dec. 1.
1810	Chaumont Shoal Buoy A	44-03-55.674N 076-09-03.855W				White can with orange bands and diamond worded DANGER.	
1815	Chaumont Shoal Buoy B	44-03-57.671N 076-09-01.038W				White can with orange bands and diamond worded DANGER.	
1820	Chaumont Shoal Buoy C	44-03-59.301N 076-08-56.792W				White can with orange bands and diamond worded DANGER.	
1825	Chaumont Shoal Lighted Buoy D	44-05-08.000N 076-08-50.174W	FI W 2s			White with orange bands and diamond worded DANGER.	
1830	Chaumont Shoal Buoy E	44-04-00.000N 076-08-50.787W				White can with orange bands and diamond worded DANGER.	
1835	Chaumont Shoal Buoy F	44-04-01.000N 076-08-52.000W				White can with orange bands and diamond worded DANGER.	
1840	Chaumont Shoal Buoy G	44-04-02.876N 076-08-52.471W				White can with orange bands and diamond worded DANGER.	
1845	Chaumont Shoal Buoy H	44-04-04.000N 076-08-56.000W				White can with orange bands and diamond worded DANGER.	
1850	Sackets Harbor Light	43-56-37.448N 076-08-43.055W	FI W 2.5s	54	5	NB on gray skeleton tower.	Light obscured by trees 092° to 157° and 242° to 267°.
1852	Horse Island Lighted Buoy 2	43-56-30.969N 076-09-11.974W	FI R 4s		3	Red.	Maintained from May 14 to Nov. 01.
1855	Navy Point Light	43-57-01.334N 076-07-16.319W	FI R 4s		4	TR on post.	
1860	Navy Point Marine Dock Light 4	43-56-58.000N 076-07-20.000W	F R			TR on post.	
1865	Navy Point Marina Anchorage Lighted Buoy A	43-56-58.000N 076-07-18.000W	Q Y			Yellow.	
1870	Navy Point Marina Anchorage Lighted Buoy B	43-57-02.000N 076-07-16.800W	Q Y			Yellow.	
1875	Navy Point Marina Anchorage Lighted Buoy C	43-57-03.500N 076-07-18.700W	Q Y			Yellow.	
1880	Navy Point Marina Anchorage Lighted Buoy D	43-57-04.000N 076-07-23.600W	Q Y			Yellow.	
1882	Madison Barracks Marina Entrance Light	43-57-17.900N 076-06-44.900W	F R			TR on post.	Maintained from May 1 to Oct. 1.
1885	Black River Entrance Lighted Buoy 1	43-59-12.000N 076-04-42.000W	FI G 4s			Green.	Maintained from Apr. 30 to Sep. 30.
1890	Black River Entrance Lighted Buoy 2	43-59-06.000N 076-04-36.000W	FI R 4s			Red.	Maintained from Apr. 30 to Sep. 30.

1895	Black River Bay Buoy 3	43-58-53.200N 076-05-04.200W				Green can.	Maintained from Apr. 30 to Sep. 30.
1900	Black River Bay Buoy 4	43-58-53.200N 076-05-04.200W				Red spar.	Maintained from Apr. 30 to Sep. 30.
1905	Black River Bay Buoy 5	43-59-00.100N 076-04-57.900W				Green can.	Maintained from Apr. 30 to Sep. 30.
1910	Black River Bay Buoy 6	43-58-56.700N 076-04-55.800W				Red spar.	Maintained from Apr. 30 to Sep. 30.
1915	Black River Bay Buoy 7	43-59-05.800N 076-04-46.200W				Green can.	Maintained from Apr. 30 to Sep. 30.
1920	Black River Bay Buoy 8	43-59-04.300N 076-04-43.900W				Red spar.	Maintained from Apr. 30 to Sep. 30.
1925	Black River Bay Buoy 9	43-59-08.800N 076-04-40.900W				Green can.	Maintained from Apr. 30 to Sep. 30.
1930	Black River Bay Buoy 10	43-59-08.800N 076-04-37.700W				Red spar.	Maintained from Apr. 30 to Sep. 30.
1935	Black River Bay Buoy 11	43-59-59.100N 076-03-30.500W				Green can.	Maintained from Apr. 30 to Sep. 30.
1940	Lime Barrel Shoal Lighted Buoy 1	43-54-44.252N 076-11-55.758W	FI G 4s	4		Green.	Maintained from May 7 to Nov. 14.
1943	Henderson Bay Buoy 1	43-54-27.534N 076-08-34.919W				Green can.	Maintained from May 14 to Nov. 1.
1945	Westcott Beach State Park Light 1	43-54-04.100N 076-07-38.000W	FI G 3s			SG on post.	Maintained from Apr. 1 to Dec. 1.
1950	Westcott Beach State Park Light 2	43-54-05.000N 076-07-40.500W	FI R 3s			TR on post.	Maintained from Apr. 1 to Dec. 1.
1955	Henderson Harbor Special Anchorage Light A	43-51-08.800N 076-12-08.900W	FI Y 4s			On yellow post.	
1960	Henderson Harbor Special Anchorage Lighted Buoy B	43-51-09.000N 076-12-19.000W	FI Y 4s			Yellow.	
1965	Henderson Harbor Special Anchorage Lighted Buoy C	43-51-23.800N 076-12-19.000W	FI Y 4s			Yellow.	
1970	Henderson Harbor Special Anchorage Lighted Buoy D	43-51-23.800N 076-12-09.600W	FI Y 4s			Yellow.	
1975	Henderson Harbor Special Anchorage Lighted Buoy E	43-51-21.700N 076-12-05.500W	FI Y 4s			Yellow.	
1980	Henderson Harbor Special Anchorage Lighted Buoy F	43-51-33.400N 076-12-06.200W	FI Y 4s			Yellow.	
1985	Henderson Harbor Special Anchorage Light G	43-51-33.600N 076-12-00.800W	FI Y 4s			On yellow post.	
1990	Henderson Harbor Special Anchorage Lighted Buoy H	43-51-21.800N 076-11-58.200W	FI Y 4s			Yellow.	
1995	Galloo Island Shoal Lighted Buoy 3	43-53-43.552N 076-28-34.750W	FI G 4s	4		Green.	Replaced by can from Nov. 14 to May 7.
2005	Calf Island Spit Buoy 5	43-51-21.418N 076-23-28.177W				Green can.	
2010	Stony Point Light	43-50-19.582N 076-17-55.963W	Iso R 6s	36	6	TR on skeleton tower.	
2015	Port Ontario Light	43-34-27.000N 076-12-08.000W	FI W 2s			Cupola on three-story gray house.	Maintained from Mar. 1 to Dec. 1.
2019.3	Stony Creek Bay Channel Buoy 4	43-48-30.000N 076-14-54.000W				Red nun.	
2019.2	Stony Creek Bay Channel Buoy 3	43-48-30.000N 076-14-54.000W				Green can.	
2019.1	Stony Creek Bay Lighted Channel Buoy 2	43-48-30.000N 076-14-54.000W	FI R 2s	2		Red.	
2019	Stony Creek Bay Lighted Channel Buoy 1	43-48-30.000N 076-14-54.000W	FI G 2s	2		Green.	
2020	Drowned Island Buoy 7	43-47-23.252N 076-14-38.220W				Green can.	
2025	Port Ontario Light 2	43-34-39.914N 076-12-20.439W	FI R 2.5s	34	4	Red and white cylindrical tower on jetty.	
2030	Port Ontario Light 3	43-34-38.733N 076-12-15.889W	FI G 2.5s	30	3	SG on pile on jetty.	
2035	Port Ontario Buoy 4	43-34-35.445N 076-12-14.583W				Red nun.	Maintained from May 14 to Nov. 1.
2040	Port Ontario Buoy 6	43-34-33.347N 076-12-12.867W				Red nun.	Maintained from May 14 to Nov. 1.
2045	Mexico Point Light	43-31-24.000N 076-15-18.000W	FI W 5s			On aluminum post.	Maintained from Apr. 15 to Nov. 15.

2050	Mexico Point Boat Launch Light 1	43-31-54.000N 076-15-41.000W	FI G 4s			On post.	Maintained from Apr. 15 to Nov. 15.
2055	Mexico Point Boat Launch Light 2	43-31-00.630N 076-15-52.000W	FI R 4s			On post.	Maintained from Apr. 15 to Nov. 15.
2060.9	Constellation Nuclear Security Zone No Entry Buoy J	43-31-45.800N 076-23-28.620W				White can with orange bands orange exclusion symbol and worded NO ENTRY.	Replaced by spar from Nov. 1 to Apr. 15.
2060.8	Constellation Nuclear Security Zone No Entry Buoy I	43-31-44.000N 076-23-45.240W				White can with orange bands orange exclusion symbol and worded NO ENTRY.	Replaced by spar from Nov. 1 to Apr. 15.
2060.7	Constellation Nuclear Security Zone No Entry Buoy H	43-31-41.760N 076-24-03.240W				White can with orange bands orange exclusion symbol and worded NO ENTRY.	Replaced by spar from Nov. 1 to Apr. 15.
2060.6	Constellation Nuclear Security Zone No Entry Buoy G	43-31-39.660N 076-24-21.240W				White can with orange bands orange exclusion symbol and worded NO ENTRY.	Replaced by spar from Nov. 1 to Apr. 15.
2060.5	Constellation Nuclear Security Zone No Entry Buoy F	43-31-37.860N 076-24-39.300W				White can with orange bands orange exclusion symbol and worded NO ENTRY.	Replaced by spar from Nov. 1 to Apr. 15.
2060.4	Constellation Nuclear Security Zone No Entry Buoy E	43-31-34.500N 076-24-56.820W				White can with orange bands orange exclusion symbol and worded NO ENTRY.	Replaced by spar from Nov. to Apr. 15.
2060.3	Constellation Nuclear Security Zone No Entry Buoy D	43-31-27.010N 076-25-11.940W				White can with orange bands orange exclusion symbol and worded NO ENTRY.	Replaced by spar from Nov. 1 to Apr. 15.
2060.2	Constellation Nuclear Security Zone No Entry Buoy C	43-31-19.560N 076-25-26.940W				White can with orange bands orange exclusion symbol and worded NO ENTRY.	Replace by spar from Nov. 1 to Apr. 15.
2060.1	Constellation Nuclear Security Zone No Entry Buoy B	43-31-12.000N 076-25-42.000W				White can with orange bands orange exclusion symbol and worded NO ENTRY.	Replaced by spar from Nov. 1 to Apr. 15.
2060	Constellation Nuclear Security Zone No Entry Buoy A	43-31-00.000N 076-25-41.800W				White can with orange bands orange exclusion symbol and worded NO ENTRY.	Replaced by spar from Nov. 1 to Apr. 15.
2061.1	Constellation Nuclear Security Zone No Entry Buoy L	43-31-35.640N 076-23-12.000W				White can with orange bands orange exclusion symbol and worded NO ENTRY.	Replaced by spar from Nov. 1 to Apr. 15.
2061	Constellation Nuclear Security Zone No Entry Buoy K	43-31-48.000N 076-23-12.000W				White can with orange bands orange exclusion symbol and worded NO ENTRY.	Replaced by spar from Nov. 1 to Apr. 15.
2065	Oswego Harbor Detached Breakwater West End Light	43-28-34.583N 076-30-57.839W	FI G 4s	26	6	SG on gray post.	Vessels enroute to or from harbor should use new lake approach channel to westward of Oswego Detached Breakwater.
2070	Oswego Harbor Detached Breakwater East End Light	43-28-32.446N 076-30-47.005W	FI Y 4s	26	7	NB on gray post.	Vessels enroute to or from harbor should use new lake approach channel to westward of Oswego Detached Breakwater.
2075	Oswego Harbor East Breakwater Light	43-28-25.822N 076-30-51.306W	FI G 6s	40	6	SG on gray post.	
2080	Oswego Harbor West Pierhead Light	43-28-23.768N 076-31-01.371W	FI R 10s		11		HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
2090	Oswego Harbor Inner Buoy 1	43-28-00.285N 076-30-46.333W				Green can.	
2095	Oswego Harbor Inner Lighted Buoy 2	43-27-58.481N 076-30-52.619W	FI R 4s		4	Red.	Replaced by nun from Nov. 14 to May 7.
2097	Oswego Harbor Inner Buoy 4	43-27-53.968N 076-30-50.137W				Red nun.	
2100	Oswego Harbor Canal Channel Lighted Buoy 6	43-27-35.523N 076-30-39.631W	FI R 6s		4	Red	Maintained from May. 14 to Nov. 1.
2105	Oswego Harbor West Channel Light 2	43-27-58.336N 076-31-12.380W	FI R 4s	32	4	TR on pile.	
2110	Oswego Harbor West Channel Buoy 3	43-27-53.279N 076-31-13.512W				Green can.	Maintained from May 14 to Nov 1.
2115	Oswego Harbor West Channel Buoy 5	43-27-47.679N 076-31-27.913W				Green can.	Maintained from May 14 to Nov 1.
2120	Oswego Harbor West Channel Buoy 7	43-27-41.978N 076-31-41.914W				Green can.	Maintained from May 14 to Nov 1.
2125	UFI Weather Research Buoy 1	43-29-27.060N 076-30-59.436W	FI Y 4s				Maintained from May.1 to Nov.1.
2128	USSD CDIP 274 Weather Wave Buoy 1	43-30-02.754N 076-32-18.326W	FI Y 5s				Maintained from Apr.1 to Nov.30.
2130	Ford Shoal Lighted Buoy 1	43-26-57.291N 076-35-20.734W	FI G 4s		4	Green.	Maintained from May 7 to to Nov. 14.
2135	Fair Haven Breakwater Light 2	43-21-01.233N 076-42-30.819W	FI R 4s		7	TR on post.	
2140	Fair Haven Breakwater Light 1	43-21-01.133N 076-42-27.019W	FI G 4s		6	SG on post.	
2141.1	Blind Sodus Bay Breakwater Barrier Danger Buoy 1	43-20-27.550N 076-44-02.680W	FI Y 4s				Maintained from Apr.1 to Nov.30.
2141.2	Blind Sodus Bay Breakwater Barrier Danger Buoy 2	43-20-29.420N 076-44-00.630W	FI Y 4s				Maintained from Apr.1 to Nov.30.
2141.3	Blind Sodus Bay Breakwater Barrier Danger Buoy 3	43-20-31.170N 076-43-58.400W	FI Y 4s				Maintained from Apr.1 to Nov.30.
2141.4	Blind Sodus Bay Breakwater Barrier Danger Buoy 4	43-20-32.990N 076-43-56.370W	FI Y 4s				Maintained from Apr.1 to Nov.30.

2141.5	Blind Sodus Bay Breakwater Barrier Danger Buoy 5	43-20-34.730N 076-43-54.230W	FI Y 4s				Maintained from Apr.1 to Nov.30.
2141.6	Blind Sodus Bay Breakwater Barrier Danger Buoy 6	43-20-36.990N 076-43-51.050W	FI Y 4s				Maintained from Apr.1 to Nov.30.
2141.7	Blind Sodus Bay Breakwater Barrier Danger Buoy 7	43-20-39.130N 076-43-47.720W	FI Y 4s				Maintained from Apr.1 to Nov.30.
2141.8	Blind Sodus Bay Breakwater Barrier Danger Buoy 8	43-20-38.300N 076-43-42.680W	FI Y 4s				Maintained from Apr.1 to Nov.30.
2141.9	Blind Sodus Bay Breakwater Barrier Danger Buoy 9	43-20-38.310N 076-43-40.060W	FI Y 4s				Maintained from Apr.1 to Nov.30.
2141.11	Blind Sodus Bay Breakwater Barrier Danger Buoy 10	43-20-38.320N 076-43-37.440W	FI Y 4s				Maintained from Apr.1 to Nov.30.
2142.2	Blind Sodus Bay Breakwater Barrier Red Buoy 2	43-20-34.930N 076-43-47.280W	FI R 2.5s				Maintained from Apr.1 to Nov.30.
2142.4	Blind Sodus Bay Breakwater Barrier Red Buoy 4	43-20-37.660N 076-43-45.320W	FI R 2.5s				Maintained from Apr.1 to Nov.30.
2142.1	Blind Sodus Bay Breakwater Barrier Green Buoy 1	43-20-35.530N 076-43-44.440W	FI G 4s				Maintained from Apr.1 to Nov.30.
2142.3	Blind Sodus Bay Breakwater Barrier Green Buoy 3	43-20-37.300N 076-43-43.970W	FI G 4s				Maintained from Apr.1 to Nov.30.
2145	Port Bay Entrance Lighted Buoy 1	43-18-19.500N 076-50-14.000W	Iso G 2s			Green.	
2150	Port Bay Entrance Light 2	43-18-19.500N 076-50-15.200W	Q R			On red pile.	
2155	Port Bay Lighted Buoy 3	43-18-17.000N 076-50-15.200W	Iso G 2s			Green.	
2165	Port Bay Lighted Buoy 5	43-18-15.000N 076-50-15.000W	Iso G 2s			Green.	
2168	SUNY ESF Buoy	43-16-54.600N 076-57-39.000W	FI Y 4s				Maintained from Apr. 1 to Nov. 30.
2170	Sodus Outer Light	43-16-38.707N 076-58-26.261W	Iso R 6s	10		Tower.	
2180	Sodus Bay East Pier Light 1	43-16-36.959N 076-58-21.369W	FI G 4s	12	6	SG on grey post.	
2182	Sodus Bay Channel Lighted Buoy 4	43-16-20.100N 076-58-25.865W	FI R 2.5s	3		Red.	Maintained from May 14 to Nov. 1.
2185	Sodus Bay Channel Lighted Buoy 5	43-16-20.069N 076-58-21.304W	FI G 2.5s	3		Green.	Maintained from May 14 to Nov. 1.
2190	Sodus Bay Light 6	43-16-11.733N 076-58-25.949W	FI R 4s	15	4	TR on white column.	
2200	Newark Island Danger Lighted Buoy	43-15-57.733N 076-57-34.919W	Q W	3		White can with orange bands and diamond worded DANGER ROCKS	Maintained from May 14 to Nov. 1.
2205	Sodus Bay Special Anchorage Buoy A	43-15-51.873N 076-58-32.071W				Yellow can.	Maintained from May 14 to Nov. 1.
2207	Sodus Bay Special Anchorage Buoy B	43-15-53.589N 076-58-46.159W				Yellow can.	Maintained from May 14 to Nov. 1.
2209	Sodus Bay Special Anchorage Buoy C	43-15-54.231N 076-58-48.943W				Yellow can.	Maintained from May 14 to Nov. 1.
2211	Sodus Bay Special Anchorage Buoy D	43-15-54.993N 076-58-59.143W				Yellow can.	Maintained from May 14 to Nov. 1.
2215	Davenport Marine Dock Light	43-13-30.000N 076-55-36.000W	F G			On pile.	
2220	Pultneyville Yacht Club Light	43-17-06.000N 077-11-06.000W	FI W 4s			On pile.	Maintained from Apr. 30 to Sep. 30.
2225	Pultneyville Outer Range Front Light	43-16-57.000N 077-10-57.000W	F G			White diamond daymark on pile.	Maintained from Apr. 30 to Sep. 30.
2230	Pultneyville Outer Range Rear Light	43-16-56.000N 077-10-57.000W	F G			White diamond daymark on pile.	Maintained from Apr. 30 to Sep. 30.
2235	Pultneyville Entrance Lighted Buoy 1	43-17-05.000N 077-10-56.500W	FI G 3s			Green.	Maintained from Apr. 30 to Sep. 30.
2240	Pultneyville Entrance Lighted Buoy 2	43-17-05.000N 077-10-58.000W	FI R 3s			Red.	Maintained from Apr. 30 to Sep. 30.
2245	Pultneyville Entrance Lighted Buoy 3	43-17-01.000N 077-10-56.500W	FI G 3s			Green.	Maintained from Apr. 30 to Sep. 30.
2250	Pultneyville Entrance Lighted Buoy 4	43-17-01.000N 077-10-58.000W	FI R 3s			Red.	Maintained from Apr. 30 to Sep. 30.
2255	Pultneyville Inner Range Front Light	43-16-59.000N 077-11-06.000W	F R			White diamond shaped daymark with red border on post.	Maintained from Apr. 30 to Sep. 30.
2260	Pultneyville Inner Range Rear Light	43-17-00.000N 077-11-12.000W	F R			White diamond shaped daymark with red border on pile.	Maintained from Apr. 30 to Sep. 30.

2265	Pultneyville Entrance Lighted Buoy 5	43-17-06.000N 077-11-00.000W	FI G 3s			Green.	Maintained from Apr. 30 to Sep. 30.
2270	Pultneyville Entrance Lighted Buoy 6	43-17-06.000N 077-11-00.000W	FI R 3s			Red.	Maintained from Apr. 30 to Sep. 30.
2271.8	R. E. Ginna Nuclear Security Zone No Entry Buoy I	43-16-46.800N 077-18-18.000W				White can with orange bands and exclusion symbol worded NO ENTRY.	
2271.7	R. E. Ginna Nuclear Security Zone No Entry Buoy H	43-16-57.000N 077-18-18.000W				White can with orange bands and exclusion symbol worded NO ENTRY.	
2271.6	R. E. Ginna Nuclear Security Zone No Entry Buoy G	43-17-07.800N 077-18-18.000W				White can with orange bands and exclusion symbol worded NO ENTRY.	
2271.5	R. E. Ginna Nuclear Security Zone No Entry Buoy F	43-17-18.000N 077-18-18.000W				White can with orange bands and exclusion symbol worded NO ENTRY.	
2271.4	R. E. Ginna Nuclear Security Zone No Entry Buoy E	43-17-18.000N 077-18-30.000W				White can with orange bands and exclusion symbol worded NO ENTRY.	
2271.3	R. E. Ginna Nuclear Security Zone No Entry Buoy D	43-17-18.000N 077-18-42.000W				White can with orange bands and exclusion symbol worded NO ENTRY.	
2271.2	R. E. Ginna Nuclear Security Zone No Entry Buoy C	43-17-18.000N 077-18-54.000W				White can with orange bands and exclusion symbol worded NO ENTRY.	
2271.1	R. E. Ginna Nuclear Security Zone No Entry Buoy B	43-17-07.800N 077-18-54.000W				White can with orange bands and exclusion symbol worded NO ENTRY.	
2271	R. E. Ginna Nuclear Security Zone No Entry Buoy A	43-16-57.000N 077-18-54.000W				White can with orange bands and exclusion symbol worded NO ENTRY.	
2275	Webster Park Breakwater Light 1	43-15-45.000N 077-27-01.000W	FI G 6s			On post on jetty.	Maintained from May 1 to Oct. 15.
2277	Canadian Weather Buoy 12 - 5 (C)	43-30-37.000N 077-05-07.000W	F Y				Maintained from Apr 1. to Nov. 30
2278	Canadian Spar Buoy 89 (C)	43-30-36.000N 077-04-45.000W	F Y				Maintained from Apr 1. to Nov. 30
2280	Irondequoit Bay Light 2	43-14-17.533N 077-32-01.720W	FI R 4s	15	5	White cylindrical tower with red band.	
2285	Irondequoit Bay Light 3	43-14-13.333N 077-32-01.420W	FI G 2.5s	12	4	SG on post.	
2290	Irondequoit Bay Light 4	43-14-03.033N 077-32-04.020W	FI R 4s	6	4	TR on pile.	
2300	Irondequoit Bay Light 5	43-13-50.033N 077-32-03.020W	Q G	6	4	SG on pile.	
2305	Irondequoit Bay Light 6	43-13-50.033N 077-32-04.020W	Q R	6	4	TR on pile.	
2310	Irondequoit Bay Light 7	43-13-34.033N 077-32-09.020W	FI G 4s	6	4	SG on pile.	
2315	Irondequoit Bay Light 8	43-13-34.033N 077-32-11.020W	FI R 4s	12	3	TR on pile.	
2318	USGS Irondequoit Bay Weather Buoy 1	43-13-14.130N 077-31-59.640W	FI Y 4s				
2320	Rochester Harbor Light	43-15-50.073N 077-35-56.342W	FI R 4s	40	9	White cylindrical tower with red band.	
2330	Rochester Harbor East Pier Light	43-15-44.653N 077-35-54.330W	FI G 4s	18	8	On post.	
2333	Charlotte-Genesee Lighthouse	43-15-09.975N 077-36-38.142W	F W				
2335	Genesee River Turning Basin Buoy 4	43-14-02.124N 077-37-04.077W				Red nun.	Maintained from May 7 to Nov 7.
2337	Genesee River Lighted Buoy WR2	43-14-20.298N 077-36-50.799W	Q R		3		Maintained from May 7 to Nov 7.
2340	Braddock Bay Channel Light 1	43-18-23.000N 077-42-55.000W	FI G 4s			SG on post.	Maintained from Apr. 15 to Sep. 15.
2343.1	Braddock Bay Light 1	43-18-57.788N 077-42-38.483W	F G			Single Pile White	
2343.2	Braddock Bay Light 2	43-18-59.778N 077-42-39.074W				Single Pile White	
2343.3	Braddock Bay Light 3	43-18-56.772N 077-42-44.460W				Single Pile White	
2343.4	Braddock Bay Light 4	43-18-57.715N 077-42-45.144W	F R			Single Pile White	
2343.5	Braddock Bay Light 5	43-18-54.612N 077-42-50.832W	F G			Single Pile White	
2343.6	Braddock Bay Light 6	43-18-55.630N 077-42-51.433W	F R			Single Pile White	
2345	Braddock Bay Channel Light 2	43-18-24.000N 077-42-30.000W	FI R 4s			TR on post.	Maintained from Apr. 15 to Sep. 15.

2350	Braddock Point Light	43-20-28.333N 077-45-45.520W	Iso W 6s	14	Brown circular tower.		
2355	Wautoma Shoal Lighted Buoy 1	43-21-28.724N 077-48-13.411W	Fl G 4s	4	Green.	Maintained from May 7 to Nov. 14.	
2356	Brockport Harbor Light	43-21-09.440N 077-53-30.030W	Q W		On post.	Maintained from Jun. 1 to Oct. 1.	
2357	Canadian Weather Buoy 12 - 6 (C)	43-34-59.000N 078-13-59.000W	F Y			Maintained from Apr 1. to Nov. 30	
2358	Canadian Spar Buoy 17 (C)	43-35-10.000N 078-14-01.000W	F Y			Maintained from Apr 1. to Nov. 30	
2360	Eagle Creek Marina Entrance Light 1	43-22-05.000N 078-01-52.000W	Iso G 2s		SG on post.	Maintained from Apr. 15 to Nov. 1.	
2361	Eagle Creek Marina Entrance Light 2	43-22-07.000N 078-01-48.000W	Iso R 2s		TR on post.	Maintained from Apr. 15 to Nov. 1.	
2362	Eagle Creek Marina Entrance Light 3	43-22-04.500N 078-01-45.000W	Iso G 2s		SG on post.	Maintained from Apr. 15 to Nov. 1.	
2363	Eagle Creek Marina Entrance Light 4	43-22-04.500N 078-01-48.000W	Iso R 2s		TR on post.	Maintained from Apr. 15 to Nov. 1.	
2364	Canadian Weather Buoy S - 3067 (C)	43-23-08.000N 078-00-01.000W	Fl Y 4s		Spar Buoy	Maintained from Apr.1 to Nov.1.	
2365	Oak Orchard Breakwater Light B	43-22-28.363N 078-11-31.701W	Fl W 6s	25	6	NR on post.	
2370	Oak Orchard Breakwater Light A	43-22-28.273N 078-11-28.501W	Q W	20	5	NR on post.	
2375	Oak Orchard Breakwater Light C	43-22-28.463N 078-11-35.441W	Q W	20	5	NR on post.	
2380	Oak Orchard Jetty Light 3	43-22-25.573N 078-11-30.351W	Fl G 4s	22	5	SG on post.	
2390	Oak Orchard Jetty Light 4	43-22-25.593N 078-11-33.331W	Fl R 4s	22	5	TR on post.	
2391	Oak Orchard Harbor Light	43-22-20.040N 078-11-29.400W	F W		1		
2393	Golden State Park Entrance Light 3	43-22-18.000N 078-28-40.000W	Q G			SG on pole.	
2395	Thirtymile Point Light	43-22-29.500N 078-29-10.700W	Fl W 10s			Square tower on northeast corner of two-story house.	Maintained from Apr. 1 to Nov. 1.
2396	Olcott Harbor Detached Breakwater West Light	43-20-32.340N 078-43-12.014W	Fl W 4s			Single Pile White Light 19.2 FT	Maintained Year round.
2397	Olcott Harbor Detached Breakwater East Light	43-20-32.840N 078-43-07.600W	Fl W 4s			Single Pile White Light 19.2 FT	Maintained Year round.
2400	Olcott Light	43-20-26.478N 078-43-10.939W	Fl R 2.5s	26	6	TR on post.	
2405	Wilson Harbor Pierhead Light 2	43-19-10.544N 078-50-13.480W	Fl R 4s	24	7	TR on post.	
2410	Wilson Harbor Buoy 4	43-19-00.182N 078-50-10.037W				Red nun.	Maintained from May 1 to Nov. 1.
2415	Wilson Harbor Buoy 3	43-19-03.489N 078-50-08.818W				Green can.	Maintained from May 1 to Nov. 1.
2420	Wilson Harbor Daybeacon 6	43-18-57.433N 078-50-13.232W		6		TR on pile.	
2425	Wilson Harbor Daybeacon 7	43-18-55.403N 078-50-13.512W		8		SG on pile.	
2430	Wilson Harbor Daybeacon 8	43-18-56.343N 078-50-16.282W		8		TR on pile.	
2440	Wilson Harbor Daybeacon 10	43-18-56.273N 078-50-24.262W		8		TR on pile.	
2445	Wilson Harbor Daybeacon 12	43-18-51.753N 078-50-34.932W		8		TR on pile.	
2450	Wilson Harbor Daybeacon 13	43-18-50.173N 078-50-35.862W		8		SG on pile.	
2455	Wilson Harbor Daybeacon 15	43-18-50.383N 078-50-39.652W		8		SG on pile.	
2460	Wilson Harbor Daybeacon 16	43-18-52.513N 078-50-42.032W				TR on pile.	
2465	Wilson Harbor Daybeacon 17	43-18-49.843N 078-50-43.772W				SG on pile.	
2470	Wilson Harbor Daybeacon 18	43-18-50.343N 078-50-47.322W		8		TR on pile.	
2475	Wilson Harbor Daybeacon 20	43-18-47.473N 078-50-49.762W		8		TR on pile.	

2480	Wilson Harbor Daybeacon 21	43-18-44.833N 078-50-52.802W		8		SG on pile.	
2485	Fort Niagara Light 5	43-15-42.562N 079-03-50.062W	Oc G 4s	80	10	SG on tower.	
2490	Niagara Bar Lighted Buoy 2	43-19-02.426N 079-04-14.096W	FI R 4s		4	Red.	Replaced by nun from Nov. 14 to May 7.
2495	Fort Niagara Lighted Bell Buoy 3	43-16-24.483N 079-04-30.010W	FI G 4s		4	Green.	Replaced by can from Nov. 14 to May 7.
2505	Niagara River Range Front Light (C)	43-15-18.032N 079-03-42.022W	F R			White tower with red top.	Visible on range line only. Seasonal.
2515	Youngstown Safe Boating Zone Lighted Float A	43-15-17.000N 079-03-19.000W	Q Y			4x8 foot yellow float displaying two 34x12 inch sign boards.	Maintained from May 1 to Nov. 1.
2516	Youngstown Safe Boating Zone Lighted Float B	43-14-40.800N 079-03-17.000W	Q Y			4x8 foot yellow float displaying two 34x12 inch sign boards.	Maintained from May 1 to Nov. 1.
2517	Youngstown Safe Boating Zone Lighted Float C	43-14-16.000N 079-03-18.500W	Q Y			4x8 foot yellow float displaying two 34x12 inch sign boards.	Maintained from May 1 to Nov. 1.
2535	Outer Light (C)	43-14-42.032N 079-13-06.022W	FI R 10s		15	Red skeleton tower.	Maintained from Apr. to Dec. Seasonal.
2550	St. Catherine'S Outer Light (C)	43-14-42.032N 079-12-30.022W	Iso R 2s		5	White cylindrical tower with red top.	Seasonal.
2555	Entrance Range Front Light (C)	43-13-24.032N 079-13-00.022W				On orange and white post.	
2565	Nine Mile Point Light (C)	44-09-06.034N 076-33-24.019W	FI W 10s		20	White circular tower with red top.	Seasonal. Emergency light.
2570	Pigeon Island Light (C)	44-04-00.034N 076-33-00.019W	FI W 4s		8	White square skeleton tower with red top.	Seasonal.
2580	South Charity Shoal Lighted Buoy M7 (C)	43-59-00.034N 076-32-30.019W	FI G 4s			Green.	
2585	Main Duck Island Light (C)	43-55-54.034N 076-38-18.019W	FI W 6s		20	White octagonal tower with red upper portion.	Seasonal. Emergency light.
2595	The Ducks Lighted Buoy MM2 (C)	43-54-36.034N 076-35-42.019W	FI R 4s			Red.	
2600	Main Duck Island Lighted Buoy M9 (C)	43-50-00.034N 076-40-30.019W	FI G 4s			Green.	
2610	William Shoal Lighted Buoy K11 (C)	43-55-30.034N 076-47-48.020W	FI G 4s			Green.	Seasonal.
2615	False Ducks Light (C)	43-56-54.034N 076-47-54.020W	FI R 4s		20	Hexagonal tower with red and white bands.	Seasonal.
2620	False Ducks Bank Lighted Buoy K12 (C)	43-56-00.034N 076-48-42.020W	FI R 4s			Red.	Seasonal.
2625	Traverse Shoal Lighted Buoy K14 (C)	43-54-12.034N 076-50-48.020W	FI R 4s			Red.	Seasonal.
2630	Prince Edward Point Light (C)	43-56-12.034N 076-51-30.020W	Iso W 2s		6	White skeleton tower.	Seasonal.
2635	Point Petre Light (C)	43-50-24.033N 077-09-12.020W	FI W 10s		15	Red and white banded circular tower.	Seasonal.
2645	Scotch Bonnet Island Light (C)	43-54-00.033N 077-32-36.021W	FI W 4s		6	White skeleton tower.	
2650	Proctor Point Light (C)	43-58-18.033N 077-44-48.021W	FI R 4s			White circular tower with red top.	Seasonal.
2655	NOAA Lighted Weather Buoy 45012	43-37-15.033N 077-24-03.020W	FI (4)Y 20s		4	Yellow disk-shaped hull.	Replaced by nun Nov. 1 to Apr. 1.
2665	Buffalo Safe Water VAIS	42-50-08.671N 078-55-25.943W					AIS MMSI: 993682126
2670	Buffalo Intake Crib Light	42-52-48.000N 078-54-42.000W	FI (2)W 5s			Large circular building on concrete crib.	Maintained from Apr. 15 to Nov. 1.
2675	Buffalo Harbor West Breakwater Light	42-52-29.592N 078-54-20.111W	FI W 4s	18	5	NG on post.	
2680	Buffalo Harbor Light	42-52-14.232N 078-54-09.219W	FI G 2.5s		12	White tower.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Ch. 83A.
2690	Buffalo Harbor North Entrance Channel Lighted Bell Buoy 1	42-51-41.841N 078-54-29.248W	FI G 4s		4	Green.	Maintained from Apr. 28 to Dec. 1.
2695	Buffalo Harbor North Entrance Channel Lighted Buoy 2	42-51-38.131N 078-54-19.091W	FI R 4s		4	Red.	Maintained from Apr. 28 to Dec. 1.
2700	Buffalo Harbor North Entrance Channel Lighted Buoy 4	42-52-09.241N 078-53-58.001W	FI R 4s		4	Red.	Maintained from Apr. 28 to Dec. 1.
2705	Buffalo Harbor North Entrance Light 5	42-52-35.352N 078-53-53.641W	FI G 2.5s	18	5	SG on post.	
2710	Buffalo Harbor North Entrance Light 6	42-52-26.792N 078-53-46.051W	FI R 2.5s	30	5	TR on post.	

2715	Buffalo Harbor Old Breakwater North End Light	42-52-39.292N 078-53-57.201W	Fl W 2.5s	19	5	NR on post.	
2720	Buffalo Harbor North Entrance Light 7	42-52-49.492N 078-53-45.581W	Fl G 2.5s	16	7	SG on post.	
2725	Buffalo Coast Guard Slip Light	42-52-38.122N 078-53-28.140W	Iso R 6s	16	4	TR on post.	
2730	Buffalo River Light 2	42-52-40.520N 078-53-23.342W	Oc R 4s	22	7	TR on post.	
2735	Buffalo River Junction Lighted Buoy BR	42-52-46.750N 078-53-31.261W	Fl (2+1)R 6s		4	Red and green bands.	Year round buoy unlighted from Dec. 21 to Apr. 1.
2740	Buffalo River Light 5	42-52-44.300N 078-53-15.200W	Fl G 3s			On white pile.	Maintained from Apr. 1 to Dec. 15.
2785	Black Rock Canal Lighted Buoy 1	42-53-02.590N 078-53-34.301W	Fl G 4s		3	Green.	Year round buoy unlighted from Dec. 21 to Apr. 1.
2790	State Breakwater Light 2	42-53-06.000N 078-53-26.000W	Fl R 4s			TR on white skeleton tower with small white house with enclosed base.	Maintained from Apr. 1 to Dec. 15.
2795	Black Rock Canal Lighted Buoy 3	42-53-09.803N 078-53-34.560W	Fl G 2.5s		3	Green.	Replaced by can from Dec. 21 to Apr. 14.
2805	Black Rock Canal Lighted Buoy 5	42-53-21.926N 078-53-46.566W	Fl G 4s		4	Green.	Replaced by can from Dec. 21 to Apr. 14.
2810	Black Rock Canal Lighted Buoy 6	42-53-23.750N 078-53-44.251W				Red	Replaced by nun from Dec. 21 to Apr. 14.
2820	Black Rock Canal Lighted Buoy 8	42-53-27.400N 078-53-51.512W	Fl R 4s		4	Red.	Replaced by nun from Dec. 21 to Apr. 14.
2825	Black Rock Canal Lighted Buoy 9	42-53-34.260N 078-54-04.312W	Fl G 4s		3	Green.	Replaced by can from Dec. 21 to Apr. 14.
2830	Black Rock Canal Lighted Buoy 10	42-53-33.718N 078-53-59.962W	Fl R 2.5s		3	Red.	Replaced by nun from Dec. 21 to Apr. 14.
2835	Black Rock Canal Lighted Buoy 11	42-53-43.320N 078-54-10.383W	Fl G 2.5s		3	Green.	Replaced by can from Dec. 21 to Apr. 14.
2840	Black Rock Canal Lighted Buoy 12	42-53-43.520N 078-54-07.072W	Fl R 4s		4	Red.	Replaced by nun from Dec. 21 to Apr. 14.
2845	Black Rock Canal Lighted Buoy 13	42-53-49.170N 078-54-11.833W	Fl G 4s		4	Green.	Replaced by can from Dec. 21 to Apr. 14.
2850	Black Rock Canal Lighted Buoy 14	42-53-49.823N 078-54-08.743W	Fl R 2.5s		4	Red.	Replaced by nun from Dec. 21 to Apr. 14.
2860	Black Rock Canal Lighted Buoy 16	42-53-57.897N 078-54-08.453W	Fl R 4s		4	Red.	Replaced by nun from Dec. 21 to Apr. 14.
2865	Black Rock Canal Lighted Buoy 17	42-54-13.270N 078-54-09.433W	Fl G 4s		4	Green.	
2875	Black Rock Canal Lighted Buoy 19	42-55-08.279N 078-54-05.774W	Fl G 4s		4	Green.	Replaced by can from Dec. 21 to Apr. 14.
2880	Black Rock Canal Lighted Buoy 21	42-55-25.709N 078-54-00.844W	Fl G 2.5s		4	Green.	
2885	Black Rock Canal Lighted Buoy 23	42-55-39.629N 078-54-01.485W	Fl G 4s		4	Green.	Replaced by can from Dec. 21 to Apr. 14.
2890	Black Rock Canal Lighted Buoy 24	42-55-41.993N 078-53-57.944W	Fl R 4s		4	Red.	
2895	Black Rock Canal Lighted Buoy 25	42-55-48.209N 078-54-04.388W	Fl G 2.5s		4	Green.	Replaced by can from Dec. 21 to Apr. 14.
2900	Black Rock Canal Lighted Buoy 26	42-55-47.349N 078-54-00.485W	Fl R 2.5s		4	Red.	Maintained from Apr. 14 to Dec. 21.
2905	Buffalo Harbor South Entrance Light 2	42-50-09.232N 078-52-28.821W	Fl R 6s	36	8	TR on post.	
2910	Buffalo Harbor South Entrance Light 3	42-50-07.322N 078-52-03.151W	Fl G 2.5s	15	6	SG on post.	
2915	Buffalo Harbor South Side Light 4	42-50-01.082N 078-52-03.551W	Fl R 2.5s	34	5	TR on post.	
2925	Lackawanna East Pierhead Light	42-49-52.900N 078-51-42.200W	F R			On black post.	Maintained from Apr. 1 to Dec. 31.
2930	Lackawanna West Pierhead Light	42-49-51.000N 078-51-45.100W	F R			On red post.	Maintained from Apr. 1 to Dec. 31.
2935	Union Canal Light	42-49-58.500N 078-51-37.800W	F R			On black post.	Maintained from Apr. 1 to Dec. 31.
2985	Strawberry Island Cut Lighted Buoy 1	42-56-38.088N 078-54-40.947W	Fl G 4s		3	Green.	Replaced by can from Dec. 21 to May 7.
2990	Harbour Place Marine North Light	42-56-35.000N 078-54-35.800W	F G			On post.	Maintained from Apr. 1 to Dec. 31.
2995	Harbour Place Marine South Light	42-56-33.000N 078-54-35.800W	F R			On post.	Maintained from Apr. 1 to Dec. 31.

3000	Strawberry Island Cut Upper Range Front Light	42-57-12.345N 078-54-37.653W	F R	16	9	KRW on gray post.	Visible 4° each side of range line.
3005	Strawberry Island Cut Upper Range Rear Light	42-57-20.131N 078-54-37.388W	F R	16		KRW on gray post.	Visible 4° each side of range line.
3010	Strawberry Island Cut Lighted Buoy 5	42-56-59.618N 078-54-39.937W	Q G		4	Green.	Replaced by can from Dec. 21 to May 7.
3015	Strawberry Island Cut Lower Range Front Light	42-57-02.013N 078-54-33.950W	F R	16	9	KRW on gray post.	Visible 1.5° each side of range line.
3020	Strawberry Island Cut Lower Range Rear Light	42-56-56.561N 078-54-27.459W	F R	60	10	KRW on skeleton tower.	Visible 1.5° each side of range line.
3025	Strawberry Island Cut Lighted Buoy 7	42-57-06.298N 078-54-42.637W	FI G 4s		3	Green.	Replaced by can from Dec. 7 to May 7.
3030	Strawberry Island Cut Buoy 8	42-57-13.228N 078-54-43.647W				Red nun.	
3045	Strawberry Island Cut Lighted Buoy 11	42-57-26.338N 078-55-06.238W	FI G 2.5s		4	Green.	Replaced by can from Dec. 07 to May 7.
3050	Strawberry Island Cut Buoy 12	42-57-28.808N 078-55-02.458W				Red nun.	
3060	Beaver Island State Park East Entrance Light 2	42-57-27.700N 078-57-18.500W	FI R 2s			TR on pile.	
3065	Beaver Island State Park West Entrance Light 1	42-57-28.500N 078-57-20.000W	FI G 2s			SG on pile.	
3070	Beaver Island State Park West Bulkhead Light	42-57-00.300N 078-57-42.000W	Q Y			NY on pile.	
3075	Grand Island Direction Light	42-58-40.162N 078-56-50.262W	F R W G	26	7	4 NB on gray post.	Red from 311.5° to 313.0° white from 313.0° to 314.0° green from 314.0° to 315.5°.
3085	Strawberry Island Cut Buoy 13	42-57-39.208N 078-55-24.779W				Green can.	
3090	Strawberry Island Cut Buoy 14	42-57-42.638N 078-55-22.859W				Red nun.	
3091	Strawberry Island Cut Lighted Buoy 15	42-57-53.797N 078-55-46.520W	FI G 4s		3	Green.	Replaced by can from Dec. 07 to May 7.
3095	Strawberry Island Cut Buoy 16	42-57-54.297N 078-55-39.000W				Red nun.	Maintained from May 7 to Dec. 7.
3105	Erie County Water Authority Lighted Intake Buoy ECWA	42-57-53.000N 078-55-53.000W	FI Y 2.5s			Yellow.	Maintained from Apr. 1 to Jan. 1.
3110	Strawberry Island Cut Buoy 18	42-58-12.037N 078-56-03.261W				Red nun.	
3135	Strawberry Island Cut Lighted Buoy 20	42-58-24.297N 078-56-21.472W	FI R 4s		4	Red.	Replaced by nun from Dec. 7 to May 7.
3140	Tonawanda Channel Buoy 21	42-58-28.737N 078-56-34.162W				Green can.	
3145	Tonawanda Channel Buoy 22	42-58-38.587N 078-56-28.572W				Red nun.	
3150	Tonawanda Channel Lighted Buoy 26	42-59-06.297N 078-56-44.793W	Q R		4	Red.	Replaced by nun from Dec. 7 to May 7.
3155.2	Collins Marine Entrance Light 2	42-59-45.000N 078-56-09.200W	F R		1	TR on post.	Maintained from Apr. 1 to Nov. 1.
3155.1	Collins Marine Entrance Light 1	42-59-47.000N 078-56-05.500W	F G		1	SG on post.	Maintained from Apr. 1 to Nov. 1.
3155	Tonawanda Channel Lighted Buoy 28	42-59-31.036N 078-56-34.653W	FI R 4s		3	Red.	Maintained from May 7 to Dec. 7.
3156	Tonawanda Channel Lighted Buoy 29	43-00-06.436N 078-55-59.162W	FI G 4s		4	Green.	Maintained from May 7 to Dec. 7.
3157	United Refinery Obstruction Light A	43-00-02.000N 078-55-46.000W	FI W 2s				
3158	United Refining Obstruction Middle Light	43-00-02.000N 078-55-45.000W	F R				
3159	United Refinery Obstruction Light B	43-00-02.000N 078-55-46.000W	FI W 2s				
3160	Tonawanda Channel Buoy 31	43-01-11.987N 078-53-32.527W				Green can.	Maintained from May 7 to Dec. 7.
3165	Tonawanda Intake Crib Light	43-01-00.000N 078-53-36.000W	FI W 4s			White triangular daymark with red top on stone base.	Maintained from Apr. 15 to Nov. 1.
3170	Tonawanda Island Buoy 1	43-01-20.650N 078-53-10.898W				Green can.	Maintained from May 7 to Dec. 7.
3180	Tonawanda Channel Buoy 33	43-01-22.377N 078-53-26.797W				Green can.	Maintained from May 7 to Dec. 7.
3183	Tonawanda Channel Buoy 34	43-01-21.887N 078-53-21.737W				Red nun.	Maintained from May 7 to Dec. 7.

3185	North Tonawanda Intake Crib Light	43-01-32.000N 078-53-28.500W	FI G 4s			Cylindrical structure on crib.	Maintained from Apr. 15 to Nov. 1.
3190	Tonawanda Channel Buoy 35	43-01-52.567N 078-53-27.208W				Green can.	Maintained from May 07 to Dec. 07.
3195	Tonawanda Channel Buoy 36	43-01-59.316N 078-53-21.726W				Red nun.	Maintained from May 7 to Dec 7.
3200	Lockport Intake Crib Light	43-01-57.000N 078-53-42.000W	FI W 4s			NW worded DANGER on cylindrical structure.	Maintained from May 15 to Nov. 1.
3215	Tonawanda Channel Buoy 37	43-02-14.306N 078-53-36.908W				Green can.	Maintained from May 7 to Dec 7.
3235	Niagara River Lighted Buoy 39	43-02-41.791N 078-53-42.403W	FI G 4s	3		Green.	Maintained from May 7 to Dec. 7.
3240	Niagara River Lighted Buoy 41	43-02-57.251N 078-54-06.523W	FI G 4s	3		Green.	Maintained from May 7 to Dec. 7.
3243	Niagara River Lighted Buoy 42	43-03-00.232N 078-54-05.223W	FI R 4s	3		Red.	Maintained from May 7 to Dec. 7.
3245	Niagara River Lighted Buoy 43	43-03-22.296N 078-55-18.414W	FI G 4s	3		Green.	Maintained from May 7 to Dec. 7.
3250	Niagara River Lighted Buoy 45	43-03-50.032N 078-56-37.922W	FI G 4s	3		Green.	Maintained from May 7 to Dec. 7.
3255	Niagara River Lighted Buoy 47	43-03-56.234N 078-58-46.022W	FI G 4s	3		Green.	Maintained from May 7 to Dec. 7.
3265	Little River Range Front Light	43-04-31.500N 078-57-10.000W	F R			On pile.	Maintained from May 1 to Nov. 1.
3270	Little River Range Rear Light	43-04-33.300N 078-57-10.500W	F R			On pile.	Maintained from May 1 to Nov. 1.
3275	Lasalle Yacht Club Pier East Light	43-04-24.000N 078-59-18.000W	F R				Maintained from Apr. 15 to Nov. 15.
3285	Niagara Mohawk Power Corporation Light	43-04-12.000N 079-00-00.000W	FI W 3s			Tower	Maintained from Apr. 15 to Nov. 15.
3292	Niagara Falls Intake Crib Light	43-04-13.968N 078-59-59.875W	FI W 2.5s			NW on concrete crib.	Maintained from Apr. 1 to Nov. 30.
3295	Niagara Falls Transmission Line Light B	43-04-12.000N 079-00-12.000W	FI W 3s			Gray cylindrical standard on concrete base.	Maintained from Apr. 15 to Nov. 15.
3300	Niagara Falls Transmission Line Light C	43-03-54.000N 079-00-06.000W	FI W 3s			Cylindrical standard.	Maintained from Apr. 15 to Nov. 15.
3305	Buckhorn Island Dike Light 1	43-04-10.000N 079-00-28.000W	FI W 4s				Maintained from Apr. 1 to Dec. 1.
3310	Buckhorn Island Dike Light 2	43-04-03.000N 079-00-21.000W	FI W 4s				Maintained from Apr. 1 to Dec. 1.
3315	Buckhorn Island Dike Light 3	43-04-02.000N 079-00-18.000W	FI W 4s				Maintained from Apr. 1 to Dec. 1.
3335	Big Six Mile Creek Light	43-01-38.000N 079-00-43.500W	F R			TR on post.	Maintained from May 1 to Nov. 1.
3340	Chippawa Light (C)	43-03-48.032N 079-02-54.022W	Iso R 2s			On ornamental pile.	Defines danger zone above Niagara Falls. Private aid.
3343	Niagara Safety Zone Light	43-04-41.032N 079-01-35.022W	Q Y	20	4	Safety Zone sign on monopile.	Marks Niagara Safety Zone above Niagara Falls.
3345	Niagara Falls Safety Buoy A	43-04-06.572N 079-01-07.102W				White can with orange bands and danger symbol.	Maintained from May 1 to Oct. 28.
3350	Niagara Falls Safety Buoy B	43-04-12.212N 079-01-03.082W				White can with orange bands and danger symbol.	Maintained from May 1 to Oct. 28.
3355	Niagara Falls Safety Buoy C	43-04-17.312N 079-00-59.822W				White can with orange bands and danger symbol.	Maintained from May 1 to Oct. 28.
3356	Niagara Falls Safety Buoy D	43-04-21.992N 079-00-56.482W				White can with orange bands and danger symbol.	Maintained from May 1 to Oct. 28.
3357	Niagara Falls Safety Buoy E	43-04-27.872N 079-00-52.522W				White can with orange bands and danger symbol.	Maintained from May 1 to Oct. 28.
3358	Niagara Falls Safety Buoy F	43-04-34.712N 079-00-56.482W				White can with orange bands and danger symbol.	Maintained from May 1 to Oct. 28.
3359.6	Canadian Niagara Falls Safety Buoy 6 (C)	43-04-08.432N 079-01-29.122W				White can with orange bands and danger symbols.	Maintained from May 1 to Oct. 7.
3359.5	Canadian Niagara Falls Safety Buoy 5 (C)	43-03-58.172N 079-01-40.222W				White can with orange bands and danger symbols.	Maintained from May 1 to Oct. 7.
3359.4	Canadian Niagara Falls Safety Buoy 4 (C)	43-03-56.012N 079-01-50.842W				White can with orange bands and danger symbols.	Maintained from May 1 to Oct. 7.
3359.3	Canadian Niagara Falls Safety Buoy 3 (C)	43-03-53.852N 079-02-02.002W				White can with orange bands and danger symbols.	Maintained from May 1 to Oct. 7.
3359.2	Canadian Niagara Falls Safety Buoy 2 (C)	43-03-50.492N 079-02-15.502W				White can with orange bands and danger symbols.	Maintained from May 1 to Oct. 7.

3359.1	Canadian Niagara Falls Safety Buoy 1 (C)	43-03-46.592N 079-02-32.782W					White can with orange bands and danger symbols.	Maintained from May 1 to Oct. 7.
3360	Seneca Shoal Lighted Buoy 2	42-47-36.241N 078-55-58.038W	FI R 4s		4		Red.	Maintained from May 7 to Dec. 1.
3365	Sturgeon Point Light 2	42-41-34.383N 079-02-43.737W	FI R 2.5s	0	4		TR on post.	
3370	Sturgeon Point Light 3	42-41-32.297N 079-02-43.761W	FI G 4s	0	4		SG on post.	
3375	Cattaraugus Creek North Breakwater Light 1	42-34-18.836N 079-08-17.830W	FI G 2.5s	28	5		SG on pile.	
3380	Cattaraugus Creek South Breakwater Light 2	42-34-21.674N 079-08-22.936W	FI R 2.5s	26	4		TR on pile.	
3410	Dunkirk Light	42-29-38.054N 079-21-14.140W	Oc W 4s			16		
3430	Dunkirk Harbor Light 1	42-29-35.811N 079-20-39.662W	FI G 4s	15	6		SG on pile.	
3435	Dunkirk Harbor Pierhead Light 2	42-29-34.542N 079-20-43.232W	FI R 6s	60	8		White cylindrical tower with red band.	
3440	Dunkirk Harbor Lighted Buoy 3	42-29-32.039N 079-20-32.779W	FI G 2.5s		4		Green can.	Maintained from May 14 to Nov. 01.
3445	Dunkirk Harbor Buoy 4	42-29-29.158N 079-20-31.806W					Red nun.	Maintained from May 14 to Nov. 01.
3450	Dunkirk Harbor Buoy 5	42-29-28.939N 079-20-23.279W					Green can.	Maintained from May 14 to Nov. 01.
3453	Dunkirk Harbor Lighted Buoy 6	42-29-27.139N 079-20-24.579W	FI (2)R 5s		4		Red nun.	Maintained from May 14 to Nov. 01.
3455	Dunkirk Harbor East Inner Breakwater West End Light 1	42-23-00.032N 079-20-12.022W	FI G 2.5s	32	4		SG on post.	
3460	Dunkirk Harbor West Inner Breakwater East End Light 2	42-29-23.032N 079-20-14.022W	FI R 2.5s	18	4		TR on post.	
3465	Dunkirk Harbor West Inner Breakwater West End Light 4	42-29-18.032N 079-20-30.022W	FI R 4s	28	4		TR on post.	
3467	Buffalo State College Weather Buoy 1	42-33-42.000N 079-25-56.000W	FI Y 4s					Maintained from May.1 to Nov.30.
3480	Barcelona Harbor East Breakwater Light	42-20-43.062N 079-35-44.050W	FI G 4s	22	7		SG on post.	
3485	Barcelona Harbor West Breakwater Light	42-20-42.800N 079-35-46.400W	FI R 4s	20	7		TR on post.	
3490	Willis Crib Dock Light	42-10-30.031N 080-00-30.022W	FI W 4s	18	7		NB on gray post.	
3493	Ocean Tech Meteorological Buoy 1	42-44-25.020N 079-07-55.020W	Q Y					Maintained from Apr.1 to Apr.1.
3495	Erie Harbor Pierhead Light	42-09-21.913N 080-04-16.845W	FI R 2.5s	36	7		Square tower with black and white bands.	
3505	International Paper East Crib Light	42-09-06.000N 080-03-30.000W	Q W				NG on gray pile.	Maintained from May 1 to Nov. 1.
3510	International Paper Obstruction Buoy	42-08-48.200N 080-03-29.000W					White can with orange bands and diamond worded ROCKS.	Maintained from May 1 to Nov. 1.
3515	Erie Harbor Entrance Lighted Bell Buoy 1	42-09-49.239N 080-03-10.731W	FI G 4s		4		Green.	Replaced by can from Dec. 7 to May 1. AIS MMSI: 993672195
3520	Erie Harbor Entrance Lighted Buoy 2	42-09-53.063N 080-03-15.474W	FI R 4s		3		Red.	Year round lighted buoy
3525	Erie Harbor Entrance Buoy 3	42-09-32.339N 080-03-43.733W					Green can.	
3530	Erie Harbor Entrance Buoy 4	42-09-36.539N 080-03-47.533W					Red nun.	
3535	Erie Harbor Entrance Lighted Buoy 5	42-09-18.639N 080-04-12.034W	FI G 2.5s		4		Green.	Replaced by can from Dec. 7 to May 1. AIS MMSI: 993672196
3540	Erie Harbor Light 7	42-09-12.031N 080-04-24.022W	FI G 4s		4		SG on post.	
3545	Erie Harbor Entrance Range Front Light	42-09-08.126N 080-04-36.892W	F G	20			KRW on skeleton tower.	Visible 4° each side of range line.
3550	Erie Harbor Entrance Range Rear Light	42-09-03.890N 080-04-45.100W	F G	50			KRW on skeleton tower.	Visible 4° each side of range line.
3555	John E. Lampe Municipal Marina Light 1	42-08-54.000N 080-04-30.000W	F G				SG on tower.	
3560	John E. Lampe Municipal Marina Light 2	42-08-55.000N 080-04-26.000W	F R				TR on tower.	
3565	Erie Harbor Light 8	42-09-06.431N 080-04-53.222W	FI R 4s	0	4		TR on post.	

3570	Erie Harbor Junction Buoy M	42-09-05.159N 080-04-54.720W				Red with green band; nun.	
3575	Erie Harbor Lighted Buoy 9	42-08-53.139N 080-05-08.337W	FI G 2.5s	4	Green.		Replaced by can from Nov. 1 to May 15
3580	Erie Harbor Lighted Buoy 10	42-08-55.834N 080-05-17.116W	FI R 2.5s	4	Red.		Replaced by nun from Nov. 1 to May 15.
3585	Erie Harbor Lighted Buoy 11	42-08-47.048N 080-05-11.473W	FI G 4s	4	Green.		Replaced by can from Nov 1 to May 15.
3590	Erie Harbor Lighted Buoy 12	42-08-47.239N 080-05-32.538W	FI R 4s	4	Red.		Replaced by nun from Nov. 1 to May 15.
3595	Erie Harbor Lighted Buoy 13	42-08-36.082N 080-05-06.323W	FI G 2.5s	4	Green.		Replaced by can from Nov. 1 to May 15.
3596	Erie Harbor Lighted Buoy 14	42-08-34.251N 080-05-41.804W	FI R 4s	4	Red.		Replaced by can from Nov. 1 to May 15.
3597.5	Erie Harbor No Wake Buoy	42-08-23.000N 080-05-32.000W				White can with orange bands worded SLOW-NO WAKE.	Maintained from May 15 to Sep. 15.
3597	Erie Harbor No Wake Buoy	42-08-18.300N 080-05-44.100W				White can with orange bands worded SLOW-NO WAKE.	Maintained from May 15 to Sep. 15.
3598.5	Erie Harbor No Wake Buoy	42-08-30.000N 080-05-13.300W				White can with orange bands worded SLOW-NO WAKE.	Maintained from May 15 to Sep. 15.
3598	Erie Harbor No Wake Buoy	42-08-26.200N 080-05-21.900W				White can with orange bands worded SLOW-NO WAKE.	Maintained from May 15 to Sep. 15.
3599	Erie Harbor No Wake Buoy	42-08-31.700N 080-05-07.600W				White can with orange bands worded SLOW-NO WAKE.	Maintained from May 15 to Sep. 15.
3615	Presque Isle Park Range Front Light	42-09-20.900N 080-06-47.000W	F R			KWB on skeleton tower.	
3620	Presque Isle Park Rear Range Light	42-09-25.500N 080-06-49.300W	F R			KWB on skeleton tower.	
3625	Presque Isle Park Light 1	42-09-10.200N 080-06-44.400W	FI G 2s			SG on post.	
3630	Presque Isle Park Light 2	42-09-10.000N 080-06-39.100W	FI R 2s			TR on post.	
3635	Presque Isle Park Light 3	42-09-13.000N 080-06-45.800W	FI G 2s			SG on post.	
3640	Presque Isle Park Light 4	42-09-12.700N 080-06-40.800W	FI R 2s			TR on post.	
3645	Erie Harbor Water Pipe Intake Buoy A	42-08-07.500N 080-05-57.500W				White and orange bands; spar.	Maintained from May 1 to Nov. 1.
3650	Erie Harbor Water Pipe Intake Buoy B	42-08-27.300N 080-06-47.500W				White with orange bands; spar.	Maintained from May 1 to Nov. 1.
3655	Erie Harbor Water Pipe Intake Buoy C	42-08-18.900N 080-07-39.800W				White with orange bands; spar.	Maintained from May 1 to Nov. 1.
3660	Erie Yacht Club Breakwater Light	42-07-24.900N 080-07-49.100W	FI W 2s			White lighthouse.	Maintained from Apr. 1 to Oct. 30.
3665	Erie Yacht Club Entrance Light 1	42-07-23.000N 080-07-52.400W	F G			SG on skeleton tower.	Maintained from May 30 to Oct. 15.
3670	Erie Yacht Club Entrance Light 2	42-07-21.900N 080-07-57.700W	F R			TR on skeleton tower.	Maintained from May 30 to Oct. 15.
3675	Erie Harbor West Shoal Buoy A	42-07-44.300N 080-08-05.700W				White can with orange bands.	Maintained from May 15 to Sep. 15.
3680	Erie Harbor West Shoal Buoy B	42-07-40.000N 080-08-10.900W				White can with orange bands.	Maintained from May 15 to Sep. 15.
3685	Erie Harbor West Shoal Buoy C	42-07-39.100N 080-08-19.500W				White can with orange bands.	Maintained from May 15 to Sep. 15.
3690	Presque Isle Light	42-09-56.831N 080-06-55.522W	Iso W 6s	15		Square tower.	
3692	DEP PA	42-08-39.840N 080-07-30.000W	FI Y 4s				
3693	NOAA RSC A	42-08-52.520N 080-15-59.040W	FI Y 4s				
3694	Canadian Spar Buoy 5 (C)	42-10-04.000N 080-17-01.000W	F Y				Maintained from Apr. 1 to Nov. 30
3695	Walnut Creek Breakwater Light	42-04-38.500N 080-14-25.000W	FI R 2.5s			On pile.	Maintained from May 1 to Nov. 1.
3696	Walnut Creek Channel Light	42-04-37.600N 080-14-23.100W	FI G 2s	12		On steel tower	Maintained from May 1 to Nov. 1.
3697	NOAA CHP Buoy 8	42-04-07.025N 080-25-01.100W	FI Y 4s				Maintained from May.1 to Dec.1.
3699	NOAA GLERL CHP 10 North of Presque Isle Wave Buoy 1	42-21-19.776N 080-04-21.828W	FI Y 4s				Maintained from May.1 to Dec.1.

3700	Conneaut Harbor Breakwater Light 1	41-58-50.053N 080-33-20.405W	FI G 4s	40	6	SG on gray post.	
3705	Conneaut Harbor West Breakwater Light	41-58-48.106N 080-33-27.321W	FI R 10s		12	Square pyramidal tower.	
3710	Conneaut Harbor East Gap Light 1	41-58-25.578N 080-32-44.091W	FI G 4s		4	SG on post.	
3715	Conneaut Harbor Pier Light 3	41-58-21.133N 080-32-55.571W	FI G 2.5s	16	4	SG on post.	
3720	Conneaut Harbor Pier Light 4	41-58-21.119N 080-32-54.972W	Iso R 6s		4	TR on post.	
3723	Conneaut Boat Club East Light	41-58-17.820N 080-33-07.560W	F G			SG on post.	Maintained from May 1 to Nov. 1.
3725	Conneaut Boat Club West Light	41-58-17.800N 080-33-08.580W	F R			TR on post.	Maintained from May 1 to Nov. 1.
3731	Conneaut Harbor North Light 1	41-58-13.000N 080-33-20.000W	FI G 3s			SG on post.	Maintained from May 1 to Nov. 1.
3732	Conneaut Harbor North Light 2	41-58-14.300N 080-33-19.800W	FI R 3s			TR on post.	Maintained from May 1 to Nov. 1.
3733	Conneaut Harbor Lighted Buoy 2	41-58-14.520N 080-33-22.320W	FI R 2.5s				Maintained from May 1 to Nov. 1.
3734	Conneaut Harbor Lighted Buoy 4	41-58-09.220N 080-33-20.570W	FI R 2.5s				Maintained from May 1 to Nov. 1.
3735	Conneaut Harbor Lighted Buoy 6	41-58-06.120N 080-33-20.500W	FI R 2.5s				Maintained from May 1 to Nov. 1.
3736	Conneaut Harbor Lighted Buoy 1	41-58-15.100N 080-33-18.560W	FI G 2.5s				Maintained from May 1 to Nov. 1.
3737	Conneaut Harbor Lighted Buoy 3	41-58-06.440N 080-33-18.450W	FI G 2.5s				Maintained from May 1 to Nov. 1.
3738	Conneaut Harbor Lighted Buoy 5	41-58-06.590N 080-33-18.280W	FI G 2.5s				Maintained from May 1 to Nov. 1.
3739	NOAA CHP Buoy 9	42-10-08.100N 080-51-06.100W	FI Y 4s				Maintained from May 1 to Dec. 1.
3742	Ashtabula Township Breakwall Light	41-54-30.000N 080-46-48.100W	F Y			On single pile.	
3745	Ashtabula Harbor Light	41-55-06.586N 080-47-45.863W	FI Y 6s		9		
3750	Ashtabula East Breakwater South End Light	41-54-47.671N 080-46-48.066W	FI W 4s	20	8	NR on post.	
3755	Ashtabula Harbor Entrance Light 1	41-55-11.617N 080-47-33.162W	FI G 4s	32	7	White cylindrical tower with green band.	
3760	Ashtabula Harbor Entrance Light 2	41-55-11.712N 080-47-42.140W	FI R 2.5s	38	7	White cylindrical tower with red band.	
3763	Limno Tech Ashtabula Harbor Weather Buoy I	41-54-30.150N 080-48-47.130W	FI Y 4s				Maintained from Apr.15 to Nov.15.
3765	Ashtabula Harbor Lighted Buoy 3	41-55-04.740N 080-47-30.488W	FI G 2.5s		3	Green.	Year round lighted buoy
3770	Ashtabula Harbor Junction Lighted Buoy A	41-54-57.080N 080-47-33.848W	FI (2+1)G 6s		3	Green with red band.	Year round lighted buoy.
3775	Ashtabula Harbor Inner Breakwater Light 7	41-54-43.267N 080-47-38.375W	FI G 2.5s	30	7	SG on post	
3780	Ashtabula Harbor East Basin Lighted Buoy 1	41-54-54.711N 080-47-18.697W	FI G 4s		4	Green.	Replaced by can Nov 15 to Apr 15
3785	Ashtabula Harbor East Basin Lighted Buoy 2	41-54-49.041N 080-47-24.407W	FI R 4s		3	Red.	Year round lighted buoy.
3790	Ashtabula River Light 1	41-54-38.631N 080-47-52.323W	FI G 2.5s	18	4	SG on post.	
3795	Ashtabula River Lighted Buoy 2	41-54-39.289N 080-47-54.996W	FI R 4s		3	Red	Maintained from Apr 15 to Nov. 15.
3800	Ashtabula River Light 4	41-54-32.831N 080-47-57.123W	FI R 6s	30	7	TR on grey post.	
3802	Ashtabula Buoy 5	41-53-53.731N 080-47-36.863W					Maintained from Apr. 14 to Nov. 14.
3803	Ashtabula Buoy 7	41-53-41.911N 080-47-45.623W					Maintained from Apr. 14 to Nov. 14.
3825	Geneva On The Lake Light 1	41-51-33.499N 080-58-27.947W	FI G 2.5s	30	3	White cylindrical tower with green band.	
3830	Geneva On The Lake Light 2	41-51-35.031N 080-58-26.023W	FI R 2.5s	28	5	TR on post.	
3832	North Perry Light 1	41-49-11.364N 081-06-13.825W	FI G 4s		5		

3832.1	North Perry East Breakwater Light	41-49-11.610N 081-06-10.977W	Fl W 4s	5			
3833	North Perry Light 2	41-49-10.757N 081-06-15.644W	Fl R 4s	5			
3833.1	North Perry West Breakwater Light	41-49-08.039N 081-06-21.085W	Fl W 4s	5			
3834	Painesville Fishing Pier Light	41-46-01.540N 081-14-01.440W					
3835	Fairport Harbor East Breakwater East End Light	41-46-03.061N 081-15-21.574W	Fl R 4s	24	6	TR on pile.	
3840	Fairport Harbor Breakwater Light A	41-45-57.655N 081-16-00.222W	Fl Y 2.5s	0	4	NY on post.	
3845	Fairport Harbor Breakwater Light B	41-46-00.133N 081-15-43.302W	Fl Y 2.5s	0	4	NY on post.	
3850	Lake County Outer PWI Crib Lighted Buoy	41-46-05.600N 081-15-46.200W	Fl W 3s			White with orange bands and diamond.	Maintained from Apr. 15 to Nov. 15.
3855	Lake County Inner Crib Light	41-45-39.200N 081-15-40.000W	Fl W 2.5s			NW on post.	Maintained from Apr. 15 to Nov. 15.
3860	Fairport Harbor East Breakwater Light	41-46-04.531N 081-16-43.824W	Fl G 4s	32	6	SG on post.	
3865	Fairport Harbor West Breakwater Extension Light	41-46-10.031N 081-16-50.024W	Fl R 2.5s	24	7	TR on post.	
3870	Fairport Harbor West Breakwater Light	41-46-04.331N 081-16-52.224W	Iso W 6s	0	13	Tower.	Fog Signal operates by keying microphone five times on VHF FM Channel 83A. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s sj).
3880	Fairport Harbor West Pier Light	41-45-42.031N 081-16-48.024W	F R	36	7	White cylindrical tower with red band.	
3885	Fairport Harbor East Pier Light	41-45-41.391N 081-16-47.874W	Iso G 6s	22	6	SG on post.	
3890	Fairport Harbor Port Authority Boat Ramp Light	41-45-34.200N 081-16-41.800W	Q R			On post.	Maintained from May 1 to Oct 31.
3891	Fairport Harbor Port Authority Breakwater Light	41-45-36.000N 081-16-40.000W	Fl W 4s			On post.	
3895	Morton Salt Company Boatloading North Light	41-45-15.300N 081-16-49.800W	F R				Maintained from May 1 to Nov. 1.
3896	Morton Salt Company Boatloading South Light	41-45-15.000N 081-16-50.000W	F R				Maintained from May.1 to Nov.1.
3900	Morton Salt Company Dolphin Light	41-45-12.600N 081-16-49.900W	F R			On dolphin.	Maintained from May 1 to Nov. 1.
3905	Painesville Inner Intake Crib Lighted Buoy 1	41-45-23.800N 081-17-52.500W	Q G			Green.	Maintained from Apr. 15 to Nov. 15.
3908	Limno Tech Fairport Harbor Weather Buoy H	41-43-31.650N 081-22-12.650W	Fl Y 4s				Maintained from Apr.15 to Nov.15.
3910	Mentor Harbor Light 1	41-43-30.000N 081-21-00.000W	F G			SG on white pile.	
3915	Mentor Harbor Light 2	41-43-30.000N 081-21-00.000W	F R			TR on white pile.	
3920	Mentor Harbor Light 3	41-43-30.000N 081-21-00.000W	Fl W 2s			White diamond daymark on white pile.	
3925	Mentor Harbor Light 4	41-43-30.000N 081-21-00.000W	F R			On post.	
3937	Canada Weather Spar Buoy 955 (C)	41-48-00.000N 081-26-50.000W	Fl Y 4s			Spar Buoy	Maintained from Apr.1 to Nov.1.
3940	Chagrin East Pier Light	41-40-37.800N 081-26-13.200W	Fl G 4s			On green post.	Maintained from May 1 to Oct. 31.
3945	Chagrin West Pier Light	41-40-37.000N 081-26-15.100W	Fl R 4s			On red post.	Maintained from May 1 to Oct. 31.
3950	Chagrin West Pier Inner Light	41-40-35.200N 081-26-13.300W	F R			On red post.	Maintained from May 1 to Oct. 31.
3955	Eastlake Intake Breakwater Light	41-40-27.400N 081-26-49.900W	Q Y			NW on post worded DANGER.	Maintained from Apr. 15 to Nov. 1.
3960	NOAA CHP Buoy 4	41-59-04.000N 081-35-12.000W	Fl Y 4s				Maintained from May.1 to Dec.1.
3961	NOAA / GLERL North of Euclid Harbor CHP 5 Weather Wave Buoy	41-45-47.279N 081-25-42.480W	Fl Y 4s			Yellow Spar Buoy	Maintained from June.1 to Dec.1.
3975	Wildwood Park West Detached Breakwater Light	41-35-17.000N 081-34-02.000W	Q W			NW on pile.	
3980	Wildwood Park Center Detached Breakwater Light	41-35-19.000N 081-34-00.000W	Q W			NW on pile.	
3985	Wildwood Park East Detached Breakwater Light	41-35-21.000N 081-39-59.000W	Q W			NW on pile.	

3987	NOAA / GLERL North of Cleveland Harbor CHP 3 Weather Wave Buoy	41-36-51.480N 081-38-31.559W	Fl Y 4s		Yellow Spar Buoy	Maintained from June.1 to Dec.1.
3990	Wildwood Park East Pierhead Light	41-35-18.000N 081-34-58.000W	Fl G 4s		SG on pile.	
3995	Wildwood Park West Pierhead Light	41-35-14.000N 081-33-58.000W	Fl R 4s		TR on pile.	
3996	Wildwood Park Inner Pierhead Light	41-35-15.000N 081-33-54.000W	Fl G 4s		SG on pile.	
4009	Limno Tech Euclid Beach Weather Buoy G	41-35-07.230N 081-34-58.500W	Fl Y 4s			Maintained from Apr.15 to Nov.15.
4010	Limno Tech Rocky River Weather Buoy 1	41-31-15.440N 081-52-49.030W	Fl Y 4s			Maintained from May.1 to Nov.30.
4015	Northeast Yacht Club Outer Light	41-34-25.000N 081-35-03.000W	F R		On pile.	Maintained from Mar. 15 to Nov. 1.
4020	Northeast Yacht Club Inner Light	41-34-24.000N 081-35-04.000W	F G		On pile.	Maintained from Mar. 15 to Nov. 1.
4021	Newport Harbor Entrance Light 1	41-33-25.000N 081-36-30.000W	F G		SG on post.	Maintained from May 1 to Nov. 1.
4022	Newport Harbor Entrance Light 2	41-33-25.000N 081-36-33.000W	F R		TR on post.	Maintained from May 1 to Nov. 1.
4025	Cleveland Research Buoy	41-44-00.660N 081-41-54.240W	Fl Y 4s			Secured with two point mooring system lighted spar buoys with the same flash characteristics marking mooring locations.
4026	Canada Weather Spar Buoy 957 (C)	41-41-41.340N 081-45-07.870W	Fl Y 4s			Maintained from Apr.15 to Nov.1.
4027	Limno Tech Cleveland A	41-35-31.200N 081-47-31.200W				
4027.1	Limno Tech Cleveland B	41-44-06.000N 081-41-52.800W				
4028	Canadian Weather Buoy 12 - 2 (C)	41-56-14.000N 081-38-58.000W	F Y			Maintained from Apr. 1 to Nov. 30
4029	Canadian Spar Buoy 68 (C)	41-56-15.000N 081-38-42.000W	F Y			Maintained from Apr. 1 to Nov. 30
4030	Cleveland Waterworks Intake Crib Light	41-32-54.000N 081-45-00.000W	Q W		Square house on cylindrical crib.	Maintained from May 1 to Dec. 1. HORN: 1 blast ev 30s (3s bl).
4035	Cleveland Intake Lighted Buoy	41-32-54.000N 081-45-48.000W	Fl W 4s		White with orange bands.	Replaced by unlighted buoy from Nov. 1 to May. 1.
4037	Cleveland Water Quality	41-33-07.560N 081-46-02.640W	Fl Y 4s			
4040	Gordon Park Disposal Light A	41-32-52.842N 081-38-00.720W	Fl W 4s	0 7	NB on post.	
4045	Gordon Park Boat Basin Light 1	41-32-33.606N 081-38-17.538W	Fl G 2.5s	4	SG on post.	
4050	Gordon Park Boat Basin Entrance North Light	41-32-29.400N 081-38-08.900W	Fl R 4s		On pile.	Maintained from May 1 to Oct. 15.
4055	Gordon Park Boat Basin Entrance South Light	41-32-27.700N 081-38-09.300W	Fl G 4s		On pile.	Maintained from May 1 to Oct. 15.
4060	Cleveland Harbor East Entrance Light 2	41-32-35.010N 081-39-05.084W	Iso R 6s	9	White cylindrical tower with red band	
4065	Cleveland Harbor East Basin Channel Lighted Buoy 1	41-32-25.470N 081-39-02.655W	Fl G 4s	4	Green.	Year round buoy unlighted from Dec. 1 to Apr. 14.
4075	Cleveland Harbor East 55th Street Marina Entrance North Light	41-31-57.500N 081-39-14.800W	Fl G 4s		On pile.	Maintained from May 1 to Oct. 15.
4080	Cleveland Harbor East 55th Street Marina Entrance South Light	41-31-57.000N 081-39-12.200W	Fl R 4s		On pile.	Maintained from May 1 to Oct. 15.
4085	Cleveland Harbor East Basin Channel Lighted Buoy 3	41-31-55.460N 081-39-55.692W	Fl G 4s	4	Green.	Year round buoy unlighted from Dec. 1 to Apr. 14.
4095	Cleveland Harbor East Basin Dike Light 2	41-31-43.807N 081-39-44.528W	Fl R 4s	4	TR on skeleton tower.	
4100	Forest City Yacht Club 4	41-31-38.487N 081-39-40.278W			Unlighted Danger Buoy	10/25/2024 Replaced to Unlighted Danger Buoy
4105	Lakeside Yacht Club Entrance North Light	41-31-12.400N 081-40-00.800W	F G		On post.	Maintained from Mar. 1 to Dec. 1.
4110	Lakeside Yacht Club Entrance South Light	41-31-12.400N 081-40-00.800W	F R		On post.	Maintained from Mar. 1 to Dec. 1.
4120	Cleveland Harbor East Basin Channel Lighted Buoy 4	41-31-59.272N 081-39-59.153W	Fl R 6s	4	Red.	Year round buoy unlighted from Dec. 1 to Apr. 14.
4135	Cleveland Harbor East Basin Channel Lighted Buoy 5	41-30-49.222N 081-41-52.375W	Fl G 4s	4	Green.	Year round buoy unlighted from Dec 1 to Apr 14.
4140	Cleveland Harbor East Basin Channel Lighted Buoy 6	41-30-53.116N 081-41-56.242W	Fl R 6s	4	Red.	Year round buoy unlighted from Dec 1 to Apr 14.

4147	North Coast Harbor Daybeacon 1	41-30-37.500N 081-41-53.700W							SG on pilings.
4155	Cleveland Harbor East Basin Channel Lighted Buoy 8	41-30-36.212N 081-42-26.047W	FI R 4s		4			Red.	Year Round Lighted Buoy
4160	Cleveland Harbor Main Entrance Light	41-30-32.240N 081-43-04.374W	FI R 6s		14			White conical tower with fog signal building attached.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Ch. 83A.
4163	Limno Tech Edgewater Weather Buoy F	41-30-03.700N 081-44-53.510W	FI Y 4s						Maintained from Apr.15 to Nov.15
4165	Cleveland Harbor Main Entrance Light 1	41-30-36.558N 081-42-55.740W	Iso G 6s		7			Tower.	
4170	Cleveland Harbor Light 3	41-30-28.404N 081-42-47.688W	FI G 4s		4			SG on post.	
4175	Cleveland Harbor Light 4	41-30-23.130N 081-42-57.424W	FI R 4s		6			TR on post.	
4180	Cleveland Harbor Light 5	41-30-14.300N 081-42-41.714W	FI G 2.5s	28	4			SG on post.	
4185	Cleveland Harbor Light 6	41-30-12.846N 081-42-45.252W	FI R 2.5s	24	5			TR on post.	
4190	Whiskey Island Marina Entrance Light 1	41-29-59.000N 081-43-02.000W	FI G 2s					SG on post.	
4191	Whiskey Island Marina Entrance Light 2	41-29-57.200N 081-43-04.000W	FI R 2s					TR on post.	
4200	Great Lakes East Mooring	41-30-01.660N 081-43-19.140W	F W						Maintained from Apr. 15 to Nov. 15.
4200.1	Great Lakes West Mooring	41-29-57.510N 081-43-26.570W	F W						Maintained from Apr. 15 to Nov. 15.
4215	Cleveland Harbor West Basin Channel Light 1	41-29-46.140N 081-43-45.288W	Q G	18	6			SG on post.	Light visible from 255° to 200°.
4220	Cleveland Harbor West Basin Channel Light 2	41-29-44.624N 081-43-46.768W	FI R 2.5s		4			TR on post.	
4225	Cleveland Harbor West Basin Channel Junction Light	41-29-43.014N 081-43-42.000W	Iso W 6s		3			JG on post.	White light visible from 123° to 133°. Red light visible from 114° to 122°. Green light visible from 134° to 140°.
4230	Cleveland Harbor West Basin Channel Daybeacon 4	41-29-42.930N 081-43-45.024W							TR on triangular tower.
4232	Cleveland Harbor West Basin Channel Light 7	41-29-47.330N 081-43-37.924W	FI G 2.5s	24	4			SG on post.	Light visible from 210° to 070°.
4233	Cleveland Harbor West Basin Channel Light 8	41-29-45.342N 081-43-37.500W	FI R 6s		4			TR on post.	Light visible from 210° to 100°.
4245	Rocky River Light 1	41-29-30.894N 081-50-20.166W	FI G 2.5s		6			White cylindrical tower with green band.	
4247	Limno Tech Euclid Weather Buoy 1	41-37-09.940N 081-37-03.430W	FI Y 4s						Maintained from May.1 to Nov.30.
4250	Rocky River Breakwater Light	41-29-24.430N 081-50-10.524W	FI Y 4s		6			NY on post.	
4255	Bradstreet Landing Dock Light	41-29-07.000N 081-52-03.000W	FI G 6s					On post.	Maintained from Apr. 15 to Nov. 15.
4256	Cashelmarra Jetty Light	41-29-00.000N 081-52-42.000W	Q Y					On post.	Maintained from Apr. 15 to Nov. 15.
4270	Avon Lake Intake Breakwater Light	41-30-30.000N 082-03-18.000W	FI W 2.5s					NB on pedestal.	
4274	Avon Lake Launch Basin Light 1	41-30-17.000N 082-03-37.000W	FI G 4s					SG on post.	
4275	Avon Lake Launch Basin Light 2	41-30-17.000N 082-03-41.000W	FI R 2.5s					TR on post.	
4280	Avon Lake Launch Basin Breakwater Light	41-30-13.000N 082-03-45.000W	Q W					NW on post worded DANGER.	
4285	NOAA CHP Buoy 2	41-45-10.300N 082-07-13.100W	FI Y 4s						Maintained from May.1 to Dec.1.
4300	Sheffield Lake Light 1	41-29-27.944N 082-06-49.319W	FI G 4s		3				
4301	Sheffield Lake Light 2	41-29-27.484N 082-06-49.042W	FI R 4s		3				
4305	Limno Tech Sheffield Weather Buoy E	41-30-30.260N 082-06-53.150W	FI Y 4s						Maintained from Apr.15 to Nov.15.
4320	Lorain Harbor Light	41-28-51.650N 082-11-43.314W	FI W 6s		12			On tower.	HORN: 1 blast ev 30s (3s bl-27s si). Operates by keying microphone five times on VHF-FM Ch. 83A.
4323	Lorain Harbor Detached Breakwater Middle Light	41-28-49.830N 082-11-29.124W	FI Y 4s		3			On post.	
4325	Lorain Harbor Detached Breakwater East Light	41-28-47.550N 082-11-17.224W	Q Y	0	4			NY on post.	

4330	Lorain Harbor Light 1	41-28-42.012N 082-11-16.938W	FI G 2.5s	0	4	SG on post.	
4335	Lorain Harbor Light 2	41-28-39.030N 082-11-26.024W	FI R 4s		7		
4345	Lorain Harbor Lighted Buoy 5	41-28-31.105N 082-11-03.619W	FI G 4s		4	Green.	Year round buoy unlighted from Dec 1 to Apr 14.
4350	Lorain Harbor Light 6	41-28-25.830N 082-11-09.724W	FI R 6s		4	TR on post.	
4355	Lorain Harbor Light 7	41-28-24.830N 082-10-57.624W	FI G 4s	26	4	SG on post.	
4360	Lorain Harbor Inner Harbor Detached Breakwater Light	41-28-27.962N 082-10-55.509W	FI Y 2.5s	20	4	NY on post.	
4365	Lorain Harbor East Breakwater Middle Light	41-28-35.544N 082-10-52.227W	FI Y 4s	16	8	NY on post.	
4370	Lorain Harbor Inner Harbor Daybeacon 1	41-28-26.130N 082-10-52.524W				SG on post.	
4375	Lorain Harbor Inner Harbor Daybeacon 2	41-28-23.330N 082-10-54.924W				TR on post.	
4380	Lorain Harbor Junction Light	41-28-20.844N 082-10-57.492W	FI (2+1)G 6s	20	6	JG on post.	
4390	Lakeview Park West Light	41-27-49.301N 082-11-52.999W	FI Y 2.5s		4	NY on post.	
4395	Lakeview Park East Light	41-27-54.830N 082-11-41.724W	FI Y 4s		4	NY on post.	
4410	Beaver Creek Entrance Light 1	41-26-16.000N 082-15-09.300W	F G			SG on lighthouse.	
4415	Beaver Creek Entrance Light 2	41-26-15.100N 082-15-10.500W	F R			TR on post.	
4420	Beaver Creek Entrance Light 4	41-26-13.200N 082-15-07.300W	FI R 2.5s			TR on post.	
4425	Beaver Creek Entrance Light 5	41-26-12.700N 082-15-09.800W	F G			SG on post.	
4426	Beaver Creek Entrance Light 6	41-26-12.200N 082-15-06.900W	F R			TR on post.	
4429	Beaver Creek Water Tower Light	41-25-17.200N 082-21-30.300W	FI W 4s		13	White single-pedestal watersphere.	
4430	Vermilion Detached Breakwater Light A	41-25-45.030N 082-21-45.525W	Q W		4	NB on post.	
4435	Vermilion Detached Breakwater Light B	41-25-45.130N 082-21-50.125W	FI W 6s		8	NB on post.	
4440	Vermilion Breakwater Detached Light C	41-25-44.352N 082-21-55.963W	Q W		4	NB on post.	
4445	Vermilion East Pierhead Light 1	41-25-42.130N 082-21-49.525W	FI G 4s		4	SG on post.	
4450	Vermilion West Pierhead Light 2	41-25-41.480N 082-21-51.445W	FI R 4s		4	TR on post.	
4451	Vermilion Museum Lighthouse	41-25-30.800N 082-22-00.500W	F W			White conical tower.	
4455	Beachwood Villa Light 1	41-23-16.300N 082-31-26.800W	F G			SG on post.	Maintained from May 1 to Nov. 1.
4460	Beachwood Villa Light 2	41-23-17.200N 082-31-26.000W	F R			TR on post.	Maintained from May 1 to Nov. 1.
4465	NOAA CHP Buoy 1	41-27-08.300N 082-28-16.030W	FI Y 4s				Maintained from May.1 to Dec.1.
4467	Canada Weather Spar Buoy 965 (C)	41-30-00.000N 082-30-00.000W	FI Y 4s			Spar Buoy	Maintained from Apr.1 to Nov.1.
4470	Limno Tech OWC Huron Weather Buoy D	41-23-33.700N 082-30-43.560W	FI Y 4s				Maintained from Apr.15 to Nov.15.
4475	Huron Harbor Light	41-24-16.520N 082-32-38.185W	Iso R 6s	80	12	Square pyramidal tower.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Ch. 83A.
4485	Huron Harbor Entrance Lighted Buoy 1	41-24-32.083N 082-32-13.994W	FI G 6s		4	Green.	Replaced by can from Dec. 1 to Apr. 14.
4490	Huron Harbor Entrance Buoy 2	41-24-34.163N 082-32-18.444W				Red nun.	
4495	Huron Harbor Entrance Buoy 3	41-24-14.054N 082-32-32.865W				Green can.	
4500	Huron Harbor Light 5	41-24-01.860N 082-32-43.085W	FI G 4s	25	5	SG on post.	
4505	Huron Harbor Light 8	41-23-57.120N 082-32-56.115W	FI R 4s	27	5	TR on post.	

4510	Huron Harbor Light 7	41-23-54.540N 082-32-53.585W	FI G 2.5s	0	4	SG on post.	
4515	Huron River Mooring Basin North Light	41-23-36.000N 082-23-13.800W	F R			On pile.	Maintained from May 1 to Oct. 1.
4520	Huron River Mooring Basin South Light	41-23-35.200N 082-33-13.700W	F G			On pile.	Maintained from May 1 to Oct. 1.
4525	Sawmill Creek Entrance East Light	41-25-00.000N 082-35-38.000W	F G			Pole on seawall.	Maintained from May 1 to Nov. 1.
4530	Sawmill Creek Entrance West Light	41-25-03.000N 082-35-41.000W	F R			Pole on seawall.	Maintained from May 1 to Nov. 1.
4550	BGSU Sandusky Buoy	41-27-46.599N 082-39-00.629W	FI Y 4s				Maintained from May 1 to Nov.1.
4560	Sandusky Harbor Breakwater Light	41-29-57.178N 082-40-28.905W	FI W 6s	25	11	White cylindrical tower with green band.	HORN: 1 blast ev 30s (3s bl-27s si). Operates by keying microphone five times on VHF-FM Ch. 83A.
4570	Moseley Channel Range Front Light	41-29-11.151N 082-42-12.546W	Q G	30	11	KRW on white cylindrical tower.	Higher intensity on range line.
4575	Moseley Channel Range Rear Light	41-28-57.144N 082-42-41.279W	Iso G 6s	70	11	KRW on white cylindrical tower.	Higher intensity on range line.
4580	Moseley Channel Lighted Bell Buoy 1	41-30-20.306N 082-39-45.672W	FI G 4s		4	Green.	Maintained from Apr. 14 to Dec. 1. AIS MMSI: 993672197
4585	Moseley Channel Lighted Buoy 2	41-30-23.606N 082-39-48.672W	FI R 4s		4	Red.	Maintained from Apr. 14 to Dec. 1. AIS MMSI: 993672198
4595	Moseley Channel Lighted Buoy 4	41-30-02.402N 082-40-32.520W	FI R 4s		4	Red.	Replaced by nun from Dec. 1 to Apr. 14.
4600	Moseley Channel Lighted Buoy 5	41-29-41.109N 082-41-06.177W	FI G 4s		4	Green.	Maintained from Apr. 14 to Dec. 07.
4605	Moseley Channel Lighted Buoy 6	41-29-44.509N 082-41-08.778W	FI R 4s		4	Red.	Replaced by nun from Dec. 1 to Apr. 14.
4610	Moseley Channel Buoy 8	41-29-31.499N 082-41-35.441W				Red nun.	
4615	Moseley Channel Lighted Buoy 9	41-29-24.433N 082-41-39.782W	Q G		4	Green.	Year round lighted buoy.
4620	Moseley Channel Lighted Buoy 10	41-29-23.416N 082-41-49.486W	FI R 2.5s		4	Red.	Replaced by can from Dec. 7 to Apr. 14.
4625	Sandusky Straight Channel Range Front Light	41-29-28.985N 082-41-45.755W	Q W	25	8	KRW on white cylindrical tower.	Higher intensity on range line.
4630	Sandusky Straight Channel Range Rear Light	41-29-43.278N 082-41-39.916W	Iso W 6s	70	9	KRW on white cylindrical tower.	Higher intensity on range line.
4635	Sandusky Straight Channel Lighted Buoy 11	41-29-14.410N 082-41-48.880W	Q G		4	Green.	Replaced by can from Dec. 7 to Apr. 14.
4640	Sandusky Straight Channel Lighted Buoy 12	41-29-10.292N 082-41-56.601W	FI R 4s		4	Red.	Replaced by nun from Dec. 7 to Apr. 14.
4645	Cedar Point Water Intake Light	41-29-00.900N 082-41-36.400W	FI Y 4s			NY on green post.	Maintained from Apr. 1 to Dec. 1.
4650	Sandusky Straight Channel Lighted Buoy 13	41-28-32.211N 082-42-06.282W	FI G 4s		4	Green.	Replaced by can from Dec. 7 to Apr. 14.
4655	Sandusky Straight Channel Lighted Buoy 14	41-28-33.011N 082-42-11.682W	FI R 2.5s		4	Red.	
4660	Sandusky Exit Channel Junction Lighted Buoy E	41-28-22.811N 082-42-15.682W	FI (2+1)R 6s		4	Red and green bands.	Replaced by nun from Dec. 7 to Apr. 14.
4665	Sandusky Straight Channel Lighted Buoy 15	41-27-54.012N 082-42-21.882W	FI G 2.5s			Green can.	
4670	Sandusky Straight Channel Lighted Buoy 16	41-27-52.712N 082-42-27.883W	FI R 2.5s		4	Red.	Replaced by nun from Dec. 7 to Apr. 14.
4675	Sandusky Dock Channel Lighted Buoy 18	41-27-43.113N 082-42-39.184W	FI R 4s		4	Red.	Replaced by nun from Dec. 7 to Apr. 14.
4676	Dock Of The Bay Marina Entrance Light	41-27-37.700N 082-42-41.600W	F R			TR on white post.	Maintained from Apr. 7 to Dec. 1.
4677	Dock Of The Bay Marina East Breakwater Light	41-27-38.200N 082-42-42.800W	F W			On grey post.	Maintained from Apr. 7 to Dec. 1.
4678	Dock Of The Bay Marina West Breakwater Light	41-27-35.700N 082-42-49.000W	F W			On grey post.	Maintained from Apr. 7 to Dec. 1.
4680	Sandusky Dock Channel Lighted Buoy 20	41-27-33.113N 082-43-05.985W	FI R 4s		4	Red.	Replaced by nun from Dec. 7 to Apr. 14.
4685	Sandusky Dock Channel Light 21	41-27-25.185N 082-43-16.325W	FI G 4s	19	5	SG on pile.	
4690	Sandusky Dock Channel Lighted Buoy 23	41-27-18.191N 082-43-36.352W	FI G 4s		4	Green.	Replaced by can from Dec. 7 to Apr. 14.
4695	Sandusky Dock Channel Lighted Buoy 24	41-27-21.014N 082-43-38.487W	FI R 4s		4	Red.	Replaced by nun from Dec. 7 to Apr. 14.

4705	Sandusky Harbor Turning Basin Light	41-27-23.101N 082-43-44.754W	Fl W 2.5s	20	5	NR on post.	
4710	Sandusky Bay Exit Channel Buoy 9	41-27-27.414N 082-43-50.688W				Green can.	
4715	Sandusky Bay Exit Channel Lighted Buoy 7	41-27-44.064N 082-43-45.115W	Fl G 2.5s		4	Green.	Replaced by can from Dec. 7 to Apr. 14.
4720	Sandusky Bay Exit Channel Buoy 8	41-27-51.714N 082-43-47.688W				Red nun.	
4725	Sandusky Bay Exit Channel Range Front Light	41-28-33.640N 082-41-50.605W	Q G	33	9	KRW on white square skeleton tower.	Higher intensity on range line.
4730	Sandusky Bay Exit Channel Range Rear Light	41-28-45.038N 082-41-19.997W	Iso G 6s	50	9	KRW on white square skeleton tower.	Visible 4° each side of range line.
4735	Sandusky Bay Exit Channel Range Rear Passing Light	41-28-45.038N 082-41-19.993W	Fl Y 4s	23	4		
4740	Sandusky Bay Exit Channel Lighted Buoy 6	41-27-56.214N 082-43-35.987W	Fl R 4s		4	Red.	Replaced by nun from Dec. 7 to Apr. 14.
4745	Sandusky Bay Exit Channel Lighted Buoy 5	41-27-53.314N 082-43-34.887W	Fl G 2.5s		4	Green.	Replaced by can from Dec. 7 to Apr. 14.
4750	Sandusky Bay Exit Channel Lighted Buoy 4	41-28-09.713N 082-42-59.585W	Fl R 4s		4	Red.	Replaced by nun from Dec. 7 to Apr. 14.
4755	Sandusky Bay Exit Channel Lighted Buoy 3	41-28-07.013N 082-42-57.885W	Fl G 4s		4	Green.	Replaced by can from Dec. 7 to Apr. 14.
4760	Sandusky Bay Exit Channel Lighted Buoy 2	41-28-23.608N 082-42-22.144W	Fl R 2.5s		4	Red.	Replaced by nun from Dec. 7 to Apr. 14.
4765	Cedar Point Marina Entrance Light 1	41-28-38.100N 082-41-08.900W	F G			SG on post.	Maintained from Mar. 1 to Dec. 15.
4770	Cedar Point Marina Entrance Light 2	41-28-40.700N 082-41-07.800W	F R			TR on post.	Maintained from Mar. 1 to Dec. 15.
4775	Cedar Point Marina Breakwater Light	41-28-32.800N 082-40-57.900W	F W			NW on post.	Maintained from Mar. 1 to Dec. 15.
4780	Cedar Point Marina South Basin Light 2	41-28-22.100N 082-40-52.900W	Fl R 2.5s			TR on post.	Maintained from Apr. 1 to Nov. 15.
4785	Cedar Point Marina South Basin Light 1	41-28-20.000N 082-40-55.000W	Fl G 2.5s			SG on post.	Maintained from Apr. 1 to Nov. 15.
4786	Sandusky Bay East Wetland Breakwater Light 1	41-27-55.650N 082-40-36.980W	Fl W 4s			On post	Maintained year round.
4787	Sandusky Bay East Wetland Breakwater Light 2	41-28-08.900N 082-40-46.320W	Fl W 4s			On post	Maintained year round.
4790	Sadler Sailing Basin Entrance Light 1	41-27-39.600N 082-41-51.300W	F G			On post.	Maintained from Apr. 15 to Oct. 15.
4795	Sadler Sailing Basin Entrance Light 2	41-27-40.200N 082-41-51.800W	F R			On post.	Maintained from Apr. 15 to Oct. 15.
4800	Sandusky Sludge Basin Light	41-27-38.300N 082-41-49.000W	Q R			On white post.	Maintained from Apr. 15 to Oct. 15.
4805	East Cove Entrance Light 1	41-27-33.300N 082-41-53.500W	F G			On spar on jetty.	Maintained from Apr. 15 to Oct. 15.
4806	East Cove Entrance Light 2	41-27-32.500N 082-41-56.600W	F R			On pole.	Maintained from Apr. 15 to Oct. 15.
4807	East Cove Entrance Light 3	41-27-32.000N 082-41-55.700W	F G			On pole.	Maintained from Apr. 15 to Oct. 15.
4810	Causeway Leading Light	41-27-21.500N 082-40-24.200W	F G			On black pile.	Visible from 037.25° to 157.25°. Maintained from Apr. 15 to Oct. 15.
4815	East Bay Channel Lighted Buoy 1	41-27-42.400N 082-40-23.900W	Fl G 4s			Green.	
4820	East Bay Channel Lighted Buoy 2	41-27-41.100N 082-40-24.100W	Fl R 4s			Red.	
4825	East Bay Channel Lighted Buoy 3	41-27-41.800N 082-40-18.000W	Fl G 4s			Green.	
4830	East Bay Channel Lighted Bouy 4	41-27-40.600N 082-40-18.900W	Fl R 4s			Red.	
4835	East Bay Channel Lighted Buoy 5	41-27-41.200N 082-40-13.200W	Q G			Green.	
4840	East Bay Channel Lighted Buoy 6	41-27-39.900N 082-40-14.700W	Q R			Red.	
4845	East Bay Channel Lighted Buoy 7	41-27-32.600N 082-40-03.700W	Fl G 4s			Green.	
4850	East Bay Channel Lighted Buoy 8	41-27-31.500N 082-40-05.300W	Fl R 4s			Red.	
4855	East Bay Channel Lighted Buoy 9	41-27-25.900N 082-39-56.000W	Fl G 4s			Green.	

4860	East Bay Channel Lighted Buoy 10	41-27-25.200N 082-39-57.800W	FI R 4s	Red.	
4865	East Bay Channel Lighted Buoy 11	41-27-21.500N 082-39-51.000W	FI G 4s	Green.	
4870	East BayChannel Lighted Buoy 12	41-27-20.900N 082-39-52.400W	FI R 4s	Red.	
4875	East Bay Channel Lighted Buoy 13	41-27-16.400N 082-39-45.200W	FI G 4s	Green	
4880	East Bay Channel Lighted Buoy 14	41-27-16.100N 082-39-47.400W	FI R 4s	Red.	
4885	East Bay Channel Lighted Buoy 15	41-27-09.100N 082-39-39.500W	Q G	Green.	
4890	East Bay Channel Lighted Buoy 16	41-27-09.000N 082-39-38.900W	Q R	Red.	
4895	East Bay Channel Lighted Buoy 17	41-27-02.200N 082-39-40.800W	FI G 4s	Green.	
4900	East Bay Channel Lighted Buoy 18	41-27-02.200N 082-39-42.800W	FI R 4s	Red.	
4905	East Bay Channel Lighted Buoy 19	41-26-55.800N 082-39-44.400W	Q G	Green.	
4910	East Bay Channel Lighted Buoy 20	41-26-56.400N 082-39-45.400W	FI R 4s	Red.	
4915	East Bay Channel Lighted Buoy 21	41-26-53.800N 082-39-51.500W	FI G 4s	Green.	
4920	East Bay Channel Lighted Buoy 22	41-26-54.800N 082-39-51.900W	FI R 4s	Red.	
4925	East Bay Channel Lighted Buoy 23	41-26-51.799N 082-40-01.905W	FI G 4s	Green.	Maintained from May.1 to Nov.1.
4930	East Bay Channel Lighted Buoy 24	41-26-52.822N 082-40-01.995W	FI R 4s	Red.	Maintained from May.1 to Nov.1.
4935	East Bay Channel Lighted Buoy 25	41-26-49.899N 082-40-10.348W	FI G 4s	Green.	Maintained from May.1 to Nov.1.
4940	East Bay Channel Lighted Buoy 26	41-26-50.849N 082-40-10.697W	FI R 4s	Red.	Maintained from May.1 to Nov.1.
4945	Lyman Harbor Light	41-27-19.200N 082-41-02.400W	FI W 4s	Steel frame lighthouse red with yellow trim and worded LYMAN in black.	
4946	Lyman Harbor Light 1	41-27-17.670N 082-40-59.880W	FI G 2s	SG on end of break wall.	
4947	Lyman Harbor Light 2	41-27-19.200N 082-41-02.400W	FI R 2s	TR on end of break wall.	
4950	Battery Park Marina South Entrance Light	41-27-50.000N 082-42-02.400W	F G	On post.	Maintained from May 1 to Oct. 31.
4955	Battery Park Marina North Entrance Light	41-27-51.000N 082-42-02.500W	F R	On post.	Maintained from May 1 to Oct. 31.
4960	Sandusky Yacht Club Light 1	41-27-45.000N 082-42-22.200W	Q G	SG on post.	Maintained from Apr. 15 to Dec. 15.
4965	Sandusky Yacht Club Light 2	41-27-45.600N 082-42-21.600W	Q R	TR on post.	Maintained from Apr. 15 to Dec. 15.
4970	Danbury Breakwater Light	41-30-20.000N 082-45-31.000W	FI G 4s	On post.	Maintained from Apr. 15 to Nov. 15.
4972	Bay Winds Entrance Light 1	41-30-07.380N 082-46-21.000W	FI G 4s		
4972.1	Bay Winds Entrance Light 2	41-30-07.800N 082-46-20.880W	FI R 4s		
4975	Commodore Bay Marina Entrance Light 1	41-30-08.000N 082-46-24.000W	F G	SG on post.	Maintained from May 1 to Nov. 1.
4980	Commodore Bay Marina Entrance Light 2	41-30-10.000N 082-42-24.000W	F R	TR on post.	Maintained from May 1 to Nov. 1.
4985	Lockwood Entrance Channel Jetty Light 1	41-29-17.000N 082-53-28.000W	FI G 4s		
4985.1	Lockwood Entrance Channel Jetty Light 2	41-29-17.000N 082-53-28.000W	FI R 4s		
4986	Quarry Entrance Channel Light 1	41-29-19.000N 082-53-43.000W	FI G 6s		
4986.1	Quarry Entrance Channel Light 2	41-29-19.000N 082-53-43.000W	FI R 6s		
4990	Sandusky Bay Channel Transmission Line Light A	41-29-04.500N 082-49-36.000W	Q W	NW worded DANGER on concrete pier.	Maintained from May 1 to Dec. 1.
4995	Thomas Edison Bridge Shoal Buoy A	41-29-03.000N 082-50-02.000W		White with orange bands and diamond worded HAZARD.	Maintained from May 1 to Oct. 15.

5000	Thomas Edison Bridge Shoal Buoy B	41-29-09.000N 082-50-03.000W				White with orange bands and diamond worded HAZARD.	Maintained from May 1 to Oct. 15.
5005	Thomas Edison Bridge Shoal Buoy C	41-29-06.000N 082-50-02.000W				White can with orange bands and diamond worded HAZARD.	Maintained from May 1 to Oct. 15.
5010	Sandusky Bay Channel Transmission Line Light B	41-28-57.000N 082-49-33.000W	Q W			NW worded DANGER on concrete pier.	Maintained from May 1 to Dec. 1.
5020	Willow Point Buoy A	41-26-42.000N 082-53-12.000W				White with orange bands.	Maintained from May 15 to Oct. 15.
5025	Willow Point Buoy B	41-26-42.000N 082-53-24.000W				White with orange bands.	Maintained from May 15 to Oct. 15.
5030	Willow Point Buoy C	41-26-30.000N 082-53-30.000W				White with orange bands.	Maintained from May 15 to Oct. 15.
5085	Muddy Creek Light	41-27-09.530N 082-59-41.225W	Q W	25	3	NW DANGER SHOALING daymarks on structure	
5090	Sandusky River Daybeacon Outer	41-26-58.272N 083-00-00.409W		10		NW on pile. DANGER ROCKS	
5096	Sandusky River Daybeacon Middle	41-26-56.910N 083-00-03.937W		10		NW on pile. DANGER ROCKS	
5100	Sandusky River Daybeacon Inner	41-26-50.622N 083-00-06.907W		10		NW on pile. DANGER ROCKS	
5170	Bay Point Shoal Lighted Buoy 2	41-30-12.059N 082-41-28.279W	FI R 4s		5	Red.	Maintained from Apr. 14 to Nov. 14.
5215	Bay Point Marina East Light	41-30-51.200N 082-43-11.200W	Q W			On white post.	Maintained from May 15 to Nov. 15.
5245	Bay Point Marina South Light	41-30-34.600N 082-43-30.000W	Q W			On white post.	Maintained from May 15 to Nov. 15.
5246	Johnson Island Light 2	41-29-27.600N 082-43-50.400W	FI R 4s			On single pole.	Maintained from Apr. 1 to Oct. 31.
5247	Johnson Island Light 1	41-29-24.600N 082-43-54.000W	FI G 4s			On single pole.	Maintained from Apr. 1 to Oct. 31.
5250	Marblehead Light	41-32-10.780N 082-42-42.575W	FI G 6s	67	12	White structure with red trim	
5260	Pleasant Pointe Southeast Pier Light	41-32-22.300N 082-42-52.400W	F R			On post.	Maintained from Apr. 15 to Nov. 30.
5261	Pleasant Pointe South Pier Light	41-32-22.100N 082-42-52.900W	F G			On post.	Maintained from Apr. 15 to Nov. 30.
5265	Marblehead Stone Dock Light	41-32-42.000N 082-43-48.000W	Q W			NW on post.	Maintained from Mar. 15. to Dec. 15.
5270	Lakeside Association Dock Light	41-32-53.000N 082-45-03.000W	F R			On post.	Maintained from Apr. 15 to Nov. 1.
5275	Lakeside Marine Inc. Breakwater Light	41-32-48.500N 082-45-17.000W	F G			On pile.	Maintained from Mar. 15 to Dec. 15.
5280	Lakeside Marine Inc. Pierhead Light	41-32-48.700N 082-45-14.000W	Q W			White structure.	Maintained from Mar. 15 to Dec. 15.
5282	Mazurik Fish Access Light 1	41-32-36.240N 082-45-55.380W	FI G 4s				
5283	Mazurik Fish Access Light 2	41-32-35.160N 082-45-55.440W	FI R 4s				
5285	Schrocks Marina East Breakwater Light	41-32-31.300N 082-46-04.800W	F W			On post.	Maintained from Apr. 20 to Oct. 20.
5290	Schrocks Marina West Breakwater Light	41-32-30.900N 082-46-05.500W	F R			On post.	Maintained from Apr. 20 to Oct. 20.
5300	Lakevue West Entrance Lights (3)	41-32-26.000N 082-46-22.500W	F R			On post.	Maintained from May 1 to Sep. 30.
5305	East Harbor Entrance Light 1	41-32-36.000N 082-47-00.000W	FI G 4s			SG on skeleton tower.	
5310	East Harbor Entrance Light 2	41-32-36.000N 082-47-00.000W	FI R 4s			TR on skeleton tower.	
5315	Channel Grove Marina Dock Light	41-32-11.000N 082-47-14.000W	FI R 4s			On post.	Maintained from Apr. 15 to Nov. 15.
5325	East Harbor Smallboat Concourse Buoy 1	41-32-17.000N 082-47-12.300W				Green can.	
5330	East Harbor Smallboat Concourse Buoy 2	41-32-17.500N 082-47-14.000W				Red nun.	
5335	East Harbor Smallboat Concourse Buoy 3	41-32-14.300N 082-47-15.800W				Green can.	
5340	East Harbor Smallboat Concourse Buoy 4	41-32-14.600N 082-47-16.500W				Red nun.	
5365	East Harbor State Park East Breakwater Light	41-33-27.000N 082-47-59.000W	FI W 2.5s			NW on post worded DANGER.	

5370	East Harbor State Park West Breakwater Light	41-33-42.000N 082-48-12.000W	FI W 2.5s				NW on post worded DANGER.	
5375	Middle Harbor Shoal Lighted Buoy 1	41-34-19.311N 082-47-39.498W	FI G 4s	4			Green.	Maintained from Apr. 14 to Nov. 14.
5380	West Harbor Entrance Channel Light 1	41-34-08.030N 082-48-33.025W	FI G 4s	9	4		SG on post.	
5385	West Harbor Entrance Channel Light 2	41-34-09.030N 082-48-37.025W	FI R 2.5s	0	4		TR on post.	
5390	West Harbor Access Channel Buoy 3	41-34-03.711N 082-48-39.700W					Green can.	
5395	West Harbor Access Channel Buoy 4	41-34-04.711N 082-48-40.700W					Red nun.	
5400	West Harbor Access Channel Lighted Buoy 5	41-33-59.999N 082-48-44.788W	FI G 4s		3		Green.	
5405	West Harbor Access Channel Lighted Buoy 6	41-34-00.211N 082-48-46.200W	FI R 4s		3		Red.	
5410	West Harbor Access Channel Lighted Buoy 8	41-33-55.011N 082-48-52.700W	FI R 4s		3		Red.	
5415	West Harbor Access Channel Light 7	41-33-54.530N 082-48-51.025W	FI G 2.5s	25	4		SG on piles.	
5420	West Harbor Access Channel Light 9	41-33-43.530N 082-48-53.025W	FI G 6s	15	4		SG on pile.	
5425	West Harbor Access Channel Light 10	41-33-44.030N 082-48-55.025W	FI R 6s	15	4		TR on pile.	
5430	West Harbor Inner Channel Daybeacon 11	41-33-33.530N 082-49-09.525W			15		SG on pile.	
5435	West Harbor Inner Channel Daybeacon 12	41-33-34.230N 082-49-10.525W			15		TR on pile.	
5440	State Park Marina Entrance Light 1	41-33-31.700N 082-49-15.200W	F G				SG on pyramidal structure.	Maintained from Apr. 15 to Nov. 1.
5445	State Park Marina Entrance Light 2	41-33-31.200N 082-49-16.100W	F R				TR on pyramidal structure.	Maintained from Apr. 15 to Nov. 1.
5450	Anchors Away Marina Entrance Light 1	41-33-32.000N 082-49-18.000W	F G				On post.	Maintained from Apr. 1 to Dec. 1.
5455	Anchors Away Marina Entrance Light 2	41-33-32.000N 082-49-18.000W	F R				On post.	Maintained from Apr. 1 to Dec. 1.
5460	West Harbor Junction Light	41-33-32.316N 082-49-25.494W	FI (2+1)R 6s	25	4		JR on pile.	
5465	West Harbor Inner Channel Daybeacon 13	41-33-28.530N 082-49-28.025W			10		SG on pile.	
5470	West Harbor Inner Channel Daybeacon 14	41-33-28.530N 082-49-30.525W			15		TR on pile.	
5475	West Harbor Inner Channel Daybeacon 15	41-33-19.030N 082-49-34.625W			10		SG on pile.	
5480	West Harbor Inner Channel Daybeacon 16	41-33-19.030N 082-49-37.025W			15		TR on pile.	
5485	West Harbor Inner Channel Daybeacon 17	41-33-10.730N 082-49-40.025W					SG on pile.	
5490	West Harbor Inner Channel Daybeacon 18	41-33-11.030N 082-49-42.525W			15		TR on pile.	
5492	West Harbor Inner Channel Warning Daybeacon	41-33-01.530N 082-49-53.025W			15		NW with orange stripes on pile.	Marks end of channel.
5495	Gem Beach South Entrance Light 1	41-34-10.000N 082-48-59.000W	FI G 4s				SG on pile.	Maintained from Apr. 15 to Nov. 1.
5500	Gem Beach North Entrance Light 2	41-34-15.000N 082-48-54.000W	FI R 4s				TR on post.	Maintained from Apr. 15 to Nov. 1.
5505	Gem Beach Access Channel Daybeacon 3	41-33-54.830N 082-49-20.525W			0		SG on pile.	
5510	Gem Beach Access Channel Daybeacon 5	41-33-45.215N 082-49-22.356W			0		SG on pile.	
5515	Gem Beach Access Channel Daybeacon 6	41-33-45.623N 082-49-24.119W			15		TR on pile.	
5520	Scott Point Shoal Lighted Buoy 1	41-36-05.065N 082-48-22.579W	FI G 4s		4		Green.	Replaced by can from Nov. 7 to May 7.
5525	Starve Island Reef Lighted Buoy 2	41-36-38.529N 082-49-02.292W	FI R 6s		4		Red.	Replaced by nun from Nov. 7 to May 7.
5530	South Bass Island Light	41-37-44.181N 082-50-29.579W	FI R 6s	95	12		NR on skeleton tower.	
5535	Green Island Light	41-38-42.140N 082-52-04.265W	FI W 2.5s	80	8		NR on skeleton tower.	Light obscured by woods from 238° to 273°.

5540	Niagara Reef Lighted Buoy 5	41-40-12.307N 082-58-21.622W	FI G 4s	4	Green.	
5545	Crib Reef Buoy 7	41-38-47.208N 082-59-59.725W			Green can.	Maintained from Apr. 7 to Nov. 1.
5547	NOAA GLERL WLE 13 West Sister Island Wave Buoy 1	41-45-37.008N 082-07-49.440W	FI Y 4s			Maintained from May.1 to Dec.1.
5550	West Sister Island Light	41-44-13.120N 083-06-38.357W	FI W 4s	45	9	Tower. Light obscured by trees from 210° thru 269° other scattered trees obscure light at intervals.
5552	UT LAKE ERIE CENTER A	41-45-00.000N 083-06-11.000W	Iso W 2s			
5553	Battle of Lake Erie Lighted Buoy	41-44-50.030N 083-02-00.025W	FI W 6s	5	Red buoy hull with a blue and white vertical tower.	Maintained from Apr. 7 to Nov. 1.
5554	Canadian Weather Buoy 12-3 (C)	41-48-52.000N 082-59-15.000W	F Y			Maintained from Apr. 1 to Nov. 30
5554.1	Canadian Spar Buoy 20 (C)	41-48-54.000N 082-59-23.000W	F Y			Maintained from Apr. 1 to Nov. 30
5555	NOAA Lighted Weather Buoy 45005	41-40-36.030N 082-23-54.025W	FI (4)Y 20s		Yellow disc-shaped hull.	Maintained from May 1 to Dec. 1.
5565	Kelleys Island Shoal Lighted Buoy 1	41-38-40.996N 082-37-56.662W	FI G 4s	4	Green.	Replaced by can from Nov. 7 to May 7.
5570	Camp Patmos Light	41-37-01.000N 082-40-58.000W	FI W 2s		Small lighthouse structure.	Maintained from May 30 to Sep. 1.
5575	Kelleys Island Buoy 1	41-37-26.400N 082-40-01.771W			Green can.	
5577	Canadian Spar Buoy 85 (C)	41-35-50.000N 082-39-11.000W	F Y			Maintained from Apr. 1 to Nov. 30
5580	Kelleys Island Shoal Buoy 3	41-38-25.699N 082-39-30.868W			Green can.	
5585	Kelleys Island State Park Breakwater Light	41-37-00.000N 082-42-11.000W	FI R 4s		TR on gray tower.	
5590	Kellstone Crib Light	41-36-38.000N 082-43-40.000W	Q R		On pile.	Maintained from May 1 to Dec. 20.
5595	Rock Shoal Lighted Buoy 2	41-36-15.609N 082-44-50.391W	FI R 4s	4	Red.	Maintained from May 7 to Nov. 7.
5597	Limno Tech Erie Island Weather Buoy B	41-36-04.460N 082-46-49.570W	FI Y 4s			Maintained from Apr.15 to Nov.15.
5600	Gull Island Shoal Lighted Buoy 4	41-39-17.001N 082-41-19.875W	FI R 4s	4	Red.	Maintained from May 7 to Nov. 7.
5615	Middle Bass Island East Shoal Lighted Bell Buoy 1	41-41-54.555N 082-45-54.006W	FI G 4s	4	Green.	Replaced by can from Nov. 7 to May 7.
5620	North Bass Island Shoal Buoy 2	41-42-36.825N 082-51-31.905W			Red nun.	Maintained from May 7 to Nov. 7.
5625	North Bass Island Lighted Buoy 3	41-43-40.163N 082-48-17.597W	FI G 4s	4	Green.	Replaced by can from Nov. 7 to May 7.
5630	North Bass Island Buoy 4	41-44-07.743N 082-48-35.097W			Red nun.	Maintained from May 7 to Nov. 7.
5635	North Bass Island Lighted Bell Buoy 6	41-45-01.902N 082-50-05.201W	FI R 4s	4	Red.	Maintained from May 7 to Nov. 7.
5650	Ballast Island Light	41-40-42.840N 082-47-02.615W	FI W 4s	92	8	NR on skeleton tower. Obscured from 014° to 070°.
5652	Middle Bass Island North Breakwater Light	41-40-35.490N 082-48-20.860W	FI R 6s	3		
5653	Middle Bass Island South Breakwater Light	41-40-34.010N 082-48-23.510W	FI G 6s	3		
5655	Ballast Island Channel Lighted Buoy 5	41-40-16.331N 082-46-53.920W	FI G 2.5s	4	Green.	Maintained from May 7 to Nov 7.
5660	Ballast Island Channel Lighted Buoy 6	41-40-25.506N 082-47-09.995W	FI R 2.5s	4	Red nun.	Replaced from May 21 to Nov 1.
5665	Ballast Island Channel Lighted Buoy 7	41-40-21.406N 082-47-26.695W			Green can.	Replaced from May 21 to Nov 1.
5670	Perry Memorial Monument Light	41-39-14.660N 082-48-41.064W	Iso W 6s	352	9	On roof of monument.
5673	Stone Lab 1	41-39-32.760N 082-49-23.159W	FI Y 2.5s			
5675	Put In Bay Shoal Buoy 1	41-39-33.907N 082-48-51.299W			Green can.	Maintained year round.
5680	Put-In-Bay Channel Lighted Buoy 2	41-39-29.230N 082-49-06.225W	FI R 2.5s	3	Red.	
5685	Put-In-Bay Channel Buoy 3	41-39-29.207N 082-48-53.699W			Green can.	

5690	Put-In-Bay Channel Lighted Buoy 4	41-39-22.130N 082-49-06.225W	FI R 4s	4	Red.	
5695	Put-In-Bay Channel Buoy 5	41-39-24.707N 082-48-55.799W			Green can.	
5705	Put-In-Bay Channel Buoy 6	41-39-18.435N 082-49-13.501W			Red nun.	
5710	Put-In-Bay Channel Buoy 8	41-39-17.470N 082-49-17.741W			Red nun.	
5715	Put-In-Bay Channel Buoy 10	41-39-18.907N 082-49-21.700W			Red nun.	
5716	Put-In-Bay East Lighted Float	41-39-29.700N 082-48-52.500W	Q Y		Three 8 foot boards marked NO WAKE on a wood raft.	Maintained from May 1 to Oct. 15.
5717	Put-In-Bay West Lighted Float	41-39-27.900N 082-49-07.000W	Q Y		Three 8 foot boards marked NO WAKE on a wood raft.	Maintained from May 1 to Oct. 15.
5720	Miller Channel Entrance Buoy 1	41-39-20.300N 082-49-25.500W			Green can.	
5725	Miller Channel Entrance Buoy 2	41-39-20.700N 082-49-24.300W			Red nun.	
5730	Miller Channel Entrance Buoy 3	41-39-18.200N 082-49-30.500W			Green can.	
5735	Miller Channel Entrance Buoy 4	41-39-21.500N 082-49-25.200W			Red nun.	
5736	Miller Channel Entrance Buoy 6	41-39-19.600N 082-49-30.700W			Red nun.	
5745	Oak Point Reef Cut Buoy 1	41-39-24.000N 082-49-24.900W			Green can.	Maintained from Apr. 15 to Nov. 15.
5750	Oak Point Reef Cut Buoy 2	41-39-24.000N 082-49-24.800W			Red nun.	Maintained from Apr. 15 to Nov. 15.
5754	Put-In-Bay Anchorage Buoy A	41-39-28.000N 082-49-10.900W			Yellow can.	
5755	Put-In-Bay Anchorage Buoy B	41-39-27.200N 082-49-15.000W			Yellow can.	
5760	Put-In-Bay Anchorage Buoy C	41-39-25.800N 082-49-20.000W			Yellow can.	
5765	Put-In-Bay Anchorage Buoy D	41-39-24.600N 082-49-21.800W			Yellow can.	
5770	Put-In-Bay Anchorage Buoy E	41-39-23.000N 082-49-23.800W			Yellow can.	
5775	Peach Orchard Point Lighted Buoy 2	41-39-47.206N 082-49-17.700W	FI R 4s	4	Red.	Maintained from May 07 to November 07.
5780	Erie Proving Ground Buoy A	41-41-29.791N 083-07-32.596W			Yellow can.	
5785	Erie Proving Ground Buoy B	41-41-29.103N 083-03-45.435W			Yellow can.	
5790	Erie Proving Ground Buoy C	41-41-29.106N 082-59-59.726W			Yellow can.	
5795	Erie Proving Ground Buoy D	41-38-34.498N 082-57-23.329W			Yellow can.	
5800	Erie Proving Ground Buoy E	41-37-05.709N 082-56-06.716W			Yellow can.	
5805	Erie Proving Ground Buoy F	41-35-39.690N 082-54-53.853W			Yellow can.	
5810	Erie Proving Ground Buoy G	41-34-36.211N 082-56-43.717W			Yellow can.	
5815	Erie Proving Ground Buoy H	41-33-37.211N 082-58-40.721W			Yellow can.	Maintained from Apr 7 - Nov. 1
5820	Erie Proving Ground Buoy J	41-36-00.208N 083-03-24.732W			Yellow can.	Maintained from Apr 7 - Nov. 1
5825	Erie Proving Ground Buoy K	41-37-40.206N 083-04-52.736W			Yellow can.	Maintained from Apr. 7 to Nov. 1.
5830	Erie Proving Ground Buoy L	41-39-53.203N 083-06-17.742W			Yellow can.	Maintained from Apr. 7 to Nov. 1.
5832	Catawba Miller Light A	41-35-16.290N 082-50-15.490W	FI Y 4s			Maintained from Apr. 1 to November 30.
5832.1	Catawba Miller Light B	41-35-15.790N 082-50-15.360W	FI Y 4s			Maintained from Apr. 1 to Nov. 30.
5832.2	Catawba Miller Light C	41-35-15.360N 082-50-15.230W	FI Y 4s			Maintained from Apr. 1 to Nov. 30.
5835	Catawba Island Lighted Buoy 1	41-34-36.661N 082-52-05.207W	FI G 4s	4	Green.	Maintained from May 7 to Nov. 7.

5838	Canada Weather Spar Buoy 969 (C)	41-36-50.000N 082-55-50.000W	FI Y 4s			Spar Buoy	Maintained from Apr.1 to Nov.1.
5840	Catawba State Park Pier Light	41-34-22.000N 082-51-24.000W	FI G 2.5s			Skeleton tower.	Maintained from Apr. 1 to Nov. 15.
5845	Catawba Cliffs Harbor Light	41-34-18.000N 082-51-18.000W	F R			White triangular structure.	Maintained from Apr. 1 to Nov. 1.
5846	Catawba Island Marina South Light 1	41-33-42.000N 082-51-10.000W	Q G			SG on pile.	Maintained from Apr. 15 to Nov. 15.
5847	Catawba Island Marina South Light 2	41-33-41.000N 082-51-08.000W	Q R			TR on pile.	Maintained from Apr. 15 to Nov. 15.
5849.4	Lemarin Entrance Light 6	41-33-32.000N 082-51-10.500W	F R	2		TR on concrete pile.	Maintained from Apr. 1 to Nov. 30.
5849.3	Lemarin Entrance Light 5	41-33-33.000N 082-51-10.000W	F G	2		SG on concrete pile.	Maintained from Apr. 1 to Nov. 30.
5850	Colony Club Marina North Light	41-34-00.000N 082-51-25.000W	F G			White triangular structure.	Maintained from Apr. 1 to Nov. 1.
5855	Colony Club Marina South Light	41-33-13.000N 082-51-25.000W	F R			White triangular structure.	Maintained from Apr. 1 to Nov. 1.
5857	Northwest Catawaba Marina Entrance Light 1	41-32-53.700N 082-51-28.500W	FI G 3s			SG on post.	Maintained from Apr. 1 to Nov. 1.
5858	Northwest Catawaba Marina Entrance Light 2	41-32-52.500N 082-51-29.000W	FI R 3s			TR on post.	Maintained from Apr. 1 to Nov. 1.
5860	Port Clinton Intake Crib Lighted Buoy	41-31-12.500N 082-56-21.800W	Q W			White and orange bands with orange diamond worded DANGER.	Maintained from May 15 to Nov. 15.
5861	Port Clinton Regional Water Intake Crib Lighted Buoy	41-31-20.759N 082-56-17.925W	FI W 4s			White with orange bands and diamond worded DANGER CRIB.	Maintained from May 15 to Oct. 15.
5863	Limno Tech Port Clinton Weather Buoy C	41-31-55.720N 082-56-28.550W	FI Y 4s				Maintained from Apr.15 to Nov.15.
5865	Port Clinton Light 2	41-31-08.450N 082-56-10.365W	FI (2)R 6s	30	10	TR on post.	Higher intensity beam on bearing of 208°.
5870	Port Clinton East Pierhead Light 1	41-31-08.279N 082-56-07.461W	FI G 6s	8	6	SG on white pile.	
5875	Port Clinton Channel Buoy 1	41-30-54.481N 082-57-01.076W				Green can.	
5877	Port Clinton Channel Buoy 2	41-30-55.910N 082-57-02.070W				Red nun.	
5880	Port Clinton Channel Buoy 3	41-30-53.457N 082-57-19.629W				Green can.	
5885	Port Clinton Channel Buoy 4	41-30-56.213N 082-57-26.718W				Red nun.	
5890	Port Clinton Channel Buoy 5	41-31-00.093N 082-57-38.218W				Green can.	
5895	Port Clinton Channel Buoy 6	41-31-01.013N 082-57-37.618W				Red nun.	
5898	Spinnaker Bay Entrance Light 1	41-31-28.800N 082-58-05.500W	F G			SG on post on breakwater.	
5899	Spinnaker Bay Entrance Light 2	41-31-30.000N 082-58-05.500W	F R			TR on post on breakwater.	
5900	Lake Front Marina Entrance East Light 1	41-31-35.000N 082-58-13.800W	FI G 2s			SG on pile.	Maintained from Apr. 1 to Nov. 15.
5905	Lake Front Marina Entrance West Light 2	41-31-35.200N 082-58-15.500W	FI R 2s			TR on pile.	Maintained from Apr. 1 to Nov. 15.
5910	Lake Front Marina Range Front Light	41-31-27.300N 082-58-19.000W	F Y			On skeleton tower.	Maintained from Apr. 15 to Nov. 15.
5915	Lake Front Marina Range Rear Light	41-31-27.000N 082-58-19.500W	F Y			On skeleton tower.	Maintained from Apr. 15 to Nov. 15.
5950	Davis-Besse Nuclear Power Plant Obstruction Buoy	41-36-25.121N 083-03-48.616W				Orange and white regulatory buoy marked SUBMERGED CRIB.	Maintained from Apr. 1 to Nov. 15.
5955	Wild Wings Marina Entrance Light 1	41-36-48.500N 083-06-13.000W	FI G 2s			SG on white post.	Maintained from May 1 to Nov. 1.
5960	Wild Wings Marina Entrance Light 2	41-36-49.800N 083-06-14.100W	FI R 2s			TR on white post.	Maintained from May 1 to Nov. 1.
5970	Long Beach Range Front Light	41-36-53.200N 083-06-48.200W	F G			On white post.	Maintained from May 30 to Nov. 1.
5975	Long Beach Range Rear Light	41-36-52.000N 083-06-48.000W	F G			On white post.	Maintained from May 30 to Nov. 1.
5980	Long Beach Entrance Light	41-36-53.200N 083-06-48.800W	F R			On white post.	Maintained from May 1 to Nov. 1.
5996	Turtle Creek Breakwater Light 2	41-36-59.300N 083-07-44.000W	FI R 2.5s			TR on pile.	

5999	UT LAKE ERIE CENTER C	41-38-59.000N 083-09-00.000W	Iso W 2s				
6000	Ward Canal East Jetty Light 1	41-39-05.330N 083-14-11.926W	FI G 2.5s	22	4	SG on post.	
6001	Ward Canal West Jetty Light 2	41-39-04.830N 083-14-15.626W	FI R 4s	28	5	TR on post.	
6005	Cooley Canal Breakwater Light 1	41-40-35.731N 083-16-59.229W	FI G 4s	30	4	SG on tower.	
6010	Cooley Canal Breakwater Light 2	41-40-37.095N 083-17-02.205W	FI R 4s	30	4	TR on tower.	
6015	Cooley Canal Front Range Light	41-40-30.720N 083-17-01.980W	F R			KRW on pile.	Maintained from Apr.1 to Nov.15.
6016	Cooley Canal Rear Range Light	41-40-29.580N 083-17-02.280W	F R			KRW in Pipe.	Maintained from Apr.1 to Nov.15.
6025.5	Limno Toledo	41-42-04.600N 083-15-22.100W	FI Y 4s				
6025.1	Limno Tech Toledo Water Quality Buoy A	41-42-13.110N 083-15-50.430W	FI W 4s				Maintained from May.1 to Nov.1.
6025	Toledo Water Works Intake Crib Lights	41-41-58.000N 083-15-33.000W	Q W			Circular building surmounting crib.	Four (4) lights mounted on each corner of crib. Maintained from Apr. 1 to Nov. 15.
6027	UT LAKE ERIE CENTER B	41-43-58.000N 083-17-44.000W	Iso W 2s				
6027.1	UT Water Quality Bouy	41-43-28.000N 083-22-12.000W	FI Y 4s				Maintained from Jun. 1 to Nov. 1.
6030	Toledo Harbor Light	41-45-42.710N 083-19-44.496W	Iso W 6s	72	13		HORN: 1 blast ev 30s (3s bl). Operates from Apr. 1 to Dec. 1. Operates by keying microphone five times on VHF-FM Ch. 83A
6035	Maumee Bay State Park Entrance Lt 2	41-41-11.400N 083-22-20.400W	FI R 3s				
6036	Maumee Bay State Park Entrance Lt 1	41-41-12.000N 083-22-18.000W	FI G 3s				
6038	Limno Tech Maumee Bay Weather Buoy A	41-42-26.840N 083-22-40.600W	FI Y 4s				Maintained from Apr.15 to Nov.15.
6040	Maumee Safe Water VAIS	41-50-07.976N 083-10-10.556W					AIS MMSI: 993682127
6045	Maumee Bay Entrance Lighted Buoy 1	41-49-26.970N 083-11-27.406W	Q G		4	Green.	Replaced by can from Dec. 14 to Apr. 7. AIS MMSI: 993672199
6047	Canadian Weather Spar Buoy 882 (C)	41-45-46.000N 083-18-05.000W	F Y				Maintained from Jul.15 to Nov.30.
6050	Maumee Bay Entrance Light 2	41-49-31.949N 083-11-36.743W	FI R 2.5s	0	12	TR on tower with red band.	Horn 1 blast every 15s. AIS MMSI: 993682811
6055	Maumee Bay Buoy 3	41-48-54.211N 083-12-41.699W				Green can.	
6060	Maumee Bay Buoy 4	41-48-58.090N 083-12-46.013W				Red nun.	
6065	Maumee Bay Lighted Buoy 5	41-48-29.331N 083-13-34.648W	FI G 4s		4	Green.	Maintained from Apr. 7 to Dec. 14.
6070	Maumee Bay Lighted Buoy 6	41-48-33.521N 083-13-37.979W	FI R 4s		4	Red.	Maintained from Apr. 7 to Dec. 14
6075	Maumee Bay Buoy 7	41-48-04.860N 083-14-26.496W				Green can.	
6080	Maumee Bay Buoy 8	41-48-08.780N 083-14-30.425W				Red nun.	
6085	Maumee Bay Light 9	41-47-39.871N 083-15-17.893W	FI G 4s	33	5	White cylindrical tower with green band.	
6090	Maumee Bay Lighted Buoy 10	41-47-44.750N 083-15-21.256W	FI R 4s		4	Red.	Maintained from Apr. 7 to Dec. 14. AIS MMSI: 993672200
6095	Maumee Bay Buoy 11	41-47-15.638N 083-16-10.943W				Green can.	
6100	Maumee Bay Buoy 12	41-47-19.591N 083-16-14.757W				Red nun.	
6105	Manhattan Range Front Light	41-41-38.713N 083-28-11.074W	F R	24	24	KRW on post.	Lighted throughout 24 hours.
6110	Manhattan Range Rear Light	41-41-22.853N 083-28-44.554W	F R	105	12	KRW on storage bin on building.	Lighted throughout 24 hours.
6115	Maumee Bay Lighted Buoy 13	41-46-51.363N 083-17-02.318W	FI G 4s		4	Green.	Maintained from Apr. 7 to Dec. 14
6120	Maumee Bay Lighted Buoy 14	41-46-55.480N 083-17-06.235W	FI R 2.5s		4	Red.	Maintained from Apr. 7 to Dec. 14
6125	Maumee Bay Buoy 15	41-46-34.580N 083-17-38.826W				Green can.	

6130	Maumee Bay Buoy 16	41-46-38.757N 083-17-41.906W				Red nun.	
6135	Maumee Bay Lighted Buoy 17	41-46-11.370N 083-18-27.566W	FI G 4s	4	Green.	Maintained from Apr. 7 to Dec. 14.	
6140	Maumee Bay Lighted Buoy 18	41-46-15.899N 083-18-31.036W	FI R 4s	4	Red.	Maintained from Apr. 07 to Dec. 14.	
6145	Maumee Bay Buoy 19	41-45-55.080N 083-19-02.336W				Green can.	
6150	Maumee Bay Buoy 20	41-45-59.586N 083-19-04.769W				Red nun.	
6155	Maumee Bay Lighted Buoy 21	41-45-37.520N 083-19-39.096W	FI G 4s	4	Green.	Maintained from Apr. 7 to Dec. 14. AIS MMSI: 993672201	
6160	Maumee Bay Buoy 23	41-45-18.812N 083-20-19.415W				Green can.	
6165	Maumee Bay Buoy 24	41-45-22.910N 083-20-23.044W				Red nun.	
6170	Maumee Bay Lighted Buoy 25	41-44-59.800N 083-20-59.656W	FI G 4s	4	Green.	Maintained from Apr. 7 to Dec. 14.	
6175	Maumee Bay Lighted Buoy 26	41-45-03.789N 083-21-03.233W	FI R 4s	4	Red.	Maintained from Apr. 7 to Dec. 14.	
6180	Maumee Bay Buoy 27	41-44-39.655N 083-21-41.554W				Green can.	
6185	Maumee Bay Buoy 28	41-44-43.969N 083-21-45.307W				Red nun.	
6190	Maumee Bay Light 29	41-44-19.930N 083-22-21.626W	FI G 4s	43	5	SG on white cylindrical tower with green band.	
6195	Maumee Bay Lighted Buoy 30	41-44-24.780N 083-22-25.336W	FI R 4s	4	Red.	Maintained from Apr. 7 to Dec. 14. AIS MMSI: 993672202	
6197	Canada Weather Spar Buoy 973 (C)	41-47-50.000N 083-20-00.000W	FI Y 4s			Spar Buoy	Maintained from Apr.1 to Nov.1.
6200	Maumee Bay Buoy 31	41-44-04.555N 083-22-56.035W				Green can.	
6205	Maumee Bay Buoy 32	41-44-08.557N 083-22-59.442W				Red nun.	
6210	Maumee Bay Lighted Buoy 33	41-43-49.220N 083-23-28.826W	FI G 4s	4	Green.	Maintained from Apr. 7 to Dec. 14.	
6215	Maumee Bay Lighted Buoy 34	41-43-53.248N 083-23-32.285W	FI R 4s	4	Red.	Maintained from Apr. 7 to Dec. 14.	
6220	Maumee Bay Buoy 35	41-43-25.120N 083-24-20.196W				Green can.	
6225	Maumee Bay Buoy 36	41-43-28.046N 083-24-25.319W				Red nun.	
6230	Maumee Bay Lighted Buoy 37	41-42-58.689N 083-25-16.486W	FI G 4s	4	Green.	Maintained from Apr 07 to Dec 14.	
6235	Maumee Bay Lighted Buoy 38	41-43-02.860N 083-25-19.551W	FI R 4s	4	Red.	Maintained from Apr 07 to Dec 14.	
6240	Maumee Bay Buoy 40	41-42-42.462N 083-26-02.372W				Red nun.	
6245	Disposal Area Light A	41-42-34.000N 083-26-06.000W	Q W			On dolphin.	
6250	Disposal Area Light B	41-42-33.000N 083-26-09.000W	Q W			On dolphin.	
6265	Maumee Bay Lighted Buoy 41	41-42-18.540N 083-26-40.045W	FI G 4s	4	Green.	Replaced by can from Dec. 7 to Apr. 7.	
6270	Maumee Bay Buoy 42	41-42-22.657N 083-26-43.769W				Red nun.	
6275	Maumee Bay Lighted Buoy 43	41-42-02.510N 083-27-14.586W	FI G 4s	4	Green.	Replaced by can from Dec. 7 to Apr. 7.	
6280	Maumee Bay Lighted Buoy 45	41-41-57.206N 083-27-26.780W	FI G 4s	4	Green.	Replaced by can from Dec. 7 to Apr. 7.	
6285	Maumee Bay Lighted Buoy 46	41-42-00.610N 083-27-34.899W	FI R 4s	4	Red.	Replaced by nun from Dec. 7 to Apr. 7.	
6290	Maumee Bay Lighted Buoy 48	41-41-50.533N 083-27-52.205W	FI R 4s	4	Red.	Replaced by nun from Dec. 7 to Apr. 7.	
6295	Maumee River Lighted Buoy 49	41-41-38.883N 083-27-59.032W	FI G 4s	4	Green.	Replaced by can from Dec. 7 to Apr. 14.	
6300	Maumee River Lighted Buoy 50	41-41-33.147N 083-28-13.218W	FI R 4s	4	Red.	Replaced by nun from Dec. 7 to Apr. 14.	
6305	Maumee River Buoy 52	41-41-13.904N 083-28-39.084W				Red nun.	

6320	Harrison Marina Entrance Buoy 3	41-41-08.700N 083-28-48.200W				Green can.	
6325	Harrison Marina Entrance Buoy 4	41-41-11.200N 083-28-51.200W				Green can.	
6330	Harrison Marina Danger Buoy G	41-41-07.800N 083-28-51.900W				White with orange bands and diamond; can.	
6337	Maumee River Buoy 54	41-40-45.601N 083-29-11.317W				Red nun.	
6340	Maumee River Turning Basin Buoy 56	41-40-09.106N 083-29-54.785W				Red nun.	
6345	Maumee River Turning Basin Buoy 58	41-40-10.106N 083-29-59.785W				Red nun.	
6350	Maumee River Turning Basin Buoy 60	41-40-04.283N 083-30-06.886W				Red nun.	
6355	Maumee River Turning Basin Lighted Buoy 62	41-40-00.106N 083-30-08.685W	FI R 4s	4	Red.		Replaced by nun from Dec. 7 to Apr. 14.
6356.2	Glass City Marina Buoy 3	41-39-27.000N 083-30-52.000W				Green	Maintained from Apr. 15 to Oct. 15.
6356.3	Glass City Marina Buoy 5	41-39-26.000N 083-30-51.000W				Green	Maintained from Apr. 15 to Oct. 15.
6357	Glass City Marina Buoy A	41-39-28.000N 083-30-50.000W				Orange/White	Maintained from Apr. 15 to Oct. 15.
6357.1	Glass City Marina Buoy B	41-39-27.000N 083-30-51.000W				Orange/White	Maintained from Apr. 15 to Oct. 15.
6357.2	Glass City Marina Buoy C	41-39-27.000N 083-30-55.000W				Orange/White	Maintained from Apr. 15 to Oct. 15.
6357.3	Glass City Marina Buoy D	41-39-25.000N 083-30-58.000W				Orange/White	Maintained from Apr. 15 to Oct. 15.
6357.4	Glass City Marina Buoy E	41-39-26.000N 083-30-51.000W				Orange/White	Maintained from Apr. 15 to Oct. 15.
6357.5	Glass City Marina Buoy F	41-39-25.000N 083-30-50.000W				Orange/White	Maintained from Apr. 15 to Oct. 15.
6357.6	Glass City Marina Buoy G	41-39-24.000N 083-30-49.000W				Orange/White	Maintained from Apr. 15 to Oct. 15.
6357.7	Glass City Marina Buoy H	41-39-23.000N 083-30-49.000W				Orange/White	Maintained from Apr. 15 to Oct. 15.
6360	Maumee River Lighted Buoy 63	41-39-19.723N 083-31-20.291W	FI G 4s	4	Green.		Replaced by can from Dec. 7 to Apr. 14.
6361	Maumee River Buoy 64	41-38-48.191N 083-31-58.158W				Red nun.	
6362	Maumee River Buoy 65	41-38-47.307N 083-31-54.340W				Green can.	
6365	Maumee River Buoy 67	41-37-37.030N 083-32-03.026W				Green can.	
6370	Pier 75 Detached Breakwater Light A	41-37-34.600N 083-32-40.900W	Q W			On southeast corner of detached breakwater.	
6375	Pier 75 Detached Breakwater Light B	41-37-34.500N 083-32-43.000W	Q W			On detached breakwater.	
6380	Pier 75 Detached Breakwater Light C	41-37-34.400N 083-32-44.900W	Q W			On detached breakwater.	
6385	Pier 75 Detached Breakwater Light D	41-37-33.400N 083-32-46.900W	Q W			On southwest corner of detached breakwater.	
6390	Pier 75 Detached Breakwater Light E	41-37-35.100N 083-32-41.100W	Q W			On northeast corner of detached breakwater.	
6395	Pier 75 Detached Breakwater Light F	41-37-35.000N 083-32-43.100W	Q W			On detached breakwater.	
6400	Pier 75 Detached Breakwater Light G	41-37-34.900N 083-32-45.000W	Q W			On detached breakwater.	
6405	Pier 75 Detached Breakwater Light H	41-37-34.500N 083-32-47.000W	Q W			On northwest corner of detached breakwater.	
6408.1	Rossford Marina Light 1	41-37-03.690N 083-33-51.720W	F G				Maintained from Apr.1 to Nov.1.
6408.2	Rossford Marina Light 2	41-37-03.650N 083-33-51.820W	F R				Maintained from Apr.1 to Nov.1.
6408.3	Rossford Marina Light 3	41-37-03.160N 083-33-52.540W	F Y				Maintained from Apr.1 to Nov.1.
6408.4	Rossford Marina Light 4	41-37-03.270N 083-33-51.670W	F Y				Maintained from Apr.1 to Nov.1.
6408.5	Rossford Marina Light 5	41-37-02.590N 083-33-51.960W	F Y				Maintained from Apr.1 to Nov.1.

6410	Walbridge Park Range Front Light	41-36-51.000N 083-34-50.000W	F R			Square daymark on white pile.	Maintained from May 1 to Nov. 1.
6415	Walbridge Park Rear Range Light	41-36-51.500N 083-34-50.000W	F R			Square daymark on white pile.	Maintained from May 1 to Nov. 1.
6420	Corbutt Island Intake Crib Buoy J	41-37-23.000N 083-33-58.500W				White can with orange bands and diamond.	
6425	Corbutt Island Intake Crib Buoy K	41-37-23.500N 083-33-56.000W				White can with orange bands and diamond.	
6430	Corbutt Island Intake Crib Buoy L	41-37-24.250N 083-33-54.500W				White can with orange bands and diamond.	
6435	Brookford Road Water Intake Crib Buoy M	41-36-00.000N 083-35-24.000W				White can with orange bands and diamond.	
6440	Brookford Road Water Intake Crib Buoy N	41-36-01.000N 083-35-22.500W				White can with orange bands and diamond.	
6445	Brookford Road Water Intake Crib Buoy P	41-36-01.500N 083-35-23.000W				White can with orange bands and diamond.	
6460	Toledo Beach Marina Range Front Light	41-49-44.160N 083-24-45.360W	F R			On pile.	
6465	Toledo Beach Marina Range Rear Light	41-49-47.100N 083-24-56.800W	F R			On pile.	
6470	Toledo Beach Marina South Breakwater Light	41-49-40.000N 083-24-32.500W	Q G			On pile.	
6474	Toledo Beach Marina North Breakwater Light	41-49-40.500N 083-24-30.000W	Q R			On pile.	
6477	NOAA GLERL WLE 8 Toledo Beach Wave Buoy 1	41-27-29.880N 082-28-57.720W	FI Y 4s				Maintained from May.1 to Dec.1.
6480	Otter Creek Range Front Light	41-50-44.600N 083-24-02.300W	F G			SG on pile.	Maintained from May 1 to Nov. 30.
6485	Otter Creek Range Rear Light	41-50-44.800N 083-24-03.200W	FI G 4s			SG on pile.	Maintained from May 1 to Nov. 30.
6490	Bolles Harbor Lighted Buoy 2	41-51-22.194N 083-22-17.780W	FI R 4s	4		Red.	Maintained from Apr. 21 to Nov. 14.
6493	Bolles Harbor Lighted Buoy 1	41-51-21.252N 083-22-19.010W	FI G 4s	4		Green	Maintained from Apr. 21 to Nov. 14.
6500	Bolles Harbor Lighted Buoy 3	41-51-42.782N 083-22-28.417W	FI G 2.5s	4		Green.	Maintained from Apr. 21 to Nov. 14.
6505	Bolles Harbor Lighted Buoy 4	41-51-43.094N 083-22-27.280W	FI R 4s	4		Red.	Maintained from Apr. 21 to Nov. 14.
6515	Bolles Harbor Buoy 5	41-52-03.694N 083-22-38.180W				Green can.	
6525	Bolles Harbor Entrance Light 6	41-52-03.990N 083-22-36.036W	FI (2)R 5s	35	8	TR on post.	
6530	Bolles Harbor Buoy 7	41-52-10.345N 083-22-41.311W				Green can.	
6535	Bolles Harbor Entrance Light 9	41-52-15.730N 083-22-45.606W	FI G 4s	25	5	SG on pile.	
6540	Bolles Harbor Daybeacon 10	41-52-16.720N 083-22-42.626W		15		TR on pile.	
6545	Bolles Harbor Entrance Light 11	41-52-19.560N 083-22-45.606W	F G	31	8	SG on post.	
6550	Bolles Harbor Range Front Light	41-52-26.097N 083-22-47.486W	Q W	19	6	KRW on square skeleton tower.	
6555	Bolles Harbor Range Rear Light	41-52-48.158N 083-22-57.354W	Iso W 6s	52	5	KRW on square skeleton tower.	
6560	Monroe Harbor Range Front Light	41-53-46.237N 083-20-58.669W	Iso W 6s	51	14	KRW on square skeleton tower.	Lighted throughout 24 hours.
6565	Monroe Harbor Range Rear Light	41-54-04.761N 083-22-00.890W	F W	89	15	Tapered skeleton tower.	Lighted throughout 24 hours.
6570	Monroe Harbor Lighted Buoy 1	41-52-30.952N 083-16-51.922W	FI G 2.5s	4		Green.	Replaced by can from Dec. 14 to Apr. 14. AIS MMSI: 993672203
6575	Monroe Harbor Lighted Buoy 2	41-52-33.715N 083-16-48.623W	FI R 2.5s	4		Red.	Replaced by nun from Dec. 14 to Apr. 14. AIS MMSI: 993672204
6580	Monroe Harbor Buoy 3	41-52-51.333N 083-17-58.850W				Green can.	
6585	Monroe Harbor Buoy 4	41-52-53.646N 083-17-56.072W				Red nun.	
6590	Monroe Harbor Lighted Buoy 5	41-53-10.925N 083-19-05.296W	FI G 4s	4		Green.	Year round buoy unlighted from Dec 7 to Apr 7.
6595	Monroe Harbor Lighted Buoy 6	41-53-14.036N 083-19-05.415W	FI R 4s	4		Red.	Year round buoy unlighted from Dec 7 to Apr 7.

6600	Monroe Harbor Buoy 7	41-53-28.689N 083-20-03.337W		Green can.	
6605	Monroe Harbor Buoy 8	41-53-31.328N 083-20-02.710W		Red nun.	
6610	Monroe Harbor Buoy 9	41-54-01.761N 083-21-24.759W		Green can.	
6615	Sterling State Park Hazard Buoy A	41-54-11.100N 083-19-59.000W		White with orange bands.	
6620	Sterling State Park Hazard Buoy B	41-54-11.500N 083-19-53.000W		White with orange bands.	
6625	Sterling State Park Hazard Buoy C	41-54-14.000N 083-19-52.800W		White with orange bands.	
6630	Sterling State Park Hazard Buoy D	41-54-14.600N 083-19-58.100W		White with orange bands.	
6635	Stoney Creek Channel Range Front Light	41-56-36.600N 083-18-12.000W	F R	On white post.	
6640	Stoney Creek Channel Range Rear Light	41-56-35.900N 083-18-11.000W	F R	On red post.	
6645	Stony Creek Channel Buoy 1	41-56-12.000N 083-17-30.000W		Green can.	
6650	Stony Creek Channel Buoy 2	41-56-24.000N 083-17-56.000W		Red nun.	
6655	Stony Creek Channel Buoy 3	41-56-26.000N 083-18-01.000W		Green can.	
6660	Stony Creek Channel Buoy 4	41-56-28.000N 083-18-00.000W		Red nun.	
6665	Stony Creek Channel Buoy 5	41-56-39.000N 083-18-04.000W		Green can.	
6670	Stony Creek Channel Buoy 6	41-56-30.000N 083-18-03.000W		Red nun.	
6675	Stony Creek Channel Buoy 7	41-56-32.800N 083-18-08.000W		Green can.	
6680	Stony Creek Channel Buoy 8	41-56-33.000N 083-18-07.000W		Red nun.	
6681	Sandy Creek Buoy 1	41-55-24.890N 083-19-38.630W			
6681.5	Sandy Creek Buoy 2	41-55-25.900N 083-19-37.600W			
6682	Sandy Creek Buoy 3	41-55-27.730N 083-19-43.690W			
6682.5	Sandy Creek Buoy 4	41-55-28.740N 083-19-42.620W			
6683	Sandy Creek Buoy 5	41-55-29.730N 083-19-47.360W			
6683.5	Sandy Creek Buoy 6	41-55-30.630N 083-19-46.530W			
6684	Sandy Creek Buoy 7	41-55-31.350N 083-19-51.150W			
6684.5	Sandy Creek Buoy 8	41-55-31.130N 083-19-50.160W			
6685	Sandy Creek Buoy 9	41-55-32.120N 083-19-53.850W		Green.	
6690	Sandy Creek Buoy 10	41-55-32.740N 083-19-55.420W		Red.	
6691	Sandy Creek Buoy 11	41-55-29.020N 083-19-55.430W			
6692	Sandy Creek Buoy 12	41-55-29.530N 083-19-59.350W			
6695	Sandy Creek Buoy 13	41-55-24.320N 083-19-58.390W		Green can.	
6700	Sandy Creek Buoy 14	41-55-24.810N 083-19-59.350W		Red nun.	
6705	Sandy Creek Buoy 15	41-55-21.290N 083-20-00.700W		Green can.	
6710	Sandy Creek Buoy 16	41-55-22.110N 083-20-01.690W		Red nun.	
6715	Enrico Fermi Power Plant Intake Lights	41-57-42.000N 083-15-00.000W	F W	On white pile.	Maintained from Mar. 1 to Dec. 1.
6716.7	Enrico Fermi Nuclear Power Plant Security Zone Buoy H	41-56-54.000N 083-13-48.000W	Q Y	White with orange bands.	

6716.6	Enrico Fermi Nuclear Power Plant Security Zone Buoy G	41-57-19.920N 083-13-46.020W	Q Y		White with orange bands.	
6716.5	Enrico Fermi Nuclear Power Plant Security Zone Buoy F	41-57-45.960N 083-13-44.220W	Q Y		White with orange bands.	
6716.4	Enrico Fermi Nuclear Power Plant Security Zone Buoy E	41-58-12.000N 083-13-42.000W	Q Y		White with orange bands.	
6716.3	Enrico Fermi Nuclear Power Plant Security Zone Buoy D	41-58-20.100N 083-14-15.000W	Q Y		White with orange bands.	
6716.2	Enrico Fermi Nuclear Power Plant Security Zone Buoy C	41-58-27.960N 083-14-49.020W	Q Y		White with orange bands.	
6716.1	Enrico Fermi Nuclear Power Plant Security Zone Buoy B	41-58-30.600N 083-15-00.000W	Q Y		White with orange bands.	
6716	Enrico Fermi Nuclear Power Plant Security Zone Buoy A	41-58-26.220N 083-15-19.980W	Q Y		White with orange bands.	
6716.9	Enrico Fermi Nuclear Power Plant Security Zone Buoy J	41-56-54.000N 083-14-57.900W	Q Y		White with orange bands.	
6716.8	Enrico Fermi Nuclear Power Plant Security Zone Buoy I	41-56-54.000N 083-14-22.920W	Q Y		White with orange bands.	
6717.1	Enrico Fermi Nuclear Power Plant Security Zone Buoy L	41-56-54.000N 083-15-12.000W	Q Y			
6717	Enrico Fermi Nuclear Power Plant Security Zone Buoy K	41-56-54.060N 083-15-10.560W	Q Y		White with orange bands.	
6720	Swan Creek Entrance Lighted Buoy 1	41-58-27.960N 083-14-35.940W	FI G 2.5s		Green.	
6725	Swan Creek Entrance Lighted Buoy 2	41-58-30.300N 083-14-34.140W	FI R 2.5s		Red.	
6730	Swan Creek Entrance Buoy 3	41-58-30.960N 083-14-40.140W			Green can.	
6735	Swan Creek Entrance Buoy 4	41-58-32.340N 083-14-40.140W			Red nun.	
6736	Swan Creek Entrance Lighted Buoy 5	41-58-33.720N 083-14-45.960W	FI G 2.5s		Green.	
6737	Swan Creek Entrance Range Front Light 6	41-58-34.400N 083-14-45.000W	F R		TR on post.	
6738	Swan Creek Entrance Range Rear Light	41-58-35.040N 083-14-45.780W	F R		Three-masted tower.	
6740	Swan Creek Entrance Lighted Buoy 7	41-58-36.840N 083-14-51.060W	FI G 2.5s		Green.	
6741	Swan Creek Entrance Daybeacon 8	41-58-37.200N 083-14-56.340W			TR on post.	
6742	Swan Creek Entrance Daybeacon 10	41-58-36.200N 083-14-58.800W			TR on post.	
6743	Swan Creek Entrance Daybeacon 12	41-58-36.000N 083-15-04.500W			TR on post.	
6760	West Breakwater Light (C)	42-52-12.032N 079-16-06.022W	FI W 4s		White circular tower.	Seasonal.
6765	Inner Light (C)	42-52-06.032N 079-15-12.022W	FI W 10s	17	White square tower red upper portion.	Seasonal.
6783	ODAS Lighted Buoy 45142	42-44-12.032N 079-17-24.022W			Yellow disc shaped hull.	Seasonal.
6785	Long Point Light (C)	42-32-54.032N 080-03-00.023W		25	White octagonal tower with red upper portion.	Seasonal. Emergency light.
6795	Southeast Shoal Light (C)	41-49-36.030N 082-27-48.025W	FI R 10s	21	White square structure with red stripes on pyramidal base.	Winter light FI W 4s. Seasonal. Emergency light.
6810	Southeast Shoal Lighted Buoy X (C)	41-48-42.030N 082-27-48.025W	Mo (A) W		Red and white stripes.	Seasonal.
6815	Pelee Point Lighted Bell Buoy EP2 (C)	41-52-12.030N 082-30-30.025W	FI R 4s		Red.	Seasonal.
6820	Grubb Reef Lighted Buoy E8 (C)	41-51-54.030N 082-33-36.025W	FI R 4s		Red.	Seasonal.
6825	Traffic Lighted Buoy P (C)	41-51-48.030N 082-34-30.025W	Mo (A) W		Red and white stripes.	Seasonal.
6830	Middle Ground Lighted Buoy E9 (C)	41-51-24.030N 082-34-48.025W	FI G 4s		Green.	Seasonal.
6835	Light (C)	41-51-12.030N 083-34-54.026W	FI W 4s	10	White circular tower with green upper and lower portions; on pier.	Winter light FI W 4s. Seasonal.
6840	Turning Lighted Buoy E10 (C)	41-53-12.030N 082-38-42.025W	FI R 4s		Red.	Seasonal.
6845	Scudder Breakwater Light (C)	41-49-00.030N 082-39-30.025W	FI R 4s		White circular tower with red top.	Seasonal.

6850	Scudder Wharf Light (C)	41-48-54.030N 082-39-36.025W	F R	8		On elevator.	Seasonal.
6865	North Harbor Island Reef Lighted Buoy E13 (C)	41-51-00.030N 082-51-12.025W	FI G 4s			Green.	Seasonal.
6870	Colchester Reef Light (C)	41-56-00.030N 082-53-30.025W	FI R 4s	6		Red skeleton tower with red rectangular daymark on two sides.	Seasonal.
6875	Middle Sister Island Light (C)	41-51-00.030N 082-59-54.026W	FI G 4s	6		White square skeleton tower.	May be obscured by trees from south-southwest approaches. Seasonal.
6885	Detroit River Light	42-00-02.978N 083-08-28.509W	FI (2)W 6s	55	12	White conical tower with black top on hexagonal top.	HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
6895	East Outer Channel Light 1E	41-54-49.746N 083-06-25.070W	FI G 5s	44	10	Tower on platform with green band.	RACON: O (- - -) HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Operates Year Round.
6900	East Outer Channel Lighted Buoy 2	41-55-16.830N 083-06-18.686W	Q R		5	Red.	Replaced by nun from Dec. 21 to Apr. 01.
6905	East Outer Channel Lighted Buoy 3	41-55-13.580N 083-06-32.666W	FI G 4s		4	Green.	Maintained from Apr. 1 to Dec. 21.
6910	East Outer Channel Lighted Buoy 5	41-56-04.457N 083-06-53.452W	FI G 2.5s		4	Green.	Replaced by can from Dec. 21 to Apr. 01.
6915	East Outer Channel Lighted Buoy 6	41-56-07.810N 083-06-38.276W	FI R 2.5s		4	Red.	Replaced by nun from Dec.21 to Apr. 01.
6920	East Outer Channel Lighted Buoy 7	41-56-55.723N 083-07-13.058W	FI G 4s		4	Green.	
6925	East Outer Channel Lighted Buoy 8	41-56-58.240N 083-06-57.936W	FI R 4s		4	Red.	
6930	East Outer Channel Lighted Buoy 9	41-57-45.080N 083-07-32.016W	FI G 2.5s		4	Green.	Replaced by can from Dec. 21 to Apr. 1.
6935	East Outer Channel Light 10	41-57-48.030N 083-07-17.026W	FI R 2.5s	44	7	Cylindrical tower with red band on platform.	
6940	East Outer Channel Lighted Buoy 11	41-58-35.790N 083-07-52.066W	FI G 4s		4	Green.	
6945	East Outer Channel Lighted Buoy 12	41-58-39.010N 083-07-37.436W	FI R 4s		4	Red.	
6950	East Outer Channel Lighted Buoy 13	41-59-24.930N 083-08-10.436W	FI G 2.5s		4	Green.	Replaced by can from Dec. 21 to Apr. 1.
6955	East Outer Channel Lighted Buoy 14	41-59-27.446N 083-07-56.715W	FI R 2.5s		4	Red.	Replaced by nun from Dec. 21 to Apr. 1.
6960	East Outer Channel Lighted Buoy 16	42-00-17.290N 083-08-14.056W	Q R		5	Red.	Replaced by nun from Dec. 21 to Apr. 1. AIS MMSI: 993672205
6965	Amherstburg Channel Lighted Buoy 23	42-00-44.741N 083-08-29.853W	FI G 4s		4	Green.	Replaced by can from Dec. 21 to Apr. 1. AIS MMSI: 993672206
6975	Amherstburg Channel Buoy 25	42-01-03.340N 083-08-25.703W				Green can.	
6980	Detroit River Pier Light 30D (C)	42-01-36.030N 083-08-06.026W	Q R			White circular with red top.	
6995	Bar Point Pier Light D33 (C)	42-02-24.130N 083-08-03.626W	FI G 10s		10	White square tower.	Light obscured from 090° to 191°.
7000	Bar Point Range Front Light D49 (C)	42-04-12.030N 083-07-24.026W	F Y			Fluorescent orange triangular daymark on white circular tower with green upper portion and black vertical stripe.	Visible on range line only.
7020	Hackett Reach Range Front Light (C)	42-05-48.030N 083-06-48.026W	F R			Orange triangular daymark with black stripes on pile.	Visible on range line only.
7030	Lighted Buoy D37 (C)	42-03-06.030N 083-07-48.026W	FI G 4s			Green.	Seasonal.
7050	Lighted Buoy D45 (C)	42-03-48.030N 083-07-30.026W	FI G 4s			Green.	Seasonal.
7055	Lighted Buoy D46 (C)	42-03-48.030N 083-07-30.026W	FI R 4s			Red.	Seasonal.
7075	Light D53 (C)	42-05-12.030N 083-07-06.026W	FI G 4s			White circular tower with green top.	
7090	Amherstburg Range Front Light D65 (C)	42-06-48.030N 083-07-06.026W	F Y			Orange triangular daymark with black stripe on white circular tower with green top.	
7110	Light D61 (C)	42-06-00.030N 083-07-06.026W	FI G 4s			White circular tower with green top.	Visible on range line only.
7125	Limekiln Crossing Range Front Light (C)	42-07-42.030N 083-06-54.026W	F R			Orange triangular daymark with black stripe on skeleton tower.	Visible on range line only. Range leads to Fort Malden Range Line.
7145	Light D69 (C)	42-07-18.030N 083-07-00.026W	Q G			White circular tower with green top.	
7155	Fort Malden Range Front Light (C)	42-06-54.030N 083-06-42.026W	F R			Orange triangular daymark with black vertical stripe on white circular tower.	Visible on range line only.
7165	Grosse Ile South Channel Range Front Light	42-11-07.112N 083-08-31.037W	F G	30	16	KRW on square skeleton tower.	Lighted throughout 24 hours.

7170	Grosse Ile South Channel Range Rear Light	42-11-21.162N 083-08-36.973W	F G	55	16	KRW on square skeleton tower.	Lighted throughout 24 hours.
7175	Light D71 (C)	42-07-24.030N 083-07-06.026W	FI G 4s			White circular tower with green top.	
7195	Livingstone Channel Upper Entrance Light (C)	42-08-12.030N 083-07-18.026W	AI WR 10s		15	White circular tower mounted on white square crib.	Emergency light FI (2) W 15s. HORN: (two-tone) 1 blast ev 15s (4s bl). Operates year round.
7200	Light D77 (C)	42-08-30.030N 083-07-30.026W	FI G 5s		10	Green stripes on the corners of a white square tower.	
7210	Ballards Reef Channel Lighted Buoy 81	42-09-07.828N 083-07-45.319W	FI G 4s		4	Green.	Replaced by can from Dec. 21 to Apr. 1.
7220	Lighted Buoy DFB (C)	42-09-12.030N 083-07-36.026W				Red with green band.	Seasonal.
7225	Ballards Reef Channel Lighted Buoy 85	42-09-49.297N 083-08-02.320W	FI G 4s		4	Green.	Replaced by can from Dec. 21 to Apr. 1.
7230	Ballards Reef Channel Lighted Buoy 86	42-10-10.777N 083-08-02.950W	FI R 4s		4	Red.	Year round buoy unlighted from Dec. 21 to Apr. 1.
7231	Grosse Ile Light	42-10-03.000N 083-08-22.000W	Iso W 2s				
7235	Ballards Reef Channel Lighted Buoy 87	42-10-17.897N 083-08-14.440W	FI G 4s		4	Green.	Replaced by can from Dec. 21 to Apr. 1.
7240	Livingstone Channel Light 25	42-07-45.400N 083-07-31.246W	FI G 2.5s	34	3	White cylindrical tower with green band.	
7245	Livingstone Channel Light 26	42-07-44.980N 083-07-24.706W	FI R 2.5s	34	4	White cylindrical tower with red band.	
7250	Livingstone Channel Light 23	42-07-17.730N 083-07-34.766W	Iso G 6s	34	3	White cylindrical tower with green band.	
7255	Livingstone Channel Light 24	42-07-17.258N 083-07-28.346W	Iso R 6s	34	4	White cylindrical tower with red band.	
7260	Livingstone Channel Light 21	42-06-49.989N 083-07-38.544W	FI G 2.5s	34	3	White cylindrical tower with green band.	
7275	Livingstone Channel Light 19	42-06-21.244N 083-07-42.960W	Iso G 6s	34	3	White cylindrical tower with green band.	
7320	Lighted Buoy DI1 (C)	42-02-30.030N 083-08-12.026W	FI G 4s			Green.	Seasonal.
7325	West Outer Channel Buoy 9	42-00-04.074N 083-08-41.381W				Green can.	
7330	West Outer Channel Buoy 8	41-59-13.619N 083-08-44.284W				Red nun.	
7335	West Outer Channel Buoy 7	41-59-15.021N 083-08-55.095W				Green can.	
7340	West Outer Channel Buoy 6	41-58-31.272N 083-08-56.159W				Red nun.	
7345	West Outer Channel Buoy 5	41-58-33.310N 083-09-06.595W				Green can.	
7350	West Outer Channel Buoy 4	41-57-46.453N 083-09-08.799W				Red nun.	
7355	West Outer Channel Buoy 3	41-57-48.126N 083-09-19.096W				Green can.	
7360	West Outer Channel Buoy 2	41-57-02.650N 083-09-20.172W				Red nun.	
7365	West Outer Channel Lighted Buoy 1W	41-57-00.984N 083-09-32.370W	FI G 6s		6	Green.	Replaced by can from Dec. 7 to May 7.
7370	Point Mouillee Access Channel Buoy 1	42-00-11.411N 083-08-46.704W				Green can.	
7375	Point Mouillee Access Channel Buoy 2	42-00-15.098N 083-08-45.289W				Red nun.	
7380	Point Mouillee Access Channel Buoy 3	42-00-20.621N 083-09-45.527W				Green can.	
7385	Point Mouillee Access Channel Buoy 4	42-00-22.881N 083-09-44.437W				Red nun.	
7390	South Huron Valley Outfall West Lighted Buoy	42-03-09.000N 083-09-50.000W	Q W			White with orange bands and orange diamond worded DANGER OUTFALL.	Maintained from May 1 to Nov. 1.
7395	South Huron Valley Outfall Center Lighted Buoy	42-03-09.500N 083-09-48.000W	Q W			White with orange bands and orange diamond worded DANGER OUTFALL.	Maintained from May 1 to Nov. 1.
7400	South Huron Valley Outfall East Lighted Buoy	42-03-08.800N 083-09-46.000W	Q W			White with orange bands and orange diamond worded DANGER OUTFALL.	Maintained from May 1 to Nov. 1.
7405	Metro Park Marina Lighted Buoy 1	42-03-09.500N 083-10-49.000W	FI G 4s			Green.	
7410	Metro Park Marina Lighted Buoy 2	42-03-12.000N 083-10-49.000W	FI R 4s			Red.	

7415	Metro Park Marina Buoy 3	42-03-09.500N 083-10-55.000W			Green can.	
7420	Metro Park Marina Buoy 4	42-02-12.000N 083-10-54.000W			Red nun.	
7425	Metro Park Marina Buoy 5	42-03-09.500N 083-11-00.000W			Green can.	
7430	Metro Park Marina Buoy 6	42-03-12.000N 083-11-00.000W			Red nun.	
7435	Metro Park Marina Buoy 7	42-03-09.500N 083-11-05.000W			Green can.	
7440	Metro Park Marina Buoy 8	42-03-12.500N 083-11-05.000W			Red nun.	
7445	Metro Park Marina Range Front Light	42-03-12.000N 083-11-36.000W	FI R 4s		On pile.	Maintained from Apr. 1 to Nov. 1.
7450	Metro Park Marina Range Rear Light	43-03-10.500N 083-11-37.000W	F R		On pile.	Maintained from Apr. 1 to Nov. 1.
7455	Hickory Island Channel Buoy 1	42-04-22.885N 083-09-39.056W			Green can.	Maintained from 14 May to 21 November
7460	Hickory Island Channel Lighted Buoy 2	42-04-21.795N 083-09-11.984W	FI R 4s	4	Red nun.	Maintained from May 14 to Nov. 21.
7465	Hickory Island Channel Buoy 3	42-04-39.595N 083-09-37.766W			Green can.	Maintained from May 14 to Nov. 21.
7468	Ford Yacht Club East Basin Entrance Buoy 1	42-05-14.000N 083-10-13.300W			Green can.	
7469	Ford Yacht Club East Basin Entrance Buoy 2	42-05-13.800N 083-10-11.000W			Red nun.	
7470	Ford Yacht Club East Basin Entrance Light 3	42-05-20.000N 083-10-11.200W	Q G		On single post.	
7471	Ford Yacht Club East Basin Entrance Light 4	42-05-20.000N 083-10-09.000W	FI R 2.5s		On single post.	
7472	Ford Yacht Club East Basin Range Front Light	42-05-27.000N 083-10-08.000W	F R		4ft light pipe centered on white diamond daymark.	
7473	Ford Yacht Club East Basin Range Rear Light	42-05-27.200N 083-10-08.300W	F R		4ft light pipe centered on white diamond daymark.	
7480	Ford Yacht Club West Basin Entrance Buoy 1	42-05-19.500N 083-10-18.500W			Green can.	
7485	Ford Yacht Club West Entrance Buoy 2	42-05-19.000N 083-10-16.000W			Red nun.	
7490	Ford Yacht Club West Basin Entrance Light 3	42-05-24.100N 083-10-16.500W	Q G		On single post.	
7495	Ford Yacht Club West Basin Entrance Light 4	42-05-24.000N 083-10-14.900W	Q R		On single post.	
7500	Ford Yacht Club West Basin Range Front Light	42-05-24.000N 083-10-12.000W	F R		4 ft light pipe centered on white diamond daymark.	
7505	Ford Yacht Club West Basin Range Rear Light	42-05-27.000N 083-10-12.200W	F R		4 ft light pipe centered on white diamond daymark.	
7550	Hickory Island Channel Buoy 4	42-04-38.915N 083-09-20.585W			Red nun.	
7555	Hickory Island Channel Lighted Junction Buoy H	42-04-42.914N 083-09-24.295W	FI (2+1)G 6s	4	Green can.	Maintained from May 14 to Nov. 21.
7560	Hickory Island Channel Buoy 7	42-04-59.222N 083-09-12.283W			Green can.	
7565	Hickory Island Channel Lighted Buoy 8	42-05-04.404N 083-09-03.274W	FI R 4s	4	Red.	Maintained from 14 May to 21 November.
7570	Hickory Island Channel Buoy 10	42-05-15.810N 083-08-58.560W			Red nun.	
7575	Grosse Ile Yacht Club Harbor South Entrance Light	42-05-23.900N 083-09-03.300W	FI G 2s		On black post.	
7580	Grosse Ile Yacht Club Harbor North Entrance Light	42-05-24.200N 083-09-03.200W	FI R 2s		On red post.	Maintained from May 1 to Nov. 1.
7585	Elba-Mar Boat Club Range Front Light	42-05-51.700N 083-09-00.200W	F G		Orange and black diamond daymark.	Maintained from Apr. 1 to Dec. 1.
7590	Elba-Mar Boat Club Range Rear Light	42-05-53.000N 083-09-03.000W	F G		Orange and black diamond daymark.	Maintained from Apr. 1 to Dec. 1.
7595	Elba-Mar Boat Club Entrance Buoy 1	42-05-48.500N 083-08-54.000W			Green can.	
7600	Elba-Mar Boat Club Entrance Buoy 2	42-05-49.000N 083-08-54.500W			Red nun.	
7605	Hickory Island Channel Buoy 12	42-05-40.562N 083-08-38.042W			Red nun.	

7610	Hickory Island Channel Buoy 13	42-05-46.823N 083-08-38.812W		Green can.
7615	Hickory Island Channel Buoy 16	42-06-16.020N 083-08-04.855W		Red nun.
7625	Hickory Island Channel Buoy 17	42-06-22.522N 083-07-58.001W		Green can.
7651.6	Lake Erie Metropark Boat Launch Buoy 7	42-04-45.800N 083-11-36.800W		Green can.
7651.5	Lake Erie Metropark Boat Launch Buoy 6	42-04-44.700N 083-11-31.600W		Red nun.
7651.4	Lake Erie Metropark Boat Launch Buoy 5	42-04-44.200N 083-11-32.000W		Green can.
7651.3	Lake Erie Metropark Boat Launch Buoy 4	42-04-43.000N 083-11-22.200W		Red nun.
7651.2	Lake Erie Metropark Boat Launch Buoy 3	42-04-42.600N 083-11-27.100W		Green can.
7651.1	Lake Erie Metropark Boat Launch Lighted Buoy 2	42-04-41.400N 083-11-22.000W	FI R 4s	Red.
7651	Lake Erie Metropark Boat Launch Lighted Buoy 1	42-04-40.900N 083-11-22.200W	FI G 4s	Green.
7655	Gibraltar South Harbor Channel Range Front Light	42-04-44.200N 083-11-12.000W	F R	On red pile.
7660	Gibraltar South Harbor Channel Range Rear Light	42-04-44.200N 083-11-10.500W	F R	Red on white diamond daymark.
7665	Gibraltar South Harbor Channel Light 1	42-04-44.000N 083-11-00.000W	FI G 2.5s	On pile cluster.
7670	Gibraltar South Harbor Channel Light 2	42-04-44.200N 083-11-00.000W	FI R 2.5s	On pile cluster.
7671	Gibraltar South Harbor Channel Daybeacon 3	42-04-44.500N 083-11-04.800W		SG on single pile.
7672	Gibraltar South Harbor Channel Daybeacon 4	42-04-43.600N 083-11-04.400W		TR on single pile.
7675	Gibraltar South Harbor Channel Light 5	42-04-44.000N 083-11-09.000W	Q G	On pile cluster.
7680	Gibraltar South Harbor Channel Light 6	42-04-44.500N 083-11-09.000W	Q R	On pile cluster.
7685	Gibraltar South Harbor Channel Light 7	42-04-46.500N 083-11-13.000W	Q G	On pile cluster.
7690	Gibraltar South Harbor Channel Light 8	42-04-47.100N 083-11-13.800W	Q R	On pile cluster.
7695	Gibraltar South Harbor Channel Light 9	42-04-47.000N 083-11-20.800W	Q G	On pile cluster.
7700	Gibraltar South Harbor Channel Light 10	42-04-47.800N 083-11-20.800W	Q R	On pile cluster.
7701	Celeron Island Buoy 1	42-04-53.030N 083-09-52.026W		Green can.
7703	Celeron Island Buoy 3	42-05-15.614N 083-10-23.907W		Green can.
7705	Gibraltar Middle Channel South Light	42-05-11.500N 083-11-06.100W	FI G 2.5s	On pile cluster.
7710	Gibraltar Middle Channel North Light	42-05-12.000N 083-11-06.100W	FI R 2.5s	On pile cluster.
7711	Celeron Island Buoy 4	42-05-22.030N 083-10-33.026W		Red nun.
7712	Celeron Island Buoy 5	42-05-26.948N 083-10-44.569W		Green can.
7713	Celeron Island Buoy 7	42-05-47.030N 083-10-57.026W		Green can.
7714	Celeron Island Buoy 8	42-05-53.030N 083-10-54.026W		Red nun.
7715	Gibraltar North Channel Range Front Light	42-05-54.000N 083-11-12.000W	F R	Red on white diamond daymark on post.
7720	Gibraltar North Channel Range Rear Light	42-05-42.000N 083-11-24.000W	F R	Red on white diamond daymark on pile.
7725	Gibraltar North Channel Light 1	42-05-58.000N 083-11-04.400W	FI G 2.5s	On pile cluster.
7730	Gibraltar North Channel Light 2	42-05-58.500N 083-11-00.500W	FI R 2.5s	On pile cluster.
7735	Fighting Island Channel South Light	42-10-22.810N 083-08-03.986W	Iso R 6s 35 8	TR on post.

7740	Mamajuda Shoal Junction Lighted Buoy	42-10-53.906N 083-08-12.120W	FI (2+1)G 6s	4	Green and red bands.	Replaced by can from Dec. 21 to Apr. 1.
7745	Fighting Island Channel Buoy 88	42-10-58.296N 083-08-01.380W			Red nun.	
7755	Fighting Island Channel Lighted Buoy 89	42-11-31.692N 083-08-08.049W	FI G 4s	4	Green.	Replaced by can from Dec. 21 to Apr. 1.
7760	Fighting Island Channel Lighted Buoy 90	42-11-31.675N 083-07-58.049W	FI R 4s	4	Red.	Maintained from Apr. 1 to Dec. 21.
7765	Fighting Island Channel Lighted Buoy 91	42-12-23.464N 083-08-03.340W	FI G 4s	4	Green.	Replaced by can from Dec. 21 to Apr. 1.
7770	Fighting Island Channel Lighted Buoy 92	42-12-22.874N 083-07-52.749W	FI R 4s	4	Red.	Year round buoy unlighted from Dec. 21 to Apr. 1.
7775	Fighting Island Channel Buoy 93	42-13-03.209N 083-07-59.233W			Green can.	
7780	Fighting Island Channel Buoy 94	42-13-02.233N 083-07-48.979W			Red nun.	
7785	Grassy Island Light	42-13-27.510N 083-07-59.306W	FI G 4s	26	5	SG on cylindrical tower with 6 foot green band. Higher intensity beam up and down stream.
7790	Fighting Island Channel Buoy 96	42-13-27.102N 083-07-46.379W			Red nun.	
7805	Fighting Island Channel Lighted Buoy 97	42-13-47.762N 083-07-54.799W	FI G 4s	4	Green.	Maintained from Apr. 1 to Dec. 21.
7810	Fighting Island Channel Buoy 98	42-13-57.031N 083-07-43.128W			Red nun.	
7820	Grosse Ile Basin Buoy 1	42-10-21.306N 083-08-27.021W			Green can.	
7825	Grosse Ile Basin Buoy 3	42-10-29.306N 083-08-28.601W			Green can.	
7830	Grosse Ile Basin Buoy 5	42-10-40.526N 083-08-29.931W			Green can.	
7835	Wyandotte Channel South Entrance Buoy 2	42-11-03.365N 083-08-20.911W			Red nun.	
7840	Wyandotte Channel Lighted Buoy 3	42-11-03.160N 083-08-25.891W	Q G	4	Green.	Replaced by can from Dec. 14 to Apr. 7.
7845	Wyandotte Channel Buoy 4	42-11-20.535N 083-08-23.291W			Red nun.	
7850	Wyandotte Channel Buoy 6	42-11-38.285N 083-08-25.281W			Red nun.	
7855	Wyandotte Channel Lighted Buoy 7	42-11-57.238N 083-08-26.047W	FI G 4s	4	Green.	Replaced by can from Dec. 14 to Apr. 7.
7860	Wyandotte Channel Buoy 9	42-12-09.921N 083-08-25.637W			Green can.	
7865	Grosse Isle Spit Junction Lighted Buoy	42-12-19.344N 083-08-31.381W	FI (2+1)G 6s	4	Green and red bands.	Replaced by can from Dec. 14 to Apr.07.
7870	Wyandotte Channel Buoy 12	42-12-21.371N 083-08-24.360W			Red nun.	
7875	Wyandotte Channel Buoy 14	42-12-31.633N 083-08-24.310W			Red nun.	
7880	Wyandotte Channel Lighted Buoy 16	42-13-02.643N 083-08-17.140W	FI R 4s	4	Red.	Replaced by nun from Dec. 14 to Apr. 7.
7885	Wyandotte Channel Lighted Buoy 18	42-13-41.672N 083-08-39.151W	FI R 4s	4	Red.	Replaced by nun from Dec. 14 to Apr. 7.
7890	Wyandotte Channel Lighted Buoy 20	42-13-52.971N 083-08-39.251W	FI R 4s	4	Red.	Replaced by nun from Dec. 14 to Apr.7.
7895	Mud Island Junction Lighted Buoy	42-13-53.771N 083-08-45.351W	FI (2+1)G 6s	4	Green and red bands.	Replaced by can from Dec. 14 to Apr.7.
7900	Wyandotte Channel Buoy 21	42-14-03.071N 083-08-36.851W			Green can.	
7905	Wyandotte Channel Lighted Buoy 22	42-14-01.371N 083-08-33.451W	FI R 4s	4	Red.	Replaced by nun from Dec. 14 to Apr.07.
7910	Wyandotte Channel Buoy 23	42-14-13.181N 083-08-24.300W			Green can.	
7915	Wyandotte Channel Buoy 24	42-14-10.741N 083-08-21.150W			Red nun.	
7920	Wyandotte Channel Lighted Buoy 25	42-14-27.411N 083-08-01.779W	FI G 2.5s	4	Green.	Replaced by can from Dec. 14 to Apr.7.
7925	Wyandotte Channel North Junction Lighted Buoy	42-14-25.461N 083-07-58.669W	FI (2+1)R 6s	4	Red and green bands.	Replaced by nun from Dec. 14 to Apr. 7.
7947	Canadian Weather Spar Buoy 1159 (C)	42-07-42.000N 083-10-34.000W	F Y			Maintained from Apr.1 to Nov.30.

7950	Trenton Channel Buoy 2	42-07-22.191N 083-10-29.177W				Red nun.	
7960	Trenton Channel Buoy 4	42-07-35.480N 083-10-26.457W				Red nun.	
7965	Trenton Channel Lighted Buoy 5	42-07-48.980N 083-10-26.557W	FI G 4s	4	Green.		Replaced by can from Dec. 14 to Apr.7.
7970	Trenton Channel Buoy 6	42-07-49.980N 083-10-23.357W				Red nun.	
7980	Trenton Channel Lighted Buoy 7	42-08-17.494N 083-10-21.030W	FI G 4s	4	Green.		Replaced by can from Dec. 14 to Apr. 7.
7985	Trenton Channel Lighted Buoy 8	42-08-17.064N 083-10-18.190W	FI R 4s	4	Red.		Replaced by nun from Dec. 14 to Apr. 7.
8000	Trenton Channel Lighted Buoy 9	42-08-49.979N 083-10-14.156W	FI G 4s	4	Green.		Replaced by can from Dec. 14 to Apr. 7.
8005	Trenton Channel Lighted Buoy 10	42-08-49.519N 083-10-10.196W	FI R 4s	4	Red.		Replaced by nun from Dec. 14 to Apr. 7.
8010	Trenton Channel Buoy 10A	42-09-23.904N 083-09-53.006W				Red nun.	
8025	Trenton Channel Lighted Buoy 11	42-09-23.548N 083-09-57.970W	FI G 2.5s			Green can.	
8030	Trenton Channel Lighted Buoy 12	42-09-37.797N 083-09-46.220W	FI R 4s	4	Red.		Replaced by nun from Dec. 14 to April 07.
8035	Trenton Channel Lighted Buoy 13	42-09-48.577N 083-09-49.255W	FI G 4s	4	Green.		Replaced by can from Dec. 14 to Apr. 7.
8055	Trenton Channel Lighted Buoy 15	42-10-09.755N 083-09-48.850W	FI G 4s	4	Green.		Replaced by can from Dec. 14 to Apr. 7.
8060	Trenton Channel Lighted Buoy 16	42-10-09.537N 083-09-45.755W	FI R 4s	4	Red.		Replaced by nun from Dec. 14 to Apr. 7.
8065	Trenton Channel Lighted Buoy 17	42-10-43.016N 083-09-32.434W	FI G 4s	4	Green.		Replaced by can from Dec. 14 to Apr. 7.
8070	Trenton Channel Buoy 18	42-10-42.508N 083-09-28.097W				Red nun.	
8075	Trenton Channel Lighted Buoy 20	42-11-15.625N 083-09-02.082W	FI R 4s	4	Red.		Replaced by nun from Dec. 14 to Apr. 7.
8080	Trenton Channel Lighted Buoy 21	42-11-54.844N 083-08-53.870W	FI G 4s	4	Green.		Year round buoy unlighted from Dec. 14 to Apr. 7.
8085	Trenton Channel Lighted Buoy 22	42-11-54.174N 083-08-49.152W	FI R 4s	4	Red.		Year round buoy unlighted from Dec. 14 to Apr. 7.
8086	Canadian Weather Spar Buoy 1161 (C)	42-10-13.000N 083-09-51.000W	F Y				Maintained from Apr.1 to Nov.30.
8087	Canadian Weather Spar Buoy 1179 (C)	42-13-21.000N 083-08-35.000W	F Y				Maintained from Apr.1 to Nov.30.
8090	Ecorse Channel Buoy 2	42-14-12.079N 083-08-45.032W				Red nun.	Maintained from Apr. 7 to Nov. 1.
8095	Ecorse Channel Buoy 4	42-14-26.055N 083-08-31.152W				Red nun.	Maintained from Apr. 7 to Nov. 1.
8100	Ecorse Channel Buoy 5	42-14-29.730N 083-08-25.500W				Green can.	Maintained from Apr. 7 to Nov. 1.
8105	Ecorse Channel Buoy 6	42-14-31.990N 083-08-06.889W				Red nun.	Maintained from Apr. 7 to Nov. 1.
8110	Ecorse Channel Lighted Buoy 7	42-14-33.916N 083-08-07.372W	FI G 4s	4	Green.		Maintained from Apr. 7 to Nov. 1.
8115	Fighting Island North Lighted Buoy 104D (C)	42-15-00.000N 083-07-05.520W	FI R 4s			Red.	Spar; winter marker. Seasonal.
8120	Fighting Island Anchorage Lighted Buoy Dq (C)	42-15-06.030N 083-06-54.026W	FI Y 4s			Yellow.	Seasonal.
8125	Fighting Island North Anchorage Light (C)	42-15-41.130N 083-06-19.326W	FI Y 4s	3	SY with black anchor on yellow circular tower.		Visible all around. Seasonal.
8130	Great Lakes Steel Boat Club South Light	42-15-38.000N 083-07-02.500W	F G			On post.	
8135	Great Lakes Steel Boat Club North Light	42-15-39.200N 083-07-01.700W	F R			On post.	
8147	Mariner'S Memorial Lighthouse	42-16-10.200N 083-06-42.000W				Red and White.	
8150	Detroit Edison Cell Light South	42-16-25.000N 083-06-36.000W	Q W			On pile.	
8155	Detroit Edison Cell Light North	42-16-27.000N 083-06-36.000W	Q W			On pile.	
8160	River Rouge Canal Entrance Lighted Buoy 2	42-16-31.218N 083-06-33.323W	FI R 4s	4	Red.		AIS MMSI: 993672207

8170	Detroit River Lighted Buoy D108 (C)	42-18-48.030N 083-04-06.026W	FI R 4s			Red.		Seasonal.
8195	Third Street Junction Buoy	42-19-24.217N 083-03-04.840W						Green and red bands; can.
8200	Griswold Street Junction Buoy	42-19-30.967N 083-02-34.239W						Green and red bands; can.
8200.1	Detroit Wayne County Port Authority Pier Light A	42-19-36.900N 083-02-29.000W	FI W 4s					Maintained year round.
8200.2	Detroit Wayne County Port Authority Pier Light B	42-19-37.800N 083-02-26.600W	FI W 4s					Maintained year round.
8201	Tri-Centennial State Park Entrance Light 1	42-19-55.750N 083-01-32.230W	FI G 4s		22			On single pile.
8202	Tri-Centennial State Park Entrance Light 2	42-19-56.260N 083-01-30.310W	FI R 4s		22			On side of Lighthouse.
8205	Belle Isle Lower Junction Lighted Buoy	42-19-54.867N 083-00-56.836W	FI (2+1)G 6s		4			Green and red bands. Replaced by can from Dec. 21 to Apr. 1. AIS MMSI: 993672208
8210	Belle Isle Light	42-20-24.105N 082-57-35.704W	F G	30	7			On pile.
8215	Lighted Buoy D110 (C)	42-20-30.030N 082-57-06.026W	FI R 4s			Red.		Seasonal.
8220	Livingstone Memorial Lighted Buoy 111	42-20-35.719N 082-57-15.831W	FI G 4s		4			Green.
8230	Belle Isle Upper Junction Lighted Buoy	42-21-02.156N 082-56-43.589W	FI (2+1)G 6s		4			Green and red bands. Maintained from Apr. 1 to Dec. 21.
8235	Peche Island Light	42-20-54.480N 082-56-33.526W	FI R 4s	44	6			TR on cylindrical tower. Higher intensity beam up and down stream.
8240	William Livingstone Memorial Light	42-20-49.162N 082-57-15.833W	Oc W 4s	58	14			Pyramidal monumental structure. Lighted throughout 24 hours.
8245	Belle Isle North Lighted Buoy 113	42-21-08.293N 082-56-34.188W	FI G 4s		4			Green. Replaced by can from Dec. 21 to Apr. 1. AIS MMSI: 993672209
8250	Starboard Lagoon Obstruction Lighted Buoy	42-21-21.000N 082-56-35.000W						White with orange bands and diamond. Maintained from Apr. 1 to Nov. 1.
8255	Peche Island Lighted Buoy 114	42-21-10.276N 082-55-57.430W	FI R 4s		4			Red. Replaced by nun from Dec. 21 to Apr. 1. AIS MMSI: 993672210
8260	Windmill Point Light	42-21-27.256N 082-55-47.885W	Iso W 6s	42	15			Tower.
8265	Windmill Point Park Breakwater Outer Light	42-21-30.000N 082-55-41.000W	Q W					On pile. Length to breakwater is marked by 13 equally spaced fixed red lights.
8270	Windmill Point Park Breakwater Inner Light	42-21-30.000N 082-55-41.000W	Q W					On pile.
8280	Scott Middle Ground Lower Junction Buoy	42-20-08.307N 083-00-31.235W						Red and green bands; nun. Maintained year round.
8285	Scott Middle Ground North Channel Buoy 2	42-20-15.317N 083-00-19.034W						Red nun. Maintained year round.
8290	Scott Middle Ground North Channel Buoy 4	42-20-42.997N 082-59-46.253W						Red nun.
8295	Scott Middle Ground North Channel Buoy 6	42-20-56.027N 082-59-24.322W						Red nun.
8300	Scott Middle Ground North Channel Buoy 8	42-21-03.217N 082-59-04.371W						Red nun.
8305	Detroit Boat Club Light	42-20-29.700N 082-59-34.600W	F R					On pile.
8310	Scott Middle Ground South Channel Buoy 1	42-20-36.557N 082-59-39.303W						Green can.
8315	Scott Middle Ground South Channel Buoy 3	42-20-41.897N 082-59-13.321W						Green can.
8320	Scott Middle Ground South Channel Buoy 5	42-20-50.157N 082-58-45.760W						Green can.
8325	Scott Middle Ground Upper Junction Buoy	42-21-00.187N 082-58-37.340W						Red and green bands; nun.
8330	Erma Henderson Marina West Entrance Lights (2)	42-21-07.500N 082-59-05.300W	F G					On piles.
8335	Erma Henderson Marina East Lights	42-21-07.800N 082-59-04.500W	F R					On piles.
8340	Erma Henderson Marina Lights (8)	42-21-08.200N 082-59-02.500W	F R					On piles.
8341	Porterfield Ramp Light	42-21-20.600N 082-58-04.900W	F R					On pile. Maintained from Apr. 1 to Nov. 30.
8342	Porterfield Marina Entrance Light 1	42-21-18.900N 082-58-02.500W	F G					SG on pile. Maintained from Apr. 1 to Nov. 30.

8343	Porterfield Marina Entrance Light 2	42-21-18.800N 082-57-59.000W	F R			TR on pile.	Maintained from Apr. 1 to Nov. 30.
8345	Intake Pipe Buoy 1	42-21-13.806N 082-58-24.859W				Green can.	Maintained from Apr. 1 to Nov. 14.
8350	Waterworks Intake Crib Light	42-21-08.300N 082-57-59.900W	Fl W 5s			Gray stone tower on pier.	
8355	Detroit Edison Lighted Buoy 1A	42-21-12.316N 082-57-28.466W	Fl G 4s	4		Green.	Maintained from Apr. 1 to Dec. 7.
8360	Detroit Edison Boat Club Entrance Light 2	42-21-18.000N 082-57-24.800W	F R			TR on post.	Maintained from Apr. 1 to Oct. 1.
8365	Detroit Edison Boat Club Entrance Light 3	42-21-19.300N 082-57-25.000W	F G			SG on post.	Maintained from Apr. 1 to Oct. 1.
8370	Waterworks Intake Lagoon Light	42-21-00.200N 082-57-16.500W	Fl R 6s			Red post on small house on concrete pier.	
8396	Grayhaven Canal Entrance Buoy 2	42-21-19.350N 082-56-45.050W				Red nun.	Maintained May 15 to Oct 31.
8396.1	Port Lagoon Light 1	42-21-20.700N 082-56-46.118W	F G				
8397	Port Lagoon Light 2	42-21-20.160N 082-56-45.300W	F R				
8398	Starboard Lagoon Light 1	82-21-21.000N 082-56-34.200W	F G				
8399.5	Starboard Lagoon Obstr Daybeacon	42-21-22.022N 082-56-36.720W					
8400	Peche Island Range Front Light	42-21-37.587N 082-54-24.986W	F W	35	9	KRW on white skeleton tower with round conical foundation.	Lighted throughout 24 hours.
8405	Peche Island Range Front Passing Light	42-21-37.531N 082-54-25.026W	F W	35	7	On same structure as Peche Island Range Front Light.	
8410	Peche Island Range Rear Light	42-21-13.016N 082-55-01.418W	F W	115	9	KRW on white skeleton tower with round conical foundation.	Lighted throughout 24 hours.
8415	Lake St. Clair Light 1	42-22-01.096N 082-53-59.129W	Q G	37	5	SG on post.	
8420	Lake St. Clair Lighted Buoy 2	42-21-54.301N 082-53-52.356W	Fl R 4s	5		Red.	AIS MMSI: 993672211
8425	Lake St. Clair Buoy 3	42-22-27.290N 082-53-18.313W				Green can.	
8430	Lake St. Clair Buoy 4	42-22-22.121N 082-53-11.056W				Red nun.	
8435	Lake St. Clair Buoy 5	42-22-56.254N 082-52-35.369W				Green can.	
8440	Lake St. Clair Buoy 6	42-22-50.712N 082-52-28.611W				Red nun.	
8442	Grosse Pointe Dumping Grounds Buoy B	42-22-12.031N 082-51-01.026W				Yellow can.	Maintained from Apr. 21 to Nov. 01.
8445	Lake St. Clair Lighted Buoy 7	42-23-19.779N 082-52-00.315W	Fl G 4s	4		Green.	Replaced by can Dec 21 to Mar 28
8450	Lake St. Clair Lighted Buoy 8	42-23-14.484N 082-51-53.033W	Fl R 4s	4		Red.	AIS MMSI: 993672212
8455	Lake St. Clair Buoy 9	42-23-47.764N 082-51-18.880W				Green can.	
8460	Lake St. Clair Buoy 10	42-23-42.351N 082-51-11.786W				Red nun.	
8465	Lake St. Clair Buoy 11	42-24-10.477N 082-50-44.819W				Green can.	
8470	Lake St. Clair Buoy 12	42-24-05.056N 082-50-37.662W				Red nun.	
8472	Grosse Pointe Dumping Grounds Buoy A	42-23-35.031N 082-48-52.026W				Yellow can.	Maintained from Apr. 21 to Nov. 01.
8475	Lake St. Clair Lighted Buoy 13	42-24-37.971N 082-50-05.016W	Fl G 4s	4		Green.	
8480	Lake St. Clair Light 14	42-24-31.597N 082-49-57.639W	Fl R 4s	30	5	TR on post on concrete structure.	
8485	Lake St. Clair Buoy 15	42-25-12.934N 082-49-12.377W				Green can.	
8490	Lake St. Clair Buoy 16	42-25-07.162N 082-49-04.691W				Red nun.	
8495	Lake St. Clair Lighted Buoy 17	42-25-50.131N 082-48-17.766W	Fl G 4s	5		Green.	
8500	Lake St. Clair Lighted Buoy 18	42-25-44.251N 082-48-10.586W	Fl R 4s	6		Red.	

8505	Lake St. Clair Buoy 19	42-26-24.683N 082-47-25.769W				Green can.	
8510	Lake St. Clair Buoy 20	42-26-19.141N 082-47-18.576W				Red nun.	
8513	ACOE Lake St Clair Water Sensor Buoy 1	42-25-55.600N 082-46-11.280W	FI Y 4s				Maintained from Apr.15 to Dec.1.
8515	Lake St. Clair Lighted Buoy 21	42-27-00.211N 082-46-33.416W	FI G 4s	4		Green.	
8520	Lake St. Clair Lighted Buoy 22	42-26-54.481N 082-46-26.156W	FI R 4s	4		Red.	
8525	Lake St. Clair Light	42-27-55.151N 082-45-15.466W	Iso G 6s	52	12	White square tower on cylindrical base.	Higher intensity beam upstream.
8530	Lake St. Clair Lighted Buoy 24	42-27-48.091N 082-45-06.056W	FI R 2.5s	4		Red.	
8535	St. Clair Flats Canal Range Front Light	42-33-02.626N 082-39-02.780W	F G	48	12	White daymark on pyramidal tower.	Lighted throughout 24 hours.
8540	St. Clair Flats Canal Range Rear Light	42-33-32.538N 082-38-27.485W	F G	106	12	White daymark on pyramidal tower.	Lighted throughout 24 hours.
8545	Lake St. Clair Lighted Buoy 25	42-29-01.751N 082-43-53.596W	FI G 4s	4		Green.	Replaced by can from Dec 21. to Mar.28.
8550	Lake St. Clair Lighted Buoy 26	42-28-56.641N 082-43-45.446W	FI R 4s	4		Red.	Replaced by nun from Dec. 21 to Mar. 28.
8555	Lake St. Clair Lighted Buoy 27	42-29-45.831N 082-43-01.776W	FI G 4s	4		Green.	
8560	Lake St. Clair Lighted Buoy 28	42-29-40.800N 082-42-53.627W	FI R 4s	4		Red.	
8565	Lake St. Clair Lighted Buoy 29	42-30-36.011N 082-42-02.686W	FI G 2.5s	4		Green.	Replaced by can from Dec. 21 to Mar. 28. AIS MMSI: 993672233
8570	Lake St. Clair Lighted Buoy 30	42-30-30.759N 082-41-54.497W	Q R	4		Red	Year round lighted buoy. AIS MMSI: 993672213
8575	Lake St. Clair Buoy 31	42-30-49.980N 082-41-45.927W				Green.	Replaced by can from Dec. 21 to Mar. 28.
8580	Squirrel Island Range Front Light (C)	42-33-12.031N 082-35-00.025W				Orange triangular daymark with black vertical stripe on white square skeleton tower.	Visible on range line only.
8590	St. Clair Cut-Off Channel Preferred Channel Lighted Buoy CO	42-30-58.599N 082-41-22.277W	FI (2+1)G 6s	4		Green with red band	Replaced by can from Dec. 14 to Mar. 28.
8595	Pier Light X32/2 (C)	42-30-54.031N 082-41-06.026W	FI R 4s			White circular tower with red top.	
8600.1	St. Clair Cut-Off Channel Lighted Buoy 32	42-30-55.349N 082-41-09.691W	FI R 2.5s	4			Replaced by nun from Dec. 21 to Mar. 28.
8625	Pier Light X43 (C)	42-32-24.031N 082-37-30.026W	FI G 4s			White square tower with green top.	
8630	Pier Light X44 (C)	42-32-12.031N 082-37-24.026W	FI R 4s			White square tower with red stripes on corners.	
8635	Pier Light X47 (C)	42-32-48.031N 082-36-18.026W	FI G 4s			White square tower with green top.	
8640	Pier Light X48 (C)	42-32-42.031N 082-36-12.026W	FI R 4s			White square tower with red stripes on corners.	
8645	Harsens Island Light 11	42-32-59.031N 082-35-55.026W	FI G 4s	26	4	SG on white cylindrical tower.	
8650	Lighted Buoy X50 (C)	42-32-54.031N 082-35-30.026W	FI R 4s			Red.	
8655	St. Clair Cut-Off Channel Lighted Buoy 13	42-33-05.157N 082-35-27.189W	FI G 2.5s	4		Green.	Maintained from Mar. 28 to Dec. 21.
8660	Lighted Buoy A14 (C)	42-33-06.031N 082-35-12.025W	FI R 4s			Red.	Seasonal.
8665	Grosse Point Municipal Pier Northeast Light	42-22-50.000N 082-54-13.000W	F Y			On post.	Maintained from Apr. 15 to Nov. 1.
8666	Grosse Point Municiple Pier Southwest Light	42-22-49.000N 082-54-16.000W	F Y			On Post.	Maintained from Apr. 15 to Nov. 1.
8667	Grosse Point Lighted Entrance Buoy 1	42-22-44.000N 082-54-13.500W	FI G 4s			Green.	Maintained from Apr. 15 to Nov. 1.
8668	Grosse Point Lighted Entrance Buoy 2	42-22-44.500N 082-54-13.000W	FI R 4s			Red.	Maintained from Apr. 15 to Nov. 1.
8669	Grosse Point Lighted Channel Buoy 3	42-22-46.500N 082-54-15.000W	FI G 4s			Green.	Maintained from Apr. 15 to Nov. 1.
8670	Grosse Point Lighted Channel Buoy 4	42-22-47.000N 082-54-14.000W	FI R 4s			Red.	Maintained from Apr. 15 to Nov. 1.
8675	Grosse Point Municipal Pier Southwest Entrance Light 5	42-22-50.000N 082-54-16.500W	FI G 4s			On post.	Maintained from Apr. 15 to Nov. 1.

8680	Grosse Point Municipal Pier Southwest Entrance Light 6	42-22-49.750N 082-54-16.500W	FI R 4s		On post.	Maintained from Apr. 15 to Nov. 1.
8685	Grosse Point Municipal Pier Northwest Entrance Light 7	42-22-53.000N 082-54-19.000W	FI G 4s		On post.	Maintained from Apr. 15 to Nov. 1.
8690	Grosse Point Municipal Pier Northwest Entrance Light 8	42-22-52.500N 082-54-15.000W	FI R 4s		On post.	Maintained from Apr. 15 to Nov. 1.
8695	Grosse Point Club Harbor Entrance West Light	42-22-57.500N 082-53-49.000W	F G		On post.	
8700	Grosse Point Club Harbor Entrance East Light	42-22-57.500N 082-53-48.000W	F R		On post.	
8705	Grosse Point Club Dock South Light	42-23-00.000N 082-53-46.000W	F G		On post.	
8710	Grosse Point Club Dock North Light	42-22-58.500N 082-53-42.000W	F G		On post.	
8725	Crescent Sail Yacht Club West Light	42-24-04.490N 082-53-06.000W	F G		SG on pile.	
8730	Crescent Sail Yacht Club East Light	42-24-04.620N 082-53-05.310W	F R		TR on pile.	
8735	Crescent Sail Yacht Club Breakwater South Light	42-24-06.600N 082-53-02.700W	Q W		NW on white pile cluster.	Visible 180° through 020°.
8740	Crescent Sail Yacht Club Breakwater North Light	42-24-07.200N 082-53-02.000W	Q W		NW on white pile cluster.	Visible 195° through 030°.
8745	Municipal Pier South Basin Light	42-24-17.600N 082-53-00.700W	F R		TR on post.	Maintained from Apr. 1 to Dec. 1.
8747	Grosse Point Farms Buoy 1	42-24-15.784N 082-52-58.791W			Green can.	Maintained from MAY 1. to NOV. 1
8748	Grosse Point Farms Buoy 2	42-24-20.992N 082-52-58.544W			Red nun.	Maintained from MAY 1. to NOV 1.
8749	Grosse Point Farms Buoy 3	42-24-17.553N 082-53-01.728W			Green can.	Maintained from MAY 1. to NOV. 1
8750	Grosse Point Farms Light 4	42-24-18.245N 082-53-01.214W	F R	3	TR on post.	Maintained from May. 1 to Nov. 1.
8752	Grosse Point Farms Light 5	42-24-17.580N 082-53-00.068W	F G	3	SG on post.	Maintained from May. 1 to Nov. 1.
8755	Grosse Point Yacht Club Light	42-26-06.000N 082-52-21.000W	FI W 2.5s		Square skeleton tower with building attached.	
8756	Grosse Pointe Yacht Club North Breakwater Light	42-26-08.110N 082-52-07.280W	FI Y 4s			
8757	Grosse Pointe Yacht Club Center Breakwater Light	42-26-05.730N 082-52-07.630W	FI Y 4s			
8758	Grosse Pointe Yacht Club South Breakwater Light	42-26-03.590N 082-52-09.090W	FI Y 4s			
8760	Grosse Point Yacht Club Outer Breakwater Light B	42-26-00.000N 082-52-13.000W	F R			
8765	Grosse Point Yacht Club Outer Breakwater Light C	42-26-00.000N 082-52-16.000W	F R		On pile.	
8770	Grosse Point Yacht Club Outer Breakwater Light D	42-26-00.000N 082-52-17.000W	F G			
8775	Grosse Point Yacht Club Outer Breakwater Light E	42-26-00.000N 082-52-20.000W	F R		On pile.	
8780	Grosse Point Yacht Club Outer Breakwater Light F	42-26-02.000N 082-52-25.000W	F R			
8785	Milk River Channel Drain Light 1	42-27-36.000N 082-52-21.000W	FI W 4s		Black.	Maintained from Apr. 20 to Nov. 20.
8790	Milk River Channel Lighted Buoy 1	42-27-36.500N 082-52-17.500W	Q G		Green.	
8795	Milk River Channel Lighted Buoy 2	42-27-37.100N 082-52-17.000W	Q R		Red.	
8800	Milk River Channel Buoy 3	42-27-36.800N 082-52-21.200W			Green can.	
8805	Milk River Channel Buoy 4	42-27-37.700N 082-52-21.000W			Red nun.	
8810	Milk River Channel Buoy 5	42-27-36.800N 082-52-25.000W			Green can.	
8815	Milk River Channel Buoy 6	42-27-38.000N 082-52-25.500W			Red nun.	
8820	Milk River Channel Buoy 7	42-27-37.000N 082-52-29.500W			Green can.	
8825	Milk River Channel Buoy 8	42-27-38.000N 082-52-29.200W			Red nun.	

8850	Gaukler Shoal Lighted Buoy 1	42-27-41.816N 082-51-39.234W	FI G 4s	3	Green.	Maintained from Apr. 21 to Nov. 1.
8855	Gaukler Shoal Junction Lighted Buoy	42-28-32.052N 082-51-30.340W	FI (2+1)G 6s	3	Green and red bands.	Maintained from Apr. 21 to Nov. 1.
8875	Miller Memorial Light	42-27-49.500N 082-52-45.000W	AI WR 10s			Maintained from Apr. 15 to Dec. 1.
8885	St. Clair Shores Breakwater Light 2	42-28-22.296N 082-52-42.633W	FI R 4s	16	5	TR on pile.
8890	Martin Drain Outer Light	42-28-57.500N 082-52-47.800W	FI W 2.5s			NW on post. Maintained from Mar. 15 to Dec. 15.
8891	Masonic Country Club Lighted Buoy	42-31-28.440N 082-52-04.980W	FI Y 4s	1		Maintained from Apr. 15 to November 15.
8892	ACOE LKSTC Water Sensor Buoy 1	42-32-38.130N 082-49-48.490W	FI Y 4s			Maintained from Apr.15 to Dec.1.
8905	St. Clair Municipal Park Entrance Buoy 1	42-29-44.000N 082-52-41.000W				Green can.
8910	St. Clair Municipal Park Entrance Buoy 2	42-29-46.000N 082-52-42.000W				Red nun.
8915	St. Clair Municipal Park Entrance Buoy 3	42-29-44.000N 082-52-48.000W				Green can.
8920	St. Clair Municipal Park Entrance Buoy 4	42-29-46.000N 082-52-49.000W				Red nun.
8921.5	Point Rosa West Channel Entrance Buoy 6	42-34-09.360N 082-49-04.370W				Red nun.
8921.4	Point Rosa West Channel Entrance Buoy 5	42-34-09.340N 082-49-05.160W				Green can.
8921.3	Point Rosa West Channel Entrance Buoy 4	42-34-08.130N 082-49-04.430W				Red nun.
8921.2	Point Rosa West Channel Entrance Buoy 3	42-34-08.110N 082-49-05.230W				Green can.
8921.1	Point Rosa West Channel Entrance Buoy 2	42-34-06.900N 082-49-04.490W				Red nun.
8921	Point Rosa West Channel Entrance Buoy 1	43-34-06.870N 082-49-05.290W				Green can.
8921.7	Point Rosa West Channel Entrance Buoy 8	42-34-10.600N 082-49-04.300W				Red nun.
8921.6	Point Rosa West Channel Entrance Buoy 7	42-34-10.580N 082-49-05.100W				Green can.
8922.7	Point Rosa East Channel Entrance Buoy 8	42-34-10.190N 082-48-47.800W				Red nun.
8922.6	Point Rosa East Channel Entrance Buoy 7	42-34-10.170N 082-48-48.600W				Green can.
8922.5	Point Rosa East Channel Entrance Buoy 6	42-34-08.950N 082-48-47.880W				Red nun.
8922.4	Point Rosa East Channel Entrance Buoy 5	42-34-08.930N 082-48-48.660W				Green can.
8922.3	Point Rosa East Channel Entrance Buoy 4	42-34-07.720N 082-48-47.930W				Red nun.
8922.2	Point Rosa East Channel Entrance Buoy 3	42-34-07.700N 082-48-48.730W				Green can.
8922.1	Point Rosa East Channel Entrance Buoy 2	42-34-06.490N 082-48-47.990W				Red nun.
8922	Point Rosa East Channel Entrance Buoy 1	42-34-06.470N 082-48-48.790W				Green can.
8925	Point Huron Lighted Buoy 1PH	42-33-12.337N 082-44-51.560W	FI G 2.5s	3	Green.	Maintained from Apr. 21 to Nov. 1.
8926.2	Harbor Club South Lighted Buoy 6	42-33-33.700N 082-50-38.000W	FI R 4s			Red. Maintained from 1 Apr. to 15 Nov.
8926	Harbor Club South Lighted Buoy 2	42-33-28.800N 082-50-37.300W	Q R			Red. Maintained from 1 Apr. to 15 Nov.
8926.1	Harbor Club South Unlighted Buoy 4	42-33-31.800N 082-50-37.700W				Red nun. Maintained from 1 Apr. to 15 Nov.
8930	Black Creek Range Front Light	42-34-03.200N 087-47-05.000W	FI G 4s			White diamond daymark. Maintained from Apr. 1 to Nov. 1.
8935	Black Creek Range Rear Light	42-34-06.200N 082-47-10.300W	F G			White diamond daymark. Maintained from Apr. 1 to Nov. 1.
8940	Black Creek Lighted Buoy 1	42-33-53.800N 082-46-43.600W	FI G 4s			Green. Maintained from Apr. 1 to Nov. 1.
8945	Black Creek Lighted Buoy 2	42-33-55.700N 082-46-42.500W	FI R 4s			Red. Maintained from Apr. 1 to Nov. 1.

8950	Black Creek Buoy 3	42-33-56.000N 082-46-48.300W				Green can.	Maintained from Apr. 1 to Nov. 1.
8955	Black Creek Buoy 4	42-33-57.500N 082-46-47.000W				Red nun.	Maintained from Apr. 1 to Nov. 1.
8960	Black Creek Buoy 5	42-33-57.500N 082-46-53.000W				Green can.	Maintained from Apr. 1 to Nov. 1.
8965	Black Creek Buoy 6	42-33-59.500N 082-46-52.000W				Red nun.	Maintained from Apr. 1 to Nov. 1.
8970	Huron Pointe Yacht Club Breakwall Light	42-35-36.000N 082-46-51.000W	Q R			On post.	Maintained from Apr. 1 to Nov. 1.
8971.5	Harbor Club North Entrance Lighted Buoy 2	42-34-05.000N 082-49-20.000W	FI R 2s			Red.	
8971	Harbor Club North Entrance Lighted Buoy 1	42-34-05.000N 082-49-22.500W	FI G 2s			Green.	
8972.5	Harbor Club North Entrance Buoy 4	42-34-07.000N 082-49-20.000W				Red nun.	
8972	Harbor Club North Entrance Buoy 3	42-34-07.000N 082-49-22.500W				Green can.	
8973.5	Harbor Club North Entrance Buoy 6	42-34-09.800N 082-49-20.000W				Red nun.	
8973	Harbor Club North Entrance Buoy 5	42-34-09.800N 082-49-22.500W				Green can.	
8975	Clinton River Entrance Lighted Buoy CR	42-35-38.694N 082-44-43.446W	Mo (A) W	3		Red and white stripes.	
8980	Clinton River Entrance Lighted Buoy 1	42-35-36.624N 082-45-44.228W	FI G 4s	3		Green.	
8985	Clinton River Entrance Lighted Buoy 2	42-35-39.734N 082-45-43.709W	FI R 4s	4		Red.	
8990	Clinton River Entrance Buoy 3	42-35-37.310N 082-45-52.970W				Green can.	
8995	Clinton River Entrance Buoy 4	42-35-39.578N 082-45-52.424W				Red nun.	
9000	Clinton River Entrance Buoy 5	42-35-38.355N 082-46-01.619W				Green can.	
9005	Clinton River Entrance Buoy 6	42-35-39.962N 082-46-00.836W				Red nun.	
9015	Clinton River North Breakwater Light	42-35-41.631N 082-46-12.526W	FI R 2.5s	26	4	TR on post.	
9020	Clinton River South Breakwater Light	42-35-38.231N 082-46-10.226W	FI G 4s	35	5	SG on green and white cylindrical tower.	
9030	Macomb County Sheriff Lookout Tower Light	42-35-34.200N 082-46-21.000W	FI Y 4s			Lookout tower.	
9035	Clinton River Inner Light	42-35-42.592N 082-46-32.566W	FI R 4s	25	5	TR on post.	
9038	Island Cove Marina Entrance Lighted Buoy 1	42-36-07.440N 082-46-59.760W	FI G 4s			Green.	
9039	Island Cove Marina Entrance Lighted Buoy 2	42-36-09.360N 082-47-01.080W	FI R 4s			Red.	
9040	Island Cove Marina Entrance Lighted Buoy 3	42-36-04.260N 082-47-06.720W	FI G 4s			Green.	
9041	Island Cove Marina Entrance Lighted Buoy 4	42-36-05.280N 082-47-07.440W	FI R 4s			Red.	
9042	Island Cove Marina Entrance Lighted Buoy 5	42-36-00.480N 082-47-15.120W	FI G 4s			Green.	
9043	Island Cove Marina Entrance Lighted Buoy 6	42-36-00.540N 082-47-17.280W	FI R 4s			Red.	
9044	Island Cove Marina Entrance Lighted Buoy 7	42-35-57.960N 082-47-17.040W	FI G 4s			Green.	
9045	Island Cove Marina Entrance Lighted Buoy 8	42-35-57.900N 082-47-18.600W	FI R 4s			Red.	
9046	Island Cove Marina Entrance Lighted Buoy 9	42-35-55.000N 082-47-17.000W	FI G 4s			Green	
9047	Island Cove Marina Entrance Lighted Buoy 10	42-35-55.000N 082-47-19.000W	FI R 4s			Red.	
9048	Island Cove Marina Entrance Lighted Buoy 11	42-35-51.000N 082-47-18.000W	FI G 4s			Green.	
9049	Island Cove Marina Entrance Lighted Buoy 12	42-35-51.000N 082-47-19.000W	FI R 4s			Red.	
9070	Belle Maer Marina Range Front Light	42-36-15.654N 082-47-38.916W	F G			White diamond shaped daymark with red and black in center on post.	

9075	Belle Maer Marina Range Rear Light	42-36-10.380N 082-47-42.930W	F G			White diamond shaped daymark with red and black in center on post.
9080	Belle Maer Marina Lighted Buoy 1	42-36-32.500N 082-47-28.800W	FI G 4s			Green.
9085	Belle Maer Marina Lighted Buoy 2	42-36-32.500N 082-47-30.500W	FI R 4s			Red.
9090	Belle Maer Marina Buoy 3	42-36-25.800N 082-47-32.500W				Green can.
9095	Belle Maer Marina Buoy 4	42-36-25.800N 082-47-34.000W				Red nun.
9100	Macray East Harbor Entrance Lighted Buoy 1	42-36-32.500N 082-47-52.500W	FI G 2.5s			Green.
9105	Macray East Harbor Entrance Buoy 2	42-36-32.900N 082-47-55.000W				Red nun.
9110	Macray East Harbor Entrance Buoy 3	42-36-27.500N 082-47-55.500W				Green can.
9115	Macray East Harbor Entrance Buoy 4	42-36-28.300N 082-47-56.500W				Red nun.
9120	Macray West Harbor Entrance Lighted Buoy 1	42-36-39.000N 082-48-09.500W				Green.
9125	Macray West Harbor Entrance Buoy 2	42-36-40.000N 082-48-12.300W				Red nun.
9130	Macray West Harbor Entrance Buoy 3	42-36-35.000N 082-48-12.500W				Green can.
9135	Macray West Harbor Entrance Buoy 4	42-36-36.000N 082-48-14.200W				Red nun.
9140	Selfridge Field Southeast Breakwater Light	42-36-36.031N 082-48-48.026W	FI Y 6s	4	5	On post.
9150	Selfridge Field Northwest Breakwater Light	42-36-42.031N 082-48-54.026W	FI Y 6s	4	5	On post.
9162	Selfridge Marina South Breakwall Light 1	42-36-57.931N 082-49-06.026W	FI G 4s	20	5	SG on pile.
9163	Selfridge Marina North Breakwater Light 2	42-36-59.031N 082-49-06.026W	FI R 4s	12	4	TR on pile.
9165	Selfridge Launch Facility Buoy 1	42-37-04.800N 082-49-00.600W				Green can.
9170	Selfridge Launch Facility Buoy 2	42-37-48.000N 082-49-06.000W				Red cylinders.
9175	Selfridge Launch Facility Buoy 3	42-37-35.500N 082-49-05.000W				Green can.
9180	Selfridge Launch Facility Buoy 4	42-37-48.000N 082-49-06.000W				Red cylinders.
9185	Selfridge Launch Facility Buoy 5	42-37-35.500N 082-49-07.000W				Green can.
9190	Selfridge Launch Facility Buoy 6	42-37-48.000N 082-49-06.000W				Red cylinders.
9195	Selfridge Launch Facility Entrance Light 2	42-37-47.000N 082-49-00.000W	FI R 4s			On breakwall. Maintained from May 1 to Nov. 1.
9200	Salt River Range Front Light	42-39-16.000N 082-47-05.000W	F G			White daymark with orange diamond on pile. Maintained from Jun. 15 to Nov. 15.
9205	Salt River Range Rear Light	42-39-18.300N 082-47-04.400W	F G			White daymark with orange diamond on pile. Maintained from Jun. 15 to Nov. 15.
9259	Bouvier Bridge Marina Channel Lighted Buoy 1	42-40-13.277N 082-38-03.190W	FI G 2.5s			Green.
9260	Bouvier Bridge Marina Channel Lighted Buoy 2	42-40-11.734N 082-38-03.873W	FI R 2.5s			Red.
9265	Fair Haven Entrance Lighted Buoy 1FH	42-40-03.350N 082-38-29.613W	FI G 4s		3	Green. Maintained from Apr. 21 to Nov. 1.
9295	Chateau Marina Light 1	42-41-13.000N 082-42-19.000W	F G			SG on pile. Maintained from Apr. 1 to Nov. 1.
9300	Chateau Marina Light 2	42-41-12.100N 082-42-19.500W	F R			TR on pile. Maintained from Apr. 1 to Nov. 1.
9305	North Channel Entrance Lighted Buoy 2NC	42-37-32.531N 082-43-03.826W	FI R 4s		3	Red.
9310	North Channel Entrance Buoy 3	42-37-50.115N 082-42-49.081W				Green can.
9320	North Channel Entrance Buoy 5	42-38-04.531N 082-42-24.826W				Green can.
9325	North Channel Entrance Buoy 6	42-38-03.108N 082-42-20.319W				Red nun.

9327	North Channel Entrance Buoy 6A	42-38-14.816N 082-41-55.994W			Red nun.	
9330	North Channel Entrance Buoy 7	42-38-21.791N 082-41-52.617W			Green can.	
9335	North Channel Entrance Channel Lighted Buoy 8	42-38-20.312N 082-41-51.050W	FI R 2.5s	4	Red nun.	
9340	North Channel Entrance Buoy 9	42-38-28.130N 082-41-47.545W			Green can.	
9345	North Channel Entrance Buoy 10	42-38-26.758N 082-41-45.620W			Red nun.	
9347	North Channel Entrance Channel Lighted Buoy 11	42-38-33.397N 082-41-40.286W	FI G 2.5s	4	Green can.	
9350	North Channel Entrance Channel Lighted Buoy 12	42-38-33.466N 082-41-32.018W	Q R	4	Red nun.	
9355	North Channel Entrance Lighted Buoy 13	42-38-37.222N 082-41-27.136W	FI G 4s	3	Green.	
9360	North Channel Buoy 14	42-38-34.036N 082-41-08.373W			Red nun.	
9365	North Channel Buoy 15	42-38-39.451N 082-40-57.515W			Green can.	
9370	North Channel Entrance Channel Lighted Buoy 17	42-38-42.123N 082-40-25.193W	FI G 4s	4	Green can.	
9375	North Channel Buoy 18	42-38-33.339N 082-40-44.673W			Red nun.	
9380	North Channel Buoy 19	42-38-39.564N 082-40-04.676W			Green can.	
9385	North Channel Lighted Buoy 20	42-38-33.882N 082-40-09.328W	FI R 4s	3	Red.	
9387	North Channel Buoy 22	42-38-26.831N 082-39-55.826W			Red nun.	
9390	Belvidere Boat Club Light	42-38-01.200N 082-39-29.000W	F R		Small house with red and white stripes.	Maintained from May 15 to Nov. 1.
9395	North Channel Yacht Club Light 1	42-37-40.000N 082-38-52.300W	F G		On pile.	Maintained from Apr. 1 to Nov. 1.
9400	North Channel Yacht Club Light 2	42-37-39.800N 082-38-53.800W	F R		On pile.	Maintained from Apr. 1 to Nov. 1.
9405	Sassy Marine West Entrance Light 1	42-37-20.000N 082-37-09.000W	F G		On pile.	
9410	Sassy Marine West Entrance Light 2	42-37-21.000N 082-37-09.000W	F R		On pile.	
9415	Sassy Marine East Entrance Light 1	42-37-18.000N 082-37-04.000W	F G		On pile.	
9420	Sassy Marine East Entrance Light 2	42-37-16.000N 082-37-04.000W	F R		On pile.	
9425	Algonac Harbor Buoy 1	42-36-36.000N 082-32-54.000W			Green spar.	
9430	Algonac Harbor Buoy 2	42-36-35.000N 082-32-53.100W			Red spar.	
9435	Middle Channel Entrance Lighted Buoy 1MC	42-33-45.826N 082-43-57.639W	FI G 4s	3	Green.	
9440	Middle Channel Entrance Lighted Buoy 2	42-33-50.301N 082-43-20.242W	FI R 4s	3	Red.	
9445	Middle Channel Entrance Buoy 3	42-33-53.826N 082-43-18.168W			Green can.	
9450	Middle Channel Entrance Buoy 4	42-33-36.150N 082-43-06.313W			Red nun.	
9455	Middle Channel Entrance Buoy 5	42-33-39.068N 082-43-05.192W			Green can.	
9460	Middle Channel Lighted Buoy 6	42-33-21.487N 082-42-47.530W	FI R 2.5s	3	Red.	
9465	Middle Channel Buoy 7	42-33-27.646N 082-42-46.922W			Green can.	
9470	Middle Channel Buoy 8	42-33-18.952N 082-42-21.006W			Red nun.	
9475	Middle Channel Buoy 9	42-33-23.146N 082-42-20.613W			Green can.	
9480	Middle Channel Buoy 10	42-33-17.866N 082-41-54.974W			Red nun.	
9485	Middle Channel Buoy 11	42-33-23.052N 082-41-54.989W			Green can.	

9490	Middle Channel Lighted Buoy 12	42-33-20.176N 082-41-29.903W	FI R 4s	3	Red.		
9495	Clinton River Boat Club South Entrance Buoy 4	42-33-33.800N 082-40-59.500W			Red nun.		
9500	Clinton River Boat Club South Entrance Buoy 3	42-33-35.000N 082-40-56.000W			Green can.		
9505	Clinton River Boat Club Entrance Buoy 2	42-33-48.000N 082-40-44.000W			Red nun.		
9510	Clinton River Boat Club Entrance Buoy 1	42-33-49.000N 082-40-42.500W			Green can.		
9515	Middle Channel Buoy 13	42-34-28.155N 082-40-04.627W			Green can.		
9520	Middle Channel Buoy 14	42-35-05.761N 082-38-49.326W			Red nun.		
9525	Dickinson Island Junction Lighted Buoy	42-37-03.954N 082-35-01.398W	FI (2+1)R 6s	4	Red and green bands.		
9530	St. Clair Flats Old Channel Lighted Buoy 2OC	42-31-36.158N 082-42-41.901W	FI R 4s	3	Red.		
9535	St. Clair Flats Old Channel Buoy 3	42-31-45.848N 082-42-39.902W			Green can.		
9540	St. Clair Flats Old Channel Buoy 4	42-31-58.958N 082-42-07.701W			Red nun.		
9545	St. Clair Flats Old Channel Buoy 6	42-32-10.958N 082-41-40.200W			Red nun.		
9550	St. Clair Flats Old Channel Light	42-32-16.401N 082-41-35.856W	FI W 4s	28	6	Yellow tower on crib.	
9560	St. Clair Flats Old Channel Buoy 8	42-32-12.318N 082-41-27.310W			Red nun.		
9565	St. Clair Flats Old Channel Buoy 10	42-32-11.285N 082-41-17.411W			Red nun.		
9570	St. Clair Flats Canal Buoy 1	42-31-11.507N 082-41-18.764W			Green can.		
9575	St Clair Flats Danger Light	42-31-06.712N 082-41-12.046W	FI (2)W 5s	28	8	NW on post marking submerged jetty worded DANGER ROCKS.	
9576	St. Clair Flats Lighted Danger Buoy A	42-31-10.987N 082-41-07.650W	Q W	4		"DANGER ROCKS" Maintained from 21 Apr to 01 Nov.	
9577	St. Clair Flats Lighted Danger Buoy B	42-31-15.134N 082-41-03.653W	Q W	4		"DANGER ROCKS" Maintained from 21 Apr to 01 Nov.	
9578	St. Clair Flats Lighted Danger Buoy C	42-31-19.108N 082-40-57.718W	Q W	4		"DANGER ROCKS" Maintained from 21 Apr to 01 Nov.	
9580	St. Clair Flats Canal Buoy 5	42-31-37.819N 082-40-48.883W			Green can.		
9585	St. Clair Flats Canal Lighted Buoy 4	42-31-17.076N 082-41-03.492W	FI R 2.5s	4	Red.	Maintained from Apr. 7 to Dec. 14.	
9590	St. Clair Flats Canal Lighted Buoy 7	42-32-05.138N 082-40-14.477W	FI G 4s	4	Green.	Maintained from Apr. 7 to Dec. 14.	
9595	Old Club Breakwater Lower Light	42-32-21.000N 082-39-59.500W	F W			On pile cluster.	
9600	Old Club Breakwater Upper Light	42-32-28.100N 082-39-54.000W	F W			On pile cluster.	
9605	Maybury Highway Light 10 (C)	42-33-18.031N 082-38-18.026W	FI R 4s			White square tower with red top.	
9630	St. Clair Flats Light 13	42-33-28.231N 082-37-21.926W	F G	24	6	SG on post.	
9635	Schneider Marina Buoy 1	42-33-20.600N 082-36-59.600W			Green can.	Maintained from May 15 to Nov. 1.	
9640	Schneider Marina Buoy 2	42-33-20.000N 082-36-58.500W			Red barrel.	Maintained from May 15 to Nov. 1.	
9650	Harsens Island Light 17	42-33-01.790N 082-36-29.005W	FI G 4s	27	4	SG on pile.	
9655	Harsens Island Range Front Light	42-34-20.653N 082-34-32.752W	F G	27	5	White cylindrical tower.	
9660	Harsens Island Range Rear Light	42-34-25.438N 082-34-29.969W	F G	27	5	White cylindrical tower.	Light visible 360°. Higher intensity on range line.
9665	South Channel Lighted Buoy 15	42-33-23.007N 082-35-09.338W	FI G 4s	4	Green.	Replaced by can from Dec. 21 to Apr. 1.	
9670	South Channel Lighted Buoy 16	42-33-20.255N 082-35-01.990W	FI R 4s	4	Red.	Year round buoy unlighted from Dec. 21 to Apr. 1.	
9675	South Channel Lighted Buoy 17	42-33-54.366N 082-34-55.089W	FI G 4s	4	Green.		

9680	Light A20 (C)	42-33-48.031N 082-34-48.025W	Q R			White square tower with red stripes on corners.	
9685	Lighted Buoy A22 (C)	42-34-06.531N 082-34-29.225W	FI R 4s			Red.	Seasonal.
9690	Grande Pointe Light 23	42-35-07.143N 082-33-23.571W	FI G 6s	28	7	SG on dolphin.	
9700	St. Clair River Light A26 (C)	42-35-30.031N 082-32-42.025W	Q R			White circular tower with red top.	
9705	Grande Pointe Lighted Buoy 27	42-35-42.625N 082-32-43.528W	FI G 4s		4	Green.	Replaced by can from Dec. 21 to Apr. 1.
9710	Russell Island Lighted Buoy 29	42-36-20.355N 082-31-41.588W	FI G 4s		4	Green.	Year round lighted buoy.
9715	Walpole Island Lighted Buoy A30 (C)	42-36-12.031N 082-31-30.025W	FI R 4s			Red.	Seasonal.
9720	Walpole Island Light (C)	42-36-18.031N 082-31-24.025W	F R		10	White circular tower with red top.	
9725	Russell Island Light	42-36-20.819N 082-31-45.254W	F G	33	8	SG on post.	360 Degree F G
9730	Walpole Island Lower Light A32 (C)	42-36-42.031N 082-31-06.025W	Iso R 4s		12	White square tower with red top.	
9735	Russell Island Light 33	42-36-48.704N 082-31-17.751W	FI G 2.5s	26	7	SG on post.	
9740	Walpole Island Ferry Breakwater Light (C)	42-36-54.031N 082-30-54.025W	FI R 4s			On pile dolphin.	
9745	Russell Island Shoal Lighted Buoy RI	42-37-20.384N 082-31-03.389W	FI (2+1)G 6s		4	Green and red bands.	Replaced by can from Dec. 21 to Apr. 1. AIS MMSI: 993672214
9750	Walpole Island Upper Light A34 (C)	42-37-18.031N 082-30-42.025W	FI R 4s			White square tower with red top.	
9755	Chenal Ecarte Shoal Lighted Buoy A36 (C)	42-38-12.831N 082-30-35.425W	FI R 4s			Red.	Seasonal.
9760	Chenal Ecarte Range Front Light (C)	42-38-12.031N 082-30-06.025W	F R			Orange triangular daymark with black stripe on circular tower.	Visible on range line only. Seasonal.
9770	Willow Point Light	42-38-38.555N 082-30-45.768W	F G	31	8	SG on post.	
9775	Roberts Landing Lighted Buoy 37	42-39-47.202N 082-30-48.252W	FI G 4s		4	Green.	Year round buoy unlighted from Dec. 21 to Apr 1.
9780	Fawn Island Lighted Buoy 38	42-40-55.952N 082-30-11.696W	FI R 4s		4	Red.	Replaced by nun from Dec. 21 to Apr. 1. AIS MMSI: 993672234
9785	Marine City Salt Dock Light	42-41-16.765N 082-30-20.594W	F G	28	8	SG on post.	
9790	Marine City Shoal Lighted Buoy 40	42-42-03.752N 082-29-44.898W	FI R 4s		4	Red.	Replaced by nun from Dec. 21 to Apr. 1. AIS MMSI: 993672235
9795	Marine City Channel Buoy 1	42-42-06.000N 082-30-03.200W				Green can.	
9800	Marine City Channel Buoy 2	42-42-07.000N 082-30-01.000W				Red nun.	
9805	Marine City Channel Buoy 3	42-42-07.000N 082-30-03.000W				Green can.	
9810	Marine City Channel Buoy 4	42-42-08.000N 082-30-01.900W				Red nun.	
9815	Marine City Channel Buoy 5	42-42-07.500N 082-30-03.600W				Green can.	
9820	Marine City Channel Buoy 6	42-42-08.200N 082-30-02.500W				Red nun.	
9825	Fawn Island Upper End Lighted Buoy 42	42-43-12.251N 082-29-05.199W	Q R		4	Red.	Year round buoy unlighted from Dec. 21 to Apr. 1.
9833	Lighted Buoy A 42/2 (C)	42-44-05.031N 082-28-47.025W	FI R 4s			Red.	Seasonal.
9835	Kessel Point Light (C)	42-45-06.031N 082-27-54.025W	F Y		8	Orange diamond daymark on white square skeleton mast.	
9840	Recors Point Dock Lower Light	42-45-31.900N 082-28-20.700W	FI G 4s			On white post.	
9845	Recors Point Lighted Buoy A44 (C)	42-45-41.331N 082-27-54.525W	FI R 4s			Red.	Seasonal.
9850	Recors Point Dock Upper Light	42-45-53.200N 082-28-13.400W	Iso G 2s			On white post.	
9855	Bowens Creek Directional Light (C)	42-46-12.031N 082-27-48.026W	F Y			White circular tower with red top.	Higher intensity beam on on bearings 022° and 159°.
9860	Harts Landing Light	42-47-02.781N 082-28-27.266W	FI G 6s	26	8	SG on dolphin.	

9865	Harts Landing Lighted Buoy A46 (C)	42-47-18.031N 082-28-18.026W	FI R 4s			Red.	Seasonal.
9870	Courtright Light (C)	42-48-24.031N 082-28-42.026W	F Y	7		White skeleton tower on dolphin.	
9875	St. Clair Middle Ground Lighted Buoy 48	42-48-51.247N 082-28-51.511W	Q R	4		Red.	Replaced by nun from Dec. 21 to Apr. 1.
9880	St. Clair Middle Ground Lighted Buoy 50	42-49-25.246N 082-28-53.512W	FI R 4s	4		Red.	Replaced by nun from Dec. 21 to Apr. 1.
9885	St. Clair Middle Ground Lighted Buoy 52	42-49-40.046N 082-28-49.512W	Q R	4		Red.	Year round lighted buoy. AIS MMSI: 993672215
9890	Mooretown Light (C)	42-50-24.031N 082-28-06.026W	FI Y 4s	8		White circular tower with red top.	
9895	St. Clair Middle Ground Lighted Buoy A54 (C)	42-50-30.031N 082-28-15.526W	Q R			Red.	Seasonal.
9900	Stag Island Lower Lighted Buoy 55	42-51-10.650N 082-28-17.113W	FI G 4s	4		Green.	Maintained from Apr. 1 to Dec. 21.
9905	Stag Island Shoal Lower Junction Lighted Buoy AMB (C)	42-51-23.031N 082-28-03.726W				Red with green band.	Seasonal.
9910	Stag Island Shoal Light (C)	42-51-54.031N 082-28-00.026W	FI W 4s	4		White circular tower.	
9925	Stag Island Middle Light	42-53-09.434N 082-28-30.986W	Oc G 4s	0	8	SG on skeleton tower.	Higher intensity beam upstream.
9930	Stag Island Shoal Lighted Buoy 56	42-52-20.140N 082-28-13.316W	FI R 4s	4		Red.	Replaced by nun from Dec. 21 to Apr. 1.
9935	Stag Island Lighted Buoy 58	42-53-19.943N 082-28-14.017W	FI R 2.5s	4		Red.	Replaced by nun from Dec. 21 to Apr. 1. AIS MMSI: 993672216
9940	Stag Island North Cardinal Lighted Buoy Am (C)	42-54-19.831N 082-27-44.026W	Q W			Black and yellow.	Spar; winter marker. Seasonal.
9945	Stag Island Upper Light	42-54-25.153N 082-27-57.678W	FI G 2.5s	0	6	SG on post.	Higher intensity beam up and downstream.
9950	Lighted Buoy A60 (C)	42-55-13.031N 082-27-23.026W	FI R 4s			Red.	Spar; winter marker. Seasonal.
9955	Stag Island North End Lighted Buoy AM3 (C)	42-53-42.031N 082-27-36.026W	FI G 4s			Green.	Spar; winter marker. Seasonal.
9965	Black River Entrance Light 1	42-58-21.331N 082-25-09.626W	FI G 4s	20	3	SG on pile.	
9975	Point Edward Lighted Buoy A66 (C)	42-59-18.031N 082-25-18.026W	FI R 4s			Red.	Seasonal.
9980	Point Edward Lighted Buoy A68 (C)	42-59-36.031N 082-25-24.026W	Q R			Red.	Spar; winter marker. Seasonal.
9990	Fort Gratiot Range Front Light	42-59-36.186N 082-25-38.456W	F G	38	8	KRW with 12 foot vertical bar light on brown cylindrical tower.	Port Huron-Sarnia Bridge center span lights (Oc G) are on Fort Gratiot rangeline. Lighted throughout 24 hours.
9995	Fort Gratiot Range Front Passing Light	42-59-36.186N 082-25-38.456W	F G	41	9	On same structure as Fort Gratiot Range Front Light.	
10000	Fort Gratiot Range Rear Light	42-59-32.160N 082-25-41.326W	F G	52	9	KRW with 12 foot vertical bar light on brown octagonal tower.	Port Huron-Sarnia Bridge center span lights (Oc G) are on Fort Gratiot range line. Lighted throughout 24 hours.
10010	NOAA Lighted Weather Buoy 45008	44-17-00.032N 082-24-59.026W	FI (4)Y 20s			Yellow disc-shaped hull.	Maintained from May. 14 to Nov 14.
10015	Fort Gratiot Light	43-00-22.627N 082-25-21.112W	FI G 6s	82	16	White conical brick tower.	Station will give available information on fog conditions in upper river by radiotelephone when requested (156.80 MHz). Lighted throughout 24 hours.
10025	Point Edward Range Front Light (C)	43-00-12.031N 082-25-00.026W	F R			Orange triangular daymark with black vertical stripe on white circular tower with red band at top.	Visible from all points of approach.
10035	Lake Huron Cut Lighted Buoy 1	43-00-33.328N 082-25-04.199W	Q G	5		Green.	AIS MMSI: 993672236
10040	Lake Huron Cut Lighted Buoy 2 (C)	43-00-32.831N 082-24-53.626W	Q R			Red.	Spar; winter marker.
10045	Lake Huron Cut Lighted Buoy 3	43-01-47.147N 082-25-03.271W	FI G 4s	4		Green.	
10050	Lake Huron Cut Lighted Buoy 4	43-01-47.147N 082-24-52.790W	FI R 4s	4		Red.	
10055	Lake Huron Cut Lighted Buoy 5	43-02-40.467N 082-25-03.012W	FI G 4s	4		Green.	
10060	Lake Huron Cut Lighted Buoy 6	43-02-40.527N 082-24-52.281W	FI R 4s	4		Red.	
10065	Lake Huron Cut Light 7	43-03-34.869N 082-25-04.007W	Q G	47	10	SG on cylindrical tower.	
10070	Lake Huron Cut Lighted Buoy 8	43-03-34.832N 082-24-51.236W	Q R	4		Red.	Replaced by nun from Dec. 21 to Apr. 1.
10075	Lake Huron Cut Lighted Buoy 9	43-04-26.176N 082-24-56.003W	FI G 4s	4		Green.	

10080	Lake Huron Cut Lighted Buoy 10	43-04-25.496N 082-24-45.183W	FI R 4s	4	Red.	
10085	Lake Huron Cut Lighted Buoy 11	43-05-28.435N 082-24-47.687W	FI G 4s	5	Green.	AIS MMSI: 993672217
10090	Lake Huron Cut Lighted Buoy 12	43-05-27.965N 082-24-37.153W	FI R 4s	5	Red.	AIS MMSI: 993672218
10093	GLWA Lakeport Weather Buoy 1	43-07-38.290N 082-23-29.190W	FI Y 4s			Maintained from May.1 to Nov.30.
10095	Lexington Harbor East Breakwater Light 2	43-15-59.831N 082-31-22.256W	FI R 2.5s	29	5	TR on post.
10100	Lexington Harbor West Breakwater Light 3	43-16-02.851N 082-31-24.776W	FI G 4s	25	4	SG on post.
10115	Port Sanilac Light	43-25-44.461N 082-32-24.736W	FI W 2.5s	69	14	White octagonal tower.
10120	Port Sanilac North Breakwater Light 2	43-25-49.021N 082-32-05.326W	FI R 4s	35	7	TR on pile.
10125	Port Sanilac South Breakwater Light 3	43-25-51.731N 082-32-09.006W	FI G 4s	29	5	SG on pile.
10126.5	Wagener County Park Buoy 2	43-46-12.000N 082-36-54.000W				Red nun.
10126	Wagener County Park Buoy 1	43-46-12.000N 082-36-54.000W				Green can.
10127.5	Wagener County Park Buoy 4	43-46-12.000N 082-36-54.000W				Red nun.
10127	Wagener County Park Buoy 3	43-46-12.000N 082-36-54.000W				Green can.
10128.5	Wagener County Park Buoy 6	43-46-12.000N 082-36-54.000W				Red nun.
10128	Wagener County Park Buoy 5	43-46-12.000N 082-36-54.000W				Green can.
10129	White Rock Shoal Lighted Buoy 3	43-43-59.031N 082-35-19.026W	FI G 4s	4	Green.	Maintained from May 1 to Nov. 1.
10130	Harbor Beach Light 2	43-50-44.228N 082-37-52.112W	FI R 6s	20	8	TR on navigation pole HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
10133	Harbor Beach Light	43-50-44.299N 082-37-53.102W	FI W 6s			
10140	Harbor Beach South Pier Light 1	43-50-37.733N 082-37-51.996W	FI G 4s	27	11	SG on post.
10145	Harbor Beach Buoy 3	43-50-38.777N 082-38-05.412W				Green can. Maintained from 21 Apr to 01 Nov
10150	Harbor Beach Lighted Buoy 4	43-50-43.746N 082-37-54.375W	FI R 2.5s	4	Red nun.	Maintained from 21 Apr to 01 Nov
10155	Harbor Beach Buoy 5	43-51-00.402N 082-38-15.057W				Green can. Maintained from 21 Apr to 01 Nov
10161	Harbor Beach Buoy 7	43-51-12.717N 082-38-27.734W				Green can. Maintained 21 Apr. to 01 Nov.
10162	Harbor Beach Buoy 9	43-51-18.274N 082-38-37.262W				Green can. Maintained 21 Apr. to 01 Nov
10165	Offshore Marine Buoy 1	43-50-56.100N 082-38-36.800W				Green spar.
10170	Offshore Marine Buoy 2	43-50-59.000N 082-32-55.000W				Red spar.
10175	Offshore Marine Buoy 3	43-50-56.100N 082-38-39.800W				Green spar.
10180	Offshore Marine Buoy 4	43-50-56.100N 082-38-58.000W				Red spar.
10185	Offshore Marine Buoy 5	43-50-56.100N 082-38-42.200W				Green spar.
10202.6	Stafford County Park Buoy 6	43-56-36.000N 082-42-24.000W				Red nun.
10202.5	Stafford County Park Buoy 5	43-56-36.000N 082-42-24.000W				Green can.
10202.4	Stafford County Park Buoy 4	43-56-36.000N 082-42-24.000W				Red nun.
10202.3	Stafford County Park Buoy 3	43-56-36.000N 082-42-24.000W				Green can.
10202.2	Stafford County Park Buoy 2	43-56-36.000N 082-42-24.000W				Red nun.
10202.1	Stafford County Park Buoy 1	43-56-36.000N 082-42-24.000W				Green can.

10205	Point Aux Barques Lighted Buoy 1	44-02-32.536N 082-45-19.714W	FI G 4s		4	Green.	Maintained from Apr. 28 to Nov 14.
10210	Point Aux Barques Light	44-01-22.240N 082-47-35.755W	FI (2)W 20s	93	16	White conical tower with dwelling attached.	
10211	Lighthouse County Park Buoy 1	44-01-00.000N 082-47-12.000W				Green can.	
10212	Lighthouse County Park Buoy 2	44-01-00.000N 082-47-12.000W				Red nun.	
10215	Grindstone Channel Entrance Buoy 1	44-03-30.000N 082-53-30.000W				Green can.	
10220	Grindstone Channel Entrance Buoy 2	44-03-49.000N 082-53-46.000W				Red nun.	
10225	Grindstone Channel Entrance Buoy 3	44-03-42.000N 082-53-48.000W				Green can.	
10230	Grindstone Channel Entrance Buoy 4	44-03-42.000N 082-53-48.000W				Red nun.	
10235	Grindstone Channel Entrance Buoy 5	44-03-39.000N 082-53-50.000W				Green can.	
10240	Grindstone Channel Entrance Buoy 6	44-03-40.000N 082-53-51.000W				Red nun.	
10245	Grindstone Channel Entrance Buoy 7	44-03-39.000N 082-53-53.000W				Green can.	
10250	Grindstone Channel Entrance Buoy 8	44-03-38.000N 082-53-54.000W				Red nun.	
10255	Grindstone Channel Entrance Buoy 9	44-03-38.000N 082-53-56.000W				Green can.	
10260	Grindstone Channel Entrance Buoy 10	44-03-37.000N 082-53-58.000W				Red nun.	
10265	Grindstone Channel Entrance Buoy 11	44-03-37.000N 082-53-59.000W				Green can.	
10270	Grindstone Channel Entrance Buoy 12	44-03-36.000N 082-53-59.000W				Red nun.	
10271	Grindstone Channel Entrance Buoy 13	44-03-22.200N 082-53-34.800W				Green can.	
10272	Grindstone Channel Entrance Buoy 14	44-03-22.800N 082-53-35.400W				Red nun.	
10273	Grindstone Channel Entrance Buoy 15	44-03-20.400N 082-53-37.200W				Green can.	
10274	Grindstone Channel Entrance Buoy 16	44-03-21.000N 082-53-37.800W				Red nun.	
10275	Port Austin Reef Light	44-04-55.332N 082-58-56.642W	FI W 6s		8	Buff square tower with house attached.	
10278	NOAA GLERL OB-26 North Saginaw Bay Water Quality Wave buoy	44-04-22.740N 083-03-37.464W	FI Y 4s				Maintained from May.1 to Dec.1.
10280	Port Austin Shoal Buoy 1	44-05-48.067N 082-59-35.209W				Green can.	Maintained from May 1 to Nov 14.
10285	Port Austin Buoy 3	44-03-33.761N 082-59-36.647W				Green can.	
10290	Port Austin Breakwater Light 4	44-03-11.482N 082-59-36.927W	FI R 2.5s	24	4	TR on pile.	
10295	Port Austin Light 5	44-03-13.732N 082-59-37.027W	FI G 2.5s	25	6	SG on post.	
10300	Port Austin Buoy 5A	44-03-09.458N 082-59-30.309W				Green can.	
10305	Port Austin Buoy 6	44-03-04.830N 082-59-38.580W				Red nun.	
10310	Port Austin Buoy 7	44-02-59.248N 082-59-36.544W				Green can.	
10315	Port Austin Channel Buoy 1	44-02-54.000N 082-59-40.000W				On black spar.	Maintained from Jun. 1 to Sep. 1.
10320	Port Austin Channel Buoy 2	44-03-01.000N 082-59-40.000W				On red spar.	Maintained from Jun. 1 to Sep. 1
10325	Port Austin Channel Buoy 4	44-02-58.000N 082-59-43.000W				On red spar.	Maintained from Jun. 1 to Sep. 1.
10330	Port Austin Channel Buoy 6	44-02-56.000N 082-59-43.000W				On red spar.	Maintained from Jun. 1 to Sep. 1
10345	Caseville Harbor Light 1	43-56-52.631N 083-17-09.827W	FI G 2.5s	16	5	SG on post.	
10350	Caseville Harbor Range Front Light	43-56-43.100N 083-16-43.400W	F R			On red pile.	Maintained from Apr. 1 to Nov. 15.

10355	Caseville Harbor Range Rear Light	43-56-42.000N 083-16-39.900W	F R			On red pile.	Maintained from Apr. 1 to Nov. 15.
10365	Caseville Harbor Buoy 2	43-56-51.571N 083-17-10.587W				Red nun.	
10370	Caseville Harbor Buoy 4	43-56-48.365N 083-16-59.775W				Red nun.	
10372	Caseville Harbor Buoy 6	43-56-47.036N 083-16-55.408W				Red nun.	
10373	Caseville Harbor Light	43-56-36.500N 083-16-22.000W	FI W 10s			Square white tower with red roofed cupola.	
10375	Sand Point Midchannel Buoy S	43-55-54.991N 083-24-45.687W				Red and white stripes; spherical.	
10380	Wildfowl Bay Channel Lighted Buoy 1	43-52-42.000N 083-21-24.000W	Q G			Green.	Maintained from May 15 to Oct. 15.
10385	Wildfowl Bay Channel Lighted Buoy 2	43-52-42.000N 083-21-24.200W	Q R			Red.	Maintained from May 15 to Oct. 15.
10390	Sebewaing Harbor Channel Lighted Buoy 1	43-45-08.905N 083-31-15.679W	FI G 2.5s			Green.	Maintained from Apr. 21 to Nov. 15.
10395	Sebewaing Harbor Channel Lighted Buoy 2	43-45-07.585N 083-31-16.413W	FI R 2.5s			Red.	Maintained from Apr. 21 to Nov. 15.
10400	Sebewaing Channel Lighted Buoy 3	43-44-58.573N 083-30-37.725W	FI G 4s	4		Green	Maintained from Apr. 21 to Nov. 15.
10405	Sebewaing Channel Lighted Buoy 4	43-44-57.481N 083-30-38.913W	FI R 4s	4		Red	Maintained from Apr. 21 to Nov. 15.
10410	Sebewaing Channel Lighted Buoy 5	43-44-48.277N 083-30-00.483W	FI G 6s	4		Green	Maintained from Apr. 21 to Nov. 15.
10415	Sebewaing Channel Lighted Buoy 6	43-44-47.377N 083-30-01.155W	FI R 6s	4		Red	Maintained from Apr. 21 to Nov. 15.
10420	Sebewaing Channel Lighted Buoy 7	43-44-37.243N 083-29-20.679W	FI G 4s	4		Green	Maintained from Apr. 21 to Nov. 15.
10425	Sebewaing Channel Lighted Buoy 8	43-44-36.637N 083-29-21.231W	FI R 4s	4		Red	Maintained from Apr. 21 to Nov. 15.
10430	GLERL SBWN	43-44-17.580N 083-38-22.620W	FI Y 4s				Maintained from Apr.1 to Nov.15.
10470	Sebewaing Yacht Club South Light	43-44-12.000N 083-27-48.000W	F R			On pile.	Maintained from Mar. 15 to Oct. 15.
10475	Sebewaing Yacht Club North Light	43-44-23.000N 083-27-08.000W	F G			On pile.	Maintained from Mar. 15 to Oct. 15.
10480	Oakhurst Park Marina Range Front Light	43-37-45.100N 083-37-08.000W	F G			Orange triangle on post.	Maintained from May 1 to Oct. 31.
10485	Oakhurst Park Marina Range Rear Light	43-37-44.900N 083-37-07.800W	F G			Orange and white triangle on tower.	Maintained from May 1 to Oct. 31.
10486	SaginawBay NOAA Weather Wave Buoy 1	43-43-12.640N 083-36-36.870W	FI Y 2.5s				Maintained from May.1 to Dec.1.
10490	Quanicassee River Buoy 1	43-35-46.000N 083-40-32.400W				Green can.	
10495	Quanicassee River Buoy 2	43-35-46.000N 083-40-32.400W				Red nun.	
10500	Quanicassee River Buoy 3	43-35-41.000N 083-40-36.000W				Green can.	
10505	Quanicassee River Buoy 4	43-35-41.000N 083-40-36.000W				Red nun.	
10510	Quanicassee River Buoy 5	43-35-34.000N 083-40-40.000W				Green can.	
10515	Quanicassee River Buoy 6	43-35-34.000N 083-40-40.000W				Red nun.	
10520	Quanicassee River Buoy 7	43-35-22.000N 083-40-46.000W				Green can.	
10525	Quanicassee River Buoy 8	43-35-22.000N 083-40-46.000W				Red nun.	
10530	Charity Island Shoal Lighted Buoy 1	44-06-30.187N 083-29-46.200W	Q G	5		Green	Maintained from Apr. 28 to Dec. 7. AIS MMSI: 993672219
10535	Charity Island Shoal Lighted Buoy 3	44-03-25.036N 083-30-43.861W	FI G 4s	4		Green.	Replaced by can from Dec. 7 to Apr. 28. AIS MMSI: 993672220
10540	Gravelly Shoal Light	44-01-11.456N 083-32-18.246W	FI R 6s	75	10	White square tower on cylindrical base.	HORN: 1 blast ev 30s (3s bl). Operates continuously.
10550	Saginaw Bay Channel Range Front Light	43-38-54.355N 083-51-05.701W	F R	45		On skeleton tower.	Lighted throughout 24 hours.
10555	Saginaw Bay Range Front Passing Light	43-38-54.355N 083-51-05.701W	F R	45	8	On same structure as Saginaw Bay Channel Range Front Light.	

10560	Saginaw Bay Channel Range Rear Light	43-37-40.789N 083-52-07.046W	F G	150	12	On skeleton tower.	Lighted throughout 24 hours.
10570	Saginaw Bay Channel Light 1	43-48-21.080N 083-43-07.854W	FI G 6s		10	White cylindrical tower with green band in middle.	
10575	Saginaw Bay Channel Lighted Buoy 2	43-48-23.158N 083-43-13.025W	FI R 2.5s		4	Red.	Year Round Lighted Ice Buoy
10590	Saginaw Bay Channel Lighted Buoy 3	43-46-52.020N 083-44-23.280W	FI G 4s		6	Green	Replaced by can from Dec. 01 to Apr. 21.
10595	Saginaw Bay Channel Lighted Buoy 4	43-46-53.763N 083-44-27.273W	FI R 4s		6	Red	Replaced by can from Dec. 01 to Apr. 21.
10600	Saginaw Bay Channel Lighted Buoy 5	43-45-22.814N 083-45-38.213W	FI G 4s		4	Green.	Replaced by can from Apr. 21 to Dec.1. AIS MMSI: 993672221
10605	Saginaw Bay Channel Lighted Buoy 6	43-45-24.674N 083-45-42.591W	FI R 4s		4	Red.	Replaced by nun from Apr. 21 to Dec. 1. AIS MMSI: 993672222
10610	Saginaw Bay Channel Lighted Buoy 7	43-43-54.183N 083-46-51.978W	FI G 2.5s		6	Green	Replaced by can from Dec. 01 to Apr. 21.
10644	Saginaw Bay Channel Light 8	43-43-56.385N 083-46-56.947W	FI R 2.5s	20	6	White cylindrical tower with red stripe in middle.	
10650	Saginaw Bay Channel V-AIS 9	43-42-59.840N 083-47-38.302W					AIS MMSI: 993682809
10655	Saginaw Bay Channel V-AIS 10	43-43-02.031N 083-47-42.228W					AIS MMSI: 993682794
10660	Saginaw Bay Channel Lighted Buoy 11	43-42-07.031N 083-48-22.328W	FI G 4s		6	Green.	Replaced by can from Dec. 07 to Apr. 21. AIS MMSI: 993672223
10665	Saginaw Bay Channel Lighted Buoy 12	43-42-08.731N 083-48-27.028W	FI R 4s		6	Red.	Replaced by nun from Dec. 07 to Apr. 21. AIS MMSI: 993672224
10670	Saginaw Bay Channel V-AIS 13	43-41-13.031N 083-49-07.528W					AIS MMSI: 993682783
10675	Saginaw Bay Channel V-AIS 14	43-41-15.031N 083-49-11.528W					AIS MMSI: 993682676
10680	Saginaw Bay Channel Lighted Buoy 15	43-40-22.006N 083-49-49.767W	FI G 4s		4	Green.	Replaced by can from Dec. 07 to Apr. 21.
10685	Saginaw Bay Channel Lighted Buoy 16	43-40-24.062N 083-49-53.874W	FI R 4s		4	Red.	Replaced by nun from Dec. 07 to Apr. 21.
10690	Saginaw Bay Channel Obstruction Light A	43-40-16.200N 083-49-53.300W	Q W			On dolphin.	Maintained from Apr. 15 to Dec. 15. Maintained by ACOE.
10695	Saginaw Bay Channel Obstruction Light B	43-40-14.600N 083-49-54.600W	Q W			On dolphin.	Maintained from Apr. 15 to Dec. 15. Maintained by ACOE.
10710	Saginaw Bay Channel Lighted Buoy 17	43-39-38.598N 083-50-26.013W	FI G 2.5s		4	Green.	Replaced by can from Dec. 01 to Apr. 21.
10715	Saginaw Bay Channel Lighted Buoy 18	43-39-40.389N 083-50-30.084W	FI R 2.5s		4	Red.	Replaced by nun from Dec. 01 to Apr. 21.
10720	Saginaw Bay Channel Lighted Buoy 19	43-39-08.921N 083-50-50.778W	FI G 2.5s		4	Green.	Replaced by can from Dec. 01 to Apr. 21.
10725	Saginaw Bay Channel Lighted Buoy 20	43-39-09.321N 083-50-55.730W	FI R 2.5s		4	Red.	Replaced by nun from Dec. 01 to Apr. 21.
10730	Saginaw Bay Channel Light 22	43-39-02.055N 083-50-59.373W	Q R	23	6	TR on pile.	
10735	Saginaw Bay Channel Lighted Buoy 21	43-38-58.731N 083-50-54.482W	FI G 2.5s		4	Green.	Replaced by can from Dec. 01 to Apr. 21.
10740	Saginaw Bay Channel Lighted Buoy 24	43-38-46.178N 083-50-58.277W	FI R 2.5s		4	Red.	Replaced by nun from Dec. 01 to Apr. 21.
10745	Bay City Yacht Club North Basin Buoy 1	43-38-36.960N 083-51-00.540W				Green can.	Maintained from May 1 to Oct. 15.
10746	Bay City Yacht Club North Basin Buoy 2	43-38-37.320N 083-51-00.600W				Red nun.	Maintained from May 1 to Oct. 15.
10747	Bay City Yacht Club North Basin Buoy 3	43-38-36.720N 083-51-02.340W				Green can.	Maintained from May 1 to Oct. 15.
10748	Bay City Yacht Club North Basin Buoy 4	43-38-37.080N 083-51-02.400W				Red nun.	Maintained from May 1 to Oct. 15.
10749	Bay City Yacht Club North Basin Buoy 5	43-38-36.480N 083-51-04.140W				Green can.	Maintained from May 1 to Oct. 15.
10750	Bay City Yacht Club North Basin Buoy 6	43-38-36.840N 083-51-04.200W				Red nun.	Maintained from May 1 to Oct. 15.
10751	Bay City Yacht Club South Basin Buoy 1	43-38-29.400N 083-51-00.180W				Green can.	Maintained from May 1 to Oct. 15.
10752	Bay City Yacht Club South Basin Buoy 2	43-38-30.000N 083-51-00.540W				Red nun.	Maintained from May 1 to Oct. 15.
10753	Bay City Yacht Club South Basin Buoy 3	43-38-29.100N 083-51-01.080W				Green can.	Maintained from May 1 to Oct. 15.

10754	Bay City Yacht Club South Basin Buoy 4	43-38-29.700N 083-51-01.440W				Red nun.		Maintained from May 1 to Oct. 15.
10755	Saginaw River Buoy 2	43-38-31.456N 083-50-55.687W				Red nun.		
10760	Essexville Range Front Light	43-37-21.743N 083-50-19.232W	F G	25	15	KRW on skeleton tower.		Visible 4° each side of range line.
10765	Essexville Range Rear Light	43-37-11.533N 083-50-14.157W	F G	40	15	KRW on skeleton tower.		Visible 4° each side of range line.
10770	Saginaw River Lighted Buoy 3	43-38-14.054N 083-50-44.068W	Fl G 4s		4	Green.		Can; winter marker.
10775	Saginaw River Lighted Buoy 4	43-38-13.378N 083-50-46.623W	Fl R 4s		4	Red.		Nun; winter marker.
10780	Saginaw River Buoy 5	43-37-53.178N 083-50-33.589W				Green can.		
10785	Saginaw River Buoy 6	43-37-52.528N 083-50-36.057W				Red nun.		
10790	Saginaw River Lighted Buoy 7	43-37-37.115N 083-50-25.553W	Fl G 4s		4	Green.		Can; winter marker
10795	Saginaw River Lighted Buoy 8	43-37-36.799N 083-50-28.288W	Fl R 4s		4	Red.		Nun; winter marker
10800	Saginaw River Lighted Buoy 10	43-37-21.691N 083-50-28.968W	Fl R 4s		4	Red.		Nun; winter marker.
10805	Saginaw River Buoy 12	43-37-09.767N 083-50-35.304W				Red.		Nun; winter marker.
10810	Saginaw River Lighted Buoy 14	43-37-04.293N 083-50-41.859W				Red nun.		Maintained from 21 April to 01 Dec.
10815	Saginaw River Buoy 16	43-36-59.913N 083-50-50.882W				Red.		Nun; winter marker.
10817	Saginaw River Lighted Buoy 18	43-36-50.031N 083-51-13.828W				Red nun.		Maintained from 21 April to 01 Dec.
10820	Saginaw River Lighted Buoy 19	43-36-44.732N 083-51-38.958W				Green can.		Maintained from 21 April to 01 Dec.
10825	Saginaw River Buoy 20	43-36-47.537N 083-51-39.119W				Red nun.		
10830	Saginaw River Buoy 21	43-36-43.799N 083-52-44.483W				Green can.		
10835	Saginaw River Lighted Buoy 23	43-36-36.570N 083-53-03.981W	Fl G 4s		4	Green.		Can; winter marker.
10840	Saginaw River Buoy 25	43-36-26.489N 083-53-16.646W				Green can.		
10845	Saginaw River Buoy 27	43-36-05.241N 083-53-29.097W				Green can.		
10850	Saginaw River Lighted Buoy 28	43-35-20.769N 083-53-45.990W	Fl R 4s		4	Red.		Nun; winter marker.
10855	Saginaw River Buoy 30	43-34-17.413N 083-54-11.885W				Red nun.		
10860	Saginaw River Lighted Buoy 31	43-34-04.687N 083-54-13.946W	Fl G 4s		4	Green.		Can; winter marker.
10862	Saginaw River Buoy 33	43-33-41.131N 083-54-16.558W				Green can.		
10865	Saginaw River Buoy 35	43-33-12.991N 083-54-18.328W				Green.		
10870	Saginaw River Buoy 37	43-33-04.525N 083-54-16.469W				Green can.		
10875	Saginaw River Lighted Buoy 36	43-33-12.957N 083-54-21.662W	Fl R 4s		4	Red.		Nun; winter marker.
10880	Saginaw River Buoy 39	43-32-51.909N 083-54-12.849W				Green can.		
10885	Saginaw River Buoy 40	43-32-52.062N 083-54-15.667W				Red nun.		
10890	Saginaw River Buoy 41	43-32-41.316N 083-54-09.810W				Green can.		
10895	Saginaw River Buoy 42	43-32-40.705N 083-54-12.409W				Red nun.		
10900	Saginaw River Buoy 43	43-32-31.609N 083-54-03.840W				Green.		
10905	Saginaw River Lighted Buoy 44	43-32-29.976N 083-54-05.811W	Fl R 4s		4	Red.		Nun; winter marker.
10910	Saginaw River Lighted Buoy 45	43-32-26.629N 083-53-54.621W	Fl G 4s		4	Green.		Can; winter marker.

10915	Saginaw River Buoy 46	43-32-24.027N 083-53-56.762W				Red nun.	
10925	Saginaw River Buoy 47	43-32-20.610N 083-53-24.582W				Green can.	
10930	Saginaw River Lighted Buoy 48	43-32-18.407N 083-53-26.875W	Fl R 4s	4	Red.	Nun; winter marker.	
10935	Saginaw River Buoy 49	43-32-10.905N 083-53-10.729W				Green can.	
10940	Saginaw River Lighted Buoy 50	43-32-09.668N 083-53-12.928W	Fl R 4s	4	Red.	Nun; winter marker.	
10945	Saginaw River Buoy 52	43-31-56.465N 083-53-02.136W				Red nun.	
10950	Saginaw River Buoy 53	43-31-53.709N 083-52-56.740W				Green can.	
10955	Saginaw River Lighted Buoy 54	43-31-49.744N 083-53-01.079W	Fl R 4s	4	Red.	Nun; winter marker.	
10960	Saginaw River Buoy 55	43-31-48.031N 083-52-58.528W				Green can.	
10965	Saginaw River Buoy 56	43-31-27.467N 083-53-09.623W				Red nun.	
10970	Saginaw River Lighted Buoy 57	43-31-28.031N 083-53-06.028W	Fl G 4s	4	Green.	Can; winter marker.	
10975	Saginaw River Buoy 59	43-31-12.927N 083-53-03.012W				Green can.	
10980	Saginaw River Buoy 60	43-31-12.415N 083-53-05.613W				Red nun.	
10985	Saginaw River Buoy 61	43-30-56.842N 083-52-58.699W				Green can.	
10990	Saginaw River Lighted Buoy 62	43-30-58.485N 083-53-01.901W	Fl R 4s	4	Red.	Nun; winter marker.	
10995	Saginaw River Buoy 63	43-30-50.018N 083-53-00.296W				Green can.	
11000	Saginaw River Buoy 64	43-30-50.622N 083-53-02.908W				Red nun.	
11005	Saginaw River Buoy 65	43-30-38.031N 083-53-08.028W				Green can.	
11010	Saginaw River Buoy 66	43-30-39.031N 083-53-11.028W				Red nun.	
11015	Saginaw River Buoy 67	43-30-24.008N 083-53-17.441W				Green can.	
11020	Saginaw River Lighted Buoy 68	43-30-25.120N 083-53-19.717W	Fl R 4s	4	Red.	Nun; winter marker.	
11035	Saginaw River Buoy 69	43-30-05.831N 083-53-40.028W				Green can.	
11040	Saginaw River Buoy 70	43-30-07.531N 083-53-42.028W				Red nun.	
11045	Saginaw River Lighted Buoy 71	43-29-48.229N 083-54-01.814W	Fl G 4s	4	Green.	Can; winter marker.	
11050	Saginaw River Buoy 72	43-29-49.445N 083-54-03.963W				Red nun.	
11055	Saginaw River Buoy 73	43-29-20.007N 083-54-27.589W				Green can.	
11060	Saginaw River Buoy 74	43-29-22.637N 083-54-28.594W				Red nun.	
11065	Saginaw River Buoy 76	43-28-32.409N 083-54-44.428W				Red nun.	
11070	Saginaw River Buoy 78	43-28-18.934N 083-54-36.350W				Red nun.	
11075	Saginaw River Lighted Buoy 80	43-28-13.821N 083-54-35.330W	Fl R 4s	4	Red.	Nun; winter marker.	
11080	Saginaw River Buoy 82	43-27-44.185N 083-54-43.594W				Red nun.	
11082	Saginaw River Lighted Buoy 84	43-27-30.231N 083-54-58.028W	Fl R 2.5s	4			
11085	Saginaw River Buoy 86	43-27-21.546N 083-55-21.802W				Red nun.	
11087	Saginaw River Lighted Buoy 87	43-27-10.031N 083-55-48.028W	Fl G 4s	4			
11090	Saginaw River Buoy 88	43-27-00.932N 083-56-06.453W				Red nun.	

11095	Saginaw River Buoy 89	43-26-43.974N 083-56-12.327W					Green can.	
11111	Pinconning Park Buoy 1	43-50-51.000N 083-55-06.000W					Green.	
11112	Pinconning Park Buoy 2	43-50-51.000N 083-55-06.000W					Red.	
11113	Pinconning Park Buoy 3	43-50-51.000N 083-55-06.000W					Green.	
11114	Pinconning Park Buoy 4	43-50-51.000N 083-55-06.000W					Red.	
11115	Pinconning Park Buoy 5	43-50-51.000N 083-55-06.000W					Green.	
11116	Pinconning Park Buoy 6	43-50-51.000N 083-55-06.000W					Red.	
11140	Point Au Gres Obstruction Buoy	43-59-12.031N 083-40-36.028W					White with orange bands and diamond worded DANGER SUBMERGED OBSTRUCTION can.	Maintained from May 1 to Nov. 1.
11145	Au Gres Harbor Entrance Buoy 1	44-01-01.531N 083-39-45.628W					Green can.	Maintained from May 1 to Nov. 1.
11150	Au Gres Harbor Entrance Buoy 2	44-01-04.951N 083-39-43.828W					Red nun.	Maintained from May 1 to Nov. 1.
11155	Au Gres Harbor North Pier Light 4	44-01-12.021N 083-40-00.028W	FI R 2.5s	26	6		TR on white cylindrical tower with red band.	
11160	Au Gres Harbor South Pier Light 3	44-01-10.911N 083-40-03.408W	FI G 4s	15	7		SG on post.	
11170.1	U.S. Gypsum Tramway Light A	44-11-19.000N 083-33-19.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11170.2	U.S. Gypsum Tramway Light B	44-11-18.000N 083-33-09.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11170.3	U.S. Gypsum Tramway Light C	44-11-16.000N 083-32-58.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11170.4	U.S. Gypsum Tramway Light D	44-11-15.000N 083-32-49.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11170.5	U.S. Gypsum Tramway Light E	44-11-14.000N 083-32-39.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11170.7	U.S. Gypsum Tramway Light G	44-11-11.000N 083-32-19.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11170.8	U.S. Gypsum Tramway Light H	44-11-10.000N 083-32-09.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11170.9	U.S. Gypsum Tramway Light I	44-11-09.000N 083-31-59.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11170.6	U.S. Gypsum Tramway Light F	44-11-13.000N 083-32-29.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11171	U.S. Gypsum Tramway Light J	44-11-08.000N 083-37-56.000W	FI W 4s					Maintained from Apr. 15 to Oct. 15.
11171.1	U.S. Gypsum Tramway Light K	44-11-09.000N 083-31-56.000W	FI W 4s					Maintained from Apr. 15 to Oct. 15.
11171.2	U.S. Gypsum Tramway Light L	44-11-08.000N 083-31-54.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11171.3	U.S. Gypsum Tramway Light M	44-11-09.000N 083-31-54.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11171.4	U.S. Gypsum Tramway Light N	44-11-07.000N 083-31-51.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11171.5	U.S. Gypsum Tramway Light O	44-11-09.000N 083-31-51.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11171.6	U.S. Gypsum Tramway Light P	44-11-24.000N 083-33-15.000W	FI Y 4s					Maintained from Apr. 15 to Oct. 15.
11171.7	U.S. Gypsum Tramway Light Q	44-11-24.000N 083-31-54.000W	FI Y 4s					Maintained from Apr.15 to Oct.15.
11175	Northport Marina Entrance Lighted Buoy 1	44-02-43.800N 083-39-12.000W	FI G 2.5s				Green.	Maintained from May 1 to Oct. 31.
11180	Northport Marina Entrance Lighted Buoy 2	44-02-45.600N 083-39-06.000W	FI R 2.5s				Red.	Maintained from May 1 to Oct. 31.
11181	GLERL SBWR	43-59-00.000N 083-36-00.000W	FI Y 4s					Maintained from Apr.1 to Nov.15.
11190	National Gypsum Company Range Front Light	44-14-15.500N 083-32-24.500W	F R				On post.	Light operated only for vessel arrivals and departures.
11195	National Gypsum Company Range Rear Light	44-14-21.200N 083-32-42.000W	F R				On post.	Light operated only for vessel arrivals and departures.
11240	Tawas Light	44-14-54.043N 083-27-32.975W	FI W 4s	40	11		Square skeleton tower.	HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Fog signal operates by keying VHF FM Marine Radio channel 83A five times.

11245	Tawas Point Lighted Buoy 2	44-14-27.932N 083-28-15.361W	FI R 4s	4	Red.	Maintained from Apr. 28 to Dec. 1.	
11250	Tawas Harbor Lighted Buoy 4	44-15-38.031N 083-27-59.128W	FI R 2.5s	4	Red.	Maintained from Apr. 28 to Dec. 1.	
11255	Tawas Harbor Lighted Buoy 6	44-15-54.031N 083-27-10.028W	FI R 4s	4	Red.	Maintained from 28 April to 01 November	
11265	Tawas Bay Yacht Club Range Front Light	44-15-47.400N 083-26-59.000W	F R		Red square daymark on pile.	Maintained from Apr. 1 to Nov. 1.	
11270	Tawas Bay Yacht Club Range Rear Light	44-15-00.770N 083-26-00.554W	F R		Red square daymark on pile.	Maintained from Apr. 1 to Nov. 1.	
11275	Jerry'S Marina Range Front Light	44-15-48.500N 083-26-27.000W	F G		On post.	Maintained from Apr. 1 to Nov. 1.	
11285	Tawas Bay Harbor Light 5	44-16-38.031N 083-29-10.028W	FI G 6s	25	7	SG on pile.	
11300	Tawas River Range Front Light	44-15-34.500N 083-31-38.000W	F R		White diamond daymark on pile.	Maintained from Apr. 1 to Dec. 1.	
11308.2	Tawas Bay Condo Marina Buoy 2	44-15-24.000N 083-31-32.000W	FI R 4s		1	Maintained from May 1 to Nov. 1.	
11308.1	Tawas Bay Condo Marina Buoy 1	44-15-23.000N 083-31-34.000W	FI G 4s		1	Maintained from May 1 to Nov. 1.	
11310	Au Sable Point Lighted Buoy 1	44-18-59.592N 083-17-13.001W	FI G 6s	4	Green.	Maintained from Apr. 28 to Dec. 1.	
11315	Au Sable South Pierhead Light	44-24-21.932N 083-19-00.328W	FI G 4s	25	6	SG on white tower.	
11320	Au Sable North Pierhead Light	44-24-23.902N 083-18-59.408W	FI R 4s	25	7	TR on white tower.	HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
11323	Harrisville Entrance Buoy 2	44-39-46.274N 083-16-51.478W				Red nun	Maintained from May. 01 to Nov. 01.
11325	Harrisville East Breakwater Light 3	44-39-41.032N 083-16-54.528W	FI G 2.5s	20	7	SG on post.	
11330	Harrisville West Breakwater Light 4	44-39-38.832N 083-16-59.728W	FI R 4s	33	5	TR on column.	
11345	Sturgeon Point Light	44-42-45.532N 083-16-21.028W	FI W 6s	69	9		
11345.1	W. H. Rounds Wreck Mooring Buoy	44-50-13.139N 083-16-56.340W					
11348	TBNMS Wreck Mooring Montana Lighted Buoy	44-59-03.800N 083-15-11.000W	Q W			Maintained from May.1 to Oct.31.	
11349	TBNMS Wreck Subsurface Florida Buoy	45-17-48.710N 083-16-58.771W				Maintained from May.1 to Oct.31. Sub Surface Buoy 40FT below Surface	
11350.1	TBNMS Wreck Mooring Sprangler Lighted Buoy 1	45-23-00.672N 083-26-06.900W	FI W 4s			Maintained from May.1 to Oct.31.	
11350.2	TBNMS Wreck Mooring Etruria Lighted Buoy 2	45-28-58.080N 083-28-30.118W	FI W 4s			Maintained from May.1 to Oct.31.	
11350.3	TBNMS Wreck Mooring Merrick Lighted Buoy 3	45-28-15.121N 083-26-45.359W	FI W 4s			Maintained from May.1 to Oct.31.	
11350.4	TBNMS Wreck Mooring Choctaw Lighted Buoy 4	45-32-03.267N 083-30-32.446W	FI W 4s			Maintained from May.1 to Oct.31.	
11350.5	TBNMS Wreck Mooring Defiance Lighted Buoy 5	45-14-03.480N 083-16-42.420W	FI W 4s			Maintained from May.1 to Oct.31.	
11350.6	TBNMS Wreck Mooring Windiate Lighted Buoy 6	45-19-33.557N 083-19-36.952W	FI W 4s			Maintained from May.1 to Oct.31.	
11350.7	TBNMS Wreck Mooring Norman Lighted Buoy 7	45-18-41.530N 083-16-44.601W	FI W 4s			Maintained from May.1 to Oct.31.	
11350.8	TBNMS Wreck Mooring Northwestern Lighted Buoy 8	45-26-53.099N 083-41-47.400W	FI W 4s			Maintained from May.1 to Oct.31.	
11350.9	TBNMS Wreck Mooring Typo Lighted Buoy 9	45-17-29.792N 083-18-56.934W	FI W 4s			Maintained from May.1 to Oct.31.	
11350	TBNMS Wreck Subsurface Audubon Buoy	45-17-19.860N 083-20-21.048W				Maintained from May.1 to Oct.31. Sub Surface Buoy 40FT below Surface	
11351	TBNMS Wreck Mooring Ohio Lighted Buoy 10	45-30-48.996N 083-30-12.816W	FI W 4s			Maintained from May.1 to Oct.31.	
11353	TBNMS Wreck Mooring William P. Rend Lighted Buoy	45-03-46.000N 083-23-34.000W	Q W			Maintained from May.1 to Oct.31.	
11355	Thunder Bay Traffic Lighted Bell Buoy TB	44-58-41.080N 083-15-17.310W	Mo (A) W	4	Red and white stripes.	Maintained from Apr. 28 to Dec. 1. AIS MMSI: 993682098	
11356	Haltiner Barge Boiler Wreck Mooring Buoy	45-02-08.279N 083-19-35.400W					
11357	GLERL TBWA	44-59-16.860N 083-16-05.220W	FI Y 4s			Maintained from Apr.1 to Nov.15.	

11358	GLERL TBWB	44-59-23.370N 083-16-16.020W	FI Y 4s			Maintained from Apr.1 to Nov.15.
11360	North Point Buoy 10	45-00-05.962N 083-14-56.518W				Red nun.
11370	Alpena Light	45-03-37.261N 083-25-23.050W	FI R 6s	44	9	Red skeleton tower with upper part enclosed. To operate the fog signal key the microphone on channel 83A VHF marine radio five times. HORN: 1 blast ev 15s (2s bl).
11375	Alpena South Breakwater Light	45-03-35.032N 083-25-25.028W	FI G 2.5s		5	White tower with green band.
11380	City Of Alpena Harbor Entrance Light 1	45-03-37.800N 083-25-29.900W	FI G 4s			SG on post. Maintained from Apr. 1 to Dec. 1.
11385	City Of Alpena Harbor Entrance Light 2	45-03-37.700N 083-25-29.600W	F R			TR on post. Maintained from Apr. 1 to Dec. 1.
11386	Holcim Channel Range Front Light	45-04-06.000N 083-24-32.000W	F R			Orange and white striped daymark on skeleton tower.
11387	Holcim Channel Range Rear Light	45-04-14.000N 083-24-32.500W	F R			Orange and white stiped daymark on skeleton tower.
11388	East Alpena Channel Buoy 1	45-02-39.000N 083-23-48.000W				Green can.
11388.3	East Alpena Channel Buoy 4	45-02-45.000N 083-23-56.500W				Red nun.
11388.1	East Alpena Channel Buoy 2	45-02-40.050N 083-23-47.000W				Red nun.
11388.9	East Alpena Channel Buoy 11	45-03-35.500N 083-24-19.000W				Green can.
11388.8	East Alpena Channel Buoy 10	45-03-25.500N 083-24-12.200W				Red nun.
11388.7	East Alpena Channel Buoy 9	45-03-25.000N 083-24-14.600W				Green can.
11388.6	East Alpena Channel Buoy 8	45-03-14.800N 083-24-08.000W				Red nun.
11388.5	East Alpena Channel Buoy 7	45-03-14.300N 083-24-11.000W				Green can.
11388.4	East Alpena Channel Buoy 6	45-02-57.700N 083-24-01.500W				Red nun.
11389.2	East Alpena Channel Buoy 14	45-03-46.000N 083-24-20.900W				Red nun.
11389.1	East Alpena Channel Buoy 13	45-03-45.800N 083-24-23.000W				Green can.
11389	East Alpena Channel Buoy 12	45-03-36.000N 083-24-16.500W				Red nun.
11389.3	East Alpena Channel Buoy 15	45-03-53.400N 083-24-26.100W				Green can.
11390	Alpena Junction Lighted Buoy Al	45-02-57.750N 083-24-04.958W	FI (2+1)R 6s	4		Red with green band. Replaced by nun from Dec. 1 to Apr. 28. AIS MMSI: 993672225
11395	Alpena Channel Lighted Buoy 1	45-03-03.098N 083-24-22.186W	FI G 2s	4		Green can.
11400	Alpena Channel Lighted Buoy 2	45-03-05.773N 083-24-20.723W	FI R 2.5s	4		Red nun.
11405	Alpena Channel Lighted Buoy 3	45-03-12.960N 083-24-43.290W	FI G 4s	4		Green can. Year round buoy unlighted from Nov. 14 to May. 1.
11410	Alpena Channel Lighted Buoy 4	45-03-15.324N 083-24-38.371W	FI R 4s	4		Red nun. Year round buoy unlighted from Nov. 14 to May. 1.
11415	Alpena Channel Lighted Buoy 5	45-03-23.715N 083-25-02.356W	FI G 4s	4		Green can.
11420	Lafarge Corporation Channel Junction Buoy TB	45-03-26.545N 083-25-00.169W				Red and green bands.
11425	Lafarge Corporation Channel Range Front Light	45-04-02.100N 083-25-02.000W	F G			Orange and white striped daymark on gray skeleton tower.
11430	Lafarge Corporation Channel Range Rear Light	45-04-06.400N 083-25-00.700W	F G			Orange and white striped daymark on gray skeleton tower.
11456	TBNMS Wreck Mooring Lighted Buoy	45-02-35.800N 083-14-22.500W	Q W			Mooring buoy. New Orleans
11495	Thunder Bay Island Light	45-02-14.199N 083-11-39.353W	FI G 10s	63	16	Conical tower with dwelling attached.
11500	Stonycroft Point Light	45-06-24.000N 083-18-30.000W	Q W			TR on red skeleton tower. Maintained from Mar. 15 to Nov. 15.
11505	Nordmeer Wreck Lighted Buoy WR1	45-08-08.592N 083-09-17.902W	Q G	4		Maintained from Apr. 28 to Dec. 1. AIS MMSI: 993672237
11510	NOAA Lighted Weather Buoy 45003	45-21-01.516N 082-50-25.648W	FI (4)Y 20s			Yellow disc-shaped hull. Maintained from May 14 to Nov 14

11515	Middle Island Light	45-11-35.502N 083-19-15.729W	Fl W 10s	0	14	White conical tower with orange bands in middle with dwelling detached.	
11520	Middle Island Lighted Buoy 13	45-11-13.032N 083-18-10.028W	Fl G 4s		5	Green.	Maintained from Apr. 28 to Dec. 1.
11525	Rockport Harbor Crib Light R	45-12-17.000N 083-22-54.000W	Fl W 4s			NB on red skeleton tower on crib.	Maintained from Apr. 15 to Nov. 1.
11530	Stoneport Light	45-17-48.214N 083-25-08.717W	Al WR 10s			White cylindrical structure.	Maintained from Apr. 1 to Dec. 31.
11540	Stoneport Buoy 3	45-19-51.600N 083-25-53.400W				Green can.	Maintained from Apr. 1 to Dec. 1.
11545	Stoneport Buoy 5	45-19-56.400N 083-25-57.400W				Green can.	Maintained from Apr. 1 to Dec. 1.
11550	Presque Isle Light	45-21-23.391N 083-29-32.398W	Fl W 15s	0	16		
11560	Presque Isle Harbor Entrance Shoal Lighted Bell Buoy 2	45-20-21.259N 083-27-51.227W	Fl R 4s		4	Red.	Maintained from Apr. 28 to Dec. 1.
11565	Presque Isle Harbor Range Front Light	45-20-16.499N 083-29-25.134W	F G	18	12	KRW on skeleton tower.	Visible 14° each side of range line.
11570	Presque Isle Harbor Range Rear Light	45-20-17.014N 083-29-35.946W	F G	36	12	KRW on skeleton tower.	Visible 14° each side of range line.
11574	Presque Isle Harbor Marina Entrance Lighted Buoy 2	45-20-18.130N 083-28-56.760W	Q R			Red.	
11575	Presque Isle Harbor Marina Entrance Lighted Buoy 3	45-20-15.620N 083-29-05.640W	Q G			Green.	
11580	Presque Isle Harbor Marina Entrance Buoy 4	45-20-19.600N 083-29-00.300W				Red nun.	
11585	Presque Isle Harbor Marina Entrance Buoy 5	45-20-18.900N 083-29-07.900W				Green can.	
11590	Presque Isle Harbor Marina Entrance Buoy 6	45-20-21.500N 083-29-04.500W				Red nun.	
11595.5	Presque Isle Harbor Marina Entrance Buoy 8	45-20-22.800N 083-29-08.000W				Red nun.	
11595	Presque Isle Harbor Marina Entrance Buoy 7	45-20-21.800N 083-29-10.000W				Green can.	
11596	Presque Isle Harbor Marina Entrance Buoy 9	45-20-22.000N 083-29-12.000W				Green can.	
11600	Presque Isle Harbor Marina Entrance Light 10	45-20-23.700N 083-29-08.500W	Fl W 2.5s			TR on post.	HORN: 1 blast ev 20s (2s bl).
11605	Presque Isle Harbor Marina Entrance Light 11	45-20-24.000N 083-29-11.000W	Fl G 4s			SG on post.	
11610	Calcite Breakwater Light 2	45-25-02.300N 083-46-24.000W	Iso R 4s			TR on skeleton tower.	HORN: 1 blast ev 20s (2s bl).
11630	Calcite Incoming Range Front Light	45-24-37.200N 083-47-11.500W	F R			White diamond daymark on conveyor house.	
11635	Calcite Incoming Range Rear Light	45-24-36.000N 083-47-14.100W	F R			On side of brick house.	
11640	Calcite Outgoing Range Front Light	45-24-38.200N 083-47-06.700W	F G			Two lights 10 feet apart horizontal.	
11645	Calcite Outgoing Range Rear Light	45-24-35.600N 083-47-12.700W	F G			Box on conveyor structure.	
11660	Rogers City Harbor Channel Lighted Buoy 1	45-25-26.700N 083-48-27.800W	Fl G 4s			Green.	
11665	Rogers City Harbor Channel Lighted Buoy 2	45-25-27.200N 083-48-29.300W	Fl R 4s			Red.	
11670	Rogers City Harbor Channel Lighted Buoy 3	45-25-24.600N 083-48-29.200W	Fl G 6s			Green.	
11675	Rogers City Harbor Channel Lighted Buoy 4	45-25-25.100N 083-48-30.700W	Fl R 6s			Red.	
11680	Rogers City Harbor Channel Lighted Buoy 5	45-25-22.400N 083-48-30.600W	Fl G 6s			Green.	
11685	Rogers City Harbor Channel Lighted Buoy 6	45-25-22.900N 083-48-32.200W	Fl R 6s			Red.	
11690	Rogers City Harbor Channel Lighted Buoy 7	45-25-20.900N 083-48-31.700W	Fl G 6s			Green.	
11695	Rogers City Harbor Channel Breakwater Light 8	45-25-22.500N 083-48-33.200W	Fl R 2.5s			TR on pole.	
11700	Rogers City Harbor Channel Breakwater Light 9	45-25-20.900N 083-48-35.000W	Fl G 2.5s			SG on pole.	
11715	Forty-Mile Point Light	45-29-10.260N 083-54-49.092W	Iso W 6s	0	16	White square brick tower on dwelling.	

11720	Hammond Bay Harbor Of Refuge East Breakwater Light	45-35-37.489N 084-09-44.680W	FI G 2.5s	0	5	SG on post.	
11725	Hammond Bay Harbor Of Refuge West Breakwater Light	45-35-33.803N 084-09-44.529W	FI R 4s	20	4	TR on post.	
11730	Spectacle Reef Light	45-46-22.924N 084-08-16.832W	FI R 5s	86	11	Gray conical tower on square concrete pier.	
11735	Raynolds Reef Buoy 1	45-46-32.478N 084-12-01.390W				Green can.	
11740	Raynolds Reef Buoy 2	45-46-29.877N 084-13-46.896W				Red nun.	
11745	Cordwood Point Lighted Buoy 1	45-40-51.873N 084-18-06.513W	FI G 4s		4	Green.	Replaced by can from Dec. 7 to May. 01.
11750	Poe Reef Light	45-41-41.230N 084-21-43.628W	Iso W 2s	0	9	Square tower with white and black bands on concrete crib.	HORN:1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
11760	Poe Reef Buoy 2	45-41-30.374N 084-21-34.228W				Red nun.	
11765	Fourteen Foot Shoal Light	45-40-47.636N 084-26-03.814W	Oc W 4s	0	13	White conical tower square structure on concrete crib.	HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
11770	Fourteen Foot Shoal Buoy 3	45-41-00.076N 084-26-14.948W				Green can.	
11775	Bois Blanc Township Dock Light	45-43-36.000N 084-27-03.000W	Q G			On pile.	Maintained from May 1 to Dec. 1.
11776	Leviathan Wreck Mooring Buoy	45-39-41.940N 084-26-05.760W					
11777	Genesee Chief Wreck Mooring Buoy	45-39-44.220N 084-26-09.480W					
11778	Jenny Lynn Lighted Wreck Buoy 1	45-39-12.632N 084-26-04.030W	Q G		3	Green.	Maintained from May 14 to Oct. 14.
11780	Cheboygan River Entrance Lighted Buoy 2	45-39-57.863N 084-27-22.714W	Q R		4	Red.	Replaced by nun Dec. 07 to Apr. 28.
11785	Cheboygan River Entrance Buoy 3	45-39-52.050N 084-27-23.759W				Green can.	
11790	Cheboygan River Range Front Light	45-38-50.730N 084-28-22.059W	F R	38	8	KRW on building.	Visible 4° each side of range line. Lighted throughout 24 hours.
11795	Cheboygan River Range Rear Light	45-38-41.439N 084-28-30.568W	F R	75	8	KRW on skeleton tower.	Visible 4° each side of range line. Lighted throughout 24 hours.
11800	Cheboygan River Light 4	45-39-28.155N 084-27-50.185W	FI R 4s	20	10	TR on white cylindrical tower.	
11806	Cheboygan River Daybeacon 1	45-38-08.557N 084-28-49.885W				SG on pile.	
11810	Cheboygan River Daybeacon 3	45-38-06.810N 084-28-54.386W			15	SG on pile.	
11815	Cheboygan River Daybeacon 5	45-36-16.999N 084-27-52.323W			15	SG on pile.	
11820	Cheboygan River Daybeacon 6	45-36-06.784N 084-27-52.028W				TR on pile.	
11825	Cheboygan River Daybeacon 7	45-35-59.030N 084-27-51.761W			15	SG on pile.	
11830	Cheboygan River Daybeacon 9	45-35-55.904N 084-27-53.861W			15	SG on pile.	
11835	Cheboygan River Daybeacon 11	45-35-50.048N 084-28-02.124W			15	SG on pile.	
11840	Cheboygan River Daybeacon 12	45-35-50.450N 084-28-03.083W			15	TR on pile.	
11845	Cheboygan River Daybeacon 13	45-35-42.861N 084-28-06.070W			15	SG on pile.	
11850	Cheboygan River Daybeacon 14	45-35-43.314N 084-28-06.747W			15	TR on pile.	
11855	Cheboygan River Daybeacon 15	45-35-41.413N 084-28-14.889W			15	SG on pile.	
11860	Cheboygan River Daybeacon 16	45-35-42.220N 084-28-15.132W			15	TR on pile.	
11865	Cheboygan River Daybeacon 17	45-35-43.104N 084-28-21.107W			15	SG on pile.	
11875	Cheboygan River Daybeacon 19	45-35-08.881N 084-29-00.067W			15	SG on pile.	
11880	Cheboygan River Daybeacon 20	45-35-07.387N 084-29-00.615W			15	TR on pile.	
11885	Cheboygan River Daybeacon 21	45-35-03.626N 084-29-04.360W			15	SG on pile.	

11890	Mullett Lake Light 21A	45-34-34.100N 084-29-17.579W	FI G 4s	0	4	SG on pole.	
11895	Mullett Lake Light 23	45-34-29.176N 084-29-19.960W	FI G 6s	0	3	SG on dolphin.	
11900	Mullett Lake Light 24	45-33-04.762N 084-30-27.256W	FI R 4s		3	TR on pile.	
11905	Aloha State Park North Jetty Light	45-31-05.000N 084-28-05.000W	FI G 2.5s			On pile.	Maintained from May 1 to Dec. 1.
11910	Aloha State Park South Jetty Light	45-31-03.000N 084-28-04.000W	FI R 2.5s			On pile.	Maintained from May 1 to Dec. 1.
11915	Mullett Lake Light 24A	45-27-08.216N 084-34-31.350W	FI R 4s		3	Red.	Maintained from May 15 to Oct. 15.
11920	Indian River Buoy 25	45-26-56.939N 084-34-42.949W				Green can	Maintained from May 14 to Oct. 14.
11925	Indian River Daybeacon 27	45-26-51.119N 084-34-51.062W		0		SG on pile.	
11930	Indian River Daybeacon 27A	45-26-48.562N 084-34-50.284W		0		SG on pile.	
11935	Indian River Daybeacon 28	45-26-51.799N 084-34-51.849W		0		TR on pile.	
11940	Indian River Daybeacon 29	45-26-46.203N 084-34-50.465W		9		SG on pile.	
11945	Indian River Daybeacon 30	45-26-41.748N 084-35-02.671W		0		TR on pile.	
11950	Indian River Daybeacon 31	45-26-38.482N 084-35-02.514W		0		SG on pile.	
11955	Indian River Daybeacon 32	45-26-38.319N 084-35-03.135W		0		TR on pile.	
11960	Indian River Daybeacon 34	45-26-34.955N 084-34-59.803W		0		TR on pile.	
11965	Indian River Daybeacon 35	45-26-33.562N 084-34-54.319W		0		SG on pile.	
11970	Indian River Daybeacon 37	45-26-31.137N 084-34-51.050W		0		SG on pile.	
11975	Indian River Daybeacon 39	45-26-23.795N 084-34-55.256W		0		SG on pile.	
11976	Indian River Daybeacon 39A	45-26-23.205N 084-34-59.897W		0		SG on pile.	
11980	Indian River Daybeacon 40	45-26-26.270N 084-35-07.815W		0		TR on pile.	
11985	Indian River Daybeacon 41	45-26-25.279N 084-35-08.978W		0		SG on pile.	
11990	Indian River Daybeacon 42	45-26-24.857N 084-35-10.376W		0		TR on pile.	
11995	Indian River Daybeacon 43	45-26-16.292N 084-35-09.164W		12		SG on pile.	
12000	Indian River Daybeacon 44	45-26-14.835N 084-35-11.531W		12		TR on pile.	
12005	Indian River Daybeacon 45	45-26-12.892N 084-35-13.362W		0		SG on pile.	
12010	Indian River Daybeacon 46	45-26-12.988N 084-35-24.725W		12		TR on pile.	
12015	Indian River Daybeacon 47	45-26-12.230N 084-35-24.447W		12		SG on pile.	
12020	Indian River Daybeacon 48	45-26-11.614N 084-35-27.626W		12		TR on pile.	
12025	Indian River Daybeacon 50	45-26-09.290N 084-35-26.171W		12		TR on pile.	
12030	Indian River Daybeacon 52	45-26-07.229N 084-35-20.408W		12		TR on pile.	
12035	Indian River Daybeacon 53	45-26-05.924N 084-35-19.753W		12		SG on pile.	
12040	Indian River Daybeacon 54	45-26-03.103N 084-35-29.336W		12		TR on pile.	
12045	Indian River Daybeacon 55	45-25-57.907N 084-35-29.929W		0		SG on pile.	
12050	Indian River Daybeacon 57	45-25-54.934N 084-35-31.855W		12		SG on pile.	
12055	Indian River Daybeacon 58	45-25-50.992N 084-35-46.533W		12		TR on pile.	

12060	Indian River Daybeacon 60	45-25-42.104N 084-35-59.124W		12			TR on pile.	
12065	Indian River Daybeacon 61	45-25-35.275N 084-36-00.998W		12			SG on pile.	
12070	Indian River Daybeacon 62	45-25-33.683N 084-36-06.417W		12			TR on pile.	
12075	Indian River Daybeacon 63	45-25-24.059N 084-36-06.431W		12			SG on pile.	
12080	Indian River Daybeacon 66	45-25-17.261N 084-36-14.830W					TR on pile.	
12085	Indian River Daybeacon 67	45-25-04.778N 084-36-15.096W		12			SG on pile.	
12090	Indian River Daybeacon 68	45-25-02.135N 084-36-21.628W		9			TR on pile.	
12095	Burt Lake Light 70	45-24-37.032N 084-37-27.030W	FI R 4s	15	4		TR on pile.	
12100	Burt Lake Obstruction Buoy	45-24-10.784N 084-38-14.064W					White with orange bands.	Maintained from May 15 to Oct. 15. Worded: SUBMERGED OBJECT.
12105	Burt Lake Light 71	45-28-16.329N 084-43-22.234W	FI G 4s	15	4		SG on pile.	
12110	Crooked River Daybeacon 73	45-28-13.637N 084-43-38.988W		0			SG on pile.	
12115	Crooked River Daybeacon 75	45-28-16.529N 084-43-56.346W		9			SG on pile.	
12120	Crooked Lake Light 77	45-25-50.214N 084-47-17.185W	FI G 4s	0	3		SG on pile.	
12125	Crooked Lake Daybeacon 79	45-25-25.658N 084-47-29.093W		0			SG on pile.	
12130	Crooked Lake Daybeacon 80	45-25-26.433N 084-47-30.051W		0			TR on pile.	
12135	Pickerel Channel Entrance Light 2	45-24-57.176N 084-47-42.860W	FI R 4s	0	3		TR on pile.	
12140	Crooked Lake Daybeacon 81	45-25-05.794N 084-48-07.724W		0				
12145	Crooked Lake Daybeacon 82	45-25-06.506N 084-48-08.129W						Maintained from May 15 to Oct 15
12150	Crooked Lake Daybeacon 83	45-25-08.646N 084-48-31.443W		0			SG on pile.	
12155	Crooked Lake Daybeacon 84	45-25-09.134N 084-48-31.350W		0			TR on pile.	
12160	Crooked Lake Daybeacon 85	45-25-09.900N 084-48-48.854W		0			SG on pile.	
12165	Crooked Lake Daybeacon 86	45-25-10.538N 084-48-48.714W		0			TR on pile.	
12170	Crooked Lake Daybeacon 87	45-25-11.637N 084-49-05.636W		0			SG on pile.	
12175	Cheboygan Buoy 5	45-41-15.109N 084-27-22.649W					Green can.	
12180	Cheboygan Traffic V-AIS	45-42-14.542N 084-28-18.272W	Mo (A) W		4			Vessels are requested to leave buoy on porthand in passing. AIS MMSI: 993682099
12182	St. Andrew Wreck Mooring Buoy	45-42-03.000N 084-31-48.660W						
12185	Zela Shoal Buoy 6	45-46-29.578N 084-33-54.681W					Red nun.	
12191	East Breakwater Light 1	45-46-44.200N 084-34-13.700W	FI G 2.5s					Maintained from May 1 to Oct. 15.
12192	West Breakwater Light 2	45-46-43.300N 084-43-10.000W	FI R 2.5s					Maintained from May 1 to Oct. 15.
12195	Mackinaw City Harbor Entrance Light 1	45-46-53.132N 084-43-12.530W	FI G 2.5s	25	5		SG on pile.	
12200	Mackinaw City Harbor Entrance Light 2	45-46-51.404N 084-43-16.692W	FI R 4s	25	4		TR on pile.	
12201	Straits State Harbor Lighted Buoy A	45-46-43.980N 084-43-07.386W	Q R					
12201.1	Straits State Harbor Lighted Buoy B	45-46-42.200N 084-43-07.000W	Q G					Maintained from May. 1 to Oct. 1.
12205	Martin Reef Light	45-54-47.324N 084-08-54.980W	FI R 10s	0	12		White square tower on concrete crib.	HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
12210	Pomeroy Reef Lighted Gong Buoy 2PR	45-55-27.532N 084-12-32.854W	FI R 4s		4		Red.	Maintained from May 1 to Dec 01.

12215	Tobin Reef Buoy 1	45-56-29.754N 084-12-16.689W				Green can.	
12220	Crow Island Leading Light	45-58-06.032N 084-14-24.030W	Iso W 6s	20	11	Black rectangular daymark on gray tower.	
12222	Les Cheneaux Island Lighted Buoy 2	45-56-29.932N 084-13-14.030W	FI R 6s		4	Red.	Replaced by nun from Dec. 1 to May 1.
12225	Les Cheneaux Island Lighted Buoy 3	45-56-54.732N 084-14-27.830W	FI G 6s		4	Green.	Replaced by can from Dec. 1 to May 1.
12230	Les Cheneaux Island Lighted Buoy 4	45-57-25.732N 084-13-49.030W	FI R 2.5s		4	Red.	Replaced by nun from Dec. 1 to May 1.
12235	Les Cheneaux Island Lighted Buoy 5	45-57-36.032N 084-14-23.030W	FI G 2.5s		4	Green.	Replaced by can from Dec. 1 to May 1.
12240	Port Dolomite Lighted Buoy 7	45-58-50.708N 084-16-26.043W	FI G 4s		4	Green.	Replaced by can from Dec. 1 to May 1.
12243	Port Dolomite Buoy 9	45-58-54.332N 084-16-59.530W				Green can.	
12245	Mckay Bay Range Front Light	45-59-57.000N 084-16-28.000W	F R			NR on white structure.	Maintained from Apr. 1 to Dec. 1.
12250	Mckay Bay Range Rear Light	45-59-05.000N 084-16-00.000W	F R			NR on white structure.	Maintained from Apr. 1 to Dec. 1.
12260	Penny Island Point Lighted Buoy 1	45-56-52.797N 084-17-06.322W	FI G 4s		4	Green.	Maintained from May 14 to Oct. 21.
12263	NOAA GLOS Les Cheneaux Wave Buoy 1	45-55-10.980N 084-20-12.900W	FI Y 2.5s				Maintained from May.1 to Dec.1.
12265	Scammons Harbor Buoy 3	45-57-35.279N 084-17-40.989W				Green can.	Maintained from May 14 to Oct. 21.
12270	Scammons Harbor Lighted Buoy 4	45-57-56.996N 084-17-58.215W	FI R 2.5s		4	Red.	Maintained from May 14 to Oct. 21.
12275	Isle Isidore Light	45-58-12.000N 084-18-18.000W	FI W 4s			White triangular tower.	Maintained from Jul. to Sep.
12280	Cedarville East Channel Buoy 5	45-58-52.572N 084-19-38.967W				Green can.	
12285	Cedarville East Channel Buoy 6	45-59-16.536N 084-20-00.145W				Red nun.	
12290	Cedarville East Channel Lighted Buoy 7	45-59-15.946N 084-20-01.601W	FI G 4s		3	Green	
12295	Cedarville East Channel Buoy 8	45-59-30.530N 084-20-22.147W				Red nun.	
12300	Cedarville East Channel Buoy 9	45-59-29.788N 084-20-22.999W				Green can.	
12305	Cedarville East Channel Lighted Buoy 10	45-59-40.019N 084-20-45.275W	Q R		3	Red.	
12310	Cedarville East Channel Buoy 11	45-59-37.890N 084-20-46.044W				Green can.	
12315	Cedarville East Channel Buoy 12	45-59-38.137N 084-21-00.492W				Red nun.	
12320	Cedarville East Channel Buoy 13	45-59-36.942N 084-21-00.547W				Green can.	
12325	Les Cheneaux Islands Middle Entrance Buoy 1	45-56-57.694N 084-20-14.126W				Green can.	Maintained year round.
12330	Les Cheneaux Islands Middle Entrance Buoy 3	45-57-04.229N 084-20-34.505W				Green can.	Maintained year round.
12335	Les Cheneaux Islands Middle Entrance Buoy 4	45-57-25.648N 084-21-13.200W				Red nun.	
12340	Les Cheneaux Islands Middle Entrance Lighted Buoy 5	45-57-24.832N 084-21-14.330W	FI G 2.5s		3	Green.	
12345	Les Cheneaux Islands Middle Entrance Buoy 7	45-57-28.701N 084-21-21.228W				Green can.	
12350	Les Cheneaux Islands Middle Entrance Buoy 8	45-57-40.017N 084-21-32.133W				Red nun.	
12355	Les Cheneaux Islands Middle Entrance Lighted Buoy 10	45-57-50.350N 084-21-45.910W	Q R		3	Red.	
12360	Goose Island Buoy 1	45-54-09.924N 084-25-10.895W				Green can.	Maintained year round.
12365	Goose Island Shoal Buoy 1	45-53-39.878N 084-28-45.291W				Green can.	Maintained year round.
12370	Goose Island Shoal Lighted Buoy 2	45-54-10.348N 084-29-45.650W	FI R 4s		4	Red.	Replaced by nun from Oct. 21 to May 14.
12375	Les Cheneaux Islands West Entrance Lighted Buoy 1	45-57-51.765N 084-27-04.958W	FI G 4s		4	Green.	

12380	Les Cheneaux Islands West Entrance Lighted Buoy 2	45-58-59.689N 084-27-10.178W	FI R 4s	4	Red.	
12385	Les Cheneaux Islands West Entrance Lighted Buoy 3	45-59-39.103N 084-26-42.161W	FI G 4s	4	Green.	
12390	Les Cheneaux Islands West Entrance Lighted Buoy 4	45-59-57.520N 084-26-23.668W	FI R 4s	4	Red.	
12395	Les Cheneaux Islands West Entrance Buoy 5	46-00-12.682N 084-26-10.300W			Green can.	
12400	Les Cheneaux Islands West Entrance Buoy 6	45-59-57.872N 084-25-53.051W			Red nun.	
12405	Les Cheneaux Islands West Entrance Buoy 8	45-59-46.191N 084-25-36.596W			Red nun.	
12410	Mackinac Bay Passage Lighted Buoy 10	45-59-19.634N 084-24-09.029W	FI R 2.5s	3	Red.	
12415	Mackinac Bay Passage Buoy 11	45-59-21.515N 084-24-13.342W			Green can.	
12420	Mackinac Bay Passage Buoy 12	45-59-32.378N 084-24-02.932W			Red nun.	
12425	Mackinac Bay Passage Buoy 13	45-59-35.119N 084-24-04.839W			Green can.	
12430	Mackinac Bay Passage Buoy 14	45-59-33.738N 084-23-58.702W			Red nun.	
12435	Mackinac Bay Passage Buoy 15	45-59-35.306N 084-23-58.164W			Green can.	
12440	Mackinac Bay Passage Buoy 16	45-59-21.873N 084-23-32.607W			Red nun.	
12441	Mackinac Bay Passage Buoy 16A	45-59-20.492N 084-23-22.170W			Red nun.	
12445	Mackinac Bay Passage Buoy 17	45-59-23.260N 084-23-30.190W			Green can.	
12450	Mackinac Bay Passage Buoy 18	45-59-17.658N 084-23-13.682W			Red nun.	
12455	Mackinac Bay Passage Buoy 19	45-59-18.340N 084-23-11.176W			Green can.	
12460	Mackinac Bay Passage Buoy 20	45-59-05.587N 084-22-58.685W			Red nun.	
12465	Mackinac Bay Passage Buoy 21	45-59-05.999N 084-22-57.092W			Green can.	
12470	Mackinac Bay Passage Buoy 22	45-58-53.859N 084-22-44.731W			Red nun.	
12475	Mackinac Bay Passage Buoy 23	45-58-52.692N 084-22-39.649W			Green can.	
12480	Muscallonge Bay Buoy 24	45-58-35.553N 084-22-12.209W			Red nun.	
12485	Muscallonge Bay Buoy 25	45-58-36.748N 084-22-11.522W			Green can.	
12490	Muscallonge Bay Buoy 26	45-58-27.039N 084-21-56.909W			Red nun.	
12495	Muscallonge Bay Buoy 27	45-58-10.381N 084-21-14.444W			Green can.	
12500	Muscallonge Bay Lighted Buoy 29	45-58-09.998N 084-20-55.135W	FI G 4s	3	Green.	
12505	Cedarville West Channel Buoy 30	45-58-49.947N 084-20-50.136W			Red nun.	
12510	Cedarville West Channel Lighted Buoy 31	45-58-50.991N 084-20-54.393W	FI G 4s	3	Green.	
12515	Cedarville West Channel Buoy 32	45-59-16.315N 084-21-21.230W			Red nun.	
12520	Cedarville West Channel Lighted Buoy 33	45-59-17.221N 084-21-24.334W	Q G	3	Green.	
12525	Cedarville West Channel Buoy 34	45-59-29.004N 084-21-24.389W			Red nun.	
12530	Cedarville West Channel Buoy 35	45-59-30.460N 084-21-26.229W			Green can.	
12532	Ailes Point Lighted Danger Buoy	45-59-34.164N 084-21-17.612W	FI W 2.5s	4	White with orange bands.	DANGER ROCKS
12535	Bois Blanc Light	45-48-40.787N 084-25-14.670W	FI W 2.5s	0	7	White cylindrical tower. Visible from 101° to 311°.
12540	Mission Point Lighted Bell Buoy 2	45-50-55.479N 084-35-56.688W	Q R	4	Red.	Replaced by nun from Dec. 7 to Apr. 28.

12545	Mackinac Island East Breakwater Light 2	45-50-45.987N 084-36-32.895W	FI R 2.5s	20	5	TR on white pile.	
12550	Mackinac Island West Breakwater Light 1	45-50-39.428N 084-36-51.844W	FI G 2.5s	20	4	SG on post.	
12565	Passenger Pierhead Light	45-50-39.300N 084-36-27.700W	F R			On white post.	Maintained from May 1 to Oct. 1.
12570	Coal Dock Pierhead Light	45-50-54.000N 084-36-59.100W	F W			On white post.	Maintained from May 1 to Oct. 1.
12575	Round Island Lighted Buoy 3	45-50-27.479N 084-36-31.090W	FI G 4s		4	Green.	Replaced by can from Dec. 7 to Apr. 28. AIS MMSI: 993672251
12580	Round Island Passage Light	45-50-34.960N 084-36-55.461W	FI R 5s	0	11	Lighthouse.	HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone 5 times on VHF-FM channel 83A.
12583	William H. Barnum Wreck Mooring Buoy	45-44-42.900N 084-37-51.480W					
12585	Old Round Island Point Light	45-50-12.000N 084-37-00.000W	FI (2)W 10s			Red and white conical tower.	
12590	Round Island Shoal Lighted Buoy 5	45-50-17.678N 084-37-05.691W	Q G		4	Green.	Replaced by can from Dec. 7 to Apr. 28. AIS MMSI: 993672252
12595	Majors Shoal East Buoy 1	45-48-59.977N 084-39-05.097W				Green can.	Replaced by smaller can from Dec. 7 to Apr. 28.
12600	Majors Shoal Lighted Buoy 3	45-49-01.777N 084-39-51.499W	FI G 2.5s		4	Green.	Replaced by can from Dec. 7 to Apr. 28.
12605	North Graham Shoal Lighted Bell Buoy 3	45-50-14.577N 084-41-12.803W	FI G 4s		4	Green.	Replaced by can from Dec. 7 to Apr. 28.
12607	St. Ignace Coast Guard Slip Light	45-51-19.732N 084-42-09.030W	FI W 6s	16	3	NW on dolphin.	
12608	Wawatam Lighthouse	45-51-57.370N 084-42-55.550W	FI W 5s		13	Lighthouse	
12609.5	St. Ignace Marina Entrance Light 2	45-51-58.300N 084-43-00.600W	FI R 2.5s			TR on white pole.	
12609	St. Ignace Marina Entrance Light 1	45-51-57.400N 084-43-03.400W	FI G 2.5s			SG on white pole.	
12610	St Ignace Marina Northeast Breakwall Light	45-52-04.300N 084-43-04.000W	FI Y 2.5s			NY on white pole.	
12615	Northwestern Dock Light	45-52-28.200N 084-42-53.000W	Q W			On middle of three mooring dolphins.	Maintained from Apr. 15 to Dec. 15.
12625	Mackinac Bridge VAIS 1	45-48-29.376N 084-42-26.106W			1		AIS MMSI: 993672140.
12630	Mackinac Bridge VAIS 2	45-49-07.877N 084-42-27.306W			1		AIS MMSI: 993672141.
12635	South Graham Shoal Buoy 2A	45-49-31.577N 084-42-20.306W				Red nun.	
12640	Mackinac Bridge Fog Signal	45-48-55.100N 084-43-40.900W				On center span of Mackinac Bridge.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si).
12645	Mackinac Bridge VAIS 3	45-48-38.776N 084-44-08.511W			1		AIS MMSI: 993672142.
12647	East Enbridge Pipe 1	45-49-26.940N 084-45-52.247W					VAIS
12647.1	East Enbridge Pipe 2	45-49-22.620N 084-45-25.650W					VAIS
12648	West Enbridge Pipe 3	45-48-12.600N 084-45-52.553W					VAIS
12648.1	West Enbridge Pipe 4	45-48-17.496N 084-46-18.163W					VAIS
12650	Mackinac Bridge VAIS 4	45-49-15.576N 084-44-08.511W			1		AIS MMSI: 993672143.
12651	McGulpin Point Lighthouse	45-47-13.128N 084-46-21.756W	FI W 4s		13		
12653	Michigan Tech Weather Buoy	45-49-30.948N 084-46-19.806W	Q Y				
12654	Michigan Tech Weather South Buoy	45-48-12.211N 084-47-30.594W	Q Y				Maintained from Apr.1 to Dec.15.
12660	Goderich (Main) Light (C)	43-44-30.032N 081-43-36.025W			18	White square tower with red top.	Seasonal.
12670	Point Clark Light (C)	44-04-24.032N 081-45-24.026W			16	White circular tower.	Seasonal.
12675	Cove Island Light (C)	45-19-36.033N 081-44-06.026W	FI W 5s		18	White circular tower with dwelling attached.	Seasonal. Emergency light.
12685	Great Duck Island Light (C)	45-38-30.032N 082-57-48.028W				White octagonal tower.	Seasonal. Emergency light.

12690	Burnt Island Reef Light 1	46-06-27.032N 083-49-43.029W	FI G 4s	30	5	SG on skeleton tower.	
12695	Bacon Shoal Lighted Buoy 3	46-03-36.378N 083-49-56.348W	FI G 2.5s		4	Green.	Replaced by can from Oct. 28 to May 14.
12700	Big Trout Island Buoy 4	46-03-19.656N 083-50-21.678W				Red nun.	
12704	Bow Island Buoy 1	46-02-00.823N 083-49-29.606W				Green can.	
12705	Sturgeon Bay Shoal Buoy 2	46-01-27.032N 083-48-45.029W				Red nun.	
12707	Gull Island Buoy 3	46-01-55.032N 083-47-27.029W				Green can.	
12710	Cheney Shoal Buoy 5	46-02-03.232N 083-46-03.179W				Green can.	Maintained from May 14 to Oct. 28.
12715	Wreck Island Lighted Buoy 6	46-01-58.607N 083-45-51.343W	FI R 2.5s		3	Red.	Maintained from May 14 to Oct. 28.
12720	Howard Island Buoy 7	46-01-53.841N 083-45-15.745W				Green can.	Maintained from May 14 to Oct. 28.
12725	Drummond Island Shoal Yacht Haven Channel Buoy 1	46-01-45.000N 083-44-50.000W				Green can.	
12730	Drummond Island Shoal Yacht Haven Channel Buoy 2	46-01-45.000N 083-44-56.100W				Red nun.	
12735	Drummond Island Shoal Yacht Haven Channel Buoy 3	46-01-34.200N 083-44-50.000W				Green can.	
12740	Drummond Island Shoal Yacht Haven Channel Buoy 4	46-01-34.000N 083-44-54.900W				Red nun.	
12743	Roggs Island Buoy 9	46-02-05.969N 083-44-26.902W				Green can.	Maintained from May 14 to Oct. 28.
12745	Rogg Island Buoy 8	46-02-01.336N 083-44-34.971W				Red nun.	Maintained from May 14 to Oct. 28.
12746	Quarry Island Buoy 10	46-02-00.035N 083-44-01.470W				Red nun.	Maintained from May 14 to Oct. 28.
12750	Quarry Island Buoy 11	46-02-08.675N 083-43-56.434W				Green can.	Maintained from May 14 to Oct. 28.
12751	Quarry Island Buoy 13	46-02-19.668N 083-43-52.153W				Green can.	Maintained from May 14 to Oct. 28.
12751.1	Fire Island Shoal Buoy	46-02-19.532N 083-44-10.085W					Maintained from May 14 to Oct. 28.
12752	La Pointe Island Buoy 14	46-02-20.427N 083-43-46.020W				Red nun.	Maintained from May 14 to Oct. 28.
12753	Grape Island Lighted Buoy 16	46-02-44.032N 083-43-48.529W	FI R 4s		3	Red.	Maintained from May 14 to Oct. 28.
12755	Harbor Island Shoal Buoy 17	46-03-42.646N 083-44-08.226W				Green can.	Maintained from May 14 to Oct. 28.
12760	Propeller Island Shoal Buoy 19	46-04-44.561N 083-44-20.419W				Green can.	Maintained from May 14 to Oct. 28.
12762	Bruce Point Buoy 21	46-05-02.456N 083-44-26.566W				Green can.	Maintained from May 14 to Oct. 28.
12763	Bruce Point Buoy 22	46-05-03.032N 083-44-08.029W				Red nun.	Maintained from May 14 to Oct. 28.
12765	Big Shoal Buoy 2	45-54-24.229N 083-37-08.316W				Red nun.	
12770	De Tour Reef Light	45-56-56.820N 083-54-11.274W	FI W 10s	0	16		Red from 079.5° to 189.5°. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s sj). Fog signal operates by keying VHF FM Marine radio channel 83A five times.
12780	Whitney Bay East Entrance Buoy 2	45-57-16.000N 083-51-53.200W				Red nun.	
12785	Whitney Bay East Entrance Buoy 4	45-57-31.000N 083-51-32.000W				Red nun.	
12790	Whitney Bay East Entrance Buoy 6	45-58-23.700N 083-51-35.500W				Red nun.	
12795	Whitney Bay West Entrance Buoy 1	45-57-47.000N 083-52-58.800W				Green can.	
12800	Whitney Bay West Entrance Buoy 3	45-57-59.000N 083-52-27.900W				Green can.	
12805	Whitney Bay West Entrance Buoy 4	45-58-10.900N 083-52-03.000W				Red nun.	
12810	Whitney Bay West Entrance Buoy 5	45-58-31.000N 083-51-47.400W				Green can.	
12815	De Tour Passage Lighted Buoy 2	45-56-34.403N 083-52-33.916W	FI R 6s		5	Red.	Replaced by nun from Dec. 1 to May 1.

12820	De Tour Passage Lighted Buoy 3	45-57-45.032N 083-54-00.029W	FI G 2.5s	4	Green can.	Replace by can Dec 1 to May 1.
12825	Crab Island Shoal Lighted Bell Buoy 4	45-57-36.276N 083-53-10.931W	FI R 2.5s	5	Red.	Replaced by nun from Dec. 1 to May 1.
12830	Drummond Island Shoal Buoy 6	45-58-50.636N 083-53-00.976W			Red nun.	
12835	Frying Pan Island Light 7	45-59-07.634N 083-53-40.973W	Q G	6	SG on post.	
12840	Detour Harbor Entrance Light 2	45-59-44.235N 083-53-56.818W	FI R 4s	15	4	TR on pile.
12850	Watsons Reefs Light 9A	46-00-24.652N 083-53-58.183W	FI G 4s	20	6	SG on post on tripod foundation. Higher intensity beam upstream.
12855	Watson Reefs Buoy 9	46-00-16.904N 083-53-50.128W			Green can.	
12860	Watson Reefs Buoy 11	46-00-36.864N 083-54-05.449W			Green can.	
12865	Pipe Island Shoal Lighted Buoy 1	46-00-34.501N 083-53-17.157W	FI G 2.5s	3	Green.	Replaced by can from Dec. 07 to May. 01. AIS MMSI: 993686002
12870	Sims Point Buoy 2	46-01-39.705N 083-51-03.780W			Red nun.	
12875	Pipe Island Light	46-00-58.832N 083-53-57.529W	FI W 5s	50	11	KRW on yellow octagonal tower with black skeleton superstructure.
12880	Pipe Island Lighted Buoy 12	46-00-57.043N 083-54-06.903W	FI R 4s	4	Red.	Replaced by nun from Dec. 7 to May 1.
12885	Pipe Island Twins Light	46-01-33.961N 083-53-29.371W	FI W 2.5s	16	9	NG on post.
12890	Pipe Island Twins Lighted Buoy 3	46-01-43.232N 083-53-24.809W	Q G	4	Green.	Replaced by can from Dec. 7 to May 1.
12895	Mino-kwe Minising Light 4	46-02-20.312N 083-54-13.649W	FI R 2.5s	21	6	TR on post.
12905	Sweets Point Light 13	46-02-19.421N 083-56-09.741W	FI G 2.5s	20	10	White cylindrical tower with green stripe in middle. Higher intensity beam on bearings 316° and 121° diminishing around remainder of horizon.
12907	Lime Island Lighted Buoy 14	46-03-17.365N 083-57-36.786W	FI R 4s	3	Red.	Replaced by nun from Dec. 7 to May 1.
12910	Lime Island Lighted Buoy 14A	46-04-12.284N 084-00-23.566W	FI R 4s	4	Red.	Replaced by nun from Dec. 7 to May 1.
12915	Lime Island Safe Water V-AIS	46-04-21.896N 084-00-59.236W				Vessels are required to leave buoy to port when passing. AIS MMSI: 993686001
12920	Lime Island Lighted Buoy 15	46-05-06.577N 084-01-14.149W	FI G 4s	4	Green.	Replaced by can from Dec. 7 to May 1.
12925	Lime Island Coal Dock Light	46-05-10.932N 084-00-45.030W	Oc Y 4s	15	4	On post.
12930	Lime Island Coal Dock Passage Light CD	46-05-17.798N 084-00-46.746W	FI Y 6s	15	4	On post. AIS MMSI: 993686000
12935	Lime Island Lighted Buoy 16	46-05-51.699N 084-00-49.804W	FI R 4s	5	Red.	Replaced by nun from Dec. 7 to May 1.
12940	Round Island Light	46-06-34.542N 084-01-10.060W	FI W 2.5s	18	7	NG on post. Red from 145° to 186°. Obscured from 358° to 145°.
12945	Round Island Lighted Buoy 17	46-06-30.076N 084-01-01.182W	FI G 4s	3	Green.	Replaced by can from Dec. 7 to May 1.
12950	Round Island Buoy 18	46-06-28.706N 084-00-43.680W			Red nun.	
12955	Hay Point Reef Lighted Buoy 18A	46-07-32.330N 084-00-32.632W	FI R 4s	5	Red.	Replaced by nun from Dec. 7 to May 1. AIS MMSI: 993686003
12960	Point Aux Frenes Light 19	46-07-48.513N 084-01-00.655W	FI G 2.5s	32	7	White cylindrical tower with green band
12965	Point Aux Frenes Lighted Buoy 20	46-07-57.626N 084-00-46.639W	FI R 2.5s	3	Red.	Replaced by nun from Dec. 7 to May 1.
12975	Point Aux Frenes Light 21	46-08-18.032N 084-01-18.030W	Q G	15	9	SG on post on concrete structure.
12980	Point Aux Frenes Lighted Buoy 22	46-08-18.939N 084-01-00.267W	FI R 4s	3	Red.	Replaced by nun from Dec. 7 to May 1. AIS MMSI: 993686004
12985	Point Aux Frenes Lighted Buoy 23	46-08-49.506N 084-02-19.005W	FI G 4s	4	Green.	Replaced by can from Dec. 7 to May 1.
12990	Point Aux Frenes Lighted Buoy 24	46-08-57.590N 084-02-10.526W	FI R 4s	5	Red.	Replaced by nun from Dec. 7 to May 1.
12995	Hay Point Range Front Light (C)	46-07-42.032N 084-00-00.030W	F W			White daymark with orange stripe on square tower. Seasonal.
13005	Munuscong Lake Lighted Buoy 25	46-09-35.894N 084-03-43.040W	FI G 4s	5	Green.	Replaced by can from Dec 7 to May 1

13010	Munuscong Lake Lighted Buoy 26	46-09-43.710N 084-03-34.074W	FI R 4s	5	Red.	Replaced by nun from Dec. 7 to May 1.
13015	Winter Point Range Front Light	46-13-33.920N 084-08-38.757W	F W	55	18	KRW on white skeleton tower. Visible 4° each side of range line. Lighted throughout 24 hours.
13025	Winter Point Range Rear Light	46-14-04.327N 084-09-12.867W	F W	61	18	KRW on white skeleton tower. Visible 4° each side of range line. Lighted throughout 24 hours.
13030	Munuscong Channel (Upbound) Junction Light ML	46-10-55.868N 084-05-45.300W	FI (2+1)G 6s	31	8	AIS MMSI: 993686005
13035	Munuscong Channel (Upbound) Lighted Buoy 2	46-11-00.987N 084-05-41.865W	FI R 4s	5	Red.	Replaced by nun from Dec. 14 to Apr. 28.
13040	Munuscong Channel (Upbound) Buoy 3	46-11-37.896N 084-06-32.152W			Green can.	
13045	Munuscong Channel (Upbound) Buoy 4	46-11-41.082N 084-06-27.302W			Red nun.	
13050	Munuscong Channel (Upbound) Lighted Buoy 5	46-12-02.157N 084-06-59.420W	FI G 4s	4	Green.	Replaced by can from Dec. 14 to Apr. 21.
13055	Munuscong Channel (Upbound) Lighted Buoy 6	46-12-05.696N 084-06-54.641W	Q R	4	Red.	Year round lighted buoy
13060	Munuscong Channel (Upbound) Buoy 7	46-12-21.921N 084-07-22.106W			Green can.	
13065	Munuscong Channel (Upbound) Lighted Buoy 8	46-12-32.643N 084-07-04.643W	Q R	3	Red.	Year round lighted buoy
13070	Munuscong Channel (Upbound) Lighted Buoy 9	46-12-44.302N 084-07-13.114W	FI G 4s	4	Green.	Year round lighted buoy. AIS MMSI: 993686006
13075	Munuscong Channel (Upbound) Buoy 10	46-13-15.161N 084-06-48.262W			Red nun.	
13080	Munuscong Channel (Upbound) Lighted Buoy 11	46-13-17.506N 084-06-58.414W	FI G 4s	4	Green.	Replaced by can from Dec. 7 to Apr. 21.
13085	Munuscong Channel (Upbound) Lighted Buoy 12	46-13-48.468N 084-06-35.833W	FI R 4s	4	Red.	Replaced by nun from Dec. 1 to Apr. 21.
13090	Munuscong Channel (Upbound) Lighted Buoy 13	46-13-48.908N 084-06-44.904W	FI G 4s	3	Green.	Replaced by can from Dec. 1 to Apr. 21.
13095	Munuscong Channel (Upbound) Buoy 15	46-14-22.721N 084-06-29.999W			Green can.	
13100	Upbound Range Front Light (C)	46-15-42.032N 084-05-54.030W	F W			White daymark with orange stripe on square tower.
13110	Everens Point Lighted Buoy Q16 (C)	46-14-46.362N 084-06-12.596W	FI R 4s		Red.	Spar; winter marker. Seasonal.
13115	Sailors Encampment Channel Lighted Buoy 17	46-14-49.009N 084-06-18.307W	FI G 4s	3	Green.	Replaced by can from Dec. 1 to Apr. 21.
13120	Johnson Point Light 19	46-15-17.737N 084-06-06.717W	FI G 2.5s	15	7	SG on pile. Higher intensity beam up and down stream.
13125	Sailors Encampment Channel Lighted Buoy 21	46-15-30.264N 084-06-10.423W	Q G	4	Green.	Year round lighted buoy. AIS MMSI: 993686009
13130	Lighted Buoy Q22 (C)	46-15-35.755N 084-06-02.449W	FI R 4s		Red.	Spar; winter marker. Seasonal.
13135	Rains Wharf Range Front Light (C)	46-15-18.032N 084-05-42.030W	F W			White daymark with orange stripe on circular tower. Visible on range line only. Passing light F W visible all around. Seasonal.
13145	Point Of Woods Range Front Light	46-16-19.453N 084-07-13.792W	F W	18	7	KRW on triangular skeleton tower. Lighted throughout 24 hours.
13155	Point Of Woods Range Rear Light	46-16-21.711N 084-07-17.086W	F W	30	7	KRW on square skeleton tower. Lighted throughout 24 hours.
13160	Sailors Encampment Channel Buoy 23	46-15-47.201N 084-06-35.414W			Green can.	
13165	Sailors Encampment Channel Lighted Buoy 25	46-16-00.983N 084-06-55.648W	FI G 4s	4	Green.	Year round lighted buoy.
13170	Dark Hole East Range Front Light	46-15-54.025N 084-06-54.813W	F G	25		KRG on square skeleton tower. Range marks eastern half of channel. High intensity beam on range line. F G light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours.
13175	Dark Hole East Range Rear Light	46-15-49.104N 084-06-54.390W	F G	24	7	KRG on square skelton tower. Range marks eastern half of channel. High intensity beam on range line. F G light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours.
13180	Dark Hole West Range Front Light	46-15-54.887N 084-06-57.739W	Q W	25	8	KRW on square skeleton tower. Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours.
13185	Dark Hole West Range Rear Light	46-15-50.703N 084-06-57.386W	F W	24	9	KRW on square skeleton tower. Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours.
13190	Harwood Point East Range Front Light	46-19-17.282N 084-07-12.242W	F R	20		KRG on white cylindrical tower. Range marks eastern half of channel. High intensity beam on range line. F R light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours.
13195	Harwood Point East Range Rear Light	46-19-27.160N 084-07-13.089W	F R	40	6	KRG on white cylindrical tower. Range marks eastern half of channel. High intensity beam on range line. F R light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours.

13200	Harwood Point West Range Front Light	46-19-17.304N 084-07-15.089W	F W	20	3	KRW on white cylindrical tower.	Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours.
13205	Harwood Point West Range Rear Light	46-19-27.170N 084-07-15.940W	F W	40	3	KRW on white cylindrical tower.	Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours.
13210	Munuscong Channel Lighted Buoy 27	46-16-12.205N 084-07-01.367W	Q G		4	Green.	Replaced by can from Dec. 7 to Apr. 21.
13215	Coyle Point Lighted Buoy Q28 (C)	46-16-16.989N 084-06-53.650W	Q R			Red.	Spar; winter marker.
13217	Munuscong Channel Lighted Buoy 29	46-16-28.415N 084-07-02.697W	FI G 2.5s		3	Green.	Year round lighted buoy. AIS MMSI: 993686015
13220	Munuscong Channel Buoy 31	46-16-51.999N 084-07-04.932W				Green can.	
13225	Coyle Point North Lighted Buoy Q30 (C)	46-16-51.587N 084-06-57.976W	FI R 4s			Red.	Spar; winter marker. Seasonal.
13235	Munuscong Channel Lighted Buoy 33	46-17-26.489N 084-07-07.864W	FI G 4s		4	Green.	Replaced by can from Dec. 1 to Apr. 21.
13240	Green Point Lighted Buoy Q34 (C)	46-17-26.399N 084-07-01.170W	FI R 4s			Red.	Spar; winter marker. Seasonal.
13245	Munuscong Channel Lighted Buoy 35	46-18-00.979N 084-07-10.797W	FI G 4s		4	Green.	Year round lighted buoy. AIS MMSI: 993686016
13250	Munuscong Channel Lighted Buoy Q36 (C)	46-18-00.291N 084-07-03.361W	FI R 4s			Red.	
13255	Munuscong Channel Light 39	46-18-33.644N 084-07-14.142W	Q G	16	5	SG on post on concrete cone.	
13256	Hen Island Daybeacon H	46-18-32.599N 084-07-52.960W		15		NB on skeleton tower.	
13260	Stribling Point Upbound Range Front Light (C)	46-18-48.032N 084-06-54.030W	F W			White daymark with orange stripe on skeleton tower.	Seasonal.
13275	Middle Neebish South Range Front Light	46-19-56.404N 084-11-04.645W	Q W	10	17	KRW on red steel structure.	Visible 1.5° each side of range line.
13280	Middle Neebish South Range Rear Light	46-20-16.815N 084-12-18.119W	F W	40	17	KRW on square skeleton tower.	Visible 1.5° each side of range line.
13285	Middle Neebish Channel Lighted Buoy 43	46-18-57.427N 084-07-37.518W	Q G		4	Green.	Year round lighted buoy. AIS MMSI: 993686011
13290	Hardwood Point Junction Buoy HP	46-18-59.342N 084-07-19.299W				Red nun with green band.	
13295	Middle Neebish Channel Buoy 45	46-19-10.674N 084-08-25.482W				Green can.	
13300	Middle Neebish Channel Buoy 46	46-19-18.752N 084-08-28.890W				Red nun.	
13310	Middle Neebish Channel Lighted Buoy 49	46-19-19.686N 084-08-57.663W	FI G 4s		4	Green.	Replaced by can from Nov. 28 to Apr. 21.
13315	Middle Neebish Channel Light 50	46-19-24.704N 084-08-54.312W	FI R 4s	0	4	TR on post.	
13320	Middle Neebish Channel Buoy 51	46-19-26.280N 084-09-21.854W				Green can.	
13325	Middle Neebish Channel Light 54	46-19-35.852N 084-09-34.530W	FI R 4s	0	4	TR on post.	
13330	Middle Neebish Channel Buoy 55	46-19-36.061N 084-09-57.278W				Green can.	
13335	Middle Neebish Channel Buoy 57	46-19-41.386N 084-10-15.896W				Green can.	
13340	Middle Neebish Channel Light 58	46-19-46.952N 084-10-14.440W	FI R 4s	0	4	TR on post.	
13345	Middle Neebish Channel Lighted Buoy 59	46-19-48.026N 084-10-40.136W	FI G 2.5s		4	Green.	Year round lighted buoy. AIS MMSI: 993686012
13350	Middle Neebish Channel Buoy 60	46-19-54.465N 084-10-34.516W				Red nun.	
13353	Middle Neebish Channel Light 61	46-19-57.680N 084-11-03.144W	Q G	0	4	SG on post.	
13355	Lower Nicolet East Range Front Light	46-19-29.282N 084-10-32.700W	F G	40	7	KRG on skeleton tower.	Range marks eastern half of channel. High intensity beam on range line. F G light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours.
13360	Lower Nicolet East Range Rear Light	46-19-14.178N 084-10-20.347W	F G	40	7	KRG on skeleton tower.	Range marks eastern half of channel. High intensity beam on range line. F G light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours.
13365	Lower Nicolet West Range Front Light	46-19-28.649N 084-10-35.437W	F W	50	17	KRW on skeleton tower.	Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours.
13370	Lower Nicolet West Range Rear Light	46-18-56.057N 084-10-08.786W	F W	30	19	KRW on skeleton tower.	Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours.
13375	Middle Neebish Light 62	46-20-07.244N 084-11-00.450W	Q R	0	5	TR on post.	AIS MMSI: 993686010

13380	Lake Nicolet Lighted Buoy 63	46-20-05.100N 084-11-08.136W	FI G 2.5s	3	Green.	Replaced by can from Dec. 7 to Apr. 21.	
13385	Lake Nicolet Lighted Buoy 64	46-20-26.592N 084-11-17.353W	FI R 4s	4	Red.	Replaced by nun from Dec. 14 to Apr. 14.	
13390	Lake Nicolet Lighted Buoy 65	46-20-24.131N 084-11-23.451W	FI G 4s	4	Green.	Year round lighted buoy. AIS MMSI: 993686013	
13395	Lake Nicolet Lighted Buoy 66	46-21-03.890N 084-11-48.033W	FI R 4s	3	Red.	Replaced by nun from Dec. 7 to Apr. 21.	
13400	Lake Nicolet Lighted Buoy 67	46-21-01.627N 084-11-53.956W	FI G 4s	5	Green.	Replaced by can from Dec. 7 to Apr. 21.	
13405	Lake Nicolet Lighted Buoy 68	46-21-40.211N 084-12-18.133W	FI R 4s	3	Red.	Replaced by nun from Nov. 28 to Apr. 21.	
13410	Lake Nicolet Lighted Buoy 69	46-21-38.055N 084-12-23.565W	FI G 4s	4	Green.	Replaced by can from Nov. 28 to Apr. 21.	
13425	Lake Nicolet Lighted Buoy 72	46-22-16.785N 084-12-47.946W	FI R 4s	3	Red.	Replaced by nun from Nov. 28 to Apr. 14.	
13430	Lake Nicolet Lighted Buoy 73	46-22-14.950N 084-12-53.796W	FI G 4s	4	Green.	Replaced by can from Nov. 28 to Apr. 14.	
13445	Lake Nicolet Lighted Buoy 76	46-22-54.167N 084-13-18.535W	FI R 4s	4	Red.	Replaced by nun from Nov. 28 to Apr. 14.	
13450	Lake Nicolet Lighted Buoy 77	46-22-51.430N 084-13-24.099W	FI G 4s	4	Green.	Year Round Lighted Buoy	
13455	Lake Nicolet Buoy 78	46-23-27.337N 084-13-45.317W			Red nun.		
13460	Lake Nicolet Lighted Buoy 79	46-23-29.953N 084-14-08.951W	FI G 4s	3	Green.	Replaced by can from Nov. 21 to Apr. 14.	
13465	Lake Nicolet Light 80	46-23-36.032N 084-13-47.900W	FI R 2.5s	20	4	TR on post.	
13470	West Neebish Channel (Downbound) Upper Range Front Light	46-20-16.828N 084-12-18.155W	Q W	40	15	KRW on skeleton tower.	For downbound traffic. Range marks western half of channel. Visible 4° each side of range line.
13475	West Neebish Channel (Downbound) Upper Range Rear Light	46-19-19.252N 084-11-47.317W	F W	75	17	KRW on red and white square skeleton tower.	For downbound traffic. Range marks western half of channel. Visible 4° each side of range line.
13480	West Neebish Channel (Downbound) Light 54	46-22-50.832N 084-13-37.930W	FI R 4s	15	6	TR on post.	
13485	West Neebish Channel (Downbound) Lighted Buoy 53	46-22-49.261N 084-13-42.507W	FI G 4s	3	Green.	Replaced by can from Dec. 14 to Apr. 14.	
13490	West Neebish Channel (Downbound) Buoy 52	46-22-10.413N 084-13-16.383W				Red nun.	
13495	West Neebish Channel (Downbound) Buoy 51	46-22-09.376N 084-13-21.435W				Green can.	
13500	West Neebish Channel (Downbound) Lighted Buoy 50	46-21-35.435N 084-12-57.394W	FI R 4s	4	Red.	Replaced by nun from Nov. 21 to Apr. 14.	
13505	West Neebish Channel (Downbound) Light 49	46-21-33.542N 084-13-01.850W	Q G	20	6	SG on column on concrete cone.	
13510	West Neebish Channel (Downbound) Lighted Buoy 48	46-21-09.578N 084-12-44.617W	FI R 2.5s	4	Red.	Replaced by nun from Dec. 14 to Apr. 14.	
13515	West Neebish Channel (Downbound) Oak Ridge Range Front Light	46-17-08.159N 084-12-56.861W	F G	55	12	KRW on square skeleton tower.	Visible 1.5° each side of range line. Lighted throughout 24 hours.
13520	West Neebish Channel (Downbound) Oak Ridge Range Rear Light	46-16-48.947N 084-12-57.603W	F G	125	14	KRW on square skeleton tower.	Visible 1.5° each side of range line. Lighted throughout 24 hours.
13525	West Neebish Channel (Downbound) Lighted Buoy 46	46-20-44.658N 084-12-45.373W	FI R 4s	4	Red.	Year round lighted buoy	
13530	West Neebish Channel (Downbound) Light 45	46-20-44.162N 084-12-50.170W	FI G 2.5s	20	5	SG on black tripod tower.	
13535	West Neebish Channel (Downbound) Buoy 44	46-20-04.713N 084-12-47.256W				Red nun.	
13540	West Neebish Channel (Downbound) Buoy 43	46-20-04.491N 084-12-51.847W				Green can.	
13545	West Neebish Channel (Downbound) Lighted Buoy 42	46-19-25.123N 084-12-48.760W	FI R 4s	4	Red.	Replaced by nun from Nov. 21 to Apr. 21.	
13550	West Neebish Channel (Downbound) Lighted Buoy 41	46-19-23.702N 084-12-53.556W	FI G 4s	4	Green.	Replaced by can from Nov. 21 to Apr. 21.	
13555	West Neebish Channel (Downbound) Lighted Buoy 40	46-18-44.962N 084-12-50.499W	FI R 4s	4	Red.	Replaced by nun from Nov. 21 to Apr. 21.	
13560	West Neebish Channel (Downbound) Lighted Buoy 39	46-18-45.018N 084-12-55.478W	FI G 4s	4	Green.	Replaced by can from Nov. 21 to Apr. 21.	
13565	West Neebish Channel (Downbound) Lighted Buoy 38	46-18-05.839N 084-12-52.074W	FI R 4s	3	Red.	Replaced by nun from Dec. 1 to Apr. 21.	

13570	West Neebish Channel (Downbound) Lighted Buoy 37	46-18-06.572N 084-12-57.149W	FI G 4s	3	Green.	Replaced by can from Dec. 1 to Apr. 21.
13575	West Neebish Light 36	46-17-38.372N 084-12-53.910W	FI R 2.5s	32	7	White cylindrical tower with red band
13580	West Neebish Channel (Downbound) Lighted Buoy 35	46-17-18.899N 084-12-58.598W	Q G	4	Green can.	Replaced by can from Dec. 1 to Apr. 21
13585	West Neebish Channel (Downbound) Buoy 34	46-17-30.392N 084-12-51.810W			Red nun.	
13590	West Neebish Channel (Downbound) Light 33	46-17-10.132N 084-12-50.220W	Q G	18	4	SG on black column adjoining small house.
13595	West Neebish Channel (Downbound) Light 32	46-17-07.082N 084-12-40.460W	Q R	20	4	TR on post.
13600	Rock Cut Lower Leading Light	46-15-06.342N 084-10-33.063W	F W	25	15	KRW on square skeleton tower. Lighted throughout 24 hours.
13605	West Neebish Channel (Downbound) Light 30	46-16-56.172N 084-12-28.720W	F R	20	6	TR on post.
13610	West Neebish Channel (Downbound) Light 29	46-16-54.362N 084-12-32.290W	Q G	20	5	SG on post.
13615	West Neebish Channel (Downbound) Light 28	46-16-29.032N 084-11-59.930W	Iso R 6s	20	3	TR on triangular skeleton tower.
13620	West Neebish Channel (Downbound) Light 27	46-16-27.032N 084-12-03.468W	Iso G 6s	20	3	SG on triangular skeleton tower.
13625	West Neebish Channel (Downbound) Light 26	46-15-55.170N 084-11-21.798W	F R	20	4	TR on triangular skeleton tower.
13630	West Neebish Channel (Downbound) Light 25	46-15-52.788N 084-11-27.570W	F G	30	4	SG on triangular skeleton tower.
13635	West Neebish Channel (Downbound) Lighted Buoy 24	46-15-29.068N 084-10-55.407W	Q R	4	Red.	Replaced by nun from Dec. 14 to Apr. 21.
13640	Sawmill Point Lighted Buoy 23	46-15-03.054N 084-10-53.057W	Q G	4	Green.	Year round lighted buoy.
13645	Sawmill Point Lighted Buoy 22	46-15-04.548N 084-10-47.946W	FI R 4s	4	Red.	Replaced by nun from Dec. 14 to Apr. 21. AIS MMSI: 993686007
13650	Moon Island Leading Light	46-13-07.376N 084-10-15.950W	F W	20	6	Cylindrical tower with black band.
13655	West Neebish Channel (Downbound) Buoy 20	46-14-41.959N 084-10-40.808W			Red nun.	
13660	West Neebish Channel (Downbound) Buoy 19	46-14-41.108N 084-10-46.227W			Green can.	
13665	West Neebish Channel (Downbound) Lighted Buoy 18	46-14-21.227N 084-10-34.782W	FI R 4s	5	Red.	Replaced by nun from Nov. 28 to Apr. 21.
13670	West Neebish Channel (Downbound) Light 17	46-14-19.862N 084-10-39.150W	FI G 4s	15	7	SG on post.
13675	Kemps Point Lighted Buoy 15A	46-13-49.567N 084-10-30.378W	FI G 4s	3	Green.	Replaced by can from Dec. 14 to Apr. 21.
13680	West Neebish Channel (Downbound) Light 16	46-13-37.012N 084-10-21.280W	Q R	0	3	TR on post on concrete base.
13685	West Neebish Channel (Downbound) Lighted Buoy 15	46-13-19.160N 084-10-20.748W	Q G	5	Green.	Replaced by can from Dec. 14 to Apr. 21.
13690	West Neebish Channel (Downbound) Light 14	46-13-10.122N 084-09-58.260W	Q R	0	4	TR on post.
13695	Moon Island Lighted Buoy 13	46-13-07.712N 084-10-00.994W	FI G 2.5s	4	Green.	Year round lighted buoy. AIS MMSI: 993686008
13700	West Neebish Channel (Downbound) Lighted Buoy 12	46-12-54.907N 084-09-30.524W	FI R 4s	3	Red.	Replaced by nun from Nov. 28 to Apr. 21.
13705	West Neebish Channel (Downbound) Lighted Buoy 11	46-12-52.745N 084-09-33.506W	FI G 4s	3	Green.	Replaced by can from Nov. 28 to Apr. 21.
13710	West Neebish Channel (Downbound) Lighted Buoy 10	46-12-38.026N 084-08-59.769W	FI R 2.5s	3	Red.	Replaced by nun from Nov. 28 to Apr. 28.
13715	West Neebish Channel (Downbound) Light 9	46-12-35.432N 084-09-03.330W	FI G 2.5s	42	6	White cylindrical tower with green band.
13720	West Neebish Channel (Downbound) Buoy 8	46-12-24.927N 084-08-36.471W			Red nun.	
13725	West Neebish Channel (Downbound) Buoy 7	46-12-22.097N 084-08-38.120W			Green can.	
13730	West Neebish Channel (Downbound) Lighted Buoy 6	46-12-11.058N 084-08-11.326W	FI R 4s	4	Red.	Replaced by nun from Nov. 28 to Apr. 28.
13735	West Neebish Channel (Downbound) Lighted Buoy 5	46-12-09.097N 084-08-14.118W	FI G 4s	4	Green.	Replaced by can from Nov. 28 to Apr. 28.
13740	West Neebish Channel (Downbound) Buoy 4	46-11-40.435N 084-07-15.050W			Red nun.	

13745	West Neebish Channel (Downbound) Buoy 3	46-11-38.098N 084-07-18.113W				Green can.	
13750	West Neebish Channel (Downbound) Lighted Buoy 2	46-11-09.676N 084-06-19.320W	FI R 2.5s	4	Red.		Replaced by nun from Nov. 28 to Apr. 28.
13755	West Neebish Channel (Downbound) Lighted Buoy 1	46-11-07.322N 084-06-22.172W	FI G 4s	4	Green.		Replaced by can from Nov. 28 to Apr. 28.
13760	East Neebish Island Channel Buoy 1	46-19-15.293N 084-06-40.312W				Green can.	Maintained from May 07 to October 28
13765	East Neebish Island Channel Buoy 2	46-19-13.992N 084-06-33.880W				Red nun.	Maintained from May 7 to October 28
13770	East Neebish Island Channel Lighted Buoy 3	46-19-21.298N 084-06-33.020W	FI G 4s	3	Green		
13775	East Neebish Island Channel Buoy 5	46-20-19.999N 084-07-18.323W				Green can.	
13780	East Neebish Island Channel Buoy 7	46-20-30.099N 084-07-27.423W				Green can.	
13785	East Neebish Island Channel Buoy 8	46-20-39.881N 084-07-29.153W				Red nun.	
13790	East Neebish Island Channel Lighted Buoy 9	46-20-43.999N 084-07-39.224W	Q G	3	Green.		
13795	East Neebish Island Channel Buoy 11	46-20-50.160N 084-07-40.200W				Green can.	
13800	East Neebish Island Channel Lighted Buoy 12	46-20-50.508N 084-07-38.111W	FI R 4s	3	Red		
13805	East Neebish Island Channel Lighted Buoy 13	46-20-56.354N 084-07-39.931W	FI G 4s	3	Green.		
13810	East Neebish Island Channel Buoy 14	46-20-56.775N 084-07-37.214W				Red nun.	
13815	Birch Point Lighted Buoy QV18	46-22-18.032N 084-08-12.030W	FI R 4s			Red spar.	Seasonal.
13820	Lake George Channel Buoy 1	46-23-26.104N 084-08-33.116W				Green can.	
13830	Lake George Channel Buoy 3	46-23-42.568N 084-08-33.180W				Green can.	
13835	Lake George Channel Buoy 3A	46-23-52.780N 084-08-35.125W				Green can.	
13840	Lake George Channel Buoy 4A	46-23-54.232N 084-08-33.155W				Red nun.	
13845	Lake George Channel Buoy 5	46-24-02.401N 084-08-39.034W				Green can.	
13850	Lake George Channel Lighted Buoy 6	46-24-03.636N 084-08-38.133W	FI R 2.5s	3	Red.		
13855	Lake George Channel Buoy 7	46-24-17.580N 084-08-47.340W				Green can.	
13860	Lake George Channel Buoy 8	46-24-19.704N 084-08-44.973W				Red nun.	
13865	Lake George Channel Lighted Buoy 9	46-24-35.520N 084-08-58.405W	FI G 2.5s	3	Green.		
13870	Lake George Channel Buoy 10	46-24-35.308N 084-08-54.831W				Red nun.	
13875	Lake George Channel Buoy 11	46-25-05.751N 084-09-08.866W				Green can.	
13880	Lake George Channel Buoy 12	46-25-05.752N 084-09-05.495W				Red nun.	
13885	Lake George Channel Buoy 13	46-25-36.101N 084-09-17.740W				Green can.	
13890	Lake George Channel Buoy 14	46-25-36.748N 084-09-14.881W				Red nun.	
13895	Lake George Channel Lighted Buoy 15	46-26-06.204N 084-09-28.841W	FI G 4s	3	Green.		
13900	Lake George Channel Buoy 16	46-26-06.108N 084-09-24.142W				Red nun.	Maintained year round.
13905	Sugar Island North Channel Lighted Buoy 1	46-30-13.439N 084-06-43.073W	FI G 4s	3	Green.		Replaced by can from Oct. 28 to May 7.
13910	Sugar Island North Channel Buoy 5	46-31-51.148N 084-08-46.077W				Green can.	
13912	Sugar Island North Channel Lighted Buoy 6	46-31-39.987N 084-09-24.186W	FI R 4s	4	Red		
13915	Sugar Island North Channel Lighted Buoy 6A	46-31-32.081N 084-10-37.268W	Q R	3	Red.		

13920	Sugar Island North Channel Buoy 7	46-31-34.670N 084-10-49.685W					Green can.	
13925	Sugar Island North Channel Buoy 8	46-32-09.151N 084-11-41.864W					Red nun.	
13930	Sugar Island North Channel Buoy 9	46-32-05.491N 084-11-44.476W					Green can.	
13935	Sugar Island North Channel Buoy 13	46-31-14.197N 084-14-12.136W					Green can.	
13940	Sugar Island North Channel Buoy 15	46-30-45.386N 084-14-41.335W					Green can.	
13945	Sugar Island North Channel Buoy 30	46-29-35.048N 084-17-53.857W					Red nun.	
13950	Sugar Island North Channel Buoy 31	46-29-31.935N 084-17-58.315W					Green can.	
13955	Upper Nicolet Range Front Light	46-27-15.593N 084-15-55.654W	F W	30	15	KRW on square skeleton tower.		For upbound traffic. Range marks eastern half of channel. Visible 1.5° each side of range line
13960	Upper Nicolet Range Rear Light	46-27-44.339N 084-16-11.135W	F W	70	15	KRW on skeleton tower.		For upbound traffic. Range marks eastern half of channel. Visible 1.5° each side of range line.
13965	Lake Nicolet Lighted Buoy 82	46-24-15.605N 084-14-11.109W	Fl R 4s		3	Red.		Replaced by nun from Nov. 21 to Apr. 14.
13970	Lake Nicolet Lighted Buoy 83	46-24-52.604N 084-14-53.990W	Fl G 4s		3	Green.		Replaced by can from Nov. 21 to Apr. 14.
13975	Lake Nicolet Buoy 84	46-25-25.423N 084-14-49.225W					Red nun.	
13980	Lake Nicolet Buoy 85	46-25-19.732N 084-15-08.673W					Green can.	
13985	Lake Nicolet Anchorage Buoy A	46-23-30.717N 084-14-25.050W					Yellow can.	
13990	Lake Nicolet Anchorage Buoy B	46-24-21.565N 084-14-52.005W					Yellow can.	
13995	Lake Nicolet Lighted Buoy 86	46-25-55.021N 084-15-04.815W					Red nun.	Replaced by nun from Nov. 21 to Apr. 14
14000	Lake Nicolet Lighted Buoy 86A	46-26-07.663N 084-15-19.243W	Fl R 4s		3	Red.		Replaced by nun from Nov. 21 to Apr. 14.
14005	Six Mile Point Lighted Buoy 87	46-26-03.574N 084-15-32.002W	Fl G 4s		5	Green.		Replaced by can from Dec. 14 to Apr. 14.
14015	Frechette Point Range Front Light 91	46-27-20.253N 084-16-46.033W	Q G	25	12	KRW on square skeleton tower.		Visible 1.5° each side of range line.
14020	Frechette Point Range Rear Light	46-27-55.766N 084-17-24.193W	F G	72	16	KRW on triangular skeleton tower.		Visible 1.5° each side of range line.
14025	Lake Nicolet Light 88	46-26-48.733N 084-16-05.258W	Fl R 2.5s	15	7	TR on post on concrete foundation.		
14030	Lake Nicolet Lighted Buoy 89	46-26-53.832N 084-16-21.635W	Fl G 4s		4	Green.		Replaced by can from Nov. 21 to Apr. 14. AIS MMSI: 993686014
14035	Lake Nicolet Buoy 90	46-27-12.241N 084-16-26.333W					Red nun.	
14040	Sugar Island Leading Light	46-24-44.242N 084-13-58.934W	Iso W 6s	40	15	KRW on square skeleton tower.		The light is sectored and displays an ISO W 6s light in the channel center a ISO R 6s Light marking the Port Channel Limits and a ISO G 6s Light marking the Starboard Channel Limits Downbound.
14045	Six Mile Point Range Front Light	46-26-23.796N 084-15-58.804W	F W	26		KRW on white cylindrical tower.		Lighted throughout 24 hours.
14050	Six Mile Point Range Rear Light	46-26-02.817N 084-15-43.420W	Iso W 6s	50		KRW on square skeleton tower.		Higher intensity on range line. Lighted throughout 24 hours.
14055	Little Rapids Cut Lighted Buoy 92	46-27-40.656N 084-16-51.013W	Fl R 4s		4	Red.		Replaced by nun from Nov. 21 to Apr. 14.
14060	Little Rapids Cut Junction Lighted Buoy	46-27-38.097N 084-16-57.435W	Fl (2+1)G 6s		4	Green and red bands.		Replaced by can from Nov. 21 to Apr. 14.
14065	Little Rapids Channel Buoy 2	46-27-42.793N 084-17-08.519W					Red nun.	
14070	Little Rapids Channel Buoy 4	46-27-44.835N 084-17-13.640W					Red nun.	
14075	Little Rapids Channel Buoy 5	46-27-46.587N 084-17-20.473W					Green can.	
14080	Little Rapids Channel Buoy 6	46-27-47.468N 084-17-18.774W					Red nun.	
14085	Little Rapids Channel Buoy 8	46-28-08.580N 084-17-43.027W					Red nun.	
14090	Little Rapids Cut Light 95	46-28-23.462N 084-17-32.496W	Fl G 2.5s	20	4	SG on column on concrete pier.		
14095	Little Rapids Cut Light 96	46-28-30.992N 084-17-26.100W	Fl R 2.5s	16	4	TR on column on concrete pier.		

14100	Little Rapids Cut Light 98	46-29-07.506N 084-17-53.117W	Q R	16	7	TR on triangular tower.	
14105	Little Rapids Cut Lighted Ice Buoy 98B V-AIS	46-29-20.313N 084-18-06.262W	Q R		4	Red ice buoy.	Marks upstream end of ice boom on eastern side of river. On station only during deployment of ice boom. AIS MMSI: 993683017
14110	Little Rapids Cut Light 99	46-29-12.137N 084-18-08.299W	F G	21	8	SG on skeleton tower.	Visible 120° to 335°.
14115	Mission Point Obstruction Light D	46-29-16.406N 084-17-59.298W	Fl W 6s	20	5	On post.	
14120	Mission Point Obstruction Light A	46-29-16.796N 084-18-13.128W	Fl W 4s	20	5	On post.	
14125	Mission Point Obstruction Light E	46-29-21.662N 084-18-03.138W	Fl W 4s	20	5	On post.	
14130	Little Rapids Cut Lighted Buoy 101	46-29-21.709N 084-18-17.079W	Fl G 4s		3	Green.	Maintained from Apr. 14 to Dec. 7.
14135	Little Rapids Cut Junction Lighted Buoy LR	46-29-25.710N 084-18-07.162W	Fl (2+1)R 6s		4	Red with green band.	Year round buoy unlighted from Dec. 7 to Apr. 14.
14140	Mission Point Obstruction Light B	46-29-25.958N 084-18-24.192W	Fl W 6s	20	5	On post.	
14145	Mission Point Obstruction Light C	46-29-31.448N 084-18-32.724W	Fl W 4s	20	5	On post.	
14150	Little Rapids Cut Lighted Buoy 104	46-29-34.907N 084-18-14.313W	Q R		3	Red.	Year round buoy unlighted from Dec. 7 to Apr. 14.
14155	Little Rapids Cut Lighted Buoy 105	46-29-32.910N 084-18-31.763W	Q G		3	Green.	Year round buoy unlighted from Dec. 14 to Apr. 14.
14160	Bayfield Rock Range Front Light	46-29-19.994N 084-16-59.144W	F W	20	15	KRW on skeleton tower.	Visible 4° each side of range line. Lighted throughout 24 hours.
14165	Bayfield Rock Range Rear Light	46-29-17.001N 084-16-46.697W	F W	30	16	KRW on skeleton tower.	Visible 4° each side of range line. Lighted throughout 24 hours.
14170	Bayfield Channel Lighted Buoy 107	46-29-36.930N 084-18-49.925W	Fl G 4s		3	Green.	Replaced by can from Nov. 21 to Apr. 14.
14175	Bayfield Channel Lighted Buoy 108	46-30-03.123N 084-19-38.105W	Fl R 2.5s		3	Red.	Replaced by nun from Nov. 21 to Apr. 14.
14180	Bayfield Channel Buoy 109	46-29-35.180N 084-18-55.017W				Green can.	
14190	Bayfield Channel Lighted Buoy 110	46-30-11.614N 084-19-57.648W	Fl R 4s		3	Red.	Replaced by nun from Dec. 14 to Apr. 14.
14191	George Kemp Marina East Light	46-30-01.200N 084-20-13.740W	Fl G 4s			Metal tower.	Maintained from May 1 to Oct. 31.
14192	George Kemp Marina West Light	46-30-01.800N 084-20-13.740W	Fl R 4s			Piling with metal tower.	Maintained from May 1 to Oct. 31.
14230	Vidal Shoals Channel Range Front Light	46-30-14.145N 084-22-01.776W	Q R	20	15	KRW on skeleton tower.	Visible 1.5° each side of range line
14235	Vidal Shoals Channel Range Rear Light	46-30-16.232N 084-21-49.495W	Iso R 6s	50	19	KRW on skeleton tower.	Visible 1.5° each side of range line.
14245	Vidal Shoals Channel Lighted Buoy 2	46-30-10.845N 084-23-05.047W	Fl R 4s		3	Red.	Year round buoy unlighted from Nov. 21 to May 1.
14250	Vidal Shoals Channel Lighted Buoy 3	46-29-56.532N 084-23-07.361W	Fl G 4s		3	Green.	Year round buoy unlighted from Nov. 21 to May 1.
14255	Vidal Shoals Channel Lighted Buoy 5	46-29-47.644N 084-23-55.494W	Fl G 4s		4	Green.	Replaced by can from Nov. 21 to May 1.
14265	Big Point Lighted Buoy 7	46-29-30.609N 084-25-16.482W	Q G		4	Green.	Year round lighted buoy.
14290	Canadian Canal Upper Entrance Range Front Light (C)	46-30-54.032N 084-22-18.030W	F R			Red square daymark with white vertical stripe on skeleton tower.	Lighted throughout 24 hours. Seasonal.
14300	Vidal Shoals Channel Upper Turning Lighted Buoy QM11 (C)	46-30-42.001N 084-22-31.619W	Q G			Green.	Spar; winter marker. Seasonal.
14305	Vidal Shoals Northeast Lighted Buoy QM13 (C)	46-30-29.050N 084-22-56.119W	Fl G 4s			Green.	Spar; winter marker. Seasonal.
14310	Vidal Shoals North Lighted Buoy QM14 (C)	46-30-24.645N 084-23-13.451W	Fl R 4s			Red.	Spar; winter marker. Seasonal.
14315	Vidal Shoals Southwest Lighted Buoy P (C)	46-30-06.040N 084-23-35.363W				Yellow with black band.	Spar; winter marker. Cardinal buoyage. Seasonal.
14320	Vidal Shoals West Lighted Buoy QM24 (C)	46-30-01.821N 084-23-53.639W	Fl R 4s			Red.	Spar; winter marker. Seasonal.
14325	Pointe Aux Pins Range Front Light (C)	46-28-06.032N 084-28-18.030W	F G			KWR on tower.	Visible on range line only. Seasonal.
14335	Pointe Aux Pins Channel Lighted Buoy 8	46-29-39.385N 084-25-30.192W	Fl R 2.5s		4	Red.	Year round lighted buoy.
14337	Pointe Aux Pins Channel Lighted Buoy 9	46-29-04.827N 084-26-08.230W	Fl G 4s		4	Green.	Replaced by can from Nov. 21 to May 1.

14340	Pointe Aux Pins Channel Lighted Buoy 10	46-29-14.397N 084-26-18.745W	FI R 4s	4	Red.	Year round buoy unlighted from Nov. 21 to May 1.
14345	Pointe Aux Pins Bay Lighted Buoy P12 (C)	46-28-45.354N 084-27-13.758W	FI R 4s		Red.	Spar; winter marker. Seasonal.
14350	Brush Point Lighted Buoy 13	46-28-23.625N 084-27-28.645W	Q G	4	Green.	Year round buoy unlighted from Dec. 21 to May 1.
14355	Brush Point Light A	46-28-20.583N 084-27-27.140W	Q W	15	4	NB on post.
14360	Pointe Aux Pins Bay Lighted Buoy P14 (C)	46-28-21.903N 084-27-51.920W	FI R 4s		Red.	Spar; winter marker. Seasonal.
14365	Brush Point Lighted Buoy 15	46-28-06.602N 084-27-43.940W	FI G 4s	4	Green.	Replaced by can from Nov. 21 to May 1.
14370	Pointe Aux Pins Main Light (C)	46-27-50.832N 084-28-22.330W	Iso R 4s	8	On circular tower with red and white bands.	Seasonal.
14375	Brush Point Lighted Buoy 17	46-27-43.509N 084-28-04.592W	Q G	4	Green.	Year round buoy unlighted from Dec. 21 to May 1.
14380	Brush Point Lighted Buoy P19 (C)	46-27-28.724N 084-28-41.288W	FI G 4s		Green.	Spar; winter marker. Seasonal.
14385	Point Louise Lighted Buoy P20 (C)	46-27-39.932N 084-28-42.150W	FI R 4s		Red.	Spar; winter marker. Seasonal.
14390	Brush Point Range Front Light	46-27-44.491N 084-27-46.873W	F R	20	14	KRW on square skeleton tower.
14395	Brush Point Range Rear Light	46-27-49.983N 084-27-19.197W	F R	60	14	KRW on square skeleton tower. Visible 14° each side of range line. Lighted throughout 24 hours.
14400	Cedar Point Lighted Buoy 21	46-27-15.471N 084-29-42.992W	FI G 4s	3	Green.	Replaced by can from Nov. 21 to May 1.
14405	Cedar Point Lighted Buoy P22 (C)	46-27-27.166N 084-29-46.186W	FI R 4s		Red.	Spar; winter marker. Seasonal.
14410	Cedar Point Lighted Buoy 23	46-27-02.321N 084-30-48.738W	FI G 4s	3	Green.	Replaced by can from Nov. 21 to May 1.
14415	Cedar Point Lighted Buoy 24	46-27-13.585N 084-30-52.099W	FI R 4s	3	Red.	Replaced by nun from Nov. 21 to May 1.
14420	Round Island Lighted Buoy 25	46-26-50.784N 084-31-39.784W	FI G 4s	4	Green.	Year round lighted buoy.
14425	Round Island Light 26	46-27-02.132N 084-31-53.031W	Q R	28	5	White cylindrical tower with red band.
14430	Birch Point Range Front Light	46-26-01.333N 084-31-24.124W	F R	50	15	KRW on skeleton tower. Visible 1.5° each side of range line. Lighted throughout 24 hours.
14435	Birch Point Range Rear Light	46-25-35.766N 084-30-51.585W	F R	75	15	KRW on skeleton tower. Visible 1.5° each side of range line. Lighted throughout 24 hours.
14440	Round Island Buoy 27	46-26-43.349N 084-32-17.145W				Green can.
14445	Point Iroquois Anchorage Buoy B	46-26-40.679N 084-33-00.425W				Yellow can.
14450	Round Island Buoy 30	46-27-11.377N 084-32-23.908W				Red nun.
14455	Round Island Traffic (RI) V-AIS	46-27-07.055N 084-32-47.477W				AIS MMSI: 993683016
14460	Round Island Lighted Buoy 32	46-27-19.543N 084-32-45.740W	FI R 2.5s	4	Red.	Replaced by nun from Dec. 7 to May 1.
14465	Point Iroquois Shoal Lighted Buoy 33	46-27-39.570N 084-33-47.890W	FI G 4s	4	Green.	Replaced by can from Dec 7 to May 1.
14470	Point Iroquois Anchorage Buoy A	46-27-32.470N 084-34-58.923W				Yellow can.
14473	Pointe De Chenes Lighted Buoy P34 (C)	46-27-54.188N 084-33-28.484W	FI R 4s			
14475	Point Iroquois Shoal Buoy 35	46-28-25.609N 084-34-47.093W				Green can.
14483	Point Iroquois Lighted Buoy P38 (C)	46-29-11.451N 084-35-07.416W	FI R 4s		Red.	Spar; winter marker. Seasonal.
14485	Point Iroquois Shoal Buoy 37	46-29-01.052N 084-35-32.568W				Green can.
14490	Point Iroquois Shoal Lighted Bell Buoy 39	46-29-41.974N 084-36-24.610W	Q G	4	Green.	Replaced by can from 07 Dec to 01 May
14495	Gros Cap Reefs Light (C)	46-30-42.032N 084-36-54.031W	FI W 10s	14	On white square block.	Seasonal. Emergency light.
14510	Ile Parisienne Light (C)	46-38-42.032N 084-43-24.031W	FI W 10s	16	White hexagonal tower.	Seasonal. Emergency light.
14515	Whitefish Harbor Light 2	46-45-31.982N 084-57-50.179W	FI R 4s	20	5	TR on pile.

14520	Whitefish Harbor Light 3	46-45-33.365N 084-57-53.023W	FI G 4s	20	4	SG on pile.	
14525	Whitefish Harbor Light 4	46-45-35.832N 084-57-53.931W	FI R 4s	20	4	TR on white column.	
14530	Whitefish Point Light	46-46-16.094N 084-57-26.833W	FI (2)W 20s	90	15	White cylindrical tower.	Standby light of reduced intensity.
14533	MTU Whitefish Point Weather Wave Buoy 1	46-46-53.717N 085-04-14.972W	FI Y 2.5s				Maintained from May.1 to Dec.1.
14535	Crisp Point Light	46-45-06.900N 085-15-27.180W	FI W 6s				Maintained from May 1 to Nov 1
14540	Little Lake Harbor Light 2	46-43-04.436N 085-21-52.160W	FI R 4s		5		Maintained from Jun.1 to Oct. 1.
14545	Little Lake Harbor Light 3	46-42-59.807N 085-21-51.003W	FI G 4s	15	4	SG on post.	
14550	Grand Marais Harbor Of Refuge Outer Light	46-41-01.643N 085-58-18.256W	FI W 2.5s	23	10	Skeleton tower with upper part enclosed.	HORN: 1 blast ev 15s (2s bl). Fog signal operates by keying microphone five times on VHF-FM channel 83A. Operates from May 1 to Oct. 20.
14551	Grand Marais Weather Wave Buoy 1	46-41-44.000N 086-00-14.000W	FI Y 2.5s				Maintained from Apr.1 to Dec.1.
14552	Grand Portal Point Weather Buoy	46-33-41.830N 086-27-56.450W	FI Y 4s				Maintained from Apr. 15 to Nov. 15.
14555	Grand Marais Harbor Of Refuge Light 1	46-40-50.832N 085-58-09.932W	FI G 4s	16	4	SG on post.	
14560	Grand Marais Harbor Of Refuge Inner Light	46-40-36.037N 085-58-16.063W	F W	43	16	White square pyramidal skeleton tower with upper part enclosed.	
14565	Au Sable Light	46-40-18.632N 086-08-23.533W	FI W 6s	110	12	White conical tower with red dwelling attached.	
14567	UCSD CDIP - 268 Weather Wave Buoy 1	46-58-21.720N 086-34-05.500W	FI Y 5s				Maintained from May.1 to Nov.30.
14570	Grand Island Light	46-33-34.724N 086-40-48.465W	FI W 6s	20	9	On white post.	
14572	Munising Weather Buoy	46-34-12.000N 086-34-12.000W	FI Y 2.5s				Maintained from Apr. 15 to Nov. 15
14575	Munising Entrance Leading Light	46-24-53.851N 086-39-40.677W	F W	46	12	White conical tower.	Sector light white light in the channel center red light right of channel center green light left of channel center.
14582	Munising City Pier Light	46-24-49.080N 086-39-06.960W	FI R 3s			On white post.	
14585	Trout Point Lighted Bell Buoy 2	46-29-05.032N 086-35-47.533W	FI R 4s		4	Red.	Replaced by nun from Oct. 14 to May 7.
14590	Sand Point Lighted Bell Buoy 3	46-27-35.825N 086-36-44.226W	FI G 4s		4	Green.	Replaced by can from Oct. 14 to May 7.
14595	Grand Island Harbor Buoy 4	46-27-27.859N 086-37-04.529W				Red nun.	
14600	Bay Furnace Light	46-26-19.633N 086-41-31.497W	FI W 2.5s	20	6	White cylindrical tower.	Higher intensity beam on bearing 166°.
14603	Bay Furnace Buoy 2	46-26-33.431N 086-41-18.933W				Red nun.	
14610	Williams Landing Buoy 1	46-26-47.446N 086-40-49.644W				Green can.	
14615	Grand Island Shoal Buoy 1A	46-27-09.421N 086-41-46.172W				Green can.	
14620	Marquette Bay South Shoal Buoy 1A	46-30-44.236N 087-21-27.350W				Green can.	
14625	Marquette Rocks Buoy 1	46-32-55.138N 087-22-09.520W				Green can.	Replaced by can from Oct. 14 to May 7.
14630	Marquette Light	46-32-48.111N 087-22-33.794W	FI W 10s	77	10	Red square tower on dwelling.	
14635	Marquette Breakwater Outer Light	46-32-01.711N 087-22-29.074W	FI W 2.5s	20	12	White cylindrical tower with red band.	Red from 181° to 198°. HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
14640	Marquette Breakwater Inner Light	46-32-12.901N 087-22-43.464W	FI R 6s	16	5	TR on post.	
14645	Marquette Harbor Buoy 1	46-31-41.972N 087-22-52.926W				Green can.	
14650	Marquette Power And Light Channel Buoy 1	46-32-01.900N 087-23-07.300W				Green can.	
14655	Marquette Power And Light Channel Buoy 2	46-32-06.100N 087-23-08.000W				Red nun-shaped spar.	
14656	Marquette Power And Light Range Front Daybeacon	46-31-56.100N 087-23-36.500W				Orange and white diamond.	
14657	Marquette Power And Light Range Rear Daybeacon	46-31-55.500N 087-23-38.600W				Orange and white diamond.	

14660	Marquette Harbor Buoy 3	46-32-10.141N 087-23-08.566W				Green can.	
14665	Marquette Harbor Buoy 5	46-32-19.291N 087-23-08.496W				Green can.	
14666	Marquette Harbor Buoy 7	46-32-31.238N 087-23-08.443W				Green can.	
14667	Marquette Marina Entrance Light 1	46-32-34.510N 087-23-02.520W	FI G 2.5s			SG on blue pole.	Maintained from Mar. 1 to Nov. 30.
14668	Marquette Marina Entrance Light 2	46-32-33.420N 087-23-01.820W	FI R 2.5s			TR on blue pole.	Maintained from Mar. 1 to Nov. 30.
14670	Presque Isle Harbor Breakwater Light	46-34-28.141N 087-22-28.214W	FI R 4s	36	11	White cylindrical tower with red band on octagonal building.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog Signal operates by keying the microphone five times on VHF-FM Channel 83A.
14680	Presque Isle Harbor Lighted Buoy 1	46-34-08.055N 087-23-03.607W	FI G 4s		4	Green.	Replaced by can from Oct. 14 to May 7.
14685	Wisconsin Electric Power Company Lighted Buoy 3	46-34-33.800N 087-23-16.200W	Q G			Green.	Maintained from Apr. 1 to Dec. 1.
14688	Presque Isle Marina Light 1	46-34-49.700N 087-23-09.000W	F G			SG on building.	Maintained from May 1 to Oct. 31.
14690	Presque Isle Marina Light 2	46-34-51.000N 087-23-06.000W	FI R 4s			TR on red steel pile.	Maintained from May 1 to Oct. 31.
14695	Presque Isle Harbor Buoy 2	46-34-34.199N 087-22-49.681W				Red nun.	
14696	Presque Isle Weather Wave Buoy 1	46-35-53.000N 087-22-19.000W	FI Y 2.5s				Maintained from Apr.1 to Dec.1.
14700	Granite Island Light	46-43-15.231N 087-24-45.634W	FI W 6s	47	11	Gray skeleton tower.	
14702	Granite Island Weather Buoy	46-43-12.000N 087-25-12.000W	FI Y 4s				Maintained from Apr. 15 to Nov. 15.
14705	Big Bay Point Light	46-50-31.150N 087-40-45.320W	FI W 5s	60		Red Square Tower	
14710	Big Bay Point Buoy 1	46-51-41.749N 087-41-15.502W				Green can.	Maintained from May 14 to Oct. 14.
14715	Big Bay Harbor West Pier Light	46-49-48.031N 087-43-29.434W	FI R 4s	15	5	TR on column.	
14720	Big Bay Harbor East Pier Daybeacon	46-49-41.331N 087-43-32.034W		13		SG on column.	
14725	Stannard Rock Light	47-11-00.652N 087-13-30.454W	FI W 6s		10	Gray conical tower on cylindrical crib.	
14730	Huron Island Light	46-57-47.951N 087-59-55.445W	FI W 10s	0	12	Gray granite tower on dwelling.	
14735	Point Abbaye Shoal Buoy 6	46-57-29.892N 088-05-51.547W				Red nun.	
14740	Point Abbaye Shoal Lighted Bell Buoy 3	46-58-22.555N 088-06-15.476W	FI G 4s		5	Green.	Maintained from May 14 to Oct. 14.
14745	Huron Bay Light	46-53-28.031N 088-12-53.035W	FI W 4s	20	6	NG on skeleton tower.	
14750	Sand Point Light	46-47-00.277N 088-27-59.345W	FI W 4s	33	6	NR on skeleton tower.	
14755	L'Anse Bay Shoal Buoy 2	46-46-46.471N 088-28-04.955W				Red nun.	Maintained from May 14 to Oct. 14.
14760	L'Anse Buoy 1	46-45-33.400N 088-27-33.592W				Green can.	Maintained from May 14 to Oct. 14.
14762	L'Anse Marina Light 2	46-45-28.000N 088-27-26.000W	FI R 4s			TR on pile.	Maintained from May 1 to Nov. 1.
14763	Indian Country Sports Light	46-45-28.200N 088-27-21.300W	FI W 2.5s			Cupola atop white square tower.	
14764	Keweenaw MTU Weather Buoy 2	46-58-06.012N 088-23-48.006W	FI W 4s				Maintained from Apr.1 to Dec.15.
14765	Keweenaw Waterway Lower Entrance Light	46-58-07.896N 088-25-51.906W	FI W 6s		9	White octagonal tower on concrete pierhead.	Standby light of reduced intensity. HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
14775	Keweenaw Waterway Lighted Buoy 1	46-58-05.449N 088-25-59.803W	FI G 4s		4	Green.	
14780.1	Keweenaw Waterway Buoy 3A	46-58-47.209N 088-26-06.155W				Green can.	Maintained from May 14 to Oct. 14.
14780	Keweenaw Waterway Lighted Buoy 3	46-58-25.099N 088-26-01.465W	FI G 4s		4	Green.	
14785	Keweenaw Waterway Lighted Buoy 4	46-58-56.672N 088-26-03.682W	FI R 4s		3	Red.	Year round buoy unlighted from Nov 14 to May 14.
14790	Keweenaw Waterway Light 5	46-58-54.907N 088-26-08.706W	FI G 2.5s	14	4	SG on white pile.	

14795	Keweenaw Waterway Daybeacon 7	46-58-59.973N 088-26-10.446W		10			SG on skeleton tower.	
14800	Keweenaw Waterway Daybeacon 9	46-59-19.813N 088-26-11.621W		10			SG on skeleton tower.	
14805	Keweenaw Waterway Light 10	46-59-21.921N 088-26-01.725W	FI R 2.5s	14	4		TR on post.	
14810	Keweenaw Waterway Light 11	46-59-24.016N 088-26-09.570W	FI G 2.5s	14	4		SG on white pile.	
14815	Keweenaw Waterway Light 13	46-59-31.737N 088-26-09.918W	Q G	14	4		SG on white pile.	
14820	Keweenaw Waterway South Range Front Light	46-59-36.530N 088-26-03.496W	Q W	23	3		KRW on gray skeleton tower.	Light visible 360°.
14825	Keweenaw Waterway South Range Rear Light	46-59-24.616N 088-25-46.785W	Iso W 6s	50	5		KRW on gray skeleton tower.	Visible 1.5° each side of range line.
14830	Keweenaw Waterway Light 15	46-59-43.424N 088-26-17.144W	FI G 2.5s	14	4		SG on white pile.	
14835	Keweenaw Waterway Light 17	47-00-07.666N 088-26-51.103W	FI G 2.5s	14	4		SG on white pile.	
14840	Keweenaw Waterway Light 16	47-00-10.369N 088-26-46.919W	FI R 2.5s	14	4		TR on white pile.	
14845	Keweenaw Waterway Light 19	47-00-40.823N 088-27-37.628W	FI G 2.5s	14	4		SG on post.	
14847	Portage Lake MTU Weather Buoy 1	47-03-49.284N 088-30-04.931W	FI Y 5s					Maintained from May.1 to Oct.1.
14850	Keweenaw Waterway Light 18	47-00-43.831N 088-27-33.045W	FI R 2.5s	14	4		TR on white pile.	
14855	Keweenaw Waterway Light 20	47-01-13.645N 088-28-15.747W	Q R	14	4		TR on white pile.	
14860	Princess Point Range Front Light	47-01-17.562N 088-28-29.335W	Q W	12	7		KRW on gray skeleton tower.	Light visible 360°. Higher intensity on range line.
14865	Princess Point Range Rear Light	47-01-06.697N 088-28-24.975W	Iso W 6s	35	3		KRW on gray skeleton tower.	Visible 1.5° each side of range line.
14870	Keweenaw Waterway Light 22	47-01-34.785N 088-28-33.282W	FI R 2.5s	14	4		TR on white pile.	
14875	Keweenaw Waterway Buoy 24	47-01-50.874N 088-28-40.282W					Red nun.	Maintained from May 14 to Oct 14.
14880	Keweenaw Waterway Light 25	47-01-50.233N 088-28-46.046W	FI G 2.5s	14	4		SG on white pile.	
14885	Keweenaw Waterway Buoy 26	47-02-19.751N 088-28-51.059W					Red nun.	
14890	Keweenaw Waterway Lighted Buoy 27	47-02-18.972N 088-28-55.909W	Q G		4		Green.	Year round buoy unlighted from Nov 14 to May 14.
14895	Pike Bay Obstruction Beacons (5)	47-01-41.000N 088-31-13.000W					NW on posts worded DANGER SUBMERGED PILINGs.	
14900	Keweenaw Waterway Junction Lighted Buoy KW	47-04-19.020N 088-29-25.110W	FI (2+1)R 6s		4		Red and green bands.	Year round buoy unlighted from Nov 14 to May 14.
14905	Torch Lake Canal Buoy 1	47-05-42.549N 088-25-38.290W					Green can.	
14906	Torch Lake Canal Lighted Buoy 2	47-05-50.071N 088-25-13.985W	FI R 4s		4		Red nun.	
14907	Torch Lake Canal Buoy 3	47-06-49.031N 088-24-35.035W					Green can.	
14908	Torch Lake Canal Buoy 4	47-06-49.031N 088-24-29.035W					Red nun.	
14911	Torch Lake Canal Buoy 5	47-07-37.051N 088-24-23.005W					Green can.	
14914	Torch Lake Canal Buoy 7	47-08-01.851N 088-24-18.255W					Green can.	
14915.5	Torch Lake Canal Lighted Buoy 9	47-08-10.621N 088-24-19.075W	FI G 4s		4		Green can.	
14915	Torch Lake Canal Buoy 8	47-08-02.109N 088-24-16.690W					Red nun.	
14916	Torch Lake Canal Buoy 10	47-08-24.481N 088-24-22.695W					Red nun.	
14917	Torch Lake Canal Buoy 11	47-08-34.001N 088-24-28.455W					Green can.	
14918	Torch Lake Canal Buoy 12	47-09-00.931N 088-24-40.276W					Red nun.	
14919	Torch Lake Canal Buoy 13	47-09-00.729N 088-24-41.831W					Green can.	

14922	Torch Lake Canal Lighted Buoy 14	47-09-26.169N 088-24-53.531W	FI R 2.5s	4		Red nun.	
14923	Torch Lake Canal Buoy 15	47-09-26.231N 088-24-55.906W				Green can.	
14925	Lake Linden Harbor Buoy 1	47-10-35.784N 088-24-32.038W				Green can.	
14926	Torch Lake Southwest Arm Wreck Buoy 2	47-08-59.121N 088-27-02.656W				Red nun.	Maintained from May 14 to Oct 14.
14935	Keweenaw Waterway Buoy 30	47-05-19.780N 088-29-53.017W				Red nun.	
14937	Keweenaw Waterway Buoy 30A	47-06-05.350N 088-30-02.612W				Red nun.	Maintained from May 14 to Oct 14.
14940	Pilgrim Point Leading Light	47-06-23.993N 088-30-26.475W	FI W 4s	22	9	NB on post.	Higher intensity beam on bearing 165°.
14945	Keweenaw Waterway Lighted Buoy 31	47-06-32.445N 088-30-19.870W	Q G		3	Green.	Year round buoy unlighted from Nov 14 to May 14.
14950	Keweenaw Waterway Lighted Buoy 33	47-07-04.191N 088-31-56.418W	FI G 2.5s		4	Green can.	Maintained from May 14 to Oct 14
14955	Keweenaw Waterway Buoy 34	47-07-21.479N 088-32-47.587W				Red nun.	Maintained from May 14 to Oct 14.
14960	Keweenaw Waterway Lighted Buoy 35	47-07-17.594N 088-32-48.563W	FI G 4s		4	Green.	Year round buoy unlighted from Nov 14 to May 14.
14965	Keweenaw Waterway Buoy 36	47-07-26.794N 088-33-08.565W				Red nun.	
14970	Osceola Point Light	47-07-22.680N 088-35-39.219W	Q R	20	4	TR on post.	
14975	Atlantic Point Lighted Buoy 37	47-07-30.008N 088-36-28.160W	FI G 4s		4	Green.	Year round buoy unlighted from Nov 14 to May 14.
14980	Keweenaw Waterway Buoy 39	47-07-33.298N 088-36-59.651W				Green can.	
14985	Keweenaw Waterway Buoy 40	47-07-39.718N 088-36-58.811W				Red nun.	Maintained from May 14 to Oct 14.
14990	Keweenaw Waterway Lighted Buoy 42	47-07-49.237N 088-37-11.303W	FI R 4s		4	Red.	Year round buoy unlighted from Nov 14 to May 14.
14995	Cole Creek Light	47-07-45.434N 088-37-19.406W	FI G 2.5s	25	5	SG on post.	
15000	Keweenaw Waterway Buoy 44	47-07-58.187N 088-37-20.464W				Red nun.	Maintained from May 14 to Oct 14.
15005	Keweenaw Waterway Buoy 46	47-08-14.262N 088-37-28.217W				Red nun.	Maintained from May 14 to Oct 14.
15010	Keweenaw Waterway Buoy 48	47-09-10.538N 088-37-47.714W				Red nun.	
15015	Keweenaw Waterway Lighted Buoy 49	47-09-28.531N 088-37-58.946W	FI G 4s		3	Green.	Year round buoy unlighted from Nov 14 to May 14.
15025	Keweenaw Waterway Lighted Buoy 50	47-09-59.816N 088-38-19.967W	FI R 4s		3	Red.	Year round buoy unlighted from Nov 14 to May 14.
15030	Keweenaw Waterway Lighted Buoy 51	47-10-13.750N 088-38-28.654W	FI G 2.5s		3	Green.	Year round buoy unlighted from Nov 14 to May 14.
15035	Keweenaw Waterway Buoy 52	47-10-12.107N 088-38-20.842W				Red nun.	Maintained from May 14 to Oct 14.
15040	Rouleau Point Range Front Light	47-11-33.249N 088-37-07.901W	Q W	20	3	KRW on skeleton tower.	Light visible 360°. Also serves as a leading light for Lily Pond Lower Canal.
15045	Rouleau Point Range Rear Light	47-11-43.809N 088-36-57.671W	F W	40	3	KRW on skeleton tower.	Visible 1.5° each side of range line.
15050	Keweenaw Waterway Buoy 54	47-10-23.131N 088-38-13.496W				Red nun.	Maintained from May 14 to Oct 14.
15055	Keweenaw Waterway Buoy 55	47-10-29.268N 088-38-12.715W				Green can.	
15060	Keweenaw Waterway Buoy 56	47-10-52.351N 088-37-45.306W				Red nun.	Maintained from May 14 to Oct 14.
15065	Keweenaw Waterway Buoy 57	47-10-52.346N 088-37-50.111W				Green can.	Maintained from May 14 to Oct 14.
15070	Keweenaw Waterway Buoy 59	47-11-18.755N 088-37-24.815W				Green can.	Maintained from May 14 to Oct 14.
15075	Keweenaw Waterway Buoy 60	47-11-22.101N 088-37-17.110W				Red nun.	Maintained from May 14 to Oct 14.
15080	Keweenaw Waterway Lighted Buoy 61	47-11-28.053N 088-37-18.273W	FI G 2.5s		3	Green.	Year round buoy unlighted from Nov 14 to May 14.
15085	Lily Pond Leading Light	47-12-00.679N 088-37-05.064W	FI R 2.5s	25	6	TR on post.	

15090	Keweenaw Waterway Buoy 63	47-11-51.707N 088-37-10.629W				Green can.	Maintained from May 14 to Oct 14.
15095	Lily Pond South Light 68	47-12-30.082N 088-37-06.379W	FI R 4s	25	5	TR on post.	
15100	Lily Pond North Light 70	47-13-00.708N 088-37-09.330W	Q R	25	5	TR on post.	
15105	Keweenaw Upper Entrance East Revetment Light 72	47-13-35.766N 088-37-32.946W	FI R 4s	25	5	TR on post.	
15110	Keweenaw Upper Entrance West Revetment Light	47-13-34.026N 088-37-38.220W	FI G 4s	25	5	SG on post.	
15115	Keweenaw Upper Entrance West Breakwater Light	47-14-01.971N 088-37-56.656W	FI G 4s	32	5	SG on post.	
15120	Keweenaw Upper Entrance Light	47-14-04.351N 088-37-49.246W	FI W 15s		15	White square tower on cylindrical base.	HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Channel 83A.
15125	Keweenaw MTU Weather Buoy 1	47-16-04.001N 088-36-14.016W	FI W 4s				Maintained from Apr.1 to Dec.15.
15130	Grand Traverse Bay Harbor Light 2	47-11-18.031N 088-14-06.035W	FI (2)R 5s	29	7	TR on post.	
15135	Grand Traverse Bay Harbor Light 3	47-11-19.730N 088-14-08.033W	FI G 2.5s	27	4	SG on post.	
15140	Bete Grise Bay Shoal Buoy 1	47-21-29.707N 087-55-30.035W				Green can.	
15145	Lac La Belle South Pierhead Light	47-22-27.331N 087-57-46.035W	FI G 4s	29	7	SG on post.	
15150	Lac La Belle North Pierhead Light	47-22-31.231N 087-57-48.235W	FI R 4s	25	4	2 TR on gray pole.	
15151	Mendota Light	47-22-26.500N 087-58-00.100W	FI W 20s			Square buff-brick tower in front of dwelling with steep gable roof.	
15155	Keweenaw Point Lighted Buoy 1	47-23-46.209N 087-42-31.973W	FI G 4s		4	Green.	Maintained from May 14 to Oct. 14.
15160	Gull Rock Buoy 4	47-24-30.726N 087-40-01.882W				Red nun.	
15165	Gull Rock Light	47-25-03.032N 087-39-50.035W	FI (2)W 5s		8	White square tower on dwelling.	
15170	Manitou Light	47-25-11.332N 087-35-12.645W	FI W 10s		10	Cylindrical tower.	
15175	Copper Harbor Light	47-28-28.132N 087-51-36.935W	FI G 6s		14	On white skeleton tower near white dwelling.	
15180	Copper Harbor Entrance Lighted Bell Buoy CH	47-28-41.126N 087-51-52.206W	Mo (A) W		6	Red and white stripes.	Maintained from May 14 to Oct. 14.
15183	GLOS Copper Harbor Weather Buoy 1	47-28-36.480N 087-52-13.440W	FI Y 2.5s				Maintained from Apr.1 to Nov.1.
15185	Copper Harbor Range Front Light	47-28-07.424N 087-51-59.285W	Q W	20	3	KWR on red small house with tower.	Visible 14° each side of range line.
15190	Copper Harbor Range Rear Light	47-28-03.424N 087-52-00.376W	F W	35	3	KWR on white tapered skeleton tower.	Visible 14° each side of range line.
15191	Copper Harbor Crib Buoy	47-28-12.000N 087-53-03.000W				White with orange bands and orange diamond.	Maintained from May 15 to Oct. 15.
15192	Copper Harbor Shoal Buoy	47-28-17.000N 087-53-42.000W				White with orange bands and orange diamond.	Maintained from May 15 to Oct. 15.
15195	Eagle Harbor Light	47-27-35.161N 088-09-32.735W	AI WR 20s		23	White octagonal tower on red dwelling.	Obscured 150° to 330°.
15205	Eagle Harbor Shoal Lighted Bell Buoy 1	47-27-50.109N 088-09-30.275W	FI G 4s		5	Green.	Maintained from May 14 to Oct. 14.
15210	Eagle Harbor Range Front Light	47-27-18.480N 088-09-05.286W	Q G	20	3	KRW on post.	Visible 4° each side of range line.
15215	Eagle Harbor Range Rear Light	47-27-09.488N 088-08-57.547W	Iso G 6s	30	3	KRW on gray tower.	Visible 4° each side of range line.
15220	Ontonagon Harbor East Breakwater Light	46-52-47.071N 089-19-47.822W	Iso G 6s		6	SG on pile.	
15220.1	Ontonagon Harbor East Breakwater VAIS 1	46-52-47.071N 089-19-47.822W					MMSI: 993682620
15225	Ontonagon Harbor West Breakwater Light	46-52-46.111N 089-19-51.076W	FI R 4s		8	White skeleton tower with upper part enclosed.	HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Operates by keying microphone five times on VHF-FM Ch. 83A.
15228	MTU Ontonagon Weather Wave Buoy 1	46-55-55.199N 089-20-58.374W	FI Y 2.5s				Maintained from May.1 to Dec.1.
15230	Black River East Breakwater Light 1	46-40-08.712N 090-02-56.299W	FI G 4s		8	SG on post.	
15235	Black River West Breakwater Lighted Buoy 2	46-40-06.446N 090-02-56.068W	FI R 4s	8	3		Lighted Buoy replaced Light on BKW. Maintained from May 28 to Oct. 14.

15240	Black River Buoy 3	46-40-06.165N 090-02-54.180W			Green can.	Maintained from May 21 to Oct. 21.
15245	Saxon Harbor East Breakwater Light	46-33-49.200N 090-26-16.557W	FI G 6s	7	SG on post.	
15250	Saxon Harbor West Breakwater Light	46-33-47.100N 090-26-17.107W	FI R 6s	7	TR on white column.	
15253	UMN Bark PT Meteorological Buoy 1	46-53-54.000N 091-08-42.000W	FI Y 4s			Maintained from May.1 to Oct.31.
15255	Outer Island Light	47-04-35.530N 090-25-00.148W	FI W 10s	12	White conical tower with dwelling attached.	
15256	WISC Apostle Island MSC Wave Buoy 1	46-54-31.979N 091-02-12.059W	FI Y 4s			
15258	Stockton Island Wave Buoy 1	46-57-15.000N 090-30-16.000W	FI Y 2s			Maintained from May.1 to Nov.15.
15260	Gull Island Light	46-54-24.030N 090-26-36.037W	FI W 2.5s	5		
15265	Stockton Island Harbor East Entrance Light	46-54-50.000N 090-33-05.500W	FI G 2.5s		SG on post.	
15270	Stockton Island Harbor West Entrance Light	46-54-48.000N 090-33-07.000W	FI R 2.5s		TR on post.	
15273	WISC Apostle Island Presque ISD PT Wave Buoy 4	46-54-17.856N 090-32-36.024W	FI Y 4s			
15275	Michigan Island Light	46-52-17.184N 090-29-49.583W	FI W 6s	11	White cylindrical tower.	
15280	La Pointe Light	46-43-43.389N 090-47-05.735W	Iso G 6s	10	White cylindrical tower.	
15290	Madeline Island Lighted Buoy 4	46-44-57.985N 090-48-01.054W	FI R 4s	4	Red.	Nun; winter marker. Maintained from May 21 to Nov. 21.
15293	WISC Apostle Island Long ISD PT Wave Buoy 5	46-43-57.000N 090-48-45.000W	FI Y 4s			
15295	Chequamegon Point Light	46-43-42.580N 090-48-33.418W	FI G 4s	7	White cylindrical tower.	
15296	Chequamegon Point Lighted Buoy 5	46-43-46.075N 090-48-50.080W	FI G 4s	7	Green	Replaced by can from Nov. 21 to May 21.
15300	Houghton Point Lighted Buoy 6	46-41-48.406N 090-50-45.217W	FI R 4s	4	Red.	Maintained from May 21 to Nov. 21.
15305	Chequamegon Bay Lighted Buoy 1	46-39-54.885N 090-51-33.558W	FI G 4s	4	Green.	Maintained from May 21 to Nov. 21.
15310	Ashland Harbor Breakwater Light	46-37-41.508N 090-52-14.238W	FI W 6s	9	White octagonal pyramidal tower.	
15315	Ashland Harbor Breakwater South Light	46-37-03.923N 090-50-32.924W	FI R 4s	5	White pile.	
15390	Ashland Ore Dock Light	46-36-10.660N 090-52-56.880W	Q Y		Diamond daymark on a pile.	
15395	Northern Power Light 1	46-35-48.050N 090-53-13.110W	FI Y 4s			
15395.1	Northern Power Light 2	46-35-45.510N 090-53-14.980W	FI Y 4s			
15395.2	Northern Power Light 3	46-35-51.670N 090-53-02.340W	FI Y 4s			
15400	Reiss Coal Co. Dock Buoy 2	46-35-39.500N 090-53-50.000W			Red spar.	Maintained from Apr. 1 to Dec. 1.
15404	Ashland Marina South Breakwater Light	46-35-34.195N 090-53-16.770W	FI W 2.5s		NW on post worded DANGER.	Maintained from May 1 to Nov. 1.
15405	Ashland Marina Light 1	46-35-39.800N 090-53-18.000W	FI G 2.5s		SG on post.	Maintained from May 1 to Nov. 1.
15406	Ashland Marina Light 2	46-35-41.198N 090-53-23.550W	FI R 2.5s		TR on post.	Maintained from May 1 to Nov. 1.
15410	Ashland Marina Breakwater Light	46-35-43.100N 090-53-19.500W	Q W		NW on post worded DANGER.	Maintained from May 1 to Nov. 1.
15420	Washburn Harbor South Breakwater Light 2	46-40-01.800N 090-53-17.000W	FI R 4s		TR on post.	Maintained from Apr. 1 to Dec. 1.
15425	Washburn Harbor North Breakwater Light 1	46-40-02.900N 090-53-16.900W	FI G 4s		SG on post.	Maintained from Apr. 1 to Dec. 1.
15430	Sixth Avenue Breakwall Light	46-39-57.000N 090-54-19.000W	F Y		On post.	Maintained from Apr. 1 to Dec. 1.
15440	Madeline Island Marina Entrance South Light	46-46-20.800N 090-47-01.400W	FI R 4s		TR on white metal frame.	Maintained from May 1 to Nov. 1.
15445	Madeline Island Marina Entrance North Light	46-46-21.500N 090-46-58.600W	FI W 4s		Green square daymark on white metal frame.	Maintained from May 1 to Nov. 1.

15450	Lapointe Harbor Detached Breakwater West Light	46-46-40.000N 090-47-23.800W	Q W		On post.	
15455	Lapointe Harbor Detached Breakwater East Light	46-46-40.200N 090-47-20.100W	Q W		On post.	
15460	Madeline Island Breakwater Light	46-46-43.180N 090-47-20.888W	FI G 4s	6	SG on pole.	
15470	Port Superior Marina Buoy 2	46-47-20.600N 090-50-59.000W			Red.	
15475	Port Superior Marina Buoy 4	46-47-20.700N 090-51-00.300W			Red.	
15480	Port Superior Marina Buoy 5	46-47-19.800N 090-51-02.600W			Green.	
15485	Port Superior Marina Buoy 6	46-47-20.600N 090-51-02.200W			Red.	
15490	Port Superior Marina Light 7	46-47-19.600N 090-51-03.900W	FI G 4s		On pile.	
15495	Port Superior Marina Light 8	46-47-20.200N 090-51-05.700W	FI R 4s		On pile.	
15500	Bayfield Ruins Buoy 1	46-48-08.590N 090-49-26.038W			Green can.	Maintained from May 21 to Oct. 21.
15505	Mattson Light	46-48-22.400N 090-49-14.300W	FI R 2.5s		Diamond daymark on pile.	Maintained from May 1 to Nov. 1.
15510	Bayfield Harbor South Breakwater Light	46-48-34.650N 090-48-41.088W	FI G 4s	7	SG on post.	HORN: 1 blast ev 15s (2s bl). Operates by keying the microphone five times on VHF-FM channel 83A.
15520	Bayfield Harbor North Breakwater Light	46-48-36.010N 090-48-39.368W	FI R 4s	6	TR on white column.	
15525	Bayfield Municipal Breakwater Light	46-48-41.300N 090-48-41.000W	Iso G 6s		On pile.	Maintained from Apr. 15 to Dec. 15.
15527	Bayfield Ferry Landing Breakwall Light 2	46-48-43.140N 090-48-38.940W	FI R 4s		TR on post.	Maintained from Apr. 15 to Nov. 15.
15530	Red Cliff Breakwater Light	46-50-10.000N 090-47-16.000W	FI R 4s		On pile.	Maintained from May 1 to Nov. 1.
15545	Red Cliff Point Lighted Buoy 4	46-53-40.530N 090-44-47.538W	FI R 4s	4	Red.	Maintained from May 21 to Oct. 14.
15550	Little Manitou Island Light	46-57-42.380N 090-41-10.898W	FI G 4s	6	SG on skeleton tower.	
15555	Raspberry Island Light	46-58-13.230N 090-48-17.508W	FI W 2.5s	7		
15560	Marina Shoal Buoy 3	46-58-10.634N 090-48-33.870W			Green can.	
15565	Devils Island Light	47-04-46.318N 090-43-41.168W	FI R 10s	11	Cylindrical tower.	
15566	WISC Apostle Island DI Wave Buoy 3	46-05-01.201N 090-43-33.960W	FI Y 4s			
15570	York Island Shoals Lighted Bell Buoy 1	47-01-35.172N 090-51-22.615W	FI G 4s	4	Green.	Maintained from May 21 to Oct. 14.
15573	Sand Island Wave Buoy 1	47-01-19.704N 090-54-24.372W	Q Y			Maintained from May.1 to Nov.15.
15574	Sand Island Wave Buoy 2	46-57-14.022N 090-54-40.680W	Q Y			Maintained from May.1 to Nov.15.
15575	Sand Island Buoy 2	47-00-51.492N 090-54-17.608W			Red nun.	Maintained from May 21 to Oct. 14.
15580	Sand Island Light	47-00-11.940N 090-56-14.758W	FI W 6s	9	Red tower on dwelling.	
15581	Little Sand Bay Harbor East Light 1	46-56-47.840N 090-53-31.080W	FI G 2.5s		On post.	
15582	Little Sand Bay Harbor West Light 2	46-56-47.220N 090-53-32.880W	FI R 2.5s		On post.	
15583	WISC Apostle Island LSB Wave Buoy 2	46-57-18.000N 090-54-45.961W	FI Y 4s			
15584	Cornucopia West Entrance Buoy 2	46-51-34.140N 091-06-16.260W			Red nun.	Maintained from May 1 to Oct. 15.
15585	Cornucopia East Pier Light	46-51-34.998N 091-06-17.232W	FI G 2.5s	9	SG on post.	
15590	Port Wing East Pier Light	46-47-34.608N 091-23-10.740W	FI G 4s	5	SG on post.	
15595	Superior Entry South Breakwater Light	46-42-36.769N 092-00-22.259W	FI G 5s	15	White cylindrical tower on fog signal building.	HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM C. 83A.
15600	Superior Entry North Breakwater Light 2	46-42-41.507N 092-00-30.039W	Q R	5	TR on post.	

15605	Superior Entry Inner North Pierhead Light 2A	46-42-30.949N 092-00-49.239W	Iso R 6s	7		TR on post.	
15610	Superior Entry Inner South Pierhead Light 1	46-42-26.799N 092-00-45.029W	Iso G 6s	5		SG on post.	
15615	Superior Harbor Basin Light 1A	46-42-15.869N 092-01-01.419W	FI G 2.5s	4		SG on post.	
15620	Duluth LSNE Water Quality Buoy 1	46-42-21.090N 091-59-05.000W	FI Y 4s				Maintained from Apr.22 to Oct.31.
15630	Allouez Bay Entrance Buoy 1	46-42-12.862N 092-01-03.953W				Green can.	
15635	Allouez Bay Channel Buoy 2	46-42-06.712N 092-01-13.223W				Red nun.	
15640	Allouez Bay Lighted Buoy 3	46-42-06.535N 092-01-01.840W	FI G 4s	4		Green.	Replaced by can from Nov 14 to Apr. 28.
15645	Allouez Bay Channel Buoy 4	46-41-57.532N 092-00-54.043W				Red nun.	
15650	Allouez Bay Channel Buoy 5	46-41-59.322N 092-00-48.323W				Green can.	
15660	Superior Harbor Basin Anchorage Buoy A	46-42-34.633N 092-01-43.519W				Yellow nun.	
15665	Superior Harbor Basin Anchorage Buoy B	46-42-58.610N 092-02-20.480W				Yellow nun.	
15670	Superior Harbor Basin Buoy 1	46-42-17.814N 092-01-36.334W				Green can.	
15675	Superior Harbor Basin Buoy 3	46-42-19.642N 092-01-48.163W				Green can.	
15680	Superior Harbor Basin Lighted Buoy 4	46-42-30.242N 092-01-55.423W	FI R 4s	4		Red.	Maintained from Apr. 28 to Dec. 01.
15685	Superior Harbor Basin Buoy 5	46-42-29.832N 092-02-15.703W				Green can.	
15690	Superior Front Channel Range Front Light	46-42-25.621N 092-02-07.490W	Q G	30	15	KRW on skeleton tower.	Visible 1.5° each side of range line.
15695	Superior Front Channel Range Front Passing Light	46-42-25.809N 092-02-06.789W	FI G 4s	5		On range front light structure.	Visible from 150° to 270°.
15700	Superior Front Channel Range Rear Light	46-42-19.336N 092-01-58.520W	Oc G 4s	60	15	KRW on skeleton tower.	Visible 1.5° each side of range line.
15705	Superior Front Channel Lighted Buoy 2	46-42-51.421N 092-02-36.649W	Q R	4		Red.	Year round lighted buoy.
15710	Barkers Island Marina Lighted Buoy 1	46-42-50.000N 092-02-49.000W	FI G 2s			Green.	
15715	Barkers Island Marina Lighted Buoy 2	46-42-50.600N 092-02-49.900W	FI R 2s			Red.	
15720	Barkers Island Marina Buoy 3	46-42-48.300N 092-02-51.500W				Green can.	
15725	Barkers Island Marina Buoy 4	46-42-48.900N 092-02-52.400W				Red nun.	
15730	Barkers Island Marina Buoy 5	46-42-46.100N 092-02-55.700W				Green can.	
15735	Barkers Island Marina Buoy 6	46-42-46.400N 092-02-56.300W				Red nun.	
15740	Barkers Island Marina Buoy 7	46-42-45.100N 092-03-00.900W				Green can.	
15745	Barkers Island Marina Buoy 8	46-42-46.100N 092-03-01.000W				Red nun.	
15746	Barkers Island Marina Buoy 9	46-42-45.600N 092-03-08.200W				Green can.	
15747	Barkers Island Marina Buoy 10	46-42-46.600N 092-03-06.600W				Red nun.	
15750	Superior Front Channel Lighted Buoy 1	46-42-47.317N 092-02-42.291W				Green	Maintained from April 28 to December 1.
15755	Superior Front Channel Buoy 3	46-42-58.373N 092-02-58.074W				Green can.	
15760	Superior Front Channel Buoy 4	46-43-02.138N 092-02-51.859W				Red nun.	
15765	Superior Front Channel Lighted Buoy 5	46-43-10.103N 092-03-14.534W	FI G 2.5s	4		Green	Maintained from April 28 to December 1.
15770	Superior Front Channel Lighted Buoy 6	46-43-13.962N 092-03-08.649W	FI R 4s	3		Red.	Maintained from Apr. 28 to Dec. 1.
15775	Superior Front Channel Buoy 7	46-43-22.643N 092-03-32.524W				Green can.	

15780	Superior Front Channel Buoy 8	46-43-26.683N 092-03-26.174W				Red nun.	
15785	Superior Front Channel Lighted Buoy 9	46-43-35.243N 092-03-50.724W	FI G 6s	4	Green	Maintained from April 28 to December 1.	
15790	Superior Front Channel Lighted Buoy 10	46-43-39.073N 092-03-44.568W	FI R 4s	3	Red.	Maintained from Apr. 28 to Dec. 1.	
15795	Superior Front Channel Buoy 12	46-43-50.647N 092-04-01.286W				Red nun.	
15800	Superior Front Channel Buoy 13	46-43-49.813N 092-04-11.924W				Green can.	
15805	Superior Front Channel Lighted Buoy 14	46-44-03.134N 092-04-18.808W	FI R 4s	3	Red.	Maintained from Apr. 28 to Dec. 01.	
15810	Superior Front Channel Buoy 15	46-44-04.263N 092-04-32.224W				Green can.	
15815	Superior Front Channel Buoy 16	46-44-15.404N 092-04-36.313W				Red nun.	
15820	Superior Front Channel Lighted Buoy 18	46-44-30.813N 092-04-57.694W	FI R 4s	3	Red.	Replaced by nun from Dec. 1 to Apr. 28.	
15825	Superior Front Channel Lighted Buoy 19	46-44-32.064N 092-05-11.324W	FI G 4s	4	Green.	Year round lighted buoy.	
15830	East Gate Basin Buoy 20	46-44-37.969N 092-05-02.779W				Red nun.	
15840	Duluth Harbor Breakwater Isolated Danger Buoy	46-47-14.441N 092-05-22.642W				Black and Red Can	Maintained from Apr. 21 to Oct. 14.
15845	Duluth Harbor South Breakwater Outer Light	46-46-48.489N 092-05-15.059W	F G	16	White tower on fog signal building.	HORN: 2 bl ev 60s (3s bl-3s si-3s bl-51s si). Fog signal operates by keying the microphone five times on VHF-FM Channel 83A.	
15855	Duluth Harbor North Pier Light	46-46-51.569N 092-05-17.069W	Iso R 6s	12	White cylindrical tower with black top and base.		
15860	Duluth Harbor South Breakwater Inner Light	46-46-43.609N 092-05-30.569W	FI W 5s	16	Black cylindrical tower with white lantern room.	Light obscured from 270° through 325°.	
15865	Duluth Harbor Basin Buoy 1	46-46-34.072N 092-05-39.682W				Green can.	
15870	Duluth Harbor Basin Traffic V-AIS	46-46-29.602N 092-05-59.403W					AIS MMSI 993672226
15875	Duluth Harbor Basin Lighted Buoy 2	46-46-22.273N 092-06-11.593W	FI R 4s	4	Red.	Year round lighted buoy.	
15880	Duluth Harbor Basin Lighted Buoy 3	46-46-24.642N 092-05-43.142W	FI G 4s	4	Green.	Year round lighted buoy.	
15885	Harbor Cove Marina Light 1	46-46-21.000N 092-05-36.000W	F G			On post.	
15890	Harbor Cove Marina Light 2	46-46-20.000N 092-05-34.000W	F R			On post.	
15895	Harbor Cove Marina Light 3	46-46-21.000N 092-05-35.000W	F G			On post.	
15900	Harbor Cove Marina Light 4	46-46-20.000N 092-05-35.000W	F R			On post.	
15905	Duluth Harbor Basin Lighted Buoy 5	46-46-03.643N 092-05-50.633W	FI G 4s	4	Green.	Year round lighted buoy.	
15910	Duluth Harbor Basin Anchorage Buoy A	46-46-12.242N 092-05-34.653W				Yellow can.	
15915	Duluth Harbor Basin Anchorage Buoy B	46-45-59.409N 092-05-25.863W				Yellow can.	
15920	Duluth Harbor Basin Anchorage Buoy C	46-45-46.633N 092-05-17.253W				Yellow can.	
15925	Duluth Harbor Basin Lighted Buoy 7	46-45-28.113N 092-05-24.733W	FI G 4s	4	Green.	Year round lighted buoy.	
15930	Duluth Marine Terminal East Light	46-45-16.000N 092-05-38.000W	F R			On white pile.	Maintained from Apr. 15 to close of navigation.
15935	Duluth Marine Terminal South Light	46-45-12.000N 092-05-40.000W	F R			On white pile.	Maintained from Apr. 15 to close of navigation.
15940	Rices Point Lighted Buoy 9	46-45-13.313N 092-05-18.724W	Q G	4	Green.	Year round lighted buoy.	
15945	Interstate Fishing Pier East Light	46-45-00.350N 092-05-59.800W	F R			On pile.	Maintained from Mar. 15 to Jan. 15.
15950	Interstate Fishing Pier West Light	46-45-00.150N 092-06-01.250W	F R			On pile.	Maintained from Mar. 15 to Jan. 15.
15955	East Gate Basin Buoy 11	46-44-57.915N 092-05-12.905W				Green can.	
15960	Rices Point Boatlip Buoy 1	46-45-02.000N 092-06-04.000W				Green can.	

15965	Rices Point Boatslip Buoy 2	46-45-02.000N 092-06-03.000W					Red nun.	
15970	Rices Point Boatslip Buoy 3	46-45-03.000N 092-06-04.500W					Green can.	
15975	Rices Point Boatslip Buoy 4	46-45-03.000N 092-06-04.200W					Red nun.	
15980	Rices Point Boatslip Buoy 5	46-45-04.000N 092-06-02.500W					Green can.	
15985	Rices Point Boatslip Buoy 6	46-45-04.000N 092-06-02.500W					Red nun.	
15995	Hearding Island Channel Entrance Buoy 1	46-45-45.700N 092-05-13.800W					Green can.	
16000	Hearding Island Channel Entrance Buoy 2	46-45-44.400N 092-05-08.300W					Red nun.	
16005	Hearding Island Channel Entrance Buoy 4	46-45-44.800N 092-05-11.100W					Red nun.	
16010	Hearding Island Channel Entrance Buoy 6	46-45-44.500N 092-05-12.800W					Red nun.	
16015	St. Louis Bay North Channel Range Front Light (Eastern Section)	46-44-09.179N 092-08-40.701W	Q R	30	3	KRW on skeleton tower.	Visible 1.5° each side of range line.	
16020	St. Louis Bay North Channel Range Rear Light (Eastern Section)	46-44-03.663N 092-08-49.113W	Iso R 6s	50		KRW on skeleton tower.	Visible 1.5° each side of range line. On same structure as St. Louis Bay South Channel Range Rear Light (LLNR 16125).	
16023	St. Louis Bay North Channel (Western Section) Buoy 1	46-44-48.029N 092-06-13.439W					Green can.	
16025	St. Louis Bay North Channel (Western Section) Buoy 2	46-44-39.365N 092-07-59.166W					Red nun.	
16030	St. Louis Bay North Channel (Western Section) Lighted Buoy 3	46-44-35.575N 092-07-56.476W	Q G		4	Green.	Replaced by can from Dec. 1 to Apr. 21.	
16035	St. Louis Bay North Channel (Western Section) Buoy 4	46-44-30.197N 092-08-12.271W					Red nun.	
16040	St. Louis Bay North Channel (Western Section) Buoy 5	46-44-26.755N 092-08-10.176W					Green can.	
16045	St. Louis Bay North Channel (Western Section) Buoy 6	46-44-20.682N 092-08-26.196W					Red nun.	
16050	St. Louis Bay North Channel (Western Section) Buoy 7	46-44-18.186N 092-08-23.246W					Green can.	
16055	St. Louis Bay Junction Lighted Buoy	46-44-14.616N 092-08-26.426W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun from Dec. 1 to Apr. 21.	
16060	Howards Bay Buoy 2	46-44-38.314N 092-06-08.565W					Red nun.	
16065	St. Louis Bay South Channel (Eastern Section) Buoy 2	46-44-54.467N 092-06-18.775W					Red nun.	
16070	St. Louis Bay South Channel (Eastern Section) Lighted Buoy 2A	46-44-48.531N 092-06-28.671W	FI R 4s		4	Red.	Replaced by nun from Dec. 1 to Apr. 21.	
16075	St. Louis Bay South Channel (Eastern Section) Buoy 3	46-44-41.362N 092-06-32.556W					Green can.	
16080	St. Louis Bay South Channel (Eastern Section) Buoy 4	46-44-44.715N 092-06-46.925W					Red nun.	
16085	St. Louis Bay South Channel (Eastern Section) Buoy 5	46-44-32.279N 092-07-03.003W					Green can.	
16090	St. Louis Bay Cross Channel Lighted Buoy 2	46-44-40.592N 092-07-06.010W	Q R		4	Red.	Replaced by nun from Dec. 1 to Apr. 21.	
16095	St. Louis Bay Cross Channel Lighted Buoy 1	46-44-34.941N 092-07-38.680W	FI G 4s		4	Green.	Replaced by can from Dec. 1 to Apr. 21.	
16105	St. Louis Bay Cross Channel Lighted Buoy 6	46-44-45.015N 092-07-23.725W	FI R 4s		4	Red.	Replaced by nun from Dec. 1 to Apr. 21.	
16115	St. Louis Bay Cross Channel Buoy 8	46-44-48.825N 092-07-28.345W					Red nun.	
16120	St. Louis Bay South Channel (Western Section) Range Front Light	46-44-06.132N 092-08-40.744W	Q R	30		KRW on skeleton tower.	Visible all around.	
16125	St. Louis Bay South Channel (Western Section) Range Rear Light	46-44-03.636N 092-08-49.085W	Iso R 6s	50		KRW on skeleton tower.	Visible 1.5° each side of range line. On the same structure as St. Louis Bay North Range Rear Light (LLNR 16020)	
16130	St. Louis Bay South Channel (Western Section) Buoy 6	46-44-28.565N 092-07-30.584W					Red nun.	
16135	St. Louis Bay South Channel (Western Section) Buoy 7	46-44-25.375N 092-07-30.016W					Green can.	
16140	St. Louis Bay South Channel (Western Section) Buoy 8	46-44-24.663N 092-07-44.341W					Red nun.	

16145	St. Louis Bay South Channel (Western Section) Lighted Buoy 9	46-44-21.085N 092-07-44.516W	FI G 4s	4	Green.	Maintained from Apr. 21 to Dec. 1.
16150	St. Louis Bay South Channel (Western Section) Buoy 10	46-44-19.805N 092-08-02.606W			Red nun.	
16155	St. Louis Bay South Channel (Western Section) Buoy 11	46-44-14.985N 092-08-05.006W			Green can.	
16160	St. Louis Bay South Channel (Western Section) Buoy 12	46-44-14.786N 092-08-20.066W			Red nun.	
16165	St. Louis Bay South Channel (Western Section) Lighted Buoy 13	46-44-07.246N 092-08-25.356W	Q G	3	Green.	Maintained from Apr. 21 to Dec. 1.
16175	St. Louis River Upper Channel Entrance Buoy 1	46-44-00.536N 092-08-31.357W			Green can.	
16180	St. Louis River Upper Channel Lighted Buoy 4	46-43-21.913N 092-08-39.828W	Q R	4	Red.	Replaced by nun from Dec. 1 to Apr. 21.
16185	St. Louis River Upper Channel Buoy 5	46-43-24.436N 092-08-30.371W			Green can.	
16190	St. Louis River Upper Channel Buoy 5A	46-43-17.326N 092-08-31.907W			Green can.	
16195	Minnesota Channel (Eastern Section) Range Front Light	46-43-12.128N 092-08-36.821W	FI G 4s	7	7	KRW on triangular tower. Visible all around.
16200	Minnesota Channel (Eastern Section) Range Rear Light	46-43-13.208N 092-08-22.576W	F G	20	8	KRW on white cylindrical tower. Visible 1.5° each side of range line.
16205	Minnesota Channel (Eastern Section) Lighted Buoy 6	46-43-12.616N 092-08-50.727W	FI R 2.5s	3	Red.	Replaced by nun from Nov 14 to Apr. 28.
16210	Minnesota Channel (Eastern Section) Lighted Buoy 7	46-43-08.882N 092-08-49.560W	Q G	4	Green.	Replaced by can Nov 14 from to Apr. 28.
16215	Minnesota Channel (Eastern Section) Buoy 8	46-43-11.234N 092-09-04.588W			Red nun.	
16220	Minnesota Channel (Eastern Section) Lighted Buoy 9	46-43-04.916N 092-09-10.268W	FI G 4s	4	Green.	Replaced by can from Nov 14 to Apr. 28.
16225	Minnesota Channel (Eastern Section) Lighted Buoy 10	46-43-10.181N 092-09-15.399W	FI R 4s	3	Red.	Replaced by nun from Nov 14 to Apr. 28.
16230	Minnesota Channel (Eastern Section) Buoy 13	46-43-03.026N 092-09-35.418W			Green can.	
16235	Minnesota Channel (Eastern Section) Lighted Buoy 14	46-43-07.724N 092-09-50.739W	FI R 4s	4	Red.	Maintained from Apr. 28 to Nov 14
16240	Minnesota Channel (Eastern Section) Lighted Buoy 15	46-43-01.237N 092-09-59.018W	FI G 4s	4	Green.	Maintained from Apr. 28 to Nov 14
16245	Minnesota Channel (Eastern Section) Buoy 16	46-43-06.917N 092-10-04.138W			Red nun.	
16250	Minnesota Channel (Eastern Section) Lighted Buoy 19	46-43-03.374N 092-10-13.850W	FI G 2.5s	4	Green.	Maintained from Apr. 28 to Nov 14
16255	Minnesota Channel (Western Section) Buoy 20	46-43-06.029N 092-10-15.039W			Red Nun.	Maintained from Apr 28 to Oct 21.
16260	Minnesota Channel (Western Section) Buoy 21	46-43-00.449N 092-10-53.439W			Green can.	Maintained from Apr 28 to Oct 21.
16265	Minnesota Channel (Western Section) Lighted Buoy 22	46-43-02.429N 092-10-53.499W	FI R 4s	3	Red.	Maintained from Apr 28 to Oct 21.
16270	Minnesota Channel (Western Section) Buoy 23	46-42-52.939N 092-11-20.118W			Green can.	Maintained from Apr 28 to Oct 21.
16275	Minnesota Channel (Western Section) Buoy 24	46-42-53.909N 092-11-21.339W			Red nun.	Maintained from Apr 28 to Oct 21.
16280	Minnesota Channel (Western Section) Lighted Buoy 26	46-42-43.829N 092-11-39.579W	FI R 4s	3	Red.	Maintained from Apr 28 to Oct 21.
16285	Minnesota Channel (Western Section) Buoy 27	46-42-43.349N 092-11-37.119W			Green can.	Maintained from Apr 28 to Oct 21.
16290	Minnesota Channel (Western Section) Buoy 28	46-42-35.129N 092-11-49.479W			Red nun.	Maintained from Apr 28 to Oct 21.
16295	Minnesota Channel (Western Section) Buoy 29	46-42-33.449N 092-11-47.019W			Green can.	Maintained from Apr 28 to Oct 21.
16297	Minnesota Channel (Western Section) Lighted Buoy 30	46-42-17.748N 092-12-01.269W	FI R 4s	4	Red nun.	Maintained from Apr 28 to Oct 21.
16300	Minnesota Channel (Western Section) Buoy 31	46-42-15.029N 092-11-58.659W			Green can.	Maintained from Apr 28 to Oct 21.
16305	Minnesota Channel (Western Section) Buoy 32	46-42-00.149N 092-12-03.579W			Red nun.	Maintained from Apr 28 to Oct 21.
16308	Minnesota Channel (Western Section) Buoy 33	46-41-51.518N 092-11-56.962W			Green can.	Maintained from Apr 28 to Oct 21.
16310	Minnesota Channel (Western Section) Buoy 31A	46-41-59.489N 092-11-59.919W			Green can.	Maintained from Apr 28 to Oct 21.

16315	Minnesota Channel (Western Section) Buoy 34	46-41-50.789N 092-12-00.279W			Red nun.	Maintained from Apr 28 to Oct 21.
16320	Minnesota Channel (Western Section) Buoy 35	46-41-46.229N 092-11-48.399W			Green can.	Maintained from Apr 28 to Oct 21.
16322	Minnesota Channel (Western Section) Buoy 36	46-41-45.329N 092-11-48.579W			Red nun.	Maintained from Apr 28 to Oct 21.
16323	St. Louis River Danger Buoy	46-41-44.010N 092-11-33.495W			White can with orange bands and diamonds.	Maintained from Apr 28 to Oct 21.
16491	Mcquade Road Small Craft Harbor Light	46-52-49.269N 091-55-12.904W	FI R 4s		On single pole.	Maintained from Apr. 1 to Dec. 31.
16492	Mcquade Road Small Craft Harbor Day Beacon	46-52-48.022N 091-55-11.412W				Maintained from Apr. 1 to Dec. 31.
16494	UMinn Research Bouy	46-51-54.000N 091-55-36.000W	FI Y 4s	3		
16494.5	UMinn Research 2	46-48-42.000N 091-50-06.000W	FI Y 2s			Maintained from May 1 to Nov. 1.
16495	Knife River Harbor Entrance Light	46-56-38.030N 091-46-42.039W	FI G 4s	5	SG on pile.	
16500	Two Harbors Light	47-00-50.330N 091-39-48.520W	FI (2)W 5s	10	Square tower on dwelling.	Light obscured from 065° to 210°.
16505	Two Harbors East Breakwater Light	47-00-38.220N 091-40-10.139W	FI R 6s	9	Square pyramidal skeleton tower with upper part enclosed.	Standby light shows FI R 5s of reduced intensity. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Channel 83A.
16515	Two Harbors West Breakwater Light	47-00-42.460N 091-40-29.469W	FI G 4s	4	SG on post.	
16520	Duluth Missabe & Iron Range Railway Co. Ore Dock No. 6 Light	47-00-55.000N 091-40-30.000W	F R		On pile.	
16525	Agate Bay Buoy 2	47-00-46.861N 091-40-01.006W			Red nun.	
16530	Agate Bay Buoy 4	47-00-54.039N 091-39-59.375W			Red nun.	
16535	Agate Bay Buoy 6	47-00-57.801N 091-40-12.595W			Red nun.	
16536	Twin Points Protected Access Light	47-09-54.65 N 091-25-30.250W	F R		On galvanized pipe.	Maintained from May 1 to Nov. 1.
16540	NOAA Lighted Weather Buoy 45006	47-20-05.667N 089-47-34.261W	FI (4)Y 20s		Yellow disc-shaped hull with tripod mast.	Maintained from Apr. 1 to Nov. 1.
16545	Pellet Island Light	47-16-10.500N 091-16-03.000W	FI G 10s			Maintained from Apr. 15 to Dec. 1.
16550	Silver Bay Lighted Buoy 1	47-16-22.500N 091-15-55.000W	FI G 4s		Green.	
16555	Silver Bay Lighted Buoy 2	47-16-39.300N 091-15-41.000W	FI R 4s		Red.	
16560	Silver Bay Lighted Buoy 3	47-16-29.200N 091-16-10.100W	FI G 4s		Green.	
16565	Silver Bay Buoy 4	47-17-45.000N 091-15-47.500W			Red nun.	
16570	Beaver Isand Light	47-16-48.300N 091-15-29.000W	FI R 10s		Tower.	HORN: 1 blast ev 30s (3s bl).
16575	Silver Bay Leading Light	47-16-45.000N 091-15-58.400W	FI G 4s		On black post.	
16580	Silver Bay Light	47-17-11.300N 091-15-37.500W	FI W 30s		On top of boiler house.	
16585	Taconite Harbor West Entrance Lighted Buoy 1	47-31-11.800N 090-55-27.500W	FI G 4s		Green.	
16590	Taconite Harbor West Entrance Lighted Buoy 2	47-31-08.700N 090-55-21.300W	FI R 4s		Red.	
16595	Taconite Harbor Range Front Light	47-31-32.600N 090-55-06.900W	F G		On tower.	Visible 2° each side of centerline of channel.
16600	Taconite Harbor Range Rear Light	47-31-47.300N 090-54-55.000W	F G		On tower.	Visible 2° each side of center- line of channel.
16604	Taconite Harbor Harbor Of Refuge South Breakwater Light	47-31-17.099N 090-55-27.980W	Iso W 4s		NW on tower worded CAUTION.	Ra ref.
16605	Taconite Harbor Harbor Of Refuge Breakwater Light 3	47-31-15.900N 090-55-24.710W	FI G 4s		SG on tower.	Ra ref.
16606	Taconite Harbor Harbor Of Refuge Inner Light	47-31-17.030N 090-55-24.950W	Q R		TR on tower.	Visible from 284° to 336°.
16610	Taconite Harbor Westentrance Light 4	47-31-13.000N 090-55-16.000W	FI R 4s		On tower.	
16612	University Of Minnesota Research Lighted Buoy	46-51-36.000N 091-55-18.000W	FI Y 4s		Meteorological Surface Buoy.	

16615	Grand Marais Light	47-44-42.821N 090-20-16.414W	Fl W 2.5s	12	White square pyramidal skeleton tower with upper part enclosed.	Light Obscured from 170° to 190°. HORN: 2 blast ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying the microphone five times on VHF-FM channel 83A.
16620	MTU Grand Marais Weather Wave Buoy 1	47-40-32.032N 090-27-03.809W	Fl Y 2.5s			Maintained year round.
16625	Grand Marais West Breakwater Light 1	47-44-36.031N 090-20-24.038W	Fl G 4s	5	White cylindrical tower with green band.	
16630	Grand Marais Harbor Inner Breakwater Light 7	47-44-51.831N 090-20-23.538W	Fl G 2.5s	4	SG on triangular tower.	
16635	Grand Portage Bay Entrance Light	47-57-11.771N 089-38-21.388W	Fl W 4s	7	NR on skeleton tower.	
16645	Grand Portage Pier Light	47-57-41.616N 089-41-01.860W	Fl W 2.5s		On pile.	Maintained from Apr. 1 to Nov. 1.
16650	Hat Point Lighted Bell Buoy 1	47-57-00.866N 089-38-40.388W	Fl G 4s	4	Green.	Maintained from May 28 to Oct. 14.
16653	UMN NE of Apostle Meteorological Buoy 2	47-25-48.000N 089-42-48.000W	Fl Y 4s			Maintained from May.1 to Oct.31.
16655	Rock Of Ages Light	47-51-59.487N 089-18-52.959W	Fl W 10s	12	White conical tower on cylindrical base.	
16660	Isle Royale West End Buoy 2	47-51-00.779N 089-19-26.403W			Red nun.	
16665	West Isle Royale Weather Wave Buoy 2	47-54-51.300N 089-20-20.800W	Fl W 2.5s			Maintained from May.1 to Nov.31.
16670	Thompson Island Wreck Buoy	47-53-36.000N 089-13-18.000W			White with orange bands worded WRECK.	Maintained from Jun. 15 to Sep. 30.
16675	Windigo Dock Light	47-54-47.000N 089-09-30.000W	Q R		On post.	Maintained from Jun. 15 to Sep. 30.
16680	Cumberland Point Buoy 2	47-51-07.977N 089-14-37.018W			Red nun.	Maintained from May 28 to Oct. 14.
16690	Siskiwit Bay Passage Buoy 1	47-53-50.672N 088-53-12.662W			Green can.	
16695	Siskiwit Bay Passage Lighted Buoy 2	47-53-52.450N 088-53-06.319W	Fl R 2.5s			Maintained from May 28 to Oct 14.
16700	Siskiwit Bay Passage Buoy 3	47-54-06.449N 088-53-18.334W			Green can.	
16705	Harlem Reef Buoy 2	47-54-00.951N 088-50-12.577W			Red nun.	Maintained from May 28 to Oct. 14.
16709	East Isle Royale Weather Wave Buoy 1	48-03-37.390N 088-34-19.510W	Fl W 2.5s			Maintained from May.1 to Nov.31.
16710	Isle Royale Light	47-56-52.681N 088-45-40.377W	Fl W 6s	72	9	White octagonal tower with dwelling attached.
16715	Malone Bay Entrance Buoy 2	47-58-22.841N 088-47-34.937W			Red nun.	
16720	Malone Bay Entrance Buoy 3	47-58-24.411N 088-47-50.205W			Green can.	
16725	Malone Bay Buoy 4	47-58-43.856N 088-48-16.913W			Red nun.	
16730	Malone Bay Buoy 5	47-58-40.001N 088-48-17.277W			Green can.	
16745	Chippewa Harbor Daybeacon	48-01-45.600N 088-38-12.000W			NW on post.	
16750	Barge Cove Buoy A	48-06-50.000N 088-32-07.000W			White with orange bands; can.	Maintained from Jun. 15 to Sep. 15.
16755	Barge Cove Buoy B	48-06-49.000N 088-32-08.000W			White with orange bands; can.	Maintained from Jun. 15 to Sep. 15.
16757	Dollar Bay Entrance Buoy 2	48-06-18.000N 088-22-10.000W			Red nun.	Maintained from Jun. 15 to Sep. 15.
16760	Mott Island Dock Light	48-06-28.000N 088-32-59.000W	Q R		On post.	Maintained from Jun. 15 to Sep. 30.
16765	Snug Harbor Dock Light	48-08-46.000N 088-29-12.000W	Q R		On post.	Maintained from Jun. 15 to Sep. 30.
16766	Windigo Water Intake Buoy	47-54-38.000N 089-09-35.000W			White with orange bands; can.	Maintained from Jun. 15 to Sep. 15.
16770	Middle Island Passage Lighted Bell Buoy 2	48-05-22.899N 088-34-14.688W	Fl R 4s	4	Red.	Replaced by nun from Oct 14 to May 28.
16775	Middle Island Passage Buoy 1	48-05-30.259N 088-34-25.687W			Green can.	
16780	Middle Island Passage Buoy 3	48-05-33.070N 088-34-30.140W			Green can.	
16785	Saginaw Point Daybeacon	48-03-36.000N 088-34-40.000W			NW on post.	

16790	Mott Island Shoal East Buoy	48-06-22.000N 088-33-06.000W				White with orange bands; can.	Maintained from Jun. 15 to Sep. 15.
16795	Mott Island Shoal West Buoy	48-06-21.000N 088-33-10.000W				White with orange bands; can.	Maintained from Jun. 15 to Sep. 15.
16800	Daisy Farm East Buoy	48-05-31.000N 088-35-39.000W				White with orange bands; can.	Maintained from Jun. 15 to Sep. 15.
16805	Daisy Farm West Buoy	48-05-30.000N 088-35-37.000W				White with orange bands; can.	Maintained from Jun. 15 to Sep. 15.
16810	Mccargoe Cove Entrance Buoy 1	48-06-52.000N 088-41-11.000W				Green can.	Maintained from Jun. 15 to Sep. 30.
16815	Mccargoe Cove Entrance Buoy 2	48-06-49.000N 088-41-06.000W				Red nun.	Maintained from Jun. 15 to Sep. 30.
16820	Blake Point Light	48-11-28.380N 088-25-20.577W	FI W 2.5s	40	12	NR on skeleton tower.	
16825	Blake Point Five-Foot Shoal Buoy D	48-11-16.768N 088-24-09.940W				Black red and black bands; can.	Maintained from May 28 to Oct. 14.
16835	Passage Island Light	48-13-25.353N 088-21-56.109W	FI W 5s		12	Octagonal tower.	HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF-FM channel 83A.
16845	Caribou Island Light (C)	47-20-24.032N 085-49-30.033W	FI W 15s		20	Hexagonal structure.	Emergency light. Seasonal.
16850	NOAA Lighted Weather Buoy 45004	47-35-07.011N 086-35-07.866W	FI (4)Y 20s			Yellow disc-shaped hull with tripod mast.	Maintained from Apr. 1 to Nov. 1.
16855	Michipicoten Harbor Light (C)	47-56-36.033N 084-54-24.032W	FI W 30s		18	Skeleton tower.	Seasonal. HORN: 2 blasts ev 60s (3s bl). Horn points 210°. Operates by keying mike 5 times on VHF-FM Ch. 19. Emergency light.
16865	Slate Islands Light (C)	48-37-18.032N 086-59-48.035W	Oc W 10s		23	White tower.	Emergency light.
16870	Battle Island Light (C)	48-45-06.032N 087-33-24.036W			15	Tower.	Emergency light.
16880	NOAA Lighted Weather Buoy 45001	48-03-41.566N 087-47-30.483W	FI (4)Y 20s		4	Yellow disc-shaped hull with tripod mast.	Maintained from Apr. 1 to Nov. 1.
16881	Isle Royale North Weather Wave Buoy 1	48-01-30.000N 087-42-32.400W	FI Y 6s				Maintained Year round.
16885	Point Parphyry Light (C)	48-20-25.032N 088-38-53.037W	FI W 10s		17	White slatted daymark on tower.	Fixed white between flashes. Emergency light.
16890	Trowbridge Island Light (C)	48-17-32.032N 088-52-30.037W	FI W 5s		18	White octagonal tower.	Emergency light.
16895	Angus Island Light (C)	48-14-12.031N 089-00-24.037W	FI W 20s		18	Skeleton tower on four concrete piers.	Emergency light.
16905	Thunder Cape Light (C)	48-18-06.032N 088-56-18.037W	FI W 4s		6	Red and white rectangular daymark on tower.	
16910	Jarvis Rock Light (C)	48-06-12.031N 089-17-36.037W	FI W 4s		6	Red and white rectangular daymark on mast.	
16915	Thunder Bay (Main) Light (C)	48-26-00.031N 089-11-42.038W	FI R 5s		14	White square tower.	Floodlighted. HORN: 3 blasts ev 60s (2s bl- 3s si-2s bl-3s si-2s bl-48s si). Operates by keying the microphone five times on VHF-FM Ch. 79. Emergency light.
16925	Penasse Island Light (C)	49-22-18.029N 094-57-30.045W	FI W 4s		6	Red and white rectangular daymark on circular mast.	Visible from 181° to 076°.
16930	Pine Creek Lighted Buoy 2	49-21-08.829N 095-03-33.745W	FI R 4s		3	Red.	
16940	Crow Creek Lighted Buoy 1	49-21-18.929N 095-04-19.845W	FI G 4s		4	Green.	
16947	Youngs Bay Lighted Buoy 1	49-20-46.929N 094-57-51.645W	FI G 6s		4	Green.	
16953	Flag Island Buoy 1	49-20-12.467N 094-52-53.067W				Green can	
16955	Flag Island Buoy 2	49-20-10.061N 094-52-54.663W				Red nun.	
16960	Flag Island Buoy 3	49-20-10.319N 094-52-48.693W				Green can.	
16963	Driftwood Point Light	49-12-46.029N 094-56-45.045W	FI W 6s		3	NR on skeleton tower.	
16965	Flag Island Lighted Buoy 4	49-20-09.065N 094-52-50.781W	FI R 4s		3	Red.	Permanent buoy. Light maintained from May 7 to Oct. 14.
16968	Flag Island Buoy 5	49-20-06.149N 094-52-44.667W				Green can	
16969	Flag Island Buoy 6	49-20-05.807N 094-52-47.343W				Red nun	
16970	Boucha Island Light (C)	49-17-42.029N 094-49-12.044W	FI W 4s		6	Green and white banded daymark on mast.	
16975	Oak Island Light 1	49-18-08.909N 094-53-07.445W	FI G 4s		3	SG on skeleton tower.	

16976	Oak Island Buoy 4	49-18-17.129N 094-49-23.804W				Red nun.
16977	Oak Island Lighted Buoy 2	49-18-28.000N 094-49-30.000W	FI R 4s			Red nun.
16980	Sugar Point Rock Buoy 2	49-17-35.329N 094-54-14.945W				Red nun.
16985	Stony Point Reef Buoy 2	49-08-09.529N 095-07-14.545W				Red nun.
16990	Birch Point Light (C)	49-09-54.029N 095-14-00.045W	FI W 4s			Fluorescent red and white banded rectangular daymark on mast.
16995	Buffalo Point Marina Entrance Lighted Buoy (C)	49-02-30.029N 095-13-42.045W	Mo (A) W			Red and white stripes.
17000	Buffalo Point Light (C)	49-00-00.029N 095-13-54.045W	FI W 4s	6		Red and white banded diamond daymark on mast.
17005	Warroad Lighted Buoy 2	48-54-55.529N 095-17-08.745W	FI R 4s	3		Red.
17010	Warroad Jetty Light 4	48-54-30.196N 095-17-46.685W	FI W 4s	3		TR on post.
17011	Warroad Lighted Buoy 3	48-54-27.569N 095-17-45.645W	FI G 4s	3		Green.
17013	Warroad Buoy 5	48-54-24.449N 095-17-51.045W				Green can.
17015	Warroad Range Front Light	48-54-03.607N 095-18-21.558W	F G	30	6	KRW on black skeleton tower.
17020	Warroad Range Rear Light	48-53-55.955N 095-18-32.599W	Oc W 4s	55	8	KRW on square skeleton tower.
17025	Gull Rock Light	48-59-02.199N 095-03-33.574W	FI W 4s	3		NR on skeleton tower.
17030	Long Point East Shoal Buoy 1	48-58-08.329N 094-55-53.944W				Green can.
17035	Zipple Bay Lighted Buoy 1	48-52-46.729N 094-51-07.044W	FI G 4s	3		Green.
17040	Zipple Bay Light 2	48-52-24.029N 094-51-10.044W	FI R 2.5s	3		White cylindrical tower.
17045	Zipple Bay Light 3	48-52-18.029N 094-51-00.044W	FI G 2.5s	3		SG on post.
17050	Brule Point Light (C)	49-07-54.030N 094-20-06.044W	FI W 4s	6		Red and white rectangular daymark with black square in center on post.
17055	Rocky Point Light (C)	48-57-30.029N 094-32-18.044W	FI W 4s	9		White daymark on post.
17060	Burton Island Light (C)	48-57-00.029N 094-37-00.044W	FI W 4s	6		Florescent red and white rectangular daymark with black square in center on skeleton tower.
17070	Oak Point Light	48-52-35.029N 094-41-10.544W	FI W 6s	3		NR on skeleton tower.
17073	Four Mile Bay Lighted Buoy 1	48-52-59.029N 094-41-09.044W	FI G 6s	4		Green.
17075	Four Mile Bay Buoy 2	48-52-54.029N 094-41-06.044W				Red nun.
17077	Four Mile Bay Buoy 4	48-52-50.029N 094-41-02.044W				Red nun.
17079.1	Four Mile Bay Buoy 7	48-52-44.029N 094-40-53.044W				Green can.
17079	Four Mile Bay Buoy 6	48-52-43.029N 094-40-56.044W				Red nun.
17080	Four Mile Bay Buoy 8	48-51-33.219N 094-41-27.110W				Red nun.
17083	Four Mile Bay Lighted Buoy 9	48-51-15.929N 094-41-31.044W	FI G 4s	4		Green.
17085	Rainy River Buoy 10	48-51-16.029N 094-41-36.044W				Red nun.
17087	Wheeler Point Light 12	48-50-24.286N 094-41-14.012W	FI R 4s	3		TR on skeleton tower.
17089	Wheeler Point Buoy 14	48-50-19.145N 094-41-24.406W				Red nun.
17095	Baudette Harbor Buoy 1	48-43-04.119N 094-35-28.016W				Green can.
17100	Baudette Harbor Buoy 2	48-43-03.629N 094-35-30.444W				Red nun.
17125	Fort Frances Ranier Bridge Light (C)	48-36-48.030N 093-22-00.042W	FI G 4s			On post.

17140	Rainy Lake Buoy 2	48-37-07.030N 093-20-49.942W			Red nun.	
17142	Rainy Lake Buoy 2 A	48-37-31.650N 093-20-25.482W				
17145	Rainy Lake Buoy 3	48-38-12.730N 093-15-48.342W			Green can.	
17150	Fransen Island Light 2A	48-37-39.700N 093-15-05.012W	FI R 4s	3	TR on skeleton tower.	
17155	Red Sucker Island Buoy 4	48-37-51.930N 093-11-38.642W			Red nun.	
17160	Red Sucker Island Buoy 6	48-37-32.730N 093-11-04.842W			Red nun.	
17165	Bald Rock Light	48-37-26.610N 093-10-53.822W	FI W 4s	3	NB on skeleton tower.	
17170	Rainy Lake Buoy 7	48-33-36.230N 093-06-48.242W			Green can.	
17175	Rainy Lake Buoy 8	48-37-24.030N 093-05-07.842W			Red nun.	
17180	Capstan Reef Light (C)	48-38-06.030N 093-03-00.042W	FI W 4s	6	White structure.	Radar reflector.
17185	Olsons Reef Buoy 10OR	48-36-57.930N 092-59-34.942W			Red nun.	
17190	Roberts Island Light 2	48-37-08.860N 093-15-57.562W	FI R 4s	3	TR on skeleton tower.	
17195	Canoe Channel Daybeacon 4	48-36-58.180N 093-15-37.282W			TR on skeleton tower.	
17200	Canoe Channel Daybeacon 5	48-36-57.770N 093-15-28.102W			SG on skeleton tower.	
17205	Canoe Channel Buoy 7	48-36-54.730N 093-15-01.942W			Green can.	
17210	Canoe Channel Daybeacon 8	48-36-51.090N 093-14-51.272W			TR on skeleton tower.	
17215	Canoe Channel Daybeacon 10	48-36-38.620N 093-14-15.722W			TR on skeleton tower.	
17220	Canoe Channel Daybeacon 12	48-36-28.980N 093-13-53.832W			TR on skeleton tower.	
17225	Canoe Channel Buoy 14	48-36-26.030N 093-13-15.642W			Red nun.	
17230	Canoe Channel Daybeacon 15	48-36-31.640N 093-12-25.812W			SG on skeleton tower.	
17235	Canoe Channel Buoy 16	48-36-33.730N 093-11-06.642W			Red nun.	
17240	Canoe Channel Light 17	48-36-27.580N 093-10-54.922W	FI G 2.5s	3	SG on skeleton tower.	
17245	Fraser Island Buoy 17A	48-36-14.030N 093-09-33.642W			Green can.	
17250	Big American Island Daybeacon 19	48-36-14.830N 093-09-01.282W			SG on pile.	
17252	Canoe Channel Buoy 20	48-36-16.267N 093-07-51.515W			Red nun.	
17255	South Shore Buoy 1	48-36-23.730N 093-06-05.742W			Green can.	
17260	South Shore Buoy 3	48-36-29.730N 093-05-00.142W			Green can.	
17265	South Shore Buoy 5	48-36-20.730N 093-04-30.542W			Green can.	
17267	South Shore Buoy 6	48-36-15.828N 093-04-31.021W			Red nun.	
17270	South Shore Buoy 7	48-36-22.430N 093-02-57.242W			Green can.	
17275	South Shore Buoy 8	48-36-21.430N 093-01-40.142W			Red nun.	
17277	South Shore Buoy 9	48-36-29.454N 093-01-28.962W			Green can.	
17280	South Shore Buoy 10	48-36-13.330N 092-59-49.742W			Red nun.	
17285	Rainy Lake Lighted Buoy 12	48-36-25.893N 092-57-37.059W	FI R 4s	4	Red.	
17290	Rainy Lake Buoy 13	48-36-26.230N 092-57-35.642W			Green can.	

17295	Rainy Lake Buoy 15	48-36-23.730N 092-57-13.142W			Green can.	
17300	Rainy Lake Buoy 16	48-36-22.230N 092-56-32.642W			Red nun.	
17305	Mackenzie Island Light (C)	48-36-30.030N 092-56-24.042W	Fl W 4s	6	White diamond daymark on post.	Visible from 290° to 110°.
17310	Brule Narrows Buoy 18	48-36-15.630N 092-55-35.142W			Red nun.	
17315	Brule Narrows Buoy 19	48-36-15.130N 092-55-29.742W			Green can.	
17320	Brule Narrows Buoy 20	48-36-05.230N 092-55-12.842W			Red nun.	
17325	Brule Narrows Buoy 22	48-36-03.730N 092-55-08.742W			Red nun.	
17330	Brule Narrows Buoy 24	48-36-03.230N 092-55-06.042W			Red nun.	
17335	Brule Narrows Buoy 26	48-35-53.330N 092-54-47.242W			Red nun.	
17340	Brule Island Light (C)	48-35-48.030N 092-54-00.042W	Fl W 4s	5	Lattice tower on concrete base.	
17345	Brule Narrows Buoy 28	48-35-43.330N 092-53-55.142W			Red nun.	
17350	Brule Narrows Buoy 29	48-35-40.230N 092-53-45.442W			Green can.	
17355	Brule Narrows Buoy 29A	48-35-33.330N 092-53-40.742W			Green can.	
17360	Brule Narrows Buoy 30	48-35-30.930N 092-53-40.842W			Red nun.	
17365	Brule Narrows Buoy 31	48-35-31.730N 092-53-38.942W			Green can.	
17367	Soldiers Point Daybeacon 30a	48-26-30.030N 092-30-50.041W			TR on skeleton tower.	
17370	Brule Narrows Lighted Buoy 32	48-35-29.230N 092-53-39.042W	Fl R 4s	4	Red.	
17375	Rainy Lake Light 34	48-33-33.890N 092-53-14.512W	Fl R 4s	3	TR on skeleton tower.	
17380	Hitchcock Bay Buoy 35	48-33-09.530N 092-53-11.542W			Green can.	
17385	Hitchcock Bay Buoy 35A	48-32-53.430N 092-53-03.842W			Green can.	
17390	Hitchcock Island Daybeacon 36	48-32-47.030N 092-53-13.042W			TR on skeleton tower.	
17395	Gull Rocks Light (C)	48-33-48.030N 092-46-36.042W	Fl W 4s		White rectangular daymark on mast.	
17400	Rainy Lake Buoy 37	48-32-22.730N 092-45-02.742W			Green can.	
17405	Rainy Lake Buoy 38	48-32-16.830N 092-39-50.541W			Red nun.	
17410	Rainy Lake Buoy 39	48-32-10.230N 092-38-38.741W			Green can.	
17415	Rainy Lake Buoy 41	48-31-26.000N 092-37-47.229W			Green can.	
17420	Surveyor'S Island Light 43	48-31-03.310N 092-37-41.151W	Fl G 4s	4	SG on skeleton tower.	
17425	Kettle Channel Buoy 2	48-31-02.130N 092-37-43.041W			Red nun.	
17430	Kettle Channel Buoy 4	48-30-45.230N 092-37-32.341W			Red nun.	
17435	Kettle Channel Buoy 6	48-30-38.630N 092-37-40.741W			Red nun.	
17440	Kettle Channel Buoy 7	48-30-24.330N 092-37-52.741W			Green can.	
17445	Kettle Channel Buoy 8	48-30-06.430N 092-37-45.141W			Red nun.	
17450	Mica Island Daybeacon 2	48-29-47.700N 092-41-38.331W			TR on skeleton tower.	
17455	Mica Island Daybeacon 2A	48-29-47.530N 092-41-45.041W			TR on skeleton tower.	
17460	Namakan Lake Daybeacon 4	48-29-00.850N 092-42-10.271W			TR on skeleton tower.	

17465	Gagnon Island Buoy 5	48-28-47.530N 092-42-27.541W			Green can.
17470	Gagnon Point Daybeacon 6	48-28-21.877N 092-43-11.586W			TR on skeleton tower.
17475	Arrowhead Island Buoy 7	48-28-17.630N 092-43-01.641W			Green can.
17480	Alden Island Buoy 9	48-28-02.630N 092-43-01.741W			Green can.
17485	Bivo Island Daybeacon 11	48-27-42.540N 092-42-51.061W			SG on skeleton tower.
17490	Bivo Island Buoy 13	48-27-39.030N 092-42-51.541W			Green can.
17495	Namakan Lake Buoy 14	48-27-32.530N 092-42-48.541W			Red nun.
17500	Namakan Lake Buoy 16	48-27-16.830N 092-43-17.541W			Red nun.
17505	Kubel Island Buoy 18	48-27-15.130N 092-43-37.541W			Red nun.
17509	Joe's Point Buoy 19	48-27-09.840N 092-43-41.580W			Green can.
17510	Sexton Island Buoy 20	48-26-54.630N 092-44-51.641W			Red nun.
17515	Cemetery Island Buoy 22	48-26-47.430N 092-45-27.741W			Red nun.
17520	Sweetnose Island Daybeacon 23	48-26-39.620N 092-46-30.891W			SG on skeleton tower.
17525	Sweetnose Island Buoy 24	48-26-42.330N 092-46-36.941W			Red nun
17530	Namakan Lake Daybeacon 26	48-26-18.030N 092-47-06.041W			TR on post.
17535	Namakan Lake Lighted Buoy 27	48-25-50.710N 092-47-38.352W	FI G 4s	3	Green.
17540	Kabetogama Lake Buoy 29	48-26-10.730N 092-48-35.541W			Green can.
17544	Lake Kabetogama Buoy 30	48-26-19.860N 092-50-56.880W			Red nun.
17545	Kabetogama Lake Buoy 31	48-26-15.030N 092-51-00.842W			Green can.
17550	Kabetogama Lake Warning Daybeacon	48-26-10.030N 092-51-00.042W			NW on post.
17555	Kabetogama Lake Buoy 32	48-26-21.730N 092-53-03.542W			Red nun.
17560	Green Island Buoy 34	48-26-24.730N 092-53-53.942W			Red nun.
17565	Feedem Island Buoy 36	48-27-00.830N 092-55-20.742W			Red nun.
17570	Knox Island Daybeacon 37	48-27-01.250N 092-55-48.272W			SG on skeleton tower.
17575	Kabetogama Lake Junction Buoy	48-27-13.130N 092-56-11.142W			Green and red bands; can.
17580	Kabetogama Lake Buoy 38	48-27-52.630N 092-57-43.542W			Red nun.
17585	Kabetogama Lake Buoy 39	48-28-02.030N 092-58-17.942W			Green can.
17590	Pin Cherry Buoy 38A	48-28-26.530N 092-58-59.542W			Red nun.
17595	Kabetogama Lake Buoy 40	48-28-51.630N 093-00-26.442W			Red nun.
17600	Kabetogama Lake Buoy 42	48-28-46.030N 093-00-48.242W			Red nun.
17605	Kabetogama Lake Buoy 44	48-29-18.030N 093-03-33.842W			Red nun.
17610	Martin Island Buoy 1	48-27-24.330N 092-59-03.642W			Green can.
17615	Ram Island Buoy 4	48-28-24.230N 093-01-58.842W			Red nun.
17620	Voyageurs National Park Breakwater Light	48-26-32.500N 093-01-46.000W	Q R		TR on post.
17625	Namakan Island Daybeacon N	48-27-06.030N 092-42-48.041W			NR on skeleton tower.

17630	Fox Island Daybeacon 4	48-26-12.030N 092-39-59.041W				TR on skeleton tower.	
17635	Randolph Island Buoy 6	48-26-04.130N 092-39-14.941W				Red nun.	
17640	Pike Island Daybeacon 8	48-26-08.030N 092-35-43.041W				TR on skeleton tower.	
17645	Your Island Light 9	48-26-29.030N 092-30-50.041W	FI G 6s	3		SG on skeleton tower.	
17650	Your Island Buoy 10	48-26-21.630N 092-30-19.141W				Red nun.	
17655	Namakan Narrows Daybeacon 12	48-26-11.030N 092-29-43.041W				TR on skeleton tower.	
17660	Namakan Narrows Daybeacon 14	48-25-31.530N 092-28-51.041W				TR on skeleton tower.	
17665	Sand Point Buoy 16	48-24-56.430N 092-27-51.441W				Red nun.	
17670	Sand Point Buoy 18	48-24-38.230N 092-27-24.241W				Red nun.	
17675	Burnt Island Daybeacon 20	48-24-10.030N 092-27-30.041W				TR on skeleton tower.	
17680	Sand Point Buoy 22	48-22-01.830N 092-28-42.341W				Red nun.	
17685	King Williams Narrows Buoy 24	48-20-05.130N 092-27-55.541W				Red nun.	
17690	King Williams Narrows Buoy 25	48-19-49.830N 092-27-56.741W				Green can.	
17695	King Williams Narrows Buoy 27	48-19-39.530N 092-27-52.241W				Green can.	
17700	Crane Lake Buoy 28	48-17-58.030N 092-28-09.841W				Red nun.	
17705	Crane Lake Buoy 29	48-17-35.030N 092-28-17.141W				Green can.	
17710	Indian Island Buoy 30	48-17-30.730N 092-27-56.941W				Red nun.	
17715	Bear Island Buoy 32	48-16-40.630N 092-28-07.541W				Red nun.	
17720	St Helena Light	45-51-18.018N 084-51-48.961W	FI W 6s	100	6	White conical tower connected to dwelling.	
17722	Sandusky Wreck Mooring Buoy	45-47-58.140N 084-50-15.300W					
17723	Maitland Wreck Mooring Buoy	45-48-15.000N 084-52-32.820W					
17725	St Helena Southeast Shoal Buoy 1	45-50-59.398N 084-51-16.758W				Green can.	
17730	St Helena Shoal Buoy SHS	45-51-43.628N 084-55-06.069W				Red and green bands; nun.	
17735	Manitou Paymen Shoal Buoy 2	45-57-29.861N 085-04-36.246W				Red nun.	
17740	New Shoal Lighted Buoy 1	45-49-16.312N 085-05-16.819W	FI G 4s		5	Green.	Maintained from Apr. 21 to Dec. 14. AIS MMSI: 993672238
17745	New Shoal Lighted Bell Buoy 3	45-48-53.651N 085-08-00.548W	FI G 2.5s		4	Green.	Replaced by can from Dec. 14 to Apr. 21. AIS MMSI: 993672239
17750	White Shoal Light	45-50-30.106N 085-08-08.451W	FI W 5s	0	11	Red and white spiral bands on conical crib.	HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
17755	White Shoal Buoy	45-50-10.649N 085-09-56.516W				Red and green bands; nun.	
17760	Simmons Reef Lighted Bell Buoy 2	45-54-08.357N 085-12-58.744W	FI R 4s		4	Red.	Maintained from Apr. 21 to Nov. 28.
17765	Grays Reef Passage Channel Lighted Buoy 5	45-46-51.959N 085-08-17.978W	FI G 4s		5	Green.	Maintained from Apr 21 to 14 Dec
17770	Grays Reef Passage Channel Lighted Bell Buoy 4	45-46-56.059N 085-09-03.580W	FI R 4s		4	Red.	Maintained from Apr 21 to 14 Dec
17775	Grays Reef Light	45-45-56.622N 085-09-13.642W	FI R 10s	0	14	Square tower.	Obscured from 080° to 170°. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Ch. 83A. AIS MMSI: 993682389
17780	Grays Reef Passage Channel Lighted Buoy 7	45-45-44.409N 085-08-29.183W	FI G 4s		5	Green.	Replaced by can from Dec. 14 to Apr. 21. AIS MMSI: 993672227
17783	GLF Sturgeon Bay Weather Buoy 1	45-42-58.000N 085-05-02.000W	FI Y 4s				Maintained from Apr.1 to Oct.31.
17785	Ile Aux Galets Buoy 2	45-40-58.861N 085-08-06.869W				Red nun.	

17790	Ile Aux Galets Buoy 9	45-40-56.872N 085-11-03.054W				Green can.	
17795	Ile Aux Galets Light	45-40-34.968N 085-10-19.684W	Fl W 6s	0	11	White octagonal tower.	
17800	Dahlia Shoal Buoy 1	45-37-31.659N 085-12-47.976W				Green can.	
17805	Hog Island Reef Buoy 10	45-43-13.047N 085-20-19.309W				Red nun.	Seasonal maintained from 21 Apr to 14 Nov
17810	Beaver Island Shoal Northeast End Lighted Buoy 1	45-45-48.877N 085-29-41.177W	Fl G 4s		3	Green.	Maintained from May 7 to Nov. 14.
17815	St. James Harbor Buoy 1	45-43-57.829N 085-29-44.743W				Green can.	
17820	St. James Harbor Buoy 2	45-44-18.729N 085-29-39.744W				Red nun.	
17825	St. James Harbor Lighted Buoy 4	45-44-26.744N 085-30-31.221W	Fl R 4s		4	Red.	Replaced by nun from Nov. 14 to May 7.
17830	St. James Harbor Buoy 6	45-44-46.527N 085-31-00.647W				Red nun.	Maintained from May 7 to Nov. 14.
17835	St. James Harbor Buoy 7	45-44-52.827N 085-30-55.747W				Green can.	Maintained from May 7 to Nov. 14.
17840	St. James Harbor Buoy 8	45-44-51.827N 085-30-54.147W				Red nun.	Maintained from May 7 to Nov. 14.
17845	St. James Light	45-44-34.062N 085-30-31.041W	Iso R 6s	0	11	Cylindrical tower.	Light obscured from 127°30' to 199°30'.
17850	Stony Point Shoal Lighted Bell Buoy 1	45-43-12.049N 085-28-48.093W	Fl G 6s		4	Green.	Replaced by can from Nov. 14 to May 7.
17855	Little Traverse Light	45-25-09.110N 084-58-38.712W	Fl G 6s	80	8	White skeleton tower.	
17860	Harbor Springs Special Anchorage Lighted Buoy B	45-25-35.000N 084-59-07.000W	Fl W 2s			White.	Maintained from Apr. 1 to Nov. 1.
17865	State Street Pier Light	45-25-43.300N 084-59-16.300W	F R			On top of restaurant with white roof.	Maintained from Apr. 1 to Dec. 1.
17870	Spring Street Pierhead Light	45-25-45.000N 084-59-26.000W	F R			On dock.	Maintained from Apr. 1 to Dec. 1.
17875	Ford Park Channel Lighted Buoy 1	45-25-35.000N 084-58-55.200W	Fl G 2s			Green.	
17880	Ford Park Channel Lighted Buoy 2	45-25-35.000N 084-58-53.000W	Fl R 2s			Red.	
17885	Ford Park Channel Lighted Buoy 3	45-25-35.000N 084-59-07.000W	Fl G 2s			Green.	
17890	Ford Park Channel Lighted Buoy 4	45-25-35.000N 084-59-07.000W	Fl R 2s			Red.	
17895	Walstrom Marine Light 1	45-25-43.100N 084-58-44.800W	Q G			On post.	Maintained from Jun. 1 to Oct. 1.
17900	Walstrom Marine Light 2	45-35-43.200N 084-58-43.900W	Q R			On post.	Maintained from Jun. 1 to Oct. 1.
17902	Zoll Street Channel Lighted Buoy 1	45-25-33.600N 084-58-53.390W	Fl G 4s		2		
17902.1	Zoll Street Channel Lighted Buoy 2	45-25-33.500N 084-58-56.890W	Fl R 4s		2		
17905	Harbor Springs Special Anchorage Lighted Buoy A	45-25-35.000N 084-58-24.800W	Fl W 2s			White.	Maintained from Apr. 1 to Nov. 1.
17915	Petoskey Light	45-22-48.369N 084-57-41.386W	Fl R 2.5s	28	4	White cylindrical tower.	
17916	Bay View Light	45-23-17.776N 084-56-10.306W	Fl W 4s				
17919	North Point Buoy 13	45-20-45.157N 085-15-26.602W	Q G			Green.	Maintained from 14 Apr. to 14 Nov.
17920	Charlevoix North Pierhead Light	45-19-14.923N 085-15-53.826W	Fl G 2.5s	20	10	SG on post.	
17925	Charlevoix South Pierhead Light	45-19-12.961N 085-15-53.778W	Fl R 4s	0	10		HORN: 1 blast ev 30s (3s bl). Operate the fog signal by keying the microphone on channel 83A VHF marine radio five times.
17930	Round Lake Special Anchorage Buoy A	45-19-09.012N 085-15-23.405W				Yellow can.	Maintained from Apr. 14 to Nov. 14.
17935	Round Lake Special Anchorage Buoy B	45-19-07.604N 085-15-19.731W				Yellow can.	Maintained from Apr. 14 to Nov. 14.
17940	Round Lake Special Anchorage Buoy C	45-19-00.967N 085-15-06.348W				Yellow can.	Maintained from Apr. 14 to Nov. 14.
17945	Pine River Light 3	45-18-56.531N 085-14-44.230W	Fl G 2.5s	10	5	SG on skeleton tower.	

17950	Pine River Channel Lighted Buoy 2	45-18-52.855N 085-14-41.141W	Fl R 4s	3	Red.	Maintained from Apr. 14 to Nov. 14.
17955	Northwest Marine Yacht Basin Light 4	45-18-26.000N 085-14-43.000W	F R		TR on pile.	Maintained from May 15 to Nov. 1.
17960	Northwest Marine Yacht Basin Light 1	45-18-24.000N 085-14-40.000W	F G		SG on tripod.	Maintained from May 15 to Nov. 1.
17965	Northwest Marine Yacht Basin Light 3	45-18-24.000N 085-14-43.000W	F G		SG on pile.	Maintained from May 15 to Nov. 1.
17970	Belvedere Club Dock Light A	45-18-57.000N 085-14-57.500W	F R		On pile.	
17975	Belvedere Club Dock Light B	45-18-57.000N 085-14-57.500W	F R		On pile.	
17980	Belvedere Club Dock Light C	45-18-57.000N 085-18-57.000W	F R		On pile.	
17985	Belvedere Club Dock Light D	45-18-57.000N 085-14-57.500W	F R		On pile.	
17990	Charlevoix Floating Breakwall Light	45-18-08.000N 085-14-44.200W	Fl W 4s		On floating breakwall.	
17995	Charlevoix Floating Breakwall Light	45-18-08.000N 085-14-44.200W	Fl W 4s		On floating breakwall.	
18000	Charlevoix Floating Breakwall Light	45-18-08.000N 085-14-44.200W	Fl W 4s		On floating breakwall.	
18005	Charlevoix Floating Breakwall Light	45-18-08.000N 085-14-44.200W	Fl W 4s		On floating breakwall.	
18010	Irish Boat Shop Stover Road Light 2	45-18-07.000N 085-14-45.000W	Oc R 4s		On post.	
18015	Irish Boat Shop Stover Road Light 1	45-18-07.000N 085-14-45.000W	F G		On post.	
18020	Irish Boat Shop Ferry Avenue Light 2	45-18-19.980N 085-14-44.760W	Fl R 4s		On post.	Maintained from May 1 to Nov. 1.
18025	Irish Boat Shop Ferry Avenue Light 1	45-18-31.000N 084-14-45.500W	Fl G 2.5s		On post.	Maintained from May 1 to Nov. 1.
18036	Pine Lake Club Marina Entrance Light 1	45-17-39.200N 085-14-35.500W	Fl G 2.5s		SG on post.	Maintained from May 1 to Nov. 1.
18037	Pine Lake Club Marina Entrance Light 2	45-17-39.000N 085-14-36.800W	F R		TR on post.	Maintained from May 1 to Nov. 1.
18040	Oyster Bay Marina Light 2	45-18-58.900N 085-12-18.000W	F R		TR on pile.	Maintained from Apr. 1 to Dec. 1.
18045	Oyster Bay Marina Light 1	45-18-59.100N 085-12-18.000W	F G		SG on pile.	Maintained from Apr. 1 to Dec. 1.
18046	Old Lumber Crane Crib Buoy	45-19-06.000N 085-14-25.200W			White with orange bands.	Maintained from May 10 to Oct. 30.
18050	Haters Dock Light 2	45-14-52.000N 085-10-43.000W	F R		On pile.	
18055	Haters Dock Light 4	45-14-51.200N 085-10-42.500W	F R		On pile.	
18060	Haters Dock Light 6	45-14-19.200N 085-10-21.900W	F R		On post.	
18065	Haters Dock Light 8	45-14-18.200N 085-10-22.000W	F R		On post.	
18067	Horse Point Lighted Buoy 3	45-13-49.891N 085-03-42.936W	Fl G 4s	3	Green.	Maintained from Apr. 14 to Nov. 14.
18070	Harborage Marina West Entrance Light 2	45-12-37.500N 085-01-21.000W	Q R		TR on pile.	
18075	Harborage Marina West Entrance Light 1	45-12-38.500N 085-01-19.000W	Q G		SG on post.	
18080	Harborage Marina East Breakwater Light	45-12-42.000N 085-01-14.000W	Q W		NW on post worded DANGER.	
18085	Harborage Marina East Entrance Light 2	45-12-45.000N 085-01-10.000W	Q R		TR on post.	
18090	Harborage Marina East Entrance Light 1	45-12-43.000N 085-01-08.000W	Q G		SG on post.	
18095	Medusa Channel Breakwater Light	45-19-09.000N 085-17-25.000W	Fl R 4s		On gray pile.	Maintained from Apr. 15 to Dec. 15.
18100	South Point Lighted Bell Buoy 2	45-19-35.628N 085-17-59.398W	Fl R 4s	4	Red.	Replaced by nun from Nov. 14 to May. 01.
18105	Fisherman Island Shoal Buoy 1	45-17-51.248N 085-22-10.902W			Green can.	
18110	Grand Traverse Light	45-12-37.771N 085-33-01.141W	Fl W 6s	50	14	NR on skeleton tower. The light is visible from 260 to 065 degrees true

18115	Grand Traverse Bay Shoal Lighted Bell Buoy 3	45-08-07.831N 085-26-12.031W	FI G 4s	4	Green.	Replaced by can from Nov. 14 to May. 01.
18120	Northport Point Lighted Bell Buoy 2	45-07-43.571N 085-33-08.591W	FI R 4s	4	Red.	Replaced by nun from Nov. 14 to May. 01.
18125	Northport Bay Shoal Buoy 4	45-07-41.593N 085-33-59.406W			Red nun.	
18130	Northport Bay Shoal Buoy 6	45-07-40.928N 085-35-09.534W			Red nun.	
18135	Northport West Light 2	45-07-48.800N 085-36-40.700W	Q R		TR on post.	Visible from 090° to 135°. Maintained from May 15 to Dec. 1.
18140	Northport East Light 1	45-07-48.000N 085-36-39.000W	Q G		SG on post.	Maintained from May 15 to Dec. 1.
18145	Mission Point Light	45-01-05.661N 085-30-21.731W	FI W 6s	0	6	White cylindrical tower.
18150	Omena Buoy 2	45-02-04.000N 085-34-19.000W			Red nun.	Maintained from May 1 to Oct. 1.
18152	Arthur Duhamel Marina Light 1	45-01-56.100N 085-35-51.000W	FI G 2.5s			
18153	Arthur Duhamel Marina Light 2	45-01-57.000N 085-35-55.020W	FI R 2.5s			
18155	Elk Rapids Lighted Buoy 1	44-54-09.500N 085-25-04.800W	FI G 2.5s		Green.	Maintained from May 15 to Oct. 15.
18157	Elk Rapids Lighted Buoy 2	44-54-08.800N 085-25-06.100W	FI R 2.5s		Red.	Maintained from May 15 to Oct. 15.
18160	Elk Rapids Breakwater Light 3	44-54-07.100N 085-25-03.100W	FI G 4s		SG on pile.	Maintained from May 15 to Oct. 15.
18162	Elk Rapids Breakwater Light 4	44-54-06.600N 085-25-05.000W	FI R 4s		TR on pile.	Maintained from May 15 to Oct. 15.
18165	Elk Rapids Buoy 6	44-54-04.300N 085-25-03.400W			Red nun.	Maintained from May 15 to Oct. 15.
18167	Elk Rapids Buoy 8	44-54-03.000N 085-25-03.000W			Red nun.	Maintained from May 15 to Oct. 15.
18170	Elk Rapids Range Front Light	44-54-02.000N 085-25-01.800W	F R		KWR on black post.	Maintained from May 15 to Oct. 15.
18175	Elk Rapids Rear Range Light	44-53-57.100N 085-24-59.700W	F R		KWR on black post.	Maintained from May 15 to Oct. 15.
18179	East Grand Traverse Bay Weather Wave Buoy 1	44-46-10.150N 085-33-12.980W	FI W 2.5s			Maintained from May.1 to Nov.31.
18180	East Bay Harbor North Breakwater Light	44-46-02.500N 085-30-25.000W	Q G		On post.	Maintained from May 1 to Nov. 1.
18185	East Bay Harbor South Breakwater Light	44-46-00.000N 085-30-25.000W	FI R 5s		On post.	Maintained from May 1 to Nov. 1.
18187	Grand Traverse Bay Research Lighted Buoy	45-04-00.000N 085-29-50.000W	Q Y		Yellow Research Buoy w/mast	Maintained from APR 01 TO NOV 30.
18190	Suttons Bay Yacht Club Basin Light 2	44-59-00.300N 085-38-28.000W	FI R 2.5s		TR on post.	Maintained from May 15 to Oct. 15.
18195	Suttons Bay Yacht Basin Obstruction Light	44-59-00.300N 085-38-28.000W	FI W 2.5s		NW on post worded DANGER.	Maintained from May 15 to Oct. 15.
18200	Suttons Bay Yacht Club Entrance Buoy 3	44-59-00.300N 085-38-28.000W			Green can.	Maintained from May 15 to Oct. 15.
18205	Suttons Bay Municipal Entrance Buoy 2S	44-58-33.900N 085-38-41.000W			Red nun.	Maintained from May 1 to Nov. 1.
18210	Suttons Bay Municipal Entrance Buoy 3	44-58-31.200N 085-38-43.200W			Green can.	Maintained from May 1 to Nov. 1.
18215	Suttons Bay Municipal Entrance Buoy 4	44-58-32.100N 085-38-42.000W			Red nun.	Maintained from May 1 to Nov. 1.
18220	Suttons Bay Municipal Dock Light 6	44-58-33.000N 085-38-43.500W	Q R		TR on white post.	Maintained from May 1 to Nov. 30.
18225	Suttons Bay Municipal Dock Light 7	44-58-30.800N 085-38-44.200W	Q G		SG on white post.	Maintained from May 1 to Nov. 1.
18230	Suttons Bay Municipal Entrance Buoy 9	44-58-32.300N 085-38-45.500W			Green can.	Maintained from May 1 to Nov. 1.
18235	Suttons Bay Buoy 1	44-59-53.610N 085-36-03.061W			Green can.	
18240	West Arm Lighted Bell Buoy 4	44-56-02.256N 085-35-29.528W	FI R 4s	4	Red.	Maintained from May. 01 to Nov. 14.
18245	West Arm Buoy 6	44-53-14.731N 085-36-21.531W			Red nun.	
18250	Tucker Point Shoal Buoy 1	44-52-50.915N 085-33-36.711W			Green can.	

18255	Marion Island Shoal Buoy 2	44-52-35.892N 085-33-52.061W				Red nun.	
18260	West Arm Buoy 7	44-51-14.785N 085-35-48.715W				Green can.	
18265	West Arm Lighted Buoy 8	44-47-33.073N 085-37-22.424W	FI R 4s	5		Red.	Replaced by nun from Nov. 14 to May. 01.
18266	West Grand Traverse Bay Weather Wave Buoy 2	44-47-08.650N 085-37-28.180W	FI W 2.5s				Maintained from May.1 to Nov.31.
18270	Traverse City Breakwater Light	44-47-18.261N 085-38-00.030W	FI R 2.5s	25	5		
18275	Traverse City West Breakwater Light 1	44-47-19.011N 085-38-03.090W	FI G 4s	20	4	SG on pile.	
18290	Duncan L Clinch Yacht Harbor Light	44-46-03.780N 085-37-19.890W	Q G			SG on pile.	Maintained from May 1 to Nov 1.
18291	Duncan L. Clinch Yacht Club Light 2	44-46-06.000N 085-37-18.800W	FI R 2.5s			TR on pile.	Maintained from May 1 to Nov 1.
18295	Boardman River West Pierhead Lights (2)	44-45-56.300N 085-36-43.500W	F R			On black poles.	
18300	Great Lakes Maritime Academy West Pier Light	44-46-30.000N 085-36-30.000W	FI G 15s			On Black Tripod tower.	
18305	Great Lakes Maritime Academy East Pier Light	44-46-00.000N 085-36-18.000W	Q R			On pile.	
18310	NOAA Lighted Weather Buoy 45002	45-20-39.271N 086-24-41.113W	FI (4)Y 20s			Yellow disc-shaped hull.	Maintained from Apr. 21 to Nov. 1.
18315	South Fox Island Shoals Buoy 3	45-17-27.248N 085-50-56.609W				Green can.	
18320	South Fox Island Shoals Buoy 4	45-18-34.473N 085-50-40.352W				Red nun.	
18325	South Fox Island Shoals Buoy 2	45-14-50.290N 085-50-13.533W				Red nun.	
18327	North Manitou Island Pier Light 2	45-07-13.800N 085-58-24.300W	FI R 4s			TR on post.	Maintained from May 15 to Oct. 30.
18328	North Manitou Island Pier Light 4	45-07-21.000N 085-58-22.000W	FI R 4s			TR on post.	Maintained from May 15 to Oct. 30.
18330	Leland Harbor Light 1	45-01-26.701N 085-45-51.811W	FI G 2.5s	15	6	SG on post.	
18335	Leland Harbor Light 2	45-01-27.791N 085-45-48.511W	FI R 4s	15	4	TR on post.	
18340	North Manitou Shoal Light	45-01-15.627N 085-57-25.716W	FI R 15s	0	14		HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates by keying microphone five times on VHF-FM Ch. 83A. AIS: 993686017
18341	North Manitou Island Weather Wave Buoy 1	45-02-41.390N 086-00-54.960W	FI W 2.5s				Maintained from May.1 to Nov.31.
18350	Pyramid Point Shoal Lighted Buoy 5	45-00-00.311N 085-55-37.460W	FI G 4s	5		Green.	Replaced by can from Nov. 14 to Apr. 21. AIS: 993686018
18355	North Manitou Shoal Southwest End Buoy 6	45-00-16.315N 086-00-14.538W				Red nun.	
18357	South Manitou Island Lighthouse	45-00-27.654N 086-05-37.620W	F W		12		
18360	South Manitou Island Shoal Lighted Gong Buoy 8	44-57-26.406N 086-10-02.883W	FI R 4s	4		Red.	Replaced by nun from Nov. 14 to Apr. 21. AIS: 993686019
18365	Sleeping Bear Lighted Bell Buoy 7	44-54-05.010N 086-09-57.381W	FI G 4s	5		Green.	Replaced by can from Nov. 14 to Apr. 21.
18366	Manning Light	44-48-48.000N 086-03-58.000W	FI W 4s			White circular tower.	Maintained from Apr. 15 to Nov. 15.
18367	Frankfort NOAA Wave Buoy 1	44-45-28.000N 086-15-40.000W	FI Y 2.5s				Maintained from May.1 to Dec.1.
18370	Point Betsie Light	44-41-28.562N 086-15-18.789W	FI W 10s		16		
18375	Frankfort North Breakwater Light	44-37-51.158N 086-15-07.739W	F W	16		White square pyramidal tower.	HORN: 1 blast ev 30s (3s bl) operates by keying microphone five times on VHF FM marine CH 83A
18385	Frankfort South Breakwater Light	44-37-46.059N 086-15-08.162W	FI R 4s	8		White cylindrical tower with red band.	
18390	Frankfort North Pierhead Light	44-37-47.721N 086-14-49.256W	FI G 2.5s	4		SG on post.	
18395	Frankfort South Pierhead Light	44-37-45.132N 086-14-44.493W	FI R 6s	4		TR on post.	
18396	Frankfort Harbor Buoy 1	44-37-47.477N 086-14-28.844W				Green Can	Maintained from 14 May to 14 Oct.
18397	Frankfort Harbor Buoy 2	44-37-44.991N 086-14-28.777W				Red Can	Maintained from 14 May to 14 Oct.

18398	Frankfort Harbor Buoy 3	44-37-48.323N 086-14-24.383W			Green Can	Maintained from 14 May to 14 Oct.
18399	Frankfort Harbor Buoy 4	44-37-45.055N 086-14-24.677W			Red Can	Maintained from 14 May to 14 Oct.
18405	Arcadia Harbor Light 1	44-29-01.144N 086-14-58.156W	FI G 4s	4	SG on post.	
18410	Arcadia Harbor Light 2	44-28-59.074N 086-15-01.611W	FI R 2.5s	4	White cylindrical tower with red band.	
18415	Portage Lake North Pierhead Light	44-21-37.500N 086-16-04.971W	FI G 4s	5	White cylindrical tower with green band.	HORN: 1 blast ev 15s (2s bl) operat the fog signal by keying VHF FM marine radio 5 times on channel 83A
18420	Portage Lake South Pierhead Light	44-21-33.767N 086-16-07.205W	FI R 4s	6		
18425	Portage Lake Inner Light	44-21-30.935N 086-15-36.117W	FI R 6s	4	TR on post.	
18427	Portage Lake Lighted Buoy 3	44-21-37.030N 086-14-37.031W	FI G 4s	3	Green.	Maintained from Apr. 14 to Oct. 14.
18450	Manistee North Pierhead Light	44-15-06.532N 086-20-48.726W	FI G 6s	12	White cylindrical tower.	HORN: 1 blast ev 15s (2s bl). Fog signal operates by keying the microphone five times on VHF-FM CH 83A.
18460	Manistee South Breakwater Light	44-15-05.306N 086-20-59.644W	FI R 4s	5	White cylindrical tower with red band.	
18465	Manistee South Pierhead Light	44-15-00.393N 086-20-39.909W	Iso R 6s	4	TR on pole.	
18480	Manistee Lake Lighted Buoy 2	44-15-11.380N 086-18-47.031W	FI R 2.5s	3	Red.	Maintained from May 14 to Oct. 14.
18483	Manistee Lake Buoy 3	44-15-11.228N 086-18-38.350W			Green can.	
18490	Manistee Lake Obstruction Lighted Buoy A	44-14-54.500N 086-18-37.000W	FI R 2.5s			Maintained from May 1 to Oct. 31.
18495	Manistee Lake Buoy 5	44-15-04.618N 086-18-28.448W			Green can.	
18497	Manistee Lake Buoy 7	44-14-55.070N 086-18-20.241W			Green can.	
18500	Manistee Lake Buoy 9	44-14-37.363N 086-18-14.660W			Green can.	
18505	Manistee Lake Buoy 10	44-14-30.941N 086-18-16.440W			Red nun.	
18510	Manistee Lake Buoy 12	44-14-23.786N 086-18-14.622W			Red nun.	
18515	Manistee Lake Buoy 13	44-14-14.991N 086-18-09.420W			Green can.	
18520	Manistee Lake Buoy 14	44-13-56.901N 086-17-59.789W			Red nun.	
18525	Big Sable Light	44-03-27.869N 086-30-51.603W	F W	9	White conical tower with top and middle third black with dwelling attached.	Obscured from 238° to 346°.
18528	UCSD CDIP - 269 Weather Wave Buoy 1	44-03-18.000N 087-03-00.000W	FI Y 5s			Maintained from May.1 to Nov.30.
18530	Ludington North Breakwater Light	43-57-13.032N 086-28-09.768W	Iso G 6s	8		HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM CH 83A
18540	Ludington North Pierhead Light	43-57-10.592N 086-27-45.062W	FI G 4s	5	SG on white column.	
18550	Ludington Inner Breakwater South Light	43-57-14.400N 086-27-45.000W	Q W	5	On steel pile.	Maintained from Apr. 1 to Nov. 15.
18555	Ludington South Breakwater Light	43-57-06.786N 086-28-08.875W	FI R 2.5s	6	White cylindrical tower with red band.	
18560	Ludington South Pierhead Light 6	43-57-05.680N 086-27-36.131W	FI R 4s	5	TR on post.	
18565	Pere Marquette Lake Lighted Buoy 1	43-56-43.728N 086-26-48.899W	FI G 2.5s	4	Green.	Maintained from May 14 to Oct. 14.
18570	Pere Marquette Lake Buoy 3	43-56-45.648N 086-26-38.579W			Green can.	Maintained from May 14 to Oct. 14.
18575	Pere Marquette Lake Buoy 5	43-56-46.518N 086-26-35.179W			Green can.	Maintained from May 14 to Oct. 14.
18580	Pere Marquette Lake West Buoy 2	43-56-31.538N 086-26-57.979W			Red nun.	Maintained from May 14 to Oct.14.
18585	Consumer Power Company Lighted Obstruction Buoy A	43-54-25.000N 086-27-38.000W	Q W		White with orange diamond.	
18590	Consumer Power Company Lighted Obstruction Buoy B	43-54-15.000N 086-27-38.000W	Q W		White with orange diamond.	
18595	Consumer Power Company Lighted Obstruction Buoy C	43-53-58.000N 086-27-54.000W	Q W		White with orange diamond.	

18600	Consumer Power Company Lighted Obstruction Buoy D	43-53-37.000N 086-27-59.000W	Q W		White with orange diamond.	
18605	Consumer Power Company Lighted Obstruction Buoy E	43-53-03.000N 086-27-58.000W	Q W		White with orange diamond.	
18610	Consumer Power Company Lighted Obstruction Buoy F	43-53-11.000N 086-27-32.000W	Q W		White with orange diamond.	
18615	Consumer Power Company Lighted Obstruction Buoy G	43-53-11.000N 086-27-06.000W	Q W		White with orange diamond.	
18617	Comanche Wreck Mooring Buoy	43-50-15.180N 086-29-01.380W				
18620	Pentwater North Pierhead Light 3	43-46-56.383N 086-26-37.016W	FI G 2.5s	9	White cylindrical tower with green band.	HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM CH 83A
18630	Pentwater South Pierhead Light 4	43-46-53.571N 086-26-38.923W	FI R 4s	4	TR on red skeleton tower.	
18633	Anna C. Minch Wreck Mooring Buoy	43-45-42.060N 086-27-50.040W				
18648	GLERL Muskegon M20	43-11-06.320N 086-21-16.700W	FI Y 4s			Maintained from Apr.1 to Nov.15. Secured with two point mooring system lighted spar buoys with same flash characteristics marking mooring locations.
18648.1	GLERL M45F	43-13-50.220N 086-28-00.660W	Q Y			Maintained from Apr.1 to Nov.15.
18649	State of Michigan Wreck Mooring Buoy	43-23-20.100N 086-27-51.060W				
18650	White Lake North Pierhead Light 1	43-22-31.760N 086-25-45.280W	FI G 6s	8	White column with green band.	
18655	White Lake South Pierhead Light 2	43-22-29.700N 086-25-46.440W	FI R 4s	5	TR on post.	
18660	White Lake Pierhead Inner Light 4	43-22-30.100N 086-25-20.490W	FI R 2.5s	4	TR on post.	
18665	White Lake Lighted Buoy 5	43-22-30.030N 086-25-10.030W	FI G 2.5s	3	Green.	Maintained from Apr. 21 to Nov. 14.
18670	White Lake Lighted Buoy 7	43-22-28.152N 086-25-03.167W	FI G 4s	3	Green.	Maintained from Apr. 21 to Nov. 14.
18675	White Lake Lighted Buoy 9	43-22-33.918N 086-23-43.247W	FI G 2.5s	3	Green.	Maintained from Apr. 21 to Nov. 14.
18680	White Lake Lighted Buoy 11	43-23-04.378N 086-22-41.498W	FI G 6s	3	Green.	Maintained from Apr. 21 to Nov. 14.
18685	White Lake Lighted Buoy 12	43-23-33.009N 086-21-59.892W	FI R 4s	3	Red.	Maintained from Apr. 21 to Nov. 14.
18690	White Lake Light 14	43-24-05.879N 086-21-18.512W	FI R 2.5s	4	TR on pile.	
18695	White Lake Light 15	43-24-13.715N 086-21-16.646W	FI G 4s	4	SG on pile.	
18705	Muskegon South Breakwater Light	43-13-26.727N 086-20-48.834W	Iso R 6s	8	Pyramidal tower.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Fog signal operates by keying the microphone five times on VHF-FM CH 83A
18710	Muskegon South Pierhead Light	43-13-35.981N 086-20-28.574W	FI R 4s	6	Conical tower.	
18720	Muskegon North Breakwater Light	43-13-31.869N 086-20-52.976W	FI G 4s	4	White cylindrical tower with green band.	
18725	Muskegon North Pier Outer Light	43-13-39.339N 086-20-30.605W	FI G 6s	4	SG on post.	
18730	Muskegon North Pier Inner Light	43-13-58.366N 086-19-40.273W	FI G 4s	4	SG on post.	
18735	Muskegon Lake Light	43-13-54.153N 086-19-38.330W	FI R 2.5s	4	White cylindrical tower with red band.	
18740	Harbour Towne Entrance Light 1	43-13-42.700N 086-19-27.100W	F G		On tower.	Maintained from Apr. 1 to Dec. 1.
18745	Harbour Towne Entrance Light 2	43-13-42.600N 086-19-28.100W	F R		On tower.	Maintained from Apr. 1 to Dec. 1.
18750	Muskegon Lake Lighted Buoy 3	43-13-55.080N 086-18-04.247W	FI G 2.5s	4	Green.	Maintained from Apr. 1 to Nov. 21.
18770	Bear Lake Entrance West Light	43-14-22.500N 086-17-52.320W	FI G 4s		SB on piling.	Maintained from Apr. 1 to Nov. 1.
18775	Bear Lake Entrance East Light	43-14-22.260N 086-17-50.640W	F R		TR on pile.	Maintained from Apr. 1 to Nov. 1.
18780	Bear Lake Channel Light 1	43-14-42.000N 086-17-44.460W	Q G		SG on pile	Maintained from Apr 1 to Nov 1.
18785	Great Lakes Marina Entrance Light 1	43-13-20.500N 086-17-38.100W	Q G		SG on pile.	
18790	Great Lakes Marina Entrance Light 2	43-13-20.500N 086-17-40.100W	Q R		TR on pile.	

18795	Great Lakes Marina Entrance Light 3	43-13-15.500N 086-17-38.100W	FI G 2.5s			SG on pile.	
18800	Great Lakes Marina Entrance Light 4	43-13-15.500N 086-17-40.100W	FI R 2.5s			TR on pile.	
18805	Great Lakes Marina Entrance Light 5	43-13-09.500N 086-17-38.100W	FI G 4s			SG on pile.	
18810	Great Lakes Marina Entrance Light 6	43-13-09.500N 086-17-40.100W	FI R 4s			TR on pile.	
18815	Bank Point Light	43-13-49.530N 086-17-24.130W	FI G 4s		5	SG on post on concrete pier.	
18818	GVSU Research Buoy	43-14-17.660N 086-16-49.914W	FI Y 4s				Secured with two point mooring system spar buoys marking mooring locations. Maintained from Apr. 7 to Nov. 7.
18820	Lakeshore Yacht Club Channel Lighted Buoy 1	43-13-47.900N 086-16-46.200W	FI G 4s			Green.	
18825	Lakeshore Yacht Club Channel Lighted Buoy 2	43-13-47.200N 086-16-48.100W	FI R 4s			Red.	
18830	Lakeshore Yacht Club Channel Buoy 3	43-13-46.500N 086-16-42.500W				Green can.	
18835	Lakeshore Yacht Club Channel Buoy 4	43-13-45.500N 086-16-44.000W				Red nun.	
18840	Lakeshore Yacht Club Channel Buoy 5	43-13-44.900N 086-16-38.800W				Green can.	
18845	Lakeshore Yacht Club Channel Buoy 6	43-13-44.000N 086-16-40.200W				Red nun.	
18850	Lakeshore Yacht Club Channel Buoy 7	43-13-43.000N 086-16-34.500W				Green can.	
18855	Lakeshore Yacht Club Channel Buoy 8	43-13-42.300N 086-16-36.500W				Red nun.	
18870	Lakeshore Yacht Club Channel Light 10	43-13-41.800N 086-16-34.800W	F R			TR on post.	
18871	Lakeshore Yacht Club Channel Light 11	43-13-41.100N 086-16-33.000W	F G			SG on post.	
18875	Muskegon Hartshorn Light	43-14-05.080N 086-16-32.857W	FI R 4s	0	3	TR on column.	
18881	Hartshorn Municipal Marina Lighted Buoy 1	43-14-05.831N 086-16-06.258W	FI G 4s			Green.	
18882	Hartshorn Municipal Marina Lighted Buoy 2	43-14-05.520N 086-16-08.772W	FI R 4s			Red.	
18883	Hartshorn Municipal Marina Buoy 3	43-13-58.020N 086-16-01.608W				Green can.	Priate aid.
18884	Hartshorn Municipal Marina Lighted Buoy 4	43-13-57.800N 086-16-03.720W	FI R 2s			Red.	
18885	Hartshorn Municipal Marina Light 5	43-13-52.600N 086-16-00.500W	Iso G 12s			On tripod.	
18890	Hartshorn Municipal Marina Light 6	43-13-51.700N 086-16-00.500W	Iso R 10s			On tripod.	
18895	Hartshorn Municipal Marina Basin Light	43-43-47.000N 086-15-57.500W	F R			On pole.	
18900	Verplank Channel Buoy 2	43-14-41.658N 086-15-09.564W					
18905	Verplank Channel Buoy 4	43-14-40.716N 086-15-03.828W					
18925	Conservation Club Channel Lighted Buoy 1	43-15-27.000N 086-15-28.000W	FI G 2s			Green.	
18930	Conservation Club Channel Lighted Buoy 2	43-15-25.000N 086-15-22.000W	FI R 2s			Red.	
18935	Conservation Club Channel Lighted Buoy 3	43-15-28.000N 086-15-25.000W	Q G			Green.	
18940	Conservation Club Channel Buoy 4	43-15-30.000N 086-15-21.000W				Red nun.	
18950	Conservation Club Channel Buoy 6	43-15-30.000N 086-15-20.000W				Red.	
18965	Grand Haven South Pierhead Entrance Light	43-03-24.940N 086-15-21.450W	FI R 10s		15	Red fog signal building.	Fog Signal operates by keying the microphone five times on VHF-FM CH 83A. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si).
18975	Grand Haven South Pierhead Inner Light	43-03-25.965N 086-15-13.661W	Oc R 4s		6	Red cylindrical tower.	
18980	Grand Haven North Pierhead Light 1	43-03-29.441N 086-15-21.235W	FI G 4s		6	White cylindrical tower with green band.	
18995	Grand River Lighted Buoy 3	43-03-44.960N 086-14-17.362W	FI G 2.5s		3	Green.	Replaced by can from Nov. 28 to April 1.

19000	Grand River Lighted Buoy 3A	43-03-49.394N 086-14-13.022W	FI G 4s	3	Green.	Replaced by can from Nov. 28 to April 1.
19005	Grand River Lighted Buoy 4	43-04-15.725N 086-14-08.991W	FI R 4s	3	Red.	Replaced by nun from Nov. 28 to April 1.
19010	Grand River Buoy 6	43-04-26.766N 086-14-05.598W				Maintained from Apr. 1 to Nov. 1.
19015	Grand River Buoy 7	43-04-35.430N 086-14-00.930W			Green can.	Maintained from Apr. 1 to Nov. 1.
19020	Grand River Lighted Buoy 8	43-04-34.241N 086-13-57.791W	FI R 2.5s	3	Red.	Replaced by nun from Nov. 28 to April 1.
19025	Grand River Buoy 10	43-04-37.972N 086-13-49.974W			Red nun.	
19030	Grand River Turning Basin Buoy 12	43-04-34.908N 086-13-23.571W			Red nun.	Maintained from Apr. 1 to Nov. 1.
19035	Grand River Lighted Buoy 14	43-04-29.069N 086-12-59.508W	FI R 2.5s	3	Red.	Maintained from April 1 to Nov. 1.
19040	Spring Lake Obstruction Light	43-04-38.924N 086-12-49.871W	FI W 2.5s	15	5	3 NW on pile worded DANGER.
19043	SPRING LAKE YACHT CLUB LIGHT A	43-04-55.770N 086-11-40.350W	F W			Maintained from Apr. 1 to Nov. 1.
19043.1	SPRING LAKE YACHT CLUB LIGHT B	43-04-55.820N 086-11-36.680W	F W			Maintained from Apr. 1 to Nov. 1.
19043.2	SPRING LAKE YACHT CLUB LIGHT C	43-04-56.470N 086-11-33.700W	F W			Maintained from Apr. 1 to Nov. 1.
19043.3	SPRING LAKE YACHT CLUB LIGHT D	43-04-57.230N 086-11-32.430W	F W			Maintained from Apr. 1 to Nov. 1.
19045	Grand River Lighted Buoy 14A	43-04-27.636N 086-12-45.375W	FI R 6s	3	Red.	Maintained from April 1 to Nov. 1.
19050	Grand River Lighted Buoy 15	43-04-24.738N 086-12-36.597W	FI G 4s	3	Green.	Maintained from April 1 to Nov. 1.
19051	Grand River Lighted Buoy 15A	43-04-18.708N 086-12-32.868W	FI G 6s	3	Green.	Maintained from April 1 to Nov. 1.
19055	Grand River Lighted Buoy 16	43-04-24.228N 086-12-37.803W	FI R 4s	3	Red.	Maintained from April 1 to Nov. 1.
19060	Grand River Lighted Buoy 16A	43-04-13.317N 086-12-31.675W	FI R 6s	3	Red.	Maintained from April 1 to Nov. 1.
19065	Grand River Buoy 17	43-04-04.680N 086-12-21.530W			Green can.	
19070	Grand River Buoy 19	43-03-56.544N 086-12-13.051W			Green can.	
19075	Grand River Buoy 20	43-03-54.030N 086-12-13.130W			Red nun.	
19080	Grand River Buoy 21	43-03-50.865N 086-11-59.542W			Green can.	
19085	Grand River Buoy 22	43-03-46.539N 086-11-47.064W			Red nun.	
19090	Grand River Buoy 23	43-03-40.230N 086-11-19.730W			Green can.	
19095	Grand River Buoy 24	43-03-26.628N 086-10-32.610W			Red nun.	
19100	Grand River Buoy 26	43-03-19.454N 086-10-09.901W			Red nun.	
19103	Grand River Buoy 27	43-03-10.137N 086-09-49.015W			Green Can.	Maintained from May 1 to Nov. 1.
19105	Grand River Buoy 28	43-03-08.830N 086-09-50.330W			Red nun.	
19110	Grand River Buoy 29	43-02-40.230N 086-09-38.630W			Green can.	
19115	Grand River Buoy 30	43-02-40.846N 086-09-39.941W			Red nun.	
19120	Grand River Buoy 31	43-02-21.030N 086-09-42.630W			Green can.	
19125	Grand River Buoy 33	43-02-10.530N 086-09-41.130W			Green can.	
19130	Grand River Buoy 35	43-01-55.930N 086-09-35.630W			Green can.	
19135	Grand River Buoy 37	43-01-31.330N 086-09-02.830W			Green can.	
19140	Grand River Buoy 39	43-01-33.430N 086-08-53.930W			Green can.	

19145	Grand River Buoy 40	43-01-51.930N 086-08-38.630W			Red nun.	
19150	Grand River Buoy 42	43-02-10.263N 086-08-33.174W			Red nun.	
19155	Grand River Buoy 44	43-02-19.844N 086-08-23.902W			Red nun.	
19160	Grand River Buoy 46	43-02-25.730N 086-08-13.030W			Red nun.	
19165	Grand River Buoy 48	43-02-29.201N 086-08-02.019W			Red nun.	
19170	Grand River Buoy 50	43-02-30.255N 086-07-48.631W			Red nun.	
19175	Grand River Buoy 51	43-02-24.030N 086-07-11.930W			Green can.	
19180	Grand River Buoy 52	43-02-22.468N 086-06-39.165W			Red nun.	
19185	Grand River Buoy 54	43-02-25.030N 086-06-11.130W			Red nun.	
19190	Grand River Buoy 55	43-02-24.171N 086-05-44.922W			Green can.	
19195	Grand River Buoy 57	43-02-23.830N 086-05-19.730W			Green can.	
19200	Grand River Buoy 59	43-02-26.530N 086-04-56.630W			Green can.	
19205	Grand River Buoy 60	43-02-27.830N 086-04-45.630W			Red nun.	
19210	Grand River Buoy 62	43-02-30.539N 086-04-24.198W			Red nun.	
19215	Grand River Buoy 64	43-02-26.784N 086-04-01.359W			Red nun.	
19220	Grand River Buoy 66	43-02-19.030N 086-03-37.130W			Red nun.	
19225	Grand River Buoy 67	43-02-07.330N 086-03-11.230W			Green can.	
19230	Grand River Buoy 68	43-01-55.930N 086-02-47.630W			Red nun.	
19235	Grand River Buoy 69	43-01-46.730N 086-02-26.830W			Green can.	
19240	Grand River Buoy 71	43-01-42.130N 086-02-10.330W			Green can.	
19245	Grand River Buoy 72	43-01-37.530N 086-01-59.730W			Red nun.	
19250	Grand River Buoy 74	43-01-25.230N 086-01-31.930W			Red nun.	
19255	Grand River Buoy 76	43-01-09.130N 086-01-12.830W			Red nun.	
19260	Grand River Danger Buoy	43-01-03.134N 086-01-09.222W			White can with orange bands worded DANGER END OF DREDGED CHANNEL	
19261	Ironsides Wreck Mooring Buoy	43-02-55.799N 086-19-08.999W				
19270	Port Sheldon Breakwater North Light	42-54-00.000N 086-13-06.000W	FI G 4s		Column.	Maintained from Apr. 1 to Oct. 31.
19275	Port Sheldon Breakwater South Light	42-54-00.000N 086-03-06.000W	FI R 4s		Column.	Maintained from Apr. 1 to Oct. 31.
19280	Holland Harbor North Breakwater Light	42-46-24.430N 086-12-56.930W	FI G 6s	7	White cylindrical tower with green band.	
19285	Holland Harbor South Breakwater Light	42-46-21.130N 086-12-56.930W	FI R 4s	5	White cylindrical tower with red band.	HORN: 1 blast ev 30s (3s blast). Operates by keying microphone five times on VHF-FM Ch. 83A.
19290	Holland Harbor North Pierhead Light	42-46-23.880N 086-12-45.786W	FI G 4s	4	SG on cylindrical tower.	
19295	Holland Harbor South Pierhead Light	42-46-21.550N 086-12-45.023W	AI WR 10s	17	On square tower on building.	
19305	Lake Macatawa Light	42-46-19.630N 086-12-24.330W	FI R 2.5s	4	TR on column.	Not visible westward.
19310	Lake Macatawa Lighted Buoy 1	42-46-18.311N 086-12-03.878W	FI G 2.5s	4	Green.	Replaced by can from Nov. 7 to Apr. 14.
19320	Big Bay Lighted Buoy 1	42-46-51.588N 086-11-02.149W	FI G 6s	3	Green.	Maintained from Apr. 14 to Nov. 14.
19325	Big Bay Lighted Buoy 2	42-46-52.494N 086-10-57.396W	FI R 6s	3	Red.	Maintained from Apr. 14 to Nov. 14.

19330	Big Bay Buoy 3	42-47-04.050N 086-10-58.673W			Green can.	Maintained from Apr. 14 to Nov. 14.
19335	Middle Ground Light 3	42-46-45.352N 086-10-41.064W	FI G 4s	4	SG on column on cylindrical base.	
19340	Drake Point Light 4	42-46-44.070N 086-10-22.483W	FI R 4s	4	TR on column on cylindrical base.	
19345	Lake Macatawa Buoy 5	42-46-44.485N 086-09-53.321W			Green can.	
19350	Lake Macatawa Lighted Buoy 6	42-46-43.088N 086-09-53.592W	FI R 6s	4	Red.	Replaced by nun from Nov. 7 to Apr. 14.
19375	Point Superior Light 7	42-46-44.550N 086-09-16.140W	FI G 4s	4	SG on column on cylindrical base.	
19380	Lake Macatawa Buoy 9	42-46-41.179N 086-09-08.335W			Green can.	
19385	Lake Macatawa Lighted Buoy 10	42-46-39.202N 086-09-02.068W	FI R 2.5s	4	Red.	Replaced by nun from Nov. 7 to Apr. 14.
19390	Lake Macatawa Buoy 11	42-46-42.980N 086-08-57.402W			Green can.	
19393	Lake Macatawa Buoy 12	42-46-53.333N 086-08-30.255W			Red nun.	
19395	Lake Macatawa Buoy 13	42-46-58.859N 086-08-21.761W			Green can.	
19400	Lake Macatawa Lighted Buoy 14	42-47-05.213N 086-08-03.180W	FI R 4s	4	Red.	Replaced by nun from Nov. 7 to Apr. 14.
19405	Lake Macatawa Buoy 15	42-47-15.068N 086-07-45.087W			Green can.	
19410	Lake Macatawa Lighted Buoy 16	42-47-22.010N 086-07-25.502W	FI R 2.5s	4	Red.	Replaced by nun from Nov. 7 to Apr. 14.
19415	Lake Macatawa Buoy 17	42-47-27.018N 086-07-16.770W			Green can.	
19420	Lake Macatawa Lighted Buoy 19	42-47-34.566N 086-07-10.714W	FI G 4s	4	Green.	Replaced by can from Nov. 7 to Apr. 14.
19425	Lake Macatawa Buoy 21	42-47-38.628N 086-06-59.114W			Green can.	
19430	Lake Macatawa Buoy 23	42-47-46.780N 086-06-53.432W			Green can.	Maintained from Apr. 14 to Nov. 07.
19435	Lake Macatawa Buoy 25	42-47-53.478N 086-06-49.389W			Green can.	Maintained from Apr. 14 to Nov. 07.
19440	Lake Macatawa Buoy 26	42-47-53.024N 086-06-48.035W			Red nun.	Maintained from Apr. 14 to Nov. 07.
19445	Saugatuck South Pierhead Light	42-40-36.029N 086-12-59.030W	FI R 4s	7	Cylindrical structure with red band.	HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
19450	Saugatuck North Pierhead Light	42-40-38.910N 086-12-57.440W	FI G 4s	5	Cylindrical structure with green band.	
19455	Kalamazoo River Buoy 2	42-40-32.730N 086-12-22.830W			Red nun.	
19460	Kalamazoo River Buoy 4	42-40-35.130N 086-12-12.330W			Red nun.	
19465	Kalamazoo River Buoy 5	42-40-23.330N 086-11-54.830W			Green can.	
19470	Kalamazoo River Buoy 6	42-40-19.330N 086-11-53.730W			Red nun.	
19475	Kalamazoo River Buoy 8	42-39-54.029N 086-12-03.830W			Red nun.	
19480	Kalamazoo River Buoy 9	42-39-50.829N 086-12-04.830W			Green can.	
19485	Kalamazoo River Buoy 11	42-39-42.823N 086-12-17.905W			Green can.	
19490	Kalamazoo River Buoy 12	42-39-40.229N 086-12-22.230W			Red nun.	
19495	Kalamazoo River Buoy 14	42-39-28.429N 086-12-24.030W			Red nun.	
19505	South Haven South Pierhead Light	42-24-04.859N 086-17-16.669W	F R	13	Red conical tower.	Fog Signal operates by keying the microphone five times on VHF-FM CH 83A. HORN: 2 blast ev 30s (2s bl-2s si-2s bl-24s si).
19510	South Haven North Pier Light	42-24-06.829N 086-17-17.529W	FI G 4s	6	On pole.	
19511.6	Palisades Nuclear Security Zone No Entry Buoy G	42-19-35.000N 086-19-07.000W			White can with orange bands and exclusion symbol worded NO ENTRY.	
19511.5	Palisades Nuclear Security Zone No Entry Buoy F	42-19-39.000N 086-19-24.000W			White can with orange bands and exclusion symbol worded NO ENTRY.	

19511.4	Palisades Nuclear Security Zone No Entry Buoy E	42-19-44.000N 086-19-42.000W				White can with orange bands and exclusion symbol worded NO ENTRY.
19511.3	Palisades Nuclear Security Zone No Entry Buoy D	42-19-33.000N 086-19-48.000W				White can with orange bands and exclusion symbol worded NO ENTRY.
19511.2	Palisades Nuclear Security Zone No Entry Buoy C	42-19-22.000N 086-19-54.000W				White can with orange bands and exclusion symbol worded NO ENTRY.
19511.1	Palisades Nuclear Security Zone No Entry Buoy B	42-19-17.000N 086-19-37.000W				White can with orange bands and exclusion symbol worded NO ENTRY.
19511	Palisades Nuclear Security Zone No Entry Buoy A	42-19-12.000N 086-19-24.000W				White can with orange bands and exclusion symbol worded NO ENTRY.
19515	St. Joseph North Pierhead Light	42-06-59.098N 086-29-40.350W	Fl W 2.5s	12		White cylindrical tower.
19520	St. Joseph North Pier Inner Light	42-06-57.819N 086-29-36.510W	Iso W 2s	0	7	Octagonal tower.
19525	St. Joseph South Pierhead Light	42-06-54.989N 086-29-39.426W	Iso R 6s	15	5	
19527	St. Joseph Coast Guard Light	42-06-47.848N 086-29-04.003W	Fl Y 4s	4		
19530	St. Joseph River Buoy 3	42-06-44.909N 086-28-34.429W				Green can. Maintained from Apr. 28 to Nov. 1.
19534.4	Donald C. Cook Nuclear Security Zone No Entry Buoy E	41-58-42.780N 086-34-14.940W	Iso W 2s	1		White can with orange bands and exclusion symbol worded NO ENTRY.
19534.3	Donald C. Cook Nuclear Security Zone No Entry Buoy D	41-58-46.140N 086-34-31.500W	Iso W 2s	1		White can with orange bands and exclusion symbol worded NO ENTRY.
19534.2	Donald C. Cook Nuclear Security Zone No Entry Buoy C	41-58-40.380N 086-34-33.660W	Iso W 2s	1		White can with orange bands and exclusion symbol worded NO ENTRY.
19534.1	Donald C. Cook Nuclear Security Zone No Entry Buoy B	41-58-35.340N 086-34-35.460W	Iso W 2s	1		White can with orange bands and exclusion symbol worded NO ENTRY.
19534	Donald C. Cook Nuclear Security Zone No Entry Buoy A	41-58-31.980N 086-34-18.500W	Iso W 2s	1		White can with orange bands and exclusion symbol worded NO ENTRY.
19535	New Buffalo Harbor Light 1	41-48-08.489N 086-45-08.630W	Fl G 2.5s	6		SG on column.
19540	New Buffalo Harbor Light 2	41-48-06.149N 086-45-05.102W	Fl R 2.5s	6		TR on column.
19544	Purdue Research Lighted Buoy A	41-45-19.800N 086-58-33.960W	STROBE			Yellow Maintained from May 1 to Nov. 1
19545	Michigan City East Pierhead Light	41-43-44.074N 086-54-41.672W	Oc W 4s	10		White octagonal tower with red roof attached to fog signal building. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Ch. 83A.
19555	Michigan City Breakwater Light	41-43-48.214N 086-54-50.179W	Fl R 4s	6		TR on pyramidal structure with red band.
19560	Michigan City Breakwater South Light	41-43-36.905N 086-54-58.728W	Fl Y 2.5s	4		NY on pyramidal structure.
19565	Michigan City West Pierhead Light	41-43-36.016N 086-54-36.080W	Fl R 6s	4		TR on tower.
19570	Michigan City Outer Basin Light	41-43-32.542N 086-54-31.423W	Fl G 4s	4		SG on pile.
19575	Baileytown Water Intake Crib Light	41-38-58.614N 087-07-21.864W	Q W			Skeleton tower. Maintained from Apr. 1 to Dec. 1.
19580	Burns Harbor East Light	41-38-58.000N 087-07-52.000W	Fl W 2s			On pile.
19583	Burns Harbor Shoal Buoy 1	41-39-10.716N 087-08-07.479W				Green can
19585	Burns Harbor North Light 2	41-38-55.829N 087-08-45.610W	Fl R 2.5s	7		TR on pile.
19590	Burns Harbor South Light 3	41-38-47.329N 087-08-49.130W	Fl G 4s	8		White cylindrical tower with green band.
19595	Burns Waterway Jetty North Light 1	41-38-03.698N 087-10-41.755W	Fl G 6s	7		White cylindrical tower with green band.
19600	Burns Waterway West Pier Light 2	41-38-00.541N 087-10-40.078W	Fl R 2.5s	20	6	TR on post.
19605	Gary Bulkhead Light	41-37-26.598N 087-17-19.836W	Fl R 4s			On cylindrical tower.
19610	Gary Breakwater Light	41-37-49.146N 087-19-13.098W	Fl (3)R 40s			On cylindrical tower. Standby light. HORN: 1 blast ev 30s (2s bl).
19615	Gary East Pierhead Light	41-37-27.921N 087-19-27.055W	F W			On post. Operates during navigation season only.
19620	Gary West Pierhead Light	41-37-28.298N 087-19-30.888W	F R			On post. Operates during navigation season only.
19625	Indiana Shoal Lighted Gong Buoy 4	41-43-25.737N 087-20-52.564W	Fl R 4s	4		Red. Maintained from Apr. 21 to Dec. 1.

19630	Buffington Harbor Breakwater Light	41-38-45.000N 087-24-37.500W	FI R 4s			Conical tower.	
19636	Buffington Harbor Inner Breakwater East Light 2	41-38-35.000N 087-24-53.000W	FI R 2.5s			On post.	
19637	Buffington Harbor Inner Breakwater West Light 1	41-38-33.000N 087-24-56.000W	Q G			On post.	
19648	City Of East Chicago Indiana Casino Harbor Light 1	41-39-17.390N 087-25-55.340W	Q G	5		SG on cylindrical tower.	Maintained from Apr. 1 to Dec. 1.
19649	City Of East Chicago Indiana Casino Harbor Light 2	41-39-15.110N 087-25-59.930W	Oc R 4s			TR on cylindrical tower.	Maintained from Apr. 1 to Dec. 1.
19650	City Of East Chicago Indiana Pastrick Marina Light 3	41-39-14.600N 087-26-05.600W	FI G 2.5s			SG on post.	Maintained from Apr. 1 to Dec. 15. Visible 294° through 359°.
19655	City Of East Chicago Indiana Pastrick Marina Light 4	41-39-14.500N 087-26-03.000W	FI R 4s			TR on post.	Maintained from Apr. 1 to Dec. 15. Visible 294° through 359°.
19660	Indiana Harbor South Bulkhead Light	41-39-34.074N 087-25-14.232W	FI R 2s			Pyramidal tower.	
19665	Indiana Harbor East Bulkhead Light	41-40-41.328N 087-24-04.866W	FI R 2s			Pyramidal tower.	
19670	Indiana Harbor North Bulkhead Light	41-41-20.340N 087-25-01.044W	FI R 2s			Pyramidal tower.	
19675	Indiana Harbor East Breakwater Light	41-40-51.042N 087-26-28.057W	Iso G 6s	80	12	Square tower.	HORN: 2 blast ev 20s. Operates by keying microphone five times on VHF-FM Ch. 83A.
19685	Indiana Harbor Light 2	41-41-06.118N 087-26-49.410W	Oc R 4s	20	6	TR on pile.	
19690	Indiana Harbor Light 5	41-40-27.671N 087-26-19.870W	FI G 2.5s		5	White cylindrical tower with green band.	
19695	Indiana Harbor Light 6	41-40-22.784N 087-26-26.304W	FI R 2.5s		6	White cylindrical tower with red band.	Higher intensity beam on bearing 165.5°.
19700	Indiana Harbor Light 7	41-40-00.786N 087-26-31.294W	F G		8	SG on white cylindrical tower.	
19705	Indiana Harbor Light 8	41-40-03.809N 087-26-34.604W	FI R 4s		5	TR on white cylindrical tower.	
19707	Indiana Harbor Canal Street Abutment Light 2	41-38-56.381N 087-28-05.113W	FI R 4s			Pile Dolphin	
19708	Indiana Harbor Canal Street Abutment Light 1	41-38-55.903N 087-28-04.501W	FI G 2.5s			Pile Dolphin	
19715	Whiting Lakefront Park Light A	41-41-03.500N 087-29-20.000W	Q G			On post.	
19720	Whiting lakefront Park Light B	41-41-05.200N 087-29-20.000W	Q R			On post.	
19740	Hammond Intake Crib Light	41-42-25.100N 087-29-49.500W	FI W 6s			On tower.	Maintained from Apr. 1 to Nov. 1.
19745	Hammond Marina Entrance Light 1	41-41-44.700N 087-30-14.800W	FI G 4s			SG on pile.	
19750	Hammond Marina Entrance Light 2	41-41-44.700N 087-30-11.700W	FI R 4s			TR on pile.	
19752	Hammond Marina Lighted Obstruction Buoy AA	41-41-43.780N 087-30-09.180W	Q W		1		
19755	Hammond Marina Lighted Obstruction Buoy A	41-41-47.400N 087-30-09.300W	FI W 2.5s			White with orange bands and orange diamond.	
19760	Hammond Marina Lighted Obstruction Buoy B	41-41-51.800N 087-30-13.700W	FI W 2.5s			White with orange bands and orange diamond.	
19765	Hammond Marina Lighted Obstruction Buoy C	41-41-55.400N 087-30-20.300W	FI W 2.5s			White with orange bands and orange diamond.	
19770	Hammond Marina Lighted Obstruction Buoy D	41-41-57.500N 087-30-26.600W	FI W 2.5s			White with orange bands and orange diamond.	
19780	Calumet Park 101st Street Pier Light	41-42-47.951N 087-31-30.839W	FI R 4s		6	TR on post.	
19785	Indiana Shoal Buoy 2	41-46-10.361N 087-23-26.763W				Red nun.	
19790	Chicago Lake Front Northeast Shoal Lighted Buoy 2	41-45-36.296N 087-28-02.048W	FI R 4s		4	Red.	Replaced by nun from Dec. 1 to Apr. 21. AIS MMSI: 993672228
19795	Calumet East Shoal Lighted Buoy 4	41-43-59.036N 087-28-13.866W	FI R 6s		4	Red.	Replaced by nun from Dec. 01 to Apr 21.
19800	Calumet Harbor Breakwater South End Light	41-43-33.680N 087-29-35.986W	FI R 10s		16	White square skeleton tower with red band. Lower half open.	HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
19810	Calumet Harbor Lighted Buoy 1	41-43-07.732N 087-29-48.724W	FI G 4s		3	Green.	Year round lighted buoy
19815	Calumet Harbor Buoy 3	41-43-15.153N 087-29-58.800W				Green can.	

19820	Calumet Harbor Buoy 5	41-43-38.404N 087-30-30.378W			Green can.	
19825	Calumet Harbor Lighted Buoy 7	41-43-48.276N 087-30-43.788W	FI G 4s	3	Green.	Year round lighted buoy.
19827	Calumet Harbor Breakwater Obstruction Light	41-44-29.422N 087-30-52.070W	FI Y 2.5s	8	White cylindrical tower with yellow band.	
19830	Calumet Harbor Light	41-44-12.663N 087-30-28.834W	FI R 2.5s	7	White cylindrical tower with red band.	
19835	Calumet Harbor Entrance South Side Light	41-44-08.174N 087-30-22.751W	FI G 4s	6	White cylindrical tower with green band.	
19840	Calumet Pierhead Light	41-44-01.520N 087-31-44.509W	Iso R 6s	6	TR on post.	Obscured from 240° to 060°.
19845	Calumet Harbor Disposal Area Light	41-43-52.324N 087-31-29.663W	FI G 6s	4	SG on tower.	
19850	Calumet River Entrance Light	41-43-56.334N 087-31-46.205W	FI G 2.5s	5	SG on post.	
19855	Clarke Point Buoy 8	41-45-33.954N 087-31-44.094W			Red nun.	Maintained from Apr. 14 to Nov. 01.
19860	Filtration Plant Breakwater South End Light	41-45-24.822N 087-32-16.794W	FI W 2.5s		NW on skeleton tower marked DANGER.	Maintained from May 1 to Nov. 1.
19865	Filtration Plant Breakwater North End Light	41-45-42.438N 087-32-38.820W	FI W 2.5s		NW on skeleton tower marked DANGER.	Maintained from May 1 to Nov. 1.
19870	Sixty-Eighth Street Crib Light	41-47-10.500N 087-31-48.000W	FI R 3s		Silver-gray lantern on red skeleton tower on stone crib.	BELL: 1 strike ev 12s.
19875	Jackson Park Outer Harbor Light 2	41-47-04.500N 087-34-03.500W	FI R 2.5s		TR on pile at end of breakwater.	Maintained from Apr. 15 to Dec. 1.
19880	Jackson Park Outer Harbor Light 4	41-46-52.900N 087-34-06.774W	FI R 4s		TR on pile.	Maintained from Apr. 15 to Dec. 1.
19885	Jackson Park Inner Harbor Light 6	41-46-47.300N 087-34-22.800W	F R		TR on pile.	Maintained from Apr. 15 to Dec. 1.
19890	Jackson Park Inner Harbor Light 5	41-46-45.600N 087-34-21.800W	F G		SG on pile.	Maintained from Apr. 15 to Dec. 1.
19895	Fifty-Ninth Street Yacht Harbor South Pier Light	41-47-17.300N 087-34-30.700W	F G		On post.	Maintained from Apr. 15 to Dec. 1.
19900	Fifty-Ninth Street Yacht Harbor North Pier Light	41-47-12.000N 087-34-18.000W	F R		On post.	Maintained from Apr. 15 to Dec. 1.
19905	South Park Shoal Buoy 6	41-47-51.315N 087-32-09.243W			Red nun.	
19910	Clemson Shoal Lighted Bell Buoy 4	41-48-24.593N 087-32-04.756W	FI R 4s	4	Red.	Replaced by nun from Dec. 01 to Apr. 21.
19915	Hyde Park Shoal Outside Buoy 2	41-48-30.318N 087-32-34.792W			Red nun.	
19920	Morgan Shoals Lighted Buoy 2	41-48-38.628N 087-34-27.930W	FI R 2.5s	3	Red.	Maintained from Apr. 14 to Nov 1.
19921	Oakwood Beach North Pier Light	41-49-24.922N 087-35-48.453W	FI Y 2s	5		
19922	Oakwood Beach South Pier Light	41-49-17.193N 087-35-39.191W	FI Y 2s	5		
19925	Four-Mile Crib Light	41-52-24.000N 087-32-42.000W	FI W 15s	10	Red skeleton tower on stone crib.	HORN: 1 blast ev 20s (2s bl).
19926	Chicago 31 Street Harbor Lighted Fixed Aid 1	41-49-59.790N 088-36-08.380W	FI G 4s			Maintained from Apr.1 to Dec.1.
19927	Chicago 31 Street Harbor Lighted Fixed Aid 2	41-49-58.660N 087-36-06.420W	FI R 4s			Maintained from Apr.1 to Dec.1.
19930	Thirty-First Street Outer Jetty Light	41-50-21.700N 087-36-15.800W	FI Y 2.5s		NW on cylindrical tower.	Maintained from Apr. 15 to Dec. 1.
19931	Thirty-First Street Jetty Danger Lighted Buoy A	41-50-22.600N 087-36-18.200W	FI W 2s	1	White with orange bands and diamond worded DANGER BREAKWATER.	Maintained from Apr. 15 to Oct. 31.
19932	Thirty-First Street Jetty Danger Lighted Buoy B	41-50-23.000N 087-36-20.800W	FI W 2s	1	White with orange bands and diamond worded DANGER BREAKWATER.	Maintained from Apr. 15 to Oct. 31.
19933	Thirty-First Street Jetty Danger Lighted Buoy C	41-50-23.500N 087-36-23.300W	FI W 2s	1	White with orange bands and diamond worded DANGER BREAKWATER.	Maintained from Apr. 15 to Oct. 31.
19934	Thirty-First Street Inner Jetty Light	41-50-24.400N 087-36-26.000W	FI Y 2.5s		NW on cylindrical tower.	Maintained from Apr. 15 to Dec. 1.
19955	Burnham Park Harbor Light	41-51-06.750N 087-36-35.720W	FI G 3s		On a pole	Red from 135° to 255°. Maintained from Apr. 15 to Dec. 1.
19956.2	Northerly Island Danger Lighted Buoy C	41-51-45.000N 087-36-21.000W	FI W 2s	1	White with orange bands and diamond worded DANGER SUBMERGED BULKHEAD.	Maintained from Apr. 15 to Oct 31.
19956.1	Northerly Island Danger Lighted Buoy B	41-51-48.500N 087-36-21.000W	FI W 2s	1	White and orange bands and diamond worded DANGER SUBMERGED BULKHEAD.	Maintained from Apr. 15 to Oct 31.

19956	Northerly Island Danger Lighted Buoy A	41-51-52.200N 087-36-21.200W	FI W 2s	1		White and orange bands and diamond worded DANGER SUBMERGED BULKHEAD.	Maintained from Apr. 15 to Oct 31.
19957	Purdue University Meteorological Buoy 1A	41-53-33.000N 087-33-47.000W	F Y				Maintained from Apr.15 to Dec.15.
19960	Chicago Harbor Light	41-53-21.687N 087-35-25.743W	FI R 5s	82	15	White conical tower.	HORN operates by keying the microphone five times on VHF-FM channel 83A. 2 blasts ev 30s (2s bl).
19980	Chicago Harbor Outer Breakwater South End Light	41-52-48.651N 087-35-25.936W	Iso R 6s	20	6	White cylindrical tower with red band.	
19985	Chicago Harbor Entrance South Side Light	41-53-14.893N 087-35-25.892W	FI G 4s	19	6	White cylindrical tower with green band.	
19990	Chicago Harbor South Breakwater Northend Light 1	41-52-29.358N 087-36-36.461W	FI G 2.5s	20	5	SG on post.	
19995	Chicago Harbor Breakwater South Light	41-52-36.985N 087-36-36.331W	FI R 4s	20	4	White cylindrical tower with red band.	
20000	Chicago Harbor Southeast Guide Wall Light	41-53-17.968N 087-36-09.075W	Iso W 6s	45	9	White square tower with green band.	Visible from 157° to 023°.
20005	Chicago Harbor Municipal Pier No. 1 Light	41-53-23.300N 087-35-58.800W	FI Y 2.5s			NY on skeleton tower.	Maintained from Apr. 1 to Dec. 1.
20010	Chicago Harbor Navy Pier South Light	41-53-29.400N 087-35-54.500W	Iso W 4s			On skeleton tower.	Maintained from Apr. 1 to Dec. 1.
20012	Chicago Harbor Navy Pier North Light	41-53-32.300N 087-35-54.500W	Iso W 4s			On skeleton tower.	Maintained from Apr. 1 to Dec. 1.
20015	Chicago Harbor Filtration Plant Light B	41-53-35.800N 087-36-08.000W	FI W 4s			On dolphin.	Maintained from Mar. 15 to Dec. 15.
20020	Chicago Harbor Filtration Plant Light A	41-53-46.600N 087-36-08.800W	FI W 4s				Maintained from Mar. 15 to Dec. 15.
20025	Oak Street Breakwater Light	41-54-11.050N 087-36-28.270W	FI G 4s	20	5	SG on post.	
20030	Chicago Harbor Oak Street Breakwater Northeast End Light 2	41-54-10.933N 087-36-34.020W	FI R 2.5s	20	6	TR on post.	
20035	Chicago Harbor Oak Street Breakwater Southwest End Light 3	41-54-05.105N 087-37-02.236W	FI G 2.5s	20	5	SG on post.	
20040	William E. Dever Crib Light	41-55-00.000N 087-34-18.000W	Q W			On skeleton tower.	HORN: 1 blast ev 20s (2s bl).
20055	North Avenue Jetty Light	41-54-54.000N 087-37-12.000W	Q R			On skeleton tower.	Maintained from Apr. 15 to Dec. 1.
20080	Diversey Harbor Entrance North Breakwater Light	41-55-57.300N 087-37-50.500W	FI R 3s			On post.	Maintained from Apr. 15 to Dec. 1.
20085	Diversey Harbor Entrance South Breakwater Light	41-55-57.200N 087-37-52.100W	FI G 3s			On post.	Maintained from Apr. 15 to Dec. 1.
20090	Belmont Harbor Light	41-56-30.000N 087-38-00.000W	FI R 3s			On tubular steel tower.	Maintained from Apr. 1 to Dec. 1.
20095	Belmont Harbor Inner Light	41-56-35.000N 087-38-09.000W	FI R 3s			On skeleton tower.	Maintained from Apr. 1 to Dec. 1.
20100	Belmont Rock Shoal Buoy 2	41-56-38.086N 087-37-39.836W				Red nun.	Maintained from Apr. 14 to Nov. 01.
20105	Montrose Breakwater Light	41-57-48.000N 087-37-53.000W	FI R 3s			On skeleton tower.	Maintained from Apr. 15 to Dec. 1.
20110	Montrose Harbor East Breakwater Light	41-57-33.000N 087-38-25.000W	FI R 3s			On skeleton tower.	Maintained from Apr. 15 to Dec. 1.
20115	Montrose Harbor West Breakwater Light	41-57-33.400N 087-38-28.000W	FI G 3s			On skeleton tower.	Maintained from Apr. 15 to Dec. 1.
20130	Wilson Avenue Breakwater Light	41-58-07.000N 087-37-53.000W	FI G 3s			On skeleton tower.	Maintained from Apr. 15 to Dec. 1.
20135	Wilson Avenue Intake Crib Light	41-58-00.000N 087-35-30.000W	Q W			On cylindrical tower.	HORN: 1 blast ev 20s (2s bl).
20140	Foster Avenue Pierhead Light	41-58-49.000N 087-38-46.000W	FI W 3s			On skeleton tower.	Maintained from Apr. 15 to Dec. 1.
20145	Hollywood Avenue Breakwater Light	41-59-10.000N 087-38-59.000W	FI R 3s			On skeleton tower.	Maintained from Apr. 15 to Dec. 1.
20165	Farwell Avenue Breakwater Light	42-00-24.000N 087-39-24.000W	FI R 3s			On skeleton tower.	Maintained from Apr. 15 to Dec. 1.
20170	South Boulevard Branch Warning Daybeacons	42-01-38.500N 087-39-58.000W				NW on pile worded DANGER GROIN.	Maintained from Apr. 1 to Nov. 1.
20185	Evanston Breakwater Light	42-02-44.500N 087-40-16.200W	FI R 4s			On post.	Maintained from May 1 to Oct. 15.
20190	Grossepoint Light	42-04-00.000N 087-41-00.000W	FI (2)W 15s			White conical tower red roofs.	
20195	Evanston Boat Ramp Buoy 1	42-02-41.500N 087-40-16.000W				Green can.	

20200	Evanston Boat Ramp Buoy 3	42-02-42.200N 087-40-16.500W					Green can.	
20205	Evanston Boat Ramp Buoy 5	42-02-42.800N 087-40-17.000W					Green can.	
20210	Evanston Boat Ramp Buoy 2	42-02-42.500N 087-40-15.000W					Red nun.	
20215	Evanston Boat Ramp Buoy 4	42-02-42.900N 087-40-15.400W					Red nun.	
20220	Evanston Boat Ramp Buoy 6	42-02-43.300N 087-40-15.800W					Red nun.	
20221	Evanston Boat Ramp Buoy 7	42-02-43.300N 087-40-17.500W					Green can.	
20222	Evanston Boat Ramp Buoy 8	42-07-43.600N 087-40-16.200W					Red nun.	
20225	Wilmette Harbor Entrance Buoy 1	42-04-36.200N 087-40-40.600W					Green can.	Maintained from May 1 to Nov. 15.
20230	Wilmette Harbor Entrance Buoy 2	42-04-38.000N 087-40-39.800W					Red nun.	Maintained from May 1 to Nov. 15.
20235	Wilmette Harbor Entrance South Light	42-04-37.000N 087-40-48.300W	FI G 4s				On pile.	Maintained from Apr. 15 to Nov. 15.
20240	Wilmette Harbor Entrance North Light	42-04-37.200N 087-40-44.400W	FI R 4s				On pile.	Maintained from Apr. 15 to Nov. 15.
20245	Wilmette Harbor Pierhead Light	42-04-43.350N 087-40-47.364W	FI W 4s				On pile.	Maintained from Apr. 15 to Nov. 15.
20250	Wilmette Wreck Lighted Bell Buoy WR 2	42-05-41.143N 087-38-57.901W	Q R	4			Red.	Replaced by nun from Dec. 01 to Apr. 21.
20255	Grossepoint Outer Lighted Bell Buoy 4	42-08-14.390N 087-35-17.507W	FI R 6s	4			Red.	Replaced by nun from Dec. 01 to Apr. 21.
20257	Wilmette Weather Buoy	42-08-16.000N 087-39-30.000W	FI Y 4s					Maintained from Apr. 1 to Nov. 1.
20260	Highland Park Breakwater Light	42-11-27.000N 087-47-12.000W	Q R				On yellow post.	Maintained from May 1 to Oct. 31.
20275	Lake Forest Breakwater Light	42-15-01.531N 087-49-03.713W	FI R 4s				TR on post.	Maintained from Mar. 1 to Dec. 15.
20280	Lake Forest Jetty Light	42-15-02.219N 087-49-05.599W	FI G 4s				SG on post.	Maintained from Mar. 1 to Dec. 15.
20282	Great Lakes Buoy N	42-19-42.391N 087-49-14.074W					Yellow Can	Maintained from Apr. 14 to Oct. 14.
20284	Great Lakes Buoy S	42-18-18.704N 087-49-05.941W					Yellow Can	Maintained from Apr. 14 to Oct. 14.
20285	Great Lakes Light 2	42-18-21.299N 087-49-29.136W	FI R 4s	30	6		White cylindrical tower with red band.	
20290	Great Lakes Light 1	42-18-18.405N 087-49-35.152W	FI G 4s	30	5		White cylindrical tower with green band.	
20295	Great Lakes Light 4	42-18-29.883N 087-49-50.043W	FI R 2.5s	15	4		TR on tower.	
20300	Great Lakes Light 3	42-18-28.020N 087-49-51.805W	FI G 2.5s		5		SG on tower.	
20301	Great Lakes Buoy A	42-18-18.017N 087-48-41.659W					Yellow can.	
20302	Great Lakes Buoy B	42-18-59.327N 087-48-41.923W					Yellow can.	
20303	Great Lakes Buoy C	42-19-42.503N 087-48-41.659W					Yellow can.	
20304	Great Lakes East Breakwater Danger Buoy	42-18-35.633N 087-49-22.245W					White Can	Maintained from 14 Apr to 14 Oct.
20304.1	Great Lakes South Breakwater Danger Buoy	42-18-15.304N 087-49-36.027W					White Can	Maintained from 14 Apr to 14 Oct.
20305	Waukegan South Harbor Marina Light 2	42-21-20.574N 087-49-13.542W	Q R	2			On pile.	Maintained from Apr. 1 to Nov. 1.
20310	Waukegan South Harbor Marina Light 1	42-21-24.000N 087-49-14.700W	Q G	3			On pile.	Maintained from Apr. 1 to Nov. 1.
20315	Waukegan Harbor Light	42-21-38.349N 087-48-48.271W	Oc G 4s	36	12		On cylindrical tower with green band.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by key the microphone 5 times on VHF channel 83A.
20325	Waukegan Shoals Buoy 1	42-21-27.486N 087-47-36.734W					Green can.	
20330	Waukegan Shoals Lighted Buoy 3	42-21-40.928N 087-47-52.851W	FI G 2.5s	4			Green.	Replaced by can from Dec 1 to Apr 21.
20333	Univ of Illinois Waukegon Weather Wave (45186) Buoy B	42-22-01.920N 087-47-42.720W	FI Y 4s					Maintained from Apr.1 to Nov.1.

20335	Waukegan Breakwater Light	42-21-44.460N 087-48-38.859W	Fl (2)R 5s	20	6	White cylindrical tower with red band.	
20340	Waukegan North Pierhead Light	42-21-40.899N 087-48-52.986W	Fl R 4s		4	TR on post.	
20345	Commonwealth Edison Breakwater Light	42-22-54.600N 087-48-15.600W	Fl R 6s			On skeleton tower.	
20350	Johns-Manville Intake Crib Light	42-23-26.340N 087-48-37.074W	Q W			On skeleton tower.	
20355	Zion Intake Lighted Buoy A	42-26-38.460N 087-47-31.500W	Q W			White with orange bands and diamond.	
20360	Zion Intake West Light	42-26-38.220N 087-47-28.920W	Fl W 2.5s		4	NW on post.	
20380	Zion Discharge Buoy B	42-26-44.000N 087-47-42.000W				White can with orange bands and diamond.	Maintained from Apr. 1 to Oct. 31.
20385	Zion Discharge Buoy C	42-26-41.000N 087-47-42.000W				White can with orange bands and diamond.	Maintained from Apr. 1 to Oct. 31.
20386	Northpoint Marina Reef Obstruction Lighted Buoy A	42-28-49.275N 087-47-53.076W	Q W			White with orange bands and diamond worded REEF.	
20387	Northpoint Marina Reef Obstruction Lighted Buoy B	42-28-53.324N 087-47-52.723W	Q W			White with orange bands and diamond worded REEF.	
20388	Northpoint Marina Reef Obstruction Lighted Buoy C	42-28-56.798N 087-47-52.515W	Q W			White with orange bands and diamond worded REEF.	
20389	Northpoint Marina Reef Obstruction Lighted Buoy D	42-29-00.831N 087-47-52.310W	Q W			White with orange bands and diamond worded REEF.	
20390	Northpoint Marina Entrance Light 1	42-29-16.000N 087-47-59.000W	Fl G 4s			SG on post.	Maintained from Apr. 01 to Nov. 30.
20395	Northpoint Marina Entrance Light 2	42-29-17.298N 087-47-55.122W	Fl R 4s			TR on post.	Maintained from Apr. 01 thru Nov. 30.
20397	Univ of Illinois Winthrop Weather Wave (45187) Buoy A	42-29-26.160N 087-46-44.040W	Fl Y 4s				Maintained from Apr.1 to Nov.1.
20400	Northpoint Marina North Obstruction Light	42-29-22.000N 087-47-58.000W	Q W			NW on post.	Maintained from Apr. 01 to Nov. 30.
20405	Northpoint Marina Center Obstruction Light	42-29-11.000N 087-47-57.000W	Q W			NW on post.	Maintained from Apr. 01 to Nov. 30.
20410	Northpoint Marina South Obstruction Light	42-29-05.000N 087-47-56.000W	Q W			NW on post.	Maintained from Apr. 01 to Nov. 30.
20412	Prairie Harbor Entrance North Pier Light 2	42-29-34.800N 087-48-04.200W	Fl R 2.5s				
20413	Prairie Harbor Entrance South Pier Light 1	42-29-33.840N 087-48-06.800W	Fl G 2.5s				
20415	Kenosha Light	42-35-19.729N 087-48-30.861W	Iso R 6s	0	8		HORN: 1 blast ev 30s (3s bl). Operate the fog signal by keying the microphone on VHF-FM marine radio five times on channel 83A.
20430	Kenosha Breakwater Light	42-35-20.634N 087-48-21.288W	Fl R 4s	0	8	White cylindrical tower with red band.	
20435	Kenosha South Pier Light	42-35-17.304N 087-48-27.072W	Fl G 4s	0	6	Green band on cylindrical tower.	
20445	Southport Marina Entrance Light 2	42-34-56.300N 087-48-35.400W	Fl R 4s			TR on pile.	
20450	Southport Marina Entrance Light 1	42-34-58.800N 087-48-34.800W	Fl G 4s			SG on pile.	
20455	Southport Marina Inner Breakwater Light	42-34-54.400N 087-48-39.200W	Q W			NW on post worded DANGER ROCKS.	
20470	Racine Launch Basin Entrance Light	42-43-42.900N 087-46-38.200W	Fl R 2.5s			TR on post.	Maintained from Mar. 1 to Dec. 15.
20475	Racine Launch Basin Inner Light	42-43-43.800N 087-46-38.900W	Fl G 2.5s			SG on post.	Maintained from Mar. 1 to Dec. 15.
20483	Racine Reef Lighted Buoy 18	42-43-39.992N 087-43-59.526W	Fl R 2.5s		5	Red.	Replaced by nun from Dec. 1 to Apr. 21. AIS MMSI: 993682608
20485	Racine Reef West End Lighted Buoy 1	42-43-33.088N 087-46-01.391W	Fl G 4s		4	Green.	Replaced by can from Dec. 1 to Apr. 21.
20486	Salmon Unlimited Weather Buoy	42-42-12.102N 087-38-57.360W	Fl Y 2.5s				Maintained from May.1 to Oct.1.
20490	Racine East Harbor Entrance Light 2	42-44-01.000N 087-46-14.000W	Q R		10	On post with 10 ft. lightpipe.	Maintained from Apr. 1 to Nov. 1.
20495	Racine West Harbor Entrance Light 3	42-44-00.000N 087-46-18.700W	Q G			SG on skeleton tower.	Maintained from Apr. 15 to Oct. 31. HORN: 2 blasts ev 18s (2s bl-2s si-2s bl-12s si).
20500	Racine Harbor Light 5	42-44-01.800N 087-46-29.000W	Q G			SG on pile.	Maintained from Mar. 1 to Dec. 15.
20505	Racine Harbor Channel Lighted Buoy 4	42-44-05.300N 087-46-25.000W	Q R			Red.	Maintained from Apr. 15 to Oct. 31.

20510	Racine Harbor Channel Lighted Buoy 6	42-44-05.200N 087-46-27.000W	Q R		Red.		Maintained from Apr. 15 to Oct. 31.
20515	Racine Harbor Light 9	42-44-01.800N 087-46-32.100W	Q G		SG on post.		Maintained from Apr. 15 to Oct. 31.
20520	Racine Harbor Channel Lighted Buoy 8	42-44-04.800N 087-46-32.000W	Q R		Red.		Maintained from Apr. 15 to Oct. 31.
20525	Racine Harbor Channel Lighted Buoy 10	42-44-04.000N 087-46-35.000W	Q R		Red.		Maintained from Apr. 15 to Oct. 31.
20530	Racine Harbor Channel Lighted Buoy 12	42-44-03.000N 087-46-37.000W	Q R		Red.		Maintained from Apr. 15 to Oct. 31.
20535	Racine Harbor Preferred Channel Lighted Buoy	42-44-02.800N 087-46-39.000W	FI (2+1)R 6s		Red and green bands.		Maintained from Apr. 15 to Oct. 31.
20540	Racine Harbor Light 14	42-44-02.400N 087-46-40.100W	FI R 2.5s		TR on pile.		Maintained from Mar. 1 to Dec. 15.
20545	Racine Harbor Light 13	42-43-59.900N 087-46-38.900W	Q G		SG on post.		Maintained from Apr. 15 to Oct. 31.
20550	Racine Harbor Junction Light	42-43-59.500N 087-46-44.000W	FI (2+1)G 6s		JG on pile.		Maintained from Mar. 1 to Dec. 15.
20555	Racine Yacht Club Channel Lighted Buoy 2	42-44-05.000N 087-46-38.000W	Q R		Red.		Maintained from Apr. 15 to Oct. 31.
20560	Racine Yacht Club Channel Lighted Buoy 3	42-44-05.000N 087-46-39.500W	Q G		Green.		Maintained from Apr. 15 to Oct. 31.
20565	Racine Yacht Club Channel Lighted Buoy 4	42-44-07.000N 087-46-36.000W	Q R		Red.		Maintained from Apr. 15 to Oct. 31.
20570	Racine Yacht Club Channel Lighted Buoy 5	42-44-07.000N 087-46-40.000W	Q G		Green.		Maintained from Apr. 15 to Oct. 31.
20575	Racine Yacht Club Channel Lighted Buoy 6	42-44-09.000N 087-46-34.500W	Q R		Red.		Maintained from Apr. 15 to Oct. 31.
20580	Racine Yacht Club Channel Lighted Buoy 8	42-44-11.000N 087-46-34.000W	Q R		Red.		Maintained from Apr. 15 to Oct. 31.
20585	Racine Yacht Club South Breakwater Light	42-44-06.000N 087-46-36.000W	F R		On post.		Maintained from Apr. 1 to Nov. 1.
20590	Racine Yacht Club North Breakwater Light	42-44-12.000N 087-46-30.000W	F G		On post.		Maintained from Apr. 1 to Nov. 1.
20595	NOAA Lighted Weather Buoy 45007	42-40-25.013N 087-01-34.354W	FI (4)Y 20s		Yellow disc-shaped hull.		Maintained from Apr 21 to Nov 21.
20597	NOAA SLMTB Buoy 1	42-43-09.500N 086-57-16.230W	FI Y 4s				Maintained from May.1 to Dec.1.
20600	Wind Point South Shoal Buoy 16	42-46-13.647N 087-44-00.849W			Red nun.		
20605	Wind Point Light	42-46-52.151N 087-45-30.026W	FI W 20s	0	16	White conical tower connected to dwelling.	
20610	Wind Point North Shoal Lighted Buoy 14	42-47-43.414N 087-43-24.189W	FI R 4s		4	Red.	Replaced by nun from Dec. 1 to Apr. 21.
20613	Oak Creek Breakwater Light 3	42-50-46.198N 087-49-30.072W	FI G 4s			SG on pile on breakwater.	Maintained from Feb. 1 to Dec. 1.
20614	Oak Creek Breakwater Light 2	42-50-47.575N 087-49-25.608W	FI R 4s			TR on pile on breakwater.	Maintained from Feb. 1 to Dec. 1.
20615	Oak Creek Park Daybeacon 1	42-51-55.400N 087-50-13.550W				SG on pile on breakwater.	
20616	Oak Creek Park Light 2	42-51-58.780N 087-50-14.460W	FI R 4s			TR on pile on breakwater.	
20617	Wisconsin Electric East End Jetty Light A	42-51-11.400N 087-49-51.500W	Q Y			Steel sheet pile.	Maintained from May 1 to Nov. 1.
20618	Wisconsin Electric East End Jetty Light B	42-51-11.100N 087-49-51.000W	Q Y			Steel sheet pile.	Maintained from May 1 to Nov. 1.
20626.5	South Milwaukee Y.C. Harbor Entrance Light 1	42-54-17.000N 087-50-34.000W	Q G			SG on pole on top of tanks.	Maintained from May 1 to Nov. 1.
20627	South Milwaukee Y.C. Harbor Entrance Light 2	42-54-16.000N 087-50-32.000W	Q R			TR on pole on sunken barge.	Maintained from May 1 to Nov. 1.
20629	Lighted Dredge 906	42-58-06.000N 087-47-10.000W	Q W				Maintained from May 1 to Oct. 1.
20630	Milwaukee South Point Lighted Bell Buoy 1	42-59-22.598N 087-49-47.011W	FI G 4s		5	Green.	Replaced by can from Dec. 1 to Apr. 21.
20635	Milwaukee Breakwater Light	43-01-37.021N 087-52-54.959W		61	15	Black lantern on white square structure.	Light Characteristic is FL R (2) 10s. Two Red Flashes in 10 seconds. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates by keying the microphone five times on channel 83A.
20645	Milwaukee Breakwater Entrance South Side Light	43-01-31.450N 087-52-54.749W	FI G 2.5s	0	7	White cylindrical tower with green band.	
20650	Milwaukee South Entrance Light 1	43-00-27.729N 087-52-37.832W	FI G 4s	20	5	SG on post.	

20655	Milwaukee South Entrance Light 2	43-00-30.076N 087-52-35.460W	FI R 4s	20	5	White cylindrical tower with red band.	
20660	Milwaukee North Entrance Light 1	43-02-37.154N 087-52-50.053W	FI G 4s	30	7	White cylindrical tower with green band.	
20665	Milwaukee North Entrance Light 2	43-02-41.236N 087-52-49.066W	FI R 4s	20	4	TR on post.	
20670	Milwaukee Pierhead Light	43-01-33.407N 087-53-42.970W	FI R 4s	45	7	TR on cylindrical tower.	
20675	Milwaukee South Pierhead Light 3	43-01-29.784N 087-53-40.968W	FI G 4s	20	7	On grey pole with concrete base.	
20681	Lakeshore State Park Entrance Lt 1	43-02-06.000N 087-53-43.000W	FI G 2.5s				
20681.1	Lakeshore State Park Entrance Lt 2	43-02-05.000N 087-53-40.000W	FI R 2.5s				
20685	Milwaukee City Pier South Slip Light 2	43-01-22.200N 087-53-40.000W	F R			On yellow post.	
20690	Milwaukee City Pier South Slip Light 1	43-01-16.800N 087-53-41.200W	F G			On yellow post.	
20695	Milwaukee City South Pier No. 2 North Light	43-01-10.000N 087-53-38.000W	FI G 4s			On yellow post.	Maintained from Apr. 30 to Nov. 30.
20700	Milwaukee City South Pier No. 2 South Light	43-01-04.900N 087-53-35.000W	Q R			On yellow post.	Maintained from Apr. 30 to Nov. 30.
20715	Milwaukee Tanker Pier Light	43-00-54.000N 087-53-24.000W	FI W 4s			On green post.	
20720	Milwaukee South Disposal Area Light 2	43-00-17.395N 087-53-04.003W	FI R 2.5s		4	TR on pile.	
20725	South Shore Park Breakwater Light	43-00-08.800N 087-53-05.400W	Q G			On post standard.	
20729	South Shore Park Entrance Lighted Buoy 1	42-59-37.998N 087-52-28.308W	FI G 4s			Green.	Maintained from May 1 to Oct. 15.
20730	South Shore Park Entrance Lighted Buoy 2	42-59-41.062N 087-52-21.485W	FI R 2.5s			Red.	Maintained from May 1 to Oct. 15.
20735	Texas Rock Regulatory Buoy	42-59-28.588N 087-52-23.410W				White can with orange bands worded DANGER ROCKS.	Maintained from Apr. 14 to Oct. 14.
20751	Milwaukee War Memorial South Daybeacon	43-02-19.100N 087-53-45.000W				NW on pile worded DANGER BREAKWATER.	
20752	Milwaukee War Memorial North Daybeacon	43-02-22.200N 087-53-44.800W				NW on pile worded DANGER BREAKWATER.	
20754	Veterans Park West Light	43-02-35.100N 087-53-18.720W	FI W 4s		1		
20754.1	Veterans Park East Light	43-02-35.880N 087-53-16.360W	FI W 4s		1		
20755	Mickinley Marina Light 1	43-02-46.000N 087-52-54.500W	Q G			SG on post.	
20756	Mickinley Marina Preferred Channel Light A/B	43-02-48.200N 087-52-50.700W	FI (2+1)R 6s			JR on post.	
20757	Mickinley Marina Light 2	43-02-42.400N 087-52-52.900W	FI R 2.5s			TR on post.	
20758	Mickinley Marina Daybeacon 3	43-02-51.500N 087-52-50.300W				SG on post.	
20759	Mickinley Marina Daybeacon 4	43-02-51.300N 087-52-46.900W				TR on post.	
20760	Mickinley Marina Daybeacon 5	43-03-01.000N 087-52-58.300W				SG on post.	
20761.5	UWM BBB 1	43-03-33.120N 087-51-58.320W	Q Y				
20761	Mickinley Marina Daybeacon 6	43-03-00.400N 087-52-56.100W				TR on post.	
20762	UWM ATW	43-05-53.760N 087-50-58.680W	FI Y 4s				Maintained from May. 1 to Dec. 1.
20762.1	UWM SFS	43-05-47.460N 087-51-52.200W	FI Y 4s				Maintained from 1 Apr. to Nov. 1.
20763	MAST Yacht Club Race Buoy	43-02-25.000N 087-50-01.360W	FI W 3s				Maintained from May 1 to Nov. 1.
20764	Port Washington NOAA Weather Wave Buoy 1	43-19-24.590N 087-48-43.410W	FI Y 2.5s				Maintained from May.1 to Nov.1.
20765	Kevich Light	43-19-23.700N 087-53-18.500W	Iso W 8s			White cylindrical tower.	
20768	UWM Port Washington Weather Wave Buoy 1	43-20-20.200N 087-52-43.100W	FI Y 4s				Maintained from May.15 to Nov.15.

20770	Port Washington Breakwater Light	43-23-06.840N 087-51-34.554W	FI R 6s	0	7	On square tower.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal operates by keying the microphone five times on VHF-FM channel 83A.
20780	Port Washington Harbor Breakwater Light 1	43-23-04.085N 087-51-38.912W	FI G 4s	30	6	White cylindrical tower with green band.	
20790	Port Washington Harbor Light 4	43-23-15.156N 087-51-48.602W	FI R 2.5s	20	4	TR on post.	
20795	Port Washington Municipal Marina Light 1	43-23-17.795N 087-51-49.010W	FI G 2.5s	20	5	SG on post.	
20805	Sheboygan Generating Station South Intake Crib Light 6	43-42-55.980N 087-41-58.380W	FI R 3s			TR on skeleton tower on cylindrical well.	
20810	Sheboygan Generating Station Middle Intake Crib Light 4	43-43-00.000N 087-41-49.600W	FI R 10s			TR on rectangular tower.	
20815	Sheboygan Generating Station North Intake Lighted Buoy 2	43-43-02.000N 087-42-01.200W	FI R 4s			Red.	Maintained from May 1 to Oct. 15.
20817.1	WSCNMS Wreck Mooring Advance Lighted Buoy 1	43-36-42.901N 087-42-57.179W	FI W 4s				Maintained from May.1 to Nov.1.
20817.3	WSCNMS Wreck Mooring Mahoning Lighted Buoy 8	43-20-25.919N 087-51-12.898W	FI W 4s				Maintained from May.1 to Nov.1.
20817.2	WSCNMS Wreck Mooring Niagara Lighted Buoy 9	43-29-13.801N 087-46-38.579W	FI W 4s				Maintained from May.1 to Nov.1.
20817.4	WSCNMS Wreck Mooring Northerner Lighted Buoy 10	43-19-01.081N 087-49-24.481W	FI W 4s				Maintained from May.1 to Nov.1.
20817	WSCNMS Wreck Mooring Robert Pringle Lighted Buoy 11	43-41-28.201N 087-33-17.759W	FI W 4s				Maintained from May.1 to Nov.1.
20820	Sheboygan Breakwater Light	43-44-58.230N 087-41-33.832W	FI R 4s		8	On cylindrical tower.	HORN: 1 blast ev 30s (3s bl). Fog signal operates by keying the microphone five times on VHF-FM channel 83A.
20830	Sheboygan South Pierhead Light	43-44-54.957N 087-41-41.651W	FI G 4s	20	6	SG on post.	
20832	Sheboygan Marina Light 2	43-45-02.200N 087-42-03.600W	FI R 4s			TR on pole.	Maintained from May 1 to Nov. 15.
20833	Sheboygan Marina Daybeacon 1	43-45-04.800N 087-42-04.700W				SG on pole.	
20834	Sheboygan NOAA Weather Wave Buoy 1	43-43-53.460N 087-37-29.810W	FI Y 2.5s				Maintained from May.1 to Nov.1.
20835	Sheboygan North Pierhead Light	43-44-57.514N 087-42-09.409W	F R	20	6	TR on post.	
20840	Sheboygan Reef Lighted Buoy 2	43-45-26.748N 087-41-09.463W					Replaced from Nov. 07 to Apr. 14.
20842	Manitowoc Intake East Light	44-04-42.000N 087-38-54.000W	Q W			On post.	Maintained from Apr. 15 to Dec. 1.
20843	Manitowoc Intake West Light	44-04-49.800N 087-39-18.000W	Q W			On post.	Maintained from Apr.15 to Dec. 1.
20844.3	WSCNMS Wreck Mooring Algoma Lighted Buoy 2	43-53-31.081N 087-40-18.120W	FI W 4s				Maintained from May.1 to Nov.1.
20844	WSCNMS Wreck Mooring Floretta Lighted Buoy 4	43-57-06.181N 087-32-05.939W	FI W 4s				Maintained from May.1 to Nov.1.
20844.2	WSCNMS Wreck Mooring Gallinipper Lighted Buoy 5	43-54-47.041N 087-29-03.599W	FI W 4s				Maintained from May.1 to Nov.1.
20844.6	WSCNMS Wreck Mooring Helvetia Lighted Buoy 6	43-47-24.061N 087-36-24.779W	FI W 4s				Maintained from May.1 to Nov.1.
20844.1	WSCNMS Wreck Mooring Home Lighted Buoy 7	43-56-55.140N 087-33-13.079W	FI W 4s				Maintained from May.1 to Nov.1.
20844.7	WSCNMS Wreck Mooring Selah Chamberlain Lighted Buoy 14	43-46-11.701N 087-39-27.834W	FI W 4s				Maintained from May.1 to Nov.1.
20844.5	WSCNMS Wreck Mooring Silver Lake Lighted Buoy 15	43-48-21.240N 087-34-41.700W	FI W 4s				Maintained from May.1 to Nov.1.
20844.4	WSCNMS Wreck Mooring Walter B. Allen Subsurface Buoy 18	43-49-48.961N 087-36-31.381W					Maintained from May.1 to Nov.1. Sub Surface Buoy 40 FT below Surface
20845	Manitowoc Shoal Buoy 1	44-05-18.162N 087-37-44.151W				Green can.	
20850	Manitowoc Shoal Buoy 2	44-05-56.782N 087-37-32.215W				Red nun.	
20855	Manitowoc South Breakwater Light 3	44-05-28.824N 087-38-37.838W	FI G 2.5s	35	10	White cylindrical tower with green band.	
20860	Manitowoc Breakwater Light	44-05-33.948N 087-38-36.942W	Iso W 6s	0	12	On cylindrical tower on fog signal building.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM CH 83A.
20865	Manitowoc Buoy 6	44-05-35.238N 087-38-51.095W				Red nun.	Maintained from Apr. 14 to Nov. 14.
20870	Manitowoc Harbor Of Refuge Junction Buoy Mh	44-05-35.288N 087-38-58.440W				Red and green bands; nun.	Maintained from Apr. 14 to Nov. 14.

20875	Manitowoc Harbor Of Refuge Pierhead Light 8	44-05-32.680N 087-39-05.592W	FI R 4s	20	4	TR on skeleton tower.	
20878	City Centre Pile 1	44-05-49.500N 087-39-56.040W	FI W 2.5s				
20879	City Centre Pile 2	44-05-49.440N 087-39-56.700W	FI W 2.5s				
20880	Manitowoc Harbor Of Refuge Buoy 1	44-05-37.606N 087-38-58.431W				Green can.	Maintained from Apr. 14 to Nov. 14.
20885	Manitowoc Harbor Of Refuge Buoy 2	44-05-37.720N 087-38-53.629W				Red nun.	Maintained from Apr. 14 to Nov. 14.
20890	Manitowoc Harbor Of Refuge Buoy 3	44-05-39.862N 087-38-58.919W				Green can.	Maintained from Apr. 14 to Nov. 14.
20895	Manitowoc Harbor Of Refuge Light 4	44-05-40.330N 087-38-56.032W	FI R 2.5s	20	4	TR on post.	
20900	Manitowoc Harbor Of Refuge Ice Boom West Light	44-05-41.900N 087-38-55.500W	Q R			On post.	Maintained on station only during deployment of ice boom.
20905	Manitowoc Harbor Of Refuge Ice Boom East Light	44-05-41.900N 087-38-55.900W	Q R			On post.	Maintained on station only during deployment of ice boom.
20910	Manitowoc Harbor Of Refuge Light 5	44-05-41.930N 087-38-56.032W	FI G 2.5s	20	5	SG on post.	
20915	Manitowoc Harbor Of Refuge Daybeacon 6	44-05-41.530N 087-38-53.332W		10		TR on post.	
20925	Two Rivers North Pierhead Light	44-08-33.690N 087-33-38.532W	FI R 2.5s	0	12	White cylindrical tower with red band.	HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
20930	Two Rivers South Pierhead Light	44-08-32.064N 087-33-41.720W	FI G 4s	0	4	SG on post.	
20931	WSCNMS Wreck Mooring America Lighted Buoy 3	44-21-02.880N 087-26-51.000W	FI W 4s				Maintained from May.1 to Nov.1.
20931.1	WSCNMS Wreck Mooring Rouse Simmons Lighted Buoy 12	44-16-39.119N 087-24-52.679W	FI W 4s				Maintained from May.1 to Nov.1.
20931.3	WSCNMS Wreck S. C. Baldwin Lighted Buoy 13	44-10-52.381N 087-29-10.799W	FI W 4s				Maintained from May.1 to Nov.1.
20931.4	WSCNMS Wreck Henry Gust Subsurface Buoy 16	44-08-39.541N 087-29-29.339W					Maintained from May.1 to Nov.1. Sub Surface Buoy 40 FT below Surface
20931.2	WSCNMS Wreck Vernon Subsurface Buoy 17	44-12-05.400N 087-24-46.141W					Maintained from May.1 to Nov.1. Sub Surface Buoy 40 FT below Surface
20931.5	WSCNMS Wreck Mooring Crawler Crane Lighted Buoy 19	44-10-36.777N 087-26-52.920W	FI W 4s				Maintained from May.1 to Nov.1.
20935	Rawley Point Light	44-12-38.418N 087-30-31.932W	FI W 15s	113	16	On cylindrical tower.	
20940	NOAA Wisconsin Shipwreck Pathfinder NMS Shallow Water Unlighted Buoy	44-14-43.980N 087-30-41.260W					Maintained from May.1 to Nov.1.
20940.1	NOAA Wisconsin Shipwreck Continental NMS Shallow Water Unlighted Buoy 1	44-13-55.920N 087-30-27.720W					Maintained from May.1 to Nov.1.
20940.2	NOAA Wisconsin Shipwreck Lookout NMS Shallow Water Unlighted Buoy 2	44-11-42.420N 087-30-35.760W					Maintained from May.1 to Nov.1.
20940.3	NOAA Wisconsin Shipwreck LaSalle NMS Shallow Water Unlighted Buoy 3	44-11-31.440N 087-30-35.460W					Maintained from May.1 to Nov.1.
20940.4	NOAA Wisconsin Shipwreck Major Anderson NMS Shallow Water Unlighted Buoy 4	44-10-55.680N 087-30-58.680W					Maintained from May.1 to Nov.1.
20940.5	NOAA Wisconsin Shipwreck Tubal Cain NMS Shallow Water Unlighted Buoy 5	44-09-20.990N 087-32-30.300W					Maintained from May.1 to Nov.1.
20950	Kewaunee Shoal Light	44-27-03.971N 087-27-55.401W	FI G 4s	43	8	White cylindrical tower with green band.	HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
20955	Kewaunee Pierhead Light	44-27-26.220N 087-29-35.280W	F W	45	12	Square tower on fog signal building.	HORN: 1 blast ev 30s (3s bl). Operated by keying the microphone five times on VHF FM channel 83A / 157.175MHz.
20965	Kewaunee Breakwater Light	44-27-28.788N 087-29-26.868W	FI R 4s	0	7	White cylindrical tower with red band.	
20970	Kewaunee North Pierhead Light 4	44-27-33.042N 087-29-48.756W	FI R 6s	0	4	TR on pile.	
20975	Algoma Light	44-36-24.678N 087-25-46.788W	Iso R 6s	48	12	Cylindrical tower.	HORN: 1 blast ev 10s (1s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
20980	Algoma Light 1	44-36-23.210N 087-25-47.336W	FI G 4s	9998	6	SG on post.	
20985	Algoma Light 2	44-36-26.750N 087-25-48.842W	FI R 4s	0	4	TR on pile on post.	

20986	NOAA Algoma Weather Wave Buoy 1	44-20-44.040N 087-26-44.670W	FI Y 4s				Maintained from May.1 to Nov.1.
20990	Canal Shoal Buoy 1	44-45-33.530N 087-18-06.082W					Green can.
20995	Sturgeon Bay Ship Canal Light	44-47-42.068N 087-18-48.062W	FI R 10s	0	17		On cylindrical tower.
21005	Sturgeon Bay Ship Canal North Pierhead Light	44-47-31.290N 087-18-34.354W	FI R 2.5s	0	11	Cylindrical tower attached to fog signal building.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying the microphone five times on VHF FM marine radio channel 83A/157.175MHz.
21010	Sturgeon Bay Ship Canal Lighted Buoy 2	44-46-43.030N 087-17-24.032W	FI R 2.5s		4	Red.	Replaced by nun from Nov. 07 to Apr. 14.
21015	Sturgeon Bay Ship Canal Buoy 3	44-47-20.510N 087-18-27.987W					Green can.
21020	Sturgeon Bay Ship Canal Buoy 4	44-47-23.748N 087-18-21.297W					Red nun.
21025	Sturgeon Bay Ship Canal South Pierhead Light	44-47-29.370N 087-18-39.582W	FI G 4s	0	5	White cylindrical tower with green band.	
21030	Sturgeon Bay Ship Canal South Daybeacon 5A	44-47-37.710N 087-18-49.212W		0			SG on pile.
21035	Sturgeon Bay Ship Canal Light 6	44-47-38.982N 087-18-47.568W	FI R 4s	14	4	TR on post.	
21040	Sturgeon Bay Ship Canal Light 7	44-48-19.941N 087-19-50.767W	FI G 4s	20	4	SG on post.	
21045	Sturgeon Bay Ship Canal Buoy 9	44-48-43.364N 087-20-26.500W					Green can.
21050	Sturgeon Bay Ship Canal Buoy 10	44-48-45.234N 087-20-24.170W					Red nun.
21055	Sturgeon Bay Ship Canal Buoy 11	44-48-54.193N 087-20-44.220W					Green can.
21060	Sturgeon Bay Ship Canal Light 12	44-48-57.827N 087-20-41.633W	FI R 4s	0	4	TR on pile.	
21065	Sturgeon Bay Ship Canal Range Front Light	44-48-42.615N 087-20-10.062W	Q W	15	7	KRW on skeleton tower.	Lighted throughout 24 hours.
21070	Sturgeon Bay Ship Canal Range Rear Light	44-48-34.338N 087-19-50.226W	F W	40	7	KRW on skeleton tower.	Lighted throughout 24 hours.
21075	Strawberry Creek Channel Entrance Buoy 1	44-48-46.000N 087-20-38.000W					Green.
21080	Strawberry Creek Channel Entrance Buoy 2	44-48-46.300N 087-20-40.000W					Red nun.
21085	Strawberry Creek Channel Entrance Light 3	44-48-44.000N 087-20-42.500W	F G				On tower.
21090	Strawberry Creek Channel Entrance Light 4	44-48-43.600N 087-20-40.000W	F R				On tower.
21095	Strawberry Creek Channel Entrance Range Front Light	44-48-40.000N 087-20-42.000W	F G				On post.
21100	Strawberry Creek Channel Entrance Range Rear Light	44-48-38.200N 087-20-43.000W	F G				On post.
21105	Sturgeon Bay Ship Canal Leading Light	44-49-52.744N 087-22-57.031W	F G	0	5	NB on 2nd span from west end of highway bridge.	Lighted throughout 24 hours.
21110	Sturgeon Bay Ship Canal Buoy 15	44-49-24.775N 087-21-53.797W					Green can.
21115	Sturgeon Bay Ship Canal Buoy 16	44-49-26.611N 087-21-52.272W					Red nun.
21117	Sturgeon Bay Ship Canal Lighted Buoy 15A	44-49-35.310N 087-22-19.172W	FI G 2.5s		4	Green can.	Replaced by can from Nov. 21 to Apr. 21.
21118	Sturgeon Bay Ship Canal Lighted Buoy 16A	44-49-37.290N 087-22-17.132W	FI R 4s		4	Red.	Replaced by nun from Nov. 21 to Apr. 21.
21120	Sturgeon Bay Ship Canal Lighted Buoy 17	44-49-39.893N 087-22-37.177W	Q G		4	Green.	Replaced by can from Nov. 21 to Apr. 21.
21125	Sturgeon Bay Ship Canal Buoy 19	44-50-01.890N 087-22-57.193W					Green can.
21130	Dunlap Reef Buoy C	44-50-05.000N 087-23-11.000W					White with orange bands and orange diamond worded SHALLOW AREA.
21135	Dunlap Reef Buoy B	44-50-14.000N 087-23-21.900W					White can with orange bands and diamond worded SHALLOW AREA.
21140	Dunlap Reef Buoy D	44-50-15.800N 087-23-12.900W					White can with orange bands and diamond worded SHALLOW AREA.
21155	Sturgeon Bay Ship Channel Buoy 22	44-50-48.351N 087-23-31.751W					Red nun.
21160	Sturgeon Bay Ship Channel Light 21	44-50-24.874N 087-23-17.545W	FI G 4s	20	7	SG on post.	Higher intensity beam up and downstream.

21165	Dunlap Reef Buoy A	44-50-25.000N 087-23-21.000W				White with orange bands and orange diamond worded SHALLOW AREA.	Maintained from Apr. 1 to Oct. 31.
21170	Sturgeon Bay Ship Channel Buoy 23	44-50-47.015N 087-23-35.559W				Green can.	
21175	Sturgeon Bay Ship Channel Buoy 24	44-51-09.643N 087-23-49.103W				Red nun.	Replaced by nun from Nov. 21. to Apr. 21.
21180	Sturgeon Bay Ship Channel Buoy 25	44-51-08.561N 087-23-53.735W				Green can.	Replaced by can from Nov. 21. to Apr. 21.
21185	Sturgeon Bay Ship Channel Lighted Buoy 26	44-51-35.466N 087-24-09.338W	FI R 4s	4		Red.	Replaced by nun from Nov. 21 to Apr. 21.
21190	Sturgeon Bay Ship Channel Light 27	44-51-34.230N 087-24-17.242W	FI G 4s	30	5	SG on post.	Higher intensity beam up and downstream.
21195	Sturgeon Bay Ship Channel Buoy 28	44-52-04.425N 087-24-29.438W				Red nun.	
21200	Sturgeon Bay Ship Channel Buoy 29	44-52-02.873N 087-24-35.880W				Green can.	
21205	Sturgeon Bay Ship Channel Entrance Leading Light	44-52-07.470N 087-24-52.987W	F Y	0	17	KRW on cylindrical tower.	Sector light Yellow light in the channel center green light right of channel center red light left of channel center.
21206	Sturgeon Bay Ship Channel Lighted Buoy 30	44-52-33.030N 087-24-48.033W	Q R	4		Red.	Replaced by nun from Apr. 21 to Nov. 21.
21210	Sturgeon Bay Ship Channel Lighted Buoy 31	44-52-45.739N 087-24-55.252W	FI G 2.5s	4		Green	Replaced by can from Nov. 21 to Apr. 21.
21215	Sturgeon Bay Ship Channel Lighted Buoy 32	44-52-43.843N 087-24-48.760W	FI R 2.5s	4		Red.	Replaced by nun from Nov. 21 to Apr. 21.
21217	Door County Park Light 1	44-54-15.000N 087-24-23.000W	FI G 4s				Maintained from Apr. 1 TO Nov. 30.
21218	Door County Park Light 2	44-54-15.000N 087-24-21.000W	FI R 4s				
21220	Whitefish Point Shoal Buoy 10	44-51-56.624N 087-11-26.589W				Red nun.	
21225	Jacksonport Shoal Buoy 2	44-57-53.130N 087-09-11.332W				Red nun.	
21228	Baileys Harbor Front Range Light	45-04-12.700N 087-07-11.100W	F R				
21229	Baileys Harbor Rear Range Light	45-04-22.200N 087-07-16.200W	F W				
21235	Baileys Harbor Entrance Lighted Bell Buoy	45-01-50.712N 087-05-56.744W	Mo (A) W	4		Red and white stripes.	Maintained from Apr. 21 to Oct. 14.
21240	Baileys Harbor Buoy 3	45-02-16.111N 087-06-36.115W				Green can.	
21245	Baileys Harbor Buoy 2	45-02-28.028N 087-06-00.051W				Red nun.	
21250	Baileys Yacht Club Breakwater Light	45-03-52.000N 087-05-53.000W	Q R			On post.	Maintained from Apr. 1 to Nov. 1.
21255	Cana Island Light	45-05-17.826N 087-02-52.248W	F W	0	17	On conical tower connected to dwelling.	
21260	North Bay Entrance South Side Buoy 1	45-07-42.348N 087-02-50.362W				Green can.	
21265	North Bay Entrance North Side Buoy 2	45-07-52.119N 087-02-37.060W				Red nun.	
21270	Four-Foot Shoal Buoy 8	45-08-59.803N 086-59-33.232W				Red nun.	
21273	Rowley Bay Buoy 1	45-10-21.451N 087-01-23.912W				Green can.	
21275	Rowley Bay Buoy 2	45-10-36.631N 087-01-05.232W				Red nun.	
21280	Spider Reef Buoy 6	45-11-34.453N 086-58-05.444W				Red nun.	
21285	Rowley Bay East Entrance Buoy 2A	45-11-38.875N 086-59-40.478W				Red nun.	
21290	Rowley Bay Buoy 3	45-11-34.631N 087-01-35.032W				Green can.	
21295	Rowley Bay Buoy 4	45-11-53.131N 087-01-01.032W				Red nun.	
21296	Wagon Trails Resort Buoy 1	45-13-12.000N 087-01-59.460W					Maintained from May.15 to Sep.15.
21296.1	Wagon Trails Resort Buoy 2	45-13-12.180N 087-02-00.000W					Maintained from May.15 to Sep.15.
21296.2	Wagon Trails Resort Buoy 3	45-13-11.700N 087-02-00.300W					Maintained from May.15 to Sep.15.

21296.3	Wagon Trails Resort Buoy 4	45-13-11.880N 087-02-00.540W					Maintained from May.15 to Sep.15.
21296.4	Wagon Trails Resort Buoy 5	45-13-11.880N 087-02-00.960W					Maintained from May.15 to Sep.15.
21296.5	Wagon Trails Resort Buoy 6	45-13-11.700N 087-02-01.140W					Maintained from May.15 to Sep.15.
21300	Porte Des Morts Entrance VAIS	45-13-52.800N 086-53-54.142W		1			AIS MMSI: 993672158.
21305	Plum Island Range Front Light	45-18-13.597N 086-57-17.935W	Iso R 6s	24	12	KRW on white skeleton tower.	Visible 5.5° each side of range line.
21310	Plum Island Range Rear Light	45-18-27.552N 086-57-29.447W	F R	80	15	KRW on white cylindrical tower.	Light visible 360°. Lighted throughout 24 hours.
21315	WISC Portes Des Mortes Passage Weather Wave Buoy 1	45-17-54.492N 086-58-54.579W	FI Y 4s				
21320	Porte Des Morts Passage Outer Shoal Buoy 1	45-13-57.830N 086-55-28.908W				Green can.	
21325	Pilot Island Light	45-17-03.978N 086-55-11.034W	FI (2)W 6s	0	9	Yellow square tower with red roofs attached to dwelling.	
21330	Nine-Foot Shoal Buoy 3	45-16-32.788N 086-57-03.848W				Green can.	
21335	Waverly Shoal Lighted Bell Buoy 5	45-17-07.209N 086-56-42.516W	FI G 2.5s		4	Green.	Replaced by can from Nov 7 to Apr. 21.
21337	Porte Des Morts Passage Northport Harbor Breakwater Light 1	45-17-32.000N 086-58-34.000W	FI G 2.5s			SG on blue pole.	
21338	Porte Des Morts Passage Northport Harbor Breakwater Light 2	45-17-28.000N 086-58-30.000W	FI R 2.5s			TR on blue pole.	
21339	Washington Island Weather Wave Buoy 1	45-20-08.720N 086-57-35.320W	FI W 2.5s				Maintained from May.1 to Nov.31.
21340	Detroit Island Passage Lighted Buoy 2	45-18-57.048N 086-56-18.242W	Q R		4	Red	Replaced by nun from Nov. 7 to Apr. 21.
21345	Plum Island Lighted Buoy 1	45-19-18.472N 086-56-43.980W	FI G 2.5s		5	Green.	Maintained from Apr. 21 to Nov. 7. AIS MMSI: 993682700
21348	Detroit Harbor Entrance Buoy 2	45-19-43.078N 086-56-10.285W				Red Nun	
21350	Detroit Harbor Entrance Light	45-19-55.590N 086-56-12.666W	FI W 4s	0	11	SG on skeleton tower.	HORN: 1 blast ev 30s (3s bl). Operates by keyeing microphone five times on VHF-FM Ch. 83A. Ra ref.
21354	Detroit Harbor Channel Lighted Buoy 4	45-19-54.208N 086-56-09.382W	FI R 2.5s		3	Red.	Maintained from 7 May to Nov. 21.
21355	Detroit Harbor Channel Buoy 6	45-20-04.460N 086-56-07.881W				Red nun.	
21360	Detroit Harbor Channel Light 8	45-20-13.039N 086-56-07.279W	FI R 4s	0	5	TR on post.	
21365	Detroit Harbor Channel Light 9	45-20-16.879N 086-56-10.794W	FI G 2.5s	20	4	SG on post.	
21370	Detroit Harbor Channel Buoy 10	45-20-20.393N 086-56-08.594W				Red nun.	
21375	Detroit Harbor Channel Buoy 12	45-20-24.151N 086-56-07.628W				Red nun.	Maintained from 07 May to 21 November
21380	Detroit Harbor Channel Danger Buoy	45-20-26.101N 086-56-11.300W				Isolated Danger Buoy	Maintained from 07 May to 21 Nov
21385	Detroit Harbor Channel Buoy 13	45-20-25.211N 086-56-09.073W				Green can.	Maintained from 07 May to 21 Nov
21390	Shipyard Island Marina Lighted Buoy 2	45-20-32.000N 086-55-45.000W	FI R 2.5s			Red.	Maintained from May 15 to Oct. 15.
21395	Shipyard Island Marina Lighted Buoy 4	45-20-27.500N 086-55-12.000W	FI R 3s			Red.	Maintained from May 15 to Oct. 15.
21400	Shipyard Island Marina Lighted Buoy 6	45-20-24.100N 086-54-45.600W	FI R 3s			Red.	Maintained from May 15 to Oct. 15.
21405	Shipyard Island Marina North Dock Light	45-20-24.100N 086-54-33.500W	FI R 2.5s			SG on post.	Maintained from May 15 to Oct. 15.
21410	Shipyard Island Marina South Dock Light	45-20-23.000N 086-54-30.000W	FI R 2.5s			TR on post.	Maintained from May 15 to Oct. 15.
21420	Fisherman Shoal Lighted Bell Buoy 6	45-21-32.920N 086-46-12.644W	FI R 4s		4	Red.	Replaced by nun from Nov. 07 to Apr. 21.
21423	Rock Island Passage Traffic (RI) V-AIS	45-26-06.043N 086-44-32.048W					AIS MMSI# 993682124
21425	Pottawatomie Light	45-25-39.534N 086-49-43.568W	FI W 4s	50	7	On square skeleton tower.	Light is obscured from 275° to 020° by dense foliage on Rock Island.
21435	St Martin Island Shoal Lighted Buoy 2	45-26-36.063N 086-45-07.453W	FI R 2.5s		4	Red.	Maintained from Apr 21 to Nov 07. AIS MMSI: 993672240

21440	St Martin Shoal Buoy 4	45-26-39.896N 086-46-26.062W				Red nun.	Maintained from Apr. 21 to Nov. 07.
21445	Little Gull Island Lighted Bell Buoy 2	45-29-33.655N 086-42-58.083W	FI R 4s	4		Red.	Maintained from Apr. 21 to Oct. 14.
21450	St. Martin Island Light	45-30-15.968N 086-45-28.032W	FI W 10s	0	16	On hexagonal tower.	
21455	Gravelly Island Shoal Buoy 4	45-30-45.365N 086-43-59.112W				Red nun.	
21465	Summer Island Light	45-34-19.551N 086-37-40.512W	FI W 4s	20	6	NR on skeleton tower.	
21470	Wiggins Point Shoal Lighted Bell Buoy 4	45-50-27.016N 086-16-52.914W	FI R 4s	4			Maintained from Apr. 28 to Nov. 14.
21475	Manistique Light	45-56-41.587N 086-14-51.462W	Iso R 6s	0	9	On tower.	HORN: 1 blast ev 30s (3s bl). Operate the fog signal by keying VHF Marine radio five times on channel 83A.
21480	Manistique West Breakwater Light 1	45-56-43.454N 086-14-55.491W	FI G 4s	16	4	SG on post.	
21485	Manistique West Pierhead Light 3	45-56-52.251N 086-14-47.992W	FI G 2.5s	15	4	SG on post.	
21490	Seul Choix Point Light	45-55-17.115N 085-54-43.174W	FI W 6s	0	13		
21500	Port Inland Light	45-57-08.000N 085-52-06.000W			7	On skeleton tower.	Maintained from Apr. 15 to Dec. 15. HORN: 1 blast ev 12s (2s bl).
21505	Port Inland Outer Range Front Light	45-58-06.000N 085-52-06.000W	Q R			Orange and white square daymark on pile.	Maintained from Apr. 15 to Dec. 15.
21510	Port Inland Outer Range Rear Light	45-58-30.000N 085-52-06.000W	F R			Orange and white square daymark on pile.	Maintained from Apr. 15 to Dec. 15.
21515	Port Inland Inner Range Front Light	45-58-25.000N 085-52-06.000W	F R			Orange and white square daymark on pile.	Maintained from Apr. 15 to Dec. 15.
21520	Port Inland Inner Range Rear Light	45-58-12.000N 085-52-00.000W	F R			Orange and white square daymark on pile.	Maintained from Apr. 15 to Dec. 15.
21525	Boulder Reef Lighted Bell Buoy 1	45-35-12.303N 085-59-06.888W	FI G 4s	5		Green.	Replaced by can from Nov 14 to Apr. 28.
21530	Gull Island Light	45-42-41.677N 085-50-33.277W	FI W 6s	47	9	NR on skeleton tower.	
21535	Lansing Shoals Light	45-54-13.472N 085-33-42.211W	FI W 10s	90	12	Gray square tower on concrete crib.	HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. AIS: MMSI 993682297
21540	Garden Island Shoal Lighted Bell Buoy 1	45-52-05.721N 085-28-26.157W	FI G 4s	5		Green.	Maintained from Apr 28 to Nov. 14. AIS MMSI: 993682296
21545	Trout Island Shoal Buoy 5	45-46-45.631N 085-44-15.031W				Green can.	
21550	Whiskey Island Shoal Buoy 6	45-47-16.689N 085-37-58.607W				Red nun.	
21555	Whiskey Island Shoal Buoy 4	45-48-07.187N 085-35-31.029W				Red nun.	
21560	Ojibwa Island Shoal Buoy 2	45-50-13.002N 085-34-05.054W				Red nun.	
21565	Ojibwa Island Shoal Buoy 1	45-52-18.043N 085-35-00.588W				Green can.	Maintained from Apr. 24 to Nov 14. AIS MMSI: 993682271
21570	Potter Reef Buoy 1	45-59-50.206N 085-30-54.882W				Green can.	
21575	Millecoquins Inner Reef Buoy 2	46-00-43.399N 085-28-15.217W				Red nun.	
21580	Naubinway Island Light	46-04-32.192N 085-26-41.911W	FI W 4s	30	6	White cylindrical tower.	
21590	Fayette Lighted Bell Buoy 2	45-43-21.420N 086-40-20.760W	FI R 4s	4		Red.	Maintained from Apr. 28 to Oct 14.
21592	Big Bay De Noc Ogontz Bay Boat Launch Light	45-49-58.000N 086-47-14.000W				On post.	Maintained from Apr. 15 to Oct. 30.
21595	Big Bay De Noc Shoal Buoy 1	45-44-42.048N 086-42-20.326W				Green can.	
21600	Drisco Shoal Lighted Bell Buoy 2	45-33-18.936N 086-57-33.806W	FI R 2.5s	4		Red.	Replaced by nun from Nov. 21 to Apr. 28.
21605	Southwest Drisco Shoal Lighted Buoy DA	45-32-09.920N 087-00-36.482W	FI (2)W 5s	4		Black with red band and two top marks.	Replaced by can from Nov. 21 Apr. 28. AIS MMSI: 993672241
21608	MTU Northern Green Bay Weather Wave Buoy 1	45-32-59.454N 086-53-46.120W	FI Y 2.5s				Maintained from May.1 to Dec.1.
21610	Minneapolis Shoal Light	45-34-53.357N 086-59-55.410W	FI W 5s	0	15	On white square tower with red stripe.	HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF-FM 83A.
21615	Corona Shoal Buoy 4	45-36-42.135N 086-57-44.568W				Red nun.	Maintained from Apr. 28 to Nov. 21.

21620	Ford River Shoal Lighted Buoy 5	45-38-31.988N 087-03-38.835W	FI G 4s	4	Green.	Maintained from Apr. 28 to Nov. 21.
21621	Ford River Boat Launch Light	45-40-26.000N 087-08-24.000W	FI Y 4s		On post.	Maintained from May 1 to Nov. 1.
21625	Eleven Foot Shoal Lighted Bell Buoy 6	45-38-03.922N 086-59-16.502W	FI R 6s	4	Red.	Replaced by nun from Nov. 21 to Apr. 28.
21630	Little Bay De Noc Lighted Buoy 8	45-43-45.820N 087-01-30.619W	FI R 4s	4	Red.	Maintained from Apr. 28 to Nov. 21. AIS MMSI: 993672242
21631	Escanaba Harbor Daybeacon 1	45-44-32.700N 087-02-15.500W			SG on post.	
21632	Escanaba Yacht Harbor North Pierhead Light 2	45-41-35.400N 087-02-14.200W	F R		TR on post.	
21635	Escanaba Light	45-44-47.502N 087-02-13.764W	Iso W 6s	45	11	White square tower with green band. HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF-FM Ch. 83A.
21645	Escanaba Buoy 1	45-44-50.419N 087-02-38.622W			Green can.	
21646	Basic Marine Inc. Buoy 1	45-44-53.400N 087-03-06.500W			Green can.	Maintained from Apr. 15 to Dec. 1.
21647	Basic Marine Inc. Buoy 2	45-44-58.000N 087-03-10.000W			Red nun.	Maintained from Apr. 15 to Dec. 1.
21650	Little Bay De Noc Shoal Lighted Buoy 10	45-45-31.119N 087-01-22.024W	FI R 4s	4	Red.	Maintained from Apr. 28 to Nov 21.
21655	C & N Ore Dock Light 4	45-46-03.000N 087-03-20.000W	F R			Maintained from May 1 to Jan. 1.
21670	Vinette Co Buoy 2	45-46-15.000N 087-03-20.000W			Red nun.	Maintained from Apr. 15 to Oct. 31.
21675	Vinette Co Buoy 4	45-46-14.600N 087-03-28.000W			Red nun.	Maintained from Apr. 15 to Oct. 31.
21680	Vinette Co Buoy 6	45-46-14.300N 087-03-45.100W			Red nun.	Maintained from Apr. 15 to Oct. 31.
21682.9	Escanaba River Buoy 10	45-46-40.200N 087-03-37.800W			Red nun.	Maintained from May 1 to Nov. 15.
21682.8	Escanaba River Buoy 9	45-46-39.000N 087-03-39.000W			Green can.	Maintained from May 1 to Nov. 15.
21682.7	Escanaba River Buoy 8	45-46-39.000N 087-03-32.400W			Red nun.	Maintained from May 1 to Nov. 15.
21682.6	Escanaba River Buoy 7	45-46-38.400N 087-03-33.600W			Green can.	Maintained from May 1 to Nov. 15.
21682.5	Escanaba River Buoy 6	45-46-38.400N 087-03-28.200W			Red nun.	Maintained from May 1 to Nov. 15.
21682.4	Escanaba River Buoy 5	45-46-37.800N 087-03-29.400W			Green can.	Maintained from May 1 to Nov. 15.
21682.3	Escanaba River Buoy 4	45-46-36.600N 087-03-23.400W			Red nun.	Maintained from May 1 to Nov. 15.
21682.2	Escanaba River Buoy 3	45-46-36.000N 087-03-24.000W			Green can.	Maintained from May 1 to Nov. 15.
21682.1	Escanaba River Lighted Buoy 2	45-46-35.400N 087-03-19.200W	FI R 4s		Red.	Maintained from May 1 to Nov. 15.
21682	Escanaba River Lighted Buoy 1	45-46-34.200N 087-03-21.000W	FI G 4s		Green.	Maintained from May 1 to Nov. 15.
21683.1	Escanaba River Buoy 12	45-46-41.400N 087-03-43.200W			Red nun.	Maintained from May 1 to Nov. 15.
21683	Escanaba River Buoy 11	45-46-40.200N 087-03-43.800W			Green can.	Maintained from May 1 to Nov. 15.
21683.4	Escanaba River Buoy 16	45-46-43.200N 087-03-51.000W			Red nun.	Maintained from May 1 to Nov. 15.
21683.3	Escanaba River Buoy 14	45-46-42.600N 087-03-48.600W			Red nun.	Maintained from May 1 to Nov. 15.
21683.2	Escanaba River Buoy 13	45-46-41.400N 087-03-49.200W			Green can.	Maintained from May 1 to Nov. 15.
21685	Little Bay De Noc Lighted Buoy 11	45-48-14.031N 087-02-41.033W	FI G 2.5s	5	Green.	Maintained from Apr. 28 to Nov. 21.
21690	Little Bay De Noc Lighted Buoy 12	45-49-55.875N 087-00-31.676W	FI R 6s	4	Red.	Maintained from Apr. 28 to Nov. 21.
21695	Gladstone Breakwater Light	45-50-17.500N 087-01-03.000W	FI G 2.5s			
21700	Gladstone Entrance Buoy 1	45-50-18.000N 087-01-02.000W			Green can.	
21705	Gladstone Entrance Buoy 2	45-50-19.000N 087-01-00.000W			Red nun	

21710	Gladstone Entrance Buoy 3	45-50-19.000N 087-01-04.000W					Green can.	
21715	Gladstone Entrance Buoy 4	45-50-20.000N 087-01-02.000W					Red nun.	
21720	Gladstone Entrance Buoy 5	45-50-20.000N 087-01-05.000W					Green can.	
21725	Gladstone Entrance Buoy 6	45-50-21.000N 087-01-03.000W					Red nun.	
21730	Saunders Point Buoy 13	45-50-53.194N 086-59-44.565W					Green can.	
21735	Saunders Point Light	45-50-52.016N 087-00-01.575W	Iso G 6s	20	6		SG on post.	
21740	Saunders Point Shoal Inside Buoy 15	45-51-07.274N 086-59-55.751W					Green can.	
21741	Little Bay De Noc Hunters Point Boat Launch Light	45-50-48.000N 086-50-05.000W					On post.	Maintained from Apr. 15 to Oct. 30.
21743	Butler Island Lighted Buoy 17	45-51-53.564N 087-00-33.190W	FI G 4s			3		Maintained from May 1 to Nov. 14
21746	Days River Shoal Lighted Buoy 19	45-53-09.031N 086-58-32.033W	FI G 2.5s			3		Maintained from May 1 to Nov. 14
21760	Jackson Harbor Light	45-24-10.221N 086-51-01.782W	FI R 4s	0	7		TR on pile.	
21765	Jackson Harbor Buoy 1	45-24-12.394N 086-50-57.306W					Green can.	
21766	Jackson Harbor Buoy 2	45-24-12.956N 086-50-59.608W					Red nun.	
21770	Boyer Bluff Light	45-25-12.552N 086-56-11.280W	FI W 6s	0	7		On skeleton tower.	
21775	Whaleback Shoal East End Lighted Bell Buoy 4	45-21-00.716N 087-10-12.152W	FI R 6s			4	Red.	Replaced by nun from Nov 21 to Apr. 28.
21780	Whaleback Shoal West End Buoy 1	45-22-08.019N 087-11-49.658W					Green can.	
21785	Cedar River Pierhead Light	45-24-26.482N 087-21-03.752W	FI G 4s	20	7		SG on post.	
21787	Cedar River Light 2	45-24-29.345N 087-21-01.375W	FI R 4s	20	4		TR on pole.	
21790	Cedar River Entrance Lighted Buoy 1	45-23-43.852N 087-20-28.658W	FI G 6s			4	Green can.	Marks rock. Maintained from 28 Apr to 21 Nov.
21793.5	Cedar River Buoy 4	45-24-11.822N 087-20-56.187W					Red nun.	Maintained from May 14 to Nov. 14.
21793	Cedar River Buoy 3	45-24-10.242N 087-20-59.636W					Green can.	Maintained from May 14 to Nov. 14
21794	Cedar River Buoy 5	45-24-15.677N 087-21-01.093W					Green can.	Maintained from May 14 to Nov. 14
21794.1	Cedar River Buoy 6	45-24-17.331N 087-20-58.095W					Red nun.	Maintained from May 14 to Nov. 14.
21794.2	Cedar River Buoy 9	45-24-20.125N 087-21-02.201W					Green can.	Maintained from May 14 to Nov. 14.
21794.3	Cedar River Buoy 10	45-24-21.921N 087-20-59.567W					Red nun.	Maintained from May 14 to Nov. 14.
21794.4	Cedar River Buoy 11	45-24-23.050N 087-21-02.887W					Green can.	Maintained from May 14 to Nov. 14.
21794.5	Cedar River Buoy 12	45-24-24.264N 087-21-00.208W					Red nun.	Maintained from May 14 to Nov. 14.
21795	Sister Islands Buoy 1	45-13-33.645N 087-09-07.666W					Green can.	
21797	Yacht Works Marina West Breakwater Light A	45-12-12.000N 087-07-16.200W	FI W 4s					
21798	Yacht Works Marina Breakwater Light 1	45-12-08.460N 087-07-15.300W	FI G 2.5s					
21799	Yacht Works Marina Breakwater Light 2	45-12-08.340N 087-07-13.740W	FI R 2.5s					
21800	Sister Bay Marina Light 1	45-11-54.000N 087-07-12.000W	FI G 4s				SG on post.	
21802	Sister Bay Resort And Yacht Club Light	45-11-25.000N 087-07-24.000W	FI R 2s				On post.	Maintained from May 1 to Nov. 1.
21805	Horseshoe Reef Lighted Buoy 2	45-12-59.684N 087-11-54.137W	FI R 4s			4	Red.	Replaced by nun from Oct. 14 to May 1.
21810	Sister Shoals Buoy 3	45-11-57.188N 087-10-37.251W					Green can.	

21815	Horseshoe Island Light 5	45-10-38.106N 087-12-42.510W	FI G 4s	20	4	SG on post.	
21820	Strawberry Channel Northeast Buoy 4	45-10-48.031N 087-14-55.633W				Red nun.	
21825	Eagle Bluff Light	45-10-07.302N 087-14-12.132W	FI W 6s	0	6	Yellow square tower with brown roof attached to dwelling	Light is obscured from 220° to 030°.
21830	Strawberry Channel Southeast Lighted Bell Buoy 6	45-09-02.877N 087-14-59.568W	FI R 4s		3	Red.	No winter mark from Oct. 14 to May 1.
21835	Strawberry Channel Mid-Channel Lighted Buoy 5	45-08-33.031N 087-16-22.033W	FI (2+1)R 6s		4	Red and green bands.	Replaced by nun from Oct. 14 to May 1.
21845	Hanover Shoal Buoy 2	45-08-33.620N 087-17-42.343W				Red nun.	Replaced by smaller nun from Oct. 14 to Apr. 1.
21850	Hat Island South Shoal Buoy HI	45-05-17.207N 087-19-23.916W				Black can with red band. Topmark spheres.	Maintained from Apr. 21 to Oct. 14.
21851	Egg Harbor Light 1	45-02-57.225N 087-17-03.198W	FI G 4s		3		
21855	Anchorage Cove Lighted Buoy 1	45-04-08.000N 087-16-54.000W	Q G			Green.	Maintained from May 1 to Oct. 30.
21860	Anchorage Cove Lighted Buoy 2	45-04-06.000N 087-16-54.000W	Q R			Red.	Maintained from May 1 to Oct. 30.
21865	Anchorage Cove Buoy 3	45-04-06.000N 087-16-54.000W				Green can.	Maintained from May 1 to Oct. 30.
21870	Anchorage Cove Buoy 4	45-04-06.000N 087-16-54.000W				Red nun.	Maintained from May 1 to Oct. 30.
21875	Lilla Hammar Light 1	45-03-58.200N 087-17-07.800W	F G			SG on post.	Maintained from Jun. 15 to Sep. 15.
21880	Lilla Hammar Light 2	45-03-58.200N 087-17-07.800W	F R			TR on post.	Maintained from Jun. 15 to Sep. 15.
21885	Lilla Hammar Entrance Light	45-04-15.000N 087-16-50.000W	F W			On post.	Maintained from Jun. 15 to Sep. 15.
21890	Chambers Islands North Shoal Lighted Bell Buoy 1	45-14-24.073N 087-19-48.338W	FI G 4s		4	Green.	Replaced by can from Nov 14 to Apr. 21.
21895	Chambers Island Light	45-12-07.350N 087-21-54.570W	FI W 6s	60	12	On skeleton tower.	
21900	Chambers Island West Shoal Lighted Bell Buoy 3	45-10-48.155N 087-24-23.519W	FI G 2.5s		4	Green.	Replaced by can from Nov 14 to Apr. 21. AIS MMSI: 993672243
21905	Menominee Marina Breakwater Light 2	45-06-23.000N 087-36-00.000W	FI R 4s			TR on post.	
21910	Menominee Marina Breakwater Daybeacon 3	45-06-23.600N 087-36-03.700W				SG on post.	
21915	Menominee Shoal Lighted Bell Buoy 2A	45-06-19.878N 087-34-26.118W	FI R 4s		4	Red.	Replaced by nun from Nov. 14 to Apr. 21.
21920	Menominee Entrance Lighted Buoy 1	45-05-55.979N 087-34-34.018W	FI G 2.5s		4	Green can.	Replaced by can buoy from Nov 14 to Apr 21. AIS MMSI: 993672244
21925	Menominee Entrance Lighted Buoy 2	45-06-00.278N 087-34-40.818W	FI R 2.5s		4	Red nun.	Replaced by nun buoy from Nov 14 to Apr 21. AIS MMSI 993672245
21930	Marinette Pierhead Light 3	45-05-47.040N 087-35-06.432W	FI G 4s	0	4	SG on post.	
21935	Menominee Pierhead Light 4	45-05-50.140N 087-35-09.734W	Oc R 4s	0	9		
21940	Menominee Pier Light 6	45-05-46.960N 087-35-19.193W	FI R 6s	50	9	On red skeleton tower.	
21945	Menominee River Buoy 2	45-06-00.726N 087-36-53.754W				Red nun.	Maintained from May 7 to Nov. 7.
21948	Menominee River Buoy 2A	45-06-02.754N 087-37-00.642W				Red nun.	Maintained from May 7 to Nov 7.
21950	Menominee River Buoy 4	45-06-04.380N 087-37-07.044W				Red nun.	Maintained from May 7 to Nov. 7.
21955	Menominee River Buoy 6	45-06-04.530N 087-37-12.666W				Red nun.	Maintained from May 7 to Nov. 7.
21957	Menominee River Buoy 7	45-06-04.921N 087-37-26.467W				Green can.	Maintained from May 7 to Nov. 7.
21960	Menekaunee Shoal Buoy 6	45-04-14.583N 087-34-02.615W				Red nun.	
21965	Green Island Shoal Lighted Buoy 1	45-03-37.486N 087-31-30.714W	FI G 4s		4	Green.	Replaced by can from Nov. 14 to Apr. 28. Marks west side of shoal.
21970	Green Island Light	45-03-20.472N 087-29-30.510W	FI W 6s	80	9	NR on skeleton tower.	
21975	Green Island Southeast Shoal Buoy 2	45-02-40.655N 087-28-51.489W				Red nun.	Maintained from Apr. 28 to Nov. 14. AIS MMSI: 993672246

21980	Marinette Little River Light	45-02-42.000N 087-37-30.000W	FI Y 2.5s				NY on post.	
21985	Monument Shoal Buoy 5	44-59-34.522N 087-22-56.565W					Green can.	
21990	Peshtigo Reef Light	44-57-23.940N 087-34-45.306W	FI W 6s	0	9		On white column with red band.	HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.
21995	Sherwood Point Lighted Buoy 7	44-54-52.757N 087-27-42.905W	FI G 4s		4		Green.	Replaced by can from Nov. 14 to Apr. 21. AIS MMSI: 993682719
22000	Sherwood Point Light	44-53-34.030N 087-26-00.393W	Iso W 6s	0	12			
22005	Sherwood Point Traffic VAIS	44-53-34.342N 087-24-51.502W				1		AIS MMSI: 993672247
22012.9	Little Sturgeon Buoy 9	44-50-33.000N 087-33-21.000W					Green can.	
22012.1	Little Sturgeon Buoy 1	44-50-36.600N 087-32-48.000W					Green can.	
22012.2	Little Sturgeon Buoy 2	44-50-38.000N 087-32-54.000W					Red nun.	
22012.3	Little Sturgeon Buoy 3	44-50-31.000N 087-33-02.000W					Green can.	
22012.4	Little Sturgeon Buoy 4	44-50-33.000N 087-33-04.000W					Red nun.	
22012.5	Little Sturgeon Buoy 5	44-50-30.000N 087-33-08.000W					Green can.	
22012.6	Little Sturgeon Buoy 6	44-50-32.000N 087-33-09.000W					Red nun.	
22012.7	Little Sturgeon Buoy 7	44-50-31.000N 087-33-15.000W					Green can.	
22012.8	Little Sturgeon Buoy 8	44-50-32.000N 087-33-16.000W					Red nun.	
22013	Little Sturgeon Buoy 10	44-50-35.000N 087-33-21.000W					Red nun.	
22013.2	Little Sturgeon Buoy 12	44-50-37.000N 087-33-26.000W					Red nun.	
22013.1	Little Sturgeon Buoy 11	44-50-37.000N 087-33-27.000W					Green can.	
22013.5	Carmody County Park Navigational Light	44-50-38.000N 087-33-29.900W	FI G 3s				On single pole.	Maintained from Apr. 1 to Sept. 30.
22014	Oconto Harbor Lighted Bell Buoy 2	44-53-00.030N 087-46-00.033W	FI R 4s		4		Red.	Replaced by nun from Oct. 14 to May 01.
22015	Oconto Harbor North Pierhead Light 2	44-53-56.600N 088-49-17.800W	F R				TR on pile.	Maintained from Apr. 15 to Nov. 1.
22020	Oconto Harbor South Pierhead Light 3	44-53-53.490N 087-49-20.730W	FI G 6s	0	7		SG on post.	
22025	Oconto River Lighted Buoy 4	44-53-49.000N 087-49-32.000W	Q R				Red.	Maintained from Apr. 15 to Nov. 1.
22030	UWM GB Research Buoy	44-48-07.350N 087-45-45.570W	FI Y 2.5s					Maintained from Apr.1 to Nov.30.
22035	Pensaukee Harbor Light	44-49-15.582N 087-53-47.418W	FI R 4s	15	7		TR on post.	
22040	Pensaukee Harbor Entrance Lighted Buoy 2	44-49-05.761N 087-53-11.227W	FI R 6s		3		Red.	Maintained from May 7 to Nov. 1. Buoy may be relocated without prior notice to mark the best channel.
22050	Bay Shore County Park Light	44-38-19.000N 087-45-15.000W	FI R 2s				On pile.	Maintained from May 7 to Nov. 1.
22055.7	Suamico Lighted Buoy 7	44-37-48.000N 088-00-24.000W	Q G				Green.	Maintained from May 1 to Oct. 31.
22055.6	Suamico Lighted Buoy 6	44-37-53.000N 088-00-19.000W	Q R				Red.	Maintained from May 1 to Oct. 31.
22055.5	Suamico Lighted Buoy 5	44-37-52.000N 088-00-18.000W	Q G				Green.	Maintained from May 1 to Oct. 31.
22055.4	Suamico Lighted Buoy 4	44-37-57.000N 088-00-11.000W	Q R				Red.	Maintained from May 1 to Oct. 31.
22055.3	Suamico Lighted Buoy 3	44-37-56.000N 088-00-12.000W	Q G				Green.	Maintained from May 1 to Oct. 31.
22055.2	Suamico Lighted Buoy 2	44-38-02.000N 088-00-07.000W	Q R				Red.	Maintained from May 1 to Oct. 31.
22055	Suamico Lighted Buoy 1	44-38-01.623N 088-00-04.149W	FI G 4s		3		Green.	Maintained from May 7 to Nov. 1. Buoy may be relocated without prior notice to mark the best channel.
22065	Suamico Lighted Buoy 9	44-37-49.000N 088-00-28.000W	Q G				Green.	Maintained from May 1 to Oct. 31.

22066	Suamico Lighted Buoy 10	44-37-50.000N 088-00-28.000W	Q R			Red.		Maintained from May 1 to Oct. 31.
22072	Green Bay Lower Weather Buoy 1	44-39-10.400N 087-55-30.200W	FI Y 4s					Maintained from May.1 to Oct.31.
22073	WDNR Lower Green Bay Long Tail Point Water Quality Monitoring Buoy 1	44-36-51.004N 088-00-32.795W	FI Y 4s					Maintained from Sep.1 to Dec.1.
22075	Pirates Cove Marina Lighted Buoy 1	44-35-25.551N 087-59-33.132W	FI G 2.5s			Green.		
22080	Pirates Cove Marina Lighted Buoy 2	44-35-26.739N 087-59-28.428W	FI R 2.5s			Red.		
22085	Pirates Cove Marina Buoy 3	44-35-57.952N 087-59-58.530W				Green can.		
22090	Pirates Cove Marina Buoy 4	44-35-59.610N 087-59-54.981W				Red nun.		
22095	Pirates Cove Marina Buoy 5	44-36-21.449N 088-00-16.259W				Green can.		
22100	Pirates Cove Marina Buoy 6	44-36-22.520N 088-00-12.134W				Red nun.		
22100.1	Pirates Cove Marina Buoy 7	44-36-43.125N 088-00-31.587W				Green can.		
22100.2	Pirates Cove Marina Buoy 8	44-36-46.200N 088-00-29.417W				Red nun.		
22100.3	Pirates Cove Marina Buoy 9	44-36-50.582N 088-00-40.824W				Green can.		
22100.4	Pirates Cove Marina Buoy 10	44-36-51.219N 088-00-40.761W				Red nun.		
22103	WDNR Lower Green Bay Long Tail Point Water Quality Monitoring Buoy 2	44-35-57.480N 087-59-41.820W	FI Y 4s					Maintained from Sep.1 to Dec.1.
22105	Green Bay Harbor Entrance Channel Lighted Buoy 1	44-40-36.730N 087-52-34.733W	FI G 2.5s	4		Green.		AIS MMSI: 993672229
22110	Green Bay Harbor Entrance Channel Lighted Bell Buoy 2	44-40-39.067N 087-52-41.893W	FI R 2.5s	4		Red.		AIS MMSI: 993672230
22115	Green Bay Harbor Entrance Channel Lighted Buoy 3	44-39-53.434N 087-53-14.944W	FI G 4s	4		Green.		
22120	Green Bay Harbor Entrance Channel Lighted Buoy 4	44-39-55.104N 087-53-22.121W	FI R 4s	4		Red.		
22125	Green Bay Harbor Entrance Channel Lighted Buoy 5	44-39-07.905N 087-53-56.498W	FI G 6s	4		Green.		AIS MMSI: 993672248
22130	Green Bay Harbor Entrance Light	44-39-11.164N 087-54-04.571W	Oc R 4s	0	12	White conical tower on cylindrical base.		HORN: 1 blast ev 15s (2s bl). Operate the fog signal by keying the VHF-FM marine radio five times on channel 83A.
22135	Green Bay Harbor Entrance Channel Lighted Buoy 7	44-38-16.592N 087-54-43.438W	FI G 2.5s	4		Green.		
22140	Green Bay Harbor Entrance Channel Lighted Buoy 8	44-38-19.576N 087-54-50.560W	FI R 2.5s	4		Red.		
22145	Green Bay Harbor Entrance Channel Lighted Buoy 9	44-37-22.445N 087-55-32.924W	FI G 4s	4		Green.		Replaced by can from 01 Dec to 21 Apr. AIS MMSI 993672231
22150	Green Bay Harbor Entrance Channel Lighted Buoy 10	44-37-24.697N 087-55-41.552W	FI R 4s	4		Red.		Replaced by nun from Dec. 1 to Apr. 21. AIS MMSI: 993672232
22155	Green Bay Harbor Entrance Channel Lighted Bell Buoy 11	44-36-31.525N 087-56-20.632W	FI G 4s	4		Green.		
22160	Green Bay Harbor Entrance Channel Lighted Buoy 12	44-36-34.215N 087-56-26.429W	FI R 4s	4		Red.		
22165	Green Bay Harbor Entrance Channel Light 14	44-35-49.503N 087-57-08.815W	Q R	0	6	White cylindrical tower with red band.		
22170	Green Bay Harbor Entrance Channel Lighted Buoy 15	44-35-34.504N 087-57-13.002W	FI G 2.5s	4		Green.		Replaced by can from Dec. 1 to Apr. 28.
22175	Green Bay Harbor Entrance Channel Lighted Bell Buoy 16	44-35-31.454N 087-57-31.763W	FI R 4s	4		Red.		Replaced by nun from Dec. 1 to Apr. 28.
22180	Green Bay Harbor Entrance Channel Range Front Light	44-35-22.709N 087-57-27.770W	Q G	43	12	KRW on cylindrical tower.		Visible 5.5° each side of range line.
22181	Green Bay Harbor Entrance Channel Range Front Passing Light	44-35-22.700N 087-57-27.395W	FI Y 4s	0	5	On same structure as Green Bay Harbor Entrance Channel Range Front Light.		Above Range Front Light.
22185	Green Bay Harbor Entrance Channel Range Rear Light	44-34-37.232N 087-58-09.294W	Oc G 4s	90	12	KRW on white cylindrical tower.		Visible 4° each side of range line.
22186	Green Bay Harbor Entrance Channel Range Rear Passing Light	44-34-37.208N 087-58-09.381W	FI Y 4s	0	5	On same structure as Green Bay Harbor Entrance Channel Range Rear Light		Below Range Rear Light.
22188	Green Bay Harbor Entrance Channel Lighted Buoy 15A	44-35-09.882N 087-58-06.527W	FI G 4s	4		Green.		Replaced by can from Dec. 1 to Apr. 28

22189	Green Bay Harbor Entrance Channel Lighted Buoy 16A	44-35-14.022N 087-58-10.190W	FI R 4s	4	Green.	Replaced by can from Dec. 1 to Apr. 28	
22200	Green Bay Harbor Entrance Channel Lighted Buoy 17	44-34-55.432N 087-58-37.050W	Q G	4	Green.	Replaced by can from Dec 1 to Apr 28.	
22205	Green Bay Harbor Entrance Channel Light 18	44-34-56.051N 087-58-50.531W	FI R 2.5s	20	7	White cylindrical tower with red band.	
22210	Green Bay Harbor Entrance Channel Lighted Buoy 19	44-34-42.804N 087-58-53.405W	FI G 4s	4	Green.	Replaced by can from Dec. 1 to Apr. 28.	
22215	Green Bay Harbor Entrance Channel Inner Range Front Light	44-34-48.547N 087-58-59.837W	Q G	28	12	KRW on cylindrical tower.	Visible 14° each side of range line.
22216	Green Bay Harbor Entrance Channel Inner Range Front Passing Light	44-34-48.530N 087-58-59.894W	FI Y 4s	0	5	On same structure as Green Bay Harbor Entrance Channel Inner Range Front Light.	Above Inner Range Front Light.
22220	Green Bay Harbor Entrance Channel Inner Range Rear Light	44-34-35.300N 087-59-28.953W	Iso G 6s	47	12	KRW on white cylindrical tower.	Visible 14° each side of range line.
22221	Green Bay Harbor Entrance Channel Inner Range Rear Passing Light	44-34-35.240N 087-59-28.980W	FI Y 4s	0	5	On same structure as Green Bay Harbor Entrance Channel Inner Range Rear Light.	Above Inner Range Rear Light.
22225	Green Bay Harbor Entrance Channel Lighted Buoy 22	44-34-30.312N 087-59-08.564W	FI R 2.5s	4	Red.	Replaced by nun from Dec. 1 to Apr. 28.	
22230	Green Bay Harbor Entrance Channel Lighted Buoy 21	44-34-29.099N 087-59-04.749W	FI G 2.5s	4	Green.	Replaced by can from Dec. 1 to Apr. 28.	
22235	Green Bay Harbor Entrance Channel Lighted Buoy 24	44-34-02.067N 087-59-25.436W	FI R 4s	4	Red.	Replaced by nun from Dec. 1 to Apr. 28.	
22240	Green Bay Harbor Entrance Channel Lighted Buoy 23	44-34-01.047N 087-59-21.738W	FI G 4s	4	Green.	Replaced by can from Dec. 1 to Apr. 28.	
22245	Green Bay Harbor Entrance Channel Light 25	44-33-31.679N 087-59-38.299W	FI G 2.5s	20	7	SG on post.	
22255	Green Bay Harbor Entrance Channel Lighted Buoy 27	44-32-56.771N 087-59-57.515W	FI G 4s	4	Green.	Replaced by can from Dec. 1 to Apr. 28.	
22260	Green Bay Harbor Entrance Channel Lighted Buoy 28	44-32-58.208N 088-00-01.408W	FI R 4s	4	Red.	Replaced by nun from Dec. 1 to Apr. 28.	
22265	Green Bay Harbor Entrance Channel Lighted Buoy 30	44-32-22.203N 088-00-19.407W	FI R 2.5s	4	Red.	Maintained from Apr. 28 to Dec. 1.	
22270	Green Bay Harbor Disposal Light	44-32-21.000N 088-00-13.000W	Q W			On dolphin.	Maintained from Apr. 15 to Nov. 15.
22271.3	South Bay Marina West Breakwater Light	44-32-22.000N 088-00-11.000W	FI W 6s			On pile.	
22271.2	South Bay Marina West Middle Breakwater Light	44-32-24.100N 088-00-08.000W	FI W 6s			On pile.	
22271.1	South Bay Marina East Middle Breakwater Light	44-32-24.100N 088-00-04.000W	FI W 6s			On pile.	
22271	South Bay Marina East Breakwater Light	44-32-24.100N 087-59-58.000W	FI W 6s			On pile.	
22272	South Bay Marina Entrance Light 1	44-32-20.800N 088-00-11.500W	F G			SG on pile.	
22273	South Bay Marina Entrance Light 2	44-32-20.000N 088-00-11.500W	F R			TR on pile.	
22276.1	Green Bay Marina South LT 1	44-30-38.110N 088-01-18.690W	FI Y 4s			Pile	Maintained year round.
22276.2	Green Bay Marina South LT 2	44-30-40.050N 088-01-17.870W	FI Y 2.5s			Steel Pole	Maintained year round.
22276.3	Green Bay South Fishing Pier A	44-30-42.500N 088-01-16.830W	FI W 4s			Steel Pole	Maintained year round.
22276.4	Green Bay South Fishing Pier B	44-30-42.810N 088-01-16.370W	FI W 2.5s			Steel Pole	Maintained year round.
22280	Green Bay City Buoy 2	44-30-07.170N 088-01-27.832W				Red nun.	
22285	Green Bay City Buoy 4	44-29-28.209N 088-01-38.865W				Red nun.	
22290	Green Bay City Buoy 6	44-29-22.401N 088-01-44.601W				Red nun.	
22295	Green Bay City Buoy 7	44-29-14.431N 088-01-52.045W				Green can.	
22300	Green Bay City Buoy 8	44-29-15.519N 088-01-53.464W				Red nun.	
22305	Green Bay City Buoy 10	44-29-08.784N 088-02-05.818W				Red nun.	
22310	Green Bay City Buoy 12	44-29-00.719N 088-02-20.611W				Red nun.	
22315	Green Bay City Buoy 13	44-28-51.141N 088-02-34.583W				Green can.	

22320	Green Bay City Buoy 14	44-28-51.716N 088-02-36.006W		Red nun.
22323	Green Bay City Buoy 16	44-28-42.340N 088-02-44.168W		Red nun.
22325	Green Bay City Buoy 18	44-28-15.636N 088-03-03.201W		Red nun.
22330	Green Bay City Buoy 19	44-27-57.916N 088-03-13.349W		Green can.
22335	Green Bay City Buoy 20	44-27-59.064N 088-03-16.173W		Red nun.
22345	Green Bay City Buoy 22	44-27-40.610N 088-03-32.869W		Red nun.
22350	Green Bay City Buoy 24	44-27-27.176N 088-03-47.648W		Red nun.
22355	Green Bay City Buoy 26	44-27-13.341N 088-04-01.546W		Red nun.
22360	Green Bay City Buoy 27	44-27-11.881N 088-03-59.432W		Green can.
22400	Brothertown Marina Entrance Light 1	43-57-59.000N 088-19-11.000W	Fl G 6s	