

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
640	<b>Block Island Southeast Light</b>	41-09-12.276N 071-33-07.434W	Fl G 5s	261	17	Red-brick octagonal, pyramidal tower attached to dwelling. 67	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. Emergency light is offset from main light. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	39/22
14090	Allen Harbor Entrance Lighted Buoy 1	* 41-39-20.100N 070-05-04.100W	Fl G 4s			Green.	Private Aid.	39/22
17422.5	Little Buttermilk Bay Buoy 5					*	Remove from list.	39/22
17422.6	Little Buttermilk Bay Buoy 6						* Remove from list.	39/22
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
20200	<i>Academy Rock Lighted Buoy 2</i>  Marks west side of rock.	41-19-34.291N 071-54-13.366W	Fl R 4s		3	Red.	Replaced by nun when endangered by ice.	39/22
20505	<i>Mystic Harbor West Approach Lighted Buoy 4</i>	41-18-50.979N 071-59-21.616W	Fl R 4s		3	Red.	Replaced by nun when endangered by ice.	39/22
21745	<i>Pine Island Lighted Buoy 1</i>  On southern tip of shoal.	41-18-53.370N 072-03-40.562W	Fl G 4s		3	Green.	Replaced by can when endangered by ice.	39/22
24200	<i>New Haven Reach Turning Basin Lighted Buoy A</i>	41-17-29.683N 072-54-45.379W	Fl Y 2.5s		3	Yellow.	Replaced by can When endangered by ice.	39/22
24234	<i>West Haven Channel Lighted Buoy 1</i>	41-16-54.222N 072-54-58.299W	Fl G 4s		3	Green.	Replaced by can when endangered by ice.	39/22
35750	<i>Shrewsbury River Channel Buoy 4</i>	40-24-56.685N 074-00-12.139W				Red nun.	Removed when endangered by ice.	39/22
35755	<i>Shrewsbury River Channel Lighted Buoy 5</i>	40-24-48.955N 074-00-06.924W	Fl G 2.5s		3	Green.	Removed when endangered by ice.	39/22
35765	<i>Shrewsbury River Channel Lighted Buoy 7</i>	40-24-42.258N 073-59-56.780W	Fl G 4s		3	Green.	Removed when endangered by ice.	39/22
35775	<i>Shrewsbury River Channel Lighted Buoy 9</i>	40-24-38.052N 073-59-45.329W	Fl G 6s		3	Green.	Removed when endangered by ice.	39/22
35785	<i>Shrewsbury River Channel Lighted Buoy 11</i>	40-24-23.166N 073-59-04.175W	Fl G 2.5s		3	Green.	Removed when endangered by ice.	39/22
35786	<i>Shrewsbury River Channel Lighted Buoy 11A</i>	40-23-56.508N 073-58-47.796W	Fl G 4s		3	Green.	Removed when endangered by ice.	39/22
35810	<i>Shrewsbury River Junction Lighted Buoy NS</i>	40-23-13.760N 073-58-42.979W	Fl (2+1)R 6s		3	Red and green bands.	Removed when endangered by ice.	39/22
35830	<i>Shrewsbury River Channel Lighted Buoy 18</i>	40-22-41.926N 073-58-39.209W	Fl R 4s		3	Red.	Removed when endangered by ice.	39/22
28-Sep-22								Page 2
35835	<i>Shrewsbury River Channel Lighted Buoy 19</i>	40-22-24.659N 073-58-32.211W	Fl G 2.5s		3	Green.	Removed when endangered by ice.	39/22

\*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
36985	<i>Buttermilk Channel Entrance Lighted Gong Buoy 1</i>	40-40-48.230N 074-01-44.330W	Fl G 4s		4	Green.	39/22	
36990	Buttermilk Channel Buoy 5	* 40-41-12.870N 074-00-54.050W				Green can.	39/22	
39625	Burlington Breakwater Daybeacon	* 44-28-46.998N 073-13-45.294W	Q W			NW on pile worded DANGER BREAKWATER.	39/22	
640	<b>Block Island Southeast Light</b>	41-09-10.406N 071-33-04.208W	* Fl G 5s	261	17	Red-brick octagonal, pyramidal tower attached to dwelling. 67	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. Emergency light is offset from main light. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	38/22
14090	Allen Harbor Entrance Lighted Buoy 1	41-39-20.100N 070-05-04.100W	Fl G 4s		*	Green can.	Private Aid. 38/22	
	*	*	*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14100	Allen Harbor Entrance Buoy 3	41-39-28.300N 070-05-12.600W				Green can.	Private Aid.	38/22
14105	Allen Harbor Entrance Buoy 4	* 41-39-32.500N 070-05-14.100W				Red nun.	Private Aid.	38/22
14115	Allen Harbor Entrance Buoy 6	* 41-39-39.200N 070-05-19.500W				Red nun.	Private Aid.	38/22
14155	Herring River Entrance Buoy 4	* 41-39-09.600N 070-06-54.800W				Red nun.	Private Aid.	38/22
24885	Duck Creek Junction Buoy	*					Remove from list. *	38/22
29801.1	<i>Hampton Oyster Company Aquaculture Lighted Buoy B</i>	41-01-24.570N 072-26-11.880W	F Y			Yellow.	Private Aid.	37/22
29801.2	* <i>Hampton Oyster Company Aquaculture Lighted Buoy C</i>	41-01-18.050N 072-26-12.040W	F Y			Yellow.	Private Aid.	37/22
29801.3	* Hampton Oyster Company Aquaculture Lighted Buoy D	41-01-18.160N 072-26-20.640W	F Y			Yellow.	Private Aid.	37/22

\*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7205	Trotts Rock Daybeacon 4						Remove from list.	36/22
22565	Old Saybrook North Cove Buoy 2	41-17-27.000N 072-21-08.920W				Red nun.	* Private Aid.	36/22
29801	<i>Hampton Oyster Company Aquaculture Buoy A</i>	* 41-01-21.680N 072-26-20.490W	F Y			Yellow.	Private Aid.	36/22
29801.1	* <i>Hampton Oyster Company Aquaculture Buoy B</i>	41-01-24.570N 072-26-11.880W	F Y	*		Yellow.	Private Aid.	36/22
29801.2	* <i>Hampton Oyster Company Aquaculture Buoy C</i>	41-01-18.050N 072-26-12.040W	F Y	*		Yellow.	Private Aid.	36/22
29801.3	* Hampton Oyster Company Aquaculture Buoy D	41-01-18.160N 072-26-20.640W	F Y	*		Yellow.	Private Aid.	36/22
				*				

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
589.5	<i>LiDar Lighted Buoy WS 196</i>	41-19-21.150N 070-34-12.200W	Fl Y 20s			Yellow.	Private Aid.	35/22
*	*	*	*	*	*	*	*	
1855	Turtle Island Ledge Gong Buoy 2	44-20-50.763N 068-06-08.457W				Red.		35/22
16043	<i>EOM Lighted Research Buoy A</i>	* 41-30-48.239N 070-55-22.155W	Fl Y 20s			Yellow.	Private Aid.	35/22
*	*	*	*	*	*	*	*	
21665	Mattituck Inner Creek Buoy 3	41-00-21.360N 072-32-49.140W					Remove from list.	35/22
21665	Mattituck Inner Creek Buoy 2	41-00-47.700N 072-32-59.760W				Red nun.	Maintained from May 1 to Oct. 31. Private Aid.	35/22
*	*	*	*	*	*	*	*	
21667	Mattituck Inner Creek Buoy 2	41-00-47.700N 072-32-59.760W					Remove from list.	35/22
21667	Mattituck Inner Creek Buoy 3	41-00-21.360N 072-32-49.140W				Green can.	Maintained from May 1 to Oct. 31. Private Aid.	35/22
*	*	*	*	*	*	*	*	
21670	Mattituck Inner Creek Buoy 10	40-59-48.960N 072-32-35.460W					Remove from list.	35/22
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
21670	Mattituck Inner Creek Buoy 5	41-00-11.400N 072-32-46.620W				Green can.	Maintained from May 1 to Oct. 31. Private Aid. 35/22
*	*	*	*	*	*	*	*
21673	Mattituck Inner Creek Buoy 8	40-59-54.840N 072-32-38.700W					Remove from list. 35/22
21673	Mattituck Inner Creek Buoy 6	41-00-02.640N 072-32-42.600W				Red nun.	Maintained from May 1 to Oct. 31. Private Aid. 35/22
*	*	*	*	*	*	*	*
21675	Mattituck Inner Creek Buoy 5	41-00-11.400N 072-32-46.620W					Remove from list. 35/22
21675	Mattituck Inner Creek Buoy 8	40-59-54.840N 072-32-38.700W				Red nun.	Maintained from May 1 to Oct. 31. Private Aid. 35/22
*	*	*	*	*	*	*	*
21677	Mattituck Inner Creek Buoy 6	41-00-02.640N 072-32-42.600W					Remove from list. 35/22
21677	Mattituck Inner Creek Buoy 10	40-59-48.960N 072-32-35.460W				Red nun.	Maintained from May 1 to Oct. 31. Private Aid. 35/22
*	*	*	*	*	*	*	*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
29801	Hampton Oyster Company Aquaculture Buoy A	41-01-21.680N 072-26-20.490W				Yellow.	Private Aid.	35/22
*	*	*	*	*	*	*	*	*
29801.1	Hampton Oyster Company Aquaculture Buoy B	41-01-24.570N 072-26-11.880W				Yellow.	Private Aid.	35/22
*	*	*	*	*	*	*	*	*
29801.2	Hampton Oyster Company Aquaculture Buoy C	41-01-18.050N 072-26-12.040W				Yellow.	Private Aid.	35/22
*	*	*	*	*	*	*	*	*
29801.3	Hampton Oyster Company Aquaculture Buoy D	41-01-18.160N 072-26-20.640W				Yellow.	Private Aid.	35/22
*	*	*	*	*	*	*	*	*
30887	<i>SBU Lighted Research Buoy JBSP</i>						Remove from list.	35/22
							*	
31462	State Boat Channel Buoy 82	40-38-36.376N 073-14-56.036W				Red nun.	Removed when endangered by ice.	35/22
		*						
37661	<i>Newport Associates Hazard Lighted Buoy A</i>	40-43-58.950N 074-01-31.320W	Fl W 4s			White with Orange bands.	Private Aid.	35/22
*	*	*	*	*	*	*	*	*
37661.1	<i>Newport Associates Hazard Lighted Buoy B</i>	40-43-54.310N 074-01-34.000W	Fl W 4s			White with Orange bands.	Private Aid.	35/22
*	*	*	*	*	*	*	*	*
37661.2	<i>Newport Associates Hazard Lighted Buoy C</i>	40-43-51.800N 074-01-34.900W	Fl W 4s			White with Orange Bands.	Private Aid.	35/22
*	*	*	*	*	*	*	*	*



Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5826	Barters Island Temporary Bridge Construction Buoy 1						Remove from list. *	34/22
5827	Barters Island Temporary Bridge Construction Buoy 2						Remove from list. *	34/22
5828	Barters Island Temporary Bridge Construction Buoy 4						Remove from list. *	34/22
15548.1	Lake Tashmoo Buoy 7	41-27-47.870N 070-37-38.830W				Green can.	Private Aid.	34/22
*	*	*	*	*	*	*	*	
15548.2	Lake Tashmoo Buoy 8	41-27-46.350N 070-37-38.480W				Red nun.	Private Aid.	34/22
*	*	*	*	*	*	*	*	
15548.3	Lake Tashmoo Buoy 9	41-27-46.850N 070-37-37.420W				Green can.	Private Aid.	34/22
*	*	*	*	*	*	*	*	
15548.4	Lake Tashmoo Buoy 10	41-27-44.930N 070-37-37.490W				Red nun.	Private Aid.	34/22
*	*	*	*	*	*	*	*	
26380	<i>Lilco Basin Lighted Buoy 2</i>	40-55-41.430N 073-20-44.190W	Fl R 3s			Red.	Private Aid.	34/22
26385	<i>Lilco Basin Lighted Buoy 3</i>	40-55-38.490N 073-20-42.170W	Fl G 3s			Green.	Private Aid.	34/22
26390	<i>Lilco Basin Lighted Buoy 4</i>	40-55-32.800N 073-20-44.010W	Fl R 3s			Red.	Private Aid.	34/22
26395	<i>Lilco Basin Lighted Buoy 5</i>	40-55-30.140N 073-20-42.320W	Fl G 3s			Green.	Private Aid.	34/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
26400	<i>Lilco Basin Lighted Buoy 6</i>	40-55-26.570N 073-20-43.220W	Fl R 3s			Red.	Private Aid.	34/22
27325	POORHOUSE FLATS RANGE FRONT LIGHT	* 40-43-27.888N 073-57-46.254W	Q R	25		KGR on skeleton tower.	Lighted throughout 24 hours.	34/22
35180	<i>Sandy Hook Channel Lighted Bell Buoy 18</i>	* 40-28-33.894N 074-02-00.445W	Fl R 4s	*	3	Red.	Replaced by LIB of reduced intensity when endangered by ice.	34/22
37290	PORT RICHMOND DOCK LIGHT A	* 40-38-29.300N 074-07-32.300W	F G			Green.	Private Aid.	34/22
37295	PORT RICHMOND DOCK LIGHT B	* 40-38-29.100N 074-07-34.600W	F G			Green.	Private Aid.	34/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2295	<b>Great Duck Island Light</b>	44-08-31.333N 068-14-44.956W	Fl R 5s	67	14	White tower. 36	Light partially obscured by trees from about 143° to 206.5°. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	33/22
12332	New Inlet Buoy 3	42-09-56.479N 070-42-18.468W			*	Green can.		33/22
12335	New Inlet Buoy 4	* 42-09-56.671N 070-42-22.593W				Red nun.		33/22
13870	Stage Harbor Buoy 2	* 41-39-11.978N 069-59-26.585W				Red nun.		33/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5365	Merry Island Daybeacon 15	43-57-21.114N 069-34-32.802W				SG on pile.		32/22
14645	Lewis Bay Approach Channel Buoy 22	* 41-38-51.417N 070-16-29.366W				Red nun.		32/22
30940	<i>Jones Inlet Lighted Buoy 7</i>	* 40-35-13.153N 073-34-22.733W	Fl G 6s		3	Green can.	Removed when endangered by ice.	32/22
6085	Back River Entrance Buoy 2	*					Remove from list.	31/22
14345	Bass River Buoy 39	41-41-17.200N 070-09-56.400W				Green can.	* Private Aid.	31/22
14350	Bass River Buoy 40	* 41-41-21.700N 070-10-00.600W				Red nun.	Private Aid.	31/22
14360	Bass River Buoy 41A	* 41-41-24.800N 070-10-05.500W				Green can.	Private Aid.	31/22
14370	Bass River Buoy 43	* 41-41-33.600N 070-10-08.000W				Green can.	Private Aid.	31/22
14380	Bass River Buoy 45	* 41-41-39.300N 070-10-11.600W				Green can.	Private Aid.	31/22

\*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14395	Bass River Buoy 49	41-41-48.200N 070-10-13.100W				Green can.	Private Aid.	31/22
		*						
14405	Bass River Buoy 52	41-41-52.500N 070-10-21.600W				Red nun.	Private Aid.	31/22
		*						
14410	Bass River Buoy 53	41-42-01.100N 070-10-28.500W				Green can.	Private Aid.	31/22
		*						
14415	Bass River Buoy 54	41-42-02.900N 070-10-33.000W				Red nun.	Private Aid.	31/22
		*						
15030	<i>Green Pond Harbor Approach Lighted Buoy 2</i>	41-32-38.221N 070-34-10.384W	Fl R 2.5s		3	Red.	Maintained from May 1 to Nov. 1.	31/22
		*						
24671	<i>Black Rock Daybeacon Lighted Danger Buoy</i>  Marks location of sunken tower.	41-07-14.734N 073-13-01.589W	Q W		3	White and orange can with diamond marked DANGER ROCKS.		31/22
		*						
35125	<i>Sandy Hook Channel Lighted Buoy 7</i>	40-28-43.048N 073-58-52.609W	Q G		3	Green.		31/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
35180	<i>Sandy Hook Channel Lighted Bell Buoy 18</i>	40-28-35.170N 074-02-03.683W	Fl R 4s		3	Red.	Replaced by LIB of reduced intensity when endangered by ice.	31/22
37830	BOWLINE POINT MARINE TERMINAL SOUTH DOLPHIN LIGHT	* 41-12-10.000N 073-57-20.600W	Q W	15		On mooring dolphin.	Private Aid.	31/22
37835	BOWLINE POINT MARINE TERMINAL NORTH DOLPHIN LIGHT	* 41-12-16.700N 073-57-22.600W	Q W	15		On mooring dolphin.	Private Aid.	31/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
645	<i>Vineyard Northeast Metocean Lighted Research Buoy</i>	40-40-21.119N 070-13-07.767W	Fl Y 20s			Yellow.	Property of Ocean Tech Services. Private Aid.	30/22
*	*	*	*	*	*	*	*	
6910	<i>Goose Island Aquaculture Hazard Lighted Buoy A</i>	43-48-08.974N 070-02-37.316W	F W			White and orange can.	Private Aid.	30/22
12525	Green Harbor Buoy 9	42-04-50.699N 070-38-47.455W				Green can.		30/22
19823	<i>USCG RDC Fishers Island Sound Lighted Research Buoy</i>	41-15-14.380N 072-02-38.439W	Fl Y 4s			Yellow.	Private Aid.	30/22
*	*	*	*	*	*	*	*	
33795	NORTH CHANNEL LIGHT 22						Remove from list.	30/22
33795	NORTH CHANNEL LIGHT 22	40-38-46.620N 073-27-31.920W	Fl R 4s			TR on pile.	Private Aid.	30/22
*	*	*	*	*	*	*	*	
35110	<i>Sandy Hook Channel Lighted Buoy 5</i>	40-28-12.705N 073-58-01.431W	Fl G 2.5s		3	Green.		30/22
35165	<i>Sandy Hook Channel Lighted Gong Buoy 13</i>	40-28-50.506N 074-00-39.154W	Q G		3	Green.	Replaced by LIB of reduced intensity when endangered by ice.	30/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2487	<i>Fir Point Ledge Lighted Buoy 5</i>	44-10-50.596N 068-25-35.072W	Q G		3	Green.	29/22
2490	* <i>Fir Point Ledge Lighted Buoy 3</i>	44-10-47.479N 068-25-45.347W	* Fl G 4s		* 3	* Green.	* 29/22
6910	<i>Goose Island Aquaculture Hazard Lighted Buoy A</i>	43-48-08.974N 070-02-37.316W	F W				Private Aid. 29/22
* 13135.1	* Maraspin Creek Daybeacon 2	* 41-42-39.300N 070-18-04.400W	* *	* *	* *	TR	* Maintained from Jun 1 to Nov 1. Private Aid. 29/22
13135.2	Maraspin Creek Daybeacon 3	* 41-42-36.100N 070-18-04.400W				SG	Maintained from Jun 1 to Nov 1. Private Aid. 29/22
13135.3	Maraspin Creek Daybeacon 4	* 41-42-34.700N 070-18-06.200W				TR	Maintained from Jun 1 to Nov 1. Private Aid. 29/22
13135.4	Maraspin Creek Daybeacon 5	* 41-42-34.400N 070-18-04.800W				SG	Maintained from Jun 1 to Nov 1. Private Aid. 29/22
13135.5	Maraspin Creek Daybeacon 6	* 41-42-32.100N 070-18-05.000W				TR	Maintained from Jun 1 to Nov 1. Private Aid. 29/22
13135.6	Maraspin Creek Daybeacon 7	* 41-42-31.900N 070-18-03.600W				SG	Maintained from Jun 1 to Nov 1. Private Aid. 29/22
		*					



Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
13135.7	Maraspin Creek Daybeacon 8	41-42-30.100N 070-18-03.900W				TR	Maintained from Jun 1 to Nov 1. Private Aid. 29/22
		*					
13135.8	Maraspin Creek Daybeacon 9	41-42-30.100N 070-18-02.800W				SG	Maintained from Jun 1 to Nov 1. Private Aid. 29/22
		*					
13135.81	Maraspin Creek Daybeacon 10						Remove from list. 29/22
							*
13135.82	Maraspin Creek Daybeacon 11						Remove from list. 29/22
							*
13137	Salten Point Buoy 2	41-42-44.900N 070-18-17.900W				Red nun.	Private Aid. 29/22
		*					
13137.5	Salten Point Buoy 4	41-42-44.200N 070-18-28.700W				Red nun.	Private Aid. 29/22
		*					
13138	Salten Point Buoy 5	41-42-41.800N 070-18-43.300W				Green can.	Private Aid. 29/22
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13139	Salten Point Buoy 6	41-42-41.100N 070-19-01.400W				Red nun.	Private Aid.	29/22
13890	<i>Stage Harbor Lighted Buoy 7</i>	* 41-39-20.260N 069-59-10.649W	FI G 4s		3	Green can.	Removed when endangered by ice.	29/22
13895	<i>Stage Harbor Lighted Buoy 8</i>	* 41-39-27.214N 069-58-54.404W	FI R 4s		3	Red.	Removed when endangered by ice.	29/22
14758	Seapuit River Buoy 13	*					Remove from list.	29/22
16543	Hospital Cove Buoy 1A	41-40-12.187N 070-38-10.257W				Green can.	*	29/22
18062	<i>Salt Water Farms Aquaculture Lighted Buoy A</i>	* 41-33-29.280N 071-18-38.100W	Oc (4)W 30s			White with orange bands.	Private Aid.	29/22
18062.3	<i>Salt Water Farms Aquaculture Lighted Buoy B</i>	41-33-44.640N 071-18-30.180W	* Oc (4)W 30s			White with orange bands.	Private Aid.	29/22
			*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
21620	<i>Totoket Bar Lighted Buoy 28</i>  On south end of reef.	41-14-04.931N 072-48-05.174W	Fl R 4s		4	Red.	Replaced by nun when endangered by ice.	29/22
	*							
23946.1	Pine Orchard Harbor Buoy 1	41-15-43.500N 072-46-13.700W				Green can.	Private Aid.	29/22
	*							
23946.2	Pine Orchard Harbor Buoy 2	41-15-44.100N 072-46-11.200W				Red nun.	Private Aid.	29/22
	*							
23946.5	Pine Orchard Harbor Buoy 3	41-15-45.500N 072-46-16.400W				Green can.	Private Aid.	29/22
	*							
23947	Pine Orchard Harbor Buoy 4	41-15-46.200N 072-46-16.000W				Red nun.	Private Aid.	29/22
	*							
23947.3	Pine Orchard Harbor Buoy 5	41-15-47.900N 072-46-17.800W				Green can.	Private Aid.	29/22
	*							

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
23947.5	Pine Orchard Harbor Buoy 6	41-15-48.100N 072-46-16.800W				Red nun.	Private Aid.	29/22
		*						
23948	Pine Orchard Harbor East Channel Buoy 1E	41-15-47.600N 072-46-14.600W				Green can.	Private Aid.	29/22
		*						
23948.1	Pine Orchard Harbor East Channel Buoy 2E	41-15-48.600N 072-46-13.000W				Red nun.	Private Aid.	29/22
		*						
23948.2	Pine Orchard Harbor East Channel Buoy 4E	41-15-52.300N 072-46-14.900W				Red nun.	Private Aid.	29/22
		*						
23948.3	Pine Orchard Harbor East Channel Buoy 6E	41-15-05.700N 072-46-16.500W				Red nun.	Private Aid.	29/22
		*						
26615	<i>Huntington Harbor Inner Lighted Buoy 1</i>	40-53-27.600N 073-25-10.400W	Fl G 3s			Green.	Private Aid.	29/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
26620	Huntington Harbor Inner Lighted Buoy 2	40-53-30.900N 073-25-10.600W	Fl R 3s			Red.	Private Aid. 29/22
26625	Huntington Harbor Inner Lighted Buoy 3	* 40-53-24.400N 073-25-11.900W	Fl G 3s			Green.	Private Aid. 29/22
26630	Huntington Harbor Inner Lighted Buoy 4	* 40-53-27.200N 073-25-12.200W	Fl R 3s			Red.	Private Aid. 29/22
26635	Huntington Harbor Inner Lighted Buoy 5	* 40-53-20.900N 073-25-13.600W	Fl G 3s			Green.	Private Aid. 29/22
26640	Huntington Harbor Inner Lighted Buoy 6	* 40-53-24.600N 073-25-13.700W	Fl R 3s			Red.	Private Aid. 29/22
26645	Huntington Harbor Inner Lighted Buoy 7	* 40-53-17.900N 073-25-14.900W	Fl G 3s			Green.	Private Aid. 29/22
26650	Huntington Harbor Inner Lighted Buoy 9	* 40-53-15.300N 073-25-16.200W	Fl G 3s			Green.	Private Aid. 29/22
28191	CLARK AQUACULTURE POUND TRAP LIGHT F	* 41-02-13.500N 072-23-12.840W	Fl Y 20s				Private Aid. 29/22
* 28502.5	* CLARK AQUACULTURE POUND TRAP LIGHT G	* 40-59-40.270N 072-22-28.850W	* Fl Y 20s	* *	* *	* *	* Private Aid. 29/22
* 37661	* Stevens Institute Lighted Buoy A	* *	* *	* *	* *	* *	* Remove from list. 29/22 *

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
642	<i>Beacon Wind Lighted Research Buoy A</i>	40-42-50.409N 070-40-40.385W	Fl (5)Y 20s			Yellow.	Private Aid.	28/22
643	<i>Beacon Wind Lighted Research Buoy B</i>	* 40-57-05.641N 070-22-33.339W	Fl (5)Y 20s			Yellow.	Private Aid.	28/22
644	<i>Beacon Wind LiDAR Lighted Buoy</i>	* 40-49-41.874N 070-31-58.126W	Fl (5)Y 20s			Yellow.	Private Aid.	28/22
659	<i>Mayflower Lidar Lighted Research Buoy</i>	*					Remove from list.	28/22
14285	Bass River Buoy 24	41-40-03.100N 070-10-50.100W				Red nun.	* Private Aid.	28/22
14305	Bass River Buoy 30	* 41-40-32.900N 070-10-08.600W				Red nun.	Private Aid.	28/22
14315	Bass River Buoy 33	* 41-40-57.300N 070-09-45.300W				Green can.	Private Aid.	28/22
14741.56	West Bay Inside Buoy 14	* 41-37-06.700N 070-23-58.300W				Red nun.	Private Aid.	28/22
14756.2	Seapuit River Buoy 1	* 41-36-44.900N 070-25-42.200W				Green can.	Private Aid.	28/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14756.4	Seapuit River Buoy 4	41-36-42.700N 070-25-34.500W				Red nun.	Private Aid.	28/22
14757.2	* Seapuit River Buoy 8	41-36-37.700N 070-25-16.300W				Red nun.	Private Aid.	28/22
14757.4	Seapuit River Buoy 9	* 41-36-31.800N 070-25-04.800W				Green can.	Private Aid.	28/22
14757.8	Seapuit River Buoy 12	* 41-36-32.500N 070-24-39.100W				Red nun.	Private Aid.	28/22
14759.8	Seapuit River Buoy 24	* 41-36-28.800N 070-24-07.100W				Red nun.	Private Aid.	28/22
14760.23	Cotuit Entrance Channel Buoy 6	* 41-36-08.360N 070-25-58.760W				Red nun.	Private Aid.	28/22
14760.43	Cotuit Harbor Buoy 4	* 41-36-33.140N 070-25-43.310W				Red nun.	Private Aid.	28/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14760.5	Cotuit Harbor Buoy 8	41-36-50.410N 070-25-41.950W				Red nun.	Private Aid.	28/22
14760.59	Cotuit Harbor Buoy 12	* 41-37-30.120N 070-25-03.800W				Red nun.	Private Aid.	28/22
14935	Eel Pond Buoy 6	* 41-33-07.400N 070-32-53.400W				Red nun.	Private Aid.	28/22
14950	Eel Pond Buoy 9	* 41-33-14.100N 070-32-53.600W				Green can.	Private Aid.	28/22
26615	<i>Huntington Harbor Inner Lighted Buoy 1</i>	* 40-53-27.000N 073-25-11.000W	Fl G 3s			Green.	Private Aid.	28/22
26630	<i>Huntington Harbor Inner Lighted Buoy 4</i>	* 40-53-29.500N 073-25-11.700W	Fl R 3s			Red.	Private Aid.	28/22
29145	<i>Fire Island Inlet Lighted Buoy 8</i>	* 40-37-45.719N 073-18-24.189W	Fl R 2.5s		3	Red.	Aid does not appear on navigational charts due to frequent shoaling and relocations. Replaced by nun when endangered by ice.	28/22
		*						



Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6932	<i>Running Tide Aquaculture Hazard Lighted Buoy</i>	43-49-11.640N 069-59-04.949W	F W			White with Orange bands.	Seasonal 01 Apr - 01 Nov. Private Aid.	27/22
*	*	*	*	*	*	*	*	
22325	Niantic River Channel Daybeacon 7	41-19-33.544N 072-10-49.316W				SG on pile.		27/22
22330	Niantic River Channel Daybeacon 8	41-19-35.200N 072-10-49.242W				TR on pile.		27/22
22355	Niantic River Channel Daybeacon 13	41-19-45.536N 072-10-57.432W				SG on pile.		27/22
22375	Niantic River Channel Daybeacon 17	41-19-55.720N 072-10-49.096W				SG on pile.		27/22
22435	Niantic River Channel Daybeacon 28	41-20-22.315N 072-10-57.993W				TR on pile.		27/22
30925	<i>Jones Inlet Lighted Buoy 4</i>	40-34-33.599N 073-35-55.565W	Q R		3	Red nun.		27/22
34355	Sheepshead Bay Buoy 7	40-34-34.479N 073-55-43.126W				Green can.		27/22
36985	<i>Buttermilk Channel Entrance Lighted Gong Buoy 1</i>	40-40-48.141N 074-01-43.600W	Fl G 4s		4	Green.		27/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
36990	Buttermilk Channel Buoy 5	40-41-11.934N 074-00-50.661W				Green can.		27/22
		*						
670 29035	<i>Shinnecock Inlet Approach Lighted Whistle Buoy SH</i>	40-49-00.194N 072-28-34.532W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672254 (21)	26/22
685	<i>Moriches Inlet Approach Lighted Whistle Buoy M</i>	40-44-07.891N 072-45-11.873W	Mo (A) W		6	Red and white stripes.	AIS: MMSI 993672256 (21)	26/22
21312	<i>Eatons Neck Lighted Research Buoy</i>	41-00-36.689N 073-17-23.478W	Fl Y 4s			Yellow.	Maintained 15 Apr-15 Dec. Property of UCONN. Private Aid.	26/22
24671	<i>Black Rock Daybeacon Lighted Danger Buoy</i>  Marks location of sunken tower.	41-07-15.175N 073-13-01.912W	Q W		3	White and orange can with diamond marked DANGER ROCKS.		26/22
29035 670	<i>Shinnecock Inlet Approach Lighted Whistle Buoy SH</i>	40-49-00.194N 072-28-34.532W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672254 (21)	26/22
							*	
30920	Jones Inlet Buoy 3	40-34-41.538N 073-36-07.345W	Fl G 2.5s		3	Green can.		26/22
30933	Jones Inlet Hazard Buoy  Severe shoaling to the south..	40-34-45.757N 073-34-47.486W		*		White and Orange can Marked DANGER SHOALING AHEAD		26/22
* 32205	* Garretts Lead Buoy H27	* 40-36-59.520N 073-37-24.000W	*		*		* Green can. Private Aid.	26/22
39625	* Burlington Breakwater Daybeacon	44-28-46.998N 073-13-45.294W				* NW on pile worded DANGER BREAKWATER.		26/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
200	<b>Whaleback Light</b>	43-03-31.569N 070-41-46.713W	Fl (2)W 10s	59	11	Gray conical tower. 49	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	25/22
560	<i>NOAA Data Lighted Buoy 44018</i>	42-12-11.240N 070-09-14.295W	* Fl (4)Y 20s 0.5s fl 2s ec. 0.5s fl 2s ec. 0.5s fl 2s ec. 0.5s fl 12s ec.		7	Yellow.	Marked NOAA 44018. Aid maintained by National Oceanic and Atmospheric Administration.	25/22
9530	Essex Bay Channel Buoy 16	42-39-05.051N 070-44-17.023W	*			Red nun.		25/22
9535	Essex Bay Channel Buoy 17	42-39-07.739N 070-44-25.434W	*			Green can.		25/22
			*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
9690	Annisquam River Channel Buoy 24	42-38-08.822N 070-41-09.281W				Red nun.	25/22
		*					
10907	<i>Boston Harbor Lighted Monitoring Buoy A</i>						Remove from list. 25/22
							*
10920.5	<i>Boston Harbor Lighted Monitoring Buoy B</i>						Remove from list. 25/22
							*
15530	Lake Tashmoo Buoy 1	41-27-57.091N 070-37-50.522W				Green can.	Private Aid. 25/22
		*					
15532	Lake Tashmoo Buoy 2	41-28-04.600N 070-37-58.712W				Red nun.	Private Aid. 25/22
		*					
15535	Lake Tashmoo Buoy 2A	41-27-56.732N 070-37-52.207W				Red nun.	Private Aid. 25/22
		*					
15540	Lake Tashmoo Buoy 3	41-27-53.194N 070-37-46.179W				Green can.	Private Aid. 25/22
		*					
15547	Lake Tashmoo Buoy 5	41-27-51.100N 070-37-42.300W				Green can.	Private Aid. 25/22
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15548	Lake Tashmoo Buoy 6	41-27-50.100N 070-37-42.000W				Red nun.	Private Aid.	25/22
		*						
18191	BRISTOL HARBOR LIGHT 6	41-40-00.500N 071-16-47.100W	FI R4s				Marks southwest corner of pier. Private Aid.	25/22
*	*	*	*	*	*	*	*	
18192	Bristol Harbor Daybeacon 6A	41-40-03.900N 071-16-48.200W					Marks northwest corner of pier. Private Aid.	25/22
*	*	*	*	*	*	*	*	
19260	<i>West Quonset Channel Lighted Buoy 2</i>	41-34-52.753N 071-24-30.436W	FI R4s			Red.	Private Aid.	25/22
*	*	*	*	*	*	*	*	
19261	<i>West Quonset Channel Lighted Buoy 3</i>	41-34-49.115N 071-24-40.267W	FI G 4s			Green.	Private Aid.	25/22
*	*	*	*	*	*	*	*	
19262	<i>West Quonset Channel Lighted Buoy 4</i>	41-34-52.704N 071-24-37.524W	FI R4s			Red.	Private Aid.	25/22
*	*	*	*	*	*	*	*	
19263	<i>West Quonset Channel Lighted Buoy 5</i>	41-34-51.789N 071-24-49.865W	FI G 2.5s			Green.	Private Aid.	25/22
*	*	*	*	*	*	*	*	
19264	<i>West Quonset Channel Lighted Buoy 6</i>	41-34-54.977N 071-24-48.221W	FI R 2.5s			Red.	Private Aid.	25/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
19265	<i>West Quonset Channel Lighted Buoy 7</i>	41-34-56.423N 071-25-07.679W	FI G 2.5s			Green.	Private Aid.	25/22
*	*	*	*	*	*	*	*	*
19266	<i>West Quonset Channel Lighted Buoy 8</i>	41-34-59.547N 071-25-06.069W	FI R 2.5s			Red.	Private Aid.	25/22
*	*	*	*	*	*	*	*	*
19267	<i>West Quonset Channel Lighted Buoy 9</i>	41-34-59.552N 071-25-20.490W	FI G 2.5s			Green.	Private Aid.	25/22
*	*	*	*	*	*	*	*	*
19268	<i>West Quonset Channel Lighted Buoy 10</i>	41-35-01.012N 071-25-08.712W	FI R 2.5s			Red.	Private Aid.	25/22
*	*	*	*	*	*	*	*	*
19269	<i>West Quonset Channel Lighted Buoy 12</i>	41-35-06.064N 071-25-08.829W	FI R4s			Red.	Private Aid.	25/22
*	*	*	*	*	*	*	*	*
24671	<i>Black Rock Daybeacon Lighted Danger Buoy</i>	41-07-15.175N 073-13-01.912W	QW		3	White and orange diamond marked DANGER ROCKS.		25/22
	Marks location of sunken tower.		*		*	*		
26590	Huntington Harbor Channel Junction Buoy	40-53-29.800N 073-25-08.300W				Red and green bands, nun.	Private Aid.	25/22
30925	<i>Jones Inlet Lighted Buoy4</i>	40-34-32.049N 073-36-00.561W	QR		3	Red nun.		25/22
	*	*				*		

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
30927	<i>Jones Inlet Lighted Buoy4A</i>	40-34-37.996N 073-35-30.860W	FIR 2.5s		3	Red nun.	Removed when endangered by ice.	25/22
	*	*	*		*			
30928	Jones Inlet Buoy 4B						Remove from list.	25/22
							*	
30928	Jones Inlet Buoy 4B	40-34-40.704N 073-35-01.938W				Red nun.		25/22
	Severe shoaling to the south.							
*	*	*	*	*	*	*	*	
38260	Rondout Creek Channel Buoy 13	41-54-47.119N 073-59-14.250W				Green can.		25/22
		*						
39615	BURLINGTON BAY BREAKWATER NORTH LIGHT	44-28-50.428N 073-13-46.788W	FIR 2.5s	35	12	White square lighthouse on end of breakwater.	Maintained from 01 May to 01 Nov.	25/22
39680	BURLINGTON BAY BREAKWATER SOUTH LIGHT	44-28-12.285N 073-13-32.717W	FI W4s	12	10	White triangular lighthouse on end of breakwater.	Maintained from 01 May to 01 Nov.	25/22
							*	
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9484	Essex Bay Channel Buoy 3A	42-40-16.581N 070-43-15.032W				Green can.		24/22
	Marks edge of shoal. Do not pass outside of marked channel.							
		*						
15990	<i>Buzzards Bay Wave Lighted Buoy</i>	41-23-13.200N 071-01-55.200W	Fl (5)Y 20s			Yellow.	Property of Woods Hole Group Inc. Private Aid.	24/22
*	*	*	*	*	*	*	*	
16065	WHOI AIR-SEA RESEARCH TOWER LIGHT	41-34-40.000N 070-44-45.000W	FIY 4s			Steel 30' tower.	Property of WHOI. Private Aid.	24/22
*	*	*	*	*	*	*	*	
16066	<i>WHO/ Air-Sea Guard Lighted Buoy NW</i>	41-34-41.520N 070-44-46.980W	FIY 4s			Yellow.	Property of WHOI. Private Aid.	24/22
*	*	*	*	*	*	*	*	
16067	<i>WHO/ Air-Sea Guard Lighted Buoy SW</i>	41-34-37.980N 070-44-45.720W	FIY 4s			Yellow.	Property of WHOI. Private Aid.	24/22
*	*	*	*	*	*	*	*	
16068	<i>WHO/ Air-Sea Guard Lighted Buoy NE</i>	41-34-40.560N 070-44-42.240W	FIY 4s			Yellow.	Property of WHOI. Private Aid.	24/22
*	*	*	*	*	*	*	*	
24671	<i>Black Rock Daybeacon Lighted Danger Buoy</i>	41-07-15.175N 073-13-01.912W						24/22
	Marks location of sunken tower.							
*	*	*	*	*	*	*	*	
26590	Huntington Harbor Channel Junction Buoy	40-53-29.800N 073-25-08.300W				Red and green bands.	Private Aid.	24/22
		*						



Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13620	<i>Great Round Shoal Channel Lighted Buoy 10</i>	41-24-49.349N 069-54-32.497W	Fl R 2.5s		3	Red.		23/22
21610	<i>Goose Rocks Shoal Lighted Bell Buoy 22</i>  Marks southwest end of shoal.	* 41-14-22.710N 072-43-28.245W	Fl R 4s		4	Red.		23/22
25670	Milton Harbor Buoy 5	*					Remove from list.	23/22
25670.1	Milton Harbor Buoy 5	40-56-32.194N 073-41-59.827W				Green can.	* Private Aid.	23/22
*	*	*	*	*	*	*	*	
25675	Milton Harbor Buoy 6						Remove from list.	23/22
25675.1	Milton Harbor Buoy 6	40-56-31.263N 073-41-57.194W				Red nun.	* Private Aid.	23/22
*	*	*	*	*	*	*	*	
25680	Milton Harbor Buoy 8						Remove from list.	23/22
25680.1	Milton Harbor Buoy 8	40-56-47.355N 073-41-50.653W				Red nun.	* Private Aid.	23/22
*	*	*	*	*	*	*	*	
25685	Milton Harbor Buoy 9						Remove from list.	23/22
25685.1	Milton Harbor Buoy 9	40-57-02.458N 073-41-45.934W				Green can.	* Private Aid.	23/22
25690	Milton Harbor Buoy 10						Remove from list.	23/22
25690.1	Milton Harbor Buoy 10	40-57-02.729N 073-41-44.774W				Red nun.	* Private Aid.	23/22
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
25695	Milton Harbor Buoy 11						Remove from list.	23/22
25695.1	Milton Harbor Buoy 11	40-57-13.670N 073-41-43.708W				Green can.	* Private aid. Private Aid.	23/22
*	*	*	*	*	*	*	*	
25700	Milton Harbor Buoy 12						Remove from list.	23/22
25700.1	Milton Harbor Buoy 12	40-57-13.280N 073-41-42.896W				Red nun.	* Private Aid.	23/22
*	*	*	*	*	*	*	*	
25705	Milton Harbor Buoy 13						Remove from list.	23/22
25705.1	Milton Harbor Buoy 13	40-57-25.661N 073-41-32.282W				Green can.	* Private Aid.	23/22
*	*	*	*	*	*	*	*	
25710	Milton Harbor Buoy 14						Remove from list.	23/22
25710.1	Milton Harbor Buoy 14	40-57-25.757N 073-41-31.048W				Red nun.	* Private Aid.	23/22
*	*	*	*	*	*	*	*	
30900	<i>Jones Inlet Lighted Whistle Buoy JI</i>	40-33-38.022N 073-36-02.532W	Mo (A) W		4	Red and white stripes with red spherical topmark.		23/22
		*						
9053	<i>USGS Lighted Research Buoy A</i>	42-49-10.087N 070-50-18.549W	Fl Y 4s			Yellow.	Property of USGS. Seasonal 15 Apr - 15 Nov. Private Aid.	22/22
10680	<i>Boston North Channel Entrance Lighted Whistle Buoy NC</i>	42-22-32.117N 070-54-17.842W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: N ( - . ) AIS: MMSI 993672151	22/22
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
24797	USGS Southport River Lighted Research Buoy	41-07-28.884N 073-17-17.073W	Fl Y 4s			Yellow.	Property of USGS. Private Aid.	22/22
24853	USGS Saugatuck River Lighted Research Buoy	* 41-06-13.932N 073-21-59.400W	Fl Y 4s			Yellow.	Property of USGS. Private Aid.	22/22
26590	Huntington Harbor Channel Junction Buoy	* 40-53-29.000N 073-25-01.000W				Red and green bands.	Private Aid.	22/22
	*		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
520	<i>Chatham Beach Lighted Whistle Buoy C</i>	41-39-12.040N 069-55-30.051W	Mo (A) W		4	Red and white stripes (No topmark).	AIS MMSI; 993672587 (21)	21/22
828.2	<i>WHOI Research Lighted Buoy Pioneer PMUO</i>	39-56-29.599N 070-46-12.659W	Fl Y 4s			Yellow.	Maintained by WHOI. Private Aid.	21/22
828.3	<i>WHOI Research Lighted Buoy Pioneer ISSM</i>	* 40-22-01.800N 070-52-54.540W	Fl Y 4s			Yellow.	Maintained by WHOI. Private Aid.	21/22
828.6	<i>WHOI Research Lighted Buoy Pioneer OSPM</i>	* 39-56-09.599N 070-52-45.900W	Fl Y 4s			Yellow.	Maintained by WHOI. Private Aid.	21/22
828.7	<i>WHOI Lighted Research Buoy Pioneer OS</i>	* 39-56-15.060N 070-53-12.659W	Fl Y 4s			Yellow.	Maintained by WHOI. Private Aid.	21/22
828.75	<i>WHOI Lighted Research Buoy Pioneer CNSM</i>	* 40-07-59.699N 070-46-41.940W	Fl Y 4s			Yellow.	Maintained by WHOI. Private Aid.	21/22
9483	Essex Bay Entrance Buoy 3	* 42-40-32.571N 070-42-52.663W				Green can.	Removed when endangered by ice.	21/22

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
21610	<i>Goose Rocks Shoal Lighted Bell Buoy 22</i>	41-14-22.701N 072-43-28.245W	Fl R 4s		4	Red.		21/22
	Marks southwest end of shoal.							
23065	<i>Connecticut River Lighted Buoy 72</i>	* 41-33-06.995N 072-33-15.328W	Fl R 2.5s		3	Red.	Maintained from June 1 to Nov. 1.	21/22
30920	Jones Inlet Buoy 3	40-34-45.772N 073-36-07.807W				Green can.	*	21/22
31985	<i>Hog Island Channel Lighted Buoy C3</i>	* 40-36-01.200N 073-40-10.260W	Fl G 4s			Green.	Private Aid.	21/22
31990	* <i>Hog Island Channel Lighted Buoy C5</i>	40-36-10.440N 073-40-15.000W	Fl G 4s			Green.	Private Aid.	21/22
31995	* <i>Hog Island Channel Lighted Buoy C7</i>	40-36-23.100N 073-40-04.320W	Fl G 4s			Green.	Private Aid.	21/22
32000	* <i>Hog Island Channel Lighted Buoy C9</i>	40-36-25.440N 073-39-50.040W	Fl G 4s			Green.	Private Aid.	21/22
32005	* <i>Hog Island Channel Lighted Buoy C11</i>	40-36-25.680N 073-39-38.340W	Fl G 4s			Green.	Private Aid.	21/22
32015	* <i>Hog Island Channel Lighted Buoy C15</i>	40-36-34.500N 073-39-22.500W	Fl G 4s			Green.	Private Aid.	21/22
	*		*			*		

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9483	Essex Bay Entrance Buoy 3	42-40-39.091N 070-43-11.102W				Green can.	Removed when endangered by ice.	20/22
24820	<i>Saugatuck River Entrance Lighted Buoy 3</i>	* 41-05-52.382N 073-21-13.435W	Fl G 4s		3	Green.	Replaced by can when endangered by ice.	20/22
24825	Saugatuck River Buoy 5	41-05-55.332N 073-21-33.606W				Green can.	* Removed when endangered by ice.	20/22
24830	Saugatuck River Buoy 6	41-06-01.992N 073-21-27.786W				Red nun.	* Removed when endangered by ice.	20/22
24835	Saugatuck River Buoy 8	41-06-06.831N 073-21-32.376W				Red nun.	* Removed when endangered by ice.	20/22
24840	Saugatuck River Buoy 9	41-06-09.481N 073-21-39.366W				Green can.	* Removed when endangered by ice.	20/22
24845	Saugatuck River Buoy 10	41-06-12.771N 073-21-41.187W				Red nun.	* Removed when endangered by ice.	20/22
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
24850	Saugatuck River Buoy 11	41-06-13.449N 073-21-48.612W				Green can.	Removed when endangered by ice.	20/22
							*	
24855	Saugatuck River Buoy 13	41-06-14.701N 073-21-58.897W				Green can.	Removed when endangered by ice.	20/22
							*	
24860	Saugatuck River Buoy 15	41-06-10.401N 073-22-05.277W				Green can.	Removed when endangered by ice.	20/22
							*	
24865	Saugatuck River Buoy 16	41-06-01.711N 073-22-12.367W				Red nun.	Removed when endangered by ice.	20/22
							*	
24870	Saugatuck River Buoy 18	41-06-06.861N 073-22-26.038W				Red nun.	Removed when endangered by ice.	20/22
							*	
24875	Saugatuck River Buoy 20	41-06-13.751N 073-22-37.138W				Red nun.	Removed when endangered by ice.	20/22
							*	
30350	Seatuck Cove Buoy 2	40-48-23.160N 072-43-37.560W				Red nun.	Maintained from May 15 to Nov. 1. Private Aid.	20/22
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
827	NOAA Data Lighted Buoy 44008 (ODAS)	40-29-44.000N 069-15-01.000W	Fl (4)Y 20s				Aid maintained by NOAA. Aid maintained by National Oceanic and Atmospheric Administration.	19/22
4495	Stockton Harbor Entrance Buoy 4  South of Defence Head.	* 44-26-15.490N 068-51-39.103W				Red nun.		19/22
21115 22495	* <b>Saybrook Breakwater Light</b>	41-15-47.633N 072-20-33.613W	Fl G 6s	58	11	White conical tower on brown cylindrical pier. 49	HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	19/22
22495 21115	<b>Saybrook Breakwater Light</b>	41-15-47.633N 072-20-33.613W	Fl G 6s	58	11	White conical tower on brown cylindrical pier. 49	HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	19/22
23465	Clinton Harbor Lighted Buoy 3	41-15-23.271N 072-31-39.783W	Fl G 4s		3	Green.	Removed when endangered by ice.	19/22
23735	Guilford Harbor Channel Lighted Buoy 7	41-15-44.085N 072-39-50.453W	Fl G 4s		3	Green.	Removed when endangered by ice.	19/22
33885	AMITY CHANNEL LIGHT 53	40-37-39.720N 073-28-34.620W	Fl G 4s			SG on pole.	Private Aid.	19/22
33890	* AMITY CHANNEL LIGHT 54	* 40-37-36.480N 073-28-33.600W	* Fl R 4s			* TR on pole.	Private Aid.	19/22
33905	* AMITY CHANNEL LIGHT 57	* 40-37-38.160N 073-28-13.620W	* Fl G 4s			* SG on pole.	Private Aid.	19/22
33907	* AMITY CHANNEL LIGHT 58	* 40-37-35.760N 073-28-15.600W	* Fl R 4s			* TR on pole.	Private Aid.	19/22
	*	*	*			*		



Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
------------	--------------------------	-----------------	-----------------------	-----------	------------	------------------	----------------

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
33910	AMITY CHANNEL LIGHT 59	40-37-33.300N 073-28-03.540W	FI G 4s			SG on pole.	Private Aid.	19/22
	*	*	*			*		
33940	AMITY CHANNEL LIGHT 65	40-37-23.760N 073-27-27.360W	FI G 4s			SG on pole.	Private Aid.	19/22
	*	*	*			*		
33950	AMITY CHANNEL LIGHT 67	40-37-25.980N 073-27-20.100W	FI G 4s			SG on pole.	Private Aid.	19/22
	*	*	*			*		
33955	AMITY CHANNEL LIGHT 68	40-37-25.320N 073-27-13.440W	FI R 4s			TR on pole.	Private Aid.	19/22
	*	*	*			*		
33985	AMITY CHANNEL LIGHT 75	40-37-49.980N 073-26-28.740W	FI G 4s			SG on pole.	Private Aid.	19/22
	*	*	*			*		
34015	AMITY CHANNEL LIGHT 82	40-38-10.140N 073-26-20.040W	FI R 4s			TR on pole.	Private Aid.	19/22
	*	*	*			*		
34025	AMITY CHANNEL LIGHT 84	40-38-19.860N 073-26-22.560W	FI R 4s			TR on pole.	Private Aid.	19/22
	*	*	*			*		
34035	AMITY CHANNEL LIGHT 86	40-38-22.380N 073-26-21.360W	FI R 4s			TR on pole.	Private Aid.	19/22
	*	*	*			*		
34045	AMITY CHANNEL LIGHT 88	40-38-26.940N 073-26-16.140W	FI R 4s			TR on pole.	Private Aid.	19/22
	*	*	*			*		
34055	AMITY CHANNEL LIGHT 90	40-38-30.600N 073-26-07.620W	FI R 4s			TR on pole.	Private Aid.	19/22
	*	*	*			*		
34065	AMITY CHANNEL LIGHT 92	40-38-33.660N 073-25-58.680W	FI R 4s			TR on pole.	Private Aid.	19/22
	*	*	*			*		
28-Sep-22 34075	AMITY CHANNEL LIGHT 94	40-38-35.400N 073-25-45.600W	FI R 4s			TR on pole.	Private Aid.	Page 42 19/22
	*	*	*			*		

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
650	<i>Southwest Ledge Lighted Whistle Buoy 2</i>	41-06-28.877N 071-40-10.922W	Fl R 2.5s		4	Red.	18/22
	Marks southwest edge of shoals.						
		*					
9484	Essex Bay Channel Buoy 3A	42-40-16.572N 070-43-14.988W				Green can.	18/22
	Marks edge of shoal. Do not pass outside of marked channel.						
		*					
* 19245	* Quonset Channel Buoy 16	* 41-36-44.633N 071-23-57.947W	* Fl R 2.5s	* 10	* 4	* Red nun.	* 18/22
		*					
19981	<i>Montauk Oyster Site 415 Lighted Aquaculture Buoy NW</i>	41-04-17.040N 071-55-30.079W	Fl Y 4s			Yellow.	Private Aid. 18/22
		*					
* 19981.1	* <i>Montauk Oyster Site 415 Lighted Aquaculture Buoy NE</i>	* 41-04-17.169N 071-55-28.130W	* Fl Y 4s	* 10	* 4	* Yellow.	* Private Aid. 18/22
		*					
* 19981.2	* <i>Montauk Oyster Site 415 Lighted Aquaculture Buoy SE</i>	* 41-04-13.590N 071-55-30.420W	* Fl Y 4s	* 10	* 4	* Yellow.	* Private Aid. 18/22
		*					
* 19981.3	* <i>Montauk Oyster Site 415 Lighted Aquaculture Buoy SW</i>	* 41-04-13.470N 071-55-32.379W	* Fl Y 4s	* 10	* 4	* Yellow.	* Private Aid. 18/22
		*					
* 25440	* Jake Reef Hazard Buoy J	* 41-00-54.600N 073-35-49.500W					
						White with Orange Bands.	Maintained from May 15 to Nov. 1. Private Aid. 18/22
		*					
* 25685.1	* Milton Harbor Buoy 9	* 40-57-02.458N 073-41-45.934W					
						Green can.	Private Aid. 18/22
		*					
* *	* *	* *	* *	* *	* *	* *	* *

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
25690.1	Milton Harbor Buoy 10	40-57-02.729N 073-41-44.774W				Red nun.	Private Aid.	18/22
*	*	*	*	*	*	*	*	
27749.4	Montauk Shellfish Company Lighted Aquaculture Buoy NW	41-00-33.613N 072-05-15.270W	FI Y 4s			Yellow.	Private Aid.	18/22
*	*	*	*	*	*	*	*	
27749.5	Montauk Shellfish Company Lighted Aquaculture Buoy NE	41-00-33.472N 072-05-06.662W	FI Y 4s			Yellow.	Private Aid.	18/22
*	*	*	*	*	*	*	*	
27749.6	Montauk Shellfish Company Lighted Aquaculture Buoy SE	41-00-26.952N 072-05-06.849W	FI Y 4s			Yellow.	Private Aid.	18/22
*	*	*	*	*	*	*	*	
27749.7	Montauk Shellfish Company Lighted Aquaculture Buoy SW	41-00-27.093N 072-05-15.456W	FI Y 4s			Yellow.	Private Aid.	18/22
*	*	*	*	*	*	*	*	
28785	Great Peconic Bay Lighted Buoy 24						Remove from list.	18/22
29107.4	Moriches Inlet Danger Rock Buoy West	40-46-08.874N 072-44-37.238W					* Maintained from Apr. 15 to Dec. 1.	18/22
30905	Jones Inlet Lighted Buoy 1	* 40-33-58.785N 073-36-07.805W	FI G 4s		3	Green.		18/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
31615	Woodsburgh Channel Buoy A7	40-36-15.120N 073-41-27.720W				Green can.	Private Aid.	18/22
		*						
31635	Woodsburgh Channel Buoy A13	40-36-42.000N 073-41-30.840W				Green can.	Private Aid.	18/22
		*						
32020	East Rockaway Channel Buoy D1	40-36-28.620N 073-40-02.160W				Green can.	Private Aid.	18/22
		*						
33780	NORTH CHANNEL LIGHT 18	40-38-46.680N 073-27-58.260W	FI R 4s			TR on pole.	Private Aid.	18/22
	*	*	*			*		
33790	NORTH CHANNEL LIGHT 20	40-38-45.420N 073-27-43.560W	FI R 4s			TR on pole.	Private Aid.	18/22
	*	*	*			*		
33795	NORTH CHANNEL LIGHT 22	40-38-46.620N 073-27-31.920W	FI R 4s			TR on pole.	Private Aid.	18/22
	*	*	*			*		
33930	AMITY CHANNEL LIGHT 63	40-37-21.660N 073-27-41.520W	FI G 4s			On pile.	Private Aid.	18/22
		*						
33995	Amity Channel Buoy 77	40-37-56.160N 073-26-22.980W				Green can.	Private Aid.	18/22
		*						
34010	Amity Channel Buoy 81	40-38-10.200N 073-26-22.260W				Green can.	Private Aid.	18/22
		*						
34030	Amity Channel Buoy 85	40-38-19.800N 073-26-24.420W				Green can.	Private Aid.	18/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
30910	<i>Jones Inlet Lighted Buoy 2</i>	40-33-58.811N 073-35-59.765W	Fl R 4s		3	Red.		17/22
32925	Scow Creek Channel Buoy PP23	* 40-37-02.340N 073-35-34.320W				Green can.	Private Aid.	17/22
33315	Broad Creek Channel Buoy W1	* 40-36-54.240N 073-31-24.840W				Green can	Private Aid.	17/22
37385	<i>Newark Bay Channel Lighted Buoy 2</i>	* 40-38-39.503N 074-08-52.896W	Fl R 2.5s		3	Red.		17/22
39600	<i>NOAA Wave Research Lighted Buoy</i>	* 44-29-15.720N 073-20-20.760W	Fl Y 5s			Yellow.	Maintained from May1 to Nov 1. Private Aid.	17/22

\*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1765	Petit Manan East Bar Gong Buoy EB						Remove from list.	16/22
							*	
1770	Petit Manan West Bar Bell Buoy WB						Remove from list.	16/22
							*	
4918	St. George River Buoy 22A	44-04-13.347N 069-10-43.423W				Red nun.	Maintained from Apr .15 to Oct. 1.	16/22
*	*	*	*	*	*	*	*	
							*	
13530	Pollock Rip Channel Buoy 2A	41-35-23.137N 069-54-56.775W					Remove from list.	16/22
							*	
15970	Menemsha Creek Daybeacon 7	41-20-20.340N 070-46-12.060W				SG on pile.	Private Aid.	16/22
	*							
15975	Menemsha Creek Daybeacon 8	41-20-20.860N 070-46-12.990W				TR on pile.	Private Aid.	16/22
	*							
16095	<i>Cleveland Ledge Channel Lighted Buoy 2</i>  West of shoal.	41-36-38.696N 070-42-11.007W	Fl R 4s		3	Red.	Replaced by nun from Nov. 15 to Mar. 15.	16/22
							*	
16100	<i>Cleveland Ledge Channel Lighted Buoy 3</i>	41-37-19.034N 070-42-10.011W	Q G		3	Green.	Replaced by LIB from Nov. 15 to Mar. 15.	16/22
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16120	<i>Cleveland Ledge Channel Lighted Buoy 7</i>  Marks shoal.	41-39-07.076N 070-41-27.507W	FI G 4s		3	Green.	Replaced by LIB from Nov. 15 to Mar. 15.	16/22
							*	
16125	<i>Cleveland Ledge Channel Lighted Buoy 8</i>	41-39-05.657N 070-41-17.192W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to Mar.15.	16/22
							*	
16155	<i>Hog Island Channel Lighted Buoy 6</i>	41-41-36.034N 070-39-59.611W	FI R 4s		3	Red.	Replaced by LIB from Nov. 15 to Mar. 15.	16/22
							*	
16160	<i>Hog Island Channel Lighted Buoy 7</i>	41-41-39.134N 070-40-05.411W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to Mar. 15.	16/22
							*	
16175	<i>Hog Island Channel Lighted Buoy 10</i>	41-42-09.934N 070-39-28.211W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to Mar. 15.	16/22
							*	
16180	<i>Hog Island Channel Lighted Buoy 11</i>	41-42-12.834N 070-39-33.811W	FI G 4s		4	Green.	Replaced by can from Nov. 15 to Mar. 15.	16/22
							*	
16195	<i>Hog Island Channel Lighted Buoy 12</i>	41-42-26.534N 070-39-13.011W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to Mar. 15.	16/22
							*	
16200	<i>Hog Island Channel Lighted Bell Buoy 15</i>	41-42-46.434N 070-39-02.511W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to Mar. 15.	16/22
							*	
16210	<i>Hog Island Channel Lighted Buoy 16</i>	41-42-43.507N 070-38-56.859W	FI R 4s		3	Red.	Replaced by LIB from Nov. 15 to Mar. 15.	16/22
							*	
16220	<i>Hog Island Channel Lighted Bell Buoy 18</i>	41-43-13.734N 070-38-28.711W	FI R 4s		3	Red.	Replaced by LIB from Nov. 15 to Mar. 15.	16/22
							*	
16230	<i>Hog Island Channel Lighted Buoy 23</i>	41-43-52.689N 070-37-59.908W	FI G 4s		3	Green.	Replaced by LIB from Nov. 15 to Mar. 15.	16/22
							*	
16240	<i>Hog Island Channel Lighted Bell Buoy 26</i>	41-44-00.520N 070-37-39.622W	FI R 4s		3	Red.	Replaced by LIB from Nov. 15 to Mar. 15.	16/22
							*	
16245	<i>Hog Island Channel Lighted Buoy 27</i>	41-44-03.814N 070-37-45.131W	FI G 4s		3	Green.	Replaced by LIB from Nov. 15 to Mar. 15.	16/22
							*	
21995	BAILEY POINT LIGHT 2	41-22-40.076N 072-05-16.057W	FI R 4s	13	3	TR on pile tower on concrete base.		16/22



Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6230	Upper Kennebec River Buoy 15  At south point of flats.	43-59-05.086N 069-49-53.285W				Green can.	15/22	
16105	<i>Cleveland Ledge Channel Lighted Buoy 4</i>	* 41-37-17.625N 070-41-56.564W	Q R		3	Red.	Replaced by LIB from Nov. 15 to Mar. 15.	15/22
16140	<i>Hog Island Channel Lighted Bell Buoy 3</i>	41-41-16.730N 070-40-26.479W	Fl G 4s		3	Green.	* Replaced by LIB from Nov. 15 to Mar. 15.	15/22
16460	* Wild Harbor Buoy 4	41-38-06.742N 070-38-55.401W	*		*	Red nun.	*	15/22
23430	Menunketesuck River Junction Daybeacon M	* 41-16-14.000N 072-28-20.000W				Green and red square.	Private aid. Maintained from Apr. 1 to Nov. 30. Private Aid.	15/22
30905	<i>Jones Inlet Lighted Buoy 1</i>	40-38-44.650N 074-10-06.561W	Fl G 4s		3	Green.	* 15/22	
30910	<i>Jones Inlet Lighted Buoy 2</i>	* 40-33-58.947N 073-35-32.311W	Fl R 4s		3	Red.	15/22	
30925	Jones Inlet Lighted Buoy 4	* 40-34-33.140N 073-35-54.525W	Q R		3	Red nun.	15/22	
30927	Jones Inlet Buoy 4A	* 40-34-40.800N 073-35-13.200W				Red nun.	Removed when indangered by ice.	15/22
* 30930	* <i>Jones Inlet Lighted Buoy 5</i>	* * *	* *	* *	* *	* *	* Remove from list.	15/22
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16330	<i>Quisset Harbor Entrance Lighted Buoy 2</i>	41-32-32.196N 070-39-56.433W	Fl R 4s		4	Red.	Replaced by nun from Dec. 1 to Apr. 1.	14/22
19235	<i>Quonset Channel Lighted Buoy 13</i>	* 41-36-16.959N 071-23-48.056W	Fl G 2.5s		3	Green.		14/22
19241	Quonset Channel Buoy 15	* 41-36-25.998N 071-23-53.119W				Green can.		14/22
19245	Quonset Channel Buoy 16	* 41-36-40.682N 071-23-56.659W				Red nun.		14/22
24797	<i>USGS Southport River Lighted Research Buoy</i>	* 41-07-29.000N 073-17-17.000W	Fl Y 4s			Yellow.	Property of USGS. Private Aid.	14/22
*	*	*	*	*	*	*	*	
24853	<i>USGS Saugatuck River Lighted Research Buoy</i>	* 41-06-13.950N 073-21-58.380W	Fl Y 4s			Yellow.	Property of USGS. Private Aid.	14/22
39535	Au Sable River Flats Buoy 34 Marks east side of shoal.	* 44-33-02.929N 073-24-13.109W	*	*	*	Red nun.	*	14/22
237.5	<i>UNH Jeffrey's Ledge Lighted Research Buoy</i>	* 42-53-25.140N 070-03-34.020W	Fl Y 2.5s			Yellow.	Property of the University of New Hampshire. Private Aid.	13/22
4975	Western Egg Rock Breakers Buoy 1 South of 4 foot spot	* 43-52-47.439N 069-24-23.899W				Green can.		13/22
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13890	<i>Stage Harbor Lighted Buoy 7</i>	41-39-20.257N 069-59-10.623W	Fl G 4s		3	Green can.	Removed when endangered by ice.	13/22
16500	Megansett Harbor Buoy 7	* 41-39-29.636N 070-37-47.676W				Green can.		13/22
20510	NOANK LIGHT 5 On East point shoal.	* 41-18-58.814N 071-59-13.832W	Q G	17	4	SG on skeleton tower.		13/22
21385	Centre Island Reef Bell Buoy 17 East of point of shoal.	40-56-18.643N 073-31-57.923W			*	Green.	*	13/22
37747	<i>Hook Mountain Yacht Club Lighted Buoy 1</i>	41-05-39.000N 073-54-25.000W	Fl G 2s			Green.	Private Aid.	13/22
37747.1	<i>Hook Mountain Yacht Club Lighted Buoy 2</i>	41-05-42.000N 073-54-25.000W	* Fl R 2s			Red.	Private Aid.	13/22
37747.2	Hook Mountain Yacht Club Buoy 3	41-05-39.000N 073-54-32.000W	* *			Green can.	Private Aid.	13/22
37747.3	* Hook Mountain Yacht Club Buoy 4	41-05-42.000N 073-54-32.000W	* *			Red nun.	Private Aid.	13/22
37747.4	* Hook Mountain Yacht Club Buoy 5	41-05-39.000N 073-54-37.000W	* *			Green can.	Private Aid.	13/22
37747.5	* Hook Mountain Yacht Club Buoy 6	41-05-42.000N 073-54-37.000W	* *			Red nun.	Private Aid.	13/22
37748	* <i>Hook Mountain Yacht Club Hazard Lighted Buoy A</i>	41-05-50.520N 073-54-47.220W	* Fl W 6s			White with orange bands.	Private Aid.	13/22

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
37749	<i>Hook Mountain Yacht Club Hazard Lighted Buoy B</i>	41-05-50.520N 073-54-38.460W	Fl W 6s			White with orange bands.	Private Aid.	13/22
38010	<i>Hudson River Lighted Buoy 40</i>  On west edge of flats.	* 41-23-53.566N 073-56-50.990W	Fl R 2.5s		3	Red.	Replaced by nun from Nov. 1 to Apr. 1.	13/22
740	Fishing Grounds Obstruction (VAIS) East	40-25-41.526N 073-50-53.165W					Virtual AIS, short name FG East, MMSI 993672988	12/22
*	*	*	*	*	*	*	*	
742	Fishing Grounds Obstruction (VAIS) West	40-25-25.522N 073-52-19.935W					Virtual AIS, short name FG West, MMSI 993672989	12/22
*	*	*	*	*	*	*	*	
8465	Piscataqua River (VAIS) 4A	43-06-06.590N 070-46-54.590W					Virtual AIS, MMSI 993672944	12/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
11230	<i>Dorchester Bay Lighted Buoy 12</i>	42-18-28.428N 071-01-57.650W	Fl R 4s		3	Red.	Replaced by nun when endangered by ice.	12/22
20265	<i>Little Narragansett Bay Channel Lighted Buoy 19</i>	* 41-19-20.840N 071-51-42.575W	Fl G 2.5s		3	Green.	Replaced by can from Nov. 15 to May 1.	12/22
38090	<i>Hudson River Shoal Lighted Buoy A</i>  On south side of shoal.	* 41-38-39.370N 073-56-54.511W	Fl (2+1)R 6s		3	Red and green bands.	Permanent ice hull. AIS: MMSI 993672040	12/22
38340	<i>Hogs Back North Lighted Buoy N</i>  On north edge of Hogs Back.	42-01-20.435N 073-55-56.222W	Fl (2+1)R 6s		3	Red and green bands.	* Permanent ice hull.	12/22
8075	Wood Island Harbor Buoy 8	43-27-16.526N 070-20-57.820W				Red nun.		11/22
16115	* <i>Cleveland Ledge Channel Lighted Buoy 6</i>					*	Remove from list.	11/22
17465	Halfmile Rock Buoy 6	41-30-15.149N 071-04-53.181W				Red nun.	*	11/22
17503	Westport Harbor Channel Buoy 16A	* 41-30-45.882N 071-05-45.576W				Red nun.	Removed when endangered by ice.	11/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
740	<i>Fishing Grounds Obstruction Lighted Buoy 5</i>						Remove from list.	10/22
742	<i>Fishing Grounds Obstruction Shoal Buoy 6</i>						*	10/22
35020	Shrewsbury Rocks Buoy 1SR  East end of rocky shoal.	40-20-31.232N 073-56-45.519W				Green can.		10/22
		*						
2618	<i>Mount Desert Island Oysters Lighted Hazard Buoy</i>	44-25-49.076N 068-23-15.144W	FI W 6s				Seasonal: 01 Mar - 30 Nov Private Aid.	09/22
*	*	*	*	*	*	*	*	
3803	Hurricane Sound Daybeacon 2						Remove from list.	09/22
							*	
14687	Collier Ledge Hazard Buoy	41-35-47.473N 070-20-58.419W				White and orange can marked DANGER ROCKS.	Removed when endangered from ice.	09/22
*	*	*	*	*	*	*	*	
14712	Southwest Rock Daybeacon						Remove from list.	09/22
14712	<i>Southwest Rock Lighted Hazard Buoy</i>	41-36-25.874N 070-19-10.535W	FI W 2.5s		3	White and orange marked DANGER ROCKS.	Removed when endangered by ice.	09/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
3243	Malcolm Ledge Danger VAIS DML	43-52-02.780N 068-46-31.910W					Virtual AIS.MMSI: 993672370
*	*	*	*	*	*	*	*
3308	28 Foot Spot Danger VAIS TE	43-59-01.030N 068-50-35.880W					VAIS MMSI: 993672369
*	*	*	*	*	*	*	*
3309	Snippershan Ledge Danger VAIS SL	43-57-01.220N 068-45-39.530W					VAIS MMSI: 993672684
*	*	*	*	*	*	*	*
11230	<i>Dorchester Bay Lighted Buoy 12</i>	42-18-29.524N 071-01-56.706W	Fl R 4s		3	Red.	Replaced by nun when endangered by ice.
14686	Collier Ledge Isolated Danger VAIS	41-35-49.654N 070-21-03.979W					VAIS MMSI: 993672629
19373	Warwick Cove Buoy 6	41-41-02.399N 071-23-25.244W					Removed when endangered by ice.
*	*	*	*	*	*	*	*

No corrections this week

07/22

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13026	Pilgrim Power Plant Security Zone Buoy A						Remove from list.	06/22
							*	
13027	Pilgrim Power Plant Security Zone Buoy B						Remove from list.	06/22
							*	
13028	<i>Pilgrim Power Plant Security Zone Lighted Buoy C</i>						Remove from list.	06/22
							*	
13029	Pilgrim Power Plant Security Zone Buoy D						Remove from list.	06/22
							*	
13030	Pilgrim Power Plant Security Zone Buoy E						Remove from list.	06/22
							*	
13031	Pilgrim Power Plant Security Zone Buoy F						Remove from list.	06/22
							*	
13032	Pilgrim Power Plant Security Zone Buoy G						Remove from list.	06/22
							*	
13033	Pilgrim Power Plant Security Zone Buoy H						Remove from list.	06/22
							*	
13034	Pilgrim Power Plant Security Zone Buoy I						Remove from list.	06/22
							*	
13034.1	<i>Pilgrim Power Plant Security Zone Lighted Buoy J</i>						Remove from list.	06/22
							*	
13034.2	Pilgrim Power Plant Security Zone Buoy K						Remove from list.	06/22
							*	
13034.3	Pilgrim Power Plant Security Zone Buoy L						Remove from list.	06/22
							*	
No corrections this week								05/22
No corrections this week								04/22
2487	Fir Point Danger Buoy	44-10-50.596N 068-25-35.072W				White with orange bands.		03/22
2490	Fir Point Ledge Buoy 3	44-10-47.479N 068-25-45.347W	*		*	Green can.		03/22
			*		*			



Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2487	Fir Point Danger Buoy	44-10-50.596N 068-25-35.072W	Q G		3	White with orange bands.	02/22
2490	Fir Point Ledge Buoy 3	44-10-47.479N 068-25-45.347W	FI G 4s		3	Green can.	02/22
			*		*		
			*		*		
No corrections this week							01/22