

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
375	<i>Woods Hole Lighted Whale Research Buoy WH</i>	36-43-04.080N 075-28-18.012W	Fl W 4s			Yellow.	Private Aid.	39/22
985	* Barnegat Inlet Buoy 18	39-45-55.856N 074-06-42.633W				Red nun.		39/22
10125	LYNNHAVEN ROADS FISHING PIER LIGHTS (2)	*					Remove from list.	39/22
10505	LITTLE CREEK HARBOR JETTY LIGHT 3	36-55-58.739N 076-10-35.074W	Q G	25	5	SG on multi-pile structure.	*	39/22
10510	LITTLE CREEK HARBOR JETTY LIGHT 4	36-55-54.954N 076-10-44.220W	Q R	25	6	TR on mult pile- structure.	*	39/22
11955	KINGS MILL MARINA LIGHT 1	37-13-15.898N 076-39-48.789W	Fl G 4s	7		On pile structure.	Private Aid.	39/22
11960	KINGS MILL MARINA LIGHT 2	* 37-13-16.303N 076-39-48.135W	Fl R 4s	7		On pile structure.	Private Aid.	39/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
18251	<i>Neabsco Creek Channel Lighted Buoy 1</i>	38-35-45.848N 077-14-45.018W	FI G 3s			Green.	Maintained from Mar. 15 to Dec. 15. Private Aid. 39/22
18251.1	<i>Neabsco Creek Channel Lighted Buoy 2</i>	38-35-46.406N 077-14-44.506W	* FI R 3s			Red.	Maintained from Mar. 15 to Dec. 15. Private Aid. 39/22
18251.2	<i>Neabsco Creek Channel Lighted Buoy 3</i>	38-35-58.631N 077-15-11.481W	* FI G 5s			Green.	Maintained from Mar. 15 to Dec. 15. Private Aid. 39/22
18251.3	<i>Neabsco Creek Channel Lighted Buoy 4</i>	38-35-59.250N 077-15-11.362W	* FI R 5s			Red.	Maintained from Mar. 15 to Dec. 15. Private Aid. 39/22
18810	ST. JEROME CREEK LIGHT 3A	38-07-11.549N 076-20-27.377W	* FI G 2.5s	15	3	SG on pile.	39/22
18812	* St. Jerome Creek Buoy 4	38-07-13.772N 076-20-29.868W	* *			* Green can.	Maintained from Mar. 15 to Dec.1. 39/22
18815	* St. Jerome Creek Buoy 6	* 38-07-09.842N 076-20-37.129W *				* Red nun.	* Maintained from Mar. 15 to Dec 1. 39/22 *

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
18819	St. Jerome Creek Buoy 8	38-07-10.480N 076-20-43.383W				Red nun.	Maintained from Mar.15 to Dec. 1.	39/22
*	*	*	*	*	*	*	*	
29710	New River Inlet Buoy 9	34-32-19.687N 077-20-32.273W				Green can.		39/22
29712	New River Inlet Buoy 9A	* 34-32-30.081N 077-20-32.736W				Green can.		39/22
29720	New River Inlet Buoy 10	* 34-32-34.825N 077-20-33.793W				Red nun.		39/22
31979.4	Crab Hole Oyster Sanctuary Buoy E	*					Remove from list.	39/22
31979.5	Crab Hole Oyster Sanctuary Buoy F						* Remove from list.	39/22
31979.6	Crab Hole Oyster Sanctuary Buoy G						* Remove from list.	39/22
31979.7	Crab Hole Oyster Sanctuary Buoy H						* Remove from list.	39/22
33518	Cedar Island Point Reef Buoy A	35-03-28.400N 076-22-55.300W				White can with orange bands. White can with orange bands.	Private Aid.	39/22
*	*	*	*	*	*	*	*	
33518.1	Cedar Island Point Reef Buoy B	35-03-27.860N 076-22-33.580W				White can with orange bands.	Private Aid.	39/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
33518.2	Cedar Island Point Reef Buoy C	35-03-10.260N 076-22-34.390W				White can with orange bands.	Private Aid.	39/22
*	*	*	*	*	*	*	*	
33518.3	Cedar Island Point Reef Buoy D	35-03-10.660N 076-22-55.920W				White can with orange bands	Private Aid.	39/22
*	*	*	*	*	*	*	*	
35505	OSBORN ISLAND LIGHT 2						Remove from list.	39/22
							*	
38852	NC Artificial Reef 380 Warning Buoy A	34-43-07.740N 076-48-06.600W				White can with orange band	Private Aid.	39/22
*	*	*	*	*	*	*	*	
38852.1	NC Artificial Reef 380 Warning Buoy B	34-43-05.340N 076-48-06.540W				White can with orange band	Private Aid.	39/22
*	*	*	*	*	*	*	*	
38852.2	NC Artificial Reef 380 Warning Buoy C	34-43-07.920N 076-47-55.920W				White can with orange band	Private Aid.	39/22
*	*	*	*	*	*	*	*	
38852.3	NC Artificial Reef 380 Warning Buoy D	34-43-05.460N 076-47-55.860W				White can with orange band	Private Aid.	39/22
*	*	*	*	*	*	*	*	
39063	Cedar Point Artificial Reef Buoy AR-381A	34-40-25.800N 077-06-30.240W				White can with orange bands and diamond worded REEF.	Private Aid. Aid maintained by State DOT	39/22
		*						
7915	Sandy Point State Park Buoy 3	39-00-38.764N 076-24-11.196W				Green can.	Private Aid.	38/22
*	*	*	*	*	*	*	*	
7915	Sandy Point State Park Daybeacon 3						Remove from list.	38/22
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7920	Sandy Point State Park Daybeacon 4						Remove from list.	38/22
							*	
7920	Sandy Point State Park Buoy 4	39-00-38.000N 076-24-10.000W				Red nun.	Private Aid.	38/22
*	*	*	*	*	*	*	*	38/22
							*	
24626	BARREN ISLAND LIGHTED DATA MARKER A	38-21-13.305N 076-15-08.938W	Q W			On steel pile.	Private Aid.	38/22
*	*	*	*	*	*	*	*	
24626.1	BARREN ISLAND LIGHTED DATA MARKER B	38-20-34.736N 076-15-14.327W	Q W			On steel pile.	Private Aid.	38/22
*	*	*	*	*	*	*	*	
24626.2	BARREN ISLAND LIGHTED DATA MARKER C	38-19-21.936N 076-14-51.360W	Q W			On steel pile.	Private Aid.	38/22
*	*	*	*	*	*	*	*	
28721.6	Barney Slough Channel Buoy 3A	35-13-35.646N 075-47-14.324W				Green can.		38/22
28723.1	Barney Slough Channel Buoy 12A	35-13-11.419N 075-44-20.714W				Red nun.		38/22
36425	New Jersey Intracoastal Waterway Daybeacon 384						Remove from list.	38/22
							*	
36425	New Jersey Intracoastal Waterway Buoy 384	39-05-52.940N 074-45-52.506W				Red nun with yellow triangle.	Removed when endangered by ice.	38/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
802.3	<i>Scripps Lighted Data Buoy CDIP 217</i>	34-12-45.200N 076-56-56.400W	Fl (5)Y 20s			Yellow.	Private Aid.	37/22
803	<i>UNCW/CORMP Lighted Data Buoy A</i>	* 34-08-30.800N 077-42-54.200W	Fl Y 4s			Yellow.	Private Aid.	37/22
		*						37/22
1910	Maurice River Buoy 42	39-22-07.531N 075-02-07.335W				Red nun.	*	37/22
*								
1915	Maurice River Buoy 43	39-22-08.388N 075-02-07.775W				Green can.		37/22
*								37/22
7957.7	Sandy Point State Park North Beach Buoy 7						* Remove from list.	37/22
7957.8	Sandy Point State Park North Beach Buoy 8						* Remove from list.	37/22
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12825	<i>Scripps Lighted Data Buoy CDIP 240, NDBC 44087</i>	37-01-32.200N 076-08-57.500W	Fl (5)Y 20s			Yellow.	Aid maintained by Scripps Institution of Oceanography. Private Aid.	37/22
		*						
19920	Spa Creek Anchorage Buoy A						Remove from list.	37/22
							*	
19925	Spa Creek Anchorage Buoy B						Remove from list.	37/22
							*	
19930	Spa Creek Anchorage Buoy C						Remove from list.	37/22
							*	
21120	SASOL NORTH AMERICA PIER LIGHT	39-14-26.988N 076-33-44.964W	Fl Y 2.5s	12		On pile at end of pier.	Private Aid.	37/22
	*							
25735	Solitude Creek Buoy 1	38-43-55.561N 076-11-49.616W				Green can.	Private Aid.	37/22
	*							
*	*	*	*	*	*	*	*	
25735	Solitude Creek Daybeacon 1						Remove from list.	37/22
							*	
28732.1	<i>Hatteras Inlet Channel Lighted Buoy 12A</i>	35-12-26.102N 075-43-49.889W	Fl R 2.5s		4	Red.		37/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28735.6	<i>Hatteras Inlet Channel Lighted Buoy 14</i>	35-12-09.894N 075-43-49.305W	Fl R 2.5s		4			37/22
28736	Hatteras Inlet Channel Buoy 15	* 35-12-12.871N 075-43-50.409W				Green can.		37/22
28753	<i>Hatteras Inlet Channel Lighted Buoy 17</i>	* 35-12-10.552N 075-43-47.936W	Q G		4	Green.		37/22
29573	Bogue Inlet Buoy 3B	* 34-38-52.635N 077-06-34.889W				Green can.		37/22
* 35235	* New Jersey Intercoastal Waterway Buoy 63	* 39-40-12.212N 074-11-05.594W	*	*	*	* Green can with yellow square.	* Removed when endangered by ice.	37/22
* 35235	* New Jersey Intracoastal Waterway Daybeacon 63	*	*	*	*	*	* Remove from list. *	37/22
10495	LITTLE CREEK HARBOR RANGE FRONT LIGHT	36-54-41.855N 076-10-35.270W	Fl G 2.5s (NIGHT) Fl G 2.5s (DAY)	51		Skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	36/22
10500	LITTLE CREEK HARBOR RANGE REAR LIGHT 278 yards, 177.7° from front light.	36-54-33.589N 076-10-34.865W	Iso G 6s (NIGHT) Iso G 6s (DAY)	* 76		Skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	36/22
28722.1	Barney Slough Channel Buoy 5	35-13-42.343N 075-47-38.276W		*		Green can.		36/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
192	<i>DE Wave Lighted Buoy A</i>						Remove from list.	35/22
							*	
950	<i>Barnegat Inlet Lighted Buoy 9</i>	39-45-47.349N 074-05-46.916W	FI G 2.5s		4	Green.		35/22
965	<i>Barnegat Inlet Lighted Buoy 14</i>	* 39-45-53.362N 074-06-27.712W	FI R 2.5s		4	Red.	Replaced by nun from Nov. 1 to May 1.	35/22
975	* Barnegat Inlet Buoy 16	* 39-45-53.020N 074-06-34.162W				Red nun.		35/22
980	Barnegat Inlet Buoy 17	* 39-45-47.895N 074-06-35.619W				Green can.		35/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
990	Barnegat Inlet Buoy 19	39-46-05.310N 074-06-59.606W				Green can.		35/22
995	Barnegat Inlet Buoy 20	* 39-46-02.036N 074-06-48.899W				Red nun.		35/22
997	Barnegat Inlet Buoy 20A	*					Remove from list.	35/22
10495	LITTLE CREEK HARBOR RANGE FRONT LIGHT	36-54-41.855N 076-10-35.270W	FI G 2.5s	51		Skeleton tower.	* Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	35/22
10500	LITTLE CREEK HARBOR RANGE REAR LIGHT 278 yards, 177.7° from front light.	36-54-33.589N 076-10-34.865W	* Iso G 6s	76		Skeleton tower.	* Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	35/22
21190	FAIRFIELD CHANNEL DOLPHIN LIGHT	39-15-00.386N 076-34-34.000W	* FI Y 4s	* 12		On dolphin.	* Private Aid.	35/22
25931.5	Knapps Narrows West Channel Buoy 4A	38-43-15.781N 076-20-28.531W	*			Red nun.		35/22
* 28083	* <i>Oregon Inlet Channel Lighted Buoy 26</i>	* 35-46-52.113N 075-33-02.965W	* Q R	* 	* 4	* Red.	* 	35/22

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28084.5	Oregon Inlet Cut Buoy 5	35-47-23.708N 075-33-21.501W				Green can.	35/22
28145	Oregon Inlet Channel Buoy 42	* 35-46-22.179N 075-34-56.424W				Red nun.	35/22
28150	Oregon Inlet Channel Buoy 44	* 35-46-28.754N 075-34-47.100W				Red nun.	35/22
28732.1	<i>Hatteras Inlet Channel Lighted Buoy 12A</i>	* 35-12-25.554N 075-43-49.740W	FI R 2.5s		4	Red.	35/22
28733.1	Hatteras Inlet Channel Buoy 12B	* 35-12-15.378N 075-43-54.462W				Red nun.	35/22
28750	<i>Hatteras Inlet Channel Lighted Buoy 16</i>	* 35-12-08.490N 075-43-41.538W	FI R 4s		4	Red.	35/22
39290	Bogue Sound - New River Buoy 70	* 34-33-08.443N 077-20-38.050W				Red nun with yellow triangle.	35/22
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
970	Barnegat Harbor Channel Junction Buoy B						Remove from list.	34/22
987	Barnegat Inlet Buoy 18A						* Remove from list.	34/22
6020	BRADFORD BAY LIGHT 9	37-35-47.701N 075-41-12.712W	Fl G 2.5s	15	4	SG on multi-pile structure.	*	34/22
9445	<i>Elizabeth River Lighted Buoy 1ER</i>	36-59-16.153N 076-18-41.325W	Q G		5	Green.	*	34/22
	*	*						
9465	<i>Elizabeth River Lighted Buoy 3</i>	36-58-25.628N 076-19-43.896W	Fl G 2.5s		5	Green.		34/22
	*	*						
9470	<i>Elizabeth River Lighted Buoy 5</i>	36-58-00.230N 076-19-59.792W	Q G		5	Green.		34/22
	*	*						
9475	<i>Elizabeth River Lighted Buoy 7</i>	36-57-44.481N 076-20-01.087W	Fl G 2.5s		5	Green.		34/22
	*	*						
9500	<i>Elizabeth River Lighted Buoy 8</i>	36-57-01.598N 076-20-21.879W	Fl R 2.5s		5	Red.		34/22
	*	*						
9515	<i>Elizabeth River Lighted Buoy 9</i>	36-56-37.049N 076-20-06.615W	Fl G 4s		5	Green.		34/22
	*	*						
9520	<i>Elizabeth River Lighted Buoy 10</i>	36-56-35.910N 076-20-24.001W	Fl R 4s		5	Red.		34/22
	*	*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
9525	<i>Elizabeth River Lighted Buoy 11</i>	36-55-51.831N 076-20-10.288W	Fl G 6s		5	Green.	34/22
9530	* <i>Elizabeth River Lighted Buoy 12</i>	* 36-55-47.580N 076-20-27.960W	Fl R 6s		5	Red.	34/22
9535	* <i>Elizabeth River Lighted Buoy 13</i>	* 36-55-06.614N 076-20-14.005W	Fl G 2.5s		5	Green.	34/22
9540	* <i>Elizabeth River Lighted Buoy 14</i>	* 36-55-05.837N 076-20-31.373W	Q R		5	Red.	34/22
9545	* <i>Elizabeth River Lighted Buoy 15</i>	* 36-54-44.158N 076-20-15.822W	Q G		5	Green.	34/22
9595	* <i>Elizabeth River Lighted Buoy 17</i>	* 36-54-16.959N 076-20-11.236W	Fl G 2.5s		5	Green.	34/22
	*	*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
9600	<i>Elizabeth River Lighted Buoy 18</i>	36-54-15.743N 076-20-22.841W	Fl R 2.5s		5	Red.	34/22
9605	* <i>Elizabeth River Lighted Buoy 19</i>	* 36-53-37.491N 076-20-04.503W	Fl G 4s		5	Green.	34/22
9620	* <i>Elizabeth River Lighted Buoy 20</i>	* 36-53-32.156N 076-20-15.363W	Fl R 4s		5	Red.	34/22
9625	* Elizabeth River Lighted Buoy 27	*					Remove from list. *
9630	<i>Elizabeth River Lighted Buoy 21</i>	36-52-55.835N 076-19-57.375W	Fl G 4s		5	Green.	34/22
9710	* <i>Elizabeth River Lighted Buoy 23</i>	* 36-52-27.814N 076-19-52.611W	Fl G 2.5s		5	Green.	34/22
	*	*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9715	<i>Elizabeth River Lighted Buoy 25</i>	36-52-13.427N 076-19-42.853W	Q G		5	Green.	34/22	
9735	* <i>Elizabeth River Lighted Buoy 26</i>	* 36-52-00.090N 076-19-41.348W	Q R		5	Red.	34/22	
9835	* <i>Elizabeth River Lighted Buoy 27</i>	* 36-51-58.105N 076-19-20.837W	Fl G 4s		5	Green.	34/22	
* 9835	* Elizabeth River Channel Buoy 31	* *	* *	* *	* *	* *	* Remove from list.	34/22
9840	<i>Elizabeth River Lighted Buoy 28</i>	36-51-35.031N 076-19-04.580W	Fl R 2.5s		5	Red.	34/22	
9850	* <i>Elizabeth River Lighted Buoy 29</i>	* 36-51-27.866N 076-18-37.173W	* Fl G 2.5s		5	Green.	34/22	
9855	* Elizabeth River Buoy 30	* 36-51-05.799N 076-18-22.426W				Red nun.	34/22	
9900	* <i>Elizabeth River Lighted Buoy 32</i>	* 36-50-49.747N 076-17-59.316W	Q R		5	Red.	34/22	
17755	* <i>Upper Potomac River Lighted Buoy 2</i>	* 38-24-08.618N 077-00-35.545W	Fl R 2.5s		4	Red.	34/22	
* 39243	* Bogue Sound - New River Buoy 66B	* 34-32-45.179N 077-19-14.268W	* *	* *	* *	* Red nun with yellow triangle.	* 34/22	
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3	<i>NOAA Lighted Data Buoy 44066 (ODAS)</i>	39-37-06.000N 072-38-40.000W	Fl (4)Y 20s		5	Yellow boat shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	33/22
7275	<i>Chesapeake Channel Lighted Buoy 42</i>	* 37-25-37.113N 076-05-06.585W	Fl R 4s		5	Red.	RACON: O (- - -) Synthetic AIS: MMSI 993672385	33/22
8280	<i>Fort McHenry Channel Lighted Buoy 13</i>	39-14-35.295N 076-33-27.784W	Fl G 2.5s		5	Green can.	*	33/22
	*		*		*			

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
21026	<i>Dundalk Terminal East Channel Lighted Buoy 5</i>	39-14-05.915N 076-32-13.685W	Fl G 2.5s		4	Green.	33/22
	*		*		*	*	
29356	Lenoxville Point Buoy 1L	34-42-19.352N 076-36-53.876W				Green can.	33/22
	*						
29358	Lenoxville Point Buoy 2	34-42-22.874N 076-36-55.164W				Red nun.	33/22
	*						
29360	Lenoxville Point Buoy 3	34-42-24.388N 076-36-59.110W				Green can.	33/22
	*						
31575	Bull Bay Warning Daybeacon 800 feet, 090° from wreck.	35-57-50.700N 076-21-42.989W				NW on pile worded DANGER WRECK.	33/22
						*	
31635	ALBEMARLE SOUND LIGHT 5AS	36-00-07.248N 076-23-32.100W	Fl G 4s	20	5	SG on multi-pile white structure.	33/22
		*				*	
38625	Morehead City Harbor Channel Daybeacon 8	34-42-57.892N 076-43-17.823W				TR on pile.	33/22
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10173	<i>Long Creek Lighted Buoy 7</i>	36-54-14.886N 076-04-59.051W	Q G		4	Green.		32/22
*	*	*	*	*	*	*	*	
16800	Potomac River Channel Buoy 9	38-03-18.291N 076-27-49.045W				Green can.		32/22
*	*	*	*	*	*	*	*	
16855	<i>Potomac River Mid-Channel Lighted Whistle Buoy B</i>	38-06-54.191N 076-31-51.454W	Mo (A) W		6	Red and white stripes.	Replaced by nun when endangered by ice.	32/22
*	*	*	*	*	*	*	*	
17640	UPPER MACHODOC CREEK LIGHT 2UM	38-18-35.926N 076-59-56.067W	Fl R 2.5s	12	4	TR on pile.		32/22
						*		
19512.2	West River Buoy 9	38-50-07.071N 076-32-28.942W				Green can.	Private Aid.	32/22
*	*	*	*	*	*	*	*	
19512.4	West River Buoy 10	38-50-06.414N 076-32-30.706W				Red nun.	Private Aid.	32/22
*	*	*	*	*	*	*	*	
19512.6	West River Buoy 12	38-49-59.609N 076-32-38.335W				Red nun.	Private Aid.	32/22
*	*	*	*	*	*	*	*	
19512.8	West River Buoy 13	38-49-56.483N 076-32-40.054W				Green can.	Private Aid.	32/22
*	*	*	*	*	*	*	*	
28055	Oregon Inlet Buoy 15	35-46-26.700N 075-32-20.649W				Green can.		32/22
		*						
28065	<i>Oregon Inlet Lighted Buoy 19</i>	35-46-26.256N 075-32-26.725W	Fl G 4s		4	Green.		32/22

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28070	Oregon Inlet Channel Buoy 21	* 35-46-34.209N 075-32-34.263W				Green can.	32/22
28723.1	Barney Slough Channel Buoy 12A	* 35-13-12.138N 075-44-21.030W				Red nun.	32/22
28732.1	<i>Hatteras Inlet Channel Lighted Buoy 12A</i>	* 35-12-25.794N 075-43-49.716W	Fl R 2.5s		4	Red.	32/22
28736	Hatteras Inlet Channel Buoy 15	* 35-12-12.594N 075-43-50.844W				Green can.	32/22
28753	<i>Hatteras Inlet Channel Lighted Buoy 17</i>	* 35-12-10.128N 075-43-47.760W	Q G		4	Green.	32/22
29061	Big Foot Slough Channel Buoy 9C	* 35-08-53.581N 076-00-35.175W				Green can.	32/22
29070.2	Big Foot Slough Channel Buoy 10C	* 35-09-01.157N 076-00-42.495W				Red nun.	32/22
29070.23	Big Foot Slough Channel Buoy 10D	* 35-09-08.750N 076-00-43.820W				Red nun.	32/22
29070.3	<i>Big Foot Slough Channel Lighted Buoy 11</i>	* 35-09-08.705N 076-00-43.820W	Q G		4	Green.	32/22
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
30265	Carolina Beach Inlet Buoy 1	34-04-52.681N 077-51-43.064W				Green can.	32/22
30270	Carolina Beach Inlet Buoy 2	* 34-04-54.164N 077-51-43.252W				Red nun.	32/22
30275	Carolina Beach Inlet Buoy 3	* 34-04-55.265N 077-51-59.067W				Green can.	32/22
30285	Carolina Beach Inlet Buoy 5	* 34-04-55.617N 077-52-26.132W				Green can.	32/22
30290	Carolina Beach Inlet Buoy 6	* 34-04-58.402N 077-52-29.135W				Red nun.	32/22
30295	Carolina Beach Inlet Buoy 7	* 34-04-51.816N 077-52-36.454W				Green can.	32/22
30300	Carolina Beach Inlet Buoy 8	* 34-04-46.954N 077-52-46.676W				Red nun.	32/22
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
191	<i>Rehoboth Beach Lighted Mooring Buoy CG</i>	38-44-22.804N 075-04-27.610W	FI W 4s		5	White with blue band worded CG.		31/22
*	*	*	*	*	*	*	*	
375	WOODS HOLE LIGHTED WHALE RESEARCH BUOY WH	36-43-04.080N 075-28-18.012W	FI W 4s			Yellow.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
1250	Clam Creek Buoy 4	39-22-40.796N 074-25-18.486W				Red nun.		31/22
2643	Reedy Island Anchorage Buoy B	* 39-33-09.030N 075-33-09.967W				Yellow can.		31/22
10160	LONG CREEK WARNING LIGHT A	*					Remove from list.	31/22
10525	Little Creek Harbor Warning Daybeacon A						* Remove from list.	31/22
13955	UPPER YORK RIVER CHANNEL LIGHT 21	37-25-54.465N 076-42-26.680W	FI G 2.5s	15	4	SG on pile.	*	31/22
14030	West Point Spit Junction Daybeacon WP	*					Remove from list.	31/22
17250	Wicomico River Junction Buoy PW	38-14-01.430N 076-49-12.843W				Red and green bands; nun.	*	31/22
20165	* FAIRWINDS MARINA PIER LIGHT	39-03-08.350N 076-27-04.715W	FI Y 4s	12		On post on end of pier.	Private Aid.	31/22
26110	WYE RIVER ENTRANCE LIGHT 1W	* 38-49-58.320N 076-12-37.647W	FI G 2.5s	15	4	SG on pile.		31/22
26115	* Wye River Entrance Daybeacon 3	38-50-33.550N 076-12-28.216W				SG on pile.		31/22

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
26120	WYE RIVER ENTRANCE LIGHT 4	38-50-48.911N 076-12-02.810W	Fl R 2.5s	15	4	TR on pile.		31/22
	*							
29230	Barden Inlet Daybeacon 20						Remove from list.	31/22
							*	
29230	Barden Inlet Buoy 20	34-38-58.971N 076-31-06.843W				Red.		31/22
*	*	*	*	*	*	*	*	
29765	Courthouse Bay Buoy 1	34-34-43.800N 077-22-31.926W				Green can.		31/22
		*						
39290	Bogue Sound - New River Buoy 70	34-33-08.553N 077-20-40.608W				Red nun with yellow triangle.		31/22
		*						
191	<i>Rehoboth Beach Lighted Mooring Buoy CG</i>	38-44-22.804N 075-04-27.610W	Fl W 4s		5	White with blue band worded CG.		30/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14110	YORK SPIT SWASH CHANNEL LIGHT 3	37-15-43.665N 076-19-56.553W	Fl G 4s	15	4	SG on pile.		29/22
23675	Wicomico River Junction Buoy WN	* 38-12-26.732N 075-56-43.405W				Green and red bands; can.		29/22
28065	* <i>Oregon Inlet Lighted Buoy 19</i>	35-46-27.872N 075-32-28.964W	Fl G 4s		4	Green.		29/22
38885	Bogue Sound Warning Daybeacon A	*					Remove from list.	29/22
38887	Bogue Sound Buoy 12	34-43-25.244N 076-49-56.235W				Red nun.	*	29/22
39620.5	* <i>New River - Cape Fear River Lighted Wreck Buoy WR127A</i>	34-12-41.831N 077-49-03.002W	Q G		4	Green with yellow square.		29/22
*	*	*	*	*	*	*	*	
8910	SHAD BATTERY SHOAL RANGE FRONT LIGHT	39-20-18.360N 076-11-26.403W	Fl W 2.5s (NIGHT) Fl W 2.5s (DAY)	33		Yellow monopile and platform with white equipment hut on top.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline.	28/22
8915	SHAD BATTERY SHOAL RANGE REAR LIGHT	39-19-37.215N 076-12-49.681W	Oc W 4s (NIGHT) Oc W 4s (DAY)	60	*	On same structure as Upper Chesapeake Channel Range Rear Light.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline.	28/22
28702	Hatteras Connector Buoy 13	35-12-06.660N 075-46-46.320W				Green Can.	*	28/22
	*							

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2167	Rehoboth Bay Channel Buoy 24A	38-36-28.218N 075-05-36.211W				Red nun.		27/22
* 4420	* <i>Indian River Inlet Lighted Buoy 17</i>	* 38-36-04.397N 075-05-44.558W	* FI G 2.5s	* 	* 4	* Green.	* Maintained from May. 1 to Dec. 10.	27/22
11380	PAGAN RIVER ENTRANCE LIGHT 3	* 37-00-45.389N 076-32-19.806W	FI G 2.5s	15	4	SG on pile.		27/22
26130	Wye River Daybeacon 3	*					Remove from list.	27/22
26130	Wye River Buoy 3 / 4843NAV3	38-52-28.373N 076-11-26.142W				Green can.	* Private Aid. Aid maintained by	27/22
*	*	*	*	*	*	*	*	
28702	Hatteras Connector Lighted Buoy 13	35-12-06.660N 075-46-46.320W				Green Can.		27/22
28704	* <i>Hatteras Connector Lighted Buoy 14</i>	35-12-15.990N 075-47-02.214W	Q R		4	Red.		27/22
28706	* <i>Hatteras Connector Lighted Buoy 15</i>	35-12-13.446N 075-47-01.476W	FI G 2.5s		4	Green.		27/22
	*							

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8555	POOLES ISLAND SOUTH RANGE FRONT LIGHT	39-17-31.977N 076-14-11.727W	Q W (NIGHT) Q W (DAY)	34		On yellow mono-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.	26/22
8595	UPPER CHESAPEAKE CHANNEL RANGE FRONT LIGHT	39-19-12.557N 076-12-58.445W	FI W 2.5s (NIGHT) FI W 2.5s (DAY)	35		On yellow mono-pile structure. *	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.	26/22
			*	*				

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
17665	Upper Machodoc Creek Daybeacon 8 10 feet outside channel limit.	38-18-55.356N 077-01-49.382W				TR on pile.	26/22
17670	* Upper Machodoc Creek Daybeacon 9 10 feet outside channel limit.	38-18-53.459N 077-01-59.115W				SG on pile.	26/22
17675	* UPPER MACHODOC CREEK LIGHT 11	38-18-56.650N 077-02-04.887W	Fl G 2.5s	15	4	SG on pile.	26/22
17695	* Baber Point Junction Daybeacon BP	38-18-50.469N 077-01-37.918W				JG on pile.	26/22
21110	* SHELL OIL COMPANY RANGE FRONT LIGHT						Remove from list. 26/22
21115	SHELL OIL COMPANY RANGE REAR LIGHT						* Remove from list. 26/22
26593	Queenstown Creek Buoy 3	39-00-01.010N 076-10-03.937W				Green can.	* Maintained from Mar. 1 to Dec 15. 26/22
26595	Queenstown Creek Buoy 5	38-59-50.995N 076-09-53.021W				Green can.	* Maintained from Mar. 1 to Dec. 15. 26/22
27980	Oregon Inlet Buoy 2	35-47-21.047N 075-30-37.313W				Red nun.	* 26/22

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
27993	<i>Oregon Inlet Lighted Buoy 5</i>	35-46-48.585N 075-31-21.217W	Fl G 4s		4	Green.	26/22
27994	<i>Oregon Inlet Lighted Buoy 6</i>	* 35-46-55.866N 075-31-25.208W	Fl R 4s		4	Red.	26/22

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28005	Oregon Inlet Buoy 7						Remove from list.	26/22
							*	
28015	<i>Oregon Inlet Lighted Buoy 9</i>						Remove from list.	26/22
							*	
28017	Oregon Inlet Buoy 10						Remove from list.	26/22
							*	
28020	Oregon Inlet Buoy 9	35-46-29.924N 075-31-42.691W				Green can.		26/22
28025	<i>Oregon Inlet Lighted Buoy 8</i>	35-46-47.557N 075-31-38.581W	FI R 2.5s		4			26/22
*	*	*	*	*	*	*	*	
28027	<i>Oregon Inlet Lighted Buoy 11</i>	35-46-24.669N 075-31-58.982W	Q G		4	Green.		26/22
28028	<i>Oregon Inlet Lighted Buoy 12</i>	35-46-29.131N 075-31-55.063W	Q R		4	Red.		26/22
28045	<i>Oregon Inlet Lighted Buoy 13</i>	35-46-25.453N 075-32-06.469W	FI G 2.5s		4	Green.		26/22
28050	<i>Oregon Inlet Lighted Buoy 14</i>	35-46-30.387N 075-32-10.541W	FI R 2.5s		4	Red.		26/22
28055	Oregon Inlet Buoy 15	35-46-28.505N 075-32-23.512W				Green can.		26/22
29358	Lenoxville Point Buoy 2	34-42-24.430N 076-36-57.863W				Red nun.		26/22

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
29360	Lenoxville Point Buoy 3	34-42-22.528N 076-36-57.672W				Green can.	26/22
30350	<i>Cape Fear River Entrance Channel Lighted Buoy 8</i>	* 33-50-27.386N 078-01-39.952W	Fl R 2.5s		5	Red.	26/22
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
34804	<i>Beaufort Harbor Channel Lighted Buoy 1</i>	34-42-17.670N 076-40-41.197W	Fl G 2.5s		4	Green.	26/22
*	*	*	*	*	*	*	*
34806	Beaufort Harbor Channel Buoy 3	34-42-21.927N 076-40-42.353W				Green can.	26/22
*	*	*	*	*	*	*	*
34807	Beaufort Harbor Channel Buoy 4	34-42-29.204N 076-40-42.405W				Red nun.	26/22
34815	<i>Beaufort Harbor Channel Lighted Buoy 1</i>						Remove from list. 26/22
34820	Beaufort Harbor Channel Buoy 3						* Remove from list. 26/22
34825	Beaufort Harbor Channel Daybeacon 5	34-42-33.266N 076-40-48.633W				SG on pile.	* 26/22
34826	<i>Beaufort Harbor Channel Daybeacon 6</i>	34-42-37.263N 076-40-46.453W				TR on pile.	26/22
34830	<i>Beaufort Harbor Channel Daybeacon 8</i>	34-42-41.955N 076-40-46.326W				TR on pile.	26/22
34835	<i>Beaufort Harbor Channel Daybeacon 9</i>	34-42-52.521N 076-40-37.179W				SG on pile.	26/22
34840	<i>Beaufort Harbor Channel Daybeacon 10</i>	34-42-49.268N 076-40-36.104W				TR on pile.	26/22
34845	<i>Beaufort Harbor Channel Daybeacon 12</i>	34-42-51.327N 076-40-16.803W				TR on pile.	26/22
	20 feet outside channel limit.						
	*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3	NOAA Lighted Data Buoy 44066 (ODAS)	39-37-06.635N 072-38-40.947W	Fl (4)Y 20s		5	Yellow boat shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	25/22
600 27970	Oregon Inlet Lighted Whistle Buoy OI	* 35-47-27.809N 075-30-06.226W	Mo (A) W		6	Red and white stripes.	Position frequently shifted with changing conditions. Topmark not installed on this aid.	25/22
7935	* Sandy Point State Park Danger Marker B	* 39-00-45.349N 076-24-13.254W				NW on pile.	Private Aid.	25/22
8560	POOLES ISLAND SOUTH RANGE REAR LIGHT 1,183 yards, 000° from front light.	* 39-18-07.054N 076-14-11.678W	Oc W 4s (NIGHT) Oc W 4s (DAY)	72		On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline.	25/22
17640	Upper Machodoc Creek Dahlgren Channel Buoy 2						* Remove from list.	25/22
17640	UPPER MACHODOC CREEK LIGHT 2UM	38-18-35.926N 076-59-56.067W	Fl R 2.5s	12	4	Red.	*	25/22
* 17655	* Upper Machodoc Creek Dahlgren Channel Buoy 4	* 38-18-42.272N 077-00-34.333W	* Oc W 4s (DAY)	* 72	* 4	* Red.	* Remove from list.	25/22
17655	Upper Machodoc Creek Daybeacon 4					TR on pile.	*	25/22
* 17660	* Upper Machodoc Creek Dahlgren Channel Buoy 6	* 38-18-48.901N 077-01-11.511W	* Oc W 4s (DAY)	* 72	* 4	* Red.	* Remove from list.	25/22
17660	Upper Machodoc Creek Daybeacon 6					TR on pile.	*	25/22
* 17660	* Upper Machodoc Creek Daybeacon 6	* 38-18-48.901N 077-01-11.511W	* Oc W 4s (DAY)	* 72	* 4	* Red.	* Remove from list.	25/22

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17670	Upper Machodoc Creek Daybeacon 9 10 feet outside channel limit.	38-18-53.459N 077-01-59.115W				SG on pile.		25/22
17680	* Baber Point Channel Buoy 2						Remove from list.	25/22
17680	Baber Point Daybeacon 2B	38-18-04.479N 077-00-39.778W				TR on pile.	*	25/22
* 17685	* Baber Point Channel Buoy 4	*	*	*	*	*	Remove from list.	25/22
17685	Baber Point Daybeacon 4	38-18-27.833N 077-01-09.765W				TR on pile.	*	25/22
* 20165	* FAIRWINDS MARINA PIER LIGHT	* 39-03-03.350N 076-27-04.715W	* Fl Y 4s	* 12	* *	* On post on end of pier.	* Private Aid.	25/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
27970 600	<i>Oregon Inlet Lighted Whistle Buoy OI</i>	35-47-27.809N 075-30-06.226W	Mo (A) W		6	Red and white stripes.	Position frequently shifted with changing conditions. Topmark not installed on this aid.	25/22
27975	* <i>Oregon Inlet Lighted Buoy 1</i>	* 35-47-12.382N 075-30-28.958W	Q G		4	Green.		25/22
27985	<i>Oregon Inlet Lighted Buoy 3</i>	* 35-47-02.554N 075-30-54.187W	* FI G 2.5s		4	Green.		25/22
27990	* <i>Oregon Inlet Lighted Buoy 4</i>	* 35-47-10.141N 075-30-52.496W	* FI R 2.5s	* *	4	Red.	* *	25/22
27993	* <i>Oregon Inlet Lighted Buoy 5</i>	* 35-46-48.053N 075-31-21.133W	* FI G 4s	* *	4	Green.	* *	25/22
27994	* <i>Oregon Inlet Lighted Buoy 6</i>	* 35-46-55.889N 075-31-25.208W	* FI R 4s	* *	4	Red.	* *	25/22
28003	* <i>Oregon Inlet Lighted Buoy 6</i>	* 35-46-55.889N 075-31-25.208W	* *	* *	* *	* *	* Remove from list.	25/22
29130	<i>Lookout Bight Lighted Buoy 4</i>	34-38-27.197N 076-33-14.820W	FI R 6s		5	Red.	*	25/22
	Marks north end of shoal.	*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7975	William P. Lane Jr. Bridge East Channel Fog Signal Suspended from center of channel span.	38-59-19.670N 076-21-29.450W					HORN: 1 blast ev 20s (2s bl). Operates during periods of low visibility only. Private Aid.	24/22
7975.1	William P. Lane Jr. Bridge East Channel Fog Signal Suspended from center of channel span.	* 38-59-15.690N 076-21-31.200W					Horn: 1 blast ev 20s (2s bl). Operates during periods of low visibility only. Private Aid.	24/22
* 39237	* Bogue Sound - New River Buoy 66A	* 34-32-45.417N 077-19-00.376W	*	*	*	*	* Red nun with yellow triangle.	* 24/22
* 39240	* <i>Bogue Sound - New River Lighted Buoy 65A</i>	* 34-32-44.238N 077-19-05.045W	Q G				Green with yellow square.	
* 39243	* Bogue Sound - New River Buoy 66B	* 34-32-45.056N 077-19-10.734W					Red nun with yellow triangle.	24/22
* 30	* <i>Ocean Tech Hudson South Lighted Research Buoy OT2</i>	* 39-25-19.835N 073-23-53.222W	FI Y 4s				Yellow. Private Aid.	23/22
* 23370	* <i>Daugherty Creek Channel Lighted Buoy 5</i>	* 38-01-32.314N 075-50-24.151W	Q G		4		Green.	23/22
* 30	* <i>Ocean Tech Hudson South Lighted Research Buoy OT2</i>	* 39-25-19.835N 073-23-53.222W	FI Y 4s				Yellow. Private Aid.	23/22

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28680	<i>Hatteras Connector Lighted Buoy 1</i>	35-11-22.308N 075-45-34.638W	Q G		4	Green.	23/22
28682	* Hatteras Connector Lighted Buoy 3	35-11-31.512N 075-45-42.878W	Fl G 2.5s		4	Green.	23/22
28684	* Hatteras Connector Buoy 5	35-11-34.746N 075-45-54.270W				Green Can.	23/22
28686	* <i>Hatteras Connector Lighted Buoy 6</i>	35-11-37.104N 075-45-59.256W	Fl R 4s		4	Red.	23/22
28690	* Hatteras Connector Buoy 7	35-11-38.250N 075-46-11.502W				Green Can. *	23/22

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28691	Hatteras Connector Warning Daybeacon A Located 120 yards outside channel limit.	35-11-44.104N 075-46-22.948W					NW on pile worded DANGER SHOAL.	23/22
* 28692	* <i>Hatteras Connector Lighted Buoy 8</i>	* 35-11-52.134N 075-46-19.728W	* FIR 2.5s	* 	* 4	* Red.	* 	23/22
	*							23/22
28694	Hatteras Connector Buoy 9	35-11-59.574N 075-46-27.450W				Green can.		23/22
* 28696	* Hatteras Connector Buoy 10	* 35-12-03.960N 075-46-28.830W	* 	* 	* 	* Red nun.	* 	23/22
* 28698	* <i>Hatteras Connector Buoy 12</i>	* 35-12-07.776N 075-46-38.874W	* 	* 	* 	* Red Nun.	* 	23/22
28700	* <i>Hatteras Connector Lighted Buoy 11</i>	35-12-03.042N 075-46-33.990W	Fl G 4s		4	Green.		23/22
	*							23/22

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28721.65	Barney Slough Channel Buoy 3B	35-13-34.480N 075-47-19.128W				Green can.	23/22
*	*	*	*	*	*	*	*
28721.8	<i>Barney Slough Channel Lighted Buoy 4A</i>	35-13-35.800N 075-47-21.517W	Fl R 2.5s		4	Red.	23/22
28722.1	Barney Slough Channel Buoy 5	35-14-42.343N 075-47-38.276W				Green can.	23/22
*	*	*	*	*	*	*	*
28735.6	<i>Hatteras Inlet Channel Lighted Buoy 14</i>	35-12-09.724N 075-43-50.148W	Fl R 2.5s		4	Red.	23/22
28736	Hatteras Inlet Channel Buoy 15	35-12-12.506N 075-43-50.013W				Green can.	23/22
28750	<i>Hatteras Inlet Channel Lighted Buoy 16</i>	35-12-07.548N 075-43-39.294W	Fl R 4s		4	Red.	23/22
28753	<i>Hatteras Inlet Channel Lighted Buoy 17</i>	35-12-10.751N 075-43-48.947W	Q G		4	Green.	23/22
28765	<i>Hatteras Inlet Channel Lighted Buoy 19</i>	35-12-15.640N 075-43-15.605W	Fl G 2.5s		4	Green.	23/22

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7890	William P. Lane Jr. Bridge West Channel Fog Signal Suspended from center of channel span.	38-59-35.560N 076-22-55.770W					HORN: 1 blast ev 15s (5s bl). Operates during periods of low visibility only. Horn directed on bearings 017° and 197°. Private Aid.	22/22
	*	*					*	
7890.1	William P. Lane Jr. Bridge West Channel Fog Signal Suspended from center of channel span.	38-59-39.680N 076-22-54.080W					Horn: 1 blast ev 15s(5s bl). Operates during periods of low visibility only. Horn directed on 017° and 197°. Private Aid.	22/22
	*	*					*	
7975	William P. Lane Jr. Bridge East Channel Fog Signal Suspended from center of channel span.	38-59-19.670N 076-21-29.450W					HORN: 1 blast ev 20s (2s bl). Operates during periods of low visibility only. Private Aid.	22/22
	*	*					*	
11575	<i>James River Channel Lighted Buoy 7</i> 100 feet outside channel limit.	37-03-07.960N 076-33-46.646W	Q G		5	Green.		22/22
	*	*					*	
20800	KEY ELECTRICAL TOWER LIGHTS A (4)	39-12-46.874N 076-32-14.054W	Q W	22		Tower on concrete foundation.	Private Aid.	22/22
	*	*	*	*	*	*	*	
20805	KEY ELECTRICAL TOWER LIGHTS B (4)	39-12-58.561N 076-31-58.740W	Q W	22		Tower on concrete foundation.	Private Aid.	22/22
	*	*	*	*	*	*	*	
20810	KEY ELECTRICAL TOWER LIGHTS C (4)	39-13-13.789N 076-31-38.785W	Q W	22		Tower on concrete foundation.	Private Aid.	22/22
	*	*	*	*	*	*	*	
20815	KEY ELECTRICAL TOWER LIGHTS D (4)	39-13-26.608N 076-31-21.983W	Q W	22		Tower on concrete foundation.	Private Aid.	22/22
	*	*	*	*	*	*	*	
20820	KEY ELECTRICAL TOWER LIGHTS E (4)	39-13-39.427N 076-31-05.179W	Q W	22		Tower on concrete foundation.	Private Aid.	22/22
	*	*	*	*	*	*	*	
22695	BROAD CREEK CHANNEL LIGHT 12						Remove from list.	22/22
							*	
22700	Broad Creek Channel Daybeacon 13						Remove from list.	22/22
							*	
22700	Broad Creek Channel Buoy 13	37-56-19.866N 075-51-29.488W				Green can.		22/22
	*	*	*	*	*	*	*	
28027 27-Sep-22	<i>Oregon Inlet Lighted Buoy 13</i>	35-46-24.669N 075-31-58.982W	Fl G 2.5s		4	Green.		22/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28028	<i>Oregon Inlet Lighted Buoy 14</i>	35-46-29.131N 075-31-55.063W	Fl R 4s		4	Red.	22/22
		*					
28045	<i>Oregon Inlet Lighted Buoy 15</i>	35-46-25.935N 075-32-05.915W	Q G		4	Green.	22/22
		*					
28050	<i>Oregon Inlet Lighted Buoy 16</i>	35-46-30.387N 075-32-10.541W	Fl R 4s		4	Red.	22/22
		*					
28055	Oregon Inlet Buoy 17	35-46-28.505N 075-32-23.512W				Green can.	22/22
		*					
29495	<i>Bogue Inlet Lighted Buoy 1</i>	34-38-12.740N 077-05-47.105W	Fl G 2.5s		4	Green.	22/22
		*					
30015	New Topsail Inlet Buoy 6	34-20-22.318N 077-39-38.407W				Red nun.	22/22
		*					
30025	New Topsail Inlet Buoy 8	34-20-29.486N 077-39-50.925W				Red nun.	22/22
		*					
31015	<i>Lockwoods Folly Inlet Lighted Buoy 2</i>	33-54-28.656N 078-14-20.580W	Fl R 4s		5	Red.	22/22
		*					
35538	New Jersey Intracoastal Waterway Buoy 130B	39-29-52.132N 074-21-03.836W			*	Red nun with yellow triangle.	Maintained year round. 22/22
		*					
35540	New Jersey Intracoastal Waterway Buoy 131	39-29-50.253N 074-21-03.645W				Green can with yellow square.	22/22
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
6855	Great Machipongo Inlet Buoy 13	37-24-44.231N 075-45-40.827W				Green can.	21/22
	*		*		*	*	
9555	Norfolk International Terminal South Channel Buoy 2S	36-54-48.850N 076-20-11.125W				Red nun.	21/22
		*					
9560	<i>Norfolk International Terminal South Channel Lighted Buoy 4S</i>	36-54-43.351N 076-19-56.299W	Fl R 2.5s		4	Red.	21/22
		*					
17760	UPPER POTOMAC RIVER LIGHT 4	38-24-46.449N 077-02-19.556W	Fl R 4s	15	4	TR on multi-pile structure.	21/22
	*						
17765	Upper Potomac River Light 4						Remove from list.
							*
17765	UPPER POTOMAC RIVER CHANNEL LIGHT 5	38-24-18.805N 077-02-33.982W	Fl G 4s	44	4	SG on skeleton tower with small white house on piles.	21/22
	*		*				
17815	Upper Potomac River Channel Light 5						Remove from list.
							*
22665	BROAD CREEK SOUTH ENTRANCE WRECK LIGHT WR 2BC	37-54-58.697N 075-50-44.191W	Fl R 2.5s	15	4	TR on pile.	21/22
	*						
23260	<i>Big Thorofare West Lighted Buoy 15</i>	37-59-54.447N 076-02-07.708W	Q G		4	Green.	21/22
	*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
23370	<i>Daugherty Creek Channel Lighted Wreck Buoy WR5</i>						Remove from list.	21/22
24416	<i>Fishing Bay Lighted Wreck Buoy WR 4A</i>						* Remove from list.	21/22
28065	<i>Oregon Inlet Lighted Buoy 19</i>	35-46-28.848N 075-32-31.670W	Fl G 4s		4	Green.	*	21/22
28070	Oregon Inlet Channel Buoy 21	* 35-46-38.928N 075-32-40.344W				Green can.		21/22
28073	Oregon Inlet Channel Buoy 21A	* 35-46-38.928N 075-32-40.344W					Remove from list.	21/22
30048	Banks Slough Channel Buoy 2BS	34-20-35.904N 077-39-52.975W				Red nun.	*	21/22
30048.02	Banks Slough Channel Buoy 3	* 34-20-41.069N 077-39-49.291W				Green can.		21/22
30048.04	Banks Slough Channel Buoy 4	* 34-20-44.510N 077-39-42.692W				Red nun.		21/22
30048.06	Banks Slough Channel Buoy 5	* 34-20-50.323N 077-39-40.917W				Green can.		21/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7455	<i>USN Aerial Gunnery Area Lighted Wreck Buoy WR3</i>						Remove from list. *	20/22
35360	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 92						Remove from list. *	20/22
35360	<i>New Jersey Intracoastal Waterway Lighted Buoy 92</i>	39-35-47.410N 074-13-34.529W	Fl R 4s		4	Red with yellow triangle.		20/22
*	*	*	*	*	*	*	*	
35540	New Jersey Intracoastal Waterway Daybeacon 131						Remove from list. *	20/22
35540	New Jersey Intracoastal Waterway Buoy 131	39-29-50.678N 074-21-04.988W				Green can with yellow square.		20/22
*	*	*	*	*	*	*	*	
35540.1	New Jersey Intracoastal Waterway Daybeacon 131A						Remove from list. *	20/22
35540.1	New Jersey Intracoastal Waterway Buoy 131A	39-29-51.792N 074-21-23.085W				Green can with yellow square.		20/22
*	*	*	*	*	*	*	*	
35870	New Jersey Intracoastal Waterway Daybeacon 222 (WRECKAGE)						Remove from list. *	20/22
35870	<i>New Jersey Intracoastal Waterway Lighted Wreck Buoy WR222</i>	39-20-33.252N 074-30-41.166W	Q R		4	Red nun with yellow triangle.		20/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2167	Rehoboth Bay Channel Buoy 24A	38-36-28.218N 075-05-36.211W				Red Nun.		19/22
*	*	*	*	*	*	*	*	
4420	<i>Indian River Inlet Lighted Buoy 17</i>	38-36-04.714N 075-05-46.610W	Fl G 2.5s		4	Green.	Maintained from May. 1 to Dec. 10.	19/22
4430	Indian River Junction Buoy IR	*					Remove from list. *	19/22
28680	<i>South Ferry Terminal Lighted Buoy 1SF</i>	35-11-22.308N 075-45-34.638W	Q G		4	Green.		19/22
*	*	*	*	*	*	*	*	
28682	South Ferry Terminal Lighted Buoy 1SF A	35-11-31.512N 075-45-42.878W	Fl G 2.5s		4	Green.		19/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28684	South Ferry Terminal Buoy 1SF B	35-11-34.746N 075-45-54.270W				Green Can.	19/22
*	*	*	*	*	*	*	*
28686	<i>South Ferry Terminal Lighted Buoy 2SF</i>	35-11-37.104N 075-45-59.256W	Fl R 4s		4		19/22
*	*	*	*	*	*	*	*
28690	South Ferry Terminal Buoy 3SF	35-11-38.250N 075-46-11.502W				Green Can.	19/22
*	*	*	*	*	*	*	*
28692	<i>South Ferry Terminal Lighted Buoy 4SF</i>	35-11-52.134N 075-46-19.728W	Fl R 2.5s		4	Red.	19/22
*	*	*	*	*	*	*	*
28694	South Ferry Terminal Buoy 4SF A	35-12-03.960N 075-46-28.830W				Red Nun.	19/22
*	*	*	*	*	*	*	*
28694	South Ferry Terminal Lighted Buoy 4SF						Remove from list.
28695	South Ferry Terminal Buoy 4SF A						Remove from list.
28696	South Ferry Terminal Buoy 5SF	35-11-59.574N 075-46-27.450W				Green Can.	19/22
*	*	*	*	*	*	*	*
28698	<i>South Ferry Terminal Buoy 6SF</i>	35-12-07.776N 075-46-38.874W				Red Nun.	19/22
*	*	*	*	*	*	*	*
28699.1	<i>South Ferry Terminal Lighted Buoy 1SF</i>	35-11-22.308N 075-45-34.638W					Remove from list.
28699.5	South Ferry Terminal Lighted Buoy 1SF A	35-11-31.512N 075-45-42.878W					Remove from list.
28700	<i>South Ferry Terminal Lighted Buoy 2SF</i>						Remove from list.
28700	<i>South Ferry Terminal Lighted Buoy 7SF</i>	35-12-03.042N 075-46-33.990W	Fl G 4s		4	Green.	19/22
*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28701	South Ferry Terminal Buoy 3SF	35-11-38.250N 075-46-11.502W					Remove from list. *	19/22
28702	South Ferry Terminal Buoy 7SF A	35-12-06.660N 075-46-46.320W				Green Can.		19/22
*	*	*	*	*	*	*	*	
28703	<i>South Ferry Terminal Lighted Buoy 4SF</i>	35-11-52.134N 075-46-19.728W					Remove from list. *	19/22
28704	<i>South Ferry Terminal Lighted Buoy 8SF</i>	35-12-15.990N 075-47-02.214W	Q R		4	Red.		19/22
*	*	*	*	*	*	*	*	
28705	South Ferry Terminal Buoy 5SF	35-11-59.574N 075-46-27.450W					Remove from list. *	19/22
28706	<i>South Ferry Terminal Lighted Buoy 9SF</i>	35-12-13.446N 075-47-01.476W	Fl G 2.5s		4	Green.		19/22
*	*	*	*	*	*	*	*	
28707	<i>South Ferry Terminal Buoy 6SF</i>	35-12-07.776N 075-46-38.874W					Remove from list. *	19/22
28715	<i>South Ferry Terminal Lighted Buoy 7SF</i>	35-12-03.042N 075-46-33.990W					Remove from list. *	19/22
28716	<i>South Ferry Terminal Lighted Buoy 8SF</i>	35-12-15.990N 075-47-02.214W					Remove from list. *	19/22
28717	<i>South Ferry Terminal Lighted Buoy 9SF</i>	35-12-13.446N 075-47-01.476W					Remove from list. *	19/22
28723.1	Barney Slough Channel Buoy 12A	35-13-09.534N 075-44-20.130W				Red nun.		19/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
168	NOAA Lighted Data Buoy 44009 (ODAS)	38-27-35.000N 074-41-31.000W	Fl (4)Y 20s		4	Yellow disc-shape hull.	Aid maintained by National Oceanic and Atmospheric Administration.	18/22
635	NOAA Lighted Data Buoy 41001 (ODAS)	* 34-42-52.000N 072-14-51.000W	Fl (4)Y 20s		5	Yellow boat-shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	18/22
2165.5	Rehoboth Bay Channel Buoy 23A	* 38-36-29.298N 075-05-29.669W				Green can.		18/22
* 10173	* Long Creek Lighted Buoy 7	* 36-54-14.886N 076-04-59.051W	* Q G	* *	* 4	* Green.	* *	18/22
* 10175	* Long Creek Warning Daybeacon D	* 36-54-15.476N 076-04-57.406W	* *	* *	* *	* NW on pile worded DANGER SHOAL D.	* *	18/22
29061	* Big Foot Slough Channel Buoy 9C	35-08-56.184N 076-00-40.368W				* Green can.		18/22
29190	Barden Inlet Buoy 10	* 34-37-45.024N 076-31-45.237W				Red nun.		18/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
5305	<i>Chincoteague Inlet Lighted Buoy 8</i>	37-52-19.695N 075-25-10.217W	Q R		4	Red.	17/22
5375	<i>Chincoteague Channel Lighted Buoy 24</i>	* 37-55-29.805N 075-23-34.840W	Fl R 4s		4	Red.	17/22
5385	<i>Chincoteague Channel Lighted Buoy 26</i>	* 37-55-43.275N 075-23-24.025W	Fl R 4s		4	Red.	17/22
12113	<i>NOAA Lighted Data Buoy J</i>	* 37-12-43.200N 076-47-06.000W	Fl Y 4s			Yellow.	Aid maintained by National Oceanic and Atmospheric Administration. 17/22
29500	Bogue Inlet Buoy 2	* 34-38-46.768N 077-06-26.805W				Red nun.	17/22
29520	<i>Emerald Isle Cut Lighted Junction Buoy EI</i>	* 34-38-51.647N 077-06-29.376W	Fl (2+1)R 6s		4	Red and Green bands.	17/22
29525	Emerald Isle Cut Buoy 1	* 34-39-00.135N 077-06-23.265W				Green can.	17/22
29530	Emerald Isle Cut Buoy 1A	*					Remove from list. 17/22
29570	Bogue Inlet Buoy 3A	34-38-49.722N 077-06-32.012W				Green can.	* 17/22
* 29595	* Bogue Inlet Buoy 8	* 34-39-08.148N 077-06-52.415W	*	*	*	* Red nun.	* 17/22
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
120	<i>Five Fathom Bank Lighted Buoy F</i>	38-46-49.031N 074-34-32.014W	Fl Y 2.5s		6	Yellow.	Synthetic AIS MMSI 993672390.	16/22
165	<i>Delaware Lighted Buoy D</i>	38-27-18.441N 074-41-46.607W	Fl Y 6s		6	Yellow.	Synthetic AIS MMSI 993672393.	16/22
1115	Little Egg Inlet Buoy 4	39-28-27.615N 074-17-44.623W				Red nun.		16/22
1485	<i>Delaware Bay Approach Lighted Whistle Buoy CH</i>	* 38-46-14.008N 075-01-19.539W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: K (- . -) Synthetic AIS MMSI 993672980.	16/22
2720	<i>Delaware River Lighted Buoy 11</i>	39-33-06.498N 075-32-36.920W	Q G		5	Green.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. Synthetic AIS MMSI 993672077.	16/22
2740	<i>Delaware River Lighted Buoy 13</i>	39-34-08.694N 075-33-05.718W	Fl G 4s		4	Green.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. Synthetic AIS MMSI 993672078.	16/22
10159	<i>Long Creek Lighted Buoy 2LC</i>	36-54-24.711N 076-05-27.897W	Q R		4	Red.		16/22
*	*	*	*	*	*	*	*	
10160	LONG CREEK WARNING LIGHT A	36-54-22.598N 076-05-27.622W	Fl W 4s	15	4	NW on pile worded DANGER SHOAL A.		16/22
10161	Long Creek Buoy 4	36-54-23.316N 076-05-19.924W				Red nun.		16/22
10162	<i>Long Creek Lighted Buoy 1A</i>	*	*	*	*	*	Remove from list.	16/22
10163	Long Creek Buoy 6	36-54-21.842N 076-05-15.777W				Red nun.	*	16/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
140	<i>Skipjack Wind Met Buoy SKJ</i>						Remove from list.	15/22
867.5	<i>UNC Wilmington Lighted Data Buoy S</i>	33-50-26.880N 078-29-15.720W	Fl Y 4s			Yellow	* Private Aid.	15/22
915	Barnegat Inlet Buoy 3	* 39-44-51.913N 074-04-59.105W				Green can.		15/22
7698	<i>Chesapeake Channel Lighted Wreck Buoy WR79B</i>	* 38-40-08.895N 076-25-40.590W	Q G		5	Green.		15/22
* 39620	* NEW RIVER - CAPE FEAR RIVER LIGHT 127	* 34-12-46.211N 077-49-01.626W	* Fl G 4s	* 15	* 4	* SG-SY on pile.	* 	15/22
40225	Cape Fear River - Little River Buoy 47	* 33-55-15.503N 078-14-01.416W				Green can with yellow square.		15/22
40230	Cape Fear River - Little River Buoy 47A	* 33-55-13.760N 078-14-10.685W				Green can with yellow square.		15/22
40340	Cape Fear River - Little River Buoy 81	* 33-54-25.150N 078-23-05.044W				Green can with yellow square.		15/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
405	<i>Chesapeake Bay Entrance Lighted Whistle Buoy CH</i>	36-56-08.358N 075-57-26.558W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: C (- . - .) Synthetic AIS MMSI: 993672978.	14/22
410	<i>Chesapeake Bay Southern Approach Lighted Whistle Buoy CB</i>	36-48-59.772N 075-45-36.028W	Mo (A) W		6	Red and white stripes with red spherical topmark.	* RACON: K (- . -) Synthetic AIS MMSI: 993672982.	14/22
7105	<i>Chesapeake Channel Lighted Buoy 13</i> 80 feet outside channel limit.	37-02-26.029N 076-04-17.015W	Fl G 4s		5	Green.	* Synthetic AIS MMSI: 993672080.	14/22
7110	<i>Chesapeake Channel Lighted Buoy 14</i> 80 feet outside channel limit.	37-02-31.030N 076-04-02.891W	Fl R 4s		5	Red.	Synthetic AIS MMSI: 993672081.	14/22
7240	<i>Chesapeake Channel Lighted Buoy 40</i>	37-21-49.519N 076-04-27.783W	Fl R 4s		5	Red.	* Replaced by nun when endangered by ice. Synthetic AIS MMSI: 993672084. *	14/22

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7275	<i>Chesapeake Channel Lighted Buoy 42</i>	37-25-37.113N 076-05-06.585W	FI R 4s		5	Red.	RACON: O (- - -)	14/22
7440	<i>Chesapeake Channel Lighted Buoy 62</i>	37-46-28.496N 076-10-16.304W	FI R 4s		5	Red.	* RACON: Y (- . - -) Replaced by nun when endangered by ice.	14/22
7515	<i>Chesapeake Channel Lighted Buoy 68</i>	37-59-53.480N 076-11-48.803W	FI R 2.5s		5	Red.	* RACON: X (- . . -) Replaced by nun when endangered by ice.	14/22
12143.6	BARRETTS POINT LIGHT 1	37-14-18.700N 076-51-47.700W	FI G 3s			SG on pile.	* Private Aid.	14/22
* 12143.65	* BARRETTS POINT LIGHT 2	* 37-14-19.300N 076-51-46.900W	* FI R 3s	* *	* *	* TR on pile.	* Private Aid.	* 14/22
* 12143.7	* <i>Barretts Point Lighted Buoy 2</i>	* *	* *	* *	* *	* *	* Remove from list.	* 14/22
12143.7	Barretts Point Daybeacon 3	37-14-22.400N 076-51-52.200W				SG on pile.	* Private Aid.	14/22
* 12143.71	* Barretts Point Daybeacon 3	* *	* *	* *	* *	* *	* Remove from list.	* 14/22
12143.72	Barretts Point Daybeacon 4						* Remove from list.	14/22
12143.73	BARRETTS POINT LIGHT 5						* Remove from list.	14/22
12143.74	BARRETTS POINT LIGHT 6						* Remove from list.	14/22
12143.75	BARRETTS POINT WARNING LIGHT						* Remove from list.	14/22
12143.75	Barretts Point Daybeacon 4	37-14-22.800N 076-51-51.400W				TR on pile.	* Private Aid.	14/22
* 12143.8	* BARRETTS POINT WARNING LIGHT	* 37-14-28.600N 076-51-54.200W	* FI W 3s	* 7	* *	* On pile.	* Private Aid.	* 14/22
* 12143.85	* BARRETTS POINT LIGHT 5	* 37-14-30.800N 076-51-55.900W	* FI G 6s	* 7	* *	* SG on pile.	* Private Aid.	* 14/22
* 27-Sep-22	* *	* *	* *	* *	* *	* *	* *	* 14/22

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12143.9	BARRETTS POINT LIGHT 6	37-14-30.500N 076-51-54.500W	Fl R 5s	7		TR on pile.	Private Aid.	14/22
*	*	*	*	*	*	*	*	
14860	Queens Creek Channel Buoy 10	37-29-12.195N 076-19-54.580W				Red nun.	Removed when endangered by ice.	14/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
18385	<i>Upper Potomac River Channel Lighted Buoy 67</i>	38-41-27.071N 077-06-36.905W	Fl G 4s		4	Green.	
18390	Upper Potomac River Channel Buoy 69	38-41-36.447N 077-05-49.738W				Green can.	*
18395	<i>Upper Potomac River Channel Lighted Buoy 71</i>	38-41-45.147N 077-05-12.337W	Fl G 2.5s		4	Green.	*
18510	<i>Upper Potomac River Channel Lighted Buoy 77</i>	38-42-22.446N 077-02-52.933W	Fl G 4s		4	Green.	*
18580	<i>Upper Potomac River Channel Lighted Buoy 84</i>	38-44-18.142N 077-02-09.932W	Fl R 4s		4	Red.	*
18615	Alexandria Channel Buoy 4	38-48-24.438N 077-02-02.932W				Red nun.	*
18620	<i>Alexandria Channel Lighted Buoy 6</i>	38-48-45.437N 077-02-00.932W	Fl R 2.5s		4	Red.	*
18660	<i>Alexandria Channel Lighted Buoy 7A</i>	38-49-49.865N 077-01-45.541W	Fl G 4s		4	Green.	*
18661	Alexandria Channel Buoy 7	38-49-23.378N 077-01-56.582W				Green can.	*
18705	<i>Hains Point Junction Lighted Buoy HP</i>	38-51-05.815N 077-01-19.731W	Fl (2+1)G 6s		4	Green and red bands.	*
18735	<i>Anacostia River Lighted Buoy 3</i>	38-51-47.734N 077-00-35.830W	Fl G 4s		4	Green.	Synthetic AIS MMSI 993672308.
18775	Georgetown Channel Buoy 2	38-51-16.265N 077-01-24.892W				Red nun.	*
21070	Colgate Creek Buoy 1C 260 feet outside channel limit.	39-15-02.666N 076-32-21.553W				Green can.	*

*

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
30237	<i>Wrightsville Channel Lighted Buoy 19</i>	34-12-34.646N 077-48-16.245W	Q G		4	Green.	14/22
34812	Beaufort Harbor Channel Warning Daybeacon B	* 34-42-21.695N 076-40-43.325W				NW on pile worded DANGER SUBMERGED JETTY.	14/22
*	*	*	*	*	*	*	*
17755	<i>Upper Potomac River Channel Lighted Buoy 2</i>	38-24-12.579N 077-00-33.923W	Fl R 4s		4	Red.	13/22
17910	<i>Upper Potomac River Channel Lighted Buoy 22</i>	38-21-26.481N 077-13-45.942W	Fl R 4s		4	Red.	* 13/22
17950	* <i>Upper Potomac River Channel Lighted Buoy 23</i>	38-21-52.780N 077-14-45.544W	Fl G 4s		4	Green.	* 13/22
18040	<i>Upper Potomac River Channel Lighted Buoy 33</i>	38-26-24.773N 077-16-19.947W	Q G		4	Green.	* 13/22
18155	<i>Upper Potomac River Channel Lighted Buoy 45</i>	38-33-38.360N 077-14-07.448W	Fl G 4s		4	Green.	* 13/22
	165 feet outside channel limit.						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
18235	<i>Upper Potomac River Channel Lighted Buoy 47</i>	38-34-19.459N 077-13-26.447W	Fl G 4s		4	Green.	* 13/22
18255	<i>Upper Potomac River Channel Lighted Buoy 51</i> 165 feet outside channel limit.	38-35-41.857N 077-12-02.446W	Fl G 4s		4	Green.	* 13/22
18345	<i>Upper Potomac River Channel Lighted Buoy 59</i>	38-37-49.753N 077-07-37.039W	Fl G 4s		4	Green.	* 13/22
18350	<i>Upper Potomac River Channel Lighted Buoy 60</i>	38-37-38.454N 077-07-20.139W	Fl R 4s		4	Red.	* 13/22
18365	<i>Upper Potomac River Channel Lighted Buoy 62</i>	38-39-28.550N 077-07-54.941W	Fl R 2.5s		4	Red.	* 13/22
18370	<i>Upper Potomac River Channel Lighted Buoy 64</i>	38-40-06.949N 077-07-53.041W	Fl R 4s		4	Red.	* 13/22
18735	<i>Anacostia River Lighted Buoy 3</i>	38-51-47.734N 077-00-35.830W	Fl G 4s		4	Green.	* Maintained from Mar. 15 to Dec. 1. Synthetic AIS MMSI 993672308. AIS Maintained year round. 13/22
22510	Pocomoke River Channel Buoy 2	37-57-22.924N 075-42-46.017W				Red nun.	* Maintained from Mar. 15 to Dec. 1. Synthetic AIS MMSI 993672362. AIS Maintained year round. 13/22
22520	Pocomoke River Channel Buoy 4	37-57-40.457N 075-42-08.245W				Red nun.	* Maintained from Mar. 15 to Dec. 1. Synthetic AIS MMSI 993672363. AIS maintained year round. 13/22
22540	Pocomoke River Channel Buoy 7	37-57-56.400N 075-41-30.495W				Green can.	* Synthetic AIS MMSI 993672364. 13/22

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22555	Pocomoke River Channel Buoy 8	37-57-58.935N 075-41-05.476W				Red nun.	Maintained from Mar. 15 to Dec. 1. Synthetic AIS MMSI 993672365. AIS maintained year round.	13/22
22575	Pocomoke River Channel Buoy 11	37-57-51.228N 075-40-15.506W				Green can.	* Maintained from Mar. 15 to Dec. 1. Synthetic AIS MMSI 993672366. AIS maintained year round.	13/22
31015	<i>Lockwoods Folly Inlet Lighted Buoy 2</i>	33-54-28.656N 078-14-20.580W	Fl R 4s		6	Red.	*	13/22

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
720 29270	<i>Beaufort Inlet Channel Lighted Whistle Buoy BM</i>	34-36-39.857N 076-41-11.990W	Mo (A) W		6	Red and white stripes with red spherical topmark.	Synthetic AIS MMSI 993672329.	12/22
860 30316	<i>Cape Fear River Entrance Lighted Whistle Buoy CF</i>	33-46-16.729N 078-03-01.583W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: C (- . - .) On channel centerline. Synthetic AIS MMSI 993672156.	12/22
4755	<i>Ocean City Inlet Lighted Buoy 11</i>	38-19-36.867N 075-05-42.538W	Fl G 2.5s		4	Green.	*	12/22
7682	<i>Chesapeake Channel Lighted Buoy 78A</i>	* 38-34-42.030N 076-25-53.016W	Fl R 2.5s		5	Red.	Replaced by LIB of reduced intensity when endangered by Synthetic AIS MMSI 993672085.	12/22
8870	<i>Upper Chesapeake Channel Lighted Buoy 45</i>	39-22-10.870N 076-07-45.478W	Fl G 2.5s		4	Green.	* Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. Synthetic AIS MMSI 993672086.	12/22
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8875	<i>Upper Chesapeake Channel Lighted Buoy 46</i>	39-22-05.862N 076-07-41.382W	Fl R 2.5s		5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. Synthetic AIS MMSI 993672087.	12/22
8895	<i>Upper Chesapeake Channel Lighted Buoy 47</i>	39-22-50.775N 076-06-10.221W	Fl G 4s		5	Green.	* Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. Synthetic AIS MMSI 993672088.	12/22
8900	<i>Upper Chesapeake Channel Lighted Buoy 48</i>	39-22-45.368N 076-06-07.084W	Fl R 4s		5	Red.	* Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. AIS: Synthetic MMSI 993672089.	12/22
8925	<i>Elk River Channel Lighted Buoy 1ER</i>	39-23-51.269N 076-03-16.844W	Fl G 2.5s		5	Green.	* Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. AIS: Synthetic MMSI 993672090.	12/22
10524	<i>Little Creek Harbor Lighted Buoy 7</i>	36-55-28.916N 076-10-35.840W	Fl G 2.5s		4	Green.	* NW on pile.	12/22
*	*	*	*	*	*	*	*	
10525	Little Creek Harbor Warning Daybeacon A	36-55-25.763N 076-10-33.707W						12/22
29061	Big Foot Slough Channel Buoy 9C	35-08-55.272N 076-00-41.088W					* Green can.	12/22
29070.2	Big Foot Slough Channel Buoy 10C	* 35-08-59.850N 076-00-40.200W					Red nun.	12/22
29270 720	<i>Beaufort Inlet Channel Lighted Whistle Buoy BM</i>	* 34-36-39.857N 076-41-11.990W	Mo (A) W		6	Red and white stripes with red spherical topmark.	Synthetic AIS MMSI 993672329.	12/22
30316 860	<i>Cape Fear River Entrance Lighted Whistle Buoy CF</i>	33-46-16.729N 078-03-01.583W	Mo (A) W		6	Red and white stripes with red spherical topmark.	* RACON: C (- . - .) On channel centerline. Synthetic AIS MMSI 993672156.	12/22
39223	Bogue Sound - New River Buoy 61A	34-35-49.915N 077-14-32.100W					* Green can with yellow square.	12/22

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
562.5	<i>Kitty Hawk Wind Lighted Met Buoy KH2</i>	36-15-25.900N 075-03-27.000W	Fl (5)Y 20s			Yellow.	Physical AIS MMSI: 99367562 Private Aid.	11/22
635	<i>NOAA Lighted Data Buoy 41001 (ODAS)</i>	34-43-05.180N 072-14-12.270W	Fl (4)Y 20s		5	Yellow boat-shaped hull.	* Aid maintained by National Oceanic and Atmospheric Administration.	11/22
1115	Little Egg Inlet Buoy 4	* 39-28-33.366N 074-17-57.255W				Red nun.		11/22
9965 36815	Elizabeth River Southern Branch Buoy 5 75 feet outside channel limit.	* 36-47-28.019N 076-18-01.685W				Green can with yellow square.		11/22
18812	St. Jerome Creek Buoy 5	* 38-07-12.838N 076-20-30.099W				Green can.	Maintained from Mar. 15 to Dec. 1.	11/22
34315	<i>Trent River Lighted Wreck Buoy 20</i>	* 35-04-14.760N 077-07-56.029W	Q R		4	Red.		11/22
36815 9965	* Elizabeth River Southern Branch Buoy 5 75 feet outside channel limit.	* 36-47-28.019N 076-18-01.685W	*		*	* Green can with yellow square.		11/22
38745	Causeway Channel Buoy 7A	* 34-42-42.666N 076-44-08.604W				Green can.		11/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
635	<i>NOAA Lighted Data Buoy 41001 (ODAS)</i>	34-43-05.180N 072-14-12.270W	Fl (4)Y 20s		5	Yellow boat-shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	10/22
1980	Nantuxent Creek Warning Daybeacon A	* 39-16-56.866N 075-14-22.447W				NR on pile.	Private Aid.	10/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1981	Nantuxent Creek Warning Daybeacon B	39-16-58.373N 075-14-20.030W				NR on pile.	Private Aid.	10/22
*	*	*	*	*	*	*	*	
1982	Nantuxent Creek Warning Daybeacon C	39-16-59.395N 075-14-18.021W				NR on pile.	Private Aid.	10/22
*	*	*	*	*	*	*	*	
8595	UPPER CHESAPEAKE CHANNEL RANGE FRONT LIGHT	39-19-12.557N 076-12-58.445W	Fl W 2.5s (NIGHT)	35 38		On yellow mono-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.	10/22
			Fl W 2.5s (DAY)					
8600	UPPER CHESAPEAKE CHANNEL RANGE REAR LIGHT	39-19-37.215N 076-12-49.681W	Oc W 4s (NIGHT)	64 61		Tower on yellow mono-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 4.0° either side of rangeline.	10/22
	863 yards, 015° from front light.		Oc W 4s (DAY)					
9485	Naval Base Pier Buoy 1	36-57-41.479N 076-19-53.517W				Green can.		10/22
		*						
14057	Mobjack Bay Channel Buoy MB						Remove from list.	10/22
							*	
14070	Mobjack Bay Channel Daybeacon 6MB	37-18-05.443N 076-18-50.148W				TR on pile.		10/22
		*						
17765	UPPER POTOMAC RIVER LIGHT 4	38-24-46.449N 077-02-19.556W	Fl R 4s	15	4	TR on multi-pile structure.		10/22
	*							
17825	UPPER POTOMAC RIVER LIGHT 6	38-24-09.341N 077-04-57.256W	Fl R 6s	15	4	TR on multi-pile structure.		10/22
	*							
17880	UPPER POTOMAC RIVER LIGHT 9	38-22-32.720N 077-08-36.249W	Fl G 4s	15	4	SG on multi-pile structure.		10/22
	*							
17910	Upper Potomac River Channel Lighted Buoy 22	38-21-26.481N 077-13-45.942W	Fl R 4s		4	Red.	Replaced by nun when endangered by ice.	10/22

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28290	Old House Channel Daybeacon 14	35-43-37.712N 075-37-10.221W				TR on pile.		10/22
39467	* New River - Cape Fear River Lighted Wreck Buoy WR71A						Remove from list. *	10/22
363	CVOW Lighted Meteorological Buoy D						Remove from list. *	09/22
363.1	CVOWC Lighted Meteorological Buoy FL1	36-50-44.239N 075-25-50.673W	Fl (5)Y 20s			Yellow.	AIS Physical MMSI: 993663044 Private Aid.	09/22
363.3	* CVOWC Lighted Meteorological Buoy FL2	* 36-58-07.318N 075-14-41.710W	* Fl (5)Y 20s	* *	* *	* Yellow.	* AIS Physical MMSI: 993663045 Private Aid.	* 09/22
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
790 29650	<i>New River Inlet Lighted Whistle Buoy NR</i>	34-31-00.211N 077-19-35.566W	Mo (A) W		6	Red and white stripes with red spherical topmark.		09/22
1091	Oyster Creek Channel Buoy 38A	* 39-47-31.608N 074-09-19.387W				Red nun.	Removed when endangered by ice.	09/22
4305	Upper Delaware River Channel Buoy 97	* 40-10-40.498N 074-44-18.497W				Green can.		09/22
4755	<i>Ocean City Inlet Lighted Buoy 11</i>	* 38-19-38.683N 075-05-44.158W	FI G 2.5s		4	Green.		09/22
5305	<i>Chincoteague Inlet Lighted Buoy 8</i>	* 37-52-24.671N 075-25-09.851W	Q R		4	Red.		09/22
5310	<i>Chincoteague Channel Lighted Buoy 9</i>	* 37-52-34.252N 075-25-04.580W	Q G		4	Green.		09/22
5315	<i>Chincoteague Channel Lighted Buoy 10</i>	* 37-52-41.133N 075-24-43.178W	FI R 2.5s		4	Red.		09/22
9704	<i>APM Terminal Channel Lighted Buoy 7</i>	* 36-52-13.122N 076-20-45.840W	FI G 4s		5	Green.		09/22
17750	Upper Potomac River Channel Buoy 1	*					Remove from list.	09/22
17750	<i>Upper Potomac River Lighted Buoy 1UP</i>	38-23-09.071N 077-00-21.248W	Q G		4	Green.	*	09/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5460	GREENBACKVILLE EAST JETTY LIGHT 2	38-00-22.371N 075-23-17.139W	FI R 2.5s	15	4	TR on pile.		08/22
28052	Oregon Inlet Buoy 16A				*		Remove from list.	08/22
28761	Hatteras Inlet Channel Bouy 18A	35-12-30.153N 075-43-09.806W				Red nun.	*	08/22
*	*	*	*	*	*	*	*	
28765	<i>Hatteras Inlet Channel Lighted Buoy 19</i>	35-12-15.726N 075-43-15.366W	FI G 2.5s		4	Green.	*	08/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
29070.23	Big Foot Slough Channel Buoy 10D	35-09-03.047N 076-00-41.698W				Red nun.	08/22	
30140 39520	NEW RIVER - CAPE FEAR RIVER JUNCTION LIGHT BC	* 34-24-37.848N 077-35-41.288W	Fl (2+1)G 6s	15	4	JG-SY on pile.	08/22	
30338	* SOUTHPORT RANGE OUTBOUND PRECISION DIRECTIONAL LIGHT	33-52-57.178N 077-59-53.979W	F W Iso G 2s Iso R 2s	46		On tower with Bald Head Shoal Rear Range. Visible white in center of outbound channel.	Operated by VHF/FM 81A/157.075Mhz key microphone 5 times consecutively, to activate optic signal for 15 minutes. Iso G 2s 138° to 139°, F W on center line of channel from 139° to 140°, Iso R 2s from 140° to 141°.	08/22
30960	* CAPE FEAR RIVER JUNCTION LIGHT A	34-14-26.463N 077-57-17.374W	Fl (2+1)G 6s	15	4	JG on multi-pile structure.	08/22	
38935	Bogue Sound Daybeacon 23	34-43-00.442N 076-54-47.857W				* SG-SY on pile.	08/22	
39520 30140	NEW RIVER - CAPE FEAR RIVER JUNCTION LIGHT BC	* 34-24-37.848N 077-35-41.288W	Fl (2+1)G 6s	15	4	JG-SY on pile.	08/22	

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28753	<i>Hatteras Inlet Channel Lighted Buoy 17</i>	35-12-09.902N 075-43-36.644W	Q G		4	Green.	07/22
28760	Hatteras Inlet Channel Buoy 18	* 35-12-19.317N 075-43-12.052W				Red nun.	07/22
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2715	Salem River Entrance Channel 14 V-AIS	39-34-15.735N 075-29-53.272W					Virtual AIS AIS: MMSI 993672159	06/22
							*	
7892	William P. Lane Jr. Bridge V-AIS SE	38-59-33.509N 076-22-47.075W					Virtual AIS AIS: MMSI 993672316	06/22
							*	
7892.1	William P. Lane Jr. Bridge V-AIS SW	38-59-37.853N 076-23-04.985W					Virtual AIS AIS: MMSI 993672315	06/22
							*	
7894	William P. Lane Jr. Bridge V-AIS NE	38-59-37.798N 076-22-45.353W					Virtual AIS AIS: MMSI 993672318	06/22
							*	
7894.1	William P. Lane Jr. Bridge V-AIS NW	38-59-41.764N 076-23-03.371W					Virtual AIS AIS: MMSI 993672317	06/22
							*	
8237	Francis Scott Key Bridge V-AIS SE	39-12-55.001N 076-31-43.476W					Virtual AIS AIS: MMSI 993672313	06/22
							*	
8237.1	Francis Scott Key Bridge V-AIS SC	39-12-57.869N 076-31-46.518W					Virtual AIS AIS: MMSI 993672312	06/22
							*	
8237.2	Francis Scott Key Bridge V-AIS SW	39-13-01.727N 076-31-50.430W					Virtual AIS AIS: MMSI 993672314	06/22
							*	
8238	Francis Scott Key Bridge V-AIS NE	39-13-02.291N 076-31-33.834W					Virtual AIS AIS: MMSI 993672310	06/22
							*	
8238.1	Francis Scott Key Bridge V-AIS NC	39-13-05.129N 076-31-36.966W					Virtual AIS AIS: MMSI 993672309	06/22
							*	
8238.2	Francis Scott Key Bridge V-AIS NW	39-13-09.029N 076-31-40.998W					Virtual AIS AIS: MMSI 993672311	06/22
							*	
12820	Horseshoe Crossing HC V- AIS	37-01-19.753N 076-08-56.585W					Virtual AIS AIS: MMSI 993672437	06/22
							*	
28753	<i>Hatteras Inlet Channel Lighted Buoy 17</i>	35-12-11.402N 075-43-39.958W	Q G		4	Green.		06/22
							*	
28780	Hatteras Inlet Channel Junction Daybeacon HF	35-12-48.119N 075-42-42.235W				JR on pile.		06/22
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1535	BROWN SHOAL LIGHT	38-55-21.073N 075-06-00.672W	Fl W 2.5s	23	7	NB on skeleton tower.	RACON: B (- . . .) Synthetic AIS AIS: MMSI 993672627.	05/22
12820	Horseshoe Crossing HC V- AIS	37-01-19.753N 076-08-56.585W					* Virtual AIS AIS: MMSI 993672437	05/22
28721.2	Barney Slough Channel Buoy 1C	35-12-19.616N 075-47-16.289W				Green can.	*	05/22
28721.4	* Barney Slough Channel Buoy 2A	35-12-48.976N 075-47-03.254W				Red nun.		05/22
28780	* Hatteras Inlet Channel Junction Daybeacon HF	35-12-48.119N 075-42-42.235W				JG on pile.		05/22
29410	* <i>Morehead City Channel Lighted Buoy 15</i>	34-41-46.462N 076-40-18.651W	Q G		4	Green.		05/22
31010	* <i>Lockwoods Folly Inlet Lighted Buoy 1</i>	33-54-26.949N 078-14-22.464W	Fl G 4s		6	Green.		05/22
31015	* <i>Lockwoods Folly Inlet Lighted Buoy 2</i>	33-54-28.656N 078-14-22.580W	Fl R 4s		6	Red.		05/22
34820	* Beaufort Harbor Channel Buoy 3A	34-42-21.927N 076-40-42.353W				Green can.		05/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
925	<i>Barnegat Inlet Lighted Buoy 4</i>	39-44-57.955N 074-04-55.240W	Fl R 6s		5	Red.	04/22
1535	BROWN SHOAL LIGHT	* 38-55-21.073N 075-06-00.672W	Fl W 2.5s	23	7	NB on skeleton tower.	RACON: B (- . . .) AIS: MMSI 993672627. 04/22
8850	Shad Battery Shoal Buoy 1A						* Remove from list. 04/22 *

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8855	Taylor Island Shoal Buoy 1						Remove from list.	04/22
							*	
26710	Corsica River Junction Buoy CR						Remove from list.	04/22
							*	
26710	Corsica River Junction Daybeacon CR	39-05-19.302N 076-09-24.534W				JR on pile.		04/22
*	*	*	*	*	*	*	*	
26715	Corsica River Buoy 2						Remove from list.	04/22
							*	
26715	Corsica River Daybeacon 2	39-04-56.422N 076-08-14.837W				TR on pile.		04/22
*	*	*	*	*	*	*	*	
27305	Bush River Approach Junction Buoy						Remove from list.	04/22
							*	
27310	BUSH RIVER APPROACH BUOY 2						Remove from list.	04/22
							*	
27310	BUSH RIVER LIGHT 2B	39-20-03.616N 076-13-46.160W	Fl R 2.5s	15	4	TR on multi-pile structure.		04/22
*	*	*	*	*	*	*	*	
27315	<i>Bush River Lighted Buoy 3</i>						Remove from list.	04/22
							*	
27315	BUSH RIVER LIGHT 3	39-21-02.740N 076-15-06.570W	Fl G 2.5s	15	4	SG on pile.		04/22
*	*	*	*	*	*	*	*	
27320	Bush River Buoy 4						Remove from list.	04/22
							*	
27320	Bush River Daybeacon 4	39-21-23.813N 076-15-15.564W				TR on pile.		04/22
*	*	*	*	*	*	*	*	
28703	<i>South Ferry Terminal Lighted Buoy 4SF</i>	35-11-40.582N 075-46-27.177W	Fl R 2.5s		4	Red.		04/22
		*						
28705	South Ferry Terminal Buoy 5SF	35-11-39.206N 075-46-25.683W				Green can.		04/22
		*						
28707	<i>South Ferry Terminal Buoy 6SF</i>	35-11-39.880N 075-46-39.017W				Red nun.		04/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28715	<i>South Ferry Terminal Lighted Buoy 7SF</i>	35-11-37.761N 075-46-38.337W	Fl G 4s		4	Green.	04/22
28716	<i>South Ferry Terminal Lighted Buoy 8SF</i>	* 35-11-37.508N 075-46-49.518W	Q R		4	Red.	04/22
28717	<i>South Ferry Terminal Lighted Buoy 9SF</i>	* 35-11-36.518N 075-46-48.000W	Fl G 2.5s		4	Green.	04/22

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28732.1	Hatteras Inlet Channel Lighted Buoy 12A	35-12-23.448N 075-43-51.822W	Fl R 2.5s		4	Red.		04/22
28735.6	Hatteras Inlet Channel Lighted Buoy 14	* 35-12-08.766N 075-43-51.624W	Fl R 2.5s		4	Red.		04/22
28736	Hatteras Inlet Channel Buoy 15	* 35-12-10.728N 075-43-49.848W				Green can.		04/22
29520	Emerald Isle Cut Lighted Junction Buoy EI	* 34-38-51.534N 077-06-28.772W	Fl (2+1)R 6s		4	Red and Green bands.		04/22
29525	Emerald Isle Cut Buoy 1	* 34-38-55.942N 077-06-27.481W				Green can.		04/22
30050	BANKS CHANNEL LIGHT 1	*					Remove from list.	04/22
30050	Banks Channel Lighted Buoy 1	34-21-06.350N 077-39-10.468W	Fl G 4s		4	Green.	*	04/22
* 30055	* BANKS CHANNEL LIGHT 2	* *	* *	* *	* *	* *	* Remove from list.	04/22
30055	Banks Channel Lighted Buoy 2	34-21-13.580N 077-38-52.216W	Fl R 4s		4	Red.	*	04/22
* 30065	* Banks Channel Daybeacon 3	* *	* *	* *	* *	* *	* Remove from list.	04/22
30065	Banks Channel Buoy 3	34-21-34.882N 077-38-35.628W				Green can.		04/22
* 30085	* Banks Channel Daybeacon 9	* *	* *	* *	* *	* *	* Remove from list.	04/22
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
30085	Banks Channel Buoy 9	34-22-29.276N 077-37-22.710W				Green can.		04/22
*	*	*	*	*	*	*	*	
30090	Banks Channel Daybeacon 9A						Remove from list.	04/22
30090	Banks Channel Buoy 9A	34-22-37.945N 077-37-06.989W				Green can.	*	04/22
*	*	*	*	*	*	*	*	
30095	BANKS CHANNEL LIGHT 11						Remove from list.	04/22
30095	<i>Banks Channel Lighted Buoy 11</i>	34-22-56.310N 077-36-51.681W	Fl G 4s		4	Green.	*	04/22
*	*	*	*	*	*	*	*	
30105	Banks Channel Daybeacon 13						Remove from list.	04/22
30105	Banks Channel Buoy 13	34-23-22.618N 077-36-08.838W				Green can.	*	04/22
*	*	*	*	*	*	*	*	
30110	Banks Channel Daybeacon 14	34-23-34.871N 077-35-50.038W					*	04/22
*	*	*	*	*	*	*	*	
30115	Banks Channel Daybeacon 15						Remove from list.	04/22
30115	Banks Channel Buoy 15	34-23-48.989N 077-35-34.696W				Green can.	*	04/22
*	*	*	*	*	*	*	*	
30135	Banks Channel Daybeacon 21						Remove from list.	04/22
30135	Banks Channel Buoy 21	34-24-22.341N 077-35-36.196W				Green can.	*	04/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8441	TOLCHESTER CHANNEL RANGE FRONT LIGHT	39-08-07.859N 076-20-07.902W	Fl W 2.5s (NIGHT) Fl W 2.5s (DAY)	23		On yellow mono-pile structure.	Lighted throughout 24 hours. DAY/NIGHT Visible 1.5° either side of rangeline. NIGHT: Visible all around with higher intensity on range line.	03/22
29500	Bogue Inlet Buoy 2	34-38-45.819N 077-06-22.097W	*	*		Red nun.	*	03/22
38643	Money Island Channel Buoy 1	* 34-42-35.967N 076-43-17.620W				Green can.		03/22
38731	Causeway Channel Buoy 5A	* 34-42-49.649N 076-44-01.956W				Green can.		03/22
38735	Causeway Channel Buoy 6	* 34-42-51.499N 076-43-58.377W				Red nun.		03/22
40230	Cape Fear River - Little River Buoy 47A	* 33-55-14.770N 078-14-10.851W				Green can with yellow square.		03/22
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
23995	NANTICOKE CUT LIGHT 4	38-16-12.165N 075-54-48.904W	FI R 4s	15	4	TR on pile.		02/22
28193	Oregon Inlet Channel Warning Daybeacon A				*		Remove from list.	02/22
28193	<i>Oregon Inlet Channel Lighted Buoy 54</i>	35-47-21.213N 075-34-19.986W	Q R		4	Red.	*	02/22
*	*	*	*	*	*	*	*	
28194	Oregon Inlet Channel Warning Daybeacon A	35-47-21.041N 075-34-16.897W				NW on pile worded DANGER SHOAL.		02/22
*			*	*	*	*		
29880	NEW RIVER CHANNEL LIGHT 42	34-39-35.945N 077-21-55.169W	FI R 4s	15	4	TR on pile.		02/22
30675 39890	UPPER MIDNIGHT CHANNEL NORTH RANGE FRONT LIGHT	34-03-22.904N 077-56-25.386W	Q W (NIGHT) Q W (DAY)	17	*	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.	02/22
30680 39895	UPPER MIDNIGHT CHANNEL NORTH RANGE REAR LIGHT 877 yards, 358.6° from front light.	34-03-48.939N 077-56-25.652W	Iso W 6s (NIGHT) Iso W 6s (DAY)	51	*	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline.	02/22
33395 38255	BAY POINT LIGHT On south end of shoal.	35-10-21.328N 076-30-19.004W	FI W 4s	15	5	NB on pile.		02/22
38255 33395	BAY POINT LIGHT On south end of shoal.	35-10-21.328N 076-30-19.004W	FI W 4s	15	5	NB on pile.		02/22
39890 30675	UPPER MIDNIGHT CHANNEL NORTH RANGE FRONT LIGHT	34-03-22.904N 077-56-25.386W	Q W (NIGHT) Q W (DAY)	17	*	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline.	02/22
39895 30680	UPPER MIDNIGHT CHANNEL NORTH RANGE REAR LIGHT 877 yards, 358.6° from front light.	34-03-48.939N 077-56-25.652W	Iso W 6s (NIGHT) Iso W 6s (DAY)	51	*	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline.	02/22
27-Sep-22				*				

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
562	<i>Kitty Hawk Wind Lighted Meteorological Buoy KHW</i>	36-24-40.800N 075-13-56.904W	Fl Y 4s			Yellow.	Private Aid. 01/22
562.5	<i>Kitty Hawk Wind Lighted Met Buoy KH2</i>	36-15-25.900N 075-03-27.000W	Fl (5)Y 20s			Yellow. *	Private Aid. 01/22
* 562.7	* <i>Kitty Hawk Wind Lighted Met Buoy KH3</i>	* 36-15-26.700N 075-03-22.700W	* Fl Y 4s	* 	* 	Yellow. *	Private Aid. *
* 40110	* Cape Fear River - Little River Daybeacon 28	* 33-55-19.431N 078-11-42.104W	* 	* 	* 	TR-TY on pile. *	01/22

*