

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
3745	Folly River Buoy 11	32-38-24.986N 079-59-04.048W				Green can.	39/22
15040	GARRISON BIGHT CHANNEL LIGHT 18	* 24-33-56.828N 081-47-20.287W	Fl R 4s	16	5	TR on pile.	39/22
670	<i>Scripps Wave Lighted Buoy B</i>	* 27-33-06.500N 080-13-01.900W	Fl (5)Y 20s			Yellow can. Marked "Wave Buoy"	Private Aid. 38/22
1367	<i>Scripps Wave Lighted Buoy A</i>	* 27-20-54.700N 084-16-30.200W	Fl (5)Y 20s			Yellow can. Marked "Wave Buoy"	Private Aid. 38/22
15428	<i>Satan Shoal Wave Data Lighted Buoy A CDIP STA 244</i>	* 24-24-15.400N 081-58-01.900W	Fl (5)Y 20s			Yellow sphere-shaped with antenna.	Private Aid. 38/22
22247	<i>Scripps Wave Data Lighted Buoy CDIP STA 214</i>	* 27-35-27.600N 082-55-51.100W	Fl (5)Y 20s			Yellow sphere-shaped with antenna.	Private Aid. 38/22
1795.1	Murrells Inlet Buoy 7A	* 33-31-55.719N 079-02-07.219W				Green can.	37/22
*	*	*	*	*	*	*	*
37615.5	Cumberland River Daybeacon 62	* 30-50-48.435N 081-28-42.444W				TR-TY on pile.	36/22

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
32470	CURRENT ROCK LIGHT	18-18-53.274N 064-50-04.068W	Fl W 6s	20	7	NR on skeleton tower.	Higher intensity beams toward Buck Island and Two Brothers.	35/22
		*						
37620	CUMBERLAND RIVER LIGHT 62A	30-50-43.543N 081-28-45.869W	Fl R 2.5s	12	5	TR-TY on pile.		34/22
		*						
12890.1	Yellow Shark Channel Buoy 22A	24-54-23.326N 080-39-27.270W				Red nun.	Private Aid.	33/22
*	*	*	*	*	*	*	*	*
12893	Yellow Shark Channel Buoy 23	24-54-24.903N 080-39-27.519W				Green can.	Private Aid.	33/22
*	*	*	*	*	*	*	*	*
12893.1	Yellow Shark Channel Buoy 23A	24-54-28.267N 080-39-15.886W				Green can.	Private Aid.	33/22
*	*	*	*	*	*	*	*	*
12893.2	Yellow Shark Channel Buoy 23B	24-54-36.423N 080-39-13.726W				Green can.	Private Aid.	33/22
*	*	*	*	*	*	*	*	*
12895	Yellow Shark Channel Buoy 24	24-54-26.662N 080-39-14.689W				Red nun.	Private Aid.	33/22
		*						
12895.1	Yellow Shark Channel Buoy 24A	24-54-29.116N 080-39-12.764W				Red nun.	Private Aid.	33/22
*	*	*	*	*	*	*	*	*
12895.2	Yellow Shark Channel Buoy 24B	24-54-36.409N 080-39-11.697W				Red nun.	Private Aid.	33/22
*	*	*	*	*	*	*	*	*
12905	Yellow Shark Channel Buoy 26	24-54-42.210N 080-39-06.809W				Red nun.	Private Aid.	33/22

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12905.1	Yellow Shark Channel Buoy	24-54-43.331N				Red nun.	Private Aid.	33/22
	26A	080-39-05.622W						
*	*	*	*	*	*	*	*	*
12913	Yellow Shark Channel Buoy	24-54-48.218N				Red nun.	Private Aid.	33/22
	28	080-38-59.710W						
*	*	*	*	*	*	*	*	*
60007	Kingfish Boat Ramp Daybeacon 1	27-29-48.990N 082-41-45.860W				SG on pile.	Private Aid.	33/22
*	*	*	*	*	*	*	*	*
60013	Kingfish Boat Ramp Daybeacon 3	27-29-49.610N 082-41-56.450W				SG on pile.	Private Aid.	33/22
*	*	*	*	*	*	*	*	*
60020.1	Kingfish Boat Ramp Daybeacon 5A	27-29-53.900N 082-42-01.840W				SG on pile.	Private Aid.	33/22
*	*	*	*	*	*	*	*	*
60040.1	Kingfish Boat Ramp Daybeacon 9A	27-29-57.060N 082-42-08.320W				SG on pile.	Private Aid.	33/22
*	*	*	*	*	*	*	*	*
4806	LONG ISLAND CROSSING UPPER RANGE REAR LIGHT PASSING LIGHTS	32-04-32.217N 080-57-38.072W	Fl W 4s			On the same structure as Long Island Crossing Upper Range Rear Light.	Two synchronized passing lights visible all around located on the NW and SE corners of platform.	32/22
			*					
13170.5	Indian Key Channel Daybeacon 7A	24-53-30.227N 080-41-00.959W				SG on pile.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*
13175.5	Indian Key Channel Daybeacon 8A	24-53-29.421N 080-40-57.525W				TR on pile.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*
13180.5	Indian Key Channel Daybeacon 9A	24-53-37.271N 080-41-08.645W				SG on pile.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*
13185.5	Indian Key Channel Daybeacon 10A	24-53-40.232N 080-41-06.063W				TR on pile.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
6625	St Marys South Jetty Buoy D	30-42-19.924N 081-24-33.041W				White can with orange bands and diamond worded JETTY.	31/22
35400	BEAUFORT RIVER LIGHT 231	* 32-27-13.340N 080-39-55.954W	Fl G 4s	16	5	SG-SY on pile.	31/22
46655	Lake Worth North Buoy 40	* 26-46-42.375N 080-02-47.731W				Red nun.	31/22
52165	Caloosahatchee River Daybeacon 5	* 26-43-00.226N 081-44-39.070W				SG-SY on pile.	31/22
		*					
	No corrections this week						30/22
	No corrections this week						29/22

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2080	<i>Winyah Bay Channel Lighted Buoy 25</i>	33-16-58.055N 079-15-22.139W	Fl G 4s		5	Green.		28/22
12597.2	Scout Key Daybeacon 2	* 24-39-29.736N 081-18-05.004W				TR on Pile.	Private Aid.	28/22
* 12597.3	* Scout Key Daybeacon 3	* 24-39-25.020N 081-18-11.232W	*	*	*	SG on pile.	Private Aid.	* 28/22
* 12597.4	* Scout Key Daybeacon 4	* 24-39-22.068N 081-18-19.692W	*	*	*	TR on pile.	Private Aid.	* 28/22
* 23505.5	* HILLSBOROUGH CUT D CHANNEL OUTBOUND RANGE REAR LIGHT PASSING LIGHTS	* 27-53-38.418N 082-25-56.233W	* Fl W 2.5s	*	*	On the same structure as Hillsborough Cut D Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the NW and SE corners of platform.	* 28/22
* 23670.5	* TAMPA BAY CUT G CHANNEL RANGE REAR LIGHT PASSING LIGHTS	* 27-47-41.005N 082-35-56.484W	* Fl W 2.5s	*	*	On the same structure as Tampa Bay Cut G Channel Range Rear Light.	Two synchronized passing lights visible all around located on the E and W corners of platform.	* 28/22
* 23725.5	* TAMPA BAY CUT J CHANNEL OUTBOUND RANGE REAR LIGHT PASSING LIGHTS	* 27-45-03.020N 082-34-19.683W	* Fl W 2.5s	*	*	On the same structure as Cut J Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the NE and SW corners of platform.	* 28/22
			*					
1100	<i>Fort Jefferson Lighted Buoy A</i>	24-33-59.700N 082-54-01.020W	Fl Y 2.5s			Yellow.	Private Aid.	27/22
* 1105	* Fort Jefferson Buoy B	* 24-33-59.820N 082-56-00.180W	*	*	*	Yellow can.	Private Aid.	* 27/22
* 1110	* <i>Fort Jefferson Lighted Buoy C</i>	* 24-34-00.060N 082-58-00.780W	* Fl Y 4s	*	*	Yellow.	Private Aid.	* 27/22
* 1115	* Fort Jefferson Buoy D	* 24-36-29.820N 082-58-00.240W	* Fl Y 4s	*	*	Yellow can.	Private Aid.	* 27/22
* 1115	* Fort Jefferson Buoy D	* 24-36-29.820N 082-58-00.240W	* Fl Y 4s	*	*	Yellow can.	Private Aid.	* 27/22

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1165	Fort Jefferson Buoy N	24-38-14.640N 082-47-12.180W				Yellow can.	Private Aid.	27/22
*	*	*	*	*	*	*	*	
1170	Fort Jefferson Lighted Buoy O	24-36-59.280N 082-48-01.200W	Fl Y 6s			Yellow.	Private Aid.	27/22
*	*	*	*	*	*	*	*	
1175	Fort Jefferson Buoy P	24-35-59.100N 082-50-00.780W				Yellow can.	Private Aid.	27/22
*	*	*	*	*	*	*	*	
1180	Fort Jefferson Buoy Q	24-35-00.240N 082-52-00.180W				Yellow can.	Private Aid.	27/22
*	*	*	*	*	*	*	*	
7398	Blount Island Turning Basin Buoy C	30-23-03.724N 081-32-28.439W				Yellow can.		27/22
*	*	*	*	*	*	*	*	
22605.5	TAMPA BAY CUT C CHANNEL INBOUND RANGE REAR LIGHT PASSING LIGHTS	27-42-12.117N 082-32-15.566W	Fl W 2.5s	20	5	On same structure as Cut C Channel Inbound Range Rear Light.	Two synchronized passing lights visible all around located on the SW and NE corners of the platform.	27/22
*	*	*	*	*	*	*	*	
22765.5	TAMPA BAY CUT E CHANNEL INBOUND RANGE REAR LIGHT PASSING LIGHT	27-46-24.768N 082-31-00.704W	Fl W 2.5s	20	3	On same structure as Cut E Channel Inbound Range Rear Light.	Visible all around. Located on NE corner.	27/22
*	*	*	*	*	*	*	*	
23029.5	BIG BEND PILOT CHANNEL RANGE REAR PASSING LIGHT	27-49-38.660N 082-24-48.258W	Fl W 2.5s	12	4	On same structure as Big Bend Pilot Channel Range Rear Light.	Passing light visible all around. Located on the SW and NE corners of the platform.	27/22
*	*	*	*	*	*	*	*	
40615	Ponce de Leon Cut Junction Buoy	29-03-27.312N 080-54-51.744W				Green and red bands with yellow square.		27/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2700	<i>Cooper River Lighted Buoy 45</i>	32-48-54.915N 079-55-16.910W	Fl G 6s		5	Green.		26/22
*	*	*	*	*	*	*	*	
2700	COOPER RIVER LIGHT 45						Remove from list.	26/22
							*	
7396	Blount Island Turning Basin Buoy A	30-23-06.806N 081-32-10.255W				Yellow can.		26/22
		*						
7397	<i>Blount Island Turning Basin Buoy B</i>	30-23-05.274N 081-32-19.313W				Yellow can.		26/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
26610	Pithlachascotee River Daybeacon 22	28-16-36.871N 082-44-25.627W				TR on pile.	26/22
60010	Kingfish Boat Ramp Daybeacon 2	* 27-29-50.170N 082-41-45.180W				TR on pile.	Private Aid. 26/22
60015	Kingfish Boat Ramp Daybeacon 4	* 27-29-50.680N 082-41-54.630W				TR on pile.	Private Aid. 26/22
60020	Kingfish Boat Ramp Daybeacon 5	* 27-29-52.450N 082-41-59.820W				SG on pile.	Private Aid. 26/22
60025	Kingfish Boat Ramp Daybeacon 6	* 27-29-54.980N 082-41-59.480W				TR on pile.	Private Aid. 26/22
60030	Kingfish Boat Ramp Daybeacon 7	* 27-29-55.460N 082-42-04.590W				SG on pile.	Private Aid. 26/22
60035	Kingfish Boat Ramp Daybeacon 8	* 27-29-57.630N 082-42-03.940W				TR on pile.	Private Aid. 26/22
60040	Kingfish Boat Ramp Daybeacon 9	* 27-29-58.710N 082-42-08.240W				SG on pile.	Private Aid. 26/22
60045	Kingfish Boat Ramp Daybeacon 10	* 27-30-02.190N 082-42-11.070W				TR on pile.	Private Aid. 26/22
60050	Kingfish Boat Ramp Daybeacon 11	* 27-29-55.310N 082-42-07.830W				SG on pile.	Private Aid. 26/22
60055	Kingfish Boat Ramp Daybeacon 12	* 27-29-55.240N 082-42-10.420W				TR on pile.	Private Aid. 26/22

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
168	<i>Capers Island Lighted Buoy C</i>	32-42-14.159N 079-37-18.598W	Fl Y 4s			Yellow.	Private Aid.	25/22
		*						
231	<i>CORMP Data Lighted Buoy NDBC 41066</i>	32-32-09.960N 079-39-21.240W	Fl Y 4s			Yellow.	Aid maintained by Coastal Ocean Research and Monitoring Program. Private Aid.	25/22
		*		*	*		*	
233	<i>CORMP Wave Data Lighted Buoy NDBC 41076</i>	32-32-10.200N 079-39-28.738W	Fl Y 2.5s			Yellow.	Aid maintained by Coastal Ocean Research and Monitoring Program. Private Aid.	25/22
		*		*	*		*	
297	<i>Fripp Island Lighted Buoy E</i>	32-16-23.400N 080-24-27.300W	Fl Y 4s			Yellow.	Private Aid.	25/22
		*						
12410	Old Sweat Bank East End Daybeacon	24-49-08.826N 080-51-44.119W				NB on pile.		25/22
		*						
43677.1	INDIAN RIVER LAGOON AQUACULTURE BOUNDARY LIGHT A	27-49-10.934N 080-27-16.729W	Fl Y 2.5s			NY on pile.	Private Aid.	25/22
		*		*	*		*	
43677.2	INDIAN RIVER LAGOON AQUACULTURE BOUNDARY LIGHT B	27-49-11.521N 080-27-05.670W	Fl Y 2.5s			NY on pile.	Private Aid.	25/22
		*		*	*		*	
43677.8	INDIAN RIVER LAGOON AQUACULTURE BOUNDARY LIGHT H	27-49-21.587N 080-27-06.282W	Fl Y 2.5s			NY on pile.	Private Aid.	25/22
		*		*	*		*	
43677.9	INDIAN RIVER LAGOON AQUACULTURE BOUNDARY LIGHT I	27-49-21.000N 080-27-17.399W	Fl Y 2.5s			NY on pile.	Private Aid.	25/22
		*		*	*		*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6140	<i>St Simons Sound Lighted Buoy 19</i>	31-07-40.676N 081-24-12.600W	Fl G 2.5s		5	Green.	24/22	
22558	PORT MANATEE CHANNEL OUTBOUND RANGE REAR LIGHT 2,800 yards, 307.9° from front light.	* 27-41-07.132N 082-38-17.563W	Iso W 6s (NIGHT) Iso W 6s (DAY)	53		On skeleton tower on piles.	Visible 0.5° each side of rangeline during the day, and 4° of rangeline at night. Lighted throughout 24 hours.	24/22

*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22605.5	TAMPA BAY CUT C INBOUND RANGE REAR LIGHT PASSING LIGHTS	27-42-12.117N 082-32-15.566W	Fl W 2.5s	20	5	On same structure as Cut C Channel Inbound Range Rear Light.	Two synchronized passing lights visible all around located on the SW and NE corners of the platform.	24/22
	*	*	*				*	
22708	TAMPA BAY CUT D CHANNEL INBOUND RANGE REAR LIGHT PASSING LIGHTS	27-45-12.110N 082-30-49.029W	Fl W 2.5s	16	5	On the same structure as Cut D Inbound Channel Range Rear Light.	Two synchronized passing lights visible all around located on the SW and NE corners of the platform.	24/22
	*	*	*				*	
22803	TAMPA BAY CUT F CHANNEL OUTBOUND RANGE REAR LIGHT PASSING LIGHTS	27-43-58.343N 082-31-21.425W	Fl W 2.5s	16	5	On the same structure as Cut F Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the SW and NE corners of the lower platform.	24/22
	*	*	*				*	
40853.1	MOSQUITO LAGOON AQUACULTURE BOUNDARY LIGHT A	28-56-53.988N 080-51-23.944W	Fl Y 2.5s			NY on pile.	Private Aid.	24/22
	*	*	*	*	*	*	*	
40853.2	MOSQUITO LAGOON AQUACULTURE BOUNDARY LIGHT B	28-56-54.474N 080-51-22.367W	Fl Y 2.5s			NY of pile.	Private Aid.	24/22
	*	*	*	*	*	*	*	
40853.3	MOSQUITO LAGOON AQUACULTURE BOUNDARY LIGHT C	28-56-57.462N 080-51-23.854W	Fl Y 2.5s			NY on pile.	Private Aid.	24/22
	*	*	*	*	*	*	*	
40853.4	MOSQUITO LAGOON AQUACULTURE BOUNDARY LIGHT D	28-56-57.163N 080-51-24.923W	Fl Y 2.5s			NY on pile.	Private Aid.	24/22
	*	*	*	*	*	*	*	
40853.5	MOSQUITO LAGOON AQUACULTURE BOUNDARY LIGHT E	28-57-08.532N 080-51-25.668W	Fl Y 2.5s			NY on pile.	Private Aid.	24/22
	*	*	*	*	*	*	*	
40853.6	MOSQUITO LAGOON AQUACULTURE BOUNDARY LIGHT F	28-57-08.568N 080-51-24.588W	Fl Y 2.5s			NY on pile.	Private Aid.	24/22
	*	*	*	*	*	*	*	
40853.7	MOSQUITO LAGOON AQUACULTURE BOUNDARY LIGHT G	28-57-11.981N 080-51-24.944W	Fl Y 2.5s			NY on pile.	Private Aid.	24/22
	*	*	*	*	*	*	*	
40853.8	MOSQUITO LAGOON AQUACULTURE BOUNDARY LIGHT H	28-57-11.905N 080-51-26.287W	Fl Y 2.5s			NY on pile	Private Aid.	24/22
	*	*	*	*	*	*	*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
4526	<i>Savannah River Entrance Channel Lighted Buoy 1SE</i>	31-56-33.805N 080-37-03.313W	Q G		4	Green.	23/22
4527	<i>Savannah River Entrance Channel Lighted Buoy 5SE</i>	31-57-19.897N 080-40-27.810W	FI G 4s		5	Green.	23/22
4527.5	<i>Savannah River Entrance Channel Lighted Buoy 6SE</i>	31-57-25.636N 080-40-26.011W	FI R 4s		5	Red.	23/22
4528	<i>Savannah River Entrance Channel Lighted Buoy 9SE</i>	31-58-01.910N 080-43-34.750W	FI G 2.5s		4	Green.	23/22
4528.5	<i>Savannah River Entrance Channel Lighted Buoy 10SE</i>	31-58-08.259N 080-43-32.241W	FI R 2.5s		4	Red.	23/22

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
4545	Tybee Range Channel V-AIS 1	31-58-17.495N 080-44-12.034W					AIS: MMSI 993672147 23/22
	*						
4550	Tybee Range Channel V-AIS 2	31-58-24.486N 080-44-07.675W					AIS: MMSI 993672148 23/22
	*						
7112.9	St Johns River V-AIS Pilot Boarding Area A	30-21-53.092N 081-10-32.213W					AIS: MMSI 993672255 23/22
	*						
7113	St Johns Approach V-AIS 1SJA	30-21-47.273N 081-12-19.429W					AIS: MMSI 993672250 23/22
	*						
7113.3	St Johns Approach V-AIS 5SJA	30-21-47.584N 081-14-04.967W					AIS: MMSI 993672270 23/22
	*						
7113.4	St Johns Approach V-AIS 6SJA	30-22-06.403N 081-14-17.443W					AIS: MMSI 993672249 23/22
	*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
7113.7	St Johns Approach V-AIS 9SJA	30-23-15.934N 081-17-52.629W					AIS: MMSI 993672998 23/22
	*						
7113.9	St Johns Approach V-AIS 11SJA	30-23-25.884N 081-18-35.449W					AIS: MMSI 993672273 23/22
	*						
7122	St Johns River V-AIS Pilot Boarding Area B	30-23-35.390N 081-19-08.416W					AIS: MMSI 993672066 23/22
	*						
7123	St Johns River Entrance V- AIS 1	30-23-35.752N 081-20-06.845W					AIS: MMSI# 993672262 23/22
	*						
7124	St Johns River Entrance V- AIS 2	30-23-44.173N 081-20-04.908W					AIS: MMSI 993672257 23/22
	*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
7396	Blount Island Turning Basin Buoy A	30-23-06.804N 081-32-10.256W				Yellow can.	23/22
7397	Blount Island Turning Basin Buoy B	30-23-05.274N 081-32-15.114W				Yellow can.	23/22
21833.01	Sarasota Seaweed Aquaculture Site 1 Lighted Buoy A	27-27-48.420N 082-42-38.880W	FI Y 2.5s			Yellow.	Private Aid. 23/22
*	*	*	*	*	*	*	*
21833.02	Sarasota Seaweed Aquaculture Site 1 Lighted Buoy B	27-27-43.850N 082-42-37.800W	FL Y 3s			Yellow.	Private Aid. 23/22
*	*	*	*	*	*	*	*
21834.01	Sarasota Seaweed Aquaculture Site 2 Lighted Buoy A	27-26-24.335N 082-43-24.737W	FI Y 2.5s			Yellow.	Private Aid. 23/22
*	*	*	*	*	*	*	*
21834.02	Sarasota Seaweed Aquaculture Site 2 Lighted Buoy B	27-26-19.806N 082-43-24.812W	FL Y 3s			Yellow.	Private Aid. 23/22
*	*	*	*	*	*	*	*
350	Tybee Lighted Buoy T						Remove from list. 22/22
							*
350 4530	Tybee V-AIS T	31-56-09.548N 080-35-03.436W					AIS: MMSI 993672996 22/22
*	*	*	*	*	*	*	*
863	USF C22 Research Buoy	25-10-12.000N 083-28-44.400W	FI Y 4s			Yellow disc-shaped with mast.	Aid maintained by the University of South Florida. Private Aid. 22/22
		*					

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1387	USF COMPS Lighted Buoy C10	27-10-08.400N 082-55-40.800W	Fl Y 4s			Yellow can.	Private Aid.	22/22
1387.1	USF COMPS Lighted Buoy C12	* 27-30-14.400N 083-42-46.800W	Fl Y 4s			Yellow can.	Private Aid.	22/22
1387.2	USF COMPS Lighted Buoy C13	* 26-00-43.200N 083-05-24.000W	Fl Y 4s			Yellow can.	Private Aid.	22/22
2445	Charleston Harbor South Jetty Buoy 2	* 32-43-51.341N 079-51-00.328W				Red nun.		22/22
4526.8	Savannah River Entrance Channel V-AIS 3SE	31-56-56.281N 080-38-42.979W				*	AIS: MMSI 993672665	22/22
4526.9	* Savannah River Entrance Channel V-AIS 4SE	31-57-02.020N 080-38-41.200W					AIS: MMSI 993672640	22/22
4527.8	* Savannah River Entrance Channel V-AIS 7SE	31-57-41.745N 080-42-04.947W					AIS: MMSI 993672638	22/22
4527.9	* Savannah River Entrance Channel V-AIS 8SE	31-57-48.638N 080-42-08.297W					AIS: MMSI 993672630	22/22
4530	* Tybee Lighted Buoy T						Remove from list.	22/22
							*	
4530 350	Tybee V-AIS T	31-56-09.548N 080-35-03.436W					AIS: MMSI 993672996	22/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
7329	<i>St Johns Bluff Lighted Buoy 30</i>	30-23-31.564N 081-29-28.980W	Fl R 2.5s		4	Red.	22/22
7365	<i>Fulton Cutoff Lighted Buoy 37</i>	30-23-25.931N 081-30-38.993W	Fl G 2.5s		5	Green.	AIS: MMSI 993672407 22/22
7395	<i>Blount Island Turning Basin Lighted Buoy 45</i>	* 30-23-08.811N 081-32-35.679W	Fl G 4s		5	Green.	22/22
			*		*	*	
10130	St Lucie Inlet Buoy 6	27-10-03.377N 080-09-13.587W				Red nun.	22/22
18095	Matanzas Pass Channel Buoy 4	26-27-55.314N 081-58-09.969W				Red nun.	22/22
18107	<i>Matanzas Pass Channel Lighted Buoy 5</i>	26-28-00.331N 081-58-10.655W	Fl G 4s		5	Green.	22/22
18120	<i>Matanzas Pass Channel Lighted Buoy 7</i>	26-28-00.798N 081-58-02.972W	Q G		4	Green.	22/22
18225	Matanzas Pass Channel Buoy 10	26-27-55.112N 081-57-56.198W				Red nun.	22/22
						*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2370.1	<i>Charleston Harbor Channel Lighted Buoy 1</i>						Remove from list. *	21/22
2370.2	<i>Charleston Harbor Channel Lighted Buoy 2</i>	32-36-36.919N 079-34-17.675W	Q R		4	Red.		21/22
			*					
2370.21	<i>Charleston Harbor Channel Lighted Buoy 2A</i>	32-37-34.988N 079-36-19.008W	Fl R 2.5s		5	Red.		21/22
			*					
2370.3	<i>Charleston Harbor Channel Lighted Buoy 3</i>						Remove from list. *	21/22
2905	Cooper River Buoy 56A	32-53-17.304N 079-57-50.974W				Red nun.		21/22
		*						
2910	Cooper River Buoy 56B	32-53-34.829N 079-57-45.115W				Red nun.		21/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
4526.5	<i>Savannah River Entrance Channel Lighted Buoy 2SE</i>	31-56-39.568N 080-37-01.498W				Red.	20/22
* 7385	* <i>Blount Island Turning Basin Lighted Buoy 43</i>	* 30-23-13.906N 081-32-05.722W	* Fl G 6s	* 16	* 5	* Green.	* 20/22
10345	PORT EVERGLADES LIGHT 7	* 26-05-33.976N 080-06-31.998W	Fl G 2.5s	16	5	SG on dolphin.	20/22
10360 47480	PORT EVERGLADES TURNING BASIN LIGHT 12	* 26-05-40.014N 080-06-56.488W	Q R	16	5	TR-SY on dolphin.	20/22
13620	Coco Plum Channel Daybeacon 1	* 24-43-38.510N 080-59-01.590W				SG on pile.	Private Aid. 20/22
		*					

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
13625	Coco Plum Channel Daybeacon 2	24-43-39.350N 080-58-59.960W				TR on pile.	Private Aid. 20/22
13630	Coco Plum Channel Daybeacon 3	* 24-43-40.400N 080-59-09.820W				SG on pile.	Private Aid. 20/22
13635	Coco Plum Channel Daybeacon 4	* 24-43-41.660N 080-59-08.700W				TR on pile.	Private Aid. 20/22
13645	Coco Plum Channel Daybeacon 6	* 24-43-49.390N 080-59-18.460W				TR on pile.	Private Aid. 20/22
13650	Coco Plum Channel Daybeacon 7	* 24-43-58.170N 080-59-29.640W				SG on pile.	Private Aid. 20/22
13655	Coco Plum Channel Daybeacon 8	* 24-43-59.400N 080-59-27.710W				TR on pile.	Private Aid. 20/22
		*					

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22630	Cockroach Bay Channel Daybeacon 1	27-41-39.900N 082-32-07.320W				SG on pile.	Private Aid.	20/22
		*						
22635	Cockroach Bay Channel Daybeacon 2	27-41-34.020N 082-32-11.040W				TR on pile.	Private Aid.	20/22
		*						
22640	Cockroach Bay Channel Daybeacon 3	27-41-33.360N 082-32-00.960W				SG on pile.	Private Aid.	20/22
		*						
22645	Cockroach Bay Channel Daybeacon 4	27-41-30.300N 082-32-04.860W				TR on pile.	Private Aid.	20/22
		*						
22650	Cockroach Bay Channel Daybeacon 5	27-41-29.460N 082-31-56.160W				SG on pile.	Private Aid.	20/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22655	Cockroach Bay Channel Daybeacon 6	27-41-27.360N 082-32-00.180W				TR on pile.	Private Aid.	20/22
22660	Cockroach Bay Channel Daybeacon 7	* 27-41-25.920N 082-31-52.500W				SG on pile.	Private Aid.	20/22
22665	Cockroach Bay Channel Daybeacon 8	* 27-41-23.100N 082-31-53.160W				TR on pile.	Private Aid.	20/22
22670	Cockroach Bay Channel Daybeacon 9	* 27-41-21.780N 082-31-48.180W				SG on pile.	Private Aid.	20/22
22675	Cockroach Bay Channel Daybeacon 10	* 27-41-18.780N 082-31-47.640W				TR on pile.	Private Aid.	20/22
22680	Cockroach Bay Channel Daybeacon 11	* 27-41-14.940N 082-31-40.140W				SG on pile.	Private Aid.	20/22
22685	Cockroach Bay Channel Daybeacon 12	* 27-41-13.500N 082-31-40.680W				TR on pile.	Private Aid.	20/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22690	Cockroach Bay Channel Daybeacon 13	27-41-10.440N 082-31-33.660W				SG on pile.	Private Aid.	20/22
22695	Cockroach Bay Channel Daybeacon 14	* 27-41-09.540N 082-31-34.260W				TR on pile.	Private Aid.	20/22
22696	Cockroach Bay Channel Daybeacon 15	* 27-41-09.840N 082-31-27.780W				SG on pile.	Private Aid.	20/22
22696.1	Cockroach Bay Channel Daybeacon 16	* 27-41-09.420N 082-31-27.120W				TR on pile.	Private Aid.	20/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22696.2	Cockroach Bay Channel Daybeacon 17	27-41-11.220N 082-31-24.000W				SG on pile.	Private Aid.	20/22
		*						
22696.3	Cockroach Bay Channel Daybeacon 18	27-41-10.620N 082-31-22.560W				TR on pile.	Private Aid.	20/22
		*						
22696.4	Cockroach Bay Channel Daybeacon 19	27-41-13.440N 082-31-18.000W				SG on pile.	Private Aid.	20/22
		*						
22696.5	Cockroach Bay Channel Daybeacon 20	27-41-12.840N 082-31-17.340W				TR on pile.	Private Aid.	20/22
		*						
22708	TAMPA BAY CUT D CHANNEL INBOUND RANGE REAR LIGHT PASSING LIGHT	27-45-12.110N 082-30-48.029W	FI W 2.5s	16	5	On the same structure as Cut D Inbound Channel Range Rear Light.	Passing light visible all around located on the SW corner of the lower platform.	20/22
		*						
22815.2	TAMPA BAY CUT F INBOUND RANGE REAR PASSING LIGHT	27-48-27.996N 082-31-23.846W	FI W 2.5s	16	5	On same structure as Cut F Channel Inbound Range Rear Light.		20/22
		*						
23027.5	BIG BEND CHANNEL OUTBOUND RANGE REAR LIGHT PASSING LIGHTS	27-48-49.005N 082-28-53.493W	FI W 2.5s	16	4	On same structure as Big Bend Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the SE and NW corners of the platform.	20/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
23787	TAMPA BAY CUT K CHANNEL UPPER RANGE REAR LIGHT PASSING LIGHTS	27-52-58.251N 082-32-40.509W	Fl W 2.5s		5	On the same structure as Cut K Channel Upper Range Rear Light.	Two synchronized passing lights visible all around located on the NW and SE corners of the lower platform.	20/22
47480 10360	PORT EVERGLADES TURNING BASIN LIGHT 12	* 26-05-40.014N 080-06-56.488W	Q R	16	5	TR-SY on dolphin.		20/22

*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
200 2370	<i>Charleston Entrance Lighted Buoy C</i>	32-35-38.921N 079-32-16.419W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: K (- . -) AIS: MMSI 993672420	19/22
2370 200	<i>Charleston Entrance Lighted Buoy C</i>	* 32-35-38.921N 079-32-16.419W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: K (- . -) AIS: MMSI 993672420	19/22
2370.2	<i>Charleston Harbor Channel Lighted Buoy 2</i>	* 32-36-36.919N 079-34-17.675W	Fl R 2.5s		4	Red.		19/22
2370.21	<i>Charleston Harbor Channel Lighted Buoy 2A</i>	* 32-37-34.988N 079-36-19.008W				Red.		19/22
* 2370.4	* <i>Charleston Harbor Channel Lighted Buoy 4</i>	* 32-38-28.409N 079-38-10.784W	* Fl R 4s	* *	* 5	* Red.	* *	19/22
2540	<i>Charleston Harbor North Channel Lighted Buoy 34</i>	* 32-46-58.568N 079-54-36.653W	Q R		4	Red.		19/22
2900	<i>Cooper River Lighted Buoy 56</i>	* 32-53-08.983N 079-57-53.018W	Fl R 6s		4	Red.		19/22
5645	<i>Bull River North Obstruction Daybeacon</i>	* 31-58-17.237N 080-55-47.379W				NW on pile.	Private Aid.	19/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5645.3	Bull River East Obstruction Daybeacon	31-58-12.020N 080-55-42.511W				NW on pile.	Private Aid.	19/22
*	*	*	*	*	*	*	*	
5645.5	Bull River West Obstruction Daybeacon	31-58-05.744N 080-56-04.027W				NW on pile.	Private Aid.	19/22
*	*	*	*	*	*	*	*	
5645.7	Bull River South Obstruction Daybeacon	31-58-00.737N 080-55-59.202W				NW on pile.	Private Aid.	19/22
*	*	*	*	*	*	*	*	
7110.1	St Johns River VAIS Pilot Boarding Area A						Remove from list.	19/22
							*	
7112.9	St Johns River VAIS Pilot Boarding Area A	30-21-53.092N 081-10-32.213W					AIS: MMSI 993672255	19/22
*	*	*	*	*	*	*	*	
7113	St Johns Approach VAIS 1SJA	30-21-47.273N 081-12-19.429W					AIS: MMSI 993672250	19/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
7113.1	<i>St Johns Approach Lighted Buoy 2SJA</i>	30-22-01.690N 081-12-20.287W	Fl R 2.5s		5	Red.	
*	*	*	*	*	*	*	*
7113.2	<i>St Johns Approach Lighted Buoy 4SJA</i>	30-22-04.140N 081-13-45.083W	Q R		4	Red.	
*	*	*	*	*	*	*	*
7113.3	St Johns Approach VAIS 5SJA	30-21-47.584N 081-14-04.967W					AIS: MMSI 993672270
*	*	*	*	*	*	*	*
7113.4	St Johns Approach VAIS 6SJA	30-22-06.403N 081-14-17.443W					AIS: MMSI 993672249
*	*	*	*	*	*	*	*
7113.5	<i>St Johns Approach Lighted Buoy 7SJA</i>	30-22-38.111N 081-16-16.523W	Fl G 4s		5	Green.	
*	*	*	*	*	*	*	*
7113.6	<i>St Johns Approach Lighted Buoy 8SJA</i>	30-22-50.410N 081-16-10.795W	Fl R 4s		5	Red.	
*	*	*	*	*	*	*	*
7113.7	St Johns Approach VAIS 9SJA	30-23-15.934N 081-17-52.629W					AIS: MMSI 993672998
*	*	*	*	*	*	*	*
7113.8	<i>St Johns Approach Lighted Buoy 10SJA</i>	30-23-33.267N 081-18-10.218W	Q R		4	Red.	
*	*	*	*	*	*	*	*
7113.9	St Johns Approach VAIS 11SJA	30-23-25.884N 081-18-35.449W					AIS: MMSI 993672273
*	*	*	*	*	*	*	*
7114	St Johns River VAIS Pilot Boarding Area B						Remove from list.
7122	St Johns River VAIS Pilot Boarding Area B	30-23-35.390N 081-19-08.416W					AIS: MMSI 993672066
*	*	*	*	*	*	*	*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
7123	St Johns River Entrance VAIS 1	30-23-35.752N 081-20-06.845W					AIS: MMSI# 993672262 19/22
*	*	*	*	*	*	*	*
7124	St Johns River Entrance VAIS 2	30-23-44.173N 081-20-04.908W					AIS: MMSI 993672257 19/22
*	*	*	*	*	*	*	*
7315	<i>White Shells Cut Lighted Buoy 27</i>	30-23-36.523N 081-28-49.752W	Fl G 4s		4	Green.	AIS: MMSI 993672521 19/22
7316	<i>White Shells Cut Lighted Buoy 29</i>	30-23-32.500N 081-29-05.831W	Fl G 4s		4	Green.	19/22
*	*	*	*	*	*	*	*
7329	<i>St Johns Bluff Lighted Buoy 30</i>	30-23-31.564N 081-29-28.980W	Fl R 2.5s		4		19/22
*	*	*	*	*	*	*	*
7385	<i>Blount Island Turning Basin Lighted Buoy 43</i>	30-23-12.384N 081-32-07.445W	Fl G 6s		5	Green.	19/22
	*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7395	<i>Blount Island Turning Basin Lighted Buoy 45</i>	30-23-08.811N 081-32-35.679W						19/22
*	*	*	*	*	*	*	*	
7395	BLOUNT ISLAND TURNING BASIN LIGHT 45						Remove from list.	19/22
							*	
7396	Blount Island Turning Basin Buoy A	30-23-06.804N 081-32-10.256W						19/22
*	*	*	*	*	*	*	*	
7397	<i>Blount Island Turning Basin Buoy B</i>	30-23-05.274N 081-32-19.313W						19/22
*	*	*	*	*	*	*	*	
12687.7	Windley Key West Channel Daybeacon 1	24-56-22.240N 080-35-23.380W				SG on pile.	Private Aid.	19/22
12687.8	Windley Key West Channel Daybeacon 1A	24-56-27.390N 080-35-30.710W				SG on pile.	Private Aid.	19/22
12688	Windley Key West Channel Daybeacon 2	24-56-31.320N 080-35-35.700W				TR on pile.	Private Aid.	19/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12688.3	Windley Key West Channel Daybeacon 3	24-56-36.230N 080-35-42.390W				SG on pile.	Private Aid.	19/22
12688.4	Windley Key West Channel Daybeacon 3A	* 24-56-40.220N 080-35-47.490W				SG on pile.	Private Aid.	19/22
12688.5	Windley Key West Channel Daybeacon 4	* 24-56-43.640N 080-35-50.970W				TR on pile.	Private Aid.	19/22
13640	Coco Plum Channel Daybeacon 5	* 24-43-48.780N 080-59-19.750W				SG on pile.	Private Aid.	19/22
22855.5	GADSDEN POINT CUT RANGE REAR LIGHT PASSING LIGHTS	* 27-48-47.998N 082-26-12.772W	FI W 2.5s		4	On same structure as Gadsden Point Cut Range Rear Light.	Two synchronized passing lights visible all around located on the SW and NE corners of platform.	19/22
23015.5	HILLSBOROUGH CUT A CHANNEL RANGE REAR LIGHT PASSING LIGHTS	* 27-49-17.558N 082-25-41.244W	FI W 2.5s	16	4	On the same structure as Cut A Channel Range Rear Light.	Two synchronized passing lights visible all around located on the SW and NE corners of platform.	19/22

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
350 4530	<i>Tybee Lighted Buoy T</i>	31-56-09.518N 080-35-03.415W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: G (- - .)	18/22
		*						
2370.6	<i>Charleston Harbor Channel Lighted Buoy 6</i>	32-39-21.724N 079-40-02.579W	Q R		4	Red.		18/22
		*						
2370.7	<i>Charleston Harbor Channel Lighted Buoy 7</i>	32-39-54.241N 079-41-35.229W	Fl G 2.5s		5	Green.		18/22
		*						
2375	<i>Charleston Harbor Channel Lighted Buoy 8</i>	32-40-03.106N 079-41-29.293W	Fl R 2.5s		5	Red.		18/22
		*						
2375.5	<i>Charleston Harbor Channel Lighted Buoy 9</i>	32-40-37.830N 079-43-06.538W	Fl G 4s		5	Green.		18/22
		*						
2380	<i>Charleston Harbor Channel Lighted Buoy 10</i>	32-40-46.677N 079-43-00.637W	Fl R 4s		5	Red.		18/22
		*						
2395.5	<i>Charleston Harbor Channel Lighted Buoy 11</i>	32-41-17.288N 079-44-29.260W	Fl G 6s		5	Green.		18/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2400	<i>Charleston Harbor Channel Lighted Buoy 12</i>	32-41-23.659N 079-44-18.306W	Fl R 6s		4	Red.	18/22
2400.2	<i>Charleston Harbor Channel Lighted Buoy 13</i>	* 32-41-58.462N 079-45-56.065W	Fl G 2.5s		5	Green.	18/22
2400.5	<i>Charleston Harbor Channel Lighted Buoy 14</i>	* 32-42-07.455N 079-45-50.187W	Fl R 2.5s		5	Red.	18/22
2405	<i>Charleston Harbor Channel Lighted Buoy 15</i>	* 32-42-46.711N 079-47-37.880W	Fl G 4s		5	Green.	18/22
2410	<i>Charleston Harbor Channel Lighted Buoy 16</i>	* 32-42-56.037N 079-47-31.404W	Fl R 4s		5	Red.	18/22

*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2415	<i>Charleston Harbor Channel Lighted Buoy 17</i>	32-43-17.760N 079-48-43.111W	Q G		4	Green.	18/22
		*					
2420	<i>Charleston Harbor Channel Lighted Bell Buoy 18</i>	32-43-26.915N 079-48-36.915W	Q R		4	Red.	18/22
		*					
2435	<i>Charleston Harbor Channel Lighted Buoy 21</i>	32-44-17.351N 079-50-48.469W	Q G		4	Green.	18/22
		*					
2440	<i>Charleston Harbor Channel Lighted Bell Buoy 22</i>	32-44-25.821N 079-50-40.639W	Q R		4	Red.	18/22
		*					
2465	<i>Charleston Harbor Channel Lighted Buoy 23</i>	32-44-33.538N 079-51-06.028W	Fl G 2.5s		5	Green.	18/22
		*					

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2500	<i>Charleston Harbor North Channel Lighted Buoy 27</i>	32-46-16.899N 079-53-19.609W	Fl G 2.5s		5	Green.	18/22
2510	<i>Charleston Harbor North Channel Lighted Buoy 29</i>	* 32-46-26.822N 079-53-42.068W	Fl G 6s		5	Green.	18/22
2555	<i>Charleston Harbor North Channel Lighted Buoy 35</i>	* 32-46-58.724N 079-54-53.915W	Fl G 2.5s		5	Green.	18/22
2590	<i>Charleston Harbor North Channel Lighted Buoy 36</i>	* 32-47-17.153N 079-54-54.388W	Fl R 2.5s		5	Red.	18/22
2615	<i>Hog Island Reach Channel Lighted Buoy 41</i>	* 32-48-26.790N 079-54-58.567W	Fl G 2.5s		5	Green.	18/22

*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2620	<i>Hog Island Reach Channel Lighted Buoy 42</i>	32-48-15.736N 079-54-50.232W	FI R 2.5s		5	Red.	18/22
2803	<i>Cooper River Lighted Buoy 49</i>	* 32-50-36.098N 079-55-47.983W	FI G 4s		5	Green.	18/22
4526	<i>Savannah River Entrance Channel Lighted Buoy 1SE</i>	* 31-56-33.805N 080-37-03.313W	Q G		4		18/22
* 4526.8	* Savannah River Entrance Channel VAIS 3SE	* 31-56-56.281N 080-38-42.979W	*	*	*	*	* AIS: MMSI 993672665
* 4526.9	* Savannah River Entrance Channel VAIS 4SE	* 31-57-02.020N 080-38-41.200W	*	*	*	*	* AIS: MMSI 993672640
* 4527	* Savannah River Entrance Channel Lighted Buoy 5SE	* 31-57-19.897N 080-40-27.810W	FI G 4s		5		18/22
* 4527.5	* Savannah River Entrance Channel Lighted Buoy 6SE	* 31-57-25.636N 080-40-26.011W	FI R 4s	*	5	*	* 18/22
* *	* *	* *	* *	* *	* *	* *	* *

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4527.8	Savannah River Entrance Channel VAIS 7SE	31-57-41.745N 080-42-04.947W					AIS: MMSI 993672638	18/22
*	*	*	*	*	*	*	*	
4527.9	Savannah River Entrance Channel VAIS 8SE	31-57-48.638N 080-42-08.297W					AIS: MMSI 993672630	18/22
*	*	*	*	*	*	*	*	
4528	<i>Savannah River Entrance Channel Lighted Buoy 9SE</i>	31-58-01.910N 080-43-34.750W	FI G 2.5s		4			18/22
*	*	*	*	*	*	*	*	
4528.5	<i>Savannah River Entrance Channel Lighted Buoy 10SE</i>	31-58-08.259N 080-43-32.241W	FI R 2.5s		4			18/22
*	*	*	*	*	*	*	*	
4530 350	<i>Tybee Lighted Buoy T</i>	31-56-09.518N 080-35-03.415W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: G (- - .)	18/22
4545	Tybee Range Channel VAIS 1	31-58-17.495N 080-44-12.034W					AIS: MMSI 993672147	18/22
4550	Tybee Range Channel VAIS 2	31-58-24.486N 080-44-07.675W					AIS: MMSI 993672148	18/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
10125	St Lucie Inlet Buoy 5	27-09-59.981N 080-09-13.217W				Green can.	18/22
10130	St Lucie Inlet Buoy 6	* 27-10-03.377N 080-09-13.587W				Red Nun.	18/22
10135	St Lucie Inlet Buoy 7	* 27-09-58.656N 080-09-35.771W				Green can.	18/22
10140	<i>St Lucie Inlet Lighted Buoy 8</i>	* 27-10-03.477N 080-09-37.772W	Q R		3	Red.	18/22
12687	Windley Key Channel Daybeacon 2	* 24-56-12.420N 080-35-17.650W				TR on pile.	Private Aid. 18/22
12687.3	Windley Key Channel Daybeacon 3	* 24-56-14.940N 080-35-19.430W				SG on pile.	Private Aid. 18/22
12687.5	Windley Key Channel Daybeacon 4	* 24-56-18.220N 080-35-20.280W				TR on pile.	Private Aid. 18/22

*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12688.7	Windley Key Channel Daybeacon 6	24-56-28.070N 080-35-25.040W				TR on pile.	Private Aid.	18/22
		*						
12689	Windley Key Channel Daybeacon 7	24-56-38.870N 080-35-31.330W				SG on pile.	Private Aid.	18/22
		*						
12689.3	Windley Key Channel Daybeacon 8	24-56-44.560N 080-35-33.030W				TR on pile.	Private Aid.	18/22
		*						
12689.5	Windley Key Channel Daybeacon 9	24-56-49.870N 080-35-36.620W				SG on pile.	Private Aid.	18/22
		*						
12689.7	Windley Key Channel Daybeacon 10	24-56-50.490N 080-35-35.700W				TR on pile.	Private Aid.	18/22
		*						
13910	Ramrod Key Approach Daybeacon 2	24-38-46.960N 081-23-30.150W				TR on pile.	Private Aid.	18/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13915	Ramrod Key Shoal Daybeacon	24-38-26.990N 081-23-50.750W				NW on pile worded SHOAL.	Private Aid.	18/22
14290	Sugarloaf Key Shores Daybeacon 2A	* 24-38-17.340N 081-33-04.440W				TR on pile.	Private Aid.	18/22
14295	Sugarloaf Key Shores Daybeacon 4A	* 24-38-17.940N 081-33-10.140W				TR on pile.	Private Aid.	18/22
14300	Sugarloaf Key Shores Daybeacon 6A	* 24-38-18.000N 081-33-14.040W				TR on pile.	Private Aid.	18/22
14305	Sugarloaf Key Shores Daybeacon 8A	* 24-38-19.200N 081-33-16.620W				TR on pile.	Private Aid.	18/22
18095	Matanzas Pass Channel Daybeacon 4	*					Remove from list.	18/22
18095	Matanzas Pass Channel Buoy 4	26-27-55.314N 081-58-09.969W				Red.	*	18/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
18107	MATANZAS PASS CHANNEL LIGHT 5						Remove from list.	18/22
							*	
18107	<i>Matanzas Pass Channel Lighted Buoy 5</i>	26-28-00.331N 081-58-10.655W	Fl G 4s		5	Green		18/22
*	*	*	*	*	*	*	*	
18120	MATANZAS PASS CHANNEL LIGHT 7						Remove from list.	18/22
							*	
18120	<i>Matanzas Pass Channel Lighted Buoy 7</i>	26-28-00.798N 081-58-02.972W	Q G		4	Green		18/22
*	*	*	*	*	*	*	*	
18225	Matanzas Pass Channel Daybeacon 10						Remove from list.	18/22
							*	
18225	Matanzas Pass Channel Buoy 10	26-27-55.112N 081-57-56.198W				Red.		18/22
*	*	*	*	*	*	*	*	
21701	Anglers Club Reef Daybeacon AC	27-21-04.700N 082-35-52.900W				NY on pile worded Anglers Club Reef.	Private Aid.	18/22
	*							
2751	<i>Cooper River Lighted Buoy 47A</i>	32-50-00.272N 079-55-52.233W	Fl G 2.5s		4	Green.		17/22
		*						
3740	Folly River Buoy 7	32-37-57.161N 079-59-27.765W				Green can.		17/22
		*						
5925	Doboy Sound Buoy 3	31-21-35.724N 081-13-33.757W				Green can.		17/22
		*						
5940	Doboy Sound Buoy 6	31-22-11.929N 081-15-12.780W				Red nun.		17/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13936.1	Dolphin Marina Channel Daybeacon 1	24-39-51.740N 081-23-04.670W				SG on pile.	Private Aid.	17/22
13936.2	Dolphin Marina Channel Daybeacon 2	* 24-39-52.620N 081-23-04.790W				TR on pile.	Private Aid.	17/22
13936.3	Dolphin Marina Channel Daybeacon 4	* 24-39-52.800N 081-23-07.080W				TR on pile.	Private Aid.	17/22
14180	Upper Sugarloaf Sound Daybeacon 1	* 24-37-52.620N 081-30-29.100W				SG on pile.	Private Aid.	17/22
14185	Upper Sugarloaf Sound Daybeacon 2	* 24-37-52.970N 081-30-28.930W				TR on pile.	Private Aid.	17/22
14195	Upper Sugarloaf Sound Daybeacon 4	* 24-37-53.070N 081-31-05.800W				TR on pile.	Private Aid.	17/22
14200	Upper Sugarloaf Sound Daybeacon 5	* 24-37-59.520N 081-31-16.500W				SG on pile.	Private Aid.	17/22
14205	Upper Sugarloaf Sound Daybeacon 6	* 24-37-59.950N 081-31-16.070W				TR on pile.	Private Aid.	17/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14210	Upper Sugarloaf Sound Daybeacon 7	24-38-16.730N 081-31-36.940W				SG on pile.	Private Aid.	17/22
14215	Upper Sugarloaf Sound Daybeacon 8	* 24-38-17.400N 081-31-36.570W				TR on pile.	Private Aid.	17/22
14220	Upper Sugarloaf Sound Daybeacon 9	* 24-38-18.320N 081-31-54.500W				SG on pile.	Private Aid.	17/22
14225	Upper Sugarloaf Sound Daybeacon 10	* 24-38-19.130N 081-31-54.320W				TR on pile.	Private Aid.	17/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14230	Upper Sugarloaf Sound Daybeacon 11	24-38-22.270N 081-32-00.020W				SG on pile.	Private Aid.	17/22
		*						
14235	Upper Sugarloaf Sound Daybeacon 12	24-38-23.150N 081-31-59.440W				TR on pile.	Private Aid.	17/22
		*						
14240	Upper Sugarloaf Sound Daybeacon 13	24-38-26.330N 081-32-06.190W				SG on pile.	Private Aid.	17/22
		*						
14245	Upper Sugarloaf Sound Daybeacon 14	24-38-27.160N 081-32-06.390W				TR on pile.	Private Aid.	17/22
		*						
14250	Upper Sugarloaf Sound Daybeacon 15	24-38-19.680N 081-32-42.350W				SG on pile.	Private Aid.	17/22
		*						
14255	Upper Sugarloaf Sound Daybeacon 16	24-38-20.770N 081-32-42.060W				TR on pile.	Private Aid.	17/22
		*						
14260	Upper Sugarloaf Sound Daybeacon 17	24-38-30.830N 081-32-51.220W				SG on pile.	Private Aid.	17/22
		*						
14265	Upper Sugarloaf Sound Daybeacon 18	24-38-31.250N 081-32-50.560W				TR on pile.	Private Aid.	17/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14270	Upper Sugarloaf Sound Daybeacon 19	24-38-44.930N 081-33-04.060W				SG on pile.	Private Aid.	17/22
		*						
14275	Upper Sugarloaf Sound Daybeacon 20	24-38-45.270N 081-33-03.090W				TR on pile.	Private Aid.	17/22
		*						
14280	Upper Sugarloaf Sound Daybeacon 21	24-38-49.760N 081-33-26.680W				SG on pile.	Private Aid.	17/22
		*						
14285	Upper Sugarloaf Sound Daybeacon 22	24-38-50.400N 081-33-26.940W				TR on pile.	Private Aid.	17/22
		*						
22850.5	GADSDEN POINT CUT RANGE FRONT LIGHT PASSING LIGHTS	27-48-33.692N 082-26-54.504W	Fl W 2.5s		3	On the same structure as Gadsden Point Cut Range Front Light.	Two synchronized passing lights visible all around located on the NE and SW corners of platform.	17/22

*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6335	COLONELS ISLAND RANGE REAR LIGHT	31-07-53.759N 081-32-16.937W	Iso G 6s	140		KRW on pile.	Range lights are 50 feet off center line of channel. Lighted throughout 24 hours. Private Aid.	16/22
	240 yards, 278.9° from front light.							
24165	Rocky Point Daybeacon 1	27-57-45.840N 082-33-31.020W				SG on pile.	Private Aid.	16/22
*	*	*	*	*	*	*	*	*
24165.2	Rocky Point Daybeacon 2	27-57-48.300N 082-33-28.800W				TR on pile.	Private Aid.	16/22
*	*	*	*	*	*	*	*	*
24165.4	Rocky Point Daybeacon 3	27-57-49.440N 082-33-38.160W				SG on pile.	Private Aid.	16/22
*	*	*	*	*	*	*	*	*
24165.6	Rocky Point Daybeacon 4	27-57-50.940N 082-33-36.840W				TR on pile.	Private Aid.	16/22
*	*	*	*	*	*	*	*	*
24170	Rocky Point Daybeacon 5	27-57-50.820N 082-33-44.820W				SG on pile.	Private Aid.	16/22
*	*	*	*	*	*	*	*	*
24170.2	Rocky Point Daybeacon 6	27-57-54.960N 082-33-44.700W				TR on pile.	Private Aid.	16/22
*	*	*	*	*	*	*	*	*
24170.4	Rocky Point Daybeacon 7	27-57-56.700N 082-33-49.140W				SG on pile.	Private Aid.	16/22
*	*	*	*	*	*	*	*	*
24170.6	Rocky Point Daybeacon 8	27-57-57.720N 082-33-47.880W				TR on pile.	Private Aid.	16/22
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
925	Fowey Rocks Reef Buoy A	25-35-36.960N 080-05-49.320W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	*
925.2	Fowey Rocks Reef Buoy B	25-35-34.020N 080-05-35.520W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	*
925.4	Fowey Rocks Reef Buoy C	25-34-25.380N 080-05-51.720W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	*
925.6	Fowey Rocks Reef Buoy D	25-34-29.160N 080-06-05.580W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	*
927	Alina's Reef Buoy A	25-23-36.060N 080-10-07.500W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	*
927.2	Alina's Reef Buoy B	25-23-17.040N 080-09-33.780W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	*
927.4	Alina's Reef Buoy C	25-22-52.620N 080-09-50.460W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	*
927.6	Alina's Reef Buoy D	25-23-11.640N 080-10-24.120W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
930	Marker 3 Reef Buoy A	25-22-32.040N 080-09-40.740W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
930.2	Marker 3 Reef Buoy B	25-22-26.700N 080-09-26.580W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
930.4	Marker 3 Reef Buoy C	25-21-57.900N 080-09-39.780W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
930.6	Marker 3 Reef Buoy D	25-22-03.300N 080-09-54.000W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
937	Lob120 Reef Buoy A	25-21-41.220N 080-11-18.660W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
937.2	Lob120 Reef Buoy B	25-21-40.260N 080-11-01.380W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
937.4	Lob120 Reef Buoy C	25-21-15.420N 080-11-02.880W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
937.6	Lob120 Reef Buoy D	25-21-16.200N 080-11-20.280W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
940	Ball Buoy Reef Buoy A	25-19-22.740N 080-11-06.600W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
940.2	Ball Buoy Reef Buoy B	25-19-02.640N 080-10-46.500W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
940.4	Ball Buoy Reef Buoy C	25-18-43.920N 080-11-09.300W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
940.6	Ball Buoy Reef Buoy D	25-19-04.020N 080-11-29.340W				Yellow sphere.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
6340	COLONELS ISLAND OUTBOUND RANGE FRONT LIGHT	31-07-39.943N 081-30-27.349W	Q R	17		KRW on dolphin.		15/22
6345	COLONELS ISLAND OUTBOUND RANGE REAR LIGHT	31-07-38.829N 081-30-18.773W	Iso R 6s	26		KRW on skeleton tower on piles.		15/22
	251 yards, 98.6° from front light.							

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12500	BETHEL BANK LIGHT 20	24-43-44.699N 081-07-30.402W	FI R 4s	16	5	TR on pile.	15/22	
		*						
12555	Little Money Key Daybeacon 26	24-42-13.395N 081-13-23.383W				TR on pile.	15/22	
		*						
13770	Boot Key Harbor Daybeacon 7	24-42-08.129N 081-06-50.444W				SG on pile.	15/22	
		*						
23780	TAMPA BAY CUT K CHANNEL UPPER RANGE FRONT LIGHT	27-52-19.604N 082-32-57.848W	FI G 2.5s (NIGHT) FI G 2.5s (DAY)	29			Visible 0.5° each side of rangeline. Lighted throughout 24 hours. Passing light visible all around.	15/22
		*						
23785	TAMPA BAY CUT K CHANNEL UPPER RANGE REAR LIGHT 1,401 yards, 021.7° from front light.	27-52-58.251N 082-32-40.509W	Iso G 6s (NIGHT) Iso G 6s (DAY)	71			Visible 0.5° each side of rangeline. Lighted throughout 24 hours.	15/22
		*						
23787	TAMPA BAY CUT K CHANNEL UPPER RANGE REAR LIGHT PASSING LIGHTS	27-52-58.253N 082-32-40.524W	FI W 2.5s		5	On the same structure as Cut K Channel Upper Range Rear Light.	Two synchronized passing lights visible all around located on the NW and SE corners of the lower platform.	15/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16835	Moran's Marina Channel Daybeacon 1	25-56-01.200N 081-39-16.000W				SG on pile.	Private Aid.	14/22
	*							
16840	Moran's Marina Channel Daybeacon 2	25-56-02.500N 081-39-16.800W				TR on pile.	Private Aid.	14/22
	*							
47265	<i>New River Sound Lighted Buoy 11</i>	26-07-01.085N 080-06-31.644W	Fl G 4s		4	Green.		14/22
	*							
57617	Forked Creek Daybeacon 1	26-59-31.960N 082-23-49.160W				SG on pile.	Private Aid.	14/22
	*							
57617.3	Forked Creek Daybeacon 2	26-59-31.030N 082-23-48.560W				TR on pile.	Private Aid.	14/22
	*							
57617.5	Forked Creek Daybeacon 3	26-59-33.360N 082-23-47.340W				SG on pile.	Private Aid.	14/22
	*							
57617.7	Forked Creek Daybeacon 4	26-59-34.570N 082-23-44.320W				TR on pile.	Private Aid.	14/22
	*							
57617.9	Forked Creek Daybeacon 5	26-59-36.730N 082-23-43.120W				SG on pile.	Private Aid.	14/22
	*							
57618	Forked Creek Daybeacon 6	26-59-38.020N 082-23-40.140W				TR on pile.	Private Aid.	14/22
	*							
57618.3	Forked Creek Daybeacon 7	26-59-39.560N 082-23-39.520W				SG on pile.	Private Aid.	14/22
	*							
57618.5	Forked Creek Daybeacon 8	26-59-40.820N 082-23-36.830W				TR on pile.	Private Aid.	14/22

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
57618.7	Forked Creek Daybeacon 9	26-59-49.060N 082-23-26.510W				SG on pile.	Private Aid.	14/22
		*						
No corrections this week								13/22
169	<i>Capers Island Lighted Buoy D</i>	32-48-05.879N 079-37-01.081W	Fl Y 2.5s			Yellow.	Private Aid.	12/22
*	*	*	*	*	*	*	*	
46275	Loxahatchee River Daybeacon 6	26-56-57.360N 080-05-43.200W				TR on pile.	Private Aid.	12/22
		*						
46355	Loxahatchee River Southwest Fork Daybeacon 1	26-56-56.340N 080-06-33.660W				SG on pile.	Private Aid.	12/22
		*						
47822	Biscayne Bay Buoy 7	25-54-13.186N 080-07-46.549W				Green can with yellow square.		12/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
23570	Sparkman Channel Buoy 9	27-56-23.517N 082-26-44.623W				Green can.	11/22
23570.2	Sparkman Channel Buoy 11	* 27-56-26.967N 082-26-46.976W				Green can.	11/22
23573	Sparkman Channel Buoy 13	* 27-56-29.069N 082-26-52.590W				Green can.	11/22
24525	Little Harbor Channel Daybeacon 9	* 27-44-00.660N 082-28-41.460W				SG on pile. On same structure as Little Harbor Marina Daybeacon 6.	Private Aid. 11/22
24565	Little Harbor Marina Daybeacon 1	* 27-43-50.100N 082-29-28.440W				SG on pile.*	Private Aid. 11/22
24570	Little Harbor Marina Daybeacon 3	* 27-43-55.560N 082-29-12.660W				SG on pile.	Private Aid. 11/22
24575	Little Harbor Marina Daybeacon 4	* 27-43-54.300N 082-29-05.500W				TR on pile.	Private Aid. 11/22
24580	Little Harbor Marina Daybeacon 5	* 27-44-00.540N 082-28-56.880W				SG on pile.	Private Aid. 11/22
24585	Little Harbor Marina Daybeacon 6	* 27-44-00.660N 082-28-41.460W				TR on pile. On same structure as Little Harbor Channel Daybeacon 9.	Private Aid. 11/22
24590	Little Harbor Marina Daybeacon 7	* 27-44-03.300N 082-28-42.660W				SG on pile.*	Private Aid. 11/22

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
30365	Horseshoe Beach Approach Daybeacon 4	29-23-39.848N 083-19-45.150W				TR on pile.	11/22
30410	Horseshoe Beach Channel Daybeacon 14	* 29-25-44.319N 083-17-47.801W				TR on pile.	11/22
		*					
7257	SHERMAN CUT OBSTRUCTION LIGHT	30-22-45.480N 081-26-45.859W	Fl W 2.5s			NW on platform.	Private Aid. 10/22
*	*	*	*	*	*	*	*
7456	DAMES POINT OBSTRUCTION LIGHT	30-23-14.060N 081-33-32.490W	Fl W 2.5s			NW on platform.	Private Aid. 10/22
*	*	*	*	*	*	*	*
29625	Withlacoochee River Daybeacon 40	29-00-01.897N 082-45-47.105W				TR on pile.	10/22
29840	CEDAR KEYS MAIN CHANNEL LIGHT 27	* 29-07-22.785N 083-02-23.271W	Q G	17	4	SG on pile.	10/22
		*					

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17010	Collier Bay Daybeacon 2	25-58-08.940N 081-43-54.060W				TR on pile.	Private Aid.	09/22
17012	Collier Bay Daybeacon 4	* 25-58-00.120N 081-43-52.860W				TR on pile.	Private Aid.	09/22
* 17014	Collier Bay Daybeacon 6	* 25-57-56.100N 081-43-56.280W				TR on pile.	Private Aid.	09/22
* 17014.5	Collier Bay Daybeacon 6A	* 25-57-52.140N 081-44-02.940W				TR on pile.	Private Aid.	09/22
* 17015	* Collier Bay Daybeacon 3	* 	* 	* 	* 	* 	* Remove from list. *	09/22
17015	Collier Bay Daybeacon 7	25-57-48.360N 081-44-07.920W				SG on pile.	Private Aid.	09/22
* 17016	Collier Bay Daybeacon 8	* 25-57-49.500N 081-44-08.520W				TR on pile.	Private Aid.	09/22
* 17017	* Collier Bay Daybeacon 9	* 25-57-43.440N 081-44-13.740W	* 	* 	* 	* SG on pile.	* Private Aid.	* 09/22
* 	* 	* 	* 	* 	* 	* 	* 	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17018	Collier Bay Daybeacon 10	25-57-42.060N 081-44-16.080W				TR on pile.	Private Aid.	09/22
*	*	*	*	*	*	*	*	
17019	Collier Bay Daybeacon 11	25-57-40.620N 081-44-14.760W				SG on pile.	Private Aid.	09/22
*	*	*	*	*	*	*	*	
17019.5	Collier Bay Daybeacon 11A	25-57-37.800N 081-44-12.180W				SG on pile.	Private Aid.	09/22
*	*	*	*	*	*	*	*	
17020	Collier Bay Daybeacon 4	25-58-00.120N 081-43-52.860W					Remove from list.	09/22
							*	
17020	Collier Bay Daybeacon 12	25-57-36.420N 081-44-12.900W				TR on pile.	Private Aid.	09/22
*	*	*	*	*	*	*	*	
17021	Collier Bay Daybeacon 13	25-57-25.080N 081-43-53.820W				SG on pile.	Private Aid.	09/22
*	*	*	*	*	*	*	*	
17023	Collier Bay Daybeacon 15	25-57-19.260N 081-43-49.800W				SG on pile.	Private Aid.	09/22
*	*	*	*	*	*	*	*	
17024	Collier Bay Daybeacon 16	25-57-18.480N 081-43-52.140W				TR on pile.	Private Aid.	09/22
*	*	*	*	*	*	*	*	
17025	Collier Bay Daybeacon 5						Remove from list.	09/22
							*	
17030	Collier Bay West Channel Daybeacon 1	25-57-42.780N 081-44-16.620W				SG on pile.	Private Aid.	09/22
*	*	*	*	*	*	*	*	
17033	Collier Bay West Channel Daybeacon 2	25-57-44.400N 081-44-19.080W				TR on pile.	Private Aid.	09/22
*	*	*	*	*	*	*	*	
17035	Collier Bay West Channel Daybeacon 3	25-57-42.480N 081-44-19.920W				SG on pile.	Private Aid.	09/22
*	*	*	*	*	*	*	*	
17035	Collier Bay Daybeacon 6	25-57-56.100N 081-43-56.280W					Remove from list.	09/22
							*	
17037	Collier Bay West Channel Daybeacon 5	25-57-35.040N 081-44-21.960W				SG on pile.	Private Aid.	09/22
*	*	*	*	*	*	*	*	
17040	Collier Bay West Channel Daybeacon 7	25-57-28.740N 081-44-21.960W				SG on pile.	Private Aid.	09/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17040	Collier Bay Daybeacon 7	25-57-48.360N 081-44-07.920W					Remove from list.	09/22
22850	GADSDEN POINT CUT RANGE FRONT LIGHT	27-48-33.692N 082-26-54.504W	Fl W 2.5s (NIGHT) Fl W 2.5s (DAY)	28 25		On the same structure as Hillsborough Cut C Channel Outbound Range Front Light.	* Visible 1.5° each side of rangeline. Lighted throughout 24 hours.	09/22
22850.5	* GADSDEN POINT CUT RANGE FRONT LIGHT PASSING LIGHT	27-48-33.692N 082-26-54.504W	Fl W 2.5s		3	* On the same structure as Gadsden Point Cut Range Front Light.	* Two synchronized passing lights visible all around located on the NE and SW corners of platform.	09/22
* 23185	* HILLSBOROUGH CUT C CHANNEL OUTBOUND RANGE FRONT LIGHT	* 27-48-33.692N 082-26-54.504W	* Fl W 2.5s (NIGHT) Fl W 2.5s (DAY)	* 12	* *	* On the same structure as Gadsden Point Cut Range Front Light.	* Visible 1.5° each side of rangeline. Lighted throughout 24 hours.	09/22
* 23190	* HILLSBOROUGH CUT C CHANNEL OUTBOUND RANGE REAR LIGHT 2,769 yards, 185° from front light.	* 27-47-11.791N 082-27-03.000W	* Iso W 6s (NIGHT) Iso W 6s (DAY)	* 90	* *	* On skeleton tower on piles.	* Day light visible 0.5° each side of rangeline. Night light visible 1.5° each side of rangeline. Lighted throughout 24 hours.	09/22
23190.5	HILLSBOROUGH CUT C CHANNEL OUTBOUND RANGE REAR LIGHT PASSING LIGHTS	27-47-11.791N 082-27-03.000W	Fl W 2.5s		3	On the same structure as Hillsborough Cut C Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the NW and SE corners of platform.	09/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2615	<i>Hog Island Reach Channel Lighted Buoy 41</i>	32-48-26.583N 079-54-56.985W	Fl G 2.5s		5	Green.	08/22
2855	<i>Cooper River Lighted Buoy 52</i>	* 32-51-33.509N 079-57-12.330W	Fl R 4s		5	Red.	08/22
23555	SPARKMAN CHANNEL LIGHT 3	* 27-55-47.695N 082-26-52.867W	Fl G 4s	16	5	SG on pile.	08/22
25475	Pass-A-Grille Channel Shoal Daybeacon	*					Remove from list. 08/22
45120 9970	FORT PIERCE INLET INNER HARBOR LIGHT 16	27-27-42.627N 080-19-05.955W	Q R	12	4	TR on pile.	* 08/22
45200	<i>Indian River (South Section) Lighted Buoy 188A</i>	* 27-26-54.968N 080-18-51.852W	Fl R 2.5s		4	Red.	08/22
*	*	*	*	*	*	*	*
15 1680	<i>Little River Inlet Lighted Buoy LR</i>	33-49-49.513N 078-32-27.325W	Mo (A) W		5	Red and white stripes with red spherical topmark.	AIS: MMSI 993672126 07/22
125 1865	<i>Winyah Bay Lighted Buoy WB</i>	33-11-37.162N 079-05-10.925W	Mo (A) W		6	Red and white stripes with red spherical topmark.	* AIS: MMSI 993672111 07/22 *

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
515 6030	<i>St. Simons Lighted Buoy STS</i>	31-02-49.022N 081-14-25.218W	Mo (A) W		7	Red and white stripes with red spherical topmark.	AIS: MMSI 993672091	07/22
520	St. Simons Light	31-08-02.846N 081-23-36.920W	FFI W 60s	104	W 23 W 18	White conical tower near brick building. 104	AIS: MMSI 993672490 Fixed range is 18 miles. Flashing range is 23 miles.	07/22
780 10285	<i>Hillsboro Inlet Entrance Lighted Buoy HI</i>	26-15-07.907N 080-04-27.857W	Mo (A) W		5	Red and white stripes with red spherical topmark.	AIS: MMSI 993672673	07/22
830	<i>NOAA Data Lighted Buoy 41002 (ODAS)</i>	31-45-33.000N 074-56-10.000W	FI (4)Y 20s			Yellow boat-shaped with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	07/22
		*						
1375	EGMONT CHANNEL RANGE	27-36-48.919N	FI W 2.5s			On tower.	AIS: MMSI 993672351	07/22
22280	FRONT LIGHT	082-45-53.305W	(NIGHT) FI W 2.5s (DAY)				Day range visible 1° each side of rangeline. Night range visible 0.5° each side of rangeline. Lighted throughout 24 hours.	
1380	EGMONT CHANNEL RANGE	27-36-58.002N	Iso W 6s			On tower.	AIS: MMSI 993672352	07/22
22285	REAR LIGHT 2,743 yards, 083° from front light.	082-44-22.384W	(NIGHT) Iso W 6s (DAY)				Day range visible 1° each side of rangeline. Night range visible 0.5° each side of rangeline. Lighted throughout 24 hours.	
							*	
1680 15	<i>Little River Inlet Lighted Buoy LR</i>	33-49-49.513N 078-32-27.325W	Mo (A) W		5	Red and white stripes with red spherical topmark.	AIS: MMSI 993672126	07/22
1865 125	<i>Winyah Bay Lighted Buoy WB</i>	33-11-37.162N 079-05-10.925W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS: MMSI 993672111	07/22
							*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1875	WINYAH BAY RANGE A FRONT LIGHT	33-11-34.048N 079-10-04.788W	Iso W 4s (NIGHT) Fl W 2.5s (DAY)	13 19		Skeleton tower piles.	AIS: MMSI 993672112 Visible 0.5° each side of rangeline (Day). Visible 10° each side of rangeline (Night). Lighted throughout 24 hours.	07/22
1880	WINYAH BAY RANGE A REAR LIGHT 875 yards, 270° from front light.	33-11-34.042N 079-10-35.676W	Iso W 6s (NIGHT) Iso W 6s (DAY)	40 44		Skeleton tower on piles.	* AIS: MMSI 993672113 Visible 0.5° each side of range line (Day). Visible 10° each side of range line (Night). Lighted throughout 24 hours.	07/22
1885	<i>Winyah Bay Channel Lighted Bell Buoy 4</i>	33-11-37.229N 079-07-13.176W	Fl R 4s		5	Red.	* AIS: MMSI 993672127	07/22
1900	<i>Winyah Bay Channel Lighted Buoy 7</i>	33-11-31.098N 079-09-07.914W	Q G		4	Green.	* AIS: MMSI 993672128	07/22
1905	<i>Winyah Bay Channel Lighted Buoy 8</i>	33-11-37.566N 079-09-06.768W	Q R		4	Red.	* AIS: MMSI 993672129	07/22
1910	WINYAH BAY RANGE B FRONT LIGHT	33-11-58.884N 079-10-57.978W	Q G		20	KRW on dolphin.	* AIS: MMSI 993672623 Visible 1.5° each side of rangeline.	07/22
1915	WINYAH BAY RANGE B REAR LIGHT 308 yards, 285.1° from front light.	33-12-00.692N 079-11-06.032W	Iso G 6s	48		KRW on skeleton tower on piles.	* AIS: MMSI 993672115 Visible 1.5° each side of rangeline.	07/22
1930	<i>Winyah Bay Channel Lighted Buoy 11</i>	33-11-51.478N 079-10-38.800W	Q G		3	Green.	* AIS: MMSI 993672130	07/22
1935	<i>Winyah Bay Channel Lighted Buoy 12</i>	33-11-59.728N 079-10-38.089W	Q R		4	Red.	* AIS: MMSI 993672131	07/22
1940	WINYAH BAY RANGE C FRONT LIGHT	33-14-28.696N 079-11-50.043W	Q W	21		KRW on square skeleton tower on piles. On same structure as Winyah Bay Lower Range E Front Light.	* AIS: MMSI 993672116 Visible 4° each side of rangeline.	07/22

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1945	WINYAH BAY RANGE C REAR LIGHT 1,218 yards, 341.9° from front light.	33-14-48.456N 079-11-57.695W	Iso W 6s	48		KRW on square skeleton tower on piles.	AIS: MMSI 993672974 Visible 4° each side of rangeline.	07/22
1965	<i>Winyah Bay Channel Lighted Buoy 16</i>	33-13-56.246N 079-11-35.014W	Fl R 2.5s		5	Red.	* AIS: MMSI 993672132 *	07/22

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1970	WINYAH BAY RANGE D FRONT LIGHT	33-15-25.885N 079-12-59.718W	Q W	22		KRW on dolphin.	AIS: MMSI 993672118 Visible 4° each side of rangeline.	07/22
1975	WINYAH BAY RANGE D REAR LIGHT 696 yards, 322.5° from front light.	33-15-42.287N 079-13-14.687W	Iso W 6s	40		KRW on square skeleton tower.	* AIS: MMSI 993672119 Visible 4° each side of rangeline.	07/22
1990	<i>Winyah Bay Channel Lighted Buoy 18</i>	33-15-07.406N 079-12-38.589W	Q R		4	Red.	* AIS: MMSI 993672133	07/22
2005	WINYAH BAY LOWER RANGE E REAR LIGHT 777 yards, 130.4° from front light.	33-14-13.753N 079-11-29.176W	Iso W 6s	46		KRW on skeleton tower on piles.	* AIS: MMSI 993672121 Visible 2° each side of rangeline.	07/22
2045	WINYAH BAY UPPER RANGE E FRONT LIGHT	33-18-22.303N 079-17-16.721W	Q W	20		KRW on dolphin.	* AIS: MMSI 993672122 Visible 1.5° each side of rangeline. Passing light visible all around.	07/22
2050	WINYAH BAY UPPER RANGE E REAR LIGHT 569 yards, 310.4° from front light.	33-18-33.032N 079-17-31.902W	Iso W 6s	41		KRW on square skeleton tower.	* AIS: MMSI 993672123 Visible 1.5° each side of rangeline.	07/22
2100 34095	<i>Winyah Bay Channel Lighted Buoy 30</i>	33-18-28.325N 079-17-06.804W	Q R		4	Red with yellow square.	* AIS: MMSI 993672134	07/22
2110 34085	WINYAH BAY CHANNEL LIGHT 33	33-18-53.299N 079-17-16.733W	Fl G 4s	16	5	SG-TY on dolphin.	* AIS: MMSI 993672135	07/22
2115	RABBIT ISLAND CHANNEL RANGE FRONT LIGHT	33-20-25.193N 079-16-55.674W	Q R	25		KRW-I on tower on pile.	* AIS: MMSI 993672124 Visible 1.5° each side of range line.	07/22
2120	RABBIT ISLAND CHANNEL RANGE REAR LIGHT 1,130 yards, 009.1° front light.	33-20-56.444N 079-16-49.578W	Iso R 6s	48		KRW on tower on pile.	* AIS: MMSI 993672125 Visible 1.5° each side of range line.	07/22

*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2145 34060	<i>Winyah Bay Channel Lighted Buoy 39</i>	33-20-43.072N 079-16-43.476W	Q G		4	Green with yellow triangle.	AIS: MMSI 993672136	07/22
2150 34055	WINYAH BAY CHANNEL LIGHT 40	33-20-44.984N 079-16-32.318W	Q R	16	4	TR-SY on dolphin.	AIS: MMSI 993672137	07/22
							*	
							*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2165	SAMPIT POINT CHANNEL LIGHT S	33-21-22.231N 079-16-54.281W	Fl (2+1)R 6s	16	5	JR on dolphin.	AIS: MMSI 993672138	07/22
2470	<i>Charleston Harbor Channel Lighted Buoy 24</i>	32-44-57.012N 079-51-17.479W	Fl R 2.5s		5	Red.	*	07/22
2505	<i>Charleston Harbor North Channel Lighted Buoy 28</i>	* 32-46-22.879N 079-53-14.041W	Fl R 2.5s		5	Red.		07/22
2530	<i>Charleston Harbor North Channel Lighted Buoy 31</i>	* 32-46-38.221N 079-54-09.082W	Fl G 4s		5	Green.		07/22
2535	<i>Charleston Harbor North Channel Lighted Buoy 32</i>	* 32-46-45.043N 079-54-04.907W	Fl R 4s		5	Red.		07/22
2595	<i>Charleston Harbor North Channel Lighted Buoy 37</i>	* 32-47-37.844N 079-55-07.905W	Fl G 4s		5	Green.		07/22
2690	<i>Cooper River Lighted Buoy 43</i>	* 32-48-40.980N 079-55-00.861W	Fl G 4s		5	Green.		07/22
2801	<i>Cooper River Lighted Buoy 48A</i>	* 32-50-39.935N 079-55-36.567W	Q R		4	Red.		07/22
2860	<i>Cooper River Lighted Buoy 52A</i>	* 32-51-49.746N 079-57-30.591W	Fl R 6s		5	Red.		07/22
3300	<i>Wando River Terminal Lighted Buoy 2</i>	* 32-48-51.690N 079-54-35.656W	Fl R 2.5s		5	Red.	AIS: MMSI 993672487	07/22
							*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4605	<i>Bloody Point Range Lighted Buoy 11</i>	32-01-09.065N 080-48-30.578W	Fl G 4s		5	Green.	AIS: MMSI 993672355	07/22
4610	<i>Bloody Point Range Lighted Buoy 12</i>	32-01-13.719N 080-48-23.553W	Fl R 4s		5	Red.	AIS: MMSI 993672356	07/22
							*	
							*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4735	<i>Tybee Knoll Cut Range Lighted Buoy 21</i>	32-02-05.604N 080-52-23.358W	Fl G 4s		5	Green.	AIS: MMSI 993672360	07/22
6030	<i>St. Simons Lighted Buoy STS</i>	31-02-49.022N 081-14-25.218W	Mo (A) W		7	Red and white stripes with red spherical topmark.	AIS: MMSI 993672091	07/22
7250	<i>Sherman Cut Lighted Buoy 18</i>	30-23-16.982N 081-26-20.167W	Fl R 4s		5	Red.	AIS: MMSI 993672661	07/22
7305	<i>White Shells Cut Lighted Buoy 25</i>	30-23-28.938N 081-28-23.598W	Fl G 4s		4	Green.	AIS: MMSI 993672634	07/22
7315	<i>White Shells Cut Lighted Buoy 27</i>	30-23-32.497N 081-29-05.835W	Fl G 4s		5	Green.	AIS: MMSI 993672521	07/22
7340	<i>Fulton Cutoff Lighted Buoy 34</i>	30-23-29.010N 081-29-58.931W	Fl R 4s		5	Red.	AIS: MMSI 993672500	07/22
7365	<i>Fulton Cutoff Lighted Buoy 37</i>	30-23-25.968N 081-30-42.824W	Fl G 2.5s		5	Green.	AIS: MMSI 993672407	07/22
10285 780	<i>Hillsboro Inlet Entrance Lighted Buoy HI</i>	26-15-07.907N 080-04-27.857W	Mo (A) W		5	Red and white stripes with red spherical topmark.	AIS: MMSI 993672673	07/22
14870	KEY WEST MAIN CHANNEL CUT B RANGE FRONT LIGHT	24-33-37.550N 081-48-51.850W	Fl W 2.5s (NIGHT) Fl W 2.5s (DAY)	21		On tower.	AIS: MMSI 993672463 Visible 1.5° each side of rangeline. Lighted throughout 24 hours.	07/22
14875	KEY WEST MAIN CHANNEL CUT B RANGE REAR LIGHT 300 yards, 003° from front light.	24-33-46.450N 081-48-51.364W	Iso W 6s (NIGHT) Iso W 6s (DAY)	49		On tower.	AIS: MMSI 993672440 Visible 1.5° each side of rangeline. Lighted throughout 24 hours.	07/22
20145	Myakka River Daybeacon 8	26-54-41.909N 082-09-33.103W				TR on pile.		07/22
20150	Myakka River Daybeacon 9	26-56-37.751N 082-11-14.079W				SG on pile.		07/22

*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
22280	EGMONT CHANNEL RANGE	27-36-48.919N	Fl W 2.5s			On tower.	AIS: MMSI 993672351 07/22
1375	FRONT LIGHT	082-45-53.305W	(NIGHT) Fl W 2.5s (DAY)				Day range visible 1° each side of rangeline. Night range visible 0.5° each side of rangeline. Lighted throughout 24 hours.
22285	EGMONT CHANNEL RANGE	27-36-58.002N	Iso W 6s			On tower.	* AIS: MMSI 993672352 07/22
1380	REAR LIGHT 2,743 yards, 083° from front light.	082-44-22.384W	(NIGHT) Iso W 6s (DAY)				Day range visible 1° each side of rangeline. Night range visible 0.5° each side of rangeline. Lighted throughout 24 hours. *

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22355	MULLET KEY CHANNEL RANGE FRONT LIGHT	27-36-52.434N 082-39-46.416W	Fl W 2.5s (NIGHT) Fl W 2.5s (DAY)	20		Skeleton tower on piles.	AIS: MMSI 993672092 Visible all around, higher intensity on the range line, lighted throughout 24hrs.	07/22
22360	MULLET KEY CHANNEL RANGE REAR LIGHT 1,005 yards, 081° from front light.	27-36-57.128N 082-39-13.349W	Iso W 6s (NIGHT) Iso W 6s (DAY)	57		Skeleton tower on piles.	* AIS: MMSI 993672093 Lighted throughout 24hrs.	07/22
22480 60490	TAMPA BAY CUT B CHANNEL INBOUND RANGE FRONT LIGHT	27-41-19.141N 082-34-40.446W	Q W (NIGHT) Q W (DAY)	18			* AIS: MMSI 993672015 Visible 1.5° each side of range line. Lighted throughout 24 hours.	07/22
22485 60495	TAMPA BAY CUT B CHANNEL INBOUND RANGE REAR LIGHT 1,708 yards, 037.7° from front light.	27-41-59.276N 082-34-05.573W	Iso W 6s (NIGHT) Iso W 6s (DAY)	57			* AIS: MMSI 993672970 Visible 1.5° each side of range line. Lighted throughout 24 hours.	07/22
22710	TAMPA BAY CUT D CHANNEL OUTBOUND RANGE FRONT LIGHT	27-40-56.913N 082-33-54.821W	Q W (NIGHT) Q W (DAY)	17		On piles.	* AIS: MMSI 993672635 Visible 2° each side of rangeline. Lighted throughout 24 hours.	07/22
22715	TAMPA BAY CUT D CHANNEL OUTBOUND RANGE REAR LIGHT 1,691 yards, 213° from front light.	27-40-14.742N 082-34-25.498W	Iso W 6s (NIGHT) Iso W 6s (DAY)	50		On skeleton structure on piles.	* AIS: MMSI 993672971 Visible 2° each side of rangeline. Lighted throughout 24 hours.	07/22
30745	BAHIA DE SAN JUAN RANGE FRONT LIGHT	18-27-25.530N 066-07-42.424W	Iso R 2s	27		On skeleton tower on piles.	* AIS: MMSI 993672172 Visible 1.5° each side of range line. Lighted throughout 24 hours.	07/22
							*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
30750	BAHIA DE SAN JUAN RANGE REAR LIGHT	18-27-18.392N 066-07-42.552W	Oc R 4s	48		On skeleton tower on piles.	AIS: MMSI 993672173 Visible 1.5° each side of rangeline. Lighted throughout 24 hours.	07/22
	240 yards, 181° from front light.							
32010	Bahia De Tallaboa Buoy 2	17-57-41.089N 066-44-08.849W				Red nun.	AIS: MMSI 993672321 *	07/22
							*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
32020	<i>Bahia De Tallaboa Lighted Buoy 5</i>	17-58-11.985N 066-44-17.860W	Fl G 2.5s		5	Green.	AIS: MMSI 993672322	07/22
32070	BAHIA DE GUAYANILLA ENTRANCE RANGE FRONT LIGHT	17-58-36.849N 066-45-49.823W	Q R	17		KRW on pile.	* AIS: MMSI 993672323 Visible 1.5° each side of rangeline.	07/22
32075	BAHIA DE GUAYANILLA ENTRANCE RANGE REAR LIGHT 1,014 yards, 358.1° from front light.	17-59-06.987N 066-45-50.877W	Iso R 6s	39		KRW on pile.	* AIS: MMSI 993672324 Visible 1.5° each side of rangeline.	07/22
32085	<i>Bahia De Guayanilla Lighted Buoy 2</i>	17-57-58.018N 066-45-43.641W	Fl R 4s		5	Red.	* AIS: MMSI 993672325	07/22
32090	<i>Bahia De Guayanilla Lighted Buoy 3</i>	17-58-02.696N 066-45-53.527W	Fl G 4s		5	Green.	* AIS: MMSI 993672326	07/22
32215	BAHIA DE GUANICA RANGE FRONT LIGHT	17-57-53.721N 066-54-33.243W	Q R	36		KRW on skeleton tower.	* AIS: MMSI 993672327 Visible 4° each side of rangeline.	07/22
32220	BAHIA DE GUANICA RANGE REAR LIGHT 558 yards, 354.9° from front light.	17-58-10.265N 066-54-34.786W	Iso R 6s	49		KRW on skeleton tower.	* AIS: MMSI 993672328 Visible 4° each side of rangeline.	07/22
34055 2150	WINYAH BAY CHANNEL LIGHT 40	33-20-44.984N 079-16-32.318W	Q R	16	4	TR-SY on dolphin.	* AIS: MMSI 993672137	07/22
34060 2145	<i>Winyah Bay Channel Lighted Buoy 39</i>	33-20-43.072N 079-16-43.476W	Q G		4	Green with yellow triangle.	* AIS: MMSI 993672136	07/22
34085 2110	WINYAH BAY CHANNEL LIGHT 33	33-18-53.299N 079-17-16.733W	Fl G 4s	16	5	SG-TY on dolphin.	* AIS: MMSI 993672135	07/22
34095 2100	<i>Winyah Bay Channel Lighted Buoy 30</i>	33-18-28.325N 079-17-06.804W	Q R		4	Red with yellow square.	* AIS: MMSI 993672134	07/22
							*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
60490 22480	TAMPA BAY CUT B CHANNEL INBOUND RANGE FRONT LIGHT	27-41-19.141N 082-34-40.446W	Q W (NIGHT) Q W (DAY)	18			AIS: MMSI 993672015 Visible 1.5° each side of range line. Lighted throughout 24 hours.	07/22
60495 22485	TAMPA BAY CUT B CHANNEL INBOUND RANGE REAR LIGHT 1,708 yards, 037.7° from front light.	27-41-59.276N 082-34-05.573W	Iso W 6s (NIGHT) Iso W 6s (DAY)	57			* AIS: MMSI 993672970 Visible 1.5° each side of rangeline. Lighted throughout 24 hours.	07/22
200 2370	<i>Charleston Entrance Lighted Buoy C</i>	32-37-04.868N 079-35-29.726W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: K (- . -) AIS: MMSI 993672420	06/22
800 10305	<i>Port Everglades Lighted Buoy PE</i>	26-05-30.307N 080-04-45.886W	Mo (A) W		6	Red and white stripes with red spherical topmark.	* AIS: MMSI 993672004	06/22
1080	<i>Twenty Eight Foot Shoal Lighted Buoy 2</i>	24-25-48.257N 082-25-31.637W	Fl R 4s		5	Red.	*	06/22
2370 200	<i>Charleston Entrance Lighted Buoy C</i>	32-37-04.868N 079-35-29.726W	Mo (A) W		6	Red and white stripes with red spherical topmark.	* RACON: K (- . -) AIS: MMSI 993672420	06/22
10305 800	<i>Port Everglades Lighted Buoy PE</i>	26-05-30.307N 080-04-45.886W	Mo (A) W		6	Red and white stripes with red spherical topmark.	* AIS: MMSI 993672004	06/22
22753	TAMPA BAY CUT E CHANNEL OUTBOUND RANGE REAR LIGHT PASSING LIGHTS	27-42-12.682N 082-32-32.363W	Fl W 2.5s	16	5	On the same structure as Cut E Channel Outbound Range Rear Light.	* Two synchronized passing lights visible all around on the SW and NE corners of platform.	06/22
35827	<i>Ramshorn Creek Lighted Buoy 40</i>	32-06-51.999N 080-53-52.226W	* Fl R 2.5s		5	Red.		06/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
800 10305	<i>Port Everglades Lighted Buoy PE</i>	26-05-30.307N 080-04-45.886W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS: MMSI 993672004	05/22
					*		*	
4683	<i>Calibogue Sound Entrance Lighted Buoy 2</i>	32-03-54.567N 080-49-48.938W	Q R		4	Red.		05/22
7327	BUCK ISLAND CELL OUTFALL LIGHT A	* 30-23-27.240N 081-28-45.460W	Fl W 3s			NW on pile.	Private Aid.	05/22
* 7327.5	* BUCK ISLAND CELL OUTFALL LIGHT B	* 30-23-27.220N 081-28-45.320W	* Fl W 3s	* *	* *	* NW on pile.	* Private Aid.	* 05/22
* 10305 800	* <i>Port Everglades Lighted Buoy PE</i>	* 26-05-30.307N 080-04-45.886W	* Mo (A) W	* *	* 6	* Red and white stripes with red spherical topmark.	* AIS: MMSI 993672004	* 05/22
25585.2	Johns Pass Channel Buoy 2A	27-46-36.232N 082-47-18.776W			*	Red nun.	*	05/22
		*						
13890	Newfound Harbor Channel Daybeacon 3	24-37-47.634N 081-23-40.017W				SG on pile.		04/22
* 15060	* Garrison Bight Channel Daybeacon 22	* 24-33-51.376N 081-46-57.264W	* *	* *	* *	* TR on pile.	* *	* 04/22
15085	Garrison Bight Channel Turning Basin Daybeacon 29	* 24-33-42.617N 081-47-11.745W				SG on pile.		04/22
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
25585.5	Johns Pass Channel Buoy 3	27-46-38.349N 082-47-21.474W				Green can.	04/22
48915	DINNER KEY CHANNEL LIGHT 1	* 25-42-47.972N 080-12-37.961W	Fl G 2.5s	16	5	SG on pile.	04/22
57435	Indian Mound Park Daybeacon 1	* 26-57-35.400N 082-22-07.440W				SG on pile.	Private Aid. 04/22
57440	* Indian Mound Park Daybeacon 2	* 26-57-32.340N 082-22-07.620W				TR on pile.	Private Aid. 04/22
57445	* Indian Mound Park Daybeacon 3	* 26-57-31.380N 082-21-56.820W				SG on pile.	Private Aid. 04/22
	*	*					
51085	St Lucie River (South Fork) Buoy 29	27-10-43.063N 080-15-47.037W				Green can.	03/22
59345	Siesta Key-Tampa Bay Buoy 39	* 27-26-15.801N 082-40-29.767W				Green can with yellow square.	03/22
		*					

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
21165	Peace River Daybeacon 15	26-57-36.827N 082-01-01.028W				SG on pile.	02/22
		*					
21175	Peace River Daybeacon 19	26-57-40.946N 081-59-55.930W				SG on pile.	02/22
		*					
21185	Peace River Daybeacon 22	26-58-30.474N 081-59-51.801W				TR on pile.	02/22
		*					
23117	BIG BEND CHANNEL INBOUND RANGE FRONT LIGHT	27-48-23.063N 082-24-08.401W	Q R (NIGHT) Q R (DAY)	150		On tower.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours. 01/22
	*	*	*	*		*	*
23118	BIG BEND CHANNEL INBOUND RANGE REAR LIGHT	27-48-21.018N 082-23-46.042W	Iso R 6s (NIGHT) Iso R 6s (DAY)	200		On tower.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours. 01/22
	*	*	*	*		*	*
29900	Cedar Keys South Bar Channel Daybeacon 4	29-07-23.401N 082-59-22.877W				TR on pile.	01/22
		*					
30020	Suwannee Sound South Entrance Daybeacon 3	29-09-50.544N 083-06-10.161W				SG on pile.	01/22
		*					

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
30045	Suwannee Sound South Entrance Daybeacon 13	29-11-08.748N 083-05-01.716W				SG on pile.	01/22
		*					
30055	Derrick Key Gap Channel Daybeacon 2	29-11-29.566N 083-04-51.030W				TR on pile.	01/22
		*					
30075	Derrick Key Gap Channel Daybeacon 8	29-11-53.489N 083-05-15.455W				TR on pile.	01/22
		*					
30080	Derrick Key Gap Channel Daybeacon 10	29-12-00.581N 083-05-30.751W				TR on pile.	01/22
		*					
41435	Indian River (North Section) Daybeacon 51	28-30-13.289N 080-45-37.811W				SG-SY on pile.	01/22
		*					
47700	Dumfoundling Bay Daybeacon 50	25-56-38.028N 080-07-42.914W				TR-TY on pile.	01/22
		*					