

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1056	CPPJ LITTLE FLORIDA DANGER BREAKWATER LIGHT	29-45-20.260N 093-36-06.960W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	39/22
		*						
1056.01	CPPJ LITTLE FLORIDA DANGER BREAKWATER LIGHT	29-45-19.370N 093-36-14.200W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	39/22
		*						
1056.02	CPPJ LITTLE FLORIDA DANGER BREAKWATER LIGHT	29-45-18.990N 093-36-17.950W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	39/22
		*						
1056.03	CPPJ LITTLE FLORIDA DANGER BREAKWATER LIGHT	29-45-18.330N 093-36-24.550W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	39/22
*	*	*	*	*	*	*	*	
1056.04	CPPJ LITTLE FLORIDA DANGER BREAKWATER LIGHT	29-45-17.720N 093-36-33.110W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	39/22
*	*	*	*	*	*	*	*	
1056.05	CPPJ LITTLE FLORIDA DANGER BREAKWATER LIGHT	29-45-17.380N 093-36-39.330W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	39/22
*	*	*	*	*	*	*	*	
8677.01	MDMR KATRINA KEY DANGER BREAKWATER LIGHT	30-21-33.240N 088-50-46.260W	Fl W 2.5s	10		Marks breakwater structure.	Private Aid.	39/22
*	*	*	*	*	*	*	*	
8677.02	MDMR KATRINA KEY DANGER BREAKWATER LIGHT	30-21-35.580N 088-50-48.000W	Fl W 2.5s	10		Marks breakwater structure.	Private Aid.	39/22
*	*	*	*	*	*	*	*	
8677.03	MDMR KATRINA KEY DANGER BREAKWATER LIGHT	30-21-37.140N 088-50-52.440W	Fl W 2.5s	10		Marks breakwater structure.	Private Aid.	39/22
*	*	*	*	*	*	*	*	
8677.04	MDMR KATRINA KEY DANGER BREAKWATER LIGHT	30-21-35.520N 088-50-51.060W	Fl W 2.5s	10		Marks breakwater structure.	Private Aid.	39/22
*	*	*	*	*	*	*	*	
8677.05	MDMR KATRINA KEY DANGER BREAKWATER LIGHT	30-21-37.620N 088-50-55.560W	Fl W 2.5s	10		Marks breakwater structure.	Private Aid.	39/22
*	*	*	*	*	*	*	*	
20580	FRESHWATER BAYOU LIGHT 4	29-29-22.464N 092-18-56.087W	Fl R 4s	17	4	TR on pile.	Ra ref.	39/22

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
20610	FRESHWATER BAYOU LIGHT 10	29-31-20.999N 092-18-36.232W	Fl R 4s	17	4	TR on pile.	Ra ref.	39/22
21576	Nature Conservancy Calcasieu Lake Southwest Cove Danger Daybeacon	29-52-23.440N 093-25-59.300W				* Marks shoreline reef.	Private Aid.	39/22
* 21576.01	* Nature Conservancy Calcasieu Lake Southwest Cove Danger Daybeacon	* 29-52-21.670N 093-26-02.910W	* *	* *	* *	* Marks shoreline reef.	* Private Aid.	* 39/22
* 21576.02	* NATURE CONSERVANCY CALCASIEU LAKE SOUTHWEST COVE DANGER LIGHT	* 29-52-19.240N 093-26-07.800W	* Fl W 2.5s	* *	* *	* Marks shoreline reef.	* Private Aid.	* 39/22
* 21576.03	* Nature Conservancy Calcasieu Lake Southwest Cove Danger Daybeacon	* 29-52-16.330N 093-26-12.310W	* *	* *	* *	* Marks shoreline reef.	* Private Aid.	* 39/22
* 21576.04	* NATURE CONSERVANCY CALCASIEU LAKE SOUTHWEST COVE DANGER LIGHT	* 29-52-13.410N 093-26-16.830W	* Fl W 2.5s	* *	* *	* Marks shoreline reef.	* Private Aid.	* 39/22
* 21576.05	* Nature Conservancy Calcasieu Lake Southwest Cove Danger Daybeacon	* 29-52-09.930N 093-26-20.700W	* *	* *	* *	* Marks shoreline reef.	* Private Aid.	* 39/22
* 21576.06	* NATURE CONSERVANCY CALCASIEU LAKE SOUTHWEST COVE DANGER LIGHT	* 29-52-07.470N 093-26-22.940W	* Fl W 2.5s	* *	* *	* Marks shoreline reef.	* Private Aid.	* 39/22
* 24460	* BAYPORT SHIP CHANNEL LIGHT 2	* 29-36-59.245N 094-57-38.548W	* Fl R 2.5s	* 17	* 4	* TR on pile.	* Ra ref.	* 39/22
24485	BAYPORT SHIP CHANNEL LIGHT 5	29-36-47.855N 094-57-50.299W	Fl G 4s	17	4	SG on pile.	Ra ref.	39/22
27620	MATAGORDA SHIP CHANNEL LIGHT 82	28-38-30.488N 096-33-27.510W	Q R	17	4	TR on pile.	Ra ref.	39/22

*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14415	Laplace Anchorage Upper Daybeacon 135.4	30-03-10.332N 090-30-55.800W				NY on pile.	Ra ref.	38/22
19226	NEW IBERIA CIVIC CENTER MARINA DOCK LIGHT LOWER	* 30-00-12.625N 091-48-42.296W	Fl G 2.5s	14		Marks downstream end of dock.	Private Aid.	38/22
19226.01	NEW IBERIA CIVIC CENTER MARINA DOCK LIGHT UPPER	* 30-00-13.957N 091-48-45.583W	Fl G 2.5s	14	*	Marks upstream end of dock.	Private Aid.	38/22
38787	LOMAX OYSTER SPECIAL LIGHT A	* 28-03-31.750N 097-09-54.860W	Fl Y 2.5s	7	*	Marks perimeter of aquaculture reef.	Private Aid.	38/22
38787.01	LOMAX OYSTER SPECIAL LIGHT B	* 28-03-29.050N 097-09-46.940W	Fl Y 2.5s	7	*	Marks perimeter of aquaculture reef.	Private Aid.	38/22
38787.02	LOMAX OYSTER SPECIAL LIGHT C	* 28-03-25.090N 097-09-48.640W	Fl Y 2.5s	7	*	Marks perimeter of aquaculture reef.	Private Aid.	38/22
38787.03	LOMAX OYSTER SPECIAL LIGHT D	* 28-03-27.720N 097-09-56.590W	Fl Y 2.5s	7	*	Marks perimeter of aquaculture reef.	Private Aid.	38/22
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
25500	HOUSTON SHIP CHANNEL LIGHT 124A	29-45-28.922N 095-04-04.009W	Fl R 2.5s	17	4	TR on pile.	Ra ref.	37/22
27210	MATAGORDA SHIP CHANNEL LIGHT 20	28-26-55.606N 096-21-18.757W	Oc R 4s	20	4	TR on pile.	Ra ref.	37/22
27225	MATAGORDA SHIP CHANNEL LIGHT 25	28-28-02.204N 096-23-02.160W	Fl G 4s	17	4	SG on pile.	Ra ref.	37/22
	* Add Heading: Nueces Bay							37/22
29162	CBBEP NUECES BAY LIGHTED DANGER MARK	27-51-59.890N 097-31-05.200W	Fl W 2.5s			Marks segmented breakwater.	Private Aid.	37/22
*	*	*	*	*	*	*	*	*
29162.01	CBBEP NUECES BAY LIGHTED DANGER MARK	27-52-06.650N 097-30-59.770W	Fl W 2.5s			Marks segmented breakwater.	Private Aid.	37/22
*	*	*	*	*	*	*	*	*
29162.02	CBBEP NUECES BAY LIGHTED DANGER MARK	27-52-13.750N 097-30-55.330W	Fl W 2.5s			Marks segmented breakwater.	Private Aid.	37/22
*	*	*	*	*	*	*	*	*
29162.03	CBBEP NUECES BAY LIGHTED DANGER MARK	27-52-19.710N 097-30-49.260W	Fl W 2.5s			Marks segmented breakwater.	Private Aid.	37/22
*	*	*	*	*	*	*	*	*
29162.04	CBBEP NUECES BAY LIGHTED DANGER MARK	27-52-23.820N 097-30-39.670W	Fl W 2.5s			Marks segmented breakwater.	Private Aid.	37/22
*	*	*	*	*	*	*	*	*
29162.05	CBBEP NUECES BAY LIGHTED DANGER MARK	27-52-39.770N 097-30-31.300W	Fl W 2.5s			Marks segmented breakwater.	Private Aid.	37/22
*	*	*	*	*	*	*	*	*
36110	GALVESTON-FREEPORT LIGHT 3	29-18-32.728N 094-50-16.253W	Fl G 2.5s	17	3	SG-SY on pile.	Ra ref.	37/22
37555	Matagorda Bay Daybeacon 34	28-32-00.286N 096-14-39.472W				TR-TY on pile.	Ra ref.	37/22
37890	PORT O'CONNOR CHANNEL LIGHT 8	28-27-01.137N 096-22-50.410W	Fl R 2.5s	17	4	TR-TY on pile.	Ra ref.	37/22

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9282	MDEQ BIG ISLAND DANGER BREAKWATER LIGHT	30-25-02.911N 088-52-10.293W	FI W 2.5s			Marks breakwater structure.	Private Aid.	36/22
*	*	*	*	*	*	*	*	
9282.01	MDEQ BIG ISLAND DANGER BREAKWATER LIGHT	30-24-56.276N 088-52-11.596W	FI W 2.5s			Marks breakwater structure.	Private Aid.	36/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9287	MDEQ BIG ISLAND DANGER BREAKWATER LIGHT	30-24-49.175N 088-52-21.531W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	36/22
*	*	*	*	*	*	*	*	
9287.01	MDEQ BIG ISLAND DANGER BREAKWATER LIGHT	30-24-49.400N 088-52-30.539W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	36/22
*	*	*	*	*	*	*	*	
9302	MDEQ BIG ISLAND DANGER BREAKWATER LIGHT	30-24-49.929N 088-52-40.903W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	36/22
*	*	*	*	*	*	*	*	
9307	MDEQ BIG ISLAND DANGER BREAKWATER LIGHT	30-24-55.763N 088-52-49.613W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	36/22
*	*	*	*	*	*	*	*	
9307.01	MDEQ BIG ISLAND DANGER BREAKWATER LIGHT	30-25-02.377N 088-52-53.777W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	36/22
*	*	*	*	*	*	*	*	
12612	South Pass Buoy 9B						Remove from list.	36/22
12615	<i>South Pass Lighted Buoy 9C</i>						Remove from list.	36/22
12622	South Pass Buoy 9D						Remove from list.	36/22
12642	<i>South Pass Lighted Buoy 11B</i>						Remove from list.	36/22
22415	SABINE PASS OUTER A RANGE REAR LIGHT	29-39-46.444N 093-50-04.204W	Iso G 6s (NIGHT)	76 73		Skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.	36/22
	1,004 yards 337° from front light.		Iso W 6s (DAY)					
	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17912.11	TLCD Bayou Plat Alternate Channel Daybeacon 1	29-20-23.520N 090-44-00.560W				SG on pile.	Private Aid.	35/22
* 17912.12	* TLCD BAYOU PLAT ALTERNATE CHANNEL LIGHT 2	* 29-20-22.650N 090-44-00.570W	* FI R 2.5s	* *	* *	* TR on pile.	* Private Aid.	* 35/22
* 17912.13	* TLCD Bayou Plat Alternate Channel Daybeacon 3	* 29-20-23.760N 090-43-55.160W	* *	* *	* *	* SG on pile.	* Private Aid.	* 35/22
* 17912.14	* TLCD BAYOU PLAT ALTERNATE CHANNEL LIGHT 4	* 29-20-22.900N 090-43-55.240W	* FI R 2.5s	* *	* *	* TR on pile.	* Private Aid.	* 35/22
* 17912.15	* TLCD BAYOU PLAT ALTERNATE CHANNEL LIGHT 5	* 29-20-23.970N 090-43-49.320W	* FI G 2.5s	* *	* *	* SG on pile.	* Private Aid.	* 35/22
* 17912.16	* TLCD Bayou Plat Alternate Channel Daybeacon 6	* 29-20-23.270N 090-43-49.270W	* *	* *	* *	* TR on pile.	* Private Aid.	* 35/22
* 17912.17	* TLCD BAYOU PLAT ALTERNATE CHANNEL DANGER CLOSURE LIGHT	* 29-19-58.940N 090-43-44.350W	* FI W 2.5s	* *	* *	* NW on pile.	* Private Aid.	* 35/22
* 22410	* SABINE PASS OUTER A RANGE FRONT LIGHT	* 29-39-18.940N 093-49-51.045W	* Q G (NIGHT) Q W (DAY)	* 39 42	* *	* Skeleton tower on pile.	* Visible 1.5° each side of rangeline. Lighted throughout 24 hours.	* 35/22
23820	<i>Galveston Bay Entrance Channel Lighted Buoy 16</i>	29-20-41.298N 094-46-07.423W	* Q R	* *	3	* Red.	* *	35/22
36125	GALVESTON-FREEPORT LIGHT 6	* 29-18-29.973N 094-50-48.928W	FI R 4s	17	3	TR-TY on pile.	Ra ref.	35/22
36270	GALVESTON-FREEPORT LIGHT 15	29-18-29.176N 094-52-13.532W	Q G	17	3	SG-SY on pile.	Ra ref.	* 35/22

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1056	CPPJ LITTLE FLORIDA DANGER BREAKWATER LIGHT	29-45-18.520N 093-36-18.440W	FI W 2.5s			Marks breakwater structure.	Private Aid.	34/22
*	*	*	*	*	*	*	*	
1056.01	CPPJ LITTLE FLORIDA DANGER BREAKWATER LIGHT	29-45-17.890N 093-36-27.580W	FI W 2.5s			Marks breakwater structure.	Private Aid.	34/22
*	*	*	*	*	*	*	*	
1056.02	CPPJ LITTLE FLORIDA DANGER BREAKWATER LIGHT	29-45-17.090N 093-36-39.340W	FI W 2.5s			Marks breakwater structure.	Private Aid.	34/22
*	*	*	*	*	*	*	*	
1465	<i>NOAA Lighted Buoy 42001 (ODAS)</i>	25-55-20.000N 089-39-37.000W	FI (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	34/22
5085	Bayou Texar Buoy 5	* 30-25-03.827N 087-11-31.325W				Green can.		34/22
*	*	*	*	*	*	*	*	
5085	Bayou Texar Daybeacon 5						Remove from list.	34/22
							*	
5090	Bayou Texar Buoy 6	30-25-06.363N 087-11-32.082W				Red nun.		34/22
*	*	*	*	*	*	*	*	
5090	Bayou Texar Daybeacon 6						Remove from list.	34/22
							*	
5595	<i>Blackwater Channel Lighted Buoy 37</i>	30-35-33.130N 087-00-54.871W	FI G 4s		3	Green.		34/22
*	*	*	*	*	*	*	*	
5595	BLACKWATER CHANNEL LIGHT 37						Remove from list.	34/22
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17245	BAYOU BLUE ENTRANCE LIGHT						Remove from list.	34/22
							*	
17245	<i>Bayou Blue Lighted Information Buoy</i>	29-12-50.580N 090-16-46.500W	FI W 2.5s			Buoy provides entrance information.	Private Aid.	34/22
*	*	*	*	*	*	*	*	
20670.17	LDWF ROCKEFELLER REFUGE DANGER BREAKWATER LIGHT	29-39-36.530N 092-49-39.980W	FI W 2.5s			Marks breakwater structure.	Private Aid.	34/22
*	*	*	*	*	*	*	*	
20670.18	LDWF ROCKEFELLER REFUGE DANGER BREAKWATER LIGHT	29-39-42.720N 092-49-53.800W	FI W 2.5s			Marks breakwater structure.	Private Aid.	34/22
*	*	*	*	*	*	*	*	
20670.19	LDWF ROCKEFELLER REFUGE DANGER BREAKWATER LIGHT	29-39-47.470N 092-50-04.380W	FI W 2.5s			Marks breakwater structure.	Private Aid.	34/22
*	*	*	*	*	*	*	*	
35236	<i>Bayou Teche Flood Control Lighted Danger Buoy</i>	29-49-34.900N 091-32-12.900W	FI W 2.5s				Private Aid.	34/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1460	<i>NOAA Lighted Data Buoy 42003 (ODAS)</i>	25-55-31.000N 085-36-58.000W	Fl (4)Y 20s		4	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	33/22
7144.01	D'Olive Bay Daybeacon 1	* 30-38-24.750N 087-55-31.580W				SG on Pile.	Private Aid.	33/22
16845	BAYOU COUBA LIGHT 1	29-47-08.141N 090-14-05.827W	Fl G 6s	17	4	* SG on dolphin.	Ra ref.	33/22
16860	BAYOU PEROT ENTRANCE LIGHT 2	29-41-28.379N 090-12-37.425W	Fl R 4s	17	4	TR on pile.	Ra ref. *	33/22
24500	BAYPORT SHIP CHANNEL LIGHT 8	29-36-52.609N 094-59-32.061W	Fl R 2.5s	17	4	TR on pile	Ra ref. *	33/22
24535	HOUSTON SHIP CHANNEL LIGHT 83	29-38-29.986N 094-58-03.911W	Fl G 4s	17	4	SG on pile.	Ra ref. *	33/22
24540	HOUSTON SHIP CHANNEL LIGHT 84	29-38-33.018N 094-57-53.131W	Fl R 4s	17	4	TR on pile.	Ra ref. *	33/22
25600	<i>San Jacinto River Lighted Buoy 15</i>						Remove from list. *	33/22
35340	Gibbstown Daybeacon 4	29-56-08.622N 093-06-04.223W				TR-TY on pile.		33/22
35355	Sweet Lake Daybeacon 4	* 29-56-05.676N 093-08-51.758W				TR-TY on pile.		33/22
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2948	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT A	29-42-37.270N 085-02-39.200W	FI Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	
2948.01	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT B	29-42-43.000N 085-02-38.690W	FI Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	
2948.02	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT C	29-42-43.700N 085-02-50.190W	FI Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	
2948.03	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT D	29-42-44.230N 085-02-59.030W	FI Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	
2948.04	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT E	29-42-44.770N 085-03-07.860W	FI Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	
2948.05	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT F	29-42-45.300N 085-03-16.700W	FI Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	
2948.06	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT G	29-42-45.840N 085-03-25.540W	FI Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	
2948.07	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT H	29-42-46.370N 085-03-34.380W	FI Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	
2948.08	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT I	29-42-40.650N 085-03-34.890W	FI Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	
2948.09	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT J	29-42-39.950N 085-03-23.390W	FI Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2948.11	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT K	29-42-39.420N 085-03-14.550W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*
2948.12	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT L	29-42-38.880N 085-03-05.710W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*
2948.13	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT M	29-42-38.340N 085-02-56.870W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*
2948.14	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT N	29-42-37.810N 085-02-48.040W	Fl Y 2.5s			Marks perimeter of aquaculture use zone.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*
2984.04	FDOA FRANKLIN FOUR-MILE AUZ SPECIAL LIGHT E						Remove from list.	32/22
16618.22	GIPC AQUACULTURE SPECIAL LIGHT A	29-14-20.659N 090-00-56.497W	Fl Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*
16618.23	GIPC AQUACULTURE SPECIAL LIGHT B	29-14-23.578N 090-00-59.597W	Fl Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*
16618.24	GIPC AQUACULTURE SPECIAL LIGHT C	29-14-26.789N 090-01-02.999W	Fl Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*
16618.25	GIPC AQUACULTURE SPECIAL LIGHT D	29-14-23.301N 090-01-07.312W	Fl Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*
16618.26	GIPC AQUACULTURE SPECIAL LIGHT E	29-14-20.090N 090-01-03.907W	Fl Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*
16618.27	GIPC AQUACULTURE SPECIAL LIGHT F	29-14-17.710N 090-01-00.810W	Fl Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	32/22
*	*	*	*	*	*	*	*	*
29085	LA QUINTA CHANNEL LIGHT 18	27-52-30.709N 097-15-05.452W	Fl R 4s	17	3	TR on dolphin.	Ra ref.	32/22
		*					*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
	* Add Heading: Upper Perdido Bay							31/22
5882	Bridge Creek Daybeacon 1	30-24-54.390N 087-22-37.680W				SG on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
5882.01	Bridge Creek Daybeacon 2	30-24-54.260N 087-22-39.240W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
5882.02	Bridge Creek Daybeacon 3	30-24-43.720N 087-22-35.100W				SG on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
5882.03	Bridge Creek Daybeacon 4	30-24-43.700N 087-22-35.890W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
5882.04	Bridge Creek Daybeacon 5	30-24-37.710N 087-22-36.450W				SG on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
5882.05	Bridge Creek Daybeacon 6	30-24-37.620N 087-22-37.130W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
5882.06	Bridge Creek Daybeacon 7	30-24-30.580N 087-22-30.290W				SG on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5882.07	Bridge Creek Daybeacon 8	30-24-30.180N 087-22-30.920W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
	* Add Heading: D'Olive Bay							31/22
7144.01	D'Olive Bay Daybeacon 1	30-38-24.750N 087-55-31.580W				SQ on Pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
7144.02	D'Olive Bay Daybeacon 2	30-38-23.860N 087-55-32.010W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
7144.03	D'Olive Bay Daybeacon 3	30-38-23.410N 087-55-29.430W				SG on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
7144.04	D'Olive Bay Daybeacon 4	30-38-22.480N 087-55-26.530W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
7144.05	D'Olive Bay Daybeacon 5	30-38-21.480N 087-55-22.310W				SG on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
7144.06	D'Olive Bay Daybeacon 6	30-38-21.800N 087-55-24.310W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
7144.07	D'Olive Bay Daybeacon 7	30-38-17.960N 087-55-16.980W				SG on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
7144.08	D'Olive Bay Daybeacon 8	30-38-20.490N 087-55-21.280W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7144.09	D'Olive Bay Daybeacon 9	30-38-13.740N 087-55-11.420W				SG on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	*
7144.11	D'Olive Bay Daybeacon 10	30-38-17.330N 087-55-17.510W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	*
7144.12	D'Olive Bay Daybeacon 11	30-38-13.230N 087-55-10.120W				SG on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	*
7144.13	D'Olive Bay Daybeacon 12	30-38-13.200N 087-55-12.130W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	*
7144.14	D'Olive Bay Daybeacon 13	30-38-16.250N 087-55-06.000W				SG on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	*
7144.15	D'Olive Bay Daybeacon 14	30-38-12.610N 087-55-10.030W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	*
7144.16	D'Olive Bay Daybeacon 15	30-38-18.750N 087-55-05.790W				SG on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7144.17	D'Olive Bay Daybeacon 16	30-38-15.360N 087-55-05.520W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
7144.18	D'Olive Bay Daybeacon 17	30-38-20.120N 087-55-02.840W				SG on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
7144.19	D'Olive Bay Daybeacon 18	30-38-18.600N 087-55-04.540W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
7144.21	D'Olive Bay Daybeacon 20	30-38-19.420N 087-55-02.640W				TR on pile.	Private Aid.	31/22
*	*	*	*	*	*	*	*	
17005	BELLE PASS ENTRANCE LIGHT 6						Remove from list.	31/22
							*	
17005	<i>Belle Pass Entrance Lighted Buoy 6</i>	29-05-02.954N 090-13-32.716W	Fl R 4s		3	Red.		31/22
*	*	*	*	*	*	*	*	
21430	CALCASIEU CHANNEL LIGHT 50	29-46-41.742N 093-20-40.314W	Fl R 2.5s	14	3	TR on pile.		31/22
	130 feet outside channel limit.							
		*		*				
21540	CALCASIEU CHANNEL C RANGE FRONT LIGHT	29-48-54.712N 093-21-00.230W	Q W	21		KRW on skeleton tower.	Visible 2° each side of rangeline.	31/22
		*		*				
21545	CALCASIEU CHANNEL C RANGE FRONT LIGHT PASSING LIGHT	29-48-54.712N 093-21-00.230W	Fl G 2.5s	14	4	On same structure as Calcasieu Channel Range C Front Light.		31/22
		*		*				
21550	CALCASIEU CHANNEL C RANGE REAR LIGHT	29-48-39.877N 093-21-01.609W	Iso W 6s	55		KRW on skeleton tower.	Visible 2° each side of rangeline.	31/22
	502 yards, 184.5° from front light.							
	*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
22945 35670	SABINE-NECHES CANAL L RANGE FRONT LIGHT	29-56-35.681N 093-51-46.487W	Q W	32		KRW-I on skeleton tower on piles.	31/22
22950 35675	SABINE-NECHES CANAL L RANGE REAR LIGHT	* 29-56-58.215N 093-51-26.720W	Iso W 6s	56		KRW on skeleton tower on piles.	31/22
	955 yards, 037.4° from front light.						
24220	* UPPER GALVESTON BAY INNER RANGE REAR LIGHT	29-37-47.468N 094-58-12.751W	Iso W 6s	68		KRW on skeleton tower on piles.	Visible only on rangeline. 31/22
	1,587 yards, 326.1° from front light.						
25840	* Fidelity Island Daybeacon 2	* 		*			Remove from list. 31/22
35670 22945	SABINE-NECHES CANAL L RANGE FRONT LIGHT	29-56-35.681N 093-51-46.487W	Q W	32		KRW-I on skeleton tower on piles.	* 31/22
35675 22950	SABINE-NECHES CANAL L RANGE REAR LIGHT	* 29-56-58.215N 093-51-26.720W	Iso W 6s	56		KRW on skeleton tower on piles.	31/22
	955 yards, 037.4° from front light.						
	* 						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14305	NORCO OBSTRUCTION LIGHTS (3) LDB mile 126.9.	29-59-49.834N 090-25-30.480W	Fl R 2.5s			On dolphins.	Private Aid.	30/22
23745	* GALVESTON BAY ENTRANCE CHANNEL B RANGE REAR LIGHT 1,335 yards, 282.5° from front light.	* 29-21-27.019N 094-46-34.028W	Iso G 6s	60		KRW on skeleton tower.		30/22
24620.01	* Cedar Bayou Channel Daybeacon 3	29-41-11.176N 094-58-38.226W				SG on pile.	Ra ref.	30/22
24735	Cedar Bayou Channel Daybeacon 39	29-41-01.501N 094-55-22.281W				SG on pile.	Ra ref.	* 30/22
26250	Dickinson Bayou Channel Daybeacon 8	29-27-35.547N 094-54-32.714W				TR on pile.	Ra ref.	* 30/22
26350	EAGLE POINT WRECK LIGHT WR1	29-29-15.448N 094-53-34.255W	Q G	17	3	SG on pile.	Ra ref.	* 30/22
18815	ATCHAFALAYA CHANNEL LIGHT 47 125 feet outside channel limit.	29-26-38.421N 091-19-04.562W	Q G	17	3	SG on pile.	Ra ref.	29/22
24012	* <i>Texas A&M Lighted Oceanographic Buoy GB2</i>	* 29-24-11.510N 094-48-16.560W	Fl Y 2.5s			Yellow discus buoy.	Maintained by Texas A&M University. Private Aid.	29/22
24372	* <i>Texas A&M Lighted Oceanographic Buoy GB1</i>	* 29-35-10.640N 094-57-12.010W	Fl Y 2.5s			Yellow discus buoy.	Maintained by Texas A&M University. Private Aid.	29/22
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
344.01	<i>BP Lighted Scientific Monitoring Buoy</i>	28-08-51.540N 088-32-52.030W	Fl Y 2.5s				Monitors environmental conditions for the BP Thunder Horse. Private Aid.	28/22
* 17205	* TIMBALIER - TERREBONNE BAY LIGHT 37	* 29-07-59.423N 090-17-16.097W	* Fl G 6s	* 17	* 4	* SG on pile.	Ra ref.	* 28/22
17210	* TIMBALIER - TERREBONNE BAY LIGHT 36	* 29-07-58.200N 090-18-12.348W	Q R	17	4	TR on pile.	Ra ref.	28/22
		*						
No corrections this week								27/22

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13368.03	VENTURE GLOBAL PLAQUEMINES UPPER MOORING LIGHT	29-36-20.908N 089-52-44.310W	Fl G 2.5s	23		On mooring dolphin.	Private Aid.	26/22
*	*	*	*	*	*	*	*	
17933	<i>LDWF Bird Island Special Lighted Buoy</i>	29-03-33.811N 090-43-23.578W	Fl Y 2.5s			Marks center of reef.	Private Aid.	26/22
*	*	*	*	*	*	*	*	
22540	SABINE PASS C RANGE REAR LIGHT	29-45-54.639N 093-53-44.223W	Iso R 6s (NIGHT)	70 67		Skeleton tower on piles.	Lighted throughout 24 hours. Visible 1° each side of rangeline.	26/22
	1,040 yards, 326.1° from front light.		Iso W 6s (DAY)					
33985	<i>Pass Aux Herons Daybeacon 3</i>	30-17-05.546N 088-05-22.355W				SG-SY on pile.	Ra ref.	26/22
33995	<i>Pass Aux Herons Daybeacon 5</i>	30-17-18.206N 088-06-10.161W				SG-SY on pile.	Ra ref.	26/22
34270	<i>Pass Aux Herons Daybeacon 36</i>	30-15-52.839N 088-14-21.528W				TR-TY on pile.	Ra ref.	26/22
34285	<i>Pass Aux Herons Daybeacon 38</i>	30-15-48.629N 088-15-14.355W				TR-TY on pile.	Ra ref.	26/22
34455	<i>Marianne Channel Daybeacon 17</i>	30-12-35.240N 089-15-05.567W				SG-SY on pile.	Ra ref.	26/22
42648	UTRGV SPECIAL LIGHT A	26-12-11.410N 097-11-21.550W	Fl Y 2.5s			Mark cornerpoint of aquaculture farm.	Private Aid.	26/22
*	*	*	*	*	*	*	*	
42648.01	UTRGV SPECIAL LIGHT B	26-12-12.380N 097-11-21.550W	Fl Y 2.5s			Marks cornerpoint of aquaculture farm.	Private Aid.	26/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10750	LAKE BORGNE LIGHT WR2	30-06-37.147N 089-30-44.532W	Q R	17	3	TR on pile.	Ra ref.	25/22
12390	BAPTISTE COLLETTE BAYOU LIGHT 2	29-24-16.415N 089-18-34.003W	Fl R 2.5s	17	4	TR on pile.	Ra ref.	25/22
12475	Baptiste Collette Bayou Daybeacon 19	29-19-14.548N 089-18-54.825W				SG on pile.	Ra ref.	25/22
	50 feet outside channel limit.							
12650	DEPOT POINT LIGHT 14	29-07-59.531N 089-14-31.869W	Iso R 6s	17	4	TR on pile.	Ra ref.	25/22
13460	MYRTLE GROVE LIGHT 59 RDB mile 59.0.	29-38-16.951N 089-56-40.385W	Iso G 6s		5	SG on skeleton tower on mud sills.	Ra ref.	25/22
15625	TIGER PASS LIGHT 41	29-11-28.182N 089-21-40.358W	Fl G 4s	17	3	SG on pile.	Ra ref.	25/22
23350	NECHES RIVER LIGHT 19	29-59-05.036N 093-54-18.836W	Q G	17	4	SG on pile.		25/22
23555	NECHES RIVER LIGHT 60	30-03-46.018N 094-02-12.528W	Q R	17	3	TR on pile.		25/22
36280	GALVESTON-FREEPORT LIGHT 19	29-18-26.609N 094-52-32.502W	Fl G 4s	17	3	SG-SY on pile.	Ra ref.	25/22
38615	SUNDOWN BAY LIGHT 7	28-11-02.313N 096-51-00.888W	Fl G 4s	17	4	SG-SY on pile.	Ra ref.	25/22

*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2005	Spring Creek Channel Daybeacon 7	30-03-10.060N 084-18-27.770W				SG on pile.	Private Aid.	24/22
		*						
2015	Spring Creek Channel Daybeacon 9	30-03-12.110N 084-18-26.740W				SG on pile.	Private Aid.	24/22
		*						
12590	SOUTH PASS LIGHT 4						Remove from list.	24/22
							*	
12590	<i>South Pass Lighted Buoy 4</i>	28-59-22.227N 089-08-11.226W	Q R		4	Red.		24/22
*	*	*	*	*	*	*	*	
14407	La Place Anchorage Isolated Danger V-AIS LP LDB mile 134.8	30-03-13.030N 090-30-19.540W					AIS: MMSI 993682318	24/22
*	*	*	*	*	*	*	*	
33510	PENSACOLA-MOBILE LIGHT 58	30-18-35.143N 087-30-24.553W	Fl R 2.5s	17	3	TR-TY on pile.	Ra ref.	24/22
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5950	Bayou St John Daybeacon 3	30-16-55.946N 087-32-38.816W				SG on pile.	Ra ref.	23/22
5955	Bayou St John Daybeacon 4	30-16-54.331N 087-32-38.198W				TR on pile.	Ra ref.	23/22
5960	Bayou St John Daybeacon 5	30-16-59.541N 087-32-29.785W				SG on pile.	Ra ref.	23/22
11615	Lake Maurepas Daybeacon 4	30-17-39.671N 090-25-21.787W				TR on pile.		23/22
33510	PENSACOLA-MOBILE LIGHT 58	* 30-18-35.143N 087-30-24.553W	Fl R 2.5s	17	3	TR-TY on pile.	Ra ref. Ra ref.	23/22
35125	Morgan City-Port Allen Alternate Route Daybeacon 13 80 feet outside channel limit.	29-43-44.824N 091-10-50.436W				SG-SY on pile.	Ra ref.	23/22
						*		

No corrections this week

22/22

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5502	FDOA ALFORD SPECIAL LIGHT A	30-28-07.820N 087-03-30.280W	Fl Y 2.5s			NY on pile. Marks perimeter cornerpoint of aquaculture farm.	Private Aid.	21/22
*	*	*	*	*	*	*	*	
5502.01	FDOA ALFORD SPECIAL LIGHT B	30-28-07.820N 087-03-33.590W	Fl Y 2.5s			NY on pile. Marks perimeter cornerpoint of aquaculture farm.	Private Aid.	21/22
*	*	*	*	*	*	*	*	
5502.02	FDOA ALFORD SPECIAL LIGHT C	30-28-09.260N 087-03-33.590W	Fl Y 2.5s			NY on pile. Marks perimeter cornerpoint of aquaculture farm.	Private Aid.	21/22
*	*	*	*	*	*	*	*	
5502.03	FDOA ALFORD SPECIAL LIGHT D	30-28-09.260N 087-03-30.280W	Fl Y 2.5s			NY on pile. Marks perimeter cornerpoint of aquaculture farm.	Private Aid.	21/22
*	*	*	*	*	*	*	*	
9785	GULFPORT OBSTRUCTION LIGHT						Remove from list.	21/22
16500	DUPRE CUT LIGHT 7	29-37-23.425N 090-05-09.081W	Fl G 4s	17	4	SG on pile.	Ra ref.	21/22
16900	BAYOU DES ALLEMANDS LIGHT 1	29-41-52.167N 090-20-26.650W	Fl G 4s	17	4	SG on dolphin.		21/22
20750	MERMENTAU CHANNEL RANGE FRONT LIGHT	*					Remove from list.	21/22
20755	MERMENTAU CHANNEL RANGE REAR LIGHT						Remove from list.	21/22
25465	CROSSOVER INBOUND RANGE FRONT LIGHT	29-45-35.925N 095-04-10.185W	Q G	36		KRW on skeleton tower on piles.	Visible only on the rangeline.	21/22
25470	CROSSOVER INBOUND RANGE FRONT PASSING LIGHT	29-45-35.925N 095-04-10.185W	Q R	12	3	KRW on skeleton tower on piles. On same structure as Crossover Inbound Range Front Light.		21/22
		*		*				

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
25475	CROSSOVER INBOUND RANGE REAR LIGHT 554 yards, 335.3° from front light.	29-45-50.886N 095-04-18.072W	Iso G 6s	50		KRW on skeleton tower on piles.	Visible only on the rangeline.	21/22
30927	* FDOA WESTBROOK SPECIAL LIGHT A	30-07-19.950N 085-32-18.460W	Fl Y 2.5s			NY on pile. Marks perimeter cornerpoint of aquaculture farm.	Private Aid.	21/22
* 30927.01	* FDOA WESTBROOK SPECIAL LIGHT B	* 30-07-19.950N 085-32-21.580W	* Fl Y 2.5s	* *	* *	* NY on pile. Marks perimeter cornerpoint of aquaculture farm.	* Private Aid.	* 21/22
* 30927.02	* FDOA WESTBROOK SPECIAL LIGHT C	* 30-07-21.540N 085-32-21.580W	* Fl Y 2.5s	* *	* *	* NY on pile. Marks perimeter cornerpoint of aquaculture farm.	* Private Aid.	* 21/22
* 30927.03	* FDOA WESTBROOK SPECIAL LIGHT D	* 30-07-21.540N 085-32-18.460W	* Fl Y 2.5s	* *	* *	* NY on pile. Marks perimeter cornerpoint of aquaculture farm.	* Private Aid.	* 21/22
* *	* *	* *	* *	* *	* *	* *	* *	* *

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1468	NOAA Data Buoy 42409	25-54-03.000N 089-17-26.000W				Yellow DART buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	20/22
11095	Lacombe Bayou Entrance Daybeacon 4	* 30-15-19.138N 089-57-00.708W				TR on pile.	Ra ref.	20/22
11190	BAYOU CASTINE LIGHT 1	* 30-20-50.288N 090-03-47.279W	Fl G 4s	17	4	SG on pile.		20/22
30612.08	FDOA INDIAN LAGOON SPECIAL LIGHT I	* 29-41-02.190N 085-13-50.050W	Fl Y 2.5s			NY on pile. Marks perimeter cornerpoint.	Private Aid.	20/22
*	*	*	*	*	*	*	*	
30612.09	FDOA INDIAN LAGOON SPECIAL LIGHT J	29-41-06.950N 085-13-50.050W	Fl Y 2.5s			NY on pile. Marks perimeter cornerpoint.	Private Aid.	20/22
*	*	*	*	*	*	*	*	
30612.11	FDOA INDIAN LAGOON SPECIAL LIGHT K	29-41-09.510N 085-13-53.510W	Fl Y 2.5s			NY on pile. Marks perimeter cornerpoint.	Private Aid.	20/22
*	*	*	*	*	*	*	*	
30612.12	FDOA INDIAN LAGOON SPECIAL LIGHT L	29-41-09.420N 085-14-03.790W	Fl Y 2.5s			NY on pile. Marks perimeter cornerpoint.	Private Aid.	20/22
*	*	*	*	*	*	*	*	
30612.13	FDOA INDIAN LAGOON SPECIAL LIGHT M	29-41-02.190N 085-14-03.750W	Fl Y 2.5s			NY on pile. Marks perimeter cornerpoint.	Private Aid.	20/22
*	*	*	*	*	*	*	*	
30612.14	FDOA INDIAN LAGOON SPECIAL LIGHT N	29-41-02.190N 085-13-53.470W	Fl Y 2.5s			NY on pile. Marks perimeter cornerpoint.	Private Aid.	20/22
*	*	*	*	*	*	*	*	
31220	LONG POINT LIGHT 9	30-14-20.673N 085-44-59.724W	Fl G 6s	17	4	SG-SY on pile.	Ra ref.	20/22
31570	CHOCTAWHATCHEE BAY LIGHT 46	30-25-20.515N 086-12-28.006W	Fl R 6s	17	4	TR-TY on pile.	Ra ref.	20/22
						*	*	
30290	APALACHICOLA RIVER ENTRANCE LIGHT 2	29-40-10.070N 084-58-07.617W	Fl R 2.5s	17	3	TR-TY on pile.	Ra ref.	19/22
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
995	Cox-103-10	29-37-38.440N 093-18-11.500W				On El Paso platform 1.	RACON: C (- - -) BAND: S, X. SIGN: EL PASO-WC-62-1 Private Aid.	18/22
3815	* Harbour Towne Channel Daybeacon 8	30-11-59.520N 085-44-48.840W				TR on pile.	Private Aid.	18/22
10510	* Little Lake North Pass Daybeacon 3	30-10-39.644N 089-36-24.909W				SG on pile.	Ra ref.	18/22
10775	PROCTOR POINT LIGHT	* 29-56-46.929N 089-42-30.620W	Fl W 6s	17	5	NB on dolphin.	Ra ref.	18/22
11000	IRISH BAYOU LIGHT 1	* 30-08-29.572N 089-51-31.812W	Fl G 6s	17	4	SG on pile.	Ra ref.	18/22
24430	BAYPORT SHIP CHANNEL OUTER RANGE FRONT LIGHT	* 29-36-52.280N 094-57-07.419W	Q G (NIGHT) Q W (DAY)	28 25		Skeleton tower on piles.		18/22
24440	BAYPORT SHIP CHANNEL OUTER RANGE REAR LIGHT 3,500 yards, 88.9° from front light.	29-36-54.261N 094-55-08.491W	Iso G 6s (NIGHT) Iso W 6s (DAY)	* 96 92		* Skeleton tower on piles.		18/22
24445	BAYPORT SHIP CHANNEL OUTER RANGE REAR LIGHT PASSING LIGHT	29-36-54.261N 094-55-08.491W	Fl W 4s	28	5	* On same structure as Bayport Ship Channel Outer Range Rear Light.		18/22
26240	Dickinson Bayou Channel Daybeacon 5	29-27-37.257N 094-54-08.118W			*	SG on pile.	Ra ref.	18/22

*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
23605.01	EXXON-MOBIL BLADE DOCK DOWNSTREAM DOLPHIN LIGHT	30-04-18.100N 094-03-20.154W	FI W 2.5s				Marks downstream mooring dolphin.	Private Aid.	17/22
		*							
13705	SEWERAGE AND WATER BOARD PIPELINE LIGHT A	29-55-04.000N 089-58-03.000W	FI Y 2.5s				NW on pile. Worded: DANGER PIPELINE	Private Aid.	16/22
		*							
13710	SEWERAGE AND WATER BOARD PIPELINE LIGHT B	29-55-09.000N 089-58-03.000W	FI Y 2.5s				NW on pile. Worded: DANGER PIPELINE.	Private Aid.	16/22
		*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16257	CRCL HACKBERRY DANGER LIGHT	29-22-38.150N 090-00-52.020W	FI W 2.5s	7		NW on pile. Marks submerged hazard.	Private Aid.	16/22
*	*	*	*	*	*	*	*	
16257.01	CRCL HACKBERRY DANGER LIGHT	29-22-39.930N 090-00-52.600W	FI W 2.5s	7		NW on pile. Marks submerged hazard.	Private Aid.	16/22
*	*	*	*	*	*	*	*	
16257.02	CRCL HACKBERRY DANGER LIGHT	29-22-40.680N 090-00-56.520W	FI W 2.5s	7		NW on pile. Marks submerged hazard.	Private Aid.	16/22
*	*	*	*	*	*	*	*	
16257.03	CRCL HACKBERRY DANGER LIGHT	29-22-42.690N 090-01-00.340W	FI W 2.5s	7		NW on pile. Marks submerged hazard.	Private Aid.	16/22
*	*	*	*	*	*	*	*	
16257.04	CRCL HACKBERRY DANGER LIGHT	29-22-45.010N 090-01-05.730W	FI W 2.5s	7		NW on pile. Marks submerged hazard.	Private Aid.	16/22
*	*	*	*	*	*	*	*	
16257.05	CRCL HACKBERRY DANGER LIGHT	29-22-47.790N 090-01-09.240W	FI W 2.5s	7		NW on pile. Marks submerged hazard.	Private Aid.	16/22
*	*	*	*	*	*	*	*	
16257.06	CRCL HACKBERRY DANGER LIGHT	29-22-50.430N 090-01-12.380W	FI W 2.5s	7		NW on pile. Marks submerged hazard.	Private Aid.	16/22
*	*	*	*	*	*	*	*	
16257.07	CRCL HACKBERRY DANGER LIGHT	29-22-52.060N 090-01-14.610W	FI W 2.5s	7		NW on pile. Marks submerged hazard.	Private Aid.	16/22
*	*	*	*	*	*	*	*	
16257.08	CRCL HACKBERRY DANGER LIGHT	29-22-51.110N 090-01-18.220W	FI W 2.5s	7		NW on pile. Marks submerged hazard.	Private Aid.	16/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16257.09	CRCL HACKBERRY DANGER LIGHT	29-22-51.330N 090-01-23.640W	Fl W 2.5s	7		NW on pile. Marks submerged hazard.	Private Aid.	16/22
*	*	*	*	*	*	*	*	
16257.11	CRCL HACKBERRY DANGER LIGHT	29-22-51.500N 090-01-28.670W	Fl W 2.5s	7		NW on pile. Marks submerged hazard.	Private Aid.	16/22
*	*	*	*	*	*	*	*	
1027	CPPJ RUTHERFORD DANGER BREAKWATER LIGHT	29-45-23.990N 093-07-11.580W	Fl W 2.5s	9		Marks shoreline breakwater.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
1027.01	CPPJ RUTHERFORD DANGER BREAKWATER LIGHT	29-45-26.170N 093-07-21.140W	Fl W 2.5s	9		Marks shoreline breakwater.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
1027.02	CPPJ RUTHERFORD DANGER BREAKWATER LIGHT	29-45-29.060N 093-07-33.680W	Fl W 2.5s	9		Marks shoreline breakwater.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
1027.03	CPPJ RUTHERFORD DANGER BREAKWATER LIGHT	29-45-31.970N 093-07-46.560W	Fl W 2.5s	9		Marks shoreline breakwater.	Private Aid.	15/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1027.04	CPPJ RUTHERFORD DANGER BREAKWATER LIGHT	29-45-35.290N 093-08-01.280W	Fl W 2.5s	9		Marks shoreline breakwater.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
1072	CPPJ LONG BEACH DANGER BREAKWATER LIGHT	29-45-13.830N 093-37-10.660W	Fl W 2.5s	9		Marks shoreline breakwater.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
1072.01	CPPJ LONG BEACH DANGER BREAKWATER LIGHT	29-45-12.520N 093-37-21.680W	Fl W 2.5s	9		Marks shoreline breakwater.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
1072.02	CPPJ LONG BEACH DANGER BREAKWATER LIGHT	29-45-11.600N 093-37-32.900W	Fl W 2.5s	9		Marks shoreline breakwater.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
1072.03	CPPJ LONG BEACH DANGER BREAKWATER LIGHT	29-45-10.180N 093-37-44.480W	Fl W 2.5s	9		Marks shoreline breakwater.	Private Aid.	15/22
*	*	*	*	*	*	*	*	
2910	Two Mile Channel East End Buoy 12	29-42-45.100N 085-00-28.290W				Red nun.		15/22
*	*	*	*	*	*	*	*	
2910	Two Mile Channel East End Daybeacon 12						Remove from list.	15/22
6880	Bon Secour River Daybeacon 16	30-18-00.726N 087-44-13.622W				TR on pile.	Ra ref.	15/22
	40 feet outside channel limit.						*	
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
11320	TCHEFUNCTE RIVER RANGE FRONT LIGHT	30-22-42.559N 090-10-10.199W	Q W	25		KRW on skeleton tower.	Visible all around.	15/22
11650	AMITE RIVER ENTRANCE LIGHT	30-17-49.559N 090-33-28.755W	Fl W 4s	20	4	NW on piles.	*	15/22
13462	NOLA OIL TERMINAL DOWNSTREAM BARGE DOCK 4 LIGHT	* 29-38-05.340N 089-56-08.774W	Fl G 2.5s	*		* Marks barge dock 4.	Private Aid.	15/22
13462.01	NOLA OIL TERMINAL MID- DOWNSTREAM SHIP DOCK 3 LIGHT	* 29-38-10.114N 089-56-19.438W	Fl W 2.5s	*	*	* Marks ship dock 3.	Private Aid.	15/22
13462.02	NOLA OIL TERMINAL MID- UPSTREAM SHIP DOCK 2 LIGHT	* 29-38-17.595N 089-56-38.991W	Fl W 2.5s	*	*	* Marks ship dock 2.	Private Aid.	15/22
13462.03	NOLA OIL TERMINAL UPSTREAM BARGE DOCK 1 LIGHT	* 29-38-18.046N 089-56-43.728W	Fl G 2.5s	*	*	* Marks barge dock 1.	Private Aid.	15/22
15017	<i>Denbury Lighted Danger Buoy</i>	* *	*	*	*	*	Remove from list. *	15/22
27440	MATAGORDA SHIP CHANNEL LIGHT 58	28-34-21.983N 096-31-51.891W	Fl R 2.5s	17	3	TR on pile.	Ra ref.	15/22

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4780	FORT BARRANCAS RANGE FRONT LIGHT	30-20-34.734N 087-18-29.129W	Fl G 2.5s	31		KRW on skeleton tower on piles.	Visible only on the rangeline.	14/22
4785	FORT BARRANCAS RANGE REAR LIGHT 381 yards, 000.1° from front light.	* 30-20-45.278N 087-18-29.133W	F G	* 54		KRW on skeleton tower.	Visible only on the rangeline.	14/22
4980	* PENSACOLA BAY EAST CHANNEL OUTER RANGE FRONT LIGHT	30-22-22.972N 087-12-14.072W	Q W	21		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	14/22
4985	PENSACOLA BAY EAST CHANNEL OUTER RANGE REAR LIGHT 762 yards, 169.1° from front light.	* 30-22-00.745N 087-12-09.110W	Iso W 6s	41		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	14/22
6750	* Big Bayou Canot West Danger Daybeacon	* 30-48-40.368N 087-59-27.661W				NW on pile worded DANGER FIXED BRIDGE.		14/22
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6755	Big Bayou Canot East Danger Daybeacon	30-48-39.926N 087-59-24.253W				NW on pile worded DANGER FIXED BRIDGE.		14/22
		*						
7805	BAYOU CODEN LIGHT 8 50 feet outside channel limit.	30-22-15.978N 088-14-37.582W	Q R	17	3	TR on pile.	Ra ref.	14/22
		*						
7815	BAYOU CODEN LIGHT 10 50 feet outside channel limit.	30-22-32.702N 088-14-28.096W	FI R 4s	17	3	TR on pile.	Ra ref.	14/22
		*						
9062	<i>MDEQ Deer Island Reef Special Lighted Buoy A</i>	30-22-56.610N 088-51-18.810W	FI Y 2.5s			Marks perimeter of reef.	Private Aid.	14/22
		*						
9062.01	<i>MDEQ Deer Island Reef Special Lighted Buoy B</i>	30-23-02.970N 088-51-12.930W	FI Y 2.5s			Marks perimeter of reef.	Private Aid.	14/22
		*						
9062.02	<i>MDEQ Deer Island Reef Special Lighted Buoy C</i>	30-23-09.340N 088-51-07.050W	FI Y 2.5s			Marks perimeter of reef.	Private Aid.	14/22
		*						
9062.03	<i>MDEQ Deer Island Reef Special Lighted Buoy D</i>	30-23-11.430N 088-51-19.780W	FI Y 2.5s			Marks perimeter of reef.	Private Aid.	14/22
		*						
9062.04	<i>MDEQ Deer Island Reef Special Lighted Buoy E</i>	30-23-13.700N 088-51-33.610W	FI Y 2.5s			Marks perimeter of reef.	Private Aid.	14/22
*	*	*	*	*	*	*	*	
9062.05	<i>MDEQ Deer Island Reef Special Lighted Buoy F</i>	30-23-14.720N 088-51-45.700W	FI Y 2.5s			Marks perimeter of reef.	Private Aid.	14/22
*	*	*	*	*	*	*	*	
9062.06	<i>MDEQ Deer Island Reef Special Lighted Buoy G</i>	30-23-04.240N 088-51-55.720W	FI Y 2.5s			Marks perimeter of reef.	Private Aid.	14/22
*	*	*	*	*	*	*	*	
28270	Aransas Channel Daybeacon 17	27-53-34.425N 097-06-57.074W				SG on pile.		14/22
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
38280	VICTORIA CHANNEL LIGHT 58	28-24-41.723N 096-44-42.619W	Fl R 6s	17	4	TR on pile.	Ra ref.	14/22
		*						
38290	Seadrift South Entrance Channel Daybeacon 2S	28-23-19.106N 096-43-43.659W				TR on pile.		14/22
		*						
38295	Seadrift Channel Junction Daybeacon C	28-23-27.218N 096-43-41.467W				JG on pile.		14/22
		*						
38325	Seadrift North Entrance Channel Daybeacon 3N	28-23-30.125N 096-43-53.458W				SG on pile.		14/22
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
6505	MOBILE CHANNEL D RANGE REAR LIGHT PASSING LIGHT	30-27-28.661N 088-00-34.471W	Fl W 4s	12	3	On same structure as Mobile Channel D Range Rear Light.	13/22
6820	Bon Secour River Daybeacon 5	* 30-17-13.485N 087-45-05.582W				SG on pile.	Ra ref. 13/22
6870	South Fork Channel Daybeacon 5	* 30-17-41.649N 087-44-28.982W				SG on pile.	Ra ref. 13/22
6875	Bon Secour River Daybeacon 14	* 30-17-53.883N 087-44-21.388W				TR on pile.	Ra ref. 13/22
6895	Bon Secour River Daybeacon 22 40 feet outside channel limit.	* 30-18-09.657N 087-43-50.447W				TR on pile.	Ra ref. 13/22
6910	Bon Secour River Daybeacon 28 40 feet outside channel limit.	* 30-18-33.258N 087-43-35.214W				TR on pile.	Ra ref. 13/22
6920	Bon Secour River Daybeacon 31 30 feet outside channel limit.	* 30-18-45.980N 087-43-20.302W				SG on pile.	Ra ref. 13/22
6930	Bon Secour River Daybeacon 33 30 feet outside channel limit.	* 30-18-45.241N 087-43-07.812W				SG on pile.	Ra ref. 13/22

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6940	Bon Secour River Daybeacon 36 30 feet outside channel limit.	30-18-49.784N 087-42-48.707W				TR on pile.	Ra ref.	13/22
6950	Bon Secour River Daybeacon 38 30 feet outside channel limit.	* 30-18-59.850N 087-42-47.687W				TR on pile.	Ra ref.	13/22
7045	FLY CREEK ENTRANCE LIGHT 2	* 30-32-38.038N 087-54-32.522W	FI R 4s	17	4	TR on pile.	Ra ref.	13/22
7050	Fly Creek Daybeacon 3	* 30-32-38.634N 087-54-29.177W				SG on pile.	Ra ref.	13/22
7280	FOWL RIVER LIGHT 6	* 30-27-07.072N 088-05-41.309W	FI R 6s	17	4	TR on dolphin.	Ra ref.	13/22
7325	Fowl River Daybeacon 15	* 30-26-38.157N 088-06-44.183W				SG on pile.	Ra ref.	13/22
7330	Fowl River Daybeacon 16	* 30-26-39.088N 088-06-45.794W				TR on pile.	Ra ref.	13/22
8360	ESCATAWPA RIVER CUTOFF LIGHT 3	* 30-25-33.045N 088-32-28.890W	FI G 4s	17	4	SG on pile.	Ra ref.	13/22
25520	HOUSTON SHIP CHANNEL LIGHT 126A	* 29-45-41.317N 095-04-22.325W	FI R 2.5s	17	3	TR on pile.	Ra ref.	13/22
27740	Port Lavaca Channel Daybeacon 11	28-36-55.281N 096-36-30.766W				SG on pile.	Ra ref.	13/22
34130	Bayou Aloe Daybeacon 10 35 feet outside channel limit.	* 30-15-33.004N 088-06-56.207W				TR on pile.	Ra ref.	13/22
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
37950	Espiritu Santo Bay Ferry Channel Daybeacon 9	28-23-58.871N 096-28-53.866W				SG on pile.	Ra ref.	13/22
		*						
37990.01	Espiritu Santo Bay Ferry Channel Daybeacon 24	28-20-17.680N 096-27-59.866W				TR on pile.	Ra ref.	13/22
		*						
37995	Espiritu Santo Bay Ferry Channel Daybeacon 25	28-20-21.594N 096-27-57.684W				SG on pile.	Ra ref.	13/22
		*						
9345	BACK BAY OF BILOXI LIGHT 18	30-25-03.373N 088-55-54.894W	Fl R 2.5s	17	3	TR on pile.	Ra ref.	12/22
	*		*	*	*			

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9350	BACK BAY OF BILOXI LIGHT 19	30-25-12.732N 088-56-48.143W	Fl G 4s	17	3	SG on pile.	Ra ref.	12/22
27745	* Port Lavaca Channel Daybeacon 12	28-37-04.345N 096-36-43.149W	*	*	*	TR on dolphin.	Ra ref.	12/22
27755	* Port Lavaca Channel Daybeacon 14	28-37-12.312N 096-37-00.819W				TR on pile.	Ra ref.	12/22
27760	* Port Lavaca Channel Daybeacon 15	28-37-09.581N 096-37-01.931W				SG on pile.	Ra ref.	12/22
27805	* PORT LAVACA HARBOR OF REFUGE LIGHT WR 6 90 feet outside channel limit.	28-35-54.168N 096-36-00.239W	Q R	17	3	TR on pile.	Ra ref.	12/22
27860	* Lavaca Bay Channel Daybeacon 9	28-38-27.335N 096-35-19.233W				SG on pile.	Ra ref.	12/22
27895	* Lavaca Bay Channel Daybeacon 17	28-39-33.679N 096-36-08.933W				SG on pile.	Ra ref.	12/22
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10640	Pearl River Daybeacon 48	30-15-58.427N 089-37-33.426W				TR on pile.	Ra ref.	11/22
		*						
10655	Pearl River Daybeacon 51	30-17-07.934N 089-38-18.450W				SG on pile.	Ra ref.	11/22
		*						
10660	Pearl River Daybeacon 52	30-17-16.818N 089-38-15.163W				TR on pile.	Ra ref.	11/22
		*						
10670	Pearl River Daybeacon 57	30-18-20.242N 089-38-33.451W				SG on pile.	Ra ref.	11/22
		*						
10685	Pearl River Daybeacon 61	30-18-33.069N 089-37-57.296W				SG on pile.	Ra ref.	11/22
		*						
10700	Pearl River Daybeacon 63A	30-19-09.861N 089-37-51.025W				SG on pile.	Ra ref.	11/22
		*						
10720	Pearl River Daybeacon 68	30-20-04.495N 089-37-47.657W				TR on pile.	Ra ref.	11/22
		*						
10735	Pearl River Daybeacon 73	30-20-37.955N 089-38-05.814W				SG on pile.	Ra ref.	11/22
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
	* Add Heading: Grand Bayou							10/22
17430	SLLD GRAND BAYOU FLOODGATE LIGHT 1	29-30-15.363N 090-25-07.900W	FI G 2.5s			SG on dolphin.	Private Aid.	10/22
*	*	*	*	*	*	*	*	
17430.01	SLLD GRAND BAYOU FLOODGATE LIGHT 2	29-30-14.242N 090-25-06.500W	FI R 2.5s			TR on dolphin.	Private Aid.	10/22
*	*	*	*	*	*	*	*	
17430.02	SLLD GRAND BAYOU FLOODGATE LIGHT 3	29-30-18.784N 090-25-06.300W	FI G 2.5s			SG on dolphin.	Private Aid.	10/22
*	*	*	*	*	*	*	*	
17430.03	SLLD GRAND BAYOU FLOODGATE LIGHT 4	29-30-18.224N 090-25-04.700W	FI R 2.5s			TR on dolphin.	Private Aid.	10/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10267	MDEQ WOLF RIVER DANGER LIGHT	30-21-04.850N 089-17-15.550W	FI W 2.5s			NW on pile.	Private Aid. 09/22	
10267.01	MDEQ WOLF RIVER DANGER LIGHT	30-21-13.720N 089-17-15.590W	* FI W 2.5s			NW on pile.	Private Aid. 09/22	
10267.02	MDEQ WOLF RIVER DANGER LIGHT	30-21-20.280N 089-17-19.020W	* FI W 2.5s			NW on pile.	Private Aid. 09/22	
10267.03	MDEQ WOLF RIVER DANGER LIGHT	30-21-15.130N 089-17-35.640W	* FI W 2.5s			NW on pile.	Private Aid. 09/22	
10267.04	MDEQ WOLF RIVER DANGER LIGHT	30-21-08.190N 089-17-37.400W	* FI W 2.5s			NW on pile.	Private Aid. 09/22	
10267.05	MDEQ WOLF RIVER DANGER LIGHT	30-21-00.700N 089-17-36.630W	* FI W 2.5s			NW on pile.	Private Aid. 09/22	
28460	Mustang Beach Channel Daybeacon 11	27-49-33.000N 097-06-17.000W	*			SG on pile.	Private Aid. 09/22	
29078	LA QUINTA CHANNEL A OUTER PRECISION DIRECTIONAL LIGHT	27-52-20.113N 097-14-24.985W		134	G W R	* On same structure as La Quinta Channel A Outer Range Rear Light.	Light Shows FI G from 101.9 to 102.2, F G from 102.2 to 102.6, Alternating G W from 102.6 to 102.9, F W from 102.9 to 103.1 centered on channel centerline, Alternating W R from 103.1 to 103.5, F R from 103.5 to 103.9, FI R from 103.9 to 104.2. Light is controlled by a Marine Radio Activated Light System (MRALS). To activate the light, key the mic for approximately one second, on VHF-FM Channel 83A, five or more times. Light will remain on for 30 minutes.	09/22

*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
29101.28	LA QUINTA CHANNEL A INNER PRECISION DIRECTIONAL LIGHT	27-52-56.991N 097-17-24.288W		133	R W G	On same structure as La Quinta Channel A Inner Ranger Rear Light.	Light Shows Fl R from 281.9 to 282.3, F R from 282.3 to 282.6, Alternating W R from 282.6 to 282.9, F W from 282.9 to 283.1 centered on channel centerline, Alternating W G from 283.1 to 283.5, F G from 283.5 to 283.8, Fl G from 283.8 to 284.1. Light is controlled by a Marine Radio Activated Light System (MRALS). To activate the light, key the mic for approximately one second, on VHF-FM Channel 81A, five or more times. Light will remain on for 30 minutes.	09/22
34255	Pass Aux Herons Daybeacon 33	30-15-56.404N 088-12-34.528W				SG-SY on pile.	Ra ref. *	09/22
34280	Pass Aux Herons Daybeacon 37A	* 30-15-46.762N 088-14-49.356W				SG-SY on pile.	Ra ref.	09/22
34290	Pass Aux Herons Daybeacon 39	* 30-15-44.022N 088-15-14.191W				SG-SY on pile.	Ra ref.	09/22
34300	PASS AUX HERONS LIGHT 41	* 30-15-40.057N 088-16-01.139W	Fl G 4s	17	5	SG-SY on pile.	Ra ref.	09/22
7663	<i>GSMFC Special Lighted Buoy A</i>						Remove from list.	08/22
7663.01	<i>GSMFC Special Lighted Buoy B</i>						* Remove from list.	08/22
7663.02	<i>GSMFC Special Lighted Buoy C</i>						* Remove from list.	08/22
							* Remove from list.	08/22

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7663.03	<i>GSMFC Special Lighted Buoy D</i>						Remove from list.	08/22
							*	
7663.04	<i>GSMFC Special Lighted Buoy E</i>						Remove from list.	08/22
							*	
7663.05	<i>GSMFC Special Lighted Buoy F</i>						Remove from list.	08/22
							*	
7663.06	<i>GSMFC Special Lighted Buoy G</i>						Remove from list.	08/22
							*	
10267	MDEQ WOLF RIVER DANGER LIGHT	30-21-04.850N 089-17-15.550W	Q W			NW on pile.	Private Aid.	08/22
*	*	*	*	*	*	*	*	
10267.01	MDEQ WOLF RIVER DANGER LIGHT	30-21-13.720N 089-17-15.590W	Q W			NW on pile.	Private Aid.	08/22
*	*	*	*	*	*	*	*	
10267.02	MDEQ WOLF RIVER DANGER LIGHT	30-21-20.280N 089-17-19.020W	Q W			NW on pile.	Private Aid.	08/22
*	*	*	*	*	*	*	*	
10267.03	MDEQ WOLF RIVER DANGER LIGHT	30-21-15.130N 089-17-35.640W	Q W			NW on pile.	Private Aid.	08/22
*	*	*	*	*	*	*	*	
10267.04	MDEQ WOLF RIVER DANGER LIGHT	30-21-08.190N 089-17-37.400W	Q W			NW on pile.	Private Aid.	08/22
*	*	*	*	*	*	*	*	
10267.05	MDEQ WOLF RIVER DANGER LIGHT	30-21-00.700N 089-17-36.630W	Q W			NW on pile.	Private Aid.	08/22
*	*	*	*	*	*	*	*	
21325	CALCASIEU CHANNEL A RANGE FRONT LIGHT	29-47-07.549N 093-20-52.082W	Q W		47	Skeleton tower on piles.	Lighted throughout 24 hours.	08/22
			*					
34265	Pass Aux Herons Daybeacon 35	30-15-51.737N 088-13-27.317W				SG-SY on pile.	Ra ref.	08/22
		*						
34275	Pass Aux Herons Daybeacon 37	30-15-48.088N 088-14-21.417W				SG-SY on pile.	Ra ref.	08/22
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8807	<i>MDEQ Biloxi East Special Lighted Buoy A</i>	30-23-44.151N 088-49-51.879W	Fl Y 2.5s			Marks subtidal reef.	Private Aid.	07/22
*	*	*	*	*	*	*	*	
8807.01	<i>MDEQ Biloxi East Special Lighted Buoy B</i>	30-23-46.182N 088-49-50.184W	Fl Y 2.5s			Marks subtidal reef.	Private Aid.	07/22
*	*	*	*	*	*	*	*	
8812	<i>MDEQ Biloxi East Special Lighted Buoy C</i>	30-23-50.888N 088-50-03.084W	Fl Y 2.5s			Marks subtidal reef.	Private Aid.	07/22
*	*	*	*	*	*	*	*	
8812.01	<i>MDEQ Biloxi East Special Lighted Buoy D</i>	30-23-57.511N 088-50-03.964W	Fl Y 2.5s			Marks subtidal reef.	Private Aid.	07/22
*	*	*	*	*	*	*	*	
8812.02	<i>MDEQ Biloxi East Special Lighted Buoy E</i>	30-24-04.901N 088-49-44.618W	Fl Y 2.5s			Marks subtidal reef.	Private Aid.	07/22
*	*	*	*	*	*	*	*	
8812.03	<i>MDEQ Biloxi East Special Lighted Buoy F</i>	30-24-08.007N 088-49-51.992W	Fl Y 2.5s			Marks subtidal reef.	Private Aid.	07/22
*	*	*	*	*	*	*	*	
22790	PORT ARTHUR CANAL D RANGE REAR LIGHT 727 yards, 111.0° from front light.	29-45-08.427N 093-52-38.688W	Iso G 6s	76		Skeleton tower on piles.	Lighted throughout 24 hours.	07/22
27036	* Brazos Harbor Security Zone Marker 1	28-56-22.500N 095-20-05.580W				NW on piles worded: United States Coast Guard, SECURITY ZONE - KEEP OUT, Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.		07/22
27037	* Brazos Harbor Security Zone Marker 2	28-56-13.140N 095-20-10.140W				NW on piles worded: United States Coast Guard, SECURITY ZONE - KEEP OUT, Vessels Not Authorized Entry Pursuant to 33 CFR Part 165.814 are Prohibited.		07/22
		*						

No corrections this week

06/22

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9062	<i>MDEQ Deer Island Reef Special Lighted Buoy A</i>	30-23-14.720N 088-51-45.700W	Fl Y 2.5s			Marks perimeter of reef.	Private Aid.	05/22
*	*	*	*	*	*	*	*	
9062.01	<i>MDEQ Deer Island Reef Special Lighted Buoy B</i>	30-23-09.340N 088-51-07.050W	Fl Y 2.5s			Marks perimeter of reef.	Private Aid.	05/22
*	*	*	*	*	*	*	*	
9062.02	<i>MDEQ Deer Island Reef Special Lighted Buoy C</i>	30-22-56.610N 088-51-18.810W	Fl Y 2.5s			Marks perimeter of reef.	Private Aid.	05/22
*	*	*	*	*	*	*	*	
9062.03	<i>MDEQ Deer Island Reef Special Lighted Buoy D</i>	30-23-04.240N 088-51-55.720W	Fl Y 2.5s			Marks perimeter of reef.	Private Aid.	05/22
*	*	*	*	*	*	*	*	
9600	<i>Gulfport Ship Channel Lighted Buoy 6</i> 45 feet outside channel limit.	30-07-09.301N 088-55-30.022W	Q R		3	Red.		05/22
9610	<i>Gulfport Ship Channel Lighted Buoy 8</i> 50 feet outside channel limit.	30-07-19.252N 088-55-54.288W	Oc R 4s		4	Red.		05/22
	*	*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1422	FR-TX-57 Lighted Buoy	27-17-20.680N 096-44-13.070W	Fl Y 2.5s			Marks artificial reef site.	Private Aid.	04/22
	*	*						
1422.01	FR-TX-56 Lighted Buoy	27-17-39.500N 096-42-02.480W	Fl Y 2.5s			Marks artificial reef site.	Private Aid.	04/22
	*	*						
8415	BAYOU CASOTTE CHANNEL D RANGE REAR LIGHT PASSING LIGHT	30-15-47.140N 088-30-46.667W	Fl W 4s	14	4	On same structure as Bayou Casotte Channel D Rear Light.		04/22
	*	*					*	
20573.06	VERMILION PARISH GOMESA DANGER BREAKWATER LIGHT	29-34-04.250N 092-11-48.470W	Fl W 2.5s			Marks shoreline breakwater.	Private Aid.	04/22
	*	*						
27938	APARICIO AQUACULTURE SPECIAL LIGHT A	28-40-26.700N 096-15-51.080W	Fl Y 2.5s	7		Marks perimeter of aquaculture farm.	Private Aid.	04/22
	*	*		*	*		*	
27938.01	APARICIO AQUACULTURE SPECIAL LIGHT B	28-40-24.840N 096-15-54.140W	Fl Y 2.5s	7		Marks perimeter of aquaculture farm.	Private Aid.	04/22
	*	*		*	*		*	
27938.02	APARICIO AQUACULTURE SPECIAL LIGHT C	28-40-30.490N 096-15-57.880W	Fl Y 2.5s	7		Marks perimeter of aquaculture farm.	Private Aid.	04/22
	*	*		*	*		*	
27938.03	APARICIO AQUACULTURE SPECIAL LIGHT D	28-40-32.320N 096-15-54.790W	Fl Y 2.5s	7		Marks perimeter of aquaculture farm.	Private Aid.	04/22
	*	*		*	*		*	
32663	SANTA ROSA COUNTY SOUTH NAVARRE CHANNEL LIGHT 1	30-23-42.150N 086-51-55.440W	Fl G 2.5s			SG on pile marks south channel.	Private Aid.	04/22
	*	*		*	*		*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
32663.01	Santa Rosa County South Navarre Channel Daybeacon 2	30-23-42.120N 086-51-57.150W				TR on pile marks south channel.	Private Aid.	04/22
*	*	*	*	*	*	*	*	
32663.02	SANTA ROSA COUNTY SOUTH NAVARRE CHANNEL LIGHT 3	30-23-37.080N 086-51-55.170W	FI G 2.5s			SG on pile marks south channel.	Private Aid.	04/22
*	*	*	*	*	*	*	*	
32663.03	SANTA ROSA COUNTY SOUTH NAVARRE CHANNEL LIGHT 4	30-23-35.800N 086-51-57.000W	FI R 2.5s			TR on pile marks south channel.	Private Aid.	04/22
*	*	*	*	*	*	*	*	
32663.04	Santa Rosa County South Navarre Channel Daybeacon 5	30-23-30.180N 086-51-54.810W				SG on pile marks south channel.	Private Aid.	04/22
*	*	*	*	*	*	*	*	
32663.05	SANTA ROSA COUNTY SOUTH NAVARRE CHANNEL LIGHT 6	30-23-27.750N 086-51-56.810W	FI R 2.5s			TR on pile marks south channel.	Private Aid.	04/22
*	*	*	*	*	*	*	*	
32663.06	SANTA ROSA COUNTY SOUTH NAVARRE CHANNEL LIGHT 7	30-23-26.020N 086-51-54.120W	FI G 2.5s			SG on pile marks south channel.	Private Aid.	04/22
*	*	*	*	*	*	*	*	
32663.07	SANTA ROSA COUNTY SOUTH NAVARRE CHANNEL LIGHT 8	30-23-22.780N 086-51-55.400W	FI R 2.5s			TR on pile marks south channel.	Private Aid.	04/22
*	*	*	*	*	*	*	*	
32663.08	SANTA ROSA COUNTY SOUTH NAVARRE CHANNEL LIGHT 9	30-23-21.510N 086-51-52.200W	FI G 2.5s			SG on pile marks south channel.	Private Aid.	04/22
*	*	*	*	*	*	*	*	
32663.09	SANTA ROSA COUNTY SOUTH NAVARRE CHANNEL LIGHT 10	30-23-19.660N 086-51-55.000W	FI R 2.5s			TR on pile marks south channel.	Private Aid.	04/22
*	*	*	*	*	*	*	*	
32663.11	Santa Rosa County South Navarre Channel Daybeacon 11	30-23-15.420N 086-51-52.790W				SG on pile marks south channel.	Private Aid.	04/22
*	*	*	*	*	*	*	*	
32663.12	Santa Rosa County South Navarre Channel Daybeacon 12	30-23-15.470N 086-51-55.280W				TR on pile marks south channel.	Private Aid.	04/22
*	*	*	*	*	*	*	*	
32663.13	SANTA ROSA COUNTY SOUTH NAVARRE CHANNEL LIGHT 13	30-23-10.730N 086-51-53.250W	FI G 2.5s			SG on pile marks south channel.	Private Aid.	04/22
*	*	*	*	*	*	*	*	
38755	ARANSAS BAY LIGHT 17 90 feet outside channel limit.	28-04-12.607N 096-57-57.322W	FI (2)G 5s	17	4	SG-SY on pile.	Ra ref.	04/22

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6695	MOBILE CHANNEL LIGHT 82 200 feet outside channel limit.	30-38-58.828N 088-01-49.585W	Fl R 2.5s	17	3	TR on pile.	Ra ref.	03/22
20573.01	VERMILION PARISH GOMESA DANGER BREAKWATER LIGHT	* 29-33-51.730N 092-12-19.690W	Fl W 2.5s			Marks shoreline breakwater.	Private Aid.	03/22
* 20573.02	* Vermilion Parish Gomesa Danger Breakwater Mark	* 29-33-54.080N 092-12-13.450W	* *	* *	* *	* Marks shoreline breakwater.	* Private Aid.	* 03/22
* 20573.03	* Vermilion Parish Gomesa Danger Breakwater Mark	* 29-33-56.190N 092-12-06.940W	* *	* *	* *	* Marks shoreline breakwater.	* Private Aid.	* 03/22
* 20573.04	* Vermilion Parish Gomesa Danger Breakwater Mark	* 29-33-59.320N 092-12-00.810W	* *	* *	* *	* Marks shoreline breakwater.	* Private Aid.	* 03/22
* 20573.05	* Vermilion Parish Gomesa Danger Breakwater Mark	* 29-34-01.240N 092-11-54.680W	* *	* *	* *	* Marks shoreline breakwater.	* Private Aid.	* 03/22
* 20573.06	* VERMILION PARISH GOMESA DANGER BREAKWATER LIGHT	* 29-34-04.250N 092-11-48.470W	* *	* *	* *	* Marks shoreline breakwater.	* Private Aid.	* 03/22
* 20573.07	* Vermilion Parish Gomesa Danger Breakwater Mark	* 29-34-06.290N 092-11-42.300W	* *	* *	* *	* Marks shoreline breakwater.	* Private Aid.	* 03/22
* 20573.08	* Vermilion Parish Gomesa Danger Breakwater Mark	* 29-34-08.890N 092-11-36.440W	* *	* *	* *	* Marks shoreline breakwater.	* Private Aid.	* 03/22
* 20573.09	* Vermilion Parish Gomesa Danger Breakwater Mark	* 29-34-11.190N 092-11-29.690W	* *	* *	* *	* Marks shoreline breakwater.	* Private Aid.	* 03/22
* 20573.11	* VERMILION PARISH GOMESA DANGER BREAKWATER LIGHT	* 29-34-16.100N 092-11-16.040W	* Fl W 2.5s	* *	* *	* Marks shoreline breakwater.	* Private Aid.	* 03/22
* 22785	* PORT ARTHUR CANAL D RANGE FRONT LIGHT	* 29-45-16.180N 093-53-01.783W	* Q G	* 37	* *	* Skeleton tower on piles.	* Lighted throughout 24 hours.	* 03/22
* 22790	* PORT ARTHUR CANAL D RANGE REAR LIGHT 727 yards, 108.1° from front light.	* 29-45-08.427N 093-52-38.688W	* Iso G 6s	* 76	* *	* Skeleton tower on piles.	* Lighted throughout 24 hours.	* 03/22

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
27210	MATAGORDA SHIP CHANNEL LIGHT 20	28-26-55.606N 096-21-18.757W	Oc R 4s	20	4	TR on skeleton tower on piles.	Ra ref.	03/22
							*	
29148	CBBEP ROOKERY ISLAND DANGER BREAKWATER LIGHT	27-50-26.250N 097-22-38.300W	Fl W 2.5s	11		Marks breakwater structure.	Private Aid.	03/22
*	*	*	*	*	*	*	*	
29148.01	CBBEP ROOKERY ISLAND DANGER BREAKWATER LIGHT	27-50-24.890N 097-22-35.910W	Fl W 2.5s	11		Marks breakwater structure.	Private Aid.	03/22
*	*	*	*	*	*	*	*	
29148.02	CBBEP ROOKERY ISLAND DANGER BREAKWATER LIGHT	27-50-31.660N 097-22-26.670W	Fl W 2.5s	11		Marks breakwater structure.	Private Aid.	03/22
*	*	*	*	*	*	*	*	
29148.03	CBBEP ROOKERY ISLAND DANGER BREAKWATER LIGHT	27-50-37.150N 097-22-30.450W	Fl W 2.5s	11		Marks breakwater structure.	Private Aid.	03/22
*	*	*	*	*	*	*	*	
29148.04	CBBEP ROOKERY ISLAND DANGER BREAKWATER LIGHT	27-50-33.910N 097-22-35.530W	Fl W 2.5s	11		Marks breakwater structure.	Private Aid.	03/22
*	*	*	*	*	*	*	*	
29148.05	CBBEP ROOKERY ISLAND DANGER BREAKWATER LIGHT	27-50-28.350N 097-22-38.560W	Fl W 2.5s	11		Marks breakwater structure.	Private Aid.	03/22
*	*	*	*	*	*	*	*	
37585	Matagorda Bay Daybeacon 42	28-29-44.306N 096-19-13.472W				TR-TY on pile.	Ra ref.	03/22
							*	
37600	Matagorda Bay Daybeacon 46	28-29-08.007N 096-21-10.342W				TR-TY on pile.	Ra ref.	03/22
							*	
38390	San Antonio Bay Daybeacon 6	28-18-00.120N 096-41-40.103W				TR-TY on pile.	Ra ref.	03/22
							*	
38440	San Antonio Bay Daybeacon 16	28-16-27.737N 096-43-50.250W				TR-TY on pile.	Ra ref.	03/22
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2945.35	Chattahoochee River Daybeacon 34.56						Remove from list.	02/22
							*	
8226	INGALLS SECURITY BARRIER DANGER LIGHT	30-20-55.250N 088-33-56.840W	Fl W 2.5s	8			Marks security barrier. Private Aid.	02/22
*	*	*	*	*	*	*	*	*
8226.01	INGALLS SECURITY BARRIER DANGER LIGHT	30-20-51.870N 088-33-53.330W	Fl W 2.5s	8			Marks security barrier. Private Aid.	02/22
*	*	*	*	*	*	*	*	*
8226.02	INGALLS SECURITY BARRIER DANGER LIGHT	30-20-55.490N 088-33-55.490W	Fl W 2.5s	8			Marks security barrier. Private Aid.	02/22
*	*	*	*	*	*	*	*	*
8226.03	INGALLS SECURITY BARRIER DANGER LIGHT	30-20-47.570N 088-33-55.270W	Fl W 2.5s	8			Marks security barrier. Private Aid.	02/22
*	*	*	*	*	*	*	*	*
24235	HOUSTON SHIP CHANNEL LIGHT 57	29-31-19.456N 094-53-21.117W	Fl G 2.5s	17	4		Ra ref.	02/22
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
26323	TEXAS SUSTAINABLE OYSTER FARM SPECIAL LIGHT A	29-27-00.219N 092-42-01.828W	FI Y 2.5s			Marks perimeter corner point for aquaculture farm.	Private Aid.	02/22
*	*	*	*	*	*	*	*	
26323.01	TEXAS SUSTAINABLE OYSTER FARM SPECIAL LIGHT B	29-27-05.133N 094-42-16.210W	FI Y 2.5s			Marks perimeter corner point for aquaculture farm.	Private Aid.	02/22
*	*	*	*	*	*	*	*	
26323.02	TEXAS SUSTAINABLE OYSTER FARM SPECIAL LIGHT C	29-27-07.981N 094-42-14.875W	FI Y 2.5s			Marks perimeter corner point for aquaculture farm.	Private Aid.	02/22
*	*	*	*	*	*	*	*	
26323.03	TEXAS SUSTAINABLE OYSTER FARM SPECIAL LIGHT D	29-27-03.063N 094-42-00.478W	FI Y 2.5s			Marks perimeter corner point for aquaculture farm.	Private Aid.	02/22
*	*	*	*	*	*	*	*	
26365	CLEAR CREEK CHANNEL LIGHT 2 60 feet from the channel limit.	29-33-09.823N 094-59-33.009W	FI R 6s	17	4	TR on pile.	Ra ref.	02/22
						*		
26375	CLEAR CREEK CHANNEL LIGHT 4 60 feet outside channel limit.	29-33-05.947N 095-00-01.054W	FI R 4s	17	3	TR on pile.	Ra ref.	02/22
30612.04	FDOA INDIAN LAGOON SPECIAL LIGHT E	29-41-16.900N 085-13-49.880W	FI Y 2.5s			Marks perimeter cornerpoint of aquaculture farm.	Private Aid.	02/22
*	*	*	*	*	*	*	*	
30612.05	FDOA INDIAN LAGOON SPECIAL LIGHT F	29-41-21.631N 085-13-49.880W	FI Y 2.5s			Marks perimeter cornerpoint of aquaculture farm.	Private Aid.	02/22
*	*	*	*	*	*	*	*	
30612.06	FDOA INDIAN LAGOON SPECIAL LIGHT G	29-41-21.630N 085-13-52.980W	FI Y 2.5s			Marks perimeter cornerpoint of aquaculture farm.	Private Aid.	02/22
*	*	*	*	*	*	*	*	
30612.07	FDOA INDIAN LAGOON SPECIAL LIGHT H	29-41-16.900N 085-13-52.980W	FI Y 2.5s			Marks perimeter cornerpoint of aquaculture farm.	Private Aid.	02/22
*	*	*	*	*	*	*	*	

No corrections this week

01/22