

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
756 16136	<i>Strait of Juan De Fuca Traffic Separation Lane Lighted Buoy JA</i>	48-29-35.738N 124-43-37.779W	FI Y 2.5s		4	Yellow.	Aid maintained by National Oceanic and Atmospheric Administration.	39/22
16136 756	<i>Strait of Juan De Fuca Traffic Separation Lane Lighted Buoy JA</i>	* 48-29-35.738N 124-43-37.779W	FI Y 2.5s		4	Yellow.	Aid maintained by National Oceanic and Atmospheric Administration.	39/22
16337	<i>NOAA Environmental Lighted Buoy 46088</i>	* 48-19-56.324N 123-10-44.157W	FI (4)Y 20s		4	Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	39/22
No corrections this week								38/22
No corrections this week								37/22
16090	QUILLAYUTE RIVER SECTOR LIGHT	47-54-27.085N 124-38-40.632W	F R W G (G & R Sectors)	26		Skeleton tower, on multi-pile structure. On same structure as Quillayute River Entrance Light 3.	Lighted throughout 24 hours. Centerline bearing 004.5°. White visible 0.75° each side of centerline. Green visible from 005.25° to 006.25°. Red visible from 002.75° to 003.75°.	36/22
13875	LITTLE GOOSE RESERVOIR LIGHT 37	46-41-42.744N 117-29-37.812W	FI G 6s	15	4	SG on skeleton tower.		35/22
15070	JENNINGS LODGE LIGHT 19	45-23-13.493N 122-37-18.384W	FI G 4s	30	4	SG on skeleton tower.		34/22

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
615 8730	<i>Coos Bay Approach Lighted Whistle Buoy K</i>	43-22-15.706N 124-23-06.765W	Mo (A) W		4	Red and white stripes.	AIS: MMSI 993692040 (21). No topmark will be shown on this aid as required by IALA standards due to weather.	33/22
		*						
8730 615	<i>Coos Bay Approach Lighted Whistle Buoy K</i>	43-22-15.706N 124-23-06.765W	Mo (A) W		4	Red and white stripes.	AIS: MMSI 993692040 (21). No topmark will be shown on this aid as required by IALA standards due to weather.	33/22
		*						
9015	NORTH BEND LOWER RANGE REAR LIGHT  159 yards, 112.1° from front light.	43-25-28.052N 124-12-55.453W	Iso G 6s	32		KRB on skeleton tower on multi-pile structure. On same structure as North Bend Range Rear Light.	Visible all around.	32/22
	*	*		*				
9025	NORTH BEND RANGE REAR LIGHT  167 yards, 009.3° from front light.	43-25-28.052N 124-12-55.453W	Iso G 6s	32		KRB on skeleton tower on multi-pile structure. On same structure as North Bend Lower Range Rear Light.	Visible all around.	32/22
	*	*		*				
10160	<i>Tongue Point Channel Lighted Buoy 44</i>  200 yards outside channel limit.	46-13-06.001N 123-45-23.770W	Fl R 2.5s		4	Red.		32/22
	*				*			
9875	<i>Garibaldi Channel Lighted Buoy 20</i>  Marks shoal.	45-33-14.148N 123-54-42.269W	Fl R 2.5s		4	Red.		31/22
*	*	*	*	*	*	*	*	
10100	<i>Astoria Crossing Lighted Buoy 37</i>	46-11-45.656N 123-50-00.697W	Fl G 4s		4	Green.		31/22
					*			

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
765.7	<i>DART Tsunami Warning Lighted Buoy 46419</i>	48-48-58.000N 129-36-49.000W	Fl (4)Y 20s			Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	30/22

\*

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
9284	Winchester Bay Harbor Entrance Buoy 1	43-40-59.055N 124-11-10.147W				Green can.	30/22
	Marks encroaching shoal.						
*	*	*	*	*	*	*	*
9285	Winchester Bay Harbor Entrance Daybeacon 1	43-41-00.520N 124-11-08.023W				SG on pile.	30/22
	Temporarily discontinued due to shoaling.						
	*						
12979	<i>Lake Wallula West Channel Junction Lighted Buoy W</i>	46-07-34.351N 118-58-18.812W	Fl (2+1)G 6s		4	Green and Red.	30/22
*	*	*	*	*	*	*	*
12980	LAKE WALLULA WEST CHANNEL JUNCTION LIGHT W	46-07-34.114N 118-58-18.996W	Fl (2+1)G 6s	24	4	JG on multi-pile structure.	30/22
	Temporarily discontinued.						
	*						
14834	<i>Sauvie Island Junction Lighted Buoy</i>	45-51-38.820N 122-47-26.078W	Fl (2+1)R 6s		4	Red and green.	30/22
*	*	*	*	*	*	*	*
14835	SAUVIE ISLAND JUNCTION LIGHT	45-51-39.298N 122-47-26.696W	Fl (2+1)R 6s	35	4	JR on pile.	30/22
	Temporarily discontinued.						
	*						
17359	<i>Nisqually Flats Lighted Buoy 3</i>	47-07-14.700N 122-44-59.970W	Fl G 4s		4	Green.	30/22
*	*	*	*	*	*	*	*
17360	NISQUALLY FLATS LIGHT 3	47-07-14.993N 122-45-00.133W	Fl G 4s	15	4	SG on pile.	30/22
	Temporarily discontinued.						
	*						
18709	<i>Oak Harbor Lighted Buoy 11</i>	48-16-37.561N 122-39-04.263W	Fl G 6s			Green.	30/22
*	*	*	*	*	*	*	*
18710	OAK HARBOR LIGHT 11	48-16-39.486N 122-39-08.047W	Fl G 6s	15	4	SG on pile.	30/22
	Temporarily discontinued.						
	*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16090	QUILLAYUTE RIVER SECTOR LIGHT	47-54-27.085N 124-38-40.632W	F R W G (G & R Sectors)	26		Skeleton tower, on multi-pile structure. On same structure as Quillayute River Entrance Light 3.	Lighted throughout 24 hours. Centerline bearing 005.5°. White visible 0.75° each side of centerline. Green visible from 006.25° to 007.25°. Red visible from 003.75° to 004.75°.	29/22
16095	QUILLAYUTE RIVER ENTRANCE LIGHT 3	* 47-54-27.085N 124-38-40.632W	* FI G 4s	* 26	4	SG on skeleton tower, on multi-pile structure. On same structure as Quillayute River Sector Light.	Obscured from 340° to 238°.	29/22
17715	MEYDENBAUER YACHT CLUB MOORING PIER LIGHT	* 47-55-05.000N 122-41-30.000W	* F Y	* 26		Floating moorage.	Private Aid.	29/22
18812	Swinomish Channel South Entrance Daybeacon 12	* 48-21-52.801N 122-32-20.648W				TR on pile.		29/22
18815	Swinomish Channel South Entrance Daybeacon 13	* 48-22-02.080N 122-31-51.080W				SG on pile.		29/22
765.2	<i>DART Tsunami Warning Lighted Buoy 46407</i>	* 42-42-54.000N 128-49-30.000W	* FI Y 4s			Yellow disc-shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	28/22
765.4	<i>DART Tsunami Warning Lighted Buoy 46404</i>	* 45-51-47.000N 128-45-38.000W	* FI Y 4s			Yellow disc-shaped hull	Aid maintained by National Oceanic and Atmospheric Administration.	28/22

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8942	<i>Coos Bay Channel Lighted Buoy 20</i>	43-24-59.536N 124-16-23.269W	Fl R 4s		4	Red.		27/22
8952	<i>Coos Bay Channel Lighted Buoy 22</i>	43-25-11.483N 124-16-09.431W	Fl R 2.5s		4	Red.		27/22
					*			
					*			
10645	<i>Crims Island Lighted Buoy 84</i>	46-11-18.511N 123-09-30.093W	Q R		4	Red.		26/22
					*			
No corrections this week								25/22
No corrections this week								24/22
651.1	<i>Pacwave South Spotter Lighted Buoy S</i>	44-33-45.000N 124-13-58.800W	Fl W 2.5s			Yellow sphere buoy.	Private Aid.	23/22
*	*	*	*	*	*	*	*	*
651.2	<i>Pacwave South Research Lighted Buoy</i>	44-34-00.000N 124-13-58.800W	Fl W 2.5s			Yellow tower buoy.	Private Aid.	23/22
*	*	*	*	*	*	*	*	*
651.3	<i>Pacwave South Spotter Lighted Buoy N</i>	44-34-15.000N 124-13-58.800W	Fl W 2.5s			Yellow sphere buoy.	Private Aid.	23/22
*	*	*	*	*	*	*	*	*
654.1	<i>Pacwave North Spotter Lighted Buoy A</i>	44-40-54.480N 124-08-39.840W	Fl W 2.5s			Yellow sphere buoy.	Private Aid.	23/22
*	*	*	*	*	*	*	*	*
654.2	<i>Pacwave North Spotter Lighted Buoy B</i>	44-41-21.120N 124-08-40.560W	Fl W 2.5s			Yellow sphere buoy.	Private Aid.	23/22
*	*	*	*	*	*	*	*	*
654.3	<i>Pacwave North Spotter Lighted Buoy C</i>	44-41-49.920N 124-08-43.330W	Fl W 2.5s			Yellow sphere buoy.	Private Aid.	23/22
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9960	<i>Peacock Spit Lighted Bell Buoy 11</i>	46-15-43.144N 124-02-21.595W	Fl G 2.5s		4	Green.		22/22
12400	<i>Lake Umatilla Lighted Buoy 2</i>	* 45-43-21.324N 120-41-14.523W	Fl R 4s		4	Red.		22/22
	Marks restricted area.							
16405	<i>Puget Sound Traffic Separation Lane Lighted Buoy SA</i>	48-11-26.009N 122-49-48.336W	Fl Y 2.5s		5	Yellow.	AIS: MMSI 993692051 (21).	22/22
687	<i>CMOP Seaside Research Lighted Buoy</i>	* 46-02-06.000N 124-14-36.000W	Fl Y 4s			Yellow foam buoy.	Maintained from Apr 1 to Oct 1. Private Aid.	21/22
693	<i>CMOP Cape Disappointment Research Lighted Buoy</i>	* 46-10-24.000N 124-07-36.000W	Fl Y 4s			Yellow foam buoy.	Maintained from Apr 1 to Oct 1. Private Aid.	21/22
10252	<i>CMOP Elliot Point Research Lighted Buoy</i>	* 46-15-33.600N 123-36-30.000W	Fl Y 4s			Yellow foam buoy.	Private Aid.	21/22
14560	<i>SKIPANON WATERWAY RANGE FRONT LIGHT</i>	* 46-10-00.531N 123-54-55.884W	Q R	23		KRB on skeleton tower.	Visible 1.5° each side of rangeline.	21/22
16405	<i>Puget Sound Traffic Separation Lane Lighted Buoy SA</i>	48-11-27.362N 122-49-47.686W	Fl Y 2.5s		5	Yellow.	AIS: MMSI 993692051 (21).	21/22

\*

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
765.7	<i>DART Tsunami Warning Lighted Buoy 46419</i>	48-48-46.000N 129-37-19.000W	Fl (4)Y 20s			Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	20/22
9600	<i>Yaquina Bay Entrance Lighted Buoy 3</i>	* 44-36-27.575N 124-05-24.003W	Fl G 4s		4	Green.	AIS: MMSI 993696005 (21), maintained all year. Buoy maintained from May 1 to Oct. 1.	20/22
13560	LOWER MONUMENTAL LIGHT 17	* 46-35-01.836N 118-23-31.152W	Fl G 2.5s	24	4	SG on skeleton tower.		20/22
13570	LOWER MONUMENTAL LIGHT 19	* 46-35-46.326N 118-22-11.664W	Fl G 6s	12	4	SG on platform.		20/22
13580	LOWER MONUMENTAL LIGHT 21	* 46-36-31.290N 118-18-39.282W	Fl G 2.5s	18	4	SG on platform.		20/22
13705	LITTLE GOOSE RESERVOIR LIGHT 3	* 46-35-24.504N 117-59-29.220W	Fl G 6s	34	4	SG on skeleton tower.		20/22
16896	ELLIOTT BAY NET PILING WARNING LIGHT A	* 47-35-10.960N 122-21-50.010W	Fl Y 4s			NY on steel pile.	Private Aid.	20/22
*	*	*	*	*	*	*	*	
16897	ELLIOTT BAY NET PILING WARNING LIGHT B	* 47-35-08.978N 122-21-50.010W	Fl Y 4s			NY on steel pile.	Private Aid.	20/22
*	*	*	*	*	*	*	*	
16898	ELLIOTT BAY NET PILING WARNING LIGHT C	* 47-35-08.829N 122-21-53.735W	Fl Y 4s			NY on steel pile.	Private Aid.	20/22
*	*	*	*	*	*	*	*	
16899	ELLIOTT BAY NET PILING WARNING LIGHT D	* 47-35-05.990N 122-21-56.141W	Fl Y 4s			NY on steel pile.	Private Aid.	20/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
688	NOAA Environmental Lighted Buoy 46029	45-56-09.000N 125-47-35.000W	Fl (4)Y 20s			Yellow disk-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	19/22
765.4	DART Tsunami Warning Lighted Buoy 46404	* 45-52-21.000N 128-45-26.000W	Fl Y 4s			Yellow disc-shaped hull	Aid maintained by National Oceanic and Atmospheric Administration.	19/22
9040	NORTH BEND UPPER RANGE FRONT LIGHT	* 43-23-33.203N 124-12-50.215W	Q G	20		KRB on multi-pile structure .	Visible 4.5° each side of rangeline.	19/22
9045	NORTH BEND UPPER RANGE REAR LIGHT  238 yards, 164.0° from front light.	* 43-23-26.412N 124-12-47.544W	Iso G 6s	33		KRB on skeleton tower on multi-pile structure.	Visible 4° each side of rangeline.	19/22
9050	* FERNDALE LOWER RANGE FRONT LIGHT	* 43-24-03.402N 124-12-51.559W	Q W	20		KRB on multi-pile structure.	Visible 14° each side of rangeline.	19/22
9055	FERNDALE LOWER RANGE REAR LIGHT  339 yards, 013.0° from front light.	* 43-24-13.177N 124-12-48.466W	Iso W 6s	32	*	KRB on skeleton tower on multi-pile structure.	Visible 14° each side of rangeline.	19/22
12282	* SHAVER BIGGS MOORING BARGE LIGHT A	* 45-39-42.696N 120-51-51.264W	Fl Y 6s		*	NY on floating barge.	Private Aid.	19/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12283	SHAVER BIGGS MOORING BARGE LIGHT B	45-39-44.280N 120-51-48.780W	Fl Y 6s			NY on floating barge.	Private Aid.	19/22
*	*	*	*	*	*	*	*	
12455	LAKE UMATILLA LIGHT 11	45-42-09.444N 120-27-37.776W	Fl G 6s	55	4	SG on skeleton tower.		19/22
13100.1	Richland Water Intake Warning Buoy A	46-18-53.590N 119-15-34.072W				White and orange can buoy.	Private Aid.	19/22
*	*	*	*	*	*	*	*	
13100.2	Richland Water Intake Warning Buoy B	46-18-52.806N 119-15-34.305W				White and orange can buoy.	Private Aid.	19/22
*	*	*	*	*	*	*	*	
13980	LOWER GRANITE RESERVOIR LIGHT 16	46-28-18.333N 117-14-27.908W	Fl R 4s	16	4	TR on platform on cliff face.		19/22
15340	WILLAPA RIVER LIGHT 39	46-41-12.739N 123-49-01.633W	Fl G 4s	18	4	SG on pile.		19/22
					*		*	
15930	Grays Harbor North Bay Buoy 2	46-56-02.694N 124-05-37.458W				Red nun.		19/22
16334	RAYONIER PIER LIGHT A	48-07-14.243N 123-24-28.534W	Fl Y 6s			Light on pier corner.	Private Aid.	19/22
*	*	*	*	*	*	*	*	
16334.5	RAYONIER PIER LIGHT B	48-07-13.966N 123-24-25.301W	Fl Y 6s			Light on corner of pier.	Private Aid.	19/22
*	*	*	*	*	*	*	*	
18897	DECEPTION PASS STATE PARK DOCK LIGHT A	48-24-07.694N 122-37-29.503W	Fl Y 4s			NY on dock.	Private Aid.	19/22
*	*	*	*	*	*	*	*	
18898	DECEPTION PASS STATE PARK DOCK LIGHT B	48-24-04.361N 122-37-32.091W	Fl Y 4s			NY on dock.	Private Aid.	19/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
765.1	NOAA Environmental Lighted Buoy 46002	42-39-43.000N 130-30-25.000W	Fl (4)Y 20s			Yellow boat-shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	18/22
15186	Willapa Bay Entrance Lighted Buoy C	*					Remove from list.	18/22
15187	Willapa Bay Entrance Buoy D						* Remove from list.	18/22
15842	Grays Harbor North Channel Lighted Buoy 54	46-57-32.702N 123-50-12.104W	Fl R 2.5s		4	Red.	*	18/22
15900	ABERDEEN HARBOR LIGHT 3	46-58-37.629N 123-47-39.609W	Fl G 4s	20	4	SG on multi-pile structure.	*	18/22
15955	JOHNS RIVER ENTRANCE LIGHT 8	46-55-22.176N 124-00-34.627W	Fl R 4s	15	4	TR on pile.	*	18/22
16071.25	Hoquiam River Obstruction Buoy Marks submerged obstruction.	46-58-40.752N 123-52-55.861W				White can with orange bands.	*	18/22
17097.1	Burton Regulatory Buoy	*					Remove from list.	18/22
17097.2	Burton Fairway Buoy 1						* Remove from list.	18/22
17097.3	Burton Fairway Buoy 2						* Remove from list.	18/22
17097.4	Burton Fairway Buoy 3						* Remove from list.	18/22
17097.5	Burton Fairway Buoy 4						* Remove from list.	18/22
17097.6	Burton Fairway Buoy 5						* Remove from list.	18/22
17097.7	Burton Fairway Buoy 7						* Remove from list.	18/22

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
18445	<i>Oakland Bay Lighted Mooring Buoy</i>	47-13-18.181N 123-04-26.105W	FI W 4s			White buoy with blue band.	Private Aid.	18/22
*	*	*	*	*	*	*	*	
18889	<i>North Skagit Bay Research Lighted Buoy</i>	48-24-45.292N 122-34-26.026W	FI Y 4s			Yellow buoy.	Private Aid.	18/22
*	*	*	*	*	*	*	*	
10407	CLIFTON CHANNEL FISH RESEARCH TRAP LIGHTS (4)	46-13-10.200N 123-28-32.365W	FI Y 4s			Yellow lights on wood pilings.	Private Aid.	17/22
*	*	*	*	*	*	*	*	
11152	SALMON CREEK WASTEWATER OUTFALL LIGHT A	45-43-54.560N 122-45-31.810W	FI Y 4s			Yellow diamond on three pile steel dolphin.	Private Aid.	17/22
*	*	*	*	*	*	*	*	
14955.35	Duckworth Memorial Dock No Wake Buoy	45-31-31.157N 122-39-59.343W				Orange and white can buoy.	Private Aid.	17/22
*	*	*	*	*	*	*	*	
18975	<i>Guemes Channel Lighted Buoy 5</i>	48-31-24.380N 122-38-27.558W	FI G 4s		4	Green.		17/22
					*			
19815	<i>Boundary Pass Shoal Isolated Danger Lighted Bell Buoy DB</i>	48-45-53.391N 123-00-52.744W	FI (2)W 5s		4	Black and red bands.	No topmark will be shown on this aid as required by IALA standards due to weather.	17/22
						*	*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
18012	Wyckoff Regulatory Buoy A	47-37-24.185N 122-30-01.918W				White and orange can.	Marks No Anchoring Area. Private Aid.	16/22
						*		
18013	Wyckoff Regulatory Buoy B	47-37-25.103N 122-30-16.819W				White and orange can.	Marks No Anchoring Area. Private Aid.	16/22
						*		
18014	Wyckoff Regulatory Buoy C	47-37-03.327N 122-30-15.344W				White and orange can.	Marks No Anchoring Area. Private Aid.	16/22
						*		
18014.5	Wyckoff Regulatory Buoy D	47-37-03.600N 122-30-25.686W				White and orange can.	Marks No Anchoring Area. Private Aid.	16/22
						*		
18016	BAINBRIDGE ISLAND FERRY TERMINAL DOLPHIN LIGHT A	47-37-21.374N 122-30-29.656W	FI Y 6s			White and orange on steel dolphin.	HORN: 1s-bl 15s-si, 3s-bl 10s-si Private Aid.	16/22
						*		
18016.1	BAINBRIDGE ISLAND FERRY TERMINAL DOLPHIN LIGHT B	47-37-19.765N 122-30-29.882W	FI Y 6s			White and orange on steel dolphin.	Private Aid.	16/22
						*		
18016.2	BAINBRIDGE ISLAND FERRY TERMINAL DOLPHIN LIGHT C	47-37-17.104N 122-30-31.574W	FI Y 6s			White and orange on steel dolphin.	Private Aid.	16/22
						*		
18016.3	FERRY MAINTENANCE FACILITY DOLPHIN LIGHT A	47-37-10.599N 122-30-44.536W	FI Y 6s			White and orange on steel dolphin.	Private Aid.	16/22
						*		
18016.4	FERRY MAINTENANCE FACILITY DOLPHIN LIGHT B	47-37-11.078N 122-30-51.397W	FI Y 6s			White and orange on steel dolphin.	Private Aid.	16/22
						*		
18019	QUEEN CITY OUTSTATION LIGHT A	47-37-14.782N 122-31-07.377W	F Y			Red light on corner of float dock.	Private Aid.	16/22
						*		
18019.5	QUEEN CITY OUTSTATION LIGHT B	47-37-15.416N 122-31-08.882W	F Y			Red light on corner of float dock.	Private Aid.	16/22
						*		

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15435	LONG ISLAND JUNCTION LIGHT	46-32-08.867N 123-58-35.684W	Fl (2+1)G 6s	17	5	JG on multi-pile structure.		15/22
							*	
18035	ORCHARD POINT LIGHT	47-33-54.675N 122-31-55.743W	Fl W 6s	34	7	On white concrete tower.	HORN: 1 blast ev 30s (3s bl). HORN is activated by keying the mic 5 times on VHF-FM Channel 81A (157.075MHz). HORN will operate for 15 minutes.	14/22
							*	
19495	<i>Rosario Strait Lighted Bell Buoy 16</i>	48-38-29.693N 122-42-45.469W	Q R		4	Red.		13/22
		*						
9040	NORTH BEND UPPER RANGE FRONT LIGHT	43-23-32.943N 124-12-50.085W	Q G	20		KRB on multi-pile structure .	Visible 4.5° each side of rangeline.	12/22
							*	
9620	YAQUINA BAY INNER RANGE FRONT LIGHT	44-37-44.137N 124-02-59.310W	Q R	17		KRB on multi-pile structure.	Visible 4° each side of rangeline.	11/22
		*						
9625	YAQUINA BAY INNER RANGE REAR LIGHT	44-37-47.663N 124-02-55.071W	Iso R 6s	30		KRB on skeleton tower on multi-pile structure.	Visible 10° each side of rangeline.	11/22
	157 yards, 040.6° from front light.							
	*	*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
10415	BUGBY HOLE LIGHT 46	46-10-54.317N 123-25-56.962W	Q R	15	4	TR on multi-pile structure.	10/22
11300	<i>Vancouver Upper Bar Channel Lighted Buoy 14</i>  25 yards outside channel limit.	45-36-23.347N 122-37-32.487W	FI R 2.5s		4	Red.	10/22
15280	WILLAPA RIVER RANGE B FRONT LIGHT	46-42-33.783N 123-51-18.058W	Q W	25	*	KRB on multi-pile structure.	Visible all around; higher intensity 1.5° each side of rangeline.  *
9817	<i>Tillamook Bay Entrance Lighted Bell Buoy 2</i>	45-34-15.251N 123-58-20.275W	Q R		3	Red.	09/22
15210	WILLAPA RIVER JUNCTION LIGHT	46-41-21.648N 124-00-05.772W	FI (2+1)R 6s	18	4	JR on multi-pile structure.	09/22
*	*	*	*	*	*	*	*
15380	WILLAPA RIVER LIGHT 56	46-40-39.493N 123-46-48.574W	Q R	17	4	TR on pile.	09/22
	*	*		*		*	
15385	WILLAPA RIVER LIGHT 59	46-40-45.463N 123-45-58.035W	FI G 2.5s	17	4	SG on pile.	09/22
15400	SOUTH WILLAPA BAY LIGHT 3	*		*		*	Remove from list.  *
17480	OLYMPIA INNER RANGE FRONT LIGHT	47-04-03.995N 122-54-31.046W	Q W	13		KRB on multi-pile structure.	Visible 14° each side of rangeline.  *
		*		*		*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9580	YAQUINA BAY ENTRANCE RANGE FRONT LIGHT 8	44-37-08.031N 124-03-34.113W	Q R	25		KRB on multi-pile structure. TR orientated on channel side.	Lighted throughout 24 hours. Visible all around, higher intensity 1.5° each side of rangeline.	08/22
9585	* YAQUINA BAY ENTRANCE RANGE REAR LIGHT  386 yards, 061° from front light.	44-37-13.579N 124-03-20.099W	Iso R 6s	52		* KRB on skeleton tower on multi-pile structure.	* Lighted throughout 24 hours. Visible 1.5° each side of rangeline.	08/22
9615	YAQUINA BAY CHANNEL LIGHT 8						* Remove from list.	08/22
15415	South Willapa Bay Daybeacon 8	46-35-45.464N 123-59-01.576W				TR on pile.	*	08/22
15490	Nemah River Channel Entrance Daybeacon 1	* 46-34-44.581N 123-57-06.208W				SG on pile.		08/22
15515	BAY CENTER CHANNEL LIGHT 11	* 46-38-53.205N 123-57-06.566W	FI G 4s	17	4	* SG on pile.		08/22
15525	PALIX RIVER LIGHT 15	* 46-37-53.740N 123-56-36.601W	FI G 4s	* 17	* 4	* SG on pile.	* *	08/22
		*		*		*		

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
10816	<i>Cowlitz River Lighted Buoy 25</i>	46-05-35.850N 122-55-29.693W	Fl G 6s		4	Green.	07/22
15425	Nahcotta Channel Daybeacon 11	* 46-33-45.006N 123-57-40.981W				SG on pile.	07/22
15430	Nahcotta Channel Daybeacon 12	* 46-32-45.539N 123-59-10.007W				TR on pile.	07/22
15435	LONG ISLAND JUNCTION LIGHT	* 46-32-08.867N 123-58-35.684W	Fl (2+1)G 6s	17	5	JG on multi-pile structure.	Higher intensity beam up and down channel. 07/22
15440	Nahcotta Channel Daybeacon 13	* 46-30-39.877N 124-00-21.329W		*		SG on pile.	07/22
15445	NAHCOTTA MOORING BASIN LIGHT 2	* 46-30-05.774N 124-01-25.733W	Fl R 4s	17	5	TR on pile.	07/22
15475	Stanley Channel Daybeacon 2	* 46-31-14.212N 123-58-35.179W		*		TR on pile.	07/22
15480	STANLEY CHANNEL LIGHT 4	* 46-29-01.732N 123-57-55.233W	Fl R 4s	17	5	TR on pile.	07/22
15485	STANLEY POINT JUNCTION LIGHT	* 46-27-40.324N 123-56-14.612W	Fl (2+1)R 6s	17	4	JR on pile.	07/22
19120	* SWINOMISH CHANNEL NORTH ENTRANCE LIGHT 18	* 48-28-39.150N 122-31-51.175W	* Fl R 4s	* 16	* 4	* TR on pile.	07/22
		*		*			

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14745	CATHLAMET BAY NORTH CHANNEL LIGHT 3	46-12-37.319N 123-42-51.439W	Fl G 6s	15	4	SG on multi-pile structure.	06/22
16095	QUILLAYUTE RIVER ENTRANCE LIGHT 3	* 47-54-27.080N 124-38-40.612W	Fl G 4s	27	4	SG on skeleton tower, Obscured from 340° to on multi-pile structure. 238°. On same structure as Quillayute River Sector Light.	06/22

\*

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
10150	<i>Astoria Range Lighted Buoy 42</i>  200 yards outside channel limit.	46-12-36.179N 123-46-45.062W	Fl R 4s		4	Red.	05/22
11060	WARRIOR ROCK LIGHT	45-50-55.154N 122-47-18.328W	Fl W 4s	28	5	White octagonal tower on square structure.	05/22
13625	LOWER MONUMENTAL LIGHT 34	* 46-33-19.326N 118-10-19.266W	Fl R 2.5s	26	4	TR on platform on side of cliff.	05/22
17410	WEST OLYMPIA SHOAL LIGHT 1	47-05-30.223N 122-55-29.697W	Fl G 4s	20	4	SG on multi-pile structure.	05/22
17601	Kilisut Harbor Daybeacon 3	* 48-04-57.460N 122-44-19.477W				SG on multi-pile structure..	05/22
17606	Kilisut Harbor Daybeacon 5	* 48-05-01.517N 122-44-08.977W				SG on pile.	05/22
17610	Kilisut Harbor Daybeacon 6	* 48-05-13.418N 122-43-58.530W				TR on pile.	05/22
17620	Kilisut Harbor Daybeacon 9	* 48-05-33.000N 122-43-39.330W				SG on pile.	* 05/22
17625	Kilisut Harbor Daybeacon 10	* 48-05-28.704N 122-43-17.405W				TR on pile.	* 05/22
17630	Kilisut Harbor Daybeacon 12	* 48-05-17.363N 122-43-08.506W				TR on pile.	05/22
17635	Kilisut Harbor Daybeacon 13	* 48-05-08.078N 122-43-14.309W				SG on pile.	05/22
17640	Kilisut Harbor Daybeacon 15	* 48-04-45.148N 122-43-22.115W				SG on pile.	* 05/22
		*					*

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17645	Kilisut Harbor Daybeacon 16	48-04-33.324N 122-43-10.871W				TR on pile.		05/22
		*					*	
17650	Kilisut Harbor Daybeacon 17	48-04-34.329N 122-42-49.855W				SG on pile.		05/22
		*					*	
18426	HUNGERFORD POINT LIGHT 2	47-12-18.481N 122-56-08.448W	Fl R 4s	15	4	TR on multi-pile structure.		05/22
		*		*		*		
9145	SOUTH SLOUGH LIGHT 4	43-21-11.443N 124-19-07.984W	Fl R 4s	17	4	TR on pile.		04/22
	*	*		*		*		
14895	POST OFFICE RANGE FRONT LIGHT	45-37-42.501N 122-47-36.404W	Q W	32		KRB on multi-pile structure.	Visible all around; higher intensity 1.5° each side of rangeline.	04/22
		*		*		*		
14900	POST OFFICE RANGE REAR LIGHT	45-37-53.964N 122-47-40.287W	Iso W 6s	51		KRB on skeleton tower.	Visible 14° each side of range line.	04/22
	398 yards, 346.7° from front light.							
	*							
No corrections this week								03/22
17410	WEST OLYMPIA SHOAL LIGHT 1	47-05-30.323N 122-55-30.014W	Fl G 4s	20	4	SG on multi-pile structure.		02/22
*	*	*	*	*	*	*	*	
17411	<i>West Olympia Shoal Lighted Buoy 1</i>						Remove from list.	02/22
							*	
No corrections this week								01/22