

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
No corrections this week								38/22
25440	KHANTAAK ISLAND LIGHT	59-33-29.496N 139-47-04.176W	Fl W 4s	28	6	NR on skeleton tower.	Obscured from 105° to 330°.	37/22
27545	<i>NOAA Data Lighted Buoy 46071</i>	* 51-01-20.000N 179-47-03.000E	Fl (4)Y 20s			Yellow disc shaped hull.	* Position approximate. Aid maintained by National Oceanic and Atmospheric Administration.	37/22
No corrections this week								36/22
No corrections this week								35/22
984	<i>NOAA Data Lighted Buoy 46001</i>	56-18-01.000N 148-01-06.000W	Fl (4)Y 20s			Yellow Disc-shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	34/22
984.05	<i>Dart Tsunami Warning Lighted Buoy 46414</i>	* 53-45-58.000N 152-24-58.000W	Fl (4)Y 20s			Yellow Boat Shaped Hull		34/22
1187	<i>NOAA Data Lighted Buoy 46078</i>	* 55-33-27.000N 152-38-26.000W	Fl (4)Y 20s			Yellow boat-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	34/22
No corrections this week								33/22
No corrections this week								32/22

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
983.2	<i>ODAS Data Lighted Buoy 46184</i>	53-55-12.000N 138-51-00.000W	Fl (5)Y 20s			Yellow Disc-shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration. Position Approximate.	31/22
* 22830	* MIDWAY ROCK LIGHT MR	* 56-31-47.679N 132-57-54.897W	* Fl (2+1)R 6s	* 16	* 5	* JR on skeleton tower.	* 	31/22
27255	Bechevin Bay Buoy 1	55-05-29.188N 163-29-20.353W			*	Green can.		31/22
27260	Bechevin Bay Buoy 2	* 55-05-25.109N 163-29-38.348W				Red nun.		31/22
27265	Bechevin Bay Buoy 3	* 55-04-05.750N 163-28-40.821W				Green can.		31/22
27270	Bechevin Bay Buoy 4	* 55-04-02.762N 163-28-58.433W				Red nun.		31/22
		*						
	No corrections this week							30/22
	No corrections this week							29/22
	No corrections this week							28/22
	No corrections this week							27/22
27545	<i>NOAA Data Lighted Buoy 46071</i>	51-01-12.000N 179-50-12.000E	Fl (4)Y 20s			Yellow disc shaped hull.	Position approximate. Aid maintained by National Oceanic and Atmospheric Administration.	26/22
		*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
25822.2	VALDEZ SOUTH BOAT HARBOR ENTRANCE CHANNEL LT 1	61-07-21.023N 146-19-57.351W	Fl G 4s	20	5	SG on Pile.	Position Approximate.	25/22
*	*	*	*	*	*	*	*	
25822.3	Valdez South Boat Harbor Entrance Channel LT 3	61-07-23.699N 146-19-56.213W					Remove from list.	25/22
25822.3	VALDEZ SOUTH BOAT HARBOR ENTRANCE CHANNEL LT 2	61-07-20.974N 146-19-54.202W	Fl R 4s	20	5	TR on pile.	Position Approximate.	25/22
*	*	*	*	*	*	*	*	
25822.4	VALDEZ SOUTH BOAT HARBOR ENTRANCE CHANNEL LT 3	61-07-23.699N 146-19-56.213W	Fl G 2.5s	34	5	SG on spindle.	Position Approximate.	25/22
*	*	*	*	*	*	*	*	
25822.6	VALDEZ SOUTH BOAT HARBOR ENTRANCE CHANNEL LT 4	61-07-20.632N 146-19-51.688W	Fl R 2.5s	34	5	TR on spindle.	Position Approximate.	25/22
*	*	*	*	*	*	*	*	
26950	NOAA Data Lighted Buoy 46077	57-52-07.000N 154-12-40.000W	Fl (4)Y 20s			Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	24/22
		*						
1187	NOAA Data Lighted Buoy 46078	55-33-49.000N 152-36-12.000W	Fl (4)Y 20s			Yellow boat-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	23/22
		*						
1097	NOAA Data Lighted Buoy 46082	59-40-13.000N 143-21-12.000W	Fl (4)Y 20s			Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	22/22
		*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22253	<i>Bolles Ledge LB 2</i>	55-24-13.840N 131-43-33.551W	Q R			Red.		21/22
*	*	*	*	*	*	*	*	
984.05	<i>Dart Tsunami Warning Lighted Buoy 46414</i>	53-43-25.000N 152-29-13.000W	FI (4)Y 20s			Yellow Boat Shaped Hull		20/22
984.3	<i>NOAA Tsunami Warning Lighted Buoy 46402</i>	* 50-58-57.000N 163-56-35.000W	FI (4)Y 20s			Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	20/22
27105	HUMBOLDT HARBOR BREAKWATER LIGHT 2	* 55-19-56.000N 160-30-12.000W	FI R 2.5s	24	3	TR on spindle.	Position Approximate.	20/22
		*					*	
984.15	<i>NOAA Data Lighted Buoy 46085</i>	55-52-42.000N 142-52-32.000W	FI (4)Y 20s			Yellow disc-shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	19/22
		*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1199	<i>NOAA Data Lighted Buoy 46073</i>	55-00-28.000N 172-00-42.000W	Fl (4)Y 20s			Yellow disc-shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	19/22
25615.3	Orca Inlet South Channel Buoy 4	* 60-28-05.906N 145-58-10.262W				Red nun.		19/22
		*						
25646	<i>NOAA Data Lighted Buoy 46060</i>	60-35-10.000N 146-47-12.000W	Fl (4)Y 20s			Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	18/22
		*						
	No corrections this week							17/22
	No corrections this week							16/22
	No corrections this week							15/22
	No corrections this week							14/22
	No corrections this week							13/22
	No corrections this week							12/22
	No corrections this week							11/22
	No corrections this week							10/22

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
23540	SECURITY BAY LIGHT 1	56-52-24.114N 134-22-29.046W	Fl G 4s	32	4	SG on skeleton tower.	Obscured from 235° to 323°.	09/22
		*						
23610	WINDHAM BAY ENTRANCE LIGHT	57-33-42.552N 133-32-35.652W	Fl W 6s	35	6	NR on skeleton tower.		09/22
		*						
25615.75	Orca Inlet South Channel Buoy 13	60-30-43.023N 145-54-15.220W				Green can.		09/22
		*						
25615.8	Orca Inlet South Channel Buoy 14	60-31-00.543N 145-53-57.402W				Red nun.		09/22
		*						
	No corrections this week							08/22
	No corrections this week							07/22
	No corrections this week							06/22
	No corrections this week							05/22
	No corrections this week							04/22
	No corrections this week							03/22
	No corrections this week							02/22
	No corrections this week							01/22