

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
	No corrections this week							39/22
	No corrections this week							38/22
20635	<b>Milwaukee Breakwater Light</b>	43-01-37.021N 087-52-54.959W		61 19	15	Black lantern on white square structure. 61	Light Characteristic is FL R (2) 10s. Two Red Flashes in 10 seconds. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates by keying the microphone five times on channel 83A.	37/22
			*					
	No corrections this week							36/22
	No corrections this week							35/22
	No corrections this week							34/22
	No corrections this week							33/22
	No corrections this week							32/22

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
3763	<i>Limno Tech Ashtabula Harbor Weather Buoy I</i>	41-56-00.560N 080-44-50.000W	Fl Y 4s				Maintained from Apr.15 to Nov.15. Private Aid. 31/22
17783	* <i>GLF Sturgeon Bay Weather Buoy 1</i>	45-42-58.000N 085-05-02.000W	Fl Y 4s				Maintained from Apr.1 to Oct.31. Private Aid. 31/22
*	*	*	*	*	*	*	*
3740	ASHTABULA INTAKE BREAKWATER LIGHT						Remove from list. 30/22
3763	<i>Limno Tech Ashtabula Harbor Weather Buoy I</i>	41-56-00.560N 080-44-50.000W	Fl Y 4s				Maintained from Apr.15 to Nov.15. Private Aid. 30/22
3908	* <i>Limno Tech Fairport Harbor Weather Buoy H</i>	41-45-42.120N 081-19-52.500W	Fl Y 4s		*	*	Maintained from Apr.15 to Nov.15. Private Aid. 30/22
4009	* <i>Limno Tech Euclid Beach Weather Buoy G</i>	41-35-07.230N 081-34-58.500W	Fl Y 4s		*	*	Maintained from Apr.15 to Nov.15. Private Aid. 30/22
4163	* <i>Limno Tech Edgewater Weather Buoy F</i>	41-30-03.700N 081-44-53.510W	Fl Y 4s		*	*	Maintained from Apr.15 to Nov.15 Private Aid. 30/22
4305	* <i>Limno Tech Sheffield Weather Buoy E</i>	41-30-30.260N 082-06-53.150W	Fl Y 4s		*	*	Maintained from Apr.15 to Nov.15. Private Aid. 30/22
4470	* <i>Limno Tech OWC Huron Weather Buoy D</i>	41-23-33.700N 082-30-43.560W	Fl Y 4s		*	*	Maintained from Apr.15 to Nov.15. Private Aid. 30/22
5597	* <i>Limno Tech Erie Island Weather Buoy B</i>	41-36-04.460N 082-46-49.570W	Fl Y 4s		*	*	Maintained from Apr.15 to Nov.15. Private Aid. 30/22
5863	* <i>Limno Tech Port Clinton Weather Buoy C</i>	41-31-55.720N 082-56-28.550W	Fl Y 4s		*	*	Maintained from Apr.15 to Nov.15. Private Aid. 30/22
*	*	*	*	*	*	*	*

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6038	<i>Limno Tech Maumee Bay Weather Buoy A</i>	41-42-26.840N 083-22-40.600W	FI Y 4s				Maintained from Apr.15 to Nov.15. Private Aid.	30/22
*	*	*	*	*	*	*	*	
8115	<i>Fighting Island North Lighted Buoy 104D (C)</i>	42-15-00.000N 083-07-05.520W	FI R 4s			Red.	Spar; winter marker. Seasonal.	29/22
16665	<i>West Isle Royale Weather Wave Buoy 2</i>	* 47-54-51.300N 089-20-20.800W	FI W 2.5s				Maintained from May.1 to Nov.31. Private Aid.	29/22
20635	<b>Milwaukee Breakwater Light</b>	* 43-01-37.021N 087-52-54.959W	F R	61 19	15	Black lantern on white square structure. 61	Light Characteristic is FL R (2) 10s. Two Red Flashes in 10 seconds. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates by keying the microphone five times on channel 83A.	29/22
			*					

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
11349	TBNMS Wreck Subsurface "Florida" Buoy  Mooring buoy 40 FT below Surface	45-17-48.710N 083-16-58.771W					Maintained from May.1 to 28/22 Oct.31. Private Aid.
*	*	*	*	*	*	*	*
11350	TBNMS Wreck Mooring "Defiance" Lighted Buoy 5						Remove from list. 28/22
11350	TBNMS Wreck Subsurface "Audubon" Buoy  Mooring buoy 40 FT below Surface	45-17-19.860N 083-20-21.048W					Maintained from May.1 to 28/22 Oct.31. Private Aid.
*	*	*	*	*	*	*	*
11350.1	TBNMS Wreck Mooring "Sprangler" Lighted Buoy 1	45-23-00.672N 083-26-06.900W	Fl W 4s				Maintained from May.1 to 28/22 Oct.31. Private Aid.
*	*	*	*	*	*	*	*
11350.2	TBNMS Wreck Mooring "Etruria" Lighted Buoy 2	45-28-58.080N 083-28-30.118W	Fl W 4s				Maintained from May.1 to 28/22 Oct.31. Private Aid.
*	*	*	*	*	*	*	*

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
11350.3	<i>TBNMS Wreck Mooring "Merrick" Lighted Buoy 3</i>	45-28-15.121N 083-26-45.359W	Fl W 4s				Maintained from May.1 to 28/22 Oct.31. Private Aid.
*	*	*	*	*	*	*	*
11350.4	<i>TBNMS Wreck Mooring "Choctaw" Lighted Buoy 4</i>	45-32-03.267N 083-30-32.446W	Fl W 4s				Maintained from May.1 to 28/22 Oct.31. Private Aid.
*	*	*	*	*	*	*	*
11350.5	<i>TBNMS Wreck Mooring "Defiance" Lighted Buoy 5</i>	45-14-03.480N 083-16-42.420W	Fl W 4s				Maintained from May.1 to 28/22 Oct.31. Private Aid.
*	*	*	*	*	*	*	*
11350.6	<i>TBNMS Wreck Mooring "Windiate" Lighted Buoy 6</i>	45-19-33.557N 083-19-36.952W	Fl W 4s				Maintained from May.1 to 28/22 Oct.31. Private Aid.
*	*	*	*	*	*	*	*
11350.7	<i>TBNMS Wreck Mooring "Norman" Lighted Buoy 7</i>	45-18-41.530N 083-16-44.601W	Fl W 4s				Maintained from May.1 to 28/22 Oct.31. Private Aid.
*	*	*	*	*	*	*	*
11350.8	<i>TBNMS Wreck Mooring "Northwestern" Lighted Buoy 8</i>	45-26-53.099N 083-41-47.400W	Fl W 4s				Maintained from May.1 to 28/22 Oct.31. Private Aid.
*	*	*	*	*	*	*	*
11350.9	<i>TBNMS Wreck Mooring "Typo" Lighted Buoy 9</i>	45-17-29.792N 083-18-56.934W	Fl W 4s				Maintained from May.1 to 28/22 Oct.31. Private Aid.
*	*	*	*	*	*	*	*

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
11351	TBNMS Wreck Mooring "Ohio" Lighted Buoy 10	45-30-48.996N 083-30-12.816W	Fl W 4s				Maintained from May.1 to 28/22 Oct.31. Private Aid.
*	*	*	*	*	*	*	*
18240	West Arm Lighted Bell Buoy 4	44-56-02.256N 085-35-29.528W	Fl R 4s		4	Red.	Maintained from May. 01 28/22 to Nov. 14.
	Marks shoal.						
18255	Marion Island Shoal Buoy 2	* 44-52-35.892N 085-33-52.061W				Red nun.	28/22
	Marks north side of shoal.						
18265	West Arm Lighted Buoy 8	* 44-47-33.073N 085-37-22.424W	Fl R 4s		5	Red.	Replaced by nun from 28/22 Nov. 14 to May. 01.
21794.1	Cedar River Buoy 6	* 45-24-17.898N 087-20-57.294W				Red nun.	Maintained from May 14 28/22 to Nov. 14.
21794.3	Cedar River Buoy 10	* 45-24-21.921N 087-20-59.567W				Red nun.	Maintained from May 14 28/22 to Nov. 14.
21794.5	Cedar River Buoy 12	* 45-24-24.584N 087-21-00.061W				Red nun.	Maintained from May 14 28/22 to Nov. 14.
		*					

No corrections this week

27/22

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4010	<i>Limno Tech Euclid Weather Buoy 1</i>	41-31-15.440N 081-52-49.030W	FI Y 4s				Maintained from May.1 to Nov.30. Private Aid.	26/22
*	*	*	*	*	*	*	*	
4247	<i>Limno Tech Rocky River Weather Buoy 1</i>	41-37-09.940N 081-37-03.430W	FI Y 4s				Maintained from May.1 to Nov.30. Private Aid.	26/22
*	*	*	*	*	*	*	*	
10093	<i>GLWA Lakeport Weather Buoy 1</i>	43-07-38.290N 082-23-29.190W	FI Y 4s				Maintained from May.1 to Nov.30. Private Aid.	26/22
*	*	*	*	*	*	*	*	
14551	<i>Grand Marais Weather Wave Buoy 1</i>	46-41-44.000N 086-00-14.000W	FI Y 2.5s				Maintained from Apr.1 to Dec.1. Private Aid.	26/22
*	*	*	*	*	*	*	*	
No corrections this week								25/22
No corrections this week								24/22
20675	MILWAUKEE SOUTH PIERHEAD LIGHT 3	43-01-29.784N 087-53-40.968W	FI G 4s	20 6	7	On grey pole with concrete base.		23/22
21535	<b>Lansing Shoals Light</b>	* 45-54-13.472N 085-33-42.211W	FI W 10s	69 21	12	Gray square tower on concrete crib. 69	HORN: 1 blast ev 30s (3s bl). AIS: MMSI 993682297	23/22
							*	
21690	<i>Squaw Point Lighted Buoy 12</i>	45-49-55.875N 087-00-31.676W	FI R 6s		4	Red.	Maintained from Apr. 28 to Nov. 21.	23/22
		*						
No corrections this week								22/22
10620	<i>Saginaw Bay Channel Lighted Buoy 9</i>						Remove from list.	21/22
							*	

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10625	<i>Saginaw Bay Channel Lighted Buoy 10</i>						Remove from list.	21/22
							*	
11550	<b>Presque Isle Light</b>	45-21-23.391N 083-29-32.398W	Fl W 15s	123 38	16	123		21/22
15750	<i>Superior Front Channel Lighted Buoy 1</i>	46-42-47.317N 092-02-42.291W	Q G			* 4 Green	Maintained from April 28 to December 1.	21/22
15765	* <i>Superior Front Channel Lighted Buoy 5</i>	46-43-10.103N 092-03-14.534W	* Fl G 2.5s			* 4 Green	* Maintained from April 28 to December 1.	21/22
15785	* <i>Superior Front Channel Lighted Buoy 9</i>	46-43-35.243N 092-03-50.724W	* Fl G 6s			* 4 Green	* Maintained from April 28 to December 1.	21/22
20480	* <b>Racine Reef Light</b>		* 			* 	* Remove from list.	21/22
21990	PESHTIGO REEF LIGHT Marks southeast side of shoal.	44-57-23.940N 087-34-45.306W	Fl W 6s	72 22	9	50 On white column with red band.	HORN: 1 blast ev 30s (3s bl). Operates from May 1 to Oct. 20.	21/22
22315	Green Bay City Buoy 13	* 44-28-51.141N 088-02-34.583W				Green can.	* 	21/22
		*						



Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
20840	<i>Sheboygan Reef Lighted Buoy 2</i>  Marks east side of reef.	43-45-26.748N 087-41-09.463W	Fl R 2.5s		5		Replaced from Nov. 07 to 20/22 Apr. 14.
21945	Menominee River Buoy 2	45-06-00.771N 087-36-55.051W				Red nun.	* Maintained from May 7 to 20/22 Nov. 7.
21948	Menominee River Buoy 2A	* 45-06-02.689N 087-37-01.249W				Red nun.	* Maintained from May 7 to 20/22 Nov. 7.
* 21950	* Menominee River Buoy 4	* 45-06-04.157N 087-37-08.085W	*	*	*	* Red nun.	* Maintained from May 7 to 20/22 Nov. 7.
21955	Menominee River Buoy 6	* 45-06-04.173N 087-37-12.941W				Red nun.	Maintained from May 7 to 20/22 Nov. 7.
		*					

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10600	<i>Saginaw Bay Channel Lighted Buoy 5</i>	43-45-22.814N 083-45-38.213W	Fl G 4s		4	Green.	Replaced by can from Apr. 21 to Dec.1. AIS MMSI: 993672221	19/22
10605	<i>Saginaw Bay Channel Lighted Buoy 6</i>	43-45-24.674N 083-45-42.591W	Fl R 4s		4	Red.	* Replaced by nun from Apr. 21 to Dec. 1. AIS MMSI: 993672222	19/22
17775	<b>Grays Reef Light</b>	45-45-56.622N 085-09-13.642W	Fl R 10s	82 25	14	Square tower. 82	* Obscured from 080° to 170°. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). AIS MMSI: 993682389	19/22
18367	<i>Frankfort NOAA Wave Buoy 1</i>	44-45-28.000N 086-15-40.000W	Fl Y 2.5s				* Maintained from May.1 to Dec.1. Private Aid.	19/22
20986	<i>NOAA Algoma Weather Wave Buoy 1</i>	* 44-20-44.040N 087-26-44.670W	Fl Y 4s				* Maintained from May.1 to Nov.1. Private Aid.	19/22
* 21793.5	* Cedar River Buoy 4	* 45-24-13.022N 087-20-52.406W	*	*	*	* Red nun.	* Maintained from May 14 to Nov. 14.	19/22
21794	Cedar River Buoy 5	* 45-24-17.182N 087-20-58.972W				Green can.	Maintained from May 14 to Nov. 14	19/22
		*						

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
21794.1	Cedar River Buoy 6	45-24-18.700N 087-20-55.503W				Red nun.	Maintained from May 14 to Nov. 14. 19/22
		*					
21794.2	Cedar River Buoy 9	45-24-21.790N 087-21-00.952W				Green can.	Maintained from May 14 to Nov. 14. 19/22
		*					
21794.3	Cedar River Buoy 10	45-24-22.852N 087-20-57.753W				Red nun.	Maintained from May 14 to Nov. 14. 19/22
		*					
21794.4	Cedar River Buoy 11	45-24-24.490N 087-21-02.644W				Green can.	Maintained from May 14 to Nov. 14. 19/22
		*					
21794.5	Cedar River Buoy 12	45-24-25.880N 087-20-59.594W				Red nun.	Maintained from May 14 to Nov. 14. 19/22
		*					
22020	OCONTO HARBOR SOUTH PIERHEAD LIGHT 3	44-53-53.490N 087-49-20.730W	FI G 6s	20 6	7	SG on post.	19/22
		*					
115	POLLY'S GUT TRAINING DIKE A LIGHT C	44-59-30.035N 074-45-48.018W	Q Y	15 5		On white pile.	Aid maintained by S.L.S.D.C. 18/22

\*

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
20304	Great Lakes East Breakwater Danger Buoy	42-18-35.633N 087-49-22.245W				White Can		18/22
20925	TWO RIVERS NORTH  PIERHEAD LIGHT	* 44-08-33.690N 087-33-38.532W	FI R 2.5s	34	12	White cylindrical tower  with red band.	HORN: 1 blast ev 15s (2s  bl). Operates by keying microphone five times on VHF-FM Ch. 83A.	18/22
20937	<i>Manitowoc NOAA Weather Wave Buoy 1</i>	*					Remove from list.  *	18/22
155	<i>St. Lawrence Seaway Lighted Buoy 26</i>	44-59-10.625N 074-47-35.668W	FI R 4s			Red	Aid Maintained by SLSDC	17/22
2435	Wilson Harbor Daybeacon 9					*	Remove from list.  *	17/22
2800	BLACK ROCK CANAL LIGHT 4						Remove from list.  *	17/22
2810	<i>Black Rock Canal Lighted Buoy 6</i>	42-53-23.750N 078-53-44.251W	Q R		4	Red	Replaced by nun from Dec. 21 to Apr. 14.	17/22
6230	* <i>Maumee Bay Lighted Buoy 37</i>	41-42-58.689N 083-25-16.486W	* FI G 4s		* 4	* Green.	* Maintained from Apr 14 to Dec 14.	17/22
6235	<i>Maumee Bay Lighted Buoy 38</i>	41-43-02.860N 083-25-19.551W	FI R 4s		4	Red.	* Maintained from Apr 14 to Dec 14.  *	17/22

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7945	<i>Trenton Channel Lighted Buoy 1</i>						Remove from list. *	17/22
7955	Trenton Channel Buoy 3						Remove from list. *	17/22
8892	<i>ACOE LKSTC Water Sensor Buoy 1</i>	42-32-38.130N 082-49-48.490W	Fl Y 4s				Maintained from Apr.15 to Dec.1. Private Aid.	17/22
* 11386	* HOLCIM CHANNEL RANGE FRONT LIGHT	* 45-04-06.000N 083-24-32.000W	* F R	* 76 23	* *	* Orange and white striped daymark on skeleton tower.	* Private Aid.	17/22
11387	* HOLCIM CHANNEL RANGE REAR LIGHT  L233 yards, 344° from front light.	45-04-14.000N 083-24-32.500W	F R	109 33		Orange and white stiped daymark on skeleton tower.	Private Aid.	17/22
11388	* East Alpena Channel Buoy 1	45-02-39.000N 083-23-48.000W				Green can.	Private Aid.	17/22
* 11388.2	* East Alpena Channel Buoy 3	* *	* *	* *	* *	* *	* Remove from list.	17/22
20304.1	Great Lakes South Breakwater Danger Buoy	42-18-15.304N 087-49-36.027W				White Can	*	17/22
	* No corrections this week							16/22
	* No corrections this week							15/22
8355	<i>Detroit Edison Lighted Buoy 1A</i>	42-21-12.316N 082-57-28.466W	Fl G 4s		4	Green.	Maintained from Apr. 1 to Dec. 7. *	14/22

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3705	<b>Conneaut Harbor West Breakwater Light</b>	41-58-48.106N 080-33-27.321W	Fl R 10s	80 24	12	Square pyramidal tower. 80		13/22
4025	<i>Cleveland Research Buoy</i>	41-44-00.660N 081-41-54.240W	Fl Y 4s *				Secured with two point mooring system, lighted spar buoys with the same flash characteristics marking mooring locations. Private Aid.	13/22
	*							
10430	<i>GLERL SBWN</i>	43-44-17.580N 083-38-22.620W	Fl Y 4s				Maintained from Apr.1 to Nov.15. Private Aid.	13/22
*	*	*	*	*	*	*	*	
11181	<i>GLERL SBWR</i>	43-59-00.000N 083-36-00.000W	Fl Y 4s				Maintained from Apr.1 to Nov.15. Private Aid.	13/22
*	*	*	*	*	*	*	*	
11357	<i>GLERL TBWA</i>	44-59-16.860N 083-16-05.220W	Fl Y 4s				Maintained from Apr.1 to Nov.15. Private Aid.	13/22
*	*	*	*	*	*	*	*	
11358	<i>GLERL TBWB</i>	44-59-23.370N 083-16-16.020W	Fl Y 4s				Maintained from Apr.1 to Nov.15. Private Aid.	13/22
*	*	*	*	*	*	*	*	
14465	<i>Point Iroquois Shoal Lighted Buoy 33</i>	46-27-39.570N 084-33-47.890W	Fl G 4s		4	Green.	Replaced by can from Dec 7 to May 1.	13/22
							*	
21175	Sturgeon Bay Ship Channel Buoy 24	44-51-09.643N 087-23-49.103W				Red nun.	Replaced by nun from Nov. 21. to Apr. 21.	13/22
							*	
21180	Sturgeon Bay Ship Channel Buoy 25	44-51-08.561N 087-23-53.735W				Green can.	Replaced by can from Nov. 21. to Apr. 21.	13/22
							*	
No corrections this week								12/22

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10640	<i>Saginaw Bay Channel Lighted Buoy 11</i>						Remove from list.	11/22
							*	
16255	Minnesota Channel (Western Section) Buoy 20	46-43-06.029N 092-10-15.039W				Red Nun.	Maintained from Apr 28 to Oct 21.	11/22
							*	
16260	Minnesota Channel (Western Section) Buoy 21	46-43-00.449N 092-10-53.439W				Green can.	Maintained from Apr 28 to Oct 21.	11/22
							*	
16265	<i>Minnesota Channel (Western Section) Lighted Buoy 22</i>	46-43-02.429N 092-10-53.499W	Fl R 4s		3	Red.	Maintained from Apr 28 to Oct 21.	11/22
							*	
16270	Minnesota Channel (Western Section) Buoy 23	46-42-52.939N 092-11-20.118W				Green can.	Maintained from Apr 28 to Oct 21.	11/22
							*	
16275	Minnesota Channel (Western Section) Buoy 24	46-42-53.909N 092-11-21.339W				Red nun.	Maintained from Apr 28 to Oct 21.	11/22
							*	
16280	<i>Minnesota Channel (Western Section) Lighted Buoy 26</i>	46-42-43.829N 092-11-39.579W	Fl R 4s		3	Red.	Maintained from Apr 28 to Oct 21.	11/22
							*	
16285	Minnesota Channel (Western Section) Buoy 27	46-42-43.349N 092-11-37.119W				Green can.	Maintained from Apr 28 to Oct 21.	11/22
							*	
16290	Minnesota Channel (Western Section) Buoy 28	46-42-35.129N 092-11-49.479W				Red nun.	Maintained from Apr 28 to Oct 21.	11/22
							*	
16295	Minnesota Channel (Western Section) Buoy 29	46-42-33.449N 092-11-47.019W				Green can.	Maintained from Apr 28 to Oct 21.	11/22
							*	
16297	<i>Minnesota Channel (Western Section) Lighted Buoy 30</i>	46-42-17.748N 092-12-01.269W	Fl R 4s		4	Red nun.	Maintained from Apr 28 to Oct 21.	11/22
							*	

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
16300	Minnesota Channel (Western Section) Buoy 31	46-42-15.029N 092-11-58.659W				Green can.	Maintained from Apr 28 to Oct 21.
16305	Minnesota Channel (Western Section) Buoy 32	46-42-00.149N 092-12-03.579W				Red nun.	* Maintained from Apr 28 to Oct 21.
16308	Minnesota Channel (Western Section) Buoy 33	46-41-51.518N 092-11-56.962W				Green can.	* Maintained from Apr 28 to Oct 21.
16310	Minnesota Channel (Western Section) Buoy 31A	46-41-59.489N 092-11-59.919W				Green can.	* Maintained from Apr 28 to Oct 21.
16315	Minnesota Channel (Western Section) Buoy 34	46-41-50.789N 092-12-00.279W				Red nun.	* Maintained from Apr 28 to Oct 21.
16320	Minnesota Channel (Western Section) Buoy 35	46-41-46.229N 092-11-48.399W				Green can.	* Maintained from Apr 28 to Oct 21.
16322	Minnesota Channel (Western Section) Buoy 36	46-41-45.329N 092-11-48.579W				Red nun.	* Maintained from Apr 28 to Oct 21.
16323	St. Louis River Danger Buoy	46-41-44.010N 092-11-33.495W				White can with orange bands and diamonds.	* Maintained from Apr 28 to Oct 21.
18648	<i>GLERL Muskegon M20</i>	43-11-06.320N 086-21-16.700W	Fl Y 4s				* Maintained from Apr.1 to Nov.15. Secured with two point mooring system, lighted spar buoys with same flash characteristics marking mooring locations. Private Aid.
21210	* <i>Sturgeon Bay Ship Channel Lighted Buoy 31</i>  Marks east side of shoal.	44-52-45.739N 087-24-55.252W	Fl G 2.5s		4	Green	Replaced by can from Nov. 21 to Apr. 21.
						*	*



Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5951	Davis Besse Security Zone Buoy A						Remove from list. *	10/22
5951.1	Davis Besse Security Zone Buoy B						Remove from list. *	10/22
5951.2	Davis Besse Security Zone Buoy C						Remove from list. *	10/22
5951.3	Davis Besse Security Zone Buoy D						Remove from list. *	10/22
5951.4	Davis Besse Security Zone Buoy E						Remove from list. *	10/22
5951.5	Davis Besse Security Zone Buoy F						Remove from list. *	10/22
5951.6	Davis Besse Security Zone Buoy G						Remove from list. *	10/22
5951.7	Davis Besse Security Zone Buoy H						Remove from list. *	10/22
5951.8	Davis Besse Security Zone Buoy I						Remove from list. *	10/22
5951.9	Davis Besse Security Zone Buoy J						Remove from list. *	10/22
5952	Davis Besse Security Zone Buoy K						Remove from list. *	10/22
5952.1	Davis Besse Security Zone Buoy L						Remove from list. *	10/22
5952.2	Davis Besse Security Zone Buoy M						Remove from list. *	10/22
10530	<i>Charity Island Shoal Lighted Buoy 1</i>	44-06-30.187N 083-29-46.200W	Q G		5	Green	Maintained from Apr. 28 to Dec. 7. AIS MMSI: 993672219	10/22
15296	<i>Chequamegon Point Lighted Buoy 5</i>	46-43-46.075N 090-48-50.080W	Fl G 4s		7	Green	Replaced by can from Nov. 21 to May 21.	10/22

\*

No corrections this week

09/22

No corrections this week

08/22

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15135	GRAND TRAVERSE BAY HARBOR LIGHT 3	44-11-19.730N 088-14-08.033W	Fl G 2.5s	27 8	4	SG on post.		07/22
							*	
No corrections this week								06/22
10605	<i>Saginaw Bay Channel</i> <i>Lighted Buoy 6</i>	43-45-24.674N 083-45-42.591W	Fl R 4s		4	Red.	Nun; winter marker. Maintained from Apr. 21 to Dec. 1. AIS MMSI: 993672222	05/22
							*	
1380	ST. LAWRENCE SEAWAY LIGHT 199  Marks Comfort Island Shoal.		Fl G 2.5s	28 9		SG on tower on concrete base .	RACON: M ( - - ) Aid maintained by S.L.S.D.C.	04/22
4786	SANDUSKY BAY EAST WETLAND BREAKWATER LIGHT 1	41-27-55.650N 082-40-36.980W	Fl W 4s			On post	Maintained year round. Private Aid.	04/22
*	*	*	*	*	*	*	*	
4787	SANDUSKY BAY EAST WETLAND BREAKWATER LIGHT 2	41-28-08.900N 082-40-46.320W	Fl W 4s			On post	Maintained year round. Private Aid.	04/22
*	*	*	*	*	*	*	*	
18370	<b>Point Betsie Light</b>	44-41-28.562N 086-15-18.789W	Fl W 10s	52 16	16	52		04/22
							*	
No corrections this week								03/22
No corrections this week								02/22
No corrections this week								01/22