

# Light List for Volume (District 7) 07/01/2025

| LLNR | Name                                            | Position                        | Characteristic Height Range Structure |                     |                                                   |                          | Remarks |                     |
|------|-------------------------------------------------|---------------------------------|---------------------------------------|---------------------|---------------------------------------------------|--------------------------|---------|---------------------|
| 5    | Long Bay Fish Haven Buoy B                      | 33-41-36.626N<br>078-26-47.022W | Yellow nun.                           |                     |                                                   |                          |         |                     |
| 10   | Little River Fish Haven Buoy A                  | 33-48-55.000N<br>078-30-30.000W | Yellow nun.                           |                     |                                                   |                          |         |                     |
| 15   | Little River Inlet Lighted Buoy LR              | 33-49-49.513N<br>078-32-27.325W | Mo (A) W                              | 5                   | Red and white stripes with red spherical topmark. | AIS: MMSI 993672126      |         |                     |
| 20   | General Sherman Wreck Buoy                      | 33-43-49.823N<br>078-32-49.036W | Yellow nun.                           |                     |                                                   |                          |         |                     |
| 25   | Little River Inlet North Jetty Light 2          | 33-50-31.490N<br>078-32-39.490W | Fl R 4s                               | 0                   | 5                                                 | TR on dolphin.           |         |                     |
| 30   | Little River Inlet South Jetty Light 1          | 33-50-29.468N<br>078-32-50.518W | Fl G 4s                               | 0                   | 5                                                 | SG on dolphin.           |         |                     |
| 35   | Sea Cabin Ocean Pier South Obstruction Light    | 33-50-12.621N<br>078-36-23.046W | F R                                   | (2) lights on pier. |                                                   |                          |         |                     |
| 40   | Cherry Grove Pier Obstruction Lights            | 33-49-42.000N<br>078-38-00.000W | F R                                   | On pier.            |                                                   |                          |         |                     |
| 42   | Coastal Carolina University Data Lighted Buoy A | 33-39-24.422N<br>078-35-34.542W | Yellow.                               |                     |                                                   |                          |         |                     |
| 42.1 | Coastal Carolina University Data Lighted Buoy B | 33-46-48.400N<br>078-38-11.160W | Yellow.                               |                     |                                                   |                          |         |                     |
| 42.2 | Coastal Carolina University Data Lighted Buoy C | 33-44-30.400N<br>078-37-15.180W | Yellow.                               |                     |                                                   |                          |         |                     |
| 50   | Windy Hill Beach Pier North Light               | 33-47-42.620N<br>078-43-17.063W | F R                                   | (2) lights on pier. |                                                   |                          |         |                     |
| 55   | Second Avenue Pier North Obstruction Light      | 33-40-54.616N<br>078-53-09.099W | F R                                   | (2) lights on pier. |                                                   |                          |         |                     |
| 60   | Surfside Fishing Pier North Obstruction Light   | 33-34-00.608N<br>078-59-59.125W | F R                                   | (2) lights on pier. |                                                   |                          |         | Focal Height 28 Ft. |
| 65   | Garden City Fishing Pier North Light            | 33-34-30.609N<br>078-59-45.124W | F R                                   | On pier.            |                                                   |                          |         |                     |
| 70   | Paradise Fish Haven Buoy                        | 33-31-06.000N<br>078-58-10.000W | Yellow nun.                           |                     |                                                   |                          |         |                     |
| 75   | Murrells Inlet Lighted Buoy MI                  | 33-30-39.308N<br>079-00-44.721W | Mo (A) W                              | 5                   | Red and white stripes with red spherical topmark. |                          |         |                     |
| 80   | Bill Perry Jr. Reef Buoy                        | 33-25-42.624N<br>078-33-07.000W | Yellow nun.                           |                     |                                                   |                          |         |                     |
| 85   | Ten Mile Reef Northwest Fish Haven Buoy         | 33-26-24.000N<br>078-52-39.000W | Yellow can.                           |                     |                                                   |                          |         |                     |
| 90   | Ten Mile Reef Southeast Fish Haven Buoy         | 33-25-22.000N<br>078-51-24.000W | Yellow can.                           |                     |                                                   |                          |         |                     |
| 95   | Pawleys Island Fish Haven Buoy                  | 33-26-08.000N<br>079-00-43.530W | Yellow nun.                           |                     |                                                   |                          |         |                     |
| 100  | Pawleys Island Pier North Obstruction Light     | 33-25-08.604N<br>079-06-59.151W | F R                                   | (2) lights on pier. |                                                   |                          |         |                     |
| 105  | North Inlet Reef Buoy                           | 33-20-13.187N<br>079-00-53.909W | Yellow nun.                           |                     |                                                   |                          |         |                     |
| 106  | Murrell's Inlet 60' Reef Buoy                   | 33-17-00.000N<br>078-45-33.000W | Yellow nun.                           |                     |                                                   |                          |         |                     |
| 110  | Georgetown Wreck Fish Haven Buoy                | 33-14-24.000N<br>079-00-10.000W | Yellow nun.                           |                     |                                                   |                          |         |                     |
| 111  | Coastal Carolina University Lighted Buoy W-B    | 33-14-13.038N<br>079-07-33.018W | Yellow.                               |                     |                                                   |                          |         |                     |
| 112  | Coastal Carolina University Lighted Buoy W-C    | 33-14-12.258N<br>079-04-33.984W | Yellow.                               |                     |                                                   |                          |         |                     |
| 115  | Georgetown Nearshore Reef Buoy                  | 33-12-17.000N<br>079-05-12.352W | Yellow nun.                           |                     |                                                   |                          |         |                     |
| 120  | Georgetown Light                                | 33-13-21.495N                   | Fl (2)W 15s                           | 85                  | 15                                                | White cylindrical tower. |         |                     |

|     |                                                        |                                 |             |    |                                                   |                                                                                                                               |
|-----|--------------------------------------------------------|---------------------------------|-------------|----|---------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
|     |                                                        | 079-11-06.197W                  |             |    |                                                   |                                                                                                                               |
| 125 | Winyah Bay Lighted Buoy WB                             | 33-11-37.162N<br>079-05-10.925W | Mo (A) W    | 6  | Red and white stripes with red spherical topmark. | AIS: MMSI 993672111                                                                                                           |
| 130 | Georgetown Sixty Foot Reef Buoy                        | 33-05-58.800N<br>079-00-49.800W |             |    | Yellow nun.                                       |                                                                                                                               |
| 132 | Coastal Carolina University Data Lighted Buoy W-A      | 33-06-45.090N<br>078-58-36.240W |             |    | Yellow.                                           |                                                                                                                               |
| 135 | City of Richmond Wreck Lighted Buoy WR2                | 33-01-46.105N<br>078-55-12.789W | Q R         | 4  | Red.                                              |                                                                                                                               |
| 140 | East Bank Buoy 2EB                                     | 33-08-49.582N<br>079-08-07.293W |             |    | Red nun.                                          |                                                                                                                               |
| 145 | Hector Wreck Lighted Buoy WR4                          | 32-59-55.495N<br>079-05-44.350W | Q R         | 4  | Red.                                              |                                                                                                                               |
| 150 | Cape Romain Fish Haven Buoy A                          | 32-59-45.613N<br>079-02-22.000W |             |    | Yellow nun.                                       |                                                                                                                               |
| 155 | Cape Romain Shoal Buoy 6CR                             | 32-57-39.281N<br>079-17-08.647W |             |    | Red nun.                                          |                                                                                                                               |
| 159 | McClellanville Reef Buoy                               | 32-51-48.000N<br>079-22-30.000W |             |    | Yellow nun.                                       |                                                                                                                               |
| 165 | Bull Breakers Buoy 2BB                                 | 32-50-12.347N<br>079-32-31.086W |             |    | Red nun.                                          |                                                                                                                               |
| 168 | Capers Island Lighted Buoy C                           | 32-48-13.849N<br>079-37-34.194W | FI Y 4s     | 4  | Yellow.                                           |                                                                                                                               |
| 169 | Capers Island Lighted Buoy D                           | 32-48-16.498N<br>079-37-36.480W | FI Y 2.5s   | 1  | Yellow.                                           |                                                                                                                               |
| 170 | Bull Breakers Offshore Drill Mine Field Lighted Buoy 8 | 32-44-15.082N<br>079-34-02.273W | FI R 2.5s   | 5  | Red.                                              |                                                                                                                               |
| 175 | Capers Reef North Buoy                                 | 32-45-02.400N<br>079-34-36.000W |             |    | Yellow nun.                                       |                                                                                                                               |
| 180 | Rattlesnake Shoal Buoy 2                               | 32-44-26.606N<br>079-43-05.027W |             |    | Red nun.                                          |                                                                                                                               |
| 185 | Isle Of Palms Fishing Pier North Light                 | 32-47-05.900N<br>079-47-07.000W | F R         |    | On pier.                                          |                                                                                                                               |
| 190 | Charleston Inshore Reef Buoy                           | 32-42-37.840N<br>079-45-41.293W |             |    | Yellow nun.                                       |                                                                                                                               |
| 195 | Charleston Light                                       | 32-45-28.551N<br>079-50-35.682W | FI (2)W 30s | 17 | Triangular tower top half black lower half white. | Visible all around; higher intensity from 217° to 071°. Emergency light of reduced intensity when main light is extinguished. |
| 200 | Charleston Entrance Lighted Buoy C                     | 32-35-39.590N<br>079-32-15.909W | Mo (A) W    | 6  | Red and white stripes with red spherical topmark. | AIS: MMSI 993672420                                                                                                           |
| 230 | Charleston Sixty Foot Reef Buoy                        | 32-33-06.000N<br>079-40-18.000W |             |    | Yellow nun.                                       |                                                                                                                               |
| 231 | CORMP Data Lighted Buoy NDBC 41066                     | 32-32-32.064N<br>079-39-50.716W | FI Y 4s     |    | Yellow.                                           | Aid maintained by Coastal Ocean Research and Monitoring Program.                                                              |
| 233 | CORMP Wave Data Lighted Buoy NDBC 41076                | 32-32-10.200N<br>079-39-28.738W | FI Y 2.5s   |    | Yellow.                                           | Aid maintained by Coastal Ocean Research and Monitoring Program.                                                              |
| 235 | Folly Beach Fishing Pier Obstruction Light             | 32-39-13.000N<br>079-56-18.000W | F R         |    | On pier.                                          |                                                                                                                               |
| 242 | Lowcountry Anglers' Reef Buoy                          | 32-34-18.000N<br>079-55-06.000W |             |    | Yellow nun.                                       |                                                                                                                               |
| 250 | Kiawah Reef North Buoy                                 | 32-29-27.060N<br>080-00-03.480W |             |    | Yellow can.                                       |                                                                                                                               |
| 255 | Kiawah Reef Center Buoy                                | 32-28-50.520N<br>080-00-25.980W |             |    | Yellow nun.                                       |                                                                                                                               |
| 260 | North Edisto Reef Lighted Buoy                         | 32-31-54.000N<br>080-06-00.000W | FI Y 4s     |    | Yellow.                                           |                                                                                                                               |
| 265 | North Edisto River Entrance Lighted Buoy 2NE           | 32-31-21.399N<br>080-06-51.374W | FI R 4s     | 5  | Red.                                              |                                                                                                                               |
| 270 | Edisto Sixty Foot Reef Buoy                            | 32-21-24.660N<br>080-05-09.300W |             |    | Yellow nun.                                       |                                                                                                                               |
| 273 | Charleston DMON Research Lighted Buoy                  | 32-23-04.200N<br>079-26-45.000W | FI Y 4s     |    | Blue and yellow can.                              | priv maint.                                                                                                                   |
| 275 | Edisto Nearshore Reef Buoy                             | 32-25-19.080N<br>080-11-44.040W |             |    | Yellow nun.                                       |                                                                                                                               |
| 290 | Hunting Island Fish Haven Buoy                         | 32-13-03.300N<br>080-20-29.640W |             |    | Yellow nun.                                       |                                                                                                                               |

|     |                                             |                                 |             |  |      |                                                                                                                                  |                                                                          |
|-----|---------------------------------------------|---------------------------------|-------------|--|------|----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| 295 | Fripp Island Fish Haven Buoy                | 32-15-25.260N<br>080-22-27.000W |             |  |      | Yellow can.                                                                                                                      |                                                                          |
| 297 | Fripp Island Lighted Buoy E                 | 32-16-38.344N<br>080-24-29.163W | Fl Y 4s     |  | 4    | Yellow.                                                                                                                          |                                                                          |
| 305 | General Gordon Wreck Fish Haven Buoy        | 32-10-05.880N<br>080-33-09.660W |             |  |      | Yellow nun.                                                                                                                      |                                                                          |
| 307 | Port Royal 45' Reef Buoy                    | 32-07-09.300N<br>080-29-18.300W |             |  |      | Yellow nun.                                                                                                                      |                                                                          |
| 310 | Port Royal Sound Lighted Buoy P             | 32-05-08.316N<br>080-35-01.871W | Mo (A) W    |  | 5    | Red and white stripes with red spherical topmark.                                                                                |                                                                          |
| 325 | Eagles Nest Reef Buoy                       | 32-01-09.600N<br>080-30-18.000W |             |  |      | Yellow nun.                                                                                                                      |                                                                          |
| 330 | Hilton Head Fish Haven Buoy                 | 31-59-56.880N<br>080-35-55.680W |             |  |      | Yellow nun.                                                                                                                      |                                                                          |
| 335 | Whitewater Reef Buoy                        | 32-03-05.340N<br>080-45-00.180W |             |  |      | Yellow nun.                                                                                                                      |                                                                          |
| 345 | Tybee Light                                 | 32-01-20.040N<br>080-50-44.478W | F W         |  | 0 19 | Octagonal brick tower upper and lower one third black center white.                                                              | Lighted throughout 24 hours.                                             |
| 349 | Savannah DMON Research Lighted Buoy WH      | 31-49-22.800N<br>080-18-25.800W | Fl Y 4s     |  | 4    | Blue and yellow can.                                                                                                             | priv maint.                                                              |
| 350 | Tybee V-AIS T                               | 31-56-09.548N<br>080-35-03.436W |             |  |      |                                                                                                                                  | AIS: MMSI 993672996                                                      |
| 370 | Tybee Creek Fishing Pier Light              | 31-59-30.776N<br>080-51-13.397W | F R         |  |      | On pier.                                                                                                                         |                                                                          |
| 435 | Wassaw Sound Lighted Buoy 2W                | 31-51-32.982N<br>080-53-00.768W | Fl R 4s     |  | 5    | Red.                                                                                                                             |                                                                          |
| 450 | St. Catherines Sound Lighted Buoy STC       | 31-40-13.023N<br>081-00-12.018W | Mo (A) W    |  | 6    | Red and white stripes with red spherical topmark.                                                                                |                                                                          |
| 465 | Grays Reef Boundary Buoy A                  | 31-21-45.004N<br>080-55-18.035W |             |  |      | Yellow nun.                                                                                                                      |                                                                          |
| 470 | Grays Reef Boundary Buoy B                  | 31-25-14.998N<br>080-55-18.035W |             |  |      | Yellow nun.                                                                                                                      |                                                                          |
| 480 | Grays Reef Boundary Buoy C                  | 31-25-15.006N<br>080-49-42.032W |             |  |      | Yellow nun.                                                                                                                      |                                                                          |
| 485 | Grays Reef Boundary Buoy D                  | 31-21-45.011N<br>080-49-42.032W |             |  |      | Yellow nun.                                                                                                                      |                                                                          |
| 490 | Doboy Sound Lighted Buoy D                  | 31-21-14.096N<br>081-11-24.048W | Mo (A) W    |  | 5    | Red and white stripes with red spherical topmark.                                                                                |                                                                          |
| 510 | Brunswick Lighted Buoy 2B                   | 31-00-08.018N<br>081-09-38.045W | Fl R 4s     |  | 5    | Red.                                                                                                                             |                                                                          |
| 515 | St. Simons Lighted Buoy STS                 | 31-02-49.022N<br>081-14-25.218W | Mo (A) W    |  | 5    | Red and white stripes with red spherical topmark.                                                                                | AIS: MMSI 993672091                                                      |
| 518 | Brunswick Spoil Area Lighted Buoy C         | 31-02-33.463N<br>081-15-22.762W | Fl Y 2.5s   |  | 4    | Yellow.                                                                                                                          |                                                                          |
| 520 | St. Simons Light                            | 31-08-02.846N<br>081-23-36.920W | FFI W 60s   |  | 23   | White conical tower near brick building.                                                                                         | AIS: MMSI 993672490 Fixed range is 18 miles. Flashing range is 23 miles. |
| 525 | Brunswick Spoil Area Buoy B                 | 31-00-27.398N<br>081-16-35.982W |             |  |      | Yellow can.                                                                                                                      |                                                                          |
| 530 | Brunswick Spoil Area Buoy A                 | 31-01-40.495N<br>081-16-29.716W |             |  |      | Yellow can.                                                                                                                      |                                                                          |
| 560 | St. Marys Entrance Lighted Buoy STM         | 30-42-54.054N<br>081-14-38.666W | Mo (A) W    |  | 6    | Red and white stripes with red spherical topmark.                                                                                | AIS: MMSI 993672157                                                      |
| 565 | Amelia Island Light                         | 30-40-23.407N<br>081-26-32.946W | Fl W 10s    |  | 23   | White conical tower.                                                                                                             | Red from 344° to 360° covers shoal water in vicinity of Nassau Sound.    |
| 575 | St. Johns Light                             | 30-23-10.163N<br>081-23-52.820W | Fl (4)W 20s |  | 19   | White square tower on building.                                                                                                  | Obscured from 179° to 354°. F R aerial obstruction light atop lantern.   |
| 580 | Scripps Wave Data Lighted Buoy CDIP STA 194 | 30-00-00.180N<br>081-04-48.001W | Fl (5)Y 20s |  |      | Yellow sphere-shaped with antenna.                                                                                               |                                                                          |
| 585 | St Augustine Lighted Whistle Buoy STA       | 29-54-54.723N<br>081-15-16.824W | Mo (A) W    |  | 5    | Red and white stripes with red spherical topmark.                                                                                |                                                                          |
| 590 | St Augustine Light                          | 29-53-07.604N<br>081-17-18.705W | FFI W 30s   |  | 19   | Conical tower white base with black cornice; black and white spirally-banded shaft; black below lantern gallery deck; red above. | Fixed range is 19 miles. Flashing range is 24 miles.                     |
| 595 | Halifax River Yacht Club Buoy B             | 29-04-39.943N<br>080-51-29.187W |             |  |      | Yellow spar.                                                                                                                     | Maintained from Apr. 15 to Nov. 1.                                       |
| 600 | Halifax River Yacht                         | 29-03-00.945N                   |             |  |      | Yellow spar.                                                                                                                     | Maintained from Apr. 15 to Nov. 1.                                       |

|       |                                                                         |                                 |             |    |                                                     |                                            |
|-------|-------------------------------------------------------------------------|---------------------------------|-------------|----|-----------------------------------------------------|--------------------------------------------|
|       | Club Buoy D                                                             | 080-52-41.189W                  |             |    |                                                     |                                            |
| 605   | Halifax River Yacht Club Buoy C                                         | 29-09-00.937N<br>080-49-29.183W |             |    | Yellow spar.                                        | Maintained from Apr. 15 to Nov. 1.         |
| 609   | UNCW Ponce Lighted Wave Buoy A                                          | 29-17-09.020N<br>080-48-15.534W | FI Y 4s     |    | Yellow.                                             | priv maint.                                |
| 609.1 | UNCW Ponce Lighted Wave Buoy B                                          | 29-17-06.720N<br>080-48-05.940W | FI Y 2.5s   |    | Yellow spherical.                                   | priv maint.                                |
| 610   | Ponce de Leon Inlet Light                                               | 29-04-50.177N<br>080-55-41.078W | FI (6)W 30s | 22 | Red brick conical tower.                            |                                            |
| 615   | Ponce de Leon Inlet Lighted Bell Buoy 2                                 | 29-04-46.031N<br>080-53-29.015W | FI R 2.5s   | 5  | Red.                                                |                                            |
| 620   | Hetzel Shoal Lighted Buoy 8                                             | 28-38-06.959N<br>080-21-01.995W | FI R 6s     | 5  | Red.                                                |                                            |
| 625   | Cape Canaveral Light                                                    | 28-27-37.277N<br>080-32-36.439W | FI (2)W 20s | 0  | 24                                                  | White and black bands; conical iron tower. |
| 627   | Cape Canaveral Danger Zone Buoy A                                       | 28-44-42.021N<br>080-37-51.017W |             |    | Yellow can.                                         | AIS: MMSI 993672023                        |
| 630   | Cape Canaveral Danger Zone Buoy B                                       | 28-36-06.273N<br>080-31-21.353W |             |    | Yellow can.                                         |                                            |
| 635   | Cape Canaveral Danger Zone Buoy C                                       | 28-31-03.005N<br>080-29-31.441W |             |    | Yellow can.                                         |                                            |
| 640   | Cape Canaveral Danger Zone Buoy D                                       | 28-27-37.803N<br>080-28-07.445W |             |    | Yellow can.                                         |                                            |
| 645   | Southeast Outer Shoal Lighted Buoy 2                                    | 28-22-50.764N<br>080-25-26.554W | FI R 2.5s   | 5  | Red.                                                |                                            |
| 650   | Southeast Shoal Lighted Buoy 4                                          | 28-23-28.212N<br>080-29-07.820W | FI R 4s     | 5  | Red.                                                |                                            |
| 653   | Scripps Wave Lighted Buoy C                                             | 28-24-00.060N<br>080-32-00.060W | FI (5)Y 20s |    | Yellow can. Marked Wave Buoy                        |                                            |
| 655   | Sebastian Inlet North Jetty Light                                       | 27-51-41.087N<br>080-26-51.185W | FI R 4s     |    | On pile.                                            |                                            |
| 660   | Bethel Shoal Lighted Buoy 10                                            | 27-44-19.263N<br>080-10-27.100W | FI R 4s     | 5  | Red.                                                |                                            |
| 667   | UNCW Ft. Pierce Lighted Wave Buoy A                                     | 27-35-50.400N<br>080-11-28.723W | FI Y 4s     |    | Yellow.                                             | priv maint.                                |
| 670   | Scripps Wave Lighted Buoy B                                             | 27-33-06.500N<br>080-13-01.900W | FI (5)Y 20s |    | Yellow can. Marked Wave Buoy                        |                                            |
| 675   | Fort Pierce Inlet Lighted Buoy 2                                        | 27-28-39.026N<br>080-15-25.216W | FI R 4s     | 5  | Red.                                                |                                            |
| 680   | Oneka Desalination Data Lighted Buoy                                    | 27-26-31.019N<br>080-15-43.487W | FI Y 4s     |    | Yellow buoy.                                        |                                            |
| 680.2 | Iceberg II Mooring Point Lighted Buoy SE                                | 27-26-30.420N<br>080-15-40.680W | Q Y         |    |                                                     |                                            |
| 680.3 | Iceberg II Mooring Point Lighted Buoy SW                                | 27-26-29.400N<br>080-15-44.040W | Q Y         |    |                                                     |                                            |
| 680.4 | Iceberg II Mooring Point Lighted Buoy NW                                | 27-26-32.520N<br>080-15-45.300W | Q Y         |    |                                                     |                                            |
| 680.5 | Iceberg II Mooring Point Lighted Buoy NE                                | 27-26-33.660N<br>080-15-42.000W | Q Y         |    |                                                     |                                            |
| 682   | Oneka Desalination Ice Cube Data Lighted Buoy A                         | 27-26-30.000N<br>080-15-47.160W | FI Y 4s     |    |                                                     |                                            |
| 695   | St. Lucie Shoal Lighted Buoy 12                                         | 27-23-17.209N<br>080-08-01.373W | FI R 6s     | 5  | Red.                                                |                                            |
| 700   | St. Lucie Power Plant Ocean Discharge Pipeline Obstruction Lighted Buoy | 27-21-21.152N<br>080-13-49.170W | Q Y         |    | Yellow worded DANGER SUBMERGED DISCHARGE STRUCTURE. |                                            |
| 705   | St. Lucie Power Plant Intake Pipe North Obstruction Lighted Buoy        | 27-20-53.653N<br>080-13-59.171W | Q Y         |    | Yellow worded DANGER SUBMERGED INTAKE STRUCTURE.    |                                            |
| 706   | FPL St. Lucie Plant Breakwater Lighted Buoy A                           | 27-21-14.865N<br>080-14-18.022W | Q Y         |    | Marked "Danger Obstruction"                         |                                            |
| 706.1 | FPL St. Lucie Plant Breakwater Lighted Buoy B                           | 27-21-14.274N<br>080-14-15.322W | Q Y         |    | Marked "Danger Obstruction"                         |                                            |
| 706.2 | FPL St. Lucie Plant Breakwater Lighted Buoy C                           | 27-21-12.977N<br>080-14-12.595W | Q Y         |    | Marked "Danger Obstruction"                         |                                            |

|       |                                                 |                                 |             |   |    |                                                                                                                            |                                                   |
|-------|-------------------------------------------------|---------------------------------|-------------|---|----|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| 706.3 | FPL St. Lucie Plant Breakwater Lighted Buoy D   | 27-21-10.696N<br>080-14-10.909W | Q Y         |   |    |                                                                                                                            | Marked "Danger Obstruction"                       |
| 706.4 | FPL St. Lucie Plant Breakwater Lighted Buoy E   | 27-21-07.760N<br>080-14-09.537W | Q Y         |   |    |                                                                                                                            | Marked "Danger Obstruction"                       |
| 706.5 | FPL St. Lucie Plant Breakwater Lighted Buoy F   | 27-21-05.340N<br>080-14-10.521W | Q Y         |   |    |                                                                                                                            | Marked "Danger Obstruction"                       |
| 706.6 | FPL St. Lucie Plant Breakwater Lighted Buoy G   | 27-21-02.394N<br>080-14-11.276W | Q Y         |   |    |                                                                                                                            | Marked "Danger Obstruction"                       |
| 710   | St. Lucie Shoal Buoy 14                         | 27-18-30.354N<br>080-08-47.038W |             |   |    |                                                                                                                            | Red nun.                                          |
| 715   | North Point Groin Obstruction Daybeacon         | 27-10-07.000N<br>080-09-01.000W |             |   |    |                                                                                                                            | NW on pile worded DANGER GROIN.                   |
| 720   | St. Lucie Entrance Lighted Buoy 2               | 27-10-01.166N<br>080-08-22.623W | FI R 4s     |   | 5  | Red.                                                                                                                       | AIS: MMSI 993672007                               |
| 725   | Jupiter Inlet Light                             | 26-56-55.048N<br>080-04-55.411W | FI (2)W 30s | 0 | 25 | Red brick tower.                                                                                                           | Obscured from 231° to 234° when within 5.5 miles. |
| 728   | Jupiter Inlet Jetty Obstruction Light           | 26-56-36.000N<br>080-04-13.800W | Q W         |   |    |                                                                                                                            | NW on pile.                                       |
| 730   | Jupiter Inlet Jetty Light 1                     | 26-56-36.600N<br>080-04-14.600W | Q G         |   |    |                                                                                                                            | SG on pile.                                       |
| 735   | Jupiter Inlet Jetty Light 2                     | 26-56-40.600N<br>080-04-14.300W | Q R         |   |    |                                                                                                                            | TR on pile.                                       |
| 740   | Palm Beach Sailing Club Race Buoy B             | 26-49-37.220N<br>080-00-17.142W |             |   |    |                                                                                                                            | Orange and white bands; nun.                      |
| 745   | Lake Worth Lighted Buoy LW                      | 26-46-21.596N<br>080-00-36.230W | Mo (A) W    |   | 6  | Red and white stripes with red sperical topmark.                                                                           | AIS: MMSI 993672006                               |
| 750   | Palm Beach Artificial Reef North Buoy           | 26-42-36.848N<br>080-01-58.586W |             |   |    |                                                                                                                            | White and orange bands; nun.                      |
| 755   | Palm Beach Artificial Reef M Buoy               | 26-42-16.994N<br>080-01-57.969W |             |   |    |                                                                                                                            | White and orange bands; nun.                      |
| 760   | Palm Beach Artificial Reef South Buoy           | 26-41-55.493N<br>080-01-57.540W |             |   |    |                                                                                                                            | White and orange bands; nun.                      |
| 765   | Palm Beach Sailing Club Race Buoy D             | 26-42-37.233N<br>080-01-41.146W |             |   |    |                                                                                                                            | Orange and white bands; nun.                      |
| 770   | Red Reef Park Artificial Reef Buoys (6)         | 26-21-39.778N<br>080-04-04.452W |             |   |    |                                                                                                                            | White and orange bands worded ROCK; nun.          |
| 772.1 | Boca Raton Inlet North Jetty Light 2            | 26-20-09.956N<br>080-04-11.266W |             |   |    |                                                                                                                            | TR on pile.                                       |
| 774   | Boca Raton Inlet South Jetty Light 1            | 26-20-08.092N<br>080-04-13.843W | Q G         |   |    |                                                                                                                            | SG on pile.                                       |
| 775   | Hillsboro Inlet Entrance Light                  | 26-15-33.055N<br>080-04-50.802W | FI (2)W 20s |   | 28 | Octagonal pyramidal iron skeleton tower with central stair cylinder lower third of structure white upper two-thirds black. | Obscured from 114° to 119°.                       |
| 780   | Hillsboro Inlet Entrance Lighted Buoy HI        | 26-15-07.907N<br>080-04-27.857W | Mo (A) W    |   | 5  | Red and white stripes with red spherical topmark.                                                                          | AIS: MMSI 993672673                               |
| 782   | Pompano Beach Fishing Pier Light                | 26-14-05.506N<br>080-05-10.654W | FI W 2.5s   |   |    |                                                                                                                            | On pier.                                          |
| 785   | Gulfstream Sail Club Race Buoy B                | 26-08-20.507N<br>080-06-00.000W |             |   |    |                                                                                                                            | Yellow can.                                       |
| 790   | Gulfstream Sail Club Race Buoy A                | 26-06-49.911N<br>080-06-06.000W |             |   |    |                                                                                                                            | Yellow can.                                       |
| 791   | Lauderdale by the Sea Fish Haven Lighted Buoy A | 26-11-11.800N<br>080-05-33.600W |             |   |    |                                                                                                                            | Yellow.                                           |
| 791.1 | Lauderdale by the Sea Fish Haven Lighted Buoy B | 26-11-11.500N<br>080-05-33.600W |             |   |    |                                                                                                                            | Yellow.                                           |
| 800   | Port Everglades Lighted Buoy PE                 | 26-05-30.307N<br>080-04-45.886W | Mo (A) W    |   | 6  | Red and white stripes with red spherical topmark.                                                                          | AIS: MMSI 993672004                               |
| 802   | Port Everglades Weather Buoy                    | 26-05-43.800N<br>080-05-44.700W | FI Y 6s     |   |    | Yellow disc-shaped with mast.                                                                                              | Aid maintained by NOAA.                           |
| 805   | Port Everglades Spoil Bank East Daybeacon       | 26-05-51.580N<br>080-06-01.103W |             |   |    |                                                                                                                            | NW on pile worded DANGER SHOAL.                   |

|       |                                                 |                                 |             |    |                                                                                                                              |                                                                                                                               |
|-------|-------------------------------------------------|---------------------------------|-------------|----|------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| 807   | NSWC Lighted Buoy A                             | 26-05-30.660N<br>080-05-42.300W | FI Y 4s     |    | Yellow. Worded RESTRICTED<br>AREA NO ANCHORAGE.                                                                              | Aid Maintained by U.S. Navy.                                                                                                  |
| 809   | NSWC Lighted Buoy C                             | 26-04-18.240N<br>080-05-30.900W | FI Y 4s     |    | Yellow. Worded RESTRICTED<br>AREA NO ANCHORAGE.                                                                              | Aid maintained by U.S. Navy.                                                                                                  |
| 810   | NSWC Lighted Buoy D                             | 26-04-27.120N<br>080-06-17.820W | FI Y 4s     |    | Yellow. Worded RESTRICTED<br>AREA NO ANCHORAGE.                                                                              | Aid maintained by U.S. Navy.                                                                                                  |
| 811   | NSWC Lighted Buoy E                             | 26-03-18.360N<br>080-05-24.900W | FI Y 4s     |    | Yellow. Worded RESTRICTED<br>AREA NO ANCHORAGE.                                                                              | Aid maintained by U.S. Navy.                                                                                                  |
| 812   | NSWC Lighted Buoy F                             | 26-03-01.200N<br>080-06-18.540W | FI Y 4s     |    | Yellow. Worded RESTRICTED<br>AREA NO ANCHORAGE.                                                                              | Aid maintained by U.S. Navy.                                                                                                  |
| 813   | Dania Beach Fishing<br>Pier Obs Light           | 26-03-28.300N<br>080-06-31.800W | F R         |    | On pier.                                                                                                                     |                                                                                                                               |
| 814   | UCSD 265 Data<br>Lighted Buoy                   | 26-00-03.960N<br>080-05-45.960W | FI Y 20s    |    | Yellow.                                                                                                                      |                                                                                                                               |
| 815   | Parker Dorado Assoc<br>Obstruction<br>Daybeacon | 25-58-32.329N<br>080-07-05.160W |             |    | NW on pile worded DANGER<br>SUBMERGED OUTFALL.                                                                               |                                                                                                                               |
| 820   | Bakers Haulover Inlet<br>Jetty Light            | 25-53-56.339N<br>080-07-11.461W | Q W         |    | NW on pile worded DANGER<br>JETTY.                                                                                           |                                                                                                                               |
| 825   | NOAA Data Lighted<br>Buoy 41004 (ODAS)          | 32-30-07.000N<br>079-05-56.000W | FI (4)Y 20s |    | Yellow disc-shaped with<br>mast.                                                                                             |                                                                                                                               |
| 830   | NOAA Data Lighted<br>Buoy 41002 (ODAS)          | 31-44-36.000N<br>074-57-18.000W |             |    | Yellow boat-shaped with<br>mast.                                                                                             |                                                                                                                               |
| 833   | NOAA Data Lighted<br>Buoy 41008 (ODAS)          | 31-24-00.000N<br>080-51-59.000W | FI (4)Y 20s |    | Yellow disc-shaped with<br>mast.                                                                                             |                                                                                                                               |
| 840   | NOAA Data Lighted<br>Buoy 41009 (ODAS)          | 28-30-27.000N<br>080-11-06.000W | FI (4)Y 20s |    | Yellow boat shaped buoy.                                                                                                     |                                                                                                                               |
| 845   | NOAA Data Lighted<br>Buoy 41010 (ODAS)          | 28-52-48.000N<br>078-28-48.000W | FI (4)Y 20s |    | Yellow disc-shaped with<br>mast.                                                                                             |                                                                                                                               |
| 855   | NOAA Data Lighted<br>Buoy 42036 (ODAS)          | 28-30-03.000N<br>084-30-30.000W | FI (4)Y 20s |    | Yellow disc-shaped with<br>mast.                                                                                             |                                                                                                                               |
| 860   | Navy Data Lighted<br>Buoy                       | 26-00-49.939N<br>079-59-33.975W | FI Y 10s    |    | Orange.                                                                                                                      |                                                                                                                               |
| 863   | USF C22 Research<br>Buoy                        | 25-10-12.000N<br>083-28-44.400W | FI Y 4s     |    | Yellow disc-shaped with<br>mast.                                                                                             | Aid maintained by the University of South Florida.                                                                            |
| 865   | Elbow Cay Light                                 | 26-32-24.020N<br>076-57-24.012W |             | 23 | White round tower red<br>bands.                                                                                              | Maintained by Bahama Imperial Lighthouse Service.                                                                             |
| 870   | Great Isaac Light                               | 26-01-48.019N<br>079-05-24.014W | FI W 15s    | 23 | White circular tower.                                                                                                        | Maintained by Bahama Imperial Lighthouse Service.                                                                             |
| 875   | Gun Cay Light                                   | 25-34-30.018N<br>079-18-48.014W | FI W 10s    | 23 | Conical stone tower upper<br>part red lower part white.                                                                      | Obscured by the Bimini Isles between 176° and 198° when 8 miles<br>distant. Maintained by Bahama Imperial Lighthouse Service. |
| 895   | Miami Lighted Buoy M                            | 25-46-05.934N<br>080-04-59.951W | Mo (A) W    | 7  | Red and white stripes with<br>red spherical topmark.                                                                         | AIS: MMSI 993672000                                                                                                           |
| 900   | Key Biscayne FAD<br>Northwest Buoy              | 25-42-49.864N<br>080-05-28.159W |             |    | Yellow can.                                                                                                                  |                                                                                                                               |
| 905   | Key Biscayne FAD<br>Northeast Buoy              | 25-42-49.863N<br>080-04-11.156W |             |    | Yellow can.                                                                                                                  |                                                                                                                               |
| 910   | Key Biscayne FAD<br>Southwest Buoy              | 25-41-20.500N<br>080-05-28.159W |             |    | Yellow can.                                                                                                                  |                                                                                                                               |
| 915   | Key Biscayne FAD<br>Southeast Buoy              | 25-41-20.500N<br>080-04-11.156W |             |    | Yellow can.                                                                                                                  |                                                                                                                               |
| 915.1 | Neptune Memorial<br>Reef Buoy AA                | 25-42-03.000N<br>080-05-28.800W |             |    | Yellow can.                                                                                                                  |                                                                                                                               |
| 915.2 | Neptune Memorial<br>Reef Buoy BB                | 25-42-03.000N<br>080-05-18.900W |             |    | Yellow can.                                                                                                                  |                                                                                                                               |
| 915.3 | Neptune Memorial<br>Reef Buoy CC                | 25-41-54.000N<br>080-05-28.800W |             |    | Yellow can.                                                                                                                  |                                                                                                                               |
| 915.4 | Neptune Memorial<br>Reef Buoy DD                | 25-41-54.000N<br>080-05-18.900W |             |    | Yellow can.                                                                                                                  |                                                                                                                               |
| 920   | Fowey Rocks Light                               | 25-35-26.267N<br>080-05-48.257W | FI W 10s    | 7  | Brown octagonal pyramidal<br>skeleton tower enclosing<br>white stair cycliner and<br>octagonal dwelling; pile<br>foundation. |                                                                                                                               |
| 923   | Cape Florida Light                              | 25-39-59.900N<br>080-09-21.100W | FI W 6s     |    | White conical tower.                                                                                                         |                                                                                                                               |
| 925   | Fowey Rocks Reef<br>Buoy A                      | 25-35-36.960N<br>080-05-49.320W |             |    | Yellow sphere.                                                                                                               |                                                                                                                               |
| 925.2 | Fowey Rocks Reef<br>Buoy B                      | 25-35-34.020N<br>080-05-35.520W |             |    | Yellow sphere.                                                                                                               |                                                                                                                               |
| 925.4 | Fowey Rocks Reef                                | 25-34-25.380N                   |             |    | Yellow sphere.                                                                                                               |                                                                                                                               |

|       |                                  |                                 |             |    |    |                                |
|-------|----------------------------------|---------------------------------|-------------|----|----|--------------------------------|
|       | Buoy C                           | 080-05-51.720W                  |             |    |    |                                |
| 925.6 | Fowey Rocks Reef Buoy D          | 25-34-29.160N<br>080-06-05.580W |             |    |    | Yellow sphere.                 |
| 927   | Alina's Reef Buoy A              | 25-23-36.060N<br>080-10-07.500W |             |    |    | Yellow sphere.                 |
| 927.2 | Alina's Reef Buoy B              | 25-23-17.040N<br>080-09-33.780W |             |    |    | Yellow sphere.                 |
| 927.4 | Alina's Reef Buoy C              | 25-22-52.620N<br>080-09-50.460W |             |    |    | Yellow sphere.                 |
| 927.6 | Alina's Reef Buoy D              | 25-23-11.640N<br>080-10-24.120W |             |    |    | Yellow sphere.                 |
| 930   | Marker 3 Reef Buoy A             | 25-22-32.040N<br>080-09-40.740W |             |    |    | Yellow sphere.                 |
| 930.2 | Marker 3 Reef Buoy B             | 25-22-26.700N<br>080-09-26.580W |             |    |    | Yellow sphere.                 |
| 930.4 | Marker 3 Reef Buoy C             | 25-21-57.900N<br>080-09-39.780W |             |    |    | Yellow sphere.                 |
| 930.6 | Marker 3 Reef Buoy D             | 25-22-03.300N<br>080-09-54.000W |             |    |    | Yellow sphere.                 |
| 935   | Pacific Reef Light               | 25-22-15.565N<br>080-08-31.429W | Fl W 4s     | 7  |    | Black skeleton tower on piles. |
| 937   | Lob120 Reef Buoy A               | 25-21-41.220N<br>080-11-18.660W |             |    |    | Yellow sphere.                 |
| 937.2 | Lob120 Reef Buoy B               | 25-21-40.260N<br>080-11-01.380W |             |    |    | Yellow sphere.                 |
| 937.4 | Lob120 Reef Buoy C               | 25-21-15.420N<br>080-11-02.880W |             |    |    | Yellow sphere.                 |
| 937.6 | Lob120 Reef Buoy D               | 25-21-16.200N<br>080-11-20.280W |             |    |    | Yellow sphere.                 |
| 940   | Ball Buoy Reef Buoy A            | 25-19-22.740N<br>080-11-06.600W |             |    |    | Yellow sphere.                 |
| 940.2 | Ball Buoy Reef Buoy B            | 25-19-02.640N<br>080-10-46.500W |             |    |    | Yellow sphere.                 |
| 940.4 | Ball Buoy Reef Buoy C            | 25-18-43.920N<br>080-11-09.300W |             |    |    | Yellow sphere.                 |
| 940.6 | Ball Buoy Reef Buoy D            | 25-19-04.020N<br>080-11-29.340W |             |    |    | Yellow sphere.                 |
| 945.1 | Carysfort Reef Light             | 25-13-36.908N<br>080-12-33.236W | Fl (3)W 60s | 30 | 13 |                                |
| 947   | Carysfort Reef Buoy A            | 25-14-07.980N<br>080-12-47.040W |             |    |    | Yellow can.                    |
| 947.2 | Carysfort Reef Buoy B            | 25-13-46.920N<br>080-11-59.700W |             |    |    | Yellow can.                    |
| 947.4 | Carysfort Reef Buoy C            | 25-11-57.180N<br>080-12-57.180W |             |    |    | Yellow can.                    |
| 947.6 | Carysfort Reef Buoy D            | 25-12-08.710N<br>080-13-46.260W |             |    |    | Yellow can.                    |
| 948   | The Elbow Buoy A                 | 25-08-58.000N<br>080-15-37.600W |             |    |    | Yellow can.                    |
| 948.2 | The Elbow Buoy B                 | 25-08-57.200N<br>080-15-13.200W |             |    |    | Yellow can.                    |
| 948.4 | The Elbow Buoy C                 | 25-08-10.980N<br>080-15-38.500W |             |    |    | Yellow can.                    |
| 948.6 | The Elbow Buoy D                 | 25-08-30.100N<br>080-16-00.400W |             |    |    | Yellow can.                    |
| 950   | Elbow Reef Light 6               | 25-08-40.380N<br>080-15-29.879W | Fl R 2.5s   | 5  |    | TR on skeleton tower on piles. |
| 952   | Horseshoe Reef Data Lighted Buoy | 25-08-17.800N<br>080-17-44.620W | Fl Y 4s     |    |    | Yellow pyramidal.              |
| 953   | Dry Rocks Buoy A                 | 25-07-35.400N<br>080-17-54.500W |             |    |    | Yellow can.                    |
| 953.2 | Dry Rocks Buoy B                 | 25-07-35.400N<br>080-17-42.200W |             |    |    | Yellow can.                    |
| 953.4 | Dry Rocks Buoy C                 | 25-07-14.900N<br>080-17-49.300W |             |    |    | Yellow can.                    |
| 953.6 | Dry Rocks Buoy D                 | 25-07-24.600N<br>080-18-05.400W |             |    |    | Yellow can.                    |
| 954   | Grecian Rocks Buoy A             | 25-06-54.500N<br>080-18-11.700W |             |    |    | Yellow can.                    |
| 954.2 | Grecian Rocks Buoy B             | 25-06-40.380N                   |             |    |    | Yellow can.                    |

|       |                                         |                                 |             |    |   |                                                               |
|-------|-----------------------------------------|---------------------------------|-------------|----|---|---------------------------------------------------------------|
|       |                                         | 080-18-00.300W                  |             |    |   |                                                               |
| 954.4 | Grecian Rocks Buoy C                    | 25-06-23.500N<br>080-18-19.300W |             |    |   | Yellow can.                                                   |
| 954.6 | Grecian Rocks Buoy D                    | 25-06-25.000N<br>080-18-28.800W |             |    |   | Yellow can.                                                   |
| 954.8 | Grecian Rocks Buoy E                    | 25-06-48.700N<br>080-18-26.300W |             |    |   | Yellow can.                                                   |
| 956   | French Reef Buoy A                      | 25-02-11.900N<br>080-20-37.900W |             |    |   | Yellow can.                                                   |
| 956.2 | French Reef Buoy B                      | 25-01-48.800N<br>080-21-00.100W |             |    |   | Yellow can.                                                   |
| 956.4 | French Reef Buoy C                      | 25-02-21.500N<br>080-21-16.000W |             |    |   | Yellow can.                                                   |
| 957   | Molasses Reef Buoy A                    | 25-01-00.100N<br>080-22-32.000W |             |    |   | Yellow can.                                                   |
| 957.2 | Molasses Reef Buoy B                    | 25-01-00.300N<br>080-21-50.200W |             |    |   | Yellow can.                                                   |
| 957.4 | Molasses Reef Buoy C                    | 25-00-17.600N<br>080-22-41.800W |             |    |   | Yellow can.                                                   |
| 957.6 | Molasses Reef Buoy D                    | 25-00-43.000N<br>080-22-50.000W |             |    |   | Yellow can.                                                   |
| 960   | Molasses Reef Light 10                  | 25-00-42.673N<br>080-22-35.324W | Fl R 6s     |    | 5 | TR on brown square pyramidal skeleton tower; pile foundation. |
| 963   | Conch Reef Buoy A                       | 24-57-02.850N<br>080-27-28.020W |             |    |   | Yellow can.                                                   |
| 963.2 | Conch Reef Buoy B                       | 24-57-20.300N<br>080-27-15.800W |             |    |   | Yellow can.                                                   |
| 963.3 | Conch Reef Buoy C                       | 24-57-00.600N<br>080-26-55.800W |             |    |   | Yellow can.                                                   |
| 963.4 | Conch Reef Buoy D                       | 24-56-49.800N<br>080-27-15.600W |             |    |   | Yellow can.                                                   |
| 963.5 | Conch Reef Buoy E                       | 24-56-59.400N<br>080-27-25.300W |             |    |   | Yellow can.                                                   |
| 963.6 | Conch Reef Buoy F                       | 24-56-46.600N<br>080-27-31.100W |             |    |   | Yellow can.                                                   |
| 963.7 | Conch Reef Buoy G                       | 24-56-57.300N<br>080-27-44.000W |             |    |   | Yellow can.                                                   |
| 965.3 | NOAA Life Support Lighted Buoy Aquarius | 24-57-00.000N<br>080-27-12.000W | Fl (4)Y 20s |    |   | Yellow disc-shaped with mast.                                 |
| 967   | Hens And Chickens Buoy A                | 24-56-22.700N<br>080-32-51.400W |             |    |   | Yellow can.                                                   |
| 967.2 | Hens And Chickens Buoy B                | 24-56-12.700N<br>080-32-37.700W |             |    |   | Yellow can.                                                   |
| 967.4 | Hens And Chickens Buoy C                | 24-55-51.700N<br>080-32-57.200W |             |    |   | Yellow can.                                                   |
| 967.6 | Hens And Chickens Buoy D                | 24-56-02.200N<br>080-33-17.000W |             |    |   | Yellow can.                                                   |
| 970   | Davis Reef Light 14                     | 24-55-32.822N<br>080-30-09.680W | Fl R 4s     | 0  | 6 | TR on dolphin.                                                |
| 973   | Davis Reef Buoy A                       | 24-55-36.400N<br>080-30-16.000W |             |    |   | Yellow can.                                                   |
| 973.2 | Davis Reef Buoy B                       | 24-55-24.700N<br>080-30-03.100W |             |    |   | Yellow can.                                                   |
| 973.4 | Davis Reef Buoy C                       | 24-55-06.300N<br>080-30-20.800W |             |    |   | Yellow can.                                                   |
| 973.6 | Davis Reef Buoy D                       | 24-55-20.580N<br>080-30-31.200W |             |    |   | Yellow can.                                                   |
| 977   | Cheeca Rocks Buoy A                     | 24-54-25.380N<br>080-36-54.660W |             |    |   | Yellow can.                                                   |
| 977.2 | Cheeca Rocks Buoy B                     | 24-54-15.240N<br>080-36-46.140W |             |    |   | Yellow can.                                                   |
| 977.4 | Cheeca Rocks Buoy C                     | 24-54-05.760N<br>080-36-59.820W |             |    |   | Yellow can.                                                   |
| 977.6 | Cheeca Rocks Buoy D                     | 24-54-13.200N<br>080-37-11.400W |             |    |   | Yellow can.                                                   |
| 978   | Cheeca Rocks Data Lighted Buoy          | 24-53-50.744N<br>080-37-07.136W | Fl Y 4s     |    |   | Yellow pyramidal.                                             |
| 981   | Alligator Reef Light                    | 24-51-04.771N<br>080-37-03.770W | Fl (4)W 60s | 16 | 7 | Small platform on steel pile.                                 |
| 983   | Alligator Reef Buoy A                   | 24-51-13.900N                   |             |    |   | Yellow can.                                                   |



|        |                                             |                                 |             |    |   |                                                                   |
|--------|---------------------------------------------|---------------------------------|-------------|----|---|-------------------------------------------------------------------|
|        |                                             | 080-37-09.900W                  |             |    |   |                                                                   |
| 983.2  | Alligator Reef Buoy B                       | 24-50-58.600N<br>080-36-50.200W |             |    |   | Yellow can.                                                       |
| 983.4  | Alligator Reef Buoy C                       | 24-50-30.700N<br>080-37-21.100W |             |    |   | Yellow can.                                                       |
| 983.6  | Alligator Reef Buoy D                       | 24-50-48.800N<br>080-37-37.900W |             |    |   | Yellow can.                                                       |
| 990    | Tennessee Reef Light                        | 24-44-45.897N<br>080-46-56.489W | Fl W 4s     |    | 8 | Small black house on hexagonal pyramidal skeleton tower on piles. |
| 993    | Tennessee Reef Buoy A                       | 24-46-12.120N<br>080-45-04.140W |             |    |   | Yellow can.                                                       |
| 993.2  | Tennessee Reef Buoy B                       | 24-45-58.980N<br>080-44-54.120W |             |    |   | Yellow can.                                                       |
| 993.4  | Tennessee Reef Buoy C                       | 24-45-41.700N<br>080-45-26.880W |             |    |   | Yellow can.                                                       |
| 993.6  | Tennessee Reef Buoy D                       | 24-45-53.880N<br>080-45-34.380W |             |    |   | Yellow can.                                                       |
| 997    | Coffins Patch Buoy A                        | 24-41-27.900N<br>080-57-40.860W |             |    |   | Yellow can.                                                       |
| 997.2  | Coffins Patch Buoy B                        | 24-41-07.260N<br>080-57-31.980W |             |    |   | Yellow can.                                                       |
| 997.4  | Coffins Patch Buoy C                        | 24-40-45.120N<br>080-58-19.980W |             |    |   | Yellow can.                                                       |
| 997.6  | Coffins Patch Buoy D                        | 24-41-03.660N<br>080-58-28.860W |             |    |   | Yellow can.                                                       |
| 1001   | Sombrero Key Light                          | 24-37-39.917N<br>081-06-30.857W | Fl (5)W 60s | 19 | 7 | Small platform on steel pile.                                     |
| 1001.5 | Scripps Wave Data Lighted Buoy CDIP STA 242 | 24-32-05.800N<br>081-14-37.800W | Fl (5)Y 20s |    |   | Yellow sphere-shaped with antenna.                                |
| 1002   | Sombrero Key Buoy A                         | 24-37-54.500N<br>081-06-46.700W |             |    |   | Yellow can.                                                       |
| 1002.2 | Sombrero Key Buoy B                         | 24-37-29.700N<br>081-06-11.600W |             |    |   | Yellow can.                                                       |
| 1002.4 | Sombrero Key Buoy C                         | 24-37-15.200N<br>081-06-53.500W |             |    |   | Yellow can.                                                       |
| 1002.6 | Sombrero Key Data Lighted Buoy              | 24-37-36.008N<br>081-06-32.216W | Fl Y 4s     |    |   | Yellow pyramidal.                                                 |
| 1003   | Newfound Harbor Key Buoy A                  | 24-37-00.600N<br>081-23-20.700W |             |    |   | Yellow can.                                                       |
| 1003.2 | Newfound Harbor Key Buoy B                  | 24-36-51.000N<br>081-23-17.100W |             |    |   | Yellow can.                                                       |
| 1003.4 | Newfound Harbor Key Buoy C                  | 24-36-44.400N<br>081-23-48.000W |             |    |   | Yellow can.                                                       |
| 1003.6 | Newfound Harbor Key Buoy D                  | 24-37-00.000N<br>081-23-51.700W |             |    |   | Yellow can.                                                       |
| 1005   | Big Pine Shoal Light 22                     | 24-34-06.142N<br>081-19-32.347W | Q R         |    | 4 | TR on dolphin.                                                    |
| 1006   | Looe Key Research Buoy A                    | 24-34-10.000N<br>081-23-00.100W |             |    |   | Yellow can.                                                       |
| 1006.2 | Looe Key Research Buoy B                    | 24-33-58.581N<br>081-22-57.400W |             |    |   | Yellow can.                                                       |
| 1006.4 | Looe Key Research Buoy C                    | 24-33-50.681N<br>081-23-36.100W |             |    |   | Yellow can.                                                       |
| 1006.6 | Looe Key Research Buoy D                    | 24-34-13.981N<br>081-23-40.600W |             |    |   | Yellow can.                                                       |
| 1007   | Looe Key Buoy A                             | 24-33-14.300N<br>081-24-01.200W |             |    |   | Yellow can.                                                       |
| 1007.2 | Looe Key Buoy B                             | 24-32-42.100N<br>081-23-51.200W |             |    |   | Yellow can.                                                       |
| 1007.4 | Looe Key Buoy C                             | 24-32-31.300N<br>081-24-41.800W |             |    |   | Yellow can.                                                       |
| 1007.6 | Looe Key Buoy D                             | 24-33-07.000N<br>081-24-48.400W |             |    |   | Yellow can.                                                       |
| 1007.8 | Looe Key Telemetry Lighted Buoy LR          | 24-32-33.900N<br>081-24-07.800W | Fl (4)Y 20s |    |   | Yellow.                                                           |
| 1010   | Looe Key Light 24                           | 24-32-48.560N<br>081-24-09.419W | Fl R 4s     | 0  | 6 | TR on dolphin.                                                    |
| 1016   | American Shoal Light                        | 24-31-32.510N                   | Fl (4)W 60s |    | 7 | Small platform on steel pile.                                     |

|        |                                           |                                 |             |    |    |                                                   |                     |
|--------|-------------------------------------------|---------------------------------|-------------|----|----|---------------------------------------------------|---------------------|
|        |                                           | 081-31-02.592W                  |             |    |    |                                                   |                     |
| 1023   | Eastern Sambos Buoy A                     | 24-29-50.300N<br>081-39-35.500W |             |    |    | Yellow can.                                       |                     |
| 1023.2 | Eastern Sambo Buoy B                      | 24-29-32.681N<br>081-39-21.800W |             |    |    | Yellow can.                                       |                     |
| 1023.4 | Eastern Sambos Buoy C                     | 24-29-22.900N<br>081-40-00.000W |             |    |    | Yellow can.                                       |                     |
| 1023.6 | Eastern Sambos Buoy D                     | 24-29-46.100N<br>081-40-00.200W |             |    |    | Yellow can.                                       |                     |
| 1024   | Western Sambo Buoy A                      | 24-33-42.000N<br>081-40-48.000W |             |    |    | Yellow can.                                       |                     |
| 1024.2 | Western Sambo Buoy B                      | 24-28-50.781N<br>081-41-54.800W |             |    |    | Yellow can.                                       |                     |
| 1024.4 | Western Sambo Buoy C                      | 24-28-30.100N<br>081-49-41.600W |             |    |    | Yellow can.                                       |                     |
| 1024.6 | Western Sambo Buoy D                      | 24-33-30.000N<br>081-43-06.000W |             |    |    | Yellow can.                                       |                     |
| 1025   | Eastern Sambos Shoal Daybeacon            | 24-29-30.846N<br>081-39-48.381W | 0           |    |    | NW on pile worded DANGER SHOAL.                   |                     |
| 1025.5 | Middle Sambos Shoal Daybeacon             | 24-29-18.528N<br>081-40-38.789W | 0           |    |    | NW on pile worded DANGER SHOAL.                   |                     |
| 1030   | Western Sambos Shoal Daybeacon            | 24-28-59.249N<br>081-42-11.175W | 0           |    |    | NW on pile worded DANGER SHOAL.                   |                     |
| 1030.4 | Western Sambos West Shoal Daybeacon       | 24-28-48.136N<br>081-43-09.855W | 0           |    |    | NW on pile worded DANGER SHOAL.                   |                     |
| 1030.2 | Western Sambos North Shoal Daybeacon      | 24-29-11.976N<br>081-42-30.032W | 1           |    |    | NW on pile worded DANGER SHOAL                    |                     |
| 1035   | Stock Island Approach Channel Light 32    | 24-28-28.968N<br>081-44-31.742W | Fl R 2.5s   | 0  | 5  | TR on pile.                                       |                     |
| 1040   | Key West Entrance Lighted Whistle Buoy KW | 24-27-25.832N<br>081-47-59.991W | Mo (A) W    |    | 6  | Red and white stripes with red spherical topmark. | AIS: MMSI 993672010 |
| 1045   | Eastern Dry Rocks Obstruction Daybeacon   | 24-27-40.000N<br>081-50-38.000W |             |    |    | NW on pile worded DANGER CORAL REEF.              |                     |
| 1047   | Eastern Dry Rocks Buoy A                  | 24-27-55.000N<br>081-50-32.800W |             |    |    | Yellow can.                                       |                     |
| 1047.2 | Eastern Dry Rocks Buoy B                  | 24-27-42.800N<br>081-50-19.800W |             |    |    | Yellow can.                                       |                     |
| 1047.4 | Eastern Dry Rocks Buoy C                  | 24-27-27.900N<br>081-50-47.400W |             |    |    | Yellow can.                                       |                     |
| 1047.6 | Eastern Dry Rocks Buoy D                  | 24-27-43.100N<br>081-50-51.300W |             |    |    | Yellow can.                                       |                     |
| 1053   | Rock Key Buoy A                           | 24-27-29.400N<br>081-51-21.100W |             |    |    | Yellow can.                                       |                     |
| 1053.2 | Rock Key Buoy B                           | 24-27-18.100N<br>081-51-09.200W |             |    |    | Yellow can.                                       |                     |
| 1053.4 | Rock Key Buoy C                           | 24-27-12.400N<br>081-51-35.800W |             |    |    | Yellow can.                                       |                     |
| 1053.6 | Key West Buoy D                           | 24-27-26.900N<br>081-51-38.900W |             |    |    | Yellow can.                                       |                     |
| 1054   | Sand Key Buoy A                           | 24-27-35.000N<br>081-52-17.500W |             |    |    | Yellow can.                                       |                     |
| 1054.2 | Sand Key Buoy B                           | 24-27-00.100N<br>081-52-18.900W |             |    |    | Yellow can.                                       |                     |
| 1054.4 | Sand Key Buoy C                           | 24-27-00.100N<br>081-52-57.200W |             |    |    | Yellow can.                                       |                     |
| 1054.6 | Sand Key Buoy D                           | 24-27-36.400N<br>081-52-56.600W |             |    |    | Yellow can.                                       |                     |
| 1055.1 | Sand Key Light                            | 24-27-20.958N<br>081-52-38.330W | Fl (2)W 15s | 30 | 13 |                                                   |                     |
| 1060   | Western Dry Rocks Daybeacon K             | 24-26-47.017N<br>081-55-36.631W |             |    |    | NB on pile.                                       |                     |
| 1070   | Cosgrove Shoal Light                      | 24-27-28.459N<br>082-11-06.177W | Fl W 6s     |    | 9  | On hexagonal pyramidal skeleton tower on piles.   |                     |
| 1080   | Twenty Eight Foot Shoal Lighted Buoy 2    | 24-25-48.257N<br>082-25-31.637W | Fl R 4s     |    | 5  | Red.                                              |                     |
| 1085   | Halfmoon Shoal Light WR2                  | 24-33-29.797N<br>082-28-25.687W | Fl R 6s     |    | 5  | TR on dolphin.                                    |                     |

|        |                                      |                                 |            |    |             |                                                                 |
|--------|--------------------------------------|---------------------------------|------------|----|-------------|-----------------------------------------------------------------|
| 1090.1 | Rebecca Shoal Lighted Buoy 4         | 24-34-43.624N<br>082-35-26.731W | Fl R 6s    | 5  | Red.        |                                                                 |
| 1100   | Fort Jefferson Lighted Buoy A        | 24-33-59.700N<br>082-54-01.020W | Fl Y 2.5s  |    | Yellow.     |                                                                 |
| 1105   | Fort Jefferson Buoy B                | 24-33-59.820N<br>082-56-00.180W |            |    | Yellow can. |                                                                 |
| 1110   | Fort Jefferson Lighted Buoy C        | 24-34-00.060N<br>082-58-00.780W | Fl Y 4s    |    | Yellow.     |                                                                 |
| 1115   | Fort Jefferson Buoy D                | 24-36-29.820N<br>082-58-00.240W |            |    | Yellow can. |                                                                 |
| 1165   | Fort Jefferson Buoy N                | 24-38-14.640N<br>082-47-12.180W |            |    | Yellow can. |                                                                 |
| 1170   | Fort Jefferson Lighted Buoy O        | 24-36-59.280N<br>082-48-01.200W | Fl Y 6s    |    | Yellow.     |                                                                 |
| 1175   | Fort Jefferson Buoy P                | 24-35-59.100N<br>082-50-00.780W |            |    | Yellow can. |                                                                 |
| 1180   | Fort Jefferson Buoy Q                | 24-35-00.240N<br>082-52-00.180W |            |    | Yellow can. |                                                                 |
| 1185   | Pulaski Shoal Light                  | 24-41-36.038N<br>082-46-22.804W | Fl W 6s    | 60 | 9           | Skeleton tower on 3-legged jacket. AIS: MMSI 993672016          |
| 1190   | New Ground Rocks Light               | 24-39-59.775N<br>082-26-38.992W | Fl W 4s    |    | 5           | NB on pile.                                                     |
| 1195   | Ellis Rock Light                     | 24-38-56.932N<br>082-11-02.449W | Fl W 2.5s  | 16 | 5           | NB on dolphin.                                                  |
| 1200   | Smith Shoal Light                    | 24-43-05.835N<br>081-55-17.561W | Fl W 6s    | 54 | 9           | Skeleton tower on 3-legged jacket.                              |
| 1205   | East Cape Light 2                    | 25-05-00.032N<br>081-04-57.809W | Fl R 4s    |    | 5           | TR on dolphin.                                                  |
| 1210   | Northwest Cape Light 4               | 25-12-49.781N<br>081-11-45.461W | Fl R 2.5s  |    | 5           | TR on pile.                                                     |
| 1215   | Broad Creek Light 6                  | 25-26-19.432N<br>081-12-12.295W | Fl R 6s    |    | 5           | TR on pile.                                                     |
| 1220   | Lostmans River Light 8               | 25-32-33.528N<br>081-14-59.064W | Fl R 2.5s  | 0  | 5           | TR on pile.                                                     |
| 1225   | Pavilion Key Light 10                | 25-40-55.277N<br>081-21-23.609W | Fl R 4s    |    | 5           | TR on pile.                                                     |
| 1230   | Cape Romano Shoals Light             | 25-41-25.193N<br>081-38-46.526W | Fl W 4s    | 0  | 6           | NW on dolphin.                                                  |
| 1245   | Sanibel Island Light                 | 26-27-10.528N<br>082-00-51.332W | Fl (2)W 6s | 0  | 13          | Brown square pyramidal skeleton tower enclosing stair cylinder. |
| 1247   | Sanibel-Captiva CR Research LB A     | 26-28-04.220N<br>082-13-48.940W | Fl Y 4s    |    |             | Yellow.                                                         |
| 1250   | Captiva Island Obstruction Daybeacon | 26-29-01.287N<br>082-11-05.342W |            |    |             | NW on pile worded DANGER SUBMERGED JETTY.                       |
| 1255   | Redfish Pass Lighted Buoy 1          | 26-33-08.346N<br>082-12-55.824W | Fl G 2.5s  |    |             | Green.                                                          |
| 1257   | Redfish Pass Buoy 2                  | 26-33-07.340N<br>082-12-38.329W |            |    |             | Red.                                                            |
| 1260   | Redfish Pass Buoy 4                  | 26-33-11.689N<br>082-12-23.318W |            |    |             | Red nun.                                                        |
| 1265   | Redfish Pass Buoy 5                  | 26-33-15.579N<br>082-12-08.182W |            |    |             | Green can.                                                      |
| 1270   | Redfish Pass Daybeacon 7             | 26-33-10.430N<br>082-11-48.760W |            |    |             | SG on pile.                                                     |
| 1271   | Redfish Pass Daybeacon 9             | 26-33-03.880N<br>082-11-42.070W |            |    |             | SG on pile.                                                     |
| 1272   | Redfish Pass Light 10                | 26-32-56.890N<br>082-11-36.480W | Fl R 2.5s  |    |             |                                                                 |
| 1273   | Redfish Pass Daybeacon 11            | 26-32-57.870N<br>082-11-35.020W |            |    |             | SG on pile.                                                     |
| 1274   | Redfish Pass Daybeacon 12            | 26-32-50.610N<br>082-11-25.680W |            |    |             | TR on pile.                                                     |
| 1275   | Redfish Pass Daybeacon 13            | 26-32-51.530N<br>082-11-24.980W |            |    |             | SG on pile.                                                     |
| 1276   | Redfish Pass Daybeacon 14            | 26-32-44.780N<br>082-11-15.790W |            |    |             | TR on pile.                                                     |
| 1277   | Redfish Pass Daybeacon 15            | 26-32-45.390N<br>082-11-15.250W |            |    |             | SG on pile.                                                     |
| 1278   | Redfish Pass                         | 26-32-38.620N                   |            |    |             | TR on pile.                                                     |

|        |                                                       |                                 |             |   |    |                                                                                              |                                                                                                                                                   |
|--------|-------------------------------------------------------|---------------------------------|-------------|---|----|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
|        | Daybeacon 16                                          | 082-11-06.050W                  |             |   |    |                                                                                              |                                                                                                                                                   |
| 1279   | Redfish Pass<br>Daybeacon 17                          | 26-32-39.220N<br>082-11-05.500W |             |   |    | SG on pile.                                                                                  |                                                                                                                                                   |
| 1280   | Redfish Pass<br>Daybeacon 18                          | 26-32-32.500N<br>082-10-56.170W |             |   |    | TR on pile.                                                                                  |                                                                                                                                                   |
| 1281   | Redfish Pass<br>Daybeacon 19                          | 26-32-33.090N<br>082-10-55.690W |             |   |    | SG on pile.                                                                                  |                                                                                                                                                   |
| 1282   | Redfish Pass Light 20                                 | 26-32-31.690N<br>082-10-54.280W | FI R 2.5s   |   |    |                                                                                              |                                                                                                                                                   |
| 1283   | Redfish Pass<br>Daybeacon 21                          | 26-32-40.820N<br>082-10-43.960W |             |   |    | SG on pile.                                                                                  |                                                                                                                                                   |
| 1284   | Redfish Pass<br>Daybeacon 22                          | 26-32-47.570N<br>082-10-33.430W |             |   |    | TR on pile.                                                                                  |                                                                                                                                                   |
| 1285   | Redfish Pass<br>Daybeacon 23                          | 26-32-57.590N<br>082-10-20.490W |             |   |    | SG on pile.                                                                                  |                                                                                                                                                   |
| 1286   | Redfish Pass<br>Daybeacon 24                          | 26-33-02.680N<br>082-10-11.860W |             |   |    | TR on pile.                                                                                  |                                                                                                                                                   |
| 1305.6 | Gasparilla Island North<br>Obstruction Light          | 26-43-15.000N<br>082-15-39.000W |             |   |    | NW on pile worded DANGER<br>SUBMERGED PILING.                                                |                                                                                                                                                   |
| 1305.4 | Gaparilla Island West<br>Obstruction Light            | 26-43-14.000N<br>082-15-26.000W |             |   |    | NW on pile worded DANGER<br>SUBMERGED PILINGS.                                               |                                                                                                                                                   |
| 1305.2 | Gasparilla Island South<br>Obstruction Light          | 26-43-09.000N<br>082-15-39.000W |             |   |    | NW on pile worded DANGER<br>SUBMERGED PILINGS.                                               |                                                                                                                                                   |
| 1305   | Port Boca Grande<br>Light                             | 26-43-02.401N<br>082-15-39.267W | Oc W 4s     | 0 | 12 | White frame dwelling on<br>south end of island.                                              |                                                                                                                                                   |
| 1315   | Venice Fishing Pier<br>North Obstruction<br>Light     | 27-04-20.203N<br>082-27-11.648W | F R         |   |    | On pile.                                                                                     |                                                                                                                                                   |
| 1325   | Venice Inlet Light 1                                  | 27-06-45.774N<br>082-28-12.897W | FI G 6s     | 0 | 5  | SG on pile.                                                                                  |                                                                                                                                                   |
| 1340   | Sarasota County<br>Artificial Reef Buoy M7            | 27-16-15.000N<br>082-47-48.000W |             |   |    | Yellow can.                                                                                  |                                                                                                                                                   |
| 1345   | New Pass Shoal Light                                  | 27-18-55.179N<br>082-35-53.135W | Q W         | 0 | 4  | MR on pile.                                                                                  |                                                                                                                                                   |
| 1351   | Longboat Pass<br>Channel Approach<br>Lighted Buoy LP  | 27-26-06.024N<br>082-42-10.065W | Mo (A) W    |   | 6  | Red and White verticle<br>stripes.                                                           |                                                                                                                                                   |
| 1367   | Scripps Wave Lighted<br>Buoy A                        | 27-20-54.700N<br>084-16-30.200W | FI (5)Y 20s |   |    | Yellow can. Marked Wave<br>Buoy                                                              |                                                                                                                                                   |
| 1370   | Egmont Key Light                                      | 27-36-02.878N<br>082-45-38.465W | FI W 15s    | 0 | 13 | White tower.                                                                                 |                                                                                                                                                   |
| 1375   | Egmont Channel<br>Range Front Light                   | 27-36-48.919N<br>082-45-53.305W | FI W 2.5s   |   |    | On tower.                                                                                    | AIS: MMSI 993672351 Day range visible 1° each side of rangeline. Night<br>range visible 0.5° each side of rangeline. Lighted throughout 24 hours. |
| 1375.1 | Egmont Channel<br>Range Front Light<br>Passing Lights | 27-36-48.919N<br>082-45-53.305W | FI W 2.5s   |   |    | On the same structure as<br>Egmont Channel Range Front and SE corners of platform.<br>Light. | Two synchronized passing lights visible all around located on the NW                                                                              |
| 1380   | Egmont Channel<br>Range Rear Light                    | 27-36-58.002N<br>082-44-22.384W | Iso W 6s    |   |    | On tower.                                                                                    | AIS: MMSI 993672352 Day range visible 1° each side of rangeline. Night<br>range visible 0.5° each side of rangeline. Lighted throughout 24 hours. |
| 1380.1 | Egmont Channel<br>Range Rear Light<br>Passing Lights  | 27-36-58.002N<br>082-44-22.384W | FI W 2.5s   |   |    | On the same structure as<br>Egmont Channel Range Rear<br>Light.                              | Two synchronized passing lights visible all around located on the NW<br>and SE corners of platform.                                               |
| 1385   | Southwest Channel<br>Entrance Lighted Bell<br>Buoy 1  | 27-32-19.802N<br>082-48-35.962W | FI G 2.5s   |   | 5  | Green.                                                                                       |                                                                                                                                                   |
| 1387   | USF COMPS Lighted<br>Buoy C10                         | 27-10-08.400N<br>082-55-40.800W | FI Y 4s     |   |    | Yellow can.                                                                                  |                                                                                                                                                   |
| 1387.1 | USF COMPS Lighted<br>Buoy C12                         | 27-30-14.400N<br>083-42-46.800W | FI Y 4s     |   |    | Yellow can.                                                                                  |                                                                                                                                                   |
| 1387.2 | USF COMPS Lighted<br>Buoy C13                         | 26-00-43.200N<br>083-05-24.000W | FI Y 4s     |   |    | Yellow can.                                                                                  |                                                                                                                                                   |
| 1390   | Tampa Bay Lighted<br>Buoy T                           | 27-35-18.750N<br>083-00-42.566W | Mo (A) W    |   | 6  | Red and white stripes with<br>red spherical topmark.                                         | AIS: MMSI 993672025                                                                                                                               |
| 1395   | Pinellas Spotter<br>Lighted Buoy A                    | 27-42-59.400N<br>083-05-42.000W | FI Y 2.5s   |   |    | Yellow.                                                                                      |                                                                                                                                                   |
| 1396   | USF Research Lighted<br>Buoy SUBGEO 1                 | 27-43-54.000N<br>083-06-45.000W | FI Y 4s     |   |    | Steel pole spar buoy with<br>platform yellow.                                                |                                                                                                                                                   |
| 1397   | USF Research Lighted<br>Buoy SUBGEO 2                 | 27-48-29.000N<br>084-14-43.000W | FI Y 4s     |   |    | Steel pole spar buoy with<br>platform yellow.                                                |                                                                                                                                                   |
| 1400   | Pass-A-Grille Entrance<br>Light PG                    | 27-40-34.708N<br>082-46-01.135W | Mo (A) W    | 0 | 5  | MR on pile.                                                                                  |                                                                                                                                                   |
| 1410   | Long Key North                                        | 27-44-16.101N                   |             |   |    | NW on pile on breakwater                                                                     |                                                                                                                                                   |

|        |                                                 |                                 |             |    |   |                                                |
|--------|-------------------------------------------------|---------------------------------|-------------|----|---|------------------------------------------------|
|        | Breakwater Obstruction Daybeacon                | 082-45-17.364W                  |             |    |   | worded DANGER ROCK GROINS.                     |
| 1425   | Johns Pass Light JP                             | 27-46-29.801N<br>082-48-01.469W | Mo (A) W    | 0  | 6 | MR on pile.                                    |
| 1505.5 | Clearwater Pass Channel Light 2                 | 27-58-06.625N<br>082-50-18.442W | Fl R 2.5s   | 0  | 5 | TR on pile.                                    |
| 1505   | Clearwater Pass Channel Light 1                 | 27-58-11.603N<br>082-50-50.721W | Fl G 2.5s   | 0  | 5 | SG on pile.                                    |
| 1510   | Clearwater Fishing Pier North Obstruction Light | 27-58-40.000N<br>082-49-56.000W | F R         |    |   | On pier.                                       |
| 1515   | Clearwater Fishing Pier South Obstruction Light | 27-58-39.000N<br>082-49-56.200W | F R         |    |   | On pier.                                       |
| 1535   | Anclote Anchorage South Entrance Light 1        | 28-08-17.029N<br>082-51-57.388W | Fl G 2.5s   | 0  | 5 | SG on pile.                                    |
| 1555   | Anclote Key Light                               | 28-10-02.000N<br>082-50-44.000W | Fl (4)W 30s |    |   | Brown skeleton tower with black lantern.       |
| 1560   | Anclote Anchorage North Entrance Light 2        | 28-15-03.231N<br>082-52-54.250W | Fl R 2.5s   | 0  | 5 | TR on pile.                                    |
| 1563   | Pasco County Art Reef Buoy H                    | 28-22-19.800N<br>082-56-57.600W |             |    |   | Yellow can.                                    |
| 1565   | St Martins Outer Shoal Light 10                 | 28-25-50.211N<br>082-55-04.870W | Fl R 4s     | 1  | 5 | TR on dolphin. At west point of shoal.         |
| 1566.6 | Minnow Creek Obstruction Daybeacon F            | 28-30-02.000N<br>082-39-48.000W |             |    |   | NW on pile worded ROCKS.                       |
| 1566.5 | Minnow Creek Obstruction Daybeacon E            | 28-30-02.000N<br>082-39-44.000W |             |    |   | NW on pile worded ROCKS.                       |
| 1566.4 | Minnow Creek Obstruction Daybeacon D            | 28-30-01.000N<br>082-39-05.000W |             |    |   | NW on pile worded DANGER SHOAL.                |
| 1566.3 | Minnow Creek Obstruction Daybeacon C            | 28-30-01.000N<br>082-39-05.000W |             |    |   | NW on pile worded ROCKS.                       |
| 1566.2 | Minnow Creek Obstruction Daybeacon B            | 28-30-02.000N<br>082-39-06.000W |             |    |   | NW on pile worded ROCKS.                       |
| 1566.1 | Minnow Creek Obstruction Daybeacon A            | 28-27-50.000N<br>082-41-19.000W |             |    |   | NW on pile worded ROCKS.                       |
| 1570   | Reef Ball Reef Center Buoy                      | 28-30-08.000N<br>082-58-48.000W |             |    |   | Yellow can.                                    |
| 1575   | Ben Dickson Reef Center Buoy                    | 28-31-07.100N<br>082-58-06.900W |             |    |   | Yellow can.                                    |
| 1580   | Richardson Reef Center Buoy                     | 28-30-54.000N<br>082-56-18.000W |             |    |   | Yellow can.                                    |
| 1585   | Champion Reef Center Buoy                       | 28-36-04.500N<br>082-56-05.000W |             |    |   | Yellow can.                                    |
| 1590   | Homosassa Bay Entrance Light 2                  | 28-41-25.520N<br>082-48-38.916W | Fl R 4s     | 0  | 5 | TR on pile.                                    |
| 1605   | Crystal River Lighted Buoy 2                    | 28-47-30.952N<br>082-58-35.422W | Fl R 4s     |    | 5 | Red.                                           |
| 1615   | Seahorse Reef Light                             | 28-58-31.211N<br>083-09-13.280W | Fl W 6s     | 31 | 7 | White square skeleton tower on piles.          |
| 1620   | Cedar Keys Main Channel Light 1                 | 29-04-00.362N<br>083-04-33.044W | Fl G 4s     | 0  | 5 | SG on pile.                                    |
| 1625   | Cedar Keys Northwest Channel Approach Light 2   | 29-08-28.965N<br>083-07-51.209W | Fl R 2.5s   | 0  | 5 | TR on pile.                                    |
| 1645   | Horseshoe Beach Approach Light 2                | 29-23-16.209N<br>083-20-24.450W | Fl R 4s     | 0  | 5 | TR on pile.                                    |
| 1660   | Steinhatchee River Light 1                      | 29-39-23.275N<br>083-27-22.614W | Fl G 4s     | 27 | 5 | SG on dolphin.                                 |
| 1665   | Fishermans Rest Fish Haven Lighted Buoy A       | 29-39-50.000N<br>083-37-49.000W | Fl Y 6s     |    |   | Yellow.                                        |
| 1675   | Keaton Beach Light 1                            | 29-48-50.062N<br>083-37-43.769W | Fl G 2.5s   | 0  | 5 | SG on pile.                                    |
| 1680   | Little River Inlet                              | 33-49-49.513N                   | Mo (A) W    |    | 5 | Red and white stripes with AIS: MMSI 993672126 |

|        |                                        |                                 |           |   |   |                                                   |
|--------|----------------------------------------|---------------------------------|-----------|---|---|---------------------------------------------------|
|        | Lighted Buoy LR                        | 078-32-27.325W                  |           |   |   | red spherical topmark.                            |
| 1685   | Little River Inlet North Jetty Light 2 | 33-50-31.490N<br>078-32-39.490W | FI R 4s   | 0 | 5 | TR on dolphin.                                    |
| 1690   | Little River Inlet South Jetty Light 1 | 33-50-29.468N<br>078-32-50.518W | FI G 4s   | 0 | 5 | SG on dolphin.                                    |
| 1695   | Little River Inlet Buoy 4              | 33-50-45.900N<br>078-32-47.518W |           |   |   | Red nun.                                          |
| 1695.5 | Little River Inlet Buoy 5              | 33-50-58.193N<br>078-32-47.098W |           |   |   | Green can.                                        |
| 1700   | Little River Inlet Buoy 6              | 33-50-59.565N<br>078-32-42.579W |           |   |   | Red nun.                                          |
| 1705   | Little River Inlet Light 7             | 33-51-06.268N<br>078-32-48.864W | FI G 2.5s | 0 | 5 | SG on pile.                                       |
| 1710   | Little River Inlet Light 8             | 33-51-07.660N<br>078-32-43.768W | FI R 4s   | 0 | 5 | TR on pile.                                       |
| 1715   | Little River Inlet Buoy 9              | 33-51-18.406N<br>078-32-58.084W |           |   |   | Green can.                                        |
| 1720   | Little River Inlet Lighted Buoy 10     | 33-51-23.991N<br>078-33-01.360W | Q R       |   | 4 | Red nun.                                          |
| 1725   | Little River Inlet Daybeacon 11        | 33-51-22.568N<br>078-33-11.578W |           | 0 |   | SG on pile.                                       |
| 1730   | Little River Inlet Daybeacon 12        | 33-51-25.984N<br>078-33-12.362W |           | 0 |   | TR on pile.                                       |
| 1735   | Little River Inlet Buoy 14             | 33-51-21.110N<br>078-33-31.010W |           |   |   | Red nun.                                          |
| 1740   | Little River Inlet Light 15            | 33-51-16.715N<br>078-33-37.813W | FI G 4s   | 0 | 5 | SG on pile.                                       |
| 1745   | Little River Inlet Buoy 16             | 33-51-18.914N<br>078-33-46.392W |           |   |   | Red nun.                                          |
| 1750.5 | Little River Inlet Daybeacon 19        | 33-51-37.205N<br>078-34-22.966W |           | 0 |   | SG on pile.                                       |
| 1750   | Little River Inlet Lighted Buoy 18     | 33-51-26.336N<br>078-34-07.575W | FI R 2.5s |   | 5 | Red.                                              |
| 1755   | Little River Inlet Daybeacon 20        | 33-51-54.249N<br>078-34-26.085W |           | 0 |   | TR on pile.                                       |
| 1755.5 | Little River Inlet Daybeacon 22        | 33-52-03.911N<br>078-34-22.865W |           | 0 |   | TR on pile.                                       |
| 1760   | Murrells Inlet Lighted Buoy MI         | 33-30-39.308N<br>079-00-44.721W | Mo (A) W  |   | 5 | Red and white stripes with red spherical topmark. |
| 1765   | Murrells Inlet South Jetty Light 1     | 33-31-22.615N<br>079-01-37.337W | Q G       | 0 | 4 | SG on dolphin.                                    |
| 1770   | Murrells Inlet North Jetty Light 2     | 33-31-27.163N<br>079-01-33.185W | Q R       | 0 | 4 | TR on dolphin.                                    |
| 1775   | Murrells Inlet Buoy 4                  | 33-31-38.126N<br>079-01-48.856W |           |   |   | Red nun.                                          |
| 1778   | Murrells Inlet Buoy 4A                 | 33-31-39.781N<br>079-01-57.191W |           |   |   | Red nun.                                          |
| 1780   | Murrells Inlet Lighted Buoy 6          | 33-31-43.522N<br>079-02-04.141W | Q R       |   | 4 | Red.                                              |
| 1790   | Murrells Inlet Buoy 8                  | 33-31-50.625N<br>079-02-06.507W |           |   |   | Red nun.                                          |
| 1795   | Murrells Inlet Lighted Buoy 7          | 33-31-49.936N<br>079-02-10.319W | FI G 2.5s |   | 5 | Green.                                            |
| 1795.5 | Murrells Inlet Buoy 9                  | 33-32-03.408N<br>079-02-05.662W |           |   |   | Green can.                                        |
| 1795.1 | Murrells Inlet Buoy 7A                 | 33-31-55.719N<br>079-02-07.219W |           |   |   | Green can.                                        |
| 1800   | Murrells Inlet Light 10                | 33-32-09.487N<br>079-01-58.361W | FI R 4s   | 0 | 3 | TR on pile.                                       |
| 1805   | Murrells Inlet Lighted Buoy 11         | 33-32-48.530N<br>079-01-28.704W | FI G 4s   |   | 5 | Green.                                            |
| 1815   | Murrells Inlet Buoy 14                 | 33-32-58.393N<br>079-01-31.378W |           |   |   | Red nun.                                          |
| 1820   | Murrells Inlet Buoy 16                 | 33-33-03.969N<br>079-01-30.205W |           |   |   | Red nun.                                          |
| 1825   | Murrells Inlet Buoy 17                 | 33-33-07.955N<br>079-01-23.062W |           |   |   | Green can.                                        |
| 1830.5 | Murrells Inlet Buoy 19A                | 33-33-14.329N<br>079-01-16.346W |           |   |   | Green can.                                        |
| 1830   | Murrells Inlet Buoy 19                 | 33-33-11.220N                   |           |   |   | Green can.                                        |

|        |                                           |                                 |           |    |   |                                                                                                            |                                                                                                                          |
|--------|-------------------------------------------|---------------------------------|-----------|----|---|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
|        |                                           | 079-01-16.322W                  |           |    |   |                                                                                                            |                                                                                                                          |
| 1835   | Murrells Inlet Buoy 21                    | 33-33-17.319N<br>079-01-17.046W |           |    |   | Green can.                                                                                                 |                                                                                                                          |
| 1840   | Murrells Inlet Buoy 23                    | 33-33-19.783N<br>079-01-22.127W |           |    |   | Green can.                                                                                                 |                                                                                                                          |
| 1845   | Murrells Inlet<br>Daybeacon 24            | 33-33-19.501N<br>079-01-31.787W |           | 0  |   | TR on pile.                                                                                                |                                                                                                                          |
| 1850   | Murrells Inlet Buoy 25                    | 33-33-10.856N<br>079-01-39.903W |           |    |   | Green can.                                                                                                 |                                                                                                                          |
| 1851   | Murrells Inlet Buoy 26                    | 33-33-12.221N<br>079-01-41.176W |           |    |   | Red nun.                                                                                                   |                                                                                                                          |
| 1855   | Murrells Inlet Buoy 27                    | 33-33-10.819N<br>079-01-43.841W |           |    |   | Green can.                                                                                                 |                                                                                                                          |
| 1865   | Winyah Bay Lighted<br>Buoy WB             | 33-11-37.162N<br>079-05-10.925W | Mo (A) W  | 6  |   | Red and white stripes with<br>red spherical topmark.                                                       | AIS: MMSI 993672111                                                                                                      |
| 1870   | Winyah Bay North<br>Jetty End Buoy 2N     | 33-12-13.974N<br>079-08-52.229W |           |    |   | Red nun.                                                                                                   |                                                                                                                          |
| 1875   | Winyah Bay Range A<br>Front Light         | 33-11-34.048N<br>079-10-04.788W | Iso W 4s  | 0  |   | Skeleton tower piles.                                                                                      | Visible 0.5° each side of rangeline (Day). Visible 10° each side of<br>rangeline (Night). Lighted throughout 24 hours.   |
| 1875.5 | Winyah Bay Range A<br>Front Passing Light | 33-11-33.987N<br>079-10-05.129W | Fl W 2.5s | 0  | 5 | On same structure as<br>Winyah Bay Range A Front<br>Light.                                                 |                                                                                                                          |
| 1880   | Winyah Bay Range A<br>Rear Light          | 33-11-34.042N<br>079-10-35.676W | Iso W 6s  | 44 |   | Skeleton tower on piles.                                                                                   | Visible 0.5° each side of range line (Day). Visible 10° each side of range<br>line (Night). Lighted throughout 24 hours. |
| 1885   | Winyah Bay Channel<br>Lighted Bell Buoy 4 | 33-11-37.229N<br>079-07-13.176W | Fl R 4s   |    | 5 | Red.                                                                                                       |                                                                                                                          |
| 1890   | Winyah Bay Channel<br>Lighted Buoy 5      | 33-11-30.902N<br>079-08-02.123W | Fl G 2.5s |    | 5 | Green.                                                                                                     |                                                                                                                          |
| 1890.5 | Winyah Bay Channel<br>Lighted Buoy 5A     | 33-11-30.441N<br>079-08-34.166W | Fl G 4s   |    | 5 | Green.                                                                                                     |                                                                                                                          |
| 1895   | Winyah Bay Channel<br>Lighted Buoy 6      | 33-11-36.758N<br>079-08-02.425W | Fl R 2.5s |    | 5 | Red.                                                                                                       |                                                                                                                          |
| 1895.5 | Winyah Bay Channel<br>Lighted Buoy 6A     | 33-11-37.830N<br>079-08-34.031W | Fl R 4s   |    | 5 | Red.                                                                                                       |                                                                                                                          |
| 1900   | Winyah Bay Channel<br>Lighted Buoy 7      | 33-11-31.098N<br>079-09-07.914W | Q G       |    | 4 | Green.                                                                                                     |                                                                                                                          |
| 1905   | Winyah Bay Channel<br>Lighted Buoy 8      | 33-11-37.566N<br>079-09-06.768W | Q R       |    | 4 | Red.                                                                                                       |                                                                                                                          |
| 1910   | Winyah Bay Range B<br>Front Light         | 33-11-58.884N<br>079-10-57.978W | Q G       | 0  |   | KRW on dolphin.                                                                                            | Visible 1.5° each side of rangeline.                                                                                     |
| 1915   | Winyah Bay Range B<br>Rear Light          | 33-12-00.692N<br>079-11-06.032W | Iso G 6s  | 48 |   | KRW on skeleton tower on<br>piles.                                                                         | Visible 1.5° each side of rangeline.                                                                                     |
| 1920   | Winyah Bay Channel<br>Lighted Buoy 9      | 33-11-43.613N<br>079-10-07.764W | Fl G 2.5s |    | 5 | Green.                                                                                                     |                                                                                                                          |
| 1925   | Winyah Bay Channel<br>Lighted Buoy 10     | 33-11-50.023N<br>079-10-04.958W | Fl R 2.5s |    | 5 | Red.                                                                                                       |                                                                                                                          |
| 1930   | Winyah Bay Channel<br>Lighted Buoy 11     | 33-11-51.478N<br>079-10-38.800W | Q G       |    | 3 | Green.                                                                                                     |                                                                                                                          |
| 1935   | Winyah Bay Channel<br>Lighted Buoy 12     | 33-11-59.728N<br>079-10-38.089W | Q R       |    | 4 | Red.                                                                                                       |                                                                                                                          |
| 1940   | Winyah Bay Range C<br>Front Light         | 33-14-28.696N<br>079-11-50.043W | Q W       | 10 |   | KRW on square skeleton<br>tower on piles. On same<br>structure as Winyah Bay<br>Lower Range E Front Light. | Visible 4° each side of rangeline.                                                                                       |
| 1945   | Winyah Bay Range C<br>Rear Light          | 33-14-48.456N<br>079-11-57.695W | Iso W 6s  | 25 |   | KRW on square skeleton<br>tower on piles.                                                                  | Visible 4° each side of rangeline.                                                                                       |
| 1950   | Winyah Bay Channel<br>Lighted Buoy 13     | 33-12-22.102N<br>079-11-05.204W | Q G       |    | 4 | Green.                                                                                                     |                                                                                                                          |
| 1955   | Winyah Bay Channel<br>Lighted Buoy 14     | 33-12-32.989N<br>079-11-02.155W | Q R       |    | 4 | Red.                                                                                                       |                                                                                                                          |
| 1958   | Coast Guard Mooring<br>Buoy WB            | 33-13-54.025N<br>079-11-30.017W |           |    |   | White can with blue band<br>labeled CG.                                                                    |                                                                                                                          |
| 1960   | Winyah Bay Channel<br>Lighted Buoy 15     | 33-13-54.175N<br>079-11-40.282W | Fl G 2.5s |    | 5 | Green.                                                                                                     |                                                                                                                          |
| 1965   | Winyah Bay Channel<br>Lighted Buoy 16     | 33-13-56.246N<br>079-11-35.014W | Fl R 2.5s |    | 5 | Red.                                                                                                       |                                                                                                                          |
| 1970   | Winyah Bay Range D<br>Front Light         | 33-15-25.885N<br>079-12-59.718W | Q W       | 0  |   | KRW on dolphin.                                                                                            | Visible 4° each side of rangeline.                                                                                       |
| 1975   | Winyah Bay Range D<br>Rear Light          | 33-15-42.287N<br>079-13-14.687W | Iso W 6s  | 25 |   | KRW on square skeleton<br>tower.                                                                           | Visible 4° each side of rangeline.                                                                                       |
| 1980   | Winyah Bay Channel                        | 33-14-51.024N                   | Fl G 2.5s |    | 5 | Green.                                                                                                     |                                                                                                                          |

|      |                                            |                                 |              |    |                             |                                                                                      |
|------|--------------------------------------------|---------------------------------|--------------|----|-----------------------------|--------------------------------------------------------------------------------------|
|      | Lighted Buoy 17                            | 079-12-33.191W                  |              |    |                             |                                                                                      |
| 1990 | Winyah Bay Channel<br>Lighted Buoy 18      | 33-15-07.406N<br>079-12-38.589W | Q R          | 4  | Red.                        |                                                                                      |
| 1995 | Winyah Bay Channel<br>Light 19             | 33-15-11.892N<br>079-12-56.367W | Q G          | 0  | 4                           | SG on dolphin.                                                                       |
| 2000 | Winyah Bay Lower<br>Range E Front Light    | 33-14-28.710N<br>079-11-50.063W | Q W          | 10 |                             | KRW on skeleton tower on piles. On same structure as Winyah Bay Range C Front Light. |
| 2005 | Winyah Bay Lower<br>Range E Rear Light     | 33-14-13.753N<br>079-11-29.176W | Iso W 6s     | 45 |                             | KRW on skeleton tower on piles.                                                      |
| 2015 | Belle Isle Marina<br>Daybeacon 2           | 33-18-23.000N<br>079-17-21.500W |              |    |                             | TR on pile.                                                                          |
| 2020 | Belle Isle Marina<br>Daybeacon 3           | 33-18-07.200N<br>079-16-54.600W |              |    |                             | SG on dolphin.                                                                       |
| 2025 | Belle Isle Marina<br>Daybeacon 4           | 33-18-25.000N<br>079-17-24.500W |              |    |                             | TR on dolphin.                                                                       |
| 2030 | Belle Isle Marina<br>Daybeacon 5           | 33-18-22.200N<br>079-17-24.500W |              |    |                             | SG on pile.                                                                          |
| 2045 | Winyah Bay Upper<br>Range E Front Light    | 33-18-22.303N<br>079-17-16.721W | Q W          | 0  |                             | KRW on dolphin.                                                                      |
| 2050 | Winyah Bay Upper<br>Range E Rear Light     | 33-18-33.032N<br>079-17-31.902W | Iso W 6s     | 42 |                             | KRW on square skeleton tower.                                                        |
| 2055 | Winyah Bay Channel<br>Lighted Buoy 21      | 33-15-34.082N<br>079-13-25.499W | FI G 2.5s    | 5  | Green.                      | Visible 1.5° each side of rangeline. Passing light visible all around.               |
| 2060 | Winyah Bay Channel<br>Lighted Buoy 22      | 33-16-01.945N<br>079-13-56.609W | FI R 2.5s    | 5  | Red.                        | Visible 1.5° each side of rangeline.                                                 |
| 2065 | Winyah Bay Channel<br>Lighted Buoy 23      | 33-16-17.942N<br>079-14-26.363W | FI G 6s      | 5  | Green.                      |                                                                                      |
| 2070 | Winyah Bay Channel<br>Lighted Buoy 24      | 33-16-41.521N<br>079-14-49.463W | FI R 4s      | 5  | Red.                        |                                                                                      |
| 2075 | Winyah Bay Entrance<br>Tide Gage Daybeacon | 33-16-24.601N<br>079-15-26.183W |              |    |                             | NW on pile worded TIDE GAUGE.                                                        |
| 2080 | Winyah Bay Channel<br>Lighted Buoy 25      | 33-16-58.055N<br>079-15-22.139W | FI G 4s      | 5  | Green.                      | Maintained by U.S. Army Corps of Engineers.                                          |
| 2085 | Winyah Bay Channel<br>Lighted Buoy 26      | 33-17-24.307N<br>079-15-50.389W | FI R 6s      | 5  | Red.                        |                                                                                      |
| 2090 | Winyah Bay Channel<br>Lighted Buoy 27      | 33-17-41.557N<br>079-16-23.290W | FI G 2.5s    | 5  | Green.                      |                                                                                      |
| 2095 | Winyah Bay Channel<br>Lighted Buoy 28      | 33-18-03.286N<br>079-16-44.354W | FI R 2.5s    | 5  | Red.                        |                                                                                      |
| 2100 | Winyah Bay Channel<br>Lighted Buoy 30      | 33-18-28.325N<br>079-17-06.804W | Q R          | 4  | Red with yellow square.     |                                                                                      |
| 2105 | Winyah Bay Channel<br>Lighted Buoy 32      | 33-18-40.645N<br>079-17-08.786W | FI R 2.5s    | 5  | TR-SY.                      |                                                                                      |
| 2110 | Winyah Bay Channel<br>Light 33             | 33-18-53.299N<br>079-17-16.733W | FI G 4s      | 0  | 5                           | SG-TY on dolphin.                                                                    |
| 2115 | Rabbit Island Channel<br>Range Front Light | 33-20-25.193N<br>079-16-55.674W | Q R          | 0  |                             | On piles.                                                                            |
| 2120 | Rabbit Island Channel<br>Range Rear Light  | 33-20-56.444N<br>079-16-49.578W | Iso R 6s     | 40 |                             | On skeleton tower on piles.                                                          |
| 2125 | Winyah Bay Channel<br>Lighted Buoy 34      | 33-19-08.025N<br>079-17-07.704W | FI R 4s      | 5  | Red with yellow square.     | Visible 1.5° each side of range line.                                                |
| 2130 | Winyah Bay Channel<br>Lighted Buoy 36      | 33-19-52.914N<br>079-16-59.155W | FI R 2.5s    | 5  | Red with yellow square.     |                                                                                      |
| 2135 | Winyah Bay Channel<br>Light 37             | 33-20-05.084N<br>079-17-05.097W | FI G 2.5s    | 5  | SG-TY on pile.              |                                                                                      |
| 2140 | Winyah Bay Channel<br>Lighted Buoy 38      | 33-20-18.126N<br>079-16-49.202W | Q R          | 4  | Red with yellow square.     |                                                                                      |
| 2145 | Winyah Bay Channel<br>Lighted Buoy 39      | 33-20-43.072N<br>079-16-43.476W | Q G          | 4  | Green with yellow triangle. |                                                                                      |
| 2150 | Winyah Bay Channel<br>Light 40             | 33-20-44.984N<br>079-16-32.318W | Q R          | 16 | 4                           | TR-SY on dolphin.                                                                    |
| 2155 | Sampit Point Channel<br>Light 41           | 33-20-57.619N<br>079-16-46.943W | FI G 2.5s    | 0  | 5                           | SG on pile.                                                                          |
| 2160 | Sampit Point Channel<br>Light 42           | 33-21-00.727N<br>079-16-42.275W | FI R 4s      | 0  | 5                           | TR on dolphin.                                                                       |
| 2165 | Sampit Point Channel<br>Light S            | 33-21-22.231N<br>079-16-54.281W | FI (2+1)R 6s | 0  | 5                           | JR on dolphin.                                                                       |
| 2170 | Sampit Point Channel                       | 33-21-51.649N                   | FI R 4s      | 0  | 5                           | TR on pile.                                                                          |



|         |                                           |                                 |           |   |   |                                                   |                     |
|---------|-------------------------------------------|---------------------------------|-----------|---|---|---------------------------------------------------|---------------------|
|         | Light 44                                  | 079-17-10.739W                  |           |   |   |                                                   |                     |
| 2175    | Sampit Point Channel Light 46             | 33-21-55.075N<br>079-17-17.525W | FI R 4s   | 0 | 5 | TR on dolphin.                                    |                     |
| 2180    | Sampit River Side Channel Light 47        | 33-21-51.403N<br>079-17-25.469W | FI G 4s   | 0 | 5 | SG on dolphin.                                    |                     |
| 2185    | Sampit River Side Channel Light 48        | 33-21-59.737N<br>079-17-16.505W | FI R 4s   | 0 | 5 | TR on pile.                                       |                     |
| 2195    | Great Pee Dee River Daybeacon 2           | 33-21-12.553N<br>079-16-18.563W |           | 0 |   | TR on pile.                                       |                     |
| 2200    | Great Pee Dee River Daybeacon 3           | 33-21-29.707N<br>079-16-15.665W |           | 0 |   | SG on pile.                                       |                     |
| 2205    | Great Pee Dee River Daybeacon 4           | 33-21-26.995N<br>079-16-09.743W |           | 0 |   | TR on pile.                                       |                     |
| 2210    | Great Pee Dee River Daybeacon 6           | 33-21-42.247N<br>079-15-59.513W |           | 0 |   | TR on pile.                                       |                     |
| 2215    | Great Pee Dee River Daybeacon 9           | 33-22-10.729N<br>079-15-51.401W |           | 0 |   | SG on west span of bridge structure.              |                     |
| 2220    | Great Pee Dee River Daybeacon 10          | 33-22-10.297N<br>079-15-49.325W |           | 0 |   | TR on dolphin.                                    |                     |
| 2230    | Clarks Creek Lighted Buoy 2               | 32-59-46.372N<br>079-28-35.707W | FI R 4s   |   | 5 | Red nun.                                          |                     |
| 2245    | Clarks Creek Lighted Buoy 5               | 33-00-13.364N<br>079-28-39.833W | Q G       |   | 4 | Green.                                            |                     |
| 2247    | Clarks Creek Lighted Buoy 6               | 33-00-34.389N<br>079-28-35.771W | FI R 2.5s |   | 5 | Red nun.                                          |                     |
| 2310    | Five Fathom Creek Buoy 11                 | 33-01-00.099N<br>079-28-37.090W |           |   |   | Green can.                                        |                     |
| 2315    | Five Fathom Creek Daybeacon 12            | 33-01-31.693N<br>079-28-28.775W |           | 0 |   | TR on pile.                                       |                     |
| 2320    | Five Fathom Creek Daybeacon 13            | 33-02-00.457N<br>079-28-20.129W |           | 0 |   | SG on pile.                                       |                     |
| 2325    | Five Fathom Creek Daybeacon 14            | 33-02-15.182N<br>079-28-18.878W |           | 0 |   | TR on pile.                                       |                     |
| 2330    | Five Fathom Creek Daybeacon 16            | 33-02-42.480N<br>079-28-45.658W |           | 0 |   | TR on pile.                                       |                     |
| 2335    | Five Fathom Creek Light 17                | 33-02-58.168N<br>079-28-34.631W | Q G       | 0 | 4 | SG on pile.                                       |                     |
| 2335.1  | Five Fathom Creek Obstruction Daybeacon   | 33-02-58.675N<br>079-28-35.814W |           |   |   | NW on pile worded DANGER WRECK.                   |                     |
| 2340    | Five Fathom Creek Daybeacon 18            | 33-03-05.107N<br>079-28-13.802W |           | 0 |   | TR on pile.                                       |                     |
| 2345    | Town Creek Light 20                       | 33-04-01.261N<br>079-27-54.713W | FI R 2.5s | 0 | 5 | TR on pile.                                       |                     |
| 2350    | Town Creek Daybeacon 21                   | 33-04-08.539N<br>079-27-55.163W |           | 0 |   | SG on pile.                                       |                     |
| 2355    | Town Creek Light 22                       | 33-04-17.857N<br>079-27-55.091W | FI R 6s   | 0 | 5 | TR on pile.                                       |                     |
| 2360    | Town Creek Daybeacon 24                   | 33-04-26.563N<br>079-27-46.577W |           | 0 |   | TR on pile.                                       |                     |
| 2365    | Town Creek Daybeacon 25                   | 33-04-35.707N<br>079-27-38.963W |           | 0 |   | SG on pile.                                       |                     |
| 2370.7  | Charleston Harbor Channel Lighted Buoy 7  | 32-39-53.527N<br>079-41-35.690W | FI G 2.5s |   | 5 | Green.                                            |                     |
| 2370.6  | Charleston Harbor Channel Lighted Buoy 6  | 32-39-22.490N<br>079-40-01.998W | Q R       |   | 4 | Red.                                              |                     |
| 2370.4  | Charleston Harbor Channel Lighted Buoy 4  | 32-38-29.102N<br>079-38-10.424W | FI R 4s   |   | 5 | Red.                                              |                     |
| 2370.2  | Charleston Harbor Channel Lighted Buoy 2  | 32-36-37.784N<br>079-34-17.230W | Q R       |   | 4 | Red.                                              |                     |
| 2370    | Charleston Entrance Lighted Buoy C        | 32-35-39.590N<br>079-32-15.909W | Mo (A) W  |   | 6 | Red and white stripes with red spherical topmark. | AIS: MMSI 993672420 |
| 2370.21 | Charleston Harbor Channel Lighted Buoy 2A | 32-37-35.732N<br>079-36-18.610W | FI R 2.5s |   | 5 | Red.                                              |                     |
| 2375    | Charleston Harbor Channel Lighted Buoy    | 32-40-03.917N<br>079-41-28.758W | FI R 2.5s |   | 5 | Red.                                              |                     |

|        |                                                |                              |           |    |                                                         |                                                                                                                                                     |
|--------|------------------------------------------------|------------------------------|-----------|----|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| 8      |                                                |                              |           |    |                                                         |                                                                                                                                                     |
| 2375.5 | Charleston Harbor Channel Lighted Buoy 9       | 32-40-37.139N 079-43-06.985W | FI G 4s   | 5  | Green.                                                  |                                                                                                                                                     |
| 2380   | Charleston Harbor Channel Lighted Buoy 10      | 32-40-47.411N 079-43-00.182W | FI R 4s   | 5  | Red.                                                    |                                                                                                                                                     |
| 2385   | Fort Sumter Range Front Light                  | 32-45-04.379N 079-52-14.996W | Q W       | 30 | On skeleton tower.                                      | Visible 1.5° each side of range line. Lighted throughout 24 hours.                                                                                  |
| 2388   | Fort Sumter Range Front Light Passing Lights   | 32-45-04.385N 079-52-14.641W | FI W 2.5s | 5  | On the same structure as Fort Sumter Range Front Light. | Two synchronized passing lights visible all around located on the N and S corners of platform.                                                      |
| 2390   | Fort Sumter Range Rear Light                   | 32-45-57.632N 079-54-06.982W | Iso W 6s  |    | On skeleton tower on piles.                             | Visible 1.5° each side of range line. Lighted throughout 24 hours.                                                                                  |
| 2393   | Fort Sumter Range Rear Light Passing Lights    | 32-45-57.638N 079-54-06.927W | FI W 6s   | 5  | On the same structure as Fort Sumter Range Rear Light.  | Two synchronized passing lights visible all around located on the N and S corners of platform.                                                      |
| 2395.5 | Charleston Harbor Channel Lighted Buoy 11      | 32-41-16.555N 079-44-29.774W | FI G 6s   | 5  | Green.                                                  |                                                                                                                                                     |
| 2400   | Charleston Harbor Channel Lighted Buoy 12      | 32-41-24.373N 079-44-17.790W | FI R 6s   | 4  | Red.                                                    |                                                                                                                                                     |
| 2400.5 | Charleston Harbor Channel Lighted Buoy 14      | 32-42-08.209N 079-45-49.702W | FI R 2.5s | 5  | Red.                                                    |                                                                                                                                                     |
| 2400.2 | Charleston Harbor Channel Lighted Buoy 13      | 32-41-57.889N 079-45-56.485W | FI G 2.5s | 5  | Green.                                                  |                                                                                                                                                     |
| 2405   | Charleston Harbor Channel Lighted Buoy 15      | 32-42-46.095N 079-47-38.209W | FI G 4s   | 5  | Green.                                                  |                                                                                                                                                     |
| 2410   | Charleston Harbor Channel Lighted Buoy 16      | 32-42-56.428N 079-47-31.356W | FI R 4s   | 5  | Red.                                                    |                                                                                                                                                     |
| 2415   | Charleston Harbor Channel Lighted Buoy 17      | 32-43-17.760N 079-48-43.111W | Q G       | 4  | Green.                                                  |                                                                                                                                                     |
| 2420   | Charleston Harbor Channel Lighted Bell Buoy 18 | 32-43-26.915N 079-48-36.915W | Q R       | 4  | Red.                                                    |                                                                                                                                                     |
| 2425   | Charleston Harbor Channel Lighted Buoy 19      | 32-43-47.463N 079-49-44.897W | FI G 4s   | 5  | Green.                                                  |                                                                                                                                                     |
| 2430   | Charleston Harbor Channel Lighted Buoy 20      | 32-43-56.294N 079-49-39.068W | FI R 4s   | 5  | Red.                                                    |                                                                                                                                                     |
| 2435   | Charleston Harbor Channel Lighted Buoy 21      | 32-44-17.351N 079-50-48.469W | Q G       | 4  | Green.                                                  |                                                                                                                                                     |
| 2440   | Charleston Harbor Channel Lighted Bell Buoy 22 | 32-44-25.821N 079-50-40.639W | Q R       | 4  | Red.                                                    |                                                                                                                                                     |
| 2445   | Charleston Harbor South Jetty Buoy 2           | 32-43-51.341N 079-51-00.328W |           |    | Red nun.                                                |                                                                                                                                                     |
| 2450   | Charleston Harbor South Jetty Buoy 1           | 32-43-51.034N 079-51-05.514W |           |    | Green can.                                              |                                                                                                                                                     |
| 2455   | Mount Pleasant Range Front Light               | 32-46-19.944N 079-52-52.139W | FI W 2.5s |    | Skeleton tower on piles.                                | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                                                                                   |
| 2460   | Mount Pleasant Range Rear Light                | 32-46-34.580N 079-53-07.890W | Iso W 6s  | 40 | Skeleton tower on piles.                                | Visible 1.5°each side of rangeline. 2 F R lights marking top of Cooper River Bridge are visible when using this range. Lighted throughout 24 hours. |
| 2465   | Charleston Harbor Channel Lighted Buoy 23      | 32-44-33.538N 079-51-06.028W | FI G 2.5s | 5  | Green.                                                  |                                                                                                                                                     |
| 2470   | Charleston Harbor Channel Lighted Buoy 24      | 32-44-57.012N 079-51-17.479W | FI R 2.5s | 5  | Red.                                                    |                                                                                                                                                     |
| 2475   | Charleston Harbor Rock Groin Buoy 2            | 32-45-19.598N 079-51-28.971W |           |    | Red nun.                                                |                                                                                                                                                     |
| 2478   | Fort Moultrie Monitoring Daybeacon             | 32-45-26.373N 079-51-32.184W |           |    | NW on MPW.                                              |                                                                                                                                                     |

|        |                                                       |                                 |           |    |                                    |                                                                                                                                                                                     |  |
|--------|-------------------------------------------------------|---------------------------------|-----------|----|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 2480   | Charleston Harbor<br>Channel Lighted Buoy<br>25       | 32-45-25.669N<br>079-52-03.797W | FI G 4s   | 5  | Green.                             |                                                                                                                                                                                     |  |
| 2485   | Rebellion Reach Range<br>Front Light                  | 32-46-53.616N<br>079-54-11.823W | FI G 2.5s | 0  | On skeleton tower on piles.        | Visible 0.5° each side of range line. Lighted throughout 24 hours.                                                                                                                  |  |
| 2490   | Rebellion Reach Range<br>Rear Light                   | 32-47-02.018N<br>079-54-25.317W | Iso G 6s  | 35 | On skeleton tower on piles.        | Visible 0.5° each side of rangeline. Lighted throughout 24 hours.                                                                                                                   |  |
| 2500   | Charleston Harbor<br>North Channel Lighted<br>Buoy 27 | 32-46-16.899N<br>079-53-19.609W | FI G 2.5s | 5  | Green.                             |                                                                                                                                                                                     |  |
| 2505   | Charleston Harbor<br>North Channel Lighted<br>Buoy 28 | 32-46-22.879N<br>079-53-14.041W | FI R 2.5s | 5  | Red.                               |                                                                                                                                                                                     |  |
| 2505.5 | Bennis Reach Range<br>Front Light                     | 32-47-17.788N<br>079-55-28.629W | Q R       | 24 | 8                                  |                                                                                                                                                                                     |  |
| 2506   | Bennis Reach Range<br>Rear Light                      | 32-47-23.952N<br>079-55-42.595W | Iso R 6s  | 15 | 8                                  |                                                                                                                                                                                     |  |
| 2510   | Charleston Harbor<br>North Channel Lighted<br>Buoy 29 | 32-46-26.822N<br>079-53-42.068W | FI G 6s   | 5  | Green.                             |                                                                                                                                                                                     |  |
| 2530   | Charleston Harbor<br>North Channel Lighted<br>Buoy 31 | 32-46-38.221N<br>079-54-09.082W | FI G 4s   | 5  | Green.                             |                                                                                                                                                                                     |  |
| 2535   | Charleston Harbor<br>North Channel Lighted<br>Buoy 32 | 32-46-45.043N<br>079-54-04.907W | FI R 4s   | 5  | Red.                               |                                                                                                                                                                                     |  |
| 2540   | Charleston Harbor<br>North Channel Lighted<br>Buoy 34 | 32-46-58.568N<br>079-54-36.653W | Q R       | 4  | Red.                               |                                                                                                                                                                                     |  |
| 2545   | Horse Reach Range<br>Front Light                      | 32-46-36.896N<br>079-54-30.380W | Q W       | 10 | KRW on dolphin.                    | Visible all around; higher intensity on rangeline.                                                                                                                                  |  |
| 2550   | Horse Reach Range<br>Rear Light                       | 32-46-23.490N<br>079-54-19.659W | Iso W 6s  | 20 | KRW on skeleton tower on<br>piles. | Visible 2° each side of rangeline.                                                                                                                                                  |  |
| 2555.4 | Charleston Harbor<br>Marina North Pier<br>Light       | 32-47-18.932N<br>079-54-37.560W | FI W 6s   |    |                                    |                                                                                                                                                                                     |  |
| 2555.3 | Charleston Harbor<br>Marina Northwest Pier<br>Light   | 32-47-15.401N<br>079-54-40.064W | FI W 4s   |    |                                    |                                                                                                                                                                                     |  |
| 2555.2 | Charleston Harbor<br>Marina Southwest Pier<br>Light   | 32-47-12.146N<br>079-54-40.105W | FI W 2.5s |    |                                    |                                                                                                                                                                                     |  |
| 2555.1 | Charleston Harbor<br>Marina South Pier<br>Light       | 32-47-06.174N<br>079-54-37.379W | Q W       |    |                                    |                                                                                                                                                                                     |  |
| 2555   | Charleston Harbor<br>North Channel Lighted<br>Buoy 35 | 32-46-58.724N<br>079-54-53.915W | FI G 2.5s | 5  | Green.                             |                                                                                                                                                                                     |  |
| 2560   | Patriots Point<br>Obstruction Light                   | 32-47-19.635N<br>079-54-34.313W | F W       |    | On dolphin.                        |                                                                                                                                                                                     |  |
| 2565   | Patriots Point<br>Daybeacon 1                         | 32-47-33.420N<br>079-54-34.560W |           |    | SG on pile.                        |                                                                                                                                                                                     |  |
| 2570.5 | Patriots Point<br>Daybeacon 3                         | 32-47-32.580N<br>079-54-33.060W |           |    | SG on pile.                        |                                                                                                                                                                                     |  |
| 2580   | Hog Island Reach<br>Range Front Light                 | 32-46-52.069N<br>079-54-57.983W | FI W 2.5s | 10 |                                    | Visible 3° each side of rangeline. Lighted throughout 24 hours.<br>Additional light synchronized with Range Front Light at 22 feet with<br>nominal range of 5NM visible all around. |  |
| 2585   | Hog Island Reach<br>Range Rear Light                  | 32-46-48.004N<br>079-54-57.547W | Iso W 6s  | 20 |                                    | Visible 3°each side of rangeline. Lighted throughout 24 hours.                                                                                                                      |  |
| 2590   | Charleston Harbor<br>North Channel Lighted<br>Buoy 36 | 32-47-17.153N<br>079-54-54.388W | FI R 2.5s | 5  | Red.                               |                                                                                                                                                                                     |  |
| 2595   | Charleston Harbor<br>North Channel Lighted<br>Buoy 37 | 32-47-37.844N<br>079-55-07.905W | FI G 4s   | 5  | Green.                             |                                                                                                                                                                                     |  |
| 2600   | Charleston Harbor<br>North Channel Lighted<br>Buoy 38 | 32-47-47.083N<br>079-54-56.615W | FI R 4s   | 4  | Red.                               |                                                                                                                                                                                     |  |
| 2605   | Hog Island Reach<br>Channel Lighted Buoy<br>39        | 32-47-56.558N<br>079-55-03.313W | FI G 2.5s | 4  | Green.                             |                                                                                                                                                                                     |  |
| 2610   | Arthur Ravenel Bridge<br>Racon                        | 32-48-14.634N<br>079-54-55.313W |           |    | On bridge.                         |                                                                                                                                                                                     |  |

|        |                                                      |                                 |              |    |                                             |                                                                                                           |
|--------|------------------------------------------------------|---------------------------------|--------------|----|---------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| 2615   | Hog Island Reach<br>Channel Lighted Buoy<br>41       | 32-48-26.790N<br>079-54-58.567W | FI G 2.5s    | 5  | Green.                                      |                                                                                                           |
| 2620   | Hog Island Reach<br>Channel Lighted Buoy<br>42       | 32-48-15.736N<br>079-54-50.232W | FI R 2.5s    | 5  | Red.                                        |                                                                                                           |
| 2635   | Charleston Harbor<br>South Channel Lighted<br>Buoy 2 | 32-45-34.431N<br>079-52-55.878W | FI R 2.5s    | 5  | Red with yellow triangle.                   |                                                                                                           |
| 2640   | Lower Middle Ground<br>Anchorage Lighted<br>Buoy L   | 32-45-51.761N<br>079-53-23.429W | FI Y 4s      | 5  | Yellow.                                     |                                                                                                           |
| 2645   | Ripley Daybeacon                                     | 32-45-53.809N<br>079-54-19.065W |              |    | NW on pile worded DANGER<br>SUBMERGED ROCK. |                                                                                                           |
| 2645.1 | Charleston Water<br>System Warning<br>Lighted Buoy A | 32-45-13.027N<br>079-53-55.013W | FI W 2.5s    | 3  | White.                                      |                                                                                                           |
| 2645.2 | Charleston Water<br>System Warning<br>Lighted Buoy B | 32-45-15.341N<br>079-53-10.632W | FI W 4s      | 3  | White.                                      |                                                                                                           |
| 2645.3 | Charleston Water<br>System Warning<br>Lighted Buoy C | 32-45-18.114N<br>079-52-38.524W | FI W 4s      | 3  | White.                                      |                                                                                                           |
| 2645.4 | Charleston Water<br>System Warning<br>Lighted Buoy D | 32-45-12.202N<br>079-52-34.021W | FI W 3s      | 3  | White.                                      |                                                                                                           |
| 2647   | Ashley River Light 1                                 | 32-45-30.303N<br>079-54-56.180W | FI G 2.5s    | 5  | SG-SY on dolphin.                           |                                                                                                           |
| 2649   | South Channel<br>Obstruction<br>Daybeacon A          | 32-45-19.048N<br>079-54-59.843W |              |    | NW on pile worded DANGER<br>OBSTRUCTION.    |                                                                                                           |
| 2649.1 | South Channel<br>Obstruction<br>Daybeacon B          | 32-45-15.699N<br>079-54-59.839W |              |    | NW on pile worded DANGER<br>OBSTRUCTION.    |                                                                                                           |
| 2650   | Battery Point Light BP                               | 32-45-37.476N<br>079-55-05.000W | FI (2+1)R 6s | 0  | 5                                           | JR on dolphin with yellow<br>triangle.                                                                    |
| 2655   | Charleston Harbor<br>South Channel Lighted<br>Buoy 4 | 32-45-50.714N<br>079-54-57.618W | FI R 4s      | 4  | Red.                                        |                                                                                                           |
| 2660   | Charleston Harbor<br>South Channel<br>Daybeacon 5    | 32-46-11.785N<br>079-55-22.348W |              |    | SG on pile.                                 |                                                                                                           |
| 2685   | Charleston Harbor<br>South Channel<br>Daybeacon 6    | 32-46-44.167N<br>079-55-03.048W |              | 0  | TR on dolphin.                              |                                                                                                           |
| 2687   | CORA Buoy J                                          | 32-46-40.500N<br>079-55-04.500W |              |    | Yellow can.                                 |                                                                                                           |
| 2688   | Carolina Yacht Club<br>Light A                       | 32-46-26.490N<br>079-55-25.300W | FI W 4s      |    | On breakwater.                              |                                                                                                           |
| 2688.1 | Carolina Yacht Club<br>Light B                       | 32-46-25.530N<br>079-55-25.380W | FI W 2.5s    |    | On breakwater.                              |                                                                                                           |
| 2688.2 | Carolina Yacht Club<br>Light C                       | 32-46-24.430N<br>079-55-25.460W | FI W 4s      |    | On breakwater.                              |                                                                                                           |
| 2688.3 | Carolina Yacht Club<br>Light D                       | 32-46-23.300N<br>079-55-25.550W | FI W 2.5s    |    | On breakwater.                              |                                                                                                           |
| 2688.4 | Carolina Yacht Club<br>Light E                       | 32-46-23.370N<br>079-55-26.750W | FI W 4s      |    | On breakwater.                              |                                                                                                           |
| 2688.5 | Carolina Yacht Club<br>Light F                       | 32-46-23.450N<br>079-55-28.260W | FI W 2.5s    |    | On breakwater.                              |                                                                                                           |
| 2688.6 | Carolina Yacht Club<br>Light G                       | 32-46-23.520N<br>079-55-29.380W | FI W 4s      |    | On breakwater.                              |                                                                                                           |
| 2688.7 | Carolina Yacht Club<br>Light H                       | 32-46-24.640N<br>079-55-29.260W | FI W 2.5s    |    | On breakwater.                              |                                                                                                           |
| 2690   | Cooper River Lighted<br>Buoy 43                      | 32-48-40.980N<br>079-55-00.861W | FI G 4s      | 5  | Green.                                      |                                                                                                           |
| 2695   | Cooper River Lighted<br>Buoy 44                      | 32-48-57.266N<br>079-55-04.175W | FI R 6s      | 4  | Red.                                        |                                                                                                           |
| 2700   | Cooper River Lighted<br>Buoy 45                      | 32-48-54.915N<br>079-55-16.910W | FI G 6s      | 5  | Green.                                      |                                                                                                           |
| 2705   | Drum Island Channel<br>Range Front Light             | 32-48-37.499N<br>079-54-37.107W | Q R          | 23 | KRW on skeleton tower on<br>piles.          | Visible 1.5° each side of rangeline. Additional light visible all around.<br>Lighted throughout 24 hours. |
| 2710   | Drum Island Channel                                  | 32-48-34.819N                   | Iso R 6s     | 25 | KRW on skeleton tower on                    | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                                         |

|        |                                                    |                                 |              |    |   |                                                                |                                                                                       |
|--------|----------------------------------------------------|---------------------------------|--------------|----|---|----------------------------------------------------------------|---------------------------------------------------------------------------------------|
|        | Range Rear Light                                   | 079-54-32.200W                  |              |    |   | piles.                                                         |                                                                                       |
| 2710.1 | Drum Island Channel Range Rear Light Passing Light | 32-48-34.819N<br>079-54-32.200W | FI W 6s      |    | 4 | On the same structure as Drum Island Channel Range Rear Light. | Two synchronized passing lights visible all around located on two outer corner piles. |
| 2715   | Town Creek Channel Lighted Buoy 2                  | 32-47-43.433N<br>079-55-27.089W | Q R          |    | 4 | Red.                                                           |                                                                                       |
| 2725   | Town Creek Channel Light 5                         | 32-48-34.618N<br>079-55-57.904W | FI G 4s      | 0  | 5 | SG on pile.                                                    |                                                                                       |
| 2730   | Town Creek Channel Lighted Buoy 7                  | 32-48-58.705N<br>079-55-45.830W | FI G 4s      |    | 4 | Green.                                                         |                                                                                       |
| 2735   | Drum Island Preferred Channel Light D              | 32-49-01.039N<br>079-55-35.872W | FI (2+1)G 6s | 0  | 5 | JG on dolphin.                                                 |                                                                                       |
| 2740   | Cooper River Lighted Buoy 46                       | 32-49-12.298N<br>079-55-30.706W | FI R 4s      |    | 4 | Red.                                                           |                                                                                       |
| 2750   | Cooper River Dike Light 47                         | 32-49-27.736N<br>079-55-55.552W | FI G 4s      | 10 | 5 | SG on skeleton tower.                                          |                                                                                       |
| 2750.5 | Cooper River Middle Dike Obstruction Light         | 32-50-01.353N<br>079-56-02.041W | FI W 4s      | 12 | 5 | NW on skeleton tower worded DANGER UNDERWATER DIKE.            |                                                                                       |
| 2751   | Cooper River Lighted Buoy 47A                      | 32-50-00.272N<br>079-55-52.233W | FI G 2.5s    |    | 4 | Green.                                                         |                                                                                       |
| 2752   | HLK Terminal Lighted Buoy A                        | 32-50-03.324N<br>079-55-55.223W | FI Y 2.5s    |    | 5 | Yellow.                                                        |                                                                                       |
| 2753   | HLK Terminal Lighted Buoy B                        | 32-50-06.646N<br>079-55-58.754W | Q Y          |    | 4 | Yellow.                                                        |                                                                                       |
| 2755   | Daniel Island Reach Range Front Light              | 32-50-59.708N<br>079-55-41.407W | Q W          |    |   |                                                                | Lighted throughout 24 hours.                                                          |
| 2760   | Daniel Island Reach Range Rear Light               | 32-51-05.582N<br>079-55-41.030W | Iso W 6s     | 20 |   |                                                                | Lighted throughout 24 hours.                                                          |
| 2765   | Cooper River Lighted Buoy 48                       | 32-49-31.815N<br>079-55-40.838W | FI R 4s      |    | 4 | Red.                                                           |                                                                                       |
| 2770   | Shipyard Creek Channel Light 2                     | 32-49-50.024N<br>079-56-07.724W | FI R 4s      | 0  | 5 | TR on pile.                                                    |                                                                                       |
| 2775   | Shipyard Creek Channel Light 4                     | 32-49-51.156N<br>079-56-22.202W | FI R 4s      | 0  | 5 | TR on pile.                                                    |                                                                                       |
| 2788.5 | Charleston Marina Breakwater South Entrance Light  | 32-49-54.540N<br>079-56-01.080W | FI W 6s      |    |   | On floating breakwater.                                        |                                                                                       |
| 2788.4 | Charleston Marina Breakwater North Entrance Light  | 32-49-55.920N<br>079-56-01.140W | FI W 6s      |    |   | On floating breakwater.                                        |                                                                                       |
| 2788.3 | Charleston Marina Breakwater Northeast Light       | 32-49-59.700N<br>079-56-01.260W | FI W 4s      |    |   | On floating breakwater.                                        |                                                                                       |
| 2788.2 | Charleston Marina Breakwater Northwest Light       | 32-49-59.280N<br>079-56-04.560W | FI W 6s      |    |   | On floating breakwater.                                        |                                                                                       |
| 2788.1 | Charleston Marina Breakwater Southwest Light       | 32-49-51.420N<br>079-56-07.920W | Q W          |    |   | On floating breakwater.                                        |                                                                                       |
| 2788   | Charleston Marina Breakwater Southeast Light       | 32-49-51.420N<br>079-56-02.100W | FI W 2.5s    |    |   | On floating breakwater.                                        |                                                                                       |
| 2790   | Cooper River North Degaussing West Platform Light  | 32-49-58.000N<br>079-55-53.300W | Q G          |    |   | White rectangular daymark on piles.                            | Maintained by U.S. Navy.                                                              |
| 2795   | Clouter Creek Reach Range Front Light              | 32-50-55.039N<br>079-55-39.242W | Q W          | 0  |   | Skeleton tower on piles.                                       | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                     |
| 2800   | Clouter Creek Reach Range Rear Light               | 32-50-53.452N<br>079-55-34.950W | Iso W 6s     | 20 |   | Skeleton tower on piles.                                       | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                     |
| 2801   | Cooper River Lighted Buoy 48A                      | 32-50-39.935N<br>079-55-36.567W | Q R          |    | 4 | Red.                                                           |                                                                                       |
| 2803   | Cooper River Lighted Buoy 49                       | 32-50-36.098N<br>079-55-47.983W | FI G 4s      |    | 5 | Green.                                                         |                                                                                       |
| 2805   | Cooper River Dike Light 49A                        | 32-50-42.609N<br>079-55-52.225W | FI G 2.5s    |    | 5 | SG on skeleton tower.                                          |                                                                                       |
| 2806   | Cooper River East Dike Light                       | 32-50-42.600N<br>079-55-53.880W | FI Y 4s      |    |   | Mounted on Dike.                                               |                                                                                       |
| 2806.1 | Cooper River Center Dike Light                     | 32-50-42.600N<br>079-55-56.940W | FI Y 2.5s    |    |   | Mounted on Dike.                                               |                                                                                       |
| 2806.2 | Cooper River West Dike Light                       | 32-50-42.600N<br>079-55-59.520W | FI Y 4s      |    |   | Mounted on Dike.                                               |                                                                                       |

|        |                                            |                                 |           |   |                       |                          |
|--------|--------------------------------------------|---------------------------------|-----------|---|-----------------------|--------------------------|
| 2807   | NOAA Pier R Light A                        | 32-51-04.612N<br>079-56-28.972W | Fl Y 2.5s |   | On pier.              |                          |
| 2808   | NOAA Pier R Light B                        | 32-51-04.118N<br>079-56-28.568W | Fl Y 2.5s |   | On pier.              |                          |
| 2810   | U.S. South Navy Pier<br>Q Light (1)        | 32-51-06.630N<br>079-56-35.313W | F G       |   | On pier.              | Maintained by U.S. Navy. |
| 2815   | U.S. Coast Guard Pier<br>P Light           | 32-51-10.430N<br>079-56-37.613W | F G       | 3 | On pier.              |                          |
| 2820   | U.S. Navy Pier Z<br>Lights (2)             | 32-51-14.630N<br>079-57-03.313W | F G       |   | On pier.              | Maintained by U.S. Navy. |
| 2825   | U.S. Coast Guard Pier<br>N Light           | 32-51-11.730N<br>079-56-45.513W | F G       | 3 | On pier.              |                          |
| 2830   | U.S. Coast Guard Pier<br>M Light           | 32-51-15.630N<br>079-56-52.313W | F G       | 3 | On pier.              |                          |
| 2833   | Cooper River Lighted<br>Buoy 50            | 32-51-07.755N<br>079-56-04.161W | Fl R 2.5s | 5 | Red.                  |                          |
| 2840   | Cooper River Lighted<br>Buoy 50A           | 32-51-17.797N<br>079-56-30.239W | Fl R 4s   | 5 | Red.                  |                          |
| 2845   | U South Navy Pier L<br>Light               | 32-51-19.430N<br>079-57-05.913W | F G       |   | On pier.              | Maintained by U.S. Navy. |
| 2850   | U South Navy Pier K<br>Light (2)           | 32-51-22.530N<br>079-57-09.814W | F G       |   | On pier.              | Maintained by U.S. Navy. |
| 2855   | Cooper River Lighted<br>Buoy 52            | 32-51-33.509N<br>079-57-12.330W | Fl R 4s   | 5 | Red.                  |                          |
| 2860   | Cooper River Lighted<br>Buoy 52A           | 32-51-49.746N<br>079-57-30.591W | Fl R 6s   | 5 | Red.                  |                          |
| 2869   | Cooper River Light 53                      | 32-52-07.585N<br>079-57-52.878W | Fl G 2.5s | 5 | SG on dolphin.        |                          |
| 2870   | Cooper River Lighted<br>Buoy 54            | 32-52-16.814N<br>079-57-47.811W | Fl R 2.5s | 4 | Red                   |                          |
| 2875   | Cooper River Lighted<br>Buoy 54A           | 32-52-45.260N<br>079-57-54.898W | Fl R 4s   | 5 | Red.                  |                          |
| 2880   | Chem Marine South<br>Mooring Dolphin Light | 32-52-50.129N<br>079-58-05.213W | F G       |   | On dolphin.           |                          |
| 2885   | Chem Marine South<br>Btg Dolphin Light     | 32-52-51.428N<br>079-58-04.413W | F G       |   | On dolphin.           |                          |
| 2890   | Chem Marine North<br>Btg Dolphin Light     | 32-52-56.528N<br>079-58-04.013W | F G       |   | On dolphin.           |                          |
| 2895   | Chem Marine North<br>Mooring Dolphin Light | 32-52-57.628N<br>079-58-04.213W | F G       |   | On dolphin.           |                          |
| 2897   | Cooper River Lighted<br>Buoy 55            | 32-52-28.180N<br>079-57-58.905W | Fl G 4s   | 5 | Green.                |                          |
| 2900   | Cooper River Lighted<br>Buoy 56            | 32-53-08.983N<br>079-57-53.018W | Fl R 6s   | 4 | Red.                  |                          |
| 2905   | Cooper River Buoy<br>56A                   | 32-53-17.304N<br>079-57-50.374W |           |   | Red nun.              |                          |
| 2905.5 | Don Holt I-526 Bridge<br>Racon             | 32-53-30.000N<br>079-57-51.000W |           |   | On bridge.            |                          |
| 2910   | Cooper River Buoy<br>56B                   | 32-53-34.829N<br>079-57-45.115W |           |   | Red nun.              |                          |
| 2915   | Cooper River Buoy 57                       | 32-53-36.913N<br>079-57-52.621W |           |   | Green can.            |                          |
| 2920   | Cooper River Lighted<br>Buoy 58            | 32-53-43.809N<br>079-57-42.349W | Fl R 2.5s | 5 |                       |                          |
| 2925   | Cooper River Lighted<br>Buoy 60            | 32-54-06.684N<br>079-57-23.196W | Fl R 4s   | 5 | Red.                  |                          |
| 2926   | Cooper River Lighted<br>Buoy 60A           | 32-54-11.704N<br>079-57-03.368W | Fl R 2.5s | 5 | Red.                  |                          |
| 2930   | Cooper River Lighted<br>Buoy 62            | 32-54-25.494N<br>079-56-46.103W | Q R       | 4 | Red.                  |                          |
| 2931   | Maybank Mooring<br>Lighted Buoy 1A         | 32-54-30.534N<br>079-56-39.636W | Fl W 4s   |   | White with blue band. |                          |
| 2931.1 | Maybank Mooring<br>Lighted Buoy 1B         | 32-54-30.213N<br>079-56-40.170W | Fl W 4s   |   | White with blue band. |                          |
| 2931.2 | Maybank Mooring<br>Lighted Buoy 1C         | 32-54-28.523N<br>079-56-52.917W | Fl W 4s   |   | White with blue band. |                          |
| 2931.3 | Maybank Mooring<br>Lighted Buoy 1D         | 32-54-28.691N<br>079-56-53.542W | Fl W 4s   |   | White with blue band. |                          |
| 2931.4 | Maybank Mooring<br>Lighted Buoy 1E         | 32-54-30.645N<br>079-56-53.907W | Fl W 4s   |   | White with blue band. |                          |
| 2931.5 | Maybank Mooring                            | 32-54-30.966N                   | Fl W 4s   |   | White with blue band. |                          |

|        |                                       |                                 |           |    |   |                                      |                                                                   |
|--------|---------------------------------------|---------------------------------|-----------|----|---|--------------------------------------|-------------------------------------------------------------------|
|        | Lighted Buoy 1F                       | 079-56-53.373W                  |           |    |   |                                      |                                                                   |
| 2931.6 | Maybank Mooring<br>Lighted Buoy 1G    | 32-54-32.657N<br>079-56-40.625W | FI W 4s   |    |   | White with blue band.                |                                                                   |
| 2931.7 | Maybank Mooring<br>Lighted Buoy 1H    | 32-54-32.489N<br>079-56-40.001W | FI W 4s   |    |   | White with blue band.                |                                                                   |
| 2931.8 | Maybank Mooring<br>Lighted Buoy 2A    | 32-54-33.159N<br>079-56-25.275W | FI W 4s   |    |   | White with blue band.                |                                                                   |
| 2931.9 | Maybank Mooring<br>Lighted Buoy 2B    | 32-54-32.837N<br>079-56-25.871W | FI W 4s   |    |   | White with blue band.                |                                                                   |
| 2932   | Maybank Mooring<br>Lighted Buoy 2C    | 32-54-31.025N<br>079-56-38.014W | FI W 4s   |    |   | White with blue band.                |                                                                   |
| 2932.1 | Maybank Mooring<br>Lighted Buoy 2D    | 32-54-31.322N<br>079-56-38.354W | FI W 4s   |    |   | White with blue band.                |                                                                   |
| 2932.2 | Maybank Mooring<br>Lighted Buoy 2E    | 32-54-33.688N<br>079-56-38.795W | FI W 4s   |    |   | White with blue band.                |                                                                   |
| 2932.3 | Maybank Mooring<br>Lighted Buoy 2F    | 32-54-34.058N<br>079-56-38.579W | FI W 4s   |    |   | White with blue band.                |                                                                   |
| 2932.4 | Maybank Mooring<br>Lighted Buoy 2G    | 32-54-35.545N<br>079-56-26.198W | FI W 4s   |    |   | White with blue band.                |                                                                   |
| 2932.5 | Maybank Mooring<br>Lighted Buoy 2H    | 32-54-35.333N<br>079-56-25.742W | FI W 4s   |    |   | White with blue band.                |                                                                   |
| 2935   | Cooper River Range A<br>Front Light   | 32-54-36.459N<br>079-55-38.570W | Q W       | 29 |   | On skeleton tower on piles.          | Visible 4° each side of rangeline. Lighted throughout 24 hours.   |
| 2940   | Cooper River Range A<br>Rear Light    | 32-54-37.903N<br>079-55-27.479W | Iso W 6s  | 39 |   | On white skeleton tower on piles.    | Visible 4° each side of rangeline. Lighted throughout 24 hours.   |
| 2945   | Cooper River Lighted<br>Buoy 64       | 32-54-27.809N<br>079-56-22.885W | FI R 2.5s | 5  |   | Red.                                 |                                                                   |
| 2950   | Cooper River Lighted<br>Buoy 65       | 32-54-34.961N<br>079-56-10.015W | FI G 4s   | 5  |   | Green.                               |                                                                   |
| 2960   | Cooper River Lighted<br>Buoy 66       | 32-54-31.671N<br>079-55-59.925W | FI R 4s   | 5  |   | Red.                                 |                                                                   |
| 2965   | Cooper River Range B<br>Front Light   | 32-54-24.396N<br>079-56-08.866W | Q G       | 15 |   |                                      | Visible 4° each side of range line. Lighted throughout 24 hours.  |
| 2970   | Cooper River Range B<br>Rear Light    | 32-54-16.593N<br>079-56-15.168W | Iso G 6s  | 23 |   |                                      | Visible 4° each side of range line. Lighted throughout 24 hours.  |
| 2975   | Cooper River Lighted<br>Buoy 67       | 32-54-44.351N<br>079-55-55.824W | Q G       | 4  |   | Green.                               |                                                                   |
| 2980   | Cooper River Light 68                 | 32-54-42.535N<br>079-55-44.699W | FI R 4s   | 0  | 5 | TR on dolphin.                       |                                                                   |
| 2985   | Cooper River Light 69                 | 32-54-54.781N<br>079-55-53.111W | FI G 4s   | 0  | 5 | SG on dolphin.                       |                                                                   |
| 2995   | Cooper River Range C<br>Front Light   | 32-56-01.213N<br>079-56-22.227W | Q G       | 27 |   |                                      | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |
| 3000   | Cooper River Range C<br>Rear Light    | 32-56-06.295N<br>079-56-25.880W | Iso G 6s  | 34 |   |                                      | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |
| 3005   | Cooper River Light 70                 | 32-55-13.207N<br>079-55-42.755W | FI R 4s   | 0  | 5 | TR on dolphin.                       |                                                                   |
| 3015   | Cooper River<br>Ammunition Pier Light | 32-55-42.000N<br>079-56-18.000W | F G       |    |   | Skeleton tower on dolphin.           | Maintained by U.S. Navy.                                          |
| 3020   | Cooper River Light 72                 | 32-55-50.683N<br>079-56-08.537W | FI R 6s   | 0  | 4 | TR on dolphin.                       |                                                                   |
| 3021   | Cooper River Lighted<br>Buoy 72A      | 32-55-59.324N<br>079-56-06.459W | Q R       | 4  |   | Red.                                 |                                                                   |
| 3025   | Cooper River Pier A<br>Light A        | 32-56-08.624N<br>079-56-18.305W | F G       |    |   | On dolphin.                          | Maintained by U.S. Navy.                                          |
| 3035   | Cooper River Pier A<br>Light B        | 32-56-17.624N<br>079-56-07.304W | F G       |    |   | On dolphin.                          | Maintained by U.S. Navy.                                          |
| 3040   | Cooper River Range<br>D/F Front Light | 32-56-23.355N<br>079-55-28.668W | Q W       | 12 |   | KRW on dolphin.                      | Visible all around.                                               |
| 3045   | Cooper River Range D<br>Rear Light    | 32-56-25.088N<br>079-55-25.244W | Iso W 6s  | 25 |   | KRW on tower on piles.               | Visible all around.                                               |
| 3050   | Cooper River Lighted<br>Buoy 73       | 32-56-15.249N<br>079-55-50.923W | FI G 4s   | 5  |   | Green.                               |                                                                   |
| 3055   | Cooper River Range E<br>Front Light   | 32-56-07.076N<br>079-55-50.119W | Q W       | 16 |   | KRW on pile.                         | Visible all around.                                               |
| 3060   | Cooper River Range E<br>Rear Light    | 32-56-02.946N<br>079-55-52.827W | Iso W 6s  | 24 |   | KRW on tower on piles.               | Visible all around.                                               |
| 3063   | Snow Point Mooring<br>Buoy A          | 32-56-27.752N<br>079-55-39.602W |           |    |   | White can with horizontal blue band. | Maintained by the U.S. Navy.                                      |
| 3065   | Cooper River Lighted<br>Buoy 75       | 32-56-32.649N<br>079-55-38.322W | Q G       | 3  |   | Green.                               |                                                                   |

|        |                                               |                                 |           |    |                 |                                                     |
|--------|-----------------------------------------------|---------------------------------|-----------|----|-----------------|-----------------------------------------------------|
| 3070   | Cooper River Lighted Buoy 76                  | 32-56-37.060N<br>079-55-31.961W | FI R 4s   | 5  | Red.            |                                                     |
| 3075   | Cooper River Range F Rear Light               | 32-56-19.605N<br>079-55-26.428W | Iso W 6s  | 22 | KRW on dolphin. | Visible all around.                                 |
| 3080   | Cooper River Lighted Buoy 80                  | 32-57-01.626N<br>079-55-44.191W | Q R       | 4  | Red.            |                                                     |
| 3085   | Cooper River Lighted Buoy 81                  | 32-57-17.197N<br>079-55-33.615W | Q G       | 4  | Green.          |                                                     |
| 3095   | Cooper River Light 82                         | 32-57-09.742N<br>079-55-34.378W | FI R 2.5s | 0  | 4               | TR on pile.                                         |
| 3100   | Cooper River Lighted Buoy 83                  | 32-57-25.213N<br>079-55-15.706W | FI G 4s   | 5  | Green.          |                                                     |
| 3105   | Cooper River Light 84                         | 32-57-26.180N<br>079-55-02.096W | FI R 2.5s | 0  | 3               | TR on pile.                                         |
| 3110   | Amoco South Mooring Dolphin Obstruction Light | 32-57-35.022N<br>079-54-58.001W | FI R 6s   |    |                 | On concrete structure.                              |
| 3115   | Amoco South Btg Dolphin Obstruction Light     | 32-57-38.022N<br>079-54-57.301W | FI R 6s   |    |                 | On concrete structure.                              |
| 3120   | Amoco North Btg Dolphin Obstruction Light     | 32-57-41.022N<br>079-54-57.301W | FI R 6s   |    |                 | On concrete structure.                              |
| 3125   | Amoco North Mooring Dolphin Obstruction Light | 32-57-44.022N<br>079-54-57.801W | FI R 6s   |    |                 | On concrete structure.                              |
| 3130   | Cooper River Light 86                         | 32-57-47.587N<br>079-55-04.937W | FI R 4s   | 5  | TR on pile.     |                                                     |
| 3135   | Cooper River Light 87                         | 32-57-55.766N<br>079-55-32.095W | FI G 4s   | 0  | 3               | SG on dolphin.                                      |
| 3140   | Cooper River Light 88                         | 32-58-01.025N<br>079-55-28.018W | FI R 2.5s | 0  | 5               | TR on pile.                                         |
| 3145   | Back River Water Intake Obstruction Light     | 32-58-03.800N<br>079-56-18.000W | Q W       |    |                 | NW on intake structure; worded DANGER WATER INTAKE. |
| 3150   | Cooper River Light 89                         | 32-58-11.695N<br>079-55-43.092W | FI G 2.5s | 0  | 3               | SG on pile.                                         |
| 3153   | Cooper River Daybeacon 90                     | 32-58-11.199N<br>079-55-33.852W |           | 0  |                 | TR on pile.                                         |
| 3155   | Cooper River Light 91                         | 32-58-26.785N<br>079-55-33.628W | Q G       | 0  | 4               | SG on pile.                                         |
| 3157   | Cooper River Light 92                         | 32-58-19.037N<br>079-55-30.795W | Q R       | 0  | 4               | TR on pile.                                         |
| 3160   | Cooper River Light 93                         | 32-58-26.583N<br>079-55-10.533W | FI G 2.5s | 0  | 5               | SG on pile.                                         |
| 3165   | Cooper River Daybeacon 95                     | 32-58-24.605N<br>079-55-02.040W |           | 0  |                 | SG on pile.                                         |
| 3170   | Cooper River Light 97                         | 32-58-26.478N<br>079-54-48.496W | Q G       | 0  | 4               | SG on pile.                                         |
| 3175   | Cooper River Range H Front Light              | 32-58-25.947N<br>079-54-37.970W | Q W       | 11 |                 | KRW on pile.                                        |
| 3180   | Cooper River Range H Rear Light               | 32-58-20.635N<br>079-54-37.423W | Iso W 6s  | 20 |                 | KRW on skeleton tower on piles.                     |
| 3185.1 | Cooper River Light 99                         | 32-58-38.040N<br>079-54-42.664W | FI G 2.5s | 0  | 5               | SG on pile.                                         |
| 3190   | Cooper River Light 100                        | 32-58-36.999N<br>079-54-34.687W | FI R 2.5s |    | 3               | TR on pile.                                         |
| 3200   | Cooper River Light 104                        | 32-59-02.981N<br>079-55-13.029W | Q R       | 0  | 4               | TR on pile.                                         |
| 3205   | Cooper River Sewer Outfall Light              | 32-59-02.620N<br>079-55-26.300W | FI W 2.5s |    |                 | On dolphin.                                         |
| 3210   | Cooper River Mon Sta Obstruction Light D      | 32-59-30.620N<br>079-55-35.299W | Q W       |    |                 | NG on end of dock. Maintained by U.S. Army.         |
| 3215   | Cooper River Light 105                        | 32-59-40.933N<br>079-55-27.962W | Q G       | 0  | 4               | SG on pile.                                         |
| 3225   | Cooper River Light 109                        | 32-59-40.115N<br>079-54-51.973W | FI G 2.5s | 0  | 5               | SG on pile.                                         |
| 3230   | Cooper River Range I Front Light 110          | 32-59-36.126N<br>079-54-44.720W | Q R       | 12 |                 | KRW on pile.                                        |
| 3235   | Cooper River Range I Rear Light               | 32-59-35.812N<br>079-54-41.829W | Iso R 6s  | 19 |                 | KRW on skeleton tower on piles.                     |



|        |                                                  |                                 |           |   |   |                                                                |                                                                                                                                      |
|--------|--------------------------------------------------|---------------------------------|-----------|---|---|----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| 3240   | Cooper River Light 112                           | 33-00-03.289N<br>079-54-11.183W | FI R 4s   | 0 | 3 | TR on pile.                                                    |                                                                                                                                      |
| 3243   | Cooper River<br>Daybeacon 114                    | 33-00-17.778N<br>079-54-00.760W |           | 0 |   | TR on pile.                                                    |                                                                                                                                      |
| 3245   | Cooper River Mon Sta<br>Obstruction Light E      | 33-00-30.619N<br>079-55-17.298W | Q W       |   |   | NG on end of dock.                                             | Maintained by U.S. Army.                                                                                                             |
| 3260   | South Carolina Gas<br>& Elec North Pier<br>Light | 33-00-50.118N<br>079-55-22.397W | F W       |   |   | On pier.                                                       |                                                                                                                                      |
| 3265   | South Carolina Gas<br>& Elec South Pier<br>Light | 33-00-48.618N<br>079-55-22.297W | F W       |   |   | On pier.                                                       |                                                                                                                                      |
| 3270   | Cooper River Mon Sta<br>Light C                  | 33-03-30.616N<br>079-56-11.296W | Q W       |   |   | NG on pile.                                                    | Maintained by U.S. Army.                                                                                                             |
| 3275   | Durham Canal Mon Sta<br>Light B                  | 33-03-54.616N<br>079-57-23.297W | Q W       |   |   | NR on pile.                                                    | Maintained by U.S. Army.                                                                                                             |
| 3285   | Cooper River Mon Sta<br>Light A                  | 33-04-36.616N<br>079-56-59.296W | Q W       |   |   | NG on pile.                                                    | Maintained by U.S. Army.                                                                                                             |
| 3287   | Upper Cooper River<br>Daybeacon 2                | 33-01-07.270N<br>079-54-42.150W |           |   |   | TR on pile.                                                    |                                                                                                                                      |
| 3287.1 | Upper Cooper River<br>Daybeacon 3                | 33-01-09.530N<br>079-54-59.590W |           |   |   | SG on pile.                                                    |                                                                                                                                      |
| 3287.2 | Upper Cooper River<br>Daybeacon 4                | 33-03-56.580N<br>079-55-16.500W |           |   |   | TR on pile.                                                    |                                                                                                                                      |
| 3287.3 | Upper Cooper River<br>Daybeacon 6                | 33-04-02.580N<br>079-55-25.140W |           |   |   | TR on pile.                                                    |                                                                                                                                      |
| 3287.4 | Upper Cooper River<br>Daybeacon 7                | 33-03-45.780N<br>079-55-43.680W |           |   |   | SG on pile.                                                    |                                                                                                                                      |
| 3287.6 | Upper Cooper River<br>Daybeacon 10               | 33-04-10.200N<br>079-55-48.600W |           |   |   | TR on pile.                                                    |                                                                                                                                      |
| 3287.7 | Upper Cooper River<br>Daybeacon 11               | 33-04-27.840N<br>079-55-51.480W |           |   |   | SG on pile.                                                    |                                                                                                                                      |
| 3287.5 | Upper Cooper River<br>Daybeacon 9                | 33-04-08.520N<br>079-55-57.900W |           |   |   | SG on pile.                                                    |                                                                                                                                      |
| 3287.8 | Upper Cooper River<br>Daybeacon 12               | 33-04-52.920N<br>079-55-46.680W |           |   |   | TR on pile.                                                    |                                                                                                                                      |
| 3287.9 | Upper Cooper River<br>Daybeacon 13               | 33-05-06.900N<br>079-56-35.520W |           |   |   | SG on pile.                                                    |                                                                                                                                      |
| 3288   | Upper Cooper River<br>Daybeacon 14               | 33-05-10.920N<br>079-56-25.800W |           |   |   | TR on pile.                                                    |                                                                                                                                      |
| 3288.1 | Upper Cooper River<br>Daybeacon 16               | 33-05-15.600N<br>079-56-13.200W |           |   |   | TR on pile.                                                    |                                                                                                                                      |
| 3288.2 | Upper Cooper River<br>Daybeacon 18               | 33-05-18.420N<br>079-56-05.460W |           |   |   | TR on pile.                                                    |                                                                                                                                      |
| 3288.3 | Upper Cooper River<br>Daybeacon 20               | 33-05-45.420N<br>079-56-42.180W |           |   |   | TR on pile.                                                    |                                                                                                                                      |
| 3288.5 | Upper Cooper River<br>Daybeacon 22               | 33-06-06.420N<br>079-57-04.140W |           |   |   | TR on pile.                                                    |                                                                                                                                      |
| 3288.8 | Upper Cooper River<br>Daybeacon 26               | 33-06-36.600N<br>079-57-16.620W |           |   |   | TR on pile.                                                    |                                                                                                                                      |
| 3288.9 | Upper Cooper River<br>Daybeacon 28               | 33-06-42.540N<br>079-57-13.680W |           |   |   | TR on pile.                                                    |                                                                                                                                      |
| 3288.4 | Upper Cooper River<br>Daybeacon 21               | 33-06-03.900N<br>079-57-13.860W |           |   |   | SG on pile.                                                    |                                                                                                                                      |
| 3288.6 | Upper Cooper River<br>Daybeacon 24               | 33-06-13.920N<br>079-57-03.540W |           |   |   | TR on pile.                                                    |                                                                                                                                      |
| 3288.7 | Upper Cooper River<br>Daybeacon 25               | 33-06-25.980N<br>079-57-20.340W |           |   |   | SG on pile.                                                    |                                                                                                                                      |
| 3289   | Upper Cooper River<br>Daybeacon 29               | 33-06-47.760N<br>079-57-17.460W |           |   |   | SG on pile.                                                    |                                                                                                                                      |
| 3289.1 | Upper Cooper River<br>Daybeacon 31               | 33-07-13.920N<br>079-57-54.780W |           |   |   | SG on pile.                                                    |                                                                                                                                      |
| 3290   | Wando River Range A<br>Front Light               | 32-48-30.101N<br>079-55-05.867W | FI G 2.5s |   |   | On skeleton tower on piles.                                    | Visible 0.5° each side of rangeline. Lighted throughout 24 hours. Additional light visible all around and synchronized with the RFL. |
| 3295   | Wando River Range A<br>Rear Light                | 32-48-24.471N<br>079-55-12.119W | Iso G 6s  |   |   | On skeleton tower on piles.                                    | Visible 0.5° each side of rangeline. Lighted throughout 24 hours.                                                                    |
| 3295.1 | Wando River Range A<br>Rear Passing Light        | 32-48-24.471N<br>079-55-12.119W | FI W 6s   |   |   | On the same structure as<br>Wando River Range A Rear<br>Light. | Two synchronized passing lights visible all round located on the NE and SE corners of platform.                                      |
| 3300   | Wando River Terminal<br>Lighted Buoy 2           | 32-48-51.690N<br>079-54-35.656W | FI R 2.5s |   | 5 | Red.                                                           | AIS: MMSI 993672487                                                                                                                  |

|        |                                         |                                 |           |   |   |                |                      |
|--------|-----------------------------------------|---------------------------------|-----------|---|---|----------------|----------------------|
| 3305   | Wando River Terminal<br>Lighted Buoy 3  | 32-49-13.533N<br>079-54-24.023W | FI G 4s   |   | 5 | Green.         |                      |
| 3310   | Wando River Terminal<br>Lighted Buoy 4  | 32-49-08.071N<br>079-54-17.333W | FI R 4s   |   | 3 | Red.           |                      |
| 3315   | Wando River Terminal<br>Lighted Buoy 5  | 32-49-35.252N<br>079-54-00.028W | FI G 6s   |   | 5 | Green.         |                      |
| 3320   | Wando River Terminal<br>Lighted Buoy 6  | 32-49-37.998N<br>079-53-44.219W | FI R 2.5s |   | 5 | Red.           |                      |
| 3320.5 | Wando River Terminal<br>Lighted Buoy 7  | 32-49-58.405N<br>079-53-54.607W | FI G 2.5s |   | 5 | Green          | Marks Turning Basin. |
| 3325   | Wando River Terminal<br>Lighted Buoy 7A | 32-50-15.580N<br>079-53-44.298W | FI G 4s   |   | 5 | Green.         | Marks Turning Basin. |
| 3330   | Wando River Terminal<br>Lighted Buoy 8  | 32-50-19.239N<br>079-53-29.894W | FI R 6s   |   | 5 | Red.           |                      |
| 3335   | Wando River Buoy 10                     | 32-50-53.846N<br>079-53-49.616W |           |   |   | Red nun.       |                      |
| 3340   | Wando River Buoy 11                     | 32-51-25.865N<br>079-53-54.442W |           |   |   | Green can.     |                      |
| 3345   | Wando River Buoy 12                     | 32-51-25.170N<br>079-53-49.658W |           |   |   | Red nun.       |                      |
| 3355   | Wando River Light 14                    | 32-51-45.631N<br>079-53-17.912W | Q R       |   | 4 | TR on pile.    |                      |
| 3365   | Wando River Light 17                    | 32-52-14.013N<br>079-52-33.157W | FI G 2.5s | 0 | 5 | SG on pile.    |                      |
| 3380   | Wando River Light 21                    | 32-52-26.739N<br>079-51-26.064W | Q G       | 0 | 4 | SG on pile.    |                      |
| 3385   | Wando River Light 22                    | 32-52-24.233N<br>079-51-17.716W | Q R       |   | 4 | TR on pile.    |                      |
| 3390   | Wando River<br>Daybeacon 23             | 32-52-31.311N<br>079-51-14.862W |           |   |   | SG on pile.    |                      |
| 3405   | Wando River<br>Daybeacon 24             | 32-52-44.854N<br>079-50-47.728W |           |   |   | TR on pile.    |                      |
| 3410   | Wando River<br>Daybeacon 25             | 32-52-53.631N<br>079-50-51.564W |           |   |   | SG on pile.    |                      |
| 3415   | Wando River<br>Daybeacon 26             | 32-53-06.857N<br>079-50-39.822W |           |   |   | TR on dolphin. |                      |
| 3425   | Wando River<br>Daybeacon 27             | 32-53-14.868N<br>079-50-42.451W |           |   |   | SG on pile.    |                      |
| 3430   | Wando River<br>Daybeacon 28             | 32-53-39.115N<br>079-50-38.232W |           |   | 0 | TR on pile.    |                      |
| 3455   | Wando River<br>Daybeacon 30             | 32-54-21.166N<br>079-50-27.910W |           |   |   | TR on pile.    |                      |
| 3460   | Wando River<br>Daybeacon 29             | 32-54-15.211N<br>079-50-34.625W |           |   |   | SG on pile.    |                      |
| 3465   | Wando River<br>Daybeacon 31             | 32-54-30.790N<br>079-50-38.244W |           |   | 0 | SG on dolphin. |                      |
| 3475   | Wando River<br>Daybeacon 32             | 32-54-36.077N<br>079-50-32.380W |           |   | 0 | TR on pile.    |                      |
| 3480   | Wando River<br>Daybeacon 33             | 32-54-36.231N<br>079-50-38.226W |           |   | 0 | SG on pile.    |                      |
| 3485   | Wando River<br>Daybeacon 34             | 32-54-51.160N<br>079-50-23.182W |           |   |   | TR on pile.    |                      |
| 3490   | Wando River<br>Daybeacon 37             | 32-55-08.955N<br>079-50-19.710W |           |   | 0 | SG on pile.    |                      |
| 3495   | Wando River<br>Daybeacon 36             | 32-55-04.933N<br>079-50-15.180W |           |   |   | TR on pile.    |                      |
| 3500   | Wando River<br>Daybeacon 39             | 32-55-31.485N<br>079-50-03.648W |           |   | 0 | SG on pile.    |                      |
| 3505   | Wando River<br>Daybeacon 40             | 32-55-29.641N<br>079-49-56.642W |           |   |   | TR on pile.    |                      |
| 3510   | Mount Pleasant<br>Channel Daybeacon 1   | 32-46-14.817N<br>079-52-20.824W |           |   | 0 | SG on pile.    |                      |
| 3515   | Mount Pleasant<br>Channel Daybeacon 2   | 32-46-15.156N<br>079-52-16.062W |           |   | 0 | TR on pile.    |                      |
| 3520   | Mount Pleasant<br>Channel Daybeacon 3   | 32-46-30.271N<br>079-52-21.056W |           |   | 0 | SG on pile.    |                      |
| 3525   | Mount Pleasant<br>Channel Buoy 4        | 32-46-31.783N<br>079-52-18.311W |           |   |   | Red nun.       |                      |
| 3530   | Mount Pleasant<br>Channel Buoy 6        | 32-46-45.061N<br>079-52-24.311W |           |   |   | Red nun.       |                      |

|        |                                            |                                 |           |    |   |                                             |
|--------|--------------------------------------------|---------------------------------|-----------|----|---|---------------------------------------------|
| 3535   | Mount Pleasant<br>Channel Light 8          | 32-46-55.007N<br>079-52-32.831W | FI R 4s   | 0  | 5 | TR on pile.                                 |
| 3540   | Mount Pleasant<br>Channel Daybeacon 10     | 32-47-02.666N<br>079-52-43.143W |           | 0  |   | TR on pile.                                 |
| 3545   | Mount Pleasant<br>Channel Daybeacon 12     | 32-47-05.215N<br>079-52-49.205W |           | 0  |   | TR on pile.                                 |
| 3550   | Mount Pleasant<br>Channel Daybeacon 14     | 32-47-08.028N<br>079-52-58.044W |           | 0  |   | TR on pile.                                 |
| 3555   | Mount Pleasant<br>Channel Light 16         | 32-47-07.855N<br>079-53-11.225W | FI R 4s   | 12 | 5 | TR on pile.                                 |
| 3560   | Shem Creek Range<br>Front Light            | 32-47-20.106N<br>079-53-11.999W | Q W       | 0  |   | KRW on pile.                                |
| 3565   | Shem Creek Range<br>Rear Light             | 32-47-22.781N<br>079-53-11.972W | Iso W 6s  | 0  |   | KRW on dolphin.                             |
| 3580   | Crab Bank Daybeacon                        | 32-46-05.787N<br>079-55-39.636W |           | 0  |   | NW on pile worded DANGER<br>SUBMERGED ROCK. |
| 3585   | Ashley River Lighted<br>Buoy 2             | 32-46-04.651N<br>079-56-08.347W | FI R 2.5s |    | 5 | Red with yellow triangle.                   |
| 3590   | Ashley River Light 3                       | 32-46-12.286N<br>079-56-41.309W | FI G 6s   | 0  | 5 | SG-SY on dolphin.                           |
| 3591   | Ashley River Buoy 3A                       | 32-46-29.820N<br>079-57-04.248W |           |    |   | Green Can.                                  |
| 3593   | Charleston City Marina<br>Dock Light A     | 32-46-44.984N<br>079-57-20.708W | FI W 5s   |    |   | On pier.                                    |
| 3595   | Ashley River Buoy 5                        | 32-46-42.885N<br>079-57-22.843W |           |    |   | Green Can.                                  |
| 3605   | Ashley River<br>Daybeacon 6                | 32-47-35.933N<br>079-58-17.662W |           | 0  |   | TR on pile.                                 |
| 3610   | Ashley River<br>Daybeacon 6A               | 32-47-49.215N<br>079-58-21.740W |           |    |   | TR on dolphin.                              |
| 3615   | Ashley River<br>Daybeacon 8                | 32-48-00.377N<br>079-58-22.588W |           | 0  |   | TR on dolphin.                              |
| 3620   | Ashley River<br>Daybeacon 9                | 32-48-11.693N<br>079-58-27.497W |           |    |   | SG on dolphin.                              |
| 3625   | Ashley River<br>Daybeacon 10               | 32-48-22.519N<br>079-58-13.716W |           | 0  |   | TR on pile.                                 |
| 3630   | Ashley River<br>Daybeacon 12               | 32-48-33.331N<br>079-58-04.308W |           |    |   | TR on pile.                                 |
| 3635   | Ashley River<br>Daybeacon 13               | 32-48-46.771N<br>079-58-00.642W |           | 0  |   | SG on pile.                                 |
| 3640   | Ashley River<br>Daybeacon 15               | 32-49-20.665N<br>079-57-56.154W |           |    |   | SG on pile.                                 |
| 3645   | Ashley River<br>Daybeacon 16               | 32-49-28.957N<br>079-57-50.448W |           |    |   | TR on pile.                                 |
| 3650   | Ashley River<br>Daybeacon 18               | 32-50-01.760N<br>079-58-08.894W |           |    |   | TR on dolphin.                              |
| 3655   | Ashley River<br>Daybeacon 20               | 32-50-13.867N<br>079-58-32.040W |           |    |   | TR on dolphin.                              |
| 3660   | Ashley River<br>Daybeacon 21               | 32-50-13.304N<br>079-59-12.647W |           | 0  |   | SG on pile.                                 |
| 3665   | Ashley River<br>Daybeacon 22               | 32-50-04.789N<br>079-59-25.392W |           | 0  |   | TR on pile.                                 |
| 3670   | Ashley River<br>Daybeacon 23               | 32-49-53.317N<br>079-59-49.854W |           | 0  |   | SG on pile.                                 |
| 3675   | Ashley River<br>Daybeacon 24               | 32-49-43.861N<br>080-00-19.461W |           | 0  |   | TR on pile.                                 |
| 3680   | Ashley River<br>Daybeacon 25               | 32-49-40.729N<br>080-00-30.360W |           |    |   | SG on pile.                                 |
| 3685   | Ashley River<br>Daybeacon 26               | 32-49-43.705N<br>080-00-40.290W |           |    |   | TR on pile.                                 |
| 3690   | Ashley River<br>Daybeacon 28               | 32-50-00.627N<br>080-01-15.327W |           | 0  |   | TR on pile.                                 |
| 3691   | Ashley River<br>Obstruction<br>Daybeacon A | 32-47-13.590N<br>079-57-37.750W |           |    |   | NW on pile worded DANGER<br>OBSTRUCTION.    |
| 3691.1 | Ashley River<br>Obstruction<br>Daybeacon B | 32-47-13.367N<br>079-57-37.478W |           |    |   | NW on pile worded DANGER<br>OBSTRUCTION.    |
| 3691.2 | Ashley River<br>Obstruction<br>Daybeacon C | 32-50-04.818N<br>079-59-13.000W |           |    |   | NW on pile worded DANGER<br>OBSTRUCTION.    |

|        |                                              |                                 |           |   |                                          |
|--------|----------------------------------------------|---------------------------------|-----------|---|------------------------------------------|
| 3691.3 | Ashley River<br>Obstruction<br>Daybeacon D   | 32-50-05.095N<br>079-59-12.779W |           |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 3734   | Folly River Lighted<br>Buoy 2                | 32-37-42.779N<br>079-59-20.083W | Fl R 2.5s | 3 | Red.                                     |
| 3735.3 | Folly River Buoy 6                           | 32-37-57.490N<br>079-59-20.579W |           |   | Red nun.                                 |
| 3735.1 | Folly River Buoy 4                           | 32-37-50.985N<br>079-59-18.114W |           |   | Red nun.                                 |
| 3735   | Folly River Buoy 3                           | 32-37-43.640N<br>079-59-22.779W |           |   | Green Can.                               |
| 3740.5 | Folly River Buoy 9                           | 32-38-10.929N<br>079-59-12.651W |           |   | Green can.                               |
| 3740.1 | Folly River Buoy 8                           | 32-38-09.713N<br>079-59-11.131W |           |   | Red nun.                                 |
| 3740.6 | Folly River Buoy 10                          | 32-38-24.595N<br>079-59-02.240W |           |   | Red nun.                                 |
| 3740   | Folly River Buoy 7                           | 32-37-51.229N<br>079-59-21.163W |           |   | Green can.                               |
| 3745   | Folly River Buoy 11                          | 32-38-24.986N<br>079-59-04.048W |           |   | Green can.                               |
| 3745.1 | Folly River Buoy 12                          | 32-38-36.901N<br>079-58-49.880W |           |   | Red nun.                                 |
| 3750.4 | Folly River Buoy 14                          | 32-38-43.779N<br>079-58-35.713W |           |   | Red nun.                                 |
| 3750.8 | Folly River Buoy 17                          | 32-38-54.243N<br>079-57-53.457W |           |   | Green can.                               |
| 3750.7 | Folly River Buoy 16                          | 32-38-50.485N<br>079-58-14.423W |           |   | Red nun.                                 |
| 3750.9 | Folly River Buoy 17A                         | 32-38-50.340N<br>079-58-05.375W |           |   | Green can.                               |
| 3760   | Folly River Buoy 19                          | 32-39-03.206N<br>079-57-39.313W |           |   | Green can.                               |
| 3765   | Stono River<br>Daybeacon 2                   | 32-38-20.673N<br>080-00-48.751W |           | 0 | TR on pile.                              |
| 3770   | Stono River Preferred<br>Channel Daybeacon A | 32-38-27.224N<br>080-01-15.734W |           |   | JG on pile.                              |
| 3775   | Stono River<br>Daybeacon 3                   | 32-39-21.729N<br>080-00-48.776W |           |   | SG on pile.                              |
| 3775.5 | Stono River<br>Daybeacon 3A                  | 32-39-46.380N<br>080-00-09.769W |           |   | SG on pile..                             |
| 3780   | Stono River<br>Daybeacon 4                   | 32-39-50.937N<br>079-59-55.224W |           | 0 | TR on pile.                              |
| 3782   | Stono River Inshore<br>Reef Buoy A           | 32-40-19.500N<br>080-00-00.000W |           |   |                                          |
| 3783   | Stono River Inshore<br>Reef Buoy B           | 32-40-27.300N<br>080-00-04.500W |           |   |                                          |
| 3785   | Stono River<br>Daybeacon 6                   | 32-40-46.184N<br>080-00-13.557W |           | 0 | TR on pile.                              |
| 3790   | Stono River<br>Daybeacon 7                   | 32-41-10.834N<br>080-00-16.472W |           |   | SG on pile.                              |
| 3795   | Stono River<br>Daybeacon 9                   | 32-41-19.626N<br>079-59-46.835W |           | 0 | SG on pile.                              |
| 3800   | Stono River<br>Daybeacon 10                  | 32-41-24.222N<br>079-59-16.729W |           |   | TR on pile.                              |
| 3805   | Stono River<br>Daybeacon 11                  | 32-42-40.959N<br>079-59-18.383W |           |   | SG on pile.                              |
| 3810   | Stono River<br>Daybeacon 12                  | 32-43-04.242N<br>079-59-14.671W |           | 0 | TR on pile.                              |
| 3815   | Stono River<br>Daybeacon 12A                 | 32-43-16.550N<br>079-59-52.747W |           |   | TR on pile.                              |
| 3820   | Stono River<br>Daybeacon 14                  | 32-43-21.096N<br>080-00-07.957W |           | 0 | TR on pile.                              |
| 3822   | Stono River<br>Obstruction<br>Daybeacon A    | 32-43-23.269N<br>079-59-46.258W |           |   | NW on pile worded<br>OBSTRUCTION.        |
| 3823   | Stono River<br>Obstruction<br>Daybeacon B    | 32-43-23.798N<br>079-59-47.330W |           |   | NW on pile worded<br>OBSTRUCTION.        |
| 3825   | Stono River<br>Daybeacon 15                  | 32-43-52.312N<br>080-00-34.182W |           | 0 | SG on pile.                              |

|        |                                                     |                                 |              |    |   |                                                              |                                                    |
|--------|-----------------------------------------------------|---------------------------------|--------------|----|---|--------------------------------------------------------------|----------------------------------------------------|
| 3830   | Stono River<br>Daybeacon 16                         | 32-44-40.530N<br>080-00-28.393W |              | 0  |   | TR on pile.                                                  |                                                    |
| 3835   | Stono River<br>Daybeacon 16A                        | 32-45-26.170N<br>080-00-26.729W |              |    |   | TR on pile.                                                  |                                                    |
| 3840   | Stono River<br>Daybeacon 17                         | 32-45-41.459N<br>080-00-16.120W |              | 0  |   | SG on pile.                                                  |                                                    |
| 3845   | Stono River<br>Daybeacon 19                         | 32-45-54.892N<br>080-00-12.280W |              | 0  |   | SG on pile.                                                  |                                                    |
| 3850   | Stono River Preferred<br>Channel Light B            | 32-46-00.647N<br>080-00-06.081W | Fl (2+1)G 6s | 0  | 5 | JG-SY on pile.                                               |                                                    |
| 3855   | North Edisto River<br>Entrance Lighted Buoy<br>2NE  | 32-31-21.399N<br>080-06-51.374W | Fl R 4s      |    | 5 | Red.                                                         |                                                    |
| 3865   | North Edisto River<br>Entrance Lighted Buoy<br>6    | 32-31-38.851N<br>080-08-03.741W | Fl R 4s      |    | 5 | Red.                                                         |                                                    |
| 3870   | North Edisto River<br>Entrance Range Front<br>Light | 32-34-57.120N<br>080-12-29.603W | Q W          | 21 |   | KRW on dolphin.                                              | Visible all around; higher intensity on rangeline. |
| 3875   | North Edisto River<br>Entrance Range Rear<br>Light  | 32-35-20.591N<br>080-12-57.361W | Iso W 6s     | 30 |   | KRW on skeleton tower on<br>piles.                           | Visible 4° each side of rangeline.                 |
| 3880   | North Edisto River<br>Inner Buoy 7                  | 32-32-17.390N<br>080-09-21.551W |              |    |   | Green can.                                                   | Ra ref.                                            |
| 3885   | North Edisto River<br>Inner Lighted Buoy 9          | 32-32-43.060N<br>080-09-51.938W | Fl G 4s      |    | 5 | Green.                                                       |                                                    |
| 3890   | Steamboat Creek<br>Daybeacon 2                      | 32-36-53.511N<br>080-16-06.545W |              | 0  |   | TR on pile.                                                  |                                                    |
| 3895   | Bohicket Creek<br>Daybeacon 2                       | 32-35-40.434N<br>080-11-50.707W |              | 0  |   | TR on pile.                                                  |                                                    |
| 3900   | Bohicket Creek<br>Daybeacon 4                       | 32-35-49.681N<br>080-11-38.267W |              | 0  |   | TR on pile.                                                  |                                                    |
| 3905   | Bohicket Creek<br>Daybeacon 5                       | 32-35-50.464N<br>080-11-08.513W |              | 0  |   | SG on pile.                                                  |                                                    |
| 3910   | Bohicket Creek<br>Daybeacon 7                       | 32-35-41.728N<br>080-10-56.033W |              | 0  |   | SG on pile.                                                  |                                                    |
| 3915   | Bohicket Creek<br>Daybeacon 8                       | 32-35-58.805N<br>080-10-32.262W |              | 0  |   | TR on pile.                                                  |                                                    |
| 3925   | South Edisto River<br>Approach Buoy 1               | 32-26-52.387N<br>080-19-13.940W |              |    |   | Green can.                                                   |                                                    |
| 3930   | South Edisto River<br>Approach Buoy 3               | 32-28-16.364N<br>080-20-15.751W |              |    |   | Green can.                                                   |                                                    |
| 3935   | South Edisto River<br>Light 4                       | 32-29-36.587N<br>080-21-00.152W | Fl R 2.5s    | 0  | 5 | TR on dolphin.                                               |                                                    |
| 3940   | South Edisto River<br>Daybeacon 6                   | 32-30-21.540N<br>080-21-21.594W |              | 0  |   | TR on pile.                                                  |                                                    |
| 3945   | South Edisto River<br>Daybeacon 7                   | 32-31-31.646N<br>080-22-34.832W |              | 0  |   | SG on pile.                                                  |                                                    |
| 3950   | South Edisto River<br>Junction Daybeacon<br>SE      | 32-32-13.788N<br>080-24-02.449W |              | 0  |   | JR on pile.                                                  |                                                    |
| 3951   | Fish Creek<br>Obstruction Buoy A                    | 32-31-03.700N<br>080-23-21.520W |              |    |   | White nun with orange bands<br>and diamond worded<br>DANGER. |                                                    |
| 3951.1 | Fish Creek<br>Obstruction Buoy B                    | 32-31-03.810N<br>080-23-22.930W |              |    |   | White nun with orange bands<br>and diamond worded<br>DANGER. |                                                    |
| 3951.2 | Fish Creek<br>Obstruction Buoy C                    | 32-29-39.360N<br>080-23-11.460W |              |    |   | White nun with orange bands<br>and diamond worded<br>DANGER. |                                                    |
| 3951.3 | Fish Creek<br>Obstruction Buoy D                    | 32-29-16.500N<br>080-23-17.460W |              |    |   | White nun with orange bands<br>and diamond worded<br>DANGER. |                                                    |
| 3951.4 | Fish Creek<br>Obstruction Buoy E                    | 32-29-39.240N<br>080-23-09.660W |              |    |   | White nun with orange bands<br>and diamond worded<br>DANGER. |                                                    |
| 3951.5 | Fish Creek<br>Obstruction Buoy F                    | 32-29-17.820N<br>080-23-16.440W |              |    |   | White nun with orange bands<br>and diamond worded<br>DANGER. |                                                    |
| 3952   | Big Bay Creek<br>Obstruction<br>Daybeacon A         | 32-30-10.555N<br>080-19-25.904W |              |    |   | NW on pile worded DANGER<br>OBSTRUCTION.                     |                                                    |

|        |                                         |                                 |           |   |   |                                                   |
|--------|-----------------------------------------|---------------------------------|-----------|---|---|---------------------------------------------------|
| 3952.1 | Big Bay Creek Obstruction Daybeacon B   | 32-30-09.339N<br>080-19-25.150W |           |   |   | NW on pile worded DANGER OBSTRUCTION.             |
| 3955   | St Helena Sound Entrance Buoy 1         | 32-21-39.624N<br>080-18-27.928W |           |   |   | Green can.                                        |
| 3960   | St Helena Sound Entrance Buoy 2         | 32-21-48.359N<br>080-19-09.333W |           |   |   | Red nun.                                          |
| 3965   | St Helena Sound Entrance Buoy 4         | 32-21-45.018N<br>080-20-02.014W |           |   |   | Red nun.                                          |
| 3970   | St Helena Sound Buoy 4B                 | 32-23-45.635N<br>080-21-16.554W |           |   |   | Red nun.                                          |
| 3975   | St Helena Sound Buoy 4A                 | 32-22-35.918N<br>080-20-51.686W |           |   |   | Red nun.                                          |
| 3980   | St Helena Sound Buoy 5                  | 32-24-33.314N<br>080-21-28.886W |           |   |   | Green can.                                        |
| 3985   | St Helena Sound Buoy 7                  | 32-25-12.832N<br>080-21-41.816W |           |   |   | Green can.                                        |
| 3990   | St Helena Sound Buoy 9                  | 32-25-45.251N<br>080-22-43.147W |           |   |   | Green can.                                        |
| 3995   | St Helena Sound Buoy 11                 | 32-26-48.671N<br>080-24-19.757W |           |   |   | Green can.                                        |
| 4010   | Egg Bank Buoy 4                         | 32-25-57.219N<br>080-26-36.197W |           |   |   |                                                   |
| 4013   | Egg Bank Buoy 4A                        | 32-25-52.422N<br>080-26-28.291W |           |   |   | Red nun                                           |
| 4015   | Egg Bank Buoy 6                         | 32-25-41.911N<br>080-26-22.445W |           |   |   | Red nun.                                          |
| 4020   | Egg Bank Buoy 8                         | 32-25-02.958N<br>080-26-15.480W |           |   |   | Red nun.                                          |
| 4027   | Harbor River Buoy 9                     | 32-23-08.771N<br>080-28-49.368W |           |   |   | Green can.                                        |
| 4029   | Harbor River Buoy 10                    | 32-22-41.078N<br>080-29-22.729W |           |   |   | Red Nun.                                          |
| 4030   | Harbor River Buoy 10A                   | 32-22-37.612N<br>080-29-32.448W |           |   |   | Red nun.                                          |
| 4032   | Harbor River Buoy 11                    | 32-22-26.747N<br>080-29-36.408W |           |   |   | Green can.                                        |
| 4033   | Harbor River Buoy 11A                   | 32-22-20.851N<br>080-29-36.109W |           |   |   | Green can.                                        |
| 4035.1 | Story River Buoy 12                     | 32-20-55.644N<br>080-28-56.514W |           |   |   | Red nun.                                          |
| 4038   | Old House Creek Buoy 14                 | 32-20-24.276N<br>080-28-12.617W |           |   |   | Red nun.                                          |
| 4040   | Combahee Bank Light                     | 32-28-03.813N<br>080-26-03.788W | Fl W 4s   | 0 | 5 | NR on dolphin.                                    |
| 4045   | Otter Island Daybeacon 1                | 32-29-08.261N<br>080-25-32.778W |           | 0 |   | SG on pile.                                       |
| 4050   | Otter Island Daybeacon 2                | 32-29-20.972N<br>080-25-15.954W |           |   |   | TR on pile.                                       |
| 4055   | St Helena Sound Buoy 12                 | 32-28-06.836N<br>080-26-51.902W |           |   |   | Red nun.                                          |
| 4060   | St Helena Sound Lighted Buoy 13         | 32-29-22.862N<br>080-29-23.088W | Fl G 4s   |   | 5 | Green.                                            |
| 4065   | Hunting Island Light                    | 32-22-32.000N<br>080-26-15.500W | FFI W 30s |   |   | White tower with black top.                       |
| 4070   | Hunting Island Pier Light               | 32-20-24.703N<br>080-27-41.382W | F R       |   |   | On pier.                                          |
| 4075   | Port Royal Sound Lighted Buoy P         | 32-05-08.316N<br>080-35-01.871W | Mo (A) W  |   | 5 | Red and white stripes with red spherical topmark. |
| 4090   | Port Royal Sound Channel Lighted Buoy 4 | 32-05-55.224N<br>080-35-03.778W | Fl R 4s   |   | 5 | Red.                                              |
| 4095   | Port Royal Sound Channel Lighted Buoy 5 | 32-05-55.194N<br>080-35-10.905W | Fl G 4s   |   | 5 | Green.                                            |
| 4100   | Port Royal Sound Channel Lighted Buoy 6 | 32-06-49.129N<br>080-35-12.199W | Fl R 2.5s |   | 5 | Red.                                              |
| 4105   | Port Royal Sound Channel Lighted Buoy 7 | 32-06-47.901N<br>080-35-17.523W | Fl G 2.5s |   | 5 | Green.                                            |

|      |                                                    |                                 |         |   |             |                                    |
|------|----------------------------------------------------|---------------------------------|---------|---|-------------|------------------------------------|
| 4110 | Port Royal Sound<br>Channel Lighted Buoy<br>8      | 32-07-38.314N<br>080-35-16.023W | FI R 4s | 5 | Red.        |                                    |
| 4115 | Port Royal Sound<br>Channel Lighted Bell<br>Buoy 9 | 32-07-38.511N<br>080-35-23.080W | FI G 4s | 5 | Green.      |                                    |
| 4120 | Port Royal Sound<br>Channel Lighted Buoy<br>10     | 32-08-47.166N<br>080-35-22.406W | FI R 6s | 5 | Red.        |                                    |
| 4125 | Port Royal Sound<br>Channel Lighted Buoy<br>11     | 32-08-46.256N<br>080-35-31.085W | FI G 4s | 5 | Green.      |                                    |
| 4130 | Port Royal Sound<br>Channel Lighted Buoy<br>14     | 32-10-11.174N<br>080-35-32.159W | FI R 4s | 5 | Red.        |                                    |
| 4135 | Port Royal Sound<br>Lighted Buoy 15                | 32-10-11.271N<br>080-35-39.746W | Q G     | 4 | Green.      |                                    |
| 4140 | Port Royal Sound<br>Lighted Buoy 19                | 32-11-03.960N<br>080-36-14.807W | FI G 4s | 5 | Green.      |                                    |
| 4145 | Port Royal Sound<br>Lighted Buoy 23                | 32-13-08.525N<br>080-37-44.371W | FI G 6s | 5 | Green.      |                                    |
| 4155 | Port Royal Sound<br>Lighted Bell Buoy 24           | 32-15-41.048N<br>080-39-19.007W | Q R     | 4 | Red.        |                                    |
| 4160 | Port Royal Sound<br>Lighted Buoy 25                | 32-15-37.984N<br>080-39-29.681W | Q G     | 4 | Green.      |                                    |
| 4170 | Mackay Creek Light 1                               | 32-16-55.715N<br>080-44-51.168W | FI W 4s |   | SG on pile. |                                    |
| 4175 | Mackay Creek<br>Daybeacon 3                        | 32-16-36.139N<br>080-45-26.852W |         |   | SG on pile. | Private aid.                       |
| 4180 | Mackay Creek<br>Daybeacon 5                        | 32-16-19.757N<br>080-45-51.430W |         |   | SG on pile. | Private aid.                       |
| 4185 | Mackay Creek<br>Daybeacon 6                        | 32-15-49.946N<br>080-45-53.019W |         |   | TR on pile. | Private aid.                       |
| 4190 | Mackay Creek<br>Daybeacon 8                        | 32-15-33.775N<br>080-46-18.187W |         |   | TR on pile. | Private aid.                       |
| 4195 | Mackay Creek<br>Daybeacon 9                        | 32-15-30.495N<br>080-46-39.070W |         |   | SG on pile. | Private aid.                       |
| 4200 | Moss Creek<br>Daybeacon 1                          | 32-14-50.383N<br>080-47-12.826W |         |   | SG on pile. | Private aid.                       |
| 4205 | Moss Creek<br>Daybeacon 2                          | 32-14-53.053N<br>080-47-10.031W |         |   | TR on pile. | Private aid.                       |
| 4210 | Moss Creek<br>Daybeacon 4                          | 32-14-58.431N<br>080-47-27.128W |         |   | TR on pile. | Private aid.                       |
| 4215 | Moss Creek<br>Daybeacon 6                          | 32-14-55.224N<br>080-47-44.979W |         |   | TR on pile. | Private aid.                       |
| 4220 | Moss Creek<br>Daybeacon 8                          | 32-15-03.026N<br>080-47-58.117W |         |   | TR on pile. | Private aid.                       |
| 4235 | Parris Island Spit Light<br>246                    | 32-16-43.368N<br>080-39-58.950W | FI R 4s | 0 | 5           | TR-TY on dolphin.                  |
| 4245 | Beaufort River Buoy<br>26                          | 32-16-44.745N<br>080-39-13.406W |         |   |             | Red nun with yellow square.        |
| 4250 | Beaufort River Lighted<br>Buoy 27                  | 32-16-56.744N<br>080-39-18.206W | FI G 4s | 5 |             | Green with yellow triangle.        |
| 4255 | Beaufort River Buoy<br>29                          | 32-17-42.242N<br>080-39-12.305W |         |   |             | Green can with yellow<br>triangle. |
| 4260 | Beaufort River Lighted<br>Buoy 31                  | 32-18-28.739N<br>080-39-07.705W | FI G 4s | 5 |             | Green with yellow triangle.        |
| 4265 | Beaufort River Lighted<br>Buoy 31A                 | 32-18-54.842N<br>080-39-04.759W | Q G     | 4 |             | Green with yellow triangle.        |
| 4280 | Beaufort River Buoy<br>33                          | 32-19-36.236N<br>080-39-22.004W |         |   |             | Green can with yellow<br>triangle. |
| 4285 | Beaufort River Buoy<br>36                          | 32-20-22.634N<br>080-39-32.894W |         |   |             | Red nun with yellow square.        |
| 4290 | Beaufort River Lighted<br>Buoy 37                  | 32-20-36.633N<br>080-39-43.104W | Q G     | 4 |             | Green with yellow triangle.        |
| 4305 | Beaufort River Buoy<br>39                          | 32-21-26.331N<br>080-40-21.703W |         |   |             | Green can with yellow<br>square.   |
| 4310 | Beaufort River Buoy<br>40                          | 32-21-37.550N<br>080-40-20.543W |         |   |             | Red nun with yellow square.        |
| 4325 | Beaufort River Lighted<br>Buoy 41                  | 32-21-48.090N<br>080-40-38.193W | Q G     | 4 |             | Green with yellow triangle.        |

|      |                                             |                                 |           |   |   |                                       |
|------|---------------------------------------------|---------------------------------|-----------|---|---|---------------------------------------|
| 4330 | Battery Creek<br>Daybeacon 42               | 32-22-03.117N<br>080-40-53.656W |           | 0 |   | TR on pile.                           |
| 4335 | Battery Creek Light 43                      | 32-21-58.740N<br>080-41-04.732W | FI G 4s   | 0 | 5 | SG on pile.                           |
| 4340 | Port Royal Turning<br>Basin Daybeacon 47    | 32-22-21.856N<br>080-41-48.508W |           | 0 |   | SG on pile.                           |
| 4355 | Baynard Cove Creek<br>Daybeacon 2           | 32-07-24.751N<br>080-49-29.393W |           |   |   | TR on pile.                           |
| 4370 | Haig Point Light                            | 32-08-42.746N<br>080-50-11.393W | FI W 14s  |   |   | White square tower on<br>house.       |
| 4375 | Harbour Town Light 1                        | 32-08-20.200N<br>080-48-59.200W | FI G 6s   |   |   | SG on pile. Private aid.              |
| 4380 | Harbour Town Light 2                        | 32-08-18.700N<br>080-48-59.600W | Q R       |   |   | TR on pile. Private aid.              |
| 4385 | Harbour Town Light 3                        | 32-08-18.149N<br>080-48-50.793W | Q G       |   |   | SG on pile.                           |
| 4390 | Harbour Town Light 4                        | 32-08-19.149N<br>080-48-50.493W | Q R       |   |   | TR on pile.                           |
| 4395 | Harbour Town<br>Lighthouse                  | 32-08-19.100N<br>080-48-45.400W | FI W 30s  |   |   | Red and white bands on<br>tower.      |
| 4400 | Broad Creek<br>Daybeacon 1                  | 32-08-45.183N<br>080-48-45.971W |           | 0 |   | SG on pile.                           |
| 4405 | Broad Creek<br>Daybeacon 2                  | 32-08-43.518N<br>080-48-30.150W |           | 0 |   | TR on pile.                           |
| 4410 | Broad Creek<br>Daybeacon 4                  | 32-09-44.382N<br>080-47-34.511W |           | 0 |   | TR on pile.                           |
| 4415 | Wexford Harbour<br>Daybeacon 1              | 32-10-42.043N<br>080-45-39.590W |           |   |   | SG on pile.                           |
| 4420 | Wexford Harbour<br>Daybeacon 3              | 32-10-40.944N<br>080-45-38.990W |           |   |   | SG on pile.                           |
| 4425 | Wexford Harbour<br>Daybeacon 4              | 32-10-40.644N<br>080-45-40.390W |           |   |   | TR on pile.                           |
| 4430 | Wexford Harbour<br>Daybeacon 5              | 32-10-38.744N<br>080-45-38.990W |           |   |   | SG on pile.                           |
| 4435 | Wexford Harbour<br>Daybeacon 6              | 32-10-38.844N<br>080-45-41.090W |           |   |   | TR on pile.                           |
| 4440 | Wexford Harbour<br>Daybeacon 7              | 32-10-36.644N<br>080-45-41.390W |           |   |   | SG on pile.                           |
| 4445 | Wexford Harbour<br>Daybeacon 8              | 32-10-37.344N<br>080-45-43.290W |           |   |   | TR on pile.                           |
| 4450 | Wexford Harbour<br>Daybeacon 9              | 32-10-34.744N<br>080-45-43.390W |           |   |   | SG on pile.                           |
| 4455 | Wexford Harbour<br>Daybeacon 10             | 32-10-35.144N<br>080-45-45.290W |           |   |   | TR on pile.                           |
| 4460 | Wexford Harbour<br>Daybeacon 12             | 32-10-34.644N<br>080-45-47.390W |           |   |   | TR on pile.                           |
| 4465 | Wexford Harbour<br>Obstruction<br>Daybeacon | 32-10-33.244N<br>080-45-49.390W |           |   |   | NW on pile worded DANGER<br>SHOALING. |
| 4470 | Broad Creek<br>Daybeacon 7                  | 32-10-47.334N<br>080-45-39.717W |           | 0 |   | SG on pile.                           |
| 4475 | Broad Creek<br>Daybeacon 8                  | 32-11-00.213N<br>080-45-18.317W |           | 0 |   | TR on pile.                           |
| 4480 | Broad Creek<br>Daybeacon 10                 | 32-11-05.767N<br>080-45-08.407W |           | 0 |   | TR on pile.                           |
| 4485 | Broad Creek<br>Daybeacon 11                 | 32-11-07.389N<br>080-45-00.425W |           | 0 |   | SG on pile.                           |
| 4490 | Broad Creek<br>Daybeacon 13                 | 32-11-00.743N<br>080-44-51.389W |           |   |   | SG on pile.                           |
| 4495 | Broad Creek<br>Daybeacon 15                 | 32-10-58.743N<br>080-44-41.389W |           |   |   | SG on pile.                           |
| 4500 | Broad Creek<br>Daybeacon 17                 | 32-10-59.743N<br>080-44-29.389W |           |   |   | SG on pile.                           |
| 4505 | Broad Creek Light 18                        | 32-11-04.742N<br>080-44-09.389W | FI R 6s   |   |   | TR on pile.                           |
| 4510 | Broad Creek<br>Daybeacon 19                 | 32-11-05.742N<br>080-44-05.389W |           |   |   | SG on pile.                           |
| 4515 | Broad Creek<br>Daybeacon 21                 | 32-11-02.742N<br>080-44-02.389W |           |   |   | SG on pile.                           |
| 4520 | Palmetto Dunes                              | 32-10-59.742N                   | FI R 2.5s |   |   | TR on pile.                           |



|        |                                                         |                                 |           |    |    |                                                                           |                                                          |
|--------|---------------------------------------------------------|---------------------------------|-----------|----|----|---------------------------------------------------------------------------|----------------------------------------------------------|
|        | Marina West Light 22                                    | 080-43-59.389W                  |           |    |    |                                                                           |                                                          |
| 4525   | Palmetto Dunes<br>Marina E Light 23                     | 32-11-00.742N<br>080-43-57.389W | FI G 2.5s |    |    | SG on pile.                                                               |                                                          |
| 4526.5 | Savannah River<br>Entrance Channel<br>Lighted Buoy 2SE  | 31-56-40.119N<br>080-37-01.350W | Q R       | 4  |    | Red.                                                                      |                                                          |
| 4526   | Savannah River<br>Entrance Channel<br>Lighted Buoy 1SE  | 31-56-33.233N<br>080-37-03.488W | Q G       | 4  |    | Green.                                                                    |                                                          |
| 4526.9 | Savannah River<br>Entrance Channel V-<br>AIS 4SE        | 31-57-02.594N<br>080-38-41.024W |           |    |    |                                                                           | AIS: MMSI 993672640                                      |
| 4526.8 | Savannah River<br>Entrance Channel V-<br>AIS 3SE        | 31-56-55.707N<br>080-38-43.160W |           |    |    |                                                                           | AIS: MMSI 993672665                                      |
| 4527   | Savannah River<br>Entrance Channel<br>Lighted Buoy 5SE  | 31-57-19.316N<br>080-40-27.986W | FI G 4s   | 5  |    | Green.                                                                    |                                                          |
| 4527.5 | Savannah River<br>Entrance Channel<br>Lighted Buoy 6SE  | 31-57-26.204N<br>080-40-25.851W | FI R 4s   | 5  |    | Red.                                                                      |                                                          |
| 4527.9 | Savannah River<br>Entrance Channel V-<br>AIS 8SE        | 31-57-48.060N<br>080-42-02.995W |           |    |    |                                                                           | AIS: MMSI 993672630                                      |
| 4527.8 | Savannah River<br>Entrance Channel V-<br>AIS 7SE        | 31-57-41.171N<br>080-42-05.128W |           |    |    |                                                                           | AIS: MMSI 993672638                                      |
| 4528   | Savannah River<br>Entrance Channel<br>Lighted Buoy 9SE  | 31-58-01.441N<br>080-43-35.321W | FI G 2.5s | 4  |    | Green.                                                                    |                                                          |
| 4528.5 | Savannah River<br>Entrance Channel<br>Lighted Buoy 10SE | 31-58-08.887N<br>080-43-32.019W | FI R 2.5s | 4  |    | Red.                                                                      |                                                          |
| 4530   | Tybee V-AIS T                                           | 31-56-09.548N<br>080-35-03.436W |           |    |    |                                                                           | AIS: MMSI 993672996                                      |
| 4530   | Tybee Approach VAIS<br>T                                | 31-55-50.700N<br>080-33-39.410W |           |    |    |                                                                           |                                                          |
| 4535   | Tybee Range Front<br>Light                              | 32-00-25.668N<br>080-48-44.269W | Q W       | 20 |    | KRW on skeleton tower.                                                    | Visible 2° each side of rangeline.                       |
| 4540   | Tybee Light                                             | 32-01-20.040N<br>080-50-44.478W | F W       | 0  | 19 | Octagonal brick tower upper<br>and lower one third black<br>middle white. | Lighted throughout 24 hours.                             |
| 4545   | Tybee Range Channel<br>V-AIS 1                          | 31-58-17.495N<br>080-44-12.034W |           |    |    |                                                                           | AIS: MMSI 993672147                                      |
| 4550   | Tybee Range Channel<br>V-AIS 2                          | 31-58-24.486N<br>080-44-07.675W |           |    |    |                                                                           | AIS: MMSI 993672148                                      |
| 4555   | Tybee Range Lighted<br>Buoy 3                           | 31-58-43.444N<br>080-45-09.377W | FI G 4s   | 5  |    | Green.                                                                    |                                                          |
| 4560   | Tybee Range Lighted<br>Buoy 4                           | 31-58-50.450N<br>080-45-04.998W | FI R 4s   | 5  |    | Red.                                                                      |                                                          |
| 4565   | Tybee Range Lighted<br>Buoy 5                           | 31-59-09.611N<br>080-46-06.939W | FI G 2.5s | 5  |    | Green.                                                                    |                                                          |
| 4570   | Tybee Range Lighted<br>Buoy 6                           | 31-59-16.148N<br>080-46-02.285W | FI R 2.5s | 5  |    | Red.                                                                      |                                                          |
| 4575   | Tybee Range Lighted<br>Buoy 7                           | 31-59-39.757N<br>080-47-07.039W | Q G       | 4  |    | Green.                                                                    |                                                          |
| 4580   | Bloody Point Range<br>Lighted Bell Buoy 8               | 31-59-45.959N<br>080-46-59.478W | Q R       | 4  |    | Red.                                                                      |                                                          |
| 4580.1 | Bloody Point Range<br>Lighted Buoy 8A                   | 32-00-02.064N<br>080-47-17.832W | FI R 4s   | 5  |    | Red.                                                                      |                                                          |
| 4585   | Bloody Point Range<br>Front Light                       | 32-02-33.152N<br>080-49-41.613W | FI W 2.5s |    |    | On square skeleton tower on<br>piles.                                     | Visible 1.5° each side of range line both Day and Night. |
| 4585.5 | Bloody Point Range<br>Front Passing Light               | 32-02-31.354N<br>080-49-39.928W | FI W 2.5s | 5  |    | On same structure as Bloody<br>Point Range Front Light.                   |                                                          |
| 4590   | Bloody Point Range<br>Rear Light                        | 32-03-23.708N<br>080-50-27.460W | Iso W 6s  | 45 |    | On square skeleton tower on<br>piles.                                     | Visible 1.5° each side of range line both Day and Night. |
| 4590.5 | Bloody Point Range<br>Rear Passing Light                | 32-03-18.024N<br>080-50-22.147W | FI W 4s   | 5  |    | On same structure as Bloody<br>Point Range Rear Light.                    |                                                          |
| 4595   | Bloody Point Range<br>Lighted Buoy 9                    | 32-00-24.891N<br>080-47-50.696W | FI G 2.5s | 5  |    | Green.                                                                    |                                                          |
| 4600   | Bloody Point Range                                      | 32-00-28.536N                   | FI R 2.5s | 5  |    | Red.                                                                      |                                                          |

|      |                                               |                                 |           |    |                                                |                                                                   |  |
|------|-----------------------------------------------|---------------------------------|-----------|----|------------------------------------------------|-------------------------------------------------------------------|--|
|      | Lighted Buoy 10                               | 080-47-42.844W                  |           |    |                                                |                                                                   |  |
| 4605 | Bloody Point Range<br>Lighted Buoy 11         | 32-01-09.065N<br>080-48-30.578W | FI G 4s   | 5  | Green.                                         | AIS: MMSI 993672355                                               |  |
| 4610 | Bloody Point Range<br>Lighted Buoy 12         | 32-01-13.719N<br>080-48-23.553W | FI R 4s   | 5  | Red.                                           | AIS: MMSI 993672356                                               |  |
| 4615 | Bloody Point Range<br>Lighted Buoy 13         | 32-01-48.945N<br>080-49-14.351W | Q G       | 4  | Green.                                         |                                                                   |  |
| 4620 | Bloody Point Range<br>Lighted Buoy 14         | 32-01-58.405N<br>080-49-06.527W | FI R 2.5s | 5  | Red.                                           |                                                                   |  |
| 4625 | Jones Island Range<br>Front Light             | 32-02-31.880N<br>080-51-10.749W | Q W       |    |                                                | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |  |
| 4630 | Jones Island Range<br>Rear Light              | 32-02-37.644N<br>080-51-30.511W | Iso W 6s  | 25 |                                                | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |  |
| 4635 | Jones Island Range<br>Lighted Buoy 15         | 32-02-02.387N<br>080-49-48.215W | FI G 2.5s | 5  | Green.                                         |                                                                   |  |
| 4640 | Jones Island Range<br>Lighted Bell Buoy 17    | 32-02-12.121N<br>080-50-30.945W | FI G 4s   | 5  | Green.                                         |                                                                   |  |
| 4645 | Jones Island Range<br>Lighted Buoy 18         | 32-02-22.491N<br>080-50-25.914W | FI R 4s   | 5  | Red.                                           |                                                                   |  |
| 4650 | South Channel Lighted<br>Buoy 1               | 32-01-50.711N<br>080-51-12.192W | FI G 4s   | 5  | Green.                                         |                                                                   |  |
| 4655 | South Channel Buoy 3                          | 32-01-38.658N<br>080-51-19.972W |           |    | Green can.                                     |                                                                   |  |
| 4660 | South Channel<br>Daybeacon 5<br>(Savannah)    | 32-01-16.610N<br>080-51-53.063W |           | 0  | SG on pile.                                    |                                                                   |  |
| 4661 | Cockspur Lighthouse                           | 32-01-21.660N<br>080-52-48.000W | FI W 4s   |    | Structure and Daymark<br>Privately Maintained. |                                                                   |  |
| 4665 | Lazaretto Creek Light<br>2                    | 32-01-05.655N<br>080-52-54.358W | FI R 4s   | 0  | 5                                              | TR on pile.                                                       |  |
| 4675 | Lazaretto Creek<br>Lighted Buoy WR3           | 32-00-33.263N<br>080-53-11.339W | FI G 2.5s | 5  | Green.                                         |                                                                   |  |
| 4683 | Calibogue Sound<br>Entrance Lighted Buoy<br>2 | 32-03-54.567N<br>080-49-48.938W | Q R       | 4  | Red.                                           |                                                                   |  |
| 4685 | Calibogue Sound<br>Entrance Lighted Buoy<br>3 | 32-03-54.692N<br>080-49-59.494W | Q G       | 4  | Green.                                         |                                                                   |  |
| 4690 | Calibogue Sound<br>Entrance Buoy 4            | 32-04-59.011N<br>080-49-26.946W |           |    | Red nun.                                       |                                                                   |  |
| 4695 | Calibogue Sound<br>Entrance Lighted Buoy<br>5 | 32-05-04.585N<br>080-49-56.554W | FI G 6s   | 5  | Green.                                         |                                                                   |  |
| 4700 | Calibogue Sound<br>Entrance Lighted Buoy<br>6 | 32-06-19.211N<br>080-49-46.919W | FI R 6s   | 5  | Red.                                           |                                                                   |  |
| 4705 | Calibogue Sound<br>Entrance Daybeacon 7       | 32-06-32.475N<br>080-50-20.633W |           | 0  | SG on pile.                                    |                                                                   |  |
| 4710 | Tybee Knoll Cut Range<br>Front Light          | 32-02-00.058N<br>080-53-54.413W | Q W       | 35 | KRW on square skeleton<br>tower on piles.      | Visible 2° each side of rangeline.                                |  |
| 4715 | Tybee Knoll Cut Range<br>Rear Light           | 32-01-57.114N<br>080-54-25.782W | Iso W 6s  | 70 | KRW on square skeleton<br>tower.               | Visible 2° each side of rangeline.                                |  |
| 4720 | Savannah River North<br>Jetty Light           | 32-02-28.997N<br>080-50-57.065W | FI W 4s   | 0  | 5                                              | NW on pile worded DANGER<br>SUBMERGED JETTY.                      |  |
| 4725 | Savannah River South<br>Jetty Light           | 32-02-04.646N<br>080-51-03.951W | FI W 2.5s | 0  | 5                                              | NW on pile worded DANGER<br>SUBMERGED JETTY.                      |  |
| 4730 | Tybee Knoll Cut Range<br>Lighted Buoy 20      | 32-02-16.953N<br>080-51-26.372W | FI R 4s   | 5  | Red.                                           |                                                                   |  |
| 4735 | Tybee Knoll Cut Range<br>Lighted Buoy 21      | 32-02-05.604N<br>080-52-23.358W | FI G 4s   | 5  | Green.                                         | AIS: MMSI 993672360                                               |  |
| 4740 | Tybee Knoll Cut Range<br>Lighted Buoy 24      | 32-02-07.991N<br>080-53-25.017W | FI R 4s   | 5  | Red.                                           |                                                                   |  |
| 4745 | Tybee Knoll Cut Range<br>Lighted Buoy 25      | 32-02-01.948N<br>080-53-30.363W | FI G 4s   | 5  | Green.                                         |                                                                   |  |
| 4750 | Savannah River Ship<br>Dock East Light        | 32-02-14.666N<br>080-53-56.798W | Q R       |    | On dolphin.                                    |                                                                   |  |
| 4755 | Savannah River Ship<br>Dock West Light        | 32-02-15.466N<br>080-54-02.299W | Q R       |    | On dolphin.                                    |                                                                   |  |
| 4760 | Savannah River Barge<br>Dock East Light       | 32-02-16.266N<br>080-54-09.399W | Q R       |    | On dolphin.                                    |                                                                   |  |
| 4765 | Savannah River Barge                          | 32-02-17.365N                   | Q R       |    | On dolphin.                                    |                                                                   |  |

|        |                                                            |                                 |           |    |                                                                       |                                                                                                        |
|--------|------------------------------------------------------------|---------------------------------|-----------|----|-----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
|        | Dock West Light                                            | 080-54-17.399W                  |           |    |                                                                       |                                                                                                        |
| 4770   | New Channel Range Front Light                              | 32-02-21.798N<br>080-55-39.434W | Q G       | 20 | KRW on skeleton tower on piles.                                       | Visible all around; higher intensity on rangeline.                                                     |
| 4775   | New Channel Range Rear Light                               | 32-02-27.253N<br>080-56-18.504W | Iso G 6s  | 45 | KRW on skeleton tower on piles.                                       | Visible 2° each side of rangeline.                                                                     |
| 4780   | New Channel Range Lighted Buoy 26                          | 32-02-20.189N<br>080-55-06.517W | FI R 4s   | 5  | Red.                                                                  |                                                                                                        |
| 4783   | Long Island Crossing Range Lighted Buoy 27                 | 32-02-43.564N<br>080-55-53.490W | FI G 4s   | 5  | Green.                                                                |                                                                                                        |
| 4785   | Long Island Crossing Range Lighted Buoy 26A                | 32-02-31.460N<br>080-55-29.666W | FI R 4s   | 5  | Red.                                                                  |                                                                                                        |
| 4790   | Long Island Crossing Lower Range Front Light               | 32-02-08.794N<br>080-55-11.451W | Q G       | 15 | KRW on skeleton tower on piles.                                       | Visible 1.5° each side of rangeline.                                                                   |
| 4795   | Long Island Crossing Lower Range Rear Light                | 32-01-48.635N<br>080-54-50.919W | Iso G 6s  | 50 | KRW on skeleton tower on piles.                                       | Visible 1.5° each side of rangeline.                                                                   |
| 4800   | Long Island Crossing Upper Range Front Light               | 32-04-23.541N<br>080-57-29.199W | Q R       | 15 |                                                                       | Visible 1.5° each side of rangeline. Additional light visible all around. Lighted throughout 24 hours. |
| 4805   | Long Island Crossing Upper Range Rear Light                | 32-04-32.217N<br>080-57-38.072W | Iso R 6s  | 35 |                                                                       | Visible 1.5° each side of rangeline.                                                                   |
| 4806   | Long Island Crossing Upper Range Rear Light Passing Lights | 32-04-32.217N<br>080-57-38.072W | FI W 4s   | 35 | On the same structure as Long Island Crossing Upper Range Rear Light. | Two synchronized passing lights visible all around located on the NW and SE corners of platform.       |
| 4810   | Long Island Crossing Range Lighted Buoy 28                 | 32-03-02.268N<br>080-56-00.853W | FI R 4s   | 5  | Red.                                                                  |                                                                                                        |
| 4813   | Long Island Crossing Range Lighted Buoy 31                 | 32-03-43.347N<br>080-56-54.571W | FI G 4s   | 5  | Green.                                                                |                                                                                                        |
| 4815   | Long Island Crossing Range Lighted Buoy 30                 | 32-03-38.584N<br>080-56-38.718W | FI R 4s   | 5  | Red.                                                                  |                                                                                                        |
| 4820   | Long Island Crossing Range Lighted Buoy 33                 | 32-04-00.182N<br>080-57-10.118W | FI G 4s   | 5  | Green.                                                                |                                                                                                        |
| 4825   | Lower Flats Range Lighted Buoy 35                          | 32-04-17.023N<br>080-57-44.698W | FI G 4s   | 5  | Green.                                                                |                                                                                                        |
| 4830   | Lower Flats Range Front Light                              | 32-04-17.220N<br>080-57-17.026W | Q R       | 10 | On dolphin.                                                           | Visible 1.5° each side of rangeline. Secondary light visible all around. Lighted throughout 24 hours.  |
| 4835   | Lower Flats Range Rear Light                               | 32-04-16.788N<br>080-57-13.637W | Iso R 6s  | 20 | On skeleton tower on piles.                                           | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                                      |
| 4835.5 | Lower Flats Range Rear Light Passing Light                 | 32-04-16.788N<br>080-57-13.637W | FI W 2.5s | 0  | On same structure as Lower Flats Range Rear Light.                    | Two synchronized passing lights visible all around located on the NW and SE corners of platform.       |
| 4840   | Lower Flats Range Lighted Buoy 36                          | 32-04-29.505N<br>080-58-18.535W | FI R 4s   | 5  | Red.                                                                  |                                                                                                        |
| 4845   | Elba Island Light 37                                       | 32-04-22.499N<br>080-58-30.520W | FI G 4s   | 0  | 5                                                                     | SG on pile.                                                                                            |
| 4850   | Elba Island Light 39                                       | 32-04-32.979N<br>080-58-55.255W | FI G 4s   | 0  | 5                                                                     | SG on dolphin.                                                                                         |
| 4855   | Elba Island Lighted Buoy 40                                | 32-04-40.979N<br>080-58-49.219W | FI R 4s   | 5  | Red.                                                                  |                                                                                                        |
| 4880   | Upper Flats Range Front Light                              | 32-04-35.135N<br>080-59-04.135W | Q R       | 5  | KRW on dolphin.                                                       | Visible 1.5° each side of rangeline. Additional light visible all around. Lighted throughout 24 hours. |
| 4885   | Upper Flats Range Rear Light                               | 32-04-24.366N<br>080-58-58.988W | Iso R 6s  | 35 | KRW on skeleton tower on piles.                                       | Visible 1.5° each side of rangeline.                                                                   |
| 4885.1 | Upper Flats Range Rear Light Passing Light                 | 32-04-24.366N<br>080-58-58.988W | FI W 2.5s | 4  | On same structure as Upper Flats Range Rear Light.                    | Passing Light Installed on SE corner set to FL W 4s visible all around.                                |
| 4890   | Elba Island Basin Range Front Light                        | 32-05-49.034N<br>080-59-38.894W | Q W       | 0  |                                                                       | Visible 4° each of rangeline. Lighted throughout 24 hours.                                             |
| 4895   | Elba Island Basin Range Rear Light                         | 32-05-58.608N<br>080-59-43.523W | Iso W 6s  | 45 |                                                                       | Visible 4° each side of rangeline. Lighted throughout 24 hours.                                        |
| 4900   | South Energy Lng Term South Mooring Light                  | 32-05-06.753N<br>080-59-29.401W | FI W 2.5s |    | On dolphin.                                                           |                                                                                                        |
| 4901   | Southern Energy LNG                                        | 32-04-54.250N                   |           |    | KRW on pile.                                                          |                                                                                                        |

|        |                                                   |                                 |           |    |   |                                         |                                                                   |
|--------|---------------------------------------------------|---------------------------------|-----------|----|---|-----------------------------------------|-------------------------------------------------------------------|
|        | Terminal Front Range Daybeacon                    | 080-59-37.970W                  |           |    |   |                                         |                                                                   |
| 4902   | Southern Energy LNG Terminal Rear Range Daybeacon | 32-04-54.300N<br>080-59-38.590W |           |    |   | KRW on pile.                            |                                                                   |
| 4905   | South Energy Lng Term North Mooring Light         | 32-05-20.452N<br>080-59-32.801W | FI W 2.5s |    |   | On dolphin.                             |                                                                   |
| 4908.4 | Elba Island Turning Basin Light D                 | 32-05-30.554N<br>080-59-16.977W | FI Y 2.5s | 0  | 5 | NY on pile.                             |                                                                   |
| 4908.3 | Elba Island Turning Basin Light C                 | 32-05-20.185N<br>080-59-11.938W | FI Y 6s   | 0  | 5 | NY on pile.                             |                                                                   |
| 4908.2 | Elba Island Turning Basin Light B                 | 32-05-08.034N<br>080-59-05.680W | FI Y 2.5s | 0  | 5 | NY on pile.                             |                                                                   |
| 4908.1 | Elba Island Turning Basin Light A                 | 32-04-58.156N<br>080-59-00.851W | FI Y 4s   | 0  | 5 | NY on pile.                             |                                                                   |
| 4910   | Elba Island Training Wall Light 42                | 32-05-35.059N<br>080-59-22.068W | FI R 4s   | 0  | 5 | TR on pile.                             |                                                                   |
| 4915   | The Bight Channel Light 43                        | 32-05-25.963N<br>080-59-37.408W | FI G 4s   | 0  | 5 | SG on pile.                             |                                                                   |
| 4920   | The Bight Channel Light 44                        | 32-06-01.800N<br>080-59-56.793W | FI R 4s   | 0  | 5 | TR on pile.                             |                                                                   |
| 4925   | The Bight Channel Light 45                        | 32-05-52.650N<br>081-00-05.523W | FI G 4s   | 0  | 5 | SG on dolphin.                          |                                                                   |
| 4930   | The Bight Channel Light 46                        | 32-06-09.397N<br>081-00-15.499W | FI R 4s   | 0  | 5 | TR on dolphin.                          |                                                                   |
| 4935   | The Bight Channel Light 47                        | 32-05-58.612N<br>081-00-32.108W | FI G 4s   | 0  | 5 | SG on pile.                             |                                                                   |
| 4940   | The Bight Channel Light 48                        | 32-06-10.692N<br>081-00-32.042W | FI R 4s   | 0  | 5 | TR on dolphin.                          |                                                                   |
| 4945   | Fort Jackson Lower Range Front Light              | 32-06-07.638N<br>081-00-45.439W | Q G       |    |   |                                         | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |
| 4950   | Fort Jackson Lower Range Rear Light               | 32-06-13.131N<br>081-00-41.200W | Iso G 6s  |    |   |                                         | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |
| 4955   | Fort Jackson Inbound Range Front Light            | 32-05-10.656N<br>081-01-29.226W | FI G 2.5s | 0  |   |                                         | Visible 4° each side of rangeline. Lighted throughout 24 hours.   |
| 4960   | Fort Jackson Inbound Range Rear Light             | 32-05-06.753N<br>081-01-32.248W | Iso G 6s  | 30 |   |                                         | Visible 4° each side of rangeline. Lighted throughout 24 hours.   |
| 4965   | Elba Island Light 49                              | 32-05-46.950N<br>081-00-52.960W | FI G 4s   | 0  | 5 | SG on dolphin.                          |                                                                   |
| 4970   | Barnwell Island Flats Lighted Buoy 50             | 32-05-31.962N<br>081-01-17.443W | FI R 4s   |    | 5 | Red.                                    |                                                                   |
| 4975   | Barnwell Island Flats Lighted Buoy 52             | 32-05-18.550N<br>081-01-35.086W | FI R 4s   |    | 5 | Red.                                    |                                                                   |
| 4980   | Oglethorpe Range Front Light                      | 32-05-23.335N<br>081-01-10.869W | Q R       |    |   | KRW on skeleton tower on piles.         | Visible 2° each side of rangeline.                                |
| 4985   | Oglethorpe Range Rear Light                       | 32-05-29.337N<br>081-00-54.425W | Iso R 6s  | 40 |   | KRW on skeleton tower on concrete base. | Visible 2° each side of rangeline.                                |
| 4995   | Fort Oglethorpe Light 53                          | 32-04-57.237N<br>081-02-11.884W | FI G 4s   | 5  | 5 | SG on pyramidal shaft.                  |                                                                   |
| 5000   | Fig Island Jetty Lighted Buoy 54                  | 32-04-57.628N<br>081-02-30.853W | FI R 4s   |    | 5 | Red.                                    |                                                                   |
| 5005   | Fig Island Jetty Light 56                         | 32-04-53.186N<br>081-02-53.352W | FI R 4s   | 0  | 5 | TR on pile.                             |                                                                   |
| 5010   | Fig Island Light 57                               | 32-04-47.490N<br>081-03-36.659W | FI G 4s   | 0  | 5 | SG on dolphin.                          |                                                                   |
| 5015   | Acl Turning Basin Light 58                        | 32-04-54.224N<br>081-03-59.718W | FI R 4s   | 0  | 5 | TR on pile.                             |                                                                   |
| 5020   | Acl Turning Basin Light 60                        | 32-04-52.206N<br>081-04-14.654W | FI R 4s   | 0  | 5 | TR on pile.                             |                                                                   |
| 5030   | Marsh Island Turning Basin Light 4                | 32-06-41.736N<br>081-07-15.909W | FI R 2.5s | 0  | 5 | TR on pile.                             |                                                                   |
| 5035   | Marsh Island Turning Basin Light 6                | 32-06-49.638N<br>081-07-24.067W | FI R 2.5s | 0  | 5 | TR on pile.                             |                                                                   |
| 5055   | Kings Island Turning Basin Light 12               | 32-07-54.457N<br>081-08-04.241W | FI R 6s   | 0  | 5 | TR on pile.                             |                                                                   |
| 5060   | Kings Island Turning Basin Light 14               | 32-08-07.970N<br>081-08-14.219W | FI R 4s   | 0  | 5 | TR on pile.                             |                                                                   |
| 5065   | Kings Island Turning Basin Light 16               | 32-08-11.304N<br>081-08-23.108W | FI R 2.5s | 0  | 5 | TR on pile.                             |                                                                   |

|        |                                                                |                                 |           |   |   |                                 |
|--------|----------------------------------------------------------------|---------------------------------|-----------|---|---|---------------------------------|
| 5090   | Port Wentworth<br>Channel Light 22                             | 32-08-41.905N<br>081-08-25.029W | FI R 6s   | 0 | 5 | TR on pile.                     |
| 5115   | Port Wentworth<br>Channel Daybeacon<br>24                      | 32-09-07.021N<br>081-08-44.150W |           | 0 |   | TR on pile.                     |
| 5117   | Port Wentworth<br>Channel Buoy 24A                             | 32-09-07.665N<br>081-08-50.594W |           |   |   | Red nun.                        |
| 5120   | Port Wentworth<br>Channel Light 26                             | 32-09-10.163N<br>081-08-58.670W | FI R 4s   | 0 | 5 | TR on pile.                     |
| 5145   | Port Wentworth<br>Channel Light 28                             | 32-09-14.288N<br>081-09-05.467W | FI R 4s   | 0 | 5 | TR on pile.                     |
| 5150   | Port Wentworth<br>Channel Light 30                             | 32-09-18.020N<br>081-09-08.756W | FI R 4s   | 0 | 5 | TR on pile.                     |
| 5155   | Port Wentworth<br>Channel Light 32                             | 32-09-22.686N<br>081-09-09.949W | FI R 4s   | 0 | 5 | TR on pile.                     |
| 5160   | Port Wentworth<br>Channel Light 34                             | 32-09-28.568N<br>081-09-12.485W | FI R 4s   | 0 | 5 | TR on pile.                     |
| 5165   | Port Wentworth<br>Channel Daybeacon<br>36                      | 32-09-38.830N<br>081-09-15.383W |           | 0 |   | TR on pile.                     |
| 5295   | Southern Nuclear<br>Operating Co<br>Obstruction<br>Daybeacon A | 33-08-52.000N<br>081-45-09.000W |           |   |   | NW on pile worded DANGER.       |
| 5295.1 | Southern Nuclear<br>Operating Co<br>Obstruction<br>Daybeacon B | 33-08-53.000N<br>081-45-09.010W |           |   |   | NW on pile worded DANGER.       |
| 5555   | Upper Savannah River<br>Daybeacon 96                           | 33-25-51.311N<br>081-55-08.017W |           | 0 |   | TR on pile.                     |
| 5565   | Upper Savannah River<br>Obstruction Buoy A                     | 33-28-06.613N<br>081-56-05.246W |           |   |   | White with a orange<br>diamond. |
| 5570   | Upper Savannah River<br>Obstruction Buoy B                     | 33-28-12.178N<br>081-56-29.649W |           |   |   | White with a orange<br>diamond. |
| 5575   | Upper Savannah River<br>Obstruction Buoy C                     | 33-28-20.935N<br>081-56-56.786W |           |   |   | White with a orange<br>diamond. |
| 5576   | Upper Savannah River<br>Obstruction Buoy D                     | 33-28-33.022N<br>081-57-23.019W |           |   |   | White with a orange<br>diamond. |
| 5577   | Upper Savannah River<br>Obstruction Buoy E                     | 33-28-37.026N<br>081-57-30.013W |           |   |   | White with a orange<br>diamond. |
| 5578   | Upper Savannah River<br>Obstruction Buoy F                     | 33-28-41.033N<br>081-57-38.007W |           |   |   | White with a orange<br>diamond. |
| 5580   | Wassaw Sound<br>Lighted Buoy 2W                                | 31-51-32.982N<br>080-53-00.768W | FI R 4s   |   | 5 | Red.                            |
| 5585   | Wassaw Sound<br>Lighted Buoy 4                                 | 31-52-18.521N<br>080-53-41.458W | FI R 6s   |   | 5 | Red.                            |
| 5595   | Wassaw Sound<br>Lighted Buoy 8                                 | 31-53-24.539N<br>080-53-30.297W | FI R 2.5s |   | 5 | Red.                            |
| 5600   | Wassaw Sound Buoy 9                                            | 31-53-48.812N<br>080-53-59.402W |           |   |   | Green can.                      |
| 5605   | Wassaw Sound<br>Lighted Buoy 10                                | 31-54-02.247N<br>080-53-50.262W | FI R 6s   |   | 5 | Red.                            |
| 5610   | Wassaw Sound Buoy<br>11                                        | 31-54-10.811N<br>080-54-38.403W |           |   |   | Green can.                      |
| 5615   | Wassaw Sound Buoy<br>13                                        | 31-54-32.170N<br>080-55-15.550W |           |   |   | Green can.                      |
| 5620   | Wassaw Sound<br>Lighted Buoy 14                                | 31-55-05.630N<br>080-55-20.342W | FI R 2.5s |   | 5 | Red.                            |
| 5625   | Bull River Buoy 1                                              | 31-55-42.492N<br>080-55-20.119W |           |   |   | Green can.                      |
| 5630   | Bull River Buoy 3                                              | 31-56-14.076N<br>080-55-53.383W |           |   |   | Green can.                      |
| 5635   | Bull River Daybeacon<br>5                                      | 31-56-52.233N<br>080-56-14.668W |           | 0 |   | SG on pile.                     |
| 5640   | Bull River Daybeacon<br>6                                      | 31-57-30.761N<br>080-56-02.588W |           | 0 |   | TR on pile.                     |
| 5645.5 | Bull River West<br>Obstruction Light                           | 31-58-05.744N<br>080-56-04.027W | FI Y 4s   |   | 2 | NW on pile.                     |
| 5645.7 | Bull River South<br>Obstruction Light                          | 31-58-00.737N<br>080-55-59.202W | FI Y 2.5s |   | 2 | NW on pile.                     |
| 5645   | Bull River North                                               | 31-58-17.237N                   | FI Y 6s   |   | 2 | NW on pile.                     |

|        |                                                      |                                 |           |   |   |                                                   |
|--------|------------------------------------------------------|---------------------------------|-----------|---|---|---------------------------------------------------|
|        | Obstruction Light                                    | 080-55-47.379W                  |           |   |   |                                                   |
| 5645.3 | Bull River East Obstruction Light                    | 31-58-12.020N<br>080-55-42.511W | Q Y       | 2 |   | NW on pile.                                       |
| 5650   | Half Moon River Reef Southeast Obstruction Daybeacon | 31-57-46.778N<br>080-56-34.395W |           |   |   | NW on pile worded DANGER SUBMERGED REEF.          |
| 5655   | Half Moon River Reef Northeast Obstruction Daybeacon | 31-57-50.778N<br>080-56-34.395W |           |   |   | NW on pile worded DANGER SUBMERGED REEF.          |
| 5660   | Half Moon River Reef Northwest Obstruction Daybeacon | 31-57-50.778N<br>080-56-44.396W |           |   |   | NW on pile worded DANGER SUBMERGED REEF.          |
| 5665   | Half Moon River Reef Southwest Obstruction Daybeacon | 31-57-46.778N<br>080-56-44.395W |           |   |   | NW on pile worded DANGER SUBMERGED REEF.          |
| 5670   | Cabbage Island Spit Light 16                         | 31-55-08.454N<br>080-56-44.508W | FI R 4s   | 0 | 5 | TR on pile.                                       |
| 5675   | Cabbage Island Spit Shoal Daybeacon                  | 31-55-40.458N<br>080-57-28.584W |           | 0 |   | NW on pile worded DANGER SHOAL.                   |
| 5680   | Wassaw Island Light 17                               | 31-55-10.848N<br>080-57-50.734W | FI G 4s   | 0 | 5 | SG on pile.                                       |
| 5685   | Romerly Marsh Light 19                               | 31-55-57.972N<br>080-58-34.602W | FI G 4s   | 0 | 5 | SG on pile.                                       |
| 5690   | Romerly Creek Marsh Obstruction Daybeacon            | 31-55-51.000N<br>080-59-08.391W |           |   |   | NW on pile worded DANGER SUBMERGED REEF.          |
| 5695   | Cabbage Island Daybeacon 20                          | 31-56-10.128N<br>080-58-13.840W |           | 0 |   | TR on pile.                                       |
| 5697   | Romerly Marsh Daybeacon 21                           | 31-56-28.409N<br>080-59-02.998W |           | 0 |   | SG on pile.                                       |
| 5700   | Cabbage Island Light 22                              | 31-57-14.857N<br>081-00-03.062W | FI R 6s   | 0 | 5 | TR on pile.                                       |
| 5702   | Landings Harbor Light 1                              | 31-57-30.200N<br>081-00-38.190W | F G       |   | 4 |                                                   |
| 5702.1 | Landings Harbor Light 2                              | 31-57-30.490N<br>081-00-38.580W | F R       |   | 4 |                                                   |
| 5705   | Skidaway Island Light 23                             | 31-58-27.234N<br>081-00-36.561W | FI G 6s   | 0 | 5 | SG on pile.                                       |
| 5710   | Skidaway Island Light 25                             | 31-59-12.734N<br>081-00-16.422W | FI G 2.5s | 0 | 5 | SG on pile.                                       |
| 5715   | Skidaway Island Light 27                             | 32-00-24.826N<br>081-00-24.321W | FI G 4s   | 0 | 5 | SG on pile.                                       |
| 5720   | Skidaway Island Light 29                             | 32-00-33.583N<br>081-00-36.340W | FI G 6s   | 0 | 5 | SG on pile.                                       |
| 5730   | Ossabaw Sound Entrance Lighted Buoy OS               | 31-47-48.292N<br>080-56-09.925W | Mo (A) W  |   | 6 | Red and white stripes with red spherical topmark. |
| 5735   | Ossabaw Sound Buoy 1                                 | 31-47-48.826N<br>080-58-50.388W |           |   |   | Green can.                                        |
| 5740   | Ossabaw Sound Preferred Channel Buoy N               | 31-48-04.825N<br>080-59-11.388W |           |   |   | Red and green bands; nun.                         |
| 5745   | Ossabaw Sound North Channel Buoy 5                   | 31-50-06.320N<br>080-59-38.394W |           |   |   | Green can.                                        |
| 5750   | Ossabaw Sound North Channel Buoy 7                   | 31-51-05.565N<br>081-00-13.889W |           |   |   | Green can.                                        |
| 5755   | Ossabaw Sound North Channel Buoy 9                   | 31-51-35.887N<br>081-01-34.342W |           |   |   | Green can.                                        |
| 5760   | Ossabaw Sound North Channel Daybeacon 10             | 31-51-43.061N<br>081-02-05.577W |           | 0 |   | TR on pile.                                       |
| 5763   | Ossabaw Sound North Channel Buoy 10A                 | 31-51-38.819N<br>081-02-55.784W |           |   |   | Red nun.                                          |
| 5765   | Ossabaw Sound North Channel Buoy 11                  | 31-51-36.340N<br>081-03-08.351W |           |   |   | Green can.                                        |
| 5770   | Ossabaw Sound North Channel Daybeacon 12             | 31-51-52.194N<br>081-03-26.300W |           | 0 |   | TR on pile.                                       |
| 5775   | Ossabaw Sound South Channel Buoy 4                   | 31-48-19.825N<br>080-59-59.389W |           |   |   | Red nun.                                          |
| 5780   | Ossabaw Sound South Channel Daybeacon 5              | 31-49-16.356N<br>081-02-00.915W |           | 0 |   | SG on pile.                                       |

|      |                                              |                                 |           |   |   |                                                        |
|------|----------------------------------------------|---------------------------------|-----------|---|---|--------------------------------------------------------|
| 5785 | Ossabaw Sound South Channel Light 6          | 31-50-20.909N<br>081-03-07.987W | FI R 4s   | 0 | 5 | TR on dolphin.                                         |
| 5790 | St. Catherines Sound Lighted Buoy STC        | 31-40-13.023N<br>081-00-12.018W | Mo (A) W  |   | 6 | Red and white stripes with red spherical topmark.      |
| 5795 | St Catherines Sound Lighted Buoy 2           | 31-40-20.920N<br>081-03-29.929W | FI R 2.5s |   | 5 | Red.                                                   |
| 5800 | St Catherines Sound Buoy 1                   | 31-40-12.223N<br>081-03-41.218W |           |   |   | Green can.                                             |
| 5805 | St Catherines Sound Buoy 3                   | 31-41-13.829N<br>081-04-18.375W |           |   |   | Green can.                                             |
| 5810 | St Catherines Sound Lighted Buoy 5           | 31-41-58.923N<br>081-05-15.018W | FI G 2.5s |   | 5 | Green.                                                 |
| 5820 | St Catherines Sound Buoy 7                   | 31-42-41.223N<br>081-08-17.318W |           |   |   | Green can.                                             |
| 5825 | Medway River Daybeacon 2                     | 31-42-57.292N<br>081-11-16.697W |           | 0 |   | TR on pile.                                            |
| 5835 | Sapelo Sound Buoy S                          | 31-31-13.440N<br>081-03-52.844W |           |   |   | Red and white stripes with red spherical topmark; can. |
| 5840 | Sapelo Sound Buoy 2                          | 31-31-59.000N<br>081-05-13.448W |           |   |   | Red nun.                                               |
| 5845 | Sapelo Sound Buoy 3                          | 31-32-08.333N<br>081-07-01.043W |           |   |   | Green can.                                             |
| 5847 | Four Mile Island North Obstruction Daybeacon | 31-32-11.000N<br>081-17-19.000W |           |   |   | NW on pile.                                            |
| 5848 | Four Mile Island South Obstruction Daybeacon | 31-32-05.000N<br>081-17-30.000W |           |   |   | NW on pile.                                            |
| 5850 | Sapelo Sound Buoy 5                          | 31-32-00.035N<br>081-07-59.962W |           |   |   | Green can.                                             |
| 5855 | Sapelo Sound Buoy 6                          | 31-31-57.503N<br>081-09-07.425W |           |   |   | Red nun.                                               |
| 5860 | Sapelo Sound Buoy 8                          | 31-32-05.255N<br>081-09-44.184W |           |   |   | Red nun.                                               |
| 5865 | Sapelo Sound Buoy 10                         | 31-32-28.827N<br>081-10-42.361W |           |   |   | Red nun.                                               |
| 5870 | Sapelo Sound Daybeacon 11                    | 31-32-14.273N<br>081-12-25.188W |           | 0 |   | SG on pile.                                            |
| 5875 | Sapelo River Daybeacon 2                     | 31-31-59.609N<br>081-17-10.512W |           | 1 |   | TR on pile.                                            |
| 5880 | Sapelo River Daybeacon 3                     | 31-32-30.776N<br>081-18-40.837W |           |   |   | SG on pile.                                            |
| 5885 | Sapelo River Daybeacon 4                     | 31-32-47.603N<br>081-18-56.599W |           | 0 |   | TR on pile.                                            |
| 5890 | Sapelo River Daybeacon 5                     | 31-32-41.963N<br>081-19-11.899W |           |   |   | SG on pile.                                            |
| 5891 | Sapelo River Buoy 5A                         | 31-32-43.695N<br>081-20-31.565W |           |   |   | Green can.                                             |
| 5892 | Sapelo River Buoy 5B                         | 31-32-33.184N<br>081-20-41.097W |           |   |   | Green can.                                             |
| 5895 | Sapelo River Buoy 6                          | 31-32-11.031N<br>081-20-44.733W |           |   |   | Red nun.                                               |
| 5900 | Sapelo River Buoy 8                          | 31-32-00.987N<br>081-20-46.997W |           |   |   | Red nun.                                               |
| 5905 | Sapelo River Buoy 10                         | 31-31-49.902N<br>081-21-23.693W |           |   |   | Red nun.                                               |
| 5910 | Doboy Sound Lighted Buoy D                   | 31-21-14.096N<br>081-11-24.048W | Mo (A) W  |   | 5 | Red and white stripes with red spherical topmark.      |
| 5920 | Doboy Sound Buoy 2                           | 31-21-29.023N<br>081-12-10.018W |           |   |   | Red nun.                                               |
| 5925 | Doboy Sound Buoy 3                           | 31-21-35.724N<br>081-13-33.757W |           |   |   | Green can.                                             |
| 5930 | Doboy Sound Buoy 4                           | 31-21-51.123N<br>081-14-11.106W |           |   |   | Red nun.                                               |
| 5935 | Doboy Sound Buoy 5                           | 31-21-50.841N<br>081-14-38.354W |           |   |   | Green can.                                             |
| 5940 | Doboy Sound Buoy 6                           | 31-22-11.929N<br>081-15-12.780W |           |   |   | Red nun.                                               |
| 5945 | Doboy Sound Light 8                          | 31-22-38.239N<br>081-16-52.214W | FI R 6s   | 0 | 5 | TR on pile.                                            |
| 5946 | Sapelo Island LT                             | 31-23-28.000N                   |           |   |   | Conical tower with red and                             |

|      |                                                   |                                 |           |    |                                                                       |
|------|---------------------------------------------------|---------------------------------|-----------|----|-----------------------------------------------------------------------|
|      |                                                   | 081-17-08.000W                  |           |    | white horizontal stripes.                                             |
| 5970 | Hampton River Daybeacon 11                        | 31-14-12.743N<br>081-19-24.618W |           | 0  | SG on pile.                                                           |
| 5975 | Hampton River Daybeacon 12                        | 31-14-43.523N<br>081-19-56.118W |           |    | TR on pile.                                                           |
| 5980 | Hampton River Daybeacon 14                        | 31-15-44.783N<br>081-19-42.258W |           |    | TR on pile.                                                           |
| 5985 | Hampton River Daybeacon 15                        | 31-15-43.033N<br>081-19-14.743W |           |    | SG on pile.                                                           |
| 5990 | Hampton River Daybeacon 17                        | 31-15-43.403N<br>081-19-02.598W |           | 12 | SG on pile.                                                           |
| 5995 | Hampton River Daybeacon 18                        | 31-16-09.835N<br>081-18-46.052W |           |    | TR on pile.                                                           |
| 6000 | Hampton River Daybeacon 19                        | 31-17-20.543N<br>081-19-29.778W |           |    | SG on pile.                                                           |
| 6005 | Hampton River Daybeacon 21                        | 31-17-50.843N<br>081-20-44.958W |           |    | SG on pile.                                                           |
| 6010 | Hampton River Daybeacon 22                        | 31-17-45.023N<br>081-22-09.198W |           |    | TR on pile.                                                           |
| 6015 | Hampton River Daybeacon 23                        | 31-18-00.388N<br>081-22-24.355W |           |    | SG on pile.                                                           |
| 6020 | Hampton River Daybeacon 25                        | 31-17-37.223N<br>081-22-50.479W |           |    | SG on pile.                                                           |
| 6025 | Hampton River Daybeacon 27                        | 31-16-56.243N<br>081-22-57.079W |           | 0  | SG on pile.                                                           |
| 6026 | Cloister Hotel Breakwater North Obstruction Light | 31-10-48.000N<br>081-20-48.000W | Fl W 2.5s |    | NW on pile worded DANGER OBSTRUCTION.                                 |
| 6027 | Cloister Hotel North Obstruction Light            | 31-10-48.000N<br>081-20-48.000W | Fl W 2.5s |    | NW on pile worded DANGER OBSTRUCTION.                                 |
| 6030 | St. Simons Lighted Buoy STS                       | 31-02-49.022N<br>081-14-25.218W | Mo (A) W  | 5  | Red and white stripes with red spherical topmark. AIS: MMSI 993672091 |
| 6033 | Brunswick Spoil Area Lighted Buoy C               | 31-02-33.463N<br>081-15-22.762W | Fl Y 2.5s | 4  | Yellow.                                                               |
| 6035 | St Simons Sound Entrance Lighted Buoy 1           | 31-03-55.480N<br>081-16-28.794W | Q G       | 4  | Green.                                                                |
| 6040 | St Simons Sound Entrance Lighted Buoy 2           | 31-04-02.094N<br>081-16-23.705W | Q R       | 4  | Red.                                                                  |
| 6045 | St Simons Sound Entrance Lighted Buoy 3           | 31-04-39.947N<br>081-17-44.564W | Fl G 2.5s | 5  | Green.                                                                |
| 6050 | St Simons Sound Entrance Lighted Buoy 4           | 31-04-44.159N<br>081-17-41.336W | Fl R 2.5s | 5  | Red.                                                                  |
| 6055 | St Simons Sound Entrance Lighted Buoy 5           | 31-05-06.653N<br>081-18-31.154W | Fl G 4s   | 5  | Green.                                                                |
| 6060 | St Simons Sound Entrance Lighted Buoy 6           | 31-05-10.799N<br>081-18-27.978W | Fl R 4s   | 5  | Red.                                                                  |
| 6065 | St Simons Sound Entrance Lighted Buoy 7           | 31-05-33.112N<br>081-19-17.828W | Fl G 2.5s | 5  | Green.                                                                |
| 6070 | St Simons Sound Entrance Lighted Buoy 8           | 31-05-37.243N<br>081-19-14.665W | Fl R 2.5s | 5  | Red.                                                                  |
| 6075 | St Simons Sound Entrance Lighted Buoy 9           | 31-05-59.553N<br>081-20-04.568W | Fl G 4s   | 5  | Green.                                                                |
| 6080 | St Simons Sound Entrance Lighted Buoy 10          | 31-06-03.705N<br>081-20-01.341W | Fl R 4s   | 5  | Red.                                                                  |
| 6085 | St Simons Sound Entrance Lighted Bell Buoy 11     | 31-06-26.033N<br>081-20-51.186W | Fl G 4s   | 5  | Green.                                                                |
| 6090 | St Simons Sound Entrance Lighted Buoy 12          | 31-06-30.156N<br>081-20-48.018W | Fl R 4s   | 5  | Red.                                                                  |
| 6095 | St Simons Sound Entrance Lighted Buoy             | 31-06-52.493N<br>081-21-37.870W | Fl G 2.5s | 5  | Green.                                                                |



|        |                                               |                              |           |     |                                                         |                                                                                                      |                                                                        |
|--------|-----------------------------------------------|------------------------------|-----------|-----|---------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| 13     |                                               |                              |           |     |                                                         |                                                                                                      |                                                                        |
| 6100   | St Simons Sound Entrance Lighted Buoy 14      | 31-06-57.210N 081-21-34.237W | FI R 2.5s | 5   | Red.                                                    |                                                                                                      |                                                                        |
| 6105   | St Simons Sound Entrance Lighted Bell Buoy 15 | 31-07-23.814N 081-22-33.163W | Q G       | 4   | Green.                                                  |                                                                                                      |                                                                        |
| 6110   | St Simons Sound Entrance Lighted Buoy 16      | 31-07-24.069N 081-22-20.203W | Q R       | 4   | Red.                                                    |                                                                                                      |                                                                        |
| 6115   | St Simons Sound Lighted Buoy 17               | 31-07-33.178N 081-23-23.075W | FI G 2.5s | 5   | Green.                                                  |                                                                                                      |                                                                        |
| 6120   | St Simons North Tower Light                   | 31-08-54.901N 081-25-05.831W | Iso R 6s  | 147 | On tower.                                               | Visible 2° each side of 303° bearing.                                                                |                                                                        |
| 6125   | St Simons South Tower Light                   | 31-08-50.331N 081-25-04.028W | Iso R 6s  |     | On tower.                                               | Visible 2° each side of 303° bearing.                                                                |                                                                        |
| 6130   | Plantation Creek Range Front Light            | 31-08-13.943N 081-25-59.707W | Q R       | 0   | KRW on dolphin.                                         | Visible 2° each side of rangeline.                                                                   |                                                                        |
| 6135   | Plantation Creek Range Rear Light             | 31-08-24.543N 081-26-45.762W | Iso R 6s  | 30  | KRW on skeleton tower on piles.                         | Visible 2° each side of rangeline.                                                                   |                                                                        |
| 6140   | St Simons Sound Lighted Buoy 19               | 31-07-40.676N 081-24-12.600W | FI G 2.5s | 5   | Green.                                                  |                                                                                                      |                                                                        |
| 6145   | St Simons Sound Lighted Buoy 20               | 31-07-37.001N 081-24-49.383W | Q R       | 4   | Red with yellow triangle.                               |                                                                                                      |                                                                        |
| 6147   | Frederica River Daybeacon 1                   | 31-08-27.992N 081-25-17.180W |           |     | SG on pile.                                             |                                                                                                      |                                                                        |
| 6150   | Frederica River Daybeacon 2                   | 31-08-44.180N 081-25-17.325W |           | 0   | TR on pile.                                             |                                                                                                      |                                                                        |
| 6153   | Fredrica River Daybeacon 3                    | 31-08-55.462N 081-25-26.744W |           |     | SG on pile.                                             |                                                                                                      |                                                                        |
| 6155   | Frederica River Daybeacon 5                   | 31-09-09.105N 081-25-24.904W |           |     | SG on dolphin.                                          |                                                                                                      |                                                                        |
| 6165   | Frederica River Daybeacon 7                   | 31-09-31.586N 081-25-20.321W |           | 0   | SG on pile.                                             |                                                                                                      |                                                                        |
| 6170   | Fredericka Yacht Club Obstruction Light       | 31-09-54.000N 081-25-06.000W | FI W 4s   |     | On pier.                                                |                                                                                                      |                                                                        |
| 6180   | Jekyll Island Range Front Light 1             | 31-06-06.272N 081-26-06.317W | Q G       | 0   | 3                                                       | SG-SY and KRW on dolphin.                                                                            | Visible 1.5° each side of rangeline. Passing light visible all around. |
| 6182   | Jekyll Island Range Front Light Passing Light | 31-06-06.235N 081-26-06.264W | Q G       | 4   | On same structure as Jekyll Island Range Front Light 1. |                                                                                                      |                                                                        |
| 6183   | Jekyll Island Range Rear Light                | 31-05-39.563N 081-26-29.744W | Iso G 6s  | 47  | KRW on skeleton tower on piles.                         | Visible 1.5° each side of rangeline.                                                                 |                                                                        |
| 6185.7 | St Simons Sound Lighted Buoy 21               | 31-06-30.089N 081-25-41.017W | Q G       | 4   | Green.                                                  |                                                                                                      |                                                                        |
| 6185.5 | St Simons Sound Lighted Buoy 20A              | 31-06-46.017N 081-25-34.017W | FI R 2.5s | 5   | Red.                                                    |                                                                                                      |                                                                        |
| 6190   | St Simons Sound Lighted Buoy 22               | 31-06-32.022N 081-25-59.095W | FI R 4s   | 5   | Red with yellow triangle.                               |                                                                                                      |                                                                        |
| 6195   | Cedar Hammock Range Front Light               | 31-06-05.366N 081-27-45.308W | Q G       | 0   | KRW on dolphin.                                         | Visible 2° each side of rangeline.                                                                   |                                                                        |
| 6195.1 | Cedar Hammock Range Front Light Passing Light | 31-06-05.366N 081-27-45.308W | FI W 2.5s | 4   | On same structure as Cedar Hammock Range Front Light.   | Two synchronized passing lights visible all around located on the NW and SE corners of the platform. |                                                                        |
| 6200   | Cedar Hammock Range Rear Light                | 31-05-58.328N 081-28-16.458W | Iso G 6s  |     | KRW on skeleton tower on piles.                         | Visible 2° each side of rangeline.                                                                   |                                                                        |
| 6200.1 | Cedar Hammock Range Rear Light Passing Light  | 31-05-58.328N 081-28-16.458W | FI W 2.5s | 4   | On same structure as Cedar Hammock Range Rear Light.    | Two synchronized passing lights visible all around located on the NW and SE corners of the platform. |                                                                        |
| 6205   | Cedar Hammock Outbound Range Front Light      | 31-06-37.639N 081-25-23.131W | Q W       | 6   | KRW on dolphin.                                         |                                                                                                      |                                                                        |
| 6210   | Cedar Hammock Outbound Range Rear Light       | 31-06-39.088N 081-25-16.745W | Iso W 6s  | 15  | KRW on dolphin.                                         | Visible all around.                                                                                  |                                                                        |
| 6215   | St Simons Sound Lighted Buoy 24               | 31-06-18.037N 081-27-02.722W | Q R       | 4   | Red.                                                    |                                                                                                      |                                                                        |
| 6220   | Brunswick Point Cut Lighted Buoy 26           | 31-06-37.447N 081-27-59.536W | FI R 4s   | 5   | Red.                                                    |                                                                                                      |                                                                        |
| 6225   | Brunswick Point Cut Lighted Buoy 27           | 31-06-32.094N 081-28-02.544W | FI G 2.5s | 5   | Green.                                                  |                                                                                                      |                                                                        |

|      |                                                  |                                 |              |    |                                                                                 |                                                                                                          |
|------|--------------------------------------------------|---------------------------------|--------------|----|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| 6226 | Brunswick Point Cut<br>Lighted Buoy 28           | 31-06-58.892N<br>081-28-59.669W | FI R 2.5s    | 5  | Red.                                                                            |                                                                                                          |
| 6227 | Brunswick Point Cut<br>Lighted Buoy 29           | 31-06-55.291N<br>081-29-02.702W | FI G 2.5s    | 5  | Green.                                                                          |                                                                                                          |
| 6228 | Brunswick Point Cut<br>Lighted Buoy 30           | 31-07-08.049N<br>081-29-18.072W | Q R          | 4  | Red.                                                                            |                                                                                                          |
| 6230 | Brunswick Point Cut<br>Range Front Light 2       | 31-05-59.416N<br>081-26-23.093W | Q W          | 25 | TR-TY on skeleton tower on<br>piles.                                            | Visible 1.5° each side of rangeline. Secondary light visible all around.<br>Lighted throughout 24 hours. |
| 6235 | Brunswick Point Cut<br>Range Rear Light          | 31-05-52.168N<br>081-26-03.080W | Iso W 6s     | 62 | On skeleton tower on piles.                                                     | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                                        |
| 6240 | Turtle River Lower<br>Range Front Light          | 31-07-54.965N<br>081-31-40.812W | Q W          |    | On dolphin.                                                                     | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                                        |
| 6245 | Turtle River Lower<br>Range Rear Light           | 31-08-00.948N<br>081-31-57.257W | Iso W 6s     | 37 | On skeleton tower on piles.<br>On same structure as Upper<br>Ranger Rear Light. | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                                        |
| 6250 | Plantation Creek<br>Daybeacon 1                  | 31-07-16.403N<br>081-28-49.159W |              |    | SG on pile.                                                                     |                                                                                                          |
| 6255 | Plantation Creek Light<br>2                      | 31-07-15.383N<br>081-28-47.539W | FI R 2.5s    | 5  | TR on pile.                                                                     |                                                                                                          |
| 6260 | Plantation Creek<br>Daybeacon 3                  | 31-07-18.023N<br>081-28-46.399W |              |    | SG on pile.                                                                     |                                                                                                          |
| 6265 | Plantation Creek<br>Daybeacon 4                  | 31-07-17.203N<br>081-28-45.047W |              |    | TR on pile.                                                                     |                                                                                                          |
| 6270 | Brunswick Harbor<br>Range Front Light            | 31-09-06.197N<br>081-30-02.357W | Q R          | 14 | KRW on dolphin.                                                                 | Visible 1.5° each side of rangeline.                                                                     |
| 6275 | Brunswick Harbor<br>Range Rear Light             | 31-09-46.570N<br>081-30-16.039W | Iso R 6s     |    | KRW on skeleton tower on<br>piles.                                              | Visible 1.5° each side of rangeline.                                                                     |
| 6280 | Andrews Island Spit<br>Lighted Buoy A            | 31-07-13.136N<br>081-29-37.954W | FI (2+1)R 6s | 5  | Red and green bands.                                                            |                                                                                                          |
| 6285 | Brunswick Harbor<br>Channel Light 2              | 31-07-29.183N<br>081-29-25.399W | FI R 4s      | 0  | 5                                                                               | TR on pile.                                                                                              |
| 6290 | Brandy Point Jetty<br>Daybeacon                  | 31-07-30.924N<br>081-29-39.563W |              |    | NW on pile worded DANGER<br>SUBMERGED JETTY.                                    |                                                                                                          |
| 6296 | East River Turning<br>Basin Light A              | 31-07-39.414N<br>081-29-42.368W | FI Y 2.5s    | 0  | 4                                                                               | NY on pile.                                                                                              |
| 6297 | East River Turning<br>Basin Light B              | 31-07-43.077N<br>081-29-46.920W | FI Y 6s      |    | 4                                                                               | NY on pile.                                                                                              |
| 6298 | East River Turning<br>Basin Light C              | 31-07-52.020N<br>081-29-49.639W | FI Y 6s      |    | 4                                                                               | NY on pile.                                                                                              |
| 6299 | East River Turning<br>Basin Light D              | 31-07-58.225N<br>081-29-46.157W | FI Y 4s      | 0  | 4                                                                               | NY on pile.                                                                                              |
| 6305 | Andrews Island Spit<br>Range Front Light         | 31-06-56.932N<br>081-29-33.575W | Q Y          | 0  | 4                                                                               | KYB on pile.                                                                                             |
| 6310 | Andrews Island Spit<br>Range Rear Light          | 31-06-52.535N<br>081-29-33.686W | Iso Y 6s     | 0  |                                                                                 | KYB on pile.                                                                                             |
| 6315 | Turtle River Lighted<br>Buoy 1                   | 31-07-04.887N<br>081-29-29.154W | FI G 4s      |    | 5                                                                               | Green.                                                                                                   |
| 6320 | Turtle River Lighted<br>Buoy 2                   | 31-07-27.474N<br>081-30-12.911W | FI R 4s      |    | 5                                                                               | Red.                                                                                                     |
| 6322 | Turtle River Lighted<br>Buoy 2A                  | 31-07-39.363N<br>081-30-41.096W | FI R 2.5s    |    | 5                                                                               | Red.                                                                                                     |
| 6324 | Turtle River Lighted<br>Buoy 3                   | 31-07-29.281N<br>081-30-41.096W | FI G 2.5s    |    | 5                                                                               | Green.                                                                                                   |
| 6325 | Turtle River Light 4                             | 31-08-01.853N<br>081-31-12.383W | Q R          |    | 4                                                                               | TR on pile.                                                                                              |
| 6330 | Colonels Island Range<br>Front Light             | 31-07-52.684N<br>081-32-08.953W | Q G          |    | KRW on pile.                                                                    | Range lights are 50 feet off center line of channel. Lighted throughout<br>24 hours.                     |
| 6335 | Colonels Island Range<br>Rear Light              | 31-07-53.759N<br>081-32-16.937W | Iso G 6s     |    | KRW on pile.                                                                    | Range lights are 50 feet off center line of channel. Lighted throughout<br>24 hours.                     |
| 6340 | Colonels Island<br>Outbound Range Front<br>Light | 31-07-39.943N<br>081-30-27.349W | Q R          | 0  | KRW on dolphin.                                                                 |                                                                                                          |
| 6345 | Colonels Island<br>Outbound Range Rear<br>Light  | 31-07-38.829N<br>081-30-18.773W | Iso R 6s     | 18 | KRW on skeleton tower on<br>piles.                                              |                                                                                                          |
| 6350 | Blythe Island Range<br>Front Light               | 31-09-23.417N<br>081-31-58.224W | Q W          | 15 | KRW on dolphin.                                                                 | Visible 4° each side of rangeline.                                                                       |
| 6355 | Blythe Island Range<br>Rear Light                | 31-09-43.027N<br>081-32-07.573W | Iso W 6s     | 41 | KRW on skeleton tower.                                                          | Visible 4° each side of rangeline.                                                                       |
| 6360 | Turtle River Lighted<br>Buoy 6                   | 31-08-59.004N<br>081-31-43.307W | Q R          |    | 4                                                                               | Red.                                                                                                     |

|        |                                                   |                                 |             |    |   |                                                                              |                                                                                                          |
|--------|---------------------------------------------------|---------------------------------|-------------|----|---|------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| 6365   | Turtle River Upper Range Front Light              | 31-08-44.315N<br>081-31-48.347W | Q W         |    |   | KRW on skeleton tower on piles.                                              | Visible 4° each side of rangeline.                                                                       |
| 6370   | Turtle River Upper Range Rear Light               | 31-08-00.948N<br>081-31-57.257W | Iso W 6s    |    |   | KRW on skeleton tower on piles. On same structure as Lower Range Rear Light. | Visible 4° each side of rangeline.                                                                       |
| 6375   | Turtle River Buoy 8                               | 31-09-33.851N<br>081-31-36.186W |             |    |   | Red nun.                                                                     |                                                                                                          |
| 6380   | Turtle River Light 9                              | 31-10-16.763N<br>081-31-34.159W | FI G 4s     | 0  | 5 | SG on pile.                                                                  |                                                                                                          |
| 6385   | Turtle River Daybeacon 10                         | 31-10-54.143N<br>081-31-27.199W |             |    |   | TR on pile.                                                                  |                                                                                                          |
| 6390   | Georgia Power Company Dike Light                  | 31-12-52.000N<br>081-33-03.000W | F R         |    |   | On pier.                                                                     |                                                                                                          |
| 6395   | Hermitage Island Plant Outfall Obstruction Light  | 31-13-15.122N<br>081-33-48.974W | Q W         |    |   | NW on dolphin worded DANGER SUBMERGED PIPELINE.                              |                                                                                                          |
| 6435   | Raccoon Key Split Light 2                         | 31-00-20.313N<br>081-26-12.741W | FI R 2.5s   | 0  | 4 | TR on pile.                                                                  |                                                                                                          |
| 6440   | Horseshoe Shoal Daybeacon 3                       | 30-59-54.815N<br>081-26-40.195W |             |    |   | SG on pile.                                                                  |                                                                                                          |
| 6443   | Satilla River Daybeacon 4                         | 31-00-00.167N<br>081-27-11.058W |             |    |   | TR on pile.                                                                  |                                                                                                          |
| 6444   | Satilla River Daybeacon 5                         | 30-59-25.628N<br>081-27-42.365W |             |    |   | SG on pile.                                                                  |                                                                                                          |
| 6445   | Satilla River Light 6                             | 30-59-24.335N<br>081-27-58.118W | FI R 6s     |    | 5 | TR on pile.                                                                  |                                                                                                          |
| 6448   | Satilla River Daybeacon 7                         | 30-58-35.316N<br>081-28-11.494W |             |    |   | SG on pile.                                                                  |                                                                                                          |
| 6450   | Satilla River Daybeacon 8                         | 30-58-27.685N<br>081-28-31.403W |             |    |   | TR on pile.                                                                  |                                                                                                          |
| 6455   | Satilla River Daybeacon 10                        | 30-57-50.543N<br>081-28-49.458W |             |    |   | TR on pile.                                                                  |                                                                                                          |
| 6457   | Satilla River Light 11                            | 30-57-31.599N<br>081-29-01.175W | FI G 2.5s   |    | 5 | SG on pile.                                                                  |                                                                                                          |
| 6458   | Satilla River Daybeacon 12                        | 30-57-42.986N<br>081-29-03.390W |             |    |   | TR on pile.                                                                  |                                                                                                          |
| 6460   | St. Marys Entrance Lighted Buoy STM               | 30-42-54.054N<br>081-14-38.666W | Mo (A) W    |    | 6 | Red and white stripes with red spherical topmark.                            | AIS: MMSI 993672157                                                                                      |
| 6515   | St Marys Entrance Lighted Buoy 1                  | 30-42-46.369N<br>081-17-32.271W | FI G 4s     |    | 5 | Green.                                                                       |                                                                                                          |
| 6520   | St Marys Entrance Lighted Buoy 2                  | 30-42-52.777N<br>081-17-32.956W | FI R 4s     |    | 5 | Red.                                                                         |                                                                                                          |
| 6522   | Scripps Wave Lighted Buoy D                       | 30-42-32.080N<br>081-17-31.780W | FI (5)Y 20s |    |   | Yellow sphere marked Wave Buoy.                                              |                                                                                                          |
| 6525.5 | St Marys Entrance Range Front Light Passing Light | 30-42-27.649N<br>081-27-53.545W | FI W 2.5s   |    | 5 | On same structure as St. Marys Entrance Range Front Light.                   |                                                                                                          |
| 6525   | St Marys Entrance Range Front Light               | 30-42-28.500N<br>081-27-52.725W | FI W 2.5s   | 37 |   | KRW on tower. On same structure as Cumberland Sound Obstruction Light.       | DAY: Visible on range line only. NIGHT: Visible 4° each side of range line.                              |
| 6530   | St Marys Entrance Range Rear Light                | 30-42-26.245N<br>081-28-59.195W | Iso W 6s    | 95 |   | KRW on tower.                                                                | DAY: Visible on range line only. NIGHT: Visible 4° each side of range line. Lighted throughout 24 hours. |
| 6535   | St Marys Entrance Lighted Buoy 3                  | 30-42-44.630N<br>081-18-37.031W | FI G 2.5s   |    | 5 | Green.                                                                       |                                                                                                          |
| 6540   | St Marys Entrance Lighted Buoy 4                  | 30-42-50.965N<br>081-18-38.164W | FI R 2.5s   |    | 5 | Red.                                                                         |                                                                                                          |
| 6550   | St Marys Entrance Lighted Buoy 6                  | 30-42-47.649N<br>081-19-59.054W | FI R 4s     |    | 5 | Red.                                                                         |                                                                                                          |
| 6555   | St Marys Entrance Lighted Buoy 7                  | 30-42-41.876N<br>081-20-00.595W | FI G 4s     |    | 5 | Green.                                                                       |                                                                                                          |
| 6560   | St Marys Entrance Lighted Buoy 8                  | 30-42-45.542N<br>081-20-48.066W | FI R 6s     |    | 5 | Red.                                                                         |                                                                                                          |
| 6565   | St Marys Entrance Lighted Buoy 9                  | 30-42-40.323N<br>081-20-47.527W | FI G 6s     |    | 5 | Green.                                                                       |                                                                                                          |
| 6570   | St Marys Entrance Lighted Buoy 10                 | 30-42-43.748N<br>081-21-33.535W | FI R 2.5s   |    | 5 | Red.                                                                         |                                                                                                          |
| 6575   | St Marys Entrance Lighted Buoy 11                 | 30-42-38.803N<br>081-21-33.315W | FI G 2.5s   |    | 5 | Green.                                                                       |                                                                                                          |
| 6580   | St Marys Entrance Lighted Buoy 12                 | 30-42-42.104N<br>081-22-23.336W | FI R 4s     |    | 5 | Red.                                                                         |                                                                                                          |
| 6585   | St Marys Entrance                                 | 30-42-37.089N                   | FI G 4s     |    | 5 | Green.                                                                       |                                                                                                          |

|      |                                                        |                                 |           |   |                                                          |                                                            |
|------|--------------------------------------------------------|---------------------------------|-----------|---|----------------------------------------------------------|------------------------------------------------------------|
|      | Lighted Buoy 13                                        | 081-22-23.168W                  |           |   |                                                          |                                                            |
| 6590 | St Marys Entrance<br>Lighted Buoy 14                   | 30-42-40.510N<br>081-23-11.033W | FI R 6s   | 5 | Red.                                                     |                                                            |
| 6595 | St Marys Entrance<br>Lighted Buoy 15                   | 30-42-35.534N<br>081-23-11.340W | FI G 6s   | 5 | Green.                                                   |                                                            |
| 6600 | St Marys Entrance<br>Lighted Buoy 16                   | 30-42-38.889N<br>081-23-59.378W | FI R 2.5s | 5 | Red.                                                     | AIS: MMSI 993672017                                        |
| 6605 | St Marys Entrance<br>Lighted Buoy 17                   | 30-42-33.516N<br>081-23-58.627W | FI G 2.5s | 5 | Green.                                                   |                                                            |
| 6610 | St Marys North Jetty<br>Lighted Buoy 2NJ               | 30-43-06.877N<br>081-24-09.544W | Q R       | 4 | Red.                                                     |                                                            |
| 6615 | St Marys South Jetty<br>Buoy B                         | 30-42-28.257N<br>081-24-05.643W |           |   | White can with orange bands<br>and diamond worded JETTY. |                                                            |
| 6620 | St Marys North Jetty<br>Buoy C                         | 30-43-06.942N<br>081-24-57.646W |           |   | White can with orange bands<br>and diamond worded JETTY. |                                                            |
| 6625 | St Marys South Jetty<br>Buoy D                         | 30-42-19.924N<br>081-24-33.041W |           |   | White can with orange bands<br>and diamond worded JETTY. |                                                            |
| 6630 | St Marys Entrance<br>Lighted Buoy 18                   | 30-42-37.046N<br>081-24-53.228W | FI R 6s   | 5 | Red.                                                     |                                                            |
| 6635 | St Marys Entrance<br>Lighted Buoy 19                   | 30-42-32.093N<br>081-24-53.344W | FI G 6s   | 5 | Green.                                                   |                                                            |
| 6650 | St Marys Entrance<br>Lighted Buoy 20                   | 30-42-35.307N<br>081-25-45.365W | Q R       | 4 | Red.                                                     |                                                            |
| 6655 | St Marys Entrance<br>Lighted Buoy 21                   | 30-42-30.377N<br>081-25-45.147W | Q G       | 5 | Green.                                                   |                                                            |
| 6660 | St Marys Entrance<br>Turning Basin Lighted<br>Buoy C   | 30-42-25.870N<br>081-26-19.363W | FI Y 2.5s | 5 | Yellow.                                                  |                                                            |
| 6665 | St Marys Entrance<br>Turning Basin Lighted<br>Buoy D   | 30-42-38.765N<br>081-26-19.173W | FI Y 2.5s | 5 | Yellow.                                                  |                                                            |
| 6670 | St Marys Entrance<br>Turning Basin Lighted<br>Buoy E   | 30-42-25.001N<br>081-26-52.388W | FI Y 2.5s | 5 | Yellow.                                                  |                                                            |
| 6675 | St Marys Entrance<br>Turning Basin Lighted<br>Buoy F   | 30-42-36.556N<br>081-26-50.769W | FI Y 2.5s | 5 | Yellow.                                                  |                                                            |
| 6680 | St Marys Daybeacon N                                   | 30-42-48.501N<br>081-27-13.608W |           |   | NR on pile.                                              | Ra ref.                                                    |
| 6685 | St Marys Daybeacon S                                   | 30-42-20.876N<br>081-27-09.210W |           |   | NG on dolphin.                                           | Ra ref.                                                    |
| 6690 | Cumberland Sound<br>Upper Range A Front<br>Light       | 30-43-30.508N<br>081-29-41.025W | Q W       |   | KRW-I on dolphin.                                        | Visible all around; higher intensity on rangeline.         |
| 6695 | Cumberland Sound<br>Upper Range A Rear<br>Light        | 30-43-39.907N<br>081-30-05.176W | Iso W 6s  |   | KRW on skeleton tower on<br>piles.                       | Visible all around; higher intensity on rangeline.         |
| 6700 | Cumberland Sound<br>Lighted Buoy 22                    | 30-42-41.375N<br>081-27-26.350W | Q R       | 4 | Red.                                                     |                                                            |
| 6705 | Cumberland Sound<br>Lighted Buoy 23                    | 30-42-37.775N<br>081-27-33.350W | FI G 2.5s | 5 | Green.                                                   |                                                            |
| 6710 | Cumberland Sound<br>Lighted Buoy 24                    | 30-42-51.575N<br>081-27-54.451W | FI R 4s   | 5 | Red with yellow square.                                  |                                                            |
| 6715 | Cumberland Sound<br>Lighted Buoy 25                    | 30-42-46.875N<br>081-27-56.851W | FI G 4s   | 5 | Green with yellow triangle.                              |                                                            |
| 6720 | Cumberland Sound<br>Light A                            | 30-43-10.041N<br>081-28-19.120W | FI W 6s   | 0 | 5                                                        | NB on pile.                                                |
| 6725 | Cumberland Sound<br>Lighted Buoy 26                    | 30-43-03.874N<br>081-28-24.352W | FI R 4s   | 5 | Red with yellow square.                                  |                                                            |
| 6727 | Coast Guard Mooring<br>Buoy SM                         | 30-42-57.622N<br>081-28-49.218W |           |   | White can with blue band<br>labeled CG.                  |                                                            |
| 6730 | Cumberland Sound<br>Lighted Buoy 27                    | 30-43-00.875N<br>081-28-33.005W | FI G 2.5s | 5 | Green with yellow triangle.                              |                                                            |
| 6735 | Cumberland Sound<br>Lower Range A Range<br>Front Light | 30-42-19.780N<br>081-26-39.719W | Q W       |   | KRW-I on dolphin.                                        | Visible all around; higher intensity on rangeline.         |
| 6740 | Cumberland Sound<br>Lower Range A Range<br>Rear Light  | 30-42-17.375N<br>081-26-33.648W | Iso W 6s  |   | KRW on skeleton tower.                                   | Obscured from 180° to 096°. Higher intensity on rangeline. |
| 6745 | Cumberland Sound<br>Range Front Light A-1              | 30-43-36.412N<br>081-29-31.513W | Q R       | 4 | KRW-I on dolphin.                                        | Visible all around.                                        |

|      |                                                        |                                 |           |    |                                                                                       |                                                                                                                                           |
|------|--------------------------------------------------------|---------------------------------|-----------|----|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| 6750 | Cumberland Sound<br>Range Rear Light A-1               | 30-43-41.326N<br>081-29-40.769W | Iso R 6s  |    | KRW on tower on piles.                                                                | Visible all around.                                                                                                                       |
| 6755 | Cumberland Sound<br>Lighted Buoy 28                    | 30-43-16.739N<br>081-28-45.346W | Q R       | 4  | Red with yellow square.                                                               |                                                                                                                                           |
| 6760 | Cumberland Sound<br>Range Front Light A-2              | 30-44-14.260N<br>081-29-27.197W | Q W       |    | KRW-I on dolphin.                                                                     | Visible all around; higher intensity on rangeline.                                                                                        |
| 6765 | Cumberland Sound<br>Range Rear Light A-2               | 30-44-16.218N<br>081-29-28.504W | Iso W 6s  |    | KRW on tower on piles.                                                                | Visible all around; higher intensity on rangeline.                                                                                        |
| 6770 | Cumberland Sound<br>Lighted Buoy 29                    | 30-43-29.364N<br>081-29-04.036W | FI G 2.5s | 5  | Green with yellow triangle.                                                           |                                                                                                                                           |
| 6773 | Cumberland Sound<br>Shoal Light A                      | 30-43-39.001N<br>081-28-52.178W | FI W 4s   | 5  | NW on pile worded SHOAL.                                                              |                                                                                                                                           |
| 6775 | Cumberland Sound<br>Lighted Buoy 30                    | 30-43-41.374N<br>081-28-58.353W | FI R 2.5s | 5  | Red with yellow square.                                                               |                                                                                                                                           |
| 6780 | Cumberland Sound<br>Range B Front Light                | 30-44-25.603N<br>081-29-12.128W | Q G       |    | KRW-I on pile.                                                                        | Visible 4° each side of rangeline.                                                                                                        |
| 6785 | Cumberland Sound<br>Range B Range Rear<br>Light        | 30-44-37.002N<br>081-29-14.618W | Iso G 6s  | 30 | KRW on skeleton tower on<br>piles.                                                    | Visible 4° each side of rangeline.                                                                                                        |
| 6790 | St Marys River Light 2                                 | 30-43-41.905N<br>081-29-25.552W | FI R 4s   | 5  | TR on pile.                                                                           |                                                                                                                                           |
| 6795 | St Marys River Light 3                                 | 30-43-23.362N<br>081-31-51.258W | FI G 4s   | 5  | SG on pile.                                                                           |                                                                                                                                           |
| 6800 | St Marys River<br>Daybeacon 5                          | 30-43-15.562N<br>081-31-57.258W |           |    | SG on pile.                                                                           |                                                                                                                                           |
| 6805 | St Marys River<br>Daybeacon 6                          | 30-42-57.742N<br>081-32-05.118W |           | 0  | TR on pile.                                                                           |                                                                                                                                           |
| 6810 | St Marys River<br>Daybeacon 8                          | 30-42-37.167N<br>081-32-01.849W |           | 0  | TR on pile.                                                                           |                                                                                                                                           |
| 6815 | St Marys River Light<br>10                             | 30-42-31.582N<br>081-32-07.098W | FI R 4s   | 0  | 5                                                                                     | TR on pile.                                                                                                                               |
| 6820 | St Marys River<br>Daybeacon 12                         | 30-42-41.083N<br>081-32-26.341W |           | 0  | TR on pile.                                                                           |                                                                                                                                           |
| 6825 | St Marys River Light<br>13                             | 30-42-58.462N<br>081-32-42.318W | FI G 4s   | 5  | SG on pile.                                                                           |                                                                                                                                           |
| 6830 | St. Marys River East<br>Mooring Lighted Buoy           | 30-43-05.300N<br>081-32-56.500W | FI W 2.5s |    | White.                                                                                |                                                                                                                                           |
| 6835 | St. Marys River West<br>Mooring Lighted Buoy           | 30-43-05.500N<br>081-33-02.000W | FI W 2.5s |    | White.                                                                                |                                                                                                                                           |
| 6837 | Cumberland Sound<br>Shoal Light B                      | 30-43-56.464N<br>081-28-59.430W | FI W 4s   | 5  | NW on pile worded SHOAL.                                                              |                                                                                                                                           |
| 6840 | Cumberland Sound<br>Lighted Buoy 31                    | 30-44-00.892N<br>081-29-10.313W | FI G 4s   | 5  | Green with yellow triangle.                                                           |                                                                                                                                           |
| 6845 | Cumberland Sound<br>Lighted Buoy 32                    | 30-44-09.190N<br>081-29-03.875W | Q R       | 4  | Red with yellow square.                                                               |                                                                                                                                           |
| 6847 | Cumberland Sound<br>Shoal Light C                      | 30-45-25.837N<br>081-28-57.304W | FI W 4s   | 0  | 5                                                                                     | NW on pile worded SHOAL.                                                                                                                  |
| 6850 | Cumberland Sound<br>Upper Range C Front<br>Light       | 30-45-36.506N<br>081-28-59.550W | Q W       | 10 | KRW-I on dolphin.                                                                     | Visible all around; higher intensity on rangeline.                                                                                        |
| 6855 | Cumberland Sound<br>Upper Range C Rear<br>Light        | 30-46-04.046N<br>081-28-57.252W | Iso W 6s  | 50 | KRW on skeleton tower. On<br>same structure as Kings Bay<br>Lower Range E Rear Light. | Visible all around; higher intensity on rangeline.                                                                                        |
| 6865 | Cumberland Sound<br>Lighted Buoy 33                    | 30-44-31.318N<br>081-29-07.458W | FI G 6s   | 5  | Green with yellow triangle.                                                           |                                                                                                                                           |
| 6867 | Cumberland Sound<br>Shoal Light D                      | 30-44-27.022N<br>081-29-10.818W | FI W 4s   | 0  | 5                                                                                     | NW on pile worded SHOAL.                                                                                                                  |
| 6870 | Cumberland Sound<br>Lighted Buoy 34                    | 30-44-30.874N<br>081-29-01.654W | FI R 4s   | 5  | Red with yellow square.                                                               |                                                                                                                                           |
| 6872 | Cumberland Sound<br>Shoal Light E                      | 30-44-43.826N<br>081-28-52.600W | FI W 4s   | 5  | NW on pile worded SHOAL.                                                              |                                                                                                                                           |
| 6873 | Cumberland Sound<br>Shoal Light F                      | 30-44-41.002N<br>081-29-09.729W | FI W 4s   | 5  | NW on pile worded SHOAL.                                                              |                                                                                                                                           |
| 6875 | Cumberland Sound<br>Lighted Buoy 35                    | 30-44-51.869N<br>081-29-05.946W | FI G 2.5s | 5  | Green with yellow triangle.                                                           |                                                                                                                                           |
| 6880 | Cumberland Sound<br>Lower Range C Range<br>Front Light | 30-43-13.662N<br>081-29-11.303W | Q R       |    | KRW-I on pile.                                                                        | Visible 1.5° each side of rangeline. Passing light displays FI G 4s at a<br>height of 12ft nominal range is 4M visible from 212° to 159°. |
| 6885 | Cumberland Sound<br>Lower Range C Range<br>Rear Light  | 30-43-03.478N<br>081-29-12.171W | Iso R 6s  |    | KRW on dolphin.                                                                       | Visible 1.5° each side of rangeline.                                                                                                      |

|      |                                                  |                                 |           |    |                                   |                                                                                                                                                                                                                                                                                              |
|------|--------------------------------------------------|---------------------------------|-----------|----|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6892 | Cumberland Sound Shoal Light G                   | 30-45-09.931N<br>081-28-55.696W | FI W 4s   | 5  | NW on pile worded SHOAL.          |                                                                                                                                                                                                                                                                                              |
| 6894 | Cumberland Sound Shoal Light H                   | 30-45-16.334N<br>081-29-08.710W | FI W 4s   | 5  | NW on pile worded SHOAL.          |                                                                                                                                                                                                                                                                                              |
| 6895 | Cumberland Sound Lighted Buoy 36                 | 30-45-14.686N<br>081-28-58.586W | FI R 2.5s | 5  | Red with yellow square.           |                                                                                                                                                                                                                                                                                              |
| 6900 | Cumberland Island Wreck Daybeacon                | 30-45-30.808N<br>081-28-35.552W |           |    | NW on pile worded Danger Wreck    |                                                                                                                                                                                                                                                                                              |
| 6905 | Cumberland Sound Range D Front Light             | 30-46-45.078N<br>081-29-17.761W | Q R       | 0  | KRW-I on piles.                   |                                                                                                                                                                                                                                                                                              |
| 6910 | Cumberland Sound Range D Rear Light              | 30-47-44.512N<br>081-29-28.393W | Iso R 6s  | 35 | KRW-I on skeleton tower on piles. |                                                                                                                                                                                                                                                                                              |
| 6911 | Cumberland Sound Rear Range D Passing Light      | 30-47-44.512N<br>081-29-28.393W | Q W       | 35 | 5                                 | Passing light on same structure as Cumberland Sound Range D Rear Light. (2) Synchronized Q W lights installed one located on the northeast corner and one located on the southeast corner of platform for Cumberland Sound Range D Rear Light. Passing light is visible all around platform. |
| 6915 | Cumberland Sound Lighted Buoy 37                 | 30-45-35.848N<br>081-29-08.041W | FI G 4s   | 5  | Green with yellow triangle.       |                                                                                                                                                                                                                                                                                              |
| 6920 | Cumberland Sound Lighted Buoy 39                 | 30-45-52.952N<br>081-29-11.353W | FI G 6s   | 5  | Green with yellow triangle.       |                                                                                                                                                                                                                                                                                              |
| 6925 | Cumberland Sound Lighted Buoy 40                 | 30-45-55.373N<br>081-29-05.556W | FI R 6s   | 5  | Red with yellow square.           |                                                                                                                                                                                                                                                                                              |
| 6927 | Cumberland Sound Shoal Light I                   | 30-46-00.160N<br>081-29-03.937W | FI W 4s   | 5  | NW on pile worded SHOAL.          |                                                                                                                                                                                                                                                                                              |
| 6930 | Cumberland Sound Lighted Buoy 41                 | 30-46-19.566N<br>081-29-16.610W | FI G 2.5s | 5  | Green with yellow triangle.       |                                                                                                                                                                                                                                                                                              |
| 6935 | Kings Bay Lower Range E Front Light              | 30-46-23.384N<br>081-29-09.011W | Q W       |    |                                   | KRW-I on pile. Light obscured from 250° to 120°. Higher intensity on rangeline.                                                                                                                                                                                                              |
| 6940 | Kings Bay Lower Range E Rear Light               | 30-46-04.046N<br>081-28-57.252W | Iso W 6s  |    |                                   | KRW on skeleton tower. On same structure as Cumberland Sound Range C Rear Light. Visible all around; higher intensity on rangeline.                                                                                                                                                          |
| 6945 | Kings Bay Upper Range E Front Light              | 30-47-34.574N<br>081-29-52.372W | Q W       | 0  |                                   | KRW-I on dolphin. Visible all around.                                                                                                                                                                                                                                                        |
| 6950 | Kings Bay Upper Range E Rear Light               | 30-47-40.649N<br>081-29-56.105W | Iso W 6s  |    |                                   | KRW on dolphin. Visible all around.                                                                                                                                                                                                                                                          |
| 6955 | Kings Bay Lighted Buoy 43                        | 30-46-30.202N<br>081-29-20.508W | FI G 4s   | 5  | Green with yellow triangle.       |                                                                                                                                                                                                                                                                                              |
| 6960 | Kings Bay Navigation Light                       | 30-46-35.422N<br>081-29-35.118W | FI W 4s   | 5  | NW on pile.                       |                                                                                                                                                                                                                                                                                              |
| 6965 | Kings Bay North Degaussing Range Front Daybeacon | 30-46-53.140N<br>081-29-21.642W |           | 0  |                                   | KYB on piles. Maintained by U.S. Navy.                                                                                                                                                                                                                                                       |
| 6967 | MSF Range Sensor Daybeacon DR                    | 30-46-48.982N<br>081-29-17.141W |           |    |                                   | NB on pile. Maintained by U.S. Navy.                                                                                                                                                                                                                                                         |
| 6970 | Kings Bay North Degaussing Range Rear Daybeacon  | 30-46-53.817N<br>081-29-20.112W |           |    |                                   | KYB on piles. Maintained by U.S. Navy.                                                                                                                                                                                                                                                       |
| 6975 | Kings Bay South Degaussing Range Front Daybeacon | 30-46-43.330N<br>081-29-15.659W |           | 0  |                                   | KYB on piles. Maintained by U.S. Navy.                                                                                                                                                                                                                                                       |
| 6980 | Kings Bay South Degaussing Range Rear Daybeacon  | 30-46-44.001N<br>081-29-14.778W |           |    |                                   | KYB on pile. Maintained by U.S. Navy.                                                                                                                                                                                                                                                        |
| 6985 | Kings Bay Light 44                               | 30-47-03.513N<br>081-29-24.437W | FI R 4s   | 0  | 5                                 | TR-SY on pile.                                                                                                                                                                                                                                                                               |
| 6990 | Kings Bay Lighted Buoy 45                        | 30-47-01.086N<br>081-29-38.828W | FI G 2.5s | 5  | Green with yellow triangle.       |                                                                                                                                                                                                                                                                                              |
| 6995 | Kings Bay Light 46                               | 30-47-32.388N<br>081-29-46.527W | Q R       | 4  | TR on pile.                       |                                                                                                                                                                                                                                                                                              |
| 7000 | Kings Bay Light 48                               | 30-47-48.311N<br>081-30-17.903W | FI R 4s   | 5  | TR on pile.                       |                                                                                                                                                                                                                                                                                              |
| 7005 | Kings Bay Light 50                               | 30-48-02.602N<br>081-30-39.858W | FI R 6s   | 5  | TR on pile.                       |                                                                                                                                                                                                                                                                                              |
| 7010 | Kings Bay Light 52                               | 30-48-09.836N<br>081-30-53.508W | FI R 4s   | 0  | 5                                 | TR on pile.                                                                                                                                                                                                                                                                                  |
| 7015 | Kings Bay Light 53                               | 30-48-13.342N<br>081-31-11.178W | FI G 4s   | 0  | 5                                 | SG on pile.                                                                                                                                                                                                                                                                                  |
| 7020 | Kings Bay Light 54                               | 30-48-18.479N<br>081-31-06.166W | FI R 6s   | 0  | 5                                 | TR on pile.                                                                                                                                                                                                                                                                                  |
| 7025 | Kings Bay Light 56                               | 30-48-24.165N<br>081-31-10.302W | FI R 4s   | 0  | 5                                 | TR on pile.                                                                                                                                                                                                                                                                                  |

|        |                                            |                                 |           |   |                                                                   |             |
|--------|--------------------------------------------|---------------------------------|-----------|---|-------------------------------------------------------------------|-------------|
| 7030   | Kings Bay Light 58                         | 30-48-38.310N<br>081-31-12.740W | FI R 6s   | 5 | TR on pile.                                                       |             |
| 7035   | Kings Bay Light 60                         | 30-48-42.961N<br>081-31-17.569W | FI R 2.5s | 0 | 5                                                                 | TR on pile. |
| 7045   | Amelia River Lighted Buoy 2                | 30-42-14.776N<br>081-27-51.451W | FI R 2.5s | 5 | Red with yellow triangle.                                         |             |
| 7050   | Amelia River Lighted Buoy 1                | 30-42-16.686N<br>081-27-39.898W | Q G       | 4 | Green with yellow square.                                         |             |
| 7055   | Amelia River Lighted Buoy 3                | 30-42-02.732N<br>081-27-43.977W | FI G 6s   | 5 | Green with yellow square.                                         |             |
| 7060   | Amelia River Lighted Buoy 4                | 30-41-48.075N<br>081-27-48.150W | FI R 4s   | 5 | Red with yellow triangle.                                         |             |
| 7065   | Amelia River Lighted Buoy 5                | 30-41-47.970N<br>081-27-42.427W | FI G 2.5s | 5 | Green with yellow square.                                         |             |
| 7070   | Amelia River Lighted Buoy 6                | 30-41-18.176N<br>081-27-37.849W | FI R 2.5s | 5 | Red with yellow triangle.                                         |             |
| 7075   | Amelia River Light 7                       | 30-41-19.119N<br>081-27-31.144W | FI G 4s   | 5 | SG-SY on dolphin.                                                 |             |
| 7079   | Old Town Reach Obstruction Daybeacon 1     | 30-41-08.400N<br>081-27-30.700W |           |   | NW on pile worded DANGER SUBMERGED PIPELINE.                      |             |
| 7080   | Amelia River Lighted Buoy 8                | 30-41-03.076N<br>081-27-40.149W | Q R       | 4 | Red with yellow triangle.                                         |             |
| 7085   | Amelia River Lighted Buoy 10               | 30-40-31.576N<br>081-28-00.349W | FI R 2.5s | 5 | Red with yellow triangle.                                         |             |
| 7090   | Amelia River Light 12                      | 30-40-12.502N<br>081-28-06.318W | FI R 4s   | 5 | TR-TY on dolphin.                                                 |             |
| 7095   | Amelia River Daybeacon 14                  | 30-39-58.282N<br>081-28-20.058W |           |   | TR-TY on pile.                                                    |             |
| 7100   | Amelia River Daybeacon 16                  | 30-39-51.382N<br>081-28-38.238W |           |   | TR-TY on pile.                                                    |             |
| 7103   | Amelia River Daybeacon 18                  | 30-39-56.528N<br>081-29-03.557W |           | 0 | TR-TY on pile.                                                    |             |
| 7104.1 | Soap Creek Light 2                         | 30-40-01.020N<br>081-30-19.740W | FI R 2s   |   | TR on pile.                                                       |             |
| 7104.2 | Soap Creek Shoal Buoy A                    | 30-40-01.860N<br>081-30-15.900W |           |   | Orange stripe top and bottom. Orange diamond worded DANGER SHOAL. |             |
| 7104.4 | Oyster Bay Yacht Club Dock Light A         | 30-39-59.340N<br>081-30-19.080W | FI W 4s   |   | Located on the end of dock.                                       |             |
| 7104.5 | Oyster Bay Yacht Club Dock Light B         | 30-39-52.860N<br>081-30-14.820W | FI W 4s   |   | Located on the end of dock.                                       |             |
| 7104   | Soap Creek Light 1                         | 30-40-01.920N<br>081-30-17.760W | FI G 2s   |   | SG on pile.                                                       |             |
| 7104.3 | Soap Creek Light 3                         | 30-40-00.060N<br>081-30-17.820W | FI G 4s   |   | SG on pile.                                                       |             |
| 7104.6 | Soap Creek Shoal Daybeacon B               | 30-40-01.320N<br>081-30-20.280W |           |   | NW on pile worded SHOAL.                                          |             |
| 7105   | Fernandina Beach Daybeacon 18A             | 30-39-52.619N<br>081-29-07.927W |           |   | TR-TY on pile.                                                    |             |
| 7112.9 | St Johns River V-AIS Pilot Boarding Area A | 30-21-53.092N<br>081-10-32.213W |           |   | AIS: MMSI 993672255                                               |             |
| 7113.1 | St Johns Approach Lighted Buoy 2SJA        | 30-22-01.690N<br>081-12-20.287W | FI R 2.5s | 5 | Red.                                                              |             |
| 7113.2 | St Johns Approach Lighted Buoy 4SJA        | 30-22-04.140N<br>081-13-45.083W | Q R       | 4 | Red.                                                              |             |
| 7113.5 | St Johns Approach Lighted Buoy 7SJA        | 30-22-38.111N<br>081-16-16.523W | FI G 4s   | 5 | Green.                                                            |             |
| 7113.6 | St Johns Approach Lighted Buoy 8SJA        | 30-22-50.410N<br>081-16-10.795W | FI R 4s   | 5 | Red.                                                              |             |
| 7113.8 | St Johns Approach Lighted Buoy 10SJA       | 30-23-33.267N<br>081-18-10.218W | Q R       | 4 | Red.                                                              |             |
| 7113.3 | St Johns Approach V-AIS 5SJA               | 30-21-47.584N<br>081-14-04.967W |           |   | AIS: MMSI 993672270                                               |             |
| 7113.9 | St Johns Approach V-AIS 11SJA              | 30-23-25.884N<br>081-18-35.449W |           |   | AIS: MMSI 993672273                                               |             |
| 7113   | St Johns Approach V-AIS 1SJA               | 30-21-47.273N<br>081-12-19.429W |           |   | AIS: MMSI 993672250                                               |             |
| 7113.4 | St Johns Approach V-AIS 6SJA               | 30-22-06.403N<br>081-14-17.443W |           |   | AIS: MMSI 993672249                                               |             |
| 7113.7 | St Johns Approach V-                       | 30-23-15.934N                   |           |   | AIS: MMSI 993672998                                               |             |



|      |                                              |                                 |              |    |                                 |                                                                                         |
|------|----------------------------------------------|---------------------------------|--------------|----|---------------------------------|-----------------------------------------------------------------------------------------|
|      | AIS 9SJA                                     | 081-17-52.629W                  |              |    |                                 |                                                                                         |
| 7115 | St Johns Bar Cut Range Front Light           | 30-24-14.133N<br>081-25-39.659W | Fl W 2.5s    | 4  | On tower on piles.              | Visible 0.5° each side of rangeline (Day). Visible 1.5° each side of rangeline (Night). |
| 7120 | St Johns Bar Cut Range Rear Light            | 30-24-22.163N<br>081-26-58.895W | Iso W 6s     | 83 | Skeleton tower on piles.        | Visible 0.5° each side of rangeline (Day). Visible 1.5° each side of rangeline (Night). |
| 7122 | St Johns River V-AIS Pilot Boarding Area B   | 30-23-35.390N<br>081-19-08.416W |              |    |                                 | AIS: MMSI 993672066                                                                     |
| 7123 | St Johns River Entrance V-AIS 1              | 30-23-35.752N<br>081-20-06.845W |              |    |                                 | AIS: MMSI# 993672262                                                                    |
| 7124 | St Johns River Entrance V-AIS 2              | 30-23-44.173N<br>081-20-04.908W |              |    |                                 | AIS: MMSI 993672257                                                                     |
| 7125 | St Johns River Entrance Lighted Buoy 3       | 30-23-45.238N<br>081-21-38.282W | Fl G 4s      | 5  | Green.                          |                                                                                         |
| 7130 | St Johns River Entrance Lighted Buoy 4       | 30-23-53.659N<br>081-21-36.347W | Fl R 4s      | 5  | Red.                            |                                                                                         |
| 7135 | St Johns River Lighted Buoy 5                | 30-23-47.557N<br>081-22-25.953W | Q G          | 4  | Green.                          | AIS: MMSI 993672019                                                                     |
| 7140 | St Johns River Lighted Bell Buoy 6           | 30-23-59.867N<br>081-22-25.173W | Q R          | 4  | Red.                            |                                                                                         |
| 7145 | St Johns River Lighted Buoy 7                | 30-23-52.906N<br>081-23-04.812W | Fl G 4s      | 5  | Green.                          |                                                                                         |
| 7150 | St Johns River Lighted Buoy 8                | 30-24-01.937N<br>081-23-00.875W | Fl R 4s      | 5  | Red.                            |                                                                                         |
| 7155 | Mayport Basin Range Front Light              | 30-23-34.990N<br>081-24-57.503W | Q G          | 50 | KRW on skeleton tower.          | Visible 4° each side of rangeline.                                                      |
| 7160 | Mayport Basin Range Rear Light               | 30-23-34.225N<br>081-25-00.738W | Iso G 6s     | 81 | KRW on tower.                   | Visible 4° each side of rangeline.                                                      |
| 7165 | Mayport Basin Preferred Channel Lighted Buoy | 30-23-56.376N<br>081-23-40.041W | Fl (2+1)G 6s | 5  | Green and red bands.            |                                                                                         |
| 7170 | Mayport Basin Channel Lighted Buoy 1         | 30-23-51.128N<br>081-23-34.721W | Fl G 4s      | 5  | Green.                          |                                                                                         |
| 7175 | Mayport Basin Channel Buoy 1A                | 30-23-46.987N<br>081-23-54.706W |              |    | Green can.                      |                                                                                         |
| 7180 | Mayport Basin Channel Buoy 2                 | 30-23-52.722N<br>081-23-56.895W |              |    | Red nun.                        |                                                                                         |
| 7185 | Mayport Basin Channel Lighted Buoy 4         | 30-23-49.484N<br>081-24-08.476W | Fl R 4s      | 4  | Red.                            |                                                                                         |
| 7190 | St Johns River Lighted Buoy 10               | 30-24-08.794N<br>081-24-07.417W | Fl R 4s      | 5  | Red.                            |                                                                                         |
| 7195 | St Johns River Lighted Buoy 11               | 30-24-06.496N<br>081-25-05.399W | Fl G 4s      | 5  | Green.                          |                                                                                         |
| 7200 | Pilot Town Cut Range Front Light             | 30-24-20.775N<br>081-24-49.668W | Q R          |    | KRW on pile.                    | Visible 1.5° each side of rangeline.                                                    |
| 7205 | Pilot Town Cut Range Rear Light              | 30-24-22.201N<br>081-24-45.414W | Iso R 6s     | 20 | KRW on skeleton tower.          | Visible 1.5° each side of rangeline.                                                    |
| 7210 | Navy Fuel Pier Light (Mayport)               | 30-24-00.864N<br>081-25-17.311W | F G          |    | On pile.                        | Maintained by U.S. Navy.                                                                |
| 7215 | Mayport Cut Range Front Light                | 30-24-12.522N<br>081-25-42.319W | Q R          |    | KRW on skeleton tower on piles. | Visible 1.5° each side of rangeline.                                                    |
| 7220 | Mayport Cut Range Rear Light                 | 30-24-17.180N<br>081-25-40.075W | Iso R 6s     | 35 | KRW on skeleton tower on piles. | Visible 1.5° each side of rangeline.                                                    |
| 7225 | Pilot Town Ferry Terminal East Light         | 30-23-42.864N<br>081-26-05.313W | F R          |    | On dolphin.                     |                                                                                         |
| 7230 | Mayport Ferry Terminal East Light            | 30-23-42.864N<br>081-25-54.212W | F G          |    | On dolphin.                     |                                                                                         |
| 7235 | Sherman Cut Range Front Light                | 30-22-44.416N<br>081-26-45.272W | Q G          |    | KRW on skeleton tower.          | Visible all around; higher intensity on rangeline.                                      |
| 7240 | Sherman Cut Range Rear Light                 | 30-22-34.913N<br>081-26-55.006W | Iso G 6s     | 51 | KRW on skeleton tower on piles. | Visible 4° each side of rangeline.                                                      |
| 7245 | Sherman Cut Lighted Buoy 17                  | 30-23-10.180N<br>081-26-12.363W | Fl G 4s      | 5  | Green.                          |                                                                                         |
| 7250 | Sherman Cut Lighted Buoy 18                  | 30-23-16.982N<br>081-26-20.167W | Fl R 4s      | 5  | Red.                            | AIS: MMSI 993672661                                                                     |
| 7255 | Sherman Cut Lighted Buoy 20                  | 30-23-04.285N<br>081-26-33.281W | Fl R 4s      | 5  | Red.                            |                                                                                         |
| 7257 | Sherman Cut                                  | 30-22-45.480N                   | Fl W 2.5s    |    | NW on platform.                 |                                                                                         |



|        |                                              |                                 |           |    |   |                                                                                          |                                                                                 |
|--------|----------------------------------------------|---------------------------------|-----------|----|---|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
|        | Obstruction Light                            | 081-26-45.859W                  |           |    |   |                                                                                          |                                                                                 |
| 7260.2 | Mile Point Temporary Lower Range Front Light | 30-22-44.303N<br>081-27-12.106W | FI W 2.5s |    |   | Non-lateral white.                                                                       | Temporary aid.                                                                  |
| 7260   | Mile Point Lower Range Front Light           | 30-22-43.856N<br>081-27-10.570W | Q G       | 0  |   | KRW on skeleton tower on piles. On same structure as Mile Point Upper Range Front Light. | Visible all around.                                                             |
| 7260.1 | Mile Point Lower Front Range Passing Light   | 30-22-43.856N<br>081-27-10.570W | FI W 4s   | 4  |   |                                                                                          | Located on northeast corner of platform for Mile Point Lower Range Front Light. |
| 7265.2 | Mile Point Temporary Lower Range Rear Light  | 30-22-43.316N<br>081-27-14.558W | FI W 2.5s |    |   | Non-lateral white.                                                                       | Temporary aid.                                                                  |
| 7265   | Mile Point Lower Range Rear Light            | 30-22-42.413N<br>081-27-14.202W | Iso G 6s  | 35 |   | KRW on skeleton tower.                                                                   | Visible all around.                                                             |
| 7265.1 | Mile Point Lower Rear Range Passing Light    | 30-22-42.413N<br>081-27-14.202W | FI W 2.5s | 4  |   |                                                                                          | Located on southwest corner of platform for Mile Point Lower Range Rear Light.  |
| 7270   | Mile Point Lighted Buoy 22                   | 30-22-55.383N<br>081-26-55.286W | FI R 4s   | 5  |   | Red.                                                                                     |                                                                                 |
| 7280   | Mile Point Lighted Buoy 24                   | 30-23-01.211N<br>081-27-21.773W | FI R 4s   | 5  |   | Red.                                                                                     |                                                                                 |
| 7281   | Mile Point Light A                           | 30-22-43.556N<br>081-27-03.329W | FI Y 2.5s | 4  |   | NY on pile.                                                                              |                                                                                 |
| 7282   | Mile Point Light B                           | 30-22-45.909N<br>081-27-17.211W | FI Y 2.5s | 0  | 4 | NY on pile.                                                                              |                                                                                 |
| 7283   | Mile Point Light C                           | 30-22-50.137N<br>081-27-27.528W | FI Y 2.5s | 0  | 4 | NY on pile.                                                                              |                                                                                 |
| 7287   | Mile Point Upper Range Front Light           | 30-22-43.856N<br>081-27-10.570W | Q G       | 0  |   | KRW on skeleton tower on piles. On same structure as Mile Point Lower Range Front Light. | Visible all around.                                                             |
| 7290   | Mile Point Upper Range Rear Light            | 30-22-34.586N<br>081-26-57.564W | Iso G 6s  |    |   | KRW on skeleton tower on piles.                                                          | Visible 1.5° each side of range line.                                           |
| 7293   | Atlantic Dry Dock E Pier Light               | 30-23-08.659N<br>081-27-35.457W | FI W 4s   |    |   | On pier.                                                                                 |                                                                                 |
| 7293.5 | Atlantic Dry Dock West Pier Light            | 30-23-08.428N<br>081-27-35.344W | FI W 6s   |    |   | On pier.                                                                                 |                                                                                 |
| 7295.2 | Training Wall Temporary Range Front Light    | 30-23-48.120N<br>081-28-41.707W | FI R 6s   |    |   | Non-lateral white.                                                                       | Temporary aid.                                                                  |
| 7295   | Training Wall Range Front Light              | 30-23-46.596N<br>081-28-38.681W | Q W       | 8  |   | KRW on skeleton tower on piles.                                                          | Visible 1.5° each side of range line.                                           |
| 7300   | Training Wall Range Rear Light               | 30-23-57.899N<br>081-28-54.563W | Iso W 6s  |    |   | KRW on skeleton tower on piles.                                                          | Visible 1.5° each side of range line.                                           |
| 7305   | White Shells Cut Lighted Buoy 25             | 30-23-28.938N<br>081-28-23.598W | FI G 4s   | 4  |   | Green.                                                                                   | AIS: MMSI 993672634                                                             |
| 7310   | Short Cut Light 26                           | 30-23-39.626N<br>081-28-18.772W | FI R 4s   | 5  |   | TR on pile.                                                                              |                                                                                 |
| 7315   | White Shells Cut Lighted Buoy 27             | 30-23-36.020N<br>081-28-48.770W | FI G 4s   | 4  |   | Green.                                                                                   | AIS: MMSI 993672521                                                             |
| 7316   | White Shells Cut Lighted Buoy 29             | 30-23-32.958N<br>081-29-05.749W | FI G 4s   | 4  |   | Green.                                                                                   |                                                                                 |
| 7320   | White Shells Cut Range Front Light           | 30-23-46.830N<br>081-28-42.230W | Q R       |    |   | KRW on skeleton tower on piles.                                                          | Visible 1.5° each side of rangeline.                                            |
| 7325   | White Shells Cut Range Rear Light            | 30-23-51.977N<br>081-28-31.122W | Iso R 6s  |    |   | KRW on skeleton tower on piles.                                                          | Visible 1.5° each side of rangeline.                                            |
| 7327   | Buck Island Cell Outfall Light A             | 30-23-27.240N<br>081-28-45.460W | FI W 3s   |    |   | NW on pile.                                                                              |                                                                                 |
| 7327.5 | Buck Island Cell Outfall Light B             | 30-23-27.220N<br>081-28-45.320W | FI W 3s   |    |   | NW on pile.                                                                              |                                                                                 |
| 7329   | St Johns Bluff Lighted Buoy 30               | 30-23-31.950N<br>081-29-29.711W | FI R 2.5s | 4  |   | Red.                                                                                     |                                                                                 |
| 7330   | St Johns Bluff Light 31                      | 30-23-18.703N<br>081-29-30.477W | FI G 4s   | 5  |   | SG on dolphin.                                                                           |                                                                                 |
| 7335   | St Johns Bluff Light S                       | 30-23-13.093N<br>081-29-47.941W | FI W 4s   | 5  |   | NB on pile.                                                                              |                                                                                 |
| 7340   | Fulton Cutoff Lighted Buoy 34                | 30-23-29.010N<br>081-29-58.931W | FI R 4s   | 5  |   | Red.                                                                                     | AIS: MMSI 993672500                                                             |
| 7345   | Fulton Cutoff Lighted Buoy 35                | 30-23-24.183N<br>081-30-22.221W | Q G       | 4  |   | Green.                                                                                   |                                                                                 |
| 7350   | Fulton Cutoff Range                          | 30-23-35.960N                   | Q W       |    |   | KRW on dolphin.                                                                          | Visible 4° each side of range line.                                             |

|        |                                             |                                 |           |   |   |                                          |                                     |
|--------|---------------------------------------------|---------------------------------|-----------|---|---|------------------------------------------|-------------------------------------|
|        | Front Light                                 | 081-30-09.360W                  |           |   |   |                                          |                                     |
| 7355   | Fulton Cutoff Range Rear Light              | 30-23-41.632N<br>081-29-35.863W | Iso W 6s  |   |   | KRW on tower on concrete base.           | Visible 4° each side of range line. |
| 7360   | Fulton Cutoff Light 36                      | 30-23-35.458N<br>081-30-33.191W | Q R       | 0 | 4 | TR on dolphin.                           |                                     |
| 7365   | Fulton Cutoff Lighted Buoy 37               | 30-23-25.931N<br>081-30-38.993W | Fl G 2.5s |   | 5 | Green.                                   | AIS: MMSI 993672407                 |
| 7367   | Back River Daybeacon 1                      | 30-23-37.087N<br>081-30-53.024W |           |   |   | SG on pile.                              |                                     |
| 7370   | Fulton Cutoff Light                         | 30-23-34.929N<br>081-30-54.942W | Fl W 2.5s | 0 | 5 | NB on pile.                              |                                     |
| 7375   | Dames Point Cutoff Range Front Light        | 30-22-59.540N<br>081-33-44.756W | Q W       |   |   | KRW on pile.                             | Visible 4° each side of range line. |
| 7380   | Dames Point Cutoff Range Rear Light         | 30-22-54.100N<br>081-34-16.927W | Iso W 6s  |   |   | KRW on skeleton tower on pile structure. | Visible 4° each side of range line. |
| 7385   | Blount Island Turning Basin Lighted Buoy 43 | 30-23-13.459N<br>081-32-05.399W | Fl G 6s   |   | 5 | Green.                                   |                                     |
| 7390   | Blount Island Turning Basin Lighted Buoy 42 | 30-23-24.041N<br>081-31-44.378W | Fl R 6s   |   | 5 | Red.                                     |                                     |
| 7391.9 | Mill Cove Daybeacon 9                       | 30-22-35.400N<br>081-31-48.600W |           |   |   | SG on pile.                              |                                     |
| 7391.8 | Mill Cove Daybeacon 8                       | 30-22-31.800N<br>081-31-54.000W |           |   |   | TR on pile.                              |                                     |
| 7391.7 | Mill Cove Daybeacon 7                       | 30-22-33.600N<br>081-31-55.200W |           |   |   | SG on pile.                              |                                     |
| 7391.6 | Mill Cove Daybeacon 6                       | 30-22-30.000N<br>081-32-01.200W |           |   |   | TR on pile.                              |                                     |
| 7391.5 | Mill Cove Daybeacon 5                       | 30-22-31.800N<br>081-32-00.000W |           |   |   | SG on pile.                              |                                     |
| 7391.4 | Mill Cove Daybeacon 4                       | 30-22-33.600N<br>081-32-07.800W |           |   |   | TR on pile.                              |                                     |
| 7391.3 | Mill Cove Daybeacon 3                       | 30-22-34.800N<br>081-32-06.600W |           |   |   | SG on pile.                              |                                     |
| 7391.2 | Mill Cove Daybeacon 2                       | 30-22-37.200N<br>081-32-13.800W |           |   |   | Tr on pile.                              |                                     |
| 7391.1 | Mill Cove Daybeacon 1                       | 30-22-39.600N<br>081-32-13.800W |           |   |   | SG on pile.                              |                                     |
| 7392.9 | Mill Cove Daybeacon 19                      | 30-22-45.000N<br>081-31-19.800W |           |   |   | SG on pile.                              |                                     |
| 7392.8 | Mill Cove Daybeacon 18                      | 30-22-41.400N<br>081-31-25.200W |           |   |   | TR on pile.                              |                                     |
| 7392.7 | Mill Cove Daybeacon 17                      | 30-22-43.200N<br>081-31-25.800W |           |   |   | SG on pile.                              |                                     |
| 7392.6 | Mill Cove Daybeacon 16                      | 30-22-39.600N<br>081-31-31.800W |           |   |   | TR on pile.                              |                                     |
| 7392.5 | Mill Cove Daybeacon 15                      | 30-22-40.800N<br>081-31-31.200W |           |   |   | SG on pile.                              |                                     |
| 7392.4 | Mill Cove Daybeacon 14                      | 30-22-37.200N<br>081-31-36.600W |           |   |   | TR on pile.                              |                                     |
| 7392.3 | Mill Cove Daybeacon 13                      | 30-22-39.600N<br>081-31-37.200W |           |   |   | SG on pile.                              |                                     |
| 7392.2 | Mill Cove Daybeacon 12                      | 30-22-36.000N<br>081-31-42.000W |           |   |   | TR on pile.                              |                                     |
| 7392.1 | Mill Cove Daybeacon 11                      | 30-22-37.200N<br>081-31-43.200W |           |   |   | SG on pile.                              |                                     |
| 7392   | Mill Cove Daybeacon 10                      | 30-22-34.200N<br>081-31-48.000W |           |   |   | TR on pile.                              |                                     |
| 7393.3 | Lonnie Wurm Channel Daybeacon 2             | 30-22-53.500N<br>081-34-48.400W |           |   |   | TR on pile.                              |                                     |
| 7393.5 | Lonnie Wurm Channel Daybeacon 3             | 30-22-45.800N<br>081-34-52.400W |           |   |   | SG on pile.                              |                                     |
| 7393.7 | Lonnie Wurm Channel Daybeacon 4             | 30-22-46.200N<br>081-34-53.100W |           |   |   | TR on pile.                              |                                     |
| 7393.9 | Lonnie Wurm Channel Daybeacon 5             | 30-22-39.800N<br>081-34-56.300W |           |   |   | SG on pile.                              |                                     |
| 7393.1 | Lonnie Wurm Channel Daybeacon 1             | 30-22-53.200N<br>081-34-47.700W |           |   |   | SG on pile.                              |                                     |
| 7393   | Mill Cove Daybeacon 20                      | 30-22-43.200N<br>081-31-18.600W |           |   |   | TR on pile.                              |                                     |
| 7394   | Lonnie Wurm Channel Daybeacon 6             | 30-22-40.100N<br>081-34-56.900W |           |   |   | TR on pile.                              |                                     |

|        |                                             |                                 |           |    |                                                                              |                                                    |
|--------|---------------------------------------------|---------------------------------|-----------|----|------------------------------------------------------------------------------|----------------------------------------------------|
| 7394.3 | Lonnie Wurm Channel Daybeacon 7             | 30-22-35.400N<br>081-34-59.000W |           |    | SG on pile.                                                                  |                                                    |
| 7394.5 | Lonnie Wurm Channel Daybeacon 8             | 30-22-35.800N<br>081-34-59.700W |           |    | TR on pile.                                                                  |                                                    |
| 7395   | Blount Island Turning Basin Lighted Buoy 45 | 30-23-08.318N<br>081-32-35.884W | Fl G 4s   | 5  | Green.                                                                       |                                                    |
| 7396   | Blount Island Turning Basin Buoy A          | 30-23-06.806N<br>081-32-10.255W |           |    | Yellow can.                                                                  |                                                    |
| 7397   | Blount Island Turning Basin Buoy B          | 30-23-05.274N<br>081-32-19.313W |           |    | Yellow can.                                                                  |                                                    |
| 7398   | Blount Island Turning Basin Buoy C          | 30-23-03.724N<br>081-32-28.439W |           |    | Yellow can.                                                                  |                                                    |
| 7400   | Blount Island Channel Range Front Light     | 30-22-58.865N<br>081-33-18.128W | Q W       |    | KRW on dolphin.                                                              | Visible 1.5° each side of rangeline.               |
| 7405   | Blount Island Channel Range Rear Light      | 30-22-49.479N<br>081-33-21.489W | Iso W 6s  |    | KRW on tower.                                                                | Visible 1.5° each side of rangeline.               |
| 7410   | Blount Island Channel Light 1               | 30-23-21.476N<br>081-33-15.651W | Fl G 4s   | 5  | SG on dolphin.                                                               |                                                    |
| 7415   | Celotex Mooring Dolphin Light               | 30-23-24.861N<br>081-33-11.330W | Q W       |    | On dolphin.                                                                  |                                                    |
| 7420   | Blount Island Wharf Southeast Light         | 30-23-42.000N<br>081-32-58.010W | F R       |    | On wharf.                                                                    |                                                    |
| 7425   | Blount Island Wharf Southwest Light         | 30-23-43.310N<br>081-32-59.511W | F R       |    | On wharf.                                                                    |                                                    |
| 7430   | Blount Island Wharf Northwest Light         | 30-23-49.001N<br>081-32-57.311W | F R       |    | On wharf.                                                                    |                                                    |
| 7435   | Blount Island Wharf Northeast Light         | 30-23-51.411N<br>081-32-55.500W | F R       |    | On wharf.                                                                    |                                                    |
| 7450   | Quarantine Island Upper Range Front Light   | 30-22-58.761N<br>081-33-40.044W | Q G       | 18 | KRW on pile.                                                                 | Visible all around; higher intensity on rangeline. |
| 7455   | Quarantine Island Upper Range Rear Light    | 30-22-51.383N<br>081-33-34.239W | Iso G 6s  | 32 | KRW on tower.                                                                | Visible 2° each side of rangeline.                 |
| 7456   | Dames Point Obstruction Light               | 30-23-14.060N<br>081-33-32.490W | Fl W 2.5s |    | NW on platform.                                                              |                                                    |
| 7457   | Dames Point Lighted Buoy 49                 | 30-23-24.557N<br>081-34-04.281W | Fl G 2.5s | 5  | Green.                                                                       |                                                    |
| 7459   | Trapac Turning Basin Buoy A                 | 30-23-25.612N<br>081-34-09.007W |           |    | Yellow can.                                                                  |                                                    |
| 7461   | Trapac Turning Basin Buoy B                 | 30-23-34.029N<br>081-34-15.589W |           |    | Yellow can.                                                                  |                                                    |
| 7463   | Trapac Turning Basin Buoy C                 | 30-23-42.845N<br>081-34-22.118W |           |    | Yellow can.                                                                  |                                                    |
| 7470   | Brills Cut Lighted Buoy 51                  | 30-23-47.901N<br>081-34-23.215W | Fl G 4s   | 5  | Green.                                                                       |                                                    |
| 7475   | Brills Cut Range Front Light                | 30-24-44.773N<br>081-35-20.119W | Q R       | 0  | KRW on pile.                                                                 | Visible all around; higher intensity on rangeline. |
| 7480   | Brills Cut Range Rear Light                 | 30-24-50.142N<br>081-35-25.985W | Iso R 6s  |    | KRW on skeleton tower. On same structure as Drummond Creek Range Rear Light. | Visible all around; higher intensity on rangeline. |
| 7485   | Brills Cut V-AIS 53                         | 30-24-13.572N<br>081-34-49.793W |           |    |                                                                              | AIS: MMSI 993672447                                |
| 7486   | Brills Cut Buoy 53A                         | 30-24-13.590N<br>081-34-55.221W |           |    | Green can.                                                                   |                                                    |
| 7490   | Dunn Creek Cut Lighted Buoy 55              | 30-24-29.522N<br>081-35-13.724W | Fl G 4s   | 5  | Green.                                                                       |                                                    |
| 7495   | Dunn Creek Cut Lighted Buoy 57              | 30-24-31.932N<br>081-35-41.886W | Fl G 4s   | 5  | Green.                                                                       |                                                    |
| 7497   | BP Terminal Pier West Obstruction Light     | 30-24-32.800N<br>081-36-07.500W | Fl W 2.5s |    | On pier.                                                                     |                                                    |
| 7497.5 | BP Terminal Pier East Obstruction Light     | 30-24-33.900N<br>081-36-05.700W | Fl W 2.5s |    | On pier.                                                                     |                                                    |
| 7500   | Drummond Creek Cut Lighted Buoy 59          | 30-24-24.022N<br>081-36-08.318W | Fl G 4s   | 5  | Green.                                                                       |                                                    |
| 7505   | Drummond Creek Lighted Buoy 58              | 30-24-25.482N<br>081-36-16.918W | Fl R 4s   | 5  | Red.                                                                         |                                                    |
| 7507   | JEA Drummond Point Outfall Light A          | 30-24-28.180N<br>081-36-23.910W | Fl W 3s   |    | NW on pile.                                                                  |                                                    |
| 7507.1 | JEA Drummond Point                          | 30-24-28.410N                   | Fl W 3s   |    | NW on pile.                                                                  |                                                    |

|         |                                                  |                                 |           |    |                                                                                                                             |
|---------|--------------------------------------------------|---------------------------------|-----------|----|-----------------------------------------------------------------------------------------------------------------------------|
|         | Outfall Light B                                  | 081-36-23.640W                  |           |    |                                                                                                                             |
| 7507.2  | JEA Drummond Point<br>Outfall Light C            | 30-24-28.140N<br>081-36-24.410W | FI W 2.5s |    | NW on pile.                                                                                                                 |
| 7510    | Drummond Creek<br>Lighted Buoy 60                | 30-24-04.882N<br>081-36-56.359W | FI R 2.5s | 4  | Red.                                                                                                                        |
| 7515.2  | Drummond Creek<br>Temporary Range<br>Front Light | 30-24-45.104N<br>081-35-35.319W | FI W 2.5s |    | Non-lateral white. Temporary aid.                                                                                           |
| 7515    | Drummond Creek<br>Range Front Light              | 30-24-43.536N<br>081-35-38.233W | Q R       |    | KRW on dolphin. Visible all around; higher intensity on rangeline.                                                          |
| 7520    | Drummond Creek<br>Range Rear Light               | 30-24-50.142N<br>081-35-25.985W | Iso R 6s  |    | KRW on skeleton tower. On same structure as Brills Cut Range Rear Light. Visible all around; higher intensity on rangeline. |
| 7525    | Drummond Creek<br>Lighted Buoy 61                | 30-23-51.002N<br>081-37-10.339W | FI G 4s   | 5  | Green.                                                                                                                      |
| 7530    | Trout River Range<br>Front Light                 | 30-24-01.942N<br>081-37-20.025W | Q R       | 70 | KRW on skeleton tower on piles. Visible 1.5° each side of rangeline.                                                        |
| 7535    | Trout River Range Rear<br>Light                  | 30-24-10.921N<br>081-37-16.986W | Iso R 6s  |    | KRW on skeleton tower on piles. Visible 1.5° each side of rangeline.                                                        |
| 7540    | Trout River Cut<br>Lighted Buoy 63               | 30-23-33.142N<br>081-37-25.829W | FI G 2.5s | 5  | Green.                                                                                                                      |
| 7545    | Trout River Cut<br>Lighted Buoy 64               | 30-23-28.257N<br>081-37-33.805W | FI R 2.5s | 5  | Red.                                                                                                                        |
| 7550    | Trout River Daybeacon<br>2                       | 30-23-23.302N<br>081-37-54.798W |           |    | TR on pile.                                                                                                                 |
| 7555    | Trout River Daybeacon<br>3                       | 30-23-18.982N<br>081-38-00.678W |           |    | SG on pile.                                                                                                                 |
| 7556    | Jacksonville Zoo<br>Channel Daybeacon 1          | 30-23-47.130N<br>081-38-30.990W |           |    | SG on pile.                                                                                                                 |
| 7556.1  | Jacksonville Zoo<br>Channel Daybeacon 2          | 30-23-46.850N<br>081-38-30.130W |           |    | TR on pile.                                                                                                                 |
| 7556.2  | Jacksonville Zoo<br>Channel Daybeacon 3          | 30-23-47.620N<br>081-38-31.000W |           |    | SG on pile.                                                                                                                 |
| 7556.3  | Jacksonville Zoo<br>Channel Daybeacon 5          | 30-23-49.040N<br>081-38-32.410W |           |    | SG on pile.                                                                                                                 |
| 7556.4  | Jacksonville Zoo<br>Channel Daybeacon 7          | 30-23-50.630N<br>081-38-32.410W |           |    | SG on pile.                                                                                                                 |
| 7556.5  | Jacksonville Zoo<br>Channel Daybeacon 8          | 30-23-50.630N<br>081-38-30.160W |           |    | TR on pile.                                                                                                                 |
| 7557    | Maxwell Boat Ramp<br>Channel Daybeacon 1         | 30-24-06.000N<br>081-39-53.900W |           |    | SG on pile.                                                                                                                 |
| 7557.3  | Maxwell Boat Ramp<br>Channel Daybeacon 2         | 30-24-07.400N<br>081-39-53.250W |           |    | TR on pile.                                                                                                                 |
| 7557.5  | Maxwell Boat Ramp<br>Channel Daybeacon 3         | 30-24-08.900N<br>081-39-53.250W |           |    | SG on pile.                                                                                                                 |
| 7557.7  | Maxwell Boat Ramp<br>Channel Daybeacon 4         | 30-24-08.600N<br>081-39-52.300W |           |    | TR on pile.                                                                                                                 |
| 7557.9  | Maxwell Boat Ramp<br>Channel Daybeacon 5         | 30-24-10.000N<br>081-39-52.100W |           |    | SG on pile.                                                                                                                 |
| 7558    | Maxwell Boat Ramp<br>Channel Daybeacon 6         | 30-24-09.750N<br>081-39-51.400W |           |    | TR on pile.                                                                                                                 |
| 7558.3  | Maxwell Boat Ramp<br>Channel Daybeacon 7         | 30-24-10.900N<br>081-39-51.300W |           |    | SG on pile.                                                                                                                 |
| 7558.5  | Maxwell Boat Ramp<br>Channel Daybeacon 8         | 30-24-10.800N<br>081-39-50.700W |           |    | TR on pile.                                                                                                                 |
| 7558.7  | Maxwell Boat Ramp<br>Channel Daybeacon 9         | 30-24-11.600N<br>081-39-51.300W |           |    | SG on pile.                                                                                                                 |
| 7558.9  | Maxwell Boat Ramp<br>Channel Daybeacon 11        | 30-24-12.100N<br>081-39-50.850W |           |    | SG on pile.                                                                                                                 |
| 7559    | Ribault River Channel<br>Lighted Buoy 1          | 30-24-18.852N<br>081-40-34.008W | FI G 4s   |    | Green.                                                                                                                      |
| 7559.1  | Ribault River Channel<br>Lighted Buoy 2          | 30-23-45.230N<br>081-41-21.122W | FI R 2.5s |    | Red.                                                                                                                        |
| 7559.15 | Ribault River Channel<br>Lighted Buoy 3          | 30-23-52.464N<br>081-41-29.478W | FI G 4s   |    | Green.                                                                                                                      |
| 7559.2  | Ribault River Channel<br>Lighted Buoy 5          | 30-24-04.309N<br>081-41-41.733W | FI G 2.5s |    | Green.                                                                                                                      |
| 7559.25 | Ribault River Channel<br>Lighted Buoy 6          | 30-23-55.776N<br>081-41-59.214W | FI R 4s   |    | Red.                                                                                                                        |
| 7559.3  | Ribault River Channel<br>Lighted Buoy 7          | 30-23-59.526N<br>081-42-06.114W | FI G 2.5s |    | Green.                                                                                                                      |

|         |                                                  |                                 |           |    |   |                                                                   |
|---------|--------------------------------------------------|---------------------------------|-----------|----|---|-------------------------------------------------------------------|
| 7559.35 | Ribault River Channel<br>Lighted Buoy 8          | 30-23-58.656N<br>081-42-11.430W | FI R 4s   |    |   | Red.                                                              |
| 7559.4  | Ribault River Channel<br>Lighted Buoy 9          | 30-23-57.348N<br>081-42-14.568W | FI G 2.5s |    |   | Green.                                                            |
| 7559.45 | Ribault River Channel<br>Lighted Buoy 11         | 30-23-59.232N<br>081-42-20.226W | FI G 4s   |    |   | Green.                                                            |
| 7559.5  | Ribault River Channel<br>Lighted Buoy 13         | 30-23-55.560N<br>081-42-30.270W | FI G 2.5s |    |   | Green.                                                            |
| 7559.55 | Ribault River Channel<br>Lighted Buoy 14         | 30-23-52.050N<br>081-42-30.836W | FI R 4s   |    |   | Red.                                                              |
| 7559.6  | Ribault River Channel<br>Lighted Buoy 16         | 30-23-47.856N<br>081-42-30.432W | FI R 2.5s |    |   | Red.                                                              |
| 7559.65 | Ribault River Channel<br>Lighted Buoy 18         | 30-23-44.148N<br>081-42-33.228W | FI R 4s   |    |   | Red.                                                              |
| 7559.7  | Ribault River Channel<br>Lighted Buoy 19         | 30-23-45.750N<br>081-42-37.932W | FI G 2.5s |    |   | Green.                                                            |
| 7560    | Trout River Cut<br>Lighted Buoy 66               | 30-23-07.150N<br>081-37-41.052W | FI R 4s   | 5  |   | Red.                                                              |
| 7565    | Trout River Cut<br>Lighted Buoy 67               | 30-23-02.458N<br>081-37-36.712W | FI G 4s   | 5  |   | Green.                                                            |
| 7570    | Trout River Cut<br>Lighted Buoy 68               | 30-22-52.835N<br>081-37-46.017W | FI R 4s   | 5  |   | Red.                                                              |
| 7575    | Long Branch Lighted<br>Buoy 69                   | 30-22-44.360N<br>081-37-41.209W | FI G 2.5s | 5  |   | Green.                                                            |
| 7580    | Shell Terminal South<br>Dolphin Light            | 30-22-22.250N<br>081-37-48.000W | F Y       |    |   | On pier.                                                          |
| 7585    | Shell Terminal North<br>Dolphin Light            | 30-22-24.000N<br>081-37-48.000W | F Y       |    |   | On pier.                                                          |
| 7590    | Long Branch Lighted<br>Buoy 71                   | 30-22-21.518N<br>081-37-37.263W | Q G       | 4  |   | Green.                                                            |
| 7595    | Chaseville Middle<br>Ground Shoal<br>Daybeacon N | 30-22-35.400N<br>081-37-37.220W |           |    |   | NW on pile worded DANGER<br>SHOAL.                                |
| 7600    | Chaseville Middle<br>Ground Shoal<br>Daybeacon S | 30-22-26.613N<br>081-37-28.792W |           |    |   | NW on pile worded DANGER<br>SHOAL.                                |
| 7605    | Chaseville Middle<br>Ground Buoy                 | 30-22-06.868N<br>081-37-14.917W |           |    |   | Green and red bands; can.                                         |
| 7610    | Long Branch Range<br>Front Light                 | 30-21-40.963N<br>081-36-50.004W | FI W 2.5s | 21 |   | Visible 5.5° each side of rangeline. Lighted throughout 24 hours. |
| 7615    | Long Branch Range<br>Rear Light                  | 30-21-39.169N<br>081-36-47.496W | Iso W 6s  | 30 |   | Visible 5.5° each side of rangeline. Lighted throughout 24 hours. |
| 7620    | Terminal Channel<br>Lighted Buoy 75              | 30-20-49.761N<br>081-37-08.527W | FI G 4s   | 5  |   | Green.                                                            |
| 7630    | Terminal Channel Light<br>77                     | 30-20-15.804N<br>081-37-15.064W | FI G 4s   | 0  | 5 | SG on dolphin.                                                    |
| 7635    | Terminal Channel<br>Lighted Buoy 78              | 30-20-13.632N<br>081-37-25.297W | FI R 4s   | 5  |   | Red.                                                              |
| 7640    | Terminal Channel<br>Lighted Buoy 79              | 30-19-20.744N<br>081-37-27.486W | FI G 4s   | 5  |   | Green.                                                            |
| 7645    | Commodore Point<br>Shoal Lighted Buoy 80         | 30-18-54.984N<br>081-37-47.646W | Q R       | 4  |   | Red.                                                              |
| 7650    | Commodore Point<br>Rock Lighted Buoy 81          | 30-18-54.536N<br>081-38-13.578W | FI G 4s   | 5  |   | Green.                                                            |
| 7655    | Jacksonville Shipyards<br>Pier 6 Light           | 30-19-13.862N<br>081-38-40.341W | FI R 2.5s |    |   | On dolphin.                                                       |
| 7660    | Jacksonville Shipyards<br>Pier 1 West Light      | 30-19-03.862N<br>081-39-05.342W | Q R       |    |   | On pier.                                                          |
| 7665    | Commodore Point<br>Lighted Buoy 82               | 30-18-59.344N<br>081-38-12.167W | FI R 4s   | 5  |   | Red.                                                              |
| 7670    | Winter Point<br>Daybeacon                        | 30-18-26.422N<br>081-40-42.018W |           |    |   | NW on pile worded DANGER<br>SHOAL.                                |
| 7675    | Winter Point Light 1                             | 30-17-48.776N<br>081-40-24.686W | FI G 4s   | 0  | 5 | SG on pile.                                                       |
| 7680    | Winter Point Light 2                             | 30-17-37.709N<br>081-40-38.130W | FI R 4s   | 0  | 5 | TR on dolphin.                                                    |
| 7685    | Ortega River Shoal<br>Daybeacon                  | 30-17-31.968N<br>081-40-51.482W |           |    |   | NW on pile worded DANGER<br>SHOAL.                                |
| 7695    | Winter Point Light 3                             | 30-16-46.812N<br>081-40-15.532W | FI G 2.5s | 0  | 5 | SG on dolphin.                                                    |

|        |                                          |                                 |           |   |   |                                                 |
|--------|------------------------------------------|---------------------------------|-----------|---|---|-------------------------------------------------|
| 7696   | Ortega River Lighted Buoy 2              | 30-17-10.980N<br>081-42-02.280W | FI R 2.5s |   |   | Red.                                            |
| 7696.1 | Ortega River Lighted Buoy 4              | 30-17-07.810N<br>081-42-14.740W | FI R 4s   |   |   | Red.                                            |
| 7696.2 | Ortega River Daybeacon 5                 | 30-17-05.570N<br>081-42-05.770W |           |   |   | SG on pile.                                     |
| 7696.3 | Ortega River Lighted Buoy 6              | 30-16-56.720N<br>081-42-18.610W | FI R 6s   |   |   | Red.                                            |
| 7696.4 | Ortega River Lighted Buoy 7              | 30-16-57.070N<br>081-42-12.220W | FI G 4s   |   |   | Green.                                          |
| 7696.5 | Ortega River Lighted Buoy 8              | 30-16-46.790N<br>081-42-29.180W | FI R 2.5s |   |   | Red.                                            |
| 7696.6 | Ortega River Lighted Buoy 9              | 30-16-39.840N<br>081-42-25.220W | FI G 4s   |   |   | Green.                                          |
| 7696.7 | Ortega River Lighted Buoy 10             | 30-16-39.760N<br>081-42-36.560W | FI R 6s   |   |   | Red.                                            |
| 7696.8 | Ortega River Lighted Buoy 11             | 30-16-31.140N<br>081-42-42.180W | FI G 2.5s |   |   | Green.                                          |
| 7696.9 | Ortega River Lighted Buoy 12             | 30-16-05.000N<br>081-43-17.290W | FI R 4s   |   |   | Red.                                            |
| 7697   | Ortega River Lighted Buoy 13             | 30-16-13.440N<br>081-43-04.740W | FI G 2.5s |   |   | Green.                                          |
| 7725   | Christopher Point Light 5                | 30-15-08.567N<br>081-39-27.980W | FI G 4s   |   | 5 | SG on pile.                                     |
| 7765   | Goodbys Creek Light 1                    | 30-13-02.062N<br>081-37-30.198W | FI G 6s   |   | 5 | SG on pile.                                     |
| 7765.1 | Goodbys Creek Channel Buoy 2             | 30-13-00.840N<br>081-37-29.460W |           |   |   | Red nun.                                        |
| 7765.2 | Goodbys Creek Channel Buoy 3             | 30-13-01.260N<br>081-37-29.160W |           |   |   | Green can.                                      |
| 7765.3 | Goodbys Creek Channel Buoy 4             | 30-12-57.180N<br>081-37-21.900W |           |   |   | Red nun.                                        |
| 7765.4 | Goodbys Creek Channel Buoy 5             | 30-12-57.660N<br>081-37-21.660W |           |   |   | Green can.                                      |
| 7765.5 | Goodbys Creek Channel Buoy 6             | 30-12-56.700N<br>081-37-19.620W |           |   |   | Red nun.                                        |
| 7765.6 | Goodbys Creek Channel Buoy 7             | 30-12-57.180N<br>081-37-19.200W |           |   |   | Green can.                                      |
| 7765.7 | Goodbys Creek Channel Buoy 8             | 30-12-56.820N<br>081-37-08.820W |           |   |   | Red nun.                                        |
| 7765.8 | Goodbys Creek Channel Buoy 9             | 30-12-57.300N<br>081-37-08.940W |           |   |   | Green can.                                      |
| 7765.9 | Goodbys Creek Channel Buoy 10            | 30-12-57.180N<br>081-36-57.000W |           |   |   | Red nun.                                        |
| 7766   | Goodbys Creek Channel Buoy 11            | 30-12-57.660N<br>081-36-56.940W |           |   |   | Green can.                                      |
| 7767   | Goodbys Creek East Obstruction Daybeacon | 30-13-11.466N<br>081-36-49.331W |           |   |   | NW on pile worded DANGER<br>SUBMERGED PIPELINE. |
| 7767.1 | Goodbys Creek West Obstruction Daybeacon | 30-13-11.666N<br>081-36-51.331W |           |   |   | NW on pile worded DANGER<br>SUBMERGED PIPELINE. |
| 7770   | Beauclerc Bluff Light 9                  | 30-12-12.982N<br>081-39-14.238W | FI G 2.5s | 0 | 5 | SG on pile.                                     |
| 7780   | Orange Park Light 10                     | 30-09-30.802N<br>081-41-23.958W | FI R 4s   |   | 5 | TR on dolphin.                                  |
| 7785   | Villas Continental Club Daybeacon 1      | 30-09-31.865N<br>081-41-29.339W |           |   |   | SG on pile.                                     |
| 7790   | Villas Continental Club Daybeacon 2      | 30-09-32.865N<br>081-41-33.339W |           |   |   | TR on pile.                                     |
| 7795   | Villas Continental Club Daybeacon 3      | 30-09-32.865N<br>081-41-39.340W |           |   |   | SG on pile.                                     |
| 7800   | Villas Continental Club Daybeacon 4      | 30-09-33.848N<br>081-41-39.368W |           |   |   | TR on pile.                                     |
| 7805   | Villas Continental Club Daybeacon 5      | 30-09-33.865N<br>081-41-46.340W |           |   |   | SG on pile.                                     |
| 7810   | Mandarin Point Light 11                  | 30-09-18.319N<br>081-40-47.648W | FI G 4s   |   | 5 | SG on dolphin.                                  |
| 7815   | Doctors Lake Inlet Daybeacon 2           | 30-09-02.003N<br>081-41-33.865W |           |   | 0 | TR on pile.                                     |

|        |                                                       |                                 |           |   |   |                                                    |                                                    |
|--------|-------------------------------------------------------|---------------------------------|-----------|---|---|----------------------------------------------------|----------------------------------------------------|
| 7820   | Whitney Sail Center<br>Daybeacon 1                    | 30-08-23.866N<br>081-41-59.339W |           |   |   | SG on pile.                                        |                                                    |
| 7825   | Whitney Sail Center<br>Daybeacon 3                    | 30-08-51.865N<br>081-41-59.340W |           |   |   | SG on pile.                                        |                                                    |
| 7830   | Whitney Sail Center<br>Daybeacon 5                    | 30-08-49.265N<br>081-41-59.340W |           |   |   | SG on pile.                                        |                                                    |
| 7835   | Whitney Sail Center<br>Daybeacon 6                    | 30-08-49.265N<br>081-42-01.340W |           |   |   | TR on pile.                                        |                                                    |
| 7845   | Ragged Point Light 12                                 | 30-07-14.409N<br>081-40-48.033W | FI R 4s   | 0 | 5 | TR on pile.                                        |                                                    |
| 7850.1 | Ragged Point Light 13                                 | 30-07-02.182N<br>081-40-13.458W | FI G 6s   |   | 5 | SG on pile.                                        |                                                    |
| 7860   | Hibernia Daybeacon<br>16                              | 30-04-02.302N<br>081-41-15.258W |           | 0 |   | TR on pile.                                        |                                                    |
| 7865   | New Switzerland Point<br>Light 17                     | 30-03-40.282N<br>081-40-23.598W | FI G 4s   | 0 | 5 | SG on pile.                                        |                                                    |
| 7870   | New Switzerland Point<br>Light 17A                    | 30-02-27.442N<br>081-40-31.338W | FI G 6s   |   | 5 | SG on dolphin.                                     |                                                    |
| 7875   | Popo Point Light 18                                   | 30-01-26.722N<br>081-40-33.078W | FI R 2.5s |   | 5 | TR on pile.                                        |                                                    |
| 7880   | Popo Point Light 19                                   | 30-01-20.145N<br>081-40-16.739W | FI G 4s   |   | 5 | SG on pile.                                        |                                                    |
| 7885   | Green Cove Springs<br>Light 20                        | 29-59-49.338N<br>081-39-07.578W | FI R 4s   |   | 5 | TR on dolphin.                                     |                                                    |
| 7890   | Shands Bridge Pier<br>Light                           | 29-59-02.872N<br>081-37-57.319W | FI W 4s   |   |   | On pier.                                           |                                                    |
| 7895   | Red Bay Point Light 22                                | 29-58-29.744N<br>081-36-42.749W | FI R 4s   |   | 5 | TR on pile.                                        |                                                    |
| 7900   | Bayard Point Light 24                                 | 29-56-15.982N<br>081-36-01.818W | FI R 4s   |   | 5 | TR on pile.                                        |                                                    |
| 7905   | Picolata Flats Light 25                               | 29-55-14.027N<br>081-36-02.284W | FI G 4s   |   | 5 | SG on dolphin.                                     |                                                    |
| 7910   | Ferreira Point<br>Daybeacon 27                        | 29-52-54.411N<br>081-35-24.426W |           |   |   | SG on pile.                                        |                                                    |
| 7920   | Solano Point Light 31                                 | 29-51-47.902N<br>081-35-00.378W | FI G 2.5s | 0 | 5 | SG on pile.                                        |                                                    |
| 7935   | Tocoi Cut Entrance<br>Light 33                        | 29-48-58.094N<br>081-33-49.713W | FI G 4s   |   | 5 | SG on pile.                                        |                                                    |
| 7940   | Racy Point Cut Range<br>Front Light                   | 29-47-50.665N<br>081-32-59.817W | Q G       |   |   | KRW on dolphin.                                    | Visible all around; higher intensity on rangeline. |
| 7945   | Racy Point Cut Range<br>Rear Light                    | 29-48-00.611N<br>081-32-59.619W | Iso G 6s  |   |   | KRW on skeleton tower on<br>pile structure.        | Visible 4° each side of rangeline.                 |
| 7950   | Nine Mile Point Light<br>36                           | 29-46-27.862N<br>081-33-09.618W | FI R 2.5s | 0 | 5 | TR on dolphin.                                     |                                                    |
| 7955   | Federal Point Light 37                                | 29-45-00.322N<br>081-32-57.918W | FI G 4s   |   | 5 | SG on dolphin.                                     |                                                    |
| 7960   | Masons Creek Light<br>38                              | 29-44-08.326N<br>081-33-20.213W | FI R 4s   |   | 5 | TR on dolphin.                                     |                                                    |
| 7962   | Bodine Point Light 39                                 | 29-43-32.352N<br>081-33-51.268W | FI G 2.5s |   | 3 | SG on pile.                                        |                                                    |
| 7965   | Dancy Point Light 41                                  | 29-42-33.047N<br>081-34-50.917W | Q G       | 0 | 3 | SG on dolphin.                                     |                                                    |
| 7975   | Verdiere Point Light<br>40                            | 29-43-00.502N<br>081-34-26.658W | FI R 2.5s |   | 5 | TR on pile.                                        |                                                    |
| 7980   | Forrester Point Light<br>41A                          | 29-42-36.202N<br>081-37-02.418W | FI G 4s   | 0 | 5 | SG on dolphin.                                     |                                                    |
| 7985   | Forrester Point Light<br>42                           | 29-42-28.582N<br>081-37-56.118W | FI R 4s   | 0 | 5 | TR on pile.                                        |                                                    |
| 7995   | Seminole Plant<br>Discharge Pipe<br>Obstruction Light | 29-42-37.885N<br>081-38-07.869W | FI W 6s   |   |   | NW on single pile worded<br>DANGER DISCHARGE PIPE. |                                                    |
| 8000   | Seminole Plant<br>Northwest Obstruction<br>Daybeacon  | 29-42-37.885N<br>081-38-07.939W |           |   |   | NW on single pile worded<br>DANGER DISCHARGE PIPE. |                                                    |
| 8005   | Seminole Plant<br>Northeast Obstruction<br>Daybeacon  | 29-42-37.885N<br>081-38-07.879W |           |   |   | NW on single pile worded<br>DANGER DISCHARGE PIPE. |                                                    |
| 8010   | Seminole Plant<br>Southeast Obstruction<br>Daybeacon  | 29-42-37.885N<br>081-38-07.819W |           |   |   | NW on single pile worded<br>DANGER DISCHARGE PIPE. |                                                    |
| 8015   | Seminole Pfm Itk Str                                  | 29-42-43.085N                   | FI W 2.5s |   |   | NW on single pile worded                           |                                                    |

|      |                                         |                                 |           |   |   |                            |
|------|-----------------------------------------|---------------------------------|-----------|---|---|----------------------------|
|      | Obstruction Light                       | 081-38-12.299W                  |           |   |   | DANGER DISCHARGE PIPE.     |
| 8020 | Forrester Point Light 42A               | 29-41-44.704N<br>081-38-14.197W | FI R 2.5s | 0 | 5 | TR on dolphin.             |
| 8030 | Rice Creek Entrance Channel Daybeacon 2 | 29-41-43.821N<br>081-38-17.478W |           | 0 |   | TR on pile.                |
| 8045 | Rice Creek Entrance Channel Daybeacon 3 | 29-41-39.501N<br>081-38-18.198W |           |   |   | SG on pile.                |
| 8047 | Rice Creek Entrance Light 5             | 29-41-45.261N<br>081-38-53.058W | FI G 2.5s |   | 5 | SG on pile.                |
| 8050 | Putnam County Barge Port Buoy 1         | 29-41-42.886N<br>081-38-39.799W |           |   |   | Green can.                 |
| 8055 | Putnam County Barge Port Daybeacon 2    | 29-41-40.886N<br>081-38-44.299W |           |   |   | TR on pile.                |
| 8060 | Putnam County Barge Port Daybeacon 3    | 29-41-32.886N<br>081-38-49.299W |           |   |   | SG on pile.                |
| 8065 | Putnam County Barge Port Daybeacon 4    | 29-41-18.886N<br>081-39-04.299W |           |   |   | TR on pile.                |
| 8070 | Putnam County Barge Port Daybeacon 5    | 29-41-16.886N<br>081-39-04.299W |           |   |   | SG on pile.                |
| 8075 | Putnam County Barge Port Buoy 6         | 29-41-16.885N<br>081-41-05.804W |           |   |   | Red nun.                   |
| 8080 | Rice Creek Entrance Channel Daybeacon 4 | 29-41-45.981N<br>081-38-47.898W |           |   |   | TR on pile.                |
| 8085 | Rice Creek Entrance Channel Daybeacon 6 | 29-41-52.161N<br>081-38-58.398W |           |   |   | TR on pile.                |
| 8090 | Rice Creek Entrance Channel Daybeacon 7 | 29-41-52.821N<br>081-39-03.702W |           |   |   | SG on pile.                |
| 8095 | Rice Creek Entrance Channel Light 8     | 29-41-57.501N<br>081-39-06.978W | FI R 4s   |   | 5 | TR on dolphin.             |
| 8100 | Rice Creek Light 9                      | 29-42-03.081N<br>081-39-12.738W | FI G 4s   |   | 5 | SG on dolphin.             |
| 8115 | Rice Creek Daybeacon 11                 | 29-42-04.221N<br>081-39-32.478W |           |   |   | SG on pile.                |
| 8135 | Forrester Point Light 42B               | 29-41-14.952N<br>081-38-11.265W | FI R 4s   |   | 5 | TR on pile.                |
| 8145 | Crystal Cove Marina Daybeacon 1         | 29-40-34.887N<br>081-38-06.796W |           |   |   | SG on pile.                |
| 8150 | Crystal Cove Marina Daybeacon 2         | 29-40-38.887N<br>081-38-06.296W |           |   |   | TR on pile.                |
| 8155 | Crystal Cove Marina Daybeacon 4         | 29-40-39.887N<br>081-38-16.296W |           |   |   | TR on pile.                |
| 8160 | Crystal Cove Marina Daybeacon 5         | 29-40-35.887N<br>081-38-26.797W |           |   |   | SG on pile.                |
| 8165 | Crystal Cove Marina Daybeacon 6         | 29-40-41.886N<br>081-38-36.297W |           |   |   | TR on pile.                |
| 8170 | Crystal Cove Marina Daybeacon 7         | 29-40-37.886N<br>081-38-46.498W |           |   |   | SG on pile.                |
| 8175 | Palatka Daybeacon 43                    | 29-40-17.901N<br>081-37-34.458W |           | 0 |   | SG on pile.                |
| 8180 | Palatka Light 44                        | 29-40-04.101N<br>081-37-29.958W | FI R 6s   |   | 5 | TR on pile.                |
| 8185 | Lower Palatka Light 47                  | 29-39-22.281N<br>081-37-02.598W | FI G 4s   |   | 5 | SG on pile.                |
| 8190 | Palatka Light 48                        | 29-39-02.454N<br>081-37-19.861W | FI R 4s   |   | 5 | TR on pile.                |
| 8195 | Upper Palatka Light 1                   | 29-38-34.428N<br>081-37-22.203W | FI G 4s   |   | 5 | SG on pile.                |
| 8200 | Upper Palatka Light 2                   | 29-38-17.846N<br>081-37-23.259W | FI R 4s   |   | 5 | TR on pile.                |
| 8205 | Upper Palatka Daybeacon 3               | 29-38-13.219N<br>081-37-00.228W |           |   |   | SG on pile.                |
| 8210 | Devils Elbow Light 4                    | 29-38-01.941N<br>081-36-50.418W | FI R 4s   |   | 5 | TR on pile.                |
| 8215 | Devils Elbow Light 6                    | 29-38-31.281N<br>081-36-12.378W | FI R 4s   |   | 5 | TR on pile.                |
| 8225 | Devils Elbow Light 8                    | 29-38-27.092N<br>081-35-52.907W | FI R 4s   |   | 3 | TR on pile.                |
| 8235 | Rivercrest Light 10                     | 29-37-57.501N<br>081-35-33.198W | FI R 4s   |   | 5 | TR on pile.                |
| 8240 | Putnam Power Plant                      | 29-37-34.891N                   | Q G       |   |   | On concrete barge slipway. |



|      |                                                                |                                 |           |   |   |                            |
|------|----------------------------------------------------------------|---------------------------------|-----------|---|---|----------------------------|
|      | Barge Slipway North<br>Obstruction Light                       | 081-35-25.286W                  |           |   |   |                            |
| 8245 | Putnam Power Plant<br>Barge Slipway South<br>Obstruction Light | 29-37-33.891N<br>081-35-25.286W | Q G       |   |   | On concrete barge slipway. |
| 8250 | Rivercrest Light 11                                            | 29-37-33.321N<br>081-35-45.318W | FI G 4s   |   | 5 | SG on dolphin.             |
| 8255 | San Mateo Light 12                                             | 29-36-36.861N<br>081-35-50.238W | FI R 4s   | 0 | 5 | TR on dolphin.             |
| 8260 | Edgewater Light 13                                             | 29-35-47.481N<br>081-36-28.878W | FI G 4s   |   | 3 | SG on dolphin.             |
| 8265 | Rat Island Light 15                                            | 29-35-23.061N<br>081-37-20.478W | FI G 4s   |   | 5 | SG on pile.                |
| 8270 | Crescent Lake Light 16                                         | 29-35-30.921N<br>081-38-03.738W | FI R 4s   |   | 5 | TR on pile.                |
| 8275 | Murphy Island<br>Daybeacon 18                                  | 29-35-42.054N<br>081-38-28.602W |           | 0 |   | TR on pile.                |
| 8280 | Murphy Island Light 19                                         | 29-35-50.721N<br>081-38-54.798W | FI G 2.5s |   | 5 | SG on pile.                |
| 8285 | Murphy Island Light<br>20                                      | 29-35-55.498N<br>081-39-04.225W | FI R 4s   |   | 5 | TR on pile.                |
| 8290 | Murphy Island Light 22                                         | 29-35-49.780N<br>081-39-19.000W | FI R 4s   |   | 5 | TR on dolphin.             |
| 8295 | Murphy Island Light<br>23                                      | 29-35-52.564N<br>081-39-49.763W | FI G 2.5s |   | 5 | SG on pile.                |
| 8300 | Murphy Island<br>Daybeacon 25                                  | 29-35-33.458N<br>081-40-15.051W |           |   |   | SG on pile.                |
| 8305 | Murphy Island Light<br>26                                      | 29-35-32.008N<br>081-40-22.965W | FI R 4s   | 0 | 5 | TR on dolphin.             |
| 8310 | Buffalo Bluff<br>Daybeacon 27                                  | 29-35-43.211N<br>081-40-49.813W |           | 0 |   | SG on pile.                |
| 8315 | Buffalo Bluff Light 28                                         | 29-35-16.701N<br>081-41-01.021W | FI R 4s   |   | 5 | TR on dolphin.             |
| 8320 | Buffalo Bluff Light 29                                         | 29-35-10.521N<br>081-40-58.398W | FI G 2.5s |   | 5 | SG on pile.                |
| 8325 | Seven Sisters Island<br>Light 30                               | 29-34-49.011N<br>081-41-08.813W | FI R 4s   |   | 5 | TR on pile.                |
| 8330 | Seven Sisters Island<br>Light 31                               | 29-34-18.111N<br>081-41-30.714W | FI G 4s   | 0 | 5 | SG on pile.                |
| 8335 | Seven Sisters Island<br>Light 33                               | 29-33-51.183N<br>081-41-51.153W | FI G 4s   |   | 5 | SG on pile.                |
| 8340 | Cross Florida<br>Greenway Daybeacon<br>C                       | 29-33-34.437N<br>081-42-06.881W |           |   |   | JR on pile.                |
| 8345 | Seven Sisters Island<br>Daybeacon 33A                          | 29-33-33.921N<br>081-41-56.718W |           |   |   | SG on pile.                |
| 8350 | Seven Sisters Island<br>Light 34                               | 29-33-10.298N<br>081-42-00.990W | FI R 4s   |   | 5 | TR on pile.                |
| 8355 | Horse Landing<br>Daybeacon 35                                  | 29-32-46.300N<br>081-42-07.174W |           |   |   | SG on pile.                |
| 8360 | Horse Landing Light<br>37                                      | 29-32-25.162N<br>081-42-13.613W | FI G 4s   |   | 5 | SG on pile.                |
| 8365 | Horse Landing Light<br>38                                      | 29-32-08.241N<br>081-41-52.038W | FI R 4s   |   | 5 | TR on pile.                |
| 8370 | Possum Bluff Light 40                                          | 29-32-11.213N<br>081-41-32.211W | FI R 4s   | 0 | 5 | TR on pile.                |
| 8375 | Grand View Light 40a                                           | 29-31-19.749N<br>081-40-49.662W | FI R 2.5s |   | 5 | TR on pile.                |
| 8380 | Nashua Light 41                                                | 29-30-38.985N<br>081-40-48.035W | FI G 2.5s | 0 | 5 | SG on dolphin.             |
| 8385 | Nashua Light 42                                                | 29-30-18.400N<br>081-40-45.200W | FI R 4s   | 0 | 5 | TR on dolphin.             |
| 8390 | Nashua Daybeacon<br>42A                                        | 29-30-27.249N<br>081-40-45.941W |           |   |   | TR on pile.                |
| 8395 | Turkey Island Light 43                                         | 29-29-58.341N<br>081-40-59.598W | FI G 4s   |   | 5 | SG on dolphin.             |
| 8400 | Turkey Island<br>Daybeacon 44                                  | 29-29-50.280N<br>081-41-06.857W |           | 0 |   | TR on pile.                |
| 8405 | Stephens Point Light<br>45                                     | 29-29-32.871N<br>081-41-05.972W | FI G 4s   |   | 5 | SG on pile.                |
| 8410 | Stephens Point Shoal                                           | 29-29-22.078N                   |           |   |   | NW on pile worded DANGER   |

|      |                                     |                                 |         |   |   |                     |
|------|-------------------------------------|---------------------------------|---------|---|---|---------------------|
|      | Daybeacon                           | 081-41-03.737W                  |         |   |   | SHOAL.              |
| 8415 | Stephens Point<br>Daybeacon 46      | 29-29-17.241N<br>081-40-47.958W |         | 0 |   | TR on pile.         |
| 8420 | Welaka Light 48                     | 29-29-05.421N<br>081-40-34.938W | FI R 4s | 0 | 5 | TR on dolphin.      |
| 8425 | Welaka Light 50                     | 29-28-29.823N<br>081-40-37.589W | FI R 4s |   | 5 | TR on pile.         |
| 8430 | Oklawaha Light 52                   | 29-28-11.841N<br>081-41-13.338W | FI R 4s |   | 5 | TR on pile.         |
| 8435 | Little Lake George<br>Light 53      | 29-27-45.957N<br>081-41-09.773W | FI G 4s |   | 5 | SG on dolphin.      |
| 8440 | Little Lake George<br>Daybeacon 53A | 29-27-29.127N<br>081-41-09.870W |         | 0 |   | SG on pile.         |
| 8445 | Little Lake George<br>Daybeacon 53B | 29-27-12.801N<br>081-41-09.918W |         |   |   | SG on pile.         |
| 8450 | Little Lake George<br>Daybeacon 54  | 29-27-45.657N<br>081-41-12.191W |         |   |   | TR on pile.         |
| 8455 | Little Lake George<br>Light 55      | 29-26-58.881N<br>081-41-09.858W | FI G 4s |   | 5 | SG on dolphin.      |
| 8460 | Little Lake George<br>Daybeacon 55A | 29-26-42.981N<br>081-41-09.498W |         | 0 |   | SG on pile.         |
| 8465 | Little Lake George<br>Daybeacon 55B | 29-26-28.160N<br>081-41-09.778W |         |   |   | SG on pile.         |
| 8470 | Little Lake George<br>Daybeacon 56  | 29-26-58.269N<br>081-41-11.581W |         |   |   | TR on pile.         |
| 8475 | Norwalk Point<br>Daybeacon 57       | 29-26-14.901N<br>081-41-09.378W |         |   |   | SG on pile.         |
| 8480 | Norwalk Point Light 58              | 29-26-11.829N<br>081-41-11.156W | FI R 4s |   | 5 | TR on pile.         |
| 8485 | Norwalk Point Light 59              | 29-26-02.471N<br>081-40-58.412W | FI G 4s |   | 5 | SG on pile.         |
| 8490 | Mount Royal<br>Daybeacon 60         | 29-25-54.084N<br>081-40-31.123W |         | 0 |   | TR on pile.         |
| 8493 | Mount Royal<br>Daybeacon 61         | 29-25-53.565N<br>081-40-15.534W |         | 0 |   | SG on pile.         |
| 8495 | Mount Royal Light 61A               | 29-25-51.518N<br>081-40-05.584W | FI G 4s |   | 5 | SG on pile.         |
| 8500 | Clay Electric<br>Obstruction Light  | 29-25-54.899N<br>081-39-59.284W | Q W     |   |   | Transmission tower. |
| 8505 | Mount Royal<br>Daybeacon 62         | 29-25-42.045N<br>081-39-31.932W |         |   |   | TR on pile.         |
| 8510 | Mount Royal Light 63                | 29-25-45.321N<br>081-39-31.998W | FI G 4s |   | 5 | SG on dolphin.      |
| 8512 | Mount Royal<br>Daybeacon 63A        | 29-25-20.974N<br>081-39-17.156W |         |   |   | SG on pile.         |
| 8515 | Fort Gates Daybeacon<br>64          | 29-25-20.335N<br>081-39-19.182W |         |   |   | TR on pile.         |
| 8520 | Fort Gates Light 65                 | 29-25-10.941N<br>081-39-11.778W | FI G 4s | 0 | 5 | SG on dolphin.      |
| 8525 | Fort Gates Light 67                 | 29-24-50.721N<br>081-39-26.518W | FI G 4s |   | 5 | SG on pile.         |
| 8530 | Fort Gates Daybeacon<br>67A         | 29-24-12.141N<br>081-39-25.878W |         |   |   | SG on pile.         |
| 8535 | Black Point Light 68                | 29-23-31.281N<br>081-39-27.138W | FI R 4s |   | 5 | TR on pile.         |
| 8540 | Georgetown Light 70                 | 29-23-11.481N<br>081-38-37.578W | FI R 4s |   | 5 | TR on pile.         |
| 8545 | Georgetown Light 72                 | 29-22-39.726N<br>081-37-41.496W | FI R 4s |   | 5 | TR on dolphin.      |
| 8550 | Georgetown Light 73                 | 29-22-16.851N<br>081-37-23.711W | Q G     |   | 4 | SG on dolphin.      |
| 8560 | Lake George<br>Daybeacon 1          | 29-20-42.861N<br>081-36-55.518W |         | 0 |   | SG on pile.         |
| 8565 | Lake George Light 2                 | 29-20-42.525N<br>081-36-58.710W | FI R 4s | 0 | 5 | TR on pile.         |
| 8570 | Lake George<br>Daybeacon 3          | 29-19-37.521N<br>081-36-38.238W |         | 0 |   | SG on pile.         |
| 8575 | Lake George<br>Daybeacon 4          | 29-18-29.181N<br>081-36-25.818W |         | 0 |   | TR on pile.         |
| 8580 | Lake George Light 5                 | 29-18-30.021N<br>081-36-21.978W | FI G 4s | 0 | 5 | SG on dolphin.      |

|      |                                        |                                 |         |   |   |                           |
|------|----------------------------------------|---------------------------------|---------|---|---|---------------------------|
| 8585 | Lake George<br>Daybeacon 6             | 29-16-36.654N<br>081-35-54.991W |         |   |   | TR on pile.               |
| 8590 | Lake George Light 7                    | 29-16-36.561N<br>081-35-51.558W | Fl G 4s | 0 | 5 | SG on pile.               |
| 8595 | Silver Glen Springs<br>Run Buoy 1      | 29-14-54.000N<br>081-38-03.800W |         |   |   | Green can.                |
| 8600 | Silver Glen Springs<br>Run Buoy 3      | 29-14-52.800N<br>081-38-02.400W |         |   |   | Green can.                |
| 8605 | Silver Glen Springs<br>Run Buoy 4      | 29-14-54.362N<br>081-38-05.964W |         |   |   | Red nun.                  |
| 8610 | Silver Glen Springs<br>Run Buoy 5      | 29-14-52.803N<br>081-38-03.926W |         |   |   | Green can.                |
| 8615 | Silver Glen Springs<br>Run Buoy 6      | 29-14-53.138N<br>081-38-14.445W |         |   |   | Red nun.                  |
| 8620 | Silver Glen Springs<br>Run Buoy 7      | 29-14-51.594N<br>081-38-16.526W |         |   |   | Green can.                |
| 8625 | Silver Glen Springs<br>Run Buoy 8      | 29-14-49.441N<br>081-38-19.705W |         |   |   | Red nun.                  |
| 8630 | Silver Glen Springs<br>Run Buoy 9      | 29-14-47.778N<br>081-38-20.137W |         |   |   | Green can.                |
| 8635 | Silver Glen Springs<br>Run Buoy 10     | 29-14-48.600N<br>081-38-19.100W |         |   |   | Red nun.                  |
| 8640 | Silver Glen Springs<br>Run Buoy 11     | 29-14-46.086N<br>081-38-22.848W |         |   |   | Green can.                |
| 8645 | Silver Glen Springs<br>Run Buoy 13     | 29-14-43.936N<br>081-38-24.745W |         |   |   | Green can.                |
| 8650 | Silver Glen Springs<br>Run Buoy 15     | 29-14-42.320N<br>081-38-26.887W |         |   |   | Green can.                |
| 8655 | Silver Glen Springs<br>Run Buoy 16     | 29-14-41.812N<br>081-38-28.622W |         |   |   | Red nun.                  |
| 8660 | Silver Glen Springs<br>Run Buoy 17     | 29-14-41.449N<br>081-38-28.417W |         |   |   | Green can.                |
| 8665 | Silver Glen Springs<br>Run Buoy 18     | 29-14-41.222N<br>081-38-30.181W |         |   |   | Red nun.                  |
| 8670 | Silver Glen Springs<br>Run Buoy 19     | 29-14-40.830N<br>081-38-30.048W |         |   |   | Green can.                |
| 8675 | Silver Glen Springs<br>Run Buoy 20     | 29-14-40.790N<br>081-38-32.175W |         |   |   | Red nun.                  |
| 8680 | Silver Glen Springs<br>Run Buoy 21     | 29-14-40.272N<br>081-38-31.830W |         |   |   | Green can.                |
| 8685 | Silver Glen Springs<br>Run Buoy 22     | 29-14-40.556N<br>081-38-33.626W |         |   |   | Red nun.                  |
| 8690 | Silver Glen Springs<br>Run Buoy 23     | 29-14-40.016N<br>081-38-33.579W |         |   |   | Green can.                |
| 8695 | Silver Glen Springs<br>Run Buoy 24     | 29-14-47.000N<br>081-38-23.000W |         |   |   | Red nun.                  |
| 8700 | Silver Glen Springs<br>Run Buoy 25     | 29-14-39.948N<br>081-38-35.174W |         |   |   | Green can.                |
| 8705 | Silver Glen Springs<br>Run Buoy 27     | 29-14-40.196N<br>081-38-36.283W |         |   |   | Green can.                |
| 8710 | Silver Glen Springs<br>Run Buoy 1A     | 29-14-43.188N<br>081-38-27.880W |         |   |   | Green can.                |
| 8715 | Silver Glen Springs<br>Run Buoy 2A     | 29-14-43.605N<br>081-38-28.122W |         |   |   | Red nun.                  |
| 8720 | Silver Glen Springs<br>Run Buoy 3A     | 29-14-42.720N<br>081-38-28.964W |         |   |   | Green can.                |
| 8725 | Silver Glen Springs<br>Run Buoy 5A     | 29-14-41.949N<br>081-38-30.548W |         |   |   | Green can.                |
| 8730 | Silver Glen Springs<br>Run Buoy 6A     | 29-14-42.316N<br>081-38-30.638W |         |   |   | Red nun.                  |
| 8735 | Silver Glen Springs<br>Run Buoy 8A     | 29-14-41.845N<br>081-38-32.866W |         |   |   | Red nun.                  |
| 8740 | Silver Glen Springs<br>Run Buoy 9A     | 29-14-47.000N<br>081-38-23.000W |         |   |   | Green can.                |
| 8745 | Silver Glen Springs<br>Run Buoy 10A    | 29-14-41.996N<br>081-38-35.203W |         |   |   | Red nun.                  |
| 8750 | Silver Glen Springs<br>Run Pref Buoy A | 29-14-47.000N<br>081-38-23.000W |         |   |   | Red and green bands; nun. |
| 8755 | Lake George<br>Daybeacon 9             | 29-15-18.861N<br>081-35-28.698W |         | 0 |   | SG on pile.               |
| 8760 | Lake George Light 10                   | 29-14-19.941N                   | Fl R 4s |   | 5 | TR on pile.               |

|      |                                    |                                 |           |   |   |                |
|------|------------------------------------|---------------------------------|-----------|---|---|----------------|
|      |                                    | 081-35-18.978W                  |           |   |   |                |
| 8765 | Lake George Daybeacon 11           | 29-14-20.541N<br>081-35-15.078W |           |   |   | SG on pile.    |
| 8770 | Lake George Daybeacon 13           | 29-12-55.365N<br>081-34-51.246W |           | 0 |   | SG on pile.    |
| 8775 | Lake George Light 14               | 29-12-41.389N<br>081-34-49.608W | FI R 2.5s | 0 | 5 | TR on pile.    |
| 8795 | Volusia Guide Piles Light 15       | 29-12-30.681N<br>081-34-43.578W | FI G 4s   | 0 | 5 | SG on pile.    |
| 8800 | Volusia Light 17                   | 29-12-22.881N<br>081-34-39.078W | FI G 4s   |   | 5 | SG on pile.    |
| 8803 | Volusia Daybeacon 17A              | 29-12-07.862N<br>081-34-17.714W |           |   |   | SG on pile.    |
| 8805 | Volusia Light 18                   | 29-12-05.179N<br>081-34-19.806W | FI R 4s   | 0 | 5 | TR on pile.    |
| 8810 | Volusia Light 19                   | 29-12-05.181N<br>081-33-44.898W | FI G 4s   | 1 | 5 | SG on pile.    |
| 8815 | Volusia Light 21                   | 29-11-55.041N<br>081-33-30.618W | FI G 4s   |   | 5 | SG on dolphin. |
| 8820 | Volusia Light 23                   | 29-11-39.621N<br>081-33-25.158W | FI G 4s   |   | 5 | SG on dolphin. |
| 8825 | Blue Island Daybeacon 24           | 29-11-24.321N<br>081-33-18.918W |           |   |   | TR on pile.    |
| 8830 | Blue Island Daybeacon 26           | 29-10-48.546N<br>081-32-38.678W |           |   |   | TR on pile.    |
| 8835 | Morrison Island Light 28           | 29-10-42.547N<br>081-32-20.277W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 8840 | Lungren Island Light 1             | 29-08-45.251N<br>081-30-59.073W | FI G 4s   | 0 | 5 | SG on pile.    |
| 8845 | Lungren Island Daybeacon 3         | 29-08-39.251N<br>081-30-55.673W |           |   |   | SG on pile.    |
| 8850 | Manhattan Light 4                  | 29-08-12.112N<br>081-30-50.414W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 8855 | Manhattan Light 5                  | 29-08-00.252N<br>081-30-33.472W | FI G 4s   | 0 | 5 | SG on dolphin. |
| 8860 | Island Daybeacon 6                 | 29-07-47.532N<br>081-30-28.491W |           | 0 |   | TR on pile.    |
| 8865 | Bluffton Light 8                   | 29-07-24.864N<br>081-30-18.681W | FI R 4s   |   | 5 | TR on dolphin. |
| 8870 | Lake Dexter Daybeacon 10           | 29-06-56.765N<br>081-30-27.346W |           | 0 |   | TR on pile.    |
| 8873 | Lake Dexter Buoy 11                | 29-06-55.751N<br>081-30-22.500W |           |   |   | Green can.     |
| 8875 | Lake Dexter Light 12               | 29-06-44.784N<br>081-30-25.723W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 8880 | Lake Dexter Daybeacon 13           | 29-06-28.262N<br>081-30-11.859W |           | 0 |   | SG on pile.    |
| 8885 | Lake Dexter Light 15               | 29-06-07.133N<br>081-29-58.951W | FI G 4s   | 0 | 5 | SG on pile.    |
| 8890 | Idlewilde Light 16                 | 29-05-54.276N<br>081-30-09.030W | Q R       | 0 | 4 | TR on pile.    |
| 8895 | Kimball Island Light 18            | 29-05-43.157N<br>081-28-21.666W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 8900 | Kimball Island Light 20            | 29-05-38.257N<br>081-27-32.364W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 8905 | Kimball Island Light 21            | 29-05-19.131N<br>081-27-24.804W | FI G 4s   | 0 | 5 | SG on pile.    |
| 8910 | Adams Lake Daybeacon 23            | 29-04-49.359N<br>081-27-19.763W |           | 0 |   | SG on pile.    |
| 8915 | Horseshoe Daybeacon 24             | 29-03-42.103N<br>081-27-01.697W |           | 0 |   | TR on pile.    |
| 8920 | St Francis Light 26                | 29-02-15.863N<br>081-25-03.157W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 8925 | St Francis Daybeacon 28            | 29-02-17.589N<br>081-24-53.670W |           | 0 |   | TR on pile.    |
| 8930 | St Francis Light 30                | 29-02-08.667N<br>081-24-40.260W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 8935 | Revolving Bend Cutoff Daybeacon 31 | 29-02-00.883N<br>081-24-11.695W |           | 0 |   | SG on pile.    |
| 8940 | Revolving Bend Light 32            | 29-01-58.641N<br>081-24-12.534W | FI R 4s   | 0 | 5 | TR on dolphin. |

|      |                                 |                                 |         |   |   |                |
|------|---------------------------------|---------------------------------|---------|---|---|----------------|
| 8945 | Revolving Bend Light 34         | 29-01-46.767N<br>081-24-00.840W | FI R 4s | 0 | 5 | TR on dolphin. |
| 8950 | Hermitage Point Light 35        | 29-01-32.079N<br>081-23-40.308W | FI G 4s | 0 | 5 | SG on dolphin. |
| 8955 | Hermitage Point Daybeacon 36    | 29-01-26.031N<br>081-23-37.614W |         | 0 |   | TR on pile.    |
| 8960 | Hermitage Point Daybeacon 38    | 29-01-14.703N<br>081-23-28.674W |         |   |   | TR on pile.    |
| 8965 | Hermitage Point Light 39        | 29-01-09.351N<br>081-23-21.552W | FI G 4s | 0 | 5 | SG on dolphin. |
| 8970 | Happy Hill Light 41             | 28-59-52.617N<br>081-22-38.202W | FI G 4s | 0 | 5 | SG on dolphin. |
| 8975 | Driggers Island Light 42        | 28-59-37.365N<br>081-22-32.886W | FI R 4s | 0 | 5 | TR on dolphin. |
| 8980 | Riverside Daybeacon 43          | 28-59-37.353N<br>081-22-27.846W |         |   |   | SG on pile.    |
| 8985 | Riverside Light 45              | 28-59-37.743N<br>081-22-15.282W | FI G 4s | 0 | 5 | SG on dolphin. |
| 8990 | Riverside Daybeacon 46          | 28-59-34.407N<br>081-22-00.930W |         | 0 |   | TR on pile.    |
| 8995 | Riverside Light 47              | 28-59-36.411N<br>081-21-55.692W | FI G 4s | 0 | 5 | SG on dolphin. |
| 9000 | Beresford Peninsula Light 49    | 28-58-59.265N<br>081-21-16.254W | FI G 4s | 0 | 5 | SG on dolphin. |
| 9005 | Beresford Peninsula Light 50    | 28-58-35.103N<br>081-21-39.321W | FI R 4s | 0 | 5 | TR on dolphin. |
| 9010 | Hontoun Island Daybeacon 55     | 28-58-32.595N<br>081-21-24.348W |         |   |   | SG on pile.    |
| 9015 | Hontoun Island Light 56         | 28-58-30.783N<br>081-21-22.770W | FI R 4s | 0 | 5 | TR on dolphin. |
| 9020 | Hontoun Island Daybeacon 58     | 28-58-42.009N<br>081-21-04.992W |         | 0 |   | TR on pile.    |
| 9025 | Hontoun Island Light 60         | 28-58-42.867N<br>081-20-59.760W | FI R 4s |   | 5 | TR on pile.    |
| 9030 | Lake Beresford Daybeacon 61     | 28-58-45.072N<br>081-20-56.898W |         |   |   | SG on pile.    |
| 9035 | Hontoun Island Daybeacon 62     | 28-58-40.065N<br>081-20-55.524W |         | 0 |   | TR on pile.    |
| 9040 | Beresford Cutoff Light 63       | 28-58-25.389N<br>081-20-46.812W | FI G 4s | 0 | 5 | SG on dolphin. |
| 9045 | Beresford Cutoff Daybeacon 65   | 28-58-22.017N<br>081-20-48.772W |         | 0 |   | SG on pile.    |
| 9050 | Hontoun Island Light 66         | 28-57-57.039N<br>081-21-03.048W | FI R 4s | 0 | 5 | TR on pile.    |
| 9055 | Hontoun Island Light 67         | 28-57-29.991N<br>081-20-59.934W | FI G 4s | 0 | 5 | SG on dolphin. |
| 9060 | Starks Cutoff Light 69          | 28-56-55.119N<br>081-20-45.468W | FI G 4s | 0 | 5 | SG on dolphin. |
| 9065 | Starks Cutoff Daybeacon 70      | 28-56-50.739N<br>081-20-44.052W |         | 0 |   | TR on pile.    |
| 9070 | Blue Spring Light 71            | 28-56-36.951N<br>081-20-32.160W | FI G 4s | 0 | 5 | SG on dolphin. |
| 9075 | Blue Spring Light 73            | 28-56-20.805N<br>081-20-41.778W | FI G 4s | 0 | 5 | SG on dolphin. |
| 9080 | Snake Creek Cutoff Daybeacon 75 | 28-56-17.523N<br>081-20-48.108W |         | 0 |   | SG on pile.    |
| 9085 | Snake Creek Cutoff Daybeacon 77 | 28-55-59.370N<br>081-21-02.724W |         |   |   | SG on pile.    |
| 9090 | Snake Creek Cutoff Light 79     | 28-55-54.675N<br>081-21-05.934W | FI G 4s | 0 | 5 | SG on dolphin. |
| 9095 | Pine Island Light 80            | 28-55-47.301N<br>081-21-20.382W | FI R 4s | 0 | 5 | TR on dolphin. |
| 9100 | Pine Island Light 81            | 28-55-22.833N<br>081-21-07.614W | FI G 4s | 0 | 5 | SG on dolphin. |
| 9105 | Dutchmans Bend Daybeacon 83     | 28-55-18.753N<br>081-21-10.836W |         | 0 |   | SG on pile.    |
| 9110 | Indian Flats Daybeacon 84       | 28-54-25.035N<br>081-21-37.038W |         |   |   | TR on pile.    |
| 9115 | Indian Flats Light 85           | 28-54-24.951N<br>081-21-34.248W | FI G 4s | 0 | 5 | SG on dolphin. |

|      |                                       |                                 |           |   |   |                |
|------|---------------------------------------|---------------------------------|-----------|---|---|----------------|
| 9120 | Florida Bend Light 87                 | 28-54-11.733N<br>081-21-24.720W | FI G 4s   | 0 | 5 | SG on pile.    |
| 9125 | Florida Bend Light 88                 | 28-54-02.413N<br>081-21-29.818W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 9130 | Florida Bend<br>Daybeacon 89          | 28-53-59.357N<br>081-21-25.517W |           | 0 |   | SG on pile.    |
| 9135 | Flower Island<br>Daybeacon 90         | 28-53-51.265N<br>081-21-23.393W |           | 0 |   | TR on pile.    |
| 9140 | Flower Island Light 91                | 28-53-40.965N<br>081-21-14.436W | FI G 4s   | 0 | 4 | SG on dolphin. |
| 9145 | High Bluff Light 92                   | 28-53-15.963N<br>081-21-23.598W | FI R 4s   | 0 | 5 | TR on pile.    |
| 9150 | Palmetto Reach Light<br>93            | 28-53-00.968N<br>081-21-55.119W | FI G 4s   |   | 5 | SG on dolphin. |
| 9155 | Wekiva Cutoff<br>Daybeacon 95         | 28-52-58.629N<br>081-21-57.416W |           | 0 |   | SG on pile.    |
| 9160 | Wekiva Bend Cutoff<br>Light 96        | 28-52-41.517N<br>081-22-00.318W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 9165 | Wekiva Bend<br>Daybeacon 97           | 28-52-43.569N<br>081-21-58.422W |           | 0 |   | SG on pile.    |
| 9170 | Manuel Landing Light<br>99            | 28-52-17.853N<br>081-21-35.202W | FI G 4s   | 0 | 5 | SG on dolphin. |
| 9175 | Manuel Landing Light<br>101           | 28-52-11.415N<br>081-21-44.574W | FI G 4s   | 0 | 5 | SG on pile.    |
| 9180 | Fort Florida Light 102                | 28-51-53.600N<br>081-21-52.045W | FI R 4s   | 0 | 5 | TR on pile.    |
| 9185 | Fort Florida<br>Daybeacon 104         | 28-51-50.880N<br>081-21-37.480W |           | 0 |   | TR on pile.    |
| 9190 | Fort Florida<br>Daybeacon 106         | 28-51-47.041N<br>081-21-17.259W |           | 0 |   | TR on pile.    |
| 9195 | Fort Florida Light 107                | 28-51-47.835N<br>081-21-07.854W | FI G 4s   | 0 | 5 | SG on dolphin. |
| 9200 | Butchers Bend Light<br>109            | 28-51-27.249N<br>081-21-02.538W | FI G 4s   | 0 | 5 | SG on pile.    |
| 9205 | Butchers Bend<br>Daybeacon 110        | 28-51-27.573N<br>081-21-06.264W |           | 0 |   | TR on pile.    |
| 9210 | Butchers Bend Cutoff<br>Daybeacon 111 | 28-51-13.383N<br>081-21-16.422W |           | 0 |   | SG on pile.    |
| 9215 | Butchers Bend Light<br>112            | 28-51-12.435N<br>081-21-20.694W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 9220 | Alexander Island Light<br>113         | 28-50-52.383N<br>081-21-11.718W | FI G 4s   | 0 | 5 | SG on dolphin. |
| 9225 | Alexander Island Light<br>114         | 28-50-45.303N<br>081-20-52.200W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 9230 | Lake Monroe Light 115                 | 28-50-50.823N<br>081-20-29.274W | FI G 4s   | 0 | 5 | SG on pile.    |
| 9235 | Lake Monroe Light 116                 | 28-50-26.733N<br>081-20-05.136W | FI R 4s   |   | 5 | TR on dolphin. |
| 9240 | Lake Monroe Bar Light<br>1            | 28-50-04.132N<br>081-18-58.462W | FI G 4s   |   | 5 | SG on pile.    |
| 9250 | Monroe Cut Light 2                    | 28-49-58.797N<br>081-18-32.688W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 9255 | Monroe Cut<br>Daybeacon 4             | 28-49-57.111N<br>081-18-10.872W |           | 0 |   | TR on pile.    |
| 9260 | Monroe Cut<br>Daybeacon 6             | 28-49-54.699N<br>081-17-47.442W |           |   |   | TR on pile.    |
| 9265 | Monroe Cut<br>Daybeacon 7             | 28-49-54.695N<br>081-17-20.254W |           |   |   | SG on pile.    |
| 9270 | Monroe Cut Light 8                    | 28-49-51.549N<br>081-17-17.544W | FI R 2.5s |   | 5 | TR on dolphin. |
| 9275 | Sanford Cut<br>Daybeacon 9            | 28-49-52.797N<br>081-17-13.081W |           |   |   | SG on pile.    |
| 9330 | Sanford Cut<br>Daybeacon 10           | 28-49-33.489N<br>081-16-54.347W |           | 0 |   | TR on pile.    |
| 9370 | Sanford Cut<br>Daybeacon 12           | 28-49-15.771N<br>081-16-30.821W |           | 0 |   | TR on pile.    |
| 9375 | Sanford Cut<br>Daybeacon 14           | 28-49-00.111N<br>081-16-12.887W |           |   |   | TR on pile.    |
| 9380 | Sanford Cut Light 13                  | 28-49-01.707N<br>081-16-10.097W | FI G 4s   | 0 | 5 | SG on dolphin. |

|        |                                                        |                                 |           |    |   |                                                                                     |
|--------|--------------------------------------------------------|---------------------------------|-----------|----|---|-------------------------------------------------------------------------------------|
| 9385   | Sanford Spoil Bank Shoal Daybeacon                     | 28-49-08.559N<br>081-16-04.979W |           |    |   | NW on pile.                                                                         |
| 9395   | Sanford Spoil Bank Daybeacon 4                         | 28-49-04.065N<br>081-15-56.795W |           |    |   | TR on pile.                                                                         |
| 9400   | Sanford Spoil Bank Daybeacon 6                         | 28-48-58.821N<br>081-15-44.111W |           | 0  |   | TR on pile.                                                                         |
| 9405   | Lake Monroe Fad Buoy A                                 | 28-49-52.000N<br>081-16-35.000W |           |    |   | Yellow Nun.                                                                         |
| 9410   | Lake Monroe Fad Buoy B                                 | 28-50-55.000N<br>081-15-13.000W |           |    |   | Yellow nun.                                                                         |
| 9415   | Monroe Harbor Daybeacon 6                              | 28-48-55.000N<br>081-15-50.800W |           |    |   | TR on pile.                                                                         |
| 9420   | Mothers Arm Light 2                                    | 28-48-59.880N<br>081-14-33.797W | Q R       |    | 4 | TR on pile                                                                          |
| 9425   | Mothers Arms Daybeacon 4                               | 28-49-00.609N<br>081-14-22.805W |           |    |   | TR on pile.                                                                         |
| 9430   | Woodruff Creek Cutoff Daybeacon 5                      | 28-48-55.893N<br>081-14-07.367W |           | 0  |   | SG on pile.                                                                         |
| 9440   | Lake Washington North Obstruction Daybeacon            | 28-10-01.048N<br>080-45-17.201W |           |    |   | NW on pile worded DANGER HYACINTH BARRIER.                                          |
| 9445   | Lake Washington South Obstruction Daybeacon            | 28-09-53.549N<br>080-45-17.501W |           |    |   | NW on pile worded DANGER HYACINTH BARRIER.                                          |
| 9450   | St Johns River Weir Obstruction Light                  | 28-09-55.049N<br>080-46-05.203W | Q W       |    |   | NW on pile worded DANGER SUBMERGED WEIR.                                            |
| 9455   | St Johns River Weir E Obstruction Daybeacon            | 28-09-57.349N<br>080-46-04.003W |           |    |   | NW on pile worded DANGER WEIR AHEAD on east side; DANGER LEAVING AREA on west side. |
| 9460   | St Johns River Weir West Obstruction Daybeacon         | 28-09-57.349N<br>080-46-08.003W |           |    |   | NW on pile worded DANGER WEIR AHEAD on west side; DANGER LEAVING AREA on east side. |
| 9465   | Ten Mile Canal Hyacinth Bar East Obstruction Daybeacon | 27-59-38.072N<br>080-47-30.209W |           |    |   | NW on pile worded DANGER HYACINTH BARRIER.                                          |
| 9470   | Ten Mile Canal Hyacinth Bar West Obstruction Daybeacon | 27-59-38.072N<br>080-47-30.209W |           |    |   | NW on pile worded DANGER HYACINTH BARRIER.                                          |
| 9475   | St Augustine Lighted Whistle Buoy STA                  | 29-54-54.723N<br>081-15-16.824W | Mo (A) W  |    | 5 | Red and white stripes with red spherical topmark.                                   |
| 9480   | St Augustine Inlet Buoy 2                              | 29-54-53.895N<br>081-15-52.489W |           |    |   | Red nun.                                                                            |
| 9485   | St Augustine Inlet Buoy 3                              | 29-54-48.211N<br>081-15-56.419W |           |    |   | Green can.                                                                          |
| 9490   | St Augustine Inlet Buoy 4                              | 29-54-48.169N<br>081-16-18.651W |           |    |   | Red nun.                                                                            |
| 9495   | St Augustine Inlet Lighted Buoy 5                      | 29-54-39.847N<br>081-16-32.054W | Q G       |    | 4 | Green                                                                               |
| 9497   | St Augustine Inlet Lighted Buoy 6                      | 29-54-44.001N<br>081-16-40.802W | FI R 4s   |    | 5 | Red.                                                                                |
| 9500   | St Augustine Inlet Lighted Buoy 7                      | 29-54-34.051N<br>081-16-56.923W | FI G 4s   |    | 5 | Green.                                                                              |
| 9505   | St Augustine Inlet Buoy 8                              | 29-54-34.951N<br>081-17-13.362W |           |    |   | Red nun.                                                                            |
| 9510   | St Augustine Inlet Buoy 10                             | 29-54-32.880N<br>081-17-20.823W |           |    |   | Red nun.                                                                            |
| 9515   | Ponce de Leon Inlet Lighted Bell Buoy 2                | 29-04-46.031N<br>080-53-29.015W | FI R 2.5s |    | 5 | Red.                                                                                |
| 9520   | Ponce De Leon Inlet North Jetty Light                  | 29-04-42.964N<br>080-54-29.208W | Q W       | 26 | 5 | NR on tower.                                                                        |
| 9525   | Ponce De Leon Inlet Lighted Buoy 3                     | 29-04-39.100N<br>080-53-46.928W | FI G 4s   |    | 5 | Green.                                                                              |
| 9530   | Ponce De Leon Inlet Lighted Buoy 4                     | 29-04-44.999N<br>080-53-59.977W | FI R 4s   |    | 5 | Red.                                                                                |
| 9535.1 | Ponce De Leon Inlet Buoy 5                             | 29-04-39.242N<br>080-54-05.421W |           |    |   | Green can.                                                                          |
| 9540   | Ponce De Leon Inlet                                    | 29-04-37.349N                   | Q G       |    | 4 | Green.                                                                              |

|        |                                                     |                                 |           |    |   |                                 |                                                                                                                       |
|--------|-----------------------------------------------------|---------------------------------|-----------|----|---|---------------------------------|-----------------------------------------------------------------------------------------------------------------------|
|        | Lighted Buoy 7                                      | 080-55-04.904W                  |           |    |   |                                 |                                                                                                                       |
| 9543   | Ponce De Leon Inlet Buoy 7A                         | 29-04-33.601N<br>080-55-09.212W |           |    |   | Green can.                      |                                                                                                                       |
| 9544   | Ponce De Leon Inlet Buoy 7B                         | 29-04-24.879N<br>080-55-11.906W |           |    |   | Green can.                      |                                                                                                                       |
| 9545   | Ponce De Leon Inlet Lighted Buoy 8                  | 29-04-39.597N<br>080-55-08.199W | FI R 4s   | 5  |   | Red.                            |                                                                                                                       |
| 9546   | Ponce De Leon Inlet Buoy 8A                         | 29-04-33.683N<br>080-55-14.843W |           |    |   | Red nun.                        |                                                                                                                       |
| 9547   | Ponce de Leon Inlet Buoy 8B                         | 29-04-26.529N<br>080-55-16.992W |           |    |   | Red nun.                        |                                                                                                                       |
| 9550   | Ponce De Leon Inlet Lighted Buoy 9                  | 29-04-12.611N<br>080-55-13.216W | FI G 2.5s | 5  |   | Green.                          |                                                                                                                       |
| 9555   | Ponce De Leon Inlet Lighted Buoy 10                 | 29-04-11.237N<br>080-55-16.296W | FI R 2.5s | 5  |   | Red.                            |                                                                                                                       |
| 9565   | Ponce De Leon Inlet Light 11                        | 29-03-48.510N<br>080-54-57.141W | FI G 4s   | 10 | 5 | SG on skeleton tower.           |                                                                                                                       |
| 9570   | Ponce De Leon Inlet Light 12                        | 29-03-34.855N<br>080-54-54.125W | FI R 2.5s | 0  | 5 | TR on pile.                     |                                                                                                                       |
| 9573   | Canaveral Approach Entrance Channel V-AIS           | 28-21-30.861N<br>080-30-20.117W |           |    |   |                                 | AIS: MMSI 993672645                                                                                                   |
| 9575   | Canaveral Harbor Approach Channel Range Front Light | 28-25-00.451N<br>080-35-03.825W | FI W 2.5s | 20 |   | On skeleton tower.              | Visible 1.5° each side of rangeline (night). Visible 0.5° each side of rangeline (Day). Lighted throughout 24 hours.  |
| 9580   | Canaveral Harbor Approach Channel Range Rear Light  | 28-25-37.275N<br>080-35-53.682W | Iso W 6s  | 80 |   | On skeleton tower.              | Visible 1.5° each side of range line (Night). Visible 0.5° each side of rangeline (Day). Lighted throughout 24 hours. |
| 9585   | Canaveral Harbor Approach Channel Lighted Buoy 3    | 28-22-32.035N<br>080-31-48.195W | FI G 2.5s |    | 5 | Green.                          |                                                                                                                       |
| 9590   | Canaveral Harbor Approach Channel Lighted Buoy 4    | 28-22-36.535N<br>080-31-44.194W | FI R 2.5s |    | 5 | Red.                            |                                                                                                                       |
| 9595   | Canaveral Harbor Approach Channel Lighted Buoy 5    | 28-23-10.211N<br>080-32-40.667W | FI G 4s   |    | 5 | Green.                          |                                                                                                                       |
| 9600   | Canaveral Harbor Approach Channel Lighted Buoy 6    | 28-23-14.634N<br>080-32-35.196W | FI R 4s   |    | 5 | Red.                            |                                                                                                                       |
| 9605   | Canaveral Harbor Approach Channel Lighted Buoy 7    | 28-23-47.461N<br>080-33-30.217W | FI G 6s   |    | 5 | Green.                          |                                                                                                                       |
| 9610   | Canaveral Harbor Approach Channel Lighted Buoy 8    | 28-23-51.699N<br>080-33-25.699W | FI R 6s   |    | 5 | Red.                            |                                                                                                                       |
| 9615   | Canaveral Harbor Approach Channel Lighted Buoy 9    | 28-24-08.165N<br>080-33-58.368W | FI G 2.5s |    | 5 | Green.                          |                                                                                                                       |
| 9625   | Canaveral Harbor Entrance Channel Lighted Buoy 10   | 28-24-37.241N<br>080-34-28.628W | Q R       |    | 4 | Red.                            |                                                                                                                       |
| 9630   | Canaveral Harbor Entrance Channel Range Front Light | 28-24-35.811N<br>080-37-36.837W | FI G 2.5s | 25 |   | KRW on skeleton tower on piles. |                                                                                                                       |
| 9635   | Canaveral Harbor Entrance Channel Range Rear Light  | 28-24-35.931N<br>080-38-02.597W | Iso G 6s  | 63 |   | KRW on skeleton tower on piles. |                                                                                                                       |
| 9640   | Canaveral Harbor Entrance Channel Lighted Buoy 11   | 28-24-21.206N<br>080-34-20.729W | Q G       |    | 4 | Green.                          | AIS: MMSI 993672020                                                                                                   |
| 9645   | Canaveral Harbor Entrance Channel Lighted Buoy 12   | 28-24-37.840N<br>080-35-01.546W | FI R 4s   |    | 5 | Red.                            |                                                                                                                       |
| 9650   | Canaveral Harbor Entrance Channel Lighted Buoy 13   | 28-24-29.417N<br>080-34-46.018W | FI G 4s   |    | 5 | Green.                          |                                                                                                                       |
| 9650.5 | Canaveral Harbor Entrance Channel Lighted Buoy 13A  | 28-24-32.330N<br>080-35-15.617W | FI G 2.5s |    | 5 | Green.                          |                                                                                                                       |
| 9650.1 | Cape Canaveral South Jetty Light                    | 28-24-28.164N<br>080-35-11.892W | FI W 2.5s | 20 | 5 | NW on skeleton tower.           |                                                                                                                       |
| 9655   | Canaveral Harbor                                    | 28-24-38.841N                   | FI R 4s   | 0  | 5 | TR on dolphin.                  |                                                                                                                       |



|        |                                                          |                                 |           |    |   |                                                                              |
|--------|----------------------------------------------------------|---------------------------------|-----------|----|---|------------------------------------------------------------------------------|
|        | Entrance Channel<br>Light 14                             | 080-35-37.001W                  |           |    |   |                                                                              |
| 9660   | East Basin Range<br>Front Light                          | 28-25-09.860N<br>080-35-53.667W | Q R       |    |   | KRW on skeleton tower.<br>Visible all around; higher intensity on rangeline. |
| 9665   | East Basin Range Rear<br>Light                           | 28-25-18.146N<br>080-35-59.977W | Iso R 6s  | 44 |   | KRW on skeleton tower.<br>Visible all around; higher intensity on rangeline. |
| 9670   | Canaveral Harbor<br>Entrance Channel<br>Light 12A        | 28-24-38.741N<br>080-35-21.721W | Fl R 2.5s | 0  | 5 | TR on dolphin.                                                               |
| 9680   | East Basin Light 5                                       | 28-24-56.872N<br>080-35-51.926W | Fl G 4s   | 0  | 5 | SG on pile.                                                                  |
| 9685   | East Basin Light 7                                       | 28-25-12.327N<br>080-35-49.545W | Fl G 6s   | 0  | 5 | SG on pile.                                                                  |
| 9685.5 | Canaveral Harbor<br>Entrance Channel<br>Lighted Buoy 14A | 28-24-38.369N<br>080-36-09.158W | Fl R 4s   |    | 5 | Red.                                                                         |
| 9690   | Canaveral Harbor<br>Entrance Channel<br>Lighted Buoy 15  | 28-24-33.586N<br>080-36-57.119W | Fl G 2.5s |    | 5 | Green.                                                                       |
| 9705   | Canaveral Harbor<br>Entrance Channel<br>Lighted Buoy 19  | 28-24-33.557N<br>080-37-14.209W | Fl G 4s   |    | 5 | Green.                                                                       |
| 9730   | Sebastian Inlet<br>Channel Daybeacon<br>1A               | 27-51-25.434N<br>080-27-04.001W |           |    |   | SG on pile.                                                                  |
| 9735   | Sebastian Inlet<br>Channel Daybeacon 2                   | 27-51-27.629N<br>080-27-07.749W |           |    |   | TR on pile.                                                                  |
| 9735.1 | Sebastian Inlet<br>Channel Buoy 2A                       | 27-51-21.919N<br>080-27-17.362W |           |    |   | Red nun.                                                                     |
| 9740   | Sebastian Inlet<br>Channel Buoy 3                        | 27-51-17.806N<br>080-27-15.345W |           |    |   | Green can.                                                                   |
| 9740.1 | Sebastian Inlet<br>Channel Buoy 3A                       | 27-51-14.129N<br>080-27-22.204W |           |    |   | Green can.                                                                   |
| 9745   | Sebastian Inlet<br>Channel Buoy 4                        | 27-51-16.000N<br>080-27-25.000W |           |    |   | Red nun.                                                                     |
| 9750   | Sebastian Inlet<br>Channel Daybeacon 5                   | 27-51-12.829N<br>080-27-29.651W |           |    |   | SG on pile.                                                                  |
| 9755   | Sebastian Inlet<br>Channel Daybeacon 6                   | 27-51-16.032N<br>080-27-31.658W |           |    |   | TR on pile.                                                                  |
| 9760   | Sebastian Inlet<br>Channel Daybeacon 7                   | 27-51-11.512N<br>080-27-35.568W |           |    |   | SG on pile.                                                                  |
| 9765   | Sebastian Inlet<br>Channel Daybeacon 8                   | 27-51-15.550N<br>080-27-36.786W |           |    |   | TR on pile.                                                                  |
| 9770   | Sebastian Inlet<br>Channel Daybeacon 9                   | 27-51-09.965N<br>080-27-40.683W |           |    |   | SG on pile.                                                                  |
| 9775   | Sebastian Inlet<br>Channel Daybeacon 10                  | 27-51-13.978N<br>080-27-42.085W |           |    |   | TR on pile.                                                                  |
| 9780   | Sebastian Inlet<br>Channel Daybeacon 11                  | 27-51-08.049N<br>080-27-44.970W |           |    |   | SG on pile.                                                                  |
| 9785   | Sebastian Inlet<br>Channel Daybeacon 12                  | 27-51-10.477N<br>080-27-47.138W |           |    |   | TR on pile.                                                                  |
| 9790   | Sebastian Inlet<br>Channel Daybeacon 13                  | 27-51-04.951N<br>080-27-48.801W |           |    |   | SG on pile.                                                                  |
| 9795   | Sebastian Inlet<br>Channel Daybeacon 14                  | 27-51-06.571N<br>080-27-51.781W |           |    |   | TR on pile.                                                                  |
| 9800   | Sebastian Inlet<br>Channel Daybeacon 15                  | 27-51-00.817N<br>080-27-52.090W |           |    |   | SG on pile.                                                                  |
| 9805   | Sebastian Inlet<br>Channel Daybeacon 16                  | 27-51-02.346N<br>080-27-54.318W |           |    |   | TR on pile.                                                                  |
| 9810   | Sebastian Inlet<br>Channel Daybeacon 17                  | 27-50-57.252N<br>080-27-55.168W |           |    |   | SG on pile.                                                                  |
| 9810.2 | Sebastian Inlet<br>Channel Daybeacon 19                  | 27-50-54.333N<br>080-27-58.080W |           |    |   | SG on pile.                                                                  |
| 9810.3 | Sebastian Inlet<br>Channel Daybeacon<br>20               | 27-50-55.335N<br>080-27-59.423W |           |    |   | TR on pile.                                                                  |
| 9810.4 | Sebastian Inlet<br>Channel Daybeacon 21                  | 27-50-51.925N<br>080-28-00.436W |           |    |   | SG on pile.                                                                  |
| 9810.5 | Sebastian Inlet<br>Channel Daybeacon<br>21A              | 27-50-51.083N<br>080-28-01.812W |           |    |   | SG on pile.                                                                  |

|         |                                                                 |                                 |           |    |                                    |                                      |
|---------|-----------------------------------------------------------------|---------------------------------|-----------|----|------------------------------------|--------------------------------------|
| 9810.6  | Sebastian Inlet<br>Channel Daybeacon<br>22                      | 27-50-53.886N<br>080-28-01.427W |           |    |                                    | TR on pile.                          |
| 9810.7  | Sebastian Inlet<br>Channel Daybeacon<br>23                      | 27-50-50.600N<br>080-28-07.494W |           |    |                                    | SG on pile.                          |
| 9810.8  | Sebastian Inlet<br>Channel Daybeacon<br>24                      | 27-50-52.765N<br>080-28-08.090W |           |    |                                    | TR on pile.                          |
| 9810.9  | Sebastian Inlet<br>Channel Daybeacon<br>25                      | 27-50-51.006N<br>080-28-13.299W |           |    |                                    | SG on pile.                          |
| 9810.1  | Sebastian Inlet<br>Channel Daybeacon 18                         | 27-50-58.572N<br>080-27-57.212W |           |    |                                    | TR on pile.                          |
| 9810.51 | Sebastian Inlet<br>Daybeacon 21B                                | 27-50-50.462N<br>080-28-04.858W |           |    |                                    | SG on pile.                          |
| 9811    | Sebastian Inlet<br>Channel Daybeacon<br>22A                     | 27-50-53.017N<br>080-28-03.552W |           |    |                                    | SG on pile.                          |
| 9812    | Sebastian Inlet<br>Channel Daybeacon<br>26                      | 27-50-52.545N<br>080-28-12.645W |           |    |                                    | TR on pile.                          |
| 9812.1  | Sebastian Inlet<br>Channel Daybeacon<br>27                      | 27-50-51.262N<br>080-28-18.704W |           |    |                                    | SG on pile.                          |
| 9812.2  | Sebastian Inlet<br>Channel Daybeacon<br>28                      | 27-50-52.724N<br>080-28-18.388W |           |    |                                    | TR on pile.                          |
| 9812.3  | Sebastian Inlet<br>Channel Daybeacon<br>29                      | 27-50-51.128N<br>080-28-23.791W |           |    |                                    | SG on Pile.                          |
| 9812.4  | Sebastian Inlet<br>Channel Daybeacon<br>30                      | 27-50-52.691N<br>080-28-24.754W |           |    |                                    | TR on pile.                          |
| 9815.4  | Fort Pierce Inlet<br>Lighted Buoy 6                             | 27-28-24.611N<br>080-16-55.759W | FI R 4s   | 5  | Red                                | AIS: MMSI 993672009                  |
| 9815.3  | Fort Pierce Inlet<br>Lighted Buoy 5                             | 27-28-19.960N<br>080-17-00.456W | FI G 4s   | 5  | Green                              | AIS: MMSI 993672008                  |
| 9815.2  | Fort Pierce Inlet<br>Lighted Buoy 4                             | 27-28-31.797N<br>080-16-13.056W | FI R 2.5s | 5  | Red                                |                                      |
| 9815.1  | Fort Pierce Inlet<br>Lighted Buoy 3                             | 27-28-27.222N<br>080-16-13.004W | FI G 2.5s | 5  | Green                              |                                      |
| 9815    | Fort Pierce Inlet<br>Lighted Buoy 2                             | 27-28-39.026N<br>080-15-25.216W | FI R 4s   | 5  | Red.                               |                                      |
| 9820    | Fort Pierce Inlet<br>Entrance Range Front<br>Light              | 27-28-09.763N<br>080-18-12.379W | Q G       | 10 | KRW on skeleton tower on<br>piles. | Visible 4° each side of rangeline.   |
| 9825    | Fort Pierce Inlet<br>Entrance Range Rear<br>Light               | 27-28-02.791N<br>080-18-54.805W | Iso G 6s  | 50 | KRW on skeleton tower on<br>piles. | Visible 4° each side of range line.  |
| 9830    | Fort Pierce Inlet Inner<br>Harbor Lighted Buoy 7                | 27-28-14.217N<br>080-17-34.662W | FI G 2.5s | 5  | Green.                             |                                      |
| 9835    | Fort Pierce Inlet Inner<br>Harbor Lighted Buoy 8                | 27-28-17.120N<br>080-17-35.116W | FI R 2.5s | 5  | Red.                               |                                      |
| 9840    | Fort Pierce Inlet Inner<br>Harbor Lighted Buoy 9                | 27-28-12.122N<br>080-17-50.127W | Q G       | 4  | Green.                             |                                      |
| 9843    | Fort Pierce Inlet Inner<br>Harbor Outbound<br>Range Front Light | 27-28-16.255N<br>080-17-49.682W | Q G       | 25 | KRW on skeleton tower on<br>piles. | Visible 1.5° each side of rangeline. |
| 9844    | Fort Pierce Inlet Inner<br>Harbor Outbound<br>Range Rear Light  | 27-28-19.981N<br>080-17-41.890W | Iso G 6s  | 20 | KRW on skeleton tower on<br>piles. | Visible 1.5° each side of rangeline. |
| 9845    | Fort Pierce Inlet Inner<br>Harbor Lighted Buoy<br>10            | 27-28-12.894N<br>080-17-59.043W | Q R       | 4  | Red.                               |                                      |
| 9850    | Fort Pierce Inlet Inner<br>Harbor Lighted Buoy<br>11            | 27-28-07.409N<br>080-18-05.207W | FI G 2.5s | 4  | Green.                             |                                      |
| 9860    | Banty Saunders<br>Recreational Area<br>Daybeacon 2              | 27-28-08.537N<br>080-18-20.478W |           |    |                                    | TR on pile.                          |
| 9865    | Banty Saunders                                                  | 27-28-05.037N                   |           |    |                                    | SG on pile.                          |

|        |                                                      |                                 |           |   |   |             |
|--------|------------------------------------------------------|---------------------------------|-----------|---|---|-------------|
|        | Recreational Area<br>Daybeacon 3                     | 080-18-25.378W                  |           |   |   |             |
| 9870   | Banty Saunders<br>Recreational Area<br>Daybeacon 5   | 27-28-08.437N<br>080-18-27.878W |           |   |   | SG on pile. |
| 9875   | Banty Saunders<br>Recreational Area<br>Daybeacon 6   | 27-28-10.537N<br>080-18-25.778W |           |   |   | TR on pile. |
| 9880   | Banty Saunders<br>Recreational Area<br>Daybeacon 8   | 27-28-27.836N<br>080-18-37.578W |           |   |   | TR on pile. |
| 9885   | Banty Saunders<br>Recreational Area<br>Daybeacon 9   | 27-28-31.736N<br>080-18-39.978W |           |   |   | SG on pile. |
| 9890   | Banty Saunders<br>Recreational Area<br>Daybeacon 11  | 27-28-41.436N<br>080-18-38.278W |           |   |   | SG on pile. |
| 9895   | Banty Saunders<br>Recreational Area<br>Daybeacon 12  | 27-28-41.236N<br>080-18-37.578W |           |   |   | TR on pile. |
| 9900   | Banty Saunders<br>Recreational Area<br>Daybeacon 14  | 27-28-44.536N<br>080-18-51.879W |           |   |   | TR on pile. |
| 9905   | Banty Saunders<br>Recreational Area<br>Daybeacon 15  | 27-28-40.536N<br>080-18-53.779W |           |   |   | SG on pile. |
| 9910   | Banty Saunders<br>Recreational Area<br>Daybeacon 16  | 27-28-37.036N<br>080-19-04.079W |           |   |   | TR on pile. |
| 9915   | Banty Saunders<br>Recreational Area<br>Daybeacon 17  | 27-28-32.036N<br>080-19-10.779W |           |   |   | SG on pile. |
| 9920   | Banty Saunders<br>Recreational Area<br>Daybeacon 18  | 27-28-31.136N<br>080-19-15.279W |           |   |   | TR on pile. |
| 9925   | Banty Saunders<br>Recreational Area<br>Daybeacon 19  | 27-28-27.436N<br>080-19-18.779W |           |   |   | SG on pile. |
| 9930   | Banty Saunders<br>Recreational Area<br>Daybeacon 20  | 27-28-26.636N<br>080-19-23.080W |           |   |   | TR on pile. |
| 9935   | Banty Saunders<br>Recreational Area<br>Daybeacon 21  | 27-28-24.636N<br>080-19-24.280W |           |   |   | SG on pile. |
| 9950   | Fort Pierce Inlet Inner<br>Harbor Lighted Buoy<br>12 | 27-28-00.096N<br>080-18-27.145W | FI R 4s   | 5 |   | Red.        |
| 9955   | Fort Pierce Inlet Inner<br>Harbor Lighted Buoy<br>13 | 27-27-57.617N<br>080-18-25.660W | FI G 4s   | 5 |   | Green.      |
| 9960   | Fort Pierce Inlet Inner<br>Harbor Lighted Buoy<br>14 | 27-27-50.412N<br>080-18-47.425W | FI R 6s   | 5 |   | Red.        |
| 9965   | Fort Pierce Inlet Inner<br>Harbor Lighted Buoy<br>15 | 27-27-47.901N<br>080-18-46.051W | FI G 6s   | 5 |   | Green.      |
| 9970   | Fort Pierce Inlet Inner<br>Harbor Light 16           | 27-27-42.747N<br>080-19-05.859W | Q R       | 0 | 4 | TR on pile. |
| 9975   | Fort Pierce Inlet Inner<br>Harbor Light 17           | 27-27-38.395N<br>080-19-04.902W | Q G       | 0 | 4 | SG on pile. |
| 9983   | Fort Pierce Inlet<br>Turning Basin Lighted<br>Buoy B | 27-27-28.904N<br>080-19-14.110W | FI Y 6s   | 3 |   | Yellow.     |
| 9985   | Fort Pierce City Marina<br>Channel Daybeacon 2       | 27-27-25.320N<br>080-19-07.140W |           |   |   | TR on pile. |
| 9985.2 | Fort Pierce City Marina<br>Channel Light 3A          | 27-27-21.420N<br>080-19-06.600W | FI G 2.5s |   |   | SG on pile. |
| 9985.4 | Fort Pierce City Marina<br>Channel Daybeacon<br>4A   | 27-27-22.860N<br>080-19-06.240W |           |   |   | TR on pile. |
| 9985.5 | Fort Pierce City Marina<br>Channel Daybeacon 5       | 27-27-21.180N<br>080-19-08.520W |           |   |   | SG on pile. |
| 9985.6 | Fort Pierce City Marina                              | 27-27-22.680N                   |           |   |   | TR on pile. |

|        |                         |                |           |   |   |                          |                     |
|--------|-------------------------|----------------|-----------|---|---|--------------------------|---------------------|
|        | Channel Daybeacon 6     | 080-19-09.480W |           |   |   |                          |                     |
| 9985.7 | Fort Pierce City Marina | 27-27-20.340N  |           |   |   | SG on pile.              |                     |
|        | Channel Daybeacon 7     | 080-19-10.440W |           |   |   |                          |                     |
| 9985.8 | Fort Pierce City Marina | 27-27-21.120N  |           |   |   | TR on pile.              |                     |
|        | Channel Daybeacon 8     | 080-19-09.480W |           |   |   |                          |                     |
| 9985.9 | Fort Pierce City Marina | 27-27-18.300N  |           |   |   | SG on pile.              |                     |
|        | Channel Daybeacon 9     | 080-19-14.100W |           |   |   |                          |                     |
| 9986   | Fort Pierce City Marina | 27-27-19.740N  | FI R 6s   |   |   | TR on pile.              |                     |
|        | Channel Light 10        | 080-19-14.700W |           |   |   |                          |                     |
| 9986.1 | Fort Pierce City Marina | 27-27-17.280N  |           |   |   | SG on pile.              |                     |
|        | Channel Daybeacon 11    | 080-19-16.140W |           |   |   |                          |                     |
| 9986.2 | Fort Pierce City Marina | 27-27-18.420N  | FI R 4s   |   |   | TR on pile.              |                     |
|        | Channel Light 12        | 080-19-16.920W |           |   |   |                          |                     |
| 9986.3 | Fort Pierce City Marina | 27-27-14.760N  | FI G 6s   |   |   | SG on pile.              |                     |
|        | Channel Light 13        | 080-19-17.340W |           |   |   |                          |                     |
| 9986.4 | Fort Pierce City Marina | 27-27-13.920N  |           |   |   | TR on pile.              |                     |
|        | Channel Daybeacon 14    | 080-19-20.400W |           |   |   |                          |                     |
| 9990   | Causeway Cove           | 27-27-21.760N  |           |   |   | TR on pile.              |                     |
|        | Daybeacon 2             | 080-18-48.520W |           |   |   |                          |                     |
| 9990.1 | Causeway Cove North     | 27-27-23.130N  |           |   |   | NW on pile worded DANGER |                     |
|        | Shoal Daybeacon A       | 080-18-46.350W |           |   |   | SHOAL                    |                     |
| 9990.2 | Causeway Cove North     | 27-27-24.180N  |           |   |   | NW on pile worded DANGER |                     |
|        | Shoal Daybeacon B       | 080-18-43.700W |           |   |   | SHOAL                    |                     |
| 9990.3 | Causeway Cove North     | 27-27-24.770N  |           |   |   | NW on pile worded DANGER |                     |
|        | Shoal Daybeacon C       | 080-18-40.120W |           |   |   | SHOAL                    |                     |
| 9990.4 | Causeway Cove South     | 27-27-27.750N  |           |   |   | NW on pile worded DANGER |                     |
|        | Shoal Daybeacon A       | 080-18-45.940W |           |   |   | SHOAL                    |                     |
| 9990.5 | Causeway Cove South     | 27-27-22.470N  |           |   |   | NW on pile worded DANGER |                     |
|        | Shoal Daybeacon B       | 080-18-42.720W |           |   |   | SHOAL                    |                     |
| 9990.6 | Causeway Cove South     | 27-27-22.590N  |           |   |   | NW on pile worded DANGER |                     |
|        | Shoal Daybeacon C       | 080-18-39.160W |           |   |   | SHOAL                    |                     |
| 9995   | St. Lucie Entrance      | 27-10-01.166N  | FI R 4s   | 5 |   | Red.                     | AIS: MMSI 993672007 |
|        | Lighted Buoy 2          | 080-08-22.623W |           |   |   |                          |                     |
| 10000  | St Lucie Inlet Light 3  | 27-09-59.216N  | FI G 2.5s | 0 | 5 | SG on pile.              |                     |
|        |                         | 080-08-56.044W |           |   |   |                          |                     |
| 10003  | St Lucie Inlet Light 4  | 27-10-03.309N  | FI R 2.5s | 0 | 5 | TR on pile.              |                     |
|        |                         | 080-08-56.193W |           |   |   |                          |                     |
| 10005  | Sailfish Point Marina   | 27-10-10.178N  |           |   |   | SG on pile.              |                     |
|        | Channel Daybeacon 1     | 080-09-48.161W |           |   |   |                          |                     |
| 10010  | Sailfish Point Marina   | 27-10-11.177N  |           |   |   | TR on pile.              |                     |
|        | Channel Daybeacon 2     | 080-09-48.161W |           |   |   |                          |                     |
| 10020  | Sailfish Point Marina   | 27-10-13.177N  |           |   |   | TR on pile.              |                     |
|        | Channel Daybeacon 4     | 080-09-58.161W |           |   |   |                          |                     |
| 10025  | Sailfish Point Marina   | 27-10-16.177N  |           |   |   | SG on pile.              |                     |
|        | Channel Daybeacon 5     | 080-10-09.161W |           |   |   |                          |                     |
| 10030  | Sailfish Point Marina   | 27-10-16.177N  |           |   |   | TR on pile.              |                     |
|        | Channel Daybeacon 6     | 080-10-08.161W |           |   |   |                          |                     |
| 10035  | Sailfish Point Marina   | 27-10-14.580N  |           |   |   | SG on pile.              |                     |
|        | Channel Daybeacon 7     | 080-10-09.590W |           |   |   |                          |                     |
| 10040  | Sailfish Point Marina   | 27-10-22.210N  |           |   |   | Red nun.                 |                     |
|        | Channel Buoy 8          | 080-10-15.444W |           |   |   |                          |                     |
| 10045  | Sailfish Point Marina   | 27-10-19.360N  |           |   |   | Green can.               |                     |
|        | Channel Buoy 9A         | 080-10-15.480W |           |   |   |                          |                     |
| 10047  | Sailfish Point Marina   | 27-10-27.500N  |           |   |   | Green can.               |                     |
|        | Channel Buoy 9B         | 080-10-17.380W |           |   |   |                          |                     |
| 10050  | Sailfish Point Marina   | 27-10-23.888N  |           |   |   | Red nun.                 |                     |
|        | Channel Buoy 10         | 080-10-15.980W |           |   |   |                          |                     |
| 10055  | Sailfish Point Marina   | 27-10-37.970N  |           |   |   | SG on pile.              |                     |
|        | Channel Daybeacon 11    | 080-10-16.630W |           |   |   |                          |                     |
| 10060  | Sailfish Point Marina   | 27-10-38.176N  |           |   |   | TR on pile.              |                     |
|        | Channel Daybeacon 12    | 080-10-14.162W |           |   |   |                          |                     |
| 10065  | Sailfish Point Marina   | 27-10-43.080N  |           |   |   | SG on pile.              |                     |
|        | Channel Daybeacon 13    | 080-10-15.110W |           |   |   |                          |                     |
| 10067  | Sailfish Point Marina   | 27-10-46.000N  |           |   |   | Green can.               |                     |
|        | Channel Buoy 13A        | 080-10-12.700W |           |   |   |                          |                     |
| 10070  | Sailfish Point Marina   | 27-10-43.176N  |           |   |   | TR on pile.              |                     |
|        | Channel Daybeacon 14    | 080-10-14.162W |           |   |   |                          |                     |
| 10125  | St Lucie Inlet Buoy 5   | 27-09-59.403N  |           |   |   | Green can.               |                     |
|        |                         | 080-09-14.380W |           |   |   |                          |                     |
| 10130  | St Lucie Inlet Buoy 6   | 27-10-03.133N  |           |   |   | Red nun.                 |                     |

|         |                                       |                                 |           |  |     |                                                   |                                       |
|---------|---------------------------------------|---------------------------------|-----------|--|-----|---------------------------------------------------|---------------------------------------|
|         |                                       | 080-09-18.969W                  |           |  |     |                                                   |                                       |
| 10135   | St Lucie Inlet Buoy 7                 | 27-09-59.453N<br>080-09-28.657W |           |  |     | Green can.                                        |                                       |
| 10140   | St Lucie Inlet Lighted Buoy 8         | 27-10-04.698N<br>080-09-37.641W | Q R       |  | 3   | Red.                                              |                                       |
| 10145   | St Lucie Inlet Light 9                | 27-09-56.938N<br>080-09-47.862W | Fl G 4s   |  | 5   | SG on pile.                                       |                                       |
| 10155   | St Lucie Inlet Daybeacon 12           | 27-09-56.820N<br>080-09-57.884W |           |  | 0   | TR on pile.                                       |                                       |
| 10160   | St Lucie Inlet Daybeacon 14           | 27-09-53.062N<br>080-10-11.512W |           |  | 0   | TR on pile.                                       |                                       |
| 10165   | St Lucie Inlet Daybeacon 16           | 27-09-53.656N<br>080-10-18.258W |           |  | 0   | TR on pile.                                       |                                       |
| 10170   | St Lucie Inlet Daybeacon 17           | 27-09-53.611N<br>080-10-37.728W |           |  | 0   | SG on pile.                                       |                                       |
| 10175   | Lake Worth Lighted Buoy LW            | 26-46-21.596N<br>080-00-36.230W | Mo (A) W  |  | 6   | Red and white stripes with red spherical topmark. | AIS: MMSI 993672006                   |
| 10176   | Southern Port Salerno Daybeacon 1     | 27-08-48.700N<br>080-11-42.360W |           |  |     | SG on pile.                                       |                                       |
| 10177   | Southern Port Salerno Daybeacon 2     | 27-08-49.140N<br>080-11-42.800W |           |  |     | TR on pile.                                       |                                       |
| 10178   | Southern Port Salerno Daybeacon 3     | 27-08-49.020N<br>080-11-42.180W |           |  |     | SG on pile.                                       |                                       |
| 10179   | Southern Port Salerno Daybeacon 4     | 27-08-49.320N<br>080-11-42.800W |           |  |     | TR on pile.                                       |                                       |
| 10180   | Lake Worth Inlet Lighted Buoy 2       | 26-46-23.715N<br>080-01-25.050W | Fl R 2.5s |  | 5   | Red.                                              |                                       |
| 10185   | Lake Worth Entrance Range Front Light | 26-46-21.516N<br>080-02-30.973W | Fl G 2.5s |  | 0   |                                                   | Visible 5.5° each side of range line. |
| 10190   | Lake Worth Entrance Range Rear Light  | 26-46-21.851N<br>080-02-45.507W | Iso G 6s  |  | 53  |                                                   | Visible 5.5° each side of range line. |
| 10195   | Lake Worth Inlet Lighted Buoy 3       | 26-46-16.009N<br>080-01-46.443W | Fl G 4s   |  | 5   | Green.                                            | AIS: MMSI 993672005                   |
| 10200   | Lake Worth Inlet Lighted Buoy 4       | 26-46-23.179N<br>080-01-59.901W | Fl R 4s   |  | 5   | Red.                                              |                                       |
| 10205.5 | Lake Worth Inlet Lighted Buoy 6       | 26-46-23.472N<br>080-02-10.389W | Q R       |  | 4   | Red.                                              |                                       |
| 10205   | Lake Worth Inlet Lighted Buoy 5       | 26-46-18.997N<br>080-02-09.993W | Fl G 6s   |  | 5   | Green.                                            |                                       |
| 10210   | Lake Worth Inlet Lighted Buoy 7       | 26-46-18.368N<br>080-02-17.861W | Fl G 2.5s |  | 5   | Green.                                            |                                       |
| 10211.5 | Singer Island Channel Daybeacon 3     | 26-46-41.665N<br>080-02-28.432W |           |  |     | SG on pile.                                       |                                       |
| 10211.8 | Singer Island Channel Daybeacon 3A    | 26-46-45.416N<br>080-02-28.007W |           |  |     | SG on pile.                                       |                                       |
| 10211   | Singer Island Channel Buoy 1          | 26-46-28.472N<br>080-02-24.779W |           |  |     | Green can.                                        |                                       |
| 10212   | Singer Island Channel Light 5         | 26-46-53.452N<br>080-02-29.095W | Fl G 4s   |  | 0 5 | SG on dolphin.                                    |                                       |
| 10212.3 | Singer Island Channel Daybeacon 6     | 26-46-55.275N<br>080-02-28.129W |           |  | 0   | TR on pile.                                       |                                       |
| 10212.5 | Singer Island Channel Daybeacon 7     | 26-46-55.032N<br>080-02-31.764W |           |  | 0   | SG on pile.                                       |                                       |
| 10213   | Singer Island Channel Daybeacon 8     | 26-46-55.973N<br>080-02-36.718W |           |  | 0   | TR on pile.                                       |                                       |
| 10213.5 | Singer Island Channel Daybeacon 9     | 26-46-54.611N<br>080-02-37.585W |           |  |     | SG on pile.                                       |                                       |
| 10215   | Lake Worth Inlet Light 8              | 26-46-20.377N<br>080-02-24.959W | Fl R 4s   |  | 5   | TR on pile.                                       |                                       |
| 10220   | Palm Beach Channel Daybeacon 2        | 26-46-05.823N<br>080-02-35.467W |           |  | 0   | TR on pile.                                       |                                       |
| 10225   | Palm Beach Channel Daybeacon 4        | 26-45-48.719N<br>080-02-33.099W |           |  |     | TR on pile.                                       |                                       |
| 10230   | Palm Beach Channel Daybeacon 6        | 26-45-35.167N<br>080-02-33.155W |           |  |     | TR on pile.                                       |                                       |
| 10235   | Lake Worth Inlet Light 9              | 26-46-13.635N<br>080-02-30.593W | Fl G 6s   |  | 0 5 | SG on dolphin.                                    |                                       |
| 10240   | Lake Worth Inlet Light 10             | 26-46-16.339N<br>080-02-37.200W | Fl R 6s   |  | 0 5 | TR on dolphin.                                    |                                       |
| 10245   | Lake Worth Inlet Light 11             | 26-46-07.693N<br>080-02-40.231W | Fl G 4s   |  | 0 5 | SG on pile.                                       |                                       |

|       |                                            |                                 |           |   |   |                                                                                                         |                                                                                                                                                                                                                                                                                                               |
|-------|--------------------------------------------|---------------------------------|-----------|---|---|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 10250 | Lake Worth Inlet Light 12                  | 26-46-11.039N<br>080-02-51.763W | FI R 4s   | 0 | 5 | TR on pile.                                                                                             |                                                                                                                                                                                                                                                                                                               |
| 10255 | Lake Worth Inlet Light 13                  | 26-45-55.265N<br>080-02-47.493W | FI G 2.5s | 0 | 5 | SG on pile.                                                                                             |                                                                                                                                                                                                                                                                                                               |
| 10260 | Lake Worth South Light 1                   | 26-45-55.143N<br>080-02-57.103W | Q G       | 0 | 4 | SG-SY on pile.                                                                                          |                                                                                                                                                                                                                                                                                                               |
| 10270 | Boynton Inlet North Jetty Danger Daybeacon | 26-32-43.720N<br>080-02-32.270W |           |   |   | NW on pile worded DANGER                                                                                |                                                                                                                                                                                                                                                                                                               |
| 10272 | Central Boca Raton Beach Danger Daybeacon  | 26-20-27.180N<br>080-04-11.450W |           |   |   | NW on pile worded DANGER GROIN.                                                                         |                                                                                                                                                                                                                                                                                                               |
| 10275 | Deerfield Fishing Pier North Light         | 26-18-59.000N<br>080-04-25.000W | F R       |   |   | On pier.                                                                                                |                                                                                                                                                                                                                                                                                                               |
| 10280 | Deerfield Fishing Pier South Light         | 26-18-58.405N<br>080-04-24.999W | F R       |   |   | On pier.                                                                                                |                                                                                                                                                                                                                                                                                                               |
| 10285 | Hillsboro Inlet Entrance Lighted Buoy HI   | 26-15-07.907N<br>080-04-27.857W | Mo (A) W  |   | 5 | Red and white stripes with red spherical topmark.                                                       | AIS: MMSI 993672673                                                                                                                                                                                                                                                                                           |
| 10290 | Hillsboro Inlet Entrance Light 1           | 26-15-17.005N<br>080-04-46.933W | FI G 4s   | 0 | 5 | SG on dolphin.                                                                                          |                                                                                                                                                                                                                                                                                                               |
| 10293 | Hillsboro Inlet Entrance Light 2           | 26-15-23.024N<br>080-04-43.957W | FI R 2.5s |   | 5 | TR on pile.                                                                                             |                                                                                                                                                                                                                                                                                                               |
| 10300 | Hillsboro Inlet Daybeacon 3                | 26-15-19.575N<br>080-04-48.441W |           |   |   | SG on pile.                                                                                             |                                                                                                                                                                                                                                                                                                               |
| 10302 | Hillsboro Inlet Entrance Light 4           | 26-15-25.031N<br>080-04-48.775W | FI R 4s   |   | 5 | TR on dolphin                                                                                           |                                                                                                                                                                                                                                                                                                               |
| 10303 | Hillsboro Inlet Entrance Daybeacon 5       | 26-15-23.288N<br>080-04-50.394W |           |   |   | SG on pile.                                                                                             |                                                                                                                                                                                                                                                                                                               |
| 10304 | Hillsboro Inlet Entrance Shl Daybeacon     | 26-15-23.061N<br>080-04-50.857W |           |   |   | NW on pile worded DANGER SHOAL.                                                                         |                                                                                                                                                                                                                                                                                                               |
| 10305 | Port Everglades Lighted Buoy PE            | 26-05-30.307N<br>080-04-45.886W | Mo (A) W  |   | 6 | Red and white stripes with red spherical topmark.                                                       | AIS: MMSI 993672004                                                                                                                                                                                                                                                                                           |
| 10310 | Port Everglades Lighted Buoy 2             | 26-05-41.629N<br>080-05-25.202W | FI R 2.5s |   | 5 | Red.                                                                                                    |                                                                                                                                                                                                                                                                                                               |
| 10315 | Port Everglades Lighted Buoy 3             | 26-05-32.732N<br>080-05-25.072W | FI G 2.5s |   | 5 | Green.                                                                                                  |                                                                                                                                                                                                                                                                                                               |
| 10320 | Port Everglades Entrance Range Front Light | 26-05-36.728N<br>080-07-26.386W | F G       |   |   | KRW on skeleton tower.                                                                                  | Visible 4° each side of rangeline. AIS: MMSI 993672002                                                                                                                                                                                                                                                        |
| 10325 | Port Everglades Entrance Range Rear Light  | 26-05-36.520N<br>080-07-56.808W | F R W G   |   |   | KRW on skeleton tower.                                                                                  | FI R 268.250° to 268.675° F R 268.675° to 269.325° AI W R 269.325° to 269.925° W phase increasing with bearing F W 269.925° to 270.075° AI W G 270.075 to 270.675° G phase increasing with bearing F G 270.675° to 271.325° FI G 271.325° to 271.750° Obscured from 271.750° to 268.250°. AIS: MMSI 993672003 |
| 10330 | Port Everglades Light 4                    | 26-05-40.451N<br>080-06-07.802W | FI R 4s   |   | 5 | TR on dolphin.                                                                                          |                                                                                                                                                                                                                                                                                                               |
| 10335 | Port Everglades Light 5                    | 26-05-33.432N<br>080-06-08.626W | FI G 4s   |   | 5 | SG on pile.                                                                                             |                                                                                                                                                                                                                                                                                                               |
| 10340 | Port Everglades Light 6                    | 26-05-40.294N<br>080-06-31.852W | FI R 2.5s |   | 5 | TR on dolphin.                                                                                          |                                                                                                                                                                                                                                                                                                               |
| 10345 | Port Everglades Light 7                    | 26-05-33.976N<br>080-06-31.998W | FI G 2.5s | 0 | 5 | SG on dolphin.                                                                                          |                                                                                                                                                                                                                                                                                                               |
| 10347 | Port Everglades North Regulatory Light     | 26-05-40.942N<br>080-06-41.050W | FI W 4s   |   | 4 | NW on piles worded WARNING SLOW SPEED MINIMUM WAKE inbound RESUME NORMAL SPEED SAFE OPERATION outbound. |                                                                                                                                                                                                                                                                                                               |
| 10349 | Port Everglades South Regulatory Light     | 26-05-33.453N<br>080-06-40.907W | FI W 4s   |   | 4 | NW on piles worded WARNING SLOW SPEED MINIMUM WAKE inbound RESUME NORMAL SPEED SAFE OPERATION outbound. |                                                                                                                                                                                                                                                                                                               |
| 10350 | Port Everglades Light 9                    | 26-05-33.632N<br>080-06-43.738W | FI G 4s   |   | 5 | SG on dolphin.                                                                                          |                                                                                                                                                                                                                                                                                                               |
| 10355 | Port Everglades Turning Basin Light 11     | 26-05-26.760N<br>080-06-49.597W | FI G 2.5s | 0 | 5 | SG-SY on dolphin.                                                                                       |                                                                                                                                                                                                                                                                                                               |
| 10360 | Port Everglades Turning Basin Light 12     | 26-05-40.014N<br>080-06-56.488W | Q R       |   | 5 | TR-SY on dolphin.                                                                                       |                                                                                                                                                                                                                                                                                                               |
| 10365 | Port Everglades Pier 7                     | 26-05-24.714N                   | F W       |   |   | On pier.                                                                                                |                                                                                                                                                                                                                                                                                                               |

|       |                                                            |                                 |           |   |                                                                          |                                                                                              |
|-------|------------------------------------------------------------|---------------------------------|-----------|---|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
|       | Light                                                      | 080-06-57.960W                  |           |   |                                                                          |                                                                                              |
| 10370 | Stranahan River<br>Lighted Buoy 30                         | 26-05-47.331N<br>080-07-03.471W | FI R 4s   | 4 | Red with yellow triangle.                                                |                                                                                              |
| 10375 | Coast Guard Station<br>Daybeacon 1                         | 26-05-23.296N<br>080-06-48.541W |           |   | SG on pile.                                                              |                                                                                              |
| 10380 | Coast Guard Station<br>Breakwater Light PE                 | 26-05-22.233N<br>080-06-48.074W | FI W 2.5s | 4 | On breakwater.                                                           |                                                                                              |
| 10435 | Port Everglades<br>Southport Pier Light                    | 26-03-58.338N<br>080-06-55.017W | F R       |   | On pier.                                                                 |                                                                                              |
| 10440 | Dania Sound Danger<br>Light                                | 26-03-54.697N<br>080-06-49.939W | FI W 2.5s | 5 | NW on pile worded DANGER<br>ROCKS.                                       |                                                                                              |
| 10455 | Miami Lighted Buoy M                                       | 25-46-05.934N<br>080-04-59.951W | Mo (A) W  | 7 | Red and white stripes with<br>red spherical topmark.                     | AIS: MMSI 993672000                                                                          |
| 10460 | Miami Main Channel<br>Entrance Range Front<br>Light        | 25-45-13.238N<br>080-07-17.825W | Q W       |   | Large single steel pile<br>w/platform.                                   | Lighted throughout 24 hours.                                                                 |
| 10465 | Miami Main Channel<br>Entrance Range Rear<br>Light         | 25-45-06.568N<br>080-07-37.835W | Iso W 6s  |   | Large single steel pile<br>w/platform.                                   | Lighted throughout 24 hours. Passing light visible all around.                               |
| 10466 | Miami Main Channel<br>Entrance Range Rear<br>Passing Light | 25-45-06.568N<br>080-07-37.835W | FI W 4s   | 5 | On same structure as Miami<br>Main Channel Entrance<br>Range Rear Light. | Passing light visible all around. Located on the NW and SE corners of the<br>platform.       |
| 10470 | Miami Main Channel<br>Lighted Buoy 1                       | 25-45-47.375N<br>080-05-23.673W | FI G 2.5s | 5 | Green.                                                                   |                                                                                              |
| 10475 | Miami Main Channel<br>Lighted Buoy 2                       | 25-45-45.075N<br>080-05-51.174W | FI R 4s   | 5 | Red.                                                                     |                                                                                              |
| 10480 | Miami Main Channel<br>Lighted Buoy 3                       | 25-45-39.875N<br>080-05-48.974W | FI G 4s   | 5 | Green.                                                                   |                                                                                              |
| 10485 | Miami Main Channel<br>Lighted Buoy 4                       | 25-45-33.962N<br>080-06-23.255W | Q R       | 5 | Red.                                                                     | AIS: MMSI 993672001                                                                          |
| 10490 | Miami Main Channel<br>Lighted Buoy 5                       | 25-45-25.502N<br>080-06-32.451W | FI G 2.5s | 5 | Green.                                                                   |                                                                                              |
| 10495 | Miami Main Channel<br>Lighted Buoy 6                       | 25-45-30.576N<br>080-06-46.776W | FI R 2.5s | 5 | Red.                                                                     |                                                                                              |
| 10500 | Miami Main Channel<br>Lighted Buoy 7                       | 25-45-18.808N<br>080-06-53.020W | Q G       | 5 | Green.                                                                   |                                                                                              |
| 10503 | Bent Light                                                 | 25-45-11.048N<br>080-06-28.821W | FI W 4s   |   | NR on MPW.                                                               |                                                                                              |
| 10505 | Government Cut<br>Range Front Light                        | 25-45-14.878N<br>080-06-37.775W | FI G 2.5s |   | Large single steel pile<br>w/platform.                                   | Night Light Visible 4° each side of rangeline. Passing light visible all<br>around.          |
| 10510 | Government Cut<br>Range Rear Light                         | 25-44-58.208N<br>080-05-57.895W | Iso G 6s  |   | Large single steel pile<br>w/skeleton tower.                             | Night Light Visible 1.5° each side of rangeline.                                             |
| 10511 | Government Cut<br>Range Rear Passing<br>Light              | 25-44-58.208N<br>080-05-57.895W | FI W 2.5s | 5 | On same structure as<br>Governemnt Cut Range Rear<br>Light.              | Passing light visible all around. Located on the NW and SE corners of the<br>lower platform. |
| 10515 | Miami Main Channel<br>Lighted Buoy 8                       | 25-45-30.976N<br>080-06-58.277W | Q R       | 5 | Red.                                                                     |                                                                                              |
| 10520 | Miami Main Channel<br>Lighted Buoy 9                       | 25-45-26.813N<br>080-07-12.032W | FI G 2.5s | 5 | Green.                                                                   |                                                                                              |
| 10525 | Miami Main Channel<br>Lighted Buoy 10                      | 25-45-34.922N<br>080-07-16.093W | FI R 2.5s | 5 | Red.                                                                     |                                                                                              |
| 10530 | Miami Main Channel<br>Lighted Buoy 11                      | 25-45-34.828N<br>080-07-31.519W | Q G       | 5 | Green.                                                                   |                                                                                              |
| 10535 | Miami Main Channel<br>Lighted Buoy 12                      | 25-45-39.581N<br>080-07-28.852W | Q R       | 5 | Red.                                                                     |                                                                                              |
| 10540 | Miami Main Channel<br>Light 13                             | 25-45-43.383N<br>080-07-53.929W | FI G 4s   | 5 | SG on dolphin.                                                           |                                                                                              |
| 10545 | Miami Main Channel<br>Lighted Buoy 14                      | 25-45-50.678N<br>080-07-56.096W | FI R 2.5s | 5 | Red.                                                                     |                                                                                              |
| 10550 | Miami Main Channel<br>Light 15                             | 25-45-51.773N<br>080-08-14.387W | FI G 2.5s | 0 | 5                                                                        | SG on dolphin.                                                                               |
| 10555 | Miami Main Channel<br>Lighted Buoy 16                      | 25-46-01.911N<br>080-08-23.825W | FI R 4s   | 5 | Red.                                                                     |                                                                                              |
| 10557 | Meloy Channel Shoal<br>Lighted Buoy                        | 25-46-08.951N<br>080-08-32.121W | FI W 4s   | 4 |                                                                          |                                                                                              |
| 10560 | Miami Beach Marina<br>Pier Obstruction Light               | 25-46-02.357N<br>080-08-20.164W | Q W       |   | On pile.                                                                 |                                                                                              |
| 10565 | Miami Beach Marina<br>Breakwater South<br>Light            | 25-46-09.357N<br>080-08-20.164W | Q W       |   | On pile.                                                                 |                                                                                              |
| 10570 | Miami Beach Marina                                         | 25-46-13.356N                   | Q W       |   | On pile.                                                                 |                                                                                              |

|         |                                                          |                                 |           |     |                                           |
|---------|----------------------------------------------------------|---------------------------------|-----------|-----|-------------------------------------------|
|         | Breakwater North Light                                   | 080-08-28.665W                  |           |     |                                           |
| 10575   | Miami Main Channel Lighted Buoy 18                       | 25-46-07.802N<br>080-08-32.573W | Q R       | 4   | Red.                                      |
| 10585   | Fishermans Channel Light 3                               | 25-45-51.938N<br>080-08-44.275W | FI G 2.5s | 5   | SG on pile.                               |
| 10590   | Fisher Island Marina Channel Light 1                     | 25-45-33.958N<br>080-08-41.465W | FI G 4s   |     | SG on pile.                               |
| 10595   | Fisher Island Marina Channel Light 2                     | 25-45-33.058N<br>080-08-40.265W | FI R 4s   |     | TR on pile.                               |
| 10600   | Fisher Island Marina Channel South Obstruction Daybeacon | 25-45-33.500N<br>080-08-42.200W |           |     | NW on pile worded DANGER SUBMERGED JETTY. |
| 10605   | Fisher Island Marina Channel North Obstruction Daybeacon | 25-45-35.000N<br>080-08-40.365W |           |     | NW on pile worded DANGER SUBMERGED JETTY. |
| 10610   | Fisher Island Marina Channel Light 3                     | 25-45-36.258N<br>080-08-40.200W | FI G 4s   |     | SG on pile.                               |
| 10615   | Fisher Island Marina Channel Light 4                     | 25-45-35.900N<br>080-08-39.800W | FI R 4s   |     | TR on pile.                               |
| 10620   | Fisher Island Breakwater Light 1                         | 25-45-26.258N<br>080-08-31.865W | FI G 4s   |     | SG on pile.                               |
| 10625   | North Largo Yacht Club Marina Daybeacon 18A              | 25-10-19.039N<br>080-21-56.298W |           |     | TR on pile.                               |
| 10630   | North Largo Yacht Club Marina Daybeacon 18B              | 25-10-21.639N<br>080-21-53.798W |           |     | NW on pile worded DANGER SUBMERGED JETTY. |
| 10635   | Fisher Island Breakwater West Obstruction Light          | 25-45-21.558N<br>080-08-32.265W | Q W       |     | NW on pile worded DANGER SUBMERGED JETTY. |
| 10640   | Fisher Island Breakwater Center Obstruction Daybeacon    | 25-45-20.058N<br>080-08-30.165W |           |     | NW on pile worded DANGER SUBMERGED JETTY. |
| 10645   | Fisher Island Breakwater East Obstruction Light          | 25-45-17.658N<br>080-08-27.265W | Q W       |     | NW on pile worded DANGER SUBMERGED JETTY. |
| 10650   | Fisher Island Breakwater East Obstruction Daybeacon      | 25-45-18.458N<br>080-08-25.165W |           |     | NW on pile worded DANGER SUBMERGED JETTY. |
| 10655   | Fishermans Channel Light 5                               | 25-45-51.974N<br>080-09-03.064W | Q G       | 5   | SG on pile.                               |
| 10660   | Fishermans Channel Light 7                               | 25-45-52.381N<br>080-09-19.484W | FI G 2.5s | 5   | SG on pile.                               |
| 10665   | Fishermans Channel Light 9                               | 25-45-52.695N<br>080-09-30.865W | Q G       | 5   | SG on pile.                               |
| 10675   | Lummus Island Turning Basin Light A                      | 25-45-54.086N<br>080-09-49.653W | FI Y 2.5s | 4   | NY on pile.                               |
| 10680   | Lummus Island Turning Basin Light B                      | 25-45-53.878N<br>080-09-58.353W | FI Y 4s   | 0 4 | NY on pile.                               |
| 10680.5 | Lummus Island Turning Basin Light D                      | 25-45-58.285N<br>080-10-12.691W | Q Y       | 0 4 | NY on pile.                               |
| 10680.3 | Lummus Island Turning Basin Light C                      | 25-45-54.125N<br>080-10-08.147W | FI Y 2.5s | 4   | NY on pile.                               |
| 10680.7 | Lummus Island Turning Basin Light E                      | 25-46-02.607N<br>080-10-14.029W | FI Y 4s   | 4   | NY on pile                                |
| 10685   | Fishermans Channel Light 11                              | 25-46-09.228N<br>080-10-13.456W | Q G       | 4   | SG on pile.                               |
| 10690   | Fishermans Channel Light 13                              | 25-46-13.463N<br>080-10-22.933W | FI G 2.5s | 5   | SG on pile.                               |
| 10692   | Dodge Island Mooring Obstruction Light                   | 25-46-21.000N<br>080-10-27.600W | FI W 4s   |     | NW on pile.                               |
| 10695   | Fishermans Channel Light 15                              | 25-46-19.038N<br>080-10-35.424W | Q G       | 5   | SG on pile.                               |
| 10700   | Dodge Island Turning Basin Daybeacon A                   | 25-46-17.043N<br>080-10-43.904W |           |     | NY on pile.                               |
| 10705   | Dodge Island Turning Basin Daybeacon B                   | 25-46-18.266N<br>080-10-46.253W |           |     | NY on pile.                               |



|         |                                            |                                 |           |   |   |                                         |                                                                      |
|---------|--------------------------------------------|---------------------------------|-----------|---|---|-----------------------------------------|----------------------------------------------------------------------|
| 10710   | Fishermans Channel<br>Daybeacon 16         | 25-46-23.930N<br>080-10-50.302W |           | 0 |   | TR on pile.                             |                                                                      |
| 10715   | Fishermans Channel<br>Light 17             | 25-46-21.029N<br>080-10-49.201W | FI G 2.5s |   | 5 | SG on pile.                             |                                                                      |
| 10715.5 | Fishermans Channel<br>Light 18             | 25-46-22.932N<br>080-10-54.066W | FI R 4s   | 0 | 5 | TR on pile.                             |                                                                      |
| 10720   | Msrc Boundary<br>Daybeacon A               | 25-46-29.000N<br>080-10-45.100W |           |   |   | NY on pile.                             |                                                                      |
| 10725   | Msrc Boundary<br>Daybeacon B               | 25-46-29.300N<br>080-10-44.400W |           |   |   | NY on pile.                             |                                                                      |
| 10735   | Msrc Boundary Shoal<br>Daybeacon           | 25-46-34.800N<br>080-10-50.600W |           |   |   | NW on pile worded DANGER<br>SHOAL AREA. |                                                                      |
| 10740   | Miami Main Channel<br>Lighted Buoy 19      | 25-46-02.167N<br>080-08-40.801W | FI G 4s   |   | 5 | Green.                                  |                                                                      |
| 10750   | Miami Turning Basin<br>Articulated Light A | 25-47-04.729N<br>080-10-48.883W | Iso W 6s  |   | 4 | NR on mast.                             |                                                                      |
| 10755   | Miami Turning Basin<br>Articulated Light B | 25-47-10.646N<br>080-10-54.587W | Iso W 6s  | 0 | 4 | NR on mast.                             |                                                                      |
| 10760   | Miami Turning Basin<br>Articulated Light C | 25-47-08.535N<br>080-11-03.195W | Iso W 6s  |   | 4 | NR on mast.                             |                                                                      |
| 10765   | Miami Turning Basin<br>Articulated Light D | 25-47-01.347N<br>080-11-05.986W | Iso W 6s  |   | 4 | NR on mast.                             |                                                                      |
| 10770   | Miami Turning Basin<br>Articulated Light E | 25-46-54.811N<br>080-11-00.309W | Iso W 6s  |   | 4 | NR on mast.                             |                                                                      |
| 10775   | Biscayne Bay Light 50                      | 25-46-54.072N<br>080-10-52.588W | FI R 2.5s |   | 4 | TR-TY on pile. NR F                     | White from 034° to 116°. Non-Lateral Red F Facing Main Ship Channel. |
| 10780   | Miami River Channel<br>Daybeacon 1         | 25-46-15.462N<br>080-11-03.690W |           |   |   | SG on pile.                             |                                                                      |
| 10785   | Miami River Channel<br>Daybeacon 3         | 25-46-13.240N<br>080-11-14.122W |           |   |   | SG on pile.                             |                                                                      |
| 10790   | Bear Cut Daybeacon 2                       | 25-43-33.979N<br>080-08-01.665W |           |   |   | TR on pile.                             |                                                                      |
| 10794   | Cape Florida Channel<br>Daybeacon 1        | 25-40-53.727N<br>080-10-31.984W |           |   |   | SG on pile.                             |                                                                      |
| 10795   | Cape Florida Channel<br>Daybeacon 2        | 25-41-04.251N<br>080-10-46.179W |           |   |   | TR on pile.                             |                                                                      |
| 10800   | Cape Florida Channel<br>Light 4            | 25-41-06.561N<br>080-11-01.305W | FI R 2.5s |   | 5 | TR on pile.                             |                                                                      |
| 10810   | Biscayne Channel<br>Light 1                | 25-38-41.317N<br>080-08-02.343W | FI G 2.5s |   | 5 | SG on dolphin.                          |                                                                      |
| 10815   | Biscayne Channel<br>Light 2                | 25-38-50.081N<br>080-08-04.259W | FI R 2.5s | 0 | 5 | TR on pile.                             |                                                                      |
| 10820   | Biscayne Channel<br>Light 3                | 25-39-04.079N<br>080-08-39.897W | FI G 4s   |   | 5 | SG on pile.                             |                                                                      |
| 10825   | Biscayne Channel<br>Daybeacon 4            | 25-39-06.735N<br>080-08-36.961W |           |   |   | TR on pile.                             |                                                                      |
| 10830   | Biscayne Channel<br>Light 6                | 25-39-13.949N<br>080-08-58.657W | FI R 4s   |   | 5 | TR on dolphin.                          |                                                                      |
| 10835   | Biscayne Channel<br>Daybeacon 7            | 25-39-10.118N<br>080-09-06.075W |           |   |   | SG on pile.                             |                                                                      |
| 10840   | Biscayne Channel<br>Daybeacon 8            | 25-39-12.944N<br>080-09-10.065W |           |   |   | TR on pile.                             |                                                                      |
| 10845   | Biscayne Channel<br>Daybeacon 10           | 25-39-16.503N<br>080-09-34.857W |           |   |   | TR on pile.                             |                                                                      |
| 10845.5 | Biscayne Channel<br>Daybeacon 11           | 25-39-10.696N<br>080-09-30.271W |           | 0 |   | SG on pile.                             |                                                                      |
| 10850   | Biscayne Channel<br>Daybeacon 12           | 25-39-16.209N<br>080-09-57.363W |           |   |   | TR on pile.                             |                                                                      |
| 10850.5 | Biscayne Channel<br>Daybeacon 13           | 25-39-09.272N<br>080-09-55.310W |           |   |   | SG on pile.                             |                                                                      |
| 10855   | Biscayne Channel<br>Daybeacon 14           | 25-39-15.968N<br>080-10-14.120W |           |   |   | TR on pile.                             |                                                                      |
| 10860   | Biscayne Channel<br>Light 15               | 25-39-07.190N<br>080-10-28.089W | FI G 4s   |   | 5 | SG on pile.                             |                                                                      |
| 10865   | Biscayne Channel<br>Daybeacon 16           | 25-39-14.866N<br>080-10-29.132W |           |   |   | TR on pile.                             |                                                                      |
| 10865.5 | Biscayne Channel<br>Daybeacon 17           | 25-39-09.479N<br>080-10-48.749W |           |   |   | SG on pile.                             |                                                                      |
| 10870   | Biscayne Channel<br>Daybeacon 18           | 25-39-15.437N<br>080-10-49.027W |           |   |   | TR on pile.                             |                                                                      |

|         |                                             |                                 |           |   |                                               |
|---------|---------------------------------------------|---------------------------------|-----------|---|-----------------------------------------------|
| 10875   | Biscayne Channel<br>Daybeacon 19            | 25-39-17.600N<br>080-11-05.709W |           |   | SG on pile.                                   |
| 10880   | Biscayne Channel<br>Light 20                | 25-39-23.687N<br>080-11-06.998W | FI R 2.5s | 5 | TR on pile.                                   |
| 10885   | Biscayne Channel<br>Light 21                | 25-39-20.276N<br>080-11-10.551W | FI G 2.5s | 5 | SG on pile.                                   |
| 10886   | Miami Springs Boat<br>Club Shoal Buoy West  | 25-38-31.120N<br>080-10-58.800W |           |   | White nun with orange<br>worded DANGER SHOAL. |
| 10887   | Miami Springs Boat<br>Club Shoal Buoy North | 25-38-31.120N<br>080-10-57.360W |           |   | White nun with orange<br>worded DANGER SHOAL. |
| 10888   | Miami Springs Boat<br>Club Shoal Buoy East  | 25-38-27.510N<br>080-10-48.360W |           |   | White nun with orange<br>worded DANGER SHOAL. |
| 10889   | Miami Springs Boat<br>Club Shoal Buoy South | 25-38-28.480N<br>080-10-49.480W |           |   | White nun with orange<br>worded DANGER SHOAL. |
| 10890   | Soldier Key<br>Daybeacon 2                  | 25-35-46.422N<br>080-07-33.418W |           |   | TR on pile.                                   |
| 10895   | Fowey Rocks<br>Daybeacon 3                  | 25-35-41.520N<br>080-06-56.979W |           |   | SG on pile.                                   |
| 10900   | Soldier Key<br>Daybeacon 4                  | 25-34-13.077N<br>080-07-57.134W |           |   | TR on pile.                                   |
| 10905   | Ragged Key<br>Daybeacon 7                   | 25-31-01.218N<br>080-08-16.253W |           |   | SG on pile.                                   |
| 10907   | Lewis Cut Shoal East<br>Buoy                | 25-31-09.960N<br>080-10-13.260W |           |   | White and orange can<br>worded DANGER SHOAL.  |
| 10907.5 | Lewis Cut Shoal West<br>Buoy                | 25-31-10.020N<br>080-10-22.800W |           |   | White and orange can<br>worded DANGER SHOAL.  |
| 10910   | Bowles Bank Light 8                         | 25-30-26.281N<br>080-08-44.011W | FI R 4s   | 5 | TR on pile.                                   |
| 10915   | Bache Shoal<br>Daybeacon 9                  | 25-29-47.479N<br>080-08-38.735W |           |   | SG on pile.                                   |
| 10920   | Bache Shoal Light<br>11bs                   | 25-29-11.811N<br>080-08-56.225W | FI G 6s   | 5 | SG on dolpnin.                                |
| 10925   | Bache Shoal<br>Daybeacon 13                 | 25-28-39.988N<br>080-09-13.540W |           | 0 | SG on pile.                                   |
| 10930   | Elliott Key Daybeacon<br>14                 | 25-27-47.577N<br>080-10-04.564W |           |   | TR on pile.                                   |
| 10935   | Elliott Key Daybeacon<br>15                 | 25-27-28.020N<br>080-09-41.807W |           |   | SG on pile.                                   |
| 10940   | Elliott Key Light 16                        | 25-26-48.206N<br>080-10-12.788W | FI R 6s   | 5 | TR on pile.                                   |
| 10945   | Elliott Key Daybeacon<br>17                 | 25-26-02.628N<br>080-09-54.617W |           |   | SG on pile.                                   |
| 10950   | Elliott Key Daybeacon<br>18                 | 25-25-24.161N<br>080-10-45.835W |           |   | TR on pile.                                   |
| 10955   | Elliott Key Daybeacon<br>19                 | 25-23-33.065N<br>080-10-58.764W |           |   | SG on pile.                                   |
| 10960   | Pacific Reef<br>Daybeacon 2                 | 25-22-29.942N<br>080-09-13.262W |           | 0 | TR on pile.                                   |
| 10965   | Pacific Reef<br>Daybeacon 3                 | 25-22-25.182N<br>080-09-35.429W |           |   | SG on pile.                                   |
| 10970   | Pacific Reef<br>Daybeacon 4                 | 25-22-50.862N<br>080-10-43.007W |           |   | TR on pile.                                   |
| 10975   | Elliott Key Light 20                        | 25-23-08.169N<br>080-11-29.772W | FI R 4s   | 5 | TR on pile.                                   |
| 10980   | Caesar Creek<br>Daybeacon 1                 | 25-23-05.618N<br>080-11-39.350W |           |   | SG on pile.                                   |
| 10985   | Caesar Creek<br>Daybeacon 2                 | 25-23-06.449N<br>080-11-40.106W |           |   | TR on pile.                                   |
| 10990   | Caesar Creek<br>Daybeacon 3                 | 25-23-04.272N<br>080-11-49.040W |           |   | SG on pile.                                   |
| 10995   | Caesar Creek<br>Daybeacon 4                 | 25-23-05.442N<br>080-11-48.980W |           |   | TR on pile.                                   |
| 11000   | Caesar Creek<br>Daybeacon 5                 | 25-23-04.779N<br>080-12-00.543W |           |   | SG on pile.                                   |
| 11005   | Caesar Creek<br>Daybeacon 5A                | 25-23-03.106N<br>080-12-15.012W |           |   | SG on pile.                                   |
| 11010   | Caesar Creek<br>Daybeacon 6                 | 25-23-06.830N<br>080-11-59.258W |           |   | TR on pile.                                   |
| 11015   | Caesar Creek<br>Daybeacon 7                 | 25-23-00.711N<br>080-12-27.300W |           |   | SG on pile.                                   |
| 11020   | Caesar Creek                                | 25-23-02.348N                   |           |   | TR on pile.                                   |

|         |                                                  |                                 |           |   |   |             |
|---------|--------------------------------------------------|---------------------------------|-----------|---|---|-------------|
|         | Daybeacon 8                                      | 080-12-27.392W                  |           |   |   |             |
| 11025   | Caesar Creek<br>Daybeacon 9                      | 25-23-00.581N<br>080-12-36.633W |           |   |   | SG on pile. |
| 11030   | Caesar Creek<br>Daybeacon 10                     | 25-23-02.365N<br>080-12-36.307W |           |   |   | TR on pile. |
| 11035   | Caesar Creek<br>Daybeacon 11                     | 25-23-01.593N<br>080-12-53.298W |           |   |   | SG on pile. |
| 11040   | Caesar Creek<br>Daybeacon 12                     | 25-23-04.592N<br>080-12-53.517W |           |   |   | TR on pile. |
| 11045   | Caesar Creek<br>Daybeacon 13                     | 25-23-01.086N<br>080-13-03.865W |           |   |   | SG on pile. |
| 11050   | Caesar Creek<br>Daybeacon 14                     | 25-23-01.816N<br>080-13-13.415W |           |   |   | TR on pile. |
| 11055   | Caesar Creek<br>Daybeacon 15                     | 25-22-58.835N<br>080-13-16.454W |           |   |   | SG on pile. |
| 11060   | Caesar Creek<br>Daybeacon 16                     | 25-23-02.083N<br>080-13-19.880W | 0         |   |   | TR on pile. |
| 11065   | Caesar Creek<br>Daybeacon 17                     | 25-23-01.525N<br>080-13-27.464W |           |   |   | SG on pile. |
| 11070   | Caesar Creek<br>Daybeacon 18                     | 25-23-15.082N<br>080-13-40.497W |           |   |   | TR on pile. |
| 11075   | Caesar Creek<br>Daybeacon 19                     | 25-23-12.749N<br>080-13-42.941W |           |   |   | SG on pile. |
| 11080   | Caesar Creek<br>Daybeacon 20                     | 25-23-39.337N<br>080-13-50.338W |           |   |   | TR on pile. |
| 11085   | Caesar Creek<br>Daybeacon 21                     | 25-23-38.142N<br>080-13-52.842W |           |   |   | SG on pile. |
| 11090   | Caesar Creek<br>Daybeacon 22                     | 25-23-49.022N<br>080-14-07.438W |           |   |   | TR on pile. |
| 11095   | Caesar Creek<br>Daybeacon 23                     | 25-23-46.226N<br>080-14-12.190W |           |   |   | SG on pile. |
| 11100   | Caesar Creek<br>Daybeacon 24                     | 25-23-52.312N<br>080-14-11.082W |           |   |   | TR on pile. |
| 11105   | Caesar Creek<br>Daybeacon 25                     | 25-24-04.005N<br>080-14-12.665W |           |   |   | SG on pile. |
| 11110   | Caesar Creek Junction<br>Daybeacon A             | 25-24-05.447N<br>080-14-11.063W |           |   |   | JR on pile. |
| 11115   | Caesar Creek<br>Daybeacon 27                     | 25-24-09.342N<br>080-14-20.375W |           |   |   | SG on pile. |
| 11120   | Caesar Creek<br>Daybeacon 28                     | 25-24-10.496N<br>080-14-19.519W | 12        |   |   | TR on pile. |
| 11125   | Caesar Creek Buoy 29                             | 25-24-14.474N<br>080-14-28.202W |           |   |   | Green can.  |
| 11130   | Caesar Creek Buoy 30                             | 25-24-15.363N<br>080-14-27.765W |           |   |   | Red nun.    |
| 11135   | Caesar Creek<br>Northeast Channel<br>Daybeacon 2 | 25-24-03.839N<br>080-14-08.292W |           |   |   | TR on pile. |
| 11140   | Caesar Creek<br>Northeast Channel<br>Daybeacon 3 | 25-24-14.134N<br>080-14-00.106W |           |   |   | SG on pile. |
| 11145   | Caesar Creek<br>Northeast Channel<br>Daybeacon 4 | 25-24-13.241N<br>080-13-58.815W |           |   |   | TR on pile. |
| 11150   | Caesar Creek<br>Northeast Channel<br>Daybeacon 5 | 25-24-19.494N<br>080-13-53.434W |           |   |   | SG on pile. |
| 11155   | Caesar Creek<br>Northeast Channel<br>Daybeacon 6 | 25-24-19.044N<br>080-13-52.646W |           |   |   | TR on pile. |
| 11160   | Old Rhodes Key<br>Daybeacon 21                   | 25-21-24.191N<br>080-11-43.423W |           |   |   | SG on pile. |
| 11165   | Old Rhodes Key Light<br>22                       | 25-20-53.274N<br>080-12-20.193W | Fl R 2.5s | 0 | 5 | TR on pile. |
| 11170   | Old Rhodes Key<br>Daybeacon 23                   | 25-20-09.404N<br>080-12-33.950W |           | 0 |   | SG on pile. |
| 11175   | Old Rhodes Key<br>Daybeacon 24                   | 25-20-07.739N<br>080-12-58.519W |           |   |   | TR on pile. |
| 11177.9 | Broad Creek<br>Daybeacon 23                      | 25-21-08.300N<br>080-16-11.400W |           |   |   | SG on pile. |
| 11177.8 | Broad Creek                                      | 25-21-12.000N                   |           |   |   | TR on pile. |

|         |                                 |                                 |         |   |   |             |
|---------|---------------------------------|---------------------------------|---------|---|---|-------------|
|         | Daybeacon 20                    | 080-15-40.400W                  |         |   |   |             |
| 11177.7 | Broad Creek<br>Daybeacon 17     | 25-20-59.400N<br>080-15-21.800W |         |   |   | SG on pile. |
| 11177.6 | Broad Creek<br>Daybeacon 13     | 25-20-37.300N<br>080-15-05.300W |         |   |   | SG on pile. |
| 11177.5 | Broad Creek<br>Daybeacon 9      | 25-20-24.800N<br>080-14-50.000W |         |   |   | SG on pile. |
| 11177.4 | Broad Creek<br>Daybeacon 8      | 25-20-17.800N<br>080-14-46.900W |         |   |   | TR on pile. |
| 11177.3 | Broad Creek<br>Daybeacon 6      | 25-20-12.800N<br>080-14-44.400W |         |   |   | TR on pile. |
| 11177.2 | Broad Creek<br>Daybeacon 3      | 25-20-08.200N<br>080-14-40.800W |         |   |   | SG on pile. |
| 11177.1 | Broad Creek<br>Daybeacon 2      | 25-20-03.600N<br>080-14-33.300W |         |   |   | TR on pile. |
| 11177   | Broad Creek<br>Daybeacon 1      | 25-20-02.900N<br>080-14-34.000W |         |   |   | SG on pile. |
| 11178.4 | Broad Creek<br>Daybeacon 30     | 25-21-01.000N<br>080-16-35.900W |         |   |   | TR on pile. |
| 11178.3 | Broad Creek<br>Daybeacon 29     | 25-21-00.000N<br>080-16-35.200W |         |   |   | SG on pile. |
| 11178.2 | Broad Creek<br>Daybeacon 27     | 25-21-05.100N<br>080-16-28.700W |         |   |   | SG on pile. |
| 11178.1 | Broad Creek<br>Daybeacon 26     | 25-21-07.100N<br>080-16-18.100W |         |   |   | TR on pile. |
| 11178   | Broad Creek<br>Daybeacon 24     | 25-21-09.000N<br>080-16-14.600W |         |   |   | TR on pile. |
| 11180   | Angelfish Creek Light<br>2      | 25-19-42.408N<br>080-15-00.735W | FI R 4s | 0 | 5 | TR on pile. |
| 11185   | Angelfish Creek<br>Daybeacon 1  | 25-19-41.681N<br>080-15-01.407W |         |   |   | SG on pile. |
| 11190   | Angelfish Creek<br>Daybeacon 2A | 25-19-47.292N<br>080-15-05.346W |         |   |   | TR on pile. |
| 11195   | Angelfish Creek<br>Daybeacon 3  | 25-19-44.052N<br>080-15-03.381W |         |   |   | SG on pile. |
| 11200   | Angelfish Creek<br>Daybeacon 3A | 25-19-45.513N<br>080-15-04.660W |         | 0 |   | SG on pile. |
| 11205   | Angelfish Creek<br>Daybeacon 4  | 25-19-53.871N<br>080-15-11.391W |         |   |   | TR on pile. |
| 11210   | Angelfish Creek<br>Daybeacon 5  | 25-20-00.279N<br>080-15-20.211W |         |   |   | SG on pile. |
| 11215   | Angelfish Creek Light<br>6      | 25-19-56.933N<br>080-15-14.206W | FI R 4s | 0 | 5 | TR on pile. |
| 11220   | Angelfish Creek<br>Daybeacon 8  | 25-20-03.483N<br>080-15-18.933W |         |   |   | TR on pile. |
| 11225   | Angelfish Creek<br>Daybeacon 10 | 25-20-04.812N<br>080-16-13.839W |         |   |   | TR on pile. |
| 11230   | Angelfish Creek<br>Daybeacon 12 | 25-20-07.122N<br>080-16-41.504W |         |   |   | TR on pile. |
| 11235   | Angelfish Creek Light<br>14     | 25-20-09.434N<br>080-16-49.064W | FI R 4s |   | 5 | TR on pile. |
| 11240   | Villa Channel<br>Daybeacon 1    | 25-18-48.917N<br>080-15-52.188W |         |   |   | SG on pile. |
| 11245   | Villa Channel<br>Daybeacon 2    | 25-18-50.417N<br>080-15-51.688W |         |   |   | TR on pile. |
| 11250   | Villa Channel<br>Daybeacon 3    | 25-18-50.417N<br>080-15-54.688W |         |   |   | SG on pile. |
| 11255   | Villa Channel<br>Daybeacon 4    | 25-18-51.417N<br>080-15-54.188W |         |   |   | TR on pile. |
| 11260   | Villa Channel<br>Daybeacon 5    | 25-18-51.517N<br>080-15-57.188W |         |   |   | SG on pile. |
| 11265   | Villa Channel<br>Daybeacon 6    | 25-18-53.417N<br>080-15-55.688W |         |   |   | TR on pile. |
| 11270   | Villa Channel<br>Daybeacon 7    | 25-18-53.417N<br>080-16-01.188W |         |   |   | SG on pile. |
| 11275   | Villa Channel<br>Daybeacon 8    | 25-18-53.917N<br>080-15-59.488W |         |   |   | TR on pile. |
| 11280   | Villa Channel<br>Daybeacon 9    | 25-18-54.917N<br>080-16-04.688W |         |   |   | SG on pile. |
| 11285   | Villa Channel                   | 25-18-56.617N                   |         |   |   | TR on pile. |

|       |                                                        |                                 |              |    |   |                          |
|-------|--------------------------------------------------------|---------------------------------|--------------|----|---|--------------------------|
|       | Daybeacon 10                                           | 080-16-04.188W                  |              |    |   |                          |
| 11290 | Villa Channel<br>Daybeacon 11                          | 25-18-56.417N<br>080-16-09.088W |              |    |   | SG on pile.              |
| 11295 | Villa Channel<br>Daybeacon 12                          | 25-18-57.917N<br>080-16-08.188W |              |    |   | TR on pile.              |
| 11300 | Villa Channel<br>Daybeacon 13                          | 25-18-57.917N<br>080-16-11.188W |              |    |   | SG on pile.              |
| 11305 | Villa Channel<br>Daybeacon 14                          | 25-18-58.917N<br>080-16-10.188W |              |    |   | TR on pile.              |
| 11310 | Villa Channel<br>Daybeacon 15                          | 25-18-58.917N<br>080-16-14.088W |              |    |   | SG on pile.              |
| 11315 | Villa Channel<br>Daybeacon 16                          | 25-18-59.317N<br>080-16-14.088W |              |    |   | TR on pile.              |
| 11320 | Villa Channel<br>Daybeacon 17                          | 25-18-58.917N<br>080-16-15.188W |              |    |   | SG on pile.              |
| 11325 | Villa Channel<br>Daybeacon 18                          | 25-18-59.317N<br>080-16-15.188W |              |    |   | TR on pile.              |
| 11330 | Villa Channel<br>Daybeacon 19                          | 25-18-58.917N<br>080-16-19.189W |              |    |   | SG on pile.              |
| 11335 | Villa Channel<br>Daybeacon 20                          | 25-18-59.317N<br>080-16-19.189W |              |    |   | TR on pile.              |
| 11340 | Villa Channel<br>Daybeacon 21                          | 25-18-58.917N<br>080-16-20.389W |              |    |   | SG on pile.              |
| 11345 | Ocean Reef Harbor<br>Entrance Light 2                  | 25-18-30.977N<br>080-16-03.363W | Fl R 4s      | 17 | 5 | TR on pile.              |
| 11350 | Dispatch Creek<br>Channel Daybeacon 3                  | 25-18-31.318N<br>080-16-11.688W |              |    |   | SG on pile.              |
| 11355 | Dispatch Creek<br>Channel Daybeacon 4                  | 25-18-33.418N<br>080-16-11.188W |              |    |   | TR on pile.              |
| 11360 | Dispatch Creek<br>Channel Daybeacon 5                  | 25-18-31.918N<br>080-16-13.688W |              |    |   | SG on pile.              |
| 11365 | Dispatch Creek<br>Channel Daybeacon 6                  | 25-18-33.918N<br>080-16-14.188W |              |    |   | TR on pile.              |
| 11370 | Dispatch Creek<br>Channel Daybeacon 7                  | 25-18-33.418N<br>080-16-17.189W |              |    |   | SG on pile.              |
| 11375 | Dispatch Creek<br>Channel Daybeacon 8                  | 25-18-35.418N<br>080-16-17.089W |              |    |   | TR on pile.              |
| 11380 | Dispatch Creek<br>Channel Daybeacon 9                  | 25-18-33.618N<br>080-16-19.589W |              |    |   | SG on pile.              |
| 11385 | Dispatch Creek<br>Channel Daybeacon 10                 | 25-18-36.018N<br>080-16-19.689W |              |    |   | TR on pile.              |
| 11390 | Dispatch Creek<br>Channel Daybeacon 11                 | 25-18-33.918N<br>080-16-23.189W |              |    |   | SG on pile.              |
| 11395 | Dispatch Creek<br>Channel Daybeacon 12                 | 25-18-35.918N<br>080-16-22.189W |              |    |   | TR on pile.              |
| 11400 | Dispatch Creek<br>Channel Daybeacon 13                 | 25-18-34.918N<br>080-16-25.089W |              |    |   | SG on pile.              |
| 11405 | Dispatch Creek<br>Channel Daybeacon 14                 | 25-18-36.418N<br>080-16-24.789W |              |    |   | TR on pile.              |
| 11410 | Dispatch Creek<br>Channel Daybeacon 15                 | 25-18-35.618N<br>080-16-28.189W |              |    |   | SG on pile. Private aid. |
| 11415 | Dispatch Creek<br>Channel Daybeacon 16                 | 25-18-36.518N<br>080-16-27.989W |              |    |   | TR on pile.              |
| 11420 | Dispatch Creek<br>Channel Daybeacon 17                 | 25-18-35.918N<br>080-16-32.089W |              |    |   | SG on pile.              |
| 11425 | Dispatch Creek<br>Channel Daybeacon 18                 | 25-18-36.918N<br>080-16-32.089W |              |    |   | TR on pile.              |
| 11430 | Dispatch Creek<br>Channel Daybeacon 19                 | 25-18-36.318N<br>080-16-36.589W |              |    |   | SG on pile.              |
| 11435 | Dispatch Creek<br>Channel Daybeacon 20                 | 25-18-37.518N<br>080-16-35.289W |              |    |   | TR on pile.              |
| 11440 | Harbor Course Creek<br>Daybeacon 1                     | 25-18-37.700N<br>080-16-59.000W |              |    |   | SG on pile.              |
| 11445 | Harbor Course Creek<br>Daybeacon 2                     | 25-18-37.000N<br>080-17-00.500W |              |    |   | TR on pile.              |
| 11450 | Turtle Harbor West<br>Shoal Daybeacon 2                | 25-19-22.103N<br>080-12-38.829W |              |    |   | TR on pile.              |
| 11455 | Turtle Harbor West<br>Shoal Preferred<br>Channel Light | 25-18-15.665N<br>080-12-50.284W | Fl (2+1)G 6s | 0  | 4 | JG on pile.              |

|       |                              |                                 |           |   |                                                                |
|-------|------------------------------|---------------------------------|-----------|---|----------------------------------------------------------------|
| 11460 | Turtle Harbor<br>Daybeacon 1 | 25-17-03.916N<br>080-12-28.477W |           | 0 | SG on pile.                                                    |
| 11465 | Turtle Harbor<br>Daybeacon 3 | 25-16-50.465N<br>080-12-52.039W |           |   | SG on pile.                                                    |
| 11470 | Turtle Harbor<br>Daybeacon 4 | 25-16-39.836N<br>080-13-23.391W |           |   | TR on pile.                                                    |
| 11475 | Turtle Harbor<br>Daybeacon 5 | 25-16-11.891N<br>080-13-14.707W |           | 0 | SG on pile.                                                    |
| 11480 | Turtle Harbor<br>Daybeacon 6 | 25-16-20.723N<br>080-13-40.639W |           |   | TR on pile.                                                    |
| 11485 | Key Largo Light 25           | 25-17-12.067N<br>080-14-40.768W | Fl G 6s   | 5 | SG on pile.                                                    |
| 11490 | Key Largo Daybeacon<br>27    | 25-15-57.152N<br>080-15-38.975W |           | 0 | SG on pile.                                                    |
| 11495 | Key Largo Daybeacon<br>29    | 25-14-16.663N<br>080-17-00.453W |           |   | SG on pile.                                                    |
| 11500 | Basin Hills Light 31BH       | 25-13-06.719N<br>080-17-58.266W | Fl G 4s   | 5 | SG on skeleton structure on<br>piles.                          |
| 11505 | Key Largo Light 32           | 25-10-36.803N<br>080-20-22.003W | Fl R 2.5s | 5 | TR on pile.                                                    |
| 11540 | Garden Cove<br>Daybeacon 1   | 25-10-34.438N<br>080-21-04.196W |           |   | SG on pile.                                                    |
| 11545 | Garden Cove<br>Daybeacon 2   | 25-10-39.438N<br>080-21-06.196W |           |   | TR on pile.                                                    |
| 11550 | Garden Cove<br>Daybeacon 3   | 25-10-30.439N<br>080-21-09.196W |           |   | SG on pile.                                                    |
| 11555 | Garden Cove<br>Daybeacon 4   | 25-10-33.439N<br>080-21-12.196W |           |   | TR on pile.                                                    |
| 11560 | Garden Cove<br>Daybeacon 5   | 25-10-24.439N<br>080-21-15.196W |           |   | SG on pile.                                                    |
| 11565 | Garden Cove<br>Daybeacon 6   | 25-10-26.439N<br>080-21-17.196W |           |   | TR on pile.                                                    |
| 11570 | Garden Cove<br>Daybeacon 7   | 25-10-18.439N<br>080-21-20.196W |           |   | SG on pile.                                                    |
| 11575 | Garden Cove<br>Daybeacon 8   | 25-10-23.439N<br>080-21-23.197W |           |   | TR on pile.                                                    |
| 11580 | Garden Cove<br>Daybeacon 9   | 25-10-19.000N<br>080-21-25.600W |           |   | SG on pile. Aid Displaying Improper Characteristics 25Feb2025. |
| 11585 | Garden Cove<br>Daybeacon 10  | 25-10-21.000N<br>080-21-25.700W |           |   | TR on pile.                                                    |
| 11590 | Garden Cove<br>Daybeacon 11  | 25-10-18.000N<br>080-21-30.200W |           |   | SG on pile.                                                    |
| 11595 | Garden Cove<br>Daybeacon 11A | 25-10-17.500N<br>080-21-35.000W |           |   | SG on pile.                                                    |
| 11600 | Garden Cove<br>Daybeacon 12  | 25-10-20.500N<br>080-21-30.300W |           |   | TR on pile.                                                    |
| 11605 | Garden Cove<br>Daybeacon 13  | 25-10-18.000N<br>080-21-43.000W |           |   | SG on pile.                                                    |
| 11610 | Garden Cove<br>Daybeacon 14  | 25-10-20.500N<br>080-21-43.100W |           |   | TR on pile.                                                    |
| 11615 | Garden Cove<br>Daybeacon 15  | 25-10-17.600N<br>080-21-49.200W |           |   | SG on pile.                                                    |
| 11620 | Garden Cove<br>Daybeacon 16  | 25-10-20.000N<br>080-21-49.300W |           |   | TR on pile.                                                    |
| 11625 | Garden Cove<br>Daybeacon 17  | 25-10-16.200N<br>080-21-55.000W |           |   | SG on pile.                                                    |
| 11630 | Garden Cove<br>Daybeacon 18  | 25-10-18.300N<br>080-21-55.100W |           |   | TR on pile.                                                    |
| 11635 | Garden Cove<br>Daybeacon 19  | 25-10-13.800N<br>080-22-01.000W |           |   | SG on pile.                                                    |
| 11640 | Garden Cove<br>Daybeacon 21  | 25-10-02.000N<br>080-22-03.000W |           |   | SG on pile.                                                    |
| 11645 | Garden Cove<br>Daybeacon 22  | 25-09-59.000N<br>080-22-03.000W |           |   | TR on pile.                                                    |
| 11650 | Garden Cove<br>Daybeacon 24  | 25-09-57.000N<br>080-21-58.000W |           |   | TR on pile.                                                    |
| 11655 | Garden Cove<br>Daybeacon 25  | 25-09-59.800N<br>080-21-52.000W |           |   | SG on pile.                                                    |
| 11660 | Garden Cove<br>Daybeacon 26  | 25-09-56.000N<br>080-21-53.000W |           |   | TR on pile.                                                    |
| 11665 | Garden Cove                  | 25-09-38.000N                   |           |   | SG on pile.                                                    |

|         |                                                        |                                 |           |   |   |                                    |
|---------|--------------------------------------------------------|---------------------------------|-----------|---|---|------------------------------------|
|         | Daybeacon 27                                           | 080-22-01.000W                  |           |   |   |                                    |
| 11670   | Garden Cove<br>Daybeacon 29                            | 25-08-29.000N<br>080-23-07.000W |           |   |   | SG on pile.                        |
| 11675   | Key Largo Daybeacon<br>32A                             | 25-08-50.783N<br>080-21-11.687W |           |   |   | TR on pile.                        |
| 11680   | Key Largo Daybeacon<br>33                              | 25-08-19.368N<br>080-20-00.979W |           |   |   | SG on pile.                        |
| 11695   | John Pennekamp<br>Coral Reef Park Buoy F               | 25-06-40.448N<br>080-20-39.195W |           |   |   | Orange and white bands;<br>barrel. |
| 11705   | Carysfort North Reef N<br>Obstruction<br>Daybeacon     | 25-13-41.000N<br>080-12-26.000W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 11705.5 | Carysfort North Reef<br>South Obstruction<br>Daybeacon | 25-13-11.700N<br>080-12-42.400W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 11710   | Carysfort Reef Data<br>Lighted Buoy                    | 25-13-20.579N<br>080-12-36.360W | FI Y 4s   |   |   | Yellow pyramidal.                  |
| 11725   | Key Largo Dry Rocks<br>Obstruction<br>Daybeacon        | 25-07-27.200N<br>080-17-56.500W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 11730   | Grecian Rocks<br>Obstruction<br>Daybeacon              | 25-06-42.000N<br>080-18-11.500W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 11735   | Cannon Patch<br>Obstruction<br>Daybeacon               | 25-06-37.000N<br>080-20-21.000W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 11740   | Mosquito Bank<br>Obstruction<br>Daybeacon              | 25-04-42.000N<br>080-22-30.000W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 11745   | White Bank<br>Obstruction<br>Daybeacon                 | 25-02-26.230N<br>080-22-17.154W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 11750   | French Reef<br>Obstruction<br>Daybeacon                | 25-02-08.660N<br>080-21-00.795W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 11755   | Sand Island<br>Obstruction<br>Daybeacon                | 25-01-11.100N<br>080-22-06.600W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 11760   | Molasses Reef North<br>Obstruction<br>Daybeacon        | 25-00-50.488N<br>080-22-22.825W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 11765   | Molasses Reef South<br>Obstruction<br>Daybeacon        | 25-00-37.834N<br>080-22-40.662W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 11765.1 | Port Largo Channel<br>Daybeacon 4                      | 25-04-54.500N<br>080-25-46.100W |           |   |   | TR on pile.                        |
| 11765.2 | Port Largo Channel<br>Daybeacon 6                      | 25-05-06.200N<br>080-25-49.500W |           |   |   | TR on pile.                        |
| 11765.3 | Port Largo Channel<br>Light 7                          | 25-05-17.400N<br>080-25-49.400W | FI G 2.5s |   |   | SG on pile.                        |
| 11765.4 | Port Largo Channel<br>Daybeacon 8                      | 25-05-17.300N<br>080-25-51.900W |           |   |   | TR on pile.                        |
| 11770   | Largo Sound Channel<br>Light 2                         | 25-05-46.442N<br>080-23-50.560W | FI R 4s   | 0 | 5 | TR on pile.                        |
| 11775   | Largo Sound Channel<br>Daybeacon 3                     | 25-05-49.858N<br>080-24-09.802W |           |   |   | SG on pile.                        |
| 11780   | Largo Sound Channel<br>Daybeacon 4                     | 25-05-51.163N<br>080-24-09.545W |           |   |   | TR on pile.                        |
| 11785   | Largo Sound Channel<br>Daybeacon 5                     | 25-05-55.715N<br>080-24-30.237W |           |   |   | SG on pile.                        |
| 11790   | Largo Sound Channel<br>Daybeacon 6                     | 25-05-56.251N<br>080-24-30.083W |           |   |   | TR on pile.                        |
| 11800   | Largo Sound Channel<br>Daybeacon 7                     | 25-05-57.892N<br>080-24-39.104W |           |   |   | SG on pile.                        |
| 11810   | Largo Sound Channel<br>Daybeacon 8                     | 25-05-58.580N<br>080-24-38.809W |           |   |   | TR on pile.                        |
| 11811   | Largo Sound Channel<br>Daybeacon 8A                    | 25-06-00.178N<br>080-24-44.458W |           |   |   | TR on pile.                        |
| 11815   | Largo Sound Channel<br>Light 9                         | 25-05-59.653N<br>080-24-45.512W | Q G       |   | 4 | SG on pile.                        |
| 11820   | Largo Sound Channel<br>Daybeacon 10                    | 25-06-02.551N<br>080-24-45.989W |           |   |   | TR on pile.                        |

|         |                                              |                                 |           |    |   |                                                            |
|---------|----------------------------------------------|---------------------------------|-----------|----|---|------------------------------------------------------------|
| 11825   | Largo Sound Channel<br>Daybeacon 11          | 25-06-07.299N<br>080-24-50.505W |           |    |   | SG on pile.                                                |
| 11830   | Largo Sound Channel<br>Daybeacon 12          | 25-06-14.160N<br>080-24-51.554W |           |    |   | TR on pile.                                                |
| 11835   | Largo Sound Channel<br>Daybeacon 13          | 25-06-22.690N<br>080-24-43.374W |           |    |   | SG on pile.                                                |
| 11840   | Largo Sound Channel<br>Daybeacon 14          | 25-06-27.238N<br>080-24-38.544W |           |    |   | TR on pile.                                                |
| 11845   | Largo Sound Channel<br>Daybeacon 16          | 25-06-56.482N<br>080-24-09.894W |           |    |   | TR on pile.                                                |
| 11850   | Largo Sound Channel<br>Daybeacon 17          | 25-07-03.117N<br>080-24-07.446W |           |    |   | SG on pile.                                                |
| 11851.9 | Newport Bay<br>Daybeacon 10                  | 25-06-44.400N<br>080-24-37.800W |           |    |   | TR on pile.                                                |
| 11851.8 | Newport Bay<br>Daybeacon 9                   | 25-06-46.800N<br>080-24-42.600W |           |    |   | SG on pile.                                                |
| 11851.7 | Newport Bay<br>Daybeacon 8                   | 25-06-48.000N<br>080-24-39.600W |           |    |   | TR on pile.                                                |
| 11851.6 | Newport Bay<br>Daybeacon 7                   | 25-06-48.000N<br>080-24-40.200W |           |    |   | SG on pile.                                                |
| 11851.5 | Newport Bay<br>Daybeacon 6                   | 25-06-51.600N<br>080-24-36.600W |           |    |   | TR on pile.                                                |
| 11851.4 | Newport Bay<br>Daybeacon 5                   | 25-06-52.200N<br>080-24-34.800W |           |    |   | SG on pile.                                                |
| 11851.3 | Newport Bay<br>Daybeacon 4                   | 25-06-53.400N<br>080-24-36.000W |           |    |   | TR on pile.                                                |
| 11851.2 | Newport Bay<br>Daybeacon 3                   | 25-06-55.200N<br>080-24-31.200W |           |    |   | SG on pile.                                                |
| 11851.1 | Newport Bay<br>Daybeacon 2                   | 25-06-55.800N<br>080-24-30.600W |           |    |   | TR on pile.                                                |
| 11851   | Newport Bay<br>Daybeacon 1                   | 25-06-53.400N<br>080-24-27.600W |           |    |   | SG on pile.                                                |
| 11852.2 | Newport Bay<br>Daybeacon 15                  | 25-06-40.200N<br>080-24-52.800W |           |    |   | SG on pile.                                                |
| 11852.1 | Newport Bay<br>Daybeacon 13                  | 25-06-44.400N<br>080-24-48.000W |           |    |   | SG on pile.                                                |
| 11852   | Newport Bay<br>Daybeacon 11                  | 25-06-48.000N<br>080-24-43.200W |           |    |   | SG on pile.                                                |
| 11853.3 | Newport Bay Auxiliary<br>Channel Daybeacon 4 | 25-06-56.400N<br>080-24-37.800W |           |    |   | TR on pile.                                                |
| 11853.2 | Newport Bay Auxiliary<br>Channel Daybeacon 3 | 25-06-55.200N<br>080-24-39.600W |           |    |   | SG on pile.                                                |
| 11853.1 | Newport Bay Auxiliary<br>Channel Daybeacon 2 | 25-06-52.800N<br>080-24-35.400W |           |    |   | TR on pile.                                                |
| 11853   | Newport Bay Auxiliary<br>Channel Daybeacon 1 | 25-06-52.200N<br>080-24-36.000W |           |    |   | SG on pile.                                                |
| 11855   | Largo Sound Channel<br>Daybeacon 19          | 25-07-16.179N<br>080-24-09.852W |           |    |   | SG on pile.                                                |
| 11860   | Largo Sound Channel<br>Daybeacon 20          | 25-07-25.825N<br>080-23-59.783W |           |    |   | TR on pile.                                                |
| 11865   | Largo Sound Channel<br>Daybeacon 21          | 25-07-26.327N<br>080-24-00.415W |           |    |   | SG on pile.                                                |
| 11870   | Largo Sound Channel<br>Daybeacon 22          | 25-07-34.989N<br>080-23-50.371W |           |    |   | TR on pile.                                                |
| 11875   | Largo Sound Channel<br>Daybeacon 23          | 25-07-35.621N<br>080-23-50.959W |           |    |   | SG on pile.                                                |
| 11880   | Marvin D Adams<br>Waterway Light A           | 25-08-12.963N<br>080-23-42.175W | FI W 4s   | 12 | 4 | NR on Pile                                                 |
| 11885   | Marvin D Adams<br>Waterway Light B           | 25-08-21.397N<br>080-24-15.833W | FI W 6s   |    | 5 | NR on pile.                                                |
| 11890   | Mosquito Bank Light<br>35                    | 25-04-22.949N<br>080-23-34.199W | FI G 4s   | 20 | 5 | SG on triangular pyramidal<br>skeleton structure on piles. |
| 11895   | Mosquito Bank Light 2                        | 25-04-36.077N<br>080-25-38.212W | FI R 2.5s | 0  | 5 | TR on pile.                                                |
| 11896   | Madeira Drive Canal<br>Daybeacon 1           | 25-05-10.680N<br>080-25-58.140W |           |    |   | SG on pile.                                                |
| 11896.1 | Madeira Drive Canal<br>Daybeacon 2           | 25-05-10.740N<br>080-25-06.940W |           |    |   | TR on pile.                                                |
| 11896.2 | Madeira Drive Canal<br>Daybeacon 3           | 25-05-12.060N<br>080-26-00.120W |           |    |   | SG on pile.                                                |
| 11900   | Hidden Bay                                   | 25-04-51.255N                   |           |    |   | TR on pile.                                                |



|         |                                             |                                 |           |                          |
|---------|---------------------------------------------|---------------------------------|-----------|--------------------------|
|         | Daybeacon 2                                 | 080-26-10.607W                  |           |                          |
| 11905   | Hidden Bay<br>Daybeacon 4                   | 25-04-52.455N<br>080-26-14.207W |           | TR on pile.              |
| 11910   | Molasses Reef Marina<br>Jetty Light         | 25-04-29.000N<br>080-26-23.000W | FI W 6s   | On roof of thatched hut. |
| 11910.1 | Molasses Reef Marina<br>Channel Light 1     | 25-04-28.800N<br>080-26-34.000W | FI G 2.5s | SG on pile.              |
| 11910.2 | Molasses Reef Marina<br>Channel Light 2     | 25-04-28.800N<br>080-26-33.500W | Q R       | TR on pile.              |
| 11910.3 | Molasses Reef Marina<br>Channel Daybeacon 3 | 25-04-30.000N<br>080-26-35.000W |           | SG on pile.              |
| 11910.4 | Molasses Reef Marina<br>Channel Daybeacon 5 | 25-04-31.500N<br>080-26-35.500W |           | SG on pile.              |
| 11915   | Harborage Yacht Club<br>Entrance Light 2    | 25-04-13.457N<br>080-27-48.211W | FI R 4s   | TR on steel tower.       |
| 11917.5 | Mariners Club Marina<br>Daybeacon 8         | 25-04-22.756N<br>080-27-33.410W |           | TR on pile.              |
| 11917.4 | Mariners Club Marina<br>Daybeacon 6         | 25-04-20.856N<br>080-27-32.510W |           | TR on pile.              |
| 11917.3 | Mariners Club Marina<br>Daybeacon 4         | 25-04-19.656N<br>080-27-31.310W |           | TR on pile.              |
| 11917.2 | Mariners Club Marina<br>Daybeacon 2         | 25-04-18.056N<br>080-27-29.510W |           | TR on pile.              |
| 11917.1 | Mariners Club Marina<br>Daybeacon 1         | 25-04-15.857N<br>080-27-32.510W |           | SG on pile.              |
| 11920   | Key Largo Daybeacon<br>37                   | 25-02-16.761N<br>080-25-38.933W |           | SG on pile.              |
| 11925   | Key Largo Daybeacon<br>39                   | 25-00-34.711N<br>080-27-28.343W | 0         | SG on pile.              |
| 11945   | Key Largo Ocean<br>Resort Light 2           | 25-02-31.462N<br>080-29-17.215W | FI R 4s   | TR on pile.              |
| 11946   | Key Largo Ocean<br>Resort Daybeacon 1       | 25-02-28.623N<br>080-29-17.347W |           | SG on pile.              |
| 11947   | Key Largo Ocean<br>Resort Daybeacon 2       | 25-02-28.401N<br>080-29-17.347W |           | TR on pile.              |
| 11948   | Key Largo Ocean<br>Resort Daybeacon 3       | 25-02-30.975N<br>080-29-19.687W |           | SG on pile.              |
| 11949   | Key Largo Ocean<br>Resort Daybeacon 4       | 25-02-31.057N<br>080-29-19.247W |           | TR on pile.              |
| 11950   | Harry Harris Park<br>Daybeacon 1            | 25-01-24.900N<br>080-29-34.200W |           | SG on pile.              |
| 11955   | Harry Harris Park<br>Daybeacon 2            | 25-01-25.800N<br>080-29-33.200W |           | TR on pile.              |
| 11960   | Harry Harris Park<br>Daybeacon 3            | 25-01-26.800N<br>080-29-33.200W |           | SG on pile.              |
| 11965   | Harry Harris Park<br>Daybeacon 4            | 25-01-27.800N<br>080-29-36.300W |           | TR on pile.              |
| 11970   | Harry Harris Park<br>Daybeacon 5            | 25-01-27.600N<br>080-29-38.100W |           | SG on pile.              |
| 11975   | Harry Harris Park<br>Daybeacon 6            | 25-01-28.300N<br>080-29-37.400W |           | TR on pile.              |
| 11980   | Ocean Point<br>Daybeacon 2                  | 25-01-02.700N<br>080-29-55.000W |           | TR on pile.              |
| 11985   | Ocean Point<br>Daybeacon 3                  | 25-01-02.700N<br>080-29-56.000W |           | SG on pile.              |
| 11990   | Ocean Point<br>Daybeacon 4                  | 25-01-04.980N<br>080-29-53.800W |           | TR on pile.              |
| 11995   | Ocean Point<br>Daybeacon 5                  | 25-01-05.000N<br>080-29-55.700W |           | SG on pile.              |
| 12000   | Ocean Point<br>Daybeacon 6                  | 25-01-07.100N<br>080-29-56.500W |           | TR on pile.              |
| 12005   | Ocean Point<br>Daybeacon 7                  | 25-01-07.001N<br>080-29-58.000W |           | SG on pile.              |
| 12010   | Blue Water Trailer Vill<br>Light 1          | 25-00-47.466N<br>080-30-17.218W | FI G 6s   | SG on pile.              |
| 12015   | Blue Water Trailer Vill<br>Daybeacon 2      | 25-00-48.466N<br>080-30-16.218W |           | TR on pile.              |
| 12020   | Blue Water Trailer Vill<br>Daybeacon 3      | 25-00-48.666N<br>080-30-19.218W |           | SG on pile.              |
| 12025   | Blue Water Trailer Vill                     | 25-00-49.466N                   |           | TR on pile.              |

|       |                                        |                                 |           |    |   |                                                   |
|-------|----------------------------------------|---------------------------------|-----------|----|---|---------------------------------------------------|
|       | Daybeacon 4                            | 080-30-17.218W                  |           |    |   |                                                   |
| 12030 | Blue Water Trailer Vill<br>Daybeacon 5 | 25-00-49.466N<br>080-30-20.218W |           |    |   | SG on pile.                                       |
| 12035 | Blue Water Trailer Vill<br>Daybeacon 6 | 25-00-51.466N<br>080-30-19.218W |           |    |   | TR on pile.                                       |
| 12040 | Tavernier Key Light 2                  | 25-00-13.765N<br>080-28-57.305W | FI R 4s   |    | 5 | TR on pile.                                       |
| 12045 | Tavernier Key<br>Daybeacon 3           | 25-00-07.110N<br>080-29-25.667W |           |    |   | SG on pile.                                       |
| 12050 | Tavernier Key<br>Daybeacon 4           | 25-00-16.667N<br>080-30-26.172W |           |    |   | TR on pile.                                       |
| 12055 | Tavernier Ocn Shores<br>Daybeacon 2    | 25-00-39.467N<br>080-30-33.218W |           |    |   | TR on pile.                                       |
| 12060 | Tavernier Ocn Shores<br>Daybeacon 4    | 25-00-43.467N<br>080-30-37.218W |           |    |   | TR on pile.                                       |
| 12065 | Tavernier Creek Light                  | 24-59-12.936N<br>080-31-22.128W | FI W 6s   | 0  | 5 | NR on pile.                                       |
| 12070 | Tavernier Creek<br>Daybeacon 1         | 24-59-26.352N<br>080-31-27.410W |           |    |   | SG on pile.                                       |
| 12075 | Tavernier Creek<br>Daybeacon 2         | 24-59-26.802N<br>080-31-26.659W |           |    |   | TR on pile.                                       |
| 12080 | Tavernier Creek<br>Daybeacon 3         | 24-59-28.969N<br>080-31-32.219W |           |    |   | SG on pile.                                       |
| 12085 | Tavernier Creek<br>Daybeacon 4         | 24-59-31.469N<br>080-31-29.219W |           |    |   | TR on pile.                                       |
| 12090 | Tavernier Creek<br>Daybeacon 5         | 24-59-33.469N<br>080-31-35.219W |           |    |   | SG on pile.                                       |
| 12095 | Tavernier Creek<br>Daybeacon 6         | 24-59-35.969N<br>080-31-33.719W |           |    |   | TR on pile.                                       |
| 12100 | Tavernier Creek<br>Daybeacon 7         | 24-59-39.469N<br>080-31-39.219W |           |    |   | SG on pile.                                       |
| 12105 | Tavernier Creek<br>Daybeacon 8         | 24-59-40.969N<br>080-31-36.219W |           |    |   | TR on pile.                                       |
| 12110 | Tavernier Creek<br>Daybeacon 9         | 24-59-45.469N<br>080-31-44.220W |           |    |   | SG on pile.                                       |
| 12115 | Tavernier Creek<br>Daybeacon 10        | 24-59-48.469N<br>080-31-41.720W |           |    |   | TR on pile.                                       |
| 12120 | Tavernier Creek<br>Daybeacon 12        | 24-59-56.468N<br>080-31-44.220W |           |    |   | TR on pile.                                       |
| 12125 | Tavernier Creek<br>Daybeacon 13        | 24-59-53.468N<br>080-31-47.220W |           |    |   | SG on pile.                                       |
| 12130 | Tavernier Creek<br>Daybeacon 14        | 25-00-54.466N<br>080-32-44.221W |           |    |   | TR on pile.                                       |
| 12135 | Tavernier Creek<br>Daybeacon 15        | 25-00-55.466N<br>080-32-47.221W |           |    |   | SG on pile.                                       |
| 12140 | Tavernier Creek<br>Daybeacon 16        | 25-00-56.466N<br>080-32-46.221W |           |    |   | TR on pile.                                       |
| 12145 | Tavernier Creek<br>Daybeacon 17        | 25-00-49.066N<br>080-32-58.021W |           |    |   | SG on pile.                                       |
| 12150 | Tavernier Creek<br>Daybeacon 18        | 25-00-55.866N<br>080-32-54.721W |           |    |   | TR on pile.                                       |
| 12155 | Coral Harbour Club<br>Daybeacon 1      | 24-58-15.672N<br>080-33-04.120W |           |    |   | SG on pile.                                       |
| 12160 | Coral Harbour Club<br>Light 2          | 24-58-16.672N<br>080-33-03.220W | FI R 4s   |    |   | TR on pile.                                       |
| 12165 | Ocean Harbour<br>Daybeacon 1           | 24-57-58.500N<br>080-33-28.000W |           |    |   | SG on pile.                                       |
| 12170 | Ocean Harbour<br>Daybeacon 2           | 24-57-58.500N<br>080-33-27.700W |           |    |   | TR on pile.                                       |
| 12175 | Ocean Harbour<br>Daybeacon 3           | 24-57-58.700N<br>080-33-28.000W |           |    |   | SG on pile.                                       |
| 12178 | Founders Park<br>Daybeacon 2           | 24-57-52.380N<br>080-34-10.630W |           |    |   | TR on pile.                                       |
| 12180 | Ocean Harbour<br>Daybeacon 4           | 24-57-58.700N<br>080-33-27.750W |           |    |   | TR on pile.                                       |
| 12185 | Ocean Harbour<br>Daybeacon 5           | 24-57-58.900N<br>080-33-28.150W |           |    |   | SG on pile.                                       |
| 12190 | Ocean Harbour<br>Daybeacon 6           | 24-57-58.900N<br>080-33-27.800W |           |    |   | TR on pile.                                       |
| 12195 | Hen And Chickens<br>Shoal Light 40     | 24-55-58.706N<br>080-32-55.378W | FI R 2.5s | 32 | 5 | TR on triangular pyramidal<br>structure on piles. |

|          |                                  |                                 |           |     |                                       |
|----------|----------------------------------|---------------------------------|-----------|-----|---------------------------------------|
| 12200    | Snake Creek Light 2              | 24-56-28.966N<br>080-34-51.891W | FI R 4s   | 5   | TR on pile.                           |
| 12205    | Snake Creek<br>Daybeacon 1       | 24-56-28.030N<br>080-34-52.191W |           | 0   | SG on pile.                           |
| 12210    | Snake Creek<br>Daybeacon 3       | 24-56-29.986N<br>080-34-54.815W |           |     | SG on pile.                           |
| 12215    | Snake Creek<br>Daybeacon 4       | 24-56-32.671N<br>080-34-58.131W |           |     | TR on pile.                           |
| 12220    | Snake Creek<br>Daybeacon 4A      | 24-56-36.082N<br>080-35-00.352W |           |     | TR on pile.                           |
| 12225    | Snake Creek<br>Daybeacon 5       | 24-56-32.689N<br>080-34-59.486W |           |     | SG on pile.                           |
| 12230    | Snake Creek<br>Daybeacon 6       | 24-56-38.625N<br>080-35-00.230W |           | 0   | TR on pile.                           |
| 12235    | Snake Creek<br>Daybeacon 6A      | 24-56-44.079N<br>080-34-59.016W |           | 0   | TR on pile.                           |
| 12240    | Snake Creek<br>Daybeacon 7       | 24-56-42.896N<br>080-35-01.314W |           |     | SG on pile.                           |
| 12245    | Snake Creek<br>Daybeacon 7A      | 24-56-47.445N<br>080-35-03.197W |           | 0   | SG on pile.                           |
| 12250    | Snake Creek<br>Daybeacon 8       | 24-56-54.607N<br>080-35-09.182W |           |     | TR on pile.                           |
| 12255    | Snake Creek<br>Daybeacon 9       | 24-56-54.176N<br>080-35-12.421W |           | 0   | SG on pile.                           |
| 12260    | Snake Creek<br>Daybeacon 10      | 24-58-06.897N<br>080-35-41.998W |           | 0   | TR on pile.                           |
| 12265    | Snake Creek Light 12             | 24-58-11.746N<br>080-35-45.330W | FI R 2.5s | 0 5 | TR on pile.                           |
| 12270    | East Key Shoal<br>Daybeacon      | 24-59-13.614N<br>080-36-04.685W |           |     | NW on pile worded DANGER<br>SHOALING. |
| 12275    | East Key Daybeacon<br>78A        | 24-58-51.360N<br>080-35-59.604W |           |     | TR on pile.                           |
| 12280    | Cotton Key Daybeacon<br>80       | 24-57-56.793N<br>080-38-04.447W |           |     | TR on pile.                           |
| 12285    | Cotton Key Light 81              | 24-57-53.897N<br>080-37-58.593W | FI G 2.5s | 5   | SG on pile.                           |
| 12290    | Cotton Key Daybeacon<br>82       | 24-57-19.893N<br>080-38-46.275W |           |     | TR on pile.                           |
| 12295    | Bay Hammock<br>Daybeacon 1       | 24-56-05.476N<br>080-37-18.725W |           |     | SG on pile.                           |
| 12300    | Bay Hammock<br>Daybeacon 3       | 24-56-03.476N<br>080-37-19.225W |           |     | SG on pile.                           |
| 12305    | Shell Key Daybeacon<br>84        | 24-56-58.256N<br>080-39-10.769W |           |     | TR on pile.                           |
| 12310    | Shell Key Daybeacon<br>86        | 24-56-37.915N<br>080-39-33.780W |           | 0   | TR on pile.                           |
| 12315    | Shell Key Light 87               | 24-56-25.870N<br>080-39-50.848W | FI G 4s   | 0 5 | SG on pile.                           |
| 12320    | Shell Key Daybeacon<br>88        | 24-56-26.129N<br>080-39-54.787W |           | 0   | TR on pile.                           |
| 12325    | Shell Key Daybeacon<br>89        | 24-56-23.816N<br>080-39-58.310W |           |     | SG on pile.                           |
| 12330    | Shell Key Light 90               | 24-56-23.542N<br>080-40-03.770W | FI R 4s   | 5   | TR on pile.                           |
| 12335    | Shell Key Daybeacon<br>91        | 24-56-22.087N<br>080-40-03.563W |           |     | SG on pile.                           |
| 12340    | Lignumvitae Key<br>Daybeacon 91A | 24-55-19.465N<br>080-41-55.347W |           | 0   | SG on pile.                           |
| 12345    | Bowlegs Cut<br>Daybeacon 92      | 24-54-25.037N<br>080-43-44.333W |           |     | TR-TY on pile.                        |
| 12350    | Bowlegs Cut Light 93             | 24-54-24.174N<br>080-43-43.581W | FI G 4s   | 5   | SG-SY on pile.                        |
| 12355    | Bowlegs Cut<br>Daybeacon 94      | 24-54-17.457N<br>080-43-50.881W |           |     | TR-TY on pile.                        |
| 12360    | Bowlegs Cut<br>Daybeacon 95      | 24-54-15.320N<br>080-43-50.756W |           |     | SG-SY on pile.                        |
| 12365    | Bowlegs Cut<br>Daybeacon 97      | 24-54-07.595N<br>080-43-57.161W |           |     | SG-SY on pile.                        |
| 12370    | Bowlegs Cut Light 98             | 24-54-08.860N<br>080-43-58.029W | FI R 2.5s | 5   | TR-TY on pile.                        |
| 12375.06 | Matecumbe Harbor                 | 24-51-11.700N                   |           |     | SG on pile.                           |

|          |                                              |                                 |         |  |     |                                               |
|----------|----------------------------------------------|---------------------------------|---------|--|-----|-----------------------------------------------|
|          | Daybeacon 7                                  | 080-44-37.300W                  |         |  |     |                                               |
| 12375.05 | Matecumbe Harbor<br>Daybeacon 6              | 24-51-13.200N<br>080-44-40.100W |         |  |     | TR on pile.                                   |
| 12375.04 | Matecumbe Harbor<br>Daybeacon 4              | 24-51-16.400N<br>080-44-41.600W |         |  |     | TR on pile.                                   |
| 12375.03 | Matecumbe Harbor<br>Daybeacon 3              | 24-51-17.300N<br>080-44-41.200W |         |  |     | SG on pile.                                   |
| 12375.02 | Matecumbe Harbor<br>Daybeacon 2              | 24-51-19.400N<br>080-44-43.000W |         |  |     | TR on pile.                                   |
| 12375.01 | Matecumbe Harbor<br>Daybeacon 1              | 24-51-20.900N<br>080-44-42.800W |         |  |     | SG on pile.                                   |
| 12375    | Lower Matecumbe<br>Light 2                   | 24-51-25.821N<br>080-44-45.907W | FI R 4s |  | 5   | TR on pile.                                   |
| 12378    | Bay Harbour Light                            | 24-51-23.300N<br>080-43-44.600W | FI R 4s |  |     |                                               |
| 12380    | Lower Matecumbe<br>Obstruction<br>Daybeacon  | 24-50-57.973N<br>080-45-07.135W |         |  |     | NW on pile worded DANGER<br>SUBMERGED PILING. |
| 12383    | Oceanside Isle<br>Channel Buoy 1             | 24-50-03.000N<br>080-47-55.000W |         |  |     | Green can.                                    |
| 12383.3  | Oceanside Isle<br>Channel Buoy 2             | 24-50-04.000N<br>080-47-54.000W |         |  |     | Red nun.                                      |
| 12383.5  | Oceanside Isle<br>Channel Buoy 3             | 24-50-04.500N<br>080-47-56.000W |         |  |     | Green can.                                    |
| 12383.7  | Oceanside Isle<br>Channel Buoy 4             | 24-50-05.500N<br>080-47-55.000W |         |  |     | Red nun.                                      |
| 12383.9  | Oceanside Isle<br>Channel Buoy 5             | 24-50-06.000N<br>080-47-57.000W |         |  |     | Green can.                                    |
| 12384    | Oceanside Isle<br>Channel Buoy 6             | 24-50-07.000N<br>080-47-56.500W |         |  |     | Red nun.                                      |
| 12385    | Long Key Daybeacon<br>1X                     | 24-51-03.129N<br>080-47-45.168W |         |  | 0   | SG on pile.                                   |
| 12390    | Long Key Light 1                             | 24-51-01.715N<br>080-49-57.271W | FI G 4s |  | 0 5 | SG on pile.                                   |
| 12395    | Long Key Daybeacon 2                         | 24-50-38.401N<br>080-51-48.982W |         |  | 0   | TR on pile.                                   |
| 12400    | Long Key Bank<br>Daybeacon 2X                | 24-49-55.509N<br>080-49-47.346W |         |  |     | TR on pile.                                   |
| 12405    | Long Key Bank<br>Daybeacon 4X                | 24-49-37.535N<br>080-50-09.672W |         |  |     | TR on pile.                                   |
| 12410    | Old Sweat Bank East<br>End Daybeacon         | 24-49-08.826N<br>080-51-44.119W |         |  | 0   | NB on pile.                                   |
| 12415    | Old Sweat Bank<br>Southwest End<br>Daybeacon | 24-48-48.240N<br>080-52-16.836W |         |  | 0   | NB on pile.                                   |
| 12420    | Channel Key<br>Daybeacon 4                   | 24-49-16.197N<br>080-53-49.361W |         |  |     | TR on pile.                                   |
| 12425    | Channel Key Light 5                          | 24-48-43.437N<br>080-54-36.850W | FI G 4s |  | 0 5 | SG on pile.                                   |
| 12430    | Channel Key<br>Daybeacon 7                   | 24-48-42.891N<br>080-54-42.822W |         |  | 0   | SG on pile.                                   |
| 12435    | Channel Key<br>Daybeacon 8                   | 24-48-43.839N<br>080-54-45.714W |         |  | 0   | TR on pile.                                   |
| 12440    | Channel Key Light 9                          | 24-47-44.219N<br>080-55-40.492W | FI G 4s |  | 5   | SG on pile.                                   |
| 12445    | Grassy Key Light 11                          | 24-47-35.553N<br>080-57-32.185W | FI G 4s |  | 5   | SG on pile.                                   |
| 12447    | Bamboo Key<br>Daybeacon 12                   | 24-47-14.968N<br>081-00-00.184W |         |  |     | TR on pile.                                   |
| 12447.5  | Rachel Bank<br>Daybeacon 14                  | 24-45-41.154N<br>081-03-37.379W |         |  |     | TR on pile.                                   |
| 12450    | Bamboo Key Light 13                          | 24-46-21.001N<br>081-01-50.249W | FI G 6s |  | 5   | SG on pile.                                   |
| 12455    | Marathon Park<br>Daybeacon 1                 | 24-42-55.508N<br>081-05-46.264W |         |  |     | SG on pile.                                   |
| 12460    | Marathon Park<br>Daybeacon 2                 | 24-42-55.008N<br>081-05-47.764W |         |  |     | TR on pile.                                   |
| 12475    | Stirrup Key Channel<br>Daybeacon 1           | 24-44-29.000N<br>081-02-43.500W |         |  |     | SG on pile.                                   |
| 12480    | Stirrup Key Channel<br>Daybeacon 2           | 24-44-29.000N<br>081-02-45.000W |         |  |     | TR on pile.                                   |

|          |                                     |                                 |           |    |   |                                    |
|----------|-------------------------------------|---------------------------------|-----------|----|---|------------------------------------|
| 12485    | Rachel Bank<br>Daybeacon 15         | 24-44-46.224N<br>081-04-37.847W |           |    |   | SG on pile.                        |
| 12490    | Wildflower Light 17                 | 24-44-12.029N<br>081-06-14.429W | FI G 4s   | 0  | 5 | SG on pile.                        |
| 12493    | Rachel Bank<br>Daybeacon 18         | 24-44-24.160N<br>081-06-21.140W |           |    |   | TR on pile.                        |
| 12495    | John Sawyer Bank<br>Shoal Light     | 24-45-38.417N<br>081-06-47.134W | FI W 2.5s |    | 5 | NW on pile worded DANGER<br>SHOAL. |
| 12497    | Bethel Bank<br>Daybeacon 19         | 24-43-28.360N<br>081-07-25.098W |           |    |   | SG on pile.                        |
| 12500    | Bethel Bank Light 20                | 24-43-44.699N<br>081-07-30.402W | FI R 4s   |    | 5 | TR on pile.                        |
| 12501.45 | Vaca Cut Daybeacon 9                | 24-43-31.100N<br>081-01-49.800W |           |    |   | SG on pile.                        |
| 12501.35 | Vaca Cut Daybeacon<br>7A            | 24-43-21.300N<br>081-01-54.400W |           |    |   | SG on pile.                        |
| 12501.25 | Vaca Cut Daybeacon<br>5A            | 24-43-07.200N<br>081-01-48.200W |           |    |   | SG on pile.                        |
| 12501.7  | Vaca Cut Daybeacon<br>14            | 24-44-15.000N<br>081-01-20.000W |           |    |   | TR on pile.                        |
| 12501.6  | Vaca Cut Daybeacon<br>13            | 24-44-17.100N<br>081-01-25.300W |           |    |   | SG on pile.                        |
| 12501.5  | Vaca Cut Daybeacon<br>11            | 24-44-06.100N<br>081-01-34.900W |           |    |   | SG on pile.                        |
| 12501.4  | Vaca Cut Daybeacon 8                | 24-43-24.400N<br>081-01-48.900W |           |    |   | TR on pile.                        |
| 12501.3  | Vaca Cut Daybeacon 7                | 24-43-15.300N<br>081-01-52.300W |           |    |   | SG on pile.                        |
| 12501.2  | Vaca Cut Daybeacon 5                | 24-42-58.500N<br>081-01-37.400W |           |    |   | SG on pile.                        |
| 12501.1  | Vaca Cut Daybeacon 3                | 24-42-52.900N<br>081-01-21.700W |           |    |   | SG on pile.                        |
| 12501    | Vaca Cut Daybeacon 1                | 24-42-59.000N<br>081-00-55.500W |           |    |   | SG on pile.                        |
| 12504    | Knights Key Bank<br>Shoal Daybeacon | 24-42-28.800N<br>081-07-47.600W |           |    |   | NW on pile worded DANGER<br>SHOAL. |
| 12505    | Knight Key Shoal Light              | 24-42-55.551N<br>081-07-34.270W | FI W 2.5s | 0  | 5 | NW on pile worded DANGER<br>SHOAL. |
| 12506    | Pigeon Key Light 21                 | 24-42-55.039N<br>081-09-06.114W | FI G 4s   | 0  | 5 | SG on pile.                        |
| 12507    | Pigeon Key Daybeacon<br>22          | 24-43-14.106N<br>081-09-09.241W |           | 0  |   | TR on pile.                        |
| 12508    | Pigeon Key Shoal<br>Daybeacon NE    | 24-42-47.200N<br>081-09-45.900W |           |    |   | NW on pile worded DANGER<br>SHOAL. |
| 12509    | Pigeon Key Shoal<br>Daybeacon NW    | 24-42-25.200N<br>081-09-45.900W |           |    |   | NW on pile worded DANGER<br>SHOAL. |
| 12510    | Moser Channel Light 8               | 24-43-21.872N<br>081-10-13.268W | FI R 6s   | 0  | 5 | TR on pile.                        |
| 12511    | Red Bay Shoal<br>Daybeacon A        | 24-44-25.200N<br>081-09-29.200W |           |    |   | NW on pile worded DANGER<br>SHOAL. |
| 12512    | Red Bay Shoal<br>Daybeacon B        | 24-44-57.500N<br>081-08-13.800W |           |    |   | NW on pile worded DANGER<br>SHOAL. |
| 12513    | Red Bay Shoal<br>Daybeacon C        | 24-44-19.200N<br>081-07-43.800W |           |    |   | NW on pile worded DANGER<br>SHOAL. |
| 12514    | Red Bay Shoal<br>Daybeacon D        | 24-45-26.200N<br>081-09-02.700W |           |    |   | NW on pile worded DANGER<br>SHOAL. |
| 12515    | Moser Channel<br>Daybeacon 9        | 24-44-03.912N<br>081-10-51.020W |           |    |   | SG on pile.                        |
| 12520    | Moser Channel Light<br>10           | 24-44-01.669N<br>081-10-14.889W | FI R 4s   | 0  | 5 | TR on pile.                        |
| 12525    | Moser Channel Light<br>12           | 24-45-14.898N<br>081-10-15.792W | FI R 2.5s | 0  | 5 | TR on pile.                        |
| 12530    | Moser Channel Light<br>13           | 24-45-53.151N<br>081-10-24.433W | FI G 2.5s | 16 | 5 | SG on pile.                        |
| 12535    | Moser Channel<br>Daybeacon 15       | 24-47-43.227N<br>081-10-05.793W |           |    |   | SG on pile.                        |
| 12540    | Moser Channel<br>Daybeacon 16       | 24-48-13.167N<br>081-08-12.065W |           |    |   | TR on pile.                        |
| 12545    | Moser Channel Light<br>17           | 24-48-56.647N<br>081-09-08.893W | FI G 4s   | 0  | 5 | SG on pile.                        |
| 12547    | Little Money Key                    | 24-42-44.190N                   |           | 0  |   | TR on pile.                        |

|         |                                     |                                 |           |   |                                 |
|---------|-------------------------------------|---------------------------------|-----------|---|---------------------------------|
|         | Daybeacon 24                        | 081-11-16.740W                  |           |   |                                 |
| 12550   | Little Money Key Light 25           | 24-41-46.470N<br>081-12-26.843W | FI G 4s   | 5 | SG on pile.                     |
| 12555   | Little Money Key Daybeacon 26       | 24-42-13.395N<br>081-13-23.383W |           |   | TR on pile.                     |
| 12557   | Little Money Key Light 27           | 24-41-57.284N<br>081-14-17.188W | FI G 2.5s | 5 | SG on pile.                     |
| 12560   | Little Money Key Shoal Daybeacon    | 24-41-00.522N<br>081-14-27.888W |           |   | NW on pile worded DANGER SHOAL. |
| 12565   | Tropical Bay Channel Daybeacon 1    | 24-41-29.812N<br>081-21-21.289W |           |   | SG on pile.                     |
| 12570   | Tropical Bay Channel Daybeacon 2    | 24-41-30.512N<br>081-21-21.289W |           |   | TR on pile.                     |
| 12573   | Friend Key Bank Daybeacon 29        | 24-41-47.682N<br>081-16-32.390W |           |   | SG on pile.                     |
| 12574   | Friend Key Bank Daybeacon 30        | 24-42-05.105N<br>081-16-28.163W |           |   | TR on pile.                     |
| 12575   | Bahia Honda Key Shoal Light         | 24-41-02.452N<br>081-15-38.025W | FI W 2.5s | 5 | NW on pile worded DANGER SHOAL. |
| 12580   | Ohio Key Channel Daybeacon 1        | 24-40-34.000N<br>081-14-15.010W |           |   | SG on pile.                     |
| 12585   | Ohio Key Light 2                    | 24-40-33.600N<br>081-15-02.600W | FI R 4s   |   | TR on pile.                     |
| 12590   | Ohio Key Channel Daybeacon 3        | 24-40-20.500N<br>081-14-59.800W |           |   | SG on pile.                     |
| 12595   | Ohio Key Channel Daybeacon 4        | 24-40-21.500N<br>081-15-02.000W |           |   | TR on pile.                     |
| 12597.2 | Scout Key Daybeacon 2               | 24-39-29.736N<br>081-18-05.004W |           |   | TR on Pile.                     |
| 12597.3 | Scout Key Daybeacon 3               | 24-39-25.020N<br>081-18-11.232W |           |   | SG on pile.                     |
| 12597.4 | Scout Key Daybeacon 4               | 24-39-22.068N<br>081-18-19.692W |           |   | TR on pile.                     |
| 12600   | Big Spanish Channel Shoal Daybeacon | 24-41-20.859N<br>081-17-29.058W |           | 0 | NW on pile worded DANGER SHOAL. |
| 12605   | Big Spanish Channel Light 32        | 24-42-01.941N<br>081-17-32.789W | FI R 2.5s | 5 | TR on pile.                     |
| 12606   | Big Pine Key Dock Light A           | 24-41-34.000N<br>081-21-27.000W | FI W 2.5s |   |                                 |
| 12607   | Big Pine Key Dock Light B           | 24-41-34.000N<br>081-21-31.000W | FI W 2.5s |   |                                 |
| 12608   | Big Pine Key Dock Light C           | 24-41-35.000N<br>081-21-27.000W | FI W 2.5s |   |                                 |
| 12610   | Big Spanish Channel Daybeacon 34    | 24-42-45.017N<br>081-19-19.397W |           |   | TR on pile.                     |
| 12615   | Big Spanish Channel Daybeacon 36    | 24-43-17.969N<br>081-20-00.107W |           |   | TR on pile.                     |
| 12620   | Big Spanish Channel Daybeacon 38    | 24-44-51.887N<br>081-21-25.559W |           |   | TR on pile.                     |
| 12625   | Big Spanish Channel Daybeacon 40    | 24-45-23.141N<br>081-22-22.223W |           | 0 | TR on pile.                     |
| 12630   | Big Spanish Channel Daybeacon 42    | 24-46-27.389N<br>081-23-51.671W |           | 0 | TR on pile.                     |
| 12635   | Big Spanish Channel Daybeacon 43    | 24-46-55.924N<br>081-24-37.300W |           |   | SG on pile.                     |
| 12640   | Big Spanish Channel Daybeacon 46    | 24-47-06.421N<br>081-24-47.037W |           |   | TR on pile.                     |
| 12645   | Big Spanish Channel Daybeacon 48    | 24-47-10.977N<br>081-24-49.070W |           |   | TR on pile.                     |
| 12650   | Big Spanish Channel Daybeacon 49    | 24-47-21.128N<br>081-24-54.013W |           | 0 | SG on pile.                     |
| 12655   | Big Spanish Channel Daybeacon 52    | 24-47-30.915N<br>081-24-58.010W |           |   | TR on pile.                     |
| 12660   | Big Spanish Channel Daybeacon 53    | 24-48-15.722N<br>081-25-00.260W |           | 0 | SG on pile.                     |
| 12665   | Harbor Key Bank Daybeacon 55        | 24-50-12.952N<br>081-25-35.510W |           | 0 | SG on pile.                     |
| 12670   | Bullfrog Banks Light BB             | 24-50-44.271N<br>081-20-33.940W | FI W 6s   | 5 | NR on pile.                     |
| 12675   | Harbor Key Bank Light 57            | 24-50-24.267N<br>081-25-44.511W | FI G 4s   | 5 | SG on pile.                     |

|         |                                             |                                 |           |   |   |             |
|---------|---------------------------------------------|---------------------------------|-----------|---|---|-------------|
| 12680   | Porpoise Key<br>Daybeacon 1                 | 24-42-50.022N<br>081-20-35.520W |           | 0 |   | SG on pile. |
| 12685   | Porpoise Key<br>Daybeacon 2                 | 24-42-54.963N<br>081-21-03.736W |           | 0 |   | TR on pile. |
| 12687   | Windley Key Channel<br>Daybeacon 2          | 24-56-12.420N<br>080-35-17.650W |           |   |   | TR on pile. |
| 12687.3 | Windley Key Channel<br>Daybeacon 3          | 24-56-14.940N<br>080-35-19.430W |           |   |   | SG on pile. |
| 12687.5 | Windley Key Channel<br>Daybeacon 4          | 24-56-18.220N<br>080-35-20.280W |           |   |   | TR on pile. |
| 12687.7 | Windley Key West<br>Channel Daybeacon 1     | 24-56-22.240N<br>080-35-23.380W |           |   |   | SG on pile. |
| 12687.8 | Windley Key West<br>Channel Daybeacon<br>1A | 24-56-27.390N<br>080-35-30.710W |           |   |   | SG on pile. |
| 12688   | Windley Key West<br>Channel Daybeacon 2     | 24-56-31.320N<br>080-35-35.700W |           |   |   | TR on pile. |
| 12688.3 | Windley Key West<br>Channel Daybeacon 3     | 24-56-36.230N<br>080-35-42.390W |           |   |   | SG on pile. |
| 12688.5 | Windley Key West<br>Channel Daybeacon 4     | 24-56-43.640N<br>080-35-50.970W |           |   |   | TR on pile. |
| 12688.7 | Windley Key Channel<br>Daybeacon 6          | 24-56-28.070N<br>080-35-25.040W |           |   |   | TR on pile. |
| 12688.4 | Windley Key West<br>Channel Daybeacon<br>3A | 24-56-40.220N<br>080-35-47.490W |           |   |   | SG on pile. |
| 12689   | Windley Key Channel<br>Daybeacon 7          | 24-56-38.870N<br>080-35-31.330W |           |   |   | SG on pile. |
| 12689.3 | Windley Key Channel<br>Daybeacon 8          | 24-56-44.560N<br>080-35-33.030W |           |   |   | TR on pile. |
| 12689.5 | Windley Key Channel<br>Daybeacon 9          | 24-56-49.870N<br>080-35-36.620W |           |   |   | SG on pile. |
| 12689.7 | Windley Key Channel<br>Daybeacon 10         | 24-56-50.490N<br>080-35-35.700W |           |   |   | TR on pile. |
| 12690   | Whale Harbor Light 1                        | 24-55-51.927N<br>080-35-43.234W | FI G 2.5s | 0 | 5 | SG on pile. |
| 12695   | Whale Harbor<br>Daybeacon 2                 | 24-55-54.551N<br>080-35-44.459W |           |   |   | TR on pile. |
| 12700   | Whale Harbor Channel<br>Daybeacon 3         | 24-55-55.488N<br>080-35-48.079W |           | 0 |   | SG on pile. |
| 12705   | Whale Harbor Channel<br>Daybeacon 4         | 24-55-59.454N<br>080-35-54.947W |           | 0 |   | TR on pile. |
| 12710   | Whale Harbor Channel<br>Daybeacon 4A        | 24-56-02.880N<br>080-36-02.667W |           |   |   | TR on pile. |
| 12715   | Whale Harbor Channel<br>Daybeacon 5         | 24-56-07.355N<br>080-36-12.116W |           |   |   | SG on pile. |
| 12720   | Whale Harbor Channel<br>Daybeacon 6         | 24-56-14.014N<br>080-36-20.488W |           |   |   | TR on pile. |
| 12725   | Whale Harbor Channel<br>Daybeacon 7         | 24-56-15.676N<br>080-36-28.987W |           |   |   | SG on pile. |
| 12730   | Whale Harbor Channel<br>Daybeacon 8         | 24-56-18.276N<br>080-36-27.542W |           | 0 |   | TR on pile. |
| 12735   | Whale Harbor Channel<br>Daybeacon 9         | 24-56-19.468N<br>080-36-36.523W |           |   |   | SG on pile. |
| 12740   | Windley Pass<br>Daybeacon 11                | 24-56-38.475N<br>080-36-52.224W |           |   |   | SG on pile. |
| 12745   | Windley Pass<br>Daybeacon 12                | 24-56-37.475N<br>080-36-48.224W |           |   |   | TR on pile. |
| 12750   | Windley Pass<br>Daybeacon 13                | 24-56-44.975N<br>080-36-51.224W |           |   |   | SG on pile. |
| 12750.1 | Windley Pass<br>Daybeacon 14                | 24-56-55.000N<br>080-36-47.000W |           |   |   | TR on pile. |
| 12755   | Windley Pass<br>Daybeacon 15                | 24-57-14.974N<br>080-36-51.225W |           |   |   | SG on pile. |
| 12760   | Windley Pass<br>Daybeacon 16                | 24-57-14.974N<br>080-36-47.725W |           |   |   | TR on pile. |
| 12765   | Holiday Isle Marina<br>Daybeacon 1          | 24-56-20.476N<br>080-36-27.923W |           |   |   | SG on pile. |
| 12770   | Holiday Isle Marina<br>Daybeacon 2          | 24-56-20.376N<br>080-36-27.223W |           |   |   | TR on pile. |
| 12775   | Holiday Isle Marina                         | 24-56-22.476N                   |           |   |   | SG on pile. |

|         |                                                |                                 |     |             |
|---------|------------------------------------------------|---------------------------------|-----|-------------|
|         | Daybeacon 3                                    | 080-36-27.523W                  |     |             |
| 12780   | Holiday Isle Marina<br>Daybeacon 4             | 24-56-22.376N<br>080-36-26.823W |     | TR on pile. |
| 12785   | Holiday Isle Marina<br>Daybeacon 5             | 24-56-24.376N<br>080-36-27.123W |     | SG on pile. |
| 12790   | Holiday Isle Marina<br>Daybeacon 6             | 24-56-24.276N<br>080-36-26.423W |     | TR on pile. |
| 12795   | Beacon Reef Pier Light                         | 24-55-50.427N<br>080-37-01.174W | Q W | On pile.    |
| 12800   | Upper Matecumbe<br>Daybeacon 41                | 24-53-19.762N<br>080-36-15.052W |     | SG on pile. |
| 12805   | La Siesta Resort<br>Daybeacon 1                | 24-54-02.481N<br>080-39-01.226W |     | SG on pile. |
| 12810   | La Siesta Resort<br>Daybeacon 2                | 24-54-04.481N<br>080-39-00.226W |     | TR on pile. |
| 12815   | La Siesta Resort<br>Daybeacon 3                | 24-54-05.481N<br>080-39-02.226W |     | SG on pile. |
| 12820   | La Siesta Resort<br>Daybeacon 4                | 24-54-06.481N<br>080-39-00.226W |     | TR on pile. |
| 12825   | Upper Matecumbe<br>West Channel<br>Daybeacon 1 | 24-53-28.404N<br>080-39-13.053W |     | SG on pile. |
| 12830   | Upper Matecumbe<br>West Channel<br>Daybeacon 2 | 24-53-29.175N<br>080-39-12.166W |     | TR on pile. |
| 12835   | Upper Matecumbe<br>West Channel<br>Daybeacon 3 | 24-53-33.230N<br>080-39-17.714W |     | SG on pile. |
| 12840   | Upper Matecumbe<br>West Channel<br>Daybeacon 5 | 24-53-39.505N<br>080-39-23.379W |     | SG on pile. |
| 12845   | Upper Matecumbe<br>West Channel<br>Daybeacon 6 | 24-53-40.800N<br>080-39-21.060W |     | TR on pile. |
| 12847   | Upper Matecumbe<br>West Channel<br>Daybeacon 8 | 24-53-46.906N<br>080-39-28.864W |     | TR on pile. |
| 12850   | Upper Matecumbe<br>West Channel<br>Daybeacon 9 | 24-53-46.920N<br>080-39-29.981W |     | SG on pile. |
| 12855   | Yellow Shark Channel<br>Buoy 15                | 24-53-56.160N<br>080-39-40.320W |     | Green can.  |
| 12860   | Yellow Shark Channel<br>Buoy 16                | 24-53-58.800N<br>080-39-42.600W |     | Red nun.    |
| 12865   | Yellow Shark Channel<br>Buoy 17                | 24-54-09.000N<br>080-39-44.400W |     | Green can.  |
| 12870   | Yellow Shark Channel<br>Buoy 18                | 24-54-11.400N<br>080-39-40.800W |     | Red nun.    |
| 12875   | Yellow Shark Channel<br>Buoy 19                | 24-54-15.600N<br>080-39-42.360W |     | Green can.  |
| 12880   | Yellow Shark Channel<br>Buoy 20                | 24-54-14.400N<br>080-39-40.800W |     | Red nun.    |
| 12885   | Yellow Shark Channel<br>Buoy 21                | 24-54-22.200N<br>080-39-38.400W |     | Green can.  |
| 12890.1 | Yellow Shark Channel<br>Buoy 22A               | 24-54-23.326N<br>080-39-27.270W |     | Red nun.    |
| 12890   | Yellow Shark Channel<br>Buoy 22                | 24-54-20.400N<br>080-39-36.000W |     | Red nun.    |
| 12893   | Yellow Shark Channel<br>Buoy 23                | 24-54-24.903N<br>080-39-27.519W |     | Green can.  |
| 12893.1 | Yellow Shark Channel<br>Buoy 23A               | 24-54-28.267N<br>080-39-15.886W |     | Green can.  |
| 12893.2 | Yellow Shark Channel<br>Buoy 23B               | 24-54-36.423N<br>080-39-13.726W |     | Green can.  |
| 12895.1 | Yellow Shark Channel<br>Buoy 24A               | 24-54-29.116N<br>080-39-12.764W |     | Red nun.    |
| 12895.2 | Yellow Shark Channel<br>Buoy 24B               | 24-54-36.409N<br>080-39-11.697W |     | Red nun.    |
| 12895   | Yellow Shark Channel<br>Buoy 24                | 24-54-26.662N<br>080-39-14.689W |     | Red nun.    |
| 12900   | Yellow Shark Channel                           | 24-54-40.800N                   |     | Green can.  |



|         |                                   |                                 |             |
|---------|-----------------------------------|---------------------------------|-------------|
|         | Buoy 25                           | 080-39-10.200W                  |             |
| 12905.1 | Yellow Shark Channel<br>Buoy 26A  | 24-54-43.331N<br>080-39-05.622W | Red nun.    |
| 12905   | Yellow Shark Channel<br>Buoy 26   | 24-54-42.210N<br>080-39-06.809W | Red nun.    |
| 12910   | Yellow Shark Channel<br>Buoy 27   | 24-54-48.000N<br>080-39-01.000W | Green can.  |
| 12913   | Yellow Shark Channel<br>Buoy 28   | 24-54-48.218N<br>080-38-59.710W | Red nun.    |
| 12915   | Teatable Key<br>Daybeacon 42      | 24-52-37.217N<br>080-39-12.045W | TR on pile. |
| 12920   | Tea Table Channel<br>Daybeacon 1  | 24-52-47.000N<br>080-39-34.400W | SG on pile. |
| 12925   | Tea Table Channel<br>Daybeacon 2  | 24-52-47.640N<br>080-39-33.000W | TR on pile. |
| 12930   | Tea Table Channel<br>Daybeacon 3  | 24-53-05.100N<br>080-39-55.400W | SG on pile. |
| 12935   | Tea Table Channel<br>Daybeacon 4  | 24-53-10.100N<br>080-39-50.900W | TR on pile. |
| 12940   | Tea Table Channel<br>Daybeacon 5  | 24-53-26.600N<br>080-40-01.700W | SG on pile. |
| 12945   | Tea Table Channel<br>Daybeacon 6  | 24-53-28.900N<br>080-39-58.000W | TR on pile. |
| 12950   | Plant Channel Buoy 1              | 24-53-39.000N<br>080-40-06.000W | Green can.  |
| 12955   | Plant Channel Buoy 2              | 24-53-40.200N<br>080-40-06.600W | Red nun.    |
| 12960   | Plant Channel Buoy 3              | 24-53-29.400N<br>080-40-25.200W | Green can.  |
| 12965   | Plant Channel Buoy 4              | 24-53-30.000N<br>080-40-27.000W | Red nun.    |
| 12970   | Plant Channel Buoy 5              | 24-53-17.940N<br>080-40-46.380W | Green can.  |
| 12975   | Plant Channel Buoy 6              | 24-53-19.020N<br>080-40-47.700W | Red nun.    |
| 12980   | Plant Channel Buoy 7              | 24-53-14.820N<br>080-40-58.800W | Green can.  |
| 12985   | Plant Channel Buoy 8              | 24-53-16.080N<br>080-40-59.100W | Red nun.    |
| 12990   | Plant Channel Buoy 9              | 24-53-09.000N<br>080-41-10.800W | Green can.  |
| 12995   | Plant Channel Buoy 10             | 24-53-10.800N<br>080-41-11.400W | Red nun.    |
| 12995.5 | Plant Channel Buoy 11             | 24-53-12.360N<br>080-41-20.580W | Green can.  |
| 13000   | Plant Channel Buoy 12             | 24-53-13.200N<br>080-41-16.200W | Red nun.    |
| 13005   | Tea Table Channel<br>Daybeacon 7  | 24-54-02.200N<br>080-39-53.900W | SG on pile. |
| 13010   | Tea Table Channel<br>Daybeacon 8  | 24-54-02.220N<br>080-39-51.840W | TR on pile. |
| 13015   | Tea Table Channel<br>Daybeacon 9  | 24-54-20.300N<br>080-39-51.200W | SG on pile. |
| 13020   | Tea Table Channel<br>Daybeacon 10 | 24-54-19.080N<br>080-39-48.720W | TR on pile. |
| 13025   | Shell Key Channel<br>Daybeacon 11 | 24-54-32.220N<br>080-39-47.880W | SG on pile. |
| 13030   | Shell Key Channel<br>Daybeacon 12 | 24-54-31.620N<br>080-39-46.200W | TR on pile. |
| 13035   | Shell Key Channel<br>Daybeacon 13 | 24-54-40.800N<br>080-39-41.460W | SG on pile. |
| 13040   | Shell Key Channel<br>Daybeacon 14 | 24-54-56.640N<br>080-39-34.620W | TR on pile. |
| 13045   | Shell Key Channel<br>Daybeacon 15 | 24-55-13.800N<br>080-39-30.000W | SG on pile. |
| 13050   | Shell Key Channel<br>Daybeacon 16 | 24-55-13.080N<br>080-39-25.440W | TR on pile. |
| 13055   | Shell Key Channel<br>Daybeacon 17 | 24-55-25.560N<br>080-39-27.060W | SG on pile. |
| 13060   | Shell Key Channel<br>Daybeacon 18 | 24-55-25.080N<br>080-39-24.180W | TR on pile. |

|         |                                     |                                 |   |             |
|---------|-------------------------------------|---------------------------------|---|-------------|
| 13065   | Shell Key Channel<br>Daybeacon 19   | 24-55-37.140N<br>080-39-20.880W |   | SG on pile. |
| 13070   | Shell Key Channel<br>Daybeacon 20   | 24-55-35.640N<br>080-39-17.580W |   | TR on pile. |
| 13075   | Shell Key Channel<br>Daybeacon 21   | 24-55-55.080N<br>080-39-12.540W |   | SG on pile. |
| 13080   | Shell Key Channel<br>Daybeacon 22   | 24-55-54.360N<br>080-39-11.160W |   | TR on pile. |
| 13085   | Race Channel<br>Daybeacon 11B       | 24-54-29.820N<br>080-39-52.260W |   | SG on pile. |
| 13090   | Race Channel<br>Daybeacon 12B       | 24-54-31.680N<br>080-39-50.940W |   | TR on pile. |
| 13095   | Race Channel<br>Daybeacon 13B       | 24-54-38.820N<br>080-40-11.580W |   | SG on pile. |
| 13100   | Race Channel<br>Daybeacon 14B       | 24-54-43.080N<br>080-40-11.580W |   | TR on pile. |
| 13105   | Race Channel<br>Daybeacon 15B       | 24-54-43.320N<br>080-40-22.980W |   | SG on pile. |
| 13110   | Race Channel<br>Daybeacon 16B       | 24-54-43.620N<br>080-40-23.820W |   | TR on pile. |
| 13115   | Race Channel<br>Daybeacon 17B       | 24-54-51.600N<br>080-40-37.680W |   | SG on pile. |
| 13120   | Race Channel<br>Daybeacon 18B       | 24-54-55.020N<br>080-40-36.180W |   | TR on pile. |
| 13125   | Race Channel<br>Daybeacon 19B       | 24-54-57.360N<br>080-40-52.080W |   | SG on pile. |
| 13130   | Race Channel<br>Daybeacon 20B       | 24-55-01.740N<br>080-40-50.700W |   | TR on pile. |
| 13135   | Alligator Reef<br>Daybeacon 43      | 24-51-44.037N<br>080-38-18.705W | 0 | SG on pile. |
| 13140   | Indian Key Channel<br>Daybeacon 1   | 24-52-31.460N<br>080-40-18.700W |   | SG on pile. |
| 13145   | Indian Key Channel<br>Daybeacon 2   | 24-52-35.200N<br>080-40-13.000W |   | TR on pile. |
| 13150   | Indian Key Channel<br>Daybeacon 3   | 24-52-50.500N<br>080-40-27.000W |   | SG on pile. |
| 13155   | Indian Key Channel<br>Daybeacon 4   | 24-52-53.320N<br>080-40-22.500W |   | TR on pile. |
| 13160   | Indian Key Channel<br>Daybeacon 5   | 24-53-06.840N<br>080-40-42.960W |   | SG on pile. |
| 13165   | Indian Key Channel<br>Daybeacon 6   | 24-53-08.760N<br>080-40-41.100W |   | TR on pile. |
| 13170.5 | Indian Key Channel<br>Daybeacon 7A  | 24-53-30.227N<br>080-41-00.959W |   | SG on pile. |
| 13170   | Indian Key Channel<br>Daybeacon 7   | 24-53-22.860N<br>080-41-00.360W |   | SG on pile. |
| 13175.5 | Indian Key Channel<br>Daybeacon 8A  | 24-53-29.421N<br>080-40-57.525W |   | TR on pile. |
| 13175   | Indian Key Channel<br>Daybeacon 8   | 24-53-24.960N<br>080-40-57.000W |   | TR on pile. |
| 13180.5 | Indian Key Channel<br>Daybeacon 9A  | 24-53-37.271N<br>080-41-08.645W |   | SG on pile. |
| 13180   | Indian Key Channel<br>Daybeacon 9   | 24-53-35.100N<br>080-41-01.260W |   | SG on pile. |
| 13185.5 | Indian Key Channel<br>Daybeacon 10A | 24-53-40.232N<br>080-41-06.063W |   | TR on pile. |
| 13185   | Indian Key Channel<br>Daybeacon 10  | 24-53-35.580N<br>080-40-58.080W |   | TR on pile. |
| 13190   | Indian Key Channel<br>Daybeacon 11  | 24-53-39.540N<br>080-41-12.600W |   | SG on pile. |
| 13195   | Indian Key Channel<br>Daybeacon 12  | 24-53-42.360N<br>080-41-11.880W |   | TR on pile. |
| 13200   | Indian Key Channel<br>Daybeacon 13  | 24-54-02.160N<br>080-41-21.000W |   | SG on pile. |
| 13205   | Indian Key Channel<br>Daybeacon 14  | 24-54-02.040N<br>080-41-15.060W |   | TR on pile. |
| 13210   | Indian Key Channel<br>Daybeacon 15  | 24-54-15.480N<br>080-41-26.820W |   | SG on pile. |
| 13215   | Indian Key Channel<br>Daybeacon 16  | 24-54-16.980N<br>080-41-23.500W |   | TR on pile. |
| 13220   | Indian Key Channel                  | 24-54-47.460N                   |   | SG on pile. |

|         |                                      |                                 |             |
|---------|--------------------------------------|---------------------------------|-------------|
|         | Daybeacon 17                         | 080-41-34.860W                  |             |
| 13225   | Indian Key Channel<br>Daybeacon 18   | 24-54-44.980N<br>080-41-31.080W | TR on pile. |
| 13230   | Lignumvitae Channel<br>Daybeacon 1   | 24-52-24.780N<br>080-41-26.400W | SG on pile. |
| 13235   | Lignumvitae Channel<br>Daybeacon 2   | 24-52-24.480N<br>080-41-24.420W | TR on pile. |
| 13237   | Lignumvitae Channel<br>Daybeacon 3   | 24-52-32.820N<br>080-41-25.740W | SG on pile. |
| 13240   | Lignumvitae Channel<br>Daybeacon 4   | 24-52-33.000N<br>080-41-25.600W | TR on pile. |
| 13245   | Lignumvitae Channel<br>Daybeacon 5   | 24-52-50.600N<br>080-41-20.600W | SG on pile. |
| 13250   | Lignumvitae Channel<br>Daybeacon 6   | 24-52-48.700N<br>080-41-18.700W | TR on pile. |
| 13260   | Lignumvitae Channel<br>Daybeacon 8   | 24-53-06.360N<br>080-41-21.000W | TR on pile. |
| 13275   | Wheel Ditch Channel<br>Buoy 1A       | 24-53-12.000N<br>080-41-24.000W | Green can.  |
| 13275.5 | Wheel Ditch Channel<br>Buoy 2A       | 24-53-10.920N<br>080-41-26.760W | Red nun.    |
| 13280   | Wheel Ditch Channel<br>Buoy 4A       | 24-53-10.000N<br>080-41-36.000W | Red nun.    |
| 13285   | Wheel Ditch Channel<br>Buoy 3A       | 24-53-09.120N<br>080-41-37.380W | Green can.  |
| 13290   | Wheel Ditch Channel<br>Buoy 6A       | 24-53-06.000N<br>080-41-48.600W | Red nun.    |
| 13295   | Wheel Ditch Channel<br>Buoy 5A       | 24-53-04.000N<br>080-41-48.600W | Green can.  |
| 13300   | Wheel Ditch Channel<br>Buoy 8A       | 24-52-40.000N<br>080-42-15.000W | Red nun.    |
| 13305   | Wheel Ditch Channel<br>Buoy 7A       | 24-52-46.000N<br>080-42-16.000W | Green can.  |
| 13315   | Wheel Ditch Channel<br>Buoy 9A       | 24-52-40.200N<br>080-42-28.000W | Green can.  |
| 13315.5 | Wheel Ditch Channel<br>Buoy 10A      | 24-52-40.500N<br>080-42-29.700W | Red nun.    |
| 13320   | Lignumvitae Channel<br>Daybeacon 9   | 24-53-17.500N<br>080-41-27.400W | SG on pile. |
| 13325   | Lignumvitae Channel<br>Daybeacon 11  | 24-53-21.600N<br>080-41-33.800W | SG on pile. |
| 13330   | Lignumvitae Channel<br>Daybeacon 12  | 24-53-26.700N<br>080-41-32.760W | TR on pile. |
| 13335   | Lignumvitae Channel<br>Daybeacon 13  | 24-53-22.300N<br>080-41-57.000W | SG on pile. |
| 13340   | Lignumvitae Channel<br>Daybeacon 14  | 24-53-24.300N<br>080-41-54.900W | TR on pile. |
| 13345   | Lignumvitae Channel<br>Daybeacon 15  | 24-53-50.800N<br>080-42-24.000W | SG on pile. |
| 13350   | Lignumvitae Channel<br>Daybeacon 16  | 24-53-53.640N<br>080-42-20.160W | TR on pile. |
| 13360   | Caloosa Cove Channel<br>Daybeacon 4  | 24-50-37.108N<br>080-44-50.335W | TR on pile. |
| 13365   | Caloosa Cove Channel<br>Daybeacon 6  | 24-50-37.108N<br>080-44-50.335W | TR on pile. |
| 13370   | Caloosa Cove Channel<br>Daybeacon 8  | 24-50-37.108N<br>080-44-50.335W | TR on pile. |
| 13380   | Caloosa Cove Channel<br>Daybeacon 10 | 24-50-37.708N<br>080-44-39.405W | TR on pile. |
| 13385   | Caloosa Cove Channel<br>Daybeacon 11 | 24-50-39.298N<br>080-44-39.475W | SG on pile. |
| 13390   | Caloosa Cove Channel<br>Daybeacon 12 | 24-50-39.708N<br>080-44-30.784W | TR on pile. |
| 13395   | Caloosa Cove Channel<br>Daybeacon 13 | 24-50-40.588N<br>080-44-31.064W | SG on pile. |
| 13400   | Caloosa Cove Channel<br>Daybeacon 14 | 24-50-42.818N<br>080-44-24.544W | TR on pile. |
| 13410   | Caloosa Cove Channel<br>Daybeacon 16 | 24-50-46.028N<br>080-44-21.224W | TR on pile. |
| 13415   | Caloosa Cove Channel<br>Daybeacon 17 | 24-50-45.738N<br>080-44-22.724W | SG on pile. |

|         |                                         |                                 |         |   |   |                                    |
|---------|-----------------------------------------|---------------------------------|---------|---|---|------------------------------------|
| 13420   | Caloosa Cove Channel<br>Daybeacon 18    | 24-50-49.148N<br>080-44-19.474W |         |   |   | TR on pile.                        |
| 13425   | Caloosa Cove Channel<br>Daybeacon 19    | 24-50-50.258N<br>080-44-19.474W |         |   |   | SG on pile.                        |
| 13430   | Caloosa Cove Channel<br>Daybeacon 20    | 24-50-54.088N<br>080-44-16.044W |         |   |   | TR on pile.                        |
| 13440   | Channel Five<br>Daybeacon 1             | 24-49-04.937N<br>080-46-43.728W |         |   |   | SG on pile.                        |
| 13445   | Channel Five Light 2                    | 24-48-53.620N<br>080-46-28.404W | FI R 4s | 0 | 5 | TR on pile.                        |
| 13445.5 | Channel Five<br>Daybeacon 4             | 24-49-38.604N<br>080-46-22.328W |         | 0 |   | TR on pile.                        |
| 13480   | Layton Channel<br>Daybeacon 1           | 24-49-39.491N<br>080-48-31.741W |         |   |   | SG on pile.                        |
| 13485   | Layton Channel<br>Daybeacon 2           | 24-49-38.491N<br>080-48-31.241W |         |   |   | TR on pile.                        |
| 13490   | Layton Channel<br>Daybeacon 3           | 24-49-30.491N<br>080-48-36.241W |         |   |   | SG on pile.                        |
| 13495   | Long Key Light 44                       | 24-47-48.269N<br>080-47-00.668W | FI R 6s |   | 5 | TR on pile.                        |
| 13500   | Duck Key Inlet<br>Channel Light 1       | 24-45-49.501N<br>080-54-41.249W | FI W 4s |   |   | SG on pile.                        |
| 13505   | Duck Key Inlet<br>Channel Daybeacon 2   | 24-45-48.501N<br>080-54-36.749W |         |   |   | TR on pile.                        |
| 13510   | Duck Key Inlet<br>Channel Daybeacon 3   | 24-45-49.501N<br>080-54-40.249W |         |   |   | SG on pile.                        |
| 13515   | Duck Key Inlet<br>Channel Daybeacon 4   | 24-45-51.501N<br>080-54-37.249W |         |   |   | TR on pile.                        |
| 13520   | Duck Key Inlet<br>Channel Daybeacon 5   | 24-45-52.001N<br>080-54-42.749W |         |   |   | SG on pile.                        |
| 13525   | Duck Key Inlet<br>Channel Daybeacon 6   | 24-45-53.001N<br>080-54-39.249W |         |   |   | TR on pile.                        |
| 13525.5 | Duck Key Inlet<br>Channel Daybeacon 7   | 24-45-55.500N<br>080-54-43.500W |         |   |   | SG on pile.                        |
| 13530   | Duck Key Inlet<br>Channel Daybeacon 8   | 24-45-56.500N<br>080-54-40.749W |         |   |   | TR on pile.                        |
| 13532   | Duck Key Obstruction<br>Daybeacon A     | 24-45-57.420N<br>080-54-42.480W |         |   |   | NW on pile worded DANGER<br>ROCKS. |
| 13535   | Duck Key Channel<br>Daybeacon 2         | 24-45-48.501N<br>080-55-21.250W |         |   |   | TR on pile.                        |
| 13540.2 | Duck Key Channel<br>Daybeacon 6         | 24-46-04.000N<br>080-55-22.500W |         |   |   | TR on pile.                        |
| 13540   | Duck Key Channel<br>Daybeacon 4         | 24-45-54.900N<br>080-55-24.500W |         |   |   | TR on pile.                        |
| 13541.9 | Toms Harbor Channel<br>Daybeacon 12     | 24-46-25.000N<br>080-55-28.900W |         |   |   | TR on pile.                        |
| 13541.8 | Toms Harbor Channel<br>Daybeacon 11     | 24-46-21.900N<br>080-55-41.600W |         |   |   | SG on pile.                        |
| 13541.7 | Toms Harbor Channel<br>Daybeacon 10     | 24-46-15.100N<br>080-55-51.900W |         |   |   | TR on pile.                        |
| 13541.6 | Toms Harbor Channel<br>Daybeacon 8      | 24-46-07.800N<br>080-55-57.000W |         |   |   | TR on pile.                        |
| 13541.5 | Toms Harbor Channel<br>Daybeacon 7      | 24-45-59.700N<br>080-56-01.300W |         |   |   | SG on pile.                        |
| 13541.4 | Toms Harbor Channel<br>Daybeacon 6      | 24-45-51.000N<br>080-56-05.600W |         |   |   | TR on pile.                        |
| 13541.3 | Toms Harbor Channel<br>Daybeacon 4      | 24-45-47.100N<br>080-56-06.800W |         |   |   | TR on pile.                        |
| 13541.2 | Toms Harbor Channel<br>Daybeacon 3      | 24-45-41.500N<br>080-56-03.100W |         |   |   | SG on pile.                        |
| 13541.1 | Toms Harbor Channel<br>Daybeacon 2      | 24-45-31.800N<br>080-56-00.700W |         |   |   | TR on pile.                        |
| 13541   | Toms Harbor Channel<br>Daybeacon 1      | 24-45-30.300N<br>080-56-03.700W |         |   |   | SG on pile.                        |
| 13545   | Little Crawl Key<br>Channel Daybeacon 1 | 24-44-21.504N<br>080-58-14.254W |         |   |   | SG on pile.                        |
| 13550   | Little Crawl Key<br>Channel Daybeacon 2 | 24-44-24.504N<br>080-58-09.254W |         |   |   | TR on pile.                        |
| 13555   | Little Crawl Key<br>Channel Daybeacon 3 | 24-44-23.504N<br>080-58-19.254W |         |   |   | SG on pile.                        |

|         |                                          |                                 |     |   |   |                                    |
|---------|------------------------------------------|---------------------------------|-----|---|---|------------------------------------|
| 13560   | Little Crawl Key<br>Channel Daybeacon 4  | 24-44-28.504N<br>080-58-14.254W |     |   |   | TR on pile.                        |
| 13565   | Little Crawl Key<br>Channel Daybeacon 6  | 24-44-28.504N<br>080-58-24.254W |     |   |   | TR on pile.                        |
| 13570   | Little Crawl Key<br>Channel Daybeacon 8  | 24-44-24.504N<br>080-58-29.254W |     |   |   | TR on pile.                        |
| 13575   | Little Crawl Key<br>Channel Daybeacon 9  | 24-44-13.505N<br>080-58-29.254W |     |   |   | SG on pile.                        |
| 13580   | Little Crawl Key<br>Channel Daybeacon 10 | 24-44-18.505N<br>080-58-36.254W |     |   |   | TR on pile.                        |
| 13585   | Little Crawl Key<br>Channel Daybeacon 11 | 24-44-15.505N<br>080-58-41.254W |     |   |   | SG on pile.                        |
| 13590   | Little Crawl Key<br>Channel Daybeacon 12 | 24-44-24.504N<br>080-58-39.255W |     |   |   | TR on pile.                        |
| 13595   | Little Crawl Key<br>Channel Daybeacon 13 | 24-44-21.505N<br>080-58-43.255W |     |   |   | SG on pile.                        |
| 13600   | Little Crawl Key<br>Channel Daybeacon 14 | 24-44-28.504N<br>080-58-42.255W |     |   |   | TR on pile.                        |
| 13605   | Little Crawl Key<br>Channel Daybeacon 15 | 24-44-26.504N<br>080-58-46.255W |     |   |   | SG on pile.                        |
| 13605.1 | Indigo Reef<br>Daybeacon 1               | 24-44-12.900N<br>081-01-58.213W |     |   |   | SG on pile.                        |
| 13605.2 | Indigo Reef<br>Daybeacon 2               | 24-44-13.380N<br>081-02-00.000W |     |   |   | TR on pile.                        |
| 13605.3 | Indigo Reef<br>Daybeacon 3               | 24-44-09.120N<br>081-02-00.240W |     |   |   | SG on pile.                        |
| 13605.4 | Indigo Reef<br>Daybeacon 5               | 24-44-05.580N<br>081-01-59.820W |     |   |   | SG on pile.                        |
| 13605.5 | Indigo Reef<br>Daybeacon 6               | 24-44-05.160N<br>081-02-00.480W |     |   |   | TR on pile.                        |
| 13607   | Burnt Point Channel<br>Buoy 1            | 24-45-38.880N<br>080-59-08.760W |     |   |   | Green can.                         |
| 13607.1 | Burnt Point Channel<br>Buoy 2            | 24-45-38.820N<br>080-59-09.420W |     |   |   | Red nun.                           |
| 13607.2 | Burnt Point Channel<br>Daybeacon 3       | 24-45-27.780N<br>080-59-07.020W |     |   |   | SG on pile.                        |
| 13607.3 | Burnt Point Danger<br>Shoal Day Beacon   | 24-45-38.520N<br>080-59-09.360W |     |   |   | NW on pile worded DANGER<br>SHOAL. |
| 13610   | East Turtle Shoal Light<br>45            | 24-43-28.791N<br>080-55-59.017W | Q G | 0 | 4 | SG on pile.                        |
| 13615   | West Turtle Shoal<br>Daybeacon 47        | 24-42-00.453N<br>080-58-08.521W |     |   |   | SG on pile.                        |
| 13620   | Coco Plum Channel<br>Daybeacon 1         | 24-43-38.510N<br>080-59-01.590W |     |   |   | SG on pile.                        |
| 13625   | Coco Plum Channel<br>Daybeacon 2         | 24-43-39.350N<br>080-58-59.960W |     |   |   | TR on pile.                        |
| 13630   | Coco Plum Channel<br>Daybeacon 3         | 24-43-40.400N<br>080-59-09.820W |     |   |   | SG on pile.                        |
| 13635   | Coco Plum Channel<br>Daybeacon 4         | 24-43-41.660N<br>080-59-08.700W |     |   |   | TR on pile.                        |
| 13640   | Coco Plum Channel<br>Daybeacon 5         | 24-43-48.780N<br>080-59-19.750W |     |   |   | SG on pile.                        |
| 13645   | Coco Plum Channel<br>Daybeacon 6         | 24-43-49.390N<br>080-59-18.460W |     |   |   | TR on pile.                        |
| 13650   | Coco Plum Channel<br>Daybeacon 7         | 24-43-58.170N<br>080-59-29.640W |     |   |   | SG on pile.                        |
| 13655   | Coco Plum Channel<br>Daybeacon 8         | 24-43-59.400N<br>080-59-27.710W |     |   |   | TR on pile.                        |
| 13670   | Bonefish Bay Channel<br>Daybeacon 2      | 24-43-21.000N<br>081-00-39.000W |     |   |   | TR on pile.                        |
| 13673   | Bonefish Bay Channel<br>Daybeacon 4      | 24-43-30.200N<br>081-00-50.500W |     |   |   | TR on pile.                        |
| 13675   | Bonefish Bay Channel<br>Daybeacon 5      | 24-43-32.000N<br>081-00-55.200W |     |   |   | SG on pile.                        |
| 13676   | Bonefish Bay Channel<br>Daybeacon 7      | 24-43-32.000N<br>081-00-59.000W |     |   |   | SG on pile.                        |
| 13676.3 | Bonefish Bay Channel<br>Daybeacon 8      | 24-43-29.300N<br>081-01-02.500W |     |   |   | TR on pile.                        |
| 13676.5 | Bonefish Bay Shoal<br>Daybeacon          | 24-43-30.000N<br>081-01-04.000W |     |   |   | NW on pile worded DANGER<br>SHOAL. |

|         |                                              |                                 |         |    |   |                                                         |                                                                                                                                                                                      |
|---------|----------------------------------------------|---------------------------------|---------|----|---|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 13676.7 | Bonefish Bay Channel<br>Daybeacon 10         | 24-43-29.300N<br>081-01-05.000W |         |    |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13676.9 | Bonefish Bay Channel<br>Daybeacon 11         | 24-43-35.000N<br>081-01-02.000W |         |    |   | SG on pile.                                             |                                                                                                                                                                                      |
| 13677   | Bonefish Bay Channel<br>Daybeacon 13         | 24-43-41.000N<br>081-01-00.000W |         |    |   | SG on pile.                                             |                                                                                                                                                                                      |
| 13680   | Boat House Channel<br>Buoy 1                 | 24-43-37.980N<br>081-01-22.620W |         |    |   | Green can.                                              |                                                                                                                                                                                      |
| 13680.1 | Boat House Channel<br>Buoy 2                 | 24-43-38.100N<br>081-01-21.540W |         |    |   | Red nun.                                                |                                                                                                                                                                                      |
| 13680.2 | Boat House Channel<br>Buoy 3                 | 24-43-41.160N<br>081-01-22.740W |         |    |   | Green can.                                              |                                                                                                                                                                                      |
| 13680.3 | Boat House Channel<br>Buoy 4                 | 24-43-40.092N<br>081-01-21.660W |         |    |   | Red nun.                                                |                                                                                                                                                                                      |
| 13680.4 | Boat House Channel<br>Buoy 5                 | 24-43-43.980N<br>081-01-23.100W |         |    |   | Green can.                                              |                                                                                                                                                                                      |
| 13680.5 | Boat House Channel<br>Buoy 6                 | 24-43-44.040N<br>081-01-22.200W |         |    |   | Red nun.                                                |                                                                                                                                                                                      |
| 13680.6 | Boat House Channel<br>Danger Shoal Buoy      | 24-43-47.160N<br>081-01-25.080W |         |    |   | White nun with orange<br>worded Danger Shoal.           |                                                                                                                                                                                      |
| 13695   | Fat Deer Key<br>Daybeacon 48                 | 24-41-30.030N<br>081-01-29.309W |         |    |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13700   | Ninety-Seventh Street<br>Channel Daybeacon 2 | 24-42-34.500N<br>081-02-43.020W |         |    |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13705   | Ninety-Seventh Street<br>Channel Daybeacon 4 | 24-42-45.540N<br>081-02-43.140W |         |    |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13710   | Ninety-Seventh Street<br>Channel Daybeacon 6 | 24-42-55.620N<br>081-02-43.440W |         |    |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13715   | Ninety-Seventh Street<br>Channel Daybeacon 8 | 24-43-19.980N<br>081-02-43.920W |         |    |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13720   | East Washerwoman<br>Shoal Light 49           | 24-40-00.888N<br>081-04-22.097W | Fl G 4s | 35 | 5 | SG on black triangular<br>pyramidal structure on piles. |                                                                                                                                                                                      |
| 13725   | Sister Creek Light 2                         | 24-41-14.566N<br>081-05-11.599W | Fl R 4s |    | 5 | TR on pile.                                             |                                                                                                                                                                                      |
| 13730   | Sister Creek<br>Daybeacon 3                  | 24-41-19.054N<br>081-05-15.486W |         | 0  |   | SG on pile.                                             |                                                                                                                                                                                      |
| 13735   | Sister Creek<br>Daybeacon 4                  | 24-41-21.314N<br>081-05-14.729W |         |    |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13740   | Sister Creek<br>Daybeacon 6                  | 24-41-25.134N<br>081-05-17.086W |         | 1  |   | TR on pile.                                             | Below TR on pile one NW daymark worded CHANNEL with an arrow<br>pointing in appropriate direction and a second NW daymark worded<br>DANGER with an arrow pointing toward coral head. |
| 13745   | Sister Creek<br>Daybeacon 8                  | 24-41-29.746N<br>081-05-17.375W |         |    |   | TR on pile.                                             | Below TR on pile one NW daymark worded CHANNEL with an arrow<br>pointing in appropriate direction and a second NW daymark worded<br>DANGER with an arrow pointing toward coral head. |
| 13750   | Boot Key Harbor Light<br>1                   | 24-41-58.722N<br>081-07-12.256W | Fl G 4s | 0  | 5 | SG on pile.                                             |                                                                                                                                                                                      |
| 13755   | Boot Key Harbor<br>Daybeacon 2               | 24-41-56.956N<br>081-07-11.266W |         | 0  |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13760   | Boot Key Harbor<br>Daybeacon 3               | 24-42-02.172N<br>081-07-03.414W |         |    |   | SG on pile.                                             |                                                                                                                                                                                      |
| 13765   | Boot Key Harbor<br>Daybeacon 5               | 24-42-05.337N<br>081-06-56.577W |         |    |   | SG on pile.                                             |                                                                                                                                                                                      |
| 13770   | Boot Key Harbor<br>Daybeacon 7               | 24-42-08.129N<br>081-06-50.444W |         |    |   | SG on pile.                                             |                                                                                                                                                                                      |
| 13775   | Boot Key Harbor<br>Daybeacon 9               | 24-42-10.352N<br>081-06-42.804W |         |    |   | SG on pile.                                             |                                                                                                                                                                                      |
| 13780   | Boot Key Harbor<br>Daybeacon 10              | 24-42-09.200N<br>081-06-42.445W |         | 0  |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13785   | Boot Key Harbor<br>Daybeacon 12              | 24-42-12.313N<br>081-06-25.604W |         |    |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13790   | Boot Key Harbor<br>Daybeacon 14              | 24-42-13.728N<br>081-06-23.391W |         | 0  |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13795   | Boot Key Harbor<br>Daybeacon 16              | 24-42-15.577N<br>081-06-06.012W |         | 0  |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13800   | Boot Key Harbor<br>Daybeacon 18              | 24-42-16.959N<br>081-05-51.851W |         | 0  |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13805   | Boot Key Harbor<br>Daybeacon 19              | 24-42-17.212N<br>081-05-49.091W |         |    |   | SG on pile.                                             |                                                                                                                                                                                      |
| 13810   | Boot Key Harbor<br>Daybeacon 20              | 24-42-10.273N<br>081-05-34.224W |         | 0  |   | TR on pile.                                             |                                                                                                                                                                                      |
| 13815.3 | Boot Key Harbor North                        | 24-42-23.900N                   |         |    |   | SG on pile.                                             |                                                                                                                                                                                      |

|         |                                            |                                 |           |   |   |                                                  |
|---------|--------------------------------------------|---------------------------------|-----------|---|---|--------------------------------------------------|
|         | Channel Daybeacon 3B                       | 081-05-26.400W                  |           |   |   |                                                  |
| 13815.4 | Boot Key Harbor North Channel Daybeacon 4B | 24-42-27.200N<br>081-05-26.100W |           |   |   | TR on pile.                                      |
| 13815.2 | Boot Key Harbor North Channel Daybeacon 2B | 24-42-21.900N<br>081-05-24.600W |           |   |   | TR on pile.                                      |
| 13815   | Boot Key Harbor Daybeacon 21               | 24-42-11.542N<br>081-05-34.156W |           |   |   | SG on pile.                                      |
| 13815.7 | Boot Key Harbor East Channel Daybeacon 1A  | 24-42-18.600N<br>081-05-24.800W |           |   |   | SG on pile.                                      |
| 13816   | Boot Key Harbor East Channel Daybeacon 3A  | 24-42-25.500N<br>081-05-16.000W |           |   |   | SG on pile.                                      |
| 13817   | Boot Key Harbor East Channel Daybeacon 5A  | 24-42-31.100N<br>081-05-07.400W |           |   |   | SG on pile.                                      |
| 13820   | Boot Key Channel Daybeacon 1               | 24-41-22.712N<br>081-06-43.465W |           |   |   | SG on pile.                                      |
| 13825   | Boot Key Channel Daybeacon 2               | 24-41-22.162N<br>081-06-43.082W |           |   |   | TR on pile.                                      |
| 13830   | Boot Key Channel Daybeacon 3               | 24-41-23.812N<br>081-06-41.764W |           |   |   | SG on pile.                                      |
| 13835   | Boot Key Channel Daybeacon 5               | 24-41-25.111N<br>081-06-40.064W |           |   |   | SG on pile.                                      |
| 13840   | Boot Key Channel Daybeacon 6               | 24-41-24.761N<br>081-06-39.681W |           |   |   | TR on pile.                                      |
| 13845   | Boot Key Channel Daybeacon 7               | 24-41-26.411N<br>081-06-38.564W |           |   |   | SG on pile.                                      |
| 13850   | Boot Key Channel Daybeacon 9               | 24-41-28.511N<br>081-06-36.264W |           |   |   | SG on pile.                                      |
| 13855   | Moser Channel South Daybeacon 2            | 24-41-08.815N<br>081-09-59.397W | 0         |   |   | TR on pile.                                      |
| 13860   | Moser Channel South Daybeacon 4            | 24-41-20.470N<br>081-10-03.878W | 0         |   |   | TR on pile.                                      |
| 13865   | Moser Channel South Daybeacon 5            | 24-41-36.658N<br>081-10-06.730W | 0         |   |   | SG on pile.                                      |
| 13870   | Moser Channel South Daybeacon 6            | 24-41-41.245N<br>081-09-58.630W |           |   |   | TR on pile.                                      |
| 13875   | Bahia Honda Key Light 49A                  | 24-37-29.963N<br>081-14-08.458W | Fl G 6s   | 5 |   | SG on dolphin.                                   |
| 13880   | Newfound Harbor Keys Light 50              | 24-36-47.394N<br>081-23-38.499W | Fl R 2.5s | 5 |   | TR on pile.                                      |
| 13885   | Newfound Harbor Channel Entrance Light 2   | 24-37-08.246N<br>081-24-25.541W | Fl R 4s   | 0 | 5 | TR on pile.                                      |
| 13886   | Newfound Harbor Obstruction Buoy A         | 24-36-54.000N<br>081-23-26.000W |           |   |   | White and orange banded worded DANGER CORAL can. |
| 13887   | Newfound Harbor Obstruction Buoy B         | 24-36-51.000N<br>081-23-34.000W |           |   |   | White and orange banded worded DANGER CORAL can. |
| 13888   | Newfound Harbor Obstruction Buoy C         | 24-36-51.600N<br>081-23-42.000W |           |   |   | White and orange banded worded DANGER CORAL can. |
| 13889   | Newfound Harbor Obstruction Buoy D         | 24-36-52.800N<br>081-23-29.400W |           |   |   | White and orange banded worded DANGER CORAL can. |
| 13890   | Newfound Harbor Channel Daybeacon 3        | 24-37-47.634N<br>081-23-40.017W |           |   |   | SG on pile.                                      |
| 13895   | Newfound Harbor Channel Daybeacon 4        | 24-38-00.991N<br>081-23-12.747W |           |   |   | TR on pile.                                      |
| 13900   | Newfound Harbor Channel Daybeacon 5        | 24-38-39.845N<br>081-23-00.367W |           |   |   | SG on pile.                                      |
| 13905   | Newfound Harbor Channel Daybeacon 6        | 24-38-43.006N<br>081-22-41.920W |           |   |   | TR on pile.                                      |
| 13910   | Ramrod Key Approach Daybeacon 2            | 24-38-46.960N<br>081-23-30.150W |           |   |   | TR on pile.                                      |
| 13915   | Ramrod Key Shoal Daybeacon                 | 24-38-26.990N<br>081-23-50.750W |           |   |   | NW on pile worded SHOAL.                         |

|         |                                        |                                 |         |   |                                             |
|---------|----------------------------------------|---------------------------------|---------|---|---------------------------------------------|
| 13920   | Ramrod Key Channel<br>Daybeacon 1      | 24-38-47.220N<br>081-24-07.860W |         |   | SG on pile.                                 |
| 13925   | Ramrod Key Channel<br>Daybeacon 2      | 24-38-47.340N<br>081-24-07.680W |         |   | TR on pile.                                 |
| 13927   | Ramrod Key Channel<br>Daybeacon 3      | 24-38-48.660N<br>081-24-11.940W |         |   | TR on pile. Private aid.                    |
| 13929   | Ramrod Key Channel<br>Daybeacon 4      | 24-38-48.811N<br>081-24-11.940W |         |   | TR on pile. Private aid.                    |
| 13930   | Ramrod Key Channel<br>Daybeacon 5      | 24-38-49.800N<br>081-24-15.300W |         |   | SG on pile. Private aid.                    |
| 13932   | Ramrod Key Channel<br>Daybeacon 6      | 24-38-49.800N<br>081-24-15.180W |         |   | TR on pile. Private aid.                    |
| 13933   | Ramrod Key Channel<br>Daybeacon 8      | 24-38-51.120N<br>081-24-19.500W |         |   | TR on pile. Private aid.                    |
| 13934   | Ramrod Key Channel<br>Daybeacon 9      | 24-38-51.300N<br>081-24-19.800W |         |   | SG on pile. Private aid.                    |
| 13935   | Ramrod Key Channel<br>Daybeacon 11     | 24-38-52.560N<br>081-24-23.280W |         |   | SG on pile. Private aid.                    |
| 13936.1 | Dolphin Marina<br>Channel Daybeacon 1  | 24-39-51.740N<br>081-23-04.670W |         |   | SG on pile.                                 |
| 13936.2 | Dolphin Marina<br>Channel Daybeacon 2  | 24-39-52.620N<br>081-23-04.790W |         |   | TR on pile.                                 |
| 13936.3 | Dolphin Marina<br>Channel Daybeacon 4  | 24-39-52.800N<br>081-23-07.080W |         |   | TR on pile.                                 |
| 13937   | Jolly Rodgesr Lighted<br>Buoy A        | 24-39-53.000N<br>081-23-05.000W | Fl W 4s |   | White regulatory buoy with<br>orange bands. |
| 13938   | Jolly Rodgers Lighted<br>Buoy B        | 24-39-51.000N<br>081-23-05.000W | Fl W 4s |   | White regulatory buoy with<br>orange bands. |
| 13940   | Newfound Harbor<br>Channel Daybeacon 8 | 24-39-25.359N<br>081-22-38.172W |         |   | TR on pile.                                 |
| 13945   | Niles Channel<br>Daybeacon 4           | 24-37-23.623N<br>081-24-54.062W |         |   | TR on pile.                                 |
| 13950   | Niles Channel<br>Daybeacon 5           | 24-37-29.306N<br>081-25-24.659W |         |   | SG on pile.                                 |
| 13955   | Niles Channel<br>Daybeacon 6           | 24-38-02.840N<br>081-25-33.095W |         |   | TR on pile.                                 |
| 13960   | Purita Dock<br>Obstruction Lights (2)  | 24-39-00.000N<br>081-26-10.500W |         |   | On pier.                                    |
| 13980   | Loggerhead Key Light<br>50A            | 24-35-50.609N<br>081-27-17.146W | Fl R 6s | 5 | TR on pile.                                 |
| 13985   | Kemp Channel<br>Daybeacon 1            | 24-37-19.520N<br>081-27-18.297W |         |   | SG on pile.                                 |
| 13990   | Kemp Channel<br>Daybeacon 2            | 24-37-19.520N<br>081-27-14.297W |         |   | TR on pile.                                 |
| 13995   | Kemp Channel<br>Daybeacon 3            | 24-37-22.520N<br>081-27-15.297W |         |   | SG on pile.                                 |
| 14000   | Kemp Channel<br>Daybeacon 4            | 24-37-23.520N<br>081-27-12.297W |         |   | TR on pile.                                 |
| 14005   | Kemp Channel<br>Daybeacon 5            | 24-37-35.520N<br>081-27-14.297W |         |   | SG on pile.                                 |
| 14010   | Kemp Channel<br>Daybeacon 6            | 24-37-39.520N<br>081-27-13.297W |         |   | TR on pile                                  |
| 14015   | Kemp Channel<br>Daybeacon 7            | 24-37-39.520N<br>081-27-15.297W |         |   | SG on pile.                                 |
| 14020   | Kemp Channel<br>Daybeacon 9            | 24-37-44.519N<br>081-27-17.297W |         |   | SG on pile.                                 |
| 14025   | Kemp Channel<br>Daybeacon 11           | 24-37-49.519N<br>081-27-21.297W |         |   | SG on pile.                                 |
| 14030   | Kemp Channel<br>Daybeacon 12           | 24-37-51.519N<br>081-27-22.297W |         |   | TR on pile.                                 |
| 14035   | Kemp Channel<br>Daybeacon 14           | 24-38-03.519N<br>081-27-24.297W |         |   | TR on pile.                                 |
| 14040   | Kemp Channel<br>Daybeacon 15           | 24-38-18.518N<br>081-27-32.298W |         |   | SG on pile.                                 |
| 14045   | Kemp Channel<br>Daybeacon 17           | 24-38-31.518N<br>081-27-30.298W |         |   | SG on pile.                                 |
| 14050   | Summerland Key<br>Daybeacon 1          | 24-38-53.800N<br>081-27-02.500W |         |   | SG on pile.                                 |
| 14055   | Summerland Key<br>Daybeacon 2          | 24-38-52.900N<br>081-27-01.700W |         |   | TR on pile.                                 |



|         |                                      |                                 |   |             |
|---------|--------------------------------------|---------------------------------|---|-------------|
| 14057   | Summerland Key<br>Daybeacon 2A       | 24-38-58.500N<br>081-26-55.100W |   | TR on pile. |
| 14059   | Summerland Key<br>Daybeacon 3        | 24-39-01.100N<br>081-26-53.500W |   | SG on pile. |
| 14060   | Summerland Key<br>Daybeacon 4        | 24-39-03.800N<br>081-26-48.700W |   | TR on pile. |
| 14065   | Summerland Key<br>Daybeacon 5        | 24-39-07.100N<br>081-26-46.400W |   | SG on pile. |
| 14067   | Summerland Key<br>Daybeacon 6        | 24-39-05.800N<br>081-26-46.300W |   | TR on pile. |
| 14070   | Kemp Channel<br>Daybeacon 18         | 24-38-50.517N<br>081-27-32.298W |   | TR on pile. |
| 14073   | Kemp Channel<br>Daybeacon 19         | 24-38-51.200N<br>081-27-35.600W |   | SG on pile. |
| 14075   | Kemp Channel<br>Daybeacon 20         | 24-38-59.517N<br>081-27-44.298W |   | TR on pile. |
| 14080   | Kemp Channel<br>Daybeacon 21         | 24-39-02.517N<br>081-27-59.299W |   | SG on pile. |
| 14085   | Kemp Channel<br>Daybeacon 22         | 24-39-03.517N<br>081-27-57.299W |   | TR on pile. |
| 14086   | Venture Out<br>Daybeacon 1           | 24-39-10.200N<br>081-28-19.260W |   | SG on pile. |
| 14086.1 | Venture Out<br>Daybeacon 2           | 24-39-10.560N<br>081-28-19.200W |   | TR on pile. |
| 14086.2 | Venture Out<br>Daybeacon 3           | 24-39-10.380N<br>081-28-19.620W |   | SG on pile. |
| 14086.3 | Venture Out<br>Daybeacon 4           | 24-39-10.680N<br>081-28-19.620W |   | TR on pile. |
| 14090   | Kemp Channel<br>Daybeacon 23         | 24-39-26.516N<br>081-28-01.299W |   | SG on pile. |
| 14095   | Kemp Channel<br>Daybeacon 24         | 24-39-23.900N<br>081-28-01.200W |   | TR on pile. |
| 14102   | Kemp Channel<br>Daybeacon 26         | 24-39-21.516N<br>081-27-56.299W |   | TR on pile. |
| 14110   | Brinton Channel<br>Daybeacon 2       | 24-39-23.900N<br>081-38-19.000W |   |             |
| 14115   | Brinton Channel<br>Daybeacon 4       | 24-39-42.515N<br>081-27-49.299W |   | TR on pile. |
| 14120   | Brinton Channel<br>Daybeacon 6       | 24-39-42.515N<br>081-27-48.099W |   | TR on pile. |
| 14125   | Brinton Channel<br>Daybeacon 8       | 24-39-42.515N<br>081-24-46.894W |   | TR on pile. |
| 14130   | Pirates Cove<br>Daybeacon 1          | 24-36-31.005N<br>081-30-40.575W |   | SG on pile. |
| 14135   | Pirates Cove<br>Daybeacon 2          | 24-36-27.914N<br>081-30-40.031W | 0 | TR on pile. |
| 14140   | Pirates Cove<br>Daybeacon 3          | 24-36-46.179N<br>081-30-33.594W | 0 | SG on pile. |
| 14145   | Pirates Cove<br>Daybeacon 4          | 24-36-52.649N<br>081-30-29.545W |   | TR on pile. |
| 14150   | Pirates Cove<br>Daybeacon 5          | 24-37-06.759N<br>081-30-32.822W |   | SG on pile. |
| 14155   | Pirates Cove<br>Daybeacon 6          | 24-37-12.996N<br>081-30-33.332W | 0 | TR on pile. |
| 14160   | Pirates Cove<br>Daybeacon 7          | 24-37-15.574N<br>081-30-35.913W |   | SG on pile. |
| 14165   | Pirates Cove<br>Daybeacon 8          | 24-37-29.684N<br>081-30-27.357W | 0 | TR on pile. |
| 14170   | Pirates Cove<br>Daybeacon 9          | 24-37-35.656N<br>081-30-27.162W | 0 | SG on pile. |
| 14175   | Pirates Cove<br>Daybeacon 10         | 24-37-56.230N<br>081-30-22.109W |   | TR on pile. |
| 14180   | Upper Sugarloaf<br>Sound Daybeacon 1 | 24-37-52.620N<br>081-30-29.100W |   | SG on pile. |
| 14185   | Upper Sugarloaf<br>Sound Daybeacon 2 | 24-37-52.970N<br>081-30-28.930W |   | TR on pile. |
| 14190   | Upper Sugarloaf<br>Sound Daybeacon 3 | 24-37-51.343N<br>081-31-06.913W |   | SG on pile. |
| 14195   | Upper Sugarloaf<br>Sound Daybeacon 4 | 24-37-53.070N<br>081-31-05.800W |   | TR on pile. |

|       |                                       |                                 |             |
|-------|---------------------------------------|---------------------------------|-------------|
| 14200 | Upper Sugarloaf<br>Sound Daybeacon 5  | 24-37-59.520N<br>081-31-16.500W | SG on pile. |
| 14205 | Upper Sugarloaf<br>Sound Daybeacon 6  | 24-37-59.950N<br>081-31-16.070W | TR on pile. |
| 14210 | Upper Sugarloaf<br>Sound Daybeacon 7  | 24-38-16.730N<br>081-31-36.940W | SG on pile. |
| 14215 | Upper Sugarloaf<br>Sound Daybeacon 8  | 24-38-17.400N<br>081-31-36.570W | TR on pile. |
| 14220 | Upper Sugarloaf<br>Sound Daybeacon 9  | 24-38-18.320N<br>081-31-54.500W | SG on pile. |
| 14225 | Upper Sugarloaf<br>Sound Daybeacon 10 | 24-38-19.130N<br>081-31-54.320W | TR on pile. |
| 14230 | Upper Sugarloaf<br>Sound Daybeacon 11 | 24-38-22.270N<br>081-32-00.020W | SG on pile. |
| 14235 | Upper Sugarloaf<br>Sound Daybeacon 12 | 24-38-23.150N<br>081-31-59.440W | TR on pile. |
| 14240 | Upper Sugarloaf<br>Sound Daybeacon 13 | 24-38-26.330N<br>081-32-06.190W | SG on pile. |
| 14245 | Upper Sugarloaf<br>Sound Daybeacon 14 | 24-38-27.160N<br>081-32-06.390W | TR on pile. |
| 14250 | Upper Sugarloaf<br>Sound Daybeacon 15 | 24-38-19.680N<br>081-32-42.350W | SG on pile. |
| 14255 | Upper Sugarloaf<br>Sound Daybeacon 16 | 24-38-20.770N<br>081-32-42.060W | TR on pile. |
| 14260 | Upper Sugarloaf<br>Sound Daybeacon 17 | 24-38-30.830N<br>081-32-51.220W | SG on pile. |
| 14265 | Upper Sugarloaf<br>Sound Daybeacon 18 | 24-38-31.250N<br>081-32-50.560W | TR on pile. |
| 14270 | Upper Sugarloaf<br>Sound Daybeacon 19 | 24-38-44.930N<br>081-33-04.060W | SG on pile. |
| 14275 | Upper Sugarloaf<br>Sound Daybeacon 20 | 24-38-45.270N<br>081-33-03.090W | TR on pile. |
| 14280 | Upper Sugarloaf<br>Sound Daybeacon 21 | 24-38-49.760N<br>081-33-26.680W | SG on pile. |
| 14285 | Upper Sugarloaf<br>Sound Daybeacon 22 | 24-38-50.400N<br>081-33-26.940W | TR on pile. |
| 14290 | Sugarloaf Key Shores<br>Daybeacon 2A  | 24-38-17.340N<br>081-33-04.440W | TR on pile. |
| 14295 | Sugarloaf Key Shores<br>Daybeacon 4A  | 24-38-17.940N<br>081-33-10.140W | TR on pile. |
| 14300 | Sugarloaf Key Shores<br>Daybeacon 6A  | 24-38-18.000N<br>081-33-14.040W | TR on pile. |
| 14305 | Sugarloaf Key Shores<br>Daybeacon 8A  | 24-38-19.200N<br>081-33-16.620W | TR on pile. |
| 14310 | Cudjoe Key<br>Daybeacon 11            | 24-38-15.000N<br>081-30-11.302W | SG on pile. |
| 14315 | Cudjoe Key<br>Daybeacon 14            | 24-38-29.518N<br>081-30-15.000W | TR on pile. |
| 14320 | Cudjoe Key<br>Daybeacon 15            | 24-38-38.017N<br>081-30-18.000W | SG on pile. |
| 14325 | Cudjoe Key<br>Daybeacon 16            | 24-38-41.800N<br>081-30-18.000W | TR on pile. |
| 14330 | Cudjoe Key<br>Daybeacon 17            | 24-38-45.000N<br>081-30-29.000W | SG on pile. |
| 14335 | Cudjoe Key<br>Daybeacon 20            | 24-39-03.016N<br>081-30-36.100W | TR on pile. |
| 14340 | Cudjoe Key<br>Daybeacon 1A            | 24-39-08.816N<br>081-30-35.000W | SG on pile. |
| 14343 | Cudjoe Key<br>Daybeacon 2A            | 24-39-10.200N<br>081-30-33.500W | TR on pile. |
| 14345 | Cudjoe Key<br>Daybeacon 3A            | 24-39-13.000N<br>081-30-36.003W | SG on pile. |
| 14350 | Cudjoe Key<br>Daybeacon 5A            | 24-39-15.000N<br>081-30-38.303W | SG on pile. |
| 14355 | Cudjoe Key<br>Daybeacon 6A            | 24-39-15.850N<br>081-30-36.100W | TR on pile. |
| 14360 | Cudjoe Key<br>Daybeacon 7A            | 24-39-17.300N<br>081-30-36.000W | TR on pile. |
| 14365 | Cudjoe Key<br>Daybeacon 22            | 24-39-14.016N<br>081-30-44.300W | TR on pile. |
| 14370 | Cudjoe Key                            | 24-39-19.716N                   | TR on pile. |

|         |                                                       |                                 |           |   |   |                |
|---------|-------------------------------------------------------|---------------------------------|-----------|---|---|----------------|
|         | Daybeacon 24                                          | 081-30-46.400W                  |           |   |   |                |
| 14375   | Cudjoe Key<br>Daybeacon 2B                            | 24-39-22.600N<br>081-30-43.800W |           |   |   | TR on pile.    |
| 14380   | Cudjoe Key<br>Daybeacon 4B                            | 24-39-32.000N<br>081-30-49.000W |           |   |   | TR on pile.    |
| 14385   | Nine-Foot Shoal Light                                 | 24-34-09.086N<br>081-33-06.784W | FI W 2.5s | 0 | 5 | NG on dolphin. |
| 14390   | West Washerwoman<br>Daybeacon 51                      | 24-33-20.578N<br>081-33-50.259W |           | 0 |   | SG on pile.    |
| 14395   | West Washerwoman<br>Daybeacon 53                      | 24-33-05.432N<br>081-35-05.598W |           | 0 |   | SG on pile.    |
| 14400   | Pelican Key<br>Daybeacon 55                           | 24-33-13.495N<br>081-37-14.615W |           |   |   | SG on pile.    |
| 14405   | Saddlebunch Harbor<br>Daybeacon 1                     | 24-34-28.526N<br>081-37-38.313W |           |   |   | SG on pile.    |
| 14410   | Saddlebunch Harbor<br>Daybeacon 2                     | 24-34-28.026N<br>081-37-34.313W |           |   |   | TR on pile.    |
| 14415   | Saddlebunch Harbor<br>Daybeacon 3                     | 24-34-40.525N<br>081-37-38.813W |           |   |   | SG on pile.    |
| 14420   | Saddlebunch Harbor<br>Daybeacon 8                     | 24-34-53.525N<br>081-37-33.813W |           |   |   | TR on pile.    |
| 14425   | Saddlebunch Harbor<br>Daybeacon 10                    | 24-35-06.524N<br>081-37-46.314W |           |   |   | TR on pile.    |
| 14430   | Saddlebunch Harbor<br>Daybeacon 11                    | 24-35-08.024N<br>081-37-57.314W |           |   |   | SG on pile.    |
| 14435   | Saddlebunch Harbor<br>Daybeacon 13                    | 24-35-15.024N<br>081-38-03.314W |           |   |   | SG on pile.    |
| 14440   | Saddlebunch Harbor<br>Daybeacon 15                    | 24-35-21.524N<br>081-38-22.315W |           |   |   | SG on pile.    |
| 14445   | Saddlebunch Harbor<br>Daybeacon 18                    | 24-35-27.524N<br>081-38-23.315W |           |   |   | TR on pile.    |
| 14450   | Tamarac Park Channel<br>Obstruction E<br>Daybeacon    | 24-34-11.526N<br>081-39-10.316W |           |   |   | NW on pile.    |
| 14455   | Tamarac Park Channel<br>Obstruction West<br>Daybeacon | 24-34-13.026N<br>081-39-12.316W |           |   |   | NW on pile.    |
| 14460   | Tamarac Park Channel<br>Daybeacon 1                   | 24-34-23.026N<br>081-39-21.316W |           |   |   | SG on pile.    |
| 14465   | Tamarac Park Channel<br>Daybeacon 2                   | 24-34-23.526N<br>081-39-20.316W |           |   |   | TR on pile.    |
| 14470   | Tamarac Park Channel<br>Daybeacon 3                   | 24-34-26.526N<br>081-39-26.316W |           |   |   | SG on pile.    |
| 14475   | Tamarac Park Channel<br>Daybeacon 4                   | 24-34-27.526N<br>081-39-25.016W |           |   |   | TR on pile.    |
| 14480   | Tamarac Park Channel<br>Daybeacon 6                   | 24-34-29.826N<br>081-39-26.816W |           |   |   | TR on pile.    |
| 14485   | Boca Chica Light 56                                   | 24-33-07.874N<br>081-41-12.510W | FI R 4s   | 0 | 5 | TR on pile.    |
| 14490.4 | Stock Island<br>Obstruction<br>Daybeacon D            | 24-33-34.080N<br>081-43-11.520W |           |   |   | NW on pile.    |
| 14490.3 | Stock Island<br>Obstruction<br>Daybeacon C            | 24-33-38.160N<br>081-43-16.020W |           |   |   | NW on pile.    |
| 14490   | Stock Island Approach<br>Channel Light 32             | 24-28-28.968N<br>081-44-31.742W | FI R 2.5s | 0 | 5 | TR on pile.    |
| 14495   | Stock Island Approach<br>Channel Daybeacon 2          | 24-30-30.860N<br>081-43-53.404W |           | 0 |   | TR on pile.    |
| 14500   | Hawk Channel Light<br>57                              | 24-31-56.231N<br>081-45-32.336W | FI G 4s   | 0 | 5 | SG on dolphin. |
| 14505   | Boca Chica Channel<br>Light 1                         | 24-32-46.745N<br>081-43-34.496W | FI G 4s   | 0 | 5 | SG on pile.    |
| 14510   | Boca Chica Channel<br>Daybeacon 2                     | 24-32-52.268N<br>081-43-29.384W |           | 0 |   | TR on pile.    |
| 14515   | Boca Chica Channel<br>Daybeacon 3                     | 24-33-01.932N<br>081-43-26.877W |           |   |   | SG on pile.    |
| 14520   | Boca Chica Channel<br>Daybeacon 4                     | 24-33-08.969N<br>081-43-21.319W |           | 0 |   | TR on pile.    |
| 14525   | Boca Chica Channel<br>Daybeacon 5                     | 24-33-10.364N<br>081-43-22.516W |           | 0 |   | SG on pile.    |

|       |                                                |                                 |           |   |   |             |
|-------|------------------------------------------------|---------------------------------|-----------|---|---|-------------|
| 14530 | Boca Chica Channel<br>Daybeacon 6              | 24-33-27.868N<br>081-43-12.112W |           | 0 |   | TR on pile. |
| 14535 | Boca Chica Channel<br>Daybeacon 7              | 24-33-28.013N<br>081-43-13.494W |           |   |   | SG on pile. |
| 14540 | Boca Chica Channel<br>Light 8                  | 24-33-45.040N<br>081-43-03.867W | FI R 4s   | 0 | 5 | TR on pile. |
| 14545 | Boca Chica Channel<br>Daybeacon 9              | 24-33-51.972N<br>081-43-01.724W |           |   |   | SG on pile. |
| 14550 | Boca Chica Channel<br>Daybeacon 10             | 24-33-56.338N<br>081-42-57.525W |           | 0 |   | TR on pile. |
| 14555 | Boca Chica Channel<br>Daybeacon 11             | 24-34-02.441N<br>081-42-55.524W |           | 0 |   | SG on pile. |
| 14560 | Boca Chica Channel<br>Daybeacon 12             | 24-34-07.781N<br>081-42-50.778W |           |   |   | TR on pile. |
| 14565 | Boca Chica Channel<br>Daybeacon 13             | 24-34-15.452N<br>081-42-48.006W |           | 0 |   | SG on pile. |
| 14570 | Boca Chica Channel<br>Daybeacon 14             | 24-34-18.926N<br>081-42-44.538W |           |   |   | TR on pile. |
| 14575 | Boca Chica Channel<br>Daybeacon 15             | 24-34-26.555N<br>081-42-41.854W |           | 0 |   | SG on pile. |
| 14580 | Boca Chica Channel<br>Light 16                 | 24-34-24.041N<br>081-42-41.566W | FI R 4s   | 0 | 5 | TR on pile. |
| 14585 | Boca Chica Channel<br>Daybeacon 17             | 24-34-34.501N<br>081-42-36.910W |           |   |   | SG on pile. |
| 14590 | Stock Island East<br>Channel A Daybeacon<br>1A | 24-33-21.528N<br>081-43-21.322W |           |   |   | SG on pile. |
| 14595 | Stock Island East<br>Channel A Daybeacon<br>3A | 24-33-31.127N<br>081-43-23.122W |           |   |   | SG on pile. |
| 14600 | Stock Island East<br>Channel A Daybeacon<br>4A | 24-33-35.527N<br>081-43-18.522W |           |   |   | TR on pile. |
| 14605 | Stock Island East<br>Channel A Daybeacon<br>5A | 24-33-36.527N<br>081-43-27.323W |           |   |   | SG on pile. |
| 14610 | Stock Island East<br>Channel B Daybeacon<br>1B | 24-33-45.527N<br>081-43-07.122W |           |   |   | SG on pile. |
| 14615 | Stock Island East<br>Channel B Daybeacon<br>2B | 24-33-49.227N<br>081-43-04.522W |           |   |   | TR on pile. |
| 14620 | Stock Island East<br>Channel B Daybeacon<br>3B | 24-34-04.326N<br>081-43-12.522W |           |   |   | SG on pile. |
| 14625 | Stock Island East<br>Channel B Daybeacon<br>4B | 24-34-05.826N<br>081-43-09.322W |           |   |   | TR on pile. |
| 14630 | Stock Island East<br>Channel B Daybeacon<br>5B | 24-34-15.326N<br>081-43-23.123W |           |   |   | SG on pile. |
| 14635 | Stock Island East<br>Channel B Daybeacon<br>6B | 24-34-25.525N<br>081-43-21.323W |           |   |   | TR on pile. |
| 14640 | Stock Island East<br>Channel B Daybeacon<br>7B | 24-34-23.326N<br>081-43-30.323W |           |   |   | SG on pile. |
| 14645 | Safe Harbor Channel<br>Light 2                 | 24-32-33.181N<br>081-43-53.893W | FI R 4s   | 0 | 5 | TR on pile. |
| 14650 | Safe Harbor Channel<br>Light 3                 | 24-32-47.922N<br>081-43-59.440W | FI G 6s   |   | 5 | SG on pile. |
| 14655 | Safe Harbor Channel<br>Light 4                 | 24-33-06.101N<br>081-43-59.411W | FI R 2.5s |   | 5 | TR on pile. |
| 14660 | Safe Harbor Channel<br>Daybeacon 5             | 24-33-19.743N<br>081-44-05.725W |           |   |   | SG on pile. |
| 14665 | Key West Oceanside<br>Marina Daybeacon 1       | 24-33-24.719N<br>081-43-53.264W |           |   |   | SG on pile. |
| 14670 | Key West Oceanside<br>Marina Daybeacon 2       | 24-33-23.113N<br>081-43-53.254W |           |   |   | TR on pile. |
| 14675 | Key West Oceanside<br>Marina Daybeacon 3       | 24-33-27.181N<br>081-43-51.690W |           |   |   | SG on pile. |

|         |                                          |                                 |             |
|---------|------------------------------------------|---------------------------------|-------------|
| 14680   | Key West Oceanside<br>Marina Daybeacon 4 | 24-33-26.764N<br>081-43-49.816W | TR on pile. |
| 14690   | Key West Oceanside<br>Marina Daybeacon 5 | 24-33-35.333N<br>081-43-51.428W | SG on pile. |
| 14695   | Key West Oceanside<br>Marina Daybeacon 6 | 24-33-33.439N<br>081-43-49.855W | TR on pile. |
| 14700   | Key West Oceanside<br>Marina Daybeacon 8 | 24-33-42.546N<br>081-43-50.443W | TR on pile. |
| 14705   | Key West Oceanside<br>Marina Daybeacon 9 | 24-33-42.429N<br>081-43-51.683W | SG on pile. |
| 14710   | Cow Key Channel<br>Daybeacon 1           | 24-33-18.528N<br>081-44-43.325W | SG on pile. |
| 14715   | Cow Key Channel<br>Daybeacon 2           | 24-33-16.528N<br>081-44-41.325W | TR on pile. |
| 14717   | Cow Key Channel<br>Daybeacon 3           | 24-33-19.500N<br>081-44-41.100W | SG on pile. |
| 14720   | Cow Key Channel<br>Daybeacon 4           | 24-33-21.528N<br>081-44-40.325W | TR on pile. |
| 14723   | Cow Key Channel<br>Daybeacon 5           | 24-33-27.500N<br>081-44-43.100W | SG on pile. |
| 14725   | Cow Key Channel<br>Daybeacon 6           | 24-33-28.527N<br>081-44-41.325W | TR on pile. |
| 14727   | Cow Key Channel<br>Daybeacon 7           | 24-33-39.500N<br>081-44-48.500W | SG on pile. |
| 14730   | Cow Key Channel<br>Daybeacon 8           | 24-33-40.527N<br>081-44-44.325W | TR on pile. |
| 14735   | Cow Key Channel<br>Daybeacon 9           | 24-33-48.000N<br>081-44-47.200W | SG on pile. |
| 14740   | Cow Key Channel<br>Daybeacon 11          | 24-33-54.526N<br>081-44-55.325W | SG on pile. |
| 14745   | Cow Key Channel<br>Daybeacon 13          | 24-33-56.526N<br>081-44-56.325W | SG on pile. |
| 14750   | Cow Key Channel<br>Daybeacon 15          | 24-33-59.526N<br>081-44-57.825W | SG on pile. |
| 14755   | Cow Key Channel<br>Daybeacon 16          | 24-33-59.526N<br>081-44-56.825W | TR on pile. |
| 14757   | Cow Key Channel<br>Daybeacon 17          | 24-34-03.000N<br>081-44-58.200W | SG on pile. |
| 14760   | Cow Key Channel<br>Daybeacon 18          | 24-34-06.026N<br>081-44-56.825W | TR on pile. |
| 14763   | Cow Key Channel<br>Daybeacon 19          | 24-34-05.300N<br>081-44-59.000W | SG on pile. |
| 14765   | Cow Key Channel<br>Daybeacon 20          | 24-34-10.526N<br>081-44-57.325W | TR on pile. |
| 14766   | Cow Key Channel<br>Daybeacon 22          | 24-34-19.182N<br>081-45-01.481W | TR on pile. |
| 14766.3 | Cow Key Channel<br>Daybeacon 23          | 24-34-28.799N<br>081-45-11.611W | SG on pile. |
| 14766.5 | Cow Key Channel<br>Daybeacon 25          | 24-34-38.869N<br>081-45-18.347W | SG on pile. |
| 14766.7 | Cow Key Channel<br>Daybeacon 28          | 24-34-51.461N<br>081-45-22.840W | TR on pile. |
| 14766.8 | Cow Key Channel<br>Daybeacon 29          | 24-34-51.678N<br>081-45-23.763W | SG on pile. |
| 14767.3 | Cow Key Channel<br>Daybeacon 30          | 24-34-55.463N<br>081-45-31.096W | TR on pile. |
| 14767.5 | Cow Key Channel<br>Daybeacon 32          | 24-34-57.056N<br>081-45-48.060W | TR on pile. |
| 14767.7 | Cow Key Channel<br>Daybeacon 34          | 24-35-01.000N<br>081-45-53.000W | TR on pile. |
| 14767.9 | Cow Key Channel<br>Daybeacon 36          | 24-35-07.500N<br>081-45-57.800W | TR on pile. |
| 14767.6 | Cow Key Channel<br>Daybeacon 33          | 24-34-59.100N<br>081-45-55.300W | SG on pile. |
| 14767.4 | Cow Key Channel<br>Daybeacon 31          | 24-34-59.780N<br>081-45-47.820W | SG on pile. |
| 14767.8 | Cow Key Channel<br>Daybeacon 35          | 24-35-04.800N<br>081-46-00.000W | SG on pile. |
| 14770   | Cow Key West<br>Channel Daybeacon<br>1A  | 24-33-54.026N<br>081-44-58.325W | SG on pile. |

|         |                                                             |                                 |            |    |    |                                                                |                                                                                 |
|---------|-------------------------------------------------------------|---------------------------------|------------|----|----|----------------------------------------------------------------|---------------------------------------------------------------------------------|
| 14775   | Cow Key West<br>Channel Daybeacon<br>3A                     | 24-33-53.027N<br>081-45-01.325W |            |    |    | SG on pile.                                                    |                                                                                 |
| 14780   | Casa Marina<br>Daybeacon 1                                  | 24-32-25.031N<br>081-47-25.329W |            |    |    | SG on pile.                                                    |                                                                                 |
| 14785   | Casa Marina<br>Daybeacon 2                                  | 24-32-27.030N<br>081-47-22.328W |            |    |    | TR on pile.                                                    |                                                                                 |
| 14790   | Casa Marina<br>Daybeacon 3                                  | 24-32-32.030N<br>081-47-27.329W |            |    |    | SG on pile.                                                    |                                                                                 |
| 14795   | Casa Marina<br>Daybeacon 4                                  | 24-32-35.430N<br>081-47-25.829W |            |    |    | TR on pile.                                                    |                                                                                 |
| 14800   | Key West Entrance<br>Lighted Whistle Buoy<br>KW             | 24-27-25.832N<br>081-47-59.991W | Mo (A) W   | 6  |    | Red and white stripes with<br>red spherical topmark.           | AIS: MMSI 993672010                                                             |
| 14805   | Key West Main<br>Channel Lighted Bell<br>Buoy 2             | 24-28-06.448N<br>081-47-59.650W | Fl R 4s    | 5  |    | Red                                                            |                                                                                 |
| 14810   | Key West Main<br>Channel Lighted Buoy<br>3                  | 24-28-12.227N<br>081-48-07.394W | Fl G 4s    | 5  |    | Green.                                                         |                                                                                 |
| 14815   | Key West Main<br>Channel Range Front<br>Light               | 24-32-17.158N<br>081-48-22.927W | Q G        | 32 |    | KRW on skeleton tower on<br>piles.                             | Visible 1.5° each side of range line. Passing light obscured from 326° to 026°. |
| 14820   | Key West Main<br>Channel Range Rear<br>Light                | 24-32-56.319N<br>081-48-25.786W | Iso G 6s   | 75 | 10 |                                                                | Visible 1.5° each side of range line.                                           |
| 14825   | Key West Main<br>Channel Lighted Buoy<br>3A                 | 24-29-51.554N<br>081-48-15.345W | Fl G 4s    | 5  |    | Green.                                                         |                                                                                 |
| 14830   | Western Triangle<br>Lighted Buoy 5                          | 24-30-31.445N<br>081-48-18.248W | Fl G 2.5s  | 5  |    | Green.                                                         |                                                                                 |
| 14835   | Key West Main<br>Channel Lighted Buoy<br>6                  | 24-30-33.549N<br>081-48-12.436W | Fl R 2.5s  | 5  |    | Red.                                                           |                                                                                 |
| 14840   | Key West Main<br>Channel Lighted Buoy<br>7                  | 24-30-46.970N<br>081-48-20.694W | Q G        | 4  |    | Green.                                                         |                                                                                 |
| 14845   | Key West Main<br>Channel Cut A Range<br>Front Light         | 24-33-12.024N<br>081-50-02.445W | Q W        | 0  | 10 | On tower on piles.                                             | Visible 0.5° each side of rangeline. Lighted throughout 24 hours.               |
| 14850   | Key West Main<br>Channel Cut A Range<br>Rear Light          | 24-33-35.994N<br>081-50-20.627W | Iso W 6s   | 50 |    | On tower on piles.                                             | Visible 0.5° each side of rangeline. Lighted throughout 24 hours.               |
| 14855   | Key West Main<br>Channel Lighted Buoy<br>8                  | 24-30-59.331N<br>081-48-15.587W | Q R        | 4  |    | Red.                                                           | AIS: MMSI 993672011                                                             |
| 14860   | Key West Main<br>Channel North Spoil<br>Bank Lighted Buoy A | 24-31-17.160N<br>081-48-59.868W | Fl Y 2.5s  | 5  |    | Yellow.                                                        |                                                                                 |
| 14865   | Key West Main<br>Channel Lighted Buoy<br>9                  | 24-31-42.830N<br>081-49-00.208W | Fl G 4s    | 5  |    | Green.                                                         | AIS: MMSI 993672012                                                             |
| 14868   | Tug Tilly Lighted Buoy<br>T                                 | 24-31-13.230N<br>081-49-52.695W | Fl (2)W 5s | 4  |    | Red and Black stripes with<br>two black spherical<br>topmarks. |                                                                                 |
| 14870   | Key West Main<br>Channel Cut B Range<br>Front Light         | 24-33-37.550N<br>081-48-51.850W | Fl W 2.5s  |    |    | On tower.                                                      | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.               |
| 14875   | Key West Main<br>Channel Cut B Range<br>Rear Light          | 24-33-46.450N<br>081-48-51.364W | Iso W 6s   | 30 |    | On tower.                                                      | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.               |
| 14880   | Key West Main<br>Channel Lighted Buoy<br>12                 | 24-31-58.546N<br>081-48-54.101W | Q R        | 4  |    | Red.                                                           |                                                                                 |
| 14885   | Key West Main<br>Channel Lighted Buoy<br>13                 | 24-32-34.338N<br>081-48-58.309W | Fl G 4s    | 5  |    | Green.                                                         |                                                                                 |
| 14887   | Fort Taylor West<br>Obstruction Light                       | 24-32-42.000N<br>081-48-47.000W |            |    |    | NW on pile worded DANGER<br>ROCK.                              |                                                                                 |
| 14887.7 | Fort Taylor East<br>Obstruction<br>Daybeacon                | 24-32-40.000N<br>081-48-35.000W |            |    |    | NW on pile worded DANGER<br>ROCK.                              |                                                                                 |
| 14890   | Key West Main                                               | 24-32-54.528N                   | Q R        | 4  |    | Red.                                                           |                                                                                 |

|         |                                                     |                                 |           |   |             |                     |                                                    |
|---------|-----------------------------------------------------|---------------------------------|-----------|---|-------------|---------------------|----------------------------------------------------|
|         | Channel Lighted Buoy 14                             | 081-48-51.433W                  |           |   |             |                     |                                                    |
| 14895   | Key West Main Channel Lighted Buoy 15               | 24-32-55.252N<br>081-48-55.932W | FI G 4s   | 5 | Green.      | AIS: MMSI 993672013 |                                                    |
| 14900   | Key West Harbor Range Front Light                   | 24-34-45.718N<br>081-47-59.401W | Q W       | 0 | 8           | KRW on dolphin.     | Visible all around; higher intensity on rangeline. |
| 14905   | Key West Harbor Range Rear Light                    | 24-35-06.689N<br>081-47-49.027W | Iso W 6s  |   | 9           | KRW on piles.       | Visible 4° each side of rangeline.                 |
| 14910   | Key West Main Channel Lighted Buoy 17               | 24-33-31.146N<br>081-48-54.109W | FI G 4s   | 5 | Green.      |                     |                                                    |
| 14915   | Key West Main Channel Lighted Buoy 19               | 24-33-31.046N<br>081-48-45.749W | FI G 2.5s | 5 | Green.      |                     |                                                    |
| 14920   | Truman Annex Barrier Pier Light                     | 24-33-23.203N<br>081-48-32.101W | F W       |   |             | On pier.            |                                                    |
| 14925   | Key West Main Channel Daybeacon 21                  | 24-33-40.360N<br>081-48-41.139W |           | 0 |             | SG on pile.         |                                                    |
| 14930   | Key West Main Channel Lighted Buoy 23               | 24-33-37.113N<br>081-48-35.097W | FI G 4s   | 5 | Green.      | AIS: MMSI 993672672 |                                                    |
| 14935   | Key West Main Channel Lighted Buoy 24               | 24-33-48.105N<br>081-48-25.678W | FI R 4s   | 5 | Red.        |                     |                                                    |
| 14940   | Key West Main Channel Lighted Buoy 25               | 24-33-49.896N<br>081-48-29.399W | FI G 2.5s | 5 | Green.      |                     |                                                    |
| 14945   | Key West Main Channel Turning Basin Light 27        | 24-34-02.074N<br>081-48-28.131W | FI G 4s   | 0 | 5           | SG on pile.         |                                                    |
| 14950   | Key West Main Channel Turning Basin Lighted Buoy 29 | 24-34-12.874N<br>081-48-18.058W | FI G 4s   | 5 | Green.      |                     |                                                    |
| 14955   | Key West Main Channel Turning Basin Daybeacon 31    | 24-34-09.058N<br>081-48-06.444W |           |   |             | SG on pile.         |                                                    |
| 14960.2 | Fleming Key Daybeacon 3                             | 24-34-31.532N<br>081-47-59.698W |           | 0 |             | SG on pile.         |                                                    |
| 14960.3 | Fleming Key Daybeacon 4                             | 24-34-29.644N<br>081-47-58.194W |           |   |             | TR on pile.         |                                                    |
| 14975   | Key West Bight Channel Light 2                      | 24-33-45.936N<br>081-48-20.472W | FI R 4s   | 0 | 5           | TR on dolphin.      |                                                    |
| 14980   | Key West Bight Channel Light 4                      | 24-33-47.872N<br>081-48-05.748W | Q R       | 0 | 4           | TR on pile.         |                                                    |
| 14980.5 | Key West Mooring Field Light E                      | 24-34-25.020N<br>081-47-19.680W | FI Y 4s   |   |             |                     |                                                    |
| 14980.4 | Key West Mooring Field Light D                      | 24-34-49.080N<br>081-47-26.760W | FI Y 4s   |   |             |                     |                                                    |
| 14980.3 | Key West Mooring Field Light C                      | 24-34-49.020N<br>081-46-56.100W | FI Y 4s   |   |             |                     |                                                    |
| 14980.2 | Key West Mooring Field Light B                      | 24-34-25.020N<br>081-47-13.920W | FI Y 4s   |   |             |                     |                                                    |
| 14980.1 | Key West Mooring Field Light A                      | 24-34-02.340N<br>081-47-19.740W | FI Y 4s   |   |             |                     |                                                    |
| 14985   | Garrison Bight Channel Approach Light 2             | 24-35-04.037N<br>081-48-16.768W | FI R 4s   | 5 | TR on pile. |                     |                                                    |
| 14990   | Garrison Bight Channel Light 3                      | 24-35-21.846N<br>081-48-16.142W | FI G 4s   | 5 | SG on pile. |                     |                                                    |
| 14995   | Garrison Bight Channel Daybeacon 4                  | 24-35-23.555N<br>081-48-10.766W |           |   |             | TR on pile.         |                                                    |
| 15000   | Garrison Bight Channel Daybeacon 6                  | 24-35-37.020N<br>081-48-03.178W |           | 0 |             | TR on pile.         |                                                    |
| 15005   | Garrison Bight Channel Light 8                      | 24-35-39.964N<br>081-48-01.602W | FI R 4s   | 5 | TR on pile. |                     |                                                    |
| 15010   | Garrison Bight Channel Daybeacon 10                 | 24-35-44.554N<br>081-47-57.559W |           |   |             | TR on pile.         |                                                    |
| 15015   | Garrison Bight Channel Daybeacon 12                 | 24-35-46.433N<br>081-47-53.484W |           |   |             | TR on pile.         |                                                    |
| 15020   | Garrison Bight Channel Light 13                     | 24-35-49.549N<br>081-47-51.112W | FI G 4s   | 0 | 5           | SG on pile.         |                                                    |

|         |                                                               |                                 |           |   |   |                |                     |
|---------|---------------------------------------------------------------|---------------------------------|-----------|---|---|----------------|---------------------|
| 15025   | Garrison Bight<br>Channel Daybeacon 14                        | 24-35-46.903N<br>081-47-47.734W |           | 0 |   | TR on pile.    |                     |
| 15030   | Garrison Bight<br>Channel Light 16                            | 24-35-44.776N<br>081-47-44.382W | FI R 4s   | 0 | 5 | TR on pile.    |                     |
| 15035   | Garrison Bight<br>Channel Light 17                            | 24-35-32.622N<br>081-47-35.490W | FI G 4s   | 0 | 5 | SG on pile.    |                     |
| 15040   | Garrison Bight<br>Channel Light 18                            | 24-33-56.828N<br>081-47-20.287W | FI R 4s   | 0 | 5 | TR on pile.    |                     |
| 15045   | Garrison Bight<br>Channel Daybeacon 19                        | 24-33-57.409N<br>081-47-16.848W |           |   |   | SG on pile.    |                     |
| 15050   | Garrison Bight<br>Channel Daybeacon 20                        | 24-33-52.820N<br>081-46-58.595W |           | 0 |   | TR on pile.    |                     |
| 15055   | Garrison Bight<br>Channel Light 21                            | 24-33-53.659N<br>081-46-55.638W | FI G 4s   |   | 5 | SG on pile.    |                     |
| 15060   | Garrison Bight<br>Channel Daybeacon 22                        | 24-33-51.376N<br>081-46-57.264W |           |   |   | TR on pile.    |                     |
| 15065   | Garrison Bight<br>Channel Turning Basin<br>Daybeacon 24       | 24-33-43.572N<br>081-46-58.439W |           | 0 |   | TR on pile.    |                     |
| 15070   | Garrison Bight<br>Channel Turning Basin<br>Daybeacon 25       | 24-33-40.231N<br>081-46-57.251W |           |   |   | SG on pile.    |                     |
| 15075   | Garrison Bight<br>Channel Turning Basin<br>Daybeacon 26       | 24-33-42.424N<br>081-47-00.361W |           |   |   | TR on pile.    |                     |
| 15080   | Garrison Bight<br>Channel Turning Basin<br>Daybeacon 27       | 24-33-40.957N<br>081-47-01.239W |           |   |   | SG on pile.    |                     |
| 15083   | Garrison Bight<br>Channel Turning Basin<br>Daybeacon 28       | 24-33-41.912N<br>081-47-01.959W |           |   |   | TR on pile.    |                     |
| 15085   | Garrison Bight<br>Channel Turning Basin<br>Daybeacon 29       | 24-33-42.617N<br>081-47-11.745W |           | 0 |   | SG on pile.    |                     |
| 15087   | Garrison Bight<br>Channel Turning Basin<br>Daybeacon 30       | 24-33-43.876N<br>081-47-12.348W |           |   |   | TR on pile.    |                     |
| 15090   | Sand Key Channel<br>Daybeacon 2                               | 24-27-40.182N<br>081-52-47.691W |           |   |   | TR on pile.    |                     |
| 15095   | Middle Ground<br>Daybeacon 3                                  | 24-28-58.315N<br>081-52-53.395W |           |   |   | SG on pile.    |                     |
| 15153.7 | Shelter Bay<br>Daybeacon 7                                    | 24-43-38.600N<br>081-01-17.400W |           |   |   | SG on pile.    |                     |
| 15153.5 | Shelter Bay<br>Daybeacon 5                                    | 24-43-37.000N<br>081-01-22.900W |           |   |   | SG on pile.    |                     |
| 15153.3 | Shelter Bay<br>Daybeacon 3                                    | 24-43-36.900N<br>081-01-25.700W |           |   |   | SG on pile.    |                     |
| 15153.1 | Shelter Bay<br>Daybeacon 1                                    | 24-43-35.700N<br>081-01-30.600W |           |   |   | SG on pile.    |                     |
| 15155   | Key West Southwest<br>Channel WR Lighted<br>Buoy WR5          | 24-32-34.663N<br>081-49-32.992W | Q G       |   | 4 | Green.         |                     |
| 15160   | Key West Northwest<br>Channel Entrance<br>Lighted Bell Buoy 1 | 24-38-52.393N<br>081-53-57.578W | FI G 2.5s |   | 5 | Green.         |                     |
| 15165   | Key West Northwest<br>Channel Light 6                         | 24-37-55.913N<br>081-53-49.151W | Q R       | 0 | 4 | TR on piles.   | Visible all around. |
| 15175   | Key West Northwest<br>Channel Jetty Light A                   | 24-38-27.754N<br>081-53-34.052W | Q Y       |   | 4 | NY on dolphin. |                     |
| 15180   | Key West Northwest<br>Channel Buoy 2                          | 24-38-19.969N<br>081-54-03.871W |           |   |   | Red nun.       |                     |
| 15185   | Key West Northwest<br>Channel Lighted Buoy<br>3               | 24-38-11.794N<br>081-53-52.145W | Q G       |   | 4 | Green.         |                     |
| 15190   | Key West Northwest<br>Channel Buoy 4                          | 24-38-06.870N<br>081-53-57.660W |           |   |   | Red nun.       |                     |
| 15195   | Key West Northwest<br>Channel Lighted Buoy<br>5               | 24-37-58.539N<br>081-53-40.359W | FI G 2.5s |   | 5 | Green.         |                     |
| 15200   | Key West Northwest                                            | 24-37-40.296N                   |           | 0 |   | TR on pile.    |                     |



|         |                                            |                                 |           |   |   |                                                                   |
|---------|--------------------------------------------|---------------------------------|-----------|---|---|-------------------------------------------------------------------|
|         | Channel Daybeacon 8                        | 081-53-31.479W                  |           |   |   |                                                                   |
| 15205   | Key West Northwest<br>Channel Buoy 9       | 24-37-31.490N<br>081-52-56.898W |           |   |   | Green can.                                                        |
| 15210   | Key West Northwest<br>Channel Light 10     | 24-36-54.598N<br>081-52-34.273W | Fl R 4s   | 5 |   | TR on pile.                                                       |
| 15215   | Key West Northwest<br>Channel Daybeacon 11 | 24-37-11.083N<br>081-52-21.267W |           |   |   | SG on pile.                                                       |
| 15220   | Key West Northwest<br>Channel Light 12     | 24-36-10.606N<br>081-51-47.250W | Fl R 2.5s | 5 |   | TR on pile.                                                       |
| 15225   | Key West Northwest<br>Channel Light 14     | 24-35-26.024N<br>081-51-12.662W | Fl R 6s   | 5 |   | TR on pile.                                                       |
| 15230   | Key West Northwest<br>Channel Daybeacon 15 | 24-35-25.125N<br>081-50-34.310W |           |   |   | SG on pile.                                                       |
| 15235   | Key West Northwest<br>Channel Light 15A    | 24-34-55.004N<br>081-50-24.983W | Fl G 4s   | 5 |   | SG on pile.                                                       |
| 15240   | Key West Northwest<br>Channel Daybeacon 16 | 24-34-28.283N<br>081-50-35.079W |           |   |   | TR on pile.                                                       |
| 15245   | Key West Northwest<br>Channel Light 17     | 24-34-02.166N<br>081-49-44.113W | Fl G 2.5s | 5 |   | SG on pile.                                                       |
| 15250   | Key West Northwest<br>Channel Light 18     | 24-33-28.251N<br>081-49-42.774W | Fl R 2.5s | 0 | 5 | TR on red triangular<br>pyramidal skeleton structure<br>on piles. |
| 15255   | Key West Northwest<br>Channel Light 19     | 24-33-40.591N<br>081-49-14.142W | Fl G 4s   | 0 | 5 | SG on pile.                                                       |
| 15260   | Lake Passage Channel<br>Daybeacon 1        | 24-34-12.060N<br>081-50-31.080W |           |   |   | SG on pile.                                                       |
| 15265   | Lake Passage Channel<br>Daybeacon 2        | 24-34-13.440N<br>081-50-31.440W |           |   |   | TR on pile.                                                       |
| 15270.3 | Lake Passage Channel<br>Daybeacon 5        | 24-33-46.900N<br>081-51-07.500W |           |   |   | SG on pile.                                                       |
| 15275   | Lake Passage Channel<br>Daybeacon 6        | 24-33-30.840N<br>081-51-32.280W |           |   |   | TR on pile.                                                       |
| 15280   | Lake Passage Channel<br>Daybeacon 7        | 24-33-27.960N<br>081-51-33.120W |           |   |   | SG on pile.                                                       |
| 15285   | Lake Passage Channel<br>Daybeacon 8        | 24-33-15.840N<br>081-53-34.260W |           |   |   | TR on pile.                                                       |
| 15290   | Lake Passage Channel<br>Daybeacon 10       | 24-33-29.280N<br>081-56-50.640W |           |   |   | TR on pile.                                                       |
| 15295   | Lake Passage Channel<br>Daybeacon 12       | 24-33-05.520N<br>081-58-20.820W |           |   |   | TR on pile.                                                       |
| 15295.3 | Lake Passage Channel<br>Daybeacon 13       | 24-32-44.520N<br>081-59-44.280W |           |   |   | SG on pile.                                                       |
| 15300   | Lake Passage Channel<br>Daybeacon 13A      | 24-32-44.220N<br>081-59-52.320W |           |   |   | SG on pile.                                                       |
| 15305   | Lake Passage Channel<br>Daybeacon 14       | 24-32-45.540N<br>081-59-45.360W |           |   |   | TR on pile.                                                       |
| 15305.4 | Lake Passage Channel<br>Daybeacon 14A      | 24-32-43.860N<br>082-00-00.780W |           |   |   | TR on pile.                                                       |
| 15310   | Lake Passage Channel<br>Daybeacon 15       | 24-32-38.340N<br>082-00-06.720W |           |   |   | SG on pile.                                                       |
| 15315   | Lake Passage Channel<br>Daybeacon 16       | 24-32-42.540N<br>082-00-10.560W |           |   |   | TR on pile.                                                       |
| 15320   | Lake Passage Channel<br>Daybeacon 17       | 24-32-05.460N<br>082-00-38.520W |           |   |   | SG on pile.                                                       |
| 15325   | Lake Passage Channel<br>Daybeacon 18       | 24-32-12.900N<br>082-00-42.660W |           |   |   | TR on pile.                                                       |
| 15330   | Calda Channel Light 1                      | 24-37-48.072N<br>081-49-34.088W | Fl G 4s   | 5 |   | SG on pile.                                                       |
| 15335   | Calda Channel<br>Daybeacon 3               | 24-37-44.219N<br>081-49-16.081W |           |   |   | SG on pile.                                                       |
| 15340   | Calda Channel<br>Daybeacon 5               | 24-37-38.542N<br>081-49-04.046W |           |   |   | SG on pile.                                                       |
| 15345   | Calda Channel<br>Daybeacon 6               | 24-37-29.832N<br>081-48-54.830W |           |   |   | TR on pile.                                                       |
| 15350   | Calda Channel<br>Daybeacon 6A              | 24-37-27.175N<br>081-48-51.339W |           |   |   | TR on pile.                                                       |
| 15355   | Calda Channel<br>Daybeacon 8               | 24-37-22.445N<br>081-48-48.291W |           | 0 |   | TR on pile.                                                       |
| 15360   | Calda Channel Buoy 9                       | 24-37-14.987N<br>081-48-43.391W |           |   |   | Green can.                                                        |
| 15370   | Calda Channel Buoy 12                      | 24-37-01.822N                   |           |   |   | Red nun.                                                          |

|       |                                                         |                                 |             |   |                                       |
|-------|---------------------------------------------------------|---------------------------------|-------------|---|---------------------------------------|
|       |                                                         | 081-48-33.517W                  |             |   |                                       |
| 15375 | Calda Channel<br>Daybeacon 13                           | 24-36-52.002N<br>081-48-21.424W |             |   | SG on pile.                           |
| 15380 | Calda Channel<br>Daybeacon 14                           | 24-36-49.508N<br>081-48-22.009W |             |   | TR on pile.                           |
| 15385 | Calda Channel Buoy<br>16                                | 24-36-45.118N<br>081-48-18.427W |             |   | Red nun                               |
| 15390 | Calda Channel<br>Daybeacon 15                           | 24-36-46.032N<br>081-48-17.230W |             |   | SG on pile.                           |
| 15395 | Calda Channel Buoy 17                                   | 24-36-26.841N<br>081-48-21.475W |             |   | Green can.                            |
| 15400 | Calda Channel<br>Daybeacon 18                           | 24-36-25.834N<br>081-48-22.586W |             |   | TR on pile.                           |
| 15403 | Calda Channel Buoy<br>20                                | 24-36-22.231N<br>081-48-21.339W |             |   | Red nun.                              |
| 15405 | Calda Channel<br>Daybeacon 20A                          | 24-36-19.690N<br>081-48-22.530W | 0           |   | TR on pile.                           |
| 15410 | Calda Channel<br>Daybeacon 21                           | 24-36-07.539N<br>081-48-35.586W |             |   | SG on pile.                           |
| 15415 | Calda Channel<br>Daybeacon 22                           | 24-35-57.055N<br>081-48-34.971W | 0           |   | TR on pile.                           |
| 15420 | Calda Channel<br>Daybeacon 24                           | 24-35-45.793N<br>081-48-36.118W |             |   | TR on pile.                           |
| 15425 | Calda Channel<br>Daybeacon 25                           | 24-35-43.611N<br>081-48-34.328W |             |   | SG on pile.                           |
| 15428 | Satan Shoal Wave<br>Data Lighted Buoy A<br>CDIP STA 244 | 24-24-15.400N<br>081-58-01.900W | Fl (5)Y 20s | 1 | Yellow sphere-shaped with<br>antenna. |
| 15430 | Boca Grande Channel<br>Daybeacon 1                      | 24-37-17.094N<br>082-04-24.050W |             |   | SG on pile.                           |
| 15435 | Boca Grande Channel<br>Daybeacon 2                      | 24-33-58.899N<br>082-04-46.695W |             |   | TR on pile.                           |
| 15440 | Dry Tortugas<br>Southeast Channel<br>Light 1            | 24-35-37.117N<br>082-52-25.488W | Fl G 2.5s   | 5 | SG on pile.                           |
| 15445 | Dry Tortugas<br>Southeast Channel<br>Lighted Buoy 2     | 24-37-23.537N<br>082-49-46.038W | Fl R 4s     | 5 | Red.                                  |
| 15450 | Dry Tortugas<br>Southeast Channel<br>Light 3            | 24-38-19.462N<br>082-51-40.844W | Fl G 4s     | 5 | SG on dolphin.                        |
| 15455 | Dry Tortugas<br>Southeast Channel<br>Daybeacon 4        | 24-38-41.988N<br>082-51-17.080W |             |   | TR on pile.                           |
| 15460 | Dry Tortugas<br>Southeast Middle<br>Ground Daybeacon    | 24-38-50.721N<br>082-52-14.414W |             | 0 | JR on pile.                           |
| 15465 | Fort Jefferson East<br>Channel Daybeacon 2              | 24-38-09.969N<br>082-52-29.999W |             | 0 | TR on pile.                           |
| 15470 | Fort Jefferson East<br>Channel Daybeacon 3              | 24-38-07.631N<br>082-52-21.349W |             | 0 | SG on pile.                           |
| 15475 | Fort Jefferson East<br>Channel Daybeacon 5              | 24-38-02.789N<br>082-52-17.533W |             | 0 | SG on pile.                           |
| 15480 | Fort Jefferson East<br>Channel Daybeacon 6              | 24-38-00.323N<br>082-52-21.280W |             |   | TR on pile.                           |
| 15485 | Fort Jefferson East<br>Channel Daybeacon 7              | 24-37-57.652N<br>082-52-14.684W |             |   | SG on pile.                           |
| 15490 | Fort Jefferson East<br>Channel Daybeacon 8              | 24-37-50.601N<br>082-52-16.697W |             | 0 | TR on pile.                           |
| 15495 | Fort Jefferson East<br>Channel Daybeacon 9              | 24-37-51.889N<br>082-52-12.307W |             | 0 | SG on pile.                           |
| 15500 | Dry Tortugas<br>Southwest Channel<br>Buoy 1             | 24-36-40.567N<br>082-55-38.453W |             |   | Green can.                            |
| 15505 | Dry Tortugas<br>Southwest Channel<br>Daybeacon 3        | 24-37-37.353N<br>082-54-30.029W |             |   | SG on pile.                           |
| 15510 | Dry Tortugas<br>Southwest Channel<br>Daybeacon 4        | 24-37-41.032N<br>082-53-53.187W |             | 0 | TR on pile.                           |
| 15515 | Dry Tortugas<br>Southwest Channel                       | 24-37-54.340N<br>082-53-08.223W |             |   | TR on pile.                           |

|         |                                             |                                 |           |   |   |                                   |
|---------|---------------------------------------------|---------------------------------|-----------|---|---|-----------------------------------|
|         | Daybeacon 6                                 |                                 |           |   |   |                                   |
| 15520   | White Shoal North<br>Daybeacon 7            | 24-38-54.103N<br>082-53-34.662W |           |   |   | SG on pile.                       |
| 15525   | Fort Jefferson West<br>Channel Daybeacon 2  | 24-37-43.097N<br>082-52-54.573W |           |   |   | TR on pile.                       |
| 15530   | Fort Jefferson West<br>Channel Daybeacon 3  | 24-37-40.972N<br>082-52-47.342W |           | 0 |   | SG on pile.                       |
| 15535   | Fort Jefferson West<br>Channel Daybeacon 4  | 24-37-32.290N<br>082-52-47.064W |           |   |   | TR on pile.                       |
| 15540   | Fort Jefferson West<br>Channel Daybeacon 6  | 24-37-28.470N<br>082-52-41.997W |           |   |   | TR on pile.                       |
| 15545   | Fort Jefferson West<br>Channel Daybeacon 7  | 24-37-31.840N<br>082-52-36.716W |           |   |   | SG on pile.                       |
| 15550   | Fort Jefferson West<br>Channel Daybeacon 8  | 24-37-26.784N<br>082-52-35.786W |           |   |   | TR on pile.                       |
| 15555   | Fort Jefferson West<br>Channel Daybeacon 9  | 24-37-31.200N<br>082-52-31.822W |           |   |   | SG on pile.                       |
| 15560   | Fort Jefferson West<br>Channel Daybeacon 10 | 24-37-27.384N<br>082-52-27.242W |           |   |   | TR on pile.                       |
| 15565   | Fort Jefferson West<br>Channel Daybeacon 11 | 24-37-31.608N<br>082-52-24.822W |           |   |   | SG on pile.                       |
| 15570   | Fort Jefferson West<br>Channel Daybeacon 12 | 24-37-28.264N<br>082-52-23.867W |           |   |   | TR on pile.                       |
| 15575   | Bird Key Harbor<br>Daybeacon 2BK            | 24-37-30.794N<br>082-52-53.342W |           | 0 |   | TR on pile.                       |
| 15580   | Bird Key Harbor<br>Daybeacon 3BK            | 24-37-26.717N<br>082-52-50.218W |           |   |   | SG on pile.                       |
| 15585   | Bird Key Harbor<br>Daybeacon 5BK            | 24-37-13.363N<br>082-52-47.111W |           |   |   | SG on pile.                       |
| 15590   | Arsenic Bank Light 1                        | 24-52-15.302N<br>080-53-02.355W | FI G 4s   | 0 | 5 | SG on pile.                       |
| 15595   | Arsenic Bank Light 2                        | 24-52-17.884N<br>080-53-10.723W | FI R 4s   | 0 | 5 | TR on pile.                       |
| 15600   | Tripod Bank<br>Daybeacon 3                  | 24-52-55.948N<br>080-54-39.757W |           | 0 |   | SG on pile.                       |
| 15605   | Sprigger Bank Light 5                       | 24-54-50.120N<br>080-56-17.407W | FI G 4s   | 0 | 5 | SG on pile.                       |
| 15610   | Schooner Bank Light 6                       | 24-57-26.421N<br>080-58-47.426W | FI R 4s   | 0 | 5 | TR on pile.                       |
| 15625   | Oxfoot Bank Light 10                        | 24-59-15.120N<br>081-00-41.116W | FI R 4s   |   | 5 | TR on dolphin.                    |
| 15647   | Sea Keys Monitor<br>Light                   | 25-05-00.030N<br>081-05-29.968W | FI Y 4s   |   |   | NY on pile.                       |
| 15647.1 | Snake Bight<br>Obstruction Light            | 25-10-03.900N<br>080-52-42.000W | FI W 6s   |   |   | NW on pile worded<br>OBSTRUCTION. |
| 15648   | Middle Obstruction<br>Light                 | 25-06-46.680N<br>081-01-51.420W | FI W 6s   |   |   | NW on pile worded<br>OBSTRUCTION. |
| 15649   | West Lake Obstruction<br>Light              | 25-12-28.980N<br>080-48-07.920W | FI W 6s   |   |   | NW on pile worded<br>OBSTRUCTION. |
| 15650   | East Cape Light 2                           | 25-05-00.032N<br>081-04-57.809W | FI R 4s   |   | 5 | TR on dolphin.                    |
| 15655   | East Cape Daybeacon<br>1A                   | 25-06-30.950N<br>081-05-08.407W |           |   |   | SG on dolphin.                    |
| 15660   | East Cape Daybeacon<br>4                    | 25-05-14.249N<br>081-03-25.037W |           |   |   | TR on pile.                       |
| 15665   | East Cape Light 5                           | 25-05-46.691N<br>081-01-51.468W | FI G 4s   |   | 5 | SG on dolphin.                    |
| 15670   | Joe Kemp Channel<br>Daybeacon 6             | 25-06-24.869N<br>080-58-36.414W |           |   |   | TR on pile.                       |
| 15675   | Joe Kemp Channel<br>Daybeacon 8             | 25-07-01.497N<br>080-57-17.339W |           |   |   | TR on pile.                       |
| 15680   | Flamingo Channel<br>Light 9                 | 25-07-25.234N<br>080-55-46.746W | FI G 4s   | 0 | 5 | SG on dolphin.                    |
| 15695   | Flamingo Channel<br>Daybeacon 12            | 25-07-49.047N<br>080-55-38.905W |           |   |   | TR on pile.                       |
| 15705   | Flamingo Channel<br>Buoy 14                 | 25-08-12.603N<br>080-55-32.087W |           |   |   | Red nun.                          |
| 15710   | Flamingo Channel<br>Light 15                | 25-08-24.064N<br>080-55-26.596W | FI G 2.5s | 0 | 4 | SG on dolphin.                    |
| 15715   | Flamingo Channel                            | 25-08-19.649N                   |           |   |   | TR on pile.                       |

|       |                                            |                                 |          |   |   |                          |
|-------|--------------------------------------------|---------------------------------|----------|---|---|--------------------------|
|       | Daybeacon 16                               | 080-55-27.422W                  |          |   |   |                          |
| 15720 | Flamingo Channel<br>Daybeacon 18           | 25-08-25.076N<br>080-55-19.261W |          |   |   | TR on pile.              |
| 15730 | Coot Bay Daybeacon 2                       | 25-11-06.120N<br>080-54-43.599W |          | 0 |   | TR on pile.              |
| 15755 | Coot Bay Daybeacon 8                       | 25-12-12.948N<br>080-55-36.723W |          | 0 |   | TR on pile.              |
| 15760 | Whitewater Bay<br>Daybeacon 10             | 25-12-42.648N<br>080-55-51.423W |          | 0 |   | TR on pile.              |
| 15770 | Whitewater Bay<br>Daybeacon 14             | 25-14-20.076N<br>080-56-13.077W |          | 0 |   | TR on pile.              |
| 15790 | Whitewater Bay<br>Daybeacon 23             | 25-15-55.614N<br>080-58-11.949W |          |   |   | SG on pile.              |
| 15795 | Whitewater Bay<br>Daybeacon 25             | 25-15-57.618N<br>080-58-26.475W |          |   |   | SG on pile.              |
| 15800 | Whitewater Bay<br>Daybeacon 26             | 25-16-14.118N<br>080-58-35.457W |          |   |   | TR on pile.              |
| 15825 | Whitewater Bay<br>Daybeacon 34             | 25-17-40.206N<br>081-00-18.537W |          |   |   | TR on pile.              |
| 15845 | Whitewater Bay<br>Daybeacon 40             | 25-19-12.708N<br>081-01-49.611W |          |   |   | TR on pile.              |
| 15870 | Cormorant Pass<br>Daybeacon 48             | 25-19-52.727N<br>081-03-20.638W |          | 0 |   | TR on pile. Private aid. |
| 15885 | Oyster Bay Daybeacon<br>53                 | 25-19-36.368N<br>081-04-59.041W |          | 0 |   | SG on pile.              |
| 15915 | Oyster Bay Daybeacon<br>63                 | 25-20-16.912N<br>081-05-53.700W |          | 0 |   | SG on pile.              |
| 15940 | Little Shark River<br>Daybeacon 69         | 25-19-52.763N<br>081-07-14.906W |          | 0 |   | SG on pile.              |
| 15950 | Little Shark River<br>Entrance Light 1     | 25-19-21.182N<br>081-09-14.396W | FI G 4s  |   | 5 | SG on dolphin.           |
| 15955 | Little Shark River<br>Entrance Daybeacon 3 | 25-19-30.588N<br>081-08-57.768W |          | 0 |   | SG on pile.              |
| 15960 | Little Shark River<br>Entrance Daybeacon 4 | 25-19-38.080N<br>081-08-43.312W |          | 0 |   | TR on pile.              |
| 15965 | Indian Key Pass Light<br>Ik                | 25-44-58.701N<br>081-29-54.321W | Mo (A) W | 0 | 5 | MR on pile.              |
| 15970 | Indian Key Pass Light 1                    | 25-47-58.839N<br>081-28-04.317W | FI G 4s  |   | 5 | SG on pile.              |
| 15975 | Indian Key Pass<br>Daybeacon 3             | 25-48-20.763N<br>081-27-53.440W |          |   |   | SG on pile.              |
| 15980 | Indian Key Pass Light<br>4                 | 25-48-39.543N<br>081-27-39.880W | FI R 4s  | 0 | 5 | TR on pile.              |
| 15985 | Indian Key Pass<br>Daybeacon 6             | 25-49-26.426N<br>081-26-38.259W |          |   |   | TR on pile.              |
| 15990 | Indian Key Pass Light<br>7                 | 25-49-40.327N<br>081-26-23.860W | FI G 4s  | 0 | 5 | SG on pile.              |
| 15995 | Indian Key Pass<br>Daybeacon 9             | 25-49-39.120N<br>081-26-02.708W |          | 0 |   | SG on pile.              |
| 16000 | Indian Key Pass<br>Daybeacon 10            | 25-49-36.723N<br>081-25-48.054W |          |   |   | TR on pile.              |
| 16005 | Indian Key Pass<br>Daybeacon 11            | 25-49-37.443N<br>081-25-41.214W |          | 0 |   | SG on pile.              |
| 16010 | Indian Key Pass<br>Daybeacon 11A           | 25-49-38.395N<br>081-25-39.178W |          |   |   | SG on pile.              |
| 16015 | Indian Key Pass Light<br>12                | 25-49-36.737N<br>081-25-38.294W | FI R 4s  |   | 5 | TR on pile.              |
| 16020 | Indian Key Pass<br>Daybeacon 13            | 25-49-41.709N<br>081-25-35.996W |          | 0 |   | SG on pile.              |
| 16025 | Indian Key Pass<br>Daybeacon 14            | 25-49-52.067N<br>081-25-28.386W |          |   |   | TR on pile.              |
| 16030 | Indian Key Pass Light<br>15                | 25-49-58.368N<br>081-25-24.884W | FI G 4s  |   | 5 | SG on pile.              |
| 16035 | Indian Key Pass<br>Daybeacon 16            | 25-49-59.181N<br>081-25-17.967W |          |   |   | TR on pile.              |
| 16040 | Indian Key Pass<br>Daybeacon 17            | 25-50-04.005N<br>081-25-06.239W |          | 0 |   | SG on pile.              |
| 16045 | Indian Key Pass<br>Daybeacon 18            | 25-50-02.491N<br>081-25-05.436W |          |   |   | TR on pile.              |
| 16050 | Indian Key Pass<br>Daybeacon 20            | 25-50-07.419N<br>081-24-51.239W |          |   |   | TR on pile .             |

|       |                                                                  |                                 |         |   |   |             |
|-------|------------------------------------------------------------------|---------------------------------|---------|---|---|-------------|
| 16055 | Indian Key Pass Light<br>22                                      | 25-50-11.391N<br>081-24-38.279W | FI R 4s | 0 | 5 | TR on pile. |
| 16060 | Indian Key Pass<br>Daybeacon 23                                  | 25-50-13.863N<br>081-24-37.192W |         | 0 |   | SG on pile. |
| 16065 | Chokoloskee Bay<br>Channel Daybeacon<br>24                       | 25-50-20.352N<br>081-24-28.379W |         |   |   | TR on pile. |
| 16070 | Chokoloskee Bay<br>Channel Daybeacon<br>25                       | 25-50-27.642N<br>081-24-22.003W |         |   |   | SG on pile. |
| 16075 | Chokoloskee Bay<br>Channel Daybeacon<br>26                       | 25-50-27.645N<br>081-24-20.825W |         |   |   | TR on pile. |
| 16080 | Chokoloskee Bay<br>Channel Daybeacon<br>27                       | 25-50-43.317N<br>081-24-05.615W |         |   |   | SG on pile. |
| 16085 | Chokoloskee Bay<br>Channel Light 28                              | 25-50-42.639N<br>081-24-04.691W | FI R 4s | 0 | 5 | TR on pile. |
| 16090 | Chokoloskee Bay<br>Channel Daybeacon<br>29                       | 25-50-59.253N<br>081-23-48.041W |         | 0 |   | SG on pile. |
| 16095 | Chokoloskee Bay<br>Channel Daybeacon<br>30                       | 25-50-58.809N<br>081-23-47.303W |         |   |   | TR on pile. |
| 16100 | Chokoloskee Bay<br>Channel Daybeacon<br>32                       | 25-51-11.205N<br>081-23-34.253W |         |   |   | TR on pile. |
| 16105 | National Park Service<br>Boat Basin South<br>Channel Daybeacon 1 | 25-49-48.310N<br>081-23-31.520W |         |   |   | SG on pile. |
| 16110 | National Park Service<br>Boat Basin South<br>Channel Daybeacon 2 | 25-49-46.910N<br>081-23-29.980W |         |   |   | TR on pile. |
| 16115 | National Park Service<br>Boat Basin South<br>Channel Daybeacon 3 | 25-50-03.170N<br>081-23-26.390W |         |   |   | SG on pile. |
| 16120 | National Park Service<br>Boat Basin South<br>Channel Daybeacon 4 | 25-50-15.950N<br>081-23-20.230W |         |   |   | TR on pile. |
| 16125 | National Park Service<br>Boat Basin South<br>Channel Daybeacon 5 | 25-50-32.680N<br>081-23-16.380W |         |   |   | SG on pile. |
| 16130 | National Park Service<br>Boat Basin South<br>Channel Daybeacon 6 | 25-50-31.050N<br>081-23-14.580W |         |   |   | TR on pile. |
| 16135 | National Park Service<br>Boat Basin West<br>Channel Daybeacon 1  | 25-51-07.470N<br>081-23-37.840W |         |   |   | SG on pile. |
| 16140 | National Park Service<br>Boat Basin West<br>Channel Daybeacon 2  | 25-51-06.080N<br>081-23-38.860W |         |   |   | TR on pile. |
| 16145 | National Park Service<br>Boat Basin West<br>Channel Daybeacon 4  | 25-50-55.962N<br>081-23-31.446W |         |   |   | TR on pile. |
| 16150 | National Park Service<br>Boat Basin West<br>Channel Daybeacon 5  | 25-50-48.330N<br>081-23-25.000W |         |   |   | SG on pile. |
| 16155 | National Park Service<br>Boat Basin West<br>Channel Daybeacon 6  | 25-50-41.550N<br>081-23-22.850W |         |   |   | TR on pile. |
| 16160 | National Park Service<br>Boat Basin West<br>Channel Daybeacon 7  | 25-50-42.380N<br>081-23-21.000W |         |   |   | SG on pile. |
| 16165 | Barron River Channel<br>Light 33                                 | 25-51-14.058N<br>081-23-32.018W | FI G 4s |   | 5 | SG on pile. |
| 16170 | Barron River Channel<br>Daybeacon 34                             | 25-51-12.021N<br>081-23-27.747W |         |   |   | TR on pile. |
| 16175 | Barron River Channel<br>Daybeacon 35                             | 25-51-12.153N<br>081-23-22.307W |         |   |   | SG on pile. |
| 16180 | Barron River Channel<br>Daybeacon 37                             | 25-51-13.878N<br>081-23-19.365W |         |   |   | SG on pile. |
| 16185 | Barron River Channel                                             | 25-51-16.731N                   |         | 0 |   | SG on pile. |

|       |                                        |                                 |   |             |
|-------|----------------------------------------|---------------------------------|---|-------------|
|       | Daybeacon 39                           | 081-23-18.881W                  |   |             |
| 16190 | Barron River Channel<br>Daybeacon 41   | 25-51-26.517N<br>081-23-20.699W |   | SG on pile. |
| 16195 | Barron River Channel<br>Daybeacon 44   | 25-51-33.446N<br>081-23-14.054W | 0 | TR on pile. |
| 16200 | Barron River Channel<br>Daybeacon 46   | 25-51-46.606N<br>081-23-13.654W |   | TR on pile. |
| 16205 | Barron River Channel<br>Daybeacon 47   | 25-51-49.458N<br>081-23-19.358W |   | SG on pile. |
| 16210 | Barron River Channel<br>Daybeacon 50   | 25-51-53.027N<br>081-23-18.095W |   | TR on pile. |
| 16215 | Barron River Channel<br>Daybeacon 51   | 25-51-55.127N<br>081-23-19.517W |   | SG on pile. |
| 16220 | Barron River Channel<br>Daybeacon 52   | 25-51-55.797N<br>081-23-15.683W |   | TR on pile. |
| 16225 | Barron River Channel<br>Daybeacon 53   | 25-52-00.921N<br>081-23-08.527W |   | SG on pile. |
| 16230 | Barron River Channel<br>Daybeacon 55   | 25-52-02.301N<br>081-23-06.977W |   | SG on pile. |
| 16235 | Port of Islands Marina<br>Daybeacon 3  | 25-50-45.365N<br>081-32-55.301W |   | SG on pile. |
| 16240 | Port of Islands Marina<br>Daybeacon 4  | 25-50-42.865N<br>081-32-36.300W |   | TR on pile. |
| 16245 | Port of Islands Marina<br>Daybeacon 5  | 25-50-59.864N<br>081-32-35.800W |   | SG on pile. |
| 16250 | Port of Islands Marina<br>Daybeacon 6  | 25-51-22.363N<br>081-32-12.299W |   | TR on pile. |
| 16255 | Port of Islands Marina<br>Daybeacon 8  | 25-51-44.362N<br>081-32-14.099W |   | TR on pile. |
| 16260 | Port of Islands Marina<br>Daybeacon 10 | 25-51-56.862N<br>081-32-12.299W |   | TR on pile. |
| 16265 | Port of Islands Marina<br>Daybeacon 11 | 25-52-02.361N<br>081-32-10.299W |   | SG on pile. |
| 16270 | Port of Islands Marina<br>Daybeacon 12 | 25-52-01.361N<br>081-32-03.299W |   | TR on pile. |
| 16275 | Port of Islands Marina<br>Daybeacon 13 | 25-52-05.461N<br>081-32-01.299W |   | SG on pile. |
| 16280 | Port of Islands Marina<br>Daybeacon 15 | 25-52-18.261N<br>081-32-03.299W |   | SG on pile. |
| 16285 | Port of Islands Marina<br>Daybeacon 17 | 25-52-37.260N<br>081-31-45.298W |   | SG on pile. |
| 16290 | Port of Islands Marina<br>Daybeacon 19 | 25-53-02.859N<br>081-31-45.298W |   | SG on pile. |
| 16300 | Port of Islands Marina<br>Daybeacon 23 | 25-53-26.358N<br>081-31-31.797W |   | SG on pile. |
| 16305 | Port of Islands Marina<br>Daybeacon 24 | 25-53-29.358N<br>081-31-25.797W |   | TR on pile. |
| 16310 | Port of Islands Marina<br>Daybeacon 26 | 25-53-31.858N<br>081-31-20.297W |   | TR on pile. |
| 16315 | Port of Islands Marina<br>Daybeacon 27 | 25-53-33.858N<br>081-31-16.797W |   | SG on pile. |
| 16320 | Port of Islands Marina<br>Daybeacon 28 | 25-53-33.558N<br>081-31-13.897W |   | TR on pile. |
| 16325 | Port of Islands Marina<br>Daybeacon 29 | 25-53-36.358N<br>081-31-15.797W |   | SG on pile. |
| 16330 | Port of Islands Marina<br>Daybeacon 31 | 25-53-39.857N<br>081-31-14.397W |   | TR on pile. |
| 16335 | Port of Islands Marina<br>Daybeacon 32 | 25-53-39.257N<br>081-31-12.397W |   | TR on pile. |
| 16340 | Port of Islands Marina<br>Daybeacon 33 | 25-53-42.857N<br>081-31-12.797W |   | SG on pile. |
| 16345 | Port of Islands Marina<br>Daybeacon 34 | 25-53-41.257N<br>081-31-10.797W |   | TR on pile. |
| 16350 | Port of Islands Marina<br>Daybeacon 35 | 25-53-45.357N<br>081-31-10.297W |   | SG on pile. |
| 16355 | Port of Islands Marina<br>Daybeacon 36 | 25-53-44.857N<br>081-31-08.097W |   | TR on pile. |
| 16360 | Port of Islands Marina<br>Daybeacon 37 | 25-53-47.357N<br>081-31-08.297W |   | SG on pile. |
| 16365 | Port of Islands Marina                 | 25-53-47.357N                   |   | TR on pile. |

|       |                                        |                                 |             |
|-------|----------------------------------------|---------------------------------|-------------|
|       | Daybeacon 38                           | 081-31-06.297W                  |             |
| 16370 | Port of Islands Marina<br>Daybeacon 39 | 25-53-50.357N<br>081-31-06.297W | SG on pile. |
| 16375 | Port of Islands Marina<br>Daybeacon 41 | 25-53-53.157N<br>081-31-04.797W | SG on pile. |
| 16380 | Port of Islands Marina<br>Daybeacon 42 | 25-53-52.357N<br>081-31-02.796W | TR on pile. |
| 16385 | Port of Islands Marina<br>Daybeacon 43 | 25-53-55.257N<br>081-31-02.796W | TR on pile. |
| 16390 | Port of Islands Marina<br>Daybeacon 44 | 25-53-54.357N<br>081-31-00.396W | TR on pile. |
| 16480 | Blackwater River<br>Daybeacon 2        | 25-55-03.356N<br>081-36-45.305W | TR on pile. |
| 16485 | Blackwater River<br>Daybeacon 4        | 25-55-14.356N<br>081-36-35.305W | TR on pile. |
| 16500 | Blackwater River<br>Daybeacon 9        | 25-55-30.355N<br>081-36-37.305W | SG on pile. |
| 16505 | Blackwater River<br>Daybeacon 10       | 25-55-29.355N<br>081-36-32.305W | TR on pile. |
| 16510 | Blackwater River<br>Daybeacon 11       | 25-55-34.355N<br>081-36-25.304W | SG on pile. |
| 16515 | Blackwater River<br>Daybeacon 12       | 25-55-35.355N<br>081-36-19.304W | TR on pile. |
| 16520 | Blackwater River<br>Daybeacon 13       | 25-55-50.354N<br>081-36-01.304W | SG on pile. |
| 16525 | Blackwater River<br>Daybeacon 14       | 25-55-49.354N<br>081-35-56.303W | TR on pile. |
| 16530 | Blackwater River<br>Daybeacon 15       | 25-55-55.354N<br>081-35-50.303W | SG on pile. |
| 16535 | Blackwater River<br>Daybeacon 16       | 25-56-00.354N<br>081-35-43.303W | TR on pile. |
| 16540 | Blackwater River<br>Daybeacon 17       | 25-56-06.353N<br>081-35-40.303W | SG on pile. |
| 16555 | Blackwater River<br>Daybeacon 22       | 25-56-19.353N<br>081-35-28.303W | TR on pile. |
| 16560 | Blackwater River<br>Daybeacon 23       | 25-56-58.351N<br>081-35-15.302W | SG on pile. |
| 16565 | Blackwater River<br>Daybeacon 24       | 25-57-29.350N<br>081-35-01.301W | TR on pile. |
| 16570 | Blackwater River<br>Daybeacon 25       | 25-57-36.350N<br>081-34-59.301W | SG on pile. |
| 16580 | Blackwater River<br>Daybeacon 28       | 25-57-35.350N<br>081-35-07.301W | TR on pile. |
| 16585 | Blackwater River<br>Daybeacon 30       | 25-57-49.349N<br>081-35-11.301W | TR on pile. |
| 16590 | Blackwater River<br>Daybeacon 31       | 25-57-46.349N<br>081-35-09.301W | SG on pile. |
| 16595 | Blackwater River<br>Daybeacon 33       | 25-57-51.349N<br>081-35-18.302W | SG on pile. |
| 16600 | Blackwater River<br>Daybeacon 35       | 25-57-56.349N<br>081-35-18.302W | SG on pile. |
| 16605 | Blackwater River<br>Daybeacon 36       | 25-58-03.349N<br>081-35-20.302W | TR on pile. |
| 16610 | Blackwater River<br>Daybeacon 38       | 25-58-04.349N<br>081-35-24.302W | TR on pile. |
| 16615 | Blackwater River<br>Daybeacon 39       | 25-58-02.349N<br>081-35-27.302W | SG on pile. |
| 16620 | Blackwater River<br>Daybeacon 41       | 25-58-04.349N<br>081-35-30.302W | SG on pile. |
| 16625 | Blackwater River<br>Daybeacon 43       | 25-58-06.349N<br>081-35-31.302W | SG on pile. |
| 16630 | Blackwater River<br>Daybeacon 45       | 25-58-09.349N<br>081-35-33.302W | SG on pile. |
| 16635 | Blackwater River<br>Daybeacon 47       | 25-58-12.349N<br>081-35-31.302W | SG on pile. |
| 16640 | Blackwater River<br>Daybeacon 48       | 25-58-17.348N<br>081-35-30.302W | TR on pile. |
| 16645 | Blackwater River<br>Daybeacon 49       | 25-58-25.348N<br>081-35-35.302W | SG on pile. |
| 16660 | Blackwater River                       | 25-58-43.347N                   | TR on pile. |

|          |                                               |                                 |         |   |   |                                    |
|----------|-----------------------------------------------|---------------------------------|---------|---|---|------------------------------------|
|          | Daybeacon 54                                  | 081-35-25.301W                  |         |   |   |                                    |
| 16665    | Blackwater River<br>Daybeacon 56              | 25-58-55.347N<br>081-35-30.302W |         |   |   | TR on pile.                        |
| 16670    | Coon Key Light                                | 25-52-54.249N<br>081-37-56.024W | Fl W 4s | 0 | 6 | NR on pile.                        |
| 16672    | Coon Key Shoal<br>Daybeacon                   | 25-53-44.580N<br>081-38-26.220W |         |   |   | NW on pile worded DANGER<br>SHOAL. |
| 16675    | Caxambas Bay South<br>Approach Daybeacon<br>2 | 25-53-06.495N<br>081-38-36.275W |         |   |   | TR on pile.                        |
| 16680    | Caxambas Bay South<br>Approach Daybeacon<br>4 | 25-53-18.900N<br>081-39-16.080W |         |   |   | TR on pile.                        |
| 16685    | Caxambas Bay<br>Daybeacon 1                   | 25-54-00.003N<br>081-39-36.462W |         |   |   | SG on pile.                        |
| 16690    | Caxambas Bay<br>Daybeacon 3                   | 25-53-58.260N<br>081-40-33.561W |         |   |   | SG on pile.                        |
| 16695    | Caxambas Bay<br>Daybeacon 5                   | 25-53-58.140N<br>081-40-57.561W |         |   |   | SG on pile.                        |
| 16700    | Caxambas Bay<br>Daybeacon 6                   | 25-54-03.300N<br>081-41-18.561W |         |   |   | TR on pile.                        |
| 16705    | Caxambas Bay<br>Daybeacon 7                   | 25-53-58.630N<br>081-41-21.773W |         |   |   | SG on pile.                        |
| 16710    | Caxambas Bay<br>Daybeacon 8                   | 25-54-06.138N<br>081-41-32.423W |         |   |   | TR on pile.                        |
| 16715    | Caxambas Bay<br>Daybeacon 11                  | 25-54-08.943N<br>081-41-37.845W |         |   |   | SG on pile.                        |
| 16720    | Caxambas Bay<br>Daybeacon 13                  | 25-54-15.420N<br>081-41-38.301W |         |   |   | SG on pile.                        |
| 16725    | Caxambas Bay<br>Daybeacon 14                  | 25-54-17.820N<br>081-41-36.501W |         |   |   | TR on pile.                        |
| 16730    | Caxambas Bay<br>Daybeacon 15                  | 25-54-20.168N<br>081-41-37.565W |         |   |   | SG on pile.                        |
| 16735    | Caxambas Bay<br>Daybeacon 16                  | 25-54-22.905N<br>081-41-35.247W |         |   |   | TR on pile.                        |
| 16740    | Caxambas Bay<br>Daybeacon 17                  | 25-54-23.850N<br>081-41-37.887W |         |   |   | SG on pile.                        |
| 16745    | Caxambas Bay<br>Daybeacon 18                  | 25-54-32.730N<br>081-41-36.747W |         |   |   | TR on pile.                        |
| 16750    | Caxambas Bay<br>Daybeacon 19                  | 25-54-28.110N<br>081-41-40.347W |         |   |   | SG on pile.                        |
| 16755    | Horr's Island North<br>Channel Daybeacon 1    | 25-54-29.359N<br>081-41-33.313W |         |   |   | SG on pile.                        |
| 16760    | Horr's Island North<br>Channel Daybeacon 2    | 25-54-26.359N<br>081-41-36.313W |         |   |   | TR on pile.                        |
| 16765    | Horr's Island North<br>Channel Daybeacon 3    | 25-54-27.359N<br>081-41-29.313W |         |   |   | SG on pile.                        |
| 16770    | Horr's Island North<br>Channel Daybeacon 4    | 25-54-25.359N<br>081-41-32.313W |         |   |   | TR on pile.                        |
| 16775    | Horr's Island North<br>Channel Daybeacon 5    | 25-54-25.359N<br>081-41-25.313W |         |   |   | SG on pile.                        |
| 16780    | Horr's Island North<br>Channel Daybeacon 6    | 25-54-23.359N<br>081-41-29.313W |         |   |   | TR on pile.                        |
| 16785    | Horr's Island North<br>Channel Daybeacon 7    | 25-54-22.359N<br>081-41-22.313W |         |   |   | SG on pile.                        |
| 16790    | Horr's Island North<br>Channel Daybeacon 8    | 25-54-21.359N<br>081-41-25.313W |         |   |   | TR on pile.                        |
| 16790.07 | Snook Hole Channel<br>Daybeacon 9             | 25-53-34.283N<br>081-42-15.726W |         |   |   | SG on pile.                        |
| 16790.06 | Snook Hole Channel<br>Daybeacon 8             | 25-53-35.028N<br>081-41-58.823W |         |   |   | TR on pile.                        |
| 16790.05 | Snook Hole Channel<br>Daybeacon 5             | 25-53-37.761N<br>081-41-47.095W |         |   |   | SG on pile.                        |
| 16790.04 | Snook Hole Channel<br>Daybeacon 4             | 25-53-33.356N<br>081-41-41.375W |         |   |   | TR on pile.                        |
| 16790.03 | Snook Hole Channel<br>Daybeacon 3             | 25-53-24.990N<br>081-41-27.543W |         |   |   | SG on pile.                        |
| 16790.02 | Snook Hole Channel<br>Daybeacon 2             | 25-53-17.184N<br>081-41-08.974W |         |   |   | TR on pile.                        |
| 16790.01 | Snook Hole Channel<br>Daybeacon 1             | 25-52-55.660N<br>081-40-52.669W |         |   |   | SG on pile.                        |



|         |                                       |                                 |             |
|---------|---------------------------------------|---------------------------------|-------------|
| 16792   | Cape Romano Channel<br>Daybeacon 2    | 25-50-46.680N<br>081-40-38.280W | TR on pile. |
| 16792.1 | Cape Romano Channel<br>Daybeacon 4    | 25-50-54.240N<br>081-40-34.932W | TR on pile. |
| 16792.2 | Cape Romano Channel<br>Daybeacon 6    | 25-51-08.880N<br>081-40-24.300W | TR on pile. |
| 16792.3 | Cape Romano Channel<br>Daybeacon 8    | 25-51-21.840N<br>081-40-16.560W | TR on pile. |
| 16792.4 | Cape Romano Channel<br>Daybeacon 9    | 25-51-24.900N<br>081-40-19.440W | SG on pile. |
| 16792.5 | Cape Romano Channel<br>Daybeacon 10   | 25-51-44.280N<br>081-40-08.100W | TR on pile. |
| 16792.6 | Cape Romano Channel<br>Daybeacon 12   | 25-51-55.080N<br>081-40-04.260W | TR on pile. |
| 16792.7 | Cape Romano Channel<br>Daybeacon 13   | 25-51-56.760N<br>081-40-07.920W | SG on pile. |
| 16792.8 | Cape Romano Channel<br>Daybeacon 14   | 25-52-10.860N<br>081-40-05.940W | TR on pile. |
| 16792.9 | Cape Romano Channel<br>Daybeacon 16   | 25-52-31.560N<br>081-40-19.320W | TR on pile. |
| 16793   | Cape Romano Channel<br>Daybeacon 17   | 25-52-44.460N<br>081-40-19.140W | SG on pile. |
| 16793.1 | Cape Romano Channel<br>Daybeacon 19   | 25-52-59.160N<br>081-40-02.820W | SG on pile. |
| 16793.2 | Cape Romano Channel<br>Daybeacon 20   | 25-53-09.600N<br>081-39-42.060W | TR on pile. |
| 16793.3 | Cape Romano Channel<br>Daybeacon 21   | 25-53-20.040N<br>081-39-27.540W | SG on pile. |
| 16795   | Big Marco River<br>Daybeacon 2        | 25-54-00.855N<br>081-38-15.455W | TR on pile. |
| 16800   | Big Marco River<br>Daybeacon 3        | 25-54-37.755N<br>081-38-17.135W | SG on pile. |
| 16805   | Big Marco River<br>Daybeacon 4        | 25-54-54.180N<br>081-38-20.518W | TR on pile. |
| 16810   | Big Marco River<br>Daybeacon 6        | 25-55-13.944N<br>081-38-28.886W | TR on pile. |
| 16815   | Big Marco River<br>Daybeacon 7        | 25-55-34.289N<br>081-38-35.280W | SG on pile. |
| 16820   | Big Marco River<br>Daybeacon 8        | 25-55-40.586N<br>081-38-44.198W | TR on pile. |
| 16825   | Big Marco River<br>Daybeacon 10       | 25-55-36.677N<br>081-39-01.691W | TR on pile. |
| 16830   | Big Marco River<br>Daybeacon 12       | 25-55-49.289N<br>081-39-12.240W | TR on pile. |
| 16835   | Moran's Marina<br>Channel Daybeacon 1 | 25-56-01.200N<br>081-39-16.000W | SG on pile. |
| 16840   | Moran's Marina<br>Channel Daybeacon 2 | 25-56-02.500N<br>081-39-16.800W | TR on pile. |
| 16845   | Moran's Marina<br>Channel Daybeacon 3 | 25-56-00.900N<br>081-39-18.100W | SG on pile. |
| 16850   | Moran's Marina<br>Channel Daybeacon 4 | 25-56-02.100N<br>081-39-18.000W | TR on pile. |
| 16855   | Big Marco River<br>Daybeacon 15       | 25-56-04.421N<br>081-39-14.054W | SG on pile. |
| 16860   | Big Marco River<br>Daybeacon 16       | 25-56-36.435N<br>081-39-16.945W | TR on pile. |
| 16865   | Big Marco River<br>Daybeacon 17       | 25-56-41.385N<br>081-39-45.995W | SG on pile. |
| 16870   | Big Marco River<br>Daybeacon 18       | 25-57-05.746N<br>081-40-04.458W | TR on pile. |
| 16875   | Big Marco River<br>Daybeacon 20       | 25-57-11.343N<br>081-40-28.697W | TR on pile. |
| 16880   | Big Marco River<br>Daybeacon 21       | 25-57-04.449N<br>081-40-42.993W | SG on pile. |
| 16885   | Big Marco River<br>Daybeacon 22       | 25-57-05.945N<br>081-40-54.125W | TR on pile. |
| 16890   | Big Marco River<br>Daybeacon 24       | 25-57-09.785N<br>081-41-13.085W | TR on pile. |
| 16895   | Big Marco River<br>Daybeacon 25       | 25-57-19.650N<br>081-41-30.903W | SG on pile. |

|         |                                                       |                                 |           |    |   |                                                |
|---------|-------------------------------------------------------|---------------------------------|-----------|----|---|------------------------------------------------|
| 16900   | Big Marco River<br>Daybeacon 26                       | 25-57-41.219N<br>081-42-32.046W |           | 0  |   | TR on pile.                                    |
| 16901.8 | Addison Bay<br>Daybeacon 8                            | 25-57-53.340N<br>081-42-17.190W |           |    |   | TR on pile.                                    |
| 16901.7 | Addison Bay<br>Daybeacon 7                            | 25-57-52.250N<br>081-42-17.240W |           |    |   | SG on pile.                                    |
| 16901.6 | Addison Bay<br>Daybeacon 6                            | 25-57-58.010N<br>081-41-50.750W |           |    |   | TR on pile.                                    |
| 16901.5 | Addison Bay<br>Daybeacon 5                            | 25-57-57.380N<br>081-41-50.280W |           |    |   | SG on pile.                                    |
| 16901.4 | Addison Bay<br>Daybeacon 4                            | 25-58-00.010N<br>081-41-10.640W |           |    |   | TR on pile.                                    |
| 16901.3 | Addison Bay<br>Daybeacon 3                            | 25-57-59.120N<br>081-41-10.760W |           |    |   | SG on pile.                                    |
| 16901.2 | Addison Bay<br>Daybeacon 2                            | 25-58-03.870N<br>081-40-32.610W |           |    |   | TR on pile.                                    |
| 16901.1 | Addison Bay<br>Daybeacon 1                            | 25-58-03.030N<br>081-40-32.950W |           |    |   | SG on pile.                                    |
| 16910   | Caxambas Pass<br>Daybeacon 1                          | 25-54-14.000N<br>081-44-05.000W |           |    |   | SG on pile.                                    |
| 16915   | Caxambas Pass<br>Daybeacon 2                          | 25-54-15.000N<br>081-44-07.000W |           |    |   | TR on pile.                                    |
| 16917   | Caxambas Breakwater<br>North Obstruction<br>Daybeacon | 25-54-35.555N<br>081-43-52.318W |           |    |   | NW on pile worded DANGER<br>BREAKWATER.        |
| 16917.5 | Caxambas Breakwater<br>North Obstruction<br>Light     | 25-54-34.712N<br>081-43-52.762W | FI W 4s   |    |   | NW on pile worded DANGER<br>BREAKWATER.        |
| 16917.7 | Caxambas Breakwater<br>C Obstruction<br>Daybeacon     | 25-54-33.712N<br>081-43-52.581W |           |    |   | NW on pile worded DANGER<br>BREAKWATER.        |
| 16917.8 | Caxambas Breakwater<br>C Obstruction Light            | 25-54-32.708N<br>081-43-52.298W | FI W 4s   |    |   | NW on pile worded DANGER<br>BREAKWATER.        |
| 16917.9 | Caxambas Breakwater<br>Obstruction<br>Daybeacon       | 25-54-31.708N<br>081-43-52.116W |           |    |   | NW on pile worded DANGER<br>BREAKWATER.        |
| 16918   | Caxambas Breakwater<br>South Obstruction<br>Light     | 25-54-30.704N<br>081-43-52.833W | FI W 4s   |    |   | NW on pile worded DANGER<br>BREAKWATER.        |
| 16918.5 | Caxambas Breakwater<br>South Obstruction<br>Daybeacon | 25-54-29.875N<br>081-43-52.379W |           |    |   | NW on pile worded DANGER<br>BREAKWATER.        |
| 16920   | Caxambas Pass<br>Daybeacon 3                          | 25-54-23.000N<br>081-43-52.000W |           |    |   | SG on pile.                                    |
| 16925   | Caxambas Pass<br>Daybeacon 4                          | 25-54-20.000N<br>081-43-50.000W |           |    |   | TR on pile.                                    |
| 16930   | Caxambas Pass<br>Daybeacon 6                          | 25-54-29.000N<br>081-43-31.000W |           |    |   | TR on pile.                                    |
| 16935   | Caxambas Pass<br>Daybeacon 8                          | 25-54-29.259N<br>081-42-56.905W |           |    |   | TR on pile.                                    |
| 16940   | Caxambas Pass<br>Daybeacon 10                         | 25-54-28.979N<br>081-42-39.055W |           |    |   | TR on pile.                                    |
| 16945   | Capri Pass Light 1                                    | 25-58-15.212N<br>081-46-16.643W | FI G 2.5s | 16 | 5 | SG on pile.                                    |
| 16955   | Capri Pass Light 3                                    | 25-58-24.333N<br>081-45-21.940W | FI G 4s   | 0  | 5 | SG on pile.                                    |
| 16960   | Capri Pass Light 4                                    | 25-58-16.203N<br>081-45-22.672W | FI R 4s   | 0  | 5 | TR on pile.                                    |
| 16961   | South Point North<br>Obstruction<br>Daybeacon         | 25-57-40.000N<br>081-44-54.000W |           |    |   | NW on pile worded DANGER<br>SUBMERGED T-GROIN. |
| 16962   | South Point S.<br>Obstruction<br>Daybeacon            | 25-57-34.000N<br>081-45-01.000W |           |    |   | NW on pile worded DANGER<br>SUBMERGED T-GROIN. |
| 16965   | Capri Pass Daybeacon<br>5                             | 25-58-24.834N<br>081-45-03.216W |           | 0  |   | SG on pile.                                    |
| 16970   | Capri Pass Light 6                                    | 25-58-17.042N<br>081-44-52.195W | FI R 2.5s | 0  | 5 | TR on pile.                                    |
| 16975   | Capri Pass Daybeacon<br>7                             | 25-58-26.493N<br>081-44-42.054W |           |    |   | SG on pile.                                    |
| 16980   | Capri Pass Daybeacon<br>C                             | 25-58-23.223N<br>081-44-38.814W |           | 0  |   | JG on pile.                                    |

|         |                                               |                                 |           |   |   |                                             |
|---------|-----------------------------------------------|---------------------------------|-----------|---|---|---------------------------------------------|
| 16983   | Capri Pass Daybeacon 8                        | 25-58-16.195N<br>081-44-36.010W |           | 0 |   | TR on pile.                                 |
| 16985   | Capri Pass Light 9                            | 25-58-19.272N<br>081-44-36.090W | Q G       | 0 | 5 | SG on pile.                                 |
| 16986   | Royal Marco Point North Obstruction Daybeacon | 25-58-12.000N<br>081-44-25.000W |           |   |   | NW on pile worded DANGER SUBMERGED T-GROIN. |
| 16987   | Royal Marco Point S. Obst. Daybeacon          | 25-58-06.000N<br>081-44-30.000W |           |   |   | NW on pile worded DANGER SUBMERGED T-GROIN. |
| 16990   | Capri Pass Daybeacon 11                       | 25-58-25.470N<br>081-44-23.599W |           | 0 |   | SG on pile.                                 |
| 16995   | Capri Pass Light 12                           | 25-58-28.348N<br>081-44-05.297W | FI R 4s   | 0 | 5 | TR on pile.                                 |
| 17000   | Capri Pass Light 14                           | 25-58-28.737N<br>081-43-48.578W | FI R 2.5s |   | 5 | TR on pile.                                 |
| 17005   | Capri Pass Daybeacon 15                       | 25-58-17.744N<br>081-43-26.143W |           | 0 |   | SG on pile.                                 |
| 17010   | Collier Bay Daybeacon 2                       | 25-58-08.940N<br>081-43-54.060W |           |   |   | TR on pile.                                 |
| 17012   | Collier Bay Daybeacon 4                       | 25-58-00.120N<br>081-43-52.860W |           |   |   | TR on pile.                                 |
| 17014   | Collier Bay Daybeacon 6                       | 25-57-56.100N<br>081-43-56.280W |           |   |   | TR on pile.                                 |
| 17014.5 | Collier Bay Daybeacon 6A                      | 25-57-52.140N<br>081-44-02.940W |           |   |   | TR on pile.                                 |
| 17015   | Collier Bay Daybeacon 7                       | 25-57-48.360N<br>081-44-07.920W |           |   |   | SG on pile.                                 |
| 17016   | Collier Bay Daybeacon 8                       | 25-57-49.500N<br>081-44-08.520W |           |   |   | TR on pile.                                 |
| 17017   | Collier Bay Daybeacon 9                       | 25-57-43.440N<br>081-44-13.740W |           |   |   | SG on pile.                                 |
| 17018   | Collier Bay Daybeacon 10                      | 25-57-42.060N<br>081-44-16.080W |           |   |   | TR on pile.                                 |
| 17019   | Collier Bay Daybeacon 11                      | 25-57-40.620N<br>081-44-14.760W |           |   |   | SG on pile.                                 |
| 17019.5 | Collier Bay Daybeacon 11A                     | 25-57-37.800N<br>081-44-12.180W |           |   |   | SG on pile.                                 |
| 17020   | Collier Bay Daybeacon 12                      | 25-57-36.420N<br>081-44-12.900W |           |   |   | TR on pile.                                 |
| 17021   | Collier Bay Daybeacon 13                      | 25-57-25.080N<br>081-43-53.820W |           |   |   | SG on pile.                                 |
| 17023   | Collier Bay Daybeacon 15                      | 25-57-19.260N<br>081-43-49.800W |           |   |   | SG on pile.                                 |
| 17024   | Collier Bay Daybeacon 16                      | 25-57-18.480N<br>081-43-52.140W |           |   |   | TR on pile.                                 |
| 17030   | Collier Bay West Channel Daybeacon 1          | 25-57-42.780N<br>081-44-16.620W |           |   |   | SG on pile.                                 |
| 17033   | Collier Bay West Channel Daybeacon 2          | 25-57-44.400N<br>081-44-19.080W |           |   |   | TR on pile.                                 |
| 17035   | Collier Bay West Channel Daybeacon 3          | 25-57-42.480N<br>081-44-19.920W |           |   |   | SG on pile.                                 |
| 17037   | Collier Bay West Channel Daybeacon 5          | 25-57-35.040N<br>081-44-21.960W |           |   |   | SG on pile.                                 |
| 17040   | Collier Bay West Channel Daybeacon 7          | 25-57-28.740N<br>081-44-21.960W |           |   |   | SG on pile.                                 |
| 17045   | Capri Pass Shoal Daybeacon A                  | 25-58-10.126N<br>081-43-29.940W |           |   |   | NW on pile worded DANGER SHOAL.             |
| 17050   | Capri Pass Shoal Daybeacon B                  | 25-58-09.284N<br>081-43-26.683W |           |   |   | NW on pile worded DANGER SHOAL.             |
| 17055   | Factory Bay West Channel Daybeacon 1          | 25-58-15.000N<br>081-43-33.000W |           |   |   | SG on pile.                                 |
| 17060   | Factory Bay West Channel Daybeacon 3          | 25-58-06.000N<br>081-43-33.000W |           |   |   | SG on pile.                                 |
| 17065   | Factory Bay West Channel Daybeacon 5          | 25-57-58.000N<br>081-43-32.000W |           |   |   | SG on pile.                                 |
| 17070   | Factory Bay E Channel Daybeacon 2             | 25-58-05.000N<br>081-43-20.000W |           |   |   | TR on pile.                                 |
| 17075   | Factory Bay E Channel Daybeacon 4             | 25-57-55.000N<br>081-43-26.000W |           |   |   | TR on pile.                                 |
| 17080   | Factory Bay E Channel Daybeacon 6             | 25-57-53.000N<br>081-43-30.000W |           |   |   | TR on pile.                                 |

|         |                                           |                                 |         |                                             |
|---------|-------------------------------------------|---------------------------------|---------|---------------------------------------------|
| 17085   | Marco Island Yacht Club Obstruction Light | 25-57-43.200N<br>081-42-44.500W | Fl W 2s | On pier.                                    |
| 17087   | Big Marco Pass Obstruction Daybeacon A    | 25-57-34.860N<br>081-45-01.620W |         | NW on pile worded DANGER SUBMERGED T-GROIN. |
| 17087.1 | Big Marco Pass Obstruction Daybeacon B    | 25-57-47.437N<br>081-44-47.491W |         | NW on pile worded DANGER SUBMERGED T-GROIN. |
| 17087.2 | Big Marco Pass Obstruction Daybeacon C    | 25-58-06.540N<br>081-44-31.560W |         | NW on pile worded DANGER SUBMERGED T-GROIN. |
| 17087.3 | Big Marco Pass Obstruction Daybeacon D    | 25-58-19.260N<br>081-44-17.880W |         | NW on pile worded DANGER SUBMERGED T-GROIN. |
| 17087.4 | Big Marco Pass Obstruction Light E        | 25-58-27.120N<br>081-43-59.946W | Fl W 4s | NW on pile worded DANGER SUBMERGED JETTY.   |
| 17090   | Big Marco Pass-Gordon Pass Daybeacon 1    | 25-58-27.752N<br>081-44-36.676W |         | SG on pile.                                 |
| 17095   | Big Marco Pass-Gordon Pass Daybeacon 2    | 25-58-35.629N<br>081-44-27.977W |         | TR on pile.                                 |
| 17100   | Big Marco Pass-Gordon Pass Daybeacon 1A   | 25-58-36.546N<br>081-44-28.924W |         | SG on pile.                                 |
| 17105   | Isles Of Capri Daybeacon 2                | 25-58-45.500N<br>081-44-14.500W |         | TR on pile.                                 |
| 17110   | Isles Of Capri Daybeacon 3                | 25-58-49.400N<br>081-44-13.300W |         | SG on pile.                                 |
| 17115   | Isles Of Capri Daybeacon 4                | 25-58-58.000N<br>081-44-05.300W |         | TR on pile.                                 |
| 17120   | Isles Of Capri Daybeacon 5                | 25-59-01.800N<br>081-44-04.200W |         | SG on pile.                                 |
| 17125   | Isles Of Capri Daybeacon 6                | 25-59-05.600N<br>081-43-56.600W |         | TR on pile.                                 |
| 17135   | Isles Of Capri Daybeacon 8                | 25-59-06.400N<br>081-43-48.000W |         | TR on pile.                                 |
| 17140   | Isles Of Capri Daybeacon 9                | 25-59-08.500N<br>081-43-48.000W |         | SG on pile.                                 |
| 17145   | Isles Of Capri Daybeacon 10               | 25-59-07.800N<br>081-43-41.300W |         | TR on pile.                                 |
| 17150   | Isles Of Capri Daybeacon 11               | 25-59-09.000N<br>081-43-41.400W |         | SG on pile.                                 |
| 17160   | Big Marco Pass-Gordon Pass Daybeacon 2A   | 25-58-47.689N<br>081-44-17.597W | 0       | TR on pile.                                 |
| 17165   | Big Marco Pass-Gordon Pass Daybeacon 3    | 25-58-44.270N<br>081-44-20.963W |         | SG on pile.                                 |
| 17167   | Big Marco Pass-Gordon Pass Buoy 3A        | 25-58-47.840N<br>081-44-18.616W |         | Green can.                                  |
| 17170   | Big Marco Pass-Gordon Pass Daybeacon 5    | 25-59-05.359N<br>081-44-24.808W | 0       | SG on pile.                                 |
| 17175   | Big Marco Pass-Gordon Pass Daybeacon 6    | 25-59-19.641N<br>081-44-28.621W |         | TR on pile.                                 |
| 17180   | Big Marco Pass-Gordon Pass Daybeacon 7    | 25-59-27.884N<br>081-44-32.252W | 0       | SG on pile.                                 |
| 17185   | Big Marco Pass-Gordon Pass Daybeacon 12   | 25-59-48.278N<br>081-44-36.144W |         | TR on pile.                                 |
| 17190   | Big Marco Pass-Gordon Pass Daybeacon 13   | 25-59-51.485N<br>081-44-38.626W | 0       | SG on pile.                                 |
| 17195   | Big Marco Pass-Gordon Pass Daybeacon 14   | 25-59-53.238N<br>081-44-30.878W |         | TR on pile.                                 |
| 17200   | Big Marco Pass-Gordon Pass Daybeacon 15   | 26-00-00.607N<br>081-44-19.978W | 40      | SG on pile.                                 |
| 17205   | Big Marco Pass-                           | 26-00-11.421N                   |         | TR on pile.                                 |

|          |                                                 |                                 |   |             |
|----------|-------------------------------------------------|---------------------------------|---|-------------|
|          | Gordon Pass<br>Daybeacon 16                     | 081-44-13.321W                  |   |             |
| 17210    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 17  | 26-00-24.799N<br>081-44-20.166W |   | SG on pile. |
| 17215    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 18  | 26-00-25.713N<br>081-44-19.072W |   | TR on pile. |
| 17220    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 18A | 26-00-38.841N<br>081-44-30.841W | 0 | TR on pile. |
| 17225    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 19  | 26-00-38.860N<br>081-44-32.427W |   | SG on pile. |
| 17230    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 20  | 26-00-46.641N<br>081-44-36.901W |   | TR on pile. |
| 17235    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 21  | 26-00-47.187N<br>081-44-39.590W | 0 | SG on pile. |
| 17235.5  | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 22  | 26-00-49.130N<br>081-44-40.200W |   | TR on pile. |
| 17235.08 | Hall Bay Channel<br>Daybeacon 8                 | 26-01-59.925N<br>081-43-19.275W |   | TR on pile. |
| 17235.07 | Hall Bay Channel<br>Daybeacon 7                 | 26-02-00.537N<br>081-43-20.029W |   | SG on pile. |
| 17235.06 | Hall Bay Channel<br>Daybeacon 6                 | 26-01-45.172N<br>081-43-48.534W |   | TR on pile. |
| 17235.05 | Hall Bay Channel<br>Daybeacon 5                 | 26-01-46.489N<br>081-43-48.371W |   | SG on pile. |
| 17235.04 | Hall Bay Channel<br>Daybeacon 4                 | 26-01-30.979N<br>081-44-11.950W |   | TR on pile. |
| 17235.03 | Hall Bay Channel<br>Daybeacon 3                 | 26-01-31.704N<br>081-44-12.737W |   | SG on pile. |
| 17235.02 | Hall Bay Channel<br>Daybeacon 2                 | 26-01-13.823N<br>081-44-22.370W |   | TR on pile. |
| 17235.01 | Hall Bay Channel<br>Daybeacon 1                 | 26-01-14.666N<br>081-44-23.346W |   | SG on pile. |
| 17240    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 23  | 26-00-47.041N<br>081-44-43.566W | 0 | SG on pile. |
| 17250    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 25  | 26-00-46.801N<br>081-44-53.248W |   | SG on pile. |
| 17255    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 26  | 26-00-48.436N<br>081-44-56.993W |   | TR on pile. |
| 17260    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 27  | 26-00-49.039N<br>081-45-01.979W | 0 | SG on pile. |
| 17265    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 27A | 26-00-53.110N<br>081-45-13.814W |   | SG on pile. |
| 17270    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 28  | 26-00-54.558N<br>081-45-12.938W |   | TR on pile. |
| 17275    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 28A | 26-00-53.457N<br>081-45-28.824W | 0 | TR on pile. |
| 17280    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 29  | 26-00-53.484N<br>081-45-31.210W |   | SG on pile. |
| 17285    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 30  | 26-00-59.568N<br>081-45-35.504W | 0 | TR on pile. |
| 17290    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 30A | 26-01-05.705N<br>081-45-42.440W |   | TR on pile. |
| 17295    | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 31  | 26-01-05.868N<br>081-45-43.964W | 0 | SG on pile. |

|       |                                                |                                 |   |             |
|-------|------------------------------------------------|---------------------------------|---|-------------|
| 17300 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 33 | 26-01-08.808N<br>081-45-47.624W | 0 | SG on pile. |
| 17305 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 34 | 26-01-11.538N<br>081-45-48.321W |   | TR on pile. |
| 17310 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 36 | 26-01-25.381N<br>081-45-55.146W | 0 | TR on pile. |
| 17315 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 38 | 26-01-36.896N<br>081-45-57.806W |   | TR on pile. |
| 17320 | Big Marco Pass-<br>Gordan Pass<br>Daybeacon 40 | 26-01-58.067N<br>081-46-08.648W |   | TR on pile. |
| 17325 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 42 | 26-02-11.147N<br>081-46-13.646W |   | TR on pile. |
| 17330 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 44 | 26-02-20.149N<br>081-46-27.317W | 0 | TR on pile. |
| 17335 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 46 | 26-02-29.202N<br>081-46-29.082W |   | TR on pile. |
| 17340 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 47 | 26-02-33.726N<br>081-46-30.361W |   | SG on pile. |
| 17345 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 48 | 26-02-37.295N<br>081-46-30.568W |   | TR on pile. |
| 17350 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 49 | 26-02-50.886N<br>081-46-39.001W |   | SG on pile. |
| 17355 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 50 | 26-03-06.963N<br>081-46-45.788W |   | TR on pile. |
| 17360 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 51 | 26-03-07.548N<br>081-46-47.472W | 0 | SG on pile. |
| 17365 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 52 | 26-03-23.281N<br>081-46-43.528W |   | TR on pile. |
| 17370 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 53 | 26-03-36.368N<br>081-46-42.249W | 0 | SG on pile. |
| 17375 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 54 | 26-03-41.998N<br>081-46-40.363W | 0 | TR on pile. |
| 17380 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 55 | 26-03-48.379N<br>081-46-40.211W | 0 | SG on pile. |
| 17385 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 56 | 26-03-48.350N<br>081-46-39.000W | 0 | TR on pile. |
| 17390 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 57 | 26-04-00.561N<br>081-46-42.347W | 0 | SG on pile. |
| 17395 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 58 | 26-04-01.002N<br>081-46-41.143W | 0 | TR on pile. |
| 17400 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 60 | 26-04-14.581N<br>081-46-49.048W | 0 | TR on pile. |
| 17405 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 62 | 26-04-31.007N<br>081-46-58.457W | 0 | TR on pile. |
| 17410 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 64 | 26-04-42.107N<br>081-47-04.997W |   | TR on pile. |
| 17415 | Big Marco Pass-<br>Gordon Pass<br>Daybeacon 65 | 26-04-41.821N<br>081-47-06.088W | 0 | SG on pile. |
| 17420 | Big Marco Pass-<br>Gordon Pass                 | 26-05-02.627N<br>081-47-08.837W |   | TR on pile. |

|          |                                                 |                                 |         |   |   |                                                                     |
|----------|-------------------------------------------------|---------------------------------|---------|---|---|---------------------------------------------------------------------|
|          | Daybeacon 66                                    |                                 |         |   |   |                                                                     |
| 17420.5  | Big Marco Pass-Gordon Pass Daybeacon 67         | 26-05-02.364N<br>081-47-10.086W |         |   |   | SG on pile.                                                         |
| 17425    | Big Marco Pass-Gordon Pass Daybeacon 68         | 26-05-21.155N<br>081-47-11.488W |         |   |   | TR on pile.                                                         |
| 17430    | Big Marco Pass-Gordon Pass Daybeacon 69         | 26-05-21.678N<br>081-47-13.072W |         | 0 |   | SG on pile.                                                         |
| 17435    | Big Marco Pass-Gordon Pass Daybeacon 71         | 26-05-40.286N<br>081-47-12.742W |         | 0 |   | SG on pile.                                                         |
| 17440    | Big Marco Pass-Gordon Pass Daybeacon 73         | 26-05-58.969N<br>081-47-12.609W |         | 0 |   | SG on pile.                                                         |
| 17445    | Big Marco Pass-Gordon Pass Junction Daybeacon G | 26-06-03.901N<br>081-47-13.086W |         | 0 |   | JR on pile.                                                         |
| 17453    | Gordon Pass Channel Buoy 1                      | 26-05-30.068N<br>081-48-26.552W |         |   |   | Green can.                                                          |
| 17455    | Gordon Pass Channel Lighted Buoy 2              | 26-05-27.193N<br>081-48-27.139W | FI R 4s |   | 5 | Red.                                                                |
| 17460    | Gordon Pass Channel Light 3                     | 26-05-31.823N<br>081-48-17.687W | Q G     | 0 | 4 | SG on pile.                                                         |
| 17465    | Gordon Pass Channel Light 4                     | 26-05-29.722N<br>081-48-16.520W | Q R     | 0 | 4 | TR on pile.                                                         |
| 17470    | Gordon Pass Channel Daybeacon 5                 | 26-05-34.687N<br>081-47-58.907W |         |   |   | SG on pile.                                                         |
| 17480.02 | Gordon Pass South Obstruction Buoy              | 26-05-40.620N<br>081-48-08.900W |         |   |   | White can with open orange diamond worded DANGER SUBMERGED T-GROIN. |
| 17480.03 | Keewaydin Island Danger Day Beacon A            | 26-05-18.990N<br>081-48-03.610W |         |   |   | NW on pile worded DANGER SUBMERGED ROCK.                            |
| 17480.04 | Keewaydin Island Danger Day Beacon B            | 26-05-12.980N<br>081-48-00.880W |         |   |   | NW on pile worded DANGER SUBMERGED ROCK.                            |
| 17480.05 | Keewaydin Island Danger Day Beacon C            | 26-05-19.040N<br>081-48-02.430W |         |   |   | NW on pile worded DANGER SUBMERGED ROCK.                            |
| 17480.06 | Keewaydin Island Danger Day Beacon D            | 26-05-14.310N<br>081-47-59.210W |         |   |   | NW on pile worded DANGER SUBMERGED ROCK.                            |
| 17485    | Gordon Pass Channel Daybeacon 7                 | 26-05-35.336N<br>081-47-57.260W |         | 0 |   | SG on pile.                                                         |
| 17490    | Gordon Pass Channel Light 6                     | 26-05-33.808N<br>081-47-55.004W | FI R 4s |   | 5 | TR on pile.                                                         |
| 17500    | Gordon Pass Channel Daybeacon 8                 | 26-05-44.207N<br>081-47-52.577W |         |   |   | TR on pile.                                                         |
| 17505    | Gordon Pass Channel Light 9                     | 26-05-48.215N<br>081-47-54.321W | FI G 4s |   | 5 | SG on pile.                                                         |
| 17510    | Gordon Pass Channel Daybeacon 10                | 26-05-48.189N<br>081-47-50.529W |         | 0 |   | TR on pile.                                                         |
| 17515    | Gordon Pass Channel Daybeacon 12                | 26-05-50.607N<br>081-47-43.180W |         | 0 |   | TR on pile.                                                         |
| 17520    | Gordon Pass Channel Light 13                    | 26-05-53.674N<br>081-47-44.672W | FI G 4s |   | 5 | SG on pile.                                                         |
| 17525    | Gordon Pass Channel Light 16                    | 26-05-53.523N<br>081-47-30.102W | FI R 4s | 0 | 5 | TR on pile.                                                         |
| 17530    | Gordon Pass Channel Daybeacon 18                | 26-05-59.853N<br>081-47-18.822W |         | 0 |   | TR on pile.                                                         |
| 17535    | Naples Bay Channel Daybeacon 19                 | 26-06-05.853N<br>081-47-15.402W |         | 0 |   | SG on pile.                                                         |
| 17540    | Naples Bay Channel Light 20                     | 26-06-05.313N<br>081-47-11.502W | FI R 4s | 0 | 5 | TR on pile.                                                         |
| 17545    | Naples Bay Channel Daybeacon 21                 | 26-06-08.731N<br>081-47-13.320W |         | 0 |   | SG on pile.                                                         |
| 17550    | Naples Bay Channel Daybeacon 22                 | 26-06-24.767N<br>081-47-11.597W |         | 0 |   | TR on pile.                                                         |
| 17555    | Windstar Channel Daybeacon 2                    | 26-06-17.333N<br>081-47-10.317W |         |   |   | TR on pile.                                                         |
| 17560    | Windstar Channel Shoal Daybeacon                | 26-06-19.333N<br>081-47-10.317W |         |   |   | NW on pile worded DANGER SHOAL.                                     |
| 17565    | Naples Bay Channel                              | 26-06-42.827N                   |         | 0 |   | SG on pile.                                                         |

|         |                                                  |                                 |           |   |   |                                            |
|---------|--------------------------------------------------|---------------------------------|-----------|---|---|--------------------------------------------|
|         | Daybeacon 23                                     | 081-47-13.799W                  |           |   |   |                                            |
| 17570   | Naples Bay Channel<br>Light 24                   | 26-06-46.012N<br>081-47-11.339W | FI R 4s   | 0 | 5 | TR on pile.                                |
| 17575   | Royal Harbor<br>Daybeacon 1                      | 26-06-51.600N<br>081-47-11.100W |           |   |   | SG on pile.                                |
| 17580   | Royal Harbor<br>Daybeacon 2                      | 26-06-51.300N<br>081-47-10.500W |           |   |   | TR on pile.                                |
| 17585   | Royal Harbor<br>Daybeacon 3                      | 26-06-54.200N<br>081-47-09.800W |           |   |   | SG on pile.                                |
| 17590   | Royal Harbor<br>Daybeacon 4                      | 26-06-53.900N<br>081-47-09.100W |           |   |   | TR on pile.                                |
| 17595   | Naples Bay Channel<br>Daybeacon 25               | 26-06-46.947N<br>081-47-14.104W |           | 0 |   | SG on pile.                                |
| 17600   | Naples Bay Channel<br>Daybeacon 26               | 26-06-57.206N<br>081-47-19.181W |           | 0 |   | TR on pile.                                |
| 17605   | Naples Bay Channel<br>Light 27                   | 26-06-59.241N<br>081-47-21.867W | FI G 4s   | 0 | 5 | SG on pile.                                |
| 17610   | Naples Bay Channel<br>Light 28                   | 26-07-16.173N<br>081-47-25.731W | FI R 4s   |   | 5 | TR on pile.                                |
| 17615   | Naples Bay Channel<br>Daybeacon 29               | 26-07-24.646N<br>081-47-27.300W |           | 0 |   | SG on pile.                                |
| 17620   | Naples Bay Channel<br>Daybeacon 30               | 26-07-36.478N<br>081-47-25.688W |           | 0 |   | TR on pile.                                |
| 17625   | Naples Bay Channel<br>Daybeacon 31               | 26-07-42.610N<br>081-47-27.434W |           |   |   | SG on pile.                                |
| 17630   | Naples Bay Channel<br>Light 32                   | 26-07-45.114N<br>081-47-25.611W | FI R 4s   | 0 | 5 | TR on pile.                                |
| 17635   | Naples Bay Channel<br>Light 34                   | 26-07-51.703N<br>081-47-29.489W | FI R 2.5s | 0 | 5 | TR on pile.                                |
| 17640   | Naples Bay Channel<br>Daybeacon 33               | 26-07-45.877N<br>081-47-28.109W |           | 0 |   | SG on pile.                                |
| 17645   | Naples Bay Channel<br>Daybeacon 35               | 26-07-50.951N<br>081-47-31.321W |           | 0 |   | SG on pile.                                |
| 17650   | Naples Yacht Club<br>Daybeacon 1                 | 26-07-49.800N<br>081-47-32.640W |           |   |   | SG on pile.                                |
| 17655   | Naples Yacht Club<br>Daybeacon 2                 | 26-07-51.790N<br>081-47-33.467W |           |   |   | TR on pile.                                |
| 17660   | Naples Yacht Club<br>Daybeacon 3                 | 26-07-47.500N<br>081-47-36.360W |           |   |   | SG on pile.                                |
| 17665   | Naples Yacht Club<br>Daybeacon 4                 | 26-07-51.790N<br>081-47-38.067W |           |   |   | TR on pile.                                |
| 17667   | Naples Yacht Club<br>Daybeacon 5                 | 26-07-48.960N<br>081-47-37.260W |           |   |   | SG on pile.                                |
| 17667.1 | Naples Yacht Club<br>Daybeacon 7                 | 26-07-48.180N<br>081-47-38.820W |           |   |   | SG on pile.                                |
| 17670   | Naples Bay Channel<br>Daybeacon 36               | 26-07-57.827N<br>081-47-26.897W |           |   |   | TR on pile.                                |
| 17675   | Naples Bay Channel<br>Daybeacon 38               | 26-08-02.804N<br>081-47-25.441W |           |   |   | TR on pile.                                |
| 17680   | Naples Bay Channel<br>Daybeacon 39               | 26-08-09.288N<br>081-47-24.234W |           | 0 |   | SG on pile.                                |
| 17685   | Naples Bay Channel<br>Light 40                   | 26-08-12.501N<br>081-47-21.745W | FI R 4s   | 0 | 5 | TR on pile.                                |
| 17687   | Old Naples Bay<br>Daybeacon 1                    | 26-08-07.200N<br>081-47-28.000W |           |   |   | SG on pile.                                |
| 17687.1 | Old Naples Bay<br>Daybeacon 2                    | 26-08-07.200N<br>081-47-27.200W |           |   |   | TR on pile.                                |
| 17687.2 | Old Naples Bay<br>Daybeacon 3                    | 26-08-09.000N<br>081-47-28.000W |           |   |   | SG on pile.                                |
| 17687.3 | Old Naples Bay<br>Daybeacon 4                    | 26-08-09.000N<br>081-47-27.200W |           |   |   | TR on pile.                                |
| 17687.4 | Old Naples Bay<br>Daybeacon 5                    | 26-08-10.500N<br>081-47-28.900W |           |   |   | SG on pile.                                |
| 17687.5 | Old Naples Bay<br>Daybeacon 6                    | 26-08-10.600N<br>081-47-28.000W |           |   |   | TR on pile.                                |
| 17690   | Naples Sailing Club<br>West Obstruction<br>Light | 26-08-15.500N<br>081-47-22.200W | FI W 6s   |   |   | NW on pile worded CAUTION<br>MOORING AREA. |
| 17695   | Naples Sailing Club<br>East Obstruction Light    | 26-08-15.500N<br>081-47-19.000W | FI W 6s   |   |   | NW on pile worded CAUTION<br>MOORING AREA. |



|         |                                             |                                 |          |                                       |
|---------|---------------------------------------------|---------------------------------|----------|---------------------------------------|
| 17696   | Naples Harbour Yacht Club Buoy 1            | 26-08-46.260N<br>081-47-10.140W |          | Green can.                            |
| 17696.1 | Naples Harbour Yacht Club Buoy 2            | 26-08-46.740N<br>081-47-10.800W |          | Red nun.                              |
| 17696.2 | Naples Harbour Yacht Club Buoy 3            | 26-08-52.560N<br>081-47-08.700W |          | Green can.                            |
| 17696.3 | Naples Harbour Yacht Club Buoy 4            | 26-08-52.680N<br>081-47-09.540W |          | Red nun.                              |
| 17696.4 | Naples Harbour Yacht Club Buoy 5            | 26-08-57.600N<br>081-47-06.900W |          | Green can.                            |
| 17696.5 | Naples Harbour Yacht Club Buoy 6            | 26-08-57.840N<br>081-47-07.320W |          | Red nun.                              |
| 17696.6 | Naples Harbour Yacht Club Buoy 7            | 26-09-01.140N<br>081-47-07.620W |          | Green can.                            |
| 17696.7 | Naples Harbour Yacht Club Buoy 8            | 26-09-00.840N<br>081-47-08.100W |          | Red nun.                              |
| 17696.8 | Naples Harbour Yacht Club Buoy 9            | 26-09-01.980N<br>081-47-09.120W |          | Green can.                            |
| 17696.9 | Naples Harbour Yacht Club Buoy 10           | 26-09-01.800N<br>081-47-03.420W |          | Red nun.                              |
| 17697   | Naples Harbour Yacht Club Buoy 11           | 26-09-02.820N<br>081-47-09.120W |          | Green can.                            |
| 17697.1 | Naples Harbour Yacht Club Buoy 12           | 26-09-03.960N<br>081-47-19.020W |          | Red nun.                              |
| 17700   | Doctors Pass Light DP                       | 26-10-22.674N<br>081-49-01.678W | Mo (A) W | MR on pile.                           |
| 17705   | Doctors Pass Daybeacon 1                    | 26-10-25.680N<br>081-48-59.760W |          | SG on pile.                           |
| 17715   | Doctors Pass Obstruction Daybeacon          | 26-10-28.000N<br>081-48-56.500W |          | NW on pile worded DANGER OBSTRUCTION. |
| 17720   | Doctors Pass Daybeacon 2                    | 26-10-24.060N<br>081-48-59.100W |          | TR on pile.                           |
| 17725   | Doctors Pass Daybeacon 3                    | 26-10-27.180N<br>081-48-52.560W |          | SG on pile.                           |
| 17730   | Doctors Pass Daybeacon 4                    | 26-10-26.100N<br>081-48-52.440W |          | TR on pile.                           |
| 17735   | Doctors Pass Daybeacon 5                    | 26-10-28.080N<br>081-48-47.880W |          | SG on pile.                           |
| 17740   | Doctors Pass Daybeacon 6                    | 26-10-27.240N<br>081-48-47.460W |          | TR on pile.                           |
| 17745   | Doctors Pass Daybeacon 7                    | 26-10-30.060N<br>081-48-43.560W |          | SG on pile.                           |
| 17750   | Doctors Pass Daybeacon 8                    | 26-10-28.260N<br>081-48-44.940W |          | TR on pile.                           |
| 17755   | Doctors Pass Daybeacon 10                   | 26-10-32.160N<br>081-48-41.820W |          | TR on pile.                           |
| 17760   | Doctors Pass Daybeacon 12                   | 26-10-33.780N<br>081-48-42.480W |          | TR on pile.                           |
| 17762   | Moorings Bay Danger Oyster Reef Daybeacon A | 26-10-36.240N<br>081-48-39.240W |          | NW on pile worded DANGER OYSTER REEF  |
| 17762.1 | Moorings Bay Danger Oyster Reef Daybeacon B | 26-10-33.900N<br>081-48-39.510W |          | NW on pile worded DANGER OYSTER REEF  |
| 17765   | Doctors Pass Daybeacon 14                   | 26-10-35.460N<br>081-48-42.780W |          | TR on pile.                           |
| 17770   | Doctors Pass Daybeacon 16                   | 26-10-37.380N<br>081-48-43.080W |          | TR on pile.                           |
| 17775   | Wiggins Pass Safe Water Light WP            | 26-17-15.600N<br>081-50-08.400W | Mo (A) W | MR on pile.                           |
| 17780   | Wiggins Pass Daybeacon 1                    | 26-17-17.600N<br>081-49-57.900W |          | SG on pile.                           |
| 17785   | Wiggins Pass Daybeacon 2                    | 26-17-16.400N<br>081-49-57.600W |          | TR on pile.                           |
| 17790   | Wiggins Pass Daybeacon 4                    | 26-17-18.000N<br>081-49-49.000W |          | TR on pile.                           |
| 17795   | Wiggins Pass Daybeacon 6                    | 26-17-20.000N<br>081-49-48.000W |          | TR on pile.                           |
| 17800   | Wiggins Pass                                | 26-17-22.000N                   |          | TR on pile.                           |

|       |                                          |                                 |           |             |                                                                                                |
|-------|------------------------------------------|---------------------------------|-----------|-------------|------------------------------------------------------------------------------------------------|
|       | Daybeacon 8                              | 081-49-45.000W                  |           |             |                                                                                                |
| 17805 | Wiggins Pass<br>Daybeacon 10             | 26-17-22.000N<br>081-49-41.000W |           | TR on pile. |                                                                                                |
| 17810 | Wiggins Pass<br>Daybeacon 11             | 26-17-23.000N<br>081-49-40.000W |           | SG on pile. |                                                                                                |
| 17815 | Wiggins Pass<br>Daybeacon 12             | 26-17-23.000N<br>081-49-39.000W |           | TR on pile. |                                                                                                |
| 17820 | Water Turkey Bay<br>Channel Daybeacon 1  | 26-17-18.000N<br>081-49-38.000W |           | SG on pile. |                                                                                                |
| 17825 | Water Turkey Bay<br>Channel Daybeacon 2  | 26-17-18.000N<br>081-49-39.000W |           | TR on pile. |                                                                                                |
| 17830 | Water Turkey Bay<br>Channel Daybeacon 3  | 26-16-54.000N<br>081-49-30.000W |           | SG on pile. |                                                                                                |
| 17835 | Water Turkey Bay<br>Channel Daybeacon 4  | 26-16-53.309N<br>081-49-31.316W |           | TR on pile. |                                                                                                |
| 17840 | Water Turkey Bay<br>Channel Daybeacon 5  | 26-16-50.310N<br>081-49-31.316W |           | SG on pile. |                                                                                                |
| 17845 | Water Turkey Bay<br>Channel Daybeacon 6  | 26-16-48.310N<br>081-49-32.316W |           | TR on pile. |                                                                                                |
| 17855 | Water Turkey Bay<br>Channel Daybeacon 8  | 26-16-47.310N<br>081-49-30.316W |           | TR on pile. |                                                                                                |
| 17860 | Water Turkey Bay<br>Channel Daybeacon 9  | 26-16-46.310N<br>081-49-28.316W |           | SG on pile. |                                                                                                |
| 17865 | Water Turkey Bay<br>Channel Daybeacon 10 | 26-16-45.310N<br>081-49-28.316W |           | TR on pile. |                                                                                                |
| 17870 | Water Turkey Bay<br>Channel Daybeacon 11 | 26-16-44.310N<br>081-49-26.316W |           | SG on pile. |                                                                                                |
| 17875 | Water Turkey Bay<br>Channel Daybeacon 12 | 26-16-41.310N<br>081-49-27.316W |           | TR on pile. |                                                                                                |
| 17877 | Water Turkey Bay<br>Daybeacon 13         | 26-16-41.000N<br>081-49-25.000W |           | SG on pile. |                                                                                                |
| 17878 | Water Turkey Bay<br>Daybeacon 14         | 26-16-41.000N<br>081-49-27.000W |           | TR on pile. |                                                                                                |
| 17885 | Barefoot Boat Club<br>Daybeacon 1        | 26-17-30.000N<br>081-49-34.500W |           | SG on pile. |                                                                                                |
| 17890 | Barefoot Boat Club<br>Daybeacon 3        | 26-17-47.000N<br>081-48-35.500W |           | SG on pile. |                                                                                                |
| 17895 | Barefoot Boat Club<br>Daybeacon 4        | 26-17-57.500N<br>081-49-40.000W |           | TR on pile. |                                                                                                |
| 17900 | Barefoot Boat Club<br>Daybeacon 5        | 26-18-08.000N<br>081-49-47.000W |           | SG on pile. |                                                                                                |
| 17905 | Barefoot Boat Club<br>Daybeacon 6        | 26-18-19.800N<br>081-49-47.000W |           | TR on pile. |                                                                                                |
| 17910 | Barefoot Boat Club<br>Daybeacon 8        | 26-18-28.500N<br>081-49-53.000W |           | TR on pile. |                                                                                                |
| 17915 | Barefoot Boat Club<br>Daybeacon 10       | 26-18-32.800N<br>081-50-00.000W |           | TR on pile. |                                                                                                |
| 17920 | Barefoot Boat Club<br>Daybeacon 12       | 26-18-47.500N<br>081-50-12.000W |           | TR on pile. |                                                                                                |
| 17925 | Barefoot Boat Club<br>Daybeacon 14       | 26-18-53.000N<br>081-50-07.000W |           | TR on pile. |                                                                                                |
| 17930 | Barefoot Boat Club<br>Daybeacon 15       | 26-18-56.000N<br>081-50-04.000W |           | SG on pile. |                                                                                                |
| 17935 | Barefoot Boat Club<br>Daybeacon 16       | 26-18-57.500N<br>081-50-03.000W |           | TR on pile. |                                                                                                |
| 17940 | Barefoot Boat Club<br>Daybeacon 18       | 26-19-05.000N<br>081-50-02.500W |           | TR on pile. |                                                                                                |
| 17945 | Barefoot Boat Club<br>Daybeacon 19       | 26-19-13.800N<br>081-50-01.500W |           | SG on pile. |                                                                                                |
| 17950 | Barefoot Boat Club<br>Daybeacon 21       | 26-19-29.000N<br>081-50-03.000W |           | SG on pile. |                                                                                                |
| 17955 | Barefoot Boat Club<br>Daybeacon 22       | 26-19-42.500N<br>081-50-03.500W |           | TR on pile. |                                                                                                |
| 17960 | Barefoot Boat Club<br>Daybeacon 23       | 26-19-42.500N<br>081-50-04.500W |           | SG on pile. | Sign on bridge after this aid states CAUTION: Markers are reversed on opposite side of bridge. |
| 17965 | New Pass Lighted<br>Buoy 2               | 26-22-31.591N<br>081-52-25.805W | FI R 2.5s | Red.        |                                                                                                |
| 17970 | New Pass Buoy 4                          | 26-22-39.596N<br>081-52-09.958W |           | Red nun.    |                                                                                                |
| 17975 | Big Carlos Pass                          | 26-23-34.710N                   | FI G 4s   | Green.      |                                                                                                |

|         |                                           |                                 |           |   |   |                |
|---------|-------------------------------------------|---------------------------------|-----------|---|---|----------------|
|         | Lighted Buoy 1                            | 081-53-51.821W                  |           |   |   |                |
| 17976   | Big Carlos Pass Buoy 2                    | 26-23-41.107N<br>081-53-39.304W |           |   |   | Red nun.       |
| 17977   | Big Carlos Pass Buoy 3                    | 26-23-46.864N<br>081-53-32.500W |           |   |   | Green can.     |
| 17980   | Big Carlos Pass Buoy 4                    | 26-23-51.914N<br>081-53-21.343W |           |   |   | Red nun.       |
| 17985   | Big Carlos Pass Buoy 5                    | 26-24-00.835N<br>081-53-11.101W |           |   |   | Green can.     |
| 17990   | San Carlos Bay Light SC                   | 26-25-08.251N<br>081-57-32.886W | Mo (A) W  | 0 | 7 | MR on pile.    |
| 17995   | San Carlos Bay Daybeacon 1                | 26-25-56.134N<br>081-58-07.764W |           | 0 |   | SG on pile.    |
| 18000   | San Carlos Bay Channel Light 2            | 26-26-03.924N<br>081-57-53.326W | Fl R 2.5s | 0 | 5 | TR on pile.    |
| 18005   | San Carlos Bay Channel Light 3            | 26-26-55.253N<br>081-58-53.358W | Fl G 4s   | 0 | 5 | SG on pile.    |
| 18010   | San Carlos Bay Channel Light 4            | 26-27-06.837N<br>081-58-40.711W | Q R       | 0 | 4 | TR on pile.    |
| 18015   | Punta Rassa Daybeacon 1                   | 26-27-58.195N<br>082-00-54.186W |           | 0 |   | SG on pile.    |
| 18020   | Punta Rassa Light 3                       | 26-28-28.121N<br>082-00-49.336W | Fl G 4s   | 0 | 5 | SG on pile.    |
| 18025   | San Carlos Bay Channel Light 6            | 26-27-55.735N<br>081-59-51.831W | Fl R 4s   | 0 | 5 | TR on dolphin. |
| 18030   | San Carlos Bay Channel Daybeacon 8        | 26-28-19.408N<br>082-00-17.143W |           | 0 |   | TR on pile.    |
| 18035   | San Carlos Bay Channel Light 10           | 26-28-39.989N<br>082-00-38.334W | Fl R 4s   | 0 | 5 | TR on pile.    |
| 18038   | Tarpon Bay Daybeacon 2                    | 26-28-00.120N<br>082-03-52.200W |           |   |   |                |
| 18038.1 | Tarpon Bay Daybeacon 4                    | 26-27-41.760N<br>082-04-05.520W |           |   |   |                |
| 18038.2 | Tarpon Bay Daybeacon 6                    | 26-27-34.200N<br>082-04-12.360W |           |   |   |                |
| 18038.3 | Tarpon Bay Daybeacon 8                    | 26-27-29.520N<br>082-04-20.280W |           |   |   |                |
| 18038.4 | Tarpon Bay Daybeacon 10                   | 26-27-29.520N<br>082-04-26.760W |           |   |   |                |
| 18038.5 | Tarpon Bay Daybeacon 11                   | 26-27-28.080N<br>082-04-32.160W |           |   |   |                |
| 18038.6 | Tarpon Bay Daybeacon 13                   | 26-27-22.280N<br>082-04-37.920W |           |   |   |                |
| 18038.7 | Tarpon Bay Daybeacon 14                   | 26-27-18.650N<br>082-04-42.240W |           |   |   |                |
| 18038.8 | Tarpon Bay Daybeacon 15                   | 26-27-09.650N<br>082-04-46.920W |           |   |   |                |
| 18038.9 | Tarpon Bay Daybeacon 16                   | 26-27-06.550N<br>082-04-48.720W |           |   |   |                |
| 18039   | Tarpon Bay Daybeacon 18                   | 26-26-55.430N<br>082-04-53.400W |           |   |   |                |
| 18039.1 | Tarpon Bay Daybeacon 19                   | 26-26-46.390N<br>082-04-55.920W |           |   |   |                |
| 18039.2 | Tarpon Bay Daybeacon 20                   | 26-26-37.750N<br>082-04-58.080W |           |   |   |                |
| 18039.3 | Tarpon Bay Daybeacon 21                   | 26-26-37.540N<br>082-04-57.360W |           |   |   |                |
| 18039.4 | Tarpon Bay Daybeacon 22                   | 26-26-34.980N<br>082-04-58.440W |           |   |   |                |
| 18039.5 | Tarpon Bay Daybeacon 23                   | 26-26-34.660N<br>082-04-58.080W |           |   |   |                |
| 18040   | Punta Rassa Boat Ramp Channel Daybeacon 1 | 26-29-03.327N<br>082-00-46.000W |           |   |   | SG on pile.    |
| 18045   | Punta Rassa Boat Ramp Channel Daybeacon 2 | 26-29-03.225N<br>082-00-44.721W |           |   |   | TR on pile.    |
| 18050   | Punta Rassa Boat Ramp Channel Daybeacon 3 | 26-29-05.100N<br>082-00-42.100W |           |   |   | SG on pile.    |

|          |                                                 |                                 |   |             |
|----------|-------------------------------------------------|---------------------------------|---|-------------|
| 18055    | Punta Rassa Boat<br>Ramp Channel<br>Daybeacon 4 | 26-29-05.327N<br>082-00-40.000W |   | TR on pile. |
| 18060    | Punta Rassa Boat<br>Ramp Channel<br>Daybeacon 5 | 26-29-06.954N<br>082-00-39.088W |   | SG on pile. |
| 18065    | San Carlos Bay<br>Daybeacon 11                  | 26-29-42.081N<br>082-00-52.256W | 0 | SG on pile. |
| 18067    | Port Sanibel Marina<br>Daybeacon 1              | 26-29-45.000N<br>082-00-37.200W |   | SG on pile. |
| 18067.1  | Port Sanibel Marina<br>Daybeacon 2              | 26-29-43.500N<br>082-00-36.200W |   | TR on pile. |
| 18067.2  | Port Sanibel Marina<br>Daybeacon 3              | 26-29-47.000N<br>082-00-34.000W |   | SG on pile. |
| 18067.3  | Port Sanibel Marina<br>Daybeacon 4              | 26-29-45.800N<br>082-00-33.000W |   | TR on pile. |
| 18067.4  | Port Sanibel Marina<br>Daybeacon 5              | 26-29-49.600N<br>082-00-30.500W |   | SG on pile. |
| 18067.5  | Port Sanibel Marina<br>Daybeacon 6              | 26-29-48.000N<br>082-00-30.000W |   | TR on pile. |
| 18067.6  | Port Sanibel Marina<br>Daybeacon 7              | 26-29-46.800N<br>082-00-25.800W |   | SG on pile. |
| 18067.7  | Port Sanibel Marina<br>Daybeacon 8              | 26-29-46.000N<br>082-00-26.000W |   | TR on pile. |
| 18067.8  | Port Sanibel Marina<br>Daybeacon 9              | 26-29-46.800N<br>082-00-21.000W |   | SG on pile. |
| 18067.9  | Port Sanibel Marina<br>Daybeacon 10             | 26-29-45.800N<br>082-00-22.000W |   | TR on pile. |
| 18068    | Port Sanibel Marina<br>Daybeacon 11             | 26-29-43.200N<br>082-00-17.000W |   | SG on pile. |
| 18068.1  | Port Sanibel Marina<br>Daybeacon 12             | 26-29-42.200N<br>082-00-18.000W |   | TR on pile. |
| 18068.2  | Port Sanibel Marina<br>Daybeacon 13             | 26-29-40.200N<br>082-00-15.000W |   | SG on pile. |
| 18068.3  | Port Sanibel Marina<br>Daybeacon 14             | 26-29-39.500N<br>082-00-15.800W |   | TR on pile. |
| 18068.4  | Port Sanibel Marina<br>Daybeacon 15             | 26-29-37.000N<br>082-00-11.800W |   | SG on pile. |
| 18068.5  | Port Sanibel Marina<br>Daybeacon 16             | 26-29-36.500N<br>082-00-12.800W |   | TR on pile. |
| 18068.6  | Port Sanibel Marina<br>Daybeacon 18             | 26-29-35.000N<br>082-00-07.600W |   | TR on pile. |
| 18068.7  | Port Sanibel Marina<br>Daybeacon 19             | 26-29-35.500N<br>082-00-06.200W |   | SG on pile. |
| 18068.8  | Port Sanibel Marina<br>Daybeacon 20             | 26-29-33.000N<br>082-00-02.500W |   | TR on pile. |
| 18068.9  | Port Sanibel Marina<br>Daybeacon 21             | 26-29-33.800N<br>082-00-01.400W |   | SG on pile. |
| 18069    | Port Sanibel Marina<br>Daybeacon 22             | 26-29-31.300N<br>081-59-57.000W |   | TR on pile. |
| 18069.1  | Port Sanibel Marina<br>Daybeacon 23             | 26-29-31.600N<br>081-59-55.500W |   | SG on pile. |
| 18069.2  | Port Sanibel Marina<br>Daybeacon 24             | 26-29-29.000N<br>081-59-53.200W |   | TR on pile. |
| 18069.3  | Port Sanibel Marina<br>Daybeacon 26             | 26-29-28.500N<br>081-59-48.000W |   | TR on pile. |
| 18069.4  | Port Sanibel Marina<br>Daybeacon 28             | 26-29-27.800N<br>081-59-43.200W |   | TR on pile. |
| 18069.5  | Port Sanibel Marina<br>Daybeacon 30             | 26-29-27.200N<br>081-59-38.000W |   | TR on pile. |
| 18069.6  | Port Sanibel Marina<br>Daybeacon 32             | 26-29-25.500N<br>081-59-33.800W |   | TR on pile. |
| 18069.7  | Port Sanibel Marina<br>Daybeacon 33             | 26-29-25.200N<br>081-59-29.000W |   | SG on pile. |
| 18069.8  | Port Sanibel Marina<br>Daybeacon 34             | 26-29-24.400N<br>081-59-28.000W |   | TR on pile. |
| 18069.9  | Port Sanibel Marina<br>Daybeacon 35             | 26-29-26.200N<br>081-59-27.000W |   | SG on pile. |
| 18069.93 | Port Sanibel Marina<br>Daybeacon 36             | 26-29-33.500N<br>081-59-25.000W |   | TR on pile. |
| 18069.95 | Port Sanibel Marina                             | 26-29-23.200N                   |   | TR on pile. |

|          |                                                     |                                 |           |   |   |                                   |
|----------|-----------------------------------------------------|---------------------------------|-----------|---|---|-----------------------------------|
|          | Daybeacon 38                                        | 081-59-22.600W                  |           |   |   |                                   |
| 18069.97 | Port Sanibel Marina<br>Daybeacon 40                 | 26-29-22.600N<br>081-59-21.400W |           |   |   | TR on pile.                       |
| 18069.98 | Port Sanibel Marina<br>Daybeacon 42                 | 26-29-21.800N<br>081-59-21.400W |           |   |   | TR on pile.                       |
| 18070    | San Carlos Bay Light<br>13                          | 26-30-02.149N<br>082-00-51.849W | FI G 4s   | 0 | 5 | SG on pile.                       |
| 18075    | San Carlos Bay Light<br>14                          | 26-30-25.990N<br>082-00-57.039W | FI R 4s   | 0 | 5 | TR on pile.                       |
| 18080    | San Carlos Bay<br>Daybeacon 15                      | 26-30-25.318N<br>082-01-05.401W |           | 0 |   | SG on pile.                       |
| 18085    | Matanzas Pass<br>Channel Light 1                    | 26-27-39.212N<br>081-58-28.783W | FI G 2.5s | 0 | 5 | SG on pile.                       |
| 18087    | Matanzas Pass<br>Channel Daybeacon 2                | 26-27-47.892N<br>081-58-15.573W |           | 0 |   | TR on pile.                       |
| 18090    | Matanzas Pass<br>Channel Daybeacon 3                | 26-27-49.013N<br>081-58-17.831W |           | 0 |   | SG on pile.                       |
| 18095    | Matanzas Pass<br>Channel Buoy 4                     | 26-27-55.314N<br>081-58-09.969W |           |   |   | Red nun.                          |
| 18107    | Matanzas Pass<br>Channel Lighted Buoy<br>5          | 26-28-00.331N<br>081-58-10.655W | FI G 4s   |   | 5 | Green.                            |
| 18110    | Matanzas Pass<br>Channel Daybeacon 6                | 26-27-57.845N<br>081-58-04.188W |           | 0 |   | TR on pile.                       |
| 18120    | Matanzas Pass<br>Channel Lighted Buoy<br>7          | 26-28-00.798N<br>081-58-02.972W | Q G       |   | 4 | Green.                            |
| 18125    | Matanzas Pass<br>Channel Daybeacon 8                | 26-27-57.925N<br>081-58-00.240W |           | 0 |   | TR on pile.                       |
| 18130    | Matanzas Pass<br>Channel Light 9                    | 26-28-00.218N<br>081-57-55.528W | FI G 4s   | 0 | 5 | SG on pile.                       |
| 18133    | Estero Island Terminal<br>Groin Obstruction Lt      | 26-27-51.473N<br>081-58-08.018W | FI W 4s   |   |   | NW on pile worded DANGER<br>ROCK. |
| 18135    | Hurricane Bay Marina<br>West Channel<br>Daybeacon 1 | 26-27-59.987N<br>081-57-52.323W |           |   |   | SG on pile.                       |
| 18140    | Hurricane Bay Marina<br>West Channel<br>Daybeacon 2 | 26-27-58.587N<br>081-57-52.223W |           |   |   | TR on pile.                       |
| 18142    | Old Pelican Bay<br>Daybeacon 1                      | 26-28-00.649N<br>081-57-50.993W |           |   |   | SG on pile.                       |
| 18142.1  | Old Pelican Bay<br>Daybeacon 2                      | 26-28-00.414N<br>081-57-50.772W |           |   |   | TR on pile.                       |
| 18142.2  | Old Pelican Bay<br>Daybeacon 3                      | 26-28-03.532N<br>081-57-46.565W |           |   |   | SG on pile.                       |
| 18142.3  | Old Pelican Bay<br>Daybeacon 4                      | 26-28-03.191N<br>081-57-46.044W |           |   |   | TR on pile.                       |
| 18142.4  | Old Pelican Bay<br>Daybeacon 5                      | 26-28-05.024N<br>081-57-44.125W |           |   |   | SG on pile.                       |
| 18142.5  | Old Pelican Bay<br>Daybeacon 6                      | 26-28-04.531N<br>081-57-43.553W |           |   |   | TR on pile.                       |
| 18142.6  | Old Pelican Bay<br>Daybeacon 7                      | 26-28-06.936N<br>081-57-41.233W |           |   |   | SG on pile.                       |
| 18142.7  | Old Pelican Bay<br>Daybeacon 8                      | 26-28-06.810N<br>081-57-40.847W |           |   |   | TR on pile.                       |
| 18142.8  | Old Pelican Bay<br>Daybeacon 9                      | 26-28-09.101N<br>081-57-39.698W |           |   |   | SG on pile.                       |
| 18142.9  | Old Pelican Bay<br>Daybeacon 10                     | 26-28-08.724N<br>081-57-39.254W |           |   |   | TR on pile.                       |
| 18143    | Old Pelican Bay<br>Daybeacon 11                     | 26-28-11.008N<br>081-57-38.414W |           |   |   | SG on pile.                       |
| 18143.1  | Old Pelican Bay<br>Daybeacon 12                     | 26-28-10.835N<br>081-57-37.948W |           |   |   | TR on pile.                       |
| 18143.2  | Old Pelican Bay<br>Daybeacon 13                     | 26-28-13.150N<br>081-57-36.928W |           |   |   | SG on pile.                       |
| 18143.3  | Old Pelican Bay<br>Daybeacon 14                     | 26-28-12.942N<br>081-57-36.528W |           |   |   | TR on pile.                       |
| 18143.4  | Old Pelican Bay<br>Daybeacon 15                     | 26-28-14.696N<br>081-57-35.869W |           |   |   | SG on pile.                       |
| 18143.5  | Old Pelican Bay                                     | 26-28-14.583N                   |           |   |   | TR on pile.                       |

|          |                                                            |                                 |           |   |   |                |
|----------|------------------------------------------------------------|---------------------------------|-----------|---|---|----------------|
|          | Daybeacon 16                                               | 081-57-35.514W                  |           |   |   |                |
| 18145    | Hurricane Bay Marina<br>West Channel<br>Daybeacon 3        | 26-27-58.287N<br>081-57-53.323W |           |   |   | SG on pile.    |
| 18150    | Hurricane Bay Marina<br>West Channel<br>Daybeacon 4        | 26-27-58.187N<br>081-57-43.723W |           |   |   | TR on pile.    |
| 18155    | Hurricane Bay Marina<br>West Channel<br>Daybeacon 6        | 26-27-58.187N<br>081-57-39.123W |           |   |   | TR on pile.    |
| 18160    | Hurricane Bay Marina<br>West Channel<br>Daybeacon 7        | 26-27-59.187N<br>081-57-37.623W |           |   |   | SG on pile.    |
| 18165    | Hurricane Bay Marina<br>West Channel<br>Daybeacon 8        | 26-27-57.187N<br>081-57-31.122W |           |   |   | TR on pile.    |
| 18170    | Hurricane Bay Marina<br>West Channel<br>Daybeacon 9        | 26-27-58.587N<br>081-57-31.522W |           |   |   | SG on pile.    |
| 18175    | Hurricane Bay Marina<br>West Channel<br>Junction Daybeacon | 26-27-58.187N<br>081-57-25.122W |           |   |   | JG on pile.    |
| 18180    | Hurricane Bay Marina<br>West Channel<br>Daybeacon 11       | 26-28-00.287N<br>081-57-26.022W |           |   |   | SG on pile.    |
| 18185    | Hurricane Bay Marina<br>West Channel<br>Daybeacon 13       | 26-28-02.087N<br>081-57-12.122W |           |   |   | SG on pile.    |
| 18190    | Hurricane Bay Marina<br>West Channel<br>Daybeacon 15       | 26-28-01.087N<br>081-57-09.922W |           |   |   | SG on pile.    |
| 18195    | Hurricane Bay Marina<br>West Channel<br>Daybeacon 17       | 26-28-00.987N<br>081-57-06.922W |           |   |   | SG on pile.    |
| 18200    | Siesta Isles<br>Daybeacon 1                                | 26-28-04.764N<br>081-57-18.779W |           |   |   | SG on pile.    |
| 18205    | Siesta Isles<br>Daybeacon 2                                | 26-28-05.653N<br>081-57-17.288W |           |   |   | TR on pile.    |
| 18210    | Siesta Isles<br>Daybeacon 3                                | 26-28-11.545N<br>081-57-18.549W |           |   |   | SG on pile.    |
| 18215    | Siesta Isles<br>Daybeacon 4                                | 26-28-12.011N<br>081-57-17.392W |           |   |   | TR on pile.    |
| 18225    | Matanzas Pass<br>Channel Buoy 10                           | 26-27-55.112N<br>081-57-56.198W |           |   |   | Red nun.       |
| 18230    | Matanzas Pass<br>Channel Daybeacon 11                      | 26-27-50.591N<br>081-57-52.871W |           | 0 |   | SG on pile.    |
| 18230.01 | Matanzas Pass<br>Channel Light 12                          | 26-27-46.140N<br>081-57-53.712W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 18232    | Matanzas Pass<br>Channel Light 13                          | 26-27-44.361N<br>081-57-50.198W | Q G       | 0 | 4 | SG on pile.    |
| 18235    | Matanzas Pass<br>Channel Light 15                          | 26-27-36.680N<br>081-57-38.407W | FI G 2.5s | 0 | 5 | SG on pile.    |
| 18240    | Matanzas Pass<br>Channel Daybeacon 17                      | 26-27-31.310N<br>081-57-20.108W |           | 0 |   | SG on pile.    |
| 18245    | Hurricane Bay Marina<br>South Channel<br>Daybeacon 1       | 26-27-33.488N<br>081-57-18.822W |           |   |   | SG on pile.    |
| 18250    | Hurricane Bay Marina<br>South Channel<br>Daybeacon 3       | 26-27-41.088N<br>081-57-18.922W |           |   |   | SG on pile.    |
| 18255    | Hurricane Bay Marina<br>South Channel<br>Daybeacon 5       | 26-27-46.587N<br>081-57-19.822W |           |   |   | SG on pile.    |
| 18260    | Hurricane Bay Marina<br>South Channel<br>Daybeacon 5A      | 26-27-50.287N<br>081-57-22.322W |           |   |   | SG on pile.    |
| 18265    | Hurricane Bay Marina<br>South Channel<br>Daybeacon 7       | 26-27-56.287N<br>081-57-25.322W |           |   |   | SG on pile.    |
| 18275    | Matanzas Pass<br>Channel Daybeacon 18                      | 26-27-26.441N<br>081-57-07.307W |           | 0 |   | TR on pile.    |
| 18280    | Matanzas Pass                                              | 26-27-29.821N                   |           | 0 |   | TR on pile.    |

|         |                                              |                                 |   |             |
|---------|----------------------------------------------|---------------------------------|---|-------------|
|         | Channel Daybeacon 20                         | 081-57-05.947W                  |   |             |
| 18285   | Matanzas Pass<br>Channel Daybeacon 22        | 26-27-31.431N<br>081-57-03.840W | 0 | TR on pile. |
| 18290   | Matanzas Pass<br>Channel Daybeacon 24        | 26-27-30.577N<br>081-56-59.164W | 0 | TR on pile. |
| 18295   | Matanzas Pass<br>Channel Daybeacon 26        | 26-27-27.057N<br>081-56-52.849W | 0 | TR on pile. |
| 18296   | Matanzas Harbor<br>Channel Daybeacon 2       | 26-27-21.900N<br>081-57-07.150W |   | TR on pile. |
| 18296.1 | Matanzas Harbor<br>Channel Daybeacon 3       | 26-27-21.940N<br>081-57-05.290W |   | SG on pile. |
| 18296.2 | Matanzas Harbor<br>Channel Daybeacon 4       | 26-27-16.410N<br>081-56-48.810W |   | TR on pile. |
| 18296.3 | Matanzas Harbor<br>Channel Daybeacon 5       | 26-27-18.880N<br>081-56-56.280W |   | SG on pile. |
| 18296.4 | Matanzas Harbor<br>Channel Daybeacon 7       | 26-27-17.480N<br>081-56-49.110W |   | SG on pile. |
| 18296.5 | Matanzas Harbor<br>Channel Daybeacon 9       | 26-27-18.930N<br>081-56-42.420W |   | SG on pile. |
| 18296.6 | Matanzas Harbor<br>Channel Daybeacon 11      | 26-27-20.890N<br>081-56-31.250W |   | SG on pile. |
| 18296.7 | Matanzas Harbor<br>Channel Daybeacon 13      | 26-27-20.870N<br>081-56-21.970W |   | SG on pile. |
| 18296.8 | Matanzas Harbor<br>Channel Daybeacon 14      | 26-27-19.880N<br>081-56-22.000W |   | TR on pile. |
| 18298   | Matanzas Harbor West<br>Mooring Field Buoy A | 26-27-26.720N<br>081-57-06.450W |   | Yellow can. |
| 18298.1 | Matanzas Harbor West<br>Mooring Field Buoy B | 26-27-23.920N<br>081-57-07.690W |   | Yellow can. |
| 18298.2 | Matanzas Harbor West<br>Mooring Field Buoy C | 26-27-22.940N<br>081-57-06.570W |   | Yellow can. |
| 18298.3 | Matanzas Harbor West<br>Mooring Field Buoy D | 26-27-18.810N<br>081-56-55.650W |   | Yellow can. |
| 18298.4 | Matanzas Harbor West<br>Mooring Field Buoy E | 26-27-17.610N<br>081-56-48.920W |   | Yellow can. |
| 18298.5 | Matanzas Harbor West<br>Mooring Field Buoy F | 26-27-19.070N<br>081-56-45.460W |   | Yellow can. |
| 18298.6 | Matanzas Harbor West<br>Mooring Field Buoy G | 26-27-21.430N<br>081-56-46.200W |   | Yellow can. |
| 18298.7 | Matanzas Harbor West<br>Mooring Field Buoy H | 26-27-22.690N<br>081-56-48.000W |   | Yellow can. |
| 18298.8 | Matanzas Harbor East<br>Mooring Field Buoy I | 26-27-19.700N<br>081-56-37.090W |   | Yellow can. |
| 18298.9 | Matanzas Harbor East<br>Mooring Field Buoy J | 26-27-18.560N<br>081-56-37.180W |   | Yellow can. |
| 18299   | Matanzas Harbor East<br>Mooring Field Buoy K | 26-27-16.860N<br>081-56-34.380W |   | Yellow can. |
| 18299.1 | Matanzas Harbor East<br>Mooring Field Buoy L | 26-27-15.890N<br>081-56-28.090W |   | Yellow can. |
| 18299.2 | Matanzas Harbor East<br>Mooring Field Buoy M | 26-27-13.680N<br>081-56-20.720W |   | Yellow can. |
| 18299.3 | Matanzas Harbor East<br>Mooring Field Buoy N | 26-27-17.990N<br>081-56-18.320W |   | Yellow can. |
| 18299.4 | Matanzas Harbor East<br>Mooring Field Buoy O | 26-27-19.900N<br>081-56-21.590W |   | Yellow can. |
| 18309   | North Estero Bay<br>Daybeacon 1              | 26-27-16.200N<br>081-56-34.800W |   | SG on pile. |
| 18310   | North Estero Bay<br>Daybeacon 2              | 26-27-15.413N<br>081-56-34.797W |   | TR on pile. |
| 18311   | North Estero Bay<br>Daybeacon 3              | 26-27-15.600N<br>081-56-30.480W |   | SG on pile. |
| 18315   | North Estero Bay<br>Daybeacon 4              | 26-27-13.875N<br>081-56-27.679W |   | TR on pile. |
| 18316   | North Estero Bay<br>Daybeacon 5              | 26-27-14.884N<br>081-56-24.410W |   | SG on pile. |
| 18320   | North Estero Bay<br>Junction Daybeacon A     | 26-27-14.120N<br>081-56-19.840W |   | JG on pile. |

|       |                                            |                                 |             |
|-------|--------------------------------------------|---------------------------------|-------------|
| 18324 | Hurricane Bay<br>Daybeacon 1               | 26-27-15.940N<br>081-56-18.580W | SG on pile. |
| 18325 | Hurricane Bay<br>Daybeacon 2               | 26-27-16.288N<br>081-56-17.621W | TR on pile. |
| 18330 | Hurricane Bay<br>Daybeacon 4               | 26-27-19.588N<br>081-56-14.321W | TR on pile. |
| 18335 | Hurricane Bay<br>Daybeacon 5               | 26-27-24.188N<br>081-56-11.720W | SG on pile. |
| 18340 | Hurricane Bay<br>Daybeacon 7               | 26-27-27.088N<br>081-56-11.920W | SG on pile. |
| 18345 | Hurricane Bay<br>Daybeacon 8               | 26-27-34.588N<br>081-56-13.320W | TR on pile. |
| 18350 | Hurricane Bay<br>Daybeacon 10              | 26-27-42.187N<br>081-56-18.020W | TR on pile. |
| 18355 | Hurricane Bay<br>Daybeacon 12              | 26-27-47.387N<br>081-56-21.221W | TR on pile. |
| 18360 | Hurricane Bay<br>Daybeacon 14              | 26-27-52.787N<br>081-56-25.421W | TR on pile. |
| 18365 | Hurricane Bay<br>Daybeacon 15              | 26-27-52.087N<br>081-56-26.721W | SG on pile. |
| 18370 | Hurricane Bay<br>Daybeacon 16              | 26-27-55.287N<br>081-56-30.321W | TR on pile. |
| 18375 | Hurricane Bay<br>Daybeacon 17              | 26-27-54.287N<br>081-56-31.021W | SG on pile. |
| 18380 | Hurricane Bay<br>Daybeacon 18              | 26-27-54.887N<br>081-56-37.021W | TR on pile. |
| 18385 | Hurricane Bay<br>Daybeacon 19              | 26-27-54.087N<br>081-56-37.121W | SG on pile. |
| 18390 | Hurricane Bay<br>Daybeacon 20              | 26-27-54.787N<br>081-56-45.821W | TR on pile. |
| 18395 | Hurricane Bay<br>Daybeacon 21              | 26-27-54.187N<br>081-56-45.621W | SG on pile. |
| 18400 | Bayside Estates<br>Channel Daybeacon 1     | 26-27-56.287N<br>081-56-46.321W | SG on pile. |
| 18405 | Bayside Estates<br>Channel Daybeacon 2     | 26-27-55.287N<br>081-56-47.321W | TR on pile. |
| 18410 | Bayside Estates<br>Channel Daybeacon 3     | 26-27-28.288N<br>081-56-46.321W | SG on pile. |
| 18415 | Bayside Estates<br>Channel Daybeacon 4     | 26-27-57.287N<br>081-56-47.321W | TR on pile. |
| 18420 | Bayside Estates<br>Channel Daybeacon 5     | 26-28-02.287N<br>081-56-48.321W | SG on pile. |
| 18422 | Bayside Estates<br>Channel Daybeacon 6     | 26-27-59.760N<br>081-56-47.040W | TR on pile. |
| 18423 | Bayside Estates<br>Channel Daybeacon 7     | 26-28-03.000N<br>081-56-47.040W | SG on pile. |
| 18425 | Bayside Estates<br>Channel Daybeacon 8     | 26-28-03.287N<br>081-56-49.321W | TR on pile. |
| 18427 | Bayside Estates<br>Channel Daybeacon 9     | 26-28-06.240N<br>081-56-46.320W | SG on pile. |
| 18430 | Bayside Estates<br>Channel Daybeacon 10    | 26-28-07.570N<br>081-56-45.710W | TR on pile. |
| 18435 | Bayside Estates<br>Channel Daybeacon 11    | 26-28-09.810N<br>081-56-44.550W | SG on pile. |
| 18440 | Bayside Estates<br>Channel Daybeacon 12    | 26-28-11.850N<br>081-56-43.100W | TR on pile. |
| 18445 | Bayside Estates<br>Channel Daybeacon 13    | 26-28-14.650N<br>081-56-41.590W | SG on pile. |
| 18450 | Bayside Estates<br>Channel Daybeacon 14    | 26-28-16.450N<br>081-56-40.210W | TR on pile. |
| 18460 | Bayside Estates<br>Channel Daybeacon 16    | 26-28-19.290N<br>081-56-38.460W | TR on pile. |
| 18465 | Bayside Estates<br>Channel Daybeacon 17    | 26-28-19.720N<br>081-56-38.400W | SG on pile. |
| 18470 | Bayside Estates<br>Channel Daybeacon 19    | 26-28-20.970N<br>081-56-38.070W | SG on pile. |
| 18475 | Bayside Estates<br>Channel Daybeacon<br>20 | 26-28-21.286N<br>081-56-37.321W | TR on pile. |
| 18480 | Bayside Estates<br>Channel Daybeacon       | 26-28-25.160N<br>081-56-38.400W | TR on pile. |



|       |                                            |                                 |             |
|-------|--------------------------------------------|---------------------------------|-------------|
| 22    |                                            |                                 |             |
| 18485 | Bayside Estates<br>Channel Daybeacon<br>23 | 26-28-26.570N<br>081-56-39.010W | SG on pile. |
| 18490 | Hurricane Bay<br>Daybeacon 22              | 26-27-54.187N<br>081-56-50.021W | TR on pile. |
| 18495 | Hurricane Bay<br>Daybeacon 24              | 26-27-54.087N<br>081-56-54.821W | TR on pile. |
| 18500 | Hurricane Bay<br>Daybeacon 26              | 26-27-54.487N<br>081-56-59.022W | TR on pile. |
| 18505 | Hurricane Bay<br>Daybeacon 28              | 26-27-57.587N<br>081-56-00.920W | TR on pile. |
| 18515 | North Estero Bay<br>Daybeacon 6            | 26-27-11.180N<br>081-56-20.028W | TR on pile. |
| 18520 | North Estero Bay<br>Daybeacon 7            | 26-27-08.878N<br>081-56-10.948W | SG on pile. |
| 18525 | North Estero Bay<br>Daybeacon 8            | 26-27-07.718N<br>081-56-13.037W | TR on pile. |
| 18530 | North Estero Bay<br>Daybeacon 10           | 26-27-03.387N<br>081-56-06.534W | TR on pile. |
| 18535 | North Estero Bay<br>Daybeacon 11           | 26-27-05.312N<br>081-56-04.482W | SG on pile. |
| 18540 | North Estero Bay<br>Daybeacon 12           | 26-27-01.408N<br>081-55-53.871W | TR on pile. |
| 18545 | North Estero Bay<br>Daybeacon 13           | 26-27-03.756N<br>081-55-53.549W | SG on pile. |
| 18550 | North Estero Bay<br>Daybeacon 14           | 26-27-00.406N<br>081-55-50.364W | TR on pile. |
| 18555 | North Estero Bay<br>Daybeacon 15           | 26-27-01.640N<br>081-55-47.377W | SG on pile. |
| 18560 | North Estero Bay<br>Daybeacon 17           | 26-26-55.620N<br>081-55-39.790W | SG on pile. |
| 18565 | North Estero Bay<br>Daybeacon 19           | 26-26-46.573N<br>081-55-31.954W | SG on pile. |
| 18570 | North Estero Bay<br>Daybeacon 21           | 26-26-36.579N<br>081-55-24.698W | SG on pile. |
| 18575 | North Estero Bay<br>Daybeacon 23           | 26-26-31.888N<br>081-55-19.663W | SG on pile. |
| 18580 | North Estero Bay<br>Daybeacon 25           | 26-26-26.674N<br>081-55-12.516W | SG on pile. |
| 18585 | North Estero Bay<br>Daybeacon 27           | 26-26-23.899N<br>081-55-09.415W | SG on pile. |
| 18590 | North Estero Bay<br>Daybeacon 29           | 26-26-22.062N<br>081-55-06.222W | SG on pile. |
| 18595 | North Estero Bay<br>Daybeacon 31           | 26-26-21.085N<br>081-55-04.091W | SG on pile. |
| 18600 | North Estero Bay<br>Daybeacon 33           | 26-26-17.115N<br>081-54-52.917W | SG on pile. |
| 18605 | North Estero Bay<br>Daybeacon 35           | 26-26-13.016N<br>081-54-44.815W | SG on pile. |
| 18610 | North Estero Bay<br>Daybeacon 37           | 26-26-05.537N<br>081-54-37.260W | SG on pile. |
| 18615 | North Estero Bay<br>Daybeacon 38           | 26-26-02.062N<br>081-54-33.599W | TR on pile. |
| 18620 | North Estero Bay<br>Daybeacon 39           | 26-26-04.880N<br>081-54-15.588W | SG on pile. |
| 18625 | North Estero Bay<br>Daybeacon 40           | 26-26-02.525N<br>081-54-16.139W | TR on pile. |
| 18630 | North Estero Bay<br>Daybeacon 41           | 26-26-01.397N<br>081-54-10.478W | SG on pile. |
| 18635 | North Estero Bay<br>Daybeacon 42           | 26-25-58.066N<br>081-54-09.771W | TR on pile. |
| 18640 | North Estero Bay<br>Daybeacon 43           | 26-25-49.646N<br>081-54-04.612W | SG on pile. |
| 18645 | North Estero Bay<br>Daybeacon 44           | 26-25-49.089N<br>081-54-05.539W | TR on pile. |
| 18650 | North Estero Bay<br>Daybeacon 45           | 26-25-48.692N<br>081-54-01.931W | SG on pile. |
| 18655 | North Estero Bay<br>Daybeacon 46           | 26-25-47.406N<br>081-54-02.666W | TR on pile. |
| 18660 | North Estero Bay                           | 26-25-46.914N                   | SG on pile. |

|         |                                              |                                 |             |
|---------|----------------------------------------------|---------------------------------|-------------|
|         | Daybeacon 47                                 | 081-53-48.529W                  |             |
| 18665   | North Estero Bay<br>Daybeacon 48             | 26-25-45.458N<br>081-53-50.282W | TR on pile. |
| 18670   | North Estero Bay<br>Daybeacon 49             | 26-25-37.513N<br>081-53-43.645W | SG on pile. |
| 18675   | North Estero Bay<br>Daybeacon 50             | 26-25-36.410N<br>081-53-44.401W | TR on pile. |
| 18680   | North Estero Bay<br>Daybeacon 51             | 26-25-34.400N<br>081-53-34.255W | SG on pile. |
| 18685   | North Estero Bay<br>Daybeacon 52             | 26-25-30.896N<br>081-53-31.317W | TR on pile. |
| 18690   | North Estero Bay<br>Daybeacon 54             | 26-25-18.828N<br>081-53-29.182W | TR on pile. |
| 18700   | North Estero Bay<br>Daybeacon 57             | 26-25-05.388N<br>081-53-26.061W | SG on pile. |
| 18705   | North Estero Bay<br>Daybeacon 58             | 26-25-06.902N<br>081-53-30.100W | TR on pile. |
| 18710   | North Estero Bay<br>Daybeacon 59             | 26-24-57.429N<br>081-53-30.644W | SG on pile. |
| 18715   | North Estero Bay<br>Daybeacon 59A            | 26-24-47.672N<br>081-53-28.120W | SG on pile. |
| 18720   | North Estero Bay<br>Daybeacon 61             | 26-24-44.659N<br>081-53-25.705W | SG on pile. |
| 18725   | North Estero Bay<br>Daybeacon 63             | 26-24-39.748N<br>081-53-15.350W | SG on pile. |
| 18730   | North Estero Bay<br>Daybeacon 65             | 26-24-39.999N<br>081-53-04.426W | SG on pile. |
| 18735   | North Estero Bay DBN<br>66                   | 26-24-34.744N<br>081-53-00.561W | TR on pile. |
| 18740   | North Estero Bay<br>Daybeacon 67             | 26-24-38.357N<br>081-52-58.160W | SG on pile. |
| 18745   | North Estero Bay<br>Daybeacon 68             | 26-24-30.680N<br>081-52-56.594W | TR on pile. |
| 18746   | Buccaneer Lagoon<br>Entrance Daybeacon 1     | 26-24-17.670N<br>081-52-56.140W | SG on pile. |
| 18746.1 | Buccaneer Lagoon<br>Entrance Daybeacon 2     | 26-24-18.510N<br>081-52-55.890W | TR on pile. |
| 18746.2 | Buccaneer Lagoon<br>Entrance Daybeacon 3     | 26-24-17.920N<br>081-52-58.030W | SG on pile. |
| 18746.3 | Buccaneer Lagoon<br>Entrance Daybeacon 4     | 26-24-18.950N<br>081-52-58.180W | TR on pile. |
| 18747   | Buccaneer Lagoon<br>Entrance Daybeacon 6     | 26-24-20.090N<br>081-52-59.500W | TR on pile. |
| 18747.2 | Buccaneer Lagoon<br>Entrance Daybeacon 8     | 26-24-25.210N<br>081-53-00.750W | TR on pile. |
| 18747.4 | Buccaneer Lagoon<br>Entrance Daybeacon<br>10 | 26-24-27.540N<br>081-53-00.690W | TR on pile. |
| 18747.6 | Buccaneer Lagoon<br>Entrance Daybeacon<br>12 | 26-24-30.490N<br>081-53-01.500W | TR on pile. |
| 18747.8 | Buccaneer Lagoon<br>Entrance Daybeacon<br>14 | 26-24-34.080N<br>081-53-03.050W | TR on pile. |
| 18750   | Mullock Creek<br>Daybeacon 1                 | 26-24-36.620N<br>081-52-52.270W | SG on pile. |
| 18755   | Mullock Creek<br>Daybeacon 2                 | 26-24-40.740N<br>081-52-42.300W | TR on pile. |
| 18760   | Mullock Creek<br>Daybeacon 2A                | 26-25-18.030N<br>081-52-45.300W | TR on pile. |
| 18765   | Mullock Creek<br>Daybeacon 3                 | 26-25-33.300N<br>081-52-33.210W | SG on pile. |
| 18770   | Mullock Creek<br>Daybeacon 3A                | 26-25-39.930N<br>081-52-32.030W | SG on pile. |
| 18775   | Mullock Creek<br>Daybeacon 4                 | 26-25-50.070N<br>081-52-31.260W | TR on pile. |
| 18780   | Mullock Creek<br>Daybeacon 4A                | 26-25-59.490N<br>081-52-35.490W | TR on pile. |
| 18785   | Mullock Creek<br>Daybeacon 5                 | 26-26-12.600N<br>081-52-37.390W | SG on pile. |
| 18790   | Mullock Creek                                | 26-26-22.610N                   | TR on pile. |

|       |                                 |                                 |             |
|-------|---------------------------------|---------------------------------|-------------|
|       | Daybeacon 6                     | 081-52-36.260W                  |             |
| 18795 | Mullock Creek<br>Daybeacon 6A   | 26-26-29.000N<br>081-52-35.080W | TR on pile. |
| 18800 | Mullock Creek<br>Daybeacon 7    | 26-26-35.200N<br>081-52-36.200W | SG on pile. |
| 18805 | Mullock Creek<br>Daybeacon 8    | 26-26-43.170N<br>081-52-26.100W | TR on pile. |
| 18810 | Mullock Creek<br>Daybeacon 8A   | 26-26-50.730N<br>081-52-21.650W | TR on pile. |
| 18820 | Mullock Creek<br>Daybeacon 9    | 26-26-58.700N<br>081-52-17.200W | SG on pile. |
| 18825 | Mullock Creek<br>Daybeacon 10   | 26-27-07.290N<br>081-52-12.200W | TR on pile. |
| 18830 | Mullock Creek<br>Daybeacon 11   | 26-27-11.740N<br>081-52-12.120W | SG on pile. |
| 18835 | Mullock Creek<br>Daybeacon 13   | 26-27-21.180N<br>081-52-08.300W | SG on pile. |
| 18840 | Mullock Creek<br>Daybeacon 15   | 26-27-35.430N<br>081-52-05.830W | SG on pile. |
| 18845 | Mullock Creek<br>Daybeacon 16   | 26-27-40.469N<br>081-52-02.899W | TR on pile. |
| 18850 | Mullock Creek<br>Daybeacon 18   | 26-27-45.510N<br>081-52-02.840W | TR on pile. |
| 18855 | Mullock Creek<br>Daybeacon 20   | 26-27-49.780N<br>081-51-59.840W | TR on pile. |
| 18860 | Mullock Creek<br>Daybeacon 22   | 26-27-52.290N<br>081-51-59.180W | TR on pile. |
| 18865 | Mullock Creek<br>Daybeacon 25   | 26-27-56.250N<br>081-51-53.880W | SG on pile. |
| 18870 | Mullock Creek<br>Daybeacon 27   | 26-27-52.930N<br>081-51-51.360W | SG on pile. |
| 18875 | Mullock Creek<br>Daybeacon 28   | 26-27-54.000N<br>081-51-47.020W | TR on pile. |
| 18880 | Mullock Creek<br>Daybeacon 30   | 26-27-54.430N<br>081-51-43.910W | TR on pile. |
| 18885 | Mullock Creek<br>Daybeacon 32   | 26-27-55.650N<br>081-51-41.550W | TR on pile. |
| 18890 | Mullock Creek<br>Daybeacon 34   | 26-27-58.140N<br>081-51-45.400W | TR on pile. |
| 18895 | Mullock Creek<br>Daybeacon 36   | 26-28-00.250N<br>081-51-46.080W | TR on pile. |
| 18900 | Mullock Creek<br>Daybeacon 38   | 26-28-02.950N<br>081-51-47.650W | TR on pile. |
| 18905 | Mullock Creek<br>Daybeacon 39   | 26-28-04.960N<br>081-51-46.490W | SG on pile. |
| 18910 | Mullock Creek<br>Daybeacon 41   | 26-28-01.850N<br>081-51-43.610W | SG on pile. |
| 18915 | Mullock Creek<br>Daybeacon 43   | 26-28-00.670N<br>081-51-39.270W | SG on pile. |
| 18920 | Mullock Creek<br>Daybeacon 45   | 26-28-02.120N<br>081-51-36.330W | SG on pile. |
| 18925 | Mullock Creek<br>Daybeacon 46   | 26-28-05.560N<br>081-51-35.320W | TR on pile. |
| 18930 | Mullock Creek<br>Daybeacon 47   | 26-28-11.810N<br>081-51-32.620W | SG on pile. |
| 18935 | Mullock Creek<br>Daybeacon 49   | 26-28-13.090N<br>081-51-30.700W | SG on pile. |
| 18940 | Mullock Creek<br>Daybeacon 51   | 26-28-11.370N<br>081-51-28.230W | SG on pile. |
| 18945 | Mullock Creek<br>Daybeacon 52   | 26-28-11.680N<br>081-51-24.850W | TR on pile. |
| 18950 | Mullock Creek<br>Daybeacon 54   | 26-28-14.040N<br>081-51-24.380W | TR on pile. |
| 18955 | Mullock Creek<br>Daybeacon 55   | 26-28-14.090N<br>081-51-21.640W | SG on pile. |
| 18960 | South Estero Bay<br>Daybeacon 2 | 26-24-22.272N<br>081-52-40.320W | TR on pile. |
| 18965 | South Estero Bay<br>Daybeacon 4 | 26-24-25.000N<br>081-52-35.000W | TR on pile. |
| 18970 | South Estero Bay<br>Daybeacon 5 | 26-24-27.272N<br>081-52-22.320W | SG on pile. |

|          |                                         |                                 |             |
|----------|-----------------------------------------|---------------------------------|-------------|
| 18975    | South Estero Bay<br>Daybeacon 8         | 26-24-20.272N<br>081-52-16.320W | TR on pile. |
| 18980    | South Estero Bay<br>Daybeacon 9         | 26-24-18.272N<br>081-52-08.320W | SG on pile. |
| 18985    | Alternate Route<br>Channel Daybeacon 1  | 26-24-29.294N<br>081-51-53.316W | SG on pile. |
| 18990    | Alternate Route<br>Channel Daybeacon 2  | 26-24-26.294N<br>081-51-51.316W | TR on pile. |
| 18995    | Alternate Route<br>Channel Daybeacon 3  | 26-24-35.294N<br>081-51-37.315W | SG on pile. |
| 18995.09 | Estero Pointe Channel<br>Daybeacon 16   | 26-25-24.200N<br>081-52-06.000W | TR on pile. |
| 18995.08 | Estero Pointe Channel<br>Daybeacon 15   | 26-25-25.300N<br>081-52-07.000W | SG on pile. |
| 18995.06 | Estero Pointe Channel<br>Daybeacon 12   | 26-25-25.200N<br>081-52-12.400W | TR on pile. |
| 18995.05 | Estero Pointe Channel<br>Daybeacon 10   | 26-25-24.800N<br>081-52-19.100W | TR on pile. |
| 18995.04 | Estero Pointe Channel<br>Daybeacon 8    | 26-25-23.400N<br>081-52-23.300W | TR on pile. |
| 18995.03 | Estero Pointe Channel<br>Daybeacon 6    | 26-25-20.600N<br>081-52-26.200W | TR on pile. |
| 18995.02 | Estero Pointe Channel<br>Daybeacon 4    | 26-25-08.400N<br>081-52-31.400W | TR on pile. |
| 18995.01 | Estero Pointe Channel<br>Daybeacon 3    | 26-25-03.500N<br>081-52-38.900W | SG on pile. |
| 18996.09 | Estero Pointe Channel<br>Daybeacon 32   | 26-25-50.000N<br>081-51-36.900W | TR on pile. |
| 18996.08 | Estero Pointe Channel<br>Daybeacon 30   | 26-25-49.400N<br>081-51-41.700W | TR on pile. |
| 18996.07 | Estero Pointe Channel<br>Daybeacon 29   | 26-25-49.900N<br>081-51-42.200W | SG on pile. |
| 18996.05 | Estero Pointe Channel<br>Daybeacon 27   | 26-25-42.200N<br>081-51-53.600W | SG on pile. |
| 18996.04 | Estero Pointe Channel<br>Daybeacon 26   | 26-25-41.400N<br>081-51-53.600W | TR on pile. |
| 18996.03 | Estero Pointe Channel<br>Daybeacon 24   | 26-25-38.400N<br>081-51-58.700W | TR on pile. |
| 18996.02 | Estero Pointe Channel<br>Daybeacon 22   | 26-25-36.100N<br>081-51-58.600W | TR on pile. |
| 18996.01 | Estero Pointe Channel<br>Daybeacon 19   | 26-25-31.700N<br>081-52-04.400W | SG on pile. |
| 18996    | Estero Pointe Channel<br>Daybeacon 18   | 26-25-30.100N<br>081-52-04.000W | TR on pile. |
| 18997.03 | Estero Pointe Channel<br>Daybeacon 36   | 26-25-50.200N<br>081-51-29.900W | TR on pile. |
| 18997.02 | Estero Pointe Channel<br>Daybeacon 35   | 26-25-50.500N<br>081-51-31.100W | SG on pile. |
| 18997.01 | Estero Pointe Channel<br>Daybeacon 34   | 26-25-56.000N<br>081-52-11.500W | TR on pile. |
| 18997    | Estero Pointe Channel<br>Daybeacon 33   | 26-25-50.100N<br>081-51-35.700W | SG on pile. |
| 19000    | Alternate Route<br>Channel Daybeacon 4  | 26-24-31.294N<br>081-51-39.315W | TR on pile. |
| 19005    | Alternate Route<br>Channel Daybeacon 5  | 26-24-27.294N<br>081-51-26.315W | SG on pile. |
| 19010    | Alternate Route<br>Channel Daybeacon 6  | 26-24-26.294N<br>081-51-28.315W | TR on pile. |
| 19015    | Alternate Route<br>Channel Daybeacon 7  | 26-24-12.295N<br>081-51-17.315W | SG on pile. |
| 19020    | Alternate Route<br>Channel Daybeacon 8  | 26-24-10.295N<br>081-51-19.315W | TR on pile. |
| 19025    | Alternate Route<br>Channel Daybeacon 9  | 26-24-02.295N<br>081-51-07.315W | SG on pile. |
| 19030    | Alternate Route<br>Channel Daybeacon 10 | 26-24-00.295N<br>081-51-09.315W | TR on pile. |
| 19035    | Coconut Channel<br>Daybeacon 1          | 26-23-44.296N<br>081-50-55.314W | SG on pile. |
| 19040    | Coconut Channel<br>Daybeacon 2          | 26-23-42.296N<br>081-50-53.314W | TR on pile. |

|       |                                   |                                 |             |
|-------|-----------------------------------|---------------------------------|-------------|
| 19045 | Coconut Channel<br>Daybeacon 3    | 26-23-45.296N<br>081-50-52.314W | SG on pile. |
| 19050 | Coconut Channel<br>Daybeacon 4    | 26-23-42.296N<br>081-50-50.314W | TR on pile. |
| 19055 | Coconut Channel<br>Daybeacon 5    | 26-23-46.295N<br>081-50-48.314W | SG on pile. |
| 19060 | Coconut Channel<br>Daybeacon 6    | 26-23-44.296N<br>081-50-48.314W | TR on pile. |
| 19065 | Coconut Channel<br>Daybeacon 7    | 26-23-45.296N<br>081-50-44.314W | SG on pile. |
| 19070 | Coconut Channel<br>Daybeacon 8    | 26-23-42.296N<br>081-50-44.314W | TR on pile. |
| 19075 | Coconut Channel<br>Daybeacon 9    | 26-23-46.295N<br>081-50-42.314W | SG on pile. |
| 19080 | Coconut Channel<br>Daybeacon 10   | 26-23-44.296N<br>081-50-39.314W | TR on pile. |
| 19085 | Coconut Channel<br>Daybeacon 11   | 26-23-48.295N<br>081-50-40.314W | SG on pile. |
| 19090 | Coconut Channel<br>Daybeacon 12   | 26-23-47.295N<br>081-50-37.314W | TR on pile. |
| 19095 | Coconut Channel<br>Daybeacon 13   | 26-23-50.295N<br>081-50-38.314W | SG on pile. |
| 19100 | Coconut Channel<br>Daybeacon 14   | 26-23-50.295N<br>081-50-36.314W | TR on pile. |
| 19105 | Coconut Channel<br>Daybeacon 15   | 26-23-52.295N<br>081-50-37.314W | SG on pile. |
| 19110 | Coconut Channel<br>Daybeacon 16   | 26-23-55.295N<br>081-50-35.314W | TR on pile. |
| 19115 | Coconut Channel<br>Daybeacon 17   | 26-23-59.295N<br>081-50-37.314W | SG on pile. |
| 19120 | Coconut Channel<br>Daybeacon 18   | 26-23-57.295N<br>081-50-35.314W | TR on pile. |
| 19125 | Coconut Channel<br>Daybeacon 20   | 26-23-58.295N<br>081-50-33.314W | TR on pile. |
| 19130 | Coconut Channel<br>Daybeacon 22   | 26-23-58.295N<br>081-50-32.314W | TR on pile. |
| 19135 | Coconut Channel<br>Daybeacon 23   | 26-24-00.295N<br>081-50-30.314W | SG on pile. |
| 19140 | South Estero Bay<br>Daybeacon 10  | 26-24-13.272N<br>081-52-10.320W | TR on pile. |
| 19145 | South Estero Bay<br>Daybeacon 11  | 26-24-03.272N<br>081-52-01.320W | SG on pile. |
| 19150 | South Estero Bay<br>Daybeacon 12  | 26-23-52.272N<br>081-52-03.320W | TR on pile. |
| 19155 | South Estero Bay<br>Daybeacon 13  | 26-23-49.500N<br>081-51-56.000W | SG on pile. |
| 19156 | South Estero Bay<br>Daybeacon 13A | 26-23-48.840N<br>081-51-56.160W | SG on pile. |
| 19160 | South Estero Bay<br>Daybeacon 14  | 26-23-47.000N<br>081-51-59.000W | TR on pile. |
| 19170 | South Estero Bay<br>Daybeacon 16  | 26-23-34.000N<br>081-51-48.900W | TR on pile. |
| 19175 | South Estero Bay<br>Daybeacon 17  | 26-23-28.272N<br>081-51-43.320W | SG on pile. |
| 19180 | South Estero Bay<br>Daybeacon 18  | 26-23-27.272N<br>081-51-46.320W | TR on pile. |
| 19185 | South Estero Bay<br>Daybeacon 20  | 26-23-25.272N<br>081-51-44.320W | TR on pile. |
| 19190 | South Estero Bay<br>Daybeacon 21  | 26-23-15.272N<br>081-51-42.320W | SG on pile. |
| 19195 | South Estero Bay<br>Daybeacon 22  | 26-23-13.272N<br>081-51-44.320W | TR on pile. |
| 19200 | South Estero Bay<br>Daybeacon 24  | 26-23-05.300N<br>081-51-42.000W | TR on pile. |
| 19205 | South Estero Bay<br>Daybeacon 25  | 26-23-05.000N<br>081-51-39.500W | SG on pile. |
| 19210 | South Estero Bay<br>Daybeacon 27  | 26-23-00.000N<br>081-51-37.300W | SG on pile. |
| 19215 | South Estero Bay<br>Daybeacon 28  | 26-22-59.700N<br>081-51-39.000W | TR on pile. |

|         |                                  |                                 |             |
|---------|----------------------------------|---------------------------------|-------------|
| 19220   | South Estero Bay<br>Daybeacon 29 | 26-22-50.272N<br>081-51-34.320W | SG on pile. |
| 19225   | South Estero Bay<br>Daybeacon 30 | 26-22-50.272N<br>081-51-35.320W | TR on pile. |
| 19230   | South Estero Bay<br>Daybeacon 31 | 26-22-48.272N<br>081-51-32.320W | SG on pile. |
| 19235   | Southern Passage<br>Daybeacon 1  | 26-22-58.297N<br>081-51-27.315W | SG on pile. |
| 19240   | Southern Passage<br>Daybeacon 2  | 26-22-53.297N<br>081-51-51.315W | TR on pile. |
| 19245   | Southern Passage<br>Daybeacon 4  | 26-22-58.297N<br>081-51-22.315W | TR on pile. |
| 19250   | Southern Passage<br>Daybeacon 5  | 26-23-04.297N<br>081-51-16.315W | SG on pile. |
| 19255   | Southern Passage<br>Daybeacon 6  | 26-23-03.297N<br>081-51-14.315W | TR on pile. |
| 19260   | Southern Passage<br>Daybeacon 7  | 26-23-06.297N<br>081-51-14.315W | SG on pile. |
| 19265   | Southern Passage<br>Daybeacon 8  | 26-23-06.297N<br>081-51-11.315W | TR on pile. |
| 19270   | Southern Passage<br>Daybeacon 9  | 26-23-10.297N<br>081-51-09.315W | SG on pile. |
| 19275   | Southern Passage<br>Daybeacon 10 | 26-23-08.297N<br>081-51-07.315W | TR on pile. |
| 19280   | Southern Passage<br>Daybeacon 11 | 26-23-12.297N<br>081-51-04.315W | SG on pile. |
| 19285   | Southern Passage<br>Daybeacon 12 | 26-23-09.297N<br>081-51-03.315W | TR on pile. |
| 19290   | Southern Passage<br>Daybeacon 13 | 26-23-11.297N<br>081-51-00.315W | SG on pile. |
| 19295   | Southern Passage<br>Daybeacon 14 | 26-23-08.297N<br>081-51-01.315W | TR on pile. |
| 19300   | Southern Passage<br>Daybeacon 15 | 26-23-09.297N<br>081-50-57.315W | SG on pile. |
| 19305   | Southern Passage<br>Daybeacon 16 | 26-23-06.297N<br>081-50-59.315W | TR on pile. |
| 19310   | Southern Passage<br>Daybeacon 17 | 26-23-07.297N<br>081-50-54.315W | SG on pile. |
| 19315   | Southern Passage<br>Daybeacon 18 | 26-23-05.297N<br>081-50-56.315W | TR on pile. |
| 19320   | Southern Passage<br>Daybeacon 19 | 26-23-06.297N<br>081-50-49.315W | SG on pile. |
| 19325   | Southern Passage<br>Daybeacon 20 | 26-23-03.297N<br>081-50-48.315W | TR on pile. |
| 19330   | Spring Creek<br>Daybeacon 1      | 26-22-53.623N<br>081-50-36.110W | SG on pile. |
| 19335   | Spring Creek<br>Daybeacon 2      | 26-22-51.500N<br>081-50-35.716W | TR on pile. |
| 19340   | Spring Creek<br>Daybeacon 4      | 26-22-49.358N<br>081-50-33.982W | TR on pile. |
| 19345   | Spring Creek<br>Daybeacon 5      | 26-22-49.429N<br>081-50-32.984W | SG on pile. |
| 19347.9 | Baywinds Channel<br>Daybeacon 9  | 26-22-57.500N<br>081-50-10.500W | SG on pile. |
| 19347.8 | Baywinds Channel<br>Daybeacon 8  | 26-22-57.000N<br>081-50-09.800W | TR on pile. |
| 19347.5 | Baywinds Channel<br>Daybeacon 5  | 26-22-55.000N<br>081-50-09.000W | SG on pile. |
| 19347.4 | Baywinds Channel<br>Daybeacon 4  | 26-22-53.500N<br>081-50-07.500W | TR on pile. |
| 19347.3 | Baywinds Channel<br>Daybeacon 3  | 26-22-53.000N<br>081-50-08.000W | SG on pile. |
| 19347.2 | Baywinds Channel<br>Daybeacon 2  | 26-22-52.500N<br>081-50-07.500W | TR on pile. |
| 19347.1 | Baywinds Channel<br>Daybeacon 1  | 26-22-52.000N<br>081-50-08.500W | SG on pile. |
| 19349.2 | Baywinds Channel<br>Daybeacon 12 | 26-22-59.000N<br>081-50-09.500W | TR on pile. |
| 19349.1 | Baywinds Channel<br>Daybeacon 11 | 26-22-58.800N<br>081-50-10.500W | SG on pile. |
| 19349   | Baywinds Channel                 | 26-22-58.500N                   | TR on pile. |

|       |                              |                                 |             |
|-------|------------------------------|---------------------------------|-------------|
|       | Daybeacon 10                 | 081-50-10.000W                  |             |
| 19350 | Spring Creek<br>Daybeacon 6  | 26-22-49.634N<br>081-50-31.505W | TR on pile. |
| 19355 | Spring Creek<br>Daybeacon 7  | 26-22-55.144N<br>081-50-30.495W | SG on pile. |
| 19360 | Spring Creek<br>Daybeacon 8  | 26-22-55.130N<br>081-50-28.984W | TR on pile. |
| 19365 | Spring Creek<br>Daybeacon 9  | 26-22-54.836N<br>081-50-27.646W | SG on pile. |
| 19370 | Spring Creek<br>Daybeacon 11 | 26-22-52.490N<br>081-50-26.757W | SG on pile. |
| 19375 | Spring Creek<br>Daybeacon 12 | 26-22-50.443N<br>081-50-26.445W | TR on pile. |
| 19380 | Spring Creek<br>Daybeacon 13 | 26-22-50.530N<br>081-50-25.739W | SG on pile. |
| 19385 | Spring Creek<br>Daybeacon 14 | 26-22-50.021N<br>081-50-23.081W | TR on pile. |
| 19390 | Spring Creek<br>Daybeacon 15 | 26-22-50.118N<br>081-50-21.194W | SG on pile. |
| 19395 | Spring Creek<br>Daybeacon 16 | 26-22-51.482N<br>081-50-19.476W | TR on pile. |
| 19400 | Spring Creek<br>Daybeacon 17 | 26-22-51.027N<br>081-50-14.606W | SG on pile. |
| 19405 | Spring Creek<br>Daybeacon 19 | 26-22-53.619N<br>081-50-13.233W | SG on pile. |
| 19410 | Spring Creek<br>Daybeacon 21 | 26-22-53.423N<br>081-50-11.331W | SG on pile. |
| 19415 | Spring Creek<br>Daybeacon 23 | 26-22-52.035N<br>081-50-10.318W | SG on pile. |
| 19420 | Spring Creek<br>Daybeacon 24 | 26-22-51.915N<br>081-50-08.871W | TR on pile. |
| 19425 | Spring Creek<br>Daybeacon 25 | 26-22-51.911N<br>081-50-06.306W | SG on pile. |
| 19430 | Spring Creek<br>Daybeacon 26 | 26-22-51.048N<br>081-50-05.092W | TR on pile. |
| 19435 | Spring Creek<br>Daybeacon 28 | 26-22-50.394N<br>081-50-03.478W | TR on pile. |
| 19440 | Spring Creek<br>Daybeacon 29 | 26-22-49.155N<br>081-50-02.124W | SG on pile. |
| 19445 | Spring Creek<br>Daybeacon 30 | 26-22-47.718N<br>081-50-01.608W | TR on pile. |
| 19450 | Spring Creek<br>Daybeacon 32 | 26-22-48.516N<br>081-50-00.960W | TR on pile. |
| 19455 | Spring Creek<br>Daybeacon 34 | 26-22-47.800N<br>081-49-58.899W | TR on pile. |
| 19460 | Spring Creek<br>Daybeacon 36 | 26-22-46.520N<br>081-49-57.782W | TR on pile. |
| 19465 | Spring Creek<br>Daybeacon 37 | 26-22-46.874N<br>081-49-56.831W | SG on pile. |
| 19470 | Spring Creek<br>Daybeacon 38 | 26-22-44.936N<br>081-49-54.989W | TR on pile. |
| 19475 | Spring Creek<br>Daybeacon 40 | 26-22-42.021N<br>081-49-55.142W | TR on pile. |
| 19480 | Spring Creek<br>Daybeacon 41 | 26-22-39.420N<br>081-49-54.794W | SG on pile. |
| 19485 | Spring Creek<br>Daybeacon 42 | 26-22-39.500N<br>081-49-55.114W | TR on pile. |
| 19490 | Spring Creek<br>Daybeacon 43 | 26-22-37.212N<br>081-49-55.390W | SG on pile. |
| 19495 | Spring Creek<br>Daybeacon 45 | 26-22-36.135N<br>081-49-55.046W | SG on pile. |
| 19500 | Spring Creek<br>Daybeacon 46 | 26-22-34.681N<br>081-49-54.056W | TR on pile. |
| 19505 | Spring Creek<br>Daybeacon 48 | 26-22-33.001N<br>081-49-53.481W | TR on pile. |
| 19510 | Spring Creek<br>Daybeacon 50 | 26-22-30.933N<br>081-49-53.845W | TR on pile. |
| 19515 | Spring Creek<br>Daybeacon 51 | 26-22-30.173N<br>081-49-55.252W | SG on pile. |
| 19520 | Spring Creek<br>Daybeacon 52 | 26-22-24.248N<br>081-49-52.259W | TR on pile. |

|       |                                  |                                 |             |
|-------|----------------------------------|---------------------------------|-------------|
| 19525 | Southern Passage<br>Daybeacon 21 | 26-23-26.297N<br>081-50-51.315W | SG on pile. |
| 19530 | Southern Passage<br>Daybeacon 22 | 26-23-27.297N<br>081-50-46.315W | TR on pile. |
| 19535 | South Estero Bay<br>Daybeacon 32 | 26-22-44.000N<br>081-51-29.000W | TR on pile. |
| 19540 | South Estero Bay<br>Daybeacon 34 | 26-22-44.272N<br>081-51-24.320W | TR on pile. |
| 19550 | South Estero Bay<br>Daybeacon 37 | 26-22-42.272N<br>081-51-14.320W | SG on pile. |
| 19555 | South Estero Bay<br>Daybeacon 38 | 26-22-41.272N<br>081-51-15.320W | TR on pile. |
| 19560 | South Estero Bay<br>Daybeacon 39 | 26-22-38.272N<br>081-51-13.320W | SG on pile. |
| 19565 | South Estero Bay<br>Daybeacon 40 | 26-22-32.272N<br>081-51-11.320W | TR on pile. |
| 19570 | South Estero Bay<br>Daybeacon 41 | 26-22-26.272N<br>081-51-06.320W | SG on pile. |
| 19575 | South Estero Bay<br>Daybeacon 42 | 26-22-24.272N<br>081-51-07.320W | TR on pile. |
| 19580 | South Estero Bay<br>Daybeacon 43 | 26-22-19.272N<br>081-51-04.320W | SG on pile. |
| 19585 | South Estero Bay<br>Daybeacon 45 | 26-22-11.272N<br>081-51-01.320W | SG on pile. |
| 19590 | South Estero Bay<br>Daybeacon 46 | 26-22-08.272N<br>081-51-02.320W | TR on pile. |
| 19595 | South Estero Bay<br>Daybeacon 47 | 26-22-05.272N<br>081-50-59.320W | SG on pile. |
| 19600 | South Estero Bay<br>Daybeacon 48 | 26-21-57.000N<br>081-51-00.000W | TR on pile. |
| 19605 | South Estero Bay<br>Daybeacon 49 | 26-21-57.900N<br>081-50-56.900W | SG on pile. |
| 19610 | South Estero Bay<br>Daybeacon 50 | 26-21-52.000N<br>081-51-00.000W | TR on pile. |
| 19615 | South Estero Bay<br>Daybeacon 52 | 26-21-47.000N<br>081-50-56.800W | TR on pile. |
| 19620 | South Estero Bay<br>Daybeacon 53 | 26-21-45.700N<br>081-50-54.000W | SG on pile. |
| 19625 | South Estero Bay<br>Daybeacon 54 | 26-21-40.000N<br>081-50-55.300W | TR on pile. |
| 19630 | South Estero Bay<br>Daybeacon 55 | 26-21-41.000N<br>081-50-55.300W | SG on pile. |
| 19635 | South Estero Bay<br>Daybeacon 56 | 26-21-40.000N<br>081-50-58.000W | TR on pile. |
| 19640 | South Estero Bay<br>Daybeacon 58 | 26-21-37.272N<br>081-51-01.320W | TR on pile. |
| 19645 | South Estero Bay<br>Daybeacon 60 | 26-21-31.670N<br>081-51-12.020W | TR on pile. |
| 19659 | South Estero Bay<br>Daybeacon 62 | 26-21-30.660N<br>081-51-15.780W | TR on pile. |
| 19660 | South Estero Bay<br>Daybeacon 63 | 26-21-31.020N<br>081-51-22.430W | SG on pile. |
| 19661 | South Estero Bay<br>Daybeacon 64 | 26-21-30.600N<br>081-51-19.800W | TR on pile. |
| 19670 | South Estero Bay<br>Daybeacon 65 | 26-21-17.880N<br>081-51-19.080W | SG on pile. |
| 19675 | South Estero Bay<br>Daybeacon 67 | 26-21-14.520N<br>081-51-16.310W | SG on pile. |
| 19680 | South Estero Bay<br>Daybeacon 69 | 26-21-11.450N<br>081-51-12.440W | SG on pile. |
| 19685 | South Estero Bay<br>Daybeacon 71 | 26-21-09.210N<br>081-51-08.620W | SG on pile. |
| 19690 | South Estero Bay<br>Daybeacon 73 | 26-21-05.660N<br>081-51-01.480W | SG on pile. |
| 19695 | South Estero Bay<br>Daybeacon 75 | 26-21-05.490N<br>081-50-51.920W | SG on pile. |
| 19700 | South Estero Bay<br>Daybeacon 77 | 26-21-03.070N<br>081-50-49.970W | SG on pile. |
| 19701 | South Estero Bay<br>Daybeacon 78 | 26-21-00.000N<br>081-50-46.680W | TR on pile. |



|         |                                          |                                 |             |
|---------|------------------------------------------|---------------------------------|-------------|
| 19703   | South Estero Bay<br>Daybeacon 79         | 26-20-59.700N<br>081-50-44.810W |             |
| 19705   | South Estero Bay<br>Daybeacon 80         | 26-21-00.440N<br>081-50-46.780W | TR on pile. |
| 19710   | South Estero Bay<br>Daybeacon 81         | 26-20-58.981N<br>081-50-44.398W | SG on pile. |
| 19715   | South Estero Bay<br>Daybeacon 82         | 26-21-00.440N<br>081-50-38.460W | TR on pile. |
| 19720   | South Estero Bay<br>Daybeacon 83         | 26-20-59.710N<br>081-50-33.000W | SG on pile. |
| 19721   | South Estero Bay<br>Daybeacon 84         | 26-20-58.990N<br>081-50-33.410W | TR on pile. |
| 19725   | South Estero Bay<br>Daybeacon 85         | 26-20-53.260N<br>081-50-31.730W | SG on pile. |
| 19730   | South Estero Bay<br>Daybeacon 87         | 26-20-43.410N<br>081-50-31.950W | SG on pile. |
| 19734   | South Estero Bay<br>Daybeacon 89         | 26-20-43.030N<br>081-50-31.350W | SG on pile. |
| 19735   | South Estero Bay<br>Daybeacon 90         | 26-20-43.069N<br>081-50-32.571W | TR on pile. |
| 19740   | South Estero Bay<br>Daybeacon 91         | 26-20-41.080N<br>081-50-34.070W | SG on pile. |
| 19745   | South Estero Bay<br>Daybeacon 92         | 26-20-38.330N<br>081-50-36.240W | TR on pile. |
| 19750   | South Estero Bay<br>Daybeacon 93         | 26-20-36.330N<br>081-50-35.990W | SG on pile. |
| 19755   | South Estero Bay<br>Daybeacon 94         | 26-20-35.960N<br>081-50-36.430W | TR on pile. |
| 19760   | South Estero Bay<br>Daybeacon 95         | 26-20-28.230N<br>081-50-33.710W | SG on pile. |
| 19765   | South Estero Bay<br>Daybeacon 96         | 26-20-23.520N<br>081-50-32.720W | TR on pile. |
| 19770   | South Estero Bay<br>Daybeacon 97         | 26-20-18.930N<br>081-50-30.660W | SG on pile. |
| 19775   | South Estero Bay<br>Daybeacon 98         | 26-20-16.200N<br>081-50-30.720W | TR on pile. |
| 19780   | South Estero Bay<br>Daybeacon 99         | 26-20-14.560N<br>081-50-28.770W | SG on pile. |
| 19785   | South Estero Bay<br>Daybeacon 100        | 26-20-12.970N<br>081-50-29.040W | TR on pile. |
| 19786   | Coconut Jacks<br>Daybeacon 2             | 26-20-11.760N<br>081-50-29.460W | TR on pile. |
| 19786.1 | Coconut Jacks<br>Daybeacon 3             | 26-20-11.520N<br>081-50-33.720W | SG on pile. |
| 19786.2 | Coconut Jacks<br>Daybeacon 5             | 26-20-09.780N<br>081-50-36.060W | SG on pile. |
| 19790   | South Estero Bay<br>Daybeacon 101        | 26-20-10.310N<br>081-50-25.690W | SG on pile. |
| 19795   | South Estero Bay<br>Daybeacon 102        | 26-20-09.570N<br>081-50-27.060W | TR on pile. |
| 19800   | South Estero Bay<br>Daybeacon 104        | 26-20-08.960N<br>081-50-23.110W | TR on pile. |
| 19805   | South Estero Bay<br>Junction Daybeacon A | 26-20-10.160N<br>081-50-17.450W | JG on pile. |
| 19810   | South Estero Bay<br>Daybeacon 106        | 26-20-06.220N<br>081-50-16.650W | TR on pile. |
| 19815   | South Estero Bay<br>Daybeacon 108        | 26-20-02.280N<br>081-50-17.940W | TR on pile. |
| 19820   | South Estero Bay<br>Daybeacon 110        | 26-19-59.080N<br>081-50-22.711W | TR on pile. |
| 19825   | South Estero Bay<br>Daybeacon 111        | 26-19-57.968N<br>081-50-21.548W | SG on pile. |
| 19830   | South Estero Bay<br>Daybeacon 113        | 26-19-55.700N<br>081-50-19.910W | SG on pile. |
| 19835   | South Estero Bay<br>Daybeacon 114        | 26-19-55.351N<br>081-50-20.259W | TR on pile. |
| 19840   | South Estero Bay<br>Daybeacon 115        | 26-19-54.620N<br>081-50-15.259W | SG on pile. |
| 19845   | South Estero Bay<br>Daybeacon 117        | 26-19-52.660N<br>081-50-14.240W | SG on pile. |

|       |                                               |                                 |           |   |    |                                              |                                                                                                |
|-------|-----------------------------------------------|---------------------------------|-----------|---|----|----------------------------------------------|------------------------------------------------------------------------------------------------|
| 19850 | South Estero Bay<br>Daybeacon 119             | 26-19-51.171N<br>081-50-14.460W |           |   |    | SG on pile.                                  |                                                                                                |
| 19860 | South Estero Bay<br>Daybeacon 122             | 26-19-50.480N<br>081-50-13.080W |           |   |    | TR on pile.                                  | Sign on bridge after this aid states CAUTION: Markers are reversed on opposite side of bridge. |
| 19865 | Sanibel Island Light 2                        | 26-27-30.220N<br>082-01-30.082W | Fl R 6s   | 0 | 5  | TR on pile.                                  |                                                                                                |
| 19875 | Sanibel Marina<br>Channel Daybeacon 2         | 26-27-11.572N<br>082-01-53.120W |           |   |    | TR on pile.                                  |                                                                                                |
| 19880 | Sanibel Island<br>Daybeacon 3                 | 26-27-36.870N<br>082-02-24.026W |           |   | 0  | SG on pile.                                  |                                                                                                |
| 19885 | Sanibel Island<br>Daybeacon 4                 | 26-27-57.507N<br>082-02-45.838W |           |   | 0  | TR on pile.                                  |                                                                                                |
| 19890 | Sanibel Island Light 5                        | 26-28-49.936N<br>082-03-37.613W | Fl G 4s   | 0 | 5  | SG on pile.                                  |                                                                                                |
| 19910 | Charlotte Harbor<br>Channel Lighted Buoy<br>1 | 26-40-19.284N<br>082-18-53.895W | Fl G 2.5s |   | 4  | Green.                                       |                                                                                                |
| 19915 | Charlotte Harbor<br>Channel Lighted Buoy<br>2 | 26-40-16.792N<br>082-18-50.378W | Fl R 2.5s |   | 5  | Red.                                         |                                                                                                |
| 19920 | Charlotte Harbor<br>Channel Buoy 4            | 26-41-49.980N<br>082-17-47.151W |           |   |    | Red nun.                                     |                                                                                                |
| 19925 | Charlotte Harbor<br>Channel Lighted Buoy<br>3 | 26-41-52.327N<br>082-17-49.365W | Q G       |   | 4  | Green.                                       |                                                                                                |
| 19930 | Charlotte Harbor<br>Channel Lighted Buoy<br>6 | 26-42-17.944N<br>082-16-33.050W | Fl R 4s   |   | 5  | Red nun.                                     |                                                                                                |
| 19935 | Charlotte Harbor<br>Channel Lighted Buoy<br>5 | 26-42-21.158N<br>082-16-34.653W | Fl G 4s   |   | 4  | Green.                                       |                                                                                                |
| 19965 | Port Boca Grande<br>Light                     | 26-43-02.401N<br>082-15-39.267W | Oc W 4s   | 0 | 12 | White frame dwelling on south end of island. |                                                                                                |
| 19967 | Boca Grande Dock<br>Light 1                   | 26-43-04.560N<br>082-15-31.020W | Fl W 2.5s |   |    | Located on Southwest end of dock.            |                                                                                                |
| 19968 | Boca Grande Dock<br>Light 2                   | 26-43-00.540N<br>082-15-28.740W | Fl W 4s   |   | 3  | Located on Northeast end of dock.            |                                                                                                |
| 19981 | Cape Haze Reef<br>Lighted Buoy A              | 26-45-22.030N<br>082-10-00.850W | Fl Y 4s   |   |    | Yellow.                                      |                                                                                                |
| 19982 | Cape Haze Reef<br>Lighted Buoy B              | 26-45-52.560N<br>082-09-16.920W | Fl Y 4s   |   |    | Yellow.                                      |                                                                                                |
| 19985 | Cape Haze Shoal Light<br>4                    | 26-44-19.378N<br>082-10-01.736W | Fl R 4s   | 0 | 5  | TR on pile.                                  |                                                                                                |
| 19990 | Cape Haze Shoal Light<br>5                    | 26-45-42.620N<br>082-07-59.290W | Fl G 4s   | 0 | 5  | SG on pile.                                  |                                                                                                |
| 19995 | Cape Haze Shoal Light<br>6                    | 26-45-35.929N<br>082-06-38.145W | Fl R 4s   | 0 | 5  | TR on pile.                                  |                                                                                                |
| 20000 | Burnt Store Marina<br>Light 2                 | 26-45-31.246N<br>082-04-31.325W | Fl R 2.5s |   |    | TR on pile.                                  |                                                                                                |
| 20005 | Burnt Store Marina<br>Daybeacon 3             | 26-45-46.245N<br>082-04-21.324W |           |   |    | SG on pile.                                  |                                                                                                |
| 20010 | Burnt Store Marina<br>Daybeacon 4             | 26-45-31.746N<br>082-04-20.324W |           |   |    | TR on pile.                                  |                                                                                                |
| 20015 | Burnt Store Marina<br>Daybeacon 5             | 26-45-43.245N<br>082-04-08.324W |           |   |    | SG on pile.                                  |                                                                                                |
| 20020 | Burnt Store Marina<br>Daybeacon 6             | 26-45-31.746N<br>082-04-08.324W |           |   |    | TR on pile.                                  |                                                                                                |
| 20025 | Burnt Store Marina<br>Daybeacon 7             | 26-45-47.245N<br>082-04-05.824W |           |   |    | SG on pile.                                  |                                                                                                |
| 20030 | Burnt Store Marina<br>Daybeacon 8             | 26-45-32.246N<br>082-03-57.324W |           |   |    | TR on pile.                                  |                                                                                                |
| 20035 | Pirate Harbor<br>Daybeacon 1                  | 26-48-11.839N<br>082-04-25.024W |           |   |    | SG on pile.                                  |                                                                                                |
| 20040 | Pirate Harbor<br>Daybeacon 2                  | 26-48-10.879N<br>082-04-25.024W |           |   |    | TR on pile.                                  |                                                                                                |
| 20045 | Pirate Harbor<br>Daybeacon 3                  | 26-48-11.794N<br>082-04-15.205W |           |   |    | SG on pile.                                  |                                                                                                |
| 20050 | Pirate Harbor<br>Daybeacon 4                  | 26-48-10.879N<br>082-04-15.205W |           |   |    | TR on pile.                                  |                                                                                                |
| 20055 | Pirate Harbor<br>Daybeacon 5                  | 26-48-10.039N<br>082-04-00.142W |           |   |    | SG on pile.                                  |                                                                                                |

|       |                                                            |                                 |         |                                       |                                          |
|-------|------------------------------------------------------------|---------------------------------|---------|---------------------------------------|------------------------------------------|
| 20060 | Pirate Harbor<br>Daybeacon 6                               | 26-48-12.239N<br>082-04-00.142W |         | TR on pile.                           |                                          |
| 20065 | Pirate Harbor<br>Daybeacon 7                               | 26-48-11.065N<br>082-03-47.596W |         | SG on pile.                           |                                          |
| 20070 | Pirate Harbor<br>Daybeacon 8                               | 26-48-10.508N<br>082-03-47.596W |         | TR on pile.                           |                                          |
| 20075 | Pirate Harbor<br>Daybeacon 9                               | 26-48-12.980N<br>082-03-23.321W |         | SG on pile.                           |                                          |
| 20080 | Pirate Harbor<br>Daybeacon 10                              | 26-48-12.609N<br>082-03-23.321W |         | TR on pile.                           |                                          |
| 20085 | Pirate Harbor<br>Daybeacon 11                              | 26-48-15.205N<br>082-03-15.958W |         | SG on pile.                           |                                          |
| 20090 | Pirate Harbor<br>Daybeacon 12                              | 26-48-14.834N<br>082-03-15.917W |         | TR on pile.                           |                                          |
| 20095 | Pirate Harbor<br>Daybeacon 14                              | 26-48-14.525N<br>082-03-11.526W |         | TR on pile.                           |                                          |
| 20100 | Pirate Harbor<br>Daybeacon 15                              | 26-48-15.371N<br>082-03-08.322W |         | SG on pile.                           |                                          |
| 20105 | Pirate Harbor<br>Daybeacon 16                              | 26-48-14.340N<br>082-03-04.435W |         | TR on pile.                           |                                          |
| 20110 | Pirate Harbor<br>Daybeacon 17                              | 26-48-14.929N<br>082-03-04.327W |         | SG on pile.                           |                                          |
| 20115 | Pirate Harbor<br>Daybeacon 18                              | 26-48-15.699N<br>082-03-00.276W |         | TR on pile.                           |                                          |
| 20120 | Charlotte Harbor<br>Artificial Reef<br>Southeast Daybeacon | 26-50-31.234N<br>082-05-18.954W |         | NW on pile worded<br>ARTIFICIAL REEF. |                                          |
| 20125 | Charlotte Harbor<br>Artificial Reef<br>Southwest Daybeacon | 26-50-31.234N<br>082-05-18.954W |         | NW on pile worded<br>ARTIFICIAL REEF. |                                          |
| 20130 | Charlotte Harbor<br>Artificial Reef<br>Northeast Daybeacon | 26-51-31.232N<br>082-05-18.954W |         | NW on pile worded<br>ARTIFICIAL REEF. |                                          |
| 20135 | Charlotte Harbor<br>Artificial Reef<br>Northwest Daybeacon | 26-51-31.232N<br>082-05-18.954W |         | NW on pile worded<br>ARTIFICIAL REEF. |                                          |
| 20140 | Myakka River<br>Daybeacon 7                                | 26-54-05.017N<br>082-08-40.896W | 0       | SG on pile.                           | Measured mile between Daybeacon 7 and 8. |
| 20145 | Myakka River<br>Daybeacon 8                                | 26-54-41.909N<br>082-09-33.103W | 0       | TR on pile.                           |                                          |
| 20150 | Myakka River<br>Daybeacon 9                                | 26-56-37.751N<br>082-11-14.079W | 0       | SG on pile.                           |                                          |
| 20155 | South Gulf Cove<br>Entrance Daybeacon 1                    | 26-56-43.410N<br>082-11-40.630W |         | SG on pile.                           |                                          |
| 20160 | South Gulf Cove<br>Entrance Light 2                        | 26-56-43.500N<br>082-11-41.800W | FI R 4s | TR on pile.                           |                                          |
| 20165 | South Gulf Cove<br>Entrance Daybeacon 3                    | 26-56-41.900N<br>082-11-41.700W |         | SG on pile.                           |                                          |
| 20170 | South Gulf Cove<br>Entrance Daybeacon 4                    | 26-56-41.950N<br>082-11-42.100W |         | TR on pile.                           |                                          |
| 20175 | South Gulf Cove<br>Entrance Daybeacon 5                    | 26-56-39.000N<br>082-11-42.000W |         | SG on pile.                           |                                          |
| 20180 | South Gulf Cove<br>Entrance Daybeacon 6                    | 26-56-39.100N<br>082-11-42.200W |         | TR on pile.                           |                                          |
| 20185 | South Gulf Cove<br>Entrance Daybeacon 7                    | 26-56-37.500N<br>082-11-42.200W |         | SG on pile.                           |                                          |
| 20190 | South Gulf Cove<br>Entrance Daybeacon 8                    | 26-56-37.600N<br>082-11-42.300W |         | TR on pile.                           |                                          |
| 20195 | Hayward Canal<br>Approach Daybeacon 1                      | 26-57-33.218N<br>082-12-12.330W |         | SG on pile.                           |                                          |
| 20200 | Hayward Canal<br>Approach Daybeacon 2                      | 26-57-32.218N<br>082-12-09.330W |         | TR on pile.                           |                                          |
| 20203 | Hayward Canal<br>Daybeacon 3                               | 26-57-43.140N<br>082-12-12.780W |         | SG on pile.                           |                                          |
| 20205 | Hayward Canal<br>Daybeacon 3A                              | 26-57-48.217N<br>082-12-12.330W |         | SG on pile.                           |                                          |
| 20208 | Hayward Canal<br>Daybeacon 4                               | 26-57-43.200N<br>082-12-12.480W |         | TR on pile.                           |                                          |
| 20210 | Hayward Canal<br>Daybeacon 4A                              | 26-57-48.217N<br>082-12-09.330W |         | TR on pile.                           |                                          |

|         |                                  |                                 |         |             |
|---------|----------------------------------|---------------------------------|---------|-------------|
| 20211   | Buckleys Pass<br>Daybeacon 1     | 26-53-03.180N<br>082-03-31.892W | FI G 6s | SG on pile. |
| 20212   | Buckleys Pass<br>Daybeacon 2     | 26-53-03.985N<br>082-03-30.959W |         | TR on pile. |
| 20213   | Buckleys Pass<br>Daybeacon 3     | 26-53-04.449N<br>082-03-31.982W |         | SG on pile. |
| 20214   | Buckleys Pass<br>Daybeacon 4     | 26-53-05.244N<br>082-03-31.824W |         | TR on pile. |
| 20215   | Alligator Creek Light 1          | 26-52-27.516N<br>082-03-59.004W | FI G 6s | SG on pile. |
| 20220   | Alligator Creek<br>Daybeacon 2   | 26-52-26.620N<br>082-03-58.622W |         | TR on pile. |
| 20225   | Alligator Creek<br>Daybeacon 3   | 26-52-29.557N<br>082-03-53.482W |         | SG on pile. |
| 20230   | Alligator Creek<br>Daybeacon 4   | 26-52-28.625N<br>082-03-53.104W |         | TR on pile. |
| 20255   | Alligator Creek<br>Daybeacon 9   | 26-52-31.930N<br>082-03-46.580W |         | SG on pile. |
| 20260   | Alligator Creek<br>Daybeacon 10  | 26-52-31.220N<br>082-03-45.640W |         | TR on pile. |
| 20265   | Alligator Creek<br>Daybeacon 11  | 26-52-34.390N<br>082-03-43.880W |         | SG on pile. |
| 20270   | Alligator Creek<br>Daybeacon 12  | 26-52-33.900N<br>082-03-42.970W |         | TR on pile. |
| 20275   | Alligator Creek<br>Daybeacon 13  | 26-52-37.660N<br>082-03-43.330W |         | SG on pile. |
| 20280   | Alligator Creek<br>Daybeacon 14  | 26-52-37.910N<br>082-03-42.430W |         | TR on pile. |
| 20285   | Alligator Creek<br>Daybeacon 15  | 26-52-43.950N<br>082-03-42.550W |         | SG on pile. |
| 20290   | Alligator Creek<br>Daybeacon 16  | 26-52-43.740N<br>082-03-41.690W |         | TR on pile. |
| 20291   | Alligator Creek<br>Daybeacon 17  | 26-52-47.748N<br>082-03-39.600W |         | SG on pile. |
| 20291.1 | Alligator Creek<br>Daybeacon 18  | 26-52-51.528N<br>082-03-37.871W |         | TR on pile. |
| 20295   | Alligator Creek<br>Daybeacon 20  | 26-52-57.612N<br>082-03-38.519W |         | TR on pile. |
| 20297   | Alligator Creek<br>Daybeacon 20A | 26-53-00.167N<br>082-03-35.388W |         | TR on pile  |
| 20300   | Alligator Creek<br>Daybeacon 21  | 26-52-58.008N<br>082-03-38.987W |         | SG on pile. |
| 20305   | Alligator Creek<br>Daybeacon 23  | 26-53-03.040N<br>082-03-30.960W |         | SG on pile. |
| 20310   | Alligator Creek<br>Daybeacon 24  | 26-53-09.492N<br>082-03-26.279W |         | TR on pile. |
| 20310.2 | Alligator Creek<br>Daybeacon 25  | 26-53-16.260N<br>082-03-17.220W |         | SG on pile. |
| 20310.1 | Alligator Creek<br>Daybeacon 24A | 26-53-13.307N<br>082-03-22.067W |         | TR on pile. |
| 20315   | Alligator Creek<br>Daybeacon 26  | 26-53-15.468N<br>082-03-17.711W |         | TR on pile. |
| 20317   | Alligator Creek<br>Daybeacon 26A | 26-53-15.792N<br>082-03-09.359W |         | TR on pile  |
| 20320   | Alligator Creek<br>Daybeacon 28  | 26-53-18.059N<br>082-03-09.359W |         | TR on pile. |
| 20325   | Alligator Creek<br>Daybeacon 30  | 26-53-21.270N<br>082-03-08.350W |         | TR on pile. |
| 20330   | Alligator Creek<br>Daybeacon 32  | 26-53-25.840N<br>082-03-03.290W |         | TR on pile. |
| 20335   | Alligator Creek<br>Daybeacon 33  | 26-53-42.870N<br>082-02-57.420W |         | SG on pile. |
| 20340   | Alligator Creek<br>Daybeacon 34  | 26-53-30.320N<br>082-03-03.850W |         | TR on pile. |
| 20340.1 | Alligator Creek<br>Daybeacon 34A | 26-53-32.780N<br>082-03-03.060W |         | TR on pile. |
| 20340.2 | Alligator Creek<br>Daybeacon 35  | 26-53-34.440N<br>082-03-02.580W |         | SG on pile. |
| 20345   | Alligator Creek<br>Daybeacon 36  | 26-53-34.810N<br>082-02-02.040W |         | TR on pile. |

|          |                                  |                                 |             |
|----------|----------------------------------|---------------------------------|-------------|
| 20350    | Alligator Creek<br>Daybeacon 38  | 26-53-36.790N<br>082-02-58.140W | TR on pile. |
| 20350.1  | Alligator Creek<br>Daybeacon 40  | 26-53-37.920N<br>082-02-57.360W | TR on pile. |
| 20350.2  | Alligator Creek<br>Daybeacon 40A | 26-53-43.320N<br>082-02-56.800W | TR on pile. |
| 20350.3  | Alligator Creek<br>Daybeacon 41  | 26-53-42.960N<br>082-02-57.540W | SG on pile. |
| 20350.4  | Alligator Creek<br>Daybeacon 42  | 26-53-46.920N<br>082-02-56.100W | TR on pile. |
| 20350.5  | Alligator Creek<br>Daybeacon 44  | 26-53-48.480N<br>082-02-52.800W | TR on pile. |
| 20350.6  | Alligator Creek<br>Daybeacon 46  | 26-53-47.160N<br>082-02-48.180W | TR on pile. |
| 20350.7  | Alligator Creek<br>Daybeacon 48  | 26-53-49.140N<br>082-02-44.640W | TR on pile. |
| 20350.8  | Alligator Creek<br>Daybeacon 50  | 26-53-50.760N<br>082-02-43.860W | TR on pile. |
| 20350.9  | Alligator Creek<br>Daybeacon 52  | 26-53-55.380N<br>082-02-41.460W | TR on pile. |
| 20352    | Alligator Creek<br>Daybeacon 54  | 26-53-55.967N<br>082-02-39.300W | TR on pile. |
| 20352.1  | Alligator Creek<br>Daybeacon 54A | 26-53-59.340N<br>082-02-31.020W | TR on pile. |
| 20352.2  | Alligator Creek<br>Daybeacon 55  | 26-53-59.820N<br>082-02-31.620W | SG on pile. |
| 20352.3  | Alligator Creek<br>Daybeacon 56  | 26-54-00.480N<br>082-02-31.020W | TR on pile. |
| 20352.95 | Gulf Cove Daybeacon<br>1C West   | 26-57-34.770N<br>082-13-23.606W | SG on pile. |
| 20352.9  | Gulf Cove Daybeacon<br>1L        | 26-57-33.367N<br>082-13-19.017W | SG on pile. |
| 20352.85 | Gulf Cove Daybeacon<br>9F        | 26-57-21.547N<br>082-13-16.254W | SG on pile. |
| 20352.8  | Gulf Cove Daybeacon<br>7B        | 26-57-22.059N<br>082-13-11.463W | SG on pile. |
| 20352.75 | Gulf Cove Daybeacon<br>5C        | 26-57-22.447N<br>082-13-07.052W | SG on pile. |
| 20352.7  | Gulf Cove Daybeacon<br>3F East   | 26-57-22.896N<br>082-13-02.300W | SG on pile. |
| 20352.65 | Gulf Cove Daybeacon<br>2F East   | 26-57-24.844N<br>082-12-58.441W | TR on pile. |
| 20352.6  | Gulf Cove Daybeacon<br>1N        | 26-57-27.687N<br>082-12-56.829W | SG on pile  |
| 20352.55 | Gulf Cove Daybeacon<br>1C East   | 26-57-25.313N<br>082-12-52.895W | SG on pile. |
| 20352.5  | Gulf Cove Daybeacon<br>3E        | 26-57-18.574N<br>082-12-54.430W | SG on pile. |
| 20353.95 | Gulf Cove Daybeacon<br>3M        | 26-59-16.026N<br>082-14-35.370W | SG on pile. |
| 20353.9  | Gulf Cove Daybeacon<br>1M West   | 26-59-16.235N<br>082-14-30.684W | SG on pile. |
| 20353.85 | Gulf Cove Daybeacon<br>9P        | 26-59-08.267N<br>082-14-31.785W | SG on pile. |
| 20353.8  | Gulf Cove Daybeacon<br>7C East   | 26-59-03.969N<br>082-14-30.615W | SG on pile. |
| 20353.75 | Gulf Cove Daybeacon<br>6C        | 26-59-00.981N<br>082-14-29.239W | TR on pile. |
| 20353.7  | Gulf Cove Daybeacon<br>5M        | 26-59-00.131N<br>082-14-25.239W | SG on pile. |
| 20353.65 | Gulf Cove Daybeacon<br>3Q        | 26-58-56.229N<br>082-14-21.993W | SG on pile. |
| 20353.6  | Gulf Cove Daybeacon<br>1K        | 26-58-52.204N<br>082-14-19.242W | SG on pile. |
| 20353.55 | Gulf Cove Daybeacon<br>1P        | 26-58-48.367N<br>082-14-23.034W | SG on pile. |
| 20353.5  | Gulf Cove Daybeacon<br>1J        | 26-58-30.398N<br>082-14-24.725W | SG on pile. |
| 20353.45 | Gulf Cove Daybeacon<br>2F West   | 26-58-30.299N<br>082-14-28.105W | TR on pile. |
| 20353.4  | Gulf Cove Daybeacon              | 26-58-33.105N                   | SG on pile. |

|          |                                   |                                 |         |   |   |                                        |
|----------|-----------------------------------|---------------------------------|---------|---|---|----------------------------------------|
|          | 3F West                           | 082-14-28.105W                  |         |   |   |                                        |
| 20353.35 | Gulf Cove Daybeacon 5B            | 26-58-34.866N<br>082-14-30.578W |         |   |   | SG on pile.                            |
| 20353.3  | Gulf Cove Daybeacon 3R            | 26-58-29.537N<br>082-14-28.206W |         |   |   | SG on pile.                            |
| 20353.25 | Gulf Cove Daybeacon 5R            | 26-58-25.306N<br>082-14-30.090W |         |   |   | SG on pile.                            |
| 20353.2  | Gulf Cove Daybeacon 1M East       | 26-58-22.280N<br>082-14-23.444W |         |   |   | SG on pile.                            |
| 20353.15 | Gulf Cove Daybeacon 1B            | 26-58-17.794N<br>082-14-19.833W |         |   |   | SG on pile.                            |
| 20353.1  | Gulf Cove Daybeacon 3B            | 26-58-14.529N<br>082-14-22.998W |         |   |   | SG on pile.                            |
| 20353.05 | Gulf Cove Daybeacon 1D            | 26-57-38.672N<br>082-13-31.561W |         |   |   | SG on pile.                            |
| 20353    | Gulf Cove Daybeacon 1A            | 26-57-36.085N<br>082-13-28.254W |         |   |   | SG on pile.                            |
| 20354.6  | Gulf Cove Daybeacon 23A           | 26-59-48.310N<br>082-15-08.507W |         |   |   | SG on pile.                            |
| 20354.55 | Gulf Cove Daybeacon 21C           | 26-59-45.384N<br>082-15-05.898W |         |   |   | SG on pile.                            |
| 20354.5  | Gulf Cove Daybeacon 19P           | 26-59-42.586N<br>082-15-02.671W |         |   |   | SG on pile.                            |
| 20354.45 | Gulf Cove Daybeacon 17R           | 26-59-39.571N<br>082-14-59.605W |         |   |   | SG on pile.                            |
| 20354.4  | Gulf Cove Daybeacon 15V           | 26-59-37.820N<br>082-14-55.119W |         |   |   | SG on pile.                            |
| 20354.35 | Gulf Cove Daybeacon 14V           | 26-59-37.107N<br>082-14-50.999W |         |   |   | TR on pile.                            |
| 20354.3  | Gulf Cove Daybeacon 13H           | 26-59-35.874N<br>082-14-50.960W |         |   |   | SG on pile.                            |
| 20354.25 | Gulf Cove Daybeacon 1Q            | 26-59-33.814N<br>082-14-53.764W |         |   |   | SG on pile.                            |
| 20354.2  | Gulf Cove Daybeacon 2Q            | 26-59-30.007N<br>082-14-52.902W |         |   |   | TR on pile.                            |
| 20354.15 | Gulf Cove Daybeacon 11D           | 25-59-26.444N<br>082-14-48.778W |         |   |   | SG on pile.                            |
| 20354.1  | Gulf Cove Daybeacon 9K            | 26-59-23.804N<br>082-14-45.493W |         |   |   | SG on pile.                            |
| 20354.05 | Gulf Cove Daybeacon 7C West       | 26-59-21.073N<br>082-14-42.273W |         |   |   | SG on pile.                            |
| 20354    | Gulf Cove Daybeacon 5S            | 26-59-18.480N<br>082-14-38.939W |         |   |   | SG on pile.                            |
| 20355    | Upper Myakka River Daybeacon A    | 26-58-16.217N<br>082-14-11.333W |         |   |   | MB on pile.                            |
| 20360    | Upper Myakka River Daybeacon B    | 26-58-55.215N<br>082-14-16.333W |         |   |   | MB on pile.                            |
| 20365    | Upper Myakka River Daybeacon 1    | 26-58-28.216N<br>082-14-32.333W |         |   |   | SG on pile.                            |
| 20370    | Upper Myakka River Daybeacon 2    | 26-59-29.214N<br>082-14-27.333W |         |   |   | TR on pile.                            |
| 20375    | Upper Myakka River Daybeacon 4    | 26-59-35.213N<br>082-14-32.333W |         |   |   | TR on pile.                            |
| 20380    | Upper Myakka River Daybeacon 6    | 26-59-38.213N<br>082-14-36.333W |         |   |   | TR on pile.                            |
| 20385    | Upper Myakka River Daybeacon 8    | 26-59-43.213N<br>082-14-53.333W |         |   |   | TR on pile.                            |
| 20390    | Upper Myakka River Daybeacon 10   | 26-59-46.213N<br>082-14-59.333W |         |   |   | TR on pile.                            |
| 20395    | Upper Myakka River Daybeacon 12   | 26-59-55.213N<br>082-15-05.333W |         |   |   | TR on pile.                            |
| 20400    | Upper Myakka River Daybeacon 14   | 27-00-02.212N<br>082-15-10.333W |         |   |   | TR on pile.                            |
| 20405    | Upper Myakka River Daybeacon 16   | 27-00-07.212N<br>082-15-17.333W |         |   |   | TR on pile.                            |
| 20410    | Upper Myakka River Daybeacon 18   | 27-00-11.212N<br>082-15-24.334W |         |   |   | TR on pile.                            |
| 20420    | Mangrove Point Light 1            | 26-53-58.289N<br>082-07-14.423W | FI G 4s | 0 | 5 | SG on pile.                            |
| 20425    | Charlotte Harbor Fish Haven North | 26-54-52.324N<br>082-07-35.425W |         |   |   | NW on piles worded<br>ARTIFICIAL REEF. |

|         |                                             |                                 |           |   |   |                                       |
|---------|---------------------------------------------|---------------------------------|-----------|---|---|---------------------------------------|
|         | Daybeacon                                   |                                 |           |   |   |                                       |
| 20430   | Charlotte Harbor Fish Haven South Daybeacon | 26-54-46.424N<br>082-07-36.625W |           |   |   | NW on piles worded<br>ARTIFICAL REEF. |
| 20435   | Charlotte Harbor Fish Haven E Daybeacon     | 26-54-49.124N<br>082-07-32.425W |           |   |   | NW on piles worded<br>ARTIFICAL REEF. |
| 20440   | Charlotte Harbor Fish Haven West Daybeacon  | 26-54-49.024N<br>082-07-38.325W |           |   |   | NW on piles worded<br>ARTIFICAL REEF. |
| 20445   | Ponce De Leon Park Channel Daybeacon 1      | 26-54-34.224N<br>082-06-03.323W |           |   |   | SG on pile.                           |
| 20450   | Ponce De Leon Park Channel Light 2          | 26-54-31.224N<br>082-06-03.323W | FI R 6s   |   |   | TR on pile.                           |
| 20453   | Ponce de Leon Park Channel Daybeacon 3      | 26-54-33.510N<br>082-05-57.820W |           |   |   | SG on pile.                           |
| 20455   | Ponce De Leon Park Channel Daybeacon 4      | 26-54-31.224N<br>082-05-57.323W |           |   |   | TR on pile.                           |
| 20458   | Ponse de Leon Park Channel Daybeacon 5      | 26-54-33.450N<br>082-05-52.870W |           |   |   | SG on pile.                           |
| 20460   | Ponce De Leon Park Channel Daybeacon 6      | 26-54-31.224N<br>082-05-51.323W |           |   |   | TR on pile.                           |
| 20462   | Ponce de Leon Park Channel Daybeacon 6A     | 26-54-32.430N<br>082-05-46.970W |           |   |   | TR on pile.                           |
| 20464   | Ponce de Leon Park Channel Daybeacon 7      | 26-54-33.270N<br>082-05-46.990W |           |   |   | SG on pile.                           |
| 20465   | Ponce De Leon Park Channel Daybeacon 8      | 26-54-31.224N<br>082-05-45.323W |           |   |   | TR on pile.                           |
| 20470   | Ponce De Leon Park Channel Light 9          | 26-54-34.224N<br>082-05-45.323W | FI G 4s   |   |   | SG on pile.                           |
| 20471   | Ponce de Leon Park Channel Light 10         | 26-54-32.280N<br>082-05-31.600W | Q R       |   |   | TR on pile.                           |
| 20472   | Ponce de Leon Park Channel Daybeacon 11     | 26-54-31.590N<br>082-05-20.660W |           |   |   | SG on pile.                           |
| 20473   | Ponce de Leon Park Channel Daybeacon 12     | 26-54-30.810N<br>082-05-20.750W |           |   |   | TR on pile.                           |
| 20474   | Ponce de Leon Park Channel Daybeacon 13     | 26-54-32.910N<br>082-05-18.700W |           |   |   | SG on pile.                           |
| 20474.1 | Ponce de Leon Park Channel Daybeacon 14     | 26-54-31.180N<br>082-05-19.630W |           |   |   | TR on pile.                           |
| 20474.2 | Ponce de Leon Park Channel Daybeacon 15     | 26-54-34.710N<br>082-05-16.660W |           |   |   | SG on pile.                           |
| 20474.3 | Ponce de Leon Park Channel Daybeacon 16     | 26-54-32.290N<br>082-05-17.920W |           |   |   | TR on pile.                           |
| 20474.4 | Ponce de Leon Park Channel Daybeacon 17     | 26-54-35.200N<br>082-05-15.800W |           |   |   | SG pn pile.                           |
| 20474.5 | Ponce de Leon Park Channel Daybeacon 18     | 26-54-32.220N<br>082-05-16.060W |           |   |   | TR on pile.                           |
| 20475   | Peace River Light 2                         | 26-55-53.634N<br>082-06-14.214W | FI R 4s   | 0 | 5 | TR on dolphin.                        |
| 20480   | Peace River Daybeacon 3                     | 26-56-22.751N<br>082-05-18.658W |           | 0 |   | SG on pile.                           |
| 20485   | Peace River Daybeacon 3A                    | 26-56-20.620N<br>082-04-28.951W |           | 0 |   | SG on pile.                           |
| 20495   | Isles Channel Daybeacon 1                   | 26-55-55.000N<br>082-04-40.000W |           |   |   | SG on pile.                           |
| 20500   | Isles Channel Light 2                       | 26-55-45.000N<br>082-04-47.000W | FI R 2.5s |   |   | TR on pile.                           |
| 20505   | Isles Channel Daybeacon 3                   | 26-55-45.000N<br>082-04-37.000W |           |   |   | SG on pile.                           |
| 20510   | Isles Channel Daybeacon 4                   | 26-55-47.000N<br>082-04-46.000W |           |   |   | TR on pile.                           |
| 20515   | Isles Channel Daybeacon 5                   | 26-55-45.000N<br>082-04-44.000W |           |   |   | SG on pile.                           |
| 20520   | Isles Channel Daybeacon 6                   | 26-55-43.000N<br>082-04-46.000W |           |   |   | TR on pile.                           |
| 20525   | Isles Channel Daybeacon 7                   | 26-55-55.000N<br>082-04-44.000W |           |   |   | SG on pile.                           |
| 20530   | Isles Channel Daybeacon 8                   | 26-55-39.000N<br>082-04-46.000W |           |   |   | TR on pile.                           |
| 20535   | Isles Channel                               | 26-55-39.000N                   |           |   |   | SG on pile.                           |

|       |                                      |                                 |           |   |   |                |
|-------|--------------------------------------|---------------------------------|-----------|---|---|----------------|
|       | Daybeacon 9                          | 082-04-40.800W                  |           |   |   |                |
| 20540 | Isles Channel<br>Daybeacon 10        | 26-55-37.800N<br>082-04-45.000W |           |   |   | TR on pile.    |
| 20545 | Isles Channel<br>Daybeacon 11        | 26-55-34.800N<br>082-04-40.800W |           |   |   | SG on pile.    |
| 20550 | Isles Cross Channel<br>Daybeacon 1   | 26-55-38.260N<br>082-04-49.600W |           |   |   | SG on pile.    |
| 20555 | Isles Cross Channel<br>Daybeacon 2   | 26-55-39.850N<br>082-04-49.510W |           |   |   | TR on pile.    |
| 20560 | Isles Cross Channel<br>Daybeacon 3   | 26-55-39.160N<br>082-04-53.460W |           |   |   | SG on pile.    |
| 20565 | Isles Cross Channel<br>Daybeacon 4   | 26-55-40.600N<br>082-04-54.390W |           |   |   | TR on pile.    |
| 20570 | Isles Cross Channel<br>Daybeacon 5   | 26-55-40.040N<br>082-04-59.190W |           |   |   | SG on pile.    |
| 20575 | Isles Cross Channel<br>Daybeacon 6   | 26-55-41.270N<br>082-04-58.430W |           |   |   | TR on pile.    |
| 20580 | Isles Cross Channel<br>Daybeacon 7   | 26-55-40.850N<br>082-05-03.570W |           |   |   | SG on pile.    |
| 20585 | Isles Cross Channel<br>Daybeacon 8   | 26-55-42.110N<br>082-05-03.750W |           |   |   | TR on pile.    |
| 20590 | Punta Gorda Light 2                  | 26-56-10.313N<br>082-04-22.539W | FI R 4s   | 0 | 3 | TR on dolphin. |
| 20595 | Punta Gorda<br>Daybeacon 4           | 26-56-08.059N<br>082-04-20.151W |           | 0 |   | TR on pile.    |
| 20600 | Punta Gorda<br>Daybeacon 6           | 26-56-04.519N<br>082-04-16.671W |           | 0 |   | TR on pile.    |
| 20605 | Punta Gorda<br>Daybeacon 8           | 26-56-00.379N<br>082-04-12.531W |           | 0 |   | TR on pile.    |
| 20610 | Punta Gorda<br>Daybeacon 10          | 26-55-56.239N<br>082-04-08.451W |           |   |   | TR on pile.    |
| 20615 | Punta Gorda<br>Daybeacon 12          | 26-55-52.162N<br>082-04-04.534W |           | 0 |   | TR on pile.    |
| 20620 | Punta Gorda<br>Daybeacon 14          | 26-55-48.082N<br>082-04-00.394W |           | 0 |   | TR on pile.    |
| 20625 | Bass Inlet Daybeacon<br>1            | 26-55-39.300N<br>082-03-54.400W |           |   |   | SG on pile.    |
| 20630 | Bass Inlet Daybeacon<br>2            | 26-55-39.700N<br>082-03-55.300W |           |   |   | TR on pile.    |
| 20635 | Bass Inlet Daybeacon<br>3            | 26-55-38.200N<br>082-03-55.400W |           |   |   | SG on pile.    |
| 20640 | Bass Inlet Daybeacon<br>4            | 26-55-38.400N<br>082-03-57.200W |           |   |   | TR on pile.    |
| 20645 | Bass Inlet Daybeacon<br>5            | 26-55-37.400N<br>082-03-57.100W |           |   |   | SG on pile.    |
| 20650 | Bass Inlet Daybeacon<br>6            | 26-55-37.200N<br>082-03-58.100W |           |   |   | TR on pile.    |
| 20655 | Bass Inlet Daybeacon<br>7            | 26-55-36.200N<br>082-03-57.000W |           |   |   | SG on pile.    |
| 20660 | Bass Inlet Daybeacon<br>8            | 26-55-36.300N<br>082-03-57.800W |           |   |   | TR on pile.    |
| 20665 | Bass Inlet Daybeacon<br>9            | 26-55-35.200N<br>082-03-56.600W |           |   |   | SG on pile.    |
| 20670 | Bass Inlet Daybeacon<br>10           | 26-55-34.900N<br>082-03-57.400W |           |   |   | TR on pile.    |
| 20675 | Peace River Light 4                  | 26-56-21.016N<br>082-03-54.146W | FI R 2.5s | 0 | 5 |                |
| 20680 | Punta Gorda Boat Club<br>Daybeacon 1 | 26-55-58.370N<br>082-03-42.020W |           |   |   | SG on pile.    |
| 20685 | Punta Gorda Boat Club<br>Daybeacon 2 | 26-55-57.990N<br>082-03-41.500W |           |   |   | TR on pile.    |
| 20690 | Punta Gorda Boat Club<br>Daybeacon 3 | 26-55-53.570N<br>082-03-37.240W |           |   |   | SG on pile.    |
| 20695 | Punta Gorda Boat Club<br>Daybeacon 5 | 26-55-52.830N<br>082-03-36.530W |           |   |   | SG on pile.    |
| 20700 | Punta Gorda Boat Club<br>Daybeacon 6 | 26-55-50.721N<br>082-04-37.321W |           |   |   | TR on pile.    |
| 20705 | Peace River Racing<br>Buoy T         | 26-57-02.138N<br>082-04-23.607W |           |   |   | Yellow nun.    |
| 20710 | Peace River Racing<br>Buoy A         | 26-56-26.712N<br>082-06-08.832W |           |   |   | Yellow nun.    |



|       |                                               |                                 |           |                                    |
|-------|-----------------------------------------------|---------------------------------|-----------|------------------------------------|
| 20715 | Gardner Waterway<br>Daybeacon 1               | 26-57-16.487N<br>082-05-06.951W |           | SG on pile.                        |
| 20720 | Gardner Waterway<br>Daybeacon 2               | 26-57-16.347N<br>082-05-06.091W |           | TR on pile.                        |
| 20725 | Gardner Waterway<br>Daybeacon 3               | 26-57-23.217N<br>082-05-02.321W |           | SG on pile.                        |
| 20730 | Gardner Waterway<br>Daybeacon 4               | 26-57-23.217N<br>082-05-01.321W |           | TR on pile.                        |
| 20735 | Gardner Waterway<br>Daybeacon 5               | 26-57-29.217N<br>082-05-01.321W |           | SG on pile.                        |
| 20740 | Gardner Waterway<br>Daybeacon 6               | 26-57-29.217N<br>082-04-59.321W |           | TR on pile.                        |
| 20745 | Gardner Waterway<br>Daybeacon 7               | 26-57-33.217N<br>082-04-59.321W |           | SG on pile.                        |
| 20750 | Gardner Waterway<br>Daybeacon 8               | 26-57-33.217N<br>082-04-57.321W |           | TR on pile.                        |
| 20755 | Beeney Waterway<br>Light 1                    | 26-57-07.018N<br>082-05-18.821W | FI G 6s   | SG on pile.                        |
| 20760 | Beeney Waterway<br>Daybeacon 2                | 26-57-07.218N<br>082-05-17.621W |           | TR on pile.                        |
| 20765 | Beeney Waterway<br>Daybeacon 3                | 26-57-10.718N<br>082-05-19.821W |           | SG on pile.                        |
| 20770 | Beeney Waterway<br>Daybeacon 4                | 26-57-15.217N<br>082-05-19.821W |           | TR on pile.                        |
| 20775 | Beeney Waterway<br>Daybeacon 5                | 26-57-18.717N<br>082-05-22.321W |           | SG on pile.                        |
| 20780 | Beeney Waterway<br>Daybeacon 6                | 26-57-23.717N<br>082-05-22.321W |           | TR on pile.                        |
| 20785 | Beeney Waterway<br>Daybeacon 8                | 26-57-25.717N<br>082-05-22.821W |           | TR on pile.                        |
| 20790 | Beeney Waterway<br>Daybeacon 9                | 26-57-26.217N<br>082-05-24.321W |           | SG on pile.                        |
| 20795 | Beeney Waterway<br>Daybeacon 10               | 26-57-27.217N<br>082-05-23.321W |           | TR on pile.                        |
| 20800 | Grassy Point East<br>Obstruction<br>Daybeacon | 26-56-53.218N<br>082-05-31.322W |           | NW on pile worded DANGER<br>SHOAL. |
| 20805 | Grassy Point West<br>Obstruction<br>Daybeacon | 26-56-55.218N<br>082-06-07.823W |           | NW on pile worded DANGER<br>SHOAL. |
| 20810 | Ackerman Waterway<br>Light 1                  | 26-57-15.218N<br>082-06-41.323W | FI G 2.5s | SG on pile.                        |
| 20815 | Ackerman Waterway<br>Daybeacon 2              | 26-57-18.218N<br>082-06-38.323W |           | TR on pile.                        |
| 20820 | Ackerman Waterway<br>Daybeacon 3              | 26-57-14.000N<br>082-06-44.000W |           | SG on pile.                        |
| 20825 | Ackerman Waterway<br>Daybeacon 4              | 26-57-17.000N<br>082-06-45.000W |           | TR on pile.                        |
| 20830 | Ackerman Waterway<br>Daybeacon 5              | 26-57-13.500N<br>082-06-45.500W |           | SG on pile.                        |
| 20835 | Ackerman Waterway<br>Daybeacon 6              | 26-57-15.000N<br>082-06-48.000W |           | TR on pile.                        |
| 20840 | Ackerman Waterway<br>Daybeacon 7              | 26-57-13.000N<br>082-06-48.000W |           | SG on pile.                        |
| 20845 | Ackerman Waterway<br>Daybeacon 8              | 26-57-14.500N<br>082-06-48.200W |           | TR on pile.                        |
| 20850 | Ackerman Waterway<br>Daybeacon 9              | 26-57-12.000N<br>082-06-52.200W |           | SG on pile.                        |
| 20855 | Ackerman Waterway<br>Daybeacon 10             | 26-57-14.000N<br>082-06-51.000W |           | TR on pile.                        |
| 20860 | Ackerman Waterway<br>Daybeacon 11             | 26-57-13.000N<br>082-06-54.000W |           | SG on pile.                        |
| 20865 | Ackerman Waterway<br>Daybeacon 12             | 26-57-16.000N<br>082-06-54.000W |           | TR on pile.                        |
| 20870 | Ackerman Waterway<br>Daybeacon 13             | 26-57-17.000N<br>082-06-58.000W |           | SG on pile.                        |
| 20875 | Ackerman Waterway<br>Daybeacon 14             | 26-57-17.899N<br>082-06-57.000W |           | TR on pile.                        |
| 20880 | Ackerman Waterway<br>Daybeacon 15             | 26-57-18.000N<br>082-07-00.300W |           | SG on pile.                        |

|         |                                     |                                 |         |                                    |
|---------|-------------------------------------|---------------------------------|---------|------------------------------------|
| 20885   | Ackerman Waterway<br>Daybeacon 16   | 26-57-19.000N<br>082-07-00.200W |         | TR on pile.                        |
| 20890   | Ackerman Waterway<br>Daybeacon 17   | 26-57-19.218N<br>082-07-05.000W |         | SG on pile.                        |
| 20895   | Ackerman Waterway<br>Daybeacon 18   | 26-57-21.000N<br>082-07-04.500W |         | TR on pile.                        |
| 20900   | Ackerman Waterway<br>Daybeacon 20   | 26-57-26.000N<br>082-07-17.000W |         | TR on pile.                        |
| 20903   | Ackerman Waterway<br>Daybeacon 22   | 26-57-26.240N<br>082-07-15.650W |         | TR on pile.                        |
| 20904   | Ackerman Waterway<br>Daybeacon 23   | 26-57-28.190N<br>082-07-17.710W |         | SG on pile.                        |
| 20905   | Elkcam Waterway<br>Light 1          | 26-57-13.300N<br>082-06-25.000W | Fl G 4s | SG on pile.                        |
| 20910   | Elkcam Waterway<br>Daybeacon 1A     | 26-57-16.000N<br>082-06-23.700W |         | SG on pile.                        |
| 20912   | Elkcam Waterway<br>Daybeacon 2      | 26-57-13.174N<br>082-06-21.914W |         | TR on pile.                        |
| 20915   | Elkcam Waterway<br>Daybeacon 2A     | 26-57-13.318N<br>082-06-21.000W |         | TR on pile.                        |
| 20920   | Elkcam Waterway<br>Daybeacon 3      | 26-57-18.000N<br>082-06-18.000W |         | SG on pile.                        |
| 20925   | Elkcam Waterway<br>Daybeacon 4      | 26-57-16.000N<br>082-06-17.900W |         | TR on pile.                        |
| 20930   | Elkcam Waterway<br>Daybeacon 4A     | 26-57-18.000N<br>082-06-15.323W |         | TR on pile.                        |
| 20935   | Elkcam Waterway<br>Daybeacon 5      | 26-57-23.000N<br>082-06-16.200W |         | SG on pile.                        |
| 20940   | Elkcam Waterway<br>Daybeacon 6      | 26-57-20.800N<br>082-06-12.200W |         | TR on pile.                        |
| 20945   | Elkcam Waterway<br>Daybeacon 7      | 26-57-24.323N<br>082-06-13.000W |         | SG on pile.                        |
| 20950   | Elkcam Waterway<br>Daybeacon 8      | 26-57-23.980N<br>082-06-11.900W |         | TR on pile.                        |
| 20955   | Elkcam Waterway<br>Daybeacon 9      | 26-57-28.800N<br>082-06-11.800W |         | SG on pile.                        |
| 20960   | Elkcam Waterway<br>Daybeacon 10     | 26-57-26.000N<br>082-06-08.232W |         | TR on pile.                        |
| 20965   | Elkcam Waterway<br>Daybeacon 11     | 26-57-30.000N<br>082-06-10.000W |         | SG on pile.                        |
| 20970   | Elkcam Waterway<br>Daybeacon 12     | 26-57-29.817N<br>082-06-06.522W |         | TR on pile.                        |
| 20975   | Elkcam Waterway<br>Daybeacon 13     | 26-57-33.000N<br>082-06-07.000W |         | SG on pile.                        |
| 20980   | Alligator Bay Shoal<br>Daybeacon    | 26-57-37.398N<br>082-06-52.764W |         | NW on pile worded DANGER<br>SHOAL. |
| 20980.1 | Manchester Waterway<br>Daybeacon 1  | 26-57-42.780N<br>082-07-49.260W |         | SG on pile.                        |
| 20980.2 | Manchester Waterway<br>Daybeacon 2  | 26-57-40.740N<br>082-07-49.560W |         | TR on pile.                        |
| 20980.3 | Manchester Waterway<br>Daybeacon 3  | 26-57-37.560N<br>082-07-45.720W |         | SG on pile.                        |
| 20980.4 | Manchester Waterway<br>Daybeacon 4  | 26-57-36.240N<br>082-07-45.780W |         | TR on pile.                        |
| 20980.5 | Manchester Waterway<br>Daybeacon 5  | 26-57-18.240N<br>082-07-45.480W |         | SG on pile.                        |
| 20980.6 | Manchester Waterway<br>Daybeacon 6  | 26-57-17.400N<br>082-07-46.020W |         | TR on pile.                        |
| 20980.7 | Manchester Waterway<br>Daybeacon 7  | 26-57-16.440N<br>082-07-46.260W |         | SG on pile.                        |
| 20980.8 | Manchester Waterway<br>Daybeacon 8  | 26-57-16.760N<br>082-07-48.600W |         | TR on pile.                        |
| 20980.9 | Manchester Waterway<br>Daybeacon 9  | 26-57-11.880N<br>082-07-49.920W |         | SG on pile.                        |
| 20981   | Manchester Waterway<br>Daybeacon 10 | 26-57-10.920N<br>082-07-53.820W |         | TR on pile.                        |
| 20981.1 | Manchester Waterway<br>Daybeacon 11 | 26-57-11.280N<br>082-08-11.880W |         | SG on pile.                        |
| 20981.2 | Manchester Waterway<br>Daybeacon 12 | 26-57-11.880N<br>082-08-13.020W |         | TR on pile.                        |
| 20981.3 | Manchester Waterway                 | 26-57-11.520N                   |         | TR on pile.                        |

|         |                                                        |                                 |     |             |
|---------|--------------------------------------------------------|---------------------------------|-----|-------------|
|         | Daybeacon 12B                                          | 082-08-15.300W                  |     |             |
| 20981.4 | Manchester Waterway<br>Daybeacon 13                    | 26-57-10.680N<br>082-08-18.000W |     | SG on pile. |
| 20981.5 | Manchester Waterway<br>Daybeacon 14                    | 26-57-11.280N<br>082-08-19.440W |     | TR on pile. |
| 20981.6 | Manchester Waterway<br>Daybeacon 14B                   | 26-57-11.220N<br>082-08-21.420W |     | TR on pile. |
| 20981.7 | Manchester Waterway<br>Daybeacon 15                    | 26-57-10.680N<br>082-08-23.520W |     | SG on pile. |
| 20981.8 | Manchester Waterway<br>Daybeacon 16                    | 26-57-11.340N<br>082-08-23.520W |     | TR on pile. |
| 20981.9 | Manchester Waterway<br>Daybeacon 17                    | 26-57-11.100N<br>082-08-24.840W |     | SG on pile. |
| 20982   | Manchester Waterway<br>Daybeacon 18                    | 26-57-24.840N<br>082-08-25.800W |     | TR on pile. |
| 20982.1 | Manchester Waterway<br>Daybeacon 18B                   | 26-57-11.700N<br>082-08-31.920W |     | TR on pile. |
| 20982.2 | Manchester Waterway<br>Daybeacon 19                    | 26-57-11.100N<br>082-08-40.560W |     | SG on pile. |
| 20982.3 | Manchester Waterway<br>Daybeacon 20                    | 26-57-11.520N<br>082-08-43.140W |     | TR on pile. |
| 20982.4 | Manchester Waterway<br>Daybeacon 20B                   | 26-57-11.100N<br>082-08-46.680W |     | TR on pile. |
| 20982.5 | Manchester Waterway<br>Daybeacon 21                    | 26-57-10.320N<br>082-08-48.540W |     | SG on pile. |
| 20982.6 | Manchester Waterway<br>Daybeacon 22                    | 26-57-10.800N<br>082-08-48.960W |     | TR on pile. |
| 20982.7 | Manchester Waterway<br>Daybeacon 23                    | 26-57-11.040N<br>082-08-51.900W |     | SG on pile. |
| 20982.8 | Manchester Waterway<br>Daybeacon 24                    | 26-57-11.820N<br>082-08-52.440W |     | TR on pile. |
| 20982.9 | Manchester Waterway<br>Daybeacon 25                    | 26-57-11.280N<br>082-09-05.340W |     | SG on pile. |
| 20983   | Manchester Waterway<br>Daybeacon 27                    | 26-57-12.300N<br>082-09-25.380W |     | SG on pile. |
| 20983.1 | Manchester Waterway<br>Daybeacon 29                    | 26-57-26.220N<br>082-09-30.000W |     | SG on pile. |
| 20983.2 | Manchester Waterway<br>Daybeacon 31                    | 26-57-40.020N<br>082-09-53.400W |     | SG on pile. |
| 20983.3 | Manchester Waterway<br>Daybeacon 33                    | 26-57-47.100N<br>082-10-07.020W |     | SG on pile. |
| 20985   | Countryman Waterway<br>Channel Light 1                 | 26-57-19.860N<br>082-06-40.740W | Q G | SG on pile. |
| 20987   | Countryman Waterway<br>Channel Daybeacon 2             | 26-57-21.300N<br>082-06-40.860W |     | TR on pile. |
| 20990   | Countryman Waterway<br>Channel Daybeacon 3             | 26-57-25.620N<br>082-06-46.080W |     | SG on pile. |
| 20993   | Countryman Waterway<br>Channel Daybeacon 4             | 26-57-27.180N<br>082-06-46.320W |     | TR on pile. |
| 20995   | Countryman Waterway<br>Channel Daybeacon 5             | 26-57-30.960N<br>082-06-51.000W |     | SG on pile. |
| 20997   | Countryman Waterway<br>Channel Daybeacon 6             | 26-57-31.560N<br>082-06-50.400W |     | TR on pile. |
| 21000   | Countryman Waterway<br>Channel Daybeacon 7             | 26-57-37.140N<br>082-06-57.000W |     | SG on pile. |
| 21003   | Countryman Waterway<br>Channel Daybeacon 8             | 26-57-37.620N<br>082-06-56.220W |     | TR on pile. |
| 21005   | Countryman Waterway<br>Channel Junction<br>Daybeacon A | 26-57-37.620N<br>082-06-58.740W |     | JR on pile. |
| 21006   | Countryman Waterway<br>Channel Daybeacon 9             | 26-57-44.760N<br>082-07-04.440W |     | SG on pile. |
| 21008   | Countryman Waterway<br>Channel Daybeacon 10            | 26-57-48.240N<br>082-07-06.780W |     | TR on pile. |
| 21010   | Countryman Waterway<br>Channel Daybeacon 11            | 26-57-48.300N<br>082-07-08.100W |     | SG on pile. |
| 21011   | Countryman Waterway<br>Channel Daybeacon 12            | 26-57-51.120N<br>082-07-09.840W |     | TR on pile. |
| 21012   | Countryman Waterway<br>Channel Daybeacon 13            | 26-57-51.600N<br>082-07-11.460W |     | SG on pile. |

|         |                                          |                                 |             |
|---------|------------------------------------------|---------------------------------|-------------|
| 21015   | Countryman Waterway Channel Daybeacon 14 | 26-57-54.060N<br>082-07-12.600W | TR on pile. |
| 21017   | Countryman Waterway Channel Daybeacon 15 | 26-57-55.440N<br>082-07-15.540W | SG on pile. |
| 21019   | Countryman Waterway Channel Daybeacon 16 | 26-57-56.280N<br>082-07-15.120W | TR on pile. |
| 21019.5 | Sunrise Waterway Daybeacon 1             | 26-57-43.260N<br>082-06-56.400W | SG on pile. |
| 21020   | Sunrise Waterway Daybeacon 2             | 26-57-43.517N<br>082-06-53.000W | TR on pile. |
| 21023   | Sunrise Waterway Daybeacon 3             | 26-57-48.840N<br>082-06-50.820W | SG on pile. |
| 21025   | Sunrise Waterway Junction Daybeacon B    | 26-57-47.987N<br>082-06-52.823W | JG on pile. |
| 21030   | Sunrise Waterway Daybeacon 4             | 26-57-51.000N<br>082-06-48.000W | TR on pile. |
| 21035   | Sunrise Waterway Daybeacon 5             | 26-57-56.000N<br>082-06-45.000W | SG on pile. |
| 21038   | Spring Lake Waterway Daybeacon 1         | 26-57-48.240N<br>082-06-56.220W | SG on pile. |
| 21040   | Spring Lake Waterway Daybeacon 2         | 26-57-49.700N<br>082-06-54.300W | TR on pile. |
| 21045   | Spring Lake Waterway Daybeacon 3         | 26-57-49.816N<br>082-06-58.000W | SG on pile. |
| 21050   | Spring Lake Waterway Daybeacon 4         | 26-57-53.845N<br>082-06-57.000W | TR on pile. |
| 21055   | Spring Lake Waterway Daybeacon 5         | 26-57-54.682N<br>082-07-02.810W | SG on pile. |
| 21056   | Spring Lake Waterway Daybeacon 7         | 26-57-58.610N<br>082-07-06.440W | SG on pile. |
| 21056.1 | Spring Lake Waterway Daybeacon 8         | 26-57-59.000N<br>082-07-06.000W | TR on pile. |
| 21056.2 | Spring Lake Waterway Daybeacon 9         | 26-58-02.200N<br>082-07-08.370W | SG on pile. |
| 21056.3 | Spring Lake Waterway Daybeacon 12        | 26-58-03.420N<br>082-07-10.810W | TR on pile. |
| 21056.4 | Spring Lake Waterway Daybeacon 16        | 26-58-06.500N<br>082-07-14.200W | TR on pile. |
| 21056.5 | Spring Lake Waterway Daybeacon 17        | 26-58-08.650N<br>082-07-13.630W | SG on pile. |
| 21056.6 | Spring Lake Waterway Daybeacon 18        | 26-58-08.600N<br>082-07-13.500W | TR on pile. |
| 21056.7 | Spring Lake Waterway Daybeacon 19        | 26-58-09.760N<br>082-07-10.660W | SG on pile. |
| 21056.8 | Spring Lake Waterway Daybeacon 21        | 26-58-11.700N<br>082-07-07.430W | SG on pile. |
| 21056.9 | Spring Lake Waterway Daybeacon 23        | 26-58-12.890N<br>082-07-08.880W | SG on pile. |
| 21057   | Spring Lake Waterway Daybeacon 24        | 26-58-13.210N<br>082-07-08.450W | TR on pile. |
| 21057.1 | Spring Lake Waterway Daybeacon 26        | 26-58-14.260N<br>082-07-10.510W | TR on pile. |
| 21057.2 | Spring Lake Waterway Daybeacon 27        | 26-58-16.320N<br>082-07-12.560W | SG on pile. |
| 21057.3 | Spring Lake Waterway Daybeacon 28        | 26-58-17.470N<br>082-07-11.830W | TR on pile. |
| 21057.4 | Spring Lake Waterway Daybeacon 31        | 26-58-19.500N<br>082-07-11.200W | SG on pile. |
| 21060   | South Bridge Waterway Daybeacon 1        | 26-56-44.300N<br>082-02-31.300W | SG on pile. |
| 21060.1 | South Bridge Waterway Daybeacon 2        | 26-56-43.700N<br>082-02-31.300W | TR on pile. |
| 21060.2 | South Bridge Waterway Daybeacon 3        | 26-56-44.100N<br>082-02-27.000W | SG on pile. |
| 21060.3 | South Bridge Waterway Daybeacon 4        | 26-56-43.600N<br>082-02-27.000W | TR on pile. |
| 21060.4 | South Bridge                             | 26-56-43.900N                   | SG on pile. |

|         |                                      |                                 |             |
|---------|--------------------------------------|---------------------------------|-------------|
|         | Waterway Daybeacon 5                 | 082-02-22.200W                  |             |
| 21060.5 | South Bridge Waterway Daybeacon 6    | 26-56-43.400N<br>082-02-22.200W | TR on pile. |
| 21060.6 | South Bridge Waterway Daybeacon 7    | 26-56-43.900N<br>082-02-18.800W | SG on pile. |
| 21060.7 | South Bridge Waterway Daybeacon 8    | 26-56-43.300N<br>082-02-18.700W | TR on pile. |
| 21060.8 | South Bridge Waterway Daybeacon 9    | 26-56-43.400N<br>082-02-14.000W | SG on pile. |
| 21060.9 | South Bridge Waterway Daybeacon 10   | 26-56-42.900N<br>082-02-14.900W | TR on pile. |
| 21061   | South Bridge Waterway Daybeacon 12   | 26-56-42.400N<br>082-02-14.700W | TR on pile. |
| 21061.1 | South Bridge Waterway Daybeacon 14   | 26-56-42.400N<br>082-02-15.400W | TR on pile. |
| 21061.2 | South Bridge Waterway Daybeacon 16   | 26-56-40.800N<br>082-02-16.700W | TR on pile. |
| 21061.3 | Southbridge Waterway Daybeacon 17    | 26-56-39.700N<br>082-02-18.300W | SG on pile. |
| 21061.4 | South Bridge Waterway Daybeacon 18   | 26-56-38.900N<br>082-02-20.100W | TR on pile. |
| 21062   | Orchid Waterway Daybeacon 1          | 26-56-43.700N<br>082-02-12.600W | SG on pile. |
| 21062.1 | Orchid Waterway Daybeacon 3          | 26-56-46.800N<br>082-02-09.600W | SG on pile. |
| 21062.2 | Orchid Waterway Daybeacon 5          | 26-56-49.300N<br>082-02-07.600W | SG on pile. |
| 21062.3 | Orchid Waterway Daybeacon 7          | 26-56-51.300N<br>082-02-05.200W | SG on pile. |
| 21062.4 | Orchid Waterway Daybeacon 9          | 26-56-52.200N<br>082-02-04.300W | SG on pile. |
| 21062.5 | Orchid Waterway Daybeacon 10         | 26-56-52.400N<br>082-02-03.800W | TR on pile  |
| 21062.6 | Orchid Waterway Daybeacon 12         | 26-56-54.000N<br>082-02-03.500W | TR on pile. |
| 21062.7 | Orchid Waterway Daybeacon 13         | 26-56-55.700N<br>082-02-02.700W | SG on pile  |
| 21062.8 | Orchid Waterway Daybeacon 14         | 26-56-57.400N<br>082-01-59.000W | TR on pile  |
| 21062.9 | Orchid Waterway Junction Daybeacon A | 26-56-59.800N<br>082-01-54.600W | JG on pile. |
| 21065   | Punta Gorda Marina Daybeacon 1       | 26-56-44.159N<br>082-02-31.631W | SG on pile. |
| 21070   | Punta Gorda Marina Daybeacon 2       | 26-56-43.692N<br>082-02-31.487W | TR on pile. |
| 21075   | Punta Gorda Marina Daybeacon 3       | 26-56-44.052N<br>082-02-27.384W | SG on pile. |
| 21080   | Punta Gorda Marina Daybeacon 4       | 26-56-44.159N<br>082-02-27.275W | TR on pile. |
| 21085   | Punta Gorda Marina Daybeacon 5       | 26-56-43.908N<br>082-02-22.451W | SG on pile. |
| 21090   | Punta Gorda Marina Daybeacon 6       | 26-56-44.052N<br>082-02-22.488W | TR on pile. |
| 21095   | Punta Gorda Marina Daybeacon 7       | 26-56-43.799N<br>082-02-18.887W | SG on pile. |
| 21100   | Punta Gorda Marina Daybeacon 8       | 26-56-43.187N<br>082-02-18.887W | TR on pile. |
| 21105   | Punta Gorda Marina Daybeacon 9       | 26-56-43.763N<br>082-02-17.016W | SG on pile. |
| 21110   | Punta Gorda Marina Daybeacon 10      | 26-56-43.151N<br>082-02-17.052W | TR on pile. |
| 21115   | Punta Gorda Marina                   | 26-56-43.054N                   | SG on pile. |

|         |                                                |                                 |         |                                   |
|---------|------------------------------------------------|---------------------------------|---------|-----------------------------------|
|         | Daybeacon 11                                   | 082-02-15.359W                  |         |                                   |
| 21120   | Punta Gorda Marina<br>Daybeacon 12             | 26-56-43.043N<br>082-02-15.252W |         | TR on pile.                       |
| 21125   | Punta Gorda Marina<br>Daybeacon 13             | 26-56-43.475N<br>082-02-14.027W |         | SG on pile.                       |
| 21130   | Punta Gorda Marina<br>Daybeacon 14             | 26-56-42.431N<br>082-02-14.640W |         | TR on pile.                       |
| 21135   | Punta Gorda Marina<br>Daybeacon 15             | 26-56-42.467N<br>082-02-14.100W |         | SG on pile.                       |
| 21136   | Punta Gorda Mooring<br>Field Lighted Buoy A    | 26-56-45.660N<br>082-03-11.340W | Fl Y 4s | Yellow.                           |
| 21136.1 | Punta Gorda Mooring<br>Field Buoy B            | 26-56-48.780N<br>082-03-06.300W |         | Yellow can.                       |
| 21136.2 | Punta Gorda Mooring<br>Field Lighted Buoy C    | 26-56-51.840N<br>082-03-01.320W | Fl Y 4s | Yellow.                           |
| 21136.3 | Punta Gorda Mooring<br>Field Buoy D            | 26-56-48.000N<br>082-02-58.380W |         | Yellow can.                       |
| 21136.4 | Punta Gorda Mooring<br>Field Lighted Buoy E    | 26-56-44.160N<br>082-02-55.380W | Fl Y 4s | Yellow.                           |
| 21136.5 | Punta Gorda Mooring<br>Field Buoy F            | 26-56-41.040N<br>082-03-00.420W |         | Yellow can.                       |
| 21136.6 | Punta Gorda Mooring<br>Field Lighted Buoy G    | 26-56-37.980N<br>082-03-05.400W | Fl Y 4s | Yellow.                           |
| 21136.7 | Punta Gorda Mooring<br>Field Buoy H            | 26-56-41.820N<br>082-03-08.340W |         | Yellow can.                       |
| 21140   | Peace River<br>Daybeacon 6                     | 26-57-20.531N<br>082-02-58.498W | 0       | TR on pile.                       |
| 21145   | Peace River<br>Daybeacon 8                     | 26-57-24.071N<br>082-02-42.298W | 0       | TR on pile.                       |
| 21150   | Peace River<br>Daybeacon 9                     | 26-57-10.871N<br>082-02-08.218W | 0       | SG on pile.                       |
| 21155   | Peace River<br>Daybeacon 11                    | 26-57-10.811N<br>082-01-52.738W | 0       | SG on pile.                       |
| 21160   | Peace River<br>Daybeacon 12                    | 26-57-28.451N<br>082-01-28.858W | 0       | TR on pile.                       |
| 21163   | Peace River<br>Obstruction Light               | 26-57-47.650N<br>082-00-31.032W | Fl Y 4s | NW on pile worded<br>OBSTRUCTION. |
| 21165   | Peace River<br>Daybeacon 15                    | 26-57-36.827N<br>082-01-01.028W | 0       | SG on pile.                       |
| 21170   | Peace River<br>Daybeacon 17                    | 26-57-31.931N<br>082-00-29.098W | 0       | SG on pile.                       |
| 21175   | Peace River<br>Daybeacon 19                    | 26-57-40.946N<br>081-59-55.930W | 0       | SG on pile.                       |
| 21180   | Peace River<br>Daybeacon 21                    | 26-57-55.511N<br>081-59-47.398W | 0       | SG on pile.                       |
| 21185   | Peace River<br>Daybeacon 22                    | 26-58-30.474N<br>081-59-51.801W | 0       | TR on pile.                       |
| 21190   | Peace River Buoy 24                            | 26-58-50.743N<br>081-59-42.087W |         | Red nun.                          |
| 21195   | Peace River (North<br>Section) Daybeacon 2     | 26-59-47.190N<br>081-59-21.040W |         | TR on pile.                       |
| 21200   | Peace River (North<br>Section) Daybeacon 4     | 27-00-01.090N<br>081-59-20.970W |         | TR on pile.                       |
| 21205   | Peace River (North<br>Section) Daybeacon 5     | 27-00-22.940N<br>081-59-11.380W |         | SG on pile.                       |
| 21210   | Peace River (North<br>Section) Daybeacon 7     | 27-00-36.600N<br>081-59-00.950W |         | SG on pile.                       |
| 21215   | Peace River (North<br>Section) Daybeacon 9     | 27-00-53.160N<br>081-59-00.290W |         | SG on pile.                       |
| 21220   | Peace River (North<br>Section) Daybeacon<br>10 | 27-01-16.120N<br>081-59-18.190W |         | TR on pile.                       |
| 21225   | Peace River (North<br>Section) Daybeacon 11    | 27-01-28.260N<br>081-59-24.070W |         | SG on pile.                       |
| 21230   | Peace River (North<br>Section) Daybeacon<br>12 | 27-01-48.110N<br>081-59-26.000W |         | TR on pile.                       |
| 21235   | Peace River (North<br>Section) Daybeacon<br>14 | 27-01-53.110N<br>081-59-26.640W |         | TR on pile.                       |

|         |                                             |                                 |          |   |   |             |
|---------|---------------------------------------------|---------------------------------|----------|---|---|-------------|
| 21240   | Peace River (North Section) Daybeacon A     | 27-01-58.190N<br>081-59-29.000W |          |   |   | JG on pile. |
| 21245   | Charlotte Harbor Yacht Club Daybeacon 1     | 26-57-21.217N<br>082-04-51.321W |          |   |   | SG on pile. |
| 21250   | Charlotte Harbor Yacht Club Daybeacon 2     | 26-57-20.217N<br>082-04-48.321W |          |   |   | TR on pile. |
| 21255   | Charlotte Harbor Yacht Club Daybeacon 3     | 26-57-23.217N<br>082-04-50.321W |          |   |   | SG on pile. |
| 21260   | Charlotte Harbor Yacht Club Daybeacon 4     | 26-57-22.217N<br>082-04-47.321W |          |   |   | TR on pile. |
| 21265   | Charlotte Harbor Yacht Club Daybeacon 5     | 26-57-25.217N<br>082-04-49.321W |          |   |   | SG on pile. |
| 21270   | Charlotte Harbor Yacht Club Daybeacon 6     | 26-57-24.216N<br>082-04-46.370W |          |   |   | TR on pile. |
| 21275   | Charlotte Harbor Yacht Club Daybeacon 7     | 26-57-28.217N<br>082-04-48.821W |          |   |   | SG on pile. |
| 21280   | Charlotte Harbor Yacht Club Daybeacon 8     | 26-57-27.217N<br>082-04-45.321W |          |   |   | TR on pile. |
| 21315   | Boca Grande Yacht Basin Channel Light 1     | 26-44-53.114N<br>082-15-04.391W | Fl G 4s  | 0 | 5 | SG on pile. |
| 21320   | Boca Grande Yacht Basin Channel Daybeacon 2 | 26-44-55.631N<br>082-15-09.254W |          | 0 |   | TR on pile. |
| 21325   | Boca Grande Yacht Basin Channel Daybeacon 3 | 26-44-54.056N<br>082-15-09.726W |          | 0 |   | SG on pile. |
| 21330   | Boca Grande Yacht Basin Channel Daybeacon 4 | 26-44-55.811N<br>082-15-13.214W |          | 0 |   | TR on pile. |
| 21335   | Boca Grande Yacht Basin Channel Daybeacon 5 | 26-44-54.873N<br>082-15-13.444W |          | 0 |   | SG on pile. |
| 21340   | Boca Grande Yacht Basin Channel Light 7     | 26-44-55.414N<br>082-15-17.525W | Fl G 4s  | 0 | 5 | SG on pile. |
| 21344   | Stump Pass Light                            | 26-53-59.000N<br>082-20-34.000W | Mo (A) W |   | 4 |             |
| 21347   | Stump Pass Buoy 2                           | 26-53-14.110N<br>082-20-32.580W |          |   |   | Red nun.    |
| 21350   | Stump Pass Buoy 3                           | 26-53-22.970N<br>082-20-34.390W |          |   |   |             |
| 21355   | Stump Pass Buoy 4                           | 26-53-30.980N<br>082-20-29.880W |          |   |   |             |
| 21357   | Stump Pass Buoy 5                           | 26-53-37.000N<br>082-20-27.740W |          |   |   |             |
| 21380   | Stump Pass Daybeacon 8                      | 26-53-58.631N<br>082-20-18.387W |          |   |   | TR on pile. |
| 21381   | Stump Pass Daybeacon 9                      | 26-54-01.000N<br>082-20-18.000W |          |   |   |             |
| 21381.1 | Stump Pass Daybeacon 10                     | 26-54-05.400N<br>082-20-14.640W |          |   |   |             |
| 21381.2 | Stump Pass Daybeacon 11                     | 26-54-11.120N<br>082-20-15.420W |          |   |   |             |
| 21381.3 | Stump Pass Daybeacon 13                     | 26-54-16.230N<br>082-20-11.960W |          |   |   |             |
| 21381.4 | Stump Pass Daybeacon 14                     | 26-54-13.970N<br>082-20-09.170W |          |   |   |             |
| 21381.5 | Stump Pass Daybeacon 15                     | 26-54-17.680N<br>082-20-01.150W |          |   |   |             |
| 21381.6 | Stump Pass Daybeacon 16                     | 26-54-15.500N<br>082-20-00.560W |          |   |   |             |
| 21385   | Stump Pass Marina Daybeacon 1               | 26-54-21.000N<br>082-19-49.200W |          |   |   | SG on pile. |
| 21390   | Stump Pass Marina Daybeacon 2               | 26-54-18.227N<br>082-19-48.342W |          |   |   | TR on pile. |

|          |                                  |                                 |           |   |   |             |
|----------|----------------------------------|---------------------------------|-----------|---|---|-------------|
| 21395    | Stump Pass Marina<br>Daybeacon 3 | 26-54-20.897N<br>082-19-47.000W |           |   |   | SG on pile. |
| 21400    | Stump Pass Marina<br>Daybeacon 4 | 26-54-18.227N<br>082-19-45.442W |           |   |   | TR on pile. |
| 21405    | Stump Pass Marina<br>Daybeacon 5 | 26-54-21.227N<br>082-19-45.000W |           |   |   | SG on pile. |
| 21410    | Stump Pass Marina<br>Daybeacon 6 | 26-54-19.000N<br>082-19-44.342W |           |   |   | TR on pile. |
| 21420    | Gasparilla Sound<br>Daybeacon 1  | 26-48-45.593N<br>082-15-53.262W |           | 0 |   | SG on pile. |
| 21425    | Gasparilla Sound<br>Daybeacon 3  | 26-48-35.067N<br>082-15-44.354W |           | 0 |   | SG on pile. |
| 21430    | Venice Inlet Light 1             | 27-06-45.774N<br>082-28-12.897W | FI G 6s   | 0 | 5 | SG on pile. |
| 21435    | Venice Inlet Light 2             | 27-06-44.049N<br>082-28-11.495W | FI R 2.5s | 0 | 5 | TR on pile. |
| 21445    | Venice Inlet<br>Daybeacon 3      | 27-06-48.058N<br>082-28-02.220W |           | 0 |   | SG on pile. |
| 21450    | Venice Inlet<br>Daybeacon 5      | 27-06-45.604N<br>082-27-53.084W |           | 0 |   | SG on pile. |
| 21455.9  | Dona Bay Channel<br>Daybeacon 9  | 27-07-07.200N<br>082-27-09.960W |           |   |   | SG on pile. |
| 21455.8  | Dona Bay Channel<br>Daybeacon 8  | 27-07-01.020N<br>082-27-13.860W |           |   |   | TR on pile. |
| 21455.7  | Dona Bay Channel<br>Daybeacon 7  | 27-07-02.400N<br>082-27-15.000W |           |   |   | SG on pile. |
| 21455.6  | Dona Bay Channel<br>Daybeacon 6  | 27-06-57.180N<br>082-27-18.660W |           |   |   | TR on pile. |
| 21455.5  | Dona Bay Channel<br>Daybeacon 5  | 27-06-55.560N<br>082-27-23.580W |           |   |   | SG on pile. |
| 21455.4  | Dona Bay Channel<br>Daybeacon 4  | 27-06-53.820N<br>082-27-33.900W |           |   |   | TR on pile. |
| 21455.3  | Dona Bay Channel<br>Daybeacon 3  | 27-06-54.720N<br>082-27-35.880W |           |   |   | SG on pile. |
| 21455.2  | Dona Bay Channel<br>Daybeacon 2  | 27-06-49.980N<br>082-27-40.860W |           |   |   | TR on pile. |
| 21455.1  | Dona Bay Channel<br>Daybeacon 1  | 27-06-50.340N<br>082-27-41.640W |           |   |   | SG on pile. |
| 21455    | Venice Inlet<br>Daybeacon 7      | 27-06-45.244N<br>082-27-48.644W |           | 0 |   | SG on pile. |
| 21456    | Dona Bay Channel<br>Daybeacon 10 | 27-07-09.000N<br>082-27-06.600W |           |   |   | TR on pile. |
| 21456.02 | Dona Bay Channel<br>Daybeacon 12 | 27-07-07.752N<br>082-27-07.956W |           |   |   | TR on pile. |
| 21456.01 | Dona Bay Channel<br>Daybeacon 11 | 27-07-08.580N<br>082-27-08.496W |           |   |   | SG on pile. |
| 21456.29 | Dona Bay Channel<br>Daybeacon 46 | 27-08-00.492N<br>082-26-11.940W |           |   |   | TR on pile. |
| 21456.28 | Dona Bay Channel<br>Daybeacon 44 | 27-07-57.072N<br>082-26-15.072W |           |   |   | TR on pile. |
| 21456.27 | Dona Bay Channel<br>Daybeacon 42 | 27-07-55.452N<br>082-26-18.456W |           |   |   | TR on pile. |
| 21456.26 | Dona Bay Channel<br>Daybeacon 40 | 27-07-53.562N<br>082-26-21.048W |           |   |   | TR on pile. |
| 21456.25 | Dona Bay Channel<br>Daybeacon 38 | 27-07-51.240N<br>082-26-23.568W |           |   |   | TR on pile. |
| 21456.24 | Dona Bay Channel<br>Daybeacon 37 | 27-07-45.588N<br>082-26-30.588W |           |   |   | SG on pile. |
| 21456.23 | Dona Bay Channel<br>Daybeacon 35 | 27-07-43.752N<br>082-26-36.780W |           |   |   | SG on pile. |
| 21456.21 | Dona Bay Channel<br>Daybeacon 31 | 27-07-36.948N<br>082-26-46.140W |           |   |   | SG on pile. |
| 21456.19 | Dona Bay Channel<br>Daybeacon 30 | 27-07-36.300N<br>082-26-48.048W |           |   |   | TR on pile. |
| 21456.18 | Dona Bay Channel<br>Daybeacon 29 | 27-07-35.904N<br>082-26-50.352W |           |   |   | SG on pile. |
| 21456.17 | Dona Bay Channel<br>Daybeacon 28 | 27-07-32.376N<br>082-26-53.052W |           |   |   | TR on pile. |
| 21456.16 | Dona Bay Channel<br>Daybeacon 26 | 27-07-25.932N<br>082-26-57.552W |           |   |   | TR on pile. |
| 21456.15 | Dona Bay Channel                 | 27-07-19.272N                   |           |   |   | SG on pile. |



|          |                                                  |                                 |                                    |
|----------|--------------------------------------------------|---------------------------------|------------------------------------|
|          | Daybeacon 25                                     | 082-27-00.792W                  |                                    |
| 21456.14 | Dona Bay Channel<br>Daybeacon 23                 | 27-07-14.772N<br>082-27-02.916W | SG on pile.                        |
| 21456.13 | Dona Bay Channel<br>Daybeacon 22                 | 27-07-15.528N<br>082-27-02.160W | TR on pile.                        |
| 21456.12 | Dona Bay Channel<br>Daybeacon 21                 | 27-07-13.584N<br>082-27-02.520W | SG on pile.                        |
| 21456.11 | Dona Bay Channel<br>Daybeacon 20                 | 27-07-12.540N<br>082-27-01.440W | TR on pile.                        |
| 21456.09 | Dona Bay Channel<br>Daybeacon 19                 | 27-07-10.920N<br>082-27-02.232W | SG on pile.                        |
| 21456.08 | Dona Bay Channel<br>Daybeacon 18                 | 27-07-10.452N<br>082-27-01.872W | TR on pile.                        |
| 21456.07 | Dona Bay Channel<br>Daybeacon 17                 | 27-07-09.264N<br>082-27-02.772W | SG on pile.                        |
| 21456.06 | Dona Bay Channel<br>Daybeacon 16                 | 27-07-08.436N<br>082-27-02.700W | TR on pile.                        |
| 21456.05 | Dona Bay Channel<br>Daybeacon 15                 | 27-07-07.896N<br>082-27-03.564W | SG on pile.                        |
| 21456.04 | Dona Bay Channel<br>Daybeacon 14                 | 27-07-07.608N<br>082-27-03.600W | TR on pile.                        |
| 21456.03 | Dona Bay Channel<br>Daybeacon 13                 | 27-07-06.708N<br>082-27-05.760W | SG on pile.                        |
| 21456.6  | Dona Bay West<br>Obstruction<br>Daybeacon        | 27-06-42.120N<br>082-27-31.140W | NW on pile worded DANGER<br>SHOAL. |
| 21456.4  | Dona Bay East<br>Obstruction<br>Daybeacon        | 27-06-46.020N<br>082-27-27.780W | NW on pile worded DANGER<br>SHOAL. |
| 21500.8  | Big Sarasota Pass<br>Daybeacon 8                 | 27-16-41.982N<br>082-34-18.132W | TR on pile.                        |
| 21500.7  | Big Sarasota Pass<br>Buoy 7                      | 27-16-35.700N<br>082-34-24.000W | Green can.                         |
| 21510    | Big Sarasota Pass<br>Daybeacon 11                | 27-17-16.169N<br>082-33-51.240W | SG on pile.                        |
| 21510.5  | Big Sarasota Pass<br>Daybeacon 11A               | 27-17-28.465N<br>082-33-45.601W | SG on pile.                        |
| 21515    | Big Sarasota Pass<br>Daybeacon 13                | 27-17-35.718N<br>082-33-43.656W | SG on pile.                        |
| 21525    | Big Sarasota Pass<br>Daybeacon 15                | 27-18-08.371N<br>082-33-40.140W | SG on pile.                        |
| 21530    | Big Sarasota Pass<br>Daybeacon 15A               | 27-18-17.466N<br>082-33-43.014W | SG on pile.                        |
| 21533    | Lido Key Channel<br>Daybeacon 1                  | 27-18-27.300N<br>082-33-50.100W | SG on pile.                        |
| 21535    | Lido Key Channel<br>Daybeacon 2                  | 27-18-28.986N<br>082-33-44.880W | TR on pile.                        |
| 21540    | Lido Key Channel<br>Daybeacon 4                  | 27-18-35.520N<br>082-33-46.860W | TR on pile.                        |
| 21547    | Plymouth Harbor East<br>Obstruction<br>Daybeacon | 27-19-11.280N<br>082-34-23.280W | NW on pile worded SHOAL.           |
| 21547.1  | Plymouth Harbor West<br>Obstruction<br>Daybeacon | 27-19-10.920N<br>082-34-12.180W | NW on pile worded SHOAL.           |
| 21550    | Lido Key Channel<br>Daybeacon 6                  | 27-18-45.720N<br>082-33-51.540W | TR on pile.                        |
| 21553    | Lido Key Channel<br>Daybeacon 7                  | 27-18-49.422N<br>082-33-59.346W | SG on pile.                        |
| 21555    | Lido Key Channel<br>Daybeacon 8                  | 27-18-52.900N<br>082-33-56.460W | TR on pile.                        |
| 21555.1  | South Lido North<br>Obstruction<br>Daybeacon     | 27-19-00.720N<br>082-34-04.320W | NW on pile worded SHOAL.           |
| 21555.2  | South Lido South<br>Obstruction<br>Daybeacon     | 27-18-43.440N<br>082-33-56.880W | NW on pile worded SHOAL.           |
| 21556    | Lido Key Channel<br>Daybeacon 10                 | 27-19-03.480N<br>082-33-59.220W | TR on pile.                        |
| 21556.5  | Lido Key Channel<br>Daybeacon 11                 | 27-19-10.380N<br>082-34-03.960W | SG on pile.                        |

|         |                                             |                                 |     |   |   |             |
|---------|---------------------------------------------|---------------------------------|-----|---|---|-------------|
| 21557   | Lido Key Channel<br>Daybeacon 12            | 27-19-20.760N<br>082-33-57.180W |     |   |   | TR on pile. |
| 21557.5 | Lido Key Channel<br>Daybeacon 13            | 27-19-33.600N<br>082-34-01.320W |     |   |   | SG on pile. |
| 21558   | Lido Key Channel<br>Daybeacon 14            | 27-19-35.640N<br>082-33-58.320W |     |   |   | TR on pile. |
| 21560   | Sarasota Bay Artificial<br>Reef Daybeacon J | 27-19-37.000N<br>082-33-56.000W |     |   |   | NY on pile. |
| 21567   | Lido Key Channel<br>Daybeacon 15            | 27-19-41.520N<br>082-34-03.900W |     |   |   | SG on pile. |
| 21567.5 | Lido Key Channel<br>Daybeacon 16            | 27-19-46.800N<br>082-34-06.840W |     |   |   | TR on pile. |
| 21568   | Lido Key Channel<br>Daybeacon 17            | 27-19-47.220N<br>082-34-12.600W |     |   |   | SG on pile. |
| 21568.5 | Lido Key Channel<br>Daybeacon 18            | 27-19-54.540N<br>082-34-21.360W |     |   |   | TR on pile. |
| 21569.4 | City Island Daybeacon<br>5                  | 27-20-02.500N<br>082-34-24.600W |     |   |   | SG on pile. |
| 21569.3 | City Island Daybeacon<br>4                  | 27-20-03.100N<br>082-34-22.500W |     |   |   | TR on pile. |
| 21569.2 | City Island Daybeacon<br>3                  | 27-20-02.500N<br>082-34-22.200W |     |   |   | SG on pile. |
| 21569.1 | City Island Daybeacon<br>2                  | 27-20-03.000N<br>082-34-20.500W |     |   |   | TR on pile. |
| 21569   | City Island Daybeacon<br>1                  | 27-20-02.300N<br>082-34-20.400W |     |   |   | SG on pile. |
| 21570.5 | North Siesta Key<br>Daybeacon 9             | 27-18-15.816N<br>082-32-55.116W |     |   |   | SG on pile. |
| 21570.4 | North Siesta Key<br>Daybeacon 7             | 27-18-16.746N<br>082-33-02.046W |     |   |   | SG on pile. |
| 21570.3 | North Siesta Key<br>Daybeacon 5             | 27-18-17.262N<br>082-33-06.828W |     |   |   | SG on pile. |
| 21570.2 | North Siesta Key<br>Daybeacon 3             | 27-18-17.976N<br>082-33-10.896W |     |   |   | SG on pile. |
| 21570.1 | North Siesta Key<br>Daybeacon 1             | 27-18-20.130N<br>082-33-26.442W |     |   |   | SG on pile. |
| 21570.6 | North Siesta Key<br>Daybeacon 11            | 27-18-13.344N<br>082-32-47.310W |     |   |   | SG on pile. |
| 21570   | Big Sarasota Pass<br>Daybeacon 16           | 27-18-18.996N<br>082-33-38.436W |     |   |   | TR on pile. |
| 21575   | Big Sarasota Pass<br>Daybeacon 17           | 27-18-33.569N<br>082-33-24.540W |     |   |   | SG on pile. |
| 21577   | Big Sarasota Pass<br>Daybeacon 18           | 27-18-32.982N<br>082-33-19.794W |     |   |   | TR on pile. |
| 21580   | Big Sarasota Pass<br>Daybeacon 19           | 27-18-48.330N<br>082-33-15.096W |     |   |   | SG on pile. |
| 21585   | New Pass Shoal Light                        | 27-18-55.179N<br>082-35-53.135W | Q W | 0 | 4 | MR on pile. |
| 21620   | New Pass Interior<br>Shoal Light            | 27-19-40.905N<br>082-35-17.559W | Q W | 0 | 4 | NW on pile. |
| 21640   | New Pass Channel<br>Daybeacon 9             | 27-19-52.824N<br>082-35-04.113W |     | 0 |   | SG on pile. |
| 21650   | New Pass Channel<br>Daybeacon 11            | 27-20-09.509N<br>082-34-40.777W |     | 0 |   | SG on pile. |
| 21660   | Country Club Shores<br>Daybeacon 2          | 27-20-22.163N<br>082-34-55.853W |     |   |   | TR on pile. |
| 21665   | Country Club Shores<br>Daybeacon 4          | 27-20-23.662N<br>082-35-04.853W |     |   |   | TR on pile. |
| 21670   | Country Club Shores<br>Daybeacon 6          | 27-20-23.662N<br>082-35-14.853W |     |   |   | TR on pile. |
| 21675   | Country Club Shores<br>Daybeacon 8          | 27-20-27.462N<br>082-35-24.353W |     |   |   | TR on pile. |
| 21680   | Country Club Shores<br>Daybeacon 10         | 27-20-33.662N<br>082-35-33.854W |     |   |   | TR on pile. |
| 21685   | Country Club Shores<br>Daybeacon 12         | 27-20-38.162N<br>082-35-39.354W |     |   |   | TR on pile. |
| 21690   | Country Club Shores<br>Daybeacon 14         | 27-20-42.161N<br>082-35-45.354W |     |   |   | TR on pile. |
| 21695   | Country Club Shores<br>Daybeacon 16         | 27-20-46.161N<br>082-35-45.854W |     |   |   | TR on pile. |
| 21700   | Country Club Shores                         | 27-20-48.461N                   |     |   |   | TR on pile. |

|          |                                                          |                                 |           |   |   |                                      |
|----------|----------------------------------------------------------|---------------------------------|-----------|---|---|--------------------------------------|
|          | Daybeacon 18                                             | 082-35-40.354W                  |           |   |   |                                      |
| 21701    | Anglers Club Reef<br>Daybeacon AC                        | 27-21-04.700N<br>082-35-52.900W |           |   |   | NY on pile worded Anglers Club Reef. |
| 21705    | New Pass Channel<br>Light 13                             | 27-20-18.292N<br>082-34-27.458W | Q G       | 0 | 4 | SG on pile.                          |
| 21710    | City Island Breakwater<br>Light                          | 27-20-17.963N<br>082-34-24.052W | F R       |   |   | On pile.                             |
| 21715    | New Pass Channel<br>Daybeacon 15                         | 27-20-23.573N<br>082-34-11.765W |           | 0 |   | SG on pile.                          |
| 21720    | New Pass Channel<br>Light 16                             | 27-20-26.995N<br>082-33-53.825W | FI R 2.5s | 0 | 5 | TR on pile.                          |
| 21725    | New Pass Channel<br>Daybeacon 17                         | 27-20-29.006N<br>082-33-54.021W |           | 0 |   | SG on pile.                          |
| 21730    | Siesta Key-Tampa Bay<br>Junction Daybeacon<br>NP         | 27-20-32.864N<br>082-33-41.665W |           | 0 |   | JR-TY on pile.                       |
| 21735    | New Pass Channel<br>Daybeacon 19                         | 27-20-38.974N<br>082-33-24.884W |           | 0 |   | SG on pile.                          |
| 21740    | New Pass Channel<br>Turning Basin<br>Daybeacon 21        | 27-20-43.978N<br>082-33-08.215W |           | 0 |   | SG on pile.                          |
| 21745    | New Pass Channel<br>Turning Basin<br>Daybeacon 22        | 27-20-43.464N<br>082-33-02.331W |           | 0 |   | TR on pile.                          |
| 21750    | New Pass Channel<br>Turning Basin<br>Daybeacon 23        | 27-20-47.014N<br>082-33-04.184W |           | 0 |   | SG on pile.                          |
| 21752    | Sarasota Basin<br>Obstruction Light A                    | 27-20-19.000N<br>082-32-57.360W | FI W 2.5s |   |   | NW on dolphin worded OBSTRUCTION A.  |
| 21754    | Sarasota Basin<br>Obstruction<br>Daybeacon B             | 27-20-23.580N<br>082-32-57.420W |           |   |   | NW on dolphin worded OBSTRUCTION B.  |
| 21757    | Longboat Pass Buoy 1                                     | 27-26-15.362N<br>082-41-58.426W |           |   |   | Green can.                           |
| 21758    | Longboat Pass Buoy 2                                     | 27-26-13.902N<br>082-41-57.088W |           |   |   | Red nun.                             |
| 21759    | Longboat Pass Buoy<br>2A                                 | 27-26-18.856N<br>082-41-48.915W |           |   |   | Red nun.                             |
| 21760    | Longboat Pass Buoy 3                                     | 27-26-22.576N<br>082-41-45.851W |           |   |   | Green can.                           |
| 21770    | Longboat Pass<br>Daybeacon 4                             | 27-26-41.253N<br>082-41-10.689W |           | 0 |   | TR on pile.                          |
| 21780    | Leffis Key Channel<br>Daybeacon 1                        | 27-27-05.213N<br>082-41-10.778W |           |   |   | SG on pile.                          |
| 21785    | Leffis Key Channel<br>Daybeacon 2                        | 27-27-05.873N<br>082-41-10.048W |           |   |   | TR on pile.                          |
| 21790    | Leffis Key Channel<br>Daybeacon 3                        | 27-27-10.963N<br>082-41-17.918W |           |   |   | SG on pile.                          |
| 21795    | Leffis Key Channel<br>Daybeacon 4                        | 27-27-13.283N<br>082-41-16.988W |           |   |   | TR on pile.                          |
| 21800    | Leffis Key Channel<br>Daybeacon 5                        | 27-27-19.322N<br>082-41-26.408W |           |   |   | SG on pile.                          |
| 21805    | Leffis Key Channel<br>Daybeacon 6                        | 27-27-19.322N<br>082-41-26.408W |           |   |   | TR on pile.                          |
| 21810    | Leffis Key Channel<br>Daybeacon 7                        | 27-27-26.892N<br>082-41-35.878W |           |   |   | SG on pile.                          |
| 21815    | Leffis Key Channel<br>Daybeacon 8                        | 27-27-29.572N<br>082-41-35.268W |           |   |   | TR on pile.                          |
| 21820    | Longboat Pass<br>Daybeacon 6                             | 27-26-51.225N<br>082-41-11.779W |           | 0 |   | TR on pile.                          |
| 21827    | Longboat Pass<br>Daybeacon 8                             | 27-27-07.009N<br>082-41-04.729W |           | 0 |   | TR on pile.                          |
| 21829    | Longboat Pass<br>Daybeacon 9                             | 27-27-17.453N<br>082-41-04.145W |           | 0 |   | SG on pile.                          |
| 21830    | Longboat Pass<br>Junction Daybeacon<br>LP                | 27-27-17.756N<br>082-41-02.317W |           | 0 |   | JR-SY on pile.                       |
| 21833.01 | Sarasota Seaweed<br>Aquaculture Site 1<br>Lighted Buoy A | 27-27-48.420N<br>082-42-38.880W | FI Y 2.5s |   |   | Yellow.                              |
| 21833.02 | Sarasota Seaweed                                         | 27-27-43.850N                   | FL Y 3s   |   |   | Yellow.                              |

|          |                                                          |                                 |           |   |   |                |  |
|----------|----------------------------------------------------------|---------------------------------|-----------|---|---|----------------|--|
|          | Aquaculture Site 1<br>Lighted Buoy B                     | 082-42-37.800W                  |           |   |   |                |  |
| 21834.01 | Sarasota Seaweed<br>Aquaculture Site 2<br>Lighted Buoy A | 27-26-24.335N<br>082-43-24.737W | FI Y 2.5s |   |   | Yellow.        |  |
| 21834.02 | Sarasota Seaweed<br>Aquaculture Site 2<br>Lighted Buoy B | 27-26-19.806N<br>082-43-24.812W | FL Y 3s   |   |   | Yellow.        |  |
| 21835    | Southwest Channel<br>Entrance Lighted Bell<br>Buoy 1     | 27-32-19.802N<br>082-48-35.962W | FI G 2.5s |   | 5 | Green.         |  |
| 21840    | Southwest Channel<br>Light 2 (Tampa Bay)                 | 27-33-27.052N<br>082-46-06.590W | FI R 2.5s | 0 | 5 | TR on pile.    |  |
| 21845    | Southwest Channel<br>Lighted Buoy 3<br>(Tampa Bay)       | 27-34-49.748N<br>082-44-20.995W | Q G       |   | 4 | Green.         |  |
| 21855    | Southwest Channel<br>Buoy 4 (Tampa Bay)                  | 27-35-50.108N<br>082-43-46.933W |           |   |   | Red nun.       |  |
| 21855.5  | Egmont Key Reef Buoy<br>Ek                               | 27-34-58.200N<br>082-44-36.600W |           |   |   | Yellow can.    |  |
| 21860    | Anna Maria Sound<br>Light 1                              | 27-32-03.413N<br>082-42-47.795W | FI G 6s   | 0 | 5 | SG on dolphin. |  |
| 21865    | Manatee River Light 2                                    | 27-32-37.396N<br>082-40-41.771W | FI R 2.5s | 0 | 5 | TR on pile.    |  |
| 21867    | Manatee River<br>Daybeacon 3                             | 27-32-07.356N<br>082-40-08.651W |           | 0 |   | SG on pile.    |  |
| 21870    | Manatee River Light 4                                    | 27-31-58.224N<br>082-39-58.722W | Q R       | 0 | 4 | TR on dolphin. |  |
| 21875    | Manatee River<br>Daybeacon 5                             | 27-31-56.659N<br>082-39-39.939W |           | 0 |   | SG on pile.    |  |
| 21885    | Manatee River Light 7                                    | 27-31-50.027N<br>082-39-02.613W | Q G       | 0 | 4 | SG on pile.    |  |
| 21890    | Manatee River<br>Daybeacon 8                             | 27-31-47.513N<br>082-39-03.555W |           | 0 |   | TR on pile.    |  |
| 21895    | Manatee River<br>Daybeacon 9                             | 27-31-45.250N<br>082-38-53.612W |           | 0 |   | SG on pile.    |  |
| 21910    | Manatee River<br>Daybeacon 10                            | 27-31-37.104N<br>082-38-38.724W |           | 0 |   | TR on pile.    |  |
| 21915    | Manatee River<br>Daybeacon 11                            | 27-31-36.159N<br>082-38-30.249W |           | 0 |   | SG on pile.    |  |
| 21919    | Bradenton Yacht Club<br>Buoy F                           | 27-31-19.000N<br>082-38-10.000W |           |   |   | Orange can.    |  |
| 21920    | Manatee River Light 12                                   | 27-31-31.996N<br>082-38-26.249W | FI R 2.5s | 0 | 5 | TR on pile.    |  |
| 21921    | Bradenton Yacht Club<br>Buoy C                           | 27-31-02.000N<br>082-37-41.000W |           |   |   | Orange can.    |  |
| 21922    | Bradenton Yacht Club<br>Buoy D                           | 27-31-36.000N<br>082-37-49.000W |           |   |   | Orange can.    |  |
| 21923    | Bradenton Yacht Club<br>Buoy E                           | 27-31-48.600N<br>082-38-28.000W |           |   |   | Orange can.    |  |
| 21925    | Manatee River Light 14                                   | 27-31-02.926N<br>082-37-07.993W | FI R 4s   | 0 | 5 | TR on dolphin. |  |
| 21930    | Terra Ceia Cutoff<br>Daybeacon 2                         | 27-31-19.304N<br>082-36-43.942W |           | 0 |   | TR on pile.    |  |
| 21935    | Terra Ceia Cutoff<br>Daybeacon 4                         | 27-31-45.524N<br>082-36-22.923W |           | 0 |   | TR on pile.    |  |
| 21938    | Bradenton Yacht Club<br>Buoy A                           | 27-31-14.000N<br>082-36-47.000W |           |   |   | Orange can.    |  |
| 21939    | Bradenton Yacht Club<br>Buoy B                           | 27-31-00.000N<br>082-36-35.000W |           |   |   | Orange can.    |  |
| 21940    | Fifty-Ninth Street Boat<br>Ramp Daybeacon 1              | 27-30-41.136N<br>082-37-00.352W |           |   |   | SG on pile.    |  |
| 21945    | Fifty-Ninth Street Boat<br>Ramp Daybeacon 2              | 27-30-42.136N<br>082-37-01.152W |           |   |   | TR on pile.    |  |
| 21950    | Fifty-Ninth Street Boat<br>Ramp Daybeacon 3              | 27-30-38.736N<br>082-37-02.552W |           |   |   | SG on pile.    |  |
| 21955    | Fifty-Ninth Street Boat<br>Ramp Daybeacon 4              | 27-30-38.736N<br>082-37-02.552W |           |   |   | TR on pile.    |  |
| 21960    | Fifty-Ninth Street Boat<br>Ramp Daybeacon 5              | 27-30-37.337N<br>082-37-04.252W |           |   |   | SG on pile.    |  |
| 21965    | Fifty-Ninth Street Boat                                  | 27-30-37.737N                   |           |   |   | TR on pile.    |  |

|         |                                              |                                 |           |   |   |                           |
|---------|----------------------------------------------|---------------------------------|-----------|---|---|---------------------------|
|         | Ramp Daybeacon 6                             | 082-37-05.552W                  |           |   |   |                           |
| 21970   | Manatee River Light 15                       | 27-30-45.014N<br>082-36-30.139W | FI G 4s   | 0 | 5 | SG on pile.               |
| 21985   | Manatee River<br>Daybeacon 16                | 27-30-33.975N<br>082-34-57.880W |           | 0 |   | TR on pile.               |
| 21990   | Manatee River<br>Daybeacon 18                | 27-30-32.360N<br>082-34-49.930W |           | 0 |   | TR on dolphin.            |
| 21995   | Palmetto Boat Ramp<br>Daybeacon 1            | 27-30-38.338N<br>082-34-26.949W |           |   |   | SG on pile.               |
| 22000   | Palmetto Boat Ramp<br>Daybeacon 2            | 27-30-38.138N<br>082-34-25.749W |           |   |   | TR on pile.               |
| 22010   | Palmetto Boat Ramp<br>Daybeacon 4            | 27-30-39.838N<br>082-34-25.549W |           |   |   | TR on pile.               |
| 22015   | Regatta Pointe Marina<br>Channel Daybeacon 1 | 27-30-36.538N<br>082-34-39.849W |           |   |   | SG on pile.               |
| 22020   | Regatta Pointe Marina<br>Channel Daybeacon 2 | 27-30-35.538N<br>082-34-37.049W |           |   |   | TR on pile.               |
| 22025   | Regatta Pointe Marina<br>Channel Daybeacon 3 | 27-30-37.638N<br>082-34-37.049W |           |   |   | SG on pile.               |
| 22030   | Regatta Pointe Marina<br>Channel Daybeacon 4 | 27-30-36.938N<br>082-34-35.849W |           |   |   | TR on pile.               |
| 22035   | Regatta Pointe Marina<br>Channel Daybeacon 6 | 27-30-37.338N<br>082-34-31.549W |           |   |   | TR on pile.               |
| 22037   | Palmetto Bay<br>Daybeacon 1                  | 27-30-32.517N<br>082-34-11.384W |           |   |   | SG on pile.               |
| 22037.1 | Palmetto Bay<br>Daybeacon 2                  | 27-30-32.708N<br>082-34-09.731W |           |   |   | TR on pile.               |
| 22037.2 | Palmetto Bay<br>Daybeacon 3                  | 27-30-35.060N<br>082-34-11.685W |           |   |   | SG on pile.               |
| 22037.3 | Palmetto Bay<br>Daybeacon 4                  | 27-30-35.216N<br>082-34-10.028W |           |   |   | TR on pile.               |
| 22037.4 | Palmetto Bay<br>Daybeacon 5                  | 27-30-37.603N<br>082-34-11.986W |           |   |   | SG on pile.               |
| 22037.5 | Palmetto Bay<br>Daybeacon 6                  | 27-30-37.760N<br>082-34-10.329W |           |   |   | TR on pile.               |
| 22037.6 | Palmetto Bay<br>Daybeacon 7                  | 27-30-40.147N<br>082-34-12.287W |           |   |   | SG on pile.               |
| 22037.7 | Palmetto Bay<br>Daybeacon 8                  | 27-30-40.301N<br>082-34-10.630W |           |   |   | TR on pile.               |
| 22040   | Manatee River Light 19                       | 27-30-34.570N<br>082-34-43.858W | Q G       | 0 | 4 | SG on dolphin.            |
| 22045   | Manatee River<br>Daybeacon 20                | 27-30-21.249N<br>082-34-38.382W |           | 0 |   | TR on pile.               |
| 22047   | Holiday Inn Marina<br>Daybeacon 2            | 27-24-32.880N<br>082-34-57.600W |           |   |   | TR on pile.               |
| 22047.3 | Holiday Inn Marina<br>Daybeacon 3            | 27-24-34.740N<br>082-34-55.560W |           |   |   | SG on pile.               |
| 22047.5 | Holiday Inn Marina<br>Daybeacon 5            | 27-24-36.960N<br>082-34-50.820W |           |   |   | SG on pile.               |
| 22047.7 | Holiday Inn Marina<br>Daybeacon 6            | 27-24-37.680N<br>082-34-45.240W |           |   |   | TR on pile.               |
| 22047.9 | Holiday Inn Marina<br>Daybeacon 7            | 27-24-40.440N<br>082-34-45.900W |           |   |   | SG on pile.               |
| 22048   | Holiday Inn Marina<br>Daybeacon 8            | 27-24-40.260N<br>082-34-45.240W |           |   |   | TR on pile.               |
| 22050   | Manatee River<br>Daybeacon 21                | 27-30-14.421N<br>082-34-28.674W |           | 0 |   | SG on pile.               |
| 22055   | Manatee River<br>Daybeacon 22                | 27-30-13.419N<br>082-34-30.240W |           | 0 |   | TR on pile.               |
| 22060   | Manatee River<br>Daybeacon 21A               | 27-30-11.218N<br>082-34-20.431W |           |   |   | SG on pile.               |
| 22065   | Manatee River<br>Daybeacon 22A               | 27-30-09.868N<br>082-34-20.261W |           | 0 |   | TR on pile                |
| 22070   | Manatee River<br>Daybeacon 24                | 27-30-16.051N<br>082-33-31.293W |           | 0 |   | TR on pile.               |
| 22075   | Manatee River<br>Daybeacon 23                | 27-30-17.407N<br>082-33-30.361W |           | 0 |   | SG on pile.               |
| 22080   | Manatee River Light<br>24A                   | 27-30-20.278N<br>082-33-16.679W | FI R 2.5s | 0 | 5 | TR on pile.               |
| 22081   | Riviera Dunes Channel                        | 27-30-31.060N                   |           |   |   | NW on pile worded DANGER. |

|          |                                        |                                 |           |   |   |                           |
|----------|----------------------------------------|---------------------------------|-----------|---|---|---------------------------|
|          | Daybeacon 1                            | 082-33-11.110W                  |           |   |   |                           |
| 22082    | Riviera Dunes Channel<br>Daybeacon 2   | 27-30-33.170N<br>082-33-11.100W |           |   |   | NW on pile worded DANGER. |
| 22083    | Riviera Dunes Channel<br>Daybeacon 3   | 27-30-34.740N<br>082-33-12.620W |           |   |   | NW on pile worded DANGER. |
| 22084    | Riviera Dunes Channel<br>Daybeacon 4   | 27-30-34.900N<br>082-33-11.800W |           |   |   | NW on pile worded DANGER. |
| 22084.05 | Sanctuary Cove<br>Channel Daybeacon 1  | 27-30-30.867N<br>082-33-08.834W |           |   |   | SG on pile.               |
| 22084.1  | Sanctuary Cove<br>Channel Daybeacon 2  | 27-30-30.804N<br>082-33-08.005W |           |   |   | TR on pile.               |
| 22084.15 | Sanctuary Cove<br>Channel Daybeacon 3  | 27-30-32.565N<br>082-33-08.902W |           |   |   | SG on pile.               |
| 22084.2  | Sanctuary Cove<br>Channel Daybeacon 4  | 27-30-32.521N<br>082-33-08.062W |           |   |   | TR on pile.               |
| 22084.25 | Sanctuary Cove<br>Channel Daybeacon 5  | 27-30-34.568N<br>082-33-08.908W |           |   |   | SG on pile.               |
| 22084.3  | Sanctuary Cove<br>Channel Daybeacon 6  | 27-30-34.541N<br>082-33-08.049W |           |   |   | TR on pile.               |
| 22084.35 | Sanctuary Cove<br>Channel Daybeacon 7  | 27-30-36.564N<br>082-33-08.808W |           |   |   | SG on pile.               |
| 22084.4  | Sanctuary Cove<br>Channel Daybeacon 8  | 27-30-36.482N<br>082-33-08.077W |           |   |   | TR on pile.               |
| 22084.5  | Sanctuary Cove<br>Channel Daybeacon 10 | 27-30-38.486N<br>082-33-08.078W |           |   |   | TR on pile.               |
| 22084.6  | Sanctuary Cove<br>Channel Daybeacon 12 | 27-30-40.466N<br>082-33-08.111W |           |   |   | TR on pile.               |
| 22085    | Manatee River<br>Daybeacon 25          | 27-30-25.431N<br>082-32-39.358W | 0         |   |   | SG on pile.               |
| 22090    | Manatee River<br>Daybeacon 26          | 27-30-35.469N<br>082-31-47.272W | 0         |   |   | TR on pile.               |
| 22095    | Manatee River<br>Daybeacon 28          | 27-30-42.987N<br>082-31-32.670W | 0         |   |   | TR on pile.               |
| 22097    | Braden River<br>Daybeacon 1            | 27-30-03.660N<br>082-31-38.580W |           |   |   | SG on pile.               |
| 22097.1  | Braden River<br>Daybeacon 2            | 27-30-03.300N<br>082-31-40.860W |           |   |   | TR on pile.               |
| 22097.2  | Braden River<br>Daybeacon 3            | 27-29-58.140N<br>082-31-34.620W |           |   |   | SG on pile.               |
| 22097.3  | Braden River<br>Daybeacon 4            | 27-29-53.760N<br>082-31-37.080W |           |   |   | TR on pile.               |
| 22097.4  | Braden River<br>Daybeacon 5            | 27-29-51.720N<br>082-31-29.520W |           |   |   | SG on pile.               |
| 22097.5  | Braden River<br>Daybeacon 6            | 27-29-49.260N<br>082-31-31.260W |           |   |   | TR on pile.               |
| 22097.6  | Braden River<br>Daybeacon 7            | 27-29-44.640N<br>082-31-27.840W |           |   |   | SG on pile.               |
| 22097.7  | Braden River<br>Daybeacon 8            | 27-29-43.740N<br>082-31-30.180W |           |   |   | TR on pile.               |
| 22097.8  | Braden River<br>Daybeacon 9            | 27-29-35.160N<br>082-31-20.640W |           |   |   | SG on pile.               |
| 22097.9  | Braden River<br>Daybeacon 10           | 27-29-33.480N<br>082-31-21.960W |           |   |   | TR on pile.               |
| 22098    | Braden River<br>Daybeacon 11           | 27-29-37.380N<br>082-31-10.980W |           |   |   | SG on pile.               |
| 22098.1  | Braden River<br>Daybeacon 12           | 27-29-35.160N<br>082-31-10.080W |           |   |   | TR on pile.               |
| 22098.2  | Braden River<br>Daybeacon 13           | 27-29-40.920N<br>082-30-59.999W |           |   |   | SG on pile.               |
| 22098.3  | Braden River<br>Daybeacon 14           | 27-29-38.580N<br>082-31-00.420W |           |   |   | TR on pile.               |
| 22098.4  | Braden River<br>Daybeacon 15           | 27-29-35.940N<br>082-30-51.120W |           |   |   | SG on pile.               |
| 22098.5  | Braden River<br>Daybeacon 16           | 27-29-34.740N<br>082-30-52.140W |           |   |   | TR on pile.               |
| 22100    | Manatee River Light<br>29              | 27-30-49.807N<br>082-30-56.506W | Q G       | 0 | 4 | SG on pile.               |
| 22105    | Manatee River<br>Daybeacon 31          | 27-30-59.426N<br>082-30-50.782W |           | 0 |   | SG on pile.               |
| 22105.1  | Tidewater Preserve<br>Marina Light 1   | 27-31-24.516N<br>082-29-30.843W | FI G 2.5s |   |   | SG on pile.               |

|         |                                                                 |                                 |           |   |   |                                              |
|---------|-----------------------------------------------------------------|---------------------------------|-----------|---|---|----------------------------------------------|
| 22105.2 | Tidewater Preserve<br>Marina Daybeacon 2                        | 27-31-23.854N<br>082-29-30.960W |           |   |   | TR on pile.                                  |
| 22105.3 | Tidewater Preserve<br>Marina Light 3                            | 27-31-23.744N<br>082-29-27.031W | FI G 2.5s |   |   | SG on pile.                                  |
| 22105.4 | Tidewater Preserve<br>Marina Daybeacon 4                        | 27-31-23.208N<br>082-29-27.029W |           |   |   | TR on pile.                                  |
| 22105.5 | Tidewater Preserve<br>Marina Daybeacon 5                        | 27-31-22.188N<br>082-29-24.268W |           |   |   | SG on pile.                                  |
| 22105.6 | Tidewater Preserve<br>Marina Light 6                            | 27-31-21.930N<br>082-29-25.024W | FI R 2.5s |   |   | TR on pile.                                  |
| 22105.7 | Tidewater Preserve<br>Marina Daybeacon 7                        | 27-31-18.187N<br>082-29-26.336W |           |   |   | SG on pile.                                  |
| 22105.8 | Tidewater Preserve<br>Marina Daybeacon 8                        | 27-31-18.374N<br>082-29-26.788W |           |   |   | TR on pile.                                  |
| 22110   | Colony Cove<br>Daybeacon 2                                      | 27-31-44.137N<br>082-29-31.344W |           |   |   | TR on pile.                                  |
| 22115   | Colony Cove<br>Daybeacon 4                                      | 27-31-46.137N<br>082-29-30.344W |           |   |   | TR on pile.                                  |
| 22120   | Colony Cove<br>Daybeacon 5                                      | 27-31-47.637N<br>082-29-31.844W |           |   |   | SG on pile.                                  |
| 22125   | Colony Cove<br>Daybeacon 6                                      | 27-31-47.137N<br>082-29-30.344W |           |   |   | TR on pile.                                  |
| 22130   | Colony Cove<br>Daybeacon 7                                      | 27-31-50.137N<br>082-29-31.944W |           |   |   | SG on pile.                                  |
| 22135   | Colony Cove<br>Daybeacon 8                                      | 27-31-49.637N<br>082-29-29.844W |           |   |   | TR on pile.                                  |
| 22140   | Terra Ceia Bay Light<br>TC                                      | 27-32-51.431N<br>082-39-03.636W | FI W 4s   | 0 | 5 | NR on pile.                                  |
| 22145   | Terra Ceia Bay<br>Entrance Daybeacon 1                          | 27-32-47.286N<br>082-38-37.034W |           | 0 |   | SG on pile.                                  |
| 22150   | Terra Ceia Bay<br>Daybeacon 3                                   | 27-32-43.122N<br>082-38-28.610W |           | 0 |   | SG on pile.                                  |
| 22155   | Terra Ceia Bay<br>Daybeacon 4                                   | 27-32-49.444N<br>082-37-45.953W |           | 0 |   | TR on pile.                                  |
| 22160   | Terra Ceia Bay<br>Daybeacon 5                                   | 27-32-49.475N<br>082-37-20.960W |           | 0 |   | SG on pile.                                  |
| 22165   | Terra Ceia Bay<br>Daybeacon 7                                   | 27-32-41.600N<br>082-37-11.780W |           | 0 |   | SG on pile.                                  |
| 22170   | Terra Ceia Bay<br>Daybeacon 9                                   | 27-32-44.777N<br>082-36-58.362W |           | 0 |   | SG on pile.                                  |
| 22175   | Terra Ceia Bay<br>Daybeacon 10                                  | 27-32-46.247N<br>082-36-34.697W |           | 0 |   | TR on pile.                                  |
| 22180   | Terra Ceia Bay<br>Daybeacon 12                                  | 27-33-01.277N<br>082-36-12.612W |           | 0 |   | TR on pile.                                  |
| 22185   | Terra Ceia Bay<br>Daybeacon 13                                  | 27-32-55.268N<br>082-35-57.655W |           | 0 |   | SG on pile.                                  |
| 22190   | Skyway Causeway<br>Breakwater North<br>Obstruction<br>Daybeacon | 27-35-03.326N<br>082-37-01.352W |           |   |   | NW on pile worded DANGER<br>SUBMERGED ROCKS. |
| 22195   | Skyway Causeway<br>Breakwater<br>Obstruction<br>Daybeacon       | 27-35-02.826N<br>082-37-01.352W |           |   |   | NW on pile worded DANGER<br>SUBMERGED ROCKS. |
| 22200   | Skyway Causeway<br>Breakwater<br>Obstruction<br>Daybeacon       | 27-35-00.926N<br>082-36-59.652W |           |   |   | NW on pile worded DANGER<br>SUBMERGED ROCKS. |
| 22205   | Skyway Causeway<br>Breakwater Ctr<br>Obstruction<br>Daybeacon   | 27-34-59.326N<br>082-36-59.552W |           |   |   | NW on pile worded DANGER<br>SUBMERGED ROCKS. |
| 22210   | Skyway Causeway<br>Breakwater<br>Obstruction<br>Daybeacon       | 27-34-58.826N<br>082-36-58.852W |           |   |   | NW on pile worded DANGER<br>SUBMERGED ROCKS. |
| 22215   | Skyway Causeway<br>Breakwater<br>Obstruction<br>Daybeacon       | 27-34-58.326N<br>082-36-58.452W |           |   |   | NW on pile worded DANGER<br>SUBMERGED ROCKS. |
| 22220   | Skyway Causeway                                                 | 27-34-57.726N                   |           |   |   | NW on pile worded DANGER                     |

|         |                                                    |                                 |                  |    |                                                   |                                                                                                                                                |
|---------|----------------------------------------------------|---------------------------------|------------------|----|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
|         | Breakwater South Obstruction Daybeacon             | 082-36-58.152W                  | SUBMERGED ROCKS. |    |                                                   |                                                                                                                                                |
| 22225   | Tampa Bay Lighted Buoy T                           | 27-35-18.750N<br>083-00-42.566W | Mo (A) W         | 6  | Red and white stripes with red spherical topmark. | AIS: MMSI 993672025                                                                                                                            |
| 22230   | Egmont Channel Lighted Buoy 1                      | 27-35-33.602N<br>082-58-59.264W | Fl G 2.5s        | 5  | Green.                                            |                                                                                                                                                |
| 22235   | Egmont Channel Lighted Buoy 2                      | 27-35-25.731N<br>082-58-59.193W | Fl R 2.5s        | 5  | Red.                                              |                                                                                                                                                |
| 22240   | Egmont Channel Lighted Buoy 3                      | 27-35-44.309N<br>082-57-10.996W | Fl G 4s          | 5  | Green.                                            |                                                                                                                                                |
| 22245   | Egmont Channel Lighted Buoy 4                      | 27-35-37.131N<br>082-57-10.934W | Fl R 4s          | 5  | Red.                                              |                                                                                                                                                |
| 22247   | Scripps Wave Data Lighted Buoy CDIP STA 214        | 27-35-27.600N<br>082-55-51.100W | Fl (5)Y 20s      |    | Yellow sphere-shaped with antenna.                |                                                                                                                                                |
| 22250   | Egmont Channel Lighted Buoy 5                      | 27-35-53.926N<br>082-55-34.260W | Fl G 6s          | 5  | Green.                                            |                                                                                                                                                |
| 22255   | Egmont Channel Lighted Buoy 6                      | 27-35-46.485N<br>082-55-34.275W | Fl R 6s          | 5  | Red.                                              |                                                                                                                                                |
| 22260   | Egmont Channel Lighted Buoy 7                      | 27-36-04.040N<br>082-53-56.846W | Fl G 2.5s        | 5  | Green.                                            |                                                                                                                                                |
| 22265   | Egmont Channel Lighted Buoy 8                      | 27-35-56.847N<br>082-53-56.599W | Fl R 2.5s        | 5  | Red.                                              |                                                                                                                                                |
| 22270   | Egmont Channel Lighted Buoy 9                      | 27-36-15.349N<br>082-52-02.785W | Fl G 4s          | 5  | Green.                                            |                                                                                                                                                |
| 22275   | Egmont Channel Lighted Buoy 10                     | 27-36-07.630N<br>082-52-09.429W | Fl R 4s          | 5  | Red.                                              |                                                                                                                                                |
| 22280   | Egmont Channel Range Front Light                   | 27-36-48.919N<br>082-45-53.305W | Fl W 2.5s        |    | On tower.                                         | AIS: MMSI 993672351 Day range visible 1° each side of rangeline. Night range visible 0.5° each side of rangeline. Lighted throughout 24 hours. |
| 22285   | Egmont Channel Range Rear Light                    | 27-36-58.002N<br>082-44-22.384W | Iso W 6s         |    | On tower.                                         | AIS: MMSI 993672352 Day range visible 1° each side of rangeline. Night range visible 0.5° each side of rangeline. Lighted throughout 24 hours. |
| 22295   | Egmont Channel Lighted Buoy 11                     | 27-36-25.104N<br>082-50-25.635W | Fl G 6s          | 5  | Green.                                            |                                                                                                                                                |
| 22300   | Egmont Channel Lighted Buoy 12                     | 27-36-18.123N<br>082-50-25.582W | Fl R 6s          | 5  | Red.                                              |                                                                                                                                                |
| 22305   | Egmont Channel Lighted Buoy 13                     | 27-36-35.420N<br>082-48-42.892W | Fl G 2.5s        | 5  | Green.                                            |                                                                                                                                                |
| 22310   | Egmont Channel Lighted Buoy 14                     | 27-36-28.390N<br>082-48-42.840W | Fl R 2.5s        | 5  | Red.                                              |                                                                                                                                                |
| 22315   | Egmont Channel Lighted Buoy 15                     | 27-36-48.409N<br>082-46-39.264W | Fl G 4s          | 5  | Green.                                            |                                                                                                                                                |
| 22320   | Egmont Channel Lighted Buoy 16                     | 27-36-38.397N<br>082-46-58.585W | Q R              | 4  | Red.                                              |                                                                                                                                                |
| 22325   | Egmont Channel Lighted Buoy 17                     | 27-36-34.258N<br>082-45-27.862W | Fl G 6s          | 5  | Green.                                            |                                                                                                                                                |
| 22330   | Egmont Channel Lighted Buoy 18                     | 27-36-23.180N<br>082-45-30.864W | Fl R 4s          | 5  | Red.                                              |                                                                                                                                                |
| 22334   | USS Narcissus Mooring Buoy A                       | 27-37-31.380N<br>082-47-58.860W |                  |    | White can with blue band.                         |                                                                                                                                                |
| 22334.1 | USS Narcissus Mooring Buoy B                       | 27-37-32.880N<br>082-47-59.460W |                  |    | White can with blue band.                         |                                                                                                                                                |
| 22335   | Old Quarantine Pier Light                          | 27-35-54.670N<br>082-45-26.322W | Fl W 4s          | 0  | 5                                                 | On pile.                                                                                                                                       |
| 22337   | Egmont Key Data Lighted Buoy                       | 27-35-52.905N<br>082-45-26.006W | FL Y 3s          |    |                                                   |                                                                                                                                                |
| 22340   | Mullet Key Channel Fishing Pier North Light        | 27-36-49.118N<br>082-44-23.361W | F R              |    | On pile.                                          |                                                                                                                                                |
| 22345   | Mullet Key Channel Lighted Buoy 19                 | 27-36-20.829N<br>082-44-17.190W | Q G              | 4  | Green                                             |                                                                                                                                                |
| 22350   | Mullet Key Channel Lighted Buoy 20                 | 27-36-10.719N<br>082-44-19.880W | Fl R 6s          | 5  | Red.                                              |                                                                                                                                                |
| 22355   | Mullet Key Channel Range Front Light               | 27-36-52.434N<br>082-39-46.416W | Fl G 2.5s        | 22 | Skeleton tower on piles.                          | AIS: MMSI 993672092 Visible all around higher intensity on the range line lighted throughout 24hrs.                                            |
| 22360   | Mullet Key Channel Range Rear Light                | 27-36-57.128N<br>082-39-13.349W | Iso G 6s         | 56 | Skeleton tower on piles.                          | AIS: MMSI 993672093 Lighted throughout 24hrs.                                                                                                  |
| 22360.5 | Mullet Key Channel Range Rear Light Passing Lights | 27-36-57.128N<br>082-39-13.349W | Fl W 2.5s        | 56 | 3                                                 | On the same structure as Mullet Key Channel Range Rear Light. One white flashing light (2.5 secs) on the W corner of the range.                |
| 22365   | Mullet Key Channel                                 | 27-36-28.329N                   | Fl G 2.5s        | 5  | Green.                                            |                                                                                                                                                |



|         |                                                                          |                                 |           |    |                                      |                                                                                                                                      |                                                                                                         |
|---------|--------------------------------------------------------------------------|---------------------------------|-----------|----|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
|         | Lighted Buoy 21                                                          | 082-42-59.519W                  |           |    |                                      |                                                                                                                                      |                                                                                                         |
| 22370   | Mullet Key Channel<br>Lighted Buoy 22                                    | 27-36-21.490N<br>082-42-58.279W | FI R 2.5s | 5  | Red.                                 |                                                                                                                                      |                                                                                                         |
| 22375   | Mullet Key Channel<br>Lighted Buoy 23                                    | 27-36-39.319N<br>082-41-42.757W | FI G 4s   | 5  | Green.                               |                                                                                                                                      |                                                                                                         |
| 22380   | Mullet Key Channel<br>Lighted Buoy 24                                    | 27-36-32.470N<br>082-41-41.457W | FI R 4s   | 5  | Red.                                 |                                                                                                                                      |                                                                                                         |
| 22390   | Mullet Key Channel<br>Lighted Buoy 25                                    | 27-36-48.867N<br>082-40-32.339W | Q G       | 4  | Green.                               |                                                                                                                                      |                                                                                                         |
| 22395   | Mullet Key Channel<br>Lighted Buoy 26                                    | 27-36-45.331N<br>082-40-14.966W | Q R       | 4  | Red with yellow square.              |                                                                                                                                      |                                                                                                         |
| 22400   | Tampa Bay Cut A<br>Channel Lighted Bell<br>Buoy 1A                       | 27-36-57.180N<br>082-40-01.076W | FI G 2.5s | 5  | Green with yellow square.            | AIS: MMSI 993672030                                                                                                                  |                                                                                                         |
| 22405   | Tampa Bay Cut A<br>Channel Range Front<br>Light                          | 27-38-23.829N<br>082-36-47.009W | Q R       | 25 | KRW-I on skeleton tower on<br>piles. | Visible 1.5° each side of rangeline.                                                                                                 |                                                                                                         |
| 22410   | Tampa Bay Cut A<br>Channel Range Rear<br>Light                           | 27-38-51.021N<br>082-35-47.865W | Iso R 6s  | 51 | KRW on skeleton tower on<br>piles.   | Visible 1.5° each side of rangeline.                                                                                                 |                                                                                                         |
| 22410.5 | Tampa Bay Cut A<br>Channel Range Rear<br>Light Passing Lights            | 27-38-51.021N<br>082-35-47.865W | FI W 2.5s | 51 | 3                                    | On same structure as Tampa<br>Bay Cut A Channel Range<br>Rear Light.                                                                 | Two synchronized passing lights visible all around located on the NW<br>and NE corners of platform.     |
| 22411   | Sunshine Skyway<br>Bridge V-AIS                                          | 27-37-13.365N<br>082-39-20.121W |           |    |                                      | AIS: MMSI 993672139                                                                                                                  |                                                                                                         |
| 22415   | Tampa Bay Skyway<br>Pier Southwest Light                                 | 27-37-16.853N<br>082-39-26.953W | F R       |    |                                      | On dolphin.                                                                                                                          |                                                                                                         |
| 22420   | Tampa Bay Skyway<br>Pier Northwest Light                                 | 27-37-09.970N<br>082-39-12.986W | F R       |    |                                      | On dolphin.                                                                                                                          |                                                                                                         |
| 22425   | Tampa Bay Skyway<br>Pier Southeast Light                                 | 27-37-06.885N<br>082-39-19.699W | F R       |    |                                      | On dolphin.                                                                                                                          |                                                                                                         |
| 22430   | Tampa Bay Skyway<br>Pier Northeast Light                                 | 27-37-19.945N<br>082-39-20.235W | F R       |    |                                      | On dolphin.                                                                                                                          |                                                                                                         |
| 22445   | Tampa Bay Cut A<br>Channel Lighted Buoy<br>3A                            | 27-37-39.074N<br>082-38-30.636W | FI G 2.5s | 5  | Green with yellow square.            |                                                                                                                                      |                                                                                                         |
| 22450   | Tampa Bay Cut A<br>Channel Lighted Buoy<br>4A                            | 27-37-34.073N<br>082-38-28.468W | FI R 2.5s | 5  | Red with yellow triangle.            |                                                                                                                                      |                                                                                                         |
| 22455   | Tampa Bay Cut A<br>Channel Lighted Buoy<br>5A                            | 27-38-02.011N<br>082-37-40.485W | Q G       | 4  | Green with yellow square.            |                                                                                                                                      |                                                                                                         |
| 22460   | Tampa Bay Cut A<br>Channel Lighted Buoy<br>6A                            | 27-38-02.232N<br>082-37-27.891W | Q R       | 4  | Red with yellow triangle.            |                                                                                                                                      |                                                                                                         |
| 22465   | Tampa Bay Cut B<br>Channel Outbound<br>Range Front Light                 | 27-37-14.815N<br>082-38-12.521W | FI W 2.5s | 19 |                                      | Day range visible 0.5° each side of rangeline. Night range visible 1.5°<br>each side of rangeline. Passing light visible all around. |                                                                                                         |
| 22470.5 | Tampa Bay Cut B<br>Channel Outbound<br>Range Rear Passing<br>Light       | 27-36-33.453N<br>082-38-48.386W | FI W 2.5s | 84 | 3                                    | On same structure as Cut B<br>Channel Outbound Range<br>Rear Light.                                                                  | Two synchronized passing lights visible all around located on the SW and<br>NE corners of the platform. |
| 22470   | Tampa Bay Cut B<br>Channel Outbound<br>Range Rear Light                  | 27-36-33.453N<br>082-38-48.386W | Iso W 6s  | 84 |                                      | Day range visible 0.5° each side of rangeline. Night range visible 1.5°<br>each side of rangeline.                                   |                                                                                                         |
| 22475   | Tampa Bay Cut B<br>Channel Lighted Buoy<br>1B                            | 27-38-13.529N<br>082-37-25.116W | FI G 2.5s | 5  | Green with yellow square.            |                                                                                                                                      |                                                                                                         |
| 22480   | Tampa Bay Cut B<br>Channel Inbound<br>Range Front Light                  | 27-41-19.141N<br>082-34-40.446W | Q W       | 10 |                                      | AIS: MMSI 993672015 Visible 1.5° each side of range line. Lighted<br>throughout 24 hours.                                            |                                                                                                         |
| 22485.5 | Tampa Bay Cut B<br>Channel Inbound<br>Range Rear Light<br>Passing Lights | 27-41-59.276N<br>082-34-05.573W | FI W 2.5s | 40 | 3                                    | On same structure as Cut B<br>Channel Inbound Range Rear<br>Light.                                                                   | One white flashing light (2.5 secs) on the E corner of the range.                                       |
| 22485   | Tampa Bay Cut B<br>Channel Inbound<br>Range Rear Light                   | 27-41-59.276N<br>082-34-05.573W | Iso W 6s  | 40 |                                      | AIS: MMSI 993672970 Visible 1.5° each side of range line. Lighted<br>throughout 24 hours.                                            |                                                                                                         |
| 22490   | Tampa Bay Cut B<br>Channel Lighted Buoy<br>3B                            | 27-39-03.222N<br>082-36-42.504W | FI G 4s   | 5  | Green with yellow square.            |                                                                                                                                      |                                                                                                         |
| 22495   | Tampa Bay Cut B<br>Channel Lighted Buoy                                  | 27-38-59.828N<br>082-36-37.461W | FI R 4s   | 5  | Red with yellow triangle.            |                                                                                                                                      |                                                                                                         |

|         |                                                        |                              |           |     |                                                                          |                                                                                                                                                                   |
|---------|--------------------------------------------------------|------------------------------|-----------|-----|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | 4B                                                     |                              |           |     |                                                                          |                                                                                                                                                                   |
| 22500   | Tampa Bay Cut B Channel Lighted Buoy 6B                | 27-39-15.084N 082-36-24.676W | FI R 2.5s | 5   | Red.                                                                     |                                                                                                                                                                   |
| 22505   | Port Manatee Channel Inbound Range Front Light         | 27-37-51.313N 082-33-33.045W | Q G       | 140 | On tower.                                                                | Visible 4° each side of rangeline during the day and 4° of rangeline at night. Lighted throughout 24 hours.                                                       |
| 22510   | Port Manatee Channel Inbound Range Rear Light          | 27-37-37.264N 082-33-12.638W | Iso G 6s  | 198 | On tower.                                                                | Visible 4° each side of rangeline during the day and visible 4° of rangeline at night. Lighted throughout 24 hours.                                               |
| 22515   | Port Manatee Channel Lighted Buoy 1                    | 27-39-36.988N 082-35-57.712W | Q G       | 4   | Green.                                                                   |                                                                                                                                                                   |
| 22520   | Port Manatee Channel Lighted Buoy 2                    | 27-39-21.264N 082-36-12.623W | Q R       | 4   | Red.                                                                     |                                                                                                                                                                   |
| 22522   | Port Manatee Channel Lighted Buoy 4                    | 27-39-23.942N 082-35-57.963W | FI R 6s   | 5   | Red.                                                                     |                                                                                                                                                                   |
| 22525   | Port Manatee Channel Lighted Buoy 5                    | 27-39-25.567N 082-35-44.469W | FI G 4s   | 5   | Green.                                                                   |                                                                                                                                                                   |
| 22527   | Port Manatee Channel Lighted Buoy 6                    | 27-39-20.866N 082-35-48.550W | FI R 4s   | 5   | Red.                                                                     |                                                                                                                                                                   |
| 22530   | Port Manatee Channel Lighted Buoy 7                    | 27-39-04.763N 082-35-15.057W | FI G 2.5s | 5   | Green.                                                                   |                                                                                                                                                                   |
| 22535   | Port Manatee Channel Lighted Buoy 8                    | 27-39-00.746N 082-35-17.979W | FI R 2.5s | 5   | Red.                                                                     |                                                                                                                                                                   |
| 22540   | Port Manatee Channel Lighted Buoy 9                    | 27-38-37.804N 082-34-36.913W | FI G 4s   | 5   | Green.                                                                   |                                                                                                                                                                   |
| 22545   | Port Manatee Channel Lighted Buoy 10                   | 27-38-34.407N 082-34-39.248W | FI R 4s   | 5   | Red.                                                                     |                                                                                                                                                                   |
| 22550   | Port Manatee Channel Lighted Buoy 11                   | 27-38-14.312N 082-34-02.797W | Q G       | 4   | Green.                                                                   |                                                                                                                                                                   |
| 22555   | Port Manatee Channel Lighted Buoy 12                   | 27-38-03.916N 082-33-56.172W | Q R       | 4   | Red.                                                                     |                                                                                                                                                                   |
| 22556   | Port Manatee Channel Outbound Range Front Light        | 27-40-16.281N 082-37-03.624W | FI W 2.5s | 10  | On piles.                                                                | Visible 0.5° each side of rangeline during the day and 4° of rangeline at night. Lighted throughout 24 hours. Passing light visible all around.                   |
| 22558   | Port Manatee Channel Outbound Range Rear Light         | 27-41-07.132N 082-38-17.563W | Iso W 6s  | 50  | On skeleton tower on piles.                                              | Visible 0.5° each side of rangeline during the day and 4° of rangeline at night. Lighted throughout 24 hours.                                                     |
| 22559   | Port Manatee Channel Outbound Range Rear Passing Light | 27-41-07.132N 082-38-17.563W | FI W 2.5s |     | On the same structure as Port Manatee Channel Outbound Range Rear Light. | Two synchronized passing lights visible all around located on the NE and SW corner of the lower platform.                                                         |
| 22560   | Tampa Bay P.O.R.T.S Monitor Light M                    | 27-39-42.360N 082-35-40.200W | FI Y 4s   |     | NY on pile.                                                              |                                                                                                                                                                   |
| 22565   | Tampa Bay Cut B Channel Lighted Buoy 8B                | 27-39-45.286N 082-35-58.160W | FI R 4s   | 5   | Red.                                                                     |                                                                                                                                                                   |
| 22570   | Tampa Bay Cut B Channel Lighted Buoy 9B                | 27-39-55.529N 082-35-56.846W | FI G 4s   | 5   | Green.                                                                   |                                                                                                                                                                   |
| 22575   | Tampa Bay Cut B Channel Lighted Buoy 10B               | 27-40-38.458N 082-35-12.114W | Q R       | 4   | Red.                                                                     |                                                                                                                                                                   |
| 22580   | Tampa Bay Cut C Channel Outbound Range Front Light     | 27-40-13.971N 082-36-17.655W | Q R       | 22  | 9                                                                        | KRW on pile. Visible all around; higher intensity on rangeline.                                                                                                   |
| 22585   | Tampa Bay Cut C Channel Outbound Range Rear Light      | 27-39-47.922N 082-37-11.037W | Iso R 6s  | 53  | KRW on pile.                                                             | Visible all around; higher intensity on rangeline.                                                                                                                |
| 22590   | Tampa Bay Cut C Channel Lighted Buoy 1C                | 27-40-50.288N 082-35-09.051W | Q G       | 4   | Green.                                                                   |                                                                                                                                                                   |
| 22595   | Tampa Bay Cut C Channel Lighted Buoy 2C                | 27-40-50.984N 082-34-56.053W | FI R 2.5s | 5   | Red.                                                                     |                                                                                                                                                                   |
| 22600   | Tampa Bay Cut C Channel Inbound Range Front Light      | 27-41-55.357N 082-32-49.765W | Q W       | 0   | On piles.                                                                | Visible 1.5° each side of range line. Lighted throughout 24 hours.                                                                                                |
| 22605   | Tampa Bay Cut C Channel Inbound Range Rear Light       | 27-42-12.117N 082-32-15.566W | Iso W 6s  | 40  | On skeleton tower on piles.                                              | Visible 1.5° each side of range line. Lighted throughout 24 hours.                                                                                                |
| 22605.5 | Tampa Bay Cut C Channel Inbound Range Rear Light       | 27-42-12.117N 082-32-15.566W | FI W 2.5s | 53  | 5                                                                        | On same structure as Cut C Channel Inbound Range Rear Light. Two synchronized passing lights visible all around located on the SW and NE corners of the platform. |

|                |                                               |                                 |         |   |             |
|----------------|-----------------------------------------------|---------------------------------|---------|---|-------------|
| Passing Lights |                                               |                                 |         |   |             |
| 22610          | Tampa Bay Cut C<br>Channel Lighted Buoy<br>3C | 27-41-16.068N<br>082-34-16.281W | FI G 4s | 5 | Green.      |
| 22615          | Tampa Bay Cut C<br>Channel Lighted Buoy<br>4C | 27-41-11.501N<br>082-34-13.697W | FI R 4s | 5 | Red.        |
| 22620          | Tampa Bay Cut C<br>Channel Lighted Buoy<br>5C | 27-41-35.546N<br>082-33-36.137W | Q G     | 4 | Green.      |
| 22625          | Tampa Bay Cut C<br>Channel Lighted Buoy<br>6C | 27-41-36.518N<br>082-33-22.706W | Q R     | 4 | Red.        |
| 22630          | Cockroach Bay<br>Channel Daybeacon 1          | 27-41-39.900N<br>082-32-07.320W |         |   | SG on pile. |
| 22635          | Cockroach Bay<br>Channel Daybeacon 2          | 27-41-34.020N<br>082-32-11.040W |         |   | TR on pile. |
| 22640          | Cockroach Bay<br>Channel Daybeacon 3          | 27-41-33.360N<br>082-32-00.960W |         |   | SG on pile. |
| 22645          | Cockroach Bay<br>Channel Daybeacon 4          | 27-41-30.300N<br>082-32-04.860W |         |   | TR on pile. |
| 22650          | Cockroach Bay<br>Channel Daybeacon 5          | 27-41-29.460N<br>082-31-56.160W |         |   | SG on pile. |
| 22655          | Cockroach Bay<br>Channel Daybeacon 6          | 27-41-27.360N<br>082-32-00.180W |         |   | TR on pile. |
| 22660          | Cockroach Bay<br>Channel Daybeacon 7          | 27-41-25.920N<br>082-31-52.500W |         |   | SG on pile. |
| 22665          | Cockroach Bay<br>Channel Daybeacon 8          | 27-41-23.100N<br>082-31-53.160W |         |   | TR on pile. |
| 22670          | Cockroach Bay<br>Channel Daybeacon 9          | 27-41-21.780N<br>082-31-48.180W |         |   | SG on pile. |
| 22675          | Cockroach Bay<br>Channel Daybeacon 10         | 27-41-18.780N<br>082-31-47.640W |         |   | TR on pile. |
| 22680          | Cockroach Bay<br>Channel Daybeacon 11         | 27-41-14.940N<br>082-31-40.140W |         |   | SG on pile. |
| 22685          | Cockroach Bay<br>Channel Daybeacon 12         | 27-41-13.500N<br>082-31-40.680W |         |   | TR on pile. |
| 22690          | Cockroach Bay<br>Channel Daybeacon 13         | 27-41-10.440N<br>082-31-33.660W |         |   | SG on pile. |
| 22695          | Cockroach Bay<br>Channel Daybeacon 14         | 27-41-09.540N<br>082-31-34.260W |         |   | TR on pile. |
| 22696          | Cockroach Bay<br>Channel Daybeacon 15         | 27-41-09.840N<br>082-31-27.780W |         |   | SG on pile. |
| 22696.1        | Cockroach Bay<br>Channel Daybeacon 16         | 27-41-09.420N<br>082-31-27.120W |         |   | TR on pile. |
| 22696.2        | Cockroach Bay<br>Channel Daybeacon 17         | 27-41-11.220N<br>082-31-24.000W |         |   | SG on pile. |
| 22696.3        | Cockroach Bay<br>Channel Daybeacon 18         | 27-41-10.620N<br>082-31-22.560W |         |   | TR on pile. |
| 22696.4        | Cockroach Bay<br>Channel Daybeacon 19         | 27-41-13.440N<br>082-31-18.000W |         |   | SG on pile. |
| 22696.5        | Cockroach Bay<br>Channel Daybeacon<br>20      | 27-41-12.840N<br>082-31-17.340W |         |   | TR on pile. |
| 22698          | Shell Point Daybeacon<br>1                    | 27-43-25.740N<br>082-28-51.720W |         |   | SG on pile. |
| 22698.1        | Shell Point Daybeacon<br>2                    | 27-43-27.000N<br>082-28-53.520W |         |   | TR on pile. |
| 22698.2        | Shell Point Daybeacon<br>3                    | 27-43-19.560N<br>082-28-58.200W |         |   | SG on pile. |
| 22698.3        | Shell Point Daybeacon<br>4                    | 27-43-20.340N<br>082-28-59.940W |         |   | TR on pile. |
| 22698.4        | Shell Point Daybeacon<br>5                    | 27-43-15.000N<br>082-29-01.500W |         |   | SG on pile. |
| 22698.5        | Shell Point Daybeacon<br>6                    | 27-43-15.360N<br>082-29-02.640W |         |   | TR on pile. |
| 22698.6        | Shell Point Daybeacon<br>7                    | 27-43-12.450N<br>082-29-05.050W |         |   | SG on pile. |
| 22698.7        | Shell Point Daybeacon<br>8                    | 27-43-12.600N<br>082-29-06.300W |         |   | TR on pile. |

|         |                                                                  |                                 |           |    |   |                                                                             |                                                                                                                                   |
|---------|------------------------------------------------------------------|---------------------------------|-----------|----|---|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| 22698.8 | Shell Point Daybeacon 9                                          | 27-43-07.680N<br>082-29-03.960W |           |    |   | SG on pile.                                                                 |                                                                                                                                   |
| 22698.9 | Shell Point Daybeacon 11                                         | 27-43-04.800N<br>082-29-00.060W |           |    |   | SG on pile.                                                                 |                                                                                                                                   |
| 22699   | Shell Point Daybeacon 13                                         | 27-43-03.300N<br>082-28-55.620W |           |    |   | SG on pile.                                                                 |                                                                                                                                   |
| 22699.1 | Shell Point Daybeacon 14                                         | 27-43-01.620N<br>082-28-50.400W |           |    |   | TR on pile.                                                                 |                                                                                                                                   |
| 22700   | Tampa Bay Cut D Channel Inbound Range Front Light                | 27-44-27.288N<br>082-31-21.683W | FI W 2.5s | 30 |   | On same structure as Cut F Outbound Range Front Light.                      | Day range visible 0.5° each side of rangeline. Night range visible 1.5° each side of rangeline. Passing light visible all around. |
| 22705   | Tampa Bay Cut D Channel Inbound Range Rear Light                 | 27-45-12.110N<br>082-30-49.029W | Iso W 6s  | 61 |   |                                                                             | Day range visible 0.5° each side of rangeline. Night range visible 1.5° night each side of rangeline.                             |
| 22708   | Tampa Bay Cut D Channel Inbound Range Rear Passing Light         | 27-45-12.110N<br>082-30-49.029W | FI W 2.5s |    | 5 | On the same structure as Cut D Inbound Channel Range Rear Light.            | Two synchronized passing lights visible all around located on the SW and NE corners of the platform.                              |
| 22710   | Tampa Bay Cut D Channel Outbound Range Front Light               | 27-40-56.913N<br>082-33-54.821W | Q W       | 10 |   | On piles.                                                                   | AIS: MMSI 993672635 Visible 2° each side of rangeline. Lighted throughout 24 hours. Passing light visible all around.             |
| 22715   | Tampa Bay Cut D Channel Outbound Range Rear Light                | 27-40-14.742N<br>082-34-25.498W | Iso W 6s  | 59 |   | On skeleton structure on piles.                                             | AIS: MMSI 993672971 Visible 2° each side of rangeline. Lighted throughout 24 hours.                                               |
| 22715.1 | Tampa Bay Cut D Channel Outbound Range Rear Passing Light        | 27-40-14.742N<br>082-34-25.498W | FI W 2.5s | 59 | 3 | On the same structure as Tampa Bay Cut D Channel Outbound Range Rear Light. | Two synchronized passing lights visible all around located on the SE and NW corners of platform.                                  |
| 22720   | Tampa Bay Cut D Channel Lighted Buoy 1D                          | 27-41-48.454N<br>082-33-20.648W | FI G 2.5s |    | 5 | Green.                                                                      |                                                                                                                                   |
| 22725   | Tampa Bay Cut D Channel Lighted Buoy 3D                          | 27-42-38.238N<br>082-32-44.425W | FI G 4s   |    | 5 | Green.                                                                      |                                                                                                                                   |
| 22730   | Tampa Bay Cut D Channel Lighted Buoy 4D                          | 27-42-35.536N<br>082-32-39.769W | FI R 4s   |    | 5 | Red.                                                                        |                                                                                                                                   |
| 22735   | Tampa Bay Cut D Channel Lighted Buoy 5D                          | 27-43-20.239N<br>082-32-13.934W | Q G       |    | 4 | Green.                                                                      |                                                                                                                                   |
| 22740   | Tampa Bay Cut D Channel Lighted Buoy 6D                          | 27-43-26.633N<br>082-32-02.549W | Q R       |    | 4 | Red.                                                                        |                                                                                                                                   |
| 22745   | Tampa Bay Cut E Channel Outbound Range Front Light               | 27-42-45.489N<br>082-32-20.443W | FI R 2.5s | 0  |   |                                                                             | Visible 0.5° each side of rangeline. Lighted throughout 24 hours. Passing light visible all around.                               |
| 22750   | Tampa Bay Cut E Channel Outbound Range Rear Light                | 27-42-12.682N<br>082-32-32.363W | Iso R 6s  | 51 |   |                                                                             | Visible 0.5° each side of rangeline. Lighted throughout 24 hours.                                                                 |
| 22753   | Tampa Bay Cut E Channel Outbound Range Rear Light Passing Lights | 27-42-12.682N<br>082-32-32.363W | FI W 2.5s | 51 | 5 | On the same structure as Cut E Channel Outbound Range Rear Light.           | Two synchronized passing lights visible all around on the SW and NE corners of platform.                                          |
| 22755   | Tampa Bay Cut E Channel Lighted Buoy 1E                          | 27-43-38.347N<br>082-32-04.475W | FI G 2.5s |    | 5 | Green.                                                                      | AIS: MMSI 993672027                                                                                                               |
| 22760   | Tampa Bay Cut E Channel Inbound Range Front Light                | 27-45-47.909N<br>082-31-14.110W | Q W       | 0  |   | On piles.                                                                   | Visible 1.5° each side of range line. Lighted throughout 24 hours.                                                                |
| 22765   | Tampa Bay Cut E Channel Inbound Range Rear Light                 | 27-46-24.768N<br>082-31-00.704W | Iso W 6s  |    |   | On skeleton tower on piles.                                                 | Visible 1.5° each side of range line. Lighted throughout 24 hours.                                                                |
| 22765.5 | Tampa Bay Cut E Channel Inbound Range Rear Light Passing Light   | 27-46-24.768N<br>082-31-00.704W | FI W 2.5s | 0  | 3 | On same structure as Cut E Channel Inbound Range Rear Light.                | Visible all around. Located on NE corner.                                                                                         |
| 22770   | Tampa Bay Cut E Channel Lighted Buoy 3E                          | 27-44-27.379N<br>082-31-46.699W | FI G 4s   |    | 5 | Green.                                                                      |                                                                                                                                   |
| 22775   | Tampa Bay Cut E Channel Lighted Buoy 4E                          | 27-44-25.723N<br>082-31-40.764W | FI R 4s   |    | 5 | Red.                                                                        |                                                                                                                                   |
| 22785   | Tampa Bay Cut E Channel Lighted Buoy                             | 27-45-17.427N<br>082-31-27.761W | Q G       |    | 4 | Green.                                                                      |                                                                                                                                   |

|         |                                                                    |                                 |           |    |    |                                                                                       |                                                                                                         |
|---------|--------------------------------------------------------------------|---------------------------------|-----------|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
|         | 5E                                                                 |                                 |           |    |    |                                                                                       |                                                                                                         |
| 22786   | North Yacht Basin<br>Daybeacon 2                                   | 27-46-35.100N<br>082-37-32.800W |           |    |    | TR on pile.                                                                           |                                                                                                         |
| 22790   | Tampa Bay Cut E<br>Channel Lighted Buoy<br>6E                      | 27-45-25.128N<br>082-31-19.434W | Q R       |    | 4  | Red.                                                                                  |                                                                                                         |
| 22795   | Tampa Bay Cut F<br>Channel Outbound<br>Range Front Light           | 27-44-27.288N<br>082-31-21.683W | FI G 2.5s | 0  | 5  | On same structure as Cut D<br>Inbound Range Front Light.                              | Day and night range visible .5 degrees each side of range line. Lighted<br>throughout 24 hours.         |
| 22800   | Tampa Bay Cut F<br>Channel Outbound<br>Range Rear Light            | 27-43-58.343N<br>082-31-21.425W | Iso G 6s  |    | 46 |                                                                                       | Day range visible 0.5°each side of rangeline. Lighted throughout 24<br>hours.                           |
| 22803   | Tampa Bay Cut F<br>Channel Outbound<br>Range Rear Passing<br>Light | 27-43-58.343N<br>082-31-21.425W | FI W 2.5s |    | 5  | On the same structure as<br>Cut F Channel Outbound<br>Range Rear Light.               | One white flashing light (2.5 secs) on the SW corner of the range.                                      |
| 22805   | Tampa Bay Cut F<br>Channel Lighted Buoy<br>1F                      | 27-45-35.021N<br>082-31-24.753W | FI G 2.5s |    | 5  | Green.                                                                                |                                                                                                         |
| 22810   | Tampa Bay Cut F<br>Channel Inbound<br>Range Front Light            | 27-47-43.794N<br>082-31-23.473W | FI G 2.5s | 0  |    |                                                                                       | Visible 0.5° each side of range line. Lighted throughout 24 hours.<br>Passing light visible all around. |
| 22815.5 | Macdill Air Force Base<br>Prohibited Area<br>Daybeacon (24)        | 27-48-45.059N<br>082-31-07.272W |           |    |    | NW on pile.                                                                           |                                                                                                         |
| 22815   | Tampa Bay Cut F<br>Channel Inbound<br>Range Rear Light             | 27-48-27.996N<br>082-31-23.846W | Iso G 6s  |    | 47 | On skeleton tower on piles.                                                           | Visible 0.5° each side of range line. Lighted throughout 24 hours.                                      |
| 22815.2 | Tampa Bay Cut F<br>Inbound Range Rear<br>Passing Light             | 27-48-27.996N<br>082-31-23.846W | FI W 2.5s | 47 | 5  | On same structure as Cut F<br>Channel Inbound Range Rear<br>Light.                    |                                                                                                         |
| 22820   | Tampa Bay Cut F<br>Channel Lighted Buoy<br>3F                      | 27-46-05.068N<br>082-31-25.840W | FI G 4s   |    | 5  | Green.                                                                                |                                                                                                         |
| 22825   | Tampa Bay Cut F<br>Channel Lighted Buoy<br>4F                      | 27-46-04.726N<br>082-31-19.408W | FI R 4s   |    | 5  | Red.                                                                                  |                                                                                                         |
| 22830   | Tampa Bay Cut F<br>Channel Lighted Buoy<br>6F                      | 27-46-31.241N<br>082-31-20.036W | Q R       |    | 4  | Red.                                                                                  |                                                                                                         |
| 22835   | Tampa Bay Cut F<br>Channel Lighted Buoy<br>7F                      | 27-46-44.703N<br>082-31-25.726W | Q G       |    | 4  | Green.                                                                                |                                                                                                         |
| 22840   | Tampa Bay Cut F<br>Channel Lighted Buoy<br>8F                      | 27-46-48.631N<br>082-31-15.639W | FI R 2.5s |    | 5  | Red.                                                                                  |                                                                                                         |
| 22845   | Tampa Bay Cut F<br>Channel Lighted Buoy<br>10F                     | 27-47-00.095N<br>082-31-06.875W | Q R       |    | 4  | Red.                                                                                  |                                                                                                         |
| 22850   | Gadsden Point Cut<br>Range Front Light                             | 27-48-33.692N<br>082-26-54.504W | FI W 2.5s | 23 |    | On the same structure as<br>Hillsborough Cut C Channel<br>Outbound Range Front Light. | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                                       |
| 22850.5 | Gadsden Point Cut<br>Range Front Light<br>Passing Lights           | 27-48-33.692N<br>082-26-54.504W | FI W 2.5s | 23 | 3  | On the same structure as<br>Gadsden Point Cut Range<br>Front Light.                   | Two synchronized passing lights visible all around located on the NE and<br>SW corners of platform.     |
| 22855   | Gadsden Point Cut<br>Range Rear Light                              | 27-48-47.998N<br>082-26-12.772W | Iso W 6s  |    | 75 | Skeleton tower on piles.                                                              | Visible 1.5° each side of rangeline.                                                                    |
| 22855.5 | Gadsden Point Cut<br>Range Rear Light<br>Passing Lights            | 27-48-47.998N<br>082-26-12.772W | FI W 2.5s | 75 | 4  | On same structure as<br>Gadsden Point Cut Range<br>Rear Light.                        | One white flashing light (2.5 secs) on the NE corner of the range.                                      |
| 22860   | Gadsden Point Cut<br>Lighted Buoy 1                                | 27-47-14.763N<br>082-30-52.286W | Q G       |    | 4  | Green.                                                                                |                                                                                                         |
| 22865   | Gadsden Point Cut<br>Lighted Buoy 2                                | 27-47-10.234N<br>082-30-50.311W | FI R 2.5s |    | 5  | Red.                                                                                  |                                                                                                         |
| 22870   | Gadsden Point Cut<br>Lighted Buoy 3                                | 27-47-30.478N<br>082-30-08.960W | FI G 2.5s |    | 5  | Green.                                                                                |                                                                                                         |
| 22875   | Gadsden Point Cut<br>Lighted Buoy 4                                | 27-47-24.654N<br>082-30-06.162W | FI R 2.5s |    | 5  | Red.                                                                                  |                                                                                                         |
| 22880   | Gadsden Point Cut<br>Lighted Buoy 5                                | 27-47-50.186N<br>082-29-09.890W | FI G 4s   |    | 5  | Green.                                                                                |                                                                                                         |
| 22885   | Gadsden Point Cut<br>Lighted Buoy 6                                | 27-47-43.917N<br>082-29-09.560W | FI R 4s   |    | 5  | Red.                                                                                  |                                                                                                         |

|         |                                                            |                                 |           |    |   |                                                                  |                                                                                                      |
|---------|------------------------------------------------------------|---------------------------------|-----------|----|---|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| 22935   | Gadsden Point Cross Channel Daybeacon 2                    | 27-48-43.664N<br>082-29-02.084W |           | 0  |   | TR on dolphin.                                                   |                                                                                                      |
| 22940   | Gadsden Point Cross Channel Daybeacon 3WR                  | 27-48-02.030N<br>082-30-11.349W |           |    |   | SG on pile.                                                      |                                                                                                      |
| 22945   | Gadsden Point Cross Channel Daybeacon 4                    | 27-48-38.572N<br>082-30-25.861W |           | 0  |   | TR on pile.                                                      |                                                                                                      |
| 22955   | Gadsden Point Cross Channel Daybeacon 8                    | 27-48-28.143N<br>082-33-08.173W |           | 0  |   | TR on pile.                                                      |                                                                                                      |
| 22960   | Gadsden Point Cross Channel Daybeacon 9                    | 27-48-44.135N<br>082-34-07.420W |           | 0  |   | SG on pile.                                                      |                                                                                                      |
| 22965   | Gadsden Point Cross Channel Daybeacon 10                   | 27-48-49.966N<br>082-34-00.944W |           | 0  |   | TR on pile.                                                      |                                                                                                      |
| 22970   | MacDill Marina Channel Daybeacon 1                         | 27-48-48.494N<br>082-29-03.442W |           |    |   | SG on pile.                                                      | Maintained by U.S. Air Force.                                                                        |
| 22975   | MacDill Marina Channel Daybeacon 2                         | 27-48-48.494N<br>082-29-02.542W |           |    |   | TR on pile.                                                      | Maintained by U.S. Air Force.                                                                        |
| 22980   | MacDill Marina Channel Daybeacon 3                         | 27-49-00.393N<br>082-29-03.442W |           |    |   | SG on pile.                                                      | Maintained by U.S. Air Force.                                                                        |
| 22985   | MacDill Marina Channel Daybeacon 4                         | 27-49-00.393N<br>082-29-02.542W |           |    |   | TR on pile.                                                      | Maintained by U.S. Air Force.                                                                        |
| 22990   | MacDill Marina Channel Daybeacon 5                         | 27-49-12.293N<br>082-29-03.442W |           |    |   | SG on pile.                                                      | Maintained by U.S. Air Force.                                                                        |
| 22995   | MacDill Marina Channel Daybeacon 6                         | 27-48-12.295N<br>082-29-02.542W |           |    |   | TR on pile.                                                      | Maintained by U.S. Air Force.                                                                        |
| 23000   | Gadsden Point Cut Lighted Buoy 7                           | 27-48-16.473N<br>082-27-54.101W | Q G       |    | 4 | Green.                                                           |                                                                                                      |
| 23005   | Gadsden Point Cut Lighted Buoy 8                           | 27-48-11.428N<br>082-27-51.427W | Q R       |    | 4 | Red.                                                             |                                                                                                      |
| 23010   | Hillsborough Cut A Channel Range Front Light               | 27-48-48.822N<br>082-26-39.887W | Q W       | 10 |   | KRW on tripod.                                                   | Visible all around.                                                                                  |
| 23015   | Hillsborough Cut A Channel Range Rear Light                | 27-49-17.558N<br>082-25-41.244W | Iso W 6s  | 35 |   | KRW on skeleton tower on piles.                                  | Visible 2° each side of rangeline.                                                                   |
| 23015.5 | Hillsborough Cut A Channel Range Rear Light Passing Lights | 27-49-17.558N<br>082-25-41.244W | Fl W 2.5s | 35 | 4 | On the same structure as Cut A Channel Range Rear Light.         | Two synchronized passing lights visible all around located on the SW and NE corners of platform.     |
| 23020   | Hillsborough Cut A Channel Lighted Buoy 9                  | 27-48-30.685N<br>082-27-23.623W | Fl G 2.5s |    | 5 | Green.                                                           |                                                                                                      |
| 23025   | Hillsborough Cut A Channel Lighted Buoy 10                 | 27-48-34.311N<br>082-27-04.720W | Fl R 2.5s |    | 5 | Red.                                                             |                                                                                                      |
| 23026   | Big Bend Channel Outbound Range Front Light                | 27-48-42.149N<br>082-27-37.982W |           | 25 |   |                                                                  | Visible 3.0° each side of range line. Lighted throughout 24 hours.                                   |
| 23027   | Big Bend Channel Outbound Range Rear Light                 | 27-48-49.005N<br>082-28-53.493W | Iso R 6s  | 35 |   |                                                                  | Visible 3.0° each side of range line. Lighted throughout 24 hours.                                   |
| 23027.5 | Big Bend Channel Outbound Range Rear Light Passing Lights  | 27-48-49.005N<br>082-28-53.493W | Fl W 2.5s | 0  | 4 | On same structure as Big Bend Channel Outbound Range Rear Light. | Two synchronized passing lights visible all around located on the SE and NW corners of the platform. |
| 23028   | Big Bend Pilot Channel Range Front Light                   | 27-49-03.019N<br>082-24-47.898W | Q R       | 5  |   |                                                                  | Visible 3.0° each side of range line. Lighted throughout 24 hours. Passing light visible all around. |
| 23029   | Big Bend Pilot Channel Range Rear Light                    | 27-49-38.660N<br>082-24-48.258W | Iso R 6s  | 30 |   |                                                                  | Visible 3.0° each side of range line. Lighted throughout 24 hours.                                   |
| 23029.5 | Big Bend Pilot Channel Range Rear Passing Light            | 27-49-38.660N<br>082-24-48.258W | Fl W 2.5s | 30 | 4 | On same structure as Big Bend Pilot Channel Range Rear Light.    | Passing light visible all around. Located on the SW and NE corners of the platform.                  |
| 23040   | Big Bend Channel Lighted Buoy 1                            | 27-48-38.583N<br>082-26-43.073W | Fl G 2.5s |    | 5 | Green.                                                           |                                                                                                      |
| 23045   | Big Bend Channel Lighted Buoy 2                            | 27-48-35.726N<br>082-26-43.485W | Fl R 2.5s |    | 5 | Red.                                                             |                                                                                                      |
| 23050   | Big Bend Channel Light 3                                   | 27-48-37.120N<br>082-26-19.246W | Fl G 4s   | 0  | 5 | SG on pile.                                                      |                                                                                                      |
| 23055   | Big Bend Channel Light 4                                   | 27-48-33.073N<br>082-26-19.788W | Fl R 4s   | 0  | 5 | TR on pile.                                                      |                                                                                                      |
| 23060   | Big Bend Channel Light 5                                   | 27-48-34.755N<br>082-25-52.724W | Fl G 6s   | 0  | 5 | SG on pile.                                                      |                                                                                                      |
| 23065   | Big Bend Channel Light 6                                   | 27-48-30.584N<br>082-25-53.114W | Fl R 6s   | 0  | 5 | TR on pile.                                                      |                                                                                                      |

|         |                                                                              |                                 |           |     |    |                                                                                      |                                                                                                                                 |
|---------|------------------------------------------------------------------------------|---------------------------------|-----------|-----|----|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 23070   | Big Bend Channel<br>Light 7                                                  | 27-48-32.468N<br>082-25-26.248W | FI G 2.5s | 0   | 5  | SG on pile.                                                                          |                                                                                                                                 |
| 23075   | Big Bend Channel<br>Light 8                                                  | 27-48-28.166N<br>082-25-26.714W | FI R 2.5s | 0   | 5  | TR on pile.                                                                          |                                                                                                                                 |
| 23080   | Big Bend Channel<br>Lighted Buoy 9                                           | 27-48-29.716N<br>082-24-59.715W | Q G       |     | 4  | Green.                                                                               |                                                                                                                                 |
| 23085   | Big Bend Channel<br>Lighted Buoy 10                                          | 27-48-25.013N<br>082-25-02.110W | Q R       |     | 4  | Red.                                                                                 |                                                                                                                                 |
| 23090   | Big Bend Channel<br>Lighted Buoy 11                                          | 27-48-32.376N<br>082-24-53.509W | FI G 4s   |     | 5  | Green.                                                                               |                                                                                                                                 |
| 23095   | Big Bend Channel<br>Lighted Buoy 11A                                         | 27-48-31.960N<br>082-24-47.114W | FI G 4s   |     | 5  | Green.                                                                               |                                                                                                                                 |
| 23100   | Big Bend Channel<br>Lighted Buoy 11B                                         | 27-48-29.281N<br>082-24-44.873W | FI G 2.5s |     | 5  | Green.                                                                               |                                                                                                                                 |
| 23110   | Big Bend Channel<br>Lighted Buoy 12                                          | 27-48-19.170N<br>082-24-48.982W | FI R 4s   |     | 4  | Red.                                                                                 |                                                                                                                                 |
| 23115   | Big Bend Channel<br>Lighted Buoy 13                                          | 27-48-22.358N<br>082-24-45.529W | Q G       |     | 4  | Green.                                                                               |                                                                                                                                 |
| 23117   | Big Bend Channel<br>Inbound Range Front<br>Light                             | 27-48-23.063N<br>082-24-08.401W | Q R       | 150 | 10 | On tower.                                                                            | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                                                               |
| 23118   | Big Bend Channel<br>Inbound Range Rear<br>Light                              | 27-48-21.018N<br>082-23-46.042W | Iso R 6s  | 200 | 10 | On tower.                                                                            | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                                                               |
| 23120   | Big Bend Channel<br>Lighted Buoy 14                                          | 27-48-11.600N<br>082-24-48.774W | Q R       |     | 4  | Red.                                                                                 |                                                                                                                                 |
| 23121   | Big Bend Channel<br>Daybeacon 15                                             | 27-48-05.090N<br>082-24-45.365W |           | 12  |    | SG on pile.                                                                          |                                                                                                                                 |
| 23122   | Big Bend Channel<br>Daybeacon 16                                             | 27-48-04.887N<br>082-24-49.529W |           | 0   |    | TR on pile.                                                                          |                                                                                                                                 |
| 23123   | Big Bend Channel<br>Daybeacon 17                                             | 27-47-57.345N<br>082-24-45.213W |           | 12  |    | SG on pile.                                                                          |                                                                                                                                 |
| 23124   | Big Bend Channel<br>Daybeacon 18                                             | 27-47-57.471N<br>082-24-49.449W |           | 0   |    | TR on pile.                                                                          |                                                                                                                                 |
| 23126   | Big Bend Channel<br>Daybeacon 20                                             | 27-47-52.362N<br>082-24-48.721W |           | 0   |    | TR on pile.                                                                          |                                                                                                                                 |
| 23127   | Big Bend West<br>Daybeacon B                                                 | 27-47-19.500N<br>082-24-54.900W |           |     |    | NY on pile.                                                                          |                                                                                                                                 |
| 23128   | Big Bend E Daybeacon<br>C                                                    | 27-47-37.560N<br>082-24-49.200W |           |     |    | NY on pile.                                                                          |                                                                                                                                 |
| 23129   | Big Bend North Light<br>D                                                    | 27-47-51.420N<br>082-24-43.980W | FI Y 4s   |     |    | NY on pile.                                                                          |                                                                                                                                 |
| 23145   | Big Bend Groin<br>Obstruction Light                                          | 27-47-35.298N<br>082-24-53.337W | Q W       |     |    | On pile.                                                                             |                                                                                                                                 |
| 23150   | Big Bend Sheet Pile<br>Obstruction Light                                     | 27-47-37.398N<br>082-24-56.137W | Q W       |     |    | On pile.                                                                             |                                                                                                                                 |
| 23155   | Big Bend South<br>Monitor Obstruction<br>Light                               | 27-47-34.898N<br>082-24-44.836W | Q W       |     |    | NW on pile worded DANGER<br>MONITOR STATION.                                         |                                                                                                                                 |
| 23160   | Big Bend Center<br>Monitor Obstruction<br>Light                              | 27-47-36.098N<br>082-24-44.836W | Q W       |     |    | NW on pile worded DANGER<br>MONITOR STATION.                                         |                                                                                                                                 |
| 23165   | Big Bend North<br>Monitor Obstruction<br>Light                               | 27-47-37.098N<br>082-24-44.836W | Q W       |     |    | NW on pile worded DANGER<br>MONITOR STATION.                                         |                                                                                                                                 |
| 23170   | Big Bend Bulkhead<br>Obstruction Light G                                     | 27-47-35.298N<br>082-24-48.837W | Q W       |     |    | NW on pile worded DANGER<br>MONITOR STATION.                                         |                                                                                                                                 |
| 23175   | Big Bend Bulkhead<br>Obstruction Light H                                     | 27-47-34.298N<br>082-24-42.836W | Q W       |     |    | NW on pile worded DANGER<br>MONITOR STATION.                                         |                                                                                                                                 |
| 23185   | Hillsborough Cut C<br>Channel Outbound<br>Range Front Light                  | 27-48-33.692N<br>082-26-54.504W | FI W 2.5s | 23  |    | On the same structure as<br>Gadsden Point Cut Range<br>Front Light.                  | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                                                               |
| 23190   | Hillsborough Cut C<br>Channel Outbound<br>Range Rear Light                   | 27-47-11.791N<br>082-27-03.000W | Iso W 6s  | 60  |    | On skeleton tower on piles.                                                          | Day light visible 0.5° each side of rangeline. Night light visible 1.5° each<br>side of rangeline. Lighted throughout 24 hours. |
| 23190.5 | Hillsborough Cut C<br>Channel Outbound<br>Range Rear Light<br>Passing Lights | 27-47-11.791N<br>082-27-03.000W | FI W 2.5s |     | 3  | On the same structure as<br>Hillsborough Cut C Channel<br>Outbound Range Rear Light. | Two synchronized passing lights visible all around located on the NW<br>and SE corners of platform.                             |
| 23195   | Hillsborough Cut C<br>Channel Lighted Buoy<br>11                             | 27-48-43.660N<br>082-27-09.880W | Q G       |     | 4  | Green.                                                                               |                                                                                                                                 |



|         |                                            |                                 |           |    |   |                                                     |                                                                                          |
|---------|--------------------------------------------|---------------------------------|-----------|----|---|-----------------------------------------------------|------------------------------------------------------------------------------------------|
| 23200   | Hillsborough Cut C Channel Buoy 12         | 27-48-43.594N<br>082-26-50.766W |           |    |   | Red nun.                                            |                                                                                          |
| 23205   | Hillsborough Cut C Channel Lighted Buoy 13 | 27-48-55.245N<br>082-27-01.317W | FI G 2.5s |    | 5 | Green.                                              |                                                                                          |
| 23210   | Hillsborough Cut C Channel Lighted Buoy 15 | 27-49-12.499N<br>082-26-53.970W | Q G       |    | 4 | Green.                                              |                                                                                          |
| 23215   | Hillsborough Cut C Channel Lighted Buoy 16 | 27-49-12.069N<br>082-26-46.804W | Q R       |    | 4 | Red.                                                |                                                                                          |
| 23220   | Hillsborough Cut C Channel Lighted Buoy 17 | 27-49-49.200N<br>082-26-49.957W | FI G 4s   |    | 5 | Green.                                              | AIS: MMSI 993672028                                                                      |
| 23225   | Hillsborough Cut C Channel Lighted Buoy 18 | 27-49-49.413N<br>082-26-43.777W | FI R 4s   |    | 5 | Red.                                                |                                                                                          |
| 23230   | Hillsborough Cut C Channel Lighted Buoy 19 | 27-50-18.257N<br>082-26-47.010W | FI G 2.5s |    | 5 | Green.                                              |                                                                                          |
| 23235   | Hillsborough Cut C Channel Lighted Buoy 20 | 27-50-31.567N<br>082-26-38.904W | Q R       |    | 4 | Red.                                                |                                                                                          |
| 23240   | Alafia River Range Front Light             | 27-50-40.504N<br>082-26-52.085W | Q R       | 0  |   | KRW on dolphin.                                     | Visible 1.5° each side of rangeline.                                                     |
| 23245   | Alafia River Range Rear Light              | 27-50-30.157N<br>082-27-46.749W | Iso R 6s  | 46 |   | KRW on skeleton tower on piles.                     | Visible 1.5° each side of rangeline.                                                     |
| 23246   | Alafia River Range Rear Passing Light      | 27-50-30.157N<br>082-27-46.749W | FI W 2.5s | 46 | 3 | On same structure as Alafia River Range Rear Light. | Two synchronized passing lights visible all around on the SE and NW corners of platform. |
| 23250   | Alafia River Buoy 2                        | 27-50-36.311N<br>082-26-32.857W |           |    |   | Red nun.                                            |                                                                                          |
| 23255   | Alafia River Buoy 3                        | 27-50-44.650N<br>082-26-35.476W |           |    |   | Green can.                                          |                                                                                          |
| 23260   | Alafia River Lighted Buoy 4                | 27-50-44.701N<br>082-26-21.577W | FI R 4s   |    | 5 | Red.                                                |                                                                                          |
| 23265   | Alafia River Buoy 5                        | 27-50-53.123N<br>082-25-53.467W |           |    |   | Green can.                                          |                                                                                          |
| 23270   | Alafia River Light 6                       | 27-50-49.880N<br>082-25-51.758W | FI R 6s   | 0  | 5 | TR on dolphin.                                      |                                                                                          |
| 23275   | Alafia River Light 7                       | 27-50-58.028N<br>082-25-27.800W | FI G 4s   | 0  | 5 | SG on pile.                                         |                                                                                          |
| 23280   | Alafia River Light 8                       | 27-50-54.977N<br>082-25-25.949W | FI R 2.5s | 0  | 5 | TR on pile.                                         |                                                                                          |
| 23285   | Alafia River Daybeacon 9                   | 27-51-02.892N<br>082-25-02.237W |           | 0  |   | SG on pile.                                         |                                                                                          |
| 23290   | Alafia River Daybeacon 10                  | 27-50-59.300N<br>082-25-01.658W |           | 0  |   | TR on pile.                                         |                                                                                          |
| 23295   | Alafia River Daybeacon 11                  | 27-51-08.555N<br>082-24-32.526W |           | 0  |   | SG on pile.                                         |                                                                                          |
| 23300   | Alafia River Light 12                      | 27-51-05.034N<br>082-24-31.552W | FI R 4s   | 0  | 5 | TR on pile.                                         |                                                                                          |
| 23305   | Alafia River Daybeacon 13                  | 27-51-13.848N<br>082-24-05.435W |           | 0  |   | SG on pile.                                         |                                                                                          |
| 23310   | Alafia River Daybeacon 14                  | 27-51-10.700N<br>082-24-01.978W |           | 0  |   | TR on pile.                                         |                                                                                          |
| 23315   | Alafia River Light 15                      | 27-51-18.797N<br>082-23-38.255W | Q G       | 0  | 4 | SG on dolphin.                                      |                                                                                          |
| 23320   | Alafia River Turning Basin Daybeacon 16    | 27-51-17.957N<br>082-23-24.367W |           | 0  |   | TR on pile.                                         |                                                                                          |
| 23325   | Alafia River Turning Basin Daybeacon 18    | 27-51-28.966N<br>082-23-25.355W |           |    |   | TR on pile.                                         |                                                                                          |
| 23327   | Alafia River Warning Daybeacon A           | 27-51-25.700N<br>082-23-01.420W |           |    |   | NW on pile worded WARNING.                          |                                                                                          |
| 23327.1 | Alafia River Warning Daybeacon B           | 27-51-26.700N<br>082-16-07.900W |           |    |   | NW on pile worded WARNING.                          |                                                                                          |
| 23328   | Mosaic Fertilizer Obstruction Daybeacon A  | 27-51-26.100N<br>082-23-01.140W |           |    |   | NW on pile worded DANGER ROCKS.                     |                                                                                          |
| 23329   | Williams Park Daybeacon 1                  | 27-51-26.220N<br>082-23-23.700W |           |    |   | SG on pile.                                         |                                                                                          |
| 23329.1 | Williams Park                              | 27-51-24.300N                   |           |    |   | TR on pile.                                         |                                                                                          |



|         |                                                            |                                 |           |    |                                              |                                                          |
|---------|------------------------------------------------------------|---------------------------------|-----------|----|----------------------------------------------|----------------------------------------------------------|
|         | Daybeacon 2                                                | 082-23-22.620W                  |           |    |                                              |                                                          |
| 23329.2 | Williams Park<br>Daybeacon 3                               | 27-51-29.100N<br>082-23-17.400W |           |    | SG on pile.                                  |                                                          |
| 23329.3 | Williams Park<br>Daybeacon 4                               | 27-51-27.780N<br>082-23-16.740W |           |    | TR on pile.                                  |                                                          |
| 23329.4 | Williams Park<br>Daybeacon 5                               | 27-51-32.160N<br>082-23-11.340W |           |    | SG on pile.                                  |                                                          |
| 23329.5 | Williams Park<br>Daybeacon 6                               | 27-51-30.460N<br>082-23-10.560W |           |    | TR on pile.                                  |                                                          |
| 23329.6 | Williams Park<br>Daybeacon 7                               | 27-51-35.760N<br>082-23-07.560W |           |    | SG on pile.                                  |                                                          |
| 23329.7 | Williams Park<br>Daybeacon 8                               | 27-51-32.640N<br>082-23-03.240W |           |    | TR on pile.                                  |                                                          |
| 23329.8 | Williams Park<br>Daybeacon 9                               | 27-51-34.560N<br>082-23-03.540W |           |    | SG on pile.                                  |                                                          |
| 23330   | Hillsborough Cut C<br>Channel Lighted Buoy<br>21           | 27-50-47.054N<br>082-26-43.465W | Fl G 4s   | 5  | Green.                                       |                                                          |
| 23335   | Hillsborough Cut C<br>Channel Lighted Buoy<br>22           | 27-50-46.582N<br>082-26-37.921W | Fl R 2.5s | 5  | Red.                                         |                                                          |
| 23415   | Long Shoal Danger<br>Shoal Daybeacon A                     | 27-52-27.815N<br>082-27-33.856W |           | 0  | NW on pile worded DANGER<br>SHOAL.           |                                                          |
| 23420   | Long Shoal Danger<br>Shoal Daybeacon B                     | 27-51-59.700N<br>082-28-21.501W |           | 0  | NW on pile worded DANGER<br>SHOAL.           |                                                          |
| 23422   | Davis Island Yacht<br>Club Special Purpose<br>Buoy D       | 27-51-49.000N<br>082-26-47.000W |           |    | Yellow can.                                  |                                                          |
| 23425   | Hillsborough Cut C<br>Channel Lighted Buoy<br>23           | 27-51-48.312N<br>082-26-37.458W | Fl G 4s   | 5  | Green.                                       |                                                          |
| 23430   | Hillsborough Cut C<br>Channel Lighted Buoy<br>24           | 27-51-47.889N<br>082-26-31.302W | Fl R 4s   | 5  | Red.                                         |                                                          |
| 23435   | Hillsborough Cut C<br>Channel Inbound<br>Range Front Light | 27-54-28.706N<br>082-26-17.640W | Iso G 2s  | 0  | On skeleton tower on piles.                  | AIS: MMSI 993672160 Visible 0.5° each side of rangeline. |
| 23440   | Hillsborough Cut C<br>Channel Inbound<br>Range Rear Light  | 27-55-12.774N<br>082-26-13.067W | Iso G 6s  | 95 | On skeleton tower on piles.                  | AIS: MMSI 993672161 Visible 0.5° each side of rangeline. |
| 23442   | Davis Island Yacht<br>Club Special Purpose<br>Buoy G       | 27-52-59.000N<br>082-28-19.000W |           |    | Yellow can.                                  |                                                          |
| 23443   | Davis Island Yacht<br>Club Special Purpose<br>Buoy F       | 27-52-40.000N<br>082-27-35.000W |           |    | Yellow can.                                  |                                                          |
| 23444   | Davis Island Yacht<br>Club Special Purpose<br>Buoy C       | 27-52-50.000N<br>082-26-41.000W |           |    | Yellow can.                                  |                                                          |
| 23445   | Hillsborough Cut C<br>Channel Lighted Buoy<br>25           | 27-52-49.784N<br>082-26-30.733W | Fl G 2.5s | 5  | Green.                                       |                                                          |
| 23450   | Hillsborough Cut C<br>Channel Lighted Buoy<br>26           | 27-52-49.196N<br>082-26-24.682W | Fl R 2.5s | 5  | Red.                                         |                                                          |
| 23451   | Tampa Yacht & Country Club Light 1                         | 27-53-17.000N<br>082-28-40.000W | Fl G 3s   |    | SG on pile.                                  |                                                          |
| 23452   | Tampa Yacht & Country Club Light 2                         | 27-53-18.000N<br>082-28-40.000W | Fl R 3s   |    | TR on pile.                                  |                                                          |
| 23453   | Tampa Yacht & Country Club<br>Daybeacon 3                  | 27-53-17.000N<br>082-28-42.000W |           |    | SG on pile.                                  |                                                          |
| 23454   | Tampa Yacht & Country Club<br>Daybeacon 4                  | 27-53-18.000N<br>082-28-43.000W |           |    | TR on pile.                                  |                                                          |
| 23455   | Ballast Point Reef<br>Northwest Daybeacon                  | 27-53-24.000N<br>082-28-46.300W |           |    | NW on pile worded<br>OBSTRUCTION FISH HAVEN. |                                                          |
| 23460   | Ballast Point Reef<br>Northeast Daybeacon                  | 27-53-24.000N<br>082-28-41.250W |           |    | NW on pile worded<br>OBSTRUCTION FISH HAVEN. |                                                          |
| 23465   | Ballast Point Reef<br>Southeast Daybeacon                  | 27-53-21.000N<br>082-28-41.250W |           |    | NW on pile worded<br>OBSTRUCTION FISH HAVEN. |                                                          |
| 23470   | Ballast Point Reef                                         | 27-53-21.000N                   |           |    | NW on pile worded                            |                                                          |

|         |                                                                       |                                 |           |    |   |                                                                                                                                                                                 |
|---------|-----------------------------------------------------------------------|---------------------------------|-----------|----|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | Southwest Daybeacon                                                   | 082-28-46.300W                  |           |    |   | OBSTRUCTION FISH HAVEN.                                                                                                                                                         |
| 23475   | Tampa Harbor<br>Transfer Station West<br>Light                        | 27-53-18.486N<br>082-25-50.338W | Q W       |    |   | On dolphin.                                                                                                                                                                     |
| 23480   | Tampa Harbor<br>Transfer Station East<br>Light                        | 27-53-17.886N<br>082-25-47.338W | Q W       |    |   | On dolphin.                                                                                                                                                                     |
| 23483   | Davis Island Yacht<br>Club Special Purpose<br>Buoy H                  | 27-53-36.000N<br>082-27-48.000W |           |    |   | Yellow can.                                                                                                                                                                     |
| 23485   | Hillsborough Cut C<br>Channel Lighted Buoy<br>28                      | 27-53-50.905N<br>082-26-18.857W | Q R       | 4  |   | Red.                                                                                                                                                                            |
| 23490   | Hillsborough Cut C<br>Channel Lighted Buoy<br>31                      | 27-54-14.481N<br>082-26-21.913W | FI G 4s   | 5  |   | Green.                                                                                                                                                                          |
| 23492   | Davis Island Yacht<br>Club Special Purpose<br>Buoy A                  | 27-54-13.000N<br>082-27-17.000W |           |    |   | Yellow can.                                                                                                                                                                     |
| 23492.1 | Davis Island Yacht<br>Club Special Purpose<br>Buoy E                  | 27-53-17.400N<br>082-27-10.200W |           |    |   | Yellow can.                                                                                                                                                                     |
| 23495   | Hillsborough Cut C<br>Channel Buoy 32                                 | 27-54-15.304N<br>082-26-16.257W |           |    |   | Red nun.                                                                                                                                                                        |
| 23500   | Hillsborough Cut D<br>Channel Outbound<br>Range Front Light           | 27-53-55.381N<br>082-26-05.474W | Q W       | 0  |   | On dolphin. Visible 1.5° each side of rangeline. Lighted throughout 24 hours. Passing light visible all around.                                                                 |
| 23505.5 | Hillsborough Cut D<br>Channel Outbound<br>Range Rear Passing<br>Light | 27-53-38.418N<br>082-25-56.233W | FI W 2.5s | 3  |   | On the same structure as Hillsborough Cut D Channel Outbound Range Rear Light. Two synchronized passing lights visible all around located on the NW and SE corners of platform. |
| 23505   | Hillsborough Cut D<br>Channel Outbound<br>Range Rear Light            | 27-53-38.418N<br>082-25-56.223W | Iso W 6s  | 45 |   | On skeleton tower on piles. Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                                                                                   |
| 23510   | Hillsborough Cut D<br>Channel Lighted Buoy<br>35                      | 27-54-23.524N<br>082-26-23.777W | FI G 2.5s | 5  |   | Green.                                                                                                                                                                          |
| 23515   | Hookers Point North<br>Warning Daybeacon                              | 27-54-36.083N<br>082-26-24.539W |           |    |   | NW on pile worded DANGER.                                                                                                                                                       |
| 23520   | Hookers Point South<br>Warning Daybeacon                              | 27-54-35.483N<br>082-26-24.239W |           |    |   | NW on pile worded DANGER.                                                                                                                                                       |
| 23525   | Bulk Liquid Cargo<br>Dolphin 2 Obstruction<br>Light                   | 27-54-44.082N<br>082-26-28.339W | FI R 2.5s |    |   |                                                                                                                                                                                 |
| 23530   | Bulk Liquid Cargo<br>Dolphin 4 Obstruction<br>Light                   | 27-54-48.082N<br>082-26-30.339W | FI R 2.5s |    |   |                                                                                                                                                                                 |
| 23531.1 | Davis Island Danger<br>Light A                                        | 27-54-41.940N<br>082-26-45.720W | FI W 4s   |    |   | NW on pile worded DANGER SUBMERGED ROCKS.                                                                                                                                       |
| 23531.2 | Davis Island Danger<br>Light B                                        | 27-54-42.830N<br>082-26-45.800W | FI W 4s   |    |   | NW on pile worded DANGER SUBMERGED ROCKS.                                                                                                                                       |
| 23535   | Sparkman Channel<br>Lighted Buoy 1                                    | 27-55-39.152N<br>082-26-52.997W | Q G       | 4  |   | Green.                                                                                                                                                                          |
| 23550   | American Petrofina<br>Dock Light                                      | 27-56-01.079N<br>082-26-47.339W | F R       |    |   | On pile.                                                                                                                                                                        |
| 23555   | Sparkman Channel<br>Light 3                                           | 27-55-47.695N<br>082-26-52.867W | FI G 4s   | 0  | 5 | SG on pile.                                                                                                                                                                     |
| 23560   | Sparkman Channel<br>Lighted Buoy 5                                    | 27-56-00.828N<br>082-26-50.659W | FI G 6s   |    | 5 | Green.                                                                                                                                                                          |
| 23563   | Sparkman Channel<br>Light 7                                           | 27-56-08.534N<br>082-26-48.050W | FI G 2.5s | 0  | 5 | SG on pile.                                                                                                                                                                     |
| 23565   | Sparkman Channel<br>Light 7A                                          | 27-56-21.082N<br>082-26-45.294W | Q G       | 0  | 4 | SG on pile.                                                                                                                                                                     |
| 23570   | Sparkman Channel<br>Buoy 9                                            | 27-56-23.517N<br>082-26-44.623W |           |    |   | Green can.                                                                                                                                                                      |
| 23570.2 | Sparkman Channel<br>Buoy 11                                           | 27-56-26.967N<br>082-26-46.976W |           |    |   | Green can.                                                                                                                                                                      |
| 23573   | Sparkman Channel<br>Buoy 13                                           | 27-56-29.069N<br>082-26-52.590W |           |    |   | Green can.                                                                                                                                                                      |
| 23575   | Port Sutton Channel<br>Range Front Light                              | 27-53-56.697N<br>082-26-29.516W | Q G       | 0  |   | On skeleton tower on piles. Visible 1.5° each side of rangeline. Lighted throughout 24 hours. Passing light visible all around.                                                 |

|         |                                                         |                                 |              |    |   |                                                                    |                                                                                                             |
|---------|---------------------------------------------------------|---------------------------------|--------------|----|---|--------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| 23580   | Port Sutton Channel Range Rear Light                    | 27-53-51.468N<br>082-26-37.916W | Iso G 6s     | 20 |   | On skeleton tower on piles.                                        | Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                                           |
| 23585   | Port Sutton Channel Light 1                             | 27-54-13.232N<br>082-26-11.073W | Q G          | 0  | 4 | SG on dolphin.                                                     |                                                                                                             |
| 23590   | Port Sutton Channel Lighted Buoy 2                      | 27-54-08.904N<br>082-26-06.957W | Fl R 4s      |    | 5 | Red.                                                               |                                                                                                             |
| 23600   | Port Sutton Channel Lighted Buoy 5                      | 27-54-21.546N<br>082-25-57.860W | Fl G 4s      |    | 5 | Green.                                                             |                                                                                                             |
| 23605   | Port Sutton Light                                       | 27-54-27.008N<br>082-25-41.979W | Q R          |    |   | On pile on land.                                                   |                                                                                                             |
| 23610   | Marathon Petroleum West Light                           | 27-54-13.084N<br>082-24-31.837W | F R          |    |   | On west end of dock.                                               |                                                                                                             |
| 23615   | Marathon Petroleum E Light                              | 27-54-13.084N<br>082-24-30.336W | F R          |    |   | On east end of dock.                                               |                                                                                                             |
| 23620   | Hillsborough River Daybeacon 1                          | 27-57-31.415N<br>082-27-51.655W |              |    | 0 | SG on pile.                                                        |                                                                                                             |
| 23625   | Hillsborough River Daybeacon 2                          | 27-57-38.029N<br>082-28-07.929W |              |    | 0 | TR on pile.                                                        |                                                                                                             |
| 23630   | Hillsborough River Daybeacon 4                          | 27-57-39.005N<br>082-28-09.891W |              |    | 0 | TR on pile.                                                        |                                                                                                             |
| 23635   | Hillsborough River Daybeacon 6                          | 27-57-40.834N<br>082-28-13.061W |              |    | 0 | TR on pile.                                                        |                                                                                                             |
| 23640   | Hillsborough River Daybeacon 8                          | 27-57-43.820N<br>082-28-16.731W |              |    | 0 | TR on pile.                                                        |                                                                                                             |
| 23645   | Hillsborough River Daybeacon 10                         | 27-57-47.225N<br>082-28-19.551W |              |    | 0 | TR on pile.                                                        |                                                                                                             |
| 23650   | Hillsborough River Daybeacon 11                         | 27-57-51.137N<br>082-28-24.815W |              |    | 0 | SG on pile.                                                        |                                                                                                             |
| 23655   | Tampa Bay Cut G Channel Pref Channel Lighted Buoy G     | 27-47-04.118N<br>082-31-23.363W | Fl (2+1)G 6s |    | 5 | Green and red bands.                                               | AIS: MMSI 993672029                                                                                         |
| 23660   | Tampa Bay Cut G Channel Lighted Buoy 1G                 | 27-47-02.112N<br>082-31-42.219W | Q G          |    | 4 | Green.                                                             |                                                                                                             |
| 23665   | Tampa Bay Cut G Channel Range Front Light               | 27-47-34.855N<br>082-35-13.724W | Q R          | 0  |   | KRW on dolphin.                                                    | Visible 2° each side of rangeline. Passing light visible all around.                                        |
| 23670.5 | Tampa Bay Cut G Channel Range Rear Light Passing Lights | 27-47-41.005N<br>082-35-56.484W | Fl W 2.5s    |    | 3 | On the same structure as Tampa Bay Cut G Channel Range Rear Light. | Two synchronized passing lights visible all around located on the E and W corners of platform.              |
| 23670   | Tampa Bay Cut G Channel Range Rear Light                | 27-47-41.005N<br>082-35-56.484W | Iso R 6s     | 44 |   | KRW on skeleton tower on piles.                                    | Visible 2° each side of rangeline. Old light structure 14 yards 279° from light and is visible at low tide. |
| 23675   | Tampa Bay Cut G Channel Lighted Buoy 3G                 | 27-47-08.105N<br>082-32-27.984W | Fl G 2.5s    |    | 5 | Green.                                                             |                                                                                                             |
| 23680   | Tampa Bay Cut G Channel Lighted Buoy 4G                 | 27-47-12.917N<br>082-32-26.725W | Fl R 2.5s    |    | 5 | Red.                                                               |                                                                                                             |
| 23685   | Tampa Bay Cut G Channel Lighted Buoy 5G                 | 27-47-15.816N<br>082-33-21.265W | Fl G 4s      |    | 5 | Green.                                                             |                                                                                                             |
| 23690   | Tampa Bay Cut G Channel Lighted Buoy 6G                 | 27-47-20.617N<br>082-33-18.866W | Fl R 4s      |    | 5 | Red.                                                               |                                                                                                             |
| 23695   | Tampa Bay Cut G Channel Lighted Buoy 7G                 | 27-47-21.527N<br>082-34-00.763W | Q G          |    | 4 | Green.                                                             |                                                                                                             |
| 23700   | Tampa Bay Cut G Channel Lighted Buoy 8G                 | 27-47-26.213N<br>082-34-00.031W | Q R          |    | 4 | Red.                                                               |                                                                                                             |
| 23705   | Tampa Bay Cut J Channel Lighted Buoy 10J                | 27-47-35.216N<br>082-34-15.567W | Q R          |    | 4 | Red.                                                               |                                                                                                             |
| 23710   | Tampa Bay Cut J Channel Inbound Range Front Light       | 27-49-27.039N<br>082-34-26.174W | Q G          | 0  |   | KRW on skeleton tower on piles.                                    |                                                                                                             |
| 23715   | Tampa Bay Cut J Channel Inbound Range Rear Light        | 27-49-58.017N<br>082-34-26.941W | Iso G 6s     | 25 |   | KRW on skeleton tower on piles.                                    | Visible all around.                                                                                         |
| 23720   | Tampa Bay Cut J Channel Outbound                        | 27-45-54.333N<br>082-34-20.947W | Q W          | 0  |   | KRW on skeleton structure on piles.                                | Visible 2° each side of rangeline.                                                                          |

|         |                                                                  |                              |           |    |   |                                                                    |                                                                                                            |
|---------|------------------------------------------------------------------|------------------------------|-----------|----|---|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
|         | Range Front Light                                                |                              |           |    |   |                                                                    |                                                                                                            |
| 23725   | Tampa Bay Cut J Channel Outbound Range Rear Light                | 27-45-03.020N 082-34-19.683W | Iso W 6s  | 55 |   | KRW on skeleton structure on piles.                                | Visible 2° each side of rangeline.                                                                         |
| 23725.5 | Tampa Bay Cut J Channel Outbound Range Rear Light Passing Lights | 27-45-03.020N 082-34-19.683W | Fl W 2.5s | 15 | 3 | On the same structure as Cut J Channel Outbound Range Rear Light.  | Two synchronized passing lights visible all around located on the NE and SW corners of platform.           |
| 23730   | Tampa Bay Cut J Channel Lighted Buoy 11J                         | 27-47-47.116N 082-34-26.468W | Q G       |    | 4 | Green.                                                             |                                                                                                            |
| 23735   | Tampa Bay Cut J Channel Light 12J                                | 27-47-47.997N 082-34-20.657W | Fl R 4s   | 0  | 5 | TR on pile.                                                        |                                                                                                            |
| 23740   | Tampa Bay Cut J Channel Lighted Buoy 13J                         | 27-48-33.214N 082-34-27.868W | Q G       |    | 4 | Green.                                                             |                                                                                                            |
| 23745   | Tampa Bay Cut J Channel Lighted Buoy 14J                         | 27-48-31.614N 082-34-21.368W | Q R       |    | 4 | Red.                                                               |                                                                                                            |
| 23750   | Tampa Bay Cut J-2 Channel Inbound Range Front Light              | 27-50-19.200N 082-34-03.745W | Q W       | 0  |   |                                                                    | Visible 1.5° each side of rangeline.                                                                       |
| 23755   | Tampa Bay Cut J-2 Channel Inbound Range Rear Light               | 27-50-44.295N 082-33-58.579W | Iso W 6s  | 45 |   |                                                                    | Visible 1.5° each side of rangeline.                                                                       |
| 23755.1 | Tampa Bay Cut J-2 Inbound Range Rear Light Passing Lights        | 27-50-44.295N 082-33-58.579W | Fl W 2.5s |    | 3 | On the same structure as Cut J-2 Channel Inbound Range Rear Light. | Two synchronized passing lights visible all around located on the SE and NW corners of platform.           |
| 23760   | Gadsden Point Cross Channel Daybeacon 10                         | 27-48-49.966N 082-34-00.944W |           | 0  |   | TR on pile.                                                        |                                                                                                            |
| 23765   | Tampa Bay Cut J-2 Channel Outbound Range Front Light             | 27-48-04.599N 082-34-30.786W | Q R       | 0  |   | KRW on pile.                                                       | Visible all around.                                                                                        |
| 23770   | Tampa Bay Cut J-2 Channel Outbound Range Rear Light              | 27-47-55.312N 082-34-32.664W | Iso R 6s  | 12 |   | KRW on dolphin.                                                    | Visible all around.                                                                                        |
| 23775   | Tampa Bay Cut J-2 Channel Lighted Buoy 15J                       | 27-49-03.113N 082-34-22.668W | Fl G 4s   |    | 5 | Green.                                                             |                                                                                                            |
| 23780   | Tampa Bay Cut K Channel Upper Range Front Light                  | 27-52-19.604N 082-32-57.848W | Fl G 2.5s | 25 |   |                                                                    | Visible 0.5° each side of rangeline. Lighted throughout 24 hours.                                          |
| 23785   | Tampa Bay Cut K Channel Upper Range Rear Light                   | 27-52-58.251N 082-32-40.509W | Iso G 6s  |    |   |                                                                    | Visible 0.5° each side of rangeline. Lighted throughout 24 hours.                                          |
| 23787   | Tampa Bay Cut K Channel Upper Range Rear Passing Light           | 27-52-58.251N 082-32-40.509W | Fl W 2.5s |    | 5 | On the same structure as Cut K Channel Upper Range Rear Light.     | Two synchronized passing lights visible all around located on the NW and SE corners of the lower platform. |
| 23790   | Tampa Bay Cut K Channel Lighted Buoy 2K                          | 27-49-31.811N 082-34-10.167W | Q R       |    | 4 | Red.                                                               |                                                                                                            |
| 23812   | Rattlesnake Channel Daybeacon 1                                  | 27-53-27.500N 082-32-11.800W |           |    |   | SG on pile.                                                        |                                                                                                            |
| 23813   | Rattlesnake Channel Light 2                                      | 27-53-23.900N 082-32-10.455W | Fl R 4s   |    |   | TR on dolphin.                                                     |                                                                                                            |
| 23814   | Rattlesnake Channel Daybeacon A                                  | 27-53-26.100N 082-32-06.200W |           |    |   | JG on pile.                                                        |                                                                                                            |
| 23814.1 | Westshore Yacht Club Light 2                                     | 27-52-58.400N 082-32-26.800W | Fl R 2.5s |    |   | TR on pile.                                                        |                                                                                                            |
| 23814.2 | Westshore Yacht Club Daybeacon 4                                 | 27-53-00.700N 082-32-17.400W |           |    |   | TR on pile.                                                        |                                                                                                            |
| 23814.3 | Westshore Yacht Club Light 6                                     | 27-53-03.200N 082-32-07.800W | Fl R 2.5s |    |   | TR on pile.                                                        |                                                                                                            |
| 23814.5 | Westshore Yacht Club Light 8                                     | 27-53-03.100N 082-31-59.500W | Fl R 2.5s |    |   | TR on pile.                                                        |                                                                                                            |
| 23814.6 | Westshore Yacht Club Daybeacon 9                                 | 27-53-01.800N 082-31-53.700W |           |    |   | SG on pile.                                                        |                                                                                                            |
| 23814.7 | Westshore Yacht Club Daybeacon 10                                | 27-53-02.700N 082-31-58.800W |           |    |   | TR on pile.                                                        |                                                                                                            |
| 23814.8 | Westshore Yacht Club Light 12                                    | 27-52-58.700N 082-31-58.400W | Fl R 4s   |    |   | TR on pile.                                                        |                                                                                                            |
| 23814.9 | Westshore Yacht Club Daybeacon 14                                | 27-52-57.300N 082-31-59.000W |           |    |   | TR on pile.                                                        |                                                                                                            |

|         |                                                                    |                                 |           |    |                          |                                                                                                                      |                                                                                                     |
|---------|--------------------------------------------------------------------|---------------------------------|-----------|----|--------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| 23895   | Tampa Bay Cut K<br>Channel Lighted Buoy<br>3K                      | 27-50-08.111N<br>082-33-59.368W | FI G 2.5s | 5  | Green.                   |                                                                                                                      |                                                                                                     |
| 23900   | Tampa Bay Cut K<br>Channel Lighted Buoy<br>4K                      | 27-50-07.721N<br>082-33-54.558W | FI R 2.5s | 5  | Red.                     |                                                                                                                      |                                                                                                     |
| 23905   | Tampa Bay Cut K<br>Channel Lighted Buoy<br>5K                      | 27-50-45.909N<br>082-33-42.337W | FI G 4s   | 5  | Green.                   | AIS: MMSI 993672026                                                                                                  |                                                                                                     |
| 23910   | Tampa Bay Cut K<br>Channel Lighted Buoy<br>6K                      | 27-50-44.309N<br>082-33-37.767W | FI R 4s   | 5  | Red.                     |                                                                                                                      |                                                                                                     |
| 23915   | Tampa Bay Cut K<br>Channel Light 8K                                | 27-51-17.316N<br>082-33-21.359W | FI R 4s   | 0  | 5                        | TR on pile.                                                                                                          |                                                                                                     |
| 23920   | Tampa Bay Cut K<br>Channel Lighted Buoy<br>9K                      | 27-51-23.508N<br>082-33-27.167W | FI G 4s   | 5  | Green.                   |                                                                                                                      |                                                                                                     |
| 23930   | Tampa Bay Cut K<br>Channel Lighted Buoy<br>10K                     | 27-51-36.678N<br>082-33-13.727W | FI R 2.5s | 5  | Red.                     |                                                                                                                      |                                                                                                     |
| 23935   | Tampa Bay Cut K<br>Channel Buoy 11K                                | 27-51-50.607N<br>082-33-15.137W |           |    |                          | Green can.                                                                                                           |                                                                                                     |
| 23940   | Tampa Bay Cut K<br>Channel Outbound<br>Range Front Light           | 27-48-33.781N<br>082-34-39.172W | FI W 2.5s | 16 | Skeleton tower on piles. | Visible 0.5° each side of rangeline (Day). Visible 1.5° each side of rangeline (Night). Lighted throughout 24 hours. |                                                                                                     |
| 23945   | Tampa Bay Cut K<br>Channel Outbound<br>Range Rear Light            | 27-47-58.248N<br>082-34-54.987W | Iso W 6s  | 40 | Skeleton tower on piles. | Visible 0.5° each side of rangeline (Day). Visible 1.5° each side of rangeline (Night). Lighted throughout 24 hours. |                                                                                                     |
| 23945.2 | Tampa Bay Cut K<br>Channel Outbound<br>Range Rear Passing<br>Light | 27-47-58.248N<br>082-34-54.987W | FI W 2.5s | 40 | 3                        | On the same structure as<br>Cut K Channel Outbound<br>Range Rear Light.                                              | Two synchronized passing lights visible all around located on the NW<br>and SE corners of platform. |
| 23950   | Old Tampa Bay<br>Pipeline East Light                               | 27-52-02.868N<br>082-32-51.884W | FI Y 4s   |    |                          | On dolphin.                                                                                                          |                                                                                                     |
| 23950.5 | Old Tampa Bay<br>Pipeline West Light                               | 27-52-14.272N<br>082-33-23.509W | FI Y 4s   |    |                          | On dolphin.                                                                                                          |                                                                                                     |
| 23951   | Cypress Point Park<br>Northern Groin Marker                        | 27-57-08.280N<br>082-32-52.860W |           |    |                          | NW on pile worded DANGER<br>SUBMERGED GROIN.                                                                         |                                                                                                     |
| 23952   | Cypress Point Park<br>Southern Groin Marker                        | 27-56-59.640N<br>082-32-49.920W |           |    |                          | NW on pile worded DANGER<br>SUBMERGED GROIN.                                                                         |                                                                                                     |
| 23955   | South Gandy Channel<br>Daybeacon 1                                 | 27-52-38.788N<br>082-34-57.368W |           | 0  |                          | SG on pile.                                                                                                          |                                                                                                     |
| 23965   | South Gandy Channel<br>Daybeacon 2                                 | 27-52-30.427N<br>082-35-38.226W |           | 0  |                          | TR on pile.                                                                                                          |                                                                                                     |
| 23970   | South Gandy Channel<br>Daybeacon 3                                 | 27-52-27.474N<br>082-35-35.904W |           | 0  |                          | SG on pile.                                                                                                          |                                                                                                     |
| 23975   | South Gandy Channel<br>Daybeacon 4                                 | 27-52-24.660N<br>082-35-56.970W |           |    |                          | TR on pile.                                                                                                          |                                                                                                     |
| 23980   | South Gandy Channel<br>Daybeacon 5                                 | 27-52-19.362N<br>082-36-12.913W |           | 0  |                          | SG on pile.                                                                                                          |                                                                                                     |
| 23985   | Culbreath Cay<br>Daybeacon 1                                       | 27-53-42.900N<br>082-32-32.300W |           |    |                          | SG on pile.                                                                                                          |                                                                                                     |
| 23990   | Culbreath Cay<br>Daybeacon 2                                       | 27-53-41.100N<br>082-32-29.900W |           |    |                          | TR on pile.                                                                                                          |                                                                                                     |
| 23995   | Culbreath Cay<br>Daybeacon 4                                       | 27-53-40.980N<br>082-32-22.770W |           |    |                          | TR on pile.                                                                                                          |                                                                                                     |
| 24005   | Culbreath Cay<br>Daybeacon 6                                       | 27-53-37.320N<br>082-32-18.000W |           |    |                          | TR on pile.                                                                                                          |                                                                                                     |
| 24015   | Culbreath Cay<br>Daybeacon 8                                       | 27-53-37.490N<br>082-32-07.610W |           |    |                          | TR on pile.                                                                                                          |                                                                                                     |
| 24020   | Culbreath Cay<br>Daybeacon 9                                       | 27-53-38.350N<br>082-32-07.700W |           |    |                          | SG on pile.                                                                                                          |                                                                                                     |
| 24025   | Culbreath Cay<br>Daybeacon 10                                      | 27-53-37.560N<br>082-32-02.100W |           |    |                          | TR on pile.                                                                                                          |                                                                                                     |
| 24030   | Culbreath Cay<br>Daybeacon 11                                      | 27-53-38.590N<br>082-32-02.410W |           |    |                          | SG on pile.                                                                                                          |                                                                                                     |
| 24040   | Bridgeview Channel<br>Daybeacon 1                                  | 27-54-47.000N<br>082-32-01.000W |           |    |                          | SG on pile.                                                                                                          |                                                                                                     |
| 24045   | Bridgeview Channel<br>Daybeacon 2                                  | 27-54-47.000N<br>082-32-02.000W |           |    |                          | TR on pile.                                                                                                          |                                                                                                     |

|         |                                       |                                 |             |
|---------|---------------------------------------|---------------------------------|-------------|
| 24050   | Bridgeview Channel<br>Daybeacon 3     | 27-54-43.000N<br>082-32-01.000W | SG on pile. |
| 24055   | Bridgeview Channel<br>Daybeacon 4     | 27-54-43.000N<br>082-32-02.000W | TR on pile. |
| 24060   | Culbreath Bayou North<br>Daybeacon 1  | 27-56-09.977N<br>082-33-00.147W | SG on pile. |
| 24065   | Culbreath Bayou North<br>Daybeacon 2  | 27-56-08.078N<br>082-32-58.547W | TR on pile. |
| 24070   | Culbreath Bayou North<br>Daybeacon 3  | 27-56-18.077N<br>082-32-50.547W | SG on pile. |
| 24075   | Culbreath Bayou North<br>Daybeacon 4  | 27-56-16.077N<br>082-32-47.946W | TR on pile. |
| 24080   | Culbreath Bayou North<br>Daybeacon 5  | 27-56-24.877N<br>082-32-40.346W | SG on pile. |
| 24085   | Culbreath Bayou North<br>Daybeacon 6  | 27-56-22.377N<br>082-32-38.846W | TR on pile. |
| 24090   | Culbreath Bayou North<br>Daybeacon 8  | 27-56-23.377N<br>082-32-35.946W | TR on pile. |
| 24095   | Culbreath Bayou North<br>Daybeacon 10 | 27-56-24.777N<br>082-32-27.346W | TR on pile. |
| 24100   | Culbreath Bayou North<br>Daybeacon 12 | 27-56-25.577N<br>082-32-17.846W | TR on pile. |
| 24105   | Culbreath Bayou North<br>Daybeacon 14 | 27-56-19.077N<br>082-32-14.246W | TR on pile. |
| 24110   | Culbreath Bayou North<br>Daybeacon 15 | 27-56-18.777N<br>082-32-11.346W | SG on pile. |
| 24115   | Culbreath Bayou North<br>Daybeacon 16 | 27-56-13.077N<br>082-32-12.346W | TR on pile. |
| 24120   | Culbreath Bayou<br>South Daybeacon 1  | 27-55-58.078N<br>082-32-24.346W | SG on pile. |
| 24125   | Culbreath Bayou<br>South Daybeacon 2  | 27-55-56.078N<br>082-32-22.346W | TR on pile. |
| 24130   | Culbreath Bayou<br>South Daybeacon 3  | 27-56-03.078N<br>082-32-18.346W | SG on pile. |
| 24135   | Culbreath Bayou<br>South Daybeacon 4  | 27-56-01.878N<br>082-32-16.246W | TR on pile. |
| 24140   | Culbreath Bayou<br>South Daybeacon 5  | 27-56-11.078N<br>082-32-10.346W | SG on pile. |
| 24145   | Culbreath Bayou<br>South Daybeacon 6  | 27-56-08.578N<br>082-32-08.346W | TR on pile. |
| 24150   | Culbreath Bayou<br>South Daybeacon 7  | 27-56-12.477N<br>082-32-07.346W | SG on pile. |
| 24155   | Culbreath Bayou<br>South Daybeacon 8  | 27-56-10.278N<br>082-32-04.945W | TR on pile. |
| 24160   | Culbreath Bayou<br>South Daybeacon 9  | 27-56-13.077N<br>082-31-56.345W | SG on pile. |
| 24165   | Rocky Point<br>Daybeacon 1            | 27-57-45.840N<br>082-33-31.020W | SG on pile. |
| 24165.2 | Rocky Point<br>Daybeacon 2            | 27-57-48.300N<br>082-33-28.800W | TR on pile. |
| 24165.4 | Rocky Point<br>Daybeacon 3            | 27-57-49.440N<br>082-33-38.160W | SG on pile. |
| 24165.6 | Rocky Point<br>Daybeacon 4            | 27-57-50.940N<br>082-33-36.840W | TR on pile. |
| 24170   | Rocky Point<br>Daybeacon 5            | 27-57-50.820N<br>082-33-44.820W | SG on pile. |
| 24170.2 | Rocky Point<br>Daybeacon 6            | 27-57-54.960N<br>082-33-44.700W | TR on pile. |
| 24170.4 | Rocky Point<br>Daybeacon 7            | 27-57-56.700N<br>082-33-49.140W | SG on pile. |
| 24170.6 | Rocky Point<br>Daybeacon 8            | 27-57-57.720N<br>082-33-47.880W | TR on pile. |
| 24175   | Dana Shores<br>Daybeacon 1            | 27-58-28.072N<br>082-36-24.351W | SG on pile. |
| 24180   | Dana Shores<br>Daybeacon 2            | 27-58-25.072N<br>082-36-24.351W | TR on pile. |
| 24185   | Dana Shores<br>Daybeacon 4            | 27-58-27.072N<br>082-36-08.351W | TR on pile. |
| 24190   | Dana Shores<br>Daybeacon 5            | 27-58-29.072N<br>082-35-57.351W | SG on pile. |

|       |                                     |                                 |           |             |
|-------|-------------------------------------|---------------------------------|-----------|-------------|
| 24195 | Dana Shores<br>Daybeacon 6          | 27-58-27.572N<br>082-35-44.351W |           | TR on pile. |
| 24200 | Dana Shores<br>Daybeacon 7          | 27-58-30.072N<br>082-35-36.850W |           | SG on pile. |
| 24205 | Dana Shores<br>Daybeacon 8          | 27-58-27.572N<br>082-35-27.350W |           | TR on pile. |
| 24210 | Dana Shores<br>Daybeacon 9          | 27-58-30.072N<br>082-35-26.350W |           | SG on pile. |
| 24215 | Dana Shores<br>Daybeacon 11         | 27-58-27.272N<br>082-35-17.350W |           | SG on pile. |
| 24220 | Dana Shores<br>Daybeacon 12         | 27-58-25.073N<br>082-35-07.350W |           | TR on pile. |
| 24225 | Dana Shores<br>Daybeacon 13         | 27-58-24.573N<br>082-34-55.349W |           | SG on pile. |
| 24230 | Dana Shores<br>Daybeacon 15         | 27-58-17.073N<br>082-34-38.349W |           | SG on pile. |
| 24235 | Dana Shores<br>Daybeacon 17         | 27-58-13.073N<br>082-34-26.549W |           | SG on pile. |
| 24240 | Dana Shores<br>Daybeacon 18         | 27-58-11.573N<br>082-34-24.349W |           | TR on pile. |
| 24245 | Dana Shores<br>Daybeacon 20         | 27-58-12.573N<br>082-34-20.349W |           | TR on pile. |
| 24250 | Dana Shores<br>Daybeacon 22         | 27-58-14.573N<br>082-34-15.348W |           | TR on pile. |
| 24255 | Dana Shores<br>Daybeacon 23         | 27-58-19.073N<br>082-34-09.848W |           | SG on pile. |
| 24260 | Bay Crest Daybeacon<br>2            | 27-58-26.572N<br>082-35-04.850W |           | TR on pile. |
| 24265 | Bay Crest Daybeacon<br>3            | 27-58-29.072N<br>082-35-06.350W |           | SG on pile. |
| 24270 | Bay Crest Daybeacon<br>4            | 27-58-30.072N<br>082-35-02.850W |           | TR on pile. |
| 24275 | Bay Crest Daybeacon<br>5            | 27-58-34.072N<br>082-35-03.350W |           | SG on pile. |
| 24280 | Bay Crest Daybeacon<br>6            | 27-58-34.072N<br>082-34-59.850W |           | TR on pile. |
| 24282 | Bay Crest Daybeacon<br>7            | 27-58-41.000N<br>082-35-01.000W |           | SG on pile. |
| 24284 | Bay Crest Daybeacon<br>9            | 27-58-44.000N<br>082-35-01.000W |           | SG on pile. |
| 24285 | Cabbagehead Bayou<br>Daybeacon 1    | 27-59-14.520N<br>082-37-27.600W |           | SG on pile. |
| 24290 | Cabbagehead Bayou<br>Daybeacon 2    | 27-59-13.920N<br>082-37-26.880W |           | TR on pile. |
| 24295 | Cabbagehead Bayou<br>Daybeacon 3    | 27-59-18.900N<br>082-37-26.400W |           | SG on pile. |
| 24300 | Cabbagehead Bayou<br>Daybeacon 4    | 27-59-18.660N<br>082-37-25.620W |           | TR on pile. |
| 24305 | Cabbagehead Bayou<br>Daybeacon 5    | 27-59-23.820N<br>082-37-24.480W |           | SG on pile. |
| 24310 | Cabbagehead Bayou<br>Daybeacon 6    | 27-59-23.400N<br>082-37-23.880W |           | TR on pile. |
| 24315 | Cabbagehead Bayou<br>Daybeacon 7    | 27-59-26.640N<br>082-37-23.700W |           | SG on pile. |
| 24320 | Cabbagehead Bayou<br>Daybeacon 8    | 27-59-26.340N<br>082-37-22.860W |           | TR on pile. |
| 24325 | Cabbagehead Bayou<br>Daybeacon 9    | 27-59-30.720N<br>082-37-22.620W |           | SG on pile. |
| 24330 | Cabbagehead Bayou<br>Daybeacon 10   | 27-59-30.540N<br>082-37-21.480W |           | TR on pile. |
| 24335 | Cabbagehead Bayou<br>Daybeacon 11   | 27-59-34.980N<br>082-37-21.300W |           | SG on pile. |
| 24340 | Cabbagehead Bayou<br>Daybeacon 12   | 27-59-34.680N<br>082-37-20.460W |           | TR on pile. |
| 24370 | Safety Harbor Marina<br>Light 1     | 27-59-15.574N<br>082-41-05.856W | FI G 2.5s | SG on pile. |
| 24375 | Safety Harbor Marina<br>Light 2     | 27-59-16.438N<br>082-41-05.389W | FI R 2.5s | TR on pile. |
| 24380 | Safety Harbor Marina<br>Daybeacon 3 | 27-59-16.077N<br>082-41-08.552W |           | SG on pile. |

|       |                                           |                                 |           |   |   |                                                                          |
|-------|-------------------------------------------|---------------------------------|-----------|---|---|--------------------------------------------------------------------------|
| 24385 | Safety Harbor Marina<br>Daybeacon 4       | 27-59-16.830N<br>082-41-08.189W |           |   |   | TR on pile.                                                              |
| 24390 | Safety Harbor Marina<br>Daybeacon 5       | 27-59-16.541N<br>082-41-11.155W |           |   |   | SG on pile.                                                              |
| 24395 | Safety Harbor Marina<br>Light 6           | 27-59-17.201N<br>082-41-13.870W | FI R 2.5s |   |   | TR on pile.                                                              |
| 24400 | Safety Harbor Marina<br>Daybeacon 7       | 27-59-17.760N<br>082-41-14.940W |           |   |   | SG on pile.                                                              |
| 24405 | Safety Harbor Marina<br>Daybeacon 8       | 27-59-18.831N<br>082-41-14.299W |           |   |   | TR on pile.                                                              |
| 24410 | Safety Harbor Marina<br>Daybeacon 9       | 27-59-19.377N<br>082-41-15.125W |           |   |   | SG on pile.                                                              |
| 24415 | Safety Harbor Marina<br>Daybeacon 10      | 27-59-18.970N<br>082-41-14.292W |           |   |   | TR on pile.                                                              |
| 24425 | Cross Bayou<br>Daybeacon 1                | 27-55-56.300N<br>082-41-34.000W |           |   |   | SG on pile.                                                              |
| 24430 | Cross Bayou<br>Daybeacon 2                | 27-55-56.200N<br>082-41-37.800W |           |   |   | TR on pile.                                                              |
| 24435 | Cross Bayou<br>Daybeacon 3                | 27-55-45.000N<br>082-41-33.000W |           |   |   | SG on pile.                                                              |
| 24440 | Cross Bayou<br>Daybeacon 4                | 27-55-44.900N<br>082-41-36.000W |           |   |   | TR on pile.                                                              |
| 24445 | Cross Bayou<br>Daybeacon 5                | 27-55-34.500N<br>082-41-33.000W |           |   |   | SG on pile.                                                              |
| 24450 | Cross Bayou<br>Daybeacon 6                | 27-55-34.400N<br>082-41-36.000W |           |   |   | TR on pile.                                                              |
| 24455 | Cross Bayou<br>Daybeacon 7                | 27-55-27.600N<br>082-41-37.900W |           |   |   | SG on pile.                                                              |
| 24460 | Cross Bayou<br>Daybeacon 8                | 27-55-27.500N<br>082-41-41.800W |           |   |   | TR on pile.                                                              |
| 24465 | Cross Bayou<br>Daybeacon 9                | 27-55-18.000N<br>082-41-45.000W |           |   |   | SG on pile.                                                              |
| 24470 | Cross Bayou<br>Daybeacon 10               | 27-55-17.900N<br>082-41-48.000W |           |   |   | TR on pile.                                                              |
| 24475 | Cross Bayou<br>Daybeacon 11               | 27-55-06.500N<br>082-41-48.000W |           |   |   | SG on pile.                                                              |
| 24480 | Cross Bayou<br>Daybeacon 12               | 27-55-06.400N<br>082-41-52.100W |           |   |   | TR on pile.                                                              |
| 24481 | Little Manatee River<br>Approach Light LM | 27-43-25.930N<br>082-30-00.522W | Mo (A) W  | 0 | 5 | MR on pile.                                                              |
| 24485 | Little Manatee River<br>Shoal Daybeacon   | 27-43-44.482N<br>082-29-53.730W |           | 0 |   | NW on pile worded DANGER<br>SHOAL.                                       |
| 24490 | Little Manatee River<br>Daybeacon 2       | 27-43-43.439N<br>082-29-27.645W |           | 0 |   | TR on pile.                                                              |
| 24500 | Little Harbor Channel<br>Daybeacon 2      | 27-43-47.105N<br>082-29-12.342W |           |   |   | TR on pile.                                                              |
| 24501 | Little Harbor Channel<br>Daybeacon 3      | 27-43-58.000N<br>082-28-16.000W |           |   |   | SG on pile.                                                              |
| 24505 | Little Harbor Channel<br>Daybeacon 4      | 27-43-50.104N<br>082-28-47.155W |           |   |   | TR on pile.                                                              |
| 24510 | Little Harbor Channel<br>Daybeacon 5      | 27-43-52.105N<br>082-28-46.341W |           |   |   | SG on pile.                                                              |
| 24515 | Little Harbor Channel<br>Daybeacon 7      | 27-43-53.105N<br>082-28-41.341W |           |   |   | SG on pile.                                                              |
| 24520 | Little Harbor Channel<br>Daybeacon 8      | 27-43-56.105N<br>082-28-41.341W |           |   |   | TR on pile.                                                              |
| 24525 | Little Harbor Channel<br>Daybeacon 9      | 27-44-00.660N<br>082-28-41.460W |           |   |   | SG on pile. On same<br>structure as Little Harbor<br>Marina Daybeacon 6. |
| 24530 | Village Marina<br>Daybeacon 2             | 27-43-31.106N<br>082-28-41.341W |           |   |   | TR on pile.                                                              |
| 24535 | Village Marina<br>Daybeacon 3             | 27-43-32.426N<br>082-28-43.851W |           |   |   | SG on pile.                                                              |
| 24540 | Village Marina<br>Daybeacon 4             | 27-43-32.066N<br>082-28-43.841W |           |   |   | TR on pile.                                                              |
| 24545 | Village Marina<br>Daybeacon 5             | 27-43-31.016N<br>082-28-40.321W |           |   |   | SG on pile.                                                              |
| 24550 | Village Marina<br>Daybeacon 6             | 27-43-30.566N<br>082-28-40.581W |           |   |   | TR on pile.                                                              |
| 24555 | Village Marina<br>Daybeacon 7             | 27-43-29.746N<br>082-28-37.551W |           |   |   | SG on pile.                                                              |



|         |                                             |                                 |         |                                                                           |
|---------|---------------------------------------------|---------------------------------|---------|---------------------------------------------------------------------------|
| 24560   | Village Marina<br>Daybeacon 8               | 27-43-29.306N<br>082-28-37.801W |         | TR on pile.                                                               |
| 24565   | Little Harbor Marina<br>Daybeacon 1         | 27-43-50.100N<br>082-29-28.440W |         | SG on pile.                                                               |
| 24570   | Little Harbor Marina<br>Daybeacon 3         | 27-43-55.560N<br>082-29-12.660W |         | SG on pile.                                                               |
| 24575   | Little Harbor Marina<br>Daybeacon 4         | 27-43-54.300N<br>082-29-05.500W |         | TR on pile.                                                               |
| 24580   | Little Harbor Marina<br>Daybeacon 5         | 27-44-00.540N<br>082-28-56.880W |         | SG on pile.                                                               |
| 24585   | Little Harbor Marina<br>Daybeacon 6         | 27-44-00.660N<br>082-28-41.460W |         | TR on pile. On same<br>structure as Little Harbor<br>Channel Daybeacon 9. |
| 24590   | Little Harbor Marina<br>Daybeacon 7         | 27-44-03.300N<br>082-28-42.660W |         | SG on pile.                                                               |
| 24595   | Cabbage Creek<br>Daybeacon 1                | 27-44-04.113N<br>082-28-31.500W |         | SG on pile.                                                               |
| 24600   | Cabbage Creek<br>Daybeacon 3                | 27-43-56.974N<br>082-28-29.468W |         | SG on pile.                                                               |
| 24605   | Cabbage Creek<br>Daybeacon 5                | 27-43-51.880N<br>082-28-28.457W |         | SG on pile.                                                               |
| 24606   | Simmons Park<br>Channel Daybeacon 1         | 27-44-06.600N<br>082-28-41.400W |         | SG on pile.                                                               |
| 24606.1 | Simmons Park<br>Channel Daybeacon 2         | 27-44-07.680N<br>082-28-40.320W |         | TR on pile.                                                               |
| 24606.2 | Simmons Park<br>Channel Daybeacon 3         | 27-44-21.420N<br>082-28-48.240W |         | SG on pile.                                                               |
| 24606.3 | Simmons Park<br>Channel Daybeacon 4         | 27-44-22.260N<br>082-29-02.280W |         | TR on pile.                                                               |
| 24606.4 | Simmons Park<br>Channel Daybeacon 5         | 27-44-32.160N<br>082-29-02.280W |         | SG on pile.                                                               |
| 24606.5 | Simmons Park<br>Channel Daybeacon 6         | 27-44-32.160N<br>082-29-01.020W |         | TR on pile.                                                               |
| 24606.6 | Simmons Park<br>Channel Daybeacon 7         | 27-44-42.780N<br>082-28-52.320W |         | SG on pile.                                                               |
| 24606.7 | Simmons Park<br>Channel Daybeacon 8         | 27-44-48.120N<br>082-28-45.780W |         | TR on pile.                                                               |
| 24606.8 | Simmons Park<br>Channel Daybeacon 9         | 27-44-48.960N<br>082-28-46.260W |         | SG on pile.                                                               |
| 24606.9 | Simmons Park<br>Channel Daybeacon 10        | 27-44-51.960N<br>082-28-38.520W |         | SG on pile.                                                               |
| 24607   | Simmons Park<br>Channel Daybeacon 11        | 27-44-52.800N<br>082-28-38.520W |         | SG on pile.                                                               |
| 24607.1 | Simmons Park<br>Channel Daybeacon 12        | 27-44-49.800N<br>082-28-32.580W |         | TR on pile.                                                               |
| 24607.2 | Simmons Park<br>Channel Daybeacon 13        | 27-44-50.520N<br>082-28-32.400W |         | SG on pile.                                                               |
| 24610   | Apollo Beach<br>Daybeacon 1                 | 27-46-35.500N<br>082-26-19.400W |         | SG on pile.                                                               |
| 24610.1 | Apollo Beach<br>Daybeacon 2                 | 27-46-34.500N<br>082-26-21.900W |         | TR on pile.                                                               |
| 24615   | Apollo Beach<br>Daybeacon 3                 | 27-46-30.420N<br>082-26-11.460W |         | SG on pile.                                                               |
| 24625   | Apollo Beach<br>Daybeacon 4                 | 27-46-28.860N<br>082-26-13.440W |         | TR on pile.                                                               |
| 24630   | Apollo Beach<br>Daybeacon 5                 | 27-46-28.980N<br>082-26-09.300W |         | SG on pile.                                                               |
| 24635   | Apollo Beach<br>Daybeacon 6                 | 27-46-25.920N<br>082-26-07.500W |         | TR on pile.                                                               |
| 24640   | Apollo Beach<br>Daybeacon 8                 | 27-46-23.100N<br>082-26-02.160W |         | TR on pile.                                                               |
| 24643   | Apollo Beach<br>Daybeacon 9                 | 27-46-23.100N<br>082-25-57.480W |         | SG on pile.                                                               |
| 24645   | Apollo Beach<br>Daybeacon 10                | 27-46-22.320N<br>082-25-57.420W |         | TR on pile.                                                               |
| 24650   | Apollo Beach<br>Daybeacon 12                | 27-46-20.640N<br>082-25-52.320W |         | TR on pile.                                                               |
| 24653   | Symphony Isles<br>Danger Daybeacon          | 27-46-17.000N<br>082-25-45.000W |         | NW on pile worded DANGER<br>JETTY.                                        |
| 24655   | Apollo Cay Marina Pier<br>South Obstruction | 27-46-27.600N<br>082-25-52.800W | FI W 4s | On pier.                                                                  |

|         |                                                      |                                 |           |   |   |                           |
|---------|------------------------------------------------------|---------------------------------|-----------|---|---|---------------------------|
|         | Light                                                |                                 |           |   |   |                           |
| 24660   | Apollo Cay Marina Pier<br>North Obstruction<br>Light | 27-46-30.000N<br>082-25-49.200W | FI W 4s   |   |   | On pier.                  |
| 24663   | Harbor Channel<br>Daybeacon 1                        | 27-46-17.340N<br>082-25-51.300W |           |   |   | SG on pile.               |
| 24663.1 | Harbor Channel<br>Daybeacon 2                        | 27-46-15.420N<br>082-25-56.160W |           |   |   | TR on pile.               |
| 24663.2 | Harbor Channel<br>Daybeacon 3                        | 27-46-12.360N<br>082-25-56.880W |           |   |   | SG on pile.               |
| 24663.3 | Harbor Channel<br>Daybeacon 4                        | 27-46-06.900N<br>082-26-02.820W |           |   |   | TR on pile.               |
| 24663.4 | Harbor Channel<br>Daybeacon 5                        | 27-46-07.920N<br>082-26-00.060W |           |   |   | SG on pile.               |
| 24663.5 | Harbor Channel<br>Daybeacon 6                        | 27-46-02.940N<br>082-25-56.760W |           |   |   | TR on pile.               |
| 24663.6 | Harbor Channel<br>Daybeacon 7                        | 27-46-02.400N<br>082-25-55.800W |           |   |   | SG on pile.               |
| 24663.7 | Harbor Channel<br>Daybeacon 8                        | 27-45-58.620N<br>082-25-59.640W |           |   |   | TR on pile.               |
| 24663.8 | Harbor Channel<br>Daybeacon 9                        | 27-45-58.680N<br>082-25-57.660W |           |   |   | SG on pile.               |
| 24663.9 | Harbor Channel<br>Daybeacon 10                       | 27-45-56.100N<br>082-25-57.060W |           |   |   | TR on pile.               |
| 24664   | Harbor Channel<br>Daybeacon 11                       | 27-45-56.460N<br>082-25-55.380W |           |   |   | SG on pile.               |
| 24665   | North Apollo Beach<br>Daybeacon 1                    | 27-47-44.897N<br>082-25-23.537W |           |   |   | SG on pile.               |
| 24670   | North Apollo Beach<br>Daybeacon 2                    | 27-47-36.498N<br>082-25-22.737W |           |   |   | TR on pile.               |
| 24673   | North Apollo Beach<br>Daybeacon 3                    | 27-47-37.000N<br>082-25-01.000W |           |   |   | SG on pile.               |
| 24675   | North Apollo Beach<br>Daybeacon 4                    | 27-47-34.698N<br>082-25-11.337W |           |   |   | TR on pile.               |
| 24680   | North Apollo Beach<br>Daybeacon 5                    | 27-47-35.698N<br>082-25-08.337W |           |   |   | SG on pile.               |
| 24685   | North Apollo Beach<br>Daybeacon 7                    | 27-47-40.500N<br>082-25-03.420W |           |   |   | SG on pile.               |
| 24688   | North Apollo Beach<br>Daybeacon 8                    | 27-47-39.480N<br>082-25-03.780W |           |   |   | TR on pile.               |
| 24690   | North Apollo Beach<br>Daybeacon 9                    | 27-47-36.960N<br>082-25-00.840W |           |   |   | SG on pile.               |
| 24693   | North Apollo Beach<br>Daybeacon 10                   | 27-47-33.600N<br>082-24-49.620W |           |   |   | TR on pile.               |
| 24695   | North Apollo Beach<br>Daybeacon 11                   | 27-47-33.480N<br>082-24-43.680W |           |   |   | SG on pile.               |
| 24695.5 | North Apollo Beach<br>Daybeacon 13                   | 27-47-27.180N<br>082-24-49.140W |           |   |   | SG on pile.               |
| 24696   | North Apollo Beach<br>Daybeacon 15                   | 27-47-15.600N<br>082-24-57.600W |           |   |   | SG on pile.               |
| 24696.5 | North Apollo Beach<br>Daybeacon 17                   | 27-47-03.540N<br>082-25-07.860W |           |   |   | SG on pile.               |
| 24697   | North Apollo Beach<br>Danger Daybeacon A             | 27-47-30.660N<br>082-25-13.440W |           |   |   | NW on pile worded DANGER. |
| 24697.1 | North Apollo Beach<br>Danger Daybeacon B             | 27-47-34.510N<br>082-25-09.730W |           |   |   | NW on pile worded DANGER. |
| 24697.2 | North Apollo Beach<br>Danger Daybeacon C             | 27-47-37.020N<br>082-25-03.540W |           |   |   | NW on pile worded DANGER. |
| 24700   | Point Pinellas Channel<br>Light 1                    | 27-40-58.420N<br>082-36-33.542W | FI G 2.5s | 0 | 5 | SG-SY on pile.            |
| 24705   | Point Pinellas Channel<br>Light 2                    | 27-40-59.941N<br>082-36-28.994W | FI R 2.5s | 0 | 5 | TR-TY on pile.            |
| 24710   | Point Pinellas Channel<br>Light 3                    | 27-41-41.265N<br>082-36-35.450W | Q G       | 0 | 4 | SG-SY on pile.            |
| 24715   | Point Pinellas Channel<br>Light 4                    | 27-41-40.523N<br>082-36-31.683W | Q R       | 0 | 5 | TR-TY on pile.            |
| 24715.5 | Point Pinellas Channel<br>Light 5                    | 27-42-30.050N<br>082-36-37.483W | FI G 4s   | 0 | 5 | SG on pile.               |
| 24725   | Point Pinellas Channel<br>Light 6                    | 27-42-30.151N<br>082-36-34.049W | FI R 4s   | 0 | 5 | TR on pile.               |

|         |                                         |                                 |           |   |   |                          |
|---------|-----------------------------------------|---------------------------------|-----------|---|---|--------------------------|
| 24730   | Point Pinellas Channel Shoal Daybeacon  | 27-43-19.504N<br>082-36-05.161W |           | 0 |   | NW on pile worded SHOAL. |
| 24735   | Point Pinellas Channel Light 7          | 27-43-08.520N<br>082-36-38.401W | FI G 6s   | 0 | 5 | SG on pile.              |
| 24735.4 | Point Pinellas Channel Light 12         | 27-44-37.865N<br>082-36-38.202W | FI R 2.5s | 0 | 5 | TR on pile.              |
| 24735.3 | Point Pinellas Channel Light 11         | 27-44-37.442N<br>082-36-41.653W | FI G 2.5s | 0 | 5 | SG on pile.              |
| 24735.2 | Point Pinellas Channel Light 10         | 27-43-53.218N<br>082-36-37.277W | FI R 4s   | 0 | 5 | TR on MPW.               |
| 24735.1 | Point Pinellas Channel Light 9          | 27-43-53.133N<br>082-36-39.834W | FI G 4s   | 0 | 5 | SG on pile.              |
| 24740   | Point Pinellas Daybeacon 1              | 27-41-59.708N<br>082-38-06.354W |           |   |   | SG on pile.              |
| 24745   | Point Pinellas Daybeacon 3              | 27-42-05.308N<br>082-38-13.354W |           |   |   | SG on pile.              |
| 24750   | Point Pinellas Daybeacon 5              | 27-42-10.507N<br>082-38-20.054W |           |   |   | SG on pile.              |
| 24755   | Point Pinellas Daybeacon 6              | 27-42-17.207N<br>082-38-21.154W |           |   |   | TR on pile.              |
| 24760   | Little Bayou Approachroach Daybeacon 1  | 27-42-05.828N<br>082-37-57.974W |           |   |   | SG on pile.              |
| 24765   | Little Bayou Approachroach Daybeacon 3  | 27-42-11.607N<br>082-37-55.714W |           |   |   | SG on pile.              |
| 24770   | Little Bayou Approachroach Daybeacon 5  | 27-42-20.787N<br>082-37-53.584W |           |   |   | SG on pile.              |
| 24775   | Little Bayou Approachroach Daybeacon 7  | 27-42-36.006N<br>082-37-55.384W |           |   |   | SG on pile.              |
| 24780   | Little Bayou Approachroach Daybeacon 9  | 27-42-54.116N<br>082-37-53.504W |           |   |   | SG on pile.              |
| 24785   | Little Bayou Approachroach Daybeacon 10 | 27-42-56.066N<br>082-37-51.583W |           |   |   | TR on pile.              |
| 24790   | Little Bayou Approachroach Daybeacon 11 | 27-43-03.555N<br>082-37-51.563W |           |   |   | SG on pile.              |
| 24795   | Little Bayou Approachroach Daybeacon 12 | 27-43-10.270N<br>082-37-49.130W |           |   |   | TR on pile.              |
| 24800   | Little Bayou Approachroach Daybeacon 13 | 27-43-10.270N<br>082-37-50.360W |           |   |   | SG on pile.              |
| 24805   | Little Bayou Junction Daybeacon A       | 27-43-12.665N<br>082-37-49.013W |           |   |   | JG on pile.              |
| 24810   | Little Bayou Daybeacon 15               | 27-43-12.855N<br>082-37-53.354W |           |   |   | SG on pile.              |
| 24815   | Little Bayou Daybeacon 17               | 27-43-18.705N<br>082-37-54.264W |           |   |   | SG on pile.              |
| 24820   | Little Bayou Daybeacon 19               | 27-43-21.945N<br>082-37-55.504W |           |   |   | SG on pile.              |
| 24825   | Little Bayou Daybeacon 21               | 27-43-28.674N<br>082-37-59.714W |           |   |   | SG on pile.              |
| 24830   | Coquina Key Cut Daybeacon 2             | 27-43-11.585N<br>082-37-43.483W |           |   |   | TR on pile.              |
| 24835   | Coquina Key Cut Daybeacon 3             | 27-43-12.815N<br>082-37-39.753W |           |   |   | SG on pile.              |
| 24840   | Coquina Key Cut Daybeacon 4             | 27-43-12.025N<br>082-37-39.073W |           |   |   | TR on pile.              |
| 24845   | Coquina Key Cut Daybeacon 6             | 27-43-48.974N<br>082-37-27.403W |           |   |   | TR on pile.              |
| 24850   | Coquina Key Cut Daybeacon 8             | 27-44-25.662N<br>082-37-35.183W |           |   |   | TR on pile.              |
| 24855   | Coquina Key Cut Daybeacon 9             | 27-44-28.142N<br>082-37-37.200W |           |   |   | SG on pile.              |
| 24860   | Coquina Key Cut Daybeacon 10            | 27-44-27.500N<br>082-37-34.000W |           |   |   | TR on pile.              |
| 24865   | Big Bayou Daybeacon                     | 27-44-40.131N                   |           |   |   | SG on pile.              |

|         |                                           |                                 |              |   |   |                  |
|---------|-------------------------------------------|---------------------------------|--------------|---|---|------------------|
|         | 1                                         | 082-37-17.603W                  |              |   |   |                  |
| 24870   | Big Bayou Daybeacon 2                     | 27-44-40.751N<br>082-37-17.603W |              |   |   | TR on pile.      |
| 24875   | Big Bayou Daybeacon 4                     | 27-44-36.532N<br>082-37-27.133W |              |   |   | TR on pile.      |
| 24880   | Big Bayou Junction Daybeacon B            | 27-44-37.252N<br>082-37-28.133W |              |   |   | JR on pile.      |
| 24885   | Big Bayou Daybeacon 5                     | 27-44-38.381N<br>082-37-34.653W |              |   |   | SG on pile.      |
| 24890   | Big Bayou Daybeacon 6                     | 27-44-39.071N<br>082-37-34.513W |              |   |   | TR on pile.      |
| 24895   | Big Bayou Daybeacon 8                     | 27-44-39.061N<br>082-37-48.814W |              |   |   | TR on pile.      |
| 24900   | Big Bayou Daybeacon 9                     | 27-44-40.161N<br>082-37-53.434W |              |   |   | SG on pile.      |
| 24905   | Big Bayou Daybeacon 11                    | 27-44-38.761N<br>082-37-55.954W |              |   |   | SG on pile.      |
| 24910   | Big Bayou Daybeacon 12                    | 27-44-35.952N<br>082-37-57.634W |              |   |   | TR on pile.      |
| 24915   | Big Bayou Daybeacon 14                    | 27-44-24.072N<br>082-37-59.934W |              |   |   | TR on pile.      |
| 24920   | Big Bayou Daybeacon 16                    | 27-44-16.642N<br>082-38-11.244W |              |   |   | TR on pile.      |
| 24925   | Big Bayou Daybeacon 17                    | 27-44-12.362N<br>082-38-16.564W |              |   |   | SG on pile.      |
| 24930   | Big Bayou Daybeacon 18                    | 27-44-09.213N<br>082-38-15.684W |              |   |   | TR on pile.      |
| 24935   | Big Bayou Daybeacon 19                    | 27-44-07.023N<br>082-38-16.744W |              |   |   | SG on pile.      |
| 24950   | St Petersburg Channel Lighted Buoy 1      | 27-46-50.117N<br>082-36-04.371W | Q G          |   | 4 | Green.           |
| 24955   | St Petersburg Channel Lighted Buoy 3      | 27-45-59.060N<br>082-36-35.004W | Fl G 4s      |   | 5 | Green.           |
| 24960   | St Petersburg Channel Junction Light S    | 27-45-32.525N<br>082-36-41.270W | Fl (2+1)G 6s | 0 | 5 | JG on pile.      |
| 24965   | St Petersburg Channel Light 4             | 27-45-39.050N<br>082-36-53.129W | Q R          | 0 | 4 | TR on pile.      |
| 24970   | St Petersburg Channel Light 5             | 27-45-31.072N<br>082-36-53.522W | Q G          | 0 | 4 | SG on pile.      |
| 24975   | St Petersburg Channel Light 6             | 27-45-34.554N<br>082-37-01.530W | Fl R 4s      | 0 | 5 | TR on pile.      |
| 24980   | St Petersburg Channel Light 7             | 27-45-30.471N<br>082-37-16.026W | Fl G 2.5s    | 0 | 5 | SG on pile.      |
| 24985   | St Petersburg Channel Light 8             | 27-45-34.527N<br>082-37-15.630W | Fl R 2.5s    | 0 | 5 | TR on pile.      |
| 24990   | St Petersburg Channel Light 11            | 27-45-30.892N<br>082-37-33.904W | Fl G 4s      | 0 | 5 | SG on pile.      |
| 24995   | St Petersburg Channel Light 10            | 27-45-34.186N<br>082-37-32.612W | Q R          | 0 | 4 | TR on pile.      |
| 24997   | Coast Guard Station Breakwater Light SP   | 27-45-37.640N<br>082-37-37.159W | Fl W 2.5s    | 0 | 5 | NB on structure. |
| 25000   | St Petersburg Channel Daybeacon 13        | 27-45-31.340N<br>082-37-43.439W |              | 0 |   | SG on pile.      |
| 25005   | St Petersburg Mole Light A                | 27-45-35.368N<br>082-37-50.822W | Fl W 4s      | 0 | 5 | NB on dolphin.   |
| 25009   | St Petersburg Mooring Field Buoy A        | 27-46-35.580N<br>082-37-48.360W |              |   |   | Yellow can.      |
| 25009.1 | St. Petersburg Mooring Field Buoy B       | 27-46-35.580N<br>082-37-41.940W |              |   |   | Yellow can.      |
| 25009.2 | St. Petersburg Mooring Field Buoy C       | 27-46-33.360N<br>082-37-39.360W |              |   |   | Yellow can.      |
| 25010   | St Petersburg Yacht Basin West Mole Light | 27-46-19.196N<br>082-37-38.323W | Fl W 4s      | 0 | 6 | NR on pile.      |
| 25015   | St Petersburg Yacht Basin Light 1         | 27-46-14.541N<br>082-37-33.627W | Q G          | 0 | 4 | SG on pile.      |
| 25020   | St Petersburg Yacht Basin Light 2         | 27-46-17.923N<br>082-37-33.505W | Fl R 4s      | 0 | 5 | TR on pile.      |
| 25020.6 | Snell Isle Daybeacon 10                   | 27-47-26.200N<br>082-36-29.600W |              |   |   | TR on pile.      |
| 25020.5 | Snell Isle Daybeacon 8                    | 27-47-20.400N<br>082-36-39.400W |              |   |   | TR on pile.      |

|         |                                     |                                 |             |              |
|---------|-------------------------------------|---------------------------------|-------------|--------------|
| 25020.4 | Snell Isle Daybeacon 7              | 27-47-22.800N<br>082-36-50.100W | SG on pile. |              |
| 25020.3 | Snell Isle Daybeacon 5              | 27-47-21.300N<br>082-36-54.100W | SG on pile. |              |
| 25020.2 | Snell Isle Daybeacon 4              | 27-47-18.200N<br>082-37-03.200W | TR on pile. |              |
| 25020.1 | Snell Isle Daybeacon 2              | 27-47-15.300N<br>082-37-05.700W | TR on pile. |              |
| 25021.7 | Coffee Pot Bayou<br>Daybeacon 8     | 27-47-19.100N<br>082-37-14.900W | TR on pile. |              |
| 25021.6 | Coffee Pot Bayou<br>Daybeacon 7     | 27-47-18.200N<br>082-37-19.000W | SG on pile. |              |
| 25021.5 | Coffee Pot Bayou<br>Daybeacon 6     | 27-47-10.000N<br>082-37-03.300W | TR on pile. |              |
| 25021.4 | Coffee Pot Bayou<br>Daybeacon 5     | 27-47-11.600N<br>082-37-02.900W | SG on pile. |              |
| 25021.3 | Coffee Pot Bayou<br>Daybeacon 4     | 27-47-07.100N<br>082-36-55.900W | TR on pile. |              |
| 25021.2 | Coffee Pot Bayou<br>Daybeacon 3     | 27-47-05.500N<br>082-36-57.200W | SG on pile. |              |
| 25021.1 | Coffee Pot Bayou<br>Daybeacon 2     | 27-47-03.200N<br>082-36-50.200W | TR on pile. |              |
| 25021   | Coffee Pot Bayou<br>Daybeacon 1     | 27-47-01.700N<br>082-36-51.200W | SG on pile. |              |
| 25025   | Smacks Bayou<br>Daybeacon 1         | 27-47-18.300N<br>082-36-23.100W | SG on pile. |              |
| 25025.9 | Smacks Bayou<br>Daybeacon 13        | 27-47-44.400N<br>082-36-20.200W | SG on pile. |              |
| 25025.8 | Smacks Bayou<br>Daybeacon 12        | 27-47-43.700N<br>082-36-17.800W | TR on pile. |              |
| 25025.7 | Smacks Bayou<br>Daybeacon 10        | 27-47-39.900N<br>082-36-19.800W | TR on pile. |              |
| 25025.6 | Smacks Bayou<br>Daybeacon 8         | 27-47-34.800N<br>082-36-21.900W | TR on pile. |              |
| 25025.5 | Smacks Bayou<br>Daybeacon 6         | 27-47-29.900N<br>082-36-23.200W | TR on pile. |              |
| 25025.4 | Smacks Bayou<br>Daybeacon 5         | 27-47-27.900N<br>082-36-24.800W | SG on pile. |              |
| 25025.3 | Smacks Bayou<br>Daybeacon 4         | 27-47-23.800N<br>082-36-22.300W | TR on pile. |              |
| 25025.2 | Smacks Bayou<br>Daybeacon 3         | 27-47-21.800N<br>082-36-23.700W | SG on pile. |              |
| 25025.1 | Smacks Bayou<br>Daybeacon 2         | 27-47-28.396N<br>082-36-21.251W | TR on pile. |              |
| 25026.2 | Smacks Bayou<br>Daybeacon 16        | 27-47-54.000N<br>082-36-22.800W | TR on pile. |              |
| 25026.1 | Smacks Bayou<br>Daybeacon 15        | 27-47-54.000N<br>082-36-25.700W | SG on pile. |              |
| 25026   | Smacks Bayou<br>Daybeacon 14        | 27-47-49.200N<br>082-36-19.000W | TR on pile. |              |
| 25031   | Shore Acres<br>Daybeacon 2          | 27-47-56.500N<br>082-36-22.700W | TR on pile. |              |
| 25032   | Shore Acres<br>Daybeacon 4          | 27-47-58.200N<br>082-36-22.100W | TR on pile. |              |
| 25033   | Shore Acres<br>Daybeacon 5          | 27-48-03.300N<br>082-36-22.300W | SG on pile. |              |
| 25033.5 | Shore Acres<br>Daybeacon 6          | 27-47-46.500N<br>082-35-47.400W | TR on pile. |              |
| 25035   | Bayou Grande Channel<br>Daybeacon 1 | 27-49-07.900N<br>082-35-06.000W | SG on pile. |              |
| 25040   | Bayou Grande Channel<br>Daybeacon 2 | 27-49-07.800N<br>082-35-04.000W | TR on pile. | Private aid. |
| 25045   | Bayou Grande Channel<br>Daybeacon 3 | 27-49-09.300N<br>082-35-07.100W | SG on pile. |              |
| 25050   | Bayou Grande Channel<br>Daybeacon 4 | 27-49-09.900N<br>082-35-05.900W | TR on pile. |              |
| 25055   | Bayou Grande Channel<br>Daybeacon 5 | 27-49-10.000N<br>082-35-09.000W | SG on pile. |              |
| 25060   | Bayou Grande Channel<br>Daybeacon 7 | 27-49-13.000N<br>082-35-20.000W | SG on pile. |              |
| 25065   | Bayou Grande Channel                | 27-49-17.000N                   | SG on pile. |              |

|       |                      |                |             |
|-------|----------------------|----------------|-------------|
|       | Daybeacon 9          | 082-35-27.400W |             |
| 25070 | Bayou Grande Channel | 27-49-24.000N  | SG on pile. |
|       | Daybeacon 11         | 082-35-39.200W |             |
| 25075 | Bayou Grande Channel | 27-49-25.000N  | TR on pile. |
|       | Daybeacon 12         | 082-35-39.100W |             |
| 25080 | Bayou Grande Channel | 27-49-25.700N  | TR on pile. |
|       | Daybeacon 14         | 082-35-56.400W |             |
| 25085 | Bayou Grande Channel | 27-49-30.000N  | TR on pile. |
|       | Daybeacon 16         | 082-36-03.800W |             |
| 25090 | Bayou Grande Channel | 27-49-31.100N  | TR on pile. |
|       | Daybeacon 18         | 082-36-12.000W |             |
| 25095 | Bayou Grande Channel | 27-49-33.000N  | SG on pile. |
|       | Daybeacon 19         | 082-36-20.700W |             |
| 25100 | Bayou Grande Channel | 27-49-33.800N  | TR on pile. |
|       | Daybeacon 20         | 082-36-20.000W |             |
| 25105 | Bayou Grande Channel | 27-49-46.000N  | SG on pile. |
|       | Daybeacon 21         | 082-36-26.800W |             |
| 25110 | Bayou Grande Channel | 27-49-46.100N  | TR on pile. |
|       | Daybeacon 22         | 082-36-26.000W |             |
| 25115 | Bayou Grande Channel | 27-49-49.000N  | SG on pile. |
|       | Daybeacon 23         | 082-36-31.000W |             |
| 25120 | Bayou Grande Channel | 27-49-49.000N  | TR on pile. |
|       | Daybeacon 24         | 082-36-30.000W |             |
| 25125 | Bayou Grande Channel | 27-49-55.000N  | SG on pile. |
|       | Daybeacon 25         | 082-36-22.100W |             |
| 25130 | Bayou Grande Channel | 27-49-54.600N  | TR on pile. |
|       | Daybeacon 26         | 082-36-21.200W |             |
| 25140 | Bayou Grande Channel | 27-50-04.400N  | TR on pile. |
|       | Daybeacon 28         | 082-36-20.700W |             |
| 25145 | Bayou Grande Channel | 27-50-11.000N  | SG on pile. |
|       | Daybeacon 29         | 082-36-18.200W |             |
| 25150 | Bayou Grande Channel | 27-50-11.100N  | TR on pile. |
|       | Daybeacon 30         | 082-36-17.000W |             |
| 25155 | Bayou Grande Channel | 27-50-19.000N  | SG on pile. |
|       | Daybeacon 31         | 082-36-21.000W |             |
| 25160 | Bayou Grande Channel | 27-50-20.000N  | TR on pile. |
|       | Daybeacon 32         | 082-36-20.000W |             |
| 25165 | Bayou Grande Channel | 27-50-25.200N  | SG on pile. |
|       | Daybeacon 33         | 082-36-27.000W |             |
| 25170 | Bayou Grande Channel | 27-50-26.500N  | TR on pile. |
|       | Daybeacon 34         | 082-36-26.000W |             |
| 25175 | Bayou Grande Channel | 27-50-28.600N  | SG on pile. |
|       | Daybeacon 35         | 082-36-31.000W |             |
| 25180 | Bayou Grande Channel | 27-50-30.000N  | TR on pile. |
|       | Daybeacon 36         | 082-36-30.200W |             |
| 25185 | Bayou Grande Channel | 27-50-30.300N  | SG on pile. |
|       | Daybeacon 37         | 082-36-34.800W |             |
| 25190 | Bayou Grande Channel | 27-50-31.100N  | TR on pile. |
|       | Daybeacon 38         | 082-36-34.000W |             |
| 25195 | Bayou Grande Channel | 27-50-32.100N  | SG on pile. |
|       | Daybeacon 39         | 082-36-38.000W |             |
| 25200 | Bayou Grande Channel | 27-50-36.000N  | SG on pile. |
|       | Daybeacon 41         | 082-36-39.800W |             |
| 25205 | Bayou Grande Channel | 27-50-37.000N  | TR on pile. |
|       | Daybeacon 42         | 082-36-39.600W |             |
| 25210 | Bayou Grande Channel | 27-50-36.000N  | SG on pile. |
|       | Daybeacon 43         | 082-36-45.000W |             |
| 25215 | Bayou Grande Channel | 27-50-36.500N  | TR on pile. |
|       | Daybeacon 44         | 082-36-45.000W |             |
| 25220 | Bayou Grande Channel | 27-50-36.700N  | SG on pile. |
|       | Daybeacon 45         | 082-36-59.000W |             |
| 25225 | Bayou Grande Channel | 27-50-37.700N  | TR on pile. |
|       | Daybeacon 46         | 082-36-58.700W |             |
| 25230 | Bayou Grande Channel | 27-50-41.100N  | TR on pile. |
|       | Daybeacon 48         | 082-36-59.400W |             |
| 25235 | Bayou Grande Channel | 27-50-47.000N  | SG on pile. |
|       | Daybeacon 49         | 082-37-02.900W |             |
| 25240 | Bayou Grande Channel | 27-50-52.000N  | TR on pile. |
|       | Daybeacon 50         | 082-37-05.900W |             |
| 25245 | Bayou Grande Channel | 27-50-59.000N  | SG on pile. |
|       | Daybeacon 51         | 082-37-10.200W |             |

|         |                                               |                                 |             |
|---------|-----------------------------------------------|---------------------------------|-------------|
| 25250   | Bayou Grande Channel<br>Daybeacon 52          | 27-50-59.200N<br>082-37-09.900W | TR on pile. |
| 25255   | Bayou Grande Channel<br>Daybeacon 53          | 27-51-05.100N<br>082-37-24.000W | SG on pile. |
| 25260.7 | Mobel Americana<br>Channel Daybeacon 8        | 27-50-33.000N<br>082-37-33.000W | TR on pile. |
| 25260.6 | Mobel Americana<br>Channel Daybeacon 7        | 27-50-32.000N<br>082-37-13.000W | SG on pile. |
| 25260.5 | Mobel Americana<br>Channel Daybeacon 6        | 27-50-31.000N<br>082-37-13.000W | TR on pile. |
| 25260.4 | Mobel Americana<br>Channel Daybeacon 5        | 27-50-30.000N<br>082-37-11.000W | SG on pile. |
| 25260.3 | Mobel Americana<br>Channel Daybeacon 4        | 27-50-28.000N<br>082-37-09.000W | TR on pile. |
| 25260.2 | Mobel Americana<br>Channel Daybeacon 3        | 27-50-31.000N<br>082-37-02.000W | SG on pile. |
| 25260.1 | Mobel Americana<br>Channel Daybeacon 2        | 27-50-37.000N<br>082-36-59.000W | TR on pile. |
| 25265   | Tanglewood Channel<br>Daybeacon 1             | 27-49-57.000N<br>082-36-26.000W | SG on pile. |
| 25270   | Tanglewood Channel<br>Daybeacon 2             | 27-49-56.600N<br>082-36-25.000W | TR on pile. |
| 25275   | Bunces Pass<br>Daybeacon 1                    | 27-38-55.040N<br>082-44-18.179W | SG on pile. |
| 25280   | Bunces Pass<br>Daybeacon 2                    | 27-38-48.170N<br>082-44-24.089W | TR on pile. |
| 25285   | Bunces Pass<br>Daybeacon 3                    | 27-38-48.830N<br>082-43-56.806W | SG on pile. |
| 25290   | Bunces Pass<br>Daybeacon 4                    | 27-38-39.250N<br>082-43-55.913W | TR on pile. |
| 25325   | Bunces Pass<br>Daybeacon 5                    | 27-38-50.270N<br>082-43-34.334W | SG on pile. |
| 25330   | Mullet Key Bayou East<br>Channel Daybeacon 1  | 27-38-42.357N<br>082-43-21.539W | SG on pile. |
| 25335   | Mullet Key Bayou East<br>Channel Daybeacon 2  | 27-38-42.032N<br>082-43-23.703W | TR on pile. |
| 25340   | Mullet Key Bayou East<br>Channel Daybeacon 3  | 27-38-34.011N<br>082-43-20.797W | SG on pile. |
| 25345   | Mullet Key Bayou East<br>Channel Daybeacon 4  | 27-38-34.395N<br>082-43-22.208W | TR on pile. |
| 25350   | Mullet Key Bayou East<br>Channel Daybeacon 5  | 27-38-25.658N<br>082-43-21.552W | SG on pile. |
| 25355   | St. Christopher Key<br>Channel Daybeacon 1    | 27-38-25.055N<br>082-43-15.399W | SG on pile. |
| 25360   | St. Christopher Key<br>Channel Daybeacon 2    | 27-38-24.064N<br>082-43-15.715W | TR on pile. |
| 25365   | St. Christopher Key<br>Channel Daybeacon 3    | 27-38-22.635N<br>082-43-06.657W | SG on pile. |
| 25370   | St. Christopher Key<br>Channel Daybeacon 4    | 27-38-21.795N<br>082-43-06.830W | TR on pile. |
| 25375   | Mullet Key Bayou East<br>Channel Daybeacon 7  | 27-38-18.581N<br>082-43-23.477W | SG on pile. |
| 25380   | Mullet Key Bayou East<br>Channel Daybeacon 9  | 27-38-11.143N<br>082-43-24.789W | SG on pile. |
| 25385   | Mullet Key Bayou East<br>Channel Daybeacon 10 | 27-38-11.188N<br>082-43-25.866W | TR on pile. |
| 25390   | Mullet Key Bayou East<br>Channel Daybeacon 11 | 27-38-00.063N<br>082-43-28.155W | SG on pile. |
| 25395   | Mullet Key Bayou East<br>Channel Daybeacon 12 | 27-38-00.411N<br>082-43-31.266W | TR on pile. |
| 25400   | Bunces Pass<br>Daybeacon 6                    | 27-38-40.920N<br>082-43-22.652W | TR on pile. |
| 25405   | Bunces Pass<br>Daybeacon 7                    | 27-39-00.430N<br>082-43-04.949W | SG on pile. |
| 25410   | Bunces Pass<br>Daybeacon 8                    | 27-38-51.930N<br>082-43-01.307W | TR on pile. |
| 25415   | Bunces Pass<br>Daybeacon 9                    | 27-39-06.300N<br>082-42-46.594W | SG on pile. |
| 25420   | Bunces Pass<br>Daybeacon 10                   | 27-38-59.870N<br>082-42-43.959W | TR on pile. |
| 25425   | Bunces Pass                                   | 27-39-20.340N                   | SG on pile. |

|          |                                                              |                                 |           |   |   |                                          |              |
|----------|--------------------------------------------------------------|---------------------------------|-----------|---|---|------------------------------------------|--------------|
|          | Daybeacon 11                                                 | 082-42-10.435W                  |           |   |   |                                          |              |
| 25430    | Bunces Pass<br>Daybeacon 12                                  | 27-39-14.400N<br>082-42-02.734W |           |   |   | TR on pile.                              |              |
| 25435    | Bunces Pass<br>Daybeacon 13                                  | 27-39-30.070N<br>082-41-28.208W |           |   |   | SG on pile.                              |              |
| 25440    | Bunces Pass<br>Daybeacon 14                                  | 27-39-20.810N<br>082-41-30.011W |           |   |   | TR on pile.                              |              |
| 25445    | Bunces Pass<br>Daybeacon 15                                  | 27-39-32.530N<br>082-41-06.197W |           |   |   | SG on pile.                              |              |
| 25450    | Bunces Pass<br>Daybeacon 16                                  | 27-39-24.050N<br>082-41-01.951W |           |   |   | TR on pile.                              |              |
| 25455    | Pass-A-Grille Entrance<br>Light PG                           | 27-40-34.708N<br>082-46-01.135W | Mo (A) W  | 0 | 5 | MR on pile.                              |              |
| 25460    | Pass-A-Grille Channel<br>Daybeacon 1                         | 27-40-34.184N<br>082-45-31.682W |           | 0 |   | SG on pile.                              |              |
| 25465    | Pass-A-Grille Channel<br>Daybeacon 2                         | 27-40-31.401N<br>082-45-31.509W |           | 0 |   | TR on pile.                              |              |
| 25470    | Pass-A-Grille Channel<br>Daybeacon 3                         | 27-40-31.809N<br>082-45-18.423W |           | 0 |   | SG on pile.                              |              |
| 25480    | Pass-A-Grille Channel<br>Light 7                             | 27-40-31.517N<br>082-44-56.549W | Q G       | 0 | 4 | SG on pile.                              |              |
| 25485    | Pass-A-Grille Channel<br>Daybeacon 7A                        | 27-40-39.145N<br>082-44-40.351W |           | 0 |   | SG on pile.                              |              |
| 25490    | Pass-A-Grille Channel<br>Daybeacon 7B                        | 27-40-41.486N<br>082-44-28.668W |           | 0 |   | SG on pile.                              |              |
| 25500    | Pass-A-Grille Channel<br>Light 9                             | 27-40-44.013N<br>082-44-20.085W | FI G 4s   | 0 | 5 | SG on pile.                              |              |
| 25505    | Pass-A-Grille Channel<br>Light 10                            | 27-40-52.493N<br>082-43-55.436W | FI R 4s   | 0 | 5 | TR on pile.                              |              |
| 25510    | Dent's Channel<br>Daybeacon 1                                | 27-40-46.000N<br>082-43-55.000W |           |   |   | SG on pile.                              | Private aid. |
| 25510.1  | Dent's Channel<br>Daybeacon 2                                | 27-40-45.000N<br>082-44-02.000W |           |   |   | TR on pile.                              | Private aid. |
| 25515    | Dent's Channel<br>Daybeacon 3                                | 27-40-43.000N<br>082-43-51.000W |           |   |   | SG on pile.                              | Private aid. |
| 25520    | Dent's Channel<br>Daybeacon 5                                | 27-40-42.000N<br>082-43-50.000W |           |   |   | SG on pile.                              | Private aid. |
| 25525    | Dent's Channel<br>Daybeacon 6                                | 27-40-37.000N<br>082-43-46.000W |           |   |   | TR on pile.                              | Private aid. |
| 25530    | South Dent Channel<br>Daybeacon 1                            | 27-40-27.000N<br>082-43-53.000W |           |   |   | SG on pile.                              |              |
| 25545    | South Dent Channel<br>Daybeacon 5                            | 27-43-25.000N<br>082-43-46.000W |           |   |   | SG on pile.                              |              |
| 25550    | South Dent Channel<br>Daybeacon 6                            | 27-40-24.000N<br>082-43-44.000W |           |   |   | TR on pile.                              |              |
| 25555    | South Dent Channel<br>Daybeacon 7                            | 27-40-27.000N<br>082-43-42.000W |           |   |   | SG on pile.                              |              |
| 25560    | Pass-A-Grille Channel<br>Light 11                            | 27-41-26.951N<br>082-44-04.089W | FI G 4s   | 0 | 5 | SG on pile.                              |              |
| 25565    | Pass-A-Grille Channel<br>Daybeacon 12                        | 27-41-39.106N<br>082-43-46.009W |           | 0 |   | TR on pile.                              |              |
| 25570    | Pass-A-Grille Channel<br>Daybeacon 14                        | 27-41-42.444N<br>082-43-32.747W |           |   |   | TR-SY on pile.                           |              |
| 25575    | Johns Pass Light JP                                          | 27-46-29.801N<br>082-48-01.469W | Mo (A) W  | 0 | 6 | MR on pile.                              |              |
| 25580    | Johns Pass Channel<br>Daybeacon 1                            | 27-46-37.257N<br>082-47-41.300W |           | 0 |   | SG on pile.                              |              |
| 25585    | Johns Pass Channel<br>Light 2                                | 27-46-31.757N<br>082-47-35.435W | FI R 2.5s | 0 | 5 | TR on pile.                              |              |
| 25585.5  | Johns Pass Channel<br>Lighted Buoy 3                         | 27-46-33.502N<br>082-47-20.093W | Q G       |   | 4 | Green.                                   |              |
| 25585.2  | Johns Pass Channel<br>Lighted Buoy 2A                        | 27-46-32.766N<br>082-47-16.351W | Q R       |   | 4 | Red.                                     |              |
| 25600    | Johns Pass Channel<br>Light 4                                | 27-46-43.045N<br>082-47-11.959W | Q R       | 0 | 4 | TR on pile.                              |              |
| 25600.01 | Treasure Island North<br>Terminal Groin<br>Obstruction Light | 27-46-49.600N<br>082-47-01.400W | FI W 6s   |   | 5 | NW on pile worded DANGER<br>GROIN GROIN. |              |
| 25610    | Johns Pass Channel<br>Buoy 5                                 | 27-46-45.331N<br>082-47-14.164W |           |   |   | Green can.                               |              |
| 25615    | Johns Pass Channel                                           | 27-47-12.990N                   | FI R 4s   | 0 | 5 | TR on pile.                              |              |



|         |                                                   |                                 |           |   |   |                                    |
|---------|---------------------------------------------------|---------------------------------|-----------|---|---|------------------------------------|
|         | Light 6                                           | 082-46-43.527W                  |           |   |   |                                    |
| 25620   | Johns Pass Channel<br>Light 7                     | 27-47-27.363N<br>082-46-50.550W | FI G 4s   | 0 | 5 | SG on pile.                        |
| 25625   | Johns Pass Channel<br>Daybeacon 8                 | 27-47-29.977N<br>082-46-48.209W |           | 0 |   | TR on pile.                        |
| 25630   | Johns Pass Channel<br>Light 10                    | 27-47-43.672N<br>082-46-42.865W | FI R 4s   | 0 | 5 | TR on pile.                        |
| 25635   | Johns Pass Channel<br>Daybeacon 11                | 27-47-54.231N<br>082-46-40.748W |           | 0 |   | SG on pile.                        |
| 25640   | Johns Pass Channel<br>Daybeacon 13                | 27-47-58.897N<br>082-46-39.269W |           | 0 |   | SG on pile.                        |
| 25645   | Johns Pass Channel<br>Daybeacon 14                | 27-47-58.597N<br>082-46-36.989W |           | 0 |   | TR on pile.                        |
| 25680.5 | Clearwater Pass<br>Channel Light 2                | 27-58-06.625N<br>082-50-18.442W | FI R 2.5s | 0 | 5 | TR on pile.                        |
| 25680   | Clearwater Pass<br>Channel Light 1                | 27-58-11.603N<br>082-50-50.721W | FI G 2.5s | 0 | 5 | SG on pile.                        |
| 25685   | Clearwater Pass<br>Channel Daybeacon 3            | 27-58-09.442N<br>082-50-18.338W |           | 0 |   | SG on pile.                        |
| 25690   | Clearwater Pass<br>Channel Light 4                | 27-58-00.478N<br>082-50-04.237W | Q R       | 0 | 4 | TR on pile.                        |
| 25693   | Sand Key Jetty Light A                            | 27-57-54.160N<br>082-50-00.720W | FI W 2.5s |   | 5 | NW on pile worded DANGER<br>JETTY. |
| 25693.1 | Sand Key Jetty Light B                            | 27-57-53.990N<br>082-49-57.340W | FI W 4s   |   | 5 | NW on pile worded DANGER<br>JETTY. |
| 25693.2 | Sand Key Jetty Light C                            | 27-57-52.920N<br>082-49-55.380W | FI W 2.5s |   | 5 | NW on pile worded DANGER<br>JETTY. |
| 25695   | Clearwater Pass<br>Channel Light 6                | 27-57-53.889N<br>082-49-49.405W | FI R 4s   | 0 | 5 | TR on pile.                        |
| 25700   | Clearwater Pass<br>Channel Light 7                | 27-57-57.005N<br>082-49-48.157W | FI G 4s   | 0 | 5 | SG on pile.                        |
| 25705   | Clearwater Pass<br>Channel Light 8                | 27-57-47.000N<br>082-49-34.557W | FI R 2.5s | 0 | 5 | TR on pile.                        |
| 25710   | Clearwater Pass<br>Channel Light 10               | 27-57-39.312N<br>082-49-17.206W | Q R       | 0 | 4 | TR on pile.                        |
| 25725   | Clearwater Pass Light<br>14                       | 27-57-44.078N<br>082-49-09.850W | FI R 2.5s | 0 | 5 | TR on pile.                        |
| 25730   | Clearwater Marina<br>Channel Light 2              | 27-57-47.174N<br>082-49-09.011W | Q R       | 0 | 4 | TR on pile.                        |
| 25735   | Clearwater Marina<br>Channel Daybeacon 3          | 27-57-49.910N<br>082-49-10.345W |           | 0 |   | SG on pile.                        |
| 25745   | Clearwater Marina<br>Channel Daybeacon 4          | 27-57-54.582N<br>082-49-03.205W |           | 0 |   | TR on pile.                        |
| 25750   | Clearwater Marina<br>Channel Daybeacon 5          | 27-57-55.614N<br>082-49-04.802W |           | 0 |   | TR on pile.                        |
| 25755   | Clearwater Marina<br>Channel Light 6              | 27-57-59.434N<br>082-49-01.661W | FI R 4s   | 0 | 5 | TR on pile.                        |
| 25760   | Clearwater Marina<br>Channel Daybeacon 7          | 27-58-01.169N<br>082-49-03.170W |           | 0 |   | TR on pile.                        |
| 25763   | Clearwater Marina<br>Channel Daybeacon 8          | 27-58-09.268N<br>082-49-02.311W |           | 0 |   | TR on pile.                        |
| 25765   | Clearwater Point<br>Marina Channel<br>Daybeacon 1 | 27-58-01.671N<br>082-49-03.971W |           |   |   | SG on pile.                        |
| 25765.5 | Clearwater Point<br>Marina Channel<br>Daybeacon 2 | 27-58-04.200N<br>082-49-06.000W |           |   |   | TR on pile.                        |
| 25770   | Clearwater Point<br>Marina Channel<br>Daybeacon 3 | 27-58-02.271N<br>082-49-06.571W |           |   |   | SG on pile.                        |
| 25775   | Clearwater Marina<br>Channel Daybeacon 9          | 27-58-18.199N<br>082-49-04.411W |           | 0 |   | SG on pile.                        |
| 25780   | Clearwater Marina<br>Channel Light 10             | 27-58-20.442N<br>082-49-03.471W | FI R 2.5s | 0 | 5 | TR on pile.                        |
| 25785   | Clearwater Marina<br>Channel Daybeacon 11         | 27-58-30.339N<br>082-49-19.177W |           | 0 |   | SG on pile.                        |
| 25790   | Clearwater Pass<br>Channel Light 15               | 27-57-44.507N<br>082-49-02.834W | FI G 2.5s | 0 | 5 | SG on pile.                        |
| 25795   | Clearwater Pass<br>Channel Daybeacon 16           | 27-57-42.849N<br>082-49-03.267W |           | 0 |   | TR on pile.                        |

|         |                                                   |                                 |         |   |   |                                                   |
|---------|---------------------------------------------------|---------------------------------|---------|---|---|---------------------------------------------------|
| 25800   | Clearwater Harbor<br>Breakwater E<br>Daybeacon    | 27-57-55.071N<br>082-48-50.370W |         |   |   | NW on pile worded DANGER<br>SUBMERGED WAVE BREAK. |
| 25805   | Clearwater Harbor<br>Breakwater West<br>Daybeacon | 27-57-55.071N<br>082-48-52.370W |         |   |   | NW on pile worded DANGER<br>SUBMERGED WAVE BREAK. |
| 25810   | Clearwater Pass<br>Channel Light 17               | 27-57-40.398N<br>082-48-53.530W | FI G 4s | 0 | 5 | SG on pile.                                       |
| 25815   | Clearwater Pass<br>Channel Daybeacon 19           | 27-57-34.447N<br>082-48-41.927W |         | 0 |   | SG on pile.                                       |
| 25820   | Clearwater Pass<br>Channel Daybeacon<br>20        | 27-57-32.902N<br>082-48-42.696W |         | 0 |   | TR on pile.                                       |
| 25825   | Causeway Channel<br>Daybeacon 1                   | 27-57-55.784N<br>082-48-25.326W |         | 0 |   | SG on pile.                                       |
| 25830   | Causeway Channel<br>Daybeacon 2                   | 27-57-59.211N<br>082-48-29.959W |         | 0 |   | TR on pile.                                       |
| 25835   | Causeway Channel<br>Daybeacon 4                   | 27-58-01.191N<br>082-48-34.399W |         | 0 |   | TR on pile.                                       |
| 25840   | Causeway Channel<br>Daybeacon 5                   | 27-58-03.485N<br>082-48-44.200W |         | 0 |   | SG on pile.                                       |
| 25845   | Causeway Channel<br>Daybeacon 6                   | 27-58-09.185N<br>082-48-49.903W |         | 0 |   | TR on pile.                                       |
| 25845.5 | Causeway Channel<br>Daybeacon 7                   | 27-58-17.341N<br>082-49-02.336W |         | 0 |   | SG on pile.                                       |
| 25850   | Dunedin Pass<br>Daybeacon 2                       | 27-58-31.912N<br>082-48-17.900W |         |   |   | TR on pile. Private aid.                          |
| 25855   | Dunedin Pass<br>Daybeacon 3                       | 27-58-33.820N<br>082-48-20.889W |         |   |   | SG on pile. Private aid.                          |
| 25860   | Dunedin Pass<br>Daybeacon 5                       | 27-58-44.085N<br>082-48-26.301W |         |   |   | SG on pile.                                       |
| 25865   | Dunedin Pass<br>Daybeacon 7                       | 27-58-51.765N<br>082-48-32.907W |         |   |   | SG on pile.                                       |
| 25870   | Dunedin Pass<br>Daybeacon 8                       | 27-58-57.540N<br>082-48-38.780W |         |   |   | TR on pile.                                       |
| 25875   | Dunedin Pass<br>Daybeacon 9                       | 27-58-56.520N<br>082-48-39.860W |         |   |   | SG on pile. Private aid.                          |
| 25880   | Dunedin Pass<br>Daybeacon 10                      | 27-59-17.607N<br>082-48-48.731W |         |   |   | TR on pile.                                       |
| 25885   | Dunedin Pass<br>Daybeacon 12                      | 27-59-31.635N<br>082-48-51.033W |         |   |   | TR on pile. Private aid.                          |
| 25890   | Dunedin Pass<br>Daybeacon 12A                     | 27-59-50.025N<br>082-48-56.901W |         |   |   | TR on pile.                                       |
| 25895   | Dunedin Pass<br>Daybeacon 14                      | 27-59-59.775N<br>082-49-10.893W |         |   |   | TR on pile.                                       |
| 25900   | Dunedin Pass<br>Daybeacon 15                      | 28-00-08.190N<br>082-49-21.206W |         |   |   | SG on pile.                                       |
| 25905   | Dunedin Pass<br>Daybeacon 16                      | 28-00-09.825N<br>082-49-19.461W |         |   |   | TR on pile.                                       |
| 25910   | Dunedin Pass<br>Daybeacon 18                      | 28-00-15.150N<br>082-49-25.226W |         |   |   | TR on pile.                                       |
| 25915   | Dunedin Pass<br>Daybeacon 20                      | 28-00-27.075N<br>082-49-34.293W |         |   |   | TR on pile.                                       |
| 25920   | Island Estates<br>Daybeacon 1                     | 27-58-44.069N<br>082-48-33.370W |         |   |   | SG on pile.                                       |
| 25925   | Island Estates<br>Daybeacon 3                     | 27-58-33.070N<br>082-48-33.370W |         |   |   | SG on pile.                                       |
| 25930   | Island Estates<br>Daybeacon 5                     | 27-58-22.070N<br>082-48-34.370W |         |   |   | SG on pile.                                       |
| 25935   | Mandalay Channel<br>Daybeacon 1                   | 27-59-22.766N<br>082-49-21.329W |         |   |   | SG on pile.                                       |
| 25940   | Mandalay Channel<br>Daybeacon 2                   | 27-59-00.080N<br>082-49-20.403W |         |   |   | TR on pile.                                       |
| 25950   | Dunedin Marina<br>Daybeacon 1                     | 28-00-37.000N<br>082-47-50.400W |         |   |   | SG on pile.                                       |
| 25955   | Dunedin Marina<br>Daybeacon 2                     | 28-00-44.066N<br>082-47-39.868W |         |   |   | TR on pile.                                       |
| 25960   | Dunedin Marina<br>Daybeacon 3                     | 28-00-47.066N<br>082-47-40.368W |         |   |   | SG on pile.                                       |
| 25965   | Dunedin Marina Light<br>4                         | 28-00-46.065N<br>082-47-45.368W | F R     |   |   | On jetty.                                         |

|         |                                                 |                                 |     |                           |              |
|---------|-------------------------------------------------|---------------------------------|-----|---------------------------|--------------|
| 25970   | Dunedin Marina Light 5                          | 28-00-48.065N<br>082-47-44.368W | F G | On pier.                  |              |
| 25970.1 | Dunedin Pass Buoy A                             | 28-02-46.540N<br>082-50-29.580W |     |                           |              |
| 25970.2 | Dunedin Pass Buoy D                             | 27-59-35.760N<br>082-51-18.185W |     |                           |              |
| 25970.3 | Dunedin Pass Buoy B                             | 28-02-15.960N<br>082-54-57.900W |     |                           |              |
| 25970.4 | Dunedin Pass Buoy C                             | 28-01-52.920N<br>082-52-12.840W |     |                           |              |
| 25975   | Hurricane Pass Daybeacon 1                      | 28-03-16.400N<br>082-49-53.200W |     | SG on pile.               | Private aid. |
| 25980   | Hurricane Pass Daybeacon 2                      | 28-03-07.700N<br>082-49-53.400W |     | TR on pile.               | Private aid. |
| 25985   | Hurricane Pass Buoy 3                           | 28-03-08.000N<br>082-49-38.700W |     | Green can.                |              |
| 25990   | Hurricane Pass Daybeacon 4                      | 28-03-06.600N<br>082-49-45.200W |     | TR on pile.               | Private aid. |
| 25995   | Hurricane Pass Buoy 5                           | 28-03-08.300N<br>082-49-18.700W |     | Green can.                |              |
| 25997   | Hurricane Pass Daybeacon 5A                     | 28-03-10.000N<br>082-49-06.000W |     | SG on pile.               | Private aid. |
| 26000   | Hurricane Pass Buoy 6                           | 28-03-05.000N<br>082-49-19.000W |     | Red nun.                  |              |
| 26005   | Hurricane Pass Daybeacon 7                      | 28-03-14.000N<br>082-48-57.400W |     | SG on pile.               | Private aid. |
| 26007   | Hurricane Pass Daybeacon 7A                     | 28-03-18.900N<br>082-48-48.300W |     | SG on pile.               | Private aid. |
| 26008   | Hurricane Pass Daybeacon 8                      | 28-03-15.900N<br>082-48-43.700W |     | TR on pile.               |              |
| 26010   | Hurricane Pass Daybeacon 9                      | 28-03-16.700N<br>082-48-33.900W |     | SG on pile.               |              |
| 26015   | Hurricane Pass Daybeacon 10                     | 28-03-13.800N<br>082-48-29.300W |     | TR on pile.               |              |
| 26020   | Hurricane Pass Daybeacon 11                     | 28-03-11.700N<br>082-48-24.000W |     | SG on pile.               |              |
| 26025   | Hurricane Pass Daybeacon 13                     | 28-03-05.200N<br>082-48-14.300W |     | SG on pile.               |              |
| 26025.5 | Hurricane Pass Daybeacon 18                     | 28-02-53.900N<br>082-47-45.000W |     | TR on pile.               |              |
| 26025.4 | Hurricane Pass Daybeacon 17                     | 28-02-58.900N<br>082-47-47.300W |     | SG on pile.               |              |
| 26025.3 | Hurricane Pass Daybeacon 16                     | 28-02-57.100N<br>082-47-54.500W |     | TR on pile.               |              |
| 26025.2 | Hurricane Pass Daybeacon 15                     | 28-03-01.900N<br>082-48-05.000W |     | SG on pile.               |              |
| 26025.1 | Hurricane Pass Daybeacon 14                     | 28-03-03.500N<br>082-48-15.800W |     | TR on pile.               |              |
| 26030   | Honeymoon Island Ferry Dock Channel Daybeacon 1 | 28-03-31.200N<br>082-48-58.680W |     | SG on pile.               |              |
| 26035   | Honeymoon Island Ferry Dock Channel Daybeacon 2 | 28-03-31.980N<br>082-48-58.620W |     | TR on pile.               |              |
| 26040   | Honeymoon Island Ferry Dock Channel Daybeacon 3 | 28-03-21.140N<br>082-49-00.300W |     | SG on pile.               |              |
| 26045   | Honeymoon Island Ferry Dock Channel Daybeacon 4 | 28-03-32.040N<br>082-49-00.480W |     | TR on pile.               |              |
| 26050   | Honeymoon Island Ferry Dock Channel Daybeacon 5 | 28-03-30.660N<br>082-49-01.020W |     | SG on pile.               |              |
| 26055   | Honeymoon Island Ferry Dock Channel Daybeacon 7 | 28-03-30.300N<br>082-49-01.620W |     | SG on pile.               |              |
| 26060   | Honeymoon Island Ferry Dock Channel Daybeacon 8 | 28-03-32.080N<br>082-48-02.520W |     | TR on pile.               |              |
| 26066   | Honeymoon Island Danger Daybeacon A             | 28-03-38.123N<br>082-49-50.501W |     | NW on pile worded DANGER. |              |

|          |                                             |                                 |           |   |   |                           |
|----------|---------------------------------------------|---------------------------------|-----------|---|---|---------------------------|
| 26068    | Honeymoon Island<br>Danger Daybeacon B      | 28-03-35.803N<br>082-49-48.003W |           |   |   | NW on pile worded DANGER. |
| 26068.1  | Honeymoon Island<br>Danger Daybeacon C      | 28-34-04.210N<br>082-49-56.060W |           |   |   | NW on pile.               |
| 26068.2  | Honeymoon Island<br>Danger Daybeacon D      | 28-35-06.900N<br>082-50-01.360W |           |   |   | NW on pile.               |
| 26068.3  | Honeymoon Island<br>Danger Daybeacon E      | 28-35-07.380N<br>082-50-04.960W |           |   |   | NW on pile.               |
| 26070    | Anclote Anchorage<br>South Entrance Light 1 | 28-08-17.029N<br>082-51-57.388W | FI G 2.5s | 0 | 5 | SG on pile.               |
| 26075    | Anclote Anchorage<br>South Entrance Light 3 | 28-08-19.100N<br>082-50-17.825W | FI G 4s   | 0 | 5 | SG on dolphin.            |
| 26110    | Anclote Anchorage<br>North Entrance Light 2 | 28-15-03.231N<br>082-52-54.250W | FI R 2.5s | 0 | 5 | TR on pile.               |
| 26115    | Anclote Anchorage<br>North Entrance Light 4 | 28-14-44.331N<br>082-49-57.070W | FI R 6s   | 0 | 5 | TR on pile.               |
| 26120    | Anclote Anchorage<br>North Entrance Light 5 | 28-13-25.224N<br>082-48-14.414W | FI G 4s   | 0 | 5 | SG on pile.               |
| 26125    | Anclote Anchorage<br>North Entrance Light 6 | 28-12-35.211N<br>082-49-13.750W | FI R 4s   |   | 5 | TR on pile.               |
| 26130    | Anclote Anchorage<br>North Entrance Light 7 | 28-11-37.978N<br>082-49-08.182W | FI G 2.5s | 0 | 5 | SG on pile.               |
| 26135    | Anclote River Entrance<br>Light 1           | 28-10-22.957N<br>082-49-31.529W | Q G       | 0 | 4 | SG on pile.               |
| 26140    | Anclote River Entrance<br>Daybeacon 2       | 28-10-21.969N<br>082-49-29.473W |           | 0 |   | TR on pile.               |
| 26150    | Anclote River Entrance<br>Daybeacon 3       | 28-10-29.697N<br>082-49-12.291W |           | 0 |   | SG on pile.               |
| 26155    | Anclote River Entrance<br>Daybeacon 4       | 28-10-27.950N<br>082-49-11.565W |           | 0 |   | TR on pile.               |
| 26160    | Anclote River Entrance<br>Daybeacon 5       | 28-10-37.480N<br>082-48-48.715W |           | 0 |   | SG on pile.               |
| 26163    | Anclote River Entrance<br>Daybeacon 5A      | 28-10-41.823N<br>082-48-33.580W |           | 0 |   | SG on pile.               |
| 26165    | Anclote River Entrance<br>Daybeacon 6       | 28-10-35.450N<br>082-48-48.945W |           | 0 |   | TR on pile.               |
| 26170    | Anclote River Entrance<br>Daybeacon 6A      | 28-10-40.618N<br>082-48-32.028W |           | 0 |   | TR on pile.               |
| 26175    | Anclote River Entrance<br>Daybeacon 8       | 28-10-45.171N<br>082-48-17.299W |           | 0 |   | TR on pile.               |
| 26180    | Anclote River Light 9                       | 28-10-47.214N<br>082-48-14.745W | Q G       | 0 | 4 | SG on pile.               |
| 26185    | Anclote River<br>Daybeacon 10               | 28-10-44.661N<br>082-48-11.431W |           | 0 |   | TR on pile.               |
| 26190    | Anclote River<br>Daybeacon 11               | 28-10-43.270N<br>082-47-58.271W |           | 0 |   | SG on pile.               |
| 26190.5  | Anclote River<br>Daybeacon 12               | 28-10-40.097N<br>082-47-51.432W |           | 0 |   | TR on pile.               |
| 26195    | Anclote River<br>Daybeacon 13               | 28-10-39.372N<br>082-47-43.728W |           | 0 |   | SG on pile.               |
| 26195.5  | Anclote River<br>Daybeacon 14               | 28-10-34.284N<br>082-47-30.489W |           | 0 |   | TR on pile.               |
| 26200    | Anclote River<br>Daybeacon 16               | 28-10-32.947N<br>082-47-28.656W |           | 0 |   | TR on pile.               |
| 26210    | Anclote River Light 17                      | 28-10-34.760N<br>082-47-27.338W | FI G 2.5s | 0 | 5 | SG on pile.               |
| 26225    | Anclote River<br>Daybeacon 18               | 28-10-27.793N<br>082-47-24.387W |           | 0 |   | TR on pile.               |
| 26230    | Anclote River<br>Daybeacon 19               | 28-10-22.769N<br>082-47-17.697W |           | 0 |   | SG on pile.               |
| 26233.11 | Anclote Village Marina<br>Daybeacon 12      | 28-10-19.740N<br>082-47-10.200W |           |   |   | TR on pile.               |
| 26233.9  | Anclote Village Marina<br>Daybeacon 10      | 28-10-19.920N<br>082-47-10.200W |           |   |   | TR on pile.               |
| 26233.8  | Anclote Village Marina<br>Daybeacon 8       | 28-10-19.920N<br>082-47-11.340W |           |   |   | TR on pile.               |
| 26233.7  | Anclote Village Marina<br>Daybeacon 7       | 28-10-21.760N<br>082-47-11.700W |           |   |   | SG on pile.               |
| 26233.6  | Anclote Village Marina<br>Daybeacon 6       | 28-10-19.920N<br>082-47-12.540W |           |   |   | TR on pile.               |

|          |                                                     |                                 |         |   |   |  |                                              |
|----------|-----------------------------------------------------|---------------------------------|---------|---|---|--|----------------------------------------------|
| 26233.5  | Anclore Village Marina<br>Daybeacon 5               | 28-10-20.760N<br>082-47-11.700W |         |   |   |  | SG on pile.                                  |
| 26233.4  | Anclore Village Marina<br>Daybeacon 4               | 28-10-20.280N<br>082-47-13.080W |         |   |   |  | TR on pile.                                  |
| 26233.3  | Anclore Village Marina<br>Daybeacon 3               | 28-10-20.400N<br>082-47-13.140W |         |   |   |  | SG on pile.                                  |
| 26233.2  | Anclore Village Marina<br>Daybeacon 2               | 28-10-19.740N<br>082-47-14.100W |         |   |   |  | TR on pile.                                  |
| 26233.1  | Anclore Village Marina<br>Daybeacon 1               | 28-10-21.160N<br>082-47-14.580W |         |   |   |  | SG on pile. Private aid.                     |
| 26233.55 | Anclore Village Marina<br>Danger Daybeacon          | 28-10-21.000N<br>082-47-12.000W |         |   |   |  | NW on pile worded DANGER<br>SUBMERGED ROCKS. |
| 26235    | Anclore River<br>Daybeacon 20                       | 28-10-20.388N<br>082-47-19.056W |         | 0 |   |  | TR on pile.                                  |
| 26240    | Anclore River<br>Daybeacon 21                       | 28-10-08.159N<br>082-47-07.458W |         | 0 |   |  | SG on pile.                                  |
| 26243    | Anclore River Light 22                              | 28-10-05.030N<br>082-47-05.974W | FI R 4s | 0 | 5 |  | TR on dolphin.                               |
| 26245    | Anclore River<br>Daybeacon 23                       | 28-10-05.077N<br>082-47-01.949W |         | 0 |   |  | SG on pile.                                  |
| 26250    | Anclore River<br>Daybeacon 25                       | 28-10-02.869N<br>082-46-57.328W |         | 0 |   |  | SG on pile.                                  |
| 26255    | Anclore River<br>Daybeacon 26                       | 28-10-01.266N<br>082-46-58.232W |         | 0 |   |  | TR on pile.                                  |
| 26260    | Anclore River<br>Daybeacon 28                       | 28-09-58.505N<br>082-46-50.994W |         | 0 |   |  | TR on pile.                                  |
| 26265    | Anclore River Light 29                              | 28-09-58.309N<br>082-46-47.428W | FI G 4s | 0 | 5 |  | SG on pile.                                  |
| 26280    | Anclore River<br>Daybeacon 30                       | 28-09-55.068N<br>082-46-45.842W |         | 0 |   |  | TR on pile.                                  |
| 26285    | Anclore River<br>Daybeacon 32                       | 28-09-49.726N<br>082-46-40.793W |         | 0 |   |  | TR on pile.                                  |
| 26290    | Anclore River<br>Daybeacon 34                       | 28-09-43.303N<br>082-46-34.422W |         | 0 |   |  | TR on pile.                                  |
| 26295    | Anclore River<br>Daybeacon 35                       | 28-09-40.961N<br>082-46-28.957W |         | 0 |   |  | SG on pile.                                  |
| 26297    | Anclore River Light 36                              | 28-09-37.992N<br>082-46-26.923W | Q R     | 0 | 3 |  | TR on dolphin.                               |
| 26300    | Anclore River<br>Daybeacon 37                       | 28-09-39.800N<br>082-46-24.480W |         | 0 |   |  | SG on pile.                                  |
| 26305    | Anclore River<br>Daybeacon 38                       | 28-09-39.446N<br>082-46-15.612W |         | 0 |   |  | TR on pile.                                  |
| 26310    | Anclore River Light 39                              | 28-09-40.444N<br>082-46-12.654W | FI G 4s | 0 | 5 |  | SG on dolphin.                               |
| 26315    | Anclore River<br>Daybeacon 40                       | 28-09-37.580N<br>082-46-10.920W |         | 0 |   |  | TR on pile.                                  |
| 26320    | Anclore River<br>Daybeacon 42                       | 28-09-35.368N<br>082-46-06.024W |         | 0 |   |  | TR on pile.                                  |
| 26325    | Anclore River Light 43                              | 28-09-35.577N<br>082-46-03.552W | Q G     | 0 | 4 |  | SG on dolphin.                               |
| 26330    | Anclore River<br>Daybeacon 44                       | 28-09-33.688N<br>082-46-05.304W |         | 0 |   |  | TR on pile.                                  |
| 26335    | Anclore River<br>Daybeacon 45                       | 28-09-30.344N<br>082-46-03.293W |         | 0 |   |  | SG on pile.                                  |
| 26340    | Anclore River<br>Daybeacon 47                       | 28-09-25.777N<br>082-46-02.469W |         | 0 |   |  | SG on pile.                                  |
| 26345    | Anclore River Light 48                              | 28-09-23.476N<br>082-46-02.910W | FI R 4s | 0 | 5 |  | TR on pile.                                  |
| 26350    | Anclore River<br>Daybeacon 49                       | 28-09-24.217N<br>082-46-00.189W |         | 0 |   |  | SG on pile.                                  |
| 26355    | Anclore River<br>Daybeacon 50                       | 28-09-22.376N<br>082-45-54.893W |         | 0 |   |  | TR on pile.                                  |
| 26360    | Anclore River Turning<br>Basin Shoal<br>Daybeacon A | 28-09-24.692N<br>082-45-32.326W |         | 0 |   |  | NW on pile.                                  |
| 26365    | Anclore River Turning<br>Basin Shoal<br>Daybeacon B | 28-09-24.794N<br>082-45-29.467W |         | 0 |   |  | NW on pile.                                  |
| 26410    | Gulf Harbors South<br>Channel Light 1               | 28-14-11.736N<br>082-47-15.568W | FI G 5s |   |   |  | SG on pile.                                  |
| 26415    | Gulf Harbors South                                  | 28-14-06.136N                   |         |   |   |  | SG on pile.                                  |

|         |                                            |                                 |         |             |
|---------|--------------------------------------------|---------------------------------|---------|-------------|
|         | Channel Daybeacon 3                        | 082-46-54.768W                  |         |             |
| 26420   | Gulf Harbors South<br>Channel Daybeacon 4  | 28-14-06.636N<br>082-46-55.268W |         | TR on pile. |
| 26425   | Gulf Harbors South<br>Channel Daybeacon 5  | 28-14-02.637N<br>082-46-34.767W |         | SG on pile. |
| 26430   | Gulf Harbors South<br>Channel Daybeacon 6  | 28-14-01.837N<br>082-46-34.967W |         | TR on pile. |
| 26435   | Gulf Harbors South<br>Channel Daybeacon 7  | 28-13-57.837N<br>082-46-13.766W |         | SG on pile. |
| 26440   | Gulf Harbors South<br>Channel Daybeacon 8  | 28-13-57.437N<br>082-46-14.166W |         | TR on pile. |
| 26445   | Gulf Harbors South<br>Channel Daybeacon 9  | 28-13-53.337N<br>082-45-54.266W |         | SG on pile. |
| 26450   | Gulf Harbors South<br>Channel Daybeacon 10 | 28-13-52.837N<br>082-45-54.466W |         | TR on pile. |
| 26451.9 | Sea Forest Cut<br>Channel Daybeacon 10     | 28-14-37.800N<br>082-44-27.000W |         | TR on pile. |
| 26451.8 | Sea Forest Cut<br>Channel Daybeacon 9      | 28-14-37.800N<br>082-44-28.200W |         | SG on pile. |
| 26451.7 | Sea Forest Cut<br>Channel Daybeacon 8      | 28-14-36.600N<br>082-44-26.400W |         | TR on pile. |
| 26451.6 | Sea Forest Cut<br>Channel Daybeacon 7      | 28-14-36.000N<br>082-44-27.000W |         | SG on pile. |
| 26451.5 | Sea Forest Cut<br>Channel Daybeacon 6      | 28-14-35.400N<br>082-44-27.000W |         | TR on pile. |
| 26451.4 | Sea Forest Cut<br>Channel Daybeacon 5      | 28-14-34.500N<br>082-44-27.000W |         | SG on pile. |
| 26451.3 | Sea Forest Cut<br>Channel Daybeacon 4      | 28-14-34.800N<br>082-44-26.400W |         | TR on pile. |
| 26451.2 | Sea Forest Cut<br>Channel Daybeacon 3      | 28-14-34.200N<br>082-44-27.000W |         | SG on pile. |
| 26451.1 | Sea Forest Cut<br>Channel Daybeacon 2      | 28-14-32.400N<br>082-44-25.800W |         | TR on pile. |
| 26451   | Sea Forest Cut<br>Channel Daybeacon 1      | 28-14-32.400N<br>082-44-27.000W |         | SG on pile. |
| 26452.2 | Sea Forest Cut<br>Channel Daybeacon 14     | 28-14-39.000N<br>082-44-28.800W |         | TR on pile. |
| 26452.1 | Sea Forest Cut<br>Channel Daybeacon 12     | 28-14-38.400N<br>082-44-27.600W |         | TR on pile. |
| 26452   | Sea Forest Cut<br>Channel Daybeacon 11     | 28-14-38.400N<br>082-44-30.600W |         | SG on pile. |
| 26453.3 | Upper Cross Bayou<br>Daybeacon 7           | 28-14-28.800N<br>082-44-11.400W |         | SG on pile. |
| 26453.2 | Upper Cross Bayou<br>Daybeacon 5           | 28-14-48.400N<br>082-44-14.400W |         | SG on pile. |
| 26453.1 | Upper Cross Bayou<br>Daybeacon 3           | 28-14-33.000N<br>082-44-20.400W |         | SG on pile. |
| 26453   | Upper Cross Bayou<br>Daybeacon 1           | 28-14-32.400N<br>082-44-23.400W |         | SG on pile. |
| 26454.6 | Big Bayou Point<br>Channel Daybeacon 13    | 28-14-19.900N<br>082-44-51.600W |         | SG on pile. |
| 26454.5 | Big Bayou Point<br>Channel Daybeacon 11    | 28-14-19.800N<br>082-44-52.200W |         | SG on pile. |
| 26454.4 | Big Bayou Point<br>Channel Daybeacon 9     | 28-14-21.600N<br>082-44-55.200W |         | SG on pile. |
| 26454.3 | Big Bayou Point<br>Channel Daybeacon 7     | 28-14-23.600N<br>082-44-56.000W |         | SG on pile. |
| 26454.2 | Big Bayou Point<br>Channel Daybeacon 5     | 28-14-25.500N<br>082-44-57.200W |         | SG on pile. |
| 26454.1 | Big Bayou Point<br>Channel Daybeacon 3     | 28-14-26.700N<br>082-44-59.300W |         | SG on pile. |
| 26454   | Big Bayou Point<br>Channel Daybeacon 1     | 28-14-25.200N<br>082-45-01.800W |         | SG on pile. |
| 26455   | Gulf Harbors North<br>Channel Daybeacon 1  | 28-14-40.835N<br>082-47-09.768W |         | SG on pile. |
| 26460   | Gulf Harbors North<br>Channel Light 2      | 28-14-39.635N<br>082-47-10.568W | FI R 5s | TR on pile. |
| 26465   | Gulf Harbors North<br>Channel Daybeacon 3  | 28-14-39.635N<br>082-46-49.567W |         | SG on pile. |
| 26470   | Gulf Harbors North                         | 28-14-39.235N                   |         | TR on pile. |

|         |                                            |                                 |           |   |   |             |
|---------|--------------------------------------------|---------------------------------|-----------|---|---|-------------|
|         | Channel Daybeacon 4                        | 082-46-49.967W                  |           |   |   |             |
| 26475   | Gulf Harbors North<br>Channel Daybeacon 5  | 28-14-39.735N<br>082-46-29.767W |           |   |   | SG on pile. |
| 26480   | Gulf Harbors North<br>Channel Daybeacon 6  | 28-14-39.335N<br>082-46-29.967W |           |   |   | TR on pile. |
| 26485   | Gulf Harbors North<br>Channel Daybeacon 7  | 28-14-39.835N<br>082-46-09.766W |           |   |   | SG on pile. |
| 26490   | Gulf Harbors North<br>Channel Daybeacon 8  | 28-14-39.435N<br>082-46-10.166W |           |   |   | TR on pile. |
| 26495   | Gulf Harbors North<br>Channel Daybeacon 9  | 28-14-38.936N<br>082-45-50.665W |           |   |   | SG on pile. |
| 26500   | Gulf Harbors North<br>Channel Daybeacon 10 | 28-14-38.036N<br>082-45-50.865W |           |   |   | TR on pile. |
| 26505   | Pithlachascotee River<br>Light 1           | 28-17-07.829N<br>082-46-15.761W | FI G 6s   | 0 | 5 | SG on pile. |
| 26510   | Pithlachascotee River<br>Daybeacon 2       | 28-17-06.709N<br>082-46-14.081W |           | 0 |   | TR on pile. |
| 26515   | Pithlachascotee River<br>Daybeacon 2A      | 28-17-06.792N<br>082-46-02.064W |           | 0 |   | TR on pile. |
| 26520   | Pithlachascotee River<br>Daybeacon 3       | 28-17-07.905N<br>082-46-02.372W |           | 0 |   | SG on pile. |
| 26525   | Pithlachascotee River<br>Daybeacon 5       | 28-17-08.026N<br>082-45-34.654W |           | 0 |   | SG on pile. |
| 26530   | Pithlachascotee River<br>Light 4           | 28-17-06.957N<br>082-45-34.480W | FI R 4s   | 0 | 5 | TR on pile. |
| 26535   | Pithlachascotee River<br>Daybeacon 4A      | 28-17-06.951N<br>082-45-13.279W |           | 0 |   | TR on pile. |
| 26540   | Pithlachascotee River<br>Light 7           | 28-17-08.232N<br>082-45-12.014W | FI G 2.5s | 0 | 5 | SG on pile. |
| 26545   | Pithlachascotee River<br>Daybeacon 6       | 28-17-06.683N<br>082-45-11.421W |           | 0 |   | TR on pile. |
| 26550   | Pithlachascotee River<br>Daybeacon 8       | 28-17-01.800N<br>082-44-59.480W |           | 0 |   | TR on pile. |
| 26555   | Pithlachascotee River<br>Light 9           | 28-17-02.295N<br>082-44-57.818W | FI G 4s   | 0 | 5 | SG on pile. |
| 26560   | Pithlachascotee River<br>Daybeacon 10      | 28-17-00.651N<br>082-44-57.799W |           | 0 |   | TR on pile. |
| 26560.5 | Pithlachascotee River<br>Daybeacon 10A     | 28-16-53.817N<br>082-44-48.593W |           | 0 |   | TR on pile. |
| 26565   | Pithlachascotee River<br>Daybeacon 12      | 28-16-47.877N<br>082-44-40.514W |           | 0 |   | TR on pile. |
| 26570   | Pithlachascotee River<br>Light 13          | 28-16-47.602N<br>082-44-38.258W | Q G       | 0 | 4 | SG on pile. |
| 26575   | Pithlachascotee River<br>Daybeacon 14      | 28-16-45.963N<br>082-44-39.573W |           | 0 |   | TR on pile. |
| 26580   | Pithlachascotee River<br>Daybeacon 15      | 28-16-41.994N<br>082-44-38.374W |           | 0 |   | SG on pile. |
| 26585   | Pithlachascotee River<br>Light 16          | 28-16-40.152N<br>082-44-39.734W | Q R       | 0 | 4 | TR on pile. |
| 26590   | Pithlachascotee River<br>Daybeacon 17      | 28-16-40.272N<br>082-44-37.365W |           | 0 |   | SG on pile. |
| 26595   | Pithlachascotee River<br>Daybeacon 18      | 28-16-38.484N<br>082-44-35.964W |           | 0 |   | TR on pile. |
| 26600   | Pithlachascotee River<br>Daybeacon 20      | 28-16-37.572N<br>082-44-27.314W |           | 0 |   | TR on pile. |
| 26605   | Pithlachascotee River<br>Light 21          | 28-16-38.592N<br>082-44-25.994W | FI G 2.5s | 0 | 5 | SG on pile. |
| 26610   | Pithlachascotee River<br>Daybeacon 22      | 28-16-36.871N<br>082-44-25.627W |           | 0 |   | TR on pile. |
| 26615   | Pithlachascotee River<br>Daybeacon 23      | 28-16-34.863N<br>082-44-20.961W |           | 0 |   | SG on pile. |
| 26620   | Pithlachascotee River<br>Daybeacon 24      | 28-16-30.831N<br>082-44-15.508W |           | 0 |   | TR on pile. |
| 26625   | Pithlachascotee River<br>Daybeacon 25      | 28-16-28.911N<br>082-44-09.328W |           | 0 |   | SG on pile. |
| 26630   | Pithlachascotee River<br>Daybeacon 26      | 28-16-26.751N<br>082-44-06.688W |           | 0 |   | TR on pile. |
| 26635   | American Marina<br>Channel Daybeacon 1     | 28-16-23.809N<br>082-44-04.500W |           |   |   | SG on pile. |
| 26640   | American Marina<br>Channel Daybeacon 2     | 28-16-29.000N<br>082-44-04.957W |           |   |   | TR on pile. |

|       |                                         |                                 |         |   |   |             |
|-------|-----------------------------------------|---------------------------------|---------|---|---|-------------|
| 26645 | American Marina<br>Channel Daybeacon 3  | 28-16-22.450N<br>082-44-05.927W |         |   |   | SG on pile. |
| 26650 | American Marina<br>Channel Daybeacon 4  | 28-16-22.650N<br>082-44-07.000W |         |   |   | TR on pile. |
| 26655 | American Marina<br>Channel Daybeacon 5  | 28-16-21.109N<br>082-44-07.100W |         |   |   | SG on pile. |
| 26660 | American Marina<br>Channel Daybeacon 6  | 28-16-21.209N<br>082-44-07.827W |         |   |   | TR on pile. |
| 26665 | American Marina<br>Channel Daybeacon 7  | 28-16-20.000N<br>082-44-07.827W |         |   |   | SG on pile. |
| 26670 | American Marina<br>Channel Daybeacon 8  | 28-16-20.019N<br>082-44-08.427W |         |   |   | TR on pile. |
| 26675 | American Marina<br>Channel Daybeacon 9  | 28-16-19.000N<br>082-44-08.200W |         |   |   | SG on pile. |
| 26680 | American Marina<br>Channel Daybeacon 10 | 28-16-19.809N<br>082-44-09.500W |         |   |   | TR on pile. |
| 26685 | American Marina<br>Channel Daybeacon 11 | 28-16-17.800N<br>082-44-09.200W |         |   |   | SG on pile. |
| 26690 | American Marina<br>Channel Daybeacon 12 | 28-16-18.909N<br>082-44-10.200W |         |   |   | TR on pile. |
| 26695 | American Marina<br>Channel Daybeacon 13 | 28-16-16.100N<br>082-44-10.200W |         |   |   | SG on pile. |
| 26700 | American Marina<br>Channel Daybeacon 14 | 28-16-17.109N<br>082-44-11.000W |         |   |   | TR on pile. |
| 26705 | Pithlachascotee River<br>Light 27       | 28-16-27.521N<br>082-44-05.133W | FI G 4s | 0 | 5 | SG on pile. |
| 26710 | Pithlachascotee River<br>Daybeacon 28   | 28-16-25.911N<br>082-44-05.008W |         | 0 |   | TR on pile. |
| 26715 | Pithlachascotee River<br>Daybeacon 29   | 28-16-22.575N<br>082-43-58.606W |         | 0 |   | SG on pile. |
| 26720 | Pithlachascotee River<br>Light 30       | 28-16-21.039N<br>082-43-58.465W | FI R 4s | 0 | 5 | TR on pile. |
| 26725 | Pithlachascotee River<br>Daybeacon 31   | 28-16-22.011N<br>082-43-57.028W |         | 0 |   | SG on pile. |
| 26730 | Pithlachascotee River<br>Daybeacon 33   | 28-16-20.751N<br>082-43-51.328W |         | 0 |   | SG on pile. |
| 26735 | Pithlachascotee River<br>Daybeacon 34   | 28-16-20.483N<br>082-43-39.534W |         | 0 |   | TR on pile. |
| 26740 | Pithlachascotee River<br>Light 35       | 28-16-21.591N<br>082-43-38.248W | Q G     | 0 | 4 | SG on pile. |
| 26745 | Pithlachascotee River<br>Daybeacon 36   | 28-16-20.164N<br>082-43-38.037W |         | 0 |   | TR on pile. |
| 26750 | Pithlachascotee River<br>Daybeacon 38   | 28-16-19.675N<br>082-43-37.456W |         | 0 |   | TR on pile. |
| 26755 | Pithlachascotee River<br>Daybeacon 40   | 28-16-17.931N<br>082-43-36.928W |         | 0 |   | TR on pile. |
| 26760 | Pithlachascotee River<br>Daybeacon 41   | 28-16-14.151N<br>082-43-36.268W |         | 0 |   | SG on pile. |
| 26765 | Pithlachascotee River<br>Daybeacon 43   | 28-16-09.800N<br>082-43-31.100W |         |   |   | SG on pile. |
| 26770 | Pithlachascotee River<br>Daybeacon 44   | 28-16-07.000N<br>082-43-30.000W |         |   |   | TR on pile. |
| 26775 | Pithlachascotee River<br>Daybeacon 46   | 28-16-05.932N<br>082-43-28.012W |         |   |   | TR on pile. |
| 26780 | Pithlachascotee River<br>Daybeacon 48   | 28-16-04.450N<br>082-43-25.000W |         |   |   | TR on pile. |
| 26785 | Pithlachascotee River<br>Daybeacon 49   | 28-16-03.000N<br>082-43-20.920W |         |   |   | SG on pile. |
| 26790 | Pithlachascotee River<br>Daybeacon 51   | 28-16-00.000N<br>082-43-24.312W |         |   |   | SG on pile. |
| 26795 | Pithlachascotee River<br>Daybeacon 53   | 28-15-58.000N<br>082-43-28.010W |         |   |   | SG on pile. |
| 26800 | Pithlachascotee River<br>Daybeacon 54   | 28-15-55.000N<br>082-43-30.982W |         |   |   | TR on pile. |
| 26805 | Pithlachascotee River<br>Daybeacon 56   | 28-15-53.000N<br>082-43-29.462W |         |   |   | TR on pile. |
| 26810 | Pithlachascotee River<br>Daybeacon 58   | 28-15-52.868N<br>082-43-25.100W |         |   |   | TR on pile. |
| 26815 | Pithlachascotee River<br>Daybeacon 60   | 28-15-52.800N<br>082-43-22.500W |         |   |   | TR on pile. |



|       |                                                  |                                 |             |
|-------|--------------------------------------------------|---------------------------------|-------------|
| 26820 | Double Hammock<br>Creek Approach<br>Daybeacon 1  | 28-17-56.026N<br>082-45-13.766W | SG on pile. |
| 26825 | Double Hammock<br>Creek Approach<br>Daybeacon 2  | 28-17-51.527N<br>082-45-13.966W | TR on pile. |
| 26830 | Double Hammock<br>Creek Approach<br>Daybeacon 3  | 28-17-55.527N<br>082-44-49.365W | SG on pile. |
| 26835 | Double Hammock<br>Creek Approach<br>Daybeacon 4  | 28-17-51.327N<br>082-44-49.365W | TR on pile. |
| 26840 | Double Hammock<br>Creek Approach<br>Daybeacon 5  | 28-17-55.327N<br>082-44-29.865W | SG on pile. |
| 26845 | Double Hammock<br>Creek Approach<br>Daybeacon 6  | 28-17-51.927N<br>082-44-29.865W | TR on pile. |
| 26850 | Double Hammock<br>Creek Approach<br>Daybeacon 7  | 28-17-57.126N<br>082-44-19.565W | SG on pile. |
| 26855 | Double Hammock<br>Creek Approach<br>Daybeacon 8  | 28-17-55.027N<br>082-44-17.665W | TR on pile. |
| 26860 | Double Hammock<br>Creek Approach<br>Daybeacon 9  | 28-18-00.826N<br>082-44-14.365W | SG on pile. |
| 26865 | Double Hammock<br>Creek Approach<br>Daybeacon 10 | 28-17-59.926N<br>082-44-12.665W | TR on pile. |
| 26870 | Double Hammock<br>Creek Approach<br>Daybeacon 11 | 28-18-04.026N<br>082-44-10.565W | SG on pile. |
| 26875 | Double Hammock<br>Creek Approach<br>Daybeacon 12 | 28-18-02.926N<br>082-44-09.964W | TR on pile. |
| 26880 | Double Hammock<br>Creek Approach<br>Daybeacon 13 | 28-18-04.026N<br>082-44-05.264W | SG on pile. |
| 26885 | Double Hammock<br>Creek Approach<br>Daybeacon 15 | 28-18-00.026N<br>082-44-01.664W | SG on pile. |
| 26890 | Double Hammock<br>Creek Approach<br>Daybeacon 16 | 28-17-55.226N<br>082-43-59.964W | TR on pile. |
| 26895 | Double Hammock<br>Creek Approach<br>Daybeacon 17 | 28-17-55.226N<br>082-43-59.964W | SG on pile. |
| 26900 | Double Hammock<br>Creek Approach<br>Daybeacon 18 | 28-17-55.226N<br>082-43-59.964W | TR on pile. |
| 26905 | Double Hammock<br>Creek Approach<br>Daybeacon 19 | 28-17-55.226N<br>082-43-59.964W | SG on pile. |
| 26910 | Double Hammock<br>Creek Approach<br>Daybeacon 20 | 28-17-55.226N<br>082-43-59.964W | TR on pile. |
| 26915 | Double Hammock<br>Creek Approach<br>Daybeacon 21 | 28-17-55.226N<br>082-43-59.964W | SG on pile. |
| 26920 | Double Hammock<br>Creek Approach<br>Daybeacon 22 | 28-17-55.226N<br>082-43-59.964W | TR on pile. |
| 26925 | Double Hammock<br>Creek Approach<br>Daybeacon 23 | 28-17-55.226N<br>082-43-59.964W | SG on pile. |
| 26930 | Double Hammock<br>Creek Approach<br>Daybeacon 24 | 28-17-55.226N<br>082-43-59.964W | TR on pile. |
| 26935 | Double Hammock<br>Creek Approach<br>Daybeacon 25 | 28-17-55.226N<br>082-43-59.964W | SG on pile. |
| 26940 | Signal Cove<br>Daybeacon 1                       | 28-20-53.817N<br>082-43-44.966W | SG on pile. |

|       |                                  |                                 |         |                |
|-------|----------------------------------|---------------------------------|---------|----------------|
| 26945 | Signal Cove Light 2              | 28-20-53.017N<br>082-43-45.366W | FI R 4s | TR on pile.    |
| 26950 | Signal Cove<br>Daybeacon 3       | 28-20-53.517N<br>082-43-34.465W |         | SG on pile.    |
| 26955 | Signal Cove<br>Daybeacon 4       | 28-20-53.317N<br>082-43-33.865W |         | TR on pile.    |
| 26960 | Signal Cove<br>Daybeacon 5       | 28-20-53.717N<br>082-43-27.265W |         | SG on pile.    |
| 26965 | Signal Cove<br>Daybeacon 6       | 28-20-49.717N<br>082-43-24.065W |         | TR on pile.    |
| 26970 | Signal Cove<br>Daybeacon 7       | 28-20-55.317N<br>082-43-25.065W |         | SG on pile.    |
| 26975 | Signal Cove<br>Daybeacon 8       | 28-20-49.817N<br>082-43-23.765W |         | TR on pile.    |
| 26980 | Signal Cove<br>Daybeacon 9       | 28-20-56.017N<br>082-43-21.465W |         | SG on pile.    |
| 26985 | Signal Cove<br>Daybeacon 10      | 28-20-55.617N<br>082-43-14.465W |         | TR on pile.    |
| 26990 | Signal Cove<br>Daybeacon 11      | 28-20-56.117N<br>082-43-11.165W |         | SG on pile.    |
| 26995 | Signal Cove<br>Daybeacon 12      | 28-20-55.117N<br>082-43-05.465W |         | TR on pile.    |
| 27000 | Signal Cove<br>Daybeacon 13      | 28-20-55.217N<br>082-43-05.365W |         | SG on pile.    |
| 27005 | Signal Cove<br>Daybeacon 14      | 28-20-55.117N<br>082-42-53.764W |         | TR on pile.    |
| 27010 | Signal Cove<br>Daybeacon 15      | 28-20-55.217N<br>082-42-53.764W |         | SG on pile.    |
| 27015 | Hudson Creek Light 2             | 28-21-46.440N<br>082-45-00.060W | FI W 2s | TR on dolphin. |
| 27020 | Hudson Creek<br>Daybeacon 3      | 28-21-47.160N<br>082-44-54.660W |         | SG on pile.    |
| 27025 | Hudson Creek<br>Daybeacon 4      | 28-21-46.620N<br>082-44-49.500W |         | TR on pile.    |
| 27030 | Hudson Creek<br>Daybeacon 5      | 28-21-47.160N<br>082-44-44.040W |         | SG on pile.    |
| 27035 | Hudson Creek<br>Daybeacon 6      | 28-21-46.560N<br>082-44-38.640W |         | TR on pile.    |
| 27040 | Hudson Creek<br>Daybeacon 7      | 28-21-47.040N<br>082-44-33.420W |         | SG on pile.    |
| 27045 | Hudson Creek<br>Daybeacon 8      | 28-21-46.440N<br>082-44-28.620W |         | TR on pile.    |
| 27050 | Hudson Creek<br>Daybeacon 10     | 28-21-46.200N<br>082-44-19.560W |         | TR on pile.    |
| 27055 | Hudson Creek<br>Daybeacon 11     | 28-21-46.560N<br>082-44-15.900W |         | SG on pile.    |
| 27060 | Hudson Creek<br>Daybeacon 12     | 28-21-45.960N<br>082-44-12.180W |         | TR on pile.    |
| 27065 | Hudson Creek<br>Daybeacon 14     | 28-21-46.620N<br>082-44-06.960W |         | TR on pile.    |
| 27070 | Hudson Creek<br>Daybeacon 16     | 28-21-46.800N<br>082-43-52.860W |         | TR on pile.    |
| 27075 | Hudson Creek<br>Daybeacon 16A    | 28-21-47.015N<br>082-43-13.465W |         | TR on pile.    |
| 27080 | Hudson Creek<br>Daybeacon 18     | 28-21-47.340N<br>082-43-43.860W |         | TR on pile.    |
| 27085 | Hudson Creek<br>Daybeacon 20     | 28-21-47.340N<br>082-43-34.680W |         | TR on pile.    |
| 27090 | Hudson Creek<br>Daybeacon 22     | 28-21-47.340N<br>082-43-25.860W |         | TR on pile.    |
| 27095 | Hudson Creek<br>Daybeacon 23     | 28-21-47.820N<br>082-43-21.360W |         | SG on pile.    |
| 27100 | Hudson Creek<br>Daybeacon 24     | 28-21-47.220N<br>082-43-16.920W |         | TR on pile.    |
| 27105 | Nan'S Approach Light             | 28-21-43.015N<br>082-42-35.364W | Q R     | On motel.      |
| 27110 | Hudson Beach Park<br>Daybeacon 1 | 28-21-47.000N<br>082-42-40.800W |         | SG on pile.    |
| 27115 | Hudson Beach Park<br>Daybeacon 2 | 28-21-43.315N<br>082-42-41.000W |         | TR on pile.    |

|         |                                    |                                 |         |                 |
|---------|------------------------------------|---------------------------------|---------|-----------------|
| 27120   | Hudson Beach Park<br>Daybeacon 3   | 28-21-43.315N<br>082-42-38.000W |         | SG on pile.     |
| 27125   | Hudson Beach Park<br>Daybeacon 4   | 28-21-42.900N<br>082-42-41.365W |         | TR on pile.     |
| 27130   | Hudson Beach Park<br>Daybeacon 5   | 28-21-42.900N<br>082-42-40.900W |         | SG on pile.     |
| 27135   | Hudson Beach Park<br>Daybeacon 6   | 28-21-37.000N<br>082-42-42.000W |         | TR on pile.     |
| 27140   | Hudson Beach Park<br>Daybeacon 7   | 28-21-37.015N<br>082-42-41.665W |         | SG on pile.     |
| 27142   | Hudson Beach Park<br>Daybeacon 8   | 28-21-37.320N<br>082-42-45.060W |         | TR on pile.     |
| 27142.1 | Hudson Beach Park<br>Daybeacon 9   | 28-21-36.900N<br>082-42-44.580W |         | SG on pile.     |
| 27142.2 | Hudson Beach Park<br>Daybeacon 10  | 28-21-34.320N<br>082-42-47.580W |         | TR on pile.     |
| 27142.3 | Hudson Beach Park<br>Daybeacon 11  | 28-21-34.020N<br>082-42-47.100W |         | SG on pile.     |
| 27145   | Sea Pines Channel<br>Light 1       | 28-23-13.011N<br>082-44-53.369W | FI G 4s | SG on platform. |
| 27150   | Sea Pines Channel<br>Daybeacon 3   | 28-23-11.211N<br>082-44-34.968W |         | SG on pile.     |
| 27155   | Sea Pines Channel<br>Daybeacon 5   | 28-23-11.310N<br>082-44-16.868W |         | SG on pile.     |
| 27160   | Sea Pines Channel<br>Daybeacon 7   | 28-23-11.410N<br>082-43-59.367W |         | SG on pile.     |
| 27165   | Sea Pines Channel<br>Daybeacon 9   | 28-23-11.610N<br>082-43-43.067W |         | SG on pile.     |
| 27170   | Sea Pines Channel<br>Daybeacon 10  | 28-23-10.910N<br>082-43-43.167W |         | TR on pile.     |
| 27175   | Sea Pines Channel<br>Daybeacon 11  | 28-23-11.722N<br>082-43-37.500W |         | SG on pile.     |
| 27180   | Sea Pines Channel<br>Daybeacon 12  | 28-23-11.410N<br>082-43-31.967W |         | TR on pile.     |
| 27185   | Sea Pines Channel<br>Daybeacon 13  | 28-23-11.710N<br>082-43-31.667W |         | SG on pile.     |
| 27190   | Sea Pines Channel<br>Daybeacon 14  | 28-23-10.922N<br>082-43-26.000W |         | TR on pile.     |
| 27195   | Sea Pines Channel<br>Daybeacon 15  | 28-23-11.722N<br>082-43-26.000W |         | SG on pile.     |
| 27200   | Sea Pines Channel<br>Daybeacon 16  | 28-23-11.010N<br>082-43-17.766W |         | TR on pile.     |
| 27205   | Sea Pines Channel<br>Daybeacon 17  | 28-23-11.710N<br>082-43-17.266W |         | SG on pile.     |
| 27210   | Sea Pines Channel<br>Daybeacon 19  | 28-23-11.610N<br>082-43-05.866W |         | SG on pile.     |
| 27215   | Sea Pines Channel<br>Daybeacon 20  | 28-23-10.910N<br>082-43-06.366W |         | TR on pile.     |
| 27220   | Sea Pines Channel<br>Daybeacon 21  | 28-23-11.522N<br>082-43-00.000W |         | SG on pile.     |
| 27225   | Sea Pines Channel<br>Daybeacon 22  | 28-23-10.910N<br>082-42-43.000W |         | TR on pile.     |
| 27230   | Sea Pines Channel<br>Daybeacon 23  | 28-23-11.210N<br>082-42-52.866W |         | SG on pile.     |
| 27235   | Sea Pines Channel<br>Daybeacon 24  | 28-23-10.722N<br>082-42-51.563W |         | TR on pile.     |
| 27240   | Sea Pines Channel<br>Daybeacon 25  | 28-23-11.222N<br>082-42-47.700W |         | SG on pile.     |
| 27245   | Sea Pines Channel<br>Daybeacon 26  | 28-23-10.510N<br>082-42-40.765W |         | TR on pile.     |
| 27250   | Sea Pines Channel<br>Daybeacon 27  | 28-23-11.310N<br>082-42-41.265W |         | SG on pile.     |
| 27255   | Sea Pines Channel<br>Daybeacon 27A | 28-23-11.022N<br>082-42-37.963W |         | SG on pile.     |
| 27260   | Sea Pines Channel<br>Daybeacon 28  | 28-23-10.600N<br>082-42-30.065W |         | TR on pile.     |
| 27265   | Sea Pines Channel<br>Daybeacon 29  | 28-23-11.410N<br>082-42-33.365W |         | SG on pile.     |
| 27270   | Sea Pines Channel<br>Daybeacon 29A | 28-23-11.922N<br>082-42-33.500W |         | SG on pile.     |

|       |                                   |                                 |         |                |
|-------|-----------------------------------|---------------------------------|---------|----------------|
| 27275 | Sea Pines Channel<br>Daybeacon 30 | 28-23-10.610N<br>082-42-30.800W |         | TR on pile.    |
| 27280 | Sea Pines Channel<br>Daybeacon 31 | 28-23-11.900N<br>082-42-30.800W |         | SG on pile.    |
| 27285 | Aripeka Approach<br>Light Ar      | 28-27-06.999N<br>082-44-47.371W | Fl W 6s | NG on dolphin. |
| 27290 | Aripeka Daybeacon 1               | 28-27-10.998N<br>082-44-23.370W |         | SG on pile.    |
| 27295 | Aripeka Daybeacon 2               | 28-26-58.999N<br>082-44-26.370W |         | TR on pile.    |
| 27300 | Aripeka Daybeacon 4               | 28-26-57.999N<br>082-44-07.370W |         | TR on pile.    |
| 27305 | Aripeka Daybeacon 6               | 28-26-54.999N<br>082-43-48.369W |         | TR on pile.    |
| 27310 | Aripeka Daybeacon 7               | 28-26-55.999N<br>082-43-26.369W |         | SG on pile.    |
| 27315 | Aripeka Daybeacon 8               | 28-26-50.999N<br>082-43-29.369W |         | TR on pile.    |
| 27320 | Aripeka Daybeacon 10              | 28-26-46.999N<br>082-43-09.368W |         | TR on pile.    |
| 27325 | Aripeka Daybeacon 12              | 28-26-42.999N<br>082-42-49.368W |         | TR on pile.    |
| 27330 | Aripeka Daybeacon 13              | 28-26-43.999N<br>082-42-27.367W |         | SG on pile.    |
| 27335 | Aripeka Daybeacon 14              | 28-26-38.000N<br>082-42-29.367W |         | TR on pile.    |
| 27340 | Aripeka Daybeacon 16              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27345 | Aripeka Daybeacon 18              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27350 | Aripeka Daybeacon 19              | 28-27-00.000N<br>082-42-30.000W |         | SG on pile.    |
| 27355 | Aripeka Daybeacon 20              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27360 | Aripeka Daybeacon 22              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27365 | Aripeka Daybeacon 24              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27370 | Aripeka Daybeacon 25              | 28-26-34.000N<br>082-42-09.366W |         | SG on pile.    |
| 27375 | Aripeka Daybeacon 26              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27380 | Aripeka Daybeacon 28              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27385 | Aripeka Daybeacon 30              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27390 | Aripeka Daybeacon 31              | 28-26-34.000N<br>082-42-09.366W |         | SG on pile.    |
| 27395 | Aripeka Daybeacon 32              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27400 | Aripeka Daybeacon 34              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27405 | Aripeka Daybeacon 36              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27410 | Aripeka Daybeacon 37              | 28-26-34.000N<br>082-42-09.366W |         | SG on pile.    |
| 27415 | Aripeka Daybeacon 38              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27420 | Aripeka Daybeacon 40              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27425 | Aripeka Daybeacon 41              | 28-26-34.000N<br>082-42-09.366W |         | SG on pile.    |
| 27430 | Aripeka Daybeacon 42              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27435 | Aripeka Daybeacon 44              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27440 | Aripeka Daybeacon 46              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27445 | Aripeka Daybeacon 48              | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.    |
| 27450 | Aripeka Daybeacon 50              | 28-26-34.000N                   |         | TR on pile.    |

|       |                                                |                                 |         |                                                     |
|-------|------------------------------------------------|---------------------------------|---------|-----------------------------------------------------|
|       |                                                | 082-42-09.366W                  |         |                                                     |
| 27455 | Aripeka Daybeacon 52                           | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.                                         |
| 27460 | Aripeka Daybeacon 54                           | 28-26-34.000N<br>082-42-09.366W |         | TR on pile.                                         |
| 27465 | Gomez Rock North Obstruction Daybeacon         | 28-29-49.000N<br>082-43-48.000W |         | NW on pile worded DANGER SUBMERGED ROCKS.           |
| 27470 | Gomez Rock South Obstruction Daybeacon         | 28-29-38.300N<br>082-43-48.200W |         | NW on pile worded DANGER SUBMERGED ROCKS.           |
| 27475 | Billy Steele Obstruction Light                 | 28-30-18.988N<br>082-46-47.376W | Oc W 4s | NW on dolphin worded BILLY STEELE DANGER ROCK AREA. |
| 27480 | Cutter Rock Obstruction Light                  | 28-30-54.000N<br>082-50-00.000W | FI W 6s | NW on pile worded CUTTER SUBMERGED ROCKS DANGER.    |
| 27485 | Tull Rock Daybeacon                            | 28-31-12.985N<br>082-42-26.369W |         | NW on pile worded TULL ROCK DANGER ROCK AREA.       |
| 27490 | Hernando Beach Channel South Approach Light Hb | 28-30-24.988N<br>082-44-05.371W | FI W 3s | NR on pile.                                         |
| 27495 | Hernando Beach Channel Entrance Light          | 28-31-12.985N<br>082-42-29.369W | FI W 2s | NL on tripod worded BILL WATTS.                     |
| 27500 | Sigrist Rock Obstruction Daybeacon             | 28-31-03.000N<br>082-42-37.000W |         | NW on pile worded DANGER SIGRIST ROCK.              |
| 27505 | Hernando Beach Channel Daybeacon 1             | 28-31-07.440N<br>082-42-24.480W |         | SG on pile.                                         |
| 27510 | Hernando Beach Channel Daybeacon 2             | 28-31-06.840N<br>082-42-24.840W |         | TR on pile.                                         |
| 27515 | Hernando Beach Channel Daybeacon 3             | 28-31-05.580N<br>082-42-20.700W |         | SG on pile.                                         |
| 27520 | Hernando Beach Channel Daybeacon 4             | 28-31-05.220N<br>082-42-20.700W |         | TR on pile.                                         |
| 27525 | Hernando Beach Channel Daybeacon 5             | 28-31-01.800N<br>082-42-12.900W |         | SG on pile.                                         |
| 27530 | Hernando Beach Channel Daybeacon 6             | 28-31-01.140N<br>082-42-13.200W |         | TR on pile.                                         |
| 27535 | Hernando Beach Channel Daybeacon 7             | 28-30-58.020N<br>082-42-07.140W |         | SG on pile.                                         |
| 27540 | Hernando Beach Channel Daybeacon 8             | 28-30-57.540N<br>082-42-07.620W |         | TR on pile.                                         |
| 27545 | Hernando Beach Channel Daybeacon 9             | 28-30-53.700N<br>082-42-00.690W |         | SG on pile.                                         |
| 27550 | Hernando Beach Channel Daybeacon 10            | 28-30-53.100N<br>082-42-01.080W |         | TR on pile.                                         |
| 27555 | Hernando Beach Channel Daybeacon 11            | 28-30-49.620N<br>082-41-54.990W |         | SG on pile.                                         |
| 27560 | Hernando Beach Channel Daybeacon 12            | 28-30-48.840N<br>082-41-55.440W |         | TR on pile.                                         |
| 27565 | Hernando Beach Channel Daybeacon 13            | 28-30-45.060N<br>082-41-48.840W |         | SG on pile.                                         |
| 27570 | Hernando Beach Channel Daybeacon 14            | 28-30-40.520N<br>082-41-49.320W |         | TR on pile.                                         |
| 27575 | Hernando Beach Channel Daybeacon 15            | 28-30-40.260N<br>082-41-43.020W |         | SG on pile.                                         |
| 27585 | Hernando Beach Channel Daybeacon 17            | 28-30-35.680N<br>082-41-37.400W |         | SG on pile.                                         |
| 27590 | Hernando Beach Channel Daybeacon 18            | 28-30-35.300N<br>082-41-38.040W |         | TR on pile.                                         |
| 27595 | Hernando Beach Channel Daybeacon 19            | 28-30-30.840N<br>082-41-31.380W |         | SG on pile.                                         |
| 27600 | Hernando Beach Channel Daybeacon 20            | 28-30-27.840N<br>082-41-28.620W |         | TR on pile.                                         |
| 27605 | Hernando Beach Channel Daybeacon 21            | 28-30-25.140N<br>082-41-24.300W |         | SG on pile.                                         |
| 27610 | Hernando Beach Channel Daybeacon               | 28-30-24.600N<br>082-41-24.960W |         | TR on pile.                                         |

|         |                                            |                                 |     |             |
|---------|--------------------------------------------|---------------------------------|-----|-------------|
|         | 22                                         |                                 |     |             |
| 27615   | Hernando Beach<br>Channel Daybeacon<br>23  | 28-30-19.920N<br>082-41-19.770W |     | SG on pile. |
| 27625   | Hernando Beach<br>Channel Daybeacon<br>25  | 28-30-14.940N<br>082-41-15.180W |     | SG on pile. |
| 27630   | Hernando Beach<br>Channel Daybeacon<br>26  | 28-30-14.400N<br>082-41-15.720W |     | TR on pile. |
| 27630.5 | Hernando Beach<br>Channel Daybeacon<br>27  | 28-30-10.680N<br>082-41-11.700W |     | SG on pile. |
| 27635   | Hernando Beach<br>Channel Light 28         | 28-30-10.230N<br>082-41-12.560W | Q R | TR on pile. |
| 27640   | Hernando Beach<br>Channel Daybeacon<br>29  | 28-30-08.750N<br>082-41-04.930W |     | SG on pile. |
| 27645   | Hernando Beach<br>Channel Daybeacon<br>30  | 28-30-07.980N<br>082-41-05.160W |     | TR on pile. |
| 27648   | Hernando Beach<br>Channel Daybeacon 31     | 28-30-06.720N<br>082-40-57.600W |     | SG on pile. |
| 27655   | Hernando Beach<br>Channel Daybeacon<br>33  | 28-30-04.730N<br>082-40-50.360W |     | SG on pile. |
| 27660   | Hernando Beach<br>Channel Daybeacon<br>34  | 28-30-04.100N<br>082-40-50.680W |     | TR on pile. |
| 27663   | Hernando Beach<br>Channel Daybeacon<br>35  | 28-30-02.690N<br>082-40-43.430W |     | SG on Pile. |
| 27665   | Hernando Beach<br>Channel Daybeacon<br>36  | 28-30-02.160N<br>082-40-43.620W |     | TR on pile. |
| 27670   | Hernando Beach<br>Channel Daybeacon<br>37  | 28-30-00.540N<br>082-40-34.200W |     | SG on pile. |
| 27675   | Hernando Beach<br>Channel Light 38         | 28-29-59.520N<br>082-40-34.080W | Q R | TR on pile. |
| 27680   | Hernando Beach<br>Channel Daybeacon<br>38A | 28-30-00.660N<br>082-40-30.840W |     | TR on pile. |
| 27685   | Hernando Beach<br>Channel Daybeacon<br>40  | 28-30-01.680N<br>082-40-28.740W |     | TR on pile. |
| 27695   | Hernando Beach<br>Channel Daybeacon<br>42  | 28-30-03.420N<br>082-40-23.280W |     | TR on pile. |
| 27700   | Hernando Beach<br>Channel Daybeacon<br>43  | 28-30-04.620N<br>082-40-21.120W |     | SG on pile. |
| 27705   | Hernando Beach<br>Channel Daybeacon<br>44  | 28-30-03.720N<br>082-40-19.140W |     | TR on pile. |
| 27710   | Hernando Beach<br>Channel Daybeacon<br>45  | 28-30-03.720N<br>082-40-14.520W |     | SG on pile. |
| 27715   | Hernando Beach<br>Channel Daybeacon<br>46  | 28-30-02.760N<br>082-40-15.360W |     | TR on pile. |
| 27725   | Hernando Beach<br>Channel Daybeacon<br>48  | 28-29-59.740N<br>082-40-11.150W |     | TR on pile. |
| 27725.5 | Hernando Beach<br>Channel Daybeacon<br>49  | 28-29-56.760N<br>082-40-05.700W |     | SG on pile. |
| 27730   | Hernando Beach<br>Channel Daybeacon<br>50  | 28-29-55.800N<br>082-40-06.240W |     | TR on pile. |
| 27732   | Hernando Beach<br>Channel Daybeacon 51     | 28-29-55.380N<br>082-40-01.620W |     | SG on pile. |
| 27737   | Hernando Beach                             | 28-29-54.750N                   | Q G | SG on pile. |

|         |                                                      |                                 |          |                                                        |
|---------|------------------------------------------------------|---------------------------------|----------|--------------------------------------------------------|
|         | Channel Light 53                                     | 082-39-58.320W                  |          |                                                        |
| 27740   | Hernando Beach<br>Channel Light 54                   | 28-29-53.330N<br>082-39-58.700W | Q R      |                                                        |
| 27742   | Hernando Beach<br>Channel Obstruction<br>Daybeacon A | 28-29-49.620N<br>082-39-58.260W |          | NW on pile worded DANGER<br>ROCK.                      |
| 27743   | Hernando Beach<br>Channel Daybeacon<br>55            | 28-29-51.480N<br>082-39-57.840W |          | SG on pile.                                            |
| 27745   | Hernando Beach<br>Channel Daybeacon<br>56            | 28-29-48.570N<br>082-39-59.210W |          | TR on pile.                                            |
| 27747   | Hernando Beach<br>Channel Daybeacon<br>57            | 28-29-46.800N<br>082-39-57.960W |          | SG on pile.                                            |
| 27750   | Hernando Beach<br>Channel Daybeacon<br>58            | 28-29-43.360N<br>082-39-57.800W |          | TR on pile.                                            |
| 27751   | Hernando Beach<br>Channel Daybeacon<br>59            | 28-29-44.040N<br>082-39-57.360W |          | SG on pile.                                            |
| 27755   | Hernando Beach<br>Channel Daybeacon<br>60            | 28-29-36.060N<br>082-40-00.360W |          | TR on pile.                                            |
| 27760   | Hernando Beach<br>Channel Daybeacon<br>62            | 28-29-40.140N<br>082-40-01.620W |          | TR on pile.                                            |
| 27770   | Hernando Beach<br>Channel Daybeacon<br>64            | 28-29-42.560N<br>082-40-04.160W |          | TR on pile.                                            |
| 27780   | Hernando Beach<br>Channel Daybeacon<br>66            | 28-29-41.880N<br>082-40-06.470W |          | TR on pile.                                            |
| 27785   | Hernando Beach<br>Channel Daybeacon<br>67            | 28-29-41.160N<br>082-40-05.820W |          | SG on pile.                                            |
| 27790   | Hernando Beach<br>Channel Daybeacon<br>68            | 28-29-37.230N<br>082-40-06.920W |          | TR on pile.                                            |
| 27800   | Hernando Beach<br>Channel Daybeacon<br>70            | 28-29-35.700N<br>082-40-06.660W |          | TR on pile.                                            |
| 27805.5 | Hernando Beach<br>Channel Daybeacon<br>73            | 28-29-32.470N<br>082-40-05.890W |          | SG on pile.                                            |
| 27805   | Hernando Beach<br>Channel Daybeacon<br>72            | 28-29-33.490N<br>082-40-06.660W |          | TR on pile.                                            |
| 27810   | Hernando Beach<br>Channel Daybeacon<br>74            | 28-29-31.020N<br>082-40-05.700W |          | TR on pile.                                            |
| 27820   | Hernando Beach<br>Channel Daybeacon<br>76            | 28-29-27.200N<br>082-40-01.970W |          | TR on pile.                                            |
| 27823   | Hernando Beach<br>Channel Daybeacon<br>77            | 28-29-26.400N<br>082-39-59.700W |          | SG on pile.                                            |
| 27825   | Hernando Beach<br>Channel Daybeacon<br>78            | 28-29-25.970N<br>082-39-59.930W |          | TR on pile.                                            |
| 27835   | Hernando Beach<br>Channel Daybeacon<br>80            | 28-29-27.240N<br>082-39-56.000W |          | TR on pile.                                            |
| 27930   | Johnson Rock<br>Obstruction<br>Daybeacon             | 28-33-54.000N<br>082-47-18.000W |          | NW on pile worded<br>JOHNSON ROCK DANGER<br>ROCK AREA. |
| 27935   | Middle Rock<br>Obstruction<br>Daybeacon              | 28-31-43.200N<br>082-46-34.200W |          | NW on pile worded MIDDLE<br>ROCK DANGER ROCK AREA.     |
| 27940   | Bayport North Rack<br>Light                          | 28-33-54.976N<br>082-46-53.375W | Iso W 6s | NW on dolphin worded<br>NORTH RACK DANGER<br>BAYPORT.  |
| 27945   | Bayport Channel                                      | 28-32-48.980N                   | Fl W 5s  | NB on tripod.                                          |

|       |                                               |                                 |         |                                                          |
|-------|-----------------------------------------------|---------------------------------|---------|----------------------------------------------------------|
|       | Approach Light BP                             | 082-42-15.368W                  |         |                                                          |
| 27950 | O'Connell Rock<br>Obstruction<br>Daybeacon    | 28-32-24.982N<br>082-42-41.369W |         | NW on pile worded<br>O`CONNELL ROCK DANGER<br>ROCK AREA. |
| 27955 | South Rock<br>Obstruction<br>Daybeacon        | 28-32-30.981N<br>082-42-29.368W |         | NW on pile worded SOUTH<br>ROCK DANGER ROCK AREA.        |
| 27960 | Beacon Rock<br>Obstruction<br>Daybeacon       | 28-32-54.980N<br>082-42-23.368W |         | NW on pile worded BEACON<br>ROCK DANGER ROCK AREA.       |
| 27965 | Bayport Channel<br>Daybeacon 1                | 28-32-41.000N<br>082-42-18.000W |         | SG on pile.                                              |
| 27970 | Bayport Channel<br>Daybeacon 1A               | 28-32-38.781N<br>082-41-57.367W |         | SG on pile.                                              |
| 27975 | Bayport Channel<br>Daybeacon 2                | 28-32-33.681N<br>082-42-00.867W |         | TR on pile.                                              |
| 27980 | Bayport Channel<br>Daybeacon 2A               | 28-32-30.981N<br>082-41-50.367W |         | TR on pile.                                              |
| 27985 | Bayport Channel<br>Daybeacon 2B               | 28-32-30.981N<br>082-41-50.367W |         | TR on pile.                                              |
| 27987 | Bayport Entrance<br>South Danger<br>Daybeacon | 28-32-19.560N<br>082-41-39.240W |         | NW on pile worded DANGER<br>ROCK AREA.                   |
| 27990 | Bayport Channel<br>Daybeacon 3                | 28-32-30.381N<br>082-41-34.367W |         | SG on pile.                                              |
| 27995 | Bayport Channel<br>Daybeacon 4                | 28-32-25.081N<br>082-41-36.367W |         | TR on pile.                                              |
| 28000 | Bayport Channel<br>Daybeacon 4A               | 28-32-22.981N<br>082-41-22.367W |         | TR on pile.                                              |
| 28005 | Bayport Channel<br>Daybeacon 5                | 28-32-21.082N<br>082-41-06.566W |         | SG on pile.                                              |
| 28010 | Bayport Channel<br>Daybeacon 6                | 28-32-16.882N<br>082-41-09.366W |         | TR on pile.                                              |
| 28015 | Bayport Channel<br>Daybeacon 6A               | 28-32-12.482N<br>082-40-58.366W |         | TR on pile.                                              |
| 28020 | Bayport Channel<br>Daybeacon 7                | 28-32-11.982N<br>082-40-46.066W |         | SG on pile.                                              |
| 28025 | Bayport Channel<br>Daybeacon 8A               | 28-32-06.982N<br>082-40-24.365W |         | TR on pile.                                              |
| 28030 | Bayport Channel Light<br>8                    | 28-32-07.182N<br>082-40-41.366W | FI R 4s | TR on pile.                                              |
| 28035 | Bayport Channel<br>Daybeacon 9                | 28-32-07.182N<br>082-40-41.366W |         | SG on pile.                                              |
| 28040 | Bayport Channel<br>Daybeacon 10               | 28-32-07.182N<br>082-40-41.366W |         | TR on pile.                                              |
| 28045 | Bayport Channel<br>Daybeacon 11               | 28-32-07.182N<br>082-40-41.366W |         | SG on pile.                                              |
| 28050 | Bayport Channel<br>Daybeacon 11A              | 28-32-06.982N<br>082-40-41.366W |         | SG on pile.                                              |
| 28055 | Bayport Channel<br>Daybeacon 12               | 28-32-07.182N<br>082-40-41.366W |         | TR on pile.                                              |
| 28060 | Bayport Channel<br>Daybeacon 12A              | 28-32-07.182N<br>082-40-41.366W |         | TR on pile.                                              |
| 28065 | Bayport Channel<br>Daybeacon 13               | 28-32-07.182N<br>082-40-41.366W |         | SG on pile.                                              |
| 28070 | Bayport Channel<br>Daybeacon 14               | 28-32-07.182N<br>082-40-41.366W |         | TR on pile.                                              |
| 28075 | Bayport Channel<br>Daybeacon 15               | 28-32-07.182N<br>082-40-41.366W |         | SG on pile.                                              |
| 28080 | Bayport Channel<br>Daybeacon 15A              | 28-32-07.182N<br>082-40-41.366W |         | SG on pile.                                              |
| 28085 | Bayport Channel<br>Daybeacon 16               | 28-32-07.182N<br>082-40-41.366W |         | TR on pile.                                              |
| 28090 | Bayport Channel<br>Daybeacon 16A              | 28-32-07.182N<br>082-40-41.366W |         | TR on pile.                                              |
| 28095 | Bayport Channel<br>Daybeacon 17               | 28-32-07.182N<br>082-40-41.366W |         | SG on pile.                                              |
| 28100 | Bayport Channel<br>Daybeacon 18               | 28-32-07.182N<br>082-40-41.366W |         | TR on pile.                                              |
| 28105 | Bayport Channel<br>Daybeacon 19               | 28-32-07.182N<br>082-40-41.366W |         | SG on pile.                                              |



|       |                                          |                                 |     |                                                    |
|-------|------------------------------------------|---------------------------------|-----|----------------------------------------------------|
| 28110 | Bayport Channel<br>Daybeacon 19A         | 28-32-07.182N<br>082-40-41.366W |     | SG on pile.                                        |
| 28115 | Bayport Channel<br>Daybeacon 20          | 28-32-07.182N<br>082-40-41.366W |     | TR on pile.                                        |
| 28120 | Bayport Channel<br>Daybeacon 20a         | 28-32-07.182N<br>082-40-41.366W |     | TR on pile.                                        |
| 28125 | Bayport Channel<br>Daybeacon 21          | 28-32-07.182N<br>082-40-41.366W |     | SG on pile.                                        |
| 28130 | Bayport Channel<br>Daybeacon 22          | 28-32-07.182N<br>082-40-41.366W |     | TR on pile.                                        |
| 28135 | Bayport Channel<br>Daybeacon 24          | 28-32-07.182N<br>082-40-41.366W |     | TR on pile.                                        |
| 28140 | Bayport Channel<br>Daybeacon 25          | 28-32-07.182N<br>082-40-41.366W |     | SG on pile.                                        |
| 28145 | Bayport Channel<br>Daybeacon 28          | 28-32-07.182N<br>082-40-41.366W |     | TR on pile.                                        |
| 28150 | Bayport Channel<br>Daybeacon 30          | 28-32-07.182N<br>082-40-41.366W |     | TR on pile.                                        |
| 28155 | Bayport Channel<br>Daybeacon 32          | 28-32-07.182N<br>082-40-41.366W |     | TR on pile.                                        |
| 28160 | Bayport Channel<br>Daybeacon 33          | 28-32-07.182N<br>082-40-41.366W |     | SG on pile.                                        |
| 28165 | Bayport Channel<br>Daybeacon 34          | 28-32-07.182N<br>082-40-41.366W |     | TR on pile.                                        |
| 28170 | Weeki Wachee River<br>Daybeacon 36       | 28-32-07.982N<br>082-38-23.662W |     | TR on pile.                                        |
| 28175 | Weeki Wachee River<br>Daybeacon 37       | 28-32-07.982N<br>082-38-23.662W |     | SG on pile.                                        |
| 28180 | Weeki Wachee River<br>Daybeacon 38       | 28-32-07.982N<br>082-38-23.662W |     | TR on pile.                                        |
| 28185 | Weeki Wachee River<br>Daybeacon 39       | 28-32-07.982N<br>082-38-23.362W |     | SG on pile.                                        |
| 28190 | Weeki Wachee River<br>Daybeacon 41       | 28-32-00.000N<br>082-38-06.000W |     | SG on pile.                                        |
| 28195 | Weeki Wachee River<br>Daybeacon 42       | 28-32-07.982N<br>082-38-23.362W |     | TR on pile.                                        |
| 28200 | Weeki Wachee River<br>Daybeacon 43       | 28-32-07.982N<br>082-38-23.662W |     | SG on pile.                                        |
| 28205 | Weeki Wachee River<br>Daybeacon 44       | 28-32-00.000N<br>082-38-05.000W |     | TR on pile.                                        |
| 28210 | Weeki Wachee River<br>Junction Daybeacon | 28-32-07.982N<br>082-38-23.662W |     | JG on pile.                                        |
| 28215 | Smith Rock<br>Obstruction<br>Daybeacon   | 28-33-01.000N<br>082-41-04.000W |     | NW on pile worded SMITH<br>ROCK DANGER ROCK AREA.  |
| 28220 | Holder Rock<br>Obstruction<br>Daybeacon  | 28-35-36.000N<br>082-45-36.600W |     | NW on pile worded HOLDER<br>ROCK DANGER.           |
| 28222 | Nobleton Danger<br>Daybeacon             | 28-38-50.340N<br>082-15-43.680W |     | NW on pile worded DANGER<br>ROCK AREA.             |
| 28225 | Chassahowitzka<br>Approach Light Cw      | 28-39-12.960N<br>082-44-05.368W | Q W | NG and NL on dolphin; NL<br>worded CHASSAHOWITZKA. |
| 28230 | Chassahowitzka<br>Daybeacon 2            | 28-39-49.958N<br>082-41-39.365W |     | TR on pile.                                        |
| 28235 | Chassahowitzka<br>Daybeacon 3            | 28-39-54.958N<br>082-41-51.365W |     | SG on pile.                                        |
| 28240 | Chassahowitzka<br>Daybeacon 4            | 28-39-54.958N<br>082-41-51.365W |     | TR on pile.                                        |
| 28245 | Chassahowitzka<br>Daybeacon 6            | 28-39-54.958N<br>082-41-51.365W |     | TR on pile.                                        |
| 28250 | Chassahowitzka<br>Daybeacon 7            | 28-39-55.674N<br>082-41-50.773W |     | SG on pile.                                        |
| 28255 | Chassahowitzka<br>Daybeacon 7A           | 28-39-54.958N<br>082-41-51.365W |     | SG on pile.                                        |
| 28260 | Chassahowitzka<br>Daybeacon 8            | 28-39-54.958N<br>082-41-51.365W |     | TR on pile.                                        |
| 28265 | Chassahowitzka<br>Daybeacon 9            | 28-39-54.958N<br>082-41-51.365W |     | SG on pile.                                        |
| 28270 | Chassahowitzka<br>Daybeacon 9A           | 28-39-54.958N<br>082-41-51.365W |     | SG on pile.                                        |

|       |                                   |                                 |         |   |   |             |
|-------|-----------------------------------|---------------------------------|---------|---|---|-------------|
| 28275 | Chassahowitzka<br>Daybeacon 10    | 28-39-54.958N<br>082-41-51.365W |         |   |   | TR on pile. |
| 28280 | Chassahowitzka<br>Daybeacon 11    | 28-39-54.958N<br>082-41-51.365W |         |   |   | SG on pile. |
| 28285 | Chassahowitzka<br>Daybeacon 12    | 28-39-54.958N<br>082-41-51.365W |         |   |   | TR on pile. |
| 28290 | Chassahowitzka<br>Daybeacon 13    | 28-39-54.958N<br>082-41-51.365W |         |   |   | SG on pile. |
| 28295 | Chassahowitzka<br>Daybeacon 14    | 28-39-54.958N<br>082-41-51.365W |         |   |   | TR on pile. |
| 28300 | Chassahowitzka<br>Daybeacon 15    | 28-39-54.958N<br>082-41-51.365W |         |   |   | SG on pile. |
| 28305 | Chassahowitzka<br>Daybeacon 17    | 28-39-54.958N<br>082-41-51.365W |         |   |   | SG on pile. |
| 28310 | Chassahowitzka<br>Daybeacon 19    | 28-39-54.958N<br>082-41-51.365W |         |   |   | SG on pile. |
| 28315 | Chassahowitzka<br>Daybeacon 20    | 28-39-54.958N<br>082-41-51.365W |         |   |   | TR on pile. |
| 28320 | Chassahowitzka<br>Daybeacon 21    | 28-39-54.958N<br>082-41-51.365W |         |   |   | SG on pile. |
| 28325 | Chassahowitzka<br>Daybeacon 22    | 28-39-54.958N<br>082-41-51.365W |         |   |   | TR on pile. |
| 28330 | Chassahowitzka<br>Daybeacon 23    | 28-39-54.958N<br>082-41-51.365W |         |   |   | SG on pile. |
| 28335 | Chassahowitzka<br>Daybeacon 24    | 28-39-54.958N<br>082-41-51.365W |         |   |   | TR on pile. |
| 28340 | Chassahowitzka<br>Daybeacon 25    | 28-39-54.958N<br>082-41-51.365W |         |   |   | SG on pile. |
| 28345 | Chassahowitzka<br>Daybeacon 27    | 28-39-54.958N<br>082-41-51.365W |         |   |   | SG on pile. |
| 28350 | Chassahowitzka<br>Daybeacon 28    | 28-39-54.958N<br>082-41-51.365W |         |   |   | TR on pile. |
| 28355 | Chassahowitzka<br>Daybeacon 29    | 28-39-54.958N<br>082-41-51.365W |         |   |   | SG on pile. |
| 28360 | Chassahowitzka<br>Daybeacon 31    | 28-39-54.958N<br>082-41-51.365W |         |   |   | SG on pile. |
| 28365 | Homosassa Bay<br>Entrance Light 2 | 28-41-25.520N<br>082-48-38.916W | FI R 4s | 0 | 5 | TR on pile. |
| 28366 | Homosassa Bay<br>Daybeacon 2A     | 28-42-36.068N<br>082-47-18.084W |         | 0 |   | TR on pile. |
| 28370 | Homosassa Bay<br>Lighted Buoy 4   | 28-43-35.989N<br>082-45-52.819W | FI R 4s |   | 5 | Red nun.    |
| 28373 | Homosassa Bay Buoy<br>5           | 28-43-54.049N<br>082-45-36.029W |         |   |   | Green can.  |
| 28375 | Homosassa Bay<br>Daybeacon 6      | 28-44-00.926N<br>082-45-18.319W |         | 0 |   | TR on pile. |
| 28377 | Homosassa Bay Buoy<br>7           | 28-44-18.067N<br>082-45-05.966W |         |   |   | Green can.  |
| 28380 | Homosassa Bay Buoy<br>8           | 28-44-25.429N<br>082-44-52.951W |         |   |   | Red nun.    |
| 28383 | Homosassa Bay Buoy<br>9           | 28-44-36.020N<br>082-44-42.019W |         |   |   | Green can.  |
| 28385 | Homosassa Bay<br>Lighted Buoy 10  | 28-44-43.296N<br>082-44-26.456W | FI R 4s |   | 5 | Red.        |
| 28387 | Homosassa Bay Buoy<br>11          | 28-45-01.820N<br>082-44-12.019W |         |   |   | Green can.  |
| 28390 | Homosassa Bay<br>Lighted Buoy 12  | 28-45-00.293N<br>082-44-10.477W | FI R 4s |   | 5 | Red.        |
| 28395 | Homosassa Bay<br>Daybeacon 14     | 28-45-05.345N<br>082-43-58.911W |         | 0 |   | TR on pile. |
| 28397 | Homosassa Bay Buoy<br>15          | 28-45-18.020N<br>082-43-37.819W |         |   |   | Green can.  |
| 28400 | Homosassa Bay Buoy<br>16          | 28-45-15.556N<br>082-43-35.924W |         |   |   | Red nun.    |
| 28405 | Homosassa Bay Light<br>18         | 28-45-23.209N<br>082-43-17.488W | Q R     | 0 | 4 | TR on pile. |
| 28410 | Homosassa Bay Buoy<br>19          | 28-45-24.143N<br>082-43-04.709W |         |   |   | Green can.  |
| 28415 | Homosassa Bay Buoy<br>20          | 28-45-22.745N<br>082-43-04.551W |         |   |   | Red nun.    |

|       |                                    |                                 |         |   |             |
|-------|------------------------------------|---------------------------------|---------|---|-------------|
| 28420 | Homosassa Bay<br>Daybeacon 22      | 28-45-36.085N<br>082-42-53.194W |         | 0 | TR on pile. |
| 28423 | Homosassa Bay Buoy<br>23           | 28-45-52.220N<br>082-42-45.019W |         |   | Green can.  |
| 28425 | Homosassa Bay Buoy<br>24           | 28-46-05.355N<br>082-42-35.425W |         |   | Red nun.    |
| 28430 | Homosassa Bay Light<br>26          | 28-46-19.523N<br>082-42-25.540W | FI R 4s | 5 | TR on pile. |
| 28435 | Homosassa River<br>Daybeacon 28    | 28-46-22.385N<br>082-42-13.251W |         | 0 | TR on pile. |
| 28440 | Homosassa River<br>Lighted Buoy 30 | 28-46-19.789N<br>082-41-53.562W | Q R     | 4 | Red.        |
| 28445 | Homosassa River Buoy<br>31         | 28-46-16.846N<br>082-41-50.373W |         |   | Green can.  |
| 28450 | Homosassa River Buoy<br>32         | 28-46-14.124N<br>082-41-46.389W |         |   | Red nun.    |
| 28455 | Homosassa River Buoy<br>33         | 28-46-14.855N<br>082-41-46.251W |         |   | Green can.  |
| 28460 | Homosassa River Buoy<br>34         | 28-46-12.995N<br>082-41-44.931W |         |   | Red nun.    |
| 28465 | Homosassa River<br>Daybeacon 35    | 28-46-14.036N<br>082-41-42.663W |         | 0 | SG on pile. |
| 28470 | Homosassa River<br>Daybeacon 36    | 28-46-13.295N<br>082-41-42.231W |         | 0 | TR on pile. |
| 28475 | Homosassa River Buoy<br>37         | 28-46-15.625N<br>082-41-39.079W |         |   | Green can.  |
| 28480 | Homosassa River<br>Daybeacon 38    | 28-46-14.915N<br>082-41-38.871W |         | 0 | TR on pile. |
| 28485 | Homosassa River<br>Daybeacon 39    | 28-46-14.075N<br>082-41-30.771W |         | 0 | SG on pile. |
| 28490 | Homosassa River Buoy<br>40         | 28-46-13.070N<br>082-41-29.750W |         |   | Red nun.    |
| 28495 | Homosassa River Buoy<br>41         | 28-46-11.965N<br>082-41-21.345W |         |   | Green can.  |
| 28500 | Homosassa River<br>Daybeacon 42    | 28-46-11.189N<br>082-41-21.403W |         | 0 | TR on pile. |
| 28505 | Homosassa River<br>Daybeacon 43    | 28-46-11.183N<br>082-41-16.956W |         | 0 | SG on pile. |
| 28510 | Homosassa River Buoy<br>44         | 28-46-10.421N<br>082-41-16.909W |         |   | Red nun.    |
| 28515 | Homosassa River<br>Daybeacon 45    | 28-46-12.655N<br>082-41-03.808W |         | 0 | SG on pile. |
| 28517 | Homosassa River Buoy<br>45A        | 28-46-16.220N<br>082-40-59.419W |         |   | Green can.  |
| 28519 | Homosassa River Buoy<br>45B        | 28-46-19.316N<br>082-40-58.329W |         |   | Green can.  |
| 28520 | Homosassa River Buoy<br>46         | 28-46-19.065N<br>082-40-56.701W |         |   | Red nun.    |
| 28525 | Homosassa River Buoy<br>47         | 28-46-26.070N<br>082-40-41.697W |         |   | Green can.  |
| 28527 | Homosassa River Buoy<br>47A        | 28-46-29.846N<br>082-40-32.878W |         |   | Green can.  |
| 28530 | Homosassa River Buoy<br>48         | 28-46-28.354N<br>082-40-32.798W |         |   | Red nun.    |
| 28535 | Homosassa River<br>Daybeacon 49    | 28-46-26.334N<br>082-40-21.873W |         | 0 | SG on pile. |
| 28540 | Homosassa River<br>Daybeacon 51    | 28-46-18.877N<br>082-40-16.390W |         | 0 | SG on pile. |
| 28545 | Homosassa River Buoy<br>53         | 28-46-15.817N<br>082-40-11.530W |         |   | Green can.  |
| 28550 | Homosassa River Buoy<br>54         | 28-46-15.577N<br>082-40-05.230W |         |   | Red nun.    |
| 28555 | Homosassa River Buoy<br>55         | 28-46-17.546N<br>082-39-55.802W |         |   | Green can.  |
| 28557 | Homosassa River Buoy<br>55A        | 28-46-22.337N<br>082-39-54.368W |         |   | Green can.  |
| 28560 | Homosassa River Buoy<br>56         | 28-46-22.975N<br>082-39-53.077W |         |   | Red nun.    |
| 28565 | Homosassa River Buoy<br>57         | 28-46-28.833N<br>082-39-49.054W |         |   | Green can.  |
| 28570 | Homosassa River                    | 28-46-30.371N                   |         |   | SG on pile. |

|         |                                                  |                                 |   |                                             |
|---------|--------------------------------------------------|---------------------------------|---|---------------------------------------------|
|         | Daybeacon 57A                                    | 082-39-42.791W                  |   |                                             |
| 28570.5 | Homosassa River<br>Daybeacon 57B                 | 28-46-34.880N<br>082-39-37.918W | 0 | SG on pile.                                 |
| 28575   | Homosassa River<br>Daybeacon 58                  | 28-46-34.327N<br>082-39-37.864W |   | TR on pile.                                 |
| 28580   | Homosassa River<br>Daybeacon 58A                 | 28-46-35.374N<br>082-39-36.289W | 0 | TR on pile.                                 |
| 28585   | Homosassa River Buoy<br>59                       | 28-46-36.966N<br>082-39-27.727W |   | Green can.                                  |
| 28590   | Homosassa River<br>Daybeacon 61                  | 28-46-38.137N<br>082-39-25.510W | 0 | SG on pile.                                 |
| 28595   | Homosassa River Buoy<br>62                       | 28-46-48.397N<br>082-39-18.370W |   | Red nun.                                    |
| 28600   | Homosassa River Buoy<br>63                       | 28-46-48.877N<br>082-39-18.790W |   | Green can.                                  |
| 28605   | Homosassa River Buoy<br>63A                      | 28-46-53.617N<br>082-39-07.450W |   | Green can.                                  |
| 28610   | Homosassa River Buoy<br>64                       | 28-46-54.817N<br>082-39-01.810W |   | Red nun.                                    |
| 28615   | Homosassa River<br>Daybeacon 65                  | 28-46-56.317N<br>082-39-01.390W | 0 | SG on pile.                                 |
| 28620   | Homosassa River Buoy<br>66                       | 28-46-54.157N<br>082-38-58.030W |   | Red nun.                                    |
| 28625   | Homosassa River Buoy<br>68                       | 28-46-49.507N<br>082-38-53.210W |   | Red nun.                                    |
| 28627   | Homosassa River Buoy<br>68A                      | 28-46-50.012N<br>082-38-37.468W |   | Red nun.                                    |
| 28630   | Homosassa River Buoy<br>69                       | 28-46-49.166N<br>082-38-50.157W |   | Green can.                                  |
| 28635   | Homosassa River Buoy<br>69A                      | 28-46-49.152N<br>082-38-48.178W |   | Green can.                                  |
| 28640   | Homosassa River Buoy<br>70                       | 28-46-59.600N<br>082-38-26.479W |   | Red nun.                                    |
| 28643   | Homosassa River Buoy<br>71                       | 28-47-03.037N<br>082-38-23.964W |   | Green can.                                  |
| 28645   | Homosassa River Buoy<br>72                       | 28-47-08.783N<br>082-38-13.881W |   | Red nun.                                    |
| 28648   | Homosassa River Buoy<br>74A                      | 28-47-01.453N<br>082-37-49.288W |   | Red nun.                                    |
| 28650   | Prices Creek<br>Daybeacon 1                      | 28-47-24.938N<br>082-38-05.362W |   | SG on pile.                                 |
| 28655   | Prices Creek<br>Daybeacon 3                      | 28-47-17.138N<br>082-38-07.161W |   | SG on pile.                                 |
| 28660   | Prices Creek<br>Daybeacon 5                      | 28-47-20.738N<br>082-38-08.362W |   | SG on pile.                                 |
| 28665   | Prices Creek<br>Daybeacon 7                      | 28-47-25.538N<br>082-38-07.762W |   | SG on pile.                                 |
| 28670   | Prices Creek<br>Daybeacon 9                      | 28-47-27.338N<br>082-38-07.762W |   | SG on pile.                                 |
| 28675   | Prices Creek<br>Daybeacon 10                     | 28-47-29.738N<br>082-38-07.162W |   | TR on pile.                                 |
| 28680   | Homosassa River Buoy<br>75                       | 28-47-04.057N<br>082-38-02.290W |   | Green can.                                  |
| 28685   | Homosassa River Buoy<br>74                       | 28-47-07.597N<br>082-38-07.150W |   | Red nun.                                    |
| 28690   | Homosassa River Buoy<br>77                       | 28-46-59.077N<br>082-37-38.470W |   | Green can.                                  |
| 28695   | Homosassa River Buoy<br>76                       | 28-47-00.025N<br>082-37-40.419W |   | Red nun.                                    |
| 28700   | Homosassa River Buoy<br>79                       | 28-46-59.000N<br>082-37-34.867W |   | Green can.                                  |
| 28705   | Homosassa River Buoy<br>81                       | 28-46-58.957N<br>082-37-25.150W |   | Green can.                                  |
| 28710   | Homosassa River West<br>Obstruction<br>Daybeacon | 28-47-11.939N<br>082-36-55.360W |   | NW on pile worded DANGER<br>SUBMERGED ROCK. |
| 28715   | Homosassa River<br>Daybeacon 2                   | 28-47-19.939N<br>082-36-44.360W |   | TR on pile.                                 |
| 28720   | Homosassa River<br>Daybeacon 3                   | 28-47-20.939N<br>082-36-45.360W |   | SG on pile.                                 |

|       |                                                  |                                 |         |    |   |                                                |
|-------|--------------------------------------------------|---------------------------------|---------|----|---|------------------------------------------------|
| 28725 | Homosassa River<br>Daybeacon 4                   | 28-47-21.939N<br>082-36-40.360W |         |    |   | TR on pile.                                    |
| 28730 | Homosassa River<br>Daybeacon 5                   | 28-47-22.939N<br>082-36-41.360W |         |    |   | SG on pile.                                    |
| 28735 | Homosassa River<br>Daybeacon 6                   | 28-47-27.938N<br>082-36-33.360W |         |    |   | TR on pile.                                    |
| 28740 | Homosassa River<br>Daybeacon 7                   | 28-47-28.938N<br>082-36-34.360W |         |    |   | SG on pile.                                    |
| 28745 | Homosassa River<br>Daybeacon 8                   | 28-47-30.938N<br>082-36-29.360W |         |    |   | TR on pile.                                    |
| 28750 | Homosassa River<br>Daybeacon 9                   | 28-47-31.938N<br>082-36-30.360W |         |    |   | SG on pile.                                    |
| 28755 | Homosassa River<br>Daybeacon 10                  | 28-47-33.938N<br>082-36-27.360W |         |    |   | TR on pile.                                    |
| 28760 | Homosassa River East<br>Obstruction<br>Daybeacon | 28-47-54.938N<br>082-36-02.360W |         |    |   | NW on pile worded DANGER<br>SUBMERGED ROCK.    |
| 28765 | Buzzard Point<br>Obstruction<br>Daybeacon        | 28-47-42.938N<br>082-36-17.360W |         |    |   | NW on pile worded DANGER<br>SUBMERGED ROCK.    |
| 28770 | Bird Rack Obstruction<br>Daybeacon               | 28-47-00.935N<br>082-47-50.376W |         |    |   | NW on dolphin worded<br>DANGER SUBMERGED PILE. |
| 28773 | Crystal Bay Scallop<br>Platform Light            | 28-52-12.600N<br>082-47-03.600W | FI Y 4s |    |   | NY on pile.                                    |
| 28775 | Crystal River Entrance<br>Light 1                | 28-54-43.568N<br>082-44-51.501W | FI G 4s | 0  | 5 | SG on pile.                                    |
| 28780 | Crystal River Entrance<br>Daybeacon 2            | 28-54-42.187N<br>082-44-51.521W |         | 0  |   | TR on pile.                                    |
| 28785 | Crystal River Entrance<br>Daybeacon 2A           | 28-54-54.797N<br>082-44-31.798W |         | 0  |   | TR on pile.                                    |
| 28790 | Crystal River Entrance<br>Daybeacon 2B           | 28-55-02.143N<br>082-44-15.082W |         | 0  |   | TR on pile.                                    |
| 28795 | Crystal River Entrance<br>Daybeacon 3            | 28-55-03.758N<br>082-44-17.470W |         | 0  |   | SG on pile.                                    |
| 28800 | Crystal River Entrance<br>Daybeacon 4            | 28-55-15.592N<br>082-44-03.387W |         | 0  |   | TR on pile.                                    |
| 28805 | Crystal River Entrance<br>Daybeacon 5            | 28-55-27.927N<br>082-43-48.319W |         | 0  |   | SG on pile.                                    |
| 28810 | Crystal River Entrance<br>Daybeacon 6            | 28-55-26.716N<br>082-43-50.206W |         | 0  |   | TR on pile.                                    |
| 28815 | Crystal River Entrance<br>Daybeacon 8            | 28-55-28.476N<br>082-43-28.689W |         | 0  |   | TR on pile.                                    |
| 28820 | Crystal River Entrance<br>Daybeacon 7            | 28-55-29.244N<br>082-43-29.427W |         | 0  |   | SG on pile.                                    |
| 28825 | Crystal River Entrance<br>Daybeacon 9            | 28-55-30.202N<br>082-43-18.087W |         | 0  |   | SG on pile.                                    |
| 28830 | Crystal River Entrance<br>Daybeacon 10           | 28-55-29.198N<br>082-43-18.070W |         | 0  |   | TR on pile.                                    |
| 28835 | Crystal River Entrance<br>Daybeacon 10A          | 28-55-29.678N<br>082-43-03.550W |         | 12 |   | TR on pile.                                    |
| 28840 | Crystal River Entrance<br>Daybeacon 11           | 28-55-31.337N<br>082-42-49.188W |         | 0  |   | SG on pile.                                    |
| 28845 | Crystal River Entrance<br>Daybeacon 12           | 28-55-30.385N<br>082-42-48.668W |         | 0  |   | TR on pile.                                    |
| 28850 | Crystal River Entrance<br>Daybeacon 13           | 28-55-31.760N<br>082-42-32.135W |         | 0  |   | SG on pile.                                    |
| 28855 | Crystal River Entrance<br>Daybeacon 14           | 28-55-30.756N<br>082-42-31.995W |         | 0  |   | TR on pile.                                    |
| 28860 | Crystal River Entrance<br>Daybeacon 15           | 28-55-32.653N<br>082-42-25.830W |         | 0  |   | SG on pile.                                    |
| 28865 | Crystal River Entrance<br>Daybeacon 16           | 28-55-31.701N<br>082-42-25.243W |         | 0  |   | TR on pile.                                    |
| 28870 | Crystal River Entrance<br>Daybeacon 17           | 28-55-33.878N<br>082-42-01.090W |         |    |   | SG on pile.                                    |
| 28875 | Crystal River Entrance<br>Daybeacon 18           | 28-55-32.744N<br>082-42-00.745W |         | 0  |   | TR on pile.                                    |
| 28880 | Crystal River Entrance<br>Daybeacon 19           | 28-55-34.118N<br>082-41-54.250W |         | 0  |   | SG on pile.                                    |
| 28885 | Crystal River Entrance<br>Daybeacon 20           | 28-55-33.218N<br>082-41-54.130W |         | 0  |   | TR on pile.                                    |

|         |                                        |                                 |   |             |
|---------|----------------------------------------|---------------------------------|---|-------------|
| 28890   | Crystal River Entrance<br>Daybeacon 21 | 28-55-34.898N<br>082-41-37.630W | 0 | SG on pile. |
| 28895   | Crystal River Entrance<br>Daybeacon 22 | 28-55-33.938N<br>082-41-41.530W | 0 | TR on pile. |
| 28900   | Crystal River Entrance<br>Daybeacon 23 | 28-55-31.238N<br>082-41-26.410W | 0 | SG on pile. |
| 28905   | Crystal River Entrance<br>Daybeacon 24 | 28-55-26.918N<br>082-41-18.970W | 0 | TR on pile. |
| 28910   | Crystal River Entrance<br>Daybeacon 25 | 28-55-19.849N<br>082-40-43.391W |   | SG on pile. |
| 28911   | Crystal River<br>Daybeacon 1           | 28-55-13.800N<br>082-40-24.000W |   | SG on pile. |
| 28911.2 | Crystal River<br>Daybeacon 2           | 28-55-13.200N<br>082-40-25.200W |   | TR on pile. |
| 28911.4 | Crystal River<br>Daybeacon 3           | 28-55-00.000N<br>082-39-59.400W |   | SG on pile. |
| 28911.6 | Crystal River<br>Daybeacon 4           | 28-54-55.800N<br>082-40-24.000W |   | TR on pile. |
| 28911.8 | Crystal River<br>Daybeacon 5           | 28-55-00.000N<br>082-39-37.800W |   | SG on pile. |
| 28912   | Crystal River<br>Daybeacon 6           | 28-54-58.200N<br>082-39-39.600W |   | TR on pile. |
| 28912.2 | Crystal River<br>Daybeacon 7           | 28-54-49.800N<br>082-39-18.000W |   | SG on pile. |
| 28912.4 | Crystal River<br>Daybeacon 8           | 28-54-48.000N<br>082-39-18.600W |   | TR on pile. |
| 28912.6 | Crystal River<br>Daybeacon 9           | 28-54-48.000N<br>082-38-55.200W |   | SG on pile. |
| 28912.8 | Crystal River<br>Daybeacon 10          | 28-54-45.600N<br>082-38-57.000W |   | TR on pile. |
| 28913   | Crystal River<br>Daybeacon 11          | 28-54-35.400N<br>082-38-37.200W |   | SG on pile. |
| 28913.2 | Crystal River<br>Daybeacon 12          | 28-54-35.400N<br>082-38-37.200W |   | TR on pile. |
| 28915   | Salt River Daybeacon<br>2              | 28-54-18.000N<br>082-38-25.000W |   | TR on pile. |
| 28920   | Salt River Daybeacon<br>3              | 28-54-17.000N<br>082-38-24.000W |   | SG on pile. |
| 28925   | Salt River Daybeacon<br>5              | 28-54-16.500N<br>082-38-21.000W |   | SG on pile. |
| 28930   | Salt River Daybeacon<br>6              | 28-54-17.000N<br>082-38-22.000W |   | TR on pile. |
| 28935   | Salt River Daybeacon<br>7              | 28-54-18.000N<br>082-38-20.000W |   | SG on pile. |
| 28940   | Salt River Daybeacon<br>8              | 28-54-19.000N<br>082-38-20.500W |   | TR on pile. |
| 28945   | Salt River Daybeacon<br>9              | 28-54-20.000N<br>082-38-19.000W |   | SG on pile. |
| 28950   | Salt River Daybeacon<br>10A            | 28-54-21.000N<br>082-38-19.750W |   | TR on pile. |
| 28951   | Crystal River<br>Daybeacon 17          | 28-54-19.200N<br>082-37-52.200W |   | SG on pile. |
| 28951.2 | Crystal River<br>Daybeacon 18          | 28-54-17.400N<br>082-37-51.000W |   | TR on pile. |
| 28951.4 | Crystal River<br>Daybeacon 19          | 28-54-24.600N<br>082-37-37.800W |   | SG on pile. |
| 28951.6 | Crystal River<br>Daybeacon 20          | 28-54-22.800N<br>082-37-36.000W |   | TR on pile. |
| 28951.8 | Crystal River<br>Daybeacon 21          | 28-54-20.400N<br>082-37-18.000W |   | SG on pile. |
| 28952   | Crystal River<br>Daybeacon 22          | 28-54-17.400N<br>082-37-18.000W |   | TR on pile. |
| 28952.2 | Crystal River<br>Daybeacon 23          | 28-54-23.400N<br>082-37-03.600W |   | SG on pile. |
| 28952.4 | Crystal River<br>Daybeacon 24          | 28-54-17.400N<br>082-37-02.400W |   | TR on pile. |
| 28952.6 | Crystal River<br>Daybeacon 25          | 28-54-15.600N<br>082-36-56.400W |   | SG on pile. |
| 28952.8 | Crystal River<br>Daybeacon 26          | 28-54-15.600N<br>082-36-53.400W |   | TR on pile. |
| 28953   | Crystal River                          | 28-53-57.000N                   |   | SG on pile. |

|         |                                                  |                                 |           |                                     |             |
|---------|--------------------------------------------------|---------------------------------|-----------|-------------------------------------|-------------|
|         | Daybeacon 27                                     | 082-36-43.200W                  |           |                                     |             |
| 28953.2 | Crystal River<br>Daybeacon 28                    | 28-53-57.000N<br>082-36-43.800W |           | TR on pile.                         |             |
| 28953.4 | Crystal River<br>Daybeacon 29                    | 28-53-37.800N<br>082-36-17.400W |           | SG on pile.                         |             |
| 28953.6 | Crystal River<br>Daybeacon 30                    | 28-53-36.600N<br>082-36-20.400W |           | TR on pile.                         |             |
| 28955   | Three Sisters Spring<br>Obstruction<br>Daybeacon | 28-53-16.926N<br>082-35-29.363W |           | NW on pile worded DANGER<br>PILING. |             |
| 28957   | Kings Bay Daybeacon<br>1                         | 28-53-27.120N<br>082-35-53.280W |           | SG on pile.                         | priv maint. |
| 28957.1 | Kings Bay Daybeacon<br>2                         | 28-53-26.760N<br>082-35-58.560W |           | TR on pile.                         | priv maint. |
| 28957.2 | Kings Bay Daybeacon<br>3                         | 28-53-21.420N<br>082-35-51.900W |           | SG on pile.                         | priv maint. |
| 28957.3 | Kings Bay Daybeacon<br>4                         | 28-53-20.340N<br>082-35-55.800W |           | TR on pile.                         | priv maint. |
| 28957.4 | Kings Bay Daybeacon<br>5                         | 28-53-10.620N<br>082-35-44.340W |           | TR on pile.                         | priv maint. |
| 28957.5 | Kings Bay Daybeacon<br>6                         | 28-53-08.520N<br>082-35-45.300W |           | SG on pile.                         | priv maint. |
| 28960   | Florida Power<br>Corporation Channel<br>Light 3  | 28-55-35.021N<br>082-58-00.020W | FI G 2.5s | SG on dolphin.                      |             |
| 28965   | Florida Power<br>Corporation Channel<br>Light 4  | 28-55-29.872N<br>082-58-00.770W | FI R 4s   | TR on pile.                         |             |
| 28970   | Florida Power<br>Corporation Channel<br>Light 5  | 28-55-31.172N<br>082-57-27.438W | FI G 4s   | SG on pile.                         |             |
| 28975   | Florida Power<br>Corporation Channel<br>Light 6  | 28-55-25.892N<br>082-57-27.668W | FI R 4s   | TR on pile.                         |             |
| 28980   | Florida Power<br>Corporation Channel<br>Light 7  | 28-55-28.822N<br>082-56-47.767W | Q G       | SG on dolphin.                      |             |
| 28985   | Florida Power<br>Corporation Channel<br>Light 8  | 28-55-23.962N<br>082-56-47.536W | FI R 4s   | TR on pile.                         |             |
| 28990   | Florida Power<br>Corporation Channel<br>Light 9  | 28-55-39.422N<br>082-56-03.315W | FI G 4s   | SG on pile.                         |             |
| 28995   | Florida Power<br>Corporation Channel<br>Light 10 | 28-55-36.312N<br>082-56-02.025W | FI R 4s   | TR on pile.                         |             |
| 29000   | Florida Power<br>Corporation Channel<br>Light 12 | 28-55-50.231N<br>082-55-19.893W | FI R 4s   | TR on pile.                         |             |
| 29005   | Florida Power<br>Corporation Channel<br>Light 13 | 28-56-07.341N<br>082-54-39.132W | FI G 4s   | SG on pile.                         |             |
| 29010   | Florida Power<br>Corporation Channel<br>Light 14 | 28-56-04.201N<br>082-54-37.832W | FI R 4s   | TR on pile.                         |             |
| 29015   | Florida Power<br>Corporation Channel<br>Light 16 | 28-56-18.220N<br>082-53-55.680W | FI R 4s   | TR on pile.                         |             |
| 29020   | Florida Power<br>Corporation Channel<br>Light 17 | 28-56-30.910N<br>082-53-28.490W | FI G 4s   | SG on pile.                         |             |
| 29025   | Florida Power<br>Corporation Channel<br>Light 18 | 28-56-32.050N<br>082-53-14.709W | Q R       | TR on dolphin.                      |             |
| 29030   | Florida Power<br>Corporation Channel<br>Light 20 | 28-56-31.210N<br>082-53-10.219W | FI R 4s   | TR on pile.                         |             |
| 29035   | Florida Power<br>Corporation Channel<br>Light 21 | 28-56-28.360N<br>082-52-56.628W | FI G 4s   | SG on pile.                         |             |
| 29040   | Florida Power<br>Corporation Channel<br>Light 23 | 28-56-13.351N<br>082-52-27.317W | FI G 4s   | SG on pile.                         |             |

|       |                                            |                                 |         |                |
|-------|--------------------------------------------|---------------------------------|---------|----------------|
| 29045 | Florida Power Corporation Channel Light 25 | 28-55-55.612N<br>082-51-52.155W | FI G 4s | SG on pile.    |
| 29050 | Florida Power Corporation Channel Light 26 | 28-55-52.782N<br>082-51-54.135W | FI R 4s | TR on pile.    |
| 29055 | Florida Power Corporation Channel Light 27 | 28-55-39.763N<br>082-51-20.724W | FI G 4s | SG on pile.    |
| 29060 | Florida Power Corporation Channel Light 28 | 28-55-33.843N<br>082-51-16.483W | Q R     | TR on dolphin. |
| 29065 | Florida Power Corporation Channel Light 29 | 28-55-37.893N<br>082-51-09.803W | FI G 4s | SG on pile.    |
| 29070 | Florida Power Corporation Channel Light 31 | 28-55-44.753N<br>082-50-36.582W | FI G 4s | SG on pile.    |
| 29075 | Florida Power Corporation Channel Light 32 | 28-55-41.773N<br>082-50-35.772W | FI R 4s | TR on pile.    |
| 29080 | Florida Power Corporation Channel Light 33 | 28-55-52.863N<br>082-49-56.970W | FI G 4s | SG on pile.    |
| 29085 | Florida Power Corporation Channel Light 34 | 28-55-49.783N<br>082-49-56.210W | FI R 4s | TR on pile.    |
| 29090 | Florida Power Corporation Channel Light 35 | 28-56-01.022N<br>082-49-16.529W | FI G 4s | SG on pile.    |
| 29095 | Florida Power Corporation Channel Light 36 | 28-55-57.962N<br>082-49-15.849W | FI R 4s | TR on pile.    |
| 29100 | Florida Power Corporation Channel Light 37 | 28-56-08.612N<br>082-48-38.918W | FI G 4s | SG on pile.    |
| 29105 | Florida Power Corporation Channel Light 38 | 28-56-05.632N<br>082-48-38.107W | FI R 4s | TR on pile.    |
| 29110 | Florida Power Corporation Channel Light 39 | 28-56-16.592N<br>082-47-59.356W | FI G 4s | SG on pile.    |
| 29115 | Florida Power Corporation Channel Light 40 | 28-56-13.582N<br>082-47-58.556W | FI R 4s | TR on pile.    |
| 29120 | Florida Power Corporation Channel Light 41 | 28-56-25.132N<br>082-47-17.495W | FI G 4s | SG on pile.    |
| 29125 | Florida Power Corporation Channel Light 42 | 28-56-22.092N<br>082-47-16.584W | FI R 4s | TR on pile.    |
| 29130 | Florida Power Corporation Channel Light 43 | 28-56-33.302N<br>082-46-36.613W | FI G 4s | SG on pile.    |
| 29135 | Florida Power Corporation Channel Light 44 | 28-56-30.312N<br>082-46-35.803W | FI R 4s | TR on pile.    |
| 29140 | Florida Power Corporation Channel Light 45 | 28-56-42.541N<br>082-45-50.671W | FI G 4s | SG on pile.    |
| 29145 | Florida Power Corporation Channel Light 46 | 28-56-39.642N<br>082-45-49.781W | FI R 4s | TR on pile.    |
| 29150 | Florida Power Corporation Channel Light 47 | 28-56-50.181N<br>082-45-10.040W | FI G 4s | SG on pile.    |
| 29155 | Florida Power Corporation Channel Light 48 | 28-56-48.321N<br>082-45-09.560W | FI R 4s | TR on pile.    |
| 29160 | Florida Power Corporation Channel Light 50 | 28-56-54.911N<br>082-44-36.679W | FI R 4s | TR on pile.    |
| 29165 | Florida Power                              | 28-57-03.501N                   | FI G 4s | SG on pile.    |



|       |                                                  |                                 |         |   |   |             |
|-------|--------------------------------------------------|---------------------------------|---------|---|---|-------------|
|       | Corporation Channel<br>Light 51                  | 082-44-04.198W                  |         |   |   |             |
| 29170 | Florida Power<br>Corporation Channel<br>Light 52 | 28-57-01.572N<br>082-44-03.768W | FI R 4s |   |   | TR on pile. |
| 29175 | Florida Power<br>Corporation Channel<br>Light 54 | 28-57-08.172N<br>082-43-30.828W | FI R 4s |   |   | TR on pile. |
| 29180 | Florida Power<br>Corporation Channel<br>Light 55 | 28-57-16.692N<br>082-42-58.397W | FI G 4s |   |   | SG on pile. |
| 29185 | Florida Power<br>Corporation Channel<br>Light 56 | 28-57-14.822N<br>082-42-57.877W | FI R 4s |   |   | TR on pile. |
| 29190 | Florida Power<br>Corporation Channel<br>Light 57 | 28-57-22.892N<br>082-42-27.696W | FI G 4s |   |   | SG on pile. |
| 29195 | Florida Power<br>Corporation Channel<br>Light 58 | 28-57-21.042N<br>082-42-27.226W | FI R 4s |   |   | TR on pile. |
| 29200 | Cross Florida<br>Greenway Light 19               | 28-56-49.076N<br>082-52-39.765W | FI G 4s | 0 | 5 | SG on pile. |
| 29205 | Cross Florida<br>Greenway Light 20               | 28-56-44.095N<br>082-52-37.913W | FI R 6s | 0 | 5 | TR on pile. |
| 29235 | Cross Florida<br>Greenway Light 21               | 28-57-28.915N<br>082-50-45.953W | FI G 4s | 0 | 5 | SG on pile. |
| 29240 | Cross Florida<br>Greenway Light 22               | 28-57-25.237N<br>082-50-44.873W | FI R 6s | 0 | 5 | TR on pile. |
| 29245 | Cross Florida<br>Greenway Daybeacon<br>23        | 28-57-42.132N<br>082-50-08.899W |         | 0 |   | SG on pile. |
| 29250 | Cross Florida<br>Greenway Daybeacon<br>24        | 28-57-38.471N<br>082-50-06.300W |         | 0 |   | TR on pile. |
| 29255 | Cross Florida<br>Greenway Daybeacon<br>25        | 28-57-52.795N<br>082-49-37.493W |         | 0 |   | SG on pile. |
| 29260 | Cross Florida<br>Greenway Daybeacon<br>26        | 28-57-48.415N<br>082-49-35.933W |         | 0 |   | TR on pile. |
| 29265 | Cross Florida<br>Greenway Daybeacon<br>27        | 28-58-03.955N<br>082-49-05.933W |         | 0 |   | SG on pile. |
| 29270 | Cross Florida<br>Greenway Daybeacon<br>28        | 28-57-59.515N<br>082-49-04.613W |         | 0 |   | TR on pile. |
| 29275 | Cross Florida<br>Greenway Daybeacon<br>29        | 28-58-16.435N<br>082-48-30.653W |         | 0 |   | SG on pile. |
| 29280 | Cross Florida<br>Greenway Daybeacon<br>30        | 28-58-12.378N<br>082-48-28.768W |         | 0 |   | TR on pile. |
| 29285 | Cross Florida<br>Greenway Daybeacon<br>31        | 28-58-23.695N<br>082-48-08.213W |         | 0 |   | SG on pile. |
| 29290 | Cross Florida<br>Greenway Daybeacon<br>32        | 28-58-20.956N<br>082-48-06.027W |         | 0 |   | TR on pile. |
| 29295 | Cross Florida<br>Greenway Daybeacon<br>33        | 28-58-34.250N<br>082-47-37.642W |         | 0 |   | SG on pile. |
| 29300 | Cross Florida<br>Greenway Daybeacon<br>34        | 28-58-31.264N<br>082-47-36.164W |         | 1 |   | TR on pile. |
| 29305 | Cross Florida<br>Greenway Daybeacon<br>35        | 28-58-44.642N<br>082-47-08.149W |         | 0 |   | SG on pile. |
| 29310 | Cross Florida<br>Greenway Daybeacon<br>36        | 28-58-42.273N<br>082-47-05.741W |         | 0 |   | TR on pile. |
| 29315 | Cross Florida<br>Greenway Daybeacon<br>37        | 28-58-55.802N<br>082-46-36.301W |         | 0 |   | SG on pile. |

|       |                                                    |                                 |         |   |   |                                    |
|-------|----------------------------------------------------|---------------------------------|---------|---|---|------------------------------------|
| 29320 | Cross Florida<br>Greenway Daybeacon<br>38          | 28-58-52.512N<br>082-46-35.940W |         | 0 |   | TR on pile.                        |
| 29325 | Cross Florida<br>Greenway Daybeacon<br>39          | 28-59-06.405N<br>082-46-06.736W |         | 0 |   | SG on dolphin.                     |
| 29330 | Cross Florida<br>Greenway Daybeacon<br>40          | 28-59-02.901N<br>082-46-06.782W |         | 0 |   | TR on pile.                        |
| 29335 | Cross Florida<br>Greenway Daybeacon<br>41          | 28-59-16.433N<br>082-45-37.797W |         | 0 |   | SG on pile.                        |
| 29340 | Cross Florida<br>Greenway Daybeacon<br>42          | 28-59-13.795N<br>082-45-36.233W |         | 0 |   | TR on pile.                        |
| 29345 | Cross Florida<br>Greenway Daybeacon<br>43          | 28-59-26.575N<br>082-45-09.173W |         | 0 |   | SG on pile.                        |
| 29350 | Cross Florida<br>Greenway Daybeacon<br>44          | 28-59-23.847N<br>082-45-07.829W |         | 0 |   | TR on pile.                        |
| 29355 | Cross Florida<br>Greenway Daybeacon<br>45          | 28-59-37.873N<br>082-44-36.976W |         | 0 |   | SG on pile.                        |
| 29360 | Cross Florida<br>Greenway Daybeacon<br>46          | 28-59-34.693N<br>082-44-36.930W |         | 0 |   | TR on pile.                        |
| 29365 | Cross Florida<br>Greenway Daybeacon<br>48          | 28-59-45.109N<br>082-44-07.741W |         |   |   | TR on pile.                        |
| 29370 | Withlacoochee River<br>Entrance Light 1            | 28-58-08.287N<br>082-49-43.345W | Q G     | 0 | 4 | SG on pile.                        |
| 29375 | Withlacoochee River<br>Entrance Light 2            | 28-58-20.998N<br>082-49-15.310W | FI R 4s | 0 | 5 | TR on pile.                        |
| 29380 | Withlacoochee River<br>Entrance Daybeacon 3        | 28-58-30.475N<br>082-49-00.233W |         | 0 |   | SG on pile.                        |
| 29385 | Withlacoochee River<br>Entrance Daybeacon<br>3A    | 28-58-35.228N<br>082-48-51.734W |         | 0 |   | SG on pile.                        |
| 29390 | Withlacoochee River<br>Entrance Daybeacon 4        | 28-58-40.294N<br>082-48-43.417W |         | 0 |   | TR on pile.                        |
| 29395 | Withlacoochee River<br>Entrance Daybeacon 5        | 28-58-41.333N<br>082-48-43.947W |         | 0 |   | SG on pile.                        |
| 29400 | Withlacoochee River<br>Entrance Daybeacon 6        | 28-58-46.756N<br>082-48-35.462W |         | 0 |   | TR on pile.                        |
| 29405 | Withlacoochee River<br>Entrance Daybeacon 7        | 28-58-47.542N<br>082-48-36.150W |         | 0 |   | SG on pile.                        |
| 29410 | Withlacoochee River<br>Entrance Daybeacon 8        | 28-58-52.855N<br>082-48-27.413W |         | 0 |   | TR on pile.                        |
| 29415 | Withlacoochee River<br>Entrance Light 9            | 28-58-53.910N<br>082-48-28.246W | Q G     | 0 | 4 | SG on pile.                        |
| 29420 | Withlacoochee River<br>Entrance Shoal<br>Daybeacon | 28-58-54.770N<br>082-48-28.499W |         | 0 |   | NW on pile worded DANGER<br>SHOAL. |
| 29425 | Withlacoochee River<br>Entrance Daybeacon<br>10    | 28-58-55.855N<br>082-48-19.013W |         | 0 |   | TR on pile.                        |
| 29430 | Withlacoochee River<br>Entrance Daybeacon<br>11    | 28-58-59.744N<br>082-48-12.513W |         | 0 |   | SG on pile.                        |
| 29435 | Withlacoochee River<br>Entrance Daybeacon<br>12    | 28-58-58.376N<br>082-48-12.051W |         | 0 |   | TR on pile.                        |
| 29440 | Withlacoochee River<br>Entrance Daybeacon<br>13    | 28-59-03.130N<br>082-48-03.335W |         | 0 |   | SG on pile.                        |
| 29445 | Withlacoochee River<br>Entrance Daybeacon<br>14    | 28-59-02.155N<br>082-48-02.539W |         | 0 |   | TR on pile.                        |
| 29450 | Withlacoochee River<br>Entrance Daybeacon<br>15    | 28-59-04.565N<br>082-47-49.206W |         | 0 |   | SG on pile.                        |

|       |                                            |                                 |     |   |   |             |
|-------|--------------------------------------------|---------------------------------|-----|---|---|-------------|
| 29455 | Withlacoochee River Entrance Daybeacon 16  | 28-59-03.017N<br>082-47-49.414W |     | 0 |   | TR on pile. |
| 29460 | Withlacoochee River Entrance Daybeacon 17  | 28-59-04.306N<br>082-47-40.705W |     | 0 |   | SG on pile. |
| 29465 | Withlacoochee River Entrance Daybeacon 18  | 28-59-03.027N<br>082-47-40.632W |     | 0 |   | TR on pile. |
| 29470 | Withlacoochee River Entrance Light 18A     | 28-59-02.801N<br>082-47-29.048W | Q R | 0 | 4 | TR on pile. |
| 29475 | Withlacoochee River Entrance Daybeacon 19  | 28-59-04.060N<br>082-47-29.910W |     |   |   | SG on pile. |
| 29480 | Withlacoochee River Entrance Daybeacon 20  | 28-59-05.445N<br>082-47-22.866W |     | 0 |   | TR on pile. |
| 29485 | Withlacoochee River Entrance Daybeacon 20A | 28-59-07.700N<br>082-47-18.996W |     | 0 |   | TR on pile. |
| 29490 | Withlacoochee River Entrance Daybeacon 21  | 28-59-07.702N<br>082-47-21.598W |     | 0 |   | SG on pile. |
| 29495 | Withlacoochee River Entrance Daybeacon 22  | 28-59-12.686N<br>082-47-11.442W |     | 0 |   | TR on pile. |
| 29500 | Withlacoochee River Entrance Daybeacon 23  | 28-59-13.426N<br>082-47-12.756W |     | 0 |   | SG on pile. |
| 29505 | Withlacoochee River Entrance Daybeacon 23A | 28-59-15.239N<br>082-47-10.133W |     | 0 |   | SG on pile. |
| 29510 | Withlacoochee River Entrance Daybeacon 24  | 28-59-17.420N<br>082-47-07.116W |     | 0 |   | TR on pile. |
| 29515 | Withlacoochee River Entrance Daybeacon 25  | 28-59-25.145N<br>082-47-01.343W |     | 0 |   | SG on pile. |
| 29520 | Withlacoochee River Entrance Daybeacon 26  | 28-59-24.692N<br>082-46-59.953W |     | 0 |   | TR on pile. |
| 29525 | Withlacoochee River Entrance Daybeacon 27  | 28-59-28.693N<br>082-46-58.421W |     | 0 |   | SG on pile. |
| 29530 | Withlacoochee River Entrance Daybeacon 28  | 28-59-28.346N<br>082-46-57.203W |     | 0 |   | TR on pile. |
| 29535 | Withlacoochee River Entrance Daybeacon 29  | 28-59-34.672N<br>082-46-50.470W |     | 0 |   | SG on pile. |
| 29540 | Withlacoochee River Daybeacon 29A          | 28-59-39.787N<br>082-46-41.985W |     | 0 |   | SG on pile. |
| 29545 | Withlacoochee River Entrance Daybeacon 30  | 28-59-37.195N<br>082-46-44.033W |     | 0 |   | TR on pile. |
| 29550 | Withlacoochee River Entrance Daybeacon 31  | 28-59-42.612N<br>082-46-38.701W |     | 0 |   | SG on pile. |
| 29555 | Withlacoochee River Entrance Light 32      | 28-59-41.091N<br>082-46-38.269W | Q R | 0 | 4 | TR on pile. |
| 29560 | Withlacoochee River Entrance Daybeacon 32A | 28-59-43.315N<br>082-46-37.673W |     |   |   | TR on pile. |
| 29565 | Withlacoochee River Entrance Daybeacon 32B | 28-59-45.775N<br>082-46-36.893W |     | 0 |   | TR on pile. |
| 29570 | Withlacoochee River Entrance Daybeacon 33  | 28-59-50.199N<br>082-46-36.865W |     | 0 |   | SG on pile. |
| 29575 | Withlacoochee River Entrance Daybeacon 34  | 28-59-49.245N<br>082-46-35.653W |     | 0 |   | TR on pile. |
| 29580 | Withlacoochee River                        | 28-59-54.247N                   |     | 0 |   | TR on pile. |

|       |                                            |                                 |   |             |
|-------|--------------------------------------------|---------------------------------|---|-------------|
|       | Entrance Daybeacon 34A                     | 082-46-27.486W                  |   |             |
| 29585 | Withlacoochee River Entrance Daybeacon 35  | 28-59-54.219N<br>082-46-29.917W | 0 | SG on pile. |
| 29590 | Withlacoochee River Entrance Daybeacon 36  | 28-59-58.440N<br>082-46-20.522W | 0 | TR on pile. |
| 29595 | Withlacoochee River Entrance Daybeacon 36A | 29-00-01.357N<br>082-46-14.942W | 0 | TR on pile. |
| 29600 | Withlacoochee River Entrance Daybeacon 37  | 29-00-02.335N<br>082-46-15.713W |   | SG on pile. |
| 29605 | Withlacoochee River Daybeacon 38           | 29-00-02.676N<br>082-46-09.527W | 0 | TR on pile. |
| 29610 | Withlacoochee River Daybeacon 38A          | 29-00-02.350N<br>082-46-00.146W | 0 | TR on pile. |
| 29615 | Withlacoochee River Daybeacon 39           | 29-00-03.355N<br>082-46-07.733W | 0 | SG on pile. |
| 29620 | Withlacoochee River Daybeacon 39A          | 29-00-03.115N<br>082-45-57.473W |   | SG on pile. |
| 29625 | Withlacoochee River Daybeacon 40           | 29-00-01.897N<br>082-45-47.105W | 0 | TR on pile. |
| 29630 | Withlacoochee River Daybeacon 40A          | 29-00-03.288N<br>082-45-22.405W |   | TR on pile. |
| 29635 | Withlacoochee River Daybeacon 42           | 29-00-08.829N<br>082-45-13.128W |   | TR on pile. |
| 29640 | Withlacoochee River Daybeacon 43           | 29-00-19.075N<br>082-44-51.113W | 0 | SG on pile. |
| 29645 | Withlacoochee River Daybeacon 44           | 29-00-21.553N<br>082-44-47.394W |   | TR on pile. |
| 29650 | Withlacoochee River Daybeacon 46           | 29-00-27.895N<br>082-44-36.053W | 0 | TR on pile. |
| 29655 | Waccasassa Bay And River Daybeacon 2       | 29-05-27.420N<br>082-51-12.420W |   |             |
| 29660 | Waccasassa Bay And River Daybeacon 3       | 29-06-44.640N<br>082-50-48.180W |   |             |
| 29665 | Waccasassa Bay And River Daybeacon 5       | 29-06-59.940N<br>082-50-44.460W |   |             |
| 29670 | Waccasassa Bay And River Daybeacon 7       | 29-07-14.400N<br>082-50-32.100W |   |             |
| 29675 | Waccasassa Bay And River Daybeacon 9       | 29-07-32.040N<br>082-50-19.020W |   |             |
| 29680 | Waccasassa Bay And River Daybeacon 11      | 29-07-51.540N<br>082-50-03.600W |   |             |
| 29685 | Waccasassa Bay And River Daybeacon 13      | 29-08-03.360N<br>082-49-52.560W |   |             |
| 29690 | Waccasassa Bay And River Daybeacon 15      | 29-08-15.780N<br>082-49-44.280W |   |             |
| 29695 | Waccasassa Bay And River Daybeacon 17      | 29-08-25.860N<br>082-49-38.280W |   |             |
| 29700 | Waccasassa Bay And River Daybeacon 19      | 29-08-36.480N<br>082-49-33.060W |   |             |
| 29705 | Waccasassa Bay And River Daybeacon 21      | 29-08-54.000N<br>082-49-20.940W |   |             |
| 29710 | Waccasassa Bay And River Daybeacon 23      | 29-08-32.000N<br>082-49-38.000W |   |             |
| 29715 | Waccasassa Bay And River Daybeacon 24      | 29-09-20.760N<br>082-49-13.020W |   |             |
| 29720 | Waccasassa Bay And River Daybeacon 25      | 29-09-33.360N<br>082-49-57.780W |   |             |
| 29725 | Waccasassa Bay And River Daybeacon 27      | 29-09-36.120N<br>082-48-51.120W |   |             |
| 29730 | Waccasassa Bay And River Daybeacon 28      | 29-09-44.340N<br>082-48-40.680W |   |             |
| 29735 | Waccasassa Bay And River Daybeacon 30      | 29-10-03.000N<br>082-48-16.000W |   |             |
| 29740 | Waccasassa Bay And River Daybeacon 32      | 29-09-50.000N<br>082-48-25.000W |   |             |
| 29745 | Waccasassa Bay And                         | 29-10-03.540N                   |   |             |

|         |                                            |                                 |           |   |   |             |
|---------|--------------------------------------------|---------------------------------|-----------|---|---|-------------|
|         | River Daybeacon 33                         | 082-48-16.260W                  |           |   |   |             |
| 29750   | Waccasassa Bay And<br>River Daybeacon 34   | 29-10-25.740N<br>082-47-48.300W |           |   |   |             |
| 29755   | Cedar Keys Main<br>Channel Light 1         | 29-04-00.362N<br>083-04-33.044W | FI G 4s   | 0 | 5 | SG on pile. |
| 29760   | Cedar Keys Main<br>Channel Daybeacon 3     | 29-04-27.204N<br>083-04-24.039W |           | 0 |   | SG on pile. |
| 29760.5 | Cedar Keys Main<br>Channel Daybeacon 4     | 29-04-30.535N<br>083-04-01.463W |           | 0 |   | TR on pile. |
| 29765   | Cedar Keys Main<br>Channel Light 7         | 29-05-01.253N<br>083-03-56.053W | FI G 4s   | 0 | 5 | SG on pile. |
| 29770   | Cedar Keys Main<br>Channel Daybeacon 8     | 29-05-13.444N<br>083-03-31.206W |           | 0 |   | TR on pile. |
| 29775   | Cedar Keys Main<br>Channel Light 9         | 29-05-30.280N<br>083-03-32.322W | FI G 4s   | 0 | 4 | SG on pile. |
| 29780   | Cedar Keys Main<br>Channel Daybeacon 10    | 29-05-45.940N<br>083-03-23.183W |           | 0 |   | TR on pile. |
| 29785   | Cedar Keys Main<br>Channel Daybeacon 12    | 29-06-05.600N<br>083-03-25.329W |           | 0 |   | TR on pile. |
| 29790   | Cedar Keys Main<br>Channel Light 14        | 29-06-15.158N<br>083-03-21.250W | FI R 2.5s | 0 | 5 | TR on pile. |
| 29795   | Cedar Keys Main<br>Channel Daybeacon 16    | 29-06-23.960N<br>083-03-06.305W |           | 0 |   | TR on pile. |
| 29800   | Cedar Keys Main<br>Channel Light 18        | 29-06-34.657N<br>083-02-48.312W | FI R 4s   | 0 | 5 | TR on pile. |
| 29805   | Cedar Keys Main<br>Channel Daybeacon 19    | 29-06-42.758N<br>083-02-42.430W |           | 0 |   | SG on pile. |
| 29810   | Cedar Keys Main<br>Channel Light 21        | 29-06-50.858N<br>083-02-25.150W | Q G       | 0 | 4 | SG on pile. |
| 29815   | Cedar Keys Main<br>Channel Daybeacon<br>22 | 29-06-53.797N<br>083-02-17.348W |           | 0 |   | TR on pile. |
| 29820   | Cedar Keys Main<br>Channel Light 23        | 29-07-00.398N<br>083-02-19.390W | FI G 4s   | 0 | 5 | SG on pile. |
| 29825   | Cedar Keys Main<br>Channel Daybeacon<br>24 | 29-07-10.611N<br>083-02-16.769W |           | 0 |   | TR on pile. |
| 29830   | Cedar Keys Main<br>Channel Daybeacon<br>25 | 29-07-10.238N<br>083-02-20.590W |           | 0 |   | SG on pile. |
| 29835   | Cedar Keys Main<br>Channel Daybeacon<br>26 | 29-07-23.018N<br>083-02-19.870W |           | 0 |   | TR on pile. |
| 29840   | Cedar Keys Main<br>Channel Light 27        | 29-07-22.785N<br>083-02-23.271W | Q G       | 0 | 4 | SG on pile. |
| 29845   | Cedar Keys Main<br>Channel Daybeacon<br>28 | 29-07-24.790N<br>083-02-24.577W |           | 0 |   | TR on pile. |
| 29850   | Cedar Keys Main<br>Channel Light 30        | 29-07-19.154N<br>083-02-40.502W | Q R       | 0 | 4 | TR on pile. |
| 29855   | Cedar Keys Main<br>Channel Daybeacon 31    | 29-07-33.278N<br>083-02-30.370W |           | 0 |   | SG on pile. |
| 29860   | Cedar Keys Main<br>Channel Daybeacon<br>32 | 29-07-31.820N<br>083-02-28.327W |           | 0 |   | TR on pile. |
| 29865   | Cedar Keys Main<br>Channel Daybeacon<br>34 | 29-07-44.078N<br>083-02-16.630W |           | 0 |   | TR on pile. |
| 29870   | Cedar Keys Main<br>Channel Daybeacon<br>36 | 29-07-50.696N<br>083-02-02.215W |           | 0 |   | TR on pile. |
| 29875   | Cedar Key Marina<br>Channel Daybeacon 1    | 29-08-01.383N<br>083-01-54.035W |           |   |   | SG on pile. |
| 29880   | Cedar Key Marina<br>Channel Daybeacon 2    | 29-08-01.183N<br>083-01-53.335W |           |   |   | TR on pile. |
| 29885   | Cedar Key Marina<br>Channel Daybeacon 3    | 29-08-03.583N<br>083-01-53.235W |           |   |   | SG on pile. |
| 29890   | Cedar Key Marina<br>Channel Daybeacon 4    | 29-08-03.283N<br>083-01-52.635W |           |   |   | TR on pile. |
| 29895   | Cedar Keys South Bar<br>Channel Light 2    | 29-07-13.538N<br>082-58-50.530W | FI R 4s   | 0 | 5 | TR on pile. |

|         |                                          |                                 |           |             |
|---------|------------------------------------------|---------------------------------|-----------|-------------|
| 29900   | Cedar Keys South Bar Channel Daybeacon 4 | 29-07-23.401N<br>082-59-22.877W | 0         | TR on pile. |
| 29905   | Cedar Keys South Bar Channel Daybeacon 5 | 29-07-58.718N<br>083-00-43.090W | 0         | SG on pile. |
| 29910   | Cedar Keys South Bar Channel Daybeacon 7 | 29-08-03.398N<br>083-00-47.410W | 0         | SG on pile. |
| 29911   | Corrigans Reef Light A                   | 29-08-25.127N<br>082-59-11.904W | FI Y 2.5s | NY on pile. |
| 29911.1 | Corrigans Reef Light B                   | 29-08-35.353N<br>082-59-07.357W | FI Y 2.5s | NY on pile. |
| 29911.2 | Corrigans Reef Light C                   | 29-08-35.308N<br>082-59-09.146W | FI Y 2.5s | NY on pile. |
| 29911.3 | Corrigans Reef Light D                   | 29-08-44.351N<br>082-59-20.508W | FI Y 2.5s | NY on pile. |
| 29911.4 | Corrigans Reef Light E                   | 29-08-53.398N<br>082-59-31.866W | FI Y 2.5s | NY on pile. |
| 29911.5 | Corrigans Reef Light F                   | 29-09-04.536N<br>082-59-45.859W | FI Y 2.5s | NY on pile. |
| 29911.6 | Corrigans Reef Light G                   | 29-08-57.746N<br>082-59-52.872W | FI Y 2.5s | NY on pile. |
| 29911.7 | Corrigans Reef Light H                   | 29-08-49.999N<br>082-59-43.141W | FI Y 2.5s | NY on pile. |
| 29911.8 | Corrigans Reef Light I                   | 29-08-43.048N<br>082-59-34.411W | FI Y 2.5s | NY on pile. |
| 29911.9 | Corrigans Reef Light J                   | 29-08-36.265N<br>082-59-25.894W | FI Y 2.5s | NY on pile. |
| 29915   | Cedar Keys South Bar Channel Daybeacon 8 | 29-07-59.978N<br>083-01-29.710W | 0         | TR on pile. |
| 29916   | Dog Island North Light A                 | 29-08-49.200N<br>083-00-43.200W | FI Y 2.5s | NY on pile. |
| 29916.1 | Dog Island North Light B                 | 29-08-52.800N<br>083-00-36.000W | FI Y 2.5s | NY on pile. |
| 29916.2 | Dog Island North Light C                 | 29-08-56.400N<br>083-00-25.200W | FI Y 2.5s | NY on pile. |
| 29916.3 | Dog Island North Light D                 | 29-08-59.521N<br>083-00-25.214W | FI Y 2.5s | NY on pile. |
| 29916.4 | Dog Island North Light E                 | 29-09-04.630N<br>083-00-10.818W | FI Y 2.5s | NY on pile. |
| 29916.5 | Dog Island North Light F                 | 29-09-10.930N<br>083-00-12.607W | FI Y 2.5s | NY on pile. |
| 29916.6 | Dog Island North Light G                 | 29-09-15.768N<br>083-00-19.264W | FI Y 2.5s | NY on pile. |
| 29916.7 | Dog Island North Light H                 | 29-09-12.362N<br>083-00-28.861W | FI Y 2.5s | NY on pile. |
| 29916.8 | Dog Island North Light I                 | 29-09-11.614N<br>083-00-30.974W | FI Y 2.5s | NY on pile. |
| 29916.9 | Dog Island North Light J                 | 29-09-10.292N<br>083-00-41.454W | FI Y 2.5s | NY on pile. |
| 29917   | Dog Island North Light K                 | 29-09-04.127N<br>083-00-55.588W | FI Y 2.5s | NY on pile. |
| 29917.1 | Dog Island North Light L                 | 29-09-01.156N<br>083-00-54.418W | FI Y 2.5s | NY on pile. |
| 29917.2 | Dog Island East Light A                  | 29-08-28.428N<br>083-00-10.728W | FI Y 2.5s | NY on pile. |
| 29917.3 | Dog Island East Light B                  | 29-08-31.632N<br>083-00-01.404W | FI Y 2.5s | NY on pile. |
| 29917.4 | Dog Island East Light C                  | 29-08-42.360N<br>083-00-04.392W | FI Y 2.5s | NY on pile. |
| 29917.5 | Dog Island East Light D                  | 29-08-55.661N<br>083-00-08.203W | FI Y 2.5s | NY on pile. |
| 29917.6 | Dog Island East Light E                  | 29-08-50.552N<br>083-00-22.599W | FI Y 2.5s | NY on pile. |
| 29917.7 | Dog Island East Light F                  | 29-08-37.212N<br>083-00-18.756W | FI Y 2.5s | NY on pile. |
| 29917.8 | Dog Island East Light G                  | 29-08-30.948N<br>083-00-17.028W | FI Y 2.5s | NY on pile. |
| 29918   | Dog Island Light A                       | 29-08-21.145N<br>083-00-37.760W | FI Y 2.5s | NY on pile. |
| 29918.1 | Dog Island Light B                       | 29-08-24.652N<br>083-00-27.875W | FI Y 2.5s | NY on pile. |
| 29918.2 | Dog Island Light C                       | 29-08-27.974N                   | FI Y 2.5s | NY on pile. |

|         |                                                     |                                 |           |   |   |                |
|---------|-----------------------------------------------------|---------------------------------|-----------|---|---|----------------|
|         |                                                     | 083-00-18.515W                  |           |   |   |                |
| 29918.3 | Dog Island Light D                                  | 29-08-40.826N<br>083-00-22.169W | FI Y 2.5s |   |   | NY on pile.    |
| 29918.4 | Dog Island Light E                                  | 29-08-49.801N<br>083-00-24.718W | FI Y 2.5s |   |   | NY on pile.    |
| 29918.5 | Dog Island Light F                                  | 29-08-44.678N<br>083-00-39.154W | FI Y 2.5s |   |   | NY on pile.    |
| 29918.6 | Dog Island Light G                                  | 29-08-39.556N<br>083-00-53.590W | FI Y 2.5s |   |   | NY on pile.    |
| 29918.7 | Dog Island Light H                                  | 29-08-26.470N<br>083-00-49.867W | FI Y 2.5s |   |   | NY on pile.    |
| 29920   | Cedar Keys Northwest<br>Channel Approach<br>Light 2 | 29-08-28.965N<br>083-07-51.209W | FI R 2.5s | 0 | 5 | TR on pile.    |
| 29925   | Cedar Keys Northwest<br>Channel Light 3             | 29-08-28.045N<br>083-06-11.495W | FI G 4s   | 0 | 5 | SG on dolphin. |
| 29930   | Cedar Keys Northwest<br>Channel Daybeacon 4         | 29-08-16.790N<br>083-05-25.075W |           | 0 |   | TR on pile.    |
| 29935   | Cedar Keys Northwest<br>Channel Light 6             | 29-08-12.698N<br>083-05-04.834W | FI R 4s   |   | 5 | TR on dolphin. |
| 29940   | Cedar Keys Northwest<br>Channel Daybeacon 8         | 29-08-16.679N<br>083-04-28.769W |           | 0 |   | TR on pile.    |
| 29945   | Cedar Keys Northwest<br>Channel Light 9             | 29-08-20.875N<br>083-04-18.773W | FI G 4s   | 0 | 5 | SG on pile.    |
| 29950   | Cedar Keys Northwest<br>Channel Daybeacon 10        | 29-08-04.495N<br>083-03-51.773W |           | 0 |   | TR on pile.    |
| 29955   | Cedar Keys Northwest<br>Channel Light 11            | 29-08-07.418N<br>083-03-48.490W | FI G 4s   | 0 | 5 | SG on dolphin. |
| 29960   | Cedar Keys Northwest<br>Channel Daybeacon 13        | 29-07-48.158N<br>083-03-39.730W |           | 0 |   | SG on pile.    |
| 29965   | Cedar Keys Northwest<br>Channel Daybeacon 14        | 29-07-36.038N<br>083-03-40.690W |           | 0 |   | TR on pile.    |
| 29970   | Cedar Keys Northwest<br>Channel Daybeacon 15        | 29-07-21.398N<br>083-03-36.250W |           | 0 |   | SG on pile.    |
| 29975   | Cedar Keys Northwest<br>Channel Light 16            | 29-07-14.918N<br>083-03-34.150W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 29980   | Cedar Keys Northwest<br>Channel Daybeacon 17        | 29-07-16.178N<br>083-03-24.970W |           | 0 |   | SG on pile.    |
| 29985   | Cedar Keys Northwest<br>Channel Daybeacon<br>17A    | 29-07-10.058N<br>083-03-15.010W |           | 0 |   | SG on pile.    |
| 29990   | Cedar Keys Northwest<br>Channel Light 18            | 29-07-08.318N<br>083-03-15.250W | FI R 4s   | 0 | 5 | TR on pile.    |
| 29995   | Cedar Keys Northwest<br>Channel Light 19            | 29-07-08.078N<br>083-03-06.310W | FI G 4s   | 0 | 5 | SG on pile.    |
| 30000   | Cedar Keys Northwest<br>Channel Daybeacon<br>20     | 29-07-06.638N<br>083-03-06.730W |           | 0 |   | TR on pile.    |
| 30005   | Cedar Keys Northwest<br>Channel Daybeacon 21        | 29-07-09.518N<br>083-02-59.590W |           | 0 |   | SG on pile.    |
| 30010   | Cedar Key Northwest<br>Channel Daybeacon<br>22      | 29-07-08.138N<br>083-02-58.750W |           | 0 |   | TR on pile.    |
| 30015   | Suwannee Sound<br>South Entrance<br>Daybeacon 2     | 29-09-17.121N<br>083-06-13.520W |           | 0 |   | TR on pile.    |
| 30020   | Suwannee Sound<br>South Entrance<br>Daybeacon 3     | 29-09-50.544N<br>083-06-10.161W |           | 0 |   | SG on pile.    |
| 30025   | Suwannee Sound<br>South Entrance<br>Daybeacon 5     | 29-10-27.955N<br>083-06-01.494W |           | 0 |   | SG on pile.    |
| 30030   | Suwannee Sound<br>South Entrance<br>Daybeacon 7     | 29-10-36.267N<br>083-05-55.634W |           | 0 |   | SG on pile.    |
| 30035   | Suwannee Sound<br>South Entrance<br>Daybeacon 9     | 29-10-50.661N<br>083-05-42.200W |           | 0 |   | SG on pile.    |
| 30040   | Suwannee Sound<br>South Entrance<br>Daybeacon 11    | 29-11-02.961N<br>083-05-16.460W |           | 0 |   | SG on pile.    |
| 30045   | Suwannee Sound                                      | 29-11-08.748N                   |           | 0 |   | SG on pile.    |

|         |                                                  |                                 |           |                           |
|---------|--------------------------------------------------|---------------------------------|-----------|---------------------------|
|         | South Entrance<br>Daybeacon 13                   | 083-05-01.716W                  |           |                           |
| 30050   | Suwannee Sound<br>South Entrance<br>Daybeacon 15 | 29-11-12.201N<br>083-04-53.180W | 0         | SG on pile.               |
| 30055   | Derrick Key Gap<br>Channel Daybeacon 2           | 29-11-29.566N<br>083-04-51.030W | 0         | TR on pile.               |
| 30060   | Derrick Key Gap<br>Channel Daybeacon 3           | 29-11-35.935N<br>083-04-50.874W | 0         | SG on pile.               |
| 30065   | Derrick Key Gap<br>Channel Daybeacon 5           | 29-11-51.044N<br>083-04-57.866W | 0         | SG on pile.               |
| 30070   | Derrick Key Gap<br>Channel Daybeacon 7           | 29-11-52.435N<br>083-05-02.454W | 0         | SG on pile.               |
| 30075   | Derrick Key Gap<br>Channel Daybeacon 8           | 29-11-53.489N<br>083-05-15.455W | 0         | TR on pile.               |
| 30080   | Derrick Key Gap<br>Channel Daybeacon 10          | 29-12-00.581N<br>083-05-30.751W | 1         | TR on pile.               |
| 30081   | Gulf Jackson Light A                             | 29-09-14.929N<br>083-04-55.406W | FI Y 2.5s | NY on pile.               |
| 30081.1 | Gulf Jackson Light B                             | 29-09-08.861N<br>083-04-25.753W | FI Y 2.5s | NY on pile.               |
| 30081.2 | Gulf Jackson Light C                             | 29-09-25.973N<br>083-04-21.208W | FI Y 2.5s | NY on pile.               |
| 30081.3 | Gulf Jackson Light D                             | 29-09-37.542N<br>083-04-18.135W | FI Y 2.5s | NY on pile.               |
| 30081.4 | Gulf Jackson Light E                             | 29-09-49.110N<br>083-04-15.062W | FI Y 2.5s | NY on pile.               |
| 30081.5 | Gulf Jackson Light F                             | 29-10-02.280N<br>083-04-27.480W | FI Y 2.5s | NY on pile.               |
| 30081.6 | Gulf Jackson Light G                             | 29-10-12.180N<br>083-04-28.164W | FI Y 2.5s | NY on pile.               |
| 30081.7 | Gulf Jackson Light H                             | 29-10-22.332N<br>083-04-28.956W | FI Y 2.5s | NY on pile.               |
| 30081.8 | Gulf Jackson Light I                             | 29-10-33.888N<br>083-04-29.820W | FI Y 2.5s | NY on pile.               |
| 30081.9 | Gulf Jackson Light J                             | 29-10-43.968N<br>083-04-30.540W | FI Y 2.5s | NY on pile.               |
| 30082   | Gulf Jackson Light K                             | 29-10-55.740N<br>083-04-31.404W | FI Y 2.5s | NY on pile.               |
| 30082.1 | Gulf Jackson Light L                             | 29-10-54.948N<br>083-04-43.212W | FI Y 2.5s | NY on pile.               |
| 30082.2 | Gulf Jackson Light M                             | 29-10-43.392N<br>083-04-42.384W | FI Y 2.5s | NY on pile.               |
| 30082.3 | Gulf Jackson Light N                             | 29-10-33.276N<br>083-04-41.628W | FI Y 2.5s | NY on pile.               |
| 30082.4 | Gulf Jackson Light O                             | 29-10-21.612N<br>083-04-40.836W | FI Y 2.5s | NY on pile.               |
| 30082.5 | Gulf Jackson Light P                             | 29-10-11.424N<br>083-04-40.008W | FI Y 2.5s | NY on pile.               |
| 30082.6 | Gulf Jackson Light Q                             | 29-10-01.668N<br>083-04-39.288W | FI Y 2.5s | NY on pile.               |
| 30082.7 | Gulf Jackson Light R                             | 29-09-52.164N<br>083-04-39.180W | FI Y 2.5s | NY on pile.               |
| 30082.8 | Gulf Jackson Light S                             | 29-09-43.740N<br>083-04-47.892W | FI Y 2.5s | NY on pile.               |
| 30082.9 | Gulf Jackson Light T                             | 29-09-32.436N<br>083-04-50.916W | FI Y 2.5s | NY on pile.               |
| 30083   | Lone Cabbage Reef<br>Obstruction<br>Daybeacon A  | 29-15-42.987N<br>083-06-46.186W |           | NW on pile worded DANGER. |
| 30083.1 | Lone Cabbage Reef<br>Obstruction<br>Daybeacon B  | 29-15-40.680N<br>083-06-43.200W |           | NW on pile worded DANGER. |
| 30083.2 | Lone Cabbage Reef<br>Obstruction<br>Daybeacon C  | 29-15-30.240N<br>083-06-25.880W |           | NW on pile worded DANGER. |
| 30083.3 | Lone Cabbage Reef<br>Obstruction<br>Daybeacon D  | 29-15-24.840N<br>083-06-25.920W |           | NW on pile worded DANGER. |
| 30085   | Suwannee River<br>Alligator Pass Light 2         | 29-14-20.940N<br>083-11-28.260W | FI R 2.5s | TR on dolphin.            |



|       |                                                  |                                 |             |
|-------|--------------------------------------------------|---------------------------------|-------------|
| 30090 | Suwannee River<br>Alligator Pass<br>Daybeacon 4  | 29-15-12.480N<br>083-10-28.680W | TR on pile. |
| 30095 | Suwannee River<br>Alligator Pass<br>Daybeacon 5  | 29-15-21.000N<br>083-10-17.700W | SG on pile. |
| 30100 | Suwannee River<br>Alligator Pass<br>Daybeacon 7  | 29-15-49.020N<br>083-10-05.280W | SG on pile. |
| 30105 | Suwannee River<br>Alligator Pass<br>Daybeacon 8  | 29-15-54.960N<br>083-10-05.280W | TR on pile. |
| 30110 | Suwannee River<br>Alligator Pass<br>Daybeacon 9  | 29-16-02.940N<br>083-10-07.080W | SG on pile. |
| 30115 | Suwannee River<br>Alligator Pass<br>Daybeacon 11 | 29-16-19.200N<br>083-10-03.180W | SG on pile. |
| 30120 | Suwannee River<br>Alligator Pass<br>Daybeacon 13 | 29-16-29.280N<br>083-10-03.180W | SG on pile. |
| 30125 | Suwannee River<br>Alligator Pass<br>Daybeacon 14 | 29-16-39.720N<br>083-10-04.440W | TR on pile. |
| 30130 | Suwannee River<br>Alligator Pass<br>Daybeacon 15 | 29-16-50.220N<br>083-09-56.460W | SG on pile. |
| 30135 | Suwannee River<br>Alligator Pass<br>Daybeacon 17 | 29-17-01.020N<br>083-09-52.680W | SG on pile. |
| 30140 | Suwannee River<br>Alligator Pass<br>Daybeacon 19 | 29-17-11.760N<br>083-09-58.320W | SG on pile. |
| 30145 | Suwannee River<br>Alligator Pass<br>Daybeacon 21 | 29-17-16.200N<br>083-09-57.540W | SG on pile. |
| 30150 | Suwannee River<br>Alligator Pass<br>Daybeacon 23 | 29-17-33.180N<br>083-09-46.140W | SG on pile. |
| 30155 | Suwannee River<br>Alligator Pass<br>Daybeacon 25 | 29-17-43.320N<br>083-09-35.640W | SG on pile. |
| 30160 | Suwannee River<br>Alligator Pass<br>Daybeacon 27 | 29-18-15.480N<br>083-09-16.200W | SG on pile. |
| 30165 | Suwannee River<br>Alligator Pass<br>Daybeacon 29 | 29-18-26.400N<br>083-08-52.260W | SG on pile. |
| 30170 | Suwannee River<br>McGriff Pass<br>Daybeacon 1    | 29-18-34.800N<br>083-12-00.060W | SG on pile. |
| 30175 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 2    | 29-18-33.120N<br>083-12-00.000W | TR on pile. |
| 30180 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 3    | 29-18-32.000N<br>083-11-52.200W | SG on pile. |
| 30185 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 5    | 29-18-29.400N<br>083-11-42.060W | SG on pile. |
| 30190 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 5A   | 29-18-26.820N<br>083-11-30.060W | SG on pile. |
| 30195 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 6    | 29-18-24.540N<br>083-11-19.200W | TR on pile. |
| 30200 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 7    | 29-18-22.537N<br>083-11-07.569W | SG on pile. |
| 30205 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 8    | 29-18-19.740N<br>083-10-55.800W | TR on pile. |
| 30210 | Suwannee River                                   | 29-18-18.780N                   | SG on pile. |

|       |                                                |                                 |           |             |
|-------|------------------------------------------------|---------------------------------|-----------|-------------|
|       | Mcgriff Pass<br>Daybeacon 9                    | 083-10-46.320W                  |           |             |
| 30215 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 10 | 29-18-17.700N<br>083-10-37.980W |           | TR on pile. |
| 30220 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 11 | 29-18-14.520N<br>083-10-27.600W |           | SG on pile. |
| 30225 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 12 | 29-18-14.400N<br>083-10-30.360W |           | TR on pile. |
| 30230 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 15 | 29-18-12.660N<br>083-10-19.980W |           | SG on pile. |
| 30233 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 20 | 29-18-28.440N<br>083-09-58.140W |           | TR on pile. |
| 30240 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 24 | 29-18-26.400N<br>083-09-42.660W |           | TR on pile. |
| 30245 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 28 | 29-18-32.348N<br>083-09-24.761W |           | TR on pile. |
| 30250 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 29 | 29-18-32.790N<br>083-09-16.980W |           | SG on pile. |
| 30255 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 30 | 29-18-34.020N<br>083-08-58.140W |           | TR on pile. |
| 30260 | Suwannee River<br>Mcgriff Pass<br>Daybeacon 31 | 29-18-35.160N<br>083-08-58.380W |           | SG on pile. |
| 30270 | Salt Creek Daybeacon<br>1                      | 29-18-33.660N<br>083-09-53.340W |           | SG on pile. |
| 30271 | Salt Creek Daybeacon<br>2                      | 29-18-33.960N<br>083-09-52.080W |           | TR on pile. |
| 30275 | Salt Creek Daybeacon<br>4                      | 29-18-39.540N<br>083-09-51.660W |           | TR on pile. |
| 30280 | Salt Creek Daybeacon<br>5                      | 29-18-48.840N<br>083-09-50.460W |           | SG on pile. |
| 30285 | Salt Creek Daybeacon<br>7                      | 29-18-53.040N<br>083-09-49.200W |           | SG on pile. |
| 30290 | Salt Creek Daybeacon<br>9                      | 29-18-59.700N<br>083-09-52.800W |           | SG on pile. |
| 30295 | Salt Creek Daybeacon<br>10                     | 29-19-01.800N<br>083-09-56.820W |           | TR on pile. |
| 30300 | Salt Creek Daybeacon<br>12                     | 29-19-08.400N<br>083-10-02.160W |           | TR on pile. |
| 30305 | Salt Creek Daybeacon<br>15                     | 29-19-10.800N<br>083-09-59.100W |           | SG on pile. |
| 30310 | Salt Creek Daybeacon<br>16                     | 29-19-10.380N<br>083-09-58.560W |           | TR on pile. |
| 30315 | Salt Creek Daybeacon<br>17                     | 29-19-12.780N<br>083-09-56.280W |           | SG on pile. |
| 30320 | Salt Creek Daybeacon<br>18                     | 29-19-16.380N<br>083-09-52.080W |           | TR on pile. |
| 30325 | Salt Creek Daybeacon<br>20                     | 29-19-23.340N<br>083-09-44.940W |           | TR on pile. |
| 30330 | Salt Creek Daybeacon<br>21                     | 29-19-33.000N<br>083-09-33.060W |           | SG on pile. |
| 30335 | Salt Creek Daybeacon<br>22                     | 29-19-34.680N<br>083-09-28.620W |           | TR on pile. |
| 30340 | Salt Creek Daybeacon<br>24                     | 29-19-38.880N<br>083-09-21.420W |           | TR on pile. |
| 30345 | Salt Creek Daybeacon<br>26                     | 29-19-42.180N<br>083-09-14.820W |           | TR on pile. |
| 30350 | Salt Creek Daybeacon<br>28                     | 29-19-42.000N<br>083-09-10.020W |           | TR on pile. |
| 30355 | Salt Creek Daybeacon<br>29                     | 29-19-41.940N<br>083-09-05.220W |           | SG on pile. |
| 30357 | Long Bar Light A                               | 29-24-02.124N<br>083-14-47.112W | FI Y 2.5s | NY on pile. |

|         |                                             |                                 |           |   |   |                |
|---------|---------------------------------------------|---------------------------------|-----------|---|---|----------------|
| 30357.1 | Long Bar Light B                            | 29-24-02.088N<br>083-14-35.556W | FI Y 2.5s |   |   | NY on pile.    |
| 30357.2 | Long Bar Light C                            | 29-24-02.051N<br>083-14-24.035W | FI Y 2.5s |   |   | NY on pile.    |
| 30357.3 | Long Bar Light D                            | 29-24-01.979N<br>083-14-10.860W | FI Y 2.5s |   |   | NY on pile.    |
| 30357.4 | Long Bar Light E                            | 29-24-07.920N<br>083-14-10.860W | FI Y 2.5s |   |   | NY on pile.    |
| 30357.5 | Long Bar Light F                            | 29-24-07.991N<br>083-14-23.999W | FI Y 2.5s |   |   | NY on pile.    |
| 30357.6 | Long Bar Light G                            | 29-24-08.027N<br>083-14-35.556W | FI Y 2.5s |   |   | NY on pile.    |
| 30357.7 | Long Bar Light H                            | 29-24-08.063N<br>083-14-47.075W | FI Y 2.5s |   |   | NY on pile.    |
| 30360   | Horseshoe Beach<br>Approach Light 2         | 29-23-16.209N<br>083-20-24.450W | FI R 4s   | 0 | 5 | TR on pile.    |
| 30365   | Horseshoe Beach<br>Approach Daybeacon<br>4  | 29-23-39.869N<br>083-19-45.264W |           | 0 |   | TR on pile.    |
| 30370   | Horseshoe Beach<br>Approach Daybeacon<br>5  | 29-23-52.090N<br>083-19-27.165W |           | 0 |   | SG on pile.    |
| 30375   | Horseshoe Beach<br>Approach Light 7         | 29-24-11.014N<br>083-18-54.191W | FI G 4s   | 0 | 5 | SG on dolphin. |
| 30380   | Horseshoe Beach<br>Approach Light 9         | 29-24-35.361N<br>083-18-26.840W | FI G 4s   | 0 | 5 | SG on dolphin. |
| 30385   | Horseshoe Beach<br>Channel Light 10         | 29-24-58.462N<br>083-18-19.573W | FI R 4s   | 0 | 5 | TR on dolphin. |
| 30390   | Horseshoe Beach<br>Channel Daybeacon 11     | 29-24-58.641N<br>083-18-20.780W |           | 0 |   | SG on pile.    |
| 30395   | Horseshoe Beach<br>Channel Daybeacon 12     | 29-25-21.038N<br>083-18-03.851W |           | 0 |   | TR on pile.    |
| 30400   | Horseshoe Beach<br>Channel Daybeacon 13     | 29-25-21.201N<br>083-18-05.180W |           | 0 |   | SG on pile.    |
| 30405   | Horseshoe Beach<br>Channel Daybeacon<br>13A | 29-25-30.381N<br>083-17-58.400W |           | 0 |   | SG on pile.    |
| 30410   | Horseshoe Beach<br>Channel Daybeacon 14     | 29-25-44.191N<br>083-17-47.677W |           | 0 |   | TR on pile.    |
| 30415   | Horseshoe Beach<br>Channel Daybeacon 16     | 29-25-55.881N<br>083-17-39.800W |           | 0 |   | TR on pile.    |
| 30420   | Horseshoe Beach<br>Channel Daybeacon 15     | 29-25-44.661N<br>083-17-48.680W |           | 0 |   | SG on pile.    |
| 30425   | Horseshoe Beach<br>Channel Light 16A        | 29-26-07.131N<br>083-17-31.731W | FI R 4s   | 0 | 5 | TR on pile.    |
| 30430   | Horseshoe Beach<br>Channel Daybeacon 17     | 29-26-07.664N<br>083-17-32.634W |           | 0 |   | SG on dolphin. |
| 30435   | Horseshoe Beach<br>Channel Daybeacon 18     | 29-26-10.815N<br>083-17-28.419W |           | 0 |   | TR on pile.    |
| 30440   | Horseshoe Beach<br>Channel Daybeacon 19     | 29-26-11.228N<br>083-17-33.016W |           | 0 |   | SG on pile.    |
| 30445   | Horseshoe Beach<br>Channel Daybeacon 21     | 29-26-12.087N<br>083-17-34.470W |           | 0 |   | SG on pile.    |
| 30450   | Horseshoe Beach<br>Channel Daybeacon<br>23  | 29-26-11.871N<br>083-17-38.486W |           | 0 |   | SG on pile.    |
| 30453   | Horseshoe Cove Light<br>A                   | 29-24-04.000N<br>083-15-01.000W | FI Y 2.5s |   |   | NY on pile.    |
| 30453.1 | Horseshoe Cove Light<br>B                   | 29-24-16.000N<br>083-14-56.000W | FI Y 2.5s |   |   | NY on pile.    |
| 30453.2 | Horseshoe Cove Light<br>C                   | 29-24-19.000N<br>083-15-08.000W | FI Y 2.5s |   |   | NY on pile.    |
| 30453.3 | Horseshoe Cove Light<br>D                   | 29-24-22.000N<br>083-15-19.000W | FI Y 2.5s |   |   | NY on pile.    |
| 30453.4 | Horseshoe Cove Light<br>E                   | 29-24-25.000N<br>083-15-30.000W | FI Y 2.5s |   |   | NY on pile.    |
| 30453.5 | Horseshoe Cove Light<br>F                   | 29-24-28.000N<br>083-15-41.000W | FI Y 2.5s |   |   | NY on pile.    |
| 30453.6 | Horseshoe Cove Light<br>G                   | 29-24-32.000N<br>083-15-54.000W | FI Y 2.5s |   |   | NY on pile.    |
| 30453.7 | Horseshoe Cove Light                        | 29-24-20.000N                   | FI Y 2.5s |   |   | NY on pile.    |

|         |                                 |                                 |           |    |   |                |
|---------|---------------------------------|---------------------------------|-----------|----|---|----------------|
|         | H                               | 083-15-59.000W                  |           |    |   |                |
| 30453.8 | Horseshoe Cove Light I          | 29-24-17.000N<br>083-15-48.000W | FI Y 2.5s |    |   | NY on pile.    |
| 30453.9 | Horseshoe Cove Light J          | 29-24-14.000N<br>083-15-37.000W | FI Y 2.5s |    |   | NY on pile.    |
| 30454   | Horseshoe Cove Light K          | 29-24-11.000N<br>083-15-24.000W | FI Y 2.5s |    |   | NY on pile.    |
| 30454.1 | Horseshoe Cove Light L          | 29-24-08.000N<br>083-15-13.000W | FI Y 2.5s |    |   | NY on pile.    |
| 30455   | Steinhatchee River Light 1      | 29-39-23.275N<br>083-27-22.614W | FI G 4s   | 27 | 5 | SG on dolphin. |
| 30460   | Steinhatchee River Daybeacon 3  | 29-39-27.415N<br>083-27-04.614W |           | 0  |   | SG on pile.    |
| 30465   | Steinhatchee River Light 5      | 29-39-30.801N<br>083-26-49.856W | FI G 6s   | 0  | 5 | SG on pile.    |
| 30470   | Steinhatchee River Daybeacon 7  | 29-39-34.609N<br>083-26-33.438W |           |    |   | SG on pile.    |
| 30475   | Steinhatchee River Daybeacon 8  | 29-39-36.471N<br>083-26-20.306W |           |    |   | TR on pile.    |
| 30480   | Steinhatchee River Light 9      | 29-39-38.402N<br>083-26-17.898W | FI G 2.5s | 0  | 5 | SG on pile.    |
| 30485   | Steinhatchee River Daybeacon 11 | 29-39-42.150N<br>083-26-01.129W |           |    |   | SG on pile.    |
| 30490   | Steinhatchee River Daybeacon 13 | 29-39-46.082N<br>083-25-44.757W |           |    |   | SG on pile.    |
| 30490.5 | Steinhatchee River Daybeacon 14 | 29-39-45.061N<br>083-25-44.143W |           |    |   | TR on pile.    |
| 30495   | Steinhatchee River Daybeacon 15 | 29-39-50.102N<br>083-25-27.981W |           |    |   | SG on pile.    |
| 30500   | Steinhatchee River Daybeacon 16 | 29-39-50.963N<br>083-25-19.853W |           | 0  |   | TR on pile.    |
| 30505   | Steinhatchee River Light 17     | 29-39-54.281N<br>083-25-11.052W | FI G 4s   |    | 5 | SG on pile.    |
| 30510   | Steinhatchee River Daybeacon 19 | 29-39-57.291N<br>083-24-58.591W |           | 0  |   | SG on pile.    |
| 30515   | Steinhatchee River Daybeacon 20 | 29-39-56.438N<br>083-24-57.996W |           |    |   | TR on pile.    |
| 30520   | Steinhatchee River Daybeacon 21 | 29-40-01.297N<br>083-24-42.959W |           |    |   | SG on pile.    |
| 30525.5 | Steinhatchee River Light 22     | 29-40-00.066N<br>083-24-41.803W | Q R       |    | 4 | TR on pile.    |
| 30530   | Steinhatchee River Daybeacon 23 | 29-40-02.757N<br>083-24-39.404W |           |    |   | SG on pile.    |
| 30540   | Steinhatchee River Daybeacon 25 | 29-40-06.379N<br>083-24-34.837W |           |    |   | SG on pile.    |
| 30545   | Steinhatchee River Daybeacon 26 | 29-40-07.454N<br>083-24-31.508W |           |    |   | TR on pile.    |
| 30545.5 | Steinhatchee River Daybeacon 27 | 29-40-10.566N<br>083-24-28.376W |           |    |   | SG on pile.    |
| 30550   | Steinhatchee River Daybeacon 28 | 29-40-14.889N<br>083-24-20.345W |           |    |   | TR on pile.    |
| 30550.5 | Steinhatchee River Light 29     | 29-40-15.564N<br>083-24-20.819W | Q G       |    | 4 | SG on pile.    |
| 30555   | Steinhatchee River Daybeacon 30 | 29-40-15.555N<br>083-24-16.059W |           | 0  |   | TR on pile.    |
| 30560   | Steinhatchee River Daybeacon 31 | 29-40-16.657N<br>083-24-14.379W |           |    |   | SG on pile.    |
| 30560.5 | Steinhatchee River Light 32     | 29-40-16.556N<br>083-24-08.490W | Q R       |    | 4 | TR on pile.    |
| 30565   | Steinhatchee River Daybeacon 33 | 29-40-17.896N<br>083-24-08.535W |           |    |   | SG on pile.    |
| 30570   | Steinhatchee River Daybeacon 34 | 29-40-22.683N<br>083-24-03.020W |           |    |   | TR on pile.    |
| 30570.5 | Steinhatchee River Light 35     | 29-40-25.291N<br>083-24-01.108W | FI G 2.5s |    | 5 | SG on pile.    |
| 30575   | Steinhatchee River Daybeacon 36 | 29-40-24.186N<br>083-23-58.605W |           |    |   | TR on pile.    |
| 30580   | Steinhatchee River Daybeacon 38 | 29-40-23.066N<br>083-23-53.793W |           |    |   | TR on pile.    |
| 30580.2 | Steinhatchee River              | 29-40-16.886N                   |           |    |   | Green can.     |

|         |                                                   |                                 |             |    |                                                     |
|---------|---------------------------------------------------|---------------------------------|-------------|----|-----------------------------------------------------|
|         | Buoy 41                                           | 083-23-39.470W                  |             |    |                                                     |
| 30580.1 | Steinhatchee River Daybeacon 40                   | 29-40-20.439N<br>083-23-47.720W |             | 0  | TR on pile.                                         |
| 30580.9 | Steinhatchee River Daybeacon 48                   | 29-40-07.308N<br>083-23-13.361W |             | 0  | TR on pile.                                         |
| 30580.8 | Steinhatchee River Light 47                       | 29-40-14.054N<br>083-23-19.209W | Q G         | 4  | SG on pile.                                         |
| 30580.7 | Steinhatchee River Shoal Daybeacon                | 29-40-15.333N<br>083-23-24.482W |             |    | NW on pile.                                         |
| 30580.6 | Steinhatchee River Daybeacon 46                   | 29-40-14.229N<br>083-23-22.927W |             |    | TR on pile.                                         |
| 30580.5 | Steinhatchee River Daybeacon 45                   | 29-40-15.759N<br>083-23-28.920W |             |    | SG on pile.                                         |
| 30580.3 | Steinhatchee River Light 42                       | 29-40-15.289N<br>083-23-39.584W | Q R         | 4  | TR on pile.                                         |
| 30585   | Big Grassy Island Bird Rack Obstruction Daybeacon | 29-43-09.000N<br>083-34-22.500W |             |    | NW on platform worded<br>DANGER OBSTRUCTION.        |
| 30590   | Fish Creek Bird Rack Obstruction Daybeacon        | 29-47-10.000N<br>083-37-15.000W |             |    | NW on platform worded<br>DANGER OBSTRUCTION.        |
| 30600   | Keaton Beach Daybeacon 2                          | 29-48-51.425N<br>083-37-21.332W |             |    | TR on pile.                                         |
| 30605   | Keaton Beach Daybeacon 3                          | 29-48-53.755N<br>083-36-58.674W |             | 0  | SG on pile.                                         |
| 30610   | Keaton Beach Daybeacon 4                          | 29-48-55.397N<br>083-36-44.618W |             |    | TR on pile.                                         |
| 30615   | Keaton Beach Daybeacon 4A                         | 29-48-56.542N<br>083-36-36.866W |             |    | TR on pile.                                         |
| 30620   | Keaton Beach Light 5                              | 29-48-57.295N<br>083-36-35.634W | FI G 4s     | 5  | SG on pile.                                         |
| 30625   | Keaton Beach Daybeacon 6                          | 29-48-54.895N<br>083-36-19.854W |             |    | TR on pile.                                         |
| 30630   | Keaton Beach Light 8                              | 29-48-52.435N<br>083-36-01.794W | FI R 2.5s   | 5  | TR on pile.                                         |
| 30635   | Keaton Beach Daybeacon 10                         | 29-48-52.495N<br>083-35-49.854W |             |    | TR on pile.                                         |
| 30640   | Keaton Beach Light 11                             | 29-48-53.193N<br>083-35-48.892W | Q G         | 4  | SG on pile.                                         |
| 30645   | Keaton Beach Daybeacon 12                         | 29-48-52.135N<br>083-35-48.114W |             |    | TR on pile.                                         |
| 30650   | Keaton Beach Daybeacon 13                         | 29-48-50.995N<br>083-35-44.034W |             |    | SG on pile.                                         |
| 30655.1 | Keaton Beach Lighted Buoy 14                      | 29-48-50.253N<br>083-35-43.496W | Q R         | 4  | Red.                                                |
| 30660   | Keaton Beach Daybeacon 15                         | 29-48-50.613N<br>083-35-42.358W |             | 0  | SG on pile.                                         |
| 30665   | Keaton Beach Light 16                             | 29-48-53.035N<br>083-35-35.934W | FI R 4s     | 5  | TR on pile.                                         |
| 30670   | Keaton Beach Daybeacon 17                         | 29-48-54.235N<br>083-35-36.294W |             |    | SG on pile.                                         |
| 30675   | Keaton Beach Daybeacon 18                         | 29-48-59.335N<br>083-35-32.634W |             |    | TR on pile.                                         |
| 30680   | Keaton Beach Light 19                             | 29-49-02.755N<br>083-35-31.262W | FI G 2.5s   | 5  | SG on pile.                                         |
| 30685   | Keaton Beach Daybeacon 20                         | 29-49-01.915N<br>083-35-30.234W |             |    | TR on pile.                                         |
| 30687   | Keaton Beach Canal West Obstruction Buoy          | 29-49-07.380N<br>083-35-35.280W |             |    | Orange and white bands with<br>orange diamond; can. |
| 30688   | Keaton Beach Canal E Obstruction Buoy             | 29-49-05.460N<br>083-35-34.920W |             |    | Orange and white bands with<br>orange diamond; can. |
| 30700   | Dekle Beach Bird Rack Obstruction Daybeacon       | 29-49-48.000N<br>083-38-30.000W |             |    | NW on platform worded<br>DANGER OBSTRUCTION.        |
| 30705   | Spring Warrior Creek Approach Light SW            | 29-55-21.000N<br>083-41-12.000W | Q W         |    | NR on dolphin.                                      |
| 30710   | Fenholoway River Approach Light FR                | 29-58-34.766N<br>083-47-17.552W | Q W         |    | NR on dolphin.                                      |
| 30715   | Punta Borinquen Light                             | 18-29-49.849N<br>067-08-55.564W | FI (2)W 15s | 14 | Gray cylindrical tower.                             |

|         |                                               |                                 |             |    |    |                                                                |                                                                                        |
|---------|-----------------------------------------------|---------------------------------|-------------|----|----|----------------------------------------------------------------|----------------------------------------------------------------------------------------|
| 30720   | Arecibo Light                                 | 18-28-55.090N<br>066-41-55.333W | Fl W 5s     | 46 | 11 | White hexagonal tower attached to square flat roofed dwelling. |                                                                                        |
| 30721   | Arecibo North Jetty Light 1                   | 18-28-40.669N<br>066-42-05.092W | F G         |    | 1  | SG on Pile on Jetty                                            |                                                                                        |
| 30722   | Arecibo South Jetty Light 2                   | 18-28-40.682N<br>066-42-05.091W | F R         |    | 1  | TR on pile on jetty.                                           |                                                                                        |
| 30723   | Waverider Lighted Buoy G                      | 18-29-27.060N<br>066-42-01.861W | Fl Y 5s     |    | 5  | Yellow sphere with antenna.                                    |                                                                                        |
| 30725   | Puerto Arecibo Buoy 1                         | 18-28-47.749N<br>066-42-17.904W |             |    |    | Green can.                                                     |                                                                                        |
| 30730   | Puerto Arecibo Buoy 2                         | 18-28-42.649N<br>066-42-23.064W |             |    |    | Red nun.                                                       |                                                                                        |
| 30733   | Puerto Arecibo Buoy 4                         | 18-28-40.643N<br>066-42-15.602W |             |    |    | Red nun.                                                       |                                                                                        |
| 30734   | Puerto Arecibo Buoy 6                         | 18-28-44.223N<br>066-42-09.708W |             |    |    | Red nun.                                                       |                                                                                        |
| 30735   | Puerto San Juan Light                         | 18-28-15.589N<br>066-07-24.967W | Fl (3)W 40s | 0  | 11 | Buff colored square tower octagonal base on Morro Castle.      | Obscured from 281° to 061°.                                                            |
| 30736.3 | Bahia De San Juan FAD Lighted Buoy D          | 18-32-15.800N<br>066-03-39.000W | Q Y         |    |    | Yellow.                                                        |                                                                                        |
| 30736.4 | Bahia De San Juan FAD Lighted Buoy E          | 18-34-44.900N<br>066-12-00.600W | Fl Y 2.5s   |    |    | Yellow.                                                        |                                                                                        |
| 30736.5 | Bahia De San Juan FAD Lighted Buoy F          | 18-35-23.200N<br>066-17-12.500W | Fl Y 6s     |    |    | Yellow.                                                        |                                                                                        |
| 30736.6 | Bahia De San Juan FAD Lighted Buoy G          | 18-34-54.000N<br>066-21-36.000W | Q Y         |    |    | Yellow.                                                        |                                                                                        |
| 30737   | University of Puerto Rico Data Lighted Buoy B | 18-28-28.200N<br>066-05-57.000W | Fl Y 4s     |    |    | Yellow.                                                        |                                                                                        |
| 30745   | Bahia De San Juan Range Front Light           | 18-27-25.530N<br>066-07-42.424W | Iso R 2s    |    |    | On skeleton tower on piles.                                    | AIS: MMSI 993672172 Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 30745.5 | Bahia De San Juan Range Front Passing Light   | 18-27-25.503N<br>066-07-42.438W | Fl W 6s     |    | 5  | On same structure as Bahia De San Juan Range Front Light.      | Visible all around.                                                                    |
| 30750   | Bahia De San Juan Range Rear Light            | 18-27-18.392N<br>066-07-42.552W | Oc R 4s     |    |    | On skeleton tower on piles.                                    | AIS: MMSI 993672173 Visible 1.5° each side of rangeline. Lighted throughout 24 hours.  |
| 30760   | Bahia De San Juan Lighted Buoy 2              | 18-28-19.812N<br>066-07-46.323W | Fl R 4s     |    | 5  | Red.                                                           | AIS: MMSI 993672167                                                                    |
| 30765   | Bahia De San Juan Lighted Buoy 3              | 18-28-17.840N<br>066-07-36.444W | Fl G 4s     |    | 5  | Green.                                                         | AIS: MMSI 993672168                                                                    |
| 30770   | Bahia De San Juan Lighted Buoy 4              | 18-28-09.907N<br>066-07-45.782W | Fl R 2.5s   |    | 5  | Red.                                                           |                                                                                        |
| 30775   | Bahia De San Juan Lighted Buoy 5              | 18-28-10.363N<br>066-07-37.663W | Fl G 2.5s   |    | 5  | Green.                                                         |                                                                                        |
| 30780   | Bahia De San Juan Lighted Buoy 6              | 18-28-02.220N<br>066-07-44.943W | Q R         |    | 4  | Red.                                                           |                                                                                        |
| 30790   | Bahia De San Juan Lighted Buoy 7              | 18-27-59.995N<br>066-07-33.270W | Q G         |    | 3  | Green.                                                         | AIS: MMSI 993672169                                                                    |
| 30795   | Bahia De San Juan Lighted Buoy 8              | 18-27-49.717N<br>066-07-38.333W | Fl R 2.5s   |    | 5  | Red.                                                           | AIS: MMSI 993672170                                                                    |
| 30795.1 | Bahia De San Juan Lighted Buoy 9              | 18-27-50.246N<br>066-07-26.342W | Fl G 2.5s   |    | 5  | Green.                                                         |                                                                                        |
| 30800   | Bahia De San Juan Lighted Buoy 10             | 18-27-32.622N<br>066-07-18.351W | Fl R 4s     |    | 5  | Red.                                                           |                                                                                        |
| 30805   | Bahia De San Juan Lighted Buoy 11             | 18-27-30.110N<br>066-07-01.642W | Q G         |    | 4  | Green.                                                         |                                                                                        |
| 30810   | Bahia De San Juan Lighted Buoy 13             | 18-27-11.498N<br>066-06-35.996W | Fl G 4s     |    | 5  | Green.                                                         | AIS: MMSI 993672171                                                                    |
| 30815   | San Juan Harbor Anchorage F Lighted Buoy A    | 18-27-00.827N<br>066-06-58.972W | Fl Y 2.5s   |    | 4  | Yellow.                                                        |                                                                                        |
| 30820   | Bahia De San Juan Lighted Buoy 14             | 18-27-00.359N<br>066-06-42.336W | Q R         |    | 4  | Red.                                                           |                                                                                        |
| 30825   | Tmt Outer Dolphin Obstruction Light           | 18-27-03.804N<br>066-06-11.598W | Q W         |    |    | On mooring dolphin.                                            |                                                                                        |
| 30830   | Tmt Middle Dolphin Obstruction Light          | 18-27-03.804N<br>066-06-11.598W | Q W         |    |    | On mooring dolphin.                                            |                                                                                        |
| 30835   | San Juan Harbor Anchorage E Buoy A            | 18-27-14.185N<br>066-06-23.889W |             |    |    | Yellow can.                                                    |                                                                                        |

|         |                                                          |                                 |              |    |                                    |                                                          |
|---------|----------------------------------------------------------|---------------------------------|--------------|----|------------------------------------|----------------------------------------------------------|
| 30845   | Army Terminal<br>Channel Lighted Buoy<br>A               | 18-26-55.181N<br>066-06-25.496W | Fl (2+1)G 6s | 5  | Green and red bands.               |                                                          |
| 30850   | Army Terminal<br>Channel Lighted Buoy<br>2               | 18-26-46.676N<br>066-06-34.631W | Fl R 2.5s    | 5  | Red.                               | AIS: MMSI 993672162                                      |
| 30855   | Army Terminal<br>Channel Lighted Buoy<br>3               | 18-26-46.154N<br>066-06-29.864W | Fl G 4s      | 5  | Green.                             | AIS: MMSI 993672163                                      |
| 30860   | Army Terminal<br>Channel Lighted Buoy<br>4               | 18-26-30.797N<br>066-06-34.063W | Fl R 4s      | 5  | Red nun.                           |                                                          |
| 30862   | Army Terminal<br>Northeast Light                         | 18-25-46.800N<br>066-06-29.700W | Fl W 4s      |    | On pier.                           |                                                          |
| 30863   | Army Terminal<br>Northwest Light                         | 18-25-46.800N<br>066-06-29.700W | Fl W 4s      |    | On pier.                           |                                                          |
| 30865   | Army Terminal<br>Channel Range Front<br>Light            | 18-25-39.901N<br>066-06-28.253W | Q R          | 25 | KRW on tower.                      | AIS: MMSI 993672164 Visible 1.5° each side of rangeline. |
| 30870   | Army Terminal<br>Channel Range Rear<br>Light             | 18-25-28.622N<br>066-06-27.515W | Oc R 4s      | 40 | KRW on tower.                      | AIS: MMSI 993672165 Visible 1.5° each side of rangeline. |
| 30875   | Army Terminal<br>Channel Lighted Buoy<br>5               | 18-26-30.186N<br>066-06-28.814W | Fl G 6s      | 5  | Green.                             |                                                          |
| 30880   | Army Terminal<br>Channel Lighted Buoy<br>6               | 18-26-14.023N<br>066-06-33.164W | Fl R 2.5s    | 5  | Red.                               |                                                          |
| 30885   | Army Terminal<br>Channel Lighted Buoy<br>7               | 18-26-10.272N<br>066-06-27.668W | Fl G 4s      | 5  | Green.                             |                                                          |
| 30890   | Army Terminal<br>Channel Turning Basin<br>Lighted Buoy 9 | 18-25-56.943N<br>066-06-18.935W | Fl G 2.5s    | 5  | Green.                             | AIS: MMSI 993672166                                      |
| 30895   | Puerto Nuevo Channel<br>Lighted Buoy 1                   | 18-25-56.385N<br>066-06-08.620W | Fl G 4s      | 5  | Green.                             | AIS: MMSI 993672178                                      |
| 30900   | Puerto Nuevo Channel<br>Range Front Light                | 18-26-28.033N<br>066-05-10.376W | Q R          | 35 | KRW on tower on piles.             | AIS: MMSI 993672179 Visible 2° each side of rangeline.   |
| 30905   | Puerto Nuevo Channel<br>Range Rear Light                 | 18-26-37.637N<br>066-04-54.022W | Oc R 4s      | 80 | KRW on tower.                      | AIS: MMSI 993672180 Visible 1.5° each side of rangeline. |
| 30910   | Puerto Nuevo Channel<br>Lighted Buoy 3                   | 18-26-08.273N<br>066-05-48.940W | Fl G 4s      | 5  | Green.                             |                                                          |
| 30915   | Puerto Nuevo Channel<br>Lighted Buoy 5                   | 18-26-23.175N<br>066-05-23.214W | Q G          | 4  | Green.                             |                                                          |
| 30920   | Isla Grande Pier 16<br>Southeast Light                   | 18-26-52.500N<br>066-05-12.000W | Fl W 4s      |    | On pier.                           |                                                          |
| 30930   | Isla Grande Pier 16<br>Southwest Light                   | 18-26-55.000N<br>066-05-17.000W | Fl W 4s      |    |                                    |                                                          |
| 31060   | Graving Dock Channel<br>Range Front Light                | 18-26-27.054N<br>066-04-59.378W | Q G          | 30 | KRW on skeleton tower.             | AIS: MMSI 993672176 Visible 1.5° each side of rangeline. |
| 31065   | Graving Dock Channel<br>Range Rear Light                 | 18-26-25.317N<br>066-04-54.575W | Oc G 4s      | 90 | KRW on tower.                      | AIS: MMSI 993672177 Visible 1.5° each side of rangeline. |
| 31070   | Graving Dock Channel<br>Lighted Buoy 1                   | 18-26-53.276N<br>066-06-06.432W | Fl G 2.5s    | 5  | Green.                             |                                                          |
| 31075   | Graving Dock Channel<br>Lighted Buoy 2                   | 18-26-40.230N<br>066-05-42.986W | Fl R 4s      | 5  | Red.                               | AIS: MMSI 993672174                                      |
| 31080   | Graving Dock Channel<br>Lighted Buoy 3                   | 18-26-44.199N<br>066-05-40.696W | Fl G 2.5s    | 4  | Green.                             | AIS: MMSI 993672175                                      |
| 31085   | Graving Dock Channel<br>Lighted Buoy 4                   | 18-26-34.536N<br>066-05-23.010W | Q R          | 5  | Red.                               |                                                          |
| 31085.5 | Graving Dock Channel<br>Turning Basin Light 5            | 18-26-35.287N<br>066-05-10.274W | Fl G 4s      | 12 | 5                                  | SG on pile.                                              |
| 31100   | San Juan CG Mooring<br>Buoy                              | 18-27-42.554N<br>066-06-53.218W |              |    | White labeled CG.                  |                                                          |
| 31105   | San Antonio Channel<br>Pier 1 East Obstruction<br>Light  | 18-27-39.632N<br>066-06-47.628W | F G          |    | On dolphin.                        |                                                          |
| 31115   | San Antonio Channel<br>Pier 4 South<br>Obstruction Light | 18-27-44.000N<br>066-06-37.370W | F G          |    | On pier.                           |                                                          |
| 31120   | Caballo Channel<br>Range Front Light (1)                 | 18-26-40.804N<br>065-59-52.595W | F R          |    | Red and orange diamond<br>daymark. |                                                          |

|       |                                                  |                                 |           |  |      |                                                                                         |                                |
|-------|--------------------------------------------------|---------------------------------|-----------|--|------|-----------------------------------------------------------------------------------------|--------------------------------|
| 31125 | Caballo Channel<br>Range Rear Light (1)          | 18-26-40.804N<br>065-59-52.595W | F R       |  |      | Red and orange round<br>daymark.                                                        |                                |
| 31130 | Boca De Cangrejos<br>Lighted Buoy BC             | 18-28-07.620N<br>066-00-39.160W | Mo (A) W  |  | 6    | Red and white stripes with<br>red spherical topmark.                                    | Use only with local knowledge. |
| 31145 | La Llave Buoy 1                                  | 18-25-43.000N<br>065-48-38.000W |           |  |      | Green can.                                                                              |                                |
| 31150 | La Llave Buoy 2                                  | 18-25-40.500N<br>065-48-43.000W |           |  |      | Red nun.                                                                                |                                |
| 31155 | Cabo San Juan Light                              | 18-22-53.524N<br>065-37-05.184W | Fl W 15s  |  | 0 11 | Cylindrical tower on front of<br>white rectangular dwelling;<br>black band around base. |                                |
| 31160 | Las Cucarachas Light                             | 18-24-01.232N<br>065-36-40.787W | Fl W 6s   |  | 10 5 | NG on skeleton tower.                                                                   |                                |
| 31165 | Las Croabas Buoy 1                               | 18-21-48.054N<br>065-37-20.564W |           |  |      | Green can.                                                                              |                                |
| 31170 | Las Croabas Buoy 2                               | 18-21-49.073N<br>065-37-20.146W |           |  |      | Red nun.                                                                                |                                |
| 31175 | Las Croabas Buoy 3                               | 18-21-50.368N<br>065-37-22.916W |           |  |      | Green can.                                                                              |                                |
| 31180 | Punta Gorda East<br>Jetty Light                  | 18-21-26.000N<br>065-37-30.000W | F R       |  |      | TR on pile on jetty.                                                                    |                                |
| 31185 | Punta Gorda West<br>Jetty Light                  | 18-21-25.500N<br>065-37-30.750W | F G       |  |      | SG on pile on jetty.                                                                    |                                |
| 31190 | Punta Gorda East<br>Seawall Light                | 18-21-26.700N<br>065-37-31.000W | F R       |  |      | TR on pile on seawall.                                                                  |                                |
| 31195 | Punta Gorda West<br>Seawall Light                | 18-21-25.000N<br>065-37-30.000W | F G       |  |      | SG on pile on seawall.                                                                  |                                |
| 31200 | Fifteen-Foot Spot<br>Lighted Buoy 1              | 18-20-48.297N<br>065-36-55.787W | Fl G 2.5s |  | 5    | Green.                                                                                  | AIS: MMSI 993672188            |
| 31205 | Bajo Onaway Buoy 3                               | 18-20-46.157N<br>065-37-24.865W |           |  |      | Green can.                                                                              | AIS: MMSI 993672189            |
| 31210 | Puerto Chico Marina<br>Breakwater Light          | 18-20-49.829N<br>065-38-00.581W | F R       |  |      | On pile.                                                                                |                                |
| 31230 | Sea Lovers Pier Buoy<br>West Light               | 18-20-44.929N<br>065-38-07.281W | F R       |  |      | On pier pile.                                                                           |                                |
| 31235 | Fajardo Harbor Pier<br>Obstruction West<br>Light | 18-20-04.831N<br>065-37-46.581W | F R       |  |      | On pile.                                                                                |                                |
| 31240 | Isleta Marina Pier A<br>Light                    | 18-20-21.130N<br>065-37-18.581W | Q W       |  |      | On pile.                                                                                |                                |
| 31245 | Isleta Marina Pier B<br>Light                    | 18-20-19.530N<br>065-37-16.681W | F G       |  |      | On pile.                                                                                |                                |
| 31250 | Isleta Marina Pier C<br>Light                    | 18-20-17.630N<br>065-37-11.481W | F G       |  |      | On pile.                                                                                |                                |
| 31255 | Isleta Marina Pier D<br>Light                    | 18-20-18.330N<br>065-37-09.281W | F G       |  |      | On pile.                                                                                |                                |
| 31260 | Isleta Marina<br>Daybeacon 2                     | 18-20-16.530N<br>065-37-13.481W |           |  |      | TR on pile.                                                                             |                                |
| 31265 | Isla Palominos Lighted<br>Buoy 2                 | 18-21-09.786N<br>065-33-31.753W | Fl R 4s   |  | 5    | Red.                                                                                    |                                |
| 31270 | Isla Palominos Marina<br>Buoy 1                  | 18-20-48.600N<br>065-34-25.250W |           |  |      | Green can.                                                                              |                                |
| 31275 | Isla Palominos Marina<br>Buoy 2                  | 18-20-47.500N<br>065-34-25.500W |           |  |      | Red nun.                                                                                |                                |
| 31280 | Isla Palominos Marina<br>Buoy 3                  | 18-20-47.500N<br>065-34-17.150W |           |  |      | Green can.                                                                              |                                |
| 31285 | Isla Palominos Marina<br>Buoy 4                  | 18-20-46.000N<br>065-34-18.000W |           |  |      | Red nun.                                                                                |                                |
| 31290 | Isla Palominos Marina<br>Buoy 5                  | 18-20-45.000N<br>065-34-13.400W |           |  |      | Green can.                                                                              |                                |
| 31295 | Isla Palominos Marina<br>Buoy 6                  | 18-20-44.000N<br>065-34-14.500W |           |  |      | Red nun.                                                                                |                                |
| 31300 | Cayo Largo Buoy 1                                | 18-19-52.666N<br>065-35-28.657W |           |  |      | Green can.                                                                              |                                |
| 31305 | Cayo Largo Lighted<br>Buoy 1A                    | 18-18-53.348N<br>065-35-19.147W | Fl G 4s   |  | 5    | Green.                                                                                  |                                |
| 31310 | Isla De Ramos Buoy 2                             | 18-18-38.074N<br>065-35-54.186W |           |  |      | Red nun.                                                                                |                                |
| 31315 | Punta Barrancas<br>Obstruction<br>Daybeacon      | 18-18-30.300N<br>065-37-10.500W |           |  |      | NW on pile worded DANGER<br>REEF.                                                       |                                |



|         |                                               |                                 |           |    |    |                                                       |                                                                     |
|---------|-----------------------------------------------|---------------------------------|-----------|----|----|-------------------------------------------------------|---------------------------------------------------------------------|
| 31330   | Puerto Del Rey Marina North Channel Light 4   | 18-17-26.500N<br>065-37-50.850W | FI R 5s   |    |    | TR on pile.                                           |                                                                     |
| 31335   | Puerto Del Rey Marina North Channel Light 5   | 18-17-21.000N<br>065-37-55.000W | FI G 5s   |    |    | SG on pile.                                           |                                                                     |
| 31335.2 | Puerto Del Ray North Channel Lighted Buoy 7   | 18-17-24.000N<br>065-38-00.000W | Q G       |    |    | Green.                                                |                                                                     |
| 31335.1 | Puerto Del Ray North Channel Lighted Buoy 6   | 18-17-25.800N<br>065-37-55.800W | Q R       |    |    | Red.                                                  |                                                                     |
| 31360   | Bajos Largo Lighted Buoy 3                    | 18-17-41.714N<br>065-34-50.397W | FI G 2.5s | 5  |    | Green.                                                |                                                                     |
| 31365   | Punta Figueras Buoy 4                         | 18-17-28.501N<br>065-35-26.866W |           |    |    | Red nun.                                              | Buoy on edge of red sector of Cabeza de Perro Light.                |
| 31370   | Roca Lavandera Del Oeste Buoy 5               | 18-16-13.006N<br>065-34-04.106W |           |    |    | Green can.                                            |                                                                     |
| 31375   | Cabeza De Perro Light                         | 18-14-58.824N<br>065-34-34.612W | FI W 6s   | 15 | 8  | NR on skeleton tower.                                 | Red from 021° to 031° and 066° to 161°. Obscured from 031° to 066°. |
| 31380   | Bajos Chinchorro Del Sur Light                | 18-14-03.286N<br>065-31-09.292W | FI W 4s   |    | 8  | NR on tower on piles.                                 | AIS: MMSI 993672186                                                 |
| 31383   | CariCOOS Data Lighted Buoy E                  | 18-15-34.140N<br>065-27-24.540W | FI Y 4s   |    |    | Yellow.                                               |                                                                     |
| 31385   | Cabeza De Perro Lighted Buoy 7                | 18-13-32.864N<br>065-33-41.574W | FI G 6s   |    | 5  | Green.                                                |                                                                     |
| 31415   | Vieques Southwest Channel Lighted Buoy 2      | 18-10-06.091N<br>065-36-23.047W | FI R 2.5s |    | 5  | Red.                                                  |                                                                     |
| 31430   | Roosevelt Roads Harbor Channel Lighted Buoy 2 | 18-12-12.583N<br>065-36-23.912W | FI R 6s   |    | 5  | Red.                                                  |                                                                     |
| 31445   | Roosevelt Roads Harbor Channel Lighted Buoy 3 | 18-12-10.885N<br>065-36-38.286W | FI G 4s   |    | 5  | Green.                                                |                                                                     |
| 31460   | Roosevelt Roads Harbor Channel Lighted Buoy 6 | 18-12-57.473N<br>065-37-11.147W | FI R 2.5s |    | 5  | Red.                                                  |                                                                     |
| 31465   | Roosevelt Roads Harbor Channel Lighted Buoy 7 | 18-12-51.109N<br>065-37-18.732W | FI G 4s   |    | 5  | Green.                                                |                                                                     |
| 31490   | Roosevelt Roads Pier 3 East Light             | 18-13-22.100N<br>065-37-10.200W | F R       |    |    | On pier.                                              | Maintained by U. S. Navy.                                           |
| 31495   | Roosevelt Roads Pier 2 East Light             | 18-13-40.200N<br>065-37-11.200W | F R       |    |    | On pier.                                              | Maintained by U. S. Navy.                                           |
| 31520   | Bajo Blake South Buoy 3                       | 18-20-25.401N<br>065-31-52.474W |           |    |    | Green can.                                            |                                                                     |
| 31525   | Cayo Lobito Light                             | 18-19-59.852N<br>065-23-30.573W | FI W 6s   |    | 8  | NR on skeleton tower.                                 |                                                                     |
| 31527   | Caballo Blanco Light                          | 18-10-19.400N<br>065-28-02.800W | Q W       |    |    |                                                       |                                                                     |
| 31530   | Punta Mulas Light                             | 18-09-16.014N<br>065-26-37.491W | Oc R 4s   |    | 7  | White octagonal tower on top of flat-roofed dwelling. |                                                                     |
| 31535   | Sonda De Vieques Obstruction Lighted Buoy Lae | 18-09-04.864N<br>065-26-38.571W |           |    |    | Black and red bands.                                  |                                                                     |
| 31550   | Radas Roosevelt Passage Lighted Buoy 1        | 18-10-59.629N<br>065-28-11.936W | FI G 2.5s |    | 5  | Green.                                                | AIS: MMSI 993672187                                                 |
| 31565   | Radas Roosevelt Passage Lighted Buoy 3        | 18-09-56.946N<br>065-31-00.329W | FI G 6s   |    | 5  | Green.                                                |                                                                     |
| 31570   | Radas Roosevelt Passage Lighted Buoy 4        | 18-10-17.073N<br>065-31-06.772W | FI R 2.5s |    | 5  | Red.                                                  |                                                                     |
| 31600   | Canal Del Este Buoy 2                         | 18-16-36.463N<br>065-15-05.785W |           |    |    | Red nun.                                              |                                                                     |
| 31605   | Cabezas Crespas Lighted Buoy 3                | 18-16-50.860N<br>065-15-24.061W | FI G 4s   |    | 5  | Green.                                                |                                                                     |
| 31610   | Cabezas Puercas Buoy 4                        | 18-17-02.059N<br>065-15-18.060W |           |    |    | Red nun.                                              |                                                                     |
| 31615   | Isla De Culebra Outer Range Front Daybeacon   | 18-17-38.010N<br>065-16-57.245W |           |    | 10 | KRW on skeleton tower.                                |                                                                     |

|       |                                             |                                 |           |    |    |  |                                                                        |                                         |
|-------|---------------------------------------------|---------------------------------|-----------|----|----|--|------------------------------------------------------------------------|-----------------------------------------|
| 31620 | Isla De Culebra Outer Range Rear Daybeacon  | 18-17-47.729N<br>065-17-18.410W |           | 25 |    |  | KRW on skeleton tower.                                                 |                                         |
| 31625 | Bajo Grouper Buoy 5                         | 18-17-05.879N<br>065-15-59.141W |           |    |    |  | Green can.                                                             |                                         |
| 31630 | Bajo Camaron Buoy 6                         | 18-17-08.212N<br>065-15-47.388W |           |    |    |  | Red nun.                                                               |                                         |
| 31635 | Bajo Snapper Lighted Buoy 8                 | 18-17-21.706N<br>065-16-17.519W | Q R       |    | 4  |  | Red.                                                                   |                                         |
| 31640 | Isla De Culebra Inner Range Front Daybeacon | 18-18-26.491N<br>065-17-14.888W |           |    |    |  | KRW on skeleton tower.                                                 |                                         |
| 31645 | Isla De Culebra Inner Range Rear Daybeacon  | 18-18-54.282N<br>065-17-37.134W |           | 35 |    |  | KRW on skeleton tower.                                                 |                                         |
| 31650 | Punta Carenero Buoy 10                      | 18-17-36.426N<br>065-16-33.411W |           |    |    |  | Red nun.                                                               |                                         |
| 31655 | Punta Colorada Lighted Buoy 9               | 18-17-35.597N<br>065-16-35.068W | Fl G 4s   |    | 5  |  | Green.                                                                 |                                         |
| 31660 | Punta Carenero Buoy 12                      | 18-17-46.038N<br>065-16-40.333W |           |    |    |  | Red nun.                                                               |                                         |
| 31665 | Punta Cabras Buoy 14                        | 18-18-00.744N<br>065-16-51.107W |           |    |    |  | Red nun.                                                               |                                         |
| 31670 | Bajo Amarillo Lighted Buoy 2                | 18-16-39.980N<br>065-16-30.772W | Fl R 4s   |    | 5  |  | Red.                                                                   |                                         |
| 31675 | Punta Del Soldado Light                     | 18-16-40.900N<br>065-17-13.304W | Fl W 2.5s | 25 | 5  |  | NR on tower.                                                           |                                         |
| 31683 | North St Thomas Lighted Buoy H              | 18-38-20.760N<br>064-58-46.320W | Fl Y 4s   |    |    |  | Yellow sphere.                                                         |                                         |
| 31685 | Isla Culebrita Light                        | 18-18-49.333N<br>065-13-38.701W | Fl W 10s  | 25 | 14 |  | Stone-colored cylindrical tower with red trim on flat-roofed dwelling. | Obscured by N.E. Cay from 125° to 142°. |
| 31690 | Savana Island Light                         | 18-20-14.634N<br>065-04-58.717W | Fl W 4s   |    | 5  |  | White tower.                                                           |                                         |
| 31695 | Sail Rock Lighted Buoy 1                    | 18-17-02.545N<br>065-06-30.669W | Fl G 6s   |    | 5  |  | Green.                                                                 |                                         |
| 31700 | Bajos Grampus South Lighted Buoy 2          | 18-15-24.088N<br>065-11-42.148W | Fl R 4s   |    | 5  |  | Red.                                                                   |                                         |
| 31705 | Punta Este Light                            | 18-08-07.351N<br>065-16-04.892W | Fl W 6s   | 10 | 9  |  |                                                                        |                                         |
| 31725 | Palmas del Mar Harbor Entrance Light 1      | 18-04-34.950N<br>065-47-46.010W | Fl G 6s   |    |    |  | SG on pile.                                                            |                                         |
| 31730 | Palmas del Mar Harbor Entrance Light 2      | 18-04-36.710N<br>065-47-45.670W | Q W       |    |    |  | TR on pile.                                                            | Red from 203.5° to 295°.                |
| 31735 | Palmas del Mar Yacht Club Light 4           | 18-04-37.200N<br>065-47-47.720W | Fl R 2.5s |    |    |  | TR on pile.                                                            |                                         |
| 31740 | Palmas del Mar Yacht Club Light 6           | 18-04-39.820N<br>065-47-52.850W | Fl R 4s   |    |    |  | TR on pile.                                                            |                                         |
| 31745 | Puerto Yabucoa Channel Range Front Light    | 18-03-16.474N<br>065-50-10.681W | Q G       |    |    |  | KRW on tower.                                                          | Visible 1° each side of rangeline.      |
| 31750 | Puerto Yabucoa Channel Range Rear Light     | 18-03-28.772N<br>065-50-35.982W | Iso G 6s  |    |    |  | KRW on tower.                                                          | Visible 1° each side of rangeline.      |
| 31755 | Puerto Yabucoa Channel Lighted Buoy 2       | 18-02-32.479N<br>065-48-32.779W | Fl R 4s   |    |    |  | Red.                                                                   |                                         |
| 31760 | Puerto Yabucoa Channel Lighted Buoy 3       | 18-02-29.579N<br>065-48-42.979W | Q G       |    |    |  | Black.                                                                 |                                         |
| 31765 | Puerto Yabucoa Channel Light 5              | 18-02-40.578N<br>065-49-03.379W | Fl G 4s   |    |    |  | SG on dolphin.                                                         | Ra ref.                                 |
| 31770 | Puerto Yabucoa Channel Light 6              | 18-02-45.508N<br>065-49-00.325W | Fl R 4s   |    |    |  | TR on dolphin.                                                         | Ra ref.                                 |
| 31775 | Puerto Yabucoa Channel Light 7              | 18-02-51.484N<br>065-49-27.854W | Fl G 4s   |    |    |  | SG on pile.                                                            | Ra ref.                                 |
| 31780 | Puerto Yabucoa Channel Light 8              | 18-02-57.954N<br>065-49-24.538W | Fl R 4s   |    |    |  | TR on pile.                                                            | Ra ref.                                 |
| 31785 | Puerto Yabucoa Channel Breakwater Light     | 18-03-08.609N<br>065-49-41.245W | F R       |    |    |  |                                                                        | Ra ref.                                 |

|       |                                                   |                                 |             |    |                                                                    |                     |
|-------|---------------------------------------------------|---------------------------------|-------------|----|--------------------------------------------------------------------|---------------------|
| 31790 | Puerto Yubucoa Channel Light 10                   | 18-03-10.660N<br>065-49-49.406W | FI R 4s     |    | TR on pile.                                                        | Ra ref.             |
| 31795 | Puerto Yabucoa Channel Light 9                    | 18-03-02.686N<br>065-49-50.552W | FI G 4s     |    | SG on pile.                                                        | Ra ref.             |
| 31800 | Punta Tuna Light                                  | 17-59-18.088N<br>065-53-07.001W | FI (2)W 30s | 11 | White octagonal tower on square flat-roofed dwelling.              |                     |
| 31810 | Las Mareas Range Front Light                      | 17-56-16.884N<br>066-09-16.598W | Q W         |    | KRW on tower.                                                      |                     |
| 31815 | Las Mareas Range Rear Light                       | 17-56-34.883N<br>066-09-16.598W | Iso W 6s    |    | KRW on tower.                                                      |                     |
| 31820 | Las Mareas Lighted Buoy 1                         | 17-55-28.886N<br>066-09-53.598W | FI G 4s     |    | Black.                                                             |                     |
| 31825 | Las Mareas Lighted Buoy 2                         | 17-55-23.886N<br>066-09-42.598W | FI R 2.5s   |    | Red.                                                               |                     |
| 31830 | Las Mareas Light 3                                | 17-55-46.885N<br>066-09-42.598W | FI G 4s     |    | SG on pile.                                                        |                     |
| 31835 | Las Mareas Light 4                                | 17-55-42.886N<br>066-09-35.598W | FI R 2.5s   |    | TR on tower.                                                       |                     |
| 31840 | Las Mareas Articulated Light 5                    | 17-55-54.885N<br>066-09-36.598W | Q G         |    | On mast.                                                           |                     |
| 31845 | Las Mareas Light 6                                | 17-55-48.385N<br>066-09-30.098W | Q R         |    | TR on pile.                                                        |                     |
| 31850 | Las Mareas Pier Light (3)                         | 17-56-05.887N<br>066-37-16.121W | F R         |    | On dolphin.                                                        |                     |
| 31855 | Bahia De Jobos Light                              | 17-56-01.651N<br>066-16-58.282W | FI W 2.5s   | 5  | NR on pile.                                                        |                     |
| 31860 | Bahia De Jobos Buoy 2                             | 17-55-52.603N<br>066-16-20.241W |             |    | Red nun.                                                           |                     |
| 31862 | Bahia De Jobos Buoy 3                             | 17-55-54.014N<br>066-15-49.998W |             |    | Green can.                                                         |                     |
| 31865 | Cayo Puerca Buoy 5                                | 17-55-29.899N<br>066-14-18.600W |             |    | Green can.                                                         |                     |
| 31880 | Bahia De Jobos East Pipe Obstruction Light        | 17-56-00.884N<br>066-13-40.102W | Q R         |    | On piles.                                                          |                     |
| 31885 | Bahia De Jobos Pipe West Obstruction Light        | 17-56-00.884N<br>066-13-40.602W | Q R         |    | On piles.                                                          |                     |
| 31890 | Aguirre Power Plant Lighted Buoy 1                | 17-55-52.020N<br>066-13-47.280W | Q G         |    | Green.                                                             |                     |
| 31895 | Aguirre Power Plant Lighted Buoy 2                | 17-55-54.000N<br>066-13-39.000W | Q R         |    | Red.                                                               |                     |
| 31900 | Aguirre Power Plant Lighted Buoy 3                | 17-56-04.000N<br>066-13-38.000W | FI G 4s     |    | Green.                                                             |                     |
| 31905 | Aguirre Power Plant Lighted Buoy 4                | 17-56-03.000N<br>066-13-36.000W | FI R 4s     |    | Red.                                                               |                     |
| 31910 | Aguirre Power Plant Lighted Buoy 5                | 17-56-46.082N<br>066-13-41.402W | FI G 4s     |    | Green.                                                             |                     |
| 31915 | Aguirre Power Plant Lighted Buoy 6                | 17-56-53.182N<br>066-13-26.002W | FI R 4s     |    | Red.                                                               |                     |
| 31920 | Aguirre Power Plant Lighted Buoy 8                | 17-56-59.482N<br>066-13-29.802W | FI R 4s     |    | Red.                                                               |                     |
| 31925 | Isla Caja De Muertos Light                        | 17-53-35.422N<br>066-31-16.210W | FI W 30s    | 10 | Gray cylindrical tower on center of flat-roofed dwelling.          |                     |
| 31927 | Ponce Yacht & Fishing Club Special Purpose Buoy A | 17-55-20.000N<br>066-33-53.000W |             |    | Yellow can.                                                        |                     |
| 31930 | Ponce Yacht Club Racing Buoy                      | 17-53-49.600N<br>066-31-28.800W |             |    | Yellow can.                                                        |                     |
| 31935 | Barcaza Pier Light                                | 17-53-09.500N<br>066-31-45.000W | FI R 6s     |    | On pier.                                                           |                     |
| 31940 | Rio Bucana East Jetty Light                       | 17-58-01.883N<br>066-36-00.620W | FI W 5s     |    | On a tripod.                                                       |                     |
| 31941 | University of Puerto Rico Data Lighted Buoy A     | 17-51-36.600N<br>066-31-25.200W | FI Y 4s     |    | Yellow                                                             |                     |
| 31950 | Isla De Cardona Light                             | 17-57-24.399N<br>066-38-06.131W | FI W 4s     | 8  | White cylindrical tower on center of front of flatroofed dwelling. |                     |
| 31955 | Bahia De Ponce Lighted Buoy 1                     | 17-55-59.714N<br>066-38-12.217W | FI G 4s     | 4  | Green.                                                             | AIS: MMSI 993672628 |

|         |                                                |                                 |           |   |                                                                       |                                                                                       |
|---------|------------------------------------------------|---------------------------------|-----------|---|-----------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 31960   | Bahia De Ponce Range Front Light               | 17-58-26.112N<br>066-37-18.753W | FI G 2.5s |   | On pile.                                                              | AIS: MMSI 993672192 Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |
| 31965   | Bahia De Ponce Range Rear Light                | 17-58-46.287N<br>066-37-13.108W | Iso G 6s  |   | On skeleton tower.                                                    | AIS: MMSI 993672193 Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |
| 31965.2 | Bahia De Ponce Lighted Buoy 4                  | 17-56-40.343N<br>066-37-43.204W | FI R 2.5s | 5 | Red.                                                                  |                                                                                       |
| 31965.1 | Bahia De Ponce Lighted Buoy 2                  | 17-55-52.773N<br>066-37-54.859W | FI R 4s   | 5 | Red.                                                                  |                                                                                       |
| 31970   | Bahia De Ponce Lighted Buoy 5                  | 17-57-09.031N<br>066-37-45.353W | FI G 2.5s | 5 | Green.                                                                | AIS: MMSI 993672191                                                                   |
| 31975   | Bahia De Ponce Lighted Buoy 6                  | 17-57-47.553N<br>066-37-20.123W | FI R 6s   | 4 | Red.                                                                  |                                                                                       |
| 31980   | Muelle Municipal Pier South Light              | 17-58-01.883N<br>066-37-16.121W | F W       |   | On pier.                                                              |                                                                                       |
| 31985   | Ponce Harbor Pier Obstruction Lights (4)       | 17-58-04.883N<br>066-37-16.621W | F W       |   | Square white case.                                                    | Light is not visible 360°. Light may be obscured by vessels moored at pier.           |
| 31990   | Trailer Wharf Obstruction Light                | 17-58-23.882N<br>066-37-07.121W | F W       |   | On steel pile.                                                        |                                                                                       |
| 31995   | Bahia De Ponce Lighted Buoy 7                  | 17-58-16.638N<br>066-37-37.554W | FI G 2.5s | 5 | Green.                                                                |                                                                                       |
| 32000   | Sewer Extension Light(Bahia De Ponce)          | 17-58-50.881N<br>066-37-47.622W | F W       |   | White rectangular framework on piles.                                 |                                                                                       |
| 32005   | Bahia De Tallaboa Lighted Buoy 1               | 17-57-42.663N<br>066-44-17.907W | FI G 4s   | 5 | Green.                                                                |                                                                                       |
| 32010   | Bahia De Tallaboa Buoy 2                       | 17-57-41.089N<br>066-44-08.849W |           |   | Red nun.                                                              | AIS: MMSI 993672321                                                                   |
| 32015   | Bahia De Tallaboa Lighted Buoy 4               | 17-57-55.988N<br>066-44-12.280W | FI R 4s   | 5 | Red.                                                                  |                                                                                       |
| 32020   | Bahia De Tallaboa Lighted Buoy 5               | 17-58-11.985N<br>066-44-17.860W | FI G 2.5s | 5 | Green.                                                                | AIS: MMSI 993672322                                                                   |
| 32025   | Bahia De Tallaboa Lighted Buoy 6               | 17-58-34.355N<br>066-44-10.646W | Q R       | 4 | Red.                                                                  |                                                                                       |
| 32045   | Bahia De Tallaboa Buoy 8                       | 17-58-43.480N<br>066-43-40.628W |           |   | Red nun.                                                              |                                                                                       |
| 32050   | Bahia De Tallaboa Lighted Buoy 10              | 17-59-01.679N<br>066-43-47.428W | FI R 2.5s |   | Red.                                                                  |                                                                                       |
| 32055   | Bahia De Tallaboa Pier Light                   | 17-58-50.280N<br>066-44-11.628W | F R       |   | On pier.                                                              |                                                                                       |
| 32060   | Bahia De Tallaboa Buoy 12                      | 17-59-20.878N<br>066-43-48.028W |           |   | Red nun.                                                              |                                                                                       |
| 32065   | Cayo Maria Langa Light                         | 17-57-59.238N<br>066-45-09.287W | FI W 2.5s | 8 | NR on tower.                                                          |                                                                                       |
| 32070.5 | Bahia De Guayanilla Range Front Passing Light  | 17-58-36.852N<br>066-45-49.823W | Q R       | 4 | On same structure as Bahia De Guayannilla Entrance Front Range Light. | Visible all around.                                                                   |
| 32070   | Bahia De Guayanilla Entrance Range Front Light | 17-58-36.849N<br>066-45-49.823W | Q R       | 0 | KRW on pile.                                                          | AIS: MMSI 993672323 Visible 1.5° each side of rangeline.                              |
| 32075   | Bahia De Guayanilla Entrance Range Rear Light  | 17-59-06.987N<br>066-45-50.877W | Iso R 6s  |   | KRW on pile.                                                          | AIS: MMSI 993672324 Visible 1.5° each side of rangeline.                              |
| 32080   | Bahia De Guayanilla Lighted Buoy 1             | 17-57-46.797N<br>066-45-55.627W | FI G 2.5s | 5 | Green.                                                                |                                                                                       |
| 32085   | Bahia De Guayanilla Lighted Buoy 2             | 17-57-58.018N<br>066-45-43.641W | FI R 4s   | 5 | Red.                                                                  | AIS: MMSI 993672325                                                                   |
| 32090   | Bahia De Guayanilla Lighted Buoy 3             | 17-58-02.696N<br>066-45-53.527W | FI G 4s   | 5 | Green.                                                                | AIS: MMSI 993672326                                                                   |
| 32095   | Punta Gotay South Mooring Dolphin Light        | 17-58-48.679N<br>066-45-46.229W | F R       |   | On square concrete deck.                                              |                                                                                       |
| 32100   | Punta Gotay North Mooring Dolphin Light        | 17-58-51.579N<br>066-45-46.729W | F R       |   | On square concrete deck.                                              |                                                                                       |
| 32105   | Bahia De Guayanilla Lighted Buoy 5             | 17-58-51.394N<br>066-46-15.628W | FI G 6s   | 5 | Green.                                                                |                                                                                       |
| 32110   | Bahia De Guayanilla Lighted Buoy 6             | 17-59-12.193N<br>066-46-02.128W | FI R 4s   | 5 | Red.                                                                  |                                                                                       |
| 32115   | Bahia De Guayanilla Buoy 7                     | 17-59-10.491N<br>066-46-28.865W |           |   | Green can.                                                            |                                                                                       |
| 32120   | Bahia De Guayanilla Lighted Buoy 8             | 17-59-31.153N<br>066-45-58.531W | Q R       | 4 | Red.                                                                  |                                                                                       |
| 32125   | Bahia De Guayanilla Buoy 9                     | 17-59-29.841N<br>066-46-47.568W |           |   | Green can.                                                            |                                                                                       |

|         |                                                                |                                 |           |    |    |                                                       |                                                                                           |
|---------|----------------------------------------------------------------|---------------------------------|-----------|----|----|-------------------------------------------------------|-------------------------------------------------------------------------------------------|
| 32135   | Commonwealth Oil Refining Company North Loading Dock Light (3) | 17-59-47.977N<br>066-45-56.429W | F R       |    |    | On pile.                                              |                                                                                           |
| 32140   | Ppg Industries Range Front Light                               | 18-00-10.875N<br>066-46-04.630W | Q W       |    |    | Visible 4° each side of rangeline.                    |                                                                                           |
| 32150   | Ppg Industries Lighted Buoy 1                                  | 17-59-52.876N<br>066-46-10.630W | FI G 2.5s |    |    | Black.                                                |                                                                                           |
| 32155   | Ppg Industries Lighted Buoy 2                                  | 17-59-34.877N<br>066-46-10.630W | FI R 2.5s |    |    | Red.                                                  |                                                                                           |
| 32160   | PPG Industries Lighted Buoy 3                                  | 18-00-10.875N<br>066-46-04.630W | FI G 2.5s |    |    | Black.                                                |                                                                                           |
| 32165   | PPG Industries Lighted Buoy 4                                  | 18-00-04.876N<br>066-46-04.630W | FI R 2.5s |    |    | Red.                                                  |                                                                                           |
| 32175   | Texaco West Mooring Dolphin 1 Light                            | 17-59-56.876N<br>066-45-54.629W | FI R 6s   |    |    | On dolphin.                                           |                                                                                           |
| 32180   | Texaco Loading Dock Light                                      | 17-59-57.876N<br>066-45-50.629W | F R       |    |    | On pile.                                              |                                                                                           |
| 32185   | Texaco East Mooring Dolphin 4 Light                            | 17-59-57.876N<br>066-45-46.629W | FI R 6s   |    |    | On dolphin.                                           |                                                                                           |
| 32190   | Bahia De Guanica Entrance Lighted Buoy 2                       | 17-55-13.964N<br>066-54-14.986W | FI R 4s   | 5  |    | Red.                                                  |                                                                                           |
| 32195   | Bahia De Guanica Buoy 3                                        | 17-56-12.284N<br>066-54-30.787W |           |    |    | Green can.                                            |                                                                                           |
| 32205   | Bahia De Guanica Lighted Buoy 4                                | 17-56-12.908N<br>066-54-25.131W | FI R 6s   | 5  |    | Red.                                                  |                                                                                           |
| 32210   | Bahia De Guanica Buoy 5                                        | 17-56-34.317N<br>066-54-26.841W |           |    |    | Green can.                                            |                                                                                           |
| 32215   | Bahia De Guanica Range Front Light                             | 17-57-53.721N<br>066-54-33.243W | Q R       | 30 |    | KRW on skeleton tower.                                | AIS: MMSI 993672327 Visible 4° each side of rangeline.                                    |
| 32220   | Bahia De Guanica Range Rear Light                              | 17-58-10.265N<br>066-54-34.786W | Iso R 6s  | 35 |    | KRW on skeleton tower.                                | AIS: MMSI 993672328 Visible 4° each side of rangeline.                                    |
| 32225   | Bahia De Guanica Buoy 6                                        | 17-57-22.095N<br>066-54-27.632W |           |    |    | Red nun.                                              |                                                                                           |
| 32230   | Bahia De Guanica Buoy 7                                        | 17-57-28.094N<br>066-54-32.639W |           |    |    | Green can.                                            |                                                                                           |
| 32235   | Bahia De Guanica Buoy 8                                        | 17-57-32.894N<br>066-54-28.629W |           |    |    | Red nun.                                              |                                                                                           |
| 32240   | Bahia De Guanica Buoy 9                                        | 17-57-33.354N<br>066-54-38.142W |           |    |    | Green can.                                            |                                                                                           |
| 32245   | Bahia De Guanica Buoy 10                                       | 17-57-36.835N<br>066-54-40.052W |           |    |    | Red nun.                                              |                                                                                           |
| 32255   | La Parguera East Spreader Bar Buoy                             | 17-57-06.307N<br>066-59-52.800W |           |    |    | Yellow sphere.                                        |                                                                                           |
| 32260   | La Parguera West Spreader Bar Buoy                             | 17-57-05.904N<br>066-59-54.488W |           |    |    | Yellow sphere.                                        |                                                                                           |
| 32265   | Isla Magueyes Buoy 1                                           | 17-57-28.378N<br>067-02-30.138W |           |    |    | Black can.                                            |                                                                                           |
| 32270   | Isla Magueyes Buoy 2                                           | 17-57-33.377N<br>067-02-28.338W |           |    |    | Red nun.                                              |                                                                                           |
| 32275   | Isla Magueyes Buoy 4                                           | 17-57-40.377N<br>067-02-34.838W |           |    |    | Red nun.                                              |                                                                                           |
| 32280   | Isla Magueyes Buoy 6                                           | 17-57-50.077N<br>067-02-35.038W |           |    |    | Red nun.                                              |                                                                                           |
| 32285   | Isla Magueyes Buoy 7                                           | 17-57-50.077N<br>067-02-29.138W |           |    |    | Black can.                                            |                                                                                           |
| 32290   | Cabo Rojo Light                                                | 17-56-00.914N<br>067-11-31.999W | FI W 20s  | 11 |    | Gray hexagonal tower attached to flat-roofed dwelling | Emergency light when main light is extinguished shows FI W 6s nominal range 9 miles.      |
| 32295   | Isla De Mona Light                                             | 18-06-41.100N<br>067-54-30.480W | FI W 5s   | 30 | 14 | On steel tower.                                       | Light may be obscured by land masses when viewed from approximate bearings 140° and 270°. |
| 32295.2 | Mona Coast Guard Mooring Buoy                                  | 18-05-26.086N<br>067-56-43.387W |           |    |    |                                                       |                                                                                           |
| 32295.5 | Isla De Mona Southeast Light                                   | 18-05-10.614N<br>067-50-47.400W | FI W 2.5s | 15 | 11 | On steel tower.                                       | Light may be obscured by land masses when viewed from approximate bearings 090° to 180°.  |
| 32300   | Canal De La Mona East Shoal Lighted Buoy 2                     | 17-53-34.564N<br>067-15-16.904W | FI R 6s   | 5  |    | Red.                                                  |                                                                                           |
| 32305   | Canal De La Mona East Shoal Lighted                            | 18-00-23.114N<br>067-23-00.134W | FI R 6s   | 5  |    | Red.                                                  |                                                                                           |

|         |                                                     |                                 |           |    |                                      |                                                          |
|---------|-----------------------------------------------------|---------------------------------|-----------|----|--------------------------------------|----------------------------------------------------------|
|         | Buoy 4                                              |                                 |           |    |                                      |                                                          |
| 32310   | Canal De La Mona East Shoal Lighted Buoy 6          | 18-05-18.022N<br>067-25-23.806W | FI R 6s   | 5  | Red.                                 |                                                          |
| 32315   | Arrecife Tourmaline Lighted Buoy 8                  | 18-09-40.388N<br>067-20-41.128W | FI R 6s   | 5  | Red.                                 |                                                          |
| 32320   | Punta Melones Shoal Buoy 1                          | 17-59-25.368N<br>067-14-03.386W |           |    | Green can.                           |                                                          |
| 32325   | Bajo Enmedio South Lighted Buoy 1                   | 18-00-44.880N<br>067-12-29.646W | FI G 4s   | 5  | Green.                               |                                                          |
| 32340   | Manchas Exteriores Buoy 1                           | 18-14-28.563N<br>067-12-42.589W |           |    | Green can.                           |                                                          |
| 32345   | Bahia De Mayaguez Entrance Lighted Buoy 3           | 18-13-23.592N<br>067-11-49.816W | FI G 4s   | 5  | Green.                               | AIS: MMSI 993672181                                      |
| 32350   | Bahia De Mayaguez Entrance Lighted Buoy 4           | 18-13-01.347N<br>067-11-50.648W | FI R 4s   | 5  | Red.                                 | AIS: MMSI 993672182                                      |
| 32355   | Bahia De Mayaguez Range Front Light                 | 18-13-09.015N<br>067-09-44.255W | Q G       | 25 | KRW on square tower.                 | AIS: MMSI 993672183 Visible 1.5° each side of rangeline. |
| 32360   | Bahia De Mayaguez Range Rear Light                  | 18-13-08.846N<br>067-09-33.460W | Oc G 4s   |    | KRW on tower on building.            | AIS: MMSI 993672184 Visible 1.5° each side of rangeline. |
| 32365   | Bahia De Mayaguez Lighted Buoy 5                    | 18-13-13.667N<br>067-10-35.417W | FI G 4s   | 5  | Green.                               | AIS: MMSI 993672185                                      |
| 32370   | Bahia De Mayaguez North Dolphin 1 Obstruction Light | 18-13-21.060N<br>067-10-12.132W | FI W 2.5s |    | On dolphin.                          |                                                          |
| 32375   | Bahia De Mayaguez South Dolphin 6 Obstruction Light | 18-13-17.712N<br>067-10-08.883W | FI W 2.5s |    | On dolphin.                          |                                                          |
| 32380   | Bahia De Mayaguez Lighted Buoy 6                    | 18-12-57.803N<br>067-09-49.431W | FI R 4s   | 5  | Red.                                 |                                                          |
| 32385   | Bahia De Mayaguez Buoy 8                            | 18-12-56.287N<br>067-09-40.778W |           |    | Red nun.                             |                                                          |
| 32390   | Bahia De Mayaguez Buoy 10                           | 18-13-00.068N<br>067-09-34.643W |           |    | Red nun.                             |                                                          |
| 32395   | Mayaguez Harbor Daybeacon                           | 18-12-28.814N<br>067-09-28.719W |           |    | NG on dolphin.                       |                                                          |
| 32400   | Punta Higuero Light                                 | 18-21-43.120N<br>067-16-14.898W | Oc W 4s   | 9  |                                      | Structure is privately maintained.                       |
| 32401   | CariCOOS Wave Buoy D                                | 18-22-34.800N<br>067-16-47.400W |           |    | Yellow can.                          |                                                          |
| 32403   | FURA Mooring Buoy                                   | 18-25-55.020N<br>067-09-23.760W |           |    | White can with blue horizontal band. |                                                          |
| 32405   | Aguadilla Jetty Light 1                             | 18-25-58.631N<br>067-09-23.858W | Q G       | 4  | SG on skeleton tower.                |                                                          |
| 32415   | Coral World Lighted Buoy A                          | 18-20-54.560N<br>064-51-50.432W | FI Y 4s   | 2  | Yellow.                              |                                                          |
| 32415.1 | Coral World Lighted Buoy B                          | 18-20-53.127N<br>064-51-51.048W | FI Y 2.5s | 2  | Yellow.                              |                                                          |
| 32415.2 | Coral World Lighted Buoy C                          | 18-20-53.271N<br>064-51-52.229W | FI Y 6s   | 2  | Yellow.                              |                                                          |
| 32415.3 | Coral World Lighted Buoy D                          | 18-20-53.700N<br>064-51-53.852W | FI Y 2.5s | 2  | Yellow.                              |                                                          |
| 32420   | Redhook Bay Lighted Buoy 1                          | 18-19-43.835N<br>064-50-37.505W | FI G 6s   | 2  | Green.                               |                                                          |
| 32425   | Redhook Bay Buoy 2                                  | 18-19-44.835N<br>064-50-38.505W |           |    | Red nun.                             |                                                          |
| 32430   | Redhook Bay Buoy 3                                  | 18-19-36.335N<br>064-50-49.505W |           |    | Green can.                           |                                                          |
| 32435   | Redhook Bay Buoy 4                                  | 18-19-37.335N<br>064-50-50.505W |           |    | Red nun.                             |                                                          |
| 32440   | Redhook Bay Junction Buoy P                         | 18-19-29.853N<br>064-51-00.006W |           |    | Green and red bands can.             |                                                          |
| 32445   | Redhook Bay South Channel Buoy 1                    | 18-19-28.900N<br>064-50-57.200W |           |    | Green can.                           |                                                          |
| 32450   | Redhook Bay South Channel Buoy 2                    | 18-19-28.000N<br>064-50-58.300W |           |    | Red nun.                             |                                                          |
| 32455   | Redhook Bay Buoy 5                                  | 18-19-27.850N<br>064-51-02.800W |           |    | Green can.                           |                                                          |
| 32460   | Redhook Bay Buoy 6                                  | 18-19-28.250N                   |           |    | Red nun.                             |                                                          |

|         |                                          |                                 |           |    |        |                                        |                                                                   |
|---------|------------------------------------------|---------------------------------|-----------|----|--------|----------------------------------------|-------------------------------------------------------------------|
|         |                                          | 064-51-03.450W                  |           |    |        |                                        |                                                                   |
| 32465   | Cabrita Point Lighted Buoy 1             | 18-19-20.349N<br>064-49-49.137W | FI G 4s   | 5  | Green. |                                        |                                                                   |
| 32470   | Current Rock Light                       | 18-18-53.274N<br>064-50-04.068W | FI W 6s   | 10 | 7      | NR on skeleton tower.                  | Higher intensity beams toward Buck Island and Two Brothers.       |
| 32473   | Christmas Cove Lighted Buoy A            | 18-18-46.680N<br>064-49-58.320W | FI W 4s   | 4  |        | Lighted regulatory sign on buoy.       |                                                                   |
| 32473.1 | Christmas Cove Lighted Buoy B            | 18-18-37.380N<br>064-49-58.200W | FI W 4s   | 4  |        | Lighted regulatory sign on buoy.       |                                                                   |
| 32473.2 | Christmas Cove Lighted Buoy C            | 18-18-31.920N<br>064-49-59.940W | FI W 4s   | 4  |        | Lighted regulatory sign on buoy.       |                                                                   |
| 32475   | Benner Bay Lighted Buoy 1                | 18-18-50.990N<br>064-52-03.640W | FI G 2s   |    |        | Green.                                 |                                                                   |
| 32480   | Benner Bay Lighted Buoy 2                | 18-18-51.370N<br>064-52-03.280W | FI R 2s   |    |        | Red.                                   |                                                                   |
| 32485   | Benner Bay Lighted Buoy 3                | 18-18-56.240N<br>064-52-07.620W | FI G 2s   |    |        | Green.                                 |                                                                   |
| 32490   | Benner Bay Lighted Buoy 4                | 18-18-56.340N<br>064-52-06.720W | FI R 2s   |    |        | Red.                                   |                                                                   |
| 32495   | Benner Bay Lighted Buoy 5                | 18-18-58.000N<br>064-52-07.900W | FI G 2s   |    |        | Green.                                 |                                                                   |
| 32555   | Red Point Lighted Buoy 1                 | 18-18-24.251N<br>064-51-34.703W | FI G 4s   | 5  |        | Green.                                 |                                                                   |
| 32560   | Packet Rock Buoy 2                       | 18-17-47.882N<br>064-53-23.518W |           |    |        | Red nun.                               |                                                                   |
| 32565   | Buck Island Light (St Thomas)            | 18-16-41.631N<br>064-53-33.476W | FI W 4s   | 30 | 8      | On skeleton tower.                     |                                                                   |
| 32566   | CariCOOS Data Buoy C                     | 18-14-55.800N<br>064-45-45.600W |           |    |        | Yellow can.                            |                                                                   |
| 32570   | St Thomas Harbor Entrance Lighted Buoy 2 | 18-18-34.512N<br>064-55-04.313W | FI R 6s   | 5  |        | Red.                                   |                                                                   |
| 32572   | Airport Runway Exclusion Area North Buoy | 18-20-17.200N<br>064-59-20.700W |           |    |        | White nun with crossed diamond symbol. | Exclusion area.                                                   |
| 32573   | Airport Runway Exclusion Area South Buoy | 18-20-07.000N<br>064-59-20.700W |           |    |        | White nun with crossed diamond symbol. | EXCLUSION AREA                                                    |
| 32575   | Berg Hill Range Front Light              | 18-20-36.815N<br>064-55-59.486W | FI G 2.5s |    |        | On skeleton tower.                     | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |
| 32580   | Berg Hill Range Rear Light               | 18-20-40.424N<br>064-56-00.554W | Iso G 6s  | 10 |        | On skeleton tower.                     | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |
| 32585   | St Thomas Harbor Lighted Buoy 3          | 18-19-18.644N<br>064-55-40.406W | FI G 4s   | 5  |        | Green.                                 |                                                                   |
| 32590   | St Thomas Harbor Lighted Buoy 4          | 18-19-21.026N<br>064-55-32.680W | FI R 4s   | 5  |        | Red.                                   |                                                                   |
| 32595   | Rupert Rock Daybeacon                    | 18-19-41.334N<br>064-55-35.876W |           |    |        | NW on pile worded DANGER.              |                                                                   |
| 32600   | St Thomas Harbor Lighted Buoy 6          | 18-19-42.204N<br>064-55-38.486W | FI R 4s   | 5  |        | Red.                                   |                                                                   |
| 32605   | West Indian Dock Light                   | 18-19-50.000N<br>064-55-34.400W | F R       |    |        | On dock.                               |                                                                   |
| 32610   | East Gregerie Channel Lighted Buoy WR1   | 18-18-37.824N<br>064-56-04.317W | Q G       | 4  |        | Green.                                 |                                                                   |
| 32620   | East Gregerie Channel Lighted Buoy 2     | 18-19-14.235N<br>064-55-58.976W | FI R 2.5s | 5  |        | Red.                                   |                                                                   |
| 32625   | East Gregerie Channel Lighted Buoy 3     | 18-19-49.027N<br>064-56-37.400W | FI G 4s   | 5  |        | Green.                                 |                                                                   |
| 32626   | Water Island Channel Lighted Buoy 1      | 18-18-47.340N<br>064-57-42.300W | FI G 4s   | 3  |        | Green.                                 |                                                                   |
| 32626.1 | Water Island Channel Lighted Buoy 2      | 18-18-40.260N<br>064-57-31.440W | FI R 2.5s | 3  |        | Red.                                   |                                                                   |
| 32626.2 | Water Island Channel Lighted Buoy 3      | 18-18-39.900N<br>064-57-25.800W | FI G 2.5s | 3  |        | Green.                                 |                                                                   |
| 32628   | USVI Lighted Data Buoy A                 | 18-15-26.540N<br>065-00-14.440W | FI Y 4s   |    |        | Yellow.                                |                                                                   |
| 32630   | West Gregerie Channel Lighted Buoy 2     | 18-18-22.815N<br>064-58-34.596W | FI R 4s   | 5  |        | Red.                                   |                                                                   |
| 32635   | West Gregerie Channel Lighted Buoy       | 18-19-15.101N<br>064-58-18.128W | FI G 2.5s | 5  |        | Green.                                 |                                                                   |

|         |                                                  |                                 |              |    |                       |                                                                     |
|---------|--------------------------------------------------|---------------------------------|--------------|----|-----------------------|---------------------------------------------------------------------|
| 3       |                                                  |                                 |              |    |                       |                                                                     |
| 32640   | West Gregerie Channel Lighted Buoy 4             | 18-19-16.790N<br>064-57-30.234W | FI R 2.5s    | 5  | Red.                  |                                                                     |
| 32645   | Krum Bay South Dolphin Obstruction Light         | 18-19-36.000N<br>064-57-42.000W | Q G          |    | On dolphin.           | Synchronized with Krum Bay Pier Obstruction Light.                  |
| 32650   | Krum Bay Pier Obstruction Light                  | 18-19-40.641N<br>064-57-40.427W | Q W          |    | On end of pier.       | Synchronized with Krum Bay North Mooring Dolphin Obstruction Light. |
| 32655   | Krum Bay North Mooring Dolphin Obstruction Light | 18-19-41.041N<br>064-57-40.027W | Q W          |    | On dolphin.           | Synchronized with Krum Bay Pipeway Obstruction Light.               |
| 32660   | Krum Bay Pipeway Obstruction Light               | 18-19-40.841N<br>064-57-41.727W | Q W          |    | On end of pipeway.    | Synchronized with Krum Bay Pier Obstruction Light.                  |
| 32665   | West Gregerie Channel Lighted Buoy 5             | 18-19-38.123N<br>064-57-20.478W | FI G 4s      | 5  | Green.                |                                                                     |
| 32667   | Crown Bay Mooring Cell Light                     | 18-19-53.900N<br>064-57-05.900W | Q W          |    | On dolphin.           |                                                                     |
| 32670   | Gregerie Junction Channel Lighted Buoy GC        | 18-19-54.040N<br>064-56-48.572W | FI (2+1)R 6s | 4  |                       |                                                                     |
| 32675   | Johnson Reef Lighted Buoy 1JR                    | 18-21-53.976N<br>064-46-25.462W | FI G 4s      | 5  | Green.                |                                                                     |
| 32680   | Johnson Reef Buoy JA                             | 18-21-48.276N<br>064-46-12.216W |              |    | Yellow can.           |                                                                     |
| 32680.4 | Johnson Reef Buoy JE                             | 18-21-37.035N<br>064-46-36.012W |              |    | Yellow can.           |                                                                     |
| 32680.3 | Johnson Reef Lighted Buoy JD                     | 18-21-30.348N<br>064-46-35.292W | FI Y 2.5s    |    | Yellow.               |                                                                     |
| 32680.2 | Johnson Reef Buoy JC                             | 18-21-28.259N<br>064-46-23.304W |              |    | Yellow can.           |                                                                     |
| 32680.1 | Johnson Reef Lighted Buoy JB                     | 18-21-34.055N<br>064-46-16.032W | FI Y 6s      |    | Yellow.               |                                                                     |
| 32685   | Virgin Islands National Park Lighted Buoy B      | 18-20-08.000N<br>064-48-10.000W | FI Y 4s      |    | Yellow.               |                                                                     |
| 32690   | Virgin Island National Park Buoy C               | 18-21-30.000N<br>064-48-10.000W |              |    | Yellow can.           |                                                                     |
| 32695   | Virgin Islands National Park Lighted Buoy D      | 18-22-10.000N<br>064-46-35.000W | FI Y 4s      |    | Yellow.               |                                                                     |
| 32700   | Two Brothers Light                               | 18-20-34.319N<br>064-49-02.167W | FI W 6s      | 7  | NR on skeleton tower. |                                                                     |
| 32705   | Mingo Rock Lighted Buoy 2                        | 18-19-22.995N<br>064-48-12.416W | FI R 4s      | 5  | Red.                  |                                                                     |
| 32710   | Francis Bay Buoy 1                               | 18-21-50.831N<br>064-44-39.493W |              |    | Green can.            |                                                                     |
| 32715   | Francis Bay Buoy 2                               | 18-21-48.831N<br>064-44-39.693W |              |    | Red nun.              |                                                                     |
| 32720   | Trunk Bay Buoy 1                                 | 18-21-07.833N<br>064-46-10.496W |              |    | Green can.            |                                                                     |
| 32725   | Trunk Bay Buoy 2                                 | 18-21-06.833N<br>064-46-11.996W |              |    | Red nun.              |                                                                     |
| 32730   | Hawksnest Bay Buoy 1                             | 18-20-49.033N<br>064-46-43.297W |              |    | Green can.            |                                                                     |
| 32735   | Hawksnest Bay Buoy 2                             | 18-20-47.833N<br>064-46-45.697W |              |    | Red nun.              |                                                                     |
| 32740   | Caneel Bay Buoy 1                                | 18-20-34.834N<br>064-47-17.998W |              |    | Green can.            |                                                                     |
| 32745   | Caneel Bay Buoy 2                                | 18-20-33.834N<br>064-47-17.998W |              |    | Red nun.              |                                                                     |
| 32750   | Caneel Bay Buoy 3                                | 18-20-34.834N<br>064-47-15.498W |              |    | Green can.            |                                                                     |
| 32755   | Caneel Bay Buoy 4                                | 18-20-33.834N<br>064-47-15.498W |              |    | Red nun.              |                                                                     |
| 32760   | Caneel Bay Buoy 5                                | 18-20-34.834N<br>064-47-15.498W |              |    | Green can.            |                                                                     |
| 32765   | Caneel Bay Buoy 6                                | 18-20-33.834N<br>064-47-15.498W |              |    | Red nun.              |                                                                     |
| 32770   | Stevens Cay Light                                | 18-19-54.479N<br>064-48-30.936W | FI W 4s      | 10 | 7                     | NR on skeleton tower.                                               |
| 32775   | Cruz Bay Light                                   | 18-19-57.589N                   | FI W 4s      | 5  |                       | NR on pile.                                                         |



|       |                                                         |                                 |              |    |    |                                 |                                                                 |  |
|-------|---------------------------------------------------------|---------------------------------|--------------|----|----|---------------------------------|-----------------------------------------------------------------|--|
|       |                                                         | 064-47-54.555W                  |              |    |    |                                 |                                                                 |  |
| 32780 | Cruz Bay Buoy 1                                         | 18-19-59.634N<br>064-47-55.899W |              |    |    | Green can.                      |                                                                 |  |
| 32785 | Cruz Bay Buoy 2                                         | 18-19-58.334N<br>064-47-57.099W |              |    |    | Red nun.                        |                                                                 |  |
| 32790 | Cruz Bay Junction Buoy C                                | 18-19-58.334N<br>064-47-47.999W |              |    |    | Green and red bands; can.       |                                                                 |  |
| 32795 | Cruz Bay Buoy 3                                         | 18-19-55.634N<br>064-47-46.299W |              |    |    | Green can.                      |                                                                 |  |
| 32800 | Cruz Bay Buoy 4                                         | 18-19-54.334N<br>064-47-47.499W |              |    |    | Red nun.                        |                                                                 |  |
| 32805 | Cruz Creek Channel Buoy 1C                              | 18-19-59.734N<br>064-47-41.798W |              |    |    | Green can.                      |                                                                 |  |
| 32810 | Cruz Creek Channel Buoy 2C                              | 18-19-58.934N<br>064-47-42.698W |              |    |    | Red nun.                        |                                                                 |  |
| 32815 | Coral Harbor Channel Buoy 1                             | 18-20-23.280N<br>064-42-32.340W |              |    |    | Green can.                      |                                                                 |  |
| 32820 | Coral Harbor Channel Buoy 2                             | 18-20-24.540N<br>064-42-31.140W |              |    |    | Red nun.                        |                                                                 |  |
| 32825 | Coral Harbor Channel Buoy 3                             | 18-20-32.160N<br>064-42-39.060W |              |    |    | Green can.                      |                                                                 |  |
| 32830 | Coral Harbor Channel Buoy 4                             | 18-20-33.300N<br>064-42-38.700W |              |    |    | Red nun.                        |                                                                 |  |
| 32835 | Coral Harbor Channel Buoy 5                             | 18-20-39.780N<br>064-42-42.060W |              |    |    | Green can.                      |                                                                 |  |
| 32840 | Coral Harbor Channel Buoy 6                             | 18-20-39.960N<br>064-42-41.340W |              |    |    | Red nun.                        |                                                                 |  |
| 32845 | Hams Bluff Light                                        | 17-46-08.884N<br>064-52-15.141W | Fl (2)W 30s  | 20 | 14 | White cylindrical tower.        | Visible from 053° to 265° partially obscured from 053° to 062°. |  |
| 32847 | Hams Bluff Fad Lighted Buoy S                           | 17-46-32.700N<br>065-00-49.700W | Fl Y 4s      |    |    | Yellow.                         |                                                                 |  |
| 32848 | Coral Reef Obstruction Light                            | 17-47-02.000N<br>064-45-59.900W | Fl W 4s      |    | 3  |                                 |                                                                 |  |
| 32860 | National Undersea Research Habitat Lighted Buoy         | 17-47-30.000N<br>064-45-18.000W | Q W          |    |    | Large white hull lettered NOAA. | Maintained by NOAA.                                             |  |
| 32865 | Christiansted Harbor Channel Lighted Buoy 1             | 17-45-47.383N<br>064-41-47.591W | Fl G 2.5s    |    | 5  | Green.                          |                                                                 |  |
| 32870 | Christiansted Harbor Channel Entrance Range Front Light | 17-45-18.367N<br>064-41-40.110W | Q G          |    |    | KRW on skeleton tower.          |                                                                 |  |
| 32875 | Christiansted Harbor Channel Entrance Range Rear Light  | 17-44-57.728N<br>064-41-34.069W | Iso G 6s     |    |    | KRW on skeleton tower.          |                                                                 |  |
| 32880 | Christiansted Harbor Channel Lighted Buoy 3             | 17-45-38.305N<br>064-41-43.772W | Fl G 4s      |    | 5  | Green.                          |                                                                 |  |
| 32885 | Christiansted Harbor Channel Lighted Buoy 4             | 17-45-36.915N<br>064-41-47.206W | Fl R 4s      |    | 5  | Red.                            |                                                                 |  |
| 32890 | Christiansted Harbor Channel Lighted Buoy 6             | 17-45-32.772N<br>064-41-45.187W | Q R          |    | 4  | Red.                            |                                                                 |  |
| 32895 | Christiansted Harbor Channel Light 7                    | 17-45-25.811N<br>064-41-40.040W | Fl G 4s      | 12 | 5  | SG on dolphin.                  |                                                                 |  |
| 32900 | Christiansted Harbor Channel Buoy 8                     | 17-45-28.722N<br>064-41-48.136W |              |    |    | Red nun.                        |                                                                 |  |
| 32905 | Round Reef Northeast Junction Lighted Buoy RR           | 17-45-24.601N<br>064-41-45.279W | Fl (2+1)G 6s |    | 5  | Green and red bands.            |                                                                 |  |
| 32910 | Christiansted Harbor Channel Light 9                    | 17-45-22.827N<br>064-41-54.446W | Fl G 2.5s    | 12 | 5  | SG on dolphin.                  |                                                                 |  |
| 32915 | Christiansted Harbor Channel Light 10                   | 17-45-25.380N<br>064-42-01.020W | Fl R 2.5s    | 12 | 5  | TR on dolphin.                  |                                                                 |  |
| 32920 | Christiansted Harbor Channel Light 11                   | 17-45-20.271N<br>064-41-56.771W | Q G          | 12 | 4  | SG on dolphin.                  |                                                                 |  |
| 32925 | Christiansted Harbor Channel Lighted Buoy 12            | 17-45-16.749N<br>064-42-02.119W | Fl R 4s      |    | 5  | Red.                            |                                                                 |  |
| 32930 | Christiansted Harbor                                    | 17-45-03.686N                   | Fl G 4s      | 12 | 5  | SG on dolphin.                  |                                                                 |  |

|       |                                                      |                                 |         |    |                                 |                                  |
|-------|------------------------------------------------------|---------------------------------|---------|----|---------------------------------|----------------------------------|
|       | Channel Light 13                                     | 064-41-57.202W                  |         |    |                                 |                                  |
| 32935 | Christiansted Harbor<br>Channel Lighted Buoy 14      | 17-45-01.652N<br>064-42-03.475W | FI R 6s | 5  | Red.                            |                                  |
| 32940 | Christiansted Harbor<br>Channel Buoy 15              | 17-44-55.606N<br>064-41-57.796W |         |    | Green can.                      |                                  |
| 32945 | Christiansted Harbor<br>Channel Daybeacon 16         | 17-44-51.200N<br>064-42-03.900W |         | 10 | TR on dolphin.                  |                                  |
| 32950 | Christiansted<br>Schooner Channel<br>Lighted Buoy 5  | 17-45-19.130N<br>064-41-43.210W | Q G     |    | Green.                          |                                  |
| 32955 | Christiansted<br>Schooner Channel<br>Lighted Buoy 6  | 17-45-16.778N<br>064-41-46.306W | Q R     |    | Red.                            |                                  |
| 32965 | Christiansted<br>Schooner Channel<br>Lighted Buoy 7  | 17-45-59.640N<br>064-42-25.000W | Q G     |    | Green.                          |                                  |
| 32970 | Christiansted<br>Schooner Channel<br>Lighted Buoy 8  | 17-45-13.732N<br>064-41-48.251W | Q R     |    | Red.                            |                                  |
| 32975 | Christiansted<br>Schooner Channel<br>Lighted Buoy 9  | 17-45-11.733N<br>064-41-46.460W | FI G 4s |    | Green.                          |                                  |
| 32980 | Christiansted<br>Schooner Channel<br>Lighted Buoy 10 | 17-45-09.869N<br>064-41-53.069W | FI R 4s |    | Red.                            |                                  |
| 32985 | Christiansted<br>Schooner Lighted<br>Buoy 11         | 17-45-07.951N<br>064-41-51.453W | FI G 4s |    | Green.                          |                                  |
| 32990 | Christiansted Hrb<br>Wharf North Light               | 17-44-42.003N<br>064-41-56.511W | F W     |    |                                 |                                  |
| 32995 | Devcon International<br>Channel Buoy 1               | 17-45-11.402N<br>064-42-11.511W |         |    | Green can.                      |                                  |
| 33000 | Devcon International<br>Channel Buoy 2               | 17-45-12.800N<br>064-42-13.800W |         |    | Red nun.                        |                                  |
| 33005 | Devcon International<br>Channel Buoy 3               | 17-45-04.402N<br>064-42-17.511W |         |    | Green can.                      |                                  |
| 33010 | Devcon International<br>Channel Buoy 4               | 17-45-02.902N<br>064-42-22.011W |         |    | Red nun.                        |                                  |
| 33015 | Devcon International<br>Channel Buoy 5               | 17-45-00.902N<br>064-42-23.011W |         |    | Green can.                      |                                  |
| 33020 | Devcon International<br>Channel Buoy 6               | 17-45-01.902N<br>064-42-24.511W |         |    | Red nun.                        |                                  |
| 33025 | Devcon International<br>Channel Buoy 7               | 17-44-58.400N<br>064-42-27.300W |         |    | Green can.                      |                                  |
| 33030 | Devcon International<br>Channel Buoy 8               | 17-45-02.902N<br>064-42-31.512W |         |    | Red nun.                        |                                  |
| 33035 | Devcon International<br>Channel Buoy 9               | 17-45-01.600N<br>064-42-35.900W |         |    | Green can.                      |                                  |
| 33040 | Devcon International<br>Channel Buoy 10              | 17-45-05.902N<br>064-42-40.512W |         |    | Red nun.                        |                                  |
| 33045 | Christiansted Water<br>Intake Light (1)              | 17-45-03.502N<br>064-42-46.512W | F W     |    | On pile.                        |                                  |
| 33050 | Christiansted Water<br>Intake South Light (1)        | 17-45-01.902N<br>064-42-47.512W | F W     |    | On piles.                       |                                  |
| 33053 | North Lang Bank Fad<br>Lighted Buoy B                | 17-51-36.000N<br>064-30-48.000W | FI Y 4s |    | Yellow.                         |                                  |
| 33055 | Coakley Bay Light 1                                  | 17-45-58.619N<br>064-38-22.039W | FI G 4s | 12 | 5                               | SG on dolphin.                   |
| 33060 | Buck Island Light (St<br>Croix)                      | 17-47-12.846N<br>064-37-08.668W | FI W 4s |    | 5                               | Red pyramidal skeleton<br>tower. |
| 33065 | Buck Island Channel<br>Buoy 1                        | 17-46-54.000N<br>064-37-16.800W |         |    | Green can.                      |                                  |
| 33075 | Buck Island Reef Nat<br>Mon Buoy A                   | 17-47-50.900N<br>064-38-14.504W |         |    | Orange and white bands;<br>can. |                                  |
| 33080 | Buck Island Reef Nat<br>Mon Buoy B                   | 17-47-19.903N<br>064-36-20.501W |         |    | Orange and white bands;<br>can. |                                  |
| 33085 | Buck Island Reef Nat<br>Mon Buoy C                   | 17-47-10.903N<br>064-36-20.501W |         |    | Orange and white bands;<br>can. |                                  |
| 33090 | Buck Island Reef Nat<br>Mon Buoy D                   | 17-46-52.902N<br>064-37-14.503W |         |    | Orange and white bands;<br>can. |                                  |
| 33095 | Buck Island Reef Nat                                 | 17-47-10.901N                   |         |    | Orange and white bands;         |                                  |

|         |                                                     |                                 |              |                                  |                                    |
|---------|-----------------------------------------------------|---------------------------------|--------------|----------------------------------|------------------------------------|
|         | Mon Buoy D1                                         | 064-37-52.504W                  |              | can.                             |                                    |
| 33100   | Buck Island Reef Nat<br>Mon Buoy E                  | 17-47-27.900N<br>064-38-32.505W |              | Orange and white bands;<br>can.  |                                    |
| 33105   | Buck Island Reef Nat<br>Mon Buoy F                  | 17-47-14.503N<br>064-36-33.901W |              | Orange and white bands;<br>can.  |                                    |
| 33110   | Buck Island Reef Nat<br>Mon Buoy G                  | 17-47-10.902N<br>064-37-43.504W |              | Orange and white bands;<br>can.  |                                    |
| 33112   | Buck Island Reef<br>National Monument<br>Buoy I     | 17-46-57.072N<br>064-39-15.984W |              | Yellow can.                      |                                    |
| 33112.1 | Buck Island Reef<br>National Monument<br>Buoy J     | 17-46-41.412N<br>064-38-16.692W |              | Yellow can.                      |                                    |
| 33112.2 | Buck Island Reef<br>National Monument<br>Buoy K     | 17-46-27.156N<br>064-37-22.836W |              | Yellow can.                      |                                    |
| 33112.3 | Buck Island Reef<br>National Monument<br>Buoy L     | 17-46-21.180N<br>064-36-18.252W |              | Yellow can.                      |                                    |
| 33112.4 | Buck Island Reef<br>National Monument<br>Buoy M     | 17-46-29.388N<br>064-35-34.692W |              | Yellow can.                      |                                    |
| 33112.5 | Buck Island Reef<br>National Monument<br>Buoy N     | 17-46-55.524N<br>064-35-01.464W |              | Yellow can.                      |                                    |
| 33112.6 | Buck Island Reef<br>National Monument<br>Buoy O     | 17-47-18.480N<br>064-34-35.580W |              | Yellow can.                      |                                    |
| 33120   | Lime Tree Bay Channel<br>Range Front Light          | 17-42-03.300N<br>064-44-56.300W | F G          | KRW on skeleton tower.           | Visible 4° each side of rangeline. |
| 33125   | Lime Tree Bay Channel<br>Range Rear Light           | 17-42-16.500N<br>064-45-03.822W | F G          | KRW on skeleton tower.           | Visible 4° each side of rangeline. |
| 33130   | Lime Tree Bay Channel<br>E Range Front Light        | 17-42-03.700N<br>064-44-55.600W | F R          | Black and yellow bands;<br>pole. | Visible 4° each side of rangeline. |
| 33135   | Lime Tree Bay Channel<br>E Range Rear Light         | 17-42-11.900N<br>064-44-59.722W | F R          | Black and yellow bands;<br>pole. | Visible 4° each side of rangeline. |
| 33140   | Lime Tree Bay Channel<br>Lighted Buoy 1             | 17-40-33.250N<br>064-44-14.121W | Q G          | Green.                           | Spar station buoy.                 |
| 33142   | South Lang Bank Fad<br>Lighted Buoy D               | 17-39-35.900N<br>064-31-51.700W | Fl Y 4s      | Yellow.                          |                                    |
| 33144   | Grass Point Fad<br>Lighted Buoy P                   | 17-45-49.800N<br>064-27-05.100W | Fl Y 4s      | Yellow.                          |                                    |
| 33145   | Lime Tree Bay Channel<br>Lighted Buoy 2             | 17-40-34.612N<br>064-44-06.021W | Q R          | Red.                             | Spar station buoy.                 |
| 33150   | Lime Tree Bay Channel<br>Lighted Buoy 3             | 17-40-39.612N<br>064-44-17.000W | Fl G 5s      | Green.                           |                                    |
| 33155   | Lime Tree Bay Channel<br>Lighted Buoy 4             | 17-40-41.812N<br>064-44-11.021W | Fl R 5s      | Red.                             |                                    |
| 33160   | Lime Tree Bay Channel<br>Light 5                    | 17-40-57.511N<br>064-44-26.700W | Fl G 4s      | SG on pile.                      |                                    |
| 33165   | Lime Tree Bay Channel<br>Lighted Buoy 6             | 17-41-00.211N<br>064-44-20.421W | Fl R 4s      | Red.                             |                                    |
| 33170   | Lime Tree Bay Channel<br>Light 7                    | 17-41-06.000N<br>064-44-30.721W | Fl G 2.5s    | SG on pile.                      |                                    |
| 33175   | Lime Tree Bay Channel<br>Light 8                    | 17-41-15.560N<br>064-44-29.321W | Fl R 2.5s    | TR on pile.                      |                                    |
| 33180   | Lime Tree Bay Channel<br>Light 9                    | 17-41-16.900N<br>064-44-40.890W | Fl G 2.5s    | SG on pile.                      |                                    |
| 33185   | Lime Tree Bay Channel<br>Light 11                   | 17-41-19.311N<br>064-44-49.222W | Fl G 2.5s    | SG on pile.                      |                                    |
| 33190   | Lime Tree Bay Channel<br>Junction Light Lk          | 17-41-24.700N<br>064-45-07.122W | Fl (2+1)G 6s | JG on pile.                      | Obscured from 296° to 026°.        |
| 33195   | Lime Tree Bay Port<br>Basin Light 13                | 17-41-32.000N<br>064-45-13.222W | Fl G 5s      | SG on pile.                      |                                    |
| 33200   | Lime Tree Bay Port<br>Basin Light 15                | 17-41-38.800N<br>064-45-16.822W | Fl G 4s      | SG on pile.                      |                                    |
| 33205   | Lime Tree Bay Port<br>Basin Light 17                | 17-41-41.000N<br>064-45-22.922W | Fl G 2.5s    | SG on pile.                      |                                    |
| 33210   | Krause Lagoon<br>Channel Entrance<br>Lighted Buoy 1 | 17-40-34.912N<br>064-45-12.800W | Fl G 4s      | Green.                           |                                    |

|       |                                               |                                 |             |    |   |                                                                                            |
|-------|-----------------------------------------------|---------------------------------|-------------|----|---|--------------------------------------------------------------------------------------------|
| 33215 | Krause Lagoon Channel Entrance Lighted Buoy 2 | 17-40-38.200N<br>064-44-09.521W | FI R 6s     |    |   | Red.                                                                                       |
| 33216 | USACOE CDIP Wave Buoy A                       | 17-41-01.600N<br>064-37-45.600W | FI (5)Y 20s |    |   | Yellow. Aid maintained by US ACOE.                                                         |
| 33220 | Krause Lagoon Channel Lighted Buoy 3          | 17-41-00.100N<br>064-45-28.200W | FI G 4s     |    |   | Green.                                                                                     |
| 33225 | Krause Lagoon Channel Light 4                 | 17-41-02.100N<br>064-45-25.150W | FI R 4s     |    |   | TR on pile.                                                                                |
| 33230 | Krause Lagoon Channel Lighted Buoy 4A         | 17-41-08.450N<br>064-45-29.200W | Q R         |    |   | Red.                                                                                       |
| 33235 | Krause Lagoon Channel Light 5                 | 17-41-12.980N<br>064-45-36.750W | Q G         |    |   | SG on pile. On same structure as Krause Lagoon Cross Channel Range Front Light.            |
| 33240 | Krause Lagoon Channel Light 6                 | 17-41-19.900N<br>064-45-36.250W | Q R         |    |   | TR on pile.                                                                                |
| 33245 | Krause Lagoon Channel Light 7                 | 17-41-24.328N<br>064-45-42.911W | FI G 4s     |    |   | SG on pile.                                                                                |
| 33250 | Krause Lagoon Channel Light 8                 | 17-41-26.401N<br>064-45-39.304W | FI R 2.5s   |    |   | TR on pile.                                                                                |
| 33255 | Krause Lagoon Channel Light 9                 | 17-41-36.800N<br>064-45-51.200W | FI G 4s     |    |   | SG on pile.                                                                                |
| 33260 | Krause Lagoon Channel Light 10                | 17-41-38.900N<br>064-45-47.600W | FI R 2.5s   |    |   | TR on pile.                                                                                |
| 33265 | Krause Lagoon Channel Light 11                | 17-41-49.850N<br>064-45-59.250W | FI G 4s     |    |   | SG on pile.                                                                                |
| 33270 | Krause Lagoon Channel Light 12                | 17-41-41.800N<br>064-45-55.650W | FI R 2.5s   |    |   | TR on pile.                                                                                |
| 33275 | Krause Lagoon Channel Light 13                | 17-42-02.500N<br>064-46-07.080W | FI G 4s     |    |   | SG on pile.                                                                                |
| 33280 | Krause Lagoon Channel Light 14                | 17-42-04.500N<br>064-46-03.600W | FI R 2.5s   |    |   | TR on pile.                                                                                |
| 33285 | Krause Lagoon Channel Light 16                | 17-42-12.450N<br>064-46-08.850W | FI R 2.5s   |    |   | TR on pile.                                                                                |
| 33290 | Krause Lagoon Channel Light 17                | 17-42-12.800N<br>064-46-21.000W | FI G 4s     |    |   | SG on pile.                                                                                |
| 33295 | Krause Lagoon Channel East Dolphin 6 Light    | 17-42-20.800N<br>064-46-12.200W | FI R 5s     |    |   | On dolphin.                                                                                |
| 33300 | Krause Lagoon West Dolphin Light              | 17-42-20.843N<br>064-46-16.200W | FI W 5s     |    |   | On dolphin.                                                                                |
| 33305 | Krause Lagoon Cross Channel Range Front Light | 17-41-12.980N<br>064-45-36.750W | Q G         |    |   | KWB on pile. On same structure as Krause Lagoon Channel Light 5.                           |
| 33310 | Krause Lagoon Cross Channel Range Rear Light  | 17-41-11.000N<br>064-45-40.923W | Oc G 4s     |    |   | KWB on pile.                                                                               |
| 33315 | Krause Lagoon Cross Channel Lighted Buoy 1    | 17-41-18.800N<br>064-45-29.250W | FI G 4s     |    |   | Green.                                                                                     |
| 33320 | Krause Lagoon Cross Channel Light 2           | 17-41-15.111N<br>064-45-27.200W | FI R 4s     |    |   | TR on pile. Obscured from 260° to 350°.                                                    |
| 33325 | Krause Lagoon Cross Channel Light 3           | 17-41-22.000N<br>064-45-21.622W | FI G 2.5s   |    |   | SG on pile.                                                                                |
| 33330 | Krause Lagoon Cross Channel Light 4           | 17-41-18.611N<br>064-45-19.000W | FI R 2.5s   |    |   | TR on pile. Obscured from 288° to 018°.                                                    |
| 33335 | Krause Lagoon Cross Channel Lighted Buoy 5    | 17-41-25.451N<br>064-45-14.250W | Q G         |    |   | Green.                                                                                     |
| 33340 | Southwest Cape Light                          | 17-40-39.778N<br>064-53-59.394W | FI W 6s     | 35 | 7 | Gray skeleton tower.                                                                       |
| 33345 | Southwest Cape Shoal Buoy 2                   | 17-39-01.579N<br>064-54-34.311W |             |    |   | Red nun.                                                                                   |
| 33347 | U.S. Navy Lighted Mooring Buoy                | 17-39-00.000N<br>065-04-18.000W |             |    |   | Yellow. Maintained by U.S. Navy.                                                           |
| 33350 | U South Navy Radar Reflector Buoy             | 17-41-10.912N<br>064-54-10.528W |             |    |   | Platform of 3 yellow spherical buoys with orange radar reflector. Maintained by U.S. Navy. |
| 33355 | Frederiksted Mooring                          | 17-42-49.400N                   | FI W 4s     |    |   | On dolphin.                                                                                |

|       |                                            |                                 |              |    |   |                       |                     |
|-------|--------------------------------------------|---------------------------------|--------------|----|---|-----------------------|---------------------|
|       | Light                                      | 064-53-22.000W                  |              |    |   |                       |                     |
| 33370 | Windward Point Light                       | 19-53-36.014N<br>075-09-36.008W | FI W 6s      | 20 | 7 | On skeleton tower.    |                     |
| 33380 | Hicacal Beach Light                        | 19-56-39.114N<br>075-09-48.008W | FI W 2.5s    | 35 | 7 | NB on skeleton tower. |                     |
| 33385 | Guantanamo Bay<br>Entrance Lighted Buoy 1  | 19-54-49.688N<br>075-10-51.395W | FI G 2.5s    |    | 5 | Green.                |                     |
| 33390 | Guantanamo Bay<br>Entrance Lighted Buoy 2  | 19-54-39.440N<br>075-10-16.783W | FI R 2.5s    |    | 5 | Red.                  |                     |
| 33395 | St Nicolas Point<br>Channel Lighted Buoy 3 | 19-54-42.884N<br>075-11-32.507W | Q G          |    | 4 | Green.                |                     |
| 33400 | St Nicolas Point<br>Channel Light 4        | 19-54-45.674N<br>075-11-33.428W | Q R          | 0  | 4 | TR on pile.           |                     |
| 33405 | St Nicolas Point<br>Channel Light 5        | 19-54-43.733N<br>075-11-45.255W | FI G 2.5s    | 0  | 5 | SG on pile.           |                     |
| 33410 | St Nicolas Point<br>Channel Lighted Buoy 6 | 19-54-44.508N<br>075-11-58.947W | FI R 4s      |    | 5 | Red.                  |                     |
| 33415 | St Nicolas Point<br>Channel Light 7        | 19-54-43.454N<br>075-12-07.388W | FI G 4s      | 0  | 5 | SG on pile.           |                     |
| 33420 | St Nicolas Point<br>Channel Light 8        | 19-54-44.575N<br>075-12-10.897W | FI R 6s      |    | 4 | TR on pile.           |                     |
| 33425 | Guantanamo Bay<br>Lighted Buoy 3           | 19-55-20.530N<br>075-10-45.248W | FI G 2.5s    |    | 5 | Green.                |                     |
| 33430 | Guantanamo Bay<br>Lighted Buoy 4           | 19-55-09.519N<br>075-10-10.011W | FI R 2.5s    |    | 5 | Red.                  |                     |
| 33445 | Guantanamo Bay<br>Lighted Buoy 5           | 19-55-47.509N<br>075-09-58.851W | FI G 2.5s    |    | 5 | Green.                |                     |
| 33450 | Guantanamo Bay<br>Lighted Buoy 6           | 19-55-18.214N<br>075-09-43.008W | FI R 2.5s    |    | 5 | Red.                  |                     |
| 33455 | Guantanamo Bay<br>Lighted Buoy 7           | 19-56-05.691N<br>075-09-08.621W | FI G 2.5s    |    | 5 | Green.                |                     |
| 33465 | Corinaso Point Light                       | 19-55-07.014N<br>075-09-17.008W | FI W 6s      | 20 | 5 | NB on skeleton tower. | Visible all around. |
| 33470 | Corinaso Cove Lighted<br>Buoy 2            | 19-55-10.450N<br>075-09-12.950W | Q R          |    | 4 | Red.                  |                     |
| 33475 | Corinaso Cove Buoy 4                       | 19-55-04.873N<br>075-09-11.936W |              |    |   | Red nun.              |                     |
| 33480 | Corinaso Cove Buoy 6                       | 19-55-02.213N<br>075-09-13.088W |              |    |   | Red nun.              |                     |
| 33490 | Radio Point Light 1                        | 19-55-19.394N<br>075-08-58.028W | FI G 4s      | 0  | 5 | SG on pile.           |                     |
| 33495 | Radio Point Lighted<br>Buoy 3              | 19-55-13.419N<br>075-08-56.690W | FI G 6s      |    | 4 | Green.                |                     |
| 33500 | Deer Point Channel<br>Light 1              | 19-55-28.914N<br>075-08-51.608W | FI G 4s      | 0  | 4 | SG on pile.           |                     |
| 33505 | Deer Point Channel<br>Light 2              | 19-55-23.714N<br>075-08-52.628W | Q R          | 0  | 3 | TR on pile.           |                     |
| 33510 | Deer Point Channel<br>Light 3              | 19-55-24.374N<br>075-08-48.128W | Q G          | 0  | 4 | SG on pile.           |                     |
| 33515 | Deer Point Channel<br>Light 4              | 19-55-19.214N<br>075-08-51.128W | FI R 4s      | 0  | 3 | TR on pile.           |                     |
| 33520 | Deer Point Channel<br>Light 5              | 19-55-22.574N<br>075-08-45.248W | FI G 4s      | 0  | 5 | SG on dolphin.        |                     |
| 33525 | Deer Point Channel<br>Junction Light DP    | 19-55-18.914N<br>075-08-42.908W | FI (2+1)R 6s | 0  | 3 | JR on pile.           |                     |
| 33530 | Evans Point Light 8                        | 19-55-19.754N<br>075-08-38.528W | FI R 4s      | 0  | 3 | TR on pile.           |                     |
| 33535 | Mud Island Light 1                         | 19-55-10.690N<br>075-08-39.201W | FI G 6s      | 0  | 5 | SG on pile.           |                     |
| 33540 | Guantanamo Bay<br>Lighted Buoy 9           | 19-56-27.014N<br>075-08-33.008W | FI G 2.5s    |    | 5 |                       |                     |
| 33545 | Marine Site Two<br>Channel Light 1         | 19-55-54.374N<br>075-08-04.268W | FI G 4s      | 0  | 5 | SG on dolphin.        |                     |
| 33550 | Marine Site Two<br>Channel Light 2         | 19-55-54.734N<br>075-08-10.028W | FI R 4s      | 20 | 5 | TR on pile.           |                     |
| 33555 | Guantanamo Bay<br>Lighted Buoy 10          | 19-56-11.214N<br>075-08-09.008W | FI R 2.5s    |    | 3 | Red.                  |                     |

|         |                                                       |                                 |              |   |   |                                    |
|---------|-------------------------------------------------------|---------------------------------|--------------|---|---|------------------------------------|
| 33560   | Marine Boat Channel<br>Lighted Buoy 2                 | 19-56-10.634N<br>075-07-49.508W | FI R 4s      |   | 3 | Red.                               |
| 33565   | Watergate Channel<br>Lighted Buoy 1                   | 19-56-25.944N<br>075-08-56.282W | Q G          |   | 4 | Green.                             |
| 33570   | Watergate Channel<br>Light 2                          | 19-56-36.186N<br>075-08-46.140W | Q R          | 0 | 4 | TR on pile.                        |
| 33575   | Watergate Channel<br>Light 4                          | 19-57-06.906N<br>075-08-42.936W | FI R 4s      | 0 | 5 | TR on pile.                        |
| 33580   | Watergate Channel<br>Light 5                          | 19-57-49.896N<br>075-08-52.524W | FI G 4s      | 0 | 5 | SG on dolphin.                     |
| 33585   | Watergate Channel<br>Buoy 6                           | 19-57-48.814N<br>075-08-47.018W |              |   |   | Red nun.                           |
| 33590   | Cayo Tomate Junction<br>Light Ct                      | 19-56-59.414N<br>075-07-54.248W | FI (2+1)R 6s | 8 | 5 | JR on dolphin.                     |
| 33600   | Granadillo Bay Light 2                                | 19-56-50.714N<br>075-07-31.028W | FI R 4s      | 0 | 5 | TR on dolphin.                     |
| 33605   | Little River-Winyah<br>Bay Daybeacon 2                | 33-52-14.720N<br>078-34-17.891W |              |   | 0 | TR-TY on pile.                     |
| 33610   | Little River-Winyah<br>Bay Light 4                    | 33-52-28.826N<br>078-34-37.505W | FI R 4s      | 0 | 5 | TR-TY on pile.                     |
| 33615   | Little River-Winyah<br>Bay Daybeacon 6                | 33-52-30.176N<br>078-34-54.005W |              |   | 0 | TR-TY on pile.                     |
| 33620   | Little River-Winyah<br>Bay Light 7                    | 33-52-25.310N<br>078-35-19.595W | FI G 4s      | 0 | 5 | SG-SY on pile.                     |
| 33625   | Little River-Winyah<br>Bay Daybeacon 8                | 33-52-20.884N<br>078-35-53.740W |              |   | 0 | TR-TY on pile.                     |
| 33630   | Little River-Winyah<br>Bay Light 9                    | 33-52-11.641N<br>078-36-30.021W | FI G 4s      | 0 | 5 | SG-SY on dolphin.                  |
| 33635   | Little River-Winyah<br>Bay Light 11                   | 33-51-44.228N<br>078-37-20.483W | FI G 4s      | 0 | 5 | SG-SY on dolphin.                  |
| 33640   | Little River-Winyah<br>Bay Daybeacon 13               | 33-51-32.828N<br>078-38-08.207W |              |   | 0 | SG-SY on pile.                     |
| 33645   | Little River-Winyah<br>Bay Light 14                   | 33-51-23.042N<br>078-38-59.387W | FI R 4s      | 0 | 5 | TR-TY on dolphin.                  |
| 33647   | Little River-Winyah<br>Bay Obstruction<br>Daybeacon B | 33-51-20.580N<br>078-39-00.616W |              |   | 0 | NW on pile worded DANGER<br>ROCKS. |
| 33650   | Little River-Winyah<br>Bay Daybeacon 14A              | 33-50-45.020N<br>078-39-53.362W |              |   | 0 | TR-TY on pile.                     |
| 33655   | Little River-Winyah<br>Bay Daybeacon 15               | 33-50-08.924N<br>078-40-45.179W |              |   | 0 | SG-SY on pile.                     |
| 33657   | Little River-Winyah<br>Bay Obstruction<br>Daybeacon C | 33-49-52.313N<br>078-41-39.959W |              |   | 0 | NW on pile worded DANGER<br>ROCKS. |
| 33660   | Little River-Winyah<br>Bay Daybeacon 15A              | 33-49-45.704N<br>078-41-57.869W |              |   | 0 | SG-SY on pile.                     |
| 33665   | Little River-Winyah<br>Bay Daybeacon 16               | 33-49-46.232N<br>078-42-00.605W |              |   | 0 | TR-TY on pile.                     |
| 33670   | Little River-Winyah<br>Bay Buoy 16A                   | 33-49-39.968N<br>078-42-21.805W |              |   |   | Red nun                            |
| 33671   | Little River-Winyah<br>Bay Buoy 16B                   | 33-49-36.927N<br>078-42-29.934W |              |   |   | Red nun                            |
| 33675   | Little River-Winyah<br>Bay Buoy 17                    | 33-49-36.957N<br>078-42-27.573W |              |   |   | Green can.                         |
| 33680   | Little River-Winyah<br>Bay Daybeacon 17A              | 33-49-31.292N<br>078-42-40.283W |              |   | 0 | SG-SY on pile.                     |
| 33685   | Little River-Winyah<br>Bay Daybeacon 18               | 33-49-00.398N<br>078-43-23.705W |              |   | 0 | TR-TY on pile.                     |
| 33690   | Little River-Winyah<br>Bay Daybeacon 19               | 33-48-59.490N<br>078-43-22.877W |              |   | 0 | SG-SY on pile.                     |
| 33693   | Little River-Winyah<br>Bay Obstruction<br>Daybeacon D | 33-48-49.145N<br>078-43-32.543W |              |   | 0 | NW on pile worded DANGER<br>ROCKS. |
| 33695   | Little River-Winyah<br>Bay Daybeacon 20               | 33-48-32.164N<br>078-43-51.245W |              |   | 0 | TR-TY on pile.                     |
| 33700   | Little River-Winyah<br>Bay Daybeacon 21               | 33-48-30.650N<br>078-43-51.029W |              |   | 0 | SG-SY on pile.                     |
| 33705   | Little River-Winyah<br>Bay Daybeacon 21A              | 33-48-18.404N<br>078-44-07.073W |              |   |   | SG-SY on pile.                     |
| 33705.5 | Little River-Winyah<br>Bay Daybeacon 21B              | 33-45-49.448N<br>078-49-10.451W |              |   | 0 | SG-SY on pile.                     |

|         |                                                 |                                 |         |   |   |  |                                                 |
|---------|-------------------------------------------------|---------------------------------|---------|---|---|--|-------------------------------------------------|
| 33710.2 | Barefoot Landing Dolphin West Obstruction Light | 33-48-15.000N<br>078-44-19.000W | FI W 4s |   |   |  | On dolphin.                                     |
| 33710.1 | Barefoot Landing Dolphin East Obstruction Light | 33-48-08.000N<br>078-44-41.000W | FI W 4s |   |   |  | On dolphin.                                     |
| 33710.3 | Horry County Boat Landing Obstruction Buoy A    | 33-47-24.420N<br>078-46-33.720W |         |   |   |  | White and Orange banded worded OBSTRUCTION can. |
| 33710.4 | Horry County Boat Landing Obstruction Buoy B    | 33-47-26.340N<br>078-46-30.720W |         |   |   |  | White and Orange banded worded OBSTRUCTION can. |
| 33710.5 | Little River-Winyah Bay Lighted Buoy 22A        | 33-44-31.247N<br>078-51-57.111W | Q R     |   | 4 |  | Red with yellow square.                         |
| 33715   | Myrtle Beach North Pier Light A                 | 33-44-30.619N<br>078-51-47.093W | F W     |   |   |  | On pier.                                        |
| 33720   | Little River-Winyah Bay Daybeacon 23            | 33-44-22.130N<br>078-52-15.257W |         |   |   |  | SG-SY on pile.                                  |
| 33725   | Little River-Winyah Bay Daybeacon 24            | 33-44-20.276N<br>078-52-23.723W |         |   |   |  | TR-TY on pile.                                  |
| 33730   | Myrtle Beach South Pier Light A                 | 33-44-00.000N<br>078-53-02.194W | F W     |   |   |  | On pier.                                        |
| 33735   | Little River-Winyah Bay Daybeacon 25            | 33-43-54.974N<br>078-53-15.646W |         |   | 0 |  | SG-SY on pile.                                  |
| 33740   | Little River-Winyah Bay Daybeacon 26            | 33-41-05.906N<br>079-02-23.729W |         |   | 0 |  | TR-TY on pile.                                  |
| 33745   | Little River-Winyah Bay Light 26A               | 33-40-54.734N<br>079-03-06.185W | FI R 4s | 0 | 5 |  | TR-TY on pile.                                  |
| 33755   | Little River-Winyah Bay Light 27A               | 33-39-59.660N<br>079-03-45.881W | FI G 4s | 0 | 5 |  | SG-SY on dolphin.                               |
| 33760   | Waccamaw River Daybeacon 1                      | 33-39-58.574N<br>079-03-55.517W |         |   | 0 |  | SG on pile.                                     |
| 33765   | Waccamaw River Daybeacon 2                      | 33-40-24.266N<br>079-03-59.693W |         |   | 0 |  | TR on pile.                                     |
| 33770   | Waccamaw River Daybeacon 3                      | 33-41-09.422N<br>079-03-43.103W |         |   | 0 |  | SG on pile.                                     |
| 33775   | Waccamaw River Daybeacon 4                      | 33-41-50.462N<br>079-03-05.051W |         |   |   |  | TR on pile.                                     |
| 33815   | Little River-Winyah Bay Light 29                | 33-39-49.784N<br>079-04-15.749W | FI G 4s | 0 | 5 |  | SG-SY on pile.                                  |
| 33820   | Little River-Winyah Bay Daybeacon 31            | 33-39-30.691N<br>079-04-53.585W |         |   | 0 |  | SG-SY on pile.                                  |
| 33825   | Little River-Winyah Bay Light 32                | 33-39-27.887N<br>079-05-01.084W | FI R 4s | 0 | 5 |  | TR-TY on pile.                                  |
| 33830   | Little River-Winyah Bay Light 33                | 33-39-22.285N<br>079-05-25.091W | FI G 4s | 0 | 5 |  | SG-SY on dolphin.                               |
| 33835   | Little River-Winyah Bay Daybeacon 35            | 33-39-14.809N<br>079-05-35.261W |         |   | 0 |  | SG-SY on pile.                                  |
| 33840   | Little River-Winyah Bay Light 36                | 33-39-08.474N<br>079-05-40.271W | FI R 4s | 0 | 5 |  | TR-TY on pile.                                  |
| 33845   | Little River-Winyah Bay Light 38                | 33-38-50.935N<br>079-05-35.003W | FI R 4s | 0 | 5 |  | TR-TY on pile.                                  |
| 33850   | Little River-Winyah Bay Light 39                | 33-38-17.341N<br>079-05-36.827W | FI G 4s | 0 | 5 |  | SG-SY on dolphin.                               |
| 33855   | Little River-Winyah Bay Light 40                | 33-37-32.827N<br>079-05-53.045W | FI R 4s | 0 | 5 |  | TR-TY on dolphin.                               |
| 33860   | Little River-Winyah Bay Light 41                | 33-37-05.047N<br>079-05-45.437W | FI G 4s | 0 | 4 |  | SG-SY on dolphin.                               |
| 33865   | Little River-Winyah Bay Light 43                | 33-36-35.833N<br>079-05-26.741W | FI G 4s | 0 | 5 |  | SG-SY on pile.                                  |
| 33870   | Little River-Winyah Bay Light 44                | 33-36-24.841N<br>079-05-24.539W | FI R 4s | 0 | 3 |  | TR-TY on pile.                                  |
| 33875   | Little River-Winyah Bay Light 47                | 33-36-11.573N<br>079-05-26.785W | FI G 4s | 0 | 5 |  | SG-SY on pile.                                  |
| 33880   | Little River-Winyah Bay Light 48                | 33-36-03.403N<br>079-05-43.151W | FI R 4s | 0 | 5 |  | TR-TY on pile.                                  |
| 33885   | Little River-Winyah Bay Daybeacon 50            | 33-35-48.397N<br>079-05-57.125W |         |   | 0 |  | TR-TY on pile.                                  |
| 33890   | Little River-Winyah Bay Daybeacon 51            | 33-35-01.345N<br>079-06-03.143W |         |   | 0 |  | SG-SY on pile.                                  |
| 33895   | Little River-Winyah                             | 33-34-45.859N                   | FI G 4s | 0 | 4 |  | SG-SY on pile.                                  |

|       |                                                        |                                 |              |    |   |                                                       |
|-------|--------------------------------------------------------|---------------------------------|--------------|----|---|-------------------------------------------------------|
|       | Bay Light 53                                           | 079-06-05.477W                  |              |    |   |                                                       |
| 33900 | Little River-Winyah<br>Bay Light 54                    | 33-34-09.415N<br>079-06-00.269W | FI R 4s      | 0  | 5 | TR-TY on dolphin.                                     |
| 33905 | Little River-Winyah<br>Bay Daybeacon 56                | 33-34-01.363N<br>079-05-26.099W |              | 0  |   | TR-TY on pile.                                        |
| 33910 | Grand Stand<br>Obstruction<br>Daybeacon                | 33-34-06.807N<br>079-05-25.743W |              |    |   | NW on dolphin worded<br>DANGER SUBMERGED<br>PIPELINE. |
| 33915 | Little River-Winyah<br>Bay Light 57                    | 33-33-48.469N<br>079-05-14.039W | FI G 4s      | 0  | 5 | SG-SY on dolphin.                                     |
| 33920 | Little River-Winyah<br>Bay Daybeacon 58                | 33-33-35.857N<br>079-05-11.993W |              |    |   | TR-TY on pile.                                        |
| 33930 | Little River-Winyah<br>Bay Light 63                    | 33-32-35.190N<br>079-05-37.464W | FI G 4s      | 0  | 5 | SG-SY on pile.                                        |
| 33935 | Little River-Winyah<br>Bay Buoy 64                     | 33-32-16.698N<br>079-05-58.347W |              |    |   | Red nun with yellow triangle.                         |
| 33940 | Little River-Winyah<br>Bay Lighted Buoy 65             | 33-32-08.215N<br>079-06-13.816W | FI G 4s      |    | 5 | Green with yellow square.                             |
| 33945 | Little River-Winyah<br>Bay Light 66                    | 33-31-30.553N<br>079-06-48.929W | FI R 4s      | 0  | 5 | TR-TY on dolphin.                                     |
| 33950 | Little River-Winyah<br>Bay Light 67                    | 33-30-55.981N<br>079-07-30.089W | FI G 4s      | 0  | 5 | SG-SY on dolphin.                                     |
| 33955 | Little River-Winyah<br>Bay Daybeacon 69                | 33-30-45.061N<br>079-07-31.463W |              | 0  |   | SG-SY on pile.                                        |
| 33960 | Little River-Winyah<br>Bay Light 71                    | 33-30-21.019N<br>079-07-42.797W | FI G 4s      | 0  | 5 | SG-SY on dolphin.                                     |
| 33965 | Little River-Winyah<br>Bay Light 73                    | 33-30-13.981N<br>079-08-19.847W | FI G 4s      | 0  | 5 | SG-SY on pile.                                        |
| 33970 | Little River-Winyah<br>Bay Daybeacon 75                | 33-29-32.043N<br>079-08-42.906W |              | 0  |   | SG-SY on pile.                                        |
| 33975 | Little River-Winyah<br>Bay Daybeacon 76                | 33-29-18.133N<br>079-08-57.119W |              | 0  |   | TR-TY on pile.                                        |
| 33980 | Little River-Winyah<br>Bay Light 77                    | 33-28-53.586N<br>079-09-07.531W | FI G 4s      | 0  | 5 | SG-SY on pile.                                        |
| 33985 | Little River-Winyah<br>Bay Light 78                    | 33-28-00.787N<br>079-09-30.527W | FI R 4s      |    | 5 | TR-TY on pile.                                        |
| 33990 | Little River-Winyah<br>Bay Light 79                    | 33-27-12.745N<br>079-09-55.853W | FI G 4s      | 0  | 5 | SG-SY on dolphin.                                     |
| 33995 | Heritage Plantation<br>Pier North Obstruction<br>Light | 33-26-27.000N<br>079-10-47.000W | F W          |    |   | On pier.                                              |
| 34000 | Heritage Plantation<br>Pier South Obstruction<br>Light | 33-26-23.000N<br>079-10-50.500W | F W          |    |   | On pier.                                              |
| 34005 | Little River-Winyah<br>Bay Light 83                    | 33-25-54.223N<br>079-11-17.843W | FI G 4s      | 0  | 5 | SG-SY on dolphin.                                     |
| 34010 | Little River-Winyah<br>Bay Light 84                    | 33-25-30.979N<br>079-11-40.754W | FI R 4s      | 0  | 5 | TR-TY on pile.                                        |
| 34015 | Little River-Winyah<br>Bay Light 85                    | 33-25-13.381N<br>079-12-24.851W | FI G 4s      | 0  | 5 | SG-SY on dolphin.                                     |
| 34020 | Little River-Winyah<br>Bay Daybeacon 86                | 33-25-10.783N<br>079-12-37.259W |              | 0  |   | TR-TY on pile.                                        |
| 34025 | Little River-Winyah<br>Bay Daybeacon 88                | 33-24-23.785N<br>079-13-18.413W |              | 0  |   | TR-TY on pile.                                        |
| 34030 | Little River-Winyah<br>Bay Daybeacon 89                | 33-24-03.139N<br>079-13-23.963W |              | 0  |   | SG-SY on pile.                                        |
| 34035 | Little River-Winyah<br>Bay Light 90                    | 33-23-05.607N<br>079-14-23.649W | FI R 4s      | 0  | 5 | TR-TY on pile.                                        |
| 34040 | Little River-Winyah<br>Bay Daybeacon 91                | 33-22-30.613N<br>079-14-42.755W |              | 0  |   | SG-SY on pile.                                        |
| 34045 | Little River-Winyah<br>Bay Light 94                    | 33-21-23.461N<br>079-15-53.435W | FI R 4s      | 0  | 5 | TR-TY on dolphin.                                     |
| 34048 | Little River-Winyah<br>Bay Light 95                    | 33-21-06.272N<br>079-15-51.853W | FI G 4s      | 0  | 5 | SG-SY on pile.                                        |
| 34050 | Little River-Winyah<br>Bay Light W                     | 33-20-59.504N<br>079-16-21.003W | FI (2+1)R 6s | 0  | 5 | JR on pile.                                           |
| 34055 | Winyah Bay Channel<br>Light 40                         | 33-20-44.984N<br>079-16-32.318W | Q R          | 16 | 4 | TR-SY on dolphin.                                     |
| 34060 | Winyah Bay Channel<br>Lighted Buoy 39                  | 33-20-43.072N<br>079-16-43.476W | Q G          |    | 4 | Green with yellow triangle.                           |
| 34065 | Winyah Bay Channel                                     | 33-20-18.126N                   | Q R          |    | 4 | Red with yellow square.                               |



|         |                                                  |                                 |           |   |   |                         |
|---------|--------------------------------------------------|---------------------------------|-----------|---|---|-------------------------|
|         | Lighted Buoy 38                                  | 079-16-49.202W                  |           |   |   |                         |
| 34070   | Winyah Bay Channel<br>Light 37                   | 33-20-05.084N<br>079-17-05.097W | FI G 2.5s | 5 |   | SG-TY on pile.          |
| 34075   | Winyah Bay Channel<br>Lighted Buoy 36            | 33-19-52.914N<br>079-16-59.155W | FI R 2.5s | 5 |   | Red with yellow square. |
| 34080   | Winyah Bay Channel<br>Lighted Buoy 34            | 33-19-08.025N<br>079-17-07.704W | FI R 4s   | 5 |   | Red with yellow square. |
| 34085   | Winyah Bay Channel<br>Light 33                   | 33-18-53.299N<br>079-17-16.733W | FI G 4s   | 0 | 5 | SG-TY on dolphin.       |
| 34090   | Winyah Bay Channel<br>Lighted Buoy 32            | 33-18-40.645N<br>079-17-08.786W | FI R 2.5s | 5 |   | TR-SY.                  |
| 34095   | Winyah Bay Channel<br>Lighted Buoy 30            | 33-18-28.325N<br>079-17-06.804W | Q R       | 4 |   | Red with yellow square. |
| 34100   | Little River-Winyah<br>Bay Light 96              | 33-17-54.038N<br>079-17-11.972W | FI R 2.5s | 0 | 5 | TR-TY on pile.          |
| 34100.5 | Little River-Winyah<br>Bay Daybeacon 97          | 33-17-54.115N<br>079-17-02.994W |           | 0 |   | SG-SY on pile.          |
| 34105   | Little River-Winyah<br>Bay Light 98              | 33-17-08.809N<br>079-17-03.509W | FI R 4s   | 0 | 5 | TR-TY on pile.          |
| 34110   | Little River-Winyah<br>Bay Light 100             | 33-16-22.181N<br>079-16-35.589W | FI R 4s   | 0 | 5 | TR-TY on pile.          |
| 34115   | Winyah Bay-<br>Charleston Harbor<br>Light 2      | 33-15-36.788N<br>079-15-30.162W | FI R 4s   | 0 | 5 | TR-TY on pile.          |
| 34120   | Winyah Bay-<br>Charleston Harbor<br>Light 4      | 33-11-43.177N<br>079-16-19.817W | FI R 4s   | 0 | 5 | TR-TY on dolphin.       |
| 34125   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 5  | 33-11-26.485N<br>079-16-30.089W |           | 0 |   | SG-SY on pile.          |
| 34130   | Winyah Bay-<br>Charleston Harbor<br>Light 7      | 33-11-07.368N<br>079-16-44.789W | FI G 4s   | 0 | 5 | SG-SY on pile.          |
| 34135   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 9  | 33-10-53.527N<br>079-16-55.487W |           | 0 |   | SG-SY on pile.          |
| 34150   | Winyah Bay-<br>Charleston Harbor<br>Light 12     | 33-10-30.985N<br>079-17-15.725W | FI R 4s   | 0 | 5 | TR-TY on dolphin.       |
| 34165   | Winyah Bay-<br>Charleston Harbor<br>Light 15     | 33-10-20.365N<br>079-17-25.139W | FI G 4s   | 0 | 5 | SG-SY on dolphin.       |
| 34170   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 16 | 33-10-20.061N<br>079-17-30.252W |           | 0 |   | TR-TY on pile.          |
| 34175   | Winyah Bay-<br>Charleston Harbor<br>Light 18     | 33-10-17.662N<br>079-18-11.881W | FI R 4s   | 0 | 5 | TR-TY on pile.          |
| 34180   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 19 | 33-10-09.500N<br>079-18-31.722W |           | 0 |   | SG-SY on pile.          |
| 34185   | Winyah Bay-<br>Charleston Harbor<br>Light 22     | 33-08-57.347N<br>079-19-08.190W | FI R 4s   | 0 | 5 | TR-TY on pile.          |
| 34190   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 24 | 33-08-43.909N<br>079-19-18.215W |           | 0 |   | TR-TY on pile.          |
| 34195   | Winyah Bay-<br>Charleston Harbor<br>Light 25     | 33-07-44.041N<br>079-20-05.453W | FI G 4s   | 0 | 4 | SG-SY on pile.          |
| 34200   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 26 | 33-06-48.397N<br>079-21-52.943W |           | 0 |   | TR-TY on pile.          |
| 34205   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 27 | 33-06-37.099N<br>079-22-54.641W |           | 0 |   | SG-SY on pile.          |
| 34210   | Winyah Bay-<br>Charleston Harbor<br>Light 29     | 33-06-27.751N<br>079-23-29.501W | FI G 4s   | 0 | 5 | SG-SY on pile.          |
| 34215   | Winyah Bay-<br>Charleston Harbor<br>Light 30     | 33-05-55.993N<br>079-24-12.491W | FI R 4s   | 0 | 5 | TR-TY on pile.          |

|       |                                                   |                                 |           |   |   |                   |
|-------|---------------------------------------------------|---------------------------------|-----------|---|---|-------------------|
| 34220 | Winyah Bay-<br>Charleston Harbor<br>Light 31      | 33-04-54.718N<br>079-26-16.418W | FI G 2.5s | 0 | 5 | SG-SY on pile.    |
| 34225 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 32  | 33-04-53.002N<br>079-26-26.338W |           | 0 |   | TR-TY on pile.    |
| 34230 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 33  | 33-04-43.663N<br>079-27-05.051W |           | 0 |   | SG-SY on pile.    |
| 34235 | Winyah Bay-<br>Charleston Harbor<br>Light 35      | 33-04-38.869N<br>079-27-33.023W | FI G 4s   | 0 | 5 | SG-SY on pile.    |
| 34237 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 35A | 33-04-35.055N<br>079-27-43.797W |           | 0 |   | SG-SY on pile.    |
| 34240 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 37  | 33-04-26.098N<br>079-28-02.037W |           | 0 |   | SG-SY on pile.    |
| 34245 | Winyah Bay-<br>Charleston Harbor<br>Light 38      | 33-03-56.629N<br>079-29-04.923W | FI R 4s   | 0 | 5 | TR-TY on dolphin. |
| 34250 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 39  | 33-03-43.465N<br>079-29-41.525W |           | 0 |   | SG-SY on pile.    |
| 34255 | Winyah Bay-<br>Charleston Harbor<br>Light 40      | 33-03-33.673N<br>079-30-00.851W | FI R 4s   | 0 | 5 | TR-TY on pile.    |
| 34260 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 42  | 33-03-21.181N<br>079-30-26.045W |           | 0 |   | TR-TY on pile.    |
| 34265 | Winyah Bay-<br>Charleston Harbor<br>Light 43      | 33-03-00.283N<br>079-31-03.887W | FI G 4s   | 0 | 5 | SG-SY on dolphin. |
| 34270 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 44  | 33-02-51.781N<br>079-31-23.663W |           | 0 |   | TR-TY on pile.    |
| 34275 | Winyah Bay-<br>Charleston Harbor<br>Light 45      | 33-02-40.567N<br>079-31-44.051W | FI G 4s   | 0 | 5 | SG-SY on pile.    |
| 34280 | Winyah Bay-<br>Charleston Harbor<br>Light 46      | 33-02-29.053N<br>079-32-10.625W | FI R 4s   | 0 | 5 | TR-TY on pile.    |
| 34285 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 47  | 33-02-20.929N<br>079-32-27.677W |           | 0 |   | SG-SY on pile.    |
| 34290 | Winyah Bay-<br>Charleston Harbor<br>Light 48      | 33-02-24.253N<br>079-32-35.255W | FI R 4s   | 0 | 5 | TR-TY on pile.    |
| 34295 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 49  | 33-02-28.489N<br>079-32-57.677W |           | 0 |   | SG-SY on pile.    |
| 34300 | Winyah Bay-<br>Charleston Harbor<br>Light 50      | 33-02-32.557N<br>079-33-07.853W | FI R 4s   | 0 | 5 | TR-TY on pile.    |
| 34305 | Winyah Bay-<br>Charleston Harbor<br>Buoy 51       | 33-02-18.836N<br>079-33-34.172W |           |   |   | Green can.        |
| 34310 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 55  | 33-01-59.053N<br>079-33-58.091W |           | 0 |   | SG-SY on pile.    |
| 34315 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 57  | 33-01-43.831N<br>079-34-17.777W |           | 0 |   | SG-SY on pile.    |
| 34320 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 61  | 33-01-16.189N<br>079-34-53.248W |           | 0 |   | SG-SY on pile.    |
| 34325 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 64  | 33-00-48.448N<br>079-35-21.482W |           |   |   | TR-TY on pile.    |
| 34330 | Winyah Bay-<br>Charleston Harbor<br>Light 65      | 32-57-32.497N<br>079-38-20.123W | FI G 4s   | 0 | 4 | SG-SY on pile.    |
| 34335 | Winyah Bay-<br>Charleston Harbor                  | 32-57-21.004N<br>079-38-29.647W |           | 0 |   | SG-SY on pile.    |

|       |                                                   |                                 |         |   |   |                 |
|-------|---------------------------------------------------|---------------------------------|---------|---|---|-----------------|
|       | Daybeacon 67                                      |                                 |         |   |   |                 |
| 34340 | Winyah Bay-<br>Charleston Harbor<br>Light 68      | 32-57-06.691N<br>079-38-43.721W | FI R 4s | 0 | 5 | TR-TY on pile.  |
| 34345 | Winyah Bay-<br>Charleston Daybeacon 69            | 32-56-46.893N<br>079-38-56.778W |         | 0 |   | SG-SY on pile.  |
| 34350 | Winyah Bay-<br>Charleston Harbor<br>Light 71      | 32-56-34.387N<br>079-39-05.933W | FI G 4s | 0 | 5 | SG-SY on pile.  |
| 34360 | Moores Landing Pier<br>South Light                | 32-56-16.120N<br>079-39-18.268W | F R     |   |   | On end of pier. |
| 34365 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 74  | 32-56-11.120N<br>079-39-17.801W |         |   |   | TR-TY on pile.  |
| 34370 | Winyah Bay-<br>Charleston Harbor<br>Light 76      | 32-55-50.053N<br>079-39-25.889W | FI R 4s | 0 | 5 | TR-TY on pile.  |
| 34375 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 78  | 32-55-38.126N<br>079-39-30.262W |         | 0 |   | TR-TY on pile.  |
| 34380 | Winyah Bay-<br>Charleston Harbor<br>Light 80      | 32-55-08.035N<br>079-39-43.175W | FI R 4s | 0 | 5 | TR-TY on pile.  |
| 34385 | Winyah Bay-<br>Charleston Harbor<br>Light 82      | 32-54-38.503N<br>079-40-18.899W | FI R 4s | 0 | 5 | TR-TY on pile.  |
| 34390 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 84  | 32-54-23.566N<br>079-40-24.978W |         | 0 |   | TR-TY on pile.  |
| 34395 | Winyah Bay-<br>Charleston Harbor<br>Light 86      | 32-54-08.986N<br>079-40-31.619W | FI R 4s | 0 | 3 | TR-TY on pile.  |
| 34400 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 88  | 32-53-56.971N<br>079-40-54.299W |         | 0 |   | TR-TY on pile.  |
| 34405 | Winyah Bay-<br>Charleston Harbor<br>Light 89      | 32-53-38.971N<br>079-41-19.241W | FI G 4s | 0 | 5 | SG-SY on pile.  |
| 34410 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 90  | 32-53-23.287N<br>079-41-30.467W |         |   |   | TR-TY on pile.  |
| 34415 | Winyah Bay-<br>Charleston Harbor<br>Light 92      | 32-53-02.917N<br>079-41-42.533W | FI R 4s | 0 | 5 | TR-TY on pile.  |
| 34420 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 94  | 32-52-32.269N<br>079-42-16.961W |         | 0 |   | TR-TY on pile.  |
| 34425 | Winyah Bay-<br>Charleston Harbor<br>Light 96      | 32-52-05.767N<br>079-42-45.773W | FI R 4s | 0 | 5 | TR-TY on pile.  |
| 34430 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 97  | 32-51-59.545N<br>079-42-49.199W |         | 0 |   | SG-SY on pile.  |
| 34435 | Winyah Bay-<br>Charleston Harbor<br>Light 99      | 32-51-38.485N<br>079-43-09.563W | FI G 4s | 0 | 5 | SG-SY on pile.  |
| 34440 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 100 | 32-51-30.901N<br>079-43-20.789W |         | 0 |   | TR-TY on pile.  |
| 34445 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 101 | 32-51-18.313N<br>079-43-29.249W |         | 0 |   | SG-SY on pile.  |
| 34450 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 102 | 32-51-10.213N<br>079-43-41.003W |         | 0 |   | TR-TY on pile.  |
| 34455 | Winyah Bay-<br>Charleston Harbor<br>Light 103     | 32-51-02.419N<br>079-43-45.607W | FI G 4s | 0 | 5 | SG-SY on pile.  |
| 34460 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 104 | 32-50-46.489N<br>079-44-01.427W |         | 0 |   | TR-TY on pile.  |
| 34465 | Winyah Bay-                                       | 32-50-31.183N                   |         | 0 |   | SG-SY on pile.  |

|         |                                                         |                                 |           |    |   |                                                      |
|---------|---------------------------------------------------------|---------------------------------|-----------|----|---|------------------------------------------------------|
|         | Charleston Harbor<br>Daybeacon 105                      | 079-44-09.671W                  |           |    |   |                                                      |
| 34470   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 106       | 32-50-19.759N<br>079-44-23.153W |           | 0  |   | TR-TY on pile.                                       |
| 34475   | Winyah Bay-<br>Charleston Harbor<br>Light 108           | 32-50-07.818N<br>079-44-32.052W | FI R 4s   | 0  | 3 | TR-TY on dolphin.                                    |
| 34480   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 109       | 32-49-58.663N<br>079-44-30.721W |           | 0  |   | SG-SY on pile.                                       |
| 34485   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 110       | 32-49-39.553N<br>079-44-38.567W |           | 0  |   | TR-TY on pile.                                       |
| 34490   | Winyah Bay-<br>Charleston Harbor<br>Light 111           | 32-49-26.407N<br>079-44-38.801W | FI G 4s   | 0  | 5 | SG-SY on pile.                                       |
| 34495   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 113       | 32-49-10.536N<br>079-44-50.220W |           | 0  |   | SG-SY on pile.                                       |
| 34500   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 115       | 32-48-53.181N<br>079-45-02.841W |           | 0  |   | SG-SY on pile.                                       |
| 34505   | Winyah Bay-<br>Charleston Harbor<br>Lighted Buoy 116    | 32-48-31.075N<br>079-45-21.675W | FI R 4s   |    | 5 | Red with TY.                                         |
| 34510   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 117       | 32-47-43.701N<br>079-47-15.151W |           |    |   | SG-SY on pile.                                       |
| 34510.5 | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 117A      | 32-47-11.632N<br>079-48-33.400W |           | 0  |   | SG on pile.                                          |
| 34515   | Winyah Bay-<br>Charleston Harbor<br>Light 118           | 32-47-29.596N<br>079-47-52.898W | FI R 4s   | 0  | 5 | TR-TY on dolphin.                                    |
| 34517   | Isle Of Palms<br>Obstruction<br>Daybeacon A             | 32-47-25.318N<br>079-47-22.887W |           |    |   | NW on pile worded DANGER Priv maint.<br>OBSTRUCTION. |
| 34520   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 119       | 32-46-49.834N<br>079-49-23.578W |           | 0  |   | SG-SY on pile.                                       |
| 34525   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 121       | 32-46-39.165N<br>079-49-48.847W |           | 0  |   | SG-SY on pile.                                       |
| 34530   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 122       | 32-46-08.581N<br>079-51-05.501W |           | 0  |   | TR-TY on pile.                                       |
| 34535   | Winyah Bay-<br>Charleston Harbor<br>Daybeacon 123       | 32-46-03.301N<br>079-51-11.339W |           | 0  |   | SG-SY on pile.                                       |
| 34540   | Winyah Bay-<br>Charleston Harbor<br>Light 125           | 32-45-53.143N<br>079-51-30.057W | FI G 4s   | 0  | 5 | SG-SY on pile.                                       |
| 34545   | Winyah Bay-<br>Charleston Harbor<br>Buoy 126            | 32-45-57.845N<br>079-51-38.900W |           |    |   | Red nun with yellow triangle.                        |
| 34550   | Winyah Bay-<br>Charleston Harbor<br>Light 127           | 32-46-04.094N<br>079-51-54.421W | FI G 4s   | 0  | 5 | SG-SY on pile.                                       |
| 34555   | Winyah Bay-<br>Charleston Harbor<br>Light 130           | 32-46-05.889N<br>079-52-13.465W | FI R 4s   | 0  | 5 | TR-TY on pile.                                       |
| 34560   | Winyah Bay-<br>Charleston Harbor<br>Range Front Light C | 32-46-08.200N<br>079-51-54.620W | Q R       | 0  |   | KRW-I on pile. Visible all around.                   |
| 34565   | Winyah Bay-<br>Charleston Harbor<br>Range Rear Light C  | 32-46-10.742N<br>079-51-43.873W | Iso R 6s  | 20 |   | KRW on dolphin. Visible all around.                  |
| 34570   | Charleston Harbor<br>South Channel Lighted<br>Buoy 2    | 32-45-34.431N<br>079-52-55.878W | FI R 2.5s |    | 5 | Red with yellow triangle.                            |
| 34573   | Ashley River Light 1                                    | 32-45-30.303N<br>079-54-56.180W | FI G 2.5s |    | 5 | SG-SY on dolphin.                                    |

|         |                                       |                                 |              |   |   |                                     |
|---------|---------------------------------------|---------------------------------|--------------|---|---|-------------------------------------|
| 34575   | Battery Point Light BP                | 32-45-37.476N<br>079-55-05.000W | Fl (2+1)R 6s | 0 | 5 | JR on dolphin with yellow triangle. |
| 34600   | Ashley River Lighted Buoy 2           | 32-46-04.651N<br>079-56-08.347W | Fl R 2.5s    |   | 5 | Red with yellow triangle.           |
| 34605   | Ashley River Light 3                  | 32-46-12.286N<br>079-56-41.309W | Fl G 6s      | 0 | 5 | SG-SY on dolphin.                   |
| 34607   | Wappoo Creek Light 2                  | 32-46-24.125N<br>079-57-04.196W | Q R          | 0 | 4 | TR-TY on pile.                      |
| 34610   | Wappoo Creek Daybeacon 3              | 32-46-18.049N<br>079-57-05.111W |              |   |   | SG-SY on pile.                      |
| 34615   | Wappoo Creek Daybeacon 5              | 32-46-15.601N<br>079-57-18.096W |              | 0 |   | SG-SY on pile.                      |
| 34620   | Wappoo Creek Daybeacon 6              | 32-46-08.893N<br>079-57-43.302W |              | 0 |   | TR-TY on pile.                      |
| 34625   | Wappoo Creek Daybeacon 7              | 32-45-56.317N<br>079-59-01.757W |              |   |   | SG-SY on pile.                      |
| 34630.5 | Stono River Daybeacon 18              | 32-45-58.907N<br>080-00-10.599W |              | 0 |   | TR-TY on pile.                      |
| 34630   | Stono River Preferred Channel Light B | 32-46-00.647N<br>080-00-06.081W | Fl (2+1)G 6s | 0 | 5 | JG-SY on pile.                      |
| 34635   | Stono River Daybeacon 19A             | 32-46-00.949N<br>080-00-30.198W |              |   |   | SG-SY on pile.                      |
| 34640   | Stono River Daybeacon 20              | 32-46-04.935N<br>080-00-39.648W |              | 0 |   | TR-TY on pile.                      |
| 34645   | Stono River Light 21                  | 32-46-03.413N<br>080-01-27.827W | Fl G 4s      | 0 | 5 | SG-SY on pile.                      |
| 34647   | Stono River Light 21A                 | 32-46-37.486N<br>080-02-47.128W | Fl G 4s      | 0 | 5 | SG-SY on pile.                      |
| 34650   | Stono River Light 22                  | 32-46-46.267N<br>080-03-03.355W | Q R          | 0 | 4 | TR-TY on dolphin.                   |
| 34665   | Stono River Light 23                  | 32-46-38.641N<br>080-03-08.322W | Fl G 4s      | 0 | 5 | SG-SY on dolphin.                   |
| 34675   | Stono River Light 25                  | 32-46-13.457N<br>080-04-08.738W | Fl G 4s      | 0 | 5 | SG-SY on pile.                      |
| 34680   | Stono River Daybeacon 27              | 32-46-22.374N<br>080-04-23.173W |              | 0 |   | SG-SY on pile.                      |
| 34685   | Stono River Light 28                  | 32-46-34.560N<br>080-04-28.954W | Q R          | 0 | 4 | TR-TY on pile.                      |
| 34695   | Stono River Daybeacon 28A             | 32-46-39.922N<br>080-04-48.822W |              | 0 |   | TR-TY on pile.                      |
| 34700   | Stono River Light 30                  | 32-46-42.708N<br>080-05-09.858W | Fl R 4s      | 0 | 5 | TR-TY on pile.                      |
| 34705   | Stono River Light 31                  | 32-46-45.804N<br>080-05-27.865W | Fl G 4s      | 0 | 5 | SG-SY on pile.                      |
| 34720   | Stono River Daybeacon 36              | 32-46-55.662N<br>080-05-37.230W |              |   |   | TR-TY on pile.                      |
| 34725   | Stono River Daybeacon 37              | 32-47-05.759N<br>080-05-53.928W |              | 0 |   | SG-SY on pile.                      |
| 34727   | Stono River Light 38                  | 32-47-16.757N<br>080-06-04.911W | Q R          |   | 4 | TR-TY on pile.                      |
| 34730   | Stono River Light 39                  | 32-46-51.306N<br>080-06-56.658W | Fl G 4s      | 0 | 5 | SG-SY on dolphin.                   |
| 34733   | Stono River Buoy 40                   | 32-46-49.761N<br>080-07-10.881W |              |   |   | Red nun.                            |
| 34735   | Stono River Daybeacon 41              | 32-46-45.036N<br>080-07-19.735W |              | 0 |   | SG-SY on pile.                      |
| 34740   | Stono River Daybeacon 45              | 32-46-36.725N<br>080-07-39.174W |              | 0 |   | SG-SY on pile.                      |
| 34750   | Stono River Daybeacon 48              | 32-46-08.550N<br>080-08-01.399W |              |   |   | TR-TY on pile.                      |
| 34755   | Stono River Daybeacon 49              | 32-45-58.544N<br>080-07-58.778W |              | 0 |   | SG-SY on pile.                      |
| 34760   | Stono River Daybeacon 51              | 32-45-18.416N<br>080-08-06.768W |              | 0 |   | SG-SY on pile.                      |
| 34765   | Stono River Daybeacon 52              | 32-44-57.504N<br>080-08-14.586W |              |   |   | TR-TY on pile.                      |
| 34770   | Stono River Light 53                  | 32-44-49.356N<br>080-08-22.309W | Fl G 4s      | 0 | 5 | SG-SY on pile.                      |
| 34780   | Stono River Daybeacon 54              | 32-44-52.724N<br>080-08-55.697W |              | 0 |   | TR-TY on pile.                      |
| 34785   | Stono River Light 55                  | 32-44-50.664N                   | Fl G 4s      | 0 | 5 | SG-SY on pile.                      |

|         |                                 |                                 |         |   |   |                   |
|---------|---------------------------------|---------------------------------|---------|---|---|-------------------|
|         |                                 | 080-09-04.861W                  |         |   |   |                   |
| 34790   | Stono River<br>Daybeacon 57     | 32-44-58.110N<br>080-09-18.072W |         | 0 |   | SG-SY on pile.    |
| 34795   | Stono River<br>Daybeacon 57A    | 32-44-56.850N<br>080-09-35.875W |         |   |   | SG-SY on pile.    |
| 34800   | Stono River<br>Daybeacon 59     | 32-44-47.173N<br>080-09-48.193W |         | 0 |   | SG-SY on pile.    |
| 34805   | Stono River<br>Daybeacon 60     | 32-44-39.126N<br>080-09-55.566W |         |   |   | TR-TY on pile.    |
| 34810   | Stono River<br>Daybeacon 61     | 32-44-27.846N<br>080-10-04.129W |         |   |   | SG-SY on pile.    |
| 34815   | Stono River Light 63            | 32-44-06.588N<br>080-10-16.470W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 34820   | Stono River<br>Daybeacon 64     | 32-44-01.204N<br>080-10-20.994W |         | 0 |   | TR-TY on pile.    |
| 34825   | Wadmalaw River Light<br>69      | 32-43-00.749N<br>080-10-45.821W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 34830   | Wadmalaw River<br>Daybeacon 73  | 32-42-50.864N<br>080-10-59.822W |         | 0 |   | SG-SY on pile.    |
| 34835   | Wadmalaw River Light<br>77      | 32-42-36.240N<br>080-11-23.976W | FI G 4s | 0 | 4 | SG-SY on piles.   |
| 34840   | Wadmalaw River Light<br>78      | 32-42-35.138N<br>080-11-31.322W | Q R     | 0 | 4 | TR-TY on pile.    |
| 34850   | Wadmalaw River<br>Daybeacon 78A | 32-42-19.578N<br>080-11-56.004W |         | 0 |   | TR-TY on pile.    |
| 34855   | Wadmalaw River<br>Daybeacon 79  | 32-42-04.349N<br>080-12-09.513W |         | 0 |   | SG-SY on pile.    |
| 34860   | Wadmalaw River Light<br>80      | 32-42-04.692N<br>080-12-16.206W | FI R 4s |   | 5 | TR-TY on dolphin. |
| 34865   | Wadmalaw River<br>Daybeacon 81  | 32-41-48.732N<br>080-12-25.134W |         | 0 |   | SG-SY on pile.    |
| 34870   | Wadmalaw River Light<br>82      | 32-41-48.309N<br>080-12-33.390W | FI R 4s | 0 | 5 | TR-TY on dolphin. |
| 34873   | Wadmalaw River<br>Daybeacon 82A | 32-41-48.293N<br>080-12-51.560W |         | 0 |   | TR-TY on pile.    |
| 34875   | Wadmalaw River Light<br>83      | 32-41-46.506N<br>080-13-00.612W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 34880   | Wadmalaw River Light<br>86      | 32-41-56.028N<br>080-13-12.300W | FI R 4s | 1 | 3 | TR-TY on pile.    |
| 34885   | Wadmalaw River<br>Daybeacon 85  | 32-41-46.239N<br>080-13-08.598W |         |   |   | SG-SY on pile.    |
| 34890   | Wadmalaw River<br>Daybeacon 87  | 32-41-42.252N<br>080-13-14.694W |         | 0 |   | SG-SY on pile.    |
| 34895   | Wadmalaw River<br>Daybeacon 89  | 32-41-36.118N<br>080-13-14.103W |         | 0 |   | SG-SY on pile.    |
| 34905   | Wadmalaw River Light<br>92      | 32-41-08.520N<br>080-13-31.782W | Q R     | 0 | 4 | TR-TY on pile.    |
| 34910   | Wadmalaw River Light<br>94      | 32-40-32.964N<br>080-14-40.758W | FI R 4s | 0 | 3 | TR-TY on pile.    |
| 34915   | Wadmalaw River<br>Daybeacon 95  | 32-40-15.565N<br>080-14-26.104W |         | 0 |   | SG-SY on pile.    |
| 34920   | Wadmalaw River<br>Daybeacon 96  | 32-39-55.892N<br>080-14-22.399W |         | 0 |   | TR-TY on pile.    |
| 34925   | Wadmalaw River Light<br>97      | 32-39-51.738N<br>080-14-04.032W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 34925.5 | Wadmalaw River<br>Daybeacon 98  | 32-39-35.555N<br>080-14-21.880W |         |   |   | TR on pile.       |
| 34930   | Wadmalaw River Light<br>99      | 32-39-15.076N<br>080-14-26.109W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 34930.5 | Wadmalaw River<br>Daybeacon 100 | 32-39-23.831N<br>080-14-33.095W |         |   |   | TR on pile.       |
| 34935   | Wadmalaw River<br>Daybeacon 101 | 32-39-08.416N<br>080-15-00.465W |         | 0 |   | SG-SY on pile.    |
| 34940   | Wadmalaw River Light<br>102     | 32-39-08.519N<br>080-15-26.879W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 34945   | White Point Light 108           | 32-37-45.391N<br>080-16-35.743W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 34947   | Dawho River<br>Daybeacon 109    | 32-37-37.210N<br>080-16-44.822W |         | 0 |   | SG-SY on pile.    |
| 34949   | Dawho River                     | 32-37-33.216N                   |         | 0 |   | TR-TY on pile.    |

|         |                                             |                                 |           |   |   |                                          |                                                    |
|---------|---------------------------------------------|---------------------------------|-----------|---|---|------------------------------------------|----------------------------------------------------|
|         | Daybeacon 110                               | 080-17-10.167W                  |           |   |   |                                          |                                                    |
| 34950   | Dawho River<br>Daybeacon 111                | 32-37-24.844N<br>080-17-14.470W |           | 0 |   | SG-SY on pile.                           |                                                    |
| 34955   | Dawho River Light 112                       | 32-37-22.586N<br>080-17-29.165W | FI R 2.5s | 0 | 5 | TR-TY on pile.                           |                                                    |
| 34960   | Dawho River Light 113                       | 32-37-16.358N<br>080-17-34.430W | Q G       | 0 | 4 | SG-SY on pile.                           |                                                    |
| 34975   | Dawho River<br>Daybeacon 118                | 32-37-28.513N<br>080-17-46.528W |           | 0 |   | TR-TY on dolphin.                        |                                                    |
| 34980   | Dawho River Light 119                       | 32-37-25.720N<br>080-17-48.551W | FI G 4s   | 0 | 4 | SG-SY on pile.                           |                                                    |
| 34985   | Dawho River<br>Daybeacon 120                | 32-37-44.216N<br>080-18-12.302W |           | 0 |   | TR-TY on pile.                           |                                                    |
| 34990   | Dawho River Light 121                       | 32-37-50.034N<br>080-18-27.463W | FI G 4s   | 0 | 5 | SG-SY on pile.                           |                                                    |
| 34995   | Dawho River Light 125                       | 32-37-49.808N<br>080-18-56.528W | FI G 4s   | 0 | 5 | SG-SY on dolphin.                        |                                                    |
| 35000   | Dawho River<br>Daybeacon 126                | 32-37-59.368N<br>080-19-15.313W |           |   |   | TR-TY on pile.                           |                                                    |
| 35005   | Dawho River<br>Daybeacon 128                | 32-38-12.799N<br>080-19-49.649W |           | 0 |   | TR-TY on pile.                           |                                                    |
| 35010   | Dawho River Light 130                       | 32-38-20.709N<br>080-20-10.982W | FI R 4s   | 0 | 5 | TR-TY on dolphin.                        |                                                    |
| 35011   | Russell Creek<br>Obstruction<br>Daybeacon A | 32-36-31.182N<br>080-19-58.155W |           |   |   | NW on pile worded DANGER<br>OBSTRUCTION. |                                                    |
| 35011.1 | Russell Creek<br>Obstruction<br>Daybeacon B | 32-36-31.145N<br>080-19-57.110W |           |   |   | NW on pile worded DANGER<br>OBSTRUCTION. |                                                    |
| 35015   | Dawhoo Fishing Pier<br>Obstruction Light    | 32-38-10.000N<br>080-20-25.500W | FI W 2.5s |   |   | On pier.                                 |                                                    |
| 35020   | North Creek<br>Daybeacon 132                | 32-38-08.134N<br>080-20-46.032W |           | 0 |   | TR-TY on pile.                           |                                                    |
| 35025   | North Creek<br>Daybeacon 133                | 32-38-00.162N<br>080-20-47.398W |           | 0 |   | SG-SY on pile.                           |                                                    |
| 35030   | North Creek Light 135                       | 32-37-42.583N<br>080-21-13.977W | FI G 4s   |   | 5 | SG-SY on pile.                           |                                                    |
| 35035   | North Creek Light 137                       | 32-37-15.240N<br>080-21-30.095W | FI G 4s   | 0 | 5 | SG-SY on dolphin.                        |                                                    |
| 35040   | North Creek<br>Daybeacon 138                | 32-37-15.434N<br>080-21-40.700W |           |   |   | TR-TY on pile.                           |                                                    |
| 35045   | North Creek<br>Daybeacon 139                | 32-37-07.028N<br>080-22-08.151W |           | 0 |   | SG-SY on pile.                           |                                                    |
| 35050   | Watts Cut Daybeacon<br>141                  | 32-37-02.711N<br>080-22-34.676W |           | 0 |   | SG-SY on pile.                           |                                                    |
| 35055   | Watts Cut Light 143                         | 32-36-57.133N<br>080-23-06.162W | FI G 4s   | 0 | 5 | SG-SY on pile.                           |                                                    |
| 35060   | Watts Cut Daybeacon<br>145                  | 32-36-42.965N<br>080-23-08.195W |           |   |   | SG-SY on pile.                           |                                                    |
| 35065   | South Edisto River<br>Daybeacon 147         | 32-36-31.716N<br>080-23-10.492W |           |   |   | SG-SY on pile.                           |                                                    |
| 35080   | South Edisto River<br>Daybeacon 149         | 32-35-37.612N<br>080-23-43.086W |           |   |   | SG-SY on pile.                           |                                                    |
| 35085   | South Edisto River<br>Light 151             | 32-34-53.372N<br>080-23-39.268W | FI G 4s   | 0 | 5 | SG-SY on pile.                           |                                                    |
| 35090   | South Edisto River<br>Daybeacon 152         | 32-34-20.342N<br>080-23-29.228W |           | 0 |   | TR-TY on pile.                           |                                                    |
| 35095   | South Edisto River<br>Daybeacon 152A        | 32-34-02.653N<br>080-23-24.381W |           |   |   | TR-TY on pile.                           |                                                    |
| 35100   | South Edisto River<br>Daybeacon 154         | 32-33-46.874N<br>080-23-37.746W |           | 0 |   | TR-TY on pile.                           |                                                    |
| 35105   | South Edisto River<br>Daybeacon 156         | 32-33-43.691N<br>080-23-45.685W |           | 0 |   | TR-TY on pile.                           |                                                    |
| 35110   | South Edisto River<br>Range C Front Light   | 32-33-06.067N<br>080-25-20.034W | Q R       | 0 |   | KRW on skeleton tower.                   | Visible all around; higher intensity on rangeline. |
| 35115   | South Edisto River<br>Range C Rear Light    | 32-33-03.128N<br>080-25-27.652W | Iso R 6s  | 0 |   | KRW on dolphin.                          | Visible 4° each side of rangeline.                 |
| 35120   | South Edisto River<br>Daybeacon 157         | 32-33-21.302N<br>080-24-35.433W |           |   |   | SG-SY on pile.                           |                                                    |
| 35125   | South Edisto River<br>Daybeacon 159         | 32-33-02.843N<br>080-25-07.598W |           |   |   | SG-SY on pile.                           |                                                    |

|         |                                                     |                                 |           |   |   |                                          |
|---------|-----------------------------------------------------|---------------------------------|-----------|---|---|------------------------------------------|
| 35130   | South Edisto River<br>Daybeacon 161                 | 32-32-49.875N<br>080-25-07.641W |           |   |   | SG-SY on pile.                           |
| 35135   | South Edisto River<br>Daybeacon 161A                | 32-32-33.717N<br>080-24-54.160W |           | 0 |   | SG-SY on pile.                           |
| 35140   | Fenwick Cut Light 162                               | 32-32-16.695N<br>080-24-41.386W | FI R 4s   | 0 | 5 | TR-TY on pile.                           |
| 35140.5 | Fenwick Cut<br>Daybeacon 162A                       | 32-32-12.939N<br>080-24-39.581W |           | 0 |   | TR-TY on pile.                           |
| 35145   | Ashepoo River Light<br>164                          | 32-32-04.538N<br>080-24-48.577W | FI R 4s   | 0 | 5 | TR-TY on pile.                           |
| 35150   | Ashepoo River Light<br>165                          | 32-32-05.434N<br>080-25-27.963W | FI G 4s   | 0 | 5 | SG-SY on dolphin.                        |
| 35153   | Ashepoo River Buoy<br>166                           | 32-31-55.450N<br>080-26-05.912W |           |   |   | Red nun with yellow triangle.            |
| 35155   | Ashepoo River Light<br>168                          | 32-31-59.252N<br>080-26-35.476W | Q R       | 0 | 4 | TR-TY on pile.                           |
| 35159   | Ashepoo-Coosaw<br>Cutoff Obstruction<br>Daybeacon A | 32-31-46.560N<br>080-26-54.240W |           |   |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 35159.1 | Ashepoo-Coosaw<br>Cutoff Obstruction<br>Daybeacon B | 32-31-46.200N<br>080-26-54.960W |           |   |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 35159.2 | Ashepoo-Coosaw<br>Cutoff Obstruction<br>Daybeacon C | 32-31-45.860N<br>080-26-55.510W |           |   |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 35159.3 | Ashepoo-Coosaw<br>Cutoff Obstruction<br>Daybeacon D | 32-31-45.480N<br>080-26-56.040W |           |   |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 35160   | Ashepoo-Coosaw<br>Cutoff Daybeacon 169              | 32-31-30.397N<br>080-27-07.700W |           | 0 |   | SG-SY on pile.                           |
| 35165   | Ashepoo-Coosaw<br>Cutoff Daybeacon 170              | 32-31-19.868N<br>080-27-38.313W |           | 0 |   | TR-TY on pile.                           |
| 35170   | Ashepoo-Coosaw<br>Cutoff Daybeacon 172              | 32-31-06.684N<br>080-27-59.888W |           | 0 |   | TR-TY on pile.                           |
| 35175   | Ashepoo-Coosaw<br>Cutoff Light 173                  | 32-31-01.430N<br>080-28-00.530W | FI G 4s   | 0 | 4 | SG-SY on pile.                           |
| 35177   | Ashepoo-Coosaw<br>Cutoff Daybeacon 175              | 32-31-04.462N<br>080-28-19.629W |           | 0 |   | SG-SY on pile.                           |
| 35180   | Ashepoo-Coosaw<br>Cutoff Daybeacon 176              | 32-31-09.400N<br>080-28-24.620W |           | 0 |   | TR-TY on pile.                           |
| 35195   | Ashepoo-Coosaw<br>Cutoff Light 177                  | 32-31-27.405N<br>080-28-56.167W | FI G 4s   | 0 | 5 | SG-SY on pile.                           |
| 35195.3 | Ashepoo-Coosaw C/O<br>Daybeacon 180                 | 32-31-02.225N<br>080-29-28.545W |           | 0 |   | TR on pile.                              |
| 35200   | Ashepoo-Coosaw<br>Cutoff Daybeacon 181              | 32-31-01.356N<br>080-29-27.000W |           |   |   | SG-SY on pile.                           |
| 35205.2 | Ashepoo-Coosaw<br>Cutoff Daybeacon 185              | 32-30-43.291N<br>080-30-02.104W |           | 0 |   | SG-SY on pile.                           |
| 35205   | Ashepoo-Coosaw<br>Cutoff Lighted Buoy<br>184        | 32-30-42.000N<br>080-30-06.808W | FI R 4s   |   | 3 | Red.                                     |
| 35210   | Coosaw River Light<br>186                           | 32-30-24.761N<br>080-30-26.227W | FI R 2.5s | 0 | 3 | TR-TY on dolphin.                        |
| 35215   | Coosaw River Light<br>187                           | 32-29-59.377N<br>080-32-01.362W | FI G 4s   | 0 | 5 | SG-SY on pile.                           |
| 35220   | Bull Spit Daybeacon B                               | 32-30-12.939N<br>080-33-39.643W |           | 0 |   | JR-TY on pile.                           |
| 35225   | Parrot Creek<br>Daybeacon 1                         | 32-29-34.237N<br>080-33-17.594W |           | 0 |   | SG on pile.                              |
| 35230   | Parrot Creek<br>Daybeacon 2                         | 32-29-14.507N<br>080-33-13.571W |           | 0 |   | TR on pile.                              |
| 35235   | Parrot Creek<br>Daybeacon 3                         | 32-28-52.681N<br>080-33-09.379W |           |   |   | SG on pile.                              |
| 35245   | Parrot Creek<br>Daybeacon 6                         | 32-27-48.684N<br>080-32-51.380W |           |   |   | TR on pile.                              |
| 35255   | Coosaw River Light<br>189                           | 32-29-41.965N<br>080-34-50.296W | FI G 4s   | 0 | 5 | SG-SY on pile.                           |
| 35260   | Lucy Point Creek<br>Daybeacon 2                     | 32-29-18.223N<br>080-35-43.431W |           | 0 |   | TR on pile.                              |
| 35261   | Lucy Point Creek<br>Obstruction                     | 32-29-08.093N<br>080-35-57.207W |           |   |   | NW on pile worded DANGER<br>OBSTRUCTION. |



|         |                                             |                                 |          |    |   |                                       |                                                    |
|---------|---------------------------------------------|---------------------------------|----------|----|---|---------------------------------------|----------------------------------------------------|
|         | Daybeacon A                                 |                                 |          |    |   |                                       |                                                    |
| 35261.1 | Lucy Point Creek Obstruction<br>Daybeacon B | 32-29-08.575N<br>080-35-56.800W |          |    |   | NW on pile worded DANGER OBSTRUCTION. |                                                    |
| 35261.2 | Lucy Point Creek Obstruction<br>Daybeacon C | 32-29-00.600N<br>080-36-02.880W |          |    |   | NW on pile worded DANGER OBSTRUCTION. |                                                    |
| 35261.3 | Lucy Point Creek Obstruction<br>Daybeacon D | 32-29-01.070N<br>080-36-02.340W |          |    |   | NW on pile worded DANGER OBSTRUCTION. |                                                    |
| 35261.4 | Lucy Point Creek Obstruction<br>Daybeacon E | 32-29-01.680N<br>080-36-02.160W |          |    |   | NW on pile worded DANGER OBSTRUCTION. |                                                    |
| 35265   | Coosaw River Light 191                      | 32-29-58.553N<br>080-36-25.137W | FI G 4s  | 0  | 4 | SG-SY on pile.                        |                                                    |
| 35270   | Coosaw River<br>Daybeacon 192               | 32-30-08.181N<br>080-36-12.328W |          | 0  |   | TR-TY on pile.                        |                                                    |
| 35275   | Coosaw River Light 194                      | 32-30-24.164N<br>080-36-40.726W | FI R 4s  | 0  | 3 | TR-TY on pile.                        |                                                    |
| 35280   | Coosaw River<br>Daybeacon 195               | 32-30-22.250N<br>080-37-00.909W |          | 0  |   | SG-SY on pile.                        |                                                    |
| 35285   | Coosaw River Light 198                      | 32-30-34.934N<br>080-37-52.122W | FI R 4s  | 0  | 5 | TR-TY on pile.                        |                                                    |
| 35290   | Coosaw River<br>Daybeacon 199               | 32-30-28.653N<br>080-37-56.770W |          | 0  |   | SG-SY on pile.                        |                                                    |
| 35295   | Coosaw River Light 200                      | 32-30-23.024N<br>080-38-20.018W | FI R 4s  | 0  | 3 | TR-TY on pile.                        |                                                    |
| 35300   | Coosaw River<br>Daybeacon 201               | 32-30-17.186N<br>080-38-15.057W |          | 0  |   | SG-SY on pile.                        |                                                    |
| 35305   | Coosaw River Light 203                      | 32-30-13.581N<br>080-39-14.256W | FI G 4s  | 0  | 5 | SG-SY on pile.                        |                                                    |
| 35310   | Coosaw River<br>Daybeacon 206               | 32-30-16.256N<br>080-39-55.336W |          | 0  |   | TR-TY on pile.                        |                                                    |
| 35315   | Brickyard Creek Range Front Light A         | 32-30-14.426N<br>080-40-34.398W | Q R      | 0  |   | KRW-I on pile.                        | Visible all around; higher intensity on rangeline. |
| 35320   | Brickyard Creek Range Rear Light A          | 32-30-14.020N<br>080-40-47.158W | Iso R 6s | 10 |   | KRW on skeleton tower on piles.       | Visible 4° each side of rangeline.                 |
| 35325   | Brickyard Creek<br>Daybeacon 209            | 32-30-07.080N<br>080-40-40.864W |          | 0  |   | SG-SY on pile.                        |                                                    |
| 35330   | Brickyard Creek Light 210                   | 32-29-59.564N<br>080-40-55.514W | FI R 4s  | 0  | 5 | TR-TY on pile.                        |                                                    |
| 35335   | Brickyard Creek<br>Daybeacon 211            | 32-29-49.189N<br>080-41-04.401W |          | 0  |   | SG-SY on pile.                        |                                                    |
| 35340   | Brickyard Creek Light 214                   | 32-29-34.636N<br>080-41-24.645W | FI R 4s  | 0  | 5 | TR-TY on pile.                        |                                                    |
| 35345   | Brickyard Creek<br>Daybeacon 216            | 32-29-17.662N<br>080-41-27.616W |          | 0  |   | TR-TY on pile.                        |                                                    |
| 35350   | Brickyard Creek<br>Daybeacon 217            | 32-29-12.971N<br>080-41-25.341W |          | 0  |   | SG-SY on pile.                        |                                                    |
| 35355   | Brickyard Creek<br>Daybeacon 219            | 32-28-55.110N<br>080-41-26.961W |          | 0  |   | SG-SY on pile.                        |                                                    |
| 35360   | Brickyard Creek Light 220                   | 32-28-43.662N<br>080-41-31.858W | FI R 4s  | 0  | 5 | TR-TY on pile.                        |                                                    |
| 35365   | Brickyard Creek<br>Daybeacon 221            | 32-28-32.306N<br>080-41-29.833W |          | 0  |   | SG-SY on pile.                        |                                                    |
| 35370   | Brickyard Creek Light 221A                  | 32-28-22.944N<br>080-41-28.512W | FI G 4s  | 0  | 5 | SG-SY on pile.                        |                                                    |
| 35375   | Brickyard Creek Light 224                   | 32-27-48.717N<br>080-41-26.372W | FI R 4s  | 0  | 5 | TR-TY on dolphin.                     |                                                    |
| 35380   | Beaufort River<br>Daybeacon 226             | 32-27-20.414N<br>080-41-14.342W |          | 0  |   | TR-TY on pile.                        |                                                    |
| 35385   | Beaufort River Light 228                    | 32-27-08.758N<br>080-40-58.268W | FI R 4s  | 0  | 5 | TR-TY on pile.                        |                                                    |
| 35390   | Beaufort River<br>Daybeacon 229             | 32-27-13.871N<br>080-40-54.776W |          | 0  |   | SG-SY on pile.                        |                                                    |
| 35395   | Beaufort River<br>Daybeacon 229A            | 32-27-12.615N<br>080-40-43.666W |          | 0  |   | SG-SY on pile.                        |                                                    |
| 35400   | Beaufort River Light 231                    | 32-27-13.340N<br>080-39-55.954W | FI G 4s  | 0  | 5 | SG-SY on pile.                        |                                                    |
| 35405   | Beaufort River<br>Daybeacon 232             | 32-26-57.434N<br>080-39-53.178W |          | 0  |   | TR-TY on pile.                        |                                                    |

|         |                                         |                                 |         |   |   |                                        |
|---------|-----------------------------------------|---------------------------------|---------|---|---|----------------------------------------|
| 35407   | Pigeon Point Obstruction Daybeacon A    | 32-27-08.998N<br>080-40-09.994W |         |   |   | NW on pile worded DANGER OBSTRUCTION.  |
| 35407.1 | Pigeon Point Obstruction Daybeacon B    | 32-27-07.763N<br>080-40-07.919W |         |   |   | NW on pile worded DANGER OBSTRUCTION.  |
| 35420   | Marsh Harbor Marina Daybeacon 3         | 32-26-44.789N<br>080-39-38.382W |         |   |   | SG on pile.                            |
| 35425   | Marsh Harbor Marina Daybeacon 4         | 32-26-43.589N<br>080-39-37.382W |         |   |   | TR on pile.                            |
| 35430   | Marsh Harbor Marina Daybeacon 5         | 32-26-46.789N<br>080-39-38.282W |         |   |   | SG on pile.                            |
| 35435   | Beaufort River Daybeacon 233            | 32-26-31.871N<br>080-39-37.088W |         | 0 |   | SG-SY on pile.                         |
| 35440   | Beaufort River Light 235                | 32-26-02.377N<br>080-39-31.487W | FI G 4s | 0 | 5 | SG-SY on pile.                         |
| 35442   | Beaufort River Obstruction Daybeacon A  | 32-25-44.400N<br>080-39-39.960W |         |   |   | NW on pile worded DANGER.              |
| 35442.1 | Beaufort River Obstruction Daybeacon B  | 32-25-45.120N<br>080-39-39.600W |         |   |   | NW on pile worded DANGER.              |
| 35442.2 | Beaufort River Obstruction Daybeacon C  | 32-25-45.840N<br>080-39-39.240W |         |   |   | NW on pile worded DANGER.              |
| 35445   | Beaufort River Daybeacon 237            | 32-25-38.411N<br>080-39-48.824W |         | 0 |   | SG-SY on pile.                         |
| 35450   | Whitehall Point Daybeacon 1             | 32-25-31.616N<br>080-40-02.238W |         | 0 |   | SG on pile.                            |
| 35455   | Whitehall Point Daybeacon 3             | 32-25-18.215N<br>080-39-44.052W |         | 0 |   | SG on pile.                            |
| 35460   | Beaufort River Daybeacon 239            | 32-25-36.693N<br>080-40-28.415W |         | 0 |   | SG-SY on pile.                         |
| 35465   | Beaufort River Light 240                | 32-25-36.389N<br>080-41-04.931W | FI R 4s | 0 | 5 | TR-TY on pile.                         |
| 35470   | Beaufort River Light 241                | 32-25-04.981N<br>080-41-00.916W | FI G 4s | 0 | 5 | SG-SY on pile.                         |
| 35475   | Beaufort River Daybeacon 241A           | 32-24-54.854N<br>080-40-56.224W |         | 0 |   | SG-SY on pile.                         |
| 35480   | Beaufort River Light 242                | 32-24-26.767N<br>080-40-30.512W | FI R 4s | 0 | 5 | TR-TY on pile.                         |
| 35485   | Beaufort River Daybeacon 244            | 32-24-08.932N<br>080-40-26.271W |         | 0 |   | TR-TY on pile.                         |
| 35490   | Beaufort River Lighted Buoy 41          | 32-21-48.090N<br>080-40-38.193W | Q G     |   | 4 | Green with yellow triangle.            |
| 35515   | Beaufort River Buoy 40                  | 32-21-37.550N<br>080-40-20.543W |         |   |   | Red nun with yellow square.            |
| 35520   | Beaufort River Buoy 39                  | 32-21-26.331N<br>080-40-21.703W |         |   |   | Green can with yellow square.          |
| 35525   | Beaufort River Lighted Buoy 37          | 32-20-36.633N<br>080-39-43.104W | Q G     |   | 4 | Green with yellow triangle.            |
| 35540   | Beaufort River Buoy 36                  | 32-20-22.634N<br>080-39-32.894W |         |   |   | Red nun with yellow square.            |
| 35545   | Beaufort River Buoy 33                  | 32-19-36.236N<br>080-39-22.004W |         |   |   | Green can with yellow triangle.        |
| 35560   | Beaufort River Lighted Buoy 31A         | 32-18-54.842N<br>080-39-04.759W | Q G     |   | 4 | Green with yellow triangle.            |
| 35565   | Beaufort River Lighted Buoy 31          | 32-18-28.739N<br>080-39-07.705W | FI G 4s |   | 5 | Green with yellow triangle.            |
| 35570   | Beaufort River Buoy 29                  | 32-17-42.242N<br>080-39-12.305W |         |   |   | Green can with yellow triangle.        |
| 35575   | Beaufort River Lighted Buoy 27          | 32-16-56.744N<br>080-39-18.206W | FI G 4s |   | 5 | Green with yellow triangle.            |
| 35580   | Beaufort River Buoy 26                  | 32-16-44.745N<br>080-39-13.406W |         |   |   | Red nun with yellow square.            |
| 35585   | Trenchards Inlet Tide Gauge Daybeacon   | 32-20-07.000N<br>080-32-33.000W |         |   |   | NW on dolphin worded DANGER TIDE GAGE. |
| 35590   | Station Creek West Tide Gauge Daybeacon | 32-16-45.000N<br>080-38-21.000W |         |   |   | NW on dolphin worded DANGER TIDE GAGE. |
| 35595   | Parris Island Spit Light                | 32-16-43.368N                   | FI R 4s | 0 | 5 | TR-TY on dolphin.                      |

|         |                                     |                                 |           |   |   |                               |
|---------|-------------------------------------|---------------------------------|-----------|---|---|-------------------------------|
|         | 246                                 | 080-39-58.950W                  |           |   |   |                               |
| 35600   | Parris Island Fish Haven Buoy       | 32-18-48.000N<br>080-42-29.000W |           |   |   | Yellow nun.                   |
| 35605   | Port Royal Sound Lighted Buoy 1     | 32-15-57.512N<br>080-41-54.159W | Fl G 4s   |   | 5 | Green.                        |
| 35610   | Daws Island South Spit Buoy 2       | 32-16-24.326N<br>080-42-24.869W |           |   |   | Red nun with yellow triangle. |
| 35611   | Parris Island Range Warning Light B | 32-19-23.460N<br>080-42-50.640W | Fl W 2.5s |   | 5 |                               |
| 35611.1 | Parris Island Range Warning Light C | 32-19-00.270N<br>080-43-29.280W | Fl W 2.5s |   | 5 |                               |
| 35611.2 | Parris Island Range Warning Light D | 32-19-37.510N<br>080-44-00.403W | Fl W 2.5s |   | 5 |                               |
| 35611.3 | Parris Island Range Warning Light E | 32-19-59.760N<br>080-43-28.080W | Fl W 2.5s |   | 5 |                               |
| 35615   | Skull Creek Entrance Light 3        | 32-16-17.723N<br>080-43-45.494W | Fl G 2.5s | 0 | 5 | SG-SY on dolphin.             |
| 35620   | Skull Creek Daybeacon 4             | 32-16-22.508N<br>080-44-09.275W |           |   | 0 | TR-TY on pile.                |
| 35625   | Skull Creek Daybeacon 5             | 32-16-05.251N<br>080-44-09.248W |           |   | 0 | SG-SY on pile.                |
| 35629.1 | Ribaut Island Dock Light A          | 32-15-50.000N<br>080-44-21.000W | F W       |   |   | On pier.                      |
| 35629.2 | Ribaut Island Dock Light B          | 32-15-52.000N<br>080-44-20.000W | F W       |   |   | On pier.                      |
| 35629.3 | Ribaut Island Dock Light C          | 32-15-54.000N<br>080-44-19.000W | F W       |   |   | On pier.                      |
| 35629.4 | Ribaut Island Dock Light D          | 32-15-55.200N<br>080-44-18.700W | F W       |   |   | On pier.                      |
| 35629.5 | Ribaut Island Dock Light F          | 32-15-58.600N<br>080-44-14.700W | F W       |   |   | On pier.                      |
| 35629.6 | Ribaut Island Dock Light E          | 32-15-57.000N<br>080-44-17.000W | F W       |   |   | On pier.                      |
| 35630   | Ribaut Island Dock Light G          | 32-16-00.000N<br>080-44-13.000W | F W       |   |   | On pier.                      |
| 35635   | Skull Creek Light 6                 | 32-15-46.992N<br>080-44-31.866W | Fl R 4s   | 0 | 5 | TR-TY on pile.                |
| 35640   | Skull Creek Daybeacon 7             | 32-15-23.147N<br>080-44-59.050W |           |   | 0 | SG-SY on pile.                |
| 35645   | Skull Creek Light 8                 | 32-15-05.594N<br>080-45-13.063W | Fl R 4s   | 0 | 5 | TR-TY on pile.                |
| 35650   | Skull Creek Daybeacon 9             | 32-15-00.739N<br>080-45-09.190W |           |   | 0 | SG-SY on pile.                |
| 35655   | Skull Creek Daybeacon 9A            | 32-14-53.067N<br>080-45-04.158W |           |   | 0 | SG-SY on pile.                |
| 35660   | Skull Creek Daybeacon 10            | 32-14-35.767N<br>080-44-59.321W |           |   | 0 | TR-TY on pile.                |
| 35665   | Skull Creek Light 11                | 32-14-34.388N<br>080-44-54.259W | Fl G 4s   | 0 | 5 | SG-SY on pile.                |
| 35670   | Skull Creek Daybeacon 13            | 32-14-21.224N<br>080-45-02.174W |           |   | 0 | SG-SY on pile.                |
| 35675   | Skull Creek Light 14                | 32-14-17.672N<br>080-45-11.309W | Fl R 6s   | 0 | 5 | TR-TY on pile.                |
| 35680   | Skull Creek Light 15                | 32-14-00.756N<br>080-45-30.462W | Fl G 4s   | 0 | 5 | SG-SY on pile.                |
| 35685   | Skull Creek Daybeacon 16            | 32-13-46.002N<br>080-45-48.498W |           |   | 0 | TR-TY on pile.                |
| 35690   | Skull Creek Light 18                | 32-13-32.621N<br>080-46-01.923W | Fl R 2.5s | 0 | 5 | TR-TY on pile.                |
| 35695   | Skull Creek Light 19                | 32-13-26.077N<br>080-46-01.550W | Fl G 4s   | 0 | 5 | SG-SY on pile.                |
| 35700   | Skull Creek Daybeacon 20            | 32-13-30.344N<br>080-46-17.416W |           |   | 0 | TR-TY on pile.                |
| 35705   | Skull Creek Light 22                | 32-13-35.021N<br>080-46-46.614W | Fl R 4s   | 0 | 5 | TR-TY on pile.                |
| 35720   | Jenkins Island Flat Light 24        | 32-13-09.644N<br>080-47-18.513W | Fl R 4s   | 0 | 5 | TR-TY on pile.                |
| 35725   | Jenkins Island Flat Light 27        | 32-13-07.163N<br>080-47-12.209W | Fl G 4s   | 0 |   | SG-SY on pile.                |
| 35730   | Jarvis Creek Light 1                | 32-12-33.368N                   | Fl G 4s   | 0 | 5 | SG on pile.                   |

|         |                                 |                                 |           |   |   |                                           |
|---------|---------------------------------|---------------------------------|-----------|---|---|-------------------------------------------|
|         |                                 | 080-46-51.783W                  |           |   |   |                                           |
| 35735   | Calibogue Sound Light 28        | 32-12-21.713N<br>080-47-08.885W | FI R 4s   | 0 | 5 | TR-TY on pile.                            |
| 35740   | Calibogue Sound Light 29        | 32-11-50.260N<br>080-46-57.112W | FI G 4s   | 0 | 5 | SG-SY on pile.                            |
| 35740.5 | Caliboque Sound Daybeacon 29A   | 32-10-09.602N<br>080-47-38.175W |           | 0 |   | SG-SY on pile.                            |
| 35745   | May River Daybeacon 2           | 32-11-54.093N<br>080-47-17.655W |           | 0 |   | TR on pile.                               |
| 35750   | May River Daybeacon 4           | 32-12-01.054N<br>080-48-06.358W |           | 0 |   | TR on pile.                               |
| 35755   | May River Daybeacon 5           | 32-12-37.448N<br>080-49-52.671W |           | 0 |   | SG on pile.                               |
| 35760   | May River Daybeacon 6           | 32-12-37.910N<br>080-51-21.183W |           | 0 |   | TR on pile.                               |
| 35765   | May River Daybeacon 8           | 32-11-56.240N<br>080-52-12.957W |           | 0 |   | TR on pile.                               |
| 35770   | May River Daybeacon 9           | 32-12-36.777N<br>080-52-58.014W |           | 0 |   | SG on pile.                               |
| 35775   | May River Daybeacon 10          | 32-12-35.651N<br>080-52-34.316W |           | 0 |   | TR on pile.                               |
| 35780   | May River Daybeacon 11          | 32-12-57.973N<br>080-52-01.230W |           | 0 |   | SG on pile.                               |
| 35785   | May River Daybeacon 13          | 32-13-25.017N<br>080-51-35.324W |           | 0 |   | SG on pile.                               |
| 35790   | Calibogue Sound Light 30        | 32-09-59.843N<br>080-48-31.567W | FI R 2.5s | 0 | 5 | TR-TY on pile.                            |
| 35795   | Calibogue Sound Light 31        | 32-10-01.755N<br>080-47-45.866W | FI G 4s   | 0 | 5 | SG-SY on pile.                            |
| 35800   | Calibogue Sound Light 32        | 32-08-59.641N<br>080-49-49.548W | Q R       | 0 | 5 | TR-TY on dolphin.                         |
| 35805   | Savage Island Light 34          | 32-08-58.990N<br>080-51-09.914W | FI R 4s   | 0 | 5 | TR-TY on pile.                            |
| 35810   | Daufuskie Island Light 35       | 32-08-18.255N<br>080-52-00.616W | FI G 4s   | 0 | 5 | SG-SY on pile.                            |
| 35815   | Savage Island Daybeacon 36      | 32-08-02.518N<br>080-52-22.683W |           | 0 |   | TR-TY on pile.                            |
| 35815.5 | Braddock Cove Creek Jetty Light | 32-07-16.120N<br>080-49-24.980W | FI W 2.5s |   |   | On pile.                                  |
| 35820   | Ramshorn Creek Light 37         | 32-07-48.315N<br>080-53-21.787W | FI G 4s   | 0 | 5 | SG-SY on pile.                            |
| 35825   | Ramshorn Creek Light 39         | 32-06-52.366N<br>080-53-51.319W | FI G 4s   | 0 | 5 | SG-SY on pile.                            |
| 35827   | Ramshorn Creek Lighted Buoy 40  | 32-06-51.959N<br>080-53-52.076W | FI R 2.5s |   | 5 | Red.                                      |
| 35830   | New River Light 40A             | 32-06-13.297N<br>080-53-47.524W | FI R 4s   | 0 | 5 | TR-TY on pile.                            |
| 35835   | New River Daybeacon 41          | 32-05-32.662N<br>080-54-22.530W |           | 0 |   | SG-SY on pile.                            |
| 35840   | Walls Cut Light 42              | 32-05-01.327N<br>080-54-50.970W | FI R 4s   | 0 | 5 | TR-TY on dolphin.                         |
| 35845   | Walls Cut Daybeacon 43          | 32-04-54.495N<br>080-55-02.087W |           | 0 |   | SG-SY on pile.                            |
| 35850   | Walls Cut Light 44              | 32-05-00.759N<br>080-55-05.623W | FI R 4s   | 0 | 5 | TR-TY on pile.                            |
| 35855   | Walls Cut Daybeacon 46          | 32-05-16.083N<br>080-55-22.638W |           | 0 |   | TR-TY on pile.                            |
| 35860   | Fields Cut Light 47             | 32-05-19.755N<br>080-55-43.925W | FI G 4s   | 0 | 5 | SG-SY on dolphin.                         |
| 35865   | Fields Cut Buoy 48              | 32-05-22.523N<br>080-55-45.487W |           |   |   | Red nun with yellow triangle.             |
| 35865.5 | Fields Cut Lighted Buoy 48A     | 32-05-10.910N<br>080-55-59.591W | Q R       |   | 4 | Red with yellow triangle.                 |
| 35870   | Fields Cut Light 50             | 32-04-27.576N<br>080-57-42.284W | FI R 4s   | 0 | 5 | TR-TY on pile.                            |
| 35875   | Elba Island Cut Jetty Light     | 32-04-17.971N<br>080-58-06.982W | FI W 2.5s | 0 | 5 | NW on pile worded DANGER SUBMERGED JETTY. |
| 35880   | Elba Island Cut Light 2         | 32-04-16.105N<br>080-58-22.666W | FI R 2.5s | 0 | 5 | TR-TY on pile.                            |
| 35885   | Elba Island Cut Light 4         | 32-04-13.566N<br>080-58-30.228W | FI R 4s   | 0 | 5 | TR-TY on pile.                            |

|       |                                     |                                 |           |   |   |                             |
|-------|-------------------------------------|---------------------------------|-----------|---|---|-----------------------------|
| 35890 | Elba Island Cut Light 6             | 32-04-06.696N<br>080-58-54.204W | FI R 4s   | 0 | 5 | TR-TY on pile.              |
| 35895 | Elba Island Cut<br>Daybeacon 8      | 32-03-55.251N<br>080-59-27.086W |           | 0 |   | TR-TY on pile.              |
| 35900 | Elba Island Cut Light<br>10         | 32-03-49.929N<br>080-59-41.834W | Q R       | 0 | 5 | TR-TY on dolphin.           |
| 35905 | Elba Island Cut<br>Daybeacon 12     | 32-04-03.972N<br>081-00-13.452W |           | 0 |   | TR-TY on pile.              |
| 35910 | Elba Island Cut<br>Daybeacon 14     | 32-04-10.949N<br>081-00-22.338W |           | 0 |   | TR-TY on pile.              |
| 35915 | Elba Island Cut Light<br>15         | 32-04-13.927N<br>081-00-28.346W | FI G 4s   | 0 | 5 | SG-SY on pile.              |
| 35920 | South Channel<br>Daybeacon A1       | 32-05-29.020N<br>081-01-05.732W |           | 0 |   | SG-SY on pile.              |
| 35925 | South Channel<br>Daybeacon A4       | 32-05-22.171N<br>081-00-54.339W |           | 0 |   | TR-TY on pile.              |
| 35930 | South Channel<br>Daybeacon A5       | 32-05-22.245N<br>081-00-45.762W |           | 0 |   | SG-SY on pile.              |
| 35935 | South Channel<br>Daybeacon A6       | 32-05-17.361N<br>081-00-45.094W |           | 0 |   | TR-TY on pile.              |
| 35940 | South Channel<br>Daybeacon A8       | 32-05-09.510N<br>081-00-29.493W |           | 0 |   | TR-TY on pile.              |
| 35945 | South Channel<br>Daybeacon A12      | 32-04-47.262N<br>080-59-55.426W |           | 0 |   | TR-TY on pile.              |
| 35950 | St Augustine Creek<br>Daybeacon A15 | 32-04-37.217N<br>081-00-00.241W |           | 0 |   | SG-SY on pile.              |
| 35955 | St Augustine Creek<br>Daybeacon A17 | 32-04-18.184N<br>081-00-16.552W |           | 0 |   | SG-SY on pile.              |
| 35960 | St Augustine Creek<br>Daybeacon A18 | 32-04-20.348N<br>081-00-26.799W |           | 0 |   | TR-TY on pile.              |
| 35965 | Wilmington River Light<br>19        | 32-04-24.420N<br>081-00-41.517W | FI G 4s   | 0 | 5 | SG-SY on pile.              |
| 35970 | Wilmington River<br>Daybeacon 21    | 32-04-23.993N<br>081-00-49.528W |           | 0 |   | SG-SY on pile.              |
| 35973 | Wilmington River<br>Daybeacon 22    | 32-04-16.673N<br>081-01-03.353W |           | 0 |   | TR-TY on pile.              |
| 35978 | Wilmington River<br>Daybeacon 24    | 32-04-11.773N<br>081-01-17.684W |           | 0 |   | TR-TY on pile.              |
| 35995 | Wilmington River Light<br>25        | 32-03-56.619N<br>081-01-19.722W | FI G 4s   | 0 | 5 | SG-SY on pile.              |
| 36000 | Wilmington River Buoy<br>27         | 32-03-49.409N<br>081-01-40.739W |           |   |   | Green with yellow triangle. |
| 36005 | Wilmington River<br>Daybeacon 29    | 32-03-17.603N<br>081-01-49.622W |           | 0 |   | SG-SY on pile.              |
| 36010 | Wilmington River Light<br>30        | 32-02-59.619N<br>081-01-47.092W | Q R       | 0 | 4 | TR-TY on pile.              |
| 36015 | Wilmington River Light<br>31        | 32-02-39.416N<br>081-02-25.656W | FI G 4s   | 0 | 5 | SG-SY on dolphin.           |
| 36020 | Wilmington River<br>Daybeacon 32    | 32-02-32.976N<br>081-02-33.850W |           | 0 |   | TR-TY on pile.              |
| 36025 | Wilmington River<br>Daybeacon 33    | 32-02-24.397N<br>081-02-36.145W |           | 1 |   | SG-SY on pile.              |
| 36030 | Wilmington River Light<br>34        | 32-02-13.851N<br>081-02-46.213W | FI R 4s   | 0 | 5 | TR-TY on dolphin.           |
| 36035 | Wilmington River<br>Daybeacon 35    | 32-01-48.340N<br>081-02-52.761W |           | 0 |   | SG-SY on pile.              |
| 36040 | Wilmington River Light<br>36        | 32-01-22.876N<br>081-02-35.575W | FI R 2.5s | 0 | 5 | TR-TY on pile.              |
| 36045 | Wilmington River<br>Daybeacon 36A   | 32-01-15.113N<br>081-02-12.369W |           | 0 |   | TR-TY on pile.              |
| 36050 | Wilmington River Light<br>37        | 32-01-20.046N<br>081-01-49.205W | FI G 4s   | 0 | 5 | SG-SY on dolphin.           |
| 36055 | Wilmington River Light<br>37A       | 32-01-20.947N<br>081-01-21.844W | FI G 4s   | 0 | 5 | SG-SY on pile.              |
| 36060 | Wilmington River Light<br>38        | 32-01-14.353N<br>081-01-21.220W | Q R       | 0 | 4 | TR-TY on pile.              |
| 36065 | Skidaway River Light<br>40          | 32-00-40.319N<br>081-00-58.054W | FI R 4s   | 0 | 5 | TR-TY on pile.              |
| 36070 | Skidaway River Light<br>42          | 31-59-35.773N<br>081-01-13.850W | FI R 4s   | 0 | 5 | TR-TY on pile.              |
| 36075 | Skidaway River                      | 31-59-01.097N                   |           | 0 |   | TR-TY on pile.              |

|       |                                              |                                 |           |   |   |                   |
|-------|----------------------------------------------|---------------------------------|-----------|---|---|-------------------|
|       | Daybeacon 44                                 | 081-02-13.102W                  |           |   |   |                   |
| 36080 | Skidaway River Light 43                      | 31-59-15.092N<br>081-02-02.801W | Fl G 4s   | 0 | 5 | SG-SY on pile.    |
| 36085 | Skidaway River Daybeacon 44A                 | 31-58-55.697N<br>081-02-18.156W |           | 0 |   | TR-TY on pile.    |
| 36090 | Skidaway River Daybeacon 46                  | 31-58-43.305N<br>081-02-47.024W |           | 0 |   | TR-TY on pile.    |
| 36095 | Skidaway River Daybeacon 46A                 | 31-58-43.066N<br>081-03-17.284W |           | 0 |   | TR-TY on pile.    |
| 36100 | Skidaway River Daybeacon 48                  | 31-58-35.793N<br>081-03-13.419W |           | 0 |   | TR-TY on pile.    |
| 36105 | Skidaway River Daybeacon 48A                 | 31-58-24.697N<br>081-03-09.897W |           | 0 |   | TR-TY on pile.    |
| 36110 | Skidaway River Daybeacon 50                  | 31-58-06.896N<br>081-03-12.992W |           | 0 |   | TR-TY on pile.    |
| 36115 | Skidaway River Daybeacon 52                  | 31-57-59.489N<br>081-03-22.652W |           | 0 |   | TR-TY on pile.    |
| 36120 | Skidaway River Light 53                      | 31-57-55.848N<br>081-03-22.998W | Fl G 4s   | 0 | 5 | SG-SY on pile.    |
| 36125 | Skidaway River Daybeacon 54                  | 31-57-50.953N<br>081-03-26.684W |           | 0 |   | TR-TY on pile.    |
| 36130 | Skidaway Narrows Daybeacon 55                | 31-57-39.127N<br>081-03-24.458W |           | 0 |   | SG-SY on pile.    |
| 36135 | Skidaway Narrows Light 57                    | 31-57-34.159N<br>081-03-27.518W | Fl G 4s   | 0 | 5 | SG-SY on pile.    |
| 36140 | Skidaway Narrows Daybeacon 60                | 31-57-18.642N<br>081-03-44.391W |           | 0 |   | TR-TY on pile.    |
| 36142 | Skidaway Narrows Pier East Obstruction Light | 31-56-37.000N<br>081-03-59.000W | Fl W 2s   |   |   | On pier.          |
| 36143 | Skidaway Narrows Pier West Obstruction Light | 31-56-37.000N<br>081-04-00.000W | Fl W 2s   |   |   | On pier.          |
| 36145 | Skidaway Narrows Daybeacon 64                | 31-56-40.566N<br>081-04-26.040W |           | 0 |   | TR-TY on pile.    |
| 36150 | Skidaway Narrows Daybeacon 65                | 31-56-36.973N<br>081-04-33.578W |           | 0 |   | SG-SY on pile.    |
| 36155 | Skidaway Narrows Daybeacon 69                | 31-56-21.637N<br>081-04-39.611W |           | 0 |   | SG-SY on pile.    |
| 36160 | Skidaway Narrows Light 71                    | 31-56-02.782N<br>081-04-28.106W | Fl G 4s   | 0 | 5 | SG-SY on pile.    |
| 36165 | Skidaway Narrows Daybeacon 72                | 31-55-57.410N<br>081-04-30.000W |           | 0 |   | TR-TY on pile.    |
| 36170 | Skidaway Narrows Daybeacon 73                | 31-55-52.574N<br>081-04-24.207W |           | 0 |   | SG-SY on pile.    |
| 36175 | Skidaway Narrows Light 74                    | 31-55-35.712N<br>081-04-18.497W | Fl R 4s   | 0 | 5 | TR-TY on dolphin. |
| 36180 | Long Pier Obstruction Light                  | 31-55-20.000N<br>081-04-20.000W | F W       |   |   | On pier.          |
| 36185 | Andrews Pier Obstruction Light               | 31-55-17.500N<br>081-04-20.000W | F W       |   |   | On pier.          |
| 36190 | Burnside River Light 75                      | 31-55-12.015N<br>081-04-29.048W | Fl G 4s   | 0 | 5 | SG-SY on pile.    |
| 36195 | Burnside River Daybeacon 76                  | 31-55-21.878N<br>081-04-52.474W |           | 0 |   | TR-TY on pile.    |
| 36200 | Burnside River Daybeacon 77                  | 31-55-25.673N<br>081-05-47.406W |           | 0 |   | SG-SY on pile.    |
| 36205 | Vernon River Light 79                        | 31-55-10.703N<br>081-06-14.797W | Fl G 4s   | 0 | 5 | SG-SY on pile.    |
| 36210 | Vernon River Light 81                        | 31-53-59.031N<br>081-05-40.136W | Fl G 4s   | 0 | 5 | SG-SY on pile.    |
| 36215 | Vernon River Daybeacon 82                    | 31-53-36.781N<br>081-05-44.712W |           | 0 |   | TR-TY on pile.    |
| 36220 | Vernon River Daybeacon 83                    | 31-53-31.768N<br>081-05-08.952W |           | 0 |   | SG-SY on pile.    |
| 36225 | Vernon River Daybeacon 84                    | 31-52-56.296N<br>081-05-09.018W |           | 0 |   | TR-TY on pile.    |
| 36229 | Delegal Creek Channel Light 1                | 31-52-33.840N<br>081-04-13.380W | Fl G 2.5s |   |   | SG on pile.       |
| 36230 | Delegal Creek Channel Buoy 2                 | 31-52-30.212N<br>081-04-09.143W |           |   |   | Red nun.          |
| 36232 | Delegal Creek Channel                        | 31-52-31.800N                   |           |   |   | SG on pile.       |

|         |                                           |                                 |           |   |   |                                          |
|---------|-------------------------------------------|---------------------------------|-----------|---|---|------------------------------------------|
|         | Daybeacon 3                               | 081-03-46.920W                  |           |   |   |                                          |
| 36233   | Delegal Creek Channel Buoy 4              | 31-52-31.818N<br>081-03-44.037W |           |   |   | Red nun.                                 |
| 36235   | Delegal Creek Channel Light 5             | 31-52-39.300N<br>081-03-50.340W | FI G 4s   |   |   | SG on pile.                              |
| 36240   | Delegal Creek Channel Light 6             | 31-52-36.950N<br>081-03-46.715W | FI R 2.5s |   |   | TR on pile.                              |
| 36241   | Delegal Creek Channel Daybeacon 7         | 31-53-11.700N<br>081-03-54.780W |           |   |   | SG on pile.                              |
| 36241.1 | Delegal Creek Channel Light 8             | 31-52-51.780N<br>081-03-54.720W | FI R 2.5s |   |   | TR on pile.                              |
| 36260   | Vernon River Light Wreck 86               | 31-52-19.021N<br>081-04-33.766W | Q R       | 0 | 5 | TR-TY on pile.                           |
| 36265   | Raccoon Key Light 87                      | 31-51-59.271N<br>081-04-42.407W | FI G 4s   | 0 | 5 | SG-SY on pile.                           |
| 36270   | Hell Gate Buoy 89                         | 31-51-40.865N<br>081-04-59.583W |           |   |   | Green can with yellow square.            |
| 36277   | Hell Gate Buoy 90                         | 31-51-33.829N<br>081-05-02.074W |           |   |   | Red nun with yellow triangle.            |
| 36285   | Hell Gate Light 91                        | 31-51-25.364N<br>081-05-01.202W | FI G 4s   | 0 | 5 | SG-SY on pile.                           |
| 36290   | Hell Gate Light 92                        | 31-51-21.371N<br>081-05-06.547W | Q R       | 0 | 4 | TR-TY on pile.                           |
| 36295   | Middle Marsh Light 93                     | 31-51-24.484N<br>081-06-16.018W | FI G 4s   | 0 | 5 | SG-SY on pile.                           |
| 36300   | Middle Marsh Daybeacon 94                 | 31-51-43.581N<br>081-06-28.763W |           | 0 |   | TR-TY on pile.                           |
| 36305   | Ogeechee River Daybeacon 95               | 31-51-18.837N<br>081-07-02.375W |           | 0 |   | SG-SY on pile.                           |
| 36310   | Ogeechee River Light 96                   | 31-51-34.695N<br>081-07-38.762W | FI R 4s   | 0 | 5 | TR-TY on pile.                           |
| 36320.2 | Ogeechee Reef South Obstruction Daybeacon | 31-52-13.000N<br>081-09-18.000W |           |   |   | NW on pile worded DANGER SUBMERGED REEF. |
| 36320.1 | Ogeechee Reef North Obstruction Daybeacon | 31-52-21.000N<br>081-09-22.000W |           |   |   | NW on pile worded DANGER SUBMERGED REEF. |
| 36360   | Fort Mcallister Fishing Pier Light        | 31-53-21.000N<br>081-12-18.000W | F R       |   |   | On pier.                                 |
| 36365   | Florida Passage Light 98                  | 31-51-11.151N<br>081-08-32.616W | FI R 4s   | 0 | 5 | TR-TY on pile.                           |
| 36370   | Florida Passage Light 99                  | 31-50-17.415N<br>081-09-17.489W | FI G 4s   | 0 | 5 | SG-SY on pile.                           |
| 36385   | Florida Passage Daybeacon 102             | 31-49-14.806N<br>081-09-41.098W |           | 0 |   | TR-TY on pile.                           |
| 36390   | Bear River Daybeacon 103                  | 31-48-56.343N<br>081-10-36.528W |           | 0 |   | SG-SY on pile.                           |
| 36395   | Bear River Light 104                      | 31-49-03.552N<br>081-10-38.210W | FI R 4s   | 0 | 5 | TR-TY on pile.                           |
| 36400   | Bear River Light 104A                     | 31-48-19.485N<br>081-10-41.301W | FI R 4s   | 0 | 5 | TR-TY on pile.                           |
| 36405   | Bear River Light 104B                     | 31-47-35.710N<br>081-10-58.042W | FI R 4s   | 0 | 5 | TR-TY on pile.                           |
| 36415   | Bear River Light 105                      | 31-47-19.826N<br>081-09-43.356W | Q G       | 0 | 4 | SG-SY on pile.                           |
| 36425   | Bear River Daybeacon 104C                 | 31-47-17.097N<br>081-10-08.991W |           | 0 |   | TR-TY on pile.                           |
| 36430   | Bear River Light 105A                     | 31-46-48.078N<br>081-09-33.252W | FI G 4s   | 0 | 5 | SG-SY on pile.                           |
| 36435   | Bear River Light 106                      | 31-46-34.174N<br>081-10-13.067W | FI R 4s   | 0 | 5 | TR-TY on pile.                           |
| 36440   | Bear River Daybeacon 107                  | 31-46-17.225N<br>081-10-11.215W |           | 0 |   | SG-SY on pile.                           |
| 36445   | Bear River Light 108                      | 31-45-27.176N<br>081-10-33.992W | FI R 4s   | 0 | 5 | TR-TY on dolphin.                        |
| 36450   | Bear River Daybeacon 109                  | 31-45-19.472N<br>081-10-16.593W |           | 0 |   | SG-SY on pile.                           |
| 36451   | Bear River NE Obstruction Daybeacon       | 31-44-48.900N<br>081-09-25.800W |           |   |   | NW on pile worded DANGER SUBMERGED REEF. |
| 36452   | Bear River SW                             | 31-44-42.420N                   |           |   |   | NW on pile worded: DANGER                |

|         |                                          |                                 |         |   |   |                                 |
|---------|------------------------------------------|---------------------------------|---------|---|---|---------------------------------|
|         | Obstruction<br>Daybeacon                 | 081-09-17.880W                  |         |   |   | SUBMERGED REEF.                 |
| 36455   | Bear River Light 110                     | 31-44-25.988N<br>081-09-38.485W | FI R 4s | 0 | 5 | TR-TY on dolphin.               |
| 36455.5 | Bear River Daybeacon 110a                | 31-43-55.439N<br>081-09-08.842W |         | 0 |   | TR-TY on pile.                  |
| 36460   | Bear River Light 112                     | 31-43-28.470N<br>081-08-58.568W | FI R 4s | 0 | 5 | TR-TY on pile.                  |
| 36465   | St Catherines Sound Light 114            | 31-43-00.641N<br>081-09-06.151W | Q R     | 0 | 4 | TR-TY on dolphin.               |
| 36470   | St Catherines Sound Light 114A           | 31-42-40.776N<br>081-10-06.019W | FI R 4s | 0 | 5 | TR-TY on pile.                  |
| 36475   | North Newport River Light 116            | 31-42-07.843N<br>081-10-39.924W | FI R 4s | 0 | 5 | TR-TY on pile.                  |
| 36480   | North Newport River Daybeacon 117        | 31-41-16.590N<br>081-11-00.660W |         | 0 |   | SG-SY on pile.                  |
| 36485   | Vandyke Reef North Obstruction Daybeacon | 31-41-10.000N<br>081-11-45.000W |         |   |   | NW on pile worded DANGER SHOAL. |
| 36490   | Vandyke Reef South Obstruction Daybeacon | 31-41-06.000N<br>081-11-50.000W |         |   |   | NW on pile worded DANGER SHOAL. |
| 36495   | North Newport River Light 119            | 31-40-52.703N<br>081-11-31.713W | FI G 4s | 0 | 4 | SG-SY on pile.                  |
| 36500   | Timmons Reef E Obstruction Daybeacon     | 31-40-38.000N<br>081-12-50.000W |         |   |   | NW on pile worded DANGER SHOAL. |
| 36505   | Timmons Reef West Obstruction Daybeacon  | 31-40-39.000N<br>081-12-56.000W |         |   |   | NW on pile worded DANGER SHOAL. |
| 36510   | North Newport River Daybeacon 121        | 31-40-32.979N<br>081-11-40.287W |         | 0 |   | SG-SY on pile.                  |
| 36515   | North Newport River Light 123            | 31-40-20.873N<br>081-11-42.890W | FI G 4s | 0 | 5 | SG-SY on dolphin.               |
| 36520   | North Newport River Daybeacon 122        | 31-40-22.938N<br>081-11-49.289W |         | 0 |   | TR-TY on pile.                  |
| 36525   | North Newport River Daybeacon 124        | 31-40-11.098N<br>081-11-44.295W |         | 0 |   | TR-TY on pile.                  |
| 36525.5 | North Newport River Daybeacon 124A       | 31-40-22.952N<br>081-11-49.288W |         | 0 |   | TR-TY on pile.                  |
| 36530   | Johnson Creek Light 125                  | 31-39-32.967N<br>081-11-53.991W | FI G 4s | 0 | 5 | SG-SY on pile.                  |
| 36535   | Johnson Creek Daybeacon 126              | 31-39-07.808N<br>081-11-22.961W |         | 0 |   | TR-TY on pile.                  |
| 36540   | Johnson Creek Daybeacon 127              | 31-38-30.923N<br>081-11-27.052W |         | 0 |   | SG-SY on pile.                  |
| 36545   | Johnson Creek Daybeacon 128              | 31-38-15.219N<br>081-11-23.399W |         | 0 |   | TR-TY on pile.                  |
| 36550   | Johnson Creek Daybeacon 130              | 31-37-48.152N<br>081-11-15.419W |         | 0 |   | TR-TY on pile.                  |
| 36555   | Johnson Creek Daybeacon 131              | 31-36-23.033N<br>081-11-00.496W |         | 0 |   | SG-SY on pile.                  |
| 36560   | Johnson Creek Daybeacon 131A             | 31-36-12.789N<br>081-10-56.561W |         | 0 |   | SG-SY on pile.                  |
| 36565   | Johnson Creek Light 132                  | 31-35-31.236N<br>081-10-44.673W | FI R 4s | 0 | 5 | TR-TY on pile.                  |
| 36570   | South Newport River Daybeacon 1          | 31-35-24.100N<br>081-11-10.300W |         |   |   | SG on pile.                     |
| 36575   | South Newport River Daybeacon 2          | 31-36-06.700N<br>081-11-32.300W |         |   |   | TR on pile.                     |
| 36585   | South Newport River Daybeacon 5          | 31-37-23.400N<br>081-12-59.200W |         |   |   | SG on pile.                     |
| 36590   | South Newport River Daybeacon 6          | 31-38-07.900N<br>081-13-53.200W |         |   |   | TR on pile.                     |
| 36595   | South Newport River Daybeacon 7          | 31-38-38.600N<br>081-15-16.600W |         |   |   | SG on pile.                     |
| 36600   | South Newport River Daybeacon 9          | 31-39-07.900N<br>081-15-56.400W |         |   |   | SG on pile.                     |
| 36605   | South Newport River Daybeacon 11         | 31-39-07.600N<br>081-16-37.900W |         |   |   | SG on pile.                     |
| 36610   | South Newport River                      | 31-38-57.900N                   |         |   |   | TR on pile.                     |



|         |                                    |                                 |           |   |   |                                            |
|---------|------------------------------------|---------------------------------|-----------|---|---|--------------------------------------------|
|         | Daybeacon 12                       | 081-17-35.800W                  |           |   |   |                                            |
| 36615   | South Newport River Daybeacon 133  | 31-35-10.548N<br>081-10-54.243W |           | 0 |   | SG-SY on pile.                             |
| 36620   | South Newport River Light 135      | 31-34-36.589N<br>081-11-16.949W | FI G 4s   | 0 | 5 | SG-SY on pile.                             |
| 36625   | South Newport River Daybeacon 136  | 31-33-53.861N<br>081-11-41.118W |           | 0 |   | TR-TY on pile.                             |
| 36630   | Sapelo Sound Daybeacon 136A        | 31-33-23.437N<br>081-11-37.957W |           | 0 |   | TR-TY on pile.                             |
| 36630.1 | Sapelo Sound Light 138             | 31-33-03.165N<br>081-11-43.894W | Q R       | 0 | 4 | TR-TY on dolphin.                          |
| 36635   | Sapelo Sound Light 140             | 31-32-53.714N<br>081-12-39.024W | FI R 2.5s | 0 | 5 | TR-TY on pile.                             |
| 36640   | Sapelo Sound Light 142             | 31-32-45.895N<br>081-13-15.127W | FI R 4s   |   | 5 | TR-TY on pile.                             |
| 36645   | Sapelo River Daybeacon 143         | 31-32-25.321N<br>081-14-32.587W |           |   |   | SG-SY on pile.                             |
| 36650   | Sapelo River Light 145             | 31-32-21.323N<br>081-15-13.578W | FI G 4s   |   | 5 | SG-SY on pile.                             |
| 36651   | Mud River NE Obstruction Daybeacon | 31-31-40.800N<br>081-14-29.220W |           |   |   | NW on pile worded DANGER SUBMERGED REEF.   |
| 36652   | Mud River NW Obstruction Daybeacon | 31-31-39.300N<br>081-14-26.280W |           |   |   | NW on pile worded DANGER SUBMERGED REEF.   |
| 36653   | Mud River SE Obstruction Daybeacon | 31-31-28.320N<br>081-14-32.040W |           |   |   | NW on pile worded DANGER SUBMERGED REEF.   |
| 36654   | Mud River SW Obstruction Daybeacon | 31-31-29.640N<br>081-14-34.980W |           |   |   | NW on pile worded DANGER SUBMERGED REEF.   |
| 36654.1 | Mud River Mariculture Light A      | 31-31-31.510N<br>081-14-45.890W | Q Y       |   | 3 | NW on pile worded Danger Mariculture Zone  |
| 36654.2 | Mud River Mariculture Light B      | 31-31-26.470N<br>081-14-35.600W | FI Y 2.5s |   | 4 | NW on pile worded Danger Mariculture Zone. |
| 36654.3 | Mud River Mariculture Light C      | 31-30-50.690N<br>081-15-13.790W | Q Y       |   | 3 | NW on pile worded Danger Mariculture Zone. |
| 36654.4 | Mud River Mariculture Light D      | 31-30-46.040N<br>081-15-02.050W | FI Y 4s   |   | 4 | NW on pile worded Danger Mariculture Zone. |
| 36654.5 | Mud River Aquaculture Light A      | 31-30-43.200N<br>081-15-43.200W | FI Y 2.5s |   | 4 | NW on pile worded Danger Aquaculture Zone. |
| 36654.6 | Mud River Aquaculture Light B      | 31-29-16.800N<br>081-17-38.400W | Q Y       |   | 3 | NW on pile worded Danger Aquaculture Zone. |
| 36655   | Sapelo River Daybeacon 147         | 31-32-11.001N<br>081-15-44.849W |           |   |   | SG-SY on pile.                             |
| 36655.1 | Sapelo River Daybeacon 148         | 31-32-08.073N<br>081-16-20.891W |           | 0 |   | TR-TY on pile.                             |
| 36660   | Sapelo River Light 149             | 31-31-54.650N<br>081-16-19.956W | FI G 4s   | 0 | 5 | SG-SY on pile.                             |
| 36665   | Sapelo River Daybeacon 150         | 31-31-47.964N<br>081-16-45.502W |           |   |   | TR-TY on pile.                             |
| 36665.5 | Sapelo River Daybeacon 150A        | 31-31-27.419N<br>081-17-27.525W |           | 0 |   | TR-TY on pile.                             |
| 36670   | Front River Light 151              | 31-31-21.960N<br>081-17-27.279W | FI G 4s   |   | 5 | SG-SY on pile.                             |
| 36675   | Front River Daybeacon 152          | 31-30-55.539N<br>081-17-50.509W |           | 0 |   | TR-TY on pile.                             |
| 36680   | Front River Light 153              | 31-30-39.983N<br>081-18-02.359W | FI G 4s   | 0 | 5 | SG-SY on pile.                             |
| 36685   | Front River Daybeacon 154          | 31-30-33.498N<br>081-18-06.882W |           | 0 |   | TR-TY on pile.                             |
| 36690   | Creighton Narrows Daybeacon 155    | 31-29-59.057N<br>081-19-27.083W |           | 0 |   | SG-SY on pile.                             |
| 36695   | Creighton Narrows Light 155A       | 31-29-46.023N<br>081-19-32.019W | FI G 4s   |   | 5 | SG-SY on pile.                             |
| 36700   | Creighton Narrows Daybeacon 156    | 31-29-24.443N<br>081-19-27.199W |           | 0 |   | TR-TY on dolphin.                          |
| 36705   | Creighton Narrows Light 157        | 31-29-17.699N<br>081-19-21.580W | FI G 4s   | 0 | 5 | SG-SY on pile.                             |
| 36720   | Old Teakettle Creek Daybeacon 158  | 31-28-58.367N<br>081-19-11.062W |           | 0 |   | TR-TY on pile.                             |

|         |                                       |                                 |         |   |   |                   |
|---------|---------------------------------------|---------------------------------|---------|---|---|-------------------|
| 36725   | Old Teakettle Creek<br>Light 159      | 31-28-53.807N<br>081-19-06.982W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 36730   | Old Teakettle Creek<br>Daybeacon 158A | 31-28-51.967N<br>081-19-12.379W |         |   |   | TR-TY on pile.    |
| 36735   | Old Teakettle Creek<br>Daybeacon 160  | 31-28-48.481N<br>081-19-15.616W |         | 0 |   | TR-TY on pile.    |
| 36740   | Old Teakettle Creek<br>Daybeacon 161  | 31-28-40.599N<br>081-19-37.353W |         |   |   | SG-SY on pile.    |
| 36745   | Old Teakettle Creek<br>Light 162      | 31-28-39.310N<br>081-19-47.369W | FI R 4s |   | 5 | TR-TY on pile.    |
| 36750   | Old Teakettle Creek<br>Daybeacon 164  | 31-28-11.836N<br>081-19-40.392W |         | 0 |   | TR-TY on pile.    |
| 36765   | Old Teakettle Creek<br>Daybeacon 167  | 31-27-51.885N<br>081-19-24.919W |         |   |   | SG-SY on pile.    |
| 36770   | Old Teakettle Creek<br>Daybeacon 168  | 31-27-40.774N<br>081-19-25.989W |         | 0 |   | TR-TY on pile.    |
| 36775   | Old Teakettle Creek<br>Light 169      | 31-27-28.546N<br>081-19-14.410W | FI G 4s |   | 5 | SG-SY on pile.    |
| 36780   | Old Teakettle Creek<br>Daybeacon 172  | 31-26-46.226N<br>081-18-29.176W |         |   |   | TR-TY on pile.    |
| 36785   | Old Teakettle Creek<br>Light 173      | 31-26-31.779N<br>081-18-11.509W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 36790   | Old Teakettle Creek<br>Light 175      | 31-25-34.517N<br>081-18-40.371W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 36795   | Doboy Sound Light<br>178              | 31-24-33.981N<br>081-18-40.373W | Q R     | 0 | 4 | TR-TY on dolphin. |
| 36800   | North River Light 178A                | 31-24-31.952N<br>081-19-10.009W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 36810   | Doboy Island Light 180                | 31-24-11.663N<br>081-19-45.738W | FI R 4s |   | 5 | TR-TY on pile.    |
| 36815   | Doboy Island<br>Daybeacon 181         | 31-23-37.528N<br>081-19-45.434W |         | 0 |   | SG-SY on pile.    |
| 36820   | Doboy Island Light 182                | 31-23-32.451N<br>081-19-51.832W | FI R 4s | 0 | 5 | TR-TY on dolphin. |
| 36825   | Rockdedundy River<br>Light 183        | 31-23-05.342N<br>081-19-53.059W | FI G 4s |   | 5 | SG-SY on dolphin. |
| 36825.9 | Darien River<br>Daybeacon 5           | 31-23-12.978N<br>081-21-17.894W |         | 0 |   | SG on pile.       |
| 36825.7 | Darien River<br>Daybeacon 3           | 31-23-12.456N<br>081-21-08.681W |         | 0 |   | SG on pile.       |
| 36825.5 | Darien River<br>Daybeacon 1           | 31-23-03.452N<br>081-20-31.859W |         |   |   | SG on pile.       |
| 36826.9 | Darien River<br>Daybeacon 20          | 31-21-26.833N<br>081-23-47.332W |         |   |   | TR on pile.       |
| 36826.8 | Darien River<br>Daybeacon 18          | 31-21-35.073N<br>081-23-05.725W |         | 0 |   | TR on pile.       |
| 36826.7 | Darien River<br>Daybeacon 17          | 31-21-32.980N<br>081-22-27.654W |         |   |   | SG on pile.       |
| 36826.6 | Darien River<br>Daybeacon 16          | 31-21-45.461N<br>081-22-09.230W |         | 0 |   | TR on pile.       |
| 36826.5 | Darien River<br>Daybeacon 15          | 31-21-54.132N<br>081-21-52.972W |         |   |   | SG on pile.       |
| 36826.2 | Darien River<br>Daybeacon 10          | 31-22-47.339N<br>081-21-00.321W |         | 0 |   | TR on pile.       |
| 36826.1 | Darien River<br>Daybeacon 8           | 31-22-51.533N<br>081-21-08.181W |         |   |   | TR on pile.       |
| 36826   | Darien River<br>Daybeacon 7           | 31-23-06.241N<br>081-21-21.392W |         |   |   | SG on pile.       |
| 36826.4 | Darien River<br>Daybeacon 13          | 31-22-03.921N<br>081-21-36.963W |         | 0 |   | SG on pile.       |
| 36826.3 | Darien River<br>Daybeacon 11          | 31-22-08.390N<br>081-21-33.008W |         | 0 |   | SG on pile.       |
| 36827.7 | Darien River<br>Daybeacon 33          | 31-21-31.927N<br>081-25-44.683W |         |   |   | SG on pile.       |
| 36827.6 | Darien River<br>Daybeacon 31          | 31-21-25.942N<br>081-25-42.680W |         |   |   | SG on pile.       |
| 36827.5 | Darien River<br>Daybeacon 29          | 31-21-08.275N<br>081-25-08.552W |         | 0 |   | SG on pile.       |
| 36827.4 | Darien River<br>Daybeacon 27          | 31-20-53.490N<br>081-24-53.969W |         |   |   | SG on pile.       |
| 36827.3 | Darien River                          | 31-20-53.490N                   |         | 0 |   | TR on pile.       |

|         |                                                    |                                 |           |   |   |                                             |                                                    |
|---------|----------------------------------------------------|---------------------------------|-----------|---|---|---------------------------------------------|----------------------------------------------------|
|         | Daybeacon 26                                       | 081-24-53.969W                  |           |   |   |                                             |                                                    |
| 36827.2 | Darien River<br>Daybeacon 25                       | 31-21-26.401N<br>081-24-41.682W |           |   |   | SG on pile.                                 |                                                    |
| 36827.1 | Darien River<br>Daybeacon 23                       | 31-21-34.732N<br>081-24-29.855W |           | 0 |   | SG on pile.                                 |                                                    |
| 36827   | Darien River<br>Daybeacon 21                       | 31-21-34.510N<br>081-24-22.308W |           |   |   | SG on pile.                                 |                                                    |
| 36830   | Rockdedundyd River<br>Light 184                    | 31-23-00.678N<br>081-19-59.442W | FI R 2.5s | 0 | 5 | TR-TY on pile.                              |                                                    |
| 36835   | Rockdedundyd River<br>Light 185                    | 31-22-25.746N<br>081-20-02.277W | FI G 4s   | 0 | 5 | SG-SY on dolphin.                           |                                                    |
| 36850   | Rockdedundyd River<br>Daybeacon 188                | 31-22-20.828N<br>081-20-04.129W |           | 0 |   | TR-TY on pile.                              |                                                    |
| 36855   | Little Mud River<br>Daybeacon 189                  | 31-22-04.423N<br>081-19-58.888W |           |   |   | SG-SY on pile.                              |                                                    |
| 36865   | Little Mud River Light<br>190                      | 31-21-58.312N<br>081-20-03.361W | FI R 2.5s | 0 | 5 | TR-TY on pile.                              |                                                    |
| 36867.1 | Little Mud River<br>Daybeacon 192                  | 31-21-26.023N<br>081-20-13.018W |           |   |   | TR-TY on pile.                              |                                                    |
| 36868   | Little Mud River<br>Daybeacon 193                  | 31-20-46.828N<br>081-19-36.177W |           | 0 |   | SG-SY on pile.                              |                                                    |
| 36870   | Little Mud River<br>Daybeacon 194                  | 31-20-20.050N<br>081-19-40.940W |           |   |   | TR-TY on pile.                              |                                                    |
| 36875   | Little Mud River Light<br>195                      | 31-19-56.232N<br>081-19-31.168W | FI G 2.5s | 0 | 5 | SG-SY on pile.                              |                                                    |
| 36880   | Little Mud River Light<br>196                      | 31-19-55.616N<br>081-19-35.519W | FI R 2.5s | 0 | 5 | TR-TY on pile.                              |                                                    |
| 36887   | Altamaha Sound<br>Daybeacon 197                    | 31-19-33.689N<br>081-18-53.148W |           | 0 |   | SG-SY on pile.                              |                                                    |
| 36890   | Altamaha Sound Light<br>198                        | 31-19-25.826N<br>081-18-53.495W | Q R       | 0 | 4 | TR-TY on dolphin.                           |                                                    |
| 36905   | Altamaha Sound Light<br>201                        | 31-19-12.391N<br>081-19-19.087W | FI G 4s   |   | 5 | SG-SY on dolphin.                           |                                                    |
| 36910   | Altamaha Sound Light<br>202                        | 31-19-09.553N<br>081-19-52.930W | FI R 4s   | 0 | 5 | TR-TY on pile.                              |                                                    |
| 36915   | Altamaha Sound<br>Daybeacon 204                    | 31-19-03.683N<br>081-20-14.418W |           |   |   | TR-TY on pile.                              |                                                    |
| 36920   | Altamaha Sound<br>Daybeacon 206                    | 31-18-53.363N<br>081-20-40.758W |           |   |   | TR-TY on pile.                              |                                                    |
| 36925   | Altamaha Sound<br>Daybeacon 208                    | 31-18-46.043N<br>081-21-04.458W |           |   |   | TR-TY on pile.                              |                                                    |
| 36930   | Altamaha Sound Light<br>209                        | 31-18-40.146N<br>081-21-13.519W | Q G       |   | 4 | SG-SY on pile.                              |                                                    |
| 36935   | Altamaha Sound<br>Range Front Light C              | 31-19-17.923N<br>081-22-12.523W | Q R       |   |   | KRW-I on pile.                              | Visible all around; higher intensity on rangeline. |
| 36940   | Altamaha Sound<br>Range Rear Light C               | 31-19-21.787N<br>081-22-18.047W | Iso R 6s  |   |   | KRW on skeleton tower on<br>piles.          | Visible 4° each side of rangeline.                 |
| 36945   | Altamaha Sound<br>Daybeacon 211                    | 31-18-57.775N<br>081-21-45.630W |           |   |   | SG-SY on pile.                              |                                                    |
| 36950   | Altamaha River Outfall<br>Obstruction<br>Daybeacon | 31-39-03.771N<br>081-49-08.410W |           |   |   | NW on pile worded DANGER<br>SUBMERGED PIPE. |                                                    |
| 36955   | Buttermilk Sound Light<br>213                      | 31-19-13.646N<br>081-22-18.995W | FI G 2.5s |   | 5 | SG-SY on pile.                              |                                                    |
| 36960   | Buttermilk Sound<br>Daybeacon 214                  | 31-19-14.672N<br>081-22-50.693W |           |   |   | TR-TY on pile.                              |                                                    |
| 36965   | Buttermilk Sound Light<br>216                      | 31-18-47.603N<br>081-23-34.759W | FI R 2.5s | 0 | 5 | TR-TY on pile.                              |                                                    |
| 36967   | Buttermilk Sound<br>Daybeacon 217                  | 31-18-38.706N<br>081-23-37.576W |           |   |   | SG-SY on pile.                              |                                                    |
| 36975   | Buttermilk Sound<br>Daybeacon 218                  | 31-18-20.081N<br>081-23-55.019W |           | 0 |   | TR-TY on pile.                              |                                                    |
| 36980   | South Altamaha River<br>Daybeacon 1                | 31-18-31.223N<br>081-24-09.559W |           |   |   | SG on pile.                                 |                                                    |
| 36985   | South Altamaha River<br>Daybeacon 2                | 31-18-36.991N<br>081-24-36.169W |           |   |   | TR on pile.                                 |                                                    |
| 36990   | South Altamaha River<br>Daybeacon 2A               | 31-18-26.861N<br>081-24-42.705W |           | 0 |   | TR on pile.                                 |                                                    |
| 36995   | South Altamaha River<br>Daybeacon 4                | 31-18-23.887N<br>081-24-48.419W |           | 0 |   | TR on pile.                                 |                                                    |
| 37000   | South Altamaha River                               | 31-18-25.347N                   |           |   |   | SG on pile.                                 |                                                    |

|         |                                                  |                                 |           |   |   |                                              |
|---------|--------------------------------------------------|---------------------------------|-----------|---|---|----------------------------------------------|
|         | Daybeacon 5                                      | 081-24-59.593W                  |           |   |   |                                              |
| 37005   | South Altamaha River<br>Daybeacon 7              | 31-18-42.383N<br>081-25-26.479W |           |   |   | SG on pile.                                  |
| 37010   | South Altamaha River<br>Daybeacon 8              | 31-18-42.444N<br>081-25-55.657W |           | 0 |   | TR on pile.                                  |
| 37015   | South Altamaha River<br>Daybeacon 10             | 31-18-45.683N<br>081-26-04.639W |           |   |   | TR on pile.                                  |
| 37020   | Buttermilk Sound Light<br>218A                   | 31-18-08.843N<br>081-24-02.719W | Q R       | 0 | 4 | TR-TY on pile.                               |
| 37030   | Buttermilk Sound Light<br>219                    | 31-18-06.643N<br>081-23-55.392W | FI G 2.5s |   | 5 | SG-SY on pile.                               |
| 37035   | Buttermilk Sound<br>Daybeacon 220                | 31-17-40.734N<br>081-23-50.743W |           | 0 |   | TR-TY on pile.                               |
| 37040   | Frederica River Light<br>221                     | 31-17-34.763N<br>081-23-42.199W | FI G 4s   |   | 5 | SG-SY on pile.                               |
| 37055   | Frederica River<br>Daybeacon 222                 | 31-17-06.323N<br>081-23-14.479W |           |   |   | TR-TY on pile.                               |
| 37057   | Frederica River Light<br>223                     | 31-17-05.603N<br>081-23-05.719W | FI G 2.5s | 0 | 5 | SG-SY on pile.                               |
| 37060   | Frederica River Light<br>223A                    | 31-16-37.583N<br>081-22-59.359W | FI G 4s   |   | 5 | SG-SY on pile.                               |
| 37075   | Frederica River<br>Daybeacon 227                 | 31-16-17.635N<br>081-23-09.327W |           | 0 |   | SG-SY on pile.                               |
| 37078   | Frederica River Light<br>227A                    | 31-15-52.763N<br>081-23-27.559W | FI G 2.5s |   | 5 | SG-SY on pile.                               |
| 37080   | Frederica River<br>Daybeacon 228                 | 31-15-43.823N<br>081-23-40.999W |           | 0 |   | TR-TY on pile.                               |
| 37090   | Mackay River Cutoff<br>Light 229                 | 31-15-32.640N<br>081-23-40.067W | FI G 2.5s | 0 | 5 | SG-SY on pile.                               |
| 37095   | Mackay River Cutoff<br>Light 231                 | 31-15-24.743N<br>081-23-41.839W | FI G 4s   |   | 5 | SG-SY on pile.                               |
| 37100   | Mackay River<br>Daybeacon 232                    | 31-14-48.350N<br>081-24-12.072W |           |   |   | TR-TY on pile.                               |
| 37105   | Mackay River<br>Daybeacon 234                    | 31-14-48.743N<br>081-24-42.139W |           |   |   | TR-TY on pile.                               |
| 37110   | Mackay River Light<br>234A                       | 31-14-54.963N<br>081-25-13.325W | Q R       |   | 4 | TR-TY on pile.                               |
| 37120   | Mackay River<br>Daybeacon 236                    | 31-14-03.759N<br>081-25-31.049W |           |   |   | TR-TY on pile.                               |
| 37125   | Mackay River<br>Daybeacon 235A                   | 31-13-36.443N<br>081-25-58.639W |           |   |   | SG-SY on pile.                               |
| 37130   | Mackay River Light<br>237                        | 31-13-14.322N<br>081-25-58.691W | FI G 4s   |   | 5 | SG-SY on pile.                               |
| 37135   | Mackay River<br>Daybeacon 238                    | 31-12-54.923N<br>081-25-51.619W |           |   |   | TR-TY on pile.                               |
| 37140   | Jove Creek Northwest<br>Obstruction<br>Daybeacon | 31-13-00.828N<br>081-25-34.356W |           |   |   | NW on pile worded CAUTION<br>SUBMERGED REEF. |
| 37145   | Jove Creek Southwest<br>Obstruction<br>Daybeacon | 31-12-56.000N<br>081-25-33.000W |           |   |   | NW on pile worded CAUTION<br>SUBMERGED REEF. |
| 37150   | Jove Creek Southeast<br>Obstruction<br>Daybeacon | 31-12-54.000N<br>081-25-28.000W |           |   |   | NW on pile worded CAUTION<br>SUBMERGED REEF. |
| 37155   | Jove Creek Northeast<br>Obstruction<br>Daybeacon | 31-13-01.000N<br>081-25-28.500W |           |   |   | NW on pile worded CAUTION<br>SUBMERGED REEF. |
| 37157   | Troupe Creek East<br>Obstruction<br>Daybeacon    | 31-13-46.000N<br>081-26-27.000W |           |   |   | NW on pile worded CAUTION<br>SUBMERGED REEF. |
| 37157.5 | Troupe Creek West<br>Obstruction<br>Daybeacon    | 31-13-47.000N<br>081-26-33.000W |           |   |   | NW on pile worded CAUTION<br>SUBMERGED REEF. |
| 37160   | Mackay River Light<br>239                        | 31-12-29.063N<br>081-25-30.259W | FI G 4s   |   | 5 | SG-SY on dolphin.                            |
| 37165   | Mackay River Light<br>239A                       | 31-12-00.007N<br>081-25-57.145W | FI G 2.5s | 0 | 5 | SG-SY on dolphin.                            |
| 37170   | Mackay River Light<br>241                        | 31-10-57.863N<br>081-25-18.019W | FI G 4s   | 0 | 5 | SG-SY on pile.                               |
| 37175   | Mackay River<br>Daybeacon 242                    | 31-10-37.463N<br>081-25-26.839W |           | 0 |   | TR-TY on pile.                               |

|       |                                                            |                                 |           |    |   |                                                                                                                                               |
|-------|------------------------------------------------------------|---------------------------------|-----------|----|---|-----------------------------------------------------------------------------------------------------------------------------------------------|
| 37180 | Mackay River<br>Daybeacon 243                              | 31-10-11.183N<br>081-25-29.359W |           |    |   | SG-SY on pile.                                                                                                                                |
| 37185 | Mackay River<br>Daybeacon 243A                             | 31-10-00.863N<br>081-25-38.719W |           |    |   | SG-SY on pile.                                                                                                                                |
| 37190 | Mackay River Light<br>244                                  | 31-09-40.463N<br>081-26-02.719W | FI R 4s   | 0  | 5 | TR-TY on pile.                                                                                                                                |
| 37195 | Mackay River Light<br>245                                  | 31-09-30.360N<br>081-25-51.071W | FI G 4s   | 0  | 5 | SG-SY on dolphin.                                                                                                                             |
| 37200 | Mackay River Light<br>245A                                 | 31-08-59.723N<br>081-25-41.299W | FI G 4s   | 0  | 5 | SG-SY on pile.                                                                                                                                |
| 37205 | Mackay River Light<br>247                                  | 31-08-34.789N<br>081-25-33.426W | FI G 6s   |    | 5 | SG-SY on dolphin.                                                                                                                             |
| 37210 | Mackay River Light<br>249                                  | 31-08-15.141N<br>081-24-58.196W | FI G 2.5s | 0  | 5 | SG-SY on dolphin.                                                                                                                             |
| 37215 | Mackay River Light<br>250                                  | 31-07-55.317N<br>081-25-22.334W | FI R 2.5s | 0  | 5 | TR-TY on dolphin.                                                                                                                             |
| 37220 | Back River Daybeacon<br>1                                  | 31-10-26.063N<br>081-27-20.470W |           |    |   | SG-SY on pile.                                                                                                                                |
| 37225 | Back River Daybeacon<br>2                                  | 31-10-09.263N<br>081-27-05.779W |           |    |   | TR-TY on pile.                                                                                                                                |
| 37230 | Back River Daybeacon<br>3                                  | 31-10-11.969N<br>081-26-58.828W |           |    |   | SG-SY on pile.                                                                                                                                |
| 37235 | Little River South<br>Obstruction<br>Daybeacon             | 31-10-02.031N<br>081-26-11.155W |           |    |   | NW on pile worded<br>SUBMERGED REEF.                                                                                                          |
| 37240 | Little River North<br>Obstruction<br>Daybeacon             | 31-10-04.431N<br>081-26-08.855W |           |    |   | NW on pile worded<br>SUBMERGED REEF.                                                                                                          |
| 37245 | Jekyll Island Range<br>Front Light 1                       | 31-06-06.272N<br>081-26-06.317W | Q G       | 0  | 3 | SG-SY and KRW on dolphin. Visible 1.5° each side of rangeline. Passing light visible all around.                                              |
| 37247 | Jekyll Island Range<br>Front Light Passing<br>Light        | 31-06-06.235N<br>081-26-06.264W | Q G       |    | 4 | On same structure as Jekyll<br>Island Range Front Light 1.                                                                                    |
| 37249 | Brunswick Point Cut<br>Range Front Light 2                 | 31-05-59.416N<br>081-26-23.093W | Q W       | 25 |   | TR-TY on skeleton tower on<br>piles. Visible 1.5° each side of rangeline. Secondary light visible all around.<br>Lighted throughout 24 hours. |
| 37255 | St Simons Sound<br>Lighted Buoy 20                         | 31-07-37.001N<br>081-24-49.383W | Q R       |    | 4 | Red with yellow triangle.                                                                                                                     |
| 37257 | St Simons Sound<br>Lighted Buoy 20A                        | 31-06-46.017N<br>081-25-34.017W | FI R 2.5s |    | 5 | Red.                                                                                                                                          |
| 37259 | St Simons Sound<br>Lighted Buoy 21                         | 31-06-30.089N<br>081-25-41.017W | Q G       |    | 4 | Green.                                                                                                                                        |
| 37260 | St Simons Sound<br>Lighted Buoy 22                         | 31-06-32.022N<br>081-25-59.095W | FI R 4s   |    | 5 | Red with yellow triangle.                                                                                                                     |
| 37265 | Twin Sisters Reef<br>Northwest Obstruction<br>Daybeacon    | 31-06-17.783N<br>081-25-34.480W |           |    |   | NW on pile worded DANGER<br>SUBMERGED REEF.                                                                                                   |
| 37270 | Twin Sisters Reef<br>Northeast Obstruction<br>Daybeacon    | 31-06-15.835N<br>081-25-32.350W |           |    |   | NW on pile worded DANGER<br>SUBMERGED REEF.                                                                                                   |
| 37275 | Twin Sisters Reef<br>Southwest<br>Obstruction<br>Daybeacon | 31-06-10.835N<br>081-25-40.350W |           |    |   | NW on pile worded DANGER<br>SUBMERGED REEF.                                                                                                   |
| 37280 | Twin Sisters Reef<br>Southeast Obstruction<br>Daybeacon    | 31-06-09.835N<br>081-25-38.350W |           |    |   | NW on pile worded DANGER<br>SUBMERGED REEF.                                                                                                   |
| 37285 | Jekyll Creek Jetty<br>Warning Light 4                      | 31-05-40.263N<br>081-26-28.262W | FI R 2.5s | 0  | 5 | TR-TY and NW on pile<br>worded DANGER<br>SUBMERGED JETTY.                                                                                     |
| 37287 | Jekyll Creek<br>Daybeacon 3                                | 31-05-41.843N<br>081-26-21.943W |           |    | 0 | SG-SY on pile.                                                                                                                                |
| 37297 | Jekyll Creek<br>Daybeacon 5                                | 31-05-34.829N<br>081-26-25.514W |           |    | 0 | SG-SY on pile.                                                                                                                                |
| 37300 | Jekyll Creek Jetty<br>Warning Daybeacon 6                  | 31-05-35.093N<br>081-26-28.511W |           |    |   | TR-TY on pile.                                                                                                                                |
| 37305 | Jekyll Creek Jetty<br>Warning Daybeacon 8                  | 31-05-29.406N<br>081-26-28.511W |           |    |   | TR-TY and NW on pile<br>worded DANGER<br>SUBMERGED JETTY.                                                                                     |
| 37307 | Jekyll Creek Light 9                                       | 31-05-27.752N<br>081-26-25.863W | Q G       | 0  | 4 | SG-SY on pile.                                                                                                                                |
| 37310 | Jekyll Creek Light 10                                      | 31-05-21.372N                   | Q R       |    | 4 | TR-TY on dolphin.                                                                                                                             |

|       |                                                    |                                 |           |  |   |                |                                  |
|-------|----------------------------------------------------|---------------------------------|-----------|--|---|----------------|----------------------------------|
|       |                                                    | 081-26-27.674W                  |           |  |   |                |                                  |
| 37311 | Jekyll Creek<br>Daybeacon 10A                      | 31-05-16.614N<br>081-26-18.659W |           |  |   | TR-TY on pile. |                                  |
| 37313 | Jekyll Creek Light 11                              | 31-05-07.998N<br>081-26-03.001W | FI G 4s   |  | 5 | SG-SY on pile. |                                  |
| 37315 | Jekyll Creek<br>Daybeacon 13                       | 31-04-35.948N<br>081-25-50.345W |           |  |   | SG-SY on pile. |                                  |
| 37320 | Jekyll Creek<br>Daybeacon 16                       | 31-04-20.591N<br>081-25-48.137W |           |  | 0 | TR-TY on pile. |                                  |
| 37325 | Jekyll Creek Light 17                              | 31-04-16.299N<br>081-25-44.413W | FI G 4s   |  | 0 | 5              | SG-SY on pile.                   |
| 37340 | Jekyll Creek Light 19                              | 31-03-55.282N<br>081-25-44.016W | FI G 4s   |  | 0 | 5              | SG-SY on pile.                   |
| 37345 | Jekyll Creek Light 20                              | 31-03-26.723N<br>081-25-29.478W | FI R 4s   |  |   | 5              | TR-TY on pile.                   |
| 37346 | Jekyll Creek Light 20A                             | 31-03-05.938N<br>081-25-24.027W | FI R 2.5s |  | 0 | 5              | TR-TY on pile.                   |
| 37355 | Jekyll Creek<br>Daybeacon 24                       | 31-02-24.482N<br>081-25-33.084W |           |  |   |                | TR-TY on pile.                   |
| 37360 | Jekyll Creek Light 25                              | 31-01-51.083N<br>081-26-07.098W | FI G 4s   |  |   | 5              | SG-SY on pile.                   |
| 37363 | Jekyll Creek<br>Daybeacon 26                       | 31-01-20.539N<br>081-26-31.113W |           |  |   |                | TR-TY on pile.                   |
| 37365 | Jekyll Creek Light 27                              | 31-01-18.048N<br>081-26-09.843W | FI G 4s   |  |   | 5              | SG-SY on pile.                   |
| 37370 | Jekyll Creek Light 29                              | 31-00-45.203N<br>081-26-04.038W | FI G 2.5s |  | 1 | 5              | SG-SY on dolphin.                |
| 37375 | St Andrew Sound Buoy<br>29A                        | 31-00-29.509N<br>081-25-50.578W |           |  |   |                | Green can with yellow square.    |
| 37380 | St Andrew Sound<br>Lighted Buoy 30                 | 31-00-01.007N<br>081-25-17.413W | FI R 4s   |  |   | 5              | Red with yellow triangle.        |
| 37383 | St Andrew Sound<br>Lighted Buoy 31                 | 30-59-39.585N<br>081-24-27.687W | FI G 4s   |  |   | 5              | Green with yellow square.        |
| 37384 | St Andrew Sound Buoy<br>31A                        | 30-59-18.302N<br>081-23-58.542W |           |  |   |                | Green can with yellow square.    |
| 37385 | St Andrew Sound<br>Lighted Buoy 32                 | 30-59-19.399N<br>081-24-14.287W | Q R       |  |   | 4              | Red with yellow triangle.        |
| 37386 | St Andrew Sound<br>Wreck Temporary<br>Lighted Buoy | 31-00-51.000N<br>081-20-59.460W | Q Y       |  |   | 4              | Yellow. Temporary establishment. |
| 37390 | Cumberland River<br>Light 33                       | 30-58-35.452N<br>081-25-06.798W | FI G 2.5s |  | 0 | 5              | SG-SY on dolphin.                |
| 37395 | Cumberland River<br>Daybeacon 33A                  | 30-58-14.072N<br>081-25-21.046W |           |  |   |                | SG-SY on dolphin.                |
| 37400 | Cumberland River<br>Light 34                       | 30-57-55.823N<br>081-26-05.658W | FI R 4s   |  | 0 | 5              | TR-TY on dolphin.                |
| 37405 | Cumberland River<br>Light 35                       | 30-57-14.700N<br>081-25-44.460W | FI G 4s   |  | 0 | 5              | SG-SY on pile.                   |
| 37410 | Cumberland River<br>Light 37                       | 30-56-28.699N<br>081-26-07.922W | FI G 6s   |  |   | 5              | SG-SY on pile.                   |
| 37415 | Cumberland River<br>Light 39                       | 30-55-38.586N<br>081-27-08.420W | FI G 4s   |  | 0 | 5              | SG-SY on dolphin.                |
| 37417 | Little Satilla River<br>Daybeacon A2               | 31-01-55.960N<br>081-27-05.322W |           |  | 0 |                | TR-TY on pile.                   |
| 37420 | Little Satilla River<br>Daybeacon A3               | 31-01-47.555N<br>081-27-45.954W |           |  |   |                | SG-SY on pile.                   |
| 37423 | Little Satilla River<br>Daybeacon A4               | 31-01-53.709N<br>081-28-18.799W |           |  |   |                | TR-TY on pile.                   |
| 37425 | Umbrella Cut Light A5                              | 31-01-41.234N<br>081-28-40.771W | FI G 4s   |  | 0 | 5              | SG-SY on dolphin.                |
| 37430 | Umbrella Cut<br>Daybeacon A6                       | 31-01-36.023N<br>081-28-45.139W |           |  |   |                | TR-TY on pile.                   |
| 37435 | Umbrella Creek<br>Daybeacon A8                     | 31-01-15.854N<br>081-29-11.202W |           |  |   |                | TR-TY on pile.                   |
| 37440 | Umbrella Creek<br>Daybeacon A9                     | 31-01-12.743N<br>081-29-07.999W |           |  |   |                | SG-SY on pile.                   |
| 37443 | Umbrella Creek<br>Daybeacon A10                    | 31-00-59.557N<br>081-28-58.699W |           |  |   |                | TR-TY on pile.                   |
| 37445 | Umbrella Creek<br>Daybeacon A11                    | 31-00-57.242N<br>081-28-54.717W |           |  |   |                | SG-SY on pile.                   |

|         |                                           |                                 |           |   |   |                                          |
|---------|-------------------------------------------|---------------------------------|-----------|---|---|------------------------------------------|
| 37455   | Dover Cut Daybeacon A12                   | 31-00-45.863N<br>081-29-12.619W |           |   |   | TR-TY on pile.                           |
| 37460   | Dover Cut Light A14                       | 31-00-19.043N<br>081-29-22.219W | Q R       |   | 4 | TR-TY on pile.                           |
| 37465   | Satilla River Cut Daybeacon A16           | 30-59-43.270N<br>081-30-48.037W |           |   |   | TR-TY on pile.                           |
| 37470   | Satilla River Cut Daybeacon A17           | 30-59-26.063N<br>081-30-58.339W |           |   |   | SG-SY on pile.                           |
| 37473   | Satilla River Cut Daybeacon A19           | 30-58-38.185N<br>081-30-28.598W |           |   |   | SG-SY on pile.                           |
| 37475   | Satilla River Cut Daybeacon A20           | 30-58-24.203N<br>081-30-46.939W |           |   |   | TR-TY on pile.                           |
| 37480   | Floyd Creek Daybeacon A21                 | 30-57-46.763N<br>081-30-27.739W |           |   | 0 | SG-SY on pile.                           |
| 37485   | Floyd Creek Cut Daybeacon A22             | 30-57-40.612N<br>081-30-32.843W |           |   | 0 | TR-TY on pile.                           |
| 37490   | Floyd Creek Cut Daybeacon A24             | 30-57-09.586N<br>081-30-21.297W |           |   | 0 | TR-TY on pile.                           |
| 37495   | Floyd Creek Cut Daybeacon A25             | 30-57-02.675N<br>081-30-13.619W |           |   | 0 | SG-SY on pile.                           |
| 37495.5 | Floyd Creek Daybeacon A26                 | 30-57-01.703N<br>081-30-15.499W |           |   | 0 | TR-TY on pile                            |
| 37496.5 | Floyd Creek Daybeacon A29                 | 30-56-38.886N<br>081-29-54.436W |           |   |   | SG-SY on pile.                           |
| 37496   | Floyd Creek Daybeacon A27                 | 30-56-46.065N<br>081-30-03.281W |           |   |   | SG-SY on pile.                           |
| 37505   | Floyd Creek Daybeacon A30                 | 30-56-30.125N<br>081-29-56.484W |           |   | 0 | TR-TY on pile.                           |
| 37510   | Floyd Creek Daybeacon A31                 | 30-56-01.535N<br>081-30-26.090W |           |   |   | SG-SY on pile.                           |
| 37510.2 | Floyd Creek Daybeacon A34                 | 30-55-20.835N<br>081-28-05.563W |           |   |   | TR-TY on pile.                           |
| 37510.1 | Floyd Creek Daybeacon A33                 | 30-55-24.088N<br>081-29-48.186W |           |   |   | SG-SY on pile.                           |
| 37515   | Cumberland River Daybeacon 40             | 30-55-11.651N<br>081-27-50.906W |           |   | 0 | TR-TY on pile.                           |
| 37520   | Cumberland River Light 41                 | 30-54-38.219N<br>081-28-13.584W | FI G 2.5s | 0 | 5 | SG-SY on pile.                           |
| 37521   | Mud Creek East Obstruction Daybeacon      | 30-54-18.000N<br>081-27-54.000W |           |   |   | NW on pile worded DANGER SUBMERGED REEF. |
| 37522   | Mud Creek Reef West Obstruction Daybeacon | 30-54-20.800N<br>081-28-05.500W |           |   |   | NW on pile worded DANGER SUBMERGED REEF. |
| 37525   | Cumberland River Light 43                 | 30-54-30.032N<br>081-29-25.932W | FI G 4s   | 0 | 4 | SG-SY on pile.                           |
| 37530   | Cumberland River Daybeacon 45             | 30-54-09.923N<br>081-29-46.278W |           |   |   | SG-SY on pile.                           |
| 37535   | Cumberland River Light 45A                | 30-53-53.419N<br>081-29-57.123W | FI G 4s   | 0 | 5 | SG-SY on dolphin.                        |
| 37540   | Cumberland River Light 46                 | 30-53-38.956N<br>081-30-23.800W | FI R 4s   |   | 3 | TR-TY on pile.                           |
| 37545   | Cumberland River Daybeacon 47             | 30-53-30.289N<br>081-30-29.387W |           |   | 0 | SG-SY on pile.                           |
| 37550   | Cumberland River Daybeacon 49             | 30-53-21.983N<br>081-30-42.198W |           |   |   | SG-SY on pile.                           |
| 37553   | Cumberland River Daybeacon 49A            | 30-53-11.194N<br>081-30-48.655W |           |   |   | SG-SY on pile.                           |
| 37555   | Cumberland River Light 50                 | 30-53-14.063N<br>081-30-55.458W | FI R 4s   | 0 | 5 | TR-TY on dolphin.                        |
| 37560   | Cumberland River Daybeacon 51             | 30-53-01.836N<br>081-30-49.308W |           |   |   | SG-SY on pile.                           |
| 37565   | Cumberland River Light 51A                | 30-52-50.194N<br>081-30-40.833W | FI G 4s   | 0 | 5 | SG-SY on pile.                           |
| 37570   | Cumberland River Daybeacon 52             | 30-52-39.287N<br>081-30-31.597W |           |   | 0 | TR-TY on pile.                           |
| 37575   | Cumberland River Daybeacon 53             | 30-52-32.549N<br>081-30-12.862W |           |   |   | SG-SY on pile.                           |
| 37580   | Cumberland River Daybeacon 54             | 30-52-17.123N<br>081-30-09.258W |           |   | 0 | TR-TY on pile.                           |
| 37585   | Cumberland River                          | 30-52-12.323N                   | FI G 4s   | 0 | 5 | SG-SY on dolphin.                        |



|         |                                      |                                 |           |   |   |                                                                                        |                                                                  |
|---------|--------------------------------------|---------------------------------|-----------|---|---|----------------------------------------------------------------------------------------|------------------------------------------------------------------|
|         | Light 55                             | 081-29-56.118W                  |           |   |   |                                                                                        |                                                                  |
| 37590   | Cumberland River Daybeacon 57        | 30-51-51.797N<br>081-29-47.262W |           | 0 |   | SG-SY on pile.                                                                         |                                                                  |
| 37595   | Cumberland River Daybeacon 57A       | 30-51-43.643N<br>081-29-34.158W |           |   |   | SG-SY on pile.                                                                         |                                                                  |
| 37600   | Cumberland River Light 58            | 30-51-45.563N<br>081-29-46.278W | FI R 4s   |   | 5 | TR-TY on pile.                                                                         |                                                                  |
| 37603   | Cumberland River Daybeacon 58A       | 30-51-10.037N<br>081-28-55.765W |           |   |   | TR-TY on pile.                                                                         |                                                                  |
| 37605   | Cumberland River Light 59            | 30-51-40.827N<br>081-29-23.185W | FI G 4s   |   | 5 | SG-SY on pile.                                                                         |                                                                  |
| 37607   | Cumberland River Daybeacon 59A       | 30-51-01.659N<br>081-28-42.966W |           | 0 |   | SG-SY on pile.                                                                         |                                                                  |
| 37610   | Cumberland River Light 60            | 30-50-57.240N<br>081-28-40.908W | FI R 4s   | 0 | 5 | TR-TY on pile.                                                                         |                                                                  |
| 37615   | Cumberland River Light 60A           | 30-50-53.828N<br>081-28-41.116W | Q R       | 0 | 4 | TR-TY on pile.                                                                         |                                                                  |
| 37615.5 | Cumberland River Daybeacon 62        | 30-50-48.435N<br>081-28-42.444W |           | 0 |   | TR-TY on pile.                                                                         |                                                                  |
| 37620   | Cumberland River Light 62A           | 30-50-43.543N<br>081-28-45.869W | FI R 2.5s | 0 | 5 | TR-TY on pile.                                                                         |                                                                  |
| 37623   | Cumberland River Daybeacon 63        | 30-50-47.895N<br>081-28-38.587W |           | 0 |   | SG-SY on pile.                                                                         |                                                                  |
| 37625   | Cumberland Dividings Light 63A       | 30-50-33.624N<br>081-28-48.940W | FI G 4s   | 0 | 5 | SG-SY on pile.                                                                         |                                                                  |
| 37630   | Cumberland Dividings Daybeacon 64    | 30-50-25.343N<br>081-28-58.278W |           | 0 |   | TR-TY on pile.                                                                         |                                                                  |
| 37635   | Cumberland Dividings Light 65        | 30-50-16.110N<br>081-29-01.734W | FI G 4s   |   | 5 | SG-SY on pile.                                                                         |                                                                  |
| 37637   | Cumberland Dividings Daybeacon 67    | 30-50-01.107N<br>081-29-11.212W |           |   |   | SG-SY on pile.                                                                         |                                                                  |
| 37640   | Cumberland Dividings Daybeacon 68    | 30-49-54.082N<br>081-29-24.558W |           |   |   | TR-TY on pile.                                                                         |                                                                  |
| 37645   | Cumberland Sound Range F Front Light | 30-49-40.491N<br>081-29-31.161W | Q R       | 0 |   | KRW-I on dolphin.                                                                      | Visible 4° each side of rangeline.                               |
| 37650   | Cumberland Sound Range F Rear Light  | 30-50-05.634N<br>081-29-33.069W | Iso R 6s  |   |   | KRW on dolphin.                                                                        | Visible 4° each side of rangeline.                               |
| 37655   | Cumberland Sound Light 69            | 30-49-37.284N<br>081-29-26.815W | FI G 4s   | 0 | 5 | SG-SY on dolphin.                                                                      |                                                                  |
| 37660   | Cumberland Sound Daybeacon 70        | 30-49-06.826N<br>081-29-30.354W |           |   |   | TR-TY on pile.                                                                         |                                                                  |
| 37665   | Cumberland Sound Daybeacon 71        | 30-48-45.624N<br>081-29-23.770W |           | 0 |   | SG-SY on pile.                                                                         |                                                                  |
| 37670   | Cumberland Sound Daybeacon 72        | 30-48-12.802N<br>081-29-28.518W |           |   |   | TR-TY on pile.                                                                         |                                                                  |
| 37675   | Cumberland Sound Light 74            | 30-48-00.132N<br>081-29-25.083W | FI R 4s   |   | 5 | TR-TY on pile.                                                                         |                                                                  |
| 37680   | Cumberland Sound Daybeacon 75        | 30-47-46.464N<br>081-29-23.021W |           | 0 |   | SG-SY on pile.                                                                         |                                                                  |
| 37685   | Cumberland Sound Daybeacon 76        | 30-47-36.472N<br>081-29-31.483W |           |   |   | TR-TY on pile.                                                                         |                                                                  |
| 37690   | Cumberland Sound Daybeacon 78        | 30-47-28.911N<br>081-29-37.631W |           | 0 |   | TR-TY on pile.                                                                         |                                                                  |
| 37695   | Cumberland Sound Daybeacon 79        | 30-47-21.194N<br>081-29-35.747W |           | 0 |   | SG-SY on pile.                                                                         |                                                                  |
| 37700   | Kings Bay Upper Range E Front Light  | 30-47-34.574N<br>081-29-52.372W | Q W       | 0 |   | KRW-I on dolphin.                                                                      | Visible all around.                                              |
| 37705   | Kings Bay Upper Range E Rear Light   | 30-47-40.649N<br>081-29-56.105W | Iso W 6s  |   |   | KRW on dolphin.                                                                        | Visible all around.                                              |
| 37710   | Kings Bay Lower Range E Front Light  | 30-46-23.384N<br>081-29-09.011W | Q W       |   |   | KRW-I on pile.                                                                         | Light obscured from 250° to 120°. Higher intensity on rangeline. |
| 37715   | Kings Bay Lower Range E Rear Light   | 30-46-04.046N<br>081-28-57.252W | Iso W 6s  |   |   | KRW on skeleton tower. On same structure as Cumberland Sound Upper Range C Rear Light. | Visible all around; higher intensity on rangeline.               |
| 37720   | Kings Bay Lighted Buoy 45            | 30-47-01.086N<br>081-29-38.828W | FI G 2.5s |   | 5 | Green with yellow triangle.                                                            |                                                                  |
| 37725   | Kings Bay Light 44                   | 30-47-03.513N<br>081-29-24.437W | FI R 4s   | 0 | 5 | TR-SY on pile.                                                                         |                                                                  |
| 37730   | Kings Bay Navigation Light           | 30-46-35.422N<br>081-29-35.118W | FI W 4s   |   | 5 | NW on pile.                                                                            |                                                                  |



|       |                                                  |                                 |           |    |   |                                                                                 |                                                                                                                                                                                                                      |
|-------|--------------------------------------------------|---------------------------------|-----------|----|---|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 37735 | Kings Bay Lighted Buoy 43                        | 30-46-30.202N<br>081-29-20.508W | FI G 4s   | 5  |   | Green with yellow triangle.                                                     |                                                                                                                                                                                                                      |
| 37740 | Cumberland Sound Range D Front Light             | 30-46-45.078N<br>081-29-17.761W | Q R       | 0  |   | KRW-I on piles.                                                                 |                                                                                                                                                                                                                      |
| 37745 | Cumberland Sound Range D Rear Light              | 30-47-44.512N<br>081-29-28.393W | Iso R 6s  | 35 |   | KRW-I on skeleton tower on piles.                                               |                                                                                                                                                                                                                      |
| 37746 | Cumberland Sound Rear Range D Passing Light      | 30-47-44.512N<br>081-29-28.393W | Q W       | 35 | 5 | Passing light on same structure as Cumberland Sound Range D Rear Light.         | (2) Synchronized Q W lights installed one located on the northeast corner and one located on the southeast corner of platform for Cumberland Sound Range D Rear Light. Passing light is visible all around platform. |
| 37750 | Cumberland Sound Lighted Buoy 41                 | 30-46-19.566N<br>081-29-16.610W | FI G 2.5s | 5  |   | Green with yellow triangle.                                                     |                                                                                                                                                                                                                      |
| 37753 | Cumberland Sound Shoal Light I                   | 30-46-00.160N<br>081-29-03.937W | FI W 4s   | 5  |   | NW on pile worded SHOAL.                                                        |                                                                                                                                                                                                                      |
| 37755 | Cumberland Sound Lighted Buoy 40                 | 30-45-55.373N<br>081-29-05.556W | FI R 6s   | 5  |   | Red with yellow square.                                                         |                                                                                                                                                                                                                      |
| 37760 | Cumberland Sound Lighted Buoy 39                 | 30-45-52.952N<br>081-29-11.353W | FI G 6s   | 5  |   | Green with yellow triangle.                                                     |                                                                                                                                                                                                                      |
| 37765 | Cumberland Sound Lighted Buoy 37                 | 30-45-35.848N<br>081-29-08.041W | FI G 4s   | 5  |   | Green with yellow triangle.                                                     |                                                                                                                                                                                                                      |
| 37770 | Cumberland Sound Upper Range C Front Light       | 30-45-36.506N<br>081-28-59.550W | Q W       | 10 |   | KRW-I on dolphin.                                                               | Visible all around; higher intensity on rangeline.                                                                                                                                                                   |
| 37775 | Cumberland Sound Upper Range C Rear Light        | 30-46-04.046N<br>081-28-57.252W | Iso W 6s  | 50 |   | KRW on skeleton tower. On same structure as Kings Bay Lower Range E Rear Light. | Visible all around; higher intensity on rangeline.                                                                                                                                                                   |
| 37780 | Cumberland Sound Lighted Buoy 36                 | 30-45-14.686N<br>081-28-58.586W | FI R 2.5s | 5  |   | Red with yellow square.                                                         |                                                                                                                                                                                                                      |
| 37785 | Cumberland Sound Lower Range C Range Front Light | 30-43-13.662N<br>081-29-11.303W | Q R       |    |   | KRW-I on pile.                                                                  | Visible 1.5° each side of rangeline. Passing light displays FI G 4s at a height of 12ft nominal range is 4M visible from 212° to 159°.                                                                               |
| 37790 | Cumberland Sound Lower Range C Range Rear Light  | 30-43-03.478N<br>081-29-12.171W | Iso R 6s  |    |   | KRW on dolphin.                                                                 | Visible 1.5° each side of rangeline.                                                                                                                                                                                 |
| 37793 | Cumberland Sound Shoal Light H                   | 30-45-16.334N<br>081-29-08.710W | FI W 4s   | 5  |   | NW on pile worded SHOAL.                                                        |                                                                                                                                                                                                                      |
| 37798 | Cumberland Sound Shoal Light G                   | 30-45-09.931N<br>081-28-55.696W | FI W 4s   | 5  |   | NW on pile worded SHOAL.                                                        |                                                                                                                                                                                                                      |
| 37800 | Cumberland Sound Lighted Buoy 35                 | 30-44-51.869N<br>081-29-05.946W | FI G 2.5s | 5  |   | Green with yellow triangle.                                                     |                                                                                                                                                                                                                      |
| 37803 | Cumberland Sound Shoal Light E                   | 30-44-43.826N<br>081-28-52.600W | FI W 4s   | 5  |   | NW on pile worded SHOAL.                                                        |                                                                                                                                                                                                                      |
| 37804 | Cumberland Sound Shoal Light F                   | 30-44-41.002N<br>081-29-09.729W | FI W 4s   | 5  |   | NW on pile worded SHOAL.                                                        |                                                                                                                                                                                                                      |
| 37805 | Cumberland Sound Lighted Buoy 34                 | 30-44-30.874N<br>081-29-01.654W | FI R 4s   | 5  |   | Red with yellow square.                                                         |                                                                                                                                                                                                                      |
| 37808 | Cumberland Sound Shoal Light D                   | 30-44-27.022N<br>081-29-10.818W | FI W 4s   | 0  | 5 | NW on pile worded SHOAL.                                                        |                                                                                                                                                                                                                      |
| 37810 | Cumberland Sound Lighted Buoy 33                 | 30-44-31.318N<br>081-29-07.458W | FI G 6s   | 5  |   | Green with yellow triangle.                                                     |                                                                                                                                                                                                                      |
| 37815 | Cumberland Sound Range B Front Light             | 30-44-25.603N<br>081-29-12.128W | Q G       |    |   | KRW-I on pile.                                                                  | Visible 4° each side of rangeline.                                                                                                                                                                                   |
| 37820 | Cumberland Sound Range B Range Rear Light        | 30-44-37.002N<br>081-29-14.618W | Iso G 6s  | 30 |   | KRW on skeleton tower on piles.                                                 | Visible 4° each side of rangeline.                                                                                                                                                                                   |
| 37827 | Cumberland Sound Shoal Light C                   | 30-45-25.837N<br>081-28-57.304W | FI W 4s   | 0  | 5 | NW on pile worded SHOAL.                                                        |                                                                                                                                                                                                                      |
| 37830 | Cumberland Sound Lighted Buoy 32                 | 30-44-09.190N<br>081-29-03.875W | Q R       | 4  |   | Red with yellow square.                                                         |                                                                                                                                                                                                                      |
| 37835 | Cumberland Sound Lighted Buoy 31                 | 30-44-00.892N<br>081-29-10.313W | FI G 4s   | 5  |   | Green with yellow triangle.                                                     |                                                                                                                                                                                                                      |
| 37837 | Cumberland Sound Shoal Light B                   | 30-43-56.464N<br>081-28-59.430W | FI W 4s   | 5  |   | NW on pile worded SHOAL.                                                        |                                                                                                                                                                                                                      |
| 37840 | Cumberland Sound Lighted Buoy 30                 | 30-43-41.374N<br>081-28-58.353W | FI R 2.5s | 5  |   | Red with yellow square.                                                         |                                                                                                                                                                                                                      |
| 37843 | Cumberland Sound Shoal Light A                   | 30-43-39.001N<br>081-28-52.178W | FI W 4s   | 5  |   | NW on pile worded SHOAL.                                                        |                                                                                                                                                                                                                      |
| 37845 | Cumberland Sound Range Front Light A-2           | 30-44-14.260N<br>081-29-27.197W | Q W       |    |   | KRW-I on dolphin.                                                               | Visible all around; higher intensity on rangeline.                                                                                                                                                                   |
| 37850 | Cumberland Sound Range Rear Light A-2            | 30-44-16.218N<br>081-29-28.504W | Iso W 6s  |    |   | KRW on tower on piles.                                                          | Visible all around; higher intensity on rangeline.                                                                                                                                                                   |
| 37855 | Cumberland Sound                                 | 30-43-29.364N                   | FI G 2.5s | 5  |   | Green with yellow triangle.                                                     |                                                                                                                                                                                                                      |

|         |                                                         |                                 |           |   |   |                                                                  |                                                            |
|---------|---------------------------------------------------------|---------------------------------|-----------|---|---|------------------------------------------------------------------|------------------------------------------------------------|
|         | Lighted Buoy 29                                         | 081-29-04.036W                  |           |   |   |                                                                  |                                                            |
| 37860   | Cumberland Sound<br>Range Front Light A-1               | 30-43-36.412N<br>081-29-31.513W | Q R       |   | 4 | KRW-I on dolphin.                                                | Visible all around.                                        |
| 37865   | Cumberland Sound<br>Range Rear Light A-1                | 30-43-41.326N<br>081-29-40.769W | Iso R 6s  |   |   | KRW on tower on piles.                                           | Visible all around.                                        |
| 37870   | Cumberland Sound<br>Upper Range A Front<br>Light        | 30-43-30.508N<br>081-29-41.025W | Q W       |   |   | KRW-I on dolphin.                                                | Visible all around; higher intensity on rangeline.         |
| 37875   | Cumberland Sound<br>Upper Range A Rear<br>Light         | 30-43-39.907N<br>081-30-05.176W | Iso W 6s  |   |   | KRW on skeleton tower on<br>piles.                               | Visible all around; higher intensity on rangeline.         |
| 37880   | Cumberland Sound<br>Lighted Buoy 28                     | 30-43-16.739N<br>081-28-45.346W | Q R       |   | 4 | Red with yellow square.                                          |                                                            |
| 37885   | Cumberland Sound<br>Light A                             | 30-43-10.041N<br>081-28-19.120W | Fl W 6s   | 0 | 5 | NB on pile.                                                      |                                                            |
| 37890   | Cumberland Sound<br>Lighted Buoy 27                     | 30-43-00.875N<br>081-28-33.005W | Fl G 2.5s |   | 5 | Green with yellow triangle.                                      |                                                            |
| 37895   | Cumberland Sound<br>Lighted Buoy 26                     | 30-43-03.874N<br>081-28-24.352W | Fl R 4s   |   | 5 | Red with yellow square.                                          |                                                            |
| 37900   | Cumberland Sound<br>Lower Range A Range<br>Front Light  | 30-42-19.780N<br>081-26-39.719W | Q W       |   |   | KRW-I on dolphin.                                                | Visible all around; higher intensity on rangeline.         |
| 37905   | Cumberland Sound<br>Lower Range A Range<br>Rear Light   | 30-42-17.375N<br>081-26-33.648W | Iso W 6s  |   |   | KRW on skeleton tower.                                           | Obscured from 180° to 096°. Higher intensity on rangeline. |
| 37910   | Cumberland Sound<br>Lighted Buoy 24                     | 30-42-51.575N<br>081-27-54.451W | Fl R 4s   |   | 5 | Red with yellow square.                                          |                                                            |
| 37915   | Cumberland Sound<br>Lighted Buoy 25                     | 30-42-46.875N<br>081-27-56.851W | Fl G 4s   |   | 5 | Green with yellow triangle.                                      |                                                            |
| 37920   | St Marys Entrance<br>Range Front Light<br>Passing Light | 30-42-27.649N<br>081-27-53.545W | Fl W 2.5s |   | 5 | On same structure as St.<br>Marys Entrance Range Front<br>Light. |                                                            |
| 37925   | Amelia River Lighted<br>Buoy 2                          | 30-42-14.776N<br>081-27-51.451W | Fl R 2.5s |   | 5 | Red with yellow triangle.                                        |                                                            |
| 37930   | Amelia River Lighted<br>Buoy 1                          | 30-42-16.686N<br>081-27-39.898W | Q G       |   | 4 | Green with yellow square.                                        |                                                            |
| 37935   | Amelia River Lighted<br>Buoy 3                          | 30-42-02.732N<br>081-27-43.977W | Fl G 6s   |   | 5 | Green with yellow square.                                        |                                                            |
| 37940   | Amelia River Lighted<br>Buoy 4                          | 30-41-48.075N<br>081-27-48.150W | Fl R 4s   |   | 5 | Red with yellow triangle.                                        |                                                            |
| 37945   | Amelia River Lighted<br>Buoy 5                          | 30-41-47.970N<br>081-27-42.427W | Fl G 2.5s |   | 5 | Green with yellow square.                                        |                                                            |
| 37950   | Amelia River Lighted<br>Buoy 6                          | 30-41-18.176N<br>081-27-37.849W | Fl R 2.5s |   | 5 | Red with yellow triangle.                                        |                                                            |
| 37955   | Amelia River Light 7                                    | 30-41-19.119N<br>081-27-31.144W | Fl G 4s   |   | 5 | SG-SY on dolphin.                                                |                                                            |
| 37960   | Amelia River Lighted<br>Buoy 8                          | 30-41-03.076N<br>081-27-40.149W | Q R       |   | 4 | Red with yellow triangle.                                        |                                                            |
| 37965   | Amelia River Lighted<br>Buoy 10                         | 30-40-31.576N<br>081-28-00.349W | Fl R 2.5s |   | 5 | Red with yellow triangle.                                        |                                                            |
| 37965.1 | Fernandina Beach<br>Mooring Boundary<br>Lighted Buoy A  | 30-40-24.900N<br>081-28-07.080W | Fl Y 4s   |   |   | Yellow.                                                          |                                                            |
| 37965.2 | Fernandina Beach<br>Mooring Boundary<br>Lighted Buoy B  | 30-40-22.400N<br>081-28-04.510W | Fl Y 4s   |   |   | Yellow.                                                          |                                                            |
| 37965.3 | Fernandina Beach<br>Mooring Boundary<br>Lighted Buoy C  | 30-40-16.370N<br>081-28-06.430W | Fl Y 4s   |   |   | Yellow.                                                          |                                                            |
| 37965.4 | Fernandina Beach<br>Mooring Boundary<br>Lighted Buoy D  | 30-40-08.750N<br>081-28-11.690W | Fl Y 4s   |   |   | Yellow.                                                          |                                                            |
| 37965.5 | Fernandina Beach<br>Mooring Boundary<br>Lighted Buoy E  | 30-40-14.190N<br>081-28-14.450W | Fl Y 4s   |   |   | Yellow.                                                          |                                                            |
| 37965.6 | Fernandina Beach<br>Mooring Boundary<br>Lighted Buoy F  | 30-40-18.230N<br>081-28-11.620W | Fl Y 4s   |   |   | Yellow.                                                          |                                                            |
| 37965.7 | Fernandina Beach<br>Mooring Boundary<br>Lighted Buoy G  | 30-40-23.620N<br>081-28-10.470W | Fl Y 4s   |   |   | Yellow.                                                          |                                                            |
| 37970   | Amelia River Light 12                                   | 30-40-12.502N                   | Fl R 4s   |   | 5 | TR-TY on dolphin.                                                |                                                            |

|         |                                    |                                 |         |   |   |                   |
|---------|------------------------------------|---------------------------------|---------|---|---|-------------------|
|         |                                    | 081-28-06.318W                  |         |   |   |                   |
| 37975   | Amelia River<br>Daybeacon 14       | 30-39-58.282N<br>081-28-20.058W |         |   |   | TR-TY on pile.    |
| 37980   | Amelia River<br>Daybeacon 16       | 30-39-51.382N<br>081-28-38.238W |         |   |   | TR-TY on pile.    |
| 37983   | Amelia River<br>Daybeacon 18       | 30-39-56.528N<br>081-29-03.557W |         | 0 |   | TR-TY on pile.    |
| 37984   | Fernandina Beach<br>Daybeacon 18A  | 30-39-52.619N<br>081-29-07.927W |         |   |   | TR-TY on pile.    |
| 37985   | Fernandina Beach<br>Light 1        | 30-39-48.082N<br>081-29-03.078W | FI G 4s |   | 5 | SG-SY on pile.    |
| 37986   | Fernandina Beach<br>Daybeacon 1A   | 30-39-46.559N<br>081-29-05.599W |         | 0 |   | SG-SY on pile.    |
| 37986.5 | Fernandina Beach<br>Daybeacon 1B   | 30-39-36.600N<br>081-29-09.627W |         | 0 |   | SG-SY on pile.    |
| 37987   | Fernandina Beach<br>Daybeacon 2    | 30-38-54.702N<br>081-29-03.498W |         | 0 |   | TR on pile.       |
| 37990   | Fernandina Beach<br>Light 3        | 30-38-47.897N<br>081-29-01.508W | FI G 4s |   | 4 | SG-SY on pile.    |
| 37995   | Fernandina Beach<br>Daybeacon 5    | 30-38-38.962N<br>081-29-05.658W |         |   |   | SG-SY on pile.    |
| 38000   | Kingsley Creek Light 7             | 30-38-30.756N<br>081-29-15.619W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 38003   | Kingsley Creek Light 8             | 30-38-24.132N<br>081-29-22.993W | Q R     | 0 | 4 | TR-TY on pile.    |
| 38005   | Kingsley Creek<br>Daybeacon 9      | 30-38-23.779N<br>081-29-17.084W |         |   |   | SG-SY on pile.    |
| 38010   | Kingsley Creek<br>Daybeacon 13     | 30-37-56.499N<br>081-29-09.841W |         | 0 |   | SG-SY on pile.    |
| 38015   | Kingsley Creek Light<br>14         | 30-37-29.902N<br>081-28-56.718W | FI R 4s |   | 5 | TR-TY on pile.    |
| 38020   | South Amelia River<br>Light 19A    | 30-35-55.061N<br>081-28-41.285W | Q G     |   | 4 | SG-SY on dolphin. |
| 38030   | Kingsley Creek Cut<br>Daybeacon 16 | 30-37-05.302N<br>081-28-52.698W |         |   |   | TR-TY on pile.    |
| 38035   | Kingsley Creek Cut<br>Daybeacon 18 | 30-36-34.582N<br>081-28-47.898W |         |   |   | TR-TY on pile.    |
| 38040   | South Amelia River<br>Daybeacon 19 | 30-36-04.767N<br>081-28-41.200W |         |   |   | SG-SY on pile.    |
| 38045   | South Amelia River<br>Daybeacon 20 | 30-35-56.302N<br>081-28-44.478W |         |   |   | TR-TY on pile.    |
| 38050   | South Amelia River<br>Daybeacon 21 | 30-35-39.198N<br>081-28-45.845W |         | 0 |   | SG-SY on pile.    |
| 38055   | South Amelia River<br>Daybeacon 23 | 30-35-30.680N<br>081-28-42.125W |         | 0 |   | SG-SY on pile.    |
| 38060   | South Amelia River<br>Light 24     | 30-35-29.842N<br>081-28-46.398W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 38065   | South Amelia River<br>Daybeacon 25 | 30-35-26.893N<br>081-28-35.361W |         |   |   | SG-SY on pile.    |
| 38070   | South Amelia River<br>Daybeacon 26 | 30-35-22.942N<br>081-28-25.338W |         | 0 |   | TR-TY on pile.    |
| 38075   | South Amelia River<br>Light 28     | 30-35-17.829N<br>081-28-00.222W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 38080   | South Amelia River<br>Light 29     | 30-35-02.302N<br>081-27-43.338W | FI G 4s |   | 5 | SG-SY on pile.    |
| 38085   | South Amelia River<br>Daybeacon 30 | 30-34-48.138N<br>081-27-46.152W |         |   |   | TR-TY on pile.    |
| 38090   | South Amelia River<br>Daybeacon 32 | 30-34-27.802N<br>081-27-49.578W |         | 0 |   | TR-TY on pile.    |
| 38095   | South Amelia River<br>Light 33     | 30-34-15.622N<br>081-27-52.458W | FI G 4s |   | 5 | SG-SY on pile.    |
| 38100   | South Amelia River<br>Daybeacon 34 | 30-34-15.457N<br>081-28-00.245W |         |   |   | TR-TY on pile.    |
| 38105   | South Amelia River<br>Daybeacon 36 | 30-34-09.564N<br>081-28-28.065W |         | 0 |   | TR-TY on pile.    |
| 38110   | South Amelia River<br>Light 37     | 30-34-08.080N<br>081-28-21.580W | FI G 4s | 0 | 5 | SG-SY on dolphin. |
| 38115   | South Amelia River<br>Daybeacon 38 | 30-33-52.022N<br>081-28-33.884W |         |   |   | TR-TY on pile.    |
| 38120   | South Amelia River                 | 30-33-48.685N                   |         |   |   | SG-SY on pile.    |

|         |                                            |                                 |           |    |   |                                          |
|---------|--------------------------------------------|---------------------------------|-----------|----|---|------------------------------------------|
|         | Daybeacon 39                               | 081-28-25.822W                  |           |    |   |                                          |
| 38125   | South Amelia River<br>Light 41             | 30-33-29.943N<br>081-28-01.770W | FI G 4s   | 5  |   | SG-SY on pile.                           |
| 38130   | South Amelia River<br>Daybeacon 42         | 30-33-24.982N<br>081-28-07.758W |           | 0  |   | TR-TY on pile.                           |
| 38133   | South Amelia River<br>Daybeacon 43         | 30-32-22.603N<br>081-27-55.278W |           |    |   | SG-SY on pile.                           |
| 38135   | South Amelia River<br>Light 44             | 30-32-22.041N<br>081-28-00.371W | FI R 4s   | 0  | 5 | TR-TY on pile.                           |
| 38145   | South Amelia River<br>Light 45             | 30-32-07.551N<br>081-27-43.999W | FI G 2.5s |    | 5 | SG-SY on pile.                           |
| 38165   | South Amelia River<br>Light 46             | 30-31-41.020N<br>081-27-23.591W | Q R       |    | 4 | TR-TY on pile.                           |
| 38168   | Amelia Island Danger<br>Shoal Daybeacon 1  | 30-31-35.590N<br>081-26-04.530W |           |    |   | NW on pile worded DANGER<br>ROCKS.       |
| 38170   | Nassau Cutoff<br>Daybeacon 46A             | 30-31-23.415N<br>081-27-40.864W |           |    |   | TR-TY on pile.                           |
| 38171   | Amelia Island Danger<br>Shoal Daybeacon 3  | 30-31-33.800N<br>081-26-03.540W |           |    |   | NW on pile worded DANGER<br>ROCKS.       |
| 38175   | Nassau Cutoff Light<br>47                  | 30-31-20.042N<br>081-27-38.584W | FI G 4s   |    | 5 | SG-SY on pile.                           |
| 38176   | Amelia Island Danger<br>Shoal Daybeacon 8  | 30-30-58.620N<br>081-26-15.930W |           |    |   | NW on pile worded DANGER<br>ROCKS.       |
| 38177   | Amelia Island Danger<br>Shoal Daybeacon 9  | 30-31-21.290N<br>081-26-46.610W |           |    |   | NW on pile worded DANGER<br>ROCKS.       |
| 38180   | Nassau Cutoff<br>Daybeacon 47A             | 30-30-49.354N<br>081-28-00.146W |           |    |   | SG-SY on pile.                           |
| 38185   | Sawpit Creek Light 48                      | 30-30-31.942N<br>081-28-14.538W | FI R 4s   |    | 5 | TR-TY on pile.                           |
| 38190   | Sawpit Creek Light 49                      | 30-30-16.830N<br>081-28-15.010W | FI G 4s   | 0  | 5 | SG-SY on pile.                           |
| 38193   | Sawpit Creek<br>Daybeacon 49A              | 30-30-12.166N<br>081-28-13.611W |           |    | 0 | SG-SY on pile.                           |
| 38195   | Sawpit Creek<br>Daybeacon 50               | 30-30-01.982N<br>081-28-03.420W |           |    | 0 | TR-TY on pile.                           |
| 38195.1 | Sawpit Creek<br>Temporary Daybeacon<br>50A | 30-30-01.982N<br>081-28-03.420W |           |    |   | Red. Temporary established for dredging. |
| 38200   | Gunnison Cut Light 51                      | 30-29-57.982N<br>081-27-55.818W | FI G 4s   |    | 5 | SG-SY on pile.                           |
| 38205   | Gunnison Cut Light 53                      | 30-29-32.242N<br>081-27-38.358W | FI G 4s   | 0  | 5 | SG-SY on pile.                           |
| 38210   | Gunnison Cut<br>Daybeacon 55               | 30-29-22.042N<br>081-27-32.478W |           |    |   | SG-SY on pile.                           |
| 38215   | Gunnison Cut Light 57                      | 30-29-08.785N<br>081-27-29.690W | FI G 4s   | 0  | 5 | SG-SY on pile.                           |
| 38220   | Gunnison Cut<br>Daybeacon 59               | 30-28-54.663N<br>081-27-27.698W |           |    |   | SG-SY on pile.                           |
| 38225   | Gunnison Cut Light 61                      | 30-28-29.662N<br>081-27-31.038W | FI G 4s   |    | 5 | SG-SY on pile.                           |
| 38230   | Gunnison Cut Light 63                      | 30-28-17.414N<br>081-27-28.364W | FI G 4s   |    | 5 | SG-SY on pile.                           |
| 38235   | Gunnison Cut Light 65                      | 30-27-58.760N<br>081-27-15.612W | FI G 4s   | 0  | 5 | SG-SY on pile.                           |
| 38240   | Gunnison Cut<br>Daybeacon 66               | 30-27-42.922N<br>081-27-03.018W |           |    |   | TR-TY on pile.                           |
| 38245   | Gunnison Cut Light 67                      | 30-27-42.824N<br>081-26-59.837W | FI G 4s   | 16 | 5 | SG-SY on pile.                           |
| 38250   | Gunnison Cut<br>Daybeacon 68               | 30-27-27.682N<br>081-26-54.918W |           |    |   | TR-TY on pile.                           |
| 38255   | Gunnison Cut Light 69                      | 30-27-26.734N<br>081-26-52.663W | FI G 4s   | 0  | 5 | SG-SY on pile.                           |
| 38260   | Gunnison Cut<br>Daybeacon 71               | 30-27-15.622N<br>081-26-51.318W |           |    | 0 | SG-SY on pile.                           |
| 38265   | Gunnison Cut Light 72                      | 30-26-57.903N<br>081-26-53.364W | FI R 4s   |    | 5 | TR-TY on dolphin.                        |
| 38270   | Gunnison Cut<br>Daybeacon 73               | 30-26-46.755N<br>081-26-54.268W |           |    |   | SG-SY on pile.                           |
| 38275   | Fort George River<br>Daybeacon 2           | 30-26-46.790N<br>081-26-42.466W |           |    | 0 | TR on pile.                              |
| 38280   | Fort George River                          | 30-26-43.124N                   |           |    |   | SG on pile.                              |

|         |                                       |                                 |           |   |   |                                  |                             |
|---------|---------------------------------------|---------------------------------|-----------|---|---|----------------------------------|-----------------------------|
|         | Daybeacon 3                           | 081-26-33.424W                  |           |   |   |                                  |                             |
| 38285   | Fort George River<br>Daybeacon 5      | 30-26-28.374N<br>081-26-15.013W |           |   |   | SG on pile.                      |                             |
| 38300   | Sisters Creek Light 74                | 30-26-34.162N<br>081-27-05.778W | FI R 4s   | 0 | 5 | TR-TY on pile.                   |                             |
| 38305   | Sisters Creek Light 75                | 30-26-18.562N<br>081-27-14.418W | FI G 4s   | 0 | 5 | SG-SY on dolphin.                |                             |
| 38310   | Sisters Creek Light 77                | 30-25-57.699N<br>081-27-23.710W | FI G 4s   | 0 | 5 | SG-SY on pile.                   |                             |
| 38315   | Sisters Creek Light 79                | 30-25-32.993N<br>081-27-21.509W | FI G 4s   |   | 5 | SG-SY on dolphin.                |                             |
| 38320   | Sisters Creek<br>Daybeacon 80         | 30-25-15.786N<br>081-27-15.991W |           | 0 |   | TR-TY on pile.                   |                             |
| 38325   | Sisters Creek Light 82                | 30-24-25.282N<br>081-27-16.038W | FI R 4s   | 0 | 5 | TR-TY on pile.                   |                             |
| 38330   | Sisters Creek Light 83                | 30-24-03.322N<br>081-27-20.778W | FI G 4s   |   | 5 | SG-SY on pile.                   |                             |
| 38335   | Sisters Creek Light 85                | 30-23-48.325N<br>081-27-21.339W | FI G 4s   | 0 | 5 | SG-SY on dolphin.                |                             |
| 38340   | Sisters Creek Light 86                | 30-23-33.506N<br>081-27-44.216W | FI R 4s   | 0 | 5 | TR-TY on pile.                   |                             |
| 38345   | Sisters Creek Light 88                | 30-23-25.423N<br>081-27-47.511W | FI R 2.5s | 0 | 5 | TR-TY on pile.                   |                             |
| 38350   | Pablo Creek Lighted<br>Buoy 1         | 30-22-53.020N<br>081-27-32.580W | FI G 4s   |   | 5 | Green with yellow square.        |                             |
| 38352   | Pablo Creek Buoy 2                    | 30-22-50.422N<br>081-27-37.398W |           |   |   | Red nun with yellow triangle.    |                             |
| 38355   | Pablo Creek Buoy 4                    | 30-22-45.377N<br>081-27-27.174W |           |   |   | Red.                             |                             |
| 38360   | Pablo Creek Light 5                   | 30-22-40.932N<br>081-27-15.420W | FI G 2.5s | 0 | 5 | SG-SY on pile.                   |                             |
| 38365   | Pablo Creek Light 6                   | 30-22-40.644N<br>081-27-18.444W | FI R 4s   | 0 | 5 | TR-TY on dolphin.                |                             |
| 38375   | Pablo Creek<br>Daybeacon 8            | 30-22-20.394N<br>081-27-05.536W |           | 0 |   | TR-TY on dolphin.                |                             |
| 38380   | Pablo Creek Light 9                   | 30-22-20.710N<br>081-27-01.072W | FI G 6s   | 0 | 5 | SG-SY on pile.                   | Obscured from 190° to 260°. |
| 38380.1 | Pablo Creek Light 10                  | 30-21-20.910N<br>081-26-26.235W | FI R 4s   | 0 | 5 | TR-TY on pile.                   |                             |
| 38380.2 | Pablo Creek<br>Temporary Light 9      | 30-22-26.194N<br>081-27-03.893W | FI W 2.5s |   |   | Non-lateral white.               | Temporary aid.              |
| 38390   | Queens Harbour<br>Channel Daybeacon 1 | 30-21-13.000N<br>081-26-26.000W |           |   |   | SG on pile.                      |                             |
| 38395   | Queens Harbour<br>Channel Daybeacon 2 | 30-21-15.000N<br>081-26-26.000W |           |   |   | TR on pile.                      |                             |
| 38400   | Queens Harbour<br>Channel Daybeacon 3 | 30-21-11.000N<br>081-26-32.650W |           |   |   | SG on pile.                      |                             |
| 38405   | Queens Harbour<br>Channel Daybeacon 4 | 30-21-12.718N<br>081-26-29.650W |           |   |   | TR on pile.                      |                             |
| 38410   | Queens Harbour<br>Channel Daybeacon 5 | 31-21-10.000N<br>081-26-36.703W |           |   |   | SG on pile.                      |                             |
| 38415   | Queens Harbour<br>Channel Daybeacon 6 | 30-21-11.718N<br>081-26-33.650W |           |   |   | TR on pile.                      |                             |
| 38420   | Pablo Creek<br>Daybeacon 12           | 30-21-05.638N<br>081-26-24.057W |           | 0 |   | TR-TY on pile.                   |                             |
| 38425   | Pablo Creek<br>Daybeacon 13           | 30-20-37.940N<br>081-26-15.956W |           |   |   | SG-SY on pile.                   |                             |
| 38430   | Pablo Creek<br>Daybeacon 14           | 30-20-30.492N<br>081-26-21.013W |           | 0 |   | TR-TY on pile.                   |                             |
| 38435   | Pablo Creek<br>Daybeacon 15           | 30-20-17.182N<br>081-26-14.598W |           |   |   | SG-SY on dolphin.                |                             |
| 38440   | Pablo Creek Light 17                  | 30-19-59.822N<br>081-26-14.454W | FI G 4s   | 0 | 5 | SG-SY on dolphin.                |                             |
| 38445   | Pablo Creek Buoy 19                   | 30-19-34.022N<br>081-26-21.193W |           |   |   | Green can with yellow<br>square. |                             |
| 38460   | Pablo Creek<br>Daybeacon 21           | 30-19-04.771N<br>081-26-00.113W |           |   |   | SG-SY on dolphin.                |                             |
| 38465   | Pablo Creek<br>Daybeacon 23           | 30-19-00.891N<br>081-25-53.442W |           |   |   | SG-SY on pile.                   |                             |
| 38470   | Pablo Creek                           | 30-18-53.874N                   |           |   |   | SG-SY on pile.                   |                             |

|         |                                  |                                 |           |    |   |                |
|---------|----------------------------------|---------------------------------|-----------|----|---|----------------|
|         | Daybeacon 25                     | 081-25-34.897W                  |           |    |   |                |
| 38475   | Pablo Creek Light 27             | 30-18-42.149N<br>081-25-26.549W | FI G 2.5s | 5  |   | SG-SY on pile. |
| 38480   | Pablo Creek<br>Daybeacon 28      | 30-18-39.718N<br>081-25-30.372W |           |    |   | TR-TY on pile. |
| 38485   | Pablo Creek<br>Daybeacon 29      | 30-18-18.281N<br>081-25-26.978W |           | 0  |   | SG-SY on pile. |
| 38490   | Pablo Creek<br>Daybeacon 31      | 30-17-49.373N<br>081-25-24.023W |           | 0  |   | SG-SY on pile. |
| 38495   | Palm Cove Marina<br>Daybeacon 1  | 30-17-40.068N<br>081-25-26.306W |           |    |   | SG on pile.    |
| 38500   | Palm Cove Marina<br>Daybeacon 2  | 30-17-41.168N<br>081-25-26.306W |           |    |   | TR on pile.    |
| 38505   | Palm Cove Marina<br>Daybeacon 3  | 30-17-38.068N<br>081-25-30.307W |           |    |   | SG on pile.    |
| 38510   | Palm Cove Marina<br>Daybeacon 4  | 30-17-38.668N<br>081-25-30.307W |           |    |   | TR on pile.    |
| 38515   | Palm Cove Marina<br>Daybeacon 5  | 30-17-38.668N<br>081-25-33.207W |           |    |   | SG on pile.    |
| 38520   | Palm Cove Marina<br>Daybeacon 6  | 30-17-37.868N<br>081-25-33.207W |           |    |   | TR on pile.    |
| 38525   | Palm Cove Marina<br>Daybeacon 7  | 30-17-33.668N<br>081-25-39.707W |           |    |   | SG on pile.    |
| 38530   | Palm Cove Marina<br>Daybeacon 8  | 30-17-34.668N<br>081-25-40.107W |           |    |   | TR on pile.    |
| 38535   | Palm Cove Marina<br>Daybeacon 9  | 30-17-31.068N<br>081-25-43.507W |           |    |   | SG on pile.    |
| 38540   | Palm Cove Marina<br>Daybeacon 10 | 30-17-31.468N<br>081-25-45.307W |           |    |   | TR on pile.    |
| 38545   | Palm Cove Marina<br>Daybeacon 11 | 30-17-27.668N<br>081-25-45.207W |           |    |   | SG on pile.    |
| 38550   | Palm Cove Marina<br>Daybeacon 12 | 30-17-27.868N<br>081-25-47.307W |           |    |   | TR on pile.    |
| 38550.1 | Palm Cove Marina<br>Daybeacon 14 | 30-17-26.780N<br>081-25-51.430W |           |    |   | TR on pile.    |
| 38550.2 | Palm Cove Marina<br>Daybeacon 16 | 30-17-26.470N<br>081-25-53.650W |           |    |   | TR on pile.    |
| 38550.3 | Palm Cove Marina<br>Daybeacon 18 | 30-17-26.410N<br>081-25-55.070W |           |    |   | TR on pile.    |
| 38550.4 | Palm Cove Marina<br>Daybeacon 20 | 30-17-26.330N<br>081-25-56.960W |           |    |   | TR on pile.    |
| 38555   | Pablo Creek Light 32             | 30-17-38.730N<br>081-25-25.024W | FI R 4s   | 5  |   | TR-TY on pile. |
| 38560   | Pablo Creek<br>Daybeacon 34      | 30-17-30.462N<br>081-25-20.599W |           |    |   | TR-TY on pile. |
| 38565   | Pablo Creek<br>Daybeacon 35      | 30-17-04.689N<br>081-25-14.784W |           |    |   | SG-SY on pile. |
| 38570   | Pablo Creek<br>Daybeacon 36      | 30-16-45.448N<br>081-25-20.058W |           | 0  |   | TR-TY on pile. |
| 38575   | Pablo Creek<br>Daybeacon 37      | 30-16-29.865N<br>081-25-17.067W |           | 15 |   | SG-SY on pile. |
| 38580   | Pablo Creek<br>Daybeacon 38      | 30-16-15.936N<br>081-25-21.471W |           |    |   | TR-TY on pile. |
| 38585   | Pablo Creek Light 39             | 30-16-06.884N<br>081-25-19.123W | FI G 4s   | 0  | 5 | SG-SY on pile. |
| 38590   | Pablo Creek<br>Daybeacon 40      | 30-16-02.242N<br>081-25-24.618W |           | 0  |   | TR-TY on pile. |
| 38595   | Pablo Creek<br>Daybeacon 41      | 30-15-51.862N<br>081-25-27.498W |           |    |   | SG-SY on pile. |
| 38600   | Pablo Creek<br>Daybeacon 43      | 30-15-35.395N<br>081-25-37.019W |           |    |   | SG-SY on pile. |
| 38605   | Pablo Creek Light 44             | 30-15-32.123N<br>081-25-41.361W | FI R 4s   | 0  | 5 | TR-TY on pile. |
| 38610   | Pablo Creek Light 46             | 30-15-07.751N<br>081-25-50.123W | FI R 2.5s |    | 5 | TR-TY on pile. |
| 38615   | Pablo Creek Light 48             | 30-14-46.862N<br>081-25-43.093W | FI R 4s   | 0  | 5 | TR-TY on pile. |
| 38617   | Pablo Creek Light 49             | 30-14-27.020N<br>081-25-18.389W | Q G       | 0  | 4 | SG-SY on pile. |
| 38620   | Palm Valley<br>Daybeacon 2       | 30-08-06.742N<br>081-23-14.598W |           |    |   | TR-TY on pile. |

|       |                              |                                 |         |   |   |                   |
|-------|------------------------------|---------------------------------|---------|---|---|-------------------|
| 38625 | Tolomato River Light 3       | 30-06-34.822N<br>081-22-19.218W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 38630 | Tolomato River Daybeacon 5   | 30-06-03.381N<br>081-22-03.998W |         |   |   | SG-SY on pile.    |
| 38635 | Tolomato River Daybeacon 7   | 30-05-50.901N<br>081-21-58.215W |         | 0 |   | SG-SY on pile.    |
| 38640 | Tolomato River Daybeacon 8   | 30-05-37.435N<br>081-21-54.285W |         | 0 |   | TR-TY on pile.    |
| 38645 | Tolomato River Light 9       | 30-05-28.942N<br>081-21-49.338W | FI G 4s | 0 | 5 | SG-SY on dolphin. |
| 38650 | Tolomato River Daybeacon 10  | 30-05-16.788N<br>081-21-51.265W |         |   |   | TR-TY on pile.    |
| 38655 | Tolomato River Daybeacon 11  | 30-05-09.022N<br>081-21-48.558W |         |   |   | SG-SY on pile.    |
| 38660 | Tolomato River Daybeacon 12  | 30-04-59.122N<br>081-21-51.978W |         |   |   | TR-TY on pile.    |
| 38665 | Tolomato River Daybeacon 13  | 30-04-51.502N<br>081-21-48.819W |         |   |   | SG-SY on pile.    |
| 38670 | Tolomato River Daybeacon 14  | 30-04-34.642N<br>081-21-52.818W |         | 0 |   | TR-TY on pile.    |
| 38675 | Tolomato River Light 15      | 30-04-28.206N<br>081-21-49.834W | FI G 4s |   | 5 | SG-SY on pile.    |
| 38680 | Tolomato River Daybeacon 16  | 30-04-26.255N<br>081-21-55.574W |         |   |   | TR-TY on pile.    |
| 38685 | Tolomato River Daybeacon 18  | 30-04-15.562N<br>081-22-04.278W |         | 0 |   | TR-TY on pile.    |
| 38690 | Tolomato River Daybeacon 19  | 30-04-08.124N<br>081-22-07.217W |         |   |   | SG-SY on pile.    |
| 38695 | Tolomato River Light 20      | 30-04-03.082N<br>081-22-14.838W | FI R 4s |   | 5 | TR-TY on dolphin. |
| 38700 | Tolomato River Daybeacon 21  | 30-03-57.142N<br>081-22-11.238W |         | 0 |   | SG-SY on pile.    |
| 38705 | Tolomato River Light 23      | 30-03-43.100N<br>081-22-08.786W | FI G 4s |   | 5 | SG-SY on pile.    |
| 38710 | Tolomato River Daybeacon 24  | 30-03-44.242N<br>081-22-12.318W |         |   |   | TR-TY on pile.    |
| 38715 | Tolomato River Daybeacon 25  | 30-03-03.082N<br>081-22-02.958W |         |   |   | SG-SY on pile.    |
| 38720 | Tolomato River Light 26      | 30-02-54.622N<br>081-22-04.818W | FI R 4s |   | 5 | TR-TY on dolphin. |
| 38725 | Tolomato River Light 27      | 30-02-38.722N<br>081-21-57.198W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 38730 | Tolomato River Daybeacon 28  | 30-02-23.362N<br>081-21-57.438W |         |   |   | TR-TY on pile.    |
| 38735 | Tolomato River Daybeacon 29  | 30-01-59.407N<br>081-21-47.330W |         |   |   | SG-SY on pile.    |
| 38740 | Tolomato River Daybeacon 30  | 30-01-53.602N<br>081-21-50.478W |         | 0 |   | TR-TY on pile.    |
| 38745 | Tolomato River Light 32      | 30-01-38.962N<br>081-21-43.098W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 38750 | Tolomato River Daybeacon 33  | 30-01-36.315N<br>081-21-34.188W |         |   |   | SG-SY on pile.    |
| 38755 | Tolomato River Light 35      | 30-01-14.969N<br>081-20-55.452W | FI G 4s |   | 5 | SG-SY on dolphin. |
| 38760 | Tolomato River Light 36      | 30-01-00.487N<br>081-20-54.044W | FI R 4s |   | 5 | TR-TY on dolphin. |
| 38765 | Tolomato River Daybeacon 37  | 30-00-17.782N<br>081-20-37.998W |         |   |   | SG-SY on pile.    |
| 38770 | Tolomato River Light 38      | 30-00-06.166N<br>081-20-37.332W | FI R 4s |   | 5 | TR-TY on pile.    |
| 38775 | Tolomato River Daybeacon 39  | 30-00-04.934N<br>081-20-25.628W |         |   |   | SG-SY on pile.    |
| 38780 | Tolomato River Light 41      | 29-59-59.916N<br>081-20-18.564W | FI G 4s |   | 5 | SG-SY on pile.    |
| 38785 | Tolomato River Daybeacon 42  | 29-59-52.169N<br>081-20-05.496W |         | 0 |   | TR-TY on dolphin. |
| 38790 | Tolomato River Light 44      | 29-59-45.737N<br>081-19-57.682W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 38795 | Tolomato River Daybeacon 44A | 29-59-36.502N<br>081-19-55.158W |         |   |   | TR-TY on pile.    |



|         |                                             |                                 |           |   |   |                                           |                     |
|---------|---------------------------------------------|---------------------------------|-----------|---|---|-------------------------------------------|---------------------|
| 38800   | Tolomato River Light 45                     | 29-59-25.243N<br>081-19-46.536W | FI G 4s   | 0 | 5 | SG-SY on pile.                            |                     |
| 38805   | Tolomato River Daybeacon 47                 | 29-58-25.570N<br>081-19-43.736W |           |   |   | SG-SY on pile.                            |                     |
| 38810   | Tolomato River Light 48                     | 29-57-43.678N<br>081-19-43.947W | FI R 4s   |   | 5 | TR-TY on pile.                            |                     |
| 38815   | Tolomato River Light 49                     | 29-57-33.625N<br>081-19-19.411W | FI G 4s   |   | 5 | SG-SY on pile.                            |                     |
| 38820   | Tolomato River Light 51                     | 29-57-21.322N<br>081-18-50.338W | FI G 4s   |   | 5 | SG-SY on pile                             |                     |
| 38825   | Tolomato River Daybeacon 52                 | 29-57-01.047N<br>081-18-46.381W |           | 0 |   | TR-TY on pile.                            |                     |
| 38830   | Tolomato River Light 54                     | 29-56-35.619N<br>081-18-41.489W | FI R 4s   | 0 | 5 | TR-TY on dolphin.                         |                     |
| 38832   | Fdot Villano Bridge North Breasting Light   | 29-55-59.260N<br>081-18-27.580W | FI W 4s   |   |   | On dolphin.                               |                     |
| 38833   | Fdot Villano Bridge C Breasting Light       | 29-55-57.996N<br>081-18-27.199W | FI W 4s   |   |   | On dolphin.                               |                     |
| 38834   | Fdot Villano Bridge South Breasting Light   | 29-55-56.840N<br>081-18-26.600W | FI W 4s   |   |   | On dolphin.                               |                     |
| 38835   | Tolomato River Light 55                     | 29-55-42.627N<br>081-18-22.642W | FI G 4s   | 0 | 5 | SG-SY on pile.                            |                     |
| 38840   | Tolomato River Daybeacon 57                 | 29-55-16.342N<br>081-18-07.638W |           | 0 |   | SG-SY on pile.                            |                     |
| 38843   | Vilano Marina North Channel Daybeacon 1     | 29-56-19.700N<br>081-18-31.800W |           |   |   | SG on pile.                               |                     |
| 38843.2 | Vilano Marina North Channel Daybeacon 2     | 29-56-19.200N<br>081-18-31.700W |           |   |   | TR on pile.                               |                     |
| 38843.4 | Vilano Marina North Channel Daybeacon 3     | 29-56-19.700N<br>081-18-31.100W |           |   |   | SG on pile.                               |                     |
| 38843.6 | Vilano Marina North Channel Daybeacon 4     | 29-56-19.300N<br>081-18-31.000W |           |   |   | TR on pile.                               |                     |
| 38844   | Vilano Marina South Channel Daybeacon 1     | 29-56-17.900N<br>081-18-31.400W |           |   |   | SG on pile.                               |                     |
| 38844.2 | Vilano Marina South Channel Daybeacon 2     | 29-56-17.400N<br>081-18-31.200W |           |   |   | TR on pile.                               |                     |
| 38844.4 | Vilano Marina South Channel Daybeacon 3     | 29-56-18.000N<br>081-18-30.800W |           |   |   | SG on pile.                               |                     |
| 38844.6 | Vilano Marina South Channel Daybeacon 4     | 29-56-17.600N<br>081-18-30.700W |           |   |   | TR on pile.                               |                     |
| 38845   | Camachee Cove Range Front Light             | 29-54-59.886N<br>081-18-30.261W | Q G       |   |   | KGR on tripod.                            |                     |
| 38850   | Camachee Cove Range Rear Light              | 29-54-58.886N<br>081-18-30.761W | F G       |   |   | KGR on tripod.                            |                     |
| 38855   | Camachee Cove Daybeacon 1                   | 29-55-05.386N<br>081-18-14.761W |           |   |   | SG on pile.                               |                     |
| 38860   | Camachee Cove Daybeacon 2                   | 29-55-06.886N<br>081-18-16.561W |           |   |   | TR on pile.                               |                     |
| 38865   | Camachee Cove Daybeacon 3                   | 29-55-03.486N<br>081-18-19.261W |           |   |   | SG on pile.                               |                     |
| 38870   | Camachee Cove Daybeacon 4                   | 29-55-05.886N<br>081-18-20.261W |           |   |   | TR on pile.                               |                     |
| 38875   | Camachee Cove Daybeacon 5                   | 29-55-03.886N<br>081-18-24.261W |           |   |   | SG on pile.                               |                     |
| 38880   | Camachee Cove Daybeacon 6                   | 29-55-02.386N<br>081-18-22.261W |           |   |   | TR on pile.                               |                     |
| 38885   | Tolomato River Light 57A                    | 29-54-52.645N<br>081-17-57.670W | FI G 4s   |   | 5 | SG-SY on pile.                            |                     |
| 38890   | Tolomato River Buoy 58                      | 29-54-52.729N<br>081-18-03.421W |           |   |   | Red nun with yellow triangle.             |                     |
| 38893   | Tolomato River Light 58A                    | 29-54-41.714N<br>081-17-54.684W | FI R 2.5s |   | 5 | TR-TY on pile.                            |                     |
| 38895   | Vilano Boat Basin Obstruction Daybeacons(3) | 29-54-43.000N<br>081-18-14.000W |           |   |   | NW on piles worded<br>DANGER OBSTRUCTION. |                     |
| 38905.5 | Tolomato River Lighted Buoy 59              | 29-54-31.818N<br>081-17-40.518W | FI G 2.5s |   | 5 | Green.                                    |                     |
| 38910   | Tolomato River Lighted Buoy 60              | 29-54-29.756N<br>081-17-45.086W | Q R       |   | 4 | Red.                                      | AIS: MMSI 993672021 |
| 38915   | Salt Run Daybeacon 1                        | 29-54-16.000N                   |           |   |   | SG on pile.                               |                     |



|         |                                            |                                 |         |   |   |                                 |
|---------|--------------------------------------------|---------------------------------|---------|---|---|---------------------------------|
|         |                                            | 081-17-40.000W                  |         |   |   |                                 |
| 38920   | Salt Run Daybeacon 2                       | 29-54-16.000N<br>081-17-42.000W |         |   |   | TR on pile.                     |
| 38925   | Salt Run Daybeacon 3                       | 29-54-08.000N<br>081-17-35.000W |         |   |   | SG on pile.                     |
| 38930   | Salt Run Daybeacon 4                       | 29-54-07.000N<br>081-17-36.000W |         |   |   | TR on pile.                     |
| 38935   | Salt Run Daybeacon 5                       | 29-53-59.000N<br>081-17-29.000W |         |   |   | SG on pile.                     |
| 38940   | Salt Run Daybeacon 6                       | 29-53-58.000N<br>081-17-30.000W |         |   |   | TR on pile.                     |
| 38945   | Salt Run Daybeacon 7                       | 29-53-54.000N<br>081-17-28.000W |         |   |   | SG on pile.                     |
| 38950   | Salt Run Daybeacon 8                       | 29-53-54.000N<br>081-17-30.000W |         |   |   | TR on pile.                     |
| 38955   | Salt Run Daybeacon 9                       | 29-53-51.000N<br>081-17-29.000W |         |   |   | SG on pile.                     |
| 38960   | Salt Run Daybeacon 10                      | 29-53-52.000N<br>081-17-30.000W |         |   |   | TR on pile.                     |
| 38965   | Salt Run Daybeacon 11                      | 29-53-43.000N<br>081-17-34.000W |         |   |   | SG on pile.                     |
| 38970   | Salt Run Daybeacon 12                      | 29-53-43.000N<br>081-17-36.000W |         |   |   | TR on pile.                     |
| 38975   | Salt Run Daybeacon 13                      | 29-53-38.000N<br>081-17-32.000W |         |   |   | SG on pile.                     |
| 38980   | Salt Run Jetty East Daybeacon              | 29-53-33.000N<br>081-17-32.000W |         |   |   | NW on pile worded DANGER JETTY. |
| 38985   | Salt Run Jetty West Daybeacon              | 29-53-31.000N<br>081-17-34.000W |         |   |   | NW on pile worded DANGER JETTY. |
| 38990   | Salt Run Daybeacon 14                      | 29-53-30.000N<br>081-17-27.000W |         |   |   | TR on pile.                     |
| 38995   | Salt Run Rock Daybeacon                    | 29-53-42.000N<br>081-17-39.000W |         |   |   | NW on pile worded DANGER ROCK.  |
| 39000   | Salt Run Daybeacon 15                      | 29-53-25.000N<br>081-17-17.000W |         |   |   | SG on pile.                     |
| 39005   | Salt Run Rock Daybeacon                    | 29-53-32.000N<br>081-17-25.000W |         |   |   | NW on pile worded DANGER ROCK.  |
| 39010   | Salt Run Daybeacon 16                      | 29-53-16.000N<br>081-17-10.000W |         |   |   | TR on pile.                     |
| 39015   | Salt Run Daybeacon 17                      | 29-53-16.000N<br>081-17-09.000W |         |   |   | SG on pile.                     |
| 39020   | Salt Run Daybeacon 18                      | 29-53-11.000N<br>081-17-07.000W |         |   |   | TR on pile.                     |
| 39025   | Salt Run Daybeacon 19                      | 29-53-09.000N<br>081-17-04.000W |         |   |   | SG on pile.                     |
| 39030   | Salt Run Rock Daybeacon                    | 29-53-05.000N<br>081-17-02.000W |         |   |   | NW on pile worded DANGER ROCK.  |
| 39035   | Matanzas River Light 1                     | 29-54-19.276N<br>081-17-43.924W | FI G 4s | 0 | 5 | SG-SY on pile.                  |
| 39040   | Matanzas River Buoy 2                      | 29-54-21.380N<br>081-17-52.662W |         |   |   | Red nun with yellow triangle.   |
| 39045   | Matanzas River Light 2A                    | 29-54-17.483N<br>081-17-58.558W | FI R 4s | 0 | 5 | TR-TY on pile.                  |
| 39050   | Matanzas River Daybeacon 4                 | 29-54-11.140N<br>081-18-08.749W |         | 0 |   | TR-TY on pile.                  |
| 39052   | FDOT Bridge Of Lions North Breasting Light | 29-54-06.805N<br>081-18-17.098W | FI W 4s |   |   | On dolphin.                     |
| 39053   | FDOT Bridge Of Lions C Breasting Light     | 29-54-05.900N<br>081-18-18.300W | FI W 4s |   |   | On dolphin.                     |
| 39054   | FDOT Bridge Of Lions South Breasting Light | 29-54-04.975N<br>081-18-19.448W | FI W 4s |   |   | On dolphin.                     |
| 39055   | Matanzas River Daybeacon 5                 | 29-54-00.382N<br>081-18-13.878W |         | 0 |   | SG-SY on pile.                  |
| 39060   | Matanzas River Light 6                     | 29-53-57.710N<br>081-18-24.657W | FI R 4s |   | 5 | TR-TY on dolphin.               |
| 39060.1 | Matanzas River Daybeacon 6A                | 29-53-48.827N<br>081-18-31.901W |         | 0 |   | TR-TY on pile.                  |
| 39061   | Matanzas River Daybeacon 7                 | 29-53-45.010N<br>081-18-24.606W |         | 0 |   | SG-SY on pile.                  |
| 39062.1 | Matanzas River Daybeacon 9                 | 29-53-22.312N<br>081-18-12.166W |         | 0 |   | SG-SY on pile.                  |

|         |                                                       |                                 |         |   |                                          |
|---------|-------------------------------------------------------|---------------------------------|---------|---|------------------------------------------|
| 39062   | Matanzas River<br>Daybeacon 8                         | 29-53-24.481N<br>081-18-28.390W |         |   | TR-TY on pile.                           |
| 39063   | Matanzas River<br>Daybeacon 10                        | 29-53-16.441N<br>081-18-14.924W |         |   | TR-TY on pile.                           |
| 39065   | Matanzas River<br>Daybeacon 10A                       | 29-53-09.714N<br>081-18-08.632W |         | 0 | TR-TY on pile.                           |
| 39070   | Matanzas River Light<br>11                            | 29-52-59.925N<br>081-17-59.397W | FI G 4s | 5 | SG-SY on pile.                           |
| 39075   | Matanzas River<br>Daybeacon 12                        | 29-52-42.562N<br>081-18-09.018W |         | 0 | TR-TY on pile.                           |
| 39077   | Matanzas River Outfall<br>Obstruction<br>Daybeacon A  | 29-52-31.660N<br>081-18-14.400W |         |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 39077.1 | Matanzas River Outfall<br>Obstruction<br>Daybeacon B  | 29-52-31.640N<br>081-18-14.480W |         |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 39077.2 | Matanzas River Outfall<br>Obstruction<br>Daybeacon C  | 29-52-31.730N<br>081-18-14.480W |         |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 39077.3 | Matanzas River Outfall<br>Obstruction<br>Daybeacon D  | 29-52-31.730N<br>081-18-14.530W |         |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 39077.4 | Matanzas River Outfall<br>Obstruction<br>Daybeacon E  | 29-52-31.740N<br>081-18-14.580W |         |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 39077.5 | Matanzas River Outfall<br>Obstruction<br>Daybeacon F  | 29-52-31.740N<br>081-18-14.710W |         |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 39077.6 | Matanzas River Outfall<br>Obstruction<br>Daybeacon G  | 29-52-31.720N<br>081-18-15.080W |         |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 39077.7 | Matanzas River Outfall<br>Obstruction<br>Daybeacon H  | 29-52-31.780N<br>081-18-15.400W |         |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 39077.8 | Matanzas River Outfall<br>Obstruction<br>Daybeacon I  | 29-52-31.800N<br>081-18-15.720W |         |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 39077.9 | Matanzas River Outfall<br>Obstruction<br>Daybeacon J  | 29-52-31.870N<br>081-18-16.100W |         |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 39078   | Mantanzas River<br>Outfall Obstruction<br>Daybeacon K | 29-52-31.850N<br>081-18-16.340W |         |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 39078.1 | Mantanzas River<br>Outfall Obstruction<br>Daybeacon L | 29-52-31.930N<br>081-18-16.660W |         |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 39080   | Fish Island Marina<br>Daybeacon 1                     | 29-52-16.500N<br>081-18-09.100W |         |   | SG on pile.                              |
| 39085   | Fish Island Marina<br>Daybeacon 4                     | 29-52-17.100N<br>081-18-06.100W |         |   | TR on pile.                              |
| 39090   | Fish Island Marina<br>Daybeacon 5                     | 29-52-13.400N<br>081-18-04.200W |         |   | SG on pile.                              |
| 39095   | San Sebastian River<br>Daybeacon 1                    | 29-52-07.962N<br>081-18-26.773W |         |   | SG on pile.                              |
| 39100   | San Sebastian River<br>Daybeacon 2                    | 29-52-10.764N<br>081-18-25.539W |         | 0 | TR on pile.                              |
| 39105   | San Sebastian River<br>Daybeacon 3                    | 29-52-14.242N<br>081-18-42.018W |         |   | SG on pile.                              |
| 39110   | San Sebastian River<br>Daybeacon 4                    | 29-52-16.942N<br>081-18-43.758W |         |   | TR on pile.                              |
| 39115   | San Sebastian River<br>Daybeacon 5                    | 29-52-15.178N<br>081-18-46.110W |         | 0 | SG on pile.                              |
| 39120   | San Sebastian River<br>Daybeacon 6                    | 29-52-16.638N<br>081-18-51.280W |         | 0 | TR on pile.                              |
| 39125   | San Sebastian River<br>Daybeacon 7                    | 29-52-15.202N<br>081-18-54.498W |         |   | SG on pile.                              |
| 39130   | San Sebastian River<br>Daybeacon 8                    | 29-52-17.722N<br>081-18-55.578W |         |   | TR on pile.                              |
| 39140   | San Sebastian River<br>Daybeacon 10                   | 29-52-25.375N<br>081-18-57.784W |         |   | TR on pile.                              |
| 39145   | San Sebastian River<br>Daybeacon 11                   | 29-52-26.295N<br>081-19-00.736W |         |   | SG on pile.                              |

|       |                                      |                                 |         |   |   |                   |
|-------|--------------------------------------|---------------------------------|---------|---|---|-------------------|
| 39150 | San Sebastian River<br>Daybeacon 13  | 29-52-40.591N<br>081-18-55.157W |         |   |   | SG on pile.       |
| 39153 | San Sebastian River<br>Daybeacon 13A | 29-52-42.574N<br>081-18-54.550W |         | 0 |   | SG on pile.       |
| 39155 | San Sebastian River<br>Daybeacon 15  | 29-52-44.855N<br>081-18-56.234W |         |   |   | SG on pile.       |
| 39160 | San Sebastian River<br>Daybeacon 17  | 29-52-46.282N<br>081-19-05.538W |         |   |   | SG on pile.       |
| 39165 | San Sebastian River<br>Daybeacon 18  | 29-52-48.545N<br>081-19-06.573W |         |   |   | TR on pile.       |
| 39170 | San Sebastian River<br>Daybeacon 20  | 29-52-49.402N<br>081-19-10.458W |         |   |   | TR on pile.       |
| 39175 | San Sebastian River<br>Daybeacon 22  | 29-52-52.942N<br>081-19-20.778W |         |   |   | TR on pile.       |
| 39180 | San Sebastian River<br>Daybeacon 24  | 29-52-57.395N<br>081-19-25.325W |         | 0 |   | TR on pile.       |
| 39185 | San Sebastian River<br>Daybeacon 26  | 29-53-00.661N<br>081-19-25.517W |         |   |   | TR on pile.       |
| 39190 | San Sebastian River<br>Daybeacon 29  | 29-53-06.562N<br>081-19-22.938W |         |   |   | SG on pile.       |
| 39195 | San Sebastian River<br>Daybeacon 30  | 29-53-05.038N<br>081-19-21.884W |         | 0 |   | TR on pile.       |
| 39200 | San Sebastian River<br>Daybeacon 32  | 29-53-08.002N<br>081-19-14.478W |         |   |   | TR on pile.       |
| 39205 | San Sebastian River<br>Daybeacon 33  | 29-53-11.482N<br>081-19-13.338W |         |   |   | SG on pile.       |
| 39210 | San Sebastian River<br>Daybeacon 35  | 29-53-15.982N<br>081-19-12.558W |         |   |   | SG on pile.       |
| 39215 | San Sebastian River<br>Daybeacon 37  | 29-53-19.162N<br>081-19-15.918W |         |   |   | SG on pile.       |
| 39220 | Matanzas River<br>Daybeacon 15       | 29-51-39.622N<br>081-18-30.738W |         | 0 |   | SG-SY on pile.    |
| 39225 | Matanzas River Light<br>16           | 29-51-27.622N<br>081-18-39.798W | FI R 4s |   | 5 | TR-TY on dolphin. |
| 39230 | Matanzas River<br>Daybeacon 17       | 29-51-25.358N<br>081-18-31.351W |         |   |   | SG-SY on pile.    |
| 39235 | Matanzas River Light<br>18           | 29-51-10.108N<br>081-18-19.126W | FI R 4s |   | 5 | TR-TY on pile.    |
| 39240 | Matanzas River<br>Daybeacon 20       | 29-51-02.002N<br>081-18-07.398W |         | 0 |   | TR-TY on pile.    |
| 39245 | Matanzas River Light<br>21           | 29-50-55.101N<br>081-17-57.142W | FI G 4s |   | 5 | SG-SY on pile.    |
| 39250 | Matanzas River<br>Daybeacon 22       | 29-50-51.163N<br>081-18-02.105W |         |   |   | TR-TY on pile.    |
| 39255 | Matanzas River Light<br>24           | 29-50-38.054N<br>081-18-01.514W | FI R 4s |   | 5 | TR-TY on pile.    |
| 39260 | Matanzas River Light<br>26           | 29-49-58.541N<br>081-18-14.261W | FI R 4s |   | 5 | TR-TY on pile.    |
| 39265 | Matanzas River<br>Daybeacon 27       | 29-49-53.774N<br>081-18-06.670W |         | 0 |   | SG-SY on pile.    |
| 39270 | Matanzas River<br>Daybeacon 28       | 29-49-31.346N<br>081-17-53.735W |         |   |   | TR-TY on pile.    |
| 39275 | Matanzas River Light<br>29           | 29-49-27.683N<br>081-17-42.797W | FI G 4s |   | 5 | SG-SY on dolphin. |
| 39280 | Matanzas River<br>Daybeacon 30       | 29-49-14.602N<br>081-17-47.238W |         |   |   | TR-TY on pile.    |
| 39285 | Matanzas River Light<br>31           | 29-49-03.313N<br>081-17-40.627W | FI G 4s |   | 5 | SG-SY on dolphin. |
| 39290 | Matanzas River<br>Daybeacon 33       | 29-48-42.181N<br>081-17-29.236W |         |   |   | SG-SY on pile.    |
| 39295 | Matanzas River<br>Daybeacon 35       | 29-48-35.062N<br>081-17-20.418W |         |   |   | SG-SY on pile.    |
| 39300 | Matanzas River Light<br>36           | 29-48-30.168N<br>081-17-22.083W | FI R 4s |   | 5 | TR-TY on pile.    |
| 39305 | Matanzas River<br>Daybeacon 37       | 29-48-32.877N<br>081-17-11.632W |         | 0 |   | SG-SY on pile.    |
| 39310 | Matanzas River<br>Daybeacon 38       | 29-48-31.444N<br>081-16-55.704W |         |   |   | TR-TY on pile.    |
| 39315 | Matanzas River Light<br>39           | 29-48-31.162N<br>081-16-43.218W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 39320 | Matanzas River                       | 29-48-19.361N                   |         |   |   | TR-TY on pile.    |

|       |                                 |                                 |         |   |   |                   |
|-------|---------------------------------|---------------------------------|---------|---|---|-------------------|
|       | Daybeacon 40                    | 081-16-39.050W                  |         |   |   |                   |
| 39325 | Matanzas River<br>Daybeacon 42  | 29-48-07.582N<br>081-16-35.838W |         |   |   | TR-TY on pile.    |
| 39330 | Matanzas River Light<br>43      | 29-47-45.070N<br>081-16-24.275W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 39335 | Matanzas River<br>Daybeacon 44  | 29-47-41.662N<br>081-16-29.778W |         |   |   | TR-TY on pile.    |
| 39340 | Matanzas River Light<br>45      | 29-47-29.508N<br>081-16-28.591W | FI G 4s | 0 | 5 | SG-SY on dolphin. |
| 39345 | Matanzas River<br>Daybeacon 46  | 29-47-27.022N<br>081-16-33.258W |         |   |   | TR-TY on pile.    |
| 39350 | Matanzas River<br>Daybeacon 47  | 29-47-17.603N<br>081-16-33.147W |         | 0 |   | SG-SY on pile.    |
| 39355 | Matanzas River<br>Daybeacon 47A | 29-47-08.416N<br>081-16-34.399W |         | 0 |   | SG-SY on pile.    |
| 39360 | Matanzas River Light<br>48      | 29-47-08.468N<br>081-16-37.834W | FI R 4s |   | 5 | TR-TY on dolphin. |
| 39365 | Matanzas River<br>Daybeacon 49  | 29-47-02.482N<br>081-16-32.298W |         |   |   | SG-SY on pile.    |
| 39370 | Matanzas River Light<br>50      | 29-46-56.542N<br>081-16-32.298W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 39375 | Matanzas River<br>Daybeacon 51  | 29-46-57.142N<br>081-16-28.758W |         | 0 |   | SG-SY on pile.    |
| 39380 | Matanzas River<br>Daybeacon 52  | 29-46-46.942N<br>081-16-19.218W |         | 0 |   | TR-TY on pile.    |
| 39385 | Matanzas River<br>Daybeacon 53  | 29-46-51.502N<br>081-16-20.838W |         | 0 |   | SG-SY on pile.    |
| 39390 | Matanzas River<br>Daybeacon 54  | 29-46-36.622N<br>081-16-04.698W |         |   |   | TR-TY on pile.    |
| 39395 | Matanzas River<br>Daybeacon 55  | 29-46-32.395N<br>081-15-53.651W |         |   |   | SG-SY on pile.    |
| 39400 | Treasure Beach<br>Daybeacon 1   | 29-46-33.895N<br>081-15-53.045W |         |   |   | SG on pile.       |
| 39405 | Treasure Beach<br>Daybeacon 2   | 29-46-30.895N<br>081-15-49.244W |         |   |   | TR on pile.       |
| 39410 | Treasure Beach<br>Daybeacon 3   | 29-46-35.095N<br>081-15-50.745W |         |   |   | SG on pile.       |
| 39415 | Treasure Beach<br>Daybeacon 4   | 29-46-31.895N<br>081-15-48.244W |         |   |   | TR on pile.       |
| 39420 | Treasure Beach<br>Daybeacon 5   | 29-46-40.895N<br>081-15-52.245W |         |   |   | SG on pile.       |
| 39425 | Treasure Beach<br>Daybeacon 7   | 29-46-44.895N<br>081-15-55.245W |         |   |   | SG on pile.       |
| 39430 | Treasure Beach<br>Daybeacon 9   | 29-47-06.894N<br>081-16-11.246W |         |   |   | SG on pile.       |
| 39435 | Treasure Beach<br>Daybeacon 10  | 29-47-11.894N<br>081-16-09.246W |         |   |   | TR on pile.       |
| 39445 | Matanzas River Light<br>57      | 29-46-22.129N<br>081-15-42.381W | FI G 4s |   | 5 | SG-SY on dolphin. |
| 39450 | Matanzas River<br>Daybeacon 58  | 29-46-20.756N<br>081-15-43.918W |         |   |   | TR-TY on pile.    |
| 39455 | Matanzas River<br>Daybeacon 60  | 29-45-55.822N<br>081-15-22.338W |         | 0 |   | TR-TY on pile.    |
| 39460 | Matanzas River<br>Daybeacon 62  | 29-45-48.742N<br>081-15-18.438W |         |   |   | TR-TY on pile.    |
| 39465 | Matanzas River Light<br>64      | 29-45-41.302N<br>081-15-15.618W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 39470 | Matanzas River<br>Daybeacon 66  | 29-45-26.904N<br>081-15-03.808W |         | 0 |   | TR-TY on pile.    |
| 39475 | Matanzas River Light<br>67      | 29-45-23.623N<br>081-14-59.067W | FI G 4s |   | 5 | SG-SY on pile.    |
| 39480 | Matanzas River<br>Daybeacon 68  | 29-45-20.753N<br>081-15-01.824W |         |   |   | TR-TY on pile.    |
| 39485 | Matanzas River Light<br>70      | 29-45-10.462N<br>081-15-02.718W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 39495 | Matanzas River Light<br>72      | 29-44-34.762N<br>081-14-43.698W | FI R 4s |   | 5 | TR-TY on pile.    |
| 39500 | Matanzas River Light<br>74      | 29-44-19.141N<br>081-14-45.610W | FI R 4s |   | 5 | TR-TY on dolphin. |
| 39505 | Matanzas River                  | 29-44-13.307N                   |         |   |   | SG-SY on pile.    |

|         |                                 |                                 |         |   |  |   |                               |
|---------|---------------------------------|---------------------------------|---------|---|--|---|-------------------------------|
|         | Daybeacon 75                    | 081-14-45.433W                  |         |   |  |   |                               |
| 39510   | Matanzas River<br>Daybeacon 77  | 29-43-58.102N<br>081-14-52.458W |         |   |  | 5 | SG-SY on pile.                |
| 39515   | Matanzas River Light<br>78      | 29-43-52.042N<br>081-15-00.858W | FI R 4s |   |  | 5 | TR-TY on pile.                |
| 39520   | Matanzas River Light<br>79      | 29-43-38.642N<br>081-14-56.263W | FI G 4s |   |  | 5 | SG-SY on pile.                |
| 39525   | Matanzas River<br>Daybeacon 80  | 29-43-28.282N<br>081-14-52.458W |         |   |  |   | TR-TY on pile.                |
| 39525.5 | Matanzas River Buoy<br>80A      | 29-43-18.262N<br>081-14-46.408W |         |   |  |   | Red nun with yellow triangle. |
| 39526   | Matanzas River Buoy<br>80B      | 29-43-12.971N<br>081-14-46.975W |         |   |  |   | Red nun with yellow triangle. |
| 39530   | Matanzas River Light<br>81      | 29-43-23.857N<br>081-14-44.210W | FI G 4s | 0 |  | 5 | SG-SY on pile.                |
| 39535   | Matanzas River Buoy<br>81A      | 29-43-08.721N<br>081-14-47.450W |         |   |  |   | Green can with yellow square. |
| 39537   | Matanzas River Buoy<br>81B      | 29-42-59.215N<br>081-14-50.296W |         |   |  |   | Green can with yellow square. |
| 39539   | Matanzas River Buoy<br>81C      | 29-42-53.485N<br>081-14-47.862W |         |   |  |   | Green can with yellow square. |
| 39540   | Matanzas River Buoy<br>81D      | 29-42-49.065N<br>081-14-44.256W |         |   |  |   | Green can with yellow square. |
| 39545   | Matanzas River Light<br>82      | 29-42-44.298N<br>081-14-37.739W | FI R 4s | 0 |  | 5 | TR-TY on pile.                |
| 39550   | Matanzas River<br>Daybeacon 83  | 29-42-14.962N<br>081-14-07.698W |         |   |  | 0 | SG-SY on pile.                |
| 39555   | Matanzas River<br>Daybeacon 83A | 29-41-59.902N<br>081-13-54.798W |         |   |  | 0 | SG-SY on pile.                |
| 39557   | Matanzas River<br>Daybeacon 84  | 29-41-57.595N<br>081-13-56.194W |         |   |  | 0 | TR-TY on pile.                |
| 39560   | Matanzas River Light<br>85      | 29-41-18.620N<br>081-13-25.078W | FI G 4s | 0 |  | 5 | SG-SY on pile.                |
| 39565   | Matanzas River Light<br>86      | 29-40-35.846N<br>081-13-20.981W | FI R 4s | 0 |  | 5 | TR-TY on dolphin.             |
| 39570   | Matanzas River Light<br>87      | 29-40-10.204N<br>081-13-02.572W | FI G 4s | 0 |  | 5 | SG-SY on pile.                |
| 39575   | Marineland Buoy 1               | 29-40-08.401N<br>081-13-02.233W |         |   |  |   | Green can.                    |
| 39580   | Marineland Buoy 2               | 29-40-05.901N<br>081-13-01.733W |         |   |  |   | Red nun.                      |
| 39583   | Marineland Buoy 3               | 29-40-08.760N<br>081-12-59.100W |         |   |  |   | Green can.                    |
| 39585   | Marineland Buoy 4               | 29-40-08.801N<br>081-12-59.233W |         |   |  |   | Red nun.                      |
| 39590   | Marineland Daybeacon<br>5       | 29-40-06.901N<br>081-12-59.233W |         |   |  |   | SG on pile.                   |
| 39600   | Matanzas River<br>Daybeacon 89  | 29-39-58.402N<br>081-13-00.858W |         |   |  | 0 | SG-SY on pile.                |
| 39605   | Matanzas River Light<br>90      | 29-39-54.872N<br>081-13-04.779W | FI R 4s | 0 |  | 5 | TR-TY on pile.                |
| 39610   | Matanzas River<br>Daybeacon 92  | 29-39-31.698N<br>081-13-04.720W |         |   |  | 0 | TR-TY on pile.                |
| 39615   | Matanzas River Light<br>94      | 29-39-13.010N<br>081-13-04.313W | FI R 4s | 0 |  | 5 | TR-TY on pile.                |
| 39620   | Matanzas River<br>Daybeacon 96  | 29-38-54.982N<br>081-12-58.398W |         |   |  | 0 | TR-TY on pile.                |
| 39625   | Matanzas River<br>Daybeacon 97  | 29-38-50.842N<br>081-12-54.798W |         |   |  | 0 | SG-SY on pile.                |
| 39630   | Matanzas River<br>Daybeacon 98  | 29-38-34.576N<br>081-12-51.225W |         |   |  | 0 | TR-TY on pile.                |
| 39635   | Matanzas River Light<br>99      | 29-38-21.382N<br>081-12-44.538W | FI G 4s | 0 |  | 5 | SG-SY on dolphin.             |
| 39640   | Matanzas River<br>Daybeacon 100 | 29-38-20.362N<br>081-12-46.698W |         |   |  | 0 | TR-TY on pile.                |
| 39645   | Matanzas River<br>Daybeacon 102 | 29-38-04.628N<br>081-12-42.737W |         |   |  | 0 | TR-TY on pile.                |
| 39650   | Matanzas River<br>Daybeacon 104 | 29-37-47.308N<br>081-12-38.123W |         |   |  | 0 | TR-TY on pile.                |
| 39655   | Matanzas River                  | 29-37-49.044N                   |         |   |  | 0 | SG-SY on pile.                |

|         |                                   |                                 |         |   |   |                               |
|---------|-----------------------------------|---------------------------------|---------|---|---|-------------------------------|
|         | Daybeacon 105                     | 081-12-36.723W                  |         |   |   |                               |
| 39660   | Matanzas River<br>Daybeacon 106   | 29-37-33.682N<br>081-12-34.818W |         | 0 |   | TR-TY on pile.                |
| 39665   | Matanzas River<br>Daybeacon 108   | 29-37-17.246N<br>081-12-30.592W |         | 0 |   | TR-TY on pile.                |
| 39670   | Matanzas River Light<br>109       | 29-37-12.811N<br>081-12-27.132W | Fl G 4s | 0 | 5 | SG-SY on pile.                |
| 39672   | Matanzas River<br>Danger Light    | 29-34-48.000N<br>081-11-32.000W | Fl W 3s |   |   | NW on pile worded DANGER.     |
| 39673   | Matanzas River Buoy<br>110        | 29-33-53.119N<br>081-11-08.052W |         |   |   | Red nun with yellow triangle. |
| 39675   | Fox Cut Daybeacon 1               | 29-33-43.102N<br>081-10-49.818W |         |   |   | SG-SY on pile.                |
| 39675.1 | Fox Cut Daybeacon 2               | 29-31-59.217N<br>081-09-29.901W |         | 0 |   | TR-TY on pile.                |
| 39680   | Fox Cut Light 3                   | 29-31-54.833N<br>081-09-22.657W | Fl G 4s | 0 | 5 | SG-SY on pile.                |
| 39683   | Fox Cut Daybeacon 4               | 29-31-53.059N<br>081-09-23.105W |         | 0 |   | TR-TY on pile.                |
| 39685   | Silver Lake Daybeacon<br>5        | 29-31-22.731N<br>081-09-09.334W |         | 0 |   | SG-SY on pile.                |
| 39690   | Silver Lake Daybeacon<br>6        | 29-30-50.301N<br>081-09-00.078W |         | 0 |   | TR-TY on pile.                |
| 39695   | Silver Lake Daybeacon<br>7        | 29-30-36.501N<br>081-08-52.578W |         | 0 |   | SG-SY on pile.                |
| 39700   | Marina Bay Channel<br>Buoy 1      | 29-30-26.200N<br>081-08-46.215W |         |   |   | Green can.                    |
| 39705   | Marina Bay Channel<br>Buoy 2      | 29-30-25.909N<br>081-08-45.000W |         |   |   | Red nun.                      |
| 39710   | Marina Bay Channel<br>Daybeacon 3 | 29-30-27.000N<br>081-08-43.700W |         |   |   | SG on pile.                   |
| 39715   | Marina Bay Channel<br>Daybeacon 4 | 29-30-26.300N<br>081-08-42.500W |         |   |   | TR on pile.                   |
| 39725   | Marina Bay Channel<br>Daybeacon 5 | 29-30-35.000N<br>081-08-39.900W |         |   |   | SG on pile.                   |
| 39730   | Marina Bay Channel<br>Daybeacon 6 | 29-30-28.900N<br>081-08-39.000W |         |   |   | TR on pile.                   |
| 39735   | Marina Bay Channel<br>Daybeacon 7 | 29-30-31.200N<br>081-08-37.000W |         |   |   | SG on pile.                   |
| 39740   | Marina Bay Channel<br>Daybeacon 8 | 29-30-30.000N<br>081-08-36.000W |         |   |   | TR on pile.                   |
| 39745   | Silver Lake Daybeacon<br>9        | 29-30-18.169N<br>081-08-45.216W |         | 0 |   | SG-SY on pile.                |
| 39750   | Silver Lake Daybeacon<br>11       | 29-30-05.370N<br>081-08-40.006W |         |   |   | SG-SY on pile.                |
| 39755   | Silver Lake Light 13              | 29-29-45.903N<br>081-08-32.826W | Fl G 4s | 0 | 5 | SG-SY on dolphin.             |
| 39760   | Smith Creek<br>Daybeacon 14       | 29-28-21.741N<br>081-08-06.798W |         | 0 |   | TR-TY on pile.                |
| 39765   | Smith Creek<br>Daybeacon 15       | 29-28-07.641N<br>081-07-59.418W |         | 0 |   | SG-SY on pile.                |
| 39770   | Smith Creek<br>Daybeacon 17       | 29-27-48.081N<br>081-07-54.198W |         | 0 |   | SG-SY on pile.                |
| 39775   | Smith Creek<br>Daybeacon 19       | 29-27-37.281N<br>081-07-49.098W |         | 0 |   | SG-SY on pile.                |
| 39778   | Smith Creek<br>Daybeacon 20       | 29-27-08.142N<br>081-07-37.294W |         |   |   | TR-TY on pile.                |
| 39780   | Smith Creek<br>Daybeacon 20A      | 29-26-54.032N<br>081-07-19.283W |         | 0 |   | TR-TY on pile.                |
| 39785   | Smith Creek<br>Daybeacon 21       | 29-26-42.654N<br>081-07-03.549W |         | 0 |   | SG-SY on pile.                |
| 39790   | Smith Creek<br>Daybeacon 22       | 29-26-29.118N<br>081-06-56.214W |         | 0 |   | TR-TY on pile.                |
| 39795   | Smith Creek<br>Daybeacon 23       | 29-25-28.856N<br>081-06-23.797W |         | 0 |   | SG-SY on pile.                |
| 39800   | Smith Creek<br>Daybeacon 24       | 29-24-45.226N<br>081-06-16.412W |         | 0 |   | TR-TY on pile.                |
| 39805   | Halifax Creek<br>Daybeacon 26     | 29-24-08.668N<br>081-05-51.924W |         | 0 |   | TR-TY on pile.                |
| 39810   | Halifax Creek                     | 29-23-37.349N                   |         |   |   | TR-TY on pile.                |

|       |                               |                                 |         |   |   |                   |
|-------|-------------------------------|---------------------------------|---------|---|---|-------------------|
|       | Daybeacon 28                  | 081-05-36.794W                  |         |   |   |                   |
| 39815 | Halifax Creek Light 29        | 29-23-28.320N<br>081-05-29.772W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 39820 | Halifax Creek<br>Daybeacon 30 | 29-23-00.803N<br>081-05-20.757W |         | 0 |   | TR-TY on pile.    |
| 39825 | Halifax Creek<br>Daybeacon 32 | 29-22-40.310N<br>081-05-12.613W |         | 0 |   | TR-TY on pile.    |
| 39830 | Halifax Creek<br>Daybeacon 34 | 29-22-23.320N<br>081-05-05.713W |         |   |   | TR-TY on pile.    |
| 39835 | Halifax River Light 2         | 29-21-35.381N<br>081-04-45.809W | FI R 4s | 0 | 5 | TR-TY on dolphin. |
| 39840 | Halifax River<br>Daybeacon 4  | 29-21-12.504N<br>081-04-36.560W |         |   |   | TR-TY on pile.    |
| 39845 | Halifax River<br>Daybeacon 6  | 29-20-49.842N<br>081-04-27.081W |         | 0 |   | TR-TY on pile.    |
| 39850 | Halifax River Light 7         | 29-20-30.263N<br>081-04-17.271W | FI G 4s | 0 | 5 | SG-SY on dolphin. |
| 39855 | Halifax River<br>Daybeacon 8  | 29-20-12.573N<br>081-04-13.190W |         | 0 |   | TR-TY on pile.    |
| 39860 | Halifax River<br>Daybeacon 9  | 29-19-54.239N<br>081-04-04.579W |         |   |   | SG-SY on pile.    |
| 39865 | Halifax River<br>Daybeacon 10 | 29-19-34.130N<br>081-03-59.860W |         |   |   | TR-TY on pile.    |
| 39870 | Halifax River<br>Daybeacon 11 | 29-19-23.241N<br>081-03-53.713W |         |   |   | SG-SY on pile.    |
| 39875 | Halifax River Light 12        | 29-19-09.669N<br>081-03-50.981W | FI R 4s | 0 | 5 | TR-TY on dolphin. |
| 39880 | Halifax River<br>Daybeacon 13 | 29-18-47.091N<br>081-03-41.098W |         | 0 |   | SG-SY on pile.    |
| 39885 | Halifax River<br>Daybeacon 14 | 29-18-23.565N<br>081-03-34.459W |         |   |   | TR-TY on pile.    |
| 39890 | Halifax River<br>Daybeacon 15 | 29-18-13.528N<br>081-03-28.228W |         |   |   | SG-SY on pile.    |
| 39895 | Halifax River Light 16        | 29-17-51.774N<br>081-03-23.119W | FI R 4s | 0 | 5 | TR-TY on dolphin. |
| 39900 | Halifax River<br>Daybeacon 17 | 29-17-37.936N<br>081-03-16.188W |         |   |   | SG-SY on pile.    |
| 39905 | Halifax River<br>Daybeacon 18 | 29-17-23.210N<br>081-03-12.763W |         |   |   | TR-TY on pile.    |
| 39908 | Ormond Beach<br>Daybeacon 1   | 29-17-09.420N<br>081-03-07.980W |         |   |   | SG on pile.       |
| 39910 | Ormond Beach<br>Daybeacon 2   | 29-17-10.326N<br>081-03-10.901W |         |   |   | TR on pile.       |
| 39915 | Ormond Beach<br>Daybeacon 3   | 29-17-10.626N<br>081-03-11.101W |         |   |   | SG on pile.       |
| 39920 | Ormond Beach<br>Daybeacon 4   | 29-17-09.826N<br>081-03-11.601W |         |   |   | TR on pile.       |
| 39925 | Ormond Beach<br>Daybeacon 5   | 29-17-10.226N<br>081-03-12.001W |         |   |   | SG on pile.       |
| 39930 | Ormond Beach<br>Daybeacon 6   | 29-17-09.326N<br>081-03-13.301W |         |   |   | TR on pile.       |
| 39935 | Ormond Beach<br>Daybeacon 7   | 29-17-08.626N<br>081-03-14.301W |         |   |   | SG on pile.       |
| 39940 | Ormond Beach<br>Daybeacon 8   | 29-17-09.026N<br>081-03-14.301W |         |   |   | TR on pile.       |
| 39945 | Ormond Beach<br>Daybeacon 9   | 29-17-08.026N<br>081-03-14.601W |         |   |   | SG on pile.       |
| 39950 | Halifax River<br>Daybeacon 19 | 29-17-01.537N<br>081-03-01.055W |         | 0 |   | SG-SY on pile.    |
| 39955 | Halifax River<br>Daybeacon 20 | 29-16-43.537N<br>081-02-53.723W |         | 0 |   | TR-TY on pile.    |
| 39960 | Halifax River<br>Daybeacon 21 | 29-16-25.102N<br>081-02-41.801W |         | 0 |   | SG-SY on pile.    |
| 39965 | Halifax River<br>Daybeacon 22 | 29-16-03.710N<br>081-02-32.751W |         | 0 |   | TR-TY on pile.    |
| 39970 | Halifax River Light 23        | 29-16-03.211N<br>081-02-31.287W | FI G 4s | 0 | 5 | SG-SY on dolphin. |
| 39975 | Halifax River<br>Daybeacon 24 | 29-15-40.974N<br>081-02-21.205W |         | 0 |   | TR-TY on pile.    |
| 39980 | Halifax River                 | 29-15-16.715N                   |         | 0 |   | SG-SY on dolphin. |

|         |                                                   |                                 |         |   |   |                   |
|---------|---------------------------------------------------|---------------------------------|---------|---|---|-------------------|
|         | Daybeacon 25                                      | 081-02-05.709W                  |         |   |   |                   |
| 39985   | Halifax River Light 26                            | 29-14-56.080N<br>081-01-57.076W | FI R 4s | 0 | 5 | TR-TY on dolphin. |
| 39990   | Halifax River<br>Daybeacon 27                     | 29-14-56.192N<br>081-01-55.031W |         | 0 |   | SG-SY on pile.    |
| 39995   | Halifax River<br>Daybeacon 29                     | 29-14-37.911N<br>081-01-45.355W |         | 0 |   | SG-SY on pile.    |
| 40000   | Halifax River<br>Daybeacon 30                     | 29-14-21.392N<br>081-01-39.148W |         |   |   | TR-TY on pile.    |
| 40005   | Halifax River<br>Daybeacon 32                     | 29-13-43.864N<br>081-01-18.308W |         |   |   | TR-TY on pile.    |
| 40010   | Halifax River<br>Daybeacon 33                     | 29-13-11.996N<br>081-01-03.632W |         | 0 |   | SG-SY on pile.    |
| 40015   | Halifax River<br>Daybeacon 34                     | 29-13-10.769N<br>081-01-06.919W |         | 0 |   | TR-TY on pile.    |
| 40020   | Sunrise Park Boat<br>Ramp Channel<br>Daybeacon 1  | 29-14-49.821N<br>081-02-08.265W |         |   |   | SG on pile.       |
| 40020.1 | Sunrise Park Boat<br>Ramp Channel<br>Daybeacon 2  | 29-14-50.346N<br>081-02-08.372W |         |   |   | TR on pile.       |
| 40020.2 | Sunrise Park Boat<br>Ramp Channel<br>Daybeacon 3  | 29-14-50.108N<br>081-02-05.421W |         |   |   | SG on pile.       |
| 40020.3 | Sunrise Park Boat<br>Ramp Channel<br>Daybeacon 4  | 29-14-50.723N<br>081-02-04.442W |         |   |   | TR on pile.       |
| 40020.4 | Sunrise Park Boat<br>Ramp Channel<br>Daybeacon 5  | 29-14-50.416N<br>081-02-02.081W |         |   |   | SG on pile.       |
| 40020.5 | Sunrise Park Boat<br>Ramp Channel<br>Daybeacon 6  | 29-14-51.086N<br>081-02-01.086W |         |   |   | TR on pile.       |
| 40020.6 | Sunrise Park Boat<br>Ramp Channel<br>Daybeacon 7  | 29-14-50.733N<br>081-01-58.679W |         |   |   | SG on pile.       |
| 40020.7 | Sunrise Park Boat<br>Ramp Channel<br>Daybeacon 8  | 29-14-51.408N<br>081-01-57.707W |         |   |   | TR on pile.       |
| 40020.8 | Sunrise Park Boat<br>Ramp Channel<br>Daybeacon 9  | 29-14-51.067N<br>081-01-55.305W |         |   |   | SG on pile.       |
| 40020.9 | Sunrise Park Boat<br>Ramp Channel<br>Daybeacon 10 | 29-14-51.644N<br>081-01-55.492W |         |   |   | TR on pile.       |
| 40025   | Daytona Beach<br>Daybeacon 1                      | 29-12-36.980N<br>081-00-40.155W |         | 0 |   | SG on pile.       |
| 40030   | Daytona Beach<br>Daybeacon 2                      | 29-12-37.993N<br>081-00-40.504W |         |   |   | TR on pile.       |
| 40035   | Daytona Beach<br>Daybeacon 3                      | 29-12-35.923N<br>081-00-42.754W |         | 0 |   | SG on pile.       |
| 40040   | Daytona Beach<br>Daybeacon 4                      | 29-12-36.723N<br>081-00-43.234W |         | 0 |   | TR on pile.       |
| 40045   | Daytona Beach<br>Daybeacon 5                      | 29-12-33.253N<br>081-00-48.135W |         |   |   | SG on pile.       |
| 40050   | Daytona Beach<br>Daybeacon 6                      | 29-12-34.123N<br>081-00-48.760W |         |   |   | TR on pile.       |
| 40055   | Halifax Harbor<br>Daybeacon 1                     | 29-12-18.800N<br>081-00-28.400W |         |   |   | SG on pile.       |
| 40060   | Halifax Harbor<br>Daybeacon 2                     | 29-12-19.700N<br>081-00-28.600W |         |   |   | TR on pile.       |
| 40065   | Halifax Harbor<br>Daybeacon 3                     | 29-12-17.800N<br>081-00-29.800W |         |   |   | SG on pile.       |
| 40070   | Halifax Harbor<br>Daybeacon 4                     | 29-12-18.750N<br>081-00-30.100W |         |   |   | TR on pile.       |
| 40075   | Halifax Harbor<br>Daybeacon 5                     | 29-12-16.800N<br>081-00-31.800W |         |   |   | SG on pile.       |
| 40080   | Halifax Harbor<br>Daybeacon 6                     | 29-12-17.800N<br>081-00-32.000W |         |   |   | TR on pile.       |
| 40085   | Halifax Harbor<br>Daybeacon 7                     | 29-12-16.100N<br>081-00-33.700W |         |   |   | SG on pile.       |
| 40090   | Halifax Harbor                                    | 29-12-17.100N                   |         |   |   | TR on pile.       |



|       |                                    |                                 |         |   |   |                   |  |
|-------|------------------------------------|---------------------------------|---------|---|---|-------------------|--|
|       | Daybeacon 8                        | 081-00-33.900W                  |         |   |   |                   |  |
| 40095 | Halifax Harbor<br>Daybeacon 9      | 29-12-13.800N<br>081-00-37.700W |         |   |   | SG on pile.       |  |
| 40100 | Halifax Harbor<br>Daybeacon 10     | 29-12-14.900N<br>081-00-38.200W |         |   |   | TR on pile.       |  |
| 40105 | Halifax Harbor<br>Daybeacon 11     | 29-12-13.000N<br>081-00-41.200W |         |   |   | SG on pile.       |  |
| 40110 | Halifax Harbor<br>Daybeacon 12     | 29-12-14.100N<br>081-00-41.400W |         |   |   | TR on pile.       |  |
| 40115 | Halifax River<br>Daybeacon 38      | 29-12-28.609N<br>081-00-33.619W |         | 0 |   | TR-TY on pile.    |  |
| 40120 | Halifax River<br>Daybeacon 39      | 29-12-28.565N<br>081-00-31.221W |         |   |   | SG-SY on pile.    |  |
| 40125 | Halifax River<br>Daybeacon 39A     | 29-12-21.461N<br>081-00-26.843W |         | 0 |   | SG-SY on pile.    |  |
| 40135 | Boat Works Channel<br>Daybeacon 2  | 29-12-12.933N<br>081-00-22.697W |         |   |   | TR on pile.       |  |
| 40140 | Boat Works Channel<br>Daybeacon 3  | 29-12-14.333N<br>081-00-23.697W |         |   |   | SG on pile.       |  |
| 40145 | Boat Works Channel<br>Daybeacon 4  | 29-12-14.333N<br>081-00-23.697W |         |   |   | TR on pile.       |  |
| 40150 | Boat Works Channel<br>Daybeacon 5  | 29-12-14.333N<br>081-00-23.697W |         |   |   | SG on pile.       |  |
| 40155 | Boat Works Channel<br>Daybeacon 6  | 29-12-14.333N<br>081-00-23.697W |         |   |   | TR on pile.       |  |
| 40160 | Boat Works Channel<br>Daybeacon 7  | 29-12-14.333N<br>081-00-23.697W |         |   |   | SG on pile.       |  |
| 40165 | Boat Works Channel<br>Daybeacon 8  | 29-12-14.333N<br>081-00-23.697W |         |   |   | TR on pile.       |  |
| 40170 | Boat Works Channel<br>Daybeacon 9  | 29-12-14.333N<br>081-00-23.197W |         |   |   | SG on pile.       |  |
| 40175 | Boat Works Channel<br>Daybeacon 10 | 29-12-14.333N<br>081-00-23.697W |         |   |   | TR on pile.       |  |
| 40180 | Halifax River<br>Daybeacon 40      | 29-12-06.801N<br>081-00-19.757W |         | 0 |   | TR-TY on pile.    |  |
| 40185 | Halifax River<br>Daybeacon 42      | 29-11-57.011N<br>081-00-13.918W |         |   |   | TR-TY on pile.    |  |
| 40190 | Halifax River Light 43             | 29-11-57.081N<br>081-00-11.477W | FI G 4s | 0 | 5 | SG-SY on dolphin. |  |
| 40195 | Halifax River<br>Daybeacon 44      | 29-11-40.235N<br>081-00-05.134W |         | 0 |   | TR-TY on pile.    |  |
| 40200 | Halifax River Light 45             | 29-11-25.705N<br>080-59-54.794W | FI G 4s | 0 | 4 | SG-SY on dolphin. |  |
| 40205 | Halifax River<br>Daybeacon 46      | 29-11-05.024N<br>080-59-49.591W |         |   |   | TR-TY on pile.    |  |
| 40210 | Halifax River Light 47             | 29-10-41.356N<br>080-59-36.783W | FI G 4s | 0 | 5 | SG-SY on dolphin. |  |
| 40215 | Halifax River<br>Daybeacon 48      | 29-10-40.906N<br>080-59-38.904W |         | 0 |   | TR-TY on pile.    |  |
| 40220 | Halifax River<br>Daybeacon 50      | 29-10-19.842N<br>080-59-24.992W |         | 0 |   | TR-TY on pile.    |  |
| 40225 | Halifax River<br>Daybeacon 51      | 29-10-03.617N<br>080-59-11.793W |         | 0 |   | SG-SY on pile.    |  |
| 40230 | Halifax River Light 52             | 29-09-44.521N<br>080-59-01.497W | FI R 4s | 0 | 5 | TR-TY on dolphin. |  |
| 40235 | Halifax River<br>Daybeacon 53      | 29-09-45.994N<br>080-59-00.166W |         |   |   | SG-SY on pile.    |  |
| 40240 | Halifax River<br>Daybeacon 55      | 29-09-28.303N<br>080-58-50.122W |         | 0 |   | SG-SY on pile.    |  |
| 40245 | Halifax River<br>Daybeacon 56      | 29-09-11.729N<br>080-58-42.530W |         | 0 |   | TR-TY on pile.    |  |
| 40250 | Matthews Marina<br>Daybeacon 1     | 29-09-24.737N<br>080-58-45.196W |         |   |   | SG on pile.       |  |
| 40255 | Matthews Marina<br>Daybeacon 2     | 29-09-24.237N<br>080-58-44.196W |         |   |   | TR on pile.       |  |
| 40260 | Matthews Marina<br>Daybeacon 3     | 29-09-24.037N<br>080-58-44.396W |         |   |   | SG on pile.       |  |
| 40265 | Matthew Marina<br>Daybeacon 4      | 29-09-23.737N<br>080-58-43.296W |         |   |   | TR on pile.       |  |
| 40270 | Matthews Marina<br>Daybeacon 5     | 29-09-26.337N<br>080-58-40.996W |         |   |   | SG on pile.       |  |

|       |                                                        |                                 |         |   |   |                   |
|-------|--------------------------------------------------------|---------------------------------|---------|---|---|-------------------|
| 40275 | Matthews Marina<br>Daybeacon 6                         | 29-09-25.937N<br>080-58-40.396W |         |   |   | TR on pile.       |
| 40280 | Seven Seas Marina<br>Daybeacon 1                       | 29-09-13.237N<br>080-58-38.896W |         |   |   | SG on pile.       |
| 40285 | Seven Seas Marina<br>Daybeacon 2                       | 29-09-11.237N<br>080-58-38.196W |         |   |   | TR on pile.       |
| 40290 | Seven Seas Marina<br>Daybeacon 3                       | 29-09-13.537N<br>080-58-37.396W |         |   |   | SG on pile.       |
| 40295 | Seven Seas Marina<br>Daybeacon 4                       | 29-09-11.637N<br>080-58-37.096W |         |   |   | TR on pile.       |
| 40300 | Seven Seas Marina<br>Daybeacon 5                       | 29-09-13.937N<br>080-58-37.396W |         |   |   | SG on pile.       |
| 40305 | Seven Seas Marina<br>Daybeacon 6                       | 29-09-11.937N<br>080-58-36.696W |         |   |   | TR on pile.       |
| 40310 | Seven Seas Marina<br>Daybeacon 7                       | 29-09-14.137N<br>080-58-37.096W |         |   |   | SG on pile.       |
| 40315 | Seven Seas Marina<br>Daybeacon 8                       | 29-09-12.637N<br>080-58-35.896W |         |   |   | TR on pile.       |
| 40320 | Seven Seas Marina<br>Daybeacon 9                       | 29-09-12.637N<br>080-58-35.896W |         |   |   | SG on pile.       |
| 40325 | Seven Seas Marina<br>Daybeacon 10                      | 29-09-12.637N<br>080-58-35.896W |         |   |   | TR on pile.       |
| 40330 | Seven Seas Marina<br>Daybeacon 11                      | 29-09-12.637N<br>080-58-35.896W |         |   |   | SG on pile.       |
| 40335 | Halifax River<br>Daybeacon 57                          | 29-08-32.056N<br>080-58-17.284W |         | 0 |   | SG-SY on pile.    |
| 40340 | Halifax River<br>Daybeacon 58                          | 29-08-12.809N<br>080-58-08.872W |         | 0 |   | TR-TY on pile.    |
| 40345 | Halifax River Light 59                                 | 29-08-09.450N<br>080-58-03.922W | FI G 4s | 0 | 5 | SG-SY on dolphin. |
| 40350 | Adventure Yacht<br>Harbor Daybeacon 1                  | 29-07-56.939N<br>080-57-58.495W |         |   |   | SG on pile.       |
| 40355 | Adventure Yacht<br>Harbor Daybeacon 2                  | 29-07-54.939N<br>080-57-57.195W |         |   |   | TR on pile.       |
| 40360 | Adventure Yacht<br>Harbor Daybeacon 3                  | 29-07-57.939N<br>080-57-56.195W |         |   |   | SG on pile.       |
| 40365 | Adventure Yacht<br>Harbor Daybeacon 4                  | 29-07-56.100N<br>080-57-55.195W |         |   |   | TR on pile.       |
| 40370 | Adventure Yacht<br>Harbor Daybeacon 5                  | 29-07-58.339N<br>080-57-53.195W |         |   |   | SG on pile.       |
| 40375 | Adventure Yacht<br>Harbor Daybeacon 6                  | 29-07-57.100N<br>080-57-53.100W |         |   |   | TR on pile.       |
| 40380 | Adventure Yacht<br>Harbor Daybeacon 7                  | 29-07-58.400N<br>080-57-51.195W |         |   |   | SG on pile.       |
| 40385 | Adventure Yacht<br>Harbor Daybeacon 8                  | 29-07-57.100N<br>080-57-51.195W |         |   |   | TR on pile.       |
| 40390 | Adventure Yacht<br>Harbor Daybeacon 9                  | 29-07-58.939N<br>080-57-49.195W |         |   |   | SG on pile.       |
| 40395 | Adventure Yacht<br>Harbor Daybeacon 10                 | 29-07-57.200N<br>080-57-49.200W |         |   |   | TR on pile.       |
| 40400 | Adventure Yacht<br>Harbor Daybeacon 11                 | 29-07-56.939N<br>080-57-47.195W |         |   |   | SG on pile.       |
| 40405 | Adventure Yacht<br>Harbor Daybeacon 12                 | 29-07-55.939N<br>080-57-47.195W |         |   |   | TR on pile.       |
| 40410 | Adventure Yacht<br>Harbor Junction<br>Daybeacon        | 29-07-56.000N<br>080-57-45.000W |         |   |   | JG on pile.       |
| 40415 | Adventure Yacht<br>Harbor North Channel<br>Daybeacon 1 | 29-07-56.900N<br>080-57-45.000W |         |   |   | SG on pile.       |
| 40420 | Adventure Yacht<br>Harbor North Channel<br>Daybeacon 2 | 29-07-56.000N<br>080-57-44.595W |         |   |   | TR on pile.       |
| 40430 | Adventure Yacht<br>Harbor Daybeacon 14                 | 29-07-53.939N<br>080-57-44.595W |         |   |   | TR on pile.       |
| 40435 | Halifax River<br>Daybeacon 60                          | 29-07-48.074N<br>080-58-01.502W |         | 0 |   | TR-TY on pile.    |
| 40440 | Halifax River<br>Daybeacon 61                          | 29-07-30.859N<br>080-57-53.737W |         | 0 |   | SG-SY on pile.    |
| 40445 | Halifax River Light 62                                 | 29-07-21.581N                   | FI R 4s | 0 | 5 | TR-TY on pile.    |

|         |                                    |                                 |         |    |   |                                            |
|---------|------------------------------------|---------------------------------|---------|----|---|--------------------------------------------|
|         |                                    | 080-57-54.462W                  |         |    |   |                                            |
| 40450   | Halifax River<br>Daybeacon 63      | 29-07-18.301N<br>080-57-47.122W |         | 0  |   | SG-SY on pile.                             |
| 40455   | Halifax River<br>Daybeacon 64      | 29-07-05.801N<br>080-57-40.152W |         | 0  |   | TR-TY on pile.                             |
| 40460   | Halifax River<br>Daybeacon 66      | 29-06-50.702N<br>080-57-26.402W |         | 0  |   | TR-TY on pile.                             |
| 40465   | Halifax River Light 67             | 29-06-48.582N<br>080-57-19.262W | FI G 4s | 0  | 5 | SG-SY on dolphin.                          |
| 40470   | Halifax River<br>Daybeacon 68      | 29-06-43.932N<br>080-57-21.242W |         | 0  |   | TR-TY on pile.                             |
| 40473   | Halifax River<br>Daybeacon 68A     | 29-06-37.481N<br>080-57-17.816W |         | 0  |   | TR on pile.                                |
| 40475   | Halifax River<br>Daybeacon 69      | 29-06-33.449N<br>080-57-12.894W |         | 0  |   | SG-SY on pile.                             |
| 40480   | Halifax River<br>Daybeacon 70      | 29-06-24.185N<br>080-57-14.866W |         | 0  |   | TR-TY on pile.                             |
| 40485   | Halifax River<br>Daybeacon 71      | 29-06-10.933N<br>080-57-05.421W |         | 0  |   | SG-SY on pile.                             |
| 40490   | Halifax River<br>Daybeacon 72      | 29-05-55.571N<br>080-57-02.545W |         | 0  |   | TR-TY on pile.                             |
| 40495   | Ponce De Leon Cut<br>Light 1       | 29-05-46.217N<br>080-56-56.735W | FI G 4s | 0  | 5 | SG-SY on dolphin.                          |
| 40500   | Ponce De Leon Cut<br>Buoy 2        | 29-05-39.252N<br>080-56-57.660W |         |    |   | Red nun with yellow triangle.              |
| 40503   | Ponce De Leon Cut<br>Buoy 2A       | 29-05-33.595N<br>080-56-59.345W |         |    |   | Red nun with yellow triangle.              |
| 40505   | Ponce De Leon Cut<br>Buoy 3        | 29-05-38.488N<br>080-56-55.884W |         |    |   | Green can.                                 |
| 40508   | Ponce De Leon Cut<br>Buoy 3A       | 29-05-26.570N<br>080-56-58.524W |         |    |   | Green can with yellow<br>square.           |
| 40510   | Inlet Harbor Buoy 1                | 29-05-36.049N<br>080-56-41.140W |         |    |   | Green can.                                 |
| 40515   | Inlet Harbor Buoy 2                | 29-05-31.532N<br>080-56-37.063W |         |    |   | Red nun.                                   |
| 40515.1 | Inlet Harbor Buoy 2A               | 29-05-16.328N<br>080-56-16.681W |         |    |   | Red nun.                                   |
| 40516   | Inlet Harbor Buoy 2B               | 29-05-10.381N<br>080-56-11.197W |         |    |   | Red nun.                                   |
| 40520   | Inlet Harbor Buoy 4                | 29-05-01.846N<br>080-56-10.465W |         |    |   | Red nun.                                   |
| 40525   | Ponce De Leon Cut<br>Light 4       | 29-05-17.481N<br>080-57-00.977W | FI R 4s | 0  | 5 | TR-TY on pile.                             |
| 40530   | Ponce De Leon Cut<br>Daybeacon 6   | 29-05-10.869N<br>080-56-57.729W |         |    |   | TR-TY on pile.                             |
| 40535   | Ponce De Leon Cut<br>Daybeacon 7   | 29-04-32.943N<br>080-56-34.679W |         | 0  |   | SG-SY on pile.                             |
| 40540   | Ponce De Leon Cut<br>Daybeacon 8   | 29-04-09.280N<br>080-56-23.662W |         | 0  |   | TR-TY on pile.                             |
| 40545   | Ponce de Leon Cut<br>Light 10      | 29-03-36.441N<br>080-56-05.117W | FI R 4s |    | 5 | TR-TY on pile.                             |
| 40595   | Ponce De Leon Cut<br>Daybeacon 12  | 29-03-29.781N<br>080-55-45.917W |         |    |   | TR-TY on pile.                             |
| 40600   | Ponce De Leon Cut<br>Light 14      | 29-03-25.059N<br>080-55-25.235W | FI R 4s | 0  | 5 | TR-TY on pile.                             |
| 40605   | Ponce De Leon Cut<br>Daybeacon 16  | 29-03-25.543N<br>080-55-12.330W |         | 0  |   | TR-TY on pile.                             |
| 40608   | Ponce De Leon Cut<br>Light 17      | 29-03-27.347N<br>080-55-02.035W | FI G 4s | 10 | 5 | SG-SY on pile.                             |
| 40610   | Ponce De Leon Cut<br>Daybeacon 18  | 29-03-25.677N<br>080-54-53.645W |         | 0  |   | TR-TY on pile.                             |
| 40613   | Ponce De Leon Cut<br>Buoy 18A      | 29-03-25.827N<br>080-54-50.519W |         |    |   | Red nun with yellow triangle.              |
| 40615   | Ponce de Leon Cut<br>Junction Buoy | 29-03-27.312N<br>080-54-51.744W |         |    |   | Green and red bands with<br>yellow square. |
| 40620   | New Smyrna Beach<br>Daybeacon 20   | 29-03-17.735N<br>080-54-41.257W |         | 0  |   | TR-TY on pile.                             |
| 40625   | New Smyrna Beach<br>Light 21       | 29-03-14.334N<br>080-54-31.604W | FI G 4s |    | 5 | SG-SY on pile.                             |
| 40630   | New Smyrna Beach                   | 29-03-08.411N                   |         |    |   | TR-TY on pile.                             |

|       |                                           |                                 |         |   |   |                                    |
|-------|-------------------------------------------|---------------------------------|---------|---|---|------------------------------------|
|       | Daybeacon 22                              | 080-54-30.810W                  |         |   |   |                                    |
| 40635 | New Smyrna Beach<br>Daybeacon 24          | 29-02-55.438N<br>080-54-21.473W |         | 0 |   | TR-TY on pile.                     |
| 40645 | New Smyrna Beach<br>Daybeacon 28          | 29-02-41.901N<br>080-54-18.317W |         | 0 |   | TR-TY on pile.                     |
| 40650 | New Smyrna Beach<br>Light 29              | 29-02-38.661N<br>080-54-14.897W | FI G 4s | 0 | 5 | SG-SY on pile.                     |
| 40655 | New Smyrna Beach<br>Light 30              | 29-02-08.721N<br>080-54-21.977W | FI R 4s | 0 | 5 | TR-TY on pile.                     |
| 40660 | New Smyrna Beach<br>Daybeacon 32          | 29-02-03.644N<br>080-54-25.329W |         | 0 |   | TR-TY on pile.                     |
| 40665 | New Smyrna Beach<br>Light 33              | 29-01-55.821N<br>080-54-26.837W | FI G 4s | 0 | 5 | SG-SY on pile.                     |
| 40670 | New Smyrna Beach<br>Daybeacon 34          | 29-01-55.581N<br>080-54-34.502W |         | 0 |   | TR-TY on pile.                     |
| 40675 | North Sheephead Cut<br>Junction Daybeacon | 29-01-53.736N<br>080-54-32.063W |         | 0 |   | JG-SY on pile.                     |
| 40680 | Sheephead Cut<br>Daybeacon 1              | 29-01-46.903N<br>080-54-36.850W |         | 0 |   | SG on pile.                        |
| 40685 | Sheephead Cut<br>Daybeacon 2              | 29-01-47.706N<br>080-54-38.243W |         | 0 |   | TR on pile.                        |
| 40690 | Sheephead Cut<br>Daybeacon 3              | 29-01-41.711N<br>080-54-44.304W |         | 0 |   | SG on pile.                        |
| 40695 | Sheephead Cut<br>Daybeacon 4              | 29-01-43.046N<br>080-54-45.064W |         | 0 |   | TR on pile.                        |
| 40700 | Sheephead Cut<br>Daybeacon 6              | 29-01-40.287N<br>080-54-48.917W |         | 0 |   | TR on pile.                        |
| 40705 | Sheephead Cut<br>Daybeacon 7              | 29-01-36.517N<br>080-54-56.619W |         | 0 |   | SG on pile.                        |
| 40710 | Sheephead Cut<br>Daybeacon 8              | 29-01-37.996N<br>080-54-59.964W |         | 0 |   | TR on pile.                        |
| 40715 | Sheephead Cut Shoal<br>Daybeacon          | 29-01-37.660N<br>080-55-03.354W |         | 0 |   | NW on pile worded DANGER<br>SHOAL. |
| 40720 | South Sheephead Cut<br>Junction Daybeacon | 29-01-32.961N<br>080-55-05.597W |         | 0 |   | JG-SY on pile.                     |
| 40725 | New Smyrna Beach<br>Light 35              | 29-01-52.041N<br>080-54-47.837W | FI G 4s | 0 | 5 | SG-SY on pile.                     |
| 40730 | New Smyrna Beach<br>Daybeacon 37          | 29-01-46.079N<br>080-55-01.940W |         | 0 |   | SG-SY on pile.                     |
| 40735 | New Smyrna Beach<br>Light 38              | 29-01-43.701N<br>080-55-07.451W | FI R 4s | 0 | 5 | TR-TY on pile.                     |
| 40740 | New Smyrna Beach<br>Daybeacon 39          | 29-01-42.531N<br>080-55-05.114W |         | 0 |   | SG-SY on pile.                     |
| 40745 | New Smyrna Beach<br>Light 42              | 29-01-12.455N<br>080-55-03.674W | FI R 4s | 0 | 5 | TR-TY on dolphin.                  |
| 40750 | New Smyrna Beach<br>Daybeacon 43          | 29-01-10.401N<br>080-54-59.237W |         | 0 |   | SG-SY on pile.                     |
| 40755 | New Smyrna Beach<br>Light 45              | 29-00-53.379N<br>080-54-45.869W | FI G 4s | 0 | 5 | SG-SY on pile.                     |
| 40760 | New Smyrna Beach<br>Daybeacon 46          | 29-00-52.540N<br>080-54-48.201W |         | 0 |   | TR-TY on pile.                     |
| 40765 | Smyrna Yacht Club<br>Daybeacon 1          | 29-00-44.449N<br>080-54-45.193W |         |   |   | SG on pile.                        |
| 40775 | Smyrna Yacht Club<br>Daybeacon 3          | 29-00-44.349N<br>080-54-47.193W |         |   |   | SG on pile.                        |
| 40780 | Smyrna Yacht Club<br>Daybeacon 5          | 29-00-42.949N<br>080-54-48.293W |         |   |   | SG on pile.                        |
| 40785 | New Smyrna Beach<br>Daybeacon 47          | 29-00-30.647N<br>080-54-33.468W |         | 0 |   | SG-SY on pile.                     |
| 40790 | New Smyrna Beach<br>Daybeacon 48          | 29-00-03.861N<br>080-54-22.926W |         | 0 |   | TR-TY on pile.                     |
| 40795 | New Smyrna Beach<br>Light 49              | 29-00-05.237N<br>080-54-20.821W | FI G 4s | 0 | 5 | SG-SY on pile.                     |
| 40800 | New Smyrna Beach<br>Daybeacon 50          | 28-59-37.101N<br>080-54-09.017W |         | 0 |   | TR-TY on pile.                     |
| 40805 | New Smyrna Beach<br>Daybeacon 51          | 28-59-32.094N<br>080-54-03.497W |         |   |   | SG-SY on pile.                     |
| 40810 | New Smyrna Beach<br>Daybeacon 52          | 28-59-14.665N<br>080-53-57.011W |         |   |   | TR-TY on pile.                     |
| 40815 | New Smyrna Beach                          | 28-59-16.790N                   | FI G 4s | 0 | 5 | SG-SY on pile.                     |

|         |                                                    |                                 |           |    |   |                |
|---------|----------------------------------------------------|---------------------------------|-----------|----|---|----------------|
|         | Light 53                                           | 080-53-55.432W                  |           |    |   |                |
| 40820   | New Smyrna Beach<br>Daybeacon 55                   | 28-58-49.521N<br>080-53-39.917W |           | 0  |   | SG-SY on pile. |
| 40825   | New Smyrna Beach<br>Daybeacon 56                   | 28-58-18.441N<br>080-53-25.157W |           |    |   | TR-TY on pile. |
| 40830   | New Smyrna Beach<br>Light 57                       | 28-58-18.081N<br>080-53-22.277W | FI G 4s   | 0  | 5 | SG-SY on pile. |
| 40835   | New Smyrna Beach<br>Daybeacon 59                   | 28-57-55.820N<br>080-53-09.962W |           | 0  |   | SG-SY on pile. |
| 40840   | New Smyrna Beach<br>Light 60                       | 28-57-24.561N<br>080-52-54.830W | FI R 4s   | 0  | 5 | TR-TY on pile. |
| 40845   | New Smyrna Beach<br>Daybeacon 62                   | 28-57-10.821N<br>080-52-41.837W |           | 0  |   | TR-TY on pile. |
| 40850   | New Smyrna Beach<br>Light 63                       | 28-57-01.396N<br>080-52-29.216W | FI G 4s   | 0  | 5 | SG-SY on pile. |
| 40853.1 | Mosquito Lagoon<br>Aquaculture Boundary<br>Light A | 28-56-53.988N<br>080-51-23.944W | FI Y 2.5s |    |   | NY on pile.    |
| 40853.2 | Mosquito Lagoon<br>Aquaculture Boundary<br>Light B | 28-56-54.474N<br>080-51-22.367W | FI Y 2.5s |    |   | NY of pile.    |
| 40853.3 | Mosquito Lagoon<br>Aquaculture Boundary<br>Light C | 28-56-57.462N<br>080-51-23.854W | FI Y 2.5s |    |   | NY on pile.    |
| 40853.4 | Mosquito Lagoon<br>Aquaculture Boundary<br>Light D | 28-56-57.163N<br>080-51-24.923W | FI Y 2.5s |    |   | NY on pile.    |
| 40853.5 | Mosquito Lagoon<br>Aquaculture Boundary<br>Light E | 28-57-08.532N<br>080-51-25.668W | FI Y 2.5s |    |   | NY on pile.    |
| 40853.6 | Mosquito Lagoon<br>Aquaculture Boundary<br>Light F | 28-57-08.568N<br>080-51-24.588W | FI Y 2.5s |    |   | NY on pile.    |
| 40853.7 | Mosquito Lagoon<br>Aquaculture Boundary<br>Light G | 28-57-11.981N<br>080-51-24.944W | FI Y 2.5s |    |   | NY on pile.    |
| 40853.8 | Mosquito Lagoon<br>Aquaculture Boundary<br>Light H | 28-57-11.905N<br>080-51-26.287W | FI Y 2.5s |    |   | NY on pile     |
| 40854   | Bethune Beach<br>Aquaculture Boundary<br>Light A   | 28-56-13.938N<br>080-49-59.847W | Q Y       |    |   | TY on pile.    |
| 40854.1 | Bethune Beach<br>Aquaculture Boundary<br>Light B   | 28-56-10.532N<br>080-49-58.083W | FI Y 2.5s |    |   | TY on pile.    |
| 40854.2 | Bethune Beach<br>Aquaculture Boundary<br>Light C   | 28-56-09.873N<br>080-50-00.686W | FI Y 6s   |    |   | TY on pile.    |
| 40854.3 | Bethune Beach<br>Aquaculture Boundary<br>Light D   | 28-56-12.894N<br>080-50-02.428W | FI Y 4s   |    |   | TY on pile.    |
| 40855   | New Smyrna Beach<br>Daybeacon 64                   | 28-56-30.081N<br>080-52-10.877W |           |    |   | TR-TY on pile. |
| 40860   | New Smyrna Beach<br>Light 65                       | 28-56-24.741N<br>080-52-05.043W | FI G 4s   |    | 5 | SG-SY on pile. |
| 40865   | New Smyrna Beach<br>Daybeacon 67                   | 28-56-07.221N<br>080-51-58.277W |           | 0  |   | SG-SY on pile. |
| 40870   | New Smyrna Beach<br>Daybeacon 68                   | 28-55-43.443N<br>080-51-52.410W |           |    |   | TR-TY on pile. |
| 40875   | New Smyrna Beach<br>Light 69                       | 28-55-21.893N<br>080-51-41.822W | FI G 4s   | 0  | 5 | SG-SY on pile. |
| 40880   | New Smyrna Beach<br>Daybeacon 70                   | 28-54-48.921N<br>080-51-32.237W |           |    |   | TR-TY on pile. |
| 40885   | New Smyrna Beach<br>Light 71                       | 28-54-35.535N<br>080-51-25.169W | FI G 4s   | 0  | 5 | SG-SY on pile. |
| 40890   | New Smyrna Beach<br>Daybeacon 73                   | 28-54-18.021N<br>080-51-15.977W |           | 0  |   | SG-SY on pile. |
| 40895   | New Smyrna Beach<br>Light 75                       | 28-53-44.999N<br>080-50-58.077W | FI G 4s   | 15 | 5 | SG-SY on pile. |
| 40900   | Mosquito Lagoon<br>Daybeacon 2                     | 28-53-23.637N<br>080-50-49.157W |           | 0  |   | TR-TY on pile. |

|       |                                  |                                 |         |    |   |                   |
|-------|----------------------------------|---------------------------------|---------|----|---|-------------------|
| 40905 | Mosquito Lagoon<br>Daybeacon 4   | 28-53-08.163N<br>080-50-40.823W |         | 0  |   | TR-TY on pile.    |
| 40910 | Mosquito Lagoon<br>Light 5       | 28-53-08.499N<br>080-50-38.375W | FI G 4s |    | 5 | SG-SY on dolphin. |
| 40915 | Mosquito Lagoon<br>Daybeacon 6   | 28-53-03.639N<br>080-50-37.697W |         | 0  |   | TR-TY on pile.    |
| 40920 | Mosquito Lagoon<br>Daybeacon 7   | 28-52-51.717N<br>080-50-25.913W |         | 0  |   | SG-SY on pile.    |
| 40925 | Mosquito Lagoon<br>Daybeacon 8   | 28-52-30.084N<br>080-50-11.551W |         | 0  |   | TR-TY on pile.    |
| 40930 | Mosquito Lagoon<br>Daybeacon 9   | 28-52-24.566N<br>080-50-05.585W |         | 0  |   | SG-SY on pile.    |
| 40935 | Mosquito Lagoon<br>Daybeacon 9A  | 28-52-04.605N<br>080-49-50.369W |         | 0  |   | SG-SY on pile.    |
| 40940 | Mosquito Lagoon<br>Daybeacon 10  | 28-51-56.025N<br>080-49-45.967W |         | 0  |   | TR-TY on pile.    |
| 40945 | Mosquito Lagoon<br>Daybeacon 12  | 28-51-37.148N<br>080-49-31.956W |         | 0  |   | TR-TY on pile.    |
| 40950 | Mosquito Lagoon<br>Light 13      | 28-51-39.199N<br>080-49-31.194W | FI G 4s | 0  | 5 | SG-SY on dolphin. |
| 40955 | Mosquito Lagoon<br>Daybeacon 13A | 28-51-21.846N<br>080-49-19.751W |         | 0  |   | SG-SY on pile.    |
| 40960 | Mosquito Lagoon<br>Daybeacon 14  | 28-51-11.145N<br>080-49-15.599W |         | 15 |   | TR-TY on pile.    |
| 40965 | Mosquito Lagoon<br>Daybeacon 15  | 28-50-43.281N<br>080-48-55.721W |         | 0  |   | SG-SY on pile.    |
| 40970 | Mosquito Lagoon<br>Light 16      | 28-50-25.155N<br>080-48-46.787W | FI R 4s | 0  | 5 | TR-TY on pile.    |
| 40975 | Mosquito Lagoon<br>Daybeacon 17  | 28-50-25.935N<br>080-48-45.017W |         | 0  |   | SG-SY on pile.    |
| 40980 | Mosquito Lagoon<br>Daybeacon 19  | 28-50-07.437N<br>080-48-33.413W |         | 0  |   | SG-SY on pile.    |
| 40985 | Mosquito Lagoon<br>Daybeacon 20  | 28-49-30.675N<br>080-48-14.557W |         | 0  |   | TR-TY on pile.    |
| 40990 | Mosquito Lagoon<br>Light 21      | 28-49-10.389N<br>080-47-57.797W | FI G 4s | 0  | 5 | SG-SY on dolphin. |
| 40995 | Mosquito Lagoon<br>Daybeacon 22  | 28-49-03.909N<br>080-47-57.305W |         |    |   | TR-TY on pile.    |
| 41000 | Mosquito Lagoon<br>Daybeacon 24  | 28-48-40.923N<br>080-47-42.713W |         | 0  |   | TR-TY on pile.    |
| 41005 | Mosquito Lagoon<br>Daybeacon 25  | 28-48-22.797N<br>080-47-27.971W |         | 0  |   | SG-SY on pile.    |
| 41010 | Mosquito Lagoon<br>Light 26      | 28-47-55.995N<br>080-47-14.609W | FI R 4s | 0  | 5 | TR-TY on dolphin. |
| 41015 | Mosquito Lagoon<br>Daybeacon 27  | 28-47-54.921N<br>080-47-10.883W |         |    |   | SG-SY on pile.    |
| 41020 | Mosquito Lagoon<br>Daybeacon 29  | 28-47-30.026N<br>080-46-55.851W |         | 0  |   | SG-SY on pile.    |
| 41025 | Mosquito Lagoon<br>Daybeacon 30  | 28-47-06.261N<br>080-46-44.129W |         |    |   | TR-TY on pile.    |
| 41030 | Mosquito Lagoon<br>Light 31      | 28-46-44.079N<br>080-46-27.995W | FI G 4s | 0  | 5 | SG-SY on dolphin. |
| 41035 | Mosquito Lagoon<br>Daybeacon 32  | 28-46-43.209N<br>080-46-30.011W |         |    |   | TR-TY on pile.    |
| 41040 | Mosquito Lagoon<br>Daybeacon 34  | 28-46-18.736N<br>080-46-14.971W |         | 0  |   | TR-TY on pile.    |
| 41045 | Mosquito Lagoon<br>Daybeacon 35  | 28-45-52.275N<br>080-45-56.513W |         | 0  |   | SG-SY on pile.    |
| 41050 | Mosquito Lagoon<br>Light 38      | 28-45-29.923N<br>080-45-44.927W | FI R 4s |    | 5 | TR-TY on dolphin. |
| 41055 | Mosquito Lagoon<br>Daybeacon 37  | 28-45-30.036N<br>080-45-42.191W |         | 0  |   | SG-SY on pile.    |
| 41060 | Mosquito Lagoon<br>Daybeacon 40  | 28-45-17.473N<br>080-45-32.779W |         | 0  |   | TR-TY on pile.    |
| 41065 | Mosquito Lagoon<br>Light 42      | 28-45-01.221N<br>080-45-17.339W | FI R 4s | 0  | 5 | TR-TY on dolphin. |
| 41070 | Mosquito Lagoon<br>Daybeacon 41  | 28-45-03.027N<br>080-45-15.827W |         | 0  |   | SG-SY on pile.    |
| 41075 | Mosquito Lagoon<br>Daybeacon 43  | 28-44-48.909N<br>080-44-54.869W |         |    |   | SG-SY on pile.    |

|         |                                              |                                 |         |   |   |                                              |
|---------|----------------------------------------------|---------------------------------|---------|---|---|----------------------------------------------|
| 41080   | Mosquito Lagoon<br>Daybeacon 44              | 28-44-42.189N<br>080-44-51.071W |         | 0 |   | TR-TY on pile.                               |
| 41085   | Mosquito Lagoon<br>Light 45                  | 28-44-42.273N<br>080-44-43.541W | Q G     | 0 | 4 | SG-SY on pile.                               |
| 41090   | Mosquito Lagoon<br>Daybeacon 46              | 28-44-39.747N<br>080-44-50.423W |         | 0 |   | TR-TY on pile.                               |
| 41095   | Mosquito Lagoon<br>Daybeacon 47              | 28-44-40.138N<br>080-44-45.664W |         | 0 |   | SG-SY on pile.                               |
| 41096   | Mosquito Lagoon<br>Monitoring Platform A     | 28-43-55.200N<br>080-43-02.500W |         |   |   | NW on platform worded<br>DANGER OBSTRUCTION. |
| 41100   | Indian River (North<br>Section) Light 1      | 28-43-25.831N<br>080-46-01.841W | FI G 4s | 0 | 5 | SG-SY on pile.                               |
| 41105   | Indian River (North<br>Section) Daybeacon 2  | 28-43-27.267N<br>080-46-03.635W |         | 0 |   | TR-TY on pile.                               |
| 41110   | Indian River (North<br>Section) Daybeacon 3  | 28-43-04.155N<br>080-46-28.325W |         | 0 |   | SG-SY on pile.                               |
| 41115   | Indian River (North<br>Section) Light 4      | 28-42-43.311N<br>080-46-57.095W | FI R 4s | 0 | 5 | TR-TY on dolphin.                            |
| 41120   | Indian River (North<br>Section) Daybeacon 5  | 28-42-41.331N<br>080-46-56.189W |         | 0 |   | SG-SY on pile.                               |
| 41123   | Scottsmeer Landing<br>Daybeacon 1            | 28-46-11.000N<br>080-49-56.000W |         |   |   | SG on pile.                                  |
| 41123.3 | Scottsmeer Landing<br>Daybeacon 2            | 28-46-12.000N<br>080-50-00.000W |         |   |   | TR on pile.                                  |
| 41123.5 | Scottsmeer Landing<br>Daybeacon 3            | 28-46-17.000N<br>080-50-30.000W |         |   |   | SG on pile.                                  |
| 41123.8 | Scottsmeer Landing<br>Daybeacon 4            | 28-46-20.000N<br>080-50-39.000W |         |   |   | TR on pile.                                  |
| 41124   | Scottsmeer Landing<br>Daybeacon 5            | 28-46-12.000N<br>080-50-41.000W |         |   |   | SG on pile.                                  |
| 41124.3 | Scottsmeer Landing<br>Daybeacon 6            | 28-46-14.000N<br>080-50-42.000W |         |   |   | TR on pile.                                  |
| 41125   | Indian River (North<br>Section) Daybeacon 6  | 28-42-19.210N<br>080-47-25.961W |         |   |   | TR-TY on pile.                               |
| 41130   | Indian River (North<br>Section) Light 7      | 28-41-56.142N<br>080-47-50.531W | FI G 4s | 0 | 5 | SG-SY on pile.                               |
| 41135   | Indian River (North<br>Section) Daybeacon 8  | 28-41-58.263N<br>080-47-51.287W |         | 0 |   | TR-TY on pile.                               |
| 41140   | Indian River (North<br>Section) Daybeacon 9  | 28-41-34.095N<br>080-48-17.420W |         | 0 |   | SG-SY on pile.                               |
| 41145   | Indian River (North<br>Section) Daybeacon 11 | 28-41-16.166N<br>080-48-39.369W |         |   |   | SG-SY on pile.                               |
| 41150   | Indian River (North<br>Section) Light 12     | 28-41-13.401N<br>080-48-45.575W | FI R 4s | 0 | 5 | TR-TY on dolphin.                            |
| 41155   | Indian River (North<br>Section) Daybeacon 13 | 28-41-06.045N<br>080-48-43.571W |         | 0 |   | SG-SY on pile.                               |
| 41160   | Indian River (North<br>Section) Daybeacon 15 | 28-40-40.300N<br>080-48-44.799W |         |   |   | SG-SY on pile.                               |
| 41165   | Indian River (North<br>Section) Light 16     | 28-40-36.219N<br>080-48-47.795W | FI R 4s | 0 | 5 | TR-TY on pile.                               |
| 41170   | Indian River (North<br>Section) Daybeacon 17 | 28-40-31.229N<br>080-48-43.429W |         |   |   | SG-SY on pile.                               |
| 41175   | Indian River (North<br>Section) Daybeacon 18 | 28-40-11.639N<br>080-48-38.060W |         | 0 |   | TR-TY on pile.                               |
| 41180   | Indian River (North<br>Section) Light 19     | 28-39-40.083N<br>080-48-23.063W | FI G 4s | 0 | 5 | SG-SY on dolphin.                            |
| 41185   | Indian River (North<br>Section) Daybeacon 20 | 28-39-38.917N<br>080-48-25.402W |         | 0 |   | TR-TY on pile.                               |
| 41190   | Indian River (North<br>Section) Daybeacon 23 | 28-38-36.313N<br>080-48-24.509W |         | 0 |   | SG-SY on pile.                               |
| 41195   | Indian River (North<br>Section) Daybeacon 25 | 28-38-09.853N<br>080-48-24.431W |         | 0 |   | SG-SY on pile.                               |
| 41200   | Indian River (North<br>Section) Light 26     | 28-38-01.091N<br>080-48-27.101W | FI R 4s | 0 | 5 | TR-TY on pile.                               |

|         |                                                          |                                 |           |   |   |                |
|---------|----------------------------------------------------------|---------------------------------|-----------|---|---|----------------|
| 41205   | Indian River (North Section) Daybeacon 27                | 28-37-56.919N<br>080-48-21.386W |           |   |   | SG-SY on pile. |
| 41208   | Titusville Municipal Marina Mooring Field Lighted Buoy A | 28-37-45.480N<br>080-48-18.360W | Q Y       | 4 |   | Yellow.        |
| 41208.1 | Titusville Municipal Marina Mooring Field Light Buoy B   | 28-37-39.920N<br>080-48-14.230W | FI Y 2.5s | 4 |   | Yellow.        |
| 41208.2 | Titusville Municipal Marina Mooring Field Lighted Buoy C | 28-37-36.770N<br>080-48-11.900W | Q Y       | 4 |   | Yellow.        |
| 41208.3 | Titusville Municipal Marina Mooring Field Lighted Buoy D | 28-37-30.360N<br>080-48-07.200W | FI Y 2.5s | 4 |   | Yellow.        |
| 41208.4 | Titusville Municipal Marina Mooring Field Lighted Buoy E | 28-37-24.000N<br>080-48-02.460W | Q Y       | 4 |   | Yellow.        |
| 41208.5 | Titusville Municipal Marina Mooring Field Lighted Buoy F | 28-37-17.640N<br>080-47-57.720W | FI Y 2.5s | 4 |   | Yellow.        |
| 41208.6 | Titusville Municipal Marina Mooring Field Lighted Buoy G | 28-37-09.960N<br>080-48-08.220W | Q Y       | 4 |   | Yellow.        |
| 41208.7 | Titusville Municipal Marina Mooring Field Lighted Buoy H | 28-37-13.500N<br>080-48-18.900W | FI Y 2.5s | 4 |   | Yellow.        |
| 41208.8 | Titusville Municipal Marina Mooring Field Lighted Buoy I | 28-37-19.680N<br>080-48-27.300W | Q Y       | 4 |   | Yellow.        |
| 41208.9 | Titusville Municipal Marina Mooring Field Lighted Buoy J | 28-37-22.920N<br>080-48-29.520W | FI Y 2.5s | 4 |   | Yellow.        |
| 41209   | Titusville Municipal Marina Mooring Field Lighted Buoy K | 28-37-29.460N<br>080-48-39.900W | Q Y       | 4 |   | Yellow.        |
| 41209.1 | Titusville Municipal Marina Mooring Field Lighted Buoy L | 28-37-34.740N<br>080-48-32.340W | FI Y 2.5s | 4 |   | Yellow.        |
| 41209.2 | Titusville Municipal Marina Mooring Field Lighted Buoy M | 28-37-40.140N<br>080-48-25.380W | Q Y       | 4 |   | Yellow.        |
| 41210   | Titusville Yacht Basin Daybeacon 1                       | 28-37-30.387N<br>080-48-19.091W |           |   |   | SG on pile.    |
| 41215   | Titusville Yacht Basin Daybeacon 2                       | 28-37-31.203N<br>080-48-20.537W |           | 0 |   | TR on pile.    |
| 41220   | Titusville Yacht Basin Daybeacon 3                       | 28-37-25.209N<br>080-48-23.573W |           | 0 |   | SG on pile.    |
| 41225   | Titusville Yacht Basin Daybeacon 4                       | 28-37-26.235N<br>080-48-25.043W |           | 0 |   | TR on pile.    |
| 41230   | Titusville Yacht Basin Daybeacon 5                       | 28-37-19.965N<br>080-48-28.337W |           | 0 |   | SG on pile.    |
| 41235   | Titusville Yacht Basin Daybeacon 6                       | 28-37-21.996N<br>080-48-28.839W |           | 0 |   | TR on pile.    |
| 41240   | Titusville Yacht Basin Daybeacon 8                       | 28-37-19.095N<br>080-48-31.535W |           | 0 |   | TR on pile.    |
| 41245   | Harbor Towne Marina Daybeacon 2                          | 28-37-08.737N<br>080-47-57.102W |           |   |   | TR on pile.    |
| 41250   | Harbor Towne Marina Daybeacon 4                          | 28-37-06.687N<br>080-48-00.233W |           |   |   | TR on pile.    |
| 41255   | Harbor Towne Marina Daybeacon 6                          | 28-37-04.637N<br>080-48-03.363W |           |   |   | TR on pile.    |
| 41260   | Harbor Towne Marina Daybeacon 8                          | 28-37-02.587N<br>080-48-06.493W |           |   |   | TR on pile.    |
| 41265   | Harbor Towne Marina Daybeacon 9                          | 28-37-00.287N<br>080-48-07.093W |           |   |   | SG on pile.    |
| 41270   | Indian River (North Section) Light 29                    | 28-37-04.920N<br>080-47-42.005W | FI G 4s   | 0 | 5 | SG-SY on pile. |
| 41275   | Indian River (North Section) Daybeacon 30                | 28-36-57.318N<br>080-47-43.409W |           | 0 |   | TR-TY on pile. |
| 41280   | Indian River (North                                      | 28-36-21.146N                   |           | 0 |   | SG-SY on pile. |



|       |                                           |                                 |         |   |   |                   |
|-------|-------------------------------------------|---------------------------------|---------|---|---|-------------------|
|       | Section) Daybeacon 31                     | 080-47-35.792W                  |         |   |   |                   |
| 41285 | Indian River (North Section) Light 32     | 28-36-21.840N<br>080-47-38.867W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 41290 | Indian River (North Section) Daybeacon 33 | 28-35-54.513N<br>080-47-28.847W |         | 0 |   | SG-SY on pile.    |
| 41295 | Riverdeck Channel Daybeacon 1             | 28-35-41.989N<br>080-48-03.193W |         |   |   | SG on pile.       |
| 41300 | Riverdeck Channel Daybeacon 2             | 28-35-44.489N<br>080-48-00.193W |         |   |   | TR on pile.       |
| 41305 | Riverdeck Channel Daybeacon 3             | 28-35-41.989N<br>080-48-09.193W |         |   |   | SG on pile.       |
| 41310 | Riverdeck Channel Daybeacon 4             | 28-35-44.489N<br>080-48-07.193W |         |   |   | TR on pile.       |
| 41315 | Indian River (North Section) Daybeacon 34 | 28-35-29.419N<br>080-47-25.157W |         | 0 |   | TR-TY on pile.    |
| 41320 | Indian River (North Section) Light 35     | 28-35-30.223N<br>080-47-22.558W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 41325 | Indian River (North Section) Daybeacon 36 | 28-35-02.912N<br>080-47-14.859W |         | 8 |   | TR-TY on pile.    |
| 41330 | Indian River (North Section) Daybeacon 37 | 28-34-32.476N<br>080-46-57.235W |         | 0 |   | SG-SY on pile.    |
| 41335 | Indian River (North Section) Light 38     | 28-34-07.961N<br>080-46-49.649W | FI R 4s | 0 | 5 | TR-TY on dolphin. |
| 41340 | Indian River (North Section) Daybeacon 39 | 28-33-42.874N<br>080-46-35.405W |         | 0 |   | SG-SY on pile.    |
| 41345 | Kennedy Yacht Club Channel Daybeacon 1    | 28-33-33.600N<br>080-46-41.200W |         |   |   | SG on pile.       |
| 41350 | Kennedy Yacht Club Channel Daybeacon 2    | 28-33-36.000N<br>080-46-43.000W |         |   |   | TR on pile.       |
| 41355 | Kennedy Yacht Club Channel Daybeacon 3    | 28-33-31.993N<br>080-46-56.192W |         |   |   | SG on pile.       |
| 41360 | Kennedy Yacht Club Channel Daybeacon 4    | 28-33-35.993N<br>080-46-58.992W |         |   |   | TR on pile.       |
| 41365 | Kennedy Yacht Club Channel Daybeacon 5    | 28-33-28.793N<br>080-47-06.293W |         |   |   | SG on pile.       |
| 41370 | Kennedy Yacht Club Channel Daybeacon 6    | 28-33-32.093N<br>080-47-09.093W |         |   |   | TR on pile.       |
| 41375 | Kennedy Yacht Club Channel Daybeacon 7    | 28-33-22.594N<br>080-47-22.693W |         |   |   | SG on pile.       |
| 41380 | Kennedy Yacht Club Channel Daybeacon 8    | 28-33-27.294N<br>080-47-24.693W |         |   |   | TR on pile.       |
| 41385 | Kennedy Yacht Club Channel Daybeacon 9    | 28-33-17.194N<br>080-47-36.594W |         |   |   | SG on pile.       |
| 41390 | Kennedy Yacht Club Channel Daybeacon 10   | 28-33-22.394N<br>080-47-38.694W |         |   |   | TR on pile.       |
| 41395 | Indian River (North Section) Daybeacon 40 | 28-33-13.409N<br>080-46-26.131W |         | 0 |   | TR-TY on pile.    |
| 41400 | Indian River (North Section) Light 41     | 28-32-42.225N<br>080-46-09.988W | FI G 4s | 0 | 5 | SG-SY on dolphin. |
| 41405 | Indian River (North Section) Daybeacon 42 | 28-32-43.719N<br>080-46-13.121W |         | 0 |   | TR-TY on pile.    |
| 41410 | Indian River (North Section) Light 43     | 28-32-09.589N<br>080-45-59.441W | FI G 4s | 0 | 5 | SG-SY on dolphin. |
| 41415 | Indian River (North Section) Daybeacon 44 | 28-32-09.405N<br>080-46-02.795W |         | 0 |   | TR-TY on pile.    |
| 41420 | Indian River (North Section) Daybeacon 47 | 28-31-10.329N<br>080-45-49.073W |         | 0 |   | SG-SY on pile.    |
| 41425 | Indian River (North Section) Light 48     | 28-30-42.808N<br>080-45-48.567W | FI R 4s | 0 | 5 | TR-TY on dolphin. |
| 41430 | Indian River (North Section) Daybeacon 49 | 28-30-42.891N<br>080-45-45.053W |         |   |   | SG-SY on pile.    |

|       |                                            |                                 |         |   |   |                   |
|-------|--------------------------------------------|---------------------------------|---------|---|---|-------------------|
| 41435 | Indian River (North Section) Daybeacon 51  | 28-30-13.338N<br>080-45-37.447W |         | 0 |   | SG-SY on pile.    |
| 41440 | Indian River (North Section) Daybeacon 52  | 28-29-42.099N<br>080-45-31.228W |         | 0 |   | TR-TY on pile.    |
| 41445 | Orlando Utilities Comission Channel Buoy 2 | 28-29-34.001N<br>080-45-35.192W |         |   |   | Red nun.          |
| 41450 | Orlando Utilities Comission Channel Buoy 4 | 28-29-44.001N<br>080-45-35.192W |         |   |   | Red nun.          |
| 41455 | Orlando Utilities Comission Channel Buoy 5 | 28-29-32.001N<br>080-45-47.193W |         |   |   | Green can.        |
| 41460 | Orlando Utilities Comission Channel Buoy 6 | 28-29-34.001N<br>080-45-50.193W |         |   |   | Red nun.          |
| 41465 | Orlando Utilities Comission Channel Buoy 7 | 28-29-32.001N<br>080-45-56.193W |         |   |   | Green can.        |
| 41470 | Orlando Utilities Comission Channel Buoy 8 | 28-29-34.001N<br>080-46-03.193W |         |   |   | Red nun.          |
| 41475 | Indian River (North Section) Daybeacon 53  | 28-29-16.537N<br>080-45-22.076W |         | 0 |   | SG-SY on pile.    |
| 41480 | Indian River (North Section) Daybeacon 54  | 28-28-43.071N<br>080-45-16.229W |         | 0 |   | TR-TY on pile.    |
| 41485 | Indian River (North Section) Light 55      | 28-28-43.950N<br>080-45-14.383W | FI G 4s | 0 | 5 | SG-SY on dolphin. |
| 41490 | Indian River (North Section) Daybeacon 56  | 28-28-18.339N<br>080-45-10.769W |         | 0 |   | TR-TY on dolphin. |
| 41495 | Jones Point Channel Buoy 1                 | 28-28-04.005N<br>080-45-15.192W |         |   |   | Green can.        |
| 41500 | Jones Point Channel Buoy 2                 | 28-28-07.005N<br>080-45-13.192W |         |   |   | Red nun.          |
| 41505 | Indian River (North Section) Daybeacon 58  | 28-27-51.273N<br>080-45-04.919W |         | 0 |   | TR-TY on dolphin. |
| 41510 | Indian River (North Section) Light 59      | 28-27-24.958N<br>080-44-56.066W | FI G 4s | 1 | 5 | SG-SY on pile.    |
| 41515 | Indian River (North Section) Daybeacon 60  | 28-27-24.663N<br>080-44-59.159W |         | 0 |   | TR-TY on pile.    |
| 41520 | Indian River (North Section) Daybeacon 62  | 28-26-49.733N<br>080-44-50.930W |         | 0 |   | TR-TY on pile.    |
| 41525 | Indian River (North Section) Daybeacon 63  | 28-26-23.487N<br>080-44-39.491W |         | 0 |   | SG-SY on pile.    |
| 41530 | Indian River (North Section) Light 64      | 28-25-47.835N<br>080-44-32.273W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 41535 | Indian River (North Section) Daybeacon 65  | 28-25-20.799N<br>080-44-22.961W |         | 0 |   | SG-SY on pile.    |
| 41540 | Indian River (North Section) Daybeacon 66  | 28-24-57.274N<br>080-44-19.281W |         | 0 |   | TR-TY on pile.    |
| 41545 | Indian River (North Section) Light 67      | 28-24-28.629N<br>080-44-08.953W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 41550 | Canaveral Barge Canal Daybeacon 13         | 28-24-16.078N<br>080-44-04.171W |         | 0 |   | SG on pile.       |
| 41555 | Canaveral Barge Canal Light 12             | 28-24-21.747N<br>080-43-56.297W | FI R 4s | 0 | 5 | TR on pile.       |
| 41557 | Canaveral Barge Canal Daybeacon 11A        | 28-24-18.247N<br>080-44-02.005W |         | 0 |   | SG on pile.       |
| 41560 | Canaveral Barge Canal Daybeacon 11         | 28-24-19.937N<br>080-43-56.257W |         | 0 |   | SG on pile.       |
| 41565 | Sykes Creek                                | 28-24-25.700N                   |         |   |   | SG on pile.       |

|       |                                      |                                 |         |   |   |                                    |
|-------|--------------------------------------|---------------------------------|---------|---|---|------------------------------------|
|       | Daybeacon 2                          | 080-41-37.700W                  |         |   |   |                                    |
| 41570 | Sykes Creek<br>Daybeacon 3           | 28-24-14.000N<br>080-41-41.000W |         |   |   | SG on pile.                        |
| 41575 | Sykes Creek<br>Daybeacon 5           | 28-24-03.250N<br>080-41-38.000W |         |   |   | SG on pile.                        |
| 41580 | Sykes Creek<br>Daybeacon 7           | 28-23-51.000N<br>080-41-36.500W |         |   |   | SG on pile.                        |
| 41585 | Sykes Creek<br>Daybeacon 9           | 28-23-41.000N<br>080-41-38.000W |         |   |   | SG on pile.                        |
| 41590 | Sykes Creek<br>Daybeacon 11          | 28-23-37.200N<br>080-41-31.000W |         |   |   | SG on pile.                        |
| 41595 | Sykes Creek<br>Daybeacon 13          | 28-23-33.750N<br>080-41-25.000W |         |   |   | SG on pile.                        |
| 41600 | Sykes Creek<br>Daybeacon 14          | 28-23-21.500N<br>080-41-25.200W |         |   |   | TR on pile.                        |
| 41605 | Sykes Creek<br>Daybeacon 15          | 28-23-15.000N<br>080-41-22.500W |         |   |   | SG on pile.                        |
| 41610 | Sykes Creek<br>Daybeacon 16          | 28-23-15.000N<br>080-41-23.700W |         |   |   | TR on pile.                        |
| 41615 | Sykes Creek<br>Daybeacon 17          | 28-23-06.700N<br>080-41-22.500W |         |   |   | SG on pile.                        |
| 41620 | Sykes Creek<br>Daybeacon 19          | 28-22-57.500N<br>080-41-22.000W |         |   |   | SG on pile.                        |
| 41625 | Sykes Creek<br>Daybeacon 21          | 28-22-46.000N<br>080-41-25.000W |         |   |   | SG on pile.                        |
| 41630 | Sykes Creek<br>Daybeacon 22          | 28-22-44.000N<br>080-41-28.300W |         |   |   | TR on pile.                        |
| 41635 | Sykes Creek<br>Daybeacon 23          | 28-22-37.500N<br>080-41-21.000W |         |   |   | SG on pile.                        |
| 41640 | Sykes Creek<br>Daybeacon 24          | 28-22-36.200N<br>080-41-23.500W |         |   |   | TR on pile.                        |
| 41645 | Sykes Creek<br>Daybeacon 25          | 28-22-19.500N<br>080-41-13.000W |         |   |   | SG on pile.                        |
| 41650 | Sykes Creek<br>Daybeacon 26          | 28-22-19.500N<br>080-41-15.000W |         |   |   | TR on pile.                        |
| 41655 | Sykes Creek<br>Daybeacon 28          | 28-22-18.000N<br>080-41-14.500W |         |   |   | TR on pile.                        |
| 41660 | Sykes Creek<br>Daybeacon 29          | 28-22-16.000N<br>080-41-13.000W |         |   |   | SG on pile.                        |
| 41665 | Sykes Creek<br>Daybeacon 30          | 28-22-16.000N<br>080-41-15.000W |         |   |   | TR on pile.                        |
| 41670 | Sykes Creek Shoal<br>Daybeacon       | 28-22-08.500N<br>080-41-20.000W |         |   |   | NW on pile worded DANGER<br>SHOAL. |
| 41675 | Canaveral Barge Canal<br>Light 10    | 28-24-21.297N<br>080-43-23.357W | FI R 4s | 0 | 5 | TR on pile.                        |
| 41680 | Canaveral Barge Canal<br>Daybeacon 9 | 28-24-20.391N<br>080-43-15.164W |         | 0 |   | SG on pile.                        |
| 41685 | Canaveral Barge Canal<br>Light 8     | 28-24-33.720N<br>080-39-34.058W | FI R 4s | 0 | 5 | TR on pile.                        |
| 41690 | Canaveral Barge Canal<br>Daybeacon 7 | 28-24-32.511N<br>080-39-10.456W |         |   |   | SG on pile.                        |
| 41695 | Canaveral Barge Canal<br>Daybeacon 6 | 28-24-33.864N<br>080-38-49.550W |         | 0 |   | TR on pile.                        |
| 41700 | Canaveral Barge Canal<br>Light 5     | 28-24-32.369N<br>080-38-42.531W | FI G 4s | 0 | 5 | SG on dolphin.                     |
| 41705 | Canaveral Barge Canal<br>Daybeacon 4 | 28-24-34.534N<br>080-38-36.112W |         | 0 |   | TR on pile.                        |
| 41710 | Canaveral Barge Canal<br>Daybeacon 2 | 28-24-34.301N<br>080-37-31.612W |         |   |   | TR on pile.                        |
| 41715 | Banana River North<br>Daybeacon 13   | 28-24-38.634N<br>080-38-44.571W |         | 0 |   | SG on pile.                        |
| 41720 | Banana River North<br>Daybeacon 14   | 28-24-40.587N<br>080-38-40.679W |         | 0 |   | TR on pile.                        |
| 41725 | Banana River North<br>Daybeacon 13A  | 28-24-50.320N<br>080-38-42.092W |         | 0 |   | SG on pile.                        |
| 41730 | Banana River North<br>Daybeacon 14A  | 28-25-04.539N<br>080-38-38.381W |         | 0 |   | TR on pile.                        |
| 41735 | Banana River North<br>Daybeacon 15   | 28-25-04.473N<br>080-38-40.775W |         | 0 |   | SG on pile.                        |
| 41740 | Banana River North<br>Daybeacon 15A  | 28-25-32.739N<br>080-38-38.327W |         | 0 |   | SG on pile.                        |

|       |                                                              |                                 |         |   |   |                |
|-------|--------------------------------------------------------------|---------------------------------|---------|---|---|----------------|
| 41745 | Banana River North<br>Daybeacon 16                           | 28-25-32.451N<br>080-38-35.921W |         | 0 |   | TR on pile.    |
| 41750 | Banana River North<br>Daybeacon 16A                          | 28-25-58.773N<br>080-38-33.077W |         | 0 |   | TR on pile.    |
| 41755 | Banana River North<br>Daybeacon 17                           | 28-25-59.349N<br>080-38-35.015W |         | 0 |   | SG on pile.    |
| 41760 | Banana River North<br>Daybeacon 17A                          | 28-26-26.055N<br>080-38-32.711W |         | 0 |   | SG on pile.    |
| 41765 | Banana River North<br>Daybeacon 18                           | 28-26-26.001N<br>080-38-30.353W |         |   |   | TR on pile.    |
| 41770 | Banana River North<br>Light 19                               | 28-26-53.877N<br>080-38-30.011W | Fl G 4s | 0 | 5 | SG on pile.    |
| 41775 | Banana River North<br>Daybeacon 20                           | 28-26-53.637N<br>080-38-27.533W |         | 0 |   | TR on pile.    |
| 41780 | Banana River North<br>Daybeacon 21                           | 28-27-17.739N<br>080-38-19.343W |         | 0 |   | SG on pile.    |
| 41785 | Banana River North<br>Daybeacon 22                           | 28-27-17.301N<br>080-38-16.859W |         | 0 |   | TR on pile.    |
| 41790 | Banana River North<br>Daybeacon 22A                          | 28-27-42.183N<br>080-38-06.137W |         | 0 |   | TR on pile.    |
| 41795 | Banana River North<br>Daybeacon 23                           | 28-27-42.933N<br>080-38-08.333W |         |   |   | SG on pile.    |
| 41797 | Banana River North<br>Daybeacon 23A                          | 28-28-07.453N<br>080-37-57.560W |         | 0 |   | SG on pile.    |
| 41800 | Banana River North<br>Daybeacon 24                           | 28-28-07.119N<br>080-37-55.559W |         | 0 |   | TR on pile.    |
| 41805 | Banana River North<br>Daybeacon 25                           | 28-28-31.839N<br>080-37-46.817W |         | 0 |   | SG on pile.    |
| 41810 | Banana River North<br>Daybeacon 26                           | 28-28-30.753N<br>080-37-44.765W |         | 0 |   | TR on pile.    |
| 41815 | Banana River North<br>Daybeacon 26A                          | 28-29-03.597N<br>080-37-30.311W |         |   |   | TR on pile.    |
| 41820 | Banana River North<br>Daybeacon 27                           | 28-29-03.897N<br>080-37-33.113W |         |   |   | SG on pile.    |
| 41825 | Banana River North<br>Daybeacon 28                           | 28-29-20.739N<br>080-37-22.835W |         | 0 |   | TR on pile.    |
| 41830 | Banana River North<br>Light 29                               | 28-29-26.925N<br>080-37-22.343W | Fl G 4s | 0 | 5 | SG on dolphin. |
| 41835 | Banana River North<br>Channel A Daybeacon<br>1               | 28-29-26.769N<br>080-37-15.449W |         | 0 |   | SG on pile.    |
| 41840 | Banana River North<br>Channel A Daybeacon<br>2               | 28-29-25.143N<br>080-37-16.616W |         | 0 |   | TR on pile.    |
| 41845 | Banana River North<br>Channel A Daybeacon<br>3               | 28-29-26.907N<br>080-36-56.837W |         | 0 |   | SG on pile.    |
| 41850 | Banana River North<br>Channel A Daybeacon<br>4               | 28-29-24.639N<br>080-36-56.543W |         | 0 |   | TR on pile.    |
| 41855 | Banana River North<br>Channel A Daybeacon<br>5               | 28-29-26.469N<br>080-36-31.457W |         | 0 |   | SG on pile.    |
| 41860 | Banana River North<br>Channel A Daybeacon<br>4A              | 28-29-24.813N<br>080-36-31.049W |         | 0 |   | TR on pile.    |
| 41865 | Banana River North<br>Channel A Daybeacon<br>6               | 28-29-24.963N<br>080-36-06.299W |         | 0 |   | TR on pile.    |
| 41870 | Banana River North<br>Channel A Daybeacon<br>7               | 28-29-26.505N<br>080-36-06.407W |         | 0 |   | SG on pile.    |
| 41875 | Banana River North<br>Channel A Daybeacon<br>7A              | 28-29-26.367N<br>080-35-36.179W |         | 0 |   | SG on pile.    |
| 41880 | Banana River North<br>Channel A Daybeacon<br>8               | 28-29-24.801N<br>080-35-36.191W |         | 0 |   | TR on pile.    |
| 41885 | Banana River North<br>Channel A Turning<br>Basin Daybeacon 9 | 28-29-26.391N<br>080-35-32.513W |         | 0 |   | SG on pile.    |

|       |                                                               |                                 |         |   |   |                |
|-------|---------------------------------------------------------------|---------------------------------|---------|---|---|----------------|
| 41887 | Cocoa Beach<br>Daybeacon 2                                    | 28-16-30.420N<br>080-36-34.840W |         |   |   | TR on pile     |
| 41888 | Cocoa Beach<br>Daybeacon 3                                    | 28-16-30.420N<br>080-36-33.080W |         |   |   | SG on pile     |
| 41889 | Cocoa Beach<br>Daybeacon 4                                    | 28-16-30.420N<br>080-36-31.380W |         |   |   | TR on pile     |
| 41890 | Banana River North<br>Channel A Turning<br>Basin Light 11     | 28-29-26.451N<br>080-35-25.271W | FI G 4s | 0 | 5 | SG on dolphin. |
| 41895 | Banana River North<br>Channel A Turning<br>Basin Daybeacon 12 | 28-29-19.215N<br>080-35-24.335W |         | 0 |   | TR on pile.    |
| 41900 | Banana River North<br>Channel A Turning<br>Basin Daybeacon 13 | 28-29-24.675N<br>080-35-19.721W |         | 0 |   | SG on pile.    |
| 41905 | Banana River North<br>Daybeacon 30                            | 28-29-31.857N<br>080-37-18.167W |         | 0 |   | TR on pile.    |
| 41910 | Banana River North<br>Daybeacon 31                            | 28-29-49.083N<br>080-37-12.701W |         | 0 |   | SG on pile.    |
| 41915 | Banana River North<br>Daybeacon 32                            | 28-30-03.225N<br>080-37-04.211W |         | 0 |   | TR on pile.    |
| 41920 | Banana River North<br>Daybeacon 34                            | 28-30-29.253N<br>080-36-52.697W |         | 0 |   | TR on pile.    |
| 41925 | Banana River North<br>Light 35                                | 28-30-33.651N<br>080-36-53.039W | FI G 4s | 0 | 5 | SG on pile.    |
| 41930 | Banana River North<br>Daybeacon 36                            | 28-30-35.193N<br>080-36-49.194W |         | 0 |   | TR on pile.    |
| 41935 | Banana River North<br>Daybeacon 37                            | 28-31-06.351N<br>080-36-26.567W |         | 0 |   | SG on pile.    |
| 41940 | Banana River North<br>Daybeacon 38                            | 28-31-09.771N<br>080-36-21.239W |         | 0 |   | TR on pile.    |
| 41945 | Banana River North<br>Buoy 39                                 | 28-31-16.901N<br>080-36-23.250W |         |   |   | Green can.     |
| 41950 | Banana River North<br>Daybeacon 41                            | 28-31-36.615N<br>080-36-23.423W |         | 0 |   | SG on pile.    |
| 41955 | Banana River North<br>Daybeacon 42                            | 28-31-58.575N<br>080-36-21.179W |         | 0 |   | TR on pile.    |
| 41960 | Banana River North<br>Daybeacon 43                            | 28-32-20.313N<br>080-36-23.129W |         | 0 |   | SG on pile.    |
| 41965 | Banana River North<br>Daybeacon 44                            | 28-32-42.159N<br>080-36-20.819W |         | 0 |   | TR on pile.    |
| 41970 | Banana River North<br>Buoy 45                                 | 28-33-03.315N<br>080-36-22.859W |         |   |   | Green can.     |
| 41975 | Banana River North<br>Daybeacon 46                            | 28-33-26.715N<br>080-36-20.789W |         | 0 |   | TR on pile.    |
| 41980 | Banana River North<br>Daybeacon 47                            | 28-33-50.499N<br>080-36-22.523W |         | 0 |   | SG on pile.    |
| 41985 | Banana River North<br>Daybeacon 48                            | 28-34-16.599N<br>080-36-20.573W |         |   |   | TR on pile.    |
| 41990 | Banana River North<br>Daybeacon 49                            | 28-34-38.961N<br>080-36-22.541W |         |   |   | SG on pile.    |
| 41995 | Banana River North<br>Daybeacon 51                            | 28-35-02.541N<br>080-36-22.733W |         | 0 |   | SG on pile.    |
| 42000 | Banana River North<br>Daybeacon 52                            | 28-35-07.773N<br>080-36-20.429W |         | 0 |   | TR on pile.    |
| 42005 | Banana River North<br>Daybeacon 53                            | 28-35-10.647N<br>080-36-24.953W |         | 0 |   | SG on pile.    |
| 42010 | Banana River North<br>Daybeacon 54                            | 28-35-24.831N<br>080-36-32.249W |         |   |   | TR on pile.    |
| 42015 | Banana River North<br>Daybeacon 55                            | 28-35-24.309N<br>080-36-34.745W |         | 0 |   | SG on pile.    |
| 42020 | Banana River North<br>Daybeacon 56                            | 28-35-32.151N<br>080-36-37.361W |         | 0 |   | TR on pile.    |
| 42025 | Banana River North<br>Daybeacon 57                            | 28-35-30.669N<br>080-36-44.141W |         | 0 |   | SG on pile.    |
| 42030 | Banana River North<br>Daybeacon 57B                           | 28-35-32.919N<br>080-36-56.465W |         | 0 |   | SG on pile.    |
| 42035 | Banana River North<br>Daybeacon 59                            | 28-35-34.209N<br>080-37-07.085W |         | 0 |   | SG on pile.    |
| 42040 | Banana River North<br>Buoy 60                                 | 28-35-37.028N<br>080-37-11.139W |         |   |   | Red nun.       |

|       |                                                               |                                 |         |   |   |                                                 |
|-------|---------------------------------------------------------------|---------------------------------|---------|---|---|-------------------------------------------------|
| 42045 | Banana River North<br>Channel B Daybeacon<br>1                | 28-35-29.631N<br>080-36-31.979W |         | 0 |   | SG on pile.                                     |
| 42050 | Banana River North<br>Channel Daybeacon 2                     | 28-35-27.927N<br>080-36-31.331W |         | 0 |   | TR on pile.                                     |
| 42055 | Banana River North<br>Channel B Daybeacon<br>3                | 28-35-41.025N<br>080-36-10.661W |         | 0 |   | SG on pile.                                     |
| 42060 | Banana River North<br>Channel B Daybeacon<br>6                | 28-35-49.011N<br>080-35-52.853W |         | 0 |   | TR on pile.                                     |
| 42065 | Banana River North<br>Channel B Turning<br>Basin Daybeacon 8  | 28-36-22.491N<br>080-35-52.445W |         | 0 |   | TR on pile.                                     |
| 42070 | Banana River North<br>Channel B Turning<br>Basin Daybeacon 9  | 28-36-15.783N<br>080-36-00.281W |         | 0 |   | SG on pile.                                     |
| 42075 | Banana River North<br>Channel B Turning<br>Basin Daybeacon 10 | 28-36-22.695N<br>080-35-55.805W |         | 0 |   | TR on pile.                                     |
| 42080 | Indian River (North<br>Section) Light 68                      | 28-23-49.974N<br>080-44-04.468W | FI R 4s | 0 | 5 | TR-TY on pile.                                  |
| 42085 | Indian River (North<br>Section) Daybeacon<br>69               | 28-23-51.843N<br>080-43-59.159W |         | 0 |   | SG-SY on pile.                                  |
| 42090 | Indian River (North<br>Section) Daybeacon<br>71               | 28-23-28.676N<br>080-43-51.458W |         | 0 |   | SG-SY on pile.                                  |
| 42095 | Indian River (North<br>Section) Daybeacon<br>72               | 28-23-02.271N<br>080-43-46.133W |         | 0 |   | TR-TY on pile.                                  |
| 42100 | Indian River (North<br>Section) Light 73                      | 28-22-32.670N<br>080-43-33.682W | FI G 4s | 0 | 5 | SG-SY on pile.                                  |
| 42105 | Indian River (North<br>Section) Daybeacon<br>74               | 28-22-31.953N<br>080-43-36.395W |         | 0 |   | TR-TY on pile.                                  |
| 42110 | Indian River (North<br>Section) Daybeacon<br>76               | 28-21-54.611N<br>080-43-21.075W |         | 0 |   | TR-TY on pile.                                  |
| 42115 | Cocoa Village<br>Daybeacon 1                                  | 28-21-37.527N<br>080-43-16.604W |         |   |   | SG on pile.                                     |
| 42116 | Cocoa Village<br>Daybeacon 2                                  | 28-21-38.874N<br>080-43-16.640W |         |   |   | TR on pile.                                     |
| 42117 | Cocoa Village<br>Daybeacon 3                                  | 28-21-36.540N<br>080-43-18.442W |         |   |   | SG on pile.                                     |
| 42118 | Cocoa Village<br>Daybeacon 4                                  | 28-21-36.556N<br>080-43-20.648W |         |   |   | TR on pile.                                     |
| 42119 | Cocoa Village<br>Daybeacon 5                                  | 28-21-34.643N<br>080-43-21.525W |         |   |   | SG on pile.                                     |
| 42120 | Cocoa Village<br>Daybeacon 6                                  | 28-21-34.758N<br>080-43-24.010W |         |   |   | TR on pile.                                     |
| 42121 | Cocoa Village<br>Daybeacon 7                                  | 28-21-32.514N<br>080-43-25.440W |         |   |   | SG on pile.                                     |
| 42122 | Cocoa Village<br>Daybeacon 8                                  | 28-21-33.736N<br>080-43-26.404W |         |   |   | TR on pile.                                     |
| 42123 | Cocoa Village<br>Daybeacon 9                                  | 28-21-30.878N<br>080-43-28.026W |         |   |   | SG on pile.                                     |
| 42124 | Cocoa Village<br>Daybeacon 10                                 | 28-21-32.253N<br>080-43-29.260W |         |   |   | TR on pile.                                     |
| 42130 | Indian Cove Marina<br>Daybeacon 1                             | 28-21-30.521N<br>080-42-53.893W |         |   |   | SG and NL on pile worded<br>INDIAN COVE MARINA. |
| 42135 | Indian Cove Marina<br>Daybeacon 2                             | 28-21-26.921N<br>080-42-48.292W |         |   |   | TR on pile.                                     |
| 42140 | Indian Cove Marina<br>Daybeacon 3                             | 28-21-27.721N<br>080-42-40.992W |         |   |   | SG on pile.                                     |
| 42145 | Indian Cove Marina<br>Daybeacon 4                             | 28-21-26.521N<br>080-42-41.092W |         |   |   | TR on pile.                                     |
| 42150 | Indian Cove Marina<br>Daybeacon 5                             | 28-21-29.920N<br>080-42-32.792W |         |   |   | SG on pile.                                     |
| 42155 | Indian Cove Marina<br>Daybeacon 6                             | 28-21-28.520N<br>080-42-32.192W |         |   |   | TR on pile.                                     |

|         |                                            |                                 |         |   |   |                                           |
|---------|--------------------------------------------|---------------------------------|---------|---|---|-------------------------------------------|
| 42160   | Indian Cove Marina Daybeacon 7             | 28-21-30.920N<br>080-42-29.592W |         |   |   | SG on pile.                               |
| 42165   | Indian Cove Marina Daybeacon 8             | 28-21-28.500N<br>080-42-29.800W |         |   |   | TR on pile.                               |
| 42170   | Indian River (North Section) Light 77      | 28-20-31.388N<br>080-42-42.384W | FI G 4s | 0 | 5 | SG-SY on pile.                            |
| 42175   | Indian River (North Section) Daybeacon 79  | 28-19-45.567N<br>080-42-20.597W |         | 0 |   | SG-SY on pile.                            |
| 42180   | Indian River (North Section) Daybeacon 80  | 28-19-25.040N<br>080-42-13.925W |         |   |   | TR-TY on pile.                            |
| 42185   | Indian River (North Section) Daybeacon 81  | 28-19-12.355N<br>080-42-05.147W |         | 0 |   | SG-SY on pile.                            |
| 42190   | Indian River (North Section) Light 83      | 28-18-50.205N<br>080-41-53.657W | FI G 4s | 0 | 5 | SG-SY on dolphin.                         |
| 42205   | Jays Harbor Lights Marina Daybeacon 1      | 28-18-31.027N<br>080-41-35.192W |         |   |   | SG on pile.                               |
| 42210   | Jays Harbor Lights Marina Daybeacon 2      | 28-18-29.028N<br>080-41-35.192W |         |   |   | TR on pile.                               |
| 42215   | Jays Harbor Lights Marina Daybeacon 3      | 28-18-35.027N<br>080-41-23.192W |         |   |   | SG on pile.                               |
| 42220   | Jays Harbor Lights Marina Daybeacon 4      | 28-18-32.527N<br>080-41-19.691W |         |   |   | TR on pile.                               |
| 42225   | Indian River (North Section) Light 85      | 28-18-01.749N<br>080-41-38.527W | FI G 4s | 0 | 5 | SG-SY on pile.                            |
| 42230   | Indian River (North Section) Daybeacon 86  | 28-17-27.147N<br>080-41-28.775W |         | 0 |   | TR-TY on pile.                            |
| 42235   | Indian River Yacht Club Race Course Buoy A | 28-17-07.031N<br>080-40-44.191W |         |   |   | Orange and white bands;<br>can.           |
| 42240   | Indian River Yacht Club Race Course Buoy B | 28-20-08.024N<br>080-42-56.193W |         |   |   | Orange and white bands;<br>can.           |
| 42245   | Indian River Yacht Club Race Course Buoy C | 28-21-11.021N<br>080-43-09.193W |         |   |   | Orange and white bands;<br>can.           |
| 42250   | Indian River Yacht Club Race Course Buoy D | 28-21-15.021N<br>080-42-42.192W |         |   |   | Orange and white bands;<br>can.           |
| 42253   | POW-MIA Channel Daybeacon 1                | 28-12-27.111N<br>080-39-42.072W |         |   |   | SG on pile.                               |
| 42253.1 | POW-MIA Channel Daybeacon 2                | 28-12-24.608N<br>080-39-40.867W |         |   |   | TR on pile.                               |
| 42253.2 | POW-MIA Channel Daybeacon 3                | 28-12-25.064N<br>080-39-41.118W |         |   |   | SG on pile.                               |
| 42253.3 | POW-MIA Channel Daybeacon 4                | 28-12-25.513N<br>080-39-41.362W |         |   |   | TR on pile.                               |
| 42253.4 | POW-MIA Channel Daybeacon 5                | 28-12-25.944N<br>080-39-41.560W |         |   |   | SG on pile.                               |
| 42253.5 | POW-MIA Channel Daybeacon 6                | 28-12-26.393N<br>080-39-41.840W |         |   |   | TR on pile.                               |
| 42254   | POW-MIA Channel Danger Daybeacon A         | 28-12-28.130N<br>080-39-32.178W |         |   |   | NW on pile worded DANGER SUBMERGED ROCKS. |
| 42254.1 | POW-MIA Channel Danger Daybeacon B         | 28-12-28.530N<br>080-39-32.233W |         |   |   | NW on pile worded DANGER SUBMERGED ROCKS. |
| 42254.2 | POW-MIA Channel Danger Daybeacon C         | 28-12-27.433N<br>080-39-36.987W |         |   |   | NW on pile worded DANGER SUBMERGED ROCKS. |
| 42254.3 | POW-MIA Channel Danger Daybeacon D         | 28-12-27.840N<br>080-39-37.040W |         |   |   | NW on pile worded DANGER SUBMERGED ROCKS. |
| 42254.4 | POW-MIA Channel Danger Daybeacon E         | 28-12-26.750N<br>080-39-41.752W |         |   |   | NW on pile worded DANGER SUBMERGED ROCKS. |
| 42255   | Indian River (North Section) Daybeacon 88  | 28-16-51.291N<br>080-41-12.305W |         | 0 |   | TR-TY on pile.                            |
| 42260   | Indian River (North Section) Daybeacon 89  | 28-16-18.957N<br>080-40-52.883W |         | 0 |   | SG-SY on pile.                            |
| 42265   | Indian River (North Section) Light 90      | 28-15-41.817N<br>080-40-38.933W | FI R 4s | 0 | 5 | TR-TY on pile.                            |

|         |                                                 |                                 |         |   |   |                                    |
|---------|-------------------------------------------------|---------------------------------|---------|---|---|------------------------------------|
| 42270   | Indian River (North Section) Daybeacon 91       | 28-15-06.591N<br>080-40-18.167W |         |   |   | SG-SY on pile.                     |
| 42275   | Indian River (North Section) Daybeacon 92       | 28-14-24.947N<br>080-40-02.226W |         | 0 |   | TR-TY on pile.                     |
| 42280   | Indian River (North Section) Daybeacon 94       | 28-13-44.492N<br>080-39-43.139W |         | 0 |   | TR-TY on pile.                     |
| 42285   | Indian River (North Section) Light 95           | 28-13-03.128N<br>080-39-15.671W | FI G 4s | 0 | 5 | SG-SY on pile.                     |
| 42286   | Grills Riverside Marina Daybeacon 1             | 28-12-38.160N<br>080-39-35.280W |         |   |   | SG on pile.                        |
| 42286.1 | Grills Riverside Marina Daybeacon 2             | 28-12-38.820N<br>080-39-37.220W |         |   |   | TR on pile.                        |
| 42286.2 | Grills Riverside Marina Daybeacon 3             | 28-12-38.520N<br>080-39-39.240W |         |   |   | SG on pile.                        |
| 42286.3 | Grills Riverside Marina Daybeacon 4             | 28-12-39.050N<br>080-39-40.230W |         |   |   | TR on pile.                        |
| 42286.4 | Grills Riverside Marina Daybeacon 5             | 28-12-38.480N<br>080-39-41.840W |         |   |   | SG on pile.                        |
| 42286.5 | Grills Riverside Marina Daybeacon 6             | 28-12-39.050N<br>080-39-42.350W |         |   |   | TR on pile.                        |
| 42286.6 | Grills Riverside Marina Daybeacon 7             | 28-12-38.520N<br>080-39-45.000W |         |   |   | SG on pile.                        |
| 42286.7 | Grills Riverside Marina Daybeacon 9             | 28-12-38.650N<br>080-39-46.460W |         |   |   | SG on pile.                        |
| 42287   | Coquina Rock Danger Daybeacon B                 | 28-12-24.800N<br>080-39-40.887W |         |   |   | NW on pile WORDED DANGER.          |
| 42288   | Coquina Rock Danger Daybeacon A                 | 28-12-25.530N<br>080-39-41.876W |         |   |   | NW on pile WORDED DANGER.          |
| 42289   | Grills Riverside Marina Obstruction Daybeacon A | 28-12-38.520N<br>080-39-45.600W |         |   |   | NW on pile WORDED SUBMERGED ROCKS. |
| 42289.1 | Grills Riverside Marina Obstruction Daybeacon B | 28-12-38.540N<br>080-39-46.150W |         |   |   | NW on pile WORDED SUBMERGED ROCKS. |
| 42289.2 | Grills Riverside Marina Obstruction Daybeacon C | 28-12-38.490N<br>080-39-46.560W |         |   |   | NW on pile WORDED SUBMERGED ROCKS. |
| 42289.3 | Grills Riverside Marina Obstruction Daybeacon D | 28-12-37.800N<br>080-39-46.080W |         |   |   | NW on pile WORDED SUBMERGED ROCKS. |
| 42289.4 | Grills Riverside Marina Obstruction Daybeacon E | 28-12-37.850N<br>080-39-45.360W |         |   |   | NW on pile WORDED SUBMERGED ROCKS. |
| 42289.5 | Grills Riverside Marina Obstruction Daybeacon F | 28-12-38.020N<br>080-39-45.490W |         |   |   | NW on pile WORDED SUBMERGED ROCKS. |
| 42290   | Diamond 99 Marina Daybeacon 1                   | 28-10-48.044N<br>080-38-46.991W |         |   |   | SG on pile.                        |
| 42295   | Diamond 99 Marina Daybeacon 2                   | 28-10-49.044N<br>080-38-47.691W |         |   |   | TR on pile.                        |
| 42300   | Diamond 99 Marina Daybeacon 3                   | 28-10-46.544N<br>080-38-49.191W |         |   |   | SG on pile.                        |
| 42305   | Diamond 99 Marina Daybeacon 4                   | 28-10-44.944N<br>080-38-49.691W |         |   |   | TR on pile.                        |
| 42310   | Diamond 99 Marina Daybeacon 5                   | 28-10-43.845N<br>080-38-51.091W |         |   |   | SG on pile.                        |
| 42315   | Diamond 99 Marina Daybeacon 6                   | 28-10-45.944N<br>080-38-51.291W |         |   |   | TR on pile.                        |
| 42320   | Diamond 99 Marina Daybeacon 7                   | 28-10-42.045N<br>080-38-53.191W |         |   |   | SG on pile.                        |
| 42325   | Diamond 99 Marina Light 8                       | 28-10-43.445N<br>080-38-53.691W | F R     |   |   | TR on pile.                        |
| 42330   | Indian River (North Section) Daybeacon 98       | 28-11-20.090N<br>080-38-33.989W |         | 0 |   | TR-TY on pile.                     |
| 42335   | Indian River (North Section) Daybeacon 99       | 28-10-49.088N<br>080-38-17.315W |         | 0 |   | SG-SY on pile.                     |



|         |                                            |                                 |         |   |   |                   |
|---------|--------------------------------------------|---------------------------------|---------|---|---|-------------------|
| 42340   | Indian River (North Section) Light 100     | 28-10-17.672N<br>080-38-05.963W | FI R 4s | 0 | 5 | TR-TY on dolphin. |
| 42345   | Indian River (North Section) Daybeacon 101 | 28-09-45.120N<br>080-37-48.192W |         | 0 |   | SG-SY on pile.    |
| 42350   | Indian River (North Section) Daybeacon 102 | 28-09-07.986N<br>080-37-37.097W |         | 0 |   | TR-TY on pile.    |
| 42355   | Banana River Daybeacon 1                   | 28-08-30.770N<br>080-36-12.905W |         | 0 |   | SG on dolphin.    |
| 42360   | Banana River Daybeacon 2                   | 28-09-50.000N<br>080-36-41.579W |         |   |   | TR on pile.       |
| 42365   | Banana River Buoy 4                        | 28-10-39.442N<br>080-37-04.841W |         |   |   | Red nun.          |
| 42370   | Samsons Park South Channel Daybeacon 1     | 28-10-49.044N<br>080-37-04.189W |         |   |   | SG on pile.       |
| 42375   | Samsons Park South Channel Daybeacon 2     | 28-10-44.044N<br>080-37-03.189W |         |   |   | TR on pile.       |
| 42380   | Samsons Park South Channel Daybeacon 3     | 28-10-48.544N<br>080-36-57.688W |         |   |   | SG on pile.       |
| 42385   | Samsons Park South Channel Daybeacon 4     | 28-10-44.044N<br>080-36-57.189W |         |   |   | TR on pile.       |
| 42390   | Samsons Park South Channel Daybeacon 5     | 28-10-49.044N<br>080-36-49.188W |         |   |   | SG on pile.       |
| 42395   | Samsons Park South Channel Daybeacon 6     | 28-10-43.544N<br>080-36-49.188W |         |   |   | TR on pile.       |
| 42400   | Samsons Park North Channel Daybeacon 1     | 28-11-14.000N<br>080-37-18.000W |         |   |   | SG on pile.       |
| 42405   | Samsons Park North Channel Daybeacon 2     | 28-11-08.500N<br>080-37-15.500W |         |   |   | TR on pile.       |
| 42410   | Samsons Park North Channel Daybeacon 3     | 28-11-14.000N<br>080-37-05.000W |         |   |   | SG on pile.       |
| 42415   | Samsons Park North Channel Daybeacon 4     | 28-11-08.500N<br>080-37-04.000W |         |   |   | TR on pile.       |
| 42420   | Samsons Park North Channel Daybeacon 5     | 28-11-14.000N<br>080-36-54.000W |         |   |   | SG on pile.       |
| 42425   | Samsons Park North Channel Daybeacon 6     | 28-11-08.800N<br>080-36-53.000W |         |   |   | TR on pile.       |
| 42430   | Banana River Daybeacon 5                   | 28-11-03.428N<br>080-37-17.753W |         |   |   | SG on pile.       |
| 42435   | Banana River Daybeacon 5A                  | 28-11-10.280N<br>080-37-18.963W |         | 0 |   | SG on pile.       |
| 42437   | Banana River Daybeacon 5B                  | 28-11-31.292N<br>080-37-33.416W |         |   |   | SG on pile.       |
| 42440   | Banana River Daybeacon 6                   | 28-11-55.406N<br>080-37-38.987W |         | 0 |   | TR on pile.       |
| 42445   | Tortoise Island Ctr Channel Daybeacon 1    | 28-11-56.041N<br>080-37-08.188W |         |   |   | SG on pile.       |
| 42450   | Tortoise Island Ctr Channel Daybeacon 2    | 28-11-50.041N<br>080-37-08.188W |         |   |   | TR on pile.       |
| 42455   | Tortoise Island Ctr Channel Daybeacon 3    | 28-11-52.740N<br>080-37-09.120W |         |   |   | SG on pile.       |
| 42460   | Tortoise Island Center Channel Daybeacon 4 | 28-11-52.140N<br>080-37-09.060W |         |   |   | TR on pile.       |
| 42460.1 | Tortoise Island Center Channel Daybeacon 5 | 28-11-52.740N<br>080-37-01.740W |         |   |   | SG on Pile.       |
| 42460.3 | Tortoise Island Center Channel Daybeacon 7 | 28-11-52.980N<br>080-36-57.180W |         |   |   | SG on Pile.       |
| 42460.2 | Tortoise Island Center Channel Daybeacon 6 | 28-11-51.960N<br>080-37-00.960W |         |   |   | TR on pile.       |
| 42460.4 | Tortoise Island Center Channel Daybeacon 8 | 28-11-52.200N<br>080-36-57.180W |         |   |   | TR on pile.       |
| 42463   | Tortoise Island Channel Daybeacon 1        | 28-12-32.100N<br>080-37-38.040W |         |   |   | SG on pile.       |
| 42464   | Tortoise Island Channel Daybeacon 2        | 28-12-29.000N<br>080-37-41.000W |         |   |   | TR on pile.       |
| 42465   | Tortoise Island Channel Daybeacon 3        | 28-12-33.040N<br>080-37-33.188W |         |   |   | SG on pile.       |
| 42470   | Tortoise Island Channel Daybeacon 4        | 28-12-31.040N<br>080-37-33.188W |         |   |   | TR on pile.       |
| 42475   | Tortoise Island                            | 28-12-38.040N                   |         |   |   | SG on pile.       |

|         |                                          |                                 |     |                |
|---------|------------------------------------------|---------------------------------|-----|----------------|
|         | Channel Daybeacon 5                      | 080-37-17.188W                  |     |                |
| 42480   | Tortoise Island<br>Channel Daybeacon 6   | 28-12-33.040N<br>080-37-29.188W |     | TR on pile.    |
| 42482   | Tortoise Island<br>Channel Daybeacon 8   | 28-12-39.360N<br>080-37-07.620W |     | TR on pile.    |
| 42485   | Banana River<br>Daybeacon 7              | 28-12-01.406N<br>080-37-41.477W | 0   | SG on pile.    |
| 42490.6 | Manatee Cove Marina<br>Daybeacon 6       | 28-12-49.100N<br>080-37-04.680W |     | TR on pile.    |
| 42490.5 | Manatee Cove Marina<br>Daybeacon 5       | 28-12-48.780N<br>080-37-06.300W |     | SG on pile.    |
| 42490.4 | Manatee Cove Marina<br>Daybeacon 4       | 28-12-47.400N<br>080-37-16.800W |     | TR on pile.    |
| 42490.3 | Manatee Cove Marina<br>Daybeacon 3       | 28-12-48.480N<br>080-37-16.800W |     | SG on pile.    |
| 42490.2 | Manatee Cove Marina<br>Daybeacon 2       | 28-12-46.370N<br>080-37-27.600W |     | TR on pile.    |
| 42490.1 | Manatee Cove Marina<br>Daybeacon 1       | 28-12-46.800N<br>080-37-26.400W |     | SG on pile.    |
| 42490   | Banana River<br>Daybeacon 7A             | 28-12-15.877N<br>080-37-42.348W | 0   | SG on pile.    |
| 42491   | Manatee Cove Marina<br>Range Front Light | 28-12-50.400N<br>080-36-52.200W | F W | KRW on piles.  |
| 42492   | Manatee Cove Marina<br>Range Rear Light  | 28-12-51.000N<br>080-36-41.760W | F W | KRW on piles.  |
| 42495   | Banana River<br>Daybeacon 6A             | 28-13-06.086N<br>080-37-40.229W | 0   | TR on dolphin. |
| 42500   | Banana River Buoy 6B                     | 28-13-42.870N<br>080-37-38.784W |     | Red nun.       |
| 42505   | Banana River<br>Daybeacon 8              | 28-14-06.795N<br>080-37-36.485W | 0   | TR on pile.    |
| 42510   | Banana River<br>Daybeacon 9              | 28-14-18.807N<br>080-37-34.085W | 0   | SG on pile.    |
| 42515   | Banana River<br>Daybeacon 8A             | 28-14-21.453N<br>080-37-30.239W | 0   | TR on pile.    |
| 42540   | Banana River<br>Daybeacon 11             | 28-17-32.050N<br>080-38-59.105W |     | SG on pile.    |
| 42545   | Banana River<br>Daybeacon 12             | 28-17-31.401N<br>080-38-57.059W | 0   | TR on pile.    |
| 42550   | Banana River<br>Daybeacon 14             | 28-17-41.307N<br>080-39-01.589W |     | TR on pile.    |
| 42555   | Banana River<br>Daybeacon 15             | 28-18-09.621N<br>080-39-11.045W | 0   | SG on pile.    |
| 42560   | Banana River Buoy 17                     | 28-18-32.873N<br>080-39-12.703W |     | Green can.     |
| 42565   | Banana River<br>Daybeacon 18             | 28-18-33.741N<br>080-39-11.327W | 0   | TR on pile.    |
| 42570   | Banana River<br>Daybeacon 20             | 28-18-48.195N<br>080-39-10.931W | 0   | TR on pile.    |
| 42575   | Banana River<br>Daybeacon 21             | 28-18-59.181N<br>080-39-13.788W | 0   | SG on pile.    |
| 42580   | Banana River<br>Daybeacon 22             | 28-19-08.883N<br>080-39-12.725W | 0   | TR on pile.    |
| 42585   | Banana River<br>Daybeacon 23             | 28-19-39.621N<br>080-39-15.233W | 0   | SG on pile.    |
| 42590   | Banana River Buoy 24                     | 28-19-55.831N<br>080-39-16.521W |     | Red nun.       |
| 42595   | Banana River<br>Daybeacon 25             | 28-20-23.319N<br>080-39-16.283W | 0   | SG on pile.    |
| 42600   | Banana River<br>Daybeacon 26             | 28-20-32.032N<br>080-39-11.490W | 0   | TR on pile.    |
| 42605   | Banana River<br>Daybeacon 27             | 28-21-01.027N<br>080-39-03.371W | 0   | SG on pile.    |
| 42610   | Banana River<br>Daybeacon 28             | 28-21-53.469N<br>080-38-56.429W | 0   | TR on pile.    |
| 42611   | Hospital Cut<br>Daybeacon 2              | 28-21-30.540N<br>080-38-48.480W |     | TR on pile.    |
| 42611.1 | Hospital Cut<br>Daybeacon 3              | 28-21-32.910N<br>080-38-27.270W |     | SG on pile.    |
| 42611.2 | Hospital Cut<br>Daybeacon 4              | 28-21-29.260N<br>080-38-27.050W |     | TR on pile.    |

|         |                              |                                 |           |             |
|---------|------------------------------|---------------------------------|-----------|-------------|
| 42611.3 | Hospital Cut<br>Daybeacon 4A | 28-21-29.460N<br>080-38-17.720W |           | TR on pile. |
| 42611.4 | Hospital Cut<br>Daybeacon 5  | 28-21-36.050N<br>080-38-00.780W |           | SG on pile. |
| 42611.5 | Hospital Cut<br>Daybeacon 6  | 28-21-30.830N<br>080-38-00.050W |           | TR on pile. |
| 42611.6 | Hospital Cut<br>Daybeacon 6A | 28-21-32.000N<br>080-37-48.480W |           | TR on pile. |
| 42611.7 | Hospital Cut<br>Daybeacon 7  | 28-21-48.660N<br>080-37-34.320W |           | SG on pile. |
| 42611.8 | Hospital Cut<br>Daybeacon 8  | 28-21-40.790N<br>080-37-34.860W |           | TR on pile. |
| 42611.9 | Hospital Cut<br>Daybeacon 8A | 28-21-45.840N<br>080-37-32.810W |           |             |
| 42612   | Hospital Cut<br>Daybeacon 9  | 28-21-49.410N<br>080-37-18.950W |           | SG on pile. |
| 42612.1 | Hospital Cut<br>Daybeacon 10 | 28-21-48.350N<br>080-37-18.570W |           | TR on pile. |
| 42612.2 | Hospital Cut<br>Daybeacon 11 | 28-21-49.310N<br>080-37-14.780W |           | SG on pile. |
| 42612.3 | Hospital Cut<br>Daybeacon 12 | 28-21-48.380N<br>080-37-14.420W |           | TR on pile. |
| 42612.4 | Hospital Cut<br>Daybeacon 13 | 28-21-49.340N<br>080-37-10.550W |           | SG on pile. |
| 42612.5 | Hospital Cut<br>Daybeacon 14 | 28-21-48.750N<br>080-37-10.570W |           | TR on pile. |
| 42612.6 | Hospital Cut<br>Daybeacon 16 | 28-21-48.000N<br>080-37-07.430W |           | TR on pile. |
| 42612.7 | Hospital Cut<br>Daybeacon 17 | 28-21-48.340N<br>080-37-05.820W |           | SG on pile. |
| 42612.8 | Hospital Cut<br>Daybeacon 18 | 28-21-47.310N<br>080-37-05.590W |           | TR on pile. |
| 42612.9 | Hospital Cut<br>Daybeacon 19 | 28-21-47.460N<br>080-37-01.850W |           | SG on pile. |
| 42613   | Hospital Cut<br>Daybeacon 20 | 28-21-46.530N<br>080-37-00.720W |           | TR on pile. |
| 42613.1 | Hospital Cut<br>Daybeacon 21 | 28-21-49.740N<br>080-36-56.320W |           | SG on pile. |
| 42613.2 | Hospital Cut<br>Daybeacon 22 | 28-21-44.750N<br>080-36-55.590W |           | TR on pile. |
| 42613.3 | Hospital Cut<br>Daybeacon 23 | 28-21-57.060N<br>080-36-55.680W |           | SG on pile. |
| 42613.4 | Hospital Cut<br>Daybeacon 25 | 28-21-58.340N<br>080-36-55.660W |           | SG on pile. |
| 42613.5 | Hospital Cut<br>Daybeacon 26 | 28-22-00.640N<br>080-36-54.600W |           | TR on pile. |
| 42613.6 | Hospital Cut<br>Daybeacon 27 | 28-22-03.570N<br>080-36-54.640W |           | SG on pile. |
| 42613.7 | Hospital Cut<br>Daybeacon 28 | 28-22-03.060N<br>080-36-54.180W |           | TR on pile. |
| 42613.8 | Hospital Cut<br>Daybeacon 29 | 28-22-04.610N<br>080-36-53.380W |           | SG on pile. |
| 42613.9 | Hospital Cut<br>Daybeacon 30 | 28-22-04.330N<br>080-36-52.750W |           | TR on pile. |
| 42614   | Hospital Cut<br>Daybeacon 31 | 28-22-06.470N<br>080-36-51.130W |           | SG on pile. |
| 42614.1 | Hospital Cut<br>Daybeacon 32 | 28-22-06.150N<br>080-36-50.540W |           | TR on pile. |
| 42614.2 | Hospital Cut<br>Daybeacon 34 | 28-22-08.500N<br>080-36-48.320W |           | TR on pile. |
| 42615   | Pelican Creek Light 2        | 28-22-24.000N<br>080-39-20.000W | FI R 2.5s | TR on pile. |
| 42620   | Pelican Creek<br>Daybeacon 3 | 28-22-23.000N<br>080-39-25.000W |           | SG on pile. |
| 42625   | Pelican Creek<br>Daybeacon 4 | 28-22-24.000N<br>080-39-30.000W |           | TR on pile. |
| 42630   | Pelican Creek<br>Daybeacon 5 | 28-22-23.100N<br>080-39-33.000W |           | SG on pile. |
| 42635   | Pelican Creek<br>Daybeacon 6 | 28-22-24.000N<br>080-39-33.000W |           | TR on pile. |
| 42640   | Pelican Creek                | 28-22-23.100N                   |           | SG on pile. |

|       |                                    |                                 |         |                                    |
|-------|------------------------------------|---------------------------------|---------|------------------------------------|
|       | Daybeacon 7                        | 080-39-38.000W                  |         |                                    |
| 42645 | Pelican Creek<br>Daybeacon 8       | 28-22-24.000N<br>080-39-38.000W |         | TR on pile.                        |
| 42650 | Pelican Creek<br>Daybeacon 9       | 28-22-23.100N<br>080-39-41.000W |         | SG on pile.                        |
| 42655 | Pelican Creek<br>Daybeacon 10      | 28-22-24.000N<br>080-39-41.000W |         | TR on pile.                        |
| 42660 | Pelican Creek<br>Daybeacon 11      | 28-22-23.100N<br>080-39-44.000W |         | SG on pile.                        |
| 42665 | Pelican Creek<br>Daybeacon 12      | 28-22-24.400N<br>080-39-44.000W |         | TR on pile.                        |
| 42670 | Pelican Creek<br>Daybeacon 13      | 28-22-23.100N<br>080-39-48.000W |         | SG on pile.                        |
| 42675 | Pelican Creek<br>Daybeacon 14      | 28-24-24.000N<br>080-39-48.300W |         | TR on pile.                        |
| 42680 | Pelican Creek<br>Daybeacon 15      | 28-22-21.500N<br>080-39-48.000W |         | SG on pile.                        |
| 42685 | Pelican Creek<br>Daybeacon 16      | 28-22-21.500N<br>080-39-49.000W |         | TR on pile.                        |
| 42690 | Pelican Creek<br>Daybeacon 17      | 28-22-18.000N<br>080-39-48.000W |         | SG on pile.                        |
| 42695 | Pelican Creek<br>Daybeacon 18      | 28-22-18.000N<br>080-39-49.000W |         | TR on pile.                        |
| 42700 | Pelican Creek<br>Daybeacon 19      | 28-22-13.000N<br>080-39-48.000W |         | SG on pile.                        |
| 42705 | Pelican Creek<br>Daybeacon 21      | 28-22-08.000N<br>080-39-48.400W |         | SG on pile.                        |
| 42710 | Pelican Creek<br>Daybeacon 23      | 28-22-05.000N<br>080-39-48.600W |         | SG on pile.                        |
| 42715 | Pelican Creek<br>Daybeacon 25      | 28-22-02.000N<br>080-39-48.600W |         | SG on pile.                        |
| 42720 | Pelican Creek<br>Daybeacon 26      | 28-21-58.000N<br>080-39-49.200W |         | TR on pile.                        |
| 42725 | Pelican Creek<br>Daybeacon 28      | 28-21-55.000N<br>080-39-49.200W |         | TR on pile.                        |
| 42730 | Pelican Creek<br>Daybeacon 30      | 28-21-53.800N<br>080-39-49.200W |         | TR on pile.                        |
| 42735 | Cape Shores<br>Daybeacon 2         | 28-22-43.016N<br>080-37-29.185W |         | TR on pile.                        |
| 42740 | Cape Shores<br>Daybeacon 4         | 28-22-44.515N<br>080-37-21.185W |         | TR on pile.                        |
| 42745 | Cape Shores WR<br>Daybeacon        | 28-22-49.015N<br>080-37-23.185W |         | NW on pile worded DANGER<br>WRECK. |
| 42750 | Cape Shores<br>Daybeacon 6         | 28-22-47.015N<br>080-37-11.185W |         | TR on pile.                        |
| 42755 | Cape Shores<br>Daybeacon 8         | 28-22-49.015N<br>080-37-02.184W |         | TR on pile.                        |
| 42760 | Cape Shores<br>Daybeacon 10        | 28-22-52.015N<br>080-36-53.184W |         | TR on pile.                        |
| 42765 | Cape Shores<br>Daybeacon 12        | 28-22-53.015N<br>080-36-42.184W |         | TR on pile.                        |
| 42770 | Shore Drive Channel<br>Light 1     | 28-22-53.200N<br>080-39-19.000W | FI G 5s | SG on pile.                        |
| 42775 | Shore Drive Channel<br>Daybeacon 2 | 28-22-54.500N<br>080-39-25.000W |         | TR on pile.                        |
| 42780 | Shore Drive Channel<br>Daybeacon 3 | 28-22-53.200N<br>080-39-30.400W |         | SG on pile.                        |
| 42785 | Shore Drive Channel<br>Daybeacon 4 | 28-22-54.200N<br>080-39-30.400W |         | TR on pile.                        |
| 42790 | Shore Drive Channel<br>Daybeacon 5 | 28-22-53.200N<br>080-39-36.300W |         | SG on pile.                        |
| 42795 | Shore Drive Channel<br>Daybeacon 6 | 28-22-54.200N<br>080-39-36.300W |         | TR on pile.                        |
| 42800 | Shore Drive Channel<br>Daybeacon 7 | 28-22-53.200N<br>080-39-42.000W |         | SG on pile.                        |
| 42805 | Shore Drive Channel<br>Daybeacon 8 | 28-22-54.200N<br>080-39-42.000W |         | TR on pile.                        |
| 42810 | Shore Drive Channel<br>Daybeacon 9 | 28-22-53.900N<br>080-39-45.000W |         | SG on pile.                        |
| 42815 | Shore Drive Channel                | 28-22-53.900N                   |         | SG on pile.                        |

|       |                                                     |                                 |           |             |
|-------|-----------------------------------------------------|---------------------------------|-----------|-------------|
|       | Daybeacon 11                                        | 080-39-47.000W                  |           |             |
| 42820 | Shore Drive Channel<br>Daybeacon 12                 | 28-22-55.100N<br>080-39-47.000W |           | TR on pile. |
| 42825 | Shore Drive Channel<br>Daybeacon 13                 | 28-22-54.000N<br>080-39-50.000W |           | SG on pile. |
| 42830 | Central Avenue<br>Entrance Channel<br>Light 2       | 28-23-11.000N<br>080-39-17.000W | FI R 2.5s | TR on pile. |
| 42835 | Central Avenue<br>Entrance Channel<br>Daybeacon 3   | 28-23-10.000N<br>080-39-23.000W |           | SG on pile. |
| 42840 | Central Avenue<br>Entrance Channel<br>Daybeacon 4   | 28-23-11.000N<br>080-39-26.000W |           | TR on pile. |
| 42845 | Central Avenue<br>Entrance Channel<br>Daybeacon 5   | 28-23-10.000N<br>080-39-30.000W |           | SG on pile. |
| 42850 | Central Aveune<br>Entrance Channel<br>Daybeacon 6   | 28-23-11.000N<br>080-39-30.000W |           | TR on pile. |
| 42855 | Central Avenue<br>Entrance Channel<br>Daybeacon 7   | 28-23-10.000N<br>080-39-35.000W |           | SG on pile. |
| 42860 | Central Avenue<br>Entrance Channel<br>Daybeacon 8   | 28-23-11.000N<br>080-39-35.000W |           | TR on pile. |
| 42865 | Central Avenue<br>Entrance Channel<br>Daybeacon 9   | 28-23-10.000N<br>080-39-39.000W |           | SG on pile. |
| 42870 | Central Avenue<br>Entrance Channel<br>Daybeacon 10  | 28-23-11.000N<br>080-39-39.000W |           | TR on pile. |
| 42875 | Central Avenue<br>Entrance Channel<br>Daybeacon 11  | 28-23-10.000N<br>080-39-42.000W |           | SG on pile. |
| 42880 | Central Avenue<br>Entrance Channel<br>Daybeacon 12  | 28-23-11.000N<br>080-39-42.000W |           | TR on pile. |
| 42885 | Central Avenue<br>Entrance Channel<br>Daybeacon 13  | 28-23-10.000N<br>080-39-45.000W |           | SG on pile. |
| 42890 | Central Aveune<br>Entrance Channel<br>Daybeacon 14  | 28-23-11.000N<br>080-39-48.000W |           | TR on pile. |
| 42895 | Central Avenue North<br>Channel Daybeacon 2         | 28-23-16.000N<br>080-39-48.000W |           | TR on pile. |
| 42900 | Central Avenue North<br>Channel Daybeacon 4         | 28-23-21.000N<br>080-39-48.000W |           | TR on pile. |
| 42905 | Central Avenue North<br>Channel Daybeacon 6         | 28-23-25.000N<br>080-39-48.000W |           | TR on pile. |
| 42910 | Central Avenue South<br>Channel Daybeacon 1         | 28-23-08.000N<br>080-39-46.000W |           | SG on pile. |
| 42915 | Central Avenue South<br>Channel Junc<br>Daybeacon A | 28-23-08.000N<br>080-39-47.800W |           | JR on pile. |
| 42920 | Central Avenue Boat<br>Canal Daybeacon 1            | 28-23-08.000N<br>080-39-49.000W |           | SG on pile. |
| 42925 | Central Avenue South<br>Channel Daybeacon 2         | 28-23-05.000N<br>080-39-48.000W |           | TR on pile. |
| 42930 | Central Avenue South<br>Channel Daybeacon 3         | 28-23-05.000N<br>080-39-46.000W |           | SG on pile. |
| 42935 | Central Avenue South<br>Channel Daybeacon 4         | 28-23-02.000N<br>080-39-48.000W |           | TR on pile. |
| 42940 | Central Avenue South<br>Channel Daybeacon 5         | 28-23-02.000N<br>080-39-46.000W |           | SG on pile. |
| 42945 | Sandpiper Channel<br>Light 2                        | 28-23-36.000N<br>080-39-18.000W | FI R 5s   | TR on pile. |
| 42950 | Sandpiper Channel<br>Daybeacon 3                    | 28-23-36.000N<br>080-39-24.000W |           | SG on pile. |
| 42955 | Sandpiper Channel<br>Daybeacon 4                    | 28-23-36.000N<br>080-39-30.000W |           | TR on pile. |

|         |                                                |                                 |         |   |   |                           |
|---------|------------------------------------------------|---------------------------------|---------|---|---|---------------------------|
| 42960   | Sandpiper Channel<br>Daybeacon 5               | 28-23-35.000N<br>080-39-37.000W |         |   |   | SG on pile.               |
| 42965   | Sandpiper Channel<br>Daybeacon 6               | 28-23-36.000N<br>080-39-37.000W |         |   |   | TR on pile.               |
| 42970   | Sandpiper Channel<br>Daybeacon 7               | 28-23-35.000N<br>080-39-42.000W |         |   |   | SG on pile.               |
| 42975   | Sandpiper Channel<br>Daybeacon 8               | 28-23-36.000N<br>080-39-42.000W |         |   |   | TR on pile.               |
| 42980   | Sandpiper Channel<br>Daybeacon 9               | 28-23-35.000N<br>080-39-48.000W |         |   |   | SG on pile.               |
| 42985   | Sandpiper Channel<br>Daybeacon 10              | 28-23-36.000N<br>080-39-48.000W |         |   |   | TR on pile.               |
| 42990   | Sandpiper Channel<br>Junction Daybeacon A      | 28-23-35.500N<br>080-39-51.000W |         |   |   | JR on pile.               |
| 42995   | Sandpiper North<br>Channel Daybeacon 2         | 28-23-39.200N<br>080-39-50.000W |         |   |   | TR on pile.               |
| 43000   | Sandpiper North<br>Channel Daybeacon 4         | 28-23-39.200N<br>080-39-52.000W |         |   |   | TR on pile.               |
| 43005   | Sandpiper Channel<br>Daybeacon 11              | 28-23-33.200N<br>080-39-52.000W |         |   |   | SG on pile.               |
| 43010   | Sandpiper Channel<br>Daybeacon 12              | 28-23-33.000N<br>080-39-52.500W |         |   |   | TR on pile.               |
| 43015   | Sandpiper Channel<br>Daybeacon 13              | 28-23-31.000N<br>080-39-53.000W |         |   |   | SG on pile.               |
| 43020   | Sandpiper Channel<br>Daybeacon 15              | 28-23-30.000N<br>080-39-54.000W |         |   |   | SG on pile.               |
| 43025   | Sandpiper Channel<br>Daybeacon 17              | 28-23-29.000N<br>080-39-55.000W |         |   |   | SG on pile.               |
| 43030   | Kelly Park Channel<br>Light 1                  | 28-24-03.240N<br>080-39-29.040W | FI G 5s |   |   | SG on pile.               |
| 43035   | Kelly Park Channel<br>Daybeacon 2              | 28-24-07.000N<br>080-39-32.000W |         |   |   | TR on pile.               |
| 43040   | Kelly Park Channel<br>Daybeacon 3              | 28-24-03.000N<br>080-39-32.000W |         |   |   | SG on pile.               |
| 43045   | Kelly Park Channel<br>Daybeacon 4              | 28-24-07.000N<br>080-39-36.000W |         |   |   | TR on pile.               |
| 43050   | Kelly Park Channel<br>Daybeacon 5              | 28-24-03.000N<br>080-39-36.000W |         |   |   | SG on pile.               |
| 43055   | Kelly Park Channel<br>Daybeacon 7              | 28-24-03.000N<br>080-39-42.000W |         |   |   | SG on pile.               |
| 43060   | Eau Gallie Channel<br>Daybeacon 1              | 28-07-23.270N<br>080-36-57.797W |         | 0 |   | SG on pile.               |
| 43065   | Eau Gallie Channel<br>Daybeacon 3              | 28-07-25.064N<br>080-37-09.491W |         | 0 |   | SG on pile.               |
| 43070   | Eau Gallie Channel<br>Daybeacon 5              | 28-07-27.362N<br>080-37-22.443W |         | 0 |   | SG on pile.               |
| 43075   | Eau Gallie Channel<br>Light 6                  | 28-07-29.708N<br>080-37-24.389W | FI R 4s | 0 | 5 | TR on pile.               |
| 43080   | Eau Gallie Channel<br>Daybeacon 7              | 28-07-29.954N<br>080-37-26.987W |         | 0 |   | SG on pile.               |
| 43085   | Eau Gallie Channel<br>Daybeacon 9              | 28-07-31.934N<br>080-37-30.797W |         | 0 |   | SG on pile.               |
| 43090   | Eau Gallie Channel<br>Daybeacon 11             | 28-07-30.938N<br>080-37-34.877W |         | 0 |   | SG on pile.               |
| 43095   | Eau Gallie Channel<br>Daybeacon 13             | 28-07-27.740N<br>080-37-37.901W |         | 0 |   | SG on pile.               |
| 43100   | Eau Gallie Channel<br>Daybeacon 15             | 28-07-26.966N<br>080-37-40.481W |         | 0 |   | SG on pile.               |
| 43103   | Eau Gallie Channel<br>East Danger<br>Daybeacon | 28-07-27.121N<br>080-37-49.409W |         |   |   | NW on pile worded DANGER. |
| 43103.1 | Eau Gallie Channel<br>West Danger<br>Daybeacon | 28-07-27.442N<br>080-37-51.314W |         |   |   | NW on pile worded DANGER. |
| 43105   | Indian River (South<br>Section) Light 2        | 28-07-20.289N<br>080-36-44.055W | FI R 4s | 0 | 5 | TR-TY on pile.            |
| 43110   | Indian River (South<br>Section) Daybeacon 3    | 28-06-49.376N<br>080-36-24.293W |         | 0 |   | SG-SY on pile.            |
| 43115   | Intracoastal Marina<br>Channel Daybeacon 1     | 28-06-07.858N<br>080-36-11.496W |         |   |   | SG on pile.               |
| 43120   | Intracoastal Marina                            | 28-06-08.978N                   |         |   |   | TR on pile.               |

|         |                                                 |                                 |           |   |   |                |                             |
|---------|-------------------------------------------------|---------------------------------|-----------|---|---|----------------|-----------------------------|
|         | Channel Daybeacon 2                             | 080-36-11.833W                  |           |   |   |                |                             |
| 43125   | Intracoastal Marina<br>Channel Daybeacon 3      | 28-06-05.294N<br>080-36-19.501W |           |   |   | SG on pile.    |                             |
| 43130   | Intracoastal Marina<br>Channel Daybeacon 4      | 28-06-06.047N<br>080-36-19.954W |           |   |   | TR on pile.    |                             |
| 43135   | Intracoastal Marina<br>Channel Daybeacon 5      | 28-06-03.548N<br>080-36-24.528W |           |   |   | SG on pile.    |                             |
| 43140   | Intracoastal Marina<br>Channel Daybeacon 6      | 28-06-02.525N<br>080-36-29.634W |           |   |   | TR on pile.    |                             |
| 43150   | Intracoastal Marina<br>Channel Daybeacon 8      | 28-06-01.031N<br>080-36-33.716W |           |   |   | TR on pile.    |                             |
| 43155   | Intracoastal Marina<br>Channel Daybeacon 9      | 28-06-00.577N<br>080-36-33.069W |           |   |   | SG on pile.    |                             |
| 43165   | Intracoastal Marina<br>Channel Daybeacon 12     | 28-05-59.646N<br>080-36-37.542W |           |   |   | TR on pile.    |                             |
| 43170   | Indian River (South<br>Section) Light 5         | 28-05-44.190N<br>080-35-50.837W | FI G 2.5s | 0 | 5 | SG-SY on pile. |                             |
| 43175   | Front Street Channel<br>Daybeacon 1             | 28-04-47.057N<br>080-35-39.191W |           |   |   | SG on pile.    |                             |
| 43180   | Front Street Channel<br>Daybeacon 2             | 28-04-50.060N<br>080-35-39.180W |           |   |   | TR on pile.    |                             |
| 43185   | Front Street Channel<br>Daybeacon 3             | 28-04-46.700N<br>080-35-45.100W |           |   |   | SG on pile.    |                             |
| 43190   | Front Street Channel<br>Daybeacon 4             | 28-04-49.890N<br>080-35-45.100W |           |   |   | TR on pile.    |                             |
| 43195   | Front Street Channel<br>Daybeacon 5             | 28-04-47.500N<br>080-35-51.400W |           |   |   | SG on pile.    |                             |
| 43200   | Front Street Channel<br>Daybeacon 6             | 28-04-50.200N<br>080-35-51.400W |           |   |   | TR on pile.    |                             |
| 43205   | Indian River (South<br>Section) Daybeacon 6     | 28-04-38.876N<br>080-35-19.879W |           | 0 |   | TR-TY on pile. |                             |
| 43210   | Melbourne Channel<br>Daybeacon 1                | 28-04-32.342N<br>080-35-39.593W |           | 0 |   | SG on pile.    |                             |
| 43215   | Melbourne Channel<br>Daybeacon 2                | 28-04-33.716N<br>080-35-39.701W |           | 0 |   | TR on pile.    |                             |
| 43220   | Melbourne Channel<br>Daybeacon 3                | 28-04-31.688N<br>080-35-48.149W |           | 0 |   | SG on pile.    |                             |
| 43225   | Melbourne Channel<br>Daybeacon 4                | 28-04-33.104N<br>080-35-48.461W |           | 0 |   | TR on pile.    |                             |
| 43230   | Melbourne Channel<br>Daybeacon 5                | 28-04-31.714N<br>080-35-52.902W |           | 0 |   | SG on pile.    |                             |
| 43235   | Melbourne Channel<br>Daybeacon 6                | 28-04-32.870N<br>080-35-54.905W |           | 0 |   | TR on pile.    |                             |
| 43240   | Melbourne Channel<br>Light 7                    | 28-04-32.054N<br>080-35-57.413W | Q G       | 0 | 4 | SG on pile.    | Obscured from 240° to 280°. |
| 43245   | Melbourne Channel<br>Daybeacon 8                | 28-04-33.236N<br>080-35-56.363W |           | 0 |   | TR on pile.    |                             |
| 43250   | Indian River (South<br>Section) Light 7         | 28-04-05.684N<br>080-34-58.570W | FI G 4s   | 0 | 5 | SG-SY on pile. |                             |
| 43255   | Indian River (South<br>Section) Daybeacon 8     | 28-04-02.738N<br>080-35-02.467W |           | 0 |   | TR-TY on pile. |                             |
| 43260   | Indian River (South<br>Section) Daybeacon 9     | 28-03-22.178N<br>080-34-34.444W |           | 0 |   | SG-SY on pile. |                             |
| 43265   | Indian River (South<br>Section) Daybeacon<br>10 | 28-02-58.277N<br>080-34-24.240W |           | 0 |   | TR-TY on pile. |                             |
| 43270   | Indian River (South<br>Section) Daybeacon<br>13 | 28-02-40.712N<br>080-34-12.292W |           | 0 |   | SG-SY on pile. |                             |
| 43270.1 | Turkey Creek<br>Daybeacon 1                     | 28-02-17.000N<br>080-34-43.000W |           |   |   |                |                             |
| 43270.2 | Turkey Creek<br>Daybeacon 2                     | 28-02-19.000N<br>080-34-44.000W |           |   |   |                |                             |
| 43270.3 | Turkey Creek<br>Daybeacon 3                     | 28-02-16.000N<br>080-34-44.000W |           |   |   |                |                             |
| 43270.4 | Turkey Creek<br>Daybeacon 4                     | 28-02-17.000N<br>080-34-46.000W |           |   |   |                |                             |
| 43270.5 | Turkey Creek<br>Daybeacon 5                     | 28-02-15.000N<br>080-34-45.000W |           |   |   |                |                             |
| 43270.6 | Turkey Creek<br>Daybeacon 6                     | 28-02-15.000N<br>080-34-46.000W |           |   |   |                |                             |

|         |                                                 |                                 |         |   |   |                                                                                                |
|---------|-------------------------------------------------|---------------------------------|---------|---|---|------------------------------------------------------------------------------------------------|
| 43270.7 | Turkey Creek<br>Daybeacon 7                     | 28-02-13.000N<br>080-34-46.000W |         |   |   |                                                                                                |
| 43270.8 | Turkey Creek<br>Daybeacon 8                     | 28-02-13.000N<br>080-34-47.000W |         |   |   |                                                                                                |
| 43270.9 | Turkey Creek<br>Daybeacon 10                    | 28-02-04.000N<br>080-34-48.000W |         |   |   |                                                                                                |
| 43271.1 | Turkey Creek<br>Daybeacon 12                    | 28-02-02.000N<br>080-34-46.000W |         |   |   |                                                                                                |
| 43271.2 | Turkey Creek<br>Daybeacon 13                    | 28-02-00.000N<br>080-34-45.000W |         |   |   |                                                                                                |
| 43271.3 | Turkey Creek<br>Daybeacon 14                    | 28-02-01.000N<br>080-34-46.000W |         |   |   |                                                                                                |
| 43271.4 | Turkey Creek<br>Daybeacon 15                    | 28-01-58.000N<br>080-34-48.000W |         |   |   |                                                                                                |
| 43271.5 | Turkey Creek<br>Daybeacon 16                    | 28-01-59.000N<br>080-34-49.000W |         |   |   |                                                                                                |
| 43271.6 | Turkey Creek<br>Daybeacon 17                    | 28-01-55.000N<br>080-34-54.000W |         |   |   |                                                                                                |
| 43271.7 | Turkey Creek<br>Daybeacon 18                    | 28-01-56.000N<br>080-34-55.000W |         |   |   |                                                                                                |
| 43271.8 | Turkey Creek<br>Daybeacon 19                    | 28-01-53.000N<br>080-34-56.000W |         |   |   |                                                                                                |
| 43271.9 | Turkey Creek<br>Daybeacon 20                    | 28-01-55.000N<br>080-34-57.000W |         |   |   |                                                                                                |
| 43272.1 | Turkey Creek<br>Daybeacon 21                    | 28-01-46.000N<br>080-34-58.000W |         |   |   |                                                                                                |
| 43272.2 | Turkey Creek<br>Daybeacon 22                    | 28-01-48.000N<br>080-34-59.000W |         |   |   |                                                                                                |
| 43275   | Indian River (South<br>Section) Light 14        | 28-02-19.316N<br>080-34-03.886W | FI R 4s | 0 | 5 | TR-TY on pile.                                                                                 |
| 43280   | Indian River (South<br>Section) Daybeacon<br>15 | 28-01-44.926N<br>080-33-40.981W |         | 0 |   | SG-SY on pile.                                                                                 |
| 43285   | Indian River (South<br>Section) Daybeacon<br>16 | 28-01-06.433N<br>080-33-22.147W |         | 0 |   | TR-TY on pile.                                                                                 |
| 43290   | Indian River (South<br>Section) Daybeacon<br>17 | 28-00-37.250N<br>080-33-02.746W |         | 0 |   | SG-SY on pile.                                                                                 |
| 43300   | Rhum Cove Marina<br>Daybeacon 1                 | 28-00-59.965N<br>080-33-58.191W |         |   |   | SG on pile.                                                                                    |
| 43305   | Rhum Cove Marina<br>Daybeacon 2                 | 28-00-58.465N<br>080-33-43.691W |         |   |   | TR on pile.                                                                                    |
| 43310   | Rhum Cove Marina<br>Daybeacon 3                 | 28-00-58.625N<br>080-33-49.451W |         |   |   | SG on pile.                                                                                    |
| 43315   | Rhum Cove Marina<br>Daybeacon 4                 | 28-00-59.665N<br>080-33-49.191W |         |   |   | TR on pile.                                                                                    |
| 43320   | Rhum Cove Marina<br>Daybeacon 5                 | 28-00-59.895N<br>080-33-53.961W |         |   |   | SG on pile.                                                                                    |
| 43325   | Rhum Cove Marina<br>Daybeacon 6                 | 28-00-59.765N<br>080-33-53.691W |         |   |   | TR on pile.                                                                                    |
| 43330   | Rhum Cove Marina<br>Daybeacon 7                 | 28-00-58.765N<br>080-33-58.191W |         |   |   | SG on pile.                                                                                    |
| 43335   | Rhum Cove Marina<br>Daybeacon 8                 | 28-00-59.065N<br>080-33-58.191W |         |   |   | TR on pile.                                                                                    |
| 43340   | Tucker Channel Range<br>Front Light             | 28-00-21.566N<br>080-31-47.189W | F G     |   |   | On pile. May be partially or totally obscured when a boat is hauled on lift.                   |
| 43345   | Tucker Channel Range<br>Rear Light              | 28-00-21.566N<br>080-31-47.189W | F G     |   |   | On house. Obscured from 185° to 355°. May be partially obscured when a boat is hauled on lift. |
| 43350   | Tucker Channel<br>Daybeacon 1                   | 27-59-27.568N<br>080-32-23.190W |         |   |   | SG on pile.                                                                                    |
| 43355   | Tucker Channel<br>Daybeacon 2                   | 27-55-26.078N<br>080-32-23.191W |         |   |   | TR on pile.                                                                                    |
| 43360   | Indian River (South<br>Section) Daybeacon<br>18 | 28-00-02.011N<br>080-32-45.282W |         | 0 |   | TR-TY on pile.                                                                                 |
| 43365   | Indian River (South<br>Section) Daybeacon<br>20 | 27-59-31.370N<br>080-32-28.765W |         | 0 |   | TR-TY on pile.                                                                                 |
| 43370   | Indian River (South<br>Section) Light 21        | 27-59-28.310N<br>080-32-23.601W | FI G 4s | 0 | 4 | SG-SY on pile.                                                                                 |



|         |                                            |                                 |         |   |   |                   |                           |
|---------|--------------------------------------------|---------------------------------|---------|---|---|-------------------|---------------------------|
| 43375   | Indian River (South Section) Daybeacon 22  | 27-59-22.480N<br>080-32-24.325W |         |   |   | TR-TY on pile.    |                           |
| 43380   | Indian River (South Section) Daybeacon 23  | 27-58-44.710N<br>080-32-13.582W |         | 0 |   | SG-SY on pile.    |                           |
| 43385   | Indian River (South Section) Daybeacon 24  | 27-58-30.286N<br>080-32-12.543W |         | 0 |   | TR-TY on pile.    |                           |
| 43390   | Indian River (South Section) Daybeacon 25  | 27-58-02.105N<br>080-32-02.965W |         | 0 |   | SG-SY on pile.    |                           |
| 43395   | Indian River (South Section) Daybeacon 27  | 27-57-41.947N<br>080-31-57.852W |         | 0 |   | SG-SY on pile.    |                           |
| 43400   | Indian River (South Section) Light 28      | 27-57-33.826N<br>080-31-58.599W | FI R 4s | 0 | 5 | TR-TY on dolphin. |                           |
| 43405   | Indian River (South Section) Daybeacon 29  | 27-57-30.150N<br>080-31-54.244W |         | 0 |   | SG-SY on pile.    |                           |
| 43410   | Indian River (South Section) Daybeacon 31  | 27-57-09.366N<br>080-31-44.030W |         | 0 |   | SG-SY on pile.    |                           |
| 43415   | Indian River (South Section) Daybeacon 32  | 27-56-48.221N<br>080-31-36.210W |         |   |   | TR-TY on pile.    |                           |
| 43420   | Indian River (South Section) Light 33      | 27-56-44.840N<br>080-31-31.730W | FI G 4s | 0 | 5 | SG-SY on dolphin. |                           |
| 43425   | Indian River (South Section) Daybeacon 34  | 27-56-39.504N<br>080-31-33.216W |         |   |   | TR-TY on pile.    |                           |
| 43425.5 | Indian River (South Section) Daybeacon 34A | 27-56-13.839N<br>080-31-27.348W |         | 0 |   | TR-TY on pile.    |                           |
| 43430   | Indian River (South Section) Daybeacon 35  | 27-56-13.852N<br>080-31-25.425W |         | 0 |   | SG-SY on pile.    |                           |
| 43435   | Indian River (South Section) Daybeacon 36  | 27-55-56.925N<br>080-31-23.683W |         | 0 |   | TR-TY on pile.    |                           |
| 43440   | Indian River (South Section) Daybeacon 37  | 27-55-48.163N<br>080-31-20.154W |         | 0 |   | SG-SY on pile.    |                           |
| 43445   | Indian River (South Section) Light 38      | 27-55-40.941N<br>080-31-20.688W | FI R 4s |   | 5 | TR-TY on pile.    |                           |
| 43450   | Indian River (South Section) Daybeacon 39  | 27-55-38.042N<br>080-31-15.548W |         | 0 |   | SG-SY on pile.    |                           |
| 43451   | Mullett Creek Daybeacon 1                  | 27-55-42.180N<br>080-30-22.680W |         |   |   | SG on pile.       | Local Knowledge Required. |
| 43451.1 | Mullett Creek Daybeacon 2                  | 27-55-41.040N<br>080-30-21.840W |         |   |   | TR on pile.       |                           |
| 43451.2 | Mullett Creek Daybeacon 3                  | 27-55-42.660N<br>080-29-54.480W |         |   |   | SG on pile.       |                           |
| 43451.3 | Mullett Creek Daybeacon 4                  | 27-55-42.300N<br>080-29-54.060W |         |   |   | TR on pile.       |                           |
| 43455   | Indian River (South Section) Daybeacon 40  | 27-55-21.428N<br>080-31-05.153W |         | 0 |   | TR-TY on pile.    |                           |
| 43460   | Indian River (South Section) Light 41      | 27-55-18.044N<br>080-30-59.999W | FI G 4s | 0 | 5 | SG-SY on pile.    |                           |
| 43465   | Indian River (South Section) Daybeacon 42  | 27-55-13.216N<br>080-31-00.390W |         | 0 |   | TR-TY on pile.    |                           |
| 43470   | Indian River (South Section) Daybeacon 43  | 27-54-49.491N<br>080-30-52.116W |         | 0 |   | SG-SY on pile.    |                           |
| 43475   | Indian River (South Section) Light 44      | 27-54-45.390N<br>080-30-52.977W | FI R 4s | 0 | 5 | TR-TY on pile.    |                           |
| 43480   | Indian River (South Section) Daybeacon 45  | 27-54-41.908N<br>080-30-48.160W |         | 0 |   | SG-SY on pile.    |                           |
| 43485   | Indian River (South                        | 27-54-18.541N                   |         |   |   | SG-SY on pile.    |                           |

|         |                                            |                                 |         |   |   |                |
|---------|--------------------------------------------|---------------------------------|---------|---|---|----------------|
|         | Section) Daybeacon 47                      | 080-30-31.780W                  |         |   |   |                |
| 43490   | Indian River (South Section) Light 48      | 27-54-12.701N<br>080-30-30.205W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 43495   | Indian River (South Section) Daybeacon 49  | 27-54-12.296N<br>080-30-25.381W |         | 0 |   | SG-SY on pile. |
| 43500   | Indian River (South Section) Daybeacon 50  | 27-54-00.186N<br>080-30-09.706W |         | 0 |   | TR-TY on pile. |
| 43505   | Indian River (South Section) Light 51      | 27-53-59.611N<br>080-30-05.295W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 43510   | Indian River (South Section) Daybeacon 52  | 27-53-53.986N<br>080-30-04.402W |         | 0 |   | TR-TY on pile. |
| 43515   | Indian River (South Section) Daybeacon 51A | 27-53-35.858N<br>080-29-50.024W |         | 0 |   | SG-SY on pile. |
| 43520   | Indian River (South Section) Light 53      | 27-53-18.516N<br>080-29-39.213W | FI G 4s |   | 5 | SG-SY on pile. |
| 43525   | Indian River (South Section) Daybeacon 54  | 27-53-17.026N<br>080-29-40.976W |         |   |   | TR-TY on pile. |
| 43530   | Indian River (South Section) Daybeacon 54A | 27-52-54.961N<br>080-29-29.768W |         | 0 |   | TR-TY on pile. |
| 43535   | Indian River (South Section) Daybeacon 55  | 27-52-38.910N<br>080-29-19.010W |         |   |   | SG-SY on pile. |
| 43540   | Indian River (South Section) Light 57      | 27-52-13.216N<br>080-29-06.717W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 43545   | Indian River (South Section) Daybeacon 58  | 27-52-12.307N<br>080-29-08.945W |         | 0 |   | TR-TY on pile. |
| 43546   | Sebastian Inlet Marina Daybeacon 2         | 27-52-19.000N<br>080-29-22.000W |         |   |   | TR on pile.    |
| 43547   | Sebastian Inlet Marina Daybeacon 3         | 27-52-17.000N<br>080-29-29.000W |         |   |   | SG on pile.    |
| 43548   | Sebastian Inlet Marina Daybeacon 4         | 27-52-14.000N<br>080-29-36.000W |         |   |   | TR on pile.    |
| 43549   | Sebastian Inlet Marina Daybeacon 5         | 27-52-14.000N<br>080-29-37.000W |         |   |   | SG on pile.    |
| 43550   | Indian River (South Section) Daybeacon 59  | 27-51-38.998N<br>080-28-54.591W |         | 0 |   | SG-SY on pile. |
| 43555   | Indian River (South Section) Light 60      | 27-51-37.452N<br>080-28-56.344W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 43560   | Indian River (South Section) Daybeacon 61  | 27-51-13.643N<br>080-28-40.266W |         |   |   | SG-SY on pile. |
| 43565   | Indian River (South Section) Daybeacon 62  | 27-50-45.341N<br>080-28-26.052W |         | 0 |   | TR-TY on pile. |
| 43570   | Indian River (South Section) Light 63      | 27-50-46.655N<br>080-28-24.652W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 43571   | St. Sebastian River Approach Daybeacon 1   | 27-51-15.120N<br>080-28-55.500W |         |   |   | SG on pile.    |
| 43571.1 | St. Sebastian River Approach Daybeacon 2   | 27-51-16.800N<br>080-28-56.180W |         |   |   | TR on pile.    |
| 43571.2 | St. Sebastian River Approach Daybeacon 3   | 27-51-22.620N<br>080-29-10.560W |         |   |   | SG on pile.    |
| 43571.3 | St. Sebastian River Approach Daybeacon 4   | 27-51-23.640N<br>080-29-11.100W |         |   |   | TR on pile.    |
| 43571.4 | St. Sebastian River Approach Daybeacon 5   | 27-51-21.420N<br>080-29-17.880W |         |   |   | SG on pile.    |
| 43571.5 | St. Sebastian River Approach Daybeacon 6   | 27-51-22.140N<br>080-29-18.240W |         |   |   | TR on pile.    |

|         |                                                  |                                 |           |                |
|---------|--------------------------------------------------|---------------------------------|-----------|----------------|
| 43575   | Coconut Point Daybeacon 1                        | 27-50-53.459N<br>080-27-23.845W |           | SG on pile.    |
| 43580   | Coconut Point Daybeacon 2                        | 27-50-52.929N<br>080-27-24.322W |           | TR on pile.    |
| 43585   | Coconut Point Daybeacon 3                        | 27-50-54.528N<br>080-27-17.033W |           | SG on pile.    |
| 43590   | Coconut Point Daybeacon 4                        | 27-50-53.855N<br>080-27-16.778W |           | TR on pile.    |
| 43595   | Coconut Point Daybeacon 5                        | 27-50-59.065N<br>080-27-13.179W |           | SG on pile.    |
| 43600   | Coconut Point Daybeacon 6                        | 27-50-58.837N<br>080-27-12.436W |           | TR on pile.    |
| 43605   | Indian River (South Section) Daybeacon 64        | 27-50-20.782N<br>080-28-15.061W | 0         | TR-TY on pile. |
| 43610   | Indian River (South Section) Daybeacon 65        | 27-49-57.335N<br>080-28-02.273W | 0         | SG-SY on pile. |
| 43615   | Inlet Marina Daybeacon 1                         | 27-49-30.092N<br>080-28-11.488W |           | SG on pile.    |
| 43620   | Inlet Marina Daybeacon 2                         | 27-49-31.392N<br>080-28-11.788W |           | TR on pile.    |
| 43625   | Inlet Marina Daybeacon 3                         | 27-49-30.192N<br>080-28-13.488W |           | SG on pile.    |
| 43630.7 | Sembler Marina North Channel Daybeacon 8         | 27-49-42.500N<br>080-28-14.400W |           | TR on pile.    |
| 43630.6 | Sembler Marina North Channel Daybeacon 7         | 27-49-43.200N<br>080-28-13.800W |           | SG on pile.    |
| 43630.5 | Sembler Marina North Channel Daybeacon 6         | 27-49-46.200N<br>080-28-13.800W |           | TR on pile.    |
| 43630.4 | Sembler Marina North Channel Daybeacon 5         | 27-49-48.600N<br>080-28-11.400W |           | SG on pile.    |
| 43630.3 | Sembler Marina North Channel Daybeacon 4         | 27-49-51.000N<br>080-28-10.800W |           | TR on pile.    |
| 43630.8 | Sembler Marina North Channel Daybeacon 9         | 27-49-40.200N<br>080-28-13.200W |           | SG on pile.    |
| 43630.2 | Sembler Marina North Channel Daybeacon 3         | 27-49-52.800N<br>080-28-07.800W |           | SG on pile.    |
| 43630.1 | Sembler Marina North Channel Daybeacon 2         | 27-49-53.400N<br>080-28-08.400W |           | TR on pile.    |
| 43630   | Inlet Marina Daybeacon 4                         | 27-49-30.892N<br>080-28-14.188W |           | TR on pile.    |
| 43635   | Sembler Daybeacon 1                              | 27-49-34.292N<br>080-27-57.187W |           | SG on pile.    |
| 43640   | Sembler Daybeacon 2                              | 27-49-33.592N<br>080-28-02.987W |           | TR on pile.    |
| 43645   | Sembler Daybeacon 3                              | 27-49-31.092N<br>080-28-09.888W |           | SG on pile.    |
| 43650   | Sembler Daybeacon 4                              | 27-49-32.292N<br>080-28-08.387W |           | TR on pile.    |
| 43655   | Sembler Daybeacon 5                              | 27-49-34.592N<br>080-28-11.988W |           | SG on pile.    |
| 43660   | Sembler Daybeacon 6                              | 27-49-39.092N<br>080-28-13.988W |           | TR on pile.    |
| 43665   | Indian River (South Section) Daybeacon 66        | 27-49-31.526N<br>080-27-53.023W | 0         | TR-TY on pile. |
| 43670   | Indian River (South Section) Daybeacon 66A       | 27-49-14.571N<br>080-27-44.504W | 0         | TR-TY on pile. |
| 43673   | Indian River (South Section) Buoy 65A            | 27-49-20.454N<br>080-27-45.168W |           | Green can.     |
| 43675   | Indian River (South Section) Daybeacon 65B       | 27-49-12.023N<br>080-27-41.265W | 0         | SG-SY on pile. |
| 43677.1 | Indian River Lagoon Aquaculture Boundary Light A | 27-49-10.934N<br>080-27-16.729W | FI Y 2.5s | NY on pile.    |
| 43677.2 | Indian River Lagoon Aquaculture Boundary Light B | 27-49-11.521N<br>080-27-05.670W | FI Y 2.5s | NY on pile.    |

|         |                                                  |                                 |           |    |   |                |
|---------|--------------------------------------------------|---------------------------------|-----------|----|---|----------------|
| 43677.8 | Indian River Lagoon Aquaculture Boundary Light H | 27-49-21.587N<br>080-27-06.282W | FI Y 2.5s |    |   | NY on pile.    |
| 43677.9 | Indian River Lagoon Aquaculture Boundary Light I | 27-49-21.000N<br>080-27-17.399W | FI Y 2.5s |    |   | NY on pile.    |
| 43680   | Indian River (South Section) Light 67            | 27-48-46.323N<br>080-27-29.264W | FI G 4s   | 0  | 5 | SG-SY on pile. |
| 43685   | Indian River (South Section) Daybeacon 68        | 27-48-45.424N<br>080-27-30.887W |           | 0  |   | TR-TY on pile. |
| 43685.6 | Channel 68 Marina Daybeacon 6 (Abandoned)        | 27-48-40.000N<br>080-27-48.000W |           |    |   | TR on pile.    |
| 43685.5 | Channel 68 Marina Daybeacon 5 (Abandoned)        | 27-48-44.000N<br>080-27-52.000W |           |    |   | SG on pile.    |
| 43685.4 | Channel 68 Marina Daybeacon 4 (Abandoned)        | 27-48-43.000N<br>080-27-49.000W |           |    |   | TR on pile.    |
| 43685.3 | Channel 68 Marina Daybeacon 3 (Abandoned)        | 27-48-45.000N<br>080-27-39.000W |           |    |   | SG on pile.    |
| 43685.2 | Channel 68 Marina Daybeacon 2 (Abandoned)        | 27-48-42.000N<br>080-27-39.000W |           |    |   | TR on pile.    |
| 43685.1 | Channel 68 Marina Daybeacon 1 (Abandoned)        | 27-48-39.000N<br>080-27-39.000W |           |    |   | SG on pile.    |
| 43690   | Indian River (South Section) Daybeacon 69        | 27-48-19.443N<br>080-27-11.816W |           | 0  |   | SG-SY on pile. |
| 43695   | Indian River (South Section) Daybeacon 70        | 27-47-51.641N<br>080-26-55.943W |           |    |   | TR-TY on pile. |
| 43700   | River Run Daybeacon 1                            | 27-47-44.396N<br>080-26-56.686W |           |    |   | SG on pile     |
| 43705   | River Run Daybeacon 2                            | 27-47-44.896N<br>080-26-56.846W |           |    |   | TR on pile.    |
| 43710   | River Run Daybeacon 3                            | 27-47-42.373N<br>080-27-05.087W |           |    |   | SG on pile.    |
| 43715   | River Run Daybeacon 4                            | 27-47-43.386N<br>080-27-05.187W |           |    |   | TR on pile.    |
| 43720   | River Run Daybeacon 5                            | 27-47-41.697N<br>080-27-10.787W |           |    |   | SG on pile.    |
| 43725   | River Run Daybeacon 6                            | 27-47-42.296N<br>080-27-10.987W |           |    |   | TR on pile.    |
| 43730   | River Run Daybeacon 7                            | 27-47-41.897N<br>080-27-13.487W |           |    |   | SG on pile.    |
| 43735   | Indian River (South Section) Light 71            | 27-47-30.089N<br>080-26-39.314W | FI G 4s   | 0  | 5 | SG-SY on pile. |
| 43740   | Indian River (South Section) Daybeacon 72        | 27-47-27.517N<br>080-26-40.248W |           | 0  |   | TR-TY on pile. |
| 43745   | Indian River (South Section) Daybeacon 73        | 27-47-07.535N<br>080-26-23.773W |           | 0  |   | SG-SY on pile. |
| 43750   | Indian River (South Section) Daybeacon 74        | 27-46-40.888N<br>080-26-08.181W |           | 0  |   | TR-TY on pile. |
| 43755   | Indian River (South Section) Daybeacon 75        | 27-46-16.495N<br>080-25-48.267W |           | 0  |   | SG-SY on pile. |
| 43760   | Indian River (South Section) Light 76            | 27-46-11.463N<br>080-25-47.055W | FI R 4s   | 10 | 5 | TR-TY on pile. |
| 43765   | Indian River (South Section) Daybeacon 77        | 27-46-11.016N<br>080-25-42.299W |           | 0  |   | SG-SY on pile. |
| 43770   | Indian River (South Section) Daybeacon 78        | 27-45-54.826N<br>080-25-16.587W |           | 0  |   | TR-TY on pile. |
| 43775   | Indian River (South Section) Light 79            | 27-45-54.541N<br>080-25-11.575W | FI G 4s   | 0  | 5 | SG-SY on pile. |

|       |                                            |                                 |         |   |   |                |
|-------|--------------------------------------------|---------------------------------|---------|---|---|----------------|
| 43780 | Indian River (South Section) Daybeacon 80  | 27-45-50.660N<br>080-25-09.363W |         |   |   | TR-TY on pile. |
| 43785 | Indian River (South Section) Daybeacon 81  | 27-45-36.275N<br>080-24-51.018W |         | 0 |   | SG-SY on pile. |
| 43790 | Indian River (South Section) Light 82      | 27-45-30.637N<br>080-24-49.093W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 43795 | Indian River (South Section) Daybeacon 83  | 27-45-32.412N<br>080-24-41.712W |         | 0 |   | SG-SY on pile. |
| 43800 | Indian River (South Section) Daybeacon 84  | 27-45-28.826N<br>080-24-24.238W |         | 0 |   | TR-TY on pile. |
| 43805 | Indian River (South Section) Light 85      | 27-45-30.102N<br>080-24-19.739W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 43810 | Indian River (South Section) Daybeacon 86  | 27-45-26.730N<br>080-24-18.355W |         | 0 |   | TR-TY on pile. |
| 43815 | Indian River (South Section) Daybeacon 87  | 27-45-26.773N<br>080-24-13.434W |         | 0 |   | SG-SY on pile. |
| 43820 | Indian River (South Section) Daybeacon 88  | 27-45-22.355N<br>080-24-12.998W |         | 0 |   | TR-TY on pile. |
| 43825 | Indian River (South Section) Light 89      | 27-45-19.243N<br>080-24-08.244W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 43830 | Indian River (South Section) Daybeacon 90  | 27-45-14.121N<br>080-24-10.826W |         | 0 |   | TR-TY on pile. |
| 43835 | Indian River (South Section) Daybeacon 91  | 27-45-01.797N<br>080-24-08.882W |         | 0 |   | SG-SY on pile. |
| 43840 | Indian River (South Section) Light 92      | 27-44-54.318N<br>080-24-09.995W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 43845 | Indian River (South Section) Daybeacon 93  | 27-44-51.680N<br>080-24-07.140W |         | 0 |   | SG-SY on pile. |
| 43850 | Indian River (South Section) Daybeacon 94  | 27-44-45.865N<br>080-24-07.452W |         | 0 |   | TR-TY on pile. |
| 43855 | Indian River (South Section) Daybeacon 95  | 27-44-37.407N<br>080-23-59.233W |         |   |   | SG-SY on pile. |
| 43860 | Indian River (South Section) Light 96      | 27-44-36.337N<br>080-24-01.338W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 43865 | Indian River (South Section) Daybeacon 98  | 27-44-27.305N<br>080-23-53.801W |         | 0 |   | TR-TY on pile. |
| 43870 | Indian River (South Section) Light 99      | 27-44-25.553N<br>080-23-49.229W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 43875 | Indian River (South Section) Daybeacon 100 | 27-44-21.349N<br>080-23-49.944W |         | 0 |   | TR-TY on pile. |
| 43880 | Indian River (South Section) Daybeacon 102 | 27-44-08.365N<br>080-23-44.058W |         | 0 |   | TR-TY on pile. |
| 43885 | Indian River (South Section) Daybeacon 104 | 27-44-03.962N<br>080-23-42.620W |         | 0 |   | TR-TY on pile. |
| 43890 | Indian River (South Section) Light 105     | 27-44-00.437N<br>080-23-39.271W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 43895 | Indian River (South Section) Daybeacon 106 | 27-43-57.245N<br>080-23-42.353W |         | 0 |   | TR-TY on pile. |
| 43900 | Indian River (South Section) Daybeacon 108 | 27-43-41.599N<br>080-23-45.270W |         | 0 |   | TR-TY on pile. |
| 43905 | Indian River (South Section) Daybeacon 109 | 27-43-27.731N<br>080-23-45.325W |         | 0 |   | SG-SY on pile. |
| 43910 | Indian River (South                        | 27-43-24.031N                   | FI R 4s | 0 | 5 | TR-TY on pile. |

|       |                                                  |                                 |         |   |   |                   |
|-------|--------------------------------------------------|---------------------------------|---------|---|---|-------------------|
|       | Section) Light 110                               | 080-23-48.500W                  |         |   |   |                   |
| 43915 | Indian River (South<br>Section) Daybeacon<br>111 | 27-43-07.916N<br>080-23-43.968W |         | 0 |   | SG-SY on pile.    |
| 43920 | Indian River (South<br>Section) Light 112        | 27-43-03.026N<br>080-23-45.399W | FI R 4s | 0 | 5 | TR-TY on dolphin. |
| 43925 | Indian River (South<br>Section) Daybeacon<br>113 | 27-43-00.374N<br>080-23-41.112W |         | 0 |   | SG-SY on pile.    |
| 43930 | Indian River (South<br>Section) Daybeacon<br>114 | 27-42-52.662N<br>080-23-39.075W |         | 0 |   | TR-TY on pile.    |
| 43935 | Indian River (South<br>Section) Light 115        | 27-42-50.427N<br>080-23-34.899W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 43940 | Indian River (South<br>Section) Daybeacon<br>116 | 27-42-45.731N<br>080-23-36.640W |         | 0 |   | TR-TY on pile.    |
| 43945 | Indian River (South<br>Section) Daybeacon<br>117 | 27-42-21.400N<br>080-23-30.461W |         | 0 |   | SG-SY on pile.    |
| 43950 | Indian River (South<br>Section) Light 118        | 27-42-20.625N<br>080-23-33.097W | FI R 4s |   | 5 | TR-TY on dolphin. |
| 43955 | Indian River (South<br>Section) Daybeacon<br>120 | 27-42-04.500N<br>080-23-27.255W |         | 0 |   | TR-TY on pile.    |
| 43960 | Indian River (South<br>Section) Light 121        | 27-41-47.603N<br>080-23-18.797W | FI G 4s | 0 | 5 | SG-SY on dolphin. |
| 43965 | Indian River (South<br>Section) Daybeacon<br>122 | 27-41-46.705N<br>080-23-21.160W |         | 0 |   | TR-TY on pile.    |
| 43970 | Loggerhead Marina<br>Daybeacon 1                 | 27-41-41.700N<br>080-23-21.500W |         |   |   | SG on pile.       |
| 43975 | Loggerhead Marina<br>Daybeacon 2                 | 27-41-43.000N<br>080-23-22.900W |         |   |   | TR on pile.       |
| 43980 | Loggerhead Marina<br>Daybeacon 3                 | 27-41-41.500N<br>080-23-24.000W |         |   |   | SG on pile.       |
| 43985 | Loggerhead Marina<br>Daybeacon 4                 | 27-41-42.000N<br>080-23-24.800W |         |   |   | TR on pile.       |
| 43990 | Loggerhead Marina<br>Daybeacon 5                 | 27-41-41.000N<br>080-23-26.000W |         |   |   | SG on pile.       |
| 43995 | Loggerhead Marina<br>Daybeacon 6                 | 27-41-42.000N<br>080-23-26.900W |         |   |   | TR on pile.       |
| 44000 | Loggerhead Marina<br>Daybeacon 7                 | 27-41-40.700N<br>080-23-28.000W |         |   |   | SG on pile.       |
| 44005 | Loggerhead Marina<br>Daybeacon 8                 | 27-41-41.500N<br>080-23-29.100W |         |   |   | TR on pile.       |
| 44010 | Loggerhead Marina<br>Daybeacon 9                 | 27-41-40.200N<br>080-23-30.200W |         |   |   | SG on pile.       |
| 44015 | Loggerhead Marina<br>Daybeacon 10                | 27-41-41.500N<br>080-23-31.250W |         |   |   | TR on pile.       |
| 44020 | Loggerhead Marina<br>Daybeacon 11                | 27-41-40.000N<br>080-23-32.300W |         |   |   | SG on pile.       |
| 44025 | Loggerhead Marina<br>Daybeacon 12                | 27-41-41.000N<br>080-23-33.000W |         |   |   | TR on pile.       |
| 44030 | Loggerhead Marina<br>Daybeacon 13                | 27-41-39.500N<br>080-23-34.500W |         |   |   | SG on pile.       |
| 44035 | Loggerhead Marina<br>Daybeacon 14                | 27-41-40.600N<br>080-23-35.200W |         |   |   | TR on pile.       |
| 44040 | Loggerhead Marina<br>Daybeacon 15                | 27-41-40.500N<br>080-23-37.000W |         |   |   | SG on pile.       |
| 44045 | Loggerhead Marina<br>Daybeacon 16                | 27-41-39.000N<br>080-23-37.100W |         |   |   | TR on pile.       |
| 44050 | Indian River (South<br>Section) Daybeacon<br>123 | 27-41-31.825N<br>080-23-15.009W |         | 1 |   | SG-SY on pile.    |
| 44055 | Indian River (South<br>Section) Light 124        | 27-41-31.400N<br>080-23-17.299W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 44060 | Indian River (South<br>Section) Daybeacon<br>125 | 27-41-01.265N<br>080-23-04.105W |         | 0 |   | SG-SY on pile.    |

|       |                                              |                                 |         |   |   |                |
|-------|----------------------------------------------|---------------------------------|---------|---|---|----------------|
| 44065 | Bermuda Bay Daybeacon 1                      | 27-41-05.000N<br>080-23-04.500W |         |   |   | SG on pile.    |
| 44070 | Bermuda Bay Daybeacon 2                      | 27-41-03.000N<br>080-23-04.000W |         |   |   | TR on pile.    |
| 44075 | Bermuda Bay Daybeacon 3                      | 27-41-05.000N<br>080-23-02.500W |         |   |   | SG on pile.    |
| 44080 | Bermuda Bay Daybeacon 4                      | 27-41-03.500N<br>080-23-02.000W |         |   |   | TR on pile.    |
| 44085 | Bermuda Bay Daybeacon 5                      | 27-41-03.000N<br>080-23-02.000W |         |   |   | SG on pile.    |
| 44090 | Bermuda Bay Daybeacon 6                      | 27-41-02.000N<br>080-22-56.000W |         |   |   | TR on pile.    |
| 44095 | Bermuda Bay Daybeacon 7                      | 27-41-03.000N<br>080-22-53.500W |         |   |   | SG on pile.    |
| 44100 | Bermuda Bay Daybeacon 8                      | 27-41-02.000N<br>080-22-53.000W |         |   |   | TR on pile.    |
| 44105 | Bermuda Bay Daybeacon 9                      | 27-41-03.100N<br>080-22-52.000W |         |   |   | SG on pile.    |
| 44110 | Bermuda Bay Daybeacon 10                     | 27-41-02.100N<br>080-22-51.500W |         |   |   | TR on pile.    |
| 44115 | Bermuda Bay Daybeacon 11                     | 27-41-03.600N<br>080-22-50.000W |         |   |   | SG on pile.    |
| 44120 | Bermuda Bay Daybeacon 12                     | 27-41-02.500N<br>080-22-50.000W |         |   |   | TR on pile.    |
| 44125 | Indian River (South Section) Daybeacon 126   | 27-40-55.027N<br>080-23-04.696W |         | 0 |   | TR-TY on pile. |
| 44130 | Indian River (South Section) Light 127       | 27-40-49.555N<br>080-22-59.869W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 44135 | Indian River (South Section) Daybeacon 128   | 27-40-47.331N<br>080-23-02.177W |         | 0 |   | TR-TY on pile. |
| 44138 | Indian River (South Section) Daybeacon 128A  | 27-40-38.676N<br>080-23-00.616W |         | 0 |   | TR-TY on pile. |
| 44140 | Indian River (South Section) Daybeacon 129   | 27-40-27.404N<br>080-22-56.945W |         | 0 |   | SG-SY on pile. |
| 44145 | Indian River (South Section) Daybeacon 130   | 27-40-27.487N<br>080-22-59.245W |         | 0 |   | TR-TY on pile. |
| 44150 | Indian River (South Section) Daybeacon 132   | 27-40-19.275N<br>080-22-57.633W |         | 0 |   | TR-TY on pile. |
| 44155 | Indian River (South Section) Daybeacon 133   | 27-40-11.580N<br>080-22-54.823W |         | 0 |   | SG-SY on pile. |
| 44160 | Indian River (South Section) Light 134       | 27-40-07.653N<br>080-22-56.431W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 44165 | Indian River (South Section) Daybeacon 135   | 27-40-04.891N<br>080-22-52.956W |         | 0 |   | SG-SY on pile. |
| 44170 | Indian River (South Section) Daybeacon 136   | 27-39-49.540N<br>080-22-47.843W |         | 0 |   | TR-TY on pile. |
| 44175 | Indian River (South Section) Daybeacon 137   | 27-39-31.654N<br>080-22-36.310W |         | 0 |   | SG-SY on pile. |
| 44180 | Indian River (South Section) Light 139       | 27-39-14.482N<br>080-22-27.611W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 44185 | Vero Beach Channel Light 2                   | 27-39-13.876N<br>080-22-19.460W | FI R 4s |   | 5 | TR on pile.    |
| 44190 | Vero Beach Channel Daybeacon 3               | 27-39-15.029N<br>080-22-20.521W |         | 0 |   | SG on pile.    |
| 44195 | Vero Beach Channel Daybeacon 4               | 27-39-22.112N<br>080-22-14.490W |         | 0 |   | TR on pile.    |
| 44200 | Vero Beach Channel Daybeacon 5               | 27-39-22.065N<br>080-22-15.841W |         | 0 |   | SG on pile.    |
| 44205 | Vero Beach Channel Turning Basin Daybeacon 7 | 27-39-27.832N<br>080-22-15.497W |         |   |   | SG on pile.    |

|       |                                            |                                 |         |   |                                         |
|-------|--------------------------------------------|---------------------------------|---------|---|-----------------------------------------|
| 44210 | Vero Marine Center Daybeacon 1             | 27-39-04.514N<br>080-22-27.482W |         |   | SG on pile.                             |
| 44215 | Vero Marine Center Daybeacon 2             | 27-39-05.214N<br>080-22-27.882W |         |   | TR on pile.                             |
| 44220 | Vero Marine Center Daybeacon 3             | 27-39-04.414N<br>080-22-28.682W |         |   | SG on pile.                             |
| 44225 | Vero Marine Center Daybeacon 4             | 27-39-05.014N<br>080-22-27.982W |         |   | TR on pile.                             |
| 44230 | Vero Marine Center Daybeacon 5             | 27-39-04.014N<br>080-22-30.082W |         |   | SG on pile.                             |
| 44235 | Vero Marine Center Daybeacon 6             | 27-39-04.614N<br>080-22-30.382W |         |   | TR on pile.                             |
| 44240 | Vero Marine Center Buoy 8                  | 27-39-01.714N<br>080-22-34.182W |         |   | Red nun.                                |
| 44245 | Vero Marine Center Buoy 8A                 | 27-39-01.714N<br>080-22-34.182W |         |   | Red nun.                                |
| 44250 | Vero Marine Center Buoy 8B                 | 27-39-00.314N<br>080-22-36.182W |         |   | Red nun.                                |
| 44255 | Vero Marine Center Buoy 10                 | 27-38-59.714N<br>080-22-37.182W |         |   | Red nun.                                |
| 44260 | Indian River (South Section) Daybeacon 140 | 27-38-57.737N<br>080-22-22.955W |         | 0 | TR-TY on pile.                          |
| 44265 | Indian River (South Section) Light 141     | 27-38-51.935N<br>080-22-18.775W | FI G 4s | 5 | SG-SY on pile.                          |
| 44270 | Indian River (South Section) Daybeacon 142 | 27-38-49.369N<br>080-22-20.872W |         | 0 | TR-TY on pile.                          |
| 44275 | Riomar Daybeacon 1                         | 27-38-45.315N<br>080-22-16.082W |         |   | SG on pile.                             |
| 44280 | Riomar Daybeacon 2                         | 27-38-41.715N<br>080-22-18.182W |         |   | TR and NL on dolphin. NL worded RIOMAR. |
| 44285 | Riomar Daybeacon 3                         | 27-38-43.815N<br>080-22-03.682W |         |   | SG on pile.                             |
| 44290 | Riomar Daybeacon 4                         | 27-38-41.415N<br>080-22-03.982W |         |   | TR on pile.                             |
| 44295 | Riomar Daybeacon 5                         | 27-38-44.415N<br>080-21-59.181W |         |   | SG on pile.                             |
| 44300 | Riomar Daybeacon 6                         | 27-38-42.315N<br>080-21-59.481W |         |   | TR on pile.                             |
| 44305 | Riomar Daybeacon 7                         | 27-38-44.915N<br>080-21-55.681W |         |   | SG on pile.                             |
| 44310 | Riomar Daybeacon 8                         | 27-38-42.415N<br>080-21-54.981W |         |   | TR on pile.                             |
| 44315 | Riomar Daybeacon 9                         | 27-38-41.915N<br>080-21-50.781W |         |   | SG on pile.                             |
| 44320 | Riomar Daybeacon 10                        | 27-38-39.515N<br>080-21-49.481W |         |   | TR on pile.                             |
| 44325 | Riomar Daybeacon 11                        | 27-38-37.315N<br>080-21-42.381W |         |   | SG on pile.                             |
| 44330 | Riomar Daybeacon 12                        | 27-38-36.215N<br>080-21-44.881W |         |   | TR on pile.                             |
| 44335 | Riomar Daybeacon 13                        | 27-38-36.115N<br>080-21-42.681W |         |   | SG on pile.                             |
| 44340 | Riomar Daybeacon 14                        | 27-38-33.615N<br>080-21-45.481W |         |   | TR on pile.                             |
| 44345 | Riomar Daybeacon 16                        | 27-38-32.215N<br>080-21-43.381W |         |   | TR on pile.                             |
| 44350 | Memorial Island Park Buoy 1                | 27-38-46.015N<br>080-22-02.182W |         |   | Green can.                              |
| 44355 | Memorial Island Park Buoy 2                | 27-38-46.015N<br>080-21-58.281W |         |   | Red nun.                                |
| 44360 | Memorial Island Park Buoy 3                | 27-38-48.215N<br>080-22-03.282W |         |   | Green can.                              |
| 44365 | Memorial Island Park Buoy 4                | 27-38-48.315N<br>080-22-00.181W |         |   | Red nun.                                |
| 44370 | Memorial Island Park Buoy 5                | 27-38-50.715N<br>080-22-03.982W |         |   | Green can.                              |
| 44375 | Memorial Island Park Buoy 6                | 27-38-50.815N<br>080-22-02.282W |         |   | Red nun.                                |
| 44380 | Indian River (South                        | 27-38-39.363N                   |         |   | SG-SY on pile.                          |



|         |                                                    |                                 |         |   |   |                |
|---------|----------------------------------------------------|---------------------------------|---------|---|---|----------------|
|         | Section) Daybeacon 143                             | 080-22-18.391W                  |         |   |   |                |
| 44385   | Indian River (South Section) Daybeacon 144         | 27-38-29.520N<br>080-22-20.220W |         | 0 |   | TR-TY on pile. |
| 44390.4 | Tidewater Island Club Channel Daybeacon 2          | 27-38-28.800N<br>080-22-46.000W |         |   |   | TR on pile.    |
| 44390.7 | Tidewater Island Club Channel Daybeacon 7          | 27-38-18.200N<br>080-22-51.000W |         |   |   | SG on pile.    |
| 44390.6 | Tidewater Island Club Channal Daybeacon 4          | 27-38-26.700N<br>080-22-49.800W |         |   |   | TR on pile.    |
| 44390.5 | Tidewater Island Club Channel Daybeacon 5          | 27-38-25.600N<br>080-22-48.400W |         |   |   | SG on pile.    |
| 44390.3 | Tidewater Island Club Channel Daybeacon 3          | 27-38-29.600N<br>080-22-44.300W |         |   |   | SG on pile.    |
| 44390.2 | Tidewater Island Club Channel Daybeacon Junction A | 27-38-32.700N<br>080-22-44.600W |         |   |   | SG on pile.    |
| 44390.1 | Tidewater Island Club Channel Daybeacon 1          | 27-38-33.000N<br>080-22-43.800W |         |   |   | SG on pile.    |
| 44390   | Indian River (South Section) Daybeacon 145         | 27-38-23.406N<br>080-22-18.373W |         | 0 |   | SG-SY on pile. |
| 44395   | Vero Isles Daybeacon 1                             | 27-38-19.116N<br>080-22-23.782W |         |   |   | SG on pile.    |
| 44400   | Vero Isles Daybeacon 2                             | 27-38-20.816N<br>080-22-25.682W |         |   |   | TR on pile.    |
| 44405   | Vero Isles Daybeacon 4                             | 27-38-20.616N<br>080-22-27.982W |         |   |   | TR on pile.    |
| 44410   | Vero Isles Daybeacon 5                             | 27-38-19.416N<br>080-22-28.082W |         |   |   | SG on pile.    |
| 44415   | Vero Isles Daybeacon 6                             | 27-38-21.016N<br>080-22-31.382W |         |   |   | TR on pile.    |
| 44420   | Vero Isles Daybeacon 7                             | 27-38-19.916N<br>080-22-32.282W |         |   |   | SG on pile.    |
| 44425   | Vero Isles Daybeacon 8                             | 27-38-22.336N<br>080-22-31.784W |         |   |   | TR on pile.    |
| 44430   | Vero Isles Daybeacon 10                            | 27-38-32.015N<br>080-22-30.782W |         |   |   | TR on pile.    |
| 44435   | Vero Isles Daybeacon 12                            | 27-38-40.115N<br>080-22-33.082W |         |   |   | TR on pile.    |
| 44440   | Vero Isles Daybeacon 14                            | 27-38-44.115N<br>080-22-32.782W |         |   |   | TR on pile.    |
| 44445   | Vero Isles Daybeacon 16                            | 27-38-47.215N<br>080-22-32.182W |         |   |   | TR on pile.    |
| 44450   | Vero Isles Daybeacon 18                            | 27-38-52.615N<br>080-22-30.282W |         |   |   | TR on pile.    |
| 44455   | Vero Isles Daybeacon 20                            | 27-38-54.515N<br>080-22-31.882W |         |   |   | TR on pile.    |
| 44460   | Indian River (South Section) Light 146             | 27-38-09.271N<br>080-22-19.594W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 44465   | Indian River (South Section) Daybeacon 147         | 27-38-09.306N<br>080-22-17.545W |         | 0 |   | SG-SY on pile. |
| 44470   | Indian River (South Section) Daybeacon 146A        | 27-37-38.787N<br>080-22-12.458W |         | 0 |   | TR-TY on pile. |
| 44475   | Indian River (South Section) Light 148             | 27-37-28.525N<br>080-22-10.300W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 44480   | Indian River (South Section) Daybeacon 149         | 27-37-25.424N<br>080-22-06.924W |         | 0 |   | SG-SY on pile. |
| 44485   | Indian River (South Section) Daybeacon 150         | 27-37-12.463N<br>080-22-02.617W |         | 0 |   | TR-TY on pile. |
| 44490   | Indian River (South Section) Daybeacon 151         | 27-37-07.530N<br>080-21-58.872W |         | 0 |   | SG-SY on pile. |
| 44495   | Indian River (South Section) Daybeacon 152         | 27-36-46.114N<br>080-21-50.960W |         | 0 |   | TR-TY on pile. |
| 44500   | Indian River (South                                | 27-36-47.444N                   | FI G 4s | 0 | 5 | SG-SY on pile. |

|       |                                            |                                 |         |   |   |                |
|-------|--------------------------------------------|---------------------------------|---------|---|---|----------------|
|       | Section) Light 153                         | 080-21-48.798W                  |         |   |   |                |
| 44505 | Indian River (South Section) Daybeacon 154 | 27-36-22.041N<br>080-21-40.230W |         | 0 |   | TR-TY on pile. |
| 44510 | Indian River (South Section) Daybeacon 155 | 27-36-01.118N<br>080-21-30.339W |         | 0 |   | SG-SY on pile. |
| 44515 | Indian River (South Section) Daybeacon 156 | 27-35-37.538N<br>080-21-22.839W |         | 0 |   | TR-TY on pile. |
| 44520 | Indian River (South Section) Light 157     | 27-35-38.594N<br>080-21-20.985W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 44525 | Indian River (South Section) Daybeacon 158 | 27-35-24.480N<br>080-21-18.919W |         | 0 |   | TR-TY on pile. |
| 44530 | Indian River (South Section) Light 159     | 27-35-24.790N<br>080-21-17.023W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 44535 | Indian River Boat Ramp Daybeacon 1         | 27-35-22.622N<br>080-21-25.681W |         |   |   | SG on pile.    |
| 44540 | Indian River Boat Ramp Daybeacon 2         | 27-35-23.122N<br>080-21-25.581W |         |   |   | TR on pile.    |
| 44545 | Indian River Boat Ramp Daybeacon 3         | 27-35-22.122N<br>080-21-34.182W |         |   |   | SG on pile.    |
| 44550 | Indian River Boat Ramp Daybeacon 4         | 27-35-23.122N<br>080-21-35.182W |         |   |   | TR on pile.    |
| 44555 | Indian River Boat Ramp Daybeacon 5         | 27-35-12.622N<br>080-21-38.382W |         |   |   | SG on pile.    |
| 44560 | Indian River Boat Ramp Daybeacon 6         | 27-35-13.322N<br>080-21-39.182W |         |   |   | TR on pile.    |
| 44565 | Indian River Boat Ramp Daybeacon 7         | 27-35-09.122N<br>080-21-46.182W |         |   |   | SG on pile.    |
| 44570 | Indian River Boat Ramp Daybeacon 8         | 27-35-10.122N<br>080-21-46.182W |         |   |   | TR on pile.    |
| 44575 | Indian River Boat Ramp Daybeacon 9         | 27-35-09.922N<br>080-21-50.882W |         |   |   | SG on pile.    |
| 44580 | Indian River Boat Ramp Daybeacon 10        | 27-35-11.022N<br>080-21-50.982W |         |   |   | TR on pile.    |
| 44585 | Indian River Boat Ramp Daybeacon 11        | 27-35-10.422N<br>080-21-51.982W |         |   |   | SG on pile.    |
| 44590 | Indian River Boat Ramp Daybeacon 12        | 27-35-11.322N<br>080-21-52.182W |         |   |   | TR on pile.    |
| 44595 | Indian River (South Section) Daybeacon 160 | 27-35-03.151N<br>080-21-15.581W |         | 0 |   | TR-TY on pile. |
| 44600 | Moorings Channel Daybeacon 1               | 27-35-01.122N<br>080-21-11.181W |         |   |   | SG on pile.    |
| 44605 | Moorings Channel Daybeacon 2               | 27-34-55.000N<br>080-21-09.800W |         |   |   | TR on pile.    |
| 44610 | Moorings Channel Daybeacon 3               | 27-34-56.700N<br>080-21-10.100W |         |   |   | SG on pile.    |
| 44615 | Moorings Channel Daybeacon 4               | 27-34-55.000N<br>080-21-05.400W |         |   |   | TR on pile.    |
| 44620 | Moorings Channel Daybeacon 5               | 27-34-56.800N<br>080-20-51.800W |         |   |   | SG on pile.    |
| 44625 | Moorings Channel Daybeacon 6               | 27-34-55.200N<br>080-20-55.500W |         |   |   | TR on pile.    |
| 44630 | Moorings Channel Daybeacon 7               | 27-34-57.000N<br>080-20-40.900W |         |   |   | SG on pile.    |
| 44635 | Moorings Channel Daybeacon 8               | 27-34-55.500N<br>080-20-44.900W |         |   |   | TR on pile.    |
| 44640 | Moorings Channel Daybeacon 9               | 27-34-57.000N<br>080-20-33.100W |         |   |   | SG on pile.    |
| 44645 | Moorings Channel Daybeacon 10              | 27-34-55.500N<br>080-20-37.100W |         |   |   | TR on pile.    |
| 44650 | Moorings Channel Daybeacon 12              | 27-34-55.700N<br>080-20-31.200W |         |   |   | TR on pile.    |
| 44655 | Moorings Channel Daybeacon 14              | 27-34-55.800N<br>080-20-24.400W |         |   |   | TR on pile.    |
| 44660 | Moorings Channel Daybeacon 16              | 27-34-58.300N<br>080-20-21.100W |         |   |   | TR on pile.    |
| 44665 | Moorings Channel                           | 27-34-55.600N                   |         |   |   | TR on pile.    |

|         |                                                  |                                 |         |   |   |                |
|---------|--------------------------------------------------|---------------------------------|---------|---|---|----------------|
|         | Daybeacon 18                                     | 080-20-19.000W                  |         |   |   |                |
| 44670   | Moorings Channel<br>Daybeacon 20                 | 27-34-52.600N<br>080-20-19.000W |         |   |   | TR on pile.    |
| 44675   | Moorings Channel<br>Daybeacon 22                 | 27-34-45.100N<br>080-20-15.800W |         |   |   | TR on pile.    |
| 44676   | Porpoise Point<br>Channel Daybeacon 1            | 27-35-04.010N<br>080-20-37.560W |         |   |   | SG on pile.    |
| 44676.1 | Porpoise Point<br>Channel Daybeacon 3            | 27-35-06.840N<br>080-20-38.220W |         |   |   | SG on pile.    |
| 44676.2 | Porpoise Point<br>Channel Daybeacon 5            | 27-35-11.400N<br>080-20-38.460W |         |   |   | SG on pile.    |
| 44676.3 | Porpoise Point<br>Channel Daybeacon 7            | 27-35-16.080N<br>080-20-39.000W |         |   |   | SG on pile.    |
| 44676.4 | Porpoise Point<br>Channel Daybeacon 9            | 27-35-25.200N<br>080-20-43.140W |         |   |   | SG on pile.    |
| 44676.5 | Porpoise Point<br>Channel Daybeacon 11           | 27-35-32.400N<br>080-20-40.500W |         |   |   | SG on pile.    |
| 44676.6 | Porpoise Point<br>Channel Daybeacon 12           | 27-35-32.700N<br>080-20-40.380W |         |   |   | TR on pile.    |
| 44676.7 | Porpoise Point<br>Channel Daybeacon<br>11A       | 27-35-35.820N<br>080-20-45.600W |         |   |   | SG on pile.    |
| 44676.8 | Porpoise Point<br>Channel Daybeacon<br>12A       | 27-35-36.660N<br>080-20-45.300W |         |   |   | TR on pile.    |
| 44676.9 | Porpoise Point<br>Channel Daybeacon 13           | 27-35-38.040N<br>080-20-48.480W |         |   |   | SG on pile.    |
| 44677   | Porpoise Point<br>Channel Daybeacon 14           | 27-35-38.460N<br>080-20-48.000W |         |   |   | TR on pile.    |
| 44677.1 | Porpoise Point<br>Channel Daybeacon 15           | 27-35-41.220N<br>080-20-52.980W |         |   |   | SG on pile.    |
| 44677.2 | Porpoise Point<br>Channel Daybeacon 16           | 27-35-41.760N<br>080-20-52.740W |         |   |   | TR on pile.    |
| 44677.3 | Porpoise Point<br>Channel Daybeacon 17           | 27-35-44.220N<br>080-20-51.780W |         |   |   | SG on pile.    |
| 44677.4 | Porpoise Point<br>Channel Daybeacon 18           | 27-35-49.620N<br>080-20-48.360W |         |   |   | TR on pile.    |
| 44677.5 | Porpoise Point<br>Channel Daybeacon 19           | 27-35-49.440N<br>080-20-49.620W |         |   |   | SG on pile.    |
| 44677.6 | Porpoise Point<br>Channel Daybeacon<br>20        | 27-35-53.280N<br>080-20-43.260W |         |   |   | TR on pile.    |
| 44677.7 | Porpoise Point<br>Channel Daybeacon 21           | 27-35-53.620N<br>080-20-43.460W |         |   |   | SG on pile.    |
| 44677.8 | Porpoise Point<br>Channel Daybeacon<br>22        | 27-35-54.360N<br>080-20-39.180W |         |   |   | TR on pile.    |
| 44677.9 | Porpoise Point<br>Channel Daybeacon<br>23        | 27-35-54.720N<br>080-20-39.240W |         |   |   | SG on pile.    |
| 44678   | Porpoise Point<br>Channel Daybeacon<br>24        | 27-35-54.300N<br>080-20-34.680W |         |   |   | TR on pile.    |
| 44680   | Indian River (South<br>Section) Daybeacon<br>161 | 27-34-37.284N<br>080-21-09.793W | 0       |   |   | SG-SY on pile. |
| 44685   | Indian River (South<br>Section) Daybeacon<br>163 | 27-34-14.219N<br>080-21-06.727W | 0       |   |   | SG-SY on pile. |
| 44690   | Indian River (South<br>Section) Light 164        | 27-34-09.547N<br>080-21-07.864W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 44695   | Indian River (South<br>Section) Daybeacon<br>165 | 27-34-08.640N<br>080-21-04.234W |         | 0 |   | SG-SY on pile. |
| 44700   | Indian River (South<br>Section) Daybeacon<br>166 | 27-33-59.590N<br>080-21-02.203W |         | 0 |   | TR-TY on pile. |
| 44705   | Indian River (South<br>Section) Light 167        | 27-33-57.063N<br>080-20-58.417W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 44710   | Vero Shores<br>Daybeacon 1                       | 27-33-48.825N<br>080-21-04.881W |         |   |   | SG on pile.    |
| 44715   | Vero Shores                                      | 27-33-49.625N                   |         |   |   | TR on pile.    |

|       |                                                   |                                 |   |                |
|-------|---------------------------------------------------|---------------------------------|---|----------------|
|       | Daybeacon 2                                       | 080-21-05.081W                  |   |                |
| 44720 | Vero Shores<br>Daybeacon 3                        | 27-33-49.725N<br>080-21-08.581W |   | SG on pile.    |
| 44725 | Vero Shores<br>Daybeacon 4                        | 27-33-50.425N<br>080-21-08.881W |   | TR on pile.    |
| 44730 | Vero Shores<br>Daybeacon 5                        | 27-33-49.425N<br>080-21-12.681W |   | SG on pile.    |
| 44735 | Vero Shores<br>Daybeacon 6                        | 27-33-50.325N<br>080-21-12.681W |   | TR on pile.    |
| 44740 | Vero Shores<br>Daybeacon 7                        | 27-33-49.325N<br>080-21-16.382W |   | SG on pile.    |
| 44745 | Vero Shores<br>Daybeacon 8                        | 27-33-50.125N<br>080-21-16.382W |   | TR on pile.    |
| 44750 | Vero Shores<br>Daybeacon 9                        | 27-33-49.125N<br>080-21-19.882W |   | SG on pile.    |
| 44755 | Vero Shores<br>Daybeacon 10                       | 27-33-50.025N<br>080-21-20.082W |   | TR on pile.    |
| 44760 | Round Island<br>Daybeacon 1                       | 27-33-43.170N<br>080-20-45.315W |   | SG on pile.    |
| 44765 | Round Island<br>Daybeacon 2                       | 27-33-42.502N<br>080-20-45.199W |   | TR on pile.    |
| 44770 | Round Island<br>Daybeacon 3                       | 27-33-43.460N<br>080-20-21.375W |   | SG on pile.    |
| 44775 | Round Island<br>Daybeacon 4                       | 27-33-42.611N<br>080-20-16.264W |   | TR on pile.    |
| 44780 | Round Island<br>Daybeacon 5                       | 27-33-42.990N<br>080-20-13.635W |   | SG on pile.    |
| 44785 | Round Island<br>Daybeacon 6                       | 27-33-42.489N<br>080-20-09.799W |   | TR on pile.    |
| 44790 | Round Island<br>Daybeacon 7                       | 27-33-41.391N<br>080-20-04.792W |   | SG on pile.    |
| 44795 | Round Island<br>Daybeacon 8                       | 27-33-40.215N<br>080-19-56.146W |   | TR on pile.    |
| 44800 | Round Island<br>Daybeacon 9                       | 27-33-39.164N<br>080-19-55.088W |   | SG on pile.    |
| 44805 | Round Island<br>Daybeacon 10                      | 27-33-39.050N<br>080-19-52.159W |   | TR on pile.    |
| 44810 | Round Island<br>Daybeacon 11                      | 27-33-39.834N<br>080-19-50.314W |   | SG on pile.    |
| 44815 | Indian River (South<br>Section) Daybeacon<br>168  | 27-33-52.303N<br>080-20-59.307W | 0 | TR-TY on pile. |
| 44820 | Indian River (South<br>Section) Daybeacon<br>168A | 27-33-28.503N<br>080-20-54.160W | 0 | TR-TY on pile. |
| 44825 | Indian River (South<br>Section) Daybeacon<br>169  | 27-33-02.848N<br>080-20-45.448W | 0 | SG-SY on pile. |
| 44830 | Indian River (South<br>Section) Daybeacon<br>170  | 27-32-58.579N<br>080-20-46.488W | 0 | TR-TY on pile. |
| 44835 | Indian River (South<br>Section) Daybeacon<br>170A | 27-32-35.223N<br>080-20-40.622W | 0 | TR-TY on pile. |
| 44840 | Indian River (South<br>Section) Daybeacon<br>171  | 27-32-13.071N<br>080-20-32.273W | 0 | SG-SY on pile. |
| 44845 | Linkport Channel<br>Daybeacon 1                   | 27-32-02.129N<br>080-20-32.181W |   | SG on pile.    |
| 44848 | Linkport Channel<br>Daybeacon 2                   | 27-32-05.000N<br>080-20-35.000W |   | TR on pile.    |
| 44850 | Linkport Channel<br>Daybeacon 3                   | 27-32-02.629N<br>080-20-33.181W |   | SG on pile.    |
| 44855 | Linkport Channel<br>Daybeacon 4                   | 27-32-04.129N<br>080-20-33.181W |   | TR on pile.    |
| 44860 | Linkport Channel<br>Daybeacon 5                   | 27-32-03.129N<br>080-20-34.181W |   | SG on pile.    |
| 44865 | Linkport Channel<br>Daybeacon 6                   | 27-32-04.129N<br>080-20-34.181W |   | TR on pile.    |
| 44870 | Linkport Channel<br>Daybeacon 7                   | 27-32-03.129N<br>080-20-35.181W |   | SG on pile.    |

|       |                                                   |                                 |         |   |   |                |
|-------|---------------------------------------------------|---------------------------------|---------|---|---|----------------|
| 44875 | Linkport Channel<br>Daybeacon 8                   | 27-32-04.129N<br>080-20-35.181W |         |   |   | TR on pile.    |
| 44880 | Indian River (South<br>Section) Light 172         | 27-32-05.603N<br>080-20-32.548W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 44885 | Indian River (South<br>Section) Daybeacon<br>172A | 27-31-38.234N<br>080-20-24.768W |         | 0 |   | TR-TY on pile. |
| 44890 | Indian River (South<br>Section) Daybeacon<br>173  | 27-31-14.107N<br>080-20-16.716W |         | 0 |   | SG-SY on pile. |
| 44895 | Indian River (South<br>Section) Daybeacon<br>174  | 27-30-47.023N<br>080-20-11.630W |         | 0 |   | TR-TY on pile. |
| 44900 | Queens Cove<br>Daybeacon 1                        | 27-30-52.531N<br>080-20-08.481W |         |   |   | SG on pile.    |
| 44901 | Queens Cove<br>Daybeacon 1A                       | 27-30-55.260N<br>080-19-59.520W |         |   |   | SG on pile.    |
| 44905 | Queens Cove<br>Daybeacon 2                        | 27-30-51.931N<br>080-20-08.381W |         |   |   | TR on pile.    |
| 44906 | Queens Cove<br>Daybeacon 2A                       | 27-30-54.660N<br>080-19-59.290W |         |   |   | TR on pile.    |
| 44910 | Queens Cove<br>Daybeacon 3                        | 27-30-57.531N<br>080-19-50.280W |         |   |   | SG on pile.    |
| 44915 | Queens Cove<br>Daybeacon 4                        | 27-30-56.931N<br>080-19-50.080W |         |   |   | TR on pile.    |
| 44920 | Queens Cove<br>Daybeacon 5                        | 27-30-59.031N<br>080-19-44.980W |         |   |   | SG on pile.    |
| 44925 | Queens Cove<br>Daybeacon 6                        | 27-30-58.431N<br>080-19-44.780W |         |   |   | TR on pile.    |
| 44930 | Queens Cove<br>Daybeacon 7                        | 27-31-00.431N<br>080-19-39.680W |         |   |   | SG on pile.    |
| 44935 | Queens Cove<br>Daybeacon 8                        | 27-30-59.131N<br>080-19-39.480W |         |   |   | TR on pile.    |
| 44940 | Queens Cove<br>Daybeacon 9                        | 27-31-01.931N<br>080-19-33.980W |         |   |   | SG on pile.    |
| 44945 | Queens Cove<br>Daybeacon 10                       | 27-31-01.431N<br>080-19-33.880W |         |   |   | TR on pile.    |
| 44950 | Queens Cove<br>Daybeacon 11                       | 27-31-01.931N<br>080-19-30.580W |         |   |   | SG on pile.    |
| 44955 | Queens Cove<br>Daybeacon 12                       | 27-31-01.331N<br>080-19-30.780W |         |   |   | TR on pile.    |
| 44960 | Queens Cove<br>Daybeacon 13                       | 27-31-00.731N<br>080-19-28.279W |         |   |   | SG on pile.    |
| 44965 | Queens Cove<br>Daybeacon 14                       | 27-31-00.231N<br>080-19-28.679W |         |   |   | TR on pile.    |
| 44970 | Queens Cove<br>Daybeacon 15                       | 27-30-59.431N<br>080-19-25.979W |         |   |   | SG on pile.    |
| 44975 | Queens Cove<br>Daybeacon 16                       | 27-30-59.231N<br>080-19-26.879W |         |   |   | TR on pile.    |
| 44980 | Village Marina<br>Daybeacon 1                     | 27-30-36.632N<br>080-20-12.681W |         |   |   | SG on pile.    |
| 44985 | Village Marina<br>Daybeacon 2                     | 27-30-37.131N<br>080-20-18.181W |         |   |   | TR on pile.    |
| 44990 | Village Marina<br>Daybeacon 3                     | 27-30-34.132N<br>080-20-21.181W |         |   |   | SG on pile.    |
| 44995 | Village Marina<br>Daybeacon 4                     | 27-30-35.132N<br>080-20-25.181W |         |   |   | TR on pile.    |
| 45000 | Village Marina<br>Daybeacon 5                     | 27-30-33.132N<br>080-20-27.681W |         |   |   | SG on pile.    |
| 45005 | Village Marina<br>Daybeacon 6                     | 27-30-34.132N<br>080-20-31.181W |         |   |   | TR on pile.    |
| 45010 | Indian River (South<br>Section) Light 175         | 27-30-20.011N<br>080-20-02.262W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 45015 | Indian River (South<br>Section) Daybeacon<br>176  | 27-30-19.538N<br>080-20-04.304W |         | 0 |   | TR-TY on pile. |
| 45020 | Indian River (South<br>Section) Daybeacon<br>178  | 27-29-53.395N<br>080-19-57.366W |         | 0 |   | TR-TY on pile. |
| 45025 | Indian River (South<br>Section) Daybeacon         | 27-29-23.423N<br>080-19-47.045W |         | 0 |   | SG-SY on pile. |

|       |                                            |                                 |         |   |   |                                         |                                |  |  |
|-------|--------------------------------------------|---------------------------------|---------|---|---|-----------------------------------------|--------------------------------|--|--|
| 179   |                                            |                                 |         |   |   |                                         |                                |  |  |
| 45030 | Indian River (South Section) Daybeacon 180 | 27-29-06.102N<br>080-19-44.722W |         | 0 |   | TR-TY on pile.                          |                                |  |  |
| 45035 | Riverside Marina (Ft. Pierce) Daybeacon 1  | 27-28-49.635N<br>080-19-40.680W |         |   |   | SG and NL on pile; NL worded RIVERSIDE. |                                |  |  |
| 45040 | Riverside Marina(Ft. Pierce) Daybeacon 2   | 27-28-50.593N<br>080-19-43.675W |         |   |   | TR on pile.                             |                                |  |  |
| 45045 | Riverside Marina(Ft. Pierce) Daybeacon 3   | 27-28-48.135N<br>080-19-45.680W |         |   |   | SG on pile.                             |                                |  |  |
| 45050 | Riverside Marina(Ft. Pierce) Daybeacon 4   | 27-28-49.635N<br>080-19-48.180W |         |   |   | TR on pile.                             |                                |  |  |
| 45055 | Riverside Marina(Ft. Pierce) Daybeacon 5   | 27-28-46.635N<br>080-19-50.180W |         |   |   | SG on pile.                             |                                |  |  |
| 45060 | Riverside Marina(Ft. Pierce) Daybeacon 6   | 27-28-47.135N<br>080-19-53.180W |         |   |   | TR on pile.                             |                                |  |  |
| 45065 | Riverside Marina(Ft. Pierce) Daybeacon 7   | 27-28-44.635N<br>080-19-55.680W |         |   |   | SG on pile.                             |                                |  |  |
| 45070 | Riverside Marina(Ft. Pierce) Daybeacon 8   | 27-28-46.135N<br>080-19-58.180W |         |   |   | TR on pile.                             |                                |  |  |
| 45075 | Indian River (South Section) Daybeacon 181 | 27-28-37.418N<br>080-19-35.012W |         | 0 |   | SG-SY on pile.                          |                                |  |  |
| 45080 | Indian River (South Section) Light 182     | 27-28-32.220N<br>080-19-35.813W | FI R 4s | 0 | 5 | TR-TY on pile.                          | Higher intensity to the north. |  |  |
| 45085 | Indian River (South Section) Daybeacon 184 | 27-28-05.702N<br>080-19-23.129W |         | 0 |   | TR-TY on pile.                          |                                |  |  |
| 45090 | Taylor Creek Channel Daybeacon 1           | 27-28-02.181N<br>080-19-23.881W |         | 0 |   | SG on pile.                             |                                |  |  |
| 45095 | Taylor Creek Channel Daybeacon 2           | 27-28-02.638N<br>080-19-27.834W |         | 0 |   | TR on pile.                             |                                |  |  |
| 45100 | Taylor Creek Channel Daybeacon 3           | 27-28-00.810N<br>080-19-31.645W |         | 0 |   | SG on pile.                             |                                |  |  |
| 45105 | Taylor Creek Channel Daybeacon 4           | 27-28-01.704N<br>080-19-32.144W |         | 0 |   | TR on pile.                             |                                |  |  |
| 45110 | Indian River (South Section) Daybeacon 186 | 27-27-53.438N<br>080-19-16.399W |         |   |   | TR-TY on pile.                          |                                |  |  |
| 45115 | Indian River (South Section) Light 187     | 27-27-47.803N<br>080-19-11.262W | FI G 4s | 0 | 5 | SG-SY on pile.                          |                                |  |  |
| 45120 | Fort Pierce Inlet Inner Harbor Light 16    | 27-27-42.747N<br>080-19-05.859W | Q R     | 0 | 4 | TR on pile.                             |                                |  |  |
| 45125 | Fort Pierce Inlet Inner Harbor Light 17    | 27-27-38.395N<br>080-19-04.902W | Q G     | 0 | 4 | SG on pile.                             |                                |  |  |
| 45130 | Faber Cove Daybeacon 2                     | 27-27-11.739N<br>080-18-46.679W |         |   |   | TR on pile.                             |                                |  |  |
| 45135 | Faber Cove Daybeacon 3                     | 27-27-15.139N<br>080-18-47.279W |         |   |   | SG on pile.                             |                                |  |  |
| 45140 | Faber Cove Daybeacon 4                     | 27-27-16.639N<br>080-18-35.578W |         |   |   | TR on pile.                             |                                |  |  |
| 45145 | Faber Cove Daybeacon 5                     | 27-27-21.539N<br>080-18-30.778W |         |   |   | SG on pile.                             |                                |  |  |
| 45150 | Faber Cove Daybeacon 7                     | 27-27-24.638N<br>080-18-25.878W |         |   |   | SG on pile.                             |                                |  |  |
| 45155 | Faber Cove Daybeacon 9                     | 27-27-30.238N<br>080-18-10.978W |         |   |   | SG on pile.                             |                                |  |  |
| 45160 | Faber Cove Daybeacon 10                    | 27-27-32.138N<br>080-18-07.878W |         |   |   | TR on pile.                             | Private aid.                   |  |  |
| 45165 | Faber Cove Daybeacon 11                    | 27-27-37.138N<br>080-18-08.178W |         |   |   | SG on pile.                             |                                |  |  |
| 45170 | Faber Cove Daybeacon 12                    | 27-27-38.238N<br>080-18-05.478W |         |   |   | TR on pile.                             |                                |  |  |
| 45175 | Faber Cove Daybeacon 12A                   | 27-27-41.138N<br>080-18-05.178W |         |   |   | TR on pile.                             |                                |  |  |
| 45180 | Faber Cove Daybeacon 13                    | 27-27-42.538N<br>080-18-04.177W |         |   |   | SG on pile.                             |                                |  |  |
| 45185 | Faber Cove Daybeacon 14                    | 27-27-41.038N<br>080-17-57.177W |         |   |   | TR on pile.                             |                                |  |  |
| 45190 | Faber Cove Daybeacon 15                    | 27-27-43.638N<br>080-17-55.477W |         |   |   | SG on pile.                             |                                |  |  |

|         |                                                |                                 |           |  |   |   |                |
|---------|------------------------------------------------|---------------------------------|-----------|--|---|---|----------------|
| 45195   | Indian River (South Section) Daybeacon 188     | 27-27-07.537N<br>080-18-57.427W |           |  |   |   | TR-TY on pile. |
| 45200   | Indian River (South Section) Lighted Buoy 188A | 27-26-53.194N<br>080-18-50.935W | FI R 2.5s |  | 4 |   | Red.           |
| 45255   | Indian River (South Section) Daybeacon 189     | 27-26-39.944N<br>080-18-43.621W |           |  | 0 |   | SG-SY on pile. |
| 45260   | Indian River (South Section) Daybeacon 190     | 27-26-16.054N<br>080-18-35.587W |           |  | 0 |   | TR-TY on pile. |
| 45265   | Indian River (South Section) Daybeacon 191     | 27-25-54.460N<br>080-18-24.339W |           |  | 0 |   | SG-SY on pile. |
| 45270   | Indian River (South Section) Light 192         | 27-25-26.588N<br>080-18-14.276W | FI R 4s   |  | 0 | 5 | TR-TY on pile. |
| 45275   | Indian River (South Section) Daybeacon 193     | 27-25-03.466N<br>080-18-02.578W |           |  | 0 |   | SG-SY on pile. |
| 45280   | Indian River (South Section) Daybeacon 194     | 27-24-38.489N<br>080-17-53.472W |           |  | 0 |   | TR-TY on pile. |
| 45285   | Indian River (South Section) Daybeacon 195     | 27-24-08.456N<br>080-17-39.172W |           |  |   |   | SG-SY on pile. |
| 45290   | Indian River (South Section) Daybeacon 196     | 27-23-47.562N<br>080-17-32.683W |           |  | 0 |   | TR-TY on pile. |
| 45295   | Indian River (South Section) Light 197         | 27-23-24.219N<br>080-17-19.772W | FI G 4s   |  | 0 | 5 | SG-SY on pile. |
| 45300   | Indian River (South Section) Daybeacon 198     | 27-22-58.045N<br>080-17-12.127W |           |  | 0 |   | TR-TY on pile. |
| 45305   | Indian River (South Section) Daybeacon 199     | 27-22-33.596N<br>080-16-59.055W |           |  | 0 |   | SG-SY on pile. |
| 45310   | Indian River (South Section) Daybeacon 200     | 27-22-07.056N<br>080-16-51.643W |           |  | 0 |   | TR-TY on pile. |
| 45315   | Indian River (South Section) Daybeacon 201     | 27-21-44.098N<br>080-16-37.389W |           |  | 0 |   | SG-SY on pile. |
| 45320   | Indian River (South Section) Light 202         | 27-21-19.143N<br>080-16-29.122W | FI R 4s   |  | 0 | 5 | TR-TY on pile. |
| 45325   | Indian River (South Section) Daybeacon 203     | 27-21-20.501N<br>080-16-26.619W |           |  | 0 |   | SG-SY on pile. |
| 45330   | St. Lucie Power Plant Channel Daybeacon 1      | 27-21-00.108N<br>080-16-00.375W |           |  |   |   | SG on pile.    |
| 45335   | St. Lucie Power Plant Channel Daybeacon 2      | 27-21-04.052N<br>080-16-07.275W |           |  |   |   | TR on pile.    |
| 45340   | St. Lucie Power Plant Channel Daybeacon 3      | 27-21-04.352N<br>080-15-53.574W |           |  |   |   | SG on pile.    |
| 45345   | St. Lucie Power Plant Channel Daybeacon 4      | 27-21-01.452N<br>080-15-40.174W |           |  |   |   | TR on pile.    |
| 45350   | St. Lucie Power Plant Channel Daybeacon 5      | 27-21-01.252N<br>080-15-27.574W |           |  |   |   | SG on pile.    |
| 45353   | St. Lucie Power Plant Lighted Buoy A           | 27-21-56.810N<br>080-14-36.960W | FI Y 4s   |  |   |   | Yellow.        |
| 45353.1 | St. Lucie Power Plant Lighted Buoy B           | 27-21-10.440N<br>080-14-12.530W | FI Y 4s   |  |   |   | Yellow.        |
| 45353.2 | St. Lucie Power Plant Lighted Buoy C           | 27-20-21.220N<br>080-13-50.800W | FI Y 4s   |  |   |   | Yellow.        |
| 45353.3 | St. Lucie Power Plant Lighted Buoy D           | 27-21-15.490N<br>080-14-06.950W | FI Y 4s   |  |   |   | Yellow.        |
| 45353.4 | St. Lucie Power Plant Lighted Buoy E           | 27-21-14.530N<br>080-14-05.600W | FI Y 4s   |  |   |   | Yellow.        |
| 45353.5 | St. Lucie Power Plant Lighted Buoy F           | 27-21-12.600N<br>080-14-01.840W | FI Y 4s   |  |   |   | Yellow.        |
| 45353.6 | St. Lucie Power Plant Lighted Buoy G           | 27-20-53.760N<br>080-13-58.570W | FI Y 4s   |  |   |   | Yellow.        |

|         |                                                  |                                 |         |   |   |                |
|---------|--------------------------------------------------|---------------------------------|---------|---|---|----------------|
| 45353.7 | St. Lucie Power Plant<br>Lighted Buoy H          | 27-20-45.740N<br>080-13-42.670W | FI Y 4s |   |   | Yellow.        |
| 45355   | Indian River (South<br>Section) Daybeacon<br>205 | 27-20-55.312N<br>080-16-13.431W |         |   |   | SG-SY on pile. |
| 45360   | Indian River (South<br>Section) Daybeacon<br>206 | 27-20-30.322N<br>080-16-04.239W |         |   |   | TR-TY on pile. |
| 45365   | Indian River (South<br>Section) Daybeacon<br>207 | 27-20-08.150N<br>080-15-47.617W |         | 0 |   | SG-SY on pile. |
| 45370   | Indian River (South<br>Section) Daybeacon<br>208 | 27-19-44.794N<br>080-15-37.857W |         | 0 |   | TR-TY on pile. |
| 45375   | Indian River (South<br>Section) Light 209        | 27-19-17.477N<br>080-15-20.563W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 45380   | Indian River (South<br>Section) Daybeacon<br>210 | 27-18-52.541N<br>080-15-09.124W |         | 0 |   | TR-TY on pile. |
| 45385   | Indian River (South<br>Section) Daybeacon<br>211 | 27-18-28.176N<br>080-14-53.505W |         | 0 |   | SG-SY on pile. |
| 45390   | Indian River (South<br>Section) Daybeacon<br>212 | 27-18-00.500N<br>080-14-40.636W |         | 0 |   | TR-TY on pile. |
| 45395   | Island Dunes Marina<br>Daybeacon 2               | 27-17-49.160N<br>080-14-21.172W |         |   |   | TR on pile.    |
| 45400   | Island Dunes Marina<br>Daybeacon 3               | 27-18-05.159N<br>080-14-07.171W |         |   |   | SG on pile.    |
| 45405   | Island Dunes Marina<br>Daybeacon 4               | 27-18-19.159N<br>080-13-53.171W |         |   |   | TR on pile.    |
| 45410   | Island Dunes Marina<br>Daybeacon 5               | 27-18-25.159N<br>080-13-39.170W |         |   |   | SG on pile.    |
| 45415   | Indian River (South<br>Section) Daybeacon<br>213 | 27-17-38.102N<br>080-14-26.192W |         | 0 |   | SG-SY on pile. |
| 45420   | Indian River (South<br>Section) Light 214        | 27-17-13.814N<br>080-14-15.982W | FI R 4s |   | 5 | TR-TY on pile. |
| 45425   | Nettles Island Channel<br>Daybeacon 1            | 27-16-56.000N<br>080-14-01.000W |         |   |   | SG on pile.    |
| 45430   | Nettles Island Channel<br>Daybeacon 2            | 27-16-59.000N<br>080-13-51.000W |         |   |   | TR on pile.    |
| 45435   | Nettles Island Channel<br>Daybeacon 3            | 27-17-04.200N<br>080-13-37.800W |         |   |   | SG on pile.    |
| 45440   | Nettles Island Channel<br>Daybeacon 4            | 27-17-02.500N<br>080-13-38.000W |         |   |   | TR on pile.    |
| 45445   | Nettles Island Channel<br>Daybeacon 6            | 27-16-54.000N<br>080-13-34.500W |         |   |   | TR on pile.    |
| 45450   | Nettles Island Channel<br>Daybeacon 8            | 27-17-00.000N<br>080-13-17.900W |         |   |   | TR on pile.    |
| 45455   | Nettles Island Channel<br>Daybeacon 10           | 27-17-03.000N<br>080-13-06.000W |         |   |   | TR on pile.    |
| 45460   | Indian River (South<br>Section) Daybeacon<br>215 | 27-16-50.860N<br>080-14-00.485W |         | 0 |   | SG-SY on pile. |
| 45465   | Indian River (South<br>Section) Daybeacon<br>216 | 27-16-25.513N<br>080-13-49.375W |         | 0 |   | TR-TY on pile. |
| 45470   | Indian River (South<br>Section) Daybeacon<br>217 | 27-16-02.174N<br>080-13-34.397W |         | 0 |   | SG-SY on pile. |
| 45475   | Indian River (South<br>Section) Daybeacon<br>219 | 27-15-38.761N<br>080-13-22.063W |         | 0 |   | SG-SY on pile. |
| 45480   | Jensen Beach Channel<br>Daybeacon 1              | 27-15-11.066N<br>080-13-32.170W |         |   |   | SG on pile.    |
| 45485   | Jensen Beach Channel<br>Daybeacon 2              | 27-15-11.266N<br>080-13-32.170W |         |   |   | TR on pile.    |
| 45490   | Jensen Beach Channel<br>Daybeacon 3              | 27-15-11.066N<br>080-13-35.170W |         |   |   | SG on pile.    |
| 45495   | Jensen Beach Channel<br>Daybeacon 4              | 27-15-11.266N<br>080-13-35.170W |         |   |   | TR on pile.    |



|         |                                                  |                                 |   |                |
|---------|--------------------------------------------------|---------------------------------|---|----------------|
| 45500   | Jensen Beach Channel<br>Daybeacon 5              | 27-15-11.066N<br>080-13-39.170W |   | SG on pile.    |
| 45505   | Jensen Beach Channel<br>Daybeacon 6              | 27-15-11.266N<br>080-13-39.170W |   | TR on pile.    |
| 45575   | Indian River (South<br>Section) Daybeacon<br>220 | 27-14-49.654N<br>080-12-57.645W | 0 | TR-TY on pile. |
| 45580   | Indian River (South<br>Section) Daybeacon<br>221 | 27-14-26.134N<br>080-12-40.347W | 0 | SG-SY on pile. |
| 45585   | Rigels Cove Channel<br>Daybeacon 1               | 27-15-12.166N<br>080-12-57.163W |   | SG on pile.    |
| 45590   | Rigels Cove Channel<br>Daybeacon 2               | 27-15-08.166N<br>080-12-56.169W |   | TR on pile.    |
| 45595   | Rigels Cove Channel<br>Daybeacon 3               | 27-15-14.166N<br>080-12-51.168W |   | SG on pile.    |
| 45600   | Rigels Cove Channel<br>Daybeacon 4               | 27-15-11.166N<br>080-12-49.168W |   | TR on pile.    |
| 45605   | Rigels Cove Channel<br>Daybeacon 5               | 27-15-15.166N<br>080-12-45.168W |   | SG on pile.    |
| 45610   | Rigels Cove Channel<br>Daybeacon 6               | 27-15-13.166N<br>080-12-44.168W |   | TR on pile.    |
| 45615   | Rigels Cove Channel<br>Daybeacon 7               | 27-15-17.166N<br>080-12-39.168W |   | SG on pile.    |
| 45620   | Rigels Cove Channel<br>Daybeacon 8               | 27-15-14.166N<br>080-12-40.168W |   | TR on pile.    |
| 45625   | Rigels Cove Channel<br>Daybeacon 9               | 27-15-14.166N<br>080-12-34.168W |   | SG on pile.    |
| 45630   | Rigels Cove Channel<br>Daybeacon 10              | 27-15-12.166N<br>080-12-37.168W |   | TR on pile.    |
| 45631   | Rigels Cove Channel<br>Daybeacon 12              | 27-15-08.166N<br>080-12-33.168W |   | TR on pile.    |
| 45632   | Rigels Cove Channel<br>Daybeacon 14              | 27-15-09.166N<br>080-12-24.167W |   | TR on pile.    |
| 45632.1 | Rigels Cove Channel<br>Daybeacon 16              | 27-15-09.800N<br>080-12-14.590W |   | TR on pile.    |
| 45632.2 | Rigels Cove Channel<br>Daybeacon 18              | 27-15-07.950N<br>080-12-12.790W |   | TR on pile.    |
| 45632.3 | Rigels Cove Channel<br>Daybeacon 19              | 27-15-08.950N<br>080-12-11.760W |   | SG on pile.    |
| 45632.4 | Rigels Cove Channel<br>Daybeacon 20              | 27-15-00.830N<br>080-12-03.770W |   | TR on pile.    |
| 45632.5 | Rigels Cove Channel<br>Daybeacon 21              | 27-14-54.920N<br>080-11-55.370W |   | SG on pile.    |
| 45632.6 | Rigels Cove Channel<br>Daybeacon 23              | 27-14-51.850N<br>080-11-53.670W |   | SG on pile.    |
| 45632.7 | Rigels Cove Channel<br>Daybeacon 24              | 27-14-52.160N<br>080-11-52.200W |   | TR on pile.    |
| 45632.8 | Rigels Cove Channel<br>Daybeacon 25              | 27-14-53.190N<br>080-11-50.530W |   | SG on pile.    |
| 45632.9 | Rigels Cove Channel<br>Daybeacon 26              | 27-14-52.730N<br>080-11-50.830W |   | TR on pile.    |
| 45633   | Rigles Cove Channel<br>Daybeacon 27              | 27-14-53.890N<br>080-11-49.250W |   | SG on pile.    |
| 45633.1 | Rigels Cove Channel<br>Daybeacon 28              | 27-14-53.440N<br>080-11-49.150W |   | TR on pile.    |
| 45635   | Indian River (South<br>Section) Daybeacon<br>222 | 27-14-06.166N<br>080-12-32.141W | 0 | TR-TY on pile. |
| 45645   | Bailey Boat Channel<br>Daybeacon 1               | 27-14-02.168N<br>080-12-33.667W |   | SG on pile.    |
| 45650   | Bailey Boat Channel<br>Daybeacon 2               | 27-14-03.968N<br>080-12-34.167W |   | TR on pile.    |
| 45655   | Bailey Boat Channel<br>Daybeacon 3               | 27-13-59.168N<br>080-12-42.268W |   | SG on pile.    |
| 45660   | Bailey Boat Channel<br>Daybeacon 4               | 27-14-00.668N<br>080-12-41.568W |   | TR on pile.    |
| 45665   | Bailey Boat Channel<br>Daybeacon 5               | 27-13-56.669N<br>080-12-48.668W |   | SG on pile.    |
| 45670   | Bailey Boat Channel                              | 27-13-57.868N                   |   | TR on pile.    |

|         |                                                          |                                 |         |   |   |                |
|---------|----------------------------------------------------------|---------------------------------|---------|---|---|----------------|
|         | Daybeacon 6                                              | 080-12-49.168W                  |         |   |   |                |
| 45675   | Bailey Boat Channel<br>Daybeacon 7                       | 27-13-53.869N<br>080-12-54.168W |         |   |   | SG on pile.    |
| 45680   | Bailey Boat Channel<br>Daybeacon 8                       | 27-13-55.169N<br>080-12-54.168W |         |   |   | TR on pile.    |
| 45685   | Bailey Boat Channel<br>Daybeacon 9                       | 27-13-53.369N<br>080-13-00.068W |         |   |   | SG on pile.    |
| 45690   | Bailey Boat Channel<br>Daybeacon 10                      | 27-13-55.169N<br>080-12-59.968W |         |   |   | TR on pile.    |
| 45695   | Bailey Boat Channel<br>Daybeacon 11                      | 27-13-55.169N<br>080-12-59.968W |         |   |   | SG on pile.    |
| 45700   | Bailey Boat Channel<br>Daybeacon 12                      | 27-13-55.169N<br>080-12-59.968W |         |   |   | TR on pile.    |
| 45705   | Bailey Boat Channel<br>Daybeacon 13                      | 27-13-55.169N<br>080-12-59.968W |         |   |   | SG on pile.    |
| 45705.5 | Indian River (South<br>Section) Light 223                | 27-13-49.155N<br>080-12-18.385W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 45710   | Outrigger Harbour<br>Daybeacon 1                         | 27-13-31.200N<br>080-12-14.500W |         |   |   | SG on pile.    |
| 45715   | Outrigger Harbour<br>Daybeacon 2                         | 27-13-33.000N<br>080-12-16.000W |         |   |   | TR on pile.    |
| 45720   | Outrigger Harbour<br>Daybeacon 3                         | 27-13-27.000N<br>080-12-22.667W |         |   |   | SG on pile.    |
| 45725   | Outrigger Harbour<br>Daybeacon 4                         | 27-13-29.000N<br>080-12-23.167W |         |   |   | TR on pile.    |
| 45730   | Outrigger Harbour<br>Daybeacon 6                         | 27-13-27.500N<br>080-12-29.167W |         |   |   | TR on pile.    |
| 45735   | Outrigger Resort<br>Daybeacon 1                          | 27-13-28.500N<br>080-12-32.000W |         |   |   | SG on pile.    |
| 45740   | Outrigger Resort<br>Daybeacon 2                          | 27-13-29.000N<br>080-12-31.000W |         |   |   | TR on pile.    |
| 45745   | Outrigger Resort<br>Daybeacon 3                          | 27-13-29.800N<br>080-12-34.900W |         |   |   | SG on pile.    |
| 45750   | Outrigger Resort<br>Daybeacon 4                          | 27-13-30.100N<br>080-12-34.000W |         |   |   | TR on pile.    |
| 45755   | Outrigger Resort<br>Daybeacon 5                          | 27-13-30.000N<br>080-12-38.000W |         |   |   | SG on pile.    |
| 45760   | Outrigger Harbour<br>Daybeacon 7                         | 27-13-23.000N<br>080-12-30.667W |         |   |   | SG on pile.    |
| 45765   | Outrigger Harbour<br>Daybeacon 8                         | 27-13-26.170N<br>080-12-32.000W |         |   |   | TR on pile.    |
| 45770   | Outrigger Harbour<br>Daybeacon 9                         | 27-13-22.000N<br>080-12-34.167W |         |   |   | SG on pile.    |
| 45775   | Outrigger Harbour<br>Daybeacon 10                        | 27-13-24.850N<br>080-12-35.167W |         |   |   | TR on pile.    |
| 45777   | Outrigger Harbour<br>Daybeacon 11                        | 27-13-20.000N<br>080-12-38.000W |         |   |   | SG on pile.    |
| 45779   | Outrigger Harbour<br>Daybeacon 12                        | 27-13-40.000N<br>080-12-38.000W |         |   |   | TR on pile.    |
| 45780   | Indian River (South<br>Section) Daybeacon<br>224         | 27-13-27.526N<br>080-12-08.463W |         | 0 |   | TR-TY on pile. |
| 45785   | Indian River (South<br>Section) Daybeacon<br>225         | 27-13-07.791N<br>080-11-54.508W |         | 0 |   | SG-SY on pile. |
| 45790   | Anglers Cove<br>Daybeacon 1                              | 27-13-26.170N<br>080-11-12.164W |         |   |   | SG on pile.    |
| 45795   | Anglers Cove<br>Daybeacon 2                              | 27-10-00.058N<br>080-10-54.825W |         |   |   | TR on pile.    |
| 45800   | Anglers Cove<br>Daybeacon 3                              | 27-13-29.170N<br>080-11-07.164W |         |   |   | SG on pile.    |
| 45805   | Anglers Cove<br>Daybeacon 4                              | 27-13-21.170N<br>080-11-09.164W |         |   |   | TR on pile.    |
| 45810   | Anglers Cove<br>Daybeacon 6                              | 27-13-21.170N<br>080-11-04.164W |         |   |   | TR on pile.    |
| 45815   | Indian River (South<br>Section) Daybeacon<br>226         | 27-12-46.220N<br>080-11-44.401W |         | 0 |   | TR-TY on pile. |
| 45820   | Indian River Plantation<br>Marina Channel<br>Daybeacon 1 | 27-12-21.772N<br>080-11-19.864W |         |   |   | SG on pile.    |

|         |                                                 |                                 |           |   |   |                           |
|---------|-------------------------------------------------|---------------------------------|-----------|---|---|---------------------------|
| 45825   | Ind River Plantation Marina Channel Daybeacon 2 | 27-12-18.872N<br>080-11-17.964W |           |   |   | TR on pile.               |
| 45830   | Ind River Plantation Marina Channel Daybeacon 3 | 27-12-29.372N<br>080-11-08.464W |           |   |   | SG on pile.               |
| 45835   | Ind River Plantation Marina Channel Daybeacon 4 | 27-12-27.072N<br>080-11-06.964W |           |   |   | TR on pile.               |
| 45840   | Indian River (South Section) Daybeacon 228      | 27-12-04.596N<br>080-11-18.950W |           | 0 |   | TR-TY on pile.            |
| 45845   | Indian River (South Section) Light 229          | 27-11-59.011N<br>080-11-14.008W | FI G 4s   | 0 | 5 | SG-SY on pile.            |
| 45850   | Indian River South Section Daybeacon 230        | 27-11-54.589N<br>080-11-14.890W |           | 0 |   | TR-TY on pile.            |
| 45855   | Indian River (South Section) Light 231          | 27-11-27.312N<br>080-11-05.356W | FI G 4s   | 0 | 5 | SG-SY on pile.            |
| 45860   | Indian River (South Section) Daybeacon 232      | 27-11-26.342N<br>080-11-07.480W |           | 0 |   | TR-TY on pile.            |
| 45863   | Breakwater Danger Daybeacon A                   | 27-11-26.890N<br>080-11-14.170W |           |   |   | NW on pile worded DANGER. |
| 45863.1 | Breakwater Danger Daybeacon B                   | 27-11-26.520N<br>080-11-17.460W |           |   |   | NW on pile worded DANGER. |
| 45865   | Indian River (South Section) Light 233          | 27-11-00.561N<br>080-11-02.239W | FI G 4s   | 0 | 5 | SG-SY on pile.            |
| 45870   | Indian River (South Section) Daybeacon 234      | 27-11-00.567N<br>080-11-04.637W |           | 0 |   | TR-TY on pile.            |
| 45875   | Indian River (South Section) Daybeacon 235      | 27-10-41.926N<br>080-11-02.179W |           | 0 |   | SG-SY on pile.            |
| 45880   | Indian River (South Section) Light 236          | 27-10-37.080N<br>080-11-06.311W | Q R       | 0 | 4 | TR-TY on pile.            |
| 45885   | Sewalls Point Daybeacon 1                       | 27-10-31.176N<br>080-11-07.163W |           |   |   | SG on pile.               |
| 45890   | Sewalls Point Daybeacon 2                       | 27-10-33.676N<br>080-11-07.363W |           |   |   | TR on pile.               |
| 45895   | Sewalls Point Daybeacon 3                       | 27-10-31.076N<br>080-11-12.663W |           |   |   | SG on pile.               |
| 45900   | Sewalls Point Daybeacon 4                       | 27-10-33.676N<br>080-11-12.663W |           |   |   | TR on pile.               |
| 45905   | Indian River (South Section) Daybeacon 237      | 27-10-30.803N<br>080-10-59.934W |           | 0 |   | SG-SY on pile.            |
| 45910   | Indian River (South Section) Daybeacon 238      | 27-10-19.452N<br>080-10-58.518W |           | 0 |   | TR-TY on pile.            |
| 45915   | Indian River (South Section) Light 239          | 27-10-15.896N<br>080-10-50.049W | FI G 4s   | 0 |   | SG-SY on pile.            |
| 45915.5 | Indian River (South Section) Light 240          | 27-10-03.760N<br>080-10-50.705W | FI R 6s   | 0 | 5 | TR-TY on pile.            |
| 45925   | Great Pocket Daybeacon 2                        | 27-09-44.053N<br>080-10-40.875W |           | 0 |   | TR-TY on pile.            |
| 45930   | Great Pocket Light 3                            | 27-09-44.990N<br>080-10-39.106W | FI G 4s   | 0 | 5 | SG-SY on pile.            |
| 45935   | Great Pocket Daybeacon 3A                       | 27-09-35.496N<br>080-10-33.032W |           |   |   | SG-SY on pile.            |
| 45940   | Great Pocket Light 4                            | 27-09-34.811N<br>080-10-35.246W | FI R 2.5s | 0 | 5 | TR-TY on pile.            |
| 45945   | Great Pocket Daybeacon 5                        | 27-09-26.891N<br>080-10-24.996W |           | 0 |   | SG-SY on pile.            |
| 45950   | Great Pocket Light 6                            | 27-09-22.908N<br>080-10-23.557W | FI R 4s   | 0 | 5 | TR-TY on pile.            |
| 45955   | Great Pocket Daybeacon 7                        | 27-09-21.403N<br>080-10-18.177W |           | 0 |   | SG-SY on pile.            |
| 45960   | Great Pocket Daybeacon 8                        | 27-09-15.213N<br>080-10-12.389W |           |   |   | TR-TY on pile.            |
| 45965   | Great Pocket Light 9                            | 27-09-14.045N<br>080-10-06.947W | FI G 4s   | 0 | 5 | SG-SY on pile.            |

|       |                                                     |                                 |         |   |   |                |
|-------|-----------------------------------------------------|---------------------------------|---------|---|---|----------------|
| 45970 | Great Pocket<br>Daybeacon 10                        | 27-09-09.942N<br>080-10-06.227W |         | 0 |   | TR-TY on pile. |
| 45975 | Miles Grant<br>Daybeacon 1                          | 27-09-12.179N<br>080-10-13.961W |         |   |   | SG on pile.    |
| 45980 | Miles Grant<br>Daybeacon 2                          | 27-09-12.379N<br>080-10-15.261W |         |   |   | TR on pile.    |
| 45985 | Miles Grant<br>Daybeacon 3                          | 27-09-10.979N<br>080-10-13.961W |         |   |   | SG on pile.    |
| 45990 | Miles Grant<br>Daybeacon 4                          | 27-09-10.779N<br>080-10-15.161W |         |   |   | TR on pile.    |
| 45995 | Miles Grant<br>Daybeacon 6                          | 27-09-09.180N<br>080-10-14.961W |         |   |   | TR on pile.    |
| 46000 | Miles Grant<br>Daybeacon 7                          | 27-09-07.980N<br>080-10-14.161W |         |   |   | SG on pile.    |
| 46005 | St Lucie Inlet State<br>Park Channel<br>Daybeacon 1 | 27-08-58.856N<br>080-09-52.803W |         |   |   | SG on pile.    |
| 46010 | St Lucie Inlet State<br>Park Channel<br>Daybeacon 2 | 27-08-59.568N<br>080-09-52.804W |         |   |   | TR on pile.    |
| 46015 | Great Pocket Light 11                               | 27-08-49.197N<br>080-09-50.282W | FI G 4s |   | 5 | SG-SY on pile. |
| 46020 | Great Pocket<br>Daybeacon 12                        | 27-08-49.206N<br>080-09-52.710W |         | 0 |   | TR-TY on pile. |
| 46025 | Great Pocket<br>Daybeacon 13                        | 27-08-31.080N<br>080-09-42.897W |         | 0 |   | SG-SY on pile. |
| 46030 | Great Pocket Light 14                               | 27-08-28.439N<br>080-09-44.196W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 46035 | North Jupiter Narrows<br>Light 15                   | 27-07-41.626N<br>080-09-03.190W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 46040 | Peck Lake Daybeacon<br>16                           | 27-07-40.638N<br>080-09-04.935W |         | 0 |   | TR-TY on pile. |
| 46045 | Peck Lake Daybeacon<br>18                           | 27-07-17.033N<br>080-08-54.043W |         |   |   | TR-TY on pile. |
| 46050 | Peck Lake Light 19                                  | 27-06-52.007N<br>080-08-40.170W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 46055 | Peck Lake Daybeacon<br>20                           | 27-06-50.033N<br>080-08-41.359W |         | 0 |   | TR-TY on pile. |
| 46060 | Loblolly Bay Marina<br>Daybeacon 1                  | 27-06-43.185N<br>080-08-37.957W |         |   |   | SG on pile     |
| 46065 | Loblolly Bay Marina<br>Daybeacon 2                  | 27-06-44.185N<br>080-08-38.157W |         |   |   | TR on pile.    |
| 46070 | Peck Lake Daybeacon<br>21                           | 27-06-31.375N<br>080-08-29.767W |         | 0 |   | SG-SY on pile. |
| 46075 | South Jupiter Narrows<br>Light 23                   | 27-05-59.652N<br>080-08-13.624W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 46080 | South Jupiter Narrows<br>Daybeacon 24               | 27-05-40.843N<br>080-08-13.423W |         | 0 |   | TR-TY on pile. |
| 46085 | South Jupiter Narrows<br>Daybeacon 25               | 27-05-30.488N<br>080-08-11.009W |         | 0 |   | SG-SY on pile. |
| 46087 | South Jupiter Narrows<br>Daybeacon 25A              | 27-05-23.762N<br>080-08-07.767W |         | 0 |   | SG-SY on pile. |
| 46090 | South Jupiter Narrows<br>Daybeacon 27               | 27-05-07.864N<br>080-07-50.883W |         | 0 |   | SG-SY on pile. |
| 46095 | South Jupiter Narrows<br>Daybeacon 28               | 27-04-59.903N<br>080-07-49.291W |         | 0 |   | TR-TY on pile. |
| 46100 | South Jupiter Narrows<br>Daybeacon 30               | 27-04-28.000N<br>080-07-38.009W |         | 0 |   | TR-TY on pile. |
| 46105 | Hobe Sound<br>Daybeacon 31                          | 27-03-19.003N<br>080-07-09.163W |         | 0 |   | SG-SY on pile. |
| 46110 | Hobe Sound Light 32                                 | 27-03-14.051N<br>080-07-09.865W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 46115 | Hobe Sound<br>Daybeacon 33                          | 27-03-12.850N<br>080-07-06.490W |         | 0 |   | SG-SY on pile. |
| 46120 | Hobe Sound<br>Daybeacon 34                          | 27-03-00.020N<br>080-06-59.818W |         | 0 |   | TR-TY on pile. |
| 46125 | Hobe Sound<br>Daybeacon 35                          | 27-02-39.092N<br>080-06-44.168W |         | 0 |   | SG-SY on pile. |
| 46130 | Hobe Sound<br>Daybeacon 36                          | 27-02-17.706N<br>080-06-31.948W |         |   |   | TR-TY on pile. |
| 46135 | Hobe Sound Light 37                                 | 27-02-14.765N                   | FI G 4s | 0 | 5 | SG-SY on pile. |

|       |                                       |                                 |              |   |   |                               |
|-------|---------------------------------------|---------------------------------|--------------|---|---|-------------------------------|
|       |                                       | 080-06-27.617W                  |              |   |   |                               |
| 46140 | Hobe Sound<br>Daybeacon 38            | 27-02-10.198N<br>080-06-28.251W |              | 0 |   | TR-TY on pile.                |
| 46145 | Hobe Sound<br>Daybeacon 40            | 27-01-43.972N<br>080-06-17.650W |              | 0 |   | TR-TY on pile.                |
| 46150 | Hobe Sound<br>Daybeacon 41            | 27-01-21.235N<br>080-06-05.131W |              | 0 |   | SG-SY on pile.                |
| 46155 | Hobe Sound<br>Daybeacon 42            | 27-00-54.085N<br>080-05-55.605W |              | 0 |   | TR-TY on pile.                |
| 46160 | Hobe Sound Light 43                   | 27-00-28.832N<br>080-05-42.634W | FI G 4s      | 0 | 5 | SG-SY on pile.                |
| 46165 | Hobe Sound<br>Daybeacon 44            | 27-00-27.676N<br>080-05-43.906W |              |   |   | TR-TY on pile.                |
| 46170 | Hobe Sound<br>Daybeacon 46            | 27-00-03.692N<br>080-05-36.548W |              | 0 |   | TR-TY on pile.                |
| 46175 | Jupiter Sound Light 47                | 26-59-42.818N<br>080-05-28.940W | FI G 4s      | 0 | 5 | SG-SY on pile.                |
| 46180 | Jupiter Sound<br>Daybeacon 48         | 26-59-42.307N<br>080-05-30.900W |              | 0 |   | TR-TY on pile.                |
| 46185 | Jupiter Sound<br>Daybeacon 49         | 26-59-17.317N<br>080-05-25.819W |              | 0 |   | SG-SY on pile.                |
| 46190 | Jupiter Sound Light 50                | 26-59-11.997N<br>080-05-27.777W | FI R 4s      | 0 | 5 | TR-TY on dolphin.             |
| 46195 | Jupiter Sound<br>Daybeacon 52         | 26-58-42.217N<br>080-05-09.505W |              | 0 |   | TR-TY on pile.                |
| 46200 | Jupiter Sound Light 53                | 26-58-43.039N<br>080-05-07.576W | FI G 4s      | 0 | 5 | SG-SY on pile.                |
| 46205 | Jupiter Sound<br>Daybeacon 54         | 26-58-33.532N<br>080-05-06.651W |              | 0 |   | TR-TY on pile.                |
| 46210 | Jupiter Sound<br>Daybeacon 56         | 26-58-13.369N<br>080-04-59.656W |              | 0 |   | TR-TY on pile.                |
| 46215 | Jupiter Sound<br>Daybeacon 57         | 26-57-53.342N<br>080-04-51.874W |              | 0 |   | SG-SY on pile.                |
| 46220 | Jupiter Sound<br>Daybeacon 58         | 26-57-29.872N<br>080-04-46.390W |              | 0 |   | TR-TY on pile.                |
| 46225 | Jupiter Sound Light 59                | 26-57-26.721N<br>080-04-43.305W | FI G 4s      | 0 | 5 | SG-SY on pile.                |
| 46230 | Jupiter Sound<br>Daybeacon 60         | 26-57-23.074N<br>080-04-45.160W |              | 0 |   | TR-TY on pile.                |
| 46235 | Jupiter Inlet Light 1                 | 26-56-45.500N<br>080-04-47.580W | FI G 4s      | 0 | 5 | SG-SY on pile.                |
| 46240 | Jupiter Inlet Buoy 2                  | 26-56-47.237N<br>080-04-47.841W |              |   |   | Red nun with yellow triangle. |
| 46245 | Jupiter Inlet Buoy 3                  | 26-56-49.227N<br>080-04-57.166W |              |   |   | Green can with yellow square. |
| 46250 | Jupiter Inlet Light 4                 | 26-56-52.159N<br>080-05-18.712W | FI R 4s      | 0 | 5 | TR-TY on pile.                |
| 46255 | Loxahatchee River<br>Daybeacon 1      | 26-56-52.248N<br>080-05-29.908W |              |   |   | SG on pile.                   |
| 46260 | Loxahatchee River<br>Daybeacon 2      | 26-56-53.534N<br>080-05-29.090W |              |   |   | TR on pile.                   |
| 46262 | Loxahatchee River<br>Daybeacon 3      | 26-56-53.340N<br>080-05-35.600W |              |   |   | SG on pile.                   |
| 46265 | Loxahatchee River<br>Light 4          | 26-56-55.095N<br>080-05-34.708W | FI R 6s      |   |   | TR on pile.                   |
| 46270 | Loxahatchee River<br>Daybeacon 5      | 26-56-55.269N<br>080-05-43.644W |              |   |   | SG on pile.                   |
| 46275 | Loxahatchee River<br>Daybeacon 6      | 26-56-57.360N<br>080-05-43.200W |              |   |   | TR on pile.                   |
| 46280 | Loxahatchee River<br>Daybeacon 7      | 26-56-56.937N<br>080-05-50.502W |              |   |   | SG on pile.                   |
| 46285 | Loxahatchee River<br>Junction Light A | 26-57-00.381N<br>080-05-53.890W | FI (2+1)R 6s |   |   | JR on pile.                   |
| 46290 | Loxahatchee River<br>Daybeacon 9      | 26-56-57.675N<br>080-05-53.662W |              |   |   | SG on pile.                   |
| 46295 | Loxahatchee River<br>Daybeacon 10     | 26-56-59.866N<br>080-05-55.744W |              |   |   | TR on pile.                   |
| 46300 | Loxahatchee River<br>Light 11         | 26-57-00.097N<br>080-06-13.537W | FI G 6s      |   |   | SG on pile.                   |
| 46305 | Loxahatchee River                     | 26-57-01.920N                   | FI R 6s      |   | 2 | TR on pile.                   |

|         |                                                    |                                 |         |                                    |
|---------|----------------------------------------------------|---------------------------------|---------|------------------------------------|
|         | Light 12                                           | 080-06-21.840W                  |         |                                    |
| 46311   | Loxahatchee River<br>Shoal Daybeacon A             | 26-57-03.000N<br>080-06-26.000W |         | NW on pile worded DANGER<br>SHOAL. |
| 46312   | Loxahatchee River<br>Daybeacon 13                  | 26-57-03.009N<br>080-06-28.815W |         | SG on pile.                        |
| 46315   | Loxahatchee River<br>Light 14                      | 26-57-04.080N<br>080-06-28.920W | FI R 6s | TR on pile.                        |
| 46320   | Loxahatchee River<br>Daybeacon 15                  | 26-57-09.285N<br>080-06-39.800W |         | SG on pile.                        |
| 46325   | Loxahatchee River<br>Light 16                      | 26-57-28.241N<br>080-07-12.873W | FI R 6s | TR on pile.                        |
| 46326   | Loxahatchee River<br>Buoy 17                       | 26-57-49.470N<br>080-07-19.520W |         |                                    |
| 46327   | Loxahatchee River<br>Buoy 18                       | 26-58-02.660N<br>080-07-12.970W |         |                                    |
| 46328   | Loxahatchee River<br>Buoy 19                       | 26-58-07.530N<br>080-07-24.080W |         |                                    |
| 46328.1 | Loxahatchee River<br>Buoy 20                       | 26-58-42.520N<br>080-08-06.720W |         |                                    |
| 46328.2 | Loxahatchee River<br>Buoy 21                       | 26-58-53.040N<br>080-08-20.190W |         |                                    |
| 46328.3 | Loxahatchee River<br>Buoy 23                       | 26-58-59.310N<br>080-08-22.120W |         |                                    |
| 46328.4 | Loxahatchee River<br>Buoy 25                       | 26-59-07.040N<br>080-08-29.130W |         |                                    |
| 46330   | Loxahatchee River<br>North Fork Daybeacon 2        | 26-57-00.990N<br>080-05-53.490W |         | TR on pile.                        |
| 46335   | Loxahatchee River<br>North Fork Daybeacon 3        | 26-57-03.755N<br>080-05-55.731W |         | SG on pile.                        |
| 46337   | Loxahatchee River<br>North Fork Daybeacon 4        | 26-57-04.269N<br>080-05-54.551W |         | TR on pile.                        |
| 46340   | Loxahatchee River<br>North Fork Daybeacon 5        | 26-57-09.410N<br>080-05-57.357W |         | SG on pile.                        |
| 46342   | Loxahatchee River<br>North Fork Daybeacon 6        | 26-57-09.542N<br>080-05-56.445W |         | TR on pile.                        |
| 46350   | Loxahatchee River<br>North Fork Daybeacon 8        | 26-57-13.804N<br>080-06-00.290W |         | TR on pile.                        |
| 46351   | Loxahatchee River<br>North Fork Buoy 9             | 26-57-24.170N<br>080-06-14.130W |         |                                    |
| 46352   | Loxahatchee River<br>North Fork Buoy 11            | 26-57-42.940N<br>080-06-09.000W |         |                                    |
| 46352.1 | Loxahatchee River<br>North Fork Buoy 12            | 26-57-57.440N<br>080-06-18.610W |         |                                    |
| 46352.2 | Loxahatchee River<br>North Fork Buoy 13            | 26-58-05.980N<br>080-06-26.580W |         |                                    |
| 46352.3 | Loxahatchee River<br>North Fork Buoy 14            | 26-58-19.630N<br>080-06-40.140W |         |                                    |
| 46352.5 | Loxahatchee River<br>North Fork Buoy 16            | 26-58-30.620N<br>080-06-47.970W |         |                                    |
| 46355   | Loxahatchee River<br>Southwest Fork<br>Daybeacon 1 | 26-56-56.340N<br>080-06-33.660W |         | SG on pile.                        |
| 46358   | Loxahatchee River<br>Southwest Fork<br>Daybeacon 2 | 26-56-56.432N<br>080-06-34.807W |         | TR on pile.                        |
| 46360   | Loxahatchee River<br>Southwest Fork<br>Daybeacon 3 | 26-56-48.025N<br>080-06-38.085W |         | SG on pile.                        |
| 46365   | Loxahatchee River<br>Southwest Fork Light 4        | 26-56-48.582N<br>080-06-38.846W | FI R 6s | TR on pile.                        |
| 46370   | Loxahatchee River<br>Southwest Fork<br>Daybeacon 6 | 26-56-46.178N<br>080-06-43.771W |         | TR on pile.                        |
| 46373   | Loxahatchee River<br>South Channel                 | 26-56-52.680N<br>080-05-40.860W |         | SG on pile.                        |

|         |                                                    |                                 |         |   |   |                |
|---------|----------------------------------------------------|---------------------------------|---------|---|---|----------------|
|         | Daybeacon 1                                        |                                 |         |   |   |                |
| 46373.1 | Loxahatchee River<br>South Channel<br>Daybeacon 2  | 26-56-53.100N<br>080-05-41.160W |         |   |   | TR on pile.    |
| 46373.2 | Loxahatchee River<br>South Channel<br>Daybeacon 3  | 26-56-50.100N<br>080-05-45.120W |         |   |   | SG on pile.    |
| 46373.3 | Loxahatchee River<br>South Channel<br>Daybeacon 4  | 26-56-50.520N<br>080-05-45.360W |         |   |   | TR on pile.    |
| 46373.4 | Loxahatchee River<br>South Channel<br>Daybeacon 6  | 26-56-48.180N<br>080-05-50.640W |         |   |   | TR on pile.    |
| 46373.5 | Loxahatchee River<br>South Channel<br>Daybeacon 7  | 26-56-45.600N<br>080-05-57.060W |         |   |   | SG on pile.    |
| 46373.6 | Loxahatchee River<br>South Channel<br>Daybeacon 8  | 26-56-46.080N<br>080-05-57.120W |         |   |   | TR on pile.    |
| 46373.7 | Loxahatchee River<br>South Channel<br>Daybeacon 9  | 26-56-46.440N<br>080-06-03.480W |         |   |   | SG on pile.    |
| 46373.8 | Loxahatchee River<br>South Channel<br>Daybeacon 10 | 26-56-46.920N<br>080-06-03.480W |         |   |   | TR on pile.    |
| 46373.9 | Loxahatchee River<br>South Channel<br>Daybeacon 11 | 26-56-46.440N<br>080-06-09.240W |         |   |   | SG on pile.    |
| 46374   | Loxahatchee River<br>South Channel<br>Daybeacon 12 | 26-56-46.920N<br>080-06-09.300W |         |   |   | TR on pile.    |
| 46374.1 | Loxahatchee River<br>South Channel<br>Daybeacon 13 | 26-56-43.920N<br>080-06-15.240W |         |   |   | SG on pile.    |
| 46374.2 | Loxahatchee River<br>South Channel<br>Daybeacon 14 | 26-56-45.960N<br>080-06-15.840W |         |   |   | TR on pile.    |
| 46374.3 | Loxahatchee River<br>South Channel<br>Daybeacon 16 | 26-56-48.240N<br>080-06-21.480W |         |   |   | TR on pile.    |
| 46374.4 | Loxahatchee River<br>South Channel<br>Daybeacon 17 | 26-56-46.740N<br>080-06-25.140W |         |   |   | SG on pile.    |
| 46374.5 | Loxahatchee River<br>South Channel<br>Daybeacon 18 | 26-56-51.300N<br>080-06-27.720W |         |   |   | TR on pile.    |
| 46375   | Lake Worth Creek<br>Daybeacon 7                    | 26-56-47.812N<br>080-05-18.938W |         | 0 |   | SG-SY on pile. |
| 46380   | Lake Worth Creek<br>Light 8                        | 26-56-42.341N<br>080-05-24.163W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 46385   | Lake Worth Creek<br>Daybeacon 10                   | 26-56-30.649N<br>080-05-15.150W |         | 0 |   | TR-TY on pile. |
| 46390   | Lake Worth Creek<br>Light 11                       | 26-56-27.637N<br>080-05-10.754W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 46395   | Lake Worth Creek<br>Daybeacon 14                   | 26-55-50.321N<br>080-04-58.832W |         | 0 |   | TR-TY on pile. |
| 46400   | Lake Worth Creek<br>Daybeacon 15                   | 26-55-23.689N<br>080-04-43.331W |         | 0 |   | SG-SY on pile. |
| 46405   | Lake Worth Creek<br>Daybeacon 17                   | 26-55-13.067N<br>080-04-43.048W |         | 0 |   | SG-SY on pile. |
| 46410   | Lake Worth Creek<br>Daybeacon 18                   | 26-55-00.366N<br>080-04-47.150W |         | 0 |   | TR-TY on pile. |
| 46415   | Lake Worth Creek<br>Daybeacon 19                   | 26-54-45.312N<br>080-04-46.442W |         |   |   | SG-SY on pile. |
| 46420   | Lake Worth Creek<br>Daybeacon 21                   | 26-54-11.589N<br>080-04-32.846W |         | 0 |   | SG-SY on pile. |
| 46425   | Lake Worth Creek<br>Daybeacon 23                   | 26-53-58.841N<br>080-04-29.095W |         |   |   | SG-SY on pile. |
| 46430   | Lake Worth Creek<br>Light 25                       | 26-53-47.962N<br>080-04-28.942W | Q G     | 0 | 5 | SG-SY on pile. |
| 46431   | Cypress Island Marina<br>Daybeacon 1               | 26-53-25.220N<br>080-04-24.040W |         |   |   | SG on pile.    |

|       |                                               |                                 |           |   |   |                                    |
|-------|-----------------------------------------------|---------------------------------|-----------|---|---|------------------------------------|
| 46432 | Cypress Island Marina<br>Daybeacon 2          | 26-53-25.656N<br>080-04-24.517W |           |   |   | TR on pile.                        |
| 46435 | Lake Worth North<br>Light 27                  | 26-49-36.585N<br>080-03-15.012W | FI G 4s   |   | 5 | SG-SY on pile.                     |
| 46440 | Old Port Cove<br>Daybeacon 1                  | 26-49-35.525N<br>080-03-14.504W |           |   |   | SG on pile.                        |
| 46445 | Old Port Cove<br>Daybeacon 2                  | 26-49-33.679N<br>080-03-13.364W |           |   |   | TR on pile.                        |
| 46450 | Old Port Cove<br>Daybeacon 3                  | 26-49-37.854N<br>080-03-13.562W |           |   |   | SG on pile.                        |
| 46455 | Old Port Cove<br>Daybeacon 4                  | 26-49-36.273N<br>080-03-11.127W |           |   |   | TR on pile.                        |
| 46460 | Old Port Cove<br>Daybeacon 5                  | 26-49-42.380N<br>080-03-11.467W |           |   |   | SG on pile.                        |
| 46465 | Old Port Cove<br>Daybeacon 6                  | 26-49-42.920N<br>080-03-09.447W |           |   |   | TR on pile.                        |
| 46470 | Old Port Cove<br>Daybeacon 7                  | 26-49-53.020N<br>080-03-08.447W |           |   |   | SG on pile.                        |
| 46475 | Old Port Cove<br>Daybeacon 8                  | 26-49-53.420N<br>080-03-06.347W |           |   |   | TR on pile.                        |
| 46480 | Old Port Cove<br>Daybeacon 9                  | 26-50-07.219N<br>080-03-13.548W |           |   |   | SG on pile.                        |
| 46485 | Old Port Cove<br>Daybeacon 10                 | 26-50-07.919N<br>080-03-13.948W |           |   |   | TR on pile.                        |
| 46490 | Lake Worth North<br>Daybeacon 28              | 26-49-29.368N<br>080-03-15.867W |           |   | 0 | TR-TY on pile.                     |
| 46495 | Lake Worth North<br>Daybeacon 29              | 26-49-22.626N<br>080-03-09.421W |           |   | 0 | SG-SY on pile.                     |
| 46500 | Lake Worth North<br>Daybeacon 30              | 26-48-51.493N<br>080-03-02.928W |           |   |   | TR-TY on pile.                     |
| 46505 | Lake Worth North<br>Light 30A                 | 26-48-16.016N<br>080-02-52.072W | FI R 2.5s | 0 | 5 | TR-TY on pile.                     |
| 46510 | Lake Worth North<br>Daybeacon 31              | 26-48-15.900N<br>080-02-50.322W |           |   | 0 | SG-SY on pile.                     |
| 46515 | Lake Worth North<br>Daybeacon 32              | 26-47-57.617N<br>080-02-50.085W |           |   | 0 | TR-TY on pile.                     |
| 46520 | Lake Worth North<br>Daybeacon 33              | 26-47-56.509N<br>080-02-47.773W |           |   |   | SG-SY on pile.                     |
| 46525 | Lake Worth North<br>Light 34                  | 26-47-35.073N<br>080-02-47.892W | FI R 2.5s | 0 | 5 | TR-TY on dolphin.                  |
| 46526 | Lake Worth North<br>Daybeacon 35              | 26-47-34.824N<br>080-02-45.521W |           |   | 0 | SG-SY on pile.                     |
| 46527 | Lake Park Channel<br>Shoal Daybeacon          | 26-47-32.513N<br>080-02-48.442W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 46530 | Lake Park Marina<br>Daybeacon 1               | 26-47-34.070N<br>080-02-51.284W |           |   |   | SG on pile.                        |
| 46535 | Lake Park Marina Light<br>3                   | 26-47-34.697N<br>080-02-59.384W | FI G 2.5s | 0 | 5 | SG on dolphin.                     |
| 46540 | Lake Park Marina<br>Daybeacon 4               | 26-47-35.848N<br>080-02-59.912W |           |   |   | TR on pile.                        |
| 46545 | Lake Park Marina<br>Daybeacon 6               | 26-47-33.670N<br>080-02-59.927W |           |   | 0 | TR on pile.                        |
| 46550 | Lake Park Marina<br>Daybeacon 7               | 26-47-29.674N<br>080-02-59.824W |           |   |   | SG on pile.                        |
| 46555 | Lake Park Marina<br>Daybeacon 8               | 26-47-29.836N<br>080-03-00.178W |           |   |   | TR on pile.                        |
| 46560 | Lake Park Marina<br>Daybeacon 9               | 26-47-25.666N<br>080-02-59.860W |           |   | 0 | SG on pile.                        |
| 46565 | Lake Park Marina<br>Daybeacon 10              | 26-47-25.636N<br>080-03-00.304W |           |   | 0 | TR on pile.                        |
| 46570 | Lake Park Marina<br>Daybeacon 11              | 26-47-21.472N<br>080-03-00.178W |           |   |   | SG on pile.                        |
| 46575 | Lake Park Marina Light<br>12                  | 26-47-22.236N<br>080-03-00.526W | FI R 2.5s | 0 | 5 | TR on pile.                        |
| 46580 | Lake Park Marina<br>Daybeacon 13              | 26-47-20.938N<br>080-03-01.660W |           |   | 0 | SG on pile.                        |
| 46585 | Lake Park Marina<br>Daybeacon 14              | 26-47-21.376N<br>080-03-01.768W |           |   |   | TR on pile.                        |
| 46590 | Lake Park Marina<br>North Breakwater<br>Light | 26-47-33.800N<br>080-03-03.200W | F G       |   |   | On breakwater.                     |



|       |                                                  |                                 |         |   |   |                |
|-------|--------------------------------------------------|---------------------------------|---------|---|---|----------------|
| 46595 | Lake Park Marina<br>South Breakwater<br>Light    | 26-47-35.000N<br>080-03-08.800W | F R     |   |   | On breakwater. |
| 46600 | Lake Worth North<br>Light 36                     | 26-47-12.769N<br>080-02-45.915W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 46605 | Lake Worth North<br>Daybeacon 37                 | 26-47-09.650N<br>080-02-43.005W |         | 0 |   | SG-SY on pile. |
| 46610 | Lake Worth North<br>Light 39                     | 26-46-47.879N<br>080-02-42.608W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 46615 | New Port Cove Marine<br>Ctr Daybeacon 1          | 26-46-46.022N<br>080-02-45.477W |         |   |   | SG on pile.    |
| 46620 | New Port Cove Marine<br>Ctr Daybeacon 2          | 26-46-46.825N<br>080-02-45.647W |         |   |   | TR on pile.    |
| 46625 | New Port Cove Marine<br>Ctr Daybeacon 3          | 26-46-46.625N<br>080-02-50.147W |         |   |   | SG on pile.    |
| 46630 | New Port Cove Marine<br>Ctr Daybeacon 4          | 26-46-47.525N<br>080-02-49.647W |         |   |   | TR on pile.    |
| 46635 | New Port Cove Marine<br>Ctr Daybeacon 5          | 26-46-46.725N<br>080-02-52.947W |         |   |   | SG on pile.    |
| 46640 | New Port Cove Marine<br>Ctr Daybeacon 6          | 26-46-47.625N<br>080-02-52.847W |         |   |   | TR on pile.    |
| 46645 | New Port Cove Marine<br>Ctr Daybeacon 7          | 26-46-46.625N<br>080-02-55.647W |         |   |   | SG on pile.    |
| 46650 | New Port Cove Marine<br>Ctr Daybeacon 8          | 26-46-47.725N<br>080-02-55.647W |         |   |   | TR on pile.    |
| 46655 | Lake Worth North<br>Buoy 40                      | 26-46-42.375N<br>080-02-47.731W |         |   |   | Red nun.       |
| 46670 | Old Slip Marina<br>Daybeacon 2                   | 26-46-33.125N<br>080-02-57.147W |         |   |   | TR on pile.    |
| 46675 | Old Slip Marina<br>Daybeacon 3                   | 26-46-32.525N<br>080-02-57.247W |         |   |   | SG on pile.    |
| 46680 | Old Slip Marina<br>Daybeacon 4                   | 26-46-33.425N<br>080-02-59.347W |         |   |   | TR on pile.    |
| 46685 | Old Slip Marina<br>Daybeacon 5                   | 26-46-32.725N<br>080-02-59.347W |         |   |   | SG on pile.    |
| 46690 | Old Slip Marina<br>Daybeacon 7                   | 26-46-32.825N<br>080-03-03.348W |         |   |   | SG on pile.    |
| 46695 | Old Slip Marina<br>Daybeacon 8                   | 26-46-34.025N<br>080-03-03.448W |         |   |   | TR on pile.    |
| 46700 | Lake Worth North<br>Daybeacon 41                 | 26-46-29.038N<br>080-02-55.731W |         | 0 |   | SG-SY on pile. |
| 46705 | Lake Worth North<br>Light 42                     | 26-46-24.372N<br>080-03-00.924W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 46710 | Lake Worth North<br>Daybeacon 43                 | 26-46-19.860N<br>080-02-58.410W |         | 0 |   | SG-SY on pile. |
| 46715 | Lake Worth South<br>Light 1                      | 26-45-55.143N<br>080-02-57.103W | Q G     | 0 | 4 | SG-SY on pile. |
| 46720 | Lake Worth South<br>Daybeacon 2                  | 26-45-54.343N<br>080-02-58.652W |         | 0 |   | TR-TY on pile. |
| 46725 | Lake Worth South<br>Daybeacon 2A                 | 26-45-43.763N<br>080-02-57.721W |         |   |   | TR-TY on pile. |
| 46730 | Lake Worth South<br>Daybeacon 3                  | 26-45-34.903N<br>080-02-54.816W |         |   |   | SG-SY on pile. |
| 46735 | Lake Worth South<br>Daybeacon 3A                 | 26-45-19.134N<br>080-02-53.650W |         |   |   | SG-SY on pile. |
| 46740 | Lake Worth South<br>Daybeacon 4                  | 26-45-16.617N<br>080-02-54.993W |         | 0 |   | TR-TY on pile. |
| 46745 | Lake Worth South<br>Daybeacon 4A                 | 26-45-02.325N<br>080-02-54.573W |         |   |   | TR-TY on pile. |
| 46780 | Rybovich Spencer Ctr<br>Channel Daybeacon 1      | 26-44-57.800N<br>080-02-55.000W |         |   |   | SG on pile.    |
| 46785 | Rybovich Spencer Ctr<br>Channel Daybeacon 2      | 26-44-58.800N<br>080-02-55.200W |         |   |   | TR on pile.    |
| 46790 | Rybovich Spencer Ctr<br>Channel Daybeacon 3      | 26-44-58.500N<br>080-02-57.800W |         |   |   | SG on pile.    |
| 46795 | Rybovich Spencer Ctr<br>Channel Daybeacon 4      | 26-44-58.500N<br>080-02-58.000W |         |   |   | TR on pile.    |
| 46800 | Rybovich Spencer<br>South Channel<br>Daybeacon 1 | 26-44-53.200N<br>080-02-54.000W |         |   |   | SG on pile.    |
| 46805 | Rybovich Spencer                                 | 26-44-54.300N                   |         |   |   | TR on pile.    |

|         |                                                  |                                 |         |   |   |                         |
|---------|--------------------------------------------------|---------------------------------|---------|---|---|-------------------------|
|         | South Channel<br>Daybeacon 2                     | 080-02-54.500W                  |         |   |   |                         |
| 46810   | Rybovich Spencer<br>South Channel<br>Daybeacon 3 | 26-44-53.500N<br>080-02-57.800W |         |   |   | SG on pile.             |
| 46815   | Rybovich Spencer<br>South Channel<br>Daybeacon 4 | 26-44-55.000N<br>080-02-58.000W |         |   |   | TR on pile.             |
| 46820   | Lake Worth South<br>Light 5                      | 26-44-36.479N<br>080-02-50.602W | FI G 4s | 0 | 5 | SG-SY on pile.          |
| 46825   | Lake Worth South<br>Daybeacon 6                  | 26-44-35.853N<br>080-02-52.791W |         |   |   | TR-TY on pile.          |
| 46830   | Lake Worth South<br>Daybeacon 7                  | 26-44-12.175N<br>080-02-49.798W |         |   |   | SG-SY on pile.          |
| 46835   | Lake Worth South<br>Daybeacon 8                  | 26-43-49.635N<br>080-02-50.819W |         | 0 |   | TR-TY on pile.          |
| 46840   | Lake Worth South<br>Light 9                      | 26-43-25.438N<br>080-02-47.689W | FI G 4s |   | 5 | SG-SY on pile.          |
| 46845   | Lake Worth South<br>Daybeacon 10                 | 26-43-25.901N<br>080-02-49.576W |         | 0 |   | TR-TY on pile.          |
| 46875   | Lake Worth South<br>Light 12                     | 26-42-54.533N<br>080-02-50.579W | FI R 4s |   | 5 | TR-TY on pile.          |
| 46880   | Lake Worth South<br>Daybeacon 14                 | 26-42-33.753N<br>080-02-47.624W |         | 0 |   | TR-TY on pile.          |
| 46881   | South Cove Danger<br>Daybeacon A                 | 26-42-32.400N<br>080-02-50.400W |         |   |   | NW on pile worded Rocks |
| 46881.1 | South Cove Danger<br>Daybeacon B                 | 26-42-24.000N<br>080-02-51.600W |         |   |   | NW on pile worded Rocks |
| 46885   | Lake Worth South<br>Daybeacon 16                 | 26-41-42.893N<br>080-02-49.379W |         |   |   | TR-TY on pile.          |
| 46890   | Lake Worth South<br>Light 17                     | 26-41-23.025N<br>080-02-47.483W | FI G 4s | 1 | 5 | SG-SY on pile.          |
| 46895   | Lake Worth South<br>Daybeacon 18                 | 26-41-23.281N<br>080-02-49.934W |         | 0 |   | TR-TY on pile.          |
| 46900   | Lake Worth South<br>Daybeacon 20                 | 26-40-51.188N<br>080-02-49.466W |         | 0 |   | TR-TY on pile.          |
| 46905   | Lake Worth South<br>Daybeacon 22                 | 26-40-03.517N<br>080-02-47.184W |         |   |   | TR-TY on pile.          |
| 46910   | Lake Worth South<br>Daybeacon 23                 | 26-39-38.845N<br>080-02-40.224W |         |   |   | SG-SY on pile.          |
| 46915   | Lake Worth South<br>Daybeacon 24                 | 26-39-16.195N<br>080-02-40.458W |         | 0 |   | TR-TY on pile.          |
| 46920   | Lake Worth South<br>Daybeacon 25                 | 26-38-58.548N<br>080-02-35.340W |         | 0 |   | SG-SY on pile.          |
| 46925   | Lake Worth South<br>Daybeacon 26                 | 26-38-41.335N<br>080-02-35.292W |         |   |   | TR-TY on pile.          |
| 46930   | Lake Worth South<br>Light 27                     | 26-38-41.571N<br>080-02-33.519W | FI G 4s |   | 5 | SG-SY on pile.          |
| 46935   | Lake Worth South<br>Daybeacon 27A                | 26-38-16.521N<br>080-02-33.966W |         |   |   | SG-SY on pile.          |
| 46940   | Lake Worth South<br>Daybeacon 28                 | 26-38-17.149N<br>080-02-35.619W |         |   |   | TR-TY on pile.          |
| 46945   | Lake Worth South<br>Light 29                     | 26-37-49.300N<br>080-02-35.205W | FI G 4s | 0 | 5 | SG-SY on pile.          |
| 46950   | Lake Worth South<br>Daybeacon 30                 | 26-37-49.261N<br>080-02-36.996W |         |   |   | TR-TY on pile.          |
| 46955   | Lake Worth South<br>Daybeacon 32                 | 26-37-28.944N<br>080-02-37.024W |         |   |   | TR-TY on pile.          |
| 46960   | Lake Worth South<br>Daybeacon 33                 | 26-37-24.304N<br>080-02-35.715W |         |   |   | SG-SY on pile.          |
| 46965   | Lake Worth South<br>Daybeacon 34                 | 26-36-29.015N<br>080-02-39.895W |         |   |   | TR-TY on pile.          |
| 46970   | Lake Worth South<br>Light 35                     | 26-35-59.971N<br>080-02-39.696W | FI G 4s |   | 5 | SG-SY on pile.          |
| 46975   | Lake Worth South<br>Daybeacon 36                 | 26-35-49.363N<br>080-02-41.728W |         | 0 |   | TR-TY on pile.          |
| 46980   | Lake Worth South<br>Daybeacon 38                 | 26-35-32.627N<br>080-02-43.863W |         |   |   | TR-TY on pile.          |
| 46985   | Lake Worth South<br>Daybeacon 40                 | 26-34-36.080N<br>080-02-47.641W |         |   |   | TR-TY on pile.          |

|         |                                   |                                 |         |   |                               |                                    |
|---------|-----------------------------------|---------------------------------|---------|---|-------------------------------|------------------------------------|
| 46990   | Lake Worth South<br>Light 41      | 26-34-07.084N<br>080-02-48.436W | FI G 4s | 5 | SG-SY on pile.                |                                    |
| 46995   | Lake Worth South<br>Daybeacon 42  | 26-34-05.666N<br>080-02-50.832W |         |   | TR-TY on pile.                |                                    |
| 47000   | Lake Worth South<br>Daybeacon 43  | 26-33-41.613N<br>080-02-51.292W |         |   | SG-SY on pile.                |                                    |
| 47005   | Lake Worth South<br>Light 44      | 26-33-15.464N<br>080-02-55.986W | FI R 4s | 5 | TR-TY on pile.                |                                    |
| 47007   | Manalapan Channel<br>Buoy 1       | 26-33-17.100N<br>080-02-40.740W |         |   | Green can.                    |                                    |
| 47007.5 | Manalapan Channel<br>Daybeacon 2  | 26-34-17.400N<br>080-02-29.400W |         |   | TR on pile.                   |                                    |
| 47008   | Manalapan Channel<br>Buoy 2       | 26-33-16.680N<br>080-02-40.800W |         |   | Red nun.                      |                                    |
| 47008.5 | Manalapan Channel<br>Daybeacon 3  | 26-34-18.000N<br>080-02-30.000W |         |   | SG on pile.                   |                                    |
| 47010   | Lake Worth South<br>Daybeacon 45  | 26-33-15.188N<br>080-02-54.420W |         | 0 | SG-SY on pile.                |                                    |
| 47015   | Lake Worth South<br>Buoy 46       | 26-32-52.818N<br>080-02-57.480W |         |   | Red nun with yellow triangle. |                                    |
| 47019   | Oyer Park Channel<br>Daybeacon 1  | 26-32-47.000N<br>080-03-05.300W |         |   | SG on pile.                   |                                    |
| 47020   | Oyer Park Channel<br>Daybeacon 1A | 26-32-47.000N<br>080-03-07.300W |         |   | SG on pile.                   |                                    |
| 47024   | Oyer Park Channel<br>Daybeacon 2  | 26-32-47.800N<br>080-03-05.800W |         |   | TR on pile.                   |                                    |
| 47025   | Oyer Park Channel<br>Daybeacon 2A | 26-32-47.900N<br>080-03-07.200W |         |   | TR on pile.                   |                                    |
| 47030   | Oyer Park Channel<br>Daybeacon 3  | 26-32-47.100N<br>080-03-08.300W |         |   | SG on pile.                   |                                    |
| 47035   | Oyer Park Channel<br>Daybeacon 4  | 26-32-47.900N<br>080-03-08.400W |         |   | TR on pile.                   |                                    |
| 47040   | Ocean Inlet Park<br>Daybeacon 1   | 26-32-42.862N<br>080-02-55.268W |         |   | SG on pile.                   |                                    |
| 47045   | Ocean Inlet Park<br>Daybeacon 2   | 26-32-41.675N<br>080-02-52.200W |         |   | TR on pile.                   |                                    |
| 47050   | Ocean Inlet Park<br>Daybeacon 3   | 26-32-42.499N<br>080-02-53.105W |         |   | SG on pile.                   |                                    |
| 47055   | Ocean Inlet Park<br>Daybeacon 4   | 26-32-41.758N<br>080-02-53.258W |         |   | TR on pile.                   |                                    |
| 47060   | Ocean Inlet Park<br>Daybeacon 5   | 26-32-42.136N<br>080-02-50.946W |         |   | SG on pile.                   |                                    |
| 47065   | Ocean Inlet Park<br>Daybeacon 6   | 26-32-41.392N<br>080-02-51.097W |         |   | TR on pile.                   |                                    |
| 47070   | Ocean Inlet Park<br>Daybeacon 7   | 26-32-41.607N<br>080-02-49.253W |         |   | SG on pile.                   |                                    |
| 47075   | Ocean Inlet Park<br>Daybeacon 8   | 26-32-41.500N<br>080-02-46.833W |         |   | TR on pile.                   |                                    |
| 47080   | Lake Worth South<br>Daybeacon 48  | 26-32-22.831N<br>080-03-01.496W |         |   | TR-TY on pile.                |                                    |
| 47085   | Lake Worth South<br>Light 49      | 26-32-22.505N<br>080-02-59.086W | FI G 4s | 5 | SG-SY on pile.                |                                    |
| 47090   | Lake Worth South<br>Daybeacon 51  | 26-32-13.991N<br>080-03-03.937W |         |   | SG-SY on pile.                |                                    |
| 47095   | Lake Worth South<br>Light 52      | 26-32-10.220N<br>080-03-09.429W | FI R 4s | 0 | 5                             | TR-TY on pile.                     |
| 47100   | Delray Beach Shoal<br>Daybeacon   | 26-29-02.046N<br>080-03-38.870W |         | 0 |                               | NW on pile worded DANGER<br>SHOAL. |
| 47105   | Delray Beach<br>Daybeacon 52A     | 26-29-02.664N<br>080-03-38.434W |         | 0 |                               | TR-TY on pile.                     |
| 47110   | Delray Beach<br>Daybeacon 53      | 26-27-16.324N<br>080-03-52.726W |         |   |                               | SG-SY on pile.                     |
| 47113   | Delray Beach Shoal<br>Buoy        | 26-25-53.209N<br>080-03-53.729W |         |   |                               | White.                             |
| 47115   | Lake Wyman<br>Daybeacon 54        | 26-23-04.853N<br>080-04-16.267W |         |   |                               |                                    |
| 47120   | Lake Wyman Light 56               | 26-22-27.625N<br>080-04-24.163W | FI R 4s | 0 | 5                             | TR-TY on pile.                     |
| 47125   | Lake Wyman<br>Daybeacon 57        | 26-22-22.509N<br>080-04-21.306W |         |   |                               | SG-SY on pile.                     |

|       |                                         |                                 |           |   |   |                                   |                             |
|-------|-----------------------------------------|---------------------------------|-----------|---|---|-----------------------------------|-----------------------------|
| 47130 | Lake Wyman<br>Daybeacon 59              | 26-22-08.515N<br>080-04-19.539W |           | 0 |   | SG-SY on pile.                    |                             |
| 47135 | Lake Wyman<br>Daybeacon 60              | 26-21-54.387N<br>080-04-18.350W |           | 0 |   | TR-TY on pile.                    |                             |
| 47140 | Lake Wyman Light 61                     | 26-21-49.899N<br>080-04-15.881W | FI G 4s   | 0 | 5 | SG-SY on pile.                    |                             |
| 47145 | Lake Wyman<br>Daybeacon 63              | 26-21-39.080N<br>080-04-25.147W |           | 0 |   | SG-SY on pile.                    |                             |
| 47150 | Lake Boca Raton<br>Daybeacon 64         | 26-20-47.657N<br>080-04-32.391W |           |   |   | TR-TY on pile.                    |                             |
| 47151 | Hillsboro Mile<br>Daybeacon 1           | 26-17-28.220N<br>080-04-48.300W |           |   |   | SG on pile.                       |                             |
| 47152 | Hillsboro Mile<br>Daybeacon 3           | 26-17-27.580N<br>080-04-48.330W |           |   |   | SG on pile.                       |                             |
| 47153 | Hillsboro Mile<br>Daybeacon 7           | 26-17-26.770N<br>080-04-48.330W |           |   |   | SG on pile.                       |                             |
| 47155 | Lake Boca Raton Light<br>65             | 26-20-47.030N<br>080-04-29.691W | FI G 4s   | 0 | 5 | SG-SY on pile.                    |                             |
| 47160 | Lake Boca Raton<br>Daybeacon 66         | 26-20-29.966N<br>080-04-36.239W |           |   |   | TR-TY on pile.                    |                             |
| 47165 | Lake Boca Raton Light<br>67             | 26-20-28.863N<br>080-04-34.971W | FI G 4s   |   | 5 | SG-SY on pile.                    |                             |
| 47175 | Moran Dock North<br>Light               | 26-17-12.291N<br>080-04-48.212W | F W       |   |   | On dolphin.                       |                             |
| 47180 | Moran Dock Center<br>Light              | 26-17-11.288N<br>080-04-48.154W | F W       |   |   | On dolphin.                       |                             |
| 47185 | Moran Dock South<br>Light               | 26-17-10.288N<br>080-04-48.154W | F W       |   |   | On dolphin.                       |                             |
| 47190 | Hillsboro River Light<br>68             | 26-17-20.399N<br>080-04-50.580W | FI R 2.5s |   | 5 | TR-TY on pile.                    |                             |
| 47195 | Hillsboro River<br>Daybeacon 68A        | 26-16-32.943N<br>080-04-51.843W |           | 0 |   | TR-TY on pile.                    |                             |
| 47200 | Hillsboro River<br>Daybeacon 68B        | 26-16-06.551N<br>080-04-52.106W |           | 0 |   | TR-TY on pile.                    |                             |
| 47205 | Hillsboro River Light<br>69             | 26-16-00.054N<br>080-04-52.159W | FI G 4s   |   | 5 | SG-SY on pile.                    |                             |
| 47210 | Hillsboro River<br>Daybeacon 70         | 26-15-54.410N<br>080-04-56.670W |           |   |   | TR-TY on pile.                    |                             |
| 47215 | Hillsboro River Light<br>71             | 26-15-47.289N<br>080-04-57.923W | FI G 4s   |   | 5 | SG-SY on dolphin.                 |                             |
| 47220 | Hillsboro River<br>Daybeacon 72         | 26-15-43.270N<br>080-05-05.712W |           |   |   | TR-TY on pile.                    |                             |
| 47225 | Hillsboro River Light<br>73             | 26-15-39.013N<br>080-05-13.468W | FI G 2.5s |   | 5 | SG-SY on pile.                    |                             |
| 47230 | Pompano Beach<br>Daybeacon 74           | 26-13-35.371N<br>080-05-42.429W |           |   |   | TR-TY on pile.                    |                             |
| 47235 | Pompano Beach Light<br>76               | 26-13-05.481N<br>080-05-49.065W | FI R 4s   |   | 5 | TR-TY on pile.                    |                             |
| 47240 | New River Sound Light<br>3              | 26-07-46.242N<br>080-06-33.626W | FI G 4s   |   | 5 | SG-SY on pile.                    |                             |
| 47250 | New River Sound Light<br>5              | 26-07-34.277N<br>080-06-24.722W | FI G 4s   |   | 5 | SG-SY on pile.                    |                             |
| 47260 | New River Sound Light<br>8              | 26-07-20.475N<br>080-06-33.686W | FI R 4s   |   | 5 | TR-TY on pile.                    |                             |
| 47265 | New River Sound<br>Lighted Buoy 11      | 26-07-01.085N<br>080-06-31.644W | FI G 4s   |   | 4 | Green.                            |                             |
| 47270 | New River Sound Light<br>12             | 26-06-50.289N<br>080-06-34.016W | FI R 4s   |   | 5 | TR-TY on pile.                    |                             |
| 47275 | New River Sound Light<br>13             | 26-06-39.693N<br>080-06-36.636W | Q G       | 0 | 4 | SG-SY on pile.                    |                             |
| 47280 | New River Sound<br>Daybeacon 14         | 26-06-42.077N<br>080-06-38.163W |           |   |   | TR-TY on pile.                    |                             |
| 47285 | New River Sound Light<br>16             | 26-06-41.117N<br>080-06-49.595W | FI R 4s   |   | 5 | TR-TY on pile.                    | Obscured from 127° to 240°. |
| 47290 | New River Sound<br>Junction Daybeacon A | 26-06-42.110N<br>080-06-56.957W |           |   |   | JR-TY on pile.                    |                             |
| 47293 | New River Sound<br>Shoal Daybeacon      | 26-06-42.299N<br>080-06-59.784W |           |   |   | NW on pile worded DANGER<br>SHOAL |                             |
| 47295 | New River Daybeacon<br>1                | 26-06-44.262N<br>080-07-03.466W |           | 0 |   | SG on pile.                       |                             |

|         |                                      |                                 |           |   |   |                   |                             |
|---------|--------------------------------------|---------------------------------|-----------|---|---|-------------------|-----------------------------|
| 47300   | New River Daybeacon 2                | 26-06-45.520N<br>080-07-02.906W |           | 1 |   | TR on pile.       |                             |
| 47305   | New River Daybeacon 3                | 26-06-45.874N<br>080-07-06.674W |           |   |   | SG on pile.       |                             |
| 47310   | New River Daybeacon 4                | 26-06-48.102N<br>080-07-06.983W |           |   |   | TR on pile.       |                             |
| 47315   | New River South Approach Daybeacon 2 | 26-06-45.148N<br>080-07-09.675W |           |   |   | TR on pile.       |                             |
| 47320   | New River Daybeacon 5                | 26-06-49.420N<br>080-07-11.779W |           |   |   | SG on pile.       |                             |
| 47325   | New River Light 6                    | 26-06-50.632N<br>080-07-11.217W | FI R 4s   |   | 5 | TR on pile.       | Obscured from 165° to 259°. |
| 47330   | New River Daybeacon 7                | 26-06-51.559N<br>080-07-17.145W |           |   |   | SG on pile.       |                             |
| 47335   | New River Daybeacon 8                | 26-06-54.610N<br>080-07-26.535W |           |   | 0 | TR on pile.       |                             |
| 47340   | New River Light 9                    | 26-06-55.240N<br>080-07-33.616W | FI G 4s   |   | 5 | SG on pile.       |                             |
| 47345   | New River Daybeacon 10               | 26-06-57.060N<br>080-07-34.576W |           |   |   | TR on pile.       |                             |
| 47350   | New River Daybeacon 11               | 26-06-59.321N<br>080-07-41.276W |           |   |   | SG on pile.       |                             |
| 47355   | New River Daybeacon 12               | 26-06-58.281N<br>080-07-46.470W |           |   | 0 | TR on pile.       |                             |
| 47357   | New River South Fork Daybeacon 1     | 26-04-59.512N<br>080-11-08.162W |           |   |   | SG on pile        |                             |
| 47357.1 | New River South Fork Daybeacon 2     | 26-04-59.617N<br>080-11-08.846W |           |   |   | TR on pile        |                             |
| 47357.2 | New River South Fork Daybeacon 4     | 26-04-58.642N<br>080-11-09.652W |           |   |   | TR on pile        |                             |
| 47357.3 | New River South Fork Daybeacon 5     | 26-04-57.280N<br>080-11-09.495W |           |   |   | SG on pile        |                             |
| 47357.4 | New River South Fork Daybeacon 6     | 26-04-56.970N<br>080-11-10.092W |           |   |   | TR on pile        |                             |
| 47357.5 | New River South Fork Daybeacon 8     | 26-04-55.943N<br>080-11-09.763W |           |   |   | TR on pile        |                             |
| 47357.6 | New River South Fork Daybeacon 9     | 26-04-53.024N<br>080-11-10.264W |           |   |   | SG on pile        |                             |
| 47357.7 | New River South Fork Daybeacon 10    | 26-04-52.770N<br>080-11-10.923W |           |   |   | TR on pile        |                             |
| 47357.8 | New River South Fork Daybeacon 11    | 26-04-51.302N<br>080-11-10.581W |           |   |   | SG on pile        |                             |
| 47357.9 | New River South Fork Daybeacon 12    | 26-04-50.866N<br>080-11-11.041W |           |   |   | TR on pile        |                             |
| 47358   | New River South Fork Daybeacon 13    | 26-04-50.183N<br>080-11-10.986W |           |   |   | SG on pile        |                             |
| 47358.1 | New River South Fork Daybeacon 16    | 26-04-47.775N<br>080-11-15.219W |           |   |   | TR on pile        |                             |
| 47358.2 | New River South Fork Daybeacon 15    | 26-04-47.351N<br>080-11-15.302W |           |   |   | SG on pile        |                             |
| 47360   | Stranahan River Light 17             | 26-06-40.498N<br>080-06-59.887W | FI G 2.5s | 0 | 5 | SG-SY on dolphin. |                             |
| 47365   | Stranahan River Light 18             | 26-06-42.126N<br>080-07-02.185W | FI R 4s   | 0 | 5 | TR-TY on pile.    |                             |
| 47370   | Stranahan River Daybeacon 19         | 26-06-38.960N<br>080-07-04.912W |           |   |   | SG-SY on pile.    |                             |
| 47375   | Stranahan River Light 20             | 26-06-39.083N<br>080-07-10.221W | FI R 4s   |   | 5 | TR-TY on pile.    |                             |
| 47380   | Stranahan River Daybeacon 21         | 26-06-36.290N<br>080-07-08.825W |           |   |   | SG-SY on pile.    |                             |
| 47385   | Stranahan River Daybeacon 22         | 26-06-34.314N<br>080-07-13.806W |           |   | 0 | TR-TY on pile.    |                             |
| 47390   | Stranahan River Daybeacon 22A        | 26-06-31.150N<br>080-07-14.966W |           |   |   | TR-TY on pile.    |                             |
| 47395   | Stranahan River Daybeacon 23         | 26-06-32.974N<br>080-07-11.259W |           |   |   | SG-SY on pile.    |                             |
| 47400   | Stranahan River Light 24             | 26-06-28.585N<br>080-07-15.324W | FI R 4s   |   | 5 | TR-TY on pile.    |                             |
| 47405   | Stranahan River Daybeacon 24A        | 26-06-25.008N<br>080-07-14.187W |           |   | 0 | TR-TY on pile.    |                             |

|         |                                                            |                                 |           |   |   |                                    |
|---------|------------------------------------------------------------|---------------------------------|-----------|---|---|------------------------------------|
| 47410   | Stranahan River<br>Daybeacon 25                            | 26-06-26.161N<br>080-07-12.565W |           |   |   | SG-SY on pile.                     |
| 47415   | Lauderdale Yacht Club<br>Daybeacon 1                       | 26-06-23.400N<br>080-07-16.200W |           |   |   | SG on pile.                        |
| 47420   | Lauderdale Yacht Club<br>Daybeacon 2                       | 26-06-24.300N<br>080-07-16.000W |           |   |   | TR on pile.                        |
| 47425   | Lauderdale Yacht Club<br>Daybeacon 3                       | 26-06-24.100N<br>080-07-18.000W |           |   |   | SG on pile.                        |
| 47430   | Lauderdale Yacht Club<br>Daybeacon 4                       | 26-06-25.400N<br>080-07-18.100W |           |   |   | TR on pile.                        |
| 47435   | Lauderdale Yacht Club<br>Daybeacon 5                       | 26-06-24.500N<br>080-07-19.100W |           |   |   | SG on pile.                        |
| 47440   | Lauderdale Yacht Club<br>Daybeacon 6                       | 26-06-25.600N<br>080-07-19.100W |           |   |   | TR on pile.                        |
| 47445   | Lauderdale Yacht Club<br>Daybeacon 8                       | 26-06-26.800N<br>080-07-21.000W |           |   |   | TR on pile.                        |
| 47450   | Stranahan River<br>Daybeacon 26                            | 26-06-21.738N<br>080-07-13.580W |           |   |   | TR-TY on pile.                     |
| 47455   | Stranahan River Light<br>27                                | 26-06-12.969N<br>080-07-08.839W | FI G 4s   | 0 | 5 | SG-SY on pile.                     |
| 47460   | Pier 66 Marina<br>Daybeacon 1                              | 26-06-11.012N<br>080-07-04.960W |           |   |   | SG on pile.                        |
| 47470   | Stranahan River Light<br>29                                | 26-05-47.854N<br>080-07-01.822W | FI G 4s   | 0 | 5 | SG-SY on pile.                     |
| 47475   | Stranahan River<br>Lighted Buoy 30                         | 26-05-47.331N<br>080-07-03.471W | FI R 4s   |   | 4 | Red with yellow triangle.          |
| 47480   | Port Everglades<br>Turning Basin Light 12                  | 26-05-40.014N<br>080-06-56.488W | Q R       |   | 5 | TR-SY on dolphin.                  |
| 47485   | Port Everglades<br>Turning Basin Light 11                  | 26-05-26.760N<br>080-06-49.597W | FI G 2.5s | 0 | 5 | SG-SY on dolphin.                  |
| 47490   | Port Everglades Pier 7<br>Light                            | 26-05-24.714N<br>080-06-57.960W | F W       |   |   | On pier.                           |
| 47495   | Coast Guard Station<br>Daybeacon 1                         | 26-05-23.296N<br>080-06-48.541W |           |   |   | SG on pile.                        |
| 47500   | Coast Guard Station<br>Breakwater Light PE                 | 26-05-22.233N<br>080-06-48.074W | FI W 2.5s |   | 4 | On breakwater.                     |
| 47565   | Port Everglades<br>Southport Pier Light                    | 26-03-58.338N<br>080-06-55.017W | F R       |   |   | On pier.                           |
| 47566   | Ft. Laud/Hollywood<br>Int'l Airport<br>Obstruction Light A | 26-03-57.540N<br>080-09-42.880W | FI W 2.5s |   |   | Light on platform.                 |
| 47566.1 | Ft. Laud/Hollywood<br>Int'l Airport<br>Obstruction Light B | 26-03-57.270N<br>080-09-42.890W | FI W 4s   |   |   | Light on platform.                 |
| 47566.2 | Ft. Laud/Hollywood<br>Int'l Airport<br>Obstruction Light C | 26-03-56.990N<br>080-09-42.890W | FI W 6s   |   |   | Light on platform.                 |
| 47570   | Dania Sound Danger<br>Light                                | 26-03-54.697N<br>080-06-49.939W | FI W 2.5s |   | 5 | NW on pile worded DANGER<br>ROCKS. |
| 47575   | Dania Sound Light 35                                       | 26-03-53.453N<br>080-06-50.940W | FI G 4s   |   | 5 | SG-SY on pile.                     |
| 47585   | Hollywood Beach Light<br>36                                | 26-02-41.710N<br>080-06-56.994W | FI R 4s   | 0 | 3 | TR-TY on pile.                     |
| 47590   | Hollywood Beach<br>Daybeacon 38                            | 26-02-24.820N<br>080-07-01.385W |           |   |   | TR-TY on pile.                     |
| 47595   | Hollywood Beach<br>Daybeacon 39                            | 26-02-22.307N<br>080-07-00.075W |           |   |   | SG-SY on pile.                     |
| 47600   | Hollywood Beach Light<br>39A                               | 26-02-14.413N<br>080-07-01.960W | FI G 4s   | 0 | 5 | SG-SY on pile.                     |
| 47605   | Hollywood Beach Light<br>40                                | 26-01-27.847N<br>080-07-02.733W | FI R 4s   |   | 5 | TR-TY on pile.                     |
| 47610   | Hollywood Beach<br>Daybeacon 42                            | 26-00-17.463N<br>080-07-08.765W |           | 0 |   | TR-TY on pile.                     |
| 47620   | Harbour Island Marina<br>Light 1                           | 26-00-13.500N<br>080-07-14.000W | Q G       |   |   | SG on pile.                        |
| 47625   | Harbour Island Marina<br>Light 3                           | 26-00-07.726N<br>080-07-16.450W | FI G 2.5s |   |   | SG on pile.                        |
| 47630   | Harbour Island Marina<br>Light 5                           | 26-00-05.526N<br>080-07-17.500W | Q G       |   |   | SG on pile.                        |
| 47635   | Golden Gates Marina<br>North Obstruction                   | 25-57-23.000N<br>080-07-30.000W | FI W 4s   |   |   | NG on pile.                        |

|         |                                                       |                                 |         |   |                                              |
|---------|-------------------------------------------------------|---------------------------------|---------|---|----------------------------------------------|
|         | Light                                                 |                                 |         |   |                                              |
| 47640   | Golden Gates Marina<br>South Obstruction<br>Light     | 25-57-21.000N<br>080-07-31.000W | FI W 4s |   | NG on pile.                                  |
| 47645   | Williams Island<br>Daybeacon 1                        | 25-56-58.633N<br>080-07-40.862W |         |   | SG on pile.                                  |
| 47650   | Williams Island<br>Daybeacon 3                        | 25-56-57.533N<br>080-07-45.262W |         |   | SG on pile.                                  |
| 47655   | Williams Island<br>Daybeacon 4                        | 25-56-52.600N<br>080-07-52.502W |         |   | TR on pile.                                  |
| 47660   | Williams Island<br>Daybeacon 5                        | 25-56-56.533N<br>080-07-52.562W |         |   | SG on pile.                                  |
| 47665   | Williams Island<br>Daybeacon 6                        | 25-56-58.533N<br>080-07-52.762W |         |   | TR on pile.                                  |
| 47670   | Williams Island<br>Daybeacon 7                        | 25-56-51.133N<br>080-08-00.262W |         |   | SG on pile.                                  |
| 47685   | Williams Island Light 1                               | 25-56-44.833N<br>080-08-07.163W | FI G 6s |   | SG on pile.                                  |
| 47690   | Williams Island Light 2                               | 25-56-46.333N<br>080-08-07.163W | FI R 4s |   | TR on pile.                                  |
| 47695   | Dumfoundling Bay<br>Light 49                          | 25-56-39.569N<br>080-07-39.550W | FI G 4s | 5 | SG-SY on pile.                               |
| 47700   | Dumfoundling Bay<br>Daybeacon 50                      | 25-56-38.007N<br>080-07-43.114W |         |   | TR-TY on pile.                               |
| 47705   | Dumfoundling Bay<br>Daybeacon 51                      | 25-56-26.948N<br>080-07-48.780W |         | 0 | SG-SY on pile.                               |
| 47710   | Dumfoundling Bay<br>Light 52                          | 25-56-25.126N<br>080-07-52.309W | FI R 4s | 5 | TR-TY on pile.                               |
| 47715   | Williams Island South<br>Channel Daybeacon 2          | 25-56-23.695N<br>080-07-55.075W |         |   | TR on pile.                                  |
| 47720   | Dumfoundling Bay<br>Daybeacon 53                      | 25-56-23.258N<br>080-07-51.127W |         |   | SG-SY on pile.                               |
| 47725   | Dumfoundling Bay<br>Daybeacon 54                      | 25-56-19.851N<br>080-07-53.057W |         | 0 | TR-TY on pile.                               |
| 47735   | Dumfoundling Bay<br>Daybeacon 55                      | 25-56-17.349N<br>080-07-51.542W |         |   | SG-SY on pile.                               |
| 47737.7 | Intracoastal Yacht<br>Club Channel<br>Daybeacon 13    | 25-55-58.000N<br>080-07-39.000W |         |   | SG on pile.                                  |
| 47737.6 | Intracoastal Yacht<br>Club Channel<br>Daybeacon 12    | 25-55-56.300N<br>080-07-40.500W |         |   | TR on pile.                                  |
| 47737.5 | Intracoastal Yacht<br>Club Channel<br>Daybeacon 11    | 25-55-58.000N<br>080-07-39.500W |         |   | SG on pile.                                  |
| 47737.4 | Intracoastal Yacht<br>Club Channel<br>Daybeacon 10    | 25-55-56.600N<br>080-07-40.600W |         |   | TR on pile.                                  |
| 47737.3 | Intracoastal Yacht<br>Club Channel<br>Daybeacon 9     | 25-55-58.000N<br>080-07-40.000W |         |   | SG on pile.                                  |
| 47737.2 | Intracoastal Yacht<br>Club Channel<br>Daybeacon 8     | 25-55-57.000N<br>080-07-40.800W |         |   | TR on pile.                                  |
| 47737.1 | Intracoastal Yacht<br>Club Channel<br>Daybeacon 7     | 25-55-58.000N<br>080-07-40.500W |         |   | SG on pile.                                  |
| 47740   | Biscayne Creek<br>Daybeacon 57                        | 25-55-56.761N<br>080-07-48.558W |         |   | SG-SY on pile.                               |
| 47745   | East Greynolds Park<br>Artificial Reef<br>Daybeacon A | 25-55-45.836N<br>080-08-59.665W |         |   | NW on pile worded DANGER<br>ARTIFICIAL REEF. |
| 47750   | East Greynolds Park<br>Artificial Reef<br>Daybeacon B | 25-55-45.236N<br>080-09-00.665W |         |   | NW on pile worded DANGER<br>ARTIFICIAL REEF. |
| 47755   | Biscayne Creek<br>Daybeacon 59                        | 25-55-25.597N<br>080-07-46.270W |         |   | SG-SY on pile.                               |
| 47760   | Biscayne Creek Light<br>60                            | 25-55-20.437N<br>080-07-47.816W | FI R 4s | 5 | TR-TY on pile.                               |
| 47765   | Biscayne Creek<br>Daybeacon 61                        | 25-55-16.238N<br>080-07-41.407W |         |   | SG-SY on pile.                               |
| 47770   | Biscayne Creek                                        | 25-55-11.226N                   |         |   | TR-TY on pile.                               |

|       |                                                     |                                 |           |   |                                           |
|-------|-----------------------------------------------------|---------------------------------|-----------|---|-------------------------------------------|
|       | Daybeacon 62                                        | 080-07-39.696W                  |           |   |                                           |
| 47775 | Biscayne Creek<br>Daybeacon 63                      | 25-55-12.137N<br>080-07-38.344W |           |   | SG-SY on pile.                            |
| 47780 | Biscayne Bay<br>Daybeacon 2                         | 25-55-06.032N<br>080-07-36.810W |           |   | TR-TY on pile.                            |
| 47785 | Biscayne Bay Light 3                                | 25-55-04.060N<br>080-07-32.001W | FI G 4s   | 5 | SG-SY on pile.                            |
| 47790 | Bakers Haulover<br>Smallboat Channel<br>Daybeacon 1 | 25-55-03.549N<br>080-07-30.017W |           |   | SG on pile.                               |
| 47795 | Bakers Haulover<br>Smallboat Channel<br>Daybeacon 2 | 25-55-02.458N<br>080-07-30.085W |           |   | TR on pile.                               |
| 47800 | Biscayne Bay<br>Daybeacon 4                         | 25-55-01.714N<br>080-07-35.367W |           |   | TR-TY on pile.                            |
| 47805 | Biscayne Bay<br>Daybeacon 4A                        | 25-54-33.065N<br>080-07-34.735W |           | 0 | TR-TY on pile.                            |
| 47810 | Biscayne Bay Light 5                                | 25-54-32.881N<br>080-07-31.816W | FI G 4s   | 5 | SG-SY on pile.                            |
| 47815 | Biscayne Bay<br>Daybeacon 6                         | 25-54-26.578N<br>080-07-38.445W |           |   | TR-TY on pile.                            |
| 47817 | Haulover Marina North<br>Entrance Light             | 25-54-21.063N<br>080-07-32.515W | FI G 4s   |   |                                           |
| 47818 | Haulover Marina South<br>Entrance Light             | 25-54-20.120N<br>080-07-32.581W | FI R 4s   |   |                                           |
| 47820 | Biscayne Bay<br>Daybeacon 6A                        | 25-54-14.795N<br>080-07-47.509W |           |   | TR-TY on pile.                            |
| 47822 | Biscayne Bay Buoy 7                                 | 25-54-13.186N<br>080-07-46.549W |           |   | Green can with yellow square.             |
| 47824 | Biscayne Bay Buoy 7A                                | 25-54-07.409N<br>080-07-52.705W |           |   | Green can with yellow square.             |
| 47825 | Biscayne Bay Shoal<br>Daybeacon                     | 25-54-08.419N<br>080-07-50.078W |           |   | NW on pile worded DANGER SHOAL.           |
| 47828 | Biscayne Bay Buoy 7B                                | 25-54-04.073N<br>080-07-54.690W |           |   | Green can with yellow Square.             |
| 47830 | Biscayne Bay<br>Daybeacon 8                         | 25-54-00.669N<br>080-07-58.164W |           |   | TR-TY on pile.                            |
| 47835 | Biscayne Bay Light 9                                | 25-53-58.880N<br>080-07-57.542W | FI G 2.5s | 5 | SG-SY on pile.                            |
| 47840 | Biscayne Bay<br>Daybeacon 11                        | 25-53-44.314N<br>080-08-08.517W |           | 0 | SG-SY on pile.                            |
| 47845 | Biscayne Bay<br>Daybeacon 12                        | 25-53-35.235N<br>080-08-17.916W |           | 0 | TR-TY on pile.                            |
| 47855 | Keystone Point<br>Channel Daybeacon 6               | 25-53-41.340N<br>080-08-32.164W |           |   | TR on pile.                               |
| 47860 | Keystone Point<br>Channel Daybeacon 8               | 25-53-42.840N<br>080-08-34.164W |           |   | TR on pile.                               |
| 47865 | Keystone Point<br>Channel Daybeacon 10              | 25-53-43.340N<br>080-08-38.164W |           |   | TR on pile.                               |
| 47870 | Keystone Point<br>Channel Daybeacon 12              | 25-53-46.340N<br>080-08-44.164W |           |   | TR on pile.                               |
| 47875 | Keystone Point<br>Channel Daybeacon 14              | 25-53-53.340N<br>080-08-38.664W |           |   | TR on pile.                               |
| 47885 | Biscayne Bay<br>Daybeacon 13                        | 25-53-24.918N<br>080-08-23.306W |           |   | SG-SY on pile.                            |
| 47890 | Mariners Bay<br>Daybeacon 1                         | 25-53-12.000N<br>080-08-37.200W |           |   | SG on pile.                               |
| 47895 | Mariners Bay<br>Daybeacon 3                         | 25-53-14.800N<br>080-08-52.000W |           |   | SG on pile.                               |
| 47900 | Mariners Bay<br>Daybeacon 5                         | 25-53-15.800N<br>080-09-02.000W |           |   | SG on pile.                               |
| 47905 | North Bayshore Park<br>Art Reef Daybeacon A         | 25-53-17.341N<br>080-09-02.665W |           |   | NW on pile worded DANGER ARTIFICIAL REEF. |
| 47910 | North Bayshore Park<br>Art Reef Daybeacon B         | 25-53-18.341N<br>080-09-02.165W |           |   | NW on pile worded DANGER ARTIFICIAL REEF. |
| 47915 | Biscayne Bay<br>Daybeacon 15                        | 25-52-57.749N<br>080-08-43.783W |           |   | SG-SY on pile.                            |
| 47920 | Biscayne Bay<br>Daybeacon 16                        | 25-52-45.212N<br>080-08-56.801W |           | 0 | TR-TY on pile.                            |
| 47923 | Jockey Club Marina                                  | 25-52-47.400N                   |           |   | TR on pile.                               |



|       |                                         |                                 |         |  |     |                                                                                       |
|-------|-----------------------------------------|---------------------------------|---------|--|-----|---------------------------------------------------------------------------------------|
|       | Daybeacon 2                             | 080-09-01.800W                  |         |  |     |                                                                                       |
| 47924 | Jockey Club Marina<br>Daybeacon 3       | 25-52-43.200N<br>080-09-03.600W |         |  |     | SG on pile.                                                                           |
| 47925 | Jockey Club Marina<br>Daybeacon 4       | 25-52-47.962N<br>080-09-06.685W |         |  |     | TR on pile.                                                                           |
| 47930 | Jockey Club Marina<br>Daybeacon 5       | 25-52-46.622N<br>080-09-07.755W |         |  |     | SG on pile.                                                                           |
| 47935 | Jockey Club Marina<br>Daybeacon 6       | 25-52-48.492N<br>080-09-13.655W |         |  |     | TR on pile.                                                                           |
| 47940 | Jockey Club Marina<br>Daybeacon 7       | 25-52-47.212N<br>080-09-14.145W |         |  |     | SG on pile.                                                                           |
| 47945 | Jockey Club Marina<br>Daybeacon 8       | 25-52-49.162N<br>080-09-21.926W |         |  |     | TR on pile.                                                                           |
| 47950 | Jockey Club Marina<br>Daybeacon 9       | 25-52-47.962N<br>080-09-22.356W |         |  |     | SG on pile.                                                                           |
| 47953 | Jockey Club Marina<br>Daybeacon 10      | 25-52-50.400N<br>080-09-29.400W |         |  |     | TR on pile.                                                                           |
| 47954 | Jockey Club Marina<br>Daybeacon 11      | 25-52-48.600N<br>080-09-27.000W |         |  |     | SG on pile.                                                                           |
| 47955 | Jockey Club Marina<br>Daybeacon 13      | 25-52-45.832N<br>080-09-37.146W |         |  |     | SG on pile.                                                                           |
| 47960 | Jockey Club Marina<br>Daybeacon 15      | 25-52-44.582N<br>080-09-37.766W |         |  |     | SG on pile.                                                                           |
| 47965 | Jockey Club Marina<br>Daybeacon 17      | 25-52-42.182N<br>080-09-41.096W |         |  |     | SG on pile.                                                                           |
| 47970 | Miami Beach Channel<br>Light 2          | 25-52-08.361N<br>080-08-40.870W | FI R 4s |  | 5   | TR on pile.                                                                           |
| 47975 | Biscayne Point East<br>Shoal Daybeacon  | 25-51-51.000N<br>080-08-46.000W |         |  |     | NW on pile worded DANGER<br>SHOAL.                                                    |
| 47980 | Biscayne Point North<br>Shoal Daybeacon | 25-51-53.004N<br>080-08-47.605W |         |  |     | NW on pile worded DANGER<br>SHOAL.                                                    |
| 47985 | Biscayne Point West<br>Shoal Daybeacon  | 25-51-49.773N<br>080-08-52.000W |         |  |     | NW on pile worded DANGER<br>SHOAL.                                                    |
| 47990 | Miami Beach Channel<br>Daybeacon 3      | 25-51-52.066N<br>080-08-39.603W |         |  |     | SG on pile.                                                                           |
| 47995 | Miami Beach Channel<br>Daybeacon 4      | 25-51-50.372N<br>080-08-42.186W |         |  | 0   | TR on pile.                                                                           |
| 48000 | Miami Beach Channel<br>Daybeacon 5      | 25-51-43.790N<br>080-08-40.290W |         |  |     | SG on pile.                                                                           |
| 48005 | Miami Beach Channel<br>Daybeacon 6      | 25-51-42.496N<br>080-08-42.699W |         |  |     | TR on pile.                                                                           |
| 48010 | Miami Beach Channel<br>Daybeacon 8      | 25-51-16.117N<br>080-08-49.077W |         |  | 0   | TR on pile.                                                                           |
| 48015 | Miami Beach Channel<br>Light 11         | 25-50-48.244N<br>080-08-00.117W | Q G     |  | 0 4 | SG on pile.                                                                           |
| 48020 | Miami Beach Channel<br>Daybeacon 10     | 25-50-47.514N<br>080-08-11.211W |         |  |     | TR on pile.                                                                           |
| 48025 | Miami Beach Channel<br>Daybeacon 12     | 25-50-40.240N<br>080-08-04.881W |         |  |     | TR on pile.                                                                           |
| 48030 | Miami Beach Channel<br>Daybeacon 14     | 25-50-20.763N<br>080-08-11.289W |         |  | 0   | TR on pile.                                                                           |
| 48035 | Miami Beach Channel<br>Daybeacon 16     | 25-49-56.600N<br>080-08-05.222W |         |  |     | TR on pile.                                                                           |
| 48040 | Miami Beach Channel<br>Daybeacon 18     | 25-49-35.499N<br>080-08-15.087W |         |  | 0   | TR on pile.                                                                           |
| 48045 | Miami Beach Channel<br>Daybeacon 20     | 25-49-09.681N<br>080-08-25.065W |         |  | 0   | TR on pile.                                                                           |
| 48050 | Miami Beach Channel<br>Daybeacon 22     | 25-48-55.863N<br>080-08-30.759W |         |  |     | TR on pile.                                                                           |
| 48055 | Miami Beach Channel<br>Daybeacon 24     | 25-48-47.745N<br>080-08-47.943W |         |  |     | TR on pile.                                                                           |
| 48060 | Miami Beach Channel<br>Daybeacon 25     | 25-48-43.832N<br>080-08-54.110W |         |  |     | SG on pile.                                                                           |
| 48065 | Miami Beach Channel<br>Daybeacon 26     | 25-48-21.483N<br>080-08-56.271W |         |  | 0   | TR on pile.                                                                           |
| 48070 | Miami Beach Channel<br>Daybeacon 28     | 25-48-09.705N<br>080-09-03.419W |         |  | 0   | TR on pile.                                                                           |
| 48075 | Miami Beach Channel<br>Daybeacon 30     | 25-47-39.056N<br>080-08-53.450W |         |  | 0   | TR on pile. On same<br>structure as Sunset Harbor<br>Channel Junction Daybeacon<br>S. |

|       |                                                  |                                 |         |   |   |                                                                          |
|-------|--------------------------------------------------|---------------------------------|---------|---|---|--------------------------------------------------------------------------|
| 48080 | Sunset Harbour<br>Channel Entrance<br>Light      | 25-47-25.412N<br>080-10-51.003W | FI W 4s |   |   | NL on pile worded SUNSET<br>HARBOUR ENTRANCE.                            |
| 48090 | Sunset Harbour<br>Channel Daybeacon 3            | 25-47-34.839N<br>080-10-26.509W |         |   |   | SG on pile.                                                              |
| 48095 | Sunset Harbour<br>Channel Daybeacon 4            | 25-47-31.552N<br>080-10-26.878W |         |   |   | TR on pile.                                                              |
| 48100 | Sunset Harbour<br>Channel Daybeacon 5            | 25-47-34.880N<br>080-10-16.118W |         |   |   | SG on pile.                                                              |
| 48105 | Sunset Harbour<br>Channel Daybeacon 6            | 25-47-31.186N<br>080-10-05.873W |         |   |   | TR on pile.                                                              |
| 48110 | Sunset Harbour<br>Channel Light 8                | 25-47-45.644N<br>080-09-43.278W | FI R 4s |   |   | TR on pile.                                                              |
| 48115 | Sunset Harbour<br>Channel Daybeacon 9            | 25-47-50.119N<br>080-09-38.166W |         |   |   | SG on pile.                                                              |
| 48125 | Sunset Harbour<br>Channel Light 11               | 25-47-42.578N<br>080-09-18.144W | FI G 4s |   |   | SG on pile.                                                              |
| 48130 | Sunset Harbour<br>Channel Daybeacon 13           | 25-47-40.085N<br>080-09-09.855W |         |   |   | SG on pile.                                                              |
| 48135 | Sunset Harbour<br>Channel Daybeacon 15           | 25-47-38.605N<br>080-09-02.285W |         |   |   | SG on pile.                                                              |
| 48140 | Sunset Harbor<br>Channel Junction<br>Daybeacon S | 25-47-39.056N<br>080-08-53.450W |         | 0 |   | JG on pile. On same<br>structure as Miami Beach<br>Channel Daybeacon 30. |
| 48145 | Flagler Monument<br>Daybeacon 2                  | 25-47-04.944N<br>080-09-01.551W |         | 0 |   | TR on pile.                                                              |
| 48165 | Biscayne Bay<br>Daybeacon 17                     | 25-52-29.968N<br>080-09-06.173W |         |   |   | SG-SY on pile.                                                           |
| 48170 | Biscayne Bay Light 18                            | 25-52-15.660N<br>080-09-19.781W | FI R 4s |   | 5 | TR-TY on dolphin.                                                        |
| 48175 | Biscayne Bay<br>Daybeacon 19                     | 25-52-00.794N<br>080-09-27.938W |         |   |   | SG-SY on pile.                                                           |
| 48180 | Biscayne Bay<br>Daybeacon 20                     | 25-51-48.143N<br>080-09-40.794W |         | 0 |   | TR-TY on pile.                                                           |
| 48185 | Biscayne Bay<br>Daybeacon 21                     | 25-51-31.886N<br>080-09-49.666W |         |   |   | SG-SY on pile.                                                           |
| 48190 | Biscayne Bay<br>Daybeacon 22                     | 25-51-21.534N<br>080-10-01.339W |         |   |   | TR-TY on pile.                                                           |
| 48195 | Biscayne Bay Light 23                            | 25-51-14.568N<br>080-10-02.716W | FI G 4s |   | 5 | SG-SY on pile.                                                           |
| 48200 | Biscayne Bay<br>Daybeacon 24                     | 25-51-12.337N<br>080-10-07.831W |         | 0 |   | TR-TY on pile.                                                           |
| 48205 | Biscayne Bay<br>Daybeacon 25                     | 25-51-08.713N<br>080-10-09.713W |         |   |   | SG-SY on pile.                                                           |
| 48210 | Biscayne Bay Light 26                            | 25-51-04.078N<br>080-10-16.446W | FI R 4s | 0 | 5 | TR-TY on dolphin.                                                        |
| 48215 | Pelican Harbor Light 2                           | 25-51-00.180N<br>080-09-51.360W | FI R 4s |   |   | TR on pile.                                                              |
| 48220 | Mike Gordon<br>Restaurant Daybeacon 1            | 25-50-58.846N<br>080-10-17.168W |         |   |   | SG on pile.                                                              |
| 48225 | Mike Gordon<br>Restaurant Daybeacon 2            | 25-50-59.246N<br>080-10-17.168W |         |   |   | TR on pile.                                                              |
| 48230 | Mike Gordon<br>Restaurant Daybeacon 3            | 25-50-58.846N<br>080-10-18.068W |         |   |   | SG on pile.                                                              |
| 48235 | Miami Shores Channel<br>Daybeacon 2              | 25-51-40.345N<br>080-09-55.967W |         |   |   | TR on pile.                                                              |
| 48240 | Miami Shores Channel<br>Daybeacon 4              | 25-51-47.644N<br>080-10-05.667W |         |   |   | TR on pile.                                                              |
| 48245 | Miami Shores Channel<br>Daybeacon 6              | 25-51-53.344N<br>080-10-09.967W |         |   |   | TR on pile.                                                              |
| 48250 | Miami Shores Channel<br>Daybeacon 8              | 25-51-58.244N<br>080-10-09.167W |         |   |   | TR on pile.                                                              |
| 48255 | Miami Shores Channel<br>Daybeacon 10             | 25-52-02.544N<br>080-10-05.067W |         |   |   | TR on pile.                                                              |
| 48260 | Miami Shores Channel<br>Daybeacon 12             | 25-52-07.844N<br>080-09-58.367W |         |   |   | TR on pile.                                                              |
| 48265 | Pelican Harbor Fish<br>Haven Daybeacon A         | 25-50-48.847N<br>080-10-00.667W |         |   |   | NR on pile.                                                              |

|       |                                                 |                                 |           |   |   |                |
|-------|-------------------------------------------------|---------------------------------|-----------|---|---|----------------|
| 48270 | Pelican Harbor Fish Haven Daybeacon B           | 25-50-48.847N<br>080-10-01.167W |           |   |   | NR on pile.    |
| 48275 | Biscayne Bay Daybeacon 27                       | 25-50-35.708N<br>080-10-16.052W |           |   |   | SG-SY on pile. |
| 48280 | Biscayne Bay Daybeacon 28                       | 25-50-17.799N<br>080-10-20.254W |           |   |   | TR-TY on pile. |
| 48285 | Biscayne Bay Daybeacon 29                       | 25-50-16.283N<br>080-10-18.250W |           |   |   | SG-SY on pile. |
| 48290 | Palm Bay Club Channel Daybeacon 2               | 25-50-16.108N<br>080-10-21.758W |           |   |   | TR on pile.    |
| 48295 | Palm Bay Club Channel Daybeacon 3               | 25-50-15.058N<br>080-10-26.888W |           |   |   | SG on pile.    |
| 48300 | Palm Bay Club Channel Daybeacon 4               | 25-50-15.858N<br>080-10-31.288W |           |   |   | TR on pile.    |
| 48305 | Palm Bay Club Channel Daybeacon 5               | 25-50-14.848N<br>080-10-33.829W |           |   |   | SG on pile.    |
| 48310 | Palm Bay Club Channel Daybeacon 6               | 25-50-15.778N<br>080-10-36.679W |           |   |   | TR on pile.    |
| 48315 | Palm Bay Club Channel Daybeacon 7               | 25-50-14.698N<br>080-10-40.469W |           |   |   | SG on pile.    |
| 48320 | Palm Bay Club Channel Daybeacon 8               | 25-50-15.718N<br>080-10-40.649W |           |   |   | TR on pile.    |
| 48325 | Biscayne Bay Daybeacon 31                       | 25-49-56.184N<br>080-10-19.498W |           |   |   | SG-SY on pile. |
| 48330 | Biscayne Bay Light 33                           | 25-49-37.171N<br>080-10-21.092W | FI G 4s   | 0 | 5 | SG-SY on pile. |
| 48335 | Biscayne Bay Daybeacon 34                       | 25-49-35.437N<br>080-10-23.497W |           |   |   | TR-TY on pile. |
| 48340 | Biscayne Bay Daybeacon 35                       | 25-49-21.107N<br>080-10-25.000W |           | 0 |   | SG-SY on pile. |
| 48345 | Biscayne Bay Daybeacon 36                       | 25-49-06.938N<br>080-10-30.264W |           | 0 |   | TR-TY on pile. |
| 48350 | Biscayne Bay Daybeacon 37                       | 25-49-04.812N<br>080-10-28.202W |           |   |   | SG-SY on pile. |
| 48355 | Biscayne Bay Daybeacon 39                       | 25-48-52.472N<br>080-10-30.831W |           |   |   | SG-SY on pile. |
| 48360 | Biscayne Bay Daybeacon 41                       | 25-48-22.106N<br>080-10-38.876W |           | 0 |   | SG-SY on pile. |
| 48365 | Biscayne Bay Daybeacon 43                       | 25-48-06.199N<br>080-10-41.986W |           |   |   | SG-SY on pile. |
| 48370 | Biscayne Bay Daybeacon 44                       | 25-47-52.312N<br>080-10-47.380W |           | 0 |   | TR-TY on pile. |
| 48375 | Biscayne Bay Light 45                           | 25-47-47.950N<br>080-10-45.968W | FI G 4s   |   | 5 | SG-SY on pile. |
| 48380 | Biscayne Bay Daybeacon 46                       | 25-47-46.711N<br>080-10-49.027W |           |   |   | TR-TY on pile. |
| 48385 | Biscayne Bay Daybeacon 47                       | 25-47-34.782N<br>080-10-51.113W |           |   |   | SG-SY on pile. |
| 48390 | Biscayne Bay Light 48                           | 25-47-34.710N<br>080-10-54.316W | FI R 4s   | 0 | 5 | TR-TY on pile. |
| 48395 | Biscayne Bay Light 49                           | 25-47-29.509N<br>080-10-51.262W | FI G 2.5s |   | 5 | SG-SY on pile. |
| 48400 | Sea Isle Marina Daybeacon 1                     | 25-47-29.154N<br>080-10-55.100W |           |   |   | SG on pile.    |
| 48405 | Sea Isle Marina Daybeacon 2                     | 25-47-29.300N<br>080-10-56.800W |           |   |   | TR on pile.    |
| 48410 | Sea Isle Marina Daybeacon 3                     | 25-47-28.350N<br>080-10-56.800W |           |   |   | SG on pile.    |
| 48415 | Sea Isle Marina Daybeacon 4                     | 25-47-28.800N<br>080-10-59.000W |           |   |   | TR on pile.    |
| 48420 | Sea Isle Marina Daybeacon 5                     | 25-47-27.500N<br>080-10-59.000W |           |   |   | SG on pile.    |
| 48425 | Sea Isle Marina Daybeacon 6                     | 25-47-28.200N<br>080-11-00.800W |           |   |   | TR on pile.    |
| 48430 | Sea Isle Marina Daybeacon 7                     | 25-47-26.850N<br>080-11-00.800W |           |   |   | SG on pile.    |
| 48435 | Marriott Marina Channel North Obstruction Light | 25-47-27.850N<br>080-11-02.200W | Q R       |   |   | On post.       |
| 48440 | Marriott Marina                                 | 25-47-26.200N                   | Q G       |   |   | On post.       |

|         |                                                         |                                 |           |   |                                                 |                                                                      |                                              |
|---------|---------------------------------------------------------|---------------------------------|-----------|---|-------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------|
|         | Channel South<br>Obstruction Light                      | 080-11-02.200W                  |           |   |                                                 |                                                                      |                                              |
| 48470   | Biscayne Bay Light 50                                   | 25-46-54.072N<br>080-10-52.588W | FI R 2.5s | 4 | TR-TY on pile. NR F                             | White from 034° to 116°. Non-Lateral Red F Facing Main Ship Channel. |                                              |
| 48475   | Biscayne Bay Light 53                                   | 25-46-39.263N<br>080-10-57.525W | FI G 4s   | 5 | SG-SY on pile.                                  |                                                                      |                                              |
| 48480   | Biscayne Bay<br>Daybeacon 53A                           | 25-46-32.345N<br>080-10-57.762W |           |   | SG-SY on pile.                                  |                                                                      |                                              |
| 48485   | Biscayne Bay Light 55                                   | 25-46-27.817N<br>080-10-59.112W | FI G 6s   | 5 | SG-SY on pile.                                  |                                                                      |                                              |
| 48490   | Biscayne Bay<br>Daybeacon 57                            | 25-46-19.512N<br>080-10-55.543W |           | 0 | SG-SY on pile.                                  |                                                                      |                                              |
| 48490.5 | Biscayne Bay Shoal<br>Daybeacon                         | 25-46-15.996N<br>080-10-53.935W |           |   | NW on pile.                                     |                                                                      |                                              |
| 48495   | Biscayne Bay Light 59                                   | 25-46-13.362N<br>080-10-54.186W | Q G       | 0 | 4                                               | SG-SY on pile.                                                       |                                              |
| 48500   | Claughton Island<br>North Obstruction<br>Daybeacon      | 25-46-07.457N<br>080-10-58.070W |           |   | NW on pile worded DANGER<br>RIP RAP.            |                                                                      |                                              |
| 48505   | Claughton Island<br>Middle Obstruction<br>Daybeacon     | 25-46-03.157N<br>080-10-59.370W |           |   | NW on pile worded DANGER<br>RIP RAP.            |                                                                      |                                              |
| 48510   | Claughton Island<br>South Obstruction<br>Daybeacon      | 25-45-57.557N<br>080-11-01.070W |           |   | NW on pile worded DANGER<br>RIP RAP.            |                                                                      |                                              |
| 48515   | Biscayne Bay<br>Daybeacon 61                            | 25-45-55.536N<br>080-10-57.774W |           | 0 | SG-SY on pile.                                  |                                                                      |                                              |
| 48520   | Biscayne Bay Light 63                                   | 25-45-41.660N<br>080-11-03.224W | Q G       | 0 | 4                                               | SG-SY on dolphin.                                                    |                                              |
| 48545   | Biscayne Bay Light 64                                   | 25-45-37.346N<br>080-11-06.487W | FI R 2.5s | 0 | 5                                               | TR-TY on pile.                                                       | Higher intensity beam oriented down channel. |
| 48550   | Villa Regina<br>Daybeacon 1                             | 25-45-16.225N<br>080-11-22.990W |           |   | SG on pile.                                     |                                                                      |                                              |
| 48555   | Villa Regina Light 2                                    | 25-45-17.204N<br>080-11-22.827W | FI R 2.5s |   | TR on pile.                                     |                                                                      |                                              |
| 48560   | Villa Regina<br>Daybeacon 3                             | 25-45-16.965N<br>080-11-28.398W |           |   | SG on pile.                                     |                                                                      |                                              |
| 48565   | Villa Regina<br>Daybeacon 4                             | 25-45-17.944N<br>080-11-28.234W |           |   | TR on pile.                                     |                                                                      |                                              |
| 48570   | Villa Regina<br>Daybeacon 5                             | 25-45-17.408N<br>080-11-31.642W |           |   | SG on pile.                                     |                                                                      |                                              |
| 48575   | Villa Regina<br>Daybeacon 6                             | 25-45-18.388N<br>080-11-31.479W |           |   | TR on pile.                                     |                                                                      |                                              |
| 48580   | Biscayne Bay<br>Daybeacon 65                            | 25-45-25.016N<br>080-11-03.068W |           |   | SG-SY on pile.                                  |                                                                      |                                              |
| 48585   | Biscayne Bay Light 67                                   | 25-45-08.916N<br>080-11-02.272W | FI G 4s   | 0 | 5                                               | SG-SY on pile.                                                       |                                              |
| 48590   | Biscayne Bay Light 69                                   | 25-44-31.316N<br>080-10-59.799W | FI G 2.5s |   | 5                                               | SG-SY on pile.                                                       |                                              |
| 48600   | Miami Seaquarium<br>Inlet Pipe Obstruction<br>Light     | 25-43-51.362N<br>080-10-03.169W | Q R       |   | NW on pile worded DANGER<br>SUBMERGED PIPELINE. |                                                                      |                                              |
| 48605   | Miami Seaquarium<br>Inlet Pipe Obstruction<br>Daybeacon | 25-43-51.362N<br>080-10-03.069W |           |   | NW on pile worded DANGER<br>SUBMERGED PIPELINE. |                                                                      |                                              |
| 48610   | Deering Channel<br>Daybeacon 1                          | 25-44-01.321N<br>080-12-06.773W |           |   | SG on pile.                                     |                                                                      |                                              |
| 48615   | Deering Channel Light<br>2                              | 25-44-02.071N<br>080-12-05.913W | FI R 2.5s |   | TR on pile.                                     |                                                                      |                                              |
| 48620   | Deering Channel<br>Daybeacon 3                          | 25-44-07.651N<br>080-12-11.903W |           |   | SG on pile.                                     |                                                                      |                                              |
| 48625   | Deering Channel<br>Daybeacon 4                          | 25-44-08.271N<br>080-12-10.673W |           |   | TR on pile.                                     |                                                                      |                                              |
| 48630   | Deering Channel<br>Daybeacon 5                          | 25-44-14.181N<br>080-12-17.273W |           |   | SG on pile.                                     |                                                                      |                                              |
| 48635   | Deering Channel<br>Daybeacon 6                          | 25-44-15.400N<br>080-12-14.700W |           |   | TR on pile.                                     |                                                                      |                                              |
| 48640   | Deering Channel<br>Daybeacon 7                          | 25-44-20.711N<br>080-12-22.693W |           |   | SG on pile.                                     |                                                                      |                                              |
| 48645   | Deering Channel<br>Daybeacon 8                          | 25-44-21.351N<br>080-12-21.683W |           |   | TR on pile.                                     |                                                                      |                                              |

|       |                                            |                                 |           |             |
|-------|--------------------------------------------|---------------------------------|-----------|-------------|
| 48650 | Deering Channel<br>Daybeacon 9             | 25-44-27.951N<br>080-12-28.564W |           | SG on pile. |
| 48655 | Deering Channel<br>Daybeacon 10            | 25-44-28.371N<br>080-12-27.384W |           | TR on pile. |
| 48660 | Grove Island Channel<br>Daybeacon 1        | 25-44-33.616N<br>080-12-35.065W |           | SG on pile. |
| 48665 | Grove Island Channel<br>Daybeacon 1A       | 25-44-34.660N<br>080-12-35.074W |           | SG on pile. |
| 48670 | Grove Island Channel<br>Daybeacon 2        | 25-44-34.375N<br>080-12-35.594W |           | TR on pile. |
| 48675 | Grove Island Channel<br>Daybeacon 3        | 25-44-26.206N<br>080-12-36.231W |           | SG on pile. |
| 48680 | Grove Island Channel<br>Daybeacon 4        | 25-44-26.858N<br>080-12-37.252W |           | TR on pile. |
| 48685 | Grove Island Channel<br>Daybeacon 5        | 25-44-19.255N<br>080-12-44.169W |           | SG on pile. |
| 48690 | Grove Island Channel<br>Daybeacon 6        | 25-44-20.247N<br>080-12-44.700W |           | TR on pile. |
| 48695 | Grove Island Channel<br>Daybeacon 7        | 25-44-10.990N<br>080-12-51.446W |           | SG on pile. |
| 48700 | Grove Island Channel<br>Daybeacon 8        | 25-44-11.792N<br>080-12-51.970W |           | TR on pile. |
| 48705 | Grove Island Channel<br>Light 9            | 25-44-08.047N<br>080-12-56.119W | FI G 2.5s | SG on pile. |
| 48710 | Grove Island Channel<br>Light 10           | 25-44-09.612N<br>080-12-55.637W | FI R 4s   | TR on pile. |
| 48715 | Grove Island Channel<br>Daybeacon 11       | 25-44-09.987N<br>080-12-58.107W |           | SG on pile. |
| 48720 | Grove Island Channel<br>Daybeacon 12       | 25-44-10.855N<br>080-12-57.052W |           | TR on pile. |
| 48725 | Grove Island Channel<br>Daybeacon 13       | 25-44-13.460N<br>080-13-00.998W |           | SG on pile. |
| 48730 | Grove Island Channel<br>Daybeacon 14       | 25-44-13.895N<br>080-13-00.389W |           | TR on pile. |
| 48735 | Grove Island Channel<br>Daybeacon 15       | 25-44-14.988N<br>080-13-03.220W |           | SG on pile. |
| 48740 | Grove Island Channel<br>Daybeacon 16       | 25-44-15.931N<br>080-13-03.371W |           | TR on pile. |
| 48745 | Grove Island Channel<br>Light 18           | 25-44-15.600N<br>080-13-08.400W | Q R 1     | TR on pile. |
| 48750 | L'Hermitage Light 1                        | 25-43-58.032N<br>080-13-21.796W | FI G 2.5s | SG on pile. |
| 48755 | L'Hermitage Light 2                        | 25-43-58.662N<br>080-13-20.966W | FI R 4s   | TR on pile. |
| 48760 | L'Hermitage<br>Daybeacon 3                 | 25-43-59.892N<br>080-13-23.596W |           | SG on pile. |
| 48765 | L'Hermitage<br>Daybeacon 4                 | 25-44-00.532N<br>080-13-22.776W |           | TR on pile. |
| 48770 | L'Hermitage<br>Daybeacon 5                 | 25-44-01.752N<br>080-13-25.406W |           | SG on pile. |
| 48775 | L'Hermitage<br>Daybeacon 6                 | 25-44-02.412N<br>080-13-24.586W |           | TR on pile. |
| 48780 | Crandon Park Marina<br>Channel Light 1     | 25-42-57.988N<br>080-10-36.728W | Q G       | SG on pile. |
| 48785 | Crandon Park Marina<br>Channel Light 2     | 25-42-46.764N<br>080-10-34.170W | FI R 4s   | TR on pile. |
| 48790 | Crandon Park Marina<br>Channel Daybeacon 3 | 25-42-59.164N<br>080-10-25.470W |           | SG on pile. |
| 48795 | Crandon Park Marina<br>Channel Light 4     | 25-42-52.569N<br>080-10-20.238W | FI R 4s   | TR on pile. |
| 48800 | Crandon Park Marina<br>Channel Daybeacon 5 | 25-43-04.662N<br>080-10-14.837W |           | SG on pile. |
| 48805 | Crandon Park Marina<br>Channel Daybeacon 6 | 25-43-01.063N<br>080-10-11.069W |           | TR on pile. |
| 48810 | Crandon Park Marina<br>Channel Daybeacon 7 | 25-43-13.063N<br>080-10-05.769W |           | SG on pile. |
| 48815 | Crandon Park Marina<br>Channel Daybeacon 8 | 25-43-09.563N<br>080-10-01.869W |           | TR on pile. |
| 48820 | Crandon Park Marina<br>Channel Daybeacon 9 | 25-43-21.563N<br>080-09-56.669W |           | SG on pile. |
| 48825 | Crandon Park Marina                        | 25-43-18.063N                   |           | TR on pile. |

|         |                                                     |                                 |           |   |                                    |
|---------|-----------------------------------------------------|---------------------------------|-----------|---|------------------------------------|
|         | Channel Daybeacon 10                                | 080-09-52.668W                  |           |   |                                    |
| 48830   | Crandon Park Marina<br>Channel Daybeacon 11         | 25-43-30.062N<br>080-09-47.468W |           |   | SG on pile.                        |
| 48835   | Crandon Park Marina<br>Channel Daybeacon 12         | 25-43-26.562N<br>080-09-43.568W |           |   | TR on pile.                        |
| 48840   | Crandon Park Marina<br>Channel Daybeacon 13         | 25-43-36.462N<br>080-09-32.868W |           |   | SG on pile.                        |
| 48845   | Crandon Park Marina<br>Channel Light 14             | 25-43-34.486N<br>080-09-34.348W | Q R       |   | TR on pile.                        |
| 48850   | Crandon Park Marina<br>Channel Daybeacon 15         | 25-43-33.803N<br>080-09-31.317W |           |   | SG on pile.                        |
| 48855   | Crandon Park Marina<br>Channel Daybeacon 16         | 25-43-32.803N<br>080-09-32.851W |           |   | TR on pile.                        |
| 48860   | Crandon Park Marina<br>Channel Daybeacon 17         | 25-43-31.541N<br>080-09-28.790W |           |   | SG on pile.                        |
| 48865   | Crandon Park Marina<br>South Channel<br>Daybeacon 2 | 25-43-20.563N<br>080-09-28.968W |           |   | TR on pile.                        |
| 48870   | Crandon Park Marina<br>South Channel<br>Daybeacon 4 | 25-43-15.363N<br>080-09-27.968W |           |   | TR on pile.                        |
| 48875   | Dinner Key Seaplane<br>Channel Approach<br>Light 2  | 25-43-14.942N<br>080-12-29.766W | Q R       | 4 | TR on pile.                        |
| 48880   | Dinner Key Seaplane<br>Channel Daybeacon 1          | 25-43-08.820N<br>080-12-43.670W |           |   | SG on pile.                        |
| 48885   | Dinner Key Seaplane<br>Channel Daybeacon 2          | 25-43-14.470N<br>080-12-44.030W |           |   | TR on pile.                        |
| 48890   | Dinner Key Seaplane<br>Channel Daybeacon 3          | 25-43-15.960N<br>080-12-59.980W |           |   | SG on pile.                        |
| 48895   | Dinner Key Seaplane<br>Channel Daybeacon 4          | 25-43-20.640N<br>080-12-58.110W |           |   | TR on pile.                        |
| 48900   | Dinner Key Seaplane<br>Channel Daybeacon 5          | 25-43-22.153N<br>080-13-14.326W |           |   | SG on pile.                        |
| 48905   | Dinner Key Seaplane<br>Channel Daybeacon 6          | 25-43-25.493N<br>080-13-12.086W |           |   | TR on pile.                        |
| 48905.2 | Dinner Key Seaplane<br>Channel Daybeacon 8          | 25-43-32.753N<br>080-13-23.766W |           |   | TR on pile.                        |
| 48905.1 | Dinner Key Seaplane<br>Channel Daybeacon 7          | 25-43-29.453N<br>080-13-26.336W |           |   | SG on pile.                        |
| 48905.3 | Dinner Key Seaplane<br>Channel Buoy 9               | 25-43-39.300N<br>080-13-39.780W |           |   | Green can.                         |
| 48905.4 | Dinner Key Seaplane<br>Channel Buoy 10              | 25-43-40.980N<br>080-13-38.820W |           |   | Red nun.                           |
| 48905.5 | Dinner Key Seaplane<br>Channel Buoy 11              | 25-43-44.340N<br>080-13-47.220W |           |   | Green can.                         |
| 48905.6 | Dinner Key Seaplane<br>Channel Buoy 12              | 25-43-46.860N<br>080-13-47.460W |           |   | Red nun.                           |
| 48910   | Biscayne Bay Danger<br>Shoal Light                  | 25-42-34.665N<br>080-10-58.587W | Fl W 4s   | 5 | NW on pile worded DANGER<br>SHOAL. |
| 48915   | Dinner Key Channel<br>Light 1                       | 25-42-48.002N<br>080-12-38.050W | Fl G 2.5s | 5 | SG on pile.                        |
| 48920   | Dinner Key Channel<br>Daybeacon 2                   | 25-42-51.418N<br>080-12-39.963W |           |   | TR on pile.                        |
| 48925   | Dinner Key Channel<br>Daybeacon 3                   | 25-42-58.299N<br>080-12-56.670W |           | 0 | SG on pile.                        |
| 48930   | Dinner Key Channel<br>Daybeacon 4                   | 25-42-58.194N<br>080-12-54.215W |           |   | TR on pile.                        |
| 48935   | Dinner Key Channel<br>Daybeacon 5                   | 25-43-03.522N<br>080-13-07.720W |           |   | SG on pile.                        |
| 48940   | Dinner Key Channel<br>Daybeacon 6                   | 25-43-08.697N<br>080-13-14.777W |           | 0 | TR on pile.                        |
| 48945   | Dinner Key Channel<br>Daybeacon 7                   | 25-43-10.688N<br>080-13-22.292W |           |   | SG on pile.                        |
| 48950   | Dinner Key Channel<br>Daybeacon 8                   | 25-43-16.511N<br>080-13-31.011W |           |   | TR on pile.                        |
| 48955   | Dinner Key Channel<br>Daybeacon 10                  | 25-43-19.571N<br>080-13-36.263W |           |   | TR on pile.                        |
| 48960   | Dinner Key Channel<br>Light 11                      | 25-43-18.221N<br>080-13-37.073W | Fl G 4s   | 5 | SG on pile.                        |
| 48965   | Dinner Key Channel                                  | 25-43-24.713N                   |           |   | TR on pile.                        |

|         |                                                  |                                 |           |   |                |
|---------|--------------------------------------------------|---------------------------------|-----------|---|----------------|
|         | Daybeacon 12                                     | 080-13-43.005W                  |           |   |                |
| 48970   | Dinner Key Channel<br>Daybeacon 14               | 25-43-32.333N<br>080-13-51.273W |           |   | TR on pile.    |
| 48975   | Dinner Key Channel<br>Light 15                   | 25-43-31.277N<br>080-13-51.599W | Fl G 4s   | 5 | SG on pile.    |
| 48980   | John A Brennan<br>Channel Light 1                | 25-42-52.858N<br>080-13-42.971W | Fl G 5s   |   | SG on dolphin. |
| 48985   | John A Brennan<br>Channel Daybeacon 2            | 25-42-53.908N<br>080-13-40.501W |           |   | TR on pile.    |
| 48990   | John A Brennan<br>Channel Daybeacon 3            | 25-42-55.778N<br>080-13-44.471W |           |   | SG on pile.    |
| 48995   | John A Brennan<br>Channel Daybeacon 4            | 25-42-59.738N<br>080-13-43.491W |           |   | TR on pile.    |
| 49000   | John A Brennan<br>Channel Daybeacon 5            | 25-43-01.608N<br>080-13-47.461W |           |   | SG on pile.    |
| 49005   | John A Brennan<br>Channel Daybeacon 6            | 25-43-05.568N<br>080-13-46.491W |           |   | TR on pile.    |
| 49010   | John A Brennan<br>Channel Daybeacon 7            | 25-43-07.438N<br>080-13-50.461W |           |   | SG on pile.    |
| 49015   | John A Brennan<br>Channel Daybeacon 8            | 25-43-11.398N<br>080-13-49.481W |           |   | TR on pile.    |
| 49020   | John A Brennan<br>Channel Daybeacon 9            | 25-43-13.268N<br>080-13-53.451W |           |   | SG on pile.    |
| 49025   | John A Brennan<br>Channel Daybeacon 10           | 25-43-17.228N<br>080-13-52.481W |           |   | TR on pile.    |
| 49030   | John A Brennan<br>Channel Daybeacon 11           | 25-43-19.098N<br>080-13-55.451W |           |   | SG on pile.    |
| 49035   | John A Brennan<br>Channel Daybeacon 12           | 25-43-22.918N<br>080-13-55.451W |           |   | TR on pile.    |
| 49040   | John A Brennan<br>Channel Light 13               | 25-43-22.018N<br>080-13-57.941W | Fl G 4s   |   | SG on pile.    |
| 49045   | John A Brennan<br>Channel Daybeacon 14           | 25-43-25.048N<br>080-13-57.451W |           |   | TR on pile.    |
| 49050   | John A Brennan<br>Channel Light 16               | 25-43-25.418N<br>080-14-02.611W | Fl R 4s   |   | TR on pile.    |
| 49051   | Dinner Key Mooring<br>Field 4 Lighted Buoy<br>AA | 25-43-08.110N<br>080-13-50.950W | Fl Y 4s   |   | Yellow         |
| 49051.1 | Dinner Key Mooring<br>Field 4 Buoy BB            | 25-43-04.980N<br>080-13-49.330W |           |   | Yellow Can     |
| 49051.2 | Dinner Key Mooring<br>Field 4 Buoy CC            | 25-43-01.850N<br>080-13-47.710W |           |   | YellowCan      |
| 49051.3 | Dinner Key Mooring<br>Field 4 Lighted Buoy<br>DD | 25-42-58.750N<br>080-13-46.090W | Fl Y 2.5s |   | Yellow         |
| 49051.4 | Dinner Key Mooring<br>Field 4 Buoy EE            | 25-42-58.860N<br>080-13-49.910W |           |   | Yellow Can     |
| 49051.5 | Dinner Key Mooring<br>Field 4 Lighted Buoy<br>FF | 25-42-58.970N<br>080-13-52.790W | Q Y       |   | Yellow         |
| 49051.6 | Dinner Key Mooring<br>Field 4 Lighted Buoy<br>GG | 25-43-01.310N<br>080-13-55.270W | Fl Y 4s   |   | Yellow         |
| 49051.7 | Dinner Key Mooring<br>Field 4 Buoy HH            | 25-43-03.290N<br>080-13-54.590W |           |   | Yellow Can     |
| 49051.8 | Dinner Key Mooring<br>Field 4 Lighted Buoy II    | 25-43-05.230N<br>080-13-53.870W | Fl Y 2.5s |   | Yellow         |
| 49055   | Island E Channel<br>Daybeacon 1                  | 25-43-24.380N<br>080-14-21.810W |           |   | SG on pile.    |
| 49055.1 | Island E Channel<br>Daybeacon 2                  | 25-43-23.700N<br>080-14-20.620W |           |   | TR on pile.    |
| 49055.2 | Island E Channel<br>Daybeacon 3                  | 25-43-22.310N<br>080-14-23.280W |           |   | SG on pile.    |
| 49055.3 | Island E Channel<br>Daybeacon 4                  | 25-43-22.310N<br>080-14-22.190W |           |   | TR on pile.    |
| 49055.4 | Island E Channel<br>Daybeacon 5                  | 25-43-21.970N<br>080-14-24.050W |           |   | SG on pile.    |
| 49055.5 | Island E Channel<br>Daybeacon 6                  | 25-43-20.890N<br>080-14-23.040W |           |   | TR on pile.    |
| 49055.6 | Island E Channel<br>Daybeacon 7                  | 25-43-20.650N<br>080-14-24.840W |           |   | SG on pile.    |

|         |                                            |                                 |           |   |   |                                  |
|---------|--------------------------------------------|---------------------------------|-----------|---|---|----------------------------------|
| 49055.7 | Island E Channel<br>Daybeacon 8            | 25-43-19.590N<br>080-14-23.810W |           |   |   | TR on pile.                      |
| 49055.8 | Island E Channel<br>Daybeacon 9            | 25-43-19.410N<br>080-14-25.620W |           |   |   | SG on pile.                      |
| 49055.9 | Island E Channel<br>Daybeacon 10           | 25-43-18.480N<br>080-14-24.500W |           |   |   | TR on pile.                      |
| 49056   | Island E Channel<br>Daybeacon 12           | 25-43-18.220N<br>080-14-26.010W |           |   |   | TR on pile.                      |
| 49056.1 | Island E Channel<br>Daybeacon 13           | 25-43-19.280N<br>080-14-27.710W |           |   |   | SG on pile.                      |
| 49056.2 | Island E Channel<br>Daybeacon 14           | 25-43-17.800N<br>080-14-27.600W |           |   |   | TR on pile.                      |
| 49056.3 | Island E Channel<br>Daybeacon 15           | 25-43-18.510N<br>080-14-28.700W |           |   |   | SG on pile.                      |
| 49056.4 | Island E Channel<br>Daybeacon 16           | 25-43-18.510N<br>080-14-29.370W |           |   |   | TR on pile.                      |
| 49056.5 | Island E Channel<br>Daybeacon 18           | 25-43-22.140N<br>080-14-27.780W |           |   |   | TR on pile.                      |
| 49075   | Key Biscayne Yacht<br>Club Channel Light 1 | 25-42-05.055N<br>080-11-00.087W | Fl G 2.5s | 0 | 5 | SG on pile.                      |
| 49080   | Key Biscayne Yacht<br>Club Channel Light 3 | 25-41-51.314N<br>080-10-27.723W | Fl G 4s   |   | 5 | SG on pile.                      |
| 49085   | Key Biscayne Yacht<br>Club Light 4         | 25-42-00.366N<br>080-10-14.170W | F R       |   |   | TR on pile.                      |
| 49090   | Four Way Entrance<br>Channel Light 2       | 25-42-26.000N<br>080-13-20.000W | Fl R 4s   |   |   | TR on pile.                      |
| 49095   | Four Way Entrance<br>Channel Daybeacon 3   | 25-42-27.000N<br>080-13-27.000W |           |   |   | SG on pile.                      |
| 49100   | Four Way Entrance<br>Channel Daybeacon 4   | 25-42-30.000N<br>080-13-29.000W |           |   |   | TR on pile.                      |
| 49105   | Middle Ground<br>Obstruction Buoy          | 25-42-20.795N<br>080-13-42.187W |           |   |   | White with orange bands;<br>can. |
| 49110   | Four Way Entrance<br>Channel Daybeacon 5   | 25-42-32.000N<br>080-13-42.000W |           |   |   | SG on pile.                      |
| 49115   | Four Way Entrance<br>Channel Daybeacon 6   | 25-42-36.000N<br>080-13-42.000W |           |   |   | TR on pile.                      |
| 49120   | Four Way Entrance<br>Channel Daybeacon 7   | 25-42-36.000N<br>080-13-48.000W |           |   |   | SG on pile.                      |
| 49125   | Four Way Entrance<br>Channel Daybeacon 8   | 25-42-40.200N<br>080-13-52.000W |           |   |   | TR on pile.                      |
| 49130   | Four Way Entrance<br>Channel Daybeacon 9   | 25-42-40.000N<br>080-13-58.000W |           |   |   | SG on pile.                      |
| 49135   | Four Way Entrance<br>Channel Daybeacon 10  | 25-42-43.000N<br>080-14-02.000W |           |   |   | TR on pile.                      |
| 49140   | Four Way Entrance<br>Channel Daybeacon 11  | 25-42-43.000N<br>080-14-07.000W |           |   |   | SG on pile.                      |
| 49145   | Four Way Entrance<br>Channel Daybeacon 12  | 25-42-47.000N<br>080-14-08.000W |           |   |   | TR on pile.                      |
| 49150   | Four Way Channel<br>Daybeacon 1            | 25-42-56.364N<br>080-14-34.179W |           |   |   | SG on pile.                      |
| 49155   | Four Way Channel<br>Daybeacon 2            | 25-42-49.000N<br>080-14-12.000W |           |   |   | TR on pile.                      |
| 49160   | Four Way Channel<br>Directional Daybeacon  | 25-42-49.364N<br>080-14-11.178W |           |   |   | KRW on pile.                     |
| 49165   | Four Way Channel<br>Daybeacon 3            | 25-42-50.364N<br>080-14-16.178W |           |   |   | SG on pile.                      |
| 49170   | Four Way Channel<br>Daybeacon 4            | 25-42-53.200N<br>080-14-17.000W |           |   |   | TR on pile.                      |
| 49175   | Four Way Channel<br>Daybeacon 5            | 25-42-52.364N<br>080-14-21.178W |           |   |   | SG on pile.                      |
| 49180   | Four Way Channel<br>Daybeacon 6            | 25-42-56.000N<br>080-14-20.000W |           |   |   | TR on pile.                      |
| 49185   | Four Way Channel<br>Daybeacon 7            | 25-42-57.364N<br>080-14-24.178W |           |   |   | SG on pile.                      |
| 49190   | Four Way Channel<br>Daybeacon 8            | 25-43-01.500N<br>080-14-26.000W |           |   |   | TR on pile.                      |
| 49195   | Four Way Channel<br>Daybeacon 9            | 25-43-03.564N<br>080-14-31.179W |           |   |   | SG on pile.                      |
| 49200   | Four Way Channel<br>Daybeacon 10           | 25-43-08.750N<br>080-14-34.100W |           |   |   | TR on pile.                      |



|       |                                              |                                 |         |   |   |                                          |
|-------|----------------------------------------------|---------------------------------|---------|---|---|------------------------------------------|
| 49205 | Four Way Channel<br>Daybeacon 11             | 25-43-06.364N<br>080-14-35.379W |         |   |   | SG on pile.                              |
| 49210 | Four Way Channel<br>Daybeacon 15             | 25-43-02.964N<br>080-14-39.679W |         |   |   | SG on pile.                              |
| 49215 | Anchorage Channel<br>Daybeacon 2             | 25-43-04.064N<br>080-14-39.579W |         |   |   | TR on pile.                              |
| 49220 | Anchorage Channel<br>Daybeacon 4             | 25-43-04.064N<br>080-14-39.579W |         |   |   | TR on pile.                              |
| 49225 | Hughes Cove East<br>Obstruction<br>Daybeacon | 25-43-08.500N<br>080-14-36.000W |         |   |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 49230 | Hughes Cove<br>Daybeacon 2                   | 25-43-11.000N<br>080-14-36.500W |         |   |   | TR on pile.                              |
| 49235 | Hughes Cove West<br>Obstruction<br>Daybeacon | 25-43-10.000N<br>080-14-38.250W |         |   |   | NW on pile worded DANGER<br>OBSTRUCTION. |
| 49240 | Entrada Channel<br>Daybeacon 1               | 25-42-19.365N<br>080-14-19.819W |         |   |   | SG on pile.                              |
| 49245 | Entrada Channel<br>Daybeacon 3               | 25-42-21.405N<br>080-14-23.689W |         |   |   | SG on pile.                              |
| 49250 | Entrada Channel<br>Daybeacon 5               | 25-42-23.315N<br>080-14-27.049W |         |   |   | SG on pile.                              |
| 49255 | Entrada Channel<br>Daybeacon 7               | 25-42-25.355N<br>080-14-30.909W |         |   |   | SG on pile.                              |
| 49260 | Entrada Channel<br>Daybeacon 9               | 25-42-28.225N<br>080-14-36.269W |         |   |   | SG on pile.                              |
| 49265 | Entrada Channel<br>Daybeacon 11              | 25-42-39.784N<br>080-14-51.650W |         |   |   | SG on pile.                              |
| 49270 | Entrada Channel<br>Daybeacon 13              | 25-42-40.705N<br>080-14-52.180W |         |   |   | SG on pile.                              |
| 49275 | Hurricane Harbor<br>Light 2                  | 25-41-19.833N<br>080-10-37.167W | FI R 4s | 0 | 5 | TR on pile.                              |
| 49280 | Southwest Shoals<br>Daybeacon                | 25-41-27.914N<br>080-11-00.076W |         |   |   | NW on pile worded DANGER<br>SHOALS.      |
| 49285 | Coral Gables<br>Waterway Light 1             | 25-41-54.542N<br>080-14-25.322W | FI G 4s |   | 4 | SG on dolphin.                           |
| 49290 | Coral Gables<br>Waterway Daybeacon<br>2      | 25-41-55.996N<br>080-14-25.119W |         |   |   | TR on pile.                              |
| 49295 | Coral Gables<br>Waterway Daybeacon<br>3      | 25-41-59.646N<br>080-14-32.379W |         |   |   | SG on pile.                              |
| 49300 | Coral Gables<br>Waterway Daybeacon<br>4      | 25-41-59.536N<br>080-14-30.229W |         |   |   | TR on pile.                              |
| 49305 | Coral Gables<br>Waterway Daybeacon<br>5      | 25-42-02.626N<br>080-14-36.669W |         |   |   | SG on pile.                              |
| 49310 | Coral Gables<br>Waterway Daybeacon<br>6      | 25-42-02.416N<br>080-14-34.119W |         |   |   | TR on pile.                              |
| 49315 | Coral Gables<br>Waterway Daybeacon<br>7      | 25-42-04.686N<br>080-14-39.949W |         |   |   | SG on pile.                              |
| 49320 | Coral Gables<br>Waterway Daybeacon<br>8      | 25-42-06.176N<br>080-14-39.259W |         |   |   | TR on pile.                              |
| 49325 | Coral Gables<br>Waterway Daybeacon<br>10     | 25-42-08.796N<br>080-14-42.829W |         |   |   | TR on pile.                              |
| 49330 | Coral Gables<br>Waterway Daybeacon<br>12     | 25-42-10.000N<br>080-14-52.800W |         |   |   | TR on pile.                              |
| 49335 | Gables Estates<br>Daybeacon 1                | 25-41-24.500N<br>080-14-37.000W |         |   |   | SG on pile.                              |
| 49340 | Gables Estates Light 2                       | 25-41-26.700N<br>080-14-37.100W | FI R 4s |   |   | TR on pile.                              |
| 49345 | Gables Estates<br>Daybeacon 2A               | 25-41-27.100N<br>080-14-42.800W |         |   |   | TR on pile.                              |
| 49350 | Gables Estates<br>Daybeacon 3                | 25-41-24.800N<br>080-14-43.000W |         |   |   | SG on pile.                              |
| 49355 | Gables Estates                               | 25-41-27.000N                   |         |   |   | TR on pile.                              |

|       |                                                        |                                 |           |   |                  |
|-------|--------------------------------------------------------|---------------------------------|-----------|---|------------------|
|       | Daybeacon 4                                            | 080-14-49.000W                  |           |   |                  |
| 49360 | Gables Estates<br>Daybeacon 5                          | 25-41-24.000N<br>080-14-49.100W |           |   | SG on pile.      |
| 49365 | Gables Estates<br>Daybeacon 7                          | 25-41-19.000N<br>080-14-54.900W |           |   | SG on pile.      |
| 49370 | Gables Estates<br>Daybeacon 8                          | 25-41-14.000N<br>080-15-04.000W |           |   | TR on pile.      |
| 49375 | Gables Estates<br>Daybeacon 9                          | 25-41-12.000N<br>080-15-03.850W |           |   | SG on pile.      |
| 49380 | Gables Estates<br>Daybeacon 11                         | 25-41-10.300N<br>080-15-10.000W |           |   | SG on pile.      |
| 49385 | Biscayne Flats<br>Daybeacon 1                          | 25-40-22.004N<br>080-11-01.737W |           |   | SG on pile.      |
| 49400 | Biscayne Flats<br>Daybeacon 3                          | 25-39-49.929N<br>080-11-01.184W |           |   | SG on pile.      |
| 49405 | Matheson Hammock E<br>Channel Daybeacon 1              | 25-40-38.979N<br>080-15-17.921W |           |   | SG on pile.      |
| 49410 | Matheson Hammock E<br>Channel Daybeacon 2              | 25-40-39.729N<br>080-15-18.561W |           |   | TR on pile.      |
| 49415 | Matheson Hammock E<br>Channel Daybeacon 3              | 25-40-37.789N<br>080-15-22.331W |           |   | SG on pile.      |
| 49420 | Matheson Hammock E<br>Channel Daybeacon 4              | 25-40-38.469N<br>080-15-22.501W |           |   | TR on pile.      |
| 49425 | Matheson Hammock E<br>Channel Daybeacon 5              | 25-40-36.749N<br>080-15-27.142W |           |   | SG on pile.      |
| 49430 | Matheson Hammock E<br>Channel Daybeacon 6              | 25-40-37.369N<br>080-15-27.422W |           |   | TR on pile.      |
| 49435 | Matheson Hammock E<br>Channel Daybeacon 8              | 25-40-38.349N<br>080-15-28.422W |           |   | TR on pile.      |
| 49440 | Matheson Hammock<br>South Channel<br>Daybeacon 1       | 25-40-27.459N<br>080-15-26.402W |           |   | SG on pile.      |
| 49445 | Matheson Hammock<br>South Channel Range<br>Front Light | 25-40-39.519N<br>080-15-28.912W | F R       |   | KWB on pile.     |
| 49450 | Matheson Hammock<br>South Channel Range<br>Rear Light  | 25-40-42.409N<br>080-15-29.652W | F R       |   | KWB on flagpole. |
| 49455 | Matheson Hammock<br>South Channel Light 2              | 25-40-26.000N<br>080-15-25.000W | FI R 2.5s |   | TR on pile.      |
| 49460 | Matheson Hammock<br>South Channel<br>Daybeacon 3       | 25-40-31.819N<br>080-15-27.672W |           |   | SG on pile.      |
| 49465 | Matheson Hammock<br>South Channel<br>Daybeacon 4       | 25-40-31.649N<br>080-15-26.482W |           |   | TR on pile.      |
| 49470 | Matheson Hammock<br>South Channel<br>Daybeacon 5       | 25-40-35.689N<br>080-15-28.762W |           |   | SG on pile.      |
| 49475 | Matheson Hammock<br>South Channel<br>Daybeacon 6       | 25-40-35.839N<br>080-15-27.642W |           |   | TR on pile.      |
| 49480 | Matheson Hammock<br>South Channel<br>Daybeacon 7       | 25-40-38.779N<br>080-15-30.102W |           |   | SG on pile.      |
| 49485 | Matheson Hammock<br>South Channel<br>Daybeacon 9       | 25-40-42.699N<br>080-15-33.452W |           |   | SG on pile.      |
| 49490 | Matheson Hammock<br>South Channel<br>Daybeacon 10      | 25-40-43.499N<br>080-15-32.552W |           |   | TR on pile.      |
| 49495 | Matheson Hammock<br>South Channel<br>Daybeacon 11      | 25-40-46.489N<br>080-15-36.952W |           |   | SG on pile.      |
| 49500 | Matheson Hammock<br>South Channel<br>Daybeacon 12      | 25-40-47.328N<br>080-15-35.862W |           |   | TR on pile.      |
| 49505 | Safety Valve Bank<br>Light 1                           | 25-38-38.038N<br>080-11-37.571W | FI G 4s   | 5 | SG-SY on pile.   |
| 49510 | Snapper Creek Marina<br>Daybeacon 1                    | 25-39-18.372N<br>080-15-57.183W |           |   | SG on pile.      |
| 49515 | Snapper Creek Marina                                   | 25-39-21.372N                   |           |   | TR on pile.      |

|         |                                                               |                                 |           |  |     |                                           |
|---------|---------------------------------------------------------------|---------------------------------|-----------|--|-----|-------------------------------------------|
|         | Daybeacon 2                                                   | 080-15-55.183W                  |           |  |     |                                           |
| 49520   | Snapper Creek Marina<br>Daybeacon 3                           | 25-39-21.372N<br>080-16-00.683W |           |  |     | SG on pile.                               |
| 49525   | Snapper Creek Marina<br>Daybeacon 4                           | 25-39-23.871N<br>080-15-59.183W |           |  |     | TR on pile.                               |
| 49530   | Safety Valve Bank<br>Light 1A                                 | 25-37-01.002N<br>080-11-31.511W | FI G 6s   |  | 5   | SG-SY on pile.                            |
| 49535   | Gables-By-The-Sea<br>Light 1                                  | 25-39-00.372N<br>080-15-46.183W | FI G 6s   |  |     | SG on pile.                               |
| 49540   | Gables-By-The-Sea<br>Daybeacon 2                              | 25-39-05.372N<br>080-15-52.183W |           |  |     | TR on pile.                               |
| 49545   | Gables-By-The-Sea<br>Daybeacon 3                              | 25-39-00.372N<br>080-15-55.183W |           |  |     | SG on pile.                               |
| 49550   | Gables-By-The-Sea<br>Daybeacon 4                              | 25-39-03.372N<br>080-16-06.183W |           |  |     | TR on pile.                               |
| 49555   | Gables-By-The-Sea<br>Daybeacon 5                              | 25-39-00.872N<br>080-16-08.183W |           |  |     | SG on pile.                               |
| 49560   | Gables-By-The-Sea<br>Daybeacon 6                              | 25-39-03.372N<br>080-16-18.184W |           |  |     | TR on pile.                               |
| 49565   | Gables-By-The-Sea<br>Daybeacon 6A                             | 25-39-05.372N<br>080-16-16.683W |           |  |     | TR on pile.                               |
| 49575   | Deering Bay Channel<br>Light 2                                | 25-36-42.177N<br>080-16-23.185W | FI R 2.5s |  |     | TR on pile.                               |
| 49580   | Deering Bay Channel<br>Daybeacon 3                            | 25-36-56.018N<br>080-16-38.211W |           |  |     | SG on pile.                               |
| 49585   | Deering Bay Channel<br>Daybeacon 4                            | 25-37-00.218N<br>080-16-33.411W |           |  |     | TR on pile.                               |
| 49590   | Deering Bay Channel<br>Daybeacon 5                            | 25-37-20.018N<br>080-16-53.211W |           |  |     | SG on pile.                               |
| 49595   | Deering Bay Channel<br>Daybeacon 6                            | 25-37-23.018N<br>080-16-48.411W |           |  |     | TR on pile.                               |
| 49600   | Deering Bay Channel<br>Daybeacon 7                            | 25-37-30.218N<br>080-16-59.211W |           |  |     | SG on pile.                               |
| 49605   | Deering Bay Channel<br>Daybeacon 8                            | 25-37-31.418N<br>080-16-54.411W |           |  |     | TR on pile.                               |
| 49610   | Deering Bay Channel<br>Daybeacon 9                            | 25-37-38.618N<br>080-16-06.411W |           |  |     | SG on pile.                               |
| 49615   | Deering Bay Channel<br>Daybeacon 10                           | 25-37-42.218N<br>080-17-02.811W |           |  |     | TR on pile.                               |
| 49620   | Deering Bay Channel<br>Daybeacon 11                           | 25-37-47.018N<br>080-17-15.411W |           |  |     | SG on pile.                               |
| 49625   | Deering Bay Channel<br>Daybeacon 12                           | 25-37-51.218N<br>080-17-11.211W |           |  |     | TR on pile.                               |
| 49630   | Deering Bay Channel<br>Daybeacon 14                           | 25-37-51.376N<br>080-17-28.186W |           |  |     | TR on pile.                               |
| 49635   | Deering Bay Channel<br>Daybeacon 15                           | 25-37-54.375N<br>080-17-31.186W |           |  |     | SG on pile.                               |
| 49645   | Deering Bay North<br>Channel Daybeacon 1                      | 25-37-53.375N<br>080-17-16.186W |           |  |     | SG on pile.                               |
| 49650   | Deering Bay North<br>Channel Daybeacon 3                      | 25-37-59.375N<br>080-17-15.186W |           |  |     | SG on pile.                               |
| 49655   | Homestead Air Force<br>Base Crash Boat<br>Channel Daybeacon 2 | 25-37-48.000N<br>080-17-30.000W |           |  |     | TR on pile. Maintained by U.S. Air Force. |
| 49670   | Blackledge Light 2                                            | 25-35-57.576N<br>080-14-11.016W | FI R 4s   |  | 0 5 | TR-TY on pile.                            |
| 49675   | Safety Valve Bank<br>Light 1B                                 | 25-34-13.047N<br>080-11-30.982W | FI G 4s   |  | 5   | SG-SY on pile.                            |
| 49677   | Boca Chita Channel<br>Buoy 1                                  | 25-31-37.980N<br>080-11-19.080W |           |  |     | Green can.                                |
| 49677.5 | Boca Chita Channel<br>Buoy 2                                  | 25-31-36.300N<br>080-11-18.600W |           |  |     | Red nun.                                  |
| 49678   | Boca Chita Channel<br>Buoy 3                                  | 25-31-32.100N<br>080-11-00.900W |           |  |     | Green can.                                |
| 49678.5 | Boca Chita Channel<br>Buoy 4                                  | 25-31-30.960N<br>080-11-00.300W |           |  |     | Red nun.                                  |
| 49679   | Boca Chita Channel<br>Buoy 5                                  | 25-31-26.340N<br>080-10-41.340W |           |  |     | Green can.                                |
| 49679.5 | Boca Chita Channel<br>Buoy 6                                  | 25-31-24.120N<br>080-10-41.160W |           |  |     | Red nun.                                  |
| 49680   | Featherbed Bank East                                          | 25-32-21.713N                   |           |  |     | SG on pile.                               |

|         |                                                   |                                 |           |   |                                |
|---------|---------------------------------------------------|---------------------------------|-----------|---|--------------------------------|
|         | Daybeacon 1                                       | 080-12-30.368W                  |           |   |                                |
| 49685   | Featherbed Bank East Light 2                      | 25-32-18.453N<br>080-12-49.169W | FI R 2.5s | 5 | TR on pile.                    |
| 49687   | Middle Featherbeds E. Obstruction Daybeacon       | 25-32-23.520N<br>080-11-28.200W |           |   | NW on pile worded OBSTRUCTION. |
| 49690   | Sands Key Daybeacon 2                             | 25-31-28.554N<br>080-11-38.863W |           |   | TR on pile.                    |
| 49693   | Sands Key Daybeacon 2A                            | 25-31-15.028N<br>080-11-35.737W |           |   | TR on pile.                    |
| 49695   | Sands Key Light 3                                 | 25-31-14.495N<br>080-11-34.490W | FI G 2.5s | 5 | SG on dolphin.                 |
| 49700   | Sands Key Daybeacon 4                             | 25-31-12.446N<br>080-11-36.892W |           |   | TR on pile.                    |
| 49703   | East Featherbeds Obstruction Daybeacon A          | 25-30-48.900N<br>080-12-22.260W |           |   | NW on pile worded OBSTRUCTION. |
| 49703.2 | East Featherbed Northwest Obstruction Daybeacon   | 25-30-47.520N<br>080-12-54.720W |           |   | NB on pile worded OBSTRUCTION. |
| 49703.3 | East Featherbed West Obstruction Daybeacon        | 25-30-36.000N<br>080-13-17.400W |           |   | NW on pile worded OBSTRUCTION. |
| 49703.4 | East Featherbed Southwest Obstruction Daybeacon   | 25-30-22.320N<br>080-13-24.480W |           |   | NW on pile worded OBSTRUCTION. |
| 49703.6 | East Featherbed Southeast Obstruction Daybeacon   | 25-30-12.240N<br>080-12-57.240W |           |   | NW on pile worded OBSTRUCTION. |
| 49703.5 | East Featherbed Northeast Obstruction Daybeacon   | 25-30-26.280N<br>080-12-46.080W |           |   | NW on pile worded OBSTRUCTION. |
| 49703.1 | East Featherbed North Obstruction Daybeacon       | 25-30-38.520N<br>080-12-34.560W |           |   | NW on pile worded OBSTRUCTION. |
| 49703.7 | East Featherbed NNE Obstruction Daybeacon         | 25-30-54.360N<br>080-11-59.280W |           |   | NW on pile worded OBSTRUCTION. |
| 49704   | Middle Featherbeds North Obstruction Daybeacon    | 25-31-46.560N<br>080-13-24.420W |           |   | NW on pile worded OBSTRUCTION. |
| 49704.5 | West Featherbed North Obstruction Light           | 25-32-03.900N<br>080-15-12.060W | FI R 2.5s |   | NW on pile worded OBSTRUCTION. |
| 49704.9 | West Featherbed Northwest Obstruction Daybeacon   | 25-31-58.080N<br>080-15-34.920W |           |   | NW on pile worded OBSTRUCTION. |
| 49704.8 | West Featherbed Southwest Obstruction Daybeacon   | 25-31-29.280N<br>080-15-36.720W |           |   | NW on pile worded OBSTRUCTION. |
| 49704.7 | West Featherbed South Obstruction Light           | 25-31-14.800N<br>080-15-25.000W | FI W 4s   |   | NW on pile worded OBSTRUCTION. |
| 49704.3 | Middle Featherbed NNE Obstruction Daybeacon       | 25-31-58.800N<br>080-13-00.840W |           |   | NW on pile worded OBSTRUCTION. |
| 49704.2 | Middle Featherbed Northeast Obstruction Daybeacon | 25-31-30.360N<br>080-13-27.480W |           |   | NW on pile worded OBSTRUCTION. |
| 49704.1 | Middle Featherbed Southwest Obstruction Daybeacon | 25-31-02.640N<br>080-14-01.320W |           |   | NW on pile worded OBSTRUCTION. |
| 49705   | Featherbed Bank Light 3                           | 25-31-17.550N<br>080-14-19.465W | FI G 4s   | 5 | SG-SY on pile.                 |
| 49710   | Featherbed Bank Daybeacon 4                       | 25-31-18.158N<br>080-14-21.320W |           |   | TR-TY on pile.                 |
| 49715   | Featherbed Bank Daybeacon 5                       | 25-31-00.666N<br>080-14-19.957W |           |   | SG-SY on pile.                 |
| 49720   | Featherbed Bank Light                             | 25-31-00.156N                   | FI R 4s   | 5 | TR-TY on pile.                 |

|       |                                                |                                 |         |                                |
|-------|------------------------------------------------|---------------------------------|---------|--------------------------------|
|       | 6                                              | 080-14-21.928W                  |         |                                |
| 49723 | Middle Featherbeds South Obstruction Daybeacon | 25-31-02.580N<br>080-13-43.680W |         | NW on pile worded OBSTRUCTION. |
| 49725 | Featherbed Bank Shoal Daybeacon X              | 25-30-41.775N<br>080-13-36.973W |         | NB on pile.                    |
| 49730 | East Featherbed South Obstruction Light        | 25-30-04.320N<br>080-13-12.720W | FI W 4s | NB on pile.                    |
| 49731 | Lewis Cut Obstruction Daybeacon                | 25-31-18.840N<br>080-11-12.480W |         | NW on pile worded OBSTRUCTION. |
| 49735 | Black Point Channel Daybeacon 1                | 25-31-31.218N<br>080-17-52.239W |         | SG on pile.                    |
| 49740 | Black Point Channel Light 2                    | 25-31-32.208N<br>080-17-51.869W | FI R 6s | TR on pile.                    |
| 49745 | Black Point Channel Daybeacon 3                | 25-31-32.878N<br>080-17-58.819W |         | SG on pile.                    |
| 49750 | Black Point Channel Daybeacon 4                | 25-31-34.198N<br>080-17-58.459W |         | TR on pile.                    |
| 49755 | Black Point Channel Daybeacon 5                | 25-31-34.868N<br>080-18-04.679W |         | SG on pile.                    |
| 49760 | Black Point Channel Daybeacon 6                | 25-31-35.528N<br>080-18-04.679W |         | TR on pile.                    |
| 49765 | Black Point Channel Daybeacon 7                | 25-31-36.528N<br>080-18-10.969W |         | SG on pile.                    |
| 49770 | Black Point Channel Daybeacon 8                | 25-31-37.488N<br>080-18-10.859W |         | TR on pile.                    |
| 49775 | Black Point Channel Daybeacon 9                | 25-31-38.178N<br>080-18-17.480W |         | SG on pile.                    |
| 49780 | Black Point Channel Daybeacon 10               | 25-31-39.178N<br>080-18-17.110W |         | TR on pile.                    |
| 49785 | Black Point Channel Daybeacon 11               | 25-31-39.838N<br>080-18-23.330W |         | SG on pile.                    |
| 49790 | Black Point Channel Daybeacon 12               | 25-31-40.838N<br>080-18-22.970W |         | TR on pile.                    |
| 49795 | Black Point Channel Daybeacon 13               | 25-31-41.498N<br>080-18-30.290W |         | SG on pile.                    |
| 49800 | Black Point Channel Daybeacon 14               | 25-31-42.828N<br>080-18-29.920W |         | TR on pile.                    |
| 49805 | Black Point Channel Daybeacon 15               | 25-31-43.488N<br>080-18-36.690W |         | SG on pile.                    |
| 49810 | Black Point Channel Daybeacon 16               | 25-31-44.478N<br>080-18-36.140W |         | TR on pile.                    |
| 49815 | Black Point Channel Daybeacon 17               | 25-31-45.148N<br>080-18-42.730W |         | SG on pile.                    |
| 49820 | Black Point Channel Daybeacon 18               | 25-31-46.138N<br>080-18-42.360W |         | TR on pile.                    |
| 49825 | Black Point Channel Daybeacon 19               | 25-31-46.798N<br>080-18-49.310W |         | SG on pile.                    |
| 49830 | Black Point Channel Daybeacon 20               | 25-31-47.798N<br>080-18-48.580W |         | TR on pile.                    |
| 49835 | Black Point Channel Daybeacon 21               | 25-31-48.428N<br>080-18-55.170W |         | SG on pile.                    |
| 49840 | Black Point Channel Daybeacon 23               | 25-31-50.418N<br>080-19-01.750W |         | SG on pile.                    |
| 49845 | Black Point Channel Daybeacon 25               | 25-31-52.468N<br>080-19-08.371W |         | SG on pile.                    |
| 49850 | Black Point Channel Daybeacon 27               | 25-31-55.748N<br>080-19-14.191W |         | SG on pile.                    |
| 49855 | Black Point Channel Daybeacon 29               | 25-31-58.738N<br>080-19-19.861W |         | SG on pile.                    |
| 49860 | Elliot Key Park Harbor Light 2                 | 25-27-11.627N<br>080-11-48.898W | FI R 4s | TR on pile.                    |
| 49862 | Biscayne Bay Platform Obstruction Light A      | 25-36-05.390N<br>080-18-20.590W | FI W 4s | NW on dolphin.                 |
| 49864 | Biscayne Bay Platform Obstruction Light B      | 25-28-20.940N<br>080-19-53.780W | FI W 4s | NW on dolphin.                 |
| 49865 | Convoy Point Light 1                           | 25-27-46.397N<br>080-19-10.842W | FI G 6s | SG on pile.                    |
| 49870 | Convoy Point Light 2                           | 25-27-47.297N<br>080-19-10.842W | FI R 4s | TR on dolphin.                 |

|       |                                                        |                                 |         |                                                        |
|-------|--------------------------------------------------------|---------------------------------|---------|--------------------------------------------------------|
| 49875 | Convoy Point<br>Daybeacon 3                            | 25-27-46.397N<br>080-19-17.382W |         | SG on pile.                                            |
| 49880 | Convoy Point<br>Daybeacon 4                            | 25-27-47.297N<br>080-19-17.382W |         | TR on pile.                                            |
| 49885 | Convoy Point<br>Daybeacon 5                            | 25-27-46.397N<br>080-19-23.892W |         | SG on pile.                                            |
| 49890 | Convoy Point<br>Daybeacon 6                            | 25-27-47.297N<br>080-19-23.892W |         | TR on pile.                                            |
| 49895 | Convoy Point<br>Daybeacon 7                            | 25-27-46.397N<br>080-19-30.492W |         | SG on pile.                                            |
| 49900 | Convoy Point<br>Daybeacon 8                            | 25-27-47.297N<br>080-19-30.492W |         | TR on pile.                                            |
| 49905 | Convoy Point<br>Daybeacon 9                            | 25-27-46.397N<br>080-19-36.992W |         | SG on pile.                                            |
| 49910 | Convoy Point<br>Daybeacon 10                           | 25-27-46.397N<br>080-19-36.992W |         | TR on pile.                                            |
| 49915 | Convoy Point<br>Daybeacon 11                           | 25-27-46.397N<br>080-19-43.492W |         | SG on pile.                                            |
| 49920 | Convoy Point<br>Daybeacon 12                           | 25-27-47.737N<br>080-19-42.592W |         | TR on pile.                                            |
| 49925 | Convoy Point<br>Daybeacon 13                           | 25-27-46.397N<br>080-19-50.093W |         | SG on pile.                                            |
| 49930 | Convoy Point<br>Daybeacon 14                           | 25-27-47.637N<br>080-19-48.973W |         | TR on pile.                                            |
| 49935 | Convoy Point<br>Daybeacon 15                           | 25-27-46.397N<br>080-19-56.593W |         | SG on pile.                                            |
| 49940 | Convoy Point<br>Daybeacon 16                           | 25-27-47.657N<br>080-19-55.203W |         | TR on pile.                                            |
| 49945 | Convoy Point<br>Daybeacon 17                           | 25-27-46.398N<br>080-20-03.093W |         | SG on pile.                                            |
| 49950 | Convoy Point<br>Daybeacon 18                           | 25-27-47.657N<br>080-20-01.883W |         | TR on pile.                                            |
| 49953 | FPL Turkey Point<br>Ground Water<br>Monitoring Light A | 25-26-27.480N<br>080-19-28.910W | FI W 4s | NW on structure worded<br>DANGER SUBMERGED<br>PILINGS. |
| 49955 | Turkey Point Channel<br>Light 2                        | 25-28-14.000N<br>080-17-05.000W | FI R 4s | TR on pile.                                            |
| 49960 | Turkey Point Channel<br>Buoy 3                         | 25-27-57.000N<br>080-17-21.000W |         | Green can.                                             |
| 49965 | Turkey Point Channel<br>Buoy 4                         | 25-27-58.000N<br>080-17-24.000W |         | Red nun.                                               |
| 49970 | Turkey Point Channel<br>Buoy 3A                        | 25-27-48.000N<br>080-17-32.000W |         | Green can.                                             |
| 49975 | Turkey Point Channel<br>Buoy 4A                        | 25-27-50.000N<br>080-17-35.500W |         | Red nun.                                               |
| 49980 | Turkey Point Channel<br>Buoy 5                         | 25-27-51.696N<br>080-17-30.289W |         | Green can.                                             |
| 49985 | Turkey Point Channel<br>Buoy 6                         | 25-27-52.696N<br>080-17-31.389W |         | Red nun.                                               |
| 49990 | Turkey Point Channel<br>Buoy 7                         | 25-27-43.097N<br>080-17-41.890W |         | Green can.                                             |
| 49995 | Turkey Point Channel<br>Buoy 8                         | 25-27-44.297N<br>080-17-42.990W |         | Red nun.                                               |
| 50000 | Turkey Point Channel<br>Buoy 9                         | 25-27-33.097N<br>080-17-55.090W |         | Green can.                                             |
| 50005 | Turkey Point Channel<br>Buoy 10                        | 25-27-34.497N<br>080-17-55.390W |         | Red nun.                                               |
| 50010 | Turkey Point Channel<br>Buoy 11                        | 25-27-24.198N<br>080-18-06.890W |         | Green can.                                             |
| 50015 | Turkey Point Channel<br>Buoy 12                        | 25-27-25.298N<br>080-18-07.690W |         | Red nun.                                               |
| 50020 | Turkey Point Channel<br>Buoy 13                        | 25-27-14.298N<br>080-18-20.091W |         | Green can.                                             |
| 50025 | Turkey Point Channel<br>Buoy 14                        | 25-27-15.498N<br>080-18-20.991W |         | Red nun.                                               |
| 50030 | Turkey Point Channel<br>Buoy 15                        | 25-27-05.599N<br>080-18-31.791W |         | Green can.                                             |
| 50035 | Turkey Point Channel<br>Buoy 16                        | 25-27-06.399N<br>080-18-32.691W |         | Red nun.                                               |
| 50040 | Turkey Point Channel<br>Buoy 17                        | 25-26-56.199N<br>080-18-44.191W |         | Green can.                                             |

|         |                                                        |                                 |           |  |   |                                                        |                                                           |
|---------|--------------------------------------------------------|---------------------------------|-----------|--|---|--------------------------------------------------------|-----------------------------------------------------------|
| 50045   | Turkey Point Channel<br>Buoy 18                        | 25-26-57.399N<br>080-18-44.891W |           |  |   | Red nun.                                               |                                                           |
| 50050   | Turkey Point Channel<br>Buoy 19                        | 25-26-46.599N<br>080-18-56.691W |           |  |   | Green can.                                             |                                                           |
| 50055   | Turkey Point Channel<br>Buoy 20                        | 25-26-47.599N<br>080-18-57.592W |           |  |   | Red nun.                                               |                                                           |
| 50060   | Turkey Point Channel<br>Buoy 21                        | 25-26-38.200N<br>080-19-07.992W |           |  |   | Green can.                                             |                                                           |
| 50065   | Turkey Point Channel<br>Buoy 22                        | 25-26-39.200N<br>080-19-08.892W |           |  |   | Red nun.                                               |                                                           |
| 50070   | Turkey Point Channel<br>Buoy 23                        | 25-26-31.100N<br>080-19-17.592W |           |  |   | Green can.                                             |                                                           |
| 50075   | Turkey Point Channel<br>Buoy 24                        | 25-26-32.200N<br>080-19-18.592W |           |  |   | Red nun.                                               |                                                           |
| 50080   | Turkey Point Channel<br>Buoy 25                        | 25-26-22.001N<br>080-19-29.792W |           |  |   | Green can.                                             |                                                           |
| 50085   | Turkey Point Channel<br>Buoy 26                        | 25-26-22.701N<br>080-19-30.892W |           |  |   | Red nun.                                               |                                                           |
| 50087   | FPL Turkey Point<br>Ground Water<br>Monitoring Light B | 25-26-49.390N<br>080-18-14.820W | FI W 5s   |  |   | NW on structure worded<br>DANGER SUBMERGED<br>PILINGS. |                                                           |
| 50090   | Pelican Bank Shoal<br>Light                            | 25-26-42.555N<br>080-17-04.763W | FI W 4s   |  | 5 | NW on pile worded DANGER<br>SHOAL.                     |                                                           |
| 50093   | Pelican Bank<br>Northeast Obstruction<br>Daybeacon     | 25-26-38.820N<br>080-17-18.600W |           |  |   | NW on pile worded<br>OBSTRUCTION.                      |                                                           |
| 50093.5 | Pelican Bank<br>Northwest Obstruction<br>Daybeacon     | 25-26-30.420N<br>080-17-31.680W |           |  |   | NW on pile worded<br>OBSTRUCTION.                      |                                                           |
| 50095   | Pelican Bank East<br>Shoal Daybeacon                   | 25-26-30.285N<br>080-17-23.019W |           |  |   | NW on pile worded DANGER<br>SHOAL.                     |                                                           |
| 50100   | Pelican Bank<br>Southwest Shoal<br>Daybeacon           | 25-26-27.523N<br>080-17-39.260W |           |  |   | NW on pile worded DANGER<br>SHOAL.                     |                                                           |
| 50105   | Adams Key Light                                        | 25-24-14.404N<br>080-14-30.685W | FI W 4s   |  |   | NW on pile worded DANGER<br>SHALLOW WATER.             |                                                           |
| 50107   | Rubicon Key Light 7                                    | 25-24-01.648N<br>080-14-59.535W | FI G 2.5s |  | 5 | SG-SY on plie.                                         |                                                           |
| 50110   | Rubicon Keys Light 8                                   | 25-24-01.538N<br>080-15-18.862W | FI R 2.5s |  | 5 | TR-TY on pile.                                         |                                                           |
| 50115   | Cutter Bank<br>Daybeacon 8A                            | 25-23-08.307N<br>080-16-00.867W |           |  |   | TR-TY on pile.                                         |                                                           |
| 50120   | Cutter Bank Light 9                                    | 25-23-07.257N<br>080-15-59.397W | FI G 4s   |  | 0 | 5                                                      | SG-SY on pile.                                            |
| 50125   | Cutter Bank Light 10                                   | 25-22-47.607N<br>080-16-17.295W | FI R 6s   |  |   | 5                                                      | TR-TY on pile.                                            |
| 50130   | Cutter Bank<br>Daybeacon 11                            | 25-22-46.851N<br>080-16-16.209W |           |  |   |                                                        | SG-SY on pile.                                            |
| 50135   | Cutter Bank<br>Daybeacon 12                            | 25-22-17.389N<br>080-16-41.266W |           |  |   |                                                        | TR-TY on pile.                                            |
| 50140   | Cutter Bank<br>Daybeacon 13                            | 25-22-16.991N<br>080-16-40.047W |           |  |   |                                                        | SG-SY on pile.                                            |
| 50145   | Cutter Bank<br>Daybeacon 13A                           | 25-22-11.145N<br>080-16-44.817W |           |  |   |                                                        | SG-SY on pile.                                            |
| 50150   | Cutter Bank Light 14                                   | 25-22-05.903N<br>080-16-50.638W | FI R 4s   |  |   | 5                                                      | TR-TY on pile.                                            |
| 50155   | Cutter Bank<br>Daybeacon 15                            | 25-22-02.205N<br>080-16-51.459W |           |  |   |                                                        | SG-SY on pile.                                            |
| 50157   | FPL Turkey Point<br>Ground Water<br>Monitoring Light C | 25-21-15.500N<br>080-19-34.500W | FI W 6s   |  |   |                                                        | NW on structure worded<br>DANGER SUBMERGED<br>PILINGS.    |
| 50160   | Grayvik Daybeacon 1                                    | 25-19-08.917N<br>080-17-27.190W |           |  |   |                                                        | SG on pile.                                               |
| 50165   | Grayvik Daybeacon 2                                    | 25-19-06.417N<br>080-17-27.190W |           |  |   |                                                        | TR on pile.                                               |
| 50170   | Grayvik Daybeacon 3                                    | 25-19-08.417N<br>080-17-26.090W |           |  |   |                                                        | SG on pile.                                               |
| 50175   | Grayvik Daybeacon 4                                    | 25-19-05.917N<br>080-17-24.190W |           |  |   |                                                        | TR on pile.                                               |
| 50180   | Key Largo Anglers<br>Club Pier Light                   | 25-18-37.418N<br>080-17-53.791W | F G       |  |   |                                                        | Green skeleton tower. Maintained from Nov. 18 to Apr. 30. |

|       |                                    |                                 |           |   |   |                |
|-------|------------------------------------|---------------------------------|-----------|---|---|----------------|
| 50185 | Card Bank Daybeacon 16             | 25-18-50.792N<br>080-20-42.798W |           |   |   | TR-TY on pile. |
| 50190 | Card Bank Light 17                 | 25-18-49.977N<br>080-20-41.032W | FI G 4s   |   | 5 | SG-SY on pile. |
| 50195 | Card Bank Daybeacon 18             | 25-18-34.977N<br>080-20-53.251W |           |   |   | TR-TY on pile. |
| 50200 | Card Bank Daybeacon 19             | 25-18-34.317N<br>080-20-51.501W |           |   | 0 | SG-SY on pile. |
| 50205 | Card Bank Light 20                 | 25-18-16.787N<br>080-21-05.421W | FI R 4s   |   | 5 | TR-TY on pile. |
| 50210 | Card Bank Daybeacon 21             | 25-18-16.458N<br>080-21-03.451W |           |   |   | SG-SY on pile. |
| 50215 | Barnes Point Light 22              | 25-17-25.050N<br>080-22-01.613W | FI R 4s   |   | 5 | TR-TY on pile. |
| 50220 | Barnes Point Daybeacon 23          | 25-17-05.166N<br>080-22-10.181W |           |   |   | SG-SY on pile. |
| 50225 | Barnes Point Light 24              | 25-17-05.151N<br>080-22-11.723W | FI R 2.5s |   | 5 | TR-TY on pile. |
| 50230 | Barnes Point Daybeacon 25          | 25-16-51.613N<br>080-22-05.852W |           |   |   | SG-SY on pile. |
| 50235 | Barnes Point Light 26              | 25-16-36.372N<br>080-22-02.839W | FI R 6s   |   | 5 | TR-TY on pile. |
| 50240 | Barnes Point Daybeacon 27          | 25-16-36.530N<br>080-22-00.973W |           |   |   | SG-SY on pile. |
| 50245 | Manatee Creek Approach Daybeacon 1 | 25-13-14.433N<br>080-25-12.204W |           |   |   | SG on dolphin. |
| 50250 | Manatee Creek Approach Daybeacon 2 | 25-13-18.432N<br>080-25-06.203W |           |   |   | TR on dolphin. |
| 50255 | Manatee Creek Daybeacon 5          | 25-14-04.430N<br>080-25-39.204W |           |   |   | SG on dolphin. |
| 50260 | Manatee Creek Daybeacon 6          | 25-14-04.930N<br>080-25-36.704W |           |   |   | TR on dolphin. |
| 50265 | Manatee Creek Daybeacon 7          | 25-14-06.430N<br>080-25-40.204W |           |   |   | SG on dolphin. |
| 50270 | Manatee Creek Daybeacon 8          | 25-14-06.730N<br>080-25-37.704W |           |   |   | TR on dolphin. |
| 50275 | Manatee Creek Daybeacon 8A         | 25-14-07.430N<br>080-25-40.204W |           |   |   | TR on dolphin. |
| 50280 | Manatee Creek Daybeacon 9          | 25-14-07.430N<br>080-25-42.204W |           |   |   | SG on dolphin. |
| 50285 | Manatee Creek Daybeacon 10         | 25-14-08.430N<br>080-25-41.704W |           |   |   | TR on dolphin. |
| 50290 | The Moorings Daybeacon 1           | 25-13-52.431N<br>080-25-51.205W |           |   |   | SG on pile.    |
| 50295 | The Moorings Daybeacon 2           | 25-13-53.431N<br>080-25-50.205W |           |   |   | TR on pile.    |
| 50300 | The Moorings Daybeacon 3           | 25-13-53.931N<br>080-25-52.705W |           |   |   | SG on pile.    |
| 50305 | The Moorings Daybeacon 4           | 25-13-54.931N<br>080-25-51.705W |           |   |   | TR on pile.    |
| 50310 | Manatee Bay Daybeacon 2            | 25-14-11.430N<br>080-24-32.202W |           |   |   | TR on pile.    |
| 50315 | Manatee Bay Daybeacon 3            | 25-15-24.427N<br>080-25-24.204W |           |   |   | SG on pile.    |
| 50320 | Manatee Bay Daybeacon 4            | 25-15-46.000N<br>080-25-46.000W |           |   |   | TR on pile.    |
| 50325 | Manatee Bay Daybeacon 5            | 25-15-33.427N<br>080-25-33.204W |           |   |   | SG on pile.    |
| 50330 | Jewfish Creek Light 29             | 25-12-09.683N<br>080-22-57.389W | FI G 4s   | 0 | 5 | SG-SY on pile. |
| 50335 | Jewfish Creek Daybeacon 30         | 25-11-59.174N<br>080-23-04.208W |           |   |   | TR-TY on pile. |
| 50340 | Jewfish Creek Daybeacon 31         | 25-11-56.184N<br>080-23-04.225W |           |   |   | SG-SY on pile. |
| 50345 | Jewfish Creek Daybeacon 32         | 25-11-37.810N<br>080-23-12.977W |           |   |   | TR-TY on pile. |
| 50350 | Jewfish Creek Light 34             | 25-11-17.975N<br>080-23-14.165W | FI R 4s   |   | 5 | TR-TY on pile. |



|       |                                      |                                 |           |   |   |                   |
|-------|--------------------------------------|---------------------------------|-----------|---|---|-------------------|
| 50355 | Blackwater Sound<br>Daybeacon 36     | 25-10-46.257N<br>080-23-23.759W |           |   |   | TR-TY on pile.    |
| 50360 | Blackwater Sound<br>Daybeacon 37     | 25-10-46.701N<br>080-23-21.922W |           |   |   | SG-SY on pile.    |
| 50365 | Blackwater Sound<br>Light 38         | 25-10-35.577N<br>080-23-34.806W | FI R 4s   | 0 | 5 | TR-TY on pile.    |
| 50370 | Blackwater Sound<br>Daybeacon 40     | 25-09-05.456N<br>080-24-53.956W |           | 0 |   | TR-TY on pile.    |
| 50375 | Blackwater Sound<br>Light 41         | 25-08-35.491N<br>080-25-25.968W | FI G 4s   |   | 5 | SG-SY on dolphin. |
| 50380 | Tarpon Basin<br>Daybeacon 42         | 25-08-05.010N<br>080-25-29.215W |           |   |   | TR-TY on pile.    |
| 50385 | Tarpon Basin<br>Daybeacon 43         | 25-07-55.040N<br>080-25-20.589W |           |   |   | SG-SY on pile.    |
| 50390 | Tarpon Basin<br>Daybeacon 44         | 25-07-54.916N<br>080-25-22.247W |           |   |   | TR-TY on pile.    |
| 50395 | Tarpon Basin Light 46                | 25-07-42.383N<br>080-25-21.087W | FI R 4s   | 0 | 5 | TR-TY on pile.    |
| 50400 | Tarpon Basin<br>Daybeacon 46A        | 25-07-37.745N<br>080-25-28.037W |           |   |   | TR-TY on pile.    |
| 50405 | Tarpon Basin Light 48                | 25-07-33.425N<br>080-25-34.355W | FI R 4s   |   | 5 | TR-TY on pile.    |
| 50410 | Tarpon Basin<br>Daybeacon 48A        | 25-07-37.456N<br>080-25-57.581W |           |   |   | TR-TY on pile.    |
| 50415 | Tarpon Basin Light 50                | 25-07-40.337N<br>080-26-17.959W | FI R 4s   | 0 | 4 | TR-TY on pile.    |
| 50420 | Grouper Creek<br>Daybeacon 52        | 25-07-39.455N<br>080-26-36.962W |           |   |   | TR-TY on pile.    |
| 50425 | Grouper Creek<br>Daybeacon 52A       | 25-07-15.353N<br>080-26-47.243W |           |   |   | TR-TY on pile.    |
| 50430 | Grouper Creek<br>Daybeacon 53        | 25-07-15.802N<br>080-26-46.117W |           | 0 |   | SG-SY on pile.    |
| 50435 | Grouper Creek Light<br>54            | 25-07-05.265N<br>080-26-55.108W | FI R 4s   | 0 | 5 | TR-TY on pile.    |
| 50440 | Baker Cut Light 55                   | 25-05-39.333N<br>080-27-54.715W | FI G 4s   |   | 5 | SG-SY on dolphin. |
| 50445 | Baker Cut Daybeacon<br>56            | 25-05-30.365N<br>080-28-02.801W |           |   |   | TR-TY on pile.    |
| 50450 | Baker Cut Daybeacon<br>56A           | 25-05-24.047N<br>080-28-05.171W |           |   |   | TR-TY on pile.    |
| 50455 | Baker Cut Daybeacon<br>57            | 25-05-23.121N<br>080-28-04.020W |           |   |   | SG-SY on pile.    |
| 50460 | Baker Cut Daybeacon<br>57A           | 25-05-12.782N<br>080-28-10.557W |           |   |   | SG-SY on pile.    |
| 50461 | Mariners Club Channel<br>Daybeacon 1 | 25-04-18.660N<br>080-27-32.760W |           |   |   | SG on pile.       |
| 50462 | Mariners Club Channel<br>Daybeacon 2 | 25-04-17.240N<br>080-27-30.370W |           |   |   | TR on pile.       |
| 50463 | Mariners Club Channel<br>Daybeacon 3 | 25-04-19.640N<br>080-27-34.000W |           |   |   | SG on pile.       |
| 50464 | Mariners Club Cannel<br>Daybeacon 4  | 25-04-18.900N<br>080-27-31.860W |           |   |   | TR on pile.       |
| 50465 | Baker Cut Light 58                   | 25-04-52.587N<br>080-28-28.697W | FI R 4s   |   | 5 | TR-TY on dolphin. |
| 50466 | Mariners Club Channel<br>Daybeacon 5 | 25-04-20.210N<br>080-27-43.530W |           |   |   | SG on pile.       |
| 50467 | Mariners Club Channel<br>Daybeacon 6 | 25-04-20.940N<br>080-27-35.410W |           |   |   | TR on pile.       |
| 50470 | Baker Cut Daybeacon<br>58A           | 25-04-35.025N<br>080-29-00.875W |           | 0 |   | TR-TY on pile.    |
| 50475 | Baker Cut Daybeacon<br>59            | 25-04-18.254N<br>080-29-24.273W |           |   |   | SG-SY on pile.    |
| 50480 | Baker Cut Light 60                   | 25-04-08.194N<br>080-29-48.677W | FI R 4s   | 0 | 5 | TR-TY on dolphin. |
| 50485 | Pigeon Key Light 61                  | 25-03-29.261N<br>080-31-14.018W | Q G       |   | 4 | SG-SY on dolphin. |
| 50490 | Pigeon Key Light 60A                 | 25-03-05.316N<br>080-31-16.241W | FI R 2.5s | 0 | 5 | TR-TY on pile.    |
| 50495 | Hammer Point Light<br>62             | 25-02-13.859N<br>080-31-02.980W | Q R       |   | 4 | TR-TY on pile.    |

|          |                                    |                                 |         |   |   |                                  |
|----------|------------------------------------|---------------------------------|---------|---|---|----------------------------------|
| 50500    | Hammer Point Harbor<br>Daybeacon 1 | 25-01-50.000N<br>080-30-33.100W |         |   |   | SG on pile.                      |
| 50505    | Hammer Point Harbor<br>Daybeacon 2 | 25-01-49.800N<br>080-30-33.500W |         |   |   | TR on pile.                      |
| 50505.02 | Hammer Point Harbor<br>Daybeacon 4 | 25-01-44.200N<br>080-30-31.300W |         |   |   | TR on pile.                      |
| 50505.01 | Hammer Point Harbor<br>Daybeacon 3 | 25-01-44.600N<br>080-30-30.800W |         |   |   | SG on pile.                      |
| 50510    | Hammer Point<br>Daybeacon 62A      | 25-02-02.805N<br>080-31-06.072W |         |   |   | TR-TY on pile.                   |
| 50515    | Hammer Point<br>Daybeacon 64       | 25-01-48.856N<br>080-31-19.805W |         |   |   | TR-TY on pile.                   |
| 50520    | Hammer Point<br>Daybeacon 64A      | 25-01-48.935N<br>080-31-20.101W |         |   |   | TR-TY on pile.                   |
| 50530    | Community Harbor<br>Daybeacon 1    | 25-01-00.470N<br>080-31-05.770W |         |   |   | SG on pile.                      |
| 50535    | Community Harbor<br>Daybeacon 2    | 25-01-00.210N<br>080-31-06.610W |         |   |   | TR on pile.                      |
| 50535.2  | Community Harbor<br>Daybeacon 4    | 25-00-53.700N<br>080-31-06.100W |         |   |   | TR on pile.                      |
| 50535.1  | Community Harbor<br>Daybeacon 3    | 25-00-57.200N<br>080-31-07.100W |         |   |   | SG on pile.                      |
| 50535.4  | Community Harbor<br>Daybeacon 6    | 25-00-53.700N<br>080-31-06.100W |         |   |   | TR on pile.                      |
| 50535.3  | Community Harbor<br>Daybeacon 5    | 25-00-53.300N<br>080-31-08.300W |         |   |   | SG on pile.                      |
| 50540    | Little Basin East<br>Daybeacon 1   | 24-55-19.478N<br>080-38-32.226W |         |   |   | SG on pile.                      |
| 50545    | Little Basin East<br>Daybeacon 2   | 24-55-19.478N<br>080-38-34.226W |         |   |   | TR on pile.                      |
| 50550    | Little Basin East<br>Daybeacon 3   | 24-55-17.478N<br>080-38-32.226W |         |   |   | SG on pile.                      |
| 50555    | Little Basin East<br>Daybeacon 4   | 24-55-17.478N<br>080-38-34.226W |         |   |   | TR on pile.                      |
| 50560    | Ramshorn Shoal Light<br>65         | 25-01-36.199N<br>080-31-43.611W | FI G 4s | 0 | 5 | SG-SY on pile.                   |
| 50565    | Ramshorn Shoal<br>Daybeacon 66     | 25-01-26.849N<br>080-32-00.415W |         |   |   | TR-TY on pile.                   |
| 50570    | Ramshorn Shoal<br>Daybeacon 67     | 25-01-25.966N<br>080-31-58.787W |         |   |   | SG-SY on pile.                   |
| 50575    | Ramshorn Shoal<br>Daybeacon 68     | 25-01-23.332N<br>080-32-05.433W |         | 0 |   | TR-TY on pile.                   |
| 50580    | Ramshorn Shoal<br>Daybeacon 69     | 25-01-22.281N<br>080-32-04.393W |         |   |   | SG-SY on pile.                   |
| 50585    | Ramshorn Shoal Light<br>70         | 25-01-20.756N<br>080-32-16.653W | FI R 4s | 0 | 5 | TR-TY on pile.                   |
| 50590    | Ramshorn Shoal Light<br>71         | 25-00-58.131N<br>080-32-52.955W | FI G 4s | 0 | 5 | SG-SY on pile.                   |
| 50595    | Cowpens Light 73                   | 25-00-28.512N<br>080-33-22.566W | FI G 4s |   | 5 | SG-SY on pile.                   |
| 50600    | Cowpens Daybeacon<br>74            | 25-00-25.632N<br>080-33-27.366W |         |   |   | TR-TY on pile.                   |
| 50605    | Cowpens Daybeacon<br>73A           | 25-00-24.300N<br>080-33-26.586W |         | 0 |   | SG-SY on pile.                   |
| 50610    | Cowpens Daybeacon<br>74A           | 25-00-10.183N<br>080-33-34.363W |         |   |   | TR-TY on pile.                   |
| 50615    | Cowpens Daybeacon<br>75            | 25-00-09.352N<br>080-33-33.371W |         |   |   | SG-SY on pile.                   |
| 50620    | Cowpens Daybeacon<br>76            | 25-00-00.277N<br>080-33-36.835W |         |   |   | TR-TY on pile.                   |
| 50625    | Cowpens Daybeacon<br>76A           | 24-59-57.469N<br>080-33-38.509W |         |   |   | TR-TY on pile.                   |
| 50630    | Cowpens Light 78                   | 24-59-45.076N<br>080-33-55.377W | FI R 4s | 0 | 5 | TR-TY on pile.                   |
| 50635    | St Lucie River Lighted<br>Buoy 2   | 27-09-57.882N<br>080-10-50.720W | FI R 4s |   | 5 | Red.                             |
| 50640    | St Lucie River Buoy 3              | 27-09-54.945N<br>080-10-50.987W |         |   |   | Green can.                       |
| 50640.5  | St Lucie River Buoy 3A             | 27-09-56.271N<br>080-10-59.602W |         |   |   | Green can with yellow<br>square. |

|         |                                                                      |                                 |   |                               |
|---------|----------------------------------------------------------------------|---------------------------------|---|-------------------------------|
| 50641   | Rocky Point Access<br>Channel Daybeacon 1                            | 27-09-34.628N<br>080-10-36.424W |   | SG on pile.                   |
| 50641.1 | Rocky Point Access<br>Channel Daybeacon 2                            | 27-09-34.930N<br>080-10-36.711W |   | TR on pile.                   |
| 50641.2 | Rocky Point Access<br>Channel Daybeacon 3                            | 27-09-33.031N<br>080-10-38.522W |   | SG on pile.                   |
| 50641.3 | Rocky Point Access<br>Channel Daybeacon 4                            | 27-09-33.325N<br>080-10-38.819W |   | TR on pile.                   |
| 50645   | St Lucie River Buoy 4                                                | 27-09-59.589N<br>080-11-02.498W |   | Red nun with yellow triangle. |
| 50675   | St Lucie River<br>Daybeacon 5                                        | 27-09-55.063N<br>080-11-12.270W | 0 | SG-SY on pile.                |
| 50677   | Manatee Pocket<br>Channel Daybeacon 1                                | 27-09-50.520N<br>080-11-25.740W |   | SG on pile.                   |
| 50677.1 | Manatee Pocket<br>Channel Daybeacon 2                                | 27-09-51.620N<br>080-11-27.460W |   | TR on pile.                   |
| 50677.2 | Manatee Pocket<br>Channel Daybeacon 6                                | 27-09-46.000N<br>080-11-34.520W |   | TR on pile.                   |
| 50677.3 | Manatee Pocket<br>Channel Daybeacon 7                                | 27-09-42.780N<br>080-11-36.060W |   | SG on pile.                   |
| 50677.4 | Manatee Pocket<br>Channel Daybeacon 9                                | 27-09-38.190N<br>080-11-40.680W |   | SG on pile.                   |
| 50677.5 | Manatee Pocket<br>Channel Daybeacon 10                               | 27-09-34.680N<br>080-11-42.420W |   | TR on pile.                   |
| 50677.6 | Manatee Pocket<br>Channel Daybeacon 11                               | 27-09-29.060N<br>080-11-39.520W |   | SG on pile.                   |
| 50677.7 | Manatee Pocket<br>Channel Daybeacon 12                               | 27-09-25.920N<br>080-11-40.980W |   | TR on pile.                   |
| 50677.8 | Manatee Pocket<br>Channel Daybeacon 14                               | 27-09-19.860N<br>080-11-41.040W |   | TR on pile.                   |
| 50677.9 | Manatee Pocket<br>Channel Junction<br>Daybeacon A                    | 27-09-17.470N<br>080-11-41.450W |   | JR on pile.                   |
| 50678   | Manatee Pocket<br>Channel Daybeacon 4                                | 27-09-14.880N<br>080-11-51.780W |   | TR on pile.                   |
| 50678.1 | Manatee Pocket<br>Channel North<br>Extension Daybeacon<br>3          | 27-09-14.400N<br>080-11-50.100W |   | SG on pile.                   |
| 50678.2 | Manatee Pocket<br>Channel North<br>Extension Daybeacon<br>5          | 27-09-12.360N<br>080-11-49.980W |   | SG on pile.                   |
| 50678.3 | Manatee Pocket<br>Channel North<br>Extension Daybeacon<br>6          | 27-09-08.940N<br>080-11-46.920W |   | TR on pile.                   |
| 50678.4 | Manatee Pocket<br>Channel Junction<br>Daybeacon B                    | 27-09-07.860N<br>080-11-41.640W |   | JR on pile.                   |
| 50678.5 | Manatee Pocket<br>Channel Daybeacon 16                               | 27-09-10.920N<br>080-11-41.220W |   | TR on pile.                   |
| 50678.6 | Manatee Pocket<br>Channel Daybeacon 18                               | 27-09-05.870N<br>080-11-41.830W |   | TR on pile.                   |
| 50678.7 | Manatee Pocket<br>Channel Daybeacon 17                               | 27-09-04.200N<br>080-11-40.020W |   | SG on pile.                   |
| 50678.8 | Manatee Pocket<br>Channel Daybeacon<br>20                            | 27-08-56.910N<br>080-11-41.450W |   | TR on pile.                   |
| 50679   | Manatee Pocket<br>Channel South<br>Extension Junction<br>Daybeacon B | 27-08-55.380N<br>080-11-39.300W |   | JG on pile.                   |
| 50679.1 | Manatee Pocket<br>Channel Daybeacon<br>23                            | 27-08-51.290N<br>080-11-42.350W |   | SG on pile.                   |
| 50679.2 | Manatee Pocket<br>Channel South<br>Extension Daybeacon<br>2          | 27-08-52.670N<br>080-11-37.080W |   | TR on pile.                   |
| 50700.5 | St Lucie River Buoy 6A                                               | 27-09-53.875N<br>080-11-24.718W |   | Red nun with yellow triangle. |

|         |                                         |                                 |         |   |   |                           |
|---------|-----------------------------------------|---------------------------------|---------|---|---|---------------------------|
| 50700   | St Lucie River Lighted Buoy 6           | 27-09-53.997N<br>080-11-21.455W | FI R 4s |   | 5 | Red with yellow triangle. |
| 50705   | St Lucie River Light 7                  | 27-09-54.349N<br>080-11-29.656W | FI G 4s | 0 | 5 | SG-SY on pile.            |
| 50710   | St Lucie River Daybeacon 8              | 27-09-56.391N<br>080-11-28.379W |         | 0 |   | TR-TY on pile.            |
| 50712   | St Lucie River Daybeacon 8A             | 27-10-00.561N<br>080-11-33.501W |         | 0 |   | TR-TY on pile.            |
| 50715   | St Lucie River Daybeacon 10             | 27-10-04.579N<br>080-11-36.337W |         | 0 |   | TR-TY on pile.            |
| 50720   | St Lucie River Light 11                 | 27-10-03.429N<br>080-11-38.346W | FI G 4s | 0 | 5 | SG-SY on pile.            |
| 50725   | St Lucie River Daybeacon 12             | 27-10-18.720N<br>080-11-44.183W |         | 0 |   | TR-TY on pile.            |
| 50725.5 | St Lucie River Daybeacon 12A            | 27-10-24.531N<br>080-11-46.660W |         | 0 |   | TR-TY on pile.            |
| 50730   | St Lucie River Light 13                 | 27-10-18.204N<br>080-11-47.609W | FI G 4s | 0 | 5 | SG-SY on pile.            |
| 50735   | St Lucie River Light 13A                | 27-10-29.625N<br>080-11-50.595W | FI G 4s | 0 | 5 | SG-SY on pile.            |
| 50740   | St Lucie River Light 14                 | 27-10-34.762N<br>080-11-46.609W | FI R 4s | 0 | 5 | TR-TY on pile.            |
| 50745   | St Lucie River Light 15                 | 27-10-48.575N<br>080-11-44.875W | FI G 4s | 0 | 5 | SG-SY on dolphin.         |
| 50750   | St Lucie River Light 17                 | 27-10-57.199N<br>080-11-43.232W | FI G 4s | 0 | 5 | SG-SY on pile.            |
| 50751   | St Lucie River Buoy 17A                 | 27-11-02.487N<br>080-11-49.352W |         |   |   | Green can.                |
| 50755   | St Lucie River Light 19                 | 27-11-18.673N<br>080-12-10.993W | FI G 4s | 0 | 5 | SG-SY on pile.            |
| 50760   | Woods Point Daybeacon 1                 | 27-12-17.808N<br>080-12-47.336W |         | 0 |   | SG on pile.               |
| 50765   | Woods Point Daybeacon 3                 | 27-12-27.325N<br>080-13-01.919W |         | 0 |   | SG on pile.               |
| 50770   | St Lucie River Light 21                 | 27-12-49.870N<br>080-12-54.090W | FI G 4s | 0 | 5 | SG-SY on pile.            |
| 50775   | St Lucie River Light 22                 | 27-12-34.613N<br>080-14-31.240W | FI R 4s | 0 | 5 | TR-TY on dolphin.         |
| 50780   | St Lucie River Daybeacon 22A            | 27-12-31.859N<br>080-14-54.170W |         | 0 |   | TR-TY on pile.            |
| 50780.5 | St Lucie River Daybeacon 23             | 27-12-27.696N<br>080-15-04.026W |         | 0 |   | SG-SY on pile.            |
| 50805   | Northside Marina Channel Daybeacon 2    | 27-12-37.171N<br>080-15-12.000W |         |   |   | TR on pile.               |
| 50810   | Northside Marina Channel Daybeacon 3    | 27-12-37.871N<br>080-15-15.000W |         |   |   | SG on pile.               |
| 50815   | Northside Marina Channel Daybeacon 4    | 27-12-42.300N<br>080-15-14.800W |         |   |   | TR on pile.               |
| 50820   | Northside Marina Channel Daybeacon 5    | 27-12-43.000N<br>080-15-17.000W |         |   |   | SG on pile.               |
| 50825   | Northside Marina Channel Daybeacon 6    | 27-12-48.200N<br>080-15-19.000W |         |   |   | TR on pile.               |
| 50830   | Northside Marina Channel Daybeacon 8    | 27-12-51.300N<br>080-15-24.873W |         |   |   | TR on pile.               |
| 50835   | St Lucie River Light 23A                | 27-12-26.874N<br>080-15-22.804W | FI G 4s | 0 | 5 | SG-SY on dolphin.         |
| 50838   | St. Lucie River Stuart Ext Daybeacon 1  | 27-12-12.790N<br>080-15-07.140W |         |   |   | SG on pile                |
| 50838.1 | St. Lucie River Stuart Ext Daybeacon 2  | 27-12-13.710N<br>080-15-08.670W |         |   |   | TR on pile.               |
| 50838.2 | St. Lucie River Stuart Ext Daybeacon 3  | 27-12-08.980N<br>080-15-10.650W |         |   |   | SG on pile.               |
| 50838.3 | St. Lucie River Stuart Ext Daybeacon 4  | 27-12-09.830N<br>080-15-11.850W |         |   |   | TR on pile                |
| 50840   | St Lucie River (North Fork) Daybeacon 1 | 27-12-03.442N<br>080-16-00.773W |         | 0 |   | SG on pile.               |
| 50845   | St Lucie River (North Fork) Daybeacon 2 | 27-12-08.965N<br>080-15-45.707W |         | 0 |   | TR on pile.               |
| 50850   | St Lucie River (North Fork) Daybeacon 3 | 27-12-24.261N<br>080-16-07.301W |         | 0 |   | SG on pile.               |

|         |                                           |                                 |         |   |   |                |
|---------|-------------------------------------------|---------------------------------|---------|---|---|----------------|
| 50855   | St Lucie River (North Fork) Daybeacon 5   | 27-12-32.908N<br>080-16-10.079W |         | 0 |   | SG on pile.    |
| 50860   | St Lucie River (North Fork) Daybeacon 6   | 27-12-51.849N<br>080-16-45.196W |         | 0 |   | TR on pile.    |
| 50861   | Seagate Harbor Daybeacon 1                | 27-12-22.980N<br>080-16-26.100W |         |   |   | SG on pile.    |
| 50861.1 | Seagate Harbor Daybeacon 2                | 27-12-23.040N<br>080-16-27.240W |         |   |   | TR on pile.    |
| 50861.2 | Seagate Harbor Daybeacon 3                | 27-12-20.200N<br>080-16-26.400W |         |   |   | SG on pile.    |
| 50861.3 | Seagate Harbor Daybeacon 4                | 27-12-20.460N<br>080-16-27.120W |         |   |   | TR on pile.    |
| 50865   | Floridian Marina Channel Buoy 1           | 27-12-46.000N<br>080-17-04.000W |         |   |   | Green can.     |
| 50867   | Floridian Marina Channel Buoy 2           | 27-12-45.000N<br>080-17-06.000W |         |   |   | Red nun.       |
| 50870   | Floridian Marina Channel Buoy 3           | 27-12-42.000N<br>080-17-06.000W |         |   |   | Green can.     |
| 50873   | Floridian Marina Channel Buoy 4           | 27-12-43.000N<br>080-17-07.500W |         |   |   | Red nun.       |
| 50875   | Floridian Marina Channel Buoy 5           | 27-12-38.000N<br>080-17-08.000W |         |   |   | Green can.     |
| 50878   | Floridian Marina Channel Buoy 6           | 27-12-41.000N<br>080-17-09.000W |         |   |   | Red nun.       |
| 50880   | St Lucie River (North Fork) Light 6A      | 27-13-41.304N<br>080-17-18.648W | FI R 4s | 0 | 5 | TR on pile.    |
| 50885   | St Lucie River (North Fork) Daybeacon 7   | 27-13-48.202N<br>080-17-47.867W |         | 0 |   | SG on pile.    |
| 50890   | St Lucie River (North Fork) Daybeacon 9   | 27-14-18.335N<br>080-18-42.925W |         | 0 |   | SG on pile.    |
| 50895   | St Lucie River (North Fork) Daybeacon 10  | 27-14-20.060N<br>080-18-42.942W |         | 0 |   | TR on pile.    |
| 50900   | Port St Lucie Pier Light                  | 27-14-33.166N<br>080-18-52.678W | F R     |   |   | On pier.       |
| 50905   | St. Lucie River (North Fork) Daybeacon 11 | 27-14-21.600N<br>080-18-55.980W |         |   |   | SG on pile.    |
| 50910   | St. Lucie River (North Fork) Daybeacon 12 | 27-14-26.000N<br>080-18-57.220W |         |   |   | TR on pile.    |
| 50915   | St. Lucie River (North Fork) Daybeacon 13 | 27-14-24.000N<br>080-19-01.980W |         |   |   | SG on pile.    |
| 50920   | St. Lucie River (North Fork) Daybeacon 14 | 27-14-27.000N<br>080-19-00.000W |         |   |   | TR on pile.    |
| 50925   | St. Lucie River (North Fork) Daybeacon 15 | 27-15-40.200N<br>080-19-49.380W |         |   |   | SG on pile.    |
| 50930   | St. Lucie River (North Fork) Daybeacon 17 | 27-15-44.400N<br>080-19-43.200W |         |   |   | SG on pile.    |
| 50935   | St. Lucie River (North Fork) Daybeacon 18 | 27-17-04.200N<br>080-19-07.800W |         |   |   | TR on pile.    |
| 50940   | St. Lucie River (North Fork) Daybeacon 20 | 27-17-46.500N<br>080-18-55.200W |         |   |   | TR on pile.    |
| 50945   | St. Lucie River (North Fork) Daybeacon 21 | 27-17-53.100N<br>080-18-53.700W |         |   |   | SG on pile.    |
| 50950   | St. Lucie River (North Fork) Daybeacon 23 | 27-17-07.800N<br>080-19-08.700W |         |   |   | SG on pile.    |
| 50955   | St. Lucie River (North Fork) Daybeacon 25 | 27-18-13.200N<br>080-19-11.500W |         |   |   | SG on pile.    |
| 50960   | St. Lucie River (North Fork) Daybeacon 27 | 27-19-26.820N<br>080-19-49.800W |         |   |   | SG on pile.    |
| 50965   | St. Lucie River (North Fork) Daybeacon 28 | 27-19-33.900N<br>080-20-03.600W |         |   |   | TR on pile.    |
| 50970   | St. Lucie River (North Fork) Daybeacon 29 | 27-19-37.500N<br>080-20-06.600W |         |   |   | SG on pile.    |
| 50975   | St. Lucie River (North Fork) Daybeacon 31 | 27-19-54.000N<br>080-20-18.600W |         |   |   | SG on pile.    |
| 50985   | St. Lucie River (North Fork) Daybeacon 33 | 27-20-52.800N<br>080-20-27.300W |         |   |   | SG on pile.    |
| 50990   | St. Lucie River (North Fork) Daybeacon 34 | 27-21-12.300N<br>080-20-45.900W |         |   |   | TR on pile.    |
| 50995   | St Lucie River (South Fork) Daybeacon 23B | 27-11-50.628N<br>080-15-45.627W |         | 0 |   | SG-SY on pile. |

|       |                                           |                                 |           |   |   |                                       |
|-------|-------------------------------------------|---------------------------------|-----------|---|---|---------------------------------------|
| 51000 | St Lucie River (South Fork) Daybeacon 24  | 27-11-48.603N<br>080-15-49.411W |           | 0 |   | TR-TY on pile.                        |
| 51005 | St Lucie River South Fork Light 25        | 27-11-40.298N<br>080-15-53.141W | FI G 4s   | 0 | 5 | SG-SY on pile.                        |
| 51010 | St Lucie River (South Fork) Daybeacon 25A | 27-11-18.816N<br>080-15-52.455W |           | 0 |   | SG-SY on pile.                        |
| 51050 | St Lucie River South Fork Light 27        | 27-10-56.856N<br>080-15-51.789W | FI G 4s   | 0 | 5 | SG-SY on pile.                        |
| 51055 | Windjammer Marina Daybeacon 1             | 27-10-51.000N<br>080-15-45.000W |           |   |   | SG on pile.                           |
| 51060 | Windjammer Marina Daybeacon 2             | 27-10-48.000N<br>080-15-45.000W |           |   |   | TR on pile.                           |
| 51065 | Windjammer Marina Daybeacon 3             | 27-10-51.000N<br>080-15-42.500W |           |   |   | SG on pile.                           |
| 51070 | Windjammer Marina Daybeacon 4             | 27-10-48.000N<br>080-15-42.500W |           |   |   | TR on pile.                           |
| 51075 | Windjammer Marina Daybeacon 5             | 27-10-51.000N<br>080-15-40.000W |           |   |   | SG on pile.                           |
| 51080 | Windjammer Marina Daybeacon 6             | 27-10-48.000N<br>080-15-40.000W |           |   |   | TR on pile.                           |
| 51085 | St Lucie River (South Fork) Buoy 29       | 27-10-43.063N<br>080-15-47.037W |           |   |   | Green can.                            |
| 51090 | St Lucie River (South Fork) Buoy 30       | 27-10-42.646N<br>080-15-48.355W |           |   |   | Red nun.                              |
| 51095 | St Lucie River (South Fork) Daybeacon 31  | 27-10-14.160N<br>080-15-29.298W |           | 0 |   | SG-SY on pile.                        |
| 51100 | St Lucie River (South Fork) Light 33      | 27-10-00.229N<br>080-15-18.327W | FI G 4s   | 0 | 5 | SG-SY on pile.                        |
| 51105 | St Lucie Canal Daybeacon 34               | 27-09-57.287N<br>080-15-16.703W |           | 0 |   | TR-TY on pile.                        |
| 51110 | St Lucie Canal Daybeacon 35               | 27-09-22.650N<br>080-15-18.839W |           |   |   | SG-SY on pile.                        |
| 51115 | St Lucie Canal Daybeacon 37               | 27-08-58.338N<br>080-15-37.003W |           | 0 |   | SG-SY on pile.                        |
| 51120 | St Lucie Canal Daybeacon 38               | 27-08-39.585N<br>080-15-35.606W |           | 0 |   | TR-TY on pile.                        |
| 51125 | St Lucie Canal Daybeacon 39               | 27-08-22.269N<br>080-15-41.978W |           |   |   | SG-SY on pile.                        |
| 51130 | St Lucie Canal Daybeacon 39A              | 27-07-56.510N<br>080-15-59.023W |           | 0 |   | SG-SY on pile.                        |
| 51135 | St Lucie Canal Daybeacon 40               | 27-07-53.976N<br>080-16-01.640W |           | 0 |   | TR-TY on pile.                        |
| 51140 | St Lucie Canal Daybeacon 40A              | 27-07-40.186N<br>080-15-57.817W |           |   |   | TR-TY on pile.                        |
| 51145 | St Lucie Canal Daybeacon 42               | 27-07-31.450N<br>080-15-58.570W |           |   |   | TR-TY on pile.                        |
| 51150 | St Lucie Canal Daybeacon 43               | 27-07-21.390N<br>080-16-03.847W |           | 0 |   | SG-SY on pile.                        |
| 51155 | St Lucie Canal Daybeacon 46               | 27-07-06.916N<br>080-16-19.706W |           | 0 |   | TR-TY on pile.                        |
| 51160 | St Lucie Canal Daybeacon 47               | 27-07-01.894N<br>080-16-42.842W |           | 0 |   | SG-SY on pile.                        |
| 51165 | St Lucie Canal Daybeacon 49               | 27-07-00.184N<br>080-16-48.020W |           | 0 |   | SG-SY on pile.                        |
| 51170 | St Lucie Canal Daybeacon 50               | 27-06-51.007N<br>080-16-58.422W |           | 0 |   | TR-TY on pile.                        |
| 51175 | St. Lucie Canal Intake Pipe Daybeacon     | 27-01-39.000N<br>080-24-59.800W |           |   |   | NW on pile worded DANGER INTAKE PIPE. |
| 51178 | St Lucie Canal Daybeacon 51               | 26-59-08.814N<br>080-36-47.029W |           |   |   | SG-SY on pile.                        |
| 51180 | St Lucie Canal Daybeacon 52               | 26-59-09.853N<br>080-36-47.200W |           |   |   | TR-TY on pile.                        |
| 51185 | Lake Okeechobee Light 1                   | 26-58-59.852N<br>080-37-29.657W | FI G 2.5s | 0 | 5 | SG-SY on pile.                        |
| 51190 | Lake Okeechobee (Rt 1) Daybeacon 2        | 26-59-01.831N<br>080-37-30.535W |           | 0 |   | TR-TY on pile.                        |
| 51195 | Lake Okeechobee (Rt 1) Daybeacon 3        | 26-58-58.304N<br>080-37-35.381W |           | 0 |   | SG-SY on pile.                        |
| 51200 | Lake Okeechobee (Rt 1) Daybeacon 4        | 26-58-58.835N<br>080-37-42.450W |           |   |   | TR-TY on pile.                        |
| 51205 | Lake Okeechobee (Rt                       | 26-58-54.975N                   | FI G 4s   | 0 | 5 | SG-SY on pile.                        |

|       |                                          |                                 |           |   |   |                   |
|-------|------------------------------------------|---------------------------------|-----------|---|---|-------------------|
|       | 1) Light 5                               | 080-37-47.636W                  |           |   |   |                   |
| 51210 | Lake Okeechobee (Rt 1) Light 6           | 26-54-14.784N<br>080-42-34.969W | FI R 4s   | 0 | 5 | TR-TY on dolphin. |
| 51215 | Lake Okeechobee Weather Platform Light B | 26-54-07.409N<br>080-47-20.016W | Q Y       |   |   | NY on platform.   |
| 51220 | Lake Okeechobee Weather Platform Light A | 26-49-20.000N<br>080-46-59.000W | Q Y       |   |   | NY on platform.   |
| 51225 | Rocky Reef North Light 7                 | 26-49-32.061N<br>080-47-15.436W | FI G 4s   | 0 | 5 | SG-SY on dolphin. |
| 51230 | Rocky Reef Daybeacon 9                   | 26-49-06.038N<br>080-47-19.118W |           | 0 |   | SG-SY on pile.    |
| 51235 | Rocky Reef Daybeacon 12                  | 26-48-44.927N<br>080-47-36.251W |           | 0 |   | TR-TY on pile.    |
| 51240 | Rocky Reef Daybeacon 13                  | 26-48-23.942N<br>080-47-18.985W |           | 1 |   | SG-SY on pile.    |
| 51245 | Rocky Reef South Light 14                | 26-48-00.358N<br>080-47-39.053W | FI R 4s   | 0 | 5 | TR-TY on dolphin. |
| 51250 | Rocky Reef South Light 16                | 26-48-06.621N<br>080-49-07.483W | FI R 2.5s | 0 | 5 | TR-TY on pile.    |
| 51255 | Clewiston Channel (Rt 1B) Daybeacon 1    | 26-48-00.162N<br>080-50-38.140W |           | 0 |   | SG-SY on pile.    |
| 51260 | Clewiston Channel (Rt 1B) Daybeacon 2    | 26-47-45.433N<br>080-51-27.373W |           | 0 |   | TR-TY on pile.    |
| 51265 | Clewiston Channel (Rt 1B) Daybeacon 3    | 26-47-33.922N<br>080-51-49.602W |           | 0 |   | SG-SY on pile.    |
| 51270 | Clewiston Channel (Rt 1B) Daybeacon 4    | 26-47-31.282N<br>080-52-00.450W |           | 0 |   | TR-TY on pile.    |
| 51275 | Clewiston Channel (Rt 1B) Daybeacon 5    | 26-47-19.371N<br>080-52-25.016W |           | 0 |   | SG-SY on pile.    |
| 51280 | Clewiston Channel (Rt 1B) Daybeacon 6    | 26-47-15.565N<br>080-52-36.973W |           | 0 |   | TR-TY on pile.    |
| 51285 | Clewiston Channel (Rt 1B) Daybeacon 7    | 26-47-01.237N<br>080-53-06.552W |           | 0 |   | SG-SY on pile.    |
| 51290 | Clewiston Channel (Rt 1b) Light 8        | 26-47-02.465N<br>080-53-07.698W | FI R 4s   | 0 | 5 | TR-TY on dolphin. |
| 51295 | Clewiston Channel (Rt 1B) Daybeacon 9    | 26-46-49.821N<br>080-53-33.763W |           | 0 |   | SG-SY on pile.    |
| 51300 | Clewiston Channel (Rt 1B) Daybeacon 8B   | 26-46-43.599N<br>080-53-51.925W |           | 0 |   | TR-TY on pile.    |
| 51305 | Clewiston Channel (Rt 1B) Daybeacon 9A   | 26-46-42.360N<br>080-53-51.611W |           | 0 |   | SG-SY on pile.    |
| 51310 | Clewiston Channel (Rt 1B) Daybeacon 9B   | 26-46-35.823N<br>080-54-05.473W |           | 0 |   | SG-SY on pile.    |
| 51315 | Clewiston Channel (Rt 1B) Daybeacon 9C   | 26-46-25.693N<br>080-54-29.419W |           | 0 |   | SG-SY on pile.    |
| 51320 | Clewiston Channel (Rt 1B) Daybeacon 10   | 26-46-37.460N<br>080-54-06.207W |           | 0 |   | TR-TY on pile.    |
| 51325 | Clewiston Channel (Rt 1B) Daybeacon 10a  | 26-46-31.101N<br>080-54-20.692W |           | 0 |   | TR-TY on pile.    |
| 51330 | Clewiston Channel (Rt 1B) Daybeacon 10b  | 26-46-27.655N<br>080-54-28.873W |           | 0 |   | TR-TY on pile.    |
| 51335 | Clewiston Channel (Rt 1B) Daybeacon 11   | 26-46-23.333N<br>080-54-32.399W |           | 0 |   | SG-SY on pile.    |
| 51340 | Clewiston Channel (Rt 1b) Light 12       | 26-46-23.823N<br>080-54-34.387W | Q R       |   | 4 | TR-TY on pile.    |
| 51345 | Clewiston Channel (Rt 1B) Daybeacon 13   | 26-46-20.097N<br>080-54-35.515W |           | 0 |   | SG-SY on pile.    |
| 51350 | Clewiston Channel (Rt 1B) Daybeacon 14   | 26-46-20.181N<br>080-54-37.057W |           | 0 |   | TR-TY on pile.    |
| 51360 | Clewiston Channel (Rt 1B) Daybeacon 15   | 26-46-09.711N<br>080-54-42.817W |           |   |   | SG-SY on pile.    |
| 51370 | Clewiston Channel (Rt 1B) Daybeacon 18   | 26-45-53.937N<br>080-54-54.793W |           |   |   | TR-TY on pile.    |
| 51375 | Clewiston Channel (Rt 1B) Daybeacon 17   | 26-45-51.837N<br>080-54-54.733W |           | 0 |   | SG-SY on pile.    |
| 51380 | Clewiston Channel (Rt 1B) Daybeacon 20   | 26-45-41.009N<br>080-55-03.140W |           | 0 |   | TR-TY on pile.    |
| 51385 | Clewiston Channel (Rt 1B) Daybeacon 19   | 26-45-40.700N<br>080-55-01.999W |           |   |   | SG-SY on pile.    |

|         |                                             |                                 |           |   |   |                                             |
|---------|---------------------------------------------|---------------------------------|-----------|---|---|---------------------------------------------|
| 51390   | Moore Haven South Channel Intake Light      | 26-47-51.944N<br>080-51-32.261W | Q R       |   |   | Skeleton tower on round concrete structure. |
| 51395   | Moore Haven South Channel Light 2           | 26-48-39.224N<br>080-56-32.231W | FI R 4s   |   |   | TR on dolphin.                              |
| 51400   | Lake Okeechobee (Rt 2) Daybeacon 1A         | 26-58-57.315N<br>080-37-27.451W |           | 0 |   | SG-SY on pile.                              |
| 51405   | Lake Okeechobee (Rt 2) Light 2              | 26-58-46.704N<br>080-37-21.888W | Q R       | 0 | 4 | TR-TY on pile.                              |
| 51410   | Lake Okeechobee (Rt 2) Daybeacon 3          | 26-58-48.219N<br>080-37-19.537W |           | 0 |   | SG-SY on pile.                              |
| 51415   | Lake Okeechobee (Rt 2) Light 4              | 26-58-44.757N<br>080-37-04.021W | FI R 2.5s | 0 | 5 | TR-TY on pile.                              |
| 51420   | Lake Okeechobee (Rt 2) Daybeacon 4B         | 26-58-39.633N<br>080-37-00.631W |           | 0 |   | TR-TY on pile.                              |
| 51425   | Lake Okeechobee (Rt 2) Daybeacon 6          | 26-58-19.851N<br>080-36-53.991W |           | 0 |   | TR-TY on pile.                              |
| 51430   | Lake Okeechobee (Rt 2) Daybeacon 8          | 26-57-59.260N<br>080-36-47.980W |           | 0 |   | TR-TY on pile.                              |
| 51435   | Lake Okeechobee (Rt 2) Daybeacon 10         | 26-57-46.755N<br>080-36-45.961W |           | 0 |   | TR-TY on pile.                              |
| 51440   | Lake Okeechobee (Rt 2) Daybeacon 12         | 26-57-36.863N<br>080-36-46.486W |           | 0 |   | TR-TY on pile.                              |
| 51445   | Lake Okeechobee (Rt 2) Daybeacon 13         | 26-57-25.693N<br>080-36-44.311W |           |   |   | SG-SY on pile.                              |
| 51450   | Lake Okeechobee (Rt 2) Daybeacon 14         | 26-57-23.421N<br>080-36-47.340W |           | 0 |   | TR-TY on pile.                              |
| 51455   | Lake Okeechobee (Rt 2) Daybeacon 16         | 26-56-54.748N<br>080-36-48.968W |           | 0 |   | TR-TY on pile.                              |
| 51460   | Lake Okeechobee (Rt 2) Daybeacon 17         | 26-56-41.120N<br>080-36-47.791W |           |   |   | SG-SY on pile.                              |
| 51470   | Lake Okeechobee (Rt 2) Daybeacon 20         | 26-56-11.756N<br>080-36-53.748W |           | 0 |   | TR-TY on pile.                              |
| 51475   | Lake Okeechobee (Rt 2) Daybeacon 21         | 26-55-51.376N<br>080-36-52.645W |           |   |   | SG-SY on pile.                              |
| 51480   | Lake Okeechobee (Rt 2) Daybeacon 22         | 26-55-32.132N<br>080-36-58.314W |           | 0 |   | TR-TY on pile.                              |
| 51485   | Lake Okeechobee (Rt 2) Daybeacon 23         | 26-55-01.161N<br>080-36-59.209W |           | 0 |   | SG-SY on pile.                              |
| 51490   | Lake Okeechobee (Rt 2) Daybeacon 24         | 26-54-48.291N<br>080-37-01.333W |           | 0 |   | TR-TY on pile.                              |
| 51495   | Lake Okeechobee (Rt 2) Daybeacon 25         | 26-54-44.613N<br>080-36-58.489W |           | 0 |   | SG-SY on pile.                              |
| 51505   | Lake Okeechobee (Rt 2) Daybeacon 27         | 26-54-20.931N<br>080-36-54.222W |           |   |   | SG-SY on pile.                              |
| 51510   | Lake Okeechobee (Rt 2) Daybeacon 28         | 26-54-06.985N<br>080-36-54.571W |           |   |   | TR-TY on pile.                              |
| 51515   | Lake Okeechobee (Rt 2) Daybeacon 29         | 26-53-59.326N<br>080-36-51.711W |           |   |   | SG-SY on pile.                              |
| 51520   | Lake Okeechobee (Rt 2) Daybeacon 30         | 26-53-49.613N<br>080-36-56.140W |           | 0 |   | TR-TY on pile.                              |
| 51525   | Lake Okeechobee (Rt 2) Daybeacon 31         | 26-53-41.660N<br>080-36-55.177W |           | 0 |   | SG-SY on pile.                              |
| 51530   | Lake Okeechobee (Rt 2) Daybeacon 32         | 26-53-30.471N<br>080-37-01.381W |           | 0 |   | TR-TY on pile.                              |
| 51540   | Lake Okeechobee (Rt 2) Daybeacon 35         | 26-53-03.027N<br>080-37-13.855W |           |   |   | SG-SY on pile.                              |
| 51545   | Lake Okeechobee (Rt 2) Daybeacon 36         | 26-52-57.141N<br>080-37-21.679W |           | 0 |   | TR-TY on pile.                              |
| 51550   | Lake Okeechobee (Rt 2) Daybeacon 37         | 26-52-45.687N<br>080-37-26.557W |           | 0 |   | SG-SY on pile.                              |
| 51560   | Lake Okeechobee (Rt 2) Daybeacon 40         | 26-52-22.053N<br>080-37-46.809W |           | 0 |   | TR-TY on pile.                              |
| 51565   | Lake Okeechobee (Rt 2) Daybeacon 41         | 26-52-13.616N<br>080-37-49.960W |           | 0 |   | SG-SY on pile.                              |
| 51568.8 | Caloosahatchee River North Bay Daybeacon 11 | 26-39-01.183N<br>081-52-00.883W |           |   |   | SG on pile.                                 |
| 51568.7 | Caloosahatchee River North Bay Daybeacon 10 | 26-39-01.200N<br>081-52-00.866W |           |   |   | TR on pile.                                 |
| 51568.6 | Caloosahatchee River                        | 26-39-01.116N                   |           |   |   | SG on pile.                                 |



|         |                                            |                                 |           |                |
|---------|--------------------------------------------|---------------------------------|-----------|----------------|
|         | North Bay Daybeacon 9                      | 081-52-00.833W                  |           |                |
| 51568.5 | Caloosahatchee River North Bay Daybeacon 8 | 26-39-01.083N<br>081-52-00.750W |           | TR on pile.    |
| 51568.4 | Caloosahatchee River North Bay Daybeacon 7 | 26-39-01.050N<br>081-52-00.470W |           | SG on pile.    |
| 51568.3 | Caloosahatchee River North Bay Daybeacon 6 | 26-39-00.916N<br>081-52-00.583W |           | TR on pile.    |
| 51568.2 | Caloosahatchee River North Bay Daybeacon 4 | 26-39-00.766N<br>081-52-00.416W |           | TR on pile.    |
| 51568.1 | Caloosahatchee River North Bay Daybeacon 2 | 26-39-00.600N<br>081-52-00.216W |           | TR on pile.    |
| 51570   | Lake Okeechobee (Rt 2) Daybeacon 42        | 26-52-07.481N<br>080-37-56.950W | 0         | TR-TY on pile. |
| 51575   | Lake Okeechobee (Rt 2) Daybeacon 46        | 26-51-40.278N<br>080-38-16.874W | 0         | TR-TY on pile. |
| 51580   | Lake Okeechobee (Rt 2) Daybeacon 47        | 26-51-30.362N<br>080-38-21.196W |           | SG-SY on pile. |
| 51590   | Lake Okeechobee (Rt 2) Daybeacon 50        | 26-51-03.593N<br>080-38-43.560W | 0         | TR-TY on pile. |
| 51595   | Lake Okeechobee (Rt 2) Daybeacon 52        | 26-50-46.283N<br>080-38-52.129W | 0         | TR-TY on pile. |
| 51600   | Lake Okeechobee (Rt 2) Daybeacon 53        | 26-50-42.391N<br>080-38-51.319W | 0         | SG-SY on pile. |
| 51605   | Lake Okeechobee (Rt 2) Daybeacon 54        | 26-50-29.311N<br>080-38-59.851W | 0         | TR-TY on pile. |
| 51610   | Lake Okeechobee (Rt 2) Daybeacon 55        | 26-50-27.461N<br>080-38-55.591W | 0         | SG-SY on pile. |
| 51615   | Lake Okeechobee (Rt 2) Daybeacon 56        | 26-50-09.569N<br>080-39-15.205W | 0         | TR-TY on pile. |
| 51620   | Lake Okeechobee (Rt 2) Daybeacon 57        | 26-50-05.986N<br>080-39-12.354W | 0         | SG-SY on pile. |
| 51625   | Lake Okeechobee (Rt 2) Daybeacon 59        | 26-49-57.575N<br>080-39-24.895W | 0         | SG-SY on pile. |
| 51630   | Lake Okeechobee (Rt 2) Daybeacon 60        | 26-49-50.885N<br>080-39-41.153W | 0         | TR-TY on pile. |
| 51635   | Lake Okeechobee (Rt 2) Daybeacon 61        | 26-49-44.542N<br>080-39-47.774W | 0         | SG-SY on pile. |
| 51641   | Pahokee Marina Entrance Light 2            | 26-49-38.400N<br>080-39-57.900W | FI G 2.5s |                |
| 51645   | Pahokee Harbor Daybeacon 1                 | 26-49-34.217N<br>080-40-00.706W |           | SG on pile.    |
| 51650   | Pahokee Harbor Daybeacon 2                 | 26-49-34.217N<br>080-40-00.706W |           | TR on pile.    |
| 51655   | Lake Okeechobee (Rt 2) Daybeacon 62        | 26-49-40.250N<br>080-39-59.130W | 0         | TR-TY on pile. |
| 51660   | Lake Okeechobee (Rt 2) Daybeacon 64        | 26-49-30.545N<br>080-40-17.785W | 0         | TR-TY on pile. |
| 51665   | Lake Okeechobee (Rt 2) Daybeacon 65        | 26-49-22.955N<br>080-40-25.999W | 0         | SG-SY on pile. |
| 51670   | Lake Okeechobee (Rt 2) Daybeacon 66        | 26-49-20.601N<br>080-40-34.534W | 0         | TR-TY on pile. |
| 51675   | Lake Okeechobee (Rt 2) Daybeacon 66A       | 26-49-07.681N<br>080-40-54.841W | 0         | TR-TY on pile. |
| 51680   | Lake Okeechobee (Rt 2) Daybeacon 67        | 26-49-11.907N<br>080-40-44.546W | 0         | SG-SY on pile. |
| 51685   | Lake Okeechobee (Rt 2) Daybeacon 68        | 26-49-01.140N<br>080-41-05.905W | 0         | TR-TY on pile. |
| 51690   | Lake Okeechobee (Rt 2) Daybeacon 69        | 26-48-56.563N<br>080-41-10.556W | 0         | SG-SY on pile. |
| 51695   | Lake Okeechobee (Rt 2) Daybeacon 70        | 26-48-53.029N<br>080-41-19.532W | 0         | TR-TY on pile. |
| 51700   | Lake Okeechobee (Rt 2) Daybeacon 71        | 26-48-44.119N<br>080-41-26.005W | 0         | SG-SY on pile. |
| 51705   | Lake Okeechobee (Rt 2) Daybeacon 72        | 26-48-41.950N<br>080-41-31.603W | 0         | TR-TY on pile. |

|         |                                                |                                 |           |   |   |                 |
|---------|------------------------------------------------|---------------------------------|-----------|---|---|-----------------|
| 51710   | Lake Okeechobee (Rt 2) Daybeacon 74            | 26-48-20.724N<br>080-41-51.503W |           |   |   | TR-TY on pile.  |
| 51713   | Lake Okeechobee (Rt 2) Daybeacon 75            | 26-48-16.566N<br>080-41-48.876W |           |   |   | SG-SY on pile.  |
| 51715   | Lake Okeechobee (Rt 2) Daybeacon 76            | 26-47-46.982N<br>080-41-52.047W | 0         |   |   | TR-TY on pile.  |
| 51715.5 | Lake Okeechobee (Rt 2) Daybeacon 78            | 26-47-42.192N<br>080-41-52.121W | 0         |   |   | TR-TY on pile.  |
| 51720   | Bacom Point Rocks Daybeacon                    | 26-49-13.379N<br>080-41-49.927W | 0         |   |   | NR on pile.     |
| 51725   | Bacom Point Channel Daybeacon 1                | 26-48-06.414N<br>080-43-02.519W |           |   |   | SG on pile.     |
| 51730   | Bacom Point Channel Daybeacon 2                | 26-47-52.975N<br>080-42-43.171W |           |   |   | TR on pile.     |
| 51735   | Bacom Point Channel Daybeacon 3                | 26-47-49.752N<br>080-42-29.816W |           |   |   | SG on pile.     |
| 51740   | Bacom Point Channel Daybeacon 4                | 26-47-41.653N<br>080-42-17.089W | 0         |   |   | TR on pile.     |
| 51745   | Bacom Point Channel Daybeacon 5                | 26-47-39.457N<br>080-42-05.096W | 0         |   |   | SG on pile.     |
| 51755   | Bacom Point Channel Daybeacon 7                | 26-47-36.567N<br>080-41-54.951W | 0         |   |   | SG on pile.     |
| 51760   | Bacom Point Channel Daybeacon 8                | 26-47-35.028N<br>080-41-56.040W |           |   |   | TR on pile.     |
| 51770   | Lake Okeechobee (Rt 2) Daybeacon 80            | 26-47-28.249N<br>080-41-52.579W | 0         |   |   | TR-TY on pile.  |
| 51775   | Lake Okeechobee (Rt 2) Daybeacon 82            | 26-46-53.017N<br>080-41-50.835W | 0         |   |   | TR-TY on pile.  |
| 51780   | Lake Okeechobee (Rt 2) Daybeacon 84            | 26-46-40.489N<br>080-41-44.089W | 0         |   |   | TR-TY on pile.  |
| 51790   | Lake Okeechobee (Rt 2) Daybeacon 88            | 26-46-03.298N<br>080-41-28.591W |           |   |   | TR-TY on pile.  |
| 51795   | Lake Okeechobee (Rt 2) Daybeacon 89            | 26-45-53.010N<br>080-41-23.072W |           |   |   | SG-SY on pile.  |
| 51800   | Lake Okeechobee (Rt 2) Daybeacon 91            | 26-45-06.626N<br>080-41-03.310W | 0         |   |   | SG-SY on pile.  |
| 51805   | Lake Okeechobee (Rt 2) Daybeacon 92            | 26-41-58.873N<br>080-46-54.181W | 0         |   |   | TR-TY on pile.  |
| 51810   | Lake Okeechobee (Rt 2) Daybeacon 92A           | 26-42-21.923N<br>080-49-39.354W | 0         |   |   | TR-TY on pile.  |
| 51820   | Lake Okeechobee (Rt 2) Daybeacon 94            | 26-43-16.282N<br>080-50-32.364W | 0         |   |   | TR-TY on pile.  |
| 51825   | Lake Okeechobee (Rt 2) Daybeacon 96            | 26-43-34.804N<br>080-50-53.262W | 0         |   |   | TR-TY on pile.  |
| 51835   | Lake Okeechobee (Rt 2) Daybeacon 100           | 26-44-27.117N<br>080-52-33.943W |           |   |   | TR-TY on pile.  |
| 51840   | Liberty Point Daybeacon 2                      | 26-48-25.131N<br>080-58-44.528W |           |   |   | TR on pile.     |
| 51845   | Liberty Point Daybeacon 4                      | 26-48-40.090N<br>080-58-58.754W |           |   |   | TR on pile.     |
| 51847   | Liberty Point Daybeacon 6                      | 26-48-56.797N<br>081-00-32.076W | 0         |   |   | TR on pile.     |
| 51849   | Liberty Point Daybeacon 8                      | 26-48-58.379N<br>081-00-36.915W | 0         |   |   | TR on pile.     |
| 51850   | Lake Okeechobee Weather Platform Light D       | 26-57-23.500N<br>080-58-20.000W | FI Y 2.5s |   |   | NY on platform. |
| 51860   | North Lake Shoal Light 2                       | 27-04-57.833N<br>080-47-37.027W | FI R 4s   | 0 | 5 | TR on dolphin.  |
| 51865   | Chancy Bay South Breakwater Obstruction Light  | 27-05-09.585N<br>080-39-46.504W | F R       |   |   | On breakwater.  |
| 51870   | Chancy Bay North Breakwater Obstruction Light  | 27-05-09.885N<br>080-39-46.704W | F R       |   |   | On breakwater.  |
| 51875   | Henry Creek South Breakwater Obstruction Light | 27-09-39.475N<br>080-43-07.409W | F R       |   |   | On breakwater.  |
| 51880   | Henry Creek North Breakwater                   | 27-09-39.875N<br>080-43-08.109W | F R       |   |   | On breakwater.  |

|         |                                          |                                 |           |   |   |                 |
|---------|------------------------------------------|---------------------------------|-----------|---|---|-----------------|
|         | Obstruction Light                        |                                 |           |   |   |                 |
| 51885   | Lake Okeechobee Weather Platform Light C | 27-08-21.300N<br>080-47-20.700W | FI Y 2.5s |   |   | NY on platform. |
| 51890   | Taylor Creek Bar Light 1                 | 27-11-36.396N<br>080-47-38.641W | FI G 4s   | 0 | 5 | SG on dolphin.  |
| 51895   | Taylor Creek Daybeacon 2                 | 27-11-37.162N<br>080-47-35.556W |           | 0 |   | TR on pile.     |
| 51900   | Taylor Creek Daybeacon 3                 | 27-11-54.931N<br>080-47-44.256W |           | 0 |   | SG on pile.     |
| 51905   | Taylor Creek Daybeacon 4                 | 27-11-55.191N<br>080-47-41.046W |           | 0 |   | TR on pile.     |
| 51910   | Taylor Creek Daybeacon 5                 | 27-12-13.614N<br>080-47-48.572W |           | 0 |   | SG on pile.     |
| 51915   | Taylor Creek Daybeacon 6                 | 27-12-14.646N<br>080-47-46.951W |           | 0 |   | TR on pile.     |
| 51920   | Lake Okeechobee Fad Buoy A               | 27-08-48.000N<br>080-49-22.000W |           |   |   | Yellow nun.     |
| 51920.4 | Lake Okeechobee Fad Buoy E               | 26-47-18.000N<br>080-55-00.000W |           |   |   | Yellow nun.     |
| 51920.3 | Lake Okeechobee Fad Buoy D               | 26-46-37.000N<br>080-53-13.000W |           |   |   | Yellow nun.     |
| 51920.2 | Lake Okeechobee Fad Buoy C               | 26-49-32.000N<br>080-40-09.000W |           |   |   | Yellow nun.     |
| 51920.1 | Lake Okeechobee Fad Buoy B               | 27-11-48.000N<br>080-49-46.000W |           |   |   | Yellow nun.     |
| 51930   | Kissimmee River Light 1                  | 27-08-29.163N<br>080-50-46.227W | FI G 4s   | 0 | 5 | SG on pile.     |
| 51935   | Kissimmee River Daybeacon 2              | 27-08-32.115N<br>080-50-46.244W |           | 0 |   | TR on pile.     |
| 51940   | Kissimmee River Daybeacon 4              | 27-08-33.640N<br>080-51-00.055W |           | 0 |   | TR on pile.     |
| 51945   | Okee-Tantie Daybeacon 1                  | 27-08-59.477N<br>080-51-42.421W |           |   |   | SG on pile.     |
| 51950   | Okee-Tantie Daybeacon 2                  | 27-09-00.077N<br>080-51-42.421W |           |   |   | TR on pile.     |
| 51955   | Okee-Tantie Daybeacon 3                  | 27-08-59.577N<br>080-51-46.121W |           |   |   | SG on pile.     |
| 51960   | Okee-Tantie Daybeacon 4                  | 27-09-00.177N<br>080-51-46.121W |           |   |   | TR on pile.     |
| 51965   | Okee-Tantie Daybeacon 5                  | 27-08-59.577N<br>080-51-49.721W |           |   |   | SG on pile.     |
| 51970   | Okee-Tantie Daybeacon 6                  | 27-09-00.177N<br>080-51-49.721W |           |   |   | TR on pile.     |
| 51975   | Buckhead Ridge Canal Light BR            | 27-05-25.184N<br>080-51-29.221W | Mo (A) W  |   |   | MR on pile.     |
| 51980   | Dyess Canal Safewater Light DC           | 26-59-39.198N<br>081-02-59.239W | Mo (A) W  |   |   | MR on pile.     |
| 51985   | Harney Pond Canal Safe Water Light Hp    | 26-58-06.202N<br>081-03-53.240W | Mo (A) W  |   |   | MR on pile.     |
| 51990   | Moore Haven Safe Water Light Mh          | 26-55-06.780N<br>081-04-09.990W | Mo (A) W  |   |   | MR on pile.     |
| 51991   | Harney Pond Canal Entrance Light 1       | 26-57-43.620N<br>081-03-35.280W | FI G 4s   |   |   | SG on pile.     |
| 51991.1 | Harney Pond Canal Entrance Daybeacon 2   | 26-57-48.540N<br>081-03-37.020W |           |   |   | TR on pile.     |
| 51991.2 | Harney Pond Canal Entrance Daybeacon 3   | 26-57-51.900N<br>081-03-41.280W |           |   |   | SG on pile.     |
| 51991.3 | Harney Pond Canal Entrance Daybeacon 4   | 26-57-56.760N<br>081-03-43.140W |           |   |   | TR on pile.     |
| 51991.4 | Harney Pond Canal Entrance Daybeacon 5   | 26-58-00.180N<br>081-03-47.400W |           |   |   | SG on pile.     |
| 51995   | Lake Kissimmee Daybeacon 1               | 27-48-22.460N<br>081-11-47.640W |           |   |   | SG on pile.     |
| 52000   | Lake Kissimmee Daybeacon 2               | 27-48-28.020N<br>081-11-46.080W |           |   |   | TR on pile.     |
| 52005   | Lake Kissimmee Daybeacon 4               | 27-48-43.620N<br>081-12-02.820W |           |   |   | TR on pile.     |
| 52010   | Lake Kissimmee Daybeacon 5               | 27-48-51.240N<br>081-12-21.960W |           |   |   | SG on pile.     |
| 52015   | Lake Kissimmee                           | 27-49-09.300N                   |           |   |   | SG on pile.     |

|       |                                                    |                                 |         |  |     |                |
|-------|----------------------------------------------------|---------------------------------|---------|--|-----|----------------|
|       | Daybeacon 5A                                       | 081-12-24.000W                  |         |  |     |                |
| 52020 | Lake Kissimmee<br>Daybeacon 5B                     | 27-49-45.300N<br>081-12-28.080W |         |  |     | SG on pile.    |
| 52025 | Lake Kissimmee<br>Daybeacon 6                      | 27-50-12.060N<br>081-12-45.840W |         |  |     | TR on pile.    |
| 52030 | Lake Kissimmee<br>Daybeacon 7                      | 27-53-37.083N<br>081-13-41.246W |         |  |     | SG on pile.    |
| 52035 | Lake Kissimmee<br>Daybeacon 8                      | 27-54-34.920N<br>081-17-57.360W |         |  |     | TR on pile.    |
| 52040 | Lake Kissimmee<br>Daybeacon 9                      | 27-56-39.420N<br>081-18-34.740W |         |  |     | SG on pile.    |
| 52045 | Lake Kissimmee-Lake<br>Hatchineha Dir<br>Daybeacon | 27-57-35.077N<br>081-20-34.255W |         |  |     | KRW on pile.   |
| 52048 | Lake Kissimmee<br>Monitoring Station<br>Light A    | 27-49-24.624N<br>081-12-29.917W | FI W 4s |  | 4   |                |
| 52050 | Lake Hatchineha<br>Daybeacon 10                    | 27-59-53.340N<br>081-22-56.760W |         |  |     | TR on pile.    |
| 52055 | Lake Hatchineha<br>Daybeacon 11                    | 28-00-24.300N<br>081-22-55.560W |         |  |     | SG on pile.    |
| 52060 | Lake Hatchineha<br>Daybeacon 13                    | 28-01-00.000N<br>081-22-23.520W |         |  |     | SG on pile.    |
| 52065 | Lake Hatchineha<br>Daybeacon 14                    | 28-01-36.960N<br>081-21-34.560W |         |  |     | TR on pile.    |
| 52070 | Lake Hatchineha<br>Daybeacon 15                    | 28-01-37.740N<br>081-21-34.560W |         |  |     | SG on pile.    |
| 52075 | Cypress Lake<br>Daybeacon 16                       | 28-03-41.700N<br>081-20-13.140W |         |  |     | TR on pile.    |
| 52080 | Cypress Lake<br>Daybeacon 17                       | 28-03-34.880N<br>081-20-13.500W |         |  |     | SG on pile.    |
| 52085 | Cypress Lake<br>Daybeacon 19                       | 28-04-28.320N<br>081-19-49.320W |         |  |     | SG on pile.    |
| 52090 | Cypress Lake<br>Daybeacon 20                       | 28-04-49.063N<br>081-20-20.253W |         |  |     | TR on pile.    |
| 52095 | Cypress Lake<br>Daybeacon 21                       | 28-04-49.020N<br>081-20-20.700W |         |  |     | SG on pile.    |
| 52100 | Cypress Lk-Lk<br>Tohopekaliga Dir<br>Daybeacon     | 28-08-25.057N<br>081-21-05.253W |         |  |     | KRW on pile.   |
| 52102 | Lake Cypress<br>Monitoring Station<br>Light A      | 28-03-31.784N<br>081-20-16.107W | FI W 4s |  | 4   |                |
| 52105 | Lake Tohopekaliga<br>Daybeacon 22                  | 28-11-11.052N<br>081-23-04.255W |         |  |     | TR on pile.    |
| 52110 | Lake Tohopekaliga<br>Daybeacon 24                  | 28-13-16.049N<br>081-23-38.255W |         |  |     | TR on pile.    |
| 52115 | Lake Tohopekaliga<br>Daybeacon 26                  | 28-15-19.045N<br>081-23-44.255W |         |  |     | TR on pile.    |
| 52120 | Lake Tohopekaliga<br>Daybeacon 27                  | 28-15-46.000N<br>081-23-35.000W |         |  |     | SG on pile.    |
| 52125 | Lake Tohopekaliga<br>Daybeacon 29                  | 28-16-16.043N<br>081-23-45.254W |         |  |     | SG on pile.    |
| 52130 | Lake Tohopekaliga<br>Daybeacon 31                  | 28-16-52.041N<br>081-23-28.254W |         |  |     | SG on pile.    |
| 52135 | Lake Tohopekaliga<br>Daybeacon 33                  | 28-17-17.041N<br>081-24-15.255W |         |  |     | SG on pile.    |
| 52140 | Lake Tohopekaliga<br>Light 1                       | 28-17-27.000N<br>081-24-17.500W | FI G 4s |  |     | SG on pile.    |
| 52145 | Lake Tohopekaliga<br>Light 2                       | 28-17-27.000N<br>081-24-15.000W | FI R 4s |  |     | TR on pile.    |
| 52150 | Ortona Daybeacon 1                                 | 26-47-17.194N<br>081-18-42.424W |         |  | 0   | SG-SY on pile. |
| 52155 | Ortona Light 2                                     | 26-47-18.763N<br>081-18-42.533W | Q R     |  | 0 4 | TR-TY on pile. |
| 52160 | Caloosahatchee River<br>Daybeacon 2                | 26-43-31.469N<br>081-42-28.299W |         |  | 0   | TR-TY on pile. |
| 52165 | Caloosahatchee River<br>Daybeacon 5                | 26-43-00.226N<br>081-44-39.070W |         |  | 0   | SG-SY on pile. |
| 52170 | Caloosahatchee River                               | 26-43-02.270N                   |         |  | 0   | TR-TY on pile. |

|         |                                                     |                                 |         |   |   |                |
|---------|-----------------------------------------------------|---------------------------------|---------|---|---|----------------|
|         | Daybeacon 6                                         | 081-45-21.683W                  |         |   |   |                |
| 52175   | Caloosahatchee River<br>Daybeacon 8                 | 26-42-53.870N<br>081-46-02.843W |         | 0 |   | TR-TY on pile. |
| 52180   | Caloosahatchee River<br>Daybeacon 11                | 26-42-12.607N<br>081-46-27.312W |         | 0 |   | SG-SY on pile. |
| 52185   | Caloosahatchee River<br>Light 13                    | 26-41-51.852N<br>081-47-20.996W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 52190   | Caloosahatchee River<br>Daybeacon 15                | 26-41-49.114N<br>081-47-47.443W |         | 0 |   | SG-SY on pile. |
| 52192   | Orange River<br>Daybeacon 2                         | 26-41-42.360N<br>081-47-48.120W |         |   |   | TR on pile.    |
| 52192.1 | Orange River<br>Daybeacon 3                         | 26-41-41.640N<br>081-47-47.040W |         |   |   | SG on pile.    |
| 52192.2 | Orange River<br>Daybeacon 5                         | 26-41-35.560N<br>081-47-46.880W |         |   |   | SG on pile.    |
| 52192.3 | Orange River<br>Daybeacon 7                         | 26-41-32.560N<br>081-47-48.800W |         |   |   | SG on pile.    |
| 52192.4 | Orange River<br>Daybeacon 8                         | 26-41-31.870N<br>081-47-50.220W |         |   |   | TR on pile.    |
| 52192.5 | Orange River<br>Daybeacon 9                         | 26-41-27.370N<br>081-47-48.930W |         |   |   | SG on pile.    |
| 52192.6 | Orange River<br>Daybeacon 11                        | 26-41-20.710N<br>081-47-48.140W |         |   |   | SG on pile.    |
| 52195   | Caloosahatchee River<br>Daybeacon 16                | 26-41-50.179N<br>081-48-17.636W |         | 0 |   | TR-TY on pile. |
| 52200   | Caloosahatchee River<br>Daybeacon 17                | 26-41-44.419N<br>081-48-22.676W |         | 0 |   | SG-SY on pile. |
| 52205   | Caloosahatchee River<br>Daybeacon 18                | 26-41-43.759N<br>081-48-49.856W |         | 0 |   | TR-TY on pile. |
| 52210   | Caloosahatchee River<br>Daybeacon 19                | 26-41-39.573N<br>081-49-00.545W |         | 0 |   | SG-SY on pile. |
| 52215   | Caloosahatchee River<br>Light 20                    | 26-41-41.205N<br>081-49-06.911W | Q R     | 0 | 4 | TR-TY on pile. |
| 52220   | Caloosahatchee River<br>Daybeacon 21                | 26-41-35.101N<br>081-49-08.332W |         | 0 |   | SG-SY on pile. |
| 52225   | Caloosahatchee River<br>Daybeacon 22                | 26-41-28.519N<br>081-49-19.796W |         | 0 |   | TR-TY on pile. |
| 52230   | Caloosahatchee River<br>Daybeacon 23                | 26-41-24.321N<br>081-49-22.391W |         | 0 |   | SG-SY on pile. |
| 52235   | Caloosahatchee River<br>Daybeacon 24                | 26-41-23.150N<br>081-49-26.552W |         | 0 |   | TR-TY on pile. |
| 52240   | Daughtrey Creek<br>Approach Channel<br>Daybeacon 1  | 26-41-28.160N<br>081-49-23.165W |         |   |   | SG on pile.    |
| 52245   | Daughtrey Creek<br>Approach Channel<br>Daybeacon 2  | 26-41-30.470N<br>081-49-22.837W |         |   |   | TR on pile.    |
| 52250   | Daughtrey Creek<br>Approach Channel<br>Daybeacon 3  | 26-41-27.998N<br>081-49-27.740W |         |   |   | SG on pile.    |
| 52255   | Daughtrey Creek<br>Approach Channel<br>Daybeacon 4  | 26-41-29.480N<br>081-49-29.084W |         |   |   | TR on pile.    |
| 52260   | Daughtrey Creek<br>Approach Channel<br>Daybeacon 5  | 26-41-27.213N<br>081-49-32.806W |         |   |   | SG on pile.    |
| 52265   | Daughtrey Creek<br>Approach Channel<br>Daybeacon 6  | 26-41-28.714N<br>081-49-36.926W |         |   |   | TR on pile.    |
| 52270   | Daughtrey Creek<br>Approach Channel<br>Daybeacon 7  | 26-41-25.934N<br>081-49-42.179W |         |   |   | SG on pile.    |
| 52275   | Daughtrey Creek<br>Approach Channel<br>Daybeacon 8  | 26-41-27.781N<br>081-49-45.377W |         |   |   | TR on pile.    |
| 52280   | Daughtrey Creek<br>Approach Channel<br>Daybeacon 9  | 26-41-24.932N<br>081-49-47.003W |         |   |   | SG on pile.    |
| 52285   | Daughtrey Creek<br>Approach Channel<br>Daybeacon 10 | 26-41-27.336N<br>081-49-47.835W |         |   |   | TR on pile.    |

|       |                                                     |                                 |   |                |
|-------|-----------------------------------------------------|---------------------------------|---|----------------|
| 52290 | Daughtrey Creek<br>Approach Channel<br>Daybeacon 12 | 26-41-24.829N<br>081-49-53.933W |   | TR on pile.    |
| 52295 | Daughtrey Creek<br>Entrance Channel<br>Daybeacon 1  | 26-41-28.353N<br>081-49-47.296W |   | SG on pile.    |
| 52300 | Daughtrey Creek<br>Entrance Channel<br>Daybeacon 2  | 26-41-28.520N<br>081-49-46.587W |   | TR on pile.    |
| 52305 | Daughtrey Creek<br>Entrance Channel<br>Daybeacon 4  | 26-41-31.004N<br>081-49-46.574W |   | TR on pile.    |
| 52310 | Daughtrey Creek<br>Entrance Channel<br>Daybeacon 5  | 26-41-32.047N<br>081-49-46.989W |   | SG on pile.    |
| 52315 | Daughtrey Creek<br>Entrance Channel<br>Daybeacon 6  | 26-41-32.883N<br>081-49-46.538W |   | TR on pile.    |
| 52320 | Daughtrey Creek<br>Entrance Channel<br>Daybeacon 8  | 26-41-34.959N<br>081-49-46.201W |   | TR on pile.    |
| 52325 | Caloosahatchee River<br>Daybeacon 25                | 26-41-06.777N<br>081-49-45.251W | 0 | SG-SY on pile. |
| 52330 | Caloosahatchee River<br>Daybeacon 26                | 26-41-07.367N<br>081-49-47.382W | 0 | TR-TY on pile. |
| 52335 | Caloosahatchee River<br>Daybeacon 27                | 26-40-53.948N<br>081-50-01.555W | 0 | SG-SY on pile. |
| 52340 | Caloosahatchee River<br>Daybeacon 28                | 26-40-55.115N<br>081-50-02.952W | 0 | TR-TY on pile. |
| 52345 | Caloosahatchee River<br>Daybeacon 29                | 26-40-41.779N<br>081-50-17.396W | 0 | SG-SY on pile. |
| 52350 | Caloosahatchee River<br>Daybeacon 30                | 26-40-42.679N<br>081-50-19.136W | 0 | TR-TY on pile. |
| 52355 | Admiralty Yacht Club<br>Daybeacon 2                 | 26-40-46.222N<br>081-50-50.191W |   | TR on pile.    |
| 52360 | Admiralty Yacht Club<br>Daybeacon 3                 | 26-40-53.254N<br>081-50-58.307W |   | SG on pile.    |
| 52365 | Admiralty Yacht Club<br>Daybeacon 4                 | 26-40-53.254N<br>081-50-55.307W |   | TR on pile.    |
| 52370 | Admiralty Yacht Club<br>Daybeacon 5                 | 26-40-56.254N<br>081-50-59.307W |   | SG on pile.    |
| 52375 | Admiralty Yacht Club<br>Daybeacon 6                 | 26-40-56.254N<br>081-50-57.307W |   | TR on pile.    |
| 52380 | Admiralty Yacht Club<br>Daybeacon 7                 | 26-40-58.254N<br>081-51-00.307W |   | SG on pile.    |
| 52385 | Admiralty Yacht Club<br>Daybeacon 8                 | 26-40-58.254N<br>081-50-58.307W |   | TR on pile.    |
| 52390 | Admiralty Yacht Club<br>Daybeacon 9                 | 26-41-01.253N<br>081-51-02.307W |   | SG on pile.    |
| 52395 | Admiralty Yacht Club<br>Daybeacon 10                | 26-41-01.253N<br>081-49-59.305W |   | TR on pile.    |
| 52400 | Admiralty Yacht Club<br>Daybeacon 12                | 26-41-03.253N<br>081-51-00.307W |   | TR on pile.    |
| 52410 | Caloosahatchee River<br>Daybeacon 31                | 26-40-26.663N<br>081-50-37.068W | 0 | SG-SY on pile. |
| 52415 | Caloosahatchee River<br>Daybeacon 32                | 26-40-28.035N<br>081-50-38.117W | 0 | TR-TY on pile. |
| 52420 | Indian Creek<br>Daybeacon 1                         | 26-40-18.355N<br>081-50-58.107W |   | SG on pile.    |
| 52425 | Indian Creek<br>Daybeacon 1A                        | 26-40-17.000N<br>081-50-56.000W |   | SG on pile.    |
| 52430 | Indian Creek<br>Daybeacon 2                         | 26-40-19.055N<br>081-50-57.207W |   | TR on pile.    |
| 52435 | Indian Creek<br>Daybeacon 4                         | 26-40-26.355N<br>081-51-05.507W |   | TR on pile.    |
| 52440 | Indian Creek<br>Daybeacon 5                         | 26-40-37.755N<br>081-51-16.107W |   | SG on pile.    |
| 52445 | Indian Creek<br>Daybeacon 6                         | 26-40-38.154N<br>081-51-15.807W |   | TR on pile.    |
| 52450 | Indian Creek<br>Daybeacon 7                         | 26-40-38.254N<br>081-51-17.007W |   | SG on pile.    |

|       |                                                    |                                 |         |   |   |                |
|-------|----------------------------------------------------|---------------------------------|---------|---|---|----------------|
| 52455 | Indian Creek<br>Daybeacon 8                        | 26-40-38.654N<br>081-51-16.807W |         |   |   | TR on pile.    |
| 52460 | Indian Creek<br>Daybeacon 9                        | 26-40-38.754N<br>081-51-18.007W |         |   |   | SG on pile.    |
| 52465 | Indian Creek<br>Daybeacon 10                       | 26-40-39.154N<br>081-51-17.707W |         |   |   | TR on pile.    |
| 52470 | Caloosahatchee River<br>Daybeacon 33               | 26-40-13.459N<br>081-50-53.936W |         | 0 |   | SG-SY on pile. |
| 52475 | Caloosahatchee River<br>Daybeacon 34               | 26-40-15.079N<br>081-50-54.896W |         | 0 |   | TR-TY on pile. |
| 52480 | Old Bridge Park E<br>Channel Daybeacon 1           | 26-40-03.200N<br>081-51-31.700W |         |   |   | SG on pile.    |
| 52485 | Old Bridge Park E<br>Channel Daybeacon 2           | 26-40-03.800N<br>081-51-30.200W |         |   |   | TR on pile.    |
| 52490 | Old Bridge Park E<br>Channel Daybeacon<br>1A       | 26-40-09.056N<br>081-51-34.208W |         |   |   | SG on pile.    |
| 52495 | Old Bridge Park E<br>Channel Daybeacon<br>2A       | 26-40-09.056N<br>081-51-32.608W |         |   |   | TR on pile.    |
| 52500 | Old Bridge Park E<br>Channel Junction<br>Daybeacon | 26-40-14.056N<br>081-51-34.208W |         |   |   | JR on pile.    |
| 52505 | Old Bridge Park E<br>Channel Daybeacon 4           | 26-40-14.056N<br>081-51-32.608W |         |   |   | TR on pile.    |
| 52510 | Old Bridge Park E<br>Channel Daybeacon 7           | 26-40-20.200N<br>081-51-33.700W |         |   |   | SG on pile.    |
| 52515 | Old Bridge Park E<br>Channel Daybeacon 8           | 26-40-20.200N<br>081-51-32.000W |         |   |   | TR on pile.    |
| 52520 | Old Bridge Park E<br>Channel Daybeacon 9           | 26-40-26.300N<br>081-51-33.400W |         |   |   | SG on pile.    |
| 52525 | Old Bridge Park E<br>Channel Daybeacon 10          | 26-40-26.200N<br>081-51-31.600W |         |   |   | TR on pile.    |
| 52535 | Old Bridge Park E<br>Channel Daybeacon 12          | 26-40-32.200N<br>081-51-31.200W |         |   |   | TR on pile.    |
| 52540 | Old Bridge Park E<br>Channel Daybeacon 13          | 26-40-40.054N<br>081-51-32.708W |         |   |   | SG on pile.    |
| 52545 | Old Bridge Park E<br>Channel Daybeacon 14          | 26-40-40.054N<br>081-51-31.108W |         |   |   | TR on pile.    |
| 52550 | Old Bridge Park West<br>Channel Daybeacon 3        | 26-40-13.556N<br>081-51-35.808W |         |   |   | SG on pile.    |
| 52555 | Old Bridge Park West<br>Channel Daybeacon 5        | 26-40-17.255N<br>081-51-38.608W |         |   |   | SG on pile.    |
| 52560 | Old Bridge Park West<br>Channel Daybeacon 6        | 26-40-17.955N<br>081-51-37.208W |         |   |   | TR on pile.    |
| 52565 | Old Bridge Park West<br>Channel Daybeacon 7        | 26-40-20.955N<br>081-51-41.408W |         |   |   | SG on pile.    |
| 52570 | Old Bridge Park West<br>Channel Daybeacon 8        | 26-40-21.855N<br>081-51-40.108W |         |   |   | TR on pile.    |
| 52575 | Old Bridge Park West<br>Channel Daybeacon 9        | 26-40-24.655N<br>081-51-44.208W |         |   |   | SG on pile.    |
| 52585 | Old Bridge Park West<br>Channel Daybeacon 11       | 26-40-28.355N<br>081-51-47.108W |         |   |   | SG on pile.    |
| 52590 | Old Bridge Park West<br>Channel Daybeacon 12       | 26-40-29.255N<br>081-51-45.708W |         |   |   | TR on pile.    |
| 52595 | Caloosahatchee River<br>Daybeacon 35               | 26-39-56.560N<br>081-51-16.116W |         | 0 |   | SG-SY on pile. |
| 52600 | Caloosahatchee River<br>Daybeacon 36               | 26-39-58.473N<br>081-51-16.661W |         | 0 |   | TR-TY on pile. |
| 52605 | Caloosahatchee River<br>Light 37                   | 26-39-42.408N<br>081-51-31.037W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 52610 | Caloosahatchee River<br>Daybeacon 38               | 26-39-43.442N<br>081-51-33.087W |         | 0 |   | TR-TY on pile. |
| 52615 | Powell Creek<br>Daybeacon 1                        | 25-40-49.394N<br>081-52-33.340W |         |   |   | SG on pile.    |
| 52620 | Powell Creek<br>Daybeacon 2                        | 26-40-49.254N<br>081-52-33.309W |         |   |   | TR on pile.    |
| 52625 | Caloosahatchee River<br>Daybeacon 39               | 26-39-22.693N<br>081-51-46.649W |         | 0 |   | SG-SY on pile. |
| 52630 | Caloosahatchee River<br>Daybeacon 40               | 26-39-20.824N<br>081-51-51.471W |         | 0 |   | TR-TY on pile. |

|         |                                                  |                                 |           |   |   |                                                                                |
|---------|--------------------------------------------------|---------------------------------|-----------|---|---|--------------------------------------------------------------------------------|
| 52635   | Caloosahatchee River Daybeacon 41                | 26-39-12.642N<br>081-51-56.068W |           | 0 |   | SG-SY on pile.                                                                 |
| 52636   | SFWMD Monitoring Platform Light A                | 26-39-07.260N<br>081-52-09.290W | FI W 4s   |   |   | NW on pile worded 'NO TRESPASSING ON THIS STATION NO MOORING TO THIS STATION.' |
| 52640   | Ft Myers Yacht Basin Breakwater Light            | 26-38-56.259N<br>081-52-05.809W | F W       |   |   | NW on pile worded DANGER BREAKWATER.                                           |
| 52641   | Caloosahatchee River Mooring Channel Daybeacon 1 | 26-15-16.200N<br>081-25-55.600W |           |   |   | SG on pile.                                                                    |
| 52642   | Caloosahatchee River Mooring Channel Daybeacon 2 | 26-15-16.800N<br>081-25-55.100W |           |   |   | TR on pile.                                                                    |
| 52643   | Caloosahatchee River Mooring Channel Daybeacon 3 | 26-39-05.700N<br>081-52-14.200W |           |   |   | SG on pile.                                                                    |
| 52644.2 | Caloosahatchee River Mooring Channel Daybeacon 6 | 26-15-13.400N<br>081-25-49.500W |           |   |   | TR on pile.                                                                    |
| 52644.1 | Caloosahatchee River Mooring Channel Daybeacon 5 | 26-15-12.800N<br>081-25-49.900W |           |   |   | SG on pile.                                                                    |
| 52644   | Caloosahatchee River Mooring Channel Daybeacon 4 | 26-15-15.100N<br>081-25-52.300W |           |   |   | TR on pile.                                                                    |
| 52645   | Ft Myers Yacht Basin Breakwater West Light       | 26-38-51.169N<br>081-52-16.679W | FI W 2.5s |   |   | NW on pile worded DANGER BREAKWATER.                                           |
| 52650   | Caloosahatchee River Light 49                    | 26-38-34.449N<br>081-52-46.331W | FI G 2.5s | 0 | 5 | SG-SY on pile.                                                                 |
| 52655   | Marinatown Daybeacon 1                           | 26-38-32.060N<br>081-52-59.611W |           |   |   | SG and NL on pile; NL worded MARINATOWN.                                       |
| 52660   | Marinatown Daybeacon 2                           | 26-38-32.960N<br>081-52-57.711W |           |   |   | TR on pile.                                                                    |
| 52665   | Marinatown Daybeacon 3                           | 26-38-43.760N<br>081-53-06.011W |           |   |   | SG on pile.                                                                    |
| 52670   | Marinatown Daybeacon 4                           | 26-38-44.660N<br>081-53-04.011W |           |   |   | TR on pile.                                                                    |
| 52675   | Marinatown Daybeacon 5                           | 26-38-49.760N<br>081-53-10.811W |           |   |   | SG on pile.                                                                    |
| 52680   | Marinatown Daybeacon 6                           | 26-38-50.759N<br>081-53-09.711W |           |   |   | TR on pile.                                                                    |
| 52685   | Marinatown Daybeacon 7                           | 26-38-56.259N<br>081-53-15.911W |           |   |   | SG on pile.                                                                    |
| 52690   | Marinatown Daybeacon 8                           | 26-38-56.759N<br>081-53-15.111W |           |   |   | TR on pile.                                                                    |
| 52695   | Marinatown Daybeacon 9                           | 26-38-59.859N<br>081-53-20.111W |           |   |   | SG on pile.                                                                    |
| 52700   | Marinatown Daybeacon 10                          | 26-39-00.359N<br>081-53-19.411W |           |   |   | TR on pile.                                                                    |
| 52705   | Marinatown Daybeacon 11                          | 26-39-03.159N<br>081-53-23.811W |           |   |   | SG on pile.                                                                    |
| 52710   | Marinatown Daybeacon 12                          | 26-39-03.759N<br>081-53-23.211W |           |   |   | TR on pile.                                                                    |
| 52715   | Marinatown Daybeacon 13                          | 26-39-08.059N<br>081-53-29.411W |           |   |   | SG on pile.                                                                    |
| 52720   | Marinatown Daybeacon 14                          | 26-39-08.659N<br>081-53-28.811W |           |   |   | TR on pile.                                                                    |
| 52725   | Marinatown Daybeacon 15                          | 26-39-12.459N<br>081-53-34.411W |           |   |   | SG on pile.                                                                    |
| 52730   | Marinatown Daybeacon 16                          | 26-39-12.959N<br>081-53-33.811W |           |   |   | TR on pile.                                                                    |
| 52735   | Marinatown Daybeacon 17                          | 26-39-15.359N<br>081-53-37.911W |           |   |   | SG on pile.                                                                    |
| 52740   | Marinatown Daybeacon 18                          | 26-39-16.159N<br>081-53-37.311W |           |   |   | TR on pile.                                                                    |
| 52745   | Marinatown Daybeacon 19                          | 26-39-17.558N<br>081-53-38.611W |           |   |   | SG on pile.                                                                    |
| 52750   | Marinatown Daybeacon 20                          | 26-39-17.358N<br>081-53-37.811W |           |   |   | TR on pile.                                                                    |
| 52755   | Marinatown Daybeacon 21                          | 26-39-20.958N<br>081-53-37.511W |           |   |   | SG on pile.                                                                    |



|         |                                              |                                 |           |   |   |                |
|---------|----------------------------------------------|---------------------------------|-----------|---|---|----------------|
| 52760   | Marinatown<br>Daybeacon 22                   | 26-39-20.358N<br>081-53-36.211W |           |   |   | TR on pile.    |
| 52765   | Marinatown<br>Daybeacon 23                   | 26-39-24.458N<br>081-53-34.811W |           |   |   | SG on pile.    |
| 52770   | Marinatown<br>Daybeacon 24                   | 26-39-23.258N<br>081-53-34.611W |           |   |   | TR on pile.    |
| 52775   | Marinatown<br>Daybeacon 25                   | 26-39-28.658N<br>081-53-38.411W |           |   |   | SG on pile.    |
| 52780   | Marinatown<br>Daybeacon 26                   | 26-39-27.458N<br>081-53-36.711W |           |   |   | TR on pile.    |
| 52785   | Royal Palm Yacht Club<br>Channel Daybeacon 1 | 26-38-22.861N<br>081-53-04.711W |           |   |   | SG on pile.    |
| 52790   | Royal Palm Yacht Club<br>Channel Daybeacon 2 | 26-38-20.461N<br>081-53-06.511W |           |   |   | TR on pile.    |
| 52795   | Royal Palm Yacht Club<br>Channel Daybeacon 3 | 26-38-18.461N<br>081-52-59.811W |           |   |   | SG on pile.    |
| 52800   | Royal Palm Yacht Club<br>Channel Daybeacon 4 | 26-38-17.461N<br>081-53-02.311W |           |   |   | TR on pile.    |
| 52805   | Royal Palm Yacht Club<br>Channel Daybeacon 5 | 26-38-17.261N<br>081-52-59.311W |           |   |   | SG on pile.    |
| 52810   | Royal Palm Yacht Club<br>Channel Daybeacon 6 | 26-38-15.261N<br>081-53-00.511W |           |   |   | TR on pile.    |
| 52815   | Caloosahatchee River<br>Light 52             | 26-38-29.433N<br>081-52-58.344W | FI R 2.5s | 0 | 5 | TR-TY on pile. |
| 52820   | Caloosahatchee River<br>Light 54             | 26-38-11.853N<br>081-53-18.987W | FI R 4s   | 0 | 5 | TR-TY on pile. |
| 52821   | Caloosa Isle Marina<br>Daybeacon 1           | 26-37-58.200N<br>081-53-33.480W |           |   |   | SG on pile.    |
| 52821.2 | Caloosa Isle Marine<br>Daybeacon 2           | 26-38-00.420N<br>081-53-32.100W |           |   |   | TR on pile.    |
| 52821.4 | Caloosa Isle Marina<br>Daybeacon 3           | 26-38-00.300N<br>081-53-40.980W |           |   |   | SG on pile.    |
| 52821.6 | Caloosa Isle Marina<br>Daybeacon 4           | 26-38-01.980N<br>081-53-41.640W |           |   |   | TR on pile.    |
| 52821.8 | Caloosa Isle Marina<br>Daybeacon 5           | 26-38-02.880N<br>081-53-47.520W |           |   |   | SG on pile.    |
| 52822   | Caloosa Isle Marina<br>Daybeacon 6           | 26-38-05.400N<br>081-53-49.140W |           |   |   | TR on pile.    |
| 52822.2 | Caloosa Isle Marina<br>Daybeacon 7           | 26-38-05.580N<br>081-54-55.260W |           |   |   | SG on pile.    |
| 52822.4 | Caloosa Isle Marina<br>Daybeacon 8           | 26-38-06.240N<br>081-53-56.040W |           |   |   | TR on pile.    |
| 52822.6 | Caloosa Isle Marina<br>Daybeacon 9           | 26-38-08.040N<br>081-54-06.300W |           |   |   | SG on pile.    |
| 52822.8 | Caloosa Isle Marina<br>Daybeacon 10          | 26-38-09.300N<br>081-54-06.780W |           |   |   | TR on pile.    |
| 52823   | Caloosa Isle Marina<br>Daybeacon 11          | 26-38-10.320N<br>081-54-12.960W |           |   |   | SG on pile.    |
| 52823.2 | Caloosa Isle Marina<br>Daybeacon 12          | 26-38-11.220N<br>081-54-12.780W |           |   |   | TR on pile.    |
| 52823.4 | Caloosa Isle Marina<br>Daybeacon 13          | 26-38-12.240N<br>081-54-16.260W |           |   |   | SG on pile.    |
| 52823.6 | Caloosa Isle Marina<br>Daybeacon 14          | 26-38-12.840N<br>081-54-15.060W |           |   |   | TR on pile.    |
| 52823.8 | Caloosa Isle Marina<br>Daybeacon 15          | 26-38-14.040N<br>081-54-19.920W |           |   |   | SG on pile.    |
| 52824   | Caloosa Isle Marina<br>Daybeacon 16          | 26-38-15.120N<br>081-54-20.700W |           |   |   | TR on pile.    |
| 52824.2 | Caloosa Isle Marina<br>Daybeacon 17          | 26-38-15.480N<br>081-54-24.720W |           |   |   | SG on pile.    |
| 52824.3 | Caloosa Isle Marina<br>Daybeacon 18          | 26-38-16.200N<br>081-54-24.600W |           |   |   | TR on pile.    |
| 52824.4 | Caloosa Isle Marina<br>Daybeacon 19          | 26-38-15.780N<br>081-54-25.920W |           |   |   | SG on pile.    |
| 52824.6 | Caloosa Isle Marina<br>Daybeacon 20          | 26-38-16.800N<br>081-54-26.280W |           |   |   | TR on pile.    |
| 52824.8 | Caloosa Isle Marina<br>Daybeacon 21          | 26-38-17.460N<br>081-54-27.360W |           |   |   | SG on pile.    |
| 52825   | Gulf Acres Channel<br>Daybeacon 1            | 26-37-59.800N<br>081-54-24.100W |           |   |   | SG on pile.    |

|         |                                         |                                 |     |   |   |                |
|---------|-----------------------------------------|---------------------------------|-----|---|---|----------------|
| 52830   | Gulf Acres Channel<br>Daybeacon 2       | 26-38-00.000N<br>081-54-24.100W |     |   |   | TR on pile.    |
| 52835   | Gulf Acres Channel<br>Daybeacon 3       | 26-37-59.500N<br>081-54-30.000W |     |   |   | SG on pile.    |
| 52840   | Gulf Acres Channel<br>Daybeacon 4       | 26-38-00.100N<br>081-54-30.000W |     |   |   | TR on pile.    |
| 52845   | Gulf Acres Channel<br>Daybeacon 5       | 26-38-01.500N<br>081-54-36.100W |     |   |   | SG on pile.    |
| 52850   | Gulf Acres Channel<br>Daybeacon 6       | 26-38-03.000N<br>081-54-36.200W |     |   |   | TR on pile.    |
| 52855   | Gulf Acres Channel<br>Daybeacon 7       | 26-38-02.560N<br>081-54-42.000W |     |   |   | SG on pile.    |
| 52860   | Gulf Acres Channel<br>Daybeacon 8       | 26-38-03.000N<br>081-54-41.859W |     |   |   | TR on pile.    |
| 52870   | Gulf Acres Channel<br>Daybeacon 9       | 26-38-05.800N<br>081-54-40.000W |     |   |   | SG on pile.    |
| 52875   | Gulf Acres Channel<br>Daybeacon 10      | 26-38-05.000N<br>081-54-38.450W |     |   |   | TR on pile.    |
| 52880   | Gulf Acres Channel<br>Daybeacon 12      | 26-38-06.200N<br>081-54-37.000W |     |   |   | TR on pile.    |
| 52885   | Gulf Acres Channel<br>Daybeacon 13      | 26-38-08.000N<br>081-54-37.403W |     |   |   | SG on pile.    |
| 52890   | Gulf Acres Channel<br>Daybeacon 14      | 26-38-09.000N<br>081-54-36.828W |     |   |   | TR on pile.    |
| 52892   | Gulf Acres South<br>Channel Daybeacon 1 | 26-37-55.110N<br>081-54-40.100W |     |   |   | SG on pile.    |
| 52892.1 | Gulf Acres South<br>Channel Daybeacon 2 | 26-37-55.960N<br>081-54-39.600W |     |   |   | TR on pile.    |
| 52892.2 | Gulf Acres South<br>Channel Daybeacon 3 | 26-37-56.320N<br>081-54-42.530W |     |   |   | SG on pile.    |
| 52892.3 | Gulf Acres South<br>Channel Daybeacon 4 | 26-37-57.170N<br>081-54-42.010W |     |   |   | TR on pile.    |
| 52892.4 | Gulf Acres South<br>Channel Daybeacon 5 | 26-37-57.520N<br>081-54-44.940W |     |   |   | SG on pile.    |
| 52892.5 | Gulf Acres South<br>Channel Daybeacon 6 | 26-37-58.380N<br>081-54-44.400W |     |   |   | TR on pile.    |
| 52895   | Caloosahatchee River<br>Light 56        | 26-37-46.233N<br>081-53-34.139W | Q R | 0 | 4 | TR-TY on pile. |
| 52905   | Caloosahatchee River<br>Daybeacon 58    | 26-37-22.607N<br>081-53-41.760W |     | 0 |   | TR-TY on pile. |
| 52910   | Paradise Yacht Club<br>Daybeacon 1      | 26-37-23.163N<br>081-53-44.812W |     |   |   | SG on pile.    |
| 52915   | Paradise Yacht Club<br>Daybeacon 2      | 26-37-25.763N<br>081-53-44.312W |     |   |   | TR on pile.    |
| 52920   | Paradise Yacht Club<br>Daybeacon 3      | 26-37-23.463N<br>081-54-02.313W |     |   |   | SG on pile.    |
| 52925   | Paradise Yacht Club<br>Daybeacon 4      | 26-37-24.763N<br>081-54-02.313W |     |   |   | TR on pile.    |
| 52930   | Paradise Yacht Club<br>Daybeacon 5      | 26-37-22.800N<br>081-54-18.000W |     |   |   | SG on pile.    |
| 52935   | Paradise Yacht Club<br>Daybeacon 6      | 26-37-24.763N<br>081-54-18.613W |     |   |   | TR on pile.    |
| 52940   | Paradise Yacht Club<br>Daybeacon 7      | 26-37-21.000N<br>081-54-34.150W |     |   |   | SG on pile.    |
| 52945   | Paradise Yacht Club<br>Daybeacon 8      | 26-37-23.063N<br>081-54-34.314W |     |   |   | TR on pile.    |
| 52950   | Paradise Yacht Club<br>Daybeacon 9      | 26-37-21.000N<br>081-54-43.000W |     |   |   | SG on pile.    |
| 52955   | Paradise Yacht Club<br>Daybeacon 10     | 26-37-24.763N<br>081-54-50.314W |     |   |   | TR on pile.    |
| 52960   | Paradise Yacht Club<br>Daybeacon 11     | 26-37-23.763N<br>081-54-50.514W |     |   |   | SG on pile.    |
| 52965   | Paradise Yacht Club<br>Daybeacon 12     | 26-37-28.563N<br>081-54-53.214W |     |   |   | TR on pile.    |
| 52970   | Paradise Yacht Club<br>Daybeacon 13     | 26-37-28.763N<br>081-54-54.814W |     |   |   | SG on pile.    |
| 52975   | Paradise Yacht Club<br>Daybeacon 14     | 26-37-32.263N<br>081-54-57.014W |     |   |   | TR on pile.    |
| 52980   | Paradise Yacht Club<br>Daybeacon 15     | 26-37-30.763N<br>081-54-56.314W |     |   |   | SG on pile.    |
| 52985   | Paradise Yacht Club                     | 26-37-35.263N                   |     |   |   | TR on pile.    |

|         |                                          |                                 |                  |
|---------|------------------------------------------|---------------------------------|------------------|
|         | Daybeacon 16                             | 081-54-59.314W                  |                  |
| 52990   | Paradise Yacht Club<br>Daybeacon 17      | 26-37-34.963N<br>081-55-00.814W | SG on pile.      |
| 52995   | Paradise Yacht Club<br>Daybeacon 18      | 26-37-38.263N<br>081-55-00.314W | TR on pile.      |
| 53000   | Paradise Yacht Club<br>Daybeacon 19      | 26-37-37.063N<br>081-55-01.514W | SG on pile.      |
| 53005   | Caloosahatchee River<br>Daybeacon 60     | 26-36-57.857N<br>081-53-49.263W | 0 TR-TY on pile. |
| 53008   | Everest Waterway<br>Daybeacon 1          | 26-36-00.540N<br>081-54-19.800W | SG on pile.      |
| 53008.1 | Everest Waterway<br>Daybeacon 2          | 26-36-00.900N<br>081-54-19.400W | TR on pile.      |
| 53008.2 | Everest Waterway<br>Daybeacon 4          | 26-36-04.150N<br>081-54-23.620W | TR on pile.      |
| 53008.3 | Everest Waterway<br>Daybeacon 5          | 26-36-05.470N<br>081-54-26.060W | SG on pile.      |
| 53008.4 | Everest Waterway<br>Daybeacon 6          | 26-36-07.320N<br>081-54-27.900W | TR on pile.      |
| 53008.5 | Everest Waterway<br>Daybeacon 7          | 26-36-08.640N<br>081-54-30.240W | SG on pile.      |
| 53008.6 | Everest Waterway<br>Daybeacon 8          | 26-36-10.490N<br>081-54-32.090W | TR on pile.      |
| 53008.7 | Everest Waterway<br>Daybeacon 9          | 26-36-11.880N<br>081-54-34.560W | SG on pile.      |
| 53008.8 | Everest Waterway<br>Daybeacon 10         | 26-36-13.840N<br>081-54-36.520W | TR on pile.      |
| 53008.9 | Everest Waterway<br>Daybeacon 12         | 26-36-15.900N<br>081-54-40.980W | TR on pile.      |
| 53009   | Everest Waterway<br>Daybeacon 13         | 26-36-16.260N<br>081-54-42.870W | SG on pile.      |
| 53009.1 | Everest Waterway<br>Junction Daybeacon A | 26-36-19.030N<br>081-54-44.160W | NG on pile.      |
| 53010   | Cape Coral Rim<br>Channel Daybeacon 1    | 26-36-27.366N<br>081-54-49.514W | SG on pile.      |
| 53015   | Cape Coral Rim<br>Channel Daybeacon 3    | 26-36-19.466N<br>081-54-49.614W | SG on pile.      |
| 53020   | Cape Coral Rim<br>Channel Daybeacon 5    | 26-36-11.967N<br>081-54-43.315W | SG on pile.      |
| 53025   | Cape Coral Rim<br>Channel Daybeacon 7    | 26-36-06.367N<br>081-54-52.414W | SG on pile.      |
| 53030   | Cape Coral Rim<br>Channel Daybeacon 9    | 26-36-01.267N<br>081-55-02.515W | SG on pile.      |
| 53035   | Cape Coral Rim<br>Channel Daybeacon 11   | 26-35-56.567N<br>081-55-13.115W | SG on pile.      |
| 53040   | Cape Coral Rim<br>Channel Daybeacon 11A  | 26-36-02.269N<br>081-55-09.315W | SG on pile.      |
| 53045   | Cape Coral Rim<br>Channel Daybeacon 13   | 26-35-50.967N<br>081-55-20.715W | SG on pile.      |
| 53050   | Cape Coral Rim<br>Channel Daybeacon 15   | 26-35-41.668N<br>081-55-24.816W | SG on pile.      |
| 53055   | Cape Coral Rim<br>Channel Daybeacon 17   | 26-35-33.768N<br>081-55-29.416W | SG on pile.      |
| 53060   | Cape Coral Rim<br>Channel Daybeacon 19   | 26-35-30.468N<br>081-55-29.416W | SG on pile.      |
| 53065   | Cape Coral Rim<br>Channel Daybeacon 21   | 26-35-10.169N<br>081-55-24.616W | SG on pile.      |
| 53070   | Cape Coral Rim<br>Channel Daybeacon 23   | 26-35-05.969N<br>081-55-27.016W | SG on pile.      |
| 53075   | Cape Coral Rim<br>Channel Daybeacon 25   | 26-35-01.270N<br>081-55-28.016W | SG on pile.      |
| 53080   | Cape Coral Rim<br>Channel Daybeacon 27   | 26-34-55.670N<br>081-55-29.916W | SG on pile.      |
| 53085   | Cape Coral Rim<br>Channel Daybeacon 29   | 26-34-49.770N<br>081-55-45.316W | SG on pile.      |
| 53090   | Cape Coral Rim                           | 26-34-41.370N                   | SG on pile.      |

|                                     |                                        |                                 |             |
|-------------------------------------|----------------------------------------|---------------------------------|-------------|
| Channel Daybeacon 31 081-55-50.917W |                                        |                                 |             |
| 53095                               | Cape Coral Rim<br>Channel Daybeacon 33 | 26-34-35.871N<br>081-55-49.517W | SG on pile. |
| 53100                               | Cape Coral Rim<br>Channel Daybeacon 35 | 26-34-28.471N<br>081-55-46.617W | SG on pile. |
| 53105                               | Cape Coral Rim<br>Channel Daybeacon 37 | 26-34-23.471N<br>081-55-46.717W | SG on pile. |
| 53110                               | Cape Coral Rim<br>Channel Daybeacon 39 | 26-34-20.271N<br>081-55-48.117W | SG on pile. |
| 53115                               | Cape Coral Rim<br>Channel Daybeacon 41 | 26-34-47.970N<br>081-55-45.116W | SG on pile. |
| 53120                               | Cape Coral Rim<br>Channel Daybeacon 43 | 26-34-43.470N<br>081-55-49.117W | SG on pile. |
| 53125                               | Cape Coral Rim<br>Channel Daybeacon 45 | 26-34-35.071N<br>081-55-51.117W | SG on pile. |
| 53130                               | Cape Coral Rim<br>Channel Daybeacon 47 | 26-34-30.471N<br>081-55-49.217W | SG on pile. |
| 53135                               | Cape Coral Rim<br>Channel Daybeacon 48 | 26-34-26.271N<br>081-55-49.317W | TR on pile. |
| 53140                               | Cape Coral Rim<br>Channel Daybeacon 49 | 26-34-00.072N<br>081-56-01.017W | SG on pile. |
| 53145                               | Cape Coral Rim<br>Channel Daybeacon 50 | 26-34-24.271N<br>081-55-48.017W | TR on pile. |
| 53150                               | Cape Coral Rim<br>Channel Daybeacon 51 | 26-33-58.372N<br>081-56-02.617W | SG on pile. |
| 53155                               | Cape Coral Rim<br>Channel Daybeacon 52 | 26-34-36.271N<br>081-54-54.315W | TR on pile. |
| 53160                               | Cape Coral Rim<br>Channel Daybeacon 53 | 26-33-56.372N<br>081-56-03.717W | SG on pile. |
| 53165                               | Cape Coral Rim<br>Channel Daybeacon 55 | 26-33-54.272N<br>081-56-04.317W | SG on pile. |
| 53170                               | Cape Coral Rim<br>Channel Daybeacon 57 | 26-33-52.173N<br>081-56-05.717W | SG on pile. |
| 53175                               | Cape Coral Rim<br>Channel Daybeacon 59 | 26-33-51.473N<br>081-56-06.517W | SG on pile. |
| 53180                               | Cape Coral Rim<br>Channel Daybeacon 61 | 26-33-49.873N<br>081-56-03.117W | SG on pile. |
| 53185                               | Cape Coral Rim<br>Channel Daybeacon 63 | 26-33-49.773N<br>081-56-00.817W | SG on pile. |
| 53190                               | Cape Coral Rim<br>Channel Daybeacon 65 | 26-33-49.773N<br>081-55-59.117W | SG on pile. |
| 53195                               | Cape Coral Rim<br>Channel Daybeacon 67 | 26-33-51.473N<br>081-55-57.917W | SG on pile. |
| 53200                               | Cape Coral Rim<br>Channel Daybeacon 69 | 26-33-53.672N<br>081-56-05.357W | SG on pile. |
| 53205                               | Cape Coral Rim<br>Channel Daybeacon 71 | 26-33-52.873N<br>081-56-06.217W | SG on pile. |
| 53210                               | Cape Coral Rim<br>Channel Daybeacon 73 | 26-33-51.673N<br>081-56-07.017W | SG on pile. |
| 53215                               | Cape Coral Rim<br>Channel Daybeacon 74 | 26-33-49.573N<br>081-56-02.717W | TR on pile. |

|       |                                        |                                 |     |   |   |                |
|-------|----------------------------------------|---------------------------------|-----|---|---|----------------|
| 53220 | Cape Coral Rim<br>Channel Daybeacon 75 | 26-33-50.373N<br>081-56-04.917W |     |   |   | SG on pile.    |
| 53225 | Cape Coral Rim<br>Channel Daybeacon 76 | 26-33-49.073N<br>081-56-05.317W |     |   |   | TR on pile.    |
| 53230 | Cape Coral Rim<br>Channel Daybeacon 77 | 26-33-49.773N<br>081-56-03.517W |     |   |   | SG on pile.    |
| 53235 | Cape Coral Rim<br>Channel Daybeacon 78 | 26-33-48.773N<br>081-56-02.417W |     |   |   | TR on pile.    |
| 53240 | Cape Coral Rim<br>Channel Daybeacon 79 | 26-33-49.773N<br>081-56-01.117W |     |   |   | SG on pile.    |
| 53245 | Cape Coral Rim<br>Channel Daybeacon 80 | 26-33-48.873N<br>081-55-59.317W |     |   |   | TR on pile.    |
| 53250 | Cape Coral Rim<br>Channel Daybeacon 81 | 26-33-49.773N<br>081-55-59.317W |     |   |   | SG on pile.    |
| 53255 | Cape Coral Rim<br>Channel Daybeacon 82 | 26-33-49.473N<br>081-55-58.317W |     |   |   | TR on pile.    |
| 53260 | Cape Coral Rim<br>Channel Daybeacon 83 | 26-33-50.173N<br>081-55-58.017W |     |   |   | SG on pile.    |
| 53265 | Caloosahatchee River<br>Daybeacon 61   | 26-36-19.850N<br>081-53-56.346W |     | 0 |   | SG-SY on pile. |
| 53270 | Caloosahatchee River<br>Daybeacon 62   | 26-35-33.138N<br>081-54-14.224W |     | 0 |   | TR-TY on pile. |
| 53275 | Caloosahatchee River<br>Light 63       | 26-35-19.019N<br>081-54-12.628W | Q G | 0 | 4 | SG-SY on pile. |
| 53285 | Caloosahatchee River<br>Daybeacon 64   | 26-35-11.350N<br>081-54-21.938W |     | 0 |   | TR-TY on pile. |
| 53290 | Moody Canal<br>Daybeacon 1             | 26-35-14.700N<br>081-54-47.500W |     |   |   | SG on pile.    |
| 53295 | Moody Canal<br>Daybeacon 2             | 26-35-14.900N<br>081-54-46.000W |     |   |   | TR on pile.    |
| 53300 | Moody Canal<br>Daybeacon 3             | 26-35-15.669N<br>081-54-54.515W |     |   |   | SG on pile.    |
| 53305 | Moody Canal<br>Daybeacon 5             | 26-35-16.269N<br>081-55-01.315W |     |   |   | SG on pile.    |
| 53310 | Moody Canal<br>Daybeacon 7             | 26-35-16.000N<br>081-55-09.000W |     |   |   | SG on pile.    |
| 53315 | Moody Canal<br>Daybeacon 8             | 26-35-18.069N<br>081-55-07.315W |     |   |   | TR on pile.    |
| 53320 | Moody Canal<br>Daybeacon 9             | 26-35-19.169N<br>081-55-13.015W |     |   |   | SG on pile.    |
| 53325 | Moody Canal<br>Daybeacon 11            | 26-35-21.400N<br>081-55-18.200W |     |   |   | SG on pile.    |
| 53330 | Moody Canal<br>Daybeacon 13            | 26-35-24.969N<br>081-55-23.716W |     |   |   | SG on pile.    |
| 53335 | Moody Canal<br>Daybeacon 15            | 26-35-28.468N<br>081-55-30.116W |     |   |   | SG on pile.    |
| 53340 | Moody Canal<br>Daybeacon 17            | 26-35-30.168N<br>081-55-35.216W |     |   |   | SG on pile.    |
| 53345 | Moody Canal<br>Daybeacon 18            | 26-35-31.268N<br>081-55-34.516W |     |   |   | TR on pile.    |
| 53350 | Moody Canal<br>Daybeacon 19            | 26-35-33.668N<br>081-55-39.416W |     |   |   | SG on pile.    |
| 53355 | Moody Canal<br>Daybeacon 20            | 26-35-31.268N<br>081-55-38.216W |     |   |   | TR on pile.    |
| 53360 | Whiskey Creek<br>Channel Daybeacon 1   | 26-34-42.200N<br>081-54-11.400W |     |   |   | SG on pile.    |
| 53365 | Whiskey Creek<br>Channel Daybeacon 2   | 26-34-41.300N<br>081-54-11.200W |     |   |   | TR on pile.    |
| 53370 | Whiskey Creek<br>Channel Daybeacon 3   | 26-34-43.300N<br>081-54-07.300W |     |   |   | SG on pile.    |
| 53375 | Whiskey Creek<br>Channel Daybeacon 4   | 26-34-42.700N<br>081-54-05.600W |     |   |   | TR on pile.    |
| 53380 | Whiskey Creek                          | 26-34-44.600N                   |     |   |   | SG on pile.    |

|          |                                                   |                                 |   |                |
|----------|---------------------------------------------------|---------------------------------|---|----------------|
|          | Channel Daybeacon 5                               | 081-54-02.200W                  |   |                |
| 53385    | Whiskey Creek<br>Channel Daybeacon 6              | 26-34-44.300N<br>081-54-00.200W |   | TR on pile.    |
| 53390    | Whiskey Creek<br>Channel Daybeacon 7              | 26-34-45.200N<br>081-53-59.500W |   | SG on pile.    |
| 53395    | Whiskey Creek<br>Channel Daybeacon 8              | 26-34-44.400N<br>081-53-58.800W |   | TR on pile.    |
| 53400    | Whiskey Creek<br>Channel Daybeacon 10             | 26-34-42.200N<br>081-53-56.600W |   | TR on pile.    |
| 53403    | Whiskey Creek<br>Auxiliary Channel<br>Daybeacon 1 | 26-34-47.200N<br>081-53-59.600W |   | SG on pile.    |
| 53403.5  | Whiskey Creek<br>Auxiliary Channel<br>Daybeacon 3 | 26-34-49.000N<br>081-53-59.700W |   | SG on pile.    |
| 53404    | Whiskey Creek<br>Auxiliary Channel<br>Daybeacon 5 | 26-34-50.300N<br>081-54-59.800W |   | SG on pile.    |
| 53405    | Caloosahatchee River<br>Daybeacon 66              | 26-34-56.595N<br>081-54-36.659W | 0 | TR-TY on pile. |
| 53410    | Caloosahatchee River<br>Daybeacon 68              | 26-34-39.097N<br>081-54-55.296W | 0 | TR-TY on pile. |
| 53415    | Plato Canal<br>Daybeacon 1                        | 26-34-37.471N<br>081-55-20.916W |   | SG on pile.    |
| 53420    | Plato Canal<br>Daybeacon 2                        | 26-34-38.970N<br>081-55-20.916W |   | TR on pile.    |
| 53425    | Plato Canal<br>Daybeacon 3                        | 26-34-37.471N<br>081-55-26.516W |   | SG on pile.    |
| 53430    | Plato Canal<br>Daybeacon 4                        | 26-34-38.970N<br>081-55-26.516W |   | TR on pile.    |
| 53435    | Plato Canal<br>Daybeacon 5                        | 26-34-37.471N<br>081-55-32.116W |   | SG on pile.    |
| 53440    | Plato Canal<br>Daybeacon 6                        | 26-34-38.970N<br>081-55-32.116W |   | TR on pile.    |
| 53445    | Plato Canal<br>Daybeacon 7                        | 26-34-37.471N<br>081-55-37.716W |   | SG on pile.    |
| 53450    | Plato Canal<br>Daybeacon 8                        | 26-34-38.971N<br>081-55-37.716W |   | TR on pile.    |
| 53455    | Plato Canal<br>Daybeacon 9                        | 26-34-37.471N<br>081-55-43.316W |   | SG on pile.    |
| 53460    | Plato Canal<br>Daybeacon 10                       | 26-34-38.971N<br>081-55-43.316W |   | TR on pile.    |
| 53465    | Plato Canal<br>Daybeacon 11                       | 26-34-37.471N<br>081-55-48.917W |   | SG on pile.    |
| 53470    | Plato Canal<br>Daybeacon 12                       | 26-34-38.971N<br>081-55-48.917W |   | TR on pile.    |
| 53475    | Caloosa Yacht Club<br>Channel Daybeacon 1         | 26-34-07.400N<br>081-55-13.100W |   | SG on pile.    |
| 53480    | Caloosa Yacht Club<br>Channel Daybeacon 2         | 26-34-06.300N<br>081-55-13.500W |   | TR on pile.    |
| 53485    | Caloosa Yacht Club<br>Channel Daybeacon 3         | 26-34-02.600N<br>081-55-11.400W |   | SG on pile.    |
| 53490    | Caloosa Yacht Club<br>Channel Daybeacon 4         | 26-33-59.700N<br>081-55-11.300W |   | TR on pile.    |
| 53490.02 | Caloosa Yacht Club<br>Channel Daybeacon 6         | 26-33-55.000N<br>081-55-09.600W |   | TR on pile     |
| 53490.01 | Caloosa Yacht Club<br>Channel Daybeacon 5         | 26-33-57.800N<br>081-55-10.000W |   | SG on pile.    |
| 53495    | McGregor Isles<br>Daybeacon 1                     | 26-34-11.690N<br>081-55-10.050W |   | SG on pile.    |
| 53500    | McGregor Isles<br>Daybeacon 2                     | 26-34-09.530N<br>081-55-09.140W |   | TR on pile.    |
| 53501    | McGregor Isles<br>Daybeacon 3                     | 26-34-08.460N<br>081-55-07.480W |   | SG on pile.    |
| 53502    | McGregor Isles<br>Daybeacon 4                     | 26-34-06.360N<br>081-55-06.600W |   | TR on pile.    |
| 53503    | McGregor Isles<br>Daybeacon 5                     | 26-34-05.080N<br>081-55-04.808W |   | SG on pile.    |
| 53504    | McGregor Isles<br>Daybeacon 6                     | 26-34-03.110N<br>081-55-04.010W |   | TR on pile.    |

|         |                                             |                                 |   |                |
|---------|---------------------------------------------|---------------------------------|---|----------------|
| 53505   | McGregor Isles<br>Daybeacon 7               | 26-34-01.660N<br>081-55-02.090W |   | SG on pile.    |
| 53506   | McGregor Isles<br>Daybeacon 8               | 26-33-59.870N<br>081-55-01.430W |   | TR on pile.    |
| 53507   | McGregor Isles<br>Daybeacon 9               | 26-33-58.520N<br>081-54-59.620W |   | SG on pile.    |
| 53508   | McGregor Isles<br>Daybeacon 10              | 26-33-56.710N<br>081-54-58.900W |   | TR on pile.    |
| 53509   | McGregor Isles<br>Daybeacon 11              | 26-33-56.250N<br>081-54-57.860W |   | SG on pile.    |
| 53510   | McGregor Isles<br>Daybeacon 12              | 26-33-55.330N<br>081-54-57.950W |   | TR on pile.    |
| 53511   | McGregor Isles<br>Daybeacon 13              | 26-33-56.640N<br>081-54-53.870W |   | SG on pile.    |
| 53515   | McGregor Isles<br>Daybeacon 15              | 26-33-56.950N<br>081-54-50.560W |   | SG on pile.    |
| 53520   | McGregor Isles<br>Daybeacon 17              | 26-33-56.980N<br>081-54-47.200W |   | TR on pile.    |
| 53523   | Sunset Cove<br>Daybeacon 1                  | 26-34-07.060N<br>081-54-42.710W |   | SG on pile.    |
| 53523.1 | Sunset Cove<br>Daybeacon 2                  | 26-34-05.530N<br>081-54-41.420W |   | TR on pile.    |
| 53523.2 | Sunset Cove<br>Daybeacon 3                  | 26-34-03.100N<br>081-54-39.420W |   | SG on pile.    |
| 53523.3 | Sunset Cove<br>Daybeacon 4                  | 26-34-06.640N<br>081-54-43.370W |   | TR on pile.    |
| 53523.4 | Sunset Cove<br>Daybeacon 5                  | 26-34-05.060N<br>081-54-42.180W |   | SG on pile.    |
| 53523.5 | Sunset Cove<br>Daybeacon 6                  | 26-34-02.660N<br>081-54-40.150W |   | TR on pile.    |
| 53525   | Caloosahatchee River<br>Daybeacon 69        | 26-34-03.285N<br>081-55-24.203W | 0 | SG-SY on pile. |
| 53530   | Harney Point Rim<br>Channel Daybeacon 1     | 26-33-41.272N<br>081-55-59.680W |   | SG on pile.    |
| 53535   | Harney Point Rim<br>Channel Daybeacon 2     | 26-33-41.972N<br>081-55-57.620W |   | TR on pile.    |
| 53540   | Harney Point Rim<br>Channel Daybeacon 3     | 26-33-42.072N<br>081-56-05.220W |   | SG on pile.    |
| 53545   | Harney Point Rim<br>Channel Daybeacon 4     | 26-33-42.872N<br>081-56-04.920W |   | TR on pile.    |
| 53550   | Harney Point Rim<br>Channel Daybeacon 5     | 26-33-42.472N<br>081-56-08.920W |   | SG on pile.    |
| 53555   | Harney Point Rim<br>Channel Daybeacon 6     | 26-33-43.372N<br>081-56-08.920W |   | TR on pile.    |
| 53560   | Harney Point Rim<br>Channel Daybeacon 7     | 26-33-41.472N<br>081-56-11.220W |   | SG on pile.    |
| 53565   | Harney Point Rim<br>Channel Daybeacon 8     | 26-33-43.173N<br>081-56-11.218W |   | TR on pile.    |
| 53570   | Harney Point Rim<br>Channel Daybeacon 9     | 26-33-36.773N<br>081-56-11.918W |   | SG on pile.    |
| 53580   | Harney Point Rim<br>Channel Daybeacon 12    | 26-33-34.673N<br>081-56-12.118W |   | TR on pile.    |
| 53585   | Harney Point Rim<br>Channel Daybeacon 13    | 26-33-33.073N<br>081-56-11.518W |   | SG on pile.    |
| 53590   | Harney Point Rim<br>Channel Daybeacon 14    | 26-33-33.273N<br>081-56-12.318W |   | TR on pile.    |
| 53595   | Harney Point Rim<br>Channel Daybeacon 15    | 26-33-31.473N<br>081-56-14.118W |   | SG on pile.    |
| 53605   | Harney Point Rim<br>Channel Daybeacon 18    | 26-33-31.773N<br>081-56-21.018W |   | TR on pile.    |
| 53610   | Harney Point Rim<br>Channel Daybeacon 19    | 26-33-29.874N<br>081-56-24.118W |   | SG on pile.    |
| 53615   | Harney Point Rim<br>Channel Daybeacon<br>20 | 26-33-31.473N<br>081-56-24.418W |   | TR on pile.    |
| 53620   | Harney Point Rim<br>Channel Daybeacon 21    | 26-33-30.074N<br>081-56-26.818W |   | SG on pile.    |
| 53625   | Harney Point Rim<br>Channel Daybeacon<br>24 | 26-33-29.774N<br>081-56-29.918W |   | TR on pile.    |
| 53630   | Harney Point Rim                            | 26-33-28.974N                   |   | SG on pile.    |

|       |                                                |                                 |         |   |   |                                 |
|-------|------------------------------------------------|---------------------------------|---------|---|---|---------------------------------|
|       | Channel Daybeacon 25                           | 081-56-30.318W                  |         |   |   |                                 |
| 53635 | Harney Point Rim Channel Daybeacon 26          | 26-33-28.674N<br>081-56-32.118W |         |   |   | TR on pile.                     |
| 53640 | Harney Point Rim Channel Daybeacon 27          | 26-33-25.674N<br>081-56-34.218W |         |   |   | SG on pile.                     |
| 53645 | Harney Point Rim Channel Daybeacon 28          | 26-33-26.174N<br>081-56-34.918W |         |   |   | TR on pile.                     |
| 53650 | Harney Point Rim Channel Daybeacon 29          | 26-33-24.472N<br>081-56-35.318W |         |   |   | SG on pile.                     |
| 53655 | Harney Point Rim Channel Daybeacon 30          | 26-33-25.172N<br>081-56-36.020W |         |   |   | TR on pile.                     |
| 53660 | Harney Point Rim Channel Daybeacon 31          | 26-33-23.874N<br>081-56-36.718W |         |   |   | SG on pile.                     |
| 53665 | Harney Point Rim Channel Daybeacon 32          | 26-33-24.174N<br>081-56-37.618W |         |   |   | TR on pile.                     |
| 53670 | Harney Point Rim Channel Obstruction Daybeacon | 26-33-20.274N<br>081-56-36.818W |         |   |   | NW on pile worded DANGER ROCKS. |
| 53675 | Riverside Marina(Ft. Myers) Daybeacon 1        | 26-33-23.972N<br>081-55-27.620W |         |   |   | SG on pile.                     |
| 53680 | Riverside Marina (Ft. Myers) Daybeacon 2       | 26-33-23.572N<br>081-55-28.220W |         |   |   | TR on pile.                     |
| 53685 | Riverside Marina(Ft. Myers) Daybeacon 3        | 26-33-22.274N<br>081-55-26.316W |         |   |   | SG on pile.                     |
| 53690 | Riverside Marina(Ft. Myers) Daybeacon 4        | 26-33-22.274N<br>081-55-27.316W |         |   |   | TR on pile.                     |
| 53695 | Riverside Marina(Ft. Myers) Daybeacon 5        | 26-33-21.274N<br>081-55-25.316W |         |   |   | SG on pile.                     |
| 53700 | Riverside Marina(Ft. Myers) Daybeacon 6        | 26-33-21.274N<br>081-55-26.316W |         |   |   | TR on pile.                     |
| 53705 | Riverside Marina(Ft. Myers) Daybeacon 7        | 26-33-20.274N<br>081-55-24.316W |         |   |   | SG on pile.                     |
| 53710 | Riverside Marina(Ft. Myers) Daybeacon 8        | 26-33-19.274N<br>081-55-24.316W |         |   |   | TR on pile.                     |
| 53715 | Riverside Marina(Ft. Myers) Daybeacon 9        | 26-33-19.274N<br>081-55-23.316W |         |   |   | SG on pile.                     |
| 53720 | Riverside Marina(Ft. Myers) Daybeacon 10       | 26-33-18.274N<br>081-55-24.316W |         |   |   | TR on pile.                     |
| 53725 | Caloosahatchee River Light 70                  | 26-33-30.216N<br>081-55-54.899W | FI R 4s | 0 | 5 | TR-TY on pile.                  |
| 53730 | Landings Marina Daybeacon 1                    | 26-33-07.704N<br>081-55-40.477W |         |   |   | SG on pile.                     |
| 53735 | Landings Marina Daybeacon 2                    | 26-33-05.774N<br>081-55-39.317W |         |   |   | TR on pile.                     |
| 53740 | Landings Marina Daybeacon 3                    | 26-33-07.064N<br>081-55-37.437W |         |   |   | SG on pile.                     |
| 53745 | Landings Marina Daybeacon 4                    | 26-33-05.534N<br>081-55-34.897W |         |   |   | TR on pile.                     |
| 53750 | Landings Marina Daybeacon 5                    | 26-33-05.104N<br>081-55-32.197W |         |   |   | SG on pile.                     |
| 53755 | Landings Marina Daybeacon 6                    | 26-33-05.956N<br>081-55-34.395W |         |   |   | TR on pile.                     |
| 53760 | Landings Marina Daybeacon 7                    | 26-33-05.074N<br>081-55-32.217W |         |   |   | SG on pile.                     |
| 53765 | Landings Marina Daybeacon 8                    | 26-33-03.774N<br>081-55-31.317W |         |   |   | TR on pile.                     |
| 53770 | Bikini Basin Entrance Channel Daybeacon 1      | 26-33-22.854N<br>081-56-19.303W |         |   |   | SG on pile.                     |
| 53775 | Bikini Basin Entrance Channel Daybeacon 2      | 26-33-22.772N<br>081-56-19.520W |         |   |   | TR on pile.                     |
| 53780 | Bikini Basin Entrance Channel Daybeacon 3      | 26-33-27.372N<br>081-56-20.020W |         |   |   | SG on pile.                     |
| 53785 | Bikini Basin Entrance Channel Daybeacon 4      | 26-33-27.472N<br>081-56-17.920W |         |   |   | TR on pile.                     |
| 53790 | Caloosahatchee River                           | 26-32-44.907N                   | FI R 4s | 0 | 5 | TR-TY on dolphin.               |



|       |                                           |                                 |     |   |   |                |
|-------|-------------------------------------------|---------------------------------|-----|---|---|----------------|
|       | Light 72                                  | 081-56-15.553W                  |     |   |   |                |
| 53795 | Deep Lagoon Entrance Channel Daybeacon 1  | 26-32-39.276N<br>081-56-07.318W |     |   |   | SG on pile.    |
| 53800 | Deep Lagoon Entrance Channel Daybeacon 2  | 26-32-36.276N<br>081-56-05.318W |     |   |   | TR on pile.    |
| 53805 | Deep Lagoon Entrance Channel Daybeacon 3  | 26-32-38.276N<br>081-56-02.318W |     |   |   | SG on pile.    |
| 53810 | Deep Lagoon Entrance Channel Daybeacon 4  | 26-32-35.914N<br>081-56-02.389W |     |   |   | TR on pile.    |
| 53815 | Deep Lagoon Entrance Channel Daybeacon 5  | 26-32-38.276N<br>081-56-00.318W |     |   |   | SG on pile.    |
| 53820 | Deep Lagoon Entrance Channel Daybeacon 6  | 26-32-36.276N<br>081-55-59.318W |     |   |   | TR on pile.    |
| 53825 | Deep Lagoon Entrance Channel Daybeacon 7  | 26-32-38.300N<br>081-55-32.300W |     |   |   | SG on pile.    |
| 53830 | Deep Lagoon Entrance Channel Daybeacon 8  | 26-32-36.276N<br>081-55-54.317W |     |   |   | TR on pile.    |
| 53835 | Deep Lagoon Entrance Channel Daybeacon 9  | 26-32-38.276N<br>081-55-51.317W |     |   |   | SG on pile.    |
| 53840 | Deep Lagoon Entrance Channel Daybeacon 10 | 26-32-36.276N<br>081-55-50.317W |     |   |   | TR on pile.    |
| 53845 | Deep Lagoon Entrance Channel Daybeacon 11 | 26-32-38.276N<br>081-55-48.317W |     |   |   | SG on pile.    |
| 53850 | Deep Lagoon Entrance Channel Daybeacon 12 | 26-32-36.276N<br>081-55-43.317W |     |   |   | TR on pile.    |
| 53855 | Deep Lagoon Entrance Channel Daybeacon 13 | 26-32-38.276N<br>081-55-40.317W |     |   |   | SG on pile.    |
| 53860 | Deep Lagoon Entrance Channel Daybeacon 14 | 26-32-36.276N<br>081-55-36.317W |     |   |   | TR on pile.    |
| 53865 | Deep Lagoon Entrance Channel Daybeacon 15 | 26-32-38.276N<br>081-55-33.317W |     |   |   | SG on pile.    |
| 53870 | Deep Lagoon Entrance Channel Daybeacon 16 | 26-32-35.500N<br>081-55-34.000W |     |   |   | TR on pile.    |
| 53875 | Town & River Rim Channel Daybeacon 1      | 26-32-37.120N<br>081-55-38.800W |     |   |   | SG on pile.    |
| 53880 | Town & River Rim Channel Daybeacon 2      | 26-32-37.356N<br>081-55-38.800W |     |   |   | TR on pile.    |
| 53885 | Town & River Rim Channel Daybeacon 3      | 26-32-38.610N<br>081-55-38.960W |     |   |   | SG on pile.    |
| 53890 | Town & River Rim Channel Daybeacon 4      | 26-32-38.860N<br>081-55-38.550W |     |   |   | TR on pile.    |
| 53895 | Town & River Rim Channel Daybeacon 5      | 26-32-44.230N<br>081-55-39.620W |     |   |   | SG on pile.    |
| 53900 | Town & River Rim Channel Daybeacon 7      | 26-32-48.750N<br>081-55-39.980W |     |   |   | SG on pile.    |
| 53905 | Town & River Rim Channel Daybeacon 9      | 26-32-50.660N<br>081-55-39.130W |     |   |   | SG on pile.    |
| 53910 | Town And River Estates Daybeacon 1        | 26-32-35.900N<br>081-55-33.110W |     |   |   | SG on pile.    |
| 53915 | Town And River Estates Daybeacon 2        | 26-32-35.230N<br>081-55-32.650W |     |   |   | TR on pile.    |
| 53920 | Town And River Estates Daybeacon 3        | 26-32-35.260N<br>081-55-30.970W |     |   |   | SG on pile.    |
| 53925 | Town And River Estates Daybeacon 4        | 26-32-34.690N<br>081-55-30.670W |     |   |   | TR on pile.    |
| 53930 | Deep Lagoon Marina Channel Daybeacon 1    | 26-32-31.000N<br>081-55-32.800W |     |   |   | SG on pile.    |
| 53935 | Deep Lagoon Marina Channel Daybeacon 2    | 26-32-29.000N<br>081-55-35.300W |     |   |   | TR on pile.    |
| 53940 | Deep Lagoon Marina Channel Daybeacon 3    | 26-32-25.600N<br>081-55-31.700W |     |   |   | SG on pile.    |
| 53945 | Deep Lagoon Marina Channel Daybeacon 4    | 26-32-24.800N<br>081-55-33.800W |     |   |   | TR on pile.    |
| 53950 | Deep Lagoon Marina Channel Daybeacon 5    | 26-32-21.000N<br>081-55-31.800W |     |   |   | SG on pile.    |
| 53955 | Deep Lagoon Marina Channel Daybeacon 6    | 26-32-19.000N<br>081-55-33.300W |     |   |   | TR on pile.    |
| 53960 | Deep Lagoon Marina Channel Daybeacon 8    | 26-32-18.000N<br>081-55-33.300W |     |   |   | TR on pile.    |
| 53965 | Caloosahatchee River Light 73             | 26-32-27.460N<br>081-56-23.735W | Q G | 0 | 4 | SG-SY on pile. |

|       |                                                 |                                 |           |   |   |                                 |
|-------|-------------------------------------------------|---------------------------------|-----------|---|---|---------------------------------|
| 53970 | Gulf Harbour Yacht Club Light 1                 | 26-32-19.000N<br>081-56-19.000W | FI G 6s   |   |   | SG on pile.                     |
| 53975 | Gulf Harbour Yacht Club Light 2                 | 26-32-17.500N<br>081-56-21.000W | FI R 2.5s |   |   | TR on pile.                     |
| 53980 | Gulf Harbour Yacht Club Daybeacon 3             | 26-32-17.000N<br>081-56-18.000W |           |   |   | SG on pile.                     |
| 53985 | Gulf Harbour Yacht Club Daybeacon 4             | 26-32-15.000N<br>081-56-20.000W |           |   |   | TR on pile.                     |
| 53990 | Gulf Harbour Yacht Club Daybeacon 5             | 26-32-14.000N<br>081-56-17.000W |           |   |   | SG on pile.                     |
| 53995 | Gulf Harbour Yacht Club Daybeacon 6             | 26-32-12.500N<br>081-56-19.000W |           |   |   | TR on pile.                     |
| 54000 | Gulf Harbour Yacht Club Daybeacon 7             | 26-32-09.000N<br>081-56-16.000W |           |   |   | SG on pile.                     |
| 54005 | Gulf Harbour Yacht Club Daybeacon 8             | 26-32-08.000N<br>081-56-18.000W |           |   |   | TR on pile.                     |
| 54010 | Gulf Harbour Yacht Club Daybeacon 9             | 26-32-07.000N<br>081-56-16.000W |           |   |   | SG on pile.                     |
| 54015 | Gulf Harbour Yacht Club Daybeacon 10            | 26-32-06.000N<br>081-56-17.000W |           |   |   | TR on pile.                     |
| 54020 | Gulf Harbour Yacht Club Daybeacon 11            | 26-32-05.000N<br>081-56-16.000W |           |   |   | SG on pile.                     |
| 54025 | Gulf Harbour Yacht Club Daybeacon 12            | 26-32-05.000N<br>081-56-17.000W |           |   |   | TR on pile.                     |
| 54030 | Gulf Harbour Yacht Club Daybeacon 14            | 26-32-04.000N<br>081-56-18.000W |           |   |   | TR on pile.                     |
| 54035 | Gulf Harbour Yacht Club Daybeacon 16            | 26-32-02.000N<br>081-56-19.000W |           |   |   | TR on pile.                     |
| 54040 | Gulf Harbour Yacht Club Daybeacon 18            | 26-31-59.000N<br>081-56-20.000W |           |   |   | TR on pile.                     |
| 54045 | Gulf Harbour Yacht Club Daybeacon 20            | 26-31-57.000N<br>081-56-21.000W |           |   |   | TR on pile.                     |
| 54050 | Gulf Harbour Yacht Club Daybeacon 22            | 26-32-53.000N<br>081-56-24.000W |           |   |   | TR on pile.                     |
| 54070 | Caloosahatchee River Daybeacon 76               | 26-32-16.968N<br>081-56-41.968W |           | 0 |   | TR-TY on pile.                  |
| 54075 | Caloosahatchee River Daybeacon 78               | 26-32-11.043N<br>081-56-51.497W |           | 0 |   | TR-TY on pile.                  |
| 54087 | Caloosahatchee River Light 79                   | 26-32-00.562N<br>081-57-04.432W | Q G       | 0 | 4 | SG-SY on Dolphin.               |
| 54090 | Redfish Point Rim Channel Daybeacon 2           | 26-32-24.176N<br>081-56-54.819W |           |   |   | TR on pile.                     |
| 54095 | Redfish Point Rim Channel Daybeacon 4           | 26-32-24.176N<br>081-56-51.919W |           |   |   | TR on pile.                     |
| 54100 | Redfish Point Rim Channel Daybeacon 6           | 26-32-25.876N<br>081-56-49.619W |           |   |   | TR on pile.                     |
| 54105 | Redfish Point Rim Channel Daybeacon 8           | 26-32-26.476N<br>081-56-50.119W |           |   |   | TR on pile.                     |
| 54110 | Redfish Point Rim Channel Daybeacon 10          | 26-32-30.976N<br>081-56-50.019W |           |   |   | TR on pile.                     |
| 54115 | Redfish Point Rim Channel Daybeacon 12          | 26-32-38.076N<br>081-56-50.119W |           |   |   | TR on pile.                     |
| 54120 | Redfish Point Rim Channel Daybeacon 14          | 26-32-46.575N<br>081-56-49.119W |           |   |   | TR on pile.                     |
| 54125 | Redfish Point Rim Channel Daybeacon 16          | 26-32-51.475N<br>081-56-49.919W |           |   |   | TR on pile.                     |
| 54130 | Redfish Point Rim Channel Daybeacon 18          | 26-32-53.075N<br>081-56-49.519W |           |   |   | TR on pile.                     |
| 54135 | Redfish Point Rim Channel Daybeacon 20          | 26-32-57.675N<br>081-56-47.419W |           |   |   | TR on pile.                     |
| 54140 | Redfish Point Rim Channel Obstruction Daybeacon | 26-33-00.675N<br>081-56-47.119W |           |   |   | NW on pile worded DANGER ROCKS. |
| 54145 | Cape Coral Yacht Basin Daybeacon 1              | 26-32-19.968N<br>081-57-00.378W |           |   |   | SG on pile.                     |
| 54150 | Cape Coral Yacht Basin Daybeacon 2              | 26-32-20.256N<br>081-56-58.938W |           |   |   | TR on pile.                     |
| 54155 | Cape Coral Yacht Basin Daybeacon 3              | 26-32-23.256N<br>081-57-00.252W |           |   |   | SG on pile.                     |

|         |                                                 |                                 |   |                                    |
|---------|-------------------------------------------------|---------------------------------|---|------------------------------------|
| 54160   | Cape Coral Yacht<br>Basin Daybeacon 4           | 26-32-24.426N<br>081-56-58.104W |   | TR on pile.                        |
| 54165   | Cape Coral Yacht<br>Basin Daybeacon 6           | 26-32-25.908N<br>081-56-58.116W |   | TR on pile.                        |
| 54170   | Cape Coral Boat Ramp<br>Channel Daybeacon 1     | 26-32-18.977N<br>081-57-04.620W |   | SG on pile.                        |
| 54175   | Cape Coral Boat Ramp<br>Channel Daybeacon 2     | 26-32-19.677N<br>081-57-03.220W |   | TR on pile.                        |
| 54180   | Cape Coral Boat Ramp<br>Channel Daybeacon 4     | 26-32-23.776N<br>081-57-06.920W |   | TR on pile.                        |
| 54185   | Cape Coral Boat Ramp<br>Channel Daybeacon 6     | 26-32-27.776N<br>081-57-07.820W |   | TR on pile.                        |
| 54190   | Cape Coral Boat Ramp<br>Channel Daybeacon 8     | 26-32-30.476N<br>081-57-08.520W |   | TR on pile.                        |
| 54195   | Peppertree Pointe E<br>Obstruction<br>Daybeacon | 26-31-44.278N<br>081-57-24.320W |   | NW on pile worded DANGER<br>SHOAL. |
| 54200   | Peppertree Pointe<br>Daybeacon 1                | 26-31-42.878N<br>081-57-24.320W |   | SG on pile.                        |
| 54205   | Peppertree Pointe<br>Daybeacon 2                | 26-31-42.278N<br>081-57-25.520W |   | TR on pile.                        |
| 54210   | Peppertree Pointe<br>Daybeacon 3                | 26-31-42.078N<br>081-57-21.820W |   | SG on pile.                        |
| 54215   | Peppertree Pointe<br>Daybeacon 4                | 26-31-41.278N<br>081-57-24.420W |   | TR on pile.                        |
| 54220   | Peppertree Pointe<br>Daybeacon 5                | 26-31-40.278N<br>081-57-20.120W |   | SG on pile.                        |
| 54225   | Peppertree Pointe<br>Daybeacon 6                | 26-31-39.278N<br>081-57-23.120W |   | TR on pile.                        |
| 54230   | Peppertree Pointe<br>Daybeacon 7                | 26-31-38.878N<br>081-57-18.320W |   | SG on pile.                        |
| 54235   | Peppertree Pointe<br>Daybeacon 8                | 26-31-38.378N<br>081-57-22.120W |   | TR on pile.                        |
| 54240   | Peppertree Pointe<br>Daybeacon 9                | 26-31-37.278N<br>081-57-16.820W |   | SG on pile.                        |
| 54245   | Peppertree Pointe<br>Daybeacon 10               | 26-31-36.778N<br>081-57-19.320W |   | TR on pile.                        |
| 54250   | Peppertree Pointe<br>Daybeacon 12               | 26-31-36.278N<br>081-57-17.320W |   | TR on pile.                        |
| 54255   | Caloosahatchee River<br>Daybeacon 80            | 26-31-58.924N<br>081-57-18.639W | 0 | TR-TY on pile.                     |
| 54260   | Caloosahatchee River<br>Daybeacon 81            | 26-31-56.610N<br>081-57-21.981W | 0 | SG-SY on pile.                     |
| 54265   | Caloosahatchee River<br>Daybeacon 82            | 26-31-56.261N<br>081-57-37.013W | 0 | TR-TY on pile.                     |
| 54275   | Caloosahatchee River<br>Daybeacon 83            | 26-31-50.510N<br>081-57-55.967W | 0 | SG-SY on pile.                     |
| 54280   | Caloosahatchee River<br>Daybeacon 84            | 26-31-52.881N<br>081-57-57.409W | 0 | TR-TY on pile.                     |
| 54285   | Caloosahatchee River<br>Daybeacon 84A           | 26-31-49.898N<br>081-58-14.739W | 0 | TR-TY on pile.                     |
| 54290   | Caloosahatchee River<br>Daybeacon 85            | 26-31-47.421N<br>081-58-18.647W | 0 | SG-SY on pile.                     |
| 54295   | Caloosahatchee River<br>Daybeacon 86            | 26-31-48.891N<br>081-58-22.500W | 0 | TR-TY on pile.                     |
| 54296   | Van Riper Channel<br>Daybeacon 2                | 26-31-08.000N<br>081-58-07.800W |   | TR on pile.                        |
| 54296.5 | Van Riper Channel<br>Daybeacon 4                | 26-31-06.000N<br>081-58-10.000W |   | TR on pile.                        |
| 54297   | Van Riper Channel<br>Daybeacon 6                | 26-31-04.800N<br>081-58-12.300W |   | TR on pile.                        |
| 54297.5 | Van Riper Channel<br>Daybeacon 8                | 26-31-03.600N<br>081-58-15.100W |   | TR on pile.                        |
| 54298   | Van Riper Channel<br>Daybeacon 10               | 26-31-02.800N<br>081-58-17.200W |   | TR on pile.                        |
| 54298.5 | Van Riper Channel<br>Daybeacon 12               | 26-31-02.000N<br>081-58-18.200W |   | TR on pile.                        |
| 54300   | Bimini Entrance<br>Channel Daybeacon 1          | 26-31-56.178N<br>081-58-28.822W |   | SG on pile.                        |
| 54305   | Bimini Entrance<br>Channel Daybeacon 2          | 26-31-56.478N<br>081-58-27.222W |   | TR on pile.                        |

|       |                                         |                                 |             |
|-------|-----------------------------------------|---------------------------------|-------------|
| 54307 | Bimini Entrance<br>Channel Daybeacon 3  | 26-32-01.789N<br>081-58-30.852W | SG on pile. |
| 54310 | Bimini Entrance<br>Channel Daybeacon 4  | 26-32-02.463N<br>081-58-27.869W | TR on pile. |
| 54315 | Bimini Entrance<br>Channel Daybeacon 6  | 26-32-08.077N<br>081-58-29.222W | TR on pile. |
| 54320 | Bimini Entrance<br>Channel Daybeacon 8  | 26-32-12.072N<br>081-58-29.620W | TR on pile. |
| 54325 | Bimini Entrance<br>Channel Daybeacon 10 | 26-32-17.477N<br>081-58-28.722W | TR on pile. |
| 54330 | Bimini Entrance<br>Channel Daybeacon 12 | 26-32-21.077N<br>081-58-28.522W | TR on pile. |
| 54335 | Bimini Entrance<br>Channel Daybeacon 14 | 26-32-25.077N<br>081-58-27.722W | TR on pile. |
| 54340 | Bimini Entrance<br>Channel Daybeacon 16 | 26-32-35.576N<br>081-58-26.122W | TR on pile. |
| 54345 | Bimini Entrance<br>Channel Daybeacon 18 | 26-32-38.376N<br>081-58-21.822W | TR on pile. |
| 54350 | Bimini Entrance<br>Channel Daybeacon 20 | 26-32-40.976N<br>081-58-16.521W | TR on pile. |
| 54355 | Bimini Entrance<br>Channel Daybeacon 22 | 26-32-41.876N<br>081-58-06.921W | TR on pile. |
| 54360 | Bimini Entrance<br>Channel Daybeacon 24 | 26-32-42.676N<br>081-58-02.421W | TR on pile. |
| 54365 | Bimini Entrance<br>Channel Daybeacon 26 | 26-32-40.776N<br>081-57-44.320W | TR on pile. |
| 54370 | Bimini Entrance<br>Channel Daybeacon 28 | 26-32-40.276N<br>081-57-42.920W | TR on pile. |
| 54375 | Redfish Cove Channel<br>Daybeacon 1     | 26-31-56.478N<br>081-57-50.321W | SG on pile. |
| 54380 | Redfish Cove Channel<br>Daybeacon 2     | 26-31-57.478N<br>081-57-47.321W | TR on pile. |
| 54385 | Redfish Cove Channel<br>Daybeacon 3     | 26-32-00.978N<br>081-57-49.821W | SG on pile. |
| 54390 | Redfish Cove Channel<br>Daybeacon 4     | 26-32-04.434N<br>081-57-47.124W | TR on pile. |
| 54395 | Redfish Cove Channel<br>Daybeacon 5     | 26-32-07.680N<br>081-57-50.064W | SG on pile. |
| 54400 | Redfish Cove Channel<br>Daybeacon 7     | 26-32-13.530N<br>081-57-51.180W | SG on pile. |
| 54405 | Redfish Cove Channel<br>Daybeacon 8     | 26-32-14.478N<br>081-57-49.602W | TR on pile. |
| 54410 | Redfish Cove Channel<br>Daybeacon 9     | 26-32-18.924N<br>081-57-52.158W | SG on pile. |
| 54415 | Redfish Cove Channel<br>Daybeacon 10    | 26-32-38.076N<br>081-56-50.119W | TR on pile. |
| 54420 | Redfish Cove Channel<br>Daybeacon 11    | 26-32-21.144N<br>081-57-52.794W | SG on pile. |
| 54425 | Redfish Cove Channel<br>Daybeacon 14    | 26-32-25.676N<br>081-57-52.721W | TR on pile. |
| 54430 | Redfish Cove Channel<br>Daybeacon 15    | 26-32-25.902N<br>081-57-54.300W | SG on pile. |
| 54435 | Redfish Cove Channel<br>Daybeacon 16    | 26-32-27.978N<br>081-57-52.506W | TR on pile. |
| 54440 | Redfish Cove Channel<br>Daybeacon 17    | 26-32-28.956N<br>081-57-54.990W | SG on pile. |
| 54445 | Redfish Cove Channel<br>Daybeacon 18    | 26-32-29.850N<br>081-57-53.190W | TR on pile. |
| 54450 | Redfish Cove Channel<br>Daybeacon 19    | 26-32-32.184N<br>081-57-55.392W | SG on pile. |
| 54455 | Redfish Cove Channel<br>Daybeacon 20    | 26-32-34.134N<br>081-57-54.252W | TR on pile. |
| 54460 | Redfish Cove Channel<br>Daybeacon 21    | 26-32-35.826N<br>081-57-56.226W | SG on pile. |
| 54465 | Redfish Cove Channel<br>Daybeacon 22    | 26-32-36.936N<br>081-57-54.792W | TR on pile. |

|         |                                       |                                 |             |
|---------|---------------------------------------|---------------------------------|-------------|
| 54470   | Redfish Cove Channel<br>Daybeacon 23  | 26-32-37.356N<br>081-57-56.850W | SG on pile. |
| 54475   | Redfish Cove Channel<br>Daybeacon 24  | 26-32-39.012N<br>081-57-55.542W | TR on pile. |
| 54480   | Redfish Cove Channel<br>Daybeacon 25  | 26-32-40.524N<br>081-57-57.354W | SG on pile. |
| 54485   | Redfish Cove Channel<br>Daybeacon 26  | 26-32-41.676N<br>081-57-56.562W | TR on pile. |
| 54487   | Catalpa Cove<br>Daybeacon 1           | 26-31-19.320N<br>081-58-34.620W | SG on pile. |
| 54487.1 | Catalpa Cove<br>Daybeacon 2           | 26-31-19.320N<br>081-58-35.220W | TR on pile. |
| 54487.2 | Catalpa Cove<br>Daybeacon 3           | 26-31-12.780N<br>081-58-34.500W | SG on pile. |
| 54487.3 | Catalpa Cove<br>Daybeacon 4           | 26-31-12.780N<br>081-58-35.100W | TR on pile. |
| 54487.4 | Catalpa Cove<br>Daybeacon 5           | 26-31-08.400N<br>081-58-34.380W | SG on pile. |
| 54487.5 | Catalpa Cove<br>Daybeacon 6           | 26-31-08.400N<br>081-58-34.920W | TR on pile. |
| 54487.6 | Catalpa Cove<br>Daybeacon 7           | 26-31-04.500N<br>081-58-34.320W | SG on pile. |
| 54487.7 | Catalpa Cove<br>Daybeacon 8           | 26-31-04.500N<br>081-58-34.860W | TR on pile. |
| 54487.8 | Catalpa Cove<br>Daybeacon 9           | 26-31-00.540N<br>081-58-34.260W | SG on pile. |
| 54487.9 | Catalpa Cove<br>Daybeacon 10          | 26-31-00.540N<br>081-58-34.800W | TR on pile. |
| 54490   | Saint Charles Harbour<br>Daybeacon 1  | 26-31-38.558N<br>081-58-56.202W | SG on pile. |
| 54495   | Saint Charles Harbour<br>Daybeacon 2  | 26-31-38.416N<br>081-58-56.843W | TR on pile. |
| 54500   | Saint Charles Harbour<br>Daybeacon 3  | 26-31-33.750N<br>081-58-54.885W | SG on pile. |
| 54505   | Saint Charles Harbour<br>Daybeacon 4  | 26-31-33.608N<br>081-58-55.527W | TR on pile. |
| 54510   | Saint Charles Harbour<br>Daybeacon 5  | 26-31-28.944N<br>081-58-53.568W | SG on pile. |
| 54515   | Saint Charles Harbour<br>Daybeacon 6  | 26-31-28.800N<br>081-58-54.211W | TR on pile. |
| 54520   | Saint Charles Harbour<br>Daybeacon 7  | 26-31-24.136N<br>081-58-52.249W | SG on pile. |
| 54525   | Saint Charles Harbour<br>Daybeacon 8  | 26-31-23.907N<br>081-58-52.871W | TR on pile. |
| 54530   | Saint Charles Harbour<br>Daybeacon 9  | 26-31-19.332N<br>081-58-50.913W | SG on pile. |
| 54535   | Saint Charles Harbour<br>Daybeacon 10 | 26-31-19.095N<br>081-58-51.571W | TR on pile. |
| 54540   | Saint Charles Harbour<br>Daybeacon 11 | 26-31-13.975N<br>081-58-49.422W | SG on pile. |
| 54545   | Saint Charles Harbour<br>Daybeacon 12 | 26-31-13.713N<br>081-58-50.111W | TR on pile. |
| 54550   | Saint Charles Harbour<br>Daybeacon 13 | 26-31-09.698N<br>081-58-48.235W | SG on pile. |
| 54555   | Saint Charles Harbour<br>Daybeacon 14 | 26-31-09.591N<br>081-58-48.997W | TR on pile. |
| 54560   | Saint Charles Harbour<br>Daybeacon 15 | 26-31-05.263N<br>081-58-47.002W | SG on pile. |
| 54565   | Saint Charles Harbour<br>Daybeacon 16 | 26-31-05.125N<br>081-58-47.796W | TR on pile. |
| 54570   | Saint Charles Harbour<br>Daybeacon 17 | 26-31-00.324N<br>081-58-45.630W | SG on pile. |
| 54575   | Saint Charles Harbour<br>Daybeacon 18 | 26-31-00.327N<br>081-58-46.499W | TR on pile. |
| 54580   | Saint Charles Harbour<br>Daybeacon 19 | 26-30-55.795N<br>081-58-44.818W | SG on pile. |
| 54585   | Saint Charles Harbour<br>Daybeacon 20 | 26-30-55.681N<br>081-58-45.594W | TR on pile. |
| 54590   | Saint Charles Harbour<br>Daybeacon 21 | 26-30-51.253N<br>081-58-43.964W | SG on pile. |

|       |                                                       |                                 |           |   |   |                                                |
|-------|-------------------------------------------------------|---------------------------------|-----------|---|---|------------------------------------------------|
| 54595 | Saint Charles Harbour<br>Daybeacon 22                 | 26-30-51.296N<br>081-58-44.729W |           |   |   | TR on pile.                                    |
| 54600 | Saint Charles Harbour<br>Daybeacon 23                 | 26-30-48.564N<br>081-58-45.440W |           |   |   | SG on pile.                                    |
| 54605 | Saint Charles Harbour<br>Daybeacon 24                 | 26-30-48.840N<br>081-58-46.065W |           |   |   | TR on pile.                                    |
| 54610 | Saint Charles Harbour<br>Daybeacon 25                 | 26-30-45.959N<br>081-58-46.860W |           |   |   | SG on pile.                                    |
| 54615 | Saint Charles Harbour<br>Daybeacon 26                 | 26-30-46.302N<br>081-58-47.451W |           |   |   | TR on pile.                                    |
| 54620 | Saint Charles Harbour<br>Daybeacon 27                 | 26-30-41.044N<br>081-58-49.691W |           |   |   | SG on pile.                                    |
| 54625 | Saint Charles Harbour<br>Daybeacon 28                 | 26-30-41.316N<br>081-58-50.278W |           |   |   | TR on pile.                                    |
| 54630 | Caloosahatchee River<br>Light 89                      | 26-31-41.188N<br>081-59-17.594W | FI G 4s   | 0 | 5 | SG-SY on pile.                                 |
| 54635 | Caloosahatchee River<br>Daybeacon 90                  | 26-31-43.617N<br>081-59-22.499W |           | 0 |   | TR-TY on pile.                                 |
| 54640 | Cape Coral Southwest<br>Channel Daybeacon 1           | 26-31-45.178N<br>081-59-57.425W |           |   |   | SG and NL on pile; NL<br>worded CAPE CORAL SW. |
| 54645 | Cape Coral Southwest<br>Channel Daybeacon 2           | 26-31-56.178N<br>081-59-57.425W |           |   |   | TR on pile.                                    |
| 54650 | Cape Coral Southwest<br>Channel Daybeacon 4           | 26-31-56.578N<br>081-59-59.925W |           |   |   | TR on pile.                                    |
| 54655 | Cape Coral Southwest<br>Channel Daybeacon 6           | 26-32-00.978N<br>081-59-59.225W |           |   |   | TR on pile.                                    |
| 54660 | Cape Coral Southwest<br>Channel Daybeacon 7           | 26-32-02.578N<br>082-00-01.125W |           |   |   | SG on pile.                                    |
| 54665 | Cape Coral Southwest<br>Channel Daybeacon 8           | 26-32-07.778N<br>081-59-57.525W |           |   |   | TR on pile.                                    |
| 54670 | Cape Coral Southwest<br>Channel Daybeacon 9           | 26-32-09.678N<br>081-59-58.525W |           |   |   | SG on pile.                                    |
| 54675 | Cape Coral Southwest<br>Channel Junction<br>Daybeacon | 26-32-14.577N<br>081-59-56.025W |           |   |   | JG on pile.                                    |
| 54680 | Cape Coral Southwest<br>Channel Daybeacon 11          | 26-32-12.977N<br>082-00-04.125W |           |   |   | SG on pile.                                    |
| 54685 | Cape Coral Southwest<br>Channel Daybeacon 13          | 26-32-13.277N<br>082-00-06.825W |           |   |   | SG on pile.                                    |
| 54690 | Cape Coral Southwest<br>Channel Daybeacon 15          | 26-32-11.300N<br>082-00-17.100W |           |   |   | SG on pile.                                    |
| 54695 | Cape Coral Southwest<br>Channel Daybeacon 17          | 26-32-13.677N<br>082-00-21.325W |           |   |   | SG on pile.                                    |
| 54700 | Shell Point Village<br>Daybeacon 1                    | 26-31-36.272N<br>081-59-39.320W |           |   |   | SG on pile.                                    |
| 54705 | Shell Point Village<br>Daybeacon 1A                   | 26-31-29.172N<br>081-59-39.320W |           |   |   | SG on pile.                                    |
| 54710 | Shell Point Village<br>Daybeacon 2                    | 26-31-36.279N<br>081-59-41.324W |           |   |   | TR on pile.                                    |
| 54715 | Shell Point Village<br>Daybeacon 2A                   | 26-31-30.060N<br>081-59-41.280W |           |   |   | TR on pile.                                    |
| 54720 | Shell Point Village<br>Daybeacon 3                    | 26-31-27.272N<br>081-59-41.320W |           |   |   | SG on pile.                                    |
| 54725 | Shell Point Village<br>Daybeacon 4                    | 26-31-26.400N<br>081-59-45.000W |           |   |   | TR on pile.                                    |
| 54730 | Shell Point Village<br>Daybeacon 5                    | 26-31-24.272N<br>081-59-45.320W |           |   |   | SG on pile.                                    |
| 54735 | Shell Point Village<br>Daybeacon 6                    | 26-31-23.520N<br>081-59-49.320W |           |   |   | TR on pile.                                    |
| 54740 | Shell Point Village<br>Daybeacon 7                    | 26-31-17.272N<br>081-59-48.320W |           |   |   | SG on pile.                                    |
| 54745 | Caloosahatchee River<br>Daybeacon 92                  | 26-31-42.671N<br>081-59-37.526W |           | 0 |   | TR-TY on pile.                                 |
| 54750 | Caloosahatchee River<br>Light 93                      | 26-31-39.857N<br>081-59-41.865W | FI G 2.5s | 0 | 5 | SG-SY on pile.                                 |
| 54755 | Caloosahatchee River<br>Buoy 93A                      | 26-31-34.305N<br>081-59-59.850W |           |   |   | Green can.                                     |
| 54760 | Caloosahatchee River<br>Daybeacon 94                  | 26-31-31.467N<br>082-00-11.470W |           | 0 |   |                                                |
| 54763 | Shell Point<br>Obstruction                            | 26-31-25.480N<br>082-00-17.320W |           |   |   | NW on pile worded DANGER<br>SUBMERGED PILINGS. |

|          |                                   |                                 |         |   |   |                               |
|----------|-----------------------------------|---------------------------------|---------|---|---|-------------------------------|
|          | Daybeacon A                       |                                 |         |   |   |                               |
| 54765    | Caloosahatchee River Light 96     | 26-31-23.627N<br>082-00-31.413W | Q R     | 0 | 4 | TR-TY on pile.                |
| 54770    | Caloosahatchee River Daybeacon 97 | 26-31-17.915N<br>082-00-34.674W |         | 0 |   | SG-SY on pile.                |
| 54780    | Caloosahatchee River Light 98     | 26-31-08.057N<br>082-00-49.091W | Q R     | 0 | 4 | TR-TY on pile.                |
| 54785    | Caloosahatchee River Daybeacon 99 | 26-31-00.326N<br>082-00-50.927W |         | 0 |   | SG-SY on pile.                |
| 54790    | Caloosahatchee River Light 101    | 26-30-40.233N<br>082-00-59.516W | Q G     | 0 | 4 | SG-SY on pile.                |
| 54793.1  | Sword Point Channel Daybeacon 1   | 26-30-43.680N<br>082-01-11.410W |         |   |   | SG on pile.                   |
| 54793.15 | Sword Point Channel Daybeacon 2   | 26-30-48.260N<br>082-01-08.910W |         |   |   | TR on pile.                   |
| 54793.2  | Sword Point Channel Daybeacon 3   | 26-30-56.620N<br>082-01-24.380W |         |   |   | SG on pile.                   |
| 54793.25 | Sword Point Channel Daybeacon 4   | 26-30-58.570N<br>082-01-23.660W |         |   |   | TR on pile.                   |
| 54793.3  | Sword Point Channel Daybeacon 5   | 26-31-06.390N<br>082-01-48.130W |         |   |   | SG on pile.                   |
| 54793.35 | Sword Point Channel Daybeacon 7   | 26-31-12.570N<br>082-02-03.950W |         |   |   | SG on pile.                   |
| 54793.4  | Sword Point Channel Daybeacon 9   | 26-31-16.220N<br>082-02-15.960W |         |   |   | SG on pile.                   |
| 54793.45 | Sword Point Channel Daybeacon 11  | 26-31-20.240N<br>082-02-20.900W |         |   |   | SG on pile.                   |
| 54793.5  | Sword Point Channel Daybeacon 13  | 26-31-21.500N<br>082-02-23.040W |         |   |   | SG on pile.                   |
| 54793.55 | Sword Point Channel Daybeacon 14  | 26-31-22.480N<br>082-02-23.150W |         |   |   | TR on pile.                   |
| 54793.6  | Sword Point Channel Daybeacon 15  | 26-31-20.840N<br>082-02-24.330W |         |   |   | SG on pile.                   |
| 54793.65 | Sword Point Channel Daybeacon 17  | 26-31-18.410N<br>082-02-26.860W |         |   |   | SG on pile.                   |
| 54793.7  | Sword Point Channel Daybeacon 18  | 26-31-19.310N<br>082-02-27.330W |         |   |   | TR on pile.                   |
| 54793.75 | Sword Point Channel Daybeacon 19  | 26-31-21.190N<br>082-02-32.570W |         |   |   | SG on pile.                   |
| 54793.8  | Sword Point Channel Daybeacon 21  | 26-31-18.110N<br>082-02-45.260W |         |   |   | SG on pile.                   |
| 54793.83 | Sword Point Channel Daybeacon 23  | 26-31-20.700N<br>082-02-52.760W |         |   |   | SG on pile.                   |
| 54793.9  | Sword Point Channel Daybeacon 25  | 26-31-26.250N<br>082-03-02.020W |         |   |   | SG on pile.                   |
| 54793.95 | Sword Point Channel Daybeacon 27  | 26-31-34.240N<br>082-03-17.180W |         |   |   | SG on pile.                   |
| 54793.85 | Sword Point Channel Daybeacon 24  | 26-31-21.810N<br>082-02-52.050W |         |   |   | TR on pile.                   |
| 54794    | Sword Point Channel Daybeacon 28  | 26-31-36.140N<br>082-03-15.750W |         |   |   | TR on pile.                   |
| 54795    | Pine Island Sound Buoy 1          | 26-30-31.450N<br>082-01-13.952W |         |   |   | Green can with yellow square. |
| 54800    | Pine Island Sound Daybeacon 2     | 26-30-26.911N<br>082-01-26.045W |         | 0 |   | TR-TY on pile.                |
| 54805    | Pine Island Sound Daybeacon 2A    | 26-30-15.971N<br>082-01-46.346W |         | 0 |   | TR-TY on pile.                |
| 54810    | Pine Island Sound Daybeacon 3     | 26-30-14.353N<br>082-01-45.894W |         | 0 |   | SG-SY on pile.                |
| 54815    | Pine Island Sound Daybeacon 3A    | 26-30-03.431N<br>082-02-05.654W |         | 0 |   | SG-SY on pile.                |
| 54820    | Pine Island Sound Daybeacon 4     | 26-30-05.000N<br>082-02-06.512W |         | 0 |   | TR-TY on pile.                |
| 54825    | Pine Island Sound Daybeacon 5     | 26-29-52.189N<br>082-02-26.726W |         |   |   | SG-SY on pile.                |
| 54830    | Pine Island Sound Light 6         | 26-29-53.310N<br>082-02-28.038W | FI R 4s | 0 | 5 | TR-TY on pile.                |
| 54835    | Pine Island Sound Buoy 7          | 26-29-39.987N<br>082-02-48.266W |         |   |   | Green can with yellow square. |
| 54840    | Matlacha Pass                     | 26-29-37.084N                   |         |   |   | SG on pile.                   |

|       |                                              |                                 |             |
|-------|----------------------------------------------|---------------------------------|-------------|
|       | Daybeacon 1                                  | 082-03-02.830W                  |             |
| 54845 | Matlacha Pass<br>Daybeacon 2                 | 26-30-03.783N<br>082-03-11.930W | TR on pile. |
| 54850 | Matlacha Pass<br>Daybeacon 3                 | 26-30-16.383N<br>082-03-17.030W | SG on pile. |
| 54855 | Matlacha Pass<br>Daybeacon 4                 | 26-30-21.682N<br>082-03-20.930W | TR on pile. |
| 54860 | Matlacha Pass<br>Daybeacon 5                 | 26-30-24.582N<br>082-03-29.730W | SG on pile. |
| 54865 | Matlacha Pass<br>Daybeacon 6                 | 26-30-28.182N<br>082-03-35.530W | TR on pile. |
| 54870 | Matlacha Pass<br>Daybeacon 7                 | 26-30-26.458N<br>082-03-36.750W | SG on pile. |
| 54875 | Matlacha Pass<br>Daybeacon 8                 | 26-30-33.282N<br>082-03-35.230W | TR on pile. |
| 54880 | Matlacha Pass<br>Daybeacon 9                 | 26-30-47.081N<br>082-03-31.730W | SG on pile. |
| 54885 | Matlacha Pass<br>Daybeacon 10                | 26-31-09.680N<br>082-03-27.430W | TR on pile. |
| 54890 | Matlacha Pass<br>Daybeacon 11                | 26-31-26.680N<br>082-03-29.430W | SG on pile. |
| 54895 | Matlacha Pass<br>Daybeacon 13                | 26-31-46.672N<br>082-03-33.720W | SG on pile. |
| 54900 | Matlacha Pass<br>Daybeacon 15                | 26-32-00.078N<br>082-03-33.930W | SG on pile. |
| 54905 | Matlacha Pass<br>Daybeacon 17                | 26-32-05.578N<br>082-03-35.830W | SG on pile. |
| 54910 | Matlacha Pass<br>Daybeacon 18                | 26-32-06.578N<br>082-03-40.230W | TR on pile. |
| 54915 | Matlacha Pass<br>Daybeacon 19                | 26-32-08.078N<br>082-03-45.130W | SG on pile. |
| 54920 | Matlacha Pass<br>Daybeacon 20                | 26-32-17.178N<br>082-03-52.330W | TR on pile. |
| 54925 | Matlacha Pass<br>Daybeacon 22                | 26-32-22.278N<br>082-04-02.530W | TR on pile. |
| 54930 | Manatee Bay Property<br>Channel Daybeacon 1  | 26-32-18.378N<br>082-04-19.830W | SG on pile. |
| 54935 | Manatee Bay Property<br>Channel Daybeacon 2  | 26-32-19.978N<br>082-04-19.430W | TR on pile. |
| 54940 | Manatee Bay Property<br>Channel Daybeacon 3  | 26-32-18.778N<br>082-04-20.130W | SG on pile. |
| 54945 | Manatee Bay Property<br>Channel Daybeacon 4  | 26-32-20.278N<br>082-04-20.930W | TR on pile. |
| 54950 | Manatee Bay Property<br>Channel Daybeacon 5  | 26-32-19.678N<br>082-04-23.131W | SG on pile. |
| 54955 | Manatee Bay Property<br>Channel Daybeacon 6  | 26-32-20.778N<br>082-04-22.330W | TR on pile. |
| 54960 | Manatee Bay Property<br>Channel Daybeacon 7  | 26-32-19.778N<br>082-04-24.431W | SG on pile. |
| 54965 | Manatee Bay Property<br>Channel Daybeacon 8  | 26-32-20.978N<br>082-04-24.131W | TR on pile. |
| 54970 | Manatee Bay Property<br>Channel Daybeacon 9  | 26-32-20.078N<br>082-04-25.831W | SG on pile. |
| 54975 | Manatee Bay Property<br>Channel Daybeacon 10 | 26-32-21.278N<br>082-04-25.431W | TR on pile. |
| 54980 | Manatee Bay Property<br>Channel Daybeacon 11 | 26-32-20.478N<br>082-04-27.931W | SG on pile. |
| 54985 | Manatee Bay Property<br>Channel Daybeacon 12 | 26-32-21.478N<br>082-04-27.531W | TR on pile. |
| 54990 | Manatee Bay Property<br>Channel Daybeacon 13 | 26-32-20.978N<br>082-04-29.431W | SG on pile. |
| 54995 | Manatee Bay Property<br>Channel Daybeacon 14 | 26-32-22.178N<br>082-04-29.331W | TR on pile. |
| 55000 | Matlacha Pass<br>Daybeacon 23                | 26-32-32.477N<br>082-04-13.830W | SG on pile. |
| 55005 | Matlacha Pass<br>Daybeacon 24                | 26-32-47.677N<br>082-04-24.630W | TR on pile. |
| 55010 | Matlacha Pass<br>Daybeacon 25                | 26-33-05.576N<br>082-04-25.130W | SG on pile. |
| 55015 | Matlacha Pass<br>Daybeacon 26                | 26-33-13.372N<br>082-04-22.620W | TR on pile. |



|         |                                |                                 |             |
|---------|--------------------------------|---------------------------------|-------------|
| 55020   | Matlacha Pass<br>Daybeacon 27  | 26-33-31.072N<br>082-04-12.420W | SG on pile. |
| 55025   | Matlacha Pass<br>Daybeacon 28  | 26-33-34.472N<br>082-04-06.320W | TR on pile. |
| 55030   | Matlacha Pass<br>Daybeacon 29  | 26-33-45.272N<br>082-04-07.020W | SG on pile. |
| 55035   | Matlacha Pass<br>Daybeacon 30  | 26-33-59.274N<br>082-04-05.529W | TR on pile. |
| 55040   | Matlacha Pass<br>Daybeacon 32  | 26-34-28.073N<br>082-04-04.129W | TR on pile. |
| 55045   | Matlacha Pass<br>Daybeacon 33  | 26-34-49.372N<br>082-04-00.329W | SG on pile. |
| 55050   | Matlacha Pass<br>Daybeacon 34  | 26-34-55.871N<br>082-03-58.229W | TR on pile. |
| 55055   | Matlacha Pass<br>Daybeacon 36  | 26-35-02.771N<br>082-03-58.629W | TR on pile. |
| 55060   | Matlacha Pass<br>Daybeacon 37  | 26-35-10.671N<br>082-04-01.029W | SG on pile. |
| 55065   | Matlacha Pass<br>Daybeacon 38  | 26-35-21.970N<br>082-03-58.429W | TR on pile. |
| 55065.1 | Matlacha Pass<br>Daybeacon 38A | 26-35-20.407N<br>082-03-57.754W | TR on pile  |
| 55070   | Matlacha Pass<br>Daybeacon 39  | 26-35-32.470N<br>082-03-56.828W | SG on pile. |
| 55075   | Matlacha Pass<br>Daybeacon 40  | 26-35-40.770N<br>082-03-50.428W | TR on pile. |
| 55080   | Matlacha Pass<br>Daybeacon 41  | 26-35-44.869N<br>082-03-45.728W | SG on pile. |
| 55085   | Matlacha Pass<br>Daybeacon 43  | 26-35-50.469N<br>082-03-42.728W | SG on pile. |
| 55090   | Matlacha Pass<br>Daybeacon 43A | 26-35-53.290N<br>082-03-44.180W | SG on pile. |
| 55095   | Matlacha Pass<br>Daybeacon 44  | 26-35-56.670N<br>082-03-44.780W | TR on pile. |
| 55100   | Matlacha Pass<br>Daybeacon 45  | 26-36-09.510N<br>082-03-44.890W | SG on pile. |
| 55105   | Matlacha Pass<br>Daybeacon 46  | 26-36-13.200N<br>082-03-45.050W | TR on pile. |
| 55110   | Matlacha Pass<br>Daybeacon 47  | 26-36-20.168N<br>082-03-37.528W | SG on pile. |
| 55115   | Matlacha Pass<br>Daybeacon 48  | 26-36-31.668N<br>082-03-36.327W | TR on pile. |
| 55120   | Matlacha Pass<br>Daybeacon 49  | 26-36-48.667N<br>082-03-38.527W | SG on pile. |
| 55125   | Matlacha Pass<br>Daybeacon 51  | 26-37-06.666N<br>082-03-42.427W | SG on pile. |
| 55130   | Matlacha Pass<br>Daybeacon 53  | 26-37-23.865N<br>082-03-47.227W | SG on pile. |
| 55135   | Matlacha Pass<br>Daybeacon 55  | 26-37-39.865N<br>082-03-54.527W | SG on pile. |
| 55140   | Matlacha Pass<br>Daybeacon 56  | 26-38-06.864N<br>082-04-14.028W | TR on pile. |
| 55145   | Matlacha Pass<br>Daybeacon 58  | 26-38-27.463N<br>082-04-29.028W | TR on pile. |
| 55150   | Matlacha Pass<br>Daybeacon 59  | 26-38-31.563N<br>082-04-35.628W | SG on pile. |
| 55155   | Matlacha Pass<br>Daybeacon 60  | 26-38-39.063N<br>082-04-42.928W | TR on pile. |
| 55160   | Matlacha Pass<br>Daybeacon 62  | 26-38-44.262N<br>082-04-49.328W | TR on pile. |
| 55165   | Matlacha Pass<br>Daybeacon 63  | 26-38-48.762N<br>082-04-53.628W | SG on pile. |
| 55170   | Matlacha Pass<br>Daybeacon 64  | 26-38-52.062N<br>082-04-52.728W | TR on pile. |
| 55175   | Matlacha Pass<br>Daybeacon 65  | 26-38-55.062N<br>082-04-54.328W | SG on pile. |
| 55180   | Matlacha Pass<br>Daybeacon 66  | 26-39-04.662N<br>082-04-57.828W | TR on pile. |
| 55185   | Matlacha Pass<br>Daybeacon 68  | 26-39-09.762N<br>082-05-03.028W | TR on pile. |

|         |                                    |                                 |     |   |   |                |
|---------|------------------------------------|---------------------------------|-----|---|---|----------------|
| 55190   | Matlacha Pass<br>Daybeacon 69      | 26-39-12.861N<br>082-05-11.428W |     |   |   | SG on pile.    |
| 55195   | Matlacha Pass<br>Daybeacon 71      | 26-39-27.361N<br>082-05-19.629W |     |   |   | SG on pile.    |
| 55200   | Matlacha Pass<br>Daybeacon 72      | 26-39-42.960N<br>082-05-23.428W |     |   |   | TR on pile.    |
| 55205   | Matlacha Pass<br>Daybeacon 74      | 26-39-55.360N<br>082-05-37.029W |     |   |   | TR on pile.    |
| 55210   | Matlacha Pass<br>Daybeacon 76      | 26-40-01.460N<br>082-05-46.729W |     |   |   | TR on pile.    |
| 55215   | Matlacha Pass<br>Daybeacon 77      | 26-39-59.860N<br>082-05-57.529W |     |   |   | SG on pile.    |
| 55220   | Matlacha Pass<br>Daybeacon 78      | 26-40-09.759N<br>082-06-00.529W |     |   |   | TR on pile.    |
| 55225   | Matlacha Pass<br>Daybeacon 79      | 26-41-30.356N<br>082-06-22.629W |     |   |   | SG on pile.    |
| 55230   | Matlacha Pass<br>Daybeacon 81      | 26-41-46.156N<br>082-06-34.129W |     |   |   | SG on pile.    |
| 55235   | Matlacha Pass<br>Daybeacon 83      | 26-42-20.454N<br>082-07-01.329W |     |   |   | SG on pile.    |
| 55240   | Matlacha Pass<br>Daybeacon 85      | 26-42-33.854N<br>082-07-16.430W |     |   |   | SG on pile.    |
| 55245   | Matlacha Pass<br>Daybeacon 87      | 26-42-53.472N<br>082-07-55.220W |     |   |   | SG on pile.    |
| 55250   | Matlacha Pass<br>Daybeacon 89      | 26-42-52.154N<br>082-08-16.531W |     |   |   | SG on pile.    |
| 55255   | Matlacha Pass<br>Daybeacon 91      | 26-42-49.472N<br>082-08-48.120W |     |   |   | SG on pile.    |
| 55260   | Matlacha Pass<br>Daybeacon 92      | 26-42-59.654N<br>082-09-14.532W |     |   |   | TR on pile.    |
| 55265   | Matlacha Pass<br>Daybeacon 93      | 26-42-49.954N<br>082-09-19.932W |     |   |   | SG on pile.    |
| 55270   | Matlacha Pass<br>Daybeacon 94      | 26-42-56.854N<br>082-09-37.733W |     |   |   | TR on pile.    |
| 55275   | Matlacha Pass<br>Daybeacon 95      | 26-42-50.254N<br>082-10-01.333W |     |   |   | SG on pile.    |
| 55275.2 | Matlacha Pass<br>Daybeacon 99      | 26-43-03.000N<br>082-12-06.000W |     |   |   | SG on pile.    |
| 55275.1 | Matlacha Pass<br>Daybeacon 97      | 26-43-03.000N<br>082-10-53.400W |     |   |   | SG on pile.    |
| 55280   | Pine Island Sound<br>Daybeacon 8   | 26-29-33.304N<br>082-03-03.520W |     | 0 |   | TR-TY on pile. |
| 55285   | Pine Island Sound<br>Daybeacon 9   | 26-29-25.744N<br>082-03-14.560W |     | 0 |   | SG-SY on pile. |
| 55290   | Pine Island Sound<br>Daybeacon 10  | 26-29-18.820N<br>082-03-31.925W |     | 0 |   | TR-TY on pile. |
| 55295   | Pine Island Sound<br>Light 11      | 26-29-04.513N<br>082-03-52.900W | Q G | 0 | 4 | SG-SY on pile. |
| 55297   | Pine Island Sound<br>Daybeacon 11A | 26-29-03.030N<br>082-04-22.021W |     | 0 |   | SG-SY on pile. |
| 55305   | Pine Island Sound<br>Light 12      | 26-29-09.903N<br>082-04-18.879W | Q R | 0 | 4 | TR-TY on pile. |
| 55310   | Paradise Canal<br>Daybeacon 1      | 26-29-22.261N<br>082-04-47.152W |     |   |   | SG on pile.    |
| 55315   | Paradise Canal<br>Daybeacon 2      | 26-29-22.261N<br>082-04-46.552W |     |   |   | TR on pile.    |
| 55320   | Paradise Canal<br>Daybeacon 3      | 26-29-24.061N<br>082-04-47.152W |     |   |   | SG on pile.    |
| 55325   | Paradise Canal<br>Daybeacon 4      | 26-29-23.461N<br>080-04-46.552W |     |   |   | TR on pile.    |
| 55330   | Paradise Canal<br>Daybeacon 5      | 26-29-26.500N<br>082-04-46.700W |     |   |   | SG on pile.    |
| 55335   | Paradise Canal<br>Daybeacon 6      | 26-29-26.500N<br>082-04-45.200W |     |   |   | TR on pile.    |
| 55340   | Pine Island Shores<br>Daybeacon 1  | 26-29-28.572N<br>082-04-29.520W |     |   |   | SG on pile.    |
| 55345   | Pine Island Shores<br>Daybeacon 2  | 26-29-29.872N<br>082-04-29.420W |     |   |   | TR on pile.    |
| 55350   | Pine Island Shores<br>Daybeacon 3  | 26-29-29.985N<br>082-04-30.320W |     |   |   | SG on pile.    |

|          |                                    |                                 |           |   |   |                |
|----------|------------------------------------|---------------------------------|-----------|---|---|----------------|
| 55355    | Pine Island Shores<br>Daybeacon 4  | 26-29-31.372N<br>082-04-30.420W |           |   |   | TR on pile.    |
| 55360    | Pine Island Shores<br>Daybeacon 6  | 26-29-33.472N<br>082-04-31.020W |           |   |   | TR on pile.    |
| 55365    | Long Cutoff<br>Daybeacon 1         | 26-29-16.000N<br>082-05-01.000W |           |   |   | SG on pile.    |
| 55370    | Long Cutoff<br>Daybeacon 2         | 26-29-20.285N<br>082-05-03.433W |           |   |   | TR on pile.    |
| 55375    | Long Cutoff<br>Daybeacon 3         | 26-29-18.585N<br>082-05-07.500W |           |   |   | SG on pile.    |
| 55380    | Long Cutoff<br>Daybeacon 4         | 26-29-22.800N<br>082-05-07.200W |           |   |   | TR on pile.    |
| 55385    | Long Cutoff<br>Daybeacon 5         | 26-29-21.285N<br>082-05-10.000W |           |   |   | SG on pile.    |
| 55390    | Long Cutoff<br>Daybeacon 7         | 26-29-28.800N<br>082-05-17.000W |           |   |   | SG on pile.    |
| 55395    | Long Cutoff<br>Daybeacon 9         | 26-29-29.800N<br>082-05-24.600W |           |   |   | SG on pile.    |
| 55400    | Pine Island Sound<br>Light 13      | 26-28-49.816N<br>082-04-48.729W | FI G 4s   | 0 | 5 | SG-SY on pile. |
| 55405    | Pine Island Sound<br>Daybeacon 13A | 26-28-36.859N<br>082-05-08.045W |           | 0 |   | SG-SY on pile. |
| 55410    | Pine Island Sound<br>Daybeacon 14  | 26-28-36.783N<br>082-05-21.387W |           | 0 |   | TR-TY on pile. |
| 55415    | Pine Island Sound<br>Light 16      | 26-28-27.206N<br>082-05-36.882W | FI R 4s   | 0 | 5 | TR-TY on pile. |
| 55420    | Pine Island Sound<br>Light 18      | 26-28-30.234N<br>082-06-05.857W | FI R 2.5s | 0 | 5 | TR-TY on pile. |
| 55425    | Pine Island Sound<br>Light 20      | 26-28-45.485N<br>082-06-37.829W | FI R 4s   | 0 | 5 | TR-TY on pile. |
| 55430    | Pine Island Sound<br>Daybeacon 22  | 26-28-57.476N<br>082-06-54.111W |           | 0 |   | TR-TY on pile. |
| 55435    | Pine Island Sound<br>Light 23      | 26-29-17.179N<br>082-07-37.113W | FI G 4s   | 0 | 5 | SG-SY on pile. |
| 55440.06 | Cherry Estates<br>Daybeacon 11     | 26-30-34.620N<br>082-05-58.860W |           |   |   | SG on pile.    |
| 55440.05 | Cherry Estates<br>Daybeacon 9      | 26-30-24.240N<br>082-06-15.360W |           |   |   | SG on pile.    |
| 55440.04 | Cherry Estates<br>Daybeacon 7      | 26-30-16.080N<br>082-06-27.960W |           |   |   | SG on pile.    |
| 55440.03 | Cherry Estates<br>Daybeacon 5      | 26-30-06.120N<br>082-06-43.920W |           |   |   | SG on pile.    |
| 55440.02 | Cherry Estates<br>Daybeacon 3      | 26-29-55.680N<br>082-07-00.180W |           |   |   | SG on pile.    |
| 55440.01 | Cherry Estates<br>Daybeacon 1      | 26-29-48.180N<br>082-07-12.000W |           |   |   | SG on pile.    |
| 55440    | Pine Island Sound<br>Daybeacon 24  | 26-29-30.897N<br>082-08-01.684W |           | 0 |   | TR-TY on pile. |
| 55445    | Pine Island Sound<br>Light 26      | 26-29-47.663N<br>082-08-52.294W | Q R       | 0 | 4 | TR-TY on pile. |
| 55450    | Blind Pass Channel<br>Daybeacon 1  | 26-29-38.285N<br>082-09-28.339W |           |   |   | SG on pile.    |
| 55455    | Blind Pass Channel<br>Daybeacon 2  | 26-29-44.585N<br>082-09-29.539W |           |   |   | TR on pile.    |
| 55460    | Blind Pass Channel<br>Daybeacon 4  | 26-29-41.285N<br>082-09-42.339W |           |   |   | TR on pile.    |
| 55465    | Blind Pass Channel<br>Daybeacon 5  | 26-29-39.285N<br>082-09-48.339W |           |   |   | SG on pile.    |
| 55470    | Blind Pass Channel<br>Daybeacon 6  | 26-29-44.285N<br>082-09-52.339W |           |   |   | TR on pile.    |
| 55475    | Blind Pass Channel<br>Daybeacon 7  | 26-29-41.285N<br>082-09-59.340W |           |   |   | SG on pile.    |
| 55480    | Blind Pass Channel<br>Daybeacon 8  | 26-29-44.285N<br>082-10-02.340W |           |   |   | TR on pile.    |
| 55485    | Blind Pass Channel<br>Daybeacon 10 | 26-29-43.285N<br>082-10-17.340W |           |   |   | TR on pile.    |
| 55490    | Blind Pass Channel<br>Daybeacon 12 | 26-29-36.286N<br>082-10-32.340W |           |   |   | TR on pile.    |
| 55505    | Dinken Bayou<br>Entrance Channel   | 26-29-26.286N<br>082-10-42.341W |           |   |   | TR on pile.    |

|         |                                            |                                 |           |   |   |                |
|---------|--------------------------------------------|---------------------------------|-----------|---|---|----------------|
|         | Daybeacon 4                                |                                 |           |   |   |                |
| 55510   | Dinken Bayou Entrance Channel Daybeacon 6  | 26-29-20.286N<br>082-10-42.341W |           |   |   | TR on pile.    |
| 55515   | Dinken Bayou Entrance Channel Daybeacon 7  | 26-29-17.286N<br>082-10-42.841W |           |   |   | SG on pile.    |
| 55520   | Dinken Bayou Entrance Channel Daybeacon 8  | 26-29-18.286N<br>082-10-43.341W |           |   |   | TR on pile.    |
| 55525   | Dinken Bayou Entrance Channel Daybeacon 9  | 26-29-13.286N<br>082-10-40.341W |           |   |   | SG on pile.    |
| 55530   | Dinken Bayou Entrance Channel Daybeacon 10 | 26-29-10.287N<br>082-10-36.341W |           |   |   | TR on pile.    |
| 55535   | Dinken Bayou Entrance Channel Daybeacon 11 | 26-29-09.287N<br>082-10-42.341W |           |   |   | SG on pile.    |
| 55540   | Dinken Bayou Entrance Channel Daybeacon 12 | 26-29-09.287N<br>082-10-41.341W |           |   |   | TR on pile.    |
| 55545   | Blind Pass Channel Daybeacon 14            | 26-29-30.120N<br>082-10-33.600W |           |   |   | TR on pile.    |
| 55550   | Blind Pass Channel Daybeacon 15            | 26-29-32.286N<br>082-10-42.341W |           |   |   | SG on pile.    |
| 55555   | Blind Pass Channel Daybeacon 16            | 26-29-34.286N<br>082-10-40.341W |           |   |   | TR on pile.    |
| 55560   | Blind Pass Channel Daybeacon 17            | 26-29-27.286N<br>082-10-44.341W |           |   |   | SG on pile.    |
| 55560.1 | Blind Pass Channel Daybeacon 18            | 26-29-17.826N<br>082-10-53.644W |           |   |   | TR on pile.    |
| 55560.2 | Blind Pass Channel Daybeacon 19            | 26-29-15.240N<br>082-10-51.528W |           |   |   | SG on pile.    |
| 55560.3 | Blind Pass Channel Daybeacon 20            | 26-29-15.634N<br>082-10-52.184W |           |   |   | TR on pile.    |
| 55560.4 | Blind Pass Channel Daybeacon 21            | 26-29-04.331N<br>082-10-56.044W |           |   |   | SG on pile.    |
| 55565   | Pine Island Sound Daybeacon 28             | 26-30-29.766N<br>082-08-58.609W | 0         |   |   | TR-TY on pile. |
| 55570   | Pine Island Sound Daybeacon 30             | 26-31-13.426N<br>082-09-04.599W | 0         |   |   | TR-TY on pile. |
| 55575   | Pine Island Sound Daybeacon 31             | 26-31-22.991N<br>082-09-07.934W | 0         |   |   | SG-SY on pile. |
| 55580   | Pine Island Sound Light 32                 | 26-31-23.682N<br>082-09-04.721W | FI R 4s   | 0 | 5 | TR-TY on pile. |
| 55585   | Pine Island Sound Daybeacon 33             | 26-31-36.671N<br>082-09-15.794W |           | 0 |   | SG-SY on pile. |
| 55590   | Pine Island Sound Daybeacon 34             | 26-31-55.397N<br>082-09-24.239W |           | 0 |   | TR-TY on pile. |
| 55595   | Pine Island Sound Daybeacon 35             | 26-32-14.714N<br>082-09-38.859W |           | 0 |   | SG-SY on pile. |
| 55600   | Pine Island Sound Daybeacon 36             | 26-32-15.961N<br>082-09-36.615W |           | 0 |   | TR-TY on pile. |
| 55605   | Pine Island Sound Daybeacon 37             | 26-32-38.614N<br>082-09-53.888W |           | 0 |   | SG-SY on pile. |
| 55610   | Captiva Channel Light 2                    | 26-32-02.385N<br>082-10-47.412W | FI R 2.5s | 0 | 5 | TR on pile.    |
| 55615   | Captiva Channel Daybeacon 4                | 26-31-55.999N<br>082-10-53.410W |           |   |   | TR on pile.    |
| 55620   | Captiva Channel Daybeacon 5                | 26-31-54.778N<br>082-10-53.827W |           |   |   | SG on pile.    |
| 55625   | Captiva Channel Daybeacon 6                | 26-31-48.600N<br>082-11-01.620W |           |   |   | TR on pile.    |
| 55630   | Roosevelt Channel Daybeacon 8              | 26-31-37.781N<br>082-11-10.240W |           |   |   | TR on pile.    |
| 55635   | Roosevelt Channel Daybeacon 9              | 26-31-38.781N<br>082-11-05.740W |           |   |   | SG on pile.    |
| 55640   | South Seas Boat Basin Daybeacon 1          | 26-31-39.800N<br>082-11-16.000W |           |   |   | SG on pile.    |
| 55645   | South Seas Boat Basin Daybeacon 2          | 26-31-41.281N<br>082-11-15.000W |           |   |   | TR on pile.    |

|         |                                                 |                                 |         |   |   |                |
|---------|-------------------------------------------------|---------------------------------|---------|---|---|----------------|
| 55650   | South Seas Boat Basin<br>Daybeacon 3            | 26-31-39.300N<br>082-11-17.400W |         |   |   | SG on pile.    |
| 55655   | South Seas Boat Basin<br>Daybeacon 4            | 26-31-41.200N<br>082-11-17.400W |         |   |   | TR on pile.    |
| 55660   | South Seas Boat Basin<br>Daybeacon 5            | 26-31-39.000N<br>082-11-19.200W |         |   |   | SG on pile.    |
| 55665   | South Seas Boat Basin<br>Daybeacon 6            | 26-31-40.200N<br>082-11-19.200W |         |   |   | TR on pile.    |
| 55670   | Roosevelt Channel<br>Daybeacon 10               | 26-31-26.281N<br>082-11-11.940W |         |   |   | TR on pile.    |
| 55675   | Roosevelt Channel<br>Daybeacon 11               | 26-31-22.681N<br>082-11-10.040W |         |   |   | SG on pile.    |
| 55680   | Roosevelt Channel<br>Daybeacon 12               | 26-31-13.282N<br>082-11-16.841W |         |   |   | TR on pile.    |
| 55685   | Roosevelt Channel<br>Daybeacon 13               | 26-31-06.282N<br>082-11-17.341W |         |   |   | SG on pile.    |
| 55690   | Roosevelt Channel<br>Daybeacon 14               | 26-31-03.282N<br>082-11-21.341W |         |   |   | TR on pile.    |
| 55695   | Roosevelt Channel<br>Daybeacon 15               | 26-30-59.282N<br>082-11-21.341W |         |   |   | SG on pile.    |
| 55700   | Roosevelt Channel<br>Daybeacon 16               | 26-30-56.283N<br>082-11-24.341W |         |   |   | TR on pile.    |
| 55705   | Roosevelt Channel<br>Daybeacon 17               | 26-30-49.283N<br>082-11-19.841W |         |   |   | SG on pile.    |
| 55710   | Roosevelt Channel<br>Daybeacon 18               | 26-30-46.283N<br>082-11-21.341W |         |   |   | TR on pile.    |
| 55715   | Roosevelt Channel<br>Daybeacon 19               | 26-30-41.283N<br>082-11-18.341W |         |   |   | SG on pile.    |
| 55720   | Roosevelt Channel<br>Daybeacon 20               | 26-30-32.283N<br>082-11-18.341W |         |   |   | TR on pile.    |
| 55725   | Roosevelt Channel<br>Daybeacon 21               | 26-30-31.283N<br>082-11-12.341W |         |   |   | SG on pile.    |
| 55730   | Roosevelt Channel<br>Daybeacon 22               | 26-30-09.284N<br>082-11-08.341W |         |   |   | TR on pile.    |
| 55735   | Roosevelt Channel<br>Daybeacon 24               | 26-29-53.285N<br>082-11-01.341W |         |   |   | TR on pile.    |
| 55740   | Roosevelt Channel<br>Daybeacon 26               | 26-29-48.285N<br>082-10-59.341W |         |   |   | TR on pile.    |
| 55745   | Roosevelt Channel<br>Daybeacon 27               | 26-29-48.285N<br>082-10-57.341W |         |   |   | SG on pile.    |
| 55750   | Roosevelt Channel<br>Daybeacon 29               | 26-29-45.285N<br>082-10-59.341W |         |   |   | SG on pile.    |
| 55755   | Roosevelt Channel<br>Daybeacon 31               | 26-29-40.285N<br>082-10-57.341W |         |   |   | SG on pile.    |
| 55760   | Roosevelt Channel<br>Daybeacon 33               | 26-29-37.286N<br>082-10-57.341W |         |   |   | SG on pile.    |
| 55765   | Pine Island Sound<br>Daybeacon 38               | 26-32-58.743N<br>082-10-02.675W |         | 0 |   | TR-TY on pile. |
| 55770   | Pine Island Sound<br>Light 39                   | 26-33-16.812N<br>082-10-17.343W | FI G 4s | 0 | 4 | SG-SY on pile. |
| 55775   | Pine Island Sound<br>Daybeacon 40               | 26-33-37.211N<br>082-10-25.452W |         | 0 |   | TR-TY on pile. |
| 55775.5 | Pine Island Sound<br>Daybeacon 41               | 26-33-56.123N<br>082-10-41.367W |         | 0 |   | SG-SY on pile. |
| 55885   | Pine Island Sound<br>Daybeacon 42               | 26-34-14.821N<br>082-10-49.191W |         | 0 |   | TR-TY on pile. |
| 55890   | Pine Island Sound<br>Daybeacon 43               | 26-34-34.571N<br>082-11-05.954W |         | 0 |   | SG-SY on pile. |
| 55895   | Pine Island Sound<br>Daybeacon 44               | 26-34-37.503N<br>082-11-04.189W |         | 0 |   | TR-TY on pile. |
| 55895.5 | Pine Island Sound<br>Daybeacon 45               | 26-35-07.192N<br>082-11-25.602W |         | 1 |   | SG-SY on pile. |
| 55900   | Pine Island Sound<br>Light 45A                  | 26-35-35.711N<br>082-11-43.154W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 55905   | Pine Island Sound<br>Daybeacon 46               | 26-35-37.151N<br>082-11-39.614W |         | 0 |   | TR-TY on pile. |
| 55910   | Pine Island Sound<br>Daybeacon 48               | 26-36-08.645N<br>082-11-53.227W |         | 0 |   | TR-TY on pile. |
| 55911   | Pine Island<br>Commercial Marina<br>Daybeacon 1 | 26-34-53.371N<br>082-08-48.058W |         |   |   | SG on pile.    |

|         |                                                  |                                 |             |
|---------|--------------------------------------------------|---------------------------------|-------------|
| 55911.1 | Pine Island<br>Commercial Marina<br>Daybeacon 2  | 26-34-51.258N<br>082-08-40.858W | TR on pile. |
| 55911.2 | Pine Island<br>Commercial Marina<br>Daybeacon 3  | 26-35-01.860N<br>082-08-42.208W | SG on pile. |
| 55911.3 | Pine Island<br>Commercial Marina<br>Daybeacon 3A | 26-35-08.912N<br>082-08-43.486W | SG on pile. |
| 55911.4 | Pine Island<br>Commercial Marina<br>Daybeacon 4  | 26-35-04.333N<br>082-08-40.278W | TR on pile. |
| 55911.5 | Pine Island<br>Commercial Marina<br>Daybeacon 5  | 26-35-12.349N<br>082-08-44.634W | SG on pile. |
| 55911.6 | Pine Island<br>Commercial Marina<br>Daybeacon 6  | 26-35-12.098N<br>082-08-42.007W | TR on pile. |
| 55911.7 | Pine Island<br>Commercial Marina<br>Daybeacon 8  | 26-35-12.601N<br>082-08-34.267W | TR on pile. |
| 55911.8 | Pine Island<br>Commercial Marina<br>Daybeacon 9  | 26-35-14.323N<br>082-08-32.999W | SG on pile. |
| 55911.9 | Pine Island<br>Commercial Marina<br>Daybeacon 10 | 26-35-14.557N<br>082-08-29.374W | TR on pile. |
| 55912   | Pine Island<br>Commercial Marina<br>Daybeacon 11 | 26-35-17.174N<br>082-08-27.588W | SG on pile. |
| 55912.1 | Pine Island<br>Commercial Marina<br>Daybeacon 12 | 26-35-17.606N<br>082-08-24.935W | TR on pile. |
| 55912.2 | Pine Island<br>Commercial Marina<br>Daybeacon 13 | 26-35-19.765N<br>082-08-22.685W | SG on pile. |
| 55912.3 | Pine Island<br>Commercial Marina<br>Daybeacon 14 | 26-35-19.932N<br>082-08-20.075W | TR on pile. |
| 55912.4 | Pine Island<br>Commercial Marina<br>Daybeacon 16 | 26-35-22.459N<br>082-08-15.798W | TR on pile. |
| 55912.5 | Pine Island<br>Commercial Marina<br>Daybeacon 17 | 26-35-25.249N<br>082-08-15.709W | SG on pile. |
| 55912.6 | Pine Island<br>Commercial Marina<br>Daybeacon 18 | 26-35-25.939N<br>082-08-11.983W | TR on pile. |
| 55912.7 | Pine Island<br>Commercial Marina<br>Daybeacon 20 | 26-35-29.990N<br>082-08-08.941W | TR on pile. |
| 55912.8 | Pine Island<br>Commercial Marina<br>Daybeacon 22 | 26-35-28.345N<br>082-08-01.758W | TR on pile. |
| 55912.9 | Pine Island<br>Commercial Marina<br>Daybeacon 24 | 26-35-29.288N<br>082-07-55.044W | TR on pile. |
| 55913   | Pine Island<br>Commercial Marina<br>Daybeacon 26 | 26-35-33.198N<br>082-07-52.482W | TR on pile. |
| 55913.1 | Pine Island<br>Commercial Marina<br>Daybeacon 28 | 26-35-33.313N<br>082-07-47.460W | TR on pile. |
| 55913.2 | Pine Island<br>Commercial Marina<br>Daybeacon 30 | 26-35-33.330N<br>082-07-42.221W | TR on pile. |
| 55913.3 | Pine Island<br>Commercial Marina<br>Daybeacon 32 | 26-35-33.053N<br>082-07-36.893W | TR on pile. |
| 55915   | Safety Harbor Channel<br>Daybeacon 1             | 26-36-06.071N<br>082-12-50.140W | SG on pile. |
| 55920   | Safety Harbor Channel<br>Daybeacon 2             | 26-36-06.071N<br>082-12-50.140W | TR on pile. |

|         |                                            |                                 |         |   |   |                   |
|---------|--------------------------------------------|---------------------------------|---------|---|---|-------------------|
| 55923   | Safety Harbor Channel<br>Daybeacon 3       | 26-36-03.200N<br>082-12-48.970W |         |   |   | SG on pile.       |
| 55925   | Safety Harbor Channel<br>Daybeacon 5       | 26-36-00.971N<br>082-12-48.240W |         |   |   | SG on pile.       |
| 55930   | Safety Harbor Channel<br>Daybeacon 4       | 26-36-02.571N<br>082-12-49.541W |         |   |   | TR on pile.       |
| 55933   | Safety Harbor Channel<br>Daybeacon 7       | 26-35-58.760N<br>082-12-46.760W |         |   |   | SG on pile.       |
| 55935   | Safety Harbor Channel<br>Daybeacon 9       | 26-35-54.960N<br>082-12-48.280W |         |   |   | SG on pile.       |
| 55940   | Safety Harbor Channel<br>Daybeacon 11      | 26-35-56.820N<br>082-12-53.880W |         |   |   | SG on pile.       |
| 55945   | Safety Harbor Channel<br>Daybeacon 13      | 26-36-00.271N<br>082-12-56.141W |         |   |   | SG on pile.       |
| 55950   | Safety Harbor Channel<br>Daybeacon 12      | 26-35-59.471N<br>082-12-55.141W |         |   |   | TR on pile.       |
| 55955   | Safety Harbor Channel<br>Daybeacon 15      | 26-36-02.971N<br>082-13-01.241W |         |   |   | SG on pile.       |
| 55960   | Safety Harbor Channel<br>Daybeacon 17      | 26-36-03.671N<br>082-13-04.641W |         |   |   | SG on pile.       |
| 55965   | Safety Harbor Channel<br>Daybeacon 19      | 26-36-02.371N<br>082-13-06.441W |         |   |   | SG on pile.       |
| 55970   | Safety Harbor Wharf<br>North Light         | 26-35-54.000N<br>082-12-52.200W | F R     |   |   | On wharf.         |
| 55975   | Safety Harbor Wharf<br>South Light         | 26-35-52.200N<br>082-12-50.400W | F R     |   |   | On wharf.         |
| 55980   | Pine Island Sound<br>Daybeacon 49          | 26-36-32.960N<br>082-12-08.165W |         | 0 |   | SG-SY on pile.    |
| 55980.5 | Pine Island Sound<br>Daybeacon 49A         | 26-36-46.177N<br>082-12-14.200W |         | 0 |   | SG-SY on pile.    |
| 55985   | Pine Island Sound<br>Daybeacon 50          | 26-37-08.137N<br>082-12-19.767W |         | 0 |   | TR-TY on pile.    |
| 55990   | Pine Island Sound<br>Light 51              | 26-37-07.438N<br>082-12-23.028W | FI G 4s | 0 | 5 | SG-SY on pile.    |
| 55995   | Pine Island Sound<br>Light 52              | 26-37-44.531N<br>082-12-26.714W | FI R 4s | 0 | 5 | TR-TY on dolphin. |
| 56000   | Pine Island Sound<br>Daybeacon 53          | 26-38-07.017N<br>082-12-43.638W |         | 0 |   | SG-SY on pile.    |
| 56005   | Pine Island Sound<br>Light 54              | 26-38-08.263N<br>082-12-40.882W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 56010   | Pine Island Sound<br>Daybeacon 56          | 26-38-32.537N<br>082-12-57.473W |         |   |   | TR-TY on pile.    |
| 56015   | Pine Island Sound<br>Daybeacon 56A         | 26-38-46.868N<br>082-13-07.394W |         | 0 |   | TR-TY on pile.    |
| 56020   | Pine Island Sound<br>Light 57              | 26-38-49.691N<br>082-13-12.614W | FI G 4s | 0 | 5 | SG-SY on dolphin. |
| 56025   | Pine Island Sound<br>Daybeacon 58          | 26-39-03.671N<br>082-13-05.954W |         | 0 |   | TR-TY on pile.    |
| 56030   | Pine Island Sound<br>Light 60              | 26-39-20.471N<br>082-13-02.354W | FI R 4s | 0 | 5 | TR-TY on pile.    |
| 56035   | Cabbage Key Channel<br>Daybeacon 1         | 26-39-21.953N<br>082-13-08.239W |         |   |   | SG on pile.       |
| 56040   | Cabbage Key Channel<br>Daybeacon 2         | 26-39-22.853N<br>082-13-08.129W |         |   |   | TR on pile.       |
| 56045   | Cabbage Key Channel<br>Daybeacon 3         | 26-39-22.050N<br>082-13-10.400W |         |   |   | SG on pile.       |
| 56050   | Cabbage Key Channel<br>Daybeacon 4         | 26-39-22.663N<br>082-13-09.629W |         |   |   | TR on pile.       |
| 56060   | Cabbage Key Channel<br>Daybeacon 6         | 26-39-23.053N<br>082-13-12.129W |         |   |   | TR on pile.       |
| 56065   | Cabbage Key Channel<br>Daybeacon 8         | 26-39-23.263N<br>082-13-13.639W |         |   |   | TR on pile.       |
| 56070   | Cabbage Key Channel<br>Daybeacon 10        | 26-39-23.953N<br>082-13-17.230W |         |   |   | TR on pile.       |
| 56075   | Pine Island Sound<br>Daybeacon 61          | 26-39-23.983N<br>082-13-05.993W |         |   |   | SG-SY on pile.    |
| 56080   | Useppa Island<br>Homeowners<br>Daybeacon 1 | 26-39-30.763N<br>082-12-56.739W |         |   |   | SG on pile.       |
| 56085   | Useppa Island                              | 26-39-30.263N                   |         |   |   | TR on pile.       |

|       |                                            |                                 |           |   |   |                   |
|-------|--------------------------------------------|---------------------------------|-----------|---|---|-------------------|
|       | Homeowners<br>Daybeacon 2                  | 082-12-56.839W                  |           |   |   |                   |
| 56090 | Useppa Island<br>Homeowners<br>Daybeacon 3 | 26-39-32.063N<br>082-12-53.600W |           |   |   | SG on pile.       |
| 56095 | Useppa Island<br>Homeowners<br>Daybeacon 4 | 26-39-31.563N<br>082-12-53.600W |           |   |   | TR on pile.       |
| 56100 | Pine Island Sound<br>Daybeacon 62          | 26-39-55.904N<br>082-13-11.701W |           | 0 |   | TR-TY on pile.    |
| 56105 | Pine Island Sound<br>Light 63              | 26-40-00.731N<br>082-13-16.514W | FI G 4s   |   | 5 | SG-SY on pile.    |
| 56110 | Pine Island Sound<br>Light 64              | 26-40-23.051N<br>082-13-14.654W | FI R 4s   | 0 | 5 | TR-TY on dolphin. |
| 56115 | Pine Island Sound<br>Daybeacon 65          | 26-40-22.194N<br>082-13-17.675W |           |   |   | SG-SY on pile.    |
| 56120 | Pine Island Sound<br>Daybeacon 67          | 26-40-58.337N<br>082-13-34.089W |           | 0 |   | SG-SY on pile.    |
| 56125 | Pine Island Sound<br>Light 69              | 26-41-17.033N<br>082-13-43.338W | FI G 4s   | 0 | 5 | SG-SY on dolphin. |
| 56130 | Pine Island Sound<br>Daybeacon 71          | 26-41-35.452N<br>082-13-58.978W |           | 0 |   | SG-SY on pile.    |
| 56135 | Pine Island Sound<br>Daybeacon 72          | 26-41-39.024N<br>082-13-58.946W |           | 0 |   | TR-TY on pile.    |
| 56137 | Pine Island Sound<br>Daybeacon 74          | 26-41-56.508N<br>082-14-12.446W |           | 0 |   | TR-TY on pile.    |
| 56140 | Pine Island Sound<br>Light 75              | 26-42-18.007N<br>082-14-34.920W | FI G 4s   | 0 | 5 | SG-SY on pile.    |
| 56145 | Pine Island Sound<br>Light 76              | 26-42-28.847N<br>082-14-31.751W | FI R 2.5s | 0 | 5 | TR-TY on pile.    |
| 56150 | Useppa Island<br>Daybeacon 2               | 26-40-19.959N<br>082-13-09.528W |           | 0 |   | TR on pile.       |
| 56155 | Useppa Island<br>Daybeacon 3               | 26-40-22.820N<br>082-12-44.456W |           | 0 |   | SG on pile.       |
| 56160 | Useppa Island<br>Daybeacon 4               | 26-40-19.090N<br>082-12-38.556W |           | 0 |   | TR on pile.       |
| 56165 | Useppa Island<br>Daybeacon 5               | 26-40-16.353N<br>082-12-22.362W |           | 0 |   | SG on pile.       |
| 56170 | Useppa Island Club<br>Channel Daybeacon 1  | 26-40-13.331N<br>082-13-11.299W |           |   |   | SG on pile.       |
| 56175 | Useppa Island Club<br>Channel Daybeacon 2  | 26-40-12.471N<br>082-13-11.579W |           |   |   | TR on pile.       |
| 56180 | Useppa Island Club<br>Channel Daybeacon 3  | 26-40-10.691N<br>082-13-04.309W |           |   |   | SG on pile.       |
| 56185 | Useppa Island Club<br>Channel Daybeacon 4  | 26-40-09.761N<br>082-13-04.199W |           |   |   | TR on pile.       |
| 56190 | Useppa Island Club<br>Channel Daybeacon 5  | 26-40-09.441N<br>082-13-00.949W |           |   |   | SG on pile.       |
| 56195 | Useppa Island Club<br>Channel Daybeacon 6  | 26-40-08.611N<br>082-13-01.239W |           |   |   | TR on pile.       |
| 56205 | Useppa Island Club<br>Channel Daybeacon 8  | 26-40-05.591N<br>082-12-53.849W |           |   |   | TR on pile.       |
| 56210 | Useppa Island Club<br>Channel Daybeacon 9  | 26-40-04.681N<br>082-12-48.229W |           |   |   | SG on pile.       |
| 56215 | Useppa Island Club<br>Channel Daybeacon 10 | 26-40-02.262N<br>082-12-49.419W |           |   |   | TR on pile.       |
| 56220 | Useppa Island Club<br>Channel Daybeacon 11 | 26-40-03.001N<br>082-12-43.708W |           |   |   | SG on pile.       |
| 56225 | Useppa Island Club<br>Channel Daybeacon 12 | 26-40-00.652N<br>082-12-47.269W |           |   |   | TR on pile.       |
| 56230 | Wilson Cut Channel<br>Daybeacon 1          | 26-40-04.261N<br>082-11-43.537W |           |   |   | SG on pile.       |
| 56235 | Wilson Cut Channel<br>Daybeacon 2          | 26-40-02.161N<br>082-11-42.737W |           |   |   | TR on pile.       |
| 56240 | Wilson Cut Channel<br>Daybeacon 3          | 26-40-10.761N<br>082-11-25.337W |           |   |   | SG on pile.       |
| 56245 | Wilson Cut Channel<br>Daybeacon 4          | 26-40-08.661N<br>082-11-25.137W |           |   |   | TR on pile.       |
| 56250 | Wilson Cut Channel<br>Daybeacon 5          | 26-40-13.361N<br>082-11-05.636W |           |   |   | SG on pile.       |



|         |                                    |                                 |         |   |   |             |
|---------|------------------------------------|---------------------------------|---------|---|---|-------------|
| 56255   | Wilson Cut Channel<br>Daybeacon 6  | 26-40-12.161N<br>082-11-05.336W |         |   |   | TR on pile. |
| 56260   | Wilson Cut Channel<br>Daybeacon 7  | 26-40-07.561N<br>082-10-41.136W |         |   |   | SG on pile. |
| 56265   | Wilson Cut Channel<br>Daybeacon 8  | 26-40-05.661N<br>082-10-42.236W |         |   |   | TR on pile. |
| 56270   | Wilson Cut Channel<br>Daybeacon 9  | 26-39-58.161N<br>082-10-28.635W |         |   |   | SG on pile. |
| 56275   | Wilson Cut Channel<br>Daybeacon 10 | 26-39-56.461N<br>082-10-30.935W |         |   |   | TR on pile. |
| 56280   | Wilson Cut Channel<br>Daybeacon 11 | 26-39-43.562N<br>082-10-12.635W |         |   |   | SG on pile. |
| 56285   | Wilson Cut Channel<br>Daybeacon 12 | 26-39-42.362N<br>082-10-13.535W |         |   |   | TR on pile. |
| 56290   | Wilson Cut Channel<br>Daybeacon 13 | 26-39-42.362N<br>082-09-56.535W |         |   |   | SG on pile. |
| 56295   | Wilson Cut Channel<br>Daybeacon 14 | 26-39-41.462N<br>082-09-56.635W |         |   |   | TR on pile. |
| 56300   | Wilson Cut Channel<br>Daybeacon 15 | 26-39-41.461N<br>082-09-44.634W |         |   |   | SG on pile. |
| 56305   | Wilson Cut Channel<br>Daybeacon 16 | 26-39-40.762N<br>082-09-45.035W |         |   |   | TR on pile. |
| 56310   | Wilson Cut Channel<br>Daybeacon 17 | 26-39-40.961N<br>082-09-38.534W |         |   |   | SG on pile. |
| 56315   | Wilson Cut Channel<br>Daybeacon 18 | 26-39-40.362N<br>082-09-37.234W |         |   |   | TR on pile. |
| 56320   | Wilson Cut Channel<br>Daybeacon 19 | 26-39-40.561N<br>082-09-34.034W |         |   |   | SG on pile. |
| 56325   | Wilson Cut Channel<br>Daybeacon 20 | 26-39-40.261N<br>082-09-32.834W |         |   |   | TR on pile. |
| 56330   | Wilson Cut Channel<br>Daybeacon 21 | 26-39-40.161N<br>082-09-27.534W |         |   |   | SG on pile. |
| 56335   | Wilson Cut Channel<br>Daybeacon 22 | 26-39-39.661N<br>082-09-26.834W |         |   |   | TR on pile. |
| 56340   | Wilson Cut Channel<br>Daybeacon 23 | 26-39-40.061N<br>082-09-23.934W |         |   |   | SG on pile. |
| 56345   | Wilson Cut Channel<br>Daybeacon 24 | 26-39-39.361N<br>082-09-23.834W |         |   |   | TR on pile. |
| 56350   | Wilson Cut Channel<br>Daybeacon 25 | 26-39-39.861N<br>082-09-19.634W |         |   |   | SG on pile. |
| 56355   | Wilson Cut Channel<br>Daybeacon 26 | 26-39-39.261N<br>082-09-19.734W |         |   |   | TR on pile. |
| 56360   | Patricio Island<br>Daybeacon 6     | 26-40-23.960N<br>082-12-04.549W | 0       |   |   | TR on pile. |
| 56365   | Patricio Island<br>Daybeacon 7     | 26-40-53.825N<br>082-11-54.744W | 0       |   |   | SG on pile. |
| 56370   | Jug Creek Shoal Light<br>8         | 26-42-15.975N<br>082-11-03.563W | FI R 4s | 0 | 5 | TR on pile. |
| 56375   | Jug Creek Shoal<br>Daybeacon 9     | 26-42-35.559N<br>082-10-55.574W |         | 0 |   | SG on pile. |
| 56380   | Jug Creek Shoal<br>Daybeacon 11    | 26-42-47.740N<br>082-10-47.126W |         |   |   | SG on pile. |
| 56385   | Jug Creek Channel<br>Daybeacon 1   | 26-42-06.209N<br>082-10-55.653W |         |   |   | SG on pile. |
| 56390   | Jug Creek Channel<br>Daybeacon 2   | 26-42-05.363N<br>082-10-55.948W |         |   |   | TR on pile. |
| 56395   | Jug Creek Channel<br>Daybeacon 4   | 26-42-00.917N<br>082-10-54.573W |         |   |   | TR on pile. |
| 56400   | Jug Creek Channel<br>Daybeacon 6   | 26-41-57.840N<br>082-10-51.048W |         |   |   | TR on pile. |
| 56405   | Jug Creek Channel<br>Daybeacon 8   | 26-41-57.516N<br>082-10-39.683W |         |   |   | TR on pile. |
| 56410   | Jug Creek Channel<br>Daybeacon 10  | 26-41-55.319N<br>082-10-35.372W |         |   |   | TR on pile. |
| 56410.5 | Jug Creek Channel<br>Daybeacon 10A | 26-41-50.830N<br>082-10-24.664W |         |   |   | TR on pile. |
| 56415   | Jug Creek Channel<br>Daybeacon 11  | 26-41-52.518N<br>082-10-26.824W |         |   |   | SG on pile. |
| 56417   | Jug Creek Channel<br>Daybeacon 11A | 26-41-50.535N<br>082-10-22.709W |         |   |   | SG on pile. |

|         |                                             |                                 |             |
|---------|---------------------------------------------|---------------------------------|-------------|
| 56420   | Jug Creek Channel<br>Daybeacon 12           | 26-41-47.914N<br>082-10-21.913W | TR on pile. |
| 56420.5 | Jug Creek Channel<br>Daybeacon 12A          | 26-41-46.373N<br>082-10-17.446W | TR on pile. |
| 56421   | Jug Creek Channel<br>Daybeacon 13           | 26-41-48.641N<br>082-10-20.442W | SG on pile. |
| 56425   | Jug Creek Channel<br>Daybeacon 13A          | 26-41-47.875N<br>082-10-16.668W | SG on pile. |
| 56430   | Jug Creek Channel<br>Daybeacon 14           | 26-41-46.528N<br>082-10-13.924W | TR on pile. |
| 56431   | Jug Creek Channel<br>Daybeacon 14A          | 26-41-43.162N<br>082-10-11.773W | TR on pile. |
| 56432   | Jug Creek Channel<br>Daybeacon 15           | 26-41-47.302N<br>082-10-13.198W | SG on pile. |
| 56433   | Jug Creek Channel<br>Daybeacon 15A          | 26-41-43.763N<br>082-10-10.242W | SG on pile. |
| 56435   | Jug Creek Channel<br>Daybeacon 16           | 26-41-39.588N<br>082-10-09.047W | TR on pile. |
| 56437   | Jug Creek Channel<br>Daybeacon 17           | 26-41-41.233N<br>082-10-07.848W | SG on pile. |
| 56440   | Jug Creek Channel<br>Daybeacon 18           | 26-41-40.585N<br>082-10-06.243W | TR on pile. |
| 56445   | Jug Creek Channel<br>Daybeacon 20           | 26-41-41.373N<br>082-10-03.363W |             |
| 56450   | Jug Creek Channel<br>Daybeacon 22           | 26-41-46.028N<br>082-09-59.910W | TR on pile. |
| 56451   | Jug Creek Channel<br>Daybeacon 23           | 26-41-44.001N<br>082-09-52.156W | SG on pile. |
| 56460   | Jug Creek Channel<br>Daybeacon 24           | 26-41-43.374N<br>082-09-51.335W | TR on pile. |
| 56465   | Jug Creek Channel<br>Daybeacon 26           | 26-41-48.079N<br>082-09-49.946W | TR on pile. |
| 56470   | Jug Creek Channel<br>Daybeacon 28           | 26-41-50.460N<br>082-09-46.212W | TR on pile. |
| 56475   | Jug Creek Channel<br>Daybeacon 30           | 26-42-01.021N<br>082-09-40.701W | TR on pile. |
| 56477   | Jug Creek Channel<br>Daybeacon 32           | 26-42-01.026N<br>082-09-36.979W | TR on pile. |
| 56489   | Jug Creek Channel<br>Daybeacon 34           | 26-42-02.055N<br>082-09-34.908W | TR on pile. |
| 56490   | Jug Creek Channel<br>Daybeacon 35           | 26-42-06.112N<br>082-09-29.109W | SG on pile. |
| 56495   | Jug Creek Channel<br>Daybeacon 37           | 26-42-07.080N<br>082-09-27.442W | SG on pile. |
| 56497   | Jug Creek Channel<br>Daybeacon 39           | 26-42-07.891N<br>082-09-24.948W | SG on pile. |
| 56499   | Jug Creek Channel<br>Daybeacon 41           | 26-42-07.585N<br>082-09-23.533W | SG on pile. |
| 56507   | Seagull Bay<br>Daybeacon 1                  | 26-42-13.000N<br>082-09-45.000W | SG on pile. |
| 56507.5 | Seagull Bay<br>Daybeacon 2                  | 26-42-13.000N<br>082-09-44.000W | TR on pile. |
| 56508   | Seagull Bay<br>Daybeacon 4                  | 26-42-14.000N<br>082-09-44.000W | TR on pile. |
| 56509.9 | Pine Island West<br>Channel Daybeacon 1     | 26-42-08.940N<br>082-08-59.700W | SG on pile. |
| 56509.8 | Pine Island Channel<br>Junction Daybeacon A | 26-42-07.800N<br>082-08-57.300W | JR on pile. |
| 56509.7 | Pine Island E Channel<br>Daybeacon 13       | 26-42-00.780N<br>082-08-44.040W | SG on pile. |
| 56509.6 | Pine Island E Channel<br>Daybeacon 11       | 26-42-00.900N<br>082-08-49.200W | SG on pile. |
| 56509.5 | Pine Island E Channel<br>Daybeacon 9        | 26-42-01.260N<br>082-08-53.580W | SG on pile. |
| 56509.4 | Pine Island E Channel<br>Daybeacon 7        | 26-42-04.320N<br>082-08-54.180W | SG on pile. |
| 56509.3 | Pine Island E Channel<br>Daybeacon 5        | 26-42-08.700N<br>082-08-56.400W | SG on pile. |
| 56509.2 | Pine Island E Channel<br>Daybeacon 4        | 26-42-10.980N<br>082-08-52.500W | TR on pile. |

|         |                                           |                                 |           |   |   |                |
|---------|-------------------------------------------|---------------------------------|-----------|---|---|----------------|
| 56509.1 | Pine Island E Channel<br>Daybeacon 2      | 26-42-14.700N<br>082-08-49.080W |           |   |   | TR on pile.    |
| 56509   | Pine Island E Channel<br>Daybeacon 1      | 26-42-13.620N<br>082-08-48.120W |           |   |   | SG on pile.    |
| 56510   | Pine Island West<br>Channel Daybeacon 3   | 26-42-08.760N<br>082-09-03.480W |           |   |   | SG on pile.    |
| 56510.1 | Pine Island West<br>Channel Daybeacon 5   | 26-42-07.920N<br>082-09-06.660W |           |   |   | SG on pile.    |
| 56512   | Gasparilla Sound<br>Channel Light 1       | 26-44-23.138N<br>082-14-57.404W | FI G 2.5s | 0 | 5 | SG-SY on pile. |
| 56515   | Gasparilla Sound<br>Channel Daybeacon 2   | 26-44-45.989N<br>082-14-51.964W |           | 0 |   | TR-TY on pile. |
| 56520   | Gasparilla Sound<br>Channel Daybeacon 3   | 26-45-13.191N<br>082-14-49.682W |           | 0 |   | SG-SY on pile. |
| 56525   | Gasparilla Sound<br>Channel Daybeacon 4   | 26-45-35.769N<br>082-14-44.781W |           | 0 |   | TR-TY on pile. |
| 56530   | Gasparilla Sound<br>Channel Daybeacon 5   | 26-45-35.556N<br>082-14-46.558W |           | 0 |   | SG-SY on pile. |
| 56535   | Gasparilla Sound<br>Channel Daybeacon 6   | 26-46-01.484N<br>082-14-41.450W |           | 0 |   | TR-TY on pile. |
| 56540   | Gasparilla Sound<br>Channel Daybeacon 7   | 26-46-11.342N<br>082-14-41.753W |           | 0 |   | SG-SY on pile. |
| 56545   | Gasparilla Sound<br>Channel Light 8       | 26-46-32.266N<br>082-14-37.356W | FI R 4s   | 0 | 5 | TR-TY on pile. |
| 56550   | Gasparilla Sound<br>Channel Daybeacon 9   | 26-46-32.929N<br>082-14-40.092W |           | 0 |   | SG-SY on pile. |
| 56555   | Gasparilla Sound<br>Channel Daybeacon 11  | 26-47-03.391N<br>082-14-53.553W |           | 0 |   | SG-SY on pile. |
| 56560   | Gasparilla Island<br>Daybeacon 1          | 26-47-17.700N<br>082-15-21.420W |           |   |   | SG on pile.    |
| 56565   | Gasparilla Island<br>Daybeacon 2          | 26-47-18.890N<br>082-15-22.430W |           |   |   | TR on pile.    |
| 56570   | Gasparilla Island<br>Daybeacon 3          | 26-47-02.245N<br>082-15-28.200W |           |   |   | SG on pile.    |
| 56575   | Gasparilla Island<br>Daybeacon 4          | 26-47-04.245N<br>082-15-28.500W |           |   |   | TR on pile.    |
| 56580   | Gasparilla Island<br>Daybeacon 5          | 26-46-55.130N<br>082-15-47.810W |           |   |   | SG on pile.    |
| 56585   | Gasparilla Island<br>Daybeacon 6          | 26-46-54.800N<br>082-15-48.400W |           |   |   | TR on pile.    |
| 56590   | Gasparilla Island<br>Daybeacon 7          | 26-46-42.246N<br>082-15-51.800W |           |   |   | SG on pile.    |
| 56595   | Gasparilla Island<br>Daybeacon 9          | 26-46-29.900N<br>082-15-52.340W |           |   |   | SG on pile.    |
| 56600   | Gasparilla Island<br>Daybeacon 11         | 26-45-54.248N<br>082-15-35.500W |           |   |   | SG on pile.    |
| 56605   | Gasparilla Island<br>Daybeacon 13         | 26-45-48.948N<br>082-15-41.200W |           |   |   | SG on pile.    |
| 56610   | Gasparilla Island<br>Daybeacon 15         | 26-45-43.400N<br>082-15-44.000W |           |   |   | SG on pile.    |
| 56615   | Gasparilla Sound<br>Channel Daybeacon 12  | 26-47-32.008N<br>082-15-02.685W |           | 0 |   | TR-TY on pile. |
| 56620   | Gasparilla Sound<br>Channel Light 13      | 26-47-59.262N<br>082-15-16.356W | FI G 4s   | 0 | 5 | SG-SY on pile. |
| 56625   | Gasparilla Sound<br>Channel Daybeacon 14  | 26-48-29.661N<br>082-15-27.016W |           | 0 |   | TR-TY on pile. |
| 56630   | Gasparilla Sound<br>Channel Daybeacon 16  | 26-48-48.782N<br>082-15-35.256W |           | 0 |   | TR-TY on pile. |
| 56635   | Gasparilla Sound<br>Channel Daybeacon 17  | 26-49-04.898N<br>082-15-43.016W |           | 0 |   | SG-SY on pile. |
| 56640   | Gasparilla Sound<br>Channel Daybeacon 19  | 26-49-25.174N<br>082-15-51.865W |           | 0 |   | SG-SY on pile. |
| 56645   | Gasparilla Sound<br>Channel Light 20      | 26-49-31.091N<br>082-15-52.394W | FI R 4s   | 0 | 5 | TR-TY on pile. |
| 56650   | Gasparilla Sound<br>Channel Daybeacon 21  | 26-49-30.303N<br>082-15-57.181W |           | 0 |   | SG-SY on pile. |
| 56655   | Fishery Restaurant<br>Channel Daybeacon 1 | 26-49-37.000N<br>082-16-00.000W |           |   |   | SG on pile.    |
| 56660   | Fishery Restaurant<br>Channel Daybeacon 2 | 26-49-37.000N<br>082-15-59.000W |           |   |   | TR on pile.    |

|         |                                             |                                 |           |                                                          |
|---------|---------------------------------------------|---------------------------------|-----------|----------------------------------------------------------|
| 56665   | Fishery Restaurant<br>Channel Daybeacon 3   | 26-49-41.000N<br>082-15-59.000W |           | SG on pile.                                              |
| 56670   | Fishery Restaurant<br>Channel Daybeacon 5   | 26-49-44.000N<br>082-15-57.000W |           | SG on pile.                                              |
| 56675   | Fishery Restaurant<br>Channel Daybeacon 7   | 26-49-48.000N<br>082-15-56.000W |           | SG on pile.                                              |
| 56680   | Fishery Restaurant<br>Channel Daybeacon 8   | 26-49-48.000N<br>082-15-54.500W |           | TR on pile.                                              |
| 56685   | Fishery Restaurant<br>Channel Daybeacon 10  | 26-49-49.500N<br>082-15-54.500W |           | TR on pile.                                              |
| 56690   | Gasparilla Marina<br>Channel Daybeacon 1    | 26-49-33.839N<br>082-15-53.139W |           | SG on pile.                                              |
| 56695   | Gasparilla Marina<br>Channel Daybeacon 2    | 26-49-32.439N<br>082-15-50.838W |           | TR on pile.                                              |
| 56700   | Gasparilla Marina<br>Channel Daybeacon 3    | 26-49-36.139N<br>082-15-51.738W |           | SG on pile.                                              |
| 56705   | Gasparilla Marina<br>Channel Daybeacon 4    | 26-49-34.239N<br>082-15-49.838W |           | TR on pile.                                              |
| 56710   | Gasparilla Marina<br>Channel Daybeacon 5    | 26-49-37.939N<br>082-15-50.238W |           | SG on pile.                                              |
| 56715   | Gasparilla Marina<br>Channel Daybeacon 6    | 26-49-36.239N<br>082-15-47.538W |           | TR on pile.                                              |
| 56720   | Gasparilla Marina<br>Channel Daybeacon 7    | 26-49-39.439N<br>082-15-48.338W |           | SG on pile.                                              |
| 56725   | Gasparilla Marina<br>Channel Daybeacon 8    | 26-49-38.239N<br>082-15-45.338W |           | TR on pile.                                              |
| 56730   | Gasparilla Marina<br>Channel Daybeacon 9    | 26-49-41.239N<br>082-15-47.238W |           | SG on pile.                                              |
| 56735   | Gasparilla Marina<br>Channel Daybeacon 10   | 26-49-40.239N<br>082-15-44.438W |           | TR on pile.                                              |
| 56740   | Gasparilla Marina<br>Channel Daybeacon 11   | 26-49-45.438N<br>082-15-45.738W |           | SG on pile.                                              |
| 56745   | Gasparilla Marina<br>Channel Daybeacon 12   | 26-49-44.738N<br>082-15-43.338W |           | TR on pile.                                              |
| 56750   | Gasparilla Marina<br>Channel Daybeacon 13   | 26-49-50.538N<br>082-15-43.438W |           | SG on pile.                                              |
| 56755   | Gasparilla Marina<br>Channel Daybeacon 14   | 26-49-49.738N<br>082-15-41.538W |           | TR on pile.                                              |
| 56760   | Gasparilla Marina<br>Channel Daybeacon 15   | 26-49-55.038N<br>082-15-43.038W |           | SG on pile.                                              |
| 56765   | Gasparilla Marina<br>Channel Daybeacon 16   | 26-49-54.138N<br>082-15-43.038W |           | TR on pile.                                              |
| 56770   | Gasparilla Marina<br>Channel Daybeacon 17   | 26-49-55.038N<br>082-15-43.038W |           | SG on pile.                                              |
| 56775   | Gasparilla Marina<br>Channel Daybeacon 18   | 26-49-57.038N<br>082-15-39.838W |           | TR on pile.                                              |
| 56777   | Placida Pier Northwest<br>Obstruction Light | 26-49-35.090N<br>082-16-03.070W | FI W 4s   | NW on pile worded DANGER<br>SUBMERGED PILINGS.           |
| 56777.5 | Placida Pier Southwest<br>Obstruction Light | 26-49-34.200N<br>082-16-03.330W | FI W 2.5s | NW on pile worded DANGER<br>SUBMERGED PILINGS.           |
| 56778   | Placida Pier Northeast<br>Obstruction Light | 26-49-34.810N<br>082-16-02.060W | FI W 4s   | NW on pile worded DANGER<br>SUBMERGED PILINGS.           |
| 56778.5 | Placida Pier Southeast<br>Obstruction Light | 26-49-33.870N<br>082-16-02.260W | FI W 2.5s | NW on pile worded DANGER<br>SUBMERGED PILINGS.           |
| 56780   | Uncle Henry's Marina<br>Daybeacon 1         | 26-49-33.239N<br>082-16-07.339W |           | SG on pile.                                              |
| 56785   | Uncle Henry's Marina<br>Daybeacon 2         | 26-49-33.239N<br>082-16-08.339W |           | TR and NL on pile; NL<br>worded UNCLE HENRY`S<br>MARINA. |
| 56790   | Uncle Henry's Marina<br>Daybeacon 3         | 26-49-30.239N<br>082-16-08.339W |           | SG on pile.                                              |
| 56800   | Uncle Henry's Marina<br>Daybeacon 5         | 26-49-25.239N<br>082-16-10.339W |           | SG on pile.                                              |
| 56805   | Uncle Henry's Marina<br>Daybeacon 7         | 26-49-20.240N<br>082-16-11.339W |           | SG on pile.                                              |
| 56815   | Uncle Henry's Marina<br>Daybeacon 9         | 26-49-20.240N<br>082-16-12.339W |           | SG on pile.                                              |
| 56820   | Uncle Henry's Marina<br>Daybeacon 10        | 26-49-16.240N<br>082-16-13.339W |           | TR on pile.                                              |
| 56825   | Uncle Henry's Marina                        | 26-49-11.240N                   |           | SG on pile.                                              |

|       |                                      |                                 |             |
|-------|--------------------------------------|---------------------------------|-------------|
|       | Daybeacon 11                         | 082-16-14.339W                  |             |
| 56830 | Uncle Henry's Marina<br>Daybeacon 12 | 26-49-11.240N<br>082-16-15.339W | TR on pile. |
| 56835 | Uncle Henry's Marina<br>Daybeacon 13 | 26-49-06.240N<br>082-16-15.339W | SG on pile. |
| 56840 | Uncle Henry's Marina<br>Daybeacon 14 | 26-49-06.240N<br>082-16-16.339W | TR on pile. |
| 56845 | Uncle Henry's Marina<br>Daybeacon 15 | 26-49-03.240N<br>082-16-18.339W | SG on pile. |
| 56850 | Uncle Henry's Marina<br>Daybeacon 16 | 26-49-03.240N<br>082-16-19.339W | TR on pile. |
| 56865 | Uncle Henry's Marina<br>Daybeacon 19 | 26-48-58.240N<br>082-16-22.339W | SG on pile. |
| 56870 | Uncle Henry's Marina<br>Daybeacon 20 | 26-48-58.240N<br>082-16-23.339W | TR on pile. |
| 56875 | Uncle Henry's Marina<br>Daybeacon 21 | 26-48-53.241N<br>082-16-22.339W | SG on pile. |
| 56880 | Uncle Henry's Marina<br>Daybeacon 22 | 26-48-53.241N<br>082-16-23.339W | TR on pile. |
| 56885 | Uncle Henry's Marina<br>Daybeacon 23 | 26-48-48.241N<br>082-16-23.340W | SG on pile. |
| 56890 | Uncle Henry's Marina<br>Daybeacon 24 | 26-48-48.241N<br>082-16-24.340W | TR on pile. |
| 56895 | Uncle Henry's Marina<br>Daybeacon 25 | 26-48-43.241N<br>082-16-24.340W | SG on pile. |
| 56900 | Uncle Henry's Marina<br>Daybeacon 26 | 26-48-43.241N<br>082-16-25.340W | TR on pile. |
| 56905 | Uncle Henry's Marina<br>Daybeacon 27 | 26-48-41.241N<br>082-16-23.340W | SG on pile. |
| 56910 | Uncle Henry's Marina<br>Daybeacon 28 | 26-48-41.241N<br>082-16-24.340W | TR on pile. |
| 56915 | Uncle Henry's Marina<br>Daybeacon 29 | 26-48-38.241N<br>082-16-22.340W | SG on pile. |
| 56920 | Uncle Henry's Marina<br>Daybeacon 30 | 26-48-39.241N<br>082-16-23.340W | TR on pile. |
| 56925 | Uncle Henry's Marina<br>Daybeacon 31 | 26-48-35.241N<br>082-16-23.340W | SG on pile. |
| 56930 | Uncle Henry's Marina<br>Daybeacon 32 | 26-48-36.241N<br>082-16-24.340W | TR on pile. |
| 56935 | Uncle Henry's Marina<br>Daybeacon 33 | 26-48-31.242N<br>082-16-24.340W | SG on pile. |
| 56940 | Uncle Henry's Marina<br>Daybeacon 34 | 26-48-32.242N<br>082-16-25.340W | TR on pile. |
| 56945 | Uncle Henry's Marina<br>Daybeacon 35 | 26-48-30.242N<br>082-16-24.340W | SG on pile. |
| 56950 | Uncle Henry's Marina<br>Daybeacon 36 | 26-48-31.242N<br>082-16-25.340W | TR on pile. |
| 56955 | Uncle Henry's Marina<br>Daybeacon 37 | 26-48-30.242N<br>082-16-25.340W | SG on pile. |
| 56960 | Uncle Henry's Marina<br>Daybeacon 38 | 26-48-30.242N<br>082-16-26.340W | TR on pile. |
| 56965 | Uncle Henry's Marina<br>Daybeacon 39 | 26-48-29.242N<br>082-16-26.340W | SG on pile. |
| 56970 | Uncle Henry's Marina<br>Daybeacon 40 | 26-48-29.242N<br>082-16-27.340W | TR on pile. |
| 56975 | Uncle Henry's Marina<br>Daybeacon 41 | 26-48-28.242N<br>082-16-27.340W | SG on pile. |
| 56980 | Uncle Henry's Marina<br>Daybeacon 42 | 26-48-28.242N<br>082-16-28.340W | TR on pile. |
| 56985 | Uncle Henry's Marina<br>Daybeacon 43 | 26-48-27.242N<br>082-16-27.340W | SG on pile. |
| 56990 | Uncle Henry's Marina<br>Daybeacon 44 | 26-48-27.242N<br>082-16-28.340W | TR on pile. |
| 57000 | Uncle Henry's Marina<br>Daybeacon 46 | 26-48-24.242N<br>082-16-28.340W | TR on pile. |
| 57005 | Uncle Henry's Marina<br>Daybeacon 47 | 26-48-22.242N<br>082-16-27.340W | SG on pile. |
| 57010 | Uncle Henry's Marina<br>Daybeacon 48 | 26-48-23.242N<br>082-16-28.340W | TR on pile. |
| 57020 | Uncle Henry's Marina                 | 26-48-20.242N                   | TR on pile. |

|       |                                              |                                 |         |   |   |                |
|-------|----------------------------------------------|---------------------------------|---------|---|---|----------------|
|       | Daybeacon 50                                 | 082-16-28.340W                  |         |   |   |                |
| 57030 | Gasparilla Sound<br>Channel Light 23         | 26-49-39.791N<br>082-16-23.534W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 57035 | Gasparilla Sound<br>Channel Daybeacon<br>24  | 26-49-43.258N<br>082-16-23.357W |         | 0 |   | TR-TY on pile. |
| 57040 | Gasparilla Sound<br>Channel Daybeacon<br>24A | 26-50-01.518N<br>082-16-34.819W |         | 0 |   | TR-TY on pile. |
| 57045 | Gasparilla Sound<br>Channel Daybeacon<br>25  | 26-50-17.884N<br>082-16-47.858W |         | 0 |   | SG-SY on pile. |
| 57050 | Gasparilla Sound<br>Channel Light 26         | 26-50-21.627N<br>082-16-47.156W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 57055 | Gasparilla Sound<br>Channel Daybeacon<br>27  | 26-50-22.175N<br>082-16-56.206W |         | 0 |   | SG-SY on pile. |
| 57060 | Gasparilla Sound<br>Channel Daybeacon<br>28  | 26-50-28.518N<br>082-17-06.358W |         | 0 |   | TR-TY on pile. |
| 57065 | Gasparilla Sound<br>Channel Light 29         | 26-50-29.179N<br>082-17-12.316W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 57070 | Gasparilla Sound<br>Channel Daybeacon<br>30  | 26-50-33.418N<br>082-17-14.589W |         | 0 |   | TR-TY on pile. |
| 57080 | Gasparilla Sound<br>Channel Daybeacon 31     | 26-50-40.959N<br>082-17-26.336W |         | 0 |   | SG-SY on pile. |
| 57085 | Gasparilla Sound<br>Channel Daybeacon<br>32  | 26-50-42.205N<br>082-17-24.816W |         | 0 |   | TR-TY on pile. |
| 57090 | Gasparilla Sound<br>Channel Light 33         | 26-50-49.923N<br>082-17-35.784W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 57095 | Don Pedro Island State<br>Rec Area Buoy 1    | 26-50-48.200N<br>082-17-51.200W |         |   |   | Green can.     |
| 57100 | Don Pedro Island State<br>Rec Area Buoy 2    | 26-50-50.000N<br>082-17-51.200W |         |   |   | Red nun.       |
| 57105 | Don Pedro Island State<br>Rec Area Buoy 3    | 26-50-48.200N<br>082-17-53.000W |         |   |   | Green can.     |
| 57110 | Don Pedro Island State<br>Rec Area Buoy 4    | 26-50-50.000N<br>082-17-54.500W |         |   |   | Red nun.       |
| 57115 | Don Pedro Island State<br>Rec Area Buoy 5    | 26-50-48.000N<br>082-17-56.000W |         |   |   | Green can.     |
| 57120 | Don Pedro Island State<br>Rec Area Buoy 6    | 26-50-49.000N<br>082-17-58.500W |         |   |   | Red nun.       |
| 57125 | Don Pedro Island State<br>Rec Area Buoy 7    | 26-50-47.000N<br>082-18-00.750W |         |   |   | Green can.     |
| 57130 | Don Pedro Island State<br>Rec Area Buoy 8    | 26-50-48.200N<br>082-18-03.000W |         |   |   | Red nun.       |
| 57135 | Gasparilla Sound<br>Channel Daybeacon<br>35  | 26-50-59.034N<br>082-17-51.002W |         | 0 |   | SG-SY on pile. |
| 57140 | Lemon Bay Channel<br>Daybeacon 2             | 26-51-06.694N<br>082-18-00.175W |         | 0 |   | TR-TY on pile. |
| 57145 | Lemon Bay Channel<br>Light 3                 | 26-51-08.546N<br>082-18-06.438W | FI G 4s | 1 | 5 | SG-SY on pile. |
| 57150 | Lemon Bay Channel<br>Daybeacon 4             | 26-51-12.296N<br>082-18-06.653W |         | 0 |   | TR-TY on pile. |
| 57155 | Lemon Bay Channel<br>Daybeacon 5             | 26-51-29.718N<br>082-18-19.732W |         | 0 |   | SG-SY on pile. |
| 57160 | Lemon Bay Channel<br>Daybeacon 7             | 26-52-06.290N<br>082-18-43.227W |         | 0 |   | SG-SY on pile. |
| 57165 | Lemon Bay Channel<br>Daybeacon 8             | 26-52-25.610N<br>082-18-53.838W |         | 0 |   | TR-TY on pile. |
| 57170 | Lemon Bay Channel<br>Daybeacon 9             | 26-52-36.656N<br>082-19-02.514W |         | 0 |   | SG-SY on pile. |
| 57175 | Lemon Bay Channel<br>Daybeacon 9A            | 26-52-49.785N<br>082-19-10.654W |         | 0 |   | SG-SY on pile. |
| 57180 | Knights Pass Channel<br>Daybeacon 1          | 26-52-49.531N<br>082-19-13.942W |         |   |   | SG on pile.    |
| 57185 | Knights Pass Channel<br>Daybeacon 2          | 26-52-52.531N<br>082-19-16.042W |         |   |   | TR on pile.    |

|         |                                          |                                 |         |   |   |                |
|---------|------------------------------------------|---------------------------------|---------|---|---|----------------|
| 57190   | Knights Pass Channel<br>Daybeacon 3      | 26-52-55.800N<br>082-19-22.000W |         |   |   | SG on pile.    |
| 57195   | Knights Pass Channel<br>Daybeacon 4      | 26-52-58.200N<br>082-19-23.000W |         |   |   | TR on pile.    |
| 57200   | Knights Pass Channel<br>Daybeacon 5      | 26-52-57.000N<br>082-19-32.000W |         |   |   | SG on pile.    |
| 57205   | Knights Pass Channel<br>Daybeacon 6      | 26-52-59.200N<br>082-19-33.700W |         |   |   | TR on pile.    |
| 57210   | Knights Pass Channel<br>Daybeacon 7      | 26-52-58.100N<br>082-19-38.000W |         |   |   | SG on pile.    |
| 57215   | Knights Pass Channel<br>Daybeacon 8      | 26-53-01.000N<br>082-19-37.000W |         |   |   | TR on pile.    |
| 57220   | Knights Pass Channel<br>Daybeacon 9      | 26-53-05.000N<br>082-19-45.000W |         |   |   | SG on pile.    |
| 57225   | Knights Pass Channel<br>Daybeacon 10     | 26-53-10.000N<br>082-19-47.200W |         |   |   | TR on pile.    |
| 57235   | Knights Pass Channel<br>Daybeacon 12     | 26-53-12.400N<br>082-19-50.200W |         |   |   | TR on pile.    |
| 57240   | Knights Pass Channel<br>Daybeacon 14     | 26-53-15.000N<br>082-19-52.000W |         |   |   | TR on pile.    |
| 57245   | Knights Pass Channel<br>Daybeacon 16     | 26-53-17.300N<br>082-19-54.000W |         |   |   | TR on pile.    |
| 57250   | Lemon Bay Channel<br>Daybeacon 10        | 26-53-01.746N<br>082-19-16.613W |         | 0 |   | TR-TY on pile. |
| 57255   | Lemon Bay Channel<br>Light 11            | 26-53-04.911N<br>082-19-20.828W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 57260   | Lemon Bay Channel<br>Daybeacon 12        | 26-53-08.330N<br>082-19-19.038W |         | 0 |   | TR-TY on pile. |
| 57265   | Lemon Bay Channel<br>Daybeacon 13        | 26-53-34.790N<br>082-19-21.798W |         | 0 |   | SG-SY on pile. |
| 57270   | Lemon Bay Channel<br>Light 14            | 26-53-39.062N<br>082-19-20.348W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 57275   | Lemon Bay Channel<br>Daybeacon 15        | 26-53-43.281N<br>082-19-25.721W |         | 0 |   | SG-SY on pile. |
| 57275.5 | Lemon Bay Channel<br>Daybeacon 16        | 26-53-57.198N<br>082-19-34.580W |         | 0 |   | TR-TY on pile. |
| 57280   | Lemon Bay Channel<br>Daybeacon 17        | 26-54-05.300N<br>082-19-42.199W |         | 0 |   | SG-SY on pile. |
| 57285   | Daughtrey Landing<br>Daybeacon 1         | 26-41-28.452N<br>081-49-47.005W |         |   |   | SG on pile.    |
| 57290   | Daughtrey Landing<br>Daybeacon 2         | 26-41-28.552N<br>081-49-46.305W |         |   |   | TR on pile.    |
| 57295   | Daughtrey Landing<br>Daybeacon 3         | 26-54-07.508N<br>080-19-38.075W |         |   |   | SG on pile.    |
| 57300   | Daughtrey Landing<br>Daybeacon 4         | 26-54-06.208N<br>080-19-37.175W |         |   |   | TR on pile.    |
| 57305   | Daughtrey Landing<br>Daybeacon 5         | 26-54-08.108N<br>080-19-36.675W |         |   |   | SG on pile.    |
| 57310   | Daughtrey Landing<br>Daybeacon 6         | 26-54-06.608N<br>080-19-36.175W |         |   |   | TR on pile.    |
| 57315   | Lemon Bay Channel<br>Daybeacon 17A       | 26-54-19.610N<br>082-19-53.718W |         | 0 |   | SG-SY on pile. |
| 57320   | Lemon Bay Channel<br>Daybeacon 18        | 26-54-34.003N<br>082-20-01.862W |         | 0 |   | TR-TY on pile. |
| 57325   | Lemon Bay Channel<br>Daybeacon 19        | 26-54-41.450N<br>082-20-09.018W |         | 0 |   | SG-SY on pile. |
| 57330   | Lemon Bay Channel<br>Light 19A           | 26-54-52.314N<br>082-20-17.897W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 57335   | Lemon Bay Channel<br>Daybeacon 20        | 26-54-52.730N<br>082-20-16.398W |         | 0 |   | TR-TY on pile. |
| 57340   | Lemon Bay Channel<br>Daybeacon 20A       | 26-55-16.742N<br>082-20-34.769W |         | 0 |   | TR-TY on pile. |
| 57345   | Lemon Bay Channel<br>Daybeacon 21        | 26-55-13.550N<br>082-20-34.098W |         | 0 |   | SG-SY on pile. |
| 57350   | Lemon Bay Channel<br>Daybeacon 21A       | 26-55-38.559N<br>082-20-53.145W |         |   |   | SG-SY on pile. |
| 57350.1 | New Point Comfort<br>Channel Daybeacon 1 | 26-55-48.057N<br>082-20-29.589W |         |   |   | SG on pile.    |
| 57350.2 | New Point Comfort<br>Channel Daybeacon 3 | 26-55-49.569N<br>082-20-33.547W |         |   |   | SG on pile.    |
| 57350.3 | New Point Comfort                        | 26-55-58.974N                   |         |   |   | SG on pile.    |

|          |                                          |                                 |           |   |   |                |
|----------|------------------------------------------|---------------------------------|-----------|---|---|----------------|
|          | Channel Daybeacon 5                      | 082-20-36.453W                  |           |   |   |                |
| 57350.4  | New Point Comfort<br>Channel Daybeacon 7 | 26-56-05.754N<br>082-20-36.083W |           |   |   | SG on pile.    |
| 57355    | Lemon Bay Channel<br>Light 22            | 26-55-50.390N<br>082-21-00.198W | FI R 2.5s | 0 | 5 | TR-TY on pile. |
| 57357    | Gottfried Creek<br>Daybeacon 1           | 26-56-04.500N<br>082-21-07.020W |           |   |   | SG on pile.    |
| 57357.1  | Gottfried Creek<br>Daybeacon 2           | 26-56-02.520N<br>082-21-06.480W |           |   |   | TR on pile.    |
| 57357.2  | Gottfried Creek<br>Daybeacon 3           | 26-56-06.000N<br>082-21-04.500W |           |   |   | SG on pile.    |
| 57357.3  | Gottfried Creek<br>Daybeacon 4           | 26-56-04.980N<br>082-21-02.880W |           |   |   | TR on pile.    |
| 57357.4  | Gottfried Creek<br>Daybeacon 5           | 26-56-12.120N<br>082-21-01.020W |           |   |   | SG on pile.    |
| 57357.5  | Gottfried Creek<br>Daybeacon 6           | 26-56-16.020N<br>082-20-58.800W |           |   |   | TR on pile.    |
| 57357.6  | Gottfried Creek<br>Daybeacon 8           | 26-56-14.110N<br>082-20-54.780W |           |   |   | TR on pile.    |
| 57357.7  | Gottfried Creek<br>Daybeacon 10          | 26-56-12.300N<br>082-20-52.080W |           |   |   | TR on pile.    |
| 57357.8  | Gottfried Creek<br>Daybeacon 12          | 26-56-00.000N<br>082-20-47.520W |           |   |   | TR on pile.    |
| 57357.9  | Gottfried Creek<br>Daybeacon 14          | 26-56-00.000N<br>082-20-40.020W |           |   |   | TR on pile.    |
| 57358    | Gottfried Creek<br>Daybeacon 16          | 26-56-04.980N<br>082-20-39.300W |           |   |   | TR on pile.    |
| 57358.1  | Gottfried Creek<br>Daybeacon 18          | 26-56-10.500N<br>082-20-40.620W |           |   |   | TR on pile.    |
| 57358.2  | Gottfried Creek<br>Daybeacon 20          | 26-56-15.480N<br>082-20-43.020W |           |   |   | TR on pile.    |
| 57358.3  | Gottfried Creek<br>Daybeacon 22          | 26-56-17.220N<br>082-20-42.000W |           |   |   | TR on pile.    |
| 57358.4  | Gottfried Creek<br>Daybeacon 23          | 26-56-27.000N<br>082-20-45.000W |           |   |   | SG on pile.    |
| 57358.5  | Gottfried Creek<br>Daybeacon 24          | 26-56-27.180N<br>082-20-42.480W |           |   |   | TR on pile.    |
| 57358.6  | Gottfried Creek<br>Daybeacon 25          | 26-56-31.200N<br>082-20-46.800W |           |   |   | SG on pile.    |
| 57358.7  | Gottfried Creek<br>Daybeacon 26          | 26-56-31.320N<br>082-20-45.000W |           |   |   | TR on pile.    |
| 57358.8  | Gottfried Creek<br>Daybeacon 27          | 26-56-37.980N<br>082-20-49.020W |           |   |   | SG on pile.    |
| 57359    | Gottfried Creek<br>Daybeacon 28          | 26-56-37.980N<br>082-20-48.000W |           |   |   | TR on pile.    |
| 57359.13 | Englewood Channel<br>Daybeacon 22        | 26-56-03.420N<br>082-21-50.340W |           |   |   | TR on pile.    |
| 57359.12 | Englewood Channel<br>Daybeacon 20        | 26-55-57.660N<br>082-21-48.360W |           |   |   | TR on pile.    |
| 57359.11 | Englewood Channel<br>Daybeacon 18        | 26-55-46.440N<br>082-21-41.640W |           |   |   | TR on pile.    |
| 57359.9  | Englewood Channel<br>Daybeacon 16        | 26-55-49.080N<br>082-21-35.700W |           |   |   | TR on pile.    |
| 57359.8  | Englewood Channel<br>Daybeacon 14        | 26-55-53.460N<br>082-21-30.120W |           |   |   | TR on pile.    |
| 57359.7  | Englewood Channel<br>Daybeacon 12        | 26-55-53.220N<br>082-21-25.980W |           |   |   | TR on pile.    |
| 57359.6  | Englewood Channel<br>Daybeacon 10        | 26-55-54.180N<br>082-21-23.100W |           |   |   | TR on pile.    |
| 57359.5  | Englewood Channel<br>Daybeacon 8         | 26-55-57.480N<br>082-21-20.280W |           |   |   | TR on pile.    |
| 57359.4  | Englewood Channel<br>Daybeacon 6         | 26-56-00.180N<br>082-21-19.800W |           |   |   | TR on pile.    |
| 57359.3  | Englewood Channel<br>Daybeacon 4         | 26-56-02.220N<br>082-21-21.060W |           |   |   | TR on pile.    |
| 57359.2  | Englewood Channel<br>Daybeacon 3         | 26-56-06.480N<br>082-21-20.520W |           |   |   | SG on pile.    |
| 57359.1  | Englewood Channel<br>Daybeacon 2         | 26-56-12.360N<br>082-21-20.220W |           |   |   | TR on pile.    |
| 57360    | Lemon Bay Channel                        | 26-56-24.330N                   | FI R 6s   | 0 | 5 | TR-TY on pile. |



|         |                                                 |                                 |         |   |   |                |
|---------|-------------------------------------------------|---------------------------------|---------|---|---|----------------|
|         | Light 24                                        | 082-21-25.087W                  |         |   |   |                |
| 57365   | Lemon Bay Channel<br>Daybeacon 25               | 26-56-42.109N<br>082-21-40.377W |         | 0 |   | SG-SY on pile. |
| 57366.8 | Live Oaks Southeast<br>Obstruction<br>Daybeacon | 26-55-25.000N<br>082-21-26.000W |         |   |   | NW on pile.    |
| 57366.7 | Live Oaks Southwest<br>Obstruction<br>Daybeacon | 26-55-28.000N<br>082-21-25.000W |         |   |   | NW on pile.    |
| 57366.6 | Live Oaks Northwest<br>Obstruction<br>Daybeacon | 26-55-31.000N<br>082-21-26.000W |         |   |   | NW on pile.    |
| 57366.5 | Live Oaks Northeast<br>Obstruction<br>Daybeacon | 26-55-33.000N<br>082-21-29.000W |         |   |   | NW on pile.    |
| 57366.3 | Live Oaks Channel<br>Daybeacon 15               | 26-55-45.000N<br>082-21-40.000W |         |   |   | SG on pile.    |
| 57366.2 | Live Oaks Channel<br>Daybeacon 14               | 26-55-47.000N<br>082-21-39.000W |         |   |   | TR on pile.    |
| 57366.1 | Live Oaks Channel<br>Daybeacon 13               | 26-55-51.000N<br>082-21-32.000W |         |   |   | SG on pile.    |
| 57370   | Bayview Channel<br>Daybeacon 1                  | 26-56-36.221N<br>082-21-30.343W |         |   |   | SG on pile.    |
| 57375   | Bayview Channel<br>Daybeacon 2                  | 26-56-35.221N<br>082-21-26.343W |         |   |   | TR on pile.    |
| 57380   | Bayview Channel<br>Daybeacon 3                  | 26-56-37.221N<br>082-21-19.343W |         |   |   | SG on pile.    |
| 57385   | Bayview Channel<br>Daybeacon 4                  | 26-56-36.221N<br>082-21-17.343W |         |   |   | TR on pile.    |
| 57390   | Bayview Channel<br>Daybeacon 5                  | 26-56-40.221N<br>082-21-16.343W |         |   |   | SG on pile.    |
| 57395   | Bayview Channel<br>Daybeacon 6                  | 26-56-38.221N<br>082-21-15.343W |         |   |   | TR on pile.    |
| 57400   | Bayview Channel<br>Daybeacon 7                  | 26-56-41.221N<br>082-21-15.343W |         |   |   | SG on pile.    |
| 57405   | Bayview Channel<br>Daybeacon 8                  | 26-56-39.221N<br>082-21-14.343W |         |   |   | TR on pile.    |
| 57410   | Bayview Channel<br>Daybeacon 9                  | 26-56-39.221N<br>082-21-13.343W |         |   |   | SG on pile.    |
| 57415   | Bayview Channel<br>Daybeacon 10                 | 26-56-39.221N<br>082-21-13.343W |         |   |   | TR on pile.    |
| 57418   | Bay Heights<br>Daybeacon 1                      | 26-56-38.829N<br>082-21-12.141W |         |   |   | SG on pile.    |
| 57418.1 | Bay Heights<br>Daybeacon 2                      | 26-56-38.303N<br>082-21-11.724W |         |   |   | TR on pile.    |
| 57420   | Lemon Bay Channel<br>Daybeacon 26               | 26-57-02.383N<br>082-21-53.267W |         | 0 |   | TR-TY on pile. |
| 57425   | Lemon Bay Channel<br>Light 27                   | 26-57-21.529N<br>082-22-09.417W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 57430   | Lemon Bay Channel<br>Daybeacon 28               | 26-57-22.371N<br>082-22-07.908W |         | 0 |   | TR-TY on pile. |
| 57435   | Indian Mound Park<br>Daybeacon 1                | 26-57-35.400N<br>082-22-07.440W |         |   |   | SG on pile.    |
| 57440   | Indian Mound Park<br>Daybeacon 2                | 26-57-32.340N<br>082-22-07.620W |         |   |   | TR on pile.    |
| 57445   | Indian Mound Park<br>Daybeacon 3                | 26-57-31.380N<br>082-21-56.820W |         |   |   | SG on pile.    |
| 57450   | Lemon Bay Channel<br>Daybeacon 28A              | 26-57-41.869N<br>082-22-22.317W |         | 0 |   | TR-TY on pile. |
| 57455   | Lemon Bay Channel<br>Light 28B                  | 26-57-55.262N<br>082-22-32.564W | Q R     | 0 | 4 | TR-TY on pile. |
| 57460   | Lemon Bay Channel<br>Daybeacon 29               | 26-57-41.468N<br>082-22-23.777W |         | 0 |   | SG-SY on pile. |
| 57465   | Lemon Bay Channel<br>Daybeacon 30               | 26-58-01.822N<br>082-22-37.369W |         | 0 |   | TR-TY on pile. |
| 57470   | Royal Palm Marina<br>Buoy 1                     | 26-58-05.718N<br>082-22-39.844W |         |   |   | Green can.     |
| 57475   | Royal Palm Marina<br>Buoy 2                     | 26-58-04.418N<br>082-22-39.544W |         |   |   | Red nun.       |
| 57480   | Royal Palm Marina<br>Buoy 4                     | 26-58-03.718N<br>082-22-34.644W |         |   |   | Red nun.       |

|         |                                                 |                                 |         |   |   |                                    |
|---------|-------------------------------------------------|---------------------------------|---------|---|---|------------------------------------|
| 57485   | Royal Palm Marina<br>Buoy 5                     | 26-58-03.518N<br>082-22-28.844W |         |   |   | Green can.                         |
| 57490   | Royal Palm Marina<br>Buoy 6                     | 26-58-02.318N<br>082-22-29.344W |         |   |   | Red nun.                           |
| 57495   | Royal Palm Marina<br>Buoy 8                     | 26-57-59.418N<br>082-22-24.344W |         |   |   | Red nun.                           |
| 57500   | Royal Palm Marina<br>Buoy 10                    | 26-57-56.718N<br>082-22-20.444W |         |   |   | Red nun.                           |
| 57505   | Royal Palm Marina<br>Buoy 11                    | 26-57-56.218N<br>082-22-16.544W |         |   |   | Green can.                         |
| 57510   | Royal Palm Marina<br>Buoy 12                    | 26-57-54.218N<br>082-22-18.444W |         |   |   | Red nun.                           |
| 57515   | Royal Palm Marina<br>Buoy 13                    | 26-57-55.218N<br>082-22-14.644W |         |   |   | Green can.                         |
| 57520   | Royal Palm Marina<br>Buoy 14                    | 26-57-52.418N<br>082-22-15.844W |         |   |   | Red nun.                           |
| 57525   | Royal Palm Marina<br>Buoy 15                    | 26-57-54.318N<br>082-22-12.444W |         |   |   | Green can.                         |
| 57530   | Royal Palm Marina<br>Buoy 16                    | 26-57-52.418N<br>082-22-12.844W |         |   |   | Red nun.                           |
| 57535   | Royal Palm Marina<br>Buoy 18                    | 26-57-51.418N<br>082-22-09.444W |         |   |   | Red nun.                           |
| 57536   | Blind Pass Park<br>Channel Daybeacon 1          | 26-58-04.620N<br>082-22-42.720W |         |   |   | SG on pile.                        |
| 57536.1 | Blind Pass Park<br>Channel Daybeacon 2          | 26-58-06.720N<br>082-22-44.160W |         |   |   | TR on pile.                        |
| 57536.2 | Blind Pass Park<br>Channel Daybeacon 3          | 26-58-04.200N<br>082-22-44.280W |         |   |   | SG on pile.                        |
| 57536.3 | Blind Pass Park<br>Channel Daybeacon 4          | 26-58-05.640N<br>082-22-45.180W |         |   |   | TR on pile.                        |
| 57536.4 | Blind Pass Park<br>Channel Shoal<br>Daybeacon A | 26-57-53.760N<br>082-23-01.740W |         |   |   | NW on pile worded DANGER<br>SHOAL. |
| 57536.5 | Blind Pass Park<br>Channel Shoal<br>Daybeacon B | 26-57-54.300N<br>082-23-02.160W |         |   |   | NW on pile worded DANGER<br>SHOAL. |
| 57540   | Lemon Bay Channel<br>Daybeacon 31               | 26-58-25.400N<br>082-22-56.489W |         | 0 |   | SG-SY on pile.                     |
| 57545   | Lemon Bay Channel<br>Light 32                   | 26-58-41.459N<br>082-23-06.664W | FI R 4s | 0 | 5 | TR-TY on pile.                     |
| 57550   | Lemon Bay Channel<br>Daybeacon 33               | 26-58-39.529N<br>082-23-07.017W |         | 0 |   | SG-SY on pile.                     |
| 57555   | Lemon Bay Channel<br>Daybeacon 35               | 26-58-55.249N<br>082-23-21.957W |         | 0 |   | SG-SY on pile.                     |
| 57560   | Lemon Bay Daybeacon<br>1                        | 26-59-13.000N<br>082-23-33.000W |         |   |   | SG on pile.                        |
| 57565   | Lemon Bay Daybeacon<br>2                        | 26-59-13.000N<br>082-23-32.000W |         |   |   | TR on pile.                        |
| 57570   | Lemon Bay Daybeacon<br>3                        | 26-59-15.000N<br>082-23-33.000W |         |   |   | SG on pile.                        |
| 57575   | Lemon Bay Daybeacon<br>4                        | 26-59-15.000N<br>082-23-32.000W |         |   |   | TR on pile.                        |
| 57580   | Lemon Bay Daybeacon<br>5                        | 26-59-17.000N<br>082-23-33.000W |         |   |   | SG on pile.                        |
| 57585   | Lemon Bay Daybeacon<br>6                        | 26-59-17.000N<br>082-23-32.000W |         |   |   | TR on pile.                        |
| 57590   | Lemon Bay Daybeacon<br>7                        | 26-59-19.000N<br>082-23-33.000W |         |   |   | SG on pile.                        |
| 57595   | Lemon Bay Daybeacon<br>8                        | 26-59-19.000N<br>082-23-32.000W |         |   |   | TR on pile.                        |
| 57600   | Lemon Bay Channel<br>Daybeacon 36               | 26-59-10.330N<br>082-23-34.201W |         | 0 |   | TR-TY on pile.                     |
| 57605   | Lemon Bay Channel<br>Light 37                   | 26-59-10.309N<br>082-23-36.477W | FI G 4s | 0 | 5 | SG-SY on pile.                     |
| 57610   | Lemon Bay Channel<br>Daybeacon 37A              | 26-59-29.228N<br>082-23-50.338W |         | 0 |   | SG-SY on pile.                     |
| 57615   | Lemon Bay Channel<br>Daybeacon 38               | 26-59-30.263N<br>082-23-49.065W |         | 0 |   | TR-TY on pile.                     |
| 57617   | Forked Creek<br>Daybeacon 1                     | 26-59-31.960N<br>082-23-49.160W |         |   |   | SG on pile.                        |
| 57617.3 | Forked Creek                                    | 26-59-31.030N                   |         |   |   | TR on pile.                        |

|         |                                                    |                                 |         |   |   |                                    |
|---------|----------------------------------------------------|---------------------------------|---------|---|---|------------------------------------|
|         | Daybeacon 2                                        | 082-23-48.560W                  |         |   |   |                                    |
| 57617.5 | Forked Creek<br>Daybeacon 3                        | 26-59-33.360N<br>082-23-47.340W |         |   |   | SG on pile.                        |
| 57617.7 | Forked Creek<br>Daybeacon 4                        | 26-59-34.570N<br>082-23-44.320W |         |   |   | TR on pile.                        |
| 57617.9 | Forked Creek<br>Daybeacon 5                        | 26-59-36.730N<br>082-23-43.120W |         |   |   | SG on pile.                        |
| 57618   | Forked Creek<br>Daybeacon 6                        | 26-59-38.020N<br>082-23-40.140W |         |   |   | TR on pile.                        |
| 57618.3 | Forked Creek<br>Daybeacon 7                        | 26-59-39.560N<br>082-23-39.520W |         |   |   | SG on pile.                        |
| 57618.5 | Forked Creek<br>Daybeacon 8                        | 26-59-40.820N<br>082-23-36.830W |         |   |   | TR on pile.                        |
| 57618.7 | Forked Creek<br>Daybeacon 9                        | 26-59-49.060N<br>082-23-26.510W |         |   |   | SG on pile.                        |
| 57618.9 | Forked Creek West<br>Obstruction<br>Daybeacon      | 26-59-48.600N<br>082-23-21.000W |         |   |   | NW on pile worded DANGER<br>SHOAL. |
| 57619   | Forked Creek North<br>Obstruction<br>Daybeacon     | 26-59-48.000N<br>082-23-20.400W |         |   |   | NW on pile worded DANGER<br>SHOAL. |
| 57619.3 | Forked Creek East<br>Obstruction<br>Daybeacon      | 26-59-49.800N<br>082-23-19.800W |         |   |   | NW on pile worded DANGER<br>SHOAL. |
| 57619.4 | Forked Creek<br>Northeast Obstruction<br>Daybeacon | 26-59-59.240N<br>082-23-10.480W |         |   |   | NW on pile worded DANGER<br>SHOAL. |
| 57620   | Lemon Bay Channel<br>Light 39                      | 26-59-51.405N<br>082-24-06.948W | FI G 4s | 0 | 5 | SG-SY on pile.                     |
| 57625   | Lemon Bay Channel<br>Daybeacon 40                  | 26-59-52.164N<br>082-24-05.387W |         | 0 |   | TR-TY on pile.                     |
| 57630   | Lemon Bay Channel<br>Daybeacon 41                  | 27-00-09.374N<br>082-24-16.754W |         | 0 |   | SG-SY on pile.                     |
| 57635   | Lemon Bay Channel<br>Light 42                      | 27-00-28.058N<br>082-24-25.072W | FI R 4s | 0 | 5 | TR-TY on pile.                     |
| 57640   | Lemon Bay Channel<br>Daybeacon 43                  | 27-00-27.469N<br>082-24-26.757W |         | 0 |   | SG-SY on pile.                     |
| 57645   | Lemon Bay Channel<br>Daybeacon 45                  | 27-00-59.389N<br>082-24-49.678W |         | 0 |   | SG-SY on pile.                     |
| 57650   | Lemon Bay Channel<br>Daybeacon 46                  | 27-01-19.556N<br>082-25-02.748W |         | 0 |   | TR-TY on pile.                     |
| 57655   | Lemon Bay Channel<br>Light 47                      | 27-01-37.175N<br>082-25-17.290W | FI G 4s | 0 | 5 | SG-SY on pile.                     |
| 57660   | Lemon Bay Channel<br>Daybeacon 48                  | 27-01-38.149N<br>082-25-15.898W |         | 0 |   | TR-TY on pile.                     |
| 57665   | Lemon Bay Channel<br>Daybeacon 49                  | 27-01-54.148N<br>082-25-26.898W |         | 0 |   | SG-SY on pile.                     |
| 57670   | Lemon Bay Channel<br>Daybeacon 50                  | 27-02-19.850N<br>082-25-39.578W |         | 0 |   | TR-TY on pile.                     |
| 57672   | Lemon Bay Channel<br>Buoy 50A                      | 27-02-29.216N<br>082-25-47.135W |         |   |   | Red nun.                           |
| 57675   | Lemon Bay Channel<br>Light 51                      | 27-02-37.309N<br>082-25-54.298W | FI G 4s | 0 | 5 | SG-SY on pile.                     |
| 57677   | Lemon Bay Daybeacon<br>51A                         | 27-02-50.290N<br>082-26-06.950W |         | 0 |   | SG-SY on pile.                     |
| 57680   | Lemon Bay Channel<br>Daybeacon 52                  | 27-02-44.668N<br>082-25-59.502W |         | 0 |   | TR-TY on pile.                     |
| 57680.1 | Lemon Bay Daybeacon<br>52A                         | 27-02-54.503N<br>082-26-08.705W |         | 0 |   | TR-TY on pile.                     |
| 57685   | Lemon Bay Channel<br>Light 53                      | 27-03-12.060N<br>082-26-20.273W | Q G     | 0 | 4 | SG-SY on pile.                     |
| 57690   | Hatchett Creek<br>Channel Daybeacon 4              | 27-06-16.623N<br>082-26-45.557W |         | 0 |   | TR-TY on pile.                     |
| 57695   | Hatchett Creek<br>Channel Light 5                  | 27-06-16.887N<br>082-26-49.097W | Q G     | 0 | 4 | SG-SY on pile.                     |
| 57700   | Hatchett Creek<br>Channel Daybeacon 6              | 27-06-18.473N<br>082-26-48.488W |         | 0 |   | TR-TY on pile.                     |
| 57705   | Hatchett Creek<br>Channel Daybeacon 8              | 27-06-25.536N<br>082-26-53.588W |         | 0 |   | TR-TY on pile.                     |
| 57710   | Roberts Bay Channel<br>Daybeacon 9                 | 27-06-28.315N<br>082-26-57.846W |         | 0 |   | SG-SY on pile.                     |

|         |                                          |                                 |         |   |   |                |
|---------|------------------------------------------|---------------------------------|---------|---|---|----------------|
| 57715   | Roberts Bay Channel<br>Light 10          | 27-06-34.098N<br>082-26-59.881W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 57720   | Eagle Point<br>Daybeacon 1               | 27-06-37.000N<br>082-27-02.500W |         |   |   | SG on pile.    |
| 57725   | Eagle Point<br>Daybeacon 2               | 27-06-35.000N<br>082-27-02.500W |         |   |   | TR on pile.    |
| 57730   | Eagle Point<br>Daybeacon 3               | 27-06-37.500N<br>082-26-58.500W |         |   |   | SG on pile.    |
| 57735   | Eagle Point<br>Daybeacon 4               | 27-06-35.400N<br>082-26-58.500W |         |   |   | TR on pile.    |
| 57740   | Eagle Point<br>Daybeacon 5               | 27-06-37.500N<br>082-26-55.500W |         |   |   | SG on pile.    |
| 57745   | Eagle Point<br>Daybeacon 6               | 27-06-35.400N<br>082-26-56.000W |         |   |   | TR on pile.    |
| 57750   | Roberts Bay Channel<br>Daybeacon 11      | 27-06-32.749N<br>082-27-05.637W |         | 0 |   | SG-SY on pile. |
| 57755   | Roberts Bay Channel<br>Daybeacon 12      | 27-06-33.684N<br>082-27-19.304W |         | 0 |   | TR-TY on pile. |
| 57760   | Roberts Bay Channel<br>Light 13          | 27-06-31.963N<br>082-27-25.044W | Q G     | 0 | 4 | SG-SY on pile. |
| 57765   | Roberts Bay Channel<br>Daybeacon 14      | 27-06-36.988N<br>082-27-26.638W |         | 0 |   | TR-TY on pile. |
| 57770   | Roberts Bay Channel<br>Daybeacon 15      | 27-06-42.828N<br>082-27-34.278W |         | 0 |   | SG-SY on pile. |
| 57775   | Roberts Bay Channel<br>Light 16          | 27-06-46.963N<br>082-27-36.498W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 57775.5 | Roberts Bay Channel<br>Daybeacon 17      | 27-06-46.059N<br>082-27-38.411W |         | 0 |   | SG-SY on pile. |
| 57776   | Higel Park North<br>Channel Buoy 1       | 27-06-39.360N<br>082-27-36.240W |         |   |   | Green can.     |
| 57777.9 | Higel Park Boat Ramp<br>Daybeacon 11     | 27-06-29.880N<br>082-27-37.380W |         |   |   | SG on pile.    |
| 57777.8 | Higel Park Boat Ramp<br>Daybeacon 9      | 27-06-33.240N<br>082-27-35.280W |         |   |   | SG on pile.    |
| 57777.7 | Higel Park Boat Ramp<br>Daybeacon 8      | 27-06-34.620N<br>082-27-34.440W |         |   |   | TR on pile.    |
| 57777.6 | Higel Park Boat Ramp<br>Daybeacon 7      | 27-06-33.720N<br>082-27-33.780W |         |   |   | SG on pile.    |
| 57777.5 | Higel Park Boat Ramp<br>Daybeacon 6      | 27-06-35.520N<br>082-27-32.340W |         |   |   | TR on pile.    |
| 57777.4 | Higel Park Boat Ramp<br>Daybeacon 5      | 27-06-34.560N<br>082-27-31.560W |         |   |   | SG on pile.    |
| 57777.3 | Higel Park Boat Ramp<br>Daybeacon 3      | 27-06-34.920N<br>082-27-30.240W |         |   |   | SG on pile.    |
| 57777.1 | Higel Park Boat Ramp<br>Daybeacon 1      | 27-06-35.340N<br>082-27-29.100W |         |   |   | SG on pile.    |
| 57777   | Higel Park North<br>Channel Buoy 3       | 27-06-35.760N<br>082-27-35.280W |         |   |   | Green can.     |
| 57778   | Higel Park Boat Ramp<br>Daybeacon 12     | 27-06-29.400N<br>082-27-38.640W |         |   |   | TR on pile.    |
| 57779   | Venice Yacht Club<br>Obstruction Light A | 27-06-33.120N<br>082-27-37.080W | FI W 4s |   | 4 |                |
| 57785   | Lyons Bay Daybeacon<br>2                 | 27-07-03.600N<br>082-27-51.500W |         |   |   | TR on pile.    |
| 57790   | Lyons Bay Daybeacon<br>3                 | 27-07-06.000N<br>082-27-49.400W |         |   |   | SG on pile.    |
| 57795   | Lyons Bay Daybeacon<br>4                 | 27-07-13.500N<br>082-27-46.400W |         |   |   | TR on pile.    |
| 57800   | Lyons Bay Daybeacon<br>5                 | 27-07-19.800N<br>082-27-47.700W |         |   |   | SG on pile.    |
| 57805   | Lyons Bay Daybeacon<br>6                 | 27-07-25.400N<br>082-27-49.100W |         |   |   | TR on pile.    |
| 57810   | Lyons Bay Daybeacon<br>7                 | 27-07-26.100N<br>082-27-48.900W |         |   |   | SG on pile.    |
| 57815   | Lyons Bay Daybeacon<br>8                 | 27-07-26.100N<br>082-27-47.400W |         |   |   | TR on pile.    |
| 57820   | Lyons Bay Daybeacon<br>9                 | 27-07-29.200N<br>082-27-46.200W |         |   |   | SG on pile.    |
| 57825   | Lyons Bay Daybeacon<br>10                | 27-07-31.600N<br>082-27-43.800W |         |   |   | TR on pile.    |
| 57830   | Lyons Bay Daybeacon                      | 27-07-32.100N                   |         |   |   | SG on pile.    |

|         |                                         |                                 |           |   |   |                |                             |
|---------|-----------------------------------------|---------------------------------|-----------|---|---|----------------|-----------------------------|
|         | 11                                      | 082-27-44.000W                  |           |   |   |                |                             |
| 57834   | Snake Island<br>Daybeacon A             | 27-06-45.580N<br>082-27-47.670W |           |   |   | NW on pile.    |                             |
| 57834.1 | Snake Island<br>Daybeacon B             | 27-06-47.240N<br>082-27-48.870W |           |   |   | NW on pile.    |                             |
| 57834.2 | Snake Island<br>Daybeacon C             | 27-06-49.440N<br>082-27-48.500W |           |   |   | NW on pile.    |                             |
| 57835   | Venice Inlet-Siesta<br>Key Light 1      | 27-06-47.549N<br>082-27-45.540W | FI G 4s   | 0 | 5 | SG-SY on pile. |                             |
| 57840   | Venice Inlet-Siesta<br>Key Daybeacon 3  | 27-06-49.764N<br>082-27-48.188W |           | 0 |   | SG-SY on pile. |                             |
| 57850   | Venice Inlet-Siesta<br>Key Light 4      | 27-06-51.506N<br>082-27-48.306W | FI R 2.5s | 0 | 5 | TR-TY on pile. |                             |
| 57855   | Venice Inlet-Siesta<br>Key Daybeacon 4A | 27-06-54.426N<br>082-27-52.990W |           | 0 |   | TR-TY on pile. |                             |
| 57860   | Venice Inlet-Siesta<br>Key Light 5      | 27-06-53.331N<br>082-27-54.960W | FI G 4s   | 0 | 5 | SG-SY on pile. | Obscured from 000° to 090°. |
| 57865   | Venice Inlet-Siesta<br>Key Daybeacon 6  | 27-06-58.236N<br>082-27-56.108W |           | 0 |   | TR-TY on pile. |                             |
| 57870   | Venice Inlet-Siesta<br>Key Daybeacon 7  | 27-07-03.741N<br>082-28-00.888W |           | 0 |   | SG-SY on pile. |                             |
| 57875   | Venice Inlet-Siesta<br>Key Daybeacon 8  | 27-07-12.301N<br>082-28-03.557W |           | 0 |   | TR-TY on pile. |                             |
| 57880   | Venice Inlet-Siesta<br>Key Light 9      | 27-07-17.548N<br>082-28-07.918W | FI G 4s   | 0 | 5 | SG-SY on pile. |                             |
| 57885   | Venice Inlet-Siesta<br>Key Daybeacon 10 | 27-07-18.576N<br>082-28-06.248W |           | 0 |   | TR-TY on pile. |                             |
| 57890   | Venice Inlet-Siesta<br>Key Light 12     | 27-07-38.736N<br>082-28-09.848W | FI R 4s   | 0 | 5 | TR-TY on pile. |                             |
| 57895   | Venice Inlet-Siesta<br>Key Daybeacon 13 | 27-07-53.150N<br>082-28-12.551W |           | 0 |   | SG-SY on pile. |                             |
| 57900   | Venice Inlet-Siesta<br>Key Daybeacon 14 | 27-08-09.696N<br>082-28-12.248W |           | 0 |   | TR-TY on pile. |                             |
| 57905   | Venice Inlet-Siesta<br>Key Daybeacon 15 | 27-08-25.296N<br>082-28-15.728W |           | 0 |   | SG-SY on pile. |                             |
| 57910   | Venice Inlet-Siesta<br>Key Light 16     | 27-08-29.796N<br>082-28-14.708W | FI R 4s   | 0 | 5 | TR-TY on pile. |                             |
| 57915   | Venice Inlet-Siesta<br>Key Daybeacon 17 | 27-08-35.076N<br>082-28-20.108W |           | 0 |   | SG-SY on pile. |                             |
| 57920   | Venice Inlet-Siesta<br>Key Daybeacon 19 | 27-08-48.504N<br>082-28-29.117W |           | 0 |   | SG-SY on pile. |                             |
| 57925   | Venice Inlet-Siesta<br>Key Daybeacon 20 | 27-09-07.185N<br>082-28-39.498W |           | 0 |   | TR-TY on pile. |                             |
| 57930   | Venice Inlet-Siesta<br>Key Daybeacon 21 | 27-09-22.836N<br>082-28-52.328W |           | 0 |   | SG-SY on pile. |                             |
| 57935   | Venice Inlet-Siesta<br>Key Daybeacon 22 | 27-09-39.085N<br>082-29-00.995W |           | 0 |   | TR-TY on pile. |                             |
| 57940   | Venice Inlet-Siesta<br>Key Light 23     | 27-09-38.436N<br>082-29-02.528W | FI G 4s   | 0 | 5 | SG-SY on pile. |                             |
| 57945   | Venice Inlet-Siesta<br>Key Daybeacon 25 | 27-09-49.416N<br>082-29-07.388W |           | 0 |   | SG-SY on pile. |                             |
| 57950   | South Creek<br>Daybeacon 2              | 27-10-07.300N<br>082-29-07.700W |           |   |   | TR on pile.    |                             |
| 57965   | South Creek<br>Daybeacon 7              | 27-10-06.500N<br>082-28-57.500W |           |   |   | SG on pile.    |                             |
| 57970   | South Creek<br>Daybeacon 9              | 27-10-05.400N<br>082-28-56.500W |           |   |   | SG on pile.    |                             |
| 57975   | South Creek<br>Daybeacon 11             | 27-10-05.000N<br>082-28-54.200W |           |   |   | SG on pile.    |                             |
| 57980   | South Creek<br>Daybeacon 13             | 27-10-04.000N<br>082-28-53.200W |           |   |   | SG on pile.    |                             |
| 57985   | South Creek<br>Daybeacon 15             | 27-09-59.800N<br>082-28-46.600W |           |   |   | SG on pile.    |                             |
| 57990   | South Creek<br>Daybeacon 17             | 27-09-57.900N<br>082-28-46.100W |           |   |   | SG on pile.    |                             |
| 57995   | South Creek<br>Daybeacon 19             | 27-09-53.900N<br>082-28-44.900W |           |   |   | SG on pile.    |                             |
| 58005   | South Creek<br>Daybeacon 21             | 27-09-52.500N<br>082-28-42.700W |           |   |   | SG on pile.    |                             |
| 58010   | Venice Inlet-Siesta<br>Key Daybeacon 27 | 27-10-07.296N<br>082-29-15.008W |           | 0 |   | SG-SY on pile. |                             |

|       |                                          |                                 |         |   |   |                |
|-------|------------------------------------------|---------------------------------|---------|---|---|----------------|
| 58015 | Venice Inlet-Siesta<br>Key Light 28      | 27-10-10.840N<br>082-29-14.668W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 58020 | Venice Inlet-Siesta<br>Key Daybeacon 29  | 27-10-12.516N<br>082-29-17.648W |         | 0 |   | SG-SY on pile. |
| 58025 | Venice Inlet-Siesta<br>Key Daybeacon 29A | 27-10-20.556N<br>082-29-24.908W |         | 0 |   | SG-SY on pile. |
| 58030 | Venice Inlet-Siesta<br>Key Daybeacon 30  | 27-10-28.956N<br>082-29-30.008W |         | 0 |   | TR-TY on pile. |
| 58035 | Dryman Bay<br>Daybeacon 1                | 27-10-29.888N<br>082-29-28.949W |         |   |   | SG on pile.    |
| 58040 | Dryman Bay<br>Daybeacon 2                | 27-10-29.288N<br>082-29-28.449W |         |   |   | TR on pile.    |
| 58045 | Dryman Bay<br>Daybeacon 3                | 27-10-30.188N<br>082-29-27.749W |         |   |   | SG on pile.    |
| 58050 | Dryman Bay<br>Daybeacon 4                | 27-10-30.188N<br>082-29-27.549W |         |   |   | TR on pile.    |
| 58055 | Dryman Bay<br>Daybeacon 5                | 27-10-30.988N<br>082-29-26.049W |         |   |   | SG on pile.    |
| 58060 | Dryman Bay<br>Daybeacon 6                | 27-10-30.288N<br>082-29-26.149W |         |   |   | TR on pile.    |
| 58065 | Dryman Bay<br>Daybeacon 7                | 27-10-30.488N<br>082-29-23.549W |         |   |   | SG on pile.    |
| 58070 | Dryman Bay<br>Daybeacon 8                | 27-10-29.788N<br>082-29-23.749W |         |   |   | TR on pile.    |
| 58075 | Dryman Bay<br>Daybeacon 9                | 27-10-29.788N<br>082-29-22.149W |         |   |   | SG on pile.    |
| 58080 | Dryman Bay<br>Daybeacon 10               | 27-10-29.188N<br>082-29-22.249W |         |   |   | TR on pile.    |
| 58085 | Venice Inlet-Siesta<br>Key Daybeacon 30A | 27-10-35.976N<br>082-29-36.068W |         | 0 |   | TR-TY on pile. |
| 58090 | Venice Inlet-Siesta<br>Key Light 31      | 27-10-37.714N<br>082-29-39.532W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 58095 | Venice Inlet-Siesta<br>Key Daybeacon 32  | 27-10-42.636N<br>082-29-38.288W |         | 0 |   | TR-TY on pile. |
| 58100 | Venice Inlet-Siesta<br>Key Daybeacon 33  | 27-10-49.625N<br>082-29-40.310W |         | 0 |   | SG-SY on pile. |
| 58101 | Blackburn Point<br>Channel Daybeacon 1   | 27-10-52.860N<br>082-29-39.000W |         |   |   | SG on pile.    |
| 58102 | Blackburn Point<br>Channel Daybeacon 2   | 27-10-52.200N<br>082-29-39.000W |         |   |   | TR on pile.    |
| 58103 | Blackburn Point<br>Channel Daybeacon 3   | 27-10-52.800N<br>082-29-36.600W |         |   |   | SG on pile.    |
| 58104 | Blackburn Point<br>Channel Daybeacon 4   | 27-10-52.200N<br>082-29-36.960W |         |   |   | TR on pile.    |
| 58105 | Venice Inlet-Siesta<br>Key Light 34      | 27-10-58.774N<br>082-29-40.499W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 58110 | Venice Inlet-Siesta<br>Key Daybeacon 35  | 27-11-00.156N<br>082-29-42.608W |         | 0 |   | SG-SY on pile. |
| 58112 | Casey Key Daybeacon<br>2                 | 27-11-08.640N<br>082-29-46.980W |         |   |   | TR on pile.    |
| 58114 | Casey Key Daybeacon<br>3                 | 27-11-08.040N<br>082-29-47.940W |         |   |   | SG on pile.    |
| 58115 | Venice Inlet-Siesta<br>Key Daybeacon 37  | 27-11-26.256N<br>082-29-51.488W |         | 0 |   | SG-SY on pile. |
| 58120 | Venice Inlet-Siesta<br>Key Daybeacon 38  | 27-11-36.760N<br>082-29-53.238W |         | 0 |   | TR-TY on pile. |
| 58125 | Venice Inlet-Siesta<br>Key Daybeacon 39  | 27-11-54.800N<br>082-30-00.860W |         | 0 |   | SG-SY on pile. |
| 58130 | Venice Inlet-Siesta<br>Key Daybeacon 40  | 27-12-11.916N<br>082-30-04.928W |         | 0 |   | TR-TY on pile. |
| 58135 | Venice Inlet-Siesta<br>Key Light 41      | 27-12-11.916N<br>082-30-07.028W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 58140 | Venice Inlet-Siesta<br>Key Daybeacon 41A | 27-12-28.865N<br>082-30-10.011W |         | 0 |   | SG-SY on pile. |
| 58145 | Venice Inlet-Siesta<br>Key Daybeacon 42  | 27-12-31.296N<br>082-30-08.708W |         | 0 |   | TR-TY on pile. |
| 58150 | Venice Inlet-Siesta<br>Key Daybeacon 43  | 27-12-48.872N<br>082-30-13.746W |         | 0 |   | SG-SY on pile. |
| 58155 | Venice Inlet-Siesta<br>Key Light 44      | 27-12-52.114N<br>082-30-12.660W | FI R 4s | 0 | 5 | TR-TY on pile. |

|         |                                             |                                 |         |   |   |                |
|---------|---------------------------------------------|---------------------------------|---------|---|---|----------------|
| 58160   | Venice Inlet-Siesta<br>Key Daybeacon 45     | 27-12-54.080N<br>082-30-15.732W |         | 0 |   | SG-SY on pile. |
| 58165   | Venice Inlet-Siesta<br>Key Daybeacon 47     | 27-13-06.336N<br>082-30-22.628W |         | 0 |   | SG-SY on pile. |
| 58170   | Midnight Pass Lagoon<br>Daybeacon 1         | 27-13-12.182N<br>082-30-27.350W |         |   |   | SG on pile.    |
| 58175   | Midnight Pass Lagoon<br>Daybeacon 2         | 27-13-15.182N<br>082-30-30.150W |         |   |   | TR on pile.    |
| 58180   | Midnight Pass Lagoon<br>Daybeacon 3         | 27-13-09.182N<br>082-30-34.350W |         |   |   | SG on pile.    |
| 58185   | Midnight Pass Lagoon<br>Daybeacon 4         | 27-13-12.382N<br>082-30-36.450W |         |   |   | TR on pile.    |
| 58190   | Midnight Pass Lagoon<br>Daybeacon 5         | 27-13-07.182N<br>082-30-42.350W |         |   |   | SG on pile.    |
| 58195   | Midnight Pass Lagoon<br>Daybeacon 6         | 27-13-12.382N<br>082-30-40.350W |         |   |   | TR on pile.    |
| 58200   | Midnight Pass Lagoon<br>Daybeacon 7         | 27-13-04.082N<br>082-30-45.350W |         |   |   | SG on pile.    |
| 58205   | Midnight Pass Lagoon<br>Daybeacon 8         | 27-13-07.682N<br>082-30-46.850W |         |   |   | TR on pile.    |
| 58205.6 | Midnight Pass<br>Daybeacon 19               | 27-12-40.900N<br>082-30-41.700W |         |   |   | SG on pile.    |
| 58205.5 | Midnight Pass<br>Daybeacon 17               | 27-12-34.200N<br>082-30-43.800W |         |   |   | SG on pile.    |
| 58205.4 | Midnight Pass<br>Daybeacon 15               | 27-12-42.700N<br>082-30-40.000W |         |   |   | SG on pile.    |
| 58205.3 | Midnight Pass<br>Daybeacon 13               | 27-12-48.700N<br>082-30-42.300W |         |   |   | SG on pile.    |
| 58205.2 | Midnight Pass<br>Daybeacon 11               | 27-12-54.700N<br>082-30-45.500W |         |   |   | SG on pile.    |
| 58205.1 | Midnight Pass<br>Daybeacon 9                | 27-13-01.800N<br>082-30-47.400W |         |   |   | SG on pile.    |
| 58210   | Venice Inlet-Siesta<br>Key Daybeacon 48     | 27-13-20.219N<br>082-30-28.208W |         | 0 |   | TR-TY on pile. |
| 58215   | Venice Inlet-Siesta<br>Key Daybeacon 48A    | 27-13-32.474N<br>082-30-35.586W |         | 0 |   | TR-TY on pile. |
| 58220   | Venice Inlet-Siesta<br>Key Light 48B        | 27-13-46.785N<br>082-30-43.468W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 58225   | Venice Inlet-Siesta<br>Key Daybeacon 49     | 27-13-30.096N<br>082-30-35.828W |         | 0 |   | SG-SY on pile. |
| 58230   | Venice Inlet-Siesta<br>Key Daybeacon 49A    | 27-13-48.036N<br>082-30-45.738W |         | 0 |   | SG-SY on pile. |
| 58235   | Venice Inlet-Siesta<br>Key Daybeacon 50     | 27-13-58.860N<br>082-30-50.669W |         | 0 |   | TR-TY on pile. |
| 58240   | Hidden Harbor Marina<br>Channel Daybeacon 1 | 27-14-16.000N<br>082-30-43.500W |         |   |   | SG on pile.    |
| 58245   | Hidden Harbor Marina<br>Channel Daybeacon 2 | 27-14-14.079N<br>082-30-40.450W |         |   |   | TR on pile.    |
| 58250   | Hidden Harbor Marina<br>Channel Daybeacon 3 | 27-14-16.679N<br>082-30-39.249W |         |   |   | SG on pile.    |
| 58255   | Hidden Harbor Marina<br>Channel Daybeacon 4 | 27-14-15.379N<br>082-30-38.149W |         |   |   | TR on pile.    |
| 58260   | Hidden Harbor Marina<br>Channel Daybeacon 5 | 27-14-18.179N<br>082-30-38.949W |         |   |   | SG on pile.    |
| 58265   | Hidden Harbor Marina<br>Channel Daybeacon 6 | 27-14-17.079N<br>082-30-36.349W |         |   |   | TR on pile.    |
| 58270   | Hidden Harbor Marina<br>Channel Daybeacon 8 | 27-14-18.679N<br>082-30-35.349W |         |   |   | TR on pile.    |
| 58275   | Venice Inlet-Siesta<br>Key Daybeacon 51     | 27-14-14.076N<br>082-31-02.048W |         | 0 |   | SG-SY on pile. |
| 58280   | Venice Inlet-Siesta<br>Key Daybeacon 53     | 27-14-27.996N<br>082-31-10.328W |         | 0 |   | SG-SY on pile. |
| 58285   | Venice Inlet-Siesta<br>Key Light 54         | 27-14-33.941N<br>082-31-12.057W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 58290   | Venice Inlet-Siesta<br>Key Daybeacon 55     | 27-14-36.096N<br>082-31-16.508W |         | 0 |   | SG-SY on pile. |
| 58292   | Matheny Creek<br>Daybeacon 1                | 27-14-47.830N<br>082-31-09.230W |         |   |   | SG on pile.    |
| 58292.1 | Matheny Creek<br>Daybeacon 2                | 27-14-47.510N<br>082-31-09.010W |         |   |   | TR on pile.    |
| 58292.2 | Matheny Creek                               | 27-14-48.190N                   |         |   |   | SG on pile.    |

|         |                                          |                                 |         |    |   |                |  |
|---------|------------------------------------------|---------------------------------|---------|----|---|----------------|--|
|         | Daybeacon 3                              | 082-31-08.540W                  |         |    |   |                |  |
| 58292.3 | Matheny Creek<br>Daybeacon 4             | 27-14-48.300N<br>082-31-07.820W |         |    |   | TR on pile.    |  |
| 58295   | Venice Inlet-Siesta<br>Key Daybeacon 57  | 27-14-47.016N<br>082-31-27.368W |         |    |   | SG-SY on pile. |  |
| 58300   | Venice Inlet-Siesta<br>Key Daybeacon 59  | 27-14-56.136N<br>082-31-36.548W |         | 0  |   | SG-SY on pile. |  |
| 58305   | Venice Inlet-Siesta<br>Key Light 60      | 27-15-01.116N<br>082-31-39.128W | FI R 4s | 0  | 5 | TR-TY on pile. |  |
| 58310   | Venice Inlet-Siesta<br>Key Light 61      | 27-15-06.990N<br>082-31-48.167W | FI G 4s | 0  | 5 | SG-SY on pile. |  |
| 58315   | Venice Inlet-Siesta<br>Key Daybeacon 62  | 27-15-11.137N<br>082-31-49.250W |         | 0  |   | TR-TY on pile. |  |
| 58320   | Venice Inlet-Siesta<br>Key Daybeacon 63  | 27-15-28.072N<br>082-32-03.407W |         | 0  |   | SG-SY on pile. |  |
| 58325   | Venice Inlet-Siesta<br>Key Light 64      | 27-15-31.476N<br>082-32-03.908W | FI R 4s | 0  | 5 | TR-TY on pile. |  |
| 58330   | Venice Inlet-Siesta<br>Key Daybeacon 64A | 27-15-35.243N<br>082-32-07.497W |         | 0  |   | TR-TY on pile. |  |
| 58335   | Venice Inlet-Siesta<br>Key Daybeacon 65  | 27-15-32.729N<br>082-32-07.303W |         | 0  |   | SG-SY on pile. |  |
| 58340   | Venice Inlet-Siesta<br>Key Daybeacon 66  | 27-15-44.070N<br>082-32-16.293W |         | 10 |   | TR-TY on pile. |  |
| 58345   | Venice Inlet-Siesta<br>Key Light 67      | 27-15-43.118N<br>082-32-17.635W | FI G 4s | 0  | 5 | SG-SY on pile. |  |
| 58350   | Venice Inlet-Siesta<br>Key Daybeacon 67A | 27-15-47.619N<br>082-32-20.108W |         | 0  |   | SG-SY on pile. |  |
| 58355   | Venice Inlet-Siesta<br>Key Daybeacon 68  | 27-15-50.762N<br>082-32-20.408W |         | 0  |   | TR-TY on pile. |  |
| 58360   | Venice Inlet-Siesta<br>Key Light 69      | 27-15-58.912N<br>082-32-26.321W | FI G 4s | 0  | 5 | SG-SY on pile. |  |
| 58365   | Venice Inlet-Siesta<br>Key Daybeacon 70  | 27-15-59.509N<br>082-32-24.772W |         | 0  |   | TR-TY on pile. |  |
| 58365.1 | Phillippi Creek<br>Daybeacon 1           | 27-16-16.440N<br>082-32-31.140W |         |    |   | SG on pile.    |  |
| 58365.3 | Phillippi Creek<br>Daybeacon 4           | 27-16-15.720N<br>082-32-27.060W |         |    |   | TR on pile.    |  |
| 58365.4 | Phillippi Creek<br>Daybeacon 5           | 27-16-16.422N<br>082-32-18.720W |         |    |   | SG on pile.    |  |
| 58365.5 | Phillippi Creek<br>Daybeacon 6           | 27-16-16.140N<br>082-32-15.360W |         |    |   | TR on pile.    |  |
| 58365.2 | Phillippi Creek<br>Daybeacon 2           | 27-16-15.960N<br>082-32-30.660W |         |    |   | TR on pile.    |  |
| 58365.6 | Phillippi Creek<br>Daybeacon 7           | 27-16-17.460N<br>082-32-09.540W |         |    |   | SG on pile.    |  |
| 58365.7 | Phillippi Creek<br>Daybeacon 9           | 27-16-16.920N<br>082-32-07.920W |         |    |   | SG on pile.    |  |
| 58365.8 | Phillippi Creek<br>Daybeacon 10          | 27-16-16.020N<br>082-32-04.800W |         |    |   | TR on pile.    |  |
| 58365.9 | Phillippi Creek<br>Daybeacon 11          | 27-16-18.780N<br>082-32-01.320W |         |    |   | SG on pile.    |  |
| 58366   | Phillippi Creek<br>Daybeacon 13          | 27-16-21.180N<br>082-31-56.100W |         |    |   | SG on pile.    |  |
| 58370   | Venice Inlet-Siesta<br>Key Daybeacon 72  | 27-16-17.184N<br>082-32-32.387W |         | 0  |   | TR-TY on pile. |  |
| 58375   | Venice Inlet-Siesta<br>Key Daybeacon 72A | 27-16-22.281N<br>082-32-34.037W |         | 0  |   | TR-TY on pile. |  |
| 58380   | Venice Inlet-Siesta<br>Key Light 73      | 27-16-22.365N<br>082-32-36.161W | FI G 4s | 0  | 5 | SG-SY on pile. |  |
| 58385   | Venice Inlet-Siesta<br>Key Daybeacon 74  | 27-16-44.246N<br>082-32-38.993W |         | 0  |   | TR-TY on pile. |  |
| 58390   | Venice Inlet-Siesta<br>Key Daybeacon 75  | 27-16-46.388N<br>082-32-40.976W |         | 0  |   | SG-SY on pile. |  |
| 58395   | Venice Inlet-Siesta<br>Key Daybeacon 76  | 27-16-58.434N<br>082-32-41.180W |         | 0  |   | TR-TY on pile. |  |
| 58400   | Venice Inlet-Siesta<br>Key Daybeacon 78  | 27-17-15.476N<br>082-32-44.216W |         | 0  |   | TR-TY on pile. |  |
| 58405   | Venice Inlet-Siesta<br>Key Light 79      | 27-17-18.302N<br>082-32-46.988W | FI G 4s | 0  | 5 | SG-SY on pile. |  |
| 58410   | Field Club Daybeacon<br>2                | 27-17-14.271N<br>082-32-32.651W |         |    |   | TR on pile.    |  |



|         |                                             |                                 |         |   |   |                                 |
|---------|---------------------------------------------|---------------------------------|---------|---|---|---------------------------------|
| 58415   | Field Club Daybeacon 3                      | 27-17-15.271N<br>082-32-29.751W |         |   |   | SG on pile.                     |
| 58420   | Field Club Daybeacon 4                      | 27-17-14.371N<br>082-32-29.751W |         |   |   | TR on pile.                     |
| 58425   | Field Club Daybeacon 5                      | 27-17-15.271N<br>082-32-26.851W |         |   |   | SG on pile.                     |
| 58430   | Venice Inlet-Siesta Key Daybeacon 80        | 27-17-21.376N<br>082-32-44.748W |         | 0 |   | TR-TY on pile.                  |
| 58435   | Venice Inlet-Siesta Key Daybeacon 81        | 27-17-39.373N<br>082-32-44.947W |         | 0 |   | SG-SY on pile.                  |
| 58440   | Venice Inlet-Siesta Key Light 82            | 27-17-58.084N<br>082-32-42.047W | FI R 4s | 0 | 5 |                                 |
| 58445   | Venice Inlet-Siesta Key Daybeacon 83        | 27-17-58.025N<br>082-32-43.292W |         | 0 |   | SG-SY on pile.                  |
| 58446   | San Remo Daybeacon 1                        | 27-18-05.300N<br>082-32-38.800W |         |   |   | SG on pile.                     |
| 58447   | San Remo Daybeacon 2                        | 27-18-04.100N<br>082-32-38.300W |         |   |   | TR on pile.                     |
| 58448   | San Remo Daybeacon 3                        | 27-18-05.100N<br>082-32-36.900W |         |   |   | SG on pile.                     |
| 58449.2 | San Remo South Obstruction Daybeacon        | 27-18-06.400N<br>082-32-38.600W |         |   |   | NW on pile worded DANGER SHOAL. |
| 58449.1 | San Remo North Obstruction Daybeacon        | 27-18-07.900N<br>082-32-37.300W |         |   |   | NW on pile worded DANGER SHOAL. |
| 58449   | San Remo Daybeacon 5                        | 27-18-04.900N<br>082-32-34.700W |         |   |   | SG on pile.                     |
| 58450   | Siesta Key-Tampa Bay Daybeacon 1            | 27-18-23.317N<br>082-32-44.733W |         | 0 |   | SG-SY on pile.                  |
| 58455   | Siesta Key-Tampa Bay Light 2                | 27-18-26.929N<br>082-32-43.012W | FI R 4s | 0 | 5 | TR-TY on pile.                  |
| 58460   | Sarasota Bay Artificial Reef Daybeacon C    | 27-18-35.800N<br>082-32-37.800W |         |   |   | NY on pile.                     |
| 58465   | Siesta Key-Tampa Bay Daybeacon 3            | 27-18-31.179N<br>082-32-46.385W |         | 0 |   | SG-SY on pile.                  |
| 58470   | Siesta Key-Tampa Bay Daybeacon 5            | 27-18-54.950N<br>082-32-57.618W |         | 0 |   | SG-SY on pile.                  |
| 58475   | Siesta Key-Tampa Bay Light 6                | 27-18-57.349N<br>082-32-56.632W | FI R 4s | 0 | 5 | TR-TY on pile.                  |
| 58480   | Siesta Key-Tampa Bay Daybeacon 7            | 27-18-59.647N<br>082-33-02.189W |         | 0 |   | SG-SY on pile.                  |
| 58480.5 | Evans Artificial Reef Daybeacon             | 27-19-43.800N<br>082-33-27.000W |         |   |   | NY on pile.                     |
| 58485.3 | Hudson Bayou Daybeacon 3                    | 27-19-29.200N<br>082-32-30.800W |         |   |   | SG on pile.                     |
| 58485.2 | Hudson Bayou Daybeacon 2                    | 27-19-29.100N<br>082-32-33.800W |         |   |   | TR on pile.                     |
| 58485.1 | Hudson Bayou Daybeacon 1                    | 27-19-30.700N<br>082-32-35.200W |         |   |   | SG on pile.                     |
| 58485   | Siesta Key-Tampa Bay Light 8                | 27-19-16.982N<br>082-33-10.108W | FI R 4s | 2 | 5 | TR-TY on pile.                  |
| 58490   | Siesta Key-Tampa Bay Daybeacon 8A           | 27-19-35.794N<br>082-33-14.512W |         | 0 |   | TR-TY on pile.                  |
| 58495   | Sarasota Municipal Pier Channel Daybeacon 2 | 27-19-41.164N<br>082-33-10.540W |         | 0 |   | TR on pile.                     |
| 58500   | Sarasota Municipal Pier Channel Daybeacon 3 | 27-19-43.374N<br>082-33-09.445W |         | 0 |   | SG on pile.                     |
| 58505   | Bird Key Channel Daybeacon 1                | 27-19-34.165N<br>082-33-28.351W |         |   |   | SG on pile.                     |
| 58510   | Bird Key Channel Daybeacon 2                | 27-19-37.165N<br>082-33-29.351W |         |   |   | TR on pile.                     |
| 58515   | Bird Key Channel Daybeacon 3                | 27-19-30.165N<br>082-33-30.351W |         |   |   | SG on pile.                     |
| 58520   | Bird Key Channel Daybeacon 5                | 27-19-27.165N<br>082-33-31.351W |         |   |   | SG on pile.                     |
| 58525   | Bird Key Channel Daybeacon 7                | 27-19-21.166N<br>082-33-32.352W |         |   |   | SG on pile.                     |
| 58535   | Siesta Key-Tampa Bay                        | 27-19-43.429N                   | FI R 4s | 0 | 5 | TR-TY on pile.                  |

|          |                                            |                                 |           |   |   |                |
|----------|--------------------------------------------|---------------------------------|-----------|---|---|----------------|
|          | Light 10                                   | 082-33-14.684W                  |           |   |   |                |
| 58537    | Siesta Key-Tampa Bay Light 11              | 27-19-45.141N<br>082-33-19.457W | FI G 2.5s | 0 | 5 | SG-SY on pile. |
| 58540    | Tony Saprito Fishing Pier South Light      | 27-20-01.164N<br>082-33-19.851W | F R       |   |   | On pier.       |
| 58545    | Tony Saprito Fishing Pier North Light      | 27-20-02.664N<br>082-33-20.851W | F R       |   |   | On pier.       |
| 58550    | Sarasota Bay Fish Haven Daybeacon A        | 27-21-04.800N<br>082-35-52.980W |           |   |   | NR on pile.    |
| 58560    | Siesta Key-Tampa Bay Light 12              | 27-20-12.235N<br>082-33-36.944W | FI R 4s   | 0 | 5 | TR-TY on pile. |
| 58565    | Siesta Key-Tampa Bay Junction Daybeacon NP | 27-20-32.864N<br>082-33-41.665W |           | 0 |   | JR-TY on pile. |
| 58570    | Siesta Key-Tampa Bay Light 13              | 27-20-48.832N<br>082-33-47.005W | FI G 4s   | 0 | 5 | SG-SY on pile. |
| 58575    | Sarasota Bay Artificial Reef Buoy H        | 27-22-04.440N<br>082-34-28.680W |           |   |   | Yellow can.    |
| 58580    | Sarasota Sail Squad Rc Buoy A              | 27-22-11.158N<br>082-35-24.353W |           |   |   | Yellow can.    |
| 58585    | Sarasota Sail Squad Rc Buoy B              | 27-21-58.159N<br>082-34-54.352W |           |   |   | Yellow can.    |
| 58590    | Sarasota Sail Squad Rc Buoy C              | 27-21-31.000N<br>082-34-46.400W |           |   |   | Yellow can.    |
| 58595    | Sarasota Sail Squad Rc Buoy D              | 27-21-09.161N<br>082-34-56.353W |           |   |   | Yellow can.    |
| 58600    | Sarasota Sail Squad Rc Buoy E              | 27-20-59.161N<br>082-35-24.353W |           |   |   | Yellow can.    |
| 58605    | Sarasota Sail Squad Rc Buoy F              | 27-21-09.160N<br>082-35-53.354W |           |   |   | Yellow can.    |
| 58615    | Sarasota Sail Squad Rc Buoy H              | 27-22-01.158N<br>082-35-51.353W |           |   |   | Yellow can.    |
| 58620    | Sarasota Sail Squad Rc Buoy I              | 27-21-34.159N<br>082-35-24.353W |           |   |   | Yellow can.    |
| 58625    | Sarasota Sail Squad Rc Buoy J              | 27-22-37.157N<br>082-36-08.354W |           |   |   | Yellow can.    |
| 58630    | Sarasota Sail Squad Rc Buoy K              | 27-22-43.157N<br>082-34-37.352W |           |   |   | Yellow can.    |
| 58640    | Bay Isles South Channel Daybeacon 1        | 27-21-14.460N<br>082-36-13.854W |           |   |   | SG on pile.    |
| 58645    | Bay Isles South Channel Daybeacon 2        | 27-21-15.160N<br>082-36-14.354W |           |   |   | TR on pile.    |
| 58650    | Bay Isles South Channel Daybeacon 4        | 27-21-13.000N<br>082-36-16.000W |           |   |   | TR on pile.    |
| 58655    | Bay Isles South Channel Daybeacon 6        | 27-21-10.900N<br>082-36-18.300W |           |   |   | TR on pile.    |
| 58660    | Bay Isles South Channel Daybeacon 8        | 27-21-09.900N<br>082-36-20.000W |           |   |   | TR on pile.    |
| 58665    | Bay Isles South Channel Daybeacon 10       | 27-21-08.800N<br>082-36-23.000W |           |   |   | TR on pile.    |
| 58667    | Bay Isles Perimeter Channel Daybeacon 2    | 27-21-15.900N<br>082-36-27.000W |           |   |   | TR on pile.    |
| 58667.05 | Bay Isles Perimeter Channel Daybeacon 4    | 27-21-31.900N<br>082-36-40.900W |           |   |   | TR on pile.    |
| 58667.1  | Bay Isles Perimeter Channel Daybeacon 6    | 27-21-48.100N<br>082-36-54.800W |           |   |   | TR on pile.    |
| 58667.15 | Bay Isles Perimeter Channel Daybeacon 7    | 27-22-18.500N<br>082-37-02.000W |           |   |   | SG on pile.    |
| 58667.2  | Bay Isles Perimeter Channel Daybeacon 8    | 27-22-18.500N<br>082-37-00.000W |           |   |   | TR on pile.    |
| 58667.25 | Bay Isles Perimeter Channel Daybeacon 9    | 27-22-29.000N<br>082-37-00.000W |           |   |   | SG on pile.    |
| 58667.3  | Bay Isles Perimeter Channel Daybeacon 10   | 27-22-29.000N<br>082-36-58.500W |           |   |   | TR on pile.    |
| 58667.35 | Bay Isles Perimeter Channel Daybeacon 12   | 27-22-39.000N<br>082-36-54.300W |           |   |   | TR on pile.    |
| 58667.4  | Bay Isles Perimeter Channel Daybeacon 14   | 27-23-04.200N<br>082-37-36.000W |           |   |   | TR on pile.    |
| 58667.45 | Bay Isles Perimeter Channel Daybeacon 15   | 27-22-52.100N<br>082-37-49.900W |           |   |   | SG on pile.    |

|          |                                          |                              |         |   |   |                |
|----------|------------------------------------------|------------------------------|---------|---|---|----------------|
| 58667.5  | Bay Isles Perimeter Channel Daybeacon 16 | 27-22-53.000N 082-37-50.300W |         |   |   | TR on pile.    |
| 58667.55 | Bay Isles Perimeter Channel Daybeacon 18 | 27-22-49.900N 082-37-51.000W |         |   |   | TR on pile.    |
| 58667.6  | Bay Isles Perimeter Channel Daybeacon 20 | 27-22-41.200N 082-37-51.800W |         |   |   | TR on pile.    |
| 58667.65 | Bay Isles Perimeter Channel Daybeacon 22 | 27-22-25.000N 082-37-43.900W |         |   |   | TR on pile.    |
| 58667.7  | Bay Isles Perimeter Channel Daybeacon 23 | 27-22-22.100N 082-37-27.000W |         |   |   | SG on pile.    |
| 58667.75 | Bay Isles Perimeter Channel Daybeacon 24 | 27-22-21.000N 082-37-27.000W |         |   |   | TR on pile.    |
| 58670    | Siesta Key-Tampa Bay Light 15            | 27-22-42.096N 082-35-18.968W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 58675    | Siesta Key-Tampa Bay Daybeacon 16        | 27-23-32.420N 082-35-51.839W |         | 0 |   | TR-TY on pile. |
| 58680    | Longboat Key Moorings Light 1            | 27-22-22.057N 082-36-56.055W | FI G 4s |   |   | SG on pile.    |
| 58685    | Longboat Key Moorings Light 2            | 27-22-22.957N 082-36-55.955W | FI R 4s |   |   | TR on pile.    |
| 58690    | Longboat Key Moorings Daybeacon 3        | 27-22-22.057N 082-36-57.155W |         |   |   | SG on pile.    |
| 58695    | Longboat Key Moorings Daybeacon 4        | 27-22-23.057N 082-36-57.055W |         |   |   | TR on pile.    |
| 58700    | Longboat Key Moorings Daybeacon 5        | 27-22-22.257N 082-36-58.255W |         |   |   | SG on pile.    |
| 58705    | Longboat Key Moorings Daybeacon 6        | 27-22-23.257N 082-36-58.155W |         |   |   | TR on pile.    |
| 58710    | Longboat Key Moorings Daybeacon 7        | 27-22-22.457N 082-36-59.355W |         |   |   | SG on pile.    |
| 58715    | Longboat Key Moorings Daybeacon 8        | 27-22-23.357N 082-36-59.255W |         |   |   | TR on pile.    |
| 58720    | Longboat Key Moorings Daybeacon 9        | 27-22-22.557N 082-37-00.455W |         |   |   | SG on pile.    |
| 58725    | Longboat Key Moorings Daybeacon 10       | 27-22-23.557N 082-37-00.355W |         |   |   | TR on pile.    |
| 58730    | Longboat Key Moorings Daybeacon 11       | 27-22-22.657N 082-37-01.555W |         |   |   | SG on pile.    |
| 58735    | Longboat Key Moorings Daybeacon 12       | 27-22-23.657N 082-37-01.455W |         |   |   | TR on pile.    |
| 58745    | Bayshore Garden Daybeacon 1              | 27-24-45.152N 082-35-21.352W |         |   |   | SG on pile.    |
| 58750    | Bayshore Garden Daybeacon 2              | 27-24-45.152N 082-35-21.352W |         |   |   | TR on pile.    |
| 58755    | Bayshore Garden Daybeacon 3              | 27-24-45.152N 082-35-21.352W |         |   |   | SG on pile.    |
| 58760    | Bayshore Garden Daybeacon 4              | 27-24-45.152N 082-35-21.352W |         |   |   | TR on pile.    |
| 58765    | Bayshore Garden Daybeacon 5              | 27-24-45.152N 082-35-21.352W |         |   |   | SG on pile.    |
| 58770    | Bayshore Garden Daybeacon 6              | 27-24-45.152N 082-35-21.352W |         |   |   | TR on pile.    |
| 58775    | Bayshore Garden Daybeacon 7              | 27-24-45.152N 082-35-21.352W |         |   |   | SG on pile.    |
| 58780    | Bayshore Garden Daybeacon 8              | 27-24-45.152N 082-35-21.352W |         |   |   | TR on pile.    |
| 58785    | Bayshore Garden Daybeacon 9              | 27-24-45.152N 082-35-21.352W |         |   |   | SG on pile.    |
| 58790    | Bayshore Garden                          | 27-24-45.152N                |         |   |   | TR on pile.    |

|         |                                                      |                                 |         |   |   |                |
|---------|------------------------------------------------------|---------------------------------|---------|---|---|----------------|
|         | Daybeacon 10                                         | 082-35-21.352W                  |         |   |   |                |
| 58795   | Bayshore Garden<br>Daybeacon 11                      | 27-24-45.152N<br>082-35-21.352W |         |   |   | SG on pile.    |
| 58800   | Bayshore Garden<br>Daybeacon 12                      | 27-24-45.152N<br>082-35-21.352W |         |   |   | TR on pile.    |
| 58805   | Bayshore Garden<br>Daybeacon 13                      | 27-25-03.000N<br>082-36-47.000W |         |   |   | SG on pile.    |
| 58810   | Siesta Key-Tampa Bay<br>Light 17                     | 27-24-32.814N<br>082-36-48.493W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 58815   | Siesta Key-Tampa Bay<br>Light 18                     | 27-24-35.498N<br>082-37-12.290W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 58820   | Siesta Key-Tampa Bay<br>Daybeacon 19                 | 27-24-31.125N<br>082-37-22.254W |         | 0 |   | SG-SY on pile. |
| 58825   | Siesta Key-Tampa Bay<br>Daybeacon 20                 | 27-24-27.423N<br>082-37-45.642W |         | 0 |   | TR-TY on pile. |
| 58830   | Siesta Key-Tampa Bay<br>Light 21                     | 27-24-25.744N<br>082-37-45.892W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 58835   | Siesta Key-Tampa Bay<br>Daybeacon 22                 | 27-24-26.152N<br>082-38-05.602W |         | 0 |   | TR-TY on pile. |
| 58840   | Siesta Key-Tampa Bay<br>Light 23                     | 27-24-23.418N<br>082-38-08.798W | Q G     | 0 | 4 | SG-SY on pile. |
| 58845   | Buttonwood Harbor<br>Channel Daybeacon A             | 27-23-56.490N<br>082-37-34.570W |         |   |   | MR on pile.    |
| 58850   | Buttonwood Harbor<br>Channel Daybeacon 1             | 27-23-46.800N<br>082-37-44.550W |         |   |   | SG on pile.    |
| 58855   | Buttonwood Harbor<br>Light 2                         | 27-23-48.000N<br>082-37-48.000W | FI R 6s |   |   | TR on pile.    |
| 58860   | Buttonwood Harbor<br>Channel Daybeacon 3             | 27-23-37.500N<br>082-37-47.850W |         |   |   | SG on pile.    |
| 58865   | Buttonwood Harbor<br>Channel Daybeacon 4             | 27-23-39.820N<br>082-37-49.190W |         |   |   | TR on pile.    |
| 58870   | Buttonwood Harbor<br>Channel Daybeacon 5             | 27-23-27.600N<br>082-37-53.690W |         |   |   | SG on pile.    |
| 58870.1 | Buttonwood Harbor<br>Channel Daybeacon 5A            | 27-23-22.560N<br>082-37-55.920W |         |   |   | SG on pile.    |
| 58870.2 | Buttonwood Harbor<br>Channel Daybeacon 6             | 27-23-28.320N<br>082-37-55.500W |         |   |   | TR on pile.    |
| 58875   | Buttonwood Harbor<br>Channel Daybeacon 7             | 27-23-19.240N<br>082-37-57.450W |         |   |   | SG on pile.    |
| 58880   | Buttonwood Harbor<br>Channel Daybeacon 8             | 27-23-18.780N<br>082-37-58.260W |         |   |   | TR on pile.    |
| 58885   | Buttonwood Harbor<br>Channel Daybeacon 9             | 27-23-15.530N<br>082-37-58.530W |         |   |   | SG on pile.    |
| 58890   | Buttonwood Harbor<br>Channel Daybeacon 10            | 27-23-15.710N<br>082-38-00.270W |         |   |   | TR on pile.    |
| 58895   | Buttonwood Harbor<br>Channel Daybeacon 11            | 27-23-10.620N<br>082-38-02.360W |         |   |   | SG on pile.    |
| 58900   | Buttonwood Harbor<br>Channel Daybeacon 12            | 27-23-13.080N<br>082-38-02.200W |         |   |   | TR on pile.    |
| 58905   | Buttonwood Harbor<br>Channel Junction<br>Daybeacon B | 27-23-09.210N<br>082-38-04.300W |         |   |   | JR on pile.    |
| 58910   | Buttonwood Harbor<br>Channel Daybeacon 13            | 27-23-06.860N<br>082-38-01.550W |         |   |   | SG on pile.    |
| 58915   | Buttonwood Harbor<br>Channel Daybeacon 15            | 27-22-58.090N<br>082-38-00.370W |         |   |   | SG on pile.    |
| 58920   | Buttonwood Harbor<br>Channel Daybeacon 17            | 27-22-48.900N<br>082-38-06.100W |         |   |   | SG on pile.    |
| 58925   | Buttonwood Harbor<br>Channel Daybeacon 18            | 27-22-49.700N<br>082-37-57.700W |         |   |   | TR on pile.    |
| 58930   | Buttonwood Harbor<br>Channel Daybeacon 19            | 27-22-41.390N<br>082-37-53.710W |         |   |   | SG on pile.    |
| 58935   | Buttonwood Harbor<br>Channel Daybeacon<br>20         | 27-22-40.660N<br>082-37-54.130W |         |   |   | TR on pile.    |
| 58940   | Buttonwood Harbor<br>Channel Daybeacon<br>22         | 27-22-37.930N<br>082-37-53.140W |         |   |   | TR on pile.    |
| 58945   | Buttonwood Harbor<br>Channel Daybeacon<br>23         | 27-22-35.000N<br>082-37-50.960W |         |   |   | SG on pile.    |

|       |                                                  |                                 |                                                         |
|-------|--------------------------------------------------|---------------------------------|---------------------------------------------------------|
| 58950 | Buttonwood Harbor<br>Channel Daybeacon<br>24     | 27-22-30.960N<br>082-37-49.830W | TR on pile.                                             |
| 58955 | Buttonwood Harbor<br>Channel Daybeacon<br>26     | 27-22-27.140N<br>082-37-48.200W | TR on pile.                                             |
| 58960 | Buttonwood Harbor<br>Channel Daybeacon<br>27     | 27-22-24.590N<br>082-37-45.960W | SG on pile.                                             |
| 58965 | Buttonwood Harbor<br>West Channel<br>Daybeacon 2 | 27-23-18.214N<br>082-38-08.306W | TR on pile.                                             |
| 58970 | Buttonwood Harbor<br>West Channel<br>Daybeacon 4 | 27-23-19.154N<br>082-38-12.126W | TR on pile.                                             |
| 58975 | Buttonwood Harbor<br>West Channel<br>Daybeacon 6 | 27-23-20.464N<br>082-38-17.946W | TR on pile.                                             |
| 58980 | Buttonwood Harbor<br>West Channel<br>Daybeacon 8 | 27-23-23.334N<br>082-38-21.556W | TR on pile.                                             |
| 58982 | Buttonwood Harbor<br>West Channel<br>Daybeacon 9 | 27-23-25.890N<br>082-38-23.989W |                                                         |
| 58985 | Dock On The Bay<br>Daybeacon 1                   | 27-22-42.520N<br>082-37-56.350W | SG and NL on pile; NL<br>worded THE DOCK ON THE<br>BAY. |
| 58990 | Dock On The Bay<br>Daybeacon 2                   | 27-22-43.590N<br>082-37-55.810W | TR on pile.                                             |
| 58995 | Dock On The Bay<br>Daybeacon 3                   | 27-22-40.400N<br>082-37-56.920W | SG on pile.                                             |
| 59000 | Dock On The Bay<br>Daybeacon 4                   | 27-22-41.230N<br>082-37-57.400W | TR on pile.                                             |
| 59005 | Dock On The Bay<br>Daybeacon 5                   | 27-22-38.620N<br>082-37-58.040W | SG on pile.                                             |
| 59010 | Dock On The Bay<br>Daybeacon 6                   | 27-22-39.490N<br>082-37-58.840W | TR on pile.                                             |
| 59015 | Dock On The Bay<br>Daybeacon 7                   | 27-22-37.610N<br>082-37-57.400W | SG on pile.                                             |
| 59020 | Dock On The Bay<br>Daybeacon 8                   | 27-22-39.950N<br>082-37-59.190W | TR on pile.                                             |
| 59025 | Longboat Harbor<br>Channel Daybeacon 10          | 27-23-29.153N<br>082-38-22.356W | TR on pile.                                             |
| 59030 | Longboat Harbor<br>Channel Daybeacon 11          | 27-23-29.153N<br>082-38-22.356W | SG on pile.                                             |
| 59035 | Longboat Harbor<br>Channel Daybeacon 12          | 27-23-29.153N<br>082-38-22.356W | TR on pile.                                             |
| 59040 | Longboat Harbor<br>Channel Daybeacon<br>12A      | 27-23-34.153N<br>082-38-20.856W | TR on pile.                                             |
| 59045 | Longboat Harbor<br>Channel Daybeacon 13          | 27-23-34.153N<br>082-38-20.856W | SG on pile.                                             |
| 59050 | Longboat Harbor<br>Channel Daybeacon<br>13A      | 27-23-34.653N<br>082-38-23.356W | SG on pile.                                             |
| 59055 | Longboat Harbor<br>Channel Daybeacon 14          | 27-23-34.653N<br>082-38-23.356W | TR on pile.                                             |
| 59060 | Longboat Harbor<br>Channel Daybeacon 15          | 27-23-34.653N<br>082-38-23.356W | SG on pile.                                             |
| 59065 | Longboat Harbor<br>Channel Daybeacon 16          | 27-23-44.153N<br>082-38-23.356W | TR on pile.                                             |
| 59070 | Longboat Harbor<br>Channel Daybeacon 17          | 27-23-44.153N<br>082-38-23.356W | SG on pile.                                             |
| 59075 | Longboat Harbor<br>Channel Daybeacon 18          | 27-23-44.153N<br>082-38-23.356W | TR on pile.                                             |
| 59080 | Longboat Harbor<br>Channel Daybeacon 19          | 27-23-44.153N<br>082-38-23.356W | SG on pile.                                             |
| 59085 | Longboat Harbor<br>Channel Daybeacon<br>20       | 27-23-44.153N<br>082-38-23.356W | TR on pile.                                             |
| 59090 | Longboat Harbor<br>Channel Daybeacon             | 27-23-44.153N<br>082-38-23.356W | TR on pile.                                             |

|       |                                                |                                 |         |   |   |  |                   |
|-------|------------------------------------------------|---------------------------------|---------|---|---|--|-------------------|
|       | 22                                             |                                 |         |   |   |  |                   |
| 59095 | Longboat Harbor<br>Channel Daybeacon<br>24     | 27-23-44.153N<br>082-38-23.356W |         |   |   |  | TR on pile.       |
| 59100 | Longboat Harbor<br>Channel Daybeacon<br>26     | 27-23-44.153N<br>082-38-23.356W |         |   |   |  | TR on pile.       |
| 59105 | Longboat Harbor<br>Channel Daybeacon<br>28     | 27-23-44.153N<br>082-38-23.356W |         |   |   |  | TR on pile.       |
| 59110 | Longboat Harbor<br>Channel Daybeacon<br>30     | 27-23-55.152N<br>082-38-42.356W |         |   |   |  | TR on pile.       |
| 59115 | Longboat Harbor<br>Channel Daybeacon<br>32     | 27-23-55.152N<br>082-38-42.356W |         |   |   |  | TR on pile.       |
| 59120 | Siesta Key-Tampa Bay<br>Daybeacon 24           | 27-24-27.434N<br>082-38-12.491W |         | 0 |   |  | TR-TY on pile.    |
| 59125 | Siesta Key-Tampa Bay<br>Daybeacon 25           | 27-24-40.624N<br>082-38-33.352W |         | 0 |   |  | SG-SY on pile.    |
| 59130 | Siesta Key-Tampa Bay<br>Daybeacon 26           | 27-24-56.524N<br>082-38-51.352W |         | 0 |   |  | TR-TY on pile.    |
| 59135 | Longboat Harbor<br>North Marina<br>Daybeacon 2 | 27-24-26.151N<br>082-38-47.356W |         |   |   |  | TR on pile.       |
| 59140 | Longboat Harbor<br>North Marina<br>Daybeacon 4 | 27-24-23.151N<br>082-38-51.356W |         |   |   |  | TR on pile.       |
| 59145 | Longboat Harbor<br>North Marina<br>Daybeacon 6 | 27-24-20.151N<br>082-38-55.356W |         |   |   |  | TR on pile.       |
| 59150 | Longboat Harbor<br>North Marina<br>Daybeacon 8 | 27-24-17.151N<br>082-38-57.356W |         |   |   |  | TR on pile.       |
| 59155 | Siesta Key-Tampa Bay<br>Light 27               | 27-24-55.367N<br>082-38-53.841W | FI G 4s | 0 | 5 |  | SG-SY on pile.    |
| 59160 | Siesta Key-Tampa Bay<br>Daybeacon 28           | 27-25-12.364N<br>082-39-13.132W |         | 0 |   |  | TR-TY on pile.    |
| 59165 | Siesta Key-Tampa Bay<br>Daybeacon 29           | 27-25-09.594N<br>082-39-12.426W |         | 0 |   |  | SG-SY on pile.    |
| 59170 | Siesta Key-Tampa Bay<br>Light 30               | 27-25-22.452N<br>082-39-27.146W | FI R 4s | 0 | 5 |  | TR-TY on dolphin. |
| 59175 | Siesta Key-Tampa Bay<br>Daybeacon 31           | 27-25-21.234N<br>082-39-28.862W |         | 0 |   |  | SG-SY on pile.    |
| 59180 | Siesta Key-Tampa Bay<br>Daybeacon 32           | 27-25-36.535N<br>082-39-46.095W |         | 0 |   |  | TR-TY on pile.    |
| 59185 | Siesta Key-Tampa Bay<br>Daybeacon 33           | 27-25-35.617N<br>082-39-47.158W |         | 0 |   |  | SG-SY on pile.    |
| 59190 | Cannons Marina<br>Daybeacon 1                  | 27-25-33.180N<br>082-39-45.000W |         |   |   |  | SG on pile.       |
| 59195 | Cannons Marina<br>Daybeacon 2                  | 27-25-33.720N<br>082-39-46.020W |         |   |   |  | TR on pile.       |
| 59200 | Cannons Marina<br>Daybeacon 3                  | 27-25-30.240N<br>082-39-46.140W |         |   |   |  | SG on pile.       |
| 59205 | Cannons Marina<br>Daybeacon 4                  | 27-25-30.360N<br>082-39-49.980W |         |   |   |  | TR on pile.       |
| 59210 | Cannons Marina<br>Daybeacon 5                  | 27-25-28.020N<br>082-39-46.440W |         |   |   |  | SG on pile.       |
| 59215 | Cannons Marina<br>Daybeacon 6                  | 27-25-28.200N<br>082-39-47.280W |         |   |   |  | TR on pile.       |
| 59220 | Cannons Marina<br>Daybeacon 7                  | 27-25-26.580N<br>082-39-46.680W |         |   |   |  | SG on pile.       |
| 59222 | Cannons Marina<br>Daybeacon 8                  | 27-25-27.120N<br>082-39-47.580W |         |   |   |  | TR on pile.       |
| 59224 | Cannons Marina<br>Daybeacon 9                  | 27-25-25.800N<br>082-39-45.960W |         |   |   |  | SG on pile.       |
| 59230 | Cannons Marina<br>Daybeacon 11                 | 27-25-23.040N<br>082-39-44.040W |         |   |   |  | SG on pile.       |
| 59245 | Buccaneer Inn<br>Daybeacon 10                  | 27-25-27.148N<br>082-39-49.857W |         |   |   |  | TR on pile.       |
| 59265 | Buccaneer Inn                                  | 27-25-26.148N                   |         |   |   |  | TR on pile.       |

|       |                                               |                                 |           |   |   |                               |  |
|-------|-----------------------------------------------|---------------------------------|-----------|---|---|-------------------------------|--|
|       | Daybeacon 14                                  | 082-39-52.357W                  |           |   |   |                               |  |
| 59270 | Buccaneer Inn<br>Daybeacon 16                 | 27-25-26.748N<br>082-39-54.357W |           |   |   | TR on pile.                   |  |
| 59280 | Buccaneer Inn<br>Daybeacon 18                 | 27-25-27.348N<br>082-39-56.557W |           |   |   | TR on pile.                   |  |
| 59285 | Buccaneer Inn<br>Daybeacon 20                 | 27-25-28.000N<br>082-39-58.000W |           |   |   | TR on pile.                   |  |
| 59295 | Buccaneer Inn<br>Daybeacon 22                 | 27-25-28.148N<br>082-39-59.357W |           |   |   | TR on pile.                   |  |
| 59300 | Buccaneer Inn<br>Daybeacon 24                 | 27-25-28.548N<br>082-40-00.257W |           |   |   | TR on pile.                   |  |
| 59305 | Buccaneer Inn<br>Daybeacon 26                 | 27-25-29.748N<br>082-40-01.157W |           |   |   | TR on pile.                   |  |
| 59310 | Buccaneer Inn<br>Daybeacon 28                 | 27-25-30.348N<br>082-40-02.357W |           |   |   | TR on pile.                   |  |
| 59315 | Siesta Key-Tampa Bay<br>Daybeacon 34          | 27-25-48.248N<br>082-40-01.868W |           | 0 |   | TR-TY on pile.                |  |
| 59320 | Siesta Key-Tampa Bay<br>Daybeacon 35          | 27-25-47.704N<br>082-40-03.352W |           | 0 |   | SG-SY on pile.                |  |
| 59325 | Siesta Key-Tampa Bay<br>Daybeacon 36          | 27-25-59.931N<br>082-40-17.205W |           | 0 |   | TR-TY on pile.                |  |
| 59330 | Siesta Key-Tampa Bay<br>Light 37              | 27-26-02.917N<br>082-40-24.438W | FI G 2.5s | 0 | 5 | SG-SY on pile.                |  |
| 59335 | Siesta Key-Tampa Bay<br>Daybeacon 38          | 27-26-06.916N<br>082-40-24.857W |           | 0 |   | TR-TY on pile.                |  |
| 59340 | Siesta Key-Tampa Bay<br>Buoy 38A              | 27-26-14.196N<br>082-40-28.102W |           |   |   | Red nun with yellow triangle. |  |
| 59345 | Siesta Key-Tampa Bay<br>Buoy 39               | 27-26-15.801N<br>082-40-29.767W |           |   |   | Green can with yellow square. |  |
| 59350 | Siesta Key-Tampa Bay<br>Daybeacon 40          | 27-26-23.504N<br>082-40-32.693W |           | 0 |   | TR-TY on pile.                |  |
| 59355 | Mt Vernon & ;<br>Coral Shores<br>Daybeacon 1S | 27-26-33.145N<br>082-40-05.357W |           |   |   | SG on pile.                   |  |
| 59360 | Mt Vernon & ;<br>Coral Shores<br>Daybeacon 2S | 27-26-34.145N<br>082-40-02.357W |           |   |   | TR on pile.                   |  |
| 59365 | Coral Shores Channel<br>Daybeacon 1           | 27-26-56.144N<br>082-40-20.357W |           |   |   | SG on pile.                   |  |
| 59370 | Coral Shores Channel<br>Daybeacon 2           | 27-27-54.142N<br>082-40-17.356W |           |   |   | TR on pile.                   |  |
| 59375 | Coral Shores Channel<br>Daybeacon 3           | 27-27-00.144N<br>082-40-15.357W |           |   |   | SG on pile.                   |  |
| 59380 | Coral Shores Channel<br>Daybeacon 4           | 27-27-56.142N<br>082-40-11.356W |           |   |   | TR on pile.                   |  |
| 59385 | Coral Shores Channel<br>Daybeacon 5           | 27-27-03.143N<br>082-40-11.206W |           |   |   | SG on pile.                   |  |
| 59390 | Coral Shores Channel<br>Daybeacon 6           | 27-27-00.144N<br>082-40-07.356W |           |   |   | TR on pile.                   |  |
| 59395 | Coral Shores Channel<br>Daybeacon 7           | 27-27-04.144N<br>082-40-07.356W |           |   |   | SG on pile.                   |  |
| 59400 | Coral Shores Channel<br>Daybeacon 8           | 27-27-02.144N<br>082-40-05.356W |           |   |   | TR on pile.                   |  |
| 59405 | Coral Shores Channel<br>Daybeacon 9           | 27-27-05.144N<br>082-40-08.356W |           |   |   | SG on pile.                   |  |
| 59410 | Coral Shores Channel<br>Daybeacon 10          | 27-27-03.144N<br>082-40-07.356W |           |   |   | TR on pile.                   |  |
| 59415 | Coral Shores Channel<br>Daybeacon 11          | 27-27-06.144N<br>082-40-06.356W |           |   |   | SG on pile.                   |  |
| 59420 | Coral Shores Channel<br>Daybeacon 12          | 27-27-04.144N<br>082-40-04.356W |           |   |   | TR on pile.                   |  |
| 59425 | Coral Shores Channel<br>Daybeacon 13          | 27-27-10.144N<br>082-40-01.356W |           |   |   | SG on pile.                   |  |
| 59430 | Coral Shores Channel<br>Daybeacon 14          | 27-27-08.144N<br>082-39-59.356W |           |   |   | TR on pile.                   |  |
| 59435 | Coral Shores Channel<br>Daybeacon 15          | 27-27-11.144N<br>082-39-53.356W |           |   |   | SG on pile.                   |  |
| 59440 | Coral Shores Channel<br>Daybeacon 16          | 27-27-07.144N<br>082-39-54.356W |           |   |   | TR on pile.                   |  |
| 59445 | Coral Shores Channel<br>Daybeacon 17          | 27-27-12.144N<br>082-39-49.356W |           |   |   | SG on pile.                   |  |

|         |                                              |                                 |           |   |                |
|---------|----------------------------------------------|---------------------------------|-----------|---|----------------|
| 59450   | Coral Shores Channel<br>Daybeacon 18         | 27-27-07.144N<br>082-39-48.356W |           |   | TR on pile.    |
| 59455   | Coral Shores Channel<br>Daybeacon 19         | 27-27-12.144N<br>082-39-47.356W |           |   | SG on pile.    |
| 59460   | Coral Shores Channel<br>Daybeacon 20         | 27-27-07.144N<br>082-39-46.356W |           |   | TR on pile.    |
| 59465   | Coral Shores Channel<br>Daybeacon 21         | 27-27-28.143N<br>082-39-40.356W |           |   | SG on pile.    |
| 59470   | Coral Shores Channel<br>Daybeacon 22         | 27-27-07.144N<br>082-39-40.356W |           |   | TR on pile.    |
| 59475   | Coral Shores Channel<br>Daybeacon 23         | 27-27-12.144N<br>082-39-34.356W |           |   | SG on pile.    |
| 59480   | Coral Shores Channel<br>Daybeacon 24         | 27-27-07.144N<br>082-39-35.356W |           |   | TR on pile.    |
| 59485   | Coral Shores Channel<br>Daybeacon 25         | 27-27-12.144N<br>082-39-32.356W |           |   | SG on pile.    |
| 59490   | Coral Shores Channel<br>Daybeacon 26         | 27-27-07.144N<br>082-39-32.356W |           |   | TR on pile.    |
| 59495   | Coral Shores Channel<br>Daybeacon 27         | 27-27-12.144N<br>082-39-27.356W |           |   | SG on pile.    |
| 59500   | Coral Shores Channel<br>Daybeacon 28         | 27-27-07.144N<br>082-39-27.356W |           |   | TR on pile.    |
| 59505   | Coral Shores Channel<br>Daybeacon 29         | 27-27-12.144N<br>082-39-23.356W |           |   | SG on pile.    |
| 59510   | Coral Shores Channel<br>Daybeacon 30         | 27-27-07.144N<br>082-39-22.356W |           |   | TR on pile.    |
| 59512   | Paradise Bay Estates<br>Channel Light 1      | 27-26-58.870N<br>082-40-33.672W | Q G       |   |                |
| 59512.1 | Paradise Bay Estates<br>Channel Light 2      | 27-26-58.548N<br>082-40-32.803W | Q R       |   |                |
| 59512.2 | Paradise Bay Estates<br>Channel Daybeacon 3  | 27-27-02.608N<br>082-40-30.471W |           |   | SG on pile.    |
| 59512.3 | Paradise Bay Estates<br>Channel Light 4      | 27-27-02.097N<br>082-40-29.804W | FI R 4s   |   |                |
| 59512.4 | Paradise Bay Estates<br>Channel Light 5      | 27-27-05.952N<br>082-40-27.620W | FI G 4s   |   |                |
| 59512.5 | Paradise Bay Estates<br>Channel Daybeacon 6  | 27-27-05.517N<br>082-40-26.927W |           |   | TR on pile.    |
| 59512.6 | Paradise Bay Estates<br>Channel Daybeacon 7  | 27-27-09.693N<br>082-40-24.411W |           |   | SG on pile.    |
| 59512.7 | Paradise Bay Estates<br>Channel Light 8      | 27-27-09.232N<br>082-40-23.802W | FI R 2.5s |   |                |
| 59512.8 | Paradise Bay Estates<br>Channel Light 9      | 27-27-14.014N<br>082-40-20.712W | FI G 2.5s |   |                |
| 59512.9 | Paradise Bay Estates<br>Channel Daybeacon 10 | 27-27-13.648N<br>082-40-20.073W |           |   | TR on pile.    |
| 59513   | Paradise Bay Estates<br>Channel Daybeacon 11 | 27-27-17.561N<br>082-40-17.689W |           |   | SG on pile.    |
| 59513.1 | Paradise Bay Estates<br>Channel Light 12     | 27-27-17.177N<br>082-40-17.095W | FI R 4s   |   |                |
| 59513.2 | Paradise Bay Estates<br>Channel Light 13     | 27-27-20.674N<br>082-40-15.021W | FI G 4s   |   |                |
| 59513.3 | Paradise Bay Estates<br>Channel Daybeacon 14 | 27-27-20.331N<br>082-40-14.440W |           |   | TR on pile.    |
| 59513.4 | Paradise Bay Estates<br>Channel Daybeacon 15 | 27-27-23.153N<br>082-40-12.892W |           |   | SG on pile.    |
| 59513.5 | Paradise Bay Estates<br>Channel Light 16     | 27-27-22.787N<br>082-40-12.372W | FI R 2.5s |   |                |
| 59513.6 | Paradise Bay Estates<br>Channel Light 17     | 27-27-26.177N<br>082-40-10.305W | FI G 2.5s |   |                |
| 59513.7 | Paradise Bay Estates<br>Channel Daybeacon 18 | 27-27-25.861N<br>082-40-09.783W |           |   | TR on pile.    |
| 59513.8 | Paradise Bay Estates<br>Channel Daybeacon 19 | 27-27-29.080N<br>082-40-07.810W |           |   | SG on pile.    |
| 59513.9 | Paradise Bay Estates<br>Channel Light 20     | 27-27-28.447N<br>082-40-07.599W | Q R       |   |                |
| 59515   | Siesta Key-Tampa Bay<br>Light 41             | 27-26-37.504N<br>082-40-41.211W | FI G 4s   | 5 | SG-SY on pile. |
| 59520   | Siesta Key-Tampa Bay<br>Daybeacon 42         | 27-26-37.845N<br>082-40-39.264W |           | 0 | TR-TY on pile. |



|         |                                                   |                                 |           |   |   |                |
|---------|---------------------------------------------------|---------------------------------|-----------|---|---|----------------|
| 59525   | Siesta Key-Tampa Bay<br>Daybeacon 43              | 27-26-50.034N<br>082-40-46.442W |           | 0 |   | SG-SY on pile. |
| 59530   | Siesta Key-Tampa Bay<br>Daybeacon 44              | 27-26-52.256N<br>082-40-46.205W |           | 0 |   | TR-TY on pile. |
| 59535   | Mt Vernon & Coral Shores<br>Daybeacon 1N          | 27-27-05.143N<br>082-40-46.357W |           |   |   | SG on pile.    |
| 59540   | Mt Vernon & Coral Shores<br>Daybeacon 2N          | 27-27-04.143N<br>082-40-49.357W |           |   |   | TR on pile.    |
| 59545   | Siesta Key-Tampa Bay<br>Daybeacon 45              | 27-27-11.430N<br>082-40-57.159W |           | 0 |   | SG-SY on pile. |
| 59550   | Siesta Key-Tampa Bay<br>Light 46                  | 27-27-13.358N<br>082-40-56.385W | FI R 4s   | 0 | 5 | TR-TY on pile. |
| 59555   | Longboat Pass<br>Junction Daybeacon<br>LP         | 27-27-17.756N<br>082-41-02.317W |           | 0 |   | JR-SY on pile. |
| 59560   | Siesta Key-Tampa Bay<br>Light 47                  | 27-27-20.584N<br>082-41-03.712W | FI G 2.5s | 0 | 5 | SG-SY on pile. |
| 59565   | Siesta Key-Tampa Bay<br>Light 48                  | 27-27-49.773N<br>082-41-22.025W | FI R 4s   | 0 | 5 | TR-TY on pile. |
| 59570   | Siesta Key-Tampa Bay<br>Daybeacon 49              | 27-27-56.248N<br>082-41-28.944W |           | 0 |   | SG-SY on pile. |
| 59570.5 | Siesta Key-Tampa Bay<br>Daybeacon 49A             | 27-28-23.679N<br>082-41-39.235W |           | 0 |   | SG-SY on pile. |
| 59575   | Bradenton Beach<br>Marina Channel<br>Daybeacon 1  | 27-28-02.141N<br>082-41-34.358W |           |   |   | SG on pile.    |
| 59580   | Bradenton Beach<br>Marina Channel<br>Daybeacon 2  | 27-28-04.140N<br>082-41-35.358W |           |   |   | TR on pile.    |
| 59585   | Bradenton Beach<br>Marina Channel<br>Daybeacon 3  | 27-28-01.141N<br>082-41-37.358W |           |   |   | SG on pile.    |
| 59590   | Bradenton Beach<br>Marina Channel<br>Daybeacon 4  | 27-28-03.140N<br>082-41-38.358W |           |   |   | TR on pile.    |
| 59595   | Bradenton Beach<br>Marina Channel<br>Daybeacon 5  | 27-28-00.141N<br>082-41-39.358W |           |   |   | SG on pile.    |
| 59600   | Bradenton Beach<br>Marina Channel<br>Daybeacon 6  | 27-28-01.141N<br>082-41-39.358W |           |   |   | TR on pile.    |
| 59605   | Bradenton Beach<br>Marina Channel<br>Daybeacon 8  | 27-27-59.200N<br>082-41-43.470W |           |   |   | TR on pile.    |
| 59610   | Bradenton Beach<br>Marina Channel<br>Daybeacon 10 | 27-28-05.140N<br>082-41-44.358W |           |   |   | TR on pile.    |
| 59615   | Bradenton Beach<br>Marina Channel<br>Daybeacon 12 | 27-28-07.140N<br>082-41-46.358W |           |   |   | TR on pile.    |
| 59620   | Catalina Channel<br>Daybeacon 1                   | 27-28-29.139N<br>082-41-45.358W |           |   |   | SG on pile.    |
| 59625   | Catalina Channel<br>Daybeacon 3                   | 27-28-29.139N<br>082-41-49.358W |           |   |   | SG on pile.    |
| 59630   | Catalina Channel<br>Daybeacon 5                   | 27-28-29.139N<br>082-41-53.358W |           |   |   | SG on pile.    |
| 59635   | Palma Sola Bay<br>Channel Daybeacon 1             | 27-28-39.840N<br>082-41-38.220W |           |   |   | SG on pile.    |
| 59636   | Palma Sola Bay<br>Channel Daybeacon 2             | 27-28-38.400N<br>082-41-34.800W |           |   |   | TR on pile.    |
| 59640   | Palma Sola Bay<br>Channel Daybeacon 3             | 27-28-48.139N<br>082-41-29.357W |           |   |   | SG on pile.    |
| 59641   | Palma Sola Bay<br>Channel Daybeacon<br>3A         | 27-28-46.139N<br>082-41-06.357W |           |   |   | SG on pile.    |
| 59642   | Palma Sola Bay<br>Channel Daybeacon 4             | 27-28-40.860N<br>082-41-04.500W |           |   |   | TR on pile.    |
| 59645   | Palma Sola Bay<br>Channel Daybeacon 5             | 27-28-49.139N<br>082-40-51.357W |           |   |   | SG on pile.    |
| 59646   | Palma Sola Bay                                    | 27-28-44.580N                   |           |   |   | TR on pile.    |

|         |                                            |                                 |             |
|---------|--------------------------------------------|---------------------------------|-------------|
|         | Channel Daybeacon 6                        | 082-40-32.820W                  |             |
| 59647   | Palma Sola Bay<br>Channel Junction A       | 27-28-42.720N<br>082-40-21.660W | JR on pile. |
| 59650   | Cove Sound Moorings<br>Daybeacon 1         | 27-28-38.140N<br>082-40-40.356W | SG on pile. |
| 59655   | Cove Sound Moorings<br>Daybeacon 2         | 27-28-38.140N<br>082-40-42.356W | TR on pile. |
| 59657   | Cove Sound Moorings<br>Channel Daybeacon 3 | 27-28-35.000N<br>082-41-30.000W | SG on pile. |
| 59657.5 | Cove Sound Moorings<br>Channel Daybeacon 4 | 27-28-34.000N<br>082-41-31.000W | TR on pile. |
| 59660   | Palma Sola Bay<br>Channel Daybeacon 7      | 27-28-49.139N<br>082-40-31.356W | SG on pile. |
| 59665   | Perico Bayou Channel<br>Daybeacon 1        | 27-28-48.639N<br>082-40-23.736W | SG on pile. |
| 59670   | Perico Bayou Channel<br>Daybeacon 2        | 27-28-49.139N<br>082-40-22.356W | TR on pile. |
| 59675   | Perico Bayou Channel<br>Daybeacon 3        | 27-28-54.241N<br>082-40-18.356W | SG on pile. |
| 59680   | Perico Bayou Channel<br>Daybeacon 4        | 27-28-53.409N<br>082-40-17.476W | TR on pile. |
| 59685   | Perico Bayou Channel<br>Daybeacon 4A       | 27-28-57.000N<br>082-40-14.000W | TR on pile. |
| 59690   | Perico Bayou Channel<br>Daybeacon 5        | 27-29-01.549N<br>082-40-09.926W | SG on pile. |
| 59695   | Perico Bayou Channel<br>Daybeacon 6        | 27-29-01.000N<br>082-40-09.300W | TR on pile. |
| 59700   | Perico Bayou Channel<br>Daybeacon 6A       | 27-29-05.200N<br>082-40-04.200W | TR on pile. |
| 59705   | Perico Bayou Channel<br>Daybeacon 7        | 27-29-09.769N<br>082-40-01.136W | SG on pile. |
| 59710   | Perico Bayou Channel<br>Daybeacon 8        | 27-29-10.499N<br>082-39-59.205W | TR on pile. |
| 59715   | Perico Bayou Channel<br>Daybeacon 8A       | 27-29-11.500N<br>082-39-59.800W | TR on pile. |
| 59720   | Perico Bayou Channel<br>Daybeacon 9        | 27-29-11.849N<br>082-40-00.355W | SG on pile. |
| 59725   | Perico Bayou Channel<br>Daybeacon 10       | 27-29-22.568N<br>082-40-02.185W | TR on pile. |
| 59730   | Perico Bayou Channel<br>Daybeacon 12       | 27-29-31.528N<br>082-40-04.395W | TR on pile. |
| 59735   | Perico Bayou Channel<br>Daybeacon 13       | 27-29-35.687N<br>082-40-06.635W | SG on pile. |
| 59740   | Perico Bayou Channel<br>Daybeacon 14       | 27-29-35.827N<br>082-40-05.655W | TR on pile. |
| 59745   | Perico Bayou Channel<br>Daybeacon 14A      | 27-29-43.000N<br>082-40-07.200W | TR on pile. |
| 59750   | Perico Bayou Channel<br>Daybeacon 15       | 27-29-44.237N<br>082-40-08.395W | SG on pile. |
| 59755   | San Remo Shore<br>Channel Daybeacon 1      | 27-28-43.140N<br>082-40-21.356W | SG on pile. |
| 59760   | San Remo Shore<br>Channel Daybeacon 2      | 27-28-37.140N<br>082-40-19.356W | TR on pile. |
| 59765   | San Remo Shore<br>Channel Daybeacon 4      | 27-28-33.140N<br>082-40-16.356W | TR on pile. |
| 59770   | San Remo Shore<br>Channel Daybeacon 5      | 27-28-33.140N<br>082-40-12.556W | SG on pile. |
| 59775   | San Remo Shore<br>Channel Daybeacon 6      | 27-28-26.140N<br>082-40-08.356W | TR on pile. |
| 59780   | San Remo Shore<br>Channel Daybeacon 7      | 27-28-26.340N<br>082-40-05.056W | SG on pile. |
| 59785   | San Remo Shore<br>Channel Daybeacon 8      | 27-28-23.140N<br>082-40-03.356W | TR on pile. |
| 59790   | San Remo Shore<br>Channel Daybeacon 9      | 27-28-20.141N<br>082-39-52.356W | SG on pile. |
| 59792   | San Remo Shore<br>Channel Daybeacon 10     | 27-28-16.370N<br>082-39-53.050W | TR on pile. |
| 59793   | San Remo Shore<br>Channel Daybeacon 11     | 27-28-16.840N<br>082-39-52.630W | TR on pile. |
| 59795   | San Remo Shore<br>Channel Daybeacon 12     | 27-28-16.141N<br>082-39-49.356W | TR on pile. |

|         |                                                      |                                 |             |
|---------|------------------------------------------------------|---------------------------------|-------------|
| 59800   | San Remo Shore<br>Channel Daybeacon 13               | 27-28-16.141N<br>082-39-47.356W | SG on pile. |
| 59815   | Palma Sola Bay<br>Channel Daybeacon 9                | 27-28-44.140N<br>082-40-17.356W | SG on pile. |
| 59820   | Palma Sola Bay<br>Channel Daybeacon 10               | 27-28-42.140N<br>082-40-18.356W | TR on pile. |
| 59825   | Palma Sola Bay<br>Channel Daybeacon 11               | 27-28-38.140N<br>082-40-07.356W | SG on pile. |
| 59830   | Palma Sola Bay<br>Channel Daybeacon 12               | 27-28-38.140N<br>082-40-13.356W | TR on pile. |
| 59835   | Palma Sola Bay<br>Channel Daybeacon 13               | 27-28-37.140N<br>082-40-02.356W | SG on pile. |
| 59840   | Palma Sola Bay<br>Channel Daybeacon 14               | 27-28-35.140N<br>082-40-07.356W | TR on pile. |
| 59845   | Palma Sola Bay<br>Channel Daybeacon 15               | 27-28-35.140N<br>082-39-54.356W | SG on pile. |
| 59850   | Palma Sola Bay<br>Channel Daybeacon 16               | 27-28-35.640N<br>082-39-49.356W | TR on pile. |
| 59855   | Palma Sola Bay<br>Channel Daybeacon 17               | 27-28-39.140N<br>082-39-46.355W | SG on pile. |
| 59860   | Palma Sola Bay<br>Channel Daybeacon 18               | 27-28-38.140N<br>082-39-40.355W | TR on pile. |
| 59865   | Palma Sola Bay<br>Channel Daybeacon 19               | 27-28-46.140N<br>082-39-36.355W | SG on pile. |
| 59870   | Palma Sola Bay<br>Channel Daybeacon 20               | 27-28-39.140N<br>082-39-30.355W | TR on pile. |
| 59870.5 | Palma Sola Bay<br>Channel Daybeacon 21               | 27-28-45.000N<br>082-39-32.355W | SG on pile. |
| 59875   | Palma Sola Bay<br>Channel Daybeacon 22               | 27-28-49.140N<br>082-39-24.355W | TR on pile. |
| 59885   | Palma Sola Bay<br>Channel Daybeacon 24               | 27-28-42.140N<br>082-39-14.355W | TR on pile. |
| 59890   | Palma Sola Park<br>Channel Daybeacon 1               | 27-29-18.139N<br>082-38-54.354W | SG on pile. |
| 59895   | Palma Sola Park<br>Channel Daybeacon 2               | 27-29-16.139N<br>082-38-55.354W | TR on pile. |
| 59900   | Palma Sola Park<br>Channel Daybeacon 3               | 27-29-17.139N<br>082-38-50.354W | SG on pile. |
| 59905   | Palma Sola Park<br>Channel Daybeacon 4               | 27-29-15.139N<br>082-38-51.354W | TR on pile. |
| 59910   | Palma Sola Park<br>Channel Daybeacon 5               | 27-29-16.139N<br>082-38-46.354W | SG on pile. |
| 59915   | Palma Sola Park<br>Channel Daybeacon 6               | 27-29-14.139N<br>082-38-47.354W | TR on pile. |
| 59920   | Palma Sola Park<br>Channel Daybeacon 7               | 27-29-15.139N<br>082-38-42.354W | SG on pile. |
| 59925   | Palma Sola Park<br>Channel Daybeacon 8               | 27-29-13.139N<br>082-38-43.354W | TR on pile. |
| 59930   | Palma Sola Bay<br>Channel Daybeacon 25               | 27-29-11.400N<br>082-39-21.600W | SG on pile. |
| 59935   | Bradenton Beach City<br>Channel Daybeacon 1          | 27-28-44.139N<br>082-41-51.158W | SG on pile. |
| 59940   | Bradenton Beach City<br>Channel Daybeacon 2          | 27-28-45.139N<br>082-41-51.358W | TR on pile. |
| 59945   | Bradenton Beach City<br>Channel Daybeacon 3          | 27-28-44.639N<br>082-41-56.858W | SG on pile. |
| 59950   | Bradenton Beach City<br>Channel Daybeacon 4          | 27-28-45.639N<br>082-41-56.858W | TR on pile. |
| 59955   | Bradenton Beach City<br>Channel Daybeacon 5          | 27-28-45.139N<br>082-41-01.857W | SG on pile. |
| 59960   | Bradenton Beach City<br>South Channel<br>Daybeacon 1 | 27-28-43.739N<br>082-42-01.158W | SG on pile. |
| 59965   | Bradenton Beach City<br>South Channel<br>Daybeacon 3 | 27-28-40.639N<br>082-41-59.358W | SG on pile. |
| 59970   | Bradenton Beach City                                 | 27-28-37.539N                   | SG on pile. |

|         |                                                         |                                 |         |   |   |                |
|---------|---------------------------------------------------------|---------------------------------|---------|---|---|----------------|
|         | South Channel<br>Daybeacon 5                            | 082-41-57.858W                  |         |   |   |                |
| 59975   | Bradenton Beach City<br>Channel Daybeacon 6             | 27-28-46.639N<br>082-42-01.858W |         |   |   | TR on pile.    |
| 59980   | Bradenton Beach City<br>Channel Junction<br>Daybeacon A | 27-28-48.000N<br>082-42-04.000W |         |   |   | JG on pile.    |
| 59985   | Bradenton Beach City<br>Channel Daybeacon 8             | 27-28-49.638N<br>082-42-02.858W |         |   |   | TR on pile.    |
| 59990   | Bradenton Beach City<br>Channel Daybeacon 10            | 27-28-52.638N<br>082-42-03.358W |         |   |   | TR on pile.    |
| 59995   | Siesta Key-Tampa Bay<br>Daybeacon 50                    | 27-28-48.124N<br>082-41-46.732W |         | 0 |   | TR-TY on pile. |
| 60000   | Siesta Key-Tampa Bay<br>Light 51                        | 27-29-14.512N<br>082-41-56.237W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 60005   | Siesta Key-Tampa Bay<br>Daybeacon 52                    | 27-29-21.776N<br>082-41-51.485W |         | 0 |   | TR-TY on pile. |
| 60007   | Kingfish Boat Ramp<br>Daybeacon 1                       | 27-29-48.990N<br>082-41-45.860W |         |   |   | SG on pile.    |
| 60010   | Kingfish Boat Ramp<br>Daybeacon 2                       | 27-29-50.170N<br>082-41-45.180W |         |   |   | TR on pile.    |
| 60013   | Kingfish Boat Ramp<br>Daybeacon 3                       | 27-29-49.610N<br>082-41-56.450W |         |   |   | SG on pile.    |
| 60015   | Kingfish Boat Ramp<br>Daybeacon 4                       | 27-29-50.680N<br>082-41-54.630W |         |   |   | TR on pile.    |
| 60020   | Kingfish Boat Ramp<br>Daybeacon 5                       | 27-29-52.450N<br>082-41-59.820W |         |   |   | SG on pile.    |
| 60020.1 | Kingfish Boat Ramp<br>Daybeacon 5A                      | 27-29-53.900N<br>082-42-01.840W |         |   |   | SG on pile.    |
| 60025   | Kingfish Boat Ramp<br>Daybeacon 6                       | 27-29-54.980N<br>082-41-59.480W |         |   |   | TR on pile.    |
| 60030   | Kingfish Boat Ramp<br>Daybeacon 7                       | 27-29-55.460N<br>082-42-04.590W |         |   |   | SG on pile.    |
| 60035   | Kingfish Boat Ramp<br>Daybeacon 8                       | 27-29-57.630N<br>082-42-03.940W |         |   |   | TR on pile.    |
| 60040   | Kingfish Boat Ramp<br>Daybeacon 9                       | 27-29-58.710N<br>082-42-08.240W |         |   |   | SG on pile.    |
| 60040.1 | Kingfish Boat Ramp<br>Daybeacon 9A                      | 27-29-57.060N<br>082-42-08.320W |         |   |   | SG on pile.    |
| 60045   | Kingfish Boat Ramp<br>Daybeacon 10                      | 27-30-02.190N<br>082-42-11.070W |         |   |   | TR on pile.    |
| 60050   | Kingfish Boat Ramp<br>Daybeacon 11                      | 27-29-55.310N<br>082-42-07.830W |         |   |   | SG on pile.    |
| 60055   | Kingfish Boat Ramp<br>Daybeacon 12                      | 27-29-55.240N<br>082-42-10.420W |         |   |   | TR on pile.    |
| 60060   | Perico Harbor Marina<br>Daybeacon 1                     | 27-29-51.900N<br>082-41-31.357W |         |   |   | SG on pile.    |
| 60065   | Perico Harbor Marina<br>Daybeacon 2                     | 27-29-49.000N<br>082-41-31.357W |         |   |   | TR on pile.    |
| 60070   | Perico Harbor Marina<br>Daybeacon 3                     | 27-29-51.000N<br>082-41-30.000W |         |   |   | SG on pile.    |
| 60075   | Perico Harbor Marina<br>Daybeacon 4                     | 27-29-48.236N<br>082-41-30.200W |         |   |   | TR on pile.    |
| 60080   | Perico Harbor Marina<br>Daybeacon 5                     | 27-29-56.200N<br>082-41-29.000W |         |   |   | SG on pile.    |
| 60085   | Perico Harbor Marina<br>Daybeacon 6                     | 27-29-49.000N<br>082-41-26.000W |         |   |   | TR on pile.    |
| 60090   | Perico Harbor Marina<br>Daybeacon 7                     | 27-29-51.500N<br>082-41-25.400W |         |   |   | SG on pile.    |
| 60095   | Perico Harbor Marina<br>Daybeacon 8                     | 27-29-50.000N<br>082-41-22.900W |         |   |   | TR on pile.    |
| 60100   | Perico Harbor Marina<br>Daybeacon 9                     | 27-29-52.000N<br>082-41-23.200W |         |   |   | SG on pile.    |
| 60105   | Perico Harbor Marina<br>Daybeacon 10                    | 27-29-50.000N<br>082-41-21.800W |         |   |   | TR on pile.    |
| 60110   | Perico Harbor Marina<br>Daybeacon 11                    | 27-29-52.000N<br>082-41-17.300W |         |   |   | SG on pile.    |
| 60115   | Perico Harbor Marina<br>Daybeacon 12                    | 27-29-50.000N<br>082-41-19.000W |         |   |   | TR on pile.    |
| 60120   | Perico Harbor Marina<br>Daybeacon 13                    | 27-29-52.000N<br>082-41-18.800W |         |   |   | SG on pile.    |

|       |                                          |                                 |           |   |   |                                    |
|-------|------------------------------------------|---------------------------------|-----------|---|---|------------------------------------|
| 60125 | Perico Harbor Marina<br>Daybeacon 14     | 27-29-50.000N<br>082-41-14.800W |           |   |   | TR on pile.                        |
| 60130 | Perico Harbor Marina<br>Daybeacon 15     | 27-29-52.236N<br>082-41-14.857W |           |   |   | SG on pile.                        |
| 60135 | Siesta Key-Tampa Bay<br>Light 54         | 27-30-04.204N<br>082-41-32.992W | FI R 4s   | 0 | 5 | TR-TY on pile.                     |
| 60140 | Siesta Key-Tampa Bay<br>Daybeacon 55     | 27-30-26.006N<br>082-41-23.572W |           | 0 |   | SG-SY on pile.                     |
| 60145 | Siesta Key-Tampa Bay<br>Light 56         | 27-30-27.177N<br>082-41-21.379W | FI R 2.5s | 0 | 5 | TR-TY on pile.                     |
| 60150 | Siesta Key-Tampa Bay<br>Daybeacon 57     | 27-30-33.364N<br>082-41-23.632W |           | 0 |   | SG-SY on pile.                     |
| 60155 | Siesta Key-Tampa Bay<br>Light 58         | 27-30-37.822N<br>082-41-22.586W | Q R       | 1 | 4 | TR-TY on pile.                     |
| 60165 | Siesta Key-Tampa Bay<br>Daybeacon 59     | 27-30-43.864N<br>082-41-28.132W |           | 0 |   | SG-SY on pile.                     |
| 60170 | Siesta Key-Tampa Bay<br>Daybeacon 60     | 27-31-01.153N<br>082-41-39.440W |           | 0 |   | TR-TY on pile.                     |
| 60175 | Siesta Key-Tampa Bay<br>Daybeacon 61     | 27-31-09.894N<br>082-41-49.817W |           | 0 |   | SG-SY on pile.                     |
| 60180 | Siesta Key-Tampa Bay<br>Light 62         | 27-31-15.813N<br>082-41-50.702W | FI R 4s   | 0 | 5 | TR-TY on pile.                     |
| 60185 | Siesta Key-Tampa Bay<br>Daybeacon 62A    | 27-31-46.173N<br>082-42-06.709W |           | 0 |   | TR-TY on pile.                     |
| 60190 | Anna Maria Channel<br>Daybeacon 1        | 27-31-47.000N<br>082-43-00.000W |           |   |   | SG on pile.                        |
| 60195 | Anna Maria Channel<br>Daybeacon 2        | 27-31-49.000N<br>082-43-03.000W |           |   |   | TR on pile.                        |
| 60200 | Anna Maria Channel<br>Daybeacon 3        | 27-31-44.800N<br>082-43-02.000W |           |   |   | SG on pile.                        |
| 60205 | Anna Maria Channel<br>Daybeacon 4        | 27-31-45.100N<br>082-43-03.800W |           |   |   | TR on pile.                        |
| 60210 | Anna Maria Channel<br>Daybeacon 5        | 27-31-42.650N<br>082-43-03.550W |           |   |   | SG on pile.                        |
| 60215 | Anna Maria Channel<br>Daybeacon 6        | 27-31-42.700N<br>082-43-04.500W |           |   |   | TR on pile.                        |
| 60220 | Anna Maria Channel<br>Daybeacon 7        | 27-31-39.100N<br>082-43-04.900W |           |   |   | SG on pile.                        |
| 60225 | Anna Maria Channel<br>Daybeacon 8        | 27-31-39.900N<br>082-43-05.500W |           |   |   | TR on pile.                        |
| 60230 | Anna Maria Channel<br>Daybeacon 9        | 27-31-35.800N<br>082-43-06.900W |           |   |   | SG on pile.                        |
| 60235 | Anna Maria Channel<br>Daybeacon 10       | 27-31-36.200N<br>082-43-07.800W |           |   |   | TR on pile.                        |
| 60240 | Anna Maria Channel<br>Daybeacon 11       | 27-31-31.000N<br>082-43-09.100W |           |   |   | SG on pile.                        |
| 60245 | Anna Maria Channel<br>Daybeacon 12       | 27-31-31.500N<br>082-43-11.000W |           |   |   | TR on pile.                        |
| 60250 | Anna Maria Channel<br>Shoal Daybeacon A  | 27-31-18.000N<br>082-43-06.000W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 60255 | Anna Maria Channel<br>Shoal Daybeacon B  | 27-31-20.000N<br>082-43-07.000W |           |   |   | NW on pile worded DANGER<br>SHOAL. |
| 60260 | Siesta Key-Tampa Bay<br>Daybeacon 63     | 27-31-48.225N<br>082-42-12.066W |           | 0 |   | SG-SY on pile.                     |
| 60265 | Siesta Key-Tampa Bay<br>Light 64         | 27-31-52.312N<br>082-42-08.773W | FI R 4s   | 0 | 5 | TR-TY on pile.                     |
| 60270 | Siesta Key-Tampa Bay<br>Daybeacon 66     | 27-32-02.841N<br>082-42-05.485W |           | 0 |   | TR-TY on pile.                     |
| 60275 | Siesta Key-Tampa Bay<br>Light 67         | 27-32-06.275N<br>082-42-06.299W | Q G       | 0 | 4 | SG-SY on pile.                     |
| 60280 | Siesta Key-Tampa Bay<br>Daybeacon 68     | 27-32-10.875N<br>082-42-02.823W |           | 0 |   | TR-TY on pile.                     |
| 60285 | Tampa Bay Light 70                       | 27-34-26.049N<br>082-41-12.546W | FI R 4s   | 0 | 5 | TR-TY on pile.                     |
| 60290 | Mullet Key Channel<br>Lighted Buoy 26    | 27-36-45.331N<br>082-40-14.966W | Q R       |   | 4 | Red with yellow square.            |
| 60295 | Tampa Bay Skyway<br>Pier Southwest Light | 27-37-16.853N<br>082-39-26.953W | F R       |   |   | On dolphin.                        |
| 60300 | Tampa Bay Skyway<br>Pier Northwest Light | 27-37-09.970N<br>082-39-12.986W | F R       |   |   | On dolphin.                        |
| 60305 | Tampa Bay Skyway                         | 27-37-06.885N                   | F R       |   |   | On dolphin.                        |

|       |                                                    |                                 |           |    |   |                                      |                                      |
|-------|----------------------------------------------------|---------------------------------|-----------|----|---|--------------------------------------|--------------------------------------|
|       | Pier Southeast Light                               | 082-39-19.699W                  |           |    |   |                                      |                                      |
| 60310 | Tampa Bay Skyway<br>Pier Northeast Light           | 27-37-19.945N<br>082-39-20.235W | F R       |    |   | On dolphin.                          |                                      |
| 60315 | Sunshine Skyway<br>Channel Light 1                 | 27-37-55.990N<br>082-40-22.702W | Fl G 4s   | 0  | 5 | SG on pile.                          |                                      |
| 60320 | Sunshine Skyway<br>Channel Daybeacon 2             | 27-38-11.125N<br>082-40-25.495W |           | 0  |   | TR on pile.                          |                                      |
| 60325 | Sunshine Skyway<br>Channel Daybeacon 3             | 27-38-10.445N<br>082-40-29.134W |           | 0  |   | SG on pile.                          |                                      |
| 60330 | Sunshine Skyway<br>Channel Daybeacon 4             | 27-38-36.410N<br>082-40-38.239W |           | 0  |   | TR on pile.                          |                                      |
| 60335 | Sunshine Skyway<br>Channel Daybeacon 5             | 27-38-35.760N<br>082-40-40.142W |           | 0  |   | SG on pile.                          |                                      |
| 60340 | Sunshine Skyway<br>Channel Daybeacon 7             | 27-38-49.735N<br>082-40-47.121W |           | 0  |   | SG on pile.                          |                                      |
| 60345 | Sunshine Skyway<br>Channel Daybeacon 8             | 27-39-03.165N<br>082-40-51.679W |           | 0  |   | TR on pile.                          |                                      |
| 60350 | Sunshine Skyway<br>Channel Light 9                 | 27-39-06.088N<br>082-40-55.651W | Fl G 4s   | 0  | 5 | SG on pile.                          |                                      |
| 60355 | Sunshine Skyway<br>Channel Daybeacon 10            | 27-39-10.882N<br>082-40-54.182W |           | 0  |   | TR on pile.                          |                                      |
| 60360 | Sunshine Skyway<br>Channel Daybeacon 11            | 27-39-17.314N<br>082-40-56.407W |           | 0  |   | SG on pile.                          |                                      |
| 60365 | Sunshine Skyway<br>Channel Daybeacon 12            | 27-39-17.446N<br>082-40-54.153W |           | 0  |   | TR on pile.                          |                                      |
| 60370 | Sunshine Skyway<br>Channel Daybeacon 13            | 27-39-39.463N<br>082-40-58.083W |           | 0  |   | SG on pile.                          |                                      |
| 60375 | Sunshine Skyway<br>Channel Daybeacon 14            | 27-39-39.424N<br>082-40-55.666W |           | 0  |   | TR on pile.                          |                                      |
| 60380 | Sunshine Skyway<br>Channel Daybeacon 15            | 27-39-58.656N<br>082-40-58.569W |           | 0  |   | SG on pile.                          |                                      |
| 60385 | Sunshine Skyway<br>Channel Daybeacon 16            | 27-39-59.016N<br>082-40-56.589W |           | 0  |   | TR on pile.                          |                                      |
| 60390 | Sunshine Skyway<br>Channel Light 17                | 27-40-17.593N<br>082-40-59.906W | Fl G 4s   | 0  | 5 | SG on pile.                          |                                      |
| 60395 | Sunshine Skyway<br>Channel Daybeacon 18            | 27-40-17.791N<br>082-40-57.218W |           | 0  |   | TR on pile.                          |                                      |
| 60400 | Sunshine Skyway<br>Channel Daybeacon 19            | 27-40-33.955N<br>082-41-00.560W |           | 0  |   | SG on pile.                          |                                      |
| 60405 | Sunshine Skyway<br>Channel Daybeacon 20            | 27-40-34.852N<br>082-40-58.700W |           | 0  |   | TR on pile.                          |                                      |
| 60410 | Sunshine Skyway<br>Channel Daybeacon 21            | 27-40-52.787N<br>082-41-01.426W |           | 0  |   | SG on pile.                          |                                      |
| 60415 | Sunshine Skyway<br>Channel Daybeacon 22            | 27-40-52.829N<br>082-40-59.620W |           | 0  |   | TR on pile.                          |                                      |
| 60420 | Sunshine Skyway<br>Channel Daybeacon 23            | 27-41-08.229N<br>082-41-02.215W |           | 0  |   | SG on pile.                          |                                      |
| 60425 | Sunshine Skyway<br>Channel Daybeacon 24            | 27-41-10.603N<br>082-41-00.500W |           | 0  |   | TR on pile.                          |                                      |
| 60430 | Sunshine Skyway<br>Channel Daybeacon 25            | 27-41-22.511N<br>082-41-03.403W |           | 0  |   | SG on pile.                          |                                      |
| 60435 | Sunshine Skyway<br>Channel Light 26                | 27-41-28.223N<br>082-41-01.250W | Fl R 4s   | 0  | 5 | TR on pile.                          |                                      |
| 60440 | Tampa Bay Cut A<br>Channel Lighted Bell<br>Buoy 1A | 27-36-57.180N<br>082-40-01.076W | Fl G 2.5s |    | 5 | Green with yellow square.            | AIS: MMSI 993672030                  |
| 60445 | Tampa Bay Cut A<br>Channel Range Front<br>Light    | 27-38-23.829N<br>082-36-47.009W | Q R       | 25 |   | KRW-I on skeleton tower on<br>piles. | Visible 1.5° each side of rangeline. |
| 60450 | Tampa Bay Cut A<br>Channel Range Rear<br>Light     | 27-38-51.021N<br>082-35-47.865W | Iso R 6s  | 51 |   | KRW on skeleton tower on<br>piles.   | Visible 1.5° each side of rangeline. |
| 60455 | Tampa Bay Cut A<br>Channel Lighted Buoy<br>3A      | 27-37-39.074N<br>082-38-30.636W | Fl G 2.5s |    | 5 | Green with yellow square.            |                                      |
| 60460 | Tampa Bay Cut A                                    | 27-37-34.073N                   | Fl R 2.5s |    | 5 | Red with yellow triangle.            |                                      |

|         |                                                    |                                 |           |    |   |                                                                                                                                   |
|---------|----------------------------------------------------|---------------------------------|-----------|----|---|-----------------------------------------------------------------------------------------------------------------------------------|
|         | Channel Lighted Buoy 4A                            | 082-38-28.468W                  |           |    |   |                                                                                                                                   |
| 60465   | Tampa Bay Cut A Channel Lighted Buoy 5A            | 27-38-02.011N<br>082-37-40.485W | Q G       | 4  |   | Green with yellow square.                                                                                                         |
| 60470   | Tampa Bay Cut A Channel Lighted Buoy 6A            | 27-38-02.232N<br>082-37-27.891W | Q R       | 4  |   | Red with yellow triangle.                                                                                                         |
| 60475   | Tampa Bay Cut B Channel Outbound Range Front Light | 27-37-14.815N<br>082-38-12.521W | Fl W 2.5s | 19 |   | Day range visible 0.5° each side of rangeline. Night range visible 1.5° each side of rangeline. Passing light visible all around. |
| 60477   | Bishop Harbor Obstruction Light                    | 27-36-29.650N<br>082-34-14.580W | Fl W 4s   |    |   | NW on pile marked DANGER for support structure and piling.                                                                        |
| 60478   | Terra Ceia Aquatic Preserve Lighted Buoy A         | 27-36-03.190N<br>082-35-14.210W | Fl Y 2s   | 2  |   | Yellow.                                                                                                                           |
| 60478.1 | Terra Ceia Aquatic Preserve Lighted Buoy B         | 27-36-06.900N<br>082-35-08.300W | Fl Y 2.5s | 2  |   | Yellow.                                                                                                                           |
| 60478.2 | Terra Ceia Aquatic Preserve Lighted Buoy C         | 27-36-09.200N<br>082-35-08.620W | Fl Y 2.5s | 2  |   | Yellow.                                                                                                                           |
| 60478.3 | Terra Ceia Aquatic Preserve Lighted Buoy D         | 27-36-04.000N<br>082-35-15.000W | Fl Y 4s   | 2  |   | Yellow.                                                                                                                           |
| 60480   | Tampa Bay Cut B Channel Outbound Range Rear Light  | 27-36-33.453N<br>082-38-48.386W | Iso W 6s  | 84 |   | Day range visible 0.5° each side of rangeline. Night range visible 1.5° each side of rangeline.                                   |
| 60485   | Tampa Bay Cut B Channel Lighted Buoy 1B            | 27-38-13.529N<br>082-37-25.116W | Fl G 2.5s | 5  |   | Green with yellow square.                                                                                                         |
| 60490   | Tampa Bay Cut B Channel Inbound Range Front Light  | 27-41-19.141N<br>082-34-40.446W | Q W       | 10 |   | AIS: MMSI 993672015 Visible 1.5° each side of range line. Lighted throughout 24 hours.                                            |
| 60495   | Tampa Bay Cut B Channel Inbound Range Rear Light   | 27-41-59.276N<br>082-34-05.573W | Iso W 6s  | 40 |   | AIS: MMSI 993672970 Visible 1.5° each side of rangeline. Lighted throughout 24 hours.                                             |
| 60500   | Tampa Bay Cut B Channel Lighted Buoy 3B            | 27-39-03.222N<br>082-36-42.504W | Fl G 4s   | 5  |   | Green with yellow square.                                                                                                         |
| 60505   | Tampa Bay Cut B Channel Lighted Buoy 4B            | 27-38-59.828N<br>082-36-37.461W | Fl R 4s   | 5  |   | Red with yellow triangle.                                                                                                         |
| 60510   | Point Pinellas Channel Light 1                     | 27-40-58.420N<br>082-36-33.542W | Fl G 2.5s | 0  | 5 | SG-SY on pile.                                                                                                                    |
| 60515   | Point Pinellas Channel Light 2                     | 27-40-59.941N<br>082-36-28.994W | Fl R 2.5s | 0  | 5 | TR-TY on pile.                                                                                                                    |
| 60520   | Point Pinellas Channel Light 3                     | 27-41-41.265N<br>082-36-35.450W | Q G       | 0  | 4 | SG-SY on pile.                                                                                                                    |
| 60525.5 | Point Pinellas Channel Light 5                     | 27-42-30.050N<br>082-36-37.483W | Fl G 4s   | 0  | 5 | SG on pile.                                                                                                                       |
| 60525   | Point Pinellas Channel Light 4                     | 27-41-40.523N<br>082-36-31.683W | Q R       | 0  | 5 | TR-TY on pile.                                                                                                                    |
| 60530   | Boca Ciega Bay Light 1                             | 27-41-44.382N<br>082-36-50.149W | Fl G 4s   | 0  | 5 | SG-SY on pile.                                                                                                                    |
| 60535   | Boca Ciega Bay Daybeacon 3                         | 27-41-42.020N<br>082-37-41.695W |           | 0  |   | SG-SY on pile.                                                                                                                    |
| 60540   | Boca Ciega Bay Daybeacon 4                         | 27-41-44.147N<br>082-37-44.605W |           | 0  |   | TR-TY on pile.                                                                                                                    |
| 60545   | Boca Ciega Bay Light 6                             | 27-41-43.170N<br>082-38-07.596W | Fl R 4s   | 0  | 5 | TR-TY on pile.                                                                                                                    |
| 60550   | Boca Ciega Bay Daybeacon 7                         | 27-41-39.488N<br>082-38-32.108W |           | 0  |   | SG-SY on pile.                                                                                                                    |
| 60555   | Boca Ciega Bay Daybeacon 7A                        | 27-41-38.638N<br>082-39-01.021W |           | 0  |   | SG-SY on pile.                                                                                                                    |
| 60560   | Boca Ciega Bay Daybeacon 8                         | 27-41-40.436N<br>082-39-01.388W |           | 0  |   | TR-TY on pile.                                                                                                                    |
| 60565   | Boca Ciega Bay Light 9                             | 27-41-37.417N<br>082-39-22.483W | Fl G 4s   | 0  | 5 | SG-SY on pile.                                                                                                                    |
| 60570   | Boca Ciega Bay Daybeacon 10                        | 27-41-39.367N<br>082-39-26.318W |           | 0  |   | TR-TY on pile.                                                                                                                    |
| 60575   | Boca Ciega Bay                                     | 27-41-34.987N                   |           | 0  |   | SG-SY on pile.                                                                                                                    |

|         |                                                      |                                 |          |   |   |                                    |
|---------|------------------------------------------------------|---------------------------------|----------|---|---|------------------------------------|
|         | Daybeacon 11                                         | 082-39-54.041W                  |          |   |   |                                    |
| 60580   | Boca Ciega Bay<br>Daybeacon 13                       | 27-41-34.543N<br>082-40-16.511W |          | 0 |   | SG-SY on pile.                     |
| 60585   | Boca Ciega Bay<br>Daybeacon 13A                      | 27-41-31.206N<br>082-40-58.371W |          | 0 |   | SG-SY on pile.                     |
| 60590   | Cats Point Channel<br>Daybeacon 2                    | 27-41-35.910N<br>082-41-02.044W |          | 0 |   | TR on pile.                        |
| 60595   | Cats Point Channel<br>Daybeacon 3                    | 27-41-47.412N<br>082-41-02.971W |          | 0 |   | SG on pile.                        |
| 60600   | Cats Point Channel<br>Daybeacon 4                    | 27-42-07.956N<br>082-41-00.369W |          | 0 |   | TR on pile.                        |
| 60605   | Cats Point Channel<br>Light 6                        | 27-42-24.586N<br>082-41-01.193W | FI R 4s  | 0 | 5 | TR on pile.                        |
| 60610   | Cats Point Channel<br>Daybeacon 7                    | 27-42-25.489N<br>082-41-05.059W |          | 0 |   | SG on pile.                        |
| 60615   | Cats Point Channel<br>Daybeacon 8                    | 27-42-32.903N<br>082-41-18.754W |          | 0 |   | TR on pile.                        |
| 60620   | Cats Point Channel<br>Daybeacon 9                    | 27-42-31.949N<br>082-41-21.484W |          | 0 |   | SG on pile.                        |
| 60625   | Cats Point Channel<br>Daybeacon 10                   | 27-42-37.194N<br>082-41-27.202W |          | 0 |   | TR on pile.                        |
| 60630   | Bayway Isles Channel<br>Daybeacon 1                  | 27-42-25.080N<br>082-42-12.600W |          |   |   | SG on pile.                        |
| 60635   | Bayway Isles Channel<br>Daybeacon 3                  | 27-42-23.040N<br>082-42-20.580W |          |   |   | SG on pile.                        |
| 60640   | Bayway Isles Channel<br>Daybeacon 5                  | 27-42-26.520N<br>082-42-21.900W |          |   |   | SG on pile.                        |
| 60645   | Bayway Isles Channel<br>Daybeacon 7                  | 27-42-30.600N<br>082-42-23.580W |          |   |   | SG on pile.                        |
| 60655   | Bayway Isles Channel<br>Daybeacon 9                  | 27-42-34.500N<br>082-42-23.400W |          |   |   | SG on pile.                        |
| 60660   | Bayway Isles Channel<br>Daybeacon 10                 | 27-42-35.820N<br>082-42-22.440W |          |   |   | TR on pile.                        |
| 60660.1 | Bayway Isles Channel<br>Shoal Daybeacon A            | 27-42-36.330N<br>082-42-17.580W |          |   |   | NW on pile worded DANGER<br>SHOAL. |
| 60660.2 | Bayway Isles Channel<br>Daybeacon 11                 | 27-42-40.500N<br>082-42-24.060W |          |   |   | SG on pile.                        |
| 60665   | Bayway Isles Channel<br>Daybeacon 12                 | 27-42-43.380N<br>082-42-22.620W |          |   |   | TR on pile.                        |
| 60665.1 | Bayway Isles Channel<br>Shoal Daybeacon B            | 27-42-44.340N<br>082-42-16.800W |          |   |   | NW on pile worded DANGER<br>SHOAL. |
| 60670   | Bayway Isles Channel<br>Daybeacon 13                 | 27-42-45.000N<br>082-42-25.020W |          |   |   | SG on pile.                        |
| 60675   | Cats Point Channel<br>Light 11                       | 27-42-38.307N<br>082-41-32.119W | FI G 4s  | 0 | 5 | SG on pile.                        |
| 60680   | Cats Point Channel<br>Light 12                       | 27-43-10.299N<br>082-41-58.672W | FI R 4s  | 0 | 5 | TR on pile.                        |
| 60685   | Cats Point Channel<br>Daybeacon 13                   | 27-43-15.287N<br>082-42-07.092W |          | 0 |   | SG on pile.                        |
| 60690   | Cats Point Channel<br>Daybeacon 14                   | 27-43-19.694N<br>082-42-11.602W |          | 0 |   | TR on pile.                        |
| 60695   | Cats Point Channel<br>Light 15                       | 27-43-18.029N<br>082-42-11.519W | FI G 4s  | 0 | 5 | SG on pile.                        |
| 60700   | Gulfport Yacht Basin<br>Channel Range Front<br>Light | 27-44-19.449N<br>082-41-41.028W | Iso R 2s |   |   | KRW on pile.                       |
| 60705   | Gulfport Yacht Basin<br>Channel Range Rear<br>Light  | 27-44-19.449N<br>082-41-41.028W | F R      |   |   | KRW on pile.                       |
| 60710   | Gulfport Yacht Basin<br>Channel Daybeacon 1          | 27-44-09.000N<br>082-41-50.250W |          |   |   | SG on pile.                        |
| 60715   | Gulfport Yacht Basin<br>Channel Daybeacon 2          | 27-44-06.000N<br>082-41-48.000W |          |   |   | TR on pile.                        |
| 60720   | Gulfport Yacht Basin<br>Channel Daybeacon 3          | 27-44-12.500N<br>082-41-49.000W |          |   |   | SG on pile.                        |
| 60725   | Gulfport Yacht Basin<br>Channel Daybeacon 4          | 27-44-12.750N<br>082-41-45.000W |          |   |   | TR on pile.                        |
| 60730   | Gulfport Yacht Club<br>Channel Daybeacon 1           | 27-44-13.000N<br>082-41-47.000W |          |   |   | SG on pile.                        |
| 60735   | Gulfport Yacht Club<br>Channel Daybeacon 2           | 27-44-13.700N<br>082-41-44.000W |          |   |   | TR on pile.                        |



|       |                                             |                                 |         |   |   |                |
|-------|---------------------------------------------|---------------------------------|---------|---|---|----------------|
| 60740 | Gulfport Yacht Club<br>Channel Daybeacon 3  | 27-44-16.000N<br>082-41-49.500W |         |   |   | SG on pile.    |
| 60745 | Gulfport Yacht Club<br>Channel Daybeacon 4  | 27-44-16.500N<br>082-41-49.000W |         |   |   | TR on pile.    |
| 60750 | Cats Point Channel<br>Light 16              | 27-44-04.101N<br>082-43-21.419W | FI R 4s | 0 | 5 | TR on pile.    |
| 60755 | Pasadena Yacht Club<br>Channel Daybeacon 1  | 27-44-10.602N<br>082-43-06.361W |         |   |   | SG on pile.    |
| 60760 | Pasadena Yacht Club<br>Channel Daybeacon 3  | 27-44-16.302N<br>082-43-08.361W |         |   |   | SG on pile.    |
| 60765 | Pasadena Yacht Club<br>Channel Daybeacon 5  | 27-44-18.901N<br>082-43-11.361W |         |   |   | SG on pile.    |
| 60770 | Pasadena Yacht Club<br>Channel Daybeacon 6  | 27-44-23.101N<br>082-43-15.961W |         |   |   | TR on pile.    |
| 60775 | Pasadena Yacht Club<br>Channel Daybeacon 7  | 27-44-29.001N<br>082-43-25.361W |         |   |   | SG on pile.    |
| 60780 | Pasadena Yacht Club<br>Channel Daybeacon 9  | 27-44-32.101N<br>082-43-31.161W |         |   |   | SG on pile.    |
| 60785 | Pasadena Yacht Club<br>Channel Daybeacon 11 | 27-44-37.601N<br>082-43-35.261W |         |   |   | SG on pile.    |
| 60790 | Pasadena Yacht Club<br>Channel Daybeacon 12 | 27-44-40.700N<br>082-43-36.162W |         |   |   | TR on pile.    |
| 60795 | Cats Point Channel<br>Daybeacon 17          | 27-43-54.764N<br>082-43-41.874W |         | 0 |   | SG on pile.    |
| 60800 | Boca Ciega Bay<br>Daybeacon 14              | 27-41-33.681N<br>082-41-00.887W |         | 0 |   | TR-TY on pile. |
| 60805 | Boca Ciega Bay Light<br>15                  | 27-41-31.124N<br>082-41-07.854W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 60810 | Boca Ciega Bay<br>Daybeacon 16              | 27-41-32.150N<br>082-41-26.259W |         | 0 |   | TR-TY on pile. |
| 60815 | Boca Ciega Bay Light<br>17                  | 27-41-29.934N<br>082-41-35.912W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 60820 | Boca Ciega Bay<br>Daybeacon 18              | 27-41-30.463N<br>082-42-03.375W |         | 0 |   | TR-TY on pile. |
| 60825 | Boca Ciega Bay<br>Daybeacon 20              | 27-41-27.541N<br>082-42-23.540W |         | 0 |   | TR-TY on pile. |
| 60830 | Boca Ciega Bay Light<br>21                  | 27-41-22.958N<br>082-42-49.321W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 60835 | Boca Ciega Bay<br>Daybeacon 22              | 27-41-32.635N<br>082-42-45.620W |         | 0 |   | TR-TY on pile. |
| 60840 | Pass-A-Grille Channel<br>Daybeacon 14       | 27-41-42.444N<br>082-43-32.747W |         |   |   | TR-SY on pile. |
| 60845 | Boca Ciega Bay Light<br>24                  | 27-41-55.251N<br>082-43-27.707W | Q R     | 0 | 4 | TR-TY on pile. |
| 60850 | Boca Ciega Bay<br>Daybeacon 25              | 27-42-13.481N<br>082-43-31.426W |         | 0 |   | SG-SY on pile. |
| 60855 | Gulfport Channel<br>Daybeacon 2             | 27-42-51.660N<br>082-43-28.107W |         | 0 |   | TR on pile.    |
| 60860 | Gulfport Channel<br>Daybeacon 3             | 27-43-08.831N<br>082-43-06.388W |         | 0 |   | SG on pile.    |
| 60865 | Boca Ciega Bay Light<br>26                  | 27-42-54.193N<br>082-43-31.604W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 60870 | Boca Ciega Bay<br>Daybeacon 26A             | 27-43-01.627N<br>082-43-29.942W |         | 0 |   | TR-TY on pile. |
| 60875 | Boca Ciega Bay<br>Daybeacon 27              | 27-43-13.444N<br>082-43-29.059W |         | 0 |   | SG-SY on pile. |
| 60880 | Boca Ciega Bay Light<br>28                  | 27-43-18.562N<br>082-43-26.113W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 60885 | Boca Ciega Bay<br>Daybeacon 29              | 27-43-21.452N<br>082-43-29.834W |         | 0 |   | SG-SY on pile. |
| 60890 | Boca Ciega Bay<br>Daybeacon 30              | 27-43-41.642N<br>082-43-36.920W |         | 0 |   | TR-TY on pile. |
| 60895 | Boca Ciega Bay<br>Daybeacon 31              | 27-44-00.788N<br>082-43-49.043W |         | 0 |   | SG-SY on pile. |
| 60900 | Boca Ciega Bay Light<br>32                  | 27-43-57.089N<br>082-43-43.797W | Q R     | 0 | 4 | TR-TY on pile. |
| 60905 | Boca Ciega Bay<br>Daybeacon 33              | 27-44-18.041N<br>082-43-58.181W |         | 0 |   | SG-SY on pile. |
| 60910 | Boca Ciega Bay Light<br>34                  | 27-44-23.313N<br>082-43-57.810W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 60915 | Boca Ciega Bay                              | 27-44-23.648N                   |         | 0 |   | SG-SY on pile. |

|          |                                       |                                 |         |   |   |                |
|----------|---------------------------------------|---------------------------------|---------|---|---|----------------|
|          | Daybeacon 35                          | 082-44-01.730W                  |         |   |   |                |
| 60920    | Lighthouse Harbor<br>Daybeacon 1      | 27-44-52.100N<br>082-44-02.362W |         |   |   | SG on pile.    |
| 60925    | Lighthouse Harbor<br>Daybeacon 2      | 27-44-53.000N<br>082-44-01.262W |         |   |   | TR on pile.    |
| 60930    | Lighthouse Harbor<br>Daybeacon 3      | 27-44-55.100N<br>082-44-04.262W |         |   |   | SG on pile.    |
| 60935    | Lighthouse Harbor<br>Daybeacon 4      | 27-44-55.200N<br>082-44-02.462W |         |   |   | TR on pile.    |
| 60940    | Lighthouse Harbor<br>Daybeacon 4A     | 27-44-57.100N<br>082-44-03.862W |         |   |   | TR on pile.    |
| 60945    | Lighthouse Harbor<br>Daybeacon 5      | 27-44-57.200N<br>082-44-04.962W |         |   |   | SG on pile.    |
| 60950    | Lighthouse Harbor<br>Daybeacon 6      | 27-45-00.000N<br>082-44-05.262W |         |   |   | TR on pile.    |
| 60955    | Lighthouse Harbor<br>Daybeacon 8      | 27-45-02.100N<br>082-44-07.362W |         |   |   | TR on pile.    |
| 60960    | Lighthouse Harbor<br>Daybeacon 9      | 27-45-02.200N<br>082-44-09.362W |         |   |   | SG on pile.    |
| 60965    | Lighthouse Harbor<br>Daybeacon 10     | 27-45-04.100N<br>082-44-09.362W |         |   |   | TR on pile.    |
| 60970    | Lighthouse Harbor<br>Daybeacon 11     | 27-45-04.200N<br>082-44-11.162W |         |   |   | SG on pile.    |
| 60975    | South Pasadena<br>Marina Daybeacon 2  | 27-44-35.801N<br>082-44-08.062W |         |   |   | TR on pile.    |
| 60980    | South Pasadena<br>Marina Daybeacon 4  | 27-44-38.601N<br>082-43-58.562W |         |   |   | TR on pile.    |
| 60985    | South Pasadena<br>Marina Daybeacon 6  | 27-44-45.100N<br>082-43-58.562W |         |   |   | TR on pile.    |
| 60985.01 | South Pasadena<br>Marina Daybeacon 6A | 27-44-42.600N<br>082-43-57.600W |         |   |   | TR on pile.    |
| 60990    | South Pasadena<br>Marina Daybeacon 7  | 27-44-45.600N<br>082-43-59.162W |         |   |   | SG on pile.    |
| 60995    | South Pasadena<br>Marina Daybeacon 8  | 27-44-50.400N<br>082-43-56.462W |         |   |   | TR on pile.    |
| 61000    | South Pasadena<br>Marina Daybeacon 9  | 27-44-50.400N<br>082-43-56.462W |         |   |   | SG on pile.    |
| 61005    | South Pasadena<br>Marina Daybeacon 10 | 27-44-55.100N<br>082-43-52.862W |         |   |   | TR on pile.    |
| 61010    | South Pasadena<br>Marina Daybeacon 11 | 27-44-55.800N<br>082-43-52.862W |         |   |   | SG on pile.    |
| 61010.01 | South Pasadena<br>Marina Daybeacon 12 | 27-44-55.200N<br>082-43-52.800W |         |   |   | TR on pile.    |
| 61015    | South Pasadena<br>Marina Daybeacon 13 | 27-44-59.700N<br>082-43-55.162W |         |   |   | SG on pile.    |
| 61020    | South Pasadena<br>Marina Daybeacon 15 | 27-45-01.800N<br>082-43-56.662W |         |   |   | SG on pile.    |
| 61025    | South Pasadena<br>Marina Daybeacon 17 | 27-45-15.999N<br>082-43-58.162W |         |   |   | SG on pile.    |
| 61030    | Boca Ciega Bay<br>Daybeacon 37        | 27-44-33.914N<br>082-44-15.188W |         | 0 |   | SG-SY on pile. |
| 61035    | Boca Ciega Bay Light<br>38            | 27-44-38.244N<br>082-44-17.162W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 61040    | Boca Ciega Bay<br>Daybeacon 39        | 27-44-38.198N<br>082-44-23.873W |         | 0 |   | SG-SY on pile. |
| 61045    | Treasure Island<br>Daybeacon 2        | 27-44-50.086N<br>082-44-56.551W |         | 0 |   | TR-TY on pile. |
| 61050    | Treasure Island Light 3               | 27-44-50.885N<br>082-45-03.592W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 61055    | Treasure Island<br>Daybeacon 4        | 27-44-54.609N<br>082-45-02.847W |         | 0 |   | TR-TY on pile. |
| 61060    | Treasure Island<br>Daybeacon 6        | 27-45-10.205N<br>082-45-12.952W |         | 0 |   | TR-TY on pile. |
| 61065    | Treasure Island<br>Daybeacon 8        | 27-45-30.725N<br>082-45-24.652W |         | 0 |   | TR-TY on pile. |
| 61070    | Treasure Island Light 9               | 27-45-31.189N<br>082-45-28.759W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 61075    | Treasure Island<br>Daybeacon 10       | 27-45-38.024N<br>082-45-26.205W |         | 0 |   | TR-TY on pile. |
| 61080    | Treasure Island Light                 | 27-45-44.084N                   | FI G 4s | 0 | 5 | SG-SY on pile. |

|       |                                   |                                 |         |   |   |                          |
|-------|-----------------------------------|---------------------------------|---------|---|---|--------------------------|
|       | 11                                | 082-45-25.485W                  |         |   |   |                          |
| 61085 | Treasure Island<br>Daybeacon 12   | 27-45-44.698N<br>082-45-21.421W |         | 0 |   | TR-TY on pile.           |
| 61090 | Treasure Island<br>Daybeacon 13   | 27-45-55.307N<br>082-45-16.026W |         |   |   | SG-SY on pile.           |
| 61095 | Treasure Island Light<br>14       | 27-45-57.757N<br>082-45-10.989W | FI R 4s | 0 | 5 | TR-TY on pile.           |
| 61100 | Treasure Island<br>Daybeacon 15   | 27-46-25.784N<br>082-45-13.193W |         | 0 |   | SG-SY on pile.           |
| 61105 | Treasure Island Light<br>16       | 27-46-29.506N<br>082-45-11.453W | FI R 4s | 0 | 5 | TR-TY on pile.           |
| 61110 | Treasure Island<br>Daybeacon 17   | 27-46-33.899N<br>082-45-15.518W |         | 0 |   | SG-SY on pile.           |
| 61115 | Treasure Island<br>Daybeacon 19   | 27-46-51.997N<br>082-45-25.149W |         | 0 |   | SG-SY on pile.           |
| 61120 | Treasure Island<br>Daybeacon 21   | 27-47-16.537N<br>082-45-37.929W |         | 0 |   | SG-SY on pile.           |
| 61125 | Jungle Estates<br>Daybeacon 1     | 27-47-16.695N<br>082-45-31.364W |         |   |   | SG on pile.              |
| 61130 | Jungle Estates<br>Daybeacon 2     | 27-47-15.295N<br>082-45-31.664W |         |   |   | TR on pile.              |
| 61135 | Jungle Estates<br>Daybeacon 3     | 27-47-17.495N<br>082-45-26.564W |         |   |   | SG on pile.              |
| 61140 | Jungle Estates<br>Daybeacon 4     | 27-47-16.395N<br>082-45-26.164W |         |   |   | TR on pile.              |
| 61145 | Jungle Estates<br>Daybeacon 5     | 27-47-18.095N<br>082-45-22.164W |         |   |   | SG on pile.              |
| 61150 | Jungle Estates<br>Daybeacon 6     | 27-47-16.995N<br>082-45-21.864W |         |   |   | TR on pile.              |
| 61155 | Treasure Island Light<br>22       | 27-47-21.224N<br>082-45-38.093W | FI R 4s | 0 | 5 | TR-TY on pile.           |
| 61160 | Treasure Island<br>Daybeacon 23   | 27-47-22.956N<br>082-45-42.690W |         | 0 |   | SG-SY on pile.           |
| 61165 | Jungle Beach<br>Daybeacon 1       | 27-47-29.200N<br>082-45-49.050W |         |   |   | SG on pile.              |
| 61170 | Jungle Beach<br>Daybeacon 2       | 27-47-28.450N<br>082-45-48.500W |         |   |   | TR on pile.              |
| 61175 | Jungle Beach<br>Daybeacon 3       | 27-47-33.000N<br>082-45-41.200W |         |   |   | SG on pile.              |
| 61180 | Jungle Beach<br>Daybeacon 4       | 27-47-32.500N<br>082-45-41.100W |         |   |   | TR on pile.              |
| 61185 | Jungle Beach<br>Daybeacon 5       | 27-47-34.900N<br>082-45-36.850W |         |   |   | SG on pile.              |
| 61190 | Jungle Beach<br>Daybeacon 6       | 27-47-32.850N<br>082-45-36.000W |         |   |   | TR on pile.              |
| 61195 | Jungle Beach<br>Daybeacon 7       | 27-47-37.950N<br>082-45-31.800W |         |   |   | SG on pile.              |
| 61200 | Jungle Beach<br>Daybeacon 8       | 27-47-36.000N<br>082-45-31.000W |         |   |   | TR on pile.              |
| 61205 | Jungle Beach<br>Daybeacon 9       | 27-47-39.000N<br>082-45-27.000W |         |   |   | SG on pile.              |
| 61210 | Jungle Beach<br>Daybeacon 10      | 27-47-37.500N<br>082-45-26.800W |         |   |   | TR on pile.              |
| 61215 | Jungle Beach<br>Daybeacon 11      | 27-47-40.000N<br>082-45-23.400W |         |   |   | SG on pile.              |
| 61220 | Jungle Beach<br>Daybeacon 12      | 27-47-38.000N<br>082-45-24.000W |         |   |   | TR on pile.              |
| 61225 | Bay Pines Channel<br>Daybeacon 1  | 27-47-34.894N<br>082-45-50.365W |         |   |   | SG on pile. Private aid. |
| 61230 | Bay Pines Channel<br>Daybeacon 3  | 27-47-38.594N<br>082-45-50.365W |         |   |   | SG on pile.              |
| 61235 | Bay Pines Channel<br>Daybeacon 5  | 27-47-42.294N<br>082-45-48.365W |         |   |   | SG on pile.              |
| 61240 | Bay Pines Channel<br>Daybeacon 7  | 27-47-46.693N<br>082-45-50.365W |         |   |   | SG on pile. Private aid. |
| 61245 | Bay Pines Channel<br>Daybeacon 9  | 27-47-49.893N<br>082-45-51.365W |         |   |   | SG on pile.              |
| 61250 | Bay Pines Channel<br>Daybeacon 11 | 27-47-54.593N<br>082-45-52.465W |         |   |   | SG on pile. Private aid. |
| 61255 | Bay Pines Channel<br>Daybeacon 13 | 27-48-00.793N<br>082-45-55.165W |         |   |   | SG on pile.              |

|       |                                              |                                 |         |   |   |                |              |
|-------|----------------------------------------------|---------------------------------|---------|---|---|----------------|--------------|
| 61260 | Bay Pines Channel<br>Daybeacon 15            | 27-48-04.193N<br>082-45-56.665W |         |   |   | SG on pile.    |              |
| 61265 | Bay Pines Channel<br>Daybeacon 16            | 27-48-06.393N<br>082-45-55.565W |         |   |   | TR on pile.    | Private aid. |
| 61270 | Bay Pines Channel<br>Daybeacon 18            | 27-48-07.093N<br>082-45-58.365W |         |   |   | TR on pile.    |              |
| 61275 | Bay Pines Channel<br>Daybeacon 19            | 27-48-10.093N<br>082-46-03.665W |         |   |   | SG on pile.    | Private aid. |
| 61280 | Bay Pines Channel<br>Daybeacon 20            | 27-48-08.693N<br>082-45-59.665W |         |   |   | TR on pile.    |              |
| 61285 | Bay Pines Channel<br>Daybeacon 21            | 27-48-11.593N<br>082-46-00.065W |         |   |   | SG on pile.    |              |
| 61290 | Bay Pines Channel<br>Daybeacon 23            | 27-48-15.292N<br>082-45-55.565W |         |   |   | SG on pile.    |              |
| 61295 | Bay Pines Channel<br>Daybeacon 25            | 27-48-20.092N<br>082-45-53.365W |         |   |   | SG on pile.    | Private aid. |
| 61300 | Bay Pines Channel<br>Daybeacon 27            | 27-48-24.992N<br>082-45-51.365W |         |   |   | SG on pile.    |              |
| 61305 | Bay Pines Channel<br>Daybeacon 29            | 27-48-28.792N<br>082-45-49.865W |         |   |   | SG on pile.    |              |
| 61310 | Bay Pines Channel<br>Daybeacon 31            | 27-48-41.092N<br>082-45-51.765W |         |   |   | SG on pile.    | Private aid. |
| 61313 | Bay Pines Marina<br>Daybeacon 1              | 27-48-49.600N<br>082-45-52.700W |         |   |   | SG on pile.    |              |
| 61315 | Bay Pines Marina<br>Daybeacon 2              | 27-48-50.591N<br>082-45-49.865W |         |   |   | TR on pile.    |              |
| 61320 | Bay Pines Marina<br>Daybeacon 4              | 27-48-52.091N<br>082-45-50.365W |         |   |   | TR on pile.    |              |
| 61325 | Bay Pines Marina<br>Daybeacon 6              | 27-48-54.091N<br>082-45-50.365W |         |   |   | TR on pile.    |              |
| 61330 | War Veterans<br>Memorial Park<br>Daybeacon 1 | 27-48-40.492N<br>082-45-53.365W |         |   |   | SG on pile.    |              |
| 61335 | War Veterans<br>Memorial Park<br>Daybeacon 2 | 27-48-40.692N<br>082-45-53.465W |         |   |   | TR on pile.    |              |
| 61340 | War Veterans<br>Memorial Park<br>Daybeacon 3 | 27-48-41.092N<br>082-45-57.365W |         |   |   | SG on pile.    |              |
| 61345 | War Veterans<br>Memorial Park<br>Daybeacon 4 | 27-48-41.492N<br>082-45-57.265W |         |   |   | TR on pile.    |              |
| 61350 | War Veterans<br>Memorial Park<br>Daybeacon 5 | 27-48-41.591N<br>082-46-02.465W |         |   |   | SG on pile.    |              |
| 61355 | War Veterans<br>Memorial Park<br>Daybeacon 6 | 27-48-41.991N<br>082-46-02.465W |         |   |   | TR on pile.    |              |
| 61360 | Sand Key Daybeacon 1                         | 27-47-40.101N<br>082-46-07.513W |         | 0 |   | SG-SY on pile. |              |
| 61365 | Sand Key Daybeacon<br>2                      | 27-47-48.957N<br>082-46-18.556W |         | 0 |   | TR-TY on pile. |              |
| 61370 | Sand Key Daybeacon<br>3                      | 27-47-55.886N<br>082-46-30.639W |         | 0 |   | SG-SY on pile. |              |
| 61375 | Sand Key Light 4                             | 27-48-02.465N<br>082-46-37.012W | FI R 4s | 0 | 5 | TR-TY on pile. |              |
| 61380 | Sand Key Daybeacon<br>5                      | 27-48-13.777N<br>082-46-54.749W |         | 0 |   | SG-SY on pile. |              |
| 61385 | Sand Key Light 6                             | 27-48-17.762N<br>082-46-59.038W | FI R 4s | 0 | 5 | TR-TY on pile. |              |
| 61390 | Sand Key Daybeacon 7                         | 27-48-15.450N<br>082-47-03.944W |         | 0 |   | SG-SY on pile. |              |
| 61395 | Sand Key Daybeacon<br>8                      | 27-48-15.819N<br>082-47-20.896W |         | 0 |   | TR-TY on pile. |              |
| 61400 | Sand Key Light 9                             | 27-48-13.214N<br>082-47-26.586W | FI G 4s | 0 | 5 | SG-SY on pile. |              |
| 61405 | Sand Key Daybeacon<br>10                     | 27-48-17.774N<br>082-47-30.306W |         | 0 |   | TR-TY on pile. |              |
| 61410 | Sand Key Light 13                            | 27-48-31.244N<br>082-47-51.503W | FI G 4s | 0 | 5 | SG-SY on pile. |              |
| 61415 | Sand Key Daybeacon                           | 27-48-37.489N                   |         | 0 |   | TR-TY on pile. |              |

|         |                          |                                 |         |   |   |                |
|---------|--------------------------|---------------------------------|---------|---|---|----------------|
|         | 14                       | 082-47-53.051W                  |         |   |   |                |
| 61420   | Sand Key Daybeacon 15    | 27-48-43.940N<br>082-48-01.479W |         | 0 |   | SG-SY on pile. |
| 61425   | Sand Key Light 16        | 27-48-44.780N<br>082-47-58.779W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 61430   | Sand Key Daybeacon 17    | 27-48-59.540N<br>082-48-17.919W |         | 0 |   | SG-SY on pile. |
| 61435   | Sand Key Daybeacon 18    | 27-49-16.640N<br>082-48-34.119W |         | 0 |   | TR-TY on pile. |
| 61440   | Sand Key Daybeacon 19    | 27-49-15.560N<br>082-48-35.559W |         | 0 |   | SG-SY on pile. |
| 61440.5 | Sand Key Daybeacon 19A   | 27-49-25.420N<br>082-48-46.823W |         | 0 |   | SG-SY on pile. |
| 61445   | Sand Key Daybeacon 20    | 27-49-26.600N<br>082-48-45.579W |         | 0 |   | TR-TY on pile. |
| 61450   | Sand Key Daybeacon 21    | 27-49-36.680N<br>082-48-59.019W |         |   |   | SG-SY on pile. |
| 61450.5 | Sand Key Daybeacon 22    | 27-49-38.479N<br>082-48-58.212W |         | 0 |   | TR-TY on pile. |
| 61455   | Sand Key Daybeacon 23    | 27-49-47.533N<br>082-49-10.792W |         | 0 |   | SG-SY on pile. |
| 61460   | Sand Key Light 24        | 27-49-51.411N<br>082-49-12.559W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 61465   | Sand Key Daybeacon 25    | 27-49-51.248N<br>082-49-16.181W |         | 0 |   | SG-SY on pile. |
| 61465.5 | Sand Key Daybeacon 26    | 27-49-57.767N<br>082-49-25.460W |         | 0 |   | TR-TY on pile. |
| 61470   | Sand Key Daybeacon 27    | 27-49-56.336N<br>082-49-26.525W |         | 0 |   | SG-SY on pile. |
| 61475   | The Narrows Daybeacon 1  | 27-49-59.257N<br>082-49-34.169W |         | 0 |   | SG-SY on pile. |
| 61480   | The Narrows Light 2      | 27-50-01.627N<br>082-49-35.116W | FI R 4s | 0 | 5 | TR-TY on pile. |
| 61485   | The Narrows Daybeacon 3  | 27-50-00.330N<br>082-49-38.840W |         | 0 |   | SG-SY on pile. |
| 61490   | The Narrows Daybeacon 4  | 27-50-04.119N<br>082-49-52.852W |         | 0 |   | TR-TY on pile. |
| 61495   | The Narrows Daybeacon 6  | 27-50-05.420N<br>082-49-57.039W |         | 0 |   | TR-TY on pile. |
| 61500   | The Narrows Light 5      | 27-50-03.465N<br>082-49-58.554W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 61505   | The Narrows Daybeacon 7  | 27-50-06.883N<br>082-50-01.072W |         | 0 |   | SG-SY on pile. |
| 61510   | The Narrows Daybeacon 9  | 27-50-22.397N<br>082-50-13.148W |         | 0 |   | SG-SY on pile. |
| 61515   | The Narrows Daybeacon 10 | 27-50-26.339N<br>082-50-14.497W |         | 0 |   | TR-TY on pile. |
| 61520   | The Narrows Daybeacon 12 | 27-50-35.096N<br>082-50-16.725W |         | 0 |   | TR-TY on pile. |
| 61525   | The Narrows Light 11     | 27-50-28.796N<br>082-50-17.505W | Q G     | 0 | 4 | SG-SY on pile. |
| 61530   | The Narrows Daybeacon 15 | 27-50-43.934N<br>082-50-20.753W |         | 0 |   | SG-SY on pile. |
| 61535   | The Narrows Daybeacon 14 | 27-50-41.570N<br>082-50-17.265W |         | 0 |   | TR on pile.    |
| 61540   | The Narrows Light 17     | 27-50-50.750N<br>082-50-26.985W | FI G 4s | 0 | 5 | SG-SY on pile. |
| 61545   | The Narrows Daybeacon 18 | 27-50-55.119N<br>082-50-26.335W |         | 0 |   | TR-TY on pile. |
| 61550   | The Narrows Daybeacon 19 | 27-51-06.892N<br>082-50-31.082W |         | 0 |   | SG-SY on pile. |
| 61555   | The Narrows Daybeacon 20 | 27-51-09.346N<br>082-50-30.225W |         | 0 |   | TR-TY on pile. |
| 61560   | The Narrows Daybeacon 21 | 27-51-13.761N<br>082-50-33.323W |         | 0 |   | SG-SY on pile. |
| 61565   | The Narrows Daybeacon 22 | 27-51-26.123N<br>082-50-35.496W |         | 0 |   | TR-TY on pile. |
| 61570   | The Narrows Daybeacon 23 | 27-51-34.838N<br>082-50-38.829W |         | 0 |   | SG-SY on pile. |
| 61575   | The Narrows Light 24     | 27-51-41.084N                   | Q R     | 0 | 4 | TR-TY on pile. |

|       |                                   |                                 |           |   |   |                |
|-------|-----------------------------------|---------------------------------|-----------|---|---|----------------|
|       |                                   | 082-50-40.013W                  |           |   |   |                |
| 61580 | The Narrows<br>Daybeacon 25       | 27-51-43.957N<br>082-50-42.489W | 0         |   |   | SG-SY on pile. |
| 61585 | The Narrows<br>Daybeacon 26       | 27-51-53.695N<br>082-50-47.270W | 0         |   |   | TR-TY on pile. |
| 61590 | The Narrows Light 27              | 27-51-53.127N<br>082-50-48.419W | FI G 4s   | 0 | 5 | SG-SY on pile. |
| 61595 | The Narrows<br>Daybeacon 27A      | 27-52-07.566N<br>082-50-54.241W |           | 0 |   | SG-SY on pile. |
| 61600 | The Narrows Light 27B             | 27-52-15.378N<br>082-50-57.269W | FI G 4s   | 0 | 5 | SG-SY on pile. |
| 61605 | The Narrows<br>Daybeacon 28       | 27-52-15.324N<br>082-50-56.286W |           | 0 |   | TR-TY on pile. |
| 61610 | The Narrows Light 29              | 27-52-20.127N<br>082-50-58.739W | FI G 2.5s | 0 | 5 | SG-SY on pile. |
| 61615 | The Narrows<br>Daybeacon 30       | 27-52-23.984N<br>082-50-57.765W |           | 0 |   | TR-TY on pile. |
| 61620 | The Narrows<br>Daybeacon 30A      | 27-52-33.621N<br>082-50-58.364W |           | 0 |   | TR-TY on pile. |
| 61625 | The Narrows Light 31              | 27-52-38.117N<br>082-50-59.955W | FI G 4s   | 0 | 5 | SG-SY on pile. |
| 61630 | The Narrows<br>Daybeacon 32       | 27-52-42.289N<br>082-50-56.779W |           | 0 |   | TR-TY on pile. |
| 61635 | The Narrows Light 33              | 27-52-51.644N<br>082-50-52.665W | FI G 4s   |   | 5 | SG-SY on pile. |
| 61640 | The Narrows<br>Daybeacon 34       | 27-52-50.971N<br>082-50-51.329W |           | 0 |   | TR-TY on pile. |
| 61645 | The Narrows<br>Daybeacon 35       | 27-53-05.864N<br>082-50-39.798W |           | 0 |   | SG-SY on pile. |
| 61650 | The Narrows Light 36              | 27-53-07.646N<br>082-50-35.922W | FI R 4s   | 0 | 5 | TR-TY on pile. |
| 61655 | The Narrows<br>Daybeacon 37       | 27-53-12.260N<br>082-50-34.992W |           | 0 |   | SG-SY on pile. |
| 61660 | The Narrows<br>Daybeacon 38       | 27-53-21.242N<br>082-50-29.118W |           | 0 |   | TR-TY on pile. |
| 61665 | The Narrows<br>Daybeacon 39       | 27-53-35.737N<br>082-50-22.409W |           | 0 |   | SG-SY on pile. |
| 61670 | The Narrows<br>Daybeacon 40       | 27-53-36.800N<br>082-50-21.078W |           | 0 |   | TR-TY on pile. |
| 61675 | The Narrows<br>Daybeacon 41       | 27-53-46.190N<br>082-50-17.796W |           | 0 |   | SG-SY on pile. |
| 61680 | The Narrows Light 42              | 27-53-46.335N<br>082-50-15.230W | FI R 4s   | 0 | 5 | TR-TY on pile. |
| 61685 | The Narrows<br>Daybeacon 44       | 27-54-02.066N<br>082-50-10.284W |           | 0 |   | TR-TY on pile. |
| 61690 | The Narrows<br>Daybeacon 45       | 27-54-16.591N<br>082-50-07.552W |           | 0 |   | SG-SY on pile. |
| 61695 | The Narrows<br>Daybeacon 46       | 27-54-29.377N<br>082-50-01.469W |           | 0 |   | TR-TY on pile. |
| 61700 | The Narrows Light 47              | 27-54-47.684N<br>082-49-57.549W | FI G 4s   | 0 | 5 | SG-SY on pile. |
| 61705 | Clearwater Harbor<br>Daybeacon 1  | 27-55-27.063N<br>082-49-40.509W |           | 0 |   | SG-SY on pile. |
| 61710 | Clearwater Harbor<br>Daybeacon 1A | 27-55-33.983N<br>082-49-37.116W |           | 0 |   | SG-SY on pile. |
| 61715 | Clearwater Harbor<br>Daybeacon 2  | 27-55-26.883N<br>082-49-38.829W |           | 0 |   | TR-TY on pile. |
| 61720 | Clearwater Harbor<br>Daybeacon 3  | 27-55-41.010N<br>082-49-34.320W |           | 0 |   | SG-SY on pile. |
| 61725 | Clearwater Harbor<br>Light 4      | 27-55-41.150N<br>082-49-32.333W | FI R 4s   | 0 | 5 | TY on pile.    |
| 61730 | Clearwater Harbor<br>Daybeacon 5  | 27-56-08.363N<br>082-49-21.936W |           | 0 |   | SG-SY on pile. |
| 61735 | Clearwater Harbor<br>Daybeacon 6  | 27-56-07.763N<br>082-49-19.835W |           | 0 |   | TR-TY on pile. |
| 61740 | Bellview Island<br>Daybeacon 1    | 27-56-23.074N<br>082-49-05.371W |           |   |   | SG on pile.    |
| 61745 | Bellview Island<br>Daybeacon 2    | 27-56-20.074N<br>082-48-59.371W |           |   |   | TR on pile.    |
| 61750 | Bellview Island                   | 27-56-27.074N                   |           |   |   | SG on pile.    |

|       |                                        |                                 |           |   |   |                          |
|-------|----------------------------------------|---------------------------------|-----------|---|---|--------------------------|
|       | Daybeacon 3                            | 082-48-57.370W                  |           |   |   |                          |
| 61755 | Bellview Island<br>Daybeacon 4         | 27-56-31.074N<br>082-48-52.370W |           |   |   | TR on pile.              |
| 61760 | Bellview Island<br>Daybeacon 5         | 27-56-41.074N<br>082-48-50.370W |           |   |   | SG on pile.              |
| 61765 | Clearwater Harbor<br>Light 7           | 27-56-32.988N<br>082-49-11.941W | FI G 4s   | 0 | 5 | SG-SY on pile.           |
| 61770 | Clearwater Harbor<br>Daybeacon 8       | 27-56-32.423N<br>082-49-09.952W |           | 0 |   | TR-TY on pile.           |
| 61775 | Clearwater Harbor<br>Daybeacon 8A      | 27-56-41.243N<br>082-49-04.776W |           | 0 |   | TR-TY on pile.           |
| 61780 | Clearwater Harbor<br>Light 10          | 27-56-52.418N<br>082-48-58.105W | FI R 4s   | 0 | 5 | TR-TY on pile.           |
| 61785 | Clearwater Harbor<br>Daybeacon 11      | 27-57-07.577N<br>082-48-51.410W |           | 0 |   | SG-SY on pile.           |
| 61790 | Clearwater Harbor<br>Light 12          | 27-57-30.382N<br>082-48-36.158W | FI R 4s   | 0 | 4 | TR-TY on pile.           |
| 61795 | Clearwater Harbor<br>Daybeacon 13      | 27-57-36.548N<br>082-48-34.595W |           | 0 |   | SG-SY on pile.           |
| 61800 | Clearwater Harbor<br>Light 14          | 27-58-07.621N<br>082-48-14.437W | FI R 4s   | 0 | 5 | TR-TY on pile.           |
| 61805 | Clearwater Wreck<br>Light WR14A        | 27-58-14.523N<br>082-48-14.229W | Q R       | 1 | 3 | TR-TY on pile.           |
| 61810 | Seminole Launch<br>Channel Daybeacon 2 | 27-58-26.070N<br>082-48-12.369W |           |   |   | TR on pile.              |
| 61815 | Seminole Launch<br>Channel Daybeacon 4 | 27-58-25.070N<br>082-48-09.869W |           |   |   | TR on pile. Private aid. |
| 61820 | Clearwater Harbor<br>Light 15          | 27-58-29.605N<br>082-48-15.015W | FI G 2.5s | 0 | 5 | SY on pile.              |
| 61825 | Clearwater Harbor<br>Daybeacon 15A     | 27-58-38.485N<br>082-48-12.201W |           | 0 |   | SG-SY on pile.           |
| 61830 | Clearwater Harbor<br>Daybeacon 16      | 27-58-29.163N<br>082-48-13.209W |           | 0 |   | TR-TY on pile.           |
| 61835 | Clearwater Harbor<br>Daybeacon 17      | 27-58-44.895N<br>082-48-11.041W |           | 0 |   | SG-SY on pile.           |
| 61840 | Clearwater Harbor<br>Light 18          | 27-59-07.503N<br>082-48-03.969W | FI R 4s   | 0 | 5 | TR-TY on pile.           |
| 61845 | Clearwater Harbor<br>Daybeacon 19      | 27-59-07.683N<br>082-48-05.709W |           | 0 |   | SG-SY on pile.           |
| 61847 | Clearwater Harbor<br>Daybeacon 20      | 27-59-24.597N<br>082-48-02.912W |           | 0 |   | TR-TY on pile.           |
| 61850 | St Joseph Sound<br>Daybeacon 1         | 27-59-28.991N<br>082-48-04.001W |           | 0 |   | SG-SY on pile.           |
| 61855 | St Joseph Sound<br>Daybeacon 2         | 27-59-52.515N<br>082-48-00.188W |           | 0 |   | TR-TY on pile.           |
| 61860 | St Joseph Sound<br>Daybeacon 3         | 28-00-12.709N<br>082-47-59.719W |           | 0 |   | SG-SY on pile.           |
| 61865 | St Joseph Sound Light<br>4             | 28-00-33.197N<br>082-47-56.490W | FI R 4s   | 0 | 5 | TR-TY on pile.           |
| 61870 | St Joseph Sound<br>Daybeacon 5         | 28-00-34.803N<br>082-47-57.969W |           | 0 |   | SG-SY on pile.           |
| 61875 | St Joseph Sound<br>Daybeacon 7         | 28-00-56.943N<br>082-47-56.409W |           | 0 |   | SG-SY on pile.           |
| 61880 | St Joseph Sound<br>Daybeacon 8         | 28-01-18.850N<br>082-47-52.825W |           | 0 |   | TR-TY on pile.           |
| 61885 | St Joseph Sound<br>Daybeacon 9         | 28-01-40.837N<br>082-47-52.869W |           | 0 |   | SG-SY on pile.           |
| 61890 | St Joseph Sound<br>Daybeacon 10        | 28-02-01.643N<br>082-47-49.261W |           | 0 |   | TR-TY on pile.           |
| 61895 | St Joseph Sound Light<br>11            | 28-02-17.386N<br>082-47-49.607W | FI G 4s   | 0 | 5 | SG-SY on pile.           |
| 61900 | St Joseph Sound Light<br>12            | 28-02-15.307N<br>082-47-49.097W | Q R       | 0 | 4 | TR-TY on pile.           |
| 61905 | Caladesi Island<br>Channel Daybeacon 1 | 28-02-25.061N<br>082-48-50.371W |           |   |   | SG on pile.              |
| 61910 | Caladesi Island<br>Channel Light 2     | 28-02-24.061N<br>082-48-44.470W | FI R 4s   |   |   | TR on dolphin.           |
| 61915 | Caladesi Island<br>Channel Daybeacon 3 | 28-02-19.062N<br>082-48-43.270W |           |   |   | SG on pile.              |
| 61920 | Caladesi Island<br>Channel Daybeacon 4 | 28-02-17.062N<br>082-48-49.870W |           |   |   | TR on pile.              |

|         |                                          |                                 |         |   |   |                       |
|---------|------------------------------------------|---------------------------------|---------|---|---|-----------------------|
| 61925   | Caladesi Island<br>Channel Daybeacon 5   | 28-02-11.562N<br>082-48-46.470W |         |   |   | SG on pile.           |
| 61930   | Caladesi Island<br>Channel Daybeacon 6   | 28-02-07.762N<br>082-48-52.171W |         |   |   | TR on pile.           |
| 61935   | Caladesi Island<br>Channel Daybeacon 7   | 28-02-02.062N<br>082-48-57.171W |         |   |   | SG on pile.           |
| 61940   | Caladesi Island<br>Channel Daybeacon 8   | 28-01-55.062N<br>082-48-57.171W |         |   |   | TR on pile.           |
| 61945   | Caladesi Island<br>Channel Daybeacon 9   | 28-01-50.463N<br>082-48-55.571W |         |   |   | SG on pile.           |
| 61960   | St Joseph Sound Light<br>14              | 28-02-44.523N<br>082-47-42.429W | FI R 4s | 0 | 5 | TR-TY on pile.        |
| 61965   | St Joseph Sound<br>Daybeacon 13          | 28-02-39.457N<br>082-47-45.129W |         | 0 |   | SG-SY on pile.        |
| 61970   | St Joseph Sound<br>Daybeacon 15          | 28-02-48.552N<br>082-47-44.004W |         | 0 |   | SG-SY on pile.        |
| 61975   | Marker 1 Marina<br>Channel Daybeacon 1   | 28-02-56.661N<br>082-47-39.068W |         |   |   | SG on pile.           |
| 61980   | Marker 1 Marina<br>Channel Daybeacon 2   | 28-02-54.761N<br>082-47-39.168W |         |   |   | TR on pile.           |
| 61985   | Marker 1 Marina<br>Channel Daybeacon 3   | 28-02-56.361N<br>082-47-29.068W |         |   |   | SG on pile.           |
| 61990   | Marker 1 Marina<br>Channel Daybeacon 4   | 28-02-53.961N<br>082-47-29.268W |         |   |   | TR on pile.           |
| 61995   | Marker 1 Marina<br>Channel Daybeacon 5   | 28-02-55.361N<br>082-47-19.668W |         |   |   | SG on pile.           |
| 62000   | Marker 1 Marina<br>Channel Daybeacon 6   | 28-02-54.061N<br>082-47-19.368W |         |   |   | TR on pile.           |
| 62005   | Marker 1 Marina<br>Channel Daybeacon 7   | 28-02-55.061N<br>082-47-15.368W |         |   |   | SG on pile.           |
| 62010   | Marker 1 Marina<br>Channel Daybeacon 8   | 28-02-54.061N<br>082-47-15.368W |         |   |   | TR on pile.           |
| 62020   | St Joseph Sound<br>Daybeacon 17          | 28-03-21.082N<br>082-47-44.939W |         | 0 |   | SG-SY on pile.        |
| 62025   | St Joseph Sound Light<br>18              | 28-03-24.202N<br>082-47-42.599W | FI R 4s | 0 | 5 | TR-TY on pile.        |
| 62030   | St Joseph Sound<br>Daybeacon 19          | 28-03-27.082N<br>082-47-46.499W |         | 0 |   | SG-SY on pile.        |
| 62035   | St Joseph Sound<br>Daybeacon 21          | 28-03-45.044N<br>082-47-57.003W |         | 0 |   | SG-SY on pile.        |
| 62040   | St Joseph Sound<br>Daybeacon 22          | 28-04-01.042N<br>082-48-05.699W |         | 0 |   | TR-TY on pile.        |
| 62045   | St Joseph Sound Light<br>23              | 28-04-03.440N<br>082-48-08.036W | FI G 4s | 0 | 5 | SG-SY on pile.        |
| 62046   | North Pinellas County<br>Reef Buoy A     | 28-03-03.000N<br>083-00-52.500W |         |   |   | Yellow can.           |
| 62047   | North Pinellas County<br>Reef Buoy B     | 28-03-30.000N<br>083-00-37.500W |         |   |   | Yellow can.           |
| 62048   | North Pinellas County<br>Reef Buoy C     | 28-02-00.300N<br>083-00-52.500W |         |   |   | Yellow can.           |
| 62049   | North Pinellas County<br>Buoy D          | 28-02-30.000N<br>083-00-37.500W |         |   |   | Yellow can.           |
| 62049.1 | Veterans Memorial<br>Reef Mooring Buoy A | 28-03-07.620N<br>083-00-39.540W |         |   |   | White with blue band. |
| 62049.2 | Veterans Memorial<br>Reef Mooring Buoy B | 28-03-06.300N<br>083-00-39.120W |         |   |   | White with blue band. |
| 62049.3 | Veterans Memorial<br>Reef Mooring Buoy C | 28-03-06.600N<br>083-00-38.460W |         |   |   | White with blue band. |
| 62049.4 | Veterans Memorial<br>Reef Mooring Buoy D | 28-03-07.020N<br>083-00-37.800W |         |   |   | White with blue band. |
| 62050   | Ozona Channel Light 2                    | 28-04-11.717N<br>082-48-08.856W | FI R 4s | 0 | 5 | TR on pile.           |
| 62055   | Ozona Channel<br>Daybeacon 3             | 28-04-13.637N<br>082-48-09.096W |         | 0 |   | SG on pile.           |
| 62060   | Ozona Channel<br>Daybeacon 4             | 28-04-12.185N<br>082-47-44.512W |         | 0 |   | TR on pile.           |
| 62065   | Ozona Channel<br>Daybeacon 5             | 28-04-13.685N<br>082-47-44.446W |         | 0 |   | SG on pile.           |
| 62070   | Ozona Channel<br>Daybeacon 6             | 28-04-12.181N<br>082-47-20.213W |         | 0 |   | TR on pile.           |



|       |                                 |                                 |         |                |                  |
|-------|---------------------------------|---------------------------------|---------|----------------|------------------|
| 62075 | Ozona Channel<br>Daybeacon 7    | 28-04-13.745N<br>082-47-20.146W | 0       | SG on pile.    |                  |
| 62080 | Ozona Channel<br>Daybeacon 7A   | 28-04-13.451N<br>082-47-02.741W | 0       | SG on pile.    |                  |
| 62085 | Ozona Channel<br>Daybeacon 8    | 28-04-12.137N<br>082-46-54.636W | 0       | TR on pile.    |                  |
| 62090 | Ozona Channel<br>Daybeacon 9    | 28-04-13.631N<br>082-46-54.641W | 0       | SG on pile.    |                  |
| 62095 | St Joseph Sound<br>Daybeacon 26 | 28-04-34.402N<br>082-48-16.799W | 0       | TR-TY on pile. |                  |
| 62100 | St Joseph Sound<br>Daybeacon 27 | 28-05-00.269N<br>082-48-27.807W | 0       | SG-SY on pile. |                  |
| 62105 | St Joseph Sound<br>Daybeacon 28 | 28-05-22.522N<br>082-48-33.599W | 0       | TR-TY on pile. |                  |
| 62110 | St Joseph Sound<br>Daybeacon 29 | 28-05-45.382N<br>082-48-43.439W | 0       | SG-SY on pile. |                  |
| 62115 | St Joseph Sound<br>Daybeacon 30 | 28-06-10.953N<br>082-48-50.526W | 0       | TR-TY on pile. |                  |
| 62120 | St Joseph Sound Light<br>31     | 28-06-35.002N<br>082-49-00.899W | FI G 4s | 0              | 5 SG-SY on pile. |
| 62125 | Tarpon Cove<br>Daybeacon 1      | 28-06-45.751N<br>082-48-59.671W |         | SG on pile.    |                  |
| 62130 | Tarpon Cove<br>Daybeacon 2      | 28-06-42.352N<br>082-48-59.071W |         | TR on pile.    |                  |
| 62135 | Tarpon Cove<br>Daybeacon 3      | 28-06-47.751N<br>082-48-46.671W |         | SG on pile.    | Private aid.     |
| 62140 | Tarpon Cove<br>Daybeacon 4      | 28-06-44.352N<br>082-48-46.071W |         | TR on pile.    | Private aid.     |
| 62145 | Tarpon Cove<br>Daybeacon 5      | 28-06-51.752N<br>082-48-22.670W |         | SG on pile.    | Private aid.     |
| 62150 | Tarpon Cove<br>Daybeacon 6      | 28-06-48.352N<br>082-48-22.070W |         | TR on pile.    |                  |
| 62155 | Tarpon Cove<br>Daybeacon 7      | 28-06-55.752N<br>082-47-59.669W |         | SG on pile.    | Private aid.     |
| 62160 | Tarpon Cove<br>Daybeacon 8      | 28-06-52.352N<br>082-47-59.069W |         | TR on pile.    |                  |
| 62165 | Tarpon Cove<br>Daybeacon 9      | 28-06-57.960N<br>082-47-37.020W |         | SG on pile.    | Private aid.     |
| 62170 | Tarpon Cove<br>Daybeacon 10     | 28-06-57.120N<br>082-47-36.600W |         | TR on pile.    |                  |
| 62175 | Tarpon Cove<br>Daybeacon 12     | 28-06-59.400N<br>082-47-31.620W |         | TR on pile.    | Private aid.     |
| 62180 | Tarpon Cove<br>Daybeacon 13     | 28-07-03.480N<br>082-47-25.080W |         | SG on pile.    | Private aid.     |
| 62185 | Tarpon Cove<br>Daybeacon 14     | 28-07-02.580N<br>082-47-25.380W |         | TR on pile.    |                  |
| 62190 | Tarpon Cove<br>Daybeacon 15     | 28-07-05.220N<br>082-47-21.480W |         | SG on pile.    | Private aid.     |
| 62195 | Tarpon Cove<br>Daybeacon 16     | 28-07-06.180N<br>082-47-18.180W |         | TR on pile.    | Private aid.     |
| 62200 | Tarpon Cove<br>Daybeacon 17     | 28-07-08.100N<br>082-47-15.660W |         | SG on pile.    | Private aid.     |
| 62205 | Tarpon Cove<br>Daybeacon 18     | 28-07-08.340N<br>082-47-13.620W |         | TR on pile.    | Private aid.     |
| 62210 | Tarpon Cove<br>Daybeacon 19     | 28-07-10.140N<br>082-47-11.340W |         | SG on pile.    | Private aid.     |
| 62215 | Tarpon Cove<br>Daybeacon 20     | 28-07-10.680N<br>082-47-08.700W |         | TR on pile.    | Private aid.     |
| 62220 | Tarpon Cove<br>Daybeacon 22     | 28-07-13.020N<br>082-47-04.140W |         | TR on pile.    |                  |
| 62225 | Tarpon Cove<br>Daybeacon 23     | 28-07-14.280N<br>082-47-02.940W |         | SG on pile.    | Private aid.     |
| 62230 | Tarpon Cove<br>Daybeacon 24     | 28-07-15.300N<br>082-46-59.520W |         | TR on pile.    |                  |
| 62235 | Tarpon Cove<br>Daybeacon 25     | 28-07-17.820N<br>082-46-55.800W |         | SG on pile.    | Private aid.     |
| 62240 | Tarpon Cove<br>Daybeacon 26     | 28-07-17.220N<br>082-46-55.440W |         | TR on pile.    |                  |
| 62245 | Tarpon Cove<br>Daybeacon 27     | 28-07-19.200N<br>082-46-51.540W |         | SQ on pile.    | Private aid.     |

|       |                                     |                                 |           |   |   |                                    |              |
|-------|-------------------------------------|---------------------------------|-----------|---|---|------------------------------------|--------------|
| 62246 | Tarpon Cove<br>Daybeacon 28         | 28-07-19.440N<br>082-46-51.300W |           |   |   | TR on pile.                        | Private aid. |
| 62247 | Tarpon Cove<br>Daybeacon 30         | 28-07-20.340N<br>082-46-49.380W |           |   |   | TR on pile.                        |              |
| 62248 | Tarpon Cove Shoal<br>Daybeacon      | 28-07-20.880N<br>082-46-49.380W |           |   |   | NW on pile worded DANGER<br>SHOAL. |              |
| 62250 | St Joseph Sound<br>Daybeacon 32     | 28-06-35.422N<br>082-48-59.159W |           | 0 |   | TR-TY on pile.                     |              |
| 62255 | St Joseph Sound<br>Daybeacon 34     | 28-07-00.982N<br>082-49-08.159W |           | 0 |   | TR-TY on pile.                     |              |
| 62260 | St Joseph Sound<br>Daybeacon 35     | 28-07-23.877N<br>082-49-18.217W |           | 0 |   | SG-SY on pile.                     |              |
| 62265 | St Joseph Sound<br>Daybeacon 35A    | 28-07-51.202N<br>082-49-25.320W |           | 0 |   | SG-SY on pile.                     |              |
| 62266 | St Joseph Sound<br>Lighted Buoy 35B | 28-07-56.744N<br>082-49-23.189W | FI G 4s   |   |   | Green can.                         |              |
| 62270 | St Joseph Sound<br>Daybeacon 37     | 28-08-15.524N<br>082-49-36.319W |           | 0 |   | SG-SY on pile.                     |              |
| 62275 | St Joseph Sound<br>Daybeacon 38     | 28-08-41.162N<br>082-49-43.370W |           | 0 |   | TR-TY on pile.                     |              |
| 62280 | St Joseph Sound Light<br>39         | 28-09-05.391N<br>082-49-53.788W | FI G 2.5s | 0 | 5 | SG-SY on pile.                     |              |
| 62285 | St Joseph Sound<br>Daybeacon 40     | 28-09-05.010N<br>082-49-51.937W |           | 0 |   | TR-TY on pile.                     |              |
| 62290 | St Joseph Sound<br>Daybeacon 41     | 28-09-25.491N<br>082-50-00.868W |           | 0 |   | SG-SY on pile.                     |              |
| 62295 | St Joseph Sound<br>Daybeacon 42     | 28-09-27.016N<br>082-49-58.645W |           | 0 |   | TR-TY on pile.                     |              |
| 62297 | St. Joseph Sound<br>Light 43        | 28-09-33.755N<br>082-50-04.604W | Q G       | 0 | 4 | SG-SY on pile.                     |              |
| 62300 | St Joseph Sound Light<br>44         | 28-09-39.697N<br>082-49-58.799W | FI R 2.5s | 0 | 5 | TR-TY on pile.                     |              |