

U.S. Department of Homeland Security

United States Coast Guard

LOCAL NOTICE TO MARINERS

District: 9 Week: 31/24

> Issued by: Commander (dpw) Ninth Coast Guard District 1240 East Ninth Street, Cleveland, OH 44199-2060 Telephone: (571) 608-1683

Direct questions about this LNM to the above address.

All distances in this publication are STATUTE MILES unless otherwise noted.*

District Nine Internet Address https://www.atlanticarea.uscg.mil/Our-Organization/District-9/ *District Nine Local Notice to Mariners email Address* D09-DG-District-D9-LocalNoticetoMariners@uscg.mil
** Navigation Information Service watchstander, 24 hours a day at (703) 313-5900 ** **Internet Address** https://www.navcen.uscg.gov/ Light List Reference: Commandant Publication P16502.7, VOL VII, 2023 Edition

Coast Pilot Reference: 2024 U.S. Coast Pilot 6 Great Lakes 54th Edition
Coast Pilots, along with corrections are available at: https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html The Local Notice to Mariners is available on the Internet at https://www.navcen.uscg.gov/local-notices-to-mariners-by-cg-district You will also have links to other government agencies- web pages including the US Army Corps of Engineers and the National Ocean Service.

REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

The Ninth District and all Sector offices for their areas of responsibility issue a BROADCAST NOTICE TO MARINERS. The following Broadcast Notice to Mariners have been incorporated into this week's Local Notice to Mariners:9 Sector Eastern Great Lakes - EGL131-24 through EGL140-24 Ninth District - C093-24 through C096-24 Sector Detroit, MI - D086-24 through D092-28 Sector Lake Michigan, WI - M263-24 through M281-24 Sector Northern Great Lakes- NGL073-24 through NGL077-24

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can be obtained via email subscription through the USCG Navigation Center website: https://cgls.uscg.mil/mailman/listinfo/nanu. In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or AIS service. Users are encouraged to report all degradation or loss of radio navigation services to the NIS via any of the following: Phone: (703) 313-5900, mail to: webmaster@smtp.navcen.uscg.mil, or on the internet at: https://www.navcen.uscg.gov

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift AICW - Atlantic Intracoastal Waterway Al - Alternating B - Buoy BKW - Breakwater bl - Blast

BNM - Broadcast Notice to Mariner bu - Blue C - Canadian CHAN - Channel

CGD - Coast Guard District

C/O - Cut Off CONT - Contour CRK - Creek CONST - Construction DAYMK/Daymk - Daymark DBN/Dbn - Daybeacon DBD/DAYBD - Dayboard DEFAC - Defaced DEST - Destroyed

I through O

I - Interrupted ICW - Intracoastal Waterway IMCH - Improper Characteristic INL - Inlet INOP - Not Operating
INT - Intensity ISL - Islet Iso - Isophase kHz - Kilohertz LAT - Latitude LB - Lighted Buoy LBB - Lighted Bell Buoy LHB - Lighted Horn Buoy LGB - Lighted Gong Buoy LONG - Longitude LNM - Local Notice to Mariners

LT - Liaht LT CONT - Light Continuous

LTR - Letter LWB - Lighted Whistle Buoy

P through Z

PRIV - Private Aid Q - Quick R - Red

RACON - Radar Transponder Beacon

Ra ref - Radar reflector RBN - Radio Beacon REBUILT - Aid Rebuilt RECOVERED - Aid Recovered

RED - Red Buoy REFL - Reflective RRL - Range Rear Light RELIGHTED - Aid Relit **RELOC** - Relocated

RESET ON STATION - Aid Reset on Station

RFL - Range Front Light RIV - River

RRASS - Remote Radio Activated Sound Signal

s - seconds SEC - Section SHL - Shoaling DISCON - Discontinued DMGD/DAMGD - Damaged

ec - eclipse

EST - Established Aid ev - every

EVAL - Evaluation EXT - Extinguished

F - Fixed fl - flash Fl - Flashing G - Green

GIWW - Gulf Intracoastal Waterway

HAZ - Hazard to Navigation

HBR - Harbor

HOR - Horizontal Clearance

HT - Height

LWP - Left Watching Properly

MHz - Megahertz MISS/MSNG - Missing Mo - Morse Code

MRASS - Marine Radio Activated Sound Signal

MSLD - Misleading N/C - Not Charted

NGA - National Geospatial-Intelligence Agency

NO/NUM - Number NOS - National Ocean Service

NW - Notice Writer OBSCU - Obscured OBST - Obstruction

OBSTR - Obstruction Oc - Occulting

ODAS - Anchored Oceanographic Data Buoy

si - silent SIG - Signal SND - Sound

SPM - Single Point Mooring Buoy

SS - Sound Signal STA - Station STRUCT - Structure St M - Statute Mile

TEMP - Temporary Aid Change

TMK - Topmark

TRLB - Temporarily Replaced by Lighted Buoy TRLT - Temporarily Replaced by Light TRUB - Temporarily Replaced by Unlighted Buoy

USACE - Army Corps of Engineers

W - White Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

LIB - Lighted Ice Buoy

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

Cancellation of NOAA Paper and Raster Nautical Charts

The National Oceanic and Atmospheric Administration (NOAA) is undertaking a multi-year program to end production and maintenance of its suite of over 1,000 traditional paper nautical charts and all associated raster chart products and services, including: Print-on-Demand (POD) paper nautical charts, Full-size chart PDF files, BookletChart™ PDF files, NOAA raster navigational charts (NOAA RNC®), the NOAA RNC tile service, and the online RNC viewer.

Six months notice of the intent to cancel a specific chart is provided in a "Last Edition" notice. The final cancellation of a chart is made in a "Canceled" notice. Both types of notices will appear in LNM Section IV, "Chart Correction." A comprehensive list of all canceled NOAA charts is available at: http://www.charts.noaa.gov/MCD/Dole.shtml.

Traditional paper nautical chart production is ending to enable the creation and maintenance of larger scale, more up-to-date, higher quality coverage of NOAA's electronic navigational chart (NOAA ENC®) product. This will significantly enhance the amount of charted detail available to mariners. More information about NOAA's program to sunset traditional paper charts is on the NOAA Coast Survey website at: https://nauticalcharts.noaa.gov/charts/farewell-to-traditional-nautical-charts.html

An online NOAA Custom Chart application at: https://devgis.charttools.noaa.gov/pod is available to create chart images from ENC data, which may then be printed. Notices to Mariners will not be issued for NOAA Custom Charts.

LNM: 04/20

SAFETY NOTICE - NAVIGATIONAL RANGE AND SECTOR LIGHTS ON ELECTRONIC CHARTS

The U.S. Coast Guard has become aware that the Range and Sector Light Characteristic labels are not displayed on Electronic Navigational Charts (ENCs) when used in an Electronic Chart Display and Information System (ECDIS) due to limitations of the S-52 ECDIS display specification. Mariners may query the ENC data directly within ECDIS or refer to the Light List for complete information on Range and Sector Light Characteristics.

LNM: 39/22

PUBLICATION OF NVIC 03-23 GUIDANCE ON NAVIGATIONAL SAFETY IN AND AROUND OFFSHORE RENEWABLE ENERGY INSTALLATIONS (OREI)

The Coast Guard has published Navigation and Vessel Inspection Circular (NVIC) 03-23: Guidance on Navigational Safety In and Around Offshore Renewable Energy Installations (OREI) to highlight considerations when planning and undertaking voyages in the vicinity of offshore renewable energy installations (OREI) in U.S. waters. The prudent mariner should review and utilize this NVIC to make an informed risk assessment prior to navigating within or in the vicinity of an OREI. Important Maritime Safety Information (MSI) relating to OREIs is distributed by Local or Broadcast Notices to Mariners (LNM or BNM) promulgated by Coast Guard Districts. Marine Safety Information Bulletins (MSIB) released by the local Captain of the Port (COTP) may be issued to provide supplemental information. Interested parties should contact the Office of Navigation Systems at CGNAV@uscq.mil with any questions or feedback.

LNM: 47/23

MERCHANT MARINER CREDENTIAL

The U.S. Coast Guard announced a new merchant mariner credential (MMC) set to launch on March 1, 2024. This milestone marks the first comprehensive revision of the mariner credential in nearly a decade and is strategically designed to enhance both quality of service and security within the Marine Transportation System (MTS). U.S. Coast Guard Marine Safety Information Bulletin (MSIB) 01-24, New Merchant Mariner Credential Passport Booklet Replacement, has been posted on the DCO's MSIB Site and announced at the National Maritime Center (CG-NMC)

Home Page (uscq.mil). Please visit these resources for more information on the credential.

LNM: 09/24

2024 Light List

2024 Light Lists are available on the USCG Navigation Center's website at: https://www.navcen.uscg.gov/light-list-annual-publication

Coast Guard Light Lists are a means for communicating aids to navigation information to the maritime public. The last government printed Light Lists were the 2024 editions.

While the Light Lists will no longer be available in government printed form, commercial reproductions may be available for purchase from maritime service providers.

Local Notice to Mariners will continue to advise Light List corrections and NAVCEN will continue to publish a compilation of corrections.

Complete versions of the 2024 Light Lists are updated weekly on the NAVCEN website and mariners should download applicable copies and updates as needed at: https://www.navcen.uscg.gov/weekly-light-lists

A summary of 2024 Light List corrections are available at: https://www.navcen.uscg.gov/light-list-summary-of-corrections

Guidance for use of electronic navigation publications onboard U.S. vessels can be found at: http://www.uscg.mil/hq/cgcvc/cvc/policy/policy_letters/543/CG-543_pol10-05.pdf

If the links above do not work, you should either copy and paste the links into your web browser or follow the LNM links from the Navigation Center LNM page at https://www.navcen.uscg.gov/local-notices-to-mariners-by-cg-district.

The Local Notice to Mariners, Light List, and Summary of Corrections are in Portable Document Format (PDF) and viewing them requires a PDF reader. PDF readers are readily available on the internet, generally free of charge.

If you have questions regarding this message, please contact the Navigation Center at https://www.navcen.uscg.gov/report-a-problem (use "LNMs, Charts, Chart Corrections, or Light Lists" as the subject from the pull down menu).

LNM: 03/24

U.S. Coast Pilot 6-NEW EDITION

PUBLICATION–National Oceanic Atmospheric Administration (NOAA)— U.S. Coast Pilot 6, Great Lakes and their connecting waterways, 54th Edition, 2024, has been issued and is ready for free download and weekly updates at https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html.

Only Print-on-Demand (POD) bound copies are available for purchase; visit nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot. The 2024 Edition cancels the preceding 2023 Edition, and incorporates all previous corrections.

LNM: 16/24

USACE NOTICE TO NAVIGATION INTERESTS

Current Federal Channel conditions, shoaling, and the most recent channel surveys are available at the following Army Corps of Engineers web sites:

Buffalo: http://www.lrb.usace.army.mil/ Detroit: http://www.lre.usace.army.mil/ Chicago: http://www.lrc.usace.army.mil/ Rock Island: http://www.mvr.usace.army.mil/ St. Paul: https://www.mvp.usace.army.mil/

LNM: 28/12

GREAT LAKES - Great Lakes Water Levels

See Enclosure 1

The current and four week expected water level table for the Great Lakes, Connecting Channels and the St. Lawrence River, will be published in Enclosure 1 following SECTION VIII - LIGHT LIST CORRECTIONS of the Local Notice to Mariner or by visiting the link below:

https://www.lre.usace.army.mil/Missions/Great-Lakes-Information/Great-Lakes-Water-Levels/Water-Level-Forecast/Connecting-Channels-Forecast/

LNM: 32/20

LAKE ERIE – Fairport Harbor – Chart 14829

The Coast Guard has established a virtual AIS aid to navigation at the entrance of Fairport Harbor to assist in identifying recent shoaling within the channel. The aid (MMSI: 993682815) is labeled W SHOAL 2 and identifies the encroachment of shoaling on the western side of the channel less than 18.5ft water depth. The aid is for reference only and is positioned based on most recent survey data, and does not account for periodic variations in the position of the shoal. Mariners are urged to use caution while transiting the area.

LNM: 21/23

LAKE ST. CLAIR - St. Clair Cut-off LB "CO" LLNR 8590

The Coast Guard will be temporarily deploying a buoy of reduced size at St. Clair Cut-Off Preferred Channel Lighted Buoy "CO" (LLNR 8590) in Lake St. Clair, MI. The visual and operational radar range of the buoy will be reduced. The lighted signal range will remain unchanged. The temporary change is in response to delays in the permanent buoy's off-season refurbishment. Upon completion, the permanent buoy will be redeployed back on station. All mariners are requested to use caution while transiting the area.

LNM: 15/24

LAKE HURON - Harrisville to Forty Mile Point

The Office of the Under Secretary of Defense for Research and Experimentation via Naval Surface Warfare Center, Crane Division will conduct Experimentation Event Silent Storm '24 from 15-26 July 2024. The event will encompass an area that includes Thunder Bay, Thunder Bay Island, Middle Island, and Rockport, MI. The area is bounded northerly by 45-13-00.000N, southerly by 44-59-00.000N, and easterly by 083-09-00.000W. During this event mariners can expect many small Unmanned Surface, Sub-surface, and Air Vehicles in operation. All unmanned platforms will have manned vessels in the vicinity for control and safety. Questions can be directed to Rob Gamberg, phone: 812-381-4957, email: robert.d.gamberg.civ@us.navy.mil.

LNM: 29/24

ST. MARYS RIVER - American Canal - Chart 14884

Northeast Pierhead Light (LLNR 14205) The U. S. Army Corps of Engineers will be relocating this light to the top of their new camera tower. As soon as the position and height of the light's new location is confirmed it will be advertised in Section VIII - Light List Corrections of the LNM.

LNM: 10/21

LAKE MICHIGAN - Seul Choix Point

The Coast Guard has received a report of soundings less then charted depth 3.5NM east/southeast of Seul Choix Point at position 45°53′18″N, 085°50′27″W. The area of reduced depth was reported on the east/west Manistique to Lansing Shoal recommended shipping route. Mariners are urged to use caution while transiting the area.

LNM: 06/24

LAKE MICHIGAN - Algoma

Algoma Light 1 (LLNR 20980) will be temporarily disestablished for marine construction operations on the south breakwater in Algoma, WI. A temporary flashing white light will be installed each night on the end of the breakwater to assist mariners in identifying the construction area. The permanent aid's anticipated reinstallation date is July 15th, 2024. Mariners are urged to use caution while transiting the area.

LNM: 26/24

LAKE SUPERIOR - Isle Rovale

The Coast Guard has received a report of a partially submerged spar buoy at position 48°05′49″N, 088°44′12″W, on the north shore of Isle Royale just west of Hawk Island. Mariners are urged to use caution while transiting this area.

LNM: 25-24

LAKE SUPERIOR - Keweenaw - Chart 14972

Keweenaw Upper Entrance West Breakwater Light (LLNR 15115) was reported damaged and swept from its location on the breakwall. The approximately 20' metal tower is submerged in vicinity of the breakwater at an unknown position. All mariners are urged to use caution when transiting the area.

LNM: 12/23

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
580	Ogden Island Range Front Light	LT EXT		EGL141-24	31/24	
10035	Lake Huron Cut Lighted Buoy 1	OFF STA		D041-24	23/24	
13030	Munuscong Channel (Upbound) Junction Light ML	AIS INOP			21/24	

13070	Munuscong Channel (Upbound) Lighted Buoy 9	AIS INOP		05/24
13125	Sailors Encampment Channel Lighted Buoy 21	AIS INOP		05/24
13280	Middle Neebish South Range Rear Light	DAYMK MISSING	NGL068-24	28/24
13475	West Neebish Channel (Downbound) Upper Range Rear Light	DAYMK MISSING		36/23
13645	Sawmill Point Lighted Buoy 22	AIS INOP		05/24
13695	Moon Island Lighted Buoy 13	AIS INOP		05/24
13955	Upper Nicolet Range Front Light	DAYMK MISSING		21/24
13960	Upper Nicolet Range Rear Light	DAYMK MISSING	NGL004-24	26/23
14050	Six Mile Point Range Rear Light	DAYMK MISSING	S079-23	10/21
14880	Keweenaw Waterway Light 25	STRUCT DEST/TRLB	NGL047-24	19/24
15115	Keweenaw Upper Entrance West Breakwater Light	STRUCT DEST	S015-23	02/23
15545	Red Cliff Point Lighted Buoy 4	LT EXT	NGL064-24	27/24
15840	Duluth Harbor Breakwater Isolated Danger Buoy	MISSING		29/24
17210	Canoe Channel Daybeacon 8	STRUCT DEST/TRUB		23/22
19460	Kalamazoo River Buoy 4	BUOY DMGD	M281-24	31/24
22185	Green Bay Harbor Entrance Channel Range Rear Light	DAYMK MISSING	M157-23	44/20

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
3770	Ashtabula Harbor Junction Lighted	RELIGHTED			31/24	31/24
	Buoy A					
4750	Sandusky Bay Exit Channel Lighted	WATCHING PROPERLY			31/24	31/24
	Buoy 4					
12907	Lime Island Lighted Buoy 14	WATCHING PROPERLY			28/24	31/24
18530	Ludington North Breakwater Light	WATCHING PROPERLY	14901		28/24	31/24
18965	Grand Haven South Pierhead Entrance	WATCHING PROPERLY	14901		29/24	31/24
10905	Light	WATCHING PROPERLY	14901		29/24	31/24
10027	3	WATCHING DRODEDLY			20/24	21/24
19827	Calumet Harbor Breakwater	WATCHING PROPERLY			30/24	31/24
	Obstruction Light					

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
4256	Cashelmara Jetty Light	LT IMCH			24/24	
4960	Sandusky Yacht Club Light 1	LT EXT	D0	26-24	18/24	
4965	Sandusky Yacht Club Light 2	LT EXT	D0	27-24	18/24	
6025	Toledo Water Works Intake Crib Lights	LT EXT	D0	34-24	20/24	
8892	ACOE LKSTC Water Sensor Buoy 1	MISSING	D0	59-24	26/24	
19860	Filtration Plant Breakwater South End Light	LT EXT			23/24	
19865	Filtration Plant Breakwater North End Light	LT EXT			23/24	
19931	Thirty-First Street Jetty Danger Lighted Buoy A	MISSING			23/24	
19932	Thirty-First Street Jetty Danger Lighted Buoy B	MISSING			23/24	
19933	Thirty-First Street Jetty Danger Lighted Buoy C	MISSING			23/24	
19934	Thirty-First Street Inner Jetty Light	LT EXT			23/24	
20470	Racine Launch Basin Entrance Light	LT EXT			22/24	
20490	Racine East Harbor Entrance Light 2	LT EXT			28/24	
20545	Racine Harbor Light 13	LT EXT			22/24	
20681	Lakeshore State Park Entrance Lt 1	LT EXT	M1	16-24	21/24	

20700	Milwaukee City South Pier No. 2 South	LT EXT		M165-24	24/24	
20729	Light South Shore Park Entrance Lighted	MISSING			21/24	
20730	Buoy 1 South Shore Park Entrance Lighted	MISSING			21/24	
21405	Buoy 2 Shipyard Island Marina North Dock Light	LT IMCH		M199-24	27/24	
DISCREPANCIES	(PRIVATE AIDS) CORRECTED					
LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
4780	Cedar Point Marina South Basin Light 2	WATCHING PROPERLY	0.10.10.1		29/24	31/24
PLATFORM DISC	CREPANCIES					
Name	Status		Position	BNM Ref.	LNM St	LNM End
None						
PLATFORM DISC	REPANCIES CORRECTED					
Name	Status		Position	BNM Ref.	LNM St	LNM End
relocated for dred	ains temporary changes and corrections to Aids ging, testing, evaluation, or marking an obstruc new	ction, a temporary correct position.	tion shall be listed in S	Section IV giving	the	
relocated for dred	ging, testing, evaluation, or marking an obstruc new	ction, a temporary correc	tion shall be listed in S	Section IV giving	; the	
relocated for dred EMPORARY CHAIN LLNR	ging, testing, evaluation, or marking an obstruc new NGES Aid Name	ction, a temporary correct position. Status	tion shall be listed in S Chart No.	Section IV giving	LNM St	LNM End
EMPORARY CHAN LLNR 2105	ging, testing, evaluation, or marking an obstruction new NGES Aid Name Oswego Harbor West Channel Light 2	ction, a temporary correct position. Status TRLB	tion shall be listed in S			LNM End
EMPORARY CHAN LLNR 2105 2855	ging, testing, evaluation, or marking an obstruction new NGES Aid Name Oswego Harbor West Channel Light 2 Black Rock Canal Light 15	ction, a temporary correct position. Status TRLB DISCONTINUED	tion shall be listed in S Chart No.		LNM St 17/19 12/24	LNM End
EMPORARY CHAN LLNR 2105 2855 8240	ging, testing, evaluation, or marking an obstruction new NGES Aid Name Oswego Harbor West Channel Light 2 Black Rock Canal Light 15 William Livingstone Memorial Light	ction, a temporary correct position. Status TRLB DISCONTINUED Reduced Intensity	tion shall be listed in S Chart No.		LNM St 17/19 12/24 33/21	LNM End
EMPORARY CHANGE LLNR 2105 2855	ging, testing, evaluation, or marking an obstruction new NGES Aid Name Oswego Harbor West Channel Light 2 Black Rock Canal Light 15	ction, a temporary correct position. Status TRLB DISCONTINUED Reduced Intensity TRLT	tion shall be listed in S Chart No.		LNM St 17/19 12/24	LNM End
EMPORARY CHAN LLNR 2105 2855 8240	ging, testing, evaluation, or marking an obstruction new NGES Aid Name Oswego Harbor West Channel Light 2 Black Rock Canal Light 15 William Livingstone Memorial Light	ction, a temporary correct position. Status TRLB DISCONTINUED Reduced Intensity	tion shall be listed in S Chart No.		LNM St 17/19 12/24 33/21	LNM End
EMPORARY CHANGE TO THE PROPERTY CHANGE TO THE	ging, testing, evaluation, or marking an obstruction new NGES Aid Name Oswego Harbor West Channel Light 2 Black Rock Canal Light 15 William Livingstone Memorial Light Grande Pointe Light 23	Status TRLB DISCONTINUED Reduced Intensity TRLT DISCONTINUED FOR DREDGING	tion shall be listed in S Chart No.		LNM St 17/19 12/24 33/21 47/20	LNM End
EMPORARY CHAN LLNR 2105 2855 8240 9690 14540	ging, testing, evaluation, or marking an obstruction new NGES Aid Name Oswego Harbor West Channel Light 2 Black Rock Canal Light 15 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2	Status TRLB DISCONTINUED Reduced Intensity TRLT DISCONTINUED FOR DREDGING	tion shall be listed in S Chart No.		LNM St 17/19 12/24 33/21 47/20 47/22	LNM End
EMPORARY CHAN LLNR 2105 2855 8240 9690 14540 15220	Aid Name Oswego Harbor West Channel Light 2 Black Rock Canal Light 15 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light	Status TRLB DISCONTINUED Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED	tion shall be listed in S Chart No.		LNM St 17/19 12/24 33/21 47/20 47/22	LNM End
EMPORARY CHAN LLNR 2105 2855 8240 9690 14540 15220 16963 20980	Aid Name Oswego Harbor West Channel Light 2 Black Rock Canal Light 15 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light	Status TRLB DISCONTINUED Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED	tion shall be listed in S Chart No.		LNM St 17/19 12/24 33/21 47/20 47/22 02/22 45/20	LNM End
EMPORARY CHAN LLNR 2105 2855 8240 9690 14540 15220 16963 20980	Aid Name Oswego Harbor West Channel Light 2 Black Rock Canal Light 15 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light Algoma Light 1	Status TRLB DISCONTINUED Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED	tion shall be listed in S Chart No.		LNM St 17/19 12/24 33/21 47/20 47/22 02/22 45/20	LNM End
EMPORARY CHAN LLNR 2105 2855 8240 9690 14540 15220 16963 20980 EMPORARY CHAN	ging, testing, evaluation, or marking an obstruction new NGES Aid Name Oswego Harbor West Channel Light 2 Black Rock Canal Light 15 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light Algoma Light 1	Status TRLB DISCONTINUED Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED DISCONTINUED DISCONTINUED	Chart No. 14786	BNM Ref.	LNM St 17/19 12/24 33/21 47/20 47/22 02/22 45/20 25/24	
EMPORARY CHAN LLNR 2105 2855 8240 9690 14540 15220 16963 20980 EMPORARY CHAN	ging, testing, evaluation, or marking an obstruction new NGES Aid Name Oswego Harbor West Channel Light 2 Black Rock Canal Light 15 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light Algoma Light 1 NGES CORRECTED Aid Name	Status TRLB DISCONTINUED Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED DISCONTINUED DISCONTINUED	Chart No. 14786	BNM Ref.	LNM St 17/19 12/24 33/21 47/20 47/22 02/22 45/20 25/24	
EMPORARY CHAN LLNR 2105 2855 8240 9690 14540 15220 16963 20980 EMPORARY CHAN LLNR DIRE ATFORM TEMPO Name	ging, testing, evaluation, or marking an obstruction new NGES Aid Name Oswego Harbor West Channel Light 2 Black Rock Canal Light 15 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light Algoma Light 1 NGES CORRECTED Aid Name	Status TRLB DISCONTINUED Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED DISCONTINUED DISCONTINUED	Chart No. 14786	BNM Ref.	LNM St 17/19 12/24 33/21 47/20 47/22 02/22 45/20 25/24	LNM End
EMPORARY CHAN LLNR 2105 2855 8240 9690 14540 15220 16963 20980 EMPORARY CHAN LLNR DIRE Name Name	ging, testing, evaluation, or marking an obstruction new NGES Aid Name Oswego Harbor West Channel Light 2 Black Rock Canal Light 15 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light Algoma Light 1 NGES CORRECTED Aid Name	Status TRLB DISCONTINUED Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED DISCONTINUED DISCONTINUED	Chart No. 14786 Chart No.	BNM Ref.	LNM St 17/19 12/24 33/21 47/20 47/22 02/22 45/20 25/24	

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction. Last Local Notice Source of Chart Chart Edition Horizontal Current Local Number Edition Date to Mariners Datum Reference Correction Notice to Mariners 12327 19-APR-97 Last LNM: 26/97 91st Ed. **NAD 83** 27/97 Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER Main Panel 2245 NEW YORK HARBOR CGD01 NATIONAL DOCK CHANNEL BUOY 3 (Temp) ADD at 40-41-09.001N 074-02-48.001W - 1 Green can Object of Corrective Corrective Position Action Action (Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted. 14786 15th Ed. 31/24 01-SEP-18 Last LNM: 40/17 **NAD 83** ChartTitle: SMALL-CRAFT BOOK CHART New York State Canal System (book of 61 Charts) Main Panel 1100 OSWEGO RIVER - MINETTO - -. Page/Side: -NOS LAST EDITION No new editions of chart 14786 will be published. It will be canceled on 04-Dec-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 14800 31/24 10th Ed. 01-SFP-05 Last LNM: 33/13 **NAD 83** ChartTitle: Lake Ontario (Metric) Main Panel 1112 LAKE ONTARIO. Page/Side: N/A NOS LAST EDITION No new editions of chart 14800 will be published. It will be canceled on 30-Oct-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 14820 22nd Ed. 31/24 01-MAY-20 Last LNM: 48/19 **NAD 83** ChartTitle: Lake Erie Main Panel 1134 LAKE ERIE - -. Page/Side: -NOS LAST EDITION No new editions of chart 14820 will be published. It will be canceled on 30-Oct-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 14860 31/24 37th Ed. 01-MAY-16 Last LNM: 19/22 **NAD 83** ChartTitle: Lake Huron Main Panel 1312 LAKE HURON. Page/Side: A NOS LAST EDITION No new editions of chart 14860 will be published. It will be canceled on 30-Oct-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 31/24 14901 18th Ed. 01-AUG-20 Last LNM: 19/22 **NAD 83** ChartTitle: Lake Michigan (Mercator Projection) Main Panel 1361 LAKE MICHIGAN - -. Page/Side: -NOS LAST EDITION No new editions of chart 14901 will be published. It will be canceled on 30-Oct-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml. 14902 Last LNM: 19/22 32nd Ed. 01-NOV-20 31/24 **NAD 83** ChartTitle: North end of Lake Michigan, including Green Bay

Main Panel 1362 NORTH END OF LAKE MICHIGAN INCLUDING GREEN BAY - -. Page/Side: -

NOS

NOS

LAST EDITION No new editions of chart 14902 will be published. It will be canceled on 30-Oct-24. Comparable or larger scale Electronic Navigational Chart

(ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.

14961 13th Ed. 01-FEB-16 Last LNM: 36/19 NAD 83 31/24

ChartTitle: Lake Superior (Mercator Projection)

Main Panel 1499 LAKE SUPERIOR. Page/Side: A

LAST EDITION No new editions of chart 14961 will be published. It will be canceled on

30-Oct-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc.

Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

Approved Project(s) Project Date Ref. LNM
None

Advance Notice(s)

LAKE ERIE - Black Rock Canal - Buffalo NY

The Coast Guard is permanently disestablishing Black Rock Canal Light 15 (LLNR 2855) in Buffalo, NY. The light is currently not operational.

LNM: 11/24

LAKE ERIE - Willis Crib - Erie PA

The Coast Guard is permanently disestablishing Willis Crib Isolated Danger Buoy "DW" (LLNR 3492) in Erie, PA. The operation of Willis Crib Dock Light (LLNR 3490) will not change.

LNM: 11/24

LAKE ERIE - Detroit - CHART 14854

The Coast Guard will be changing the operation of the sound signal on Detroit River Light (LLNR 6885) from operating continuously, to Mariner Radio Activated Sound Signal (MRASS) year-round. The sound signal would be activated by keying the microphone five or more times on VHF FM channel 83A / 157.175MHz.

LNM: 50/23

LAKE ERIE - Sandusky Channel

The Coast Guard will be changing the operation of Sandusky Straight Channel Buoy 15 (LLNR 4665) from a permanent unlighted buoy to a seasonally lighted buoy. The buoy will be lighted from Apr 14th to Dec 7th annually, and will display a FI G 2.5s characteristic.

LNM: 19/24

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

Proposed Project(s) <u>Closing</u> <u>Docket No.</u> <u>Ref. LNM</u>

None

Proposed Change Notice(s)

ST. MARYS RIVER - Lime Island

The Coast Guard is evaluating the reestablishment of the physical Lime Island Traffic Lighted Buoy (LLNR 12915) in the St. Marys River, MI. The physical aid was previously replaced by a V-AIS buoy. The lighted buoy would be seasonal in operation and not replaced by a winter mark. Mariners are encouraged to provide feedback to the Ninth District Aids to Navigation Office regarding the possible redeployment of the lighted buoy, as well as the function of the current V-AIS buoy.

LNM: 14/24


LAKE MICHIGAN - Green Bay - Cedar River

The Coast Guard is evaluating the redesign of the entrance channel at the Cedar River in Western Green Bay, WI. The number of aids to

navigation in the channel will be reduced from eleven to seven. The remaining aids will be renamed in order to better identify progression through the channel. The following list of changes is being proposed:

- Cedar River Entrance Lighted Buoy 1 will remain unchanged.
- Cedar River Buoy 4 will be renamed Cedar River Lighted Buoy 2, and the previously unlighted buoy will be lit with a flashing red light.
- Cedar River Buoy 3 will remain unchanged.
- Cedar River Buoy 5 will be permanently disestablished.
- Cedar River Buoy 6 will be permanently disestablished.
- Cedar River Buoy 9 will be renamed Cedar River Buoy 5.
- Cedar River Buoy 10 will be renamed Cedar River Buoy 4.
- Cedar River Buoy 11 will be permanently disestablished.
- Cedar River Buoy 12 will be permanently disestablished.
- Cedar River Light 2 will be renamed Cedar River East Pierhead Light. The operation of the light and daymarks will remain unchanged.
- Cedar River Pierhead Light will be renamed Cedar River West Pierhead Light. The operation of the light and daymarks will remain unchanged.

Anticipated changes would take place in spring of 2025 during the seasonal establishment of the waterway.



LNM: 31/24

LAKE SUPERIOR – Duluth Harbor

The Coast Guard is evaluating the reestablishment of the physical Duluth Harbor Basin Traffic Lighted Buoy (LLNR 15870) in Duluth Harbor, MN. The physical aid was previously replaced by a V-AIS buoy. The lighted buoy would be seasonal in operation and not replaced by a winter mark. Mariners are encouraged to provide feedback to the Ninth District Aids to Navigation Office regarding the possible redeployment of the lighted buoy, as well as the function of the current V-AIS buoy.

LNM: 14/24

For any comments or questions on these proposed changes please contact:

The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.

LNM: 30/13

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

Waterways Analysis and Management System

The Ninth Coast Guard District will be reviewing the following waterways thoughout the Great Lakes Region. The study focuses primarily on aids to navigation in the waterway. Public comments are an important tool in this process so that we can provide the adequate markings and the right mix of signals to a waterway for safe navigation. Comments on the below listed waterways can be sent to Brian.D.Hawkins2@uscg.mil or by calling (206) 815-0913. You may also complete the survey attached to the Local Notice to Mariner and either email it or mail it to: Commander (dpw), Ninth Coast Guard District, 1240 East Ninth St., Cleveland, Ohio 44199.

The following waterways will be evaluated for the duration of calendar year 2024 and will be accepting comment until 31Dec2024:

Sackets Harbor (LLNR 1755-2024.9) Buffalo Harbor/Black Rock Canal (LLNR 2665-3360) Dunkirk Harbor (LLNR 3365-3492) Erie Harbor (LLNR 3495-3696)

Waterways Analysis and Management System

Conneaut Harbor (LLNR 3700-3735) Ashtabula Harbor (LLNR 3740-3830) **Fairport Harbor** (LLNR 3835-3955)

LNM: 11/24

GREAT LAKES - Marine Events

Marine events such as races, parades, regattas, and fireworks displays are frequently held in the Great Lakes region. Advance information on specific events is contained in enclosure (2) of this publication. The public is reminded to listen to the local broadcast notice to mariners for the most up-to-date information on a marine event. Mariners are advised that some events may require temporary aids to navigation that are not displayed on a chart or in the Light List, and that they should exercise additional caution while operating in the vicinity of a scheduled marine event.

INM: 24/13

LAKE ONTARIO - Little Sodus Bay - Chart 14800

There is an uncharted breakwall along the shore extending from the west side of Little Sodus Bay entrance to the boat ramp of West Barrier Bar County Park. The breakwall is unmarked and unlit. Visibility of the breakwall may be impacted due to high water. All mariners are requested to transit the area with caution.

LNM: 19/23

LAKE ONTARIO - Crescent Beach Breakwater

A series of breakwater barriers are being constructed in Lake Ontario near Crescent Beach, to the east of Sodus Point, NY. Work will be conducted from 01 April 2024, to 30 November 2024 between the hours of 0500 to 2000. Hours are dependent on weather conditions. Construction vessels can be hailed on VHF Channel 16. Inquiries related to the project can be directed to Mr. Glenn Roet at (315) 575-6091. All mariners are advised to stay clear of workboats, barges, floating or submerged equipment in the operational work area between floating navigation buoys detailed below and the shoreline.

1 N43°16'21.77817" W76°57'52.20335"

2 N43°16'20.93870" W76°57'46.38712" 3 N43°16'20.17974" W76°57'41.15137" 4 N43°16'19.26083" W76°57'36.11887"

5 N43°16'17.99008" W76°57'30.33037" 6 N43°16'16.95743" W76°57'25.59050"

11 N43°16'26.91154" W76°56'44.64137"

12 N43°16'29.34557" W76°56'39.60362"

13 N43°16'31.87966" W76°56'34.99165"

14 N43°16'33.90231" W76°56'31.32131"

LNM: 14/24

LAKE ERIE - Erie Harbor

From 1 June 2024 to 15 July 2024 Ryba Marine Construction Co will be conducting dredging in Erie Harbor. Hours of operation are 24 hours a day 7 days a week. Tug Kristin Joelle can be contacted on VHF channels 13 and 16. All mariners are requested to transit the area with caution.

LNM: 20/24

LAKE ERIE - OH - Ashtabula Harbor - Chart 14836

A submerged breakwater was constructed in Ashtabula harbor. It is connected to the existing East Breakwater. The submerged breakwater is connected to the East Breakwater at the first angle point of the East Breakwater, as entering the harbor, from the lake. All elevations referenced are referred to Low Water Datum (LWD), IGLD 1985.

The center line of the submerged breakwater approximately follows the same azimuth as the first segment of the East Breakwater, in a south easterly direction, for approximately 1000', then slightly bends to the east for another two segments, for approximately 500'.

The first 1000' (Area "A") has a crest design height of -2.0' with a crest width of 9', and a footprint of approximately 150', with the next 100' transitioning to the dimensions in the next item.

The final 400 (Area "B") has a crest height of -5.0', with a crest width of 9', and a footprint of approximately 50'.

The coordinates, in decimal degrees, are as follows:

1. 41.918447801N 80.790362308W

2. 41.916367139N 80.788014301W

3. 41.916189406N 80.787730327W

4. 41.916026216N 80.787424318W

5. 41.915640784N 80.786454826W

6. 41.916242815N 80.783904852W

All mariners are requested to transit the area with caution.

LNM: 17/23

LAKE ERIE - Cleveland Harbor - Chart 14839

Submerged obstructions were reported and confirmed in location 41° 29.380′ N, 081° 41.906′ W (NAD83) on the Cuyahoga river's left descending bank just east of the Columbus Road Bridge. The USACE completed a hydrological survey on 07 December 2023, which identified four obstructions on the river's bottom believed to be sections of steel corrugated bulkhead originating from a nearby retaining wall. The failed sections settled at the

LAKE ERIE - Cleveland Harbor - Chart 14839

bottom of the river approximately 20 feet into the navigational channel and were measured to be between 18-21 feet from the water's surface. Marines may contact the Sector Eastern Great Lakes Command Center with any questions by phone at 716-843-9596. The most current USACE Hydrographic Survey data can be found on their website here: Buffalo District Maps and Charts (army.mil). All mariners are requested to transit the area with extreme caution.

LNM: 51/23

LAKE ERIE- Rocky River

Shoaling has been reported at the mouth of the Rocky River and throughout its entirety, exceeding 5 feet above low water datum inside the main channel. Of major note, the turning basin located at the mouth of the river on the west bank measures in areas at less than one foot. The latest U.S. Army Corps of Engineers hydrological survey can be found online via links above. All mariners are requested to transit the area with caution.

LAKE ERIE - Avon Lake

There will be a safety zone on all navigable Waters of Lake Erie within a 750-yard radius of the Avon Lake Power Plant, Avon Lake, OH located at position 41-30.250 N 082-3.233 W due to structure deconstruction. The safety zone will be in effect on July 31 from 4:30 a.m. to 8:30 a.m. (local). All Mariners are advised not to enter the safety zone without the approval of the Coast Guard via VHF channel 16.

LNM: 29/24

LAKE ERIE - Lorain Harbor

From 10 Aug 2024 to 15 Oct 2024 Dean Marine and Excavating will be conducting dredging operations in Lorain. Hours of operation are 24 hours a day 7 days a week. Anne Marie and West Wind can be contacted on VHF channels 13, 16 and 79. All mariners are requested to transit the area with caution.

LNM: 30/24

LAKE ERIE - Maumee River

From 08 Jan 2024 to 31 Oct 2025 Mark Haynes Construction will be conducting island restoration of the Clark and Delaware/Horseshoe islands on the Maumee River near river mile 9. Hours of operation are from 0700 to 1700 Monday to Thursday. Two temporary causeways are constructed between the shore and islands that block the side channel at the following locations.

1. Immediately downstream of the Maumee River Yacht Club.

2. Walbridge Park Boat launch.

Boaters entering the river should fallow alternate routes marked by temporary buoys. For more information, please visit: https://www.toledoport.org/projects/clark-and-delawarehorseshoe-islands-restoration-projects/

LNM: 08/24

LAKE ERIE - Monroe

From 01 July 2024 to 01 Oct 2024 Dean Marine and Excavating will be dredging in Monroe MI. Hours of operation are 24 hours a day 7 days a week. Tug Megan and Dredge Louise can be contacted on VHF channels 16 and 79. All mariners are requested to transit the area with caution.

LNM: 26/24

DETROIT RIVER - Belle Isle Intake

From 15 Apr 2024 to 15 Oct 2024 Dean Marine and Excavating will conducting shoreline rehabilitation near the intake point Belle Isle. Hours of operation are from 0600 to 1900 7 days a week. Vessels can be contacted on VHF channels 16 and 79. All mariners are requested to transit the area with caution.

LNM: 14/24

DETROIT RIVER - Rouge River

From 24 Apr 2024 to 15 Sep 2024 Great Lakes Dock and Materials will be conducting mechanical dredging and capping in the Lower Rouge River. Hours of operation 12 Hours a day Monday thru Saturday. Barge Jacqueln, Tug Duluth and Tug Tracy Lynn can be contacted on VHF channels 16 and 18. All mariners are requested to transit the area with caution.

LNM: 17/24

LAKE ST. CLAIR

From 22 July 2024 to 31 July 2024 the AEM Group will be conducting sediment sampling in the upper St. Clair river and Lake Huron located upstream from Underwater railroad track crossing in Port Huron to five miles in the Federal Navigation Channel in Lake Huron. Hours of operation are from 0600 to 2000 7 days a week. All mariners are requested to transit the area with caution

LNM: 27/24

ST. MARYS RIVER - Neebish Channel

From 01 May 2024 to 01 Sep 2024 Roen Salvage Company will be conducting maintenance dredging in the Middle Neebish and West Neebish channels. Hours of operation are 24 hours a day 7 days a week. Tug David R Schanock can be contacted on VHF channels 7, 12 and 16. All mariners are requested to transit the area with caution.

LNM: 18/24

STRAITS OF MACKINAC

From 01 May 2024 to 01 October 2024 Kokosing Industrial Inc will be conducting stone laying over exposed sections of the new American Transmission Company 138V submarine power cables installed in 2021. Hours of operation are 24 hours a day 7 days a week. Tugs Nancy Anne, Champion, General, WM. Boyd, Shirley Ann and crew boat Timmy V can be contacted on VHF channels 13 and 16. All mariners are requested to maintain 500 yards away from survey vessels and to transit the area with caution.

LNM: 18/24

STRAITS OF MACKINAC - Point LaBarbe to McGulpin Point

From 29 May 2024 to 31 July 2024 Enbridge/Tetra Tech will be conducting underwater survey of Enbridge line 5 pipelines. Hours of operation are from 0600 to 1800 7 days a week. M/V Ugle Duckling can be contacted on VHF channels 13 and 16. The underwater survey effort will be conducted with a hybrid autonomous and remotely underwater vehicles (HAUV/ROV) with these vehicles supported from the vessel(s) noted above. All vessels are requested to remain 1500' (500-yard safety zone) away from the survey vessel.

LNM: 16/24

LAKE MICHIGAN - New Buffalo Harbor - Chart 14905

Shoaling has been reported near the middle of the channel immediately inside the break wall in New Buffalo Harbor, MI. The actual water depth is currently significantly below the charted depth. Mariners are urged to use caution when transiting the area. For further details, contact Sector Lake Michigan at (414) 747-7182 or VHF channel 16.

LNM: 15/22

LAKE MICHIGAN - Port Sheldon - Chart 14932

Shoaling has been reported near Pigeon Lake at the Port Sheldon entrance. The actual water depth is currently significantly below the charted depth. Mariners are urged to use caution when transiting the area. For further details, contact Sector Lake Michigan at (414) 747-7182 or VHF channel 16.

LNM: 15/23

LAKE MICHIGAN - Manistee

Shoaling has been reported in Lake Manistee in position 44-15.41N, 086-18.76W. All mariners are requested to transit the area with caution. For further details, contact Sector Lake Michigan at (414) 747-7182 or VHF channel 16.

LNM: 15/24

LAKE MICHIGAN - Manistee

From 28 June 2024 to 15 Aug 2024 the King Company will be conducting hydraulic dredging in Manistee MI. Hours of operation are 24 hours a day 7 days a week. Dredge Buxton II can be contacted on VHF channels 16, 18, and 73. All mariners are requested to transit the area with caution.

LNM: 26/24

LAKE MICHIGAN - Saugatuck

From 5 June 2024 to 31 Aug 2024 the King Company Inc will be coducting hydraulic dredging in the outer channel of Saugatuck MI. Hours of operation are 24 hours a day 7 days a week. Dredge Barry J can be contacted on VHF channels 16, 18 and 73.Submerged dredge pipe will be lying on the lake floor, marked by orange round buoys every 500 feet. (2) white buoys will be seen North and South of the dredge. The white buoys indicate winch anchor locations. The disposal area starts south of the pier 4,900' and runs for an additional 1,600' south. The primary contact will be the Superintendent Robert Lister. His cell number is listed below. During rough seas, our pipe pontoon will be floating outside of the channel. It is bright yellow, 25'x8'x6' and has (2) flashing lights on each end that come on at night.

LNM: 23/24

LAKE MICHIGAN - Muskegon Channel - Chart 14906

The Coast Guard has received reports that the depths at the entrance to Muskegon Lake are less than the charted depths. All mariners are requested to transit the area with caution.

LNM: 17/23

LAKE MICHIGAN - Grand Haven

From 16 May 2023 to 15 July 2024 the U.S. Army Corps of Engineers will be conducting pier work at USACE facility and outer pierhead. Hours of operation are Wednesday May 22 through Wednesday May 29th 0700 to 1630, Wednesday June 5th through Wednesday June 12th 0700 to 1630, and Wednesday June 19th through Wednesday June 26th 0700 to 1630. Tug Mike Donlon can be contacted on VHF channels 16 and 17. All mariners are requested to transit the area with caution.

LNM: 20/24

LAKE MICHIGAN - New Buffalo

From 22w Jul 2024 to 31 Jul 2024 The King Company will be be dredging in the New Buffalo Harbor 24 hours a day 7 days a week. Dredge Buxton II can be contacted on VHF channels 16, 18 and 73, All mariners are requested to transit the area with caution.

LNM: 30/24

LAKE MICHIGAN - Gary Indiana

From 5 June 2024 to 30 Oct 2024 Geodynamics, an NV5 Company will be conducting hydrographic survey in support of nautical chart updates. The survey area has nearshore work off Gary, In, Michigan City, In, ~4-8 nmi work off Highland Park, IL, and further offshore work ~9-20 nmi offshore of Chicago, IL. Surveys will be conducted 24 hours a day, 7 days a week, on the RV Substantial and 12 hours a day, 7 days a week on the RV Benthos. The RV Benthos is a 30 ft Armstrong aluminum catamaran survey vessel operating multibeam sonar. Provide ½ nautical mile distance when possible. Mariners are urged to transit at their slowest safe speed in the vicinity of the survey vessels to minimize wake. All survey vessels have AIS and will monitor VHF channels 16/13.

LNM: 22/24

LAKE MICHIGAN - Whihala Beach

Whoazone has established a waterborne obstacle course at the Whihala Beach that will be in operation from 10 June 2024 to 25 August 2024. It is requested that all traffic remain outside the designated area and transit the area with caution. Contact Sector Lake Michigan at (414) 747-7182 or Whoazone general manager at (219)234-2615.

LNM: 16/24

LAKE MICHIGAN - Indiana Harbor Canal

LAKE MICHIGAN - Indiana Harbor Canal

There is an obstruction on the south side of the Federal channel at the Indiana Harbor Canal in East Chicago, Indiana at the location of the former Canal St. bridge.

LNM: 16/24

LAKE MICHIGAN - Sheboygan River - Chart 14922

Shoaling has been reported in entrance of the Sheboygan River in the vicinity of 43-44.928N, 087-42.170W AND 43-44.936N, 087-42.110W. The actual water depth is currently significantly below the charted depth. Mariners are urged to use caution when transiting the area. For further details, contact Sector Lake Michigan at (414) 747-7182 or VHF channel 16.

LNM: 24/22

LAKE MICHIGAN - Kenosha

From 15 July 2024 to 31 Aug 2024 Great Lakes Dock and Material will be conducting breakwater repair in Kenosha Harbor. Hours of operation are 24 hours a day 7 days a week. Vessels onscene can be contacted on VHF channels 16 and 18. All mariners are requested to transit the area with caution.

LNM: 28/24

Lake Michigan - Milwaukee River

From 5 Aug 2024 to 5 Nov 2024 Coleman Engineering will be conducting sediment sampling and borings in the Milwaukee River from North Ave Dam south confluence, Menominee River east to confluence, KK River from W. Becher St east and North to confluence, and Inner/Outer Harbor. Hours of operation are from 0700 to 1800 Monday thru Friday. All mariners are requested to transit the area with caution.

LNM: 31/24

LAKE SUPERIOR - Whitefish Point

From 19 July 2024 to 5 Aug 2024 Viking Marine Construction will be dredging in Whitefish Point Harbor. Hours of operation are24 hours a day 7 days a week. Please contact the dredge operator on station 78 if necessary. The pipeline route will be from the outer harbor running to the south side beach. There will be approximately 4,500' of pipeline. The pipeline will be marked every 500' with bright orange buoys. The disposal site will consist of a raised piece of plastic pipe placed on a yellow pontoon tank. The pontoon tank will have 4 orange flashing lights during night operations. We encourage ALL boaters to stay at least 250' away from the yellow disposal pontoon. Please do not go near the pontoon.

LNM: 30/24

LAKE SUPERIOR - Little Lake Harbor - Chart 14961

Shoaling has been reported in the entrance of Little Lake Harbor exceeding 5 feet above low water datum near the channel edges. Some cross sections of the channel are shoaled nearly the full width to 2 feet or more above low datum. The harbor should not be considered as a functional harbor or refuge. All mariners are requested to transit the area with caution.

LNM: 47/22

Lake Superior - Marquette MI

Shoaling has been reported at the south pier of the LS&I Iron Ore facility in Marquette MI. The actual water depth is currently significantly below the charted water depth. All mariners are requested to use caution when transiting the area.

LNM: 31/24

LAKE SUPERIOR - Munising

The US Geological Survey and Monterey Bay Aquarium Research Institute will be conducting a joint science operation in southern Lake Superior 1 – 12 August 2024 utilizing a long-range autonomous underwater vehicle. The vehicle is orange and yellow and approximately 10 feet long with reflective tape on the hull and a red mast light. The area will encompass southern Lake Superior with focus area north of Munising in the vicinity of Pictured Rocks National Lake Shore to east of Grand Island. Vessels are requested to transit the area with caution and remain 200 m from the research equipment if spotted. Questions can be directed to Peter Esselman, phone: 734-546-5698, email: pesselman@usgs.gov.

LNM: 31/24

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
12915	Lime Island Safe Water V- AIS	46-04-21.896N 084-00-59.236W					Vessels are required to leave buoy to port when passing. AIS MMSI: 993686001	31/24
14567	UCSD CDIP - 268 Weather Wave Buoy 1	46-58-21.720N 086-34-05.500W	* FI Y 5s		*		Maintained from May.1 to Nov.30. Private Aid.	31/24

* *

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
18396	Frankfort Harbor Buoy 1	44-37-47.477N 086-14-28.844W				Green Can	Maintained from 14 May to 14 Oct.	31/24
						*	*	
18397	Frankfort Harbor Buoy 2	44-37-44.991N 086-14-28.777W				Red Can	Maintained from 14 May to 14 Oct.	31/24
						*	*	
18398	Frankfort Harbor Buoy 3	44-37-48.323N 086-14-24.383W				Green Can	Maintained from 14 May to 14 Oct.	31/24
						*	*	
18399	Frankfort Harbor Buoy 4	44-37-45.055N 086-14-24.677W				Red Can	Maintained from 14 May to 14 Oct.	31/24
						*	*	
								31/24

N/A		LNM:	19/19
N/A	(4) LNM Section IV - Chart Corrections		
	(5) LNM Section V - Advance Notices	LNM:	19/19
N/A		LNM:	19/19
N/A	(6) LNM Section VI - Proposed Changes		
.,,		LNM:	19/19
1-Marine E	(7) LNM Section VII - General		
	Vinth District Bridge Maintenance/Activities		
3-Waterwa	y Analysis and Management System Survey	LNM:	19/19
	(8) LNM Section VIII - Light List Corrections		
N/A		LNM:	19/19

J. P. Hickey, RADM U. S. Coast Guard Commander, Ninth Coast Guard District

GREAT LAKES, CONNECTING CHANNELS AND ST. LAWRENCE RIVER WATER LEVELS AND DEPTHS

Expected water levels on the Great Lakes, Connecting Channels and the St. Lawrence River are given in inches above (+,0) or below (-,0) Low-Water Datum (LWD,0). LWD is a plane of reference on a navigation chart, also known as Chart Datum. LWD elevations shown below are given in International Great Lakes Datum, 1985 (IGLD 1985,0).

	Forecast Low Water							
	Point	Datum	Current	Week 1	Week 2	Week 3	Week 4	
	1 Ollit	IGLD 1985	26-Jul	2-Aug	9-Aug	16-Aug	23-Aug	
GREAT LAKES								
Lake Ontario		243.3	34	32	32	30	29	
Lake Erie		569.2	44	43	42	40	39	
Lake St. Clair		572.3	43	42	41	39	38	
Lake Michigan-Huron		577.5	28	27	27	27	27	
Lake Superior		601.1	12	12	12	12	12	
ST. LAWRENCE RIVER								
Above Long Sault Dam	0	237.9	34	34	35	34	34	
Above Iroquois Dam	1	240.3	27	27	27	26	25	
Ogdensburg	2	242.4	29	28	28	27	25	
Alexandria Bay	2.1	243.0	32	31	30	29	28	
Head of river at Cape Vincent	3	243.3	34	32	32	30	29	
DETROIT RIVER								
Lake Erie at Pelee Passage	4	569.2	44	43	42	40	39	
Mouth of River at Gibraltar	5	569.5	45	43	42	41	39	
Fort Wayne	5.1	571.1	47	46	45	43	42	
Head of River above Belle Isle	6	572.0	44	43	42	40	39	
ST. CLAIR RIVER								
Mouth of River at St. Clair Flats	7	572.3	43	42	41	39	38	
Algonac	8	572.8	45	44	43	42	41	
St. Clair	9	574.4	39	38	38	37	37	
Blue Water Bridge	10	576.2	35	35	34	34	33	
Head of River at Fort Gratiot	11	577.2	30	30	30	29	29	
Lake Huron Approach Channel	12	577.5	28	27	27	27	27	
ST. MARYS RIVER								
Mouth of River at Detour	13	577.5	28	27	27	27	27	
West and Middle Neebish	14	577.8	25	25	25	24	24	
Head of Little Rapids	15	578.4	24	24	24	23	23	
U.S. Slip	16	578.7	23	23	23	22	22	
Above Locks	17	600.4	14	14	14	14	14	
Head of River at Point Iroquois	18	601.1	12	12	12	12	12	

UNDERSTANDING THE FORECAST

Available water depth is determined for a location by adding (if+) or subtracting (if-) the amount from the above table to the appropriate channel depth shown in the profile Connecting Channel Depths Graphic or to water depths shown on National Oceanic and Atmospheric Administration (NOAA) navigational charts.

CAUTION

Depths so determined are representative of a still water surface elevation, disturbed by neither wind nor other causes. Depths, however, may be reduced or increased as much as several feet for short periods due to these disturbances, or when sections of channels develop shoals. Vessel masters should refer to "Local Notice to Mariners" for extent of shoaling and scattered bedrock projections in all channels. Ice conditions can have a dramatic impact on actual channel depth and can lead to large short-term water level fluctuations. Ice information can be found at the National Ice Center's website.

FOR FURTHER INFORMATION CONTACT:	FOR MORE INFORMATION VISIT:	WATER LEVEL INFORMATION SUPPLIED BY:
Detroit District Corps of Engineers	Detroit District Great Lakes Homepage	NOAA, National Ocean Service
477 Michigan Avenue	International Joint Commission	SSMC4, STATION 7523
Detroit MI, 48226	Great Lakes Information Network	1305 East-West Hwy
1-888-694-8318 ex. 1	NOAA Tides and Currents	Silver Spring, MD 20910-3233
email: hhpm@usace.army.mil	U.S. Coast Guard - District 9	(301) 713-2902

GREAT LAKES-MARINE EVENT-SAFETY ZONES-SECURITY ZONES

Events listed below are those events that may have accompanying special local regulations.

Location	Name of Event	Date / Time	POC	Tel #	
Morristown, NY.	Brockville Yacht Club	15 May - 15 Oct	1730-2030	Jason VanBlitterswyk	613-342-4155
Henderson Harbor	Christmas in July Regatta	7/27/2024	1600-2200	Gail Smith	480-296-3357
LAKE ONTARIO					
Sodus Bay, NY	Breakwater Barrier Construction Project outside Sodo	น: 1 Aug- 31 Oct	0700-2000	Glen Roet	315-564-6784
Rochester, NY	Don Van Vechten Sunfish Regatta	3-Aug-24	1000-1500	William Dexter	585-461-2422
Rochester, NY	Brown Jug Afternoon Race	2-3 Sep	1200-1530	William Dexter	585-461-2422
Rochester, NY	Thistle Sailboat Fall Frontier Regatta	7-8 Sep	1100-1400	William Dexter	585-461-2422
Rochester, NY	RYC 2024 High School Sailing Program	13 Mar-10 Nov	various	Peter Mendick	585-342-5511
Rochester, NY	RYC Jr Sail Instruction	19 Jun- 12 Aug	0900-1600	Peter Mendick	585-342-5511
Rochester, NY	Lake Ontario Yacht Racing Association LYRA Regatta	29 Jul-4 Aug	various	Peter Mendick	585-342-5511
Rochester, NY	Junior Olympics	9-11 Aug	various	Peter Mendick	585-342-5511
Rochester, NY	Hospice Regatta	16-17 Aug	various	Peter Mendick	585-342-5511
Rochester, NY	Lambert Lai Regatta	23-25 Aug	various	Peter Mendick	585-342-5511
Rochester, NY	Genesee Yacht Club Tuesday Night Racing	21 May - 17 Sep	1730-2000	Kenny Fourspring	814-746-2183
Rochester, NY	Genesee Yacht Club Saturday Morning Racing	25 May - 5 Oct	1000-1300	Kenny Fourspring	814-746-2183
Rochester, NY	Genesee Yacht Club Scotch Bonnet Light Race	23-24 Aug	1700-1700	Kenny Fourspring	814-746-2183
Rochester, NY	RYC 2024 One Design and Offshore Racing Series	14 May - 14 Oct	various	Peter Mendick	585-342-5511
Niagara Falls, NY	Red Bull Niagara Swoop	04SEP24-07SEP24	0000-1830	Joe Kazar	518-859-6946
Rochester, NY	Head of Genessee Regatta	12OCT24-16OCT24	0600-1800	Liana Spencer	585-967-8683
LAKE ERIE					
Erie, PA	Night Light House Race	16-Aug-24	2000-0300	Sharon Dale	814-724-9968
Buffalo, NY	China Light Series (Tuesday Night Series), Buffalo Har	b 21 May - 3 Sep	1810-2130	Laura Redding	716-574-0540
Buffalo, NY	Wednesday Night Series, Buffalo Harbor Sailing Club	R 22 May - 4 Sep	1810-2130	Laura Redding	716-574-0540
Buffalo, NY	Double Hand Series, Buffalo Harbor Sailing Club Race	§ 25 Jul- 15 Aug	1810-2130	Laura Redding	716-574-0540
Buffalo, NY	Last Chance Regatta, Buffalo Harbor Sailing Club Race	e 11-Sep-24	1030-1430	Laura Redding	716-574-0540
Buffalo, NY	Die Hard Series, Buffalo Harbor Sailing Club Race Sea	sı 11 Sep -25 Sep	1810-2130	Laura Redding	716-574-0 <u>540</u>
Buffalo, NY	Head of the Niagara	13-Oct-24	0700-1400	Ian Suchan	716-604-5156
Cleveland, OH	28th Annual Head of the Cuyahoga Regatta	21-Sep-24	0500-1700	Jen Forbes	(216)308-4183
Madison Township,	C Madison Township Light Up The Park	10-Aug	2130-2200	John Cross	(330)650-1776

Erie, PA Erie, PA Sandusky Fairport Harbor Cleveland, OH LAKE ST. CLAIR	Erie Yacht Club Open Regatta Night Light House Race Sandusky Library Sky Elements Drone Show Boat Parade Blazing Paddles Paddlefest 2024 /St. Clair River	03AUG24-04AUG24 16AUG24-17AUG24 7/24/2024 8/3/2024 15 September 2024	1000-1800 2000-0300 2130-2145 1200-1500 10:00 a.m 3:00 p.m.	Sharon Dale Sharon Dale USCG USCG James Ridge	814-724-9968 814-724-9968 313-568-9560. 216-937-6007 216-496-3763
LAKE MICHIGAL		9/2/2024	045nm 1030nm	Drad Daviak	646 400 2220
Grand Haven, MI Grand Haven, MI	Coast Guard Festival Drone Show Coast Guard Festival Fireworks	8/2/2024 8/3/2024	945pm - 1030pm 9pm - 11pm	Brad Boyink Brad Boyink	616-402-3330 616-402-3330
Sheboygan, WI	Coho Derby Fireworks	8/3/2024	9pm - 9:30pm	Jon McGrath	262-993-4585
Sheboygan, WI	Sheboygan MidWest Challenge	09AUG24 - 11AUG24	8am - 6pm	Michelle Petro	352-572-8686
Racine, WI	Great Lakes Watercross - Racine	09AUG24 - 11AUG24	7am - 6pm	Brad Bohat	262-496-8549
Muskegon, MI	Wings over Muskegon	09AUG24 - 11AUG24	5am-5pm	Kenneth Efting	801-698-8187

LAKE SUPERIOR

N/A



INTEROFFICE COMMUNICATION

24 July 2024

TO: Natural resource agency personnel and mariners operating on Lake Superior


FROM: Shawn P. Sitar, Science Officer, RV Lake Char, Marquette Fisheries Research

Station

SUBJECT: updated RV Lake Char operations in Lake Superior 24 July-30 August

This is a note to inform you that we have updated our deepwater and summer lake trout gill net surveys aboard the Research Vessel *Lake Char* in Lake Superior from 24 July to 30 August (see attached updated schedule).


We will be setting bottom set gill nets that are 1,500-3,000 ft long, extend about 6 feet from the bottom and are set overnight. Our deepwater sampling stations will be at all depths from about 100 ft to 1,320 ft between Shot Point (Marquette) to the Munising Area and will be within a few miles from shore to 30 miles offshore. Our summer survey will be within a few miles of shore at depths between 90 and 250 ft. Our nets are marked with black and orange flagged staff buoys that are labeled with our agency identification.



We will be conducting our surveys in the following areas of Lake Superior: Deepwater survey: between Shot Pt (Marquette) and Munising Bay/Pictured Rocks area. Summer Survey: west of Keweenaw Peninsula from Black River Harbor to Copper Harbor; outer Keweenaw Bay from Bete Grise to the Huron Islands; Big Bay; Marquette; Au Train, Munising, and Grand Marais.

Attached is the cruise schedule, map, and sampling station coordinates for the lake trout survey. Note that weather conditions may delay the sampling dates. Please provide copies of this cruise schedule to all pertinent personnel. Please note that we can be reached via MIDNR 800 MHz Radios on our primary radio channel on Zone B, FIMARQT, or via marine radio channel 16. Our radio call sign is *RV Lake Char*. We can also be reached on the vessel via cell phone number 906-458-6925.

If you have any questions regarding our sampling schedule, please feel free to contact me by email at sitars@michigan.gov or by cell phone at (906)-235-1581. Thank you for your cooperation.



RV Lake Char Deepwater and Summer Survey sampling stations July-August 2024.

2024 Deepwater lake trout survey schedule for RV Lake Char, Marquette Fisheries Research Station (MFRS), Michigan Department of Natural Resources.

Dates	uI	Column2	Station_no	site	latitude	longitude
07/24	-	07/25/2024	644	FAT 6-8	46 ⁰ 45" N	86 ^o 33.7" W
07/24	1	07/25/2024	643	FAT 6-7	46 ⁰ 42.6" N	86 ^o 40.5" W
07/25	-	07/26/2024	645	FAT 6-9	46 ⁰ 46.6" N	86 ^o 34.7" W

2024 Summer lake trout survey schedule for RV Lake Char, Marquette Fisheries Research Station (MFRS), Michigan Department of Natural Resources.

Dates	ur	С	Station_no	site	latitude	longitude
08/05		08/06/2024	530	Garlic Island	46°42.32"N	87°28.27"W
08/05	-	08/06/2024	540	Granite Point (Pinnacle)	46°39.21"N	87°20.95"W
08/06		08/07/2024	510	Big Bay Point	46°53.09"N	87°43.03"W
08/06	-	08/07/2024	485	Huron Islands (graded mesh)	46°57.63"N	87°57.17"W
08/06		08/07/2024	473	Point Abbaye (out)(graded mes	47°00.50"N	88°03.86"W
08/07	-	08/08/2024	445	Halberg's Reef	47°02.91"N	88°13.03"W
08/07		08/08/2024	447	Traverse Point	47°08.02"N	88°13.18"W
08/07	-	08/08/2024	450	Traverse Island (south)	47°03.60"N	88°15.03"W
08/12		08/13/2024	300	Fourteen Mile Point (in)	47°00.38"N	89°09.40"W
08/12	-	08/13/2024	301	Fourteen Mile Point (out)	47°00.80"N	89°10.65"W
08/13	1	08/14/2024	220	Black River Harbor (out)	46°43.00"N	90°02.77"W
08/13	1	08/14/2024	221	Black River Harbor (in)	46°41.90"N	90°01.98"W
08/13	1	08/14/2024	240	Porcupine Mountains	46°49.85"N	89°47.82"W
08/14	-	08/15/2024	270	Ontonagon (out)	46°55.75"N	89°22.57"W
08/14	1	08/15/2024	271	Ontonagon (in)	46°54.63"N	89°21.50"W
08/15	-	08/16/2024	320	Freda (out) (graded mesh)	47°09.53"N	88°52.25"W
08/15	1	08/16/2024	321	Freda (in) (graded mesh)	47°09.00"N	88°51.00"W
08/15	-	08/16/2024	350	Hills Creek	47°21.05"N	88°28.62"W
08/19	1	08/20/2024	360	Great Sand Bay	47°27.10"N	88°15.00"W
08/19	-	08/22/2020	370	Copper Harbor	47°29.00"N	87°52.93"W
08/20	1	08/21/2024	410	Keystone Bay	47°23.26"N	87°42.93"W
08/20	-	08/21/2024	415	Point Isabelle (South Point)	47°20.39"N	87°53.93"W
08/21	-	08/22/2024	580	Laughing Fish Point	46°34.19"N	87°04.39"W
08/26	1	08/27/2024	650	Trout Point A	46°32.00"N	86°35.57"W
08/26	1	08/27/2024	630	Wood Island (graded mesh)	46°31.76"N	86°44.32"W
08/27	1	08/28/2024	670	Grand Portal Point (in)	46°33.88"N	86°28.32"W
08/27	-	08/28/2024	671	Grand Portal Point (out)	46°37.96"N	86°28.22"W
08/28	-	08/29/2024	712	Au Sable Point	46°43.02"N	86°07.04"W
08/28	-	08/29/2024	733	Perry's Landing (graded mesh)	46°44.58"N	85°51.26"W

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 165

[Docket Number USCG-2024-0222] RIN 1625-AA00

Safety Zone; 2024 Duluth Air Spectacular, Lake Superior, Duluth, MN

AGENCY: Coast Guard, DHS. **ACTION:** Temporary final rule.

summary: The Coast Guard is establishing a temporary safety zone for certain waters of the Lake Superior. This action is necessary to provide for the safety of life on these navigable waters near Canal Park in Duluth, MN during an air show on July 31, 2024. This rule prohibits persons and vessels from being in the safety zone unless authorized by the Captain of the Port Marine Safety Unit Duluth or a designated representative.

DATES: This rule is effective from 12 p.m. through 9 p.m. on July 31, 2024.

ADDRESSES: To view documents mentioned in this preamble as being available in the docket, go to https://www.regulations.gov, type USCG-2024-0222 in the search box and click "Search." Next, in the Document Type column, select "Supporting & Related Material."

FOR FURTHER INFORMATION CONTACT: If you have questions about this rule, call or email Chief Petty Officer Kyle Weitzell, Marine Safety Unit Duluth, Waterways Management Division, U.S. Coast Guard; telephone 218–725–3821, email Kyle.W.Weitzell@uscg.mil.

SUPPLEMENTARY INFORMATION:

I. Table of Abbreviations

CFR Code of Federal Regulations
DHS Department of Homeland Security
FR Federal Register
NPRM Notice of proposed rulemaking
§ Section
U.S.C. United States Code

II. Background Information and Regulatory History

On October 10, 2023, the Coast Guard was notified of an air show that will take place over the waters of Lake Superior near Canal Park in Duluth, MN from 3 p.m. through 6 p.m. on July 31, 2024. During this air show, planes will be flying low over the water within the boundary of a zone marked by buoys and small boat on scene. Hazards from this air show include low flying aircraft and jet exhaust produced by the engines

and distraction to the pilots if general boating traffic where to be present within this area. The Captain of the Port Marine Safety Unit Duluth (COTP) has determined that potential hazards associated with the air show at this location would be a safety concern for anyone within an area defined by the following positions, beginning at N 46°47′34.81″, W 092°03′46.70″, then proceeding southwest to N 46°46′52.73″, $\stackrel{\bullet}{W}$ 092°05'05.47", then proceeding southwest to N 46°46′48.00", W $092^{\circ}05'28.02''$, the following the shoreline northward to N 46°48'1.98", W $092^{\circ}04'16.02''$, and then returning to the starting point. In response, on May 7, 2024, the Coast Guard published a notice of proposed rulemaking (NPRM) titled Safety Zone; 2024 Duluth Air Spectacular, Lake Superior, Duluth, MN 89 FR 38854). There we stated why we issued the NPRM and invited comments on our proposed regulatory action related to this fireworks display. During the comment period that ended June 8, 2024, we received no comments.

III. Legal Authority and Need for Rule

The Coast Guard is issuing this rule under authority in 46 U.S.C. 70034. The COTP Marine Safety Unit Duluth has determined that potential hazards associated with the air show at this location would be a safety concern for anyone within an area defined by the following positions, beginning at N 46°47′34.81″, W 092°03′46.70″, then proceeding southwest to N 46°46′52.73″, $\stackrel{\cdot}{W}$ 092°05′05.47″, then proceeding southwest to N 46°46'48.00", W 092°05′28.02″, the following the shoreline northward to N 46°48'1.98", W 092°04′16.02″, and then returning to the starting point and is establishing a safety zone for this area on July 31, 2024 from 12 p.m. through 9 p.m. The purpose of this rule is to ensure safety of vessels and the navigable waters in the safety zone before, during, and after the scheduled event.

IV. Discussion of Comments, Changes, and the Rule

As noted above, we received no comments on our NPRM published May 7, 2024. There are no changes in the regulatory text of this rule from the proposed rule in the NPRM.

This rule establishes a safety zone from 12 p.m. through 9 p.m. on July 31, 2023. The safety zone will cover all navigable waters of Lake Superior near Canal Park in Duluth, MN within an area defined by the following positions, beginning at N 46°47′34.81″, W 092°03′46.70″, then proceeding southwest to N 46°46′52.73″, W 092°05′05.47″, then proceeding

southwest to N 46°46′48.00″, W 092°05′28.02″, the following the shoreline northward to N 46°48′1.98″, W 092°04′16.02″, and then returning to the starting point. The duration of the zone is intended to ensure the safety of vessels and these navigable waters before, during, and after the scheduled air show to begin sometime between 3 p.m. through 6 p.m., depending on weather conditions. No vessel or person will be permitted to enter the safety zone without obtaining permission from the COTP or a designated representative.

V. Regulatory Analyses

We developed this rule after considering numerous statutes and Executive orders related to rulemaking. Below we summarize our analyses based on a number of these statutes and Executive orders, and we discuss First Amendment rights of protestors.

A. Regulatory Planning and Review

Executive Orders 12866 and 13563 direct agencies to assess the costs and benefits of available regulatory alternatives and, if regulation is necessary, to select regulatory approaches that maximize net benefits. This rule has not been designated a "significant regulatory action," under section 3(f) of Executive Order 12866, as amended by Executive Order 14094 (Modernizing Regulatory Review). Accordingly, this rule has not been reviewed by the Office of Management and Budget (OMB).

This regulatory action determination is based the short duration and small size of the safety zone as well as the ability for most boats to transit between the Duluth Shipping Canal and Lake Superior without entering the zone.

B. Impact on Small Entities

The Regulatory Flexibility Act of 1980, 5 U.S.C. 601-612, as amended. requires Federal agencies to consider the potential impact of regulations on small entities during rulemaking. The term "small entities" comprises small businesses, not-for-profit organizations that are independently owned and operated and are not dominant in their fields, and governmental jurisdictions with populations of less than 50,000. The Coast Guard received no comments from the Small Business Administration on this rulemaking. The Coast Guard certifies under 5 U.S.C. 605(b) that this rule will not have a significant economic impact on a substantial number of small entities.

While some owners or operators of vessels intending to transit the safety zone may be small entities, for the reasons stated in section V.A above, this rule will not have a significant economic impact on any vessel owner or operator.

Under section 213(a) of the Small Business Regulatory Enforcement Fairness Act of 1996 (Pub. L. 104–121), we want to assist small entities in understanding this rule. If the rule would affect your small business, organization, or governmental jurisdiction and you have questions concerning its provisions or options for compliance, please call or email the person listed in the FOR FURTHER INFORMATION CONTACT section.

Small businesses may send comments on the actions of Federal employees who enforce, or otherwise determine compliance with, Federal regulations to the Small Business and Agriculture Regulatory Enforcement Ombudsman and the Regional Small Business Regulatory Fairness Boards. The Ombudsman evaluates these actions annually and rates each agency's responsiveness to small business. If you wish to comment on actions by employees of the Coast Guard, call 1-888-REG-FAIR (1-888-734-3247). The Coast Guard will not retaliate against small entities that question or complain about this rule or any policy or action of the Coast Guard.

C. Collection of Information

This rule will not call for a new collection of information under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501–3520).

D. Federalism and Indian Tribal Governments

A rule has implications for federalism under Executive Order 13132, Federalism, if it has a substantial direct effect on the States, on the relationship between the National Government and the States, or on the distribution of power and responsibilities among the various levels of government. We have analyzed this rule under that Order and have determined that it is consistent with the fundamental federalism principles and preemption requirements described in Executive Order 13132.

Also, this rule does not have tribal implications under Executive Order 13175, Consultation and Coordination with Indian Tribal Governments, because it does not have a substantial direct effect on one or more Indian tribes, on the relationship between the Federal Government and Indian tribes, or on the distribution of power and responsibilities between the Federal Government and Indian tribes.

E. Unfunded Mandates Reform Act

The Unfunded Mandates Reform Act of 1995 (2 U.S.C. 1531–1538) requires Federal agencies to assess the effects of their discretionary regulatory actions. In particular, the Act addresses actions that may result in the expenditure by a State, local, or tribal government, in the aggregate, or by the private sector of \$100,000,000 (adjusted for inflation) or more in any one year. Though this rule will not result in such an expenditure, we do discuss the effects of this rule elsewhere in this preamble.

F. Environment

We have analyzed this rule under Department of Homeland Security Directive 023-01, Rev. 1, associated implementing instructions, and **Environmental Planning COMDTINST** 5090.1 (series), which guide the Coast Guard in complying with the National Environmental Policy Act of 1969(42 U.S.C. 4321-4370f), and have determined that this action is one of a category of actions that do not individually or cumulatively have a significant effect on the human environment. This rule involves a safety zone lasting not more than 9 hours that would prohibit entry within an area under the flight path of aircraft participating in an air show. It is categorically excluded from further review under paragraph L60(a) of Appendix A, Table 1 of DHS Instruction Manual 023-01-001-01, Rev. 1. A Record of Environmental Consideration supporting this determination is available in the docket. For instructions on locating the docket, see the **ADDRESSES** section of this preamble.

G. Protest Activities

The Coast Guard respects the First Amendment rights of protesters. Protesters are asked to call or email the person listed in the FOR FURTHER INFORMATION CONTACT section to coordinate protest activities so that your message can be received without jeopardizing the safety or security of people, places or vessels.

List of Subjects in 33 CFR Part 165

Harbors, Marine safety, Navigation (water), Reporting and recordkeeping requirements, Security measures, Waterways.

For the reasons discussed in the preamble, the Coast Guard amends 33 CFR part 165 as follows:

PART 165—REGULATED NAVIGATION AREAS AND LIMITED ACCESS AREAS

■ 1. The authority citation for part 165 continues to read as follows:

- **Authority:** 46 U.S.C. 70034, 70051, 70124; 33 CFR 1.05–1, 6.04–1, 6.04–6, and 160.5; Department of Homeland Security Delegation No. 00170.1, Revision No. 01.3.
- 2. Add § 165.T09–0222 to read as follows:

§ 165.T09-0222 Safety Zone; 2024 Duluth Air Spectacular, Lake Superior, Duluth, MN.

- (a) Location. The following area is a safety zone: All navigable waters of Lake Superior within an area defined by the following positions, beginning at N 46°47′34.81″, W 092°03′46.70″, then proceeding southwest to N 46°46′52.73″, W 092°05′05.47″, then proceeding southwest to N 46°46′48.00″, W 092°05′28.02″, the following the shoreline northward to N 46°48′1.98″, W 092°04′16.02″, and then returning to the starting point near Canal Park in Duluth, MN.
- (b) Enforcement period. July 31, 2024, from 12 p.m. through 9 p.m. The specific time frame for waterway closure will be announced via Broadcast Notice to Mariners.
- (c) *Definitions*. The following definitions apply to this section:
- (1) On-scene representative means any Coast Guard commissioned, warrant, or petty officer designated by the Captain of the Port Duluth to monitor a safety zone, permit entry into the zone, give legally enforceable orders to persons or vessels within the zones, and take other actions authorized by the Captain of the Port.
- (2) Public vessel means vessels owned, chartered, or operated by the United States, or by a State or political subdivision thereof.
- (d) Regulations. (1) In accordance with the general regulations in § 165.23 of this part, entry into, transiting, or anchoring within this safety zone identified in paragraph (a) of this section is prohibited unless authorized by the Captain of the Port Duluth or his designated on-scene representative.
- (2) The safety zone identified in paragraph (a) of this section is closed to all vessel traffic, except as may be permitted by the Captain of the Port Duluth or his designated on-scene representative.
- (3) Vessel operators desiring to enter or operate within the safety zone must contact the Captain of the Port Duluth or his on-scene representative to obtain permission to do so. The Captain of the Port Duluth or his on-scene representative may be contacted via VHF Channel 16. Vessel operators given permission to enter or operate in the safety zone must comply with all directions given to them by the Captain of the Port Duluth, or his on-scene representative.

(e) Exemption. Public vessels, as defined in paragraph (c) of this section, are exempt from the requirements in this section.

(f) Waiver. For any vessel, the Captain of the Port Duluth or his designated representative may waive any of the requirements of this section, upon finding that operational conditions or other circumstances are such that application of this section is unnecessary or impractical for the purposes of public or environmental safety.

Dated: June 20, 2024.

John P. Botti,

Commander, U.S. Coast Guard, Captain of the Port, Marine Safety Unit Duluth.

[FR Doc. 2024-13973 Filed 6-26-24; 8:45 am]

BILLING CODE 9110-04-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 165

[Docket No. USCG-2024-0458]

Safety Zone; Annual Fireworks
Displays and Other Events in the Eight
Coast Guard District Requiring Safety
Zones—Go 4th New Orleans
Independence Day Celebration

AGENCY: Coast Guard, DHS. **ACTION:** Notification of enforcement of regulation.

SUMMARY: The Coast Guard will enforce a safety zone for the Go 4th New Orleans Independence Day Celebration fireworks display located on the navigable waters of the Lower Mississippi River. This action is necessary to provide for the safety of life on these navigable waterways during this event. During the enforcement periods, entry into this safety zone is prohibited unless authorized by the Captain of the Port or a designated representative.

DATES: The regulations in 33 CFR 165.801, will be enforced for the location identified in item 3 of table 5 to § 165.801, from 8:30 p.m. through 9:30 p.m. on July 4, 2024.

FOR FURTHER INFORMATION CONTACT: If you have questions about this notification of enforcement, call or email Lieutenant Commander Xiaobin Tuo, Sector New Orleans, U.S. Coast Guard; telephone 504–269–7251, email Xiaobin.Tuo@uscg.mil.

SUPPLEMENTARY INFORMATION: The Coast Guard will enforce a safety zone in 33 CFR 165.801, table 5 to § 165.801, item

3 for the Go 4th New Orleans Independence Day Celebration fireworks display event. This safety zone will be enforced from 8:30 p.m. through 9:30 p.m. on July 4, 2024. This action is being taken to provide for the safety of life on these navigable waterways during this event. Our regulation for annual fireworks displays and other events in the Sector New Orleans Annual and Recurring Safety Zones in § 165.801, table 5 to § 165.801, item 3, specifies the location of the regulated area on the Lower Mississippi River, between mile marker (MM) 94.3 and MM 95.3. During the enforcement period, as reflected in § 165.801(a), entry into this safety zone is prohibited unless authorized by the Captain of the Port or a designated representative.

In addition to this notification of enforcement in the **Federal Register**, the Coast Guard plans to provide notification of this enforcement period via a Marine Safety Information Bulletin and/or Broadcast Notice to Mariners.

Dated: June 20, 2024.

G.A. Callaghan,

Captain, U.S. Coast Guard, Captain of the Port Sector New Orleans.

[FR Doc. 2024–14034 Filed 6–26–24; 8:45 am]

BILLING CODE 9110-04-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Parts 61 and 63

[EPA-R04-OAR-2024-0141; FRL-11846-01-R4]

Tennessee; National Emission Standards for Hazardous Air Pollutants; National Emission Standards for Hazardous Air Pollutants for Source Categories; Supplemental Delegations of Authority

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notification of supplemental delegations of authority.

SUMMARY: On March 9, 2023, the Tennessee Department of Environment and Conservation's (TDEC or State) Division of Air Pollution Control (TDEC–APC) requested to update the method of delegations and continue the delegations of authority to implement and enforce National Emission Standards for Hazardous Air Pollutants (NESHAPs), and NESHAPs for Source Categories.

DATES: June 27, 2024.

ADDRESSES: Copies of the request to change the delegation mechanism for NESHAP from "case-by-case" to "adopt-

by-reference" and NESHAP for Source Categories from "automatic" to "adoptby-references" are available for public inspection during normal business hours at the following locations:

Environmental Protection Agency, Region 4, Air and Radiation Division, Air Analysis and Support Branch, 61 Forsyth Street SW, Atlanta, Georgia 30303.

Tennessee Department of Environment and Conservation, Divisions of Air Pollution Control, William R. Snodgrass Tennessee Tower, 312 Rosa L. Parks Avenue, 15th Floor, Nashville, Tennessee 37243.

Effective February 26, 2024, all requests, applications, reports, and other correspondence required by any NESHAP and NESHAP for Source Categories should continue to be submitted to the following address: Tennessee Department of Environment and Conservation, Divisions of Air Pollution Control, William R. Snodgrass Tennessee Tower, 312 Rosa L. Parks Avenue, 15th Floor, Nashville, Tennessee 37243.

Although the EPA is not accepting comments regarding this notification, Docket ID No. EPA-R04-OAR-2024-0141 at https://www.regulations.gov contains relevant information related to this information notification.

FOR FURTHER INFORMATION CONTACT:

Tracy Watson, Stationary Source Team, Regulatory and Communities Air Toxics Section, Air Analysis and Support Branch, Air and Radiation Division, Environmental Protection Agency, Region 4, 61 Forsyth St. SW, Atlanta, Georgia 30303, 404–562–8998. Email: watson.marion@epa.gov.

SUPPLEMENTARY INFORMATION:

I. Background

Section 112(l) of the Clean Air Act (CAA), as amended November 15, 1990, authorizes EPA to delegate authority to implement and enforce the standards set out in 40 CFR parts 61 and 63, NESHAPs. On April 11, 1980, EPA initially delegated the authority to implement and enforce the 40 CFR part 61 NESHAP program to TDEC–APC (46 FR 29330). On July 29, 1996, EPA approved TDEC–APC's use of the EPA's case-by-case and automatic mechanisms for future delegations of authority for 40 CFR parts 61 and part 63 NESHAPs, respectively. See 61 FR 39355.

On March 9, 2023, EPA received a letter from TDEC–APC which requested to update the method of delegations and continue the delegations of authority to implement and enforce Title 40, Code of Federal Regulations, part 61, NESHAPs, and part 63, NESHAPs for Source



2024 GREAT LAKES SINGLEHANDED SOCIETY 46th PORT HURON / 28th CHICAGO TO MACKINAC SOLO CHALLENGE

SAILING INSTRUCTIONS

1. ORGANIZING AUTHORITY

The Great Lakes Singlehanded Society (GLSS) shall be the Organizing Authority of the Challenges.

2. START DATE

The starts of the GLSS Port Huron to Mackinac and Chicago to Mackinac Challenges shall be Saturday, June 22, 2024.

3. RULES

The Challenges shall be governed by the current Racing Rules of Sailing (RRS), the Notice and Conditions of Race and the Sailing Instructions.

4. SKIPPERS

Skippers shall consist of one person who has fulfilled the qualification requirements in the Notice of Race and has been approved by the Great Lakes Singlehanded Society (GLSS) Board of Directors.

5. ELIGIBILITY

- 5.1 The Challenge is open by invitation of the Great Lakes Singlehanded Society to boats in compliance with:
 - (a) The 2024 Notice and Conditions of Race and
 - (b) The 2024 Required Equipment List.
- 5.2 Yachts may optionally fly their national flag of registry and a visiting country courtesy flag if so desired. US Sailing RRS 55 does not apply to the display or signaling of either of these flags for this event.

6. TIME ZONES

- 6.1 All times shown in the Notice of Race and these Sailing instructions involving pre-Race and on-the-water requirements, including the starts, call-ins and finishing times shall be as follows:
 - (a) Competitors in the Challenge(s) originating in Port Huron shall use Eastern Daylight Time (EDT)
 - (b) Competitors in the Challenge(s) originating in Chicago shall use Central Daylight Time. (CDT)
- 6.2 All onshore activities at Mackinac Island shall be expressed in Eastern Daylight Time (EDT)

7. NOTICES TO SKIPPERS

- 7.1 Prior to the start, Notices to Skippers shall be posted on the Official Notice Boards located on Yacht Scoring website https://yachtscoring.com/emenu.cfm?eid=15871 and at:
 - (a.) The Vintage Tayern, 103 Michigan St., Port Huron, MI, during registration on Friday, June 21, 2024
 - (b) The Columbia Yacht Club, 111 N. Lakeshore Drive, Chicago, IL 60601, during registration on Friday, June 21, 2024
- 7.2 After the start, Notices to Skippers shall be posted on the Official Notice Board of the Great Lakes Singlehanded Society Race Committee located at the Mackinac Island Yacht Club.

8. CHANGES IN SAILING INSTRUCTIONS

Changes in the Sailing Instructions after the Skippers' Meeting shall be broadcast by the Race Committee on VHF Channel 72 prior to the start of the Challenge.

9. THE START

- 9.1 A complete description of the starting area shall be provided at the Skippers' Meeting.
- 9.2 Yachts not starting must stay at least 200 yards away from the starting area.
- 9.3 The Starting Sequence signal shall be made in accordance with RRS 26 except that the warning signal will be given 10 minutes before the starting signal. Starting times, starting sequences and division splits shall be provided at the Skippers' Meeting.
- 9.4 All Skippers shall check in with the Race Committee via VHF Channel 72 prior to the start

10. START TIME

- 10.1 The warning signal of the Challenges beginning in Port Huron shall be 9:50 AM (EDT). The start shall be at 10:00 AM (EDT)
- 10.2 The warning signal of the Challenges beginning in Chicago shall be 8:50 AM (CDT). The start shall be at 9:00 AM (CDT)

11. POSTPONEMENT

Skippers shall be notified of a postponement from the Race Committee with the display of the code shape AP



(vertical red and white stripes) accompanied with two sounds

12. RECALLS

12.1 Individual Recalls - Boats on the course side before the start shall be signaled in accordance with RRS 29.1, Flag X (blue cross on white background) with one sound. In addition, the Race Committee shall attempt to notify boats on the course side before the start on VHF Channel 72. Boats failing to return and start properly shall be assessed a 30-minute penalty plus the amount of time started early in lieu of disqualification. Failure to hear a courtesy hail shall not be grounds for redress.



12.2 General Recalls - A general recall for a division shall be made in accordance with RRS 29.3. The Race Committee shall signal a general recall by displaying the first substitute flag (yellow triangle on blue background) and two sounds. The warning signal for a new start for the recalled class shall be made one minute after the first substitute is remove (one sound) and the starts for any succeeding divisions shall follow the new start.



2024 3/7

13 THE STARTING AREA

13.1 Port Huron Challenges: The starting line shall be approximately 1.5 miles North of SARNIA YACHT CLUB at the "M" mark which is located at 43 01.306 N 82 23.598 W. The line shall be between the mark on the west end of the starting line and the Race Committee boat located at the east end of the starting line.

13.2 Chicago Challenges: The starting line shall be east of the south end of the Chicago Harbor outer break wall. The line shall be between a point on the south end of the Chicago Harbor outer break wall and the Race Committee boat located at the east end of the starting line.

14. THE COURSES AND MARKS

14.1 PORT HURON CHALLENGE:

- (a) Start at Port Huron as stated in 13.1 to Finish at Mackinac Island
- (b) Boats shall perform a navigational rounding of the Goderich mark (43 43.3 N and 81 46.2 W) leaving it to port before proceeding on toward Mackinac Island. A full description of the mark shall be provided at the Skipper's meeting
- (c)Skippers shall record in the boat's log and on the Rounding Report, provided at the Skippers Meeting, the following information: the time of the Goderich rounding, the identity and time of rounding of both the boats ahead and astern if known. Boats shall confirm the identity of the boat ahead and astern by **VHF Channel 72** if possible.
- (d) Thunder Bay Island and Bois Blanc Island are marks of the course and shall be left to port.
- (e) Boats shall pass through the Finish Line at Mackinac Island, confirm their time with the Race Committee. The time shall be entered on the Rounding Report.

14.2 CHICAGO CHALLENGE:

- (a) Start at Chicago to Finish at Mackinac Island.
- (b) Boats shall leave Gray's Reef Passage Channel Lighted Buoy 7 (LL No. 17780) to starboard.
- (c) Boats shall leave New Shoal Lighted Bell Buoy 3 (LL No. 17745) to starboard. A full description of the Gray's Reef mark shall be provided at the Skippers' Meeting
- (d) Skippers shall record in the boat's log and on the Rounding Report, provided at the Skippers Meeting, the following information: the time of rounding, the identity and time of rounding of both the boats ahead and astern if known. Boats shall confirm the identity of the boats ahead and astern by **VHF Channel 72** if possible.
- (e) Boats shall pass under one of the three center spans of the Mackinac Bridge
- (f) Boats shall leave South Graham Shoal Buoy (LL No. 12635) to port

15. The Finish

15.1 Finish Line: The finish line shall be between a line, determined by the Race Director, on the window of the Mackinac Island Yacht Club and Round Island Lighted Buoy 3 (LL No. 12575) (45° 50 27.447N 084° 36 31.090W). A diagram of the finish line Mackinac Island shall be provided at the Skippers' Meeting.

15.2 Due to a common finish line, Skippers shall monitor VHF Channel 72 and to be aware of boats finishing from an opposing direction. A Skipper already finished shall **STAY CLEAR** of other boats that have not finished.

15.3 Finishing Procedure:

- (a) Skippers shall notify the Race Committee at Mackinac Island via VHF Channel 72 approximately one hour before the estimated time of finishing the Challenge. After crossing the finish line, the Skippers shall verify their finish with the Race Committee on VHF Channel 72. A boat may be deemed to have not finished without acknowledgement by the Race Committee.
- (b) Skippers shall complete a Finish Report which includes the boat's finishing time and the boat finishing ahead and/or behind, if known.
- (c) During hours of darkness, a boat shall illuminate its sail numbers for identification by the Race Committee.
- 15.4 **Check-in.** Within two (2) hours after finishing the course and Inspection, Skippers must report to the Race Committee headquarters at the Mackinac Island Yacht Club for check in. This includes signing the Skippers' Register, submitting the Radio Log, the Rounding Report and Finish Report. Any delay after the two-hour time limit will be subject to penalty.

16. TIME LIMIT

Any Skipper finishing after 1200 hours, Wednesday, June 26, 2024, shall submit all the required forms and petition for an approval of their finish by the GLSS Board of Directors.

17. INSPECTION

Upon the completion of the Challenge, each Skipper's boat may be subject to an inspection to verify compliance with the Required Equipment rule. A boat failing to comply with this Section 17 may be assessed a time penalty or be disqualified and not listed as an official finisher-

18. PROTESTS AND ALTERNATIVE PENALTIES

- 18.1 A boat protesting another boat shall do so in accordance with RRS 61 within four hours of the finish of the protesting boat. A protest by a boat that has abandoned the Challenge must be received or postmarked within 24 hours of arriving at a harbor of refuge.
- 18.2 Notice of intention to protest shall be given to the Race Committee when checking in. The Skipper of a protesting boat which finishes the Challenge must not leave Mackinac Island without notifying the Race Committee, failing which; the protest may be decided against such Skipper.
- 18.3 Protests should be submitted on a U.S. Sailing Protest Form, which shall be made available at the Race Committee Headquarters on Mackinac Island and is available at https://www.ussailing.org/resource-library/us-sailing-hearing-request-form/
- 18.4 Protests shall be heard as soon as practicable thereafter and the date and time shall be posted on the Official Notice Board at the Mackinac Island Race Headquarters.

18.5 Penalties imposed by the Protest Committee may include disqualification or in lieu thereof, the Protest Committee may penaltize a boat by having its corrected time increased.

19. SCORING

- 19.1 Each boat that completes the Challenge shall be ranked by its corrected time in its division or class.
- 19.2 Corrected times shall be calculated on a time-on-distance basis using a course length of 230 nautical miles for the Port Huron start and 287 nautical miles for the Chicago start.

20. AWARDS

- 20.1 Skippers and their guests are invited to attend the Awards Luncheon to be held at the Mackinac Island Yacht Club at 1200 hours on Wednesday, June 26, 2024.
- 20.2 All Skippers who complete a Challenge within these Sailing Instructions and the Notice of Race shall be awarded a commemorative medallion for each Challenge completed acknowledging this achievement as set forth in the Notice of Race.
- 20.3 Flags shall be distributed as set forth in the Notice of Race.

21. RESPONSIBILITY TO REPORT

- 21.1 Any Skipper observing infractions of the Notice of Race and these Sailing Instructions is expected to report such infractions to the Race Committee.
- 21.2 At the conclusion of the Challenge, Skippers may be required to temporarily surrender their boat's log for inspection by the Race Committee.
- 21.3 A Skipper shall attempt to notify the Race Committee if it is apparent that he/she shall finish later than 1200 hours on Wednesday, June 26, 2024.
- 21.4 Should a Skipper withdraw from the Challenge; it is the responsibility of the Skipper to notify the Race Committee on Mackinac Island at the earliest opportunity. Phone numbers shall be provided at the Skippers' Meeting.
- 21.5 In the event that a Skipper temporarily anchors or lays to for more than 8 hours, the skipper must attempt to notify the Race Committee or another Skipper by VHF or telephone.
- **21.6 Mandatory Radio Log and Call-in** Skippers shall attempt to make radio contact with other Skippers on VHF Channel 72 every 6 hours after the start of the challenge. Skippers missing a call-in shall be subject to penalty. Channel 72 is to be monitored for 30 minutes at the appropriate times. Radio contact with other Skippers is to be logged noting time, position, and other pertinent information. A form for this Radio Log shall be provided at the Skippers' meeting. Skippers shall turn in the log to the Race Committee on Mackinac Island within two (2) hours of finishing the Challenge and clearing docking. Skippers shall maintain a boat's log noting position and conditions with entries recommended at least every 3 hours.

22. SPECIAL AIDS

- 22.1 The use of electronic navigational aids (i.e., GPS, Radar, and LORAN) is permissible.
- 22.2 The use of powered winches and powered winch drivers is permitted.

23. OUTSIDE ASSISTANCE

- 23.1The RRS 41 shall apply and include the following:
- 23.2 A boat may anchor or tie to a dock.
- 23.3 During the Challenge including when a boat is anchored or moored, the following is specifically PROHIBITED:
 - (a) Any prearranged transmissions for the advantage of the individual Skippers.
 - (b) Communications with non-participants for the purpose of a position fix.
 - (c) Outside physical assistance, an example of which is to free a grounded boat.
 - (d) Materials, equipment or supplies of any sort shall not be taken aboard the boat.
 - (e) No materials shall leave the boat except that accidentally fall overboard or are supplied to others in distress.
- 23.4 Should a Skipper feel that it is necessary to **temporarily** pull out of the Challenge, he/she shall continue to be as self-sufficient as they if still on the course and remain on the boat except to attend to docking. The skipper is **REQUIRED** to notify the race committee of his/her withdrawal and intent to re-enter the Challenge. The skipper will notify the race committee of his/her re-entry into the challenge PRIOR TO RE-ENTRY. The skipper will not be scored until an appeal is approved by the GLSS Board of Directors. The appeal should contain, at a minimum, the following: a written detailed description of the cause of the temporary withdrawal, corrective action(s) taken, and a time line. The Skipper shall make every effort to minimize motor use, and to minimize the time spent in a harbor. These details will be taken into consideration when the Board reviews the finish.

24. PROPULSION

- 24.1 RRS 42 shall apply as except the following:
 - (a) A boat that has not yet started may use engine propulsion to proceed to no closer 200 yards from the starting area after the preparatory signal for its class.
 - (b) Engine propulsion may be used to avoid a collision with commercial traffic providing that such usage does not advance the boat's position from its original position just prior to the hazardous incident.
 - (c) A boat may temporarily pull out of the Challenge. In order to safely enter or leave a harbor, motoring from a minimum safe distance for the conditions is acceptable. Any motoring that would be necessary must not improve the Skipper's position.
 - (d) An engine may be used for generating electrical power provided that such use does not advance the boat's position.
 - (e) All uses of the engine for propulsion must be logged and reported to the Race Committee when registering after the Challenge.
 - (f) The use of engine power to free a grounded vessel shall be permitted if its use does not advance the vessel's position.
 - (g) Engine propulsion may be used to clear seaweed or fish netting from the keel, rudder, or propeller if the use does not improve the boat's position.

25. SEAMANSHIP

25.1 The Great Lakes Singlehanded Society stresses that the spirit of the Challenge is to complete a safe and seamanlike passage. The fact that an event is being held does not condone unseamanlike conduct in fog, traffic, or conditions of fatigue.

25.2 The Race Committee stresses Rule 5 of the Inland Rules of the Road: "EVERY VESSEL SHALL, AT ALL TIMES, MAINTAIN A PROPER LOOKOUT BY SIGHT AS WELL AS BY ALL AVAILABLE MEANS APPROPRIATE IN THE PREVAILING CIRCUMSTANCES AND CONDITIONS AS TO MAKE FULL APPRAISAL OF THE SITUATION AND THE RISK OF COLLISION."


26. SPOT TRACKING


A SPOT or other Messaging and Tracking device using satellite communications capable of sending a manual "OK" signal and set to a ping rate of no less than every 30 minutes is phased in as of 2024 For New Participants and Existing GLSS members this is **MANDATORY** as of 2024.

These devices must be registered with proper contact information to be useful and a contact shall be provided for all events.

27. AIS

AIS transponder identifying the yacht's position, course and speed to other craft is **MANDATORY** for 2024, except for solo sailors who have already completed at least 20 GLSS Solo Challenges.





Solo Mac Finish Line



DEPARTMENT OF HOMELAND SECURITY U.S. COAST GUARD

PERMIT FOR MARINE EVENT

Date Approved 03/06/2024


ELECTRIC PARTY AND			03/06/2024
Name of Event	Location		Date of Event
Chicago-Mackinac Island Solo	The state of the s		
Challenge	Chicago to Mackinac Island		06/22/2024
Sponsoring Organization Great Lakes Singlehanded	Name of Representative (Last, First, MI)	ne of Representative (Last, First, MI) Title Race Directo	
Society	Reichling, Elisabeth		

Your application for the following event is approved. Special services to be rendered by the Coast Guard are listed. You are reminded that your organization is primarily responsible for safety in the regatta area and that this permit does not relieve you of such responsibility. Participants shall be adequately briefed and their boats equipped as required by law. A permit may also be required by a state, county or municipal agency. This authorization grants no exemption from state or local ordinances. In the event of any change in the information furnished in your application you will notify this office.

- There will not be a Special Local Regulation issued. No restriction is placed on the use of any navigable waters by other parties. Your event shall not obstruct any channel or normal shipping lane, or interfere with any aid to navigation. The Committeeman in Charge shall control participants to prevent conditions hazardous to other craft in the area.
- There will be a Special Local Regulation issued establishing a restricted area and other controls. You will be provided a copy for guidance. The Committeeman in Charge shall control participants to prevent conditions hazardous to other craft in the area.
- There will be a Local Notice to Mariners issued to inform maritime interests and solicit their cooperation.
- There will not be a Regatta Patrol assigned by the Coast Guard.
- There will be a Regatta Patrol assigned by the Coast Guard. The attached instruction for Patrol Commanders outlines their responsibility and authority. You should work out specific details with the Patrol Commander.
- Additional safety equipment is stipulated below.

The sponsor anticipates approximately 30 participating vessels of 26' to 50' feet in length. Sailing vessels will monitor both CH 16 and 72. Reference application for event specifics. Race Director's cell phone is (269) 330-8868 and email nthawk3@yahoo.com. The sponsoring organization must comply with all existing federal, state, local laws and other requirements that may impact their ability to hold their event as proposed. A reminder of two Inland Rules of the Road: 1. Compliance with Rule 9: in all narrow channels, a vessel of less than 20 meters in length or a sailing vessel shall not impede the passage of a vessel that can safely navigate only within a narrow channel or fairway. 2. In the event of restricted visibility, race participants will navigate in accordance with Rule 35 of the Inland Navigation Rules as well as all other pertinent 'Rules of the Road' applicable to the current conditions. As the event sponsor, you remain responsible for the overall safety of this event. This may include providing instructions to the participants, verifying crew qualifications, conducting equipment inspections, providing rescue and first aid facilities, and controlling obstructions or menaces to navigation as applicable. You are also responsible for obtaining any additional permits from other national federal, state, or local authorities that may be required. The Ninth Coast Guard District strongly recommends that all participants wear either an inherently buoyant or inflatable Personal Flotation Device (PFD) with an affixed, registered Personal Locator Beacon (PLB) whenever underway for the duration of this event. Enclosed is a copy of the Ninth Coast Guard District's "Cardinal Points" for Regattas. This document provides information concerning how to notify the Coast Guard should a distress situation develop during your event.

Onathan Tripi
Jonathan R. Tripi
LTJG, U.S. Coast Guard
Ninth Coast Guard District





DEPARTMENT OF HOMELAND SECURITY U.S. COAST GUARD

Date Approved PERMIT FOR MARINE EVENT 03/06/2024 Name of Event Location Date of Event Port Huron-Mackinac Island Solo Challenge 06/22/2024 Port Huron to Mackinac Island Sponsoring Organization Name of Representative (Last, First, MI) Title Great Lakes Singlehanded Race Director Society Reichling, Elisabeth

Your application for the following event is approved. Special services to be rendered by the Coast Guard are listed. You are reminded that your organization is primarily responsible for safety in the regatta area and that this permit does not relieve you of such responsibility. Participants shall be adequately briefed and their boats equipped as required by law. A permit may also be required by a state, county or municipal agency. This authorization grants no exemption from state or local ordinances. In the event of any change in the information furnished in your application you will notify this office.

- ☑ There will not be a Special Local Regulation issued. No restriction is placed on the use of any navigable waters by other parties. Your event shall not obstruct any channel or normal shipping lane, or interfere with any aid to navigation. The Committeeman in Charge shall control participants to prevent conditions hazardous to other craft in the area.
- ☐ There will be a Special Local Regulation issued establishing a restricted area and other controls. You will be provided a copy for guidance. The Committeeman in Charge shall control participants to prevent conditions hazardous to other craft in the area.
- There will be a Local Notice to Mariners issued to inform maritime interests and solicit their cooperation.
- There will not be a Regatta Patrol assigned by the Coast Guard.
- ☐ There will be a Regatta Patrol assigned by the Coast Guard. The attached instruction for Patrol Commanders outlines their responsibility and authority. You should work out specific details with the Patrol Commander.
- Additional safety equipment is stipulated below.

The sponsor anticipates approximately 30 participating vessels of 26' to 50' feet in length. Sailing vessels will monitor both CH 16 and 72. Reference application for event specifics. Race Director's cell phone is (269) 330-8868 and email nthawk3@yahoo.com. The sponsoring organization must comply with all existing federal, state, local laws and other requirements that may impact their ability to hold their event as proposed. A reminder of two Inland Rules of the Road: 1. Compliance with Rule 9: in all narrow channels, a vessel of less than 20 meters in length or a sailing vessel shall not impede the passage of a vessel that can safely navigate only within a narrow channel or fairway. 2. In the event of restricted visibility, race participants will navigate in accordance with Rule 35 of the Inland Navigation Rules as well as all other pertinent 'Rules of the Road' applicable to the current conditions. As the event sponsor, you remain responsible for the overall safety of this event. This may include providing instructions to the participants, verifying crew qualifications, conducting equipment inspections, providing rescue and first aid facilities, and controlling obstructions or menaces to navigation as applicable. You are also responsible for obtaining any additional permits from other national federal, state, or local authorities that may be required. The Ninth Coast Guard District strongly recommends that all participants wear either an inherently buoyant or inflatable Personal Flotation Device (PFD) with an affixed, registered Personal Locator Beacon (PLB) whenever underway for the duration of this event. Enclosed is a copy of the Ninth Coast Guard District's "Cardinal Points" for Regattas. This document provides information concerning how to notify the Coast Guard should a distress situation develop during your event.

Jonathan Tripi

Jonathan R. Tripi

Jonathan R. Tripi LTJG, U.S. Coast Guard Ninth Coast Guard District





RESEARCH EQUIPMENT IN WATER

Lake Superior August 1 to August 12, 2024

Monterey Bay Aquarium Research Institute (MBARI) and US Geological Survey (USGS) will operate one Autonomous Underwater Vehicle to study fish populations in Lake Superior waters. The vehicle will be launched from Munising, MI on August 1 and will traverse offshore transects throughout the survey area. The vehicle will be recovered on or around August 12.

VESSELS ARE REQUESTED TO TRANSIT THE AREA WITH CAUTION AND REMAIN GREATER THAN 200 METERS AWAY FROM THE RESEARCH EQUIPMENT IF SPOTTED.


The autonomous underwater vehicle is battery powered, carries important fisheries acoustic research instrumentation, and is controlled from shore and monitored 24/7 through satellite/cellular communications. It remains underwater while moving but comes to the surface periodically to communicate with shore.

Color: Orange & yellow Light: Red light on mast; Reflective tape on hull Radar Reflector: No Notation: "MBARI"

Length: 10 ft & Width: 1 ft



Height: 10 inches above water line
Draft: N/A Avg. speed: 2 kts
GPS / AIS / Cameras: No
AIS identifiers: N/A



Lake Superior transect locations.

USGS CONTACT

Peter Esselman pesselman@usgs.gov

Mobile: (734) 546-5698

MBARI CONTACT

Brian Kieft <u>bkieft@mbari.org</u>

Mobile: (831) 334-7658

CURRENT NINTH DISTRICT BRIDGE MAINTENANCE/ACTIVITIES Local Notice to Mariner Week

[30/24]

Note: Short-term bridge maintenance closures and various activities may only be published through Broadcast Notice to Mariners* and may not be included in the Local Notice to Mariners*. Mariners should both *listen* to Broadcast Notice to Mariners (BNM) and *read* Coast Guard Local Notice to Mariners (LNM) available by clicking <u>HERE</u> for the most recent and complete marine information.

- * Broadcast Notice to Mariners issued on VHF-FM Marine Channels 16 &22 [Subscribe Here]
- * Local Notice to Mariners [Subscribe Here]

To Subscribe to <u>Bridge Maintenance & Activities Summary</u> email click here.

There is a Microsoft Teams meeting with the US Coast Guard, Mariners, and Bridge Owners being held on the last Wednesday of every month at 1300 ET, and **YOU** are welcome to join in. **Join on your computer or mobile app.** Click here to join the meeting **Or call in (audio only)** <u>+1 410-874-6742,,515305017#</u> Phone Conference ID: 515 305 017#

PUBLIC NOTICES FOR 9th District BRIDGES: https://www.navcen.uscg.gov/D9BN

Please contact us with any questions or concerns:

Blair Stanifer (216) 902-6086 or William.B.Stanifer@uscg.mil Lee Soule (216) 902-6085 or Lee.D.Soule@uscg.mil

Michael Walker (216) 902-6087 or Michael.O.Walker2@uscg.mil

FAX: (216) 902-6088

Commander (dpb)

Ninth Coast Guard District 1240 E. 9th St. Room 2047B Cleveland, Ohio 44199-2001

FEDERAL REGULATIONS DOCKET STATUS

Regulations.gov enter the USCG - docket number in the search window to review all comments and documents associated with the project.

USCG-2023-0185 - FR – Sandusky Bay – to Command for Approval

USCG-2024-0018 - FR -Cherry Street Bridge, Milwaukee River - Pending Legal Review

USCG-2024-0407 - TD - Manitowoc, WI - Pending Legal Review

GREAT LAKES REGION

GREAT LAKES, Drawbridge Delay Reports, Chart 14500

Mariners are requested to submit Reports of Drawbridge Signal/Operations Delays directly to the Ninth Coast Guard District Bridge Branch using the attached form. Reports of signal or drawbridge delays have been processed by Coast Guard Marine Safety Offices in recent years but will now be processed and traced by the Bridge Branch. Reports may be sent by mail, e-mail, or by fax. The mailing address and fax number are on the form.

[08/05] [34/12]

GREAT LAKES, Drawbridge Civil Monetary Penalty Adjustments for Inflation, Chart 14500

DHS adjusts for inflation its civil monetary penalties for 2024, in accordance with the Federal Civil Penalties Inflation Adjustment Act Improvements Act of 2015 and Executive Office of the President (EOP) Office of Management and Budget (OMB) guidance. DHS is also accounting for additional civil monetary penalties that the U.S. Coast Guard is statutorily authorized to collect. The new penalty amounts will be effective for penalties assessed after June 28, 2024 whose associated violations occurred after November 2, 2015.

The Coast Guard is authorized to assess nearly 150 penalties involving maritime safety and security and environmental stewardship that are critical to the continued success of Coast Guard missions. Various statutes in titles 14, 16, 19, 33, 42, 46, and 49 of the U.S.C. authorize these penalties. Titles 33 and 46 authorize the vast majority of these penalties as these statutes deal with navigation, navigable waters, and shipping. For a more detailed discussion of the civil monetary penalties assessed by the Coast Guard, see the 2016 IFR preamble at 81 FR 42992. To view the full document, visit 89 FR 53849. Bridges: New penalty is \$53,516.00 (for each violation, per day, and/or per vessel).

ST. LAWRENCE SEAWAY

NY STATE CANAL SYSTEM

(Everything West of St. Johnsville, NY)

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From March 15, 2024, through **January 31, 2025**, daily, contractors will utilize scaffolding and man lifts above low steel of the E144C I-390 Bridge at mile 258.65 and the E144D I-390 Bridge at mile 258.68 over the Erie Canal.

[42/23]

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From April 8, through **July 31, 2024**, between the hours of 0700 and 1700, Monday through Friday, contractors will utilize snooper trucks under the E-233 Main Street Bridge at Mile 320.82, the E-234 Transit Street Bridge at Mile 564.00, the E236a Lockport Bypass Bridge at Mile 564.17, and the E-248 Webster Street Bridge at Mile 338.44, all over the Erie Canal. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. Mariners should avoid passing directly under water falling from the bridge. [02/24]

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From May 6 through **August 31, 2024**, between the hours of 0700 and 1700, Monday through Friday Snooper trucks will be washing the all the bridges from the E-29 Lansing Road Bridge at Mile 74.94 to the E-52 Erie Boulevard Bridge at Mile 115.08 over the Erie Canal. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. Mariners should avoid driving through or under clean falling water from the bridge.

[11/24]

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From June 10, through **November 8, 2024**, between the hours of 0600 and 2100, daily, a 30-foot Harcon will be inspecting all bridges from E101 Leach Road Bridge at Mile 221.01 to E211 County Road 5 Bridge at Mile 304.13 over the Erie Canal. The Harcon will monitor VHF-FM marine Channel 16 and will move to accommodate vessels if a 30-minute advance notice is provided. [17/24]

NY - NEW YORK STATE CANAL SYSTEM - Cayuga - Seneca Canal - Chart 14786

From July 7, through **September 30, 2024**, scaffolding that hangs approximately 6-feet below low steel will be installed under one half of the S6, Ovid Street Bridge at Mile 8.65, over the Cayuga – Seneca Canal. [18/24]

NY - NEW YORK STATE CANAL SYSTEM – Erie Canal, Cayuga – Seneca Canal, and Oswego Canal, Chart 14876

From May 20 through **September 27, 2024**, between the hours of 0730 and 1700, Monday through Friday a 35-foot Harcon will be inspecting the bridges between the E-64 Brewerton Road Bridge at Mile 150.85 and the E-92 Armitage Road Bridge at Mile 205.59 over the Erie Canal, including the S1 US 20 Bridge at Mile 2.97 to the S10 Gorham Street, Mile 11.71, over the Cayuga-Seneca Canal, and the O05 Humansville Road Bridge, over the Oswego Canal. The Harcon will move with a 30-minute advance notice. Mariners should provide advance notice on VHF -FM Marine Channel 16. [18/24]

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal, Cayuga - Seneca Canal, and Oswego Canal, Chart 14876

From May 20 through **August 31, 2024**, between the hours of 0800 and 2000 daily, contractors will be utilizing snooper trucks to wash the underside of all bridges from the E-99 CSXT Railroad Bridge at Mile 219.94 through E-212 Marshal Road Bridge at Mile 305.63 over the Erie Canal. Spotters will warn works of approaching vessels and move the man lift to allow vessels to pass. Mariners should avoid navigating under large amounts of falling water. [20/24]

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From September 29, 2024, through **October 1, 2024**, inspectors will install scaffolding under the E-101 Leach Road Bridge at Mile 221.01 over the Erie Canal that extends approximately 6-feet below low steel under one half of the bridge.

[21/24]

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From July 8, 2024, through **November 30, 2024**, scaffolding will be installed under the E-234 Transit Road Bridge at Mile 320.97 over the Erie Canal that hangs approximately 3-feet below low steel. [24/24]

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From March 1, 2025, through **June 30, 2025**, scaffolding will be installed under the E-234 Transit Road Bridge at Mile 320.97 over the Erie Canal that hangs approximately 3-feet below low steel. [24/24]

LAKE ONTARIO

NY - LAKE ERIE – Rochester Harbor – Chart 14815

On **September 15, 2024**, between the hours of 0745 and 0930, the O'Rourke Bridge at Mile 1.25 over the Genesee River will be secured to masted navigation in conjunction with the Rochester Marathon. Vessels able to pass under the bridge without an opening may do so at any time. [16/24]

LAKE ERIE - MAHONING RIVER - NIAGARA RIVER- ALLEGHENY RIVER

NY - LAKE ERIE - Buffalo Harbor - Chart 14833

From January 1 through **March 31, 2025**, the Canadian National International Railroad Bridge at mile 3.8 over the Black Rock Canal will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time.

[30/23]

NY - LAKE ERIE – Niagara River – Chart 14833

From August 28, 2023, through **July 26, 2026**, scaffolding that extends approximately 3-feet below low steel will be installed under the South Grand Island Bridge at Mile 3.40 and the North Grand Island Bridge at Mile 18, both over the Niagara River. A 16-foot by 32-foot materials barge and a 4-foot by 40-foot temporary dock will be used under the bridges.

[32/23]

OH - LAKE ERIE - Cleveland Harbor - Chart 14839

From June 1, 2024, through **September 30, 2026**, daily scaffolding will be installed under the I-490 Bridge at mile 4.79 over the Cuyahoga River that hangs approximately 4-feet below low steel. Snooper vehicles and manlifts will be used. Spotters will warn workers of approaching vessels and move the manlift to allow vessels to pass.

[43/23]

NY - LAKE ERIE – Niagara River – Chart 14833

From June 15 through **September 30, 2024,** between the hours of 0700 and 1600, Monday through Friday. A 100- foot by 34-foot barge will be washing the South Grand Island Bridge at Mile 3.40 and the North Grand Island Bridge at Mile 18, both over the Niagara River. Mariners should avoid passing under clean falling water. The barge will monitor VHF-FM Marine Channel 16 and will make passing arrangements with vessels as needed.

[16/24]

OH - LAKE ERIE - Toledo Harbor - Chart 14847

On **August 4, 2024**, between the hours of 0900 and 1100, the Martin Luther King Jr. Memorial Bridge at Mile 4.30 over the Maumee River will be secured to masted navigation in conjunction with the Toledo Jeep Fest Event. Vessels able to pass under the bridge without an opening may do so at any time. [21/24]

OH - LAKE ERIE - Toledo Harbor - Chart 14847

On **September 15, 2024**, between the hours of 1000 and 1130, the Martin Luther King Jr. Memorial Bridge at Mile 4.30 over the Maumee River will be secured to masted navigation in conjunction with the ProMedica Be Fast Event. Vessels able to pass under the bridge without an opening may do so at any time. [21/24]

OH - LAKE ERIE - Cleveland Harbor - Chart 14839

On **October 5, 2024**, between the hours of 0700 and 1400, the Carter Road Bridge at Mile 2.43 over the Cuyahoga River will be secured to masted navigation in conjunction with the Towpath Marathon. Vessels able to pass under the bridge without an opening may do so at any time. [23/24]

OH - LAKE ERIE - Toledo Harbor - Chart 14847

From July 17, 2024, through **March 31, 2025**, a 60-foot by 60-foot barge will be working at the Martin Luther King Jr. Memorial Bridge at Mile 4.30 over the Maumee River. The barge will move to accommodate larger vessels if provided a 3-hour advance notice directly to the barge on VHF-FM Marine Channel 16. Additionally, from December 1, 2024, through March 31, 2025, scaffolding/containment will be installed that hangs approximately 3-feet below low steel of the bridge bascule spans; however, the scaffolding will allow the bridge to operate normally. [29/24]

NY - LAKE ERIE - Niagara River - Chart 14833

From July 29, 2024, through **August 16, 2024**, a 100- foot by 34-foot barge and 16- foot by 32-towboat will be inspecting the South Grand Island Bridge at Mile 3.40 over the Niagara River. The barge will monitor VHF-FM Marine Channel 16 and will move to accommodate vessel traffic if a 30-minute notice is provided. [29/24]

DETROIT RIVER - LAKE ST. CLAIR - ST. CLAIR RIVER - RIVER ROUGE

*****REVISED****

MI - DETROIT RIVER - Main Channel - Chart 14848

From November 1, 2022, through **December 1, 2024**, contractors will be constructing the Gordie Howe International Bridge at mile 16.7 over the Detroit River. No equipment will be placed in the water. Overhead work will have temporary steady burning yellow lights to mark new construction. A moving platform with quick flashing red lights and orange or red ball fenders on the bottom four corners with a safety net that hangs approximately 15-feet below low steel will be constructing the bridge. Mariners should avoid passing directly under the platform at any time. Snooper type vehicles will be utilized on the bridge throughout construction. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. When construction is completed and all equipment removed, the final vertical clearances for the bridge will be 152-feet for the center 100-feet of the navigation channel. No less than 137-feet of vertical clearance will be available at the channel limits. Vertical clearances are based on IGLD85.

[47/20] [07/22] [02/24] [30/24]

NOTE: Over the water construction is basically complete and extensions to construction have been issued to accommodate demobilization of equipment.

MI – SAINT CLAIR RIVER – Chart 14852

From June 14, 2024, through **December 20, 2025**, scaffolding that hangs approximately 4-feet below low steel will be installed under the Blue Water Bridge at Mile 39.1 over the St. Clair River. Steady burning yellow lights will warn mariners of the temporary reduction in clearances.

[22/24]

LAKE HURON

*****REVISED****

MI - LAKE HURON - Saginaw River - Chart 14867

From April 19, through **November 30, 2024**, the Independence Street Bridge at Mile 3.88, over the Saginaw River will have two barges 80-foot by 40-foot or smaller working under the bridge. If needed the barges will move with a 2-hour advance notice. Mariners should provide advance notice for the barges by calling 608-425-0171.

[17/23] [47/23] [17/24]

MI - LAKE HURON - Saginaw River - Chart 14867

From December 1, 2024, through **March 31, 2025**, the Independence Bridge, mile 3.88, over the Saginaw River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Two 80x40-foot barges will be working under the bridge, and they will move if a 2-hour advance notice is provided by calling 608-425-0171. During the winter the ice will be degraded due to the movement of barges and the ice under the bridge should be considered unsafe for pedestrians or vehicles. [21/24]

MI - LAKE HURON - Saginaw River - Chart 14867

From December 1, 2024, through **March 31, 2025**, the Lafayette Street Bridge at Mile 6.78, over the Saginaw River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Additionally, starting on October 1, 2024, two 80x40-foot barges will be working under the bridge, and they will move if a 2-hour advance notice is provided by calling 608-425-0171. During the winter, the ice

will be degraded due to the movement of barges and the ice under the bridge should be considered unsafe for pedestrians or vehicles.

[30/24]

SAINT MARY'S RIVER

LAKE MICHIGAN - EAST

MI - LAKE MICHIGAN - St Joseph River - Chart 14930

From July 8 through **August 16, 2024**, between the hours of 0600 and 1800, Monday through Saturday, a 50-foot by 80-foot barge will be performing maintenance to the CSX Railroad Bridge at mile 0.67 over the Saint Joseph River. The barge will move to accommodate vessel traffic if a 2-hour advance notice is provided directly to the barge on VHF-FM Marine Channel 16. [27/24]

LAKE MICHIGAN – MICHIGAN CITY & INDIANA HARBOR & GARY HARBOR

IN - LAKE MICHIGAN - Indiana Harbor Canal - Chart 14927

From November 2 through **November 17, 2024**, and again from December 7 through **December 21, 2024**, on each Saturday at 0001 through each Sunday at 2359, the Elgin, Joliet, and Eastern Railroad Bridge at Mile 0.68 over the Indiana Harbor Canal will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time.

[52/23]

IN - LAKE MICHIGAN - Michigan City - Chart 14927

On **September 4, 2024**, between the hours of 0800 to 1600, inspectors will utilize snooper trucks under the Franklin Street Bridge at Mile 0.50 over Trail Creek. Spotters will warn of approaching vessel and move the manlift to allow vessels to pass under the bridge. A 20-minute advance notice of arrival is required for bridge openings to allow inspectors to clear equipment from the bridge.

[31/24]

IN - LAKE MICHIGAN - Indiana Harbor Canal - Chart 14927

On September 5 and **September 6, 2024**, between the hours of 0800 to 1600, inspectors will utilize snooper trucks under the Dickey Road Bridge at Mile 1.21 and the Indianapolis Boulevard Bridge over the Indiana Harbor Canal. Spotters will warn of approaching vessel and move the manlift to allow vessels to pass under the bridge. A 20-minute advance notice of arrival is required for bridge openings to allow inspectors to clear equipment from the bridge. [31/24]

IN - LAKE MICHIGAN - Michigan City - Chart 14926

From 2130 to 2230 on **August 3, 2024**, the Franklin Street Bridge at Mile 0.50 over Trail Creek will be secured to masted navigation in conjunction with the Grand Prix Boat Parade. Vessels able to pass under the bridge without an opening may do so at any time.

[21/24]

LAKE MICHIGAN – CALUMET RIVER & LITTLE CALUMET RIVER

*****REVISED****

From September 7, 2023, through **December 9, 2024**, scaffolding will be installed under the Indiana Avenue Bridge at Mile 10.80 (CORPS MILE 322.3) over the Little Calumet River that hangs approximately 1-foot below low steel.

[34/23] [19/24]

IL - LAKE MICHIGAN - Calumet Harbor - Chart 14927

The Coast Guard has received a report that the lights on the Norfolk Southern Railroad Bridge at Mile 12.49 over the Little Calumet River are extinguished.
[27/24]

<u>CHICAGO RIVER – MAIN RIVER CHANNEL, NORTH BRANCH, NORTH SHORE CHANNEL, AND SOUTH BRANCH AND SOUTH FORK OF SOUTH BRANCH</u>

IL - LAKE MICHIGAN - Chicago Harbor - Chart 14927

From March 18 through **July 31, 2024**, between the hours of 0600 and 1800 Monday through Saturday, a 125-foot by 80-foot barge will be working under the Franklin-Orleans Street Bridge at Mile 1.47 (325.7 CORPS MILE) over the Main Branch of the Chicago River. The barge will move if provided a 1-hour advance notice directly to the barge.

[09/24]

IL - LAKE MICHIGAN - Chicago Harbor - Chart 14927

From July 22 through **September 20, 2024**, between the hours of 0600 and 1800, Monday through Saturday a 30-foot Harcon will be inspecting the following groups of bridges in Chicago and Calumet Harbors: 95th Street Bridge at Mile 1.09 (CORPS MILE 332.1) to the Indiana Avenue Bridge at Mile 10.80 (CORPS MILE 322.3) over the Calumet and Little Calumet Rivers, the South Western Avenue Bridge at Mile 6.7 (CORPS MILE 320.6) and the South Cicero Avenue Bridge at Mile 10.0 (CORPS MILE 317.3) over the Chicago Sanitary and Ship Canal and All bridges over the Chicago River including all its branches. [20/24]

CALUMET SAG CHANNEL

*****REVISED****

IL - LAKE MICHIGAN - Calumet-SAG Channel - Chart 14927

From February 20, 2024, through **November 1, 2024**, scaffolding that hangs approximately 6-feet below low steel will be installed under one half of the 127th Street Bridge at Mile 18.81 (CORPS MILE 314.2) over the Calumet-SAG Channel. A 40-foot by 50-foot barge will be used at the bridge and will move if provided a 30-minute advance notice of arrival on VHF-FM marine Channel 16. [03/24] [04/24] [10/24]

CHICAGO SANITARY AND SHIP CANAL, KANKAKEE RIVER & ROCK RIVER

(Lake Michigan to Mile 36.2/291.1)

*****REVISED****

IL - LAKE MICHIGAN - Chicago Sanitary and Ship Canal - Chart 14927

From January 15, through August 31, 2025, scaffolding will be installed that hangs approximately 3-feet below low steel of the South-Central Avenue Bridge at mile 11.1 (CORPS MILE 316.2) over the Chicago Sanitary and Ship Canal.

[03/24] [23/24]

LAKE MICHIGAN – WEST

*****REVISED****

WI - LAKE MICHIGAN - Milwaukee Harbor - Chart 14924

From March 25 through **November 27, 2024**, between the hours of 0700 and 1700, Monday through Friday, two barges 70-feet by 50-feet or smaller will be painting the Holton Street Bridge, mile 2.84, over the Milwaukee River. Containment will hang from low steel of the bridge to the barge deck. The barges will move to accommodate vessels if a 2-hour advance notice is provided by calling 262-366-5121. [11/24] [31/24]

WI - LAKE MICHIGAN - Manitowoc Harbor - Chart 14922

From May 30, 2024, through **September 10, 2024**, The Eighth Street Bridge, mile 0.29 and the Tenth Street Bridge, mile 0.43, over the Manitowoc River at Manitowoc, Wisconsin shall open on signal, except that from 0700 to 0800 and 1100 to Noon. and again from 1600 to 1700 weekdays (except Federal Holidays), the bridges do not need to open for vessels. From 2200 to 0400 daily the bridges will open on signal if provided a 2-hour advance notice of arrival from vessels by calling 920-686-6910. The Eighth Street Bridge, mile 0.29 will be operated remotely by the Tenth Street Bridge Drawtender. During this test deviation comments will be received by emailing lee.d.soule@uscg.mil. [22/24]

*****REVISED****

WI - LAKE MICHIGAN - Milwaukee Harbor - Chart 14924

From July 22, 2024, through **October 31, 2024**, one bridge leaf of the Cherry Street Bridge at Mile 2.29 over the Milwaukee River will be secured to masted navigation while the other bridge leaf operates normally for the passage of vessels. From November 1, 2024, through April 1, 2025, both leaves will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Between the hours of 0600 and 1700, Monday through Saturday, three barges, 60-foot by 80-foot or smaller will be working at the bridge, the barges will monitor VHF-FM Marine Channel 16 and move if a 3-hour advance notice is provided. Mariners may also provide advance notice by radio or by calling 312-735-1639. [24/24] [29/24]

WI - LAKE MICHIGAN - Milwaukee Harbor - Chart 14924

From August 7 thought **August 19, 2024**, contractors will utilize snooper trucks under the Becher Street Bridge at Mile 2.02 over the Kinnikinnic River. Spotters will warn of approaching vessels and move the manlift so vessels can pass. A platform that hangs approximately five feet below low steel will be suspended under the bridge. [31/24]

LAKE MICHIGAN – Sturgeon Bay Ship Canal – Green Bay – Fox River – Wolf River

WI - LAKE MICHIGAN - Green Bay - Chart 14918

From December 1, 2026, through March 31, 2027, the Tilleman Memorial Bridge at mile 2.27 over the Fox River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time.

[49/23]

*****REVISED****

WI - LAKE MICHIGAN - Fox River - Chart 14916

from October 8, 2026, through **April 8, 2027**, the Wisconsin Street Bridge at mile 56.72 over the Fox River will be secured to masted navigation and scaffolding that hangs approximately 4-feet will be installed under the bridge. Vessels able to pass under the bridge safely, without an opening may do so at any time. [02/24] [03/24]

WI - LAKE MICHIGAN - Fox River - Chart 14918

From September 9, through **October 3, 2024**, between the hours of 0700 and 1700, every weekday, inspectors will be using Snooper vehicles under the Tower Drive / Leo Frigo Bridge at mile 0.41 over the Fox River. Spotters will warn of approaching vessels and move the manlift to allow vessels to pass. [27/24]

WI - LAKE MICHIGAN - Fox River - Chart 14918

On **September 28, 2024**, between the hours of 0800 and 1000 the Racine Street Bridge at Mile 37.91 over the Fox River will be secured to masted navigation in conjunction with the 44th Annual Grunski Runski. Vessels able to pass under the bridge without an opening may do so at any time. [29/24]

WI - LAKE MICHIGAN - Fox River - Chart 14916

from August 5th through **August 9, 2024**, between the hours of 0600 and 2100, daily, contractors will be drilling soil samples through the bridge deck of the Jackson Street Bridge at Mile 56.22 over the Fox River. This will not change the bridge operations. A safety boat will be available to assist mariners in passing the drill shaft safely. [29/24]

LAKE SUPERIOR

WI - LAKE SUPERIOR - Duluth-Superior Harbor - Chart 14975

From August 5 through **August 9, 2024**, between the hours of 0700 to 1700, Daily, Inspectors will use Unmanned Aerial Vehicles and snooper trucks under the Bong Bridge at mile 5.20 over the St. Louis Bay and River. Spotters will warn of approaching vessels and move the equipment to allow vessels to pass. [19/24]

RAINY LAKE, RAINY RIVER, LAKE OF THE WOODS, WISCONSIN RIVER, MISSISSIPPI RIVER, & RED RIVER OF THE NORTH

(Revised 04/23) NINTH DISTRICT DRAWBRIDGE SIGNALS OR OPERATIONAL DELAYS FORM

Ninth Coast Guard District	NOTE: Reports of Delay will be processed only when all items
1240 E. 9 th Street – Room 2047b	are fully addressed and reports submitted within 15
Cleveland, Ohio 44199-2060	days of reported delay / difficulty. Attach additional
Phone: (216) 902-6087	sheets if necessary.
Fax: (216) 902-6088 E-Mail: William.B.Stanifer@uscg.mil,	Lee.D.Soule@uscg.mil, and Michael.O.Walker2@uscg.mil
CONFIDENTIALITY, Places should be seen if you	
	ou wish to keep names of vessels and persons confidential
	VESSEL NAME:
·	E: You must provide the following from Coast Pilot 6.***)
	5. WATERWAY
6. MILE MARKER	
	RIDGE? 8. DID YOU SIGNAL FOR AN OPENING AT THAT TIME? L Y L N
9. HOW DID YOU SIGNAL?	Sound signal (Whistle, horn, megaphone, hailer, etc.)
(Check all that apply)	☐ Visual signal (Flag or Light)
	Radio telephone (Specify Frequency)
10. WHEN DID THE BRIDGE REPLY?	11. WHAT DID THE DRAWTENDER SAY?
	RIDGE AFTER YOUR ARRIVAL? PLEASE PROVIDE DETAILS INCLUDING TIMES, WHAT YOU
SAID, AND WHAT THE BRIDGE SAID?	
13. WHAT TIME DID THE BRIDGE OPEN?	14. WHAT TIME DID YOU START THROUGH?
	16. WHAT ACTIONS DID YOU TAKE WHILE YOU WAITED FOR THE BRIDGE TO
	sters, return to dock)?
(18 111)	
17. DESCRIBE ANY WEATHER OR WATER O	CONDITIONS THAT AFFECTED MANUEVERABILITY WHILE YOU WAITED?
18. DESCRIBE WHETHER ANY PEDESTRIAN	IS, VEHICLES, OR TRAINS WERE STOPPED ON THE BRIDGE OR CROSSING THE BRIDGE?
_	
19. PROVIDE ANY ADDITIONAL INFORMAT	TION YOU THINK WOULD BE HELPFUL?
20. YOUR NAME, E-MAIL, PHONE NUMBER	R, AND ADDRESS:

(Revised 04/23) NINTH DISTRICT DRAWBRIDGE SIG	NALS OR OPERATIONAL DELAYS FORM – ADDITIONAL INFORMATIION PAGE
TO: Commander (dpb) Ninth Coast Guard District 1240 E. 9 th Street – Room 2047b Cleveland, Ohio 44199-2060 Phone: (216) 902-6087 Fax: (216) 902-6088 E-Mail: William.B.Stanifer@uscg.mil, Lee.D.So	DATE:
PLEASE USE THIS FORM TO PROVIDE ANY ADDITION	NAL INFORMATION?
VOUR MANE E MAN BUONEMUNTER AND THE	
YOUR NAME, E-MAIL, PHONE NUMBER, AND ADDRI	£55:



CHANNEL OBSTRUCTION REPORT U.S. Army Corps of Engineers – Buffalo District

PROJECT NAME: Cuyahoga River

DATE OBSERVED: 12/07/2023

CREW: D. Banning, D. Bognar

LATTITUDE: 41° 29' 23.1785" N LONGITUDE: 81° 41' 54.1661" W


OBJECT: Multiple unknown

SURVEY DATA




Multiple objects along easterly edge of Federal Channel between Sta. 211+00 & 213+00. Object Depths shown in red. Federal Channel shown in cyan.

View: NE down channel line



3D view of channel bottom showing only areas that are shoaler than project depth of 23ft.

Hypack Channel View



Waterway Analysis and Management System Survey Name of Waterway: User Information Commercial User Recreational User Number of years in the maritime industry or number of years using this waterway: Number of transits in the waterway per year: _____ Number of night transits of waterway: _____ Start: _____End:____ Seasonal Dates: Name of Vessel: Net Tons: Bridge Height of Eye: Cargo Carried: Navigational tools used: (ECDIS/ECPINS, GPS, DGPS, VISUAL, RADAR)_____ What area do you believe is the most dangerous or difficult to navigate:_____ Are the floating aids to navigation (lighted and unlighted buoys) adequate for this waterway:

Are the fixed aids to navigation (lights, ranges, lighthouses, daybeacadequate for this waterway:	
Are the year round and lighted ice buoys adequate:	
Are there buoys that you feel should be changed to fixed aids to navi	gation?
Are there any buoys that could be eliminated from this waterway:	
Are there any buoys with sound signals that the bell or gong could be removed:	2
Are there any areas that require additional aids to navigation in this waterway:	
Do the nautical charts, Coast Pilot, and Light List meet your needs for waterway:	or this

Any addition comments on this waterway:	

Thank you for taking time to comment on this waterway. Your input as a mariner very valuable to the U. S. Coast Guard in evaluating waterways to make them safe and as easily navigable as possible. Please feel free to contact D09-DG-District-D9-ATON-Support@uscg.mil with any other questions or concerns about any aids to navigation in the Great Lakes. The survey can be mailed to:

Commander (dpw-2) Ninth Coast Guard District 1240 East Ninth Street Cleveland, Ohio 44199