

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|------------------------------------|---------------------------------|------------------------|---------------|--------------|---|--|
| ST. LAWRENCE RIVER | | | | | | | |
| ILE ST. REGIS TO/A CROIL ISLANDS (Chart 1433)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 5 | - Lighted Buoy 1 | 45-00-13.875N 074-40-05.688W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 10 | - LIGHT 2 (C) | 45-00-12.035N 074-40-30.018W | Q R | 40 12 | | White circular tower, red top. | Seasonal. |
| 15 | - Lighted Buoy 3 | 44-59-57.615N 074-40-28.278W | Q G | | | Green. | Year Round Lighted Buoy Aid maintained by S.L.S.D.C. |
| 20 | - LIGHT 4 (C) | 45-00-06.035N 074-41-00.018W | FI R 4s | 40 12 | | White circular tower, red top. | Seasonal. |
| 25 | - Lighted Buoy 5 | 44-59-53.735N 074-40-58.418W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 30 | - Lighted Buoy 5A | 44-59-56.135N 074-41-21.818W | FI G 4s | | | Green. | Winter marker. Aid maintained by S.L.S.D.C. |
| 35 | - Lighted Buoy 5B | 44-59-58.435N 074-41-44.718W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 40 | - Lighted Buoy 6 | 45-00-00.435N 074-41-20.818W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 45 | - Lighted Buoy 6A | 45-00-02.835N 074-41-43.718W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 50 | - Lighted Buoy 7 | 45-00-00.735N 074-42-07.318W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 55 | - Lighted Buoy 8 | 45-00-05.135N 074-42-06.618W | FI R 4s | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 60 | - Lighted Buoy 9 | 44-59-58.935N 074-42-38.718W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 65 | - LIGHT 10 SECTOR (C) | 45-00-06.035N 074-42-54.018W | F W (R & G Sectors) | 54 16 | | White skeleton tower on pile crib with orange triangular daymark. | Red 276° to 277.8°; white 277.8° to 279.3°; green 279.3° to 281°. White sector indicates preferred channel. Seasonal. |
| 66 | - LIGHT 10 DIRECTION (C) | 45-00-06.035N 074-42-54.018W | F R | 51 16 | | White skeleton tower on pile crib with orange triangular daymark. | Visible from 044.5° to 051.5°. Increased intensity on a bearing of 048°. Seasonal. |
| 70 | - LIGHT 11 | 44-59-48.035N 074-43-06.018W | FI G 2.5s | 28 9 | | SG on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 75 | - LIGHT 13 | 44-59-36.035N 074-43-24.018W | FI G 4s | 28 9 | | SG on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 80 | - Lighted Buoy 14 | 44-59-25.435N 074-44-19.218W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 85 | - Lighted Buoy 15 | 44-59-23.635N 074-43-42.418W | Q G | | | Green. | Aid maintained by S.L.S.D.C. |
| 90 | Aluminum Foundry Water Intake Buoy | 44-59-21.000N 074-44-02.000W | | | | Yellow. | Private aid. |
| 95 | - Lighted Buoy 16 | 44-59-27.135N 074-45-25.618W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 100 | - Lighted Buoy 17 | 44-59-16.535N 074-45-16.318W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| ST. LAWRENCE RIVER | | | | | | | |
| ILE ST. REGIS TO/A CROIL ISLANDS (Chart 1433)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 105 | POLLY'S GUT TRAINING DIKE EAST END LIGHT A | 44-59-27.635N 074-45-46.218W | Q Y | 15 5 | | On white pile. | Aid maintained by S.L.S.D.C. |
| 110 | POLLY'S GUT TRAINING DIKE WEST END LIGHT B | 44-59-27.635N 074-45-46.218W | Q Y | 6 2 | | On box. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 115 | POLLY'S GUT TRAINING DIKE A LIGHT C | 44-59-30.035N 074-45-48.018W | Q Y | 15 5 | | On white pile. | Aid maintained by S.L.S.D.C. |
| 125 | - Buoy 19 | 44-59-14.935N 074-46-00.318W | | | | Green can. | Aid maintained by S.L.S.D.C. |
| 130 | - LIGHT 20 | 44-59-24.535N 074-45-59.918W | F R | 28 9 | | TR on wall. | Aid maintained by S.L.S.D.C. |
| 145 | - LIGHT 24 | 44-59-13.935N 074-47-10.218W | F R | 28 9 | | TR on wall. | Aid maintained by S.L.S.D.C. |
| 150 | - LIGHT 25 About 75 feet outside channel limit. | 44-59-08.435N 074-47-09.318W | FI G 2.5s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 155 | - <i>Lighted Buoy 26</i> | 44-59-10.625N 074-47-35.668W | FI R 4s | | | Red | Aid Maintained by SLSDC |
| 160 | - MOORING CELLS LIGHT A | 44-59-05.235N 074-47-44.318W | F Y | 15 5 | | | Aid maintained by S.L.S.D.C. |
| 165 | - MOORING CELLS LIGHT B | 44-59-04.335N 074-47-53.018W | F Y | 15 5 | | | Aid maintained by S.L.S.D.C. |
| 170 | - LIGHT 28 About 63 feet outside channel limit. | 44-59-05.735N 074-48-31.118W | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 175 | - LIGHT 29 About 73 feet outside channel limit. | 44-59-00.635N 074-48-29.718W | FI G 4s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 180 | - LIGHT 30 About 50 feet outside channel limit. | 44-58-58.935N 074-49-24.318W | FI R 2.5s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 185 | - LIGHT 31 | 44-58-53.935N 074-49-23.118W | FI G 2.5s | 28 9 | | SG on cell. | Aid maintained by S.L.S.D.C. |
| 190 | - MOORING CELLS LIGHT C | 44-58-52.935N 074-49-31.718W | F Y | 15 5 | | | Aid maintained by S.L.S.D.C. |
| 195 | - <i>Lighted Buoy 32</i> | 44-58-53.535N 074-50-02.718W | FI R 4s | | | Red. | Year Round Lighted Buoy Aid maintained by S.L.S.D.C. |
| 205 | - <i>Lighted Buoy 33</i> | 44-58-47.435N 074-50-15.618W | FI G 4s | | | Green. | Year round lighted buoy. Aid maintained by S.L.S.D.C. |
| 210 | - LIGHT 34 | 44-58-54.035N 074-50-30.018W | F R | 28 9 | | TR on wall. | Aid maintained by S.L.S.D.C. |
| 225 | - LIGHT 38 | 44-58-43.935N 074-51-35.218W | F R | 28 9 | | TR on wall. | Aid maintained by S.L.S.D.C. |
| 235 | - <i>Lighted Buoy 39</i> | 44-58-36.835N 074-51-41.918W | FI G 4s | | | Green. | Year Round Lighted Buoy Aid maintained by S.L.S.D.C. |
| 240 | - <i>Lighted Buoy 40</i> | 44-58-40.035N 074-51-55.018W | FI R 4s | | | Red. | Year Round Lighted Buoy Aid maintained by S.L.S.D.C. |
| 245 | - MOORING CELLS LIGHT D | 44-58-25.435N 074-52-51.918W | F Y | 15 5 | | | Aid maintained by S.L.S.D.C. |
| 250 | - LIGHT 41 | | FI G 2.5s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 255 | - LIGHT 42 About 55 feet outside channel limit. | 44-58-29.035N 074-53-02.018W | FI R 2.5s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-------------------------|--|
| ST. LAWRENCE RIVER | | | | | | | |
| ILE ST. REGIS TO/A CROIL ISLANDS (Chart 1433)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 260 | - LIGHT 43 About 55 feet outside channel limit. | 44-58-16.135N 074-53-44.418W | FI G 4s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 265 | - LIGHT 44 About 50 feet outside channel limit. | 44-58-21.835N 074-53-46.318W | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 270 | - LIGHT 45 About 75 feet outside channel limit. | 44-58-07.335N 074-54-37.518W | FI G 2.5s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 275 | - LIGHT 46 About 55 feet outside channel limit. | 44-58-13.035N 074-54-39.418W | FI R 2.5s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 280 | - <i>Lighted Buoy 46A</i> | 44-58-07.135N 074-55-10.218W | FI R 4s | | | Red. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 285 | - LIGHT 47 | 44-57-54.035N 074-55-42.018W | FI G 4s | 28 9 | | SG on cell. | Maintained from Apr. 15 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 290 | - LIGHT 48 About 50 feet outside channel limit. | 44-58-02.035N 074-55-45.278W | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 295 | - <i>Lighted Buoy 48A</i> | 44-57-56.735N 074-56-12.118W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 300 | - <i>Lighted Buoy 49</i> | 44-57-49.435N 074-56-28.818W | FI G 4s | | | Green. | Winter marker. Aid maintained by S.L.S.D.C. |
| 305 | - <i>Lighted Buoy 50</i> | 44-57-50.035N 074-56-51.418W | FI R 4s | | | Red. | Year Round Lighted Buoy Aid maintained by S.L.S.D.C. |
| 310 | - LIGHT 51 | 44-57-38.235N 074-57-32.418W | FI G 4s | 28 9 | | SG on tower. | Aid maintained by S.L.S.D.C. |
| 315 | - <i>Lighted Buoy 52</i> | 44-57-42.435N 074-57-39.218W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 320 | - LIGHT 54 | 44-57-40.635N 074-57-52.218W | FI R 2.5s | 28 9 | | TR on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 325 | - LIGHT 55 About 60 feet outside channel limit. | 44-57-30.035N 074-58-06.018W | FI G 2.5s | 28 9 | | SG on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 330 | - <i>Lighted Buoy 56</i> | 44-57-38.335N 074-58-02.118W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| CROIL ISLAND TO/A CARDINAL (Chart 1434)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 335 | - LIGHT 57 About 125 feet outside channel limit. | | Q G | 30 9 | | SG on tower on cell. | Aid maintained by S.L.S.D.C. |
| Lake St. Lawrence Yacht Club Channel | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 336.1 | - Buoy 1 | 44-56-31.000N 074-59-57.094W | | | | Green can. | Private aid. |
| 336.15 | - Buoy 2 | 44-56-32.068N 074-59-58.052W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-------------------------|---|
| ST. LAWRENCE RIVER | | | | | | | |
| CROIL ISLAND TO/A CARDINAL (Chart 1434)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| Lake St. Lawrence Yacht Club Channel | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 336.2 | - Buoy 3 | 44-56-26.000N 074-59-56.099W | | | | Green can. | Private aid. |
| 336.25 | - Buoy 4 | 44-56-24.068N 074-59-56.055W | | | | Red nun. | Private aid. |
| 336.3 | - Buoy 5 | 44-56-21.000N 074-59-59.021W | | | | Green can. | Private aid. |
| 336.35 | - Buoy 6 | 44-56-20.710N 075-00-00.034W | | | | Red nun. | Private aid. |
| 336.4 | - Buoy 7 | 44-56-20.029N 074-59-57.057W | | | | Green can. | Private aid. |
| 336.45 | - Buoy 8 | 44-56-18.008N 074-59-59.018W | | | | Red nun. | Private aid. |
| 336.5 | - Buoy 9 | 44-56-20.350N 074-59-54.670W | | | | Green can. | Private aid. |
| 336.55 | - Buoy 10 | 44-56-21.019N 074-59-56.090W | | | | Red nun. | Private aid. |
| 336.6 | - Buoy 11 | 44-56-20.270N 074-59-52.870W | | | | Green can. | Private aid. |
| 336.65 | - Buoy 12 | 44-56-21.005N 074-59-54.350W | | | | Red nun. | Private aid. |
| 340 | - LIGHT 58 About 175 feet outside channel limit. | 44-57-04.435N 075-00-22.018W | FIR 4s | 28 9 | | TR on tower on cell. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 345 | CAT ISLAND LEADING LIGHT | 44-57-12.035N 075-00-24.018W | F W | | | NB on cells. | Visible 4° each side of 257.4° Aid maintained by S.L.S.D.C. |
| 350 | - Lighted Buoy 60 Marks shoal. | 44-56-56.935N 075-00-30.818W | Q R | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| Wilson Hill Small Boat Channel | | | | | | | |
| <i>Buoys maintained from Apr. 30 to Sep. 30.</i> | | | | | | | |
| 351 | - Buoy 1 | 44-56-24.410N 075-00-31.065W | | | | Green can. | Private aid. |
| 351.05 | - Buoy 2 | 44-56-23.042N 075-00-37.072W | | | | Red nun. | Private aid. |
| 351.1 | - Buoy 3 | 44-56-13.000N 075-00-31.000W | | | | Green can. | Private aid. |
| 351.15 | - Buoy 4 | 44-56-13.078N 075-00-32.000W | | | | Red nun. | Private aid. |
| 351.2 | - Buoy 5 | 44-56-08.069N 075-00-28.078W | | | | Green can. | Private aid. |
| 351.25 | - Buoy 6 | 44-56-10.000N 075-00-33.310W | | | | Red nun. | Private aid. |
| 351.3 | - Buoy 7 | 44-56-00.000N 075-00-26.000W | | | | Green can. | Private aid. |
| 351.35 | - Buoy 8 | 44-56-03.240N 075-00-27.004W | | | | Red nun. | Private aid. |
| 351.4 | - Buoy 9 | 44-55-58.058N 075-00-36.062W | | | | Green can. | Private aid. |
| 351.45 | - Buoy 10 | 44-56-00.021N 075-00-36.032W | | | | Red nun. | Private aid. |
| 351.5 | - Buoy 11 | 44-55-50.079N 075-00-41.062W | | | | Green can. | Private aid. |
| 351.55 | - Buoy 12 | 44-55-51.000N 075-00-42.000W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. LAWRENCE RIVER | | | | | | | |
| CROIL ISLAND TO/A CARDINAL (Chart 1434)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 355 | - Lighted Buoy 61 | 44-56-31.735N 075-01-21.318W | FI G 4s | | | Green. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 360 | WILSON HILL RANGE FRONT LIGHT | 44-57-00.035N 074-59-42.018W | F G | 28 9 | | Orange triangular daymark with black stripes on square tower. | Aid maintained by S.L.S.D.C. |
| 365 | WILSON HILL RANGE REAR LIGHT 1,500 feet, 068.7° from front light. | | F G | 58 18 | | Orange triangular daymark with black stripes on square tower. | Aid maintained by S.L.S.D.C. |
| 370 | - Lighted Buoy 63 | 44-56-22.135N 075-01-55.818W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 375 | Weaver Shoal Anchorage Area E Lighted Buoy XA (C) | 44-56-54.035N 075-01-54.018W | FI Y 4s | | | Yellow. | Seasonal. |
| 380 | Weaver Shoal Anchorage Area W Lighted Buoy XC (C) | 44-56-30.035N 075-03-24.018W | FI Y 4s | | | Yellow. | Seasonal. |
| 385 | - Lighted Buoy 67 | 44-55-50.535N 075-03-45.318W | FI G 4s | | | Green. | Winter marker. Aid maintained by S.L.S.D.C. |
| 390 | - LIGHT 68 (C) Marks Weaver Shoal. | 44-55-54.035N 074-04-06.017W | Q R | 45 14 | | White circular tower. | |
| 395 | - LIGHT 70 (C) | 44-55-48.035N 075-04-48.018W | FI R 4s | 29 9 | | White circular tower with red top. | Seasonal. |
| 400 | - LIGHT 71 | 44-55-30.535N 075-04-54.518W | FI G 4s | 23 7 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 410 | - Lighted Buoy 72 (C) | 44-55-48.035N 075-05-30.018W | Q R | | | Red. | Seasonal. |
| 415 | - LIGHT 73 | 44-55-33.535N 075-05-43.118W | FI G 2.5s | 30 9 | | SG on tower on cell. | RACON: M (- -) Aid maintained by S.L.S.D.C. |
| 420 | - Lighted Buoy 74 (C) | 44-55-24.035N 075-06-36.018W | FI R 4s | | | Red. | Seasonal. |
| 425 | DORAN SHOAL RANGE FRONT LIGHT (C) | 44-56-00.035N 075-06-48.018W | F Y | 33 10 | | Orange triangular daymark with black stripes on skeleton tower. | Seasonal. |
| 430 | DORAN SHOAL RANGE REAR LIGHT (C) 1,225 feet, 040.2° from front light. | | F Y | 56 17 | | Orange triangular daymark with black stripes on skeleton tower. | Seasonal. |
| Coles Creek Channel | | | | | | | |
| <i>These private aids best mark the channel and may shift as channel conditions warrant. Maintained from Apr. 30 to Sept. 30.</i> | | | | | | | |
| 435 | - Lighted Buoy 1 | 44-54-15.000N 075-06-44.000W | FI G 4s | | | Green. | Private aid. |
| 440 | - Lighted Buoy 2 | 44-54-09.500N 075-06-55.000W | FI R 4s | | | Red. | Private aid. |
| 445 | - Lighted Buoy 3 | 44-53-52.000N 075-06-47.000W | FI G 4s | | | Green. | Private aid. |
| 450 | - Lighted Buoy 4 | 44-53-44.000N 075-06-57.500W | FI R 4s | | | Red. | Private aid. |
| 455 | - Lighted Buoy 5 | 44-53-34.000N 075-06-51.000W | FI G 4s | | | Green. | Private aid. |
| 460 | - Lighted Buoy 6 | 44-53-34.500N 075-07-01.000W | FI R 4s | | | Red. | Private aid. |
| 465 | - Lighted Buoy 7 | 44-53-24.500N 075-06-59.000W | FI G 4s | | | Green. | Private aid. |
| 470 | - Lighted Buoy 8 | 44-53-27.000N 075-07-01.500W | FI R 4s | | | Red. | Private aid. |
| 475 | - Lighted Buoy 9 | 44-53-23.000N 075-07-05.000W | FI G 4s | | | Green. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| ST. LAWRENCE RIVER | | | | | | | |
| CROIL ISLAND TO/A CARDINAL (Chart 1434)(C) | | | | | | | |
| Coles Creek Channel | | | | | | | |
| <i>These private aids best mark the channel and may shift as channel conditions warrant. Maintained from Apr. 30 to Sept. 30.</i> | | | | | | | |
| 480 | - Lighted Buoy 10 | 44-53-27.000N 075-07-04.500W | FI R 4s | | | Red. | Private aid. |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 485 | - LIGHT 75 About 100 feet outside channel limit. | 44-55-10.635N 075-06-59.318W | FI G 4s | 30 9 | | SG on tower on cell. | Aid maintained by S.L.S.D.C. |
| 490 | - Lighted Buoy 77 | 44-55-04.835N 075-07-34.018W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 495 | WEAVER SHOAL RANGE FRONT LIGHT (C) | 44-55-30.035N 075-07-54.018W | F W | 33 10 | | White triangular daymark with black stripe on skeleton tower. | Seasonal. |
| 500 | WEAVER SHOAL RANGE REAR LIGHT (C) 1,520 feet, 262° from front light. | | F W | 56 17 | | White inverted triangular daymark with black stripe on skeleton tower. | Seasonal. |
| 505 | - Lighted Buoy 78 (C) | | Q R | | | Red. | Seasonal. |
| 510 | - LIGHT 79 About 70 feet outside channel limit. | 44-54-50.135N 075-08-01.318W | Q G | 30 9 | | SG on tower on cell. | Aid maintained by S.L.S.D.C. |
| 515 | GOOSE NECK ISLAND SHOALS RANGE FRONT LIGHT (C) | 44-54-54.035N 075-08-48.018W | F R | 33 10 | | Orange triangular daymark with black stripes on skeleton tower. | Seasonal. |
| 520 | GOOSE NECK ISLAND SHOALS RANGE REAR LIGHT (C) 470 feet, 255° from front light. | | F R | 45 14 | | Orange inverted daymark with black stripes on skeleton tower. | Seasonal. |
| 530 | - LIGHT 81 (C) Marks Doran Shoal. | 44-54-00.035N 075-09-00.018W | Q G | 37 11 | | White circular tower with green band at top. | Seasonal. |
| 535 | - LIGHT 82 (C) About 150 feet outside channel limits. | 44-54-06.035N 075-09-12.018W | FI R 4s | 29 9 | | White circular tower with red top. | Seasonal. |
| 540 | - Lighted Buoy 84 (C) | 44-53-48.035N 075-09-42.018W | FI R 4s | | | Red. | Seasonal. |
| 550 | - LIGHT 85 | | FI G 4s | 10 3 | | SG on tower on cell. | Maintained from Apr. 15 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 555 | - Lighted Buoy 86 (C) | 44-53-12.035N 075-11-00.018W | FI R 4s | | | Red. | Seasonal. |
| 560 | Canada Island Anchorage Area N Lighted Buoy XJ (C) | 44-53-36.035N 075-10-30.018W | FI Y 4s | | | Yellow. | Seasonal. |
| 565 | - Lighted Buoy 87 | 44-53-19.935N 075-10-28.118W | FI G 4s | | | Green. | Winter marker. Aid maintained by S.L.S.D.C. |
| 570 | - Lighted Buoy 88 (C) | 44-53-06.035N 075-11-24.018W | FI R 4s | | | Red. | |
| 575 | - Lighted Buoy 89 Marks northwest side of Clark Island Shoal. | 44-53-00.235N 075-11-10.918W | FI G 4s | | | Green. | Can Winter Mark Aid maintained by S.L.S.D.C. |
| 580 | OGDEN ISLAND RANGE FRONT LIGHT | 44-52-48.035N 075-11-42.018W | F G | 28 9 | | Orange triangular daymark with black stripes on skeleton tower on cell. | Aid maintained by S.L.S.D.C. |
| 585 | OGDEN ISLAND RANGE REAR LIGHT 950 feet, 237.3° from front light. | | F G | 52 16 | | Orange triangular daymark with black stripes on square tower. | Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| ST. LAWRENCE RIVER | | | | | | | |
| CROIL ISLAND TO/A CARDINAL (Chart 1434)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 590 | - Lighted Buoy 91 | 44-52-54.535N 075-11-40.318W | FI G 4s | | | Green. | Can Winter Mark Aid maintained by S.L.S.D.C. |
| 595 | - LIGHT 92 (C) | 44-52-54.035N 075-12-12.018W | FI R 4s | 36 11 | | White circular tower with red top. | Seasonal. |
| 600 | MARIATOWN RANGE FRONT LIGHT (C) | 44-53-00.035N 075-12-36.018W | F G | 33 10 | | Orange triangular daymark with black stripes on white skeleton tower. | Seasonal. |
| 605 | MARIATOWN RANGE REAR LIGHT (C) 443 feet, 057° from front light. | | F G | 47 14 | | Orange inverted triangular daymark with black stripes on white skeleton tower. | Seasonal. |
| 610 | - Lighted Buoy 92A (C) | 44-52-48.035N 075-12-36.018W | FI R 4s | | | Red. | Seasonal. |
| 615 | - Lighted Buoy 93 | 44-52-37.335N 075-13-03.418W | FI G 4s | | | Green. | Year Round Lighted Buoy Aid maintained by S.L.S.D.C. |
| 620 | - Lighted Buoy 94 (C) | | Q R | | | Red. | Seasonal. |
| 625 | - Lighted Buoy 95 (C) | 44-52-30.035N 075-13-24.018W | FI G 4s | | | Green. | Seasonal. |
| 630 | - LIGHT 96 (C) | | FI R 4s | 27 8 | 7 | White circular tower with red top. | Seasonal. |
| 635 | MARIATOWN APPROACH RANGE FRONT LIGHT (C) | 44-52-36.035N 075-13-42.018W | F R | 38 12 | | Orange triangular daymark with black stripe on white skeleton tower. | |
| 640 | MARIATOWN APPROACH RANGE REAR LIGHT (C) 500 feet, 255.4° from front light. | | F R | 53 16 | | Orange triangular daymark with black stripe on white skeleton tower. | Seasonal. |
| 645 | - Lighted Buoy 96A (C) | 44-52-18.035N 075-14-00.018W | FI R 4s | | | Red. | Seasonal. |
| 650 | - Lighted Buoy 98 (C) | | FI R 4s | | | Red. | Seasonal. |
| 655 | - Lighted Buoy 99 | 44-51-56.335N 075-14-33.318W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 660 | - Lighted Buoy 100 (C) | 44-51-36.035N 075-15-18.018W | Q R | | | Red. | Seasonal. |
| 665 | - Lighted Buoy 101 Marks shoal. | 44-51-26.535N 075-15-20.018W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 670 | - Lighted Buoy 102 (C) | 44-51-30.035N 075-15-42.018W | FI R 4s | | | Red. | Seasonal. |
| 675 | - Lighted Buoy 103 | 44-51-16.035N 075-16-03.518W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 680 | - Lighted Buoy 104 (C) | 44-51-18.035N 075-16-24.018W | Q R | | | Red. | Seasonal. |
| 685 | - Lighted Buoy 105 | 44-51-04.335N 075-16-35.018W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 700 | - Lighted Buoy 107A (C) | | FI G 4s | | | Green boat-shaped buoy. | Seasonal. |
| 705 | IROQUOIS LOCK RANGE FRONT LIGHT (C) | 44-50-42.035N 075-18-12.018W | F W | 33 10 | | Orange triangular daymark with black stripes on white skeleton tower. | Seasonal. |
| 710 | IROQUOIS LOCK RANGE REAR LIGHT (C) 745 feet, 026.3° from front light. | | F W | 43 13 | | Orange triangular daymark with black stripes on white skeleton tower. | Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| ST. LAWRENCE RIVER | | | | | | | |
| CROIL ISLAND TO/A CARDINAL (Chart 1434)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 715 | - Lighted Buoy 108 (C) | | Q R | | | Red. | Seasonal. |
| 720 | - Lighted Buoy 108A (C) | 44-50-24.035N 075-18-30.018W | FI R 4s | | | Red. | Seasonal. |
| 725 | IROQUOIS APPROACH RANGE FRONT LIGHT (C) | 44-50-24.035N 075-18-36.018W | F R | 32 10 | | Orange triangular daymark with black stripes on white skeleton tower. | Seasonal. |
| 730 | IROQUOIS APPROACH RANGE REAR LIGHT (C) 601 feet, 241.4° from front light. | | F R | 47 14 | | Orange triangular daymark with black stripes on white skeleton tower. | Seasonal. |
| 735 | - Lighted Buoy 109 (C) | | Q G | | | Green boat-shaped buoy. | Seasonal. |
| 745 | - LIGHT 111 (C) | | FI G 4s | 46 14 | | Orange triangular daymark on white skeleton tower. | Seasonal. |
| 755 | - Lighted Buoy 112 (C) | 44-49-00.035N 075-19-30.018W | FI R 4s | | | Red. | Seasonal. |
| 760 | - Lighted Buoy 113 (C) | 44-48-54.035N 075-19-18.018W | Q G | | | Green. | Seasonal. |
| 765 | - LIGHT 114 (C) | 44-48-48.035N 075-19-48.018W | FI R 4s | 23 7 | | White circular tower with red top. | Seasonal. |
| 770 | TOUSSAINT ISLAND WEST LIGHT (C) | 44-48-42.035N 075-20-00.018W | Iso R 2s | 21 6 | | White circular tower with red top. | Seasonal. |
| 775 | SPARROWHAWK POINT LEADING LIGHT | 44-48-06.035N 075-20-00.018W | F G | 48 15 | | Orange triangular daymark with black stripe on post. | Higher intensity beam on bearing 205.8°. Aid maintained by S.L.S.D.C. |
| 780 | - LIGHT 115 About 200 feet outside channel limit. | 44-47-56.935N 075-20-46.118W | FI G 2.5s | 28 9 | | SG on pile on cell. | Aid maintained by S.L.S.D.C. |
| 785 | - Lighted Buoy 116 | 44-47-25.835N 075-21-46.618W | FI R 4s | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 790 | - Lighted Buoy 117 | 44-47-14.435N 075-21-51.218W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 795 | - Lighted Buoy 118 (C) | 44-47-06.035N 075-22-12.018W | FI R 4s | | | Red. | Seasonal. |
| 800 | - Lighted Buoy 119 | 44-46-56.735N 075-22-21.618W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 805 | - Lighted Buoy 120 (C) | 44-46-54.035N 075-22-42.018W | FI R 4s | | | Red. | Seasonal. |
| 810 | GALOP ISLAND EAST RANGE FRONT LIGHT | 44-46-36.035N 075-22-54.018W | F G | 28 9 | | Orange triangular daymark with black stripes on skeleton tower. | Aid maintained by S.L.S.D.C. |
| 815 | GALOP ISLAND EAST RANGE REAR LIGHT 1,700 feet, 227° from front light. | | F G | 60 18 | | Orange triangular daymark with black stripes on square tower. | Aid maintained by S.L.S.D.C. |
| 820 | - LIGHT 121 | 44-46-34.835N 075-23-04.818W | FI G 4s | 28 9 | | SG on pile on cell. | Aid maintained by S.L.S.D.C. |
| 835 | - Lighted Buoy 122 | 44-46-25.935N 075-23-41.518W | FI R 4s | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|------------------------|---------------|--------------|---|--|
| ST. LAWRENCE RIVER | | | | | | | |
| CARDINAL TO/A WHALEBACK SHOAL (Chart 1435)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 840 | - LIGHT 123 About 160 feet outside channel limit. | 44-46-01.035N 075-24-16.018W | FI G 4s | 28 9 | | White square daymark with green border on white pile. | Aid maintained by S.L.S.D.C. |
| 843 | - <i>Lighted Buoy 124</i> | 44-46-00.035N 075-24-34.618W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 845 | - <i>Lighted Buoy 125</i> | 44-45-58.335N 075-24-24.018W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 855 | - <i>Lighted Buoy 125A</i> | 44-45-48.035N 075-24-39.618W | FI G 4s | | | Green. | Can Winter Mark Aid maintained by S.L.S.D.C. |
| 860 | - <i>Lighted Buoy 126</i> | 44-45-32.035N 075-25-10.618W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 865 | - <i>Lighted Buoy 127</i> | 44-45-23.235N 075-25-10.618W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 870 | DRUMMOND ISLAND RANGE FRONT LIGHT (C) | 44-45-30.035N 075-25-36.019W | Iso R 2s | 45 14 | | Orange inverted triangular daymark with black stripe on white skeleton tower. | Seasonal. |
| 875 | DRUMMOND ISLAND RANGE REAR LIGHT (C) 3,168 feet, 236.5° from front light. | | F R | 70 21 | | Orange inverted triangular daymark with black stripes on skeleton tower. | Seasonal. |
| 880 | GALOP ISLAND WEST RANGE FRONT LIGHT | 44-45-12.035N 075-25-12.018W | F G | 28 9 | | Orange triangular daymark with black stripes on skeleton tower. | Aid maintained by S.L.S.D.C. |
| 885 | GALOP ISLAND WEST RANGE REAR LIGHT 1,296 feet, 058.0° from front light. | 44-45-18.035N 075-24-54.018W | F G | 48 15 | | Orange triangular daymark with black stripes on skeleton tower. | Aid maintained by S.L.S.D.C. |
| 890 | - <i>Lighted Buoy 126A</i> | 44-45-01.935N 075-25-47.519W | Q R | | | Red. | Year Round Lighted Buoy Aid maintained by S.L.S.D.C. |
| 895 | - ICE BOOM CELL LIGHT C Marks location of anchors, cables and pile cells. | 44-44-53.000N 075-25-40.000W | F Y | 12 4 | | Post on cell. | Private aid. |
| 900 | - <i>Lighted Buoy 129</i> | 44-44-49.035N 075-25-52.819W | Q G | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 905 | - <i>Lighted Buoy 128</i> | 44-44-47.235N 075-26-12.019W | FI R 4s | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 910 | CHIMNEY ISLAND LEADING LIGHT | 44-44-30.035N 075-26-24.019W | F W (R & G sectors) | 28 9 | | On post. | Red from 220.4° to 221.3°, white from 221.3° to 222.2°, green from 222.2° to 223.2°. Aid maintained by S.L.S.D.C. |
| 925 | - <i>Lighted Buoy 130A (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 940 | - <i>Lighted Buoy 131 (C)</i> | 44-44-18.035N 075-27-06.019W | FI G 4s | | | Green. | Seasonal. |
| 950 | - <i>Lighted Buoy 131A (C)</i> | 44-43-42.035N 075-28-00.019W | FI G 4s | | | Green. | Seasonal. |
| 955 | - ICE BOOM CELL LIGHT B Marks location of anchors, cables and pile cells. | 44-43-23.000N 075-27-54.000W | F Y | 12 4 | | White post on cell. | Private aid. |
| 960 | - <i>Lighted Buoy 131B</i> | 44-43-07.935N 075-28-36.319W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 965 | - <i>Lighted Buoy 132 (C)</i> | 44-43-06.035N 075-29-06.019W | FI R 4s | | | Red. | Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| ST. LAWRENCE RIVER | | | | | | | |
| CARDINAL TO/A WHALEBACK SHOAL (Chart 1435)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 970 | - Lighted Buoy 133 | 44-42-18.635N 075-30-15.819W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 975 | PRESCOTT HERITAGE HARBOUR LIGHT (C) | 44-42-36.035N 075-30-36.019W | Iso G 4s | 25 8 | | White lighthouse with green top. | Seasonal. |
| Ogdensburg Harbor | | | | | | | |
| 985 | - East Entrance Lighted Buoy 2 | 44-42-33.235N 075-29-13.519W | FI R 4s | | 4 | Red. | Maintained from Apr. 1 to Dec. 15 Aid maintained by S.L.S.D.C. |
| 990 | - East Entrance Lighted Buoy 4 | 44-42-22.535N 075-29-20.619W | FI R 4s | | 4 | Red. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 992 | - LIGHT | 44-41-52.000N 075-30-12.000W | FI W 10s | 70 21 | | | Private aid. |
| 995 | - West Entrance Lighted Buoy 2 | 44-42-06.184N 075-30-22.009W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Nov 28. Aid maintained by S.L.S.D.C. |
| 1000 | - West Entrance Buoy 3 | 44-41-58.425N 075-30-04.239W | | | | Green can. | Maintained from Apr 28 to Nov 28. Aid maintained by S.L.S.D.C. |
| 1005 | - West Entrance Buoy 4 | 44-41-54.434N 075-30-11.319W | | | | Red nun. | Maintained from Apr 28 to Nov 28. Aid maintained by S.L.S.D.C. |
| 1010 | - West Entrance Lighted Buoy 5 | 44-41-57.975N 075-29-56.819W | FI G 4s | | 4 | Green. | Maintained from Apr 28 to Nov 28 Aid maintained by S.L.S.D.C. |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1020 | Catamaran Shoal Buoy Lighted 135 Marks northwest side of shoal. | 44-36-55.034N 075-37-19.419W | FI G 4s | | | Green can. | Aid maintained by S.L.S.D.C. |
| 1025 | North McNair Shoal Lighted Buoy 136 (C) | | FI R 4s | | | Red. | Seasonal. |
| 1035 | South McNair Shoal Lighted Buoy 137A (C) | 44-35-36.034N 075-40-00.019W | FI G 4s | | | Green. | Seasonal. |
| 1040 | Brockville Breakwater Light (C) | | FI R 4s | 32 10 | | White circular tower with red top. | Seasonal. |
| 1045 | SKELETON ISLAND LIGHT 138 (C) | | FI R 4s | 37 11 | | White circular tower with red top. | Seasonal. |
| 1050 | Refugee Island Shoal Lighted Buoy 139 (C) Marks east side of shoal. | | FI G 4s | | | Green. | Seasonal. |
| 1065 | MCCOY ISLAND LIGHT 141 (C) | | Q G | 30 9 | | White circular tower with black top. | Seasonal. |
| 1070 | ROYAL ISLAND LIGHT 142 (C) Marks shoal. | | FI R 4s | 31 9 | | White circular tower with red top. | Seasonal. |
| 1075 | - LIGHT 143 (C) | 44-34-00.034N 075-42-24.019W | FI G 4s | 26 8 | | White circular tower with black top. | Seasonal. |
| 1080 | - Lighted Buoy 143A (C) Marks north side of shoal. | 44-33-42.034N 075-42-42.019W | FI G 4s | | | Green. | Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| ST. LAWRENCE RIVER | | | | | | | |
| CARDINAL TO/A WHALEBACK SHOAL (Chart 1435)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1085 | - LIGHT 144 (C) Marks McDonald Point Shoal. | | Q R | 28 9 | | White circular tower with red top. | Seasonal. |
| 1090 | STOVIN ISLAND LIGHT 145 (C) | 44-33-36.034N 075-42-54.019W | FI G 4s | 34 10 | | White circular tower with green top. | Seasonal. |
| 1095 | NEEDLES EYE ISLAND LIGHT 146 (C) | | FI R 4s | 34 10 | | White circular tower with red top. | Seasonal. |
| 1100 | <i>Derottenburg Lighted Buoy 145A (C)</i> | | FI G 4s | | | Green. | Seasonal. |
| 1105 | - <i>Lighted Buoy 146A (C)</i> | | FI R 4s | | | Red. | |
| 1110 | DEWATTEVILLE ISLAND RANGE FRONT LIGHT (C) | 44-32-54.034N 075-44-00.019W | F W | 30 9 | | Orange triangular daymark with black stripes on white circular tower with red top. | Seasonal. |
| 1115 | DEWATTEVILLE ISLAND RANGE REAR LIGHT (C) 1,140 feet, 036.9° from front light. | | F W | 69 21 | | Orange inverted triangular daymark with black stripes on red skeleton tower. | Visible on range line only. Seasonal. |
| 1120 | - LIGHT 147 (C) | 44-32-30.034N 075-44-12.019W | FI G 4s | 30 9 | | White circular tower with green top. | Seasonal. |
| 1125 | - <i>Lighted Buoy 147A (C)</i> | 44-32-12.034N 075-44-36.019W | FI G 4s | | | Green. | Seasonal. |
| 1130 | - LIGHT 150 (C) | 44-31-48.034N 075-45-18.019W | FI R 4s | 28 9 | | White cylindrical tower with red top. | Seasonal. |
| 1135 | <i>Cole Shoal Lighted Buoy 150A (C)</i> Marks south side of Cole Shoal. | | FI R 4s | | | Red. | Seasonal. |
| 1140 | - LIGHT 151 (C) | 44-31-24.034N 075-45-24.019W | FI G 4s | 30 9 | | White circular tower with green top. | Seasonal. |
| 1145 | - <i>Lighted Buoy 152 (C)</i> | 44-31-06.034N 075-46-00.019W | FI R 4s | | | Red. | Seasonal. |
| 1150 | BROCKVILLE CROSSOVER RANGE FRONT LIGHT (C) | 44-31-36.034N 075-45-54.019W | Iso G 2s | 32 10 | | Orange triangular daymark with black stripe on white circular tower. | Seasonal. |
| 1155 | BROCKVILLE CROSSOVER RANGE REAR LIGHT (C) 2,153 feet, 013.5° from front light. | | F G | 61 19 | | Orange inverted triangular daymark with black stripe on white skeleton tower. | Seasonal. |
| 1170 | - <i>Lighted Buoy 153</i> | 44-30-37.434N 075-46-08.219W | Q G | | | Green. | RACON: M (- -) Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1180 | - LIGHT 156 Marks Bay State Shoal, about 60 feet outside channel limit. | | FI R 2.5s | 30 9 | | TR on tower on cell. | Aid maintained by S.L.S.D.C. |
| 1185 | - <i>Lighted Buoy 157</i> | 44-30-18.934N 075-46-14.419W | FI G 4s | | | Green. | Winter marker. Aid maintained by S.L.S.D.C. |
| 1190 | - <i>Lighted Buoy 159</i> | 44-29-48.934N 075-46-24.519W | FI G 4s | | | Green. | Winter marker. Aid maintained by S.L.S.D.C. |
| 1195 | - LIGHT 160 Marks Cross Over Island Shoal, about 105 feet outside channel limit. | 44-29-48.034N 075-46-36.019W | FI R 4s | 28 9 | | TR on tower on cell. | Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height Range | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|------------------------|------------------------|--------------|---------------------------------------|--|
| ST. LAWRENCE RIVER | | | | | | | |
| CARDINAL TO/A WHALEBACK SHOAL (Chart 1435)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1200 | - Lighted Buoy 162 | 44-28-41.534N 075-46-56.119W | Q R | | | Red. | Year Round Lighted Buoy Aid maintained by S.L.S.D.C. |
| 1205 | - LIGHT 163 About 140 feet outside channel limit. | | FI G 2.5s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 1210 | CHIPPEWA POINT DIRECTIONAL LIGHT | 44-28-24.530N 075-46-57.470W | F W (R & G sectors) | 28 9 | | White post. | White from 193° to 195°, red from 189° to 193°, green from 195° to 199°. Aid maintained by S.L.S.D.C. |
| 1215 | - Lighted Buoy 163A | 44-28-22.634N 075-47-05.819W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1220 | - Lighted Buoy 164 | 44-28-30.534N 075-47-08.219W | FI R 4s | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| WHALE BACK SHOAL TO/A SUMMERLAND GROUP (Chart 1436) (C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1225 | - LIGHT 165 | | FI G 4s | 23 7 | | SG on tower on cell. | Aid maintained by S.L.S.D.C. |
| 1230 | CHIMNEY ISLAND LIGHT (C) | 44-28-00.034N 075-50-00.019W | FI R 4s | 18 5 | | White circular tower with red top. | Seasonal. |
| 1235 | HAFFIE SHOAL LIGHT (C) | 44-27-30.034N 075-50-42.019W | FI R 4s | 34 10 | | White circular tower with red top. | |
| 1240 | - Lighted Buoy 166 | 44-27-14.034N 075-48-30.819W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1245 | - Lighted Buoy 167 | 44-26-55.834N 075-48-37.419W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1250 | - LIGHT 168 | 44-27-00.034N 075-48-48.019W | FI R 4s | 23 7 | | TR on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1255 | - Lighted Buoy 170 | 44-26-45.134N 075-48-59.219W | FI R 4s | | | Red. | Nun Winter Mark Aid maintained by S.L.S.D.C. |
| 1260 | - Lighted Buoy 172 (C) Marks shoal. | | FI R 4s | | | Red. | Seasonal. |
| 1265 | Haskell Shoal Lighted Buoy 173 (C) Marks north side of shoal. | 44-26-12.034N 075-49-24.019W | Q G | | | Green. | Spar; winter marker. Seasonal. |
| 1270 | - Lighted Buoy 176 | 44-25-03.134N 075-50-26.419W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 1275 | - Lighted Buoy 177 | 44-24-46.234N 075-50-30.719W | FI G 4s | | | Green. | Can Winter Mark Aid maintained by S.L.S.D.C. |
| 1280 | - LIGHT 178 About 175 feet outside channel limit. | | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 1285 | - LIGHT 179 | | FI G 2.5s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 1290 | - LIGHT 180 Marks Ironside Shoal. | 44-23-48.034N 075-51-24.019W | Q R | 28 9 | | TR on tower on cell. | Aid maintained by S.L.S.D.C. |
| 1295 | - Lighted Buoy 181 | 44-23-30.034N 075-51-29.119W | FI G 4s | | | Green. | Year Round Lighted Buoy Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height Range | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|------------------------|--------------|-----------------------------------|--|
| ST. LAWRENCE RIVER | | | | | | | |
| WHALE BACK SHOAL TO/A SUMMERLAND GROUP (Chart 1436) (C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1300 | - Lighted Buoy 181A | 44-22-49.034N 075-52-25.219W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1305 | - LIGHT 182 Marks Whiskey Island Shoal, about 95 feet outside channel limit. | | FI R 4s | 28 9 | | TR on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1310 | - LIGHT 183 Marks Excelsior Shoal, about 180 feet outside channel limit. | 44-22-24.034N 075-53-06.019W | FI G 4s | 34 10 | | SG on tower on concrete base. | Aid maintained by S.L.S.D.C. |
| 1315 | - Lighted Buoy 185 | 44-22-13.234N 075-53-23.419W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1320 | - LIGHT 186 About 320 feet outside channel limit. | | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| SUMMERLAND GROUP TO/A GRINDSTONE ISLAND (Chart 1437)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1325 | - LIGHT 187 | | FI G 4s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 1330 | Hammond Shoal Buoy Marks south side of shoal. | 44-20-44.834N 075-54-42.319W | | | | Green and red bands; can. | Maintained from Apr 28 to Nov 28. Aid maintained by S.L.S.D.C. |
| 1335 | - LIGHT 189 About 290 feet outside channel limit. | | FI G 4s | 30 9 | | SG on conical tower. | Aid maintained by S.L.S.D.C. |
| 1340 | - LIGHT 191 Marks southwest side of Sunken Rock Shoal, about 70 feet outside channel limits. | | FI G 2.5s | 28 9 | | SG on tower on concrete base. | Aid maintained by S.L.S.D.C. |
| 1345 | - LIGHT 192 Marks Frontenac Shoal, about 25 feet outside channel limit. | | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 1350 | Broadway Shoal Buoy Marks north side of shoal. | 44-20-22.454N 075-55-15.829W | | | | Green and red bands; can. | Maintained from Apr 28 to Nov 28. Aid maintained by S.L.S.D.C. |
| 1353 | ALEXANDRIA BAY HARBOR LIGHT | 44-20-07.500N 075-55-15.800W | FI Y 2s | 3 1 | | On floating dock. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 1360 | - LIGHT 194 Marks Pullman Shoal, about 100 feet outside channel limit. | 44-20-06.034N 075-55-48.019W | FI R 4s | 34 10 | | TR on tower on concrete base . | Aid maintained by S.L.S.D.C. |
| 1365 | - LIGHT 195 About 12 feet outside channel limit. | | FI G 4s | 23 7 | | SG on pile . | Maintained from Apr . 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1370 | - LIGHT 197 | | FI G 4s | 28 9 | | SG on pile . | Aid maintained by S.L.S.D.C. |
| 1375 | - LIGHT 198 | | FI R 4s | 23 7 | | TR on tower on concrete base | Aid maintained by S.L.S.D.C. |
| 1380 | - LIGHT 199 Marks Comfort Island Shoal. | | FI G 2.5s | 28 9 | | SG on tower on concrete base . | RACON: M (- -) Aid maintained by S.L.S.D.C. |
| 1385 | KEEWAYDIN STATE PARK BREAKWATER LIGHT | 44-19-22.000N 075-56-11.000W | FI G 4s | 10 3 | | Green daymark on steel post. | Maintained from May 1 to Nov 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|------------------------|---------------|--------------|--------------------------------|--|
| ST. LAWRENCE RIVER | | | | | | | |
| SUMMERLAND GROUP TO/A GRINDSTONE ISLAND (Chart 1437)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1386 | <i>Keewaydin State Park Lighted Entrance Buoy</i> | 44-49-20.600N 075-56-13.600W | FI R 4s | | | Red. | Maintained May 1 to Nov. 1. Private aid. |
| 1390 | - LIGHT 200 About 90 feet outside channel limit. | | Q R | 28 9 | | TR on pile . | Aid maintained by S.L.S.D.C. |
| 1395 | - <i>Lighted Buoy 202</i> | 44-19-22.634N 075-56-38.619W | Iso R 3s | | | Red. | S .L.S .D.C . Aid maintained by S.L.S.D.C. |
| 1400 | POINT VIVIAN LEADING LIGHT | | F W (R & G sectors) | 28 9 | | On post. | Red from 216.5 ° to 217.5 ° , white from 217.5 ° to 218.5 ° , green from 218.5° to 219.5 ° . S. L.S. D.C. Aid maintained by S.L.S.D.C. |
| 1405 | - LIGHT 203 About 40 feet outside channel limit. | | FI G 4s | 28 9 | | SG on pile . | Aid maintained by S.L.S.D.C. |
| 1410 | - LIGHT 204 About 30 feet outside channel limit. | | FI R 4s | 28 9 | | TR on pile . | Aid maintained by S.L.S.D.C. |
| 1415 | - <i>Lighted Buoy 205</i> | 44-18-53.934N 075-57-20.119W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1420 | - LIGHT 206 About 25 feet outside channel limit. | 44-18-36.034N 075-58-12.019W | Iso R 2s | 28 9 | | TR on pile . | Aid maintained by S.L.S.D.C. |
| 1425 | - LIGHT 207 About 15 feet outside channel limit. | | FI G 4s | 28 9 | | SG on pile . | Aid maintained by S.L.S.D.C. |
| 1430 | - LIGHT 209 About 40 feet outside channel limit. | 44-17-54.034N 075-59-12.019W | FI G 2.5s | 31 9 | | SG on tower on cell. | Aid maintained by S.L.S.D.C. |
| 1435 | - <i>Lighted Buoy 208</i> | 44-17-56.734N 075-59-22.719W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1440 | - <i>Lighted Buoy 209A</i> | 44-17-36.734N 075-59-43.919W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1445 | - LIGHT 210 About 50 feet outside channel limit. | 44-17-42.034N 075-59-54.019W | FI R 4s | 28 9 | | TR on pile. | Aid maintained by S.L.S.D.C. |
| 1450 | - <i>Lighted Buoy 211</i> | 44-17-14.934N 076-00-21.419W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1455 | - <i>Lighted Buoy 212</i> | 44-17-13.734N 076-00-35.519W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1460 | - LIGHT 213 40 feet outside channel limit. | 44-16-54.034N 076-00-54.019W | FI G 2.5s | 31 9 | | SG on tower on cell. | Aid maintained by S.L.S.D.C. |
| 1465 | FISHER LANDING LIGHT | 44-16-43.234N 076-00-37.719W | FI G 4s | 11 3 | 4 | SG on column on concrete base. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1470 | - LIGHT 214 Marks east side of Granite State Shoal, about 51 feet outside channel limit. | | FI R 2.5s | 28 9 | | TR on tower. | RACON: M (- -) Aid maintained by S.L.S.D.C. |
| 1473 | ROCK ISLAND LIGHT | 44-16-51.840N 076-01-01.620W | F W | | | | Maintained from May.1 to Dec.1. Private aid. |
| 1475 | - <i>Lighted Buoy 215</i> | 44-16-46.434N 076-01-11.919W | Q G | | | Green. | Spar; winter maker. Aid maintained by S.L.S.D.C. |
| 1480 | - <i>Lighted Buoy 216</i> | 44-16-41.634N 076-01-34.319W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| ST. LAWRENCE RIVER | | | | | | | |
| SUMMERLAND GROUP TO/A GRINDSTONE ISLAND (Chart 1437)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1485 | - Buoy 216A | 44-16-34.234N 076-01-50.619W | FI R 4s | | | Red nun. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1490 | - Lighted Buoy 217 | 44-16-08.734N 076-02-17.219W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1495 | - Lighted Buoy 217A | 44-15-36.034N 076-03-51.919W | Q G | | | Green. | Year Round Lighted Buoy Aid maintained by S.L.S.D.C. |
| 1500 | - Lighted Buoy 218 | 44-15-45.234N 076-03-45.819W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 1505 | - LIGHT 219 About 68 feet outside channel limit. | | FI G 4s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| 1510 | - Lighted Buoy 221 Marks west side of shoal. | 44-15-28.134N 076-04-02.319W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1515 | - LIGHT 222 Marks southeast side of Chapman Shoal, about 50 feet outside channel limit. | | FI R 2.5s | 28 9 | | TR on tower. | RACON: C (- . - .) Aid maintained by S.L.S.D.C. |
| Clayton Marina | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 1517 | - Buoy 2 | 44-14-29.249N 076-04-14.788W | | | | Red nun. | Private aid. |
| 1518 | - Buoy 4 | 44-14-29.249N 076-04-14.788W | | | | Red nun. | Private aid. |
| 1519 | - Buoy 6 | 44-15-29.249N 076-04-14.788W | | | | Red nun. | Private aid. |
| 1519.5 | - Buoy 8 | 44-14-29.249N 076-04-14.788W | | | | Red nun. | Private aid. |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1520 | Clayton Shoal Lighted Buoy 1 | 44-14-44.234N 076-05-00.919W | FI G 4s | | 4 | Green. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1523 | CLAYTON CITY DOCK LIGHT | 44-14-39.638N 076-04-59.159W | FI Y 2.5s | | | | Private aid. |
| 1525 | - Lighted Buoy 224 | 44-15-00.534N 076-05-10.919W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1527 | CLAYTON FLOATING DOCK LIGHT | 44-14-35.465N 076-05-17.455W | FI W 4s | 7 2 | | Marks NE corner of dock. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| LAKE ONTARIO | | | | | | | |
| LAKE ONTARIO (Chart 14800) | | | | | | | |
| 1528.1 | Village of Clayton Wave Attenuator Buoy 1 | 44-14-34.649N 076-05-19.688W | FI W 4s | | | | Maintained year round. Private aid. |
| 1528.2 | Village of Clayton Wave Attenuator Buoy 2 | 44-14-35.314N 076-05-18.708W | FI W 4s | | | | Maintained year round. Private aid. |
| 1528.3 | Village of Clayton Wave Attenuator Buoy 3 | 44-14-35.912N 076-05-17.648W | FI W 4s | | | | Maintained year round. Private aid. |
| ST. LAWRENCE RIVER | | | | | | | |
| SUMMERLAND GROUP TO/A GRINDSTONE ISLAND (Chart 1437)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1530 | MARY STREET DOCK LIGHT | 44-14-12.300N 076-05-28.800W | F G | 12 4 | | On steel post. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| ST. LAWRENCE RIVER | | | | | | | |
| SUMMERLAND GROUP TO/A GRINDSTONE ISLAND (Chart 1437)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1545 | - Lighted Buoy 225 Marks shoal. | 44-14-33.434N 076-06-03.419W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1550 | - LIGHT 226 Marks Calumet Shoal, about 188 feet outside channel limit. | | FI R 2.5s | 23 7 | | TR on pile. | Maintained from Apr. 1 to Dec. 15. Aid maintained by S.L.S.D.C. |
| 1555 | - Lighted Buoy 226A | 44-14-40.834N 076-06-04.219W | FI R 4s | | | Red. | Winter marker. Aid maintained by S.L.S.D.C. |
| 1560 | - LIGHT 227 About 322 feet outside channel limit. | 44-14-24.034N 076-06-30.019W | F G | 23 7 | | SG on tower on concrete base. | Aid maintained by S.L.S.D.C. |
| GRINDSTONE ISLAND TO/A CARLETON ISLAND (Chart 1438)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1565 | - Buoy 228 Marks shoal. | 44-14-31.634N 076-07-03.519W | FI R 4s | | | Red nun. | Aid maintained by S.L.S.D.C. |
| 1570 | - LIGHT 229 | 44-13-12.034N 076-09-36.019W | FI G 2.5s | 28 9 | | SG on pile. | Aid maintained by S.L.S.D.C. |
| CARDINAL TO/A WHALEBACK SHOAL (Chart 1435)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| Wolfe Island Cut | | | | | | | |
| 1575 | - Lighted Buoy Pv2 (C) | 44-14-00.034N 076-10-30.019W | Q R | | | Red. | Seasonal. |
| 1580 | - Lighted Buoy Pv1 (C) | | FI G 4s | | | Green. | Seasonal. |
| 1595 | - North Lighted Buoy Pv6 (C) | | FI R 4s | | | Red. | Seasonal. |
| GRINDSTONE ISLAND TO/A CARLETON ISLAND (Chart 1438)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1605 | Wolfe Island Light (C) | 44-14-18.034N 076-11-00.019W | F W | 37 11 | 12 | White pyramid tower. | Seasonal. |
| 1610 | - LIGHT 231 | 44-12-18.034N 076-12-24.019W | FI G 4s | 33 10 | | SG on tower on concrete base. | Aid maintained by S.L.S.D.C. |
| 1615 | - Lighted Buoy 233 Marks north side of shoal. | 44-12-02.634N 076-13-36.819W | FI G 4s | | | Green. | Year Round Lighted Buoy Aid maintained by S.L.S.D.C. |
| 1625 | - Lighted Buoy 234 | 44-12-12.534N 076-15-03.219W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1630 | - Lighted Buoy 235 | 44-11-40.134N 076-17-55.719W | Q G | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1635 | BAYFIELD ISLAND LIGHT (C) | 44-11-39.334N 076-19-42.419W | | 38 12 | | White square skeleton tower with orange triangular daymark. | F R 260.5° to 262°, AI WR 262° to 262.25°, W phase increasing with bearing, F W 262.25° to 263.75°, AI WG 263.75° to 264°, G phase increasing with bearing, F G 264° to 265.5°. Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| ST. LAWRENCE RIVER | | | | | | | |
| GRINDSTONE ISLAND TO/A CARLETON ISLAND (Chart 1438)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1640 | - Lighted Buoy 237 | 44-11-20.834N 076-18-28.019W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1645 | - Lighted Buoy 236 | 44-11-21.234N 076-19-06.219W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1650 | - Lighted Buoy 238 | 44-10-05.134N 076-19-27.119W | FI R 4s | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1655 | IRVINE POINT RANGE FRONT LIGHT (C) | 44-12-18.034N 076-18-36.019W | F R | 35 11 | | Orange rectangular daymark with black vertical stripe on white skeleton tower. | Visible on range line only. Seasonal. |
| 1660 | IRVINE POINT RANGE REAR LIGHT (C) 2,560 feet, 013.3° from front light. | | F R | 70 21 | | Orange rectangular daymark with black vertical stripe on white skeleton tower. | Visible on range line only. Seasonal. |
| 1665 | - Lighted Buoy 239 | 44-10-31.634N 076-19-05.119W | FI G 4s | | | Green. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| 1670 | CARLETON ISLAND LEADING LIGHT | 44-10-12.034N 076-18-42.019W | F G | 29 9 | | Orange triangular daymark with black stripes on square tower. | Visible on bearing 033° only. Aid maintained by S.L.S.D.C. |
| 1675 | - Lighted Buoy 240 | 44-09-04.734N 076-19-49.319W | Q R | | | Red. | Spar; winter marker. Aid maintained by S.L.S.D.C. |
| CARLETON ISLAND TO/A CHARITY SHOAL (Chart 1439)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1680 | - Lighted Buoy 241 | 44-08-38.934N 076-19-31.719W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1685 | Carleton Island South Channel Buoy 1 | 44-10-00.034N 076-17-48.529W | | | | Green can. | Maintained from Apr 28 to Nov 28. Aid maintained by S.L.S.D.C. |
| 1690 | Carleton Island South Channel Buoy 3 | 44-09-53.964N 076-18-18.759W | | | | Green can. | Maintained from Apr 28 to Nov 28. Aid maintained by S.L.S.D.C. |
| 1695 | Carleton Island South Channel Buoy 5 | 44-09-45.794N 076-18-48.459W | | | | Green can. | Maintained from Apr 28 to Nov 28. Aid maintained by S.L.S.D.C. |
| 1700 | CAPE VINCENT BREAKWATER EAST END LIGHT | 44-07-56.934N 076-19-49.519W | Q W | 20 6 | 6 | SG on post. | Aid maintained by S.L.S.D.C. |
| 1705 | CAPE VINCENT BREAKWATER WEST END LIGHT | 44-07-53.234N 076-20-07.219W | F R | 20 6 | 6 | TR on post. | Higher intensity on bearing 068° and 193°. Aid maintained by S.L.S.D.C. |
| 1710 | - Lighted Buoy 242 | 44-08-01.734N 076-20-57.519W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1720 | - Lighted Buoy 243 | 44-07-45.634N 076-20-40.419W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| 1725 | - Lighted Buoy 244 Marks shoal. | 44-07-12.534N 076-22-39.419W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1735 | Tibbetts Point Light | 44-06-02.271N 076-22-14.223W | Oc W 10s | 69 21 | 16 | White conical tower. 69 | Standby light of reduced intensity shows Oc W 4s. AIS MMSI: 993672194 |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| ST. LAWRENCE RIVER | | | | | | | |
| CARLETON ISLAND TO/A CHARITY SHOAL (Chart 1439)(C) | | | | | | | |
| St. Lawrence Seaway | | | | | | | |
| <i>Aids listed S.L.S.D.C. in the remarks section are operated and maintained by the St. Lawrence Seaway Development Corporation pursuant to an agreement with the U.S. Coast Guard authorized under 14 USC 81. Lighted buoys are set out in the spring as early as ice conditions permit and are maintained until ice conditions require their removal in the fall.</i> | | | | | | | |
| 1745 | <i>Tibbetts Point Traffic Lighted Buoy</i> | 44-06-02.734N 076-24-20.419W | Mo (A) W | | | Red and white stripes. | Aid maintained by S.L.S.D.C. |
| 1750 | - <i>Lighted Buoy 245</i> | 44-05-45.434N 076-23-18.819W | FI G 4s | | | Green. | Aid maintained by S.L.S.D.C. |
| LAKE ONTARIO | | | | | | | |
| CLAYTON TO FALSE DUCK ISLAND (Chart 14802) | | | | | | | |
| 1755 | <i>Allan Otty Shoal Lighted Buoy 2</i> Marks southeast side of shoal. | 44-03-49.634N 076-27-01.119W | FI R 4s | | | Red. | Aid maintained by S.L.S.D.C. |
| 1760 | EAST CHARITY SHOAL LIGHT Marks east side of Charity Shoals Group. | 44-02-12.626N 076-28-52.976W | FI W 4s | 52 16 | 9 | Tower. | |
| 1770 | <i>Stony Island Lighted Buoy 2</i> | 43-55-10.501N 076-17-41.073W | FI R 4s | | 4 | Red. | Maintained from May 7 to Nov. 14. |
| 1775 | <i>Point Peninsula Lighted Buoy 3</i> | 43-56-53.147N 076-16-24.267W | FI G 6s | | 4 | Green. | Maintained from May 7 to Nov. 14. |
| CHAUMONT, HENDERSON AND BLACK RIVER BAYS (Chart 14811) | | | | | | | |
| Chaumont Bay | | | | | | | |
| 1780 | CHERRY ISLAND LIGHT | 44-00-52.366N 076-11-11.695W | FI W 4s | 43 13 | 8 | NR on white skeleton tower with enclosed base. | |
| 1785 | <i>Johnson Shoal Lighted Buoy 1</i> | 44-02-59.232N 076-09-53.768W | FI G 4s | | 3 | Green. | Maintained from May 14 to Nov. 1. |
| 1790 | - <i>Junction Lighted Buoy</i> | 44-03-21.731N 076-09-08.469W | FI (2+1)G 6s | | 3 | Green and red bands. | Maintained from May 14 to Nov. 1. |
| 1795 | Chaumont Harbor Daybeacon 2 Marks rock. | 44-03-37.674N 076-08-15.359W | | | | TR on pile on concrete base. | |
| 1800 | CHAUMONT HARBOR LIGHT | 44-03-31.914N 076-08-45.219W | F G | 30 9 | 6 | SG on skeleton tower with enclosed base. | |
| 1805 | CRESENT MARINE PIER LIGHT | 44-03-48.000N 076-08-04.300W | F R | 9 3 | | Post. | Maintained from May 1 to Dec. 1. Private aid. |
| Chaumont Shoal | | | | | | | |
| <i>Buoys maintained from Apr. 30 to Oct. 30. Due to shifting sandbar, buoys may be relocated without prior notice.</i> | | | | | | | |
| 1810 | - Buoy A | 44-03-55.674N 076-09-03.855W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |
| 1815 | - Buoy B | 44-03-57.671N 076-09-01.038W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |
| 1820 | - Buoy C | 44-03-59.301N 076-08-56.792W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |
| 1825 | - <i>Lighted Buoy D</i> | 44-05-08.000N 076-08-50.174W | FI W 2s | | | White with orange bands and diamond worded DANGER. | Private aid. |
| 1830 | - Buoy E | 44-04-00.000N 076-08-50.787W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |
| 1835 | - Buoy F | 44-04-01.000N 076-08-52.000W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ONTARIO | | | | | | | |
| CHAUMONT, HENDERSON AND BLACK RIVER BAYS (Chart 14811) | | | | | | | |
| Chaumont Bay | | | | | | | |
| Chaumont Shoal | | | | | | | |
| <i>Buoys maintained from Apr. 30 to Oct. 30. Due to shifting sandbar, buoys may be relocated without prior notice.</i> | | | | | | | |
| 1840 | - Buoy G | 44-04-02.876N 076-08-52.471W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |
| 1845 | - Buoy H | 44-04-04.000N 076-08-56.000W | | | | White can with orange bands and diamond worded DANGER. | Private aid. |
| Black River Bay | | | | | | | |
| 1850 | SACKETS HARBOR LIGHT | 43-56-37.448N 076-08-43.055W | FI W 2.5s | 57 17 | 5 | NB on gray skeleton tower. | Light obscured by trees 092° to 157° and 242° to 267°. |
| 1852 | <i>Horse Island Lighted Buoy 2</i> | 43-56-30.969N 076-09-11.974W | FI R 4s | | 3 | Red. | Maintained from May 14 to Nov. 01. |
| Navy Point | | | | | | | |
| <i>Aids maintained from Jun. 1 to Nov. 1.</i> | | | | | | | |
| 1855 | - LIGHT | 43-57-01.334N 076-07-16.319W | FI R 4s | 27 8 | 4 | TR on post. | |
| 1860 | - MARINE DOCK LIGHT 4 | 43-56-58.000N 076-07-20.000W | F R | 15 5 | | TR on post. | Private aid. |
| 1865 | - <i>Marina Anchorage Lighted Buoy A</i> | 43-56-58.000N 076-07-18.000W | Q Y | | | Yellow. | Private aid. |
| 1870 | - <i>Marina Anchorage Lighted Buoy B</i> | 43-57-02.000N 076-07-16.800W | Q Y | | | Yellow. | Private aid. |
| 1875 | - <i>Marina Anchorage Lighted Buoy C</i> | 43-57-03.500N 076-07-18.700W | Q Y | | | Yellow. | Private aid. |
| 1880 | - <i>Marina Anchorage Lighted Buoy D</i> | 43-57-04.000N 076-07-23.600W | Q Y | | | Yellow. | Private aid. |
| Black River Bay | | | | | | | |
| 1882 | MADISON BARRACKS MARINA ENTRANCE LIGHT | 43-57-17.900N 076-06-44.900W | F R | 17 5 | | TR on post. | Maintained from May 1 to Oct. 1. Private aid. |
| 1885 | <i>Black River Entrance Lighted Buoy 1</i> | 43-59-12.000N 076-04-42.000W | FI G 4s | | | Green. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1890 | <i>Black River Entrance Lighted Buoy 2</i> | 43-59-06.000N 076-04-36.000W | FI R 4s | | | Red. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1895 | - Buoy 3 | 43-58-53.200N 076-05-04.200W | | | | Green can. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1900 | - Buoy 4 | 43-58-53.200N 076-05-04.200W | | | | Red spar. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1905 | - Buoy 5 | 43-59-00.100N 076-04-57.900W | | | | Green can. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1910 | - Buoy 6 | 43-58-56.700N 076-04-55.800W | | | | Red spar. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1915 | - Buoy 7 | 43-59-05.800N 076-04-46.200W | | | | Green can. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1920 | - Buoy 8 | 43-59-04.300N 076-04-43.900W | | | | Red spar. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1925 | - Buoy 9 | 43-59-08.800N 076-04-40.900W | | | | Green can. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1930 | - Buoy 10 | 43-59-08.800N 076-04-37.700W | | | | Red spar. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 1935 | - Buoy 11 | 43-59-59.100N 076-03-30.500W | | | | Green can. | Maintained from Apr. 30 to Sep. 30. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ONTARIO | | | | | | | |
| CHAUMONT, HENDERSON AND BLACK RIVER BAYS (Chart 14811) | | | | | | | |
| Henderson Bay | | | | | | | |
| 1940 | <i>Lime Barrel Shoal Lighted Buoy 1</i> | 43-54-44.252N 076-11-55.758W | FI G 4s | | 4 | Green. | Maintained from May 7 to Nov. 14. |
| 1943 | - Buoy 1 | 43-54-27.534N 076-08-34.919W | | | | Green can. | Maintained from May 14 to Nov. 1. |
| 1945 | WESTCOTT BEACH STATE PARK LIGHT 1 | 43-54-04.100N 076-07-38.000W | FI G 3s | 19 6 | | SG on post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 1950 | WESTCOTT BEACH STATE PARK LIGHT 2 | 43-54-05.000N 076-07-40.500W | FI R 3s | 19 6 | | TR on post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| Henderson Harbor Special Anchorage <i>Maintained from May 1 to Oct. 30.</i> | | | | | | | |
| 1955 | - LIGHT A | 43-51-08.800N 076-12-08.900W | FI Y 4s | 5 2 | | On yellow post. | Private aid. |
| 1960 | - <i>Lighted Buoy B</i> | 43-51-09.000N 076-12-19.000W | FI Y 4s | | | Yellow. | Private aid. |
| 1965 | - <i>Lighted Buoy C</i> | 43-51-23.800N 076-12-19.000W | FI Y 4s | | | Yellow. | Private aid. |
| 1970 | - <i>Lighted Buoy D</i> | 43-51-23.800N 076-12-09.600W | FI Y 4s | | | Yellow. | Private aid. |
| 1975 | - <i>Lighted Buoy E</i> | 43-51-21.700N 076-12-05.500W | FI Y 4s | | | Yellow. | Private aid. |
| 1980 | - <i>Lighted Buoy F</i> | 43-51-33.400N 076-12-06.200W | FI Y 4s | | | Yellow. | Private aid. |
| 1985 | - LIGHT G | 43-51-33.600N 076-12-00.800W | FI Y 4s | 5 2 | | On yellow post. | Private aid. |
| 1990 | - <i>Lighted Buoy H</i> | 43-51-21.800N 076-11-58.200W | FI Y 4s | | | Yellow. | Private aid. |
| CLAYTON TO FALSE DUCK ISLAND (Chart 14802) | | | | | | | |
| Henderson Bay | | | | | | | |
| 1995 | <i>Galloo Island Shoal Lighted Buoy 3</i> Marks southwest side of shoal. | 43-53-43.552N 076-28-34.750W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 14 to May 7. |
| 2005 | Calf Island Spit Buoy 5 | 43-51-21.418N 076-23-28.177W | | | | Green can. | |
| 2010 | STONY POINT LIGHT | 43-50-19.582N 076-17-55.963W | Iso R 6s | 40 12 | 6 | TR on skeleton tower. | |
| 2015 | PORT ONTARIO LIGHT | 43-34-27.000N 076-12-08.000W | FI W 2s | 50 15 | | Cupola on three-story gray house. | Maintained from Mar. 1 to Dec. 1. Private aid. |
| Stony Creek Bay <i>Buoys maintained from Apr. 30 to Sep. 30.</i> | | | | | | | |
| 2019 | - <i>Lighted Channel Buoy 1</i> | 43-48-30.000N 076-14-54.000W | FI G 2s | | | Green. | Private aid. |
| 2019.1 | - <i>Lighted Channel Buoy 2</i> | 43-48-30.000N 076-14-54.000W | FI R 2s | | | Red. | Private aid. |
| 2019.2 | - Channel Buoy 3 | 43-48-30.000N 076-14-54.000W | | | | Green can. | Private aid. |
| 2019.3 | - Channel Buoy 4 | 43-48-30.000N 076-14-54.000W | | | | Red nun. | Private aid. |
| 2020 | Drowned Island Buoy 7 | 43-47-23.252N 076-14-38.220W | | | | Green can. | |
| SOUTH OF STONY POINT TO PORT BAY | | | | | | | |
| Port Ontario | | | | | | | |
| 2025 | - LIGHT 2 | 43-34-39.914N 076-12-20.439W | FI R 2.5s | 36 11 | 4 | Red and white cylindrical tower on jetty. | |
| 2030 | - LIGHT 3 | 43-34-38.733N 076-12-15.889W | FI G 2.5s | 34 10 | 3 | SG on pile on jetty. | |
| 2035 | - Buoy 4 | 43-34-35.445N 076-12-14.583W | | | | Red nun. | Maintained from May 14 to Nov. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|----------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ONTARIO | | | | | | | |
| SOUTH OF STONY POINT TO PORT BAY | | | | | | | |
| Port Ontario | | | | | | | |
| 2040 | - Buoy 6 | 43-34-33.347N 076-12-12.867W | | | | Red nun. | Maintained from May 14 to Nov. 1. |
| 2045 | MEXICO POINT LIGHT | 43-31-24.000N 076-15-18.000W | Fl W 5s | 17 5 | | On aluminum post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 2050 | MEXICO POINT BOAT LAUNCH LIGHT 1 | 43-31-54.000N 076-15-41.000W | Fl G 4s | 10 3 | | On post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 2055 | MEXICO POINT BOAT LAUNCH LIGHT 2 | 43-31-00.630N 076-15-52.000W | Fl R 4s | 10 3 | | On post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| Constellation Nuclear Security Zone | | | | | | | |
| 2060 | - No Entry Buoy A | 43-31-00.000N 076-25-41.800W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar from Nov. 1 to Apr. 15. Private aid. |
| 2060.1 | - No Entry Buoy B | 43-31-12.000N 076-25-42.000W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar from Nov. 1 to Apr. 15. Private aid. |
| 2060.2 | - No Entry Buoy C | 43-31-19.560N 076-25-26.940W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replace by spar from Nov. 1 to Apr 15. Private aid. |
| 2060.3 | - No Entry Buoy D | 43-31-27.010N 076-25-11.940W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar from Nov. 1 to Apr 15. Private aid. |
| 2060.4 | - No Entry Buoy E | 43-31-34.500N 076-24-56.820W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar from Nov. to Apr. 15. Private aid. |
| 2060.5 | - No Entry Buoy F | 43-31-37.860N 076-24-39.300W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar from Nov. 1 to Apr 15. Private aid. |
| 2060.6 | - No Entry Buoy G | 43-31-39.660N 076-24-21.240W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar from Nov. 1 to Apr 15. Private aid. |
| 2060.7 | - No Entry Buoy H | 43-31-41.760N 076-24-03.240W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar from Nov. 1 to Apr. 15. Private aid. |
| 2060.8 | - No Entry Buoy I | 43-31-44.000N 076-23-45.240W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar from Nov. 1 to Apr. 15. Private aid. |
| 2060.9 | - No Entry Buoy J | 43-31-45.800N 076-23-28.620W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar from Nov. 1 to Apr. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ONTARIO | | | | | | | |
| SOUTH OF STONY POINT TO PORT BAY | | | | | | | |
| Port Ontario | | | | | | | |
| Constellation Nuclear Security Zone | | | | | | | |
| 2061 | - No Entry Buoy K | 43-31-48.000N 076-23-12.000W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar from Nov. 1 to Apr 15. Private aid. |
| 2061.1 | - No Entry Buoy L | 43-31-35.640N 076-23-12.000W | | | | White can with orange bands orange exclusion symbol and worded NO ENTRY. | Replaced by spar from Nov. 1 to Apr 15. Private aid. |
| OSWEGO HARBOR | | | | | | | |
| Oswego Harbor | | | | | | | |
| 2065 | - DETACHED BREAKWATER WEST END LIGHT | 43-28-34.583N 076-30-57.839W | FI G 4s | 30 9 | 6 | SG on gray post. | Vessels enroute to or from harbor should use new lake approach channel to westward of Oswego Detached Breakwater. |
| 2070 | - DETACHED BREAKWATER EAST END LIGHT | 43-28-32.446N 076-30-47.005W | FI Y 4s | 30 9 | 7 | NB on gray post. | Vessels enroute to or from harbor should use new lake approach channel to westward of Oswego Detached Breakwater. |
| 2075 | - EAST BREAKWATER LIGHT | 43-28-25.822N 076-30-51.306W | FI G 6s | 43 13 | 6 | SG on gray post. | |
| 2080 | - West Pierhead Light | 43-28-23.768N 076-31-01.371W | FI R 10s | 57 17 | 11 | | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 2090 | - Inner Buoy 1 On southeast point of shoal. | 43-28-00.285N 076-30-46.333W | | | | Green can. | |
| 2095 | - Inner Lighted Buoy 2 | 43-27-58.481N 076-30-52.619W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 14 to May 7. |
| 2097 | - Inner Buoy 4 | 43-27-53.968N 076-30-50.137W | | | | Red nun. | |
| 2100 | - Canal Channel Lighted Buoy 6 | 43-27-35.523N 076-30-39.631W | FI R 6s | | 4 | Red | Maintained from May. 14 to Nov. 1. |
| 2105 | - WEST CHANNEL LIGHT 2 | 43-27-58.336N 076-31-12.380W | FI R 4s | 36 11 | 4 | TR on pile. | |
| 2110 | - West Channel Buoy 3 | 43-27-53.279N 076-31-13.512W | | | | Green can. | Maintained from May 14 to Nov 1. |
| 2115 | - West Channel Buoy 5 | 43-27-47.679N 076-31-27.913W | | | | Green can. | Maintained from May 14 to Nov 1. |
| 2120 | - West Channel Buoy 7 | 43-27-41.978N 076-31-41.914W | | | | Green can. | Maintained from May 14 to Nov 1. |
| LAKE ONTARIO (Chart 14800) | | | | | | | |
| 2125 | UFI Weather Research Buoy 1 | 43-29-27.060N 076-30-59.436W | FI Y 4s | | | | Maintained from May.1 to Nov.1. Private aid. |
| LAKE ERIE | | | | | | | |
| LAKE ERIE (Chart 14820) | | | | | | | |
| Port Colborne | | | | | | | |
| 2128 | USSD CDIP 274 Weather Wave Buoy 1 | 43-30-02.754N 076-32-18.326W | FI Y 5s | | | | Maintained from Apr.1 to Nov.30. Private aid. |
| LAKE ONTARIO | | | | | | | |
| SOUTH OF STONY POINT TO PORT BAY | | | | | | | |
| 2130 | Ford Shoal Lighted Buoy 1 | 43-26-57.291N 076-35-20.734W | FI G 4s | | 4 | Green. | Maintained from May 7 to Nov. 14. |
| 2135 | FAIR HAVEN BREAKWATER LIGHT 2 | 43-21-01.233N 076-42-30.819W | FI R 4s | 28 9 | 7 | TR on post. | |
| 2140 | FAIR HAVEN BREAKWATER LIGHT 1 | 43-21-01.133N 076-42-27.019W | FI G 4s | 30 9 | 6 | SG on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ONTARIO | | | | | | | |
| PORT BAY TO LONG POND (Chart 14804) | | | | | | | |
| Port Bay | | | | | | | |
| <i>Aids maintained from May 1 to Oct. 20.</i> | | | | | | | |
| 2145 | - Entrance Lighted Buoy 1 | 43-18-19.500N 076-50-14.000W | Iso G 2s | | | Green. | Private aid. |
| 2150 | - ENTRANCE LIGHT 2 | 43-18-19.500N 076-50-15.200W | Q R | 21 6 | | On red pile. | Private aid. |
| 2155 | - Lighted Buoy 3 | 43-18-17.000N 076-50-15.200W | Iso G 2s | | | Green. | Private aid. |
| 2165 | - Lighted Buoy 5 | 43-18-15.000N 076-50-15.000W | Iso G 2s | | | Green. | Private aid. |
| SODUS BAY | | | | | | | |
| Sodus Bay | | | | | | | |
| 2168 | SUNY ESF Buoy | 43-16-54.600N 076-57-39.000W | FI Y 4s | | | | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 2170 | Sodus Outer Light | 43-16-38.707N 076-58-26.261W | Iso R 6s | 51 16 | 10 | Tower. | |
| 2180 | - EAST PIER LIGHT 1 | 43-16-36.959N 076-58-21.369W | FI G 4s | 18 5 | 6 | SG on grey post. | |
| 2182 | - Channel Lighted Buoy 4 | 43-16-20.100N 076-58-25.865W | FI R 2.5s | | 3 | Red. | Maintained from May 14 to Nov. 1. |
| 2185 | - Channel Lighted Buoy 5 | 43-16-20.069N 076-58-21.304W | FI G 2.5s | | 3 | Green. | Maintained from May 14 to Nov. 1. |
| 2190 | - LIGHT 6 | 43-16-11.733N 076-58-25.949W | FI R 4s | 18 5 | 4 | TR on white column. | |
| 2195 | USGS Sodus Point Weather Buoy 1 | 43-15-33.480N 076-58-20.930W | FI Y 4s | | | | Private aid. |
| 2200 | Newark Island Danger Lighted Buoy | 43-15-57.733N 076-57-34.919W | Q W | | 3 | White can with orange bands and diamond worded DANGER ROCKS | Maintained from May 14 to Nov. 1. |
| 2205 | - Special Anchorage Buoy A | 43-15-51.873N 076-58-32.071W | | | | Yellow can. | Maintained from May 14 to Nov. 1. |
| 2207 | - Special Anchorage Buoy B | 43-15-53.589N 076-58-46.159W | | | | Yellow can. | Maintained from May 14 to Nov. 1. |
| 2209 | - Special Anchorage Buoy C | 43-15-54.231N 076-58-48.943W | | | | Yellow can. | Maintained from May 14 to Nov. 1. |
| 2211 | - Special Anchorage Buoy D | 43-15-54.993N 076-58-59.143W | | | | Yellow can. | Maintained from May 14 to Nov. 1. |
| 2215 | DAVENPORT MARINE DOCK LIGHT | 43-13-30.000N 076-55-36.000W | F G | 10 3 | | On pile. | Private aid. |
| PORT BAY TO LONG POND (Chart 14804) | | | | | | | |
| Pultneyville Entrance | | | | | | | |
| 2220 | PULTNEYVILLE YACHT CLUB LIGHT | 43-17-06.000N 077-11-06.000W | FI W 4s | 35 11 | | On pile. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2225 | PULTNEYVILLE OUTER RANGE FRONT LIGHT | 43-16-57.000N 077-10-57.000W | F G | 18 5 | | White diamond daymark on pile. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2230 | PULTNEYVILLE OUTER RANGE REAR LIGHT 60 feet, 189° from front light. | 43-16-56.000N 077-10-57.000W | F G | 30 9 | | White diamond daymark on pile. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2235 | - Lighted Buoy 1 | 43-17-05.000N 077-10-56.500W | FI G 3s | | | Green. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2240 | - Lighted Buoy 2 | 43-17-05.000N 077-10-58.000W | FI R 3s | | | Red. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2245 | - Lighted Buoy 3 | 43-17-01.000N 077-10-56.500W | FI G 3s | | | Green. | Maintained from Apr. 30 to Sep. 30. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ONTARIO | | | | | | | |
| PORT BAY TO LONG POND (Chart 14804) | | | | | | | |
| Pultneyville Entrance | | | | | | | |
| 2250 | - Lighted Buoy 4 | 43-17-01.000N 077-10-58.000W | FI R 3s | | | Red. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2255 | PULTNEYVILLE INNER RANGE FRONT LIGHT | 43-16-59.000N 077-11-06.000W | F R | 11 3 | | White diamond shaped daymark with red border on post. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2260 | PULTNEYVILLE INNER RANGE REAR LIGHT 225 feet, 259° from front light. | 43-17-00.000N 077-11-12.000W | F R | 20 6 | | White diamond shaped daymark with red border on pile. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2265 | - Lighted Buoy 5 | 43-17-06.000N 077-11-00.000W | FI G 3s | | | Green. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| 2270 | - Lighted Buoy 6 | 43-17-06.000N 077-11-00.000W | FI R 3s | | | Red. | Maintained from Apr. 30 to Sep. 30. Private aid. |
| R. E. Ginna Nuclear Security Zone | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 2271 | - No Entry Buoy A | 43-16-57.000N 077-18-54.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.1 | - No Entry Buoy B | 43-17-07.800N 077-18-54.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.2 | - No Entry Buoy C | 43-17-18.000N 077-18-54.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.3 | - No Entry Buoy D | 43-17-18.000N 077-18-42.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.4 | - No Entry Buoy E | 43-17-18.000N 077-18-30.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.5 | - No Entry Buoy F | 43-17-18.000N 077-18-18.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.6 | - No Entry Buoy G | 43-17-07.800N 077-18-18.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.7 | - No Entry Buoy H | 43-16-57.000N 077-18-18.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 2271.8 | - No Entry Buoy I | 43-16-46.800N 077-18-18.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| Pultneyville Entrance | | | | | | | |
| 2275 | WEBSTER PARK BREAKWATER LIGHT 1 | 43-15-45.000N 077-27-01.000W | FI G 6s | 20 6 | | On post on jetty. | Maintained from May 1 to Oct. 15. Private aid. |
| 2277 | Canadian Weather Buoy 12 - 5 (C) | 43-30-37.000N 077-05-07.000W | F Y | | | | Maintained from Apr 1. to Nov. 30 Private aid. |
| 2278 | Canadian Spar Buoy 89 (C) | 43-30-36.000N 077-04-45.000W | F Y | | | | Maintained from Apr 1. to Nov. 30 Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ONTARIO | | | | | | | |
| PORT BAY TO LONG POND (Chart 14804) | | | | | | | |
| Irondequoit Bay | | | | | | | |
| 2280 | - LIGHT 2 | 43-14-17.533N 077-32-01.720W | FI R 4s | 16 5 | 5 | White cylindrical tower with red band. | |
| 2285 | - LIGHT 3 | 43-14-13.333N 077-32-01.420W | FI G 2.5s | 16 5 | 4 | SG on post. | |
| 2290 | - LIGHT 4 | 43-14-03.033N 077-32-04.020W | FI R 4s | 16 5 | 4 | TR on pile. | |
| 2300 | - LIGHT 5 | 43-13-50.033N 077-32-03.020W | Q G | 16 5 | 4 | SG on pile. | |
| 2305 | - LIGHT 6 | 43-13-50.033N 077-32-04.020W | Q R | 16 5 | 4 | TR on pile. | |
| 2310 | - LIGHT 7 | 43-13-34.033N 077-32-09.020W | FI G 4s | 16 5 | 4 | SG on pile. | |
| 2315 | - LIGHT 8 | 43-13-34.033N 077-32-11.020W | FI R 4s | 16 5 | 3 | TR on pile. | |
| Pultneyville Entrance | | | | | | | |
| 2318 | USGS Irondequoit Bay Weather Buoy 1 | 43-13-14.130N 077-31-59.640W | FI Y 4s | | | | Private aid. |
| ROCHESTER HARBOR (Chart 14815) | | | | | | | |
| Rochester Harbor | | | | | | | |
| 2320 | - Light | 43-15-50.073N 077-35-56.342W | FI R 4s | 40 12 | 9 | White cylindrical tower with red band. | |
| 2330 | - EAST PIER LIGHT | 43-15-44.653N 077-35-54.330W | FI G 4s | 20 6 | 8 | On post. | |
| 2333 | CHARLOTTE-GENESEE LIGHTHOUSE | 43-15-09.975N 077-36-38.142W | F W | | | | Private aid. |
| 2335 | Genesee River Turning Basin Buoy 4 Marks south side of shoal. | 43-14-02.124N 077-37-04.077W | | | | Red nun. | Maintained from May 7 to Nov 7. |
| 2337 | Genesee River Lighted Buoy WR2 | 43-14-20.298N 077-36-50.799W | Q R | | 3 | | Maintained from May 7 to Nov 7. |
| 2340 | BRADDOCK BAY CHANNEL LIGHT 1 | 43-18-23.000N 077-42-55.000W | FI G 4s | | | SG on post. | Maintained from Apr. 15 to Sep. 15. Private aid. |
| LONG POND TO THIRTYMILE POINT | | | | | | | |
| Braddock Bay | | | | | | | |
| 2343.1 | - LIGHT BB 1 | 43-18-57.788N 077-42-38.483W | F G | | | Single Pile, White | Private aid. |
| 2343.2 | - LIGHT BB 2 | 43-18-59.778N 077-42-39.074W | F R | | | Single Pile, White | Private aid. |
| 2343.3 | - LIGHT BB 3 | 43-18-56.772N 077-42-44.460W | F G | | | Single Pile, White | Private aid. |
| 2343.4 | - LIGHT BB 4 | 43-18-57.715N 077-42-45.144W | F R | | | Single Pile, White | Private aid. |
| 2343.5 | - LIGHT BB 5 | 43-18-54.612N 077-42-50.832W | F G | | | Single Pile, White | Private aid. |
| 2343.6 | - LIGHT BB 6 | 43-18-55.630N 077-42-51.433W | F R | | | Single Pile, White | Private aid. |
| ROCHESTER HARBOR (Chart 14815) | | | | | | | |
| Rochester Harbor | | | | | | | |
| 2345 | BRADDOCK BAY CHANNEL LIGHT 2 | 43-18-24.000N 077-42-30.000W | FI R 4s | | | TR on post. | Maintained from Apr. 15 to Sep. 15. Private aid. |
| LONG POND TO THIRTYMILE POINT | | | | | | | |
| Braddock Bay | | | | | | | |
| 2350 | Braddock Point Light | 43-20-28.333N 077-45-45.520W | Iso W 6s | 55 17 | 14 | Brown circular tower. 55 | |
| 2355 | Wautoma Shoal Lighted Buoy 1 | 43-21-28.724N 077-48-13.411W | FI G 4s | | 4 | Green. | Maintained from May 7 to Nov. 14. |
| 2356 | BROCKPORT HARBOR LIGHT | 43-21-09.440N 077-53-30.030W | Q W | 8 2 | | On post. | Maintained from Jun. 1 to Oct. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ONTARIO | | | | | | | |
| ROCHESTER HARBOR (Chart 14815) | | | | | | | |
| Rochester Harbor | | | | | | | |
| 2357 | Canadian Weather Buoy 12 - 6 (C) | 43-34-59.000N 078-13-59.000W | F Y | | | | Maintained from Apr 1. to Nov. 30 Private aid. |
| LONG POND TO THIRTYMILE POINT | | | | | | | |
| Oak Orchard | | | | | | | |
| Golden State Park Entrance <i>Aids maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 2358 | Canadian Spar Buoy 17 (C) | 43-35-10.000N 078-14-01.000W | F Y | | | | Maintained from Apr 1. to Nov. 30 Private aid. |
| Eagle Creek Marina | | | | | | | |
| 2360 | - ENTRANCE LIGHT 1 | 43-22-05.000N 078-01-52.000W | Iso G 2s | 10 3 | | SG on post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 2361 | - ENTRANCE LIGHT 2 | 43-22-07.000N 078-01-48.000W | Iso R 2s | 10 3 | | TR on post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 2362 | - ENTRANCE LIGHT 3 | 43-22-04.500N 078-01-45.000W | Iso G 2s | 10 3 | | SG on post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 2363 | - ENTRANCE LIGHT 4 | 43-22-04.500N 078-01-48.000W | Iso R 2s | 10 3 | | TR on post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| ROCHESTER HARBOR (Chart 14815) | | | | | | | |
| Rochester Harbor | | | | | | | |
| 2364 | Canadian Weather Buoy S - 3067 (C) | 43-23-08.000N 078-00-01.000W | FI Y 4s | | | Spar Buoy | Maintained from Apr.1 to Nov.1. Private aid. |
| LONG POND TO THIRTYMILE POINT | | | | | | | |
| Oak Orchard | | | | | | | |
| 2365 | - BREAKWATER LIGHT B | 43-22-28.363N 078-11-31.701W | FI W 6s | 30 9 | 6 | NR on post. | |
| 2370 | - BREAKWATER LIGHT A | 43-22-28.273N 078-11-28.501W | Q W | 25 8 | 5 | NR on post. | |
| 2375 | - BREAKWATER LIGHT C | 43-22-28.463N 078-11-35.441W | Q W | 25 8 | 5 | NR on post. | |
| 2380 | - JETTY LIGHT 3 | 43-22-25.573N 078-11-30.351W | FI G 4s | 25 8 | 5 | SG on post. | |
| 2390 | - JETTY LIGHT 4 | 43-22-25.593N 078-11-33.331W | FI R 4s | 25 8 | 5 | TR on post. | |
| 2391 | - HARBOR LIGHT | 43-22-20.040N 078-11-29.400W | F W | | | | Private aid. |
| Golden State Park Entrance <i>Aids maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 2393 | - LIGHT 3 | 43-22-18.000N 078-28-40.000W | Q G | 30 9 | | SG on pole. | Private aid. |
| 2395 | Thirtymile Point Light | 43-22-29.500N 078-29-10.700W | FI W 10s | 60 18 | | Square tower on northeast corner of two-story house. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| LAKE ONTARIO (Chart 14800) | | | | | | | |
| 2396 | OLCOTT HARBOR DETACHED BREAKWATER EAST LIGHT Detached breakwater | 43-20-32.340N 078-43-12.014W | FI W 4s | | | Single Pile, White Light, 19.2 FT | Maintained Year round. Private aid. |
| 2397 | OLCOTT HARBOR DETACHED BREAKWATER WEST LIGHT | 43-20-32.840N 078-43-07.600W | FI W 4s | | | Single Pile, White Light, 19.2 FT | Maintained Year round. Private aid. |
| THIRTYMILE POINT TO PORT DALHOUSIE | | | | | | | |
| Wilson Harbor | | | | | | | |
| 2400 | OLCOTT LIGHT | 43-20-26.478N 078-43-10.939W | FI R 2.5s | 29 9 | 6 | TR on post. | |
| 2405 | - PIERHEAD LIGHT 2 | 43-19-10.544N 078-50-13.480W | FI R 4s | 27 8 | 7 | TR on post. | |
| 2410 | - Buoy 4 | 43-19-00.182N 078-50-10.037W | | | | Red nun. | Maintained from May 1 to Nov. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-------------------------------|---------------|--------------|--|--|
| LAKE ONTARIO | | | | | | | |
| THIRTYMILE POINT TO PORT DALHOUSIE | | | | | | | |
| Wilson Harbor | | | | | | | |
| 2415 | - Buoy 3 | 43-19-03.489N 078-50-08.818W | | | | Green can. | Maintained from May 1 to Nov. 1. |
| 2420 | - Daybeacon 6 | 43-18-57.433N 078-50-13.232W | | | | TR on pile. | |
| 2425 | - Daybeacon 7 | 43-18-55.403N 078-50-13.512W | | | | SG on pile. | |
| 2430 | - Daybeacon 8 | 43-18-56.343N 078-50-16.282W | | | | TR on pile. | |
| 2440 | - Daybeacon 10 | 43-18-56.273N 078-50-24.262W | | | | TR on pile. | |
| 2445 | - Daybeacon 12 | 43-18-51.753N 078-50-34.932W | | | | TR on pile. | |
| 2450 | - Daybeacon 13 | 43-18-50.173N 078-50-35.862W | | | | SG on pile. | |
| 2455 | - Daybeacon 15 | 43-18-50.383N 078-50-39.652W | | | | SG on pile. | |
| 2460 | - Daybeacon 16 | 43-18-52.513N 078-50-42.032W | | | | TR on pile. | |
| 2465 | - Daybeacon 17 | 43-18-49.843N 078-50-43.772W | | | | SG on pile. | |
| 2470 | - Daybeacon 18 | 43-18-50.343N 078-50-47.322W | | | | TR on pile. | |
| 2475 | - Daybeacon 20 | 43-18-47.473N 078-50-49.762W | | | | TR on pile. | |
| 2480 | - Daybeacon 21 | 43-18-44.833N 078-50-52.802W | | | | SG on pile. | |
| LOWER NIAGARA RIVER (Chart 14816) | | | | | | | |
| 2485 | Fort Niagara Light 5 | 43-15-42.562N 079-03-50.062W | Oc G 4s | 80 24 | 10 | SG on tower. 80 | |
| 2490 | <i>Niagara Bar Lighted Buoy 2</i> | 43-19-02.426N 079-04-14.096W | Fl R 4s | | 4 | Red. | Replaced by nun from Nov. 14 to May 7. |
| 2495 | <i>Fort Niagara Lighted Bell Buoy 3</i> Marks northwest side of shoal. | 43-16-24.483N 079-04-30.010W | Fl G 4s | | 4 | Green. | Replaced by can from Nov. 14 to May 7. |
| Niagara River (Below the Falls) | | | | | | | |
| 2505 | NIAGARA RIVER RANGE FRONT LIGHT (C) | 43-15-18.032N 079-03-42.022W | F R | 34 10 | | White tower with red top. | Visible on range line only. Seasonal. |
| 2510 | NIAGARA RIVER RANGE REAR LIGHT (C) 693 feet, 149.3° from front light. | | F R | 47 14 | | White tower with red top. | Visible on range line only. Seasonal. |
| 2515 | <i>Youngstown Safe Boating Zone Lighted Float A</i> | 43-15-17.000N 079-03-19.000W | Q Y | | | 4x8 foot yellow float displaying two 34x12 inch sign boards. | Maintained from May 1 to Nov. 1. Private aid. |
| 2516 | <i>Youngstown Safe Boating Zone Lighted Float B</i> | 43-14-40.800N 079-03-17.000W | Q Y | | | 4x8 foot yellow float displaying two 34x12 inch sign boards. | Maintained from May 1 to Nov. 1. Private aid. |
| 2517 | <i>Youngstown Safe Boating Zone Lighted Float C</i> | 43-14-16.000N 079-03-18.500W | Q Y | | | 4x8 foot yellow float displaying two 34x12 inch sign boards. | Maintained from May 1 to Nov. 1. Private aid. |
| APPROACHES TO NIAGARA RIVER AND WELLAND CANAL (Chart 14822) | | | | | | | |
| Port Weller | | | | | | | |
| 2535 | Outer Light (C) | 43-14-42.032N 079-13-06.022W | Fl R 10s 0.3s fl. 9.7s ec. | 51 16 | 15 | Red skeleton tower. | Maintained from Apr. to Dec. Seasonal. |
| 2545 | EAST BREAKWATER EAST LIGHT (C) | | Fl G 4s | 34 10 | 9 | Orange daymark on white pile. | Eastern limits; measured distance. Seasonal. |
| 2550 | ST. CATHERINE'S OUTER LIGHT (C) | 43-14-42.032N 079-12-30.022W | Iso R 2s | 26 8 | 5 | White cylindrical tower with red top. | Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|---|---------------|--------------|---|---|
| LAKE ONTARIO | | | | | | | |
| APPROACHES TO NIAGARA RIVER AND WELLAND CANAL (Chart 14822) | | | | | | | |
| Port Weller | | | | | | | |
| 2555 | ENTRANCE RANGE FRONT LIGHT (C) | 43-13-24.032N 079-13-00.022W | Iso Y 5s | 54 16 | | On orange and white post. | |
| 2560 | ENTRANCE RANGE REAR LIGHT (C) 2,975 feet, 180° from front light. | | F Y (R & G sectors) | 105 32 | | Orange and white skeleton tower. | Red from 177.5° to 179.7°, yellow from 179.7° to 180.3°, green 180.3° to 182.5°. Yellow sector indicates preferred channel. |
| CLAYTON TO FALSE DUCK ISLAND (Chart 14802) | | | | | | | |
| 2565 | Nine Mile Point Light (C) | 44-09-06.034N 076-33-24.019W | FI W 10s 03s fl 9.7s ec. | 53 16 | 20 | White circular tower with red top. | Seasonal. Emergency light. |
| 2570 | PIGEON ISLAND LIGHT (C) | 44-04-00.034N 076-33-00.019W | FI W 4s | 65 20 | 8 | White square skeleton tower with red top. | Seasonal. |
| 2575 | <i>South Charity Shoal Lighted Buoy M6 (C)</i> Marks southwest side of shoal. | | FI R 4s | | | Red. | |
| 2580 | <i>South Charity Shoal Lighted Buoy M7 (C)</i> | 43-59-00.034N 076-32-30.019W | FI G 4s | | | Green. | |
| 2585 | Main Duck Island Light (C) | 43-55-54.034N 076-38-18.019W | FI W 6s | 77 23 | 20 | White octagonal tower with red upper portion. | Seasonal. Emergency light. |
| 2595 | <i>The Ducks Lighted Buoy MM2 (C)</i> | 43-54-36.034N 076-35-42.019W | FI R 4s | | | Red. | |
| 2600 | <i>Main Duck Island Lighted Buoy M9 (C)</i> Marks west side of shoal. | 43-50-00.034N 076-40-30.019W | FI G 4s | | | Green. | |
| 2605 | <i>Psyche Shoal Lighted Bell Buoy M10 (C)</i> Marks southeast side of shoal. | | FI R 4s | | | Red. | |
| 2610 | <i>William Shoal Lighted Buoy K11 (C)</i> Marks southwest side of shoal. | 43-55-30.034N 076-47-48.020W | FI G 4s | | | Green. | Seasonal. |
| 2615 | False Ducks Light (C) | 43-56-54.034N 076-47-54.020W | FI R 4s | 72 22 | 20 | Hexagonal tower with red and white bands. | Seasonal. |
| 2620 | <i>False Ducks Bank Lighted Buoy K12 (C)</i> Marks southeast side of bank. | 43-56-00.034N 076-48-42.020W | FI R 4s | | | Red. | Seasonal. |
| 2625 | <i>Traverse Shoal Lighted Buoy K14 (C)</i> | 43-54-12.034N 076-50-48.020W | FI R 4s | | | Red. | Seasonal. |
| 2630 | PRINCE EDWARD POINT LIGHT (C) | 43-56-12.034N 076-51-30.020W | Iso W 2s | 47 14 | 6 | White skeleton tower. | Seasonal. |
| 2635 | Point Petre Light (C) | 43-50-24.033N 077-09-12.020W | FI W 10s 0.3s fl 9.7s ec. | 71 22 | 15 | Red and white banded circular tower. | Seasonal. |
| 2645 | SCOTCH BONNET ISLAND LIGHT (C) | 43-54-00.033N 077-32-36.021W | FI W 4s | 75 23 | 6 | White skeleton tower. | |
| 2650 | PROCTOR POINT LIGHT (C) | 43-58-18.033N 077-44-48.021W | FI R 4s | 40 12 | | White circular tower with red top. | Seasonal. |
| LAKE ONTARIO (Chart 14800) | | | | | | | |
| 2655 | NOAA Lighted Weather Buoy 45012 | 43-37-15.033N 077-24-03.020W | FI (4)Y 20s 1s fl 1.5s ec. 1s fl 1.5s ec. 1s fl 1.5s ec. 1s fl 1.5s ec. | | 4 | Yellow, disk-shaped hull. | Replaced by nun Nov. 1 to Apr. 1. Aid maintained by National Oceanic and Atmospheric Administration. |
| LAKE ERIE | | | | | | | |
| BUFFALO HARBOR (Chart 14833) | | | | | | | |
| Buffalo Harbor | | | | | | | |
| 2665 | Buffalo Safe Water VAIS | 42-50-08.671N 078-55-25.943W | | | | | AIS MMSI: 993682126 |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--|---------------|--------------|---|---|
| LAKE ERIE | | | | | | | |
| BUFFALO HARBOR (Chart 14833) | | | | | | | |
| Buffalo Harbor | | | | | | | |
| 2670 | BUFFALO INTAKE CRIB LIGHT | 42-52-48.000N 078-54-42.000W | FI (2)W 5s 0.5s fl 1s ec. 0.5s fl 3s ec. | 60 18 | | Large circular building on concrete crib. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 2675 | - WEST BREAKWATER LIGHT | 42-52-29.592N 078-54-20.111W | FI W 4s | 35 11 | 5 | NG on post. | |
| 2680 | - Light | 42-52-14.232N 078-54-09.219W | FI G 2.5s | 71 22 | 12 | White tower. 71 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 2690 | - North Entrance Channel Lighted Bell Buoy 1 | 42-51-41.841N 078-54-29.248W | FI G 4s | | 4 | Green. | Maintained from Apr. 28 to Dec. 1. |
| 2695 | - North Entrance Channel Lighted Buoy 2 | 42-51-38.131N 078-54-19.091W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Dec. 1. |
| 2700 | - North Entrance Channel Lighted Buoy 4 | 42-52-09.241N 078-53-58.001W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Dec. 1. |
| 2705 | - NORTH ENTRANCE LIGHT 5 | 42-52-35.352N 078-53-53.641W | FI G 2.5s | 34 10 | 5 | SG on post. | |
| 2710 | - NORTH ENTRANCE LIGHT 6 | 42-52-26.792N 078-53-46.051W | FI R 2.5s | 34 10 | 5 | TR on post. | |
| 2715 | - OLD BREAKWATER NORTH END LIGHT | 42-52-39.292N 078-53-57.201W | FI W 2.5s | 35 11 | 5 | NR on post. | |
| 2720 | - NORTH ENTRANCE LIGHT 7 | 42-52-49.492N 078-53-45.581W | FI G 2.5s | 20 6 | 7 | SG on post. | |
| Buffalo River | | | | | | | |
| 2725 | BUFFALO COAST GUARD SLIP LIGHT | 42-52-38.122N 078-53-28.140W | Iso R 6s | 20 6 | 4 | TR on post. | |
| 2730 | - LIGHT 2 | 42-52-40.520N 078-53-23.342W | Oc R 4s | 25 8 | 7 | TR on post. | |
| 2735 | - Junction Lighted Buoy BR | 42-52-46.750N 078-53-31.261W | FI (2+1)R 6s | | 4 | Red and green bands. | Year round buoy unlighted from Dec. 21 to Apr. 1. |
| 2740 | - LIGHT 5 | 42-52-44.300N 078-53-15.200W | FI G 3s | 32 10 | | On white pile. | Maintained from Apr. 1 to Dec. 15. Private aid. |
| Black Rock Canal | | | | | | | |
| <i>Lighted buoys maintained from Apr. 14 to Dec. 21.</i> | | | | | | | |
| 2785 | - Lighted Buoy 1 | 42-53-02.590N 078-53-34.301W | FI G 4s | | 3 | Green. | Year round buoy unlighted from Dec. 21 to Apr. 1. |
| 2790 | STATE BREAKWATER LIGHT 2 | 42-53-06.000N 078-53-26.000W | FI R 4s | 28 9 | | TR on white skeleton tower with small white house with enclosed base. | Maintained from Apr. 1 to Dec. 15. Private aid. |
| 2795 | - Lighted Buoy 3 | 42-53-09.803N 078-53-34.560W | FI G 2.5s | | 3 | Green. | Replaced by can from Dec. 21 to Apr. 14. |
| 2805 | - Lighted Buoy 5 | 42-53-21.926N 078-53-46.566W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 14. |
| 2810 | - Lighted Buoy 6 | 42-53-23.750N 078-53-44.251W | Q R | | 4 | Red | Replaced by nun from Dec. 21 to Apr. 14. |
| 2820 | - Lighted Buoy 8 | 42-53-27.400N 078-53-51.512W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 14. |
| 2825 | - Lighted Buoy 9 | 42-53-34.260N 078-54-04.312W | FI G 4s | | 3 | Green. | Replaced by can from Dec. 21 to Apr. 14. |
| 2830 | - Lighted Buoy 10 | 42-53-33.718N 078-53-59.962W | FI R 2.5s | | 3 | Red. | Replaced by nun from Dec. 21 to Apr. 14. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| LAKE ERIE | | | | | | | |
| BUFFALO HARBOR (Chart 14833) | | | | | | | |
| Black Rock Canal | | | | | | | |
| <i>Lighted buoys maintained from Apr. 14 to Dec. 21.</i> | | | | | | | |
| 2835 | - Lighted Buoy 11 | 42-53-43.320N 078-54-10.383W | FI G 2.5s | | 3 | Green. | Replaced by can from Dec. 21 to Apr. 14. |
| 2840 | - Lighted Buoy 12 | 42-53-43.520N 078-54-07.072W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 14. |
| 2845 | - Lighted Buoy 13 | 42-53-49.170N 078-54-11.833W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 14. |
| 2850 | - Lighted Buoy 14 | 42-53-49.170N 078-54-08.523W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 14. |
| 2855 | - LIGHT 15 | 42-53-58.522N 078-54-12.341W | FI G 4s | 24 7 | 4 | SG on post. | |
| 2860 | - Lighted Buoy 16 | 42-53-57.897N 078-54-08.453W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 14. |
| 2865 | - Lighted Buoy 17 | 42-54-13.270N 078-54-09.433W | FI G 4s | | 4 | Green. | |
| 2875 | - Lighted Buoy 19 | 42-55-08.279N 078-54-05.774W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 14. |
| 2880 | - Lighted Buoy 21 | 42-55-25.709N 078-54-00.844W | FI G 2.5s | | 4 | Green. | |
| 2885 | - Lighted Buoy 23 | 42-55-39.629N 078-54-01.485W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 14. |
| 2890 | - Lighted Buoy 24 | 42-55-41.993N 078-53-57.944W | FI R 4s | | 4 | Red. | |
| 2895 | - Lighted Buoy 25 | 42-55-48.209N 078-54-04.388W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 14. |
| 2900 | - Lighted Buoy 26 | 42-55-47.349N 078-54-00.485W | FI R 2.5s | | 4 | Red. | Maintained from Apr. 14 to Dec. 21. |
| Buffalo Harbor South Entrance | | | | | | | |
| 2905 | - LIGHT 2 | 42-50-09.232N 078-52-28.821W | FI R 6s | 36 11 | 8 | TR on post. | |
| 2910 | - LIGHT 3 | 42-50-07.322N 078-52-03.151W | FI G 2.5s | 20 6 | 6 | SG on post. | |
| 2915 | BUFFALO HARBOR SOUTH SIDE LIGHT 4 | 42-50-01.082N 078-52-03.551W | FI R 2.5s | 40 12 | 5 | TR on post. | |
| 2925 | LACKAWANNA EAST PIERHEAD LIGHT | 42-49-52.900N 078-51-42.200W | F R | 20 6 | | On black post. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| 2930 | LACKAWANNA WEST PIERHEAD LIGHT | 42-49-51.000N 078-51-45.100W | F R | 20 6 | | On red post. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| 2935 | UNION CANAL LIGHT | 42-49-58.500N 078-51-37.800W | F R | 20 6 | | On black post. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| Buffalo Outer Harbor | | | | | | | |
| 2975 | <i>Middle Reefs Lighted Buoy EU4 (C)</i> | | FI R 4s | | | Red. | Seasonal. No winter mark. |
| 2975.1 | Bird Island Reef EU Buoy 6 (C) | | | | | Red nun. | Maintained from May 1 to Oct. 7. |
| 2975.2 | Limekiln Reef EU Buoy 7 (C) | | | | | Green can. | Maintained from May 1 to Oct. 7. |
| 2975.3 | Bird Island Reef EU Buoy 8 (C) | | | | | Red nun. | Maintained from May 1 to Oct. 7. |
| UPPER NIAGARA RIVER (Chart 14832) | | | | | | | |
| Strawberry Island Cut | | | | | | | |
| 2985 | - Lighted Buoy 1 | 42-56-38.088N 078-54-40.947W | FI G 4s | | 3 | Green. | Replaced by can from Dec. 21 to May 7. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|-------------------|------------------------|--|
| LAKE ERIE | | | | | | | |
| UPPER NIAGARA RIVER (Chart 14832) | | | | | | | |
| Strawberry Island Cut | | | | | | | |
| 2990 | HARBOUR PLACE MARINE NORTH LIGHT | 42-56-35.000N 078-54-35.800W | F G | 15 5 | | On post. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| 2995 | HARBOUR PLACE MARINE SOUTH LIGHT | 42-56-33.000N 078-54-35.800W | F R | 15 5 | | On post. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| 3000 | - UPPER RANGE FRONT LIGHT | 42-57-12.345N 078-54-37.653W | F R | 25 8 | | KRW on gray post. | Visible 4° each side of range line. |
| 3005 | - UPPER RANGE REAR LIGHT 788 feet, 001.4° from front light. | 42-57-20.131N 078-54-37.388W | F R | 48 15 | | KRW on gray post. | Visible 4° each side of range line. |
| 3010 | - Lighted Buoy 5 | 42-56-59.618N 078-54-39.937W | Q G | | 4 | Green. | Replaced by can from Dec. 21 to May 7. |
| 3015 | - LOWER RANGE FRONT LIGHT | 42-57-02.013N 078-54-33.950W | F R | 27 8 | | KRW on gray post. | Visible 1.5° each side of range line. |
| 3020 | - LOWER RANGE REAR LIGHT 733 feet, 138.8° from front light. | 42-56-56.561N 078-54-27.459W | F R | 86 26 | | KRW on skeleton tower. | Visible 1.5° each side of range line. |
| 3025 | - Lighted Buoy 7 Marks Strawberry Island Reef. | 42-57-06.298N 078-54-42.637W | FI G 4s | | 3 | Green. | Replaced by can from Dec. 7 to May 7. |
| 3030 | - Buoy 8 | 42-57-13.228N 078-54-43.647W | | | | Red nun. | |
| 3045 | - Lighted Buoy 11 | 42-57-26.338N 078-55-06.238W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 07 to May 7. |
| 3050 | - Buoy 12 | 42-57-28.808N 078-55-02.458W | | | | Red nun. | |
| Beaver Island State Park | | | | | | | |
| <i>Lights maintained from May 15 to Nov. 1.</i> | | | | | | | |
| 3055 | - EAST BULKHEAD LIGHT | | Q Y | 12 4 | | NY on pile. | Private aid. |
| 3060 | - EAST ENTRANCE LIGHT 2 | 42-57-27.700N 078-57-18.500W | FI R 2s | 12 4 | | TR on pile. | Private aid. |
| 3065 | - WEST ENTRANCE LIGHT 1 | 42-57-28.500N 078-57-20.000W | FI G 2s | 12 4 | | SG on pile. | Private aid. |
| 3070 | - WEST BULKHEAD LIGHT | 42-57-00.300N 078-57-42.000W | Q Y | 12 4 | | NY on pile. | Private aid. |
| Strawberry Island Cut | | | | | | | |
| 3075 | GRAND ISLAND DIRECTION LIGHT | 42-58-40.162N 078-56-50.262W | F R W G | 29 9 | R 7 G 7 W 7 | 4 NB on gray post. | Red from 311.5° to 313.0°, white from 313.0° to 314.0°, green from 314.0° to 315.5°. |
| 3085 | - Buoy 13 | 42-57-39.208N 078-55-24.779W | | | | Green can. | |
| 3090 | - Buoy 14 | 42-57-42.638N 078-55-22.859W | | | | Red nun. | |
| 3091 | - Lighted Buoy 15 | 42-57-53.797N 078-55-46.520W | FI G 4s | | 3 | Green. | Replaced by can from Dec. 07 to May 7. |
| 3095 | - Buoy 16 | 42-57-54.297N 078-55-39.000W | | | | Red nun. | Maintained from May 7 to Dec. 7. |
| 3105 | <i>Erie County Water Authority Lighted Intake Buoy ECWA</i> | 42-57-53.000N 078-55-53.000W | FI Y 2.5s | | | Yellow. | Maintained from Apr. 1 to Jan. 1. Private aid. |
| 3110 | - Buoy 18 | 42-58-12.037N 078-56-03.261W | | | | Red nun. | |
| 3135 | - Lighted Buoy 20 | 42-58-24.297N 078-56-21.472W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to May 7. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| UPPER NIAGARA RIVER (Chart 14832) | | | | | | | |
| Tonawanda Channel | | | | | | | |
| 3140 | - Buoy 21 Marks east side of shoal. | 42-58-28.737N 078-56-34.162W | | | | Green can. | |
| 3145 | - Buoy 22 Marks shoal. | 42-58-38.587N 078-56-28.572W | | | | Red nun. | |
| 3150 | - <i>Lighted Buoy 26</i> | 42-59-06.297N 078-56-44.793W | Q R | | 4 | Red. | Replaced by nun from Dec. 7 to May 7. |
| 3155 | - <i>Lighted Buoy 28</i> | 42-59-31.036N 078-56-34.653W | FI R 4s | | 3 | Red. | Maintained from May 7 to Dec. 7. |
| 3155.1 | COLLINS MARINE ENTRANCE LIGHT 1 | 42-59-47.000N 078-56-05.500W | F G | 15 5 | | SG on post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 3155.2 | COLLINS MARINE ENTRANCE LIGHT 2 | 42-59-45.000N 078-56-09.200W | F R | 9 3 | | TR on post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 3156 | - <i>Lighted Buoy 29</i> | 43-00-06.436N 078-55-59.162W | FI G 4s | | 4 | Green. | Maintained from May 7 to Dec. 7. |
| 3157 | UNITED REFINERY OBSTRUCTION LIGHT A | 43-00-02.000N 078-55-46.000W | FI W 2s | 12 4 | | | Private aid. |
| 3158 | UNITED REFINING OBSTRUCTION MIDDLE LIGHT | 43-00-02.000N 078-55-45.000W | F R | 18 5 | | | Private aid. |
| 3159 | UNITED REFINERY OBSTRUCTION LIGHT B | 43-00-02.000N 078-55-46.000W | FI W 2s | 12 4 | | | Private aid. |
| 3160 | - Buoy 31 | 43-01-11.987N 078-53-32.527W | | | | Green can. | Maintained from May 7 to Dec. 7. |
| 3165 | TONAWANDA INTAKE CRIB LIGHT | 43-01-00.000N 078-53-36.000W | FI W 4s | 15 5 | | White triangular daymark with red top on stone base. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 3170 | Tonawanda Island Buoy 1 | 43-01-20.650N 078-53-10.898W | | | | Green can. | Maintained from May 7 to Dec. 7. |
| 3180 | - Buoy 33 | 43-01-22.377N 078-53-26.797W | | | | Green can. | Maintained from May 7 to Dec 7. |
| 3183 | - Buoy 34 | 43-01-21.887N 078-53-21.737W | | | | Red nun. | Maintained from May 7 to Dec 7. |
| 3185 | NORTH TONAWANDA INTAKE CRIB LIGHT | 43-01-32.000N 078-53-28.500W | FI G 4s | 19 6 | | Cylindrical structure on crib. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 3190 | - Buoy 35 | 43-01-52.567N 078-53-27.208W | | | | Green can. | Maintained from May 07 to Dec. 07. |
| 3195 | - Buoy 36 | 43-01-59.316N 078-53-21.726W | | | | Red nun. | Maintained from May 7 to Dec 7. |
| 3200 | LOCKPORT INTAKE CRIB LIGHT | 43-01-57.000N 078-53-42.000W | FI W 4s | 15 5 | | NW worded DANGER on cylindrical structure. | Maintained from May 15 to Nov. 1. Private aid. |
| 3215 | - Buoy 37 | 43-02-14.306N 078-53-36.908W | | | | Green can. | Maintained from May 7 to Dec 7. |
| Niagara River | | | | | | | |
| 3235 | - <i>Lighted Buoy 39</i> | 43-02-41.791N 078-53-42.403W | FI G 4s | | 3 | Green. | Maintained from May 7 to Dec. 7. |
| 3240 | - <i>Lighted Buoy 41</i> | 43-02-57.251N 078-54-06.523W | FI G 4s | | 3 | Green. | Maintained from May 7 to Dec. 7. |
| 3243 | - <i>Lighted Buoy 42</i> | 43-03-00.232N 078-54-05.223W | FI R 4s | | 3 | Red. | Maintained from May 7 to Dec. 7. |
| 3245 | - <i>Lighted Buoy 43</i> | 43-03-22.296N 078-55-18.414W | FI G 4s | | 3 | Green. | Maintained from May 7 to Dec. 7. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| UPPER NIAGARA RIVER (Chart 14832) | | | | | | | |
| Niagara River | | | | | | | |
| 3250 | - Lighted Buoy 45 | 43-03-50.032N 078-56-37.922W | FI G 4s | | 3 | Green. | Maintained from May 7 to Dec. 7. |
| 3255 | - Lighted Buoy 47 | 43-03-56.234N 078-58-46.022W | FI G 4s | | 3 | Green. | Maintained from May 7 to Dec. 7. |
| 3265 | LITTLE RIVER RANGE FRONT LIGHT | 43-04-31.500N 078-57-10.000W | F R | 29 9 | | On pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 3270 | LITTLE RIVER RANGE REAR LIGHT 200 feet, 344° from front light. | 43-04-33.300N 078-57-10.500W | F R | 33 10 | | On pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 3275 | LASALLE YACHT CLUB PIER EAST LIGHT | 43-04-24.000N 078-59-18.000W | F R | 6 2 | | | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3280 | LASALLE YACHT CLUB PIER WEST LIGHT | | F R | 6 2 | | | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3285 | NIAGARA MOHAWK POWER CORPORATION LIGHT | 43-04-12.000N 079-00-00.000W | FI W 3s | 14 4 | | Tower | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3292 | NIAGARA FALLS INTAKE CRIB LIGHT | 43-04-13.968N 078-59-59.875W | FI W 2.5s | 14 4 | | NW on concrete crib. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 3295 | NIAGARA FALLS TRANSMISSION LINE LIGHT B | 43-04-12.000N 079-00-12.000W | FI W 3s | 20 6 | | Gray cylindrical standard on concrete base. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3300 | NIAGARA FALLS TRANSMISSION LINE LIGHT C | 43-03-54.000N 079-00-06.000W | FI W 3s | 20 6 | | Cylindrical standard. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| Buckhorn Island | | | | | | | |
| 3305 | - DIKE LIGHT 1 | 43-04-10.000N 079-00-28.000W | FI W 4s | 20 6 | | | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 3310 | - DIKE LIGHT 2 | 43-04-03.000N 079-00-21.000W | FI W 4s | 20 6 | | | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 3315 | - DIKE LIGHT 3 | 43-04-02.000N 079-00-18.000W | FI W 4s | 20 6 | | | Maintained from Apr. 1 to Dec. 1. Private aid. |
| Chippawa Channel | | | | | | | |
| 3335 | BIG SIX MILE CREEK LIGHT | 43-01-38.000N 079-00-43.500W | F R | 12 4 | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 3340 | CHIPPAWA LIGHT (C) | 43-03-48.032N 079-02-54.022W | Iso R 2s | 16 5 | | On ornamental pile. | Defines danger zone above Niagara Falls. Private aid. |
| 3343 | NIAGARA SAFETY ZONE LIGHT | 43-04-41.032N 079-01-35.022W | Q Y | 25 8 | 4 | Safety Zone sign on monopile. | Marks Niagara Safety Zone above Niagara Falls. |
| 3345 | Niagara Falls Safety Buoy A Marks safety zone above Niagara Falls. | 43-04-06.572N 079-01-07.102W | | | | White can with orange bands and danger symbol. | Maintained from May 1 to Oct. 28. |
| 3350 | Niagara Falls Safety Buoy B Marks safety zone above Niagara Falls. | 43-04-12.212N 079-01-03.082W | | | | White can with orange bands and danger symbol. | Maintained from May 1 to Oct. 28. |
| 3355 | Niagara Falls Safety Buoy C Marks safety zone above Niagara Falls. | 43-04-17.312N 079-00-59.822W | | | | White can with orange bands and danger symbol. | Maintained from May 1 to Oct. 28. |
| 3356 | Niagara Falls Safety Buoy D Marks safety zone above Niagara Falls. | 43-04-21.992N 079-00-56.482W | | | | White can with orange bands and danger symbol. | Maintained from May 1 to Oct. 28. |
| 3357 | Niagara Falls Safety Buoy E Marks safety zone above Niagara Falls. | 43-04-27.872N 079-00-52.522W | | | | White can with orange bands and danger symbol. | Maintained from May 1 to Oct. 28. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---------------------------------------|
| LAKE ERIE | | | | | | | |
| UPPER NIAGARA RIVER (Chart 14832) | | | | | | | |
| Chippawa Channel | | | | | | | |
| 3358 | Niagara Falls Safety Buoy F Marks safety zone above Niagara Falls. | 43-04-34.712N 079-00-56.482W | | | | White can with orange bands and danger symbol. | Maintained from May 1 to Oct. 28. |
| 3359.1 | Canadian Niagara Falls Safety Buoy 1 (C) Marks safety zone above Niagara Falls. | 43-03-46.592N 079-02-32.782W | | | | White can with orange bands and danger symbols. | Maintained from May 1 to Oct. 7. |
| 3359.2 | Canadian Niagara Falls Safety Buoy 2 (C) Marks safety zone above Niagara Falls. | 43-03-50.492N 079-02-15.502W | | | | White can with orange bands and danger symbols. | Maintained from May 1 to Oct. 7. |
| 3359.3 | Canadian Niagara Falls Safety Buoy 3 (C) Marks safety zone above Niagara Falls. | 43-03-53.852N 079-02-02.002W | | | | White can with orange bands and danger symbols. | Maintained from May 1 to Oct. 7. |
| 3359.4 | Canadian Niagara Falls Safety Buoy 4 (C) Marks safety zone above Niagara Falls. | 43-03-56.012N 079-01-50.842W | | | | White can with orange bands and danger symbols. | Maintained from May 1 to Oct. 7. |
| 3359.5 | Canadian Niagara Falls Safety Buoy 5 (C) Marks safety zone above Niagara Falls. | 43-03-58.172N 079-01-40.222W | | | | White can with orange bands and danger symbols. | Maintained from May 1 to Oct. 7. |
| 3359.6 | Canadian Niagara Falls Safety Buoy 6 (C) Marks safety zone above Niagara Falls. | 43-04-08.432N 079-01-29.122W | | | | White can with orange bands and danger symbols. | Maintained from May 1 to Oct. 7. |
| APPROACHES TO NIAGARA RIVER (Chart 14822) | | | | | | | |
| 3360 | <i>Seneca Shoal Lighted Buoy 2</i> Marks northwest side of shoal. | 42-47-36.241N 078-55-58.038W | FI R 4s | | 4 | Red. | Maintained from May 7 to Dec. 1. |
| STURGEON POINT TO TWENTY MILE CREEK | | | | | | | |
| 3365 | STURGEON POINT LIGHT 2 | 42-41-34.383N 079-02-43.737W | FI R 2.5s | 32 10 | 4 | TR on post. | |
| 3370 | STURGEON POINT LIGHT 3 | 42-41-32.297N 079-02-43.761W | FI G 4s | 28 9 | 4 | SG on post. | |
| Cattaraugus Creek | | | | | | | |
| 3375 | - NORTH BREAKWATER LIGHT 1 | 42-34-18.836N 079-08-17.830W | FI G 2.5s | 31 9 | 5 | SG on pile. | |
| 3380 | - SOUTH BREAKWATER LIGHT 2 | 42-34-21.674N 079-08-22.936W | FI R 2.5s | 31 9 | 4 | TR on pile. | |
| Dunkirk Harbor | | | | | | | |
| 3410 | Dunkirk Light | 42-29-38.054N 079-21-14.140W | Oc W 4s | 82 25 | 16 | | |
| 3430 | - LIGHT 1 | 42-29-35.811N 079-20-39.662W | FI G 4s | 20 6 | 6 | SG on pile. | |
| 3435 | - PIERHEAD LIGHT 2 | 42-29-34.542N 079-20-43.232W | FI R 6s | 63 19 | 8 | White cylindrical tower with red band. | |
| 3440 | - <i>Lighted Buoy 3</i> | 42-29-32.039N 079-20-32.779W | FI G 2.5s | | 4 | Green can. | Maintained from May 14 to Nov. 01. |
| 3445 | - Buoy 4 | 42-29-29.158N 079-20-31.806W | | | | Red nun. | Maintained from May 14 to Nov. 01. |
| 3450 | - Buoy 5 | 42-29-28.939N 079-20-23.279W | | | | Green can. | Maintained from May 14 to Nov. 01. |
| 3453 | - <i>Lighted Buoy 6</i> | 42-29-27.139N 079-20-24.579W | FI (2)R 5s | | 4 | Red nun. | Maintained from May 14 to Nov. 01. |
| 3455 | - EAST INNER BREAKWATER WEST END LIGHT 1 | 42-23-00.032N 079-20-12.022W | FI G 2.5s | 35 11 | 4 | SG on post. | |
| 3460 | - WEST INNER BREAKWATER EAST END LIGHT 2 | 42-29-23.032N 079-20-14.022W | FI R 2.5s | 33 10 | 4 | TR on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| STURGEON POINT TO TWENTY MILE CREEK | | | | | | | |
| Dunkirk Harbor | | | | | | | |
| 3465 | - WEST INNER BREAKWATER WEST END LIGHT 4 | 42-29-18.032N 079-20-30.022W | FI R 4s | 33 10 | 4 | TR on post. | |
| STURGEON POINT TO TWENTY MILE CREEK | | | | | | | |
| 3467 | <i>Buffalo State College Weather Buoy 1</i> | 42-33-42.000N 079-25-56.000W | FI Y 4s | | | | Maintained from May.1 to Nov.30. Private aid. |
| 3480 | BARCELONA HARBOR EAST BREAKWATER LIGHT | 42-20-43.062N 079-35-44.050W | FI G 4s | 26 8 | 7 | SG on post. | |
| 3485 | BARCELONA HARBOR WEST BREAKWATER LIGHT | 42-20-42.800N 079-35-46.400W | FI R 4s | 26 8 | 7 | TR on post. | |
| 3490 | WILLIS CRIB DOCK LIGHT | 42-10-30.031N 080-00-30.022W | FI W 4s | 20 6 | 7 | NB on gray post. | |
| 3492 | Willis Crib Isolated Danger Buoy DW | 42-10-20.575N 080-00-54.116W | | | | Black with red band. | Maintained from May 14 to Nov. 1. |
| APPROACHES TO NIAGARA RIVER (Chart 14822) | | | | | | | |
| 3493 | <i>Ocean Tech Meteorological Buoy 1</i> | 42-44-25.020N 079-07-55.020W | Q Y | | | | Maintained from Apr.1 to Apr.1. Private aid. |
| ERIE HARBOR (Chart 14835) | | | | | | | |
| Erie Harbor | | | | | | | |
| 3495 | - PIERHEAD LIGHT | 42-09-21.913N 080-04-16.845W | FI R 2.5s | 42 13 | 7 | Square tower with black and white bands. | |
| 3505 | INTERNATIONAL PAPER EAST CRIB LIGHT | 42-09-06.000N 080-03-30.000W | Q W | 15 5 | | NG on gray pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 3510 | International Paper Obstruction Buoy | 42-08-48.200N 080-03-29.000W | | | | White can with orange bands and diamond worded ROCKS. | Maintained from May 1 to Nov. 1. Private aid. |
| 3515 | - <i>Entrance Lighted Bell Buoy 1</i> | 42-09-49.239N 080-03-10.731W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to May 1. AIS MMSI: 993672195 |
| 3520 | - <i>Entrance Lighted Buoy 2</i> | 42-09-53.063N 080-03-15.474W | FI R 4s | | 3 | Red. | Year round lighted buoy |
| 3525 | - Entrance Buoy 3 | 42-09-32.339N 080-03-43.733W | | | | Green can. | |
| 3530 | - Entrance Buoy 4 | 42-09-36.539N 080-03-47.533W | | | | Red nun. | |
| 3535 | - <i>Entrance Lighted Buoy 5</i> | 42-09-18.639N 080-04-12.034W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 7 to May 1. AIS MMSI: 993672196 |
| 3540 | - LIGHT 7 | 42-09-12.031N 080-04-24.022W | FI G 4s | 27 8 | 4 | SG on post. | |
| 3545 | - ENTRANCE RANGE FRONT LIGHT | 42-09-08.126N 080-04-36.892W | F G | 32 10 | | KRW on skeleton tower. | Visible 4° each side of range line. |
| 3550 | - ENTRANCE RANGE REAR LIGHT 752 feet, 235.3° from front light. | 42-09-03.890N 080-04-45.100W | F G | 62 19 | | KRW on skeleton tower. | Visible 4° each side of range line. |
| 3555 | JOHN E. LAMPE MUNICIPAL MARINA LIGHT 1 | 42-08-54.000N 080-04-30.000W | F G | | | SG on tower. | Private aid. |
| 3560 | JOHN E. LAMPE MUNICIPAL MARINA LIGHT 2 | 42-08-55.000N 080-04-26.000W | F R | 25 8 | | TR on tower. | Private aid. |
| 3565 | - LIGHT 8 | 42-09-06.431N 080-04-53.222W | FI R 4s | 30 9 | 4 | TR on post. | |
| 3570 | - Junction Buoy M | 42-09-05.159N 080-04-54.720W | | | | Red with green band; nun. | |
| 3575 | - <i>Lighted Buoy 9</i> | 42-08-53.139N 080-05-08.337W | FI G 2.5s | | 4 | Green. | Replaced by can from Nov. 1 to May 15 |
| 3580 | - <i>Lighted Buoy 10</i> | 42-08-55.834N 080-05-17.116W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 1 to May 15. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| ERIE HARBOR (Chart 14835) | | | | | | | |
| Erie Harbor | | | | | | | |
| 3585 | - Lighted Buoy 11 | 42-08-47.048N 080-05-11.473W | FI G 4s | | 4 | Green. | Replaced by can from Nov 1 to May 15. |
| 3590 | - Lighted Buoy 12 | 42-08-47.239N 080-05-32.538W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 1 to May 15. |
| 3595 | - Lighted Buoy 13 | 42-08-36.082N 080-05-06.323W | FI G 2.5s | | 4 | Green. | Replaced by can from Nov. 1 to May 15. |
| 3596 | - Lighted Buoy 14 | 42-08-34.251N 080-05-41.804W | FI R 4s | | 4 | Red. | Replaced by can from Nov. 1 to May 15. |
| 3597 | - No Wake Buoy | 42-08-18.300N 080-05-44.100W | | | | White can with orange bands worded SLOW-NO WAKE. | Maintained from May 15 to Sep. 15. Private aid. |
| 3597.5 | - No Wake Buoy | 42-08-23.000N 080-05-32.000W | | | | White can with orange bands worded SLOW-NO WAKE. | Maintained from May 15 to Sep. 15. Private aid. |
| 3598 | - No Wake Buoy | 42-08-26.200N 080-05-21.900W | | | | White can with orange bands worded SLOW-NO WAKE. | Maintained from May 15 to Sep. 15. Private aid. |
| 3598.5 | - No Wake Buoy | 42-08-30.000N 080-05-13.300W | | | | White can with orange bands worded SLOW-NO WAKE. | Maintained from May 15 to Sep. 15. Private aid. |
| 3599 | - No Wake Buoy | 42-08-31.700N 080-05-07.600W | | | | White can with orange bands worded SLOW-NO WAKE. | Maintained from May 15 to Sep. 15. Private aid. |
| Presque Isle Park | | | | | | | |
| <i>Aids maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 3615 | - RANGE FRONT LIGHT | 42-09-20.900N 080-06-47.000W | F R | 19 | | KWB on skeleton tower. | Private aid. |
| 3620 | - REAR RANGE LIGHT 425 feet, 339.8° from front light. | 42-09-25.500N 080-06-49.300W | F R | 31 | | KWB on skeleton tower. | Private aid. |
| 3625 | - LIGHT 1 | 42-09-10.200N 080-06-44.400W | FI G 2s | 20 | | SG on post. | Private aid. |
| 3630 | - LIGHT 2 | 42-09-10.000N 080-06-39.100W | FI R 2s | 20 | | TR on post. | Private aid. |
| 3635 | - LIGHT 3 | 42-09-13.000N 080-06-45.800W | FI G 2s | 20 | | SG on post. | Private aid. |
| 3640 | - LIGHT 4 | 42-09-12.700N 080-06-40.800W | FI R 2s | 20 | | TR on post. | Private aid. |
| Erie Harbor | | | | | | | |
| 3645 | - Water Pipe Intake Buoy A | 42-08-07.500N 080-05-57.500W | | | | White and orange bands; spar. | Maintained from May 1 to Nov. 1. Private aid. |
| 3650 | - Water Pipe Intake Buoy B | 42-08-27.300N 080-06-47.500W | | | | White with orange bands; spar. | Maintained from May 1 to Nov. 1. Private aid. |
| 3655 | - Water Pipe Intake Buoy C | 42-08-18.900N 080-07-39.800W | | | | White with orange bands; spar. | Maintained from May 1 to Nov. 1. Private aid. |
| Erie Yacht Club | | | | | | | |
| 3660 | - BREAKWATER LIGHT | 42-07-24.900N 080-07-49.100W | FI W 2s | 32 | | White lighthouse. | Maintained from Apr. 1 to Oct. 30. Private aid. |
| 3665 | - ENTRANCE LIGHT 1 | 42-07-23.000N 080-07-52.400W | F G | 10 | | SG on skeleton tower. | Maintained from May 30 to Oct. 15. Private aid. |
| 3670 | - ENTRANCE LIGHT 2 | 42-07-21.900N 080-07-57.700W | F R | 10 | | TR on skeleton tower. | Maintained from May 30 to Oct. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-------------------------------|--|
| LAKE ERIE | | | | | | | |
| ERIE HARBOR (Chart 14835) | | | | | | | |
| Erie Harbor | | | | | | | |
| Erie Yacht Club | | | | | | | |
| 3675 | Erie Harbor West Shoal Buoy A | 42-07-44.300N 080-08-05.700W | | | | White can with orange bands. | Maintained from May 15 to Sep. 15. Private aid. |
| 3680 | Erie Harbor West Shoal Buoy B | 42-07-40.000N 080-08-10.900W | | | | White can with orange bands. | Maintained from May 15 to Sep. 15. Private aid. |
| 3685 | Erie Harbor West Shoal Buoy C | 42-07-39.100N 080-08-19.500W | | | | White can with orange bands. | Maintained from May 15 to Sep. 15. Private aid. |
| SIXTEEN MILE CREEK TO CONNEAUT (Chart 14824) | | | | | | | |
| 3690 | Presque Isle Light | 42-09-56.831N 080-06-55.522W | Iso W 6s | 73 22 | 15 | Square tower. | |
| 3692 | <i>DEP PA</i> | 42-08-39.840N 080-07-30.000W | Fl Y 4s | | | | Private aid. |
| 3693 | <i>NOAA RSC A</i> | 42-08-52.520N 080-15-59.040W | Fl Y 4s | | | | Private aid. |
| 3694 | <i>Canadian Spar Buoy 5 (C)</i> | 42-10-04.000N 080-17-01.000W | F Y | | | | Maintained from Apr. 1 to Nov. 30 Private aid. |
| 3695 | WALNUT CREEK BREAKWATER LIGHT | 42-04-38.500N 080-14-25.000W | Fl R 2.5s | 14 4 | | On pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 3696 | WALNUT CREEK CHANNEL LIGHT | 42-04-37.600N 080-14-23.100W | Fl G 2s | 12 4 | | On steel tower | Maintained from May 1 to Nov. 1. Private aid. |
| 3697 | <i>NOAA CHP Buoy 8</i> | 42-04-07.025N 080-25-01.100W | Fl Y 4s | | | | Maintained from May.1 to Dec.1. Private aid. |
| LAKE ERIE (Chart 14820) | | | | | | | |
| Port Colborne | | | | | | | |
| 3699 | <i>NOAA GLERL CHP 10 North of Presque Isle Wave Buoy 1</i> | 42-21-19.776N 080-04-21.828W | Fl Y 4s | | | | Maintained from May.1 to Dec.1. Private aid. |
| SIXTEEN MILE CREEK TO CONNEAUT (Chart 14824) | | | | | | | |
| Conneaut Harbor | | | | | | | |
| 3700 | - BREAKWATER LIGHT 1 | 41-58-50.053N 080-33-20.405W | Fl G 4s | 46 14 | 6 | SG on gray post. | |
| 3705 | - West Breakwater Light | 41-58-48.106N 080-33-27.321W | Fl R 10s | 80 24 | 12 | Square pyramidal tower. 80 | |
| 3710 | - EAST GAP LIGHT 1 | 41-58-25.578N 080-32-44.091W | Fl G 4s | 25 8 | 4 | SG on post. | |
| 3715 | - PIER LIGHT 3 | 41-58-21.133N 080-32-55.571W | Fl G 2.5s | 20 6 | 4 | SG on post. | |
| 3720 | - PIER LIGHT 4 | 41-58-21.119N 080-32-54.972W | Iso R 6s | 28 9 | 4 | TR on post. | |
| 3723 | CONNEAUT BOAT CLUB EAST LIGHT | 41-58-17.820N 080-33-07.560W | F G | 14 4 | | SG on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 3725 | CONNEAUT BOAT CLUB WEST LIGHT | 41-58-17.800N 080-33-08.580W | F R | 14 4 | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 3731 | - NORTH LIGHT 1 | 41-58-13.000N 080-33-20.000W | Fl G 3s | 19 6 | | SG on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 3732 | - NORTH LIGHT 2 | 41-58-14.300N 080-33-19.800W | Fl R 3s | 19 6 | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 3733 | - <i>Lighted Buoy 2</i> | 41-58-14.520N 080-33-22.320W | Fl R 2.5s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 3734 | - <i>Lighted Buoy 4</i> | 41-58-09.220N 080-33-20.570W | Fl R 2.5s | | | | Maintained from May1 to Nov. 1. Private aid. |
| 3735 | - <i>Lighted Buoy 6</i> | 41-58-06.120N 080-33-20.500W | Fl R 2.5s | | | | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| SIXTEEN MILE CREEK TO CONNEAUT (Chart 14824) | | | | | | | |
| Conneaut Harbor | | | | | | | |
| 3736 | - Lighted Buoy 1 | 41-58-15.100N 080-33-18.560W | FI G 2.5s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 3737 | - Lighted Buoy 3 | 41-58-06.440N 080-33-18.450W | FI G 2.5s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 3738 | - Lighted Buoy 5 | 41-58-06.590N 080-33-18.280W | FI G 2.5s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| ASHTABULA TO CHAGRIN RIVER | | | | | | | |
| 3739 | NOAA CHP Buoy 9 | 42-10-08.100N 080-51-06.100W | FI Y 4s | | | | Maintained from May.1 to Dec.1. Private aid. |
| 3742 | ASHTABULA TOWNSHIP BREAKWALL LIGHT | 41-54-30.000N 080-46-48.100W | F Y | 7 2 | | On single pile. | Private aid. |
| ASHTABULA HARBOR | | | | | | | |
| Ashtabula Harbor | | | | | | | |
| 3745 | - LIGHT | 41-55-06.586N 080-47-45.863W | FI Y 6s | 51 16 | 9 | | |
| 3750 | ASHTABULA EAST BREAKWATER SOUTH END LIGHT | 41-54-47.671N 080-46-48.066W | FI W 4s | 25 8 | 8 | NR on post. | |
| 3755 | - ENTRANCE LIGHT 1 | 41-55-11.617N 080-47-33.162W | FI G 4s | 34 10 | 7 | White cylindrical tower with green band. | |
| 3760 | - ENTRANCE LIGHT 2 | 41-55-11.712N 080-47-42.140W | FI R 2.5s | 40 12 | 7 | White cylindrical tower with red band. | |
| 3763 | <i>Limno Tech Ashtabula Harbor Weather Buoy 1</i> | 41-54-30.150N 080-48-47.130W | FI Y 4s | | | | Maintained from Apr.15 to Nov.15. Private aid. |
| 3765 | - Lighted Buoy 3 | 41-55-04.740N 080-47-30.488W | FI G 2.5s | | 3 | Green. | Year round lighted buoy |
| 3770 | - Junction Lighted Buoy A | 41-54-57.080N 080-47-33.848W | FI (2+1)G 6s | | 3 | Green with red band. | Year round lighted buoy. |
| 3775 | - INNER BREAKWATER LIGHT 7 | 41-54-43.267N 080-47-38.375W | FI G 2.5s | 34 10 | 7 | SG on post | |
| 3780 | - East Basin Lighted Buoy 1 | 41-54-54.711N 080-47-18.697W | FI G 4s | | 4 | Green. | Replaced by can Nov 15 to Apr 15 |
| 3785 | - East Basin Lighted Buoy 2 | 41-54-49.041N 080-47-24.407W | FI R 4s | | 3 | Red. | Year round lighted buoy. |
| 3790 | ASHTABULA RIVER LIGHT 1 | 41-54-38.631N 080-47-52.323W | FI G 2.5s | 31 9 | 4 | SG on post. | |
| 3795 | <i>Ashtabula River Lighted Buoy 2</i> | 41-54-39.289N 080-47-54.996W | FI R 4s | | 3 | Red | Maintained from Apr 15 to Nov. 15. |
| 3800 | ASHTABULA RIVER LIGHT 4 | 41-54-32.831N 080-47-57.123W | FI R 6s | 35 11 | 7 | TR on grey post. | |
| 3802 | Ashtabula Buoy 5 | 41-53-53.731N 080-47-36.863W | | | | | Maintained from Apr. 14 to Nov. 14. |
| 3803 | Ashtabula Buoy 7 | 41-53-41.911N 080-47-45.623W | | | | | Maintained from Apr. 14 to Nov. 14. |
| ASTABULA TO CHAGRIN RIVER | | | | | | | |
| 3825 | GENEVA ON THE LAKE LIGHT 1 | 41-51-33.499N 080-58-27.947W | FI G 2.5s | 31 9 | 3 | White cylindrical tower with green band. | |
| 3830 | GENEVA ON THE LAKE LIGHT 2 | 41-51-35.031N 080-58-26.023W | FI R 2.5s | 31 9 | 5 | TR on post. | |
| ASHTABULA TO CHAGRIN RIVER | | | | | | | |
| 3832 | NORTH PERRY LIGHT 1 | 41-49-11.364N 081-06-13.825W | FI G 4s | | | | Private aid. |
| 3832.1 | NORTH PERRY EAST BREAKWATER LIGHT | 41-49-11.610N 081-06-10.977W | FI W 4s | | | | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| ASHTABULA TO CHAGRIN RIVER | | | | | | | |
| 3833 | NORTH PERRY LIGHT 2 | 41-49-10.757N 081-06-15.644W | FI R 4s | | | | Private aid. |
| 3833.1 | NORTH PERRY WEST BREAKWATER LIGHT | 41-49-08.039N 081-06-21.085W | FI W 4s | | | | Private aid. |
| 3834 | PAINESVILLE FISHING PIER LIGHT | 41-46-01.540N 081-14-01.440W | | | | | Private aid. |
| FAIRPORT HARBOR | | | | | | | |
| Fairport Harbor | | | | | | | |
| 3835 | - EAST BREAKWATER EAST END LIGHT | 41-46-03.061N 081-15-21.574W | FI R 4s | 28 9 | 6 | TR on pile. | |
| 3840 | - BREAKWATER LIGHT A | 41-45-57.655N 081-16-00.222W | FI Y 2.5s | 27 8 | 4 | NY on post. | |
| ASHTABULA TO CHAGRIN RIVER | | | | | | | |
| Fairport Harbor | | | | | | | |
| 3845 | - BREAKWATER LIGHT B | 41-46-00.133N 081-15-43.302W | FI Y 2.5s | 27 8 | 4 | NY on post. | |
| 3850 | <i>Lake County Outer PWI Crib Lighted Buoy</i> Marks north side of crib. | 41-46-05.600N 081-15-46.200W | FI W 3s | | | White with orange bands and diamond. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3855 | LAKE COUNTY INNER CRIB LIGHT | 41-45-39.200N 081-15-40.000W | FI W 2.5s | 15 5 | | NW on post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3860 | - EAST BREAKWATER LIGHT | 41-46-04.531N 081-16-43.824W | FI G 4s | 37 11 | 6 | SG on post. | |
| 3865 | - WEST BREAKWATER EXTENSION LIGHT | 41-46-10.031N 081-16-50.024W | FI R 2.5s | 46 14 | 7 | TR on post. | |
| 3870 | - West Breakwater Light | 41-46-04.331N 081-16-52.224W | Iso W 6s | 56 17 | 13 | Tower. 56 | Fog Signal operates by keying microphone five times on VHF FM Channel 83A. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). |
| 3880 | - WEST PIER LIGHT | 41-45-42.031N 081-16-48.024W | F R | 38 12 | 7 | White cylindrical tower with red band. | |
| 3885 | - EAST PIER LIGHT | 41-45-41.391N 081-16-47.874W | Iso G 6s | 26 8 | 6 | SG on post. | |
| 3890 | - PORT AUTHORITY BOAT RAMP LIGHT | 41-45-34.200N 081-16-41.800W | Q R | 13 4 | | On post. | Maintained from May 1 to Oct 31. Private aid. |
| 3891 | - PORT AUTHORITY BREAKWATER LIGHT | 41-45-36.000N 081-16-40.000W | FI W 4s | 9 3 | | On post. | Private aid. |
| 3895 | MORTON SALT COMPANY BOATLOADING NORTH LIGHT | 41-45-15.300N 081-16-49.800W | F R | 13 4 | | | Maintained from May 1 to Nov. 1. Private aid. |
| ASHTABULA TO CHAGRIN RIVER | | | | | | | |
| 3896 | MORTON SALT COMPANY BOATLOADING SOUTH LIGHT | 41-45-15.000N 081-16-50.000W | F R | 13 4 | | | Maintained from May.1 to Nov.1. Private aid. |
| Fairport Harbor | | | | | | | |
| 3900 | MORTON SALT COMPANY DOLPHIN LIGHT | 41-45-12.600N 081-16-49.900W | F R | 9 3 | | On dolphin. | Maintained from May 1 to Nov. 1. Private aid. |
| 3905 | <i>Painesville Inner Intake Crib Lighted Buoy 1</i> | 41-45-23.800N 081-17-52.500W | Q G | | | Green. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| ASHTABULA TO CHAGRIN RIVER | | | | | | | |
| 3908 | <i>Limno Tech Fairport Harbor Weather Buoy H</i> | 41-43-31.650N 081-22-12.650W | FI Y 4s | | | | Maintained from Apr.15 to Nov.15. Private aid. |
| Mentor Harbor | | | | | | | |
| <i>Aids maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 3910 | - LIGHT 1 | 41-43-30.000N 081-21-00.000W | F G | 21 6 | | SG on white pile. | Private aid. |
| 3915 | - LIGHT 2 | 41-43-30.000N 081-21-00.000W | F R | 21 6 | | TR on white pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| ASHTABULA TO CHAGRIN RIVER | | | | | | | |
| Mentor Harbor | | | | | | | |
| <i>Aids maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 3920 | - LIGHT 3 | 41-43-30.000N 081-21-00.000W | Fl W 2s | 33 10 | | White diamond daymark on white pile. | Private aid. |
| 3925 | - LIGHT 4 | 41-43-30.000N 081-21-00.000W | F R | 10 3 | | On post. | Private aid. |
| LAKE ERIE (Chart 14820) | | | | | | | |
| Port Colborne | | | | | | | |
| 3937 | <i>Canada Weather Spar Buoy 955 (C)</i> | 41-48-00.000N 081-26-50.000W | Fl Y 4s | | | Spar Buoy | Maintained from Apr.1 to Nov.1. Private aid. |
| ASHTABULA TO CHAGRIN RIVER | | | | | | | |
| 3940 | CHAGRIN EAST PIER LIGHT | 41-40-37.800N 081-26-13.200W | Fl G 4s | 22 7 | | On green post. | Maintained from May 1 to Oct. 31. Private aid. |
| 3945 | CHAGRIN WEST PIER LIGHT | 41-40-37.000N 081-26-15.100W | Fl R 4s | 27 8 | | On red post. | Maintained from May 1 to Oct. 31. Private aid. |
| 3950 | CHAGRIN WEST PIER INNER LIGHT | 41-40-35.200N 081-26-13.300W | F R | 32 10 | | On red post. | Maintained from May 1 to Oct. 31. Private aid. |
| 3955 | EASTLAKE INTAKE BREAKWATER LIGHT | 41-40-27.400N 081-26-49.900W | Q Y | 18 5 | | NW on post worded DANGER. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 3960 | <i>NOAA CHP Buoy 4</i> | 41-59-04.000N 081-35-12.000W | Fl Y 4s | | | | Maintained from May.1 to Dec.1. Private aid. |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| Wildwood Park | | | | | | | |
| <i>Lights maintained from May 1 to Oct. 15.</i> | | | | | | | |
| 3975 | - WEST DETACHED BREAKWATER LIGHT | 41-35-17.000N 081-34-02.000W | Q W | 16 5 | | NW on pile. | Private aid. |
| 3980 | - CENTER DETACHED BREAKWATER LIGHT | 41-35-19.000N 081-34-00.000W | Q W | 16 5 | | NW on pile. | Private aid. |
| 3985 | - EAST DETACHED BREAKWATER LIGHT | 41-35-21.000N 081-39-59.000W | Q W | 16 5 | | NW on pile. | Private aid. |
| 3990 | - EAST PIERHEAD LIGHT | 41-35-18.000N 081-34-58.000W | Fl G 4s | 16 5 | | SG on pile. | Private aid. |
| 3995 | - WEST PIERHEAD LIGHT | 41-35-14.000N 081-33-58.000W | Fl R 4s | 16 5 | | TR on pile. | Private aid. |
| 3996 | - INNER PIERHEAD LIGHT | 41-35-15.000N 081-33-54.000W | Fl G 4s | 16 5 | | SG on pile. | Private aid. |
| 4000 | EUCLID BEACH EAST BREAKWATER LIGHT | 41-35-01.000N 081-34-07.000W | Q G | 26 8 | | On post. | Private aid. |
| 4005 | EUCLID BEACH WEST BREAKWATER LIGHT | 41-35-01.000N 081-34-15.000W | Q G | 26 8 | | On post. | Private aid. |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| 4009 | <i>Limno Tech Euclid Beach Weather Buoy G</i> | 41-35-07.230N 081-34-58.500W | Fl Y 4s | | | | Maintained from Apr.15 to Nov.15. Private aid. |
| 4010 | <i>Limno Tech Euclid Weather Buoy 1</i> | 41-31-15.440N 081-52-49.030W | Fl Y 4s | | | | Maintained from May.1 to Nov.30. Private aid. |
| Wildwood Park | | | | | | | |
| <i>Lights maintained from May 1 to Oct. 15.</i> | | | | | | | |
| 4015 | NORTHEAST YACHT CLUB OUTER LIGHT | 41-34-25.000N 081-35-03.000W | F R | 14 4 | | On pile. | Maintained from Mar. 15 to Nov. 1. Private aid. |
| 4020 | NORTHEAST YACHT CLUB INNER LIGHT | 41-34-24.000N 081-35-04.000W | F G | 14 4 | | On pile. | Maintained from Mar. 15 to Nov. 1. Private aid. |
| 4021 | NEWPORT HARBOR ENTRANCE LIGHT 1 | 41-33-25.000N 081-36-30.000W | F G | 20 6 | | SG on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 4022 | NEWPORT HARBOR ENTRANCE LIGHT 2 | 41-33-25.000N 081-36-33.000W | F R | 20 6 | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---------------------------------------|--|
| LAKE ERIE | | | | | | | |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| Wildwood Park | | | | | | | |
| <i>Lights maintained from May 1 to Oct. 15.</i> | | | | | | | |
| 4025 | Cleveland Research Buoy | 41-44-00.660N 081-41-54.240W | FI Y 4s | | | | Secured with two point mooring system, lighted spar buoys with the same flash characteristics marking mooring locations. Private aid. |
| 4027 | Limno Tech Cleveland A | 41-35-31.200N 081-47-31.200W | | | | | Private aid. |
| 4027.1 | Limno Tech Cleveland B | 41-44-06.000N 081-41-52.800W | | | | | Private aid. |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| 4028 | Canadian Weather Buoy 12 - 2 (C) | 41-56-14.000N 081-38-58.000W | F Y | | | | Maintained from Apr. 1 to Nov. 30 Private aid. |
| 4029 | Canadian Spar Buoy 68 (C) | 41-56-15.000N 081-38-42.000W | F Y | | | | Maintained from Apr. 1 to Nov. 30 Private aid. |
| Wildwood Park | | | | | | | |
| <i>Lights maintained from May 1 to Oct. 15.</i> | | | | | | | |
| 4030 | CLEVELAND WATERWORKS INTAKE CRIB LIGHT | 41-32-54.000N 081-45-00.000W | Q W | 55 17 | | Square house on cylindrical crib. | Maintained from May 1 to Dec. 1. HORN: 1 blast ev 30s (3s bl). Private aid. |
| 4035 | Cleveland Intake Lighted Buoy Marks submerged water intake. | 41-32-54.000N 081-45-48.000W | FI W 4s | | | White with orange bands. | Replaced by unlighted buoy from Nov. 1 to May. 1. Private aid. |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| 4037 | Cleveland Water Quality | 41-33-07.560N 081-46-02.640W | FI Y 4s | | | | Private aid. |
| CLEVELAND HARBOR (Chart 14839) | | | | | | | |
| Cleveland Harbor | | | | | | | |
| Gordon Park | | | | | | | |
| 4040 | - DISPOSAL LIGHT A | 41-32-52.842N 081-38-00.720W | FI W 4s | 40 12 | 7 | NB on post. | |
| 4045 | - BOAT BASIN LIGHT 1 | 41-32-33.606N 081-38-17.538W | FI G 2.5s | 40 12 | 4 | SG on post. | |
| 4050 | - BOAT BASIN ENTRANCE NORTH LIGHT | 41-32-29.400N 081-38-08.900W | FI R 4s | 18 5 | | On pile. | Maintained from May 1 to Oct. 15. Private aid. |
| 4055 | - BOAT BASIN ENTRANCE SOUTH LIGHT | 41-32-27.700N 081-38-09.300W | FI G 4s | 18 5 | | On pile. | Maintained from May 1 to Oct. 15. Private aid. |
| Cleveland Harbor | | | | | | | |
| <i>Lighted buoys maintained from Apr. 28 to Dec. 14.</i> | | | | | | | |
| 4060 | - EAST ENTRANCE LIGHT 2 | 41-32-35.010N 081-39-05.084W | Iso R 6s | 59 18 | 9 | White cylindrical tower with red band | |
| 4065 | - East Basin Channel Lighted Buoy 1 | 41-32-25.470N 081-39-02.655W | FI G 4s | | 4 | Green. | Year round buoy unlighted from Dec. 1 to Apr. 14. |
| 4075 | - EAST 55TH STREET MARINA ENTRANCE NORTH LIGHT | 41-31-57.500N 081-39-14.800W | FI G 4s | 14 4 | | On pile. | Maintained from May 1 to Oct. 15. Private aid. |
| 4080 | - EAST 55TH STREET MARINA ENTRANCE SOUTH LIGHT | 41-31-57.000N 081-39-12.200W | FI R 4s | 18 5 | | On pile. | Maintained from May 1 to Oct. 15. Private aid. |
| 4085 | - East Basin Channel Lighted Buoy 3 | 41-31-55.460N 081-39-55.692W | FI G 4s | | 4 | Green. | Year round buoy unlighted from Dec. 1 to Apr. 14. |
| 4095 | - EAST BASIN DIKE LIGHT 2 | 41-31-43.807N 081-39-44.528W | FI R 4s | 27 8 | 4 | TR on skeleton tower. | |
| 4100 | Forest City Yacht Club 4 | 41-31-38.487N 081-39-40.278W | | | | Red nun. | Private aid. |
| 4105 | LAKESIDE YACHT CLUB ENTRANCE NORTH LIGHT | 41-31-12.400N 081-40-00.800W | F G | 7 2 | | On post. | Maintained from Mar. 1 to Dec. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|-------------------|--|--|
| LAKE ERIE | | | | | | | |
| CLEVELAND HARBOR (Chart 14839) | | | | | | | |
| Cleveland Harbor | | | | | | | |
| <i>Lighted buoys maintained from Apr. 28 to Dec. 14.</i> | | | | | | | |
| 4110 | LAKESIDE YACHT CLUB ENTRANCE SOUTH LIGHT | 41-31-12.400N 081-40-00.800W | F R | 7 2 | | On post. | Maintained from Mar. 1 to Dec. 1. Private aid. |
| 4120 | - East Basin Channel Lighted Buoy 4 | 41-31-59.272N 081-39-59.153W | FI R 6s | | 4 | Red. | Year round buoy unlighted from Dec. 1 to Apr. 14. |
| 4135 | - East Basin Channel Lighted Buoy 5 | 41-30-49.222N 081-41-52.375W | FI G 4s | | 4 | Green. | Year round buoy unlighted from Dec 1 to Apr 14. |
| 4140 | - East Basin Channel Lighted Buoy 6 | 41-30-53.116N 081-41-56.242W | FI R 6s | | 4 | Red. | Year round buoy unlighted from Dec 1 to Apr 14. |
| 4147 | North Coast Harbor Daybeacon 1 | 41-30-37.500N 081-41-53.700W | | | | SG on pilings. | Private aid. |
| 4155 | - East Basin Channel Lighted Buoy 8 | 41-30-36.212N 081-42-26.047W | FI R 4s | | 4 | Red. | Year Round Lighted Buoy |
| 4160 | - Main Entrance Light | 41-30-32.240N 081-43-04.374W | FI R 6s | 63 19 | 14 | White conical tower with fog signal building attached. 50 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| LAKE ERIE (Chart 14820) | | | | | | | |
| Port Colborne | | | | | | | |
| 4163 | Limno Tech Edgewater Weather Buoy F | 41-30-03.700N 081-44-53.510W | FI Y 4s | | | | Maintained from Apr. 15 to Nov. 15 Private aid. |
| CLEVELAND HARBOR (Chart 14839) | | | | | | | |
| Cleveland Harbor | | | | | | | |
| <i>Lighted buoys maintained from Apr. 28 to Dec. 14.</i> | | | | | | | |
| 4165 | - MAIN ENTRANCE LIGHT 1 | 41-30-36.558N 081-42-55.740W | Iso G 6s | 39 12 | 7 | Tower. | |
| 4170 | - LIGHT 3 | 41-30-28.404N 081-42-47.688W | FI G 4s | 29 9 | 4 | SG on post. | |
| 4175 | - LIGHT 4 | 41-30-23.130N 081-42-57.424W | FI R 4s | 29 9 | 6 | TR on post. | |
| 4180 | - LIGHT 5 | 41-30-14.300N 081-42-41.714W | FI G 2.5s | 31 9 | 4 | SG on post. | |
| 4185 | - LIGHT 6 | 41-30-12.846N 081-42-45.252W | FI R 2.5s | 27 8 | 5 | TR on post. | |
| Whiskey Island Marina | | | | | | | |
| 4190 | - ENTRANCE LIGHT 1 | 41-29-59.000N 081-43-02.000W | FI G 2s | 7 2 | | SG on post. | Private aid. |
| 4191 | - ENTRANCE LIGHT 2 | 41-29-57.200N 081-43-04.000W | FI R 2s | 7 2 | | TR on post. | Private aid. |
| Cleveland Harbor West Basin Channel | | | | | | | |
| 4200 | Great Lakes East Mooring | 41-30-01.660N 081-43-19.140W | F W | | | | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 4200.1 | Great Lakes West Mooring | 41-29-57.510N 081-43-26.570W | F W | | | | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 4215 | - LIGHT 1 | 41-29-46.140N 081-43-45.288W | Q G | 31 9 | 6 | SG on post. | Light visible from 255° to 200°. |
| 4220 | - LIGHT 2 | 41-29-44.624N 081-43-46.768W | FI R 2.5s | 30 9 | 4 | TR on post. | |
| 4225 | - JUNCTION LIGHT | 41-29-43.014N 081-43-42.000W | Iso W 6s | 21 6 | W 3 G 3 R 3 | JG on post. | White light visible from 123° to 133°. Red light visible from 114° to 122°. Green light visible from 134° to 140°. |
| 4230 | - Daybeacon 4 | 41-29-42.930N 081-43-45.024W | | | | TR on triangular tower. | |
| 4232 | - LIGHT 7 | 41-29-47.330N 081-43-37.924W | FI G 2.5s | 31 9 | 4 | SG on post. | Light visible from 210° to 070°. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| CLEVELAND HARBOR (Chart 14839) | | | | | | | |
| Cleveland Harbor West Basin Channel | | | | | | | |
| 4233 | - LIGHT 8 | 41-29-45.342N 081-43-37.500W | FI R 6s | 31 9 | 4 | TR on post. | Light visible from 210° to 100°. |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| 4245 | ROCKY RIVER LIGHT 1 | 41-29-30.894N 081-50-20.166W | FI G 2.5s | 35 11 | 6 | White cylindrical tower with green band. | |
| LAKE ERIE (Chart 14820) | | | | | | | |
| Port Colborne | | | | | | | |
| 4247 | <i>Limno Tech Rocky River Weather Buoy 1</i> | 41-37-09.940N 081-37-03.430W | FI Y 4s | | | | Maintained from May.1 to Nov.30. Private aid. |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| 4250 | ROCKY RIVER BREAKWATER LIGHT | 41-29-24.430N 081-50-10.524W | FI Y 4s | 28 9 | 6 | NY on post. | |
| 4255 | BRADSTREET LANDING DOCK LIGHT | 41-29-07.000N 081-52-03.000W | FI G 6s | 36 11 | | On post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 4256 | CASHELMARA JETTY LIGHT | 41-29-00.000N 081-52-42.000W | Q Y | 20 6 | | On post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| Avon Lake | | | | | | | |
| <i>Launch Basin aids maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 4270 | - INTAKE BREAKWATER LIGHT | 41-30-30.000N 082-03-18.000W | FI W 2.5s | 12 4 | | NB on pedestal. | Private aid. |
| 4274 | - LAUNCH BASIN LIGHT 1 | 41-30-17.000N 082-03-37.000W | FI G 4s | 25 8 | | SG on post. | Private aid. |
| 4275 | - LAUNCH BASIN LIGHT 2 | 41-30-17.000N 082-03-41.000W | FI R 2.5s | 25 8 | | TR on post. | Private aid. |
| 4280 | - LAUNCH BASIN BREAKWATER LIGHT | 41-30-13.000N 082-03-45.000W | Q W | 27 8 | | NW on post worded DANGER. | Private aid. |
| GENEVA TO LORAIN (Chart 14829) | | | | | | | |
| 4285 | <i>NOAA CHP Buoy 2</i> | 41-45-10.300N 082-07-13.100W | FI Y 4s | | | | Maintained from May.1 to Dec.1. Private aid. |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| 4300 | SHEFFIELD LAKE LIGHT 1 | 41-29-27.944N 082-06-49.319W | FI G 4s | | | | Private aid. |
| 4301 | SHEFFIELD LAKE LIGHT 2 | 41-29-27.484N 082-06-49.042W | FI R 4s | | | | Private aid. |
| 4305 | <i>Limno Tech Sheffield Weather Buoy E</i> | 41-30-30.260N 082-06-53.150W | FI Y 4s | | | | Maintained from Apr.15 to Nov.15. Private aid. |
| LORAIN HARBOR | | | | | | | |
| Lorain Harbor | | | | | | | |
| 4320 | - Light | 41-28-51.650N 082-11-43.314W | FI W 6s | 60 18 | 12 | On tower. 50 | HORN: 1 blast ev 30s (3s bl-27s si). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 4323 | - DETACHED BREAKWATER MIDDLE LIGHT | 41-28-49.830N 082-11-29.124W | FI Y 4s | 20 6 | 3 | On post. | |
| 4325 | - DETACHED BREAKWATER EAST LIGHT | 41-28-47.550N 082-11-17.224W | Q Y | 25 8 | 4 | NY on post. | |
| 4330 | - LIGHT 1 | 41-28-42.012N 082-11-16.938W | FI G 2.5s | 30 9 | 4 | SG on post. | |
| 4335 | - LIGHT 2 | 41-28-39.030N 082-11-26.024W | FI R 4s | 58 18 | 7 | | |
| 4345 | - <i>Lighted Buoy 5</i> | 41-28-31.105N 082-11-03.619W | FI G 4s | | 4 | Green. | Year round buoy unlighted from Dec 1 to Apr 14. |
| 4350 | - LIGHT 6 | 41-28-25.830N 082-11-09.724W | FI R 6s | 32 10 | 4 | TR on post. | |
| 4355 | - LIGHT 7 | 41-28-24.830N 082-10-57.624W | FI G 4s | 32 10 | 4 | SG on post. | |
| 4360 | - INNER HARBOR DETACHED BREAKWATER LIGHT | 41-28-27.962N 082-10-55.509W | FI Y 2.5s | 32 10 | 4 | NY on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE ERIE | | | | | | | |
| LORAIN HARBOR | | | | | | | |
| Lorain Harbor | | | | | | | |
| 4365 | - EAST BREAKWATER MIDDLE LIGHT | 41-28-35.544N 082-10-52.227W | FI Y 4s | 25 8 | 8 | NY on post. | |
| 4370 | - Inner Harbor Daybeacon 1 | 41-28-26.130N 082-10-52.524W | | | | SG on post. | |
| 4375 | - Inner Harbor Daybeacon 2 | 41-28-23.330N 082-10-54.924W | | | | TR on post. | |
| 4380 | - JUNCTION LIGHT | 41-28-20.844N 082-10-57.492W | FI (2+1)G 6s | 30 9 | 6 | JG on post. | |
| 4390 | LAKEVIEW PARK WEST LIGHT | 41-27-49.301N 082-11-52.999W | FI Y 2.5s | 30 9 | 4 | NY on post. | |
| 4395 | LAKEVIEW PARK EAST LIGHT | 41-27-54.830N 082-11-41.724W | FI Y 4s | 30 9 | 4 | NY on post. | |
| MOSS POINT TO VERMILLION (Chart 14826) | | | | | | | |
| Beaver Creek | | | | | | | |
| <i>Lights maintained from May 1 to Oct. 31.</i> | | | | | | | |
| 4410 | - ENTRANCE LIGHT 1 | 41-26-16.000N 082-15-09.300W | F G | 25 8 | | SG on lighthouse. | Private aid. |
| 4415 | - ENTRANCE LIGHT 2 | 41-26-15.100N 082-15-10.500W | F R | 15 5 | | TR on post. | Private aid. |
| 4420 | - ENTRANCE LIGHT 4 | 41-26-13.200N 082-15-07.300W | FI R 2.5s | 15 5 | | TR on post. | Private aid. |
| 4425 | - ENTRANCE LIGHT 5 | 41-26-12.700N 082-15-09.800W | F G | 15 5 | | SG on post. | Private aid. |
| 4426 | - ENTRANCE LIGHT 6 | 41-26-12.200N 082-15-06.900W | F R | 15 5 | | TR on post. | Private aid. |
| 4429 | - Water Tower Light | 41-25-17.200N 082-21-30.300W | FI W 4s | 191 58 | | White, single- pedestal watersphere. 150 | Private aid. |
| Vermilion | | | | | | | |
| 4430 | - DETACHED BREAKWATER LIGHT A | 41-25-45.030N 082-21-45.525W | Q W | 25 8 | 4 | NB on post. | |
| 4435 | - DETACHED BREAKWATER LIGHT B | 41-25-45.130N 082-21-50.125W | FI W 6s | 30 9 | 8 | NB on post. | |
| 4440 | - BREAKWATER DETACHED LIGHT C | 41-25-44.352N 082-21-55.963W | Q W | 25 8 | 4 | NB on post. | |
| 4445 | - EAST PIERHEAD LIGHT 1 | 41-25-42.130N 082-21-49.525W | FI G 4s | 22 7 | 4 | SG on post. | |
| 4450 | - WEST PIERHEAD LIGHT 2 | 41-25-41.480N 082-21-51.445W | FI R 4s | 27 8 | 4 | TR on post. | |
| 4451 | - MUSEUM LIGHTHOUSE | 41-25-30.800N 082-22-00.500W | F W | 35 11 | | White conical tower. | Private aid. |
| 4455 | BEACHWOOD VILLA LIGHT 1 | 41-23-16.300N 082-31-26.800W | F G | 15 5 | | SG on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 4460 | BEACHWOOD VILLA LIGHT 2 | 41-23-17.200N 082-31-26.000W | F R | 15 5 | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |
| SOUTH SHORE OF LAKE ERIE (Chart 14842) | | | | | | | |
| West End Sandusky Bay | | | | | | | |
| Muddy Creek | | | | | | | |
| 4465 | NOAA CHP Buoy 1 | 41-27-08.300N 082-28-16.030W | FI Y 4s | | | | Maintained from May.1 to Dec.1. Private aid. |
| LAKE ERIE (Chart 14820) | | | | | | | |
| Port Colborne | | | | | | | |
| 4467 | Canada Weather Spar Buoy 965 (C) | 41-30-00.000N 082-30-00.000W | FI Y 4s | | | Spar Buoy | Maintained from Apr.1 to Nov.1. Private aid. |
| 4470 | Limno Tech OWC Huron Weather Buoy D | 41-23-33.700N 082-30-43.560W | FI Y 4s | | | | Maintained from Apr.15 to Nov.15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| HURON HARBOR | | | | | | | |
| Huron Harbor | | | | | | | |
| 4475 | - Light | 41-24-16.520N 082-32-38.185W | Iso R 6s | 80 24 | 12 | Square pyramidal tower. 80 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 4485 | - Entrance Lighted Buoy 1 | 41-24-32.083N 082-32-13.994W | FI G 6s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 14. |
| 4490 | - Entrance Buoy 2 | 41-24-34.163N 082-32-18.444W | | | | Red nun. | |
| 4495 | - Entrance Buoy 3 | 41-24-14.054N 082-32-32.865W | | | | Green can. | |
| 4500 | - LIGHT 5 | 41-24-01.860N 082-32-43.085W | FI G 4s | 25 8 | 5 | SG on post. | |
| 4505 | - LIGHT 8 | 41-23-57.120N 082-32-56.115W | FI R 4s | 27 8 | 5 | TR on post. | |
| 4510 | - LIGHT 7 | 41-23-54.540N 082-32-53.585W | FI G 2.5s | 25 8 | 4 | SG on post. | |
| 4515 | HURON RIVER MOORING BASIN NORTH LIGHT | 41-23-36.000N 082-23-13.800W | F R | 15 5 | | On pile. | Maintained from May 1 to Oct. 1. Private aid. |
| 4520 | HURON RIVER MOORING BASIN SOUTH LIGHT | 41-23-35.200N 082-33-13.700W | F G | 15 5 | | On pile. | Maintained from May 1 to Oct. 1. Private aid. |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| 4525 | SAWMILL CREEK ENTRANCE EAST LIGHT | 41-25-00.000N 082-35-38.000W | F G | 20 6 | | Pole on seawall. | Maintained from May 1 to Nov. 1. Private aid. |
| 4530 | SAWMILL CREEK ENTRANCE WEST LIGHT | 41-25-03.000N 082-35-41.000W | F R | 20 6 | | Pole on seawall. | Maintained from May 1 to Nov. 1. Private aid. |
| LAKE ERIE (Chart 14820) | | | | | | | |
| SANDUSKY HARBOR | | | | | | | |
| Sandusky Harbor | | | | | | | |
| 4550 | BGSU Sandusky Buoy | 41-27-46.599N 082-39-00.629W | FI Y 4s | | | | Maintained from May 1 to Nov.1. Private aid. |
| 4560 | - Breakwater Light | 41-29-57.178N 082-40-28.905W | FI W 6s | 30 9 | 11 | White cylindrical tower with green band. 30 | HORN: 1 blast ev 30s (3s bl-27s si). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| LAKE ERIE | | | | | | | |
| SANDUSKY HARBOR | | | | | | | |
| Sandusky Harbor | | | | | | | |
| Moseley Channel | | | | | | | |
| 4570 | - RANGE FRONT LIGHT | 41-29-11.151N 082-42-12.546W | Q G | 33 10 | | KRW on white cylindrical tower. | Higher intensity on range line. |
| 4575 | - RANGE REAR LIGHT 2,606 feet, 237.0° from front light. | 41-28-57.144N 082-42-41.279W | Iso G 6s | 77 23 | | KRW on white cylindrical tower. | Higher intensity on range line. |
| 4580 | - Lighted Bell Buoy 1 | 41-30-20.306N 082-39-45.672W | FI G 4s | | 4 | Green. | Maintained from Apr. 14 to Dec. 1. AIS MMSI: 993672197 |
| 4585 | - Lighted Buoy 2 | 41-30-23.606N 082-39-48.672W | FI R 4s | | 4 | Red. | Maintained from Apr. 14 to Dec. 1. AIS MMSI: 993672198 |
| 4595 | - Lighted Buoy 4 | 41-30-02.402N 082-40-32.520W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 14. |
| 4600 | - Lighted Buoy 5 | 41-29-41.109N 082-41-06.177W | FI G 4s | | 4 | Green. | Maintained from Apr. 14 to Dec. 07. |
| 4605 | - Lighted Buoy 6 | 41-29-44.509N 082-41-08.778W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 14. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|----------------------------------|--|---------------------------------|-----------------------|---------------|--------------|---------------------------------|---|
| LAKE ERIE | | | | | | | |
| SANDUSKY HARBOR | | | | | | | |
| Sandusky Harbor | | | | | | | |
| Moseley Channel | | | | | | | |
| 4610 | - Buoy 8 | 41-29-31.499N 082-41-35.441W | | | | Red nun. | |
| 4615 | - <i>Lighted Buoy 9</i> | 41-29-24.433N 082-41-39.782W | Q G | | 4 | Green. | Year round lighted buoy. |
| 4620 | - <i>Lighted Buoy 10</i> | 41-29-23.416N 082-41-49.486W | FI R 2.5s | | 4 | Red. | Replaced by can from Dec. 7 to Apr. 14. |
| Sandusky Straight Channel | | | | | | | |
| 4625 | - RANGE FRONT LIGHT | 41-29-28.985N 082-41-45.755W | Q W | 33 10 | | KRW on white cylindrical tower. | Higher intensity on range line. |
| 4630 | - RANGE REAR LIGHT 1,513 feet, 017.1° from front light. | 41-29-43.278N 082-41-39.916W | Iso W 6s | 77 23 | | KRW on white cylindrical tower. | Higher intensity on range line. |
| 4635 | - <i>Lighted Buoy 11</i> | 41-29-14.410N 082-41-48.880W | Q G | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 14. |
| 4640 | - <i>Lighted Buoy 12</i> | 41-29-10.292N 082-41-56.601W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 14. |
| 4645 | CEDAR POINT WATER INTAKE LIGHT | 41-29-00.900N 082-41-36.400W | FI Y 4s | 20 6 | | NY on green post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 4650 | - <i>Lighted Buoy 13</i> | 41-28-32.211N 082-42-06.282W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 14. |
| 4655 | - <i>Lighted Buoy 14</i> | 41-28-33.011N 082-42-11.682W | FI R 2.5s | | 4 | Red. | |
| 4660 | <i>Sandusky Exit Channel Junction Lighted Buoy E</i> | 41-28-22.811N 082-42-15.682W | FI (2+1)R 6s | | 4 | Red and green bands. | Replaced by nun from Dec. 7 to Apr. 14. |
| 4665 | - Buoy 15 | 41-27-54.012N 082-42-21.882W | | | | Green can. | |
| 4670 | - <i>Lighted Buoy 16</i> | 41-27-52.712N 082-42-27.883W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 14. |
| Sandusky Dock Channel | | | | | | | |
| 4675 | - <i>Lighted Buoy 18</i> | 41-27-43.113N 082-42-39.184W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 14. |
| 4676 | DOCK OF THE BAY MARINA ENTRANCE LIGHT | 41-27-37.700N 082-42-41.600W | F R | 18 5 | | TR on white post. | Maintained from Apr. 7 to Dec. 1. Private aid. |
| 4677 | DOCK OF THE BAY MARINA EAST BREAKWATER LIGHT | 41-27-38.200N 082-42-42.800W | F W | 18 5 | | On grey post. | Maintained from Apr. 7 to Dec. 1. Private aid. |
| 4678 | DOCK OF THE BAY MARINA WEST BREAKWATER LIGHT | 41-27-35.700N 082-42-49.000W | F W | 18 5 | | On grey post. | Maintained from Apr. 7 to Dec. 1. Private aid. |
| 4680 | - <i>Lighted Buoy 20</i> | 41-27-33.113N 082-43-05.985W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 14. |
| 4685 | - LIGHT 21 | 41-27-25.185N 082-43-16.325W | FI G 4s | 19 6 | 5 | SG on pile. | |
| 4690 | - <i>Lighted Buoy 23</i> | 41-27-18.191N 082-43-36.352W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 14. |
| 4695 | - <i>Lighted Buoy 24</i> | 41-27-21.014N 082-43-38.487W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 14. |
| 4705 | SANDUSKY HARBOR TURNING BASIN LIGHT | 41-27-23.101N 082-43-44.754W | FI W 2.5s | 20 6 | 5 | NR on post. | |
| Sandusky Bay Exit Channel | | | | | | | |
| 4710 | - Buoy 9 | 41-27-27.414N 082-43-50.688W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|----------------------------------|--|---------------------------------|-----------------------|---------------|--------------|-------------------------------------|---|
| LAKE ERIE | | | | | | | |
| SANDUSKY HARBOR | | | | | | | |
| Sandusky Harbor | | | | | | | |
| Sandusky Bay Exit Channel | | | | | | | |
| 4715 | - Lighted Buoy 7 | 41-27-44.064N 082-43-45.115W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 14. |
| 4720 | - Buoy 8 | 41-27-51.714N 082-43-47.688W | | | | Red nun. | |
| 4725 | - RANGE FRONT LIGHT | 41-28-33.640N 082-41-50.605W | Q G | 33 10 | | KRW on white square skeleton tower. | Higher intensity on range line. |
| 4730 | - RANGE REAR LIGHT 2,600 feet, 063.7° from front light. | 41-28-45.038N 082-41-19.997W | Iso G 6s | 53 16 | | KRW on white square skeleton tower. | Visible 4° each side of range line. |
| 4735 | - RANGE REAR PASSING LIGHT | 41-28-45.038N 082-41-19.993W | FI Y 4s | 23 7 | 4 | | |
| 4740 | - Lighted Buoy 6 | 41-27-56.214N 082-43-35.987W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 14. |
| 4745 | - Lighted Buoy 5 | 41-27-53.314N 082-43-34.887W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 14. |
| 4750 | - Lighted Buoy 4 | 41-28-09.713N 082-42-59.585W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 14. |
| 4755 | - Lighted Buoy 3 | 41-28-07.013N 082-42-57.885W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 14. |
| 4760 | - Lighted Buoy 2 | 41-28-23.608N 082-42-22.144W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 14. |
| Cedar Point Marina | | | | | | | |
| 4765 | - ENTRANCE LIGHT 1 | 41-28-38.100N 082-41-08.900W | F G | 15 5 | | SG on post. | Maintained from Mar. 1 to Dec. 15. Private aid. |
| 4770 | - ENTRANCE LIGHT 2 | 41-28-40.700N 082-41-07.800W | F R | 15 5 | | TR on post. | Maintained from Mar. 1 to Dec. 15. Private aid. |
| 4775 | - BREAKWATER LIGHT | 41-28-32.800N 082-40-57.900W | F W | 15 5 | | NW on post. | Maintained from Mar. 1 to Dec. 15. Private aid. |
| 4780 | - SOUTH BASIN LIGHT 2 | 41-28-22.100N 082-40-52.900W | FI R 2.5s | 22 7 | | TR on post. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 4785 | - SOUTH BASIN LIGHT 1 | 41-28-20.000N 082-40-55.000W | FI G 2.5s | 22 7 | | SG on post. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| LAKE ERIE (Chart 14820) | | | | | | | |
| SANDUSKY HARBOR | | | | | | | |
| Sandusky Harbor | | | | | | | |
| 4786 | SANDUSKY BAY EAST WETLAND BREAKWATER LIGHT 1 | 41-27-55.650N 082-40-36.980W | FI W 4s | | | On post | Maintained year round. Private aid. |
| 4787 | SANDUSKY BAY EAST WETLAND BREAKWATER LIGHT 2 | 41-28-08.900N 082-40-46.320W | FI W 4s | | | On post | Maintained year round. Private aid. |
| 4790 | SADLER SAILING BASIN ENTRANCE LIGHT 1 | 41-27-39.600N 082-41-51.300W | F G | 10 3 | | On post. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 4795 | SADLER SAILING BASIN ENTRANCE LIGHT 2 | 41-27-40.200N 082-41-51.800W | F R | 13 4 | | On post. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 4800 | SANDUSKY SLUDGE BASIN LIGHT | 41-27-38.300N 082-41-49.000W | Q R | 13 4 | | On white post. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 4805 | EAST COVE ENTRANCE LIGHT 1 | 41-27-33.300N 082-41-53.500W | F G | 7 2 | | On spar on jetty. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 4806 | EAST COVE ENTRANCE LIGHT 2 | 41-27-32.500N 082-41-56.600W | F R | 15 5 | | On pole. | Maintained from Apr. 15 to Oct. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| LAKE ERIE (Chart 14820) | | | | | | | |
| SANDUSKY HARBOR | | | | | | | |
| Sandusky Harbor | | | | | | | |
| 4807 | EAST COVE ENTRANCE LIGHT 3 | 41-27-32.000N 082-41-55.700W | F G | 15 5 | | On pole. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 4810 | CAUSEWAY LEADING LIGHT | 41-27-21.500N 082-40-24.200W | F G | 5 2 | | On black pile. | Visible from 037.25° to 157.25°. Maintained from Apr. 15 to Oct. 15. Private aid. |
| LAKE ERIE | | | | | | | |
| SANDUSKY HARBOR | | | | | | | |
| Sandusky Harbor | | | | | | | |
| Harbor Development Channel | | | | | | | |
| <i>Aids to navigation maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 4815 | East Bay Channel Lighted Buoy 1 | 41-27-42.400N 082-40-23.900W | FI G 4s | | | Green. | Private aid. |
| 4820 | East Bay Channel Lighted Buoy 2 | 41-27-41.100N 082-40-24.100W | FI R 4s | | | Red. | Private aid. |
| 4825 | East Bay Channel Lighted Buoy 3 | 41-27-41.800N 082-40-18.000W | FI G 4s | | | Green. | Private aid. |
| 4830 | East Bay Channel Lighted Buoy 4 | 41-27-40.600N 082-40-18.900W | FI R 4s | | | Red. | Private aid. |
| 4835 | East Bay Channel Lighted Buoy 5 | 41-27-41.200N 082-40-13.200W | Q G | | | Green. | Private aid. |
| 4840 | East Bay Channel Lighted Buoy 6 | 41-27-39.900N 082-40-14.700W | Q R | | | Red. | Private aid. |
| 4845 | East Bay Channel Lighted Buoy 7 | 41-27-32.600N 082-40-03.700W | FI G 4s | | | Green. | Private aid. |
| 4850 | East Bay Channel Lighted Buoy 8 | 41-27-31.500N 082-40-05.300W | FI R 4s | | | Red. | Private aid. |
| 4855 | East Bay Channel Lighted Buoy 9 | 41-27-25.900N 082-39-56.000W | FI G 4s | | | Green. | Private aid. |
| 4860 | East Bay Channel Lighted Buoy 10 | 41-27-25.200N 082-39-57.800W | FI R 4s | | | Red. | Private aid. |
| 4865 | East Bay Channel Lighted Buoy 11 | 41-27-21.500N 082-39-51.000W | FI G 4s | | | Green. | Private aid. |
| 4870 | East Bay Channel Lighted Buoy 12 | 41-27-20.900N 082-39-52.400W | FI R 4s | | | Red. | Private aid. |
| 4875 | East Bay Channel Lighted Buoy 13 | 41-27-16.400N 082-39-45.200W | FI G 4s | | | Green. | Private aid. |
| 4880 | East Bay Channel Lighted Buoy 14 | 41-27-16.100N 082-39-47.400W | FI R 4s | | | Red. | Private aid. |
| 4885 | East Bay Channel Lighted Buoy 15 | 41-27-09.100N 082-39-39.500W | Q G | | | Green. | Private aid. |
| 4890 | East Bay Channel Lighted Buoy 16 | 41-27-09.000N 082-39-38.900W | Q R | | | Red. | Private aid. |
| 4895 | East Bay Channel Lighted Buoy 17 | 41-27-02.200N 082-39-40.800W | FI G 4s | | | Green. | Private aid. |
| 4900 | East Bay Channel Lighted Buoy 18 | 41-27-02.200N 082-39-42.800W | FI R 4s | | | Red. | Private aid. |
| 4905 | East Bay Channel Lighted Buoy 19 | 41-26-55.800N 082-39-44.400W | Q G | | | Green. | Private aid. |
| 4910 | East Bay Channel Lighted Buoy 20 | 41-26-56.400N 082-39-45.400W | FI R 4s | | | Red. | Private aid. |
| 4915 | East Bay Channel Lighted Buoy 21 | 41-26-53.800N 082-39-51.500W | FI G 4s | | | Green. | Private aid. |
| 4920 | East Bay Channel Lighted Buoy 22 | 41-26-54.800N 082-39-51.900W | FI R 4s | | | Red. | Private aid. |
| 4925 | East Bay Channel Lighted Buoy 23 | 41-26-51.900N 082-40-01.000W | FI G 4s | | | Green. | Private aid. |
| 4930 | East Bay Channel Lighted Buoy 24 | 41-26-53.000N 082-40-01.200W | FI R 4s | | | Red. | Private aid. |
| 4935 | East Bay Channel Lighted Buoy 25 | 41-26-50.000N 082-40-09.900W | FI G 4s | | | Green. | Private aid. |
| 4940 | East Bay Channel Lighted Buoy 26 | 41-26-51.500N 082-40-10.100W | FI R 4s | | | Red. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| SANDUSKY HARBOR | | | | | | | |
| Sandusky Harbor | | | | | | | |
| Lyman Harbor | | | | | | | |
| 4945 | - LIGHT | 41-27-19.200N 082-41-02.400W | FI W 4s | 43 13 | | Steel frame lighthouse red with yellow trim and worded LYMAN in black. | Private aid. |
| 4946 | - LIGHT 1 | 41-27-17.670N 082-40-59.880W | FI G 2s | 10 3 | | SG on end of break wall. | Private aid. |
| 4947 | - LIGHT 2 | 41-27-19.200N 082-41-02.400W | FI R 2s | 6 2 | | TR on end of break wall. | Private aid. |
| Harbor Development Channel | | | | | | | |
| <i>Aids to navigation maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 4950 | BATTERY PARK MARINA SOUTH ENTRANCE LIGHT | 41-27-50.000N 082-42-02.400W | F G | 20 6 | | On post. | Maintained from May 1 to Oct. 31. Private aid. |
| 4955 | BATTERY PARK MARINA NORTH ENTRANCE LIGHT | 41-27-51.000N 082-42-02.500W | F R | 20 6 | | On post. | Maintained from May 1 to Oct. 31. Private aid. |
| 4960 | SANDUSKY YACHT CLUB LIGHT 1 | 41-27-45.000N 082-42-22.200W | Q G | 23 7 | | SG on post. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| 4965 | SANDUSKY YACHT CLUB LIGHT 2 | 41-27-45.600N 082-42-21.600W | Q R | 23 7 | | TR on post. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| West End Sandusky Bay | | | | | | | |
| 4970 | DANBURY BREAKWATER LIGHT | 41-30-20.000N 082-45-31.000W | FI G 4s | 23 7 | | On post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 4972 | BAY WINDS ENTRANCE LIGHT 1 | 41-30-07.380N 082-46-21.000W | FI G 4s | | | | Private aid. |
| 4972.1 | BAY WINDS ENTRANCE LIGHT 2 | 41-30-07.800N 082-46-20.880W | FI R 4s | | | | Private aid. |
| 4975 | COMMODORE BAY MARINA ENTRANCE LIGHT 1 | 41-30-08.000N 082-46-24.000W | F G | | | SG on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 4980 | COMMODORE BAY MARINA ENTRANCE LIGHT 2 | 41-30-10.000N 082-42-24.000W | F R | | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 4985 | LOCKWOOD ENTRANCE CHANNEL JETTY LIGHT 1 | 41-29-17.000N 082-53-28.000W | FI G 4s | | | | Private aid. |
| 4985.1 | LOCKWOOD ENTRANCE CHANNEL JETTY LIGHT 2 | 41-29-17.000N 082-53-28.000W | FI R 4s | | | | Private aid. |
| 4986 | QUARRY ENTRANCE CHANNEL LIGHT 1 | 41-29-19.000N 082-53-43.000W | FI G 6s | | | | Private aid. |
| 4986.1 | QUARRY ENTRANCE CHANNEL LIGHT 2 | 41-29-19.000N 082-53-43.000W | FI R 6s | | | | Private aid. |
| Sandusky Bay Channel | | | | | | | |
| 4990 | - TRANSMISSION LINE LIGHT A | 41-29-04.500N 082-49-36.000W | Q W | 15 5 | | NW worded DANGER on concrete pier. | Maintained from May 1 to Dec. 1. Private aid. |
| 4995 | Thomas Edison Bridge Shoal Buoy A | 41-29-03.000N 082-50-02.000W | | | | White with orange bands and diamond worded HAZARD. | Maintained from May 1 to Oct. 15. Private aid. |
| 5000 | Thomas Edison Bridge Shoal Buoy B | 41-29-09.000N 082-50-03.000W | | | | White with orange bands and diamond worded HAZARD. | Maintained from May 1 to Oct. 15. Private aid. |
| 5005 | Thomas Edison Bridge Shoal Buoy C | 41-29-06.000N 082-50-02.000W | | | | White can with orange bands and diamond worded HAZARD. | Maintained from May 1 to Oct. 15. Private aid. |
| 5010 | - TRANSMISSION LINE LIGHT B | 41-28-57.000N 082-49-33.000W | Q W | 15 5 | | NW worded DANGER on concrete pier. | Maintained from May 1 to Dec. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| SOUTH SHORE OF LAKE ERIE (Chart 14842) | | | | | | | |
| West End Sandusky Bay | | | | | | | |
| Sandusky Bay Channel | | | | | | | |
| 5020 | Willow Point Buoy A | 41-26-42.000N 082-53-12.000W | | | | White with orange bands. | Maintained from May 15 to Oct. 15. Private aid. |
| 5025 | Willow Point Buoy B | 41-26-42.000N 082-53-24.000W | | | | White with orange bands. | Maintained from May 15 to Oct. 15. Private aid. |
| 5030 | Willow Point Buoy C | 41-26-30.000N 082-53-30.000W | | | | White with orange bands. | Maintained from May 15 to Oct. 15. Private aid. |
| Muddy Creek | | | | | | | |
| 5085 | - LIGHT | 41-27-09.530N 082-59-41.225W | Q W | 25 8 | 3 | NW "DANGER SHOALING" daymarks on structure | |
| Sandusky River | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1. Due to silting, buoys may be relocated without prior notice.</i> | | | | | | | |
| 5090 | - Daybeacon Outer | 41-26-58.272N 083-00-00.409W | | | | NW on pile. "DANGER ROCKS" | |
| 5096 | - Daybeacon Middle | 41-26-56.910N 083-00-03.937W | | | | NW on pile. "DANGER ROCKS" | |
| 5100 | - Daybeacon Inner | 41-26-50.622N 083-00-06.907W | | | | NW on pile. "DANGER ROCKS" | |
| South Passage to Maumee Bay | | | | | | | |
| Bay Point | | | | | | | |
| 5170 | - Shoal Lighted Buoy 2 Marks east side of shoal. | 41-30-12.059N 082-41-28.279W | FI R 4s | | 5 | Red. | Maintained from Apr. 14 to Nov. 14. |
| Bay Point State Park Hazard | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Oct. 15. Due to shifting sandbar, buoys may be relocated without prior notice.</i> | | | | | | | |
| 5215 | BAY POINT MARINA EAST LIGHT | 41-30-51.200N 082-43-11.200W | Q W | 10 3 | | On white post. | Maintained from May 15 to Nov. 15. Private aid. |
| 5245 | BAY POINT MARINA SOUTH LIGHT | 41-30-34.600N 082-43-30.000W | Q W | 8 2 | | On white post. | Maintained from May 15 to Nov. 15. Private aid. |
| 5246 | JOHNSON ISLAND LIGHT 2 | 41-29-27.600N 082-43-50.400W | FI R 4s | 15 5 | | On single pole. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 5247 | JOHNSON ISLAND LIGHT 1 | 41-29-24.600N 082-43-54.000W | FI G 4s | 15 5 | | On single pole. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 5250 | Marblehead Light | 41-32-10.780N 082-42-42.575W | FI G 6s | 67 20 | 12 | White structure with red trim | |
| 5260 | PLEASANT POINTE SOUTHEAST PIER LIGHT | 41-32-22.300N 082-42-52.400W | F R | 16 5 | | On post. | Maintained from Apr. 15 to Nov. 30. Private aid. |
| 5261 | PLEASANT POINTE SOUTH PIER LIGHT | 41-32-22.100N 082-42-52.900W | F G | 16 5 | | On post. | Maintained from Apr. 15 to Nov. 30. Private aid. |
| 5265 | MARBLEHEAD STONE DOCK LIGHT | 41-32-42.000N 082-43-48.000W | Q W | 18 5 | | NW on post. | Maintained from Mar. 15. to Dec. 15. Private aid. |
| 5270 | LAKESIDE ASSOCIATION DOCK LIGHT | 41-32-53.000N 082-45-03.000W | F R | 10 3 | | On post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 5275 | LAKESIDE MARINE INC. BREAKWATER LIGHT | 41-32-48.500N 082-45-17.000W | F G | 20 6 | | On pile. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 5280 | LAKESIDE MARINE INC. PIERHEAD LIGHT | 41-32-48.700N 082-45-14.000W | Q W | 35 11 | | White structure. | Maintained from Mar. 15 to Dec. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---------------------------|---|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| Port Clinton | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 1.</i> | | | | | | | |
| 5282 | MAZURIK FISH ACCESS LIGHT 1 | 41-32-36.240N 082-45-55.380W | FI G 4s | | | | Private aid. |
| 5283 | MAZURIK FISH ACCESS LIGHT 2 | 41-32-35.160N 082-45-55.440W | FI R 4s | | | | Private aid. |
| SOUTH SHORE OF LAKE ERIE (Chart 14842) | | | | | | | |
| South Passage to Maumee Bay | | | | | | | |
| Bay Point State Park Hazard | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Oct. 15. Due to shifting sandbar, buoys may be relocated without prior notice.</i> | | | | | | | |
| 5285 | SCHROCKS MARINA EAST BREAKWATER LIGHT | 41-32-31.300N 082-46-04.800W | F W | 20 6 | | On post. | Maintained from Apr. 20 to Oct. 20. Private aid. |
| 5290 | SCHROCKS MARINA WEST BREAKWATER LIGHT | 41-32-30.900N 082-46-05.500W | F R | 15 5 | | On post. | Maintained from Apr. 20 to Oct. 20. Private aid. |
| 5300 | LAKEVUE WEST ENTRANCE LIGHTS (3) | 41-32-26.000N 082-46-22.500W | F R | 4 1 | | On post. | Maintained from May 1 to Sep. 30. Private aid. |
| 5305 | EAST HARBOR ENTRANCE LIGHT 1 | 41-32-36.000N 082-47-00.000W | FI G 4s | 24 7 | | SG on skeleton tower. | Private aid. |
| 5310 | EAST HARBOR ENTRANCE LIGHT 2 | 41-32-36.000N 082-47-00.000W | FI R 4s | 24 7 | | TR on skeleton tower. | Private aid. |
| 5315 | CHANNEL GROVE MARINA DOCK LIGHT | 41-32-11.000N 082-47-14.000W | FI R 4s | 16 5 | | On post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| East Harbor Smallboat Concourse | | | | | | | |
| <i>Buoys maintained from May 15 to Sep. 15</i> | | | | | | | |
| 5325 | - Buoy 1 | 41-32-17.000N 082-47-12.300W | | | | Green can. | Private aid. |
| 5330 | - Buoy 2 | 41-32-17.500N 082-47-14.000W | | | | Red nun. | Private aid. |
| 5335 | - Buoy 3 | 41-32-14.300N 082-47-15.800W | | | | Green can. | Private aid. |
| 5340 | - Buoy 4 | 41-32-14.600N 082-47-16.500W | | | | Red nun. | Private aid. |
| 5365 | EAST HARBOR STATE PARK EAST BREAKWATER LIGHT | 41-33-27.000N 082-47-59.000W | FI W 2.5s | 20 6 | | NW on post worded DANGER. | Private aid. |
| 5370 | EAST HARBOR STATE PARK WEST BREAKWATER LIGHT | 41-33-42.000N 082-48-12.000W | FI W 2.5s | 20 6 | | NW on post worded DANGER. | Private aid. |
| 5375 | <i>Middle Harbor Shoal Lighted Buoy 1</i> | 41-34-19.311N 082-47-39.498W | FI G 4s | | 4 | Green. | Maintained from Apr. 14 to Nov. 14. |
| West Harbor | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 28.</i> | | | | | | | |
| 5380 | - ENTRANCE CHANNEL LIGHT 1 | 41-34-08.030N 082-48-33.025W | FI G 4s | 36 11 | 4 | SG on post. | |
| 5385 | - ENTRANCE CHANNEL LIGHT 2 | 41-34-09.030N 082-48-37.025W | FI R 2.5s | 31 9 | 4 | TR on post. | |
| 5390 | - Access Channel Buoy 3 | 41-34-03.711N 082-48-39.700W | | | | Green can. | |
| 5395 | - Access Channel Buoy 4 | 41-34-04.711N 082-48-40.700W | | | | Red nun. | |
| 5400 | - Access Channel Lighted Buoy 5 | 41-33-59.999N 082-48-44.788W | FI G 4s | | 3 | Green. | |
| 5405 | - Access Channel Lighted Buoy 6 | 41-34-00.211N 082-48-46.200W | FI R 4s | | 3 | Red. | |
| 5410 | - Access Channel Lighted Buoy 8 | 41-33-55.011N 082-48-52.700W | FI R 4s | | 3 | Red. | |
| 5415 | - ACCESS CHANNEL LIGHT 7 | 41-33-54.530N 082-48-51.025W | FI G 2.5s | 25 8 | 4 | SG on piles. | |
| 5420 | - ACCESS CHANNEL LIGHT 9 | 41-33-43.530N 082-48-53.025W | FI G 6s | 15 5 | 4 | SG on pile. | |
| 5425 | - ACCESS CHANNEL LIGHT 10 | 41-33-44.030N 082-48-55.025W | FI R 6s | 15 5 | 4 | TR on pile. | |
| 5430 | - Inner Channel Daybeacon 11 | 41-33-33.530N 082-49-09.525W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|------------------------------------|---|
| LAKE ERIE | | | | | | | |
| SOUTH SHORE OF LAKE ERIE (Chart 14842) | | | | | | | |
| South Passage to Maumee Bay | | | | | | | |
| West Harbor | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 28.</i> | | | | | | | |
| 5435 | - Inner Channel Daybeacon 12 | 41-33-34.230N 082-49-10.525W | | | | TR on pile. | |
| 5440 | STATE PARK MARINA ENTRANCE LIGHT 1 | 41-33-31.700N 082-49-15.200W | F G | 10 3 | | SG on pyramidal structure. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 5445 | STATE PARK MARINA ENTRANCE LIGHT 2 | 41-33-31.200N 082-49-16.100W | F R | 10 3 | | TR on pyramidal structure. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 5450 | ANCHORS AWAY MARINA ENTRANCE LIGHT 1 | 41-33-32.000N 082-49-18.000W | F G | 10 3 | | On post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 5455 | ANCHORS AWAY MARINA ENTRANCE LIGHT 2 | 41-33-32.000N 082-49-18.000W | F R | 16 5 | | On post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 5460 | - JUNCTION LIGHT | 41-33-32.316N 082-49-25.494W | FI (2+1)R 6s | 25 8 | 4 | JR on pile. | |
| 5465 | - Inner Channel Daybeacon 13 | 41-33-28.530N 082-49-28.025W | | | | SG on pile. | |
| 5470 | - Inner Channel Daybeacon 14 | 41-33-28.530N 082-49-30.525W | | | | TR on pile. | |
| 5475 | - Inner Channel Daybeacon 15 | 41-33-19.030N 082-49-34.625W | | | | SG on pile. | |
| 5480 | - Inner Channel Daybeacon 16 | 41-33-19.030N 082-49-37.025W | | | | TR on pile. | |
| 5485 | - Inner Channel Daybeacon 17 | 41-33-10.730N 082-49-40.025W | | | | SG on pile. | |
| 5490 | - Inner Channel Daybeacon 18 | 41-33-11.030N 082-49-42.525W | | | | TR on pile. | |
| 5492 | - Inner Channel Warning Daybeacon | 41-33-01.530N 082-49-53.025W | | | | NW with orange stripes on pile. | Marks end of channel. |
| Gem Beach | | | | | | | |
| 5495 | - SOUTH ENTRANCE LIGHT 1 | 41-34-10.000N 082-48-59.000W | FI G 4s | 20 6 | | SG on pile. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 5500 | - NORTH ENTRANCE LIGHT 2 | 41-34-15.000N 082-48-54.000W | FI R 4s | 28 9 | | TR on post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 5505 | - Access Channel Daybeacon 3 | 41-33-54.830N 082-49-20.525W | | | | SG on pile. | |
| 5510 | - Access Channel Daybeacon 5 | 41-33-45.215N 082-49-22.356W | | | | SG on pile. | |
| 5515 | - Access Channel Daybeacon 6 | 41-33-39.030N 082-49-27.225W | | | | TR on pile. | |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| 5520 | <i>Scott Point Shoal Lighted Buoy 1</i> Marks northeast side of shoal. | 41-36-05.065N 082-48-22.579W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 7 to May 7. |
| 5525 | <i>Starve Island Reef Lighted Buoy 2</i> Marks west side of reef. | 41-36-38.529N 082-49-02.292W | FI R 6s | | 4 | Red. | Replaced by nun from Nov. 7 to May 7. |
| 5530 | South Bass Island Light | 41-37-44.181N 082-50-29.579W | FI R 6s | 95 29 | 12 | NR on skeleton tower. 75 | |
| 5535 | GREEN ISLAND LIGHT | 41-38-42.140N 082-52-04.265W | FI W 2.5s | 80 24 | 8 | NR on skeleton tower. | Light obscured by woods from 238° to 273°. |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| 5540 | <i>Niagara Reef Lighted Buoy 5</i> | 41-40-12.307N 082-58-21.622W | FI G 4s | | 4 | Green. | |
| 5545 | Crib Reef Buoy 7 | 41-38-47.208N 082-59-59.725W | | | | Green can. | Maintained from Apr. 7 to Nov. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ERIE | | | | | | | |
| LAKE ERIE (Chart 14820) | | | | | | | |
| Port Colborne | | | | | | | |
| 5547 | NOAA GLERL WLE 13 West Sister Island Wave Buoy 1 | 41-45-37.008N 082-07-49.440W | FI Y 4s | | | | Maintained from May.1 to Dec.1. Private aid. |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| 5550 | WEST SISTER ISLAND LIGHT | 41-44-13.120N 083-06-38.357W | FI W 4s | 55 17 | 9 | Tower. | Light obscured by trees from 210° thru 269°, other scattered trees obscure light at intervals. |
| 5552 | UT LAKE ERIE CENTER A | 41-45-00.000N 083-06-11.000W | Iso W 2s | | | | Private aid. |
| 5553 | Battle of Lake Erie Lighted Buoy | 41-44-50.030N 083-02-00.025W | FI W 6s | | 5 | Red buoy hull with a blue and white vertical tower. | Maintained from Apr. 7 to Nov. 1. |
| 5554 | Canadian Weather Buoy 12-3 (C) | 41-48-52.000N 082-59-15.000W | F Y | | | | Maintained from Apr. 1 to Nov. 30 Private aid. |
| 5554.1 | Canadian Spar Buoy 20 (C) | 41-48-54.000N 082-59-23.000W | F Y | | | | Maintained from Apr. 1 to Nov. 30 Private aid. |
| 5555 | NOAA Lighted Weather Buoy 45005 | 41-40-36.030N 082-23-54.025W | FI (4)Y 20s | | | Yellow disc-shaped hull. | Maintained from May 1 to Dec. 1. Aid maintained by National Oceanic and Atmospheric Administration. |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| 5565 | Kelleys Island Shoal Lighted Buoy 1 Marks northeast side of shoal. | 41-38-40.996N 082-37-56.662W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 7 to May 7. |
| 5570 | CAMP PATMOS LIGHT | 41-37-01.000N 082-40-58.000W | FI W 2s | 11 3 | | Small lighthouse structure. | Maintained from May 30 to Sep. 1. Private aid. |
| 5575 | Kelleys Island Buoy 1 | 41-37-26.400N 082-40-01.771W | | | | Green can. | |
| 5577 | Canadian Spar Buoy 85 (C) | 41-35-50.000N 082-39-11.000W | F Y | | | | Maintained from Apr. 1 to Nov. 30 Private aid. |
| 5580 | Kelleys Island Shoal Buoy 3 | 41-38-25.699N 082-39-30.868W | | | | Green can. | |
| 5585 | KELLEYS ISLAND STATE PARK BREAKWATER LIGHT | 41-37-00.000N 082-42-11.000W | FI R 4s | 20 6 | | TR on gray tower. | Private aid. |
| 5590 | KELLSTONE CRIB LIGHT | 41-36-38.000N 082-43-40.000W | Q R | 7 2 | | On pile. | Maintained from May 1 to Dec. 20. Private aid. |
| 5595 | Rock Shoal Lighted Buoy 2 | 41-36-15.609N 082-44-50.391W | FI R 4s | | 4 | Red. | Maintained from May 7 to Nov. 7. |
| 5597 | Limno Tech Erie Island Weather Buoy B | 41-36-04.460N 082-46-49.570W | FI Y 4s | | | | Maintained from Apr.15 to Nov.15. Private aid. |
| 5600 | Gull Island Shoal Lighted Buoy 4 Marks south side of shoal. | 41-39-17.001N 082-41-19.875W | FI R 4s | | 4 | Red. | Maintained from May 7 to Nov. 7. |
| 5615 | Middle Bass Island East Shoal Lighted Bell Buoy 1 Marks east side of shoal. | 41-41-54.555N 082-45-54.006W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 7 to May 7. |
| North Bass Island | | | | | | | |
| 5620 | - Shoal Buoy 2 | 41-42-36.825N 082-51-31.905W | | | | Red nun. | Maintained from May 7 to Nov. 7. |
| 5625 | - Lighted Buoy 3 | 41-43-40.163N 082-48-17.597W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 7 to May 7. |
| 5630 | - Buoy 4 | 41-44-07.743N 082-48-35.097W | | | | Red nun. | Maintained from May 7 to Nov. 7. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| North Bass Island | | | | | | | |
| 5635 | - Lighted Bell Buoy 6 | 41-45-01.902N 082-50-05.201W | FI R 4s | | 4 | Red. | Maintained from May 7 to Nov. 7. |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| 5650 | BALLAST ISLAND LIGHT | 41-40-42.840N 082-47-02.615W | FI W 4s | 92 28 | 8 | NR on skeleton tower. | Obscured from 014° to 070°. |
| 5652 | MIDDLE BASS ISLAND NORTH BREAKWATER LIGHT | 41-40-35.490N 082-48-20.860W | FI R 6s | | | | Private aid. |
| 5653 | MIDDLE BASS ISLAND SOUTH BREAKWATER LIGHT | 41-40-34.010N 082-48-23.510W | FI G 6s | | | | Private aid. |
| 5655 | Ballast Island Channel Lighted Buoy 5 | 41-40-16.331N 082-46-53.920W | FI G 2.5s | | 4 | Green. | Maintained from May 7 to Nov 7. |
| 5660 | Ballast Island Channel Lighted Buoy 6 | 41-40-25.506N 082-47-09.995W | FI R 2.5s | | 4 | Red nun. | Replaced from May 21 to Nov 1. |
| 5665 | Ballast Island Channel Lighted Buoy 7 | 41-40-21.406N 082-47-26.695W | FI G 4s | | 4 | Green can. | Replaced from May 21 to Nov 1. |
| 5670 | Perry Memorial Monument Light | 41-39-14.660N 082-48-41.064W | Iso W 6s | 341 104 | 9 | On roof of monument. 352 | |
| Put-In-Bay | | | | | | | |
| <i>Buoys maintained from May 21 to Nov. 1.</i> | | | | | | | |
| 5673 | Stone Lab 1 | 41-39-32.760N 082-49-23.159W | FI Y 2.5s | | | | Private aid. |
| 5675 | Put In Bay Shoal Buoy 1 Marks northwest side of shoal. | 41-39-33.907N 082-48-51.299W | | | | Green can. | Maintained year round. |
| 5680 | - Channel Lighted Buoy 2 | 41-39-29.230N 082-49-06.225W | FI R 2.5s | | 3 | Red. | |
| 5685 | - Channel Buoy 3 | 41-39-29.207N 082-48-53.699W | | | | Green can. | |
| 5690 | - Channel Lighted Buoy 4 | 41-39-22.130N 082-49-06.225W | FI R 4s | | 4 | Red. | |
| 5695 | - Channel Buoy 5 | 41-39-24.707N 082-48-55.799W | | | | Green can. | |
| 5705 | - Channel Buoy 6 | 41-39-18.435N 082-49-13.501W | | | | Red nun. | |
| 5710 | - Channel Buoy 8 | 41-39-17.470N 082-49-17.741W | | | | Red nun. | |
| 5715 | - Channel Buoy 10 | 41-39-18.907N 082-49-21.700W | | | | Red nun. | |
| 5716 | - East Lighted Float | 41-39-29.700N 082-48-52.500W | Q Y | | | Three 8 foot boards marked NO WAKE, on a wood raft. | Maintained from May 1 to Oct. 15. Private aid. |
| 5717 | - West Lighted Float | 41-39-27.900N 082-49-07.000W | Q Y | | | Three 8 foot boards marked NO WAKE, on a wood raft. | Maintained from May 1 to Oct. 15. Private aid. |
| Miller Channel | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 5720 | - Entrance Buoy 1 | 41-39-20.300N 082-49-25.500W | | | | Green can. | Private aid. |
| 5725 | - Entrance Buoy 2 | 41-39-20.700N 082-49-24.300W | | | | Red nun. | Private aid. |
| 5730 | - Entrance Buoy 3 | 41-39-18.200N 082-49-30.500W | | | | Green can. | Private aid. |
| 5735 | - Entrance Buoy 4 | 41-39-21.500N 082-49-25.200W | | | | Red nun. | Private aid. |
| 5736 | - Entrance Buoy 6 | 41-39-19.600N 082-49-30.700W | | | | Red nun. | Private aid. |
| 5745 | Oak Point Reef Cut Buoy 1 | 41-39-24.000N 082-49-24.900W | | | | Green can. | Maintained from Apr. 15 to Nov. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| LAKE ERIE | | | | | | | |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| Put-In-Bay | | | | | | | |
| Miller Channel | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 5750 | Oak Point Reef Cut Buoy 2 | 41-39-24.000N 082-49-24.800W | | | | Red nun. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| Put-In-Bay Anchorage | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 5754 | - Buoy A | 41-39-28.000N 082-49-10.900W | | | | Yellow can. | Private aid. |
| 5755 | - Buoy B | 41-39-27.200N 082-49-15.000W | | | | Yellow can. | Private aid. |
| 5760 | - Buoy C | 41-39-25.800N 082-49-20.000W | | | | Yellow can. | Private aid. |
| 5765 | - Buoy D | 41-39-24.600N 082-49-21.800W | | | | Yellow can. | Private aid. |
| 5770 | - Buoy E | 41-39-23.000N 082-49-23.800W | | | | Yellow can. | Private aid. |
| 5775 | <i>Peach Orchard Point Lighted Buoy 2</i> | 41-39-47.206N 082-49-17.700W | Fl R 4s | | 4 | Red. | Maintained from May 07 to November 07. |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| Erie Proving Ground | | | | | | | |
| 5780 | - Buoy A | 41-41-29.791N 083-07-32.596W | | | | Yellow can. | |
| 5785 | - Buoy B | 41-41-29.103N 083-03-45.435W | | | | Yellow can. | |
| 5790 | - Buoy C | 41-41-29.106N 082-59-59.726W | | | | Yellow can. | |
| 5795 | - Buoy D | 41-38-34.498N 082-57-23.329W | | | | Yellow can. | |
| 5800 | - Buoy E | 41-37-05.709N 082-56-06.716W | | | | Yellow can. | |
| 5805 | - Buoy F | 41-35-39.690N 082-54-53.853W | | | | Yellow can. | |
| 5810 | - Buoy G | 41-34-36.211N 082-56-43.717W | | | | Yellow can. | |
| 5815 | - Buoy H | 41-33-37.211N 082-58-40.721W | | | | Yellow can. | Maintained from Apr 7 - Nov. 1 |
| 5820 | - Buoy J | 41-36-00.208N 083-03-24.732W | | | | Yellow can. | Maintained from Apr 7 - Nov. 1 |
| 5825 | - Buoy K | 41-37-40.206N 083-04-52.736W | | | | Yellow can. | Maintained from Apr. 7 to Nov. 1. |
| 5830 | - Buoy L | 41-39-53.203N 083-06-17.742W | | | | Yellow can. | Maintained from Apr. 7 to Nov. 1. |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| 5832 | CATAWBA MILLER LIGHT A | 41-35-16.290N 082-50-15.490W | Fl Y 4s | | | | Maintained from Apr. 1 to November 30. Private aid. |
| 5832.1 | CATAWBA MILLER LIGHT B | 41-35-15.790N 082-50-15.360W | Fl Y 4s | | | | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 5832.2 | CATAWBA MILLER LIGHT C | 41-35-15.360N 082-50-15.230W | Fl Y 4s | | | | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 5835 | <i>Catawba Island Lighted Buoy 1</i> | 41-34-36.661N 082-52-05.207W | Fl G 4s | | 4 | Green. | Maintained from May 7 to Nov. 7. |
| LAKE ERIE (Chart 14820) | | | | | | | |
| Port Colborne | | | | | | | |
| 5838 | <i>Canada Weather Spar Buoy 969 (C)</i> | 41-36-50.000N 082-55-50.000W | Fl Y 4s | | | Spar Buoy | Maintained from Apr.1 to Nov.1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| ISLANDS IN LAKE ERIE (Chart 14844) | | | | | | | |
| 5840 | CATAWBA STATE PARK PIER LIGHT | 41-34-22.000N 082-51-24.000W | FI G 2.5s | 15 5 | | Skeleton tower. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 5845 | CATAWBA CLIFFS HARBOR LIGHT | 41-34-18.000N 082-51-18.000W | F R | 12 4 | | White triangular structure. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 5846 | CATAWBA ISLAND MARINA SOUTH LIGHT 1 | 41-33-42.000N 082-51-10.000W | Q G | 10 3 | | SG on pile. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 5847 | CATAWBA ISLAND MARINA SOUTH LIGHT 2 | 41-33-41.000N 082-51-08.000W | Q R | 10 3 | | TR on pile. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 5849.3 | LEMARIN ENTRANCE LIGHT 5 | 41-33-33.000N 082-51-10.000W | F G | 20 6 | | SG on concrete pile. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 5849.4 | LEMARIN ENTRANCE LIGHT 6 | 41-33-32.000N 082-51-10.500W | F R | 20 6 | | TR on concrete pile. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 5850 | COLONY CLUB MARINA NORTH LIGHT | 41-34-00.000N 082-51-25.000W | F G | 10 3 | | White triangular structure. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 5855 | COLONY CLUB MARINA SOUTH LIGHT | 41-33-13.000N 082-51-25.000W | F R | 10 3 | | White triangular structure. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 5857 | NORTHWEST CATAWABA MARINA ENTRANCE LIGHT 1 | 41-32-53.700N 082-51-28.500W | FI G 3s | 10 3 | | SG on post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 5858 | NORTHWEST CATAWABA MARINA ENTRANCE LIGHT 2 | 41-32-52.500N 082-51-29.000W | FI R 3s | 10 3 | | TR on post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| Port Clinton | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 1.</i> | | | | | | | |
| 5860 | - Intake Crib Lighted Buoy | 41-31-12.500N 082-56-21.800W | Q W | | | White and orange bands with orange diamond worded DANGER. | Maintained from May 15 to Nov. 15. Private aid. |
| 5861 | - Regional Water Intake Crib Lighted Buoy | 41-31-20.759N 082-56-17.925W | FI W 4s | | | White with orange bands and diamond worded DANGER CRIB. | Maintained from May 15 to Oct. 15. Private aid. |
| Cooley Canal | | | | | | | |
| 5863 | Limno Tech Port Clinton Weather Buoy C | 41-31-55.720N 082-56-28.550W | FI Y 4s | | | | Maintained from Apr.15 to Nov.15. Private aid. |
| Port Clinton | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 1.</i> | | | | | | | |
| 5865 | - Light 2 | 41-31-08.450N 082-56-10.365W | FI (2)R 6s | 30 9 | 10 | TR on post. 30 | Higher intensity beam on bearing of 208°. |
| 5870 | - EAST PIERHEAD LIGHT 1 | 41-31-08.279N 082-56-07.461W | FI G 6s | 25 8 | 6 | SG on white pile. | |
| 5875 | - Channel Buoy 1 | 41-30-54.481N 082-57-01.076W | | | | Green can. | |
| 5877 | - Channel Buoy 2 | 41-30-55.910N 082-57-02.070W | | | | Red nun. | |
| 5880 | - Channel Buoy 3 | 41-30-53.457N 082-57-19.629W | | | | Green can. | |
| 5885 | - Channel Buoy 4 | 41-30-56.213N 082-57-26.718W | | | | Red nun. | |
| 5890 | - Channel Buoy 5 | 41-31-00.093N 082-57-38.218W | | | | Green can. | |
| 5895 | - Channel Buoy 6 | 41-31-01.013N 082-57-37.618W | | | | Red nun. | |
| 5898 | SPINNAKER BAY ENTRANCE LIGHT 1 | 41-31-28.800N 082-58-05.500W | F G | 10 3 | | SG on post on breakwater. | Private aid. |
| 5899 | SPINNAKER BAY ENTRANCE LIGHT 2 | 41-31-30.000N 082-58-05.500W | F R | 10 3 | | TR on post on breakwater. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| Lake Front Marina | | | | | | | |
| 5900 | - ENTRANCE EAST LIGHT 1 | 41-31-35.000N 082-58-13.800W | FI G 2s | 13 4 | | SG on pile. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 5905 | - ENTRANCE WEST LIGHT 2 | 41-31-35.200N 082-58-15.500W | FI R 2s | 13 4 | | TR on pile. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 5910 | - RANGE FRONT LIGHT | 41-31-27.300N 082-58-19.000W | F Y | 34 10 | | On skeleton tower. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 5915 | - RANGE REAR LIGHT 75 feet, 210° from front light. | 41-31-27.000N 082-58-19.500W | F Y | 49 15 | | On skeleton tower. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| <i>Crib buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 5950 | Davis-Besse Nuclear Power Plant Obstruction Buoy | 41-36-25.121N 083-03-48.616W | | | | Orange and white regulatory buoy marked SUBMERGED CRIB. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| Wild Wings Marina | | | | | | | |
| 5955 | - ENTRANCE LIGHT 1 | 41-36-48.500N 083-06-13.000W | FI G 2s | 20 6 | | SG on white post. | Maintained from May 1 to Nov. 1. Private aid. |
| 5960 | - ENTRANCE LIGHT 2 | 41-36-49.800N 083-06-14.100W | FI R 2s | 20 6 | | TR on white post. | Maintained from May 1 to Nov. 1. Private aid. |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| <i>Crib buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 5970 | LONG BEACH RANGE FRONT LIGHT | 41-36-53.200N 083-06-48.200W | F G | 13 4 | | On white post. | Maintained from May 30 to Nov. 1. Private aid. |
| 5975 | LONG BEACH RANGE REAR LIGHT 147 feet, 159° from front light. | 41-36-52.000N 083-06-48.000W | F G | 22 7 | | On white post. | Maintained from May 30 to Nov. 1. Private aid. |
| 5980 | LONG BEACH ENTRANCE LIGHT | 41-36-53.200N 083-06-48.800W | F R | 12 4 | | On white post. | Maintained from May 1 to Nov. 1. Private aid. |
| Turtle Creek | | | | | | | |
| <i>Aids maintained from Apr. 1 to Nov. 15.</i> | | | | | | | |
| 5996 | - BREAKWATER LIGHT 2 | 41-36-59.300N 083-07-44.000W | FI R 2.5s | 28 9 | | TR on pile. | Private aid. |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| 5999 | UT LAKE ERIE CENTER C | 41-38-59.000N 083-09-00.000W | Iso W 2s | | | | Private aid. |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| <i>Crib buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 6000 | WARD CANAL EAST JETTY LIGHT 1 | 41-39-05.330N 083-14-11.926W | FI G 2.5s | 22 7 | 4 | SG on post. | |
| 6001 | WARD CANAL WEST JETTY LIGHT 2 | 41-39-04.830N 083-14-15.626W | FI R 4s | 28 9 | 5 | TR on post. | |
| Cooley Canal | | | | | | | |
| 6005 | - BREAKWATER LIGHT 1 | 41-40-35.731N 083-16-59.229W | FI G 4s | 30 9 | 4 | SG on tower. | |
| 6010 | - BREAKWATER LIGHT 2 | 41-40-37.095N 083-17-02.205W | FI R 4s | 30 9 | 4 | TR on tower. | |
| Turtle Creek | | | | | | | |
| <i>Aids maintained from Apr. 1 to Nov. 15.</i> | | | | | | | |
| 6015 | COOLEY CANAL FRONT RANGE LIGHT | 41-40-30.720N 083-17-01.980W | F R | | | KRW on pile. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 6016 | COOLEY CANAL REAR RANGE LIGHT | 41-40-29.580N 083-17-02.280W | F R | | | KRW in Pipe. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 6025 | TOLEDO WATER WORKS INTAKE CRIB LIGHTS | 41-41-58.000N 083-15-33.000W | Q W | 50 15 | | Circular building surmounting crib. | Four (4) lights mounted on each corner of crib. Maintained from Apr. 1 to Nov. 15. Private aid. |
| 6025.5 | <i>Limno Toledo</i> | 41-42-04.600N 083-15-22.100W | FI Y 4s | | | | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| 6027 | <i>UT LAKE ERIE CENTER B</i> | 41-43-58.000N 083-17-44.000W | Iso W 2s | | | | Private aid. |
| TOLEDO HARBOR (Chart 14847) | | | | | | | |
| Maumee Bay | | | | | | | |
| 6027.1 | <i>UT Water Quality Bouy</i> | 41-43-28.000N 083-22-12.000W | Fl Y 4s | | | | Maintained from Jun. 1 to Nov. 1. Private aid. |
| 6030 | Toledo Harbor Light | 41-45-42.710N 083-19-44.496W | Iso W 6s | 72 22 | 13 | | HORN: 1 blast ev 30s (3s bl). Operates from Apr. 1 to Dec. 1. Operates by keying microphone five times on VHF-FM Ch. 83A |
| 6035 | - STATE PARK ENTRANCE LT 2 | 41-41-11.400N 083-22-20.400W | Fl R 3s | 25 8 | | | Private aid. |
| 6036 | - STATE PARK ENTRANCE LT 1 | 41-41-12.000N 083-22-18.000W | Fl G 3s | 25 8 | | | Private aid. |
| Harrison Marina | | | | | | | |
| 6038 | <i>Limno Tech Maumee Bay Weather Buoy A</i> | 41-42-26.840N 083-22-40.600W | Fl Y 4s | | | | Maintained from Apr. 15 to Nov. 15. Private aid. |
| Maumee Bay | | | | | | | |
| 6040 | Maumee Safe Water VAIS | 41-50-07.976N 083-10-10.556W | | | | | AIS MMSI: 993682127 |
| 6045 | - <i>Entrance Lighted Buoy 1</i> | 41-49-26.970N 083-11-27.406W | Q G | | 4 | Green. | Replaced by can from Dec. 14 to Apr. 7. AIS MMSI: 993672199 |
| Harrison Marina | | | | | | | |
| 6047 | <i>Canadian Weather Spar Buoy 882 (C)</i> | 41-45-46.000N 083-18-05.000W | F Y | | | | Maintained from Jul. 15 to Nov. 30. Private aid. |
| Maumee Bay | | | | | | | |
| 6050 | - Entrance Light 2 | 41-49-31.949N 083-11-36.743W | Fl R 2.5s | 44 13 | 12 | TR on tower with red band. 35 | Horn 1 blast every 15s. AIS MMSI: 993682811 |
| 6055 | - Buoy 3 | 41-48-54.211N 083-12-41.699W | | | | Green can. | |
| 6060 | - Buoy 4 | 41-48-58.090N 083-12-46.013W | | | | Red nun. | |
| 6065 | - <i>Lighted Buoy 5</i> | 41-48-29.331N 083-13-34.648W | Fl G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14. |
| 6070 | - <i>Lighted Buoy 6</i> | 41-48-33.521N 083-13-37.979W | Fl R 4s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14 |
| 6075 | - Buoy 7 | 41-48-04.860N 083-14-26.496W | | | | Green can. | |
| 6080 | - Buoy 8 | 41-48-08.780N 083-14-30.425W | | | | Red nun. | |
| 6085 | - LIGHT 9 | 41-47-39.871N 083-15-17.893W | Fl G 4s | 33 10 | 5 | White cylindrical tower with green band. | |
| 6090 | - <i>Lighted Buoy 10</i> | 41-47-44.750N 083-15-21.256W | Fl R 4s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14. AIS MMSI: 993672200 |
| 6095 | - Buoy 11 | 41-47-15.638N 083-16-10.943W | | | | Green can. | |
| 6100 | - Buoy 12 | 41-47-19.591N 083-16-14.757W | | | | Red nun. | |
| 6105 | MANHATTAN RANGE FRONT LIGHT | 41-41-38.713N 083-28-11.074W | F R | 24 7 | | KRW on post. | Lighted throughout 24 hours. |
| 6110 | MANHATTAN RANGE REAR LIGHT 3,005 feet, 237.6° from front light. | 41-41-22.853N 083-28-44.554W | F R | 105 32 | | KRW on storage bin on building. | Lighted throughout 24 hours. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------------------------------|----------------------------------|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| TOLEDO HARBOR (Chart 14847) | | | | | | | |
| Maumee Bay | | | | | | | |
| 6115 | - Lighted Buoy 13 | 41-46-51.363N 083-17-02.318W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14 |
| 6120 | - Lighted Buoy 14 | 41-46-55.480N 083-17-06.235W | FI R 2.5s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14 |
| 6125 | - Buoy 15 | 41-46-34.580N 083-17-38.826W | | | | Green can. | |
| 6130 | - Buoy 16 | 41-46-38.757N 083-17-41.906W | | | | Red nun. | |
| 6135 | - Lighted Buoy 17 | 41-46-11.370N 083-18-27.566W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14. |
| 6140 | - Lighted Buoy 18 | 41-46-15.899N 083-18-31.036W | FI R 4s | | 4 | Red. | Maintained from Apr. 07 to Dec. 14. |
| 6145 | - Buoy 19 | 41-45-55.080N 083-19-02.336W | | | | Green can. | |
| 6150 | - Buoy 20 | 41-45-59.586N 083-19-04.769W | | | | Red nun. | |
| 6155 | - Lighted Buoy 21 | 41-45-37.520N 083-19-39.096W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14. AIS MMSI: 993672201 |
| 6160 | - Buoy 23 | 41-45-18.812N 083-20-19.415W | | | | Green can. | |
| 6165 | - Buoy 24 | 41-45-22.910N 083-20-23.044W | | | | Red nun. | |
| 6170 | - Lighted Buoy 25 | 41-44-59.800N 083-20-59.656W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14. |
| 6175 | - Lighted Buoy 26 | 41-45-03.789N 083-21-03.233W | FI R 4s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14. |
| 6180 | - Buoy 27 | 41-44-39.655N 083-21-41.554W | | | | Green can. | |
| 6185 | - Buoy 28 | 41-44-43.969N 083-21-45.307W | | | | Red nun. | |
| 6190 | - LIGHT 29 | 41-44-19.930N 083-22-21.626W | FI G 4s | 43 13 | 5 | SG on white cylindrical tower with green band. | |
| 6195 | - Lighted Buoy 30 | 41-44-24.780N 083-22-25.336W | FI R 4s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14. AIS MMSI: 993672202 |
| LAKE ERIE (Chart 14820) | | | | | | | |
| Port Colborne | | | | | | | |
| 6197 | Canada Weather Spar Buoy 973 (C) | 41-47-50.000N 083-20-00.000W | FI Y 4s | | | Spar Buoy | Maintained from Apr.1 to Nov.1. Private aid. |
| TOLEDO HARBOR (Chart 14847) | | | | | | | |
| Maumee Bay | | | | | | | |
| 6200 | - Buoy 31 | 41-44-04.555N 083-22-56.035W | | | | Green can. | |
| 6205 | - Buoy 32 | 41-44-08.557N 083-22-59.442W | | | | Red nun. | |
| 6210 | - Lighted Buoy 33 | 41-43-49.220N 083-23-28.826W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14. |
| 6215 | - Lighted Buoy 34 | 41-43-53.248N 083-23-32.285W | FI R 4s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14. |
| 6220 | - Buoy 35 | 41-43-25.120N 083-24-20.196W | | | | Green can. | |
| 6225 | - Buoy 36 | 41-43-28.046N 083-24-25.319W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ERIE | | | | | | | |
| TOLEDO HARBOR (Chart 14847) | | | | | | | |
| Maumee Bay | | | | | | | |
| 6230 | - Lighted Buoy 37 | 41-42-58.689N 083-25-16.486W | FI G 4s | | 4 | Green. | Maintained from Apr 07 to Dec 14. |
| 6235 | - Lighted Buoy 38 | 41-43-02.860N 083-25-19.551W | FI R 4s | | 4 | Red. | Maintained from Apr 07 to Dec 14. |
| 6240 | - Buoy 40 | 41-42-42.462N 083-26-02.372W | | | | Red nun. | |
| Disposal Area <i>Aids maintained from Apr. 15 to Dec. 15.</i> | | | | | | | |
| 6245 | - LIGHT A | 41-42-34.000N 083-26-06.000W | Q W | 19 6 | | On dolphin. | Private aid. |
| 6250 | - LIGHT B | 41-42-33.000N 083-26-09.000W | Q W | 19 6 | | On dolphin. | Private aid. |
| Maumee Bay | | | | | | | |
| 6265 | - Lighted Buoy 41 | 41-42-18.540N 083-26-40.045W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 7. |
| 6270 | - Buoy 42 | 41-42-22.657N 083-26-43.769W | | | | Red nun. | |
| 6275 | - Lighted Buoy 43 | 41-42-02.510N 083-27-14.586W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 7. |
| 6280 | - Lighted Buoy 45 | 41-41-57.206N 083-27-26.780W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 7. |
| 6285 | - Lighted Buoy 46 | 41-42-00.610N 083-27-34.899W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 7. |
| 6290 | - Lighted Buoy 48 | 41-41-50.533N 083-27-52.205W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 7. |
| Maumee River | | | | | | | |
| 6295 | - Lighted Buoy 49 | 41-41-38.883N 083-27-59.032W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 14. |
| 6300 | - Lighted Buoy 50 | 41-41-33.147N 083-28-13.218W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 14. |
| 6305 | - Buoy 52 | 41-41-13.904N 083-28-39.084W | | | | Red nun. | |
| Harrison Marina | | | | | | | |
| 6320 | - Entrance Buoy 3 | 41-41-08.700N 083-28-48.200W | | | | Green can. | Private aid. |
| 6325 | - Entrance Buoy 4 | 41-41-11.200N 083-28-51.200W | | | | Green can. | Private aid. |
| 6330 | - Danger Buoy G | 41-41-07.800N 083-28-51.900W | | | | White with orange bands and diamond; can. | Private aid. |
| Maumee River | | | | | | | |
| 6337 | - Turning Basin Buoy 54 | 41-40-45.601N 083-29-11.317W | | | | Red nun. | |
| 6340 | - Turning Basin Buoy 56 | 41-40-09.106N 083-29-54.785W | | | | Red nun. | |
| 6345 | - Turning Basin Buoy 58 | 41-40-10.106N 083-29-59.785W | | | | Red nun. | |
| 6350 | - Turning Basin Buoy 60 | 41-40-04.283N 083-30-06.886W | | | | Red nun. | |
| 6355 | - Lighted Buoy 62 | 41-40-00.106N 083-30-08.685W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 14. |
| 6356.2 | Glass City Marina Buoy 3 | 41-39-27.000N 083-30-52.000W | | | | Green | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6356.3 | Glass City Marina Buoy 5 | 41-39-26.000N 083-30-51.000W | | | | Green | Maintained from Apr. 15 to Oct. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ERIE | | | | | | | |
| TOLEDO HARBOR (Chart 14847) | | | | | | | |
| Maumee River | | | | | | | |
| 6357 | Glass City Marina Buoy A | 41-39-28.000N 083-30-50.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.1 | Glass City Marina Buoy B | 41-39-27.000N 083-30-51.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.2 | Glass City Marina Buoy C | 41-39-27.000N 083-30-55.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.3 | Glass City Marina Buoy D | 41-39-25.000N 083-30-58.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.4 | Glass City Marina Buoy E | 41-39-26.000N 083-30-51.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.5 | Glass City Marina Buoy F | 41-39-25.000N 083-30-50.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.6 | Glass City Marina Buoy G | 41-39-24.000N 083-30-49.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6357.7 | Glass City Marina Buoy H | 41-39-23.000N 083-30-49.000W | | | | Orange/White | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 6360 | - Lighted Buoy 63 | 41-39-19.723N 083-31-20.291W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 14. |
| 6361 | - Buoy 64 | 41-38-48.191N 083-31-58.158W | | | | Red nun. | |
| 6362 | - Buoy 65 | 41-38-47.307N 083-31-54.340W | | | | Green can. | |
| 6365 | - Buoy 67 | 41-37-37.030N 083-32-03.026W | | | | Green can. | |
| Pier 75 Detached Breakwater | | | | | | | |
| <i>Lights maintained from Apr. 1 to Dec. 1.</i> | | | | | | | |
| 6370 | - LIGHT A | 41-37-34.600N 083-32-40.900W | Q W | | | On southeast corner of detached breakwater. | Private aid. |
| 6375 | - LIGHT B | 41-37-34.500N 083-32-43.000W | Q W | | | On detached breakwater. | Private aid. |
| 6380 | - LIGHT C | 41-37-34.400N 083-32-44.900W | Q W | | | On detached breakwater. | Private aid. |
| 6385 | - LIGHT D | 41-37-33.400N 083-32-46.900W | Q W | | | On southwest corner of detached breakwater. | Private aid. |
| 6390 | - LIGHT E | 41-37-35.100N 083-32-41.100W | Q W | | | On northeast corner of detached breakwater. | Private aid. |
| 6395 | - LIGHT F | 41-37-35.000N 083-32-43.100W | Q W | | | On detached breakwater. | Private aid. |
| 6400 | - LIGHT G | 41-37-34.900N 083-32-45.000W | Q W | | | On detached breakwater. | Private aid. |
| 6405 | - LIGHT H | 41-37-34.500N 083-32-47.000W | Q W | | | On northwest corner of detached breakwater. | Private aid. |
| Harrison Marina | | | | | | | |
| 6408.1 | ROSSFORD MARINA LIGHT 1 | 41-37-03.690N 083-33-51.720W | F G | | | | Maintained from Apr.1 to Nov.1. Private aid. |
| 6408.2 | ROSSFORD MARINA LIGHT 2 | 41-37-03.650N 083-33-51.820W | F R | | | | Maintained from Apr.1 to Nov.1. Private aid. |
| 6408.3 | ROSSFORD MARINA LIGHT 3 | 41-37-03.160N 083-33-52.540W | F Y | | | | Maintained from Apr.1 to Nov.1. Private aid. |
| 6408.4 | ROSSFORD MARINA LIGHT 4 | 41-37-03.270N 083-33-51.670W | F Y | | | | Maintained from Apr.1 to Nov.1. Private aid. |
| 6408.5 | ROSSFORD MARINA LIGHT 5 | 41-37-02.590N 083-33-51.960W | F Y | | | | Maintained from Apr.1 to Nov.1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--|---------------|--------------|--|--|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| <i>Crib buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 6410 | WALBRIDGE PARK RANGE FRONT LIGHT | 41-36-51.000N 083-34-50.000W | F R | 10 3 | | Square daymark on white pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 6415 | WALBRIDGE PARK REAR RANGE LIGHT 70 feet, 000.5° from front light. | 41-36-51.500N 083-34-50.000W | F R | 20 6 | | Square daymark on white pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 6420 | Corbutt Island Intake Crib Buoy J | 41-37-23.000N 083-33-58.500W | | | | White can with orange bands and diamond. | Private aid. |
| 6425 | Corbutt Island Intake Crib Buoy K | 41-37-23.500N 083-33-56.000W | | | | White can with orange bands and diamond. | Private aid. |
| 6430 | Corbutt Island Intake Crib Buoy L | 41-37-24.250N 083-33-54.500W | | | | White can with orange bands and diamond. | Private aid. |
| 6435 | Brookford Road Water Intake Crib Buoy M | 41-36-00.000N 083-35-24.000W | | | | White can with orange bands and diamond. | Private aid. |
| 6440 | Brookford Road Water Intake Crib Buoy N | 41-36-01.000N 083-35-22.500W | | | | White can with orange bands and diamond. | Private aid. |
| 6445 | Brookford Road Water Intake Crib Buoy P | 41-36-01.500N 083-35-23.000W | | | | White can with orange bands and diamond. | Private aid. |
| Toledo Beach Marina | | | | | | | |
| <i>Lights maintained from Apr. 15 to Oct. 15.</i> | | | | | | | |
| 6460 | - RANGE FRONT LIGHT | 41-49-44.160N 083-24-45.360W | F R | 37 11 | | On pile. | Private aid. |
| 6465 | - RANGE REAR LIGHT 860 feet, 290° from front light. | 41-49-47.100N 083-24-56.800W | F R | 47 14 | | On pile. | Private aid. |
| 6470 | - SOUTH BREAKWATER LIGHT | 41-49-40.000N 083-24-32.500W | Q G | 10 3 | | On pile. | Private aid. |
| 6474 | - NORTH BREAKWATER LIGHT | 41-49-40.500N 083-24-30.000W | Q R | 10 3 | | On pile. | Private aid. |
| LAKE ERIE (Chart 14820) | | | | | | | |
| Port Colborne | | | | | | | |
| 6477 | NOAA GLERL WLE 8 Toledo Beach Wave Buoy 1 | 41-27-29.880N 082-28-57.720W | FI Y 4s | | | | Maintained from May.1 to Dec.1. Private aid. |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| <i>Crib buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 6480 | OTTER CREEK RANGE FRONT LIGHT | 41-50-44.600N 083-24-02.300W | F G | 12 4 | | SG on pile. | Maintained from May 1 to Nov. 30. Private aid. |
| 6485 | OTTER CREEK RANGE REAR LIGHT 75 feet, 284° from front light. | 41-50-44.800N 083-24-03.200W | FI G 4s | 22 7 | | SG on pile. | Maintained from May 1 to Nov. 30. Private aid. |
| Bolles Harbor | | | | | | | |
| <i>Unlighted buoys maintained from Apr. 21 to Nov. 14.</i> | | | | | | | |
| 6490 | - Lighted Buoy 2 | 41-51-22.194N 083-22-17.780W | FI R 4s | | 4 | Red. | Maintained from Apr. 21 to Nov. 14. |
| 6493 | - Lighted Buoy 1 | 41-51-21.252N 083-22-19.010W | FI G 4s | | 4 | Green | Maintained from Apr. 21 to Nov. 14. |
| 6500 | - Lighted Buoy 3 | 41-51-42.782N 083-22-28.417W | FI G 2.5s | | 4 | Green. | Maintained from Apr. 21 to Nov. 14. |
| 6505 | - Lighted Buoy 4 | 41-51-43.094N 083-22-27.280W | FI R 4s | | 4 | Red. | Maintained from Apr. 21 to Nov. 14. |
| 6515 | - Buoy 5 | 41-52-03.694N 083-22-38.180W | | | | Green can. | |
| 6525 | - ENTRANCE LIGHT 6 | 41-52-03.990N 083-22-36.036W | FI (2)R 5s 0.4s fl 0.6s ec. 0.4s fl 3.6s ec. | 35 11 | 8 | TR on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--|----------------------|--------------|-------------------------------|---|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| Bolles Harbor | | | | | | | |
| <i>Unlighted buoys maintained from Apr. 21 to Nov. 14.</i> | | | | | | | |
| 6530 | - Buoy 7 | 41-52-10.345N 083-22-41.311W | | | | Green can. | |
| 6535 | - ENTRANCE LIGHT 9 | 41-52-15.730N 083-22-45.606W | FI G 4s | 25 8 | 5 | SG on pile. | |
| 6540 | - Daybeacon 10 | 41-52-16.720N 083-22-42.626W | | | | TR on pile. | |
| 6545 | - ENTRANCE LIGHT 11 | 41-52-19.560N 083-22-45.606W | F G | 31 9 | 8 | SG on post. | |
| 6550 | - RANGE FRONT LIGHT | 41-52-26.097N 083-22-47.486W | Q W | 19 6 | | KRW on square skeleton tower. | |
| 6555 | - RANGE REAR LIGHT 2,355 feet, 341.5° from front light. | 41-52-48.158N 083-22-57.354W | Iso W 6s | 75 23 | | KRW on square skeleton tower. | |
| Monroe Harbor | | | | | | | |
| 6560 | - RANGE FRONT LIGHT | 41-53-46.237N 083-20-58.669W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 51 16 48 15 | | KRW on square skeleton tower. | Lighted throughout 24 hours. |
| 6565 | - RANGE REAR LIGHT 5,066 feet, 291.7° from front light. | 41-54-04.761N 083-22-00.890W | F W (NIGHT) F W (DAY) | 89 27 91 28 | | Tapered skeleton tower. | Lighted throughout 24 hours. |
| 6570 | - <i>Lighted Buoy 1</i> | 41-52-30.952N 083-16-51.922W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 14 to Apr. 14. AIS MMSI: 993672203 |
| 6575 | - <i>Lighted Buoy 2</i> | 41-52-33.715N 083-16-48.623W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec. 14 to Apr. 14. AIS MMSI: 993672204 |
| 6580 | - Buoy 3 | 41-52-51.293N 083-17-59.374W | | | | Green can. | |
| 6585 | - Buoy 4 | 41-52-53.646N 083-17-56.072W | | | | Red nun. | |
| 6590 | - <i>Lighted Buoy 5</i> | 41-53-10.925N 083-19-05.296W | FI G 4s | | 4 | Green. | Maintained from Apr 07 to Dec07 |
| 6595 | - <i>Lighted Buoy 6</i> | 41-53-14.036N 083-19-05.415W | FI R 4s | | 4 | Red. | Maintained from Apr 07 to Dec 07 |
| 6600 | - Buoy 7 | 41-53-28.251N 083-20-04.329W | | | | Green can. | |
| 6605 | - Buoy 8 | 41-53-31.328N 083-20-02.710W | | | | Red nun. | |
| 6610 | - Buoy 9 | 41-54-01.794N 083-21-24.434W | | | | Green can. | |
| Sterling State Park | | | | | | | |
| <i>Buoys maintained from May 1 to Sep. 30. Buoys mark remnants of an old dock.</i> | | | | | | | |
| 6615 | - Hazard Buoy A | 41-54-11.100N 083-19-59.000W | | | | White with orange bands. | Private aid. |
| 6620 | - Hazard Buoy B | 41-54-11.500N 083-19-53.000W | | | | White with orange bands. | Private aid. |
| 6625 | - Hazard Buoy C | 41-54-14.000N 083-19-52.800W | | | | White with orange bands. | Private aid. |
| 6630 | - Hazard Buoy D | 41-54-14.600N 083-19-58.100W | | | | White with orange bands. | Private aid. |
| Stony Creek Channel | | | | | | | |
| <i>Aids maintained from May 15 to Nov. 1.</i> | | | | | | | |
| 6635 | STONE CREEK CHANNEL RANGE FRONT LIGHT | 41-56-36.600N 083-18-12.000W | F R | 14 4 | | On white post. | Private aid. |
| 6640 | STONE CREEK CHANNEL RANGE REAR LIGHT 125 feet, 319° from front light. | 41-56-35.900N 083-18-11.000W | F R | 23 7 | | On red post. | Private aid. |
| 6645 | - Buoy 1 | 41-56-12.000N 083-17-30.000W | | | | Green can. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| Stony Creek Channel | | | | | | | |
| <i>Aids maintained from May 15 to Nov. 1.</i> | | | | | | | |
| 6650 | - Buoy 2 | 41-56-24.000N 083-17-56.000W | | | | Red nun. | Private aid. |
| 6655 | - Buoy 3 | 41-56-26.000N 083-18-01.000W | | | | Green can. | Private aid. |
| 6660 | - Buoy 4 | 41-56-28.000N 083-18-00.000W | | | | Red nun. | Private aid. |
| 6665 | - Buoy 5 | 41-56-39.000N 083-18-04.000W | | | | Green can. | Private aid. |
| 6670 | - Buoy 6 | 41-56-30.000N 083-18-03.000W | | | | Red nun. | Private aid. |
| 6675 | - Buoy 7 | 41-56-32.800N 083-18-08.000W | | | | Green can. | Private aid. |
| 6680 | - Buoy 8 | 41-56-33.000N 083-18-07.000W | | | | Red nun. | Private aid. |
| Sandy Creek | | | | | | | |
| <i>Buoys maintained from May 1 to Sep. 15.</i> | | | | | | | |
| 6681 | - Buoy 1 | 41-55-24.890N 083-19-38.630W | | | | | Private aid. |
| 6681.5 | - Buoy 2 | 41-55-25.900N 083-19-37.600W | | | | | Private aid. |
| 6682 | - Buoy 3 | 41-55-27.730N 083-19-43.690W | | | | | Private aid. |
| 6682.5 | - Buoy 4 | 41-55-28.740N 083-19-42.620W | | | | | Private aid. |
| 6683 | - Buoy 5 | 41-55-29.730N 083-19-47.360W | | | | | Private aid. |
| 6683.5 | - Buoy 6 | 41-55-30.630N 083-19-46.530W | | | | | Private aid. |
| 6684 | - Buoy 7 | 41-55-31.350N 083-19-51.150W | | | | | Private aid. |
| 6684.5 | - Buoy 8 | 41-55-31.130N 083-19-50.160W | | | | | Private aid. |
| 6685 | - Buoy 9 | 41-55-32.120N 083-19-53.850W | | | | Green. | Private aid. |
| 6690 | - Buoy 10 | 41-55-32.740N 083-19-55.420W | | | | Red. | Private aid. |
| 6691 | - Buoy 11 | 41-55-29.020N 083-19-55.430W | | | | | Private aid. |
| 6692 | - Buoy 12 | 41-55-29.530N 083-19-59.350W | | | | | Private aid. |
| 6695 | - Buoy 13 | 41-55-24.320N 083-19-58.390W | | | | Green can. | Private aid. |
| 6700 | - Buoy 14 | 41-55-24.810N 083-19-59.350W | | | | Red nun. | Private aid. |
| 6705 | - Buoy 15 | 41-55-21.290N 083-20-00.700W | | | | Green can. | Private aid. |
| 6710 | - Buoy 16 | 41-55-22.110N 083-20-01.690W | | | | Red nun. | Private aid. |
| 6715 | ENRICO FERMI POWER PLANT INTAKE LIGHTS | 41-57-42.000N 083-15-00.000W | F W | 26 8 | | On white pile. | Maintained from Mar. 1 to Dec. 1. Private aid. |
| 6716 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy A</i> | 41-58-26.220N 083-15-19.980W | Q Y | | | White with orange bands. | Private aid. |
| 6716.1 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy B</i> | 41-58-30.600N 083-15-00.000W | Q Y | | | White with orange bands. | Private aid. |
| 6716.2 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy C</i> | 41-58-27.960N 083-14-49.020W | Q Y | | | White with orange bands. | Private aid. |
| 6716.3 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy D</i> | 41-58-20.100N 083-14-15.000W | Q Y | | | White with orange bands. | Private aid. |
| 6716.4 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy E</i> | 41-58-12.000N 083-13-42.000W | Q Y | | | White with orange bands. | Private aid. |
| 6716.5 | <i>Enrico Fermi Nuclear Power Plant Security Zone Buoy F</i> | 41-57-45.960N 083-13-44.220W | Q Y | | | White with orange bands. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|------------------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14846) | | | | | | | |
| Sandy Creek | | | | | | | |
| <i>Buoys maintained from May 1 to Sep. 15.</i> | | | | | | | |
| 6716.6 | Enrico Fermi Nuclear Power Plant Security Zone Buoy G | 41-57-19.920N 083-13-46.020W | Q Y | | | White with orange bands. | Private aid. |
| 6716.7 | Enrico Fermi Nuclear Power Plant Security Zone Buoy H | 41-56-54.000N 083-13-48.000W | Q Y | | | White with orange bands. | Private aid. |
| 6716.8 | Enrico Fermi Nuclear Power Plant Security Zone Buoy I | 41-56-54.000N 083-14-22.920W | Q Y | | | White with orange bands. | Private aid. |
| 6716.9 | Enrico Fermi Nuclear Power Plant Security Zone Buoy J | 41-56-54.000N 083-14-57.900W | Q Y | | | White with orange bands. | Private aid. |
| 6717 | Enrico Fermi Nuclear Power Plant Security Zone Buoy K | 41-56-54.060N 083-15-10.560W | Q Y | | | White with orange bands. | Private aid. |
| 6717.1 | Enrico Fermi Nuclear Power Plant Security Zone Buoy L | 41-56-54.000N 083-15-12.000W | Q Y | | | | Private aid. |
| Swan Creek Entrance | | | | | | | |
| 6720 | - Lighted Buoy 1 | 41-58-27.960N 083-14-35.940W | FI G 2.5s | 7 2 | | Green. | Private aid. |
| 6725 | - Lighted Buoy 2 | 41-58-30.300N 083-14-34.140W | FI R 2.5s | 7 2 | | Red. | Private aid. |
| 6730 | - Buoy 3 | 41-58-30.960N 083-14-40.140W | | | | Green can. | Private aid. |
| 6735 | - Buoy 4 | 41-58-32.340N 083-14-40.140W | | | | Red nun. | Private aid. |
| 6736 | - Lighted Buoy 5 | 41-58-33.720N 083-14-45.960W | FI G 2.5s | 5 2 | | Green. | Private aid. |
| 6737 | - RANGE FRONT LIGHT 6 | 41-58-34.400N 083-14-45.000W | F R | 10 3 | | TR on post. | Private aid. |
| 6738 | - RANGE REAR LIGHT 80 feet, 315° from front light. | 41-58-35.040N 083-14-45.780W | F R | 30 9 | | Three-masted tower. | Private aid. |
| 6740 | - Lighted Buoy 7 | 41-58-36.840N 083-14-51.060W | FI G 2.5s | 7 2 | | Green. | Private aid. |
| 6741 | - Daybeacon 8 | 41-58-37.200N 083-14-56.340W | | | | TR on post. | Private aid. |
| 6742 | - Daybeacon 10 | 41-58-36.200N 083-14-58.800W | | | | TR on post. | Private aid. |
| 6743 | - Daybeacon 12 | 41-58-36.000N 083-15-04.500W | | | | TR on post. | Private aid. |
| LAKE ERIE (Chart 14820) | | | | | | | |
| Port Colborne | | | | | | | |
| 6755 | OUTER LIGHT (C) | | F R | 36 11 | | White square tower with red upper portion. | Seasonal. Tower floodlighted. Light intensified over an arc of 030° SSW. Emergency light. |
| 6760 | WEST BREAKWATER LIGHT (C) | 42-52-12.032N 079-16-06.022W | FI W 4s | 24 7 | | White circular tower. | Seasonal. |
| 6765 | Inner Light (C) | 42-52-06.032N 079-15-12.022W | FI W 10s 0.3s fl 9.7s ec. | 50 15 | 17 | White square tower, red upper portion. | Seasonal. |
| 6775 | Lighted Buoy E3 (C) | | FI G 4s | | | Green. | |
| 6780 | EAST BREAKWATER LIGHT (C) | | FI G 4s | 35 11 | | White circular concrete tower with green top. | Seasonal. |
| 6783 | ODAS Lighted Buoy 45142 | 42-44-12.032N 079-17-24.022W | | | | Yellow disc shaped hull. | Seasonal. |
| 6785 | Long Point Light (C) | 42-32-54.032N 080-03-00.023W | FI (5) Y 20s FI W8s | 97 30 | 25 | White octagonal tower with red upper portion. | RACON: M (- -) Seasonal. Emergency light. |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| Pelee Passage | | | | | | | |
| 6795 | Southeast Shoal Light (C) | 41-49-36.030N 082-27-48.025W | FI R 10s | 70 21 | 21 | White square structure with red stripes on pyramidal base. | RACON: K (- -) Winter light FI W 4s. Seasonal. Emergency light. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE ERIE | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| Pelee Passage | | | | | | | |
| 6805 | <i>East Lighted Buoy E6 (C)</i> | | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 6810 | <i>Southeast Shoal Lighted Buoy X (C)</i> | 41-48-42.030N 082-27-48.025W | Mo (A) W | | | Red and white stripes. | Seasonal. |
| 6815 | <i>Pelee Point Lighted Bell Buoy EP2 (C)</i> | 41-52-12.030N 082-30-30.025W | FI R 4s | | | Red. | Seasonal. |
| 6820 | <i>Grubb Reef Lighted Buoy E8 (C)</i> | 41-51-54.030N 082-33-36.025W | FI R 4s | | | Red. | Seasonal. |
| 6825 | <i>Traffic Lighted Buoy P (C)</i> | 41-51-48.030N 082-34-30.025W | Mo (A) W | | | Red and white stripes. | Seasonal. |
| 6830 | <i>Middle Ground Lighted Buoy E9 (C)</i> | 41-51-24.030N 082-34-48.025W | FI G 4s | | | Green. | Seasonal. |
| 6835 | Light (C) | 41-51-12.030N 083-34-54.026W | FI W 4s | 91 28 | 10 | White circular tower with green upper and lower portions; on pier. | RACON: M (- -) Winter light FI W 4s. Seasonal. |
| 6840 | <i>Turning Lighted Buoy E10 (C)</i> | 41-53-12.030N 082-38-42.025W | FI R 4s | | | Red. | Seasonal. |
| 6845 | SCUDDER BREAKWATER LIGHT (C) | 41-49-00.030N 082-39-30.025W | FI R 4s | 24 7 | | White circular tower with red top. | Seasonal. |
| 6850 | SCUDDER WHARF LIGHT (C) | 41-48-54.030N 082-39-36.025W | F R | 30 9 | 8 | On elevator. | Seasonal. |
| 6855 | SCUDDER WHARF INNER LIGHT (C) | | FI R 4s | 19 6 | 7 | White circular tower with red upper portion. | Seasonal. |
| 6865 | <i>North Harbor Island Reef Lighted Buoy E13 (C)</i> | 41-51-00.030N 082-51-12.025W | FI G 4s | | | Green. | Seasonal. |
| 6870 | COLCHESTER REEF LIGHT (C) Marks south side of reef. | 41-56-00.030N 082-53-30.025W | FI R 4s | 72 22 | 6 | Red skeleton tower with red rectangular daymark on two sides. | Seasonal. |
| 6875 | MIDDLE SISTER ISLAND LIGHT (C) | 41-51-00.030N 082-59-54.026W | FI G 4s | 65 20 | 6 | White square skeleton tower. | May be obscured by trees from south-southwest approaches. Seasonal. |
| DETROIT RIVER | | | | | | | |
| WEST END OF LAKE ERIE (Chart 14830) | | | | | | | |
| Detroit River Entrance | | | | | | | |
| East Outer Channel | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Dec. 21.</i> | | | | | | | |
| 6885 | Detroit River Light | 42-00-02.978N 083-08-28.509W | FI (2)W 6s | 55 17 | 12 | White conical tower with black top on hexagonal top. | RACON: X (- . .) HORN: 1 blast ev 30s (3s bl). Operates continuously. |
| 6895 | - Light 1E | 41-54-49.746N 083-06-25.070W | FI G 5s | 44 13 | 10 | Tower on platform with green band. | RACON: O (- - -) RACON: O (- - -) HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Operates Year Round. |
| 6900 | - <i>Lighted Buoy 2</i> | 41-55-16.830N 083-06-18.686W | Q R | | 5 | Red. | Replaced by nun from Dec. 21 to Apr. 01. |
| 6905 | - <i>Lighted Buoy 3</i> | 41-55-13.580N 083-06-32.666W | FI G 4s | | 4 | Green. | Maintained from Apr. 1 to Dec. 21. |
| 6910 | - <i>Lighted Buoy 5</i> | 41-56-04.457N 083-06-53.452W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 01. |
| 6915 | - <i>Lighted Buoy 6</i> | 41-56-07.810N 083-06-38.276W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec.21 to Apr. 01. |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| East Outer Channel | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Dec. 21.</i> | | | | | | | |
| 6920 | - <i>Lighted Buoy 7</i> | 41-56-55.723N 083-07-13.058W | FI G 4s | | 4 | Green. | |
| 6925 | - <i>Lighted Buoy 8</i> | 41-56-58.240N 083-06-57.936W | FI R 4s | | 4 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| East Outer Channel | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Dec. 21.</i> | | | | | | | |
| 6930 | - Lighted Buoy 9 | 41-57-45.080N 083-07-32.016W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. |
| 6935 | - LIGHT 10 | 41-57-48.030N 083-07-17.026W | FI R 2.5s | 44 13 | 7 | Cylindrical tower with red band on platform. | |
| 6940 | - Lighted Buoy 11 | 41-58-35.790N 083-07-52.066W | FI G 4s | | 4 | Green. | |
| 6945 | - Lighted Buoy 12 | 41-58-39.010N 083-07-37.436W | FI R 4s | | 4 | Red. | |
| 6950 | - Lighted Buoy 13 | 41-59-24.930N 083-08-10.436W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. |
| 6955 | - Lighted Buoy 14 | 41-59-27.446N 083-07-56.715W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 1. |
| 6960 | - Lighted Buoy 16 | 42-00-17.290N 083-08-14.056W | Q R | | 5 | Red. | Replaced by nun from Dec. 21 to Apr. 1. AIS MMSI: 993672205 |
| Amherstburg Channel | | | | | | | |
| 6965 | - Lighted Buoy 23 | 42-00-44.741N 083-08-29.853W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. AIS MMSI: 993672206 |
| 6970 | Lighted Buoy D24 (C) | | FI R 4s | | | Red. | Seasonal. |
| 6975 | - Buoy 25 | 42-01-03.340N 083-08-25.703W | | | | Green can. | |
| 6980 | DETROIT RIVER PIER LIGHT 30D (C) | 42-01-36.030N 083-08-06.026W | Q R | 33 10 | | White circular with red top. | |
| 6985 | Lighted Buoy D31 (C) | | FI G 4s | | | Green. | Seasonal. |
| 6990 | Lighted Buoy D32 (C) | | FI R 4s | | | Red. | Seasonal. |
| 6995 | Bar Point Pier Light D33 (C) | 42-02-24.130N 083-08-03.626W | FI G 10s | 46 14 | 10 | White square tower. | Light obscured from 090° to 191°. |
| 7000 | BAR POINT RANGE FRONT LIGHT D49 (C) | 42-04-12.030N 083-07-24.026W | F Y | 27 8 | | Fluorescent orange triangular daymark on white circular tower with green upper portion and black vertical stripe. | Visible on range line only. |
| 7005 | BAR POINT RANGE REAR LIGHT (C) 2,500 feet, 013.5° from front light. | | F Y | 58 18 | | Fluorescent orange triangular daymark on white circular tower with green upper portion and black vertical stripe. | Visible on range line only. |
| 7010 | Lighted Buoy D35 (C) | | Q G | | | Green. | Seasonal. |
| 7015 | Lighted Buoy D36 (C) | | Q R | | | Red. | Seasonal. |
| 7020 | HACKETT REACH RANGE FRONT LIGHT (C) | 42-05-48.030N 083-06-48.026W | F R | 45 14 | | Orange triangular daymark with black stripes on pile. | Visible on range line only. |
| 7025 | HACKETT REACH RANGE REAR LIGHT (C) 994 feet, 014.9° from front light. | | F R | 80 24 | | Orange triangular daymark with black stripes on white skeleton tower. | Visible on range line only. |
| 7030 | Lighted Buoy D37 (C) | 42-03-06.030N 083-07-48.026W | FI G 4s | | | Green. | Seasonal. |
| 7035 | Lighted Buoy D38 (C) | | FI R 4s | | | Red. | Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Amherstburg Channel | | | | | | | |
| 7040 | <i>Lighted Buoy D43 (C)</i> | | FI G 4s | | | Green. | Seasonal. |
| 7045 | <i>Lighted Buoy D44 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7050 | <i>Lighted Buoy D45 (C)</i> | 42-03-48.030N 083-07-30.026W | FI G 4s | | | Green. | Seasonal. |
| 7055 | <i>Lighted Buoy D46 (C)</i> | 42-03-48.030N 083-07-30.026W | FI R 4s | | | Red. | Seasonal. |
| 7060 | <i>Lighted Buoy D50 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7070 | <i>Lighted Buoy D52 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7075 | LIGHT D53 (C) | 42-05-12.030N 083-07-06.026W | FI G 4s | 31 9 | | White circular tower with green top. | |
| 7080 | <i>Lighted Buoy D56 (C)</i> | | Q R | | | Red. | Seasonal. |
| 7085 | <i>Lighted Buoy D57 (C)</i> | | Q G | | | Green. | Seasonal. |
| 7090 | AMHERSTBURG RANGE FRONT LIGHT D65 (C) | 42-06-48.030N 083-07-06.026W | F Y | 27 8 | | Orange triangular daymark with black stripe on white circular tower with green top. | |
| 7095 | AMHERSTBURG RANGE REAR LIGHT (C) 1,138 feet, 355.8° from front light. | | F Y | 40 12 | | Orange triangular daymark with black stripe on white circular tower with green top. | Visible on range line only. |
| 7100 | <i>Lighted Buoy D59 (C)</i> | | FI G 4s | | | Green. | Seasonal. |
| 7105 | <i>Lighted Buoy D60 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7110 | LIGHT D61 (C) | 42-06-00.030N 083-07-06.026W | FI G 4s | 41 13 | | White circular tower with green top. | Visible on range line only. |
| 7115 | <i>Lighted Buoy D63 (C)</i> | | Q G | | | Green. | Seasonal. |
| Limekiln Crossing Reach Channel | | | | | | | |
| 7120 | <i>Lighted Buoy D64 (C)</i> | | Q R | | | Red. | Seasonal. |
| 7125 | LIMEKILN CROSSING RANGE FRONT LIGHT (C) | 42-07-42.030N 083-06-54.026W | F R | 24 7 | | Orange triangular daymark with black stripe on skeleton tower. | Visible on range line only. Range leads to Fort Malden Range Line. |
| 7130 | LIMEKILN CROSSING RANGE REAR LIGHT (C) 1,185 feet, 002.9° from front light. | | F R | 40 12 | | Orange inverted triangular daymark with black stripe on white circular mast. | Visible on range line only. |
| 7135 | <i>Lighted Buoy D67 (C)</i> | | FI G 4s | | | Green. | Seasonal. |
| 7140 | <i>Lighted Buoy D68 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7145 | LIGHT D69 (C) | 42-07-18.030N 083-07-00.026W | Q G | 27 8 | | White circular tower with green top. | |
| Ballards Reef Channel | | | | | | | |
| 7150 | <i>Lighted Buoy D72 (C)</i> | | Q R | | | Red. | Seasonal. |
| 7155 | FORT MALDEN RANGE FRONT LIGHT (C) Marks Ballards Reef Channel. | 42-06-54.030N 083-06-42.026W | F R | 45 14 | | Orange triangular daymark with black vertical stripe on white circular tower. | Visible on range line only. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------------------------------|---|---------------------------------|--------------------------|---------------|--------------|--|---|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Ballards Reef Channel | | | | | | | |
| 7160 | FORT MALDEN RANGE REAR LIGHT (C) 383 feet, 162.5° from front light. | | F R | 76 23 | | Orange inverted triangular daymark with black vertical stripe on white skeleton tower. | Visible on range line only. |
| 7165 | GROSSE ILE SOUTH CHANNEL RANGE FRONT LIGHT | 42-11-07.112N 083-08-31.037W | F G | 30 9 | | KRW on square skeleton tower. | Lighted throughout 24 hours. |
| 7170 | GROSSE ILE SOUTH CHANNEL RANGE REAR LIGHT 1,491 feet, 342.6° from front light. | 42-11-21.162N 083-08-36.973W | F G | 55 17 | | KRW on square skeleton tower. | Lighted throughout 24 hours. |
| 7175 | LIGHT D71 (C) | 42-07-24.030N 083-07-06.026W | FI G 4s | 33 10 | | White circular tower with green top. | |
| 7185 | <i>Lighted Buoy D74 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7190 | <i>Lighted Buoy D76 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7195 | Livingstone Channel Upper Entrance Light (C) | 42-08-12.030N 083-07-18.026W | Al WR 10s | 40 12 | 15 | White circular tower mounted on white square crib. | Emergency light FI (2) W 15s. HORN: (two-tone) 1 blast ev 15s (4s bl). Operates year round. |
| 7200 | Light D77 (C) | 42-08-30.030N 083-07-30.026W | FI G 5s | 37 11 | 10 | Green stripes on the corners of a white square tower. | |
| 7205 | <i>Lighted Buoy D78 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7210 | - <i>Lighted Buoy 81</i> | 42-09-07.828N 083-07-45.319W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. |
| 7220 | <i>Lighted Buoy DFB (C)</i> | 42-09-12.030N 083-07-36.026W | | | | Red with green band. | Seasonal. |
| 7225 | - <i>Lighted Buoy 85</i> | 42-09-49.297N 083-08-02.320W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. |
| 7230 | - <i>Lighted Buoy 86</i> | 42-10-10.777N 083-08-02.950W | FI R 4s | | 4 | Red. | Year round buoy unlighted from Dec. 21 to Apr. 1. |
| 7231 | GROSSE ILE LIGHT | 42-10-03.000N 083-08-22.000W | Iso W 2s | 45 14 | | | Private aid. |
| 7235 | - <i>Lighted Buoy 87</i> | 42-10-17.897N 083-08-14.440W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. |
| Livingstone Channel | | | | | | | |
| 7240 | - LIGHT 25 | 42-07-45.400N 083-07-31.246W | FI G 2.5s | 34 10 | 3 | White cylindrical tower with green band. | |
| 7245 | - LIGHT 26 | 42-07-44.980N 083-07-24.706W | FI R 2.5s | 34 10 | 4 | White cylindrical tower with red band. | |
| 7250 | - LIGHT 23 | 42-07-17.730N 083-07-34.766W | Iso G 6s | 34 10 | 3 | White cylindrical tower with green band. | |
| 7255 | - LIGHT 24 | 42-07-17.258N 083-07-28.346W | Iso R 6s | 34 10 | 4 | White cylindrical tower with red band. | |
| 7260 | - LIGHT 21 | 42-06-49.989N 083-07-38.544W | FI G 2.5s | 34 10 | 3 | White cylindrical tower with green band. | |
| 7265 | LIGHT DL22 (C) | | FI R 4s | 38 12 | 6 | White circular tower with red top. | |
| 7270 | LIGHT DL20 (C) | | Iso R 2s 1s fl 1s ec. | 34 10 | 6 | White circular tower with red top. | |
| 7275 | - LIGHT 19 | 42-06-21.244N 083-07-42.960W | Iso G 6s | 34 10 | 3 | White cylindrical tower with green band. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--------------------------|---------------|--------------|---|--|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Livingstone Channel | | | | | | | |
| 7280 | LIGHT DL17 (C) | | FI G 4s | 34 10 | | White circular tower with green top. | Obscured from 010° to 175°. |
| 7285 | LIGHT DL18 (C) | | FI R 4s | 34 10 | 6 | White circular tower with red top. | |
| 7290 | LIGHT DL15 (C) | | Iso G 2s 1s fl 1s ec. | 34 10 | | White circular tower with green top. | |
| 7295 | LIGHT DL16 (C) | | Iso R 2s 1s fl 1s ec. | 34 10 | 6 | White circular tower with red top. | |
| 7300 | LIGHT DL13 (C) | | FI G 4s | 34 10 | | White circular tower with green top. | |
| 7305 | LIGHT DL14 (C) | | FI R 4s | 34 10 | | White circular tower with red top. | |
| 7310 | <i>Lighted Buoy DI6 (C)</i> | | FI R 4s | | | Red. | Seasonal. |
| 7315 | <i>Lighted Buoy DI5 (C)</i> | | FI G 4s | | | Green. | Seasonal. |
| 7320 | <i>Lighted Buoy DI1 (C)</i> | 42-02-30.030N 083-08-12.026W | FI G 4s | | | Green. | Seasonal. |
| Detroit River Entrance | | | | | | | |
| West Outer Channel | | | | | | | |
| 7325 | - Buoy 9 | 42-00-04.074N 083-08-41.381W | | | | Green can. | |
| 7330 | - Buoy 8 | 41-59-13.619N 083-08-44.284W | | | | Red nun. | |
| 7335 | - Buoy 7 | 41-59-15.021N 083-08-55.095W | | | | Green can. | |
| 7340 | - Buoy 6 | 41-58-31.272N 083-08-56.159W | | | | Red nun. | |
| 7345 | - Buoy 5 | 41-58-33.310N 083-09-06.595W | | | | Green can. | |
| 7350 | - Buoy 4 | 41-57-46.453N 083-09-08.799W | | | | Red nun. | |
| 7355 | - Buoy 3 | 41-57-48.126N 083-09-19.096W | | | | Green can. | |
| 7360 | - Buoy 2 | 41-57-02.650N 083-09-20.172W | | | | Red nun. | |
| 7365 | - <i>Lighted Buoy 1W</i> | 41-57-00.984N 083-09-32.370W | FI G 6s | | 6 | Green. | Replaced by can from Dec. 7 to May 7. |
| Point Mouillee | | | | | | | |
| 7370 | Point Mouillee Access Channel Buoy 1 | 42-00-11.411N 083-08-46.704W | | | | Green can. | |
| 7375 | - Access Channel Buoy 2 | 42-00-15.098N 083-08-45.289W | | | | Red nun. | |
| 7380 | - Access Channel Buoy 3 | 42-00-20.621N 083-09-45.527W | | | | Green can. | |
| 7385 | Point Mouillee Access Channel Buoy 4 | 42-00-22.881N 083-09-44.437W | | | | Red nun. | |
| Metro Park Marina | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 7390 | <i>South Huron Valley Outfall West Lighted Buoy</i> | 42-03-09.000N 083-09-50.000W | Q W | | | White with orange bands and orange diamond worded DANGER OUTFALL. | Maintained from May 1 to Nov. 1. Private aid. |
| 7395 | <i>South Huron Valley Outfall Center Lighted Buoy</i> | 42-03-09.500N 083-09-48.000W | Q W | | | White with orange bands and orange diamond worded DANGER OUTFALL. | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Detroit River Entrance | | | | | | | |
| Metro Park Marina | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 7400 | South Huron Valley Outfall East Lighted Buoy | 42-03-08.800N 083-09-46.000W | Q W | | | White with orange bands and orange diamond worded DANGER OUTFALL. | Maintained from May 1 to Nov. 1. Private aid. |
| 7405 | - Lighted Buoy 1 | 42-03-09.500N 083-10-49.000W | FI G 4s | | | Green. | Private aid. |
| 7410 | - Lighted Buoy 2 | 42-03-12.000N 083-10-49.000W | FI R 4s | | | Red. | Private aid. |
| 7415 | - Buoy 3 | 42-03-09.500N 083-10-55.000W | | | | Green can. | Private aid. |
| 7420 | - Buoy 4 | 42-02-12.000N 083-10-54.000W | | | | Red nun. | Private aid. |
| 7425 | - Buoy 5 | 42-03-09.500N 083-11-00.000W | | | | Green can. | Private aid. |
| 7430 | - Buoy 6 | 42-03-12.000N 083-11-00.000W | | | | Red nun. | Private aid. |
| 7435 | - Buoy 7 | 42-03-09.500N 083-11-05.000W | | | | Green can. | Private aid. |
| 7440 | - Buoy 8 | 42-03-12.500N 083-11-05.000W | | | | Red nun. | Private aid. |
| 7445 | - RANGE FRONT LIGHT | 42-03-12.000N 083-11-36.000W | FI R 4s | 15 5 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 7450 | - RANGE REAR LIGHT 100 yards, 270° from front light. | 43-03-10.500N 083-11-37.000W | F R | 30 9 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| Hickory Island Channel | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 21.</i> | | | | | | | |
| 7455 | - Buoy 1 | 42-04-22.885N 083-09-39.056W | | | | Green can. | Maintained from 14 May to 21 November |
| 7460 | - Lighted Buoy 2 | 42-04-21.795N 083-09-11.984W | FI R 4s | | 4 | Red nun. | Maintained from May 14 to Nov. 21. |
| 7465 | - Buoy 3 | 42-04-39.595N 083-09-37.766W | | | | Green can. | Maintained from May 14 to Nov. 21. |
| Ford Yacht Club | | | | | | | |
| <i>Aids maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 7468 | - East Basin Entrance Buoy 1 | 42-05-14.000N 083-10-13.300W | | | | Green can. | Private aid. |
| 7469 | - East Basin Entrance Buoy 2 | 42-05-13.800N 083-10-11.000W | | | | Red nun. | Private aid. |
| 7470 | - EAST BASIN ENTRANCE LIGHT 3 | 42-05-20.000N 083-10-11.200W | Q G | 6 2 | | On single post. | Private aid. |
| 7471 | - EAST BASIN ENTRANCE LIGHT 4 | 42-05-20.000N 083-10-09.000W | FI R 2.5s | | | On single post. | Private aid. |
| 7472 | - EAST BASIN RANGE FRONT LIGHT | 42-05-27.000N 083-10-08.000W | F R | | | 4ft light pipe centered on white diamond daymark. | Private aid. |
| 7473 | - EAST BASIN RANGE REAR LIGHT | 42-05-27.200N 083-10-08.300W | F R | | | 4ft light pipe centered on white diamond daymark. | Private aid. |
| 7480 | - West Basin Entrance Buoy 1 | 42-05-19.500N 083-10-18.500W | | | | Green can. | Private aid. |
| 7485 | - West Entrance Buoy 2 | 42-05-19.000N 083-10-16.000W | | | | Red nun. | Private aid. |
| 7490 | - WEST BASIN ENTRANCE LIGHT 3 | 42-05-24.100N 083-10-16.500W | Q G | 6 2 | | On single post. | Private aid. |
| 7495 | - WEST BASIN ENTRANCE LIGHT 4 | 42-05-24.000N 083-10-14.900W | Q R | 6 2 | | On single post. | Private aid. |
| 7500 | - WEST BASIN RANGE FRONT LIGHT | 42-05-24.000N 083-10-12.000W | F R | | | 4 ft light pipe centered on white diamond daymark. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Detroit River Entrance | | | | | | | |
| Ford Yacht Club | | | | | | | |
| <i>Aids maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 7505 | - WEST BASIN RANGE REAR LIGHT | 42-05-27.000N 083-10-12.200W | F R | | | 4 ft light pipe centered on white diamond daymark. | Private aid. |
| Hickory Island Channel | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 21.</i> | | | | | | | |
| 7550 | - Buoy 4 | 42-04-38.915N 083-09-20.585W | | | | Red nun. | |
| 7555 | - Lighted Junction Buoy H | 42-04-42.914N 083-09-24.295W | FI (2+1)G 6s | | 4 | Green can. | Maintained from May 14 to Nov. 21. |
| 7560 | - Buoy 7 | 42-04-59.222N 083-09-12.283W | | | | Green can. | |
| 7565 | - Lighted Buoy 8 | 42-05-04.404N 083-09-03.274W | FI R 4s | | 4 | Red. | Maintained from 14 May to 21 November. |
| 7570 | - Buoy 10 Marks shoal. | 42-05-15.810N 083-08-58.560W | | | | Red nun. | |
| 7575 | GROSSE ILE YACHT CLUB HARBOR SOUTH ENTRANCE LIGHT | 42-05-23.900N 083-09-03.300W | FI G 2s | 8 2 | | On black post. | Private aid. |
| 7580 | GROSSE ILE YACHT CLUB HARBOR NORTH ENTRANCE LIGHT | 42-05-24.200N 083-09-03.200W | FI R 2s | 8 2 | | On red post. | Maintained from May 1 to Nov. 1. Private aid. |
| 7585 | ELBA-MAR BOAT CLUB RANGE FRONT LIGHT | 42-05-51.700N 083-09-00.200W | F G | 10 3 | | Orange and black diamond daymark. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 7590 | ELBA-MAR BOAT CLUB RANGE REAR LIGHT 250 feet, 306° from front light. | 42-05-53.000N 083-09-03.000W | F G | 18 5 | | Orange and black diamond daymark. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 7595 | Elba-Mar Boat Club Entrance Buoy 1 | 42-05-48.500N 083-08-54.000W | | | | Green can. | Private aid. |
| 7600 | Elba-Mar Boat Club Entrance Buoy 2 | 42-05-49.000N 083-08-54.500W | | | | Red nun. | Private aid. |
| 7605 | - Buoy 12 | 42-05-40.562N 083-08-38.042W | | | | Red nun. | |
| 7610 | - Buoy 13 | 42-05-46.823N 083-08-38.812W | | | | Green can. | |
| 7615 | - Buoy 16 | 42-06-16.020N 083-08-04.855W | | | | Red nun. | |
| 7625 | - Buoy 17 | 42-06-22.782N 083-07-57.850W | | | | Green can. | |
| Lake Erie Metropark Boat Launch | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Oct. 1.</i> | | | | | | | |
| 7651 | - Lighted Buoy 1 | 42-04-40.900N 083-11-22.200W | FI G 4s | | | Green. | Private aid. |
| 7651.1 | - Lighted Buoy 2 | 42-04-41.400N 083-11-22.000W | FI R 4s | | | Red. | Private aid. |
| 7651.2 | - Buoy 3 | 42-04-42.600N 083-11-27.100W | | | | Green can. | Private aid. |
| 7651.3 | - Buoy 4 | 42-04-43.000N 083-11-22.200W | | | | Red nun. | Private aid. |
| 7651.4 | - Buoy 5 | 42-04-44.200N 083-11-32.000W | | | | Green can. | Private aid. |
| 7651.5 | - Buoy 6 | 42-04-44.700N 083-11-31.600W | | | | Red nun. | Private aid. |
| 7651.6 | - Buoy 7 | 42-04-45.800N 083-11-36.800W | | | | Green can. | Private aid. |
| Gibraltar South Harbor Channel | | | | | | | |
| <i>Aids maintained from Apr. 1 to Dec. 1.</i> | | | | | | | |
| 7655 | - RANGE FRONT LIGHT | 42-04-44.200N 083-11-12.000W | F R | 7 2 | | On red pile. | Private aid. |
| 7660 | - RANGE REAR LIGHT 100 feet, 268° from front light. | 42-04-44.200N 083-11-10.500W | F R | | | Red on white diamond daymark. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks | |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|-------------------------|--|
| DETROIT RIVER | | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | | |
| Detroit River Entrance | | | | | | | | |
| Gibraltar South Harbor Channel | | | | | | | | |
| <i>Aids maintained from Apr. 1 to Dec. 1.</i> | | | | | | | | |
| 7665 | - LIGHT 1 | 42-04-44.000N 083-11-00.000W | FI G 2.5s | | | On pile cluster. | Private aid. | |
| 7670 | - LIGHT 2 | 42-04-44.200N 083-11-00.000W | FI R 2.5s | | | On pile cluster. | Private aid. | |
| 7671 | - Daybeacon 3 | 42-04-44.500N 083-11-04.800W | | | | SG on single pile. | Private aid. | |
| 7672 | - Daybeacon 4 | 42-04-43.600N 083-11-04.400W | | | | TR on single pile. | Private aid. | |
| 7675 | - LIGHT 5 | 42-04-44.000N 083-11-09.000W | Q G | | | On pile cluster. | Private aid. | |
| 7680 | - LIGHT 6 | 42-04-44.500N 083-11-09.000W | Q R | | | On pile cluster. | Private aid. | |
| 7685 | - LIGHT 7 | 42-04-46.500N 083-11-13.000W | Q G | | | On pile cluster. | Private aid. | |
| 7690 | - LIGHT 8 | 42-04-47.100N 083-11-13.800W | Q R | | | On pile cluster. | Private aid. | |
| 7695 | - LIGHT 9 | 42-04-47.000N 083-11-20.800W | Q G | | | On pile cluster. | Private aid. | |
| 7700 | - LIGHT 10 | 42-04-47.800N 083-11-20.800W | Q R | | | On pile cluster. | Private aid. | |
| Celeron Island | | | | | | | | |
| <i>Aids maintained from May 14 to Nov. 21.</i> | | | | | | | | |
| 7701 | - Buoy 1 | 42-04-53.030N 083-09-52.026W | | | | Green can. | | |
| 7703 | - Buoy 3 | 42-05-15.614N 083-10-23.907W | | | | Green can. | | |
| Gibraltar Middle Channel | | | | | | | | |
| <i>Aids maintained from Apr. 1 to Dec. 1.</i> | | | | | | | | |
| 7705 | GILBRALTAR MIDDLE CHANNEL SOUTH LIGHT | 42-05-11.500N 083-11-06.100W | FI G 2.5s | | | On pile cluster. | Private aid. | |
| 7710 | GILBRALTAR MIDDLE CHANNEL NORTH LIGHT | 42-05-12.000N 083-11-06.100W | FI R 2.5s | | | On pile cluster. | Private aid. | |
| Celeron Island | | | | | | | | |
| <i>Aids maintained from May 14 to Nov. 21.</i> | | | | | | | | |
| 7711 | - Buoy 4 | 42-05-22.030N 083-10-33.026W | | | | Red nun. | | |
| 7712 | - Buoy 5 | 42-05-26.948N 083-10-44.569W | | | | Green can. | | |
| 7713 | - Buoy 7 | 42-05-47.030N 083-10-57.026W | | | | Green can. | | |
| 7714 | - Buoy 8 | 42-05-53.030N 083-10-54.026W | | | | Red nun. | | |
| Gibraltar North Channel | | | | | | | | |
| <i>Aids maintained from Apr. 1 to Dec. 1.</i> | | | | | | | | |
| 7715 | - RANGE FRONT LIGHT | 42-05-54.000N 083-11-12.000W | F R | | 7 2 | Red on white diamond daymark on post. | Private aid. | |
| 7720 | - RANGE REAR LIGHT 10 feet, 239° from front light. | 42-05-42.000N 083-11-24.000W | F R | | 14 4 | Red on white diamond daymark on pile. | Private aid. | |
| 7725 | - LIGHT 1 | 42-05-58.000N 083-11-04.400W | FI G 2.5s | | 10 3 | On pile cluster. | Private aid. | |
| 7730 | - LIGHT 2 | 42-05-58.500N 083-11-00.500W | FI R 2.5s | | 10 3 | On pile cluster. | Private aid. | |
| Fighting Island Channel | | | | | | | | |
| 7735 | - SOUTH LIGHT | 42-10-22.810N 083-08-03.986W | Iso R 6s | | 35 11 | TR on post. | | |
| 7740 | <i>Mamajuda Shoal Junction Lighted Buoy</i> | 42-10-53.906N 083-08-12.120W | FI (2+1)G 6s | | | 4 | Green and red bands. | Replaced by can from Dec. 21 to Apr. 1. |
| 7745 | - Buoy 88 | 42-10-58.296N 083-08-01.380W | | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------------------------------|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Fighting Island Channel | | | | | | | |
| 7755 | - Lighted Buoy 89 | 42-11-31.692N 083-08-08.049W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. |
| 7760 | - Lighted Buoy 90 | 42-11-31.675N 083-07-58.049W | FI R 4s | | 4 | Red. | Maintained from Apr. 1 to Dec. 21. |
| 7765 | - Lighted Buoy 91 | 42-12-23.464N 083-08-03.340W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. |
| 7770 | - Lighted Buoy 92 | 42-12-22.874N 083-07-52.749W | FI R 4s | | 4 | Red. | Year round buoy unlighted from Dec. 21 to Apr. 1. |
| 7775 | - Buoy 93 | 42-13-03.209N 083-07-59.233W | | | | Green can. | |
| 7780 | - Buoy 94 | 42-13-02.233N 083-07-48.979W | | | | Red nun. | |
| 7785 | GRASSY ISLAND LIGHT | 42-13-27.510N 083-07-59.306W | FI G 4s | 26 8 | 5 | SG on cylindrical tower with 6 foot green band. | Higher intensity beam up and down stream. |
| 7790 | - Buoy 96 | 42-13-27.102N 083-07-46.379W | | | | Red nun. | |
| 7805 | - Lighted Buoy 97 | 42-13-47.762N 083-07-54.799W | FI G 4s | | 4 | Green. | Maintained from Apr. 1 to Dec. 21. |
| 7810 | - Buoy 98 Marks shoal. | 42-13-57.031N 083-07-43.128W | | | | Red nun. | |
| 7815 | NORTH LIGHT (C) | | Iso R 4s | 27 8 | 7 | White circular tower with red upper portion. | |
| 7820 | Grosse Ile Basin Buoy 1 | 42-10-21.306N 083-08-27.021W | | | | Green can. | |
| 7825 | Grosse Ile Basin Buoy 3 | 42-10-29.306N 083-08-28.601W | | | | Green can. | |
| 7830 | Grosse Ile Basin Buoy 5 | 42-10-40.526N 083-08-29.931W | | | | Green can. | |
| Wyandotte Channel | | | | | | | |
| 7835 | - South Entrance Buoy 2 | 42-11-03.365N 083-08-20.911W | | | | Red nun. | |
| 7840 | - Lighted Buoy 3 | 42-11-03.160N 083-08-25.891W | Q G | | 4 | Green. | Replaced by can from Dec. 14 to Apr. 7. |
| 7845 | - Buoy 4 | 42-11-20.535N 083-08-23.291W | | | | Red nun. | |
| 7850 | - Buoy 6 | 42-11-38.285N 083-08-25.281W | | | | Red nun. | |
| 7855 | - Lighted Buoy 7 | 42-11-57.238N 083-08-26.047W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 14 to Apr. 7. |
| 7860 | - Buoy 9 | 42-12-09.921N 083-08-25.637W | | | | Green can. | |
| 7865 | Grosse Isle Spit Junction Lighted Buoy Marks shoal. | 42-12-19.344N 083-08-31.381W | FI (2+1)G 6s | | 4 | Green and red bands. | Replaced by can from Dec. 14 to Apr. 07. |
| 7870 | - Buoy 12 | 42-12-21.371N 083-08-24.360W | | | | Red nun. | |
| 7875 | - Buoy 14 | 42-12-31.633N 083-08-24.310W | | | | Red nun. | |
| 7880 | - Lighted Buoy 16 | 42-13-02.643N 083-08-17.140W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 14 to Apr. 7. |
| 7885 | - Lighted Buoy 18 | 42-13-41.672N 083-08-39.151W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 14 to Apr. 7. |
| 7890 | - Lighted Buoy 20 | 42-13-52.971N 083-08-39.251W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 14 to Apr. 7. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|----------------------|---|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Fighting Island Channel | | | | | | | |
| Wyandotte Channel | | | | | | | |
| 7895 | <i>Mud Island Junction Lighted Buoy</i> | 42-13-53.771N 083-08-45.351W | FI (2+1)G 6s | | 4 | Green and red bands. | Replaced by can from Dec. 14 to Apr.7. |
| 7900 | - Buoy 21 | 42-14-03.071N 083-08-36.851W | | | | Green can. | |
| 7905 | - <i>Lighted Buoy 22</i> | 42-14-01.371N 083-08-33.451W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 14 to Apr.07. |
| 7910 | - Buoy 23 | 42-14-13.181N 083-08-24.300W | | | | Green can. | |
| 7915 | - Buoy 24 | 42-14-10.741N 083-08-21.150W | | | | Red nun. | |
| 7920 | - <i>Lighted Buoy 25</i> | 42-14-27.411N 083-08-01.779W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 14 to Apr.7. |
| 7925 | - <i>North Junction Lighted Buoy</i> | 42-14-25.461N 083-07-58.669W | FI (2+1)R 6s | | 4 | Red and green bands. | Replaced by nun from Dec. 14 to Apr.7. |
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Macray West Harbor Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 7947 | <i>Canadian Weather Spar Buoy 1159 (C)</i> | 42-07-42.000N 083-10-34.000W | F Y | | | | Maintained from Apr.1 to Nov.30. Private aid. |
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Fighting Island Channel | | | | | | | |
| Trenton Channel | | | | | | | |
| 7950 | - Buoy 2 | 42-07-22.191N 083-10-29.177W | | | | Red nun. | |
| 7960 | - Buoy 4 | 42-07-35.480N 083-10-26.457W | | | | Red nun. | |
| 7965 | - <i>Lighted Buoy 5</i> | 42-07-48.980N 083-10-26.557W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 14 to Apr.7. |
| 7970 | - Buoy 6 | 42-07-49.980N 083-10-23.357W | | | | Red nun. | |
| 7980 | - <i>Lighted Buoy 7</i> | 42-08-17.494N 083-10-21.030W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 14 to Apr.7. |
| 7985 | - <i>Lighted Buoy 8</i> | 42-08-17.064N 083-10-18.190W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 14 to Apr.7. |
| 8000 | - <i>Lighted Buoy 9</i> | 42-08-49.979N 083-10-14.156W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 14 to Apr.7. |
| 8005 | - <i>Lighted Buoy 10</i> | 42-08-49.519N 083-10-10.196W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 14 to Apr.7. |
| 8010 | - Buoy 10A | 42-09-23.904N 083-09-53.006W | | | | Red nun. | |
| 8025 | - <i>Lighted Buoy 11</i> | 42-09-23.548N 083-09-57.970W | FI G 2.5s | | 4 | Green can. | |
| 8030 | - <i>Lighted Buoy 12</i> | 42-09-37.797N 083-09-46.220W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 14 to Apr.07. |
| 8035 | - <i>Lighted Buoy 13</i> | 42-09-48.577N 083-09-49.255W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 14 to Apr.7. |
| 8055 | - <i>Lighted Buoy 15</i> | 42-10-09.755N 083-09-48.850W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 14 to Apr.7. |
| 8060 | - <i>Lighted Buoy 16</i> | 42-10-09.537N 083-09-45.755W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 14 to Apr.7. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Fighting Island Channel | | | | | | | |
| Trenton Channel | | | | | | | |
| 8065 | - Lighted Buoy 17 | 42-10-43.016N 083-09-32.434W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 14 to Apr. 7. |
| 8070 | - Buoy 18 | 42-10-42.508N 083-09-28.097W | | | | Red nun. | |
| 8075 | - Lighted Buoy 20 | 42-11-15.625N 083-09-02.082W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 14 to Apr. 7. |
| 8080 | - Lighted Buoy 21 | 42-11-54.844N 083-08-53.870W | FI G 4s | | 4 | Green. | Year round buoy unlighted from Dec. 14 to Apr. 7. |
| 8085 | - Lighted Buoy 22 | 42-11-54.174N 083-08-49.152W | FI R 4s | | 4 | Red. | Year round buoy unlighted from Dec. 14 to Apr. 7. |
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Macray West Harbor Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 8086 | Canadian Weather Spar Buoy 1161 (C) | 42-10-13.000N 083-09-51.000W | F Y | | | | Maintained from Apr.1 to Nov.30. Private aid. |
| 8087 | Canadian Weather Spar Buoy 1179 (C) | 42-13-21.000N 083-08-35.000W | F Y | | | | Maintained from Apr.1 to Nov.30. Private aid. |
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Fighting Island Channel | | | | | | | |
| Ecorse Channel | | | | | | | |
| 8090 | - Buoy 2 | 42-14-12.079N 083-08-45.032W | | | | Red nun. | Maintained from Apr. 7 to Nov. 1. |
| 8095 | - Buoy 4 | 42-14-26.055N 083-08-31.152W | | | | Red nun. | Maintained from Apr. 7 to Nov. 1. |
| 8100 | - Buoy 5 | 42-14-29.730N 083-08-25.500W | | | | Green can. | Maintained from Apr. 7 to Nov. 1. |
| 8105 | - Buoy 6 | 42-14-31.990N 083-08-06.889W | | | | Red nun. | Maintained from Apr. 7 to Nov. 1. |
| 8110 | - Lighted Buoy 7 | 42-14-33.916N 083-08-07.372W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Nov. 1. |
| Above Fighting Island | | | | | | | |
| 8115 | Fighting Island North Lighted Buoy 104D (C) | 42-15-00.000N 083-07-05.520W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 8120 | Fighting Island Anchorage Lighted Buoy Dq (C) | 42-15-06.030N 083-06-54.026W | FI Y 4s | | | Yellow. | Seasonal. |
| 8125 | FIGHTING ISLAND NORTH ANCHORAGE LIGHT (C) | 42-15-41.130N 083-06-19.326W | FI Y 4s | | 32 10 | 3 SY with black anchor on yellow circular tower. | Visible all around. Seasonal. |
| 8130 | GREAT LAKES STEEL BOAT CLUB SOUTH LIGHT Marks entrance to marina. | 42-15-38.000N 083-07-02.500W | F G | | 8 2 | On post. | Private aid. |
| 8135 | GREAT LAKES STEEL BOAT CLUB NORTH LIGHT Marks entrance to marina. | 42-15-39.200N 083-07-01.700W | F R | | 15 5 | On post. | Private aid. |
| 8147 | MARINER'S MEMORIAL LIGHTHOUSE | 42-16-10.200N 083-06-42.000W | | | | Red and White. | Private aid. |
| 8150 | DETROIT EDISON CELL LIGHT SOUTH | 42-16-25.000N 083-06-36.000W | Q W | | 20 6 | On pile. | Private aid. |
| 8155 | DETROIT EDISON CELL LIGHT NORTH | 42-16-27.000N 083-06-36.000W | Q W | | 20 6 | On pile. | Private aid. |
| 8160 | River Rouge Canal Entrance Lighted Buoy 2 | 42-16-31.218N 083-06-33.323W | FI R 4s | | 4 | Red. | AIS MMSI: 993672207 |
| 8170 | Detroit River Lighted Buoy D108 (C) | 42-18-48.030N 083-04-06.026W | FI R 4s | | | Red. | Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------------|--|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Above Fighting Island | | | | | | | |
| 8195 | Third Street Junction Buoy | 42-19-24.217N 083-03-04.840W | | | | Green and red bands; can. | |
| 8200 | Griswold Street Junction Buoy | 42-19-30.967N 083-02-34.239W | | | | Green and red bands; can. | |
| Limekiln Crossing Reach Channel | | | | | | | |
| 8200.1 | DETROIT WAYNE COUNTY PORT AUTHORITY PIER LIGHT A | 42-19-36.900N 083-02-29.000W | FI W 4s | | | | Maintained year round. Private aid. |
| 8200.2 | DETROIT WAYNE COUNTY PORT AUTHORITY PIER LIGHT B | 42-19-37.800N 083-02-26.600W | FI W 4s | | | | Maintained year round. Private aid. |
| Above Fighting Island | | | | | | | |
| 8201 | TRI-CENTENNIAL STATE PARK ENTRANCE LIGHT 1 | 42-19-55.750N 083-01-32.230W | FI G 4s | | | On single pile. | Private aid. |
| 8202 | TRI-CENTENNIAL STATE PARK ENTRANCE LIGHT 2 | 42-19-56.260N 083-01-30.310W | FI R 4s | | | On side of Lighthouse. | Private aid. |
| 8205 | <i>Belle Isle Lower Junction Lighted Buoy</i> | 42-19-54.867N 083-00-56.836W | FI (2+1)G 6s | | 4 | Green and red bands. | Replaced by can from Dec. 21 to Apr. 1. AIS MMSI: 993672208 |
| Fleming Channel | | | | | | | |
| 8210 | BELLE ISLE LIGHT | 42-20-24.105N 082-57-35.704W | F G | 30 9 | 7 | On pile. | |
| 8215 | <i>Lighted Buoy D110 (C)</i> | 42-20-30.030N 082-57-06.026W | FI R 4s | | | Red. | Seasonal. |
| 8220 | <i>Livingstone Memorial Lighted Buoy 111</i> | 42-20-35.719N 082-57-15.831W | FI G 4s | | 4 | Green. | |
| 8225 | <i>Lighted Buoy DPB Of Shoal (C)</i> | | | | | Red with green band. | Spar; winter marker. Seasonal. |
| 8230 | <i>Belle Isle Upper Junction Lighted Buoy</i> | 42-21-02.156N 082-56-43.589W | FI (2+1)G 6s | | 4 | Green and red bands. | Maintained from Apr. 1 to Dec. 21. |
| 8235 | PECHE ISLAND LIGHT | 42-20-54.480N 082-56-33.526W | FI R 4s | 44 13 | 6 | TR on cylindrical tower. | Higher intensity beam up and down stream. |
| 8240 | William Livingstone Memorial Light | 42-20-49.162N 082-57-15.833W | Oc W 4s | 58 18 | 14 | Pyramidal monumental structure. | Lighted throughout 24 hours. |
| 8245 | <i>Belle Isle North Lighted Buoy 113</i> | 42-21-08.293N 082-56-34.188W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. AIS MMSI: 993672209 |
| 8250 | <i>Starboard Lagoon Obstruction Lighted Buoy</i> Marks submerged barge. | 42-21-21.000N 082-56-35.000W | | | | White with orange bands and diamond. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8255 | <i>Peché Island Lighted Buoy 114</i> | 42-21-10.276N 082-55-57.430W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 1. AIS MMSI: 993672210 |
| 8260 | Windmill Point Light | 42-21-27.256N 082-55-47.885W | Iso W 6s | 42 13 | 15 | Tower. | |
| 8265 | WINDMILL POINT PARK BREAKWATER OUTER LIGHT | 42-21-30.000N 082-55-41.000W | Q W | 3 1 | | On pile. | Length to breakwater is marked by 13 equally spaced fixed red lights. Private aid. |
| 8270 | WINDMILL POINT PARK BREAKWATER INNER LIGHT | 42-21-30.000N 082-55-41.000W | Q W | 3 1 | | On pile. | Private aid. |
| Belle Isle North Channel | | | | | | | |
| Scott Middle Ground | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 14.</i> | | | | | | | |
| 8280 | - Lower Junction Buoy | 42-20-08.307N 083-00-31.235W | | | | Red and green bands; nun. | Maintained year round. |
| 8285 | - North Channel Buoy 2 | 42-20-15.317N 083-00-19.034W | | | | Red nun. | Maintained year round. |
| 8290 | - North Channel Buoy 4 | 42-20-42.997N 082-59-46.253W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| DETROIT RIVER | | | | | | | |
| DETROIT RIVER (Chart 14848) | | | | | | | |
| Belle Isle North Channel | | | | | | | |
| Scott Middle Ground | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 14.</i> | | | | | | | |
| 8295 | - North Channel Buoy 6 | 42-20-56.027N 082-59-24.322W | | | | Red nun. | |
| 8300 | - North Channel Buoy 8 | 42-21-03.217N 082-59-04.371W | | | | Red nun. | |
| 8305 | DETROIT BOAT CLUB LIGHT | 42-20-29.700N 082-59-34.600W | F R | 15 5 | | On pile. | Private aid. |
| 8310 | - South Channel Buoy 1 | 42-20-36.557N 082-59-39.303W | | | | Green can. | |
| 8315 | - South Channel Buoy 3 | 42-20-41.897N 082-59-13.321W | | | | Green can. | |
| 8320 | - South Channel Buoy 5 | 42-20-50.157N 082-58-45.760W | | | | Green can. | |
| 8325 | - Upper Junction Buoy | 42-21-00.187N 082-58-37.340W | | | | Red and green bands; nun. | |
| Belle Isle North Channel | | | | | | | |
| 8330 | ERMA HENDERSON MARINA WEST ENTRANCE LIGHTS (2) | 42-21-07.500N 082-59-05.300W | F G | 18 5 | | On piles. | Private aid. |
| 8335 | ERMA HENDERSON MARINA EAST LIGHTS | 42-21-07.800N 082-59-04.500W | F R | 18 5 | | On piles. | Private aid. |
| 8340 | ERMA HENDERSON MARINA LIGHTS (8) Marks cable string between pilings. | 42-21-08.200N 082-59-02.500W | F R | 18 5 | | On piles. | Private aid. |
| 8341 | PORTERFIELD RAMP LIGHT | 42-21-20.600N 082-58-04.900W | F R | 8 2 | | On pile. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 8342 | PORTERFIELD MARINA ENTRANCE LIGHT 1 | 42-21-18.900N 082-58-02.500W | F G | 8 2 | | SG on pile. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 8343 | PORTERFIELD MARINA ENTRANCE LIGHT 2 | 42-21-18.800N 082-57-59.000W | F R | 8 2 | | TR on pile. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 8345 | Intake Pipe Buoy 1 | 42-21-13.806N 082-58-24.859W | | | | Green can. | Maintained from Apr. 1 to Nov. 14. |
| 8350 | WATERWORKS INTAKE CRIB LIGHT | 42-21-08.300N 082-57-59.900W | FI W 5s | 40 12 | | Gray stone tower on pier. | Private aid. |
| 8355 | <i>Detroit Edison Lighted Buoy 1A</i> | 42-21-12.316N 082-57-28.466W | FI G 4s | | 4 | Green. | Maintained from Apr. 1 to Dec. 7. |
| 8360 | DETROIT EDISON BOAT CLUB ENTRANCE LIGHT 2 | 42-21-18.000N 082-57-24.800W | F R | | | TR on post. | Maintained from Apr. 1 to Oct. 1. Private aid. |
| 8365 | DETROIT EDISON BOAT CLUB ENTRANCE LIGHT 3 | 42-21-19.300N 082-57-25.000W | F G | | | SG on post. | Maintained from Apr. 1 to Oct. 1. Private aid. |
| 8370 | WATERWORKS INTAKE LAGOON LIGHT | 42-21-00.200N 082-57-16.500W | FI R 6s | 22 7 | | Red post on small house on concrete pier. | Private aid. |
| 8396 | Grayhaven Canal Entrance Buoy 2 | 42-21-19.350N 082-56-45.050W | | | | Red nun. | Maintained May 15 to Oct 31. Private aid. |
| 8396.1 | PORT LAGOON LIGHT 1 | 42-21-20.700N 082-56-46.118W | F G | 11 3 | | | Private aid. |
| 8397 | PORT LAGOON LIGHT 2 | 42-21-20.160N 082-56-45.300W | F R | 11 3 | | | Private aid. |
| 8398 | STARBOARD LAGOON LIGHT 1 | 82-21-21.000N 082-56-34.200W | F G | 11 3 | | | Private aid. |
| 8399.5 | Starboard Lagoon Obstr Daybeacon | 42-21-22.022N 082-56-36.720W | | | | | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Lake St. Clair | | | | | | | |
| <i>Lighted buoys maintained from Mar. 28 to Dec. 21.</i> | | | | | | | |
| 8400 | PECHE ISLAND RANGE FRONT LIGHT | 42-21-37.587N 082-54-24.986W | F W | 35 11 | | KRW on white skeleton tower with round conical foundation. | RACON: G (- - .) Lighted throughout 24 hours. |
| 8405 | PECHE ISLAND RANGE FRONT PASSING LIGHT | 42-21-37.531N 082-54-25.026W | F W | 31 9 | 7 | On same structure as Peche Island Range Front Light. | |
| 8410 | PECHE ISLAND RANGE REAR LIGHT 3,697 feet, 227.7° from front light. | 42-21-13.016N 082-55-01.418W | F W | 114 35 | | KRW on white skeleton tower with round conical foundation. | Lighted throughout 24 hours. |
| 8415 | - LIGHT 1 | 42-22-01.096N 082-53-59.129W | Q G | 37 11 | 5 | SG on post. | |
| 8420 | - <i>Lighted Buoy 2</i> | 42-21-54.301N 082-53-52.356W | FI R 4s | | 5 | Red. | AIS MMSI: 993672211 |
| 8425 | - Buoy 3 | 42-22-27.290N 082-53-18.313W | | | | Green can. | |
| 8430 | - Buoy 4 | 42-22-22.121N 082-53-11.056W | | | | Red nun. | |
| 8435 | - Buoy 5 | 42-22-56.254N 082-52-35.369W | | | | Green can. | |
| 8440 | - Buoy 6 | 42-22-50.712N 082-52-28.611W | | | | Red nun. | |
| 8442 | Grosse Pointe Dumping Grounds Buoy B | 42-22-12.031N 082-51-01.026W | | | | Yellow can. | Maintained from Apr. 21 to Nov. 01. |
| 8445 | - <i>Lighted Buoy 7</i> | 42-23-19.779N 082-52-00.315W | FI G 4s | | 4 | Green. | Replaced by can Dec 21 to Mar 28 |
| 8450 | - <i>Lighted Buoy 8</i> | 42-23-14.484N 082-51-53.033W | FI R 4s | | 4 | Red. | AIS MMSI: 993672212 |
| 8455 | - Buoy 9 | 42-23-47.764N 082-51-18.880W | | | | Green can. | |
| 8460 | - Buoy 10 | 42-23-42.351N 082-51-11.786W | | | | Red nun. | |
| 8465 | - Buoy 11 | 42-24-10.477N 082-50-44.819W | | | | Green can. | |
| 8470 | - Buoy 12 | 42-24-05.056N 082-50-37.662W | | | | Red nun. | |
| 8472 | Grosse Pointe Dumping Grounds Buoy A | 42-23-35.031N 082-48-52.026W | | | | Yellow can. | Maintained from Apr. 21 to Nov. 01. |
| 8475 | - <i>Lighted Buoy 13</i> | 42-24-37.971N 082-50-05.016W | FI G 4s | | 4 | Green. | |
| 8480 | - LIGHT 14 | 42-24-31.597N 082-49-57.639W | FI R 4s | 30 9 | 5 | TR on post on concrete structure. | |
| 8485 | - Buoy 15 | 42-25-12.934N 082-49-12.377W | | | | Green can. | |
| 8490 | - Buoy 16 | 42-25-07.162N 082-49-04.691W | | | | Red nun. | |
| 8495 | - <i>Lighted Buoy 17</i> | 42-25-50.131N 082-48-17.766W | FI G 4s | | 5 | Green. | |
| 8500 | - <i>Lighted Buoy 18</i> | 42-25-44.251N 082-48-10.586W | FI R 4s | | 6 | Red. | |
| 8505 | - Buoy 19 | 42-26-24.683N 082-47-25.769W | | | | Green can. | |
| 8510 | - Buoy 20 | 42-26-19.141N 082-47-18.576W | | | | Red nun. | |
| Macray West Harbor Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 8513 | ACOE Lake St Clair Water Sensor Buoy 1 | 42-25-55.600N 082-46-11.280W | FI Y 4s | | | | Maintained from Apr.15 to Dec.1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--------------------------|---------------|--------------|--|--|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Lake St. Clair | | | | | | | |
| <i>Lighted buoys maintained from Mar. 28 to Dec. 21.</i> | | | | | | | |
| 8515 | - Lighted Buoy 21 | 42-27-00.211N 082-46-33.416W | FI G 4s | | 4 | Green. | |
| 8520 | - Lighted Buoy 22 | 42-26-54.481N 082-46-26.156W | FI R 4s | | 4 | Red. | |
| 8525 | - LIGHT | 42-27-55.151N 082-45-15.466W | Iso G 6s | 52 16 | 12 | White square tower on cylindrical base. | RACON: N (- .) Higher intensity beam upstream. |
| 8530 | - Lighted Buoy 24 | 42-27-48.091N 082-45-06.056W | FI R 2.5s | | 4 | Red. | |
| 8535 | ST. CLAIR FLATS CANAL RANGE FRONT LIGHT | 42-33-02.626N 082-39-02.780W | F G | 48 15 | | White daymark on pyramidal tower. | Lighted throughout 24 hours. |
| 8540 | ST. CLAIR FLATS CANAL RANGE REAR LIGHT 4,018 feet, 041.1° from front light. | 42-33-32.538N 082-38-27.485W | F G | 112 34 | | White daymark on pyramidal tower. | Lighted throughout 24 hours. |
| 8545 | - Lighted Buoy 25 | 42-29-01.751N 082-43-53.596W | FI G 4s | | 4 | Green. | Replaced by can from Dec 21. to Mar.28. |
| 8550 | - Lighted Buoy 26 | 42-28-56.641N 082-43-45.446W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 21 to Mar. 28. |
| 8555 | - Lighted Buoy 27 | 42-29-45.831N 082-43-01.776W | FI G 4s | | 4 | Green. | |
| 8560 | - Lighted Buoy 28 | 42-29-40.800N 082-42-53.627W | FI R 4s | | 4 | Red. | |
| 8565 | - Lighted Buoy 29 | 42-30-36.011N 082-42-02.686W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 21 to Mar. 28. AIS MMSI: 993672233 |
| 8570 | - Lighted Buoy 30 | 42-30-30.759N 082-41-54.497W | Q R | | 4 | Red | Year round lighted buoy. AIS MMSI: 993672213 |
| 8575 | - Buoy 31 | 42-30-49.980N 082-41-45.927W | | | | Green. | Replaced by can from Dec. 21 to Mar. 28. |
| 8580 | SQUIRREL ISLAND RANGE FRONT LIGHT (C) | 42-33-12.031N 082-35-00.025W | Iso Y 2s 1s fl 1s ec. | 30 9 | | Orange triangular daymark with black vertical stripe on white square skeleton tower. | Visible on range line only. |
| 8585 | SQUIRREL ISLAND RANGE REAR LIGHT (C) 3,506 feet, 064.3° from front light. | | F Y | 84 26 | | Orange inverted triangular daymark with black vertical stripe on white skeleton tower. | Visible in line of range. |
| St. Clair Cut-Off Channel | | | | | | | |
| 8590 | - Preferred Channel Lighted Buoy CO | 42-30-58.599N 082-41-22.277W | FI (2+1)G 6s | | 4 | Green with red band | Replaced by can from Dec. 14 to Mar. 28. |
| Lake St. Clair | | | | | | | |
| <i>Lighted buoys maintained from Mar. 28 to Dec. 21.</i> | | | | | | | |
| 8595 | PIER LIGHT X32/2 (C) 190 feet outside channel limit. | 42-30-54.031N 082-41-06.026W | FI R 4s | 24 7 | | White circular tower with red top. | |
| St. Clair Cut-Off Channel | | | | | | | |
| 8600.1 | - Lighted Buoy 32 | 42-30-55.349N 082-41-09.691W | FI R 2.5s | | 4 | | Replaced by nun from Dec. 21 to Mar. 28. |
| Lake St. Clair | | | | | | | |
| <i>Lighted buoys maintained from Mar. 28 to Dec. 21.</i> | | | | | | | |
| 8605 | PIER LIGHT X35 (C) 190 feet outside channel limit. | | FI G 4s | 33 10 | | White circular tower with green top. | |
| 8610 | PIER LIGHT X36 (C) 190 feet outside channel limit. | | FI R 4s | 26 8 | | White square tower with red stripes on corners. | |
| 8615 | PIER LIGHT X39 (C) | | FI G 4s | 29 9 | | White square tower with green top. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Lake St. Clair | | | | | | | |
| <i>Lighted buoys maintained from Mar. 28 to Dec. 21.</i> | | | | | | | |
| 8620 | PIER LIGHT X40 (C) 190 feet outside channel limit. | | FI R 4s | 26 8 | | White square tower with red stripes on corners. | |
| 8625 | PIER LIGHT X43 (C) | 42-32-24.031N 082-37-30.026W | FI G 4s | 24 7 | | White square tower with green top. | |
| 8630 | PIER LIGHT X44 (C) 190 feet outside channel limit. | 42-32-12.031N 082-37-24.026W | FI R 4s | 24 7 | | White square tower with red stripes on corners. | |
| 8635 | PIER LIGHT X47 (C) | 42-32-48.031N 082-36-18.026W | FI G 4s | 29 9 | | White square tower with green top. | |
| 8640 | PIER LIGHT X48 (C) 190 feet outside channel limit. | 42-32-42.031N 082-36-12.026W | FI R 4s | 24 7 | | White square tower with red stripes on corners. | |
| St. Clair Cut-Off Channel | | | | | | | |
| 8645 | HARSENS ISLAND LIGHT 11 | 42-32-59.031N 082-35-55.026W | FI G 4s | 26 8 | 4 | SG on white cylindrical tower. | |
| Lake St. Clair | | | | | | | |
| <i>Lighted buoys maintained from Mar. 28 to Dec. 21.</i> | | | | | | | |
| 8650 | <i>Lighted Buoy X50 (C)</i> | 42-32-54.031N 082-35-30.026W | FI R 4s | | | Red. | |
| St. Clair Cut-Off Channel | | | | | | | |
| 8655 | - <i>Lighted Buoy 13</i> | 42-33-05.157N 082-35-27.189W | FI G 2.5s | | 4 | Green. | Maintained from Mar. 28 to Dec. 21. |
| Lake St. Clair | | | | | | | |
| <i>Lighted buoys maintained from Mar. 28 to Dec. 21.</i> | | | | | | | |
| 8660 | <i>Lighted Buoy A14 (C)</i> | 42-33-06.031N 082-35-12.025W | FI R 4s | | | Red. | Seasonal. |
| Grosse Point | | | | | | | |
| 8665 | - MUNICIPAL PIER NORTHEAST LIGHT | 42-22-50.000N 082-54-13.000W | F Y | 18 5 | | On post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8666 | - MUNICIPLE PIER SOUTHWEST LIGHT | 42-22-49.000N 082-54-16.000W | F Y | 18 5 | | On Post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8667 | - <i>Lighted Entrance Buoy 1</i> | 42-22-44.000N 082-54-13.500W | FI G 4s | | | Green. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8668 | - <i>Lighted Entrance Buoy 2</i> | 42-22-44.500N 082-54-13.000W | FI R 4s | | | Red. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8669 | - <i>Lighted Channel Buoy 3</i> | 42-22-46.500N 082-54-15.000W | FI G 4s | | | Green. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8670 | - <i>Lighted Channel Buoy 4</i> | 42-22-47.000N 082-54-14.000W | FI R 4s | | | Red. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8675 | - MUNICIPAL PIER SOUTHWEST ENTRANCE LIGHT 5 | 42-22-50.000N 082-54-16.500W | FI G 4s | 16 5 | | On post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8680 | - MUNICIPAL PIER SOUTHWEST ENTRANCE LIGHT 6 | 42-22-49.750N 082-54-16.500W | FI R 4s | 16 5 | | On post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8685 | - MUNICIPAL PIER NORTHWEST ENTRANCE LIGHT 7 | 42-22-53.000N 082-54-19.000W | FI G 4s | 16 5 | | On post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8690 | - MUNICIPAL PIER NORTHWEST ENTRANCE LIGHT 8 | 42-22-52.500N 082-54-15.000W | FI R 4s | 16 5 | | On post. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 8695 | - CLUB HARBOR ENTRANCE WEST LIGHT | 42-22-57.500N 082-53-49.000W | F G | 10 3 | | On post. | Private aid. |
| 8700 | - CLUB HARBOR ENTRANCE EAST LIGHT | 42-22-57.500N 082-53-48.000W | F R | 10 3 | | On post. | Private aid. |
| 8705 | - CLUB DOCK SOUTH LIGHT | 42-23-00.000N 082-53-46.000W | F G | 15 5 | | On post. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Lake St. Clair | | | | | | | |
| Grosse Point | | | | | | | |
| 8710 | - CLUB DOCK NORTH LIGHT | 42-22-58.500N 082-53-42.000W | F G | 15 5 | | On post. | Private aid. |
| Crescent Sail Yacht Club | | | | | | | |
| 8725 | - WEST LIGHT | 42-24-04.490N 082-53-06.000W | F G | 10 3 | | SG on pile. | Private aid. |
| 8730 | - EAST LIGHT | 42-24-04.620N 082-53-05.310W | F R | 9 3 | | TR on pile. | Private aid. |
| 8735 | - BREAKWATER SOUTH LIGHT | 42-24-06.600N 082-53-02.700W | Q W | 25 8 | | NW on white pile cluster. | Visible 180° through 020°. Private aid. |
| 8740 | - BREAKWATER NORTH LIGHT | 42-24-07.200N 082-53-02.000W | Q W | 25 8 | | NW on white pile cluster. | Visible 195° through 030°. Private aid. |
| Grosse Point | | | | | | | |
| 8745 | MUNICIPAL PIER SOUTH BASIN LIGHT | 42-24-17.600N 082-53-00.700W | F R | 10 3 | | TR on post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 8747 | - Farms Buoy 1 | 42-24-15.784N 082-52-58.791W | | | | Green can. | Maintained from MAY 1. to NOV. 1. Private aid. |
| 8748 | - Farms Buoy 2 | 42-24-20.992N 082-52-58.544W | | | | Red nun. | Maintained from MAY 1. to NOV. 1. Private aid. |
| 8749 | - Farms Buoy 3 | 42-24-17.553N 082-53-01.728W | | | | Green can. | Maintained from MAY 1. to NOV. 1. Private aid. |
| 8750 | - FARMS LIGHT 4 | 42-24-18.245N 082-53-01.214W | F R | 15 5 | | TR on post. | Maintained from May. 1 to Nov. 1. Private aid. |
| 8752 | - FARMS LIGHT 5 | 42-24-17.580N 082-53-00.068W | F G | 6 2 | | SG on post. | Maintained from May. 1 to Nov. 1. Private aid. |
| 8755 | - YACHT CLUB LIGHT | 42-26-06.000N 082-52-21.000W | Fl W 2.5s | 65 20 | | Square skeleton tower with building attached. | Private aid. |
| 8756 | - E YACHT CLUB NORTH BREAKWATER LIGHT | 42-26-08.110N 082-52-07.280W | Fl Y 4s | | | | Private aid. |
| 8757 | - E YACHT CLUB CENTER BREAKWATER LIGHT | 42-26-05.730N 082-52-07.630W | Fl Y 4s | | | | Private aid. |
| 8758 | - E YACHT CLUB SOUTH BREAKWATER LIGHT | 42-26-03.590N 082-52-09.090W | Fl Y 4s | | | | Private aid. |
| 8760 | - YACHT CLUB OUTER BREAKWATER LIGHT B | 42-26-00.000N 082-52-13.000W | F R | 8 2 | | | Private aid. |
| 8765 | - YACHT CLUB OUTER BREAKWATER LIGHT C | 42-26-00.000N 082-52-16.000W | F R | 8 2 | | On pile. | Private aid. |
| 8770 | - YACHT CLUB OUTER BREAKWATER LIGHT D | 42-26-00.000N 082-52-17.000W | F G | 8 2 | | | Private aid. |
| 8775 | - YACHT CLUB OUTER BREAKWATER LIGHT E | 42-26-00.000N 082-52-20.000W | F R | 8 2 | | On pile. | Private aid. |
| 8780 | - YACHT CLUB OUTER BREAKWATER LIGHT F | 42-26-02.000N 082-52-25.000W | F R | 8 2 | | | Private aid. |
| Milk River Channel | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1</i> | | | | | | | |
| 8785 | - DRAIN LIGHT 1 | 42-27-36.000N 082-52-21.000W | Fl W 4s | 8 2 | | Black. | Maintained from Apr. 20 to Nov. 20. Private aid. |
| 8790 | - Lighted Buoy 1 | 42-27-36.500N 082-52-17.500W | Q G | | | Green. | Private aid. |
| 8795 | - Lighted Buoy 2 | 42-27-37.100N 082-52-17.000W | Q R | | | Red. | Private aid. |
| 8800 | - Buoy 3 | 42-27-36.800N 082-52-21.200W | | | | Green can. | Private aid. |
| 8805 | - Buoy 4 | 42-27-37.700N 082-52-21.000W | | | | Red nun. | Private aid. |
| 8810 | - Buoy 5 | 42-27-36.800N 082-52-25.000W | | | | Green can. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|---|---------------|--------------|----------------------|---|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Lake St. Clair | | | | | | | |
| Milk River Channel | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1</i> | | | | | | | |
| 8815 | - Buoy 6 | 42-27-38.000N 082-52-25.500W | | | | Red nun. | Private aid. |
| 8820 | - Buoy 7 | 42-27-37.000N 082-52-29.500W | | | | Green can. | Private aid. |
| 8825 | - Buoy 8 | 42-27-38.000N 082-52-29.200W | | | | Red nun. | Private aid. |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| 8850 | <i>Gaukler Shoal Lighted Buoy 1</i> | 42-27-41.816N 082-51-39.234W | Fl G 4s | | 3 | Green. | Maintained from Apr. 21 to Nov. 1. |
| 8855 | <i>Gaukler Shoal Junction Lighted Buoy</i> | 42-28-32.052N 082-51-30.340W | Fl (2+1)G 6s | | 3 | Green and red bands. | Maintained from Apr. 21 to Nov. 1. |
| 8875 | MILLER MEMORIAL LIGHT | 42-27-49.500N 082-52-45.000W | Al WR 10s 0.2s W fl 4.8s ec. 0.2s R fl 4.8s ec. | 270 82 | | | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 8885 | ST. CLAIR SHORES BREAKWATER LIGHT 2 | 42-28-22.296N 082-52-42.633W | Fl R 4s | 16 5 | 5 | TR on pile. | |
| 8890 | MARTIN DRAIN OUTER LIGHT | 42-28-57.500N 082-52-47.800W | Fl W 2.5s | 12 4 | | NW on post. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 8891 | <i>Masonic Country Club Lighted Buoy</i> | 42-31-28.440N 082-52-04.980W | Fl Y 4s | | | | Maintained from Apr. 15 to November 15. Private aid. |
| Macray West Harbor Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 8892 | <i>ACOE LKSTC Water Sensor Buoy 1</i> | 42-32-38.130N 082-49-48.490W | Fl Y 4s | | | | Maintained from Apr. 15 to Dec. 1. Private aid. |
| St. Clair Municipal Park Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 8905 | - Buoy 1 | 42-29-44.000N 082-52-41.000W | | | | Green can. | Private aid. |
| 8910 | - Buoy 2 | 42-29-46.000N 082-52-42.000W | | | | Red nun. | Private aid. |
| 8915 | - Buoy 3 | 42-29-44.000N 082-52-48.000W | | | | Green can. | Private aid. |
| 8920 | - Buoy 4 | 42-29-46.000N 082-52-49.000W | | | | Red nun. | Private aid. |
| 8921 | Point Rosa West Channel Entrance Buoy 1 | 43-34-06.870N 082-49-05.290W | | | | Green can. | Private aid. |
| 8921.1 | Point Rosa West Channel Entrance Buoy 2 | 42-34-06.900N 082-49-04.490W | | | | Red nun. | Private aid. |
| 8921.2 | Point Rosa West Channel Entrance Buoy 3 | 42-34-08.110N 082-49-05.230W | | | | Green can. | Private aid. |
| 8921.3 | Point Rosa West Channel Entrance Buoy 4 | 42-34-08.130N 082-49-04.430W | | | | Red nun. | Private aid. |
| 8921.4 | Point Rosa West Channel Entrance Buoy 5 | 42-34-09.340N 082-49-05.160W | | | | Green can. | Private aid. |
| 8921.5 | Point Rosa West Channel Entrance Buoy 6 | 42-34-09.360N 082-49-04.370W | | | | Red nun. | Private aid. |
| 8921.6 | Point Rosa West Channel Entrance Buoy 7 | 42-34-10.580N 082-49-05.100W | | | | Green can. | Private aid. |
| 8921.7 | Point Rosa West Channel Entrance Buoy 8 | 42-34-10.600N 082-49-04.300W | | | | Red nun. | Private aid. |
| 8922 | Point Rosa East Channel Entrance Buoy 1 | 42-34-06.470N 082-48-48.790W | | | | Green can. | Private aid. |
| 8922.1 | Point Rosa East Channel Entrance Buoy 2 | 42-34-06.490N 082-48-47.990W | | | | Red nun. | Private aid. |
| 8922.2 | Point Rosa East Channel Entrance Buoy 3 | 42-34-07.700N 082-48-48.730W | | | | Green can. | Private aid. |
| 8922.3 | Point Rosa East Channel Entrance Buoy 4 | 42-34-07.720N 082-48-47.930W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---------------------------|---|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| St. Clair Municipal Park Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 8922.4 | Point Rosa East Channel Entrance Buoy 5 | 42-34-08.930N 082-48-48.660W | | | | Green can. | Private aid. |
| 8922.5 | Point Rosa East Channel Entrance Buoy 6 | 42-34-08.950N 082-48-47.880W | | | | Red nun. | Private aid. |
| 8922.6 | Point Rosa East Channel Entrance Buoy 7 | 42-34-10.170N 082-48-48.600W | | | | Green can. | Private aid. |
| 8922.7 | Point Rosa East Channel Entrance Buoy 8 | 42-34-10.190N 082-48-47.800W | | | | Red nun. | Private aid. |
| 8925 | <i>Point Huron Lighted Buoy 1PH</i> | 42-33-12.337N 082-44-51.560W | FI G 2.5s | | 3 | Green. | Maintained from Apr. 21 to Nov. 1. |
| 8926 | <i>Harbor Club South Lighted Buoy 2</i> | 42-33-28.800N 082-50-37.300W | Q R | | | Red. | Maintained from 1 Apr. to 15 Nov. Private aid. |
| 8926.1 | Harbor Club South Unlighted Buoy 4 | 42-33-31.800N 082-50-37.700W | | | | Red nun. | Maintained from 1 Apr. to 15 Nov. Private aid. |
| 8926.2 | <i>Harbor Club South Lighted Buoy 6</i> | 42-33-33.700N 082-50-38.000W | FI R 4s | | | Red. | Maintained from 1 Apr. to 15 Nov. Private aid. |
| Black Creek | | | | | | | |
| 8930 | - RANGE FRONT LIGHT | 42-34-03.200N 087-47-05.000W | FI G 4s | 20 6 | | White diamond daymark. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8935 | - RANGE REAR LIGHT 336 feet, 297.3° from front light. | 42-34-06.200N 082-47-10.300W | F G | 40 12 | | White diamond daymark. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8940 | - <i>Lighted Buoy 1</i> | 42-33-53.800N 082-46-43.600W | FI G 4s | | | Green. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8945 | - <i>Lighted Buoy 2</i> | 42-33-55.700N 082-46-42.500W | FI R 4s | | | Red. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8950 | - Buoy 3 | 42-33-56.000N 082-46-48.300W | | | | Green can. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8955 | - Buoy 4 | 42-33-57.500N 082-46-47.000W | | | | Red nun. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8960 | - Buoy 5 | 42-33-57.500N 082-46-53.000W | | | | Green can. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8965 | - Buoy 6 | 42-33-59.500N 082-46-52.000W | | | | Red nun. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 8970 | HURON POINTE YACHT CLUB BREAKWALL LIGHT | 42-35-36.000N 082-46-51.000W | Q R | 15 5 | | On post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| Harbor Club North Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 30.</i> | | | | | | | |
| 8971 | - <i>Lighted Buoy 1</i> | 42-34-05.000N 082-49-22.500W | FI G 2s | | | Green. | Private aid. |
| 8971.5 | - <i>Lighted Buoy 2</i> | 42-34-05.000N 082-49-20.000W | FI R 2s | | | Red. | Private aid. |
| 8972 | - Buoy 3 | 42-34-07.000N 082-49-22.500W | | | | Green can. | Private aid. |
| 8972.5 | - Buoy 4 | 42-34-07.000N 082-49-20.000W | | | | Red nun. | Private aid. |
| 8973 | - Buoy 5 | 42-34-09.800N 082-49-22.500W | | | | Green can. | Private aid. |
| 8973.5 | - Buoy 6 | 42-34-09.800N 082-49-20.000W | | | | Red nun. | Private aid. |
| Clinton River | | | | | | | |
| <i>Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 8975 | - <i>Entrance Lighted Buoy CR</i> | 42-35-38.694N 082-44-43.446W | Mo (A) W | | 3 | Red and white stripes. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Clinton River | | | | | | | |
| <i>Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 8980 | - Entrance Lighted Buoy 1 | 42-35-36.624N 082-45-44.228W | FI G 4s | | 3 | Green. | |
| 8985 | - Entrance Lighted Buoy 2 | 42-35-39.734N 082-45-43.709W | FI R 4s | | 4 | Red. | |
| 8990 | - Entrance Buoy 3 | 42-35-37.310N 082-45-52.970W | | | | Green can. | |
| 8995 | - Entrance Buoy 4 | 42-35-39.578N 082-45-52.424W | | | | Red nun. | |
| 9000 | - Entrance Buoy 5 | 42-35-38.355N 082-46-01.619W | | | | Green can. | |
| 9005 | - Entrance Buoy 6 | 42-35-39.962N 082-46-00.836W | | | | Red nun. | |
| 9015 | - NORTH BREAKWATER LIGHT | 42-35-41.631N 082-46-12.526W | FI R 2.5s | 26 8 | 4 | TR on post. | |
| 9020 | - SOUTH BREAKWATER LIGHT | 42-35-38.231N 082-46-10.226W | FI G 4s | | 35 11 | SG on green and white cylindrical tower. | |
| 9030 | MACOMB COUNTY SHERIFF LOOKOUT TOWER LIGHT | 42-35-34.200N 082-46-21.000W | FI Y 4s | 46 14 | | Lookout tower. | Private aid. |
| 9035 | - INNER LIGHT | 42-35-42.592N 082-46-32.566W | FI R 4s | 25 8 | 5 | TR on post. | |
| Island Cove Marina | | | | | | | |
| 9038 | - Entrance Lighted Buoy 1 | 42-36-07.440N 082-46-59.760W | FI G 4s | | | Green. | Private aid. |
| 9039 | - Entrance Lighted Buoy 2 | 42-36-09.360N 082-47-01.080W | FI R 4s | | | Red. | Private aid. |
| 9040 | - Entrance Lighted Buoy 3 | 42-36-04.260N 082-47-06.720W | FI G 4s | | | Green. | Private aid. |
| 9041 | - Entrance Lighted Buoy 4 | 42-36-05.280N 082-47-07.440W | FI R 4s | | | Red. | Private aid. |
| 9042 | - Entrance Lighted Buoy 5 | 42-36-00.480N 082-47-15.120W | FI G 4s | | | Green. | Private aid. |
| 9043 | - Entrance Lighted Buoy 6 | 42-36-00.540N 082-47-17.280W | FI R 4s | | | Red. | Private aid. |
| 9044 | - Entrance Lighted Buoy 7 | 42-35-57.960N 082-47-17.040W | FI G 4s | | | Green. | Private aid. |
| 9045 | - Entrance Lighted Buoy 8 | 42-35-57.900N 082-47-18.600W | FI R 4s | | | Red. | Private aid. |
| 9046 | - Entrance Lighted Buoy 9 | 42-35-55.000N 082-47-17.000W | FI G 4s | | | Green | Private aid. |
| 9047 | - Entrance Lighted Buoy 10 | 42-35-55.000N 082-47-19.000W | FI R 4s | | | Red. | Private aid. |
| 9048 | - Entrance Lighted Buoy 11 | 42-35-51.000N 082-47-18.000W | FI G 4s | | | Green. | Private aid. |
| 9049 | - Entrance Lighted Buoy 12 | 42-35-51.000N 082-47-19.000W | FI R 4s | | | Red. | Private aid. |
| Belle Maer Marina | | | | | | | |
| <i>Aids to navigation maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 9070 | - RANGE FRONT LIGHT | 42-36-15.654N 082-47-38.916W | F G | 15 5 | | White diamond shaped daymark with red and black in center on post. | Private aid. |
| 9075 | - RANGE REAR LIGHT 450 feet, 203.5° from front light. | 42-36-10.380N 082-47-42.930W | F G | 25 8 | | White diamond shaped daymark with red and black in center on post. | Private aid. |
| 9080 | - Lighted Buoy 1 | 42-36-32.500N 082-47-28.800W | FI G 4s | | | Green. | Private aid. |
| 9085 | - Lighted Buoy 2 | 42-36-32.500N 082-47-30.500W | FI R 4s | | | Red. | Private aid. |
| 9090 | - Buoy 3 | 42-36-25.800N 082-47-32.500W | | | | Green can. | Private aid. |
| 9095 | - Buoy 4 | 42-36-25.800N 082-47-34.000W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Macray East Harbor Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 9100 | - Lighted Buoy 1 | 42-36-32.500N 082-47-52.500W | FI G 2.5s | | | Green. | Private aid. |
| 9105 | - Buoy 2 | 42-36-32.900N 082-47-55.000W | | | | Red nun. | Private aid. |
| 9110 | - Buoy 3 | 42-36-27.500N 082-47-55.500W | | | | Green can. | Private aid. |
| 9115 | - Buoy 4 | 42-36-28.300N 082-47-56.500W | | | | Red nun. | Private aid. |
| Macray West Harbor Entrance | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 9120 | - Lighted Buoy 1 | 42-36-39.000N 082-48-09.500W | | | | Green. | Private aid. |
| 9125 | - Buoy 2 | 42-36-40.000N 082-48-12.300W | | | | Red nun. | Private aid. |
| 9130 | - Buoy 3 | 42-36-35.000N 082-48-12.500W | | | | Green can. | Private aid. |
| 9135 | - Buoy 4 | 42-36-36.000N 082-48-14.200W | | | | Red nun. | Private aid. |
| Selfridge Field | | | | | | | |
| 9140 | - SOUTHEAST BREAKWATER LIGHT | 42-36-36.031N 082-48-48.026W | FI Y 6s | 11 3 | 5 | On post. | |
| 9150 | - NORTHWEST BREAKWATER LIGHT | 42-36-42.031N 082-48-54.026W | FI Y 6s | 11 3 | 5 | On post. | |
| Selfridge Launch Facility | | | | | | | |
| 9162 | SELFRIDGE MARINA SOUTH BREAKWALL LIGHT 1 | 42-36-57.931N 082-49-06.026W | FI G 4s | | 20 6 | 5 | SG on pile. |
| 9163 | SELFRIDGE MARINA NORTH BREAKWATER LIGHT 2 | 42-36-59.031N 082-49-06.026W | FI R 4s | | 20 6 | 4 | TR on pile. |
| 9165 | - Buoy 1 | 42-37-04.800N 082-49-00.600W | | | | Green can. | Private aid. |
| 9170 | - Buoy 2 | 42-37-48.000N 082-49-06.000W | | | | Red cylinders. | Private aid. |
| 9175 | - Buoy 3 | 42-37-35.500N 082-49-05.000W | | | | Green can. | Private aid. |
| 9180 | - Buoy 4 | 42-37-48.000N 082-49-06.000W | | | | Red cylinders. | Private aid. |
| 9185 | - Buoy 5 | 42-37-35.500N 082-49-07.000W | | | | Green can. | Private aid. |
| 9190 | - Buoy 6 | 42-37-48.000N 082-49-06.000W | | | | Red cylinders. | Private aid. |
| 9195 | - ENTRANCE LIGHT 2 | 42-37-47.000N 082-49-00.000W | FI R 4s | | 28 9 | | On breakwall. Maintained from May 1 to Nov. 1. Private aid. |
| 9200 | SALT RIVER RANGE FRONT LIGHT | 42-39-16.000N 082-47-05.000W | F G | | 16 5 | | White daymark with orange diamond on pile. Maintained from Jun. 15 to Nov. 15. Private aid. |
| 9205 | SALT RIVER RANGE REAR LIGHT 295 feet, 018° from front light. | 42-39-18.300N 082-47-04.400W | F G | | 26 8 | | White daymark with orange diamond on pile. Maintained from Jun. 15 to Nov. 15. Private aid. |
| Bouvier Bridge Marina Channel | | | | | | | |
| <i>Channel marked by 18 lighted and unlighted buoys maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 9259 | - Lighted Buoy 1 | 42-40-13.277N 082-38-03.190W | FI G 2.5s | | | Green. | Private aid. |
| 9260 | - Lighted Buoy 2 | 42-40-11.734N 082-38-03.873W | FI R 2.5s | | | Red. | Private aid. |
| 9265 | <i>Fair Haven Entrance Lighted Buoy 1FH</i> | 42-40-03.350N 082-38-29.613W | FI G 4s | | | 3 | Green. Maintained from Apr. 21 to Nov. 1. |
| 9295 | CHATEAU MARINA LIGHT 1 | 42-41-13.000N 082-42-19.000W | F G | | 8 2 | | SG on pile. Maintained from Apr. 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ST. CLAIR | | | | | | | |
| LAKE ST. CLAIR (Charts 14850, 14853) | | | | | | | |
| Bouvier Bridge Marina Channel | | | | | | | |
| <i>Channel marked by 18 lighted and unlighted buoys maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 9300 | CHATEAU MARINA LIGHT 2 | 42-41-12.100N 082-42-19.500W | F R | 8 2 | | TR on pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| North Channel Entrance | | | | | | | |
| <i>Position of unlighted buoys frequently shifted with changing conditions. Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9305 | - Lighted Buoy 2NC | 42-37-32.531N 082-43-03.826W | FI R 4s | | 3 | Red. | |
| 9310 | - Buoy 3 | 42-37-50.115N 082-42-49.081W | | | | Green can. | |
| 9320 | - Buoy 5 | 42-38-04.531N 082-42-24.826W | | | | Green can. | |
| 9325 | - Buoy 6 | 42-38-03.108N 082-42-20.319W | | | | Red nun. | |
| 9327 | - Buoy 6A | 42-38-14.816N 082-41-55.994W | | | | Red nun. | |
| 9330 | - Buoy 7 | 42-38-21.791N 082-41-52.617W | | | | Green can. | |
| 9335 | - Channel Lighted Buoy 8 | 42-38-20.312N 082-41-51.050W | FI R 2.5s | | 4 | Red nun. | |
| 9340 | - Buoy 9 | 42-38-28.130N 082-41-47.545W | | | | Green can. | |
| 9345 | - Buoy 10 | 42-38-26.758N 082-41-45.620W | | | | Red nun. | |
| 9347 | - Channel Lighted Buoy 11 | 42-38-33.397N 082-41-40.286W | FI G 2.5s | | 4 | Green can. | |
| 9350 | - Channel Lighted Buoy 12 | 42-38-33.466N 082-41-32.018W | Q R | | 4 | Red nun. | |
| 9355 | - Lighted Buoy 13 | 42-38-37.222N 082-41-27.136W | FI G 4s | | 3 | Green. | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| <i>Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9360 | North Channel Buoy 14 | 42-38-34.036N 082-41-08.373W | | | | Red nun. | |
| 9365 | North Channel Buoy 15 | 42-38-39.451N 082-40-57.515W | | | | Green can. | |
| 9370 | North Channel Entrance Channel Lighted Buoy 17 | 42-38-42.123N 082-40-25.193W | FI G 4s | | 4 | Green can. | |
| 9375 | North Channel Buoy 18 | 42-38-33.339N 082-40-44.673W | | | | Red nun. | |
| 9380 | North Channel Buoy 19 | 42-38-39.564N 082-40-04.676W | | | | Green can. | |
| 9385 | North Channel Lighted Buoy 20 | 42-38-33.882N 082-40-09.328W | FI R 4s | | 3 | Red. | |
| 9387 | North Channel Buoy 22 | 42-38-26.831N 082-39-55.826W | | | | Red nun. | |
| 9390 | BELVIDERE BOAT CLUB LIGHT | 42-38-01.200N 082-39-29.000W | F R | 16 5 | | Small house with red and white stripes. | Maintained from May 15 to Nov. 1. Private aid. |
| 9395 | NORTH CHANNEL YACHT CLUB LIGHT 1 | 42-37-40.000N 082-38-52.300W | F G | 7 2 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 9400 | NORTH CHANNEL YACHT CLUB LIGHT 2 | 42-37-39.800N 082-38-53.800W | F R | 7 2 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| Sassy Marine | | | | | | | |
| <i>Aids maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 9405 | - WEST ENTRANCE LIGHT 1 | 42-37-20.000N 082-37-09.000W | F G | 6 2 | | On pile. | Private aid. |
| 9410 | - WEST ENTRANCE LIGHT 2 | 42-37-21.000N 082-37-09.000W | F R | 8 2 | | On pile. | Private aid. |
| 9415 | - EAST ENTRANCE LIGHT 1 | 42-37-18.000N 082-37-04.000W | F G | 8 2 | | On pile. | Private aid. |
| 9420 | - EAST ENTRANCE LIGHT 2 | 42-37-16.000N 082-37-04.000W | F R | 7 2 | | On pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|-----------------------|----------------|
| LAKE ST. CLAIR | | | | | | | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| Sassy Marine | | | | | | | |
| <i>Aids maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 9425 | Algonac Harbor Buoy 1 | 42-36-36.000N 082-32-54.000W | | | | Green spar. | Private aid. |
| 9430 | Algonac Harbor Buoy 2 | 42-36-35.000N 082-32-53.100W | | | | Red spar. | Private aid. |
| Middle Channel Entrance | | | | | | | |
| <i>Position of unlighted buoys frequently shifted with changing conditions. Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9435 | - Lighted Buoy 1MC | 42-33-45.826N 082-43-57.639W | FI G 4s | | 3 | Green. | |
| 9440 | - Lighted Buoy 2 | 42-33-50.301N 082-43-20.242W | FI R 4s | | 3 | Red. | |
| 9445 | - Buoy 3 | 42-33-53.826N 082-43-18.168W | | | | Green can. | |
| 9450 | - Buoy 4 | 42-33-36.150N 082-43-06.313W | | | | Red nun. | |
| 9455 | - Buoy 5 | 42-33-39.068N 082-43-05.192W | | | | Green can. | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| <i>Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9460 | Middle Channel Lighted Buoy 6 | 42-33-21.487N 082-42-47.530W | FI R 2.5s | | 3 | Red. | |
| 9465 | Middle Channel Buoy 7 | 42-33-27.646N 082-42-46.922W | | | | Green can. | |
| 9470 | Middle Channel Buoy 8 | 42-33-18.952N 082-42-21.006W | | | | Red nun. | |
| 9475 | Middle Channel Buoy 9 | 42-33-23.146N 082-42-20.613W | | | | Green can. | |
| 9480 | Middle Channel Buoy 10 | 42-33-17.866N 082-41-54.974W | | | | Red nun. | |
| 9485 | Middle Channel Buoy 11 | 42-33-23.052N 082-41-54.989W | | | | Green can. | |
| 9490 | Middle Channel Lighted Buoy 12 | 42-33-20.176N 082-41-29.903W | FI R 4s | | 3 | Red. | |
| Clinton River Boat Club | | | | | | | |
| <i>Aids maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 9495 | - South Entrance Buoy 4 | 42-33-33.800N 082-40-59.500W | | | | Red nun. | Private aid. |
| 9500 | - South Entrance Buoy 3 | 42-33-35.000N 082-40-56.000W | | | | Green can. | Private aid. |
| 9505 | - Entrance Buoy 2 | 42-33-48.000N 082-40-44.000W | | | | Red nun. | Private aid. |
| 9510 | - Entrance Buoy 1 | 42-33-49.000N 082-40-42.500W | | | | Green can. | Private aid. |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| <i>Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9515 | Middle Channel Buoy 13 | 42-34-28.155N 082-40-04.627W | | | | Green can. | |
| 9520 | Middle Channel Buoy 14 | 42-35-05.761N 082-38-49.326W | | | | Red nun. | |
| 9525 | Dickinson Island Junction Lighted Buoy | 42-37-03.954N 082-35-01.398W | FI (2+1)R 6s | | 4 | Red and green bands. | |
| St. Clair Flats Old Channel | | | | | | | |
| <i>Position of buoys frequently shifted with changing conditions. Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9530 | - Lighted Buoy 2OC | 42-31-36.158N 082-42-41.901W | FI R 4s | | 3 | Red. | |
| 9535 | - Buoy 3 | 42-31-45.848N 082-42-39.902W | | | | Green can. | |
| 9540 | - Buoy 4 | 42-31-58.958N 082-42-07.701W | | | | Red nun. | |
| 9545 | - Buoy 6 | 42-32-10.958N 082-41-40.200W | | | | Red nun. | |
| 9550 | - LIGHT | 42-32-16.401N 082-41-35.856W | FI W 4s | 28 9 | 6 | Yellow tower on crib. | |
| 9560 | - Buoy 8 | 42-32-12.318N 082-41-27.310W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE ST. CLAIR | | | | | | | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| St. Clair Flats Old Channel | | | | | | | |
| <i>Position of buoys frequently shifted with changing conditions. Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9565 | - Buoy 10 | 42-32-11.285N 082-41-17.411W | | | | Red nun. | |
| St. Clair Flats Canal | | | | | | | |
| 9570 | - Buoy 1 | 42-31-11.507N 082-41-18.764W | | | | Green can. | |
| 9575 | ST CLAIR FLATS DANGER LIGHT | 42-31-06.712N 082-41-12.046W | FI (2)W 5s | 28 9 | 8 | NW on post marking submerged jetty worded DANGER ROCKS. | |
| 9580 | - Buoy 5 | 42-31-37.819N 082-40-48.883W | | | | Green can. | |
| 9585 | - Lighted Buoy 4 | 42-31-17.076N 082-41-03.492W | FI R 2.5s | | 4 | Red. | Maintained from Apr. 7 to Dec. 14. |
| 9590 | - Lighted Buoy 7 | 42-32-05.138N 082-40-14.477W | FI G 4s | | 4 | Green. | Maintained from Apr. 7 to Dec. 14. |
| 9595 | OLD CLUB BREAKWATER LOWER LIGHT | 42-32-21.000N 082-39-59.500W | F W | 10 3 | | On pile cluster. | Private aid. |
| 9600 | OLD CLUB BREAKWATER UPPER LIGHT | 42-32-28.100N 082-39-54.000W | F W | 10 3 | | On pile cluster. | Private aid. |
| 9605 | MAYBURY HIGHWAY LIGHT 10 (C) | 42-33-18.031N 082-38-18.026W | FI R 4s | 24 7 | | White square tower with red top. | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| <i>Buoys maintained from Apr. 21 to Nov. 1.</i> | | | | | | | |
| 9630 | ST. CLAIR FLATS LIGHT 13 | 42-33-28.231N 082-37-21.926W | F G | 24 7 | 6 | SG on post. | |
| 9635 | Schneider Marina Buoy 1 | 42-33-20.600N 082-36-59.600W | | | | Green can. | Maintained from May 15 to Nov. 1. Private aid. |
| 9640 | Schneider Marina Buoy 2 | 42-33-20.000N 082-36-58.500W | | | | Red barrel. | Maintained from May 15 to Nov. 1. Private aid. |
| 9645 | SOUTHEAST BEND LIGHT 16 (C) | | FI R 4s | 23 7 | | White square tower with red top. | |
| 9650 | HARSENS ISLAND LIGHT 17 | 42-33-01.790N 082-36-29.005W | FI G 4s | 27 8 | 4 | SG on pile. | |
| ST. CLAIR RIVER | | | | | | | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| 9655 | HARSENS ISLAND RANGE FRONT LIGHT | 42-34-20.653N 082-34-32.752W | F G | 27 8 | | White cylindrical tower. | |
| 9660 | HARSENS ISLAND RANGE REAR LIGHT 524 feet, 023.5° from front light. | 42-34-25.438N 082-34-29.969W | F G | 38 12 | | White cylindrical tower. | Light visible 360°. Higher intensity on range line. |
| 9665 | South Channel Lighted Buoy 15 | 42-33-23.007N 082-35-09.338W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. |
| 9670 | South Channel Lighted Buoy 16 | 42-33-20.255N 082-35-01.990W | FI R 4s | | 4 | Red. | Year round buoy unlighted from Dec. 21 to Apr. 1. |
| 9675 | South Channel Lighted Buoy 17 | 42-33-54.366N 082-34-55.089W | FI G 4s | | 4 | Green. | |
| South Channel | | | | | | | |
| 9680 | LIGHT A20 (C) | 42-33-48.031N 082-34-48.025W | Q R | 33 10 | | White square tower with red stripes on corners. | |
| 9685 | Lighted Buoy A22 (C) | 42-34-06.531N 082-34-29.225W | FI R 4s | | | Red. | Seasonal. |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| 9690 | GRANDE POINTE LIGHT 23 | 42-35-07.143N 082-33-23.571W | FI G 6s | 28 9 | 7 | SG on dolphin. | |
| South Channel | | | | | | | |
| 9695 | Lighted Buoy A24 (C) | | FI R 4s | | | Red. | Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| ST. CLAIR RIVER | | | | | | | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| South Channel | | | | | | | |
| 9700 | ST. CLAIR RIVER LIGHT A26 (C) | 42-35-30.031N 082-32-42.025W | Q R | 39 12 | | White circular tower with red top. | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| 9705 | <i>Grande Pointe Lighted Buoy 27</i> | 42-35-42.625N 082-32-43.528W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 21 to Apr. 1. |
| 9710 | <i>Russell Island Lighted Buoy 29</i> | 42-36-20.355N 082-31-41.588W | FI G 4s | | 4 | Green. | Year round lighted buoy. |
| South Channel | | | | | | | |
| 9715 | <i>Walpole Island Lighted Buoy A30 (C)</i> | 42-36-12.031N 082-31-30.025W | FI R 4s | | | Red. | Seasonal. |
| 9720 | Walpole Island Light (C) | 42-36-18.031N 082-31-24.025W | F R | 30 9 | 10 | White circular tower with red top. | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| 9725 | RUSSELL ISLAND LIGHT | 42-36-20.819N 082-31-45.254W | F G | 33 10 | | SG on post. | 360 Degree F G |
| South Channel | | | | | | | |
| 9730 | Walpole Island Lower Light A32 (C) | 42-36-42.031N 082-31-06.025W | Iso R 4s | 18 5 | 12 | White square tower with red top. | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| 9735 | RUSSELL ISLAND LIGHT 33 | 42-36-48.704N 082-31-17.751W | FI G 2.5s | 26 8 | 7 | SG on post. | |
| South Channel | | | | | | | |
| 9740 | WALPOLE ISLAND FERRY BREAKWATER LIGHT (C) | 42-36-54.031N 082-30-54.025W | FI R 4s | 11 3 | | On pile dolphin. | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| 9745 | <i>Russell Island Shoal Lighted Buoy RI</i> | 42-37-20.384N 082-31-03.389W | FI (2+1)G 6s | | 4 | Green and red bands. | Replaced by can from Dec. 21 to Apr. 1. AIS MMSI: 993672214 |
| South Channel | | | | | | | |
| 9750 | WALPOLE ISLAND UPPER LIGHT A34 (C) | 42-37-18.031N 082-30-42.025W | FI R 4s | 23 7 | | White square tower with red top. | |
| St. Clair River | | | | | | | |
| 9755 | <i>Chenal Ecarte Shoal Lighted Buoy A36 (C)</i> | 42-38-12.831N 082-30-35.425W | FI R 4s | | | Red. | Seasonal. |
| 9760 | CHENAL ECARTE RANGE FRONT LIGHT (C) | 42-38-12.031N 082-30-06.025W | F R | 17 5 | | Orange triangular daymark with black stripe on circular tower. | Visible on range line only. Seasonal. |
| 9765 | CHENAL ECARTE RANGE REAR LIGHT (C) 200 feet, 138.3° from front light. | | F R | 37 11 | | Orange triangular daymark with black stripe on circular tower. | Visible on range line only. Seasonal. |
| 9770 | WILLOW POINT LIGHT | 42-38-38.555N 082-30-45.768W | F G | 31 9 | 8 | SG on post. | |
| 9775 | <i>Roberts Landing Lighted Buoy 37</i> | 42-39-47.202N 082-30-48.252W | FI G 4s | | 4 | Green. | Year round buoy unlighted from Dec. 21 to Apr. 1. |
| 9780 | <i>Fawn Island Lighted Buoy 38</i> Marks south side of shoal. | 42-40-55.952N 082-30-11.696W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 1. AIS MMSI: 993672234 |
| Marine City | | | | | | | |
| 9785 | - SALT DOCK LIGHT | 42-41-16.765N 082-30-20.594W | F G | 28 9 | 8 | SG on post. | |
| 9790 | - <i>Shoal Lighted Buoy 40</i> | 42-42-03.752N 082-29-44.898W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 1. AIS MMSI: 993672235 |
| Marine City Channel <i>Buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 9795 | - Buoy 1 | 42-42-06.000N 082-30-03.200W | | | | Green can. | Private aid. |
| 9800 | - Buoy 2 | 42-42-07.000N 082-30-01.000W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. CLAIR RIVER | | | | | | | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| St. Clair River | | | | | | | |
| Marine City Channel | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 9805 | - Buoy 3 | 42-42-07.000N 082-30-03.000W | | | | Green can. | Private aid. |
| 9810 | - Buoy 4 | 42-42-08.000N 082-30-01.900W | | | | Red nun. | Private aid. |
| 9815 | - Buoy 5 | 42-42-07.500N 082-30-03.600W | | | | Green can. | Private aid. |
| 9820 | - Buoy 6 | 42-42-08.200N 082-30-02.500W | | | | Red nun. | Private aid. |
| St. Clair River | | | | | | | |
| 9825 | <i>Fawn Island Upper End Lighted Buoy 42</i> | 42-43-12.251N 082-29-05.199W | Q R | | 4 | Red. | Year round buoy unlighted from Dec. 21 to Apr. 1. |
| 9833 | <i>Lighted Buoy A 42/2 (C)</i> | 42-44-05.031N 082-28-47.025W | FI R 4s | | | Red. | Seasonal. |
| 9835 | KESSEL POINT LIGHT (C) | 42-45-06.031N 082-27-54.025W | F Y | 30 9 | 8 | Orange diamond daymark on white square skeleton mast. | |
| 9840 | RECORDS POINT DOCK LOWER LIGHT | 42-45-31.900N 082-28-20.700W | FI G 4s | 30 9 | | On white post. | Private aid. |
| 9845 | <i>Records Point Lighted Buoy A44 (C)</i> | 42-45-41.331N 082-27-54.525W | FI R 4s | | | Red. | Seasonal. |
| 9850 | RECORDS POINT DOCK UPPER LIGHT | 42-45-53.200N 082-28-13.400W | Iso G 2s | 30 9 | | On white post. | Private aid. |
| 9855 | BOWENS CREEK DIRECTIONAL LIGHT (C) | 42-46-12.031N 082-27-48.026W | F Y | 28 9 | | White circular tower with red top. | Higher intensity beam on on bearings 022° and 159°. |
| 9860 | HARTS LANDING LIGHT | 42-47-02.781N 082-28-27.266W | FI G 6s | 26 8 | 8 | SG on dolphin. | |
| 9865 | <i>Harts Landing Lighted Buoy A46 (C)</i> | 42-47-18.031N 082-28-18.026W | FI R 4s | | | Red. | Seasonal. |
| 9870 | COURTRIGHT LIGHT (C) | 42-48-24.031N 082-28-42.026W | F Y | 20 6 | 7 | White skeleton tower on dolphin. | |
| 9875 | <i>St. Clair Middle Ground Lighted Buoy 48</i> | 42-48-51.247N 082-28-51.511W | Q R | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 1. |
| 9880 | <i>St. Clair Middle Ground Lighted Buoy 50</i> | 42-49-25.246N 082-28-53.512W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 1. |
| 9885 | <i>St. Clair Middle Ground Lighted Buoy 52</i> | 42-49-40.046N 082-28-49.512W | Q R | | 4 | Red. | Year round lighted buoy. AIS MMSI: 993672215 |
| 9890 | MOORETOWN LIGHT (C) | 42-50-24.031N 082-28-06.026W | FI Y 4s | 30 9 | 8 | White circular tower with red top. | |
| 9895 | <i>St. Clair Middle Ground Lighted Buoy A54 (C)</i> | 42-50-30.031N 082-28-15.526W | Q R | | | Red. | Seasonal. |
| 9900 | <i>Stag Island Lower Lighted Buoy 55</i> | 42-51-10.650N 082-28-17.113W | FI G 4s | | 4 | Green. | Maintained from Apr. 1 to Dec. 21. |
| 9905 | <i>Stag Island Shoal Lower Junction Lighted Buoy AMB (C)</i> | 42-51-23.031N 082-28-03.726W | FI (2+1) R 6s | | | Red with green band. | Seasonal. |
| 9910 | STAG ISLAND SHOAL LIGHT (C) Marks south side of shoal. | 42-51-54.031N 082-28-00.026W | FI W 4s | 22 7 | 4 | White circular tower. | |
| 9925 | STAG ISLAND MIDDLE LIGHT | 42-53-09.434N 082-28-30.986W | Oc G 4s | 16 5 | 8 | SG on skeleton tower. | Higher intensity beam upstream. |
| 9930 | <i>Stag Island Shoal Lighted Buoy 56</i> | 42-52-20.140N 082-28-13.316W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 1. |
| 9935 | <i>Stag Island Lighted Buoy 58</i> | 42-53-19.943N 082-28-14.017W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 1. AIS MMSI: 993672216 |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| ST. CLAIR RIVER | | | | | | | |
| ST. CLAIR RIVER (Chart 14852) | | | | | | | |
| St. Clair River | | | | | | | |
| 9940 | <i>Stag Island North Cardinal Lighted Buoy Am (C)</i> | 42-54-19.831N 082-27-44.026W | Q W | | | Black and yellow. | Spar; winter marker. Seasonal. |
| 9945 | STAG ISLAND UPPER LIGHT | 42-54-25.153N 082-27-57.678W | FI G 2.5s | 26 8 | 6 | SG on post. | Higher intensity beam up and downstream. |
| 9950 | <i>Lighted Buoy A60 (C)</i> | 42-55-13.031N 082-27-23.026W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 9955 | <i>Stag Island North End Lighted Buoy AM3 (C)</i> | 42-53-42.031N 082-27-36.026W | FI G 4s | | | Green. | Spar; winter marker. Seasonal. |
| 9965 | BLACK RIVER ENTRANCE LIGHT 1 | 42-58-21.331N 082-25-09.626W | FI G 4s | 29 9 | 3 | SG on pile. | |
| 9970 | <i>Sarnia Breakwater Junction Lighted Buoy AHB (C)</i> | | FI (2+1) R 6s | | | Red with green band. | Spar; winter marker. Seasonal. |
| 9975 | <i>Point Edward Lighted Buoy A66 (C)</i> | 42-59-18.031N 082-25-18.026W | FI R 4s | | | Red. | Seasonal. |
| 9980 | <i>Point Edward Lighted Buoy A68 (C)</i> | 42-59-36.031N 082-25-24.026W | Q R | | | Red. | Spar; winter marker. Seasonal. |
| 9990 | FORT GRATIOT RANGE FRONT LIGHT | 42-59-36.186N 082-25-38.456W | F G | 41 13 | | KRW with 12 foot vertical bar light on brown cylindrical tower. | Port Huron-Sarnia Bridge center span lights (Oc G) are on Fort Gratiot range line. Lighted throughout 24 hours. |
| 9995 | FORT GRATIOT RANGE FRONT PASSING LIGHT | 42-59-36.186N 082-25-38.456W | F G | 44 13 | 9 | On same structure as Fort Gratiot Range Front Light. | |
| 10000 | FORT GRATIOT RANGE REAR LIGHT 460 feet, 207.6° from front light. | 42-59-32.160N 082-25-41.326W | F G | 52 16 | | KRW with 12 foot vertical bar light on brown octagonal tower. | Port Huron-Sarnia Bridge center span lights (Oc G) are on Fort Gratiot range line. Lighted throughout 24 hours. |
| LAKE HURON | | | | | | | |
| LAKE HURON (Chart 14860) | | | | | | | |
| 10010 | <i>NOAA Lighted Weather Buoy 45008</i> | 44-17-00.032N 082-24-59.026W | FI (4)Y 20s | | | Yellow disc-shaped hull. | Maintained from May. 14 to Nov 14. Aid maintained by National Oceanic and Atmospheric Administration. |
| PORT HURON TO PTE AUX BARQUES (Chart 14862) | | | | | | | |
| 10015 | Fort Gratiot Light | 43-00-22.627N 082-25-21.112W | FI G 6s | | 16 | White conical brick tower. | Station will give available information on fog conditions in upper river by radiotelephone when requested, (156.80 MHz). Lighted throughout 24 hours. |
| 10025 | POINT EDWARD RANGE FRONT LIGHT (C) | 43-00-12.031N 082-25-00.026W | F R | 42 13 | | Orange triangular daymark with black vertical stripe on white circular tower with red band at top. | RACON: M (- -) Visible from all points of approach. |
| 10030 | POINT EDWARD RANGE REAR LIGHT (C) 2,140 feet, 180.4° from front light. | | F R | 120 37 | | Orange triangular daymark, with black vertical stripe mounted on International Bridge. | Visible on range line only. |
| Lake Huron Cut <i>Lighted buoys maintained from Apr. 1 to Dec. 21 unless otherwise noted.</i> | | | | | | | |
| 10035 | - <i>Lighted Buoy 1</i> | 43-00-33.328N 082-25-04.199W | Q G | | 5 | Green. | AIS MMSI: 993672236 |
| 10040 | - <i>Lighted Buoy 2 (C)</i> | 43-00-32.831N 082-24-53.626W | Q R | | | Red. | Spar; winter marker. |
| 10045 | - <i>Lighted Buoy 3</i> | 43-01-47.147N 082-25-03.271W | FI G 4s | | 4 | Green. | |
| 10050 | - <i>Lighted Buoy 4</i> | 43-01-47.147N 082-24-52.790W | FI R 4s | | 4 | Red. | |
| 10055 | - <i>Lighted Buoy 5</i> | 43-02-40.467N 082-25-03.012W | FI G 4s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------|--|
| LAKE HURON | | | | | | | |
| PORT HURON TO PTE AUX BARQUES (Chart 14862) | | | | | | | |
| Lake Huron Cut | | | | | | | |
| <i>Lighted buoys maintained from Apr. 1 to Dec. 21 unless otherwise noted.</i> | | | | | | | |
| 10060 | - Lighted Buoy 6 | 43-02-40.527N 082-24-52.281W | FI R 4s | | 4 | Red. | |
| 10065 | - LIGHT 7 | 43-03-34.869N 082-25-04.007W | Q G | 47 14 | 10 | SG on cylindrical tower. | |
| 10070 | - Lighted Buoy 8 | 43-03-34.832N 082-24-51.236W | Q R | | 4 | Red. | Replaced by nun from Dec. 21 to Apr. 1. |
| 10075 | - Lighted Buoy 9 | 43-04-26.176N 082-24-56.003W | FI G 4s | | 4 | Green. | |
| 10080 | - Lighted Buoy 10 | 43-04-25.496N 082-24-45.183W | FI R 4s | | 4 | Red. | |
| 10085 | - Lighted Buoy 11 | 43-05-28.435N 082-24-47.687W | FI G 4s | | 5 | Green. | AIS MMSI: 993672217 |
| 10090 | - Lighted Buoy 12 | 43-05-27.965N 082-24-37.153W | FI R 4s | | 5 | Red. | AIS MMSI: 993672218 |
| LAKE HURON, CANADA | | | | | | | |
| PORT HURON TO PTE AUX BARQUES (Chart 14862) | | | | | | | |
| East Side | | | | | | | |
| 10093 | GLWA Lakeport Weather Buoy 1 | 43-07-38.290N 082-23-29.190W | FI Y 4s | | | | Maintained from May.1 to Nov.30. Private aid. |
| LAKE HURON | | | | | | | |
| PORT HURON TO PTE AUX BARQUES (Chart 14862) | | | | | | | |
| Lexington Harbor | | | | | | | |
| 10095 | - EAST BREAKWATER LIGHT 2 | 43-15-59.831N 082-31-22.256W | FI R 2.5s | 29 9 | 5 | TR on post. | |
| 10100 | - WEST BREAKWATER LIGHT 3 | 43-16-02.851N 082-31-24.776W | FI G 4s | 25 8 | 4 | SG on post. | |
| Port Sanilac | | | | | | | |
| 10115 | - Light | 43-25-44.461N 082-32-24.736W | FI W 2.5s | 69 21 | 14 | White octagonal tower. 69 | |
| 10120 | - NORTH BREAKWATER LIGHT 2 | 43-25-49.021N 082-32-05.326W | FI R 4s | 35 11 | 7 | TR on pile. | |
| 10125 | - SOUTH BREAKWATER LIGHT 3 | 43-25-51.731N 082-32-09.006W | FI G 4s | 29 9 | 5 | SG on pile. | |
| Wagener County Park | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 10126 | - Buoy 1 | 43-46-12.000N 082-36-54.000W | | | | Green can. | Private aid. |
| 10126.5 | - Buoy 2 | 43-46-12.000N 082-36-54.000W | | | | Red nun. | Private aid. |
| 10127 | - Buoy 3 | 43-46-12.000N 082-36-54.000W | | | | Green can. | Private aid. |
| 10127.5 | - Buoy 4 | 43-46-12.000N 082-36-54.000W | | | | Red nun. | Private aid. |
| 10128 | - Buoy 5 | 43-46-12.000N 082-36-54.000W | | | | Green can. | Private aid. |
| 10128.5 | - Buoy 6 | 43-46-12.000N 082-36-54.000W | | | | Red nun. | Private aid. |
| 10129 | White Rock Shoal Lighted Buoy 3 | 43-43-59.031N 082-35-19.026W | FI G 4s | | 4 | Green. | Maintained from May 1 to Nov. 1. |
| Harbor Beach | | | | | | | |
| 10130 | - LIGHT "2" | 43-50-44.228N 082-37-52.112W | FI R 6s | 20 6 | 8 | TR on navigation pole | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 10133 | - LIGHT | 43-50-44.299N 082-37-53.102W | FI W 6s | 54 16 | | | Private aid. |
| 10140 | - South Pier Light 1 | 43-50-37.733N 082-37-51.996W | FI G 4s | 27 8 | 11 | SG on post. | |
| 10145 | - Buoy 3 | 43-50-38.777N 082-38-05.412W | | | | Green can. | Maintained from 21 Apr to 01 Nov |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|--|---------------|--------------|---|------------------------------------|
| LAKE HURON | | | | | | | |
| PORT HURON TO PTE AUX BARQUES (Chart 14862) | | | | | | | |
| Harbor Beach | | | | | | | |
| 10150 | - Lighted Buoy 4 | 43-50-43.746N 082-37-54.375W | Fl R 2.5s | | 4 | Red nun. | Maintained from 21 Apr to 01 Nov |
| 10155 | - Buoy 5 | 43-51-00.402N 082-38-15.057W | | | | Green can. | Maintained from 21 Apr to 01 Nov |
| 10161 | - Buoy 7 | 43-51-12.717N 082-38-27.734W | | | | Green can. | Maintained 21 Apr. to 01 Nov. |
| 10162 | - Buoy 9 | 43-51-18.274N 082-38-37.262W | | | | Green can. | Maintained 21 Apr. to 01 Nov |
| Offshore Marine | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 10165 | - Buoy 1 | 43-50-56.100N 082-38-36.800W | | | | Green spar. | Private aid. |
| 10170 | - Buoy 2 | 43-50-59.000N 082-32-55.000W | | | | Red spar. | Private aid. |
| 10175 | - Buoy 3 | 43-50-56.100N 082-38-39.800W | | | | Green spar. | Private aid. |
| 10180 | - Buoy 4 | 43-50-56.100N 082-38-58.000W | | | | Red spar. | Private aid. |
| 10185 | - Buoy 5 | 43-50-56.100N 082-38-42.200W | | | | Green spar. | Private aid. |
| 10190 | - Buoy 6 | | | | | Red spar. | Private aid. |
| Stafford County Park | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 10202.1 | - Buoy 1 | 43-56-36.000N 082-42-24.000W | | | | Green can. | Private aid. |
| 10202.2 | - Buoy 2 | 43-56-36.000N 082-42-24.000W | | | | Red nun. | Private aid. |
| 10202.3 | - Buoy 3 | 43-56-36.000N 082-42-24.000W | | | | Green can. | Private aid. |
| 10202.4 | - Buoy 4 | 43-56-36.000N 082-42-24.000W | | | | Red nun. | Private aid. |
| 10202.5 | - Buoy 5 | 43-56-36.000N 082-42-24.000W | | | | Green can. | Private aid. |
| 10202.6 | - Buoy 6 | 43-56-36.000N 082-42-24.000W | | | | Red nun. | Private aid. |
| Harbor Beach | | | | | | | |
| 10205 | <i>Point Aux Barques Lighted Buoy 1</i> | 44-02-32.536N 082-45-19.714W | Fl G 4s | | 4 | Green. | Maintained from Apr. 28 to Nov 14. |
| 10210 | Point Aux Barques Light | 44-01-22.240N 082-47-35.755W | Fl (2)W 20s 0.2s fl 4.8s ec. 0.2s fl 14.8s ec. | 93 28 | 16 | White conical tower with dwelling attached. 93 | |
| Lighthouse County Park | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 10211 | - Buoy 1 | 44-01-00.000N 082-47-12.000W | | | | Green can. | Private aid. |
| 10212 | - Buoy 2 | 44-01-00.000N 082-47-12.000W | | | | Red nun. | Private aid. |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Grindstone Channel | | | | | | | |
| <i>Entrance buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 10215 | - Entrance Buoy 1 | 44-03-30.000N 082-53-30.000W | | | | Green can. | Private aid. |
| 10220 | - Entrance Buoy 2 | 44-03-49.000N 082-53-46.000W | | | | Red nun. | Private aid. |
| 10225 | - Entrance Buoy 3 | 44-03-42.000N 082-53-48.000W | | | | Green can. | Private aid. |
| 10230 | - Entrance Buoy 4 | 44-03-42.000N 082-53-48.000W | | | | Red nun. | Private aid. |
| 10235 | - Entrance Buoy 5 | 44-03-39.000N 082-53-50.000W | | | | Green can. | Private aid. |
| 10240 | - Entrance Buoy 6 | 44-03-40.000N 082-53-51.000W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE HURON | | | | | | | |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Grindstone Channel | | | | | | | |
| <i>Entrance buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 10245 | - Entrance Buoy 7 | 44-03-39.000N 082-53-53.000W | | | | Green can. | Private aid. |
| 10250 | - Entrance Buoy 8 | 44-03-38.000N 082-53-54.000W | | | | Red nun. | Private aid. |
| 10255 | - Entrance Buoy 9 | 44-03-38.000N 082-53-56.000W | | | | Green can. | Private aid. |
| 10260 | - Entrance Buoy 10 | 44-03-37.000N 082-53-58.000W | | | | Red nun. | Private aid. |
| 10265 | - Entrance Buoy 11 | 44-03-37.000N 082-53-59.000W | | | | Green can. | Private aid. |
| 10270 | - Entrance Buoy 12 | 44-03-36.000N 082-53-59.000W | | | | Red nun. | Private aid. |
| 10271 | - Entrance Buoy 13 | 44-03-22.200N 082-53-34.800W | | | | Green can. | Private aid. |
| 10272 | - Entrance Buoy 14 | 44-03-22.800N 082-53-35.400W | | | | Red nun. | Private aid. |
| 10273 | - Entrance Buoy 15 | 44-03-20.400N 082-53-37.200W | | | | Green can. | Private aid. |
| 10274 | - Entrance Buoy 16 | 44-03-21.000N 082-53-37.800W | | | | Red nun. | Private aid. |
| Port Austin | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 10275 | - REEF LIGHT | 44-04-55.332N 082-58-56.642W | Fl W 6s | 76 23 | 8 | Buff square tower with house attached. | |
| 10280 | - Shoal Buoy 1 Marks north side of shoal. | 44-05-48.067N 082-59-35.209W | | | | Green can. | Maintained from May 1 to Nov 14. |
| 10285 | - Buoy 3 | 44-03-33.761N 082-59-36.647W | | | | Green can. | |
| 10290 | - BREAKWATER LIGHT 4 | 44-03-11.482N 082-59-36.927W | Fl R 2.5s | 24 7 | 4 | TR on pile. | |
| 10295 | - LIGHT 5 | 44-03-13.732N 082-59-37.027W | Fl G 2.5s | 25 8 | 6 | SG on post. | |
| 10300 | - Buoy 5A | 44-03-09.458N 082-59-30.309W | | | | Green can. | |
| 10305 | - Buoy 6 | 44-03-04.830N 082-59-38.580W | | | | Red nun. | |
| 10310 | - Buoy 7 | 44-02-59.248N 082-59-36.544W | | | | Green can. | |
| 10315 | - Channel Buoy 1 | 44-02-54.000N 082-59-40.000W | | | | On black spar. | Maintained from Jun. 1 to Sep. 1. Private aid. |
| 10320 | - Channel Buoy 2 | 44-03-01.000N 082-59-40.000W | | | | On red spar. | Maintained from Jun. 1 to Sep. 1 Private aid. |
| 10325 | - Channel Buoy 4 | 44-02-58.000N 082-59-43.000W | | | | On red spar. | Maintained from Jun. 1 to Sep. 1. Private aid. |
| 10330 | - Channel Buoy 6 | 44-02-56.000N 082-59-43.000W | | | | On red spar. | Maintained from Jun. 1 to Sep. 1 Private aid. |
| Caseville Harbor | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 10345 | - LIGHT 1 | 43-56-52.631N 083-17-09.827W | Fl G 2.5s | 27 8 | 5 | SG on post. | |
| 10350 | - RANGE FRONT LIGHT | 43-56-43.100N 083-16-43.400W | F R | 25 8 | | On red pile. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 10355 | - RANGE REAR LIGHT 330 feet, 113.5° from front light. | 43-56-42.000N 083-16-39.900W | F R | 30 9 | | On red pile. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 10365 | - Buoy 2 | 43-56-51.571N 083-17-10.587W | | | | Red nun. | |
| 10370 | - Buoy 4 | 43-56-48.365N 083-16-59.775W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE HURON | | | | | | | |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Caseville Harbor | | | | | | | |
| <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 10372 | - Buoy 6 | 43-56-47.036N 083-16-55.408W | | | | Red nun. | |
| 10373 | - LIGHT | 43-56-36.500N 083-16-22.000W | FI W 10s | 65 20 | | Square white tower with red roofed cupola. | Private aid. |
| 10375 | Sand Point Midchannel Buoy S | 43-55-54.991N 083-24-45.687W | | | | Red and white stripes; spherical. | |
| 10380 | <i>Wildfowl Bay Channel Lighted Buoy 1</i> | 43-52-42.000N 083-21-24.000W | Q G | | | Green. | Maintained from May 15 to Oct. 15. Private aid. |
| 10385 | <i>Wildfowl Bay Channel Lighted Buoy 2</i> | 43-52-42.000N 083-21-24.200W | Q R | | | Red. | Maintained from May 15 to Oct 15. Private aid. |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| 10390 | <i>Sebewaing Harbor Channel Lighted Buoy 1</i> | 43-45-08.905N 083-31-15.679W | FI G 2.5s | | | Green. | Maintained from Apr. 21 to Nov. 15. |
| 10395 | <i>Sebewaing Harbor Channel Lighted Buoy 2</i> | 43-45-07.585N 083-31-16.413W | FI R 2.5s | | | Red. | Maintained from Apr. 21 to Nov. 15. |
| 10400 | <i>Sebewaing Channel Lighted Buoy 3</i> | 43-44-58.573N 083-30-37.725W | FI G 4s | | 4 | Green | Maintained from Apr. 21 to Nov. 15. |
| 10405 | <i>Sebewaing Channel Lighted Buoy 4</i> | 43-44-57.481N 083-30-38.913W | FI R 4s | | 4 | Red | Maintained from Apr. 21 to Nov. 15. |
| 10410 | <i>Sebewaing Channel Lighted Buoy 5</i> | 43-44-48.277N 083-30-00.483W | FI G 6s | | 4 | Green | Maintained from Apr. 21 to Nov. 15. |
| 10415 | <i>Sebewaing Channel Lighted Buoy 6</i> | 43-44-47.377N 083-30-01.155W | FI R 6s | | 4 | Red | Maintained from Apr. 21 to Nov. 15. |
| 10420 | <i>Sebewaing Channel Lighted Buoy 7</i> | 43-44-37.243N 083-29-20.679W | FI G 4s | | 4 | Green | Maintained from Apr. 21 to Nov. 15. |
| 10425 | <i>Sebewaing Channel Lighted Buoy 8</i> | 43-44-36.637N 083-29-21.231W | FI R 4s | | 4 | Red | Maintained from Apr. 21 to Nov. 15. |
| Bay Port Harbor | | | | | | | |
| <i>Buoys maintained from Apr 21 to Nov 15.</i> | | | | | | | |
| 10430 | GLERL SBWN | 43-44-17.580N 083-38-22.620W | FI Y 4s | | | | Maintained from Apr.1 to Nov.15. Private aid. |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| 10470 | SEBEWAING YACHT CLUB SOUTH LIGHT | 43-44-12.000N 083-27-48.000W | F R | 24 7 | | On pile. | Maintained from Mar. 15 to Oct. 15. Private aid. |
| 10475 | SEBEWAING YACHT CLUB NORTH LIGHT | 43-44-23.000N 083-27-08.000W | F G | 24 7 | | On pile. | Maintained from Mar. 15 to Oct. 15. Private aid. |
| 10480 | OAKHURST PARK MARINA RANGE FRONT LIGHT | 43-37-45.100N 083-37-08.000W | F G | 17 5 | | Orange triangle on post. | Maintained from May 1 to Oct. 31. Private aid. |
| 10485 | OAKHURST PARK MARINA RANGE REAR LIGHT 100 feet, 143.5° from front light. | 43-37-44.900N 083-37-07.800W | F G | 37 11 | | Orange and white triangle on tower. | Maintained from May 1 to Oct. 31. Private aid. |
| Bay Port Harbor | | | | | | | |
| <i>Buoys maintained from Apr 21 to Nov 15.</i> | | | | | | | |
| 10486 | SaginawBay NOAA Weather Wave Buoy 1 | 43-43-12.640N 083-36-36.870W | FI Y 2.5s | | | | Maintained from May.1 to Dec.1. Private aid. |
| Quanicassee River | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 10490 | - Buoy 1 | 43-35-46.000N 083-40-32.400W | | | | Green can. | Private aid. |
| 10495 | - Buoy 2 | 43-35-46.000N 083-40-32.400W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|--------------------------------|----------------------|--------------|---|--|
| LAKE HURON | | | | | | | |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Quanicassee River | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 10500 | - Buoy 3 | 43-35-41.000N 083-40-36.000W | | | | Green can. | Private aid. |
| 10505 | - Buoy 4 | 43-35-41.000N 083-40-36.000W | | | | Red nun. | Private aid. |
| 10510 | - Buoy 5 | 43-35-34.000N 083-40-40.000W | | | | Green can. | Private aid. |
| 10515 | - Buoy 6 | 43-35-34.000N 083-40-40.000W | | | | Red nun. | Private aid. |
| 10520 | - Buoy 7 | 43-35-22.000N 083-40-46.000W | | | | Green can. | Private aid. |
| 10525 | - Buoy 8 | 43-35-22.000N 083-40-46.000W | | | | Red nun. | Private aid. |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| 10530 | <i>Charity Island Shoal Lighted Buoy 1</i> | 44-06-30.187N 083-29-46.200W | Q G | | 5 | Green | Maintained from Apr. 28 to Dec. 7. AIS MMSI: 993672219 |
| 10535 | <i>Charity Island Shoal Lighted Buoy 3</i> Marks west side of shoal. | 44-03-25.036N 083-30-43.861W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 28. AIS MMSI: 993672220 |
| 10540 | Gravelly Shoal Light | 44-01-11.456N 083-32-18.246W | FI R 6s | 75 23 | 10 | White square tower on cylindrical base. 75 | HORN: 1 blast ev 30s (3s bl). Operates continuously. |
| SAGINAW RIVER (Chart 14867) | | | | | | | |
| Saginaw Bay Channel | | | | | | | |
| 10550 | - RANGE FRONT LIGHT | 43-38-54.355N 083-51-05.701W | F R (NIGHT) F R (DAY) | 70 21 66 20 | | On skeleton tower. | Lighted throughout 24 hours. |
| 10555 | SAGINAW BAY RANGE FRONT PASSING LIGHT | 43-38-54.355N 083-51-05.701W | F R | 66 20 | 8 | On same structure as Saginaw Bay Channel Range Front Light. | |
| 10560 | - RANGE REAR LIGHT 8,708 feet, 211.2° from front light. | 43-37-40.789N 083-52-07.046W | F G | 159 48 | | On skeleton tower. | Lighted throughout 24 hours. |
| 10570 | - Light 1 | 43-48-21.080N 083-43-07.854W | FI G 6s | 50 15 | 10 | White cylindrical tower with green band in middle. 50 | |
| 10575 | - <i>Lighted Buoy 2</i> | 43-48-23.158N 083-43-13.025W | FI R 2.5s | | 4 | Red. | Year Round Lighted Ice Buoy |
| 10590 | - <i>Lighted Buoy 3</i> | 43-46-52.020N 083-44-23.280W | FI G 4s | | 6 | Green | Replaced by can from Dec. 01 to Apr. 21. |
| 10595 | - <i>Lighted Buoy 4</i> | 43-46-53.763N 083-44-27.273W | FI R 4s | | 6 | Red | Replaced by can from Dec. 01 to Apr. 21. |
| 10600 | - <i>Lighted Buoy 5</i> | 43-45-22.814N 083-45-38.213W | FI G 4s | | 4 | Green. | Replaced by can from Apr. 21 to Dec. 1. AIS MMSI: 993672221 |
| 10605 | - <i>Lighted Buoy 6</i> | 43-45-24.674N 083-45-42.591W | FI R 4s | | 4 | Red. | Replaced by nun from Apr. 21 to Dec. 1. AIS MMSI: 993672222 |
| 10610 | - <i>Lighted Buoy 7</i> | 43-43-54.183N 083-46-51.978W | FI G 2.5s | | 6 | Green | Replaced by can from Dec. 01 to Apr. 21. |
| 10644 | - LIGHT 8 | 43-43-56.385N 083-46-56.947W | FI R 2.5s | 20 6 | 6 | White cylindrical tower with red stripe in middle. | |
| 10650 | - V-AIS 9 | 43-42-59.840N 083-47-38.302W | | | | | AIS MMSI: 993682809 |
| 10655 | - V-AIS 10 | 43-43-02.031N 083-47-42.228W | | | | | AIS MMSI: 993682794 |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------------------------------|--|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| LAKE HURON | | | | | | | |
| SAGINAW RIVER (Chart 14867) | | | | | | | |
| Saginaw Bay Channel | | | | | | | |
| 10660 | - Lighted Buoy 11 | 43-42-07.031N 083-48-22.328W | FI G 4s | | 6 | Green. | Replaced by can from Dec. 07 to Apr. 21. AIS MMSI: 993672223 |
| 10665 | - Lighted Buoy 12 | 43-42-08.731N 083-48-27.028W | FI R 4s | | 6 | Red. | Replaced by nun from Dec. 07 to Apr. 21. AIS MMSI: 993672224 |
| 10670 | - V-AIS 13 | 43-41-13.031N 083-49-07.528W | | | | | AIS MMSI: 993682783 |
| 10675 | - V-AIS 14 | 43-41-15.031N 083-49-11.528W | | | | | AIS MMSI: 993682676 |
| 10680 | - Lighted Buoy 15 | 43-40-22.006N 083-49-49.767W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 07 to Apr. 21. |
| 10685 | - Lighted Buoy 16 | 43-40-24.062N 083-49-53.874W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 07 to Apr. 21. |
| 10690 | - OBSTRUCTION LIGHT A | 43-40-16.200N 083-49-53.300W | Q W | 21 6 | | On dolphin. | Maintained from Apr. 15 to Dec. 15. Maintained by ACOE. Private aid. |
| 10695 | - OBSTRUCTION LIGHT B | 43-40-14.600N 083-49-54.600W | Q W | 21 6 | | On dolphin. | Maintained from Apr. 15 to Dec. 15. Maintained by ACOE. Private aid. |
| 10710 | - Lighted Buoy 17 | 43-39-38.598N 083-50-26.013W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 01 to Apr. 21. |
| 10715 | - Lighted Buoy 18 | 43-39-40.389N 083-50-30.084W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec. 01 to Apr. 21. |
| 10720 | - Lighted Buoy 19 | 43-39-08.921N 083-50-50.778W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 01 to Apr. 21. |
| 10725 | - Lighted Buoy 20 | 43-39-09.321N 083-50-55.730W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec. 01 to Apr. 21. |
| 10730 | - LIGHT 22 | 43-39-02.055N 083-50-59.373W | Q R | 23 7 | 6 | TR on pile. | |
| 10735 | - Lighted Buoy 21 | 43-38-58.731N 083-50-54.482W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 01 to Apr. 21. |
| 10740 | - Lighted Buoy 24 | 43-38-46.178N 083-50-58.277W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec. 01 to Apr. 21. |
| 10745 | Bay City Yacht Club North Basin Buoy 1 | 43-38-36.960N 083-51-00.540W | | | | Green can. | Maintained from May 1 to Oct. 15. Private aid. |
| 10746 | Bay City Yacht Club North Basin Buoy 2 | 43-38-37.320N 083-51-00.600W | | | | Red nun. | Maintained from May 1 to Oct. 15. Private aid. |
| 10747 | Bay City Yacht Club North Basin Buoy 3 | 43-38-36.720N 083-51-02.340W | | | | Green can. | Maintained from May 1 to Oct. 15. Private aid. |
| 10748 | Bay City Yacht Club North Basin Buoy 4 | 43-38-37.080N 083-51-02.400W | | | | Red nun. | Maintained from May 1 to Oct. 15. Private aid. |
| 10749 | Bay City Yacht Club North Basin Buoy 5 | 43-38-36.480N 083-51-04.140W | | | | Green can. | Maintained from May 1 to Oct. 15. Private aid. |
| 10750 | Bay City Yacht Club North Basin Buoy 6 | 43-38-36.840N 083-51-04.200W | | | | Red nun. | Maintained from May 1 to Oct. 15. Private aid. |
| 10751 | Bay City Yacht Club South Basin Buoy 1 | 43-38-29.400N 083-51-00.180W | | | | Green can. | Maintained from May 1 to Oct. 15. Private aid. |
| 10752 | Bay City Yacht Club South Basin Buoy 2 | 43-38-30.000N 083-51-00.540W | | | | Red nun. | Maintained from May 1 to Oct. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------------|---|
| LAKE HURON | | | | | | | |
| SAGINAW RIVER (Chart 14867) | | | | | | | |
| Saginaw Bay Channel | | | | | | | |
| 10753 | Bay City Yacht Club South Basin Buoy 3 | 43-38-29.100N 083-51-01.080W | | | | Green can. | Maintained from May 1 to Oct. 15. Private aid. |
| 10754 | Bay City Yacht Club South Basin Buoy 4 | 43-38-29.700N 083-51-01.440W | | | | Red nun. | Maintained from May 1 to Oct. 15. Private aid. |
| Saginaw River | | | | | | | |
| <i>Lighted buoys maintained from Apr. 21 to Dec. 01.</i> | | | | | | | |
| 10755 | - Buoy 2 | 43-38-31.456N 083-50-55.687W | | | | Red nun. | |
| 10760 | ESSEXVILLE RANGE FRONT LIGHT | 43-37-21.743N 083-50-19.232W | F G | 38 12 | | KRW on skeleton tower. | Visible 4° each side of range line. |
| 10765 | ESSEXVILLE RANGE REAR LIGHT 1,099 feet, 160.1° from front light. | 43-37-11.533N 083-50-14.157W | F G | 53 16 | | KRW on skeleton tower. | Visible 4° each side of range line. |
| 10770 | - Lighted Buoy 3 | 43-38-14.054N 083-50-44.068W | FI G 4s | | 4 | Green. | Can; winter marker. |
| 10775 | - Lighted Buoy 4 | 43-38-13.378N 083-50-46.623W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10780 | - Buoy 5 | 43-37-53.178N 083-50-33.589W | | | | Green can. | |
| 10785 | - Buoy 6 | 43-37-52.528N 083-50-36.057W | | | | Red nun. | |
| 10790 | - Lighted Buoy 7 | 43-37-37.115N 083-50-25.553W | FI G 4s | | 4 | Green. | Can; winter marker |
| 10795 | - Lighted Buoy 8 | 43-37-36.799N 083-50-28.288W | FI R 4s | | 4 | Red. | Nun; winter marker |
| 10800 | - Lighted Buoy 10 | 43-37-21.691N 083-50-28.968W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10805 | - Buoy 12 | 43-37-09.767N 083-50-35.304W | | | | Red. | Nun; winter marker. |
| 10810 | - Lighted Buoy 14 | 43-37-04.293N 083-50-41.859W | Q R | | 4 | Red nun. | Maintained from 21 April to 01 Dec. |
| 10815 | - Buoy 16 | 43-36-59.913N 083-50-50.882W | | | | Red. | Nun; winter marker. |
| 10817 | - Lighted Buoy 18 | 43-36-50.031N 083-51-13.828W | FI R 2.5s | | 4 | Red nun. | Maintained from 21 April to 01 Dec. |
| 10820 | - Lighted Buoy 19 | 43-36-44.732N 083-51-38.958W | FI G 2.5s | | 4 | Green can. | Maintained from 21 April to 01 Dec. |
| 10825 | - Buoy 20 | 43-36-47.537N 083-51-39.119W | | | | Red nun. | |
| 10830 | - Buoy 21 | 43-36-43.799N 083-52-44.483W | | | | Green can. | |
| 10835 | - Lighted Buoy 23 | 43-36-36.570N 083-53-03.981W | FI G 4s | | 4 | Green. | Can; winter marker. |
| 10840 | - Buoy 25 | 43-36-26.489N 083-53-16.646W | | | | Green can. | |
| 10845 | - Buoy 27 | 43-36-05.241N 083-53-29.097W | | | | Green can. | |
| 10850 | - Lighted Buoy 28 | 43-35-20.769N 083-53-45.990W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10855 | - Buoy 30 | 43-34-17.413N 083-54-11.885W | | | | Red nun. | |
| 10860 | - Lighted Buoy 31 | 43-34-04.687N 083-54-13.946W | FI G 4s | | 4 | Green. | Can; winter marker. |
| 10862 | - Buoy 33 | 43-33-41.131N 083-54-16.558W | | | | Green can. | |
| 10865 | - Buoy 35 | 43-33-12.991N 083-54-18.328W | | | | Green. | |
| 10870 | - Buoy 37 | 43-33-04.525N 083-54-16.469W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---------------------|
| LAKE HURON | | | | | | | |
| SAGINAW RIVER (Chart 14867) | | | | | | | |
| Saginaw River | | | | | | | |
| <i>Lighted buoys maintained from Apr. 21 to Dec. 01.</i> | | | | | | | |
| 10875 | - Lighted Buoy 36 | 43-33-12.957N 083-54-21.662W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10880 | - Buoy 39 | 43-32-51.909N 083-54-12.849W | | | | Green can. | |
| 10885 | - Buoy 40 | 43-32-52.062N 083-54-15.667W | | | | Red nun. | |
| 10890 | - Buoy 41 | 43-32-41.316N 083-54-09.810W | | | | Green can. | |
| 10895 | - Buoy 42 | 43-32-40.705N 083-54-12.409W | | | | Red nun. | |
| 10900 | - Buoy 43 | 43-32-31.609N 083-54-03.840W | | | | Green. | |
| 10905 | - Lighted Buoy 44 | 43-32-29.976N 083-54-05.811W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10910 | - Lighted Buoy 45 | 43-32-26.629N 083-53-54.621W | FI G 4s | | 4 | Green. | Can; winter marker. |
| 10915 | - Buoy 46 | 43-32-24.027N 083-53-56.762W | | | | Red nun. | |
| 10925 | - Buoy 47 | 43-32-20.610N 083-53-24.582W | | | | Green can. | |
| 10930 | - Lighted Buoy 48 | 43-32-18.407N 083-53-26.875W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10935 | - Buoy 49 | 43-32-10.905N 083-53-10.729W | | | | Green can. | |
| 10940 | - Lighted Buoy 50 | 43-32-09.668N 083-53-12.928W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10945 | - Buoy 52 | 43-31-56.465N 083-53-02.136W | | | | Red nun. | |
| 10950 | - Buoy 53 | 43-31-53.709N 083-52-56.740W | | | | Green can. | |
| 10955 | - Lighted Buoy 54 | 43-31-49.744N 083-53-01.079W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10960 | - Buoy 55 | 43-31-48.031N 083-52-58.528W | | | | Green can. | |
| 10965 | - Buoy 56 | 43-31-27.467N 083-53-09.623W | | | | Red nun. | |
| 10970 | - Lighted Buoy 57 | 43-31-28.031N 083-53-06.028W | FI G 4s | | 4 | Green. | Can; winter marker. |
| 10975 | - Buoy 59 | 43-31-12.927N 083-53-03.012W | | | | Green can. | |
| 10980 | - Buoy 60 | 43-31-12.415N 083-53-05.613W | | | | Red nun. | |
| 10985 | - Buoy 61 | 43-30-56.842N 083-52-58.699W | | | | Green can. | |
| 10990 | - Lighted Buoy 62 | 43-30-58.485N 083-53-01.901W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 10995 | - Buoy 63 | 43-30-50.018N 083-53-00.296W | | | | Green can. | |
| 11000 | - Buoy 64 | 43-30-50.622N 083-53-02.908W | | | | Red nun. | |
| 11005 | - Buoy 65 | 43-30-38.031N 083-53-08.028W | | | | Green can. | |
| 11010 | - Buoy 66 | 43-30-39.031N 083-53-11.028W | | | | Red nun. | |
| 11015 | - Buoy 67 | 43-30-24.008N 083-53-17.441W | | | | Green can. | |
| 11020 | - Lighted Buoy 68 | 43-30-25.120N 083-53-19.717W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 11035 | - Buoy 69 | 43-30-05.831N 083-53-40.028W | | | | Green can. | |
| 11040 | - Buoy 70 | 43-30-07.531N 083-53-42.028W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------------|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE HURON | | | | | | | |
| SAGINAW RIVER (Chart 14867) | | | | | | | |
| Saginaw River | | | | | | | |
| <i>Lighted buoys maintained from Apr. 21 to Dec. 01.</i> | | | | | | | |
| 11045 | - Lighted Buoy 71 | 43-29-48.229N 083-54-01.814W | FI G 4s | | 4 | Green. | Can; winter marker. |
| 11050 | - Buoy 72 | 43-29-49.445N 083-54-03.963W | | | | Red nun. | |
| 11055 | - Buoy 73 | 43-29-20.007N 083-54-27.589W | | | | Green can. | |
| 11060 | - Buoy 74 | 43-29-22.637N 083-54-28.594W | | | | Red nun. | |
| 11065 | - Buoy 76 | 43-28-32.409N 083-54-44.428W | | | | Red nun. | |
| 11070 | - Buoy 78 | 43-28-18.934N 083-54-36.350W | | | | Red nun. | |
| 11075 | - Lighted Buoy 80 | 43-28-13.821N 083-54-35.330W | FI R 4s | | 4 | Red. | Nun; winter marker. |
| 11080 | - Buoy 82 | 43-27-44.185N 083-54-43.594W | | | | Red nun. | |
| 11082 | - Lighted Buoy 84 | 43-27-30.231N 083-54-58.028W | FI R 2.5s | | 4 | | |
| 11085 | - Buoy 86 | 43-27-21.546N 083-55-21.802W | | | | Red nun. | |
| 11087 | - Lighted Buoy 87 | 43-27-10.031N 083-55-48.028W | FI G 4s | | 4 | | |
| 11090 | - Buoy 88 | 43-27-00.932N 083-56-06.453W | | | | Red nun. | |
| 11095 | - Buoy 89 | 43-26-43.974N 083-56-12.327W | | | | Green can. | |
| Pinconning Park | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 1.</i> | | | | | | | |
| 11111 | - Buoy 1 | 43-50-51.000N 083-55-06.000W | | | | Green. | Private aid. |
| 11112 | - Buoy 2 | 43-50-51.000N 083-55-06.000W | | | | Red. | Private aid. |
| 11113 | - Buoy 3 | 43-50-51.000N 083-55-06.000W | | | | Green. | Private aid. |
| 11114 | - Buoy 4 | 43-50-51.000N 083-55-06.000W | | | | Red. | Private aid. |
| 11115 | - Buoy 5 | 43-50-51.000N 083-55-06.000W | | | | Green. | Private aid. |
| 11116 | - Buoy 6 | 43-50-51.000N 083-55-06.000W | | | | Red. | Private aid. |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Au Gres Harbor | | | | | | | |
| 11140 | Point Au Gres Obstruction Buoy | 43-59-12.031N 083-40-36.028W | | | | White with orange bands and diamond worded DANGER SUBMERGED OBSTRUCTION, can. | Maintained from May 1 to Nov. 1. |
| 11145 | - Entrance Buoy 1 | 44-01-01.531N 083-39-45.628W | | | | Green can. | Maintained from May 1 to Nov. 1. |
| 11150 | - Entrance Buoy 2 | 44-01-04.951N 083-39-43.828W | | | | Red nun. | Maintained from May 1 to Nov. 1. |
| 11155 | - NORTH PIER LIGHT 4 | 44-01-12.021N 083-40-00.028W | FI R 2.5s | 26 8 | 6 | TR on white cylindrical tower with red band. | |
| 11160 | - SOUTH PIER LIGHT 3 | 44-01-10.911N 083-40-03.408W | FI G 4s | 30 9 | 7 | SG on post. | |
| 11170.1 | U.S. GYPSUM TRAMWAY LIGHT A | 44-11-19.000N 083-33-19.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.2 | U.S. GYPSUM TRAMWAY LIGHT B | 44-11-18.000N 083-33-09.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| LAKE HURON | | | | | | | |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Au Gres Harbor | | | | | | | |
| 11170.3 | U.S. GYPSUM TRAMWAY LIGHT C | 44-11-16.000N 083-32-58.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.4 | U.S. GYPSUM TRAMWAY LIGHT D | 44-11-15.000N 083-32-49.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.5 | U.S. GYPSUM TRAMWAY LIGHT E | 44-11-14.000N 083-32-39.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.6 | U.S. GYPSUM TRAMWAY LIGHT F | 44-11-13.000N 083-32-29.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.7 | U.S. GYPSUM TRAMWAY LIGHT G | 44-11-11.000N 083-32-19.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.8 | U.S. GYPSUM TRAMWAY LIGHT H | 44-11-10.000N 083-32-09.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11170.9 | U.S. GYPSUM TRAMWAY LIGHT I | 44-11-09.000N 083-31-59.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11171 | U.S. GYPSUM TRAMWAY LIGHT J | 44-11-08.000N 083-37-56.000W | FI W 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11171.1 | U.S. GYPSUM TRAMWAY LIGHT K | 44-11-09.000N 083-31-56.000W | FI W 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11171.2 | U.S. GYPSUM TRAMWAY LIGHT L | 44-11-08.000N 083-31-54.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11171.3 | U.S. GYPSUM TRAMWAY LIGHT M | 44-11-09.000N 083-31-54.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11171.4 | U.S. GYPSUM TRAMWAY LIGHT N | 44-11-07.000N 083-31-51.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11171.5 | U.S. GYPSUM TRAMWAY LIGHT O | 44-11-09.000N 083-31-51.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 11171.6 | U.S. GYPSUM TRAMWAY LIGHT P | 44-11-24.000N 083-33-15.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| Bay Port Harbor | | | | | | | |
| <i>Buoys maintained from Apr 21 to Nov 15.</i> | | | | | | | |
| 11171.7 | U.S. GYPSUM TRAMWAY LIGHT Q | 44-11-24.000N 083-31-54.000W | FI Y 4s | | | | Maintained from Apr. 15 to Oct. 15. Private aid. |
| Au Gres Harbor | | | | | | | |
| 11175 | <i>Northport Marina Entrance Lighted Buoy 1</i> | 44-02-43.800N 083-39-12.000W | FI G 2.5s | | | Green. | Maintained from May 1 to Oct. 31. Private aid. |
| 11180 | <i>Northport Marina Entrance Lighted Buoy 2</i> | 44-02-45.600N 083-39-06.000W | FI R 2.5s | | | Red. | Maintained from May 1 to Oct. 31. Private aid. |
| Bay Port Harbor | | | | | | | |
| <i>Buoys maintained from Apr 21 to Nov 15.</i> | | | | | | | |
| 11181 | GLERL SBWR | 43-59-00.000N 083-36-00.000W | FI Y 4s | | | | Maintained from Apr. 1 to Nov. 15. Private aid. |
| National Gypsum Company | | | | | | | |
| <i>Aids maintained from Apr. 1 to Dec. 30.</i> | | | | | | | |
| 11190 | - RANGE FRONT LIGHT | 44-14-15.500N 083-32-24.500W | F R | 46 14 | | On post. | Light operated only for vessel arrivals and departures. Private aid. |
| 11195 | - RANGE REAR LIGHT 1,400 feet, 293.5° from front light. | 44-14-21.200N 083-32-42.000W | F R | 78 24 | | On post. | Light operated only for vessel arrivals and departures. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|----------------------------------|---|---------------------------------|-----------------------|---------------|--------------|----------------------------------|---|
| LAKE HURON | | | | | | | |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Tawas | | | | | | | |
| 11240 | - Light | 44-14-54.043N 083-27-32.975W | FI W 4s | 46 14 | 11 | Square skeleton tower. 46 | HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Fog signal operates by keying VHF FM Marine Radio channel 83A five times. |
| 11245 | - Point Lighted Buoy 2 | 44-14-27.932N 083-28-15.361W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Dec. 1. |
| 11250 | - Harbor Lighted Buoy 4 Marks northwest side of shoal. | 44-15-38.031N 083-27-59.128W | FI R 2.5s | | 4 | Red. | Maintained from Apr. 28 to Dec. 1. |
| 11255 | - Harbor Lighted Buoy 6 | 44-15-54.031N 083-27-10.028W | FI R 4s | | 4 | Red. | Maintained from 28 April to 01 November |
| 11265 | - BAY YACHT CLUB RANGE FRONT LIGHT | 44-15-47.400N 083-26-59.000W | F R | 8 2 | | Red square daymark on pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 11270 | - BAY YACHT CLUB RANGE REAR LIGHT 150 feet, 165° from front light. | 44-15-00.770N 083-26-00.554W | F R | 12 4 | | Red square daymark on pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 11275 | JERRY'S MARINA RANGE FRONT LIGHT | 44-15-48.500N 083-26-27.000W | F G | 12 4 | | On post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 11280 | JERRY'S MARINA RANGE REAR LIGHT 400 feet, 128° from front light. | | F G | 20 6 | | On tree. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 11285 | - BAY HARBOR LIGHT 5 | 44-16-38.031N 083-29-10.028W | FI G 6s | 25 8 | 7 | SG on pile. | |
| 11300 | - RIVER RANGE FRONT LIGHT | 44-15-34.500N 083-31-38.000W | F R | 10 3 | | White diamond daymark on pile. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 11305 | - RIVER RANGE REAR LIGHT 130 feet, 326° from front light. | | F R | 18 5 | | White diamond daymark on pile. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 11306 | - BAY CONDO MARINA RANGE FRONT LIGHT | | F Y | 8 2 | | Circular orange daymark on pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 11307 | - BAY CONDO MARINA RANGE REAR LIGHT 252 feet, 132° from front light. | | F Y | 15 5 | | Circular orange daymark on pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 11308.1 | - Bay Condo Marina Buoy 1 | 44-15-23.000N 083-31-34.000W | FI G 4s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 11308.2 | - Bay Condo Marina Buoy 2 | 44-15-24.000N 083-31-32.000W | FI R 4s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 11308.3 | - BAY CONDO MARINA LIGHT 3 | | FI G 2.5s | 11 3 | | SG on pole on south jetty. | Maintained from May 1 to Nov. 1. Private aid. |
| 11308.4 | - BAY CONDO MARINA LIGHT 4 | | FI R 2.5s | 11 3 | | TR on pole on north jetty. | Maintained from May 1 to Nov. 1. Private aid. |
| Au Sable | | | | | | | |
| 11310 | - Point Lighted Buoy 1 | 44-18-59.592N 083-17-13.001W | FI G 6s | | 4 | Green. | Maintained from Apr. 28 to Dec. 1. |
| 11315 | - SOUTH PIERHEAD LIGHT | 44-24-21.932N 083-19-00.328W | FI G 4s | 25 8 | 6 | SG on white tower. | |
| 11320 | - NORTH PIERHEAD LIGHT | 44-24-23.902N 083-18-59.408W | FI R 4s | 25 8 | 7 | TR on white tower. | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------------|---|
| LAKE HURON | | | | | | | |
| HARRISVILLE TO FORTY MILE POINT (Chart 14864) | | | | | | | |
| Harrisville | | | | | | | |
| 11323 | - Entrance Buoy 2 | 44-39-46.274N 083-16-51.478W | | | | Red nun | Maintained from May. 01 to Nov. 01. |
| 11325 | - EAST BREAKWATER LIGHT 3 | 44-39-41.032N 083-16-54.528W | FI G 2.5s | 20 6 | 7 | SG on post. | |
| 11330 | - WEST BREAKWATER LIGHT 4 | 44-39-38.832N 083-16-59.728W | FI R 4s | 33 10 | 5 | TR on column. | |
| 11345 | STURGEON POINT LIGHT | 44-42-45.532N 083-16-21.028W | FI W 6s | 69 21 | 9 | | |
| 11345.1 | W. H. Rounds Wreck Mooring Buoy | 44-50-13.139N 083-16-56.340W | | | | | Private aid. |
| Thunder Bay National Marine Sanctuary <i>Buoys maintained May 1 through Oct 31.</i> | | | | | | | |
| 11348 | TBNMS Wreck Mooring Lighted Buoy | 44-59-03.800N 083-15-11.000W | Q W | | | Mooring buoy. | "Montana (Bow)" Private aid. |
| HARRISVILLE TO FORTY MILE POINT (Chart 14864) | | | | | | | |
| 11349 | TBNMS Wreck Subsurface "Florida" Buoy Mooring buoy 40 FT below Surface | 45-17-48.710N 083-16-58.771W | | | | | Maintained from May.1 to Oct.31. Private aid. |
| 11350 | TBNMS Wreck Subsurface "Audubon" Buoy Mooring buoy 40 FT below Surface | 45-17-19.860N 083-20-21.048W | | | | | Maintained from May.1 to Oct.31. Private aid. |
| 11350.1 | TBNMS Wreck Mooring "Sprangler" Lighted Buoy 1 | 45-23-00.672N 083-26-06.900W | FI W 4s | | | | Maintained from May.1 to Oct.31. Private aid. |
| 11350.2 | TBNMS Wreck Mooring "Etruria" Lighted Buoy 2 | 45-28-58.080N 083-28-30.118W | FI W 4s | | | | Maintained from May.1 to Oct.31. Private aid. |
| 11350.3 | TBNMS Wreck Mooring "Merrick" Lighted Buoy 3 | 45-28-15.121N 083-26-45.359W | FI W 4s | | | | Maintained from May.1 to Oct.31. Private aid. |
| 11350.4 | TBNMS Wreck Mooring "Choctaw" Lighted Buoy 4 | 45-32-03.267N 083-30-32.446W | FI W 4s | | | | Maintained from May.1 to Oct.31. Private aid. |
| 11350.5 | TBNMS Wreck Mooring "Defiance" Lighted Buoy 5 | 45-14-03.480N 083-16-42.420W | FI W 4s | | | | Maintained from May.1 to Oct.31. Private aid. |
| 11350.6 | TBNMS Wreck Mooring "Windiate" Lighted Buoy 6 | 45-19-33.557N 083-19-36.952W | FI W 4s | | | | Maintained from May.1 to Oct.31. Private aid. |
| 11350.7 | TBNMS Wreck Mooring "Norman" Lighted Buoy 7 | 45-18-41.530N 083-16-44.601W | FI W 4s | | | | Maintained from May.1 to Oct.31. Private aid. |
| 11350.8 | TBNMS Wreck Mooring "Northwestern" Lighted Buoy 8 | 45-26-53.099N 083-41-47.400W | FI W 4s | | | | Maintained from May.1 to Oct.31. Private aid. |
| 11350.9 | TBNMS Wreck Mooring "Typo" Lighted Buoy 9 | 45-17-29.792N 083-18-56.934W | FI W 4s | | | | Maintained from May.1 to Oct.31. Private aid. |
| 11351 | TBNMS Wreck Mooring "Ohio" Lighted Buoy 10 | 45-30-48.996N 083-30-12.816W | FI W 4s | | | | Maintained from May.1 to Oct.31. Private aid. |
| Harrisville | | | | | | | |
| Thunder Bay National Marine Sanctuary <i>Buoys maintained May 1 through Oct 31.</i> | | | | | | | |
| 11353 | TBNMS Wreck Mooring Lighted Buoy | 45-03-46.000N 083-23-34.000W | Q W | | | Mooring buoy. | "William P. Rend" Private aid. |
| Alpena | | | | | | | |
| 11355 | Thunder Bay Traffic Lighted Bell Buoy TB | 44-58-41.080N 083-15-17.310W | Mo (A) W | | 4 | Red and white stripes. | Maintained from Apr. 28 to Dec. 1. AIS MMSI: 993682098 |
| 11356 | Haltiner Barge Boiler Wreck Mooring Buoy | 45-02-08.279N 083-19-35.400W | | | | | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE HURON | | | | | | | |
| HARRISVILLE TO FORTY MILE POINT (Chart 14864) | | | | | | | |
| 11357 | GLERL TBWA | 44-59-16.860N 083-16-05.220W | Fl Y 4s | | | | Maintained from Apr.1 to Nov.15. Private aid. |
| 11358 | GLERL TBWB | 44-59-23.370N 083-16-16.020W | Fl Y 4s | | | | Maintained from Apr.1 to Nov.15. Private aid. |
| Alpena | | | | | | | |
| 11360 | North Point Buoy 10 | 45-00-05.962N 083-14-56.518W | | | | Red nun. | |
| 11365 | PARTRIDGE POINT MARINA LIGHT | 45-01-06.000N 083-27-00.200W | Fl W 2.5s | 20 6 | | White house. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 11370 | - Light | 45-03-37.261N 083-25-23.050W | Fl R 6s | 44 13 | 9 | Red skeleton tower with upper part enclosed. 44 | To operate the fog signal, key the microphone on channel 83A VHF marine radio five times. HORN: 1 blast ev 15s (2s bl). |
| 11375 | - SOUTH BREAKWATER LIGHT | 45-03-35.032N 083-25-25.028W | Fl G 2.5s | 29 9 | 5 | White tower with green band. | |
| 11380 | CITY OF ALPENA HARBOR ENTRANCE LIGHT 1 | 45-03-37.800N 083-25-29.900W | Fl G 4s | 15 5 | | SG on post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 11385 | CITY OF ALPENA HARBOR ENTRANCE LIGHT 2 | 45-03-37.700N 083-25-29.600W | F R | 15 5 | | TR on post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| East Alpena Channel | | | | | | | |
| 11386 | HOLCIM CHANNEL RANGE FRONT LIGHT | 45-04-06.000N 083-24-32.000W | F R | 76 23 | | Orange and white striped daymark on skeleton tower. | Private aid. |
| 11387 | HOLCIM CHANNEL RANGE REAR LIGHT L233 yards, 344° from front light. | 45-04-14.000N 083-24-32.500W | F R | 109 33 | | Orange and white stiped daymark on skeleton tower. | Private aid. |
| HARRISVILLE TO FORTY MILE POINT (Chart 14864) | | | | | | | |
| 11388 | East Alpena Channel Buoy 1 | 45-02-39.000N 083-23-48.000W | | | | Green can. | Private aid. |
| East Alpena Channel | | | | | | | |
| 11388.1 | - Buoy 2 | 45-02-40.050N 083-23-47.000W | | | | Red nun. | Private aid. |
| 11388.3 | - Buoy 4 | 45-02-45.000N 083-23-56.500W | | | | Red nun. | Private aid. |
| 11388.4 | - Buoy 6 | 45-02-57.700N 083-24-01.500W | | | | Red nun. | Private aid. |
| 11388.5 | - Buoy 7 | 45-03-14.300N 083-24-11.000W | | | | Green can. | Private aid. |
| 11388.6 | - Buoy 8 | 45-03-14.800N 083-24-08.000W | | | | Red nun. | Private aid. |
| 11388.7 | - Buoy 9 | 45-03-25.000N 083-24-14.600W | | | | Green can. | Private aid. |
| 11388.8 | - Buoy 10 | 45-03-25.500N 083-24-12.200W | | | | Red nun. | Private aid. |
| 11388.9 | - Buoy 11 | 45-03-35.500N 083-24-19.000W | | | | Green can. | Private aid. |
| 11389 | - Buoy 12 | 45-03-36.000N 083-24-16.500W | | | | Red nun. | Private aid. |
| 11389.1 | - Buoy 13 | 45-03-45.800N 083-24-23.000W | | | | Green can. | Private aid. |
| 11389.2 | - Buoy 14 | 45-03-46.000N 083-24-20.900W | | | | Red nun. | Private aid. |
| 11389.3 | - Buoy 15 | 45-03-53.400N 083-24-26.100W | | | | Green can. | Private aid. |
| Alpena | | | | | | | |
| 11390 | - Junction Lighted Buoy A1 | 45-02-57.750N 083-24-04.958W | Fl (2+1)R 6s | | 4 | Red with green band. | Replaced by nun from Dec. 1 to Apr. 28. AIS MMSI: 993672225 |
| 11395 | - Channel Lighted Buoy 1 | 45-03-03.098N 083-24-22.186W | Fl G 2s | | 4 | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE HURON | | | | | | | |
| HARRISVILLE TO FORTY MILE POINT (Chart 14864) | | | | | | | |
| Alpena | | | | | | | |
| 11400 | - Channel Lighted Buoy 2 | 45-03-05.773N 083-24-20.723W | FI R 2.5s | | 4 | Red nun. | |
| 11405 | - Channel Lighted Buoy 3 | 45-03-12.960N 083-24-43.290W | FI G 4s | | 4 | Green can. | Year round buoy unlighted from Nov. 14 to May. 1. |
| 11410 | - Channel Lighted Buoy 4 | 45-03-15.324N 083-24-38.371W | FI R 4s | | 4 | Red nun. | Year round buoy unlighted from Nov. 14 to May. 1. |
| 11415 | - Channel Lighted Buoy 5 | 45-03-23.715N 083-25-02.356W | FI G 4s | | 4 | Green can. | |
| Lafarge Corporation Channel | | | | | | | |
| 11420 | - Junction Buoy TB | 45-03-26.545N 083-25-00.169W | | | | Red and green bands. | |
| 11425 | - RANGE FRONT LIGHT | 45-04-02.100N 083-25-02.000W | F G | 22 7 | | Orange and white striped daymark on gray skeleton tower. | Private aid. |
| 11430 | - RANGE REAR LIGHT 133 yards, 358° from front light. | 45-04-06.400N 083-25-00.700W | F G | 38 12 | | Orange and white striped daymark on gray skeleton tower. | Private aid. |
| East Alpena Channel | | | | | | | |
| Thunder Bay National Marine Sanctuary | | | | | | | |
| 11456 | TBNMS Wreck Mooring Lighted Buoy | 45-02-35.800N 083-14-22.500W | Q W | | | Mooring buoy. | "New Orleans" Private aid. |
| HARRISVILLE TO FORTY MILE POINT (Chart 14864) | | | | | | | |
| 11495 | Thunder Bay Island Light | 45-02-14.199N 083-11-39.353W | FI G 10s | | 63 19 | Conical tower with dwelling attached. 63 | |
| 11500 | STONYCROFT POINT LIGHT | 45-06-24.000N 083-18-30.000W | Q W | 30 9 | | TR on red skeleton tower. | Maintained from Mar. 15 to Nov. 15. Private aid. |
| 11505 | Nordmeer Wreck Lighted Buoy WR1 1,470 feet, 102° from last reported position of wreck. | 45-08-08.592N 083-09-17.902W | Q G | | 4 | | RACON: N (- .) Maintained from Apr. 28 to Dec. 1. AIS MMSI: 993672237 |
| 11510 | NOAA Lighted Weather Buoy 45003 | 45-21-01.516N 082-50-25.648W | FI (4)Y 20s | | | Yellow, disc-shaped hull. | Maintained from May 14 to Nov 14 Aid maintained by National Oceanic and Atmospheric Administration. |
| 11515 | Middle Island Light | 45-11-35.502N 083-19-15.729W | FI W 10s | 78 24 | 14 | White conical tower with orange bands in middle with dwelling detached. 78 | |
| 11520 | Middle Island Lighted Buoy 13 | 45-11-13.032N 083-18-10.028W | FI G 4s | | 5 | Green. | Maintained from Apr. 28 to Dec. 1. |
| 11525 | ROCKPORT HARBOR CRIB LIGHT R | 45-12-17.000N 083-22-54.000W | FI W 4s | 12 4 | | NB on red skeleton tower on crib. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 11530 | STONEPORT LIGHT | 45-17-48.214N 083-25-08.717W | AI WR 10s | | | White cylindrical structure. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| 11540 | Stoneport Buoy 3 | 45-19-51.600N 083-25-53.400W | | | | Green can. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 11545 | Stoneport Buoy 5 | 45-19-56.400N 083-25-57.400W | | | | Green can. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| Presque Isle Harbor | | | | | | | |
| 11550 | Presque Isle Light | 45-21-23.391N 083-29-32.398W | FI W 15s | 123 38 | 16 | 123 | |
| 11560 | - Entrance Shoal Lighted Bell Buoy 2 | 45-20-21.259N 083-27-51.227W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Dec. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE HURON | | | | | | | |
| HARRISVILLE TO FORTY MILE POINT (Chart 14864) | | | | | | | |
| Presque Isle Harbor | | | | | | | |
| 11565 | - RANGE FRONT LIGHT | 45-20-16.499N 083-29-25.134W | F G | 23 7 | | KRW on skeleton tower. | Visible 14° each side of range line. |
| 11570 | - RANGE REAR LIGHT 744 feet, 273.9° from front light. | 45-20-17.014N 083-29-35.946W | F G | 50 15 | | KRW on skeleton tower. | Visible 14° each side of range line. |
| Presque Isle Harbor Marina | | | | | | | |
| <i>Lights and buoys maintained from May 15 to Oct 1.</i> | | | | | | | |
| 11574 | <i>Presque Isle Harbor Marina Entrance Lighted Buoy 2</i> | 45-20-18.130N 083-28-56.760W | Q R | | | Red. | Private aid. |
| 11575 | - <i>Entrance Lighted Buoy 3</i> | 45-20-15.620N 083-29-05.640W | Q G | | | Green. | Private aid. |
| 11580 | - Entrance Buoy 4 | 45-20-19.600N 083-29-00.300W | | | | Red nun. | Private aid. |
| 11585 | - Entrance Buoy 5 | 45-20-18.900N 083-29-07.900W | | | | Green can. | Private aid. |
| 11590 | - Entrance Buoy 6 | 45-20-21.500N 083-29-04.500W | | | | Red nun. | Private aid. |
| 11595 | - Entrance Buoy 7 | 45-20-21.800N 083-29-10.000W | | | | Green can. | Private aid. |
| 11595.5 | - Entrance Buoy 8 | 45-20-22.800N 083-29-08.000W | | | | Red nun. | Private aid. |
| 11596 | - Entrance Buoy 9 | 45-20-22.000N 083-29-12.000W | | | | Green can. | Private aid. |
| 11600 | - ENTRANCE LIGHT 10 | 45-20-23.700N 083-29-08.500W | FI W 2.5s | 26 8 | | TR on post. | HORN: 1 blast ev 20s (2s bl). Private aid. |
| 11605 | - ENTRANCE LIGHT 11 | 45-20-24.000N 083-29-11.000W | FI G 4s | 26 8 | | SG on post. | Private aid. |
| Calcite | | | | | | | |
| <i>Aids maintained from May 1 to Dec. 1.</i> | | | | | | | |
| 11610 | - BREAKWATER LIGHT 2 | 45-25-02.300N 083-46-24.000W | Iso R 4s | 49 15 | | TR on skeleton tower. | HORN: 1 blast ev 20s (2s bl). Private aid. |
| 11630 | - INCOMING RANGE FRONT LIGHT | 45-24-37.200N 083-47-11.500W | F R | 30 9 | | White diamond daymark on conveyor house. | Private aid. |
| 11635 | - INCOMING RANGE REAR LIGHT 500 feet, 236° from front light. | 45-24-36.000N 083-47-14.100W | F R | 110 34 | | On side of brick house. | Private aid. |
| 11640 | - OUTGOING RANGE FRONT LIGHT | 45-24-38.200N 083-47-06.700W | F G | 52 16 | | Two lights, 10 feet apart horizontal. | Private aid. |
| 11645 | - OUTGOING RANGE REAR LIGHT 160 feet, 236° from front light. | 45-24-35.600N 083-47-12.700W | F G | 78 24 | | Box on conveyor structure. | Private aid. |
| Rogers City | | | | | | | |
| <i>Buoys maintained from Jun. 1 to Oct. 1.</i> | | | | | | | |
| 11660 | - <i>Harbor Channel Lighted Buoy 1</i> | 45-25-26.700N 083-48-27.800W | FI G 4s | | | Green. | Private aid. |
| 11665 | - <i>Harbor Channel Lighted Buoy 2</i> | 45-25-27.200N 083-48-29.300W | FI R 4s | | | Red. | Private aid. |
| 11670 | - <i>Harbor Channel Lighted Buoy 3</i> | 45-25-24.600N 083-48-29.200W | FI G 6s | | | Green. | Private aid. |
| 11675 | - <i>Harbor Channel Lighted Buoy 4</i> | 45-25-25.100N 083-48-30.700W | FI R 6s | | | Red. | Private aid. |
| 11680 | - <i>Harbor Channel Lighted Buoy 5</i> | 45-25-22.400N 083-48-30.600W | FI G 6s | | | Green. | Private aid. |
| 11685 | - <i>Harbor Channel Lighted Buoy 6</i> | 45-25-22.900N 083-48-32.200W | FI R 6s | | | Red. | Private aid. |
| 11690 | - <i>Harbor Channel Lighted Buoy 7</i> | 45-25-20.900N 083-48-31.700W | FI G 6s | | | Green. | Private aid. |
| 11693 | POLYCHROME LEADING LIGHT | 45-25-12.000N 083-48-36.000W | | | | 68' | Red/Clear/Green Private aid. |
| 11695 | - HARBOR CHANNEL BREAKWATER LIGHT 8 | 45-25-22.500N 083-48-33.200W | FI R 2.5s | 25 8 | | TR on pole. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE HURON | | | | | | | |
| HARRISVILLE TO FORTY MILE POINT (Chart 14864) | | | | | | | |
| Rogers City | | | | | | | |
| <i>Buoys maintained from Jun. 1 to Oct. 1.</i> | | | | | | | |
| 11700 | - HARBOR CHANNEL BREAKWATER LIGHT 9 | 45-25-20.900N 083-48-35.000W | Fl G 2.5s | 25 8 | | SG on pole. | Private aid. |
| 11715 | Forty-Mile Point Light | 45-29-10.260N 083-54-49.092W | Iso W 6s | 66 20 | 16 | White square brick tower on dwelling. 66 | |
| STRAITS OF MACKINAC | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| 11720 | HAMMOND BAY HARBOR OF REFUGE EAST BREAKWATER LIGHT | 45-35-37.489N 084-09-44.680W | Fl G 2.5s | 25 8 | 5 | SG on post. | |
| 11725 | HAMMOND BAY HARBOR OF REFUGE WEST BREAKWATER LIGHT | 45-35-33.803N 084-09-44.529W | Fl R 4s | 25 8 | 4 | TR on post. | |
| 11730 | Spectacle Reef Light Marks west side of reef. | 45-46-22.924N 084-08-16.832W | Fl R 5s | 86 26 | 11 | Gray conical tower on square concrete pier. 86 | |
| 11735 | Raynolds Reef Buoy 1 | 45-46-32.478N 084-12-01.390W | | | | Green can. | |
| 11740 | Raynolds Reef Buoy 2 | 45-46-29.877N 084-13-46.896W | | | | Red nun. | |
| 11745 | <i>Cordwood Point Lighted Buoy 1</i> Marks north side of shoal. | 45-40-51.873N 084-18-06.513W | Fl G 4s | | 4 | Green. | Replaced by can from Dec. 7 to May. 01. |
| 11750 | POE REEF LIGHT | 45-41-41.230N 084-21-43.628W | Iso W 2s | 71 22 | 9 | Square tower with white and black bands on concrete crib. | RACON: Z (- - . .) HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 11760 | Poe Reef Buoy 2 | 45-41-30.374N 084-21-34.228W | | | | Red nun. | |
| 11765 | Fourteen Foot Shoal Light | 45-40-47.636N 084-26-03.814W | Oc W 4s | 51 16 | 13 | White conical tower, square structure on concrete crib. 51 | HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 11770 | Fourteen Foot Shoal Buoy 3 | 45-41-00.076N 084-26-14.948W | | | | Green can. | |
| 11775 | BOIS BLANC TOWNSHIP DOCK LIGHT | 45-43-36.000N 084-27-03.000W | Q G | 17 5 | | On pile. | Maintained from May 1 to Dec. 1. Private aid. |
| Cheboygan | | | | | | | |
| 11776 | Leviathan Wreck Mooring Buoy | 45-39-41.940N 084-26-05.760W | | | | | Private aid. |
| 11777 | <i>Genesee Chief Wreck Mooring Buoy</i> | 45-39-44.220N 084-26-09.480W | | | | | Private aid. |
| 11778 | <i>Jenny Lynn Lighted Wreck Buoy 1</i> | 45-39-12.632N 084-26-04.030W | Q G | | 3 | Green. | Maintained from May 14 to Oct. 14. |
| 11780 | - <i>River Entrance Lighted Buoy 2</i> | 45-39-57.863N 084-27-22.714W | Q R | | 4 | Red. | Replaced by nun Dec. 07 to Apr. 28. |
| 11785 | - River Entrance Buoy 3 | 45-39-52.050N 084-27-23.759W | | | | Green can. | |
| 11790 | - RIVER RANGE FRONT LIGHT | 45-38-50.730N 084-28-22.059W | F R | 48 15 | | KRW on building. | Visible 4° each side of range line. Lighted throughout 24 hours. |
| 11795 | - RIVER RANGE REAR LIGHT 1,119 feet, 212.7° from front light. | 45-38-41.439N 084-28-30.568W | F R | 83 25 | | KRW on skeleton tower. | Visible 4° each side of range line. Lighted throughout 24 hours. |
| 11800 | - River Light 4 | 45-39-28.155N 084-27-50.185W | Fl R 4s | 25 8 | 10 | TR on white cylindrical tower. 26 | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| STRAITS OF MACKINAC | | | | | | | |
| MICHIGAN INLAND ROUTE (Chart 14886) | | | | | | | |
| Cheboygan River | | | | | | | |
| 11806 | - Buoy 1 | 45-38-08.598N 084-28-49.968W | | | | | Maintained from May 15 to Oct 15. |
| 11810 | - Daybeacon 3 | 45-38-06.810N 084-28-54.386W | | | | SG on pile. | |
| 11815 | - Daybeacon 5 | 45-36-16.999N 084-27-52.323W | | | | SG on pile. | |
| 11820 | - Daybeacon 6 | 45-36-06.784N 084-27-52.028W | | | | TR on pile. | |
| 11825 | - Daybeacon 7 | 45-35-59.030N 084-27-51.761W | | | | SG on pile. | |
| 11830 | - Daybeacon 9 | 45-35-55.904N 084-27-53.861W | | | | SG on pile. | |
| 11835 | - Daybeacon 11 | 45-35-50.048N 084-28-02.124W | | | | SG on pile. | |
| 11840 | - Daybeacon 12 | 45-35-50.450N 084-28-03.083W | | | | TR on pile. | |
| 11845 | - Daybeacon 13 | 45-35-42.861N 084-28-06.070W | | | | SG on pile. | |
| 11850 | - Daybeacon 14 | 45-35-43.314N 084-28-06.747W | | | | TR on pile. | |
| 11855 | - Daybeacon 15 | 45-35-41.413N 084-28-14.889W | | | | SG on pile. | |
| 11860 | - Daybeacon 16 | 45-35-42.220N 084-28-15.132W | | | | TR on pile. | |
| 11865 | - Daybeacon 17 | 45-35-43.104N 084-28-21.107W | | | | SG on pile. | |
| 11875 | - Daybeacon 19 | 45-35-08.881N 084-29-00.067W | | | | SG on pile. | |
| 11880 | - Daybeacon 20 | 45-35-07.387N 084-29-00.615W | | | | TR on pile. | |
| 11885 | - Daybeacon 21 | 45-35-03.626N 084-29-04.360W | | | | SG on pile. | |
| Mullett Lake | | | | | | | |
| 11890 | - LIGHT 21A | 45-34-34.100N 084-29-17.579W | FI G 4s | 24 7 | 4 | SG on pole. | |
| 11895 | - LIGHT 23 | 45-34-29.176N 084-29-19.960W | FI G 6s | 16 5 | 3 | SG on dolphin. | |
| 11900 | - <i>Lighted Buoy 24</i> | 45-33-04.796N 084-30-27.408W | FI R 4s | | 3 | Red. | Maintained from May 15 to Oct. 15. |
| 11905 | ALOHA STATE PARK NORTH JETTY LIGHT | 45-31-05.000N 084-28-05.000W | FI G 2.5s | 16 5 | | On pile. | Maintained from May 1 to Dec. 1. Private aid. |
| 11910 | ALOHA STATE PARK SOUTH JETTY LIGHT | 45-31-03.000N 084-28-04.000W | FI R 2.5s | 16 5 | | On pile. | Maintained from May 1 to Dec. 1. Private aid. |
| 11915 | - <i>Lighted Buoy 24A</i> | 45-27-08.216N 084-34-31.350W | FI R 4s | | 3 | Red. | Maintained from May 15 to Oct. 15. |
| Indian River | | | | | | | |
| 11920 | - Buoy 25 | 45-26-56.939N 084-34-42.949W | | | | Green can | Maintained from May 14 to Oct. 14. |
| 11925 | - Daybeacon 27 | 45-26-51.119N 084-34-51.062W | | | | SG on pile. | |
| 11930 | - Daybeacon 27A | 45-26-48.562N 084-34-50.284W | | | | SG on pile. | |
| 11935 | - Daybeacon 28 | 45-26-51.799N 084-34-51.849W | | | | TR on pile. | |
| 11940 | - Daybeacon 29 | 45-26-46.203N 084-34-50.465W | | | | SG on pile. | |
| 11945 | - Daybeacon 30 | 45-26-41.748N 084-35-02.671W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| STRAITS OF MACKINAC | | | | | | | |
| MICHIGAN INLAND ROUTE (Chart 14886) | | | | | | | |
| Indian River | | | | | | | |
| 11950 | - Daybeacon 31 | 45-26-38.482N 084-35-02.514W | | | | SG on pile. | |
| 11955 | - Daybeacon 32 | 45-26-38.319N 084-35-03.135W | | | | TR on pile. | |
| 11960 | - Daybeacon 34 | 45-26-34.955N 084-34-59.803W | | | | TR on pile. | |
| 11965 | - Daybeacon 35 | 45-26-33.562N 084-34-54.319W | | | | SG on pile. | |
| 11970 | - Daybeacon 37 | 45-26-31.137N 084-34-51.050W | | | | SG on pile. | |
| 11975 | - Daybeacon 39 | 45-26-23.795N 084-34-55.256W | | | | SG on pile. | |
| 11976 | - Daybeacon 39A | 45-26-23.205N 084-34-59.897W | | | | SG on pile. | |
| 11980 | - Daybeacon 40 | 45-26-26.270N 084-35-07.815W | | | | TR on pile. | |
| 11985 | - Daybeacon 41 | 45-26-25.279N 084-35-08.978W | | | | SG on pile. | |
| 11990 | - Daybeacon 42 | 45-26-24.857N 084-35-10.376W | | | | TR on pile. | |
| 11995 | - Daybeacon 43 | 45-26-16.292N 084-35-09.164W | | | | SG on pile. | |
| 12000 | - Daybeacon 44 | 45-26-14.835N 084-35-11.531W | | | | TR on pile. | |
| 12005 | - Daybeacon 45 | 45-26-12.892N 084-35-13.362W | | | | SG on pile. | |
| 12010 | - Daybeacon 46 | 45-26-12.988N 084-35-24.725W | | | | TR on pile. | |
| 12015 | - Daybeacon 47 | 45-26-12.230N 084-35-24.447W | | | | SG on pile. | |
| 12020 | - Daybeacon 48 | 45-26-11.614N 084-35-27.626W | | | | TR on pile. | |
| 12025 | - Daybeacon 50 | 45-26-09.290N 084-35-26.171W | | | | TR on pile. | |
| 12030 | - Daybeacon 52 | 45-26-07.229N 084-35-20.408W | | | | TR on pile. | |
| 12035 | - Daybeacon 53 | 45-26-05.924N 084-35-19.753W | | | | SG on pile. | |
| 12040 | - Daybeacon 54 | 45-26-03.103N 084-35-29.336W | | | | TR on pile. | |
| 12045 | - Daybeacon 55 | 45-25-57.907N 084-35-29.929W | | | | SG on pile. | |
| 12050 | - Daybeacon 57 | 45-25-54.934N 084-35-31.855W | | | | SG on pile. | |
| 12055 | - Daybeacon 58 | 45-25-50.992N 084-35-46.533W | | | | TR on pile. | |
| 12060 | - Daybeacon 60 | 45-25-42.104N 084-35-59.124W | | | | TR on pile. | |
| 12065 | - Daybeacon 61 | 45-25-35.275N 084-36-00.998W | | | | SG on pile. | |
| 12070 | - Daybeacon 62 | 45-25-33.683N 084-36-06.417W | | | | TR on pile. | |
| 12075 | - Daybeacon 63 | 45-25-24.059N 084-36-06.431W | | | | SG on pile. | |
| 12080 | - Daybeacon 66 | 45-25-17.261N 084-36-14.830W | | | | TR on pile. | |
| 12085 | - Daybeacon 67 | 45-25-04.778N 084-36-15.096W | | | | SG on pile. | |
| 12090 | - Daybeacon 68 | 45-25-02.135N 084-36-21.628W | | | | TR on pile. | |
| Burt Lake | | | | | | | |
| 12095 | - LIGHT 70 | 45-24-37.032N 084-37-27.030W | FIR 4s | 15 5 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|----------------------------------|---------------|--------------|--------------------------|--|
| STRAITS OF MACKINAC | | | | | | | |
| MICHIGAN INLAND ROUTE (Chart 14886) | | | | | | | |
| Burt Lake | | | | | | | |
| 12100 | - Obstruction Buoy | 45-24-10.784N 084-38-14.064W | | | | White with orange bands. | Maintained from May 15 to Oct. 15. Worded: SUBMERGED OBJECT. |
| 12105 | - LIGHT 71 | 45-28-16.329N 084-43-22.234W | FI G 4s | 15 5 | 4 | SG on pile. | |
| MICHIGAN INLAND ROUTE (Chart 14886) | | | | | | | |
| 12110 | Crooked River Daybeacon 73 | 45-28-13.637N 084-43-38.988W | | | | SG on pile. | |
| 12115 | Crooked River Daybeacon 75 | 45-28-16.529N 084-43-56.346W | | | | SG on pile. | |
| Crooked Lake | | | | | | | |
| <i>Buoys maintained from May 7 to Nov. 1.</i> | | | | | | | |
| 12120 | - LIGHT 77 | 45-25-50.214N 084-47-17.185W | FI G 4s | 15 5 | 3 | SG on pile. | |
| 12125 | - Daybeacon 79 | 45-25-25.658N 084-47-29.093W | | | | SG on pile. | |
| 12130 | - Daybeacon 80 | 45-25-26.433N 084-47-30.051W | | | | TR on pile. | |
| 12135 | PICKEREL CHANNEL ENTRANCE LIGHT 2 | 45-24-57.176N 084-47-42.860W | FI R 4s | 15 5 | 3 | TR on pile. | |
| 12140 | - Daybeacon 81 | 45-25-05.794N 084-48-07.724W | | | | | |
| 12145 | - Buoy 82 | 45-25-06.506N 084-48-08.129W | | | | | Maintained from May 15 to Oct 15 |
| 12150 | - Daybeacon 83 | 45-25-08.646N 084-48-31.443W | | | | SG on pile. | |
| 12155 | - Daybeacon 84 | 45-25-09.134N 084-48-31.350W | | | | TR on pile. | |
| 12160 | - Daybeacon 85 | 45-25-09.900N 084-48-48.854W | | | | SG on pile. | |
| 12165 | - Daybeacon 86 | 45-25-10.538N 084-48-48.714W | | | | TR on pile. | |
| 12170 | - Daybeacon 87 | 45-25-11.637N 084-49-05.636W | | | | SG on pile. | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| 12175 | Cheboygan Buoy 5 | 45-41-15.109N 084-27-22.649W | | | | Green can. | |
| 12180 | Cheboygan Traffic V-AIS | 45-42-14.542N 084-28-18.272W | Mo (A) W (NIGHT) (DAY) | | 4 | | Vessels are requested to leave buoy on port hand in passing. AIS MMSI: 993682099 |
| 12182 | <i>St. Andrew Wreck Mooring Buoy</i> | 45-42-03.000N 084-31-48.660W | | | | | Private aid. |
| 12185 | Zela Shoal Buoy 6 Marks west side of shoal. | 45-46-29.578N 084-33-54.681W | | | | Red nun. | |
| LAKE MICHIGAN | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| V AIS | | | | | | | |
| 12191 | EAST BREAKWATER LIGHT 1 | 45-46-44.200N 084-34-13.700W | FI G 2.5s | | | | Maintained from May 1 to Oct. 15. Private aid. |
| 12192 | WEST BREAKWATER LIGHT 2 | 45-46-43.300N 084-43-10.000W | FI R 2.5s | | | | Maintained from May 1 to Oct. 15. Private aid. |
| STRAITS OF MACKINAC | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| 12195 | MACKINAW CITY HARBOR ENTRANCE LIGHT 1 | 45-46-53.132N 084-43-12.530W | FI G 2.5s | 25 8 | 5 | SG on pile. | |
| 12200 | MACKINAW CITY HARBOR ENTRANCE LIGHT 2 | 45-46-51.404N 084-43-16.692W | FI R 4s | 25 8 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| STRAITS OF MACKINAC | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| 12201 | <i>Straits State Harbor Lighted Buoy A</i> | 45-46-43.980N 084-43-07.386W | Q R | | | | Private aid. |
| LAKE MICHIGAN | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| VAIS | | | | | | | |
| 12201.1 | <i>Straits State Harbor Lighted Buoy B</i> | 45-46-42.200N 084-43-07.000W | Q G | | | | Maintained from May. 1 to Oct. 1. Private aid. |
| STRAITS OF MACKINAC | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| North End of Lake Huron | | | | | | | |
| 12205 | Martin Reef Light Marks south side of reef. | 45-54-47.324N 084-08-54.980W | FI R 10s | 65 20 | 12 | White square tower on concrete crib. 65 | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 12210 | <i>Pomeroy Reef Lighted Gong Buoy 2PR</i> Marks west side of Pomeroy Reef. | 45-55-27.532N 084-12-32.854W | FI R 4s | | 4 | Red. | Maintained from May 1 to Dec 01. |
| 12215 | Tobin Reef Buoy 1 Marks northwest side of reef. | 45-56-29.754N 084-12-16.689W | | | | Green can. | |
| LES CHENEAUX ISLANDS | | | | | | | |
| 12220 | Crow Island Leading Light | 45-58-06.032N 084-14-24.030W | Iso W 6s | 31 9 | 11 | Black rectangular daymark on gray tower. 32 | |
| 12222 | <i>Les Cheneaux Island Lighted Buoy 2</i> | 45-56-29.932N 084-13-14.030W | FI R 6s | | 4 | Red. | Replaced by nun from Dec. 1 to May 1. |
| 12225 | <i>Les Cheneaux Island Lighted Buoy 3</i> | 45-56-54.732N 084-14-27.830W | FI G 6s | | 4 | Green. | Replaced by can from Dec. 1 to May 1. |
| 12230 | <i>Les Cheneaux Island Lighted Buoy 4</i> | 45-57-25.732N 084-13-49.030W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec. 1 to May 1. |
| 12235 | <i>Les Cheneaux Island Lighted Buoy 5</i> | 45-57-36.032N 084-14-23.030W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 1 to May 1. |
| 12240 | <i>Port Dolomite Lighted Buoy 7</i> | 45-58-50.708N 084-16-26.043W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 1 to May 1. |
| 12243 | Port Dolomite Buoy 9 | 45-58-54.332N 084-16-59.530W | | | | Green can. | |
| 12245 | MCKAY BAY RANGE FRONT LIGHT | 45-59-57.000N 084-16-28.000W | F R | 23 7 | | NR on white structure. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 12250 | MCKAY BAY RANGE REAR LIGHT 600 feet, 309° from front light. | 45-59-05.000N 084-16-00.000W | F R | 58 18 | | NR on white structure. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 12260 | <i>Penny Island Point Lighted Buoy 1</i> Marks shoal. | 45-56-52.797N 084-17-06.322W | FI G 4s | | 4 | Green. | Maintained from May 14 to Oct. 21. |
| 12263 | <i>NOAA GLOS Les Cheneaux Wave Buoy 1</i> | 45-55-10.980N 084-20-12.900W | FI Y 2.5s | | | | Maintained from May.1 to Dec.1. Private aid. |
| 12265 | Scammons Harbor Buoy 3 | 45-57-35.279N 084-17-40.989W | | | | Green can. | Maintained from May 14 to Oct. 21. |
| 12270 | <i>Scammons Harbor Lighted Buoy 4</i> | 45-57-56.996N 084-17-58.215W | FI R 2.5s | | 4 | Red. | Maintained from May 14 to Oct. 21. |
| 12275 | ISLE ISIDORE LIGHT | 45-58-12.000N 084-18-18.000W | FI W 4s | 15 5 | | White triangular tower. | Maintained from Jul. to Sep. Private aid. |
| Cedarville East Channel | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 21.</i> | | | | | | | |
| 12280 | - Buoy 5 | 45-58-52.572N 084-19-38.967W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| STRAITS OF MACKINAC | | | | | | | |
| LES CHENEAUX ISLANDS | | | | | | | |
| Cedarville East Channel | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 21.</i> | | | | | | | |
| 12285 | - Buoy 6 | 45-59-16.536N 084-20-00.145W | | | | Red nun. | |
| 12290 | - Lighted Buoy 7 | 45-59-15.946N 084-20-01.601W | FI G 4s | | 3 | Green | |
| 12295 | - Buoy 8 | 45-59-30.530N 084-20-22.147W | | | | Red nun. | |
| 12300 | - Buoy 9 | 45-59-29.788N 084-20-22.999W | | | | Green can. | |
| 12305 | - Lighted Buoy 10 | 45-59-40.019N 084-20-45.275W | Q R | | 3 | Red. | |
| 12310 | - Buoy 11 | 45-59-37.890N 084-20-46.044W | | | | Green can. | |
| 12315 | - Buoy 12 | 45-59-38.137N 084-21-00.492W | | | | Red nun. | |
| 12320 | - Buoy 13 | 45-59-36.942N 084-21-00.547W | | | | Green can. | |
| Les Cheneaux Islands Middle Entrance | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 21.</i> | | | | | | | |
| 12325 | - Buoy 1 Marks southeast side of shoal. | 45-56-57.694N 084-20-14.126W | | | | Green can. | Maintained year round. |
| 12330 | - Buoy 3 | 45-57-04.229N 084-20-34.505W | | | | Green can. | Maintained year round. |
| 12335 | - Buoy 4 | 45-57-25.648N 084-21-13.200W | | | | Red nun. | |
| 12340 | - Lighted Buoy 5 | 45-57-24.832N 084-21-14.330W | FI G 2.5s | | 3 | Green. | |
| 12345 | - Buoy 7 | 45-57-28.701N 084-21-21.228W | | | | Green can. | |
| 12350 | - Buoy 8 | 45-57-40.017N 084-21-32.133W | | | | Red nun. | |
| 12355 | - Lighted Buoy 10 | 45-57-50.350N 084-21-45.910W | Q R | | 3 | Red. | |
| 12360 | Goose Island Buoy 1 | 45-54-09.924N 084-25-10.895W | | | | Green can. | Maintained year round. |
| 12365 | Goose Island Shoal Buoy 1 | 45-53-39.878N 084-28-45.291W | | | | Green can. | Maintained year round. |
| 12370 | Goose Island Shoal Lighted Buoy 2 Marks northwest side of shoal. | 45-54-10.348N 084-29-45.650W | FI R 4s | | 4 | Red. | Replaced by nun from Oct. 21 to May 14. |
| Les Cheneaux Islands West Entrance | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 21.</i> | | | | | | | |
| 12375 | - Lighted Buoy 1 Marks shoal. | 45-57-51.765N 084-27-04.958W | FI G 4s | | 4 | Green. | |
| 12380 | - Lighted Buoy 2 Marks northwest side of shoal. | 45-58-59.689N 084-27-10.178W | FI R 4s | | 4 | Red. | |
| 12385 | - Lighted Buoy 3 Marks shoal. | 45-59-39.103N 084-26-42.161W | FI G 4s | | 4 | Green. | |
| 12390 | - Lighted Buoy 4 Marks west side of shoal. | 45-59-57.520N 084-26-23.668W | FI R 4s | | 4 | Red. | |
| 12395 | - Buoy 5 | 46-00-12.682N 084-26-10.300W | | | | Green can. | |
| 12400 | - Buoy 6 | 45-59-57.872N 084-25-53.051W | | | | Red nun. | |
| 12405 | - Buoy 8 | 45-59-46.191N 084-25-36.596W | | | | Red nun. | |
| Mackinac Bay Passage | | | | | | | |
| 12410 | - Lighted Buoy 10 | 45-59-19.634N 084-24-09.029W | FI R 2.5s | | 3 | Red. | |
| 12415 | - Buoy 11 | 45-59-21.515N 084-24-13.342W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--------------------------|---|
| STRAITS OF MACKINAC | | | | | | | |
| LES CHENEAUX ISLANDS | | | | | | | |
| Mackinac Bay Passage | | | | | | | |
| 12420 | - Buoy 12 | 45-59-32.378N 084-24-02.932W | | | | Red nun. | |
| 12425 | - Buoy 13 | 45-59-35.119N 084-24-04.839W | | | | Green can. | |
| 12430 | - Buoy 14 | 45-59-33.738N 084-23-58.702W | | | | Red nun. | |
| 12435 | - Buoy 15 | 45-59-35.306N 084-23-58.164W | | | | Green can. | |
| 12440 | - Buoy 16 | 45-59-21.873N 084-23-32.607W | | | | Red nun. | |
| 12441 | - Buoy 16A | 45-59-20.492N 084-23-22.170W | | | | Red nun. | |
| 12445 | - Buoy 17 | 45-59-23.260N 084-23-30.190W | | | | Green can. | |
| 12450 | - Buoy 18 | 45-59-17.658N 084-23-13.682W | | | | Red nun. | |
| 12455 | - Buoy 19 | 45-59-18.340N 084-23-11.176W | | | | Green can. | |
| 12460 | - Buoy 20 | 45-59-05.587N 084-22-58.685W | | | | Red nun. | |
| 12465 | - Buoy 21 | 45-59-05.999N 084-22-57.092W | | | | Green can. | |
| 12470 | - Buoy 22 | 45-58-53.859N 084-22-44.731W | | | | Red nun. | |
| 12475 | - Buoy 23 | 45-58-52.692N 084-22-39.649W | | | | Green can. | |
| Muscallonge Bay | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 21.</i> | | | | | | | |
| 12480 | - Buoy 24 | 45-58-35.553N 084-22-12.209W | | | | Red nun. | |
| 12485 | - Buoy 25 | 45-58-36.748N 084-22-11.522W | | | | Green can. | |
| 12490 | - Buoy 26 | 45-58-27.039N 084-21-56.909W | | | | Red nun. | |
| 12495 | - Buoy 27 | 45-58-10.381N 084-21-14.444W | | | | Green can. | |
| 12500 | - <i>Lighted Buoy 29</i> | 45-58-09.998N 084-20-55.135W | FI G 4s | | 3 | Green. | |
| Cedarville West Channel | | | | | | | |
| <i>Buoys maintained from May 14 to Oct. 21.</i> | | | | | | | |
| 12505 | - Buoy 30 | 45-58-49.947N 084-20-50.136W | | | | Red nun. | |
| 12510 | - <i>Lighted Buoy 31</i> | 45-58-50.991N 084-20-54.393W | FI G 4s | | 3 | Green. | |
| 12515 | - Buoy 32 | 45-59-16.315N 084-21-21.230W | | | | Red nun. | |
| 12520 | - <i>Lighted Buoy 33</i> | 45-59-17.221N 084-21-24.334W | Q G | | 3 | Green. | |
| 12525 | - Buoy 34 | 45-59-29.004N 084-21-24.389W | | | | Red nun. | |
| 12530 | - Buoy 35 | 45-59-30.460N 084-21-26.229W | | | | Green can. | |
| 12532 | <i>Ailes Point Lighted Danger Buoy</i> | 45-59-34.164N 084-21-17.612W | FI W 2.5s | | 4 | White with orange bands. | "DANGER ROCKS" |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| 12535 | BOIS BLANC LIGHT | 45-48-40.787N 084-25-14.670W | FI W 2.5s | 32 10 | 7 | White cylindrical tower. | Visible from 101° to 311°. |
| Round Island Passage | | | | | | | |
| 12540 | <i>Mission Point Lighted Bell Buoy 2</i> Marks shoal. | 45-50-55.479N 084-35-56.688W | Q R | | 4 | Red. | Replaced by nun from Dec. 7 to Apr. 28. |
| 12545 | MACKINAC ISLAND EAST BREAKWATER LIGHT 2 | 45-50-45.987N 084-36-32.895W | FI R 2.5s | 25 8 | 5 | TR on white pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| STRAITS OF MACKINAC | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| Round Island Passage | | | | | | | |
| 12550 | MACKINAC ISLAND WEST BREAKWATER LIGHT 1 | 45-50-39.428N 084-36-51.844W | FI G 2.5s | 33 10 | 4 | SG on post. | |
| 12565 | PASSENGER PIERHEAD LIGHT | 45-50-39.300N 084-36-27.700W | F R | 20 6 | | On white post. | Maintained from May 1 to Oct. 1. Private aid. |
| 12570 | COAL DOCK PIERHEAD LIGHT | 45-50-54.000N 084-36-59.100W | F W | 14 4 | | On white post. | Maintained from May 1 to Oct. 1. Private aid. |
| 12575 | <i>Round Island Lighted Buoy 3</i> Marks shoal. | 45-50-27.479N 084-36-31.090W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 28. AIS MMSI: 993672251 |
| 12580 | - Light | 45-50-34.960N 084-36-55.461W | FI R 5s | 71 22 | 11 | Lighthouse. 71 | RACON: X (- . . -) HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone 5 times on VHF-FM channel 83A. |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| 12583 | <i>William H. Barnum Wreck</i> <i>Mooring Buoy</i> | 45-44-42.900N 084-37-51.480W | | | | | Private aid. |
| Round Island Passage | | | | | | | |
| 12585 | Old Round Island Point Light | 45-50-12.000N 084-37-00.000W | FI (2)W 10s | 53 16 | | Red and white conical tower. | Private aid. |
| 12590 | <i>Round Island Shoal Lighted Buoy 5</i> Marks shoal. | 45-50-17.678N 084-37-05.691W | Q G | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 28. AIS MMSI: 993672252 |
| 12595 | Majors Shoal East Buoy 1 Marks east side of shoal. | 45-48-59.977N 084-39-05.097W | | | | Green can. | Replaced by smaller can from Dec. 7 to Apr. 28. |
| 12600 | <i>Majors Shoal Lighted Buoy 3</i> Marks west side of shoal. | 45-49-01.777N 084-39-51.499W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 28. |
| 12605 | <i>North Graham Shoal Lighted Bell Buoy 3</i> Marks east side of shoal. | 45-50-14.577N 084-41-12.803W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 28. |
| 12607 | ST. IGNACE COAST GUARD SLIP LIGHT | 45-51-19.732N 084-42-09.030W | FI W 6s | 16 5 | 3 | NW on dolphin. | |
| 12608 | Wawatam Lighthouse | 45-51-57.370N 084-42-55.550W | FI W 5s | | | Lighthouse 62 | Private aid. |
| 12609 | ST. IGNACE MARINA ENTRANCE LIGHT 1 | 45-51-57.400N 084-43-03.400W | FI G 2.5s | 25 8 | | SG on white pole. | Private aid. |
| 12609.5 | ST. IGNACE MARINA ENTRANCE LIGHT 2 | 45-51-58.300N 084-43-00.600W | FI R 2.5s | 25 8 | | TR on white pole. | Private aid. |
| 12610 | ST IGNACE MARINA NORTHEAST BREAKWALL LIGHT | 45-52-04.300N 084-43-04.000W | FI Y 2.5s | 10 3 | | NY on white pole. | Private aid. |
| 12615 | NORTHWESTERN DOCK LIGHT | 45-52-28.200N 084-42-53.000W | Q W | 20 6 | | On middle of three mooring dolphins. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| Mackinaw Bridge | | | | | | | |
| 12625 | Mackinac Bridge VAIS 1 | 45-48-29.376N 084-42-26.106W | | | 1 | | AIS MMSI: 993672140. |
| 12630 | Mackinac Bridge VAIS 2 | 45-49-07.877N 084-42-27.306W | | | 1 | | AIS MMSI: 993672141. |
| 12635 | South Graham Shoal Buoy 2A Marks south side of shoal. | 45-49-31.577N 084-42-20.306W | | | | Red nun. | |
| 12640 | Mackinac Bridge Fog Signal | 45-48-55.100N 084-43-40.900W | | | | On center span of Mackinac Bridge. | HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Private aid. |
| 12645 | Mackinac Bridge VAIS 3 | 45-48-38.776N 084-44-08.511W | | | 1 | | AIS MMSI: 993672142. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|--|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| VAIS | | | | | | | |
| 12647 | East Enbridge Pipe 1 | 45-49-26.940N 084-45-52.247W | | | | | VAIS Private aid. |
| 12647.1 | East Enbridge Pipe 2 | 45-49-22.620N 084-45-25.650W | | | | | VAIS Private aid. |
| 12648 | West Enbridge Pipe 3 | 45-48-12.600N 084-45-52.553W | | | | | VAIS Private aid. |
| 12648.1 | West Enbridge Pipe 4 | 45-48-17.496N 084-46-18.163W | | | | | VAIS Private aid. |
| STRAITS OF MACKINAC | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| Mackinac Bridge | | | | | | | |
| 12650 | Mackinac BridgeVAIS 4 | 45-49-15.576N 084-44-08.511W | | | 1 | | AIS MMSI: 993672143. |
| 12651 | McGulpin Point Lighthouse | 45-47-13.128N 084-46-21.756W | Fl W 4s | | | 108 | Private aid. |
| 12653 | <i>Michigan Tech Weather Buoy</i> | 45-49-30.948N 084-46-19.806W | Q Y | | | | Private aid. |
| LAKE MICHIGAN | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| VAIS | | | | | | | |
| 12654 | <i>Michigan tech Weather South Buoy</i> | 45-48-12.211N 084-47-30.594W | Q Y | | | | Maintained from Apr.1 to Dec.15. Private aid. |
| LAKE HURON, CANADA | | | | | | | |
| PORT HURON TO PTE AUX BARQUES (Chart 14862) | | | | | | | |
| East Side | | | | | | | |
| 12660 | Goderich (Main) Light (C) | 43-44-30.032N 081-43-36.025W | Fl (2) W 25s 0.5s fl 5.5s ec. 0.5s fl 18.5s ec. | 140 43 | 18 | White square tower with red top. | Seasonal. |
| 12670 | Point Clark Light (C) | 44-04-24.032N 081-45-24.026W | Fl W 3.5s | 93 28 | 16 | White circular tower. | Seasonal. |
| 12675 | Cove Island Light (C) | 45-19-36.033N 081-44-06.026W | Fl W 5s | 101 31 | 18 | White circular tower with dwelling attached. | Seasonal. Emergency light. |
| 12685 | Great Duck Island Light (C) | 45-38-30.032N 082-57-48.028W | Fl (3) W 15s fl 2.5s ec. fl 2.5s ec. fl 10s ec. | 108 33 | | White octagonal tower. | Seasonal. Emergency light. |
| ST. MARYS RIVER | | | | | | | |
| DE TOUR PASSAGE TO MUNUSCONG LAKE (Chart 14882) | | | | | | | |
| Potagannissing Bay | | | | | | | |
| 12690 | BURNT ISLAND REEF LIGHT 1 | 46-06-27.032N 083-49-43.029W | Fl G 4s | 40 12 | 5 | SG on skeleton tower. | |
| 12695 | <i>Bacon Shoal Lighted Buoy 3</i> | 46-03-36.378N 083-49-56.348W | Fl G 2.5s | | 4 | Green. | Replaced by can from Oct. 28 to May 14. |
| 12700 | Big Trout Island Buoy 4 | 46-03-19.656N 083-50-21.678W | | | | Red nun. | |
| 12704 | Bow Island Buoy 1 | 46-02-00.823N 083-49-29.606W | | | | Green can. | |
| 12705 | Sturgeon Bay Shoal Buoy 2 | 46-01-27.032N 083-48-45.029W | | | | Red nun. | |
| 12707 | Gull Island Buoy 3 | 46-01-55.032N 083-47-27.029W | | | | Green can. | |
| 12710 | Cheney Shoal Buoy 5 | 46-02-03.232N 083-46-03.179W | | | | Green can. | Maintained from May 14 to Oct. 28. |
| 12715 | <i>Wreck Island Lighted Buoy 6</i> | 46-01-58.607N 083-45-51.343W | Fl R 2.5s | | 3 | Red. | Maintained from May 14 to Oct. 28. |
| 12720 | Howard Island Buoy 7 | 46-01-53.841N 083-45-15.745W | | | | Green can. | Maintained from May 14 to Oct. 28. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-------------------------------------|---------------------------------|------------------------|---------------|--------------|------------------|---|
| ST. MARYS RIVER | | | | | | | |
| DE TOUR PASSAGE TO MUNUSCONG LAKE (Chart 14882) | | | | | | | |
| Potagannissing Bay | | | | | | | |
| Drummond Island Shoal Yacht Haven Channel | | | | | | | |
| <i>Aids maintained from May 15 to Oct. 15.</i> | | | | | | | |
| 12725 | - Buoy 1 | 46-01-45.000N 083-44-50.000W | | | | Green can. | Private aid. |
| 12730 | - Buoy 2 | 46-01-45.000N 083-44-56.100W | | | | Red nun. | Private aid. |
| 12735 | - Buoy 3 | 46-01-34.200N 083-44-50.000W | | | | Green can. | Private aid. |
| 12740 | - Buoy 4 | 46-01-34.000N 083-44-54.900W | | | | Red nun. | Private aid. |
| 12743 | Roggs Island Buoy 9 | 46-02-05.969N 083-44-26.902W | | | | Green can. | Maintained from May 14 to Oct. 28. |
| 12745 | Rogg Island Buoy 8 | 46-02-01.336N 083-44-34.971W | | | | Red nun. | Maintained from May 14 to Oct. 28. |
| 12746 | Quarry Island Buoy 10 | 46-02-00.035N 083-44-01.470W | | | | Red nun. | Maintained from May 14 to Oct. 28. |
| 12750 | Quarry Island Buoy 11 | 46-02-08.675N 083-43-56.434W | | | | Green can. | Maintained from May 14 to Oct. 28. |
| 12751 | Quarry Island Buoy 13 | 46-02-19.668N 083-43-52.153W | | | | Green can. | Maintained from May 14 to Oct. 28. |
| 12751.1 | Fire Island Shoal Buoy | 46-02-19.532N 083-44-10.085W | | | | | Maintained from May 14 to Oct. 28. |
| 12752 | La Pointe Island Buoy 14 | 46-02-20.427N 083-43-46.020W | | | | Red nun. | Maintained from May 14 to Oct. 28. |
| 12753 | <i>Grape Island Lighted Buoy 16</i> | 46-02-44.032N 083-43-48.529W | Fl R 4s | | 3 | Red. | Maintained from May 14 to Oct. 28. |
| 12755 | Harbor Island Shoal Buoy 17 | 46-03-42.646N 083-44-08.226W | | | | Green can. | Maintained from May 14 to Oct. 28. |
| 12760 | Propeller Island Shoal Buoy 19 | 46-04-44.561N 083-44-20.419W | | | | Green can. | Maintained from May 14 to Oct. 28. |
| 12762 | Bruce Point Buoy 21 | 46-05-02.456N 083-44-26.566W | | | | Green can. | Maintained from May 14 to Oct. 28. |
| 12763 | Bruce Point Buoy 22 | 46-05-03.032N 083-44-08.029W | | | | Red nun. | Maintained from May 14 to Oct. 28. |
| Drummond Island - South Side | | | | | | | |
| 12765 | Big Shoal Buoy 2 | 45-54-24.229N 083-37-08.316W | | | | Red nun. | |
| 12770 | De Tour Reef Light | 45-56-56.820N 083-54-11.274W | Fl W 10s (R sector) | 74 23 | W 18 R 15 | 84 | RACON: D (- . .) Red from 079.5° to 189.5°. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Fog signal operates by keying VHF FM Marine radio channel 83A five times. |
| Whitney Bay | | | | | | | |
| <i>Aids maintained from Jun. 1 to Oct. 1.</i> | | | | | | | |
| 12780 | - East Entrance Buoy 2 | 45-57-16.000N 083-51-53.200W | | | | Red nun. | Private aid. |
| 12785 | - East Entrance Buoy 4 | 45-57-31.000N 083-51-32.000W | | | | Red nun. | Private aid. |
| 12790 | - East Entrance Buoy 6 | 45-58-23.700N 083-51-35.500W | | | | Red nun. | Private aid. |
| 12795 | - West Entrance Buoy 1 | 45-57-47.000N 083-52-58.800W | | | | Green can. | Private aid. |
| 12800 | - West Entrance Buoy 3 | 45-57-59.000N 083-52-27.900W | | | | Green can. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. MARYS RIVER | | | | | | | |
| DE TOUR PASSAGE TO MUNUSCONG LAKE (Chart 14882) | | | | | | | |
| Whitney Bay | | | | | | | |
| <i>Aids maintained from Jun. 1 to Oct. 1.</i> | | | | | | | |
| 12805 | - West Entrance Buoy 4 | 45-58-10.900N 083-52-03.000W | | | | Red nun. | Private aid. |
| 12810 | - West Entrance Buoy 5 | 45-58-31.000N 083-51-47.400W | | | | Green can. | Private aid. |
| De Tour Passage | | | | | | | |
| 12815 | - <i>Lighted Buoy 2</i> | 45-56-34.403N 083-52-33.916W | FI R 6s | | 5 | Red. | Replaced by nun from Dec. 1 to May 1. |
| 12820 | - <i>Lighted Buoy 3</i> | 45-57-45.032N 083-54-00.029W | FI G 2.5s | | 4 | Green can. | Replace by can Dec 1 to May 1. |
| 12825 | <i>Crab Island Shoal Lighted Bell Buoy 4</i> Marks west side of shoal. | 45-57-36.276N 083-53-10.931W | FI R 2.5s | | 5 | Red. | Replaced by nun from Dec. 1 to May 1. |
| 12830 | Drummond Island Shoal Buoy 6 | 45-58-50.636N 083-53-00.976W | | | | Red nun. | |
| 12835 | FRYING PAN ISLAND LIGHT 7 | 45-59-07.634N 083-53-40.973W | Q G | 14 4 | 6 | SG on post. | Higher intensity beam on bearing 176° and 356° diminishing around remainder of horizon. |
| 12840 | DETOUR HARBOR ENTRANCE LIGHT 2 | 45-59-44.235N 083-53-56.818W | FI R 4s | 28 9 | 4 | TR on pile. | |
| Lower River | | | | | | | |
| 12850 | WATSONS REEFS LIGHT 9A | 46-00-24.652N 083-53-58.183W | FI G 4s | 33 10 | 6 | SG on post on tripod foundation. | Higher intensity beam upstream. |
| 12855 | Watson Reefs Buoy 9 Marks east side of reef. | 46-00-16.904N 083-53-50.128W | | | | Green can. | |
| 12860 | Watson Reefs Buoy 11 | 46-00-36.864N 083-54-05.449W | | | | Green can. | |
| 12865 | <i>Pipe Island Shoal Lighted Buoy 1</i> Marks southeast side of shoal. | 46-00-34.501N 083-53-17.157W | FI G 2.5s | | 3 | Green. | Replaced by can from Dec. 07 to May. 01. AIS MMSI: 993686002 |
| 12870 | Sims Point Buoy 2 | 46-01-39.705N 083-51-03.780W | | | | Red nun. | |
| Pipe Island | | | | | | | |
| 12875 | - Light | 46-00-58.832N 083-53-57.529W | FI W 5s | 52 16 | 11 | KRW on yellow octagonal tower with black skeleton superstructure. | |
| 12880 | - <i>Lighted Buoy 12</i> | 46-00-57.043N 083-54-06.903W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to May 1. |
| 12885 | - TWINS LIGHT | 46-01-33.961N 083-53-29.371W | FI W 2.5s | 27 8 | 9 | NG on post. | |
| 12890 | - <i>Twins Lighted Buoy 3</i> | 46-01-43.232N 083-53-24.809W | Q G | | 4 | Green. | Replaced by can from Dec. 7 to May 1. |
| Lower River | | | | | | | |
| 12895 | MINO-KWE MINISING LIGHT 4 | 46-02-20.312N 083-54-13.649W | FI R 2.5s | 26 8 | 6 | TR on post. | |
| 12905 | Sweets Point Light 13 Marks north side of shoal. | 46-02-19.421N 083-56-09.741W | FI G 2.5s | 20 6 | 10 | White cylindrical tower with green stripe in middle. | Higher intensity beam on bearings 316° and 121° diminishing around remainder of horizon. |
| Lime Island | | | | | | | |
| 12907 | - <i>Lighted Buoy 14</i> | 46-03-17.365N 083-57-36.786W | FI R 4s | | 3 | Red. | Replaced by nun from Dec. 7 to May 1. |
| 12910 | - <i>Lighted Buoy 14A</i> | 46-04-12.284N 084-00-23.566W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 7 to May 1. |
| 12915 | - Safe Water V-AIS | 46-04-21.896N 084-00-59.236W | Mo (A) W | | 4 | | Vessels are required to leave buoy to port when passing. AIS MMSI: 993686001 |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-------------------------|---------------|--------------|---|--|
| ST. MARYS RIVER | | | | | | | |
| DE TOUR PASSAGE TO MUNUSCONG LAKE (Chart 14882) | | | | | | | |
| Lower River | | | | | | | |
| Lime Island | | | | | | | |
| 12920 | - Lighted Buoy 15 | 46-05-06.577N 084-01-14.149W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to May 1. |
| 12925 | - COAL DOCK LIGHT | 46-05-10.932N 084-00-45.030W | Oc Y 4s | 27 8 | 4 | On post. | |
| 12930 | - COAL DOCK PASSAGE LIGHT CD | 46-05-17.798N 084-00-46.746W | FI Y 6s | 27 8 | 4 | On post. | AIS MMSI: 993686000 |
| 12935 | - Lighted Buoy 16 | 46-05-51.699N 084-00-49.804W | FI R 4s | | 5 | Red. | Replaced by nun from Dec. 7 to May 1. |
| Lower River | | | | | | | |
| 12940 | ROUND ISLAND LIGHT | 46-06-34.542N 084-01-10.060W | FI W 2.5s (R sector) | 28 9 | W 7 R 6 | NG on post. | Red from 145° to 186°. Obscured from 358° to 145°. |
| 12945 | Round Island Lighted Buoy 17 | 46-06-30.076N 084-01-01.182W | FI G 4s | | 3 | Green. | Replaced by can from Dec. 7 to May 1. |
| 12950 | Round Island Buoy 18 | 46-06-28.706N 084-00-43.680W | | | | Red nun. | |
| 12955 | Hay Point Reef Lighted Buoy 18A | 46-07-32.330N 084-00-32.632W | FI R 4s | | 5 | Red. | Replaced by nun from Dec. 7 to May 1. AIS MMSI: 993686003 |
| Point Aux Frenes | | | | | | | |
| 12960 | - LIGHT 19 | 46-07-48.513N 084-01-00.655W | FI G 2.5s | 33 10 | 7 | White cylindrical tower with green band | |
| 12965 | - Lighted Buoy 20 | 46-07-57.626N 084-00-46.639W | FI R 2.5s | | 3 | Red. | Replaced by nun from Dec. 7 to May 1. |
| 12975 | - LIGHT 21 | 46-08-18.032N 084-01-18.030W | Q G | 34 10 | 9 | SG on post on concrete structure. | |
| 12980 | - Lighted Buoy 22 | 46-08-18.939N 084-01-00.267W | FI R 4s | | 3 | Red. | Replaced by nun from Dec. 7 to May 1. AIS MMSI: 993686004 |
| 12985 | - Lighted Buoy 23 | 46-08-49.506N 084-02-19.005W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to May 1. |
| 12990 | - Lighted Buoy 24 | 46-08-57.590N 084-02-10.526W | FI R 4s | | 5 | Red. | Replaced by nun from Dec. 7 to May 1. |
| Munuscong Lake | | | | | | | |
| 12995 | HAY POINT RANGE FRONT LIGHT (C) | 46-07-42.032N 084-00-00.030W | F W | 38 12 | | White daymark with orange stripe on square tower. | Seasonal. |
| 13000 | HAY POINT RANGE REAR LIGHT (C) 1,100 feet, 128° from front light. | | F W | 60 18 | | White daymark with orange stripe on square tower. | Seasonal |
| 13005 | - Lighted Buoy 25 | 46-09-35.894N 084-03-43.040W | FI G 4s | | 5 | Green. | Replaced by can from Dec 7 to May 1 |
| 13010 | - Lighted Buoy 26 | 46-09-43.710N 084-03-34.074W | FI R 4s | | 5 | Red. | Replaced by nun from Dec. 7 to May 1. |
| MUNUSCONG LAKE TO SAULT STE. MARIE | | | | | | | |
| Munuscong Channel (Upbound) | | | | | | | |
| 13015 | WINTER POINT RANGE FRONT LIGHT | 46-13-33.920N 084-08-38.757W | F W | 46 14 | | KRW on white skeleton tower. | Visible 4° each side of range line. Lighted throughout 24 hours. |
| 13025 | WINTER POINT RANGE REAR LIGHT 3,903 feet, 322.1° from front light. | 46-14-04.327N 084-09-12.867W | F W | 82 25 | | KRW on white skeleton tower. | Visible 4° each side of range line. Lighted throughout 24 hours. |
| 13030 | - JUNCTION LIGHT ML | 46-10-55.868N 084-05-45.300W | FI (2+1)G 6s | | 8 | | AIS MMSI: 993686005 |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE | | | | | | | |
| Munuscong Channel (Upbound) | | | | | | | |
| 13035 | - Lighted Buoy 2 | 46-11-00.987N 084-05-41.865W | FI R 4s | | 5 | Red. | Replaced by nun from Dec. 14 to Apr. 28. |
| 13040 | - Buoy 3 | 46-11-37.896N 084-06-32.152W | | | | Green can. | |
| 13045 | - Buoy 4 | 46-11-41.082N 084-06-27.302W | | | | Red nun. | |
| 13050 | - Lighted Buoy 5 | 46-12-02.157N 084-06-59.420W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 14 to Apr. 21. |
| 13055 | - Lighted Buoy 6 | 46-12-05.696N 084-06-54.641W | Q R | | 4 | Red. | Year round lighted buoy |
| 13060 | - Buoy 7 | 46-12-21.921N 084-07-22.106W | | | | Green can. | |
| 13065 | - Lighted Buoy 8 | 46-12-32.643N 084-07-04.643W | Q R | | 3 | Red. | Year round lighted buoy |
| 13070 | - Lighted Buoy 9 | 46-12-44.302N 084-07-13.114W | FI G 4s | | 4 | Green. | Year round lighted buoy. AIS MMSI: 993686006 |
| 13075 | - Buoy 10 | 46-13-15.161N 084-06-48.262W | | | | Red nun. | |
| 13080 | - Lighted Buoy 11 | 46-13-17.506N 084-06-58.414W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 21. |
| 13085 | - Lighted Buoy 12 | 46-13-48.468N 084-06-35.833W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 21. |
| 13090 | - Lighted Buoy 13 | 46-13-48.908N 084-06-44.904W | FI G 4s | | 3 | Green. | Replaced by can from Dec. 1 to Apr. 21. |
| 13095 | - Buoy 15 | 46-14-22.721N 084-06-29.999W | | | | Green can. | |
| Sailors Encampment Channel | | | | | | | |
| 13100 | UPBOUND RANGE FRONT LIGHT (C) | 46-15-42.032N 084-05-54.030W | F W | 76 23 | | White daymark with orange stripe on square tower. | |
| 13105 | UPBOUND RANGE REAR LIGHT (C) 2,183 feet, 017° from front light. | | F W | 104 32 | | White daymark with orange stripe on square tower. | |
| 13110 | Everens Point Lighted Buoy Q16 (C) | 46-14-46.362N 084-06-12.596W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 13115 | - Lighted Buoy 17 | 46-14-49.009N 084-06-18.307W | FI G 4s | | 3 | Green. | Replaced by can from Dec. 1 to Apr. 21. |
| 13120 | JOHNSON POINT LIGHT 19 | 46-15-17.737N 084-06-06.717W | FI G 2.5s | 29 9 | 7 | SG on pile. | Higher intensity beam up and down stream. |
| 13125 | - Lighted Buoy 21 | 46-15-30.264N 084-06-10.423W | Q G | | 4 | Green. | Year round lighted buoy. AIS MMSI: 993686009 |
| 13130 | Lighted Buoy Q22 (C) | 46-15-35.755N 084-06-02.449W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 13135 | RAINS WHARF RANGE FRONT LIGHT (C) | 46-15-18.032N 084-05-42.030W | F W | 32 10 | | White daymark with orange stripe on circular tower. | Visible on range line only. Passing light F W, visible all around. Seasonal. |
| 13140 | RAINS WHARF RANGE REAR LIGHT (C) 880 feet, 134.9° from front light. | | F W | 53 16 | | White daymark with orange stripe on skeleton tower. | Seasonal. |
| 13145 | POINT OF WOODS RANGE FRONT LIGHT | 46-16-19.453N 084-07-13.792W | F W | 31 9 | | KRW on triangular skeleton tower. | Lighted throughout 24 hours. |
| 13155 | POINT OF WOODS RANGE REAR LIGHT 325 feet, 314.7° from front light. | 46-16-21.711N 084-07-17.086W | F W | 42 13 | | KRW on square skeleton tower. | Lighted throughout 24 hours. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE | | | | | | | |
| Sailors Encampment Channel | | | | | | | |
| 13160 | - Buoy 23 | 46-15-47.201N 084-06-35.414W | | | | Green can. | |
| 13165 | - <i>Lighted Buoy 25</i> | 46-16-00.983N 084-06-55.648W | FI G 4s | | 4 | Green. | Year round lighted buoy. |
| Munuscong Channel | | | | | | | |
| 13170 | DARK HOLE EAST RANGE FRONT LIGHT | 46-15-54.025N 084-06-54.813W | F G | 40 12 | | KRG on square skeleton tower. | Range marks eastern half of channel. High intensity beam on range line. F G light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours. |
| 13175 | DARK HOLE EAST RANGE REAR LIGHT 499 feet, 176.6° from front daybeacon. | 46-15-49.104N 084-06-54.390W | F G | 75 23 | | KRG on square skelton tower. | Range marks eastern half of channel. High intensity beam on range line. F G light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours. |
| 13180 | DARK HOLE WEST RANGE FRONT LIGHT | 46-15-54.887N 084-06-57.739W | Q W | 38 12 | | KRW on square skeleton tower. | Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13185 | DARK HOLE WEST RANGE REAR LIGHT 424 feet, 176.6° from front light. | 46-15-50.703N 084-06-57.386W | F W | 73 22 | | KRW on square skeleton tower. | Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13190 | HARWOOD POINT EAST RANGE FRONT LIGHT | 46-19-17.282N 084-07-12.242W | F R | 30 9 | | KRG on white cylindrical tower. | Range marks eastern half of channel. High intensity beam on range line. F R light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours. |
| 13195 | HARWOOD POINT EAST RANGE REAR LIGHT 1,002 feet, 356.6° from front light. | 46-19-27.160N 084-07-13.089W | F R | 65 20 | | KRG on white cylindrical tower. | Range marks eastern half of channel. High intensity beam on range line. F R light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours. |
| 13200 | HARWOOD POINT WEST RANGE FRONT LIGHT | 46-19-17.304N 084-07-15.089W | F W | 32 10 | | KRW on white cylindrical tower. | Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13205 | HARWOOD POINT WEST RANGE REAR LIGHT 1,001 feet, 356.6° from front light. | 46-19-27.170N 084-07-15.940W | F W | 65 20 | | KRW on white cylindrical tower. | Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13210 | - <i>Lighted Buoy 27</i> | 46-16-12.205N 084-07-01.367W | Q G | | 4 | Green. | Replaced by can from Dec. 7 to Apr. 21. |
| 13215 | <i>Coyle Point Lighted Buoy Q28 (C)</i> | 46-16-16.989N 084-06-53.650W | Q R | | | Red. | Spar; winter marker. |
| 13217 | - <i>Lighted Buoy 29</i> | 46-16-28.415N 084-07-02.697W | FI G 2.5s | | 3 | Green. | Year round lighted buoy. AIS MMSI: 993686015 |
| 13220 | - Buoy 31 | 46-16-51.999N 084-07-04.932W | | | | Green can. | |
| 13225 | <i>Coyle Point North Lighted Buoy Q30 (C)</i> | 46-16-51.587N 084-06-57.976W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 13235 | - <i>Lighted Buoy 33</i> | 46-17-26.489N 084-07-07.864W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 21. |
| 13240 | <i>Green Point Lighted Buoy Q34 (C)</i> | 46-17-26.399N 084-07-01.170W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 13245 | - <i>Lighted Buoy 35</i> | 46-18-00.979N 084-07-10.797W | FI G 4s | | 4 | Green. | Year round lighted buoy. AIS MMSI: 993686016 |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE | | | | | | | |
| Munuscong Channel | | | | | | | |
| 13250 | - Lighted Buoy Q36 (C) | 46-18-00.291N 084-07-03.361W | FI R 4s | | | Red. | |
| 13255 | - LIGHT 39 | 46-18-33.644N 084-07-14.142W | Q G | 30 9 | 5 | SG on post on concrete cone. | |
| 13256 | Hen Island Daybeacon H | 46-18-32.599N 084-07-52.960W | | | | NB on skeleton tower. | |
| Middle Neebish Channel | | | | | | | |
| 13260 | STRIBLING POINT UPBOUND RANGE FRONT LIGHT (C) | 46-18-48.032N 084-06-54.030W | F W | 64 20 | | White daymark with orange stripe on skeleton tower. | Seasonal. |
| 13265 | STRIBLING POINT UPBOUND RANGE REAR LIGHT (C) 3,154 feet, 111.9° from front light. | | F W | 100 30 | | White daymark with orange stripe on square skeleton tower. | |
| 13275 | MIDDLE NEEBISH SOUTH RANGE FRONT LIGHT | 46-19-56.404N 084-11-04.645W | Q W | 22 7 | | KRW on red steel structure. | Visible 1.5° each side of range line. |
| 13280 | MIDDLE NEEBISH SOUTH RANGE REAR LIGHT 5,574 feet, 291.9° from front light. | 46-20-16.815N 084-12-18.119W | F W | 50 15 | | KRW on square skeleton tower. | Visible 1.5° each side of range line. |
| 13285 | - Lighted Buoy 43 | 46-18-57.427N 084-07-37.518W | Q G | | 4 | Green. | Year round lighted buoy. AIS MMSI: 993686011 |
| 13290 | Hardwood Point Junction Buoy HP | 46-18-59.342N 084-07-19.299W | | | | Red nun with green band. | |
| 13295 | - Buoy 45 | 46-19-10.674N 084-08-25.482W | | | | Green can. | |
| 13300 | - Buoy 46 | 46-19-18.752N 084-08-28.890W | | | | Red nun. | |
| 13310 | - Lighted Buoy 49 | 46-19-19.686N 084-08-57.663W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 28 to Apr. 21. |
| 13315 | - LIGHT 50 | 46-19-24.704N 084-08-54.312W | FI R 4s | 26 8 | 4 | TR on post. | |
| 13320 | - Buoy 51 | 46-19-26.280N 084-09-21.854W | | | | Green can. | |
| 13325 | - LIGHT 54 | 46-19-35.852N 084-09-34.530W | FI R 4s | 26 8 | 4 | TR on post. | |
| 13330 | - Buoy 55 | 46-19-36.061N 084-09-57.278W | | | | Green can. | |
| 13335 | - Buoy 57 | 46-19-41.386N 084-10-15.896W | | | | Green can. | |
| 13340 | - LIGHT 58 | 46-19-46.952N 084-10-14.440W | FI R 4s | 20 6 | 4 | TR on post. | |
| 13345 | - Lighted Buoy 59 | 46-19-48.026N 084-10-40.136W | FI G 2.5s | | 4 | Green. | Year round lighted buoy. AIS MMSI: 993686012 |
| 13350 | - Buoy 60 | 46-19-54.465N 084-10-34.516W | | | | Red nun. | |
| 13353 | - LIGHT 61 | 46-19-57.680N 084-11-03.144W | Q G | 26 8 | 4 | SG on post. | |
| Lake Nicolet | | | | | | | |
| 13355 | LOWER NICOLET EAST RANGE FRONT LIGHT | 46-19-29.282N 084-10-32.700W | F G | 54 16 | | KRG on skeleton tower. | Range marks eastern half of channel. High intensity beam on range line. F G light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours. |
| 13360 | LOWER NICOLET EAST RANGE REAR LIGHT 1,758 feet, 150.5° from front daybeacon. | 46-19-14.178N 084-10-20.347W | F G | 75 23 | | KRG on skeleton tower. | Range marks eastern half of channel. High intensity beam on range line. F G light operated from Nov. 15 to Apr. 15. Lighted throughout 24 hours. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE | | | | | | | |
| Lake Nicolet | | | | | | | |
| 13365 | LOWER NICOLET WEST RANGE FRONT LIGHT | 46-19-28.649N 084-10-35.437W | F W | 60 18 | | KRW on skeleton tower. | Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13370 | LOWER NICOLET WEST RANGE REAR LIGHT 3,794 feet, 150.5° from front light. | 46-18-56.057N 084-10-08.786W | F W | 104 32 | | KRW on skeleton tower. | Range marks western half of channel. Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13375 | MIDDLE NEEBISH LIGHT 62 | 46-20-07.244N 084-11-00.450W | Q R | 34 10 | 5 | TR on post. | AIS MMSI: 993686010 |
| 13380 | - Lighted Buoy 63 | 46-20-05.100N 084-11-08.136W | FI G 2.5s | | 3 | Green. | Replaced by can from Dec. 7 to Apr. 21. |
| 13385 | - Lighted Buoy 64 | 46-20-26.592N 084-11-17.353W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 14 to Apr. 14. |
| 13390 | - Lighted Buoy 65 | 46-20-24.131N 084-11-23.451W | FI G 4s | | 4 | Green. | Year round lighted buoy. AIS MMSI: 993686013 |
| 13395 | - Lighted Buoy 66 | 46-21-03.890N 084-11-48.033W | FI R 4s | | 3 | Red. | Replaced by nun from Dec. 7 to Apr. 21. |
| 13400 | - Lighted Buoy 67 | 46-21-01.627N 084-11-53.956W | FI G 4s | | 5 | Green. | Replaced by can from Dec. 7 to Apr. 21. |
| 13405 | - Lighted Buoy 68 | 46-21-40.211N 084-12-18.133W | FI R 4s | | 3 | Red. | Replaced by nun from Nov. 28 to Apr. 21. |
| 13410 | - Lighted Buoy 69 | 46-21-38.055N 084-12-23.565W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 28 to Apr. 21. |
| 13425 | - Lighted Buoy 72 | 46-22-16.785N 084-12-47.946W | FI R 4s | | 3 | Red. | Replaced by nun from Nov. 28 to Apr. 14. |
| 13430 | - Lighted Buoy 73 | 46-22-14.950N 084-12-53.796W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 28 to Apr. 14. |
| 13445 | - Lighted Buoy 76 | 46-22-54.167N 084-13-18.535W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 28 to Apr. 14. |
| 13450 | - Lighted Buoy 77 | 46-22-51.430N 084-13-24.099W | FI G 4s | | 4 | Green. | Year Round Lighted Buoy |
| 13455 | - Buoy 78 | 46-23-27.337N 084-13-45.317W | | | | Red nun. | |
| 13460 | - Lighted Buoy 79 | 46-23-29.953N 084-14-08.951W | FI G 4s | | 3 | Green. | Replaced by can from Nov. 21 to Apr. 14. |
| 13465 | - LIGHT 80 | 46-23-36.032N 084-13-47.900W | FI R 2.5s | 27 8 | 4 | TR on post. | |
| West Neebish Channel (Downbound) | | | | | | | |
| 13470 | - UPPER RANGE FRONT LIGHT | 46-20-16.828N 084-12-18.155W | Q W | 40 12 | | KRW on skeleton tower. | For downbound traffic. Range marks western half of channel. Visible 4° each side of range line. |
| 13475 | - UPPER RANGE REAR LIGHT 6,221 feet, 159.6° from front light. | 46-19-19.252N 084-11-47.317W | F W | 82 25 | | KRW on red and white square skeleton tower. | For downbound traffic. Range marks western half of channel. Visible 4° each side of range line. |
| 13480 | - LIGHT 54 | 46-22-50.832N 084-13-37.930W | FI R 4s | 34 10 | 6 | TR on post. | |
| 13485 | - Lighted Buoy 53 | 46-22-49.261N 084-13-42.507W | FI G 4s | | 3 | Green. | Replaced by can from Dec. 14 to Apr. 14. |
| 13490 | - Buoy 52 | 46-22-10.413N 084-13-16.383W | | | | Red nun. | |
| 13495 | - Buoy 51 | 46-22-09.376N 084-13-21.435W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE | | | | | | | |
| West Neebish Channel (Downbound) | | | | | | | |
| 13500 | - Lighted Buoy 50 | 46-21-35.435N 084-12-57.394W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 21 to Apr. 14. |
| 13505 | - LIGHT 49 | 46-21-33.542N 084-13-01.850W | Q G | 32 10 | 6 | SG on column on concrete cone. | |
| 13510 | - Lighted Buoy 48 | 46-21-09.578N 084-12-44.617W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec. 14 to Apr. 14. |
| 13515 | - OAK RIDGE RANGE FRONT LIGHT | 46-17-08.159N 084-12-56.861W | F G | 73 22 | | KRW on square skeleton tower. | Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13520 | - OAK RIDGE RANGE REAR LIGHT 1,947 feet, 181.5° from front light. | 46-16-48.947N 084-12-57.603W | F G | 144 44 | | KRW on square skeleton tower. | Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 13525 | - Lighted Buoy 46 | 46-20-44.658N 084-12-45.373W | FI R 4s | | 4 | Red. | Year round lighted buoy |
| 13530 | - LIGHT 45 | 46-20-44.162N 084-12-50.170W | FI G 2.5s | 32 10 | 5 | SG on black tripod tower. | |
| 13535 | - Buoy 44 | 46-20-04.713N 084-12-47.256W | | | | Red nun. | |
| 13540 | - Buoy 43 | 46-20-04.491N 084-12-51.847W | | | | Green can. | |
| 13545 | - Lighted Buoy 42 | 46-19-25.123N 084-12-48.760W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 21 to Apr. 21. |
| 13550 | - Lighted Buoy 41 | 46-19-23.702N 084-12-53.556W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 21 to Apr. 21. |
| 13555 | - Lighted Buoy 40 | 46-18-44.962N 084-12-50.499W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 21 to Apr. 21. |
| 13560 | - Lighted Buoy 39 | 46-18-45.018N 084-12-55.478W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 21 to Apr. 21. |
| 13565 | - Lighted Buoy 38 | 46-18-05.839N 084-12-52.074W | FI R 4s | | 3 | Red. | Replaced by nun from Dec. 1 to Apr. 21. |
| 13570 | - Lighted Buoy 37 | 46-18-06.572N 084-12-57.149W | FI G 4s | | 3 | Green. | Replaced by can from Dec. 1 to Apr. 21. |
| 13575 | WEST NEEBISH LIGHT 36 | 46-17-38.372N 084-12-53.910W | FI R 2.5s | 33 10 | 7 | White cylindrical tower with red band | |
| 13580 | - Lighted Buoy 35 | 46-17-18.899N 084-12-58.598W | Q G | | 4 | Green can. | Replaced by can from Dec. 1 to Apr. 21 |
| 13585 | - Buoy 34 | 46-17-30.392N 084-12-51.810W | | | | Red nun. | |
| 13590 | - LIGHT 33 | 46-17-10.132N 084-12-50.220W | Q G | 32 10 | 4 | SG on black column adjoining small house. | |
| 13595 | - LIGHT 32 | 46-17-07.082N 084-12-40.460W | Q R | 31 9 | 4 | TR on post. | |
| 13600 | Rock Cut Lower Leading Light | 46-15-06.342N 084-10-33.063W | F W | 29 9 | 15 | KRW on square skeleton tower. | Lighted throughout 24 hours. |
| 13605 | - LIGHT 30 | 46-16-56.172N 084-12-28.720W | F R | 31 9 | 6 | TR on post. | |
| 13610 | - LIGHT 29 | 46-16-54.362N 084-12-32.290W | Q G | 31 9 | 5 | SG on post. | |
| 13615 | - LIGHT 28 | 46-16-29.032N 084-11-59.930W | Iso R 6s | 32 10 | 3 | TR on triangular skeleton tower. | |
| 13620 | - LIGHT 27 | 46-16-27.032N 084-12-03.468W | Iso G 6s | 32 10 | 3 | SG on triangular skeleton tower. | |
| 13625 | - LIGHT 26 | 46-15-55.170N 084-11-21.798W | F R | 30 9 | 4 | TR on triangular skeleton tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE | | | | | | | |
| West Neebish Channel (Downbound) | | | | | | | |
| 13630 | - LIGHT 25 | 46-15-52.788N 084-11-27.570W | F G | 30 9 | 4 | SG on triangular skeleton tower. | |
| 13635 | - Lighted Buoy 24 | 46-15-29.068N 084-10-55.407W | Q R | | 4 | Red. | Replaced by nun from Dec. 14 to Apr. 21. |
| 13640 | Sawmill Point Lighted Buoy 23 | 46-15-03.054N 084-10-53.057W | Q G | | 4 | Green. | Year round lighted buoy. |
| 13645 | Sawmill Point Lighted Buoy 22 | 46-15-04.548N 084-10-47.946W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 14 to Apr. 21. AIS MMSI: 993686007 |
| 13650 | MOON ISLAND LEADING LIGHT | 46-13-07.376N 084-10-15.950W | F W | 40 12 | 6 | Cylindrical tower with black band. | |
| 13655 | - Buoy 20 | 46-14-41.959N 084-10-40.808W | | | | Red nun. | |
| 13660 | - Buoy 19 | 46-14-41.108N 084-10-46.227W | | | | Green can. | |
| 13665 | - Lighted Buoy 18 | 46-14-21.227N 084-10-34.782W | FI R 4s | | 5 | Red. | Replaced by nun from Nov. 28 to Apr. 21. |
| 13670 | - LIGHT 17 | 46-14-19.862N 084-10-39.150W | FI G 4s | 32 10 | 7 | SG on post. | |
| 13675 | Kemps Point Lighted Buoy 15A | 46-13-49.567N 084-10-30.378W | FI G 4s | | 3 | Green. | Replaced by can from Dec. 14 to Apr. 21. |
| 13680 | - LIGHT 16 | 46-13-37.012N 084-10-21.280W | Q R | 32 10 | 3 | TR on post on concrete base. | |
| 13685 | - Lighted Buoy 15 | 46-13-19.160N 084-10-20.748W | Q G | | 5 | Green. | Replaced by can from Dec. 14 to Apr. 21. |
| 13690 | - LIGHT 14 | 46-13-10.122N 084-09-58.260W | Q R | 24 7 | 4 | TR on post. | |
| 13695 | Moon Island Lighted Buoy 13 | 46-13-07.712N 084-10-00.994W | FI G 2.5s | | 4 | Green. | Year round lighted buoy. AIS MMSI: 993686008 |
| 13700 | - Lighted Buoy 12 | 46-12-54.907N 084-09-30.524W | FI R 4s | | 3 | Red. | Replaced by nun from Nov. 28 to Apr. 21. |
| 13705 | - Lighted Buoy 11 | 46-12-52.745N 084-09-33.506W | FI G 4s | | 3 | Green. | Replaced by can from Nov. 28 to Apr. 21. |
| 13710 | - Lighted Buoy 10 | 46-12-38.026N 084-08-59.769W | FI R 2.5s | | 3 | Red. | Replaced by nun from Nov. 28 to Apr. 28. |
| 13715 | - LIGHT 9 | 46-12-35.432N 084-09-03.330W | FI G 2.5s | 42 13 | 6 | White cylindrical tower with green band. | |
| 13720 | - Buoy 8 | 46-12-24.927N 084-08-36.471W | | | | Red nun. | |
| 13725 | - Buoy 7 | 46-12-22.097N 084-08-38.120W | | | | Green can. | |
| 13730 | - Lighted Buoy 6 | 46-12-11.058N 084-08-11.326W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 28 to Apr. 28. |
| 13735 | - Lighted Buoy 5 | 46-12-09.097N 084-08-14.118W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 28 to Apr. 28. |
| 13740 | - Buoy 4 | 46-11-40.435N 084-07-15.050W | | | | Red nun. | |
| 13745 | - Buoy 3 | 46-11-38.098N 084-07-18.113W | | | | Green can. | |
| 13750 | - Lighted Buoy 2 | 46-11-09.676N 084-06-19.320W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 28 to Apr. 28. |
| 13755 | - Lighted Buoy 1 | 46-11-07.322N 084-06-22.172W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 28 to Apr. 28. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE | | | | | | | |
| Lake George | | | | | | | |
| East Neebish Island Channel | | | | | | | |
| <i>Buoys maintained from May 7 to Oct. 28.</i> | | | | | | | |
| 13760 | - Buoy 1 | 46-19-15.293N 084-06-40.312W | | | | Green can. | Maintained from May 07 to October 28 |
| 13765 | - Buoy 2 | 46-19-13.992N 084-06-33.880W | | | | Red nun. | Maintained from May 7 to October 28 |
| 13770 | - Lighted Buoy 3 | 46-19-21.298N 084-06-33.020W | FI G 4s | | 3 | Green | |
| 13775 | - Buoy 5 | 46-20-19.999N 084-07-18.323W | | | | Green can. | |
| 13780 | - Buoy 7 | 46-20-30.099N 084-07-27.423W | | | | Green can. | |
| 13785 | - Buoy 8 | 46-20-39.881N 084-07-29.153W | | | | Red nun. | |
| 13790 | - Lighted Buoy 9 | 46-20-43.999N 084-07-39.224W | Q G | | 3 | Green. | |
| 13795 | - Buoy 11 | 46-20-50.160N 084-07-40.200W | | | | Green can. | |
| 13800 | - Lighted Buoy 12 | 46-20-50.508N 084-07-38.111W | FI R 4s | | 3 | Red | |
| 13805 | - Lighted Buoy 13 | 46-20-56.354N 084-07-39.931W | FI G 4s | | 3 | Green. | |
| 13810 | - Buoy 14 | 46-20-56.775N 084-07-37.214W | | | | Red nun. | |
| 13815 | Birch Point Lighted Buoy QV18 | 46-22-18.032N 084-08-12.030W | FI R 4s | | | Red spar. | Seasonal. |
| Lake George Channel | | | | | | | |
| <i>Buoys maintained from May 7 to Oct. 28.</i> | | | | | | | |
| 13820 | - Buoy 1 | 46-23-26.104N 084-08-33.116W | | | | Green can. | |
| 13830 | - Buoy 3 | 46-23-42.568N 084-08-33.180W | | | | Green can. | |
| 13835 | - Buoy 3A | 46-23-52.780N 084-08-35.125W | | | | Green can. | |
| 13840 | - Buoy 4A | 46-23-54.232N 084-08-33.155W | | | | Red nun. | |
| 13845 | - Buoy 5 | 46-24-02.401N 084-08-39.034W | | | | Green can. | |
| 13850 | - Lighted Buoy 6 | 46-24-03.636N 084-08-38.133W | FI R 2.5s | | 3 | Red. | |
| 13855 | - Buoy 7 | 46-24-17.580N 084-08-47.340W | | | | Green can. | |
| 13860 | - Buoy 8 | 46-24-19.704N 084-08-44.973W | | | | Red nun. | |
| 13865 | - Lighted Buoy 9 | 46-24-35.520N 084-08-58.405W | FI G 2.5s | | 3 | Green. | |
| 13870 | - Buoy 10 | 46-24-35.308N 084-08-54.831W | | | | Red nun. | |
| 13875 | - Buoy 11 | 46-25-05.751N 084-09-08.866W | | | | Green can. | |
| 13880 | - Buoy 12 | 46-25-05.752N 084-09-05.495W | | | | Red nun. | |
| 13885 | - Buoy 13 | 46-25-36.101N 084-09-17.740W | | | | Green can. | |
| 13890 | - Buoy 14 | 46-25-36.748N 084-09-14.881W | | | | Red nun. | |
| 13895 | - Lighted Buoy 15 | 46-26-06.204N 084-09-28.841W | FI G 4s | | 3 | Green. | |
| 13900 | - Buoy 16 | 46-26-06.108N 084-09-24.142W | | | | Red nun. | Maintained year round. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE | | | | | | | |
| Sugar Island North Channel | | | | | | | |
| <i>Buoys maintained from May 7 to Oct. 28.</i> | | | | | | | |
| 13905 | - Lighted Buoy 1 | 46-30-13.439N 084-06-43.073W | FI G 4s | | 3 | Green. | Replaced by can from Oct. 28 to May 7. |
| 13910 | - Buoy 5 | 46-31-51.148N 084-08-46.077W | | | | Green can. | |
| 13912 | - Lighted Buoy 6 | 46-31-39.987N 084-09-24.186W | FI R 4s | | 4 | Red | |
| 13915 | - Lighted Buoy 6A | 46-31-32.081N 084-10-37.268W | Q R | | 3 | Red. | |
| 13920 | - Buoy 7 | 46-31-34.670N 084-10-49.685W | | | | Green can. | |
| 13925 | - Buoy 8 | 46-32-09.151N 084-11-41.864W | | | | Red nun. | |
| 13930 | - Buoy 9 | 46-32-05.491N 084-11-44.476W | | | | Green can. | |
| 13935 | - Buoy 13 | 46-31-14.197N 084-14-12.136W | | | | Green can. | |
| 13940 | - Buoy 15 | 46-30-45.386N 084-14-41.335W | | | | Green can. | |
| 13945 | - Buoy 30 | 46-29-35.048N 084-17-53.857W | | | | Red nun. | |
| 13950 | - Buoy 31 | 46-29-31.935N 084-17-58.315W | | | | Green can. | |
| Lake Nicolet | | | | | | | |
| 13955 | UPPER NICOLET RANGE FRONT LIGHT | 46-27-15.593N 084-15-55.654W | F W | 42 13 | | KRW on square skeleton tower. | For upbound traffic. Range marks eastern half of channel. Visible 1.5° each side of range line |
| 13960 | UPPER NICOLET RANGE REAR LIGHT 3,107 feet, 339.6° from front light. | 46-27-44.339N 084-16-11.135W | F W | 84 26 | | KRW on skeleton tower. | For upbound traffic. Range marks eastern half of channel. Visible 1.5° each side of range line. |
| 13965 | - Lighted Buoy 82 | 46-24-15.605N 084-14-11.109W | FI R 4s | | 3 | Red. | Replaced by nun from Nov. 21 to Apr. 14. |
| 13970 | - Lighted Buoy 83 | 46-24-52.604N 084-14-53.990W | FI G 4s | | 3 | Green. | Replaced by can from Nov. 21 to Apr. 14. |
| 13975 | - Buoy 84 | 46-25-25.423N 084-14-49.225W | | | | Red nun. | |
| 13980 | - Buoy 85 | 46-25-19.732N 084-15-08.673W | | | | Green can. | |
| 13985 | - Anchorage Buoy A | 46-23-30.717N 084-14-25.050W | | | | Yellow can. | |
| 13990 | - Anchorage Buoy B | 46-24-21.565N 084-14-52.005W | | | | Yellow can. | |
| 13995 | - Lighted Buoy 86 | 46-25-55.021N 084-15-04.815W | Q R | | 4 | Red nun. | Replaced by nun from Nov. 21 to Apr. 14 |
| 14000 | - Lighted Buoy 86A | 46-26-07.663N 084-15-19.243W | FI R 4s | | 3 | Red. | Replaced by nun from Nov. 21 to Apr. 14. |
| 14005 | Six Mile Point Lighted Buoy 87 | 46-26-03.574N 084-15-32.002W | FI G 4s | | 5 | Green. | Replaced by can from Dec. 14 to Apr. 14. |
| 14015 | FRECHETTE POINT RANGE FRONT LIGHT 91 | 46-27-20.253N 084-16-46.033W | Q G | 38 12 | | KRW on square skeleton tower. | Visible 1.5° each side of range line. |
| 14020 | FRECHETTE POINT RANGE REAR LIGHT 4,481 feet, 323.4° from front light. | 46-27-55.766N 084-17-24.193W | F G | 93 28 | | KRW on triangular skeleton tower. | Visible 1.5° each side of range line. |
| 14025 | - LIGHT 88 | 46-26-48.733N 084-16-05.258W | FI R 2.5s | 34 10 | 7 | TR on post on concrete foundation. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--|---------------|--------------|---------------------------------|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE | | | | | | | |
| Lake Nicolet | | | | | | | |
| 14030 | - Lighted Buoy 89 | 46-26-53.832N 084-16-21.635W | FI G 4s | | 4 | Green. | Year round lighted buoy. AIS MMSI: 993686014 |
| 14035 | - Buoy 90 | 46-27-12.241N 084-16-26.333W | | | | Red nun. | |
| 14040 | Sugar Island Leading Light | 46-24-44.242N 084-13-58.934W | Iso W 6s | 50 15 | 15 | KRW on square skeleton tower. | The light is sectored and displays an ISO W 6s light in the channel center, a ISO R 6s Light marking the Port Channel Limits, and a ISO G 6s Light marking the Starboard Channel Limits Downbound. |
| Little Rapids Cut | | | | | | | |
| 14045 | SIX MILE POINT RANGE FRONT LIGHT | 46-26-23.796N 084-15-58.804W | F W (NIGHT) F W (DAY) | 30 9 | | KRW on white cylindrical tower. | Lighted throughout 24 hours. |
| 14050 | SIX MILE POINT RANGE REAR LIGHT 2,382 feet, 153.1° from front light. | 46-26-02.817N 084-15-43.420W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 63 19 | | KRW on square skeleton tower. | Higher intensity on range line. Lighted throughout 24 hours. |
| 14055 | - Lighted Buoy 92 | 46-27-40.656N 084-16-51.013W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 21 to Apr. 14. |
| 14060 | - Junction Lighted Buoy | 46-27-38.097N 084-16-57.435W | FI (2+1)G 6s | | 4 | Green and red bands. | Replaced by can from Nov. 21 to Apr. 14. |
| Little Rapids Channel | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 14.</i> | | | | | | | |
| 14065 | - Buoy 2 | 46-27-42.793N 084-17-08.519W | | | | Red nun. | |
| 14070 | - Buoy 4 | 46-27-44.835N 084-17-13.640W | | | | Red nun. | |
| 14075 | - Buoy 5 | 46-27-46.587N 084-17-20.473W | | | | Green can. | |
| 14080 | - Buoy 6 | 46-27-47.468N 084-17-18.774W | | | | Red nun. | |
| 14085 | - Buoy 8 | 46-28-08.580N 084-17-43.027W | | | | Red nun. | |
| Little Rapids Cut | | | | | | | |
| 14090 | - LIGHT 95 | 46-28-23.462N 084-17-32.496W | FI G 2.5s | 18 5 | 4 | SG on column on concrete pier. | |
| 14095 | - LIGHT 96 | 46-28-30.992N 084-17-26.100W | FI R 2.5s | 20 6 | 4 | TR on column on concrete pier. | |
| 14100 | - LIGHT 98 | 46-29-07.506N 084-17-53.117W | Q R | 25 8 | 7 | TR on triangular tower. | |
| 14105 | - Lighted Ice Buoy 98B V-AIS | 46-29-20.313N 084-18-06.262W | Q R | | 4 | Red ice buoy. | Marks upstream end of ice boom on eastern side of river. On station only during deployment of ice boom. AIS MMSI: 993683017 |
| 14110 | - LIGHT 99 | 46-29-12.137N 084-18-08.299W | F G | 32 10 | 8 | SG on skeleton tower. | Visible 120° to 335°. |
| 14115 | MISSION POINT OBSTRUCTION LIGHT D | 46-29-16.406N 084-17-59.298W | FI W 6s | 20 6 | 5 | On post. | |
| 14120 | MISSION POINT OBSTRUCTION LIGHT A | 46-29-16.796N 084-18-13.128W | FI W 4s | 20 6 | 5 | On post. | |
| 14125 | MISSION POINT OBSTRUCTION LIGHT E | 46-29-21.662N 084-18-03.138W | FI W 4s | 20 6 | 5 | On post. | |
| 14130 | - Lighted Buoy 101 | 46-29-21.709N 084-18-17.079W | FI G 4s | | 3 | Green. | Maintained from Apr. 14 to Dec. 7. |
| 14135 | - Junction Lighted Buoy LR | 46-29-25.710N 084-18-07.162W | FI (2+1)R 6s | | 4 | Red with green band. | Year round buoy unlighted from Dec. 7 to Apr. 14. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. MARYS RIVER | | | | | | | |
| MUNUSCONG LAKE TO SAULT STE. MARIE | | | | | | | |
| Little Rapids Cut | | | | | | | |
| 14140 | MISSION POINT OBSTRUCTION LIGHT B | 46-29-25.958N 084-18-24.192W | FI W 6s | 20 6 | 5 | On post. | |
| 14145 | MISSION POINT OBSTRUCTION LIGHT C | 46-29-31.448N 084-18-32.724W | FI W 4s | 20 6 | 5 | On post. | |
| 14150 | - <i>Lighted Buoy 104</i> | 46-29-34.907N 084-18-14.313W | Q R | | 3 | Red. | Year round buoy unlighted from Dec. 7 to Apr. 14. |
| 14155 | - <i>Lighted Buoy 105</i> | 46-29-32.910N 084-18-31.763W | Q G | | 3 | Green. | Year round buoy unlighted from Dec. 14 to Apr. 14. |
| HEAD OF LAKE NICOLET TO WHITEFISH BAY (Chart 14884) | | | | | | | |
| Bayfield Channel | | | | | | | |
| 14160 | BAYFIELD ROCK RANGE FRONT LIGHT | 46-29-19.994N 084-16-59.144W | F W | 35 11 | | KRW on skeleton tower. | Visible 4° each side of range line. Lighted throughout 24 hours. |
| 14165 | BAYFIELD ROCK RANGE REAR LIGHT 922 feet, 109.2° from front light. | 46-29-17.001N 084-16-46.697W | F W | 54 16 | | KRW on skeleton tower. | Visible 4° each side of range line. Lighted throughout 24 hours. |
| 14170 | - <i>Lighted Buoy 107</i> | 46-29-36.930N 084-18-49.925W | FI G 4s | | 3 | Green. | Replaced by can from Nov. 21 to Apr. 14. |
| 14175 | - <i>Lighted Buoy 108</i> | 46-30-03.123N 084-19-38.105W | FI R 2.5s | | 3 | Red. | Replaced by nun from Nov. 21 to Apr. 14. |
| 14180 | - Buoy 109 | 46-29-35.180N 084-18-55.017W | | | | Green can. | |
| 14185 | BAYFIELD DIKE LIGHT (C) | | Iso R 4s | 25 8 | | Red and white striped triangular daymark on mast. | Seasonal. |
| 14190 | - <i>Lighted Buoy 110</i> | 46-30-11.614N 084-19-57.648W | FI R 4s | | 3 | Red. | Replaced by nun from Dec. 14 to Apr. 14. |
| 14191 | GEORGE KEMP MARINA EAST LIGHT | 46-30-01.200N 084-20-13.740W | FI G 4s | 12 4 | | Metal tower. | Maintained from May 1 to Oct. 31. Private aid. |
| 14192 | GEORGE KEMP MARINA WEST LIGHT | 46-30-01.800N 084-20-13.740W | FI R 4s | 12 4 | | Piling with metal tower. | Maintained from May 1 to Oct. 31. Private aid. |
| American Canal | | | | | | | |
| 14195 | SOUTHEAST PIERHEAD LIGHT | | F R | 9 3 | | Pipe. | Aid maintained by U.S. Army Corps of Engineers. |
| 14200 | EAST CENTER PIERHEAD LIGHT Marks direction of pier. | | F R | 20 6 | | Concrete column. | Aid maintained by U.S. Army Corps of Engineers. |
| 14205 | NORTHEAST PIERHEAD LIGHT | | F R | 21 6 | | Concrete column. | Aid maintained by U.S. Army Corps of Engineers. |
| 14210 | WEST CENTER PIERHEAD LIGHT | | F R | 20 6 | | Concrete column. | Aid maintained by U.S. Army Corps of Engineers. |
| 14215 | SOUTHWEST PIER LIGHT | | Q W | 6 2 | | Concrete column. | Aid maintained by U.S. Army Corps of Engineers. |
| 14220 | SOUTHWEST PIERHEAD LIGHT | | F R | 20 6 | | Concrete column. | Aid maintained by U.S. Army Corps of Engineers. |
| 14225 | NORTHWEST PIERHEAD LIGHT | | F R | 20 6 | | Concrete column. | SIREN: Answers signals. Aid maintained by U.S. Army Corps of Engineers. |
| Vidal Shoals Channel | | | | | | | |
| 14230 | - RANGE FRONT LIGHT | 46-30-14.145N 084-22-01.776W | Q R | 32 10 | | KRW on skeleton tower. | Visible 1.5° each side of range line |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. MARYS RIVER | | | | | | | |
| HEAD OF LAKE NICOLET TO WHITEFISH BAY (Chart 14884) | | | | | | | |
| Vidal Shoals Channel | | | | | | | |
| 14235 | - RANGE REAR LIGHT 885 feet, 076.2° from front light. | 46-30-16.232N 084-21-49.495W | Iso R 6s | 66 20 | | KRW on skeleton tower. | Visible 1.5° each side of range line. |
| 14245 | - <i>Lighted Buoy 2</i> | 46-30-10.845N 084-23-05.047W | FI R 4s | | 3 | Red. | Year round buoy unlighted from Nov. 21 to May 1. |
| 14250 | - <i>Lighted Buoy 3</i> | 46-29-56.532N 084-23-07.361W | FI G 4s | | 3 | Green. | Year round buoy unlighted from Nov. 21 to May 1. |
| 14255 | - <i>Lighted Buoy 5</i> | 46-29-47.644N 084-23-55.494W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 21 to May 1. |
| 14265 | <i>Big Point Lighted Buoy 7</i> | 46-29-30.609N 084-25-16.482W | Q G | | 4 | Green. | Year round lighted buoy. |
| 14290 | CANADIAN CANAL UPPER ENTRANCE RANGE FRONT LIGHT (C) | 46-30-54.032N 084-22-18.030W | F R | 40 12 | | Red square daymark with white vertical stripe on skeleton tower. | Lighted throughout 24 hours. Seasonal. |
| 14295 | CANADIAN CANAL UPPER ENTRANCE RANGE REAR LIGHT (C) 811 feet, 051° from front light. | | F R | 63 19 | | Red square daymark with white vertical stripe on skeleton tower. | Lighted throughout 24 hours. Seasonal. |
| 14300 | - <i>Upper Turning Lighted Buoy QM11 (C)</i> | 46-30-42.001N 084-22-31.619W | Q G | | | Green. | Spar; winter marker. Seasonal. |
| Vidal Shoals | | | | | | | |
| 14305 | - <i>Northeast Lighted Buoy QM13 (C)</i> | 46-30-29.050N 084-22-56.119W | FI G 4s | | | Green. | Spar; winter marker. Seasonal. |
| 14310 | - <i>North Lighted Buoy QM14 (C)</i> | 46-30-24.645N 084-23-13.451W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 14315 | - <i>Southwest Lighted Buoy P (C)</i> | 46-30-06.040N 084-23-35.363W | | | | IQ W | Yellow with black band. Spar; winter marker. Cardinal buoyage. Seasonal. |
| 14320 | - <i>West Lighted Buoy QM24 (C)</i> | 46-30-01.821N 084-23-53.639W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| Pointe Aux Pins Channel | | | | | | | |
| 14325 | POINTE AUX PINS RANGE FRONT LIGHT (C) | 46-28-06.032N 084-28-18.030W | F G | 30 9 | | KWR on tower. | Visible on range line only. Seasonal. |
| 14330 | POINTE AUX PINS RANGE REAR LIGHT (C) 922 feet, 233.1° from front light. | | F G | 62 19 | | KRW on skeleton tower. | Visible on range line only. Seasonal. |
| 14335 | - <i>Lighted Buoy 8</i> | 46-29-39.385N 084-25-30.192W | FI R 2.5s | | 4 | Red. | Year round lighted buoy. |
| 14337 | - <i>Lighted Buoy 9</i> | 46-29-04.827N 084-26-08.230W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 21 to May 1. |
| 14340 | - <i>Lighted Buoy 10</i> | 46-29-14.397N 084-26-18.745W | FI R 4s | | 4 | Red. | Year round buoy unlighted from Nov. 21 to May 1. |
| 14345 | <i>Pointe Aux Pins Bay Lighted Buoy P12 (C)</i> | 46-28-45.354N 084-27-13.758W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 14350 | <i>Brush Point Lighted Buoy 13</i> | 46-28-23.625N 084-27-28.645W | Q G | | 4 | Green. | Year round buoy unlighted from Dec. 21 to May 1. |
| 14355 | BRUSH POINT LIGHT A | 46-28-20.583N 084-27-27.140W | Q W | 25 8 | 4 | NB on post. | |
| 14360 | <i>Pointe Aux Pins Bay Lighted Buoy P14 (C)</i> | 46-28-21.903N 084-27-51.920W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| ST. MARYS RIVER | | | | | | | |
| HEAD OF LAKE NICOLET TO WHITEFISH BAY (Chart 14884) | | | | | | | |
| Pointe Aux Pins Channel | | | | | | | |
| 14365 | <i>Brush Point Lighted Buoy 15</i> | 46-28-06.602N 084-27-43.940W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 21 to May 1. |
| 14370 | POINTE AUX PINS MAIN LIGHT (C) | 46-27-50.832N 084-28-22.330W | Iso R 4s | 27 8 | 8 | On circular tower with red and white bands. | Seasonal. |
| 14375 | <i>Brush Point Lighted Buoy 17</i> | 46-27-43.509N 084-28-04.592W | Q G | | 4 | Green. | Year round buoy unlighted from Dec. 21 to May 1. |
| 14380 | <i>Brush Point Lighted Buoy P19 (C)</i> | 46-27-28.724N 084-28-41.288W | FI G 4s | | | Green. | Spar; winter marker. Seasonal. |
| 14385 | <i>Point Louise Lighted Buoy P20 (C)</i> | 46-27-39.932N 084-28-42.150W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 14390 | BRUSH POINT RANGE FRONT LIGHT | 46-27-44.491N 084-27-46.873W | F R | 33 10 | | KRW on square skeleton tower. | |
| 14395 | BRUSH POINT RANGE REAR LIGHT 2,016 feet, 074° from front light. | 46-27-49.983N 084-27-19.197W | F R | 71 22 | | KRW on square skeleton tower. | Visible 14° each side of range line. Lighted throughout 24 hours. |
| 14400 | <i>Cedar Point Lighted Buoy 21</i> | 46-27-15.471N 084-29-42.992W | FI G 4s | | 3 | Green. | Replaced by can from Nov. 21 to May 1. |
| 14405 | <i>Cedar Point Lighted Buoy P22 (C)</i> | 46-27-27.166N 084-29-46.186W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 14410 | <i>Cedar Point Lighted Buoy 23</i> | 46-27-02.321N 084-30-48.738W | FI G 4s | | 3 | Green. | Replaced by can from Nov. 21 to May 1. |
| 14415 | <i>Cedar Point Lighted Buoy 24</i> | 46-27-13.585N 084-30-52.099W | FI R 4s | | 3 | Red. | Replaced by nun from Nov. 21 to May 1. |
| Round Island | | | | | | | |
| 14420 | - <i>Lighted Buoy 25</i> | 46-26-50.784N 084-31-39.784W | FI G 4s | | 4 | Green. | Year round lighted buoy. |
| 14425 | - LIGHT 26 | 46-27-02.132N 084-31-53.031W | Q R | 34 10 | 5 | White cylindrical tower with red band. | RACON: M (- -) |
| 14430 | BIRCH POINT RANGE FRONT LIGHT | 46-26-01.333N 084-31-24.124W | F R | 63 19 | | KRW on skeleton tower. | Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 14435 | BIRCH POINT RANGE REAR LIGHT 3,450 feet, 138.6° from front light. | 46-25-35.766N 084-30-51.585W | F R | 113 34 | | KRW on skeleton tower. | Visible 1.5° each side of range line. Lighted throughout 24 hours. |
| 14440 | - Buoy 27 | 46-26-43.349N 084-32-17.145W | | | | Green can. | |
| 14445 | Point Iroquois Anchorage Buoy "B" | 46-26-40.679N 084-33-00.425W | | | | Yellow can. | |
| 14450 | - Buoy 30 | 46-27-11.377N 084-32-23.908W | | | | Red nun. | |
| 14455 | - Traffic (RI) V-AIS | 46-27-07.055N 084-32-47.477W | (NIGHT) (DAY) | | | | AIS MMSI: 993683016 |
| 14460 | - <i>Lighted Buoy 32</i> | 46-27-19.543N 084-32-45.740W | FI R 2.5s | | 4 | Red. | Replaced by nun from Dec. 7 to May 1. |
| Point Iroquois | | | | | | | |
| 14465 | - <i>Shoal Lighted Buoy 33</i> | 46-27-39.570N 084-33-47.890W | FI G 4s | | 4 | Green. | Replaced by can from Dec 7 to May 1. |
| 14470 | - Anchorage Buoy A | 46-27-32.470N 084-34-58.923W | | | | Yellow can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|---|---------------|--------------|--|---|
| ST. MARYS RIVER | | | | | | | |
| HEAD OF LAKE NICOLET TO WHITEFISH BAY (Chart 14884) | | | | | | | |
| Point Iroquois | | | | | | | |
| 14473 | <i>Pointe De Chenes Lighted Buoy P34 (C)</i> | 46-27-54.188N 084-33-28.484W | FI R 4s | | | | |
| 14475 | - Shoal Buoy 35 | 46-28-25.609N 084-34-47.093W | | | | Green can. | |
| 14483 | - <i>Lighted Buoy P38 (C)</i> | 46-29-11.451N 084-35-07.416W | FI R 4s | | | Red. | Spar; winter marker. Seasonal. |
| 14485 | - Shoal Buoy 37 | 46-29-01.052N 084-35-32.568W | | | | Green can. | |
| 14490 | - <i>Shoal Lighted Bell Buoy 39</i> | 46-29-41.974N 084-36-24.610W | Q G | | 4 | Green. | Replaced by can from 07 Dec to 01 May |
| 14495 | Gros Cap Reefs Light (C) | 46-30-42.032N 084-36-54.031W | FI W 10s | 59 18 | 14 | On white square block. | Seasonal. Emergency light. |
| LAKE SUPERIOR | | | | | | | |
| ST. MARYS RIVER TO AU SABLE POINT | | | | | | | |
| 14510 | Ile Parisienne Light (C) | 46-38-42.032N 084-43-24.031W | FI W 10s 1s fl 9s ec. | 53 16 | 16 | White hexagonal tower. | Seasonal. Emergency light. |
| 14515 | WHITEFISH HARBOR LIGHT 2 | 46-45-31.982N 084-57-50.179W | FI R 4s | 29 9 | 5 | TR on pile. | |
| 14520 | WHITEFISH HARBOR LIGHT 3 | 46-45-33.365N 084-57-53.023W | FI G 4s | 29 9 | 4 | SG on pile. | |
| 14525 | WHITEFISH HARBOR LIGHT 4 | 46-45-35.832N 084-57-53.931W | FI R 4s | 25 8 | 4 | TR on white column. | |
| 14530 | Whitefish Point Light | 46-46-16.094N 084-57-26.833W | FI (2)W 20s 0.2s fl 4.8s ec. 0.2s fl 14.8s ec. | 80 24 | 15 | White cylindrical tower. 90 | RACON: O (- - -) Standby light of reduced intensity. |
| GRAND PORTAGE BAY TO SHESHEEB POINT | | | | | | | |
| Thunder Bay | | | | | | | |
| 14533 | <i>MTU Whitefish Point Weather Wave Buoy 1</i> | 46-46-53.717N 085-04-14.972W | FI Y 2.5s | | | | Maintained from May.1 to Dec.1. Private aid. |
| ST. MARYS RIVER TO AU SABLE POINT | | | | | | | |
| 14535 | CRISP POINT LIGHT | 46-45-06.900N 085-15-27.180W | FI W 6s | | | | Maintained from May 1 to Nov 1 Private aid. |
| 14540 | LITTLE LAKE HARBOR LIGHT 2 | 46-43-04.436N 085-21-52.160W | FI R 4s | 19 6 | 5 | | Maintained from Jun.1 to Oct. 1. |
| 14545 | LITTLE LAKE HARBOR LIGHT 3 | 46-42-59.807N 085-21-51.003W | FI G 4s | 28 9 | 4 | SG on post. | |
| 14550 | Grand Marais Harbor Of Refuge Outer Light | 46-41-01.643N 085-58-18.256W | FI W 2.5s | 40 12 | 10 | Skeleton tower with upper part enclosed. 41 | HORN: 1 blast ev 15s (2s bl). Fog signal operates by keying microphone five times on VHF- FM channel 83A. Operates from May 1 to Oct. 20. |
| GRAND MARAIS TO BIG BAY POINT | | | | | | | |
| 14551 | <i>Grand Marais Weather Wave Buoy 1</i> | 46-41-44.000N 086-00-14.000W | FI Y 2.5s | | | | Maintained from Apr.1 to Dec.1. Private aid. |
| ST. MARYS RIVER TO AU SABLE POINT | | | | | | | |
| 14552 | <i>Grand Portal Point Weather Buoy</i> | 46-33-41.830N 086-27-56.450W | FI Y 4s | | | | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 14555 | GRAND MARAIS HARBOR OF REFUGE LIGHT 1 | 46-40-50.832N 085-58-09.932W | FI G 4s | 24 7 | 4 | SG on post. | |
| 14560 | Grand Marais Harbor Of Refuge Inner Light | 46-40-36.037N 085-58-16.063W | F W | 54 16 | 16 | White square pyramidal skeleton tower with upper part enclosed. 64 | |
| GRAND MARAIS TO BIG BAY POINT | | | | | | | |
| 14565 | Au Sable Light | 46-40-18.632N 086-08-23.533W | FI W 6s | 100 30 | 12 | White conical tower with red dwelling attached. 110 | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE SUPERIOR | | | | | | | |
| GRAND PORTAGE BAY TO SHESHEEB POINT | | | | | | | |
| Thunder Bay | | | | | | | |
| 14567 | UCSD CDIP - 263 Weather Wave Buoy 1 | 46-58-21.720N 086-34-55.520W | Fl Y 5s | | | | Maintained from May.1 to Nov.30. Private aid. |
| GRAND MARAIS TO BIG BAY POINT | | | | | | | |
| 14570 | GRAND ISLAND LIGHT | 46-33-34.724N 086-40-48.465W | Fl W 6s | 190 58 | 9 | On white post. | |
| 14572 | Munising Weather Buoy | 46-34-12.000N 086-34-12.000W | Fl Y 2.5s | | | | Maintained from Apr. 15 to Nov. 15 Private aid. |
| 14575 | MUNISING ENTRANCE LEADING LIGHT | 46-24-53.851N 086-39-40.677W | F W | 79 24 | | White conical tower. | Sectored light, white light in the channel center, red light right of channel center, green light left of channel center. |
| 14582 | MUNISING CITY PIER LIGHT | 46-24-49.080N 086-39-06.960W | Fl R 3s | | | On white post. | Private aid. |
| 14585 | Trout Point Lighted Bell Buoy 2 | 46-29-05.032N 086-35-47.533W | Fl R 4s | | 4 | Red. | Replaced by nun from Oct. 14 to May 7. |
| 14590 | Sand Point Lighted Bell Buoy 3 | 46-27-35.825N 086-36-44.226W | Fl G 4s | | 4 | Green. | Replaced by can from Oct. 14 to May 7. |
| 14595 | Grand Island Harbor Buoy 4 | 46-27-27.859N 086-37-04.529W | | | | Red nun. | |
| 14600 | Bay Furnace Light | 46-26-19.633N 086-41-31.497W | Fl W 2.5s | 20 6 | 6 | White cylindrical tower. 21 | Higher intensity beam on bearing 166°. |
| 14603 | Bay Furnace Buoy 2 | 46-26-33.431N 086-41-18.933W | | | | Red nun. | |
| 14610 | Williams Landing Buoy 1 | 46-26-47.446N 086-40-49.644W | | | | Green can. | |
| 14615 | Grand Island Shoal Buoy 1A | 46-27-09.421N 086-41-46.172W | | | | Green can. | |
| MARQUETTE AND PRESQUE ISLE HARBORS (Chart 14970) | | | | | | | |
| 14620 | Marquette Bay South Shoal Buoy 1A | 46-30-44.236N 087-21-27.350W | | | | Green can. | |
| 14625 | Marquette Rocks Buoy 1 Marks northeast side of shoal. | 46-32-55.138N 087-22-09.520W | | | | Green can. | Replaced by can from Oct. 14 to May 7. |
| 14630 | Marquette Light | 46-32-48.111N 087-22-33.794W | Fl W 10s | 77 23 | 10 | Red square tower on dwelling. | |
| 14635 | Marquette Breakwater Outer Light | 46-32-01.711N 087-22-29.074W | Fl W 2.5s | 36 11 | 12 R 12 | White cylindrical tower with red band. | Red from 181° to 198°. HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 14640 | MARQUETTE BREAKWATER INNER LIGHT | 46-32-12.901N 087-22-43.464W | Fl R 6s | 38 12 | 5 | TR on post. | |
| 14645 | Marquette Harbor Buoy 1 Marks shoal. | 46-31-41.972N 087-22-52.926W | | | | Green can. | |
| 14650 | Marquette Power And Light Channel Buoy 1 | 46-32-01.900N 087-23-07.300W | | | | Green can. | Private aid. |
| 14655 | Marquette Power And Light Channel Buoy 2 | 46-32-06.100N 087-23-08.000W | | | | Red nun-shaped spar. | Private aid. |
| 14656 | Marquette Power And Light Range Front Daybeacon | 46-31-56.100N 087-23-36.500W | | | | Orange and white diamond. | Private aid. |
| 14657 | Marquette Power And Light Range Rear Daybeacon 100 feet, 250° from front range beacon. | 46-31-55.500N 087-23-38.600W | | | | Orange and white diamond. | Private aid. |
| 14660 | Marquette Harbor Buoy 3 | 46-32-10.141N 087-23-08.566W | | | | Green can. | |
| 14665 | Marquette Harbor Buoy 5 | 46-32-19.291N 087-23-08.496W | | | | Green can. | |
| 14666 | Marquette Harbor Buoy 7 | 46-32-31.238N 087-23-08.443W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE SUPERIOR | | | | | | | |
| MARQUETTE AND PRESQUE ISLE HARBORS (Chart 14970) | | | | | | | |
| 14667 | MARQUETTE MARINA ENTRANCE LIGHT 1 | 46-32-34.510N 087-23-02.520W | FI G 2.5s | | | SG on blue pole. | Maintained from Mar. 1 to Nov. 30. Private aid. |
| 14668 | MARQUETTE MARINA ENTRANCE LIGHT 2 | 46-32-33.420N 087-23-01.820W | FI R 2.5s | | | TR on blue pole. | Maintained from Mar. 1 to Nov. 30. Private aid. |
| 14670 | Presque Isle Harbor Breakwater Light | 46-34-28.141N 087-22-28.214W | FI R 4s | 56 17 | 11 | White cylindrical tower with red band on octagonal building. 56 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog Signal operates by keying the microphone five times on VHF- FM Channel 83A. |
| 14680 | <i>Presque Isle Harbor Lighted Buoy 1</i> Marks north side of shoal. | 46-34-08.055N 087-23-03.607W | FI G 4s | | 4 | Green. | Replaced by can from Oct. 14 to May 7. |
| 14685 | <i>Wisconsin Electric Power Company Lighted Buoy 3</i> | 46-34-33.800N 087-23-16.200W | Q G | | | Green. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 14688 | PRESQUE ISLE MARINA LIGHT 1 | 46-34-49.700N 087-23-09.000W | F G | | | SG on building. | Maintained from May 1 to Oct. 31. Private aid. |
| 14690 | PRESQUE ISLE MARINA LIGHT 2 | 46-34-51.000N 087-23-06.000W | FI R 4s | 12 4 | | TR on red steel pile. | Maintained from May 1 to Oct. 31. Private aid. |
| 14695 | Presque Isle Harbor Buoy 2 Marks shoal. | 46-34-34.199N 087-22-49.681W | | | | Red nun. | |
| 14696 | <i>Presque Isle Weather Wave Buoy 1</i> | 46-35-53.000N 087-22-19.000W | FI Y 2.5s | | | | Maintained from Apr. 1 to Dec. 1. Private aid. |
| GRAND MARAIS TO BIG BAY POINT | | | | | | | |
| 14700 | Granite Island Light | 46-43-15.231N 087-24-45.634W | FI W 6s | 96 29 | 11 | Gray skeleton tower. 50 | |
| 14702 | <i>Granite Island Weather Buoy</i> | 46-43-12.000N 087-25-12.000W | FI Y 4s | | | | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 14705 | Big Bay Point Light | 46-50-31.150N 087-40-45.320W | FI W 5s | | | Red Square Tower 60 | Private aid. |
| 14710 | Big Bay Point Buoy 1 Marks north side of shoal. | 46-51-41.749N 087-41-15.502W | | | | Green can. | Maintained from May 14 to Oct. 14. |
| 14715 | BIG BAY HARBOR WEST PIER LIGHT | 46-49-48.031N 087-43-29.434W | FI R 4s | 25 8 | 5 | TR on column. | |
| 14720 | Big Bay Harbor East Pier Daybeacon | 46-49-41.331N 087-43-32.034W | | | | SG on column. | |
| 14725 | Stannard Rock Light Marks north side of reef. | 47-11-00.652N 087-13-30.454W | FI W 6s | 102 31 | 10 | Gray conical tower on cylindrical crib. 110 | |
| BIG BAY POINT TO REDRIDGE | | | | | | | |
| 14730 | Huron Island Light | 46-57-47.951N 087-59-55.445W | FI W 10s | 197 60 | 12 | Gray granite tower on dwelling. 39 | |
| 14735 | Point Abbaye Shoal Buoy 6 | 46-57-29.892N 088-05-51.547W | | | | Red nun. | |
| 14740 | <i>Point Abbaye Shoal Lighted Bell Buoy 3</i> | 46-58-22.555N 088-06-15.476W | FI G 4s | | 5 | Green. | Maintained from May 14 to Oct. 14. |
| 14745 | HURON BAY LIGHT | 46-53-28.031N 088-12-53.035W | FI W 4s | 34 10 | 6 | NG on skeleton tower. | |
| 14750 | SAND POINT LIGHT | 46-47-00.277N 088-27-59.345W | FI W 4s | 40 12 | 6 | NR on skeleton tower. | |
| 14755 | L'Anse Bay Shoal Buoy 2 | 46-46-46.471N 088-28-04.955W | | | | Red nun. | Maintained from May 14 to Oct. 14. |
| 14760 | L'Anse Buoy 1 | 46-45-33.400N 088-27-33.592W | | | | Green can. | Maintained from May 14 to Oct. 14. |
| 14762 | L'ANSE MARINA LIGHT 2 | 46-45-28.000N 088-27-26.000W | FI R 4s | 8 2 | | TR on pile. | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE SUPERIOR | | | | | | | |
| BIG BAY POINT TO REDRIDGE | | | | | | | |
| 14763 | Indian Country Sports Light | 46-45-28.200N 088-27-21.300W | FI W 2.5s | 44 13 | | Cupola atop white square tower. | Private aid. |
| 14764 | <i>Keweenaw MTU Weather Buoy 2</i> | 46-58-06.012N 088-23-48.006W | FI W 4s | | | | Maintained from Apr.1 to Dec.15. Private aid. |
| KEWEENAW WATERWAY (Chart 14972) | | | | | | | |
| Keweenaw Waterway | | | | | | | |
| 14765 | - LOWER ENTRANCE LIGHT | 46-58-08.017N 088-25-51.596W | FI W 6s | 68 21 | 9 | White octagonal tower on concrete pierhead. | Standby light of reduced intensity. HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 14775 | - <i>Lighted Buoy 1</i> | 46-58-05.449N 088-25-59.803W | FI G 4s | | 4 | Green. | |
| 14780 | - <i>Lighted Buoy 3</i> | 46-58-25.099N 088-26-01.465W | FI G 4s | | 4 | Green. | |
| 14780.1 | - Buoy 3A | 46-58-47.209N 088-26-06.155W | | | | Green can. | Maintained from May 14 to Oct. 14. |
| 14785 | - <i>Lighted Buoy 4</i> | 46-58-56.672N 088-26-03.682W | FI R 4s | | 3 | Red. | |
| 14790 | - LIGHT 5 | 46-58-55.195N 088-26-08.265W | FI G 2.5s | 14 4 | 4 | SG on white pile. | |
| 14795 | - Daybeacon 7 | 46-59-00.273N 088-26-08.985W | | | | SG on skeleton tower. | |
| 14800 | - Daybeacon 9 | 46-59-20.008N 088-26-11.018W | | | | SG on skeleton tower. | |
| 14805 | - LIGHT 10 | 46-59-21.921N 088-26-01.725W | FI R 2.5s | 14 4 | 4 | TR on post. | |
| 14810 | - LIGHT 11 Marks northwest end of Middle Ground. | 46-59-24.255N 088-26-08.962W | FI G 2.5s | 14 4 | 4 | SG on white pile. | |
| 14815 | - LIGHT 13 | 46-59-31.959N 088-26-09.335W | Q G | 14 4 | 4 | SG on white pile. | |
| 14820 | - SOUTH RANGE FRONT LIGHT | 46-59-36.530N 088-26-03.496W | Q W | 25 8 | | KRW on gray skeleton tower. | Light visible 360°. |
| 14825 | - SOUTH RANGE REAR LIGHT 1,673 feet, 136.2° from front light. | 46-59-24.616N 088-25-46.785W | Iso W 6s | 57 17 | | KRW on gray skeleton tower. | Visible 1.5° each side of range line. |
| 14830 | - LIGHT 15 | 46-59-43.651N 088-26-16.705W | FI G 2.5s | 14 4 | 4 | SG on white pile. | |
| 14835 | - LIGHT 17 | 47-00-07.911N 088-26-50.665W | FI G 2.5s | 14 4 | 4 | SG on white pile. | |
| 14840 | - LIGHT 16 | 47-00-10.641N 088-26-46.495W | FI R 2.5s | 14 4 | 4 | TR on white pile. | |
| 14845 | - LIGHT 19 | 47-00-41.091N 088-27-37.205W | FI G 2.5s | 14 4 | 4 | SG on post. | |
| 14847 | <i>Portage Lake MTU Weather Buoy 1</i> | 47-03-49.284N 088-30-04.931W | FI Y 5s | | | | Maintained from May.1 to Oct.1. Private aid. |
| 14850 | - LIGHT 18 | 47-00-43.831N 088-27-33.045W | FI R 2.5s | 14 4 | 4 | TR on white pile. | |
| 14855 | - LIGHT 20 | 47-01-13.921N 088-28-15.275W | Q R | 14 4 | 4 | TR on white pile. | |
| 14860 | PRINCESS POINT RANGE FRONT LIGHT | 47-01-17.562N 088-28-29.335W | Q W | 20 6 | | KRW on gray skeleton tower. | Light visible 360°. Higher intensity on range line. |
| 14865 | PRINCESS POINT RANGE REAR LIGHT 1,142 feet, 164.7° from front light. | 47-01-06.697N 088-28-24.975W | Iso W 6s | 41 13 | | KRW on gray skeleton tower. | Visible 1.5° each side of range line. |
| 14870 | - LIGHT 22 | 47-01-34.831N 088-28-30.975W | FI R 2.5s | 13 4 | 4 | TR on white pile. | |
| 14875 | - Buoy 24 | 47-01-50.874N 088-28-40.282W | | | | Red nun. | Maintained from May 14 to Oct 14. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE SUPERIOR | | | | | | | |
| KEWEENAW WATERWAY (Chart 14972) | | | | | | | |
| Keweenaw Waterway | | | | | | | |
| 14880 | - LIGHT 25 | 47-01-49.651N 088-28-43.775W | FI G 2.5s | 15 5 | 4 | SG on white pile. | |
| 14885 | - Buoy 26 | 47-02-19.751N 088-28-51.059W | | | | Red nun. | |
| 14890 | - <i>Lighted Buoy 27</i> | 47-02-18.972N 088-28-55.909W | Q G | | 4 | Green. | |
| 14895 | Pike Bay Obstruction Beacons (5) | 47-01-41.000N 088-31-13.000W | | | | NW on posts worded DANGER SUBMERGED PILINGS. | Private aid. |
| 14900 | - <i>Junction Lighted Buoy "KW"</i> | 47-04-19.020N 088-29-25.110W | FI (2+1)R 6s | | 4 | Red and green bands. | |
| Torch Lake Canal | | | | | | | |
| 14905 | - Buoy 1 | 47-05-42.549N 088-25-38.290W | | | | Green can. | |
| 14906 | - <i>Lighted Buoy 2</i> | 47-05-50.071N 088-25-13.985W | FI R 4s | | 4 | Red nun. | |
| 14907 | - Buoy 3 | 47-06-49.031N 088-24-35.035W | | | | Green can. | |
| 14908 | - Buoy 4 | 47-06-49.031N 088-24-29.035W | | | | Red nun. | |
| 14911 | - Buoy 5 | 47-07-37.051N 088-24-23.005W | | | | Green can. | |
| 14914 | - Buoy 7 | 47-08-01.851N 088-24-18.255W | | | | Green can. | |
| 14915 | - Buoy 8 | 47-08-02.109N 088-24-16.690W | | | | Red nun. | |
| 14915.5 | - <i>Lighted Buoy 9</i> | 47-08-10.621N 088-24-19.075W | FI G 4s | | 4 | Green can. | |
| 14916 | - Buoy 10 | 47-08-24.481N 088-24-22.695W | | | | Red nun. | |
| 14917 | - Buoy 11 | 47-08-34.001N 088-24-28.455W | | | | Green can. | |
| 14918 | - Buoy 12 | 47-09-00.931N 088-24-40.276W | | | | Red nun. | |
| 14919 | - Buoy 13 | 47-09-00.729N 088-24-41.831W | | | | Green can. | |
| 14922 | - <i>Lighted Buoy 14</i> | 47-09-26.169N 088-24-53.531W | FI R 2.5s | | 4 | Red nun. | |
| 14923 | - Buoy 15 | 47-09-26.231N 088-24-55.906W | | | | Green can. | |
| 14925 | Lake Linden Harbor Buoy 1 | 47-10-36.423N 088-24-32.348W | | | | Green can. | |
| Keweenaw Waterway | | | | | | | |
| 14926 | Torch Lake Southwest Arm Wreck Buoy 2 | 47-08-59.121N 088-27-02.656W | | | | Red nun. | Maintained from May 14 to Oct 14. |
| 14935 | - Buoy 30 Marks west side of shoal. | 47-05-19.780N 088-29-53.017W | | | | Red nun. | |
| 14937 | - Buoy 30A | 47-06-05.262N 088-30-03.332W | | | | Red nun. | Maintained from May 14 to Oct 14. |
| 14940 | PILGRIM POINT LEADING LIGHT | 47-06-23.993N 088-30-26.475W | FI W 4s | 22 7 | 9 | NB on post. | Higher intensity beam on bearing 165°. |
| 14945 | - <i>Lighted Buoy 31</i> | 47-06-32.445N 088-30-19.870W | Q G | | 3 | Green. | Can; winter marker. |
| 14950 | - <i>Lighted Buoy 33</i> | 47-07-04.191N 088-31-56.418W | FI G 2.5s | | 4 | Green can. | Maintained from May 14 to Oct 14 |
| 14955 | - Buoy 34 | 47-07-21.479N 088-32-47.587W | | | | Red nun. | Maintained from May 14 to Oct 14. |
| 14960 | - <i>Lighted Buoy 35</i> | 47-07-17.594N 088-32-48.563W | FI G 4s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---------------------------|---|
| LAKE SUPERIOR | | | | | | | |
| KEWEENAW WATERWAY (Chart 14972) | | | | | | | |
| Keweenaw Waterway | | | | | | | |
| 14965 | - Buoy 36 | 47-07-26.794N 088-33-08.565W | | | | Red nun. | |
| 14970 | OSCEOLA POINT LIGHT | 47-07-22.680N 088-35-39.219W | Q R | 20 6 | 4 | TR on post. | |
| 14975 | <i>Atlantic Point Lighted Buoy 37</i> | 47-07-30.008N 088-36-28.160W | FI G 4s | | 4 | Green. | |
| 14980 | - Buoy 39 | 47-07-33.298N 088-36-59.651W | | | | Green can. | |
| 14985 | - Buoy 40 | 47-07-39.718N 088-36-58.811W | | | | Red nun. | Maintained from May 14 to Oct 14. |
| 14990 | - <i>Lighted Buoy 42</i> | 47-07-49.237N 088-37-11.303W | FI R 4s | | 4 | Red. | |
| 14995 | COLE CREEK LIGHT | 47-07-45.434N 088-37-19.406W | FI G 2.5s | 25 8 | 5 | SG on post. | |
| 15000 | - Buoy 44 | 47-07-58.187N 088-37-20.464W | | | | Red nun. | Maintained from May 14 to Oct 14. |
| 15005 | - Buoy 46 | 47-08-14.262N 088-37-28.217W | | | | Red nun. | Maintained from May 14 to Oct 14. |
| 15010 | - Buoy 48 | 47-09-10.538N 088-37-47.714W | | | | Red nun. | |
| 15015 | - <i>Lighted Buoy 49</i> | 47-09-28.531N 088-37-58.946W | FI G 4s | | 3 | Green. | Can; winter marker. |
| 15025 | - <i>Lighted Buoy 50</i> | 47-09-59.816N 088-38-19.967W | FI R 4s | | 3 | Red. | Nun; winter marker. |
| 15030 | - <i>Lighted Buoy 51</i> | 47-10-13.750N 088-38-28.654W | FI G 2.5s | | 3 | Green. | Replaced by can from Nov. 14 to May 14. |
| 15035 | - Buoy 52 | 47-10-12.107N 088-38-20.842W | | | | Red nun. | Maintained from May 14 to Oct 14. |
| 15040 | ROULEAU POINT RANGE FRONT LIGHT | 47-11-33.249N 088-37-07.901W | Q W | 26 8 | | KRW on skeleton tower. | Light visible 360°. Also serves as a leading light for Lily Pond Lower Canal. |
| 15045 | ROULEAU POINT RANGE REAR LIGHT 1,282 feet, 033.4° from front light. | 47-11-43.809N 088-36-57.671W | F W | 55 17 | | KRW on skeleton tower. | Visible 1.5° each side of range line. |
| 15050 | - Buoy 54 | 47-10-23.131N 088-38-13.496W | | | | Red nun. | Maintained from May 14 to Oct 14. |
| 15055 | - Buoy 55 | 47-10-29.268N 088-38-12.715W | | | | Green can. | |
| 15060 | - Buoy 56 | 47-10-52.351N 088-37-45.306W | | | | Red nun. | Maintained from May 14 to Oct 14. |
| 15065 | - Buoy 57 | 47-10-52.346N 088-37-50.111W | | | | Green can. | Maintained from May 14 to Oct 14. |
| 15070 | - Buoy 59 | 47-11-18.755N 088-37-24.815W | | | | Green can. | Maintained from May 14 to Oct 14. |
| 15075 | - Buoy 60 | 47-11-22.101N 088-37-17.110W | | | | Red nun. | Maintained from May 14 to Oct 14. |
| 15080 | - <i>Lighted Buoy 61</i> | 47-11-28.053N 088-37-18.273W | FI G 2.5s | | 3 | Green. | Replaced by can from Nov 14 to May 14. |
| 15085 | LILY POND LEADING LIGHT | 47-12-01.371N 088-37-03.896W | FI R 2.5s | 25 8 | 6 | TR on post. | |
| 15090 | - Buoy 63 | 47-11-51.707N 088-37-10.629W | | | | Green can. | Maintained from May 14 to Oct 14. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--|---------------|--------------|--|--|
| LAKE SUPERIOR | | | | | | | |
| KEWEENAW WATERWAY (Chart 14972) | | | | | | | |
| Keweenaw Waterway | | | | | | | |
| 15095 | LILY POND SOUTH LIGHT 68 | 47-12-30.451N 088-37-05.376W | FI R 4s | 25 8 | 5 | TR on post. | |
| 15100 | LILY POND NORTH LIGHT 70 | 47-13-00.991N 088-37-08.766W | Q R | 25 8 | 5 | TR on post. | |
| Keweenaw Upper Entrance | | | | | | | |
| 15105 | - EAST REVETMENT LIGHT 72 | 47-13-36.091N 088-37-32.416W | FI R 4s | 25 8 | 5 | TR on post. | |
| 15110 | - WEST REVETMENT LIGHT | 47-13-34.361N 088-37-37.816W | FI G 4s | 25 8 | 5 | SG on post. | |
| 15115 | - WEST BREAKWATER LIGHT | 47-14-01.971N 088-37-56.656W | FI G 4s | 32 10 | 5 | SG on post. | |
| 15120 | - Light | 47-14-04.351N 088-37-49.246W | FI W 15s | 82 25 | 15 | White square tower on cylindrical base. | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Channel 83A. |
| BIG BAY POINT TO REDRIDGE | | | | | | | |
| 15125 | <i>Keweenaw MTU Weather Buoy 1</i> | 47-16-04.001N 088-36-14.016W | FI W 4s | | | | Maintained from Apr.1 to Dec.15. Private aid. |
| 15130 | GRAND TRAVERSE BAY HARBOR LIGHT 2 | 47-11-18.031N 088-14-06.035W | FI (2)R 5s 0.4s fl 0.6s ec. 0.4s fl 3.6s ec. | 29 9 | 7 | TR on post. | |
| 15135 | GRAND TRAVERSE BAY HARBOR LIGHT 3 | 44-11-19.730N 088-14-08.033W | FI G 2.5s | 27 8 | 4 | SG on post. | |
| 15140 | Bete Grise Bay Shoal Buoy 1 | 47-21-29.707N 087-55-30.035W | | | | Green can. | |
| 15145 | LAC LA BELLE SOUTH PIERHEAD LIGHT | 47-22-27.331N 087-57-46.035W | FI G 4s | 29 9 | 7 | SG on post. | |
| 15150 | LAC LA BELLE NORTH PIERHEAD LIGHT | 47-22-31.231N 087-57-48.235W | FI R 4s | 25 8 | 4 | 2 TR on gray pole. | |
| 15151 | Mendota Light | 47-22-26.500N 087-58-00.100W | FI W 20s | 44 13 | | Square buff-brick tower in front of dwelling with steep gable roof. | Private aid. |
| 15155 | <i>Keweenaw Point Lighted Buoy 1</i> | 47-23-46.209N 087-42-31.973W | FI G 4s | | 4 | Green. | Maintained from May 14 to Oct. 14. |
| 15160 | Gull Rock Buoy 4 | 47-24-30.726N 087-40-01.882W | | | | Red nun. | |
| 15165 | GULL ROCK LIGHT | 47-25-03.032N 087-39-50.035W | FI (2)W 5s 0.4s fl 0.6s ec. 0.4s fl 3.6s ec. | 50 15 | 8 | White square tower on dwelling. | |
| 15170 | Manitou Light | 47-25-11.332N 087-35-12.645W | FI W 10s | 81 25 | 10 | Cylindrical tower. | RACON: M (- -) |
| 15175 | Copper Harbor Light | 47-28-28.132N 087-51-36.935W | FI G 6s | 90 27 | 14 | On white skeleton tower near white dwelling. | |
| 15180 | <i>Copper Harbor Entrance Lighted Bell Buoy CH</i> | 47-28-41.126N 087-51-52.206W | Mo (A) W | | 6 | Red and white stripes. | Maintained from May 14 to Oct. 14. |
| 15183 | <i>GLoS Copper Harbor Weather Buoy 1</i> | 47-28-36.480N 087-52-13.440W | FI Y 2.5s | | | | Maintained from Apr.1 to Nov.1. Private aid. |
| 15185 | COPPER HARBOR RANGE FRONT LIGHT | 47-28-07.424N 087-51-59.285W | Q W | 28 9 | | KWR on red small house with tower. | Visible 14° each side of range line. |
| 15190 | COPPER HARBOR RANGE REAR LIGHT 412 feet, 190.5° from front light. | 47-28-03.424N 087-52-00.376W | F W | 40 12 | | KWR on white tapered skeleton tower. | Visible 14° each side of range line. |
| 15191 | Copper Harbor Crib Buoy | 47-28-12.000N 087-53-03.000W | | | | White with orange bands and orange diamond. | Maintained from May 15 to Oct. 15. Private aid. |
| 15192 | Copper Harbor Shoal Buoy | 47-28-17.000N 087-53-42.000W | | | | White with orange bands and orange diamond. | Maintained from May 15 to Oct. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE SUPERIOR | | | | | | | |
| BIG BAY POINT TO REDRIDGE | | | | | | | |
| 15195 | Eagle Harbor Light | 47-27-35.161N 088-09-32.735W | Al WR 20s | 60 18 | 23 | White octagonal tower on red dwelling. | Obscured 150° to 330°. |
| 15205 | <i>Eagle Harbor Shoal Lighted Bell Buoy 1</i> | 47-27-50.109N 088-09-30.275W | Fl G 4s | | 5 | Green. | Maintained from May 14 to Oct. 14. |
| 15210 | EAGLE HARBOR RANGE FRONT LIGHT | 47-27-18.480N 088-09-05.286W | Q G | 24 7 | | KRW on post. | Visible 4° each side of range line. |
| 15215 | EAGLE HARBOR RANGE REAR LIGHT 1055 feet, 149.7° from front light. | 47-27-09.488N 088-08-57.547W | Iso G 6s | 44 13 | | KRW on gray tower. | Visible 4° each side of range line. |
| REDRIDGE TO SAXON HARBOR | | | | | | | |
| 15220 | ONTONAGON HARBOR EAST BREAKWATER LIGHT | 46-52-47.071N 089-19-47.822W | Iso G 6s | 25 8 | 6 | SG on pile. | |
| 15220.1 | Ontonagon Harbor East Breakwater VAIS 1 | 46-52-47.071N 089-19-47.822W | | | | | MMSI: 993682620 |
| 15225 | ONTONAGON HARBOR WEST BREAKWATER LIGHT | 46-52-46.111N 089-19-51.076W | Fl R 4s | 31 9 | 8 | White skeleton tower with upper part enclosed. | HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| GRAND PORTAGE BAY TO SHESHEEB POINT | | | | | | | |
| Thunder Bay | | | | | | | |
| 15228 | <i>MTU Ontonagon Weather Wave Buoy 1</i> | 46-55-55.199N 089-20-58.374W | Fl Y 2.5s | | | | Maintained from May.1 to Dec.1. Private aid. |
| REDRIDGE TO SAXON HARBOR | | | | | | | |
| 15230 | BLACK RIVER EAST BREAKWATER LIGHT 1 | 46-40-08.712N 090-02-56.299W | Fl G 4s | 31 9 | 8 | SG on post. | |
| 15235 | <i>Black River West Breakwater Lighted Buoy 2</i> | 46-40-06.446N 090-02-56.068W | Fl R 4s | 18 5 | 3 | TR on tower. | Lighted Buoy replaced Light on BKW. Maintained from May 28 to Oct. 14. |
| 15240 | Black River Buoy 3 | 46-40-06.260N 090-02-53.584W | | | | Green can. | Maintained from May 21 to Oct. 21. |
| 15245 | SAXON HARBOR EAST BREAKWATER LIGHT | 46-33-49.200N 090-26-16.557W | Fl G 6s | 29 9 | 7 | SG on post. | |
| 15250 | SAXON HARBOR WEST BREAKWATER LIGHT | 46-33-47.100N 090-26-17.107W | Fl R 6s | 29 9 | 7 | TR on white column. | |
| LAKE MICHIGAN | | | | | | | |
| LITTLE GIRLS POINT TO SILVER BAY | | | | | | | |
| 15253 | <i>UMN Bark PT Meteorological Buoy 1</i> | 46-53-54.000N 091-08-42.000W | Fl Y 4s | | | | Maintained from May.1 to Oct.31. Private aid. |
| LAKE SUPERIOR | | | | | | | |
| APOSTLE ISLANDS | | | | | | | |
| 15255 | Outer Island Light | 47-04-35.530N 090-25-00.148W | Fl W 10s | 130 40 | 12 | White conical tower with dwelling attached. 130 | |
| 15258 | <i>Stockton Island Wave Buoy 1</i> | 46-57-15.000N 090-30-16.000W | Fl Y 2s | | | | Maintained from May.1 to Nov.15. Private aid. |
| 15260 | GULL ISLAND LIGHT | 46-54-24.030N 090-26-36.037W | Fl W 2.5s | 12 4 | 5 | | |
| 15265 | STOCKTON ISLAND HARBOR EAST ENTRANCE LIGHT | 46-54-50.000N 090-33-05.500W | Fl G 2.5s | 18 5 | | SG on post. | Private aid. |
| 15270 | STOCKTON ISLAND HARBOR WEST ENTRANCE LIGHT | 46-54-48.000N 090-33-07.000W | Fl R 2.5s | 18 5 | | TR on post. | Private aid. |
| 15275 | Michigan Island Light | 46-52-17.184N 090-29-49.583W | Fl W 6s | 170 52 | 11 | White cylindrical tower. 11 | |
| 15280 | LA POINTE LIGHT | 46-43-43.389N 090-47-05.735W | Iso G 6s | 70 21 | 10 | White cylindrical tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|-------------------------------------|--|---------------------------------|-----------------------|---------------|--------------|----------------------------------|--|
| LAKE SUPERIOR | | | | | | | |
| APOSTLE ISLANDS | | | | | | | |
| 15290 | <i>Madeline Island Lighted Buoy 4</i> Marks west side of shoal. | 46-44-57.985N 090-48-01.054W | FI R 4s | | 4 | Red. | Nun; winter marker. Maintained from May 21 to Nov. 21. |
| 15295 | CHEQUAMEGON POINT LIGHT | 46-43-42.580N 090-48-33.418W | FI G 4s | 33 10 | 7 | White cylindrical tower. | |
| 15296 | <i>Chequamegon Point Lighted Buoy 5</i> | 46-43-46.075N 090-48-50.080W | FI G 4s | | 7 | Green | Replaced by can from Nov. 21 to May 21. |
| Chequamegon Bay | | | | | | | |
| 15300 | <i>Houghton Point Lighted Buoy 6</i> | 46-41-48.406N 090-50-45.217W | FI R 4s | | 4 | Red. | Maintained from May 21 to Nov. 21. |
| 15305 | - <i>Lighted Buoy 1</i> Marks west side of shoal. | 46-39-54.885N 090-51-33.558W | FI G 4s | | 4 | Green. | Maintained from May 21 to Nov. 21. |
| ASHLAND AND WASHBURN HARBORS | | | | | | | |
| Chequamegon Bay | | | | | | | |
| Ashland Harbor | | | | | | | |
| 15310 | - BREAKWATER LIGHT | 46-37-41.508N 090-52-14.238W | FI W 6s | 60 18 | 9 | White octagonal pyramidal tower. | |
| 15315 | - BREAKWATER SOUTH LIGHT | 46-37-03.923N 090-50-32.924W | FI R 4s | 21 6 | 5 | White pile. | |
| 15355 | - <i>Lighted Buoy 1</i> | 46-36-06.792N 090-53-27.021W | FI G 4s | | 4 | Green. | Maintained from May 21 to Nov 21 |
| 15360 | - Buoy 2 | 46-36-06.502N 090-53-32.951W | | | | Red nun. | Maintained from May 21 to Nov 21 |
| 15365 | - Buoy 3 | 46-35-57.013N 090-53-26.911W | | | | Green can. | Maintained from May 21 to Nov 21 |
| 15370 | - <i>Lighted Buoy 4</i> | 46-35-56.433N 090-53-35.312W | Q R | | 4 | Red. | Maintained from May 21 to Nov 21 |
| 15375 | - Buoy 5 | 46-35-52.752N 090-53-30.984W | | | | Green can. | Maintained from May 21 to Nov 21 |
| 15390 | ASHLAND ORE DOCK LIGHT | 46-36-10.660N 090-52-56.880W | Q Y | | | Diamond daymark on a pile. | Private aid. |
| 15395 | NORTHERN POWER LIGHT 1 | 46-35-48.050N 090-53-13.110W | FI Y 4s | | | | Private aid. |
| 15395.1 | NORTHERN POWER LIGHT 2 | 46-35-45.510N 090-53-14.980W | FI Y 4s | | | | Private aid. |
| 15395.2 | NORTHERN POWER LIGHT 3 | 46-35-51.670N 090-53-02.340W | FI Y 4s | | | | Private aid. |
| 15400 | Reiss Coal Co. Dock Buoy 2 | 46-35-39.500N 090-53-50.000W | | | | Red spar. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 15404 | ASHLAND MARINA SOUTH BREAKWATER LIGHT | 46-35-34.195N 090-53-16.770W | FI W 2.5s | 17 5 | | NW on post worded DANGER. | Maintained from May 1 to Nov. 1. Private aid. |
| 15405 | ASHLAND MARINA LIGHT 1 | 46-35-39.800N 090-53-18.000W | FI G 2.5s | 20 6 | | SG on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 15406 | ASHLAND MARINA LIGHT 2 | 46-35-41.198N 090-53-23.550W | FI R 2.5s | 21 6 | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 15410 | ASHLAND MARINA BREAKWATER LIGHT | 46-35-43.100N 090-53-19.500W | Q W | 20 6 | | NW on post worded DANGER. | Maintained from May 1 to Nov. 1. Private aid. |
| 15420 | WASHBURN HARBOR SOUTH BREAKWATER LIGHT 2 | 46-40-01.800N 090-53-17.000W | FI R 4s | 20 6 | | TR on post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 15425 | WASHBURN HARBOR NORTH BREAKWATER LIGHT 1 | 46-40-02.900N 090-53-16.900W | FI G 4s | 20 6 | | SG on post. | Maintained from Apr. 1 to Dec. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE SUPERIOR | | | | | | | |
| ASHLAND AND WASHBURN HARBORS | | | | | | | |
| Chequamegon Bay | | | | | | | |
| Ashland Harbor | | | | | | | |
| 15430 | SIXTH AVENUE BREAKWALL LIGHT | 46-39-57.000N 090-54-19.000W | F Y | 7 2 | | On post. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| APOSTLE ISLANDS | | | | | | | |
| 15440 | MADLINE ISLAND MARINA ENTRANCE SOUTH LIGHT | 46-46-20.800N 090-47-01.400W | FI R 4s | 15 5 | | TR on white metal frame. | Maintained from May 1 to Nov. 1. Private aid. |
| 15445 | MADLINE ISLAND MARINA ENTRANCE NORTH LIGHT | 46-46-21.500N 090-46-58.600W | FI W 4s | 15 5 | | Green square daymark on white metal frame. | Maintained from May 1 to Nov. 1. Private aid. |
| 15450 | LAPOINTE HARBOR DETACHED BREAKWATER WEST LIGHT | 46-46-40.000N 090-47-23.800W | Q W | 26 8 | | On post. | Private aid. |
| 15455 | LAPOINTE HARBOR DETACHED BREAKWATER EAST LIGHT | 46-46-40.200N 090-47-20.100W | Q W | 26 8 | | On post. | Private aid. |
| 15460 | MADLINE ISLAND BREAKWATER LIGHT | 46-46-43.180N 090-47-20.888W | FI G 4s | 28 9 | 6 | SG on pole. | |
| Port Superior Marina | | | | | | | |
| <i>Aids maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 15470 | - Buoy 2 | 46-47-20.600N 090-50-59.000W | | | | Red. | Private aid. |
| 15475 | - Buoy 4 | 46-47-20.700N 090-51-00.300W | | | | Red. | Private aid. |
| 15480 | - Buoy 5 | 46-47-19.800N 090-51-02.600W | | | | Green. | Private aid. |
| 15485 | - Buoy 6 | 46-47-20.600N 090-51-02.200W | | | | Red. | Private aid. |
| 15490 | - LIGHT 7 | 46-47-19.600N 090-51-03.900W | FI G 4s | 15 5 | | On pile. | Private aid. |
| 15495 | - LIGHT 8 | 46-47-20.200N 090-51-05.700W | FI R 4s | 15 5 | | On pile. | Private aid. |
| APOSTLE ISLANDS | | | | | | | |
| 15500 | Bayfield Ruins Buoy 1 | 46-48-08.590N 090-49-26.038W | | | | Green can. | Maintained from May 21 to Oct. 21. |
| 15505 | MATTSON LIGHT | 46-48-22.400N 090-49-14.300W | FI R 2.5s | 13 4 | | Diamond daymark on pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 15510 | BAYFIELD HARBOR SOUTH BREAKWATER LIGHT | 46-48-34.650N 090-48-41.088W | FI G 4s | 25 8 | 7 | SG on post. | HORN: 1 blast ev 15s (2s bl). Operates by keying the microphone five times on VHF-FM channel 83A. |
| 15520 | BAYFIELD HARBOR NORTH BREAKWATER LIGHT | 46-48-36.010N 090-48-39.368W | FI R 4s | 28 9 | 6 | TR on white column. | |
| 15525 | BAYFIELD MUNICIPAL BREAKWATER LIGHT | 46-48-41.300N 090-48-41.000W | Iso G 6s | 25 8 | | On pile. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| 15527 | BAYFIELD FERRY LANDING BREAKWALL LIGHT 2 | 46-48-43.140N 090-48-38.940W | FI R 4s | | | TR on post. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| Red Cliff | | | | | | | |
| 15530 | - BREAKWATER LIGHT | 46-50-10.000N 090-47-16.000W | FI R 4s | 18 5 | | On pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 15545 | - Point Lighted Buoy 4 | 46-53-40.530N 090-44-47.538W | FI R 4s | | 4 | Red. | Maintained from May 21 to Oct. 14. |
| APOSTLE ISLANDS | | | | | | | |
| 15550 | LITTLE MANITOU ISLAND LIGHT | 46-57-42.380N 090-41-10.898W | FI G 4s | 21 6 | 6 | SG on skeleton tower. | |
| 15555 | RASPBERRY ISLAND LIGHT | 46-58-13.230N 090-48-17.508W | FI W 2.5s | 58 18 | 7 | | |
| 15560 | Marina Shoal Buoy 3 | 46-58-10.634N 090-48-33.870W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE SUPERIOR | | | | | | | |
| APOSTLE ISLANDS | | | | | | | |
| 15565 | Devils Island Light | 47-04-46.318N 090-43-41.168W | FI R 10s | 100 30 | 11 | Cylindrical tower. 100 | |
| 15570 | <i>York Island Shoals Lighted Bell Buoy 1</i> Marks west side of shoal. | 47-01-35.172N 090-51-22.615W | FI G 4s | | 4 | Green. | Maintained from May 21 to Oct. 14. |
| 15573 | <i>Sand Island Wave Buoy 1</i> | 47-01-19.704N 090-54-24.372W | Q Y | | | | Maintained from May.1 to Nov.15. Private aid. |
| 15574 | <i>Sand Island Wave Buoy 2</i> | 46-57-14.022N 090-54-40.680W | Q Y | | | | Maintained from May.1 to Nov.15. Private aid. |
| 15575 | Sand Island Buoy 2 Marks north side of shoal. | 47-00-51.492N 090-54-17.608W | | | | Red nun. | Maintained from May 21 to Oct. 14. |
| 15580 | SAND ISLAND LIGHT | 47-00-11.940N 090-56-14.758W | FI W 6s | 60 18 | 9 | Red tower on dwelling. | |
| 15581 | LITTLE SAND BAY HARBOR EAST LIGHT 1 | 46-56-47.840N 090-53-31.080W | FI G 2.5s | 17 5 | | On post. | Private aid. |
| 15582 | LITTLE SAND BAY HARBOR WEST LIGHT 2 | 46-56-47.220N 090-53-32.880W | FI R 2.5s | 17 5 | | On post. | Private aid. |
| 15584 | Cornucopia West Entrance Buoy 2 Marks best water due to shoaling. | 46-51-34.140N 091-06-16.260W | | | | Red nun. | Maintained from May 1 to Oct. 15. Private aid. |
| LITTLE GIRLS POINT TO SILVER BAY | | | | | | | |
| 15585 | CORNUCOPIA EAST PIER LIGHT | 46-51-34.878N 091-06-17.270W | FI G 2.5s | 29 9 | 9 | SG on post. | |
| 15590 | PORT WING EAST PIER LIGHT | 46-47-34.759N 091-23-10.105W | FI G 4s | 27 8 | 5 | SG on post. | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| Superior Entry | | | | | | | |
| 15595 | - South Breakwater Light | 46-42-36.769N 092-00-22.259W | FI G 5s | 70 21 | 15 | White cylindrical tower on fog signal building. 70 | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM C. 83A. |
| 15600 | - NORTH BREAKWATER LIGHT 2 | 46-42-41.507N 092-00-30.039W | Q R | 38 12 | 5 | TR on post. | |
| 15605 | - INNER NORTH PIERHEAD LIGHT 2A | 46-42-30.949N 092-00-49.239W | Iso R 6s | 35 11 | 7 | TR on post. | |
| 15610 | - INNER SOUTH PIERHEAD LIGHT 1 | 46-42-26.799N 092-00-45.029W | Iso G 6s | 35 11 | 5 | SG on post. | |
| 15615 | SUPERIOR HARBOR BASIN LIGHT 1A | 46-42-15.869N 092-01-01.419W | FI G 2.5s | 35 11 | 4 | SG on post. | |
| GRAND PORTAGE BAY TO SHESHEEB POINT | | | | | | | |
| Thunder Bay | | | | | | | |
| 15620 | <i>Duluth LSNE Water Quality Buoy 1</i> | 46-42-21.090N 091-59-05.000W | FI Y 4s | | | | Maintained from Apr.22 to Oct.31. Private aid. |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| Allouez Bay | | | | | | | |
| 15630 | - Entrance Buoy 1 | 46-42-12.862N 092-01-03.953W | | | | Green can. | |
| 15635 | - Channel Buoy 2 | 46-42-06.712N 092-01-13.223W | | | | Red nun. | |
| 15640 | - <i>Lighted Buoy 3</i> | 46-42-06.535N 092-01-01.840W | FI G 4s | | 4 | Green. | Replaced by can from Nov 14 to Apr. 28. |
| 15645 | - Channel Buoy 4 | 46-41-57.532N 092-00-54.043W | | | | Red nun. | |
| 15650 | - Channel Buoy 5 | 46-41-59.322N 092-00-48.323W | | | | Green can. | |
| Superior Harbor Basin | | | | | | | |
| 15660 | - Anchorage Buoy A | 46-42-34.633N 092-01-43.519W | | | | Yellow nun. | |
| 15665 | - Anchorage Buoy B | 46-42-58.610N 092-02-20.480W | | | | Yellow nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---------------------------------|---|
| LAKE SUPERIOR | | | | | | | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| Superior Harbor Basin | | | | | | | |
| 15670 | - Buoy 1 | 46-42-17.814N 092-01-36.334W | | | | Green can. | |
| 15675 | - Buoy 3 | 46-42-19.642N 092-01-48.163W | | | | Green can. | |
| 15680 | - <i>Lighted Buoy 4</i> | 46-42-30.242N 092-01-55.423W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Dec. 01. |
| 15685 | - Buoy 5 | 46-42-29.832N 092-02-15.703W | | | | Green can. | |
| Superior Front Channel | | | | | | | |
| 15690 | - RANGE FRONT LIGHT | 46-42-25.621N 092-02-07.490W | Q G | 42 13 | | KRW on skeleton tower. | Visible 1.5° each side of range line. |
| 15695 | - RANGE FRONT PASSING LIGHT | 46-42-25.809N 092-02-06.789W | FI G 4s | 18 5 | 5 | On range front light structure. | Visible from 150° to 270°. |
| 15700 | - RANGE REAR LIGHT 892 feet, 135.5° from front light. | 46-42-19.336N 092-01-58.520W | Oc G 4s | 70 21 | | KRW on skeleton tower. | Visible 1.5° each side of range line. |
| 15705 | - <i>Lighted Buoy 2</i> | 46-42-51.421N 092-02-36.649W | Q R | | 4 | Red. | Year round lighted buoy. |
| Barkers Island Marina <i>Buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 15710 | - <i>Lighted Buoy 1</i> | 46-42-50.000N 092-02-49.000W | FI G 2s | | | Green. | Private aid. |
| 15715 | - <i>Lighted Buoy 2</i> | 46-42-50.600N 092-02-49.900W | FI R 2s | | | Red. | Private aid. |
| 15720 | - Buoy 3 | 46-42-48.300N 092-02-51.500W | | | | Green can. | Private aid. |
| 15725 | - Buoy 4 | 46-42-48.900N 092-02-52.400W | | | | Red nun. | Private aid. |
| 15730 | - Buoy 5 | 46-42-46.100N 092-02-55.700W | | | | Green can. | Private aid. |
| 15735 | - Buoy 6 | 46-42-46.400N 092-02-56.300W | | | | Red nun. | Private aid. |
| 15740 | - Buoy 7 | 46-42-45.100N 092-03-00.900W | | | | Green can. | Private aid. |
| 15745 | - Buoy 8 | 46-42-46.100N 092-03-01.000W | | | | Red nun. | Private aid. |
| 15746 | - Buoy 9 | 46-42-45.600N 092-03-08.200W | | | | Green can. | Private aid. |
| 15747 | - Buoy 10 | 46-42-46.600N 092-03-06.600W | | | | Red nun. | Private aid. |
| Superior Front Channel | | | | | | | |
| 15750 | - <i>Lighted Buoy 1</i> | 46-42-47.317N 092-02-42.291W | Q G | | 4 | Green | Maintained from April 28 to December 1. |
| 15755 | - Buoy 3 | 46-42-58.373N 092-02-58.074W | | | | Green can. | |
| 15760 | - Buoy 4 | 46-43-02.138N 092-02-51.859W | | | | Red nun. | |
| 15765 | - <i>Lighted Buoy 5</i> | 46-43-10.103N 092-03-14.534W | FI G 2.5s | | 4 | Green | Maintained from April 28 to December 1. |
| 15770 | - <i>Lighted Buoy 6</i> | 46-43-13.962N 092-03-08.649W | FI R 4s | | 3 | Red. | Maintained from Apr. 28 to Dec. 1. |
| 15775 | - Buoy 7 | 46-43-22.643N 092-03-32.524W | | | | Green can. | |
| 15780 | - Buoy 8 | 46-43-26.683N 092-03-26.174W | | | | Red nun. | |
| 15785 | - <i>Lighted Buoy 9</i> | 46-43-35.243N 092-03-50.724W | FI G 6s | | 4 | Green | Maintained from April 28 to December 1. |
| 15790 | - <i>Lighted Buoy 10</i> | 46-43-39.073N 092-03-44.568W | FI R 4s | | 3 | Red. | Maintained from Apr. 28 to Dec. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE SUPERIOR | | | | | | | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| Superior Front Channel | | | | | | | |
| 15795 | - Buoy 12 | 46-43-50.647N 092-04-01.286W | | | | Red nun. | |
| 15800 | - Buoy 13 | 46-43-49.813N 092-04-11.924W | | | | Green can. | |
| 15805 | - <i>Lighted Buoy 14</i> | 46-44-03.134N 092-04-18.808W | FI R 4s | | 3 | Red. | Maintained from Apr. 28 to Dec. 01. |
| 15810 | - Buoy 15 | 46-44-04.263N 092-04-32.224W | | | | Green can. | |
| 15815 | - Buoy 16 | 46-44-15.404N 092-04-36.313W | | | | Red nun. | |
| 15820 | - <i>Lighted Buoy 18</i> | 46-44-30.813N 092-04-57.694W | FI R 4s | | 3 | Red. | Replaced by nun from Dec. 1 to Apr. 28. |
| 15825 | - <i>Lighted Buoy 19</i> | 46-44-32.064N 092-05-11.324W | FI G 4s | | 4 | Green. | Year round lighted buoy. |
| 15830 | East Gate Basin Buoy 20 | 46-44-37.969N 092-05-02.779W | | | | Red nun. | |
| Duluth Harbor | | | | | | | |
| 15840 | - Breakwater Isolated Danger Buoy | 46-47-14.441N 092-05-22.642W | | | | Black and Red Can | Maintained from Apr. 21 to Oct. 14. |
| 15845 | - South Breakwater Outer Light | 46-46-48.489N 092-05-15.059W | F G | 44 13 | 16 | White tower on fog signal building. 44 | HORN: 2 bl ev 60s (3s bl-3s si-3s bl-51s si). Fog signal operates by keying the microphone five times on VHF-FM Channel 83A. |
| 15855 | - North Pier Light | 46-46-51.569N 092-05-17.069W | Iso R 6s | 43 13 | 12 | White cylindrical tower with black top and base. 43 | |
| 15860 | - South Breakwater Inner Light | 46-46-43.609N 092-05-30.569W | FI W 5s | 68 21 | 16 | Black cylindrical tower with white lantern room. 68 | Light obscured from 270° through 325°. |
| 15865 | - Basin Buoy 1 | 46-46-34.072N 092-05-39.682W | | | | Green can. | |
| 15870 | - Basin Traffic V-AIS | 46-46-29.602N 092-05-59.403W | | | | | AIS MMSI 993672226 |
| 15875 | - <i>Basin Lighted Buoy 2</i> | 46-46-22.273N 092-06-11.593W | FI R 4s | | 4 | Red. | Year round lighted buoy. |
| 15880 | - <i>Basin Lighted Buoy 3</i> | 46-46-24.642N 092-05-43.142W | FI G 4s | | 4 | Green. | Year round lighted buoy. |
| Harbor Cove Marina | | | | | | | |
| <i>Lights maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 15885 | - LIGHT 1 | 46-46-21.000N 092-05-36.000W | F G | | | On post. | Private aid. |
| 15890 | - LIGHT 2 | 46-46-20.000N 092-05-34.000W | F R | | | On post. | Private aid. |
| 15895 | - LIGHT 3 | 46-46-21.000N 092-05-35.000W | F G | | | On post. | Private aid. |
| 15900 | - LIGHT 4 | 46-46-20.000N 092-05-35.000W | F R | | | On post. | Private aid. |
| Duluth Harbor | | | | | | | |
| 15905 | - <i>Basin Lighted Buoy 5</i> | 46-46-03.643N 092-05-50.633W | FI G 4s | | 4 | Green. | Year round lighted buoy. |
| 15910 | - Basin Anchorage Buoy A | 46-46-12.242N 092-05-34.653W | | | | Yellow can. | |
| 15915 | - Basin Anchorage Buoy B | 46-45-59.409N 092-05-25.863W | | | | Yellow can. | |
| 15920 | - Basin Anchorage Buoy C | 46-45-46.633N 092-05-17.253W | | | | Yellow can. | |
| 15925 | - <i>Basin Lighted Buoy 7</i> | 46-45-28.113N 092-05-24.733W | FI G 4s | | 4 | Green. | Year round lighted buoy. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---------------------------|--|
| LAKE SUPERIOR | | | | | | | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| Duluth Harbor | | | | | | | |
| 15930 | DULUTH MARINE TERMINAL EAST LIGHT | 46-45-16.000N 092-05-38.000W | F R | 28 9 | | On white pile. | Maintained from Apr. 15 to close of navigation. Private aid. |
| 15935 | DULUTH MARINE TERMINAL SOUTH LIGHT | 46-45-12.000N 092-05-40.000W | F R | 28 9 | | On white pile. | Maintained from Apr. 15 to close of navigation. Private aid. |
| 15940 | <i>Rices Point Lighted Buoy 9</i> | 46-45-13.313N 092-05-18.724W | Q G | | 4 | Green. | Year round lighted buoy. |
| 15945 | INTERSTATE FISHING PIER EAST LIGHT | 46-45-00.350N 092-05-59.800W | F R | 15 5 | | On pile. | Maintained from Mar. 15 to Jan. 15. Private aid. |
| 15950 | INTERSTATE FISHING PIER WEST LIGHT | 46-45-00.150N 092-06-01.250W | F R | 15 5 | | On pile. | Maintained from Mar. 15 to Jan. 15. Private aid. |
| 15955 | East Gate Basin Buoy 11 | 46-44-57.915N 092-05-12.905W | | | | Green can. | |
| Rices Point Boatslip | | | | | | | |
| <i>Aids maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 15960 | - Buoy 1 | 46-45-02.000N 092-06-04.000W | | | | Green can. | Private aid. |
| 15965 | - Buoy 2 | 46-45-02.000N 092-06-03.000W | | | | Red nun. | Private aid. |
| 15970 | - Buoy 3 | 46-45-03.000N 092-06-04.500W | | | | Green can. | Private aid. |
| 15975 | - Buoy 4 | 46-45-03.000N 092-06-04.200W | | | | Red nun. | Private aid. |
| 15980 | - Buoy 5 | 46-45-04.000N 092-06-02.500W | | | | Green can. | Private aid. |
| 15985 | - Buoy 6 | 46-45-04.000N 092-06-02.500W | | | | Red nun. | Private aid. |
| Hearding Island Channel | | | | | | | |
| 15995 | - Entrance Buoy 1 | 46-45-45.700N 092-05-13.800W | | | | Green can. | Private aid. |
| 16000 | - Entrance Buoy 2 | 46-45-44.400N 092-05-08.300W | | | | Red nun. | Private aid. |
| 16005 | - Entrance Buoy 4 | 46-45-44.800N 092-05-11.100W | | | | Red nun. | Private aid. |
| 16010 | - Entrance Buoy 6 | 46-45-44.500N 092-05-12.800W | | | | Red nun. | Private aid. |
| 16015 | ST. LOUIS BAY NORTH CHANNEL RANGE FRONT LIGHT (EASTERN SECTION) | 46-44-09.179N 092-08-40.701W | Q R | 42 13 | | KRW on skeleton tower. | Visible 1.5° each side of range line. |
| 16020 | ST. LOUIS BAY NORTH CHANNEL RANGE REAR LIGHT (EASTERN SECTION) 810 feet, 226.4° from front light. | 46-44-03.663N 092-08-49.113W | Iso R 6s | 62 19 | | KRW on skeleton tower. | Visible 1.5° each side of range line. On same structure as St. Louis Bay South Channel Range Rear Light (LLNR 16125). |
| St. Louis Bay North Channel (Western Section) | | | | | | | |
| 16023 | - Buoy 1 | 46-44-48.029N 092-06-13.439W | | | | Green can. | |
| 16025 | - Buoy 2 | 46-44-39.365N 092-07-59.166W | | | | Red nun. | |
| 16030 | - <i>Lighted Buoy 3</i> | 46-44-35.575N 092-07-56.476W | Q G | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 21. |
| 16035 | - Buoy 4 | 46-44-30.197N 092-08-12.271W | | | | Red nun. | |
| 16040 | - Buoy 5 | 46-44-26.755N 092-08-10.176W | | | | Green can. | |
| 16045 | - Buoy 6 | 46-44-20.682N 092-08-26.196W | | | | Red nun. | |
| 16050 | - Buoy 7 | 46-44-18.186N 092-08-23.246W | | | | Green can. | |
| 16055 | <i>St Louis Bay Junction Lighted Buoy</i> | 46-44-14.616N 092-08-26.426W | Fl (2+1)R 6s | | 3 | Red and green bands. | Replaced by nun from Dec. 1 to Apr. 21. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--------------------------|--|
| LAKE SUPERIOR | | | | | | | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| St. Louis Bay North Channel (Western Section) | | | | | | | |
| 16060 | Howards Bay Buoy 2 | 46-44-38.314N 092-06-08.565W | | | | Red nun. | |
| St. Louis Bay South Channel (Eastern Section) | | | | | | | |
| 16065 | - Buoy 2 | 46-44-54.467N 092-06-18.775W | | | | Red nun. | |
| 16070 | - Lighted Buoy 2A | 46-44-48.531N 092-06-28.671W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 21. |
| 16075 | - Buoy 3 | 46-44-41.362N 092-06-32.556W | | | | Green can. | |
| 16080 | - Buoy 4 | 46-44-44.715N 092-06-46.925W | | | | Red nun. | |
| 16085 | - Buoy 5 | 46-44-32.279N 092-07-03.003W | | | | Green can. | |
| St. Louis Bay Cross Channel | | | | | | | |
| 16090 | - Lighted Buoy 2 | 46-44-40.592N 092-07-06.010W | Q R | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 21. |
| 16095 | - Lighted Buoy 1 | 46-44-34.941N 092-07-38.680W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 21. |
| 16105 | - Lighted Buoy 6 | 46-44-45.015N 092-07-23.725W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 21. |
| 16115 | - Buoy 8 | 46-44-48.825N 092-07-28.345W | | | | Red nun. | |
| St. Louis Bay South Channel (Western Section) | | | | | | | |
| 16120 | - RANGE FRONT LIGHT | 46-44-06.132N 092-08-40.744W | Q R | 42 13 | | KRW on skeleton tower. | Visible all around. |
| 16125 | - RANGE REAR LIGHT 639 feet, 246.6° from front light. | 46-44-03.636N 092-08-49.085W | Iso R 6s | 62 19 | | KRW on skeleton tower. | Visible 1.5° each side of range line. On the same structure as St. Louis Bay North Range Rear Light (LLNR 16020) |
| 16130 | - Buoy 6 | 46-44-28.565N 092-07-30.584W | | | | Red nun. | |
| 16135 | - Buoy 7 | 46-44-25.375N 092-07-30.016W | | | | Green can. | |
| 16140 | - Buoy 8 | 46-44-24.663N 092-07-44.341W | | | | Red nun. | |
| 16145 | - Lighted Buoy 9 | 46-44-21.085N 092-07-44.516W | FI G 4s | | 4 | Green. | Maintained from Apr. 21 to Dec. 1. |
| 16150 | - Buoy 10 | 46-44-19.805N 092-08-02.606W | | | | Red nun. | |
| 16155 | - Buoy 11 | 46-44-14.985N 092-08-05.006W | | | | Green can. | |
| 16160 | - Buoy 12 | 46-44-14.786N 092-08-20.066W | | | | Red nun. | |
| 16165 | - Lighted Buoy 13 | 46-44-07.246N 092-08-25.356W | Q G | | 3 | Green. | Maintained from Apr. 21 to Dec. 1. |
| St. Louis River Upper Channel | | | | | | | |
| 16175 | - Entrance Buoy 1 | 46-44-00.536N 092-08-31.357W | | | | Green can. | |
| 16180 | - Lighted Buoy 4 | 46-43-21.913N 092-08-39.828W | Q R | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 21. |
| 16185 | - Buoy 5 | 46-43-24.436N 092-08-30.371W | | | | Green can. | |
| 16190 | - Buoy 5A | 46-43-17.326N 092-08-31.907W | | | | Green can. | |
| Minnesota Channel (Eastern Section) | | | | | | | |
| 16195 | - RANGE FRONT LIGHT | 46-43-12.128N 092-08-36.821W | FI G 4s | 14 4 | | KRW on triangular tower. | Visible all around. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| LAKE SUPERIOR | | | | | | | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| St. Louis River Upper Channel | | | | | | | |
| Minnesota Channel (Eastern Section) | | | | | | | |
| 16200 | - RANGE REAR LIGHT 996 feet, 083.8° from front light. | 46-43-13.208N 092-08-22.576W | F G | 37 11 | | KRW on white cylindrical tower. | Visible 1.5° each side of range line. |
| 16205 | - <i>Lighted Buoy 6</i> | 46-43-12.616N 092-08-50.727W | FI R 2.5s | | 3 | Red. | Replaced by nun from Nov 14 to Apr. 28. |
| 16210 | - <i>Lighted Buoy 7</i> | 46-43-08.882N 092-08-49.560W | Q G | | 4 | Green. | Replaced by can Nov 14 from to Apr. 28. |
| 16215 | - Buoy 8 | 46-43-11.234N 092-09-04.588W | | | | Red nun. | |
| 16220 | - <i>Lighted Buoy 9</i> | 46-43-04.916N 092-09-10.268W | FI G 4s | | 4 | Green. | Replaced by can from Nov 14 to Apr. 28. |
| 16225 | - <i>Lighted Buoy 10</i> | 46-43-10.181N 092-09-15.399W | FI R 4s | | 3 | Red. | Replaced by nun from Nov 14 to Apr. 28. |
| 16230 | - Buoy 13 | 46-43-03.026N 092-09-35.418W | | | | Green can. | |
| 16235 | - <i>Lighted Buoy 14</i> | 46-43-07.724N 092-09-50.739W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Nov 14 |
| 16240 | - <i>Lighted Buoy 15</i> | 46-43-01.237N 092-09-59.018W | FI G 4s | | 4 | Green. | Maintained from Apr. 28 to Nov 14 |
| 16245 | - Buoy 16 | 46-43-06.917N 092-10-04.138W | | | | Red nun. | |
| 16250 | - <i>Lighted Buoy 19</i> | 46-43-03.374N 092-10-13.850W | FI G 2.5s | | 4 | Green. | Maintained from Apr. 28 to Nov 14 |
| Minnesota Channel (Western Section) | | | | | | | |
| <i>Buoys maintained from Apr. 28 to Oct. 21.</i> | | | | | | | |
| 16255 | - Buoy 20 | 46-43-06.029N 092-10-15.039W | | | | Red Nun. | Maintained from Apr 28 to Oct 21. |
| 16260 | - Buoy 21 | 46-43-00.449N 092-10-53.439W | | | | Green can. | Maintained from Apr 28 to Oct 21. |
| 16265 | - <i>Lighted Buoy 22</i> | 46-43-02.429N 092-10-53.499W | FI R 4s | | 3 | Red. | Maintained from Apr 28 to Oct 21. |
| 16270 | - Buoy 23 | 46-42-52.939N 092-11-20.118W | | | | Green can. | Maintained from Apr 28 to Oct 21. |
| 16275 | - Buoy 24 | 46-42-53.909N 092-11-21.339W | | | | Red nun. | Maintained from Apr 28 to Oct 21. |
| 16280 | - <i>Lighted Buoy 26</i> | 46-42-43.829N 092-11-39.579W | FI R 4s | | 3 | Red. | Maintained from Apr 28 to Oct 21. |
| 16285 | - Buoy 27 | 46-42-43.349N 092-11-37.119W | | | | Green can. | Maintained from Apr 28 to Oct 21. |
| 16290 | - Buoy 28 | 46-42-35.129N 092-11-49.479W | | | | Red nun. | Maintained from Apr 28 to Oct 21. |
| 16295 | - Buoy 29 | 46-42-33.449N 092-11-47.019W | | | | Green can. | Maintained from Apr 28 to Oct 21. |
| 16297 | - <i>Lighted Buoy 30</i> | 46-42-17.748N 092-12-01.269W | FI R 4s | | 4 | Red nun. | Maintained from Apr 28 to Oct 21. |
| 16300 | - Buoy 31 | 46-42-15.029N 092-11-58.659W | | | | Green can. | Maintained from Apr 28 to Oct 21. |
| 16305 | - Buoy 32 | 46-42-00.149N 092-12-03.579W | | | | Red nun. | Maintained from Apr 28 to Oct 21. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|---|---------------|--------------|---|--|
| LAKE SUPERIOR | | | | | | | |
| DULUTH - SUPERIOR HARBOR (Chart 14975) | | | | | | | |
| St. Louis River Upper Channel | | | | | | | |
| Minnesota Channel (Western Section) | | | | | | | |
| <i>Buoys maintained from Apr. 28 to Oct. 21.</i> | | | | | | | |
| 16308 | - Buoy 33 | 46-41-51.518N 092-11-56.962W | | | | Green can. | Maintained from Apr 28 to Oct 21. |
| 16310 | - Buoy 31A | 46-41-59.489N 092-11-59.919W | | | | Green can. | Maintained from Apr 28 to Oct 21. |
| 16315 | - Buoy 34 | 46-41-50.789N 092-12-00.279W | | | | Red nun. | Maintained from Apr 28 to Oct 21. |
| 16320 | - Buoy 35 | 46-41-46.229N 092-11-48.399W | | | | Green can. | Maintained from Apr 28 to Oct 21. |
| 16322 | - Buoy 36 | 46-41-45.329N 092-11-48.579W | | | | Red nun. | Maintained from Apr 28 to Oct 21. |
| 16323 | St. Louis River Danger Buoy | 46-41-44.010N 092-11-33.495W | | | | White can with orange bands and diamonds. | Maintained from Apr 28 to Oct 21. |
| St. Louis River | | | | | | | |
| <i>Buoys maintained from Apr. 28 to Oct. 21.</i> | | | | | | | |
| 16491 | MCQUADE ROAD SMALL CRAFT HARBOR LIGHT | 46-52-49.269N 091-55-12.904W | FI R 4s | | | On single pole. | Maintained from Apr. 1 to Dec. 31. Private aid. |
| 16492 | Mcquade Road Small Craft Harbor Day Beacon | 46-52-48.022N 091-55-11.412W | | | | | Maintained from Apr. 1 to Dec. 31. Private aid. |
| LITTLE GIRLS POINT TO SILVER BAY | | | | | | | |
| 16494 | <i>UMinn Research Bouy</i> | 46-51-54.000N 091-55-36.000W | FI Y 4s | | | | Private aid. |
| 16494.5 | <i>UMinn Research 2</i> | 46-48-42.000N 091-50-06.000W | FI Y 2s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| Knife River Harbor | | | | | | | |
| 16495 | - ENTRANCE LIGHT | 46-56-38.030N 091-46-42.039W | FI G 4s | 31 9 | 5 | SG on pile. | |
| Two Harbors | | | | | | | |
| 16500 | - Light | 47-00-50.330N 091-39-48.520W | FI (2)W 5s 0.15s fl 4.8s ec. 0.15s fl 14.8s ec. | 78 24 | | Square tower on dwelling. 78 | Light obscured from 065° to 210°. Private aid. |
| 16505 | - East Breakwater Light | 47-00-38.220N 091-40-10.139W | FI R 6s | 32 10 | 9 | Square pyramidal skeleton tower with upper part enclosed. | Standby light shows FI R 5s of reduced intensity. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Channel 83A. |
| 16515 | - WEST BREAKWATER LIGHT | 47-00-42.460N 091-40-29.469W | FI G 4s | 26 8 | 4 | SG on post. | |
| 16520 | DULUTH MISSABE & IRON RANGE RAILWAY CO. ORE DOCK NO. 6 LIGHT | 47-00-55.000N 091-40-30.000W | F R | | | On pile. | Private aid. |
| 16525 | Agate Bay Buoy 2 | 47-00-46.861N 091-40-01.006W | | | | Red nun. | |
| 16530 | Agate Bay Buoy 4 | 47-00-54.039N 091-39-59.375W | | | | Red nun. | |
| 16535 | Agate Bay Buoy 6 | 47-00-57.801N 091-40-12.595W | | | | Red nun. | |
| 16536 | TWIN POINTS PROTECTED ACCESS LIGHT | 47-09-54.65 N 091-25-30.250W | F R | | | On galvanized pipe. | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE SUPERIOR | | | | | | | |
| BEAVER BAY TO PIGEON POINT | | | | | | | |
| 16540 | NOAA Lighted Weather Buoy 45006 | 47-20-05.667N 089-47-34.261W | FI (4)Y 20s | | | Yellow disc-shaped hull with tripod mast. | Maintained from Apr. 1 to Nov. 1. Aid maintained by National Oceanic and Atmospheric Administration. |
| 16545 | PELLET ISLAND LIGHT | 47-16-10.500N 091-16-03.000W | FI G 10s | 25 8 | | | Maintained from Apr. 15 to Dec. 1. Private aid. |
| Silver Bay <i>Aids maintained from Apr. 15 to Dec. 1.</i> | | | | | | | |
| 16550 | - Lighted Buoy 1 | 47-16-22.500N 091-15-55.000W | FI G 4s | | | Green. | Private aid. |
| 16555 | - Lighted Buoy 2 | 47-16-39.300N 091-15-41.000W | FI R 4s | | | Red. | Private aid. |
| 16560 | - Lighted Buoy 3 | 47-16-29.200N 091-16-10.100W | FI G 4s | | | Green. | Private aid. |
| 16565 | - Buoy 4 | 47-17-45.000N 091-15-47.500W | | | | Red nun. | Private aid. |
| 16570 | BEAVER ISLAND LIGHT | 47-16-48.300N 091-15-29.000W | FI R 10s | 20 6 | | Tower. | HORN: 1 blast ev 30s (3s bl). Private aid. |
| 16575 | - LEADING LIGHT | 47-16-45.000N 091-15-58.400W | FI G 4s | 20 6 | | On black post. | Private aid. |
| 16580 | - LIGHT | 47-17-11.300N 091-15-37.500W | FI W 30s | 126 38 | | On top of boiler house. | Private aid. |
| Taconite Harbor <i>Buoys maintained from Apr. 1 to Dec. 31.</i> | | | | | | | |
| 16585 | - West Entrance Lighted Buoy 1 | 47-31-11.800N 090-55-27.500W | FI G 4s | | | Green. | Private aid. |
| 16590 | - West Entrance Lighted Buoy 2 | 47-31-08.700N 090-55-21.300W | FI R 4s | | | Red. | Private aid. |
| 16595 | - RANGE FRONT LIGHT | 47-31-32.600N 090-55-06.900W | F G | 86 26 | | On tower. | Visible 2° each side of centerline of channel. Private aid. |
| 16600 | - RANGE REAR LIGHT 1,550 feet, 028° from front light. | 47-31-47.300N 090-54-55.000W | F G | 154 47 | | On tower. | Visible 2° each side of centerline of channel. Private aid. |
| 16604 | - HARBOR OF REFUGE SOUTH BREAKWATER LIGHT | 47-31-17.099N 090-55-27.980W | Iso W 4s | 22 7 | | NW on tower worded CAUTION. | Ra ref. Private aid. |
| 16605 | - HARBOR OF REFUGE BREAKWATER LIGHT 3 | 47-31-15.900N 090-55-24.710W | FI G 4s | 22 7 | | SG on tower. | Ra ref. Private aid. |
| 16606 | - HARBOR OF REFUGE INNER LIGHT | 47-31-17.030N 090-55-24.950W | Q R | 17 5 | | TR on tower. | Visible from 284° to 336°. Private aid. |
| 16610 | - WESTENTRANCE LIGHT 4 | 47-31-13.000N 090-55-16.000W | FI R 4s | 24 7 | | On tower. | Private aid. |
| 16612 | University Of Minnesota Research Lighted Buoy | 46-51-36.000N 091-55-18.000W | FI Y 4s | | | Meteorological Surface Buoy. | Private aid. |
| Grand Marais | | | | | | | |
| 16615 | - Light | 47-44-42.821N 090-20-16.414W | FI W 2.5s | 48 15 | 12 | White square pyramidal skeleton tower with upper part enclosed. | Light Obscured from 170° to 190°. HORN: 2 blast ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying the microphone five times on VHF-FM channel 83A. |
| GRAND PORTAGE BAY TO SHESHEB POINT | | | | | | | |
| Thunder Bay | | | | | | | |
| 16620 | MTU Grand Marais Weather Wave Buoy 1 | 47-40-32.032N 090-27-03.809W | FI Y 2.5s | | | | Maintained year round. Private aid. |
| BEAVER BAY TO PIGEON POINT | | | | | | | |
| Grand Marais | | | | | | | |
| 16625 | - WEST BREAKWATER LIGHT 1 | 47-44-36.031N 090-20-24.038W | FI G 4s | 32 10 | 5 | White cylindrical tower with green band. | |
| 16630 | - HARBOR INNER BREAKWATER LIGHT 7 | 47-44-51.831N 090-20-23.538W | FI G 2.5s | 14 4 | 4 | SG on triangular tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE SUPERIOR | | | | | | | |
| BEAVER BAY TO PIGEON POINT | | | | | | | |
| 16635 | GRAND PORTAGE BAY ENTRANCE LIGHT | 47-57-11.771N 089-38-21.388W | FI W 4s | 39 12 | 7 | NR on skeleton tower. | |
| 16645 | GRAND PORTAGE PIER LIGHT | 47-57-37.000N 081-40-54.000W | FI W 2.5s | 12 4 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 16650 | <i>Hat Point Lighted Bell Buoy 1</i> | 47-57-00.866N 089-38-40.388W | FI G 4s | | 4 | Green. | Maintained from May 28 to Oct. 14. |
| 16653 | <i>UMN NE of Apostle Meteorological Buoy 2</i> | 47-25-48.000N 089-42-48.000W | FI Y 4s | | | | Maintained from May.1 to Oct.31. Private aid. |
| ISLE ROYALE | | | | | | | |
| Isle Royale | | | | | | | |
| 16655 | Rock Of Ages Light | 47-51-59.487N 089-18-52.959W | FI W 10s | 130 40 | 12 | White conical tower on cylindrical base. | |
| 16660 | - West End Buoy 2 | 47-51-00.779N 089-19-26.403W | | | | Red nun. | |
| ISLE ROYALE | | | | | | | |
| 16665 | <i>West Isle Royale Weather Wave Buoy 2</i> | 47-54-51.300N 089-20-20.800W | FI W 2.5s | | | | Maintained from May.1 to Nov.31. Private aid. |
| Isle Royale | | | | | | | |
| 16670 | Thompson Island Wreck Buoy | 47-53-36.000N 089-13-18.000W | | | | White with orange bands worded WRECK. | Maintained from Jun. 15 to Sep. 30. Private aid. |
| 16675 | WINDIGO DOCK LIGHT | 47-54-47.000N 089-09-30.000W | Q R | 11 3 | | On post. | Maintained from Jun. 15 to Sep. 30. Private aid. |
| 16680 | Cumberland Point Buoy 2 | 47-51-07.977N 089-14-37.018W | | | | Red nun. | Maintained from May 28 to Oct. 14. |
| Siskiwit Bay Passage | | | | | | | |
| 16690 | - Buoy 1 | 47-53-50.672N 088-53-12.662W | | | | Green can. | |
| 16695 | - <i>Lighted Buoy 2</i> | 47-53-52.450N 088-53-06.319W | FI R 2.5s | | | | Maintained from May 28 to Oct 14. |
| 16700 | - Buoy 3 | 47-54-06.449N 088-53-18.334W | | | | Green can. | |
| ISLE ROYAL (Chart 14967) | | | | | | | |
| 16705 | Harlem Reef Buoy 2 | 47-54-00.951N 088-50-12.577W | | | | Red nun. | Maintained from May 28 to Oct. 14. |
| ISLE ROYALE | | | | | | | |
| 16709 | <i>East Isle Royale Weather Wave Buoy 1</i> | 48-03-37.390N 088-34-19.510W | FI W 2.5s | | | | Maintained from May.1 to Nov.31. Private aid. |
| 16710 | - LIGHT | 47-56-52.681N 088-45-40.377W | FI W 6s | 72 22 | 9 | White octagonal tower with dwelling attached. | |
| Malone Bay | | | | | | | |
| <i>Buoys maintained from May 28 to Oct. 14.</i> | | | | | | | |
| 16715 | - Entrance Buoy 2 | 47-58-22.841N 088-47-34.937W | | | | Red nun. | |
| 16720 | - Entrance Buoy 3 | 47-58-24.411N 088-47-50.205W | | | | Green can. | |
| 16725 | - Buoy 4 | 47-58-43.856N 088-48-16.913W | | | | Red nun. | |
| 16730 | - Buoy 5 | 47-58-40.001N 088-48-17.277W | | | | Green can. | |
| 16745 | Chippewa Harbor Daybeacon | 48-01-45.600N 088-38-12.000W | | | | NW on post. | Private aid. |
| Rock Harbor | | | | | | | |
| 16750 | Barge Cove Buoy A | 48-06-50.000N 088-32-07.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|---------------------------|---------------|--------------|---|--|
| LAKE SUPERIOR | | | | | | | |
| ISLE ROYALE | | | | | | | |
| Malone Bay | | | | | | | |
| Rock Harbor | | | | | | | |
| 16755 | Barge Cove Buoy B | 48-06-49.000N 088-32-08.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16757 | Dollar Bay Entrance Buoy 2 | 48-06-18.000N 088-22-10.000W | | | | Red nun. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16760 | MOTT ISLAND DOCK LIGHT | 48-06-28.000N 088-32-59.000W | Q R | 10 3 | | On post. | Maintained from Jun. 15 to Sep. 30. Private aid. |
| 16765 | SNUG HARBOR DOCK LIGHT | 48-08-46.000N 088-29-12.000W | Q R | 12 4 | | On post. | Maintained from Jun. 15 to Sep. 30. Private aid. |
| 16766 | Windigo Water Intake Buoy | 47-54-38.000N 089-09-35.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16770 | <i>Middle Island Passage Lighted Bell Buoy 2</i> | 48-05-22.899N 088-34-14.688W | FI R 4s | | 4 | Red. | Replaced by nun from Oct 14 to May 28. |
| 16775 | Middle Island Passage Buoy 1 | 48-05-30.259N 088-34-25.687W | | | | Green can. | |
| 16780 | Middle Island Passage Buoy 3 | 48-05-33.070N 088-34-30.140W | | | | Green can. | |
| 16785 | Saginaw Point Daybeacon | 48-03-36.000N 088-34-40.000W | | | | NW on post. | Private aid. |
| 16790 | Mott Island Shoal East Buoy | 48-06-22.000N 088-33-06.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16795 | Mott Island Shoal West Buoy Marks rock ledge. | 48-06-21.000N 088-33-10.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16800 | Daisy Farm East Buoy Marks reef. | 48-05-31.000N 088-35-39.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16805 | Daisy Farm West Buoy | 48-05-30.000N 088-35-37.000W | | | | White with orange bands; can. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 16810 | Mccargoe Cove Entrance Buoy 1 | 48-06-52.000N 088-41-11.000W | | | | Green can. | Maintained from Jun. 15 to Sep. 30. Private aid. |
| 16815 | Mccargoe Cove Entrance Buoy 2 | 48-06-49.000N 088-41-06.000W | | | | Red nun. | Maintained from Jun. 15 to Sep. 30. Private aid. |
| 16820 | Blake Point Light | 48-11-28.380N 088-25-20.577W | FI W 2.5s | 40 12 | 12 | NR on skeleton tower. | |
| 16825 | Blake Point Five-Foot Shoal Buoy D Marks south side of shoal. | 48-11-16.768N 088-24-09.940W | | | | Black, red and black bands; can. | Maintained from May 28 to Oct. 14. |
| GRAND PORTAGE BAY TO SHESHEEB POINT | | | | | | | |
| 16835 | Passage Island Light | 48-13-25.353N 088-21-56.109W | FI W 5s | 78 24 | 12 | Octagonal tower. | RACON: G (- - .) HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF-FM channel 83A. |
| 16845 | Caribou Island Light (C) | 47-20-24.032N 085-49-30.033W | FI W 15s 1s fl 14s ec. | 99 30 | 20 | Hexagonal structure. | RACON: C (- . - .) Emergency light. Seasonal. |
| 16850 | <i>NOAA Lighted Weather Buoy 45004</i> | 47-35-07.011N 086-35-07.866W | FI (4)Y 20s | | | Yellow disc-shaped hull with tripod mast. | Maintained from Apr. 1 to Nov. 1. Aid maintained by National Oceanic and Atmospheric Administration. |
| 16855 | Michipicoten Harbor Light (C) | 47-56-36.033N 084-54-24.032W | FI W 30s | 88 27 | 18 | Skeleton tower. | Seasonal. HORN: 2 blasts ev 60s (3s bl). Horn points 210°. Operates by keying mike 5 times on VHF-FM Ch. 19. Emergency light. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--|---------------|--------------|---|--|
| LAKE SUPERIOR | | | | | | | |
| GRAND PORTAGE BAY TO SHESHEEB POINT | | | | | | | |
| 16865 | Slate Islands Light (C) | 48-37-18.032N 086-59-48.035W | Oc W 10s fl 5s ec. | 224 68 | 23 | White tower. | Emergency light. |
| 16870 | Battle Island Light (C) | 48-45-06.032N 087-33-24.036W | FI (3) W 24s fl 4s ec. fl 4s ec. fl 16s ec. | 118 36 | 15 | Tower. | Emergency light. |
| 16880 | <i>NOAA Lighted Weather Buoy 45001</i> | 48-03-41.566N 087-47-30.483W | FI (4)Y 20s | | 4 | Yellow disc-shaped hull with tripod mast. | Maintained from Apr. 1 to Nov. 1. Aid maintained by National Oceanic and Atmospheric Administration. |
| BIG BAY POINT TO REDRIDGE | | | | | | | |
| 16881 | <i>Isle Royale North Weather Wave Buoy 1</i> | 48-01-30.000N 087-42-32.400W | FI Y 6s | | | | Maintained Year round. Private aid. |
| GRAND PORTAGE BAY TO SHESHEEB POINT | | | | | | | |
| 16885 | Point Parphyry Light (C) | 48-20-25.032N 088-38-53.037W | FI W 10s 1s fl 9s ec. | 82 25 | 17 | White slatted daymark on tower. | Fixed white between flashes. Emergency light. |
| 16890 | Trowbridge Island Light (C) | 48-17-32.032N 088-52-30.037W | FI W 5s | 114 35 | 18 | White octagonal tower. | Emergency light. |
| 16895 | Angus Island Light (C) | 48-14-12.031N 089-00-24.037W | FI W 20s | 81 25 | 18 | Skeleton tower on four concrete piers. | Emergency light. |
| Thunder Bay | | | | | | | |
| 16905 | THUNDER CAPE LIGHT (C) | 48-18-06.032N 088-56-18.037W | FI W 4s | 35 11 | 6 | Red and white rectangular daymark on tower. | |
| 16910 | JARVIS ROCK LIGHT (C) | 48-06-12.031N 089-17-36.037W | FI W 4s | 40 12 | 6 | Red and white rectangular daymark on mast. | |
| 16915 | - (Main) Light (C) | 48-26-00.031N 089-11-42.038W | FI R 5s | 49 15 | 14 | White square tower. | Floodlighted. HORN: 3 blasts ev 60s (2s bl-3s si-2s bl-3s si-2s bl-48s si). Operates by keying the microphone five times on VHF-FM Ch. 79. Emergency light. |
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| BIG TRAVERSE BAY (CHART 6211) (C) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 16925 | PENASSE ISLAND LIGHT (C) | 49-22-18.029N 094-57-30.045W | FI W 4s | 37 11 | 6 | Red and white rectangular daymark on circular mast. | Visible from 181° to 076°. |
| 16930 | <i>Pine Creek Lighted Buoy 2</i> | 49-21-08.829N 095-03-33.745W | FI R 4s | | 3 | Red. | |
| 16940 | <i>Crow Creek Lighted Buoy 1</i> | 49-21-18.929N 095-04-19.845W | FI G 4s | | 4 | Green. | |
| 16947 | <i>Youngs Bay Lighted Buoy 1</i> | 49-20-46.929N 094-57-51.645W | FI G 6s | | 4 | Green. | |
| 16953 | Flag Island Buoy 1 | 49-20-12.467N 094-52-53.067W | | | | Green can | |
| 16955 | Flag Island Buoy 2 | 49-20-10.061N 094-52-54.663W | | | | Red nun. | |
| 16960 | Flag Island Buoy 3 | 49-20-10.319N 094-52-48.693W | | | | Green can. | |
| 16963 | DRIFTWOOD POINT LIGHT | 49-12-46.029N 094-56-45.045W | FI W 6s | 35 11 | 3 | NR on skeleton tower. | |
| 16965 | <i>Flag Island Lighted Buoy 4</i> | 49-20-09.065N 094-52-50.781W | FI R 4s | | 3 | Red. | Permanent buoy. Light maintained from May 7 to Oct. 14. |
| 16968 | Flag Island Buoy 5 | 49-20-06.149N 094-52-44.667W | | | | Green can | |
| 16969 | Flag Island Buoy 6 | 49-20-05.807N 094-52-47.343W | | | | Red nun | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| BIG TRAVERSE BAY (CHART 6211) (C) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 16970 | BOUCHA ISLAND LIGHT (C) | 49-17-42.029N 094-49-12.044W | FI W 4s | 38 12 | 6 | Green and white banded daymark on mast. | |
| 16975 | OAK ISLAND LIGHT 1 | 49-18-08.909N 094-53-07.445W | FI G 4s | 39 12 | 3 | SG on skeleton tower. | |
| 16976 | Oak Island Buoy 4 | 49-18-17.129N 094-49-23.804W | | | | Red nun. | |
| 16977 | Oak Island Buoy 2 | 49-18-37.029N 094-49-27.244W | | | | Red nun. | |
| 16980 | Sugar Point Rock Buoy 2 | 49-17-35.329N 094-54-14.945W | | | | Red nun. | |
| 16985 | Stony Point Reef Buoy 2 | 49-08-09.529N 095-07-14.545W | | | | Red nun. | |
| 16990 | BIRCH POINT LIGHT (C) | 49-09-54.029N 095-14-00.045W | FI W 4s | 23 7 | | Fluorescent red and white banded rectangular daymark on mast. | |
| 16995 | <i>Buffalo Point Marina Entrance Lighted Buoy (C)</i> | 49-02-30.029N 095-13-42.045W | Mo (A) W | | | Red and white stripes. | |
| 17000 | BUFFALO POINT LIGHT (C) | 49-00-00.029N 095-13-54.045W | FI W 4s | 35 11 | 6 | Red and white banded diamond daymark on mast. | |
| 17005 | <i>Warroad Lighted Buoy 2</i> | 48-54-55.529N 095-17-08.745W | FI R 4s | | 3 | Red. | |
| 17010 | WARROAD JETTY LIGHT 4 | 48-54-30.196N 095-17-46.685W | FI W 4s | 38 12 | 3 | TR on post. | |
| 17011 | <i>Warroad Lighted Buoy "3"</i> | 48-54-27.569N 095-17-45.645W | FI G 4s | | 3 | Green. | |
| 17013 | Warroad Buoy "5" | 48-54-24.449N 095-17-51.045W | | | | Green can. | |
| 17015 | WARROAD RANGE FRONT LIGHT | 48-54-03.607N 095-18-21.558W | F G | 35 11 | | KRW on black skeleton tower. | |
| 17020 | WARROAD RANGE REAR LIGHT 1,070 feet, 223.6° from front light. | 48-53-55.955N 095-18-32.599W | Oc W 4s | 60 18 | | KRW on square skeleton tower. | |
| 17025 | GULL ROCK LIGHT | 48-59-02.199N 095-03-33.574W | FI W 4s | 17 5 | 3 | NR on skeleton tower. | |
| 17030 | Long Point East Shoal Buoy 1 | 48-58-08.329N 094-55-53.944W | | | | Green can. | |
| Zipple Bay | | | | | | | |
| 17035 | - <i>Lighted Buoy 1</i> | 48-52-46.729N 094-51-07.044W | FI G 4s | | 3 | Green. | |
| 17040 | - LIGHT 2 | 48-52-24.029N 094-51-10.044W | FI R 2.5s | 30 9 | 3 | White cylindrical tower. | |
| 17045 | - LIGHT 3 | 48-52-18.029N 094-51-00.044W | FI G 2.5s | 28 9 | 3 | SG on post. | |
| 17050 | BRULE POINT LIGHT (C) Marks rocks. | 49-07-54.030N 094-20-06.044W | FI W 4s | 30 9 | 6 | Red and white rectangular daymark with black square in center on post. | |
| 17055 | ROCKY POINT LIGHT (C) | 48-57-30.029N 094-32-18.044W | FI W 4s | 25 8 | 9 | White daymark on post. | |
| 17060 | BURTON ISLAND LIGHT (C) | 48-57-00.029N 094-37-00.044W | FI W 4s | 35 11 | 6 | Florescent red and white rectangular daymark with black square in center on skeleton tower. | |
| 17065 | <i>Bell Buoy Shoal Lighted Buoy (C)</i> | | FI G 4s | | | Green. | |
| 17070 | OAK POINT LIGHT | 48-52-35.029N 094-41-10.544W | FI W 6s | 34 10 | 3 | NR on skeleton tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|-----------------------|------------------|
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| BIG TRAVERSE BAY (CHART 6211) (C) | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| Four Mile Bay | | | | | | | |
| 17073 | - Lighted Buoy 1 | 48-52-59.029N 094-41-09.044W | FI G 6s | | 4 | Green. | |
| 17075 | - Buoy 2 | 48-52-54.029N 094-41-06.044W | | | | Red nun. | |
| 17077 | - Buoy 4 | 48-52-50.029N 094-41-02.044W | | | | Red nun. | |
| 17079 | - Buoy 6 | 48-52-43.029N 094-40-56.044W | | | | Red nun. | |
| 17079.1 | - Buoy 7 | 48-52-44.029N 094-40-53.044W | | | | Green can. | |
| 17080 | - Buoy 8 | 48-51-33.219N 094-41-27.110W | | | | Red nun. | |
| 17083 | - Lighted Buoy 9 | 48-51-15.929N 094-41-31.044W | FI G 4s | | 4 | Green. | |
| 17085 | Rainy River Buoy 10 | 48-51-16.029N 094-41-36.044W | | | | Red nun. | |
| 17087 | WHEELER POINT LIGHT 12 | 48-50-24.286N 094-41-14.012W | FI R 4s | 20 6 | 3 | TR on skeleton tower. | |
| 17089 | Wheeler Point Buoy 14 | 48-50-19.145N 094-41-24.406W | | | | Red nun. | |
| Baudette Harbor | | | | | | | |
| 17095 | - Buoy 1 | 48-43-04.119N 094-35-28.016W | | | | Green can. | |
| 17100 | - Buoy 2 | 48-43-03.629N 094-35-30.444W | | | | Red nun. | |
| RAINY LAKE - INTERNATIONAL FALLS TO DRYWEED ISLAND | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17125 | FORT FRANCES RANIER BRIDGE LIGHT (C) | 48-36-48.030N 093-22-00.042W | FI G 4s | 28 9 | | On post. | |
| 17140 | Rainy Lake Buoy 2 | 48-37-07.030N 093-20-49.942W | | | | Red nun. | |
| 17142 | Rainy Lake Buoy 2 A | 48-37-31.650N 093-20-25.482W | | | | | |
| 17145 | Rainy Lake Buoy 3 | 48-38-12.730N 093-15-48.342W | | | | Green can. | |
| 17150 | FRANSEN ISLAND LIGHT 2A | 48-37-39.700N 093-15-05.012W | FI R 4s | 20 6 | 3 | TR on skeleton tower. | |
| 17155 | Red Sucker Island Buoy 4 | 48-37-51.930N 093-11-38.642W | | | | Red nun. | |
| 17160 | Red Sucker Island Buoy 6 | 48-37-32.730N 093-11-04.842W | | | | Red nun. | |
| 17165 | BALD ROCK LIGHT | 48-37-26.610N 093-10-53.822W | FI W 4s | 35 11 | 3 | NB on skeleton tower. | |
| 17170 | Rainy Lake Buoy 7 | 48-33-36.230N 093-06-48.242W | | | | Green can. | |
| RAINY LAKE - DRYWEED ISLAND TO BIG ISLAND | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17175 | Rainy Lake Buoy 8 | 48-37-24.030N 093-05-07.842W | | | | Red nun. | |
| 17180 | CAPSTAN REEF LIGHT (C) | 48-38-06.030N 093-03-00.042W | FI W 4s | 17 5 | 6 | White structure. | Radar reflector. |
| 17185 | Olsons Reef Buoy 10OR | 48-36-57.930N 092-59-34.942W | | | | Red nun. | |
| RAINY LAKE - INTERNATIONAL FALLS TO DRYWEED ISLAND | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17190 | ROBERTS ISLAND LIGHT 2 | 48-37-08.860N 093-15-57.562W | FI R 4s | 27 8 | 3 | TR on skeleton tower. | |
| Canoe Channel | | | | | | | |
| 17195 | - Daybeacon 4 Marks rocks. | 48-36-58.180N 093-15-37.282W | | | | TR on skeleton tower. | |
| 17200 | - Daybeacon 5 Marks rock. | 48-36-57.770N 093-15-28.102W | | | | SG on skeleton tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------|----------------------------|
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| RAINY LAKE - INTERNATIONAL FALLS TO DRYWEED ISLAND | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| Canoe Channel | | | | | | | |
| 17205 | - Buoy 7 Marks rock. | 48-36-54.730N 093-15-01.942W | | | | Green can. | |
| 17210 | - Daybeacon 8 Marks rock. | 48-36-51.090N 093-14-51.272W | | | | TR on skeleton tower. | |
| 17215 | - Daybeacon 10 Marks rock awash. | 48-36-38.620N 093-14-15.722W | | | | TR on skeleton tower. | |
| 17220 | - Daybeacon 12 | 48-36-28.980N 093-13-53.832W | | | | TR on skeleton tower. | |
| 17225 | - Buoy 14 | 48-36-26.030N 093-13-15.642W | | | | Red nun. | |
| 17230 | - Daybeacon 15 Marks submerged rock. | 48-36-31.640N 093-12-25.812W | | | | SG on skeleton tower. | |
| 17235 | - Buoy 16 Marks rock. | 48-36-33.730N 093-11-06.642W | | | | Red nun. | |
| 17240 | - LIGHT 17 Marks shoal. | 48-36-27.580N 093-10-54.922W | FI G 2.5s | 21 6 | 3 | SG on skeleton tower. | |
| 17245 | Fraser Island Buoy 17A Marks south side of shoal. | 48-36-14.030N 093-09-33.642W | | | | Green can. | |
| 17250 | Big American Island Daybeacon 19 | 48-36-14.830N 093-09-01.282W | | | | SG on pile. | |
| 17252 | - Buoy 20 | 48-36-16.267N 093-07-51.515W | | | | Red nun. | |
| 17255 | South Shore Buoy 1 | 48-36-23.730N 093-06-05.742W | | | | Green can. | |
| RAINY LAKE - DRYWEED ISLAND TO BIG ISLAND | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17260 | South Shore Buoy 3 | 48-36-29.730N 093-05-00.142W | | | | Green can. | |
| 17265 | South Shore Buoy 5 | 48-36-20.730N 093-04-30.542W | | | | Green can. | |
| 17267 | South Shore Buoy 6 | 48-36-15.828N 093-04-31.021W | | | | Red nun. | |
| 17270 | South Shore Buoy 7 | 48-36-22.430N 093-02-57.242W | | | | Green can. | |
| 17275 | South Shore Buoy 8 | 48-36-21.430N 093-01-40.142W | | | | Red nun. | |
| 17277 | South Shore Buoy 9 | 48-36-29.454N 093-01-28.962W | | | | Green can. | |
| 17280 | South Shore Buoy 10 | 48-36-13.330N 092-59-49.742W | | | | Red nun. | |
| 17285 | <i>Rainy Lake Lighted Buoy 12</i> | 48-36-25.893N 092-57-37.059W | FI R 4s | | 4 | Red. | |
| 17290 | Rainy Lake Buoy 13 | 48-36-26.230N 092-57-35.642W | | | | Green can. | |
| 17295 | Rainy Lake Buoy 15 | 48-36-23.730N 092-57-13.142W | | | | Green can. | |
| 17300 | Rainy Lake Buoy 16 | 48-36-22.230N 092-56-32.642W | | | | Red nun. | |
| 17305 | MACKENZIE ISLAND LIGHT (C) | 48-36-30.030N 092-56-24.042W | FI W 4s | 26 8 | 6 | White diamond daymark on post. | Visible from 290° to 110°. |
| Brule Narrows | | | | | | | |
| 17310 | - Buoy 18 | 48-36-15.630N 092-55-35.142W | | | | Red nun. | |
| 17315 | - Buoy 19 | 48-36-15.130N 092-55-29.742W | | | | Green can. | |
| 17320 | - Buoy 20 | 48-36-05.230N 092-55-12.842W | | | | Red nun. | |
| 17325 | - Buoy 22 | 48-36-03.730N 092-55-08.742W | | | | Red nun. | |
| 17330 | - Buoy 24 | 48-36-03.230N 092-55-06.042W | | | | Red nun. | |
| 17335 | - Buoy 26 | 48-35-53.330N 092-54-47.242W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------------|----------------|
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| RAINY LAKE - DRYWEED ISLAND TO BIG ISLAND | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| Brule Narrows | | | | | | | |
| 17340 | BRULE ISLAND LIGHT (C) | 48-35-48.030N 092-54-00.042W | FI W 4s | 22 7 | 5 | Lattice tower on concrete base. | |
| 17345 | - Buoy 28 | 48-35-43.330N 092-53-55.142W | | | | Red nun. | |
| 17350 | - Buoy 29 | 48-35-40.230N 092-53-45.442W | | | | Green can. | |
| 17355 | - Buoy 29A | 48-35-33.330N 092-53-40.742W | | | | Green can. | |
| 17360 | - Buoy 30 | 48-35-30.930N 092-53-40.842W | | | | Red nun. | |
| 17365 | - Buoy 31 | 48-35-31.730N 092-53-38.942W | | | | Green can. | |
| 17367 | Soldiers Point Daybeacon 30a | 48-26-30.030N 092-30-50.041W | | | | TR on skeleton tower. | |
| 17370 | - Lighted Buoy 32 | 48-35-29.230N 092-53-39.042W | FI R 4s | | 4 | Red. | |
| 17375 | RAINY LAKE LIGHT 34 | 48-33-33.890N 092-53-14.512W | FI R 4s | 5 2 | 3 | TR on skeleton tower. | |
| 17380 | Hitchcock Bay Buoy 35 | 48-33-09.530N 092-53-11.542W | | | | Green can. | |
| 17385 | Hitchcock Bay Buoy 35A | 48-32-53.430N 092-53-03.842W | | | | Green can. | |
| 17390 | Hitchcock Island Daybeacon 36 | 48-32-47.030N 092-53-13.042W | | | | TR on skeleton tower. | |
| RAINY LAKE - BIG ISLAND TO OAK POINT ISLAND | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| Rainy Lake | | | | | | | |
| 17395 | GULL ROCKS LIGHT (C) Marks rock. | 48-33-48.030N 092-46-36.042W | FI W 4s | 29 9 | | White rectangular daymark on mast. | |
| 17400 | - Buoy 37 | 48-32-22.730N 092-45-02.742W | | | | Green can. | |
| 17405 | - Buoy 38 | 48-32-16.830N 092-39-50.541W | | | | Red nun. | |
| 17410 | - Buoy 39 | 48-32-10.230N 092-38-38.741W | | | | Green can. | |
| 17415 | - Buoy 41 | 48-31-26.000N 092-37-47.229W | | | | Green can. | |
| 17420 | SURVEYOR'S ISLAND LIGHT 43 | 48-31-03.310N 092-37-41.151W | FI G 4s | | 4 | SG on skeleton tower. | |
| Kettle Channel | | | | | | | |
| 17425 | - Buoy 2 | 48-31-02.130N 092-37-43.041W | | | | Red nun. | |
| 17430 | - Buoy 4 | 48-30-45.230N 092-37-32.341W | | | | Red nun. | |
| 17435 | - Buoy 6 | 48-30-38.630N 092-37-40.741W | | | | Red nun. | |
| 17440 | - Buoy 7 | 48-30-24.330N 092-37-52.741W | | | | Green can. | |
| 17445 | - Buoy 8 | 48-30-06.430N 092-37-45.141W | | | | Red nun. | |
| EASTERN KABETOGAMA LAKE AND WESTERN NAMAKAN LAKE | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| Namakan Lake | | | | | | | |
| 17450 | Mica Island Daybeacon 2 | 48-29-47.700N 092-41-38.331W | | | | TR on skeleton tower. | |
| 17455 | Mica Island Daybeacon 2A | 48-29-47.530N 092-41-45.041W | | | | TR on skeleton tower. | |
| 17460 | - Daybeacon 4 | 48-29-00.850N 092-42-10.271W | | | | TR on skeleton tower. | |
| 17465 | Gagnon Island Buoy 5 | 48-28-47.530N 092-42-27.541W | | | | Green can. | |
| 17470 | Gagnon Point Daybeacon 6 | 48-28-21.877N 092-43-11.586W | | | | TR on skeleton tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-------------------------------------|---------------------------------|-----------------------|---------------|--------------|---------------------------|----------------|
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| EASTERN KABETOGAMA LAKE AND WESTERN NAMAKAN LAKE | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| Namakan Lake | | | | | | | |
| 17475 | Arrowhead Island Buoy 7 | 48-28-17.630N 092-43-01.641W | | | | Green can. | |
| 17480 | Alden Island Buoy 9 | 48-28-02.630N 092-43-01.741W | | | | Green can. | |
| 17485 | Bivo Island Daybeacon 11 | 48-27-42.540N 092-42-51.061W | | | | SG on skeleton tower. | |
| 17490 | Bivo Island Buoy 13 | 48-27-39.030N 092-42-51.541W | | | | Green can. | |
| 17495 | - Buoy 14 | 48-27-32.530N 092-42-48.541W | | | | Red nun. | |
| 17500 | - Buoy 16 | 48-27-16.830N 092-43-17.541W | | | | Red nun. | |
| 17505 | Kubel Island Buoy 18 | 48-27-15.130N 092-43-37.541W | | | | Red nun. | |
| 17510 | Sexton Island Buoy 20 | 48-26-54.630N 092-44-51.641W | | | | Red nun. | |
| 17515 | Cemetery Island Buoy 22 | 48-26-47.430N 092-45-27.741W | | | | Red nun. | |
| 17520 | Sweetnose Island Daybeacon 23 | 48-26-39.620N 092-46-30.891W | | | | SG on skeleton tower. | |
| 17525 | Sweetnose Island Buoy 24 | 48-26-42.330N 092-46-36.941W | | | | Red nun | |
| 17530 | - Daybeacon 26 Marks rock awash. | 48-26-18.030N 092-47-06.041W | | | | TR on post. | |
| 17535 | - <i>Lighted Buoy 27</i> | 48-25-50.710N 092-47-38.352W | FI G 4s | | 3 | Green. | |
| Kabetogama Lake | | | | | | | |
| 17540 | - Buoy 29 | 48-26-10.730N 092-48-35.541W | | | | Green can. | |
| 17545 | - Buoy 31 | 48-26-15.030N 092-51-00.842W | | | | Green can. | |
| 17550 | - Warning Daybeacon | 48-26-10.030N 092-51-00.042W | | | | NW on post. | |
| 17555 | - Buoy 32 | 48-26-21.730N 092-53-03.542W | | | | Red nun. | |
| 17560 | Green Island Buoy 34 | 48-26-24.730N 092-53-53.942W | | | | Red nun. | |
| 17565 | Feedem Island Buoy 36 | 48-27-00.830N 092-55-20.742W | | | | Red nun. | |
| 17570 | Knox Island Daybeacon 37 | 48-27-01.250N 092-55-48.272W | | | | SG on skeleton tower. | |
| 17575 | - Junction Buoy | 48-27-13.130N 092-56-11.142W | | | | Green and red bands; can. | |
| 17580 | - Buoy 38 | 48-27-52.630N 092-57-43.542W | | | | Red nun. | |
| 17585 | - Buoy 39 | 48-28-02.030N 092-58-17.942W | | | | Green can. | |
| 17590 | Pin Cherry Buoy 38A | 48-28-26.530N 092-58-59.542W | | | | Red nun. | |
| WESTERN KABETOGAMA LAKE | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| Kabetogama Lake | | | | | | | |
| 17595 | - Buoy 40 | 48-28-51.630N 093-00-26.442W | | | | Red nun. | |
| 17600 | - Buoy 42 | 48-28-46.030N 093-00-48.242W | | | | Red nun. | |
| 17605 | - Buoy 44 | 48-29-18.030N 093-03-33.842W | | | | Red nun. | |
| EASTERN KABETOGAMA LAKE AND WESTERN NAMAKAN LAKE | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17610 | Martin Island Buoy 1 | 48-27-24.330N 092-59-03.642W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| MINNESOTA-ONTARIO BORDER LAKES | | | | | | | |
| WESTERN KABETOGAMA LAKE | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17615 | Ram Island Buoy 4 | 48-28-24.230N 093-01-58.842W | | | | Red nun. | |
| 17620 | VOYAGEURS NATIONAL PARK BREAKWATER LIGHT | 48-26-32.500N 093-01-46.000W | Q R | 25 8 | | TR on post. | Private aid. |
| EASTERN KABETOGAMA LAKE AND WESTERN NAMAKAN LAKE | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17625 | Namakan Island Daybeacon N Marks bifurcation of Namakan and Kabetogama Lakes. | 48-27-06.030N 092-42-48.041W | | | | NR on skeleton tower. | |
| 17630 | Fox Island Daybeacon 4 | 48-26-12.030N 092-39-59.041W | | | | TR on skeleton tower. | |
| 17635 | Randolph Island Buoy 6 | 48-26-04.130N 092-39-14.941W | | | | Red nun. | |
| 17640 | Pike Island Daybeacon 8 | 48-26-08.030N 092-35-43.041W | | | | TR on skeleton tower. | |
| NAMAKAN LAKE - EASTERN PART | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17645 | YOUR ISLAND LIGHT 9 | 48-26-29.030N 092-30-50.041W | FI G 6s | 25 8 | 3 | SG on skeleton tower. | |
| 17650 | Your Island Buoy 10 | 48-26-21.630N 092-30-19.141W | | | | Red nun. | |
| 17655 | Namakan Narrows Daybeacon 12 | 48-26-11.030N 092-29-43.041W | | | | TR on skeleton tower. | |
| 17660 | Namakan Narrows Daybeacon 14 | 48-25-31.530N 092-28-51.041W | | | | TR on skeleton tower. | |
| 17665 | Sand Point Buoy 16 | 48-24-56.430N 092-27-51.441W | | | | Red nun. | |
| 17670 | Sand Point Buoy 18 | 48-24-38.230N 092-27-24.241W | | | | Red nun. | |
| 17675 | Burnt Island Daybeacon 20 | 48-24-10.030N 092-27-30.041W | | | | TR on skeleton tower. | |
| 17680 | Sand Point Buoy 22 | 48-22-01.830N 092-28-42.341W | | | | Red nun. | |
| SAND POINT LAKE TO LAC LA CROIX | | | | | | | |
| <i>Buoys and Lighted Buoys maintained from May 7 to Oct. 14.</i> | | | | | | | |
| 17685 | King Williams Narrows Buoy 24 | 48-20-05.130N 092-27-55.541W | | | | Red nun. | |
| 17690 | King Williams Narrows Buoy 25 | 48-19-49.830N 092-27-56.741W | | | | Green can. | |
| 17695 | King Williams Narrows Buoy 27 | 48-19-39.530N 092-27-52.241W | | | | Green can. | |
| 17700 | Crane Lake Buoy 28 | 48-17-58.030N 092-28-09.841W | | | | Red nun. | |
| 17705 | Crane Lake Buoy 29 | 48-17-35.030N 092-28-17.141W | | | | Green can. | |
| 17710 | Indian Island Buoy 30 | 48-17-30.730N 092-27-56.941W | | | | Red nun. | |
| 17715 | Bear Island Buoy 32 | 48-16-40.630N 092-28-07.541W | | | | Red nun. | |
| LAKE MICHIGAN | | | | | | | |
| DE TOUR PASSAGE TO WAUGOSHANCE POINT (Chart 14881) | | | | | | | |
| VAIS | | | | | | | |
| 17720 | ST HELENA LIGHT | 45-51-18.018N 084-51-48.961W | FI W 6s | 71 22 | 6 | White conical tower connected to dwelling. | |
| 17722 | <i>Sandusky Wreck Mooring Buoy</i> | 45-47-58.140N 084-50-15.300W | | | | | Private aid. |
| 17723 | <i>Maitland Wreck Mooring Buoy</i> | 45-48-15.000N 084-52-32.820W | | | | | Private aid. |
| 17725 | St Helena Southeast Shoal Buoy 1 | 45-50-59.398N 084-51-16.758W | | | | Green can. | |
| 17730 | St Helena Shoal Buoy SHS Marks south side of shoal. | 45-51-43.628N 084-55-06.069W | | | | Red and green bands; nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| 17735 | Manitou Paymen Shoal Buoy 2 Marks southwest side of shoal. | 45-57-29.861N 085-04-36.246W | | | | Red nun. | |
| 17740 | <i>New Shoal Lighted Buoy 1</i> | 45-49-16.312N 085-05-16.819W | FI G 4s | | 5 | Green. | Maintained from Apr. 21 to Dec. 14. AIS MMSI: 993672238 |
| 17745 | <i>New Shoal Lighted Bell Buoy 3</i> | 45-48-53.651N 085-08-00.548W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 14 to Apr. 21. AIS MMSI: 993672239 |
| 17750 | White Shoal Light Marks east side of shoal. | 45-50-30.106N 085-08-08.451W | FI W 5s | 125 38 | 11 | Red and white spiral bands on conical crib. 125 | RACON: K (- -) HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 17755 | White Shoal Buoy Marks southwest side of shoal. | 45-50-10.649N 085-09-56.516W | | | | Red and green bands; nun. | |
| 17760 | <i>Simmons Reef Lighted Bell Buoy 2</i> Marks south side of reef. | 45-54-08.357N 085-12-58.744W | FI R 4s | | 4 | Red. | Maintained from Apr. 21 to Nov. 28. |
| Grays Reef Passage Channel | | | | | | | |
| 17765 | - <i>Lighted Buoy 5</i> | 45-46-51.959N 085-08-17.978W | FI G 4s | | 5 | Green. | Maintained from Apr 21 to 14 Dec |
| 17770 | - <i>Lighted Bell Buoy 4</i> | 45-46-56.059N 085-09-03.580W | FI R 4s | | 4 | Red. | Maintained from Apr 21 to 14 Dec |
| 17775 | Grays Reef Light | 45-45-56.622N 085-09-13.642W | FI R 10s | 82 25 | 14 | Square tower. 82 | Obscured from 080° to 170°. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Ch. 83A. AIS MMSI: 993682389 |
| 17780 | - <i>Lighted Buoy 7</i> | 45-45-44.409N 085-08-29.183W | FI G 4s | | 5 | Green. | Replaced by can from Dec. 14 to Apr. 21. AIS MMSI: 993672227 |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| 17783 | <i>GLF Sturgeon Bay Weather Buoy 1</i> | 45-42-58.000N 085-05-02.000W | FI Y 4s | | | | Maintained from Apr.1 to Oct.31. Private aid. |
| 17785 | Ile Aux Galets Buoy 2 Marks east side of shoal. | 45-40-58.861N 085-08-06.869W | | | | Red nun. | |
| 17790 | Ile Aux Galets Buoy 9 Marks northwest side of shoal. | 45-40-56.872N 085-11-03.054W | | | | Green can. | |
| 17795 | Ile Aux Galets Light | 45-40-34.968N 085-10-19.684W | FI W 6s | 58 18 | 11 | White octagonal tower. 58 | |
| 17800 | Dahlia Shoal Buoy 1 Marks southwest side of shoal. | 45-37-31.659N 085-12-47.976W | | | | Green can. | |
| 17805 | Hog Island Reef Buoy 10 Marks east side of reef. | 45-43-13.047N 085-20-19.309W | | | | Red nun. | Seasonal maintained from 21 Apr to 14 Nov |
| 17810 | <i>Beaver Island Shoal Northeast End Lighted Buoy 1</i> | 45-45-48.877N 085-29-41.177W | FI G 4s | | 3 | Green. | Maintained from May 7 to Nov. 14. |
| St. James Harbor | | | | | | | |
| 17815 | - Buoy 1 | 45-43-57.829N 085-29-44.743W | | | | Green can. | |
| 17820 | - Buoy 2 | 45-44-18.729N 085-29-39.744W | | | | Red nun. | |
| 17825 | - <i>Lighted Buoy 4</i> | 45-44-26.744N 085-30-31.221W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 14 to May 7. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---------------------------------------|---|
| LAKE MICHIGAN | | | | | | | |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| St. James Harbor | | | | | | | |
| 17830 | - Buoy 6 | 45-44-46.527N 085-31-00.647W | | | | Red nun. | Maintained from May 7 to Nov. 14. |
| 17835 | - Buoy 7 | 45-44-52.827N 085-30-55.747W | | | | Green can. | Maintained from May 7 to Nov. 14. |
| 17840 | - Buoy 8 | 45-44-51.827N 085-30-54.147W | | | | Red nun. | Maintained from May 7 to Nov. 14. |
| 17845 | St. James Light | 45-44-34.062N 085-30-31.041W | Iso R 6s | 38 12 | 11 | Cylindrical tower. 38 | Light obscured from 127°30' to 199°30'. |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| 17850 | <i>Stony Point Shoal Lighted Bell Buoy 1</i> Marks east side of shoal. | 45-43-12.049N 085-28-48.093W | FI G 6s | | 4 | Green. | Replaced by can from Nov. 14 to May 7. |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY | | | | | | | |
| Harbor Springs | | | | | | | |
| 17855 | LITTLE TRAVERSE LIGHT | 45-25-09.110N 084-58-38.712W | FI G 6s | 72 22 | 8 | White skeleton tower. | |
| 17860 | - <i>Special Anchorage Lighted Buoy B</i> | 45-25-35.000N 084-59-07.000W | FI W 2s | | | White. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 17865 | STATE STREET PIER LIGHT | 45-25-43.300N 084-59-16.300W | F R | | | On top of restaurant with white roof. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 17870 | SPRING STREET PIERHEAD LIGHT | 45-25-45.000N 084-59-26.000W | F R | | | On dock. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| Ford Park Channel <i>Buoys maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 17875 | - <i>Lighted Buoy 1</i> | 45-25-35.000N 084-58-55.200W | FI G 2s | | | Green. | Private aid. |
| 17880 | - <i>Lighted Buoy 2</i> | 45-25-35.000N 084-58-53.000W | FI R 2s | | | Red. | Private aid. |
| 17885 | - <i>Lighted Buoy 3</i> | 45-25-35.000N 084-59-07.000W | FI G 2s | | | Green. | Private aid. |
| 17890 | - <i>Lighted Buoy 4</i> | 45-25-35.000N 084-59-07.000W | FI R 2s | | | Red. | Private aid. |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY | | | | | | | |
| 17895 | WALSTROM MARINE LIGHT 1 | 45-25-43.100N 084-58-44.800W | Q G | 8 2 | | On post. | Maintained from Jun. 1 to Oct. 1. Private aid. |
| 17900 | WALSTROM MARINE LIGHT 2 | 45-35-43.200N 084-58-43.900W | Q R | 9 3 | | On post. | Maintained from Jun. 1 to Oct. 1. Private aid. |
| Harbor Springs | | | | | | | |
| 17902 | <i>Zoll Street Channel Lighted Buoy 1</i> | 45-25-33.600N 084-58-53.390W | FI G 4s | | | | Private aid. |
| 17902.1 | <i>Zoll Street Channel Lighted Buoy 2</i> | 45-25-33.500N 084-58-56.890W | FI R 4s | | | | Private aid. |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY | | | | | | | |
| 17905 | <i>Harbor Springs Special Anchorage Lighted Buoy A</i> | 45-25-35.000N 084-58-24.800W | FI W 2s | | | White. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| Petoskey | | | | | | | |
| 17915 | - LIGHT | 45-22-48.369N 084-57-41.386W | FI R 2.5s | 44 13 | 4 | White cylindrical tower. | |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY | | | | | | | |
| 17916 | BAY VIEW LIGHT | 45-23-17.776N 084-56-10.306W | FI W 4s | 10 3 | | | Private aid. |
| LAKE CHARLEVOIX | | | | | | | |
| Charlevoix | | | | | | | |
| 17919 | <i>North Point Buoy 13</i> | 45-20-45.157N 085-15-26.602W | Q G | | | Green. | Maintained from 14 Apr. to 14 Nov. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---------------------------|--|
| LAKE MICHIGAN | | | | | | | |
| LAKE CHARLEVOIX | | | | | | | |
| Charlevoix | | | | | | | |
| 17920 | - North Pierhead Light | 45-19-14.923N 085-15-53.826W | FI G 2.5s | 20 6 | 10 | SG on post. 20 | |
| 17925 | - South Pierhead Light | 45-19-12.961N 085-15-53.778W | FI R 4s | 41 13 | 10 | 41 | HORN: 1 blast ev 30s (3s bl). Operate the fog signal by keying the microphone on channel 83A VHF marine radio five times. |
| 17930 | Round Lake Special Anchorage Buoy A | 45-19-09.012N 085-15-23.405W | | | | Yellow can. | Maintained from Apr. 14 to Nov. 14. |
| 17935 | Round Lake Special Anchorage Buoy B | 45-19-07.604N 085-15-19.731W | | | | Yellow can. | Maintained from Apr. 14 to Nov. 14. |
| 17940 | Round Lake Special Anchorage Buoy C | 45-19-00.967N 085-15-06.348W | | | | Yellow can. | Maintained from Apr. 14 to Nov. 14. |
| 17945 | PINE RIVER LIGHT 3 | 45-18-56.531N 085-14-44.230W | FI G 2.5s | 10 3 | 5 | SG on skeleton tower. | |
| 17950 | <i>Pine River Channel Lighted Buoy 2</i> | 45-18-52.855N 085-14-41.141W | FI R 4s | | 3 | Red. | Maintained from Apr. 14 to Nov. 14. |
| 17955 | NORTHWEST MARINE YACHT BASIN LIGHT 4 | 45-18-26.000N 085-14-43.000W | F R | 7 2 | | TR on pile. | Maintained from May 15 to Nov. 1. Private aid. |
| 17960 | NORTHWEST MARINE YACHT BASIN LIGHT 1 | 45-18-24.000N 085-14-40.000W | F G | 6 2 | | SG on tripod. | Maintained from May 15 to Nov. 1. Private aid. |
| 17965 | NORTHWEST MARINE YACHT BASIN LIGHT 3 | 45-18-24.000N 085-14-43.000W | F G | 7 2 | | SG on pile. | Maintained from May 15 to Nov. 1. Private aid. |
| Belvedere Club Dock | | | | | | | |
| <i>Lights maintained from May 1 to Nov. 15.</i> | | | | | | | |
| 17970 | - LIGHT A | 45-18-57.000N 085-14-57.500W | F R | 6 2 | | On pile. | Private aid. |
| 17975 | - LIGHT B | 45-18-57.000N 085-14-57.500W | F R | 6 2 | | On pile. | Private aid. |
| 17980 | - LIGHT C | 45-18-57.000N 085-18-57.000W | F R | 6 2 | | On pile. | Private aid. |
| 17985 | - LIGHT D | 45-18-57.000N 085-14-57.500W | F R | 6 2 | | On pile. | Private aid. |
| Charlevoix Floating Breakwall | | | | | | | |
| <i>Lights maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 17990 | - LIGHT | 45-18-08.000N 085-14-44.200W | FI W 4s | | | On floating breakwall. | Private aid. |
| 17995 | - LIGHT | 45-18-08.000N 085-14-44.200W | FI W 4s | | | On floating breakwall. | Private aid. |
| 18000 | - LIGHT | 45-18-08.000N 085-14-44.200W | FI W 4s | | | On floating breakwall. | Private aid. |
| 18005 | - LIGHT | 45-18-08.000N 085-14-44.200W | FI W 4s | | | On floating breakwall. | Private aid. |
| Charlevoix | | | | | | | |
| 18010 | IRISH BOAT SHOP STOVER ROAD LIGHT 2 | 45-18-07.000N 085-14-45.000W | Oc R 4s | 12 4 | | On post. | Private aid. |
| 18015 | IRISH BOAT SHOP STOVER ROAD LIGHT 1 | 45-18-07.000N 085-14-45.000W | F G | 12 4 | | On post. | Private aid. |
| 18020 | IRISH BOAT SHOP FERRY AVENUE LIGHT 2 | 45-18-19.980N 085-14-44.760W | FI R 4s | 4 1 | | On post. | Maintained from May 1 to Nov 1. Private aid. |
| 18025 | IRISH BOAT SHOP FERRY AVENUE LIGHT 1 | 45-18-31.000N 084-14-45.500W | FI G 2.5s | 4 1 | | On post. | Maintained from May 1 to Nov 1. Private aid. |
| 18036 | PINE LAKE CLUB MARINA ENTRANCE LIGHT 1 | 45-17-39.200N 085-14-35.500W | FI G 2.5s | 8 2 | | SG on post. | Maintained from May 1 to Nov. 1. Private aid. |
| 18037 | PINE LAKE CLUB MARINA ENTRANCE LIGHT 2 | 45-17-39.000N 085-14-36.800W | F R | 8 2 | | TR on post. | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| LAKE MICHIGAN | | | | | | | |
| LAKE CHARLEVOIX | | | | | | | |
| Charlevoix | | | | | | | |
| 18040 | OYSTER BAY MARINA LIGHT 2 | 45-18-58.900N 085-12-18.000W | F R | 12 4 | | TR on pile. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 18045 | OYSTER BAY MARINA LIGHT 1 | 45-18-59.100N 085-12-18.000W | F G | 12 4 | | SG on pile. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 18046 | Old Lumber Crane Crib Buoy | 45-19-06.000N 085-14-25.200W | | | | White with orange bands. | Maintained from May 10 to Oct. 30. Private aid. |
| Haters Dock | | | | | | | |
| <i>Lights maintained from May 15 to Oct. 15.</i> | | | | | | | |
| 18050 | - LIGHT 2 | 45-14-52.000N 085-10-43.000W | F R | 7 2 | | On pile. | Private aid. |
| 18055 | - LIGHT 4 | 45-14-51.200N 085-10-42.500W | F R | 7 2 | | On pile. | Private aid. |
| 18060 | - LIGHT 6 | 45-14-19.200N 085-10-21.900W | F R | 9 3 | | On post. | Private aid. |
| 18065 | - LIGHT 8 | 45-14-18.200N 085-10-22.000W | F R | 9 3 | | On post. | Private aid. |
| 18067 | <i>Horse Point Lighted Buoy 3</i> | 45-13-49.891N 085-03-42.936W | FI G 4s | | 3 | Green. | Maintained from Apr. 14 to Nov. 14. |
| Boyne City | | | | | | | |
| Harborage Marina | | | | | | | |
| <i>Lights maintained from Apr. 1 to Dec. 1.</i> | | | | | | | |
| 18070 | - WEST ENTRANCE LIGHT 2 | 45-12-37.500N 085-01-21.000W | Q R | 10 3 | | TR on pile. | Private aid. |
| 18075 | - WEST ENTRANCE LIGHT 1 | 45-12-38.500N 085-01-19.000W | Q G | 10 3 | | SG on post. | Private aid. |
| 18080 | - EAST BREAKWATER LIGHT | 45-12-42.000N 085-01-14.000W | Q W | 10 3 | | NW on post worded DANGER. | Private aid. |
| 18085 | - EAST ENTRANCE LIGHT 2 | 45-12-45.000N 085-01-10.000W | Q R | 10 3 | | TR on post. | Private aid. |
| 18090 | - EAST ENTRANCE LIGHT 1 | 45-12-43.000N 085-01-08.000W | Q G | 10 3 | | SG on post. | Private aid. |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY | | | | | | | |
| 18095 | MEDUSA CHANNEL BREAKWATER LIGHT | 45-19-09.000N 085-17-25.000W | FI R 4s | 24 7 | | On gray pile. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| 18100 | <i>South Point Lighted Bell Buoy 2</i> Marks shoal. | 45-19-35.628N 085-17-59.398W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 14 to May. 01. |
| Grand Traverse Bay | | | | | | | |
| 18105 | Fisherman Island Shoal Buoy 1 | 45-17-51.248N 085-22-10.902W | | | | Green can. | |
| 18110 | Grand Traverse Light | 45-12-37.771N 085-33-01.141W | FI W 6s | 50 15 | 14 | NR on skeleton tower. 50 | The light is visible from 260 to 065 degrees true |
| 18115 | - <i>Shoal Lighted Bell Buoy 3</i> Marks northwest side of shoal. | 45-08-07.831N 085-26-12.031W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 14 to May. 01. |
| 18120 | <i>Northport Point Lighted Bell Buoy 2</i> Marks south side of shoal. | 45-07-43.571N 085-33-08.591W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 14 to May. 01. |
| 18125 | Northport Bay Shoal Buoy 4 Marks southeast side of shoal. | 45-07-41.593N 085-33-59.406W | | | | Red nun. | |
| 18130 | Northport Bay Shoal Buoy 6 Marks southwest side of shoal. | 45-07-40.928N 085-35-09.534W | | | | Red nun. | |
| 18135 | NORTHPORT WEST LIGHT 2 | 45-07-48.800N 085-36-40.700W | Q R | 18 5 | | TR on post. | Visible from 090° to 135°. Maintained from May 15 to Dec. 1. Private aid. |
| 18140 | NORTHPORT EAST LIGHT 1 | 45-07-48.000N 085-36-39.000W | Q G | 18 5 | | SG on post. | Maintained from May 15 to Dec. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--------------------------------|---------------|--------------|------------------------------|--|
| LAKE MICHIGAN | | | | | | | |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY | | | | | | | |
| Grand Traverse Bay | | | | | | | |
| 18145 | MISSION POINT LIGHT | 45-01-05.661N 085-30-21.731W | FI W 6s | 41 13 | 6 | White cylindrical tower. | |
| 18150 | Omena Buoy 2 | 45-02-04.000N 085-34-19.000W | | | | Red nun. | Maintained from May 1 to Oct. 1. Private aid. |
| 18152 | ARTHUR DUHAMEL MARINA LIGHT 1 | 45-01-56.100N 085-35-51.000W | FI G 2.5s | 23 7 | | | Private aid. |
| 18153 | ARTHUR DUHAMEL MARINA LIGHT 2 | 45-01-57.000N 085-35-55.020W | FI R 2.5s | 23 7 | | | Private aid. |
| Elk Rapids | | | | | | | |
| 18155 | - Lighted Buoy 1 | 44-54-09.500N 085-25-04.800W | FI G 2.5s | | | Green. | Maintained from May 15 to Oct. 15. Private aid. |
| 18157 | - Lighted Buoy 2 | 44-54-08.800N 085-25-06.100W | FI R 2.5s | | | Red. | Maintained from May 15 to Oct. 15. Private aid. |
| 18160 | - BREAKWATER LIGHT 3 | 44-54-07.100N 085-25-03.100W | FI G 4s | 16 5 | | SG on pile. | Maintained from May 15 to Oct. 15. Private aid. |
| 18162 | - BREAKWATER LIGHT 4 | 44-54-06.600N 085-25-05.000W | FI R 4s | 14 4 | | TR on pile. | Maintained from May 15 to Oct. 15. Private aid. |
| 18165 | - Buoy 6 | 44-54-04.300N 085-25-03.400W | | | | Red nun. | Maintained from May 15 to Oct. 15. Private aid. |
| 18167 | - Buoy 8 | 44-54-03.000N 085-25-03.000W | | | | Red nun. | Maintained from May 15 to Oct. 15. Private aid. |
| 18170 | - RANGE FRONT LIGHT | 44-54-02.000N 085-25-01.800W | F R (NIGHT) F W (DAY) | 16 5 | | KWR on black post. | Maintained from May 15 to Oct. 15. Private aid. |
| 18175 | - REAR RANGE LIGHT 490 feet, 159.5° from front light. | 44-53-57.100N 085-24-59.700W | F R (NIGHT) F W (DAY) | 24 7 | | KWR on black post. | Maintained from May 15 to Oct. 15. Private aid. |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY | | | | | | | |
| 18179 | <i>East Grand Traverse Bay Weather Wave Buoy 1</i> | 44-46-10.150N 085-33-12.980W | FI W 2.5s | | | | Maintained from May.1 to Nov.31. Private aid. |
| 18180 | EAST BAY HARBOR NORTH BREAKWATER LIGHT | 44-46-02.500N 085-30-25.000W | Q G | 8 2 | | On post. | Maintained from May 1 to Nov. 1. Private aid. |
| 18185 | EAST BAY HARBOR SOUTH BREAKWATER LIGHT | 44-46-00.000N 085-30-25.000W | FI R 5s | 8 2 | | On post. | Maintained from May 1 to Nov. 1. Private aid. |
| Grand Traverse Bay | | | | | | | |
| 18186 | <i>West Grand Traverse Bay Research Lighted Buoy</i> | 45-11-02.000N 085-27-09.000W | Q Y | | | Orange Research Buoy w/mast. | Maintained from APR 01 TO NOV 30. Private aid. |
| 18187 | - <i>Research Lighted Buoy</i> | 45-04-00.000N 085-29-50.000W | Q Y | | | Yellow Research Buoy w/mast | Maintained from APR 01 TO NOV 30. Private aid. |
| Suttons Bay | | | | | | | |
| 18190 | - YACHT CLUB BASIN LIGHT 2 | 44-59-00.300N 085-38-28.000W | FI R 2.5s | 20 6 | | TR on post. | Maintained from May 15 to Oct. 15. Private aid. |
| 18195 | - YACHT BASIN OBSTRUCTION LIGHT | 44-59-00.300N 085-38-28.000W | FI W 2.5s | 20 6 | | NW on post worded DANGER. | Maintained from May 15 to Oct. 15. Private aid. |
| 18200 | - Yacht Club Entrance Buoy 3 | 44-59-00.300N 085-38-28.000W | | | | Green can. | Maintained from May 15 to Oct. 15. Private aid. |
| 18205 | - Municipal Entrance Buoy 2S | 44-58-33.900N 085-38-41.000W | | | | Red nun. | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--------------------------|--|
| LAKE MICHIGAN | | | | | | | |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY | | | | | | | |
| Suttons Bay | | | | | | | |
| 18210 | - Municipal Entrance Buoy 3 | 44-58-31.200N 085-38-43.200W | | | | Green can. | Maintained from May 1 to Nov. 1. Private aid. |
| 18215 | - Municipal Entrance Buoy 4 | 44-58-32.100N 085-38-42.000W | | | | Red nun. | Maintained from May 1 to Nov. 1. Private aid. |
| 18220 | - MUNICIPAL DOCK LIGHT 6 | 44-58-33.000N 085-38-43.500W | Q R | 17 5 | | TR on white post. | Maintained from May 1 to Nov. 30. Private aid. |
| 18225 | - MUNICIPAL DOCK LIGHT 7 | 44-58-30.800N 085-38-44.200W | Q G | 17 5 | | SG on white post. | Maintained from May 1 to Nov. 1. Private aid. |
| 18230 | - Municipal Entrance Buoy 9 | 44-58-32.300N 085-38-45.500W | | | | Green can. | Maintained from May 1 to Nov. 1. Private aid. |
| 18235 | - Buoy 1 Marks north side of shoal. | 44-59-53.610N 085-36-03.061W | | | | Green can. | |
| West Arm | | | | | | | |
| 18240 | - <i>Lighted Bell Buoy 4</i> Marks shoal. | 44-56-02.256N 085-35-29.528W | FI R 4s | | 4 | Red. | Maintained from May. 01 to Nov. 14. |
| 18245 | - Buoy 6 Marks south side of shoal. | 44-53-14.731N 085-36-21.531W | | | | Red nun. | |
| 18250 | Tucker Point Shoal Buoy 1 Marks south side of shoal. | 44-52-50.915N 085-33-36.711W | | | | Green can. | |
| 18255 | Marion Island Shoal Buoy 2 Marks north side of shoal. | 44-52-35.892N 085-33-52.061W | | | | Red nun. | |
| 18260 | - Buoy 7 Marks wreck. | 44-51-14.785N 085-35-48.715W | | | | Green can. | |
| 18265 | - <i>Lighted Buoy 8</i> | 44-47-33.073N 085-37-22.424W | FI R 4s | | 5 | Red. | Replaced by nun from Nov. 14 to May. 01. |
| GRAND TRAVERSE BAY TO LITTLE TRAVERSE BAY | | | | | | | |
| 18266 | <i>West Grand Traverse Bay Weather Wave Buoy 2</i> | 44-47-08.650N 085-37-28.180W | FI W 2.5s | | | | Maintained from May.1 to Nov.31. Private aid. |
| Traverse City | | | | | | | |
| 18270 | - BREAKWATER LIGHT | 44-47-18.261N 085-38-00.030W | FI R 2.5s | 40 12 | 5 | | |
| 18275 | - WEST BREAKWATER LIGHT 1 | 44-47-19.011N 085-38-03.090W | FI G 4s | 24 7 | 4 | SG on pile. | |
| 18280 | ZEPHYR COMPANY LIGHT | 44-46-58.000N 085-38-10.000W | F G | 20 6 | | | Private aid. |
| 18285 | TOTAL PETRO LIGHT | 44-46-54.000N 085-38-12.000W | F G | 15 5 | | On pile. | Operated only for the arrival and departure of tankers. Private aid. |
| 18290 | DUNCAN L CLINCH YACHT HARBOR LIGHT | 44-46-03.780N 085-37-19.890W | Q G | 22 7 | | SG on pile. | Maintained from May 1 to Nov 1. Private aid. |
| 18291 | DUNCAN L. CLINCH YACHT CLUB LIGHT 2 | 44-46-06.000N 085-37-18.800W | FI R 2.5s | 22 7 | | TR on pile. | Maintained from May 1 to Nov 1. Private aid. |
| 18295 | BOARDMAN RIVER WEST PIERHEAD LIGHTS (2) | 44-45-56.300N 085-36-43.500W | F R | 20 6 | | On black poles. | Private aid. |
| 18300 | GREAT LAKES MARITIME ACADEMY WEST PIER LIGHT | 44-46-30.000N 085-36-30.000W | FI G 15s | 13 4 | | On Black Tripod tower. | Private aid. |
| 18305 | GREAT LAKES MARITIME ACADEMY EAST PIER LIGHT | 44-46-00.000N 085-36-18.000W | Q R | 13 4 | | On pile. | Private aid. |
| PLATTE BAY TO LELAND | | | | | | | |
| 18310 | NOAA <i>Lighted Weather Buoy 45002</i> | 45-20-39.271N 086-24-41.113W | FI (4)Y 20s | | | Yellow disc-shaped hull. | Maintained from Apr. 21 to Nov. 1. Aid maintained by National Oceanic and Atmospheric Administration. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------------------------------|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE MICHIGAN | | | | | | | |
| PLATTE BAY TO LELAND | | | | | | | |
| 18315 | South Fox Island Shoals Buoy 3 | 45-17-27.248N 085-50-56.609W | | | | Green can. | |
| 18320 | South Fox Island Shoals Buoy 4 | 45-18-34.473N 085-50-40.352W | | | | Red nun. | |
| 18325 | South Fox Island Shoals Buoy 2 | 45-14-50.290N 085-50-13.533W | | | | Red nun. | |
| 18327 | NORTH MANITOU ISLAND PIER LIGHT 2 | 45-07-13.800N 085-58-24.300W | FI R 4s | 20 6 | | TR on post. | Maintained from May 15 to Oct. 30. Private aid. |
| 18328 | NORTH MANITOU ISLAND PIER LIGHT 4 | 45-07-21.000N 085-58-22.000W | FI R 4s | 20 6 | | TR on post. | Maintained from May 15 to Oct. 30. Private aid. |
| 18330 | LELAND HARBOR LIGHT 1 | 45-01-26.701N 085-45-51.811W | FI G 2.5s | 25 8 | 6 | SG on post. | |
| 18335 | LELAND HARBOR LIGHT 2 | 45-01-27.791N 085-45-48.511W | FI R 4s | 25 8 | 4 | TR on post. | |
| 18340 | North Manitou Shoal Light Marks south side of shoal. | 45-01-15.627N 085-57-25.716W | FI R 15s | 79 24 | 14 | | RACON: N (- .) HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates by keying microphone five times on VHF-FM Ch. 83A. AIS: 993686017 |
| 18341 | <i>North Manitou Island Weather Wave Buoy 1</i> | 45-02-41.390N 086-00-54.960W | FI W 2.5s | | | | Maintained from May.1 to Nov.31. Private aid. |
| 18350 | <i>Pyramid Point Shoal Lighted Buoy 5</i> Marks north side of shoal. | 45-00-00.311N 085-55-37.460W | FI G 4s | | 5 | Green. | Replaced by can from Nov. 14 to Apr. 21. AIS: 993686018 |
| 18355 | North Manitou Shoal Southwest End Buoy 6 | 45-00-16.315N 086-00-14.538W | | | | Red nun. | |
| 18357 | South Manitou Island Lighthouse | 45-00-27.654N 086-05-37.620W | F W | 54 16 | | 104 | Private aid. |
| 18360 | <i>South Manitou Island Shoal Lighted Gong Buoy 8</i> | 44-57-26.406N 086-10-02.883W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 14 to Apr. 21. AIS: 993686019 |
| 18365 | <i>Sleeping Bear Lighted Bell Buoy 7</i> | 44-54-05.010N 086-09-57.381W | FI G 4s | | 5 | Green. | Replaced by can from Nov. 14 to Apr. 21. |
| 18366 | Manning Light | 44-48-48.000N 086-03-58.000W | FI W 4s | 38 12 | | White circular tower. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| LAKE MICHIGAN (Chart 14901) | | | | | | | |
| 18367 | <i>Frankfort NOAA Wave Buoy 1</i> | 44-45-28.000N 086-15-40.000W | FI Y 2.5s | | | | Maintained from May.1 to Dec.1. Private aid. |
| STONY LAKE TO POINT BETSIE | | | | | | | |
| 18370 | Point Betsie Light | 44-41-28.562N 086-15-18.789W | FI W 10s | 52 16 | 16 | 52 | |
| Frankfort | | | | | | | |
| 18375 | - North Breakwater Light | 44-37-51.158N 086-15-07.739W | F W | 72 22 | 16 | White square pyramidal tower. 72 | HORN: 1 blast ev 30s (3s bl) operates by keying microphone five times on VHF FM marine CH 83A |
| 18385 | - SOUTH BREAKWATER LIGHT | 44-37-46.059N 086-15-08.162W | FI R 4s | 46 14 | 8 | White cylindrical tower with red band. | |
| 18390 | - NORTH PIERHEAD LIGHT | 44-37-47.721N 086-14-49.256W | FI G 2.5s | 31 9 | 4 | SG on post. | |
| 18395 | - SOUTH PIERHEAD LIGHT | 44-37-45.132N 086-14-44.493W | FI R 6s | 30 9 | 4 | TR on post. | |
| 18405 | ARCADIA HARBOR LIGHT 1 | 44-29-01.144N 086-14-58.156W | FI G 4s | 30 9 | 4 | SG on post. | |
| 18410 | ARCADIA HARBOR LIGHT 2 | 44-28-59.074N 086-15-01.611W | FI R 2.5s | 30 9 | 4 | White cylindrical tower with red band. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE MICHIGAN | | | | | | | |
| STONY LAKE TO POINT BETSIE | | | | | | | |
| Portage Lake | | | | | | | |
| 18415 | - NORTH PIERHEAD LIGHT | 44-21-37.500N 086-16-04.971W | FI G 4s | 32 10 | 5 | White cylindrical tower with green band. | HORN: 1 blast ev 15s (2s bl) operat the fog signal by keying VHF FM marine radio 5 times on channel 83A |
| 18420 | - SOUTH PIERHEAD LIGHT | 44-21-33.767N 086-16-07.205W | FI R 4s | 27 8 | 6 | | |
| 18425 | - INNER LIGHT | 44-21-30.935N 086-15-36.117W | FI R 6s | 27 8 | 4 | TR on post. | |
| 18427 | - <i>Lighted Buoy 3</i> Marks shoal. | 44-21-37.030N 086-14-37.031W | FI G 4s | | 3 | Green. | Maintained from Apr. 14 to Oct. 14. |
| MANISTEE HARBOR | | | | | | | |
| Manistee | | | | | | | |
| 18450 | - North Pierhead Light | 44-15-06.532N 086-20-48.726W | FI G 6s | 55 17 | 12 | White cylindrical tower. 55 | HORN: 1 blast ev 15s (2s bl). Fog signal operates by keying the microphone five times on VHF-FM CH 83A. |
| 18460 | - SOUTH BREAKWATER LIGHT | 44-15-05.306N 086-20-59.644W | FI R 4s | 33 10 | 5 | White cylindrical tower, with red band. | |
| 18465 | - SOUTH PIERHEAD LIGHT | 44-15-00.393N 086-20-39.909W | Iso R 6s | 29 9 | 4 | TR on pole. | |
| Manistee Lake | | | | | | | |
| 18480 | - <i>Lighted Buoy 2</i> | 44-15-11.380N 086-18-47.031W | FI R 2.5s | | 3 | Red. | Maintained from May 14 to Oct. 14. |
| 18483 | - Buoy 3 | 44-15-11.228N 086-18-38.350W | | | | Green can. | |
| 18490 | - <i>Obstruction Lighted Buoy A</i> Marks submerged ruins. | 44-14-54.500N 086-18-37.000W | FI R 2.5s | | | | Maintained from May 1 to Oct. 31. Private aid. |
| 18495 | - Buoy 5 | 44-15-04.618N 086-18-28.448W | | | | Green can. | |
| 18497 | - Buoy 7 | 44-14-55.070N 086-18-20.241W | | | | Green can. | |
| 18500 | - Buoy 9 | 44-14-37.363N 086-18-14.660W | | | | Green can. | |
| 18505 | - Buoy 10 | 44-14-30.941N 086-18-16.440W | | | | Red nun. | |
| 18510 | - Buoy 12 | 44-14-23.786N 086-18-14.622W | | | | Red nun. | |
| 18515 | - Buoy 13 | 44-14-14.991N 086-18-09.420W | | | | Green can. | |
| 18520 | - Buoy 14 | 44-13-56.901N 086-17-59.789W | | | | Red nun. | |
| STONY LAKE TO POINT BETSIE | | | | | | | |
| 18525 | BIG SABLE LIGHT | 44-03-27.869N 086-30-51.603W | F W | 106 32 | 9 | White conical tower with top and middle third black with dwelling attached. | Obscured from 238° to 346°. |
| LAKE SUPERIOR | | | | | | | |
| GRAND PORTAGE BAY TO SHESHEEB POINT | | | | | | | |
| Thunder Bay | | | | | | | |
| 18528 | <i>UCSD CDIP - 269 Weather Wave Buoy 1</i> | 44-03-18.000N 087-03-00.000W | FI Y 5s | | | | Maintained from May.1 to Nov.30. Private aid. |
| LAKE MICHIGAN | | | | | | | |
| LUDINGTON HARBOR | | | | | | | |
| Ludington | | | | | | | |
| 18530 | - NORTH BREAKWATER LIGHT | 43-57-13.032N 086-28-09.768W | Iso G 6s | 55 17 | 8 | | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM CH 83A |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| LUDINGTON HARBOR | | | | | | | |
| Ludington | | | | | | | |
| 18540 | - NORTH PIERHEAD LIGHT | 43-57-10.592N 086-27-45.062W | FI G 4s | 26 8 | 5 | SG on white column. | |
| 18550 | - INNER BREAKWATER SOUTH LIGHT | 43-57-14.400N 086-27-45.000W | Q W | 16 5 | | On steel pile. | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 18555 | - SOUTH BREAKWATER LIGHT | 43-57-06.786N 086-28-08.875W | FI R 2.5s | 30 9 | 6 | White cylindrical tower with red band. | |
| 18560 | - SOUTH PIERHEAD LIGHT 6 | 43-57-05.680N 086-27-36.131W | FI R 4s | 30 9 | 5 | TR on post. | |
| Pere Marquette Lake | | | | | | | |
| 18565 | - Lighted Buoy 1 | 43-56-43.728N 086-26-48.899W | FI G 2.5s | | 4 | Green. | Maintained from May 14 to Oct. 14. |
| 18570 | - Buoy 3 | 43-56-45.648N 086-26-38.579W | | | | Green can. | Maintained from May 14 to Oct. 14. |
| 18575 | - Buoy 5 | 43-56-46.518N 086-26-35.179W | | | | Green can. | Maintained from May 14 to Oct. 14. |
| 18580 | - West Buoy 2 Marks submerged piling. | 43-56-31.538N 086-26-57.979W | | | | Red nun. | Maintained from May 14 to Oct. 14. |
| STONY LAKE TO POINT BETSIE | | | | | | | |
| Consumer Power Company | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Oct. 15. Buoys are located 230 feet apart, 100 feet off breakwall and lighted buoys mark submerged net.</i> | | | | | | | |
| 18585 | - Lighted Obstruction Buoy A | 43-54-25.000N 086-27-38.000W | Q W | | | White with orange diamond. | Private aid. |
| 18590 | - Lighted Obstruction Buoy B | 43-54-15.000N 086-27-38.000W | Q W | | | White with orange diamond. | Private aid. |
| 18595 | - Lighted Obstruction Buoy C | 43-53-58.000N 086-27-54.000W | Q W | | | White with orange diamond. | Private aid. |
| 18600 | - Lighted Obstruction Buoy D | 43-53-37.000N 086-27-59.000W | Q W | | | White with orange diamond. | Private aid. |
| 18605 | - Lighted Obstruction Buoy E | 43-53-03.000N 086-27-58.000W | Q W | | | White with orange diamond. | Private aid. |
| 18610 | - Lighted Ostruction Buoy F | 43-53-11.000N 086-27-32.000W | Q W | | | White with orange diamond. | Private aid. |
| 18615 | - Lighted Obstruction Buoy G | 43-53-11.000N 086-27-06.000W | Q W | | | White with orange diamond. | Private aid. |
| STONY LAKE TO POINT BETSIE | | | | | | | |
| 18617 | <i>Comanche Wreck Mooring Buoy</i> | 43-50-15.180N 086-29-01.380W | | | | | Private aid. |
| Pentwater | | | | | | | |
| 18620 | - NORTH PIERHEAD LIGHT 3 | 43-46-56.383N 086-26-37.016W | FI G 2.5s | 43 13 | 9 | White cylindrical tower with green band. | HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM CH 83A |
| 18630 | - SOUTH PIERHEAD LIGHT 4 | 43-46-53.571N 086-26-38.923W | FI R 4s | 48 15 | 4 | TR on red skeleton tower. | |
| 18633 | <i>Anna C. Minch Wreck Mooring Buoy</i> | 43-45-42.060N 086-27-50.040W | | | | | Private aid. |
| GREEN BAY | | | | | | | |
| Green Bay Harbor | | | | | | | |
| Green Bay Harbor Entrance Channel | | | | | | | |
| UPPER GREEN BAY | | | | | | | |
| 18648 | <i>GLERL Muskegon M20</i> | 43-11-06.320N 086-21-16.700W | FI Y 4s | | | | Maintained from Apr. 1 to Nov. 15. Secured with two point mooring system, lighted spar buoys with same flash characteristics marking mooring locations. Private aid. |
| 18648.1 | <i>GLERL M45F</i> | 43-13-50.220N 086-28-00.660W | Q Y | | | | Maintained from Apr. 1 to Nov. 15. Private aid. |
| 18649 | <i>State of Michigan Wreck Mooring Buoy</i> | 43-23-20.100N 086-27-51.060W | | | | | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-----------------------------------|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE MICHIGAN | | | | | | | |
| WHITE LAKE | | | | | | | |
| White Lake | | | | | | | |
| 18650 | - NORTH PIERHEAD LIGHT 1 | 43-22-31.760N 086-25-45.280W | FI G 6s | 25 8 | 8 | White column with green band. | |
| 18655 | - SOUTH PIERHEAD LIGHT 2 | 43-22-29.700N 086-25-46.440W | FI R 4s | 33 10 | 5 | TR on post. | |
| 18660 | - PIERHEAD INNER LIGHT 4 | 43-22-30.100N 086-25-20.490W | FI R 2.5s | 30 9 | 4 | TR on post. | |
| 18665 | - <i>Lighted Buoy 5</i> | 43-22-30.030N 086-25-10.030W | FI G 2.5s | | 3 | Green. | Maintained from Apr. 21 to Nov. 14. |
| 18670 | - <i>Lighted Buoy 7</i> | 43-22-28.152N 086-25-03.167W | FI G 4s | | 3 | Green. | Maintained from Apr. 21 to Nov. 14. |
| 18675 | - <i>Lighted Buoy 9</i> | 43-22-33.918N 086-23-43.247W | FI G 2.5s | | 3 | Green. | Maintained from Apr. 21 to Nov. 14. |
| 18680 | - <i>Lighted Buoy 11</i> | 43-23-04.378N 086-22-41.498W | FI G 6s | | 3 | Green. | Maintained from Apr. 21 to Nov. 14. |
| 18685 | - <i>Lighted Buoy 12</i> | 43-23-33.009N 086-21-59.892W | FI R 4s | | 3 | Red. | Maintained from Apr. 21 to Nov. 14. |
| 18690 | - LIGHT 14 | 43-24-05.879N 086-21-18.512W | FI R 2.5s | 12 4 | 4 | TR on pile. | |
| 18695 | - LIGHT 15 | 43-24-13.715N 086-21-16.646W | FI G 4s | 12 4 | 4 | SG on pile. | |
| MUSKEGON LAKE | | | | | | | |
| Muskegon | | | | | | | |
| 18705 | - SOUTH BREAKWATER LIGHT | 43-13-26.727N 086-20-48.834W | Iso R 6s | 70 21 | 8 | Pyramidal tower. | HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Fog signal operates by keying the microphone five times on VHF- FM CH 83A |
| 18710 | - SOUTH PIERHEAD LIGHT | 43-13-35.981N 086-20-28.574W | FI R 4s | 50 15 | 6 | Conical tower. | |
| 18720 | - NORTH BREAKWATER LIGHT | 43-13-31.869N 086-20-52.976W | FI G 4s | 34 10 | 4 | White cylindrical tower with green band. | |
| 18725 | - NORTH PIER OUTER LIGHT | 43-13-39.339N 086-20-30.605W | FI G 6s | 30 9 | 4 | SG on post. | |
| 18730 | - NORTH PIER INNER LIGHT | 43-13-58.366N 086-19-40.273W | FI G 4s | 30 9 | 4 | SG on post. | |
| 18735 | - LAKE LIGHT | 43-13-54.153N 086-19-38.330W | FI R 2.5s | 28 9 | 4 | White cylindrical tower with red band. | |
| 18740 | HARBOUR TOWNE ENTRANCE LIGHT 1 | 43-13-42.700N 086-19-27.100W | F G | 8 2 | | On tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 18745 | HARBOUR TOWNE ENTRANCE LIGHT 2 | 43-13-42.600N 086-19-28.100W | F R | 8 2 | | On tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 18750 | - <i>Lake Lighted Buoy 3</i> | 43-13-55.080N 086-18-04.247W | FI G 2.5s | | 4 | Green. | Maintained from Apr. 1 to Nov. 21. |
| 18770 | BEAR LAKE ENTRANCE WEST LIGHT | 43-14-22.500N 086-17-52.320W | FI G 4s | 8 2 | | SB on piling. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 18775 | BEAR LAKE ENTRANCE EAST LIGHT | 43-14-22.260N 086-17-50.640W | F R | 8 2 | | TR on pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 18780 | BEAR LAKE CHANNEL LIGHT 1 | 43-14-42.000N 086-17-44.460W | Q G | 6 2 | | SG on pile | Maintained from Apr 1 to Nov 1. Private aid. |
| Great Lakes Marina Entrance | | | | | | | |
| <i>Lights maintained from Apr. 15 to Dec. 12.</i> | | | | | | | |
| 18785 | - LIGHT 1 | 43-13-20.500N 086-17-38.100W | Q G | 10 3 | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---------------------------------|--|
| LAKE MICHIGAN | | | | | | | |
| MUSKEGON LAKE | | | | | | | |
| Muskegon | | | | | | | |
| Great Lakes Marina Entrance | | | | | | | |
| <i>Lights maintained from Apr. 15 to Dec. 12.</i> | | | | | | | |
| 18790 | - LIGHT 2 | 43-13-20.500N 086-17-40.100W | Q R | 11 3 | | TR on pile. | Private aid. |
| 18795 | - LIGHT 3 | 43-13-15.500N 086-17-38.100W | FI G 2.5s | 10 3 | | SG on pile. | Private aid. |
| 18800 | - LIGHT 4 | 43-13-15.500N 086-17-40.100W | FI R 2.5s | 11 3 | | TR on pile. | Private aid. |
| 18805 | - LIGHT 5 | 43-13-09.500N 086-17-38.100W | FI G 4s | 10 3 | | SG on pile. | Private aid. |
| 18810 | - LIGHT 6 | 43-13-09.500N 086-17-40.100W | FI R 4s | 10 3 | | TR on pile. | Private aid. |
| 18815 | BANK POINT LIGHT Marks south side of shoal. | 43-13-49.530N 086-17-24.130W | FI G 4s | 24 7 | 5 | SG on post on concrete pier. | |
| Muskegon | | | | | | | |
| 18818 | GVSU Research Buoy | 43-14-17.660N 086-16-49.914W | FI Y 4s | | | | Secured with two point mooring system, spar buoys marking mooring locations. Maintained from Apr. 7 to Nov. 7. Private aid. |
| Lakeshore Yacht Club Channel | | | | | | | |
| <i>Aids maintained from Apr. 15 to Oct. 15.</i> | | | | | | | |
| 18820 | - Lighted Buoy 1 | 43-13-47.900N 086-16-46.200W | FI G 4s | | | Green. | Private aid. |
| 18825 | - Lighted Buoy 2 | 43-13-47.200N 086-16-48.100W | FI R 4s | | | Red. | Private aid. |
| 18830 | - Buoy 3 | 43-13-46.500N 086-16-42.500W | | | | Green can. | Private aid. |
| 18835 | - Buoy 4 | 43-13-45.500N 086-16-44.000W | | | | Red nun. | Private aid. |
| 18840 | - Buoy 5 | 43-13-44.900N 086-16-38.800W | | | | Green can. | Private aid. |
| 18845 | - Buoy 6 | 43-13-44.000N 086-16-40.200W | | | | Red nun. | Private aid. |
| 18850 | - Buoy 7 | 43-13-43.000N 086-16-34.500W | | | | Green can. | Private aid. |
| 18855 | - Buoy 8 | 43-13-42.300N 086-16-36.500W | | | | Red nun. | Private aid. |
| 18870 | - LIGHT 10 | 43-13-41.800N 086-16-34.800W | F R | 12 4 | | TR on post. | Private aid. |
| 18871 | - LIGHT 11 | 43-13-41.100N 086-16-33.000W | F G | 12 4 | | SG on post. | Private aid. |
| 18875 | MUSKEGON HARTSHORN LIGHT Marks north side of shoal. | 43-14-05.080N 086-16-32.857W | FI R 4s | 15 5 | 3 | TR on column. | |
| Hartshorn Municipal Marina | | | | | | | |
| <i>Aids maintained from Apr. 15 to Oct. 15.</i> | | | | | | | |
| 18881 | - Lighted Buoy 1 | 43-14-05.831N 086-16-06.258W | FI G 4s | | | Green. | Private aid. |
| 18882 | - Lighted Buoy 2 | 43-14-05.520N 086-16-08.772W | FI R 4s | | | Red. | Private aid. |
| 18883 | - Buoy 3 | 43-13-58.020N 086-16-01.608W | | | | Green can. | Private aid. Private aid. |
| 18884 | - Lighted Buoy 4 | 43-13-57.800N 086-16-03.720W | FI R 2s | | | Red. | Private aid. |
| 18885 | - LIGHT 5 | 43-13-52.600N 086-16-00.500W | Iso G 12s | 15 5 | | On tripod. | Private aid. |
| 18890 | - LIGHT 6 | 43-13-51.700N 086-16-00.500W | Iso R 10s | 15 5 | | On tripod. | Private aid. |
| 18895 | - BASIN LIGHT | 43-43-47.000N 086-15-57.500W | F R | 18 5 | | On pole. | Private aid. |
| 18900 | Verplank Channel Buoy 2 | 43-14-41.658N 086-15-09.564W | | | | | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| MUSKEGON LAKE | | | | | | | |
| Hartshorn Municipal Marina | | | | | | | |
| <i>Aids maintained from Apr. 15 to Oct. 15.</i> | | | | | | | |
| 18905 | Verplank Channel Buoy 4 | 43-14-40.716N 086-15-03.828W | | | | | Private aid. |
| Conservation Club Channel | | | | | | | |
| <i>Aids maintained from May. 1 to Nov. 1.</i> | | | | | | | |
| 18925 | - Lighted Buoy 1 | 43-15-27.000N 086-15-28.000W | FI G 2s | | | Green. | Private aid. |
| 18930 | - Lighted Buoy 2 | 43-15-25.000N 086-15-22.000W | FI R 2s | | | Red. | Private aid. |
| 18935 | - Lighted Buoy 3 | 43-15-28.000N 086-15-25.000W | Q G | | | Green. | Private aid. |
| 18940 | - Buoy 4 | 43-15-30.000N 086-15-21.000W | | | | Red nun. | Private aid. |
| 18950 | - Buoy 6 | 43-15-30.000N 086-15-20.000W | | | | Red. | Private aid. |
| GRAND HAVEN AND GRAND RIVER (Chart 14933) | | | | | | | |
| Grand Haven | | | | | | | |
| 18965 | - South Pierhead Entrance Light | 43-03-24.940N 086-15-21.450W | FI R 10s | 42 13 | 15 | Red fog signal building. 42 | Fog Signal operates by keying the microphone five times on VHF-FM CH 83A. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). |
| 18975 | - SOUTH PIERHEAD INNER LIGHT | 43-03-25.965N 086-15-13.661W | Oc R 4s | 52 16 | 6 | Red cylindrical tower. | |
| 18980 | - NORTH PIERHEAD LIGHT 1 | 43-03-29.441N 086-15-21.235W | FI G 4s | 36 11 | 6 | White cylindrical tower with green band. | |
| Grand River | | | | | | | |
| <i>Unlighted buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 18995 | - Lighted Buoy 3 | 43-03-44.960N 086-14-17.362W | FI G 2.5s | | 3 | Green. | Replaced by can from Nov. 28 to April 1. |
| 19000 | - Lighted Buoy 3A | 43-03-49.394N 086-14-13.022W | FI G 4s | | 3 | Green. | Replaced by can from Nov. 28 to April 1. |
| 19005 | - Lighted Buoy 4 | 43-04-15.725N 086-14-08.991W | FI R 4s | | 3 | Red. | Replaced by nun from Nov. 28 to April 1. |
| 19010 | - Buoy 6 | 43-04-26.766N 086-14-05.598W | | | | | Maintained from Apr. 1 to Nov. 1. |
| 19015 | - Buoy 7 | 43-04-35.430N 086-14-00.930W | | | | Green can. | Maintained from Apr. 1 to Nov. 1. |
| 19020 | - Lighted Buoy 8 | 43-04-34.241N 086-13-57.791W | FI R 2.5s | | 3 | Red. | Replaced by nun from Nov. 28 to April 1. |
| 19025 | - Buoy 10 | 43-04-37.972N 086-13-49.974W | | | | Red nun. | |
| 19030 | - Turning Basin Buoy 12 | 43-04-34.908N 086-13-23.571W | | | | Red nun. | Maintained from Apr. 1 to Nov. 1. |
| 19035 | - Lighted Buoy 14 | 43-04-29.069N 086-12-59.508W | FI R 2.5s | | 3 | Red. | Maintained from April 1 to Nov. 1. |
| 19040 | SPRING LAKE OBSTRUCTION LIGHT | 43-04-38.924N 086-12-49.871W | FI W 2.5s | 15 5 | 5 | 3 NW on pile worded DANGER. | |
| 19043 | SPRING LAKE YACHT CLUB LIGHT A | 43-04-55.770N 086-11-40.350W | F W | | | | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 19043.1 | SPRING LAKE YACHT CLUB LIGHT B | 43-04-55.820N 086-11-36.680W | F W | | | | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 19043.2 | SPRING LAKE YACHT CLUB LIGHT C | 43-04-56.470N 086-11-33.700W | F W | | | | Maintained from Apr. 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| LAKE MICHIGAN | | | | | | | |
| GRAND HAVEN AND GRAND RIVER (Chart 14933) | | | | | | | |
| Grand Haven | | | | | | | |
| Grand River | | | | | | | |
| <i>Unlighted buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 19043.3 | SPRING LAKE YACHT CLUB LIGHT D | 43-04-57.230N 086-11-32.430W | F W | | | | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 19045 | - Lighted Buoy 14A | 43-04-27.636N 086-12-45.375W | FI R 6s | | 3 | Red. | Maintained from April 1 to Nov. 1. |
| 19050 | - Lighted Buoy 15 | 43-04-24.738N 086-12-36.597W | FI G 4s | | 3 | Green. | Maintained from April 1 to Nov. 1. |
| 19051 | - Lighted Buoy 15A | 43-04-18.708N 086-12-32.868W | FI G 6s | | 3 | Green. | Maintained from April 1 to Nov. 1. |
| 19055 | - Lighted Buoy 16 | 43-04-24.228N 086-12-37.803W | FI R 4s | | 3 | Red. | Maintained from April 1 to Nov. 1. |
| 19060 | - Lighted Buoy 16A | 43-04-13.317N 086-12-31.675W | FI R 6s | | 3 | Red. | Maintained from April 1 to Nov. 1. |
| 19065 | - Buoy 17 | 43-04-04.680N 086-12-21.530W | | | | Green can. | |
| 19070 | - Buoy 19 | 43-03-56.544N 086-12-13.051W | | | | Green can. | |
| 19075 | - Buoy 20 | 43-03-54.030N 086-12-13.130W | | | | Red nun. | |
| 19080 | - Buoy 21 | 43-03-50.865N 086-11-59.542W | | | | Green can. | |
| 19085 | - Buoy 22 | 43-03-46.539N 086-11-47.064W | | | | Red nun. | |
| 19090 | - Buoy 23 | 43-03-40.230N 086-11-19.730W | | | | Green can. | |
| 19095 | - Buoy 24 | 43-03-26.628N 086-10-32.610W | | | | Red nun. | |
| 19100 | - Buoy 26 | 43-03-19.454N 086-10-09.901W | | | | Red nun. | |
| 19103 | - Buoy 27 | 43-03-10.137N 086-09-49.015W | | | | Green Can. | Maintained from May 1 to Nov 1. |
| 19105 | - Buoy 28 | 43-03-08.830N 086-09-50.330W | | | | Red nun. | |
| 19110 | - Buoy 29 | 43-02-40.230N 086-09-38.630W | | | | Green can. | |
| 19115 | - Buoy 30 | 43-02-40.846N 086-09-39.941W | | | | Red nun. | |
| 19120 | - Buoy 31 | 43-02-21.030N 086-09-42.630W | | | | Green can. | |
| 19125 | - Buoy 33 | 43-02-10.530N 086-09-41.130W | | | | Green can. | |
| 19130 | - Buoy 35 | 43-01-55.930N 086-09-35.630W | | | | Green can. | |
| 19135 | - Buoy 37 | 43-01-31.330N 086-09-02.830W | | | | Green can. | |
| 19140 | - Buoy 39 | 43-01-33.430N 086-08-53.930W | | | | Green can. | |
| 19145 | - Buoy 40 | 43-01-51.930N 086-08-38.630W | | | | Red nun. | |
| 19150 | - Buoy 42 | 43-02-10.263N 086-08-33.174W | | | | Red nun. | |
| 19155 | - Buoy 44 | 43-02-19.844N 086-08-23.902W | | | | Red nun. | |
| 19160 | - Buoy 46 | 43-02-25.730N 086-08-13.030W | | | | Red nun. | |
| 19165 | - Buoy 48 | 43-02-29.201N 086-08-02.019W | | | | Red nun. | |
| 19170 | - Buoy 50 | 43-02-30.255N 086-07-48.631W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE MICHIGAN | | | | | | | |
| GRAND HAVEN AND GRAND RIVER (Chart 14933) | | | | | | | |
| Grand Haven | | | | | | | |
| Grand River | | | | | | | |
| <i>Unlighted buoys maintained from May 1 to Nov. 1.</i> | | | | | | | |
| 19175 | - Buoy 51 | 43-02-24.030N 086-07-11.930W | | | | Green can. | |
| 19180 | - Buoy 52 | 43-02-22.468N 086-06-39.165W | | | | Red nun. | |
| 19185 | - Buoy 54 | 43-02-25.030N 086-06-11.130W | | | | Red nun. | |
| 19190 | - Buoy 55 | 43-02-24.171N 086-05-44.922W | | | | Green can. | |
| 19195 | - Buoy 57 | 43-02-23.830N 086-05-19.730W | | | | Green can. | |
| 19200 | - Buoy 59 | 43-02-26.530N 086-04-56.630W | | | | Green can. | |
| 19205 | - Buoy 60 | 43-02-27.830N 086-04-45.630W | | | | Red nun. | |
| 19210 | - Buoy 62 | 43-02-30.539N 086-04-24.198W | | | | Red nun. | |
| 19215 | - Buoy 64 | 43-02-26.784N 086-04-01.359W | | | | Red nun. | |
| 19220 | - Buoy 66 | 43-02-19.030N 086-03-37.130W | | | | Red nun. | |
| 19225 | - Buoy 67 | 43-02-07.330N 086-03-11.230W | | | | Green can. | |
| 19230 | - Buoy 68 | 43-01-55.930N 086-02-47.630W | | | | Red nun. | |
| 19235 | - Buoy 69 | 43-01-46.730N 086-02-26.830W | | | | Green can. | |
| 19240 | - Buoy 71 | 43-01-42.130N 086-02-10.330W | | | | Green can. | |
| 19245 | - Buoy 72 | 43-01-37.530N 086-01-59.730W | | | | Red nun. | |
| 19250 | - Buoy 74 | 43-01-25.230N 086-01-31.930W | | | | Red nun. | |
| 19255 | - Buoy 76 | 43-01-09.130N 086-01-12.830W | | | | Red nun. | |
| 19260 | - Danger Buoy | 43-01-03.134N 086-01-09.222W | | | | White can with orange bands worded DANGER END OF DREDGED CHANNEL | |
| Grand Haven | | | | | | | |
| 19261 | <i>Ironsides Wreck Mooring Buoy</i> | 43-02-55.799N 086-19-08.999W | | | | | Private aid. |
| SOUTH HAVEN TO STONEY LAKE (Chart 14906) | | | | | | | |
| Port Sheldon | | | | | | | |
| 19270 | - BREAKWATER NORTH LIGHT | 42-54-00.000N 086-13-06.000W | FI G 4s | 14 4 | | Column. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 19275 | - BREAKWATER SOUTH LIGHT | 42-54-00.000N 086-03-06.000W | FI R 4s | 14 4 | | Column. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| HOLLAND HARBOR | | | | | | | |
| Holland Harbor | | | | | | | |
| 19280 | - NORTH BREAKWATER LIGHT | 42-46-24.430N 086-12-56.930W | FI G 6s | 27 8 | 7 | White cylindrical tower with green band. | |
| 19285 | - SOUTH BREAKWATER LIGHT | 42-46-21.130N 086-12-56.930W | FI R 4s | 27 8 | 5 | White cylindrical tower with red band. | HORN: 1 blast ev 30s (3s blast). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 19290 | - NORTH PIERHEAD LIGHT | 42-46-23.880N 086-12-45.786W | FI G 4s | 25 8 | 4 | SG on cylindrical tower. | |
| 19295 | - South Pierhead Light | 42-46-21.550N 086-12-45.023W | AI WR 10s | 52 16 | W 19 R 17 | On square tower on building. 52 | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|-----------------------|---|---------------------------------|-----------------------|---------------|--------------|-----------------------------------|---|
| LAKE MICHIGAN | | | | | | | |
| HOLLAND HARBOR | | | | | | | |
| Holland Harbor | | | | | | | |
| Lake Macatawa | | | | | | | |
| 19305 | - LIGHT | 42-46-19.630N 086-12-24.330W | FI R 2.5s | 24 7 | 4 | TR on column. | Not visible westward. |
| 19310 | - <i>Lighted Buoy 1</i> | 42-46-18.311N 086-12-03.878W | FI G 2.5s | | 4 | Green. | Replaced by can from Nov. 7 to Apr. 14. |
| 19320 | <i>Big Bay Lighted Buoy 1</i> | 42-46-51.588N 086-11-02.149W | FI G 6s | | 3 | Green. | Maintained from Apr. 14 to Nov. 14. |
| 19325 | <i>Big Bay Lighted Buoy 2</i> | 42-46-52.494N 086-10-57.396W | FI R 6s | | 3 | Red. | Maintained from Apr. 14 to Nov. 14. |
| 19330 | Big Bay Buoy 3 | 42-47-04.050N 086-10-58.673W | | | | Green can. | Maintained from Apr. 14 to Nov. 14. |
| 19335 | MIDDLE GROUND LIGHT 3 Marks southeast side of shoal. | 42-46-45.352N 086-10-41.064W | FI G 4s | 23 7 | 4 | SG on column on cylindrical base. | |
| 19340 | DRAKE POINT LIGHT 4 Marks north side of shoal. | 42-46-44.070N 086-10-22.483W | FI R 4s | 23 7 | 4 | TR on column on cylindrical base. | |
| 19345 | - Buoy 5 | 42-46-44.485N 086-09-53.321W | | | | Green can. | |
| 19350 | - <i>Lighted Buoy 6</i> | 42-46-43.088N 086-09-53.592W | FI R 6s | | 4 | Red. | Replaced by nun from Nov. 7 to Apr. 14. |
| 19375 | POINT SUPERIOR LIGHT 7 | 42-46-44.550N 086-09-16.140W | FI G 4s | 23 7 | 4 | SG on column on cylindrical base. | |
| 19380 | - Buoy 9 | 42-46-41.179N 086-09-08.335W | | | | Green can. | |
| 19385 | - <i>Lighted Buoy 10</i> | 42-46-39.202N 086-09-02.068W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 7 to Apr. 14. |
| 19390 | - Buoy 11 | 42-46-42.980N 086-08-57.402W | | | | Green can. | |
| 19393 | - Buoy 12 | 42-46-53.333N 086-08-30.255W | | | | Red nun. | |
| 19395 | - Buoy 13 | 42-46-58.859N 086-08-21.761W | | | | Green can. | |
| 19400 | - <i>Lighted Buoy 14</i> | 42-47-05.213N 086-08-03.180W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 7 to Apr. 14. |
| 19405 | - Buoy 15 | 42-47-15.068N 086-07-45.087W | | | | Green can. | |
| 19410 | - <i>Lighted Buoy 16</i> | 42-47-22.010N 086-07-25.502W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 7 to Apr. 14. |
| 19415 | - Buoy 17 | 42-47-27.018N 086-07-16.770W | | | | Green can. | |
| 19420 | - <i>Lighted Buoy 19</i> | 42-47-34.566N 086-07-10.714W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 7 to Apr. 14. |
| 19425 | - Buoy 21 | 42-47-38.628N 086-06-59.114W | | | | Green can. | |
| 19430 | - Buoy 23 | 42-47-46.780N 086-06-53.432W | | | | Green can. | Maintained from Apr. 14 to Nov. 07. |
| 19435 | - Buoy 25 | 42-47-53.478N 086-06-49.389W | | | | Green can. | Maintained from Apr. 14 to Nov. 07. |
| 19440 | - Buoy 26 | 42-47-53.024N 086-06-48.035W | | | | Red nun. | Maintained from Apr. 14 to Nov. 07. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-------------------------------|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE MICHIGAN | | | | | | | |
| SOUTH HAVEN TO STONY LAKE (Chart 14906) | | | | | | | |
| Saugatuck | | | | | | | |
| 19445 | - SOUTH PIERHEAD LIGHT | 42-40-36.029N 086-12-59.030W | FI R 4s | 30 9 | 7 | Cylindrical structure with red band. | HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 19450 | - NORTH PIERHEAD LIGHT | 42-40-38.910N 086-12-57.440W | FI G 4s | 30 9 | 5 | Cylindrical structure with green band. | |
| Kalamazoo River | | | | | | | |
| <i>Buoys maintained from May 14 to Nov. 7.</i> | | | | | | | |
| 19455 | - Buoy 2 | 42-40-32.730N 086-12-22.830W | | | | Red nun. | |
| 19460 | - Buoy 4 | 42-40-35.130N 086-12-12.330W | | | | Red nun. | |
| 19465 | - Buoy 5 | 42-40-23.330N 086-11-54.830W | | | | Green can. | |
| 19470 | - Buoy 6 | 42-40-19.330N 086-11-53.730W | | | | Red nun. | |
| 19475 | - Buoy 8 | 42-39-54.029N 086-12-03.830W | | | | Red nun. | |
| 19480 | - Buoy 9 | 42-39-50.829N 086-12-04.830W | | | | Green can. | |
| 19485 | - Buoy 11 | 42-39-42.823N 086-12-17.905W | | | | Green can. | |
| 19490 | - Buoy 12 | 42-39-40.229N 086-12-22.230W | | | | Red nun. | |
| 19495 | - Buoy 14 | 42-39-28.429N 086-12-24.030W | | | | Red nun. | |
| South Haven | | | | | | | |
| 19505 | - South Pierhead Light | 42-24-04.859N 086-17-16.669W | F R | 37 11 | 13 | Red conical tower. 37 | Fog Signal operates by keying the microphone five times on VHF-FM CH 83A. HORN: 2 blast ev 30s (2s bl-2s si-2s bl-24s si). |
| 19510 | - NORTH PIER LIGHT | 42-24-06.829N 086-17-17.529W | FI G 4s | 28 9 | 6 | On pole. | |
| Palisades Nuclear Security Zone | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 19511 | - No Entry Buoy A | 42-19-12.000N 086-19-24.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19511.1 | - No Entry Buoy B | 42-19-17.000N 086-19-37.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19511.2 | - No Entry Buoy C | 42-19-22.000N 086-19-54.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19511.3 | - No Entry Buoy D | 42-19-33.000N 086-19-48.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19511.4 | - No Entry Buoy E | 42-19-44.000N 086-19-42.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19511.5 | - No Entry Buoy F | 42-19-39.000N 086-19-24.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| SOUTH HAVEN TO STONY LAKE (Chart 14906) | | | | | | | |
| South Haven | | | | | | | |
| Palisades Nuclear Security Zone | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| 19511.6 | - No Entry Buoy G | 42-19-35.000N 086-19-07.000W | | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| ST. JOSEPH AND BENTON HARBOR | | | | | | | |
| St. Joseph | | | | | | | |
| 19515 | - North Pierhead Light | 42-06-59.098N 086-29-40.350W | FI W 2.5s | 31 9 | 12 | White cylindrical tower. 31 | |
| 19520 | - North Pier Inner Light | 42-06-57.819N 086-29-36.510W | Iso W 2s | 53 16 | 7 | Octagonal tower. 53 | |
| 19525 | - SOUTH PIERHEAD LIGHT | 42-06-54.989N 086-29-39.426W | Iso R 6s | 25 8 | 5 | | |
| 19527 | - COAST GUARD LIGHT | 42-06-47.848N 086-29-04.003W | FI Y 4s | 26 8 | 4 | | |
| 19530 | - River Buoy 3 | 42-06-44.909N 086-28-34.429W | | | | Green can. | Maintained from Apr. 28 to Nov. 1. |
| Donald S. Cook Nuclear Security Zone | | | | | | | |
| <i>Buoys maintained from Apr. 1 to Nov. 15</i> | | | | | | | |
| 19534 | <i>Donald C. Cook Nuclear Security Zone No Entry Buoy A</i> | 41-58-31.980N 086-34-18.500W | Iso W 2s | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19534.1 | <i>Donald C. Cook Nuclear Security Zone No Entry Buoy B</i> | 41-58-35.340N 086-34-35.460W | Iso W 2s | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19534.2 | <i>Donald C. Cook Nuclear Security Zone No Entry Buoy C</i> | 41-58-40.380N 086-34-33.660W | Iso W 2s | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19534.3 | <i>Donald C. Cook Nuclear Security Zone No Entry Buoy D</i> | 41-58-46.140N 086-34-31.500W | Iso W 2s | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| 19534.4 | <i>Donald C. Cook Nuclear Security Zone No Entry Buoy E</i> | 41-58-42.780N 086-34-14.940W | Iso W 2s | | | White can with orange bands and exclusion symbol worded NO ENTRY. | Private aid. |
| WAUKEGAN TO SOUTH HAVEN (Chart 14905) | | | | | | | |
| New Buffalo | | | | | | | |
| 19535 | - HARBOR LIGHT 1 | 41-48-08.489N 086-45-08.630W | FI G 2.5s | 25 8 | 6 | SG on column. | |
| 19540 | - HARBOR LIGHT 2 | 41-48-06.149N 086-45-05.102W | FI R 2.5s | 25 8 | 6 | TR on column. | |
| Michigan City | | | | | | | |
| 19544 | <i>Purdue Research Lighted Buoy A</i> | 41-45-19.800N 086-58-33.960W | STROBE | | | Yellow | Maintained from May 1 to Nov. 1 Private aid. |
| 19545 | - East Pierhead Light | 41-43-44.074N 086-54-41.672W | Oc W 4s | 55 17 | 10 | White octagonal tower with red roof attached to fog signal building. 55 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 19555 | - BREAKWATER LIGHT | 41-43-48.214N 086-54-50.179W | FI R 4s | 36 11 | 6 | TR on pyramidal structure with red band. | |
| 19560 | - BREAKWATER SOUTH LIGHT | 41-43-36.905N 086-54-58.728W | FI Y 2.5s | 33 10 | 4 | NY on pyramidal structure. | |
| 19565 | - WEST PIERHEAD LIGHT | 41-43-36.016N 086-54-36.080W | FI R 6s | 41 13 | 4 | TR on tower. | |
| 19570 | - OUTER BASIN LIGHT | 41-43-32.542N 086-54-31.423W | FI G 4s | 25 8 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| WAUKEGAN TO SOUTH HAVEN (Chart 14905) | | | | | | | |
| Burns Harbor | | | | | | | |
| 19575 | BAILEYTOWN WATER INTAKE CRIB LIGHT | 41-38-58.614N 087-07-21.864W | Q W | 14 4 | | Skeleton tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 19580 | - EAST LIGHT | 41-38-58.000N 087-07-52.000W | Fl W 2s | 38 12 | | On pile. | Private aid. |
| 19583 | - Shoal Buoy 1 | 41-39-10.716N 087-08-07.479W | | | | Green can | |
| 19585 | - NORTH LIGHT 2 | 41-38-55.829N 087-08-45.610W | Fl R 2.5s | 36 11 | 7 | TR on pile. | |
| 19590 | - SOUTH LIGHT 3 | 41-38-47.329N 087-08-49.130W | Fl G 4s | 47 14 | 8 | White cylindrical tower with green band. | |
| 19595 | BURNS WATERWAY JETTY NORTH LIGHT 1 | 41-38-03.698N 087-10-41.755W | Fl G 6s | 27 8 | 7 | White cylindrical tower with green band. | |
| 19600 | BURNS WATERWAY WEST PIER LIGHT 2 | 41-38-00.541N 087-10-40.078W | Fl R 2.5s | 27 8 | 6 | TR on post. | |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| Gary | | | | | | | |
| 19605 | - BULKHEAD LIGHT | 41-37-26.598N 087-17-19.836W | Fl R 4s | 20 6 | | On cylindrical tower. | Private aid. |
| 19610 | - BREAKWATER LIGHT | 41-37-49.146N 087-19-13.098W | Fl (3)R 40s 2s fl 8s ec. 2s fl 8s ec. 2s fl 18s ec. | 40 12 | | On cylindrical tower. | Standby light. HORN: 1 blast ev 30s (2s bl). Private aid. |
| 19615 | - EAST PIERHEAD LIGHT | 41-37-27.921N 087-19-27.055W | F W | 30 9 | | On post. | Operates during navigation season only. Private aid. |
| 19620 | - WEST PIERHEAD LIGHT | 41-37-28.298N 087-19-30.888W | F R | 25 8 | | On post. | Operates during navigation season only. Private aid. |
| 19625 | <i>Indiana Shoal Lighted Gong Buoy 4</i> Marks northeast side of shoals. | 41-43-25.737N 087-20-52.564W | Fl R 4s | | 4 | Red. | Maintained from Apr. 21 to Dec. 1. |
| Buffington Harbor | | | | | | | |
| 19630 | - BREAKWATER LIGHT | 41-38-45.000N 087-24-37.500W | Fl R 4s | 48 15 | | Conical tower. | Private aid. |
| 19636 | - INNER BREAKWATER EAST LIGHT 2 | 41-38-35.000N 087-24-53.000W | Fl R 2.5s | 24 7 | | On post. | Private aid. |
| 19637 | - INNER BREAKWATER WEST LIGHT 1 | 41-38-33.000N 087-24-56.000W | Q G | 24 7 | | On post. | Private aid. |
| CALUMET AND INDIANA HARBORS | | | | | | | |
| City of East Chicago, Indiana | | | | | | | |
| 19648 | - CASINO HARBOR LIGHT 1 | 41-39-17.390N 087-25-55.340W | Q G | 50 15 | | SG on cylindrical tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 19649 | - CASINO HARBOR LIGHT 2 | 41-39-15.110N 087-25-59.930W | Oc R 4s | 50 15 | | TR on cylindrical tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 19650 | - PASTRICK MARINA LIGHT 3 | 41-39-14.600N 087-26-05.600W | Fl G 2.5s | 16 5 | | SG on post. | Maintained from Apr. 1 to Dec. 15. Visible 294° through 359°. Private aid. |
| 19655 | - PASTRICK MARINA LIGHT 4 | 41-39-14.500N 087-26-03.000W | Fl R 4s | 16 5 | | TR on post. | Maintained from Apr. 1 to Dec. 15. Visible 294° through 359°. Private aid. |
| Indiana Harbor | | | | | | | |
| 19660 | - SOUTH BULKHEAD LIGHT | 41-39-34.074N 087-25-14.232W | Fl R 2s | 49 15 | | Pyramidal tower. | Private aid. |
| 19665 | - EAST BULKHEAD LIGHT | 41-40-41.328N 087-24-04.866W | Fl R 2s | 48 15 | | Pyramidal tower. | Private aid. |
| 19670 | - NORTH BULKHEAD LIGHT | 41-41-20.340N 087-25-01.044W | Fl R 2s | 48 15 | | Pyramidal tower. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE MICHIGAN | | | | | | | |
| CALUMET AND INDIANA HARBORS | | | | | | | |
| Indiana Harbor | | | | | | | |
| 19675 | - East Breakwater Light | 41-40-51.042N 087-26-28.057W | Iso G 6s | 78 24 | 12 | Square tower. | HORN: 2 blast ev 20s. Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 19685 | - LIGHT 2 | 41-41-06.118N 087-26-49.410W | Oc R 4s | 29 9 | 6 | TR on pile. | |
| 19690 | - LIGHT 5 | 41-40-27.671N 087-26-19.870W | FI G 2.5s | 48 15 | 5 | White cylindrical tower with green band. | |
| 19695 | - LIGHT 6 | 41-40-22.784N 087-26-26.304W | FI R 2.5s | 48 15 | 6 | White cylindrical tower with red band. | Higher intensity beam on bearing 165.5°. |
| 19700 | - LIGHT 7 | 41-40-00.786N 087-26-31.294W | F G | 45 14 | 8 | SG on white cylindrical tower. | |
| 19705 | - LIGHT 8 | 41-40-03.809N 087-26-34.604W | FI R 4s | 13 4 | 5 | TR on white cylindrical tower. | |
| CALUMET AND INDIANA HARBORS | | | | | | | |
| 19707 | INDIANA HARBOR CANAL STREET ABUTMENT LIGHT 2 Under Construction | 41-38-56.381N 087-28-05.113W | FI R 4s | 12 4 | | Pile Dolphin | Private aid. |
| 19708 | INDIANA HARBOR CANAL STREET ABUTMENT LIGHT 1 Under Construction | 41-38-55.903N 087-28-04.501W | FI G 2.5s | 12 4 | | Pile Dolphin | Private aid. |
| 19715 | WHITING LAKEFRONT PARK LIGHT A | 41-41-03.500N 087-29-20.000W | Q G | 19 6 | | On post. | Private aid. |
| 19720 | WHITING LAKEFRONT PARK LIGHT B | 41-41-05.200N 087-29-20.000W | Q R | 19 6 | | On post. | Private aid. |
| Calumet | | | | | | | |
| 19740 | HAMMOND INTAKE CRIB LIGHT | 41-42-25.100N 087-29-49.500W | FI W 6s | 26 8 | | On tower. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| Hammond Marina | | | | | | | |
| <i>Aids maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 19745 | - ENTRANCE LIGHT 1 | 41-41-44.700N 087-30-14.800W | FI G 4s | 20 6 | | SG on pile. | Private aid. |
| 19750 | - ENTRANCE LIGHT 2 | 41-41-44.700N 087-30-11.700W | FI R 4s | 20 6 | | TR on pile. | Private aid. |
| 19752 | - Lighted Obstruction Buoy AA | 41-41-43.780N 087-30-09.180W | Q W | | | | Private aid. |
| 19755 | - Lighted Obstruction Buoy A | 41-41-47.400N 087-30-09.300W | FI W 2.5s | | | White with orange bands and orange diamond. | Private aid. |
| 19760 | - Lighted Obstruction Buoy B | 41-41-51.800N 087-30-13.700W | FI W 2.5s | | | White with orange bands and orange diamond. | Private aid. |
| 19765 | - Lighted Obstruction Buoy C | 41-41-55.400N 087-30-20.300W | FI W 2.5s | | | White with orange bands and orange diamond. | Private aid. |
| 19770 | - Lighted Obstruction Buoy D | 41-41-57.500N 087-30-26.600W | FI W 2.5s | | | White with orange bands and orange diamond. | Private aid. |
| Calumet | | | | | | | |
| 19780 | - PARK 101ST STREET PIER LIGHT | 41-42-47.951N 087-31-30.839W | FI R 4s | 28 9 | 6 | TR on post. | |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| 19785 | Indiana Shoal Buoy 2 | 41-46-10.361N 087-23-26.763W | | | | Red nun. | |
| 19790 | Chicago Lake Front Northeast Shoal Lighted Buoy 2 Marks east side of shoal. | 41-45-36.296N 087-28-02.048W | FI R 4s | | 4 | Red. | RACON: C (- . - .) Replaced by nun from Dec. 1 to Apr. 21. AIS MMSI: 993672228 |
| CALUMET AND INDIANA HARBORS | | | | | | | |
| 19795 | Calumet East Shoal Lighted Buoy 4 | 41-43-59.036N 087-28-13.866W | FI R 6s | | 4 | Red. | Replaced by nun from Dec. 01 to Apr 21. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE MICHIGAN | | | | | | | |
| CALUMET AND INDIANA HARBORS | | | | | | | |
| 19800 | Calumet Harbor Breakwater South End Light | 41-43-33.680N 087-29-35.986W | FI R 10s | 50 15 | | White square skeleton tower with red band. Lower half open. 46 | HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 19810 | <i>Calumet Harbor Lighted Buoy 1</i> | 41-43-07.732N 087-29-48.724W | FI G 4s | | 3 | Green. | Year round lighted buoy |
| 19815 | Calumet Harbor Buoy 3 | 41-43-15.153N 087-29-58.800W | | | | Green can. | |
| 19820 | Calumet Harbor Buoy 5 | 41-43-38.404N 087-30-30.378W | | | | Green can. | |
| 19825 | <i>Calumet Harbor Lighted Buoy 7</i> | 41-43-48.276N 087-30-43.788W | FI G 4s | | 3 | Green. | Year round lighted buoy. |
| 19827 | CALUMET HARBOR BREAKWATER OBSTRUCTION LIGHT | 41-44-29.422N 087-30-52.070W | FI Y 2.5s | 28 9 | 8 | White cylindrical tower with yellow band. | |
| 19830 | CALUMET HARBOR LIGHT | 41-44-12.663N 087-30-28.834W | FI R 2.5s | 51 16 | 7 | White cylindrical tower with red band. | |
| 19835 | CALUMET HARBOR ENTRANCE SOUTH SIDE LIGHT | 41-44-08.174N 087-30-22.751W | FI G 4s | 30 9 | 6 | White cylindrical tower with green band. | |
| 19840 | CALUMET PIERHEAD LIGHT | 41-44-01.520N 087-31-44.509W | Iso R 6s | 31 9 | 6 | TR on post. | Obscured from 240° to 060°. |
| 19845 | CALUMET HARBOR DISPOSAL AREA LIGHT | 41-43-52.324N 087-31-29.663W | FI G 6s | 26 8 | 4 | SG on tower. | |
| 19850 | CALUMET RIVER ENTRANCE LIGHT | 41-43-56.334N 087-31-46.205W | FI G 2.5s | 28 9 | 5 | SG on post. | |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| 19855 | Clarke Point Buoy 8 | 41-45-33.954N 087-31-44.094W | | | | Red nun. | Maintained from Apr. 14 to Nov. 01. |
| 19860 | FILTRATION PLANT BREAKWATER SOUTH END LIGHT | 41-45-24.822N 087-32-16.794W | FI W 2.5s | 39 12 | | NW on skeleton tower marked DANGER. | Maintained from May 1 to Nov. 1. Private aid. |
| 19865 | FILTRATION PLANT BREAKWATER NORTH END LIGHT | 41-45-42.438N 087-32-38.820W | FI W 2.5s | 39 12 | | NW on skeleton tower marked DANGER. | Maintained from May 1 to Nov. 1. Private aid. |
| 19870 | SIXTY-EIGHTH STREET CRIB LIGHT | 41-47-10.500N 087-31-48.000W | FI R 3s | 61 19 | | Silver-gray lantern on red skeleton tower on stone crib. | BELL: 1 strike ev 12s. Private aid. |
| 19875 | JACKSON PARK OUTER HARBOR LIGHT 2 | 41-47-04.500N 087-34-03.500W | FI R 2.5s | 28 9 | | TR on pile at end of breakwater. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19880 | JACKSON PARK OUTER HARBOR LIGHT 4 | 41-46-52.900N 087-34-06.774W | FI R 4s | 28 9 | | TR on pile. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19885 | JACKSON PARK INNER HARBOR LIGHT 6 | 41-46-47.300N 087-34-22.800W | F R | 35 11 | | TR on pile. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19890 | JACKSON PARK INNER HARBOR LIGHT 5 | 41-46-45.600N 087-34-21.800W | F G | | | SG on pile. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19895 | FIFTY-NINTH STREET YACHT HARBOR SOUTH PIER LIGHT | 41-47-17.300N 087-34-30.700W | F G | 35 11 | | On post. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19900 | FIFTY-NINTH STREET YACHT HARBOR NORTH PIER LIGHT | 41-47-12.000N 087-34-18.000W | F R | 35 11 | | On post. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19905 | South Park Shoal Buoy 6 Marks east side of shoal. | 41-47-51.315N 087-32-09.243W | | | | Red nun. | |
| 19910 | <i>Clemson Shoal Lighted Bell Buoy 4</i> | 41-48-24.593N 087-32-04.756W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 01 to Apr. 21. |
| 19915 | Hyde Park Shoal Outside Buoy 2 | 41-48-30.318N 087-32-34.792W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE MICHIGAN | | | | | | | |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| 19920 | <i>Morgan Shoals Lighted Buoy 2</i> | 41-48-38.628N 087-34-27.930W | FI R 2.5s | | 3 | Red. | Maintained from Apr. 14 to Nov 1. |
| 19921 | OAKWOOD BEACH NORTH PIER LIGHT | 41-49-24.922N 087-35-48.453W | FI Y 2s | 20 6 | | | Private aid. |
| 19922 | OAKWOOD BEACH SOUTH PIER LIGHT | 41-49-17.193N 087-35-39.191W | FI Y 2s | | | | Private aid. |
| 19925 | FOUR-MILE CRIB LIGHT | 41-52-24.000N 087-32-42.000W | FI W 15s | 66 20 | | Red skeleton tower on stone crib. | HORN: 1 blast ev 20s (2s bl). Private aid. |
| CHICAGO HARBOR (Chart 14928) | | | | | | | |
| Chicago North Side (Chart 14928) | | | | | | | |
| 19926 | CHICAGO 31 STREET HARBOR LIGHTED FIXED AID 1 | 41-49-59.790N 088-36-08.380W | FI G 4s | | | | Maintained from Apr.1 to Dec.1. Private aid. |
| 19927 | CHICAGO 31 STREET HARBOR LIGHTED FIXED AID 2 | 41-49-58.660N 087-36-06.420W | FI R 4s | | | | Maintained from Apr.1 to Dec.1. Private aid. |
| CHICAGO HARBOR (Chart 14928) | | | | | | | |
| 19930 | THIRTY-FIRST STREET OUTER JETTY LIGHT | 41-50-21.700N 087-36-15.800W | FI Y 2.5s | 29 9 | | NW on cylindrical tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19931 | <i>Thirty-First Street Jetty Danger Lighted Buoy A</i> | 41-50-22.600N 087-36-18.200W | FI W 2s | | | White with orange bands and diamond worded DANGER BREAKWATER. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 19932 | <i>Thirty-First Street Jetty Danger Lighted Buoy B</i> | 41-50-23.000N 087-36-20.800W | FI W 2s | | | White with orange bands and diamond worded DANGER BREAKWATER. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 19933 | <i>Thirty-First Street Jetty Danger Lighted Buoy C</i> | 41-50-23.500N 087-36-23.300W | FI W 2s | | | White with orange bands and diamond worded DANGER BREAKWATER. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 19934 | THIRTY-FIRST STREET INNER JETTY LIGHT | 41-50-24.400N 087-36-26.000W | FI Y 2.5s | 26 8 | | NW on cylindrical tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| Northerly Island Danger Zone | | | | | | | |
| 19955 | BURNHAM PARK HARBOR LIGHT | 41-51-06.750N 087-36-35.720W | FI G 3s | 60 18 | | On a pole | Red from 135° to 255°. Maintained from Apr. 15 to Dec. 1. Private aid. |
| 19956 | <i>Northerly Island Danger Lighted Buoy A</i> | 41-51-52.200N 087-36-21.200W | FI W 2s | | | White and orange bands and diamond worded DANGER SUBMERGED BULKHEAD. | Maintained from Apr. 15 to Oct 31. Private aid. |
| 19956.1 | <i>Northerly Island Danger Lighted Buoy B</i> | 41-51-48.500N 087-36-21.000W | FI W 2s | | | White and orange bands and diamond worded DANGER SUBMERGED BULKHEAD. | Maintained from Apr. 15 to Oct 31. Private aid. |
| 19956.2 | <i>Northerly Island Danger Lighted Buoy C</i> | 41-51-45.000N 087-36-21.000W | FI W 2s | | | White with orange bands and diamond worded DANGER SUBMERGED BULKHEAD. | Maintained from Apr. 15 to Oct 31. Private aid. |
| Chicago North Side (Chart 14928) | | | | | | | |
| 19957 | <i>Purdue University Meteorological Buoy 1A</i> | 41-53-33.000N 087-33-47.000W | F Y | | | | Maintained from Apr.15 to Dec.15. Private aid. |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| Chicago Harbor | | | | | | | |
| 19960 | - Light | 41-53-21.687N 087-35-25.743W | FI R 5s | 82 25 | 15 | White conical tower. 82 | HORN operates by keying the microphone five times on VHF- FM channel 83A. 2 blasts ev 30s (2s bl). |
| 19980 | - OUTER BREAKWATER SOUTH END LIGHT | 41-52-48.651N 087-35-25.936W | Iso R 6s | 27 8 | 6 | White cylindrical tower with red band. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE MICHIGAN | | | | | | | |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| Chicago Harbor | | | | | | | |
| 19985 | - ENTRANCE SOUTH SIDE LIGHT | 41-53-14.893N 087-35-25.892W | FI G 4s | 27 8 | 6 | White cylindrical tower with green band. | |
| 19990 | - SOUTH BREAKWATER NORTHEND LIGHT 1 | 41-52-29.358N 087-36-36.461W | FI G 2.5s | 35 11 | 5 | SG on post. | |
| 19995 | - BREAKWATER SOUTH LIGHT | 41-52-36.985N 087-36-36.331W | FI R 4s | 23 7 | 4 | White cylindrical tower with red band. | |
| 20000 | - SOUTHEAST GUIDE WALL LIGHT | 41-53-17.968N 087-36-09.075W | Iso W 6s | 48 15 | 9 | White square tower with green band. | Visible from 157° to 023°. |
| 20005 | - MUNICIPAL PIER NO. 1 LIGHT | 41-53-23.300N 087-35-58.800W | FI Y 2.5s | | | NY on skeleton tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 20010 | - NAVY PIER SOUTH LIGHT | 41-53-29.400N 087-35-54.500W | Iso W 4s | 30 9 | | On skeleton tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 20012 | - NAVY PIER NORTH LIGHT | 41-53-32.300N 087-35-54.500W | Iso W 4s | 30 9 | | On skeleton tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 20015 | - FILTRATION PLANT LIGHT B | 41-53-35.800N 087-36-08.000W | FI W 4s | 15 5 | | On dolphin. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 20020 | - FILTRATION PLANT LIGHT A | 41-53-46.600N 087-36-08.800W | FI W 4s | 10 3 | | | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 20025 | OAK STREET BREAKWATER LIGHT | 41-54-11.050N 087-36-28.270W | FI G 4s | 30 9 | 5 | SG on post. | |
| 20030 | - OAK STREET BREAKWATER NORTHEAST END LIGHT 2 | 41-54-10.933N 087-36-34.020W | FI R 2.5s | 26 8 | 6 | TR on post. | |
| 20035 | - OAK STREET BREAKWATER SOUTHWEST END LIGHT 3 | 41-54-05.105N 087-37-02.236W | FI G 2.5s | 26 8 | 5 | SG on post. | |
| 20040 | WILLIAM E. DEVER CRIB LIGHT | 41-55-00.000N 087-34-18.000W | Q W | 72 22 | | On skeleton tower. | HORN: 1 blast ev 20s (2s bl). Private aid. |
| CHICAGO HARBOR (Chart 14928) | | | | | | | |
| Chicago North Side (Chart 14928) | | | | | | | |
| 20055 | NORTH AVENUE JETTY LIGHT | 41-54-54.000N 087-37-12.000W | Q R | 38 12 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20080 | DIVERSEY HARBOR ENTRANCE NORTH BREAKWATER LIGHT | 41-55-57.300N 087-37-50.500W | FI R 3s | 38 12 | | On post. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20085 | DIVERSEY HARBOR ENTRANCE SOUTH BREAKWATER LIGHT | 41-55-57.200N 087-37-52.100W | FI G 3s | 38 12 | | On post. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20090 | BELMONT HARBOR LIGHT | 41-56-30.000N 087-38-00.000W | FI R 3s | 30 9 | | On tubular steel tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 20095 | BELMONT HARBOR INNER LIGHT | 41-56-35.000N 087-38-09.000W | FI R 3s | 80 24 | | On skeleton tower. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 20100 | Belmont Rock Shoal Buoy 2 | 41-56-38.086N 087-37-39.836W | | | | Red nun. | Maintained from Apr. 14 to Nov. 01. |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| 20105 | MONTROSE BREAKWATER LIGHT | 41-57-48.000N 087-37-53.000W | FI R 3s | 40 12 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20110 | MONTROSE HARBOR EAST BREAKWATER LIGHT | 41-57-33.000N 087-38-25.000W | FI R 3s | 40 12 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20115 | MONTROSE HARBOR WEST BREAKWATER LIGHT | 41-57-33.400N 087-38-28.000W | FI G 3s | 41 13 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20130 | WILSON AVENUE BREAKWATER LIGHT | 41-58-07.000N 087-37-53.000W | FI G 3s | 36 11 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-------------------------------------|--|
| LAKE MICHIGAN | | | | | | | |
| CHICAGO LAKE FRONT (Chart 14927) | | | | | | | |
| 20135 | WILSON AVENUE INTAKE CRIB LIGHT | 41-58-00.000N 087-35-30.000W | Q W | 68 21 | | On cylindrical tower. | HORN: 1 blast ev 20s (2s bl). Private aid. |
| 20140 | FOSTER AVENUE PIERHEAD LIGHT | 41-58-49.000N 087-38-46.000W | Fl W 3s | 41 13 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20145 | HOLLYWOOD AVENUE BREAKWATER LIGHT | 41-59-10.000N 087-38-59.000W | Fl R 3s | 41 13 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20165 | FARWELL AVENUE BREAKWATER LIGHT | 42-00-24.000N 087-39-24.000W | Fl R 3s | 41 13 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20170 | South Boulevard Branch Warning Daybeacons | 42-01-38.500N 087-39-58.000W | | | | NW on pile worded DANGER GROIN. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| Evanston <i>Buoys maintained from May 1 to Oct. 31.</i> | | | | | | | |
| 20185 | - BREAKWATER LIGHT | 42-02-44.500N 087-40-16.200W | Fl R 4s | 22 7 | | On post. | Maintained from May 1 to Oct. 15. Private aid. |
| 20190 | GROSSEPOINT LIGHT | 42-04-00.000N 087-41-00.000W | Fl (2)W 15s | 119 36 | | White, conical tower, red roofs. | Private aid. |
| 20195 | - Boat Ramp Buoy 1 | 42-02-41.500N 087-40-16.000W | | | | Green can. | Private aid. |
| 20200 | - Boat Ramp Buoy 3 | 42-02-42.200N 087-40-16.500W | | | | Green can. | Private aid. |
| 20205 | - Boat Ramp Buoy 5 | 42-02-42.800N 087-40-17.000W | | | | Green can. | Private aid. |
| 20210 | - Boat Ramp Buoy 2 | 42-02-42.500N 087-40-15.000W | | | | Red nun. | Private aid. |
| 20215 | - Boat Ramp Buoy 4 | 42-02-42.900N 087-40-15.400W | | | | Red nun. | Private aid. |
| 20220 | - Boat Ramp Buoy 6 | 42-02-43.300N 087-40-15.800W | | | | Red nun. | Private aid. |
| 20221 | - Boat Ramp Buoy 7 | 42-02-43.300N 087-40-17.500W | | | | Green can. | Private aid. |
| 20222 | - Boat Ramp Buoy 8 | 42-07-43.600N 087-40-16.200W | | | | Red nun. | Private aid. |
| WAUKEGAN TO SOUTH HAVEN (Chart 14905) | | | | | | | |
| Wilmette Harbor | | | | | | | |
| 20225 | - Entrance Buoy 1 | 42-04-36.200N 087-40-40.600W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |
| 20230 | - Entrance Buoy 2 | 42-04-38.000N 087-40-39.800W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 20235 | - ENTRANCE SOUTH LIGHT | 42-04-37.000N 087-40-48.300W | Fl G 4s | 15 5 | | On pile. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 20240 | - ENTRANCE NORTH LIGHT | 42-04-37.200N 087-40-44.400W | Fl R 4s | 20 6 | | On pile. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 20245 | - PIERHEAD LIGHT | 42-04-43.350N 087-40-47.364W | Fl W 4s | 40 12 | | On pile. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| WAUKEGAN TO SOUTH HAVEN (Chart 14905) | | | | | | | |
| 20250 | <i>Wilmette Wreck Lighted Bell Buoy WR 2</i> | 42-05-41.143N 087-38-57.901W | Q R | | 4 | Red. | Replaced by nun from Dec. 01 to Apr. 21. |
| 20255 | <i>Grossepoint Outer Lighted Bell Buoy 4</i> | 42-08-14.390N 087-35-17.507W | Fl R 6s | | 4 | Red. | Replaced by nun from Dec. 01 to Apr. 21. |
| 20257 | <i>Wilmette Weather Buoy</i> | 42-08-16.000N 087-39-30.000W | Fl Y 4s | | | | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 20260 | HIGHLAND PARK BREAKWATER LIGHT | 42-11-27.000N 087-47-12.000W | Q R | 21 6 | | On yellow post. | Maintained from May 1 to Oct. 31. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--|---------------|--------------|---|--|
| LAKE MICHIGAN | | | | | | | |
| WAUKEGAN TO SOUTH HAVEN (Chart 14905) | | | | | | | |
| 20275 | LAKE FOREST BREAKWATER LIGHT | 42-15-01.531N 087-49-03.713W | FI R 4s | 25 8 | | TR on post. | Maintained from Mar. 1 to Dec. 15. Private aid. |
| 20280 | LAKE FOREST JETTY LIGHT | 42-15-02.219N 087-49-05.599W | FI G 4s | 21 6 | | SG on post. | Maintained from Mar. 1 to Dec. 15. Private aid. |
| Great Lakes | | | | | | | |
| 20282 | - Buoy N | 42-19-42.391N 087-49-14.074W | | | | Yellow Can | Maintained from Apr. 14 to Oct. 14. |
| 20284 | - Buoy S | 42-18-18.704N 087-49-05.941W | | | | Yellow Can | Maintained from Apr. 14 to Oct. 14. |
| 20285 | - LIGHT 2 | 42-18-21.299N 087-49-29.136W | FI R 4s | 34 10 | 6 | White cylindrical tower with red band. | |
| 20290 | - LIGHT 1 | 42-18-18.405N 087-49-35.152W | FI G 4s | 34 10 | 5 | White cylindrical tower with green band. | |
| 20295 | - LIGHT 4 | 42-18-29.883N 087-49-50.043W | FI R 2.5s | 15 5 | 4 | TR on tower. | |
| 20300 | - LIGHT 3 | 42-18-28.020N 087-49-51.805W | FI G 2.5s | 15 5 | 5 | SG on tower. | |
| 20301 | - Buoy A | 42-18-18.017N 087-48-41.659W | | | | Yellow can. | |
| 20302 | - Buoy B | 42-18-59.327N 087-48-41.923W | | | | Yellow can. | |
| 20303 | - Buoy C | 42-19-42.503N 087-48-41.659W | | | | Yellow can. | |
| 20304 | - East Breakwater Danger Buoy | 42-18-35.633N 087-49-22.245W | | | | White Can | Maintained from 14 Apr to 14 Oct. |
| 20304.1 | - South Breakwater Danger Buoy | 42-18-15.304N 087-49-36.027W | | | | White Can | Maintained from 14 Apr to 14 Oct. |
| PORT WASHINGTON TO WAUKEGAN (Chart 14904) | | | | | | | |
| Waukegan | | | | | | | |
| 20305 | WAUKEGON SOUTH HARBOR MARINA LIGHT 2 | 42-21-20.574N 087-49-13.542W | Q R | 26 8 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 20310 | - SOUTH HARBOR MARINA LIGHT 1 | 42-21-24.000N 087-49-14.700W | Q G | 26 8 | | On pile. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 20315 | - Harbor Light | 42-21-38.349N 087-48-48.271W | Oc G 4s | 36 11 | 12 | On cylindrical tower with green band. 36 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by key the microphone 5 times on VHF channel 83A. |
| 20325 | - Shoals Buoy 1 | 42-21-27.486N 087-47-36.734W | | | | Green can. | |
| 20330 | - Shoals Lighted Buoy 3 Marks northeast side of shoal. | 42-21-40.928N 087-47-52.851W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec 1 to Apr 21. |
| Kenosha | | | | | | | |
| 20333 | Univ of Illinois Waukegon Weather Wave (45186) Buoy B | 42-22-01.920N 087-47-42.720W | FI Y 4s | | | | Maintained from Apr.1 to Nov.1. Private aid. |
| Waukegan | | | | | | | |
| 20335 | - BREAKWATER LIGHT | 42-21-44.460N 087-48-38.859W | FI (2)R 5s 0.4s fl 0.6s ec. 0.4s fl 3.6s ec. | 32 10 | 6 | White cylindrical tower with red band. | |
| 20340 | - NORTH PIERHEAD LIGHT | 42-21-40.899N 087-48-52.986W | FI R 4s | 24 7 | 4 | TR on post. | |
| PORT WASHINGTON TO WAUKEGAN (Chart 14904) | | | | | | | |
| 20345 | COMMONWEALTH EDISON BREAKWATER LIGHT | 42-22-54.600N 087-48-15.600W | FI R 6s | 35 11 | | On skeleton tower. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE MICHIGAN | | | | | | | |
| PORT WASHINGTON TO WAUKEGAN (Chart 14904) | | | | | | | |
| 20350 | JOHNS-MANVILLE INTAKE CRIB LIGHT | 42-23-26.340N 087-48-37.074W | Q W | 38 12 | | On skeleton tower. | Private aid. |
| Zion Intake <i>Lights maintained from Apr. 1 to Oct. 31.</i> | | | | | | | |
| 20355 | - Lighted Buoy A | 42-26-38.460N 087-47-31.500W | Q W | | | White with orange bands and diamond. | Private aid. |
| 20360 | - WEST LIGHT | 42-26-38.220N 087-47-28.920W | FI W 2.5s | 5 2 | | NW on post. | Private aid. |
| 20380 | Zion Discharge Buoy B | 42-26-44.000N 087-47-42.000W | | | | White can with orange bands and diamond. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 20385 | Zion Discharge Buoy C | 42-26-41.000N 087-47-42.000W | | | | White can with orange bands and diamond. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| Northpoint Marina <i>Aids to navigation maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 20386 | - Reef Obstruction Lighted Buoy A | 42-28-49.275N 087-47-53.076W | Q W | | | White with orange bands and diamond worded REEF. | Private aid. |
| 20387 | - Reef Obstruction Lighted Buoy B | 42-28-53.324N 087-47-52.723W | Q W | | | White with orange bands and diamond worded REEF. | Private aid. |
| 20388 | - Reef Obstruction Lighted Buoy C | 42-28-56.798N 087-47-52.515W | Q W | | | White with orange bands and diamond worded REEF. | Private aid. |
| 20389 | - Reef Obstruction Lighted Buoy D | 42-29-00.831N 087-47-52.310W | Q W | | | White with orange bands and diamond worded REEF. | Private aid. |
| 20390 | - ENTRANCE LIGHT 1 | 42-29-16.000N 087-47-59.000W | FI G 4s | 20 6 | | SG on post. | Maintained from Apr. 01 to Nov. 30. Private aid. |
| 20395 | - ENTRANCE LIGHT 2 | 42-29-17.298N 087-47-55.122W | FI R 4s | 20 6 | | TR on post. | Maintained from Apr. 01 thru Nov. 30. Private aid. |
| Kenosha | | | | | | | |
| 20397 | Univ of Illinois Winthrop Weather Wave (45187) Buoy A | 42-29-26.160N 087-46-44.040W | FI Y 4s | | | | Maintained from Apr.1 to Nov.1. Private aid. |
| Northpoint Marina <i>Aids to navigation maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 20400 | - NORTH OBSTRUCTION LIGHT | 42-29-22.000N 087-47-58.000W | Q W | 20 6 | | NW on post. | Maintained from Apr. 01 to Nov. 30. Private aid. |
| 20405 | - CENTER OBSTRUCTION LIGHT | 42-29-11.000N 087-47-57.000W | Q W | 20 6 | | NW on post. | Maintained from Apr. 01 to Nov. 30. Private aid. |
| 20410 | - SOUTH OBSTRUCTION LIGHT | 42-29-05.000N 087-47-56.000W | Q W | 20 6 | | NW on post. | Maintained from Apr. 01 to Nov. 30. Private aid. |
| Prairie Harbor | | | | | | | |
| 20412 | - ENTRANCE NORTH PIER LIGHT 2 | 42-29-34.800N 087-48-04.200W | FI R 2.5s | 21 6 | | | Private aid. |
| 20413 | - ENTRANCE SOUTH PIER LIGHT 1 | 42-29-33.840N 087-48-06.800W | FI G 2.5s | 21 6 | | | Private aid. |
| Kenosha | | | | | | | |
| 20415 | - Light | 42-35-19.729N 087-48-30.861W | Iso R 6s | 50 15 | 8 | 50 | HORN: 1 blast ev 30s (3s bl). Operate the fog signal by keying the microphone on VHF-FM marine radio five times on channel 83A. |
| 20430 | - BREAKWATER LIGHT | 42-35-20.634N 087-48-21.288W | FI R 4s | 20 6 | 8 | White cylindrical tower with red band. | |
| 20435 | - SOUTH PIER LIGHT | 42-35-17.304N 087-48-27.072W | FI G 4s | 34 10 | 6 | Green band on cylindrical tower. | |
| 20445 | SOUTHPORT MARINA ENTRANCE LIGHT 2 | 42-34-56.300N 087-48-35.400W | FI R 4s | 36 11 | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---------------------------------------|--|
| LAKE MICHIGAN | | | | | | | |
| PORT WASHINGTON TO WAUKEGAN (Chart 14904) | | | | | | | |
| Kenosha | | | | | | | |
| 20450 | SOUTHPORT MARINA ENTRANCE LIGHT 1 | 42-34-58.800N 087-48-34.800W | FI G 4s | 31 9 | | SG on pile. | Private aid. |
| 20455 | SOUTHPORT MARINA INNER BREAKWATER LIGHT | 42-34-54.400N 087-48-39.200W | Q W | 34 10 | | NW on post worded DANGER ROCKS. | Private aid. |
| RACINE HARBOR | | | | | | | |
| Racine | | | | | | | |
| 20470 | - LAUNCH BASIN ENTRANCE LIGHT | 42-43-42.900N 087-46-38.200W | FI R 2.5s | 27 8 | | TR on post. | Maintained from Mar. 1 to Dec. 15. Private aid. |
| 20475 | - LAUNCH BASIN INNER LIGHT | 42-43-43.800N 087-46-38.900W | FI G 2.5s | 23 7 | | SG on post. | Maintained from Mar. 1 to Dec. 15. Private aid. |
| 20480 | - Reef Light | | | | | 50 | Remove from list. |
| 20483 | - Reef Lighted Buoy 18 Marks east side of reef. | 42-43-39.992N 087-43-59.526W | FI R 2.5s | | 5 | Red. | Replaced by nun from Dec. 1 to Apr. 21. AIS MMSI: 993682608 |
| 20485 | - Reef West End Lighted Buoy 1 | 42-43-33.088N 087-46-01.391W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 21. |
| LAKE MICHIGAN (Chart 14901) | | | | | | | |
| 20486 | Salmon Unlimited Weather Buoy | 42-42-12.102N 087-38-57.360W | FI Y 2.5s | | | | Maintained from May.1 to Oct.1. Private aid. |
| RACINE HARBOR | | | | | | | |
| Racine | | | | | | | |
| 20490 | - East Harbor Entrance Light 2 | 42-44-01.000N 087-46-14.000W | Q R | 50 15 | | On post with 10 ft. lightpipe. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 20495 | - WEST HARBOR ENTRANCE LIGHT 3 | 42-44-00.000N 087-46-18.700W | Q G | 52 16 | | SG on skeleton tower. | Maintained from Apr. 15 to Oct. 31. HORN: 2 blasts ev 18s (2s bl-2s si-2s bl-12s si). Private aid. |
| 20500 | - HARBOR LIGHT 5 | 42-44-01.800N 087-46-29.000W | Q G | 33 10 | | SG on pile. | Maintained from Mar. 1 to Dec. 15. Private aid. |
| 20505 | - Harbor Channel Lighted Buoy 4 | 42-44-05.300N 087-46-25.000W | Q R | | | Red. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 20510 | - Harbor Channel Lighted Buoy 6 | 42-44-05.200N 087-46-27.000W | Q R | | | Red. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 20515 | - HARBOR LIGHT 9 | 42-44-01.800N 087-46-32.100W | Q G | 18 5 | | SG on post. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 20520 | - Harbor Channel Lighted Buoy 8 | 42-44-04.800N 087-46-32.000W | Q R | | | Red. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 20525 | - Harbor Channel Lighted Buoy 10 | 42-44-04.000N 087-46-35.000W | Q R | | | Red. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 20530 | - Harbor Channel Lighted Buoy 12 | 42-44-03.000N 087-46-37.000W | Q R | | | Red. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 20535 | - Harbor Preferred Channel Lighted Buoy | 42-44-02.800N 087-46-39.000W | FI (2+1)R 6s | | | Red and green bands. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 20540 | - HARBOR LIGHT 14 | 42-44-02.400N 087-46-40.100W | FI R 2.5s | 33 10 | | TR on pile. | Maintained from Mar. 1 to Dec. 15. Private aid. |
| 20545 | - HARBOR LIGHT 13 | 42-43-59.900N 087-46-38.900W | Q G | 18 5 | | SG on post. | Maintained from Apr. 15 to Oct 31. Private aid. |
| 20550 | - HARBOR JUNCTION LIGHT | 42-43-59.500N 087-46-44.000W | FI (2+1)G 6s | 30 9 | | JG on pile. | Maintained from Mar. 1 to Dec. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE MICHIGAN | | | | | | | |
| RACINE HARBOR | | | | | | | |
| Racine | | | | | | | |
| 20555 | - Yacht Club Channel Lighted Buoy 2 | 42-44-05.000N 087-46-38.000W | Q R | | | Red. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 20560 | - Yacht Club Channel Lighted Buoy 3 | 42-44-05.000N 087-46-39.500W | Q G | | | Green. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 20565 | - Yacht Club Channel Lighted Buoy 4 | 42-44-07.000N 087-46-36.000W | Q R | | | Red. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 20570 | - Yacht Club Channel Lighted Buoy 5 | 42-44-07.000N 087-46-40.000W | Q G | | | Green. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 20575 | - Yacht Club Channel Lighted Buoy 6 | 42-44-09.000N 087-46-34.500W | Q R | | | Red. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 20580 | - Yacht Club Channel Lighted Buoy 8 | 42-44-11.000N 087-46-34.000W | Q R | | | Red. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 20585 | - YACHT CLUB SOUTH BREAKWATER LIGHT | 42-44-06.000N 087-46-36.000W | F R | 15 5 | | On post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| 20590 | - YACHT CLUB NORTH BREAKWATER LIGHT | 42-44-12.000N 087-46-30.000W | F G | 15 5 | | On post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| LAKE MICHIGAN (Chart 14901) | | | | | | | |
| 20595 | NOAA Lighted Weather Buoy 45007 | 42-40-25.013N 087-01-34.354W | FI (4)Y 20s | | | Yellow disc-shaped hull. | Maintained from Apr 21 to Nov 21. Aid maintained by National Oceanic and Atmospheric Administration. |
| GREEN BAY | | | | | | | |
| Green Bay Harbor | | | | | | | |
| Green Bay Harbor Entrance Channel | | | | | | | |
| UPPER GREEN BAY | | | | | | | |
| 20597 | NOAA SLMTB Buoy 1 | 42-43-09.500N 086-57-16.230W | FI Y 4s | | | | Maintained from May.1 to Dec.1. Private aid. |
| LAKE MICHIGAN | | | | | | | |
| PORT WASHINGTON TO WAUKEGAN (Chart 14904) | | | | | | | |
| 20600 | Wind Point South Shoal Buoy 16 Marks east side of shoal. | 42-46-13.647N 087-44-00.849W | | | | Red nun. | |
| 20605 | Wind Point Light | 42-46-52.151N 087-45-30.026W | FI W 20s | 111 34 | 16 | White conical tower connected to dwelling. 111 | |
| 20610 | Wind Point North Shoal Lighted Buoy 14 Marks southeast side of shoals. | 42-47-43.414N 087-43-24.189W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 21. |
| 20613 | OAK CREEK BREAKWATER LIGHT 3 | 42-50-46.198N 087-49-30.072W | FI G 4s | 30 9 | | SG on pile on breakwater. | Maintained from Feb. 1 to Dec. 1. Private aid. |
| 20614 | OAK CREEK BREAKWATER LIGHT 2 | 42-50-47.575N 087-49-25.608W | FI R 4s | 30 9 | | TR on pile on breakwater. | Maintained from Feb. 1 to Dec. 1. Private aid. |
| 20615 | Oak Creek Park Daybeacon 1 | 42-51-55.400N 087-50-13.550W | | | | SG on pile on breakwater. | Private aid. |
| 20616 | OAK CREEK PARK LIGHT 2 | 42-51-58.780N 087-50-14.460W | FI R 4s | 27 8 | | TR on pile on breakwater. | Private aid. |
| 20617 | WISCONSIN ELECTRIC EAST END JETTY LIGHT A | 42-51-11.400N 087-49-51.500W | Q Y | | | Steel sheet pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 20618 | WISCONSIN ELECTRIC EAST END JETTY LIGHT B | 42-51-11.100N 087-49-51.000W | Q Y | | | Steel sheet pile. | Maintained from May 1 to Nov. 1. Private aid. |
| 20626.5 | SOUTH MILWAUKEE Y.C. HARBOR ENTRANCE LIGHT 1 | 42-54-17.000N 087-50-34.000W | Q G | 12 4 | | SG on pole on top of tanks. | Maintained from May 1 to Nov. 1. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| LAKE MICHIGAN | | | | | | | |
| PORT WASHINGTON TO WAUKEGAN (Chart 14904) | | | | | | | |
| 20627 | SOUTH MILWAUKEE Y.C. HARBOR ENTRANCE LIGHT 2 | 42-54-16.000N 087-50-32.000W | Q R | 12 4 | | TR on pole on sunken barge. | Maintained from May 1 to Nov. 1. Private aid. |
| 20629 | <i>Lighted Dredge 906</i> | 42-58-06.000N 087-47-10.000W | Q W | | | | Maintained from May 1 to Oct. 1. Private aid. |
| 20630 | <i>Milwaukee South Point Lighted Bell Buoy 1</i> Marks east side of shoal. | 42-59-22.598N 087-49-47.011W | FI G 4s | | 5 | Green. | Replaced by can from Dec. 1 to Apr. 21. |
| MILWAUKEE HARBOR (Chart 14924) | | | | | | | |
| Milwaukee | | | | | | | |
| 20635 | - Breakwater Light | 43-01-37.021N 087-52-54.959W | | 61 19 | 15 | Black lantern on white square structure. 61 | Light Characteristic is FL R (2) 10s. Two Red Flashes in 10 seconds. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates by keying the microphone five times on channel 83A. |
| 20645 | - BREAKWATER ENTRANCE SOUTH SIDE LIGHT | 43-01-31.450N 087-52-54.749W | FI G 2.5s | 48 15 | 7 | White cylindrical tower with green band. | |
| 20650 | - SOUTH ENTRANCE LIGHT 1 | 43-00-27.729N 087-52-37.832W | FI G 4s | 27 8 | 5 | SG on post. | |
| 20655 | - SOUTH ENTRANCE LIGHT 2 | 43-00-30.076N 087-52-35.460W | FI R 4s | 35 11 | 5 | White cylindrical tower with red band. | |
| 20660 | - NORTH ENTRANCE LIGHT 1 | 43-02-37.154N 087-52-50.053W | FI G 4s | 34 10 | 7 | White cylindrical tower with green band. | |
| 20665 | - NORTH ENTRANCE LIGHT 2 | 43-02-41.236N 087-52-49.066W | FI R 4s | 32 10 | 4 | TR on post. | |
| 20670 | - PIERHEAD LIGHT | 43-01-33.407N 087-53-42.970W | FI R 4s | 45 14 | 7 | TR on cylindrical tower. | |
| 20675 | - SOUTH PIERHEAD LIGHT 3 | 43-01-29.784N 087-53-40.968W | FI G 4s | 20 6 | 7 | On grey pole with concrete base. | |
| 20681 | LAKESHORE STATE PARK ENTRANCE LT 1 | 43-02-06.000N 087-53-43.000W | FI G 2.5s | | | | Private aid. |
| 20681.1 | LAKESHORE STATE PARK ENTRANCE LT 2 | 43-02-05.000N 087-53-40.000W | FI R 2.5s | | | | Private aid. |
| 20685 | - CITY PIER SOUTH SLIP LIGHT 2 | 43-01-22.200N 087-53-40.000W | F R | 16 5 | | On yellow post. | Private aid. |
| 20690 | - CITY PIER SOUTH SLIP LIGHT 1 | 43-01-16.800N 087-53-41.200W | F G | 12 4 | | On yellow post. | Private aid. |
| 20695 | - CITY SOUTH PIER NO. 2 NORTH LIGHT | 43-01-10.000N 087-53-38.000W | FI G 4s | 20 6 | | On yellow post. | Maintained from Apr. 30 to Nov. 30. Private aid. |
| 20700 | - CITY SOUTH PIER NO. 2 SOUTH LIGHT | 43-01-04.900N 087-53-35.000W | Q R | 20 6 | | On yellow post. | Maintained from Apr. 30 to Nov. 30. Private aid. |
| 20715 | - TANKER PIER LIGHT | 43-00-54.000N 087-53-24.000W | FI W 4s | 14 4 | | On green post. | Private aid. |
| 20720 | - SOUTH DISPOSAL AREA LIGHT 2 | 43-00-17.395N 087-53-04.003W | FI R 2.5s | 31 9 | 4 | TR on pile. | |
| 20725 | SOUTH SHORE PARK BREAKWATER LIGHT | 43-00-08.800N 087-53-05.400W | Q G | 16 5 | | On post standard. | Private aid. |
| 20729 | SOUTH SHORE PARK ENTRANCE LIGHTED BUOY 1 | 42-59-37.998N 087-52-28.308W | FI G 4s | 3 1 | | Green. | Maintained from May 1 to Oct. 15. Private aid. |
| 20730 | <i>South Shore Park Entrance Lighted Buoy 2</i> | 42-59-41.062N 087-52-21.485W | FI R 2.5s | | | Red. | Maintained from May 1 to Oct. 15. Private aid. |
| 20735 | Texas Rock Regulatory Buoy | 42-59-28.588N 087-52-23.410W | | | | White can with orange bands worded DANGER ROCKS. | Maintained from Apr. 14 to Oct. 14. |
| 20751 | - War Memorial South Daybeacon | 43-02-19.100N 087-53-45.000W | | | | NW on pile worded DANGER BREAKWATER. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| MILWAUKEE HARBOR (Chart 14924) | | | | | | | |
| Milwaukee | | | | | | | |
| 20752 | - War Memorial North Daybeacon | 43-02-22.200N 087-53-44.800W | | | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 20754 | VETERANS PARK WEST LIGHT | 43-02-35.100N 087-53-18.720W | FI W 4s | | | | Private aid. |
| 20754.1 | VETERANS PARK EAST LIGHT | 43-02-35.880N 087-53-16.360W | FI W 4s | | | | Private aid. |
| MicKinley Marina | | | | | | | |
| <i>Aids to navigation maintained from Apr. 1 to Oct. 31.</i> | | | | | | | |
| 20755 | - LIGHT 1 | 43-02-46.000N 087-52-54.500W | Q G | 20 6 | | SG on post. | Private aid. |
| 20756 | - PREFERRED CHANNEL LIGHT A/B | 43-02-48.200N 087-52-50.700W | FI (2+1)R 6s | 21 6 | | JR on post. | Private aid. |
| 20757 | - LIGHT 2 | 43-02-42.400N 087-52-52.900W | FI R 2.5s | 21 6 | | TR on post. | Private aid. |
| 20758 | - Daybeacon 3 | 43-02-51.500N 087-52-50.300W | | | | SG on post. | Private aid. |
| 20759 | - Daybeacon 4 | 43-02-51.300N 087-52-46.900W | | | | TR on post. | Private aid. |
| 20760 | - Daybeacon 5 | 43-03-01.000N 087-52-58.300W | | | | SG on post. | Private aid. |
| 20761 | - Daybeacon 6 | 43-03-00.400N 087-52-56.100W | | | | TR on post. | Private aid. |
| PORT WASHINGTON TO WAUKEGAN (Chart 14904) | | | | | | | |
| 20761.5 | <i>UWM BBB 1</i> | 43-03-33.120N 087-51-58.320W | Q Y | | | | Private aid. |
| 20762 | <i>UWM ATW</i> | 43-05-53.760N 087-50-58.680W | FI Y 4s | | | | Maintained from May. 1 to Dec. 1. Private aid. |
| 20762.1 | <i>UWM SFS</i> | 43-05-47.460N 087-51-52.200W | FI Y 4s | | | | Maintained from 1 Apr. to Nov. 1. Private aid. |
| 20763 | <i>Milwaukee Yacht Club Race Buoy</i> | 43-02-15.180N 087-47-03.900W | FI W 2.5s | | | | Maintained from May 1 to Nov. 1. Private aid. |
| 20764 | <i>Port Washington NOAA Weather Wave Buoy 1</i> | 43-19-24.590N 087-48-43.410W | FI Y 2.5s | | | | Maintained from May.1 to Nov.1. Private aid. |
| 20765 | KEVICH LIGHT | 43-19-23.700N 087-53-18.500W | Iso W 8s | 163 50 | | White cylindrical tower. | Private aid. |
| STONY LAKE TO POINT BETSIE | | | | | | | |
| 20768 | <i>UWM Port Washington Weather Wave Buoy 1</i> | 43-20-20.200N 087-52-43.100W | FI Y 4s | | | | Maintained from May.15 to Nov.15. Private aid. |
| PORT WASHINGTON TO WAUKEGAN (Chart 14904) | | | | | | | |
| Port Washington | | | | | | | |
| 20770 | - BREAKWATER LIGHT | 43-23-06.840N 087-51-34.554W | FI R 6s | 78 24 | 7 | On square tower. | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal operates by keying the microphone five times on VHF-FM channel 83A. |
| 20780 | - HARBOR BREAKWATER LIGHT 1 | 43-23-04.085N 087-51-38.912W | FI G 4s | 34 10 | 6 | White cylindrical tower with green band. | |
| 20790 | - HARBOR LIGHT 4 | 43-23-15.156N 087-51-48.602W | FI R 2.5s | 27 8 | 4 | TR on post. | |
| 20795 | - MUNICIPAL MARINA LIGHT 1 | 43-23-17.795N 087-51-49.010W | FI G 2.5s | 27 8 | 5 | SG on post. | |
| ALGOMA TO SHEBOYGAN (Chart 14903) | | | | | | | |
| Sheboygan | | | | | | | |
| 20805 | - GENERATING STATION SOUTH INTAKE CRIB LIGHT 6 | 43-42-55.980N 087-41-58.380W | FI R 3s | 49 15 | | TR on skeleton tower on cylindrical well. | Private aid. |
| 20810 | - GENERATING STATION MIDDLE INTAKE CRIB LIGHT 4 | 43-43-00.000N 087-41-49.600W | FI R 10s | 50 15 | | TR on rectangular tower. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| ALGOMA TO SHEBOYGAN (Chart 14903) | | | | | | | |
| Sheboygan | | | | | | | |
| 20815 | - Generating Station North Intake Lighted Buoy 2 | 43-43-02.000N 087-42-01.200W | FI R 4s | | | Red. | Maintained from May 1 to Oct. 15. Private aid. |
| MANITOWOC AND SHEBOYGAN (Chart 14922) | | | | | | | |
| Sheboygan | | | | | | | |
| 20820 | - BREAKWATER LIGHT | 43-44-58.230N 087-41-33.832W | FI R 4s | 55 17 | 8 | On cylindrical tower. | HORN: 1 blast ev 30s (3s bl). Fog signal operates by keying the microphone five times on VHF-FM channel 83A. |
| 20830 | - SOUTH PIERHEAD LIGHT | 43-44-54.957N 087-41-41.651W | FI G 4s | 22 7 | 6 | SG on post. | |
| 20832 | - MARINA LIGHT 2 | 43-45-02.200N 087-42-03.600W | FI R 4s | 20 6 | | TR on pole. | Maintained from May 1 to Nov. 15. Private aid. |
| 20833 | - Marina Daybeacon 1 | 43-45-04.800N 087-42-04.700W | | | | SG on pole. | Private aid. |
| 20834 | - NOAA Weather Wave Buoy 1 | 43-43-53.460N 087-37-29.810W | FI Y 2.5s | | | | Maintained from May.1 to Nov.1. Private aid. |
| 20835 | - NORTH PIERHEAD LIGHT | 43-44-57.514N 087-42-09.409W | F R | 29 9 | 6 | TR on post. | |
| 20840 | - Reef Lighted Buoy 2 Marks east side of reef. | 43-45-26.748N 087-41-09.463W | FI R 2.5s | | 5 | | Replaced from Nov. 07 to Apr. 14. |
| Manitowoc | | | | | | | |
| 20842 | - INTAKE EAST LIGHT | 44-04-42.000N 087-38-54.000W | Q W | 10 3 | | On post. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 20843 | - INTAKE WEST LIGHT | 44-04-49.800N 087-39-18.000W | Q W | 10 3 | | On post. | Maintained from Apr.15 to Dec. 1. Private aid. |
| 20845 | - Shoal Buoy 1 Marks northeast side of shoal. | 44-05-18.162N 087-37-44.151W | | | | Green can. | |
| 20850 | - Shoal Buoy 2 | 44-05-56.782N 087-37-32.215W | | | | Red nun. | |
| 20855 | - SOUTH BREAKWATER LIGHT 3 | 44-05-28.824N 087-38-37.838W | FI G 2.5s | 35 11 | 10 | White cylindrical tower with green band. | |
| 20860 | - Breakwater Light | 44-05-33.948N 087-38-36.942W | Iso W 6s | 52 16 | 12 | On cylindrical tower on fog signal building. 52 | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM CH 83A. |
| 20865 | - Buoy 6 | 44-05-35.238N 087-38-51.095W | | | | Red nun. | Maintained from Apr. 14 to Nov. 14. |
| Manitowoc Harbor of Refuge | | | | | | | |
| 20870 | - Junction Buoy Mh | 44-05-35.288N 087-38-58.440W | | | | Red and green bands; nun. | Maintained from Apr. 14 to Nov. 14. |
| 20875 | - PIERHEAD LIGHT 8 | 44-05-32.680N 087-39-05.592W | FI R 4s | 33 10 | 4 | TR on skeleton tower. | |
| 20878 | CITY CENTRE PILE 1 | 44-05-49.500N 087-39-56.040W | FI W 2.5s | | | | Private aid. |
| 20879 | CITY CENTRE PILE 2 | 44-05-49.440N 087-39-56.700W | FI W 2.5s | | | | Private aid. |
| 20880 | - Buoy 1 | 44-05-37.606N 087-38-58.431W | | | | Green can. | Maintained from Apr. 14 to Nov. 14. |
| 20885 | - Buoy 2 | 44-05-37.720N 087-38-53.629W | | | | Red nun. | Maintained from Apr. 14 to Nov. 14. |
| 20890 | - Buoy 3 | 44-05-39.862N 087-38-58.919W | | | | Green can. | Maintained from Apr. 14 to Nov. 14. |
| 20895 | - LIGHT 4 | 44-05-40.330N 087-38-56.032W | FI R 2.5s | 15 5 | 4 | TR on post. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE MICHIGAN | | | | | | | |
| MANITOWOC AND SHEBOYGAN (Chart 14922) | | | | | | | |
| Manitowoc | | | | | | | |
| Manitowoc Harbor of Refuge | | | | | | | |
| 20900 | - ICE BOOM WEST LIGHT | 44-05-41.900N 087-38-55.500W | Q R | | | On post. | Maintained on station only during deployment of ice boom. Private aid. |
| 20905 | - ICE BOOM EAST LIGHT | 44-05-41.900N 087-38-55.900W | Q R | 4 1 | | On post. | Maintained on station only during deployment of ice boom. Private aid. |
| 20910 | - LIGHT 5 | 44-05-41.930N 087-38-56.032W | FI G 2.5s | 15 5 | 5 | SG on post. | |
| 20915 | - Daybeacon 6 | 44-05-41.530N 087-38-53.332W | | | | TR on post. | |
| ALGOMA TO SHEBOYGAN (Chart 14903) | | | | | | | |
| Two Rivers | | | | | | | |
| 20925 | - NORTH PIERHEAD LIGHT | 44-08-33.690N 087-33-38.532W | FI R 2.5s | 34 10 | 12 | White cylindrical tower with red band. | HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 20930 | - SOUTH PIERHEAD LIGHT | 44-08-32.064N 087-33-41.720W | FI G 4s | 30 9 | 4 | SG on post. | |
| ALGOMA TO SHEBOYGAN (Chart 14903) | | | | | | | |
| 20935 | Rawley Point Light | 44-12-38.418N 087-30-31.932W | FI W 15s | 113 34 | 16 | On cylindrical tower. 113 | |
| Kewaunee | | | | | | | |
| 20950 | - SHOAL LIGHT | 44-27-03.971N 087-27-55.401W | FI G 4s | 43 13 | 8 | White cylindrical tower with green band. | HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 20955 | - Pierhead Light | 44-27-26.220N 087-29-35.280W | F W | 45 14 | 12 | Square tower on fog signal building. 45 | HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF FM channel 83A / 157.175MHz. |
| 20965 | - BREAKWATER LIGHT | 44-27-28.788N 087-29-26.868W | FI R 4s | 39 12 | 7 | White cylindrical tower with red band. | |
| 20970 | - NORTH PIERHEAD LIGHT 4 | 44-27-33.042N 087-29-48.756W | FI R 6s | 38 12 | 4 | TR on pile. | |
| LOWER GREEN BAY (Chart 14910) | | | | | | | |
| Algoma | | | | | | | |
| 20975 | - Light | 44-36-24.678N 087-25-46.788W | Iso R 6s | 48 15 | 12 | Cylindrical tower. 48 | HORN: 1 blast ev 10s (1s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 20980 | - LIGHT 1 | 44-36-23.210N 087-25-47.336W | FI G 4s | 20 6 | 6 | SG on post. | |
| 20985 | - LIGHT 2 | 44-36-26.750N 087-25-48.842W | FI R 4s | 28 9 | 4 | TR on pile on post. | |
| ALGOMA TO SHEBOYGAN (Chart 14903) | | | | | | | |
| Sheboygan | | | | | | | |
| 20986 | <i>NOAA Algoma Weather Wave Buoy 1</i> | 44-20-44.040N 087-26-44.670W | FI Y 4s | | | | Maintained from May.1 to Nov.1. Private aid. |
| STURGEON BAY AND CANAL (Chart 14919) | | | | | | | |
| 20990 | Canal Shoal Buoy 1 Marks east side of shoal. | 44-45-33.530N 087-18-06.082W | | | | Green can. | |
| Sturgeon Bay Ship Canal | | | | | | | |
| 20995 | - Light | 44-47-42.068N 087-18-48.062W | FI R 10s | 107 33 | 17 | On cylindrical tower. 107 | |
| 21005 | - NORTH PIERHEAD LIGHT | 44-47-31.290N 087-18-34.354W | FI R 2.5s | 40 12 | 11 | Cylindrical tower attached to fog signal building. | HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying the microphone five times on VHF FM marine radio channel 83A/157.175MHz. |
| 21010 | - <i>Lighted Buoy 2</i> | 44-46-43.030N 087-17-24.032W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 07 to Apr. 14. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE MICHIGAN | | | | | | | |
| STURGEON BAY AND CANAL (Chart 14919) | | | | | | | |
| Sturgeon Bay Ship Canal | | | | | | | |
| 21015 | - Buoy 3 | 44-47-20.510N 087-18-27.987W | | | | Green can. | |
| 21020 | - Buoy 4 | 44-47-23.748N 087-18-21.297W | | | | Red nun. | |
| 21025 | - SOUTH PIERHEAD LIGHT | 44-47-29.370N 087-18-39.582W | FI G 4s | 32 10 | 5 | White cylindrical tower with green band. | |
| 21030 | - South Daybeacon 5A | 44-47-37.710N 087-18-49.212W | | | | SG on pile. | |
| 21035 | - LIGHT 6 | 44-47-38.982N 087-18-47.568W | FI R 4s | 11 3 | 4 | TR on post. | |
| 21040 | - LIGHT 7 | 44-48-19.941N 087-19-50.767W | FI G 4s | 31 9 | 4 | SG on post. | |
| 21045 | - Buoy 9 | 44-48-43.364N 087-20-26.500W | | | | Green can. | |
| 21050 | - Buoy 10 | 44-48-45.234N 087-20-24.170W | | | | Red nun. | |
| 21055 | - Buoy 11 | 44-48-54.193N 087-20-44.220W | | | | Green can. | |
| 21060 | - LIGHT 12 | 44-48-57.827N 087-20-41.633W | FI R 4s | 21 6 | 4 | TR on pile. | |
| 21065 | - RANGE FRONT LIGHT | 44-48-42.615N 087-20-10.062W | Q W | 26 8 | | KRW on skeleton tower. | Lighted throughout 24 hours. |
| 21070 | - RANGE REAR LIGHT 1,658 feet, 120.4° from front light. | 44-48-34.338N 087-19-50.226W | F W | 46 14 | | KRW on skeleton tower. | Lighted throughout 24 hours. |
| Strawberry Creek Channel Entrance | | | | | | | |
| <i>Aids maintained from Jun. 1 to Nov. 1.</i> | | | | | | | |
| 21075 | - Buoy 1 | 44-48-46.000N 087-20-38.000W | | | | Green. | Private aid. |
| 21080 | - Buoy 2 | 44-48-46.300N 087-20-40.000W | | | | Red nun. | Private aid. |
| 21085 | - LIGHT 3 | 44-48-44.000N 087-20-42.500W | F G | 38 12 | | On tower. | Private aid. |
| 21090 | - LIGHT 4 | 44-48-43.600N 087-20-40.000W | F R | 38 12 | | On tower. | Private aid. |
| 21095 | - RANGE FRONT LIGHT | 44-48-40.000N 087-20-42.000W | F G | 14 4 | | On post. | Private aid. |
| 21100 | - RANGE REAR LIGHT 125 feet, 190° from front light. | 44-48-38.200N 087-20-43.000W | F G | 20 6 | | On post. | Private aid. |
| Sturgeon Bay Ship Channel | | | | | | | |
| 21105 | STURGEON BAY SHIP CANAL LEADING LIGHT | 44-49-52.744N 087-22-57.031W | F G | 25 8 | 5 | NB on 2nd span from west end of highway bridge. | Lighted throughout 24 hours. |
| 21110 | Sturgeon Bay Ship Canal Buoy 15 | 44-49-24.775N 087-21-53.797W | | | | Green can. | |
| 21115 | Sturgeon Bay Ship Canal Buoy 16 | 44-49-26.611N 087-21-52.272W | | | | Red nun. | |
| 21117 | <i>Sturgeon Bay Ship Canal Lighted Buoy 15A</i> | 44-49-35.310N 087-22-19.172W | FI G 2.5s | | 4 | Green can. | Replaced by can from Nov. 21 to Apr. 21. |
| 21118 | <i>Sturgeon Bay Ship Canal Lighted Buoy 16A</i> | 44-49-37.290N 087-22-17.132W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 21 to Apr. 21. |
| 21120 | <i>Sturgeon Bay Ship Canal Lighted Buoy 17</i> | 44-49-39.893N 087-22-37.177W | Q G | | 4 | Green. | Replaced by can from Nov. 21 to Apr. 21. |
| 21125 | Sturgeon Bay Ship Canal Buoy 19 | 44-50-01.890N 087-22-57.193W | | | | Green can. | |
| 21130 | Dunlap Reef Buoy C | 44-50-05.000N 087-23-11.000W | | | | White with orange bands and orange diamond worded SHALLOW AREA. | Maintained from Apr. 1 to Oct. 31. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE MICHIGAN | | | | | | | |
| STURGEON BAY AND CANAL (Chart 14919) | | | | | | | |
| Sturgeon Bay Ship Channel | | | | | | | |
| 21135 | Dunlap Reef Buoy B | 44-50-14.000N 087-23-21.900W | | | | White can with orange bands and diamond worded SHALLOW AREA. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 21140 | Dunlap Reef Buoy D | 44-50-15.800N 087-23-12.900W | | | | White can with orange bands and diamond worded SHALLOW AREA. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 21155 | - Buoy 22 | 44-50-48.351N 087-23-31.751W | | | | Red nun. | |
| 21160 | - LIGHT 21 Marks north side of Dunlap Reef. | 44-50-24.874N 087-23-17.545W | FI G 4s | 31 9 | 7 | SG on post. | Higher intensity beam up and downstream. |
| 21165 | Dunlap Reef Buoy A | 44-50-25.000N 087-23-21.000W | | | | White with orange bands and orange diamond worded SHALLOW AREA. | Maintained from Apr. 1 to Oct. 31. Private aid. |
| 21170 | - Buoy 23 | 44-50-47.015N 087-23-35.559W | | | | Green can. | |
| 21175 | - Buoy 24 | 44-51-09.643N 087-23-49.103W | | | | Red nun. | Replaced by nun from Nov. 21. to Apr. 21. |
| 21180 | - Buoy 25 | 44-51-08.561N 087-23-53.735W | | | | Green can. | Replaced by can from Nov. 21. to Apr. 21. |
| 21185 | - <i>Lighted Buoy 26</i> | 44-51-35.466N 087-24-09.338W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 21 to Apr. 21. |
| 21190 | - LIGHT 27 | 44-51-34.230N 087-24-17.242W | FI G 4s | 29 9 | 5 | SG on post. | Higher intensity beam up and downstream. |
| 21195 | - Buoy 28 | 44-52-04.425N 087-24-29.438W | | | | Red nun. | |
| 21200 | - Buoy 29 | 44-52-02.873N 087-24-35.880W | | | | Green can. | |
| 21205 | - Entrance Leading Light | 44-52-07.470N 087-24-52.987W | F Y | 36 11 | 17 | KRW on cylindrical tower. 36 | Sectored light, Yellow light in the channel center, green light right of channel center, red light left of channel center. |
| 21206 | - <i>Lighted Buoy 30</i> | 44-52-33.030N 087-24-48.033W | Q R | | 4 | Red. | Replaced by nun from Apr. 21 to Nov. 21. |
| 21210 | - <i>Lighted Buoy 31</i> Marks east side of shoal. | 44-52-45.739N 087-24-55.252W | FI G 2.5s | | 4 | Green | Replaced by can from Nov. 21 to Apr. 21. |
| 21215 | - <i>Lighted Buoy 32</i> | 44-52-43.843N 087-24-48.760W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 21 to Apr. 21. |
| 21217 | DOOR COUNTY PARK LIGHT 1 | 44-54-15.000N 087-24-23.000W | FI G 4s | | | | Maintained from Apr. 1 TO Nov. 30. Private aid. |
| 21218 | DOOR COUNTY PARK LIGHT 2 | 44-54-15.000N 087-24-21.000W | FI R 4s | | | | Private aid. |
| LOWER GREEN BAY (Chart 14910) | | | | | | | |
| 21220 | Whitefish Point Shoal Buoy 10 Marks southeast side of shoal. | 44-51-56.624N 087-11-26.589W | | | | Red nun. | |
| 21225 | Jacksonport Shoal Buoy 2 | 44-57-53.130N 087-09-11.332W | | | | Red nun. | |
| UPPER GREEN BAY | | | | | | | |
| Baileys Harbor | | | | | | | |
| 21228 | - FRONT RANGE LIGHT | 45-04-12.700N 087-07-11.100W | F R | | | | Private aid. |
| 21229 | - REAR RANGE LIGHT | 45-04-22.200N 087-07-16.200W | F W | | | | Private aid. |
| 21235 | - <i>Entrance Lighted Bell Buoy</i> | 45-01-50.712N 087-05-56.744W | Mo (A) W | | 4 | Red and white stripes. | Maintained from Apr. 21 to Oct. 14. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--------------------------------|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| LAKE MICHIGAN | | | | | | | |
| UPPER GREEN BAY | | | | | | | |
| Baileys Harbor | | | | | | | |
| 21240 | - Buoy 3 | 45-02-16.111N 087-06-36.115W | | | | Green can. | |
| 21245 | - Buoy 2 | 45-02-28.028N 087-06-00.051W | | | | Red nun. | |
| 21250 | BAILEYS YACHT CLUB BREAKWATER LIGHT | 45-03-52.000N 087-05-53.000W | Q R | 18 5 | | On post. | Maintained from Apr. 1 to Nov. 1. Private aid. |
| UPPER GREEN BAY | | | | | | | |
| 21255 | Cana Island Light | 45-05-17.826N 087-02-52.248W | F W | 83 25 | 17 | On conical tower connected to dwelling. 83 | |
| 21260 | North Bay Entrance South Side Buoy 1 | 45-07-42.348N 087-02-50.362W | | | | Green can. | |
| 21265 | North Bay Entrance North Side Buoy 2 | 45-07-52.119N 087-02-37.060W | | | | Red nun. | |
| 21270 | Four-Foot Shoal Buoy 8 Marks south side of shoal. | 45-08-59.803N 086-59-33.232W | | | | Red nun. | |
| Rowley Bay | | | | | | | |
| 21273 | - Buoy 1 | 45-10-21.451N 087-01-23.912W | | | | Green can. | |
| 21275 | - Buoy 2 Marks west side off Barkers Reef. | 45-10-36.631N 087-01-05.232W | | | | Red nun. | |
| 21280 | Spider Reef Buoy 6 Marks south side of reef. | 45-11-34.453N 086-58-05.444W | | | | Red nun. | |
| 21285 | - East Entrance Buoy 2A Marks shoal. | 45-11-38.875N 086-59-40.478W | | | | Red nun. | |
| 21290 | - Buoy 3 Marks east side of shoal. | 45-11-34.631N 087-01-35.032W | | | | Green can. | |
| 21295 | - Buoy 4 Marks south side of shoal. | 45-11-53.131N 087-01-01.032W | | | | Red nun. | |
| GREEN BAY | | | | | | | |
| UPPER GREEN BAY | | | | | | | |
| 21296 | Wagon Trails Resort Buoy 1 | 45-13-12.000N 087-01-59.460W | | | | | Maintained from May.15 to Sep.15. Private aid. |
| 21296.1 | Wagon Trails Resort Buoy 2 | 45-13-12.180N 087-02-00.000W | | | | | Maintained from May.15 to Sep.15. Private aid. |
| 21296.2 | Wagon Trails Resort Buoy 3 | 45-13-11.700N 087-02-00.300W | | | | | Maintained from May.15 to Sep.15. Private aid. |
| 21296.3 | Wagon Trails Resort Buoy 4 | 45-13-11.880N 087-02-00.540W | | | | | Maintained from May.15 to Sep.15. Private aid. |
| 21296.4 | Wagon Trails Resort Buoy 5 | 45-13-11.880N 087-02-00.960W | | | | | Maintained from May.15 to Sep.15. Private aid. |
| 21296.5 | Wagon Trails Resort Buoy 6 | 45-13-11.700N 087-02-01.140W | | | | | Maintained from May.15 to Sep.15. Private aid. |
| LAKE MICHIGAN | | | | | | | |
| UPPER GREEN BAY | | | | | | | |
| Porte Des Morts Passage | | | | | | | |
| 21300 | Porte Des Morts Entrance VAIS | 45-13-52.800N 086-53-54.142W | | | 1 | | AIS MMSI: 993672158. |
| 21305 | PLUM ISLAND RANGE FRONT LIGHT | 45-18-13.597N 086-57-17.935W | Iso R 6s | 40 12 | | KRW on white skeleton tower. | Visible 5.5° each side of range line. |
| 21310 | PLUM ISLAND RANGE REAR LIGHT 1,633 feet, 330° from front light. | 45-18-27.552N 086-57-29.447W | F R | 84 26 | | KRW on white cylindrical tower. | Light visible 360°. Lighted throughout 24 hours. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--|---------------|--------------|--|--|
| LAKE MICHIGAN | | | | | | | |
| LAKE MICHIGAN (Chart 14901) | | | | | | | |
| 21315 | <i>WJSC Portes Des Mortes Passage Weather Wave Buoy 1</i> | 45-17-54.492N 086-58-54.579W | Fl Y 4s | | | | Private aid. |
| UPPER GREEN BAY | | | | | | | |
| Porte Des Morts Passage | | | | | | | |
| 21320 | - Outer Shoal Buoy 1 Marks east side of shoal. | 45-13-57.830N 086-55-28.908W | | | | Green can. | |
| 21325 | Pilot Island Light | 45-17-03.978N 086-55-11.034W | Fl (2)W 6s 1s fl 1s ec. 1s fl 3s ec. | 48 15 | 9 | Yellow square tower with red roofs attached to dwelling. 48 | |
| 21330 | Nine-Foot Shoal Buoy 3 Marks east side of shoal. | 45-16-32.788N 086-57-03.848W | | | | Green can. | |
| 21335 | <i>Waverly Shoal Lighted Bell Buoy 5</i> Marks northeast side of shoal. | 45-17-07.209N 086-56-42.516W | Fl G 2.5s | | 4 | Green. | Replaced by can from Nov 7 to Apr. 21. |
| 21337 | - NORTHPORT HARBOR BREAKWATER LIGHT 1 | 45-17-32.000N 086-58-34.000W | Fl G 2.5s | 20 6 | | SG on blue pole. | Private aid. |
| 21338 | - NORTHPORT HARBOR BREAKWATER LIGHT 2 | 45-17-28.000N 086-58-30.000W | Fl R 2.5s | 20 6 | | TR on blue pole. | Private aid. |
| GREEN BAY | | | | | | | |
| Green Bay Harbor | | | | | | | |
| Green Bay Harbor Entrance Channel | | | | | | | |
| UPPER GREEN BAY | | | | | | | |
| 21339 | <i>Washington Island Weather Wave Buoy 1</i> | 45-20-08.720N 086-57-35.320W | Fl W 2.5s | | | | Maintained from May.1 to Nov.31. Private aid. |
| LAKE MICHIGAN | | | | | | | |
| UPPER GREEN BAY | | | | | | | |
| Detroit Island Passage | | | | | | | |
| 21340 | - <i>Lighted Buoy 2</i> Marks southwest side of shoal. | 45-18-57.048N 086-56-18.242W | Q R | | 4 | Red | Replaced by nun from Nov. 7 to Apr. 21. |
| 21345 | <i>Plum Island Lighted Buoy 1</i> | 45-19-18.472N 086-56-43.980W | Fl G 2.5s | | 5 | Green. | Maintained from Apr. 21 to Nov. 7. AIS MMSI: 993682700 |
| Detroit Harbor | | | | | | | |
| 21348 | - Entrance Buoy 2 | 45-19-43.078N 086-56-10.285W | | | | Red Nun | |
| 21350 | - ENTRANCE LIGHT | 45-19-55.590N 086-56-12.666W | Fl W 4s | 25 8 | 11 | SG on skeleton tower. | HORN: 1 blast ev 30s (3s bl). Operates by keyeing microphone five times on VHF-FM Ch. 83A. Ra ref. |
| 21354 | - <i>Channel Lighted Buoy 4</i> | 45-19-54.208N 086-56-09.382W | Fl R 2.5s | | 3 | Red. | Maintained from 7 May to Nov. 21. |
| 21355 | - Channel Buoy 6 | 45-20-04.460N 086-56-07.881W | | | | Red nun. | |
| 21360 | - CHANNEL LIGHT 8 | 45-20-13.039N 086-56-07.279W | Fl R 4s | 32 10 | 5 | TR on post. | |
| 21365 | - CHANNEL LIGHT 9 | 45-20-16.879N 086-56-10.794W | Fl G 2.5s | 32 10 | 4 | SG on post. | |
| 21370 | - Channel Buoy 10 | 45-20-20.393N 086-56-08.594W | | | | Red nun. | |
| 21375 | - Channel Buoy 12 | 45-20-24.151N 086-56-07.628W | | | | Red nun. | Maintained from 07 May to 21 November |
| 21380 | - Channel Danger Buoy | 45-20-26.101N 086-56-11.300W | | | | Isolated Danger Buoy | Maintained from 07 May to 21 Nov |
| 21385 | - Channel Buoy 13 | 45-20-25.211N 086-56-09.073W | | | | Green can. | Maintained from 07 May to 21 Nov |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---------------------------|---|
| LAKE MICHIGAN | | | | | | | |
| UPPER GREEN BAY | | | | | | | |
| Detroit Harbor | | | | | | | |
| Shipyard Island Marina | | | | | | | |
| 21390 | - Lighted Buoy 2 | 45-20-32.000N 086-55-45.000W | FI R 2.5s | | | Red. | Maintained from May 15 to Oct. 15. Private aid. |
| 21395 | - Lighted Buoy 4 | 45-20-27.500N 086-55-12.000W | FI R 3s | | | Red. | Maintained from May 15 to Oct. 15. Private aid. |
| 21400 | - Lighted Buoy 6 | 45-20-24.100N 086-54-45.600W | FI R 3s | | | Red. | Maintained from May 15 to Oct. 15. Private aid. |
| 21405 | - NORTH DOCK LIGHT | 45-20-24.100N 086-54-33.500W | FI R 2.5s | 10 3 | | SG on post. | Maintained from May 15 to Oct. 15. Private aid. |
| 21410 | - SOUTH DOCK LIGHT | 45-20-23.000N 086-54-30.000W | FI R 2.5s | 10 3 | | TR on post. | Maintained from May 15 to Oct. 15. Private aid. |
| UPPER GREEN BAY | | | | | | | |
| 21420 | <i>Fisherman Shoal Lighted Bell Buoy 6</i> Marks southeast side of shoal. | 45-21-32.920N 086-46-12.644W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 07 to Apr. 21. |
| 21423 | - Traffic (RI) V-AIS | 45-26-06.043N 086-44-32.048W | (NIGHT) (DAY) | | | | AIS MMSI# 993682124 |
| 21425 | POTTAWATOMIE LIGHT | 45-25-39.534N 086-49-43.568W | FI W 4s | 159 48 | 7 | On square skeleton tower. | Light is obscured from 275° to 020° by dense foliage on Rock Island. |
| 21435 | <i>St Martin Island Shoal Lighted Buoy 2</i> Marks south side of shoal. | 45-26-36.063N 086-45-07.453W | FI R 2.5s | | 4 | Red. | Maintained from Apr 21 to Nov 07. AIS MMSI: 993672240 |
| 21440 | St Martin Shoal Buoy 4 Marks southwest side of shoal. | 45-26-39.896N 086-46-26.062W | | | | Red nun. | Maintained from Apr. 21 to Nov. 07. |
| UPPER GREEN BAY | | | | | | | |
| 21445 | <i>Little Gull Island Lighted Bell Buoy 2</i> | 45-29-33.655N 086-42-58.083W | FI R 4s | | 4 | Red. | Maintained from Apr. 21 to Oct. 14. |
| 21450 | St. Martin Island Light | 45-30-15.968N 086-45-28.032W | FI W 10s | 84 26 | 16 | On hexagonal tower. | |
| 21455 | Gravelly Island Shoal Buoy 4 Marks west side of shoal. | 45-30-45.365N 086-43-59.112W | | | | Red nun. | |
| 21465 | SUMMER ISLAND LIGHT | 45-34-19.551N 086-37-40.512W | FI W 4s | 38 12 | 6 | NR on skeleton tower. | |
| DUTCH JOHNS POINT TO FISHERY POINT | | | | | | | |
| Manistique | | | | | | | |
| 21470 | <i>Wiggins Point Shoal Lighted Bell Buoy 4</i> | 45-50-27.016N 086-16-52.914W | FI R 4s | | 4 | | Maintained from Apr. 28 to Nov. 14. |
| 21475 | - LIGHT | 45-56-41.587N 086-14-51.462W | Iso R 6s | 50 15 | 9 | On tower. | HORN: 1 blast ev 30s (3s bl). Operate the fog signal by keying VHF Marine radio five times on channel 83A. |
| 21480 | - WEST BREAKWATER LIGHT 1 | 45-56-43.454N 086-14-55.491W | FI G 4s | 26 8 | 4 | SG on post. | |
| 21485 | - WEST PIERHEAD LIGHT 3 | 45-56-52.251N 086-14-47.992W | FI G 2.5s | 23 7 | 4 | SG on post. | |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| 21490 | Seul Choix Point Light | 45-55-17.115N 085-54-43.174W | FI W 6s | 80 24 | 13 | 80 | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| LAKE MICHIGAN | | | | | | | |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| Port Inland | | | | | | | |
| 21500 | - LIGHT | 45-57-08.000N 085-52-06.000W | | 48 15 | | On skeleton tower. | Maintained from Apr. 15 to Dec. 15. HORN: 1 blast ev 12s (2s bl). Private aid. |
| 21505 | - OUTER RANGE FRONT LIGHT | 45-58-06.000N 085-52-06.000W | Q R | 25 8 | | Orange and white square daymark on pile. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| 21510 | - OUTER RANGE REAR LIGHT 800 feet, 000° from front light. | 45-58-30.000N 085-52-06.000W | F R | 45 14 | | Orange and white square daymark on pile. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| 21515 | - INNER RANGE FRONT LIGHT | 45-58-25.000N 085-52-06.000W | F R | 20 6 | | Orange and white square daymark on pile. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| 21520 | - INNER RANGE REAR LIGHT 625 feet, 047° from front light. | 45-58-12.000N 085-52-00.000W | F R | 40 12 | | Orange and white square daymark on pile. | Maintained from Apr. 15 to Dec. 15. Private aid. |
| WAUGOSHANCE POINT TO SEUL CHOIX POINT (Chart 14911) | | | | | | | |
| 21525 | <i>Boulder Reef Lighted Bell Buoy 1</i> | 45-35-12.303N 085-59-06.888W | FI G 4s | | 5 | Green. | Replaced by can from Nov 14 to Apr. 28. |
| 21530 | GULL ISLAND LIGHT | 45-42-41.677N 085-50-33.277W | FI W 6s | 77 23 | 9 | NR on skeleton tower. | |
| 21535 | Lansing Shoals Light | 45-54-13.472N 085-33-42.211W | FI W 10s | 69 21 | 12 | Gray square tower on concrete crib. 69 | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. AIS: MMSI 993682297 |
| 21540 | <i>Garden Island Shoal Lighted Bell Buoy 1</i> Marks northeast side of shoal. | 45-52-05.721N 085-28-26.157W | FI G 4s | | 5 | Green. | Maintained from Apr 28 to Nov. 14. AIS MMSI: 993682296 |
| 21545 | Trout Island Shoal Buoy 5 Marks west side of shoal. | 45-46-45.631N 085-44-15.031W | | | | Green can. | |
| 21550 | Whiskey Island Shoal Buoy 6 | 45-47-16.689N 085-37-58.607W | | | | Red nun. | |
| 21555 | Whiskey Island Shoal Buoy 4 Marks south side of shoal. | 45-48-07.187N 085-35-31.029W | | | | Red nun. | |
| 21560 | Ojibwa Island Shoal Buoy 2 Marks east side of shoal. | 45-50-13.002N 085-34-05.054W | | | | Red nun. | |
| 21565 | Ojibwa Island Shoal Buoy 1 | 45-52-18.043N 085-35-00.588W | | | | Green can. | Maintained from Apr. 24 to Nov. 14. AIS MMSI: 993682271 |
| 21570 | Potter Reef Buoy 1 Marks northeast side of reef. | 45-59-50.206N 085-30-54.882W | | | | Green can. | |
| 21575 | Millecoquins Inner Reef Buoy 2 Marks west side of reef. | 46-00-43.399N 085-28-15.217W | | | | Red nun. | |
| 21580 | NAUBINWAY ISLAND LIGHT | 46-04-32.192N 085-26-41.911W | FI W 4s | 32 10 | 6 | White cylindrical tower. | |
| GREEN BAY | | | | | | | |
| DUTCH JOHNS POINT TO FISHERY POINT | | | | | | | |
| Big Bay De Noc | | | | | | | |
| 21590 | <i>Fayette Lighted Bell Buoy 2</i> | 45-43-21.420N 086-40-20.760W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Oct 14. |
| 21592 | - OGONTZ BAY BOAT LAUNCH LIGHT | 45-49-58.000N 086-47-14.000W | | 20 6 | | On post. | Maintained from Apr. 15 to Oct. 30. Private aid. |
| 21595 | - Shoal Buoy 1 Marks south side of shoal. | 45-44-42.048N 086-42-20.326W | | | | Green can. | |
| 21600 | <i>Drisco Shoal Lighted Bell Buoy 2</i> Marks south side of shoal. | 45-33-18.936N 086-57-33.806W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 21 to Apr. 28. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| GREEN BAY | | | | | | | |
| DUTCH JOHNS POINT TO FISHERY POINT | | | | | | | |
| Big Bay De Noc | | | | | | | |
| 21605 | <i>Southwest Drisco Shoal Lighted Buoy DA</i> | 45-32-09.920N 087-00-36.482W | Fl (2)W 5s | | 4 | Black with red band and two top marks. | Replaced by can from Nov. 21 Apr. 28. AIS MMSI: 993672241 |
| LAKE MICHIGAN | | | | | | | |
| LAKE MICHIGAN (Chart 14901) | | | | | | | |
| 21608 | <i>MTU Northern Green Bay Weather Wave Buoy 1</i> | 45-32-59.454N 086-53-46.120W | Fl Y 2.5s | | | | Maintained from May.1 to Dec.1. Private aid. |
| GREEN BAY | | | | | | | |
| DUTCH JOHNS POINT TO FISHERY POINT | | | | | | | |
| Big Bay De Noc | | | | | | | |
| 21610 | Minneapolis Shoal Light | 45-34-53.357N 086-59-55.410W | Fl W 5s | 82 25 | 15 | On white square tower with red stripe. | RACON: M (- -) HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF-FM 83A. |
| 21615 | Corona Shoal Buoy 4 | 45-36-42.135N 086-57-44.568W | | | | Red nun. | Maintained from Apr. 28 to Nov. 21. |
| 21620 | <i>Ford River Shoal Lighted Buoy 5</i> Marks southeast side of shoal. | 45-38-31.988N 087-03-38.835W | Fl G 4s | | 4 | Green. | Maintained from Apr. 28 to Nov. 21. |
| 21621 | FORD RIVER BOAT LAUNCH LIGHT | 45-40-26.000N 087-08-24.000W | Fl Y 4s | | | On post. | Maintained from May 1 to Nov. 1. Private aid. |
| 21625 | <i>Eleven Foot Shoal Lighted Bell Buoy 6</i> | 45-38-03.922N 086-59-16.502W | Fl R 6s | | 4 | Red. | Replaced by nun from Nov. 21 to Apr. 28. |
| LITTLE BAY DE NOC (Chart 14915) | | | | | | | |
| Little Bay De Noc | | | | | | | |
| 21630 | - <i>Lighted Buoy 8</i> | 45-43-45.820N 087-01-30.619W | Fl R 4s | | 4 | Red. | Maintained from Apr. 28 to Nov. 21. AIS MMSI: 993672242 |
| 21631 | Escanaba Harbor Daybeacon 1 | 45-44-32.700N 087-02-15.500W | | | | SG on post. | Private aid. |
| 21632 | ESCANABA YACHT HARBOR NORTH PIERHEAD LIGHT 2 | 45-41-35.400N 087-02-14.200W | F R | 30 9 | | TR on post. | Private aid. |
| 21635 | ESCANABA LIGHT Marks shoal. | 45-44-47.502N 087-02-13.764W | Iso W 6s | 45 14 | 11 | White square tower with green band. | HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF-FM Ch. 83A. |
| 21645 | Escanaba Buoy 1 Marks north side of obstruction. | 45-44-50.419N 087-02-38.622W | | | | Green can. | |
| 21646 | Basic Marine Inc. Buoy 1 | 45-44-53.400N 087-03-06.500W | | | | Green can. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 21647 | Basic Marine Inc. Buoy 2 | 45-44-58.000N 087-03-10.000W | | | | Red nun. | Maintained from Apr. 15 to Dec. 1. Private aid. |
| 21650 | - <i>Shoal Lighted Buoy 10</i> Marks southwest side of shoal. | 45-45-31.119N 087-01-22.024W | Fl R 4s | | 4 | Red. | Maintained from Apr. 28 to Nov. 21. |
| 21655 | C & N ORE DOCK LIGHT 4 | 45-46-03.000N 087-03-20.000W | F R | 8 2 | | | Maintained from May 1 to Jan. 1. Private aid. |
| 21670 | Vinette Co Buoy 2 Marks submerged piling. | 45-46-15.000N 087-03-20.000W | | | | Red nun. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 21675 | Vinette Co Buoy 4 Marks submerged piling. | 45-46-14.600N 087-03-28.000W | | | | Red nun. | Maintained from Apr. 15 to Oct. 31. Private aid. |
| 21680 | Vinette Co Buoy 6 Marks submerged piling. | 45-46-14.300N 087-03-45.100W | | | | Red nun. | Maintained from Apr. 15 to Oct. 31. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| GREEN BAY | | | | | | | |
| LITTLE BAY DE NOC (Chart 14915) | | | | | | | |
| Little Bay De Noc | | | | | | | |
| 21682 | <i>Escanaba River Lighted Buoy 1</i> | 45-46-34.200N 087-03-21.000W | FI G 4s | | | Green. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.1 | <i>Escanaba River Lighted Buoy 2</i> | 45-46-35.400N 087-03-19.200W | FI R 4s | | | Red. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.2 | Escanaba River Buoy 3 | 45-46-36.000N 087-03-24.000W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.3 | Escanaba River Buoy 4 | 45-46-36.600N 087-03-23.400W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.4 | Escanaba River Buoy 5 | 45-46-37.800N 087-03-29.400W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.5 | Escanaba River Buoy 6 | 45-46-38.400N 087-03-28.200W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.6 | Escanaba River Buoy 7 | 45-46-38.400N 087-03-33.600W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.7 | Escanaba River Buoy 8 | 45-46-39.000N 087-03-32.400W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.8 | Escanaba River Buoy 9 | 45-46-39.000N 087-03-39.000W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |
| 21682.9 | Escanaba River Buoy 10 | 45-46-40.200N 087-03-37.800W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21683 | Escanaba River Buoy 11 | 45-46-40.200N 087-03-43.800W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |
| 21683.1 | Escanaba River Buoy 12 | 45-46-41.400N 087-03-43.200W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21683.2 | Escanaba River Buoy 13 | 45-46-41.400N 087-03-49.200W | | | | Green can. | Maintained from May 1 to Nov. 15. Private aid. |
| 21683.3 | Escanaba River Buoy 14 | 45-46-42.600N 087-03-48.600W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21683.4 | Escanaba River Buoy 16 | 45-46-43.200N 087-03-51.000W | | | | Red nun. | Maintained from May 1 to Nov. 15. Private aid. |
| 21685 | - <i>Lighted Buoy 11</i> | 45-48-14.031N 087-02-41.033W | FI G 2.5s | | 5 | Green. | Maintained from Apr. 28 to Nov. 21. |
| 21690 | - <i>Lighted Buoy 12</i> | 45-49-55.875N 087-00-31.676W | FI R 6s | | 4 | Red. | Maintained from Apr. 28 to Nov. 21. |
| Gladstone | | | | | | | |
| <i>Buoys maintained from May 15 to Oct. 15.</i> | | | | | | | |
| 21695 | - BREAKWATER LIGHT | 45-50-17.500N 087-01-03.000W | FI G 2.5s | 20 6 | | | Private aid. |
| 21700 | - Entrance Buoy 1 | 45-50-18.000N 087-01-02.000W | | | | Green can. | Private aid. |
| 21705 | - Entrance Buoy 2 | 45-50-19.000N 087-01-00.000W | | | | Red nun. | Private aid. |
| 21710 | - Entrance Buoy 3 | 45-50-19.000N 087-01-04.000W | | | | Green can. | Private aid. |
| 21715 | - Entrance Buoy 4 | 45-50-20.000N 087-01-02.000W | | | | Red nun. | Private aid. |
| 21720 | - Entrance Buoy 5 | 45-50-20.000N 087-01-05.000W | | | | Green can. | Private aid. |
| 21725 | - Entrance Buoy 6 | 45-50-21.000N 087-01-03.000W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--------------------|---|
| GREEN BAY | | | | | | | |
| LITTLE BAY DE NOC (Chart 14915) | | | | | | | |
| Little Bay De Noc | | | | | | | |
| 21730 | Saunders Point Buoy 13 | 45-50-53.194N 086-59-44.565W | | | | Green can. | |
| 21735 | SAUNDERS POINT LIGHT | 45-50-52.016N 087-00-01.575W | Iso G 6s | 28 9 | 6 | SG on post. | |
| 21740 | Saunders Point Shoal Inside Buoy 15 | 45-51-07.274N 086-59-55.751W | | | | Green can. | |
| 21741 | - HUNTERS POINT BOAT LAUNCH LIGHT | 45-50-48.000N 086-50-05.000W | | 20 6 | | On post. | Maintained from Apr. 15 to Oct. 30. Private aid. |
| 21743 | <i>Butler Island Lighted Buoy 17</i> | 45-51-53.564N 087-00-33.190W | FI G 4s | | 3 | | Maintained from May 1 to Nov. 14 |
| 21746 | <i>Days River Shoal Lighted Buoy 19</i> | 45-53-09.031N 086-58-32.033W | FI G 2.5s | | 3 | | Maintained from May 1 to Nov. 14 |
| UPPER GREEN BAY | | | | | | | |
| 21760 | JACKSON HARBOR LIGHT | 45-24-10.221N 086-51-01.782W | FI R 4s | 20 6 | 7 | TR on pile. | |
| 21765 | Jackson Harbor Buoy 1 | 45-24-12.394N 086-50-57.306W | | | | Green can. | |
| 21766 | Jackson Harbor Buoy 2 | 45-24-12.956N 086-50-59.608W | | | | Red nun. | |
| 21770 | BOYER BLUFF LIGHT | 45-25-12.552N 086-56-11.280W | FI W 6s | 220 67 | 7 | On skeleton tower. | |
| 21775 | <i>Whaleback Shoal East End Lighted Bell Buoy 4</i> | 45-21-00.716N 087-10-12.152W | FI R 6s | | 4 | Red. | Replaced by nun from Nov 21 to Apr. 28. |
| 21780 | Whaleback Shoal West End Buoy 1 Marks northwest side of shoal. | 45-22-08.019N 087-11-49.658W | | | | Green can. | |
| 21785 | CEDAR RIVER PIERHEAD LIGHT | 45-24-26.482N 087-21-03.752W | FI G 4s | 26 8 | 7 | SG on post. | |
| 21787 | CEDAR RIVER LIGHT 2 | 45-24-29.345N 087-21-01.375W | FI R 4s | 20 6 | 4 | TR on pole. | |
| 21790 | <i>Cedar River Entrance Lighted Buoy 1</i> | 45-23-43.852N 087-20-28.658W | FI G 6s | | 4 | Green can. | Marks rock. Maintained from 28 Apr to 21 Nov. |
| Green Bay Harbor | | | | | | | |
| Green Bay Harbor Entrance Channel | | | | | | | |
| UPPER GREEN BAY | | | | | | | |
| 21793 | Cedar River Buoy 3 | 45-24-10.242N 087-20-59.636W | (NIGHT) | | | Green can. | Maintained from May 14 to Nov. 14 |
| | | | (DAY) | | | | |
| UPPER GREEN BAY | | | | | | | |
| 21793.5 | Cedar River Buoy 4 | 45-24-11.822N 087-20-56.187W | | | | Red nun. | Maintained from May 14 to Nov. 14. |
| 21794 | Cedar River Buoy 5 | 45-24-15.677N 087-21-01.093W | | | | Green can. | Maintained from May 14 to Nov. 14 |
| 21794.1 | Cedar River Buoy 6 | 45-24-17.331N 087-20-58.095W | | | | Red nun. | Maintained from May 14 to Nov. 14. |
| 21794.2 | Cedar River Buoy 9 | 45-24-20.125N 087-21-02.201W | | | | Green can. | Maintained from May 14 to Nov. 14. |
| 21794.3 | Cedar River Buoy 10 | 45-24-21.921N 087-20-59.567W | | | | Red nun. | Maintained from May 14 to Nov. 14. |
| 21794.4 | Cedar River Buoy 11 | 45-24-23.050N 087-21-02.887W | | | | Green can. | Maintained from May 14 to Nov. 14. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---------------------------|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| GREEN BAY | | | | | | | |
| UPPER GREEN BAY | | | | | | | |
| 21794.5 | Cedar River Buoy 12 | 45-24-24.264N 087-21-00.208W | | | | Red nun. | Maintained from May 14 to Nov. 14. |
| 21795 | Sister Islands Buoy 1 | 45-13-33.645N 087-09-07.666W | | | | Green can. | |
| 21797 | YACHT WORKS MARINA WEST BREAKWATER LIGHT A | 45-12-12.000N 087-07-16.200W | FI W 4s | 22 7 | | | Private aid. |
| 21798 | YACHT WORKS MARINA BREAKWATER LIGHT 1 | 45-12-08.460N 087-07-15.300W | FI G 2.5s | 27 8 | | SG on pile. | Private aid. |
| 21799 | YACHT WORKS MARINA BREAKWATER LIGHT 2 | 45-12-08.340N 087-07-13.740W | FI R 2.5s | 31 9 | | TR on pile. | Private aid. |
| 21800 | SISTER BAY MARINA LIGHT 1 | 45-11-54.000N 087-07-12.000W | FI G 4s | 20 6 | | SG on post. | Private aid. |
| 21802 | SISTER BAY RESORT AND YACHT CLUB LIGHT | 45-11-25.000N 087-07-24.000W | FI R 2s | 5 2 | | On post. | Maintained from May 1 to Nov. 1. Private aid. |
| 21805 | <i>Horseshoe Reef Lighted Buoy</i> 2 Marks southeast side of reef. | 45-12-59.684N 087-11-54.137W | FI R 4s | | 4 | Red. | Replaced by nun from Oct. 14 to May 1. |
| 21810 | Sister Shoals Buoy 3 | 45-11-57.188N 087-10-37.251W | | | | Green can. | |
| 21815 | HORSESHOE ISLAND LIGHT 5 | 45-10-38.106N 087-12-42.510W | FI G 4s | 33 10 | 4 | SG on post. | |
| Strawberry Channel | | | | | | | |
| 21820 | - Northeast Buoy 4 Marks east side of shoal. | 45-10-48.031N 087-14-55.633W | | | | Red nun. | |
| 21825 | EAGLE BLUFF LIGHT | 45-10-07.302N 087-14-12.132W | FI W 6s | 75 23 | 6 | Yellow square tower with brown roof attached to dwelling | Light is obscured from 220° to 030°. |
| 21830 | - <i>Southeast Lighted Bell Buoy</i> 6 | 45-09-02.877N 087-14-59.568W | FI R 4s | | 3 | Red. | No winter mark from Oct. 14 to May 1. |
| 21835 | - <i>Mid-Channel Lighted Buoy S</i> | 45-08-33.031N 087-16-22.033W | FI (2+1)R 6s | | 4 | Red and green bands. | Replaced by nun from Oct. 14 to May 1. |
| 21845 | Hanover Shoal Buoy 2 | 45-08-33.620N 087-17-42.343W | | | | Red nun. | Replaced by smaller nun from Oct. 14 to Apr. 1. |
| 21850 | Hat Island South Shoal Buoy HI | 45-05-17.207N 087-19-23.916W | | | | Black can with red band. Topmark spheres. | Maintained from Apr. 21 to Oct. 14. |
| UPPER GREEN BAY | | | | | | | |
| 21851 | EGG HARBOR LIGHT 1 | 45-02-57.225N 087-17-03.198W | FI G 4s | | | | Private aid. |
| Strawberry Channel | | | | | | | |
| 21855 | <i>Anchorage Cove Lighted Buoy</i> 1 | 45-04-08.000N 087-16-54.000W | Q G | | | Green. | Maintained from May 1 to Oct. 30. Private aid. |
| 21860 | <i>Anchorage Cove Lighted Buoy</i> 2 | 45-04-06.000N 087-16-54.000W | Q R | | | Red. | Maintained from May 1 to Oct. 30. Private aid. |
| 21865 | Anchorage Cove Buoy 3 | 45-04-06.000N 087-16-54.000W | | | | Green can. | Maintained from May 1 to Oct. 30. Private aid. |
| 21870 | Anchorage Cove Buoy 4 | 45-04-06.000N 087-16-54.000W | | | | Red nun. | Maintained from May 1 to Oct. 30. Private aid. |
| 21875 | LILLA HAMMAR LIGHT 1 | 45-03-58.200N 087-17-07.800W | F G | 12 4 | | SG on post. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 21880 | LILLA HAMMAR LIGHT 2 | 45-03-58.200N 087-17-07.800W | F R | 12 4 | | TR on post. | Maintained from Jun. 15 to Sep. 15. Private aid. |
| 21885 | LILLA HAMMAR ENTRANCE LIGHT | 45-04-15.000N 087-16-50.000W | F W | 9 3 | | On post. | Maintained from Jun. 15 to Sep. 15. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------------------|--|
| GREEN BAY | | | | | | | |
| UPPER GREEN BAY | | | | | | | |
| Strawberry Channel | | | | | | | |
| 21890 | <i>Chambers Islands North Shoal Lighted Bell Buoy 1</i> | 45-14-24.073N 087-19-48.338W | FI G 4s | | 4 | Green. | Replaced by can from Nov 14 to Apr. 21. |
| 21895 | Chambers Island Light | 45-12-07.350N 087-21-54.570W | FI W 6s | 97 30 | 12 | On skeleton tower. 60 | |
| 21900 | <i>Chambers Island West Shoal Lighted Bell Buoy 3</i> | 45-10-48.155N 087-24-23.519W | FI G 2.5s | | 4 | Green. | Replaced by can from Nov 14 to Apr. 21. AIS MMSI: 993672243 |
| MENOMINEE AND MARINETTE HARBORS | | | | | | | |
| Menominee | | | | | | | |
| 21905 | - MARINA BREAKWATER LIGHT 2 | 45-06-23.000N 087-36-00.000W | FI R 4s | 40 12 | | TR on post. | Private aid. |
| 21910 | - Marina Breakwater Daybeacon 3 | 45-06-23.600N 087-36-03.700W | | | | SG on post. | Private aid. |
| 21915 | - <i>Shoal Lighted Bell Buoy 2A</i> | 45-06-19.878N 087-34-26.118W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 14 to Apr. 21. |
| 21920 | - <i>Entrance Lighted Buoy 1</i> Marks shoal. | 45-05-55.979N 087-34-34.018W | FI G 2.5s | | 4 | Green can. | Replaced by can buoy from Nov 14 to Apr 21. AIS MMSI: 993672244 |
| 21925 | - <i>Entrance Lighted Buoy 2</i> Marks shoal. | 45-06-00.278N 087-34-40.818W | FI R 2.5s | | 4 | Red nun. | Replaced by nun buoy from Nov 14 to Apr 21. AIS MMSI 993672245 |
| 21930 | MARINETTE PIERHEAD LIGHT 3 | 45-05-47.040N 087-35-06.432W | FI G 4s | 25 8 | 4 | SG on post. | |
| 21935 | - PIERHEAD LIGHT 4 | 45-05-50.140N 087-35-09.734W | Oc R 4s | 46 14 | 9 | | |
| 21940 | - Pier Light 6 | 45-05-46.960N 087-35-19.193W | FI R 6s | 59 18 | 9 | On red skeleton tower. 50 | |
| 21945 | - River Buoy 2 | 45-06-00.726N 087-36-53.754W | | | | Red nun. | Maintained from May 7 to Nov. 7. |
| 21948 | - River Buoy 2A | 45-06-02.754N 087-37-00.642W | | | | Red nun. | Maintained from May 7 to Nov 7. |
| 21950 | - River Buoy 4 | 45-06-04.380N 087-37-07.044W | | | | Red nun. | Maintained from May 7 to Nov. 7. |
| 21955 | - River Buoy 6 | 45-06-04.530N 087-37-12.666W | | | | Red nun. | Maintained from May 7 to Nov. 7. |
| 21957 | - River Buoy 7 Marks shoal. | 45-06-04.921N 087-37-26.467W | | | | Green can. | Maintained from May 7 to Nov. 7. |
| 21960 | Menekaunee Shoal Buoy 6 | 45-04-14.583N 087-34-02.615W | | | | Red nun. | |
| UPPER GREEN BAY | | | | | | | |
| 21965 | <i>Green Island Shoal Lighted Buoy 1</i> | 45-03-37.486N 087-31-30.714W | FI G 4s | | 4 | Green. | Replaced by can from Nov. 14 to Apr. 28. Marks west side of shoal. |
| 21970 | GREEN ISLAND LIGHT | 45-03-20.472N 087-29-30.510W | FI W 6s | 80 24 | 9 | NR on skeleton tower. | |
| 21975 | Green Island Southeast Shoal Buoy 2 | 45-02-40.655N 087-28-51.489W | | | | Red nun. | Maintained from Apr. 28 to Nov. 14. AIS MMSI: 993672246 |
| 21980 | MARINETTE LITTLE RIVER LIGHT | 45-02-42.000N 087-37-30.000W | FI Y 2.5s | 28 9 | | NY on post. | Private aid. |
| LOWER GREEN BAY (Chart 14910) | | | | | | | |
| 21985 | Monument Shoal Buoy 5 Marks west side of shoal. | 44-59-34.522N 087-22-56.565W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-----------------------------------|--|
| GREEN BAY | | | | | | | |
| LOWER GREEN BAY (Chart 14910) | | | | | | | |
| 21990 | PESHTIGO REEF LIGHT Marks southeast side of shoal. | 44-57-23.940N 087-34-45.306W | Fl W 6s | 72 22 | 9 | On white column with red band. | HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A. |
| 21995 | <i>Sherwood Point Lighted Buoy 7</i> | 44-54-52.757N 087-27-42.905W | Fl G 4s | | 4 | Green. | Replaced by can from Nov. 14 to Apr. 21. AIS MMSI: 993682719 |
| 22000 | Sherwood Point Light | 44-53-34.030N 087-26-00.393W | Iso W 6s | 61 19 | 12 | 62 | |
| 22005 | Sherwood Point Traffic VAIS | 44-53-34.342N 087-24-51.502W | | | 1 | | AIS MMSI: 993672247 |
| Little Sturgeon <i>Buoys maintained from May 15 to Oct. 15.</i> | | | | | | | |
| 22012.1 | - Buoy 1 | 44-50-36.600N 087-32-48.000W | | | | Green can. | Private aid. |
| 22012.2 | - Buoy 2 | 44-50-38.000N 087-32-54.000W | | | | Red nun. | Private aid. |
| 22012.3 | - Buoy 3 | 44-50-31.000N 087-33-02.000W | | | | Green can. | Private aid. |
| 22012.4 | - Buoy 4 | 44-50-33.000N 087-33-04.000W | | | | Red nun. | Private aid. |
| 22012.5 | - Buoy 5 | 44-50-30.000N 087-33-08.000W | | | | Green can. | Private aid. |
| 22012.6 | - Buoy 6 | 44-50-32.000N 087-33-09.000W | | | | Red nun. | Private aid. |
| 22012.7 | - Buoy 7 | 44-50-31.000N 087-33-15.000W | | | | Green can. | Private aid. |
| 22012.8 | - Buoy 8 | 44-50-32.000N 087-33-16.000W | | | | Red nun. | Private aid. |
| 22012.9 | - Buoy 9 | 44-50-33.000N 087-33-21.000W | | | | Green can. | Private aid. |
| 22013 | - Buoy 10 | 44-50-35.000N 087-33-21.000W | | | | Red nun. | Private aid. |
| 22013.1 | - Buoy 11 | 44-50-37.000N 087-33-27.000W | | | | Green can. | Private aid. |
| 22013.2 | - Buoy 12 | 44-50-37.000N 087-33-26.000W | | | | Red nun. | Private aid. |
| 22013.5 | CARMODY COUNTY PARK NAVIGATIONAL LIGHT | 44-50-38.000N 087-33-29.900W | Fl G 3s | | | On single pole. | Maintained from Apr. 1 to Sept. 30. Private aid. |
| 22014 | <i>Oconto Harbor Lighted Bell Buoy 2</i> | 44-53-00.030N 087-46-00.033W | Fl R 4s | | 4 | Red. | Replaced by nun from Oct. 14 to May 01. |
| 22015 | OCONTO HARBOR NORTH PIERHEAD LIGHT 2 | 44-53-56.600N 088-49-17.800W | F R | 40 12 | | TR on pile. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| 22020 | OCONTO HARBOR SOUTH PIERHEAD LIGHT 3 | 44-53-53.490N 087-49-20.730W | Fl G 6s | 20 6 | 7 | SG on post. | |
| 22025 | <i>Oconto River Lighted Buoy 4</i> | 44-53-49.000N 087-49-32.000W | Q R | | | Red. | Maintained from Apr. 15 to Nov. 1. Private aid. |
| LAKE MICHIGAN | | | | | | | |
| ALGOMA TO SHEBOYGAN (Chart 14903) | | | | | | | |
| Sheboygan | | | | | | | |
| 22030 | <i>UWM GB Research Buoy</i> | 44-48-07.350N 087-45-45.570W | Fl Y 2.5s | | | | Maintained from Apr. 1 to Nov. 30. Private aid. |
| GREEN BAY | | | | | | | |
| LOWER GREEN BAY (Chart 14910) | | | | | | | |
| Little Sturgeon <i>Buoys maintained from May 15 to Oct. 15.</i> | | | | | | | |
| 22035 | PENSAUKEE HARBOR LIGHT | 44-49-15.582N 087-53-47.418W | Fl R 4s | 16 5 | 7 | TR on post. | |
| 22040 | <i>Pensaukee Harbor Entrance Lighted Buoy 2</i> | 44-49-05.761N 087-53-11.227W | Fl R 6s | | 3 | Red. | Maintained from May 7 to Nov. 1. Buoy may be relocated without prior notice to mark the best channel. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| GREEN BAY | | | | | | | |
| LOWER GREEN BAY (Chart 14910) | | | | | | | |
| All Season's Marina | | | | | | | |
| 22050 | BAY SHORE COUNTY PARK LIGHT | 44-38-19.000N 087-45-15.000W | FI R 2s | 15 5 | | On pile. | Maintained from May 7 to Nov. 1. Private aid. |
| 22055 | <i>Suamico Lighted Buoy 1</i> | 44-38-01.623N 088-00-04.149W | FI G 4s | | 3 | Green. | Maintained from May 7 to Nov. 1. Buoy may be relocated without prior notice to mark the best channel. |
| 22055.2 | <i>Suamico Lighted Buoy 2</i> | 44-38-02.000N 088-00-07.000W | Q R | | | Red. | Maintained from May 1 to Oct. 31. Private aid. |
| 22055.3 | <i>Suamico Lighted Buoy 3</i> | 44-37-56.000N 088-00-12.000W | Q G | | | Green. | Maintained from May 1 to Oct. 31. Private aid. |
| 22055.4 | <i>Suamico Lighted Buoy 4</i> | 44-37-57.000N 088-00-11.000W | Q R | | | Red. | Maintained from May 1 to Oct. 31. Private aid. |
| 22055.5 | <i>Suamico Lighted Buoy 5</i> | 44-37-52.000N 088-00-18.000W | Q G | | | Green. | Maintained from May 1 to Oct. 31. Private aid. |
| 22055.6 | <i>Suamico Lighted Buoy 6</i> | 44-37-53.000N 088-00-19.000W | Q R | | | Red. | Maintained from May 1 to Oct. 31. Private aid. |
| 22055.7 | <i>Suamico Lighted Buoy 7</i> | 44-37-48.000N 088-00-24.000W | Q G | | | Green. | Maintained from May 1 to Oct. 31. Private aid. |
| 22065 | <i>Suamico Lighted Buoy 9</i> | 44-37-49.000N 088-00-28.000W | Q G | | | Green. | Maintained from May 1 to Oct. 31. Private aid. |
| 22066 | <i>Suamico Lighted Buoy 10</i> | 44-37-50.000N 088-00-28.000W | Q R | | | Red. | Maintained from May 1 to Oct. 31. Private aid. |
| LOWER GREEN BAY (Chart 14910) | | | | | | | |
| 22072 | <i>Green Bay Lower Weather Buoy 1</i> | 44-39-10.400N 087-55-30.200W | FI Y 4s | | | | Maintained from May.1 to Oct.31. Private aid. |
| Pirates Cove Marina | | | | | | | |
| <i>Buoys maintained from May 1 to Oct. 15.</i> | | | | | | | |
| 22075 | - <i>Lighted Buoy 1</i> | 44-35-25.551N 087-59-33.132W | FI G 2.5s | | | Green. | Private aid. |
| 22080 | - <i>Lighted Buoy 2</i> | 44-35-26.739N 087-59-28.428W | FI R 2.5s | | | Red. | Private aid. |
| 22085 | - Buoy 3 | 44-35-57.952N 087-59-58.530W | | | | Green can. | Private aid. |
| 22090 | - Buoy 4 | 44-35-59.610N 087-59-54.981W | | | | Red nun. | Private aid. |
| 22095 | - Buoy 5 | 44-36-21.449N 088-00-16.259W | | | | Green can. | Private aid. |
| 22100 | - Buoy 6 | 44-36-22.520N 088-00-12.134W | | | | Red nun. | Private aid. |
| 22100.1 | - Buoy 7 | 44-36-43.125N 088-00-31.587W | | | | Green can. | Private aid. |
| 22100.2 | - Buoy 8 | 44-36-46.200N 088-00-29.417W | | | | Red nun. | Private aid. |
| 22100.3 | - Buoy 9 | 44-36-50.582N 088-00-40.824W | | | | Green can. | Private aid. |
| 22100.4 | - Buoy 10 | 44-36-51.219N 088-00-40.761W | | | | Red nun. | Private aid. |
| HEAD OF GREEN BAY (Chart 14918) | | | | | | | |
| Green Bay Harbor | | | | | | | |
| Green Bay Harbor Entrance Channel | | | | | | | |
| <i>Lighted buoys maintained from Apr. 21 to Dec. 1, unless otherwise noted.</i> | | | | | | | |
| 22105 | - <i>Lighted Buoy 1</i> | 44-40-36.730N 087-52-34.733W | FI G 2.5s | | 4 | Green. | AIS MMSI: 993672229 |
| 22110 | - <i>Lighted Bell Buoy 2</i> | 44-40-39.067N 087-52-41.893W | FI R 2.5s | | 4 | Red. | AIS MMSI: 993672230 |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| GREEN BAY | | | | | | | |
| HEAD OF GREEN BAY (Chart 14918) | | | | | | | |
| Green Bay Harbor | | | | | | | |
| Green Bay Harbor Entrance Channel | | | | | | | |
| <i>Lighted buoys maintained from Apr. 21 to Dec. 1, unless otherwise noted.</i> | | | | | | | |
| 22115 | - Lighted Buoy 3 | 44-39-53.434N 087-53-14.944W | FI G 4s | | 4 | Green. | |
| 22120 | - Lighted Buoy 4 | 44-39-55.104N 087-53-22.121W | FI R 4s | | 4 | Red. | |
| 22125 | - Lighted Buoy 5 | 44-39-07.905N 087-53-56.498W | FI G 6s | | 4 | Green. | AIS MMSI: 993672248 |
| 22130 | Green Bay Harbor Entrance Light | 44-39-11.164N 087-54-04.571W | Oc R 4s | 72 22 | 12 | White conical tower on cylindrical base. 72 | HORN: 1 blast ev 15s (2s bl). Operate the fog signal by keying the VHF-FM marine radio five times on channel 83A. |
| 22135 | - Lighted Buoy 7 | 44-38-16.592N 087-54-43.438W | FI G 2.5s | | 4 | Green. | |
| 22140 | - Lighted Buoy 8 | 44-38-19.576N 087-54-50.560W | FI R 2.5s | | 4 | Red. | |
| 22145 | - Lighted Buoy 9 | 44-37-22.445N 087-55-32.924W | FI G 4s | | 4 | Green. | Replaced by can from 01 Dec to 21 Apr. AIS MMSI 993672231 |
| 22150 | - Lighted Buoy 10 | 44-37-24.697N 087-55-41.552W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 21. AIS MMSI: 993672232 |
| 22155 | - Lighted Bell Buoy 11 | 44-36-31.525N 087-56-20.632W | FI G 4s | | 4 | Green. | |
| 22160 | - Lighted Buoy 12 | 44-36-34.215N 087-56-26.429W | FI R 4s | | 4 | Red. | |
| 22165 | - LIGHT 14 | 44-35-49.503N 087-57-08.815W | Q R | 40 12 | 6 | White cylindrical tower with red band. | |
| 22170 | - Lighted Buoy 15 | 44-35-34.504N 087-57-13.002W | FI G 2.5s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 28. |
| 22175 | - Lighted Bell Buoy 16 | 44-35-31.454N 087-57-31.763W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 28. |
| 22180 | - RANGE FRONT LIGHT | 44-35-22.709N 087-57-27.770W | Q G | 45 14 | | KRW on cylindrical tower. | Visible 5.5° each side of range line. |
| 22181 | - RANGE FRONT PASSING LIGHT | 44-35-22.700N 087-57-27.395W | FI Y 4s | 45 14 | 5 | On same structure as Green Bay Harbor Entrance Channel Range Front Light. | Above Range Front Light. |
| 22185 | - RANGE REAR LIGHT 5,499 feet, 213.1° from front light. | 44-34-37.232N 087-58-09.294W | Oc G 4s | 92 28 | | KRW on white cylindrical tower. | Visible 4° each side of range line. |
| 22186 | - RANGE REAR PASSING LIGHT | 44-34-37.208N 087-58-09.381W | FI Y 4s | 20 6 | 5 | On same structure as Green Bay Harbor Entrance Channel Range Rear Light | Below Range Rear Light. |
| 22188 | - Lighted Buoy 15A | 44-35-09.882N 087-58-06.527W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 28 |
| 22189 | - Lighted Buoy 16A | 44-35-14.022N 087-58-10.190W | FI R 4s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 28 |
| 22200 | - Lighted Buoy 17 | 44-34-55.432N 087-58-37.050W | Q G | | 4 | Green. | Replaced by can from Dec 1 to Apr 28. |
| 22205 | - LIGHT 18 | 44-34-56.051N 087-58-50.531W | FI R 2.5s | 35 11 | 7 | White cylindrical tower with red band. | |
| 22210 | - Lighted Buoy 19 | 44-34-42.804N 087-58-53.405W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 28. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| GREEN BAY | | | | | | | |
| HEAD OF GREEN BAY (Chart 14918) | | | | | | | |
| Green Bay Harbor | | | | | | | |
| Green Bay Harbor Entrance Channel | | | | | | | |
| <i>Lighted buoys maintained from Apr. 21 to Dec. 1, unless otherwise noted.</i> | | | | | | | |
| 22215 | - INNER RANGE FRONT LIGHT | 44-34-48.547N 087-58-59.837W | Q G | 31 9 | | KRW on cylindrical tower. | Visible 14° each side of range line. |
| 22216 | - INNER RANGE FRONT PASSING LIGHT | 44-34-48.530N 087-58-59.894W | Fl Y 4s | 30 9 | 5 | On same structure as Green Bay Harbor Entrance Channel Inner Range Front Light. | Above Inner Range Front Light. |
| 22220 | - INNER RANGE REAR LIGHT 2,498 feet, 237.5° from front light. | 44-34-35.300N 087-59-28.953W | Iso G 6s | 50 15 | | KRW on white cylindrical tower. | Visible 14° each side of range line. |
| 22221 | - INNER RANGE REAR PASSING LIGHT | 44-34-35.240N 087-59-28.980W | Fl Y 4s | 50 15 | 5 | On same structure as Green Bay Harbor Entrance Channel Inner Range Rear Light. | Above Inner Range Rear Light. |
| 22225 | - <i>Lighted Buoy 22</i> | 44-34-30.312N 087-59-08.564W | Fl R 2.5s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 28. |
| 22230 | - <i>Lighted Buoy 21</i> | 44-34-29.099N 087-59-04.749W | Fl G 2.5s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 28. |
| 22235 | - <i>Lighted Buoy 24</i> | 44-34-02.067N 087-59-25.436W | Fl R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 28. |
| 22240 | - <i>Lighted Buoy 23</i> | 44-34-01.047N 087-59-21.738W | Fl G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 28. |
| 22245 | - LIGHT 25 | 44-33-31.679N 087-59-38.299W | Fl G 2.5s | 28 9 | 7 | SG on post. | |
| 22255 | - <i>Lighted Buoy 27</i> | 44-32-56.771N 087-59-57.515W | Fl G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 28. |
| 22260 | - <i>Lighted Buoy 28</i> | 44-32-58.208N 088-00-01.408W | Fl R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 28. |
| 22265 | - <i>Lighted Buoy 30</i> | 44-32-22.203N 088-00-19.407W | Fl R 2.5s | | 4 | Red. | Maintained from Apr. 28 to Dec. 1. |
| Green Bay Harbor | | | | | | | |
| 22270 | - DISPOSAL LIGHT | 44-32-21.000N 088-00-13.000W | Q W | 8 2 | | On dolphin. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| South Bay Marina | | | | | | | |
| <i>Lights maintained from Apr. 1 to Nov. 30.</i> | | | | | | | |
| 22271 | - EAST BREAKWATER LIGHT | 44-32-24.100N 087-59-58.000W | Fl W 6s | 11 3 | | On pile. | Private aid. |
| 22271.1 | - EAST MIDDLE BREAKWATER LIGHT | 44-32-24.100N 088-00-04.000W | Fl W 6s | 11 3 | | On pile. | Private aid. |
| 22271.2 | - WEST MIDDLE BREAKWATER LIGHT | 44-32-24.100N 088-00-08.000W | Fl W 6s | 11 3 | | On pile. | Private aid. |
| 22271.3 | - WEST BREAKWATER LIGHT | 44-32-22.000N 088-00-11.000W | Fl W 6s | 11 3 | | On pile. | Private aid. |
| Green Bay Harbor | | | | | | | |
| 22272 | SOUTH BAY MARINA ENTRANCE LIGHT 1 | 44-32-20.800N 088-00-11.500W | F G | 11 3 | | SG on pile. | Private aid. |
| 22273 | SOUTH BAY MARINA ENTRANCE LIGHT 2 | 44-32-20.000N 088-00-11.500W | F R | 11 3 | | TR on pile. | Private aid. |
| LAKE MICHIGAN | | | | | | | |
| LAKE MICHIGAN (Chart 14901) | | | | | | | |
| 22276.1 | GREEN BAY MARINA SOUTH LT 1 | 44-30-38.110N 088-01-18.690W | Fl Y 4s | | | Pile | Maintained year round. Private aid. |
| 22276.2 | GREEN BAY MARINA SOUTH LT 2 | 44-30-40.050N 088-01-17.870W | Fl Y 2.5s | | | Steel Pole | Maintained year round. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| LAKE MICHIGAN | | | | | | | |
| LAKE MICHIGAN (Chart 14901) | | | | | | | |
| 22276.3 | GREEN BAY SOUTH FISHING PIER A | 44-30-42.500N 088-01-16.830W | Fl W 4s | | | Steel Pole | Maintained year round. Private aid. |
| 22276.4 | GREEN BAY SOUTH FISHING PIER B | 44-30-42.810N 088-01-16.370W | Fl W 2.5s | | | Steel Pole | Maintained year round. Private aid. |
| LOWER FOX RIVER AND LAKE WINNEBAGO | | | | | | | |
| LOWER FOX RIVER (Chart 14916) | | | | | | | |
| Green Bay City | | | | | | | |
| <i>Due to silting, all buoys in the Fox River and Lake Winnebago may be relocated without prior notice to mark the best channel. Buoys maintained from May 14 to Oct. 14.</i> | | | | | | | |
| 22280 | - Buoy 2 | 44-30-07.170N 088-01-27.832W | | | | Red nun. | |
| 22285 | - Buoy 4 | 44-29-28.209N 088-01-38.865W | | | | Red nun. | |
| 22290 | - Buoy 6 | 44-29-22.401N 088-01-44.601W | | | | Red nun. | |
| 22295 | - Buoy 7 | 44-29-14.431N 088-01-52.045W | | | | Green can. | |
| 22300 | - Buoy 8 | 44-29-15.519N 088-01-53.464W | | | | Red nun. | |
| 22305 | - Buoy 10 | 44-29-08.784N 088-02-05.818W | | | | Red nun. | |
| 22310 | - Buoy 12 | 44-29-00.719N 088-02-20.611W | | | | Red nun. | |
| 22315 | - Buoy 13 | 44-28-51.141N 088-02-34.583W | | | | Green can. | |
| 22320 | - Buoy 14 | 44-28-51.716N 088-02-36.006W | | | | Red nun. | |
| 22323 | - Buoy 16 | 44-28-42.340N 088-02-44.168W | | | | Red nun. | |
| 22325 | - Buoy 18 | 44-28-15.636N 088-03-03.201W | | | | Red nun. | |
| 22330 | - Buoy 19 | 44-27-57.916N 088-03-13.349W | | | | Green can. | |
| 22335 | - Buoy 20 | 44-27-59.064N 088-03-16.173W | | | | Red nun. | |
| 22345 | - Buoy 22 | 44-27-40.610N 088-03-32.869W | | | | Red nun. | |
| 22350 | - Buoy 24 | 44-27-27.176N 088-03-47.648W | | | | Red nun. | |
| 22355 | - Buoy 26 | 44-27-13.341N 088-04-01.546W | | | | Red nun. | |
| 22360 | - Buoy 27 | 44-27-11.881N 088-03-59.432W | | | | Green can. | |
| 22400 | BROTHERTOWN MARINA ENTRANCE LIGHT 1 | 43-57-59.000N 088-19-11.000W | Fl G 6s | 15 5 | | | Private aid. |