

Local Notice to Mariners for East District 10/07/2026

Absecon Inlet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Absecon Inlet/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-08 To: 2026-10-19 Location: 39-23-07.296N/074-25-07.320W 39-22-59.196N/074-24-58.464W 39-22-57.576N/074-25-00.300W 39-23-05.928N/074-25-09.120W 39-23-07.296N/074-25-07.320W Waterside Staging Area for Great Lakes Dredge and Dock, LLC beach renourishment project, Ocean City, NJ. Operations will start June 6, 2026 with completion date of October 19, 2026. Ops will be conduct 24 hours a day, 7 days a week. Vessels will monitor VHF 13 and 16. MSI # 45757.	
Sector Delaware Bay, Submerged Land Act (SLA) - Absecon Inlet/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-08 To: 2026-10-19 Location: 39-23-26.232N/074-25-31.620W 39-23-21.192N/074-25-19.452W 39-23-18.636N/074-25-20.784W 39-23-23.964N/074-25-33.168W 39-23-26.232N/074-25-31.620W Waterside Staging Area for Great Lakes Dredge and Dock, LLC beach renourishment project, Ocean City, NJ. Operations will start June 6, 2026 with completion date of October 19, 2026. Ops will be conduct 24 hours a day, 7 days a week. Vessels will monitor VHF 13 and 16. MSI # 45758.	

Adams Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Adams Creek Daybeacon 15	38365	STRUCT DEST/TRUB	FD

Albemarle Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kendrick Creek Channel Entrance Light 1KC	31660	LT EXT	FD
Kendrick Creek Channel Daybeacon 2	31665	STRUCT DEST/TRUB	FD

Alexandria Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Marbury Point Warning Daybeacon	18655	STRUCT DEST/HAZ NAV/TRUB	FD

Alligator River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Alligator River Daybeacon 9	37853	STRUCT DEST/TRUB	FD
Alligator River Light WR24	37890	STRUCT DEST	FD
Alligator River Light 26	37895	STRUCT DEST/HAZ NAV/TRLB	FD
Alligator River Daybeacon 35	37920	STRUCT DEST/TRUB	FD
Alligator River Daybeacon 45	37975	STRUCT DEST/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Alligator River/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-03-14 To: 2029-11-30 Location: 35.91372° N / 76.02794° W 35.90056° N / 75.96615° W 35.89296° N / 75.98125° W 35.90445° N / 76.03367° W 35.91372° N / 76.02794° W Bridge construction area. Mariners are advised that an engineering firm, on behalf of North Carolina Department of Transportation, will be performing construction on the US 64 (Alligator River Bridge) Bridge over AICW (Alligator River), mile 83.5, between Dare and Tyrrell County, NC. Construction began on February 14, 2025, and will continue through November 30, 2029, Monday through Sunday, 24 hours per day. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and/or marine safety information bulletins. To facilitate bridge construction, two temporary crane work trestles will be constructed alongside the location of replacement bridge, one to the south on the west side approach and one to the north on the east side approach. One temporary material/load out trestle will be constructed off the western shoreline to the south of the location of the replacement bridge. All temporary trestles will remain in place for the duration of construction and will not affect the horizontal and vertical clearances of the existing bridge. Mooring piles (19) will be constructed outside the navigational channel to secure material barges during daily operations and inclement weather and three mooring anchoring locations will be temporally used for barges and will be outside the navigational channel. Work vessels barges may be reached on VHF-FM channel 13 and 16. The project foreman may be reached at (850) 461-6116. Mariners should use extreme caution when navigating through the area.	

Alligator River/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-03-17 To: 2029-11-30 Location: 35.89975° N / 76.00926° W Bridge Name: United States 64 Highway Bridge Mariners are advised that an engineering firm, on behalf of North Carolina Department of Transportation, will be performing construction on the US 64 (Alligator River Bridge) Bridge over AICW (Alligator River), mile 83.5, between Dare and Tyrrell County, NC. Construction began on February 14, 2025, and will continue through November 30, 2029, Monday through Sunday, 24 hours per day. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and/or marine safety information bulletins. To facilitate bridge construction, two temporary crane work trestles will be constructed alongside the location of replacement bridge, one to the south on the west side approach and one to the north on the east side approach. One temporary material/load out trestle will be constructed off the western shoreline to the south of the location of the replacement bridge. All temporary trestles will remain in place for the duration of construction and will not affect the horizontal and vertical clearances of the existing bridge. Mooring piles (19) will be constructed outside the navigational channel to secure material barges during daily operations and inclement weather and three mooring anchoring locations will be temporally used for barges and will be outside the navigational channel. Work vessels barges may be reached on VHF-FM channel 13 and 16. The project foreman may be reached at (850) 461-6116. Mariners should use extreme caution when navigating through the area.	Lat: 35° 53' 59" Lon: -076° 00' 33"
Alligator River/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-03-17 To: 2029-11-30 Location: 35.89975° N / 76.00926° W Bridge Name: United States 64 Highway Bridge Mariners are advised that an engineering firm, on behalf of North Carolina Department of Transportation, will be performing construction on the US 64 (Alligator River Bridge) Bridge over AICW (Alligator River), mile 83.5, between Dare and Tyrrell County, NC. Construction began on February 14, 2025, and will continue through November 30, 2029, Monday through Sunday, 24 hours per day. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and/or marine safety information bulletins. To facilitate bridge construction, two temporary crane work trestles will be constructed alongside the location of replacement bridge, one to the south on the west side approach and one to the north on the east side approach. One temporary material/load out trestle will be constructed off the western shoreline to the south of the location of the replacement bridge. All temporary trestles will remain in place for the duration of construction and will not affect the horizontal and vertical clearances of the existing bridge. Mooring piles (19) will be constructed outside the navigational channel to secure material barges during daily operations and inclement weather and three mooring anchoring locations will be temporally used for barges and will be outside the navigational channel. Work vessels barges may be reached on VHF-FM channel 13 and 16. The project foreman may be reached at (850) 461-6116. Mariners should use extreme caution when navigating through the area.	Lat: 35° 54' 02" Lon: -076° 00' 31"

Alligator River Pungo River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Alligator River - Pungo River Light 55	38005	STRUCT DEST/TRLB	FD

Anacostia River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Alexandria Channel - Anacostia River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Southern Maryland Dredging Inc is performing maintenance dredging at Bladensburg Waterfront Park. Work will begin in the Anacostia River in Prince George's County, MD. The dredge is an Ellicott 670. In addition to the dredge, they will have 2 small work skiffs, pipeline from the dredge to the spoil site that will be marked by orange buoys and one anchor barge. Operations 5 days a week, 12 hours a day, weather permitting. Vessels monitor VHF-FM channel 08. Work is due to begin October 12, 2026 POC Erika Goldman, m (443)-336-2320	

Antipoison Creek

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Antipoison Creek/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2026-08-26 To: 2028-05-26 Location: 37-38-01.824N/076-18-09.468W Bridge Name: 695 State Route Bridge Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing a new bridge to replace the 695 State Route (Windmill Point Road) across Oyster Creek, near Foxwells, Lancaster County, VA. Construction activities will begin September 2, 2026, and are expected to finish on May 22, 2027. Work will be on-going from 7 a.m. to 5 p.m., Monday-Friday and from 7 a.m. to 3 p.m. on Saturday. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. A 16-foot safety boat, an 8-foot work float and a 16-foot work float, will be operating or stationed in the vicinity of the existing and new bridge. A temporary bridge will be constructed adjacent to the existing bridge site to allow for vehicular travel. The temporary bridge will have a vertical clearance of approximately 3 feet at mean high water and approximately 110 feet. During the demolition of the existing bridge and construction of new bridge, cofferdams will be present and will reduce the vertical clearance of the existing bridge to approximately 3 feet above mean high water, will reduce the horizontal clearance of the existing bridge to approximately 10 feet between the abutment and pier cofferdams, and will reduce the horizontal clearance of the temporary bridge to approximately 107 feet between the abutment cofferdams. Mariners should navigate the waterway with extreme caution and due regard for prevailing conditions on the waterway. Kokosing Construction Company, Inc., safety boat work floats will be operating in the area. The VDOT Construction Engineer may be contacted at (804) 398-8352 and Kokosing Construction Company, Inc., may be contacted at (804) 854-6768. MSI # 52222.	Lat: 37° 38' 02" Lon: -076° 18' 09"

Appomattox River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Appomattox River Channel Daybeacon 17	12595	TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
James River - Appomattox River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-07-07 To: 2031-06-11 Location: 37-16-03.792N/077-22-26.148W 37-16-02.460N/077-22-21.792W 37-15-49.752N/077-22-27.408W 37-15-50.868N/077-22-32.232W 37-16-03.792N/077-22-26.148W Area of shoaling. Depths as low as 1.2ft at MLW reported on June 2025 ACOE Survey. All mariner should use caution when operating in the area. MSI # 48097.	

Aquia Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Aquia Creek Daybeacon 18A	18012.600000000002	STRUCT DEST/TRUB	PA
Aquia Creek Daybeacon 13	18012	DAYMK DMGD/STRUCT DMGD	PA
Aquia Creek Daybeacon 16	18012.3	DAYMK MISSING	PA
Aquia Creek Daybeacon 20	18012.9	STRUCT DMGD/STRUCT MISSING	PA
Aquia Creek Daybeacon 13	18012	DAYMK DMGD/STRUCT DMGD	PA
Aquia Creek Daybeacon 16	18012.3	DAYMK MISSING	PA
Aquia Creek Daybeacon 18A	18012.600000000002	STRUCT DEST/TRUB	PA

Assawoman Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Roy Creek Daybeacon 3	4985	STRUCT DMGD/DBD DEST	PA
Roy Creek Daybeacon 2	4980	MSLD SIG/STRUCT DMGD/DBD DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Isle Of Wight Bay - Assawoman Bay/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-04-24 To: 2031-03-29 Location: 38-27-45.252N/075-03-40.752W 38-27-22.680N/075-03-41.364W 38-27-22.752N/075-03-45.612W 38-27-45.000N/075-03-45.144W 38-27-45.252N/075-03-40.752W All mariners are advised of extreme shoaling in Little Assawoman Bay, in Fenwick Island, DE, between Little Assawoman Bay Daybeacon 5A (Light List Number 4991.06) and Little Assawoman Bay Daybeacon 1A (Light List Number 4991.01), especially at low tide. Mariners are reminded to transit the area with extreme caution at slow no wake speed. MSI # 42095.	

Back Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Back Sound Light 3	29267	LT EXT	FD

Balls Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Balls Creek Light 1	25540	STRUCT DEST/HAZ NAV/TRLB	FD

Banks Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New Topsail Inlet Buoy 1	29975	OFF STATION	FD
New Topsail Inlet Buoy 2	29985	BUOY DMGD	FD
New Topsail Inlet Buoy 3	29995	MISSING	FD
New Topsail Inlet Buoy 4	30000	MISSING	FD
Banks Channel Daybeacon 19	30130	STRUCT DEST/TRLB	FD

Banks Slough Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Old Topsail Creek Buoy 6	30036	MSLD SIG	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Old Topsail Creek Buoy 6	30036	RELOCATED FOR DREDGING	FD

Old Topsail Creek Buoy 6	30036	RELOCATED FOR DREDGING	FD
Old Topsail Creek Buoy 7	30037	RELOCATED	FD

Barden Inlet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-11-13 To: 2030-10-18 Location: 34-39-50.724N/076-31-20.028W Area Of Shoaling. ACOE Survey shows shoaling with depths as low as 1ft MLW between Barden Inlet Buoy 25 (LLNR 29245) and Barden Inlet Buoy 26 (LLNR 29248). Mariners should us caution when transiting area and review latest ACOE survey for the area. MSI # 31919.	Lat: 34° 39' 51" Lon: -076° 31' 20"

Barnegat Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barnegat Inlet North Breakwater Light 6	942	DAYMK DMGD	FD
Barnegat Inlet Lighted Buoy 14	965	OFF STATION	FD
Barnegat Inlet Lighted Buoy 34	1070	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Barnegat Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-07-24 To: 2026-09-18 Location: 39-44-19.104N/074-04-07.752W Aid Name: Barnegat Inlet Outer Lighted Whistle Buoy BI LLNR: 25 Action: CHANGE Action Type Change Sound Signal The Coast Guard will remove the whistle from Barnegat Inlet Outer Lighted Whistle Buoy BI (LLNR 25). Change will be coordinated with the buoy hull replacement schedule and may not happen immediately. MSI # 49510.	Lat: 39° 44' 19" Lon: -074° 04' 08"
Sector Delaware Bay, Submerged Land Act (SLA) - Barnegat Inlet/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-01 To: 2026-10-15 Location: 39-46-27.948N/074-06-57.996W Aid Name: Barnegat Inlet Lighted Buoy 25 LLNR: 1015 Action: CHANGE Action Type Change Aid Subtype Barnegat Inlet Buoy 25 TO Barnegat Inlet Lighted Buoy 25 FI G 4s, 4NM	Lat: 39° 46' 28" Lon: -074° 06' 58"
Sector Delaware Bay, Submerged Land Act (SLA) - Barnegat Inlet/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-01 To: 2026-10-15 Location: 39-46-30.648N/074-06-54.108W Aid Name: Barnegat Inlet Lighted Buoy 24 LLNR: 1010 Action: CHANGE Action Type Change Aid Subtype Barnegat Inlet Buoy 24 TO Barnegat Inlet Lighted Buoy 24 FI R 4s, 4NM	Lat: 39° 46' 31" Lon: -074° 06' 54"
Sector Delaware Bay, Submerged Land Act (SLA) - Barnegat Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-07-29 To: 2029-07-02 Location: 39-45-08.712N/074-04-59.700W Area of shoaling at the entrance to Barnegat Inlet. Due to this shoaling Barnegat Inlet Buoy 3 (LLNR 915) and Barnegat Inlet Lighted Buoy 4 (LLNR 925) may not be unreliable at marking the navigational channel. Mariners are advised to use extreme caution when transiting Barnegat Inlet.	Lat: 39° 45' 09" Lon: -074° 04' 60"
Sector Delaware Bay, Submerged Land Act (SLA) - Barnegat Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-08-20 To: 2027-02-16 USACE survey, dated July 15, 2026 indicates shoaling between Barnegat Inlet Buoys 3 and 4 (LLNR 915 and 925) and Barnegat Inlet North and South breakwater Lights 6 and 7 (LLNR 942 and 943). Depths as low as 7FT MLW have been identified. All mariners should use caution as shoaling is constantly shifting and changing. MSI # 51785.	
Sector Delaware Bay, Submerged Land Act (SLA) - Barnegat Inlet/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-12 To: 2027-01-31 Location: 39-46-28.452N/074-07-28.272W 39-46-28.272N/074-07-20.388W 39-45-29.484N/074-07-31.980W 39-45-30.564N/074-07-41.232W 39-46-07.428N/074-07-38.208W 39-46-28.452N/074-07-28.272W H & L Contracting will be conducting dredging in Double Creek Channel starting 26, 2026 to January 31, 2027. Operations will be conducted 24 hours a day, 7 days a week. Dredge Great Gun and Dredge Scrod, 30' x 80' excavator barge, and tugs Dixie and Ike will monitor VHF CH 16 & 65. Equipment will need a one hour notification if needed to move. On site contact Keith Johnson can be reached at 631-553-1034. The discharge pipeline aft of the dredge to the disposal site(s) will have submerged pipeline crossings, that will be marked with red and green navigations aids along with red and green lights. The disposal site will be 39-47-15.06N, 074-08-36.59W. The pipeline will be marked with spar buoys and yellow flashing lights. Mariners are advised to use caution and transit at slow speed to minimize wake when transiting the area. MSI # 46237	
Sector Delaware Bay, Submerged Land Act (SLA) - Barnegat Inlet/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-09-01 To: 2027-01-16 Location: The Coast Guard is conducting a Waterways Analysis and Management System (WAMS) review of Barnegat Inlet and Oyster Creek Channel. This review focuses on the area's aids to navigation system, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routine and emergency communication capabilities, and future development projects. This review will cover the following areas: Barnegat Inlet and Oyster Creek Channel to include the entrance to Barnegat Inlet from Barnegat Inlet Outer Lighted Whistle Buoy BI (LLNR 25) to Barnegat Inlet Light BI (LLNR 35135). Any interested organization, company, or individual who wish to provide comments or participate in a user survey should go to https://forms.osi.apps.mil/r/5EmERcMvEJ . Any questions, contact Sector Delaware Bay Waterways WAMS at SecdelbayWWM@uscg.mil. Deadline to submit comments is January 15, 2027. MSI #52747.	

Barney Slough Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barney Slough Channel Lighted Buoy 5	28722.100000000002	LT EXT	FD
Oliver Reef Lighted Buoy 8	28722.33	MISSING	FD

Oliver Reef Lighted Buoy 10	28722.350000000002	MISSING	FD
-----------------------------	--------------------	---------	----

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Barney Slough Channel Lighted Wreck Buoy WR8	28722.5	DISCONTINUED	FD
Barney Slough Channel Lighted Buoy 10	28722.7	DISCONTINUED	FD
Barney Slough Channel Buoy 12A	28723.100000000002	DISCONTINUED	FD
Barney Slough Channel Lighted Buoy 14	28723.5	DISCONTINUED	FD
Barney Slough Channel Lighted Buoy 15	28723.7	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Hatteras Inlet - Barney Slough Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-14-02.004N/075-45-58.176W Aid Name: Barney Slough Channel Lighted Wreck Buoy WR8 LLNR: 28722.5 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52052.	Lat: 35° 14' 02" Lon: -075° 45' 58"
Hatteras Inlet - Barney Slough Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-14-06.108N/075-45-32.652W Aid Name: Barney Slough Channel Lighted Buoy 10 LLNR: 28722.7 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52053.	Lat: 35° 14' 06" Lon: -075° 45' 33"
Hatteras Inlet - Barney Slough Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-13-37.596N/075-44-53.520W Aid Name: Barney Slough Channel Buoy 11 LLNR: 28722.9 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52054.	Lat: 35° 13' 38" Lon: -075° 44' 54"
Hatteras Inlet - Barney Slough Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-13-31.080N/075-44-55.716W Aid Name: Barney Slough Channel Buoy 12 LLNR: 28723 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52055.	Lat: 35° 13' 31" Lon: -075° 44' 56"
Hatteras Inlet - Barney Slough Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-13-11.856N/075-44-19.824W Aid Name: Barney Slough Channel Buoy 12A LLNR: 28723.1 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52057.	Lat: 35° 13' 12" Lon: -075° 44' 20"

Hatteras Inlet - Barney Slough Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-13-22.872N/075-44-36.204W Aid Name: Barney Slough Channel Lighted Buoy 13 LLNR: 28723.3 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52058.	Lat: 35° 13' 23" Lon: -075° 44' 36"
Hatteras Inlet - Barney Slough Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-59.940N/075-44-11.508W Aid Name: Barney Slough Channel Lighted Buoy 14 LLNR: 28723.5 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52059.	Lat: 35° 12' 60" Lon: -075° 44' 12"
Hatteras Inlet - Barney Slough Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-55.800N/075-44-03.228W Aid Name: Barney Slough Channel Lighted Buoy 15 LLNR: 28723.7 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52060.	Lat: 35° 12' 56" Lon: -075° 44' 03"
Hatteras Inlet - Barney Slough Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-47.736N/075-44-01.824W Aid Name: Barney Slough Channel Lighted Buoy 16 LLNR: 28723.9 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel (red route below), due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel (yellow route below). Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52061.	Lat: 35° 12' 48" Lon: -075° 44' 02"
Hatteras Inlet - Barney Slough Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation From: 2026-06-05 To: 2027-03-31 Location: 35-13-58.476N/075-47-14.676W RECENT USACE SURVEY DATA INDICATES SIGNIFICANT SHOALING IN THE VICINITY OF BARNEY SLOUGH CHANNEL LIGHTED BUOY 6A (LLN 28722.3) WITH A LEAST DEPTH OF 3 FEET MLLW.	Lat: 35° 13' 58" Lon: -075° 47' 15"

Bath Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bath Creek Daybeacon 3	33285	STRUCT DEST	FD

Bay River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bay River Daybeacon 6	33420	STRUCT DEST/TRUB	FD
Bay River Daybeacon 20	33470	STRUCT DEST/TRUB	FD

Bear Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Long Point Light 5	20690	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE

Sparrows Point Country Club Pier Light	20700	LT EXT	PA
Sparrows Point Country Club Pier Light	20700	LT EXT	PA

Beaufort Harbor Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Beaufort Harbor Channel Warning Daybeacon B	34812	STRUCT DEST/TRUB	FD
Beaufort Harbor Channel Daybeacon 5	34825	STRUCT DEST/TRUB	FD
Beaufort Harbor Channel Daybeacon 6	34826	STRUCT DEST/TRUB	FD
Beaufort Harbor Channel Daybeacon 8	34830	STRUCT DEST/HAZ NAV/TRLB	FD

Beaufort Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Beaufort Inlet Channel Range Front Light	29313	REDUCED INT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Beaufort Inlet/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2026-03-18 To: 2026-12-14 Location: 34-41-33.611N/076-40-06.336W Possible submerged buoy may be present in the current charted position of Beaufort Inlet Channel Lighted Buoy 14 (LLNR 29310) in approximate position: 34-41-33.611N, 076-40-06.336W. All mariners should use caution.	Lat: 34° 41' 34" Lon: -076° 40' 06"

Bennett Creek

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Nansemond River - Bennett Creek/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation From: 2026-05-18 To: 2026-12-01 Location: 36-53-09.528N/076-28-53.652W 36-53-09.240N/076-28-48.864W 36-52-53.832N/076-28-50.664W 36-52-54.228N/076-28-56.424W 36-53-09.528N/076-28-53.652W Hazard to navigation-shoaling in Nansemond River- Bennett Creek. The Norfolk District Army Corp of Engineers survey dated May 5, 2026 indicates shoaling start approximately 200' south of Bennett Creek Daybeacon 2 (LLNR 11047) to approximately 200' south oh Bennett Creek Daybeacon 4 (LLNR 11050). Least depth range from 3.1' to 5.9'MLLW. MSI:43909	

Big Foot Slough Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Big Foot Slough Channel Light 3	29030	STRUCT DEST/TRLB	FD
Big Foot Slough Channel Light 9	29055	STRUCT DEST/TRLB	FD
Big Foot Slough Channel Light 9A	29056	STRUCT DEST/TRUB	FD
Big Foot Slough Channel Daybeacon 9B	29060	STRUCT DEST/TRUB	FD
Big Foot Slough Channel Light 10	29070	STRUCT DEST/TRLB	FD

Big Thorofare

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Big Thorofare Channel Daybeacon 10	23038	STRUCT DEST/TRUB	FD
Big Thorofare Channel Light 23	23085	STRUCT DEST/TRLB	FD

Bivalve Channel

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Bivalve Channel Daybeacon 3	24055	DISCONTINUED	FD

Bogue Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bogue Inlet Lighted Buoy 2	29500	OFF STATION	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Bogue Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-07-24 To: 2026-09-18 Location: 34-38-08.916N/077-04-38.892W Aid Name: Bogue Inlet Entrance Lighted Whistle Buoy BI LLNR: 730 Action: CHANGE Action Type Change Sound Signal The Coast Guard will remove the whistle from Bogue Inlet Entrance Lighted Whistle Buoy BI (LLNR 730). Change will be coordinated with the buoy hull replacement schedule and may not happen immediately. MSI # 49527.	Lat: 34° 38' 09" Lon: -077° 04' 39"

Bogue Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bogue Sound Light 4	38770	STRUCT DEST/TRLB	FD
Bogue Sound Light 9	38850	STRUCT DEST/TRLB	FD
Bogue Sound Light 13	38890	STRUCT DEST/TRUB	FD
Bogue Sound Light 33	38985	STRUCT DMGD	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Bogue Sound/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2026-09-11 To: 2026-10-13 Location: 34-41-13.200N/076-57-10.080W The U.S. Navy will conduct an expanded site inspection beginning September 21 until approximately October 9, 2026 between the hours of 7 am - 5 pm. Operations will occur within Bouge Sound, around Wood Island in Western Carteret County, NC. The site inspection will include a dive team, 24-ft dive team support vessel, and 17-ft safety patrol vessels. Temporary restrictions on vessel traffic may be implemented for dive operations using safety patrol vessels to direct mariners away from active work zones utilizing a 180 ft temporary exclusion zones from the shore of Wood Island and 610 yards around dive operations; this work should not affect the Intracoastal Waterway passage. Exclusion zones will be clearly marked and continuously monitored by safety patrol vessels. Boaters, hunters, fishermen, and other river users will be prohibited from entering active work areas until operations are complete and the area is reopened. All will be monitoring VHF marine channel 16 (156.8 MHz). Onsite point of contact will be Mike Ligon mobile number (757)275-6220 and Safety Boat Captain, Jamie Erickson mobile number (757)285-5003. MSI #53513.	Lat: 34° 41' 13" Lon: -076° 57' 10"

Bogue Sound New River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bogue Sound - New River Light 48	39100	STRUCT DEST	FD
Bogue Sound - New River Daybeacon 67	39275	STRUCT DEST/TRUB	FD
Bogue Sound - New River Light 72	39295	STRUCT DEST/TRLB	FD
Bogue Sound - New River Daybeacon 76	39310	STRUCT DEST/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-11-14 To: 2030-10-19 Location: 34-33-13.392N/077-21-05.724W Bogue Sound - New River - Area of shoaling between Bogue Sound - New River Buoy 74 (LLNR 39305) and Bogue Sound - New River Buoy Daybeacon 76 (LLNR 39310). Buoys are often relocated to account for shifting shoals. Mariners are urged to use caution in the area and reference ACOE surveys. MSI # 32042.	Lat: 34° 33' 13" Lon: -077° 21' 06"

Brant Island

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Brant Island Slue Light 1	32660	STRUCT DEST/TRLB	FD

Breton Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cherry Cove Entrance Daybeacon 1	null	DAYMK MISSING	PA
Cherry Cove Entrance Daybeacon 1	null	DAYMK MISSING	PA

Brewerton Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Brewerton Channel Lighted Buoy 8	8185	LT EXT	FD

Broad Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Broad Creek Channel Light 12	22695	STRUCT DEST/TRLB	FD
Neavitt Harbor Junction Daybeacon	25565	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Broad Creek Northern Branch Daybeacon 7	15025	STRUCT MISSING	PA
Broad Creek Southern Branch Daybeacon 6	15003.2	DBD DMGD	PA
Broad Creek Northern Branch Daybeacon 12	15050	DBD DEST	PA
Broad Creek Northern Branch Daybeacon 9	15035	DBD DMGD	PA
Broad Creek Northern Branch Daybeacon 10	15040	STRUCT DMGD	PA
Broad Creek Southern Branch Daybeacon 7	15003.300000000001	STRUCT DMGD	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Rappahannock River - Broad Creek/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-19 To: 2029-04-14 Location: 37.5676° N / 76.3109° W Norfolk District Army Corp of Engineers survey of Broad Creek Channel indicates shoaling with least depth of 4-5' at MLLW on the northwest (red) side of channel in vicinity of Broad Creek Channel Daybeacon 2 (LLNR 14970), and on the southeast (green) side of the channel with a least depth of 4' at MLLW in the vicinity of Broad Creek Channel Wreck Light WR3 (LLNR 14973). Mariners are requested use extreme caution when operating in the vicinity.	Lat: 37° 34' 03" Lon: -076° 18' 39"

Bush River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bush River Light A	27367	LT EXT	PA
Bush River Light 9	27363	LT IMCH	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Aberdeen Restricted Area - Bush River/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-09-11 To: 2026-10-23 Location: 39-26-14.748N/076-14-32.640W Bridge Name: Amtrak Bridge Mariners are advised that an engineering firm, on behalf of Amtrak, will be performing bridge inspections on the railway bridge – Railway bridge – Bush River Rail Bridge across Bush River, mile 6.8, between Edgewood, MD and Aberdeen, MD. To facilitate bridge work, a work boat will be utilized under the bridge from 7 a.m. to 5 p.m. on October 05, 2026, through October 20, 2026. The work boat will be deployed directly under the bridge in various locations to perform inspections. Maintenance personnel and equipment will relocate from the navigable channel, upon request. The maintenance personnel may be reached on VHF-FM channel 13 and 16. Mariners are urged to use caution when operating in this area. MSI #53535.	Lat: 39° 26' 15" Lon: -076° 14' 33"
Aberdeen Restricted Area - Bush River/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-10-05 To: 2026-11-10 Location: 39-26-14.748N/076-14-32.640W Bridge Name: Amtrak Bridge Mariners are advised that engineering consultants, on behalf of AMTRAK, will be performing underwater inspections of the piers, abutments, and/or fender systems, from 6 a.m. until 6 p.m. on the tentative schedule, from October 5, 2026, through November 6, 2026, at Amtrak RR Bridge across Bush River, mile 6.8, at Perryman MD. The inspection team will consist of a 3-person dive team working from a 26-foot custom dive boat. During the inspection work, the channels will be clear and will not obstruct vessel traffic. Mariners should use extreme caution when transiting the area. MSI #53840.	Lat: 39° 26' 15" Lon: -076° 14' 33"

Buxton Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Buxton Harbor Light 7	32215	LT EXT	FD

Calabash Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Calabash Creek Daybeacon 3	31120	STRUCT DEST/TRUB	FD

Cape Charles City

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape Charles City Light 1CC	21450	DBD DEST	FD

Cape Fear River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape Fear River Entrance Range Front Light	30310	LT EXT	FD
Southport Channel Range Rear Light	30410	LT IMCH	FD
Southport Light 1	30455	STRUCT DEST/TRLB	FD
Sunny Point Terminal Warning Boundary Light L	30562.3	STRUCT DEST/HAZ NAV	FD
Sunny Point Terminal Warning Boundary Light M	30562.4	STRUCT DEST/HAZ NAV	FD
Lower Midnight Channel North Range Front Light	30640	STRUCT DEST/REDUCED INT/TRLT	FD
Upper Liliput Range Rear Light	30740	LT IMCH	FD
Cape Fear River Turning Basin Light B	30950	STRUCT DEST/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Cape Fear River Entrance Channel Lighted Buoy 12	30372	RELIGHTED	FD	2026-09-29

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Sunny Point Terminal Temporary Lighted Danger Buoy L	30562.350000000002	ESTABLISHED	FD
Sunny Point Terminal Temporary Lighted Danger Buoy M	30562.45	ESTABLISHED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	General/Bridges/Closure (Scheduled Or Emergency) From: 2026-10-25 To: 2026-11-17 Location: 34-13-39.407N/077-57-08.258W Bridge Name: Cape Fear Memorial Bridge Mariners are advised that the highway drawbridge – Isabel S. Holmes (US 74/SR 133) Bridge across Northeast Cape Fear River, mile 1.0, at Wilmington, NC and the highway drawbridge – Cape Fear Memorial (US 17/US 421/US 76) Bridge across Cape Fear River, mile 26.8, at Wilmington, NC, will be closed-to-vessels requiring an opening from 5:00 a.m. to 9:00 a.m., on Sunday, November 15, 2026, to accommodate the Battleship Half Marathon. The bridges will be able to open for emergencies, if at least a fifteen-minute prior notice is given. Vessels able to pass through the bridges in the closed position may do so at any time. At all other times, the drawbridges will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.829(a) and Title 33 Code of Federal Regulations Part 117.822, respectively. To avoid delays, mariners should adjust their transits accordingly. MSI # 50203.	Lat: 34° 13' 39" Lon: -077° 57' 08"
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2025-10-08 To: 2030-09-12 Location: 34-09-25.488N/077-56-52.368W ALL MARINERS BE ADVISED AN UNLIT SAILING VESSEL IS ANCHORED IN THIS APPROXIMATE POSITION. MARINERS SHOULD PROCEED WITH EXTREME CAUTION.	Lat: 34° 09' 25" Lon: -077° 57' 00"
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/General/Hazards To Navigation/Wrecks	Hazards To Navigation	General/Hazards To Navigation/Wrecks From: 2025-10-08 To: 2030-09-12 Location: 34-09-25.488N/077-56-49.992W ALL MARINERS BE ADVISED AN UNLIT 20-FOOT SAILING VESSEL HAS PARTIALLY SUNK AT THIS APPROXIMATE LOCATION. MARINERS SHOULD PROCEED WITH EXTREME CAUTION.	Lat: 34° 09' 25" Lon: -077° 56' 56"
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/General/Hazards To Navigation/Wrecks	Hazards To Navigation	General/Hazards To Navigation/Hazards ALL MARINERS BE ADVISED THERE IS A PARTIALLY SUNK SAILING VESSEL AT THIS APPROXIMATE POSITION. MARINERS ARE ADVISED TO PROCEED WITH CAUTION. Location: 34-13-06.096N/077-57-22.932W	Lat: 34° 13' 06" Lon: -077° 57' 23"

Cape Fear River Little River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape Fear River - Little River Daybeacon 26	40105	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 33	40125	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Buoy 46A	40222	OFF STATION	FD
Cape Fear River - Little River Light 50	40245	MISSING/TRLB	FD
Cape Fear River - Little River Daybeacon 55	40265	MISSING/TRUB	FD
Cape Fear River - Little River Daybeacon 63	40285	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 73	40315	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 80	40335	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 83	40350	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 109	40430	STRUCT DEST/HAZ NAV/TRLB	FD
Cape Fear River - Little River Light 111	40435	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 115	40445	STRUCT DEST/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
-------	-------------	-------------	----------

Cape Fear River - Cape Fear River Little River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-09-02 To: 2027-02-02 Location: 34-14-46.644N/077-47-06.936W Aid Name: New River - Cape Fear River Daybeacon 123 LLNR: 39605 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will change Cape Fear River - Little River Daybeacon 73 (LLNR 40315) to Cape Fear River - Little River Buoy 73 (LLNR 40315). Change will be coordinated with other aids servicing in the area between October 27, 2026 and February 1, 2027. MSI # 52441.	Lat: 33° 54' 37" Lon: -078° 21' 57"
Cape Fear River - Cape Fear River Little River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-09-02 To: 2027-02-02 Location: 33-54-36.684N/078-22-51.816W Aid Name: Cape Fear River - Little River Daybeacon 80 LLNR: 40335 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will change Cape Fear River - Little River Daybeacon 80 (LLNR 40335) to Cape Fear River - Little River Buoy 80 (LLNR 40335). Change will be coordinated with other aids servicing in the area between October 27, 2026 and February 1, 2027. MSI # 52442.	Lat: 33° 54' 37" Lon: -078° 22' 52"
Cape Fear River - Cape Fear River Little River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-09-02 To: 2027-02-02 Location: 33-54-36.684N/078-22-51.816W Aid Name: Cape Fear River - Little River Daybeacon 80 LLNR: 40335 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will change Cape Fear River - Little River Daybeacon 115 (LLNR 40445) to Cape Fear River - Little River Buoy 115 (LLNR 40445). Change will be coordinated with other aids servicing in the area between October 27, 2026 and February 1, 2027. MSI # 52443.	Lat: 33° 52' 13" Lon: -078° 33' 04"
Cape Fear River - Cape Fear River Little River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-08-06 To: 2027-02-02 Location: 33-55-15.780N/078-14-06.360W A recent USACE survey has identified shoaling in Lockwoods Folly Inlet and AIWW Crossing with depths as low as four feet MLLW in the vicinity of position 33-55-15.780N / 078-14-06.360W. Mariners are urged to navigate with extreme caution when transiting this area.	Lat: 33° 55' 16" Lon: -078° 14' 06"

Cape May Canal West Entrance

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape May Canal West Entrance Approach Lighted Buoy 4	1655	LT EXT	FD

Cape May Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape May Harbor Range Front Light 4	1455	LT EXT	FD

Carolina Beach Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Carolina Beach Harbor Channel Daybeacon 4	39765	STRUCT DEST/HAZ NAV/TRLB	FD

Carolina Beach Inlet

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Carolina Beach Inlet Buoy 6	30290	DISCONTINUED FOR DREDGING	FD
Carolina Beach Inlet Buoy 7	30295	DISCONTINUED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Carolina Beach Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-07-24 To: 2026-09-18 Location: 34-04-53.976N/077-51-11.124W Aid Name: Carolina Beach Inlet Entrance Lighted Whistle Buoy CB LLNR: 805 Action: CHANGE Action Type Change Sound Signal The Coast Guard will remove the whistle from Carolina Beach Inlet Entrance Lighted Whistle Buoy CB (LLNR 805). Change will be coordinated with the buoy hull replacement schedule and may not happen immediately. MSI # 49534	Lat: 34° 04' 54" Lon: -077° 51' 11"

Causeway Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Causeway Channel Daybeacon 5	38730	STRUCT DEST/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Causeway Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-25 To: 2029-08-29 Location: 34.71368° N / 76.7339° W Shoaling has been reported IAW the most recent ACOE survey dated 26 OCT 2020 IVO Causeway Channel Buoy 5A (LLNR 38731) and Causeway Channel Buoy 6A (LLNR 38736). Reported depths of 4 feet MLW encroaching from east side of channel.	Lat: 34° 42' 49" Lon: -076° 44' 02"

Cedar Island**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Cedar Island Ferry Slip Breakwater Buoy 1	33478	OFF STATION	FD

Cedar Island Bay Channel**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Cedar Island Bay Channel Lighted Wreck Buoy WR5	34410	MISSING	FD
Cedar Island Bay Channel Light 8	34420	LT IMCH	FD

Cherry Island Flats**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Cherry Island Flats East Channel Buoy 1	3050	OFF STATION	FD
Cherry Island Flats East Channel Buoy 5	3070	SINKING	FD

Chesapeake Bay**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Chesapeake Bay/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-08-12 To: 2026-12-15 ****VA – LOWER CHESAPEAKE BAY AND ENTRANCE – WATERWAYS ANALYSIS AND MANAGEMENT SYSTEM (WAMS) REVIEW**** The Coast Guard is conducting a Waterways Analysis and Management System (WAMS) review of the Lower Chesapeake Bay and Entrance. This review focuses on the area's aids to navigation system, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routine and emergency communication capabilities, and future development projects. This review will cover the following area: South from the VA/MD state line south to the Southern Entrance to Chesapeake Bay Southern Approach Lighted Buoy CB (LLNR 410) and North Chesapeake Entrance Lighted Buoy NCA (LLNR 385). This will include the Thimble Shoals Channel west to Hampton Roads Bridge Tunnel, the Chesapeake Channel, and west to York River Entrance Channel Lighted Buoy 13 (LLNR 13470). Any interested organization, company, or individual wishing to provide comments or participate in a user survey should contact either LTJG Mark Yacone at Mark.E.Yacone@uscg.mil or BOSN Jason Brisson at Jason.M.Brisson@uscg.mil or Sector Virginia Waterways WAMS at VirginiaWaterways@uscg.mil. Deadline to submit comments is December 15, 2026. MSI # 51063.	
Chesapeake Channel - Chesapeake Bay/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-08-12 To: 2026-12-15 ****VA – LOWER CHESAPEAKE BAY AND ENTRANCE – WATERWAYS ANALYSIS AND MANAGEMENT SYSTEM (WAMS) REVIEW**** The Coast Guard is conducting a Waterways Analysis and Management System (WAMS) review of the Lower Chesapeake Bay and Entrance. This review focuses on the area's aids to navigation system, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routine and emergency communication capabilities, and future development projects. This review will cover the following area: South from the VA/MD state line south to the Southern Entrance to Chesapeake Bay Southern Approach Lighted Buoy CB (LLNR 410) and North Chesapeake Entrance Lighted Buoy NCA (LLNR 385). This will include the Thimble Shoals Channel west to Hampton Roads Bridge Tunnel, the Chesapeake Channel, and west to York River Entrance Channel Lighted Buoy 13 (LLNR 13470). Any interested organization, company, or individual wishing to provide comments or participate in a user survey should contact either LTJG Mark Yacone at Mark.E.Yacone@uscg.mil or BOSN Jason Brisson at Jason.M.Brisson@uscg.mil or Sector Virginia Waterways WAMS at VirginiaWaterways@uscg.mil. Deadline to submit comments is December 15, 2026. MSI # 51065.	

Chesapeake Bay (Maryland) - Fifth District**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Chesapeake Bay (Maryland) - Fifth District/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-09-01 To: 2027-01-16 The Coast Guard is conducting a Waterways Analysis and Management System (WAMS) review of Middle Chesapeake Bay. This review focuses on the area's aids to navigation system, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routine and emergency communication capabilities, and future development projects. This review will cover the following area: The Chesapeake Bay from the William P Lane Junior Memorial Bridge south to the Maryland/Virginia State Line. Any interested organization, company, or individual wishing to provide comments or participate in a user survey should contact either LT Kurt Caminske at Kurt.M.Caminske@uscg.mil or BOSN Garrett Dailey at Garrett.H.Dailey@uscg.mil or Sector Maryland, National Capitol Region WAMS at D05-DG-SectorMD-NCR-Prevention-WWM@uscg.mil. Deadline to submit comments is January 15, 2027. MSI #52759	

Chesapeake Bay Entrance**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Virginia Inside Passage - Chesapeake Bay Entrance/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-08-12 To: 2026-12-15 ****VA – LOWER CHESAPEAKE BAY AND ENTRANCE – WATERWAYS ANALYSIS AND MANAGEMENT SYSTEM (WAMS) REVIEW**** The Coast Guard is conducting a Waterways Analysis and Management System (WAMS) review of the Lower Chesapeake Bay and Entrance. This review focuses on the area’s aids to navigation system, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routine and emergency communication capabilities, and future development projects. This review will cover the following area: South from the VA/MD state line south to the Southern Entrance to Chesapeake Bay Southern Approach Lighted Buoy CB (LLNR 410) and North Chesapeake Entrance Lighted Buoy NCA (LLNR 385). This will include the Thimble Shoals Channel west to Hampton Roads Bridge Tunnel, the Chesapeake Channel, and west to York River Entrance Channel Lighted Buoy 13 (LLNR 13470). Any interested organization, company, or individual wishing to provide comments or participate in a user survey should contact either LTJG Mark Yacone at Mark.E.Yacone@uscg.mil or BOSN Jason Brisson at Jason.M.Brisson@uscg.mil or Sector Virginia Waterways WAMS at VirginiaWaterways@uscg.mil. Deadline to submit comments is December 15, 2026. MSI # 51064.	
---	---------------	--	--

Chesapeake Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Salt Ponds Light 6	12870	LT EXT	PA
Queen Ann County Obstruction Buoy A	7980	MISSING	PA
Queen Ann County Obstruction Buoy A	7980	MISSING	PA
Salt Ponds Light 6	12870	LT EXT	PA
Tabbs Creek Daybeacon 3	null	DBD DMGD	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Construction	Bridges	Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through August 27, 2027. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations. Bridge Structures/Work Trestles & Islands – Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area – As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebus Safe Harbor Area – As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area. Willoughby Bay Mooring and Safe Harbor Area – As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area. Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org. MSI # 1674.	Lat: 36° 58' 33" Lon: -076° 18' 03"

Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Construction	Bridges	Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through August 27, 2027. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations. Bridge Structures/Work Trestles & Islands – Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area – As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebe Safe Harbor Area – As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area. Willoughby Bay Mooring and Safe Harbor Area – As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area. Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org. MSI # 1675.	Lat: 36° 58' 35" Lon: -076° 18' 00"
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-06-12 To: 2027-06-07 Location: 38-59-31.272N/076-22-37.668W Bridge Name: William Preston Lane Junior Memorial Eastbound Bridge Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing maintenance on the William Preston Lane Junior Memorial Eastbound Bridge, across the Chesapeake Bay, mile 138.0, at Annapolis, MD. The maintenance will be conducted from 7 a.m. to 5 p.m.; Monday-Saturday; from June 15, 2026, through May 31, 2028. A 53-foot work barge will be located in and around the vicinity of the bridge. During the work hours from 7 a.m. to 5 p.m. from June 15, 2026, through June 15, 2027, the work barge will be located in the vicinity of the main navigational span of the bridge, outside of the main navigational channel. Vessels can safely transit through the main navigation span of the bridge at any time. Maintenance personnel, equipment and vessels will relocate from the and navigable channel, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (443)-310-2889. Mariners should use caution navigating through the area. MSI # 46305	Lat: 38° 59' 31" Lon: -076° 22' 38"
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-09-03 To: 2027-03-02 Location: 38-59-31.272N/076-22-37.668W Bridge Name: William Preston Lane Junior Memorial Eastbound Bridge Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will continue to be performing maintenance on the Eastern Channel navigational span of the William Preston Lane Junior Memorial Eastbound (US 50/US 301) Bridge, across the Chesapeake Bay, mile 138.0, at Annapolis, MD. The maintenance which began in July 2026, will continue to be conducted from 9 p.m. to 3 a.m., Monday-Friday, and from 11 p.m. to 7 a.m. Saturday-Monday; through September 30, 2026, with alternative work dates from 9 p.m. to 3 a.m., Monday-Friday, and from 11 p.m. to 7 a.m., Saturday-Monday; from September 1, 2026, through October 31, 2026. An under-bridge inspection vehicle (snooper) will continue to be located in and around the vicinity of the bridge. During the work hours, the under-bridge inspection vehicle (snooper) will continue to be located underneath the bridge, within the Eastern Channel navigation span of the bridge which will continue to reduce the vertical clearance of the Eastern Channel navigational channel of the bridge by approximately 5 feet. Vessels that can safely transit through the bridge during periods with a reduced vertical clearance may continue to do so at any time. Vessels that are unable to safely transit through the bridge during periods with a reduced vertical clearance may continue to transit through the bridge, if at least a 20-minute prior notice is given to the project foreman. Maintenance personnel, equipment and vehicle will continue to relocate from the navigable channel, upon request. Work vessels may continue to be reached on VHF-FM channel 13 and 16. The project foreman can continue to be reached at (443) 465-5568 or (443) 403-9122 or (410) 302-9997. Mariners should continue to use extreme caution navigating through the area. MSI #52037.	Lat: 38° 59' 31" Lon: -076° 22' 38"
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-09-11 To: 2026-12-10 Location: 38-59-31.272N/076-22-37.668W Bridge Name: William Preston Lane Junior Memorial Eastbound Bridge Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing inspections on the Eastern Channel of the William Preston Lane Junior Memorial Eastbound Bridge, across the Chesapeake Bay, mile 138.0, between Annapolis, Anne Arundel County, MD and Stevensville, Queen Anne County MD, and the William Preston Lane Junior Memorial Westbound Bridge, across the Chesapeake Bay, mile 138.1, between Annapolis, MD and Stevensville, MD. The inspections will be conducted from 8 a.m. to 6:30 p.m.; 7 days a week; from September 21, 2026, through October 25, 2026, with alternative work dates from 8 a.m. to 6:30 p.m., 7 days a week, from November 2, 2026, through December 4, 2026. An under-bridge inspection vehicle, a work platform, and a 30-foot work barge will be located underneath, in and around the vicinity of the eastern channel of each bridge. During the work hours, the under-bridge inspection vehicle, the work platform, and the 30-foot work barge will be located underneath, in the eastern channel navigational channel of each bridge, which will reduce the vertical clearance and the horizontal clearance of the eastern channel navigational channel of each bridge by approximately 10 feet of vertical clearance and by approximately 30 feet of horizontal clearance. Vessels that can safely transit through the eastern channel navigation channel of each bridge during periods with reduced vertical and horizontal clearances may do so at any time. Vessels that cannot safely transit through the eastern channel navigational channel of each bridge during periods with reduced vertical and horizontal clearances may transit through the eastern channel navigational channel of each bridge, if at least a 20-minute prior notice is given to the project foreman. Inspection personnel, equipment and vessels will relocate from the eastern channel navigation channel of each bridge, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (410) 908-3847 or (410) 512-4620. Mariners should use caution navigating through the areas. MSI #53531	Lat: 38° 59' 31" Lon: -076° 22' 38"

Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-09-11 To: 2026-12-10 Location: 38-59-29.940N/076-22-11.172W Bridge Name: William Preston Lane Junior Memorial Westbound Bridge Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing inspections on the Eastern Channel of the William Preston Lane Junior Memorial Eastbound Bridge, across the Chesapeake Bay, mile 138.0, between Annapolis, Anne Arundel County, MD and Stevensville, Queen Anne County MD, and the William Preston Lane Junior Memorial Westbound Bridge, across the Chesapeake Bay, mile 138.1, between Annapolis, MD and Stevensville, MD. The inspections will be conducted from 8 a.m. to 6:30 p.m.; 7 days a week; from September 21, 2026, through October 25, 2026, with alternative work dates from 8 a.m. to 6:30 p.m., 7 days a week, from November 2, 2026, through December 4, 2026. An under-bridge inspection vehicle, a work platform, and a 30-foot work barge will be located underneath, in and around the vicinity of the eastern channel of each bridge. During the work hours, the under-bridge inspection vehicle, the work platform, and the 30-foot work barge will be located underneath, in the eastern channel navigational channel of each bridge, which will reduce the vertical clearance and the horizontal clearance of the eastern channel navigational channel of each bridge by approximately 10 feet of vertical clearance and by approximately 30 feet of horizontal clearance. Vessels that can safely transit through the eastern channel navigation channel of each bridge during periods with reduced vertical and horizontal clearances may do so at any time. Vessels that cannot safely transit through the eastern channel navigational channel of each bridge during periods with reduced vertical and horizontal clearances may transit through the eastern channel navigational channel of each bridge, if at least a 20-minute prior notice is given to the project foreman. Inspection personnel, equipment and vessels will relocate from the eastern channel navigation channel of each bridge, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (410) 908-3847 or (410) 512-4620. Mariners should use caution navigating through the areas. MSI #53533.	Lat: 38° 59' 30" Lon: -076° 22' 11"
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-10-19 To: 2026-12-23 Location: 38-59-31.272N/076-22-37.668W Bridge Name: William Preston Lane Junior Memorial Eastbound Bridge Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing inspections on the main navigation spans of the William Preston Lane Junior Memorial Eastbound Bridge, across the Chesapeake Bay, mile 138.0, near Annapolis, MD, and the William Preston Lane Junior Memorial Westbound Bridge, across the Chesapeake Bay, mile 138.1, near Annapolis, MD. The inspections will be conducted from 9 a.m. to 2:30 p.m.; Monday-Friday; from November 2, 2026, through December 18, 2026. An under-bridge inspection vehicle and work platform will be located in and around the bridges. During the work hours, from November 2, 2026, through November 20, 2026, the under-bridge inspection vehicle and work platform will be within the navigational channel of the William Preston Lane Junior Memorial Westbound Bridge which will reduce the vertical clearance of the bridge by approximately 5 feet. During the work hours from December 7, 2026, through December 18, 2026, the under-bridge inspection vehicle and work platform will be within the navigational channels of the William Preston Lane Junior Memorial Eastbound Bridge and William Preston Lane Junior Memorial Westbound Bridge which will reduce the vertical clearance of the bridges by approximately 5 feet. Vessels that can safely transit through the bridges during periods with a reduced vertical clearance may do so at any time. Vessels that cannot safely transit through the bridge during periods with a reduced vertical clearance may transit through the bridges, if at least a 15-minute prior notice is given to the project foreman. Inspection personnel, equipment and vessels will relocate from the navigable channel, upon request. Work vessels may be reached on VHF-FM channels 13 and 16. The project foreman can be reached at (443) 310-4743 or (410) 924-7587. Mariners should use caution navigating through the area. MSI #54090.	Lat: 38° 59' 31" Lon: -076° 22' 38"
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-10-19 To: 2026-12-23 Location: 38-59-29.940N/076-22-11.172W Bridge Name: William Preston Lane Junior Memorial Westbound Bridge Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing inspections on the main navigation spans of the William Preston Lane Junior Memorial Eastbound Bridge, across the Chesapeake Bay, mile 138.0, near Annapolis, MD, and the William Preston Lane Junior Memorial Westbound Bridge, across the Chesapeake Bay, mile 138.1, near Annapolis, MD. The inspections will be conducted from 9 a.m. to 2:30 p.m.; Monday-Friday; from November 2, 2026, through December 18, 2026. An under-bridge inspection vehicle and work platform will be located in and around the bridges. During the work hours, from November 2, 2026, through November 20, 2026, the under-bridge inspection vehicle and work platform will be within the navigational channel of the William Preston Lane Junior Memorial Westbound Bridge which will reduce the vertical clearance of the bridge by approximately 5 feet. During the work hours from December 7, 2026, through December 18, 2026, the under-bridge inspection vehicle and work platform will be within the navigational channels of the William Preston Lane Junior Memorial Eastbound Bridge and William Preston Lane Junior Memorial Westbound Bridge which will reduce the vertical clearance of the bridges by approximately 5 feet. Vessels that can safely transit through the bridges during periods with a reduced vertical clearance may do so at any time. Vessels that cannot safely transit through the bridge during periods with a reduced vertical clearance may transit through the bridges, if at least a 15-minute prior notice is given to the project foreman. Inspection personnel, equipment and vessels will relocate from the navigable channel, upon request. Work vessels may be reached on VHF-FM channels 13 and 16. The project foreman can be reached at (443) 310-4743 or (410) 924-7587. Mariners should use caution navigating through the area. MSI #54092.	Lat: 38° 59' 30" Lon: -076° 22' 11"
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-09-22 To: 2027-06-04 Location: 38-59-31.272N/076-22-37.668W Bridge Name: William Preston Lane Junior Memorial Eastbound Bridge Mariners are advised that an engineering firm, on behalf of the Maryland Transportation Authority, will be performing bridge inspections on the William Preston Lane Junior Memorial Eastbound Bridge, across the Chesapeake Bay, mile 138.0, near Annapolis, MD, and the William Preston Lane Junior Memorial Westbound Bridge, across the Chesapeake Bay, mile 138.1, near Annapolis, MD. The inspections which began in September will continue to be conducted from 7 a.m. to 6 p.m.; Monday-Friday; through May 31, 2027. During the work hours, under-bridge inspection units (snoopers), work barges, work vessels, and divers will be located in and around the vicinity of the bridges. Work vessels may be reached on VHF-FM channels 13 and 16. The project foreman can be reached at 443-564-5958 or 443-819-5433. Mariners should navigate the waterway with extreme caution and due regard for prevailing conditions on the waterway. Information concerning bridge navigational channel clearance reductions, and divers, will be provided via updated local notice to mariners, broadcast notice to mariners or marine safety information bulletins. MSI #54151	Lat: 38° 59' 31" Lon: -076° 22' 38"
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-09-22 To: 2027-06-04 Location: 38-59-29.940N/076-22-11.172W Bridge Name: William Preston Lane Junior Memorial Westbound Bridge Mariners are advised that an engineering firm, on behalf of the Maryland Transportation Authority, will be performing bridge inspections on the William Preston Lane Junior Memorial Eastbound Bridge, across the Chesapeake Bay, mile 138.0, near Annapolis, MD, and the William Preston Lane Junior Memorial Westbound Bridge, across the Chesapeake Bay, mile 138.1, near Annapolis, MD. The inspections which began in September will continue to be conducted from 7 a.m. to 6 p.m.; Monday-Friday; through May 31, 2027. During the work hours, under-bridge inspection units (snoopers), work barges, work vessels, and divers will be located in and around the vicinity of the bridges. Work vessels may be reached on VHF-FM channels 13 and 16. The project foreman can be reached at 443-564-5958 or 443-819-5433. Mariners should navigate the waterway with extreme caution and due regard for prevailing conditions on the waterway. Information concerning bridge navigational channel clearance reductions, and divers, will be provided via updated local notice to mariners, broadcast notice to mariners or marine safety information bulletins. MSI# 54152.	Lat: 38° 59' 30" Lon: -076° 22' 11"

Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-15 To: 2029-07-19 Location: 37.39156° N / 75.99193° W Shoaling has been Reported to a depth of 2-3ft at mean low water in the channel of Mattawoman Creek between Mattawoman Creek Light 1MC (LLNR 21580) and Mattawoman Creek Light 2 (LLNR 21585). Mariners are advised to transit the area with caution.	Lat: 37° 23' 30" Lon: -075° 59' 31"
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-19 To: 2029-07-23 Location: 37-06-27.684N/076-16-28.704W A recent NOAA survey identified shoaling to a depth of 8 ft at MLW in Back River between Back River Channel Light 5 (LLNR 12925) and Back River Channel Daybeacon 6 (LLNR 12930).	Lat: 37° 06' 28" Lon: -076° 16' 29"
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-07 To: 2029-07-11 Location: 38.11914° N / 76.34001° W Shoaling has been reported in St. Jerome Creek to a depth of 3 feet at MLW between St Jerome Creek DBN 3 (18805) and St. Jerome Creek Light 3A (LLNR 18810) and extending to St. Jerome Creek Buoy 4 (LLNR 18812) and St. Jerome Creek Buoy 6 (LLNR 18815). The channel width in the area of Deep Point is reduced to approximately 20 feet wide.	Lat: 38° 07' 09" Lon: -076° 20' 24"
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Hazards To Navigation/Wrecks	Hazards To Navigation	General/Hazards To Navigation/Wrecks From: 2026-07-29 To: 2027-01-25 Location: 38-29-09.600N/076-27-54.000W A sunken sailboat has been reported in approximate position: 38-29-10.9N, 076-27-54.8W. All mariners are advised to use caution when transiting area. MSI # 49999	Lat: 38° 29' 10" Lon: -076° 27' 54"
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards Mariners are advised that Seacoast Construction will be establishing a barge mooring area approximately 1.2 nautical miles West of Barren Island in the Chesapeake Bay (Approximate 38°19'30"N 76°16'40"W) from 12/16/2024 to 06/01/2027 . There will be large stone barges moored at and towed to and from the mooring area to the shipping channel and there will be multiple stone scows towed to and from the mooring area to Barren Island. There will be multiple vessels in the area. The mooring area will be outside but near the shipping channel. All mariners are advised that a slow bell may be required upon request. All marine equipment operators will be monitoring VHF-FM Channel 65 and Channels 16 and 13. Work vessels will monitor Channel 13 and 16. Mariners are advised to proceed with caution when transiting the area.	
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Miscellaneous	Miscellaneous	Mariners must avoid transiting in close proximity to wave measuring buoy due to semi-submerged mooring line and adjacent streambed buoys.	
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-10-07 To: 2026-10-13 Location: 37-33-12.240N/076-06-50.040W 37-33-10.800N/076-04-33.600W 37-31-04.800N/076-04-33.600W 37-31-04.800N/076-06-43.200W 37-33-12.240N/076-06-50.040W HOS ROSEBUD will be conducting underwater survey operations west of the Rappahannock Shoal Channel which will restrict their maneuverability. These operations will be conducted from 07 - 12 October 2026. Contact can be made with the HOS ROSEBUD via Marine radio, or to the POC, Richard Bradley at 360-271-9722. MSI #53906.	
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-10-05 To: 2027-04-02 Location: 38-22-56.784N/076-18-22.824W 38-11-43.908N/076-16-49.656W 38-07-39.288N/076-17-20.904W 38-07-58.548N/076-18-28.296W 38-22-51.384N/076-20-18.528W 38-22-56.784N/076-18-22.824W Contract company Jacobs will be conducted an underwater survey in the Chesapeake Bay utilizing one autonomous underwater vehicle (AUV), towing acoustic and geophysical, or a tethered remotely operated vehicle (ROV) with camera equipment from a 21-ft boat. The project will begin on 5 October 2026 and end on 31 March 2027 from 5:00 am to 7:00 pm daily. Vessels requested to maintain a 0.25 nm stand-off from the site. Vessels approaching the area requested hail 'CH2M workboat' via channel 16 and then shift to operating / working channel 72 to coordinate safe passage as required. CH2M workboat may require 30 minutes to facilitate recovery of ROV or AUV if deployed and to clear the site if necessary for safe passage of marine traffic. MSI #54862.	

Chester River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chester River Channel Light 23	26750	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Winchester Creek Daybeacon 1	null	STRUCT DEST	PA

Chincoteague Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chincoteague Inlet Lighted Buoy 6	5300	MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Virginia, Submerged Land Act (SLA) - Chincoteague Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-05-28 To: 2026-12-26 Location: 37-52-00.408N/075-25-00.624W Aid Name: Chincoteague Inlet Lighted Buoy 6 LLNR: 5300 Action: RELOCATE To better mark this shoaled area of the Chincoteague Inlet; on or about July 5, 2026, the Coast Guard will relocate Chincoteague Inlet Lighted Buoy 6 (LLNR 5300) to approximate position: 37 51 59.791N—75 25 02.764W. The flashing 4 second red light with a 4nm nominal range will remain unchanged. MSI: 44769	Lat: 37° 52' 00" Lon: -075° 25' 01"

Sector Virginia, Submerged Land Act (SLA) - Chincoteague Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-09-09 To: 2027-03-16 Location: 37-53-06.648N/075-24-35.208W 37-53-00.456N/075-24-23.256W 37-52-50.700N/075-24-26.172W 37-52-35.436N/075-24-42.228W 37-52-19.812N/075-25-05.304W 37-52-26.328N/075-25-18.480W 37-53-06.648N/075-24-35.208W Hazard to nav-shoaling in Chincoteague Inlet-Chincoteague Channel. The Norfolk District Army Corp of Engineers survey dated August 15,2026 indicates shoaling starting approximately 500' Northeast of Chincoteague Inlet Light Buoy 8 (LLNR 5305) to approximately 350' West-Southwest of Chincoteague Channel Lighted Buoy 11A (LLNR 5323) across the entire channel with least depths ranging from 9.8' to 3.9. MSI: 53382	
Sector Virginia, Submerged Land Act (SLA) - Chincoteague Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-05-04 To: 2026-10-31 Salmons Incorporated will conduct dredging using excavator and material barge, with pushed boat Gail Waring. Project will run from May 4, 2026 to Oct 31, 2026.	

Choptank River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Choptank River Lighted Buoy 8	24795	OFF STATION	FD
Choptank River Lighted Buoy 12	24835	OFF STATION	FD
Cook Point Cove Daybeacon 2C	24840	STRUCT DEST/TRLB/HAZ NAV	FD
Choptank River Lighted Buoy 13	24850	OFF STATION	FD
Choptank River Lighted Buoy 21	24985	MISSING/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Upper Choptank River Buoy 1	25316.010000000002	OFF STATION	PA
Upper Choptank River Buoy 3	25316.03	MISSING	PA
Upper Choptank River Buoy 4	25316.04	OFF STATION	PA
Upper Choptank River Buoy 5	25316.05	OFF STATION	PA
Upper Choptank River Buoy 6	25316.06	OFF STATION	PA

Chowan River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chowan River Light 16	31835	STRUCT DEST/HAZ NAV/TRLB	FD

Christina River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Diamond State Pier Light S	3017.1	LT EXT	PA

Clam Creek

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Absecon Inlet - Clam Creek/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-08-31 To: 2027-01-08 Mariners are advised that Sea Coast Marine Construction will conduct dredging operations in Clam Creek from September 10, 2026, through December 31, 2026. Operations will be conducted continuously, 24 hours a day, 7 days a week. Dredging operations will be conducted using the cutter-suction dredge SCROD, with a dredge pipeline extending from the stern of the dredge to the designated disposal site. Additional equipment operating in the area will include multiple tugboats, an excavator barge, and an unnamed skiff. The channel will remain open for navigation during the dredging operations; however, the navigable channel width will be reduced. Submerged pipeline crossings will be present and will be marked with red/green buoys. All mariners transiting the vicinity of the dredging operations are advised to proceed at the minimum speed necessary for safe steerage and exercise extreme caution when meeting, overtaking, or passing dredging equipment and associated work vessels. The dredge pipeline will be marked with regulatory buoys and flashing yellow lights. The dredge and associated work vessels will monitor VHF-FM Channels 65 and 16. Mariners requiring special arrangements are advised to contact the dredge at least 30 minutes in advance of transiting the area. On-site Superintendent: Keith Johnson Phone: 631-553-1034 Dredge Starting Coordinate: 39°22'39.57"N, 74°25'19.49"W Ending Coordinate (inside the creek): 39°22'32.40"N, 74°25'37.71"W MSI #52564.	

Coan River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Coan River Entrance Buoy 4	16580	OFF STATION	FD
Coan River Entrance Light 5	16585	LT EXT	FD
Coan River Daybeacon 18	16620	STRUCT DEST/TRUB	FD
Coan River Daybeacon 19	16625	STRUCT DEST/TRUB	FD

Core Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Harkers Island Straits Daybeacon 11	29378	STRUCT DEST/TRUB	FD
Harkers Island Straits Daybeacon 21	29396	STRUCT DEST/HAZ NAV/TRLB	FD
Core Sound Lighted Buoy 19	34455	MISSING	FD
Core Sound Warning Light A	34520	DAYMK DMGD	FD
Core Sound Warning Daybeacon B	34525	DBD DEST	FD
Core Sound South Light SS	34630	STRUCT DEST/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Barden Inlet - Core Sound/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-25 To: 2029-02-10 Location: 34.71678° N / 76.54725° W Wilmington District USACE Survey of 12 Mar 2020 has identified significant shoaling IVO Harker's Island in The Straights. Depths as low as 4ft MLW were found between Harkers Island Straits Light 14 (LLNR 29382) and Harkers Island Straits Light 15 (LLNR 29384).	Lat: 34° 43' 00" Lon: -076° 32' 50"
Barden Inlet - Core Sound/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-04-22 To: 2030-03-26 Location: 34.71685° N / 76.54721° W Unit found shoaling between Harkers Island Straits Light 14 (LLNR 29382) to Harkers Island Straits Light 15 (LLNR 29384) depth reached as low as 4 ft.	Lat: 34° 43' 01" Lon: -076° 32' 50"

Courthouse Bay.

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
New River - Courthouse Bay/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-09-01 To: 2027-02-01 Location: 34-34-43.788N/077-22-31.908W Aid Name: Courthouse Bay Buoy 1 LLNR: 29765 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will change Courthouse Bay Buoy 1 (LLNR 29765) to Courthouse Bay Lighted Buoy 1 (LLNR 29765) FL G 2.5s, 4nm. Change will be coordinated with other aids servicing in the area between October 27, 2026 and February 1, 2027. MSI # 52428.	Lat: 34° 34' 44" Lon: -077° 22' 32"
New River - Courthouse Bay/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-09-01 To: 2027-02-01 Location: 34-35-02.832N/077-22-32.052W Aid Name: Courthouse Bay Buoy 4 LLNR: 29780 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will change Courthouse Bay Buoy 4 (LLNR 29780) to Courthouse Bay Lighted Buoy 4 (LLNR 29780) FL R 2.5s, 4nm. Change will be coordinated with other aids servicing in the area between October 27, 2026 and February 1, 2027. MSI # 52429.	Lat: 34° 35' 03" Lon: -077° 22' 32"

Crab Alley Bay.

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Eastern Bay - Crab Alley Bay/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-07 To: 2029-07-11 Location: 38.93041° N / 76.29285° W Hazard to navigation - there has been a report of shoaling in Crab Alley Bay approximately 50 yards northwest of Crab Alley Bay Buoy 6, (LLNR 26300), and 200 yards south of Crab Alley Bay Daybeacon 7, (LLNR 26305), in approximate position: 38-55.78n, 076-17.58w to a depth of 2ft at mean low water.	Lat: 38° 55' 49" Lon: -076° 17' 34"

Croatan Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Manns Harbor Canal Light 1	31920	STRUCT DEST	FD
Roanoke Island West Side Light 4	31965	STRUCT DEST/TRLB	FD

Currituck Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Currituck Sound Research Platform C	31241.2	LT EXT/STRUCT DMGD	FD
Currituck Ferry Terminal Light 2	31245	STRUCT DEST/TRLB	FD

Curtis Bay.

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
------	------	--------	----------	-----------------

Curtis Bay Channel Directional Sector Light	20870	RELIGHTED	FD	2026-10-06
---	-------	-----------	----	------------

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Thomas Cove Mooring Buoy A	20882	BUOY DMGD	PA
Thomas Cove Mooring Buoy B	20883	BUOY DMGD	PA
Hess Lighted Mooring Buoy	20930	LT EXT	PA
Hess Lighted Mooring Buoy	20930	LT EXT	PA
Thomas Cove Mooring Buoy A	20882	BUOY DMGD	PA
Thomas Cove Mooring Buoy B	20883	BUOY DMGD	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Fort Mchenry Channel - Curtis Bay/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-06-23 To: 2027-06-23 Location: 39-12-28.454N/076-34-49.746W Bridge Name: 173 State Route Bridge Curtis Creek Drawbridge Maintenance Project Curtis Creek, Baltimore, MD Mariners are advised that maintenance and rehabilitation work will be conducted on the Curtis Creek Drawbridges, located on the Baltimore Beltway (I-695) over Curtis Creek mile 1.0 in Baltimore, Maryland, from July 24, 2026, through July 23, 2027. Work hours will be from 6:00 am to 4:00 pm, Monday through Friday, with occasional Saturday work as needed. All deck replacement and lighting work will occur on the fixed bridge structure. Temporary shielding will be installed during concrete demolition to prevent debris from entering the waterway. The temporary shielding will not reduce vertical clearance from the water. Snooper trucks and project equipment will be stationed on the bridge deck, but all resources will be located on the bridge and will not impede the navigation channel. There are no proposed temporary reductions in navigation clearances, and no temporary deviations are requested or required. Mariners are requested to provide advance notice for bridge openings, and Cianbro's superintendent to be included in communications for any scheduled openings. Mariners should adjust their transits accordingly and use caution when navigating in the vicinity of the bridge For further information, contact Cianbro Superintendent at 443-694-8473 or Maryland Transportation Authority Owner's Representative Nafiz Alqasem at (410) 537-8200, nalqasem@mdta.state.md.us. MSI # 46992.	Lat: 39° 12' 28" Lon: -076° 34' 50"
Fort Mchenry Channel - Curtis Bay/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-06-23 To: 2027-06-23 Location: 39-12-27.468N/076-34-50.232W Bridge Name: Interstate 695 Westbound Bridge Curtis Creek Drawbridge Maintenance Project Curtis Creek, Baltimore, MD Mariners are advised that maintenance and rehabilitation work will be conducted on the Curtis Creek Drawbridges, located on the Baltimore Beltway (I-695) over Curtis Creek mile 1.0 in Baltimore, Maryland, from July 24, 2026, through July 23, 2027. Work hours will be from 6:00 am to 4:00 pm, Monday through Friday, with occasional Saturday work as needed. All deck replacement and lighting work will occur on the fixed bridge structure. Temporary shielding will be installed during concrete demolition to prevent debris from entering the waterway. The temporary shielding will not reduce vertical clearance from the water. Snooper trucks and project equipment will be stationed on the bridge deck, but all resources will be located on the bridge and will not impede the navigation channel. There are no proposed temporary reductions in navigation clearances, and no temporary deviations are requested or required. Mariners are requested to provide advance notice for bridge openings, and Cianbro's superintendent to be included in communications for any scheduled openings. Mariners should adjust their transits accordingly and use caution when navigating in the vicinity of the bridge For further information, contact Cianbro Superintendent at 443-694-8473 or Maryland Transportation Authority Owner's Representative Nafiz Alqasem at (410) 537-8200, nalqasem@mdta.state.md.us. MSI # 46992.	Lat: 39° 12' 27" Lon: -076° 34' 50"
Fort Mchenry Channel - Curtis Bay/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-06-23 To: 2027-06-23 Location: 39-12-26.712N/076-34-51.312W Bridge Name: Interstate 695 Eastbound Bridge Curtis Creek Drawbridge Maintenance Project Curtis Creek, Baltimore, MD Mariners are advised that maintenance and rehabilitation work will be conducted on the Curtis Creek Drawbridges, located on the Baltimore Beltway (I-695) over Curtis Creek mile 1.0 in Baltimore, Maryland, from July 24, 2026, through July 23, 2027. Work hours will be from 6:00 am to 4:00 pm, Monday through Friday, with occasional Saturday work as needed. All deck replacement and lighting work will occur on the fixed bridge structure. Temporary shielding will be installed during concrete demolition to prevent debris from entering the waterway. The temporary shielding will not reduce vertical clearance from the water. Snooper trucks and project equipment will be stationed on the bridge deck, but all resources will be located on the bridge and will not impede the navigation channel. There are no proposed temporary reductions in navigation clearances, and no temporary deviations are requested or required. Mariners are requested to provide advance notice for bridge openings, and Cianbro's superintendent to be included in communications for any scheduled openings. Mariners should adjust their transits accordingly and use caution when navigating in the vicinity of the bridge For further information, contact Cianbro Superintendent at 443-694-8473 or Maryland Transportation Authority Owner's Representative Nafiz Alqasem at (410) 537-8200, nalqasem@mdta.state.md.us. MSI # 46994.	Lat: 39° 12' 27" Lon: -076° 34' 51"
Fort Mchenry Channel - Curtis Bay/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-09-16 To: 2027-03-17 Location: 39-12-27.468N/076-34-50.232W Bridge Name: Interstate 695 Westbound Bridge Mariners are advised that an engineering firm, working on behalf of the Maryland Transportation Authority, will be conducting maintenance on the I-695 (Baltimore Beltway) Bridge across Curtis Creek, mile 1.0, at Baltimore, MD. Work will take place from September 16, 2026, to March 16, 2027, from 6 a.m. to 4 p.m., Monday through Friday. A work barge equipped with a personnel lift will be positioned near Piers 21 and 22, outside the navigational channel. The drawbridge will remain in normal operating status throughout the project. All mariners should use caution when transiting the area. MSI #53844.	Lat: 39° 12' 27" Lon: -076° 34' 50"
Fort Mchenry Channel - Curtis Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-11-15 To: 2027-03-19 Location: 39-12-46.908N/076-34-46.488W McLean Contracting Company will be driving pile and installing berthing dolphins in Baltimore Harbor (Patapsco River/Curtis Creek) beginning 15 November 2026 to 15 March 2027. This work will be conducted 24 hours, 7 days a week. The project will involve barge-mounted cranes, and a materials barge being spudded down and secured in the waterway. The barges will be lighted and there will be assist boats monitoring VHF channels 74, 16 and 13. Operations point of contact will be Scott Popoloski (603) 501-8360. MSI #53786.	Lat: 39° 12' 47" Lon: -076° 34' 46"

Deep Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Deep Creek Light 7	22210	STRUCT DEST/HAZ NAV/TRLB	FD

Delaware Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Delaware Bay North Approach Lighted Buoy 2	1475	MISSING	FD
Delaware Bay North Approach Lighted Buoy 4	1480	LT EXT	FD
South Shoal Lump Buoy 8B	1525	OFF STATION	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Delaware Bay/General/Marine Events/Regatta (Race)	Marine Events	General/Marine Events/Regatta (Race) From: 2026-10-17 Mariners are advised of a canoe race event that will take place on October 17, 2026 from 7am to 5 pm starting at the Lewes Yacht Club and extending into the Atlantic Ocean, south to Herring Point and back to the Lewes Yacht Club. In the event of inclement weather, the event will start at the yacht club, remaining within the Delaware Bay and finishing in the Broadkill River. The event sponsor will have safety vessels on scene and will be monitoring Vhf channel 16. All mariners are advised to transit the area with caution.	

Delaware Bay East Side

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Delaware Bay Main Channel - Delaware Bay East Side/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-08-19 To: 2026-10-20 Location: 39-17-39.048N/075-13-36.804W 39-16-57.288N/075-13-19.416W 39-16-34.572N/075-14-50.208W 39-17-14.964N/075-15-11.304W 39-17-39.048N/075-13-36.804W Mariners are advised that H&L Contracting will be conducting dredging operations in Nantuxent Creek from September 7, 2026, through October 20, 2026. Work will be conducted 24 hours a day, 7 days a week. Dredging operations will be performed using the cutter-suction dredge "Scout," with a pipeline attached at the stern extending to the disposal site. Multiple tugboats, an excavator barge, and an unnamed skiff will also be operating in the area. The channel will remain open during dredging; however, channel width will be reduced, and occasional channel crossings may occur. All mariners are advised to reduce speed to the minimum required for safe steerage while transiting the vicinity of the dredging operations. The dredge pipeline will be marked with regulatory buoys and flashing yellow lights. The dredge and associated work vessels will monitor VHF-FM Channels 65 and 16. Mariners are advised to proceed with caution when transiting the area and to contact the dredge 30 minutes in advance for any special arrangements. On-site Superintendent: Keith Johnson Phone: 631-553-1034 Dredge Starting Coordinate: 39°16'52.9"N, 75°15'10.5"W Ending Coordinate (inside the creek): 39°17'06.4"N, 75°13'52.2"W Beach Placement Location: 39°16'54.7"N, 75°14'24.8"W MSI #51644	

Delaware Bay Main Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Brown Shoal Light	1535	DBD DMGD/REDUCED INT/TRLT	FD
Miah Maull Shoal Light	1585	SS INOP/REDUCED INT	FD
Elbow of Cross Ledge Light	1600	SS INOP/REDUCED INT/TRLT	FD
Delaware Bay Main Channel Lighted Buoy 34	1625	OFF STATION	FD
Ship John Shoal Light	1640	LT EXT	FD
Delaware Bay Main Channel Lighted Buoy 42	1645	LT EXT	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Delaware Bay Main Channel Lighted Buoy 42	1645	RELIGHTED	FD	2026-10-07

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Brown Shoal Light	1535	Reduced Intensity	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Delaware Bay - Delaware Bay Main Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change. From: 2026-08-27 To: 2026-10-22 Location: 39-10-56.028N/075-16-06.420W. Aid Name: Elbow of Cross Ledge Light. LLNR: 1600 Action: CHANGE. Action Type Change Light Signals. The Coast Guard will reduce the nominal range of Elbow of Cross Ledge Light (LLNR 1600) to 12nm nominal range and change horn from operating continuously to "Horn activated by keying the mic 5 times on VHF-FM 83A (157.175MHz)". Once activated horn would operate for 30 minutes. Changes will be made sometime in the Fall of 2026. MSI # 51791.	Lat: 39° 10' 56" Lon: -075° 16' 06"

Delaware River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Delaware River Light 2 (2)	2490	LT IMCH	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Eagle Point - Delaware River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2025-07-03 To: 2026-10-09 Location: 39.90544° N / 75.1295° W Bridge Name: Walt Whitman Interstate 76 Bridge Mariners are advised that an engineering firm, on behalf of the Delaware River Port Authority, will be conducting maintenance at the Walt Whitman (I-76) Bridge over Delaware River, mile 96.8, in Philadelphia, PA. To facilitate bridge work, two 16FT BY 8 FT platforms will be installed under the bridge from 7 a.m. October 01, 2025, through 3:30 p.m. October 08, 2026. One platform will be installed near Pennsylvania side under the bridge reducing the vertical clearance of the bridge approximately 3 feet to approximately 141 feet above mean highwater and the one platform will be installed near the New Jersey side under the bridge reducing the clearance of the bridge approximately 3 feet to approximately 143 feet above mean highwater. Mariners are advised to exercise caution when transiting the area.	Lat: 39° 54' 20" Lon: -075° 07' 46"
Eagle Point - Delaware River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-01-14 To: 2026-11-30 Location: 40-05-33.068N/074-54-50.440W Bridge Name: Railroad Bridge Mariners are advised that maintenance work will be conducted on the Neshaminy Creek Amtrak Railroad Bridge over Neshaminy Creek, approximately 1.5 miles north of the inlet with the Delaware River, from January 19, 2026, to November 30, 2026. Temporary scaffolding will be installed along the bridge fascia and underneath the superstructure, reducing vertical clearance by approximately 4 feet and horizontal clearance by approximately 4 feet on either side. A rescue boat will be on site for emergency use, and ground equipment will include a skid steer, scissor lift, and mini excavator. All work will primarily occur Monday through Thursday, between 6:00 AM to 3:00 PM, with occasional weekend and overnight work as required. The contractor and rescue boat will monitor VHF-FM Channel 13 during work hours. Mariners should adjust their transit plans accordingly and exercise caution when transiting the area. MSI # 35194.	Lat: 40° 05' 33" Lon: -074° 54' 50"
Eagle Point - Delaware River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-06-26 To: 2026-11-30 Location: 39-57-11.340N/075-08-03.624W Bridge Name: Benjamin Franklin Interstate 676 Bridge BENJAMIN FRANKLIN BRIDGE Philadelphia, PA / Camden, NJ Mariners are advised that maintenance work will be conducted on the Benjamin Franklin Bridge, over the Delaware River mile 100.2 between Philadelphia, PA and Camden, NJ. From July 6, 2026, through September 28, 2026, the Delaware River Port Authority (DRPA) will dock and demobilize the moveable maintenance platform approximately 100 feet from the New Jersey tower at panel point 41, outside of the navigational channel, to facilitate repairs. All work will occur outside the navigational channel, and no impact to vessel traffic is anticipated. The platform will remain at this location for the duration of the 12-week project. Mariners should exercise caution when transiting the area and remain alert for maintenance activity near the bridge. For further information, contact Ryan Mehigan at (856) 968-2104 or ramehigan@drpa.org. MSI # 47305	Lat: 39° 57' 11" Lon: -075° 08' 04"
Eagle Point - Delaware River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2026-08-31 To: 2026-11-02 Location: 39-28-04.332N/075-34-28.560W Aid Name: Reedy Island Dike South Warning Light LLNR: 2500 Action: CHANGE Action Type Change Light Signals The Coast Guard is proposing to change Reedy Island Dike South Warning Light (LLNR 2500) by increasing nominal range of light from 4NM to 5NM. Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impact of this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil Or regular mail at: U.S. Coast Guard Fifth District Waterways Management (dpw) 431 Crawford Street, Room 100 Portsmouth, VA 23704 Attn: Gregory Goetz All comments will be carefully considered and are requested prior to November 2, 2026 to be considered in the analysis. Refer to Project Number 05-26-027(D). MSI # 52591.	Lat: 39° 28' 04" Lon: -075° 34' 29"
Eagle Point - Delaware River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2026-08-31 To: 2026-11-02 Location: 39-30-02.700N/075-34-07.716W Aid Name: Old Reedy Island Light LLNR: 2605 Action: CHANGE Action Type Change Light Signals The Coast Guard is proposing to change Old Reedy Island Light (LLNR 2605) to all-round white light, by removing the red sector and reducing nominal range to 5nm making light Iso W 6s, 5NM. Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impact of this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil Or regular mail at: U.S. Coast Guard Fifth District Waterways Management (dpw) 431 Crawford Street, Room 100 Portsmouth, VA 23704 Attn: Gregory Goetz All comments will be carefully considered and are requested prior to November 2, 2026 to be considered in the analysis. Refer to Project Number 05-26-027(D). MSI # 52593.	Lat: 39° 30' 03" Lon: -075° 34' 08"

Delaware River Main Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Delaware River Lighted Buoy 17	2835	OFF STATION/LT EXT	FD
Delaware River Lighted Buoy 30	3020	LT EXT	FD
Delaware River Buoy 35	3040	OFF STATION	FD
Delaware River Lighted Buoy 41	3123	MISSING	FD
Marcus Hook Anchorage Buoy A	3165	OFF STATION	FD
Marcus Hook Anchorage Buoy C	3205	MISSING	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Delaware River Lighted Buoy 22	2925	RESET ON STATION	FD	2026-10-06
Billingsport Range Front Light	3320	RELIGHTED	FD	2026-10-05

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Thompson Point Intake Light	3305	LT EXT	PA
Thompson Point Intake Light	3305	LT EXT	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Deepwater Point Range Rear Light	2910	Other	FD
Delaware River Buoy 35	3040	RELOCATED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Delaware River - Delaware River Main Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-10-05 To: 2027-04-03 Location: 39-41-04.236N/075-30-40.788W Aid Name: Deepwater Point Range Rear Light LLNR: 2910 Action: CHANGE Action Type Change Light Signals Due to a programming issue with a new optic for Deepwater Point Range Rear Light (LLNR 2910), the light characteristic has been TEMPORARILY been changed to from Fixed White (Day) / Fixed Green (Night) to OC W 4s (Day) / OC W 4s (Night). MSI # 54994.	Lat: 39° 41' 04" Lon: -075° 30' 41"
Delaware River - Delaware River Main Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-09-30 To: 2031-09-04 Location: 39-50-50.852N/075-19-49.811W Aid Name: Delaware River Lighted Buoy 54 LLNR: 3270 Action: RELOCATE to approx posit 39-50-50.852N/075-19-49.811W	Lat: 39° 50' 51" Lon: -075° 19' 50"
Delaware River - Delaware River Main Channel/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-05-05 To: 2027-07-12 Location: 39.8764° N / 75.30473° W Bridge Name: 420 State Route Southbound Bridge Mariners are advised that a construction firm, on behalf of Pennsylvania Department of Transportation, will be constructing a new bridge to replace the SR 420 (Wanamaker Avenue) Bridge, over Darby Creek, mile 1.3, between Prospect Park Borough, Delaware County, PA and Tinicum Township, Delaware County, PA. Construction activities which began March 2024, and are expected to finish on July 12, 2027. Work will be on-going from 6 a.m. to 6 p.m.; Monday-Saturday. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. A tug, a material barge, manlift barges, and support vessels will be operating or stationed in the vicinity of the existing and new bridge structures. For the duration of the construction period, cofferdams will be located within the navigational channel of the bridge reducing the horizontal clearance of the bridge to approximately 45 feet of horizontal clearance. During the work hours, two forty-foot manlift barges and one forty-foot material barge may be located within the reduced navigational channel of the existing and new bridge structures providing access for demolition/construction activities. Vessels may safely transit through the bridge during the work hours if at least a two-hour prior notice is given to the R.E. Pierson Construction Company. R.E. Pierson Construction Company tug and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the area. The PennDOT Construction Manager may be contacted at (610) 476-7874 and P.E. Pierson Construction Company may be contacted at (856) 373-8796 or (609) 774-2453 or 609-774-5554. Project information may be found at https://www.penndot.pa.gov/RegionalOffices/district-6/ConstructionsProjectsAndRoadwork/DelawareCounty/Pages/Route-420-(Wanamaker-Ave.)-Darby-Creek-Bridge-Replacement.aspx .	Lat: 39° 52' 35" Lon: -075° 18' 17"
Delaware River - Delaware River Main Channel/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-05-05 To: 2027-07-12 Location: 39.87641° N / 75.30453° W Bridge Name: 420 State Route Northbound Bridge Mariners are advised that a construction firm, on behalf of Pennsylvania Department of Transportation, will be constructing a new bridge to replace the SR 420 (Wanamaker Avenue) Bridge, over Darby Creek, mile 1.3, between Prospect Park Borough, Delaware County, PA and Tinicum Township, Delaware County, PA. Construction activities which began March 2024, and are expected to finish on July 12, 2027. Work will be on-going from 6 a.m. to 6 p.m.; Monday-Saturday. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. A tug, a material barge, manlift barges, and support vessels will be operating or stationed in the vicinity of the existing and new bridge structures. For the duration of the construction period, cofferdams will be located within the navigational channel of the bridge reducing the horizontal clearance of the bridge to approximately 45 feet of horizontal clearance. During the work hours, two forty-foot manlift barges and one forty-foot material barge may be located within the reduced navigational channel of the existing and new bridge structures providing access for demolition/construction activities. Vessels may safely transit through the bridge during the work hours if at least a two-hour prior notice is given to the R.E. Pierson Construction Company. R.E. Pierson Construction Company tug and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the area. The PennDOT Construction Manager may be contacted at (610) 476-7874 and P.E. Pierson Construction Company may be contacted at (856) 373-8796 or (609) 774-2453 or 609-774-5554. Project information may be found at https://www.penndot.pa.gov/RegionalOffices/district-6/ConstructionsProjectsAndRoadwork/DelawareCounty/Pages/Route-420-(Wanamaker-Ave.)-Darby-Creek-Bridge-Replacement.aspx .	Lat: 39° 52' 35" Lon: -075° 18' 16"
Delaware River - Delaware River Main Channel/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-05-05 To: 2027-07-12 Location: 39.87656° N / 75.30468° W Bridge Name: 420 State Route Bridge Mariners are advised that a construction firm, on behalf of Pennsylvania Department of Transportation, will be constructing a new bridge to replace the SR 420 (Wanamaker Avenue) Bridge, over Darby Creek, mile 1.3, between Prospect Park Borough, Delaware County, PA and Tinicum Township, Delaware County, PA. Construction activities which began March 2024, and are expected to finish on July 12, 2027. Work will be on-going from 6 a.m. to 6 p.m.; Monday-Saturday. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. A tug, a material barge, manlift barges, and support vessels will be operating or stationed in the vicinity of the existing and new bridge structures. For the duration of the construction period, cofferdams will be located within the navigational channel of the bridge reducing the horizontal clearance of the bridge to approximately 45 feet of horizontal clearance. During the work hours, two forty-foot manlift barges and one forty-foot material barge may be located within the reduced navigational channel of the existing and new bridge structures providing access for demolition/construction activities. Vessels may safely transit through the bridge during the work hours if at least a two-hour prior notice is given to the R.E. Pierson Construction Company. R.E. Pierson Construction Company tug and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the area. The PennDOT Construction Manager may be contacted at (610) 476-7874 and P.E. Pierson Construction Company may be contacted at (856) 373-8796 or (609) 774-2453 or 609-774-5554. Project information may be found at https://www.penndot.pa.gov/RegionalOffices/district-6/ConstructionsProjectsAndRoadwork/DelawareCounty/Pages/Route-420-(Wanamaker-Ave.)-Darby-Creek-Bridge-Replacement.aspx .	Lat: 39° 52' 36" Lon: -075° 18' 17"
Delaware River - Delaware River Main Channel/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2025-06-02 To: 2028-01-31 Location: 39.827997° N / 75.370962° W Bridge Name: Commodore Barry Highway Bridge Mariners are advised that maintenance work will be conducted on the Commodore Barry Bridge (US-322) over the Delaware River from April 14, 2025, to January 31, 2028. The work will include localized truss strengthening, blasting and painting, structural steel repairs, and deck and utility repairs. Temporary under-deck shielding and work platforms will be installed beneath the cantilever truss spans. These platforms will reduce vertical clearance by up to no more than 5 feet, maintaining a minimum vertical clearance of approximately 187' feet within the middle 822 feet of the navigational span and no less than 176' feet outside of the navigational span. A 60-foot by 40-foot sectional spud barge will be on station throughout the project, spudded into the nearby riverbed and positioned outside of the navigational channel. The barge will be relocated as necessary to support the work and will not restrict channel traffic. An observer with an unobstructed view both upstream and downstream will provide vessel approach warnings so that all welding and burning over the water will cease upon the approach of any vessel and will resume only once it has safely passed. A safety boat will be on site and will monitor VHF-FM channels 13 and 16 during operations. Mariners are urged to use caution when transiting the area and to monitor future notices for updates.	Lat: 39° 49' 41" Lon: -075° 22' 15"

Delaware River - Delaware River Main Channel/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-09-30 To: 2027-07-12 Location: 39.87641° N / 75.30453° W Bridge Name: 420 State Route Northbound Bridge Mariners are advised that a construction firm, on behalf of Pennsylvania Department of Transportation, will be constructing a new bridge to replace the 420 State Route Southbound and 420 Northbound Bridges across Darby Creek, mile 1.3, between Prospect Park Borough, Delaware County, PA and Tinicum Township, Delaware County, PA. Construction activities which began March 2024, and are expected to finish on July 12, 2027. A tug, a material barge, manlift barges, and support vessels will be operating or stationed in the vicinity of the existing and new bridge structures. For the duration of the construction period, cofferdams will be located within the navigational channel of the bridge reducing the horizontal clearance of the bridge to approximately 45 feet of horizontal clearance. Bridge demolition activities of the existing 420 State Route Northbound Bridge will occur 24 hours a day; Monday-Friday; from October 20, 2025, through October 25, 2025. During the bridge demolition activities, a forty-foot work barge will be located within the navigational channel of the bridge and will not be able to relocate from the reduced navigational channel of the existing and new bridge structures. Vessels should not transit through the existing and new bridge structures and should adjust their transits accordingly. R.E. Pierson Construction Company tug and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the area. The PennDOT Construction Manager may be contacted at (610) 476-7874 and P.E. Pierson Construction Company may be contacted at (856) 373-8796 or (609) 774-2453 or 609-774-5554. Project information may be found at https://www.penndot.pa.gov/RegionalOffices/district-6/ConstructionsProjectsAndRoadwork/DelawareCounty/Pages/Route-420-(Wanamaker-Ave.)-Darby-Creek-Bridge-Replacement.aspx .	Lat: 39° 52' 35" Lon: -075° 18' 16"
Delaware River - Delaware River Main Channel/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance Mariners are advised that an engineering firm, on behalf of Delaware River Port Authority, will be performing maintenance on the SR 90 (Betsy Ross) Bridge, over Delaware River, mile 104.8, between Philadelphia, PA, and Pennsauken, NJ. The maintenance will be conducted from 7 a.m. to 5 p.m.; Monday-Saturday; from March 5, 2024, through November 7, 2027. During the maintenance period, work platforms and containment will reduce the vertical clearance of the entirety of the bridge, reducing the vertical clearance of the bridge navigational channel to approximately 136 feet of vertical clearance above mean high water. A safety vessel will be located onsite in the vicinity of the bridge, but will not be in the navigational channel or restrict vessel transits. The safety vessel may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (856) 979-1593. Mariners should use extreme caution navigating through the area. MSI # 35325. From: 2024-08-14 To: 2027-11-08 Location: 39.984639° N / 75.065326° W Bridge Name: Betsy Ross Bridge SR 90 Bridge	Lat: 39° 59' 05" Lon: -075° 03' 55"
Delaware River - Delaware River Main Channel/General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions From: 2026-03-20 To: 2026-12-23 USACE Survey has indicated a possible submerged object, believed to be a sunken buoy in the vicinity of Delaware River Buoy 57 (LLNR 3310) in approximate position: 39-50.997N, 075-17.772W. Object is 50ft outside the channel toe, in 45ft MLW. All mariners are requested to use caution in the area. MSI # 39555.	Lat: 39° 50' 60" Lon: -075° 17' 46"
Delaware River - Delaware River Main Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-16 To: 2026-12-01 Location: 39-45-16.812N/075-29-39.156W 39-45-00.036N/075-29-25.764W 39-44-20.328N/075-29-49.740W 39-44-23.784N/075-30-08.028W 39-44-48.120N/075-29-58.668W 39-45-16.812N/075-29-39.156W All Mariners please be advised the Dredge RS WEEKS and Clamshell Dredge Weeks 506 will commence dredging operations near the Delaware Container Terminal, at approximate position 39°44'44.77"N, 075°29'50.50"W, beginning on or about July 1, 2026, and will continue until approximately November 30, 2026. Dredging will be conducted 24 hours a day, in 12-hour shifts, Monday through Sunday. A submerged pipeline will run from the dredging area to Wilmington Harbor South Disposal Area near Pigeon Point in New Castle, DE. A floating pipeline will connect the dredge to the submerged pipeline. All vessels are requested to contact the Dredge RS WEEKS a minimum of 1-hour prior to transiting area to make passing arrangements. Mariners are advised to transit the area with caution and at a slow no-wake speed when passing the Dredge. The Dredge RS WEEKS can be contacted via VHF radio channels 13, 16, and 73 or via phone 640-466-8251. All mariners are requested to stay clear of the dredge, booster, floating (pontoon) and submerged pipelines, barges, derricks and operating wires about the dredge. Operators of vessels of all types should be aware that the dredge and floating pipelines are held in place by cables, attached to anchors some distance away from the equipment. Buoys are attached to the anchors so that the anchors may be moved as the dredge advances and the location of the submerged pipelines are marked by buoys on each side of the channel. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipelines, barges, derricks, wires and related equipment. Owners and lessees of fishnets, crab pots and other structures that may be in the vicinity and that may hinder the free navigation of attending vessels and equipment must remove these from the area where tugs, tender boats and other attendant equipment will be navigating. Since the project will be conducted twenty –four (24) hours per day seven (7) days a week, all fishnets, crab pots and structures in the general area must be removed prior to the commencement of the work. MSI 50850.	
Delaware River - Delaware River Main Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-08-31 To: 2026-11-30 Location: 39-49-11.496N/075-23-21.984W 39-49-04.116N/075-23-15.936W 39-47-54.852N/075-25-36.264W 39-48-02.196N/075-25-42.312W 39-49-11.496N/075-23-21.984W Dredge CHARLESTON will commence pipeline placement operations in the Marcus Hook Anchorage of the Delaware River on or about Friday, August 28, 2026. A submerged pipeline will be placed from the dredging area to the Pedricktown North Disposal area on the New Jersey side of the river. The submerged pipeline will enter the Marcus Hook anchorage from the east and will end in the anchorage a few hundred feet outside the red side of the main channel. A floating pipeline will be attached to the submerged pipeline. The submerged pipeline will need to be moved occasionally as the dredge progresses. The project will continue until approximately November 20, 2026. All vessels are requested to contact the Dredge CHARLESTON a minimum of 30 minutes prior to transiting Marcus Hook Range and Anchorage, to make passing arrangements. The Dredge CHARLESTON can be contacted via VHF radio channels 13 and 5 or via phone at (757) 508-2326. Vessels desiring to anchor within Marcus Hook Anchorage must be at least 650 feet in overall length and obtain permission from the COTP at least 24 hours in advance, at (833) 453-1007. The COTP will permit, at maximum, two vessels at a time on a “first come, first served” basis in the anchorage for a period of 12 hours. Vessels under 650 feet in overall length may request to anchor in Marcus Hook Anchorage and may be approved on a case-by-case basis. All mariners are requested to stay clear of the dredge, booster, floating (pontoon) and submerged pipelines, barges, derricks and operating wires about the dredge. Operators of vessels of all types should be aware that the dredge and floating pipelines are held in place by cables, attached to anchors some distance away from the equipment. Buoys are attached to the anchors so that the anchors may be moved as the dredge advances and the location of the submerged pipelines are marked by buoys on each side of the channel. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipelines, barges, derricks, wires and related equipment. Owners and lessees of fishnets, crabpots and other structures that may be in the vicinity and that may hinder the free navigation of attending vessels and equipment must remove these from the area where tugs, tenderboats and other attendant equipment will be navigating. Since the project will be conducted twenty –four (24) hours per day seven (7) days a week, all fishnets, crabpots and structures in the general area must be removed prior to the commencement of the work. MSI #52579.	

Delaware River To St Georges Bridges

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chesapeake And Delaware Canal Light 3	2760	STRUCT DEST/HAZ NAV	FD

Eastham Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Eastham Creek Daybeacon 7	33090	STRUCT DEST/TRUB	FD
Eastham Creek Daybeacon 9	33095	STRUCT DEST/HAZ NAV/TRLB	FD

Eastport Harbor

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Eastport Harbor Entrance Light 1E	19880	RELIGHTED	FD	2026-09-28

Edge Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Upper Edge Creek Daybeacon 7	25765	STRUCT DEST/HAZ NAV/TRUB	PA

Elizabeth River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Elizabeth River-Dominion Lighted Danger Buoy A	9603.1	MISSING	PA
Craney Island Lighted Warning Buoy A	9602	MISSING	PA
Pinner Point Warning Buoy A	9851	ADRIFT	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Elizabeth River Lighted Buoy 29	9850	RELOCATED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
James River - Elizabeth River-General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-10-09 To: 2027-01-04 Location: Lambert's Point Pier 6 - Elizabeth River Mechanical dredging operations on behalf of Norfolk Southern will commence on or about October 21, 2026, at Lamberts Point Pier 6 in Norfolk on the Elizabeth River. Loaded scows will be towed from the work area at Pier 6 to the Unloader barge located at Shirley's Plantation (Weanack Island). The Dredge KOKO V will perform the dredging with the assistance of towing tugs and scows. Vessels and crew will monitor VHF channel 13 during the project execution. Dredging and unloading operations will continue until the estimated completion date of December 31, 2026. MSI #53466.	

Elizabeth River Southern Branch

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Elizabeth River Southern Branch Light 37	37100	STRUCT DEST/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Elizabeth River - Elizabeth River Southern Branch-General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2026-09-17 To: 2026-10-23 Location: 36-48-42.102N/076-17-25.296W Bridge Name: Norfolk and Portsmouth Belt Line Railroad Bridge Crofton Construction will be installing 10 new 36" diameter steel pipe piles adjacent to the fixed span portion of the existing vertical lift bridge. All work will be completed by barge, during daylight hours. Mariners can contact the project manager with any questions. Project Manager Julian Hernandez 757-438-8527 jhernandez@crofton.com	Lat: 36° 48' 42" Lon: -076° 17' 25"
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges) From: 2026-01-13 To: 2027-01-13 Location: 36-48-12.204N/076-18-25.128W Seaward Marine will conduct bridge replacement activities on the RTE 239 Bridge Spanning Paradise Creek. Project will run from March 15, 2026 to April 15, 2027. Multiple barges will be moored in the vicinity. Caution Buoys and turbidity curtains will be in the area. All manned vessels will monitor VHF 16, 13, and 03. MSI # 35137.	Lat: 36° 48' 12" Lon: -076° 18' 25"

Elizabeth River - Elizabeth River Southern Branch/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-26 To: 2026-10-16 Location: 36-48-45.756N/076-17-45.276W AECOM Construction, Inc. advises that McLean Contracting Company will be conducting mechanical dredging operations within the Norfolk Naval Shipyard in the Southern Branch of the Elizabeth River near Dry Doc 8 at: Lat 36°48'44.6"N, Long 76°17'48.6"W. Dredging operations will be performed within the secured perimeter of the Navy base, between the temporary containment wall and permanent bulkhead. Dredging is anticipated to begin on Wednesday July 15, 2026 and expected to last three months. Material loaded into hopper barges will be transported by tug to Port Weanack in Charles City, VA. Mariners should use caution when transiting the area. MSI # 47304.	Lat: 36° 48' 46" Lon: -076° 17' 45"
Elizabeth River - Elizabeth River Southern Branch/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Mariners are advised of marine construction at the Norfolk Naval Shipyard that will commence on May 4th and is expected to last 8 months. The construction is to build a temporary Cofferdam. A crane, 2 barges, and a workboat will be on scene. Mariners should use caution when transiting the area.	

Elk River Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Elk River Channel South Range Rear Light	8940	REDUCED INT/LT IMCH	FD
Elk River Channel Lighted Buoy 22	9085	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Elk River - Welch Point Buoy 10	27896.06	OFF STATION	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Elk River Channel Lighted Buoy 3	8945	TRLB	FD
Elk River Channel Lighted Buoy 6	8955	TRLB	FD
Elk River Channel Lighted Buoy 8	8965	TRLB	FD
Elk River Channel Lighted Buoy 14	9020	TRLB	FD
Elk River Channel Lighted Buoy 15	9035	TRLB	FD
Elk River Channel Lighted Buoy 18	9045	TRLB	FD
Elk River Channel Lighted Buoy 19	9050	TRLB	FD
Elk River Channel Lighted Buoy 21	9080	TRLB	FD
Elk River Channel Lighted Buoy 22	9085	TRLB	FD
Elk River Channel Lighted Buoy 24	9100	TRLB	FD
Elk River Channel Lighted Buoy 25	9155	TRLB	FD
Elk River Channel Lighted Buoy 26	9160	TRLB	FD

Far Creek Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Far Creek Channel Daybeacon 3	32110	STRUCT DEST/TRUB	FD
Far Creek Channel Light 9	32125	LT EXT	FD

Farm Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Farm Creek Warning Daybeacon E	24445	STRUCT DEST/TRUB	FD

Ferry Bar Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Masonville Dike Warning Light D	21223.3	LT EXT	PA
VMC South Locust Point Mooring Buoy A	21222	MSLD SIG	PA
Masonville Dike Warning Light D	21223.3	LT EXT	PA

Fire Island To Sea Girt

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Sector Delaware Bay, Submerged Land Act (SLA) - Fire Island To Sea Girt/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-09-28 To: 2026-10-09 All mariners please be advised that the Dredge MURDEN of the U.S. Army Corps of Engineers will be performing maintenance dredging of the navigational channel in Shark River beginning on or about September 28, 2026, and continue until October 7, 2026. Maintenance dredging of the Shark River, NJ, Federal Navigation Project (channel & deposition basins), commencing in the channel, approximately 450 feet seaward of FIXED AID GREEN #1 marker, which is located on the south jetty, and ending just landward of FIXED AID RED #2 marker, which is located on the north jetty. The dredged sand will be placed north of the second rock groin, approximately 1,600 feet north of the FIXED AID RED #2 marker in 14 feet of water to create a temporary nearshore 2 feet to 4 feet high underwater berm. The dredge will be monitoring VHF radio channels 13 and 16 and can be contacted via phone (910) 620-2075. Mariners are requested to use extreme caution when transiting the area at their slowest safe speed to minimize wake. MSI #54227.	
--	---	---	--

Fort Mchenry Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fort McHenry Channel Range Rear Light	8225	REDUCED INT/TRLT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sparrows Point Bulkhead Light A	20600	LT EXT	PA
Sparrows Point Bulkhead Light A	20600	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Patapsco River - Fort Mchenry Channel/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-01-02 To: 2028-10-31 Location: 39.21851° N / 76.52616° W Bridge Name: Francis Scott Key Bridge Mariners are advised that Kiewit Infrastructure Co., on behalf of the Maryland Transportation Authority, will be constructing a new bridge to replace the Francis Scott Key Bridge, over the Patapsco River, mile 5.2, between Baltimore City and Baltimore County, Maryland. Geotechnical exploration, foundation test pile operation, and bridge demolition activities will begin on January 7, 2025, and will continue through October 2028. Work hours will be 24 hours per day, 7 days per week from January 7, 2025, through October 31, 2028. Detailed project information and information concerning waterway closures will be provided via issuance of updated local notice to mariners, broadcast notice to mariners, and marine safety information bulletins. Barges, drills, cranes, tugs, and service vessels will be operating or stationed in the vicinity of the existing and new bridge structures. Vessels may safely transit through the existing navigational channel. Kiewit is requesting all Mariners to use extreme caution and transit the working area at their slowest safe speed. Kiewit Infrastructure Co. tugs and vessels will monitor VHFFM channels 13/16 when work is in progress or vessels are operating in the area. The Kiewit Infrastructure Co., on-site construction leads may be contacted at (201) 832-5004 or (925) 324-6503. MSI # 8270.	Lat: 39° 13' 07" Lon: -076° 31' 34"
Patapsco River - Fort Mchenry Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-12-05 To: 2026-12-31 Location: 39°12'53"N, 076°31'46"W and 39°13'05"N, 076°31'31"W Francis Scott Key Bridge On or around Monday December 15, Kiewit will begin construction of a temporary access Trestle, which will be used to support the replacement of the Francis Scott Key Bridge. Vessels on scene shall include Weeks 575 Derrick barge and other material barges. Additional construction activities will be occurring with cranes working overtop the trestle and barges moored alongside. All cranes & barges will be positioned along the alignment of the new bridge up to the navigation channel but will not impede any vessel traffic within the channel. The operation is scheduled for 12 hours a day, 6 days a week, and the barges shall remain on position 24-7. This work is scheduled to be completed before 12/31/26. The four corners of the barges will be marked with steady white lights with visibility up to 2 miles. The elevation of the trestle shall be +12ft above Mean Sea Level. During and after construction, the trestle shall be marked and lit. Boaters shall use extreme caution when transiting this area outside of the navigation channel. Kiewit is requesting all vessels in the area to use their slowest safe working speed when navigating the area. The barges will not be maneuverable when moored and will require a tugboat to shift the barges. Contractor's vessels will monitor VHF Channels 16 and 13. The Kiewit Infrastructure Co., on-site construction leads may be contacted at (201) 832-5004, (925) 324-6503, or (908) 463-9049. MSI # 33331.	Lat: 39° 13' 05" Lon: -076° 31' 31"
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-12-05 To: 2026-12-31 Location: 39°12'53"N, 076°31'46"W and 39°13'05"N, 076°31'31"W Francis Scott Key Bridge On or around Monday December 15, Kiewit will begin construction of a temporary access Trestle, which will be used to support the replacement of the Francis Scott Key Bridge. Vessels on scene shall include Weeks 575 Derrick barge and other material barges. Additional construction activities will be occurring with cranes working overtop the trestle and barges moored alongside. All cranes & barges will be positioned along the alignment of the new bridge up to the navigation channel but will not impede any vessel traffic within the channel. The operation is scheduled for 12 hours a day, 6 days a week, and the barges shall remain on position 24-7. This work is scheduled to be completed before 12/31/26. The four corners of the barges will be marked with steady white lights with visibility up to 2 miles. The elevation of the trestle shall be +12ft above Mean Sea Level. During and after construction, the trestle shall be marked and lit. Boaters shall use extreme caution when transiting this area outside of the navigation channel. Kiewit is requesting all vessels in the area to use their slowest safe working speed when navigating the area. The barges will not be maneuverable when moored and will require a tugboat to shift the barges. Contractor's vessels will monitor VHF Channels 16 and 13. The Kiewit Infrastructure Co., on-site construction leads may be contacted at (201) 832-5004, (925) 324-6503, or (908) 463-9049. MSI # 33428.	Lat: 39° 13' 05" Lon: -076° 31' 31"

Patapsco River - Fort Mchenry Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-09-09 To: 2026-10-01 Location: 39.22071° N / 76.5242° Kiewit will continue to install production piles for the main foundation piers. Weeks 533 Derrick Crane, Weeks 531 Derrick Crane, & supply barges will be positioned east of the original Francis Scott Key Bridge. This work is scheduled to be completed on or about 10/1/26. All derrick cranes & barges will be positioned adjacent to the north and south sides of the navigable channel but will not impede any vessel traffic within the navigable channel. The operation is scheduled for 12 hours a day, 6 days a week, and the barges shall remain on position 24-7. Barge positioning and similar ancillary work may occur 24/7. The four corners of the barges will be marked with steady white lights with visibility up to 2 miles. A No Entry Safety Zone has been established and is delineated by white marker buoys with slow-flashing white lights. The limits of the zone are 500' east/downstream and 500' west/upstream of the original Francis Scott Key Bridge alignment between Hawkins Point and Sollers Point. A 6-Knot enforceable No Wake Zone has been established and is delineated by white marker buoys with slow flashing white lights. The limits of the zone are 1500' east/downstream and 1500' west/downstream from the original Francis Scott Key Bridge alignment between Hawkins Point and Sollers point. Vessels navigating the area shall use the Federal Channel and Buffer Zone. Kiewit is requesting all vessels in the area to use their slowest safe working speed when navigating the area. The barges will not be maneuverable when moored and will require a tugboat to shift the barges. Contractor's vessels will monitor VHF Channels 16 and 13. The Kiewit Infrastructure Co., on-site construction leads may be contacted at (201) 832-5004, (925) 324-6503, or (908) 463-9049. MSI # 36151.	Lat: 39° 13' 15" Lon: -076° 31' 27"
--	---	--	--

Georgetown Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Georgetown Light 4	18740	STRUCT DEST/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Alexandria Channel - Georgetown Channel/General/Bridges/Modification	Bridges	General/Bridges/Modification From: 2025-05-21 To: 2028-06-30 Location: 38.892672° N / 77.057571° W Bridge Name: Theodore Roosevelt Interstate 66 Highway Bridge Mariners are advised that an engineering firm, on behalf of the District of Columbia Department of Transportation, will be performing construction of a bridge protection system and installation of a suspended under-bridge protection shield on the I-66 (T. Roosevelt) Bridge, mile 111.4 over the Potomac River. Construction will commence on June 01, 2025, and continue through June 30, 2028, Monday through Friday, from 6 a.m. to 6 p.m. To facilitate fender rehabilitation, a working barge will be on scene 24/7 and will be located near the existing fender system reducing the horizontal clearance of the bridge by approximately 40 feet to approximately 150 feet horizontal clearance. A temporary platform will be installed under the bridge in the navigation channel, reducing the vertical clearance of the bridge by approximately 5 feet, providing approximately 19 feet of vertical clearance above mean high water. The waterway will remain open to navigation. Work vessels and barges may be reached on VHF-FM Channel 13. The project manager can be reached on cellphone (443) 223-7371. Mariners should use extreme caution when navigating through the area. MSI # 19356.	Lat: 38° 53' 34" Lon: -077° 03' 27"
General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-11-14 To: 2030-01-01 Location: 38-52-56.640N/077-01-56.136W Long Railroad Bridge North, Location: 38°52'55.87" N / 77°01'54.89" W: Skanska Flatiron Joint Venture will be installing mooring anchors and buoys for the proposed Long Bridge and Pedestrian Bridge construction. Work will include driving 36" steel pile and building a trestle structure across the Washington Channel to a point approx. 200 LF from the existing bridge. The trestle will support the widening of the existing CSX Long Bridge Rail bridge. Mooring anchors will be located approximately 130 LF from the southeast shore of the Washington Channel extending between the CSX Long Bridge and the I-395 Bridge. MSI # 32071.	Lat: 38° 52' 57" Lon: -077° 01' 56"
Alexandria Channel - Georgetown Channel/General/Bridges/Maintenance	Bridges	General/Bridges From: 2025-04-23 To: 2026-12-30 Location: 38-52-31.548N/077-02-23.820W Bridge Name: Arland Dean Williams Junior Memorial Bridge Mariners are advised that maintenance work will be conducted on the Rochambeau Memorial Bridge (I-395 HOV Bridge, Bridge No. 169-1) across the Potomac River, mile 109.9, from April 30, 2025, to December 30, 2026. The work will include fender system replacement, underwater pier repairs, and topside concrete repairs. Maintenance operations will involve two 40' x 20' sectional spud barges and two 250 HP push boats, which will remain in place on the Northeast span for the duration of the project. The presence of this equipment will necessitate a temporary 20-foot reduction in the width of the navigational channel, leaving approximately 86 feet of horizontal clearance. Due to topside repairs, the installation of temporary work platforms beneath the bridge will reduce the vertical clearance by no more than 5 feet, leaving approximately 19 feet of vertical clearance. Dive operations will be conducted near the navigational channel from August 18, 2025, through December 30, 2026, from 7 a.m. to 4 p.m., Monday through Friday. Mariners must reduce speed, maintain a no-wake condition, and remain clear of the marked dive area. The dive site will be delineated by high-visibility buoys, dive flags, and flashing beacons. Vessels transiting the area are required to contact the dive team on VHF-FM Channels 13 or 16 prior to entering the work zone. Mariners are urged to exercise extreme caution and adjust transits accordingly. MSI # 36862.	Lat: 38° 52' 32" Lon: -077° 02' 24"
Alexandria Channel - Georgetown Channel/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2026-08-15 To: 2030-04-05 Location: 38-52-25.392N/077-02-23.064W Bridge Name: Potomac River Railroad Bridge Long Bridge Rail Partners is constructing a new railroad bridge and a new bike/pedestrian bridge in the Upper Potomac River between the existing WMATA Metro – Yellow Line Bridge and existing CSX Long Bridge Washington, DC in approximate position: 38-52-26N, 077-02-23W. Work includes pile driving, concrete pier construction, and span erection across the full width of the river. Other activities include fender reconstruction, seawall reconstruction, temporary mooring pile installation and temporary bulkhead and trestle construction. Work will take place from August 15, 2026, through April 1, 2030. Temporary aids to navigation will be in place for the duration of the project and tugboats will monitor VHF Channel 13. All marine traffic should use extreme caution when transiting through the work area. MSI #54162.	Lat: 38° 52' 25" Lon: -077° 02' 23"
Alexandria Channel - Georgetown Channel/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2026-08-15 To: 2030-04-05 Location: 38-52-26.184N/077-02-23.496W Bridge Name: Potomac River Bicycle Pedestrian Bridge Long Bridge Rail Partners is constructing a new railroad bridge and a new bike/pedestrian bridge in the Upper Potomac River between the existing WMATA Metro – Yellow Line Bridge and existing CSX Long Bridge Washington, DC in approximate position: 38-52-26N, 077-02-23W. Work includes pile driving, concrete pier construction, and span erection across the full width of the river. Other activities include fender reconstruction, seawall reconstruction, temporary mooring pile installation and temporary bulkhead and trestle construction. Work will take place from August 15, 2026, through April 1, 2030. Temporary aids to navigation will be in place for the duration of the project and tugboats will monitor VHF Channel 13. All marine traffic should use extreme caution when transiting through the work area. MSI #54163.	Lat: 38° 52' 26" Lon: -077° 02' 23"

General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-11-04 To: 2030-01-01 Location: 38-52-55.884N/077-01-54.876W North Skanska Flatiron Joint Venture will be installing mooring anchors and buoys for the proposed Long Bridge and Pedestrian Bridge construction. Work will include driving 36" steel pile and building a trestle structure across the Washington Channel to a point approx. 200 LF from the existing bridge. The trestle will support the widening of the existing CSX Long Bridge Rail bridge. Mooring anchors will be located approximately 130 LF from the southeast shore of the Washington Channel extending between the CSX Long Bridge and the I-395 Bridge.	Lat: 38° 52' 56" Lon: -077° 01' 55"
--	---	---	--

Germantown Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Germantown Bay Daybeacon 5	32765	STRUCT DEST/TRUB	FD

Goose Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Goose Creek Daybeacon 17	38205	MISSING/TRUB	FD
Goose Creek Light 19	38210	STRUCT DEST/TRLB	FD
Goose Creek Daybeacon 24	38230	STRUCT DEST/TRUB	FD

Goose Creek Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Manokin River - Goose Creek Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-06 To: 2026-10-20 Location: 38-05-34.224N/075-51-35.568W Aid Name: Goose Creek Channel Lighted Wreck Buoy WR6 LLNR: 23410 Action: DISCONTINUE	Lat: 38° 05' 34" Lon: -075° 51' 36"
Manokin River - Goose Creek Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-06 To: 2026-10-20 Location: 38-05-33.527N/075-52-01.766W Aid Name: Goose Creek Buoy 2 LLNR: 23400 Action: CHANGE Action Type Change Aid Subtype Goose Creek Daybeacon 2 TO Goose Creek Buoy 2 in approx posit 38-05-33.527N/075-52-01.766W Red nun.	Lat: 38° 05' 34" Lon: -075° 52' 02"
Manokin River - Goose Creek Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-06 To: 2026-10-20 Location: 38-05-26.955N/075-51-45.674W Aid Name: Goose Creek Buoy 4 LLNR: 23405 Action: CHANGE Action Type Change Aid Subtype Goose Creek Daybeacon 4 To Goose Creek Buoy 4 in approx posit 38-05-26.955N/075-51-45.674W Red nun.	Lat: 38° 05' 27" Lon: -075° 51' 46"
Manokin River - Goose Creek Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-08-18 To: 2026-10-16 B3 Enterprises, LLC will perform demolition and removal of the following aids to navigation under a USCG contract. (LLNR 23400) Goose Creek Channel Daybeacon 2, 38-05-33.501N, 075-52-01.749W. (LLNR 23405) Goose Creek Channel Daybeacon 4, 38-05-26.965N, 075-51-45.719W. (LLNR 23410) Goose Creek Channel Lighted Wreck Buoy WR6, 38-05-34.224N, 075-51-35.560W. Project will begin on or about August 31, 2026 and continue till October 01, 2026. The work will consist of demolition and removal of the identified structures and associated wreckage using marine construction equipment, barges, and support vessels and will be operating at each location during demolition activities. MSI # 51514.	

Grays Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Grays Creek Buoy 4	20145	OFF STATION	PA

Great Bridge To Albemarle Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pasquotank River Entrance Light PR	31390	LT EXT	FD
Great Bridge to Albemarle Sound Daybeacon 70	37475	STRUCT DMGD	FD
Great Bridge to Albemarle Sound Daybeacon 89	37530	STRUCT DEST/TRUB	FD
Great Bridge to Albemarle Sound Light 111	37590	STRUCT DEST/TRUB	FD
Great Bridge to Albemarle Sound Warning Daybeacon	37595	STRUCT DEST/HAZ NAV/TRLB	FD
Great Bridge to Albemarle Sound Daybeacon 112	37600	STRUCT DEST/TRUB	FD
Great Bridge to Albemarle Sound Daybeacon 113	37605	STRUCT DEST/TRUB	FD
Great Bridge to Albemarle Sound Daybeacon 115	37610	STRUCT DEST/TRUB	FD
Great Bridge to Albemarle Sound Light 118	37620	STRUCT DEST/TRUB	FD

Great Bridge to Albemarle Sound Daybeacon 120	37625	STRUCT DEST/TRUB/HAZ NAV	FD
Great Bridge to Albemarle Sound Daybeacon 127	37650	STRUCT DEST/TRUB	FD
Great Bridge to Albemarle Sound Light 143	37710	STRUCT DEST/TRLB	FD
Great Bridge to Albemarle Sound Light 153	37745	STRUCT DEST/TRLB	FD
Great Bridge to Albemarle Sound Light 157	37765	DBD DEST	FD
Great Bridge to Albemarle Sound Buoy 168	37803	MISSING	FD
Great Bridge to Albemarle Sound Light 170	37810	STRUCT DEST/TRLB	FD
Great Bridge to Albemarle Sound Light 173	37820	STRUCT DEST	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Great Bridge To Albemarle Sound/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2026-06-18 To: 2026-12-15 Location: 36-43-04.260N/076-06-00.756W Bridge Name: 165 State Route Bridge OPERATING RESTRICTION ON NORTH BRIDGE SPAN BRIDGE OPENING: NORTH LANDING BRIDGE OVER THE ALBEMARLE AND CHESAPEAKE CANAL Effective Wednesday, August 26th, 2026, the North Landing Bridge at Mile Marker 20.2 on the Atlantic Intracoastal Waterway will add a third, full span opening at 1400 on Mondays, Wednesdays, and Fridays. The following will be the full span opening schedule for the foreseeable future: Daily: 1000 and 1900 Monday, Wednesdays, Fridays: 1000, 1400, 1900 The north span (Virginia Beach side) has restricted openings due to mechanical issues; the restrictions will stay in effect for the foreseeable future. The North Landing Bridge will operate at half span on its regular schedule. Most recreational vessels should be able to pass safely with a half span opening.	Lat: 36° 43' 04" Lon: -076° 06' 01"
Great Bridge To Albemarle Sound/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2026-06-30 To: 2026-11-01 Location: 36-43-04.260N/076-06-00.756W Bridge Name: 165 State Route Bridge Mariners are advised that the highway drawbridge – 165 State Route (S165/North Landing) Bridge, across Atlantic Intracoastal Waterway (AIWW), North Landing River, mile 20.2, near Chesapeake, VA will operate as delineated below: 24-hours a day, 7 days a week, through October 31, 2026, The north span will be maintained in the closed-to-navigation position. The south span of the bridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.1021. The horizontal clearance of the bridge with the south span in the open-to-navigation position and the north span in the closed-to-navigation position will be approximately 40 feet. Vessels which require the full navigation channel of the bridge, can safely transit through the bridge at scheduled bridge openings at 10 a.m., 2 p.m., and 7 p.m., on Monday, Wednesday, Friday, and at 10 p.m. and 7 p.m. on Tuesday and Thursday, upon request. The bridge will be able to open for emergencies. At all other times the drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.1021. Mariners should adjust their transits accordingly and should use caution when transiting the area. MSI # 47603.	Lat: 36° 43' 04" Lon: -076° 06' 01"
Great Bridge To Albemarle Sound/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	General/Bridges/Repairs, Painting, Or Fender Replacement From: 2026-10-05 To: 2026-10-28 Location: 36-43-04.260N/076-06-00.756W Bridge Name: 165 State Route Bridge Starting on Monday, October 5, 2026, and running through October 26, 2026, the North Landing Bridge will be undergoing repairs to put the bridge back on its regular opening schedule. During the construction period the bridge will be open to navigation and closed to vehicle traffic. MSI #53792.	Lat: 36° 43' 04" Lon: -076° 06' 01"
Great Bridge To Albemarle Sound/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2026-09-03 To: 2026-10-13 The U.S. Navy will conduct an expanded site inspection beginning September 21 until approximately October 12, 2026 between the hours of 7 am - 5 pm. Operations will occur near the Virginia-North Carolina border within the North Landing River in Currituck County, North Carolina, between Troublesome Point and Gibbs Point. The site inspection will include dive team support vessels, floating pontoon platforms and safety patrol vessels. Temporary restrictions on vessel traffic may be implemented for dive operations using safety patrol vessels to direct mariners away from active work zones utilizing a 100-200 ft temporary exclusion zones. Exclusion zones will be clearly marked and continuously monitored by safety patrol vessels. Boaters, hunters, fishermen, and other river users will be prohibited from entering active work areas until operations are complete and the area is reopened. All will be monitoring VHF marine channel 16 (156.8 MHz). Onsite point of contact will be Ted Pickett mobile number-(757)663-1752 and Brent Lanier mobile number-(910)340-6868. MSI #53009.	
Great Bridge To Albemarle Sound/General/MSIB	MSIB	General/MSIB From: 2026-09-16 To: 2026-10-17 Location: 36-30-55.584N/076-01-27.408W Mariners are advised that potential Unexploded Ordnance (UXO) recovery operations will occur on the navigable waters of the North Landing River and Currituck Sound within a 1,000-yard radius from the target described in Title 33 Code of Federal Regulations 334.410(d)(1) – Danger Zone Regulations within Navigable Water from 09/21/2026 through 10/12/2026 during daylight hours only. It is strongly recommended to maintain 1,000-yard distance from the target and use caution when transiting the area. Vessels will be monitoring VHF Channel 16. Onsite Project Manager: Mike Ligon (757) 275-6220	Lat: 36° 30' 56" Lon: -076° 01' 27"

Great Egg Harbor Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Great Egg Harbor Inlet Junction Lighted Buoy GH	1290	OFF STATION	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Great Egg Harbor Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported Shoaling has been observed between Great Egg Harbor Inlet Buoy 7 (LLNR 1288) and the charted location of Buoy 9 (LLNR 1291) with a MLW depth of 4ft in the channel. See DB BNM 0062-24.	
Sector Delaware Bay, Submerged Land Act (SLA) - Great Egg Harbor Inlet/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-08 To: 2026-10-19 Location: 39-16-53.544N/074-33-30.276W 39-16-50.916N/074-33-09.576W 39-17-13.632N/074-31-44.220W Submerged Subline for Great Lakes Dredge and Dock, LLC beach renourishment project, Ocean City, NJ. The Cutter Suction Dredge (CSD) Illinois will dredge beachfill quality material from the Great Egg Harbor Inlet Borrow Area, located approximately 5,000 feet offshore, north east of the project location, east of the Great Egg Harbor Inlet. The material will pump through one subline extending from the borrow area to the placement beach. Operations will start June 6, 2026 with completion date of October 19, 2026. Ops will be conduct 24 hours a day, 7 days a week. Vessels will monitor VHF 13 and 16. MSI # 45755.	

Sector Delaware Bay, Submerged Land Act (SLA) - Great Egg Harbor Inlet/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges) From: 2026-06-05 To: 2026-10-19 Location: 39° 17' 25.35" N; 74° 31' 22.89" W Great Lakes Dredge and Dock, LLC will be conducting Beach Renourishment in Great Egg Harbor Inlet and Peck Beach including placement of approximately 1,600,000 cubic yards of beach fill starting from the groin at Seaview Road and ending between 14th and 15th Streets in Ocean City, New Jersey. The Cutter Suction Dredge (CSD) Illinois will dredge beach fill quality material from the Great Egg Harbor Inlet Borrow Area, located approximately 5,000 feet offshore, north east of the project location, east of the Great Egg Harbor Inlet. The material will pump through one subline extending from the borrow area to the placement beach. GLDD has secured two waterside staging areas on the northeast side of Absecon Inlet in Atlantic City where rafted pipeline and equipment will be stored when not in use. The survey vessel Wolf River and crew transfer vessel (CTV) Cooper River will traverse between the work areas and Golden Nugget Marina in Atlantic City throughout the duration of the project. 24 hours per day, 7 days per week EQUIPMENT ON SCENE: Cutter Suction Dredge (CSD) Illinois, Derrick GL77, Multicat Cape Canaveral, Tug McBoys, CTV Saginaw River, Survey vessel TBD . Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. Contact all vessels on 13 and 16. P.O.C Johan Van Bladel (630) 235-9612 JVanBladel@gldd.com	
Sector Delaware Bay, Submerged Land Act (SLA) - Great Egg Harbor Inlet/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-08 To: 2026-10-19 Location: 39-17-41.964N/074-31-49.764W 39-17-25.332N/074-31-22.872W 39-17-08.304N/074-31-13.224W 39-16-40.944N/074-32-20.328W 39-17-04.308N/074-32-36.096W 39-17-10.680N/074-32-13.956W 39-17-34.368N/074-32-16.404W 39-17-41.964N/074-31-49.764W Borrow area for Great Lakes Dredge and Dock, LLC beach renourishment project, Ocean City, NJ. The Cutter Suction Dredge (CSD) Illinois will dredge beachfill quality material from the Great Egg Harbor Inlet Borrow Area, located approximately 5,000 feet offshore, north east of the project location, east of the Great Egg Harbor Inlet. The material will pump through one subline extending from the borrow area to the placement beach. Operations will start June 6, 2026 with completion date of October 19, 2026. Ops will be conduct 24 hours a day, 7 days a week. Vessels will monitor VHF 13 and 16. MSI # 45750.	

Great Machipongo Inlet

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Great Machipongo Inlet Buoy 3	6810	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Virginia, Submerged Land Act (SLA) - Great Machipongo Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-04-24 To: 2030-03-28 Location: 37.36206° N / 75.69845° W Shoaling observed between Great Machipongo Inlet Buoy 2 (LLNR 6805) and Great Machipongo Inlet Lighted Buoy 3 (LLNR 6895). Depths of 3ft MLW observed.	Lat: 37° 21' 43" Lon: -075° 41' 54"

Great Wicomico River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mill Creek Entrance Daybeacon 5	16220	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ingram Bay Marina Daybeacon 2	16225	DBD DMGD	PA
Ingram Bay Marina Daybeacon 3	16230	DBD DMGD	PA
Ingram Bay Marina Daybeacon 4	16235	DBD DMGD	PA
Ingram Bay Marina Daybeacon 5	16240	DBD DMGD	PA

Gunpowder River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Upper Gunpowder River Buoy 12	27280	OFF STA	PA
Upper Gunpowder River Buoy 9	27265	SINKING/BUOY DMGD/OFF STATION	PA
Upper Gunpowder River Buoy 12	27280	OFF STATION	PA
Upper Gunpowder River Buoy 2	27230	OFF STATION	PA
Upper Gunpowder River Daybeacon 3	27235	OFF STATION	PA
Upper Gunpowder River Buoy 6	27250	OFF STATION	PA
Upper Gunpowder River Buoy 7	27255	OFF STATION	PA
Upper Gunpowder River Daybeacon 8	27260	OFF STATION	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Upper Chesapeake Channel - Gunpowder River/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-10-01 To: 2027-03-30 Location: 39-23-12.642N/076-20-54.622W Bridge Name: Gunpowder River Railroad Mariners are advised that an engineering firm, on behalf of Amtrak, will be performing bridge inspections on the railway bridge – Railway bridge – Gunpowder River Rail Bridge across Gunpowder River, mile 7.0, at Magnolia, Harford and Baltimore Counties, MD. To facilitate bridge work, a work boat will be utilized under the bridge from 7 a.m. to 5 p.m. on October 19, 2026, through November 20, 2026. The work boat will be deployed directly under the bridge in various locations to perform inspections. Maintenance personnel and equipment will relocate from the navigable channel, upon request. The maintenance personnel may be reached on VHF-FM channel 13 and 16. Mariners are urged to use caution when operating in this area. MSI #53536.	Lat: 39° 23' 13" Lon: -076° 20' 55"
Upper Chesapeake Channel - Gunpowder River/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-11-10 To: 2027-03-15 Location: 39-23-12.642N/076-20-54.622W Bridge Name: Gunpowder River Railroad Mariners are advised that engineering consultants, on behalf of AMTRAK, will be performing underwater inspections of the piers, abutments, and/or fender systems, from 6 a.m. until 6 p.m. on the tentative schedule, from October 5, 2026, through November 6, 2026, at 2) Gunpowder RR Bridge across Gunpowder River, mile 7.0, at Chase MD. The inspection team will consist of a 3-person dive team working from a 26-foot custom dive boat. During the inspection work, the channels will be clear and will not obstruct vessel traffic. Mariners should use extreme caution when transiting the area. MSI #53839.	Lat: 39° 23' 13" Lon: -076° 20' 55"

Hampton River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hampton River Channel Buoy 24	10963	SINKING	PA
Hampton River Channel Buoy 22	10962	OFF STATION	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
James River - Hampton River/General/Bridges/Modification	Bridges	General/Bridges/Modification From: 2024-09-13 To: 2026-12-31 Location: 37.03145° N / 76.33731° W Mariners are advised that an engineering firm, on behalf of Virginia Department of Transportation, will be performing construction on the I-64 Westbound Bridge over Hampton River and the East Branch of the Hampton River, and I-64 Eastbound Bridge over the Hampton River and I-64 Eastbound Bridge over the East Branch of the Hampton River, mile 1.2, at Hampton, VA. Construction began on March 4, 2024, and will continue through December 31, 2026, Monday through Saturday, from 6 a.m. to 6 p.m., daily. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Construction includes widening and repairs of the I-64 Westbound Bridge, and replacement of I-64 Eastbound bridges. Work activities include pile driving, concrete bent cap construction, erection of precast concrete girders, superstructure deck placements, structural steel erection and removal of existing structures. To facilitate bridge construction, temporary work trestles will be constructed alongside the existing bridges (Westbound and then Eastbound), and crane barges, material barges and work boats will be stationed and/or operating in the vicinity of the bridges and navigational channel. The work trestle in the vicinity of Hampton Spit has a removable trestle span. Vessels intended transit to or from Hampton Spit may do so, if at least 24-hours notice is given to the project foremen. Work vessels and barges may be reached on VHF-FM channel 13 and 16. The project foreman may be reached at (757) 639-5179 or (252) 312-4876. Mariners should use extreme caution when navigating through the area.	Lat: 37° 01' 53" Lon: -076° 20' 14"
James River - Hampton River/General/Bridges/Modification	Bridges	I-64 Westbound Bridge, I-64 Eastbound Bridges - Bridge construction began on March 4, 2024, and will continue through December 31, 2026, Monday through Saturday, from 6 a.m. to 6 p.m., daily. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Construction includes widening and repairs of the I-64 Westbound Bridge, and replacement of I-64 Eastbound bridges. Work activities include pile driving, concrete bent cap construction, erection of precast concrete girders, superstructure deck placements, structural steel erection and removal of existing structures. To facilitate bridge construction, temporary work trestles will be constructed alongside the existing bridges (Westbound and then Eastbound), and crane barges, material barges and work boats will be stationed and/or operating in the vicinity of the bridges and navigational channel. The work trestle in the vicinity of Hampton Spit has a removable trestle span. Vessels intended transit to or from Hampton Spit may do so, if at least 24-hour notice is given to the project foremen. Work vessels barges may be reached on VHF-FM channel 13 and 16. The project foreman may be reached at (757) 639-5179 or (252) 312-4876. Mariners should use extreme caution when navigating through the area. (HP)	Lat: 37° 01' 53" Lon: -076° 20' 13"
James River - Hampton River/General/Bridges/Modification	Bridges	I-64 Westbound Bridge, I-64 Eastbound Bridges - Bridge construction began on March 4, 2024, and will continue through December 31, 2026, Monday through Saturday, from 6 a.m. to 6 p.m., daily. Construction includes widening and repairs of the I-64 Westbound Bridge, and replacement of I-64 Eastbound bridges. Work activities include pile driving, concrete bent cap construction, erection of precast concrete girders, superstructure deck placements, structural steel erection and removal of existing structures. To facilitate bridge construction, temporary work trestles will be constructed alongside the existing bridges (Westbound and then Eastbound), and crane barges, material barges and work boats will be stationed and/or operating in the vicinity of the bridges and navigational channel. The work trestle in the vicinity of Hampton Spit has a removable trestle span. Vessels intended transit to or from Hampton Spit may do so, if at least 24-hour notice is given to the project foremen. Work vessels barges may be reached on VHF-FM channel 13 and 16. The project foreman may be reached at (757) 639-5179 or (252) 312-4876. Mariners should use extreme caution when navigating through the area. (HP)	Lat: 37° 01' 52" Lon: -076° 20' 13"

Harkers Island East Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Shell Point Channel Daybeacon 3	29262.100000000002	MISSING	PA
Shell Point Channel Daybeacon 4	29262.2	MISSING	PA
Shell Point Channel Daybeacon 7	29262.4	DAYMK MISSING	PA

Hatteras Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hatteras Inlet Channel Buoy 12B	28733.100000000002	OFF STATION/MSLD SIG	FD

Hatteras Inlet Channel Light 21	28770	STRUCT DEST/TRUB	FD
Hatteras Inlet Channel Junction Daybeacon HF	28780	STRUCT DEST/TRUB	FD
Hatteras Inlet Channel Daybeacon 27	28800	STRUCT DEST/TRUB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Hatteras Inlet Channel Lighted Buoy 12A	28732.100000000002	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-07-24 To: 2034-02-18 Location: 35-09-51.624N/075-44-55.248W Aid Name: Hatteras Inlet Entrance Lighted Whistle Buoy HI LLNR: 650 Action: CHANGE Action Type Change Sound Signal The Coast Guard will remove the whistle from Hatteras Inlet Entrance Lighted Whistle Buoy HI (LLNR 650). Change will be coordinated with the buoy hull replacement schedule and may not happen immediately. MSI # 49512.	Lat: 35° 09' 52" Lon: -075° 44' 55"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-37.188N/075-43-54.732W Aid Name: Hatteras Inlet Channel Lighted Buoy 12 LLNR: 28732 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52062.	Lat: 35° 12' 37" Lon: -075° 43' 55"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-23.796N/075-43-49.332W Aid Name: Hatteras Inlet Channel Lighted Buoy 12A LLNR: 28732.1 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel (red route below), due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel (yellow route below). Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52063.	Lat: 35° 12' 24" Lon: -075° 43' 49"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-15.768N/075-43-53.400W Aid Name: Hatteras Inlet Channel Buoy 12B LLNR: 28733.1 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel (red route below), due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel (yellow route below). Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52064.	Lat: 35° 12' 16" Lon: -075° 43' 53"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-16.776N/075-43-51.096W Aid Name: Hatteras Inlet Channel Lighted Buoy 13 LLNR: 28735.3 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52069.	Lat: 35° 12' 17" Lon: -075° 43' 51"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-09.324N/075-43-48.684W Aid Name: Hatteras Inlet Channel Lighted Buoy 14 LLNR: 28735.6 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52071.	Lat: 35° 12' 09" Lon: -075° 43' 49"

Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-13.428N/075-43-51.204W Aid Name: Hatteras Inlet Channel Buoy 15 LLNR: 28736 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52074.	Lat: 35° 12' 13" Lon: -075° 43' 51"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-09.252N/075-43-37.380W Aid Name: Hatteras Inlet Channel Lighted Buoy 16 LLNR: 28750 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52078.	Lat: 35° 12' 09" Lon: -075° 43' 37"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-10.296N/075-43-47.352W Aid Name: Hatteras Inlet Channel Lighted Buoy 17 LLNR: 28753 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52080.	Lat: 35° 12' 10" Lon: -075° 43' 47"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-10.368N/075-43-30.036W Aid Name: Hatteras Inlet Channel Buoy 17A LLNR: 28756 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel (red route below), due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel (yellow route below). Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52081.	Lat: 35° 12' 10" Lon: -075° 43' 30"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-13.212N/075-43-18.552W Aid Name: Hatteras Inlet Channel Buoy 17B LLNR: 28757 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52083.	Lat: 35° 12' 13" Lon: -075° 43' 19"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-19.332N/075-43-12.036W Aid Name: Hatteras Inlet Channel Buoy 18 LLNR: 28760 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52084.	Lat: 35° 12' 19" Lon: -075° 43' 12"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-19.332N/075-43-12.036W Aid Name: Hatteras Inlet Channel Buoy 18 LLNR: 28760 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52085.	Lat: 35° 12' 19" Lon: -075° 43' 12"

Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-29.880N/075-43-10.308W Aid Name: Hatteras Inlet Channel Buoy 18A LLNR: 28761 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52086.	Lat: 35° 12' 30" Lon: -075° 43' 10"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-22.176N/075-43-15.204W Aid Name: Hatteras Inlet Channel Buoy 19A LLNR: 28765.1 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52088.	Lat: 35° 12' 22" Lon: -075° 43' 15"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-38.484N/075-43-05.232W Aid Name: Hatteras Inlet Channel Daybeacon 20 LLNR: 28767 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52089.	Lat: 35° 12' 38" Lon: -075° 43' 05"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-42.336N/075-42-59.832W Aid Name: Hatteras Inlet Channel Buoy 20A LLNR: 28768 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52091.	Lat: 35° 12' 42" Lon: -075° 42' 60"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-25 To: 2026-12-01 Location: 35-12-40.248N/075-43-08.904W Aid Name: Hatteras Inlet Channel Light 21 LLNR: 28770 Action: DISCONTINUE Due to shoaling between Barney Slough Lighted Buoy 10 (LLNR 28722.7) and Hatteras Inlet Channel Light 24 (LLNR 28785), the Coast Guard will discontinue this section of channel due to areas of extreme shoaling making available channel very narrow with depths as low as 1-2 feet MLW. Due to this extreme shoaling, the aids in this area are misleading and do not provide a safe route for the mariner. To mitigate the absence of these aids, the Coast Guard has established three Oliver Reef Buoys to help provide safe passage from Barney Slough Lighted Buoy 7 (LLNR 28722.4) and Rollinson Channel. Removal of the aids is scheduled to begin October 15, 2026. An additional comment period for interested mariners and other stakeholders is now open. Comments are strongly encouraged on the potential impact this would have on navigational safety. You may provide feedback using the U. S. Coast Guard East District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil All comments will be carefully considered and are requested prior to October 1, 2026 to be considered in the analysis. Refer to Project Number 05-25-036(D). MSI # 52092.	Lat: 35° 12' 40" Lon: -075° 43' 09"
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-07-18 To: 2030-06-22 Location: 35.18189° N / 75.75443° W Shoaling has been reported between Hatteras Inlet Lighted Buoy 1 (LLNR 28640) and Hatteras Inlet Lighted Buoy 5 (LLNR 28657) with depths between 3 to 5 ft MLW.	Lat: 35° 10' 55" Lon: -075° 45' 16"

Hawkins Point Pier

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Key Electrical Tower Lights D (4)	20815	LT EXT	PA
Key Electrical Tower Lights E (4)	20820	LT EXT	PA

Herring Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Herrington Harbour Range Rear Light	19350	REDUCED INT	PA

South Herrington Harbour Range Rear Light	19350	REDUCED INT	PA
---	-------	-------------	----

Hog Island Cutoff

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hog Island Cutoff Daybeacon 2	11875	STRUCT DEST/TRUB	FD

Honga River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hearns Cove Channel Daybeacon 6	24470	STRUCT DEST/TRUB	FD
Honga River Light 2	24495	STRUCT DEST/HAZ NAV/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Middle Island Bridge West Channel Wreck Daybeacon WR1W	24515	DISCONTINUED	FD	2026-10-06

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Honga River Light 10	24545	LT EXT/DBD DMGD	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Honga River/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-17-42.540N/076-12-46.584W Aid Name: Middle Island Bridge West Channel Wreck Daybeacon WR1W LLNR: 24515 Action: DISCONTINUE	Lat: 38° 17' 43" Lon: -076° 12' 47"
Chesapeake Channel - Honga River/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-18-01.152N/076-11-59.028W Aid Name: Middle Island Bridge East Channel Daybeacon 1E LLNR: 24520 Action: DISCONTINUE	Lat: 38° 18' 01" Lon: -076° 11' 59"
Chesapeake Channel - Honga River/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-21-05.904N/076-13-04.548W Aid Name: Honga River Warning Daybeacon A LLNR: 24550 Action: DISCONTINUE	Lat: 38° 21' 06" Lon: -076° 13' 05"
Chesapeake Channel - Honga River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-08-18 To: 2026-10-16 B3 Enterprises, LLC will perform demolition and removal of the following aids to navigation under a USCG contract. (LLNR 24515) Middle Island Bridge West Channel Wreck Daybeacon WR1W, 38-17-42.546N, 076-12-46.579W. (LLNR 24520) Middle Island Bridge East Channel Daybeacon 1E, 38-18-01.150N, 076-11-59.041W. Project will begin on or about August 31, 2026 and continue till October 01, 2026. The work will consist of demolition and removal of the identified structures and associated wreckage using marine construction equipment, barges, and support vessels and will be operating at each location during demolition activities. MSI # 51513.	
Chesapeake Channel - Honga River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-10-10 To: 2027-04-05 Mariners are advised that Sea Coast Marine Construction will conduct dredging operations in Honga River from October 10, 2026, through March 31, 2027. Operations will be conducted continuously, 24 hours a day, 7 days a week. Dredging operations will be conducted using the cutter-suction dredge Scout, with a dredge pipeline extending from the stern of the dredge to the designated disposal site. Additional equipment operating in the area will include booster pump stations, multiple tugboats, an excavator barge, and an unnamed skiff. The channel will remain open for navigation during the dredging operations; however, the navigable channel width will be reduced. Submerged pipeline crossings will be present and will be marked with red/green buoys. All mariners transiting the vicinity of the dredging operations are advised to exercise caution when meeting, overtaking, or passing dredging equipment and associated work vessels. The dredge pipeline will be marked with regulatory buoys and flashing yellow lights. The dredge and associated work vessels will monitor VHF-FM Channels 65 and 16. Mariners requiring special arrangements are advised to contact the dredge at least 30 minutes in advance of transiting the area. On-site Superintendent: Keith Johnson: 631-553-1034. MSI #54018.	

Hooper Strait

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hooper Strait Channel Light 10	23643	STRUCT DEST/HAZ NAV/TRLB	FD

Horn Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Chesapeake Channel - Horn Harbor/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-07-22 To: 2030-06-26 Location: 37.33815° N / 76.26237° W Shoaling has been observed with depths of 3-5’ beginning approximately 500’ west of Horn Harbor Wreck Light WR2 (LLNR 14450) proceeding inbound to Horn Harbor Buoy 8 (LLNR 14487). ACOE survey of area indicates shoaling, to at least depth of 4.8’ MLLW IVO Horn Harbor Daybeacon 4 (LLNR 14460) and 4.5’ in between Horn Harbor Daybeacon 6 (LLNR 14470) and Horn Harbor Light 7 (LLNR 14475).	
--	-----------------------	--	--

Hoskins Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hoskins Creek Light 1HC	15600	STRUCT DMGD	FD
Hoskins Creek Daybeacon 4	15615	STRUCT DEST/TRUB	FD

Indian Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Indian Creek Light 10	16105	LT EXT	FD

Indian River Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Indian River Channel Daybeacon 54	4551.12	DBD DMGD	PA
Indian River Channel Daybeacon 60	4551.18	STRUCT DMGD	PA
Indian River Channel Daybeacon 59	4551.17	DBD DMGD	PA
Indian River Channel Daybeacon 58	4551.16	STRUCT DMGD	PA
Indian River Channel Daybeacon 50	4551.08	STRUCT DMGD	PA
Indian River Channel Daybeacon 44	4551.02	MISSING	PA
Indian River Channel Daybeacon 46	4551.04	STRUCT DMGD	PA
Indian River Channel Daybeacon 53	4551.11	STRUCT DMGD	PA
Indian River Channel Daybeacon 51	4551.09	STRUCT DMGD	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Indian River Inlet - Indian River Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported Extreme Shoaling has occurred in the channel on the Indian River from Indian River Channel Daybeacon 64 (LLNR 4551.23) to Indian River Channel Daybeacon 70 (LLNR 4551.23) near Millsboro, DE. This area is inaccessible at low tide and faces a severe hazard to safety. All navigation in this area should use caution as much of the channel has shoaled in with less than 1’ MLW average. MSI # 64. From: 2024-08-05 To: 2029-07-09 Location: 38.59107° N / 75.27681° W 38.59102° N / 75.27576° W 38.58842° N / 75.27703° W 38.58717° N / 75.27716° W 38.58634° N / 75.27641° W 38.58688° N / 75.2736° W 38.58668° N / 75.27192° W 38.58618° N / 75.27205° W 38.58634° N / 75.27342° W 38.58569° N / 75.27651° W 38.58722° N / 75.2778° W 38.58868° N / 75.27759° W 38.5904° N / 75.27681° W 38.59107° N / 75.27681° W	

Indian River Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Indian River Inlet Buoy 11	4400	OFF STATION	FD
Indian River Inlet Buoy 12	4405	OFF STATION	FD
Indian River Inlet Buoy 14	4410	OFF STATION	FD
Indian River Inlet Buoy 15	4415	OFF STATION	FD
Indian River Inlet Lighted Buoy 16	4417	OFF STATION	FD

Isle Of Wight Bay.

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Isle Of Wight Bay Light 9	4855	STRUCT DEST/HAZ NAV/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Thorofare Channel Buoy 3	4875	OFF STA	PA
Thorofare Channel Buoy 3	4875	OFF STATION	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Isle Of Wight Bay/General/Bridges	Bridges	Isle Of Wight Bay/General/Bridges From: 2026-11-04 To: 2027-04-02 Location: 38.33313, -75.09353 Bridge Name: United States 50 Bridge Mariners are advised that an engineering firm, on behalf of Maryland Department of Transportation, will be performing underwater inspections on the highway drawbridge – US 50 (Harry W. Kelley Memorial) Bridge, over Isle of Wight (Sinepuxent) Bay, mile 0.5, at Ocean City, MD. To facilitate cleaning and painting of the bridge will be maintained in the closed-to-navigation position from 8 a.m. January 04, 2027, through 8 a.m. April 02, 2027. A platform will be installed under the bridge reducing the vertical clearance by approximately 4 feet to approximately 17 feet above mean high water in the closed position. Vessels able to pass through the bridge at the reduced vertical clearance may do so at any time. At all other times, the drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.559. Mariners should use caution when transiting the area. MSI#32987	Lat: 38° 19' 59" Lon: -075° 05' 37"

James River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
James River Channel Light 10	11585	STRUCT DEST/HAZ NAV/TRLB	FD
James River Channel Light 74C	12305	LT EXT	FD
James River Channel Light 77A	12335	LT EXT	FD
James River Channel Lighted Buoy 94	12430	LT EXT	FD
James River Channel Light 98	12440	LT EXT	FD
James River Channel Lighted Buoy 102	12455	LT EXT	FD
James River Channel Lighted Buoy 106	12475	OFF STATION	FD
James River Channel Lighted Buoy 140	12670	LT EXT	FD
James River Channel Light 143	12675	LT EXT/DBD DMGD	FD
James River Channel Light 166	12790	LT EXT	FD
James River Channel Buoy 172	12810	OFF STATION	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
HRSD Williamsburg WWTP Outfall Warning Buoy A	11933	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - James River/General/Bridges/Construction	Bridges	Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through August 27, 2027. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations. Bridge Structures/Work Trestles & Islands – Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area – As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebe Safe Harbor Area – As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area. Willoughby Bay Mooring and Safe Harbor Area – As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area. Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrpcjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org . MSI # 1673.	Lat: 37° 00' 27" Lon: -076° 19' 18"

Chesapeake Channel - James River/General/Bridges/Construction	Bridges	Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through August 27, 2027. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations. Bridge Structures/Work Trestles & Islands – Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area – As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebe Safe Harbor Area – As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area. Willoughby Bay Mooring and Safe Harbor Area – As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area. Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373-4799 and/or email MarineOps@hrpcjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org . MSI # 1676.	Lat: 37° 00' 26" Lon: -076° 19' 19"
Chesapeake Channel - James River/General/Bridges/Construction	Bridges	Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through August 27, 2027. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations. Bridge Structures/Work Trestles & Islands – Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area – As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebe Safe Harbor Area – As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area. Willoughby Bay Mooring and Safe Harbor Area – As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area. Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373-4799 and/or email MarineOps@hrpcjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org . MSI # 1678.	Lat: 36° 58' 16" Lon: -076° 18' 04"
Chesapeake Channel - James River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance Bridge Name: 156 State Route Bridge Mariners are advised that a contractor will perform maintenance on the highway drawbridge – SR 156 (Benjamin Harrison Memorial) Bridge across James River, mile 65.0, at Hopewell, VA, commencing on November 18, 2024, until December 31, 2027. The bridge maintenance project will include replacement of the existing fender systems and electrical work on the lifting tower piers. The work will be performed from outside the Federal navigation channel or behind the fender systems. Tugboat Christi (25' by 14'), a 120' by 40' barge with a Manitowoc 4000 Crawler crane, and 120' by 40' material barges will be in the vicinity of the bridge. The bridge tender and vessels/barges may be reached on VHF-FM channel 13, project superintendent at (443) 623-8412, and project engineer at (540) 845-6505. The drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.5. Mariners should adjust their transits accordingly and should use caution when transiting the area.	Lat: 37° 19' 10" Lon: -077° 13' 27"

Chesapeake Channel - James River/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2025-03-11 To: 2026-11-30 Location: 37.3195° N / 77.22406° W Bridge Name: Benjamin Harrison Memorial State Route Bridge Mariners are advised that an engineering firm, on behalf of the Virginia Department of Transportation, will be performing construction of a bridge protection system on the Benjamin Harrison Memorial Bridge over the James River, at mile marker 65.0, near Hopewell, VA. Construction will commence on March 17, 2025, and continue through September 28, 2028, Monday through Friday, from 7 a.m. to 5 p.m. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and/or marine safety information bulletins. To facilitate fender rehabilitation, a working barge will be on scene 24/7 and will be located near the existing fendering systems reducing the horizontal clearance of the bridge approximately 10 feet to approximately 290 feet horizontal clearance. The waterway will remain open to navigation. Work vessels and barges may be reached on VHF-FM channel 13 and 16. The project manager may be reached at (360) 585-7203 and area manager at (912) 438-1058. Mariners should use extreme caution when navigating through the area.	Lat: 37° 19' 10" Lon: -077° 13' 27"
General/LAA/RNA/Safety Zone	LAA/RNA	The COTP Sector Virginia has determined that the HRBT Expansion Project will continue to be protected by six Safety Zones identical to those formerly charted as established in 33cfr165.519. The new temporary regulation will be found at 33cfr165.T05-1069 and has been signed. The new temporary regulation is identical to the previous and is scheduled to be published in January. The zones will be enforceable until 20 December 2030 or potentially earlier if deemed no longer necessary by the COTP.	
General/LAA/RNA/Safety Zone	LAA/RNA	The COTP Sector Virginia has determined that the HRBT Expansion Project will continue to be protected by six Safety Zones identical to those formerly charted as established in 33cfr165.519. The new temporary regulation will be found at 33cfr165.T05-1069 and has been signed. The new temporary regulation is identical to the previous and is scheduled to be published in January. The zones will be enforceable until 20 December 2030 or potentially earlier if deemed no longer necessary by the COTP.	
Chesapeake Channel - James River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-10-12 To: 2027-05-31 Location: 37-05-01.716N/076-32-06.612W HRSD has retained the firm Ryan Marine, a barge/dredge MOBRO 112, to conduct dredging and construction operations at the James River Treatment Plant Outfall in the James River. This work is scheduled to begin as early as October 15, 2026, and be completed in Spring 2027. The dredge can be contacted on VHF-FM channels 13 and 16. Mariners are requested to stay clear of the boats, barges, and-attendant plant. Exercise extreme caution when approaching, passing, and leaving the construction area. Mariners are reminded to strictly comply with Inland Rules of the Road. MSI #53783.	Lat: 37° 05' 02" Lon: -076° 32' 07"
Chesapeake Channel - James River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Mariners are advised that Precon Marine, on behalf of Newport News Shipyard, will be changing the configuration of the waterfront security barriers on the James River from 30SEP26 until 30DEC26. Mariners are requested to proceed at a slow bell with minimal wake when in the vicinity of the Newport News Shipyard. The on scene T/V KRISTINA MARIE or T/V IDA M can be reached on VHF-FM channel 16. Mariners should caution when transiting the area.	
Chesapeake Channel - James River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-09-24 To: 2027-01-04 Location: Kinder Morgan Bulk Terminals Mechanical dredging operations on behalf of Kinder Morgan Bulk Terminals will commence on or about October 1, 2026, at Kinder Morgan Bulk Terminals in Newport News on the James River. Loaded scows will be towed from the work area at Piers IX and X to the Unloader barge located at Shirley's Plantation (Weanack Island). The Dredge KOKO V will perform the dredging with the assistance of towing tugs and scows. Vessels and crew will monitor VHF channel 13 during the project execution. Dredging and unloading operations will continue until the estimated completion date of December 31, 2026. MSI #53462	
Chesapeake Channel - James River/General/Marine Events/Regatta (Race)	Marine Events	Virginia Power Boat Association is sponsoring a Power Boat Showcase on the upper James River, North of Boshers' Dam on October 24, 2026 from 10 a.m. to 6 p.m. The event will consist of 10 Power Boats on the Upper James River in Midlothian, VA. The power boats may exceed 70 mph at times. Mariners are requested to use extreme caution when transiting the area.	Lat: 37° 33' 32" Lon: -077° 35' 11"

Jamestown Island

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
James River - Jamestown Island/General/Marine Events/Other	Marine Events	Broad Run Off Road is sponsoring an adventure race to include a paddle race on the Powhatan Creek on October 10th from 9 a.m. to noon. The event will consist of 250 paddlers on a racecourse on the Powhatan Creek in Jamestown, VA. Mariners are requested to use caution when transiting the area.	Lat: 37° 14' 55" Lon: -076° 45' 36"

Jenkins Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Jenkins Creek Daybeacon 4	22870	STRUCT MISSING/TRUB	PA

Jones Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Jones Creek Buoy 3	23310	OFF STATION	PA
Jones Creek Daybeacon 5	23320	STRUCT DEST/HAZ NAV	PA

Kent Island Narrows North Approach

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kent Island Narrows North Approach Lighted Buoy 2A	26417	LT EXT	FD
Kent Island Narrows North Approach Daybeacon 9	26445	STRUCT DEST/HAZ NAV/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chester River - Kent Island Narrows North Approach/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-08 To: 2029-07-12 Location: 38.9811° N / 76.24159° W A USACE survey has identified shoaling to a depth of four feet in the Kent Island Narrows North Approach within the channel boundaries between Kent Island Narrows North Approach Light 2KN (LLNR 26415) and Kent Island Narrows North Approach Light 8 (LLNR 26435). Mariners are urged to use caution when transiting the area.	Lat: 38° 58' 52" Lon: -076° 14' 30"

Knapps Narrows West Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Knapps Narrows West Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-08-26 To: 2027-03-16 Location: 38-43-19.452N/076-20-25.080W 38-43-16.068N/076-20-12.624W 38-43-13.512N/076-20-12.516W 38-43-14.628N/076-20-18.996W 38-43-15.276N/076-20-32.496W 38-43-19.308N/076-20-32.928W 38-43-19.452N/076-20-25.080W Hazard to navigation-shoaling reported; less than four feet, in Knapps Narrows Channel reported in the area from Knapps Narrows West Channel Buoy 4 (LLNR 25927) to Knapps Narrows West Channel Daybeacon 5A (LLNR 25933). MSI:52262	

Lafayette River Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lafayette River Channel Daybeacon 7	10685	STRUCT DEST/TRUB	FD

Lake Conoy

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Conoy Light 2	16545	STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Conoy Warning Daybeacon C	16565	STRUCT DEST/HAZ NAV	PA
Lake Conoy Warning Daybeacon C	16565	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Potomac River - Lake Conoy/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-09-03 To: 2026-11-02 Location: 38-02-59.640N/076-19-45.804W Aid Name: Lake Conoy Light 2 LLNR: 16545 Action: CHANGE Action Type Change Aid Subtype Due to the limited access and ongoing shoaling in the Lake Conoy waterway the Coast Guard on or about September 21, 2026 will change Lake Conoy Light 2 (LLNR 16545); which was damaged in March 2025 and marked with a temporary Lighted wreck buoy, to Lake Conoy Lighted Buoy WR2 with a quick flashing red light until wreckage can be removed by contractor. MSI: 53001	Lat: 38° 02' 60" Lon: -076° 19' 46"

Lenoxville Point

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Lenoxville Point Buoy 2	29358	DISCONTINUED	FD
Lenoxville Point Buoy 3	29360	DISCONTINUED	FD
Lenoxville Temporary Shoal Buoy	29361	ESTABLISHED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Core Sound - Lenoxville Point/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-07-09 To: 2031-06-13 Location: 34-42-25.272N/076-36-59.184W 34-42-25.092N/076-36-52.380W 34-42-21.024N/076-36-52.164W 34-42-20.772N/076-37-03.216W 34-42-25.272N/076-36-59.184W Shoaling between Lenoxville Point Buoy 1L (LLNR 29356) and Lenoxville Point Buoy 2 (LLNR 29358) has been reported with depths as low as 2FT MLW. Mariners should use caution when transiting the area. MSI # 48340.	

Liston Range

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Liston Range Rear Light	2450	RELIGHTED	FD	2026-10-02

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Delaware Bay Main Channel - Liston Range/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2026-09-14 To: 2026-10-22 Location: 39-24-50.400N/075-29-20.400W S. T. Hudson Engineering will be conducting Hydrographic Survey Operations, they will deploy seabed frames from a 25-ft Safeboat, the M/V Ginny B, outside of the designated shipping channels. The seabed frame will be deployed on September 15 and marked with a surface buoy. The frames will remain submerged and no other survey operations will be conducted until recovery on October 20th. M/V Ginny B will monitor Channels 13 and 16 continuously throughout the survey. Mariners are advised to exercise caution when navigating near the survey vessel, maintain a safe distance, and proceed at reduced speed. Shoreside point of contact will be Joe Wozniak (609) 412-1242 and M/V Ginny B operator, Cole VanDorick (281) 726-3921. MSI #53593	Lat: 39° 24' 50" Lon: -075° 29' 20"
Delaware Bay Main Channel - Liston Range/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2026-09-14 To: 2026-10-22 Location: 39-28-40.440N/075-33-13.680W S. T. Hudson Engineering will be conducting Hydrographic Survey Operations, they will deploy seabed frames from a 25-ft Safeboat, the M/V Ginny B, outside of the designated shipping channels. The seabed frame will be deployed on September 15 and marked with a surface buoy. The frames will remain submerged and no other survey operations will be conducted until recovery on October 20th. M/V Ginny B will monitor Channels 13 and 16 continuously throughout the survey. Mariners are advised to exercise caution when navigating near the survey vessel, maintain a safe distance, and proceed at reduced speed. Shoreside point of contact will be Joe Wozniak (609) 412-1242 and M/V Ginny B operator, Cole VanDorick (281) 726-3921. MSI #53594.	Lat: 39° 28' 40" Lon: -075° 33' 14"
Delaware Bay Main Channel - Liston Range/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2026-09-14 To: 2026-10-23 Location: 39-29-16.152N/075-32-42.612W 39-27-58.176N/075-32-34.296W 39-26-05.784N/075-30-10.620W 39-25-42.888N/075-30-59.724W 39-27-45.288N/075-33-05.796W 39-29-14.028N/075-33-09.504W 39-29-16.152N/075-32-42.612W Environmental Monitoring Operations: S. T. Hudson will deploy seabed frames from the M/V BELLA MARIE at 10 locations outside of the designated shipping channels. Each seabed frame will be marked with a surface buoy. In addition, the M/V BELLA MARIE will conduct environmental monitoring operations throughout the project area while towing survey equipment approximately 200 feet astern of the vessel. Monitoring operations will be conducted for up to 12 hours per day, up to seven days per week. Operations will primarily take place during daylight hours but may extend before sunrise and beyond sunset as required to support project objectives and will be active from Sep 15 to October 20th. Vessels involved with be M/V BELLA MARIE, a 40-foot aluminum-hull survey vessel to tow survey instrumentation astern and below the water's surface, which may restrict its maneuverability during survey operations and M/V GINNY B, a 25' twin outboard Safeboat supporting the M/V BELLA MARIE by transferring survey samples between the vessel and shore. The vessels will monitor channel 13 & 16 continuously throughout the survey.	

Little Choptank River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Little Choptank River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-04 To: 2026-10-16 Location: 38-31-59.900N/076-20-51.130W Cottrell Contracting Corporation of Chesapeake, Virginia advises that the Dredge Lexington will be conducting dredging operations on the Chesapeake Bay in the vicinity of James Island and the Little Choptank River in Dorchester County, MD. Dredging operations will occur within a 3,000' radius of coordinates 38 31 59.9 N 076 20 51.13 W. Danger markers have been placed around the worksite and all mariners are requested to remain outside of the work area. Dredging activities are expected to begin on June 12, 2026 and continue through October 15, 2026. Transiting mariners can hail the dredge on VHF channels 16 & 13. For emergencies the dredge can be reached at (757) 635-2578. A map has been provided below to show the area of work. All mariners are requested to stay clear of the dredge, pipelines, barge, derricks and operating wires about the dredge. All operators should be aware that the dredge and pontoon lines are held in place by cables, which are attached to anchors some distance from the dredge and pontoons. Buoys are attached to the anchors so that they may be moved as the dredge moves. Submerged lines should be avoided. Mariners are requested to exercise extreme caution when approaching, passing, and leaving the dredging plant. Remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires and related equipment. Owners and lessees of fishnets, crabpots and other structures that may be in the vicinity and that may hinder the free navigation of attending vessels and equipment must remove these from the area where tugs, tenderboats and other attendant equipment will be navigating. Dredging operations will be conducted twenty-four (24) hours a day seven (7) days a week. A slow, no wake speed is requested of transiting vessels; all vessels are requested to contact the dredge prior to passing.	Lat: 38° 31' 25" Lon: -076° 20' 14"
Chesapeake Channel - Little Choptank River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-05-05 To: 2027-10-22 Location: 38-32-30.552N/076-20-59.532W 38-32-29.508N/076-20-51.504W 38-31-46.524N/076-20-07.008W 38-31-35.184N/076-20-06.648W 38-31-21.504N/076-20-13.956W 38-31-25.932N/076-21-04.572W 38-31-45.588N/076-21-00.756W 38-31-46.560N/076-21-28.728W 38-31-51.024N/076-21-31.644W 38-32-27.168N/076-21-11.664W 38-32-30.552N/076-20-59.532W Coastal Design and Construction will conduct construction project consisting of building a rock fill dike. Construction area and dredge borrow area will be marked by white and orange danger buoys with white lights on them. Project will run from May 18, 2026 to October 22, 2027. All manned equipment will monitor VHF FM - Ch 16 and 13. In addition 20 barge moorings will be established during project around the outside of the construction area. Mooring buoy will be white with blue markings and white flashing lights. For additional information contact Eppa Dale Wroten – Marine Superintendent, Cell: 804-366-0447 or Wayne Clark – Superintendent, Cell: 301-643-4323. MSI # 43016.	

Little Egg Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Little Egg Inlet Lighted Buoy 2	1105	MISSING	FD
Little Egg Inlet Lighted Buoy 5	1120	MISSING	FD
Little Egg Inlet Lighted Buoy 6	1125	MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Little Egg Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-01 To: 2029-07-05 Location: 39-28-26.868N/074-17-41.568W Shoaling has been observed between Little Egg Inlet Buoy 1 (LLNR 1100) and Little Egg Inlet Buoy 4 (LLNR 1115). Shoaling has encroached channel ward in between the aids. Minimal depths observed at low tide 4ft. Inlet is susceptible to shifting shoaling at all times. MSI # 58.	Lat: 39° 28' 27" Lon: -074° 17' 42"

Sector Delaware Bay, Submerged Land Act (SLA) - Little Egg Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-07-29 To: 2027-04-24 Location: 39.50325° N / 74.31082° W Shoaling reported developing in the vicinity of New Jersey Intracoastal Waterway Junction Lighted Buoy LEI (LLNR 35485).	Lat: 39° 30' 12" Lon: -074° 18' 39"
--	-----------------------	--	--

Lockwoods Folly Inlet

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Lockwoods Folly Inlet Lighted Buoy 1	31010	DISCONTINUED	FD
Lockwoods Folly Inlet Lighted Buoy 2	31015	DISCONTINUED	FD
Lockwoods Folly Inlet Buoy 4	31025	DISCONTINUED	FD
Lockwoods Folly Inlet Buoy 5	31027	DISCONTINUED	FD
Lockwoods Folly Inlet Buoy 6	31030	DISCONTINUED	FD
Lockwoods Folly Inlet Buoy 8	31040	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Cape Fear River Little River - Lockwoods Folly Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-23 To: 2029-08-27 Location: 33.91496° N / 78.23706° W The Coast Guard has temporarily discontinued Lockwoods Folly Inlet Buoy 1 (LLNR 31010) through Lockwoods Folly Inlet Buoy 8 (LLNR 31040) to due shoaling and creating a misleading signal. Inlet will be reviewed when dredge operations is completed, ACOE survey is conducted, and safe navigable water depths are identified. See Sector North Carolina MSIB 015-24. MSI # 599.	Lat: 33° 54' 54" Lon: -078° 14' 13"

Lockwoods Folly River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lockwoods Folly River Daybeacon 4	40145	STRUCT DEST/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Cape Fear River Little River - Lockwoods Folly River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-09-02 To: 2027-02-02 Location: 33-55-43.428N/078-12-58.572W Aid Name: Lockwoods Folly River Daybeacon 4 LLNR: 40145 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will change Lockwoods Folly River Daybeacon 4 (LLNR 40145) to Lockwoods Folly River Buoy 4 (LLNR 40145). Change will be coordinated with other aids servicing in the area between October 27, 2026 and February 1, 2027. MSI # 52444.	Lat: 33° 55' 43" Lon: -078° 12' 59"

Long Creek

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Long Creek Lighted Buoy 2LC	10159	ESTABLISHED	FD

Long Creek East Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Long Creek East Channel Daybeacon 11	10375	DBD DEST	FD

Lower Machodoc Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lower Machodoc Creek Daybeacon 2	16970	STRUCT DEST/TRUB	FD

Lynnhaven Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lynnhaven River Western Branch Daybeacon 26	10305	MISSING	PA
Lynnhaven River Daybeacon 1LR	10186	MISSING	PA
Lynnhaven River Junction Daybeacon EW	10187	MISSING	PA
Crab Creek Buoy 12	10157.12	MISSING	PA

Lynnhaven River Western Branch Daybeacon 11	10230	STRUCT DMGD/DBD DMGD	PA
Lynnhaven River Western Branch Buoy 10	10225	BUOY DMGD	PA
Crab Creek Buoy 12	10157.12	MISSING	PA
Lynnhaven River Daybeacon 1LR	10186	MISSING	PA
Lynnhaven River Junction Daybeacon EW	10187	MISSING	PA
Lynnhaven River Western Branch Daybeacon 26	10305	STRUCT MISSING	PA

Lynnhaven Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lynnhaven Inlet Light 1L	10130	LT EXT	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Lynnhaven Inlet Lighted Shoal Buoy 4A	10140	ESTABLISHED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Lynnhaven Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-07-27 To: 2027-01-23 Location: 36-54-59.148N/076-05-26.988W 36-54-59.076N/076-05-23.460W 36-54-56.628N/076-05-23.784W 36-54-57.024N/076-05-27.276W 36-54-59.148N/076-05-26.988W Hazard to nav-shoaling in Lynnhaven Inlet and Turning Basin. The Norfolk District Army Corp of Engineers survey dated July 21, 2026 indicates shoaling starting approximately 500' south of Lynnhaven Inlet Light 2 (LLNR 10135), continuing south for approximately 270' and across the entire channel with least depths ranging from 9.8' to 7.8'.	
Chesapeake Channel - Lynnhaven Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-07-27 To: 2027-01-23 Location: 36-54-48.672N/076-05-27.708W 36-54-38.628N/076-05-29.040W 36-54-39.132N/076-05-31.308W 36-54-48.420N/076-05-29.436W 36-54-48.672N/076-05-27.708W Hazard to nav-shoaling in Lynnhaven Inlet and Turning Basin. The Norfolk District Army Corp of Engineers survey dated July 21, 2026 indicates shoaling from Lynnhaven Inlet Light 4 (LLNR 10138) for approximately 550' and encroaching approximately 55' into the channel with least depths ranging from 9.8' to 2.0'. On or about July 29, 2026 the Coast Guard will establish Lynnhaven Inlet Lighted Buoy 4A (LLNR 10140) in approximate position: 36 54 45.709N-76 05 28.405W with a quick flashing red light that has a nominal range of 4nm.	

Magothy River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Forked Creek Daybeacon 1	20210	STRUCT DEST/TRUB	PA

Manasquan River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Manasquan River Daybeacon 7	34955	DBD DEST	FD
Manasquan River Daybeacon 11	34975	STRUCT DEST/HAZ NAV	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Manasquan Inlet - Manasquan River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-09-15 To: 2027-01-05 Location: 40-05-19.104N/074-04-02.280W Mariners please be advised that Wyndham Construction will be conducting construction at the mouth of the Point Pleasant Canal at approximate position 40°5.318' N, 074°4.038' W. Work will begin on October 1, 2026 and continue until December 31, 2026. There will be a crane barge spudded down adjacent to the bulkhead during operations. All mariners are requested to transit the work area at the slowest safe speed to maintain navigation and minimize wake. MSI #53706.	Lat: 40° 05' 19" Lon: -074° 04' 02"
Manasquan Inlet - Manasquan River/General/Marine Events/Fireworks	Marine Events	A land-based fireworks display is scheduled to occur on the waterfront of Maxson Avenue Park in Point Pleasant, NJ, along the Manasquan River, on October 10, 2026, from 8 p.m. to 8:15 p.m. The fall out zone for the fireworks display will extend approximately 200 feet from the shoreline of Maxson Avenue Park, in approximate GPS position 40°05'17.3"N, 074°04'15.0"W. Mariners are advised to transit this area with caution and remain a safe distance away from the fireworks fall out zone.	Lat: 40° 05' 18" Lon: -074° 04' 14"

Manteo Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Shallowbag Bay Club Channel Daybeacon 1	28555	MISSING	PA

Masonboro Inlet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Masonboro Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-07-24 To: 2026-09-18 Location: 34-10-24.276N/077-47-51.072W Aid Name: Masonboro Inlet Lighted Whistle Buoy A LLNR: 800 Action: CHANGE Action Type Change Sound Signal The Coast Guard removed the whistle from Masonboro Inlet Lighted Whistle Buoy A (LLNR 800). MSI # 49532	Lat: 34° 10' 24" Lon: -077° 47' 51"

Massey Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Occoquan River Channel Light 2	18265	STRUCT DEST/HAZ NAV/TRLB	FD
Occoquan River Channel Light 9	18290	STRUCT DEST/HAZ NAV/TRLB	FD

Maurice River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Maurice River Buoy 9	1730	OFF STATION	FD

Mifflin Range

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Delaware River Main Channel - Mifflin Range/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2026-01-13 To: 2026-02-28 Location: 39-51-43.344N/075-13-42.636W A submerged object approximately 3 feet long by 3 feet wide and 5 feet high has been reported in the Delaware River, in Mifflin Range, approximately 250 feet inside the green toe of the channel, in approximate position latitude 39°51.7229'N, longitude 075°13.7106'W, approximately 425 yards downriver from Delaware River Buoy 63 (Light List Number 3385). The submerged object is at a depth of 40.7 feet at mean low low water. Mariners are advised to use caution when transiting the area. MSI # 35082.	Lat: 39° 51' 43" Lon: -075° 13' 43"

Mile Hammock Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mile Hammock Bay Channel Daybeacon 4	39265	STRUCT DEST/TRUB	FD

Milford Haven East

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Milford Haven East Channel Danger Light 6	14595	REDUCED INT	PA

Morehead City Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Beaufort Inlet - Morehead City Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-08-13 To: 2026-02-09 Location: 34.69754° N / 76.67313° W USACE SURVEYS INDICATE SHOALING ON THE SOUTH SIDE OF THE MOREHEAD CITY HARBOR RANGE B CHANNEL WITH DEPTHS AS LOW AS TWENTY FEET (MLLW) BETWEEN THE MOREHEAD CITY CHANNEL LIGHTED BUOY 15 (LLNR 29410) AND MOREHEAD CITY CHANNEL LIGHTED BUOY 17 (LLNR 29425). MARINERS ARE URGED TO EXERCISE CAUTION WHEN TRANSITING THIS AREA.	Lat: 34° 41' 51" Lon: -076° 40' 23"

Morehead City Harbor Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Morehead City Harbor Channel Turning Basin Daybeacon B	38629	STRUCT DEST/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Morehead City Harbor Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-10-04 To: 2026-11-10 Curtin Maritime (CMC) will be performing dredging activities commencing on or about October 04, 2026, and concluding on or about November 05, 2026. During this time, CMC will be operating 24 hours per day / 7 days per week (Monday through Sunday). The DB Avalon dredge will perform mechanical dredging within Range C, East Leg, West Leg, Northwest Leg, Aviation Fuel Dock, and Barge Dock in the Morehead City Inner Harbor, with dredged material transported by scow to the Morehead City ODMDS for offshore placement. This project will involve a mechanical dredge, 255-ft barge and several tugs. All manned equipment will monitor VHF-FM Channels 11, 13, 17, and 81A. Please use caution when transiting in the area. MSI #54340.	
---	---	---	--

Nandua Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nandua Creek Channel Warning Daybeacon G	21800	DAYMK DMGD	FD

Nansemond River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nansemond River Channel Daybeacon 23	11115	STRUCT DEST/TRLB	FD

Nanticoke River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nanticoke River Channel Daybeacon 4	23970	STRUCT DEST/HAZ NAV/TRLB	FD
Nanticoke River Channel Daybeacon 16	24085	STRUCT DEST/TRLB	FD
Nanticoke River Channel Light 25	24115	STRUCT DEST/HAZ NAV/TRLB	FD
Nanticoke River Channel Daybeacon 67	24340	STRUCT DEST/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Wicomico River Honga, Nanticoke And Fishing Bay - Nanticoke River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-09-09 To: 2026-11-08 Location: 38-29-20.940N/075-48-48.312W Bridge Name: 50 State Route Bridge The Nanticoke River swing railroad bridge will remain in the closed position due to maintenance, ETR is currently unknown. For more information contact the Coast Guard at 215-271-4807.	Lat: 38° 29' 21" Lon: -075° 48' 48"

Naval Boat Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Naval Boat Channel Light 10	10655	LT EXT	FD

NAVAREA IV

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
NAVAREA IV/General/Marine Events/Swim	Marine Events	Kinetic Endeavors LLC is sponsoring the Pleasant Landing Triathlon on Lake Anna, VA. The Triathlon will begin on October 10th from 9:00 a.m. to 11 a.m. Mariners are requested to use caution when transiting the area.	Lat: 38° 02' 40" Lon: -077° 47' 55"

Neale Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Neale Sound Channel Light 3	17402	STRUCT DEST/TRLB	FD

Neuse River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dawson Creek Entrance Warning Daybeacon	33800	DBD DMGD	FD
Neuse River Channel Light 9	33835	LT EXT	FD
Neuse River Channel Daybeacon 50	34115	STRUCT DEST/TRUB	FD

Neuse River Channel Daybeacon 50A	34120	STRUCT DEST/TRUB	FD
-----------------------------------	-------	------------------	----

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Broad Creek-West Buoy 1	33622	MISSING	PA
Bridgeton Warning Light	34047	DBD DMGD	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Western Part Of Pamlico Sound - Neuse River/General/Bridges/Removal	Bridges	General/Bridges/Construction From: 2026-08-24 To: 2028-05-01 Location: 34-59-35.628N/076-45-25.524W Bridge Name: 1302 State Route Bridge Mariners are advised that a construction firm, on behalf of North Carolina Department of Transportation, will be constructing a new bridge to replace the Bridge No. 57 on SR 1302 between SR 1305 and SR 1378, across Dawson Creek, at mile 0.1, at Janeiro, NC. Construction activities will begin September 23, 2026, and are expected to finish on April 29, 2028. Work will be on-going from 7 a.m. to 7 p.m.; 7 days a week. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. During the work hours from September 14, 2026, through October 31, 2026, a 50-foot crane barge, two 20-foot material barges, and support vessels will be operating or stationed in the vicinity of the existing bridge to perform demolition activities. Temporary work trestles will be in place for the construction of the new bridge. During the duration of demolition and construction activities, private aids to navigation will be present on the waterway to facilitate navigation through the existing and new bridges. Mariners should navigate the waterway with extreme caution and due regard for prevailing conditions on the waterway. The NCDOT Construction Manager may be contacted at (252) 649-6504, the NCDOT Project Inspector may be contacted at (252) 626-4559, and Sanford Contractors, Inc., project foreman may be contacted at (919) 770-4750. Project information may be found at https://www.ncdot.gov/projects/ProjectsNearMe/default.aspx?id=B-5995 MSI # 51970.	Lat: 34° 59' 36" Lon: -076° 45' 26"
Western Part Of Pamlico Sound - Neuse River/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2026-08-24 To: 2028-05-01 Location: 34-59-35.628N/076-45-25.488W Bridge Name: No 57 Bridge Mariners are advised that a construction firm, on behalf of North Carolina Department of Transportation, will be constructing a new bridge to replace the Bridge No. 57 on SR 1302 between SR 1305 and SR 1378, across Dawson Creek, at mile 0.1, at Janeiro, NC. Construction activities will begin September 23, 2026, and are expected to finish on April 29, 2028. Work will be on-going from 7 a.m. to 7 p.m.; 7 days a week. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. During the work hours from September 14, 2026, through October 31, 2026, a 50-foot crane barge, two 20-foot material barges, and support vessels will be operating or stationed in the vicinity of the existing bridge to perform demolition activities. Temporary work trestles will be in place for the construction of the new bridge. During the duration of demolition and construction activities, private aids to navigation will be present on the waterway to facilitate navigation through the existing and new bridges. Mariners should navigate the waterway with extreme caution and due regard for prevailing conditions on the waterway. The NCDOT Construction Manager may be contacted at (252) 649-6504, the NCDOT Project Inspector may be contacted at (252) 626-4559, and Sanford Contractors, Inc., project foreman may be contacted at (919) 770-4750. Project information may be found at https://www.ncdot.gov/projects/ProjectsNearMe/default.aspx?id=B-5995 MSI # 51972.	Lat: 34° 59' 36" Lon: -076° 45' 25"
Western Part Of Pamlico Sound - Neuse River/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2026-09-14 To: 2028-05-05 Location: 34-59-35.628N/076-45-25.524W Bridge Name: 1302 State Route Bridge Mariners are advised that a construction firm, on behalf of North Carolina Department of Transportation, will be constructing a new bridge to replace Bridge No. 57 on SR 1302 between SR 1305 and SR 1378, across Dawson Creek, at mile 0.1, at Janeiro, NC. Construction activities will begin September 23, 2026, and are expected to finish on April 29, 2028. Work will be on-going from 7 a.m. to 7 p.m.; 7 days a week. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. During the work hours from September 23, 2026, through October 31, 2026, a 50-foot crane barge, two 20-foot material barges, and support vessels will be operating or stationed in the vicinity of the existing bridge to perform demolition activities. Temporary work trestles will be in place for the construction of the new bridge. During the duration of demolition and construction activities, private aids to navigation will be present on the waterway to facilitate navigation through the existing and new bridges. Mariners should navigate the waterway with extreme caution and due regard for prevailing conditions on the waterway. For updates or further information, please contact: NCDOT Construction Manager: (252) 649-6504 NCDOT Project Inspector: (252) 626-4559 Sanford Contractors, Inc.: (919) 770-4750 Coast Guard Sector North Carolina Command Center: (833) 732-8628 MSI #53634	Lat: 34° 59' 36" Lon: -076° 45' 26"

New Jersey Intracoastal Waterway

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New Jersey Intracoastal Waterway Light 2	34985	LT EXT	FD
New Jersey Intracoastal Waterway Light 24	35060	DBD DEST	FD
New Jersey Intracoastal Waterway Light 34	35095	LT EXT	FD
New Jersey Intracoastal Waterway Light 40	35125	STRUCT DEST/HAZ NAV/TRLB	FD
New Jersey Intracoastal Waterway Daybeacon 44	35160	STRUCT DEST/HAZ NAV/TRLB	FD
New Jersey Intracoastal Waterway Daybeacon 49	35180	DBD DEST	FD
New Jersey Intracoastal Waterway Light 52	35195	LT EXT	FD
New Jersey Intracoastal Lighted Buoy 55	35200	OFF STATION	FD
New Jersey Intracoastal Waterway Daybeacon 60	35220	STRUCT DEST/TRLB	FD
New Jersey Intracoastal Waterway Light 62	35225	DBD DEST/LT IMCH	FD
New Jersey Intracoastal Waterway Light 83	35325	STRUCT DEST/HAZ NAV/TRLB	FD
New Jersey Intracoastal Waterway Daybeacon 108	35425	MISSING	FD
New Jersey Intracoastal Waterway Lighted Buoy 130	35536	MISSING	FD
New Jersey Intracoastal Waterway Buoy 131A	35540.1	OFF STATION	FD
New Jersey Intracoastal Waterway Light 145	35590	LT EXT	FD
New Jersey Intracoastal Waterway Daybeacon 147	35595	STRUCT DEST/HAZ NAV/TRLB	FD
New Jersey Intracoastal Waterway Daybeacon 152	35615	STRUCT DEST/HAZ NAV/TRLB	FD

New Jersey Intracoastal Waterway Light 167	35675	STRUCT DEST/HAZ NAV/TRLB/OFF STATION	FD
New Jersey Intracoastal Waterway Daybeacon 170A	35687	STRUCT DEST/HAZ NAV/TRLB	FD
New Jersey Intracoastal Waterway Daybeacon 171	35690	STRUCT DEST/HAZ NAV	FD
New Jersey Intracoastal Waterway Light 172	35695	STRUCT DMGD	FD
New Jersey Intracoastal Waterway Daybeacon 178	35725	STRUCT DEST/TRUB	FD
New Jersey Intracoastal Waterway Daybeacon 207	35830	DBD DMGD	FD
New Jersey Intracoastal Waterway Daybeacon 245	35950	STRUCT DEST/TRLB/HAZ NAV	FD
New Jersey Intracoastal Waterway Light 260	36000	STRUCT DEST/HAZ NAV/TRLB	FD
New Jersey Intracoastal Waterway Light 310	36165	STRUCT DMGD	FD
New Jersey Intracoastal Waterway Daybeacon 313	36175	STRUCT DEST/HAZ NAV/TRLB	FD
New Jersey Intracoastal Waterway Buoy 342	36280	OFF STATION	FD
New Jersey Intracoastal Waterway Daybeacon 348	36300	STRUCT DMGD	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ship Channel Buoy 3	1335	SINKING	PA
West Point Island Buoy 1	35078	ADRIFT	PA
Ship Channel Buoy 3	1335	SINKING	PA
Toms River Light 13	35098.13	STRUCT DEST	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
NJICW Temporary Danger Buoy 40	35125.5	ESTABLISHED	FD
NJICW Temporary Danger Buoy 44	35160.5	ESTABLISHED	FD
NJICW Temporary Danger Buoy 147	35595.5	ESTABLISHED	FD
NJICW Temporary Danger Buoy 152	35615.5	ESTABLISHED	FD
NJICW Temporary Danger Buoy 167	35675.5	ESTABLISHED	FD
NJICW Temporary Danger Buoy 170A	35687.5	ESTABLISHED	FD
NJICW Temporary Danger Buoy 171	35690.5	ESTABLISHED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-54-57.132N/074-06-34.020W Aid Name: New Jersey Intracoastal Waterway Buoy 37 LLNR: 35110 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 37 (LLNR 35110) to New Jersey Intracoastal Waterway Daybeacon 37 (LLNR 35110) displaying 2 SG dayboards with SY ICW indicator.	Lat: 39° 54' 57" Lon: -074° 06' 34"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-45-05.436N/074-09-06.588W Aid Name: New Jersey Intracoastal Waterway Buoy 45 LLNR: 35165 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 45 (LLNR 35165) to New Jersey Intracoastal Waterway Daybeacon 45 (LLNR 35165) displaying 2 SG dayboards with SY ICW indicator.	Lat: 39° 45' 05" Lon: -074° 09' 07"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-41-35.988N/074-09-14.184W Aid Name: New Jersey Intracoastal Waterway Buoy 54 LLNR: 35198 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 54 (LLNR 35198) to New Jersey Intracoastal Waterway Daybeacon 54 (LLNR 35198) displaying 2 TR dayboards with TY ICW indicator.	Lat: 39° 41' 36" Lon: -074° 09' 14"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-41-22.128N/074-09-44.064W Aid Name: New Jersey Intracoastal Waterway Lighted Buoy 56 LLNR: 35205 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Lighted Buoy 56 (LLNR 35205) to New Jersey Intracoastal Waterway Light 56 (LLNR 35205), FL R 4s, 4nm, and displaying 2 TR dayboards with TY ICW indicator.	Lat: 39° 41' 22" Lon: -074° 09' 44"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-40-12.396N/074-11-05.460W Aid Name: New Jersey Intracoastal Waterway Buoy 63 LLNR: 35235 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 63 (LLNR 35235) to New Jersey Intracoastal Waterway Daybeacon 63 (LLNR 35235) displaying 2 SG dayboards with SY ICW indicator.	Lat: 39° 40' 12" Lon: -074° 11' 05"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-36-14.184N/074-12-54.432W Aid Name: New Jersey Intracoastal Waterway Lighted Buoy 86 LLNR: 35335 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Lighted Buoy 86 (LLNR 35335) to New Jersey Intracoastal Waterway Light 86 (LLNR 35335), FL R 4s, 4nm, and displaying 2 TR dayboards with TY ICW indicator.	Lat: 39° 36' 14" Lon: -074° 12' 54"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-36-09.792N/074-12-58.536W Aid Name: New Jersey Intracoastal Waterway Buoy 87 LLNR: 35340 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 87 (LLNR 35340) to New Jersey Intracoastal Waterway Daybeacon 87 (LLNR 35340) displaying 2 SG dayboards with SY ICW indicator.	Lat: 39° 36' 10" Lon: -074° 12' 59"

Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-35-56.076N/074-13-15.276W Aid Name: New Jersey Intracoastal Waterway Buoy 88 LLNR: 35345 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 88 (LLNR 35350) to New Jersey Intracoastal Waterway Daybeacon 88 (LLNR 35350) displaying 2 TR dayboards with TY ICW indicator.	Lat: 39° 35' 56" Lon: -074° 13' 15"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-35-49.848N/074-13-27.372W Aid Name: New Jersey Intracoastal Waterway Lighted Buoy 92 LLNR: 35360 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 89 (LLNR 35340) to New Jersey Intracoastal Waterway Daybeacon 89 (LLNR 35340) displaying 2 SG dayboards with SY ICW indicator.	Lat: 39° 35' 50" Lon: -074° 13' 27"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-35-47.400N/074-13-34.536W Aid Name: New Jersey Intracoastal Waterway Lighted Buoy 92 LLNR: 35360 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Lighted Buoy 92 (LLNR 35360) to New Jersey Intracoastal Waterway Light 92 (LLNR 35360), FL R 4s, 4nm, and displaying 2 TR dayboards with TY ICW indicator.	Lat: 39° 35' 47" Lon: -074° 13' 35"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-35-31.488N/074-13-48.612W Aid Name: New Jersey Intracoastal Waterway Buoy 94 LLNR: 35365 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 94 (LLNR 35365) to New Jersey Intracoastal Waterway Daybeacon 94 (LLNR 35365) displaying 2 TR dayboards with TY ICW indicator.	Lat: 39° 35' 31" Lon: -074° 13' 49"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-34-31.908N/074-14-11.976W Aid Name: New Jersey Intracoastal Waterway Buoy 99 LLNR: 35390 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 99 (LLNR 35390) to New Jersey Intracoastal Waterway Daybeacon 99 (LLNR 35390) displaying 2 SG dayboards with SY ICW indicator.	Lat: 39° 34' 32" Lon: -074° 14' 12"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-34-19.776N/074-14-21.480W Aid Name: New Jersey Intracoastal Waterway Buoy 101 LLNR: 35395 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 101 (LLNR 35395) to New Jersey Intracoastal Waterway Daybeacon 101 (LLNR 35395) displaying 2 SG dayboards with SY ICW indicator.	Lat: 39° 34' 20" Lon: -074° 14' 21"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-34-19.128N/074-14-23.784W Aid Name: New Jersey Intracoastal Waterway Buoy 102 LLNR: 35400 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 102 (LLNR 35400) to New Jersey Intracoastal Waterway Daybeacon 102 (LLNR 35400) displaying 2 TR dayboards with TY ICW indicator.	Lat: 39° 34' 19" Lon: -074° 14' 24"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-27-56.808N/074-23-39.444W Aid Name: New Jersey Intracoastal Waterway Buoy 153 LLNR: 35620 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 153 (LLNR 35620) to New Jersey Intracoastal Waterway Daybeacon 153 (LLNR 35620) displaying 2 SG dayboards with SY ICW indicator.	Lat: 39° 27' 57" Lon: -074° 23' 39"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-23-24.252N/074-25-57.432W Aid Name: New Jersey Intracoastal Waterway Lighted Buoy 182 LLNR: 35745 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Lighted Buoy 182 (LLNR 35745) to New Jersey Intracoastal Waterway Light 182 (LLNR 35745), Q R, 4nm, and displaying 2 TR dayboards with TY ICW indicator.	Lat: 39° 23' 24" Lon: -074° 25' 57"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-23-02.760N/074-27-07.812W Aid Name: New Jersey Intracoastal Waterway Lighted Buoy 189 LLNR: 35770 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Lighted Buoy 189 (LLNR 35770) to New Jersey Intracoastal Waterway Light 189 (LLNR 35770), FL G 4s, 4nm, and displaying 2 SG dayboards with SY ICW indicator.	Lat: 39° 23' 03" Lon: -074° 27' 08"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-22-27.516N/074-27-31.176W Aid Name: New Jersey Intracoastal Waterway Buoy 193 LLNR: 35790 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 193 (LLNR 35790) to New Jersey Intracoastal Waterway Daybeacon 193 (LLNR 35790) displaying 2 SG dayboards with SY ICW indicator.	Lat: 39° 22' 28" Lon: -074° 27' 31"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-22-21.288N/074-27-31.248W Aid Name: New Jersey Intracoastal Waterway Buoy 197 LLNR: 35800 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 197 (LLNR 35800) to New Jersey Intracoastal Waterway Daybeacon 197 (LLNR 35800) displaying 2 SG dayboards with SY ICW indicator.	Lat: 39° 22' 21" Lon: -074° 27' 31"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-06 To: 2027-01-01 Location: 39-22-10.488N/074-27-15.156W Aid Name: New Jersey Intracoastal Waterway Buoy 199 LLNR: 35805 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will convert the following aid to navigation from a buoy to a fixed aid, using a private contractor, between September 1, 2026, and January 1, 2027. New Jersey Intracoastal Waterway Buoy 199 (LLNR 35805) to New Jersey Intracoastal Waterway Daybeacon 199 (LLNR 35805) displaying 2 SG dayboards with SY ICW indicator.	Lat: 39° 22' 10" Lon: -074° 27' 15"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-12 To: 2026-12-30 Location: 39-51-42.444N/074-07-21.072W Aid Name: New Jersey Intracoastal Waterway Light 40 LLNR: 35125 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Light 40 (LLNR 35125) is destroyed with wreckage on scene. Between September 1, 2026, and January 1, 2027 the wreckage will be removed by contractor, and the Coast Guard will temporarily convert aid to New Jersey Intracoastal Waterway Lighted Buoy 40 (LLNR 35125). MSI # 51023.	Lat: 39° 51' 42" Lon: -074° 07' 21"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-12 To: 2026-12-30 Location: 39-51-42.444N/074-07-21.072W Aid Name: New Jersey Intracoastal Waterway Daybeacon 44 LLNR: 35160 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Daybeacon 44 (LLNR 35160) is destroyed with wreckage on scene. Between September 1, 2026, and January 1, 2027 the wreckage will be removed by contractor, and the Coast Guard will temporarily convert aid to New Jersey Intracoastal Waterway Buoy 44 (LLNR 35160). MSI # 51025.	Lat: 39° 45' 24" Lon: -074° 09' 32"

Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-12 To: 2026-12-30 Location: 39-51-42.444N/074-07-21.072W Aid Name: New Jersey Intracoastal Waterway Daybeacon 147 LLNR: 35595 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Daybeacon 147 (LLNR 35595) is destroyed with wreckage on scene. Between September 1, 2026, and January 1, 2027 the wreckage will be removed by contractor, and the Coast Guard will temporarily convert aid to New Jersey Intracoastal Waterway Buoy 147 (LLNR 35595). MSI # 51028.	Lat: 39° 28' 45" Lon: -074° 22' 46"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-12 To: 2026-12-30 Location: 39-51-42.444N/074-07-21.072W Aid Name: New Jersey Intracoastal Waterway Daybeacon 152 LLNR: 35615 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Daybeacon 152 (LLNR 35615) is destroyed with wreckage on scene. Between September 1, 2026, and January 1, 2027 the wreckage will be removed by contractor, and the Coast Guard will temporarily convert aid to New Jersey Intracoastal Waterway Buoy 152 (LLNR 35615). MSI # 51030.	Lat: 39° 28' 06" Lon: -074° 23' 33"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-12 To: 2026-12-30 Location: 39-51-42.444N/074-07-21.072W Aid Name: New Jersey Intracoastal Waterway Daybeacon 167 LLNR: 35675 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Light 167 (LLNR 35675) is destroyed with wreckage on scene. Between September 1, 2026, and January 1, 2027 the wreckage will be removed by contractor, and the Coast Guard will temporarily convert aid to New Jersey Intracoastal Waterway Lighted Buoy 167 (LLNR 35675). MSI # 51031.	Lat: 39° 26' 05" Lon: -074° 24' 12"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-12 To: 2026-12-30 Location: 39-51-42.444N/074-07-21.072W Aid Name: New Jersey Intracoastal Waterway Daybeacon 170 LLNR: 35685 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Light 170 (LLNR 35685) is destroyed with wreckage on scene. Between September 1, 2026, and January 1, 2027 the wreckage will be removed by contractor, and the Coast Guard will temporarily convert aid to New Jersey Intracoastal Waterway Lighted Buoy 170 (LLNR 35685). MSI # 51032.	Lat: 39° 26' 06" Lon: -074° 24' 50"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-12 To: 2026-12-30 Location: 39-51-42.444N/074-07-21.072W Aid Name: New Jersey Intracoastal Waterway Daybeacon 170A LLNR: 35687 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Daybeacon 170A (LLNR 35687) is destroyed with wreckage on scene. Between September 1, 2026, and January 1, 2027 the wreckage will be removed by contractor, and the Coast Guard will temporarily convert aid to New Jersey Intracoastal Waterway Buoy 170A (LLNR 35687). MSI # 51033.	Lat: 39° 25' 51" Lon: -074° 25' 02"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-12 To: 2026-12-30 Location: 39-51-42.444N/074-07-21.072W Aid Name: New Jersey Intracoastal Waterway Daybeacon 171 LLNR: 35690 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Daybeacon 171 (LLNR 35690) is destroyed with wreckage on scene. Between September 1, 2026, and January 1, 2027 the wreckage will be removed by contractor, and the Coast Guard will temporarily convert aid to New Jersey Intracoastal Waterway Buoy 171 (LLNR 35690). MSI # 51034.	Lat: 39° 25' 60" Lon: -074° 24' 54"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-09-30 To: 2026-10-14 Location: 39-23-24.327N/074-25-57.457W Aid Name: New Jersey Intracoastal Waterway Light 182 LLNR: 35745 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Lighted Buoy 182 TO New Jersey Intracoastal Waterway Light 182 Q R, 15 FT, 4NM	Lat: 39° 23' 24" Lon: -074° 25' 57"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-09-30 To: 2026-10-14 Location: 39-23-02.804N/074-27-07.835W Aid Name: New Jersey Intracoastal Waterway Light 189 LLNR: 35770 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Lighted Buoy 189 TO New Jersey Intracoastal Waterway Light 189 FI 4 G, 15 FT, 4NM	Lat: 39° 23' 03" Lon: -074° 27' 08"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 39-22-25.417N/074-27-33.749W Aid Name: New Jersey Intracoastal Waterway Buoy WR195 LLNR: 35795 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Buoy 195 TO New Jersey Intracoastal Waterway Lighted Wreck Buoy WR195, Q G, 4NM In approx posit 39-22-25.417N/074-27-33.749W	Lat: 39° 22' 25" Lon: -074° 27' 34"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 39-27-56.862N/074-23-39.483W Aid Name: New Jersey Intracoastal Waterway Daybeacon 153 LLNR: 35620 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Buoy 153 TO New Jersey Intracoastal Waterway Daybeacon 153 in approx posit. 39-27-56.862N/074-23-39.483W	Lat: 39° 27' 57" Lon: -074° 23' 39"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 39-22-27.545N/074-27-31.211W Aid Name: New Jersey Intracoastal Waterway Daybeacon 193 LLNR: 35790 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Buoy 193 TO New Jersey Intracoastal Waterway Daybeacon 193 in approx posit 39-22-27.545N/074-27-31.211W	Lat: 39° 22' 28" Lon: -074° 27' 31"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 39-22-21.342N/074-27-31.314W Aid Name: New Jersey Intracoastal Waterway Daybeacon 197 LLNR: 35800 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Buoy 197 TO New Jersey Intracoastal Waterway Daybeacon 197 in approx posit 39-22-21.342N/074-27-31.314W	Lat: 39° 22' 21" Lon: -074° 27' 31"
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 39-22-10.543N/074-27-15.202W Aid Name: New Jersey Intracoastal Waterway Daybeacon 199 LLNR: 35805 Action: CHANGE Action Type Change Aid Subtype New Jersey Intracoastal Waterway Buoy 199 TO New Jersey Intracoastal Waterway Daybeacon 199 in approx posit 39-22-10.543N/074-27-15.202W	Lat: 39° 22' 12" Lon: -074° 27' 15"
Cape May Inlet - New Jersey Intracoastal Waterway/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2026-07-20 To: 2027-01-16 Location: 39-21-13.176N/074-27-24.084W Bridge Name: United States 40-322 Bridge NJICW - Inside Thorofare Mariners are advised that the highway drawbridge United States 40-322 (Albany Avenue) Bridge across New Jersey Intracoastal Waterway, Inside Thorofare, mile 70.0, at Atlantic City, NJ, will be maintained in the closed-to-navigation position to facilitate the 16th Annual Atlantic City Triathlon. The bridge will remain in the closed position from 6 a.m. through 12 p.m. on Sunday, August 9, 2026. The bridge will be able to open for emergencies, if at least 30 minutes notice is given. At all other times, the drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.733(h). Mariners should adjust their transits accordingly and should use caution when transiting the area.	Lat: 39° 21' 13" Lon: -074° 27' 24"

Cape May Inlet - New Jersey Intracoastal Waterway/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-08-31 To: 2027-04-05 Location: 38-59-27.888N/074-50-00.204W Bridge Name: 47 State Route Bridge Mariners are advised that an engineering firm, on behalf of New Jersey Department of Transportation, will be performing maintenance on the highway drawbridge 47 State Route (George Redding) Bridge, across the New Jersey Intracoastal Waterway (NJICW), Grassy Sound Channel, mile 108.9, at Wildwood, NJ. The maintenance will be conducted from 7 a.m. to 4 p.m.; Monday-Friday; from September 14, 2026, through March 31, 2027. A 40-foot work barge and a tugboat will be located in and around the vicinity of the bridge. During the work hours, the work barge will be located within the entirety of the navigation channel of the bridge to provide access for structural steel repairs to the bascule span. Vessels may safely transit through the bridge, if at least a one-hour prior notice is given to the project foreman. Maintenance personnel, equipment and vessels will relocate from the moveable span and navigable channel, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (609) 579-8147. Mariners should use extreme caution navigating through the area. During the maintenance period, the bridge will be maintained in the closed-to-navigation position to perform structural steel repairs to the bridge bascule span. The bridge will remain in the closed-to-navigation position from 7 a.m. to 7 p.m., Monday through Thursday, and from 7 a.m. to 4 p.m. on Friday, from November 30, 2026, through January 22, 2027. The bridge will not be able to open for emergencies. There is no immediate alternative route for vessels unable to pass through the bridge in the closed position. Vessels able to pass through the bridge in the closed position may do so at any time. At all other times, the drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.5. Mariners should adjust their transits accordingly and should use caution when transiting the area. MSI #52664	Lat: 38° 59' 28" Lon: -074° 50' 00"
Cape May Inlet - New Jersey Intracoastal Waterway/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-07-29 To: 2029-07-02 Location: 39.72077° N / 74.14123° W Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 49 (LLNR 36180) based on ACOE Survey.	Lat: 39° 43' 15" Lon: -074° 08' 28"
Cape May Inlet - New Jersey Intracoastal Waterway/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-07-24 To: 2029-06-27 Location: 39.30745° N / 74.56031° W Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 245 (LLNR 35945) and New Jersey Intracoastal Waterway Buoy 246 (LLNR 35955) based on ACOE Survey August 24, 2023.	Lat: 39° 18' 27" Lon: -074° 33' 37"
Cape May Inlet - New Jersey Intracoastal Waterway/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-07-24 To: 2029-11-24 Location: 39.31599° N / 74.55918° W Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 239 (LLNR 35930) and New Jersey Intracoastal Waterway Daybeacon 243 (LLNR 35945) based on ACOE Survey August 24, 2023.	Lat: 39° 18' 58" Lon: -074° 33' 33"
Cape May Inlet - New Jersey Intracoastal Waterway/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-07-24 To: 2029-06-27 Location: 39.48787° N / 74.37926° W Shoaling report in the vicinity of New Jersey Intracoastal Waterway Light 141 (LLNR 35575) and New Jersey Intracoastal Waterway Daybeacon 144 (LLNR 35585) based on ACOE Survey May 14, 2024.	Lat: 39° 29' 16" Lon: -074° 22' 45"
Cape May Inlet - New Jersey Intracoastal Waterway/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-07-24 To: 2029-06-27 Location: 39.50001° N / 74.34551° W Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 129 (LLNR 35530) and New Jersey Intracoastal Waterway Lighted Buoy 130A (LLNR 35536) based on ACOE Survey May 13, 2024.	Lat: 39° 30' 00" Lon: -074° 20' 44"
Cape May Inlet - New Jersey Intracoastal Waterway/General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions From: 2026-07-30 To: 2027-01-26 Location: 39-38-04.992N/074-12-12.600W Hazard to Navigation - There is a submerged dredge pipe close to the surface of the water in the vicinity of Intracoastal Waterway Daybeacons 75 (LLNR 35290) and 76 (LLNR 35295), between Egg Island and Flat Island. Approximate Position: 39-38.083N 074-12.210W. All mariners are advised to keep a sharp eye and transit the area with caution. MSI # 50156.	Lat: 39° 38' 05" Lon: -074° 12' 13"
General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-01 To: 2029-07-05 Location: 39-27-06.372N/074-23-33.756W 39-27-06.192N/074-23-29.148W 39-26-53.592N/074-23-28.212W 39-26-41.064N/074-23-25.764W 39-26-33.108N/074-23-26.232W 39-26-31.920N/074-23-27.060W 39-26-33.108N/074-23-32.136W 39-26-41.496N/074-23-30.768W 39-26-52.440N/074-23-32.748W 39-27-06.372N/074-23-33.756W Shoaling has been reported between New Jersey Intracoastal Waterway Daybeacon 159 (LLNR 35640) and New Jersey Intracoastal Waterway Buoy 163 (LLNR 35655). At low tide, area is impassable. MSI # 2572.	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 207 (LLNR 35830) and New Jersey Intracoastal Waterway Daybeacon 209 (LLNR 35835) based on ACOE Survey July 11, 2023. From: 2024-07-24 To: 2025-08-01 Location: 39.35996° N / 74.4499° W 39.35975° N / 74.44967° W 39.35807° N / 74.45279° W 39.3583° N / 74.453° W 39.35996° N / 74.4499° W	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 221 (LLNR 35867) based on ACOE Survey May 20, 2024. From: 2024-07-24 To: 2025-08-01 Location: 39.34499° N / 74.50288° W 39.34473° N / 74.50285° W 39.34466° N / 74.50512° W 39.34491° N / 74.50513° W 39.34499° N / 74.50288° W	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 385 (LLNR 36427) and New Jersey Intracoastal Waterway Daybeacon 399 (LLNR 36470) based on ACOE Survey August 23, 2023. From: 2024-07-24 To: 2025-07-30 Location: 39.09715° N / 74.76586° W 39.09655° N / 74.76436° W 39.0803° N / 74.77152° W 39.07813° N / 74.77157° W 39.0745° N / 74.76629° W 39.07367° N / 74.76676° W 39.07817° N / 74.77539° W 39.08659° N / 74.77118° W 39.09715° N / 74.76586° W	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-05-21 To: 2026-12-31 Location: 39-38-40.956N/074-13-06.744W ResilientSeas will conduct rock sill construction along the eastern edge of Popular Point. Dredging will occur on Mill Creek with placement of dredged material behind rock sill at Popular Point. Approximate position: 39° 38' 40.956" N 74° 13' 06.744" W from 6/8/26 to 12/31/26, 5 AM to 8 PM. Multiple barges with excavators, hopper barges and push boats will be in the vicinity. All maned equipment will monitor VHF FM 82 and 16. MSI # 44257.	Lat: 39° 38' 41" Lon: -074° 13' 07"

Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-12 To: 2027-01-31 Location: 39-38-58.236N/074-15-12.168W 39-38-08.448N/074-14-11.220W 39-37-57.936N/074-14-24.900W 39-38-48.948N/074-15-26.784W 39-38-58.236N/074-15-12.168W H & L Contracting will be conducting dredging in Little Egg Harbor starting 26, 2026 to January 31, 2027. Operations will be conducted 24 hours a day, 7 days a week. Dredge Great Gun and Dredge Scrod, 30' x 80' excavator barge, and tugs Dixie and Ike will monitor VHF CH 16 & 65. Equipment will need a one hour notification if needed to move. On site contact Keith Johnson can be reached at 631-553-1034. The discharge pipeline aft of the dredge to the disposal site(s) will have submerged pipeline crossings, that will be marked with red and green navigations aids along with red and green lights. The pipeline will be marked with spar buoys and yellow flashing lights. Mariners are advised to use caution and transit at slow speed to minimize wake when transiting the area. MSI # 46675	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-12 To: 2027-01-31 Location: 39-38-58.236N/074-15-12.168W 39-38-08.448N/074-14-11.220W 39-37-57.936N/074-14-24.900W 39-38-48.948N/074-15-26.784W 39-38-58.236N/074-15-12.168W H & L Contracting will be conducting dredging in Cedar Run Channel starting 26, 2026 to January 31, 2027. Operations will be conducted 24 hours a day, 7 days a week. Dredge Great Gun and Dredge Scrod, 30' x 80' excavator barge, and tugs Dixie and Ike will monitor VHF CH 16 & 65. Equipment will need a one hour notification if needed to move. On site contact Keith Johnson can be reached at 631-553-1034. The discharge pipeline aft of the dredge to the disposal site(s) will have submerged pipeline crossings, that will be marked with red and green navigations aids along with red and green lights. The pipeline will be marked with spar buoys and yellow flashing lights. Mariners are advised to use caution and transit at slow speed to minimize wake when transiting the area. MSI # 46238	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-12 To: 2027-01-31 Location: 39-39-33.876N/074-13-07.572W 39-39-28.440N/074-12-32.832W 39-39-23.868N/074-12-33.408W 39-39-30.564N/074-13-11.856W 39-39-33.876N/074-13-07.572W H & L Contracting will be conducting dredging in Beach Haven West starting 26, 2026 to January 31, 2027. Operations will be conducted 24 hours a day, 7 days a week. Dredge Great Gun and Dredge Scrod, 30' x 80' excavator barge, and tugs Dixie and Ike will monitor VHF CH 16 & 65. Equipment will need a one hour notification if needed to move. On site contact Keith Johnson can be reached at 631-553-1034. The discharge pipeline aft of the dredge to the disposal site(s) will have submerged pipeline crossings, that will be marked with red and green navigations aids along with red and green lights. The pipeline will be marked with spar buoys and yellow flashing lights. Mariners are advised to use caution and transit at slow speed to minimize wake when transiting the area. MSI # 46240.	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-12 To: 2027-01-31 Location: 39-40-04.440N/074-12-47.592W 39-39-55.836N/074-12-26.964W 39-39-53.748N/074-12-29.052W 39-40-00.012N/074-12-45.540W 39-39-54.036N/074-12-52.668W 39-39-56.088N/074-12-55.404W 39-40-04.440N/074-12-47.592W H & L Contracting will be conducting dredging in Margos Channel starting 26, 2026 to January 31, 2027. Operations will be conducted 24 hours a day, 7 days a week. Dredge Great Gun and Dredge Scrod, 30' x 80' excavator barge, and tugs Dixie and Ike will monitor VHF CH 16 & 65. Equipment will need a one hour notification if needed to move. On site contact Keith Johnson can be reached at 631-553-1034. The discharge pipeline aft of the dredge to the disposal site(s) will have submerged pipeline crossings, that will be marked with red and green navigations aids along with red and green lights. The pipeline will be marked with spar buoys and yellow flashing lights. Mariners are advised to use caution and transit at slow speed to minimize wake when transiting the area. MSI # 46241.	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-12 To: 2027-01-31 Location: 39-39-26.460N/074-12-41.472W 39-39-25.416N/074-12-34.848W 39-39-02.052N/074-12-40.284W 39-38-48.372N/074-12-58.392W 39-38-51.504N/074-13-02.100W 39-39-07.092N/074-12-46.332W 39-39-26.460N/074-12-41.472W H & L Contracting will be conducting dredging in Mill Creek Channel starting 26, 2026 to January 31, 2027. Operations will be conducted 24 hours a day, 7 days a week. Dredge Great Gun and Dredge Scrod, 30' x 80' excavator barge, and tugs Dixie and Ike will monitor VHF CH 16 & 65. Equipment will need a one hour notification if needed to move. On site contact Keith Johnson can be reached at 631-553-1034. The discharge pipeline aft of the dredge to the disposal site(s) will have submerged pipeline crossings, that will be marked with red and green navigations aids along with red and green lights. The pipeline will be marked with spar buoys and yellow flashing lights. Mariners are advised to use caution and transit at slow speed to minimize wake when transiting the area. MSI # 46241.	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-12 To: 2027-01-31 Location: 39-42-42.624N/074-08-04.128W 39-42-38.520N/074-08-03.444W 39-42-38.268N/074-08-31.020W 39-42-42.372N/074-08-31.020W 39-42-42.624N/074-08-04.128W H & L Contracting will be conducting dredging in Harveys Cedar 2 Channel starting 26, 2026 to January 31, 2027. Operations will be conducted 24 hours a day, 7 days a week. Dredge Great Gun and Dredge Scrod, 30' x 80' excavator barge, and tugs Dixie and Ike will monitor VHF CH 16 & 65. Equipment will need a one hour notification if needed to move. On site contact Keith Johnson can be reached at 631-553-1034. The discharge pipeline aft of the dredge to the disposal site(s) will have submerged pipeline crossings, that will be marked with red and green navigations aids along with red and green lights. The pipeline will be marked with spar buoys and yellow flashing lights. Mariners are advised to use caution and transit at slow speed to minimize wake when transiting the area. MSI # 46243	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-12 To: 2027-01-31 Location: 39-41-51.216N/074-08-25.800W 39-41-48.984N/074-08-23.244W 39-41-37.752N/074-08-45.240W 39-41-45.060N/074-09-06.912W 39-41-46.752N/074-09-05.292W 39-41-47.724N/074-09-04.140W 39-41-41.136N/074-08-45.816W 39-41-51.216N/074-08-25.800W H & L Contracting will be conducting dredging in Harveys Cedar Channel starting 26, 2026 to January 31, 2027. Operations will be conducted 24 hours a day, 7 days a week. Dredge Great Gun and Dredge Scrod, 30' x 80' excavator barge, and tugs Dixie and Ike will monitor VHF CH 16 & 65. Equipment will need a one hour notification if needed to move. On site contact Keith Johnson can be reached at 631-553-1034. The discharge pipeline aft of the dredge to the disposal site(s) will have submerged pipeline crossings, that will be marked with red and green navigations aids along with red and green lights. The pipeline will be marked with spar buoys and yellow flashing lights. Mariners are advised to use caution and transit at slow speed to minimize wake when transiting the area. MSI # 46247	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-10-05 To: 2027-01-04 Resilient Seas will be performing maintenance dredging in the Beach Haven West Channel beginning October 5, 2026 through December 31, 2026 from 5:00 am to 8:00 pm. Dredged material will be placed on the march at Popular Point. The project will involve multiple barges with excavators, hopper barges and push boats. The barges will be monitoring VHF channels 79 and 16. No wake is requested while transiting the area. Operations point of contact will be Sean McCann (609) 204-8605. MSI #54135.	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	All Mariners please be advised that maintenance dredging of the New Jersey Intracoastal Waterway near Great Bay, NJ will commence on or about September 28, 2026, and continue until December 30, 2026. The Dredge Fullerton will be starting up 500' past marker #144 and roughly 500' past marker #136N. Dredging will also be completed between markers #144, #141, and #138, #136. Dredging will be conducted 24 hours a day in three 8-hour shifts, Monday through Saturday. The Dredge Fullerton will monitor VHF radio channels 13 and 16. Mariners are advised to transit the area with caution.	

Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-10-08 To: 2027-01-08 Location: 39-11-40.704N/074-39-48.240W 39-11-39.840N/074-39-49.284W 39-11-39.336N/074-39-56.916W 39-11-40.704N/074-39-48.240W Mariners please be advised that Marlin Construction Services will have an excavator barge and attendant vessels immediately south of the Bayview Drive boat ramp in Strathmere, NJ, conducting work along the shoreline. The project will be conducted from October 29,2026 through January 1, 2027. The work area will extend approximately 530 feet south of the ramp and will include stone deliveries via barge through Corson Inlet and the Intracoastal Waterway. Work is planned Monday through Friday, during daylight hours. The construction vessels will monitor VHF radio channel 16. All mariners transiting near the work area are requested to proceed with caution, maintain a safe distance from the equipment, and travel at the slowest safe speed to minimize wake. MSI #54790.	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-08-26 To: 2028-09-30 Location: 39-33-19.800N/074-15-16.920W 39-33-27.720N/074-15-11.520W 39-33-37.980N/074-15-06.120W 39-33-51.660N/074-14-58.380W 39-33-51.300N/074-14-55.896W Monitoring equipment to be deployed in Little Egg Harbor located near Beach Haven, NJ. There will be 5 platforms in approximately 5 ft of water adjacent to Mordecai Island, a small island near Beach Haven. The platforms will be deployed for up to 2 years as part of a US Army Corps of Engineers navigation monitoring project for beach protection. Installation will occur the first two weeks of September, 2026. MSI #52295.	
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Proposed Notice of Change	Proposed Notice of Change	The Coast Guard is proposing to change New Jersey Intracoastal Waterway Daybeacon 178 (LLNR 35725) to New Jersey Intracoastal Waterway Buoy 178 (LLNR 35725). Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impact of this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil Or regular mail at: U.S. Coast Guard Fifth District Waterways Management (dpw) 431 Crawford Street, Room 100 Portsmouth, VA 23704 Attn: Gregory Goetz All comments will be carefully considered and are requested prior to October 12, 2026 to be considered in the analysis. Refer to Project Number 05-26-026. MSI #51509	Lat: 39° 24' 17" Lon: -074° 26' 07"

New River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New River Channel Wreck Light WR12	29735	STRUCT DEST/TRLB	FD
New River Channel Light 13	29740	STRUCT DEST/TRLB	FD
New River Channel Daybeacon 15	29745	STRUCT DEST/TRUB	FD
New River Channel Daybeacon 21	29800	STRUCT DEST/TRUB	FD
New River Channel Lighted Buoy 28A	29825	LT EXT	FD
Wallace Creek Light 2	29900	STRUCT DMGD	FD
New River Channel Light 52	29935	STRUCT DEST/TRLB/HAZ NAV	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
New River Inlet - New River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-27 To: 2027-02-01 Location: 34-34-18.444N/077-22-36.264W Aid Name: New River Channel Daybeacon 18 LLNR: 29795 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will change New River Channel Daybeacon 18 (LLNR 29795) to New River Channel Light 18 (LLNR 29795) FL R 2.5s, 4nm. Change will be coordinated with other aids servicing in the area between October 27, 2026 and February 1, 2027. MSI # 52426.	Lat: 34° 34' 18" Lon: -077° 22' 36"
New River Inlet - New River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-09-01 To: 2027-02-01 Location: 34-34-43.536N/077-25-07.860W Aid Name: New River Channel Daybeacon 28 LLNR: 29820 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will change New River Channel Daybeacon 28 (LLNR 29820) to New River Channel Light 28 (LLNR 29820) FL R 2.5s, 4nm. Change will be coordinated with other aids servicing in the area between October 27, 2026 and February 1, 2027. MSI # 52427.	Lat: 34° 34' 44" Lon: -077° 25' 08"
New River Inlet - New River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-25 To: 2029-08-29 Location: 34.56393° N / 77.362° W Shoaling exists in the vicinity of the channel to Jacksonville spanning the entire width of the channel between New River Channel Daybeacon 16 (LLNR 29750) and New River Channel Light 17 (LLNR 29760). Depths reported of 4ft MLW.	Lat: 34° 33' 50" Lon: -077° 21' 43"
New River Inlet - New River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-07-10 To: 2031-06-14 Location: 34-34-02.856N/077-22-00.732W 34-33-58.788N/077-21-51.624W 34-33-57.132N/077-21-52.848W 34-34-01.164N/077-22-01.920W 34-34-02.856N/077-22-00.732W ACOE survey has identified shoaling in the vicinity of New River Channel Light 17 (LLNR 29760) and New River Channel Buoy 17A (LLNR 29763) with depth as low at 2FT MLW. MSI # 48509.	

New River Cape Fear River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New Topsail Inlet Buoy 5	30010	MISSING	FD
New Topsail Inlet Buoy 7	30020	OFF STATION	FD
New River - Cape Fear River Daybeacon 19	39360	STRUCT DEST/TRUB	FD
New River - Cape Fear River Light 49	39425	STRUCT DEST/HAZ NAV/TRLB	FD
New River - Cape Fear River Light 71	39465	STRUCT DEST/TRLB	FD
New River - Cape Fear River Daybeacon 76	39475	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 90	39510	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 92	39515	STRUCT DEST/HAZ NAV/TRLB	FD

New River - Cape Fear River Light 94	39527	STRUCT DEST/OTHER DISC AIDS IN AREA/TRLB	FD
New River - Cape Fear River Daybeacon 105	39565	STRUCT DEST/TRUB	FD
New River - Cape Fear River Light 107	39570	STRUCT DEST/TRLB	FD
New River - Cape Fear River Daybeacon 108	39575	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 123	39605	STRUCT DEST/TRUB	FD
New River - Cape Fear River Light 127	39620	STRUCT DEST/TRLB	FD
New River - Cape Fear River Light 128	39625	STRUCT DEST/TRLB	FD
New River - Cape Fear River Daybeacon 135	39650	STRUCT DEST/TRUB	FD
New River - Cape Fear River Light 153	39720	STRUCT DEST/TRLB	FD
New River - Cape Fear River Daybeacon 159	39750	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 164	39836	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 165	39850	STRUCT DEST/TRUB	FD
New River - Cape Fear River Light 168	39857	STRUCT DEST/TRLB	FD
New River - Cape Fear River Daybeacon 172	39865	STRUCT DEST/TRUB	FD
New River - Cape Fear River Light 177	39880	STRUCT DEST/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Snows Cut Marina Temporary Lighted Wreck Buoy	39750.1	ESTABLISHED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
New River - New River Cape Fear River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-09-02 To: 2027-02-02 Location: 34-25-46.128N/077-33-04.896W Aid Name: New River - Cape Fear River Light 71 LLNR: 39465 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will change New River - Cape Fear River Daybeacon 71 (LLNR 39465) to New River - Cape Fear River Buoy 71 (LLNR 39465). Change will be coordinated with other aids servicing in the area between October 27, 2026 and February 1, 2027. MSI # 52438.	Lat: 34° 25' 46" Lon: -077° 33' 05"
New River - New River Cape Fear River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-09-02 To: 2027-02-02 Location: 34-14-46.644N/077-47-06.936W Aid Name: New River - Cape Fear River Daybeacon 123 LLNR: 39605 Action: CHANGE Action Type Change Aid Subtype The Coast Guard will change New River - Cape Fear River Daybeacon 123 (LLNR 39605) to New River - Cape Fear River Buoy 123 (LLNR 39605). Change will be coordinated with other aids servicing in the area between October 27, 2026 and February 1, 2027. MSI 52440.	Lat: 34° 14' 47" Lon: -077° 47' 07"
New River - New River Cape Fear River/General/Bridges/Temp Deviation	Bridges	General/Bridges/Modification From: 2026-10-10 To: 2026-10-18 Location: 34-13-05.808N/077-48-45.324W Bridge Name: 74 State Route Bridge Mariners are advised that the S.R. 74 (Wrightsville Beach) and the Isabel S. Holmes Bridges have requested a temporary deviation from the current operating regulations to accommodate the free movement of pedestrians and vehicles during the 2026 PPD IRONMAN Triathlon. Under this temporary deviation, the S.R. 74 (Wrightsville Beach) Bridge will be maintained in the closed-to-navigation position from 4:30 a.m. to 10:15 a.m. on October 17, 2026, and Isabel S. Holmes Bridge will be maintained in the closed-to-navigation position from 7:30 a.m. to 2:30 p.m. on October 17, 2026. The bridges are double bascule bridges and have vertical clearances in the closed position of 20 feet and 40 feet, respectively, above mean high water. Vessels able to pass through the bridges in the closed-to-navigation position may do so at anytime. The bridges will be able to open for emergencies, if at least 15 minutes notice is given. Mariners should approach the drawbridge with caution. MSI #53842	Lat: 34° 13' 06" Lon: -077° 48' 45"
New River - New River Cape Fear River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-23 To: 2027-06-19 Location: 34.04577° N / 77.92768° W The shoal that is adjacent to the red side of the channel between New River – Cape Fear River Daybeacon 170 (LLNR 39860) and New River - Cape Fear River Light 168 (LLNR 39857) has encroached to the edge of the channel. Depths of 4-5ft at MLW have been observed.	Lat: 34° 02' 45" Lon: -077° 55' 40"
New River - New River Cape Fear River/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2026-08-12 To: 2027-02-08 Location: 34-03-10.188N/077-54-41.184W The Coast Guard received a report that a sailing vessel anchored in Snows Cut in the vicinity of Buoy 162 (LLN 39757) is swinging into the federal navigation channel. Mariners are urged to transit the area with extreme caution and maintain a sharp lookout. Questions or concerns should be directed to the Sector North Carolina Command Center on VHF-FM Channel 16 or via telephone at (833) 732-8628.	Lat: 34° 03' 10" Lon: -077° 54' 41"
New River - New River Cape Fear River/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2026-09-22 To: 2027-03-21 Location: 34-03-39.996N/077-53-18.060W All mariners are advised that on September 22, 2026, the No-Wake marker at Snows Cut, Carolina Beach, NC (approximate position 34° 03.68'N, 077° 53.30'W) was reported destroyed. The damaged structure has been removed; however, submerged wreckage has been reported at or near the mud line. Mariners are urged to transit the area with caution, maintain a safe distance from the reported wreckage site.	Lat: 34° 03' 40" Lon: -077° 53' 18"

New River Inlet

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
New River Inlet Lighted Buoy 1	29655	DISCONTINUED	FD
New River Inlet Lighted Buoy 2	29660	DISCONTINUED	FD
New River Inlet Buoy 3	29665	DISCONTINUED	FD
New River Inlet Buoy 4	29670	DISCONTINUED	FD
New River Inlet Buoy 4A	29672	DISCONTINUED	FD
New River Inlet Buoy 6	29680	DISCONTINUED	FD
New River Inlet Buoy 8	29700	DISCONTINUED	FD
New River Inlet Buoy 9	29710	DISCONTINUED	FD

New River Inlet Buoy 9A	29712	DISCONTINUED	FD
New River Inlet Buoy 10	29720	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - New River Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-07-24 To: 2026-09-18 Location: 34-31-00.228N/077-19-35.580W Aid Name: New River Inlet Lighted Whistle Buoy NR LLNR: 790 Action: CHANGE Action Type Change Sound Signal The Coast Guard will remove the whistle from New River Inlet Lighted Whistle Buoy NR (LLNR 790). Change will be coordinated with the buoy hull replacement schedule and may not happen immediately. MSI # 49527	Lat: 34° 31' 00" Lon: -077° 19' 36"
Sector North Carolina, Submerged Lands Act (SLA) - New River Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-25 To: 2028-04-16 Location: 34.52755° N / 77.33881° W Significant shoaling has occurred in New River Inlet between New River Inlet Lighted Buoy 1 (LLNR 29655) and New River Inlet Buoy 10 (LLNR 29720) with depths of 3' - 4' MLW present. Due to the shoaling, Buoys 1 through 10 have been temporarily discontinued. Once shoaling has been removed by ACOE dredging, waterway will be re-evaluated and aid will be re-established if sufficient depths are present.	Lat: 34° 31' 39" Lon: -077° 20' 20"

Newport News

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Golf 2 Anchorage Lighted Mooring Buoy A	10843	OFF STA	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-11-21 To: 2027-03-31 Location: 36-58-15.960N/076-24-57.132W Crofton Construction Services, Incorporated (CCSI) will be conducting pier demolition and reconstruction in the following location: 36°58'16.63"N 76°24'57.22"W (Newport News Creek). Beginning December 1, 2025, and continuing until March 31, 2027, approximately 455 days or until complete from 7:00 AM – 3:30 PM, five days a week. Operations will include crane barge operations, material barges, tug boats, work floats, and smaller crafts consistent with general marine construction. Barge(s) & vessel(s) will be moored, on site with employees working over the side on small floats or crew boats. The equipment will be confined to the barges with crew boats working in the vicinity. The entire channel will not be closed, during any stage of dredging, or will not restrict marine traffic. Except for the last 200' at the end of the channel where the construction will be taking place. Vessels are requested to proceed in this area with caution and no wake within 500' of the above coordinates. Crews will be monitoring the following radio frequencies: VHF channels 13 & 16. MSI # 32591.	Lat: 36° 58' 16" Lon: -076° 24' 57"

Nine Foot Shoal Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nine Foot Shoal Channel Buoy 7	29113	MISSING	FD

Norfolk International Terminal

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Elizabeth River - Norfolk International Terminal/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-09-22 To: 2027-02-03 Location: Norfolk International Terminals Dredging of North Container Terminal The dredge "CB Harry S" will perform dredging at The Port of Virginia, Norfolk International Terminals Dredging of North Container Terminal. The CB Harry S is positioned by 4 anchors marked by lighted ball buoys and tender tug Kimberly S. Dredging will continue Sep 2026 and through Jan. 2027. The CB Harry S will load scows that will be towed by tug to NODS for offshore disposal. Center of NODS. All vessel ship passing the work area requested to use caution and maintain no wake. MSI #54120.	

North Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Virginia, Submerged Land Act (SLA) - North Channel/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-08-12 To: 2026-12-15 *****VA – LOWER CHESAPEAKE BAY AND ENTRANCE – WATERWAYS ANALYSIS AND MANAGEMENT SYSTEM (WAMS) REVIEW**** The Coast Guard is conducting a Waterways Analysis and Management System (WAMS) review of the Lower Chesapeake Bay and Entrance. This review focuses on the area's aids to navigation system, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routine and emergency communication capabilities, and future development projects. This review will cover the following area: South from the VA/MD state line south to the Southern Entrance to Chesapeake Bay Southern Approach Lighted Buoy CB (LLNR 410) and North Chesapeake Entrance Lighted Buoy NCA (LLNR 385). This will include the Thimble Shoals Channel west to Hampton Roads Bridge Tunnel, the Chesapeake Channel, and west to York River Entrance Channel Lighted Buoy 13 (LLNR 13470). Any interested organization, company, or individual wishing to provide comments or participate in a user survey should contact either LTJG Mark Yacone at Mark.E.Yacone@uscg.mil or BOSN Jason Brisson at Jason.M.Brisson@uscg.mil or Sector Virginia Waterways WAMS at VirginiaWaterways@uscg.mil. Deadline to submit comments is December 15, 2026. MSI # 51067.	

Northeast Cape Fear River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Northeast Cape Fear River Light 2	30980	STRUCT DEST/TRUB	FD
Northeast Cape Fear River Light 4	30985	TRLB/STRUCT DEST	FD
Northeast Cape Fear River Light 6	30990	STRUCT DEST/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Cape Fear River - Northeast Cape Fear River/General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions Location: 34.24203° N / 77.95342° W There is an underwater obstruction in the Cape Fear River in Wilmington, NC. The object is on the east side of the navigable channel, north of the battleship, in approximate position 34°14'31.3"N 077°57'12.3"W. Mariners are advised to use caution while navigating in this area.	Lat: 34° 14' 31" Lon: -077° 57' 12"

Oak Island Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Oak Island Channel Light 1	30415	STRUCT DEST/TRLB/OTHER DISC AIDS IN AREA	FD
Oak Island Channel Daybeacon 4	30425	STRUCT DEST/TRUB/OTHER DISC AIDS IN AREA	FD
Oak Island Channel Daybeacon 5	30430	STRUCT DEST/TRUB	FD

Occohannock Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Occohannock Creek Warning Light A	21695	DBD DEST	FD

Ocean City Inlet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-05 To: 2029-07-09 Location: 38-19-36.948N/075-05-40.380W Shoaling - Area susceptible to shifting shoaling between Ocean City Inlet Lighted Buoy 11 (LLNR 4755) and Ocean City Inlet Lighted Buoy 13 (LLNR 4758). Mariner should refer to most recent USACE survey to help identify shoaling areas and are advised to use caution in the area. MSI # 30601.	Lat: 38° 19' 37" Lon: -075° 05' 40"

Ocracoke Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ocracoke Inlet Lighted Buoy 1	28900	MISSING / Temp V-AIS: MMSI 993672514	FD
Ocracoke Inlet Lighted Buoy 2	28905	MISSING/ Temp V-AIS: MMSI 993672471	FD
Ocracoke Inlet Lighted Buoy 3	28910	MISSING	FD
Ocracoke Inlet Lighted Buoy 4	28915	MISSING	FD
Ocracoke Inlet Buoy 8	28927	MISSING	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Ocracoke Inlet Lighted Buoy 1	28900	TRSAIS	FD
Ocracoke Inlet Lighted Buoy 2	28905	TRSAIS	FD
Ocracoke Inlet Buoy 5	28920	TRSAIS	FD
Ocracoke Inlet Lighted Buoy 6	28926	TRSAIS	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Ocracoke Inlet/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-09-24 To: 2026-10-08 Location: 35-04-13.008N/076-01-15.834W Aid Name: Ocracoke Inlet Buoy 8 LLNR: 28927 Action: RELOCATE to approx posit 35-04-13.008N/076-01-15.834W	Lat: 35° 04' 13" Lon: -076° 01' 16"

Old House Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Old House Channel Daybeacon 5	28245	STRUCT DEST/TRUB	FD
Old House Channel Daybeacon 9	28265	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wavebreak Warning Lights (3)	28237	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Pamlico Sound - Old House Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-07-18 To: 2030-06-22 Location: 35.7212° N / 75.62422° W Shoaling has been reported between Old House Channel Daybeacon 14 (LLNR 28290) and Old House Channel Light 16OH (LLNR 28300). Depths of 5ft MLW may be present in the area.	Lat: 35° 43' 16" Lon: -075° 37' 27"

Oregon Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Oregon Inlet Lighted Buoy 3	27985	OFF STATION/MSLD SIG	FD
Oregon Inlet Lighted Buoy 4	27990	MISSING	FD
Oregon Inlet Lighted Buoy 11	28027	MISSING	FD
Oregon Inlet Channel Lighted Buoy 27	28085	LT EXT	FD
Oregon Inlet Channel Daybeacon 46	28170	TRUB/STRUCT DEST	FD
Oregon Inlet Channel Daybeacon 53	28190	STRUCT DEST/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Oregon Inlet/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-07-24 To: 2026-09-18 Location: 35-47-27.816N/075-30-06.228W Aid Name: Oregon Inlet Lighted Buoy OI LLNR: 600 Action: CHANGE Action Type Change Sound Signal The Coast Guard removed the whistle from Oregon Inlet Lighted Whistle Buoy OI (LLNR 600). MSI # 49511.	Lat: 35° 47' 28" Lon: -075° 30' 06"

Oregon Inlet Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Oregon Inlet Cut Lighted Buoy 2	28084.100000000002	LT EXT	FD

Oyster Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Oyster Creek Buoy 8	32835	MISSING	FD

Oyster Creek Channel

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Oyster Creek Channel Buoy 38	1090	DISCONTINUED FOR DREDGING	FD
Oyster Creek Channel Buoy 39	1093	DISCONTINUED FOR DREDGING	FD

Pamlico River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
North Creek Entrance Light 1NC	33220	STRUCT DMGD	FD
Long Point Ferry Terminal Channel Daybeacon 2	33240	STRUCT DEST/TRUB	FD
Gaylord Bay Ferry Terminal Channel Light 1	33245	DBD DEST	FD
Pamlico River Channel Daybeacon 10	33325	STRUCT DEST/TRUB	FD

Broad Creek Daybeacon 3	33330	STRUCT DEST	FD
Pamlico River Channel Light 17	33360	STRUCT DMGD	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Carolina Wind Yacht Center Buoy 1	33373	MSLD SIG	PA
Carolina Wind Yacht Center Buoy 2	33373.1	MSLD SIG	PA
Carolina Wind Yacht Center Buoy 3	33373.2	MSLD SIG	PA
Carolina Wind Yacht Center Buoy 4	33373.3	MSLD SIG	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Western Part Of Pamlico Sound - Pamlico River/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2026-06-16 To: 2028-10-31 Location: 35-25-59.988N/076-58-15.636W Bridge Name: 1112 State Route Bridge Mariners are advised that a construction firm, on behalf of North Carolina Department of Transportation (NCDOT), will be constructing a new bridge to replace the No 9 Bridge, across Blounts Creek, mile 0.2, near Chocowinity, NC. Construction activities will begin July 1, 2026, and are expected to finish on October 28, 2028. Work will be on-going during daytime hours; 7 days a week. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Temporary work trestles will be in place for the construction of the new bridge. During the duration of the construction and demolition activities, private aids to navigation will be present on the waterway to facilitate safe navigation through the new and existing bridges. Mariners should navigate waterway with extreme caution and due regard for prevailing conditions on the waterway. NCDOT Resident Engineer may be contacted at (252) 320-4367, NCDOT Assistant Resident Engineer may be contacted at (252) 439-2978, NCDOT Project Inspector may be contacted at (252) 907-0040, and Sanford Contractors, Inc., may be contacted at (919) 770-4750. MSI # 46483.	Lat: 35° 25' 60" Lon: -076° 58' 16"
Western Part Of Pamlico Sound - Pamlico River/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2026-06-16 To: 2026-12-13 Location: 35-25-56.172N/076-58-13.512W Bridge Name: No 9 Bridge Mariners are advised that a construction firm, on behalf of North Carolina Department of Transportation (NCDOT), will be constructing a new bridge to replace the No 9 Bridge, across Blounts Creek, mile 0.2, near Chocowinity, NC. Construction activities will begin July 1, 2026, and are expected to finish on October 28, 2028. Work will be on-going during daytime hours; 7 days a week. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Temporary work trestles will be in place for the construction of the new bridge. During the duration of the construction and demolition activities, private aids to navigation will be present on the waterway to facilitate safe navigation through the new and existing bridges. Mariners should navigate waterway with extreme caution and due regard for prevailing conditions on the waterway. NCDOT Resident Engineer may be contacted at (252) 320-4367, NCDOT Assistant Resident Engineer may be contacted at (252) 439-2978, NCDOT Project Inspector may be contacted at (252) 907-0040, and Sanford Contractors, Inc., may be contacted at (919) 770-4750. MSI # 46484.	Lat: 35° 25' 56" Lon: -076° 58' 14"
Western Part Of Pamlico Sound - Pamlico River/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	General/Bridges/Repairs, Painting, Or Fender Replacement From: 2026-10-13 To: 2026-10-30 Location: 35-32-07.415N/077-03-10.692W Bridge Name: Railroad Bridge Mariners are advised that an engineering firm has requested a temporary deviation to repair the swing-span ring-wheel system on Bridge 126.10 (Carolina Coastal Railroad) Bridge across Pamlico River, mile 36.5, at Washington, Beaufort County, NC. To facilitate repairs, the bridge will be maintained in the closed-to-navigation position from 9 a.m. to 5 p.m. on October 13th, 14th, 20th, 21st, 27th, and 28th, 2026. The alternative dates are October 15th, 22nd, and 29th, 2026. Vessels able to pass through the bridge in the closed position may do so at any time. The bridge will not be able to open for emergencies. At all other times, the drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.5. Mariners should use extreme caution when transiting the area. MSI #53860.	Lat: 35° 32' 07" Lon: -077° 03' 11"

Pamlico River Approach

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Juniper Bay Light 2	32445	STRUCT DEST/TRLB	FD
Inner Middle Ground Lighted Wreck Buoy WR6	32473	MISSING	FD

Pamlico Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Stumpy Point Target Warning Light W	32085	LT EXT	FD
Pingleton Shoal Light 1PS	32100	STRUCT DMGD	FD
Pamlico Sound Lighted Wreck Buoy WR8	32142	OFF STATION	FD
Gull Shoal Light GS	32145	STRUCT DEST/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Oregon Inlet - Pamlico Sound/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-06-09 To: 2027-03-02 Location: 35-17-08.520N/075-44-46.428W Area of shoaling with depths as low as 5FT MLW have been reported. All mariners are requested to us caution within 700yards of approximate position: 35-17-08.520N, 075-44-46.428W. MSI # 45842.	Lat: 35° 17' 09" Lon: -075° 44' 46"

Oregon Inlet - Pamlico Sound/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-06-25 To: 2027-04-01 Location: 35-14-25.656N/075-47-35.448W Area of shoaling. Depth reported as low as 3.9ft MLW. Mariners should use caution in the vicinity of this position. MSI # 47221.	Lat: 35° 14' 26" Lon: -075° 47' 35"
Oregon Inlet - Pamlico Sound/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-06-25 To: 2027-04-01 Location: 35-14-22.704N/075-47-43.548W Area of shoaling. Depth reported as low as 3.9ft MLW. Mariners should use caution in the vicinity of this position. MSI # 47222.	Lat: 35° 14' 23" Lon: -075° 47' 44"

Patuxent River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cat Creek Buoy 3	19217.2	OFF STATION	PA

Pea Patch Island

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Delaware River Main Channel - Pea Patch Island/General/Marine Events/Regatta (Race)	Marine Events	General/Marine Events/Sailing Regatta (Race) From: 05-01-2026 To: 11-01-2026 There will be a sailboat race series held by the New Castle Sailing Club on the Delaware River near Battery Park in New Castle, DE every Saturday starting on May 2, 2026, until October 31, 2026, from 8 a.m. to 3 p.m. The sailing races will be held outside of the main navigational channel. The event sponsor will have a vessel on scene that will be monitoring VHF radio channel 16. Mariners are urged to use caution when transiting the area.	
Delaware River Main Channel - Pea Patch Island/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2026-09-25 To: 2026-11-20 Location: 39-37-31.404N/075-35-12.984W Aid Name: Pea Patch Island Warning Light B LLNR: 2870 Action: CHANGE Action Type Change Light Signals The Coast Guard is proposing to change Pea Patch Island Dike Warning Light B (LLNR 2870) by increasing nominal range of light from 4NM to 5NM. Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impact of this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil Or regular mail at: U.S. Coast Guard Fifth District Waterways Management (dpw) 431 Crawford Street, Room 100 Portsmouth, VA 23704 Attn: Gregory Goetz All comments will be carefully considered and are requested prior to November 20, 2026 to be considered in the analysis. Refer to Project Number 05-26-031(D). MSI # 54404.	Lat: 39° 37' 31" Lon: -075° 35' 13"
Delaware River Main Channel - Pea Patch Island/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2026-09-25 To: 2026-11-20 Location: 39-38-05.604N/075-34-49.224W Aid Name: Pea Patch Island Dike Warning Light C LLNR: 2872 Action: CHANGE Action Type Change Light Signals The Coast Guard is proposing to change Reduce Pea Patch Island Dike Warning Light C (LLNR 2872) nominal range from 7NM to 5NM. Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impact of this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil Or regular mail at: U.S. Coast Guard Fifth District Waterways Management (dpw) 431 Crawford Street, Room 100 Portsmouth, VA 23704 Attn: Gregory Goetz All comments will be carefully considered and are requested prior to November 20, 2026 to be considered in the analysis. Refer to Project Number 05-26-031(D). MSI # 54405.	Lat: 39° 38' 06" Lon: -075° 34' 49"

Phoebus Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

James River - Phoebus Channel/General/Bridges/Construction	Bridges	Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through August 27, 2026. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations. Bridge Structures/Work Trestles & Islands – Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area – As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebus Safe Harbor Area – As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area. Willoughby Bay Mooring and Safe Harbor Area – As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area. Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org. MSI # 1672.	Lat: 37° 00' 27" Lon: -076° 19' 16"
James River - Phoebus Channel/General/Bridges/Construction	Bridges	Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through August 27, 2027. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations. Bridge Structures/Work Trestles & Islands – Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area – As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebus Safe Harbor Area – As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area. Willoughby Bay Mooring and Safe Harbor Area – As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area. Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org. MSI # 1677.	Lat: 37° 00' 26" Lon: -076° 19' 16"

Piankatank River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Moore Creek Daybeacon 9	null	DAYMK MISSING	PA
Moore Creek Daybeacon 9	null	DBD DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Piankatank River/General/Marine Events/Regatta (Race)	Marine Events	The Fishing Bay Yacht Club is sponsoring multiple regattas during the 2026 season from April 24 – November 14, 2026, in Fishing Bay, the Piankatank River, the Rappahannock River, and a portion of the Chesapeake Bay. The sailing regattas will be held each weekend from 11 a.m. to 3 p.m. Mariners are requested to use caution when transiting the area.	Lat: 37° 31' 40" Lon: -076° 18' 59"

Pierce Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pierce Creek Daybeacon 5	33700	STRUCT DEST	FD

Piscataway Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Piscataway Creek Warning Daybeacon A	18540	STRUCT DEST	PA
Piscataway Creek Warning Daybeacon B	18545	STRUCT DEST	PA
Piscataway Creek Warning Daybeacon C	18550	DBD DMGD	PA
Piscataway Creek Warning Daybeacon A	18540	STRUCT DEST	PA
Piscataway Creek Warning Daybeacon B	18545	STRUCT DEST	PA

Pooles Island Flats Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pooles Island Light	8693	LT EXT	FD

Poplar Island Narrows

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Poplar Island Narrows Daybeacon 4	25965	DBD DEST	FD
Poplar Island Narrows Daybeacon 5	25970	STRUCT DEST/HAZ NAV/TRLB	FD

Poquoson Flats

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Poquoson Flats Channel Daybeacon 2PF	13145	STRUCT DEST	FD

Port Mahon

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Leipsic River Light 2	2420	STRUCT DEST/HAZ NAV	FD
Smyrna River South Jetty Daybeacon 1	2425	STRUCT DEST/HAZ NAV	FD
Collins Beach Daybeacon 3	2435	STRUCT DEST/HAZ NAV	FD

Port Tobacco River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port Tobacco River Light 1	17770	STRUCT DEST/HAZ NAV/TRLB	FD
Port Tobacco River Daybeacon 8	17795	MISSING/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Upper Potomac River - Port Tobacco River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-09-28 To: 2026-10-25 Location: 38-29-36.240N/077-01-27.588W Aid Name: Port Tobacco River Daybeacon 8 LLNR: 17795 Action: CHANGE Action Type Change Aid Subtype On July 1, 2026, Port Tobacco Daybeacon 8 (LLNR 17795) was reported missing and after the local serving unit, Aids to Navigation Team Potomac, confirmed no wreckage existed they established a temporary unlighted buoy (TRUB). The Coast Guard on or about October 12, 2026 will make the TRUB permanent. The new buoy will be located approximate position: 38 29 36.230N—77 01 27.594W. MSI:54606	Lat: 38° 29' 36" Lon: -077° 01' 28"

Potomac River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Potomac River Channel Buoy 9	16800	OFF STATION	FD

Potomac River Channel Buoy 32	17705	MISSING	FD
-------------------------------	-------	---------	----

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Potomac River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-19 To: 2026-11-27 Location: 38-06-54.180N/076-31-51.456W Aid Name: Potomac River Mid-Channel Lighted Whistle Buoy B LLNR: 16855 Action: DISCONTINUE Changes to the aids to the navigation marking the Potomac River. On or about September 1, 2026 the Coast Guard will discontinue Potomac River Mid-Channel Lighted Whistle Buoy B (LLNR 16855). MSI:51692	Lat: 38° 06' 54" Lon: -076° 31' 51"
Chesapeake Channel - Potomac River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-19 To: 2026-11-27 Location: 38-11-49.704N/076-44-39.588W Aid Name: Potomac River Mid-Channel Lighted Whistle Buoy C LLNR: 17355 Action: DISCONTINUE Changes to the aids to the navigation marking the Potomac River. On or about September 1, 2026 the Coast Guard will discontinue Potomac River Mid-Channel Lighted Whistle Buoy C (LLNR 17355). MSI:51693.	Lat: 38° 11' 50" Lon: -076° 44' 40"
Chesapeake Channel - Potomac River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-08-19 To: 2026-11-27 Location: 38-16-48.000N/076-57-55.728W Aid Name: Potomac River Mid-Channel Lighted Whistle Buoy D LLNR: 17615 Action: CHANGE Changes to the aids to the navigation marking the Potomac River. On or about September 1, 2026 the Coast Guard will remove the sound signal from Potomac River Mid-Channel Lighted Whistle Buoy D (LLNR 17615) and rename to Potomac River Mid-Channel Lighted Buoy A. MSI:51694	Lat: 38° 16' 48" Lon: -076° 57' 56"

Pungo River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pungo River Channel Light 25	33055	STRUCT DEST/TRLB	FD
Pungo River Channel Daybeacon 27PR	33060	STRUCT DEST/TRUB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Pungo River Channel Daybeacon 24	33050	WATCHING PROPERLY	FD	2026-10-06
Pungo River Channel Light 25	33055	N/A	FD	2026-10-07

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Pamlico River - Pungo River/General/Hazards To Navigation/Wrecks	Hazards To Navigation	General/Hazards To Navigation/Wrecks From: 2026-08-28 To: 2027-08-28 Location: 35-23-20.400N/076-34-08.400W Exposed sunken barge with exposed superstructure in approximate position 35-23.377N 076-34.121W. Mariners should use caution when operating in the area.	Lat: 35° 23' 20" Lon: -076° 34' 08"

Pungoteague Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pungoteague Creek Channel Daybeacon 6	21870	STRUCT DEST/TRUB	FD
Pungoteague Creek Channel Daybeacon 11	21895	STRUCT DEST/HAZ NAV/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Pungoteague Creek Channel Daybeacon 12A	21903	DISCONTINUED	FD

Queenstown Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Queenstown Creek Light 2Q	26585	STRUCT DEST/TRLB	FD
Queenstown Creek Warning Daybeacon A	26590	DBD DEST	FD

Queenstown Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Queenstown Harbor Warning Daybeacon B	26600	STRUCT DEST/TRLB	FD

Quinby Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
North Inlet Warning Daybeacon A	6795	STRUCT DEST	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Great Machipongo Inlet - Quinby Creek/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-13 To: 2029-07-17 Location: 37.54048° N / 75.72673° W Norfolk District Army Corp of Engineers Survey of Quinby Creek; dated 11 Feb 2020, indicated significant shoaling with least depth of 6.0'MLLW to 1.2'MLLW at Quinby Creek Warning Daybeacon J (LLNR 6785).	Lat: 37° 32' 26" Lon: -075° 43' 36"

Rappahannock River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Grinels Breakwater Warning Daybeacon B	15065	STRUCT DEST/TRUB	FD
Rappahannock River Light 32	15625	STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rappahannock River Mooring Buoy PG	15113	BUOY DMGD	PA
VA Power Cable Crossing Middle Tower Light B (2)	15560	LT IMCH	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Rappahannock River Daybeacon 34	15630	DISCONTINUED	FD
Rappahannock River Daybeacon 42	15660	DISCONTINUED	FD
Rappahannock River Daybeacon 46	15670	DISCONTINUED	FD
Rappahannock River Daybeacon 48	15680	DISCONTINUED	FD
Rappahannock River Buoy 48A	15683	DISCONTINUED	FD
Rappahannock River Buoy 49	15685	DISCONTINUED	FD
Rappahannock River Buoy 49A	15687	DISCONTINUED	FD
Rappahannock River Buoy 50	15690	DISCONTINUED	FD
Rappahannock River Buoy 52	15695	DISCONTINUED	FD
Rappahannock River Buoy 54	15700	DISCONTINUED	FD
Rappahannock River Buoy 57	15710	DISCONTINUED	FD
Rappahannock River Buoy 59	15715	DISCONTINUED	FD
Rappahannock River Buoy 60	15720	DISCONTINUED	FD
Rappahannock River Buoy 62	15725	DISCONTINUED	FD
Rappahannock River Buoy 63	15730	DISCONTINUED	FD
Rappahannock River Buoy 64	15735	DISCONTINUED	FD
Rappahannock River Buoy 65	15740	DISCONTINUED	FD
Rappahannock River Buoy 67	15745	DISCONTINUED	FD
Rappahannock River Buoy 70	15760	DISCONTINUED	FD
Rappahannock River Buoy 72	15765	DISCONTINUED	FD
Rappahannock River Buoy 74	15770	DISCONTINUED	FD
Rappahannock River Buoy 77	15780	DISCONTINUED	FD
Rappahannock River Buoy 78	15785	DISCONTINUED	FD
Rappahannock River Buoy 79	15790	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Rappahannock River/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-09-29 To: 2026-11-06 Location: 37-37-31.512N/076-25-19.848W Bridge Name: 3 State Route Bridge Mariners are advised that an engineering firm, on behalf of Virginia Department of Transportation, will be performing a bridge inspection on the 3 State Route (Robert O. Norris) Bridge, across Rappahannock River, mile 8.3, near White Stone, VA. The inspection will be conducted from 9 a.m. to 3:30 p.m.; Monday-Friday; from October 5, 2026, through October 30, 2026. An under-bridge inspection vehicle (snooper), a work barge and work boats will be located in and around the vicinity of the bridge. During the work hours, the snooper truck will be in the navigational channel of the bridge which will reduce the vertical clearance of the bridge to approximately 90 feet of vertical clearance, and the work barge will be in the navigational channel of the bridge and will reduce the horizontal clearance of the bridge to approximately 250 feet of horizontal clearance. Vessels that can safely transit through the bridge during periods with reduced vertical and horizontal clearances may do so at any time. Vessels that cannot safely transit through the bridge during periods with reduced vertical clearance and/or horizontal clearances may safely transit through the bridge, if at least a 30-minute prior notice is given to the project foreman. Maintenance personnel, equipment and vessels will relocate from the moveable span and navigable channel, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (570) 573-3441 or (301) 592-7648. Mariners should use extreme caution navigating through the area. MSI #54376.	Lat: 37° 37' 32" Lon: -076° 25' 20"

Chesapeake Channel - Rappahannock River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported An ACOE Survey of Greenvale Creek Channel indicates shoaling, to a least depth of 1.7 feet MLLW, across the channel from approximately 250 feet North-Northeast of Greenvale Channel Warning Daybeacon A (LLNR 15305) continuing inbound for approximately 880 feet. From: 2024-08-19 To: 2025-02-15 Location: 37.70994° N / 76.54459° W 37.70977° N / 76.54421° W 37.7079° N / 76.54598° W 37.70808° N / 76.54632° W 37.70994° N / 76.54459° W	
--	--------------------------	---	--

Reedy Island Dike

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Liston Range - Reedy Island Dike/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2026-08-31 To: 2026-11-02 Location: 39-28-58.512N/075-34-26.472W Aid Name: Reedy Island Dike Middle Light LLNR: 2565 Action: CHANGE Action Type Change Light Signals The Coast Guard is proposing to reduce Reedy Island Dike Middle Light (LLNR 2565) nominal range from 7NM to 5NM. Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impact of this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at: D05_LNM_Special_Notice_Waterway_Proposal_Feedback_Form_Indefinite.pdf (uscg.gov) Or via email at: Gregory.C.Goetz2@uscg.mil Or regular mail at: U.S. Coast Guard Fifth District Waterways Management (dpw) 431 Crawford Street, Room 100 Portsmouth, VA 23704 Attn: Gregory Goetz All comments will be carefully considered and are requested prior to November 2, 2026 to be considered in the analysis. Refer to Project Number 05-26-027(D). MSI # 52592.	Lat: 39° 28' 59" Lon: -075° 34' 26"

Rehoboth Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bakers Channel Lighted Buoy 11	2137.11	OFF STATION	PA
Bakers Channel Lighted Buoy 7	2137.06	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Indian River Inlet - Rehoboth Bay/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-01 To: 2027-11-13 Location: 38.68251° N / 75.10012° W Shoaling observed from entrance to Rehoboth-Lewis canal south to Rehoboth Bay Channel Buoy 3 (LLNR 2100), depths 2-4 feet at mean low water.	Lat: 38° 40' 57" Lon: -075° 06' 00"
Indian River Inlet - Rehoboth Bay/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported Delaware Department of Natural Resources and Environmental Control (DNREC) reports shoaling in Baker's Channel between Baker's Channel Lighted Buoy 1A (LLNR 2136) and Baker's Channel Lighted Buoy 1B (LLNR 2137) as well as Baker's Channel Lighted Buoy 5 (LLNR 2137.04) and Baker's Channel Lighted Buoy 6 (LLNR 2137.05). DNREC has established two warning buoys worded "DANGER SHOAL" to mark the shoaling From: 2024-08-01 To: 2025-08-19 Location: 38.6342° N / 75.09881° W 38.63159° N / 75.09347° W 38.631° N / 75.09394° W 38.63376° N / 75.09922° W 38.6342° N / 75.09881° W	
Indian River Inlet - Rehoboth Bay/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-08-24 To: 2027-03-11 Cottrell Contracting Corporation of Chesapeake, Virginia, advises that the Dredge Rockbridge will be performing dredging operations within the Lewes and Rehoboth Canal, Delaware. Operations are expected to begin on August 26, 2026, and be completed by March 10, 2027. Dredging and pipeline placement within the Lewes and Rehoboth Canal will begin approximately 2,650 feet (0.5 miles) southwest of the Roosevelt Inlet entrance to the canal, beginning at coordinates 38D 47.050°N, 75D 9.337°W, and continue through the entire length of the Lewes and Rehoboth Canal, terminating at the Lewes and Rehoboth Canal Jetty Warning Light in Rehoboth Bay. All vessel traffic is requested to contact the dredge on VHF channel 13 or 16 prior to passage. For emergencies, the Dredge Rockbridge can be reached at (757) 635-2576. All mariners are requested to stay clear of the dredge, pipelines, barge, derricks, and operating wires about the dredge. All operators should be aware that the dredge and pontoon lines are held in place by cables, which are attached to anchors some distance from the dredge and pontoons. Buoys are attached to the anchors so that they may be moved as the dredge moves. Submerged lines should be avoided. Mariners are requested to exercise extreme caution when approaching, passing, and leaving the dredging plant. The Dredge Rockbridge monitors VHF channels 13 and 16. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing, and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires, and related equipment. MSI # 51875.	

Rhode River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rhode River Entrance Light 2RR	19515	STRUCT DMGD/LT EXT	FD

Roanoke River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Roanoke River/General/Bridges/Maintenance	Bridges	Roanoke River/General/Bridges/Maintenance From: 2026-04-16 To: 2026-10-13 Location: 36.5879, -78.16372 Bridge Name: Interstate 85 Southbound Bridge Mariners are advised that an engineering firm, on behalf of Virginia Department of Transportation, will be performing maintenance on the fixed spans at I -85 Southbound Bridge across Roanoke River, mile 198.0, near Mecklenburg, VA. To facilitate deck demolition and concrete replacement, the span under construction will be closed to marine traffic. There will be orange caution buoys deployed each morning upstream and downstream during bridge work on each span closure. Vessels may use other spans of the bridge that they can safely navigate though. The project foreman can be contacted on VHF-FM channel 13 All mariners should use extreme caution when transiting the area.	Lat: 36° 35' 16" Lon: -078° 09' 49"

Roanoke River/General/Bridges/Rehabilitation	Bridges	Roanoke River/General/Bridges/Rehabilitation From: 2026-04-21 To: 2028-10-31 Location: 36.5879, -78.16372 Bridge Name: Interstate 85 Southbound Bridge Mariners are advised that an engineering firm, on behalf of Virginia Department of Transportation, will be performing maintenance on the fixed spans at I -85 Southbound Bridge across Roanoke River, mile 198.0, near Mecklenburg, VA. To facilitate deck demolition and concrete replacement from 7 a.m. May 01, 2026, through 5:30 p.m. December 09, 2028. There will be orange caution buoys deployed each morning upstream and downstream during bridge work on each span closure. Vessels may use other spans of the bridge that they can safely navigate though. The project foreman can be contacted on VHF-FM channel 13 All mariners should use extreme caution when transiting the area.	Lat: 36° 35' 16" Lon: -078° 09' 49"
---	---------	--	--

Roanoke Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Roanoke Sound Channel Daybeacon 2	28370	STRUCT DEST/TRUB	FD
Roanoke Sound Channel Daybeacon 5	28380	STRUCT DEST/TRUB	FD
Roanoke Sound Channel Light 7	28385	STRUCT DEST/TRLB	FD
Roanoke Sound Channel Light 11	28405	STRUCT DEST/TRLB	FD
Roanoke Sound Channel Daybeacon 29A	28525	STRUCT DEST/TRUB	FD
Roanoke Sound Channel Daybeacon 34	28585	STRUCT DEST/TRUB	FD
Roanoke Sound Channel Light 36	28590	STRUCT DEST/HAZ NAV/TRUB	FD
Roanoke Sound Channel Daybeacon 37	28600	STRUCT DEST/TRUB	FD

Rock Hall Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rock Hall Harbor Daybeacon 14	26925	STRUCT DEST/HAZ NAV	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Brewerton Channel Eastern Extension - Rock Hall Harbor/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-03-19 To: 2031-02-21 Shoaling has been reported in the entrance to Rock Hall Harbor with depths as low as 4ft MLW. MSI # 39456.	

Rollinson Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rollinson Channel Light 30	28815	TRLB/STRUCT DEST	FD
Rollinson Channel Daybeacon 31	28817	STRUCT DEST/TRUB	FD
Rollinson Channel Light 32	28820	STRUCT DEST/TRLB	FD
Rollinson Channel Daybeacon 33A	28827	STRUCT DEST/TRUB	FD
Rollinson Channel Light 34	28830	STRUCT DEST/TRLB	FD
Austin Creek Entrance Channel Light 1	28870	LT EXT	FD
Oliver Reef Light	32340	STRUCT DEST/HAZ NAV/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Rollinson Channel Buoy 30A	28816	DISCONTINUED	FD

Roosevelt Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Roosevelt Inlet Jetty Light 1R	2065	LT EXT	FD
Roosevelt Inlet Buoy 4	2073	OFF STATION/HAZ NAV	FD

Rose Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Deep Cove Light 2	32740	STRUCT DEST/TRLB	FD

Russell Slough

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Russell Slough Light 5	38460	STRUCT DEST/TRLB	FD

Salem River Entrance

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Salem River Entrance Channel Light 4	2665	RELIGHTED	FD	2026-10-05

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Delaware River Main Channel - Salem River Entrance/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-09-29 To: 2026-10-13 Location: 39-33-10.512N/075-31-42.060W Aid Name: Salem River Entrance Channel Light 4 LLNR: 2665 Action: CHANGE Action Type Change Light System Primary from FI R 2.5 TO Q R	Lat: 39° 33' 11" Lon: -075° 31' 42"
Delaware River Main Channel - Salem River Entrance/General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions From: 2025-05-05 To: 2030-04-18 Location: 39.56913° N / 75.51881° W A submerged object has been identified by an Army Corp of Engineers survey in the Salem River Entrance. Object in approximate position 39-34-08.866N, 075-31-07.717W, 15ft inside the channel limits and 5 foot proud of the seafloor at 12ft MLLW. MSI # 17807.	Lat: 39° 34' 09" Lon: -075° 31' 08"
Delaware River Main Channel - Salem River Entrance/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-07-08 To: 2026-10-12 Location: 39-34-20.604N/075-29-46.932W 39-34-18.156N/075-29-46.716W 39-34-08.400N/075-30-24.192W 39-34-11.712N/075-30-52.596W 39-34-10.560N/075-30-58.428W 39-34-06.060N/075-31-07.032W 39-33-11.016N/075-31-42.492W 39-32-39.624N/075-32-14.676W 39-32-40.992N/075-32-17.304W 39-33-11.916N/075-31-45.840W 39-34-10.632N/075-31-07.608W 39-34-15.096N/075-30-57.240W 39-34-12.648N/075-30-35.316W 39-34-13.980N/075-30-12.852W 39-34-20.604N/075-29-46.932W Cottrell Contracting Corporation's, Dredge Rockbridge, will be performing dredging operations within the Salem River, New Jersey, adjacent to New Castel Range. Operations are expected to begin on July 19, 2026, and be completed by October 12, 2026. Dredging of the Salem River will take place between Salem River Entrance Channel Lighted Buoy 2 (LLNR 2645) and Salem River Channel Light 13 (LLNR 2713). The submerged pipeline will run directly from the Salem River to Supawna Meadows National Wildlife Refuge. All vessel traffic is requested to contact the dredge on VHF channel 13 or 16 prior to passage. For emergencies the Dredge Rockbridge can be reached at (757) 635-2576. All mariners are requested to stay clear of the dredge, pipelines, barge, derricks and operating wires about the dredge. All operators should be aware that the dredge and pontoon lines are held in place by cables, which are attached to anchors some distance from the dredge and pontoons. Buoys are attached to the anchors so that they may be moved as the dredge moves. Submerged lines should be avoided. Mariners are requested to exercise extreme caution when approaching, passing, and leaving the dredging plant. The dredge Rockbridge monitors VHF channels 13 and 16. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires and related equipment. Owners and lessees of fishnets, crabpots and other structures that may be in the vicinity and that may hinder the free navigation of attending vessels and equipment must remove these from the area where tugs, tenderboats and other attendant equipment will be navigating. Dredging operations will be conducted twenty-four (24) hours a day seven (7) days a week, all fishnets, crabpots and structures in the general area must be removed prior to commencement of any work, a slow NO WAKE speed is requested of transiting vessels. All vessels are requested to contact the dredge prior to passing. MSI # 48204.	

Sandy Point To Susquehanna River (Chart 12273).

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Sandy Point To Susquehanna River (Chart 12273)/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-08 To: 2029-07-12 Location: 39.22813° N / 76.39614° W Harts Island Channel with depths of 2.0-3.0 feet MLW were observed extending into the channel in vicinity of Harts Island Channel Daybeacon 3 (LLNR 27010). Navigation of the area requires extreme caution.	Lat: 39° 13' 41" Lon: -076° 23' 46"
Chesapeake Channel - Sandy Point To Susquehanna River (Chart 12273)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-05-29 To: 2027-01-01 Location: 39.13096° N / 76.39439° W The construction of the New Craighill Range Front and Range Rear has begun. The new structure(s) will be marked with a slow flashing white light with a nominal range of 4nm and located in approximate position: Craighill Range Front: 39 07 51.489N—76 23 39.804W.	Lat: 39° 07' 51" Lon: -076° 23' 40"
Chesapeake Channel - Sandy Point To Susquehanna River (Chart 12273)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-05-29 To: 2027-01-01 Location: 39.1392° N / 76.39438° W The construction of the New Craighill Range Front and Range Rear has begun. The new structure(s) will be marked with a slow flashing white light with a nominal range of 4nm and located in approximate position Craighill Range Rear: 39 08 21.143N—76 23 39.780W.	Lat: 39° 08' 21" Lon: -076° 23' 40"

Sassafras River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Elk River Channel - Sassafras River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-08 To: 2029-07-12 Location: 39.36913° N / 75.92448° W Shoaling has been reported in Sassafras River extending from Sassafras River Daybeacon 8 (LLNR 27495) to the southeast approximately 520 yards towards Sassafras River Light 10 (LLNR 27500) and into the channel approximately 50 yards to reported depths of seven feet at mean low water.	Lat: 39° 22' 09" Lon: -075° 55' 28"

Schuylkill River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Eagle Point - Schuylkill River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-07-20 To: 2027-04-2031 Location: 39-53-33.857N/075-11-50.690W Bridge Name: Interstate 95 Bridge Mariners are advised that a contractor, on behalf of Pennsylvania Department of transportation, will be conducting a bridge rehabilitation project for the Girard Point Bridge over Schuylkill River in Philadelphia, PA. To facilitate bridge work, the bridge will have a reduced vertical clearance from July 20, 2026, through April 21, 2031. A temporary protective shield will be installed under the bridge, reducing the vertical clearance of the bridge approximately 3 feet to approximately 132 feet above mean highwater. Mariners are advised to exercise caution when transiting the area.	Lat: 39° 53' 34" Lon: -075° 11' 51"
Eagle Point - Schuylkill River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-07-29 To: 2031-04-21 Location: 39-53-33.857N/075-11-50.690W Bridge Name: Interstate 95 Bridge Mariners are advised that an engineering firm, on behalf of the Pennsylvania Department of Transportation, will be performing roadway maintenance at the highway fixed bridge – I-95 (Girard Point/Delaware Expressway) across Schuylkill River, mile 0.6, [39.892641, -75.197236] at the City of Philadelphia, Philadelphia County, PA. The roadway maintenance will be conducted from July 20, 2026, through April 21, 2031. A temporary barrier will be installed three feet under the bridge roadway decking. This temporary barrier will reduce the vertical clearance of the navigation channel from 135 feet at mean high water to 132 feet at man high water. A safety vessel will be on scene during daylight hours and may be reached on VHF-FM channels 13 and 16. The project foreman can be reached at (856) 498-8107. Mariners should use caution when navigating through the area. MSI # 50093.	Lat: 39° 53' 34" Lon: -075° 11' 51"
Eagle Point - Schuylkill River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-08-05 To: 2027-02-15 Location: 39-56-33.828N/075-11-48.732W Bridge Name: University South 34th Avenue Southbound Bridge Mariners are advised that an engineering firm, on behalf of the Pennsylvania Department of Transportation, will be fortifying and replacing deteriorated steel members on span 3 of the SR 3003 (University Avenue) Bridge, across the Schuylkill River at mile 6.2, in Philadelphia, PA. The work will be conducted from August 17, 2026, through February 15, 2027. There will be no equipment in the water, but a work platform attached to the bridge will reduce the vertical clearance by 2 feet. The project foreman can be reached at (609) 209-0281. Mariners are urged to use extreme caution when transiting the area. MSI # 40198.	Lat: 39° 56' 34" Lon: -075° 11' 49"

Seagirt Marine Terminal West Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Fort Mchenry Channel - Seagirt Marine Terminal West Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-09-18 To: 2026-12-01 Location: 39-15-08.604N/076-33-37.728W Aid Name: Seagirt Marine Terminal West Channel Lighted Buoy 4 LLNR: 21145 Action: RELOCATE On or about October 5, 2026 the Coast Guard will relocate Seagirt Marine Terminal West Lighted Buoy 4 (LLNR 21145) to approximate position: 39 15 08.303N—7633 36.761W. The flashing 4 second red light with a 4nm nominal range will remain unchanged. MSI:53980	Lat: 39° 15' 09" Lon: -076° 33' 38"

Sector Delaware Bay, Exclusive Economic Zone (EEZ)

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Delaware Bay, Exclusive Economic Zone (EEZ) /General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions From: 2026-08-24 To: 2026-12-04 Location: 39-01-33.600N/073-24-17.280W Commencing August, 2026 and continuing through November, 2026, the U.S. Naval Research Laboratory will be placing moorings on the New Jersey coastal shelf and southeastward of Block Island Rhode Island. Moorings will be temporarily established on the seafloor and extend 3 feet off the bottom. Three moorings will also have a surface expression and be lighted. Mariners are requested to not disturb these U.S. Naval experiments and to avoid dragging in the area.	Lat: 39° 01' 34" Lon: -073° 24' 17"
Sector Delaware Bay, Exclusive Economic Zone (EEZ) /General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-10-06 To: 2026-10-27 Location: 38-54-36.000N/072-45-00.000W 38-45-00.000N/072-35-24.000W 38-37-48.000N/072-29-24.000W 38-25-48.000N/072-17-60.000W 38-19-48.000N/072-10-12.000W 38-09-36.000N/071-52-12.000W 38-03-36.000N/071-45-36.000W 37-51-00.000N/071-37-51.600W 37-43-33.600N/071-35-02.400W 37-26-49.200N/071-14-13.200W 37-19-55.200N/071-02-13.200W 38-29-32.208N/073-18-49.824W 38-54-36.000N/072-45-00.000W Beginning 6 October until 23 October, the survey vessel Mobile Viking will be conducting a deep-water multibeam echo sounder (MBES) bathymetric survey offshore beginning at the EEZ, extending out to the 1000 meter contour off New Jersey, Delaware, Virginia and North Carolina). Operations comprise of hull-mounted multibeam bathymetry only. No geotechnical sampling, ROV, or AUV work will be conducted. These operations will be conducted 24 hours, 7 days a week. The survey vessel Mobile Viking will be restricted in ability to maneuver while on survey lines, request mariners transiting in the area to remain at least 2 nautical miles from their operation. Survey vessel Mobile Viking will be monitoring VHF-FM Channels 13 and 16. MSI #54931.	

Sector Delaware Bay, Submerged Land Act (SLA)

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Delaware Bay, Terrorial Sea - Sector Delaware Bay, Submerged Land Act (SLA)/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-07-29 To: 2028-09-05 Location: 39.76318° N / 74.09682° W Area of shifting shoaling. Mariner are urged to review most recent ACOE survey.	Lat: 39° 45' 47" Lon: -074° 05' 49"

Sector Delaware Bay, Terrorial Sea

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Five Fathom Bank Northeast Lighted Buoy 2FB	100	MISSING	FD
Five Fathom Bank South Lighted Buoy 4FB	115	MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Delaware Bay, Exclusive Economic Zone (EEZ) - Sector Delaware Bay, Territorial Sea/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2026-09-14 To: 2026-10-15 Location: 39-45-47.988N/074-01-27.804W All mariners be advised a 17-foot recreational vessel is partially submerged, in approximate position 39°45'48.0" N, 074°1'27.8" W. The vessel is adrift, with its bow sticking up, floating north and has been marked with green markings. All mariners transiting the area are requested to keep a safe distance and transit the area with caution. MSI#53633.	Lat: 39° 45' 48" Lon: -074° 01' 28"

Sector North Carolina, Exclusive Economic Zone (EEZ).

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Navy Air Combat Maneuvering Range Tower Light B	575	LT EXT	FD
Navy Air Combat Maneuvering Range Tower Light C	580	LT EXT	FD
Navy Air Combat Maneuvering Range Tower Light C	580	LT EXT	FD
Cape Hatteras Light	625	LT EXT	FD
NOAA Lighted Data Buoy 41001 (ODAS)	635	MISSING	FD
NOAA Lighted Data Buoy 41001 (ODAS)	635	MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Woods Hole Lighted Data Buoy WE	571	MISSING	PA
Woods Hole Lighted Data Buoy EA	571.3000000000001	MISSING	PA
Woods Hole Lighted Data Buoy NEPM	571.8000000000001	MISSING	PA
Woods Hole Lighted Data Buoy SEPM	571.9	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector North Carolina, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Wrecks	Hazards To Navigation	General/Hazards To Navigation/Wrecks - All mariners be advised a 72 foot steel hulled stern trawler sank at this approximate location. Least depth over wreck unknown. Mariners are advised to navigate with caution and avoid anchoring in the immediate vicinity. Request NOAA chart as appropriate. From: 2026-02-23 To: 2031-01-18 Location: 34-50-16.980N/075-37-12.000W	Lat: 34° 58' 60" Lon: -075° 37' 12"
Sector North Carolina, Exclusive Economic Zone (EEZ)/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-10-06 To: 2026-10-27 Location: 36-46-12.000N/074-22-48.000W 36-45-00.000N/073-10-12.000W 36-42-00.000N/073-32-60.000W 36-25-12.000N/073-32-60.000W 36-15-36.000N/073-25-48.000W 36-05-24.000N/073-10-48.000W 35-56-24.000N/072-57-36.000W 35-47-60.000N/072-45-36.000W 35-44-24.000N/072-40-12.000W 35-31-12.000N/072-21-36.000W 35-19-48.000N/072-15-36.000W 36-42-55.152N/074-31-36.732W 36-45-36.000N/074-35-60.000W 36-46-12.000N/074-22-48.000W Beginning 6 October until 23 October, the survey vessel Mobile Viking will be conducting a deep-water multibeam echo sounder (MBES) bathymetric survey offshore beginning at the EEZ, extending out to the 1000 meter contour off New Jersey, Delaware, Virginia and North Carolina). Operations comprise of hull-mounted multibeam bathymetry only. No geotechnical sampling, ROV, or AUV work will be conducted. These operations will be conducted 24 hours, 7 days a week. The survey vessel Mobile Viking will be restricted in ability to maneuver while on survey lines, request mariners transiting in the area to remain at least 2 nautical miles from their operation. Survey vessel Mobile Viking will be monitoring VHF-FM Channels 13 and 16. MSI #54917.	

Sector North Carolina, Submerged Lands Act (SLA)

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Shallotte Inlet Buoy 1	31055	OFF STATION	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector North Carolina, Territorial Sea - Sector North Carolina, Submerged Lands Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-09-25 To: 2026-10-09 Location: 33-49-56.532N/077-59-50.028W Aid Name: UNCW Lighted Wave Buoy (BHIS) A LLNR: 855 Action: DISCONTINUE	Lat: 33° 49' 57" Lon: -077° 59' 50"
Sector North Carolina, Territorial Sea - Sector North Carolina, Submerged Lands Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-09-25 To: 2026-10-09 Location: 33-48-14.580N/077-55-46.992W Aid Name: UNCW/CORMP Lighted Weather Buoy E1 LLNR: 855.4 Action: DISCONTINUE	Lat: 33° 48' 15" Lon: -077° 55' 47"
Sector North Carolina, Territorial Sea - Sector North Carolina, Submerged Lands Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-09-25 To: 2026-10-09 Location: 33-47-36.780N/077-59-03.372W Aid Name: UNCW/CORMP Lighted Weather Buoy S1 LLNR: 855.6 Action: DISCONTINUE	Lat: 33° 47' 37" Lon: -077° 59' 03"

Sector North Carolina, Territorial Sea

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Cape Lookout Light	670	Reduced Intensity	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector North Carolina, Exclusive Economic Zone (EEZ) - Sector North Carolina, Territorial Sea/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-07-24 To: 2026-09-18 Location: 34-20-11.688N/077-38-26.772W Aid Name: New Topsail Inlet Lighted Whistle Buoy NT LLNR: 795 Action: CHANGE Action Type Change Sound Signal The Coast Guard will remove the whistle from New Topsail Inlet Lighted Whistle Buoy NT (LLNR 795). Change will be coordinated with the buoy hull replacement schedule and may not happen immediately. MSI # 49531.	Lat: 34° 20' 12" Lon: -077° 38' 27"
Sector North Carolina, Exclusive Economic Zone (EEZ) - Sector North Carolina, Territorial Sea/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-07-24 To: 2026-09-18 Location: 33-42-36.756N/077-51-05.004W Aid Name: Frying Pan Shoals Slough Approach Lighted Whistle Buoy SA LLNR: 820 Action: CHANGE Action Type Change Sound Signal The Coast Guard will remove the whistle from Frying Pan Shoals Slough Approach Lighted Whistle Buoy SA (LLNR 820). Change will be coordinated with the buoy hull replacement schedule and may not happen immediately. MSI # 49536	Lat: 33° 42' 37" Lon: -077° 51' 05"
Sector North Carolina, Exclusive Economic Zone (EEZ) - Sector North Carolina, Territorial Sea/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-09-25 To: 2026-10-09 Location: 33-49-31.800N/077-49-46.668W Aid Name: UNCW Lighted Wave Buoy B LLNR: 855.2 Action: DISCONTINUE	Lat: 33° 49' 32" Lon: -077° 49' 47"
Sector North Carolina, Exclusive Economic Zone (EEZ) - Sector North Carolina, Territorial Sea/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-09-25 To: 2026-10-09 Location: 33-39-46.980N/077-53-30.588W Aid Name: UNCW/CORMP Lighted Weather Buoy S0 LLNR: 855.8 Action: DISCONTINUE	Lat: 33° 39' 47" Lon: -077° 53' 31"

Sector Virginia, Exclusive Economic Zone (EEZ)

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Coastal Virginia Offshore Wind WTG D06	320.46	LT IMCH	PA
Coastal Virginia Offshore Wind WTG F09	321.16	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Virginia, Exclusive Economic Zone (EEZ)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes Location: 37.00195° N / 75.46334° W 37.00085° N / 75.21134° W 36.81528° N / 75.21065° W 36.81638° N / 75.49149° W 36.97837° N / 75.48943° W 37.00195° N / 75.46334° W CVOW Lease Area Use caution, ongoing Marine Construction activities present. The U.S. Coast Guard has established 179 temporary 500-meter safety zones around the construction of 176 wind turbine generators and three (3) offshore substations in Federal waters on the Outer Continental Shelf, east northeast of Virginia Beach, Virginia. This action is necessary to protect life, property and the environment during construction of the foundations and the subsequent installation of the turbine components, from May 1, 2024, to May 1, 2027. When enforced, only attending vessels and those vessels specifically authorized by the Fifth Coast Guard District Commander, or a designated representative, are permitted to enter or remain in the temporary safety zones. Each of the 179 temporary safety zones will be enforced individually, for a period lasting approximately 48 hours, as construction progresses from one structure to the next. See Dominion Energy Monthly Mariner's Update for all activity. https://safe.menlosecurity.com/https://coastalvawind.com/resources.aspx All offshore construction activities are weather dependent and may be pushed out due to projected weather conditions. F/Vs NOREEN MARIE and PONTOS will be providing safety vessel duties in the wind energy area and the export cable corridor and can be hailed on CH 16 24/7. Mariners are encouraged to reference the latest Mariner's Update publication for further information on project planning and progress.	

Sector Virginia, Submerged Land Act (SLA)

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Virginia, Territorial Sea - Sector Virginia, Submerged Land Act (SLA)/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-06-18 To: 2030-03-16 Location: 36-49-48.900N/075-57-52.056W 36-49-46.956N/075-57-51.948W 36-49-46.632N/075-58-04.548W 36-49-48.540N/075-58-04.692W 36-49-48.900N/075-57-52.056W City of Virginia Beach survey dated September 28, 2026 indicates shoaling: on the inbound side of the channel, starting 400' West of the east ends of the jetties and continuing eastward to approximately 200' East of the east ends of the jetties. Least depth 7.1' MLLW. MSI:46702	

Sector Virginia, Territorial Sea

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chesapeake Bay Southern Approach Lighted Buoy 9	455	MISSING	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Chesapeake Bay Southern Approach Lighted Buoy 3	425	RELOCATED FOR DREDGING	FD
Chesapeake Bay Southern Approach Lighted Buoy 4	430	RELOCATED FOR DREDGING	FD
Chesapeake Bay Southern Approach Lighted Buoy 5	435	RELOCATED FOR DREDGING	FD

Chesapeake Bay Southern Approach Lighted Buoy 6	440	RELOCATED FOR DREDGING	FD
Chesapeake Bay Southern Approach Lighted Buoy 7	445	RELOCATED FOR DREDGING	FD
Chesapeake Bay Southern Approach Lighted Buoy 8	450	RELOCATED FOR DREDGING	FD
Chesapeake Bay Southern Approach Lighted Buoy 9	455	RELOCATED FOR DREDGING	FD
Chesapeake Bay Southern Approach Lighted Buoy 10	460	RELOCATED FOR DREDGING	FD
Chesapeake Bay Southern Approach Lighted Buoy 11	465	RELOCATED FOR DREDGING	FD
Chesapeake Bay Southern Approach Lighted Buoy 12	470	RELOCATED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Virginia, Exclusive Economic Zone (EEZ) - Sector Virginia, Territorial Sea/General/Hazards To Navigation/Hazards	Hazards To Navigation	A. MARINERS ARE ADVISED CONTRACTORS FOR DOMINION ENERGY WILL BE CONDUCTING SUBSEA CABLE INSTALLATION ACTIVITIES ALONG A CORRIDOR EASTWARD FROM THE STATE MILITARY RESERVATION IN VIRGINIA BEACH, VA. B. CONSTRUCTION VESSELS MAY BE LIMITED IN THEIR MANEUVERABILITY DUE TO THE NATURE OF THEIR OPERATIONS. C. MARINERS MUST NAVIGATE WITH CAUTION WHEN TRANSITING IN THIS AREA. CONTACT ON-SITE PROJECT VESSELS TO COMMUNICATE PASSING ARRANGEMENTS AND ASSESS SUBSEA HAZARDS ON VHF CH 13 AND/OR 16. D. MARKER BUOYS CONTINUE TO MARK OTHER TEMPORARY SUBSEA INFRASTRUCTURE UNTIL INSTALLATION ACTIVITY IS COMPLETED. MARINERS ARE CAUTIONED AGAINST ANCHORING, DREDGING, OR TRAWLING IN THIS AREA DUE TO EXPOSED SUBSEA INFRASTRUCTURE.	
Sector Virginia, Exclusive Economic Zone (EEZ) - Sector Virginia, Territorial Sea/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2026-09-10 To: 2026-10-15 Location: 36-43-53.688N/075-55-58.548W Fugro USA Marine has been contracted by NEC to conduct a geophysical and geotechnical survey along a proposed telecommunications cable route as it approaches the Virginia shoreline to provide details of seabed conditions to support cable system design, installation and subsequent maintenance. The project will begin on September 14th and be completed by October 15th, 2026; with work being conducted between the hours of 6:00 am and 8:00 pm. Fugro's M/V Pelagos will be conducting the survey in the vicinity of Sandbridge, Virginia Beach, VA. The vessel is a 36' aluminum Armstrong catamaran, silver in color. Due to the nature of the survey and equipment being used, the vessel will usually have towed equipment that will restrict her ability to maneuver, and we request a minimum 500 meter safe distance be respected. The vessel shall always be reachable via VHF-16 and 13 while conducting operations. For any safety-related concerns in reference to the operations of this vessel, please contact Skylar Hurley (project manager) at (805) 212-0754. MSI #53467.	Lat: 36° 43' 54" Lon: -075° 55' 59"
Sector Virginia, Exclusive Economic Zone (EEZ) - Sector Virginia, Territorial Sea/General/Marine Events/Other	Marine Events	Wavedaze Foundation is sponsoring a jet ski event at the Virginia Beach oceanfront, between 7th Street and 14th Street. The jet ski race will be held on October 15-18, 2026, from 8 a.m. until 7 p.m. each day. Mariners use caution when transiting the area.	
Sector Virginia, Exclusive Economic Zone (EEZ) - Sector Virginia, Territorial Sea/General/Miscellaneous	Miscellaneous	From: 2026-10-07 To: 2026-10-13 HOS ROSEBUD will be conducting underwater offshore survey operations between Wachapreague Inlet and Chesapeake Bay Entrance, which will restrict their maneuverability. These operations will be conducted from 07 - 12 October 2026. Contact can be made with the HOS ROSEBUD via Marine radio, or to the POC, Richard Bradley at 360-271-9722. MSI # 53909.	

Silver Lake

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Silver Lake Entrance Daybeacon 4	28995	STRUCT DEST/TRUB	FD
Silver Lake Entrance Light 6	29010	STRUCT DEST/TRUB	FD
Silver Lake Entrance Light 9	29020	STRUCT DEST/TRLB	FD

Slaughter Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Slaughter Creek Light 2SC	24645	STRUCT DEST/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Little Choptank River - Slaughter Creek/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-07 To: 2025-07-25 Location: 38.50643° N / 76.27042° W 38.50068° N / 76.26772° W 38.49366° N / 76.27866° W 38.49501° N / 76.28029° W 38.50136° N / 76.27085° W 38.50586° N / 76.27261° W 38.50643° N / 76.27042° W Shoaling in the western portion of Slaughter Creek IVO of Holland Point has encroached easterly in most of the channel. The shoal adjacent to Slaughter Creek Light 2SC (LLNR 24645) has encroached approximately 50-100 yds easterly with observed depths of 3-4' in between tide cycles. Shoaling to 2' MLW has been observed on the red side of the channel between Slaughter Creek Buoy 6 (LLNR 24670) and Slaughter Creek Buoy 8 (LLNR 24683).	

Smith Creek Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Smith Creek Channel Light 6	33770	STRUCT DEST/HAZ NAV/TRLB	FD

South Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE

South Creek Channel Daybeacon 9	33145	STRUCT DEST/TRUB	FD
---------------------------------	-------	------------------	----

South Ferry Terminal

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Barney Slough Channel - South Ferry Terminal/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-01 To: 2026-10-15 Location: 35-11-30.709N/075-45-43.629W Aid Name: Hatteras Connector Lighted Buoy 3 LLNR: 28682 Action: RELOCATE to approx posit 35-11-30.709N/075-45-43.629W	Lat: 35° 11' 31" Lon: -075° 45' 44"
Barney Slough Channel - South Ferry Terminal/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-07-18 To: 2030-06-22 Location: 35.19191° N / 75.76189° W Shoaling has been reported encroaching into the channel in vicinity of Hatteras Connector Lighted Buoy 3 (LLNR 28682) with depths as low as 1ft MLW.	Lat: 35° 11' 31" Lon: -075° 45' 43"

South River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
South River Wreck Daybeacon WR3	33665	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Glebe Bay Light	19630	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - South River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-09-14 To: 2027-05-01 Location: 38-55-45.444N/076-31-12.288W Project Name: Ray Sedwick, Living Shoreline Project Type of Work: Shoreline Erosion Control Approximate location of activity: 38°55'45.38"N 76°31'12.11"W VHF Radio Channel monitored: 16/80 1 Date of start and date of completion? 10/1/2026 thru 4/31/27 2. Work days during the week and work hours during the day? 7 days a week, 7am – 7 pm 3. Name of the marine contractor companies and the identity/description of all their vessels/marine equipment located on site? Primary Contractor: Shoreline Design, 637 Shore Drive, Edgewater, MD 21037 Vessels/Marine Equipment 1 each 34'x130' Deck Barge 1 each 30'x110' Deck Barge 1 each 24'x60' Spud Barge 2 each 24'x50' Spud Barge 2 each 12'x25' Tug Boats (Miss Lee Ann and Pusherman) 1 each 12'x20' Push Boat 1 each 6'x24' Crew Boat 4. Will any vessels/marine equipment be using any form of anchoring system or attached to commercial mooring buoys? Yes, one mooring buoy will be installed for connecting line barges during construction of the project. 5. Will there be any other buoys or structures established, such as "no-wake" warning signage, permitted by other agencies or entities? No 6. Your concurrence that all marine equipment will be marked and lighted in accordance with USCG Regulations. All equipment will be marked and lighted in accordance with USCG Regulations 7. Your intentions for equipment during heavy weather or other emergency, such as an approaching hurricane or ice conditions. During heavy weather all barges will be moved to a safe harbor within South River 8. Emergency, 24-hour point of contact (name, title and phone number) for the project's duration. Wes Matheu President Shoreline Design, LLC 443-336-0978	Lat: 38° 55' 45" Lon: -076° 31' 12"

Sparrows Point Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Patapsco River - Sparrows Point Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2026-09-28 To: 2027-05-05 Location: 39-12-43.632N/076-28-44.508W 39-11-40.128N/076-28-39.936W 39-11-38.328N/076-29-07.116W 39-12-40.824N/076-29-16.116W 39-12-43.632N/076-28-44.508W On or about October 1st, 2026, Cashman Dredging and Marine Contracting Co., LLC will begin dredging operations of the Sparrow Point Channel in Baltimore Harbor. Marine operations will be conducted 24 hours a day, 7 days a week. The project will utilize the Dredge Dale Pyatt, dump scows Kurt Schulte, M.E.R.C Shevlin, and Joe Verrochi, GL603, GL69, along with the hopper barges D.A. Chambers, C.J. Welch, and S. Tobin. Loaded scows will be transported by tug to the designated disposal locations at either the Norfolk Ocean Disposal Site (NODS), Masonville MPA Site or High Head DMCF. The unloaders Cape May and Kraken will operate at the Masonville MPA and High Head DMCF disposal sites. The marine equipment will be supported by the survey vessel Cape Elizabeth. All vessels will monitor VHF channels 14, 13, and 67. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. MSI #54087.	

St Patrick Creek

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Clements Bay - St Patrick Creek/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-08-07 To: 2029-07-11 Location: 38.23318° N / 76.74293° W Shoaling has been reported in St. Patrick Creek to depths of 2-4 feet at MLW near St. Patrick Creek Channel Buoy 3 (LLNR 17123) and extending to Buoy 7 (LLNR 17145). Shoaling of 1 foot at MLW has been observed within the channel limits in the vicinity of St. Patrick Creek Channel Buoy 4 (LLNR 17130).	Lat: 38° 13' 59" Lon: -076° 44' 35"

Stillpond Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Stillpond Creek Buoy 5	8819	MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Upper Chesapeake Channel - Stillpond Creek/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2026-08-25 To: 2031-07-30 Location: 39-20-05.280N/076-08-03.912W 39-20-01.824N/076-07-57.288W 39-19-58.728N/076-07-58.980W 39-20-01.680N/076-08-05.496W 39-20-05.280N/076-08-03.912W SHOALING REPORTED BETWEEN STILLPOND CREEK BUOY 5 (LLNR 8819) AND STILLPOND CREEK BUOY 4 (LLNR 8815) WITH REPORTED DEPTHS OF 4.0-5.0 FT MLW. MARINERS USE CAUTION. MSI #52108.	

Stumpy Point

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Stumpy Point Channel Daybeacon 5	32005	STRUCT DEST	FD
Stumpy Point Channel Daybeacon 13	32040	STRUCT DEST	FD

Stumpy Point Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Stumpy Point Bay Channel Light 2SP	31990	LT EXT	FD

Stumpy Point Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Stumpy Point Harbor Lighted Wreck Buoy WR1SP	32015	MISSING	FD

Summit Bridge To Bull Minnow Point

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Back Creek Channel Light 28	9180	STRUCT DMGD/LT EXT	FD
Back Creek Channel Light 29	9185	STRUCT DMGD	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Elk River Channel - Summit Bridge To Bull Minnow Point/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-09-10 To: 2027-03-09 Location: 39-32-28.907N/075-44-17.797W Bridge Name: 896 State Route Bridge Mariners are advised that contractors will be performing bridge maintenance and painting operations of the Summit Bridge, at mile 9.7, over the C&D Canal in Middletown, D.E. The maintenance and painting operations will be performed from 7 a.m. to 5 p.m. starting on June 23, 2025, and ending November 1, 2026. To facilitate the work, a decking platform will reduce the available vertical clearance to approximately 128 feet above mean high water. Mariners should use caution when transiting the area. MSI #53481.	Lat: 39° 32' 29" Lon: -075° 44' 18"
Elk River Channel - Summit Bridge To Bull Minnow Point/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-12-30 To: 2027-03-18 Location: 39-33-53.568N/075-33-27.900W 39-33-30.384N/075-33-20.160W 39-31-11.136N/075-52-07.356W 39-31-47.604N/075-52-15.960W 39-33-53.568N/075-33-27.900W U.S. Coast Guard Sector Delaware Bay is notifying mariners of shoaling on the Chesapeake and Delaware Canal in the vicinity of Chesapeake City, MD. Army Corp is imposing a draft restriction of 31'. Mariners are advised to review the latest U.S. Army Corps of Engineers survey for Chesapeake & Delaware Canal prior to transiting and use extreme caution when transiting the area. MSI # 34441.	

Sunny Point Terminal South Entrance

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sunny Point Terminal South Entrance Lighted Junction Buoy SP	30570	SINKING/TRLB	FD

Susquehanna River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Susquehanna River Junction Wreck Light WR SN	27585	STRUCT DEST/HAZ NAV/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Upper Chesapeake Channel - Susquehanna River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2026-09-18 To: 2026-12-01 Location: 39-26-39.048N/076-02-07.512W Aid Name: Susquehanna River Junction Wreck Light WR SN LLNR: 27585 Action: CHANGE Action Type Change Aid Subtype On or about October 5, 2026 the Coast Guard will change Susquehanna River Junction Wreck Light WR SN (LLNR 27585) to Susquehanna River Junction Lighted Wreck Buoy WR SN in approximate position:39 26 38.132N-76 02 06.558W. The flashing quick flashing red light with a 4nm nominal range will remain unchanged. MSI:53970	Lat: 39° 26' 39" Lon: -076° 02' 08"
Upper Chesapeake Channel - Susquehanna River/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-07-31 To: 2026-10-24 Location: 39-33-17.352N/076-05-04.452W Bridge Name: Susquehanna River Railroad Bridge Mariners are advised that an engineering firm, on behalf of Amtrak, will be performing an inspection at the Amtrak Susquehanna River Railroad Bridge across the Susquehanna River, mile 1, at, Havre de Grace, MD. The inspection will be performed beginning September 28, 2026, through October 2, 2026; October 5, 2026, through October 9, 2026; October 12, 2026, through October 16, 2026; and October 19, 2026, through October 23, 2026. The inspections will take place from 6:00 a.m. to 6:00 p.m. A 30' x 80' barge with a manlift will be utilized in and around the bridge pilings to conduct an inspection. When the barge is in the navigation channel it will reduce the horizontal clearance of the channel from 100' to 70'. The barge and inspection team will be monitoring VHF channels 13 and 16 or they can be reached at (610) 608-1762. Mariners are urged to use caution when operating in this area. MSI # 50202.	Lat: 39° 33' 17" Lon: -076° 05' 04"
Upper Chesapeake Channel - Susquehanna River/General/Bridges/Inspection	Bridges	General/Bridges From: 2026-09-08 To: 2027-01-04 Location: 39-34-53.681N/076-06-13.536W Bridge Name: Millard Tydings Memorial Mariners are advised that an engineering firm, working on behalf of the Maryland Transportation Authority, will conduct inspections of the I 95 (Millard E. Tydings Memorial) Bridge over the Susquehanna River, mile 3.2, between Cecil County and Harford County, MD. From September 8, 2026, through December 31, 2026, a snooper truck will be used to inspect the bridge superstructure. This work will occur Monday through Thursday, from 8 a.m. to 4 p.m. In addition, from September 9, 2026, through September 18, 2026, a 30 ft x 90 ft barge equipped with a personnel lift will be used to inspect the concrete piers. This portion of the work will occur Monday through Friday, from 8 a.m. to 4 p.m. Inspection personnel and equipment will be in the vicinity of the navigation channel but are not expected to impede marine traffic. All personnel and vessels will relocate from the channel with a minimum of 10 minutes' notice. Work vessels may be contacted on VHF FM Channels 13 and 16. The project foreman can be reached by phone at (443) 540 4719. Mariners should exercise caution when transiting the area. MSI #53241.	Lat: 39° 34' 54" Lon: -076° 06' 14"
Upper Chesapeake Channel - Susquehanna River/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2026-09-08 To: 2027-05-04 Location: 39-33-43.171N/076-05-13.697W Bridge Name: Pulaski Highway Bridge Mariners are advised that an engineering firm, working on behalf of the Maryland Transportation Authority, will be conducting inspections at the US 40 (Thomas J. Hatem/Pulaski Highway) Bridge over the Susquehanna River, mile 1.5, between Cecil County and Harford County, MD. From October 1, 2026, through April 30, 2027, an under-bridge inspection vehicle will be used to inspect the bridge structure. The vehicle will have the capacity to reach 75ft below the bridge to conduct inspections underneath the bridge. In addition, a work barge equipped with a personnel lift will be used to inspect the concrete support piers. Inspection personnel will use safety boats to monitor vessel traffic when conducting any inspections underneath the bridge. The small boats will operate in the vicinity of the navigation channel but are not expected to impede marine traffic. Upon request, all personnel and vessels will relocate from the navigation channel if at least 30 minutes notice is given. Work vessels may be contacted on VHF FM Channels 13 and 16. The project foreman can be reached by phone at (443) 853-1848 or (410) 446-3847. Mariners should exercise caution when transiting the area. MSI #53242.	Lat: 39° 33' 43" Lon: -076° 05' 14"

Swan Creek**Private Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Swan Creek Buoy 13	26874.100000000002	OFF STA	PA
Swan Creek Buoy 14	26875	SINKING	PA
Swan Creek Buoy 13	26874.100000000002	OFF STATION	PA
Swan Creek Buoy 14	26875	SINKING	PA
The Haven Channel Daybeacon 5	26888.5	HAZ NAV/STRUCT DEST	PA

Swanquarter Bay.**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Swanquarter Bay Light 3A	32685	STRUCT DEST/TRLB	FD
Swanquarter Bay Light 7	32705	STRUCT DEST/TRLB	FD
Swanquarter Bay Light 10	32715	STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Swanquarter PPA Warning Daybeacon W	32725.22	DAYMK MISSING	PA
Swanquarter PPA Warning Daybeacon W	32725.22	DBD DMGD	PA

Tangier Island East Channel**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Tangier Island East Channel Daybeacon 4	22755	STRUCT DEST/TRLB	FD

Tar Bay**Federal Discrepancies Corrected**

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Tar Bay Warning Daybeacon F	24601	DISCONTINUED	FD	2026-10-06

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-20-58.236N/076-16-18.048W Aid Name: Tar Bay Warning Daybeacon B LLNR: 24580 Action: DISCONTINUE	Lat: 38° 20' 58" Lon: -076° 16' 18"
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-20-53.304N/076-15-51.264W Aid Name: Tar Bay Warning Daybeacon C LLNR: 24585 Action: DISCONTINUE	Lat: 38° 20' 53" Lon: -076° 15' 51"
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-20-50.352N/076-15-26.748W Aid Name: Tar Bay Warning Daybeacon D LLNR: 24590 Action: DISCONTINUE	Lat: 38° 20' 50" Lon: -076° 15' 27"
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-20-48.732N/076-14-50.748W Aid Name: Tar Bay Warning Daybeacon F LLNR: 24601 Action: DISCONTINUE	Lat: 38° 20' 49" Lon: -076° 14' 51"
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-20-45.168N/076-15-01.260W Aid Name: Tar Bay Warning Daybeacon E LLNR: 24595 Action: DISCONTINUE	Lat: 38° 20' 45" Lon: -076° 15' 01"
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-20-42.900N/076-14-36.996W Aid Name: Tar Bay Warning Daybeacon G LLNR: 24600 Action: DISCONTINUE	Lat: 38° 20' 43" Lon: -076° 14' 37"
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-20-35.952N/076-14-22.956W Aid Name: Tar Bay Warning Daybeacon H LLNR: 24605 Action: DISCONTINUE	Lat: 38° 20' 36" Lon: -076° 14' 23"
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-20-38.616N/076-14-08.988W Aid Name: Tar Bay Warning Daybeacon J LLNR: 24610 Action: DISCONTINUE	Lat: 38° 20' 39" Lon: -076° 14' 09"
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-20-46.428N/076-14-01.536W Aid Name: Tar Bay Warning Daybeacon K LLNR: 24615 Action: DISCONTINUE	Lat: 38° 20' 46" Lon: -076° 14' 02"
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-20-56.940N/076-13-47.280W Aid Name: Tyler Cove Warning Daybeacon A LLNR: 24620 Action: DISCONTINUE	Lat: 38° 20' 57" Lon: -076° 13' 47"
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-10-07 To: 2026-10-21 Location: 38-20-59.568N/076-13-46.020W Aid Name: Tyler Cove Warning Daybeacon B LLNR: 24625 Action: DISCONTINUE	Lat: 38° 20' 60" Lon: -076° 13' 46"
Chesapeake Channel - Tar Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes Mariners are advised that Seacoast Construction will be conducting stone breakwater and revetment construction on the West and South sides of Barren Island in the Chesapeake Bay (Approximate 38°19'40"N 76°15'20"W) from 12/16/2024 to 06/01/2027 . Work hours are 12 hours a day (daylight), 7 days a week. There will be multiple tugboats, barges and scows in the area. All work will be outside of but near the shipping channel. All mariners are advised that a slow bell may be required upon request. All marine equipment operators will be monitoring VHF-FM Channel 65 and Channels 16 and 13. Work vessels will monitor Channel 13 and 16. Mariners are advised to proceed with caution when transiting the area.	

Chesapeake Channel - Tar Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-08-18 To: 2026-10-16 B3 Enterprises, LLC will perform demolition and removal of the following aids to navigation under a USCG contract. (LLNR 24577) Tar Bay Warning Buoy A (Wreck Marker), 38-21-06.921N, 076-16-20.110W. (LLNR 24580) Tar Bay Warning Daybeacon B, 38-20-58.226N, 076-16-18.044W. (LLNR 24585) Tar Bay Warning Daybeacon C, 38-20-53.302N, 076-15-51.260W. (LLNR 24590) Tar Bay Warning Daybeacon D, 38-20-50.335N, 076-15-26.741W. (LLNR 24595) Tar Bay Warning Daybeacon E, 38-20-45.164N, 076-15-01.257W. (LLNR 24601) Tar Bay Warning Daybeacon F, 38-20-48.736N, 076-14-50.744W. (LLNR 24600) Tar Bay Warning Daybeacon G, 38-20-42.916N, 076-14-36.992W. (LLNR 24605) Tar Bay Warning Daybeacon H, 38-20-35.940N, 076-14-22.938W. (LLNR 24610) Tar Bay Warning Daybeacon J, 38-20-38.619N, 076-14-08.992W. (LLNR 24615) Tar Bay Warning Daybeacon K, 38-20-46.410N, 076-14-01.544W. (LLNR 24620) Tyler Cove Warning Daybeacon A, 38-20-56.953N, 076-13-47.275W. (LLNR 24625) Tyler Cove Warning Daybeacon B, 38-20-59.553N, 076-13-46.033W. (LLNR 24550) Honga River Warning Daybeacon A, 38-21-05.892N, 076-13-04.534W. Project will begin on or about August 31, 2026 and continue till October 01, 2026. The work will consist of demolition and removal of the identified structures and associated wreckage using marine construction equipment, barges, and support vessels and will be operating at each location during demolition activities. MSI # 51512.	
---	---	---	--

Teaches Hole Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Teaches Hole Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-07-31 To: 2030-07-05 Location: 35.07088° N / 76.01812° W Shoaling exists in Teaches Hole Channel to depths of 3ft MLW IVO Ocracoke Inlet Buoy 8 (LLNR 28927), Teaches Hole Lighted Buoy 9 (LLNR 28935), Teaches Hole Lighted Buoy 10 (LLNR 28940), Teaches Hole Lighted Buoy 11 (LLNR 28945), Teaches Hole Buoy 12 (LLNR 28953), Teaches Hole Buoy 13 (LLNR 28955). Marine should review most recent ACOE surveys prior to transiting area. MSI #25059	Lat: 35° 04' 15" Lon: -076° 01' 05"

Thimble Shoal Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Thimble Shoal Channel/General/Marine Construction (Excluding Bridges)/Boring and Core Samples	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Boring and Core Samples From: 2026-09-26 To: 2026-10-25 The US Army Corps of Engineers will be performing vibracore collection activities in Thimble Shoal Channel East between 27-29 September and again, 13-24 October 2026. Operations will be conducted daily between 6:00am and 6:00pm. The samples will be collected outside of the Thimble Shoal Channel auxiliary lane. While conducting sampling operations, the M/V BRANDY STATION will be restricted in her ability to maneuver. Mariners transiting the area are requested to use caution, reduce speed, and pass at slow bell to minimize wake when approaching or passing the vessel. Concerned vessel traffic should contact the M/V BRANDY STATION on VHF-FM Channels 13 or 16 for coordination. MSI #54261.	
Chesapeake Channel - Thimble Shoal Channel/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-08-12 To: 2026-12-15 *****VA – LOWER CHESAPEAKE BAY AND ENTRANCE – WATERWAYS ANALYSIS AND MANAGEMENT SYSTEM (WAMS) REVIEW**** The Coast Guard is conducting a Waterways Analysis and Management System (WAMS) review of the Lower Chesapeake Bay and Entrance. This review focuses on the area’s aids to navigation system, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routine and emergency communication capabilities, and future development projects. This review will cover the following area: South from the VA/MD state line south to the Southern Entrance to Chesapeake Bay Southern Approach Lighted Buoy CB (LLNR 410) and North Chesapeake Entrance Lighted Buoy NCA (LLNR 385). This will include the Thimble Shoals Channel west to Hampton Roads Bridge Tunnel, the Chesapeake Channel, and west to York River Entrance Channel Lighted Buoy 13 (LLNR 13470). Any interested organization, company, or individual wishing to provide comments or participate in a user survey should contact either LTJG Mark Yacone at Mark.E.Yacone@uscg.mil or BOSN Jason Brisson at Jason.M.Brisson@uscg.mil or Sector Virginia Waterways WAMS at VirginiaWaterways@uscg.mil. Deadline to submit comments is December 15, 2026. MSI # 51062.	

Trent River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Trent River Daybeacon 6	34270	STRUCT DEST/TRUB	FD
Trent River Daybeacon 12	34290	STRUCT DEST/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Neuse River - Trent River/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2025-09-03 To: 2030-08-08 Location: 35.0744° N / 77.12879° W Mariners are advised of an unlit 36 foot motor vessel anchored in this approximate position. Exercise caution when transiting the area. All vessels are urged to maintain a proper lookout and proceed at a safe speed.	Lat: 35° 04' 28" Lon: -077° 07' 44"

Tyler Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tyler Creek Channel Daybeacon 5	23135	STRUCT DEST/TRLB	FD
Tylerton Harbor Daybeacon 2	23155	STRUCT DEST/HAZ NAV/TRUB	FD

Unknown

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Broad Creek Daybeacon 3	33615	DBD DEST	FD
Broad Creek Daybeacon 4	33620	STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Whitehall Shores Channel Light 1	31416	STRUCT MISSING/LT EXT	PA

Upper Chesapeake Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Upper Chesapeake Channel Lighted Buoy 20	8490	LT IMCH	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Upper Chesapeake Channel Lighted Buoy LP	8320	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 1UC	8335	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 3	8345	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 4	8360	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 5	8365	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 7	8370	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 10	8380	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 11	8445	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 12	8450	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 13	8455	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 14	8460	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 15	8465	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 16	8470	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 17	8475	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 18	8480	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 19	8485	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 20	8490	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 21	8505	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 23	8535	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 24	8540	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 25	8545	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 26	8550	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 27	8553	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 29	8580	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 30	8590	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 31	8605	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 32	8610	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 33	8615	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 34	8620	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 36	8630	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 37	8635	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 38	8640	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 38A	8770	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 39	8780	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 40	8785	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 41	8795	TRLB	FD
Upper Chesapeake Channel Lighted Buoy 45	8870	TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - Upper Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	"The Coast Guard has instituted a 31-foot draft restriction in the Upper Chesapeake Channel from Upper Chesapeake Channel Lighted Buoy 1UC (LLNR 8335) to Lighted Buoy 8 (LLNR 8375). Mariners are advised to use caution in the vicinity of the Upper Chesapeake Channel and avoid operating outside the Federal Channel." MSI # 44217.	

Upper Delaware River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Upper Delaware River Channel Buoy 5	3665	MISSING	FD
Upper Delaware River Channel Lighted Buoy 20	3785	LT EXT	FD
Mud Island Upper Range Rear Light	3800	STRUCT DEST/HAZ NAV/TRLB	FD
Mud Island Upper Range Rear Passing Light	3803	STRUCT DEST/HAZ NAV	FD
Upper Delaware River Lighted Buoy 40	3930	LT EXT	FD
Upper Delaware River Channel Lighted Buoy 76	4170	LT EXT	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Upper Delaware River Channel Lighted Buoy 4	3663	TRLB	FD
Upper Delaware River Channel Lighted Buoy 8	3680	TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Delaware River - Upper Delaware River/General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions From: 2026-04-03 To: 2031-03-08 Location: 40-00-38.160N/075-02-48.516W A submerged object has been identified on a USACE survey in approximate position: 40-00.638N, 075 02.809W in 42ft MLLW. Object is believed to be the missing buoy from, Upper Delaware River Channel Buoy 9 (LLNR 3685). Object is approximately 45ft off the channel toe. All mariners are requested to use caution in the area. MSI 35984.	Lat: 40° 00' 38" Lon: -075° 02' 49"
Delaware River - Upper Delaware River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-03-11 To: 2027-12-30 Location: 40.12914° N / 74.82082° W 40.12896° N / 74.82069° W 40.12823° N / 74.8226° W 40.12839° N / 74.82274° N / 74.82082° W Commerce Construction Corporation, on behalf of Silvi Materials, will be performing demolition and construction at the Silvi Riverside Materials Facility pier, on the Delaware River, in Bristol, PA. Work will begin on March 17, 2025, and continue until December 30, 2027. Commerce Construction will have a crane barge and multiple material barges on site, all work vessels will be outside of the navigational channel. The crane barge will monitor VHF radio channels 13 and 16. Mariners are cautioned to stay clear of the crane barges, operating wires, anchors, buoys, small boats, tenders, and divers associated with the marine activities. Mariners are requested to transit the area at the slowest safe speed to maintain navigation and minimize wake.	

Upper Machodoc Creek Dahlgren Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Potomac River - Upper Machodoc Creek Dahlgren Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported The ACOE Survey of St. George Creek Channel dated April 2021, indicates shoaling across the entire channel. The shoaling is from 850 feet up the channel of St. George Creek West Channel Warning Light A (LL 16760) to 500 feet up the channel of St. George Creek West Channel Warning Daybeacon B (LL 16765), with a least depth of 3.1 feet MLLW. From: 2024-08-05 To: 2025-08-19 Location: 38.13635° N / 76.50126° W 38.13549° N / 76.50038° W 38.13191° N / 76.50667° W 38.1329° N / 76.50783° W 38.13635° N / 76.50126° W	
Chesapeake Channel - Potomac River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-09-09 To: 2027-02-01 Location: 38.88825° N / 77.0525° W 38.88012° N / 77.04183° W 38.88018° N / 77.04055° W 38.8799° N / 77.04009° W 38.87968° N / 77.04177° W 38.8854° N / 77.04958° W 38.88812° N / 77.05278° W 38.88825° N / 77.0525° W Starting on April 15th, 2024 Cianbro Corporation will be mobilizing to begin the Tidal Basin and West Potomac Park Seawall Rehabilitation Project for The National Park Service. This project is scheduled from April 15th, 2024 to February 1st, 2027; with waterside activities being completed by the end of 2026. Starting in mid-June of 2024, one (1) temporary trestle will be installed between 38.8805754591474N, -77.04249015204742W and will extend approximately 94 feet into the river. In July 2024, one additional (1) temporary trestle in the Tidal Basin will be installed at 38.88154282457337N, -77.04085444069864W and will extend approximately 55 feet into the basin. The work area in the Potomac River will span from Arlington Memorial Bridge to The Inlet Bridge following the shoreline of West Potomac Park in stages starting in March of 2025. Directly surrounding the work areas we will have turbidity curtain deployed to contain the work impact zone, two (2) Turbidity Monitoring Bouy's Twenty-Five (25) LF upstream and downstream from the immediate work area. Additional equipment such as boats, crane barges, and material barges in the Potomac River to facilitate the completion of the work. While work is in proximity to a navigable channel, mariners are asked to refrain from entering the work area and maintain a respectful distance with minimize wake to prevent any hazardous conditions from arising for the safety of our Team Members and the traveling public.	

Upper Pocomoke River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Upper Pocomoke River/General/Bridges	Bridges	Upper Pocomoke River/General/Bridges From: 2025-12-01 To: 2026-05-29 Location: 38.076578, -75.571091 Bridge Name: Pocomoke City Bridge Mariners are advised that an engineering firm, on behalf of the Maryland State Highway Administration, will be performing maintenance on US 13 (Business) (Market Street) Bridge over Pocomoke River, at river mile 15.6, at Pocomoke City, MD. To facilitate cleaning and painting, the bridge will be maintained in the open-to-navigation position from 8 a.m. September 05, 2026, through 8 a.m. December 01, 2026. A platform will be used around the bascules members of the bridge reducing the horizontal clearance by approximately 20 feet to approximately 45 feet of horizontal clearance. MSI#32991	Lat: 38° 04' 36" Lon: -075° 34' 16"

Upper Potomac River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Upper Potomac River Lighted Buoy 10	17890	LT IMCH	FD
Upper Potomac River Light 14	17910	STRUCT DEST/TRLB/HAZ NAV	FD
Upper Potomac River Light 15	17930	STRUCT DEST/HAZ NAV/TRLB	FD
Upper Potomac River Light 17	17945	STRUCT DEST/HAZ NAV/TRLB	FD
Upper Potomac River Lighted Buoy 22	18040	LT EXT	FD
Upper Potomac River Light 23	18055	TRLB/STRUCT MISSING	FD
Upper Potomac River Channel Lighted Buoy 47	18235	OFF STATION	FD
Cornwallis Neck Warning Buoy B	18245	MISSING	FD

Upper Thorofare

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Upper Thorofare Channel Light 1UT	23560	STRUCT DEST/TRLB/HAZ NAV	FD

Upper York River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Croaker Landing Daybeacon 1	13960	STRUCT MISSING	PA
Croaker Landing Daybeacon 2	13965	STRUCT MISSING	PA
Croaker Landing Daybeacon 3	13970	DBD DMGD	PA
Croaker Landing Daybeacon 4	13975	DBD DMGD	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
York River - Upper York River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-09-28 To: 2027-03-30 Location: 37-14-34.224N/076-30-24.862W Bridge Name: George P Coleman Memorial Bridge Mariners are advised that the highway drawbridge – Coleman Memorial (US 17) Bridge, across York River, mile 7.0, between Gloucester Point and Yorktown, VA, will be maintained in the closed-to-navigation position to facilitate emergent bridge maintenance. The maintenance will begin on Monday, September 28, 2026, from 9:00 AM until 7:00 PM Tuesday, September 29, 2026. Vessels able to pass through the bridge in the closed position may do so at any time. The bridge will not be able to open for emergencies. There is no immediate alternative route for vessels unable to pass through the bridge in the closed position. At all other times, the drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.1025. Mariners should adjust their transits accordingly and should use caution when transiting the area. MSI #54161	Lat: 37° 14' 34" Lon: -076° 30' 25"
York River - Upper York River/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2026-10-01 To: 2026-11-20 Location: 37-14-34.224N/076-30-24.862W Bridge Name: George P Coleman Memorial Bridge Mariners are advised that the highway drawbridge – Coleman Memorial (US 17) Bridge, across York River, mile 7.0, between Gloucester Point and Yorktown, VA, will be maintained in the closed-to-navigation position to facilitate bridge maintenance. The maintenance will begin on Monday, November 16, 2026, from 3:00 PM until 3:00 AM Tuesday, November 17, 2026, and again from Tuesday, November 17, 2026, from 3:00 PM until 3:00 AM Wednesday, November 18, 2026. Vessels able to pass through the bridge in the closed position may do so at any time. The bridge will not be able to open for emergencies. There is no immediate alternative route for vessels unable to pass through the bridge in the closed position. At all other times, the drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.1025. Mariners should adjust their transits accordingly and should use caution when transiting the area. MSI #54856.	Lat: 37° 14' 34" Lon: -076° 30' 25"

Walter Slough

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Walter Slough Daybeacon 2	28305	STRUCT DEST/TRUB	FD
Walter Slough Light 3	28310	STRUCT DEST/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Walter Slough Temporary Danger Buoy	28307	ESTABLISHED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Oregon Inlet - Walter Slough/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2026-09-29 To: 2026-10-13 Location: 35-47-19.078N/075-34-14.822W Aid Name: Walter Slough Temporary Danger Buoy LLNR: 28307 Action: TEMPORARILY ESTABLISHED in approx posit 35-47-19.078N/075-34-14.822W White can with orange bands worded DANGER SHOAL.	Lat: 35° 47' 19" Lon: -075° 34' 15"

Wanchese Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
-------	-------------	-------------	----------

Wanchese Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-25 To: 2028-04-16 Location: 35.84243° N / 75.61001° W Encroaching shoaling is present between Wanchese Channel Buoy 2 (LLNR 28445) and Wanchese Channel Daybeacon 4 (LLNR 28455) extending into channel.	Lat: 35° 50' 33" Lon: -075° 36' 36"
--	-----------------------	---	--

Ware River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ware River Daybeacon 2	14315	STRUCT DEST/TRUB	FD

Waterway Name Not Found

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Gosnold Hope Channel Daybeacon 6	null	STRUCT DEST	PA
Longs Creek Daybeacon 4	27075	DAYMK IMCH	PA
Wallace Creek Daybeacon 5	null	STRUCT DMGD	PA
Dandy Haven Marina Entrance Daybeacon 9	13000	STRUCT DEST	PA
Back River Buoy 14	27100	OFF STATION	PA
Gosnold Hope Channel Daybeacon 6	null	STRUCT DEST	PA
Longs Creek Daybeacon 4	27075	DAYMK MISSING	PA
Wallace Creek Daybeacon 5	null	STRUCT DMGD	PA

Webster Cove

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Webster Cove Channel Daybeacon 3	23800	TRLB	FD

West Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
West Bay Restricted Area Light I	33517	LT EXT	FD
West Bay Light 7WB	33535	LT IMCH	FD
West Bay Light 11WB	33550	LT EXT	FD
Rattan Bay Restricted Area Light D	33623.3	LT EXT	FD
Rattan Bay Restricted Area Light E	33623.4	LT EXT	FD
Rattan Bay Restricted Area Light F	33623.5	LT EXT	FD
Rattan Bay Restricted Area Light G	33623.6	LT EXT	FD

West River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
West River Entrance Light 2	19470	STRUCT DMGD	FD

White Creek

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Indian River Inlet - White Creek/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported Shoaling was observed in White Creek to 2 – 5 feet at MLW. Floating Aids to Navigation have been discontinue while fixed aids to navigation have been converted to Warning Daybeacons with "Danger Shoal" on them. From: 2024-08-05 To: 2025-10-14 Location: 38.57784° N / 75.0989° W 38.57683° N / 75.09469° W 38.55851° N / 75.08757° W 38.55959° N / 75.09074° W 38.56871° N / 75.09701° W 38.57784° N / 75.0989° W	

Whitehall Creek

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Chesapeake Channel - Whitehall Creek/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-08-05 To: 2026-12-01 Location: 38-59-41.856N/076-25-40.080W Shoreline Design, LLC will begin construction of a shoreline erosion control project for St. Mary's Church in Annapolis, MD on August 10, 2025. The project will require a temporary mooring in Whitehall Bay to allow transfer of material barges between Annapolis and the quarry in Havre de Grace. VHF Radio Channel monitored: 16/80 1 Date of start and date of completion? 8/10/26 thru 11/30/26 2. Work days during the week and work hours during the day? 7 days a week, 7am – 7 pm 3. Name of the marine contractor companies and the identity/description of all their vessels/marine equipment located on site? Primary Contractor: Shoreline Design, 637 Shore Drive, Edgewater, MD 21037 Vessels/Marine Equipment 1 each 34'x130' Deck Barge 1 each 30'x110' Deck Barge 1 each 24'x60' Spud Barge 2 each 24'x50' Spud Barge 2 each 12'x25' Tug Boats (Miss Lee Ann and Pusherman) 1 each 12'x20' Push Boat 1 each 6'x24' Crew Boat 4. Will any vessels/marine equipment be using any form of anchoring system or attached to commercial mooring buoys? Yes, one mooring buoy at each location will be installed for connecting line barges during construction of the project. 5. Will there be any other buoys or structures established, such as "no-wake" warning signage, permitted by other agencies or entities? No 6. Your concurrence that all marine equipment will be marked and lighted in accordance with USCG Regulations. All equipment will be marked and lighted in accordance with USCG Regulations 7. Your intentions for equipment during heavy weather or other emergency, such as an approaching hurricane or ice conditions. During heavy weather all barges will be moved to a safe harbor within Severn River and/or White Hall Bay 8. Emergency, 24-hour point of contact (name, title and phone number) for the project's duration. Wes Matheu President Shoreline Design, LLC 443-336-0978	Lat: 38° 59' 42" Lon: -076° 25' 40"
---	---	--	-------------------------------------

Whittaker Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Whittaker Creek Light 5	33730	STRUCT DEST/HAZ NAV/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Neuse River - Whittaker Creek/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-25 To: 2028-11-02 Location: 35.02625° N / 76.68418° W Shoaling has been reported from Whittaker Creek Daybeacon 3 (LLNR 33723) to Whittaker Creek Daybeacon 5 (LLNR 33730). Shoaling is encroaching from western side of channel, expanding roughly 70% of channel width between Whittaker Creek Daybeacon 3 (LLNR 33723) and Whittaker Creek Daybeacon 4 (LLNR 33725). Depths of 3.5' MLLW has been reported.	Lat: 35° 01' 34" Lon: -076° 41' 03"

Wicomico River Honga, Nanticoke And Fishing Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wicomico River Junction Buoy WN	23675	MISSING	FD
Wicomico River Channel Light 28	23845	STRUCT DEST/HAZ NAV/TRLB	FD

Wicomico River Lower Potomac River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wicomico River Light 6W	17312	STRUCT DEST/HAZ NAV/TRLB	FD

Willoughby Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
James River - Willoughby Bay/General/Bridges/Modification	Bridges	General/Bridges/Modification From: 2024-10-07 To: 2026-08-01 Location: 36.96379° N / 76.2791° W Bridge Name: Interstate 64 Westbound Bridge Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be modifying the existing bridge I-64/US 60 (Hampton Roads Beltway/Willoughby Bay) Bridge across Willoughby Bay, mile 1.5, at Norfolk, VA, commonly called the Willoughby Bay Bridge. Construction activities will begin on June 7, 2021, and are expected to continue through August 27, 2027. Marine construction activity will take place 24-hours per day, seven days a week. The project will involve widening the existing two-lane eastbound and westbound structures into two four-lane structures. This will be done by constructing an additional vehicular lane on each side of the existing eastbound structure and constructing an additional vehicular lane on each side of the existing westbound structure. The modified bridge will be a fixed bridge with a horizontal clearance of 50 feet and a vertical clearance of 25 feet above mean high water. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new bridge spans or located within the specific Mooring/Safe Harbor area. Bridge Structures/Work Trestles: Mariners are advised to maintain a safe distance of 300 feet to the south and 50 feet to the north from the Willoughby Bay Bridge. Construction managers may establish safe transit corridors through bridge trestles as construction activity permits. Work trestles will be constructed extending on out from the North and South shorelines. Willoughby Mooring and Safe Harbor Area – As charted. Mariners are advised to keep clear of the mooring/safe harbor area and are not permitted entry or mooring within the exclusion zone throughout the duration of the project. Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels and channels 67 & 71 while operating in the project area. To reach an on-scene manager, call Hampton Roads Connector Partners at 757-703-6060 and the call will be forwarded to an On-Call Hampton Roads Connector Partners Marine contact. You may also contact Hampton Roads Connector Partners via email at MarineOps@hrcpvj.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtextansion.org . MSI # 1688.	Lat: 36° 57' 50" Lon: -076° 16' 45"

James River - Willoughby Bay/General/Bridges/Modification	Bridges	General/Bridges/Modification From: 2024-10-07 To: 2026-08-01 Location: 36.96355° N / 76.2791° W Bridge Name: Interstate 64 Eastbound Bridge Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be modifying the existing bridge I-64/US 60 (Hampton Roads Beltway/Willoughby Bay) Bridge across Willoughby Bay, mile 1.5, at Norfolk, VA, commonly called the Willoughby Bay Bridge. Construction activities will begin on June 7, 2021, and are expected to continue through August 27, 2027. Marine construction activity will take place 24-hours per day, seven days a week. The project will involve widening the existing two-lane eastbound and westbound structures into two four-lane structures. This will be done by constructing an additional vehicular lane on each side of the existing eastbound structure and constructing an additional vehicular lane on each side of the existing westbound structure. The modified bridge will be a fixed bridge with a horizontal clearance of 50 feet and a vertical clearance of 25 feet above mean high water. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new bridge spans or located within the specific Mooring/Safe Harbor area. Bridge Structures/Work Trestles: Mariners are advised to maintain a safe distance of 300 feet to the south and 50 feet to the north from the Willoughby Bay Bridge. Construction managers may establish safe transit corridors through bridge trestles as construction activity permits. Work trestles will be constructed extending on out from the North and South shorelines. Willoughby Mooring and Safe Harbor Area – As charted. Mariners are advised to keep clear of the mooring/safe harbor area and are not permitted entry or mooring within the exclusion zone throughout the duration of the project. Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels and channels 67 & 71 while operating in the project area. To reach an on-scene manager, call Hampton Roads Connector Partners at 757-703-6060 and the call will be forwarded to an On-Call Hampton Roads Connector Partners Marine contact. You may also contact Hampton Roads Connector Partners via email at MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtxpansion.org . MSI # 1690.	Lat: 36° 57' 49" Lon: -076° 16' 45"
James River - Willoughby Bay/General/LAA/RNA/Safety Zone	LAA/RNA	The COTP Sector Virginia has determined that the HRBT Expansion Project will continue to be protected by six Safety Zones identical to those formerly charted as established in 33cfr165.519. The new temporary regulation will be found at 33cfr165.T05-1069 and has been signed. The new temporary regulation is identical to the previous and is scheduled to be published in January. The zones will be enforceable until 20 December 2030 or potentially earlier if deemed no longer necessary by the COTP.	

Wright Creek

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Wright Creek Light 5	32875	RELIGHTED	FD	2026-10-01

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Pungo River - Wright Creek/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2024-09-25 To: 2029-08-29 Location: 35.41505° N / 76.58764° W Mariners are advised of shoaling in vicinity of Wright Creek Daybeacon 4 (LLNR 32870) off the Pungo River.	Lat: 35° 24' 54" Lon: -076° 35' 16"

Wye River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wye East River Buoy 3	26160	STRUCT DEST/TRUB	PA
Wye River Buoy 7	26146	OFF STATION	PA
Wye River Buoy 1	26126	MISSING	PA
Wye River Buoy 5	26135	OFF STATION	PA
Wye East River Buoy 3	26160	STRUCT DEST/TRUB	PA

Wysocking Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wysocking Bay Entrance Light 3	32155	LT EXT	FD
Wysocking Bay Light 6	32170	LT EXT	FD

Yeocomico River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
West Yeocomico River Daybeacon 6	16825	HAZ NAV/STRUCT DMGD	PA
West Yeocomico River Daybeacon 6	16825	STRUCT DEST	PA
West Yeocomico River Daybeacon 4	16815	DBD DMGD	PA

York River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Waterview Seafood Warning Daybeacon C	null	DAYMK MISSING	PA
York River-Dominion Danger Buoy A	null	OFF STATION	PA
Virginia Power Underwater Obstruction Light A	13575	LT EXT	PA
Waterview Seafood Warning Daybeacon C	null	DBD DMGD	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chesapeake Channel - York River/General/Bridges/Maintenance	Bridges	George P. Coleman Memorial Bridge - Maintenance Deviation Mariners are advised that the George P. Coleman Memorial Bridge across the York River, mile 7.0, between Gloucester Point and Yorktown, VA is being upgraded, requiring a phased construction and bidding process. For a minimum of 6 months and until further notice, vessels requiring passage must provide four-hour notice. Vessels that can safely transit the vertical clearance of 60 feet available under the bridge in closed position may do so at any time.	
York River/General/Bridges	Bridges	York River/General/Bridges From: 2026-07-20 To: 2027-01-16 Location: 37.24284, -76.506906 Bridge Name: George P Coleman Memorial Bridge Mariners are advised that the George P. Coleman Memorial Bridge across the York River, mile 7.0, between Gloucester Point and Yorktown, VA is being upgraded, requiring a phased construction and bidding process. For a minimum of 6 months and until further notice, vessels requiring passage must provide four-hour notice. Vessels that can safely transit the vertical clearance of 60 feet available under the bridge in closed position may do so at any time. The bridge tender can be reached at (757) 890-8516 or by VHF-FM Channel 13. Mariners should use caution when transiting the area.	Lat: 37° 14' 34" Lon: -076° 30' 25"
Chesapeake Channel - York River/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2026-08-12 To: 2026-12-15 ****VA – LOWER CHESAPEAKE BAY AND ENTRANCE – WATERWAYS ANALYSIS AND MANAGEMENT SYSTEM (WAMS) REVIEW**** The Coast Guard is conducting a Waterways Analysis and Management System (WAMS) review of the Lower Chesapeake Bay and Entrance. This review focuses on the area's aids to navigation system, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routine and emergency communication capabilities, and future development projects. This review will cover the following area: South from the VA/MD state line south to the Southern Entrance to Chesapeake Bay Southern Approach Lighted Buoy CB (LLNR 410) and North Chesapeake Entrance Lighted Buoy NCA (LLNR 385). This will include the Thimble Shoals Channel west to Hampton Roads Bridge Tunnel, the Chesapeake Channel, and west to York River Entrance Channel Lighted Buoy 13 (LLNR 13470). Any interested organization, company, or individual wishing to provide comments or participate in a user survey should contact either LTJG Mark Yacone at Mark.E.Yacone@uscg.mil or BOSN Jason Brisson at Jason.M.Brisson@uscg.mil or Sector Virginia Waterways WAMS at VirginiaWaterways@uscg.mil. Deadline to submit comments is December 15, 2026. MSI # 51066.	